

Overview

Keyboards

HP 125 Wired Keyboard	266C9AA
HP Wired Desktop 320K Keyboard	9SR37AA
HP Elite x2 G4 Collaboration Keyboard	7CS01AA
HP Wireless Premium Keyboard	Z9N41AA
HP USB Premium Keyboard	Z9N40AA
HP Wireless Collaboration Keyboard	Z9N39AA
HP Wireless (Link-5) Keyboard	T6U20AA

Mice

HP 935 Creator Wireless Mouse	1D0K8AA
HP 635 Multi-Device Wireless Mouse	1D0K2AA
HP 125 Wired Mouse	265A9AA
HP 128 Laser Wired Mouse	265D9AA
HP Wired Desktop 320M Mouse	9VA80AA
HP Bluetooth Travel Mouse	6SP30AA
HP USB Fingerprint Mouse	4TS44AA
HP Elite Presenter Mouse	2CE30AA
HP Essential USB Mouse	2TX37AA
HP Wireless Premium Mouse	1JR31AA
HP USB Premium Mouse	1JR32AA
HP USB Travel Mouse	G1K28AA
HP Ultra Mobile Wireless Mouse	H6F25AA
HP X4000b Bluetooth Mouse	H3T50AA
HP Comfort Grip Wireless Mouse	H2L63AA
HP 3-Button USB Laser Mouse	H4B81AA

Pens

HP Pro Pen	8JU62AA
HP Rechargeable Active Pen G3	6SG43AA
HP Active Pen with Spare Tips	1FH00AA
HP Active Pen with App Launch	T4Z24AA
HP x360 11 EMR Pen with Eraser	2EB40AA

Nib Sets

HP ZBook x360 Nib Kit For Active Pen	4WW10AA
HP Pro Pen Nib Set	8MP61AA
HP Nib Set for Active Pen with App	3RV56AA
HP Active Pen Nib Set	3RV57AA

Bundles

HP 225 Wired Mouse and Keyboard	286J4AA
HP Wired Desktop 320MK Mouse and Keyboard	9SR36AA
HP Wireless Rechargeable 950MK Mouse and Keyboard	3M165AA
HP USB Essential Keyboard/Mouse (APJ & Americas only)	H6L29AA
HP Slim Wireless Keyboard and Mouse	T6L04AA
HP Slim USB Keyboard and Mouse	T6T83AA

Overview

Introduction

HP Input/Output devices provide additional desktop functionality for HP Business Notebooks.

Compatibility

HP's Input / Output devices with USB connections are compatible with all HP Business Notebook and docking products.

HP Active Pen with Spare Tips is only compatible with HP ProBook x360 11 G1.

NOTE: Not all localizations and models are available in all regions.

Service and Support

HP's Input / Output devices have a one-year limited warranty. Technical support is available seven days a week, 24 hours a day, as well as in online support forums. Certain restrictions and exclusions apply.

Technical Specifications

KEYBOARDS

HP 125 Wired Keyboard

Dimensions (H x L x W)	17.17 x 5.43 x 0.81 inch (436 x 138 x 20.3mm)
Weight	16.63 oz (471.5g ±30g)
Cable length	1800mm
Keys	104, 105, 107, 109 layout (depending on country)
Operating voltage	5V
Power consumption	50mA - 100mA
Interface	USB
Switch life	10M for all the keys 5M for functional hot keys
Switch type	Plunger with 3mm travel
Operating temperature	10°C to 50°C
Non-operating temperature	-30°C to 65°C
Operating humidity	10°C to 90°C
Non-operating humidity	0°C to 90°C
Sustainability	Greater than 50% post-consumer recycled plastic content and low halogen PCBA
System required	Windows 10 (64 and 32 bit), (UWP) RS4 and above
Approvals	FCC ICES CULus CE GS EAC Ukraine India BIS KCC RCM BSMI VCCI
Kit contents	Keyboard, QSP, Warranty Card, Product Notice
Warranty	One-year limited warranty
Country of origin	China

HP Wired Desktop 320K Keyboard

Dimensions (H x L x W)	16.77 x 4.36 x 0.65 in (426.2 x 110.9 x 16.7 mm)
Weight	14.57 oz (413g)
Cable length	1800 mm
Keys	104, 105, 107, 109 layout (depending on country)
Operating voltage	5V
Power consumption	50mA - 100 mA
Interface	USB
Switch life	10M
Switch type	Plunger
Operating temperature	10°C to 50°C

Technical Specifications

Non-operating temperature	30°C to 65°C
Operating humidity	10°C to 90°C
Non-operating humidity	0°C to 90°C
Sustainability	Greater than 50% post-consumer recycled plastic content and low halogen PCBA
System required	Windows 10 (64 and 32 bit), (UWP) RS4 and above
Approvals	FCC ICES CULus CE GS EAC Ukraine India BIS KCC RCM BSMI VCCI
Kit contents	Keyboard, QSP, Warranty Card, Product Notice

HP Elite x2 G4 Collaboration Keyboard

Part Number	7CS01AA
Dimensions	11.31 x 8.27 x 0.19 in (28.73 x 22.78 x 0.49 cm)
Weight	0.81 lb (368g)
Collaboration keys	Answer Call End Call Share/present
Function keys	Esc Key F1 - Display switching F2 - Privacy Screen Function (optional) F3 - Brightness Down F4 - Brightness Up F5 - Mute F6 - Volume Down F7 - Volume Up F8 - Mic Mute F9 - Backlight Toggle F10 - Numb Lock F11 - Wireless On/Off F12 - Calendar Delete Key
Illuminated keys	Caps lock - White Num lock - White FN Key Lock - White Incoming call - Blinking green Microphone Mute - Amber Speaker Mute - Amber End call - Red Share/Present - White Wireless On/Off - Amber
Key features	ClickPad with image sensor Multi-touch gestures enabled

Technical Specifications

	Full size 81/82-key island-style backlit keyboard with full row of function keys and LED indicators
Compatibility	HP Elite x2 G4
Country of origin	China
What is in the box	Battery and connection status LED
Kit contents	HP Elite x2 G4 Collaboration Keyboard, documentation

HP Wireless Premium Keyboard

Part Number	Z9N41AA
Dimensions	17.04 x 0.46x 5.55 inch (43.3 x 1.18 x 14.1 cm)
Weight	1.4lb (656.1g)
Connectivity	Wireless 2.4 GHz, Link-5
Wireless Connectivity Encryption	Secure 128-bit (AES) encryption between device and receiver
Power Specifications	Rechargeable Li-ion battery – 650 mAh
Battery Life (rechargeable)	Up to 3 months
USB rechargeable cable length	5.9 ft (1.8m)
Indicator Lights	Battery and connection status LED
Switches	Power switch - On/Off position Function Lock switch - access the special function keys without having to first press on the Fn key On (Green): Performs the action as depicted in the icon Off (Red): Hold the fn key and the numeral function key to perform the action as depicted in the icon
Connect button	Link-5 connect button
Port	Micro USB Type B port to recharge keyboard battery
Keys	109 (US) Layout, 110 (EU) Layout, 114 (JP) Layout – depending upon country
Feature Summary	Anodized aluminum-trimmed full-size keyboard with numerical pad and 12 function keys. Adjustable slope 0-6 degrees Key force: 60±10g Key life: 10 million cycles activation (Normal Key) Key typing noise: Max 55dbA Key structure: Scissor type Key cap legend: Printed
Illuminated Keys	Microphone Mute – <i>Amber</i> Audio Mute – <i>Amber</i> Cap Lock Num Lock
Function Keys	Fn+F10 – Print Screen Fn+F9 – Devices Fn+F8 – Search Fn+F7 – Blank Fn+F6 – Up Brightness Adjustment Fn+F5 – Down Brightness Adjustment Fn+F4 – Display Options Fn+F3 – File Explorer Fn+F2 – System Lock Fn+F1 – System Sleep
System requirements	Available USB port

Technical Specifications

	Windows 7, Windows 8.x, and Windows 10
	NOTE: Screen brightness functions supported in select HP systems
Operating Temperature	0 ~ +40°C
Approvals	CE RF test report; USA /FCC Part 15 C; Canada/RS-210; Argentina; Jordan; RUSSIA-FAC(RF); RUSSIA-CU; South Africa; Turkey; Ukraine; BRAZIL; Mexico; Australia / New Zealand; Australia / New Zealand RCM; AUSTRALIA NEW ZEALAND RF; China SRRC; INDIA wireless; INDIA safety; Indonesia; Japan TELEC; KOREA KCC; MALAYSIA; Pakistan; Philippines; Singapore; Taiwan BSMI; Taiwan NCC; CB for Nemko; cCSAus for CSA; UL/CUL; GS for TUV Rh; Japan EMC; WHQL Win 10
Country of Origin	China
Kit contents	Keyboard, USB Link-5 micro-receiver, micro USB to USB rechargeable cable and documentation
Service and support	One-year limited warranty

HP USB Premium Keyboard

Part Number	Z9N40AA
Dimensions	17.04 x 0.46x 5.55 inch (43.3 x 1.18 x 14.1 cm)
Weight	1.5lb (690.6g)
Connectivity	USB interface
Cable length	5.9 ft (1.8m)
Switches	Function Lock switch - access the special function keys without having to first press on the Fn key On (Green): Performs the action as depicted in the icon Off (Red): Hold the fn key and the numeral function key to perform the action as depicted in the icon Link-5 connect button
Keys	109 (US) Layout, 110 (EU) Layout, 114 (JP) Layout – depending upon country
Feature Summary	Anodized aluminum-trimmed full-size keyboard with numerical pad and 12 function keys. Adjustable slope 0-6 degrees Key force: 60±10g Key life: 10 million cycles activation (Normal Key) Key typing noise: Max 55dbA Key structure: Scissor type Key cap legend: Printed
Illuminated Keys	Microphone Mute – <i>Amber</i> Audio Mute – <i>Amber</i> Cap Lock Num Lock
Function Keys	Fn+F10 – Print Screen Fn+F9 – Devices Fn+F8 – Search Fn+F7 – Blank Fn+F6 – Up Brightness Adjustment Fn+F5 – Down Brightness Adjustment Fn+F4 – Display Options Fn+F3 – File Explorer Fn+F2 – System Lock Fn+F1 – System Sleep
System requirements	Available USB port Windows 7, Windows 8.x, and Windows 10

Technical Specifications

Operating Temperature	0 ~ +40°C
Approvals	CE RF test report; USA /FCC Part 15 C; Canada/RS-210; Argentina; Jordan; RUSSIA-FAC(RF); RUSSIA-CU; South Africa; Turkey; Ukraine; BRAZIL; Mexico; Australia / New Zealand; Australia / New Zealand RCM; AUSTRALIA NEW ZEALAND RF; China SRRC; INDIA wireless; INDIA safety; Indonesia; Japan TELEC; KOREA KCC; MALAYSIA; Pakistan; Philippines; Singapore; Taiwan BSMI; Taiwan NCC; CB for Nemko; cCSAus for CSA; UL/CUL; GS for TUV Rh; Japan EMC; WHQL Win 10
Country of Origin	China
Kit contents	Keyboard and documentation, One-year limited warranty

HP Wireless Collaboration Keyboard

Part Number	Z9N39AA
Dimensions	17.04 x 0.46x 5.55 inch (43.3 x 1.18 x 14.1 cm)
Weight	1.4lb (662.3g)
Connectivity	Wireless 2.4 GHz, Link-5
Wireless Connection Encryption	Secure 128-bit (AES) encryption between device and receiver
Power Specifications	Rechargeable Li-ion battery (3150mAh)
Battery Life (rechargeable)	Up to 3 months
USB rechargeable cable length	5.9 ft (1.8 m)
Indicator Lights	Battery and connection status LED
Switches	Power switch - On/Off position Function Lock switch - access the special function keys without having to first press on the Fn key On (Green): Performs the action as depicted in the icon Off (Red): Hold the fn key and the numeral function key to perform the action as depicted in the icon
Connect button	Link-5 connect button
Port	Micro USB Type B port to recharge keyboard battery
Keys	109 (US) Layout, 110 (EU) Layout, 114 (JP) Layout – depending upon country
Feature Summary	Full-size keyboard with numerical pad and 12 function keys. Adjustable slope 0-6 degrees Key force: 60±10g Key life: 10 million cycles activation (Normal Key) Key typing noise: Max 55dbA Key structure: Scissor type Key cap legend: Printed (Lync Buttons Laser Printed)
Illuminated keys	Incoming Call – Blinks Green Call in progress –Green Decline incoming call – Blinks Red End Call - Red Microphone Mute – Amber Audio Mute – Amber Screen Sharing – Amber Stop Webcam – Amber
Other Call control keys	Cap Lock Num Lock Volume up and down
Microsoft Lync/Outlook	Fn+F12 – Lync or Skype for Business Calendar will open. If Lync or Skype for Business is not available will bring Outlook Calendar *

Technical Specifications

Functions Key	<p>Fn+F11 – Lync or Skype for Business Contact will open. If Lync or Skype for Business is not available will bring Outlook Contact list *</p> <p>Fn+F10 – Print Screen</p> <p>Fn+F9 – Devices</p> <p>Fn+F8 – Search</p> <p>Fn+F7 – Blank</p> <p>Fn+F6 – Up Brightness Adjustment</p> <p>Fn+F5 – Down Brightness Adjustment</p> <p>Fn+F4 – Display Options</p> <p>Fn+F3 – File Explorer</p> <p>Fn+F2 – System Lock</p> <p>Fn+F1 – System Sleep</p>
System requirement	<p>Available USB port</p> <p>Windows 7, Windows 8.x, and Windows 10</p> <p>Server: Microsoft Lync Server 2013 or Skype for Business Server 2015</p> <p>Client: Locally installed on the system Microsoft Lync 2013 version 15.0.46xx or newer or Skype for Business</p> <p>NOTE: Limited support for Microsoft Lync 2013 Basic and Microsoft Metro Mode</p> <p>NOTE: Screen brightness functions supported in select HP systems</p>
Operating Temperature	0 ~ +40°C
Approvals	CE RF test report; USA /FCC Part 15 C; Canada/RS-210; Argentina; Jordan; RUSSIA-FAC(RF); RUSSIA-CU; South Africa; Turkey; Ukraine; BRAZIL; Mexico; Australia / New Zealand; Australia / New Zealand RCM; AUSTRALIA NEW ZEALAND RF; China SRRC; INDIA wireless; INDIA safety; Indonesia; Japan TELEC; KOREA KCC; MALAYSIA; Pakistan; Philippines; Singapore; Taiwan BSMI; Taiwan NCC; CB for Nemko; cCSAus for CSA; UL/CUL; GS for TUV Rh; Japan EMC
Country of origin	China
Kit contents	Keyboard, USB Link-5 micro-receiver, micro USB to USB rechargeable cable and documentation
Service and support	One-year limited warranty
Compatibility	HP Wireless Collaboration Keyboard is compatible with HP Business Notebooks, Desktops and docking products – HP 90W/230W Docking Stations, 120W/230W Advanced Docking Stations and Ultra Slim Docks.

HP Wireless (Link-5) Keyboard

Part Number	T6U20AA
Dimensions	5.3 x 17.6 x 0.83 in (13.7 x 43.6 x 2.1 cm)
Weight	1.23 lbs (560 g) without 2 AA batteries
Connectivity	2.4 GHz, Link-5
System requirements	Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10. Available USB port for the receiver
Wireless Connection Encryption	Secure 128-bit (AES) encryption between device and receiver
Kit contents	HP Wireless (Link-5) Keyboard, USB Link-5 micro-receiver, two AA batteries and documentation

Technical Specifications

MICE

HP 935 Creator Wireless Mouse

Dimensions (H x L x W)	4.75 x 3.11 x 1.84 inch (120.7 x 79 x 46.7mm)
Weight	0.29 lbs (0.13kg)
Number of buttons	10
Number of programmable buttons	7 (tilt-left, tilt-right, 3 side buttons, right click, middle click)
Encryption	AES 128 bits encryption
Dots per inch (DPI)	Default: 1200 DPI out of the box. Range: 800 DPI – 3000 DPI, customizable in HPAC software
Software	HP Accessory Center available in Microsoft Store and Apple Store
Tracking type	Track-On-Glass Sensor ¹
Connectivity	2.4GHz wireless receiver and Bluetooth®
System requirements	Windows 10 (64 bit and 32 bit) (UWP) RS4 and above, MacOS 10.9 or newer version
Approvals	FCC ICES CULus CE GS EAC Ukraine India BIS KCC RCM BSMI VCCI
Sustainability	Low halogen PCBA, 75% recycled paper material for package
Color	Nightfall Black
Kit contents	Mouse, USB-C charging cable, QSP, Warranty Card, Product Notice
Warranty	One-year limited warranty
Country of origin	China

1. [Surface Coverage recommendation for TOG Sensor: All surfaces](#)

HP 635 Multi-Device Wireless Mouse

Dimensions (H x L x W)	102.1 x 57.1 x 36.2 inch (4.02 x 2.25 x 1.43mm)
Weight	0.17 lbs (0.08kg)
Number of buttons	9
Number of programmable buttons	4 (tilt-left, tilt-right, side buttons)
Encryption	AES 128 bits encryption
Dots per inch (DPI)	Default: 1200 DPI out of the box. Range: 800 DPI – 3000 DPI, customizable in HPAC software
Software	HP Accessory Center available in Microsoft Store and Apple Store
Tracking type	Track-On-Glass Sensor works on any surface ¹
Connectivity	2.4GHz wireless receiver and Bluetooth
System requirements	Windows 10 (64 bit and 32 bit) (UWP) RS4 and above, MacOS 10.9 or newer version

Technical Specifications

Approvals	FCC ICES CULus CE GS EAC Ukraine India BIS KCC RCM BSMI VCCI
Sustainability	Low halogen PCBA, 75% recycled paper material for package
Color	Nightfall Black
Kit contents	Mouse, 2 x AAA batteries, QSP, Warranty Card, Product Notice
Warranty	One-year limited warranty
Country of origin	China

1. [Surface Coverage recommendation for TOG Sensor:All surfaces.](#)

HP 125 Wired Mouse

Dimensions (H x L x W)	4.41 x 2.48 x 1.42 inch (112 x 63 x 36mm)
Weight	2.83 oz (80.5g ±5g)
Dots per inch (DPI)	1200 DPI
Tracking type	Optical Red Sensor ¹
Connectivity	USB
Cable length	1800mm
System requirements	Windows 10 (64 bit and 32 bit) (UWP) RS4 and above
Approvals	FCC ICES CULus CE GS EAC Ukraine India BIS KCC RCM BSMI VCCI
Sustainability	Low halogen PCBA.
Kit contents	Mouse, QSP, Warranty Card, Product Notice
Warranty	One-year limited warranty
Country of origin	China

1. [Surface Coverage recommendation for Optical Red Sensor: Diffuse surface: wooden board, cloth mouse pad](#)

Technical Specifications

HP 128 Laser Wired Mouse

Dimensions (H x L x W)	4.41 x 2.48 x 1.42 inch (112 x 63 x 36mm)
Weight	2.88 oz (81.9g ±5g)
Dots per inch (DPI)	1200 DPI
Tracking type	Optical Red Sensor ¹
Connectivity	USB
Cable length	1800mm
System requirements	Windows 10 (64 bit and 32 bit) (UWP) RS4 and above
Approvals	FCC ICES CULus CE GS EAC Ukraine India BIS KCC RCM BSMI VCCI
Sustainability	Low halogen PCBA.
Kit contents	Mouse, QSP, Warranty Card, Product Notice
Warranty	One-year limited warranty
Country of origin	China

1. [Surface Coverage recommendation for Optical Red Sensor: Diffuse surface: wooden board, cloth mouse pad](#)

HP Wired Desktop 320M Mouse

Dimensions (H x L x W)	4.08 x 2.49 x 1.39 in (103.8 x 63.4 x 35.5 mm)
Weight	2.67 oz (75.8 g)
Dots per inch (DPI)	1000
Tracking type	Optical Red Sensor
Connectivity	USB
Cable length	1800 mm
System requirements	Windows 10 (64 bit and 32 bit) (UWP) RS4 and above
Approvals	FCC ICES CULus CE GS EAC Ukraine India BIS KCC RCM BSMI VCCI
Sustainability	Low halogen PCBA.
Kit contents	Mouse, QSP, Warranty Card, Product Notice

Technical Specifications

HP Bluetooth Travel Mouse

Part number	6SP30AA
Dots per inch (DPI)	1200 DPI default. Adjustable through HPAC Software from 800-3000 dpi
Tracking type	Track-on-glass TOG sensor
Dimensions (H x L x W)	2.56 in x 1.26 in x 4.331 in (65 mm x 32 mm x 101 mm)
Weight	0.18 lb (80 g) with one AA battery, 0.23 lb (105g) with 2 AA batteries
Connectivity	Bluetooth® 5.0 (BTLE Bluetooth® Low Energy)
Battery life	Up to 24 months on 2 AA batteries. Up to 12 months on 1 AA battery
Number of buttons	5 buttons (Right and left click buttons, scroll, and 2 programmable buttons (Default Forward and Backward)
Scroll wheel	4-way. Left and Right tiltable programmable buttons (Default Scroll Left and Right)
Indicator lights	Battery, Pairing Status Toggle between paired PCs
Features summary	Control two PCs from one compact 5 button mouse with simultaneous Bluetooth® pairing Flexibly power the mouse from one or two AA batteries. Customize your experience with the HP Accessory Center software and the programmable buttons
System requirements	Bluetooth® 4.0 and Windows 10 RS4 or later or MacOS 10.13 High Sierra or later and HP Accessory Center software
System compatibility	Windows 10 RS4 or later (64 bit), MacOS 10.13 High Sierra or later
Security	Pairing, Authentication and Encryption (Bluetooth® standard) AES 128 bit
Certifications	Bluetooth® 5.0, FCC, IC, CE, GS, UL, CNC, ANATEL, SUBTEL, NOM, EAC, CITC, ICASA, UkrSepro, MOC, TRA, ICTQATRA, RATEL, RCM, SRRC, WPC, SDPPI, MIC, VCCI, KC, SIRIM, BTC, IMDA, NCC, BSMI, NTC, TP

HP USB Fingerprint Mouse

Part number	4TS44AA
Dots per inch (DPI)	Default 1200. Adjustable (800, 1200, 1600)
Connectivity	USB
Tracking type	Laser
Length	4.21 in (107.02 mm)
Width	2.63 in (67.02 mm)
Height	1.52 in (38.70 mm)
Weight	2.99 oz +/- 0.17 oz (85 g +/- 5 g) with cable 2.11 oz +/- 0.17 oz (60 g +/- 5 g) without cable
Cable length	5.9 ft (1.8m)
Indicator lights	DPI setting
Security	AES-256 bit security encryption
Feature summary	Easy-to-use touch sensor Secure, encrypted template storage
System requirements	Windows Hello Available USB port
Compatibility	Windows 10 (TH1, RS1, RS2, RS3, RS4+)
Software driver requirements*	HP Fingerprint Mouse Driver

Technical Specifications

Approvals	FCC (US), ICES (Canada), FDA, cULus, CE (EU), TUV GS (Germany), EAC (Russia / Belarus / Kazakhstan), Ukraine, Morocco, Serbia, RCM (Australia/New Zealand), KC (Korean), BSMI and RoHS (Taiwan), VCCI (Japan)
Kit content	HP Fingerprint Mouse and documentation
Service and support	One-year limited warranty
Country of origin	China

* Latest software required to enable fingerprint reader function

HP Elite Presenter Mouse

Part Number	2CE30AA
Dots per inch (DPI)	Fixed 1200 DPI
Tracking type	Optical
Dimensions (H x L x W)	1.73 x 4.92 x 0.54 in (44 x 125 x 13.8 mm)
Weight	0.12 lb (55 g)
Connectivity	Bluetooth® 4.0 (BTLE Bluetooth® Low Energy)
Power Specifications	Rechargeable Lithium-ion battery 350mAh
Battery Life (rechargeable)	Up to 2 months
Charging time	Fast recharging. Less than 2 hours
Cable length	3.2 ft (1 m)
Indicator Lights	Battery / Pairing status
Port	Micro USB Type A charging port
System requirements	Bluetooth®, Windows 8 and Windows 10
Security	Pairing, Authentication and Encryption (Bluetooth® standard)
Certifications	Bluetooth® 4.0, FCC, IC, CE, GS, UL, CNC, ANATEL, SUBTEL, NOM, EAC, CITC, ICASA, UkrSepro, MOC, TRA, ICTQATRA, RATEL, TRA, RCM, SRRC, WPC, SDPPI, MIC, VCCI, KC, SIRIM, BTC, IMDA, NCC, BSMI, NTC
Kit contents	Elite Presenter Mouse, micro USB to USB rechargeable cable, carrying pouch and documentation

HP Essential USB Mouse

Part Number	2TX37AA
Dots per inch (DPI)	800
Tracking type	Optical Sensor
Dimensions (H x L x W)	1.45 x 4.52 x 2.47 in (37.0 x 115.0 x 62.9 mm)
Weight	0.19 lb (90 g)
Connectivity	USB
Cable length	5.9 ft (1.8 m)
System requirements	Windows 7, Windows 8 and Windows 10 Available USB port
Approvals	FCC, cULus, CE, Russia EAC, Germany TUV GS, Morocco ANRT, Ukraine UkrSepro, Taiwan BSMI, Korea KC, Japan VCCI
Kit contents	HP Essential USB Mouse and documentation

Technical Specifications

HP Wireless Premium Mouse

Part Number	1JR31AA
Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
Tracking type	Laser
Dimensions (H x L x W)	2.63 x 4.21 x 1.52 in (67 x 107 x 38.6 mm)
Weight	4.5 oz (115 g)
Connectivity	Wireless 2.4 GHz, Link-5
Power Specifications	Rechargeable Li-ion battery – 400 mAh
Battery Life (rechargeable)	Up to 2.7 months
USB rechargeable cable length	5.9 ft (1.8m)
Indicator Lights	Battery and connection status LED
Switches	Power switch - On/Off position
Connect button	Link-5 connect button
Port	Micro USB Type B port to recharge mouse battery
System requirements	Windows 7, Windows 8.x, and Windows 10
Approvals	UL / FCC (USA only); CSA (Canada only); IFT (Mexico only); ENACOM (Argentina only); CRC (Colombia only); Anatel (Brazil only); Comision Nacional de Telecomunicaciones - CONATEL (Venezuela only); SUBTEL (Chile only); EN 55022, EN 55024, EN 300328, EN 301489-1-17 (Europe only); National Telecom Regulatory Authority (NTRA) (Egypt only); TUV GS (Germany only); FCA / CU EAC (Russia only); UkrSEPRO (Ukraine only); Sii/Ministry of Communications(MOC) (Israel only); SASO/CITC (Saudi Arabia only); BTK (Turkey only); TRA (UAE only); SABS / NRCS / ICASA (South Africa only); CERT (Tunisia only); Radio Research Agency (RRA) (Korea only); NCC / BSMI (Taiwan only); MIC / VCCI (Japan only); IDA (Singapore only); OFCA (Hong Kong); SRRC (China only); SIRIM (Malaysia only); ACMA (Australia/New Zealand only); NBTC (Thailand only); Ministry of Information and Communications(MIC) (Vietnam only); Bangladesh Telecommunication Regulatory Commission (Bangladesh only); TRC (Sri Lanka only); National Telecommunications Commission (Philippines only); WPC/BIS (India only); SDPPI (Indonesia only)
Kit contents	Mouse, USB Link-5 micro-receiver, micro USB to USB rechargeable cable and documentation

HP USB Premium Mouse

Part Number	1JR32AA
Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
Tracking type	Laser
Dimensions (H x L x W)	2.63 x 4.21 x 1.52 in (67 x 107 x 38.6 mm)
Weight	0.18 lb (85 g)
Cable length	5.9 ft (1.8 m)
System requirements	Windows 7, Windows 8.x, and Windows 10
Approvals	UL / FCC (US only); CSA (Canada only); EN 55022, EN 55024 (Europe only); TUV GS (Germany only); CU EAC (Russia only); UkrSEPRO (Ukraine only); Sii (Israel only); SASO (Saudi Arabia only); SABS / NRCS (South Africa); Radio Research Agency (RRA) (Korea only); BSMI (Taiwan only); VCCI (Japan only); ACMA (Australia/New Zealand only)
Kit contents	Mouse and Documentation

Technical Specifications

HP USB Travel Mouse

Part Number	G1K28AA
Dots per inch (DPI)	1000
Connectivity	USB
Tracking type	Optical
Dimensions (H x L x W)	1.45 x 3.85 x 2.32 in (3.7 x 9.8 x 5.9 cm)
Weight	0.13 lb (61 g)
Cable length	3.1 ft (95 cm)
System requirements	Windows 7, Windows 8 and Windows 10 Available USB port
Approvals	EMC Standards EN55022:1998, EN55024:1998 Safety Standards UL(60950), CSA(60950-1-03), (EN60950-1:2006) Laser Standards Mouse in compliance with EN 60825-1:1994 Class 1 LED
Kit contents	HP USB Travel Mouse and documentation

Technical Specifications

HP Ultra Mobile Wireless Mouse

Part Number	H6F25AA
Dots per inch (DPI)	1200
Connectivity	2.4 GHz, Link 5
Tracking type	Optical
Dimensions (H x L x W)	0.98 x 4.00 x 2.54 in (2.50 x 10.17 x 6.46 cm)
Weight	0.20 lb (92 g)
System requirements	Windows XP, Vista, Windows 7, Windows 8, Windows 10, Mac OSX, and Android
Kit contents	HP Ultra Mobile Wireless Mouse, two AA batteries and documentation

HP X4000b Bluetooth Mouse

Part Number	H3T50AA
Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
Connectivity	Bluetooth 3.0
Tracking type	Laser
Dimensions (H x L x W)	1.52 x 4.21 x 2.64 in (3.86 x 10.69 x 6.71 cm)
Weight	0.26 lb (122.5 g)
System requirements	Windows Vista, Windows 7, Windows 8, and Windows 10
Kit contents	HP X4000b Bluetooth mouse, two AA batteries and documentation

HP Comfort Grip Wireless Mouse

Part Number	H2L63AA
Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
Connectivity	2.4 GHz, Link 5
Tracking type	Laser
Dimensions (H x L x W)	1.52 x 4.21 x 2.64 in (3.86 x 10.69 x 6.71 cm)
Weight	0.26 lb (122.5 g)
System requirements	Windows Vista, Windows 7, Windows 8, and Windows 10; Available USB port
Kit contents	HP Comfort Grip Wireless Mouse, USB Wireless micro-receiver, two AA batteries, and documentation

HP 3-Button USB Laser Mouse

Part Number	H4B81AA
Dots per inch (DPI)	1000
Connectivity	USB
Tracking type	Laser
Dimensions (H x L x W)	1.47 x 4.53 x 2.47 in (3.73 x 11.5 x 6.29 cm)
Weight	0.21 lb (102 g)
Cable length	6 ft (1.8 m)
System requirements	Windows Vista, Windows 7; Available USB port
Kit contents	HP 3-Button USB Laser Mouse and documentation

Technical Specifications

PENS

HP Pro Pen

Part Number	8JU62AA
Dimensions (L x W)	D: 9.5mm L: 140mm
Weight	0.38 oz (10.7 g) Pen only 0.61 oz (17.3 g) With battery
Tip Diameter	3 mm
Tip length	3.46 mm
Power	AAAA battery
Battery life	One year of normal use
Buttons	Yes, 2 barrel button
Pen pressure level resolution	4096 levels
Palm Rejection	Yes
Hover Reading Heights	>5 mm
System requirements	Windows 10
Kit Contents	AAAA battery One spare tip Pen tether Replacement tip tool and documentation
Functionality	Right-click, draw, type, and navigate better than ever with a capacitive tip that offers pin-point accuracy to help improve productivity. Pen supports hover feature, pressure sensitivity levels up to 4096 to enable excellent inking experience.
Color	Black
Compatibility	HP Probook x360 11 G5 Education Edition

HP Rechargeable Active Pen G3

Part Number	6SG43AA
Dimensions (L x W)	D: 10.2mm L: 148mm
Weight	0.53 oz (15 g) Pen only
Tip Diameter	1.8 mm
Tip length	2.7 mm
Power	Rechargeable Battery Charge time: approximately 30 minutes. Life per charge: up to 7 days of normal use.
Buttons	Yes, 3
LED indicator	Battery and pairing status
Pen pressure level resolution	4096 levels
Tip Activation Force	<5 g
Tilt Operation	Yes
Palm Rejection	Yes
Hover Reading Heights	>5 mm

Technical Specifications

System requirements	Windows 8, Windows 8.1, Windows 10
Kit Contents	USB-A to USB-C Charging cable, replacement nibs (4 POM and 3 Elastomer), replacement tip tool and documentation.
Functionality	Right-click, draw, type, and navigate better than ever with a capacitive tip that offers pin-point accuracy to help improve productivity. Bluetooth button support quick application launch, screenshot capture, and Cortana speaker. Pen supports hover feature, pressure sensitivity levels up to 4096, and tilt function to enable excellent inking experience. Soft tip for quiet performance and provides pen-on-paper inking experience. Equipped USB-C fast charging with 30 mins charging for one week battery life.
Color	Gray
Compatibility	HP EliteBook x360 1030 G3/G4 HP EliteBook x360 1040 G5/G6 HP Elite x2 1013 G3 HP Elite x2 G4 HP ZBook Studio x360 G5
Replacement nib set*	HP ZBook x360 Nib Kit for Active Pen – 4WW10AA

*Sold separately

HP Active Pen with Spare Tips

Part Number	1FH00AA
Dimensions (H x L x W)	4.85 x .20 in (123.3 x 5.3 mm)
Weight	Including battery: Approximately 15.8g Excluding battery: Approximately 9.2g
Tip Diameter	1 mm
Power	Yes, One AAAA battery
Buttons	Yes, 2
Pen pressure level resolution	2048 levels
Tilt Operation	Yes
Palm Rejection	Yes
Hover Reading Heights	8 mm+
Operating Environment	5 to 40 °C (41 F – 104° F)
Temperature	+30 ~ +80 % (no condensation)
Humidity	
Switch Operation	Pen tip: Pressure information is detected as continuous signal Side switch: ON / OFF switching is detected
System requirements	Windows 8.1, Windows 10
Kit Contents	HP Active Pen, Tweezers + 3 x POM Tips, 1 AAAA battery, pen lanyard and documentation
Color	Nature Silver
Compatibility	HP ProBook x360 11 G1

HP Active Pen with App Launch

Part Number	T4Z24AA
Dimensions (L x W)	148 x 10.2 mm
Weight	0.42 oz (12 g) Exclude Battery

Technical Specifications

	0.63 oz (18 g) Include Battery
Tip Diameter	1.8 mm
Tip Length	2.7 mm
Power	1 AAAA Alkaline battery + 2 SR527SW 319 Silver Oxide battery
Buttons	Yes, 3
Led Indicator	Battery and pairing status
Pen pressure level	2048 levels
Resolution	<20g
Tip Activation Force	No
Tilt Operation	Yes
Palm Rejection	Yes
Hover Reading Heights	> 5 mm
Operating Temperature	5° to 40° C (41° F – 104° F)
Operating Humidity	30 - 80 %
Storage Temperature	-10 to 55°C (14° F – 131° F)
Storage Humidity	30 - 80 %
System Requirements	Windows 8 and above
Color	Silver/Gray
Key Features	
Right-click	Draw, type and navigate
Bluetooth button	Support quick application launch, screenshot capture, and Cortana speaker
System Requirements	Windows 8, Windows 8.1, Windows 10
Color	Silver/Gray
Option Kit Contents	HP Active Pen with App Launch, AAAA battery, lanyard, 2 replacement pen loops, 3 replacement tips, replacement tip tool and documentation
Compatibility	HP Elite x2 1012 G1, HP Elite x2 1012 G2, HP Pro x2 612 G2, HP EliteBook x360 1030 G2 and HP EliteBook x360 1020 G2

HP x360 11 EMR Pen with Eraser

Part Number	2EB40AA
Dimensions (H x L x W)	5.11 x .0.37 in (130 x 9.5 mm)
Weight	0.01 lb (9.9 g)
Tip Diameter	1.6 mm
Pen pressure level resolution	4096 levels
Tilt Operation	Yes
Palm Rejection	Yes (Note: by system control; when EMR activates, finger touch off by system)
Hover Reading Heights	8 mm (max)
Compatibility	HP Chromebook x360 11 G1 Education Edition
What's in the box	HP x360 11 EMR Pen, tweezer, 3 X POM Tips, 1 pen lanyard, pen holder and documentation

Technical Specifications

NIB SETS

HP ZBook x360 Nib Kit For Active Pen

Part Number	4WW10AA
Compatibility Statement	Compatible with HP Pro Pen, HP x360 11 EMR Pen with Eraser, HP Rechargeable Active Pen G3 and with HP ZBook Rechargeable Active Pen
Warranty	One-year limited warranty.
What's in the Box	6 POM and 6 Elastomer and 1 replacement tip tool

HP Pro Pen Nib Set

Part Number	8MP61AA
Warranty	One-year limited warranty.
What's in the Box	30 Cone-shape POM and 5 replacement tip tools

HP Nib Set for Active Pen with App

Part Number	3RV56AA
Compatibility Statement	Compatible with HP Active Pen with Spare Tips on the HP ProBook x360 11 G1 and G2 EE, sold separately.
Warranty	One-year limited warranty.
What's in the Box	12 Elastomer and 1 replacement tip tool

HP Active Pen Nib Set

Part Number	3RV57AA
Compatibility Statement	Compatible with HP x2 1013 G3; HP ProBook x360 11 G2 EE; HP ProBook x360 11 G1 EE; HP EliteBook x360 1030 G3; HP EliteBook x360 1030 G2
Warranty	One-year limited warranty.
What's in the Box	30 POM and 5 replacement tip tools

Technical Specifications

BUNDLES

HP 225 Wired Mouse and Keyboard

Dimensions	Keyboard (L x W x H)	17.17 x 5.43 x 0.81 inch (436 x 138 x 20.3mm)
	Mouse (L x W x H)	4.41 x 2.48 x 1.42 inch (112 x 63 x 36mm)
Weight	Keyboard	16.63 oz (471.5g ±30g)
	Mouse	2.83 oz (80.5g ±5g)
Cable length	Keyboard	1800 mm
	Mouse	1800 mm
Interface	USB	
Keyboard (only)	System requirements	Windows 10 (64 and 32 bit), (UWP) RS4 and above
	Approvals	FCC ICES CULus CE GS EAC Ukraine India BIS KCC RCM BSMI VCCI
Kit Contents	Keyboard, Mouse, QSP, Warranty Card, Product Notice	
Warranty	One-year limited warranty	
Country of origin	China	

HP Wired Desktop 320MK Mouse and Keyboard

Dimensions	Keyboard (L x W x H)	16.7 x 4.36 x 0.65 in (426.2 x 110.9 x 16.7 mm)
	Mouse (L x W x H)	4.08 x 2.49 x 1.39 in (103.8 x 63.4 x 35.5 mm)
Weight	Keyboard	14.57 oz (413g)
	Mouse	2.67 oz (75.8 g)
Cable length	Keyboard	1800 mm
	Mouse	1800 mm
Tracking type	Optical red sensor	
Interface	USB	
Keyboard (only)	Designed to be wiped down using commonly available household disinfecting and cleaning wipes using the HP cleaning guidelines*	
	System requirements	Windows 10 (64 and 32 bit), (UWP) RS4 and above
	Approvals	FCC ICES CULus CE GS EAC Ukraine India BIS KCC

Technical Specifications

RCM
BSMI
VCCI

Sustainability	Greater than 50% post-consumer recycled plastic content and low halogen PCBA
Kit Contents	Keyboard, Mouse, QSP, Warranty Card, Product Notice
Warranty	One-year limited warranty
Country of origin	China

***NOTE:** Select household wipes can be safely used to clean HP Elite Presenter Mouse, HP Premium keyboard (wireless and USB) and HP desktop wired 320 KB/Mouse up to 1,000 wipes: See wipe manufacturer's instructions for disinfecting and the HP cleaning guide for HP tested wipe solutions at: <https://www8.hp.com/h20195/v2/getpdf.aspx/4AA6-0823ENW.pdf>

HP Wireless Rechargeable 950MK Mouse and Keyboard

Keyboard

Part Number	3M165AA
Dimensions (H x L x W)	17.05 x 5.56 x 0.52 in (43.3 x 14.1 x 1.32cm)
Weight	15.3oz (434gr)
mUSB rechargeable cable length	5.9 ft (1.8m)
Interface	Wireless 2.4 GHz, Link-5
Technical specifications	USB Type A plug connector
System requirements	Windows Vista, Windows 7, Windows 8, and Windows 10. Available USB port
Power specifications	Rechargeable Li-ion battery – 650 mAh
Battery life (rechargeable)	Up to 3 months
Indicator lights	Battery and connection status LED
Wireless connectivity encryption	Secure 128-bit (AES) encryption between device and receiver
Switches	Power switch - On/Off position Function Lock switch - access the special function keys without having to first press on the Fn key -On (Green): Performs the action as depicted in the icon -Off (Red): Hold the fn key and the numeral function key to perform the action as depicted in the icon
Connect button	Link-5 connect button
Port	Micro USB Type B port to recharge keyboard battery
Keys	109 (US) Layout, 110 (EU) Layout, 114 (JP) Layout – depending upon country
Feature summary	Anodized aluminum-trimmed full-size keyboard with numerical pad and 12 function keys Adjustable slope 0-6 degrees Key force: 60±10g Key life: 10 million cycles activation (Normal Key) Key typing noise: Max 55dba Key structure: Scissor type Key cap legend: Printed
Illuminated keys	Microphone Mute – Amber, Audio Mute – Amber, Cap Lock, Num Lock
Function keys	Fn+F10 – Print Screen Fn+F9 – Devices Fn+F8 – Search Fn+F7 – Blank

Technical Specifications

	<p>Fn+F6 – Up Brightness Adjustment Fn+F5 – Down Brightness Adjustment Fn+F4 – Display Options Fn+F3 – File Explorer Fn+F2 – System Lock Fn+F1 – System Sleep</p>
System requirements	<p>Available USB port Windows 7, Windows 8.x, and Windows 10</p> <p>NOTE: Screen brightness functions supported in select HP systems</p>
Operating Temperature	0 ~ +40°C
Approvals	<p>CE RF test report; ; USA /FCC Part 15 C; Canada/RS-210; Argentina; Jordan; RUSSIA-FAC(RF); RUSSIA-CU; South Africa; Turkey; Ukraine; BRAZIL; Mexico; Australia / New Zealand; Australia / New Zealand RCM; AUSTRALIA NEW ZEALAND RF; China SRRC; INDIA wireless; INDIA safety; Indonesia; Japan TELEC; KOREA KCC; MALAYSIA; Pakistan; Philippines; Singapore; Taiwan BSMI; Taiwan NCC; CB for Nemko; cCSAus for CSA; UL/CUL; GS for TUV Rh; Japan EMC; WHQL Win 10</p>
<hr/>	
Mouse	
Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
Dimensions (H x L x W)	4.21 x 2.64 x 1.52 inches (10.7 x 6.7 x 3.87cm)
Weight	3.58oz (100gr)
mUSB rechargeable cable length	5.9 ft (1.8 m)
Tracking type	Laser
Interface	Wireless 2.4 GHz, Link-5
Technical specifications	3 buttons + a scroll wheel;
System requirements	Windows Vista, Windows 7, Windows 8, and Windows 10. Available USB port
Switches	Power switch - On/Off position
Connect button	Link-5 connect button
Port	Micro USB Type B port to recharge mouse battery
Power specifications	Rechargeable Li-ion battery – 400 mAh
Battery life (rechargeable)	Up to 3 months
Indicator lights	Battery and connection status LED
Approvals	<p>UL / FCC (USA only); CSA (Canada only); IFT (Mexico only); ENACOM (Argentina only); CRC (Colombia only); Anatel (Brazil only); Comision Nacional de Telecomunicaciones - CONATEL (Venezuela only); SUBTEL (Chile only); EN 55022, EN 55024, EN 300328, EN 301489-1-17 (Europe only); National Telecom Regulatory Authority (NTRA) (Egypt only); TUV GS (Germany only); FCA / CU EAC (Russia only); UkrSEPRO (Ukraine only); Sii/Ministry of Communications(MOC) (Israel only); SASO/CITC (Saudi Arabia only); BTK (Turkey only); TRA (UAE only); SABS / NRCS / ICASA (South Africa only); CERT (Tunisia only); Radio Research Agency (RRA) (Korea only); NCC / BSMI (Taiwan only); MIC / VCCI (Japan only); IDA (Singapore only); OFCA (Hong Kong); SRRC (China only); SIRIM (Malaysia only); ACMA (Australia/New Zealand only); NBTC (Thailand only); Ministry of Information and Communications(MIC) (Vietnam only); Bangladesh Telecommunication Regulatory Commission (Bangladesh only); TRC (Sri Lanka only); National Telecommunications Commission (Philippines only); WPC/BIS (India only); SDPPI (Indonesia only)</p>
Kit contents	Keyboard, Mouse, dongle, charging cable, USB extended cable, QSP, Warranty Card, and Product Notice
Warranty	One-year limited warranty
Country of origin	China

Technical Specifications

HP USB Essential Keyboard/Mouse (APJ & Americas only)

Keyboard

Part Number	H6L29AA
Dimensions (H x L x W)	1.08 x 18.15 x 6.02 in (2.74 x 46.1 x 15.3 cm)
Weight	1.28 lb (585 g)
Cable length	5 ft (1.5 m)
System requirements	Windows Vista, Windows 7, Windows 8, and Windows 10 Available USB port
Approvals	UL, CSA, FCC, CE Mark, TUV, TUV GS, VCCI, BSMI, C-Tick, MIC

Mouse

Dots per inch (DPI)	1000
Dimensions (H x L x W)	1.37 x 4.53 x 2.48 inch (3.50 x 11.50 x 6.30 cm)
Weight	0.23 lb (106 g)
Cable length	5.9 ft (1.8 m)
System requirements	Windows Vista, Windows 7, Windows 8, and Windows 10. Available USB port
Approvals	UL, CSA, FCC, CE Mark, TUV, TUV GS, VCCI, BSMI, C-Tick, MIC
Kit contents	Keyboard, mouse, and documentation

HP Slim Wireless Keyboard and Mouse

Keyboard

Part Number	T6L04AA
Dimensions (H x L x W)	5.3 x 17.6 x 0.83 in (13.7 x 43.6 x 2.1 cm)
Weight	1.23 lb (560 g) without 2 AA batteries
Wireless Connection Encryption	Secure 128bit AES Encryption between keyboard and receiver.
System requirements	Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10. Available USB port for the receiver

Mouse

Dots per inch (DPI)	1000
Tracking type	Laser
Dimensions (H x L x W)	1.47 x 4.53 x 2.47 in (3.73 x 11.5 x 6.29 cm)
Weight	0.22 lb (100) without 2 AA batteries
System requirements	Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10
Approvals	UL, CSA/TUV (Europe Only); CE Mark; CB Report; FCC; CE; ACA C-Tick; BSMI; KC; VCCI; GS Mark (Germany only)
Kit contents	Keyboard, Mouse, USB Receiver, 4 AA batteries and documentation

Technical Specifications

HP Slim USB Keyboard and Mouse

Keyboard

Part Number	T6T83AA
Dimensions (H x L x W)	5.3 x 17.6 x 0.83 in (13.7 x 43.6 x 2.1 cm)
Weight	1.32 lb (0.6± 0.08 kg)
Cable length	6 ft (1.8 m)
System requirements	Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10. Available USB port

Mouse

Dots per inch (DPI)	1000
Tracking type	Laser
Dimensions (H x L x W)	1.47 x 4.53 x 2.47 in (3.73 x 11.5 x 6.29 cm)
Weight	0.15 lb (67 g)
Cable length	6 ft (1.8 m)
System requirements	Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10. Available USB port
Approvals	UL, CSA/TUV (Europe Only); CE Mark; CB Report; FCC; CE; ACA C-Tick; BSMI; KC; VCCI; GS Mark (Germany only)
Kit contents	Keyboard, Mouse and documentation

Summary of Changes

Date of change:	Version History:		Description of change:
June 16, 2014	V1 to V2		Match PB
June 19, 2018	V53 to V54		Product list updated
June 26, 2018	V54 to V55		HP x2 1013 G3 Collaboration Keyboard added
July 11, 2018	V55 to V56		HP Rechargeable Active Pen added
July 16, 2018	V56 to V57	Update	Wireless optical mouse and Touch to pair mouse removed / Dimensions corrected to Slim wireless keyboard and mouse and Slim USB keyboard and mouse
August 31, 2018	V57 to V58	Update	Kit content for HP Rechargeable Active Pen updated.
September 6, 2018	V58 to V59	Update	Change product description from HP Active Pen with App Nib Set to HP Nib Set for Active Pen with App
October 18, 2018	V59 to V60	Update	HP USB Slim Business Keyboard added
October 26, 2018	V60 to V61	Update	HP EliteBook x360 1040 G5 and HP ZBook Studio x360 G5 added to compatibility
November 30, 2018	V61 to V62	Update	HP USB Fingerprint Mouse added
February 26, 2019	V62 to V63	Update	HP Active Pen with App Launch added
April 2, 2019	V63 to V64	Update	HP USB Slim Business Keyboard removed
May 10, 2019	V64 to V65	Update	HP Elite x2 G4 Collaboration Keyboard and HP Rechargeable Active Pen G3 added
June 25, 2019	V65 to V66	Update	HP Wireless Premium Mouse weight corrected
September 30, 2019	V66 to V67	Update	HP Bluetooth Travel Mouse added Batteries specs corrected @ HP Slim Wireless Keyboard and Mouse and HP Wireless (Link-5) Keyboard.
November 22, 2019	V67 to V68	Update	HP Pro Pen added
January 21, 2020	V68 to V69	Update	HP Pro Pen G1 Nib Set added / Re-arrange
February 4, 2020	V69 to V70	Update	HP Slim Wireless Keyboard and Mouse specs updated
February 18, 2020	V70 to V71	Update	HP Pro Pen corrected to G1
June 17, 2020	V71 to V72	Update	HP ZBook x360 Nib Kit For Active Pen added, and HP Pro Pen updated / What ' s in the box sections for Nib sets updated
July 17, 2020	V72 to V73	Addition	HP Wireless Rechargeable 950MK Mouse and Keyboard added
August 18, 2020	V73 to V74	Addition	HP Wired Desktop 320MK Mouse and Keyboard in Keyboards, Mice and Bundles sections.
October 9, 2020	V74 to V75	Removal	HP Elite x2 1011 Power Keyboard / HP Conferencing Keyboard / HP Elite x2 1011 G1 Travel Keyboard / HP Pro x2 612 G1 Backlit Power Keyboard / HP Pro x2 612 G1 Travel Keyboard / HP Rechargeable Active Pen / HP Pro x2 612 Replacement Wacom Pen / HP Executive Tablet Pen G2 / HP 1030 SmartCard pen Holder / HP 2.4 GHz Wireless Mouse and HP x360 11 Pen Nib Set
January 7, 2021	V75 to V76	Removal	HP Slim Bluetooth Mouse
February 1, 2020	V76 to V77	Removal	HP x2 1013 G3 Collaboration Keyboard, HP USB Collaboration Keyboard and HP Pro x2 612 G2 Collaboration Keyboard.
March 11, 2021	V77 to V78	Addition	HP 125 Wired Keyboard, HP 125 Wired Mouse, HP 128 Laser Wired Mouse, HP 225 Wired Mouse and Keyboard, HP 635 Multi-Device Wireless Mouse and HP 935 Creator Wireless Mouse.

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license.