HP Color LaserJet Pro M454 series



HP Color LaserJet Pro M454 printer. Designed to let you focus on growing business, staying ahead.

Winning in business means working smarter. The HP Color LaserJet Pro M454 printer is designed to let you focus your time where it's most effective-helping to grow your business and staying ahead of the competition.



HP Color LaserJet Pro M454nw



HP Color LaserJet Pro M454dn



HP Color LaserJet Pro M454dw

Built to keep you—and your business—moving forward.

- Help decrease the amount of paper used in the office by printing on both sides of the page.
- Grab pages and go—without waiting. This device wakes up and prints first page out fast.¹
- Print wirelessly with or without accessing the network with dual band Wi-Fi and Wi-Fi direct.^{2,3,4}
- ROAM compatible for easy printing from virtually anywhere⁵

Best -in-class security ⁶

- A suite of embedded security features help protect your printer from being an entry point for attacks.⁶
- Help secure confidential information with optional PIN/Pull printing to retrieve print jobs.⁷
- Optional HP JetAdvantage Security Manager lets you set configuration policies and validate settings.⁸
- Thwart potential attacks and take immediate action with instant notification of security issues.¹¹

Simply designed to uncomplicate your day

- Set up this printer fast and easily manage device settings to help increase overall printing efficiency.
- Make the most of your office space with a printer that conveniently fits into your work style.
- Work without delays or messes, with cartridges featuring auto seal removal.
- Tackle tasks quickly and easily—with the simple 2.7" (6.8cm) color touchscreen.

Sustainability is smart business

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.
- Help save paper right out of the box. The duplex print setting is set at default paper savings mode.⁹
- Saves up to 11% energy over prior products.¹⁰
- Help save energy with HP Auto-on/Auto-off technology. ¹²

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at http://www.hp.com/go/learnaboutsupplies

Product walkaround



HP Color LaserJet Pro M454dw

Series at a glance

Model (product number)	M454nw (W1Y43A)	M454dn (W1Y44A)	M454dw (W1Y45A)		
Functions	Print	Print	Print		
Print speed (black and colour) ⁶	Up to 27 pages per minute (A4) <i>(all models)</i>				
Two-sided printing ⁵	Manual	Automatic	Automatic		
50-sheet multipurpose tray 1, 250-sheet tray 2	✓	\checkmark	\checkmark		
Optional input accessory: 550-sheet paper tray	\checkmark	\checkmark	\checkmark		
Easy-access USB port ¹	Not available	Not available	\checkmark		
Control panel ³	2-line LCD	2-line LCD	6.9 cm (2.7-inch) colour touchscreen		
Input capacity (standard/maximum ⁷)	Up to 300/850 sheets (all models)				
Recommended monthly page volume ⁸	Up to 4,000 pages (all models)				
Cartridge yields ⁹ (A/X)	Black: ~2,400/7.500 pages; Colour: ~2,100/6,000 pages (all models)				
Dual-band Wi-Fi with Bluetooth® Low Energy ⁴	\checkmark	Not available	\checkmark		

¹ An administrator must enable the easy-access USB port before use.
 ² Requires purchase of separate USB flash drive with at least 16 GB capacity.
 ³ The colour touchscreen is only available on the HP Color LaserJet Pro M454dw model. The nw and dn models have a 2-line LCD display.

⁴ Wrieless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance[®]. Bluetooth is a trademark owned by its proprietor and used by Hewlett-Packard Company under license. Learn more at hp.com/go/mobileprinting.
⁵ Automatic two-sided printing is not available on the HP Color LaserJet Pro M454nw model.

- ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁷ Purchase of optional paper-handling accessories required to reach maximum input capacity.
- ⁸ Recommended Monthly Page Volume (RMPV): HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended

⁹ Actual yields and costs vary considerably depending on images printed, number of colour pages printed, and other factors. Optional high-yield cartridges are not included in printer purchase and must be purchased separately.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network **Configuration Service**

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit W W including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices







HP Care Pac



Top features

Today's businesses are always on, and always connected. Choose a printer that can keep up with how you actually work, collaborate, and get things done.

HP Print Security isn't just about securing printers. It's about helping to secure your network with real-time threat detection, automated monitoring, and software validation—designed to detect and stop an attack as it happens.⁶

You have enough to worry about each day. It's easy to accomplish what you need—and exceed your own expectations—with a streamlined printer that's simple to use.

Business is all about resource management, and finding efficiencies is everyone's responsibility. HP LaserJet printers are designed with the environment in mind, so you can handle what you need while conserving energy wherever possible.

Product		
W1Y43A	HP Color Laser Jet Pro M454dn	
W1Y44A W1Y45A		
Accessories	5	
CF404A	HP LaserJet 550-sheet Feeder Tray	
POR81AA	HP v222w 16GB Mini USB Drive	
Supplies		
W2040A	HP 416A Black Original LaserJet Toner Cartridge(2,400 pages)	
W2040X	HP 416X High Yield Black Original LaserJet Toner Cartridge (7,500 pages)	
W2041A	HP 416A Cyan Original Laser Jet Toner Cartridge (2,100 pages)	
W2041X	HP 416X High Yield Cyan Original LaserJet Toner Cartridge (6,000 pages)	
W2042A	A HP 416A Yellow Original Laser Jet Toner Cartridge (2,100 pages)	
W2042X	X HP 416X High Yield Yellow Original Laser Jet Toner Cartridge (6,000 pages)	
W2043A	HP 416A Magenta Original Laser Jet Toner Cartridge (2,100 pages)	
W2043X	HP 416X High Yield Magenta Original LaserJet Toner Cartridge (6,000 pages)	

HP Care Packs

ne care	Facts
UB9U7E	HP 3 year Next Business Day Service for Color LaserJet Pro M454
UB9U8E	HP 4 year Next Business Day Service for Color LaserJet Pro M454
UB9U9E	HP 5 year Next Business Day Service for Color LaserJet Pro M454
UC0Q8E	HP 3 year 4 hour 9x5 Service for Color LaserJet Pro M454
UC0Q9E	HP 4 year 4 hour 9x5 Service for Color LaserJet Pro M454
UCOROE	HP 5 year 4 hour 9x5 Service for Color LaserJet Pro M454
UB9V0E	HP 3 year Next Business Day Exchange Service for Color Laser Jet Pro M454
UB9V1E	HP 3 year Onsite Exchange Service for Color LaserJet Pro M454
UB9V2E	HP 3 year Return to Depot Service for Color Laser Jet Pro M454
UB9V3P	E HP 1 year Post Warranty Next Business Day Service for Color LaserJet Pro M454
UCOR1P	E HP 1 year Post Warranty 4 hour 9x5vService for Color LaserJet Pro M454
UB9V4P	E HP 1 year Post Warranty Next Business Day Exchange Service for Color LaserJet Pro M454
UB9V5P	E HP 1 year Post Warranty Onsite Exchange Service for Color LaserJet Pro M454
UB9V6P	E HP 1 year Post Warranty Return to Depot Service for Color LaserJet Pro M454
Durate	

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

Data sheet | HP Color LaserJet Pro M454 series

Model	HP Color LaserJet Pro M454nw	HP Color LaserJet Pro M454dn	HP Color LaserJet Pro M454dw		
roduct number	W1Y43A	W1Y44A	W1Y45A		
unctions rint	Print				
uplex print options	Manual (driver support provided)	Automatic (default)			
	Manual (driver support provided) Automatic (default) Black (A4, normal): Up to 27 ppm; Black (letter, normal): Up to 28 ppm; Black (A4, duplex): Up to 24 ipm; Black (letter, duplex): Up to 25 ipm				
rint speed ¹²	Color (A4, normal): Up to 27 ppm; Color (letter, normal): Up to 28 ppm; Color (A4, duplex): Up to 24 ipm; Color (letter, duplex): Up to 25 ipm				
rst page out ⁸	Black (A4, ready): As fast as 9.5 sec; Color (A4, ready): As fast as 11.1 sec; Black (A4, sleep): As fast as 11.0 sec; Color (A4, sleep): As fast as 12.1 sec				
rint technology	Laser		de:		
rint resolution	Color (best): 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi	;; Black (normal) 600 × 600 dpi, Up to 38, 400 × 600 enhanced i; Color (normal): 600 × 600 dpi, Up to 38, 400 × 600 enhanced	api 1 dpi		
rint resolution technology	HP ImageREt 3600, PANTONE® calibrated				
rint cartridges number	4 (1 each black, cyan, magenta, yellow)				
tandard print languages	P PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF, URF, PWG Raster HP PCL 5c, HP postscript level 3 emulation, URF, Native Office, PWG Raster				
	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer				
rinter management	Administrator Resource Kit for HP Universal Print Driver (Drive	er Configuration Utility – Driver Deployment Utility – Managed F	Printing Administrator)		
onnectivity					
tandard connectivity	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE);	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethe 10/100/1000BASE-T network; 802.3az(EEE);		
candard connectivity	802.11b/g/n/2.4/5 GHZ Wi-Fi radio	10/100/1000BASE-T network; 802.3az(EEE)	802.11b/g/n/2.4/5 GHZ Wi-Fi radio		
1obile printing capability ⁶	Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart Ap	p and other mobile Apps; Mopria™ Certified; ROAM capable fo	easy printing; Wi-Fi® Direct printing		
Virolocc capability	Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP;		Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP;		
/ireless capability	WPA/WPA2, WPA Enterprise, Encryption via AES of TKIP, WPS; Wi-Fi Direct; Bluetooth Low-Energy		WPA/ WPA2, WPA Enterprise, Encryption via AES or TKIP, WPS; Wi-Fi Direct; Bluetooth Low-Energy		
etwork capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-	crossover Ethernet; Authentication via 802.1x	•		
lemory	Standard: 256 MB NAND Flash, 512 MB DRAM; Maximum: 256	5 MB NAND Flash, 512 MB DRAM	Standard: 512 MB NAND Flash, 512 MB DRAM; Maximum		
-					
Processor speed Duty cycle (monthly) ⁹	1200 MHz Up to 50,000 pages; Recommended monthly page volume¹⁰	750 to 4000			
aper handling					
nput	50-sheet multipurpose tray, 250-sheet input tray				
lutput	150-sheet output bin				
1edia types		in, preprinted, prepunched, recycled, rough), postcards, labels,	envelopes		
	Tray 1: 60 to 176 g/m ² (up to 200 g/m ² with postcards and				
Andia waight	HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color	Tray 1: 60 to 176 g/m ² (up to 200 g/m ² with postcards and H	IP Color laser glossy photo papers); Tray 2: 60 to 163 g/m		
Media weight	laser glossy photo papers): optional Tray 3: 60 to 163 g/m ²	to 176 g/m ² with postcards, up to 200 g/m ² HP Color laser g g/m ² with postcards, up to 150 g/m ² Glossy media); Automa			
	(up to 176 g/m² with postcards, up to 150 g/m² Glossy media)	gin with posterios, up to 150 gin eleosy friends, hatomatic adplexes of to 165 gin			
1edia Sizes Custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 10	00 x 148 to 216 x 356 mm			
limensions (w x d x h)	412 x 453 x 295 mm	412 x 469 x 295 mm			
Veight	17.5 kg	18.9 kg	-		
	HP Color LaserJet Pro M454nw; 4 preinstalled Introductory HP LaserJet Toner cartridges (Black, Cyan, Magenta, Yellow:	HP Color LaserJet Pro M454dn; 4 preinstalled Introductory HP LaserJet Toner cartridges (Black, Cyan, Magenta, Yellow:	HP Color Laser Jet Pro M454dw; 4 preinstalled Introducto		
	~1200 pages); In-box documentation (Getting Started Guide,	~ 1200 pages); In-box documentation (Getting Started	HP LaserJet Toner cartridges (Black, Cyan, Magenta, Yello ~1200 pages); In-box documentation (Getting Started G		
What's in the box ¹	Install Poster), regulatory flyer; Internet connection is	Guide, Install Poster), regulatory flyer; Internet connection is required to set up the printer. HP printer software is	Install Poster), regulatory flyer, warranty card (China, Mex		
	required to set up the printer. HP printer software is available at http://www.hp.com/support; Power cord; USB	available at http://www.hp.com/support; Power cord; USB	Internet connection is required to set up the printer. HP printer software is available at http://www.hp.com/supp		
	cable	cable (AP only)	Power cord; USB cable.		
Software included	No software solutions are included in the Box, only on http://		In Contrast, and a Direction of the second		
Warranty features	learn about HP award winning service and support options in	rt options vary by product, country and local legal requiremen vour region. (wty code 4E; wty ID A033)	ts. Contact your Contractual vendor or go to np.com/suppo		
Systems					
	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, W	in8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Editi	on SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac,		
Compatible operating systems	Apple [®] macOS Sierra v10.12, Apple [®] macOS High Sierra v10. ⁻ to http://support.hp.com_Enter.vour.product.name.and.searc	13, Apple [®] macOS Mojave v10.14, Discrete PCL6 Printer Driver, the Click on User Guides and enter your product name and sear	. For more information on the supported operating systems		
compatible operating systems	Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems g to http://support.hp.com, Enter your product name and search, fick on User Guide Search for your (Product Name) User Guide Search for your (Product Name) User Guide Search for your (Product Name) User Guide Search for your enter your product name and search fick on User Guide Search for your (Product Name) User Guide Search for your enter your product Name) User Guide Search for your (Product Name) User Search for your				
	http://www.hp.com/go/upd				
Ainimum system requirements	PC:2 GB available hard disk space, Internet connection, USB p Mac: 2 GB available hard drive space, Internet connection or U	ort, Internet browser. For additional OS hardware requirement ISB port. OS bardware requirements see apple.com	s see microsoft.com;		
	Secure Boot; Secure Firmware Integrity; Runtime Code	so port, os hardware requirements see appleteoni	Secure Boot; Secure Firmware Integrity; Runtime Code		
	Integrity; password protected EWS; secure browsing via	Secure Boot, Secure Firmware Integrity, Runtime Code	Integrity; password protected EWS; secure browsing via		
	SSL/TLS 1.0; TLS 1.1; TLS 1.2; IPP over TLS; Network: enable/disable network ports and features; unused protocol	Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network:	SSL/TLS 1.0; TLS 1.1; TLS 1.2; IPP over TLS; Network: enable/disable network ports and features; unused proto		
	and service disablement; SNMPv1; SNMPv2; and SNMPv3;		and convice displayments CNMD: 1, CNMD: 2, and CNMD:		
		enable/disable network ports and features, unused protocol	and service disablement, SIMPVT, SIMPVZ, and SIMPV		
	community password change; HP ePrint: HTTPS with	and service disablement, SNMPv1, SNMPv2, and SNMPv3,	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication;		
ecurity management	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock;	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication,	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock;		
ecurity management	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1 x authentication	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock,	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe		
Security management	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator settings; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1 x authentication	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; sign firmware; administrator settings; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA		
ecurity management	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; sign firmware; administrator setting; S02.1x authentication		
ecurity management	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1 x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; sign firmware; administrator settings; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP, WPA/WPA Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo		
ecurity management	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1 x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe firmware; administrator settings; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo		
	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; Signe firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure date arease; Automatic firmware updates; Secure Encrypted Print via optional jo storage; Compatible with optional HP JetAdvantage Secu Manager; IPPS		
onts and typefaces	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display; 5 buttons (Cancel, Select, R	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo storage; Compatible with optional HP JetAdvantage Secu Manager; IPPS 2.7 inch intuitive color touchscreen; 3 Buttons (Home, He		
onts and typefaces	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display; 5 buttons (Cancel, Select, R Ready)	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA, Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional joi storage; Compatible with optional HP JetAdvantage Secu- Manager; IPPS		
onts and typefaces ontrol panel Jisplay	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator settings; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display 2-line backlit LCD graphic display	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, SysQa, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo storage; Compatible with optional HP JetAdvantage Secu Manager; IPPS 2.7 inch intuitive color touchscreen; 3 Buttons (Home, He		
ionts and typefaces iontrol panel Display inergy efficiency compliance	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator settings; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display CECP	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager teverse, Right/Left arrows); LED indicator lights (Attention, ENERGY STAR® qualified; EPEAT® Silver; CECP ¹³	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA, Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional joi storage; Compatible with optional HP JetAdvantage Secu- Manager; IPPS		
Fonts and typefaces Control panel Display Energy efficiency compliance	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display; 5 buttons (Cancel, Select, R Ready) 2-line backlit LCD graphic display CECP No	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager everse, Right/Left arrows); LED indicator lights (Attention, ENERGY STAR® qualified; EPEAT® Silver; CECP ¹³ Yes	certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACI; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe firmware; administrator settings; 802.1x authentication (EAP-TLS; and PEAP); authentication via WEP; WPA/WPA. Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo storage; Compatible with optional HP JetAdvantage Secu Manager; IPPS 2.7 inch intuitive color touchscreen; 3 Buttons (Home, He Back) 2.7-in intuitive color touchscreen		
Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified Power	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator settings; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display; 5 buttons (Cancel, Select, R Ready) 2-line backlit LCD graphic display (EECP No Power supply type: Internal (built-in) Power Supply; Power su	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, SysQo, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager teverse, Right/Left arrows); LED indicator lights (Attention, ENERGY STAR® qualified; EPEAT® Silver; CECP ¹³	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; Signe firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA. Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo storage; compatible with optional HP JetAdvantage Secu Manager; IPPS 2.7 inch intuitive color touchscreen; 3 Buttons (Home, He Back) 2.7-in intuitive color touchscreen 6), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAQ umption ² : 550 watts (active printing), 17 watts (ready), 0.9		
Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified	community password change; HP ePrint: HTTPS with certificate validatior; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display; 5 buttons (Cancel, Select, R Ready) 2-line backlit LCD graphic display (EECP No Power supply type: Internal (built-in) Power Supply; Power su 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply val watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (a	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, SysQa, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager everse, Right/Left arrows); LED indicator lights (Attention, ENERGY STAR® qualified; EPEAT® Silver; CECP ¹³ Yes pply required: 110-volt input voltage: 110 to 127 VAC (+/- 109 ries by part number with # Option code identifier); Power coms ito-off/manual-on), 0.07 watts (off); Typical Electricity Consum	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; Signe firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo storage; compatible with optional HP JetAdvantage Secu Manager; IPPS 2.7 inch intuitive color touchscreen; 3 Buttons (Home, He Back) 2.7-in intuitive color touchscreen 6), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAG umption ⁴ : 550 watts (active printing), 17 watts (ready), 0.9 ption number ³ : 1.046 kWh/Week (Blue Angel); 0.394		
onts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display; 5 buttons (Cancel, Select, R Ready) 2-line backlit LCD graphic display CECP No Power supply type: Internal (built-in) Power Supply; Power su 10%), 50/60Hz (+' - 3 Hz) (Not dual voltage, power supply van watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (a	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, SysQo, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager teverse, Right/Left arrows); LED indicator lights (Attention, ENERGY STAR® qualified; EPEAT® Silver; CECP ¹³ Yes pply required: 110-volt input voltage: 110 to 127 VAC (+/- 109 ries by part number with # Option code identifiei); Power cons	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo storage; Compatible with optional HP JetAdvantage Secu Manager; IPPS 2.7 inch intuitive color touchscreen; 3 Buttons (Home, He Back) 2.7-in intuitive color touchscreen 6), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VA(umption*: 550 watts (active printing), 17 watts (ready), 0.3 pption number3: 1.046 kWh/Week (Blue Angel); 0.394		
ionts and typefaces iontrol panel Display inergy efficiency compliance INERGY STAR Qualified Power	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator settings; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display; 5 buttons (Cancel, Select, R Ready) 2-line backlit LCD graphic display (EECP No Power supply type: Internal (built-in) Power Supply; Power su 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply va watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (au kWh/Week (Energy Star 3.0) Acoustic power emissions ¹⁴ : 6.2 E(A) ; Acoustic power emissions (ready): 13.4 B(A); Acoustic pressure emissions bystander (ready): 14 dB(A)	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication, Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Sysiog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP): Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager teverse, Right/Left arrows); LED indicator lights (Attention, ENERGY STAR® qualified; EPEAT® Silver; CECP ¹³ Yes pply required: 110-volt input voltage: 110 to 127 VAC (+/- 109 ries by part number with # Option code identifier); Power consu to-off/manual-on), 0.07 watts (off); Typical Electricity Consum Acoustic power emissions ¹⁴ : 6.2 B(A); Acoustic power emiss	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo storage; Compatible with optional HP JetAdvantage Secu Manager; IPPS 2.7 inch intuitive color touchscreen; 3 Buttons (Home, He Back) 2.7-in intuitive color touchscreen 6), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VA/ mption*250 watts (active printing), 17 watts (ready), 0.9 ption number ³ : 1.046 kWh/Week (Blue Angel); 0.394 ions (ready): 3.4B(A) ; Acoustic pressure emissions bystand ander (ready): 1.4 dB(A)		
ionts and typefaces Control panel Display Inergy efficiency compliance INERGY STAR Qualified Power Acoustics	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display; 5 buttons (Cancel, Select, R Ready) 2-line backlit LCD graphic display CECP No Power supply type: Internal (built-in) Power Supply; Power su 10%), SJ(6DH2 (+/- 3 Hz) (Not dual voltage, power supply val watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (a kWh/Week (Energy Star 3.0) Acoustic power emissions ¹⁴ : 6.2 B(A); Acoustic pressure emissions (ready): 3.4 B(A); Acoustic pressure emissions bystander (active, printing): 48 dB(A) Acoustic power emissions bystander (ready): 14 dB(A) Operating temperature range: 10 to 32,5°C; Recommended humidity range: 30 to 70% RH (non-condensing) IEC 60950-1:2005 + A1:2009+A2:2013/EN 60950-1:2005 + A	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP): Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager exerse, Right/Left arrows); LED indicator lights (Attention, ENERGY STAR® qualified; EPEAT® Silver; CECP ¹³ Yes pply required: 110-volt input voltage: 110 to 127 VAC (+/-109 ries by part number with # Option code identifier); Power consu to-off/manual-on), 0.07 watts (off); Typical Electricity Consum Acoustic power emissions ¹⁴ : 6.2 B(A) ; Acoustic power emiss (active, printing): 48 dB(A) ; Acoustic pressure emissions byst	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signe firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jo storage; Compatible with optional HP JetAdvantage Secu Manager; IPPS 2.7 inch intuitive color touchscreen; 3 Buttons (Home, He Back) 2.7-in intuitive color touchscreen 6), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC umption*: 550 watts (active printing), 17 watts (ready), 0.9 sption number3*: 1.046 kWh/Week (Blue Angel); 0.394 ions (ready): 3.4B(A) ; Acoustic pressure emissions bystand ander (ready): 14 dB(A) 10 to 80% RH (non-condensing) ; Recommended operatin		
ionts and typefaces iontrol panel Display inergy efficiency compliance iNERGY STAR Qualified Power acoustics	community password change; HP ePrint: HTTPS with certificate validation; HTTP Basic Access Authentication; SASL authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; signed firmware; administrator setting; 802.1x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPA2 Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage; Compatible with optional HP JetAdvantage Security Manager; IPPS 84 scalable TrueType fonts 2-line backlit LCD graphic display; 5 buttons (Cancel, Select, R Ready) 2-line backlit LCD graphic display CECP No Power supply type: Internal (built-in) Power Supply; Power su 10%), 50/60Hz (+'-3 H2) (Not dual voltage, power supply var watts (sleep), 0.9 watts (HP auto-off/auto-on), 0.07 watts (a. <i>KWh/Week</i> (Energy Star 3.0) Acoustic power emissions ¹⁴ : 6.2 B(A); Acoustic pressure emissions (ready): 3.4 B(A); Acoustic pressure emissions (ready): 3.4 B(A); Acoustic pressure emissions (ready): 3.4 B(A); Acoustic pressure emissions bystander (ready): 14 dB(A) Operating temperature range: 10 to 32.5°C; Recommended of humidity range: 30 to 70% RH (non-condensing) IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A 2010/EN 62479: 2010	and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Sysiag, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP): Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager teverse, Right/Left arrows); LED indicator lights (Attention, <u>ENERGY STAR® qualified; EPEAT® Silver; CECP¹³ Yes</u> pply required: 110-volt input voltage: 110 to 127 VAC (+/- 109 ries by part number with # Option code identifien; Power consu to-off/manual-on), 0.07 watts (off); Typical Electricity Consum Acoustic power emissions¹⁴: 6.2 B(A) ; Acoustic power emissions byst operating temperature: 15 to 27°C ; Operating humidity range:	community password change; HP ePrint: HTTP5 with certificate validation; HTTP Basic Access Authentication; authentication; Firewall and ACL; control panel lock; certificates configuration; UPD PIN printing; Syslog; sign firmware; administrator settings; 802.1 x authentication (EAP-TLS, and PEAP); authentication via WEP; WPA/WPP Personal; WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional jc storage; Compatible with optional HP JetAdvantage Sec Manager; IPPS 2.7 inch intuitive color touchscreen; 3 Buttons (Home, H Back) 2.7-in intuitive color touchscreen 6), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VA umption?: 550 watts (active printing), 17 watts (ready), 0.3 ption number?: 1.046 kWh/Week (Blue Angel); 0.394 ions (ready): 3.4B(A); Acoustic pressure emissions bystand ander (ready): 1.4 dB(A) 10 to 80% RH (non-condensing); Recommended operatin EN 60825-1:2014 (Class 1 Laser/LED Product); IEC 62479:		

Footnotes

¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Letter: Black/Color-9.8/12.1, A4: Black/Color 9.9/12.4 sec. ² Wireless operations are compatible with 2.4 GHz and 5 GHz operations. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at

² Wireless operations are compatible with 2.4 GHz and 5 GHz operations. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
³ Features is only supported by the HP Laser let Pro M454nw and M454dw printers. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.
⁴ Feature is supported on the HP Laser let Pro M454nw and M454dw printers only. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Learn more at http://www.hp.com/go/businessmobileprinting
⁵ Feature is only available for the HP Color Laser/let Pro M454dw. Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements and requires a firmware upgrade. For details, visit hpconnected.com
⁶ Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/publice inclass printers. Only HP.pfmat. For more information: http://www.hp.com/go/printersecurityclaims

Pin printing enabled via USB installed in rear of device

⁷ Pin printing enabled via USB installed in rear of device.
 ⁸ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
 ⁹ All new product introductions beginning in Fall 2019 will include consistent worldwide default duplex settings (across bundles/drivers); Spring 2019 will include consistent worldwide default duplex settings (across bundles/drivers); Spring 2019 will include consistent worldwide default duplex settings for most products across the most common drivers.
 ¹⁰ Based on HP Internal testing using normalized TEC Value, 2019.
 ¹¹ Instant threat notifications can appear on the device control panel when a potential threat occurs from malicious intent or there is a bug or vulnerability in the firmware code of the device. If this error raises concern, please control your company IT representative or, if unavailable, HP Support, who can investigate the cause through analysis of device syslog data using a standard SIEM tool from McAfee, Splunk, Arcsight or SIEMonster. The control panel error message may show an error code on a blue screen during code signature checks or memory write intrusions.
 ¹² HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
 Technical specifications disclaimers ¹⁰ how cartifications using a standard SIEM tool from McAfee, Splue, and continuous printing. Actual violes way considerably based on images printed and other factors. For datalls control in the standard stand standard standard standard standard standard standard stand

¹ In box cartridges yield ~1,200 color composite (C/Y/M) and ~1,200 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions. ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on

measurement of 115V device.
³ BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value

¹ BA TEL's equal to Best TEL. Power requirements are based on the country/region where the printer is sold. Up not convert operating voltages. This will damage the printer and void the product warranty, Energy Star value typically based on measurement of 115 V device. ⁴ Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region. ⁵ Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies ⁶ Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Remote printing requires an Internet connection on an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. For more information visit the com/go/maxim. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth⁶ Low Eporev (IIE L) basecond (IIE has conding carabilities - Subscription gain formation visit the com/go/maxim.

Service provider for coverage and availability in your area. For more information visit inc. Consigning on boliepiniting. To enable in Roam, Software and require the ware to be upgraded and an optional accessory to add blocout 7 Measured using ISO 24734 Feature Test, AS Landscape Feed. Speed may vary based on content, PC, media orientation, and media type. 8 Measured using ISO 24734 Feature Test, AS Landscape Feed. Speed may vary based on content, PC, media orientation, and media type. 9 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 9 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser/let or HP Color Laser/let devices, and enables appropria deployment of printers and MFPs to satisfy the demands of connected individuals or groups. 10 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warraphy provide and enables appropriate

warranty period HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit http://www.hp.com/go/SureSupply: only available with

Original HP supplies; Internet access required. ¹² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

To learn more, visit http://www.hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. Published in APJ 4AA7-4956EEP, June 2020

