HP LaserJet Enterprise MFP M527 series



Finish tasks faster¹ and help protect against threats with multi-level device security.¹⁰

Finish tasks faster with an MFP that starts right away and helps conserve energy. Multi-level device security helps protect from threats. 10 Original HP Toner cartridges with JetIntelligence and this printer produce more high-quality pages.²



HP LaserJet Enterprise MFP M527dn



HP LaserJet Enterprise MFP M527f



HP LaserJet Enterprise Flow MFP M527c



HP LaserJet Enterprise Flow MFP M527z

Accelerate your work and use less energy

- Don't wait for documents. Print your first page in as few as 8.5 seconds from energyefficient sleep mode.
- Speed through jobs. Print two-sided documents quickly, and scan both sides of the page
- This MFP leads its class in low energy use—thanks to its innovative design and toner
- Now 24% smaller—this MFP fits in tight places to boost performance in any workspace.

Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown. 10
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.¹⁰
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions. 11
- Centralize control of your printing environment with HP Web Jetadmin¹²—and help build business efficiency.

More. Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Get more. Original HP Toner with JetIntelligence delivers more pages per cartridge than predecessors.4
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge. 13

Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.4
- Print with just a touch of your NFC-enabled mobile device to this printer—no network
- Easily print from a variety of smartphones and tablets—generally no setup or apps reauired.7
- Easily access, print, and share resources with Ethernet and optional wireless networking.

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see http://www.hp.com/go/Ljclaims

The properties of the properti

Mobile device needs to be connected directly to the WiFi network of a wireless direct—capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see http://www.hp.com/go/businessmobileprinting 5 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN

Touch-to-print capability is standard on the HP Laser.Jet Enterprise Flow MFP M527z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Laser.Jet Enterprise MFP M527dn/f/c.

Mobile device must support Near Field Communication (NFC)—enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting

Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting

B Purchase of optional paper trays required to reach maximum input capacity.

Compared with the HP LaserJet Enterprise MFP M525.

¹⁰ Only HP offers a combination of security features for integrity checking down to the BIOS with self-healing capabilities. Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printersthatprotect

11 Some solutions require download or additional purchase. Learn more at http://www.hp.com/qo/printingsolutions

¹² Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin 13 HP 87X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.

Product walkaround

- 1. 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning and HP EveryPage
- 2. Hardware Integration Pocket (HIP) for connecting accessory and third-party devices
- 3. Built-in wireless direct³ and NFC touch-to-print⁴
- 4. Easy-access USB port to save and print files directly²
- 5. 250-sheet output tray
- 6. Top cover (access to Original HP Toner cartridges with JetIntelligence)
- 7. 100-sheet multipurpose tray
- 8. 550-sheet tray 2
- 9. Intuitive 8-inch (20.3 cm) touchscreen control panel
- 10. Pull-out keyboard for easy, accurate data entry
- 11. Convenience stapler
- 12. Convenient front on/off button
- 13. Built-in automatic duplexer
- 14. 800 MHz processor, 1.5 GB RAM^5
- 15. HP High-Performance Secure Hard Disk
- 16. Slot for optional cable-type security lock
- 17. Fax port
- 18. HP Jetdirect Gigabit Ethernet print server
- 19. Hi-Speed USB 2.0 printing port
- 20. Hi-Speed USB 2.0 port (for connecting third party devices)
- 21. Rear door (access to the print path)



Series at a glance









Model	HP LaserJet Enterprise MFP M527dn	HP LaserJet Enterprise MFP M527f	HP LaserJet Enterprise Flow MFP M527c	HP LaserJet Enterprise Flow MFP M527z	
Product number	F2A76A	F2A77A	F2A81A	F2A78A	
Fax	Optional	√			
HP High-Performance Secure Hard Disk	Optional	√			
100-page ADF with single-pass, two sided scanning	,	√ ·		√ (Plus HP EveryPage)	
Advanced workflow capabilities including pull-out keyboard	Not available		√		
Wireless direct ³ and NFC touch to print ⁴	Optional			√	
ENERGY STAR® and Blue Angel certified		٧	1		

¹ Solutions deployed through the Hardware Integration Pocket may require additional purchase.
2 An administrator must enable the easy-access USB port before use.
3 Wireless direct printing is standard on the HP Laser Jet Enterprise Flow MFP M527z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Laser Jet Enterprise MFP M527dn/f/c. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in MFP or printer. For details, see hp.com/go/businessmobileprinting.
4 Touch-to-print capability is standard on the HP Laser Jet Enterprise Flow MFP M527z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Laser Jet Enterprise MFP M527dn/f/c. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.
5 Maximum memory can be expanded to 2 GB (System memory) by replacing standard memory module. 2 GB Memory DIMM Kit (B3G84-67909) can be purchased separately. Please visit hp.com/buy/parts for nurrhase ontions.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:

Top features

Work quickly with the fastest first page out from sleep mode—on the most energy-efficient MFP in its class.^{1,3} Launch two-sided printing, scan, and fax right from the touchscreen. Reload paper less often with a 2300sheet maximum capacity.

Trust your MFP is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire fleet. 10

Bring out the best in your MFP. Print more high-quality pages than ever before, ² using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access⁴—and keep users connected with Ethernet and optional wireless networking. Print with just a touch from mobile devices. ¹

Accessories		
2MU47A	HP Accessibility Assistant	
2NR12A	HP Removable Hard Drive Enclosure	
2TD64A	HP Accessibility Kit	
B5L29A	HP High-Performance Secure Hard Disk	
B5L31A	HP Foreign Interface Harness	
B5L53A	HP LaserJet MFP Analog Fax Accessory 600	
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	
F2A72A	HP LaserJet 550-sheet Paper Tray	
F2A73A	HP LaserJet Printer Cabinet	
F2A87A	HP Internal USB Ports	
F5S62A	HP Trusted Platform Module Accessory	
HG277TT	HP MICR Printing Solution - USB	
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory	
J8031A	HP Jetdirect 2900nw Print Server	
W5U23A	HP 200 ADF Roller Replacement Kit	
2NR09A	HP 2GB 144-Pin DDR3 TAA Version DIMM	
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory	
B5L28A	HP Internal USB Ports	
E5K49A	HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM	
Q7432A	HP Staple Cartridge Pack	









Supplies

HP 87A Black Original LaserJet Toner Cartridge (~9000 pages) CF287A

HP 87X Black Original LaserJet Toner Cartridge (~18000 pages) CF287X

Services

U8TT5E - HP 3 year Next Business Day + Defective Media Retention LaserJet M527 MultiFunction Hardware Support

USTT6E - HP 4 year Next Business Day + Defective Media Retention Laser let M527 MultiFunction Hardware Support

U8TT7E - HP 5 year Next Business Day + Defective Media Retention LaserJet M527 MultiFunction Hardware Support

U8TT8E - HP 3 year 4 hour 9X5 + Defective Media Retention LaserJet M527 MultiFunction Hardware Support

U2010E - HP Network Installation mid-range LaserJet Multifunction printer Service

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting

Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see

habse until minutesting of the three cooling compenses in the page of the three cooling compenses in the page of t information, see http://www.hp.com/go/learnaboutsupplies

Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For

details see http://www.hp.com/go/Ljclaims

4 Wireless direct printing is standard on the HP LaserJet Enterprise Flow MFP M527z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise MFP M527dn/f/c.

Mobile device needs to be connected directly to the WFI network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see http://www.hp.com/go/businessmobileprinting

5 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN

Touch-to-print capability is standard on the HP LaserJet Enterprise Flow MFP M527z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise MFP M527dn/f/c.

Figure 1 and 1 paper trays required to reach maximum input capacity.

9 Compared with the HP Laser Jet Enterprise MFP M525.

10 Only HP offers a combination of security features for integrity checking down to the BIOS with self-healing capabilities. Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printersthatprotect

11 Some solutions require download or additional purchase. Learn more at http://www.hp.com/go/printersthatprotect

12 Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin

HP LaserJet Enterprise MFP M527 series

Model	·	P LaserJet Enterprise MFP M527f	HP LaserJet Enterprise Flow MFP M527c	HP LaserJet Enterprise Flow MFP M527z
Product number AIO functions		2A77A rint, copy, scan, fax; AIO multitasking supported: Yes	F2A81A	F2A78A
Print	Γ		Letter: Up to 45 ppm Black; 2-sided: Up to 36 ipm Black;	Letter: Up to 45 ppm Black; 2-sided: Up to 36 ipm Black;
Print speed ^{15,16,17}	Letter: Up to 45 ppm Black; 2-sided: Up to 36 ipm Black; First V) Black; Print speed (Landscape, A5): Up to 65 ppm Black		First page out: As fast as 5.9 sec; As fast as 11.3 sec (100 V) Black; Print speed (Landscape, A5): Up to 65 ppm Black	First page out: As fast as 5.9 sec; As fast as 11.3 sec (10 V) Black; Print speed (Landscape, A5): Up to 65 ppm Black
Print resolution Print technology	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 Laser; Print resolution technology: 300 dpi, 600 dpi, HP FastR			
Print cartridges number Standard print languages	2 (black) HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web of	only). HP postscript level 3 emulation, native PDF printi	ng (v 1.7)	
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet			
Printer management	UPD Printer Administrator Resource Kit (Driver Configuration	Utility, Driver Deployment Utility, Managed Printing Adr	ninistrator); HP Web JetAdmin Software; HP Proxy Agent So	ftware; HP JetAdvantage Security Manager
Scan type / Technology Scan resolution	Type: Flatbed, ADF (two-sided, single-pass); Technology: CIS (Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	(Contact Image Sensor)		
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OC Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (C from easy access USB: PDF, PS, Print Ready files (.pm., pc	R), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT CR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Prin I, .cht)
Scan input modes Scan Size Scan speed ¹⁹	Front panel applications: Copy, E-mail, Save to Network Folde ADF: 8.5 x 14 in Maximum; 4 x 6 in Minimum; Flatbed : Up to 4 Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color) Du	13 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color)	lity Platform (OXP) applications ADF: 8.5 x 14 in Maximum; 4 x 6 in Minimum; Flatbed: Up Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color	
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output o	quality setting; Selectable scan resolution 75 to 600		out quality setting; Selectable scan resolution 75 to 600 d e suppression; HP Quick Sets; HP EveryPage; Auto
Bit depth / Grayscale levels	dpi; Auto detect color; Edge Erase; Job notification; Blank pag 24-bit / 256	e suppression; HP Quick Sets	orientation; Embedded Optical Character Recognition (OC	R), Auto crop to page; Auto-tone
Digital sending standard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Net State Const. Const. Const. Const. Const. Const. Const.	can to E-mail; Save-to-Network Folder; Save-to-USB rive; Send to FTP; Send to LAN Fax; Send to Internet ax; Local Address Book; SMTP over SSL; Blank Page emoval; Edge Erase; Auto Color Sense; Auto Crop To ontent; Compact PDF	Scan to E-mail; Save-to-Network Folder; Save-to-USB dri to Internet Fax; OCR; Local Address Book; SMTP over SSL Crop To Content; Compact PDF; Auto Tonescale; Auto Orie Page; OCR	ve; Send to Sharepoint; Send to FTP; Send to LAN Fax; Ser Blank Page Removal; Edge Erase; Auto Color Sense; Auto ntation; Multi-Pick Detect; Auto Straighten; Auto Crop To
Copy Copy speed ¹⁸	Black (ISO): Up to 43 cpm; First copy out: As fast as 6.3 sec; As	s fast as 11.1 sec (100 V) Black; 2-sided: Up to 36 cpm	Black (ISO): Up to 43 cpm; First copy out: As fast as 6.2 se	c; As fast as 11.3 sec (100 V) Black; 2-sided: Up to 36 cpm
Copy speed Copy resolution	Black Black (text and graphics): Up to 600 × 600 dpi; Color (text and		Black	
Maximum Number of Copies	Up to 9999 copies	· · · · · · · · · · · · · · · · · · ·		
Copier resize	25 to 400%	contract hadronical deserve ship 17.90 17	7 ordering contact printed-conflict	edge to edge ish sterress ID Service 1.5
Copier settings	Two-sided copying; scalability; image adjustments (darkness, (different media sizes)	, contrast, background cleanup, snarpness); N-up; N or	z-ordering; content orientation; collation; booklet; job build;	euge-to-euge Job Storage; ID Copy; Book Copy; A-to-B Co
Fax Fax speed	l Uį	p to:33.6 kbps / Letter:3 sec per page		
Fax resolution Fax smart software		lack (best): Up to 300 x 300 dpi (400 x 400 dpi for recei		
features			ax address book; LAN/Internet fax; Fax number confirmatio	
Fax Features	rd SL M SL	ax memory: up to 500 pages, Auto fax reduction suppor- poported: Pos; Fax phone TAM interface supported: No; aximum speed dialing numbers: Up to 1000 numbers l upported: No	rted: Yes; Auto-redialing: Yes; Fax delayed sending: No; Dist Fax polling supported: Yes (poll to receive only); Fax telepho each with 210 destinations); PC interface supported: Yes; Ri	inctive ring detection supported. No; As to Mardiniy ne mode supported: No; Junk barrier supported: Yes; emote retrieval capability supported: No; Telephone hands
Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 2	Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax; 802.1
Standard connectivity	Gigabit Ethernet 10/100/1000T network	igabit Ethernet 10/100/1000T network; 1 Fax	Gigabit Ethernet 10/100/1000T network; 1 Fax	Gigabit Ethernet 10/100/1000T network; 1 Fax; 802.11 b/g/n with Wireless Direct
Network capabilities Wireless capability	Yes, via built-in Gigabit Ethernet Optional, enabled with purchase of HW accessories.		No	Yes, built-in Gigabit Ethernet, Wi-Fi 802.11b/g/n
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified		110	HP ePrint; Apple AirPrint™; Mopria™-certified; NFC Touc to-print; Wireless Direct Printing
Memory ⁸	Standard: 1.25 GB (Printer), 500 MB (Scanner); Maximum: 2.0			
Processor speed	B5L29A) Fil	le Erase-Temporary Job Files, Secure Erase-Job Data, S	rmance Secure Hard Disk, minimum 320 GB; AES 128 hardv ecure ATA Erase-Disk); U.S. Government: Standard, FIPS 140	vare encryption or greater; Secure erase capabilities (Secu 0-2 validated hard disk, minimum 500 GB
Duty cycle (monthly) ⁹ Paper handling	Letter:Up tp 150,000 pages; Recommended monthly page vo			
		Diume: 2000 to 7500		·
Input	1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray; 3	x optional additional 550-sheet input trays; Up to 650		
Input Output	1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets			
Input Output Duplex Options Auto document feeder	1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 250 sheets St	x optional additional 550-sheet input trays; Up to 650		
Input Output Duplex Options Auto document feeder capacity	1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets	x optional additional 550-sheet input trays; Up to 650		
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays	1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No. 2	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh	eets Standard; Up to 75 sheets	
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays	1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh	eets Standard; Up to 75 sheets	
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media weight Media sizes	1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, 17ray 1:16 to 53 lb; Tray 2+:16 to 32 lb Tray 1:Letter, legal, executive, 4 x 6, 5 x 8, 8.5 x 13, envelope	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sheet output bin, convenienc	eets Standard; Up to 75 sheets rencies; user-defined x 13: Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0	
Input Output Duplev Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media weight Media Sizes Media Sizes Media Sizes Custorm Dimensions (w x d x h)	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray, 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, 17ay 1: 16 to 53 lb; Tray 2-: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2-: 16 to 32 lb Tray 1: 3 x 5 to 8.5 x 14 in; 550-sheet input Tray 2: 4.1 x 5.8 in 18.98 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 in	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1	eets Standard; Up to 75 sheets rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0.8 to 8.5 x 14 in	optional Automatic Duplexer: letter
Input Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media dyeight Media sizes Dimensions (w x d x h) Wolght ¹	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray, 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, 17ay 1: 16 to 53 lb; Tray 2 2: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 2: 16 to 32 lb Tray 1: 3 x 5 to 8.5 x 1 4 in; 550-sheet input Tray 2: 4.1 x 5.8 if 18.98 x 19.55 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 in	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sheet output bin, convenience stapler; Up to 250 sheet output bin, convenience stapler; Up to 250 sheet recycled, rough); envelopes; labels; cardstock; transpass (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x ! 18.5 lb	eets Standard; Up to 75 sheets rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0, 8.5 to 8.5 x 14 in 48.6 lb	iptional Automatic Duplexer: letter 49.1 lb
Input Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight* What's in the box	1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: Letter, legal, executive, 4 x 6, 5 x 8, 8.5 x 13, envelope 17ay 1: 3 x 5 to 8.5 x 1 4 in; 550-sheet input Tray 2: 4.1 x 5.81 lb. 89 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 48.2 lb 48.2 lb	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa ss (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 lb ner (~ 9000 pages); CDs containing software and electr	eets Standard; Up to 75 sheets rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0 8.8 to 8.5 x 14 in 48.6 lb nic documentation; User Guide; Support Flyers; Warranty 0	iptional Automatic Duplexer: letter 49.1 lb ards; Required Erratas
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media weight Media sizes Media Sizes Custom Dimensions (w x d x h) Weight' What's in the box Warranty features	1 x 550-sheet input tray; 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 3 x 5 to 8.5 x 14 in; 550-sheet input Tray 2: 4.1 x 5.8 in 18.98 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 id 48.2 lb HP Laser Jet M527 Printer; HP 87A Black Original Laser Jet Tor One-year, next-business day, onsite warranty, Warranty and	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa ss (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 lb ner (~ 9000 pages); CDs containing software and electr	eets Standard; Up to 75 sheets rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0 8.8 to 8.5 x 14 in 48.6 lb nic documentation; User Guide; Support Flyers; Warranty 0	iptional Automatic Duplexer: letter 49.1 lb ards; Required Erratas
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media vight Media sizes Media Sizes Custom Dimensions (w x d x h) Weight¹ What's in the box Warranty features Energy efficiency compliance	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray, 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, 17ay 1: 16 to 53 lb; Tray 2 x: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 x: 16 to 32 lb Tray 1: 15 to 58 x 1 4 lin; 550-sheet input Tray 2: 4.1 x 68 ls 18.98 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 in 48.2 lb 4P LaserJett M527 Printer; HP 87A Black Original LaserJet Tor One-year, next-business day, onsite warranty. Warranty and siegion. ENERGY STAR® qualified; CECP, EPEAT® Silver 8.0-in (20.3 cm) color LED with touchscreen; rotating (adjustation)	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sheet output from 250 sheet input Tray 3+: 4.1 x.1 x.1 x.1 x.1 x.1 x.1 x.1 x.1 x.1 x	rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; C 8.8 to 8.5 x 14 in and documentation; User Guide; Support Flyers; Warranty C I requirements. Go to http://www.hp.com/support to learn a ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (ad	Optional Automatic Duplexer: letter 49.1 lb ards; Required Erratas ards the Wards winning service and support options in your service and
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media types Media Sizes Custom Dimensions (w x d x h) Weight* What's in the box Warranty features Energy efficiency compilance Control panel Display	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 25 to 8.5 x 14 in; 550-sheet input Tray 2: 4: 1 x 5.8 l B.99 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 in 48.2 lb 48.2 lb 49 HP LaserJet M527 Printer; HP 87A Black Original LaserJet Tor One-year, next-business day, onsite warranty. Warranty and s region. ENERGY STAR® qualified; CECP; EPEAT® Silver 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjusta eturn to the Home much) 8.0 in (20.3 cm) touchscreen, SVGA LCD (color graphics), smoo	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 lb ner (~ 9000 pages); CDs containing software and electr support options vary by product, country and local lega able angle) display, illuminated Home button (for quick oth gesture enabled touchscreen	rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0.85 to 8.5 x 14 in 48.6 lb onic documentation; User Guide; Support Flyers; Warranty C t requirements. Go to http://www.hp.com/support to learn a ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjecturn to the Home menu); integrated Keyboard	iptional Automatic Duplexer: letter 49.1 lb ards; Required Erratas about HP award winning service and support options in yo ENERGY STAR® qualified; CECP; EPEAT® Gold ustable angle) display; illuminated Home button (for quick
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight? What's in the box Warranty features Energy efficiency compliance Control panel Display	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 25 to 8.5 x 14 in; 550-sheet input Tray 2: 4: 1 x 5.8 l 18.98 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 in 48.2 lb HP LaserJet M527 Printer; HP 87A Black Original LaserJet for One-vear, next-business day, onsite warranty. Warranty and s region. ENERGY STAR® qualified; CECP; EPEAT® Silver 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjusta et al. 10 to the Homer menu). EVINION (20.3 cm) touch CD with touchscreen; rotating (adjusta et al. 10 to the Homer menu). For Winiolovs OS; HP Software Installer/Uninstaller, IP PCL 61 welcome Screen, Olirects users to HP.Com or 36 Spp Source	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 lb ner (~ 9000 pages); CDs containing software and electr support options vary by product, country and local legal able angle) display; illuminated Home button (for quick oth gesture enabled touchscreen Printer Driver, HP Device Experience (DXP), HP Send Fa for Laser let Software)	rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0.8.5 to 8.5 x 14 in 48.6 lb anic documentation; User Guide; Support Flyers; Warranty Cl requirements. Go to http://www.hp.com/support to learn a ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adj return to the Home menu); integrated Keyboard , HP Update, Product Registration Assist, HP Web Services A	iptional Automatic Duplexer: letter 49.1 lb ards; Required Erratas about HP award winning service and support options in you ENERGY STAR® qualified; CECP; EPEAT® Gold ustable angle) display; illuminated Home button (for quick sssist (HP Connected), Online user manuals ;For Mac OS;
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media vight Media sizes Media Sizes Custom Dimensions (w x d x h) Weight! What's in the box Warranty features Energy efficiency compliance Control panel Display Software included	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2+: 16 to 32 lb Tray 1: 25 to 8.5 x 14 in; 550-sheet input Tray 2: 4: 1 x 5.8 l 18.98 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 in HP LaserJet M527 Printer; HP 87A Black Original LaserJet for One-year, next-business day, onsite warranty. Warranty and s region. ENERGY STAR® qualified; CECP; EPEAT® Silver 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjusta et un to the Home menu). 8.0-in (20.3 cm) touch CD with touchscreen; rotating (adjusta et un to the Home menu). 8.0-in (20.3 cm) touch CD with touchscreen; rotating (adjusta et un to the Home menu). 9.0-in (20.3 cm) touch CD with touchscreen; rotating (adjusta et un to the Home menu). 10.5 internal True Type fonts scalable in HP PCL, 92 internal st Cambrialyadditional font solutions available was third-party flat	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 lb her (~ 9000 pages); CDs containing software and electr support options vary by product, country and local legal able angle) display; illuminated Home button (for quick oth gesture enabled touchscreen Printer Driver, HP Device Experience (DXP), HP Send Fa for Laser let Software) calable fonts in HP postscriopt Level 3 emulation (Euro	rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0.8.5 to 8.5 x 14 in 48.6 lb onic documentation; User Guide; Support Flyers; Warranty 0.1 requirements. Go to http://www.hp.com/support to learn a: ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adj return to the Home menu); integrated Keyboard HP Update, IP-roluct Registration Adsess, HP Weda Evroices A son available this; I tip://www.hp.com/sp/laserjetfronts	iptional Automatic Duplexer: letter 49.1 lb ards; Required Erratas about HP award winning service and support options in you ENERGY STAR® qualified; CECP; EPEAT® Gold ustable angle) display; illuminated Home button (for quick ssist (HP Connected), Online user manuals; For Mac OS; rld Type); 2 Internal Windows Vista 8 Fonts (Calibri,
Input Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media types Media Sizes Custom Dimensions (w x d x h) Weight 1	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, Tray 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 12 letter, legal, executive, 4 x 6, 5 x 8, 8.5 x 13, envelope Tray 1: 3 x 5 to 8.5 x 14 in; 550-sheet input Tray 2: 4: 1 x 5.8 l 18.98 x 19.52 x 19.55 in; Maximum: 19.96 x 24.83 x 19.55 in 48.2 lb HP LaserJet M527 Printer; HP 87A Black Original LaserJet for One-year, next-business day, onsite warranty. Warranty and sregion. ENERGY STAR® qualified; CECP; EPEAT® Silver 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustareturn to the Home menu) 8.0 in (20.3 cm) touchscreen, SVGA LCD (color graphics), smo- For Windows OS; HP Software Installer/Uninstaller, HP PCL 92 internal st Cambrial; additional fort solutions available with Iria-Box (Internal True Type fonts scalable in HP PCL, 92 internal st Cambrial; additional fort solutions available with Iria-Box (Internal True Type fonts scalable in HP PCL, 92 internal st Cambrial; additional fort solutions available with Iria-Box (Internal True Type fonts scalable in HP PCL, 92 internal st Cambrial; additional fort solutions available with Iria-Box (Internal True Type fonts scalable in HP PCL, 92 internal st Cambrial; additional fort solutions available with Iria-Box (Internal True Type fonts scalable in HP PCL, 92 internal st Cambrial; Mindows 28 cm) and the HP PCL of (Internal True Type fonts scalable in HP PCL, 92 internal scandarding IT OS for Tablets), Marcolovs additions (Internal True Type Internal scandarding IT OS for Tablets), Marcolovs and 13 x 8.64 + 11 Rt III Intux OS (In-OS HPLIP, SUSE 1 (IO. RT, Linux OS (In-OS HPLIP, SUSE	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 ib her (- 9000 pages); CDs containing software and electr support options vary by product, country and local lega ble angle) display; illuminated Home button (for quick ooth gesture enabled touchscreen Printer briver, HP Device Experience (DXP), HP Send Fa for Laser let Software) calable fonts in HP postscriopt Level 3 emulation (Euro sh memory cards; HP Laser let Fonts and IPDS Emulat all 32 s.b. editions (NP lone, EXP vo. etc.); Windows y 10 all 32 x. b. editions (NP lone, EXP ro. etc.); Windows y 10 all 32 x. b. editions (NP lone, EXP ro. etc.); Windows y 10 all 32 x. briefitons (NP lone); RVP ro. etc.); Windows y 10 all 32 x. express available from http://www.HP.com Linux (12.2, 12.3, 13.1); Fedora (17, 18, 19, 20); Linux Linux (12.2, 12.3, 13.1); Fedora (17, 18, 19, 20); Linux	rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0.85 to 8.5 x 14 in 48.6 lb nic documentation; User Guide; Support Flyers; Warranty Cl requirements. Go to http://www.hp.com/support to learn a ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adj return to the Home menu); integrated Keyboard the Home menu); integrated Keyboard the Home menu); integrated Keyboard symbol builble at http://www.hp.com/go/lacquirenfons Words symbol Jacobs; GST. Gold Start	iptional Automatic Duplexer: letter 49.1 lb ards; Required Erratas about HP award winning service and support options in you ENERGY STAR® qualified; CECP; EPEAT® Gold ustable angle) display; illuminated Home button (for quich sessist (HP Connected), Online user manuals ;For Mac OS; rld Type); 2 Internal Windows Vista 8 Fonts (Calibri, http://www.HP. Com); Windows XPS P3 22. 8 64-bit & 64-bit editions (excluding RT OS for Tablets); Windows & (SS X 10.10 Yossemite; Moleco S (In-OS Arthers); iOS, 10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10); Debian
Input Dutput Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight! What's in the box Warranty features Energy efficiency compliance Control panel Display Software included Fonts and typefaces Compatible operating Systems'	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, 17ay 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 12 tetter, legal, executive, 4 x 6, 5 x 8, 8.5 x 13, envelope 17ay 1: 2 x 10 s 5x 14 lin; 550-sheet input Tray 2: 4.1 x 5x 8 lb. 18.98 x 19.52 x 19.55 in Maximum: 19.96 x 24.83 x 19.55 in 48.2 lb HP Laserclet M527 Printer; HP 87A Black Original Laserclet To One-year, next-business day, onsite warranty. Warranty and segion. ENERGY STAR® qualified; CECP; EPEAT® Silver 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustareturn to the Home menu) 8.0 in (20.3 cm) color LCD with touchscreen; rotating (adjustareturn to the Home menu) Windows OS compatible with In-Box Driver, Ly 2 internals; Cambria), additional font solutions available in 4 PP CL, 91 internals; Cambria), additional font solutions available in 4 third-party fite Windows S Compatible with In-Box Driver, Windows S PS 33 2-8. 64-bit editions (excluding RT OS for Tablets), Windows Governation, Server 2008 R2 of 4-bit (SP1) Standard for 1803/2008 R2 3/2 64-bit (SP1	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x; 15 8.5 lb 8.5 lb 9.5 lb 9.5 lb 9.5 lb 9.6 scapes 10.6 scapes 10.7 scapes 10.	rencies; user-defined x 13: Optional trays 3*: letter, legal, executive, 8.5 x 13 in; 0.85 to 8.5 x 14 in 48.6 lb nic documentation; User Guide; Support Flyers; Warranty Cl requirements. Go to http://www.hp.com/support to learn a ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adj return to the Home menu); Integrated Keyboard return to the Home menu); Integrated Keyboard symbol built-in); 1 internal Unicode Fonts (Andale Mono Wo on availlable at Hittp://www.hp.com/glaser/etfortessional, s); Windows 25 compatible with Universal Print Driver (Fron Windows 25 compatible with Universal Print Driver (Fron Windows 26 compatible with Universal Print Driver (Fron Windows 54 compatible with Universal Print Driver (Pron Windows 54 compatible with Universal	iptional Automatic Duplexer: letter 49.1 lb ards; Required Erratas ibout HP award winning service and support options in you ENERGY STAR® qualified; CECP; EPEAT® Gold ustable angle) display; illuminated Home button (for quick sssist (HP Connected), Online user manuals; For Mac OS; rld Type); 2 Internal Windows Vista 8 Fonts (Calibri, etc.); Windows 7 all 32-& 64-bit editions; Windows 6/8.1 http://www.HP.com; Windows KP SP3 32-& 64-bit at 64-bit editions (excluding RT OS for Tablets); Windows ks; GS X 10.10 Yosemite; Mobile OS (In-OS drivers); IOS, 10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10); Debian 4-bit (SP2) Standard/Enterprise (+ Cluster & Terminal fife drivers from http://www.HP.com; Windows Server 6/Datacenter (- Cluster & Terminal Services), Windows Ion Server, 3.0; Clinx MetaFrame XP Presentation Server 10, O. Novell Open Enterprise Server 11/SP1; Novell Open 2-bit / 64-bit / recommend vs.82+; Windows Vista (32-bit)
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight¹ What's in the box Warranty features Energy efficiency compliance Control panel Display Software included Fonts and typefaces Compatible operating	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray, 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, 17ay 1: 16 to 53 lb; Tray 2 : 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 : 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 : 16 to 32 lb Tray 1: 18 to 50 lb; Tray 2 : 16 to 32 lb Tray 1: 18 to 50 lb; Tray 2 : 16 to 32 lb Tray 1: 18 to 50 lb; Tray 2 : 16 to 32 lb Tray 1: 18 x 5 to 8.5 x 14 ln; 550-sheet input Tray 2: 4.1 x 5.8 l 18.98 x 19.52 x 19.55 in; Maximum: 19.96 x 24 83 x 19.55 in 48.2 lb 49 Lb 2 lb 40 Lb 2 lb 41 Lb 2 lb 42 lb 43 Lb 44 lb 2 lb 45 Lb 46 lb 2 lb 46 lb 2 lb 47 lb 2 lb 48 lb 3 lb 48 lb 3 lb 49 lb 2 lb 40 l	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 th her (- 9000 pages); CDs containing software and electr support options vary by product, country and local lega es legal engle display, illuminated Home button (for quick ooth gesture enabled touchscreen Printer Driver, HP Device Experience (DXP), HP Send Fai for Laserlet Software) calable fonts in HP postscriopt Level 3 emulation (Euro 10 all 32-& 64 bit editions (EV Home, XP Pro, etc.), Windows Vot 10 all 32-& 64 bit editions (Evcluding RT 05 for Table) bit editions (Home Basic, Premium, Professional, etc.), Cil PP Print Drivers available from http://www.HP.com Linux (12-2, 12-3, 13-1); Fedora (17, 18, 19, 20), Linux (12-2, 12-3, 13-1); Fedora (17, 18, 19, 20), Linux (12-2, 12-3, 13-1); Fedora (17, 18, 19, 20), Linux (15, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or 5, Clift XenApp, 5.0 (Fus Feature Pack 2 8-3); Clift (or	rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0.8.5 to 8.5 x 14 in 48.6 lb noic documentation; User Guide; Support Flyers; Warranty C I requirements. Go to http://www.hp.com/support to learn a: ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adj return to the Home menu); Integrated Keyboard HP Update, Product Registration Assist, HP Web Services A: sym available at Http://www.hp.com/support for learn a: sym available at Http://www.hp.com/support for loans and all able and the symbol with t	Internal Automatic Duplexer: letter 49.1 lb ards; Required Erratas bout HP award winning service and support options in your service and support options in your service and support options in your services are services; Services (Alberta Services) ards; Standards; Standards
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight¹ What's in the box Warranty features Energy efficiency compliance Control panel Display Software included Fonts and typefaces Compatible operating systems¹ Compatible operating systems Minimum system	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, 1ray 1:16 to 531b; Tray 2-: 16 to 321b Tray 1:16 to 531b; Tray 2-: 16 to 321b Tray 1:16 to 531b; Tray 2-: 16 to 321b Tray 1:3 x 5 to 8.5 x 14 in; 550-sheet input Tray 2: 4.1 x 5.8 18.8 x 19.5 x 10.8 x 19.5 x 10.8 x 10.8 x 19.5 x 10.8 x 19.5 x 10.8 x 10.8 x 10.8 x 10.8 x 19.5 x 10.8 x 10	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 ib her (~ 9000 pages); CDs containing software and electr support options vary by product, country and local lega es legal display; illuminated Home button (for quick oth gesture enabled touchscreen Printer Driver, HP Device Experience (DXP), HP Send Fa for Laserlet Software). calable fonts in HP postscriopt Level 3 emulation (Eur sh memory cards; HP Laserlet Fonts and IPDS Emulat all 32-bit editions (PH Deme, XP Pro, etc.); Windows VI 10 all 32- & 6-bit editions (excluding RT 05 for Table) bit editions (Home Basic, Premium, Professional, etc.); (HP Print Drivers available from http://www.HP.com Linux (12-2, 12-3, 13-1); Fedora (17, 18, 19, 20); Linux (15, Clitrix Kenbps 5.0 (Plus Feature Pack 2 & 3); Cirix (6 12/R2); Cirix (2003) R2 32-bit (SP1/SP2) Standard/Enterprise (4 12/R2); Cirix (2003) R2 32-bit (SP1/SP2) Standard/Enterprise (7 12/R2); Cirix (2003) R2 32-bit (SP1/SP2) Standard/Enterprise (8 12/R2); Cirix (2003) R2 32-bit (SP1/SP2) Standard (Fenterprise (8 12/R2); Cirix (2003) R2 32-bit (SP1/SP2) Standard (Fenterprise (9 12/R2); Cirix (2003) R2 32-bit (SP1/SP2) Standard (Fenterprise (9 12/R2); Cirix (2003) R2 32-bit (SP1/SP2) Standard (Fenterprise (9 12/R2); Cirix (2003) R2 32-bit (SP1/SP2); Standard (Fenterprise (9 12/R2); Cirix (2003) R2 32-bit (SP1/SP2); Standard (Fenterprise (9 12/R2); Cirix (2003) R2 32-bit (SP1/SP2); Standard (Fenterprise (9 12/R2); Cirix (2003) R2 32-bit (SP1/SP2); Standard (Fenterprise (9 12/R2); Cirix (2003) R2 32-bit (SP1/SP2); Standard (Fenterprise (9 13/R2); Cirix (2003) R2 32-bit (SP1/SP2); Standard (Fenterprise (9 13/R2); Cirix (2003) R2 32-bit (SP1/SP2); Standard (Fenterprise (9 13/R2); Cirix (2003) R2 32-bit (SP1/SP2); Standard (Fent	rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0.8.5 to 8.5 x 14 in 48.6 lb noic documentation; User Guide; Support Flyers; Warranty C I requirements. Go to http://www.hp.com/support to learn a: ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adj return to the Home menu); Integrated Keyboard HP Update, Product Registration Assist, HP Web Services A: sym available at Http://www.hp.com/support for learn a: sym available at Http://www.hp.com/support for loans and all able and the symbol with t	agoli bards, Required Erratas bout HP award winning service and support options in ye ENERGY STAR® qualified; CECP; EPEAT® Gold ustable angle) display; illuminated Home button (for quict sissist (HP Connected), Online user manuals; For Mac OS; rtd Type); 2 Internal Windows Vista 8 Fonts (Calibri, http://www.HP.com/, Windows XP.SP3 32- & 64-bit 8 64-bit editions (excluding RT OS for Tablets); Windows 8, OS AT 0.1 O'rosentie; Mobile OS (in-OS offeres); OIS, 6, OS AT 0.1 O'rosentie; Mobile OS (in-OS offeres); OIS, 10, 12:04, 12:10, 13:04, 13:10, 14:04, 14:10); Debian HF (SP2) Starder (Fluster & Terminal Services); Windows tion Server, 3.0; Citrix MetaFrame XP Presentation Server eature Pack & 30; Citrix MetaFrame XP Presentation Server eature Pack & 30; Citrix MetaFrame XP Presentation Server eature Pack & 30; Citrix MetaFrame XP Presentation Server eature Pack & 30; Citrix MetaFrame XP Presentation Server eature Pack & 30; Citrix MetaFrame XP Presentation Server eature Pack & 30; Citrix MetaFrame XP Presentation Server eature Pack & 23; Citrix Xendy Box (in Server 1) TSP1; Novell Open entire Connection; 200 MB available hard disk space; OS apple.com) 7.5 A (+/- 10%): Input Voltage: 220 to 240 VAC, S0/60 H ion code identified; Power consumption: 671 watts filo. 0.6 watts (Off). Youkial electricity consumption (TEC)
nput Dutput Dutp	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Automatic (standard) Standard, 100 sheets No 2 Paper (bond, color, letterhead, plain, preprinted, prepunched, Tray 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 2 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 5 *: 16 to 32 lb Tray 1: 16 to 53 lb; Tray 6 *: 18 lb; 18 lb	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 th ner (-9000 pages); CDs containing software and electr support options vary by product, country and local lega ble angle) display; illuminated Home button (for quick ooth gesture enabled touchscreen Printer briver, HP Device Experience (DXP), HP Send Fa for Laser let Software) calable fonts in HP postscriopt Level 3 emulation (Euro Sth memory cards; HP Laser let Fonts and IPDS Emulat all 32 st. editions (HP off Home, KP Pro, etc.); Windows Sto GHP Print Drivers available from http://www.HP.com Linux (12.2, 12.3, 13.1); Fedora (17, 18, 19, 20); Linux 12003/2003 R2 32-sbit (SP1/SP2) Standard/Enterpix Linux (12.2, 12.3, 13.1); Fedora (17, 18, 19, 20); Linux 12003/2003 R2 32-sbit (SP1/SP2) Standard/Enterpix 12R2); Litrix KenApp 5.0 (Plus Feature Pack 2 & 3); Citrix (or 15 (Cluster & Terminal Services); Windows So c 16 (Luster & Terminal Services); Windows So c 17 (Cluster & Terminal Services); Windows So c 18 (SW1); Windows Vista all 32-bit editions (Home Baste, Por) 18 (Work Manarov); Windows So c 18 (Wo	rencies; user-defined x 13; Optional trays 3 +: letter, legal, executive, 8.5 x 13 in; 0 8.8 to 8.5 x 14 in 48.6 lb onic documentation; User Guide; Support Flyers; Warranty C requirements. Go to http://www.hp.com/support to learn a ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (adj return to the Home menu); Integrated Keyboard HP Update, Product Registration Assist, HP Web Services A symbol built- in; I integral Unicode Fonts (Andale Mono Wco onavilabile Http://www.hp.com/go/laserjetfonts sta all 32-bit editions (Home Basic, Premium, Professional, s); Windows Compatible Will Universal Windows 8/8.1 all 32- nd Apple Store Compatible Home Marker Windows 8/8.1 all 32- ind Apple Store Store Store William (13, 14, 15, 16, 17); Boss (3.0, 5.0); Ubuntu (10.04, 11. **Cluster & Terminal Versicology (15); User MetaFrance Premium, Professional, s); Windows (15); Sore (16); Citrix MetaFrance Premium, Professional, s); Windows (16); Sore (16); Citrix MetaFrance Premium, Professional, s); Windows (16); Sore (16); Citrix MetaFrance Premium, Professional, s); Windows (16); Sore (16); Citrix MetaFrance Premium, Professional, s); Windows Server (2008/E); Citrix MetaFrance Premium, Professional, s); Windows Server (2008/E); Citrix MetaFrance Premium, Professional, etc.); Windows 7 all 32- were (16); Windows 7 all 32- w	iptional Automatic Duplexer: letter 49.1 lb ards; Required Erratas bout HP award winning service and support options in you ENERGY STAR® qualified; CECP; EPEAT® Gold ustable angle) display; Illuminated Home button (for quic sessist (HP Connected), Online user manuals; For Mac OS; rtld Type); 2 Internal Windows Vista 8 Fonts (Calibri, etc.); Windows 7 all 32-8 64-bit editions; Windows 8/8.1 http://www.HP.com); Windows WS P93 32-8 64-bit 8 64-bit editions (excluding RT OS for Tablets); Windows 8x; OS X 1.0.1 O'sosemite; Mobile OS (In-OS of Tablets); Windows 8x; OS X 1.0.1 O'sosemite; Mobile OS (In-OS of Tablets); Windows 8x; OS X 1.0.1 O'sosemite; Mobile OS (In-OS of Tablets); Windows 8x; OS X 1.0.1 Circ Windows Vista 8 Fonts (Calibri, etc.); Windows 98, Circ Windows 8x; OS X 1.0.1 Circ Windows Vista 8 Fonts (Calibri, etc.); Windows 98, Circ Windows 8x; Window
Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight ¹ What's in the box Warranty features Energy efficiency compliance Control panel Display Software included Fonts and typefaces Compatible operating systems In the box Compatible operating systems Minimum system requirements	1 x 550-sheet input tray, 1 x 100-sheet multipurpose tray; 3 250-sheet output bin; Up to 250 sheets Standard; Up to 75 sheets Standard; 100 sheets Standard, 100 sheets	x optional additional 550-sheet input trays; Up to 650 50-sheet output bin, convenience stapler; Up to 250 sh 50-sheet output bin, convenience stapler; Up to 250 sh recycled, rough); envelopes; labels; cardstock; transpa es (No. 10, Monarch); Tray 2: letter, legal, executive, 8.5 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 1 1 8.5 tb ner (- 9000 pages); CDs containing software and electr support options vary by product, country and local lega elbe angle) display, illuminated Home button (for quick ooth gesture enabled touchscreen Printer Driver, HP Device Experience (DXP), HP Send Fa for Laserlet Software) calable fonts in HP postscriopt Level 3 emulation (Euro stab memory cards; HP Laserlet Fonts and IpS Emulat all 32-bit editions (XP Home, XP Pro, etc.); Windows Vi O all 32-c. 8-bit tedlions (Euromitpt://www.HP.com Linux (12-z, 12.3, 13.1); Fedora (17, 18, 19, 20); Linux 12003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (Fulster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Windows OS c stacenter (+ Cluster & Terminal Services); Wi	rencies; user-defined x 13; Optional trays 3+: letter, legal, executive, 8.5 x 13 in; 0 .8 to 8.5 x 14 in 48.6 lb .9 lick odocumentation; User Guide; Support Flyers; Warranty C .1 requirements. Go to http://www.hp.com/support to learn a .2 ENERGY STAR® qualified; EPEAT® Gold; CECP 8.0-in (20.3 cm) color LCD with touchscreen; rotating (ad) .7 return to the Home menu); Integrated Keyboard HP Update, Product Registration Assist, HP Web Services A .4 symbol built-in; I telepistration Assist, HP Web Services A .5 symbol built-in; I telepistration Assist, HP Web Services A .5 symbol built-in; I telepistration Assist, HP Web Services A .5 symbol built-in; I recommend yeb; Windows Q .7 ld 32-bit editions (Home Basic, Premium, Professional, .5 windows Os Compatible with Universal Print Driver (Frod .7 ld Apple 5 to S 4 10.8 th Windows Q .7 ld 32-bit editions (Home Basic, Premium, Professional, .7 ld Apple 5 to S 4 10.8 th Windows Q .7 ld 32-bit editions (Home Basic, Premium, Professional, .7 ld May 10.9 ld 10.9 ld 10.9 ld .7 ld 10.9 ld .7 ld 10.9 ld .7 ld 10.9 ld .7 ld .7 ld 10.9 ld .7	Indiverse in the color of the discovery

Data sheet I HP LaserJet Enterprise MFP M527 series

- ¹ Includes size A toner cartridge.
- ² AirPrint™ and iOS 4.2 or later devices require an 802.11 wireless network connection to the printer. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint and the AirPrint Logo are trademarks of Apple® Inc. Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
- ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115 V device.
- ⁴ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
- 5 Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies 6 HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/go/SureSupply
- ⁷ Acoustic values are subject to change. For current information see http://www.hp.com/support
 ⁸ Maximum memory is with 1 GB DIMM installed. The maximum the FW can use is 2GB so 250 MB is unused in this configuration.
- 9 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

 10 HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.
- 11 Not all "Compatible Operating Systems" are supported with inbox software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivilant servers) get print and Scan drivers only; Windows RT OS for Tablets (32 - & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on http://www.HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software.

 15 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- document complexity

To learn more, visit hp.com

