HP Officejet Enterprise Color MFP X585 series



An HP Officejet for the enterprise—up to twice the speed and half the cost per page of lasers.^{1,2}

A printing revolution for business. HP Officejet Enterprise MFPs deliver color prints at up to twice the speed and half the cost per page of color lasers plus copy, scan, and fax.^{1,2,8} They're designed for advanced workflow—and built to last.



HP Officejet Enterprise Color MFP X585dn



HP Officejet Enterprise Color MFP X585f



HP Officejet Enterprise Color Flow MFP X585z

Faster than lasers—for less1,2

- Quality color, up to half the cost. Spend up to 50% less per page compared with color lasers.²
- Accelerate business printing and keep productivity high—print up to twice as fast as lasers. 1
- Rely on pigment inks for durable documents that are water-, fade-, and smear-resistant.⁵
- With over 60 billion pages printed, HP PageWide Technology enables page-width printing in a single pass.¹²

Fully loaded for the enterprise

- Be confident that sensitive business data is protected with advanced security solutions.
- Centrally monitor and control your printers with HP Web Jetadmin.⁶
- Deploy new features through upgradable firmware and add solutions to expand the capabilities of this MFP.
- Enable optional wireless direct printing and NFC touch-to-print technology—no need to access the network.^{3,4}

Performance you can rely on

- High volume, high value—get exceptional value from Original HP high-capacity black ink cartridges.¹⁰
- In durability testing performed by Buyers Lab, over 200,000 pages were printed without jams or failures.¹³
- Rely on longevity—this MFP is designed for less maintenance, with minimal consumable parts.
- Loaded for productivity—tackle large print jobs with a paper capacity of up to 1,050 sheets.⁷

Make workflow faster

- Worry-free scanning—capture every page and detect potential misfeeds before they slow you down.⁹
- Finish faster—scan in a single pass and send documents to network folders, email, and more. 11
- Manage jobs directly at the MFP, using the 8-inch (20.3 cm) color touchscreen with image preview.
- Fast, accurate input—enter data more quickly and accurately using the pull-out keyboard.9

¹ Comparison based on manufacturers' published specifications of fastest-available color mode (as of December 2013) and includes color laser MFPs \$\$3,000 USD, based on market share as reported by IDC as of Q3 2013 and HP internal testing of printer in fastest-available color mode (sample 4-page category documents tested from ISO 24734). For more information, see hp.com/go/printerspeeds ² Cost-per-page (CPP) claim is based on the majority of color laser MFPs \$\$3,000 USD as of December 2013, based on market share as reported by IDC as of Q3 2013. ISO yield is based on continuous printing in default mode. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges. For details, see hp.com/go/officejet. CPP based on HP 980 ink cartridges' estimated street price. For more information, see hp.com/go/learnaboutsupplies ³ Wireless direct printing requires purchase of optional module. Mobile device needs to be connected directly to the Wi-Fi network of a wireless-direct-capable MFP prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see hp.com/go/wirelessprinting

⁶ Touch-to-print capability requires purchase of optional module. Mobile device must support near field communications-enabled printing. For a list of supported devices, see bn.com/go/business/mobileprinting of Display-permanence rating by Wilhelm Imaging Research, Inc., or HP Image Permanence Lab. For details, see bniversal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at bn.com/go/webjetadmin Additional purchase of an optional paper tray is required. Fax functionality is only available on the HP Officejet Enterprise Color Flow MFP X585z, and "HP Officejet Enterprise Color MFP X585z." HP EveryPage and integrated keyboard are available only on the HP Officejet Enterprise Color Flow MFP X585z. To Page volume based on HP 980 Black Original Ink Cartridge. "I Single-pass dual-sided scanning is only available on the HP Officejet Enterprise Color Flow MFP X585z." HP internal research on devices with Page Wide Array Mar 4, 2014: Based on usage on the HP CM8060/8050 Color MFP, the HP Inkjet Web Press portfolio T200/T300/T400, HP Officejet For X MFP and other printers with HP PageWide Technology totaling over 60 billion pages printed. "Purchability testing performed by Buyers Lab showing HP's Officejet Enterprise Color X585 MFP completed a 200,000-impression test without failure."

Product walkaround

- 1 Intuitive 8-inch (20.3 cm) HP Easy Select pivoting touchscreen color control panel
- 2 Hardware integration pocket for solution integration
- 3 Easy access USB port to save and print files directly
- Pull-out keyboard for easy, accurate data entry (z bundle only)
- 5 Front door allows convenient access to easy to replace ink cartridges
- 6 50-sheet multipurpose tray with long paper extension
- 7 Integrated automatic two-sided printing
- 8 Power On/Off button
- 9 100-sheet automatic document feeder with single-pass, two-sided scanning and HP EveryPage with ultrasonic double-feed detection¹
- 10 Platen glass color scanner handles up to legal size (216 by 356 mm)
- 11 300-sheet output bin with long paper extension
- 12 500-sheet input tray 2
- 13 796 MHz processor, 1.75 GB RAM
- 14 320 GB HP High-Performance Secure Hard Disk
- 15 Two internal host USB 2.0 type ports for third-party solutions
- 16 Hi-Speed USB 2.0 printing port
- 17 HP Jetdirect Gigabit Ethernet print server
- 18 Foreign interface harness (for connecting external devices)
- 19 Access port for optional Kensington-style lock
- 20 Fax port, RJ-11
- 21 Hi-Speed USB 2.0 port for connecting third-party devices

HP Officejet Enterprise Color Flow MFP X585z shown





Back I/O panel close-up

Series at a glance







Model	HP Officejet Enterprise Color MFP X585dn	HP Officejet Enterprise Color MFP X585f	HP Officejet Enterprise Color Flow MFP X585z
Part number	B5L04A	B5L05A	B5L06A
ADF input capacity	Up to 50 sheets	Up to 50 sheets	Up to 100 sheets
HP EveryPage ultrasonic double-feed detection	Not available	Not available	✓
Two-sided scanning	Reversing ADF	Reversing ADF	Single-pass duplexing ADF
OCR (optical character recognition)	Optional with HP DSS	Optional with HP DSS	✓
Large pull-out keyboard	Not available	Not available	✓
Fax	Optional	✓	✓

 $^{^{\}mbox{\tiny 1}}$ Available only on HP Office jet Enterprise Color Flow MFP X585z.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware software up and running so employees can stay productive.

Choose from:

Next Business Day Onsite Repair: Makes an HP technician available at customer's premise the next business day, if the issue cannot be resolved remotely.

Same Day Onsite - 4 hour 9x5 and 13x5:

Sends an HP technician to customer's site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Onsite with Defective Media Retention: Customers can retain their hard disk drive and keep control of sensitive data.

For care pack availability visit: hp.com/go/cpc











Top Features

Keep productivity high while keeping your bottom line in mind. These powerful HP MFPs deliver color documents at up to twice the speed and half the cost per page of color lasers. 1,2 Proven HP PageWide Technology makes it possible.

Designed for the demands of business, this MFP delivers the enterprise features you need. Make it easy on IT, with advanced security and management solutions, easy upgrades and mobile printing options.

Bolster your fleet with an MFP that goes the distance. Load large projects and let it handle the job while employees move on with business. Like an HP LaserJet, this MFP is built to last.

Give your office powerful productivity with all the features of lasers. Count on super-fast, dual-sided scanning, a color touchscreen with image preview, and an integrated keyboard for smooth data entry.

Accessories			
B5L07A	HP Officejet Enterprise 500-sheet paper tray		
B5L08A	HP Officejet Enterprise Printer Cabinet & Stand		
J8026A	HP Jetdirect 2700w USB Wireless Print Server		
J8029A	HP NFC/Wireless Direct Accessory		
CC487A	HP MFP Analog Fax Accessory 500		
L2718A	HP 100 ADF Roller Replacement Kit		
B5L09A	HP Officejet Ink Collection Unit		
Supplies ¹			
D8J07A	HP 980 Cyan Original Ink Cartridge (6,600 pages)		
D8J08A	HP 980 Magenta Original Ink Cartridge (6,600 pages)		
D8J09A	HP 980 Yellow Original Ink Cartridge (6,600 pages)		
D8J10A	HP 980 Black Original Ink Cartridge (10,000 pages)		
Services			
U1PB8E	HP 2-year Next business day Color Officejet X585 MFP Hardware Support		
U1PC2E	HP 3-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support		
U1PC4E	HP 4-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support		
U1PC6E	HP 5-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support		
U1PC8E	HP 3-year Next business day+Defective Media Retention Color Officejet X585 MFP Support		
U1PC9E	HP 4-year Next business day+Defective Media Retention Color Officejet X585 MFP Support		
U1PD0E	HP 5-year Next business day+Defective Media Retention Color Officejet X585 MFP Support		
U1PE1PE	HP 2-year Post Warranty Next business day Color Officejet X585 MFP Hardware Support		
U1PE2PE	HP 1-year Post Warranty 4 hour 9 x 5 Color Officejet X585 MFP HW Support		
U1PE3PE	HP 1-year Post Warranty 4 hour 13 x 5 Color Officejet X585 MFP HW Support		
U1PE4PE	HP 1-year Post Warranty Next business day+Defective Media Retention Color Officejet		
	X585 MFP Support		
U1PE6PE	HP 1-year PW Next business day Call to Repair with Defective Media Retention Color		
	Officejet X585 MFP Support		
U1PE7PE	HP 1-year PW 2nd Business day Call to Repair with Defective Media Retention Color		
	Officejet X585 MFP Support		

Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. 2 Cost-per-page (CPP) claim is based on the majority of color laser MFPs < \$3,000 USD as of December 2013, based on market share as reported by IDC as of Q3 2013. ISO yield is based on continuous printing in default mode. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges. For details, see hp.com/go/officejet. CPP based on HP 980 ink cartridges' estimated street price. For more information, see hp.com/go/learnaboutsupplies

HP Officejet Enterprise Color MFP X585 series

AiO functions	HP Officejet Enterprise Color MFP X585dn (B5L04A)	HP Officejet Enterprise Color MFP X585f (B5L05A)	HP Officejet Enterprise Color Flow MFP X585z (B5L06A)		
Vuntay print antig	Print, scan, and copy; AiO multitasking supported: Yes	Print, scan, copy and fax; AiO	multitasking supported: Yes		
uplex print options		Automatic (standard)			
rint speed¹	ISO speed: Up to	o 42 ppm black, Up to 44 ppm color; Maximum, letter: Up to 75 ppm black, Up	to 75 ppm color		
rst page out		Black (ready): As fast as 8 sec; Color (ready): As fast as 8 sec			
rint resolution	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on ColorLok® Plain, HP Premium Presentation Matte, and HP Brochure Matte)				
		: Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced P			
rint technology	HP PageWide Technology with pigmented inks				
int cartridges number	1 each (black, cyan, magnetic most				
obile printing capability²		HP ePrint, Apple AirPrint™			
andard print languages	HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4)				
inter smart software features		rt Firmware, HP Auto-On/Auto-Off, print preview, print multiple pages per sheet			
inter management		HP Web Jetadmin; HP Utility (Mac)	1-1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
an type/technology		Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)			
an speed	Normal, letter: Up to 44 ipm (b&w); up to 44 ipm (co	olor); Duplex: Up to 16 ipm (b&w), up to 16 ipm (color)	Up to 65 ipm (b&w); up to 63 ipm (color) Duplex: Up to 89 ipm (b&w), up to 66 ipm (color)		
an resolution	E	nhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi; Optical: Up to 600 d	pi		
an file format	PDF, JPEG, TIFF,	MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, Text (OCR), Unicode Text (OCR), RTF (C		
			Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCI		
an input modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to U	SB, Save to Device Memory, Open Extensibility Platform (OXP) applications	Front panel applications: Copy, E-mail, Save to Network Folder, Sav to SharePoint, Save to USB, Save to Device Memory, Open Extensibil		
			Platform (OXP) applications		
an size maximum		Flatbed: 8.5 x 14 in (216 x 356 mm)			
anner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets				
depth/Grayscale levels	Bit Depth: 24-bit; Grayscale: 256				
py speed³	ISO speed: Up to 44 ppm black & color				
py resolution	Black (text and graphics): Up to 600 x	x 600 dpi (Flatbed), 300 x 600 dpi (ADF); Color (text and graphics): Up to 600 :	x 600 dpi (Flatbed), 300 x 600 dpi (ADF)		
nx. no. of copies		Up to 9,999 copies			
pier resize		25 to 400%			
	T				
pier settings		trast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation			
x speed	Not applicable	3 sec p	er page		
x resolution	Not applicable	Black (standard): 203 x 98 dpi; Black and White (fine): 204 x 196 dpi; Black	Photo Grayscale: Up to 300 x 300 dpi (400 x 400 dpi for received faxes		
x features	Not applicable	Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax delayed			
andard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host	supported: Yes; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 9,999 numbers; PC interface supported: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10007 network; 1 Foreign Interface; 1 Hardware Integratic Internal USB Host; 1 Fax modem port			
twork capabilities		nse-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gi	gabit Ethornot: IDcoc (etandard): 903.11b/g/p wireless networking (entire		
	Via Fir Jetuliett Ethernet embedded print server (standard) supports. Toba		gabit Ethernet, ir sec (standard), 002.11b/g/11 wheless hetworking toptic		
ireless capability		Optional, enabled with purchase of a hardware accessory			
emory		1792 MB (system memory)			
ocessor speed		796 MHz			
ıty cycle (monthly)4		to 80,000 pages; Recommended monthly page volume: 2,000 to 6,000 pa	TIPS.		
	<u> </u>	to do,odo pages, necommenaca monent, page rotamer 2,000 to 0,000 pa	ges		
nper handling	T				
Input		500-sheet input tray, 50-sheet multi-purpose tray			
Output		300-sheet face-down output bin			
Media type	Plain paper (light intermediate mid-weight heavy extra heavy prepund	thed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, s	atin matte other inkiet photo) envelopes labels cards specialty paper		
r-ledid type		hure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet spe			
Media weight		er); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch			
Media sizes custom	Tray 1: 3 x 5 i	n to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 i	in to 8.5 x 14 in		
ADF capacity	Standard	, 50 sheets	Standard, 100 sheets		
		5 x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main			
mensions (W x D x H)	21 X 21.5 X 22.6 III (533 X 546 X 574 IIIIII); Max: 31.5		rtray extended, output tray extension in legal position		
		80 lb (36.3 kg)			
eight					
-	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	HP Officejet Enterprise Color X585f MFP: Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages,		
nat's in the box ⁶	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord		
hat's in the box° arranty features	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card, Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord		
leight That's in the box ⁴ Tarranty features Tarranty efficiency compliance Tarranty operating systems	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows 1 hp.com/go/sap/drivers;	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mail Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 5 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit); Alac OS X v1 0.6, OS X v1 0.7 Lion, OS X erminal Services (hp.com/go/uplx); HP ePrint Software Driver hp.com/go/eprints SAP Print hp.com/go/sap/print); UNIX hp.com/go/uplx; UNIX LetDirect hp.com/go/	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord l lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types of/jetdirectunits_software		
hat's in the box ⁴ arranty features nergy efficiency compliance ompatible operating systems ompatible network operating	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2 Air Print support.apple.com/kb/ht4356; Android; Citrix and Windows 1 hp.com/go/sap/kdrivers; HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPAR systems only); SuSe Linux 8.x or higher; Mrodows 20 (SP2+) (64-XP (SP3+) Home; Windows XP (SP3+) Profession	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide: Warranty ractf. Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mail Blue Angel, ENRENG STAR® qualified, EPEAT® Sister 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows Server 2012 (64-bit); Mac 05 X v 10.6, 05 X v 10.7 Lion, 05 X eminal Services (Ipp.com/go/logid); HP ePrint Software Driver Ipp.com/go/leprint	Cyan, Yellow, Magenta print carridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord l lows B.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v.10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types of/jedificetunix_software erver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or highe 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3-) (64-bit); Windows Sterver 2		
ihat's in the box° larranty features nergy efficiency compliance	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Windows Server 2008 R2 Air Print support.apple.com/kb/ht4356; Android; Citrix and Windows 1 hp.com/go/sap/drivers; HP-LIX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Windows 2003 (SP2+) (64-XP) (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Window PC: Windows Server Solor Server or Internet connection; Dedicated universal serial bus (USB 1.1 or Internet connection; Dedicated universal serial bus (USB 1.1 or Internet connection; Dedicated universal serial bus (USB 1.1 or	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mail Blue Angel, ENERGY STAR* qualified, EPEAT* Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 7 (32-bit & 64-bit); Windows Server 2012 (64-bit); Mac 05 X v1.0.6, 05 X v1.0.7 Lion, 05 X erminal Services (hp.com/gol/upld); HP ePrint Software Driver hp.com/gol/eprint: SAP Print hp.com/gol/sap/print); UNIX hp.com/gol/upld; UNIX LetDirect hp.com/gol/pol/sap/print); UNIX hp.com/gol/wisk_UNIX LetDirect hp.com/gol/sap/print); UNIX hp.com/gol/wisk_UNIX LetDirect hp.com/gol/sap/print); UNIX hp.com/gol/sap/print); UNIX hp.com/gol/sap/print); UNIX hp.com/gol/sap/print); UNIX hp.com/gol/sap/print Software Privites; Windows Vista (Windows Vista); Windows Vista (Windows Vista); Windows Vista (Windows Vista); Windows Vista); Windows Vista (Windows Vista); Windows Vista); Windows Vista (Windows Vista); Windows Vista); Windows Vista); Windows Vista; Windows Vista); Windows Vista; Windows Vista); Windows Vista; W	Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwar and electronic documentation on CD-ROM; Power cord towns 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v.1 0.8 Mountain Lion. For the latest operating system support secsoftware; Linux (hplip.net); Novell (novell.com/liprint); SAP device types offetdirectunis, Software server; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or highe 2-bit & 64-bit); Window Sits a Ready, Windows XP (SP3+) (64-bit); Window Server 21 ddows XP (SP3+) (64-bit); Windows XP (SP3+) (64-bit); Windows XP (SP3+); March Server 21 ddows XP (SP3+); Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, sem compatible hardware system requirements see microsoft.com;		
nat's in the box* arranty features arranty eatures arranty eatu	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit 8.64-bit); Windows Svista (3 Windows Server 2008 R2-bit 8.64-bit); Windows Server 2008 R2-bit 8.64-bit; Windows Server 2008 R2-bit 8.64-bit; Windows Server 2008 R2 (64-bit); Windows Ser	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide: Warranty ract's Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mail Blue Angel, ENRENG STAR®, Qualified, EPEAT® Sister 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 8 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows Server 2012 (64-bit); Mac CS x V 10.6, CS X V 10.7 Lion, OS X erminal Services (Ipp.com/gol/pid); HP ePrint Software Driver hp.com/gol/pol/pid); HP ePrint Software Driver hp.com/gol/pol/pid); HP ePrint Software Driver hp.com/gol/pol/pid); Windows 2000; MPE-IX; Citrix MetaFrame Sebit); Windows Server 2003 (SP2-1); Windows Terminal Services; Windows Vista; Windows XP (SP3-1) Professional and Windows Vista; Windows 7 (SP1) or gree ws Server 2012 (64-bit); For Microsoft IPVs Compability use Windows 2003; Wir 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows 2003, Windows 2003; Windows 2003	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card's Softwa and electronic documentation on CD-ROM; Power cord towns 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); vi 0.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/liprint); SAP device types ofjetdirectunix_software errer; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or highe 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3+) (64-bit); Windows Let (32-bit) and 64-bit); Windows KP (SP2+); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1. or 2.0), or network connection; 1 GB of available hard-disk space; difty range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (Imperial): 4572 m		
arranty features ergy efficiency compliance empatible operating systems empatible network operating sstems inimum system requirements	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit 8.64-bit); Windows Svista (3 Windows Server 2008 R2-bit 8.64-bit); Windows Server 2008 R2-bit 8.64-bit; Windows Server 2008 R2-bit 8.64-bit; Windows Server 2008 R2 (64-bit); Windows Ser	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mail Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 7 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit), Windows 5 (32-bit), Windows 5 (Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-R0M; Power cord (lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); VI 0.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/lprint); SAP device types ofjetdirectunix_Software errors, lovell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3+) (64-bit); Windows Letter (32-bit and 64-bit); Windows Strate Ready, Windows XP (SP3+) (64-bit); Windows XP (SP3+); CD-R0M or DVD drive, error compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; difty range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (imperial): 4572 m		
hat's in the box' arranty features nergy efficiency compliance compatible operating systems compatible network operating systems inimum system requirements nvironmental ranges coustic	Cyan, Yellow, Magenta print cartridges (Black - 7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2 Air Print support.apple.com/kb/ht4356; Android; Citrik and Windows I hp.com/go/sap/drivers; HP-UX 10,20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Windows Server 2003 (SP2 + 164 SP4 Systems only); SuSe Linux 8.x or higher; Windows XP (SP3+) Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Window Server or internet connection; Dedicated universal serial bus (USB 1.1 or Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide: Warranty ract's Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mail Blue Angel, ENRENG STAR®, Qualified, EPEAT® Sister 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 8 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows Server 2012 (64-bit); Mac CS x V 10.6, CS X V 10.7 Lion, OS X erminal Services (Ipp.com/gol/pid); HP ePrint Software Driver hp.com/gol/pol/pid); HP ePrint Software Driver hp.com/gol/pol/pid); HP ePrint Software Driver hp.com/gol/pol/pid); Windows 2000; MPE-IX; Citrix MetaFrame Sebit); Windows Server 2003 (SP2-1); Windows Terminal Services; Windows Vista; Windows XP (SP3-1) Professional and Windows Vista; Windows 7 (SP1) or gree ws Server 2012 (64-bit); For Microsoft IPVs Compability use Windows 2003; Wir 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows 2003, Windows 2003; Windows 2003	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord I lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); Vi 10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/print); SAP device types of/jeddirectunix_software ziver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windows Stard and 64-bit); Windows Stard and 64-bit); Windows Stard and 64-bit; Windows Stard Stard (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; ddity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (Imperial): 4572 m sistons: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep),		
hat's in the box* arranty features tergy efficiency compliance tergy efficiency systems tergy efficiency compliance terg efficie	Cyan, Yellow, Magenta print cartridges (Black - 7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2 Air Print support.apple.com/kb/ht4356; Android; Citrik and Windows I hp.com/go/sap/drivers; HP-UX 10,20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Windows Server 2003 (SP2 + 164 SP4 Systems only); SuSe Linux 8.x or higher; Windows XP (SP3+) Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Window Server or internet connection; Dedicated universal serial bus (USB 1.1 or Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Ward Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide: Warranty card: Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mail Blue Angel, ENRENG STAR®, Qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 8 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows Server 2012 (64-bit); Mac CS x V 10.6, CS X V10.7 Lion, OS X eminal Services (bp.com/golp/dip); HP ePrint Software Driver hp.com/golponics SAP Print hp.com/golpon/print); UNIX hp.com/go/unix; UNIX JetDirect hp.com/gol 7.7 Lion, OS X v 10.8 Mountain Lion; Windows 2000; MPE-X; Citrix MetaFrame Sebit); Windows Server 2003 (SP2+); Windows Terminal Services; Windows V1521 or gree ws Server 2012 (64-bit); For Microsoft IPV6 compability use Windows 2003; Windows 7 (SP1) or gree ws Server 2013 (G4-bit); For Microsoft IPV6 compability use Windows 2003; Windo	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord I lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); Vi 10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/print); SAP device types of/jeddirectunix_software ziver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windows Stard and 64-bit); Windows Stard and 64-bit); Windows Stard and 64-bit; Windows Stard Stard (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; ddity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (Imperial): 4572 m sistons: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep),		
hat's in the box ⁴ Farranty features For partition of the partition of	Cyan, Yellow, Magenta print cartridges (Black - 7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Windows Server 2008 R2 Server 2008 R2 Server 2008 R2 Server 2008 R3 Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Indows Server 2008 R2 (64-bit); Windows Server 2008 R2 (64-b	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide: Warranty card; Software and electronic documentation on CD-ROM; Power cord one-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Wind (64-bit); Windows 5erver 2012 (64-bit); Wac 05 x v1 0.6, 05 x v1 0.7 Lion, 05 x erminal Services (Ipp.com/golyd); He Perint Software Driver hp.com/golyanis SAP Print hp.com/go/sap/print); UNIX hp.com/go/unix; UNIX JetDirect hp.com/go 0.7 Lion, 05 x v1 0.8 Mountain Lion; Windows 2000; HuNIX JetDirect hp.com/go 0.7 Lion, 05 x v 10.8 Mountain Lion; Windows 2000; Windows UNIX JetDirect hp.com/go 0.7 Lion, 05 x v 10.8 Mountain Lion; Windows Servinal Services; Windows 7 (SP1) or gree ws Server 2012 (64-bit); For Microsoft IPv6 compatibility use Windows 7 (SP1) or gree ws Server 2012 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Windows 2003, Windows 2003, Windows Server 2008 R2 (64-bit); Window 2.00, or network connection; 200 MB available hard disk space; Operating syste ROM or DUD drive, or Internet connection; 200 the partial bus (USB) operating system compatible hardware system requirements see apple.com ended operating temperature: 59 to 86° F (15 to 30° C); Non-operating humit tyrange; 20 to 60% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m.); Vanage; 20 to 60% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m.); Vanage; 20 to 60% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m.); Swatts (Auto-OffManual-On, 1.7 watts (Auto-OffMwakeon LAN, disabled in de 80° (20,3 cm) touchscreen, 5VGA LCD (color graphics)	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-R0M; Power cord lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); VI 0.8 Mountain Lion. For the latest operating system support see: software; Linux (hip[ib.net); Novell (novell.com/lprint); SAP device types o/jetdirectunix, software: Priver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Wista Ready; Windows XP (SP3+) (64-bit); Windows Schita Ready; Windows XP (SP3+) (64-bit); Windows Schita Ready; Windows XP (SP3+) (64-bit); Windows Schita Ready; Windows XP (SP3+) (54-bit); Windows Schita Ready; Windows XP (SP3+) (54-bit); Windows Schita Ready; Windows XP (SP3+); CD-R0M or DVD drive, em compatible hardware system requirements see microsoft.com; 1 or 2.0), or network connection; 1 GB of available hard-disk space; dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (imperial): 4572 m (spins: 53 dB(A) (printing at 43 ppm) (consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), efault shipping configuration)		
rarranty features learranty feat	Cyan, Yellow, Magenta print cartridges (Black - 7,800 pages, Color: -3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2-bit & 64-bit); Windows Server 2008 R2 Air Print support-apple.com/kb/ht4356; Android; Citrix and Windows Inp.com/go/sap/drivers; HP-UX 10.20, 11 x, 11.i; IBM AIX 3.2.5 or higher; Windows 2003 (SP2) (64-XP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Window Pc: Windows Windows Vista; Windows Server 2008 R2 (64-bit); Window Server 2008 R2 (64-bit); Windows Server 2008 R2 (64-bit);	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mail Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 5 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit), Windows 5 (32-bit & 64-bit), Windows 5 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit), Windows 5 (32-bit), Windows 5 (Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord I lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); Vi 10.8 Mountain Lion. For the latest operating system support see: software; Linux (Inplip.net); Novell (novell.com/iprint); SAP device types of/jetdirectunix_software: Park (Inplip.net); Novell (novell.com/iprint); SAP device types of/jetdirectunix_software: Park (Inplip.net); Windows XP (SP3+) (64-bit); Windo		
arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges oustic wer	Cyan, Yellow, Magenta print cartridges (Black - 7,800 pages, Color: ~3,400 pages), Hardware Install Guide: Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2-bit & 64-bit); Windows Server 2008 R2 (64-bit); Windows Server 2008 R2	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide: Warranty card; Software and electronic documentation on CD-ROM; Power cord one-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Wind (64-bit); Windows 5erver 2012 (64-bit); Wac 05 x v1 0.6, 05 x v1 0.7 Lion, 05 x erminal Services (Ipp.com/golyd); He Perint Software Driver hp.com/golyanis SAP Print hp.com/go/sap/print); UNIX hp.com/go/unix; UNIX JetDirect hp.com/go 0.7 Lion, 05 x v1 0.8 Mountain Lion; Windows 2000; HuNIX JetDirect hp.com/go 0.7 Lion, 05 x v 10.8 Mountain Lion; Windows 2000; Windows UNIX JetDirect hp.com/go 0.7 Lion, 05 x v 10.8 Mountain Lion; Windows Servinal Services; Windows 7 (SP1) or gree ws Server 2012 (64-bit); For Microsoft IPv6 compatibility use Windows 7 (SP1) or gree ws Server 2012 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Windows 2003, Windows 2003, Windows Server 2008 R2 (64-bit); Window 2.00, or network connection; 200 MB available hard disk space; Operating syste ROM or DUD drive, or Internet connection; 200 the partial bus (USB) operating system compatible hardware system requirements see apple.com ended operating temperature: 59 to 86° F (15 to 30° C); Non-operating humit tyrange; 20 to 60% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m.); Vanage; 20 to 60% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m.); Vanage; 20 to 60% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m.); Swatts (Auto-OffManual-On, 1.7 watts (Auto-OffMwakeon LAN, disabled in de 80° (20,3 cm) touchscreen, 5VGA LCD (color graphics)	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); V:10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/lprint); SAP device types o/jetdirectunix, Software: vinux (hplip.net); Novell (novell.com/lprint); SAP device types o/jetdirectunix, Software: vinux (hplip.net); Novell (novell.com/lprint); SAP device types o/jetdirectunix, Software: vinux (hplip.net); Novell (novell.com/lprint); SAP device types o/jetdirectunix, Software; Sabita and 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windows VB (32-bit and 64-bit); Windows Server 2012 (64-bit); Windows B (32-bit and 64-bit); Windows Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1. or 2.0), or network connection; 1 GB of available hard-disk space; ditty range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (Imperial): 4572 m sisions: 53 dB(A) (printing at 43 ppm) consumptibina? 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), featult shipping configuration) available at hp.com/go/laserjetfonts		

150 speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see hp.com/go/printerclaims? Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintecriter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® GISG or later), iPod touch® GIT depeneation or later). Works with HPS AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint Loop, iPad, iPhone, and iPod touch are trademarks of Apple Pinc, registered in the U.S. and total countries. 3 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 9 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. 5 HP recommends that the number of pages per month of imaged output to within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. 5 Average color composite (I/MIY) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://example.com/power/life/independent/ and each country/regio

To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. NetWare® is a trademark of Novell, Inc. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.

