ThinkVision X1 (2nd Gen) 61C2GAR1US

Product

ThinkVision X1 (2nd Gen)

Machine Type

Region

US

Color

Black

Panel

In-Plane Switching

Display Size

27"

View Area

596.7x335.7 mm

Resolution

3840x2160

Aspect Ratio

16:9

Pixel Pitch

0.1554x0.1554 mm

Dot / Pixel Per Inch

163 dpi

Brightness

350 nits

Contrast Ratio

1000:1

Pixel Response Time

4/6/14 ms (G-to-G)

Color Gamut

99%

View Angle (H / V)

178 / 178

Stand

Tilt Stand

Side Bezel Width

1.2 mm

Dimensions with Stand (HxWxD)

474.76x609.74x234.81 mm

Power Comsuption (Typical / Maximum)

65W / 135W

Power Adapter

External

Weight (Including Stand)

12.21lb / 5.54kg

Warranty

3-year

ENERGY STAR

ENERGY STAR 7.0

TCO

TCO 7.0

EPEAT

Silver

Presets / User Settings

24 / 24

On Screen Display

OSD, 8 Languages

USB Port

USB 3.0x4

Speaker

3Wx2

Camera

FHD Camera

Low Blue Light / Eye Comfort

Multiple Input

HDMI, DP, Thunberbolt

Monitor Cable

HDMI, Thunberbolt

End of Support

CPU / Platform

None / None

Display Ram / Storage / Card Slot

None / None / None

Wireless / Ethernet / Bluetooth

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Operating System

Support Windows 7, Windows 10

Ann Date (mm/yy)

07/18

Notes:

California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to: https://www.calrecycle.ca.gov/Electronics/Consumer



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2020. All rights reserved.





ThinkVision X1 (2nd GEN) MONITOR

EXTREME STYLISH, EXTREME FOREFRONT.



THE MILESTONE OF X-SERIES, 27" FULL-SCREEN, 4K, THUNDERBOLT™ 3 MONITOR.

Pushing the limit of screen share ratio with innovative technology, the 27" Lenovo™ ThinkVision® X1 (2nd GEN) display brings full-screen and ultra-slim appearance in elegant design. With 4K resolution and >99% sRGB color gamut, you will be assured of excellent watching experience and Thunderbolt™ 3 interface will bring the best user experience. "Motor" camera is first used on monitor, which will move up and down automatically and with it you will own standard VoIP system.

WHY YOU SHOULD BUY THE LENOVO THINKVISION X1 (2nd GEN) MONITOR



Full-screen appearance

With world's slimmest (4.7 mm) 27" 4K TBT monitor you will experience full-screen 4-side Near-Edgeless display with the screen ratio of approximately 93%. The monitor also comes with a metal stand and a base.



Brilliant performance

The 4K UHD IPS screen displays 3840 x 2160 resolution at 60 Hz, 99% sRGB color gamut, 10-bit depth, with 1.07 billion color support assures you stunning visuals and superb color experience.



Convenient user experience

Total versatility with
Thunderbolt™ 3 interface
supporting 4K + USB 3.0 &
45W PD + motor-camera with
dual-array microphone. A Think
RedDot tracking button is
integrated in the back cover.

THE LENOVO THINKVISION X1 (2nd GEN) MONITOR IS BEST SUITED FOR



The Executives and CXO of company.



SOHO and Gold Collars with high income.



Trendsetters who pursue an extreme and forefront monitor.













ThinkVisinn X1 (2nd GEN) MONITOR



SPECIFICATIONS

DISPLA'	١
---------	---

Panel Size 27' Panel Type IPS WI FD Backlight Resolution 3840 (H) x 2160 (V)

Aspect Ratio Anti-Glare Yes

Screen Dimensions (W x H) (mm) Maximum Brightness (Typical) Viewing Angle (H/V at CR 10:1) Contrast Ratio (Typical)

Pixel Pitch (W x H) (mm) 0.1554 x 0.1554 163

Dot/Pixel Per Inch (DP/PPI) Color Gamut (CIE 1931)

Dynamic Contrast Ratio

Response Time (Extreme/Typical/Off)

ENVIRONMENTAL

Temperature 0°C - 45°C Operating -20°C - 60°C Non-Operating

Humidity

8% - 80% Operating Non-Operating 5% - 95%

Altitude

16 000 ft Operating Non-Operating 40,000 ft

Arsenic-Free Glass Yes

PVC-Free Yes (W/O cable)

Mercury-Free Yes PCC % of Plastic Resins 25%

POWER CONSUMPTION

65 W Maximum 135 W 0.5 W Sleep-Mode Switch Off-Mode 0.5 W **Power Supply** External

Power Voltage 100 VAC - 240 VAC Voltage Dynamic Frequency 50 Hz - 60 Hz

SIGNAL INPUT

Video Input Signals DisplayPort™ 1.2 + HDMI™ 2.0 + Thunderbolt™ 3 Video Cables Supplied HDMI™ + Thunderbolt™ 3

Video Cable Length

Yes (4 x USB 3.0) USB Hub

USB Cable Supplied N/A Audio-Jack

DIMENSIONS (W x D x H)

Size Packed (mm) 718 x 140 x 470 28.27" x 5.51" x 18.5" (inches)

Size Unpacked with Stand

(mm) 609.74 x 234.81 x 474.76 24" x 9.24" x 18.69" (inches)

Size Unpacked without Stand (Monitor Head Only)

609 74 x 32 7 x 351 71 (mm) 24" x 1.29" x 13.85" (inches)

Distance from Table to Panel Lowest Pixel at Bottom of Screen

134 / 5.276" (mm / inches)

Highest Pixel at Top of Screen

(mm / inches) 450 / 17.717"

Stand Base Footprint Area

234.81 x 234.81 (mm) (inches) 9.24" x 9.24"

Weight

Starting at 18.45 lbs (8.37 kg) Packed Starting at 12.21 lbs (5.54 kg) Unpacked Monitor Head Only Starting at 9.46 lbs (4.29 kg)

SIGNAL INTERFACE / PERFORMANCE

Horizontal Frequency Vertical Frequency Native Resolution Maximum Pixel Clock Speed/

Bandwidth

Default Color Temperature Preset Modes

OSD Buttons OSD Languages 30 kHz - 136 kHz 30 Hz - 60 Hz 3840 x 2160

20 Gbps 6500K

18 m

24

1.2 / 0.05"

1.2 / 0.05"

English, French, Italian, German, Spanish, Japanese, Chinese, Russian

MECHANICAL

Tilt Angle (Front / Back) -5° / 30° Swivel Angle (Left / Right) N/A N/A Lift (mm) N/A Pivot N/A VESA® Mount (mm) Kensington® Lock Slot Yes Cable Management Yes Bezel Color N/A Bezel Width 1.2 / 0.05"

Top (mm / inches) Bottom (mm / inches) Sides (mm / inches)

596.7 (H) x 335.7 (V)

4/6/14 ms (G-to-G)

350 cd/m² 178°/178°

99% sRGB

1000:1

2 Buttons + Tracking Point

COMPLIANCE

EPEAT™ Silver **ENERGY STAR® Rating** 7.0 ULE Silver TCO® 70 Yes Windows Certification Windows 10 China Energy Label

WARRANTY AND AVAILABILITY

Warranty 3 Years Geography Availability ww





WWW.LENOVO.COM

















