HP Color LaserJet Pro MFP M476dw New



Ordering Information

Commercial model number: CF387A (BGJ)

Canada model number: CF387A

Sidebar

In the box:

Introductory print cartridges (1 each black, cyan, magenta and yellow)⁵
Hardware Installation guide Printer documentation and software on CD-ROM Electronic user's guide and software on CD-ROM Power cord Software drivers and documentation on CD-ROMs USB cable (Wireless Units only); Telecom cable

Standard warranty:

1 year limited

Replaces

HP LaserJet CE903A
Pro 300 color MFP M375nw

HP LaserJet CE863A
Pro 400 color MFP M475dn

HP LaserJet CE864A
Pro 400 color Compare
CE864A
Compare

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service

MFP M475dw

H3110E

Next Business Day Onsite: 3 years

U1H64E

Optional Care Pack Services

Installation with Network Setup Service

H3110E

Same Day
Onsite.
U1H65E

Connect the office to a wired or wireless MFP with vibrant color printing and scanning features.

Easily print how you want, where you want. Across the office or on the go, printing to this MFP is simple and direct—even without a network—using Ethernet, wireless options, or touch-to-print technology.^{1, 2}



Capture scans in a single pass and send them quickly to their next destination—email, network folders, or the cloud. Help boost productivity with fast, secure sign-on and advanced processing, routing, and retrieval tools.

Make copying and scanning more hands free, with a 50-page automatic document feeder and automatic two-sided printing. Let your fingers fly through tasks at the touchscreen. The easy-access USB makes it simple to walk up and print.



C Enlarge Image

Compatible Operating Systems

Standard Desktop

32-bit (SP2 or higher)
32/64-bit
32/64-bit
32/64-bit
Mac OS X v10.6, 10.7, 10.8, 10.9
Mobile OS native print support: iOS, Android, Windows 8 RT. Other OSs driver support: Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9

Additional Information

Sales	www.hp.com Data Sheet 4AA5-0556ENUC
Technical Support	www.hp.com/support
Third-party solutions	www.hpgsc.com
Reseller	http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com

Brand Specifications

PRINTER

Print Technology Laser

Standard Business		AIO/MFP Functions	Color printing, color copying, color scanning, black and white faxing
Hours: 3 years		Print Speed Black, Letter:	black and write laxing
•		ISO/Best Quality	Up to 21 ppm ⁶
Same Day	U1H66E	Print Speed Color, Letter:	Op to 21 ppin
Onsite,		ISO/Best Quality	Un to 21 namé
Extended		•	Up to 21 ppm ⁶
Business		First Page Out	As fast as 16.5 sec from Ready mode
Hours: 3 years		Processor	800 MHz
Next Business	LIALICAE	Paper Trays, Std	2
Day Onsite: 3	U1H64E	Paper Trays, Max	3
years Post Warranty	HOVOTOE	Input Capacity, Std	300 sheets (50-sheet multipurpose tray, 250- sheet input tray; 50-sheet Automatic Document Feeder (ADF)
Service,	HC127PE	Input Capacity, Max	550 sheets
Remote User		Output Capacity, Max	150 sheets
Assistance		Output Capacity, Max	150 sheets
Support: 1		• • • •	
year		Envelope Input, Std	10
•		Envelope Feeder	No
Post Warranty	U1H72PE	Two-Sided Printing	Automatic (standard)
Service, Same		Typefaces	84 scalable TrueType fonts
Day Onsite,		Print Quality, Black Best	Up to 600 x 600 dpi
Standard		Print Quality, Color Best	Up to 600 x 600 dpi
Business		Print Resolution Technology	HP ImageREt 3600
Hours: 1 year		Print Cartridges	4 (1 each black, cyan, magenta, yellow)
Post Warranty	LIALIZADE	Print Languages, Std	HP PCL 6, HP PCL 5c, HP postscript level 3
Service, Same	U1H73PE	5 5 <i>7</i>	emulation, PCLm, PDF, URF
Day Onsite,		Printer Management	HP Web Jetadmin; HP Utility (Mac); HP Imaging
Extended		3	& Printing Security Center; Device Toolbox
Business Hours: 1 year		Display Type	3.5-inch (8.89 cm) intuitive touchscreen Color Graphic Display (CGD)
Post Warranty	U1H74PE	SCANNER	, , , , ,
Service, Next			
Business Day Onsite: 1 year		Scan Speed	Up to 18 ppm (black and white), up to 14 ppm (color); duplex: up to 33 ipm (black and white), up to 11 ipm (color)
		Scan Resolution, Enhanced	Up to 300 x 300 dpi (ADF); up to 1200 x 1200 dpi (Flatbed)
		Scan Resolution, Optical	Up to 300 x 300 dpi (color and mono ADF); up to 300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi (Flatbed)
		Grayscale Levels	256
		Scan to E-mail	Yes
		COPIER	
		0	He to Od once
		Copy Speed, Max, Black	Up to 21 cpm
		Copy Speed, Max, Color	Up to 21 cpm
		Copy Resolution, Black Text	Up to 300 x 420 dpi
		Copy Resolution, Black Graphics	Up to 300 x 420 dpi
		Copy Resolution, Color Text And Graphics	. , , , , , , , , , , , , , , , , , , ,
		Copier Settings	Number of copies, reduce/enlarge, lighter/ darker, optimize, paper, multi-page copy, collation, tray select, two-sided, draft mode, image adjustment, set as new defaults, restore defaults
		Number Of Copies, Max	99
		Copier Reduce/Enlarge	25–400%
		FAX	
		Face Occasion	2 7
		Fax Speed	3 sec per page ⁷
		Fax Memory	Up to 250 pages
		Fax Resolution, Best	Up to 300 x 300 dpi
		PC Fax Interface	Yes, PC fax send only
		Speed Dialing, Max Numbers	120 numbers

Fax Forwarding	Yes
Fax Blocking	Yes
GENERAL	
Duty Cycle, Monthly	Up to 40,000 pages ⁸
Recommended Monthly Volume	1,000 to 2,500 pages ⁹
ADF Capacity	50 sheets
Media Types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched recycled, rough), postcards, transparencies, labels, envelopes
Media Sizes, Std	Tray 1: Letter, legal, executive, 8.5 x 13 in, 3 x 8 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); tray 2, optional tray 3: letter, legal, executive, 8.5 x 13 in, 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Automatic duplexer: letter, legal, executive, 8.5 x 13 in
Media Sizes, Std, Metric	Tray 1: A4, A5, A6, B5 (JIS), 16K, 10 x 15 cm, postcards (JIS single, JIS double), envelopes (ISO DL, ISO C5, ISO B5); tray 2, optional tray 3: A4, A5, A6, B5 (JIS), 16K, 10 x 15 cm, postcards (JIS single, JIS double), envelopes (ISO DL, ISO C5, ISO B5); Automatic duplexer: A4, B5
Media Sizes, Custom	Tray 1: 3 x 5 in to 8.5 x 14 in; tray 2, optional tray 3: 3.94 x 5.83 in to 8.5 x 14 in
Media Sizes, Custom, Metric	Tray 1: 76 x 127 to 216 x 356 mm; tray 2, optional tray 3: 100 x 148 to 216 x 356 mm
Media Weights	Tray 1: 16 to 47 lb (up to 58 lb with HP Color laser glossy photo papers); tray 2, optional tray 3: 16 to 43 lb (up to 47 lb with postcards, up to 58 lb with HP Color laser glossy photo papers); Automatic duplexer: 16 to 43 lb
Media Weights, Metric	Tray 1: 60 to 176 g/m² (up to 220 g/m² with postcards and HP Color laser glossy photo papers); tray 2, optional tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m²
Connectivity, Std	Hi-Speed USB 2.0, Fast Ethernet 10/100Base-TX, wireless 802.11b/g/n, Host USB
Connectivity, Opt	None
Mobile Printing Capability	HP ePrint, Apple AirPrint™, Wireless direct printing, NFC touch-to-print, Mopria certified, Mobile Apps
Memory, Std	256 MB
Memory, Max	256 MB
Hard Disk Drive	None
Power Supply Type	Built-in power supply
Power Supply Required	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz) (No dual voltage, power supply varies by part number with # Option code identifier)
Power Consumption	397 watts (print/copy), 17.6 watts (ready), 1.5 watts (sleep), 0.8 watts (Auto-Off/Auto-On), 0.2 watts (Auto-off/Manual-On), 0.2 watts (Off) ¹⁰
Typical Electricity Consumption (TEC) ENERGY STAR® Qualified	1.188 kWh/Week Yes
Mac Compatible	Yes
Dimensions (W x D x H)	16.5 x 27.3 x 19.7 in (maximum), 16.5 x 19.1 x 19.7 in (minimum)
Weight	63.8 lb
Dimensions, Metric	420 x 694 x 500 mm (maximum), 420 x 484 x 500 mm (minimum)
Weight, Metric	28.9 kg
Shipping Dimensions	23.6 x 19.7 x 24.1 in

Shipping Weight	73.3 lb
Shipping Dimensions, Metric	600 x 500 x 611 mm
Shipping Weight, Metric	33.3 kg
Pallet Dimensions	47.2 x 39.4 x 101.3 in
Pallet Dimensions, Metric	1200 x 1000 x 2573 mm
Pallet Weight	1223.1 lb
Pallet Weight, Metric	556.0 kg
Quantity Per Pallet	16

Accessories

Paper-handling accessories

HP LaserJet 250-sheet Paper Feeder (CF106A)

Compatible Supplies

HP LaserJet Cartridges and Kits

HP 312A Black Original LaserJet Toner Cartridge (CF380A)

HP 312X High Yield Black Original LaserJet Toner Cartridge (CF380X)

HP 312A Cyan Original LaserJet Toner Cartridge (CF381A)

HP 312A Yellow Original LaserJet Toner Cartridge (CF382A)

HP 312A Magenta Original LaserJet Toner Cartridge (CF383A)

Compatible Paper Products

Top Recommended Papers

HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124
HP Brochure and Pres	entation Paners		

HP Laser Matte Brochure Pape	er		
8.5 x 11 in	40 lb	150 sheets	Q6543A

HP Everyday Papers			
HP Premium Choice Laser	Paper		
8.5 x 11 in	32 lb	500 sheets	<u>HPU1132</u>
HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R
HP All-in-One Printing Pape	er		
8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	<u>HPT115</u>
HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPM115RC
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	<u>HPM113H</u>
8.5 x 14 in	20 lb	500 sheets	HPM1420

HP Office Paper			
8.5 x 11 in 8.5 x 11 in 8.5 x 11 in, 3-hole punch 8.5 x 14 in 8.5 x 11 in	20 lb 20 lb 20 lb 20 lb 20 lb	2,500 sheets (5 reams) 5,000 sheets (10 reams) 500 sheets 500 sheets 500 sheets	HPC115RC HPC8511C HPC3HP HPC8514 HPC8511R
HP Office Quickpack 8.5 x 11 in	20 lb	2,500 sheets	HP2500S

HP Recycled Paper			
8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C

HP Business Copy Paper			
8.5 x 11 in	20 lb	500 sheets	HPBC11
HP Everyday Copy and Print 8.5 x 11 in	Paper 20 lb	500 sheets	HPA510

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- 1. Wireless direct printing is standard on the HP Color LaserJet Pro MFP M476nw and dw only. This feature can be enabled with separate purchase and installation of the HP NFC/Wireless 1200w Mobile Print Accessory for the HP Color LaserJet Pro MFP M476dn. Mobile device needs to be connected directly to the WiFi network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.
- 2. Touch-to-print capability is standard on the HP Color LaserJet Pro MFP M476 dw only. This feature can be enabled with separate purchase and installation of the HP NFC/Wireless 1200w Mobile Print Accessory for the HP Color LaserJet Pro MFP M476dn and nw. Mobile device must support near field communications—enabled printing. For a list of supported devices, see http://www.hp.com/go/businessmobileprinting.
- 3 . Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See http://www.hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no set up.
- 4 . Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com.
- 5. Introductory cartridges: average continuous composite cyan/yellow/magenta cartridge yield 1,400 pages and average continuous black cartridge yield 1,400 pages. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/ go/learnaboutsupplies
- 6. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 7. Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- 8. Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 9. HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 10 . Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.