


FOTO & VIDEO March 2020





Brand Overview



Explanation of footnotes

item no. item number	size specifications: W x D x H (width x depth x height)	Qty quantity	minimum order quantity	ntity		
	(width x depth x height)	PT packaging type	BC	blister size	PO	polybag
			CB	packed in cardboard box	BA	banderol
			HT	hangtag	HC	hangcard
			ET	Label	SU	Sleeve

Contents

BAGS & BACKPACKS						 Ô
ACTIONCAM-/GOPRO ACCE	SSORIE	S			27	 Ø
SMARTPHONE/TABLET PHO	TO ACC	ESSORIES			37	 Ō
TRIPODS & ACCESSORIES					49	 Å
CAMERA REMOTE RELEASE	S				67	 ٢
FILTER & ACCESSORIES					71	 \bigcirc
ACCESSORIES FOR LENSES					77	
CAMERA ACCESSORIES						 1
ENERGY						 4
ACCESSORIES FOR FLASHES						 璨
CLEAN & CARE						 Ċ
STORAGE MEDIA & ACCESSORIES						
DIGITAL PICTURE FRAMES					123	 , I I
SLIDE	127	CINEFILM & VIDEO	129	PROJEKTION	131	
STORAGE SYSTEMS	139	CUTTING MASCHINES	145	FOTO-STUDIO	147	
OPTICAL PRODUCTS	163	INDEX	166			



BAGS & BACKPACK





hama.

Compact Camera Bag "Hard Case Carbon Style", 60H

Material	Ethylene Vinyl Acetate (EVA)
Internal Dimension (Depth)	3 cm
Internal Dimension (Height)	10.5 cm
Internal Dimension (Width)	6,5 cm

- Made of sturdy EVA material
- Flat inner compartment for storage media
- With removable neck strap with snap hook
- Belt loop for carrying convenience Black 00023139

Diack			00025155
	10	HC	



hama.

Compact Camera Bag "Hard Case Carbon Style", 60L

Material	Ethylene Vinyl Acetate (EVA)
Internal Dimension (Depth)	4 cm
Internal Dimension (Height)	11 cm
Internal Dimension (Width)	7 cm

- Made of sturdy EVA material
- Flat inner compartment for storage media
- With removable neck strap with snap hook
- Belt loop for carrying convenience Black 23142

			0002
	10	HC	



hama.

Compact Camera Bag "Hard Case Carbon Style", 80L

Material	Ethylene Vinyl Acetate (EVA)
Internal Dimension (Depth)	4 cm
Internal Dimension (Height)	12.5 cm
Internal Dimension (Width)	7 cm

- For small digital video cameras Sturdy outer shell made of EVA, for
- secure protection of the camera • Flat inner compartment for storage media
- With removable neck strap and belt

00103877 Black 10 HC



hama.

Compact Camera Bag "Hard Case Colour Style", 60L

Material	Ethylene Vinyl Acetate (EVA)
Internal Dimension (Depth)	4 cm
Internal Dimension (Height)	11 cm
Internal Dimension (Width)	7 cm

- Made of sturdy EVA material
- Flat inner compartment for storage media
- With removable neck strap with snap hook
- Belt loop for carrying convenience

Black			00103691
	10	HC	



hama.

Compact Camera Bag "Hard Case Colour Style", 80M

Material	Ethylene Vinyl Acetate (EVA)
Internal Dimension (Depth)	4.5 cm
Internal Dimension (Height)	12.5 cm
Internal Dimension (Width)	7.5 cm
(,	

- Made of tough EVA material
- Flat inner compartment for storage media
- Padded lining for protecting the camera from shocks
- Removable neck strap with a snap

Black			00126656	
	10	HC		



hama.

Compact Camera Bag "Hard Case Colour Style", 80L

Ethylene Vinyl Acetate (EVA)
4.1 cm
12.5 cm
7 cm

- Robust EVA outer shell
- Flat interior compartment for storage media

• With removable neck strap with			
	Orange	00139866	
	Purple	00139864	
	Black	00103860	

10 HC



hama.

"Hardcase Zip" Camera Bag, 80 M, black/blue

Material	Ethylene Vinyl Acetate (EVA)
Internal Dimension (Depth)	4.5 cm
Internal Dimension (Height)	12.5 cm
Internal Dimension (Width)	7.5 cm

• Robust EVA outer shell

Black, Blue

- Dual zipper opening
- Flat inner compartment for storage media
- Removable neck strap with a snap hook

		00139835
10	HC	

and the second second
hama.
Compact Camera Bag
"Hard Case Colour Style",
60H

Material	Ethylene Vinyl Acetate (EVA)
Internal Dimension (Depth)	3 cm
Internal Dimension (Height)	10.5 cm
Internal Dimension (Width)	6,5 cm

- Made of sturdy EVA material • Flat inner compartment for storage media
- With removable neck strap with snap hook
- Belt loop for carrying convenience

00103690 10 HC

6

Black





hama

"Fancy Neoprene Quad" Camera Bag, 70E, black

Material	Neoprene
Internal Dimension (Depth)	2 cm
Internal Dimension (Height)	11.5 cm
Internal Dimension (Width)	7.5 cm

• Double zipper opening

- Inner compartment made of fleece which protects the camera body from scratches
- Flexible neoprene material with stretch effect

Black				00126659
		10	HC	



hama

Compact Camera Bag "Fancy Sporty", 60H

Material	Ripstop
Internal Dimension (Depth)	3 cm
Internal Dimension (Height)	11 cm
Internal Dimension (Width)	6,5 cm

- Main compartment with double zipper opening
- Extra zipped compartment on the lid for memory cards and batteries
- Neck strap with a snap hook
- Belt loop for convenient carrying

Black			00139818
	10	HC	



hama

Compact Camera Bag "Fancy Sporty", 80M

Material	Ripstop
Internal Dimension (Depth)	4.5 cm
Internal Dimension (Height)	12.5 cm
Internal Dimension (Width)	7.5 cm

• Main compartment with double zipper opening

- Extra zipped compartment on the lid for memory cards and batteries
- Neck strap with a snap hook
- Belt loop for convenient carrying
 Black
 001398

hama.

Material

(Depth) Internal Dimension

(Height) Internal Dimension

(Width)

Grey

Black

Internal Dimension

zipper opening

Compact Camera Bag

• Main compartment with double

for memory cards and batteries

Neck strap with a snap hook

• Extra zipped compartment on the lid

10 HC

"Fancy Urban", 60H

00139820 10 HC



hama

Compact Camera Bag "Fancy Urban", 80M

Material	Ripstop
Internal Dimension (Depth)	4.5 cm
Internal Dimension (Height)	12.5 cm
Internal Dimension (Width)	7.5 cm

- Main compartment with double zipper opening
- Extra zipped compartment on the lid for memory cards and batteries
- Neck strap with a snap hook

Grey	00139825		
Black			00139824
	10	HC	



hama.

Compact Camera Bag "Samara", 40H

Polytex, Polytex (600D)
3 cm
9.5 cm
6 cm

- Zip opening
- Belt loop for more carrying comfort
 Cut-out for camera strap on the
- back of the bagSoft fleece inside lining to protect
- Soft freece inside lining to protect the camera from scratches

Black			00185079
	10	HC	



hama

Compact Camera Bag "Monterey", 90L

Material	Polytex
Internal Dimension (Depth)	4 cm
Internal Dimension (Height)	13 cm
Internal Dimension (Width)	7.5 cm

- High-quality camera bag in classic design
- Cover construction with hook and loop fastener
- Soft fleece inside lining to protect the camera from scratches

Black 00139886



hama

Compact Camera Bag "Samara", 60G

Material	Polytex (600D)
Internal Dimension (Depth)	2.5 cm
Internal Dimension (Height)	10.5 cm
Internal Dimension (Width)	6 cm

• Zip opening

- Belt loop for more carrying comfort
- Cut-out for camera strap on the back of the bag
 - Soft fleece inside lining to protect the camera from scratches

00185080 10 HC Ŷ

Ripstop

3 cm

11 cm

6,5 cm

00139823

00139822



Black



hama.

Compact Camera Bag "Samara", 60L

Material	Polytex (600D)
Internal Dimension (Depth)	4 cm
Internal Dimension (Height)	11 cm
Internal Dimension (Width)	6 cm

- Zip opening
- Belt loop for more carrying comfort • Cut-out for camera strap on the
- back of the bag • Soft fleece inside lining to protect the camera from scratches

•	Small	internal	fleece	pocket,	e.g.	for

Black			00185081
	10	HC	



hama.

Compact Camera Bag "Syscase", 60G

Material	Polytex (600D)
Internal Dimension (Depth)	2.5 cm
Internal Dimension (Height)	10.5 cm
Internal Dimension (Width)	6 cm

- Zipper opening
- Belt loop for carrying convenience • Opening for camera strap (on the back of the bag)
- Inside lining made of soft fleece which protects the camera against scratches

Black			00103829
	10	HC	



hama.

Compact Camera Bag "Valletta", 60G

Material	Polytex
Internal Dimension (Depth)	2.5 cm
Internal Dimension (Height)	10.5 cm
Internal Dimension (Width)	6 cm

• Belt loop for carrying comfort • Cover flap with hook and loop fastener

Black			00185068
	10	HC	



hama.

Compact Camera Bag "Valletta", 90P

Material	Polytex
Internal Dimension (Depth)	5.2 cm
Internal Dimension (Height)	13 cm
Internal Dimension (Width)	7.5 cm

- Cover flap with hook and loop fastener
- Additional front compartment with zip fastener
- Detachable shoulder strap

Blac

• Belt loop for carrying comfort

ck			00185070
	10	HC	



hama.

Compact Camera Bag "Syscase", 40H

Material	Polytex (600D)
Internal Dimension (Depth)	3 cm
Internal Dimension (Height)	9.5 cm
Internal Dimension (Width)	6 cm

Zipper opening

- Belt loop for carrying convenience
- Opening for camera strap (on the back of the bag)
- Inside lining made of soft fleece which protects the camera against scratches

00103828 10 HC



hama.

Compact Camera Bag "Syscase", 60L

Material	Polytex (600D)
Internal Dimension (Depth)	4 cm
Internal Dimension (Height)	11 cm
Internal Dimension (Width)	6 cm

- Zipper opening
- Belt loop for carrying convenience • Opening for camera strap (on the
- back of the bag) • Inside lining made of soft fleece
- which protects the camera against scratches Black

00103830 10 HC



hama.

Compact Camera Bag "Valletta", 60L

Material	Polytex
Internal Dimension (Depth)	4 cm
Internal Dimension (Height)	11 cm
Internal Dimension (Width)	6 cm

- Belt loop for carrying comfort
- Cover flap with hook and loop fastener

Black			00185069
	10	HC	



Black

Qty PT



Photo Organizer Bag





hama.

Photo Organizer Bag "", S

Material	Polytex
Number of Compart- ments	6
External Dimension (Depth)	11 cm
External Dimension (Height)	4.5 cm
External Dimension (Width)	17 cm
Internal Dimension (Depth)	3.5 cm
Internal Dimension (Height)	10 cm
Internal Dimension (Width)	16 cm

- The organiser offers plenty of storage space for the smartphone and photo accessories such as cables, USB sticks, filters or SD cards
- All tidied away and ready at hand, ideal for holidays and when out and about
- 1 zipped pocket for power pack or filters
- 5 rubber loops for cables, etc.
- 5 mesh pockets for USB sticks or SD cards
- Double-zipper opening





hama

Photo Organizer Bag "", M

Material	Polytex
Number of Compart- ments	7
External Dimension (Depth)	17 cm
External Dimension (Height)	4.5 cm
External Dimension (Width)	23.5 cm
Internal Dimension (Depth)	3.5 cm
Internal Dimension (Height)	16 cm
Internal Dimension (Width)	22.5 cm

- The organiser offers plenty of storage space for photo accessories such as cables, USB sticks, filters or SD cards
- All tidied away and ready at hand, ideal for holidays and when out and about
- 1 zipped pocket for power pack or filters
- 10 rubberised loops

Black

- 6 mesh pockets for USB sticks or SD cards
- Double-zipper opening



hama

Photo Organizer Bag "", L

Material	Polytex
Number of Compart- ments	10
External Dimension (Depth)	17 cm
External Dimension (Height)	8 cm
External Dimension (Width)	23.5 cm
Internal Dimension (Depth)	7 cm
Internal Dimension (Height)	16 cm
Internal Dimension (Width)	22.5 cm

- The organiser offers plenty of storage space for electronic devices and photo accessories such as cables, USB sticks, filters or SD cards
- All tidied away and ready at hand, ideal for holidays and when out and about
- 2 main compartments with double zip
- 1 zipped pocket inside for power pack or filters
- 2 mesh pockets inside for mobile phones and photo accessories
- 1 mesh pocket with zip fastener in the second main compartment
- 10 rubber loops for cables, etc.
- 6 mesh pockets for USB sticks or SD cards

10 HC

• Double-zipper opening

Black			00139873
	10	HC	

20 HC

Qty PT

00139874

Black

March 2020 INT

00139875



Camera/Accessories Bag





hama.

Camera/Accessories Bag "Fancy", Black

Material

- Bag with zipped opening
- Universal bag for protection against

Polytex

dirt and scratches





hama Camera/Accessories Bag "Neoprene", Black

Material Neoprene

- Flexible neoprene material to protect against shocks and bumps
 Drawstring with ball snap closure
- for quick removal of the camera



Photo Equipment Bag



hama.

Photo Equipment Bag "", 120

Material	Polytex	
Internal Dimension (Depth)	9 cm	
Internal Dimension (Height)	14 cm	
Internal Dimension (Width)	19.5 cm	
Weight	140 g	
 Zipped compartment under the cover for storage media and accessories 		

- Double-zipper opening for easy handling
- 2 mesh compartments on the side
- 2 further compartments on the front
- Snap hook for accessories, e.g. keys
- Quick-grab handle
- 2 adjustable and removable inner dividers
- All-round padding





hama

Photo	Equipment	Bag	"",
140			

Material	Polytex
Internal Dimension (Depth)	11 cm
Internal Dimension (Height)	18 cm
Internal Dimension (Width)	23 cm
Weight	160 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- 2 mesh compartments on the side
- 2 further compartments on the front
- Snap hook for accessories, e.g. keys
- Quick-grab handle
- 2 adjustable and removable inner dividers
- All-round padding

 S
 00139871

 20
 HC

 M
 20

 25
 HC

10 HT 001393 10 HT

Μ

L

 00139836

 T

 00139837

 Black

 T

 16

8 HT



Qty PT

00139869

Black

Ŷ

COMPACT & COLT BAGS

Camera Colt Bag





hama

Camera Colt Bag "Monterey", 80

Material	Polytex
Internal Dimension (Depth)	8 cm
Internal Dimension (Height)	10 cm
Internal Dimension (Width)	12.5 cm
Weight	295 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- Document compartment on the back
- Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap
- Soft handle
- Rain protection hood integrated into the lower part of the back section

• Wipeable base





hama

Camera Colt Bag "Monterey", 100

Material	Polytex
Internal Dimension (Depth)	9.5 cm
Internal Dimension (Height)	12 cm
Internal Dimension (Width)	13.5 cm
Weight	325 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- Document compartment on the back
- Belt loop for more carrying comfort
- Length-adjustable, removable
- shoulder strap
- Soft handle
- Rain protection hood integrated into the lower part of the back section
- Wipeable base



hama

Camera Colt Bag "Monterey", 110

Material	Polytex
Internal Dimension (Depth)	9.5 cm
Internal Dimension (Height)	16 cm
Internal Dimension (Width)	14 cm
Weight	340 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- Document compartment on the back
- Belt loop for more carrying comfort
- Length-adjustable, removable
- shoulder strap • Soft handle

Wipeable base

- Rain protection hood integrated into
- the lower part of the back section






Camera Colt Bag "Monterey", 130

Material	Polytex
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	21 cm
Internal Dimension (Width)	16 cm
Weight	425 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- Document compartment on the back
- Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap

hama

- Soft handle
- Rain protection hood integrated into the lower part of the back section
- Wipeable base



hama

Camera Colt Bag "Odessa", 100

Material	Polytex
Internal Dimension (Depth)	9.5 cm
Internal Dimension (Height)	12 cm
Internal Dimension (Width)	13.5 cm
Weight	300 a

• High-quality camera bag with a classic design

- Lid with a zip, opens away from the body
- The inside lining is made of soft fleece which helps protect the camera from scratches
- Compartment for memory cards, etc. under the lid
- Zipped outside compartment for storage media and batteries
- Two mesh side pockets
- Document compartment on the back
 Belt loop for easy, comfortable
- carrying • Adjustable, removable shoulder
- strap
- Soft handle
- Rain protective cover integrated in
- the lower part of the back • Dirt-repellent base



hama

Camera Colt Bag "Pittsburgh", 110

Material	Polyester
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	17 cm
Internal Dimension (Width)	16 cm
Weight	375 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 1 removable inlay pad for custo-
- mised size adjustment
- 2 belt loops Removable and length-adjustable
- shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Wipeable base
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener

12 HT

00185012




hama.

Camera Colt Bag "Pittsburgh", 130

Material	Polyester
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	21 cm
Internal Dimension (Width)	16 cm
Weight	390 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 1 removable inlay pad for custo-
- mised size adjustment
- 2 belt loops
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Wipeable base







hama.

Camera Colt Bag "Samara", 90

Material	Polytex (600D)
Internal Dimension (Depth)	8 cm
Internal Dimension (Height)	11 cm
Internal Dimension (Width)	13 cm
Weight	170 g

- Double-zip opening for quick accessPatch zipped front pocket for
- accessories
- Length-adjustable shoulder strap • Handle
- Soft fleece inside lining
- One removable inner divider

16 HT

Black, Grey

12

hama. March 2020 INT

Black

00121876

Blac

.

8 HT

er ed

Black

00185084

12 HT



hama.

Camera Colt Bag "Samara", 110

Material	Polytex (600D)
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	17 cm
Internal Dimension (Width)	17 cm
Weight	215 g

- Double-zip opening for quick access Patch zipped front pocket for
- accessories • Length-adjustable shoulder strap

00185085

12 HT

Black

Handle

Black

- Soft fleece inside lining
- One removable inner divider





hama.

Camera Colt Bag "Syscase", 90

Material	Polytex (600D)
Internal Dimension (Depth)	8 cm
Internal Dimension (Height)	11 cm
Internal Dimension (Width)	13 cm
Weight	170 g

• Double zipper opening for quick

- access • Front pocket for accessories
- Adjustable shoulder strap
- Handle
- Inside lining made of soft fleece
- Guarantee: 3 years





hama

Camera Colt Bag "Syscase", 110

Material	Polytex (600D)
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	17 cm
Internal Dimension (Width)	17 cm
Weight	215 g

- Double zipper opening for quick access
- Front pocket for accessories
- Adjustable shoulder strap
- Handle
- Inside lining made of soft fleece
- Guarantee: 3 years





hama.

Camera Colt Bag "Valletta", 90

Material	Polytex
Internal Dimension (Depth)	8 cm
Internal Dimension (Height)	11 cm
Internal Dimension (Width)	13 cm
Weight	210 g

- Belt loop for carrying comfort
- Main compartment with zip that
- opens away from the body Additional front compartment with zip fastener
- Two side mesh pockets
- Detachable shoulder strap

COMPACT & COLT BAGS

Ŷ

12 HT

00103833

Black

00103834

12 HT

Black



00185076

18 HT

hama



hama.

Camera Colt Bag "Valletta", 110

Material	Polytex
Internal Dimension (Depth)	9 cm
Internal Dimension (Height)	15.5 cm
Internal Dimension (Width)	15 cm
Weight	220 g

Belt loop for carrying comfort

- Main compartment with zip that opens away from the body
- Additional front compartment with zip fastener
- Two side mesh pockets
- Padded handle
- Detachable shoulder strap





hama.

Camera Colt Bag "Valletta", 130

Material	Polytex
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	21 cm
Internal Dimension (Width)	16 cm
Weight	300 g

- Two belt loops for comfortable carrying
- Main compartment with zip that opens away from the body
- Additional front compartment with zip fastener
- Two side mesh pockets
- Padded handle
- Detachable shoulder strap





hama

"Albany HC" Camera Bag, 110 Colt, black

Material	Polyester
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	14 cm
Internal Dimension (Width)	15 cm
Weight	270 g

- Main opening with two-way zip fastener
- Zipped front pocket for accessories such as cables, memory cards and batteries
- Mesh side pockets
- Belt loop for more carrying comfort
- Padded handle
 - Adjustable, removable shoulder strap
 - Stable bag base made from sturdy and resilient EVA material

Black 16 HT

14

00185077

hama March 2020 INT

Black

Qty PT

12 HT

00185062

Black

00185078

8 HT

Photo Equipment Bag





hama

Photo Equipment Bag "Albany HC", 110

Material	Polyester
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	13 cm
Internal Dimension (Width)	15 cm
Weight	325 g

- Main opening with two-way zip fastener
- Zipped front pocket for accessories such as cables, memory cards and batteries
- Mesh side pockets
- Belt loop for more carrying comfort
- Padded handle
- Adjustable, removable shoulder strap
- An adjustable internal divider for clear organisation
- Stable bag base made from sturdy and resilient EVA material





hama

Photo Equipment Bag "Albany HC", 130

Material	Polyester
Internal Dimension (Depth)	11 cm
Internal Dimension (Height)	17 cm
Internal Dimension (Width)	20 cm
Weight	380 g

- Main opening with two-way zip fastener
- Zipped front pocket for accessories such as cables, memory cards and batteries
- Mesh side pockets
- Belt loops for more carrying comfort
- Padded handle
- Adjustable, removable shoulder strap
- Two adjustable inner dividers for clear organisation
- Stable bag base made from sturdy and resilient EVA material





hama

Photo Equipment Bag "Albany HC", 135

Material	Polyester
Internal Dimension (Depth)	12.5 cm
Internal Dimension (Height)	14 cm
Internal Dimension (Width)	22 cm
Weight	440 g

- Main opening with two-way zip fastener
- Zipped front pocket for accessories such as cables, memory cards and batteries
- Mesh side pockets
- Belt loops for more carrying comfort
 Padded handle
- Adjustable, removable shoulder strap
- Two adjustable inner dividers for clear organisation
- Stable bag base made from sturdy and resilient EVA material





hama

Photo Equipment Bag "Monterey", 90

Material	Polytex
Internal Dimension (Depth)	7 cm
Internal Dimension (Height)	13 cm
Internal Dimension (Width)	7.5 cm
Weight	220 g

- High-quality camera bag in classic design
- Cover construction with hook and loop fastener
- Soft fleece inside lining to protect the camera from scratches
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- Belt loop for more carrying comfort
 Length-adjustable, removable shoulder strap
- Rain protection hood integrated into the lower part of the back section
- Wipeable base

 Black
 00185063
 Black
 00185064
 Black
 00185065
 Black
 00139887

 12
 HT
 12
 <t

March 2020 INT



PHOTO EQUIPMENT BAGS



hama.

Photo Equipment Bag "Monterey", 100

Material	Polytex
Internal Dimension (Depth)	8 cm
Internal Dimension (Height)	11.5 cm
Internal Dimension (Width)	14 cm
Weight	340 a

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Belt loop for more carrying comfort
- Length-adjustable, removable
- shoulder strap Handle
- 1 variable internal divider for clear organisation
- Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

Photo Equipment Bag "Monterey", 110

Material	Polytex
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	13 cm
Internal Dimension (Width)	15.5 cm
Weight	380 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Belt loop for more carrying comfort
- Length-adjustable, removable
- shoulder strap Handle
- 1 variable internal divider for clear
- organisation Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

Photo Equipment Bag "Monterey", 120

MaterialPolytexInternal Dimension (Depth)7.5 cmInternal Dimension (Height)14 cmInternal Dimension (Width)17.5 cmWeight385 g			
(Depth) 7.5 cm Internal Dimension (Height) 14 cm Internal Dimension (Width) 17.5 cm		Material	Polytex
(Height) 14 cm Internal Dimension (Width) 17.5 cm			7.5 cm
(Width) 17.5 cm			14 cm
Weight 385 g			17.5 cm
		Weight	385 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Belt loop for more carrying comfort
- Length-adjustable, removable
- shoulder strap
- Handle
- 1 variable internal divider for clear organisation
- Rain protection hood integrated into the lower part of the back section







hama.

Photo Equipment Bag "Monterey", 130

Material	Polytex
Internal Dimension (Depth)	10.5 cm
Internal Dimension (Height)	16.5 cm
Internal Dimension (Width)	20 cm
Weight	435 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Trolley strap
 - Length-adjustable, removable shoulder strap
 - Handle
 - 1 variable internal divider for clear
 - organisation Rain protection hood integrated into the lower part of the back section
 - Wipeable base

hama. March 2020 INT





hama

Photo Equipment Bag "Monterey", 140

Material	Polytex
Internal Dimension (Depth)	9.5 cm
Internal Dimension (Height)	14 cm
Internal Dimension (Width)	23 cm
Weight	450 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Trolley strap
- Length-adjustable, removable shoulder strap
- Handle
- 1 variable internal divider for clear organisation
- Rain protection hood integrated into the lower part of the back section
- Wipeable base



hama.

Photo Equipment Bag "Multitrans", 140

Material	Polyester
Internal Dimension (Depth)	14 cm
Internal Dimension (Height)	15 cm
Internal Dimension (Width)	22 cm
Weight	800 g

- The bag can be opened like a classic doctor's bag for quick and easy access to the camera equipment
- Water-repellent zip on the main compartment
- Removable, well padded inner compartment
- 3 individually adjustable hook and loop inner dividers and a small cushion for additionally padding the bag
- Additional compartment on the back, can be converted into a trolley strap by simply opening the zip
- Practical front pocket with compartments for full and empty batteries as well as space for additional accessories
- Attachment loops under the front pocket for transporting a tripod
- Padded shoulder strap, diagonally attached to the bag with sturdy metal hooks and rings for easy access to the bag
- Soft neoprene compartment for tablet PCs on the back of the bag
- Zipped inner compartments provide easy access to memory cards and small accessories
- Two side pockets inside, one of them with a zip for storing valuables
- Two handles that can be attached to the soft neoprene surface by means



hama.

Photo Equipment Bag "Multitrans", 170

Material	Polyester
Internal Dimension (Depth)	18 cm
Internal Dimension (Height)	15 cm
Internal Dimension (Width)	30 cm
Weight	1100 g

- The bag can be opened like a classic doctor's bag for quick and easy access to the camera equipment
- Water-repellent zip on the main
- compartment • Removable, well padded inner compartment
- 5 individually adjustable hook and loop inner dividers and a small cushion for additionally padding the bag
- Additional compartment on the back, can be converted into a trolley strap by simply opening the zip
- Practical front pocket with compartments for full and empty batteries as well as space for additional accessories
- Attachment loops under the front pocket for transporting a tripod
- Padded shoulder strap, diagonally attached to the bag with sturdy metal hooks and rings for easy access to the bag
- Soft neoprene compartment for tablet PCs on the back of the bag
- Zipped inner compartments provide easy access to memory cards and small accessories
- Two side pockets inside, one of them with a zip for storing valuables
- Two handles that can be attached to the soft neoprene surface by means





hama

Photo Equipment Bag "Multitrans", 200

Material	Polyester
Internal Dimension (Depth)	20 cm
Internal Dimension (Height)	18 cm
Internal Dimension (Width)	36 cm
Weight	1300 g


- The bag can be opened like a classic doctor's bag for quick and easy access to the camera equipment
- Water-repellent zip on the main compartment
- Removable, well padded inner compartment
- 7 individually adjustable hook and loop inner dividers and a small cushion for additionally padding the bag
- Additional compartment on the back, can be converted into a trolley strap by simply opening the zip
- Practical front pocket with compartments for full and empty batteries as well as space for additional accessories
- Attachment loops under the front pocket for transporting a tripod
- Padded shoulder strap, diagonally attached to the bag with sturdy metal hooks and rings for easy access to the bag
- Soft neoprene compartment for tablet PCs on the back of the bag
- Zipped inner compartments provide easy access to memory cards and small accessories
- Two side pockets inside, one of them with a zip for storing valuables
- Two handles that can be attached to the soft neoprene surface by means

hama

Black	00139892	Black	00126665	Black	00126666	Black		00126667
8 HT		6 HT		4 HT			2 HT	







hama

Photo Equipment Bag "Pittsburgh", 100

Material	Polyester
Internal Dimension (Depth)	8 cm
Internal Dimension (Height)	11.5 cm
Internal Dimension (Width)	14 cm
Weight	320 a

- Main compartment with dual-zip opening
- Flat front pocket with two mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 1 variable inner divider
- 2 belt loops
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle

Black

• Rain protection hood in the lower part of the back section integrated with hook and eye fastener



hama.

Photo Equipment Bag "Pittsburgh", 130

Material	Polyester
Internal Dimension (Depth)	11 cm
Internal Dimension (Height)	17 cm
Internal Dimension (Width)	20 cm
Weight	470 g

- Main compartment with dual-zip
 opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped external compartment on the back of the bag
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 2 variable inner dividers
- Trolley strap on the back
- Wipeable baseRemovable and length-adjustable
- shoulder strap with ergonomically shaped shoulder pad
- Padded handle
 Rain protection hood in the lower part of the back section integrated

with hook and eye fastener

8 HT





hama

Photo Equipment Bag "Pittsburgh", 135

Material	Polyester
Internal Dimension (Depth)	10.5 cm
Internal Dimension (Height)	14 cm
Internal Dimension (Width)	23 cm
Weight	470 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped compartment on the back of the bag
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 2 variable inner dividers
- Trolley strap on the back
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
 Bain protection boo
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener

8 HT

00185010

Blac





hama

Photo Equipment Bag "Pittsburgh", 140

Material	Polyester
Internal Dimension (Depth)	12.5 cm
Internal Dimension (Height)	18.5 cm
Internal Dimension (Width)	23 cm
Weight	520 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped compartment on the back of the bag
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 2 variable inner dividers
- Trolley strap on the back
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener

8 HT

00185011

18 **hama**.

16 HT

00185008

March 2020 INT

Black

Blac

Ŷ

PHOTO EQUIPMENT BAGS



hama

Photo Equipment Bag "Pittsburgh", 150

Material	Polyester
Internal Dimension (Depth)	15 cm
Internal Dimension (Height)	20 cm
Internal Dimension (Width)	24 cm
Weight	625 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped compartment on the back of the bag
- Pocket on the inside of the back of the bag for a tablet
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 4 variable inner dividers
- Trolley strap on the backWipeable base
- Removable and length-adjustable

Black

- shoulder strap with ergonomically shaped shoulder pad • Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener

4 HT

00185058

Black



hama.

Photo Equipment Bag "Pittsburgh", 170

Material	Polyester
Internal Dimension (Depth)	16 cm
Internal Dimension (Height)	20 cm
Internal Dimension (Width)	29 cm
Weight	725 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped compartment on the back of the bag
- Pocket on the inside of the back of the bag for a tablet
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 6 variable inner dividers
- Trolley strap on the back
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener





hama

Photo Equipment Bag "Pittsburgh", 200

Material	Polyester
Internal Dimension (Depth)	18 cm
Internal Dimension (Height)	23 cm
Internal Dimension (Width)	34.5 cm
Weight	875 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped compartment on the back of the bag
- Pocket on the inside of the back of the bag for a tablet
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 7 variable inner dividers
 Trolley strap on the back
- Wipeable base
- Wipeable base
 Removable and length-adjustable shoulder strap with ergonomically
- shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener

2 HT





hama

Photo Equipment Bag "Syscase", 90

Material	Polytex (600D)
Internal Dimension (Depth)	7 cm
Internal Dimension (Height)	7.5 cm
Internal Dimension (Width)	13 cm
Weight	135 g

- Double zipper opening for quick access
- Front pocket for accessories
- Adjustable shoulder strap
- Handle
- Inside lining made of soft fleece
- Guarantee: 3 years

00185059 Black

00185060 Black

hama.

00103831 10 HT

4 HT

March 2020 INT





hama.

Photo Equipment Bag "Syscase", 100

Material	Polytex (600D)
Internal Dimension (Depth)	7.5 cm
Internal Dimension (Height)	10.5 cm
Internal Dimension (Width)	14.5 cm
Weight	175 g

- Double zipper opening for quick access
- Front pocket for accessories
- Adjustable shoulder strap
- Handle
- Inside lining made of soft fleece
- Guarantee: 3 years





hama.

Photo Equipment Bag "Syscase", 110

Material	Polytex (600D)
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	13 cm
Internal Dimension (Width)	16 cm
Weight	215 g

- Double zipper opening for quick access
- Front pocket for accessories
 Adjustable cheulder strap
- Adjustable shoulder strapHandle
- Inside lining made of soft fleece
- Guarantee: 3 years





hama

Photo Equipment Bag "Syscase", 140

Material	Polytex (600D)
Internal Dimension (Depth)	11 cm
Internal Dimension (Height)	16 cm
Internal Dimension (Width)	23 cm
Weight	300 g

• Double zipper opening for quick	
200000	

- access • Front pocket for accessories
- Adjustable shoulder strap
- Handle
- Inside lining made of soft fleece
- Guarantee: 3 years





hama

Photo Equipment Bag "Valletta", 90

Material	Polytex
Internal Dimension (Depth)	8 cm
Internal Dimension (Height)	13 cm
Internal Dimension (Width)	9 cm
Weight	160 g

- Cover flap with hook and loop fastener
- Additional front compartment with zip fastener
- Detachable shoulder strap
- Belt loop for carrying comfort

Black 12 HT

20

00103832

hama March 2020 INT

Black

Qty PT

6 HT

00103836

Black

00185071

18 HT

Black

00103835

8 HT



hama.

Photo Equipment Bag "Valletta", 100

Material	Polytex
Internal Dimension (Depth)	7.5 cm
Internal Dimension (Height)	10.5 cm
Internal Dimension (Width)	14.5 cm
Weight	260 g

- Main compartment with zip opening
- Two mesh pockets on the sides
- Additional front compartment with zip fastener
- Two belt loops for comfortable carrying
- Padded handle
- Adjustable inner divider
- Detachable shoulder strap





hama

Photo Equipment Bag "Valletta", 110

Material	Polytex
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	13 cm
Internal Dimension (Width)	15.5 cm
Weight	310 g

- Main compartment with zip opening
- Two mesh pockets on the sides
- Additional front compartment with zip fastener
- Two belt loops for comfortable carrying
- Padded handle
- Adjustable inner divider
- Detachable shoulder strap





hama

Photo Equipment Bag "Valletta", 130

Material	Polytex
Internal Dimension (Depth)	11 cm
Internal Dimension (Height)	17 cm
Internal Dimension (Width)	20 cm
Weight	390 g

• Main compartment with zip opening

- Two mesh pockets on the sides
- Additional front compartment with
- zip fastener
- Two belt loops for comfortable carrying
- Padded handle
- Adjustable inner divider
- Detachable shoulder strap





hama.

Photo Equipment Bag "Valletta", 140

Material	Polytex
Internal Dimension (Depth)	11.5 cm
Internal Dimension (Height)	20.5 cm
Internal Dimension (Width)	22 cm
Weight	400 g

- Main compartment with zip opening
- Two mesh pockets on the sides
- Additional front compartment with zip fastener
- Two belt loops for comfortable carrying
- Padded handle
- Adjustable inner divider
- Detachable shoulder strap

Black 00185074 00185075 Black 00185072 Black 00185073 Black 18 HT 16 HT 8 HT 4 HT hama











Camera Backpack "Miami", 150

Material	Polyester
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	24 cm
Internal Dimension (Width)	22 cm
Weight	600 g
For Display Size	26 cm (10.2")

- Padded camera compartment
- 8 removable inner dividers in the camera compartment, 1 neoprene divider with hook and loop fastener for fixing a camera
- Adjustable length shoulder straps with ergonomic padding
- Adjustable waist strap
- Handle with soft padding
- Neoprene compartment for tablet PCs up to 10.1" under the lid
- Additional front compartment with a zippered mesh compartment and an organizer made from neoprene material
- Two side pockets made from mesh material
- Adjustable tripod holder at the side of the backpack
- Suitable for hand luggage
- All-weather cover protects the backpack from rain and dust

Camera Backpack hama. "Miami", 190

Material	Polyester
Internal Dimension (Depth)	12 cm
Internal Dimension (Height)	34 cm
Internal Dimension (Width)	27 cm
Weight	950 g
For Display Size	26 cm (10.2")

- Padded
- 8 remov camera divider for fixing
- with ergonomic padding

- compartment under the lid
- Additional front compartment with a zippered mesh compartment and an organizer made from neoprene material
- Two side pockets made from mesh material
- Adjustable tripod holder at the side of the backpack
- Suitable for hand luggage
- All-weather cover protects the

00139856





hama.

00139855

Dimension (Height)	34 CM
Dimension (Width)	27 cm
	950 g
ay Size	26 cm (10.2")
d camera compartment vable inner dividers in the a compartment, 1 neoprene with hook and loop fastener ng a camera	

Black

2 HT

- Adjustable length shoulder straps
- Adjustable waist strap
- Handle with soft padding
- Neoprene compartment for tablet PCs up to 10.1" and zippered mesh

- backpack from rain and dust

4 HT

hama 22 March 2020 INT

Black





Camera Backpack "Profitour", 180

Material	Nylon
Internal Dimension (Depth)	16 cm
Internal Dimension (Height)	32 cm
Internal Dimension (Width)	27 cm
Weight	1350 g
For Display Size	26 cm (10.2")

- Inner dividers adjustable by means of hook and loop fasteners, allow accommodation of photographic equipment and personal items
- Lens support provides a secure hold for the camera
- The backpack can be filled from the back, the contents are thus protected from theft
- Two large elastic side pockets
- Padded inner compartment for a tablet PC (on the back)
- 2 mesh compartments (inside) for additional accessories
- Three inner compartments for full/ empty batteries and filters
- Inner compartments for full/empty memory cards directly at the quick access opening
- 1 zipped compartment under the lid
- 1 zipped compartment on the lid Padded, adjustable shoulder straps and lap belts

•	Back	with	soft	paddir
				paaan

- ng Soft handle
- Adjustable chest strap with signal whistle
- Loop with a fastener at the top and stowable small bag below for safe transportation of a tripod
- Holders on the left and right, two loops for attaching walking sticks and more at the bottom

2 HT

Integrated rain cover

Black

• Suitable for hand luggage

hama.

- Variable internal sectioning thanks to hook and eye connectors allows a mix of photo equipment and personal items
- Lens support ensures a secure grip for the camera
- It is loaded from the back and in the lower section, protecting the contents from theft
- The back pack is divided into two separate photo sections
- Two large side pockets with zip
- fasteners • One elastic side pocket
- Padded tablet pocket on the inside of the back
- 1 mesh inner pocket for further accessories
- The internal compartments for full / spent batteries and filters
- Internal compartments for full / empty memory cards directly on the quick access





Camera Backpack "Profitour", 240

Material	Nylon
Internal Dimension (Depth)	18 cm
Internal Dimension (Height)	47 cm
Internal Dimension (Width)	27 cm
Weight	1950 g
For Display Size	26 cm (10.2")

- 1 zipped compartment under the cover
- 1 zipped compartment on the cover • Padded, length-adjustable shoulder

hama.

- strap and abdominal belt • Zipped compartments on the right
- and left of the abdominal belt Soft, padded back section
- Soft handle
- Height-adjustable breast strap with signal piping
- Loop with fastener at the top and stowable small bag at the bottom for secure tripod transport
- Holders on the right and left, with two loops at the bottom for attaching hiking sticks, etc.
- Integrated rain hood

Black

• Suitable as hand luggage

hama

00139842 2 HT

Qty PT









"Samara" Camera Backpack, 170, black

hama



"Syscase" Camera Backpack, 170, black

hama

Material	Polytex (600D)
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	30 cm
Internal Dimension (Width)	25 cm
Weight	390 g
For Display Size	n/s

- Padded camera compartment with double-zipper opening
- 7 removable inner dividers in the camera compartment
- Length-adjustable shoulder strap • Handle
- Under the cover is a zipped compartment for further accessories
- Two side pockets made from mesh material
- Tripod holder on the side of the backpack

Material	Polytex, Polytex (600D)
Internal Dimension (Depth)	10 cm
Internal Dimension (Height)	30 cm
Internal Dimension (Width)	25 cm
Weight	390 g
For Display Size	n/s

- Padded camera compartment with double-zipper opening
- 7 removable inner dividers in the camera compartment
- Length-adjustable shoulder strap
- Handle
- Under the cover is a zipped com-
- partment for further accessories • Two side pockets made from mesh material
- Tripod holder on the side of the backpack

В	lack			00139868
		3	HT	

Black

3 HT









"Trekkingtour" Camera Backpack, 160, black

Material	Nylon
Internal Dimension (Depth)	11 cm
Internal Dimension (Height)	16 cm
Internal Dimension (Width)	26 cm
Weight	850 g
For Display Size	38.4 cm (15.0")

Black

• Suitable for hand luggage

All-weather cover protects the

backpack from rain and dust

- Padded, removable camera compartment integrated in the base
- Opening of the camera compartment with a water-repellent zip
- Compartment that can be filled from the top e.g. for personal items and more
- Zipped compartment for tablet PCs up to 10.1" or notebooks up to 15" on the back
- 4 removable inner dividers in the camera compartment
- Ajdustable shoudler straps with ergonomically shaped pads
- Adjustable, padded waist strap with zipped pockets
- Adjustable chest strap with signal whistle
- Extra handle
- Two side pockets (e.g. for a water bottle)
- Adjustable loops e.g. for attaching a tripod and more

Camera Trolley



 All-weather cover protects the backpack from rain and dust

"Miami" Camera Trolley, 200, black/red

hama

Material	Nylon
Internal Dimension (Depth)	12 cm
Internal Dimension (Height)	37 cm
Internal Dimension (Width)	27 cm
Weight	2.9 kg
 Padded, removable camera com- 	 Suitable as hand luggage

- Padded, removable camera compartment with a lid made of mesh material
- One front compartment with a padded notebook divider
- One additional front compartment each with an organizer and for small accessories
- Tablet compartment made from neoprene material under the lid
- 8 removable inner dividers in the camera compartment, 1 neoprene divider with hook and loop fastener for fixing a camera
- Adjustable length shoulder straps with ergonomic padding integrated in the back of the trolley
- Handle with soft padding
- Two side pockets made of mesh material
- Adjustable tripod holder at the side of the trolley
- Feet
- Trolley frame and wheels

00139854

hama

2 HT

00139839

Black





ACTIONCAM-/GOPRO ACCESSORIES



Li-Ion

3.7 V

Black


00046892

Li-Ion

3.8 V

Black

00046305



28

March 2020 INT

Qty PT

Charger & Power Supply Units | Monopods & Tripods






Battery Charger "Travel for GoPro"

Colour

• LED function indicator gives information about the charge state

Black

- Fast, easy and safe charging of the battery
- The battery fits perfectly into the charger
- USB charging connection for USB power supplies, USB car chargers, power packs
- USB connection cable included (USB A plug - micro USB)
- Short-circuit proof and reverse polarity protected
- With IC controlled charging control for gentle and efficient charging







"Traveller Pro" Tripod for Smartphones, GoPros, Photo Cameras, 105 - Ball

Thread/Connection	1/4" (6.4 mm), GoPro, Smartphone holder
Leg Segments	8 Sections (7x Extendible)
Material	Aluminium
Maximum Load	n/s
Tripod Head	Ball Head
Maximum Height	105 cm
Maximum Profile Thickness	19 mm
Minimum Height	23 cm
Weight	455 g

• Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips

- Sensational, versatile photos and videos from original perspectives and unusual places
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies Tripod leg covered with high-quality,
- durable rubber with a honeycomb pattern for outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a smartphone width from 4.8 - 9.5 cm (in horizontal format) thanks to the double extendable clamp spring holder

• Foam padding on the holder protects the smartphone case from scratches

hama.

- Patterned rubber feet for firm grip on smooth, slippery and uneven surfaces
- Space-saving design: the smartphone holder can be folded
- Smartphone holder is removable and compatible with other tripods
- Rotatable threaded plate for optimum connection of other adapters
- For connecting cameras with a GoPro connection
- Also suitable for cameras with ¼" thread

00004620 Red 6 BK



Monopods & Tripods





"Traveller Pro" Tripod for Smartphones, GoPros, Photo Cameras, 106 - 2D

Thread/Connection	1/4" (6.4 mm), GoPro, Smartphone holder
Leg Segments	8 Sections (7x Extendible)
Material	Aluminium
Maximum Load	n/s
Tripod Head	2D: 2-Way Head
Maximum Height	106 cm
Maximum Profile Thickness	19 mm
Minimum Height	25.5 cm
Weight	610 g

- the 2D tilt head allows perfect alignment for landscape shots
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and in unusual locations
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move
- No more wobbly, skewed selfies • Tripod leg covered with high-quality, durable rubber with a honeycomb pattern for outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a

smartphone width from 4.8 – 9.5 cm (in horizontal format) thanks to the double extendable clamp spring holder

hama.

- Foam padding on the holder protects the smartphone case from scratches
- Patterned rubber feet for firm grip on smooth, slippery and uneven surfaces
- Space-saving design: the smartphone holder can be folded
- Smartphone holder can be removed and used with other tripods
- Rotatable threaded plate for optimum connection of other adapters
- Connection of cameras with GoPro connection

20



hama.

"Selfie 120" Self-Monopod

Clamping Range From	n/s
Clamping Range Up To	n/s
Maximum Length	120 cm
Minimum Length	31 cm

- 2in1 system for 1/4 inch threads and GoPro cameras
- The telescopic pole is extendable up to 120 cm and ideal for situations where additional height is necessary to capture the desired images, e.g. at action recordings, concerts, for difficult-to-capture subjects or group pictures
- Completely new perspectives are possible with this self monopod
- Connection for all cameras with a tripod thread, e.g. action cameras or digital cameras and GoPro connection
- Non-slip foam grip with a hand strap and snap hook for a firm and secure grip
- Can also be used as a tripod extension



hama

"Selfie 90" Self-Monopod

n/s
n/s
90 cm
30 cm

- 2in1 system for 1/4 inch threads and GoPro cameras
- The telescopic pole is extendable up to 90 cm and ideal for situations where additional height is necessary to capture the desired images, e.g. at action recordings, concerts, for difficult-to-capture subjects or group pictures
- Completely new perspectives are possible with this self monopod
- Connection for all cameras with a tripod thread, e.g. action cameras or digital cameras and GoPro connection
- Non-slip foam grip with a hand strap and snap hook for a firm and secure grip
- Can also be used as a tripod extension

	00004631	Black 0000426			00004268	Black			00004299
BK	00004051	Diden	6	BK	00004200	brack	6	BK	00004255

Red

Monopods & Tripods







"Selfie 50" Self-Monopod

Clamping Range From	n/s
Clamping Range Up To	n/s
Maximum Length	47 cm
Minimum Length	18 cm

- 2in1 system for 1/4 inch threads and GoPro cameras
- The telescopic pole is extendable up to 47 cm and ideal for situations where additional height is necessary to capture the desired images, e.g. at action recordings, concerts, for difficult-to-capture subjects or group pictures
- Completely new perspectives are possible with this self monopod
- Connection for all cameras with a tripod thread, e.g. action cameras or digital cameras and GoPro connection
- Non-slip foam grip with a hand strap and snap hook for a firm and secure grip

6 BK

00004278

• Can also be used as a tripod extension





Bending Tripod "Flex for Smartphone and GoPro, 14 cm"

Thread/Connection	GoPro, Smartphone holder
Maximum Height	14 cm
Minimum Height	7 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2-in-1 system for smartphones and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a hand-held tripod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs encased in high quality foam for maximum flexibility and grip, making them especially pleasant to use in cold weather
- Extremely flexible, suitable for a smartphone width from 5.5 – 7.8 cm (in horizontal format) thanks to the clamp spring holder
- Rubber inserts on the holder protect the smartphone case from scratches
- Rubber feet for firm grip on smooth and slippery surfaces
- Compact, handy and space-saving: fits in any pocket because the smart-

Red			00004611
Blue			00004610
Black			00004609
	6	BK	





hama

Bending Tripod "Flex for Smartphone and GoPro, 26 cm"

Thread/Connection	GoPro, Smartphone holder
Maximum Height	26 cm
Minimum Height	9 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2-in-1 system for smartphones and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a monopod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs encased in high quality foam for maximum flexibility and grip, making them especially pleasant to use in cold weather
- Extremely flexible, suitable for a smartphone width from 5.5 – 7.8 cm (in horizontal format) thanks to the clamp spring holder
- Rubber inserts on the holder protect the smartphone case from scratches
- Rubber feet for firm grip on smooth and slippery surfaces
- Space-saving design: the smartphone holder can be folded

Red			00004617
Blue			00004615
Black			00004613
	6	BK	





hama.

"Flex 2in1" Mini Tripod for Photographic Cameras and GoPro, 14 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Maximum Height	14 cm
Minimum Height	7.5 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Tripod legs with non-slip foam
- Also usable as normal table-top tripod

20 BK

0

Black



Monopods & Tripods



hama

"Flex 2in1" Tripod for Photo Cameras and GoPro, 26 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Maximum Height	26 cm
Minimum Height	10 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Handy travel format for easy transport in a bag or back pack
- Non-slip foam on the tripod legs
 Can of course also be used as a normal table tripod



hama

Bending Tripod "FlexPro for Smartphone, GoPro and photocameras, 27 cm"

1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder
27 cm
16 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 3-in-1 system for smartphones, GoPro cameras and 1/4-inch thread
- The ball head allows perfect alignment for shots in portrait and
- landscape format
 Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a monopod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
 Tripod legs covered with highquality, durable rubber with a honeycomb pattern for maximum flexibility and outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a smartphone width from 4.8 9.5 cm (in horizontal format) thanks to the double extendable clamp spring

Red				00004608
Blue				00004607
Black	<			00004605
		6	BK	





hama

"Flex" Mini Tripod for Smartphones & GoPro Devices, 5.5- 7.8 cm

Thread/Connection	GoPro, Smartphone holder
Maximum Height	14 cm
Minimum Height	7 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and in unusual locations
- Continuously adjustable, individually flexible tripod legs: allows adaptation to a range of surfaces and objects and use as a hand-held tripod
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move
- No more wobbly, skewed selfies
- Tripod legs surrounded with highquality form for maximum flexibility and excellent grip, especially pleasant in cold weather
- Extremely flexible for smartphone widths of between 5.5 and 7.8 cm (in horizontal format) thanks to clamping spring holder
- Rubber inserts on the holder protect the smartphone casing from scratches
- Rubber feet for a good grip on smooth and slippery surfaces
- Compact, handy and space-saving: fits into any bag for carrying around with you, since the smartphone holder can be folded away



"Multi 4in1" Table Tripod

Thread/Connection	1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder
Maximum Height	90 cm
Minimum Height	20 cm

- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- The built-in self monopod is ideal for sports and action shots e.g. for filming yourself when skiing Selfie Stick / Telescopic Rod:
- Telescopic rod extendable to 90 cm for a wide range of action, for e.g. concert recordings, hard-to-reach motifs and group shots
- Torsion-resistant telescopic rod through guide groove
- Min/max height: 20/90 cm
- Weight: 225 g

Smartphone Holder:

- Extremely flexible, for a smartphone width from 5.5 7.8 cm (in horizon-tal format)
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- Also in combination with tripods and telescopic rods with 1/4" connection thread
- No more wobbly, skewed selfies
- Clamp spring holder and securing lug on the surface ensure a firm grip, while rubber protects the housing from scratches

Adapter for Cameras with GoPro

5	Black			00178366	Black			00004601	
		6	BK			6	SC		

10 BK

00004314

Black

Monopods & Tripods | Holders

Suction Cup/Pod



hama

Suction Mount with Ball Head 360 for GoPro

Material	Plastic Material
Height	150 mm
Suction Cup Diameter	90 mm

• The ball head allows perfect alignment for shots in portrait and landscape format

- For GoPro action cameras and digital cameras with a 1/4" connection thread
- 3D ball head with 360° rotation
- Can also be used as a car pod
- Diameter of the suction cup: 90 mm

Black			00004356
	6	BK	



Action Camera Holder/Mounting

hama

Μ

Head Strap Mount for GoPro

laterial	Nylon
lon-slip rubber c	oating on the

- Non-slip rubber coating on the inside for a firm hold
- Gives you a near-eye level point of view by securely fitting around your ski and sports helmets, both hands remain free
- The strap can be worn directly on your head or over a helmet
- Fully adjustable to fit different sizes
- Elastic stretch material
- With a transport bag for protecting the equipment

Black			00004359
	6	BK	
			And a state
			all the second
	4	15	
	and the second	1	
West and			
S.			
-			



Helmet Strap 360° for GoPro

Material

• Does not get lost or out of place when attached to the helmet's ventilation slots

Nylon

- 360° rotating connection adapter for various shooting angles
- Adhesive pad included: if required the adhesive pad can be cleanly removed when heat (hairdryer) is applied
- Gives you a near-eye level point of view by securely fitting around your ski and sports helmets, both hands

12 BK

Black



hama.

"Side" Helmet Mount for GoPro

Material	Plastic Material

- 3-way swivelling arm for all imaginable shooting angles
- The high-quality 3M adhesive technology ensures a consistently reliable hold also in the rain and cold
- Gives you a near-eye level point of view by securely fitting around your ski and sports helmets, both hands remain free
- The GoPro camera can easily and quickly be positioned at the side of the helmet by means of a curved

Black			00004396
	12	BK	



"Front Long" Helmet Mount for GoPro

|--|

- The high-quality 3M adhesive technology ensures a consistently reliable hold also in the rain and cold
- Gives you a near-eye level point of view by securely fitting around your ski and sports helmets, both hands remain free
- Allows you to capture forward facing footage by mounting your GoPro action camera on the helmet; the camera can also be turned back on yourself for self-portraits

22 BK



hama. 'Front" Helmet Moun

"Front" Helmet Mount for GoPro

Material	Plastic Material
----------	------------------

- The high-quality 3M adhesive technology ensures a consistently reliable hold also in the rain and cold
- Gives you a near-eye level point of view by securely fitting around your ski and sports helmets, both hands remain free
- Allows you to capture forward facing footage by mounting your GoPro action camera on the helmet
- If required the adhesive pads can be cleanly removed when heat

Black			00004398
	12	BK	



hama

Material

Blac

Mounting Clamp, 360°, for GoPro

Plastic Material

- Allows ultra compact and spacesaving attachment
- Can be rotated 360°
- For attaching to jackets, rods, plates, glass and much more
- Small teeth on the inside of the clamp for a firm grip

hama


k			00004395
	12	BK	

0

00004419



Holders



34

March 2020 INT

Qty PT

Holders





1/4" Camera Connection Adapter for GoPro Accessories, Version II

Material Plastic Material





Accessory Set for GoPro

- 3-way swivelling arm for all imaginable shooting angles
- The high-quality 3M adhesive technology ensures a consistently reliable hold also in the rain and cold
- Set comprising two different adhesive mounts, two different quick-release fasteners, one 3-way swivelling arm and one long replacement screw

Adhesive pads • 2-part replacement set consisting of

		00004397
12	BK	



12 BK

00004467

hama.

Black

Camera Adapter for GoPro to 1/4" Tripod Mount

Material Plastic Material



hama

Adhesive Mount Set for GoPro

- The high-quality 3M adhesive technology ensures a consistently reliable hold also in the rain and cold
 4-part replacement set consisting of
- two straight (e.g. for car windows) and two curved (e.g. for sports helmets, handlebars) adhesive mounts
- If required the adhesive mounts can be cleanly removed when heat (hairdryer) is applied

Black 00004354


00004374 12 BK

Qty PT





SMARTPHONE/TABLET PHOTO ACCESSORIES



Tripod



Cleaning Pen

MicroPro II" Lens Pen

which	I U	 LCIIS	۰.	CII

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	5 mm
Nib Length	9 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers separately
- Original lens pen
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- Small and handy pen with a clip for attachment and an ergonomic design
- Flat velvety surface
- Diameter: 5 mm, especially for eyepieces and smartphone cameras



hama. Power Pack

"Trip", 7800 mAh

Connection (Input)	USB Micro B Socket				
Connection (Output)	USB A Socket				
Component	Micro-USB-Cable				

- The power pack provides an energy boost on the go
- Certified cells guarantee the highest safety standard and top quality
 Housing with comfortable soft-
- Tousing with comortable soft touch surfaceEasy recharging of photo cam-

eras (with USB charging function), specific batteries (with USB battery Black 00077484

6 BK



Tripod for Smartphone/Tablet, 106 - 3D

Leg Segments4 Sections (3x Extendible)MaterialAluminiumMaximum Load500 gTripod Head3D: 3-Way HeadMaximum Height106 cmMaximum Profile Thickness16.80 mmMinimum Height36.50 cmWeight520 g• Camera Tripod:Smartphone / Tablet Holder:• Camera Tripod:• Surartphone / Tablet Holder:• Camera Tripod:Smartphone / Tablet Holder:• Camera Tripod:• Surartphone / Tablet Holder:• Camera tripod for blur-free images and stability on uneven surfacesSmartphone / Tablet Holder:• Camera Tripod:• Surartphone / Tablet Holder:• Quick-change plate for rapid chan- ging of the camera• Surew-connected universal holder for devices without tripod socket• Extremely flexible for a smartphone width from 11.2 to 18.5 cm (i horizontal format)• Compact design • For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about• No more wobbly, skewed selfies• Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from• Champagne00004619	Thread/Connection	1/4" (6.4 mm)								
Maximum Load500 gTripod Head3D: 3-Way HeadMaximum Height106 cmMaximum Profile Thickness16.80 mmMinimum Height36.50 cmWeight520 g• Camera Tripod: • Camera tripod for blur-free images and stability on uneven surfaces • 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snaps • Quick-change plate for rapid chan- ging of the camera • Spirit level integrated into the tripod headSmartphone / Tablet Holder: • with this holder, all smartphones and tablets can be attached to tripod• Quick-change plate for rapid chan- ging of the camera • Spirit level integrated into the tripod head• Screw-connected universal holder for devices without tripod socket • Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (i horizontal format)• Infinite height adjustment of the central pillar • Cross-struts and rubber feet for secure stand• Compact design • For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about • No more wobbly, skewed selfies • Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from	Leg Segments									
Tripod Head3D: 3-Way HeadMaximum Height106 cmMaximum Profile Thickness16.80 mmMinimum Height36.50 cmWeight520 g• Camera Tripod: • Camera tripod for blur-free images and stability on uneven surfaces • 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snapsSmartphone / Tablet Holder: • with this holder, all smartphones and tablets can be attached to tripod• Quick-change plate for rapid chan- ging of the camera • Spirit level integrated into the tripod headScrew-connected universal holder for devices without tripod socket • Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (i horizontal format)• Infinite height adjustment of the central pillar • Cross-struts and rubber feet for secure stand • Functional quick-action leg locks for fast and simple locking of the leg length in any position• Compact design • For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about • No more wobbly, skewed selfies • Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from	Material	Aluminium								
Maximum Height106 cmMaximum Profile Thickness16.80 mmMinimum Height36.50 cmWeight520 g• Camera Tripod: • Camera tripod for blur-free images and stability on uneven surfaces • 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snapsSmartphone / Tablet Holder: • with this holder, all smartphones and tablets can be attached to tripod• Quick-change plate for rapid chan- ging of the camera • Spirit level integrated into the tripod headScrew-connected universal holder for devices without tripod socket • Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (i horizontal format)• Infinite height adjustment of the central pillar • Cross-struts and rubber feet for secure stand• Compact design • For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about • No more wobbly, skewed selfies • Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from	Maximum Load	500 g								
Maximum Profile Thickness16.80 mmMaximum Profile Thickness16.80 mmMinimum Height36.50 cmWeight520 g• Camera Tripod: • Camera tripod for blur-free images and stability on uneven surfaces • 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snapsSmartphone / Tablet Holder: • with this holder, all smartphones and tablets can be attached to tripod• Quick-change plate for rapid chan- ging of the camera • Spirit level integrated into the tripod head• Screw-connected universal holder for devices without tripod socket • Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (i horizontal format)• Infinite height adjustment of the central pillar • Cross-struts and rubber feet for secure stand• Compact design • For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about • No more wobbly, skewed selfies • Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from	Tripod Head	3D: 3-Way Head								
Minimum Height36.50 cmWeight520 g• Camera Tripod: • Camera tripod for blur-free images and stability on uneven surfaces • 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snapsSmartphone / Tablet Holder: • with this holder, all smartphones and tablets can be attached to tripod• Quick-change plate for rapid chan- ging of the camera • Spirit level integrated into the tripod head• Screw-connected universal holder for devices without tripod socket • Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (i horizontal format)• Infinite height adjustment of the central pillar • Cross-struts and rubber feet for secure stand• Compact design • For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about • No more wobbly, skewed selfies • Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from	Maximum Height	106 cm								
Weight520 g• Camera Tripod: • Camera tripod for blur-free images and stability on uneven surfacesSmartphone / Tablet Holder: • with this holder, all smartphones and tablets can be attached to tripod• 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snaps• with this holder, all smartphones and tablets can be attached to tripod• Quick-change plate for rapid chan- ging of the camera • Spirit level integrated into the tripod head• Screw-connected universal holder for devices without tripod socket • Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (i horizontal format)• Infinite height adjustment of the central pillar • Cross-struts and rubber feet for secure stand • Functional quick-action leg locks for fast and simple locking of the leg length in any position• Compact design • For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about • No more wobbly, skewed selfies • Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from	Maximum Profile Thickness	16.80 mm								
 Camera Tripod: Camera tripod for blur-free images and stability on uneven surfaces 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snaps Quick-change plate for rapid chan- ging of the camera Spirit level integrated into the tripod head Infinite height adjustment of the central pillar Cross-struts and rubber feet for secure stand Functional quick-action leg locks for fast and simple locking of the leg length in any position Samatphone / Tablet Holder: with this holder, all smartphones and tablets can be attached to tripod Screw-connected universal holder for devices without tripod socket Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (i horizontal format) Compact design For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about No more wobbly, skewed selfies Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from Champagne 	Minimum Height	36.50 cm								
 Camera tripod for blur-free images and stability on uneven surfaces 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snaps Quick-change plate for rapid chan- ging of the camera Spirit level integrated into the tripod Infinite height adjustment of the central pillar Functional quick-action leg locks for fast and simple locking of the leg length in any position with this holder, all smartphones and tablets can be attached to tripod Screw-connected universal holder for devices without tripod socket Extremely flexible for a smartphone with from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (i horizontal format) Compact design For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about No more wobbly, skewed selfies Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from Champagne 	Weight	520 g								
	 Camera tripod for blur-free images and stability on uneven surfaces 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snaps Quick-change plate for rapid chan- ging of the camera Spirit level integrated into the tripod head Infinite height adjustment of the central pillar Cross-struts and rubber feet for secure stand Functional quick-action leg locks for fast and simple locking of the leg 	 with this holder, all smartphones and tablets can be attached to tripod Screw-connected universal holder for devices without tripod socket Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (ir horizontal format) Compact design For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about No more wobbly, skewed selfies Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from 								

hama.



hama.

Power Pack "Trip", 5200 mAh

Connection (Input)	USB Micro B Socket
Connection (Output)	USB A Socket
Component	Micro-USB-Cable

- The power pack provides an energy boost on the go
- Certified cells guarantee the highest safety standard and top quality
 Housing with comfortable soft-
- Tousing with connortable sorttouch surface
 Easy recharging of photo cam-
- eras (with USB charging function), specific batteries (with USB battery

6 BK

20 BK

Black, Purple

Black



"Star Smartphone" 112 tripod - 3D with "BRS3" Bluetooth remote shutter release



Thread/Connection	1/4" (6.4 mm), Smartphone holder
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	n/s
Tripod Head	3D: 3-Way Head
Maximum Height	112 cm
Maximum Profile Thickness	17 mm
Minimum Height	40 cm
Weight	450 g

- Camera Tripod
- Camera tripod for blur-free images and stability on uneven surfaces
- 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snaps
- Infinite height adjustment of the central pillar
- Cross-struts and rubber feet for secure stand
- Functional quick-action leg locks for fast and simple locking of the leg length in any position

Smartphone Holder

- Cold shoe for attaching LED lights and microphones, for example
- Extremely flexible, for smartphone width of 5.6 8.2 cm
- Compact design
- For selfies and videos, perfect for

video diaries, blogs and ideal for out and about

- No more wobbly, skewed selfies
- Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from scratches

Bluetooth release:

Black

- For smartphone cameras, ideal for selfies
- Connection via Bluetooth directly with the smartphone
- Allows unusual photo and selfie angles
- Safe photography in high-action situations

00004640

"Traveller Pro" Tripod for Smartphones, GoPros, Photo Cameras, 105 - Ball

Thread/Connection 1/4" (6.4 mm), GoPro, Smartphone holder 8 Sections (7x Extendible) Leg Segments Material Aluminium Maximum Load n/s Ball Head Tripod Head Maximum Height 105 cm Maximum Profile Thickness 19 mm Minimum Height 23 cm Weight 455 g

- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod leg covered with high-quality, durable rubber with a honeycomb pattern for outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a smartphone width from 4.8 9.5 cm (in horizontal format) thanks to the double extendable clamp spring holder

• Foam padding on the holder protects the smartphone case from scratches

hama.

- Patterned rubber feet for firm grip on smooth, slippery and uneven surfaces
- Space-saving design: the smartphone holder can be folded
- Smartphone holder is removable and compatible with other tripods
- Rotatable threaded plate for optimum connection of other adapters
- For connecting cameras with a GoPro connection

<u>hama</u>.

 Also suitable for cameras with 1/4" thread

6 BK







"Traveller Pro" Tripod for Smartphones, GoPros, Photo Cameras, 106 - 2D

Thread/Connection	1/4" (6.4 mm), GoPro, Smartphone holder
Leg Segments	8 Sections (7x Extendible)
Material	Aluminium
Maximum Load	n/s
Tripod Head	2D: 2-Way Head
Maximum Height	106 cm
Maximum Profile Thickness	19 mm
Minimum Height	25.5 cm
Weight	610 g

- the 2D tilt head allows perfect alignment for landscape shots
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and in unusual locations
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move
- No more wobbly, skewed selfies
 Tripod leg covered with high-quality, durable rubber with a honeycomb pattern for outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a smartphone width from 4.8 9.5

hama

cm (in horizontal format) thanks to the double extendable clamp spring holder

hama.

- Foam padding on the holder protects the smartphone case from scratches
- Patterned rubber feet for firm grip on smooth, slippery and uneven surfaces
- Space-saving design: the smartphone holder can be folded
- Smartphone holder can be removed and used with other tripods
- Rotatable threaded plate for optimum connection of other adapters
- Connection of cameras with GoPro connection



hama

"Moments 100" Selfie Stick, black

Clamping Range From	n/s
Clamping Range Up To	n/s
Maximum Length	96 cm
Minimum Length	21 cm

- 2in1 system for smartphones, universal 1/4" thread
- The telescopic pole is extendable up to 100 cm and ideal for situations where additional height is necessary to capture the desired images e.g. selfportraits, group pictures, concerts
- For selfie photos and videos
- No more blurred selfies
- Completely new perspectives are possible with this self monopod
- Guide groove prevents turning
- With a smartphone holder for quickly attaching the smartphone
- Connection of all cameras with a tripod socket, e.g. digital cameras
- Non-slip rubber grip with a hand strap for a secure hold
- Can also be used as a tripod extension
- Extremely flexible for a smartphone width from 5.5 to 7.5 cm (landscape orientation)
- Compact design
- Spring clip holder for a firm grip, rubber coating and foam padding protect the casing from scratches



hama

"Moments 100" Selfie, black

Clamping Range From	5.5 cm
Clamping Range Up To	7.5 cm
Maximum Length	96 cm
Minimum Length	21 cm

- 2in1 system for smartphones, universal 1/4" thread
- Telescopic bar extendable up to 100 cm for a wider view, e.g. for selfies and group selfies, concerts
- For selfie photos and videos
- No more wobbly selfies
- This selfie monopod opens up completely new perspectives
- Twist-proof telescopic rod through guide groove
- With smartphone quick clamp for quick attachment to the smartphone
- Connection of all cameras with tripod socket, e.g. digital cameras
- Non-slip rubber grip with hand strap for firm, secure grip
- Can also be used as an extension for tripods
- Extremely flexible, for a smartphone width from 5.5 7.5 cm (in horizontal format)
- Compact design
- Clamp spring holder ensures a firm grip, while rubber and foam padding protect the housing from scratches

esetting													
or a	Red			00004631	Black			00004281	Black			00183392	
- 9.5		20	BK			6	BK			6	BK		

Qty PT



hama.

"Fun 70" Selfie, Bluetooth®, black

Clamping Range From	5.5 cm
Clamping Range Up To	8.5 cm
Maximum Length	70 cm
Minimum Length	20.5 cm

- Telescopic bar extendable up to 70 cm for a wider view, e.g. for selfies and group selfies, concerts
- Twist-proof telescopic rod through quide groove
- Connection via Bluetooth directly with the smartphone, no additional app required
- Allows unusual photo and selfie angles
- For selfie photos and videos, blogs, ideal for trips, for life on the move and for action photography
- Better focusing, faster snapshots, resulting in better pictures and sharp, un-blurred selfies
- This selfie monopod opens up completely new perspectives
- With smartphone quick clamp for quick attachment to the smartphone
- Non-slip rubber grip for firm, secure grip
- Extremely flexible, for a smartphone width from 5.5 - 8.5 cm (in horizontal format)
- Compact design
- Clamp spring holder ensures firm arip
- Independent of self-trigger mode
- USB connection: micro USB 2.0

6 BK

00004315



hama.

"Funstand 57" Selfie Stick, with Bluetooth Remote Trigger, black

Clamping Range From	6 cm
Clamping Range Up To	8.5 cm
Maximum Length	57 cm
Minimum Length	16 cm

- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Selfie Monopod / Selfie Stick:
- Ideal for sport and action shots, e.g. filming yourself skiing
- For selfie photos and videos, blogs, ideal for trips and for life on the move
- This selfie monopod opens up completely new perspectives
- Perfect arm extension for wobblefree selfies
- Telescopic bar extendable up to 57 cm for a wider view, e.g. for selfies and group selfies, concerts
- Twist-proof telescopic rod through auide aroove
- With smartphone quick clamp for quick attachment to the smartphone
- Swivel smartphone holder for por-
- trait and landscape format Non-slip rubber grip for firm, secure
- grip Extremely flexible, for a smartphone width from 6.0 - 8.5 cm (landscape format)
- Clamp spring holder ensures firm grip, while ribbed rubber pads on the resting surfaces protect the smartphone

6 BK

 Compact design • Min/max length: 16/57cm

Bluetooth release:

Black





hama.

Bending Tripod "Flex for Smartphone and GoPro, 14 cm"

Thread/Connection	GoPro, Smartphone holder
Maximum Height	14 cm
Minimum Height	7 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2-in-1 system for smartphones and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs - adaptable to many surfaces and objects and can be used as a hand-held tripod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs encased in high quality foam for maximum flexibility and grip, making them especially pleasant to use in cold weather
- Extremely flexible, suitable for a smartphone width from 5.5 - 7.8 cm (in horizontal format) thanks to the clamp spring holder
- Rubber inserts on the holder protect the smartphone case from scratches
- Rubber feet for firm grip on smooth and slippery surfaces
- Compact, handy and space-saving: fits in any pocket because the smart-

Red				00004611
Blue				00004610
Black			00004609	
		6	BK	







hama.

Bending Tripod "Flex for Smartphone and GoPro, 26 cm"

Thread/Connection	GoPro, Smartphone holder
Maximum Height	26 cm
Minimum Height	9 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2-in-1 system for smartphones and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs - adaptable to many surfaces and objects and can be used as a monopod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs encased in high quality foam for maximum flexibility and grip, making them especially pleasant to use in cold weather
- Extremely flexible, suitable for a smartphone width from 5.5 - 7.8 cm (in horizontal format) thanks to the clamp spring holder
- Rubber inserts on the holder protect the smartphone case from scratches
- Rubber feet for firm grip on smooth and slippery surfaces
- Space-saving design: the smartphone holder can be folded

Red			00004617
Blue			00004615
Black			00004613
	6	BK	





hama.

Bending Tripod "FlexPro for Smartphone, GoPro and photocameras, 27 cm"

Thread/Connection	1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder
Maximum Height	27 cm
Minimum Height	16 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 3-in-1 system for smartphones, GoPro cameras and ¼-inch thread
- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a monopod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs covered with highquality, durable rubber with a honeycomb pattern for maximum flexibility and outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a smartphone width from 4.8 9.5 cm (in horizontal format) thanks to the double extendable clamp spring

Red			00004608
Blue			00004607
Black			00004605
	6	BK	



hama

Mini Pod "Pocket"

Thread/Connection	Smartphone holder
Maximum Height	5 cm
Minimum Height	5 cm

- Integrated mirror for the perfect selfie angle with the front camera
- Compact, handy and space-saving: fits in any pocket because the smartphone holder can be folded
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Extremely flexible, suitable for a smartphone width from 5.0 – 8.5 cm (in horizontal format) thanks to the clamp spring holder
- Rubber inserts on the holder protect the smartphone case from scratches
- Stepless, individually adjustable tripod legs — adaptable to many surfaces and can be used as a handheld tripod
- Rubberised tripod legs for secure grip
- Can also be used as a stand for the smartphone, e.g. on a desk or bedside table

6 SC

White





hama

"Pocket" Smartphone Mini-Tripod, 5 cm, black, 12 Pcs in Display

Thread/Connection	Smartphone holder
Maximum Height	5 cm
Minimum Height	5 cm

- Integrated mirror for the perfect selfie angle with the front camera
- Compact, handy and space-saving: fits into any bag for carrying around with you, since the smartphone holder can be folded away
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move
- No more wobbly, skewed selfies
- Extremely flexible for smartphone widths of between 5.0 and 8.5 cm (in horizontal format) thanks to clamping spring holder
- Rubber inserts on the holder protect the smartphone casing from scratches
- Stepless, individually adjustable tripod legs — adaptable to many
- surfaces and can be used as a handheld tripod • Rubberised tripod legs for secure
- grip • Can also be used as a stand for the smartphone, e.g. on a desk or bedside table





hama

"Solid" Table Tripod for Smartphones and Photo Cameras, 19B

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Maximum Height	19 cm
Minimum Height	16 cm

- Stable and robust workmanship with high-quality materials and screwedin rather than bonded components to guarantee a tripod with a long service life
- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- 2in1 system for smartphones, universal 1/4" thread
- Tripod legs can be pulled out in 5 stages: adjustable via moving engagement mechanism at the press of a button on the inside of the tripod legs
- Tripod legs can be adjusted individually in order to adapt the tripod perfectly to different substrates and images
- Extremely flexible, suitable for a smartphone width from 5.9 – 9.0 cm (in horizontal format) thanks to the extendable clamp spring holder
- Double-folding smartphone holder for space-saving and secure transport that protects mechanical parts
- Rubberised padding on the holder and a rubberised protective cap on the thread protect the smartphone casing from scratches
- Rubber feet for firm grip on smooth, slippery and uneven surfaces
- Bubble level integrated in the tripod

6 BK

00004630

Black

 Black
 00004602
 Black
 00004632

 6
 BK
 III
 SC





hama

"Pocket" Smartphone Mini-Tripod, 20 cm, black

Thread/Connection	Smartphone holder
Maximum Height	20 cm
Minimum Height	10 cm

- Integrated mirror for the perfect selfie angle with the front camera
- The built-in self monopod is ideal for sports and action shots e.g. for filming yourself when skiing
- Compact, handy and space-saving: fits in any pocket because the smartphone holder can be folded

Selfie Stick / Telescopic Rod:

- Telescopic rod extendable to 20 cm for a wide range of action, for e.g. concert recordings, hard-to-reach motifs and group shots
- Torsion-resistant telescopic rod through guide groove
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
 Extremely flexible, suitable for a smartphone width from 5.0 – 8.5 cm (in horizontal format) thanks to the clamp spring holder
- Rubber inserts on the holder protect the smartphone case from scratches
- Stepless, individually adjustable tripod legs — adaptable to many surfaces and can be used as a handheld tripod
- Rubberised tripod legs for secure grip
- Can also be used as a stand for the smartphone, e.g. on a desk or bedside table





hama.

"Solid II, 21B" Table Tripod, with "BRS2" Bluetooth Remote Trigger

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Maximum Height	21 cm
Minimum Height	18 cm

- Stable and robust workmanship with high-quality materials and screwedin rather than bonded components to guarantee a tripod with a long service life
- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- 2in1 system for smartphones, universal 1/4" thread Desktop Tripod:
- Tripod legs can be pulled out in 5 stages: adjustable via moving engagement mechanism at the press of a button on the inside of the tripod legs
- Tripod legs can be adjusted individually in order to adapt the tripod perfectly to different surfaces and images
- For a smartphone width from 5.9 9.0 cm (in horizontal format) thanks to the extendable clamp spring holder
- Double-folding smartphone holder for space-saving and secure trans-
- port that protects mechanical partsRubber finish on the handle and thread protects against scratches
- Cold shoe for attaching LED lights and microphones, for example
- Rubber feet for firm grip on smooth, slippery and uneven surfaces

Qty PT



hama

"2-in-1" Miniature Tripod for Smartphones, Ball

tphone er
cm
cm
0

- 2in1 tripod for using with devices with and without tripod mount
- The ball head allows perfect alignment for shots in portrait and landscape format
- Screw-connected universal holder for devices without tripod socket
- Extremely flexible, for a smartphone width from 5.5 7.5 cm
- Ideal for shots taken with the auto-timer



"Multi 4in1" Table Tripod

Thread/Connection	1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder
Maximum Height	90 cm
Minimum Height	20 cm

- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- The built-in self monopod is ideal for sports and action shots e.g. for filming yourself when skiing Selfie Stick / Telescopic Rod:
- Telescopic rod extendable to 90 cm for a wide range of action, for e.g. concert recordings, hard-to-reach motifs and group shots
- Torsion-resistant telescopic rod through guide groove
- Min/max height: 20/90 cm • Weight: 225 g

- Smartphone Holder:
- Extremely flexible, for a smartphone width from 5.5 7.8 cm (in horizon-tal format)
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- Also in combination with tripods and telescopic rods with 1/4" connection thread
- No more wobbly, skewed selfies
- Clamp spring holder and securing lug on the surface ensure a firm grip, while rubber protects the housing from scratches

Adapter for Cameras with GoPro

 Black
 00004621
 Black
 00004635
 Black
 00004104
 Black
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 00004601
 0000460

March 2020 INT

Holders

Smartphone Holder/Fixing

active line

SMARTPHONE/TABLET PHOTO ACCESSORIES



Smartphone Video Holder with Grip, 10 cm, 1/4"

Attachment	Tripod Thread 1/4"
Model	Tripod-Mobile Phone-Holder
Mounting	Screw-On Mounting
Mobile Phone Width	n/s

- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- 3 additional threaded connections (1/4-inch) to enable professional videos; for connecting to tripods and for additional accessories, such as LED lights and microphone
- Spectacular recordings from new perspectives, ideal for vloggers, photographers, message senders or even for amateur film-makers
- Clamp / screw spring holder ensures firm grip for smartphones measuring 5 - 10 cm in horizontal format
- Compact grip sits very comfortably in the hand
- Integrated spirit level for perfect alignment
- Hand strap for additional security Video holder can also be used as a self-monopod and secured to mini or photo tripods
- When used as a smartphone holder, comfortably view content on the smartphone



hama. "Pro" Smartphone Holder, 9.5 cm, 1/4"

Attachment	Tripod Thread 1/4"
Model	Tripod-Mobile Phone-Holder
Mounting	Screw-On Mounting
Mobile Phone Width	n/s

- Screw-connected universal holder for devices without tripod socket
- Extremely flexible, for a smartphone width from 4.8 - 9.5 cm (in horizontal format)
- Foldable and therefore very compact • For selfie photos and videos, ideal
- for video diaries, blogs and for holidays and life on the move No more wobbly, skewed selfies
- Only in combination with tripods
- featuring a 1/4" connection thread or with telescopic rods • Clamp spring holder and recess on
- the surface ensure a firm grip, while rubber protects the housing from scratches






hama.

Smartphone Video Handle

Attachment	Tripod Thread 1/4"
Model	Tripod-Mobile Phone-Holder
Mounting	Clamp
Mobile Phone Width	n/s

- 3 additional threaded connections of 1/4" for professional videos for connection to tripods and 2 additional accessory shoes for further accessories such as LED lights and microphone
- A must-have for anyone who wants to record perfect videos and pictures without "wobble" on their
- smartphone Ideal for eye-level, chest-height or
- floor-level shots Ergonomic grip arch
- Ultra-lightweight and very compact
- Extremely flexible, for a smartphone width from 4.8 - 10.5 cm (in horizontal format)
- 2 accessory shoes for use of video accessories with a standard attachable foot (e.g. LED lights, microphones)
- Extensively rubberised smartphone
- rest to protect against scratches



- Connection via Bluetooth directly with the smartphone
- Allows unusual photo and selfie angles
- Safe photography in high-action situations
- Better focusing, faster snapshots, resulting in better pictures and sharp, un-blurred selfies

 If the smartphone is positioned in a 00004622 00183389 00183395 00004633 6 BK 6 BK 18 BK 12 BK





hama

"Pro II" Smartphone Holder, 9.5 cm, with "BRS2" **Bluetooth Remote Trigger**

Attachment	Tripod Thread 1/4"
Model	Tripod-Mobile Phone-Holder
Mounting	Screw-On Mounting
Mobile Phone Width	n/s

Smartphone Holder:

- Screw-connected universal holder for devices without tripod socket
- For attaching all smartphones to tripods with a 1/4" tripod connection
- Extremely flexible, for a smartphone width from 4.8 - 9.5 cm (landscape format)
- No more wobbly, skewed selfies
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move
- Cold shoe for attaching LED lights and microphones, for example
- Folds to a compact size
- Only in combination with tripods or telescopic rods featuring a 1/4" connection thread, Arca Swiss
- Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from scratches

Bluetooth release:

Holders



hama

"Pro" Smartphone Holder, 9.5 cm, 1/4"

Attachment	Tripod Thread 1/4"
Model	Tripod-Mobile Phone-Holder
Mounting	Screw-On Mounting
Mobile Phone Width	n/s

- Screw-connected universal holder for devices without tripod socket
- Extremely flexible, for a smartphone width from 4.8 9.5 cm (in horizon-tal format)
- Foldable and therefore very compact
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
 Only in combination with tripods featuring a 1/4" connection thread or with telescopic rods
- Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from scratches





hama

Smartphone Holder, 8.2 cm, 1/4"

Attachment	Tripod Thread 1/4"
Model	Tripod-Mobile Phone-Holder
Mounting	n/s
Mobile Phone Width	n/s

- Screw-on universal mount for units without a tripod thread
- Extremely flexible for a smartphone width from 5.5 to 8.2 cm (landscape orientation)
- Compact design
- For selfies and videos, perfect for video diaries and blogs and ideal for travel and on the go
 Only in combination with tripods
- Only in combination with tripods with 1/4" thread or with telescopic rods
- No more blurred or oblique selfies
 Spring clip holder and recess on
- the bearing surface for a firm grip, rubber coating and foam padding protect the casing from scratches

00004351

6 BK

Qty PT



hama

Smartphone Holder for Spotting Scope/Binoculars/ Telescope with Ø 2.5-4.8 cm

Tripod Thread 1/4"
Spotting Scope / Bi- noculars / Telescope
Screw-On Mounting
n/s

- Suitable for smartphones from 5.5 cm to 9.5 cm
- Suitable for spotting scopes, binoculars, telescopes and microscopes featuring eyepieces with a diameter from 2.5 cm to 4.8 cm
- Attach the smartphone holder to the eyepiece using the screw connection
- The smartphone is secured in a clamping bracket with a screw mechanism
- Clamping bracket and resting surface rubber-coated and padded to protect against scratches
- Compact and space-saving, also ideal for luggage
- Smartphone lens meets eyepiece lens: telephoto lens for the smartphone camera - maximum magnification factor for impressive shots with the smartphone via binoculars, telescopes and so on.
- Share sensational photos and videos directly in social media
- Also suitable as a smartphone holder for tripods with 1/4" standard thread

6 BK



hama

Smartphone / Tablet Holder for Flash Shoe and ¼" on DSLR with WiFi

Attachment	n/s
Model	n/s
Mounting	n/s
Mobile Phone Width	n/s

- Using a smartphone or tablet in the holder will provide a control monitor that is considerably larger than the camera display
- One holder, many possibilities: The combination of DSLR and tablet/smartphone enables you to take photos and record video simultaneously
- The ball head allows perfect alignment for shots in portrait and landscape format
- Angle of the holder freely adjustable: the ideal view on the tablet and smartphone, depending on the reflection and incident light
- Convenient operation: control the camera easily via the smartphone and/or tablet, always having the large display directly in view without any distance from the camera for an efficient, straightforward way of working
- The perfect add-on for professional, commercial selfie photos and videos, perfect for video diaries, bloggers, vloggers, modern message senders, etc.
- Provides a glimpse behind the scenes: interesting for bloggers, e.g. to photograph with the camera, film with the tablet and set themselves up as a blogger with the smartphone
- Torch function of smartphones / tablets can be used a light source in

6 BK

6 BK

March 2020 INT

00044343



Holders | Remote Control Releases | Cables & Adapters

USB Cable



hama

2in1 Smartphone / Tablet Holder, 1/4"

Attachment	n/s
Model	n/s
Mounting	n/s
Mobile Phone Width	n/s

- Screw-connected universal holder for devices without tripod socket
- Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (in horizontal format)
- Compact design
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- Only in combination with tripods featuring a 1/4" connection thread or with telescopic rods
- No more wobbly, skewed selfies
- Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from scratches





hama.

"BRS3" Bluetooth® remote shutter release

Bluetooth Version	4.0
Operating System	Android, Apple iOS
 Connection via Bl with the smartph Allows unusual pl angles For selfie photos a 	one or tablet hoto and selfie

- For selfie photos and videos, blogs ideal for trips, for life on the move and for action photography
- Better focusing, faster snapshots, resulting in better pictures and sharp, un-blurred selfies
- If the smartphone or tablet is positioned in a suitable spot, both arms can remain free - the extended selfie arm is passé
- Safe photography in high-action situations
- Perfect for party and group shots because the range of up to 10 m allows a much wider image field
- Independent of self-trigger mode
 Small and compact, the Bluetooth shutter release can go anywhere



hama

USB Cable "Type-C, with LED indicator", Black

Connection USB-C-plug

- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- LED function indicator gives information about the charge state
- Red LED display: during charging / green LED display: when almost fully charged





hama

Connection

USB Cable "Micro, with LED indicator", Black

Micro-USB-Plug

- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- LED function indicator gives information about the charge state
- Red LED display: during charging / green LED display: when almost fully charged

6 BK

00004444

hama March 2020 INT

Black

12 BK

00074255

1 m

00074254

12 BK

1 m

00004639

24 BK





Ó



"Uni" 5-in-1 Lens Set, MC, for Smartphones and Tablets

Set Contents in Pieces

· Five different lenses for five different photo effects: 180° fish eye, 0.65X wide-angle, macro lens, polar filter and 2-way telephoto lens

1. Fish eye: Allows you to photograph the area surround the scene in an focused, distorted, hemispherical shape - for an artistic picture effect 2. Wide-angle lens: For widening the camera angle to depict a broader scene in the image 3. Macro lens: Works like a miniature microscope and is ideal for photographing small objects such as flowers or insects in detail 4. Polar filter with rotary mount, colour-neutral: Increases the contrast and brings depth to the picture, creates powerful colours and removes reflections. Depending on the filter setting, the contrast and depth change and non-metallic

reflections (water, plastic, glass, etc.) are eliminated 5. 2x telephoto lens: for 2-times magnification, ideal for landscape shots and for making people in the

distance appear larger

12

- High-quality glass lenses
- Multiple coatings
- Metal mounts
- Universal lens clip with metal mount fits a wide range of mobile phones / smartphones and tablets

hama

- Simply attach using the clip-on quick connector on the camera lens
- Compact format, storage bag and clip-on make the lenses ideal for on the move - they can be easily used at any time
- Includes high-quality storage bag to offer the lenses maximum protection

6 BK

• Three different lenses provide three different photo effects: 180° fisheye lens, 0.67X wide-angle lens and macro lens

3in1

PCs

Set Contents in Pieces

1. Fisheye lens: allows you to capture distorted hemispherical shots - for an artistic visual effect of the pictures

2. Wide-angle lens: stretches the limits of your lens thus allowing you to capture large shots

3. Macro lens: works like a small microscope and is ideal for picking up details when taking photos of small things like blossoms or insects

- Universal lens clip easily attaches to a wide range of devices (all mobile phones/smartphones and tablet PCs with a lens diameter of up to 13 mm)
- Easy to attach to the camera lens by means of the clip-on lens holder
- Due to the compact size, the storage pouch and the clip-on mounting option the lenses are ideal for on the go and can easily be used at anv time
- Comes with a storage pouch for optimal protection of the lenses

hama



00044339



hama. "Uni" Lens Kit for Smartphones and Tablet



TRIPODS & ACCESSORIES







"Traveller 117 Ball" Tripod	hama	ר"
Thread/Connection	1/4" (6.4 mm)	Tł
Leg Segments	4 Sections (3x Extendible)	Le
Material	Aluminium	Μ
Maximum Load	4000 g	Μ
Tripod Head	Ball Head	Tr
Maximum Height	117 cm	Μ
Maximum Profile Thickness	20 mm	Μ
Minimum Height	35 cm	М

35 cm 820 g

• The ball head allows perfect alignment for shots in portrait and landscape format

Weight

- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Lightweight aluminium design
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Rubber feet for a firm and steady grip
- The legs are covered with non-slip foam which makes the tripod suitable for all kinds of weather
- With hook for weighing the tripod down in strong winds and on rough terrain

Traveller 163 Ball" Tripod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	Ball Head
Maximum Height	163 cm
Maximum Profile Thickness	23 mm
Minimum Height	21 cm
Weight	1350 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- Quick-release plate for quickly changing the camera
- Inverted position allows macrophotographs near the ground
- The spikes at the tripod feet ensure that a particularly firm and steady grip is maintained on soft or slippery surfaces
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Lightweight aluminium design
- Spirit vial at the ball head • Quick release plate with safety catch
 - and "click function" for quick and easy camera change with just one Black

click

- Brake for locking the centre column into place
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Expandable legs for optimum proximity to the ground
- Rubber feet for a firm and steady grip
- The legs are covered with non-slip foam which makes the tripod suitable for all kinds of weather
- With hook for weighing the tripod down in strong winds and on rough terrain

00004291 6 SC

50

hama March 2020 INT

Black

00004290

6 SC





TRIPODS & ACCESSORIES

"Profil Duo" Tripod, 150 - 3D



Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	5000 g
Tripod Head	3D: 3-Way Head
Maximum Height	150 cm
Maximum Profile Thickness	22 mm
Minimum Height	53 cm
Weight	1480 g
	00004471
 The 3D tilt head allows perfect alignment for landscape and portrait shots Quick-release plate for quickly changing the camera The central column can be removed to be used as a fully functioning monopod Large, functional quick-action leg locks for fast and simple locking of the leg length in any position Spirit level integrated into the tripod head and base 	

Black

- With rubber feet for secure stand
- Non-slip foam handles on the stand legs for use in all weathers
- Monopod, min. height 45 cm/max. height 162 cm
- Replacement coupling plate Item no.

"TAR Duo" Tripod, 165 - Ball



Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	8000 g
Tripod Head	3D Ball Head with Pan function
Maximum Height	165 cm
Maximum Profile Thickness	26 mm
Minimum Height	50 cm
Weight	1600 g
	• Compact pack size of 45 cm thanks

- The ball head with panorama function allows perfect alignment for shots in portrait and landscape
- format • Quick-release plate for quickly changing the camera
- Inverted position allows macrophotographs near the ground
- In combination with a leg segment the removable central column can be used as a fully functioning monopod
- Lightweight and sturdy aluminium construction
- Functional quick-action leg locks for fast and simple locking of the leg length in any position
- With rubber feet for secure stand
- Black

hama

height 172 cm

00004463

to foldable tripod legs

head

lining

rough terrain

Spirit level integrated into the tripod

• Quick-change plate with rubber

• Telescoping central pillar with weight hooks for improved stability

during windy conditions and on

• Tripod legs can be spread apart in

• Monopod, min. height 84 cm/max.

• Replacement coupling plate item no.

increments (3 increments)Non-slip foam grip on the tripod

legs for use in all weathers



00004475

51

6 SC



Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	8000 g
Tripod Head	Ball Head with Panoramic Function
Maximum Height	170 cm
Maximum Profile Thickness	27 mm
Minimum Height	57 cm
Weight	2050 g

• The ball head with panorama function allows perfect alignment for shots in portrait and landscape format

TRIPODS & ACCESSORIES

- Quick-release plate for quickly changing the camera
- Inverted position allows macrophotographs near the ground
- The central column can be removed to be used as a fully functioning monopod
- Extremely lightweight and sturdy aluminium design
- With the large, functional quickaction leg locks the tripod legs can easily and quickly be fixed at the required height or position

- Tripod legs expandable in increments (3 sections)
- The legs are covered with non-slip foam which makes the tripod suitable for all kinds of weather
- Spirit level integrated into the tripod head and spirit vial at the base
- Rubber feet for stability
- The spikes at the tripod feet ensure that a particularly firm and steady grip is maintained on soft or slippery surfaces
- Monopod: minimum height: 57 cm/ maximum height: 148 cm

4 SC

00004288

1/4" (6.4 mm) Thread/Connection 4 Sections (3x Extendible) Leg Segments Material Aluminium Maximum Load 8000 g Tripod Head 3D: 3-Way Head Maximum Height 170 cm Maximum Profile Thickness 27 mm Minimum Height 58 cm 2100 g Weight

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Inverted position allows macrophotographs near the ground
- The central column can be removed to be used as a fully functioning monopod
- Extremely lightweight and sturdy aluminium design
- With the large, functional quickaction leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Tripod legs expandable in increments (3 sections)
- The legs are covered with non-slip foam which makes the tripod suitab-

- hama.

Black

- le for all kinds of weather
- Spirit level integrated into the tripod head and spirit vial at the base
- Rubber feet for stability
- The spikes at the tripod feet ensure that a particularly firm and steady grip is maintained on soft or slippery surfaces
- Monopod: minimum height: 56 cm/ maximum height: 148 cm

		00004287
4	SC	

Black









"Star 5" Tripod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	500 g
Tripod Head	3D: 3-Way Head
Maximum Height	106.5 cm
Maximum Profile Thickness	16.8 mm
Minimum Height	36,5 cm
Weight	520 g

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head
- Continuous height adjustment of the centre column
- Leg braces and rubber feet for a firm and steady grip
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position



Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	2000 g
Tripod Head	3D: 3-Way Head
Maximum Height	125 cm
Maximum Profile Thickness	21 mm
Minimum Height	47 cm
Weight	780 g

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head
- Continuous height adjustment of the centre column
- Leg braces and rubber feet for a firm and steady grip
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position

Silver			00004117
	9	SC	


hama

hama.

15 SC

Champagne





terrain

20 mm

60 cm 1220 g

• Spare quick release plate: Hama

item no. 00004154

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera

Maximum Profile Thickness

Minimum Height

Weight

- Spirit level integrated into the tripod head and spirit vial at the base
- With crank for continuous height adjustment of the centre column
- Lockable leg braces and flexible rubber feet for a firm and steady grip on uneven surfaces
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- With hook for weighing the tripod down in strong winds and on rough

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3D: 3-Way Head
Maximum Height	160 cm
Maximum Profile Thickness	23 mm
Minimum Height	64 cm
Weight	1500 g

• The 3D tilt head allows perfect

- alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head and spirit vial at the base
- With crank for continuous height adjustment of the centre column • Lockable leg braces and flexible
- rubber feet for a firm and steady grip on uneven surfaces
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle • With hook for weighing the tripod
- down in strong winds and on rough

terrain

• Spare quick release plate: Hama item no. 00004154

Champagne 00004162 6 SC


hama 54

March 2020 INT

Champagne

00004161

6 SC



Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3D: 3-Way Head
Maximum Height	166 cm
Maximum Profile Thickness	26.7 mm
Minimum Height	66 cm
Weight	1740 g

terrain • Spare quick release plate: Hama

Champagne

item no. 00004154

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head and spirit vial at the base
- With crank for continuous height adjustment of the centre column
- Lockable leg braces and flexible rubber feet for a firm and steady grip on uneven surfaces
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- With hook for weighing the tripod down in strong winds and on rough

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3D: 3-Way Head
Maximum Height	185 cm
Maximum Profile Thickness	26.7 mm
Minimum Height	69 cm
Weight	1660 g

terrain

Champagne

• Spare quick release plate: Hama

item no. 00004154

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head and spirit vial at the base
- With crank for continuous height adjustment of the centre column
- Lockable leg braces and flexible rubber feet for a firm and steady grip on uneven surfaces
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- With hook for weighing the tripod down in strong winds and on rough

1

6 SC

00004464

6 SC







"Star 75" Tripod

TRIPODS & ACCESSORIES

hama.

"Star 700 EF D	igital" Tripod

hama.

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	2500 g
Tripod Head	3D: 3-Way Head
Maximum Height	125 cm
Maximum Profile Thickness	19.8 mm
Minimum Height	42.5 cm
Weight	620 g

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head
- Continuous height adjustment of the centre column
- Leg braces and rubber feet for a firm and steady grip
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position

Thread/Connection 1/4" (6.4 mm) Leg Segments 4 Sections (3x Extendible) Material Aluminium Maximum Load 2500 g Tripod Head 3D: 3-Way Head Maximum Height 125 cm Maximum Profile Thickness 19.8 mm Minimum Height 42.5 cm 620 g Weight

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Spirit level integrated into the tripod head
- Continuous height adjustment of the centre column
- Leg braces and rubber feet for a firm and steady grip
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position

00004175 00004133 Champagne Champagne 15 SC 15 SC





1/4" (6.4 mm)
3 Sections (2x Extendible)
Aluminium
3000 g
3-Way Head
153 cm
20 mm
58 cm
990 g

Black

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit vial at the base
- Crank for continuous height adjustment of the central column
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- Spare quick release plate: Hama item no. 00004154

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3-Way Head
Maximum Height	160 cm
Maximum Profile Thickness	26 mm
Minimum Height	62 cm
Weight	1590 g

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Large, functional quick-action leg locks for fast and simple locking of the leg length in any position
- With crank for stepless height adjustment of the central column
- Spirit level integrated into the tripod head and base
- With rubber feet for secure stand
- Spikes on the tripod feet ensure an especially sturdy position on soft or slippery surfaces
- Replacement quick coupling plate (rubber): Item No. 00004424

6 SC

10 SC

00004096

Black





Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3-Way Head
Maximum Height	170 cm
Maximum Profile Thickness	26 mm
Minimum Height	62 cm
Weight	1850 g

• Monopod, min. height 59 cm/max.

• Replacement quick coupling plate

6 SC

(rubber): Item No. 00004424

height 148 cm

Black

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- The central column can be removed to be used as a fully functioning monopod
- Large, functional quick-action leg locks for fast and simple locking of the leg length in any position
- Spirit level integrated into the tripod head and base
- With rubber feet for secure stand
 Spikes on the tripod feet ensure an
- especially sturdy position on soft or slippery surfaces

58



hama

Monopod

"Smooth" Monostand, 155 Click, with Three-Arm Base

Thread/Connection	1/4" (6.4 mm)	
Leg Segments	4 Sections (3x Extendible)	
Material	Aluminium	
Maximum Load	5000 g	
Maximum Height	155 cm	
Maximum Profile Thickness	28 mm	
Minimum Height	63,5 cm	
Weight	900 g	

- Air lock system: stepless adjustment without screw clamps - for more speed when hunting for the perfect shot
- A cleverly attached joint at the end of the tripod ensures gentle and smooth movements and pivoting, with the joint allowing tilts of up to 20° in all directions
- Flexible alternative to large tripods: ideal when things have to happen fast, if there's not much space for a large tripod, for example, for photographing with large lenses, for animal shots with large focal lengths
- Also for fascinating 360° panoramic shots and vivid indoor and property photographs
- The monopod's three leg segments are extendable, and each of them is individually steplessly adjustable, making them perfect for custom positioning even up to eye level height
- Made from sturdy and lightweight aluminium, weighing 900 grams and, thanks to its small dimensions, is also suitable for travel
- Two quick-change plates, ideal for the use of a second camera
- Generous foam cladding for a non-Black
 00004468

12 SC

*	
-	
hama	

"Star 78 Mono" Monopod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	4000 g
Maximum Height	176 cm
Maximum Profile Thickness	26.7 mm
Minimum Height	61 cm
Weight	665 g

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Flexible rubber foot for a firm grip on uneven surfaces and for easy camera alignment in different positions
- With the functional quick-action leg locks the leg of the monopod can easily and quickly be fixed at the required height or position
- Spirit level integrated into the monopod head
- The non-slip, rubber-coated handle allows you to use the monopod in all weathers
- Spare quick release plate: Hama item no. 00004154

a non-					
04468	Champagne			00004178	
		10	SC		

Bending Tripod





hama.

"Flex 2in1" Mini Tripod for **Photographic Cameras and** GoPro, 14 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Maximum Height	14 cm
Minimum Height	7.5 cm

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Tripod legs with non-slip foam
- Also usable as normal table-top tripod

Black

00004313

20 BK

Black



hama.

"Flex 2in1" Tripod for Photo Cameras and GoPro, 26 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Maximum Height	26 cm
Minimum Height	10 cm

• The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to vari-

- ous objects, e.g. railings, branches • 2in1 system for 1/4 inch threads and
- GoPro cameras • Handy travel format for easy trans-
- port in a bag or back pack
- Non-slip foam on the tripod legs • Can of course also be used as a
- normal table tripod





hama.

Bending Tripod "FlexPro for Smartphone, GoPro and photocameras, 27 cm"

Thread/Connection	1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder	
Maximum Height	27 cm	
Minimum Height	16 cm	

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 3-in-1 system for smartphones,
- GoPro cameras and 1/4-inch thread • The ball head allows perfect
- alignment for shots in portrait and landscape format • Its compact size makes it ideal
- for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a monopod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs covered with highquality, durable rubber with a honeycomb pattern for maximum flexibility and outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting • Extremely flexible, suitable for a
- smartphone width from 4.8 9.5 cm (in horizontal format) thanks to

Red			00004608
Blue			00004607
Black		00004605	
	6	BK	





hama.

Thread/Connection	1/4" (6.4 mm), 2D, 3D, Ball, GoPro, Smartphone holder, Tablet holder
Maximum Height	10 cm
Minimum Height	7 cm

- With clip for attaching to a camera bag, belt or shirt pocket, etc.
- Compact mini tripod with flexible leas
- Can be used as table top tripod for all compact cameras with 1/4" (6.4 mm) tripod socket

Black 00004010 20 BK

00004314

10 BK

Qty PT

March 2020 INT




hama.

"Flexi" Mini Tripod, M, 20 pieces in a display box

Thread/Connection	1/4" (6.4 mm)
Maximum Height	10 cm
Minimum Height	7 cm

- With clip for attaching to a camera bag, belt or shirt pocket, etc.
 Compact mini tripod with flexible
- legs
- Can be used as table top tripod for all compact cameras with 1/4" (6.4 mm) tripod socket



hama.

Mini Pod "Ball L, 19 cm"

Thread/Connection	1/4" (6.4 mm), 3D, Ball
Maximum Height	19 cm
Minimum Height	10.5 cm

• The ball head allows perfect alignment for shots in portrait and landscape format

 For photo and video cameras, microphones and mini speakers



hama

"Solid" Table Tripod for Smartphones and Photo Cameras, 19B

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Maximum Height	19 cm
Minimum Height	16 cm

 Stable and robust workmanship with high-quality materials and screwedin rather than bonded components to guarantee a tripod with a long service life

• The ball head allows perfect alignment for shots in portrait and landscape format

- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- 2in1 system for smartphones, universal 1/4" thread
- Tripod legs can be pulled out in 5 stages: adjustable via moving engagement mechanism at the press of a button on the inside of the tripod legs
- Tripod legs can be adjusted individually in order to adapt the tripod perfectly to different substrates and images
- Extremely flexible, suitable for a smartphone width from 5.9 – 9.0 cm (in horizontal format) thanks to the extendable clamp spring holder
- Double-folding smartphone holder for space-saving and secure transport that protects mechanical parts
- Rubberised padding on the holder and a rubberised protective cap on the thread protect the smartphone
- casing from scratches • Rubber feet for firm grip on smooth, slippery and uneven surfaces
- Bubble level integrated in the tripod head

6 BK

00004630



hama.

Mini Pod "Ball L, 21 cm"

Thread/Connection	1/4" (6.4 mm), 3D, Ball
Maximum Height	21 cm
Minimum Height	14 cm

- The ball head allows perfect alignment for shots in portrait and landscape format
- For photo and video cameras, microphones and mini speakers

Silver			00004009
	20	BK	
Black			00004064
	20	BK	

Black

Black

00004024

20 SC

Black

00004063

20 BK





hama

"Solid II, 21B" Table Tripod, with "BRS2" Bluetooth Remote Trigger

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Maximum Height	21 cm
Minimum Height	18 cm

- Stable and robust workmanship with high-quality materials and screwedin rather than bonded components to guarantee a tripod with a long service life
- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- 2in1 system for smartphones, universal 1/4" thread Desktop Tripod:
- Tripod legs can be pulled out in 5 stages: adjustable via moving engagement mechanism at the press of a button on the inside of the tripod legs
- Tripod legs can be adjusted individually in order to adapt the tripod perfectly to different surfaces and images
- For a smartphone width from 5.9 9.0 cm (in horizontal format) thanks to the extendable clamp spring holder
- Double-folding smartphone holder for space-saving and secure transport that protects mechanical parts
- Rubber finish on the handle and thread protects against scratches
- Cold shoe for attaching LED lights and microphones, for example
- Rubber feet for firm grip on smooth, slippery and uneven surfaces

Black



hama

"2-in-1" Miniature Tripod for Smartphones, Ball

Thread/Connection	1/4" (6.4 mm), 3D, Ball, Smartphone holder
Maximum Height	21,7 cm
Minimum Height	15.5 cm

- 2in1 tripod for using with devices with and without tripod mount
- The ball head allows perfect alignment for shots in portrait and
- landscape format • Screw-connected universal holder
- for devices without tripod socket • Extremely flexible, for a smartphone width from 5.5 - 7.5 cm
- Ideal for shots taken with the auto-timer



hama

"Ball" Mini Tripod, XL, black/silver

Thread/Cor	inection	1/4" (6.4 mm), 3D, Ball
Maximum H	leight	26 cm
Minimum H	eight	14 cm

- The ball head allows perfect alignment for shots in portrait and landscape format
- For photo and video cameras, microphones and mini speakers



"Multi 4in1" Table Tripod

Thread/Connection	1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder	
Maximum Height	90 cm	
Minimum Height	20 cm	
• The ball head allows perfect alignment for shots in portrait and landscape format		

- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- The built-in self monopod is ideal for sports and action shots e.g. for filming yourself when skiing Selfie Stick / Telescopic Rod:
- Telescopic rod extendable to 90 cm for a wide range of action, for e.g. concert recordings, hard-to-reach motifs and group shots
- Torsion-resistant telescopic rod through guide groove
- Min/max height: 20/90 cm • Weight: 225 g

Treight: 225 g

Smartphone Holder:

- Extremely flexible, for a smartphone width from 5.5 7.8 cm (in horizon-tal format)
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- Also in combination with tripods and telescopic rods with 1/4" connection thread
- No more wobbly, skewed selfies
- Clamp spring holder and securing lug on the surface ensure a firm grip, while rubber protects the housing from scratches

Adapter for Cameras with GoPro

 Instruction
 Instruction

March 2020 INT



Monopods & Tripods | Tripod Accessories

Suction Cup/Pod



ama.

Suction Mount with Ball Head 360 for GoPro

Material	Plastic Material
Height	150 mm
Suction Cup Diameter	90 mm

- The ball head allows perfect alignment for shots in portrait and landscape format
- For GoPro action cameras and digital cameras with a 1/4" connection thread
- 3D ball head with 360° rotation
- Can also be used as a car pod • Diameter of the suction cup: 90 mm

Black			00004356
	6	BK	



hama.

Ball Head, height: 50 mm

Thread/Connection	1/4" (6.4 mm)
Diameter	30 mm
Height	50 mm
Weight	114 g

• (A) 1/4" (6.4 mm) camera screw • (B) 1/4" (6.4 mm) and (B) 3/8" (9.5 mm) screw hole

6 BK

Black

hama.

Thread/Connection

Diameter

Ball Head, height: 38 mm

6 BK

00005014



hama.

Photo/Video Quick-Release Set

Material	Plastic Material
Height	6.6 cm
Width	8 cm

• Consisting of:

• Lower section with B 1/4" (6.4 mm) tripod thread

- Camera plate with A 1/4" (6.4 mm) screw and sprung video pin (corresponds to item no. 00004360)
- Optional replacement plate: item no. 00004361 (not included in delivery)

Black			00004352
	6	BK	



hama.

Quick Release Plate, 41.7 x 41.7 mm, Photo/Video

/4" (6.4 mm)	Material	Plastic Material
20 mm	Height	4.17 cm
38 mm	Width	4.17 cm
36 g	• Fox light upight of	marac CLD and
ew hole nera screw	 For lightweight cameras, SLR and camcorders High-quality, reinforced plastic Camera plate with A 1/4" (6.4 mm 	

6 BK



hama.

Quick Release Plate for Omega Carbon II and III

Material	Aluminium
Height	5.3 cm
Width	5.4 cm
Colour	Black

1/4" (6.4 mm)			00004294
	6	BK	



hama.

1/4" (6.4 mm)

Quick Release Plate for Delta Pro 180 Ball

Material	Aluminium
Height	5 cm
Width	6 cm
Colour	Black

6 BK

00004414

Height	38 mm	Width		4.17 cm
Weight	36 g	• For lightweight cameras, SLR		as. SLR and
• (B) 1/4" (6.4 mm • (A) 1/4" (6.4 mm	,	camcorders • High-quality • Camera plat screw and s • Suitable e.g	, reinforce e with A 1, prung vide	d plastic /4" (6.4 mm) o pin
Black	00005011	Black		00004360

TRIPODS & ACCESSORIES

Tripod Accessories



hama.

Quick Release Plate for Traveller Premium 144/146

Material	Aluminium
Height	3.5 cm
Width	4 cm
Colour	Black





hama

Tripod Camera Plate for Traveller 150 Prem. Duo & Prof. Premium Duo Carbon

Material	Aluminium
Height	4 cm
Width	4 cm
Colour	Black

• For "Traveller 150 Premium Duo" tripod, Item No.: 00004265

• For "Professional Premium Duo Carbon" tripod, Art. No.: 00004286



1/4" (6.4 mm)

hama.

Profi Duo 170 3D

Material

Height

Width

Colour

Quick Release Plate for

00004514

6 BK



hama.

Quick Release Plate for Delta Pro 180 2D

Material	Cork
Height	5.1 cm
Width	5.1 cm
Colour	Black

Video locating pin



hama.

Quick Release Plate for "Traveller 163 Ball" Tripod

Material	Cork
Height	3.9 cm
Width	4 cm
Colour	Black

TRIPODS & ACCESSORIES

00004439

BK 6

1

1/4" (6.4 mi	m)		00004413
	6	BK	



hama.

Quick Release Plate for Delta Pro 160 3D

Material	Cork
Height	4 cm
Width	6 cm
Colour	Black

• Video locating pin



hama

1/4" (6.4 mm)

Quick Release Plate for Delta Pro 180 3D

Material	Cork
Height	4.8 cm
Width	8 cm
Colour	Black

• Video locating pin

1/4" (6.4 mm)

hama.

00004246 1/4" (6.4 mm) 6 BK

1/4" (6.4 mm) 00004512 6 BK

1/4" (6.4 mm) 00004412 6 BK

00004415 6 BK

Aluminium

4.1 cm

6,5 cm

Black

March 2020 INT

Tripod Accessories



hama.

TRIPODS & ACCESSORIES

Quick Release Plate "Click II", Photo/Video

Material	Plastic Material
Height	4.08 cm
Width	4.08 cm
Colour	Black

- For Profil tripods 70 89
- For Gamma tripods

1/4" (6.4 mm)

- For lightweight SLR cameras and camcorders
- High-quality, reinforced plastic, sprung video locking pin; camera plate with A 1/4" (6.4 mm) screw

00004376



hama.

Quick-Release Plate for Omega Premium I, II and III

Material	Plastic Material
Height	4.2 cm
Width	5.3 cm
Colour	Black



hama.

Quick Release Plate for "Star 55-63", "Gamma 153", "Action 165", "Star 64"

Material	Plastic Material
Height	5.1 cm
Width	6.6 cm
Colour	Black



hama.

Quick Release Plate for "Delta 160", 3D/"Delta Duo 170", 3D Tripods

Material	Plastic Material
Height	5.2 cm
Width	7 cm
Colour	Black

• Video pin




hama.

Tripod Camera Plate for "Star 75" Tripod

Material	Plastic Material
Height	3.5 cm
Width	4.7 cm
Colour	Black

• With video pin

1/4" (6.4 mm)			00004424
	6	BK	
	0	DIK	





6 BK

00004154

hama.

1/4" (6.4 mm)

Quick-Release Coupling Platform for "Profil Duo" Tripod, 150 - 3D

Material	Plastic Material
Height	5.8 cm
Width	4.2 cm
Colour	Black

• With video pin





Tripod Camera Plate for "Star 20" Three-Legged Tripod

Material	Plastic Material
Height	3.7 cm
Width	4.2 cm
Colour	Black

6 BK

00004229

• With video pin



6 BK

00004262

hama

1/4" (6.4 mm)

March 2020 INT

00004471 6 BK

Qty PT

1/4" (6.4 mm)

Tripod Accessories

Tripod Camera Screws		Tripod Conversion Bushings	Tripod Socket
		ත ත ක ක ත ක ක ත ක ක ත ක ත ක ත ක ත ක ත ක	
hama.	hama.	hama.	hama.
Metal Camera Screws	Camera Screws, 11 mm	Adaptermount 1/4" to 3/8" "GS5000", Silver	Thread Assortment
Diameter2.5 cm• (A) 1/4" (6.4 mm) threaded stem• (B) 1/4" (6.4 mm) threaded hole	Diameter3 cm• (A) 1/4" (6.4 mm) threaded mount• (B) 1/4" (6.4 mm) threaded hole	• (A) 3/8" (9.5 mm) threaded stem • (B) 1/4" (6.4 mm) threaded hole	Diametern/sColourSilver• 22 parts:• 3x change plates, thread tap (A)1/4" (6.4 mm) >tapped hole (B) 3/8" (9.5 mm); Ø25 mm• 3x change plates; thread tap (A)3/8" (9.5 mm) >tapped hole (B) 1/4" (6.4 mm); Ø25 mm• 3x camera screws; thread tap (A)1/4" -• 3/8"
5 Stück / Piece 00005124	5 Stück / Piece 00005134	10 Stück / Piece 00005120 6 BK	22 Stück / Piece 00005132
Diameter 3 cm • (A) 1/4" (6.4 mm) threaded stem • (B) 1/4" (6.4 mm) threaded hole			(A) 1/4" (6.4 mm) > (B) 3/8" (9.5 mm) threaded hole
5 Stück / Piece 00005131			5 Stück / Piece 00005121

1√



hama_®

Tripod Accessories | Packaging



hama.

Tripod Conversion Screws, (A) 3/8" (9.5 mm) > (B) 1/4" (6.4 mm)

TRIPODS & ACCESSORIES

Diameter 25 mm Colour Silver

• (A) 3/8" (9.5 mm) threaded stem

 \bullet (B) 1/4" (6.4 mm) threaded hole

5 Stück / Piece			00005122
	6	BK	



hama

Camera and Video Grip 120, for max. camera height of 12 cm

Туре	Camera Carrying Handle
Depth	25 cm
Height	21 cm
Weight	340 g
Width	8 cm

- Ideal for shots at eye level, at chest height or near the ground
- Ergonomic grip • Foam grip with ergonomic grip recesses
- Ultra-light and very compact • Removable and slidable accessory shoe for using video accessories with a standard accessory mount
- (e.g. LED lights, microphones, flash units) • Large rubber-coated bearing surface
- for the camera, with slidable thumbscrew for optimal adjustment of the camera's centre of gravity





00004429

12 SC

March 2020 INT

hama



CAMERA REOMTE RELEASE




Remote Control Releases

CAMERA REMOTE RELEASES



Remote Control Releases




March 2020 INT



hama

Remote Control Releases





FILTER & ACCESSORIES



 \bigcirc

Photo filter

UV Protection Filte









Neutral-Density Filter



Hama.

UV Protection Filter "390, HTMC-8"

Coating	HTMC (8 x)		
Metal Mount	Black		
Mount Thickness	8 mm		
Type of Glass	High-Grade Lens Glass		

- Colour neutral
- HTMC coating: four layers on each
- side, for high light transmission • Quality standard (glass): high-
- quality lens glass

37 mm			00070637
43 mm			00070643
46 mm			00070646
49 mm			00070649
	6	SC	
52 mm			00070652
	6	BK	
55 mm			00070655
	6	BK	
58 mm			00070658
	6	BK	
62 mm			00070662
	6	BK	
67 mm			00070667
	6	SC	
72 mm			00070672
	6	BK	
77 mm			00070677
	6	SC	
82 mm			00070682
	6	SC	
86 mm			00070686
	144	SC	
95 mm			00070695
	6	SC	
105 mm			00070605
	6	BK	



UV Protection Filter "AR-4"

Coating	AR Coated		
Metal Mount	Black		
Mount Thickness	5 mm		
Type of Glass	High-Grade Lens Glass		

Neutral colour

- AR coating: two layers on each side, for better light transmission
- Quality standard (glass): highquality lens glass

Impact on the pictures:

Clear, sharp photos
Reduces haze and prevents fuzziness

37 mm			00070137
40.5 mm			00070141
43 mm			00070143
46 mm			00070146
49 mm			00070149
	9	SC	
52 mm			00070152
	9	SC	
55 mm			00070155
	9	SC	
58 mm			00070158
	9	SC	
62 mm			00070162
	9	SC	
67 mm			00070167
	9	SC	
72 mm			00070172
	9	SC	
77 mm			00070177
	9	SC	



hama

UV Protection Filter "DC Double Coated"

Coating	Coated
Metal Mount	Black
Mount Thickness	3.4 mm
Type of Glass	Optical Glass

Neutral colour

37 mm 49 mm

52 mm

55 mm

58 mm

62 mm

67 mm

72 mm

77 mm

- Coating: one layer on each side
- Quality standard (glass): optical glass

Impact on the pictures:

- Clear, sharp photos
- Reduces haze and prevents fuzziness

9 SC

00070037

00070049

00070052

00070055


00070058

00070062

00070067

00070072

00070077



- Coating: one layer on each side
- Quality class (glass): high-quality lens glass

Picture impact:

hama.

Double Coated"

Coating

Mount Thickness

Type of Glass

Neutral-Density Filter

"Vario DC ND2-400, DC

Coated

7 mm High-Grade Lens

- Allows large aperture openings, e.g. for portrait and outdoor shots in extreme brightness: Background noise causes the person being photographed to stand out significantly against the foreground.
- Running water is portrayed as soft by long exposure times
- In very dark conditions, creates an

		00079141
		00079149
		00079152
6	BK	
		00079155
6	BK	
		00079158
6	BK	
		00079162
6	BK	
		00079167
6	BK	
		00079172
		00079177
6	BK	
		00079182
6	BK	
	6 6 6 6	6 BK 6 BK 6 BK 6 BK

Photo filter | Filter accessories

Polarizing Filter





hama.

Polarizing Filter "DC, Circular, Double Coated"

Coating	Coated (2x)
Metal Mount	Black
Mount Thickness	6 mm
Type of Glass	Optical Glass

Neutral colour

- Coating: one layer on each side
- Quality standard (glass): optical glass
- Rotary mount

Impact on the pictures:

- Puts contrast and depth in the picture, the sky gets blue, clouds get white and colours become clearer and brighter
- According to the position of the filter, contrast and depth vary and non-metallic reflections (water, plastic, glass, etc.) are removed
- A shooting angle of 30-40° to the reflective surface will give the best

37 mm			00082037
	9	SC	
49 mm			00082049
	9	SC	
52 mm			00082052
	9	SC	
55 mm			00082055
	9	SC	
58 mm			00082058
	9	SC	
62 mm			00082062
	9	SC	
67 mm			00082067
	9	SC	
72 mm			00082072
	9	SC	
77 mm			00082077
	9	SC	





hama.

Polarizing Filter "AR, Circular, Multi-Coated"

Coating	AR Coated (4x)
Metal Mount	Black
Mount Thickness	6 mm
Type of Glass	High-Grade Lens Glass

- Neutral colour
- AR coating: two layers on each side, for better light transmission
- Quality standard (glass): highquality lens glass
- Rotary mount with a pin
- Impact on the pictures:
- Puts contrast and depth in the picture, the sky gets blue, clouds get white and colours become clearer and brighter

37 mm			00072537
40.5 mm			00072541
43 mm			00072543
46 mm			00072546
49 mm			00072549
	9	SC	
52 mm			00072552
	9	SC	
55 mm			00072555
	9	SC	
58 mm			00072558
	9	SC	
62 mm			00072562
	9	SC	
67 mm			00072567
	9	SC	
72 mm			00072572
	9	SC	
77 mm			00072577
	9	SC	
82 mm			00072582
	9	SC	

Qty PT






hama

Macro Lens Set "3 Parts (With Filter Case), 16-100 cm, AR Multi-Coated"

- Shooting distance independent of the focal length with: Macro lens +1 dptr: 50 - 100 cm Macro lens +2 dptr: 33.5 - 50 cm Macro lens +3 dptr: (+1 and +2): 25 - 33.5 cm
- Macro lens +4 dptr: 19 25 cm Macro lens +5 dptr: (+1 and +4): 16 - 20 cm
- Front thread for a second macro lens, a filter, a lens cap or a lens hood
- AR coating: two layers on each side, for enhanced spectral transparency
- Quality standard (glass): highquality lens glass

Impact on the pictures:

- For attractive macro/close-up photographs
- Despite a greater camera-to-subject distance you will get full frame photos, especially with telephoto/ zoom lenses
- The greater shooting distance allows correct illumination of subjects and small animals are not frightened away






hama.

Filter Adapter Ring "For 30 mm Lens"

Camera/Lens Thread	30 mm
Colour	Black

- Adapter ments w
- Precision metal rings with matt







Filter Adapter Ring "For 30.5 mm Lens"

Camera/Lens Thread	30.5 mm
Colour	Black

- Adapter for all lenses and attachments with screw thread
- Precision metal rings with matt black surface

′ mm			00013037
	12	BK	

37

73

Filter Adapter Ring



ens Thread	30 mm		
	Black		
r for all lenses and attach- vith screw thread			

 \bigcirc

FILTER & ACCESSORIES

black surface

Filter accessories

37 mm



hama.

Camera/Lens Thread

FILTER & ACCESSORIES

Filter Adapter Ring "For 37 mm Lens"

Colour			Black
 Adapter fo ments with Precision n black surfa 	n screw netal ri	/ threa	d
37 mm			00013737
43 mm			00013743
46 mm			00013746
52 mm			00013752
	12	BK	



hama.

Filter Adapter Ring "For 43 mm Lens"

Camera/Lens Thread 43 mm Colour Black

- Adapter for all lenses and attachments with screw thread
- Precision metal rings with matt black surface

46 mm			00014346
49 mm			00014349
52 mm			00014352
	12	BK	



hama.

Filter Adapter Ring "For 49 mm Lens"

Camera/Lens Thread	49 mm
Colour	Black
Adapter for all ler ments with screw	

ments with screw thread • Precision metal rings with matt black surface



hama.

Filter Adapter Ring "For 55 mm Lens"

	Camera/Lens Thread	55 mm
Colour Black	Colour	Black

- Adapter for all lenses and attachments with screw thread
- Precision metal rings with matt black surface

52 mm			00014952	52 n
55 mm			00014955	58 n
58 mm			00014958	62 n
62 mm			00014962	72 n
	12	BK		

52 mm			00015552
58 mm			00015558
62 mm			00015562
72 mm			00015572
	12	BK	



hama.

Filter Adapter Ring "For 40.5 mm Lens"

Camera/Lens Thread	40.5 mm
Colour	Black
 Adapter for all ler ments with screw Precision metal ri black surface 	thread

12 BK



hama Filter Adapter Ring "For 46 mm Lens"

Camera/Lens Thread	46 mm			
Colour	Black			
 Adapter for all lenses and attach- 				

- ments with screw thread • Precision metal rings with matt
- black surface

		_	
49 mm			00014649
52 mm			00014652
55 mm			00014655
58 mm			00014658
	12	BK	



hama

Filter Adapter Ring "For 52 mm Lens"

Camera/Lens Thread	52 mm
Colour	Black
 Adapter for all ler ments with screw Precision metal rin black surface 	thread
46 mm	00015246
49 mm	00015249
55 mm	00015255
58 mm	00015258
62 mm	00015262

12 BK

00015267

00015272



hama.

Filter Adapter Ring "For 58 mm Lens"

Camera/Lens Thread	58 mm
Colour	Black

- Adapter for all lenses and attachments with screw thread
- Precision metal rings with matt black surface

49 mm			00015849
52 mm			00015852
55 mm			00015855
62 mm			00015862
67 mm			00015867
72 mm			00015872
	12	BK	

43 mm

00014143

67 mm

72 mm

Filter accessories

Filter Clamp



hama

Filter Adapter Ring "For 62 mm Lens"

Camera/Lens Thread	62 mm
Colour	Black

- Adapter for all lenses and attachments with screw thread
- Precision metal rings with matt black surface

58 mm			00016258
67 mm			00016267
72 mm			00016272
	12	BK	



hama

67 mm

77 mm

Filter Adapter Ring "For 72 mm Lens"

Camera/Lens Thread	72 mm
Colour	Black

- Adapter for all lenses and attachments with screw thread
- Precision metal rings with matt black surface

00017267

00017277



hama

"Rexton" Camera Filter Case, black

Material	Polytex
Max. Number of Filters	6
Max. Diameter Filter	77 mm

- Main compartment with hook and loop opening
- Mesh compartments for optimal storage of 6 filters
- Filter size up to 77 mm
- Belt loop for easy carrying
- Padded inside

Black				00126664
		10	HC	



hama.

2 Filter Clamps, 49 - 58 cm

• For filters or other screwable lens attachments with a diameter between 49 and 58 mm \bigcirc

		00005896
6	BK	
v	Dire	



hama.

Filter Adapter Ring "For 67 mm Lens"

67 mm		
Black		

- Adapter for all lenses and attachments with screw thread
- Precision metal rings with matt black surface

62 mm			00016762
72 mm			00016772
77 mm			00016777
	12	BK	



12 BK

hama

Filter Adapter Ring "For 77 mm Lens"

Camera/Lens Thread	77 mm			
Colour	Black			
 HDMI[™] cable for perfect high- 				

- HDMI^{IM} cable for perfect highresolution full HD quality up to max. 1440p
- 24 K gold-plated plug for improved contact quality and optimal signal transmission
- High speed transmission of up to 10.2 Gbit/s for all image and sound standards with a bandwidth of 340

72 m

82 m

ım			00017772
ım			00017782
	11	BK	

Qty PT



hama

2 Filter Clamps, 62 - 86 mm

• For filters or other screwable lens attachments with a diameter between 62 and 86 mm

6 BK

hama

March 2020 INT



ACCESSORIES FOR LENSES



Lens Accessories

Lens Pouch/Bag





hama.

Lens Pouch/Bag "Neoprene", Black

Material Neoprene • Snap hook for attachment to a camera bag, belt or backpack

- Drawstring with a ball snap closure for quick removal of the lens
- Flexible neoprene material to protect against shocks
- Belt loop



Lens Pouch/Bag "Rexton", Black

• Storage compartment for one filter • Snap hook for attachment to a

Polytex

- camera bag, belt or backpack Inner drawcord for easily removing





hama.

Lens Hood "For Standard Lenses, Foldable"

Model	Standard			
Colour	Black			
 Foldable for space-saving 				

- transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø37.0 mm)
- Enables the installation of a 37.0 mm filter on the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections



hama.

Lens Hood "Snap with Lens Cap for Wide-Angle Lenses"

Model	Wide Angle			
Colour	Black			
 The rotating lens hood blocks light coming in from the side in any desired position Snap function for quick and secure attachment of a lens hood and cap to the filter thread of a lens 				
• For space-saving transport simply put the lens hood on the lens the other way round				
• For wide-angle and wide-angle zoom lenses				
 Optimized for modern digital lense: The matt-finished inner surface avoids reflections 				
• In addition to the filter the plastic				

- In addition to the filter, the plastic lens hood provides protection against impacts
- Universally suitable

52 mm			00093652
55 mm			00093655
	10	BK	
58 mm			00093658
	10	BK	
62 mm			00093662
	10	BK	
67 mm			00093667
72 mm			00093672
	10	BK	
77 mm			00093677
	10	BK	

50 mm			00126693
	10	HC	
80 mm			00126694
	10	HC	
130 mm			00126695
	10	HC	
170 mm			00126696
	15	HC	

37 mm			00093337
	12	BK	
40.5 mm			00093341
46 mm			00093346
49 mm			00093349
	12	BK	
52 mm			00093352
	12	BK	
55 mm			00093355
	11	BK	
58 mm			00093358
	11	BK	
62 mm			00093362
	11	BK	
67 mm			00093367
	11	BK	
72 mm			00093372
77 mm			00093377
	11	BK	

hama March 2020 INT

hama


Material

- the lens from the case
- Soft inner padding protects from knocks and bumps

78

ACCESSORIES FOR LENSES

Lens Accessories



79

hama


March 2020 INT

Lens Accessories

	hama.	hama.	
	Rear Lens Cap for NEX/Sony	Rear Lens Cap Nikon Z	
	• Suitable for NEX/Sony lenses		
SES			
FOR LENS			
ACCESSORIES FOR LENSES	Black 00030246	Black 00030209	
	hama		
	Lens Rear Cap for Canon R		
	• Suitable for Canon R lenses		
	Black 00030208		



CAMERA ACCESSORIES



Straps and hand straps

Carrying Strap







hama.

Material

"Quick Shoot Strap" Carrying Strap for SLR Cameras

Neoprene

I

Maximum Length 150 cm • The 18 air cushions (patented air cell technology) in the shoulder pad provide superior carrying comfort as they take on a form perfectly

- matched to the wearer's shoulderSuper elastic neoprene acts as a shock absorber
- The 3-point safety lock allows the user to simply and quickly remove the camera from the strap; as it can only be opened by pressing three buttons, it also protects against theft
- Thanks to the slider, the camera glides from carrying position to shooting position in a flash without having to move the strap, the slider brake allows the camera to be fixed at any point
- A mounting plate adapts the tripod mount so that the tripod can still be used without having to unscrew the plate
- The strap does not get tangled thanks to the double guide bar on the slider
- Specially designed for DSLR cameras
- The 360° rotary connection allows the camera to be turned while still attached to the strap
- The mounting plate is attached to the tripod mount of the camera
- The rubberized surface of the mounting plate allows you to securely fix the camera
- High-quality, wide safety strap
 The strap's length is continuously adjustable
- A small accessory pocket has been



hama.

"2in1 130" Camera Carrying Strap, neoprene, ergonomic, black

Material Neoprene Maximum Length 130 cm

- The ends of the strap are removable at the quick release fastener and function as a separate carrying loop for a camera
- The elastic and ergonomically shaped strap provides superior carrying comfort
- Especially durable thanks to super elastic neoprene
- Bottom side with a rubber-coated, non-slip structure
 With a round split ring, especially
- With a round split ring, especially suited for fixing to older camera models
- Adjustable length: 100 130 cm



hama

"2in1 130" Camera Carrying Strap, neoprene, straight, black

Material	Neoprene
Maximum Length	130 cm
T I I (4)	

- The ends of the strap are removable at the quick release fastener and function as a separate carrying loop for a camera
- Straight strap, especially durable thanks to super elastic neoprene
- Bottom side with a rubber-coated, non-slip structure
- With a round split ring, especially suited for fixing to older camera models
- Adjustable length: 90 130 cm



hama

"Air Comfort 140" Camera Carrying Strap, neoprene, black

Material	Neoprene
Maximum Length	140 cm
• The 12 air cushior cell technology) p carrying comfort a form perfectly p	provide superior as they take on

- carrying comfort as they take on a form perfectly matched to the wearer's nape
- Super elastic neoprene material
- Especially durable
- Loop clasp system
- Adjustable length: 70 140 cm

00027205 Black

6 BK

00027202

Black

Blac

00027204

6 BK

6 BK

Black

Qty PT

Straps and hand straps



hama.

"Air Comfort 125" Camera Carrying Strap, neoprene, black

Material	Neoprene
Maximum Length	125 cm

- The 18 air cushions (patented air cell technology) provide superior carrying comfort as they take on a form perfectly matched to the wearer's nape
- Super elastic neoprene material
- Especially durable

Black

00027209

6 BK

Black

- Suitable for heavy cameras
- Loop clasp system
- Adjustable length: 70 125 cm



hama

"Loop 130" Camera Carrying Strap, neoprene, black

Material	Neoprene
Maximum Length	130 cm

- The strap ends can easily and quickly be removed on the quickrelease fastener
- Superior carrying comfort due to the elastic strap
- Especially durable thanks to superelastic neoprene
- Adjustable length: 70 130 cm




hama.

"RC Strap" Carrying Strap for Photo Cameras

Materi	al		Neoprene
Maxim	um Leng	jth	160 cm

- A mounting plate adapts the tripod mount so that the tripod can still be used without having to unscrew the plate
- The strap does not get tangled thanks to the double guide bar on the slider
- Super elastic neoprene acts as a shock absorber
- The slider allows the camera to glide from the carrying to the capture position in a flash, without moving the strap
- Breathable shoulder rest for excellent air circulation and comfortable carrying even for hours at a time
- Soft shoulder padding adapts perfectly to the shoulder anatomy and ensures excellent carrying comfort
- Additional securing of the shoulder strap with the fixing strap below
- the armpit • The quick ball fastener allows the camera to be disconnected from the
- strap very quickly The 360° rotary connection allows the camera to be rotated without releasing it from the strap
- Fastening plate is mounted on the camera's tripod thread
- Fastening plate with cork for secure fixing of the camera
- High-quality, wide safety strap
- The strap length can be steplessly adjusted
- Length adjustable from 60 to 160 cm

6 BK



Faux Leather, Plastic Material Material

- The 9 air cushions (patented air cell technology) in the hand strap provide superior carrying comfort as they take on a form perfectly matched to the wearer's hand
- A mounting plate adapts the tripod mount so that the tripod can still be used without having to unscrew the plate
- Universally usable for cameras with a B1/4" (6.4 mm) tripod mount and strap attachment

BK



fô)





Material

Black

Carrying Loop with Quick Release Fastener, 45 cm, black

Nylon

- Usable for all compact cameras, also suitable for MP3 players, USB sticks, etc. with an eyelet
- 2 parts: the camera can be separated from the strap via a quick release fastener

6 BK

Tearproof and sturdy weave

00027211



00027823

6 BK


00027210

Black

hama

Black

Straps and hand straps | Protective Films/Glasses



fô

Protective Films/Glasses | Cables & Adapters



hama

Digital Camera Screen Protector for 6.1 x 4.4 cm (3.0"), 3 pieces

Protection Class

Matted

n/s

- Self-adhesive
- Diagonal: 75 mm in case of 4:3

n/s

00088614



hama.

Digital Camera Screen Protector for 6.1 x 4.4 cm (3.0"), 2 pieces

n/s

00047001

2 m

Protection Class

Matted

n/s

- Self-adhesive
- Diagonal: 75 mm in case of 4:3

20 HC







HDMI™-Cable "High Speed Type A/A", Black

Quality	3 Stars
Data Transfer Rate	18 Gbit/s
Version	High Speed with Ethernet
Max. Resolution	4k (4096 x 2160)

- Gold-plated plug with low contact resistance for secure signal transmission
- HDMI[™] cable for perfect highresolution full HD quality, 1920 x 1080 pixels
- Gold-plated plugs with low contact resistance for secure signal transmission
- Fully shielded audio and video lines for optimum reduction of electromagnetic interference
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Return of the audio signal without additional audio cable (ODT, RCA etc.)
- For perfect, high-resolution full HD quality (4096 x 2160 pixels)
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bits
- Transmission of the following audio data: 8PCM, Dolby Digital, DTS, MPEG, DVD-Audio, SACD, Dolby Digital Plus, True HD, dts-HD
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI[™] CEC support (Consumer Electronics Control)
- High-speed transmission of up to 18 Gbit/s for all image and sound

6 BK

00074228

Qty PT



hama.

HDMI[™]-Cable

Data Transfer Rate

Max. Resolution

notebook to a TV

transmission

bandwidth

etc.)

gnetic interference

Quality

Version

2 Adapters", Black

"High Speed Type A/A +

• 3in1 connection for connecting

resistance for secure signal

every camera to a TV and a PC/

Gold-plated plug with low contact

• Integrated channel for transmitting

• 3D transmission due to extended

Fully shielded audio and video lines

• Return of the audio signal without

additional audio cable (ODT, RCA

resolution ultra HD cinema quality

• Image resolution: 3840 x 2160 - 24

• Transmission of the following audio

data: 8PCM, Dolby Digital, DTS,

MPEG, DVD-Audio, SACD, Dolby

player via ACE (Automatic Content

HDMI[™] CEC support (Consumer

High speed transmission of up to

18 Gbit/s for all image and sound

6 BK

standards from a bandwidth of 600

00074242

Digital Plus, True HD, dts-HD

Transmission of the type of

Hz/25 Hz/30 Hz/50 Hz/60Hz, 4096 x

• HDMI[™] cable for perfect, high-

4096x2160 (4k) pixels

Colour space: 30/36/48 bit

2160 - 24 Hz

Enhancement)

Electronics Control)

for optimum reduction of electroma-

network data with up to 100 Mbit/s

3 Stars


18 Gbit/s

High Speed with

Ethernet

4k (4096 x 2160)





hama

HDMI™-Cable "High Speed Type A/C (Mini)", Black

Quality	3 Stars
Data Transfer Rate	18 Gbit/s
Version	High Speed with Ethernet
Max. Resolution	4k (4096 x 2160)

- 2160) intact
- Gold-plated plug with low contact resistance for secure signal transmission
 Gold-plated plugs with low
- Gold-plated plugs with low contact resistance for secure signal transmission
- Fully shielded audio and video lines for optimum reduction of electromagnetic interference
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Return of the audio signal without additional audio cable (ODT, RCA etc.)
- Supports automatic video/audio synchronization of HDMI[™] devices
- Colour resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Transmission of the following audio data: 8PCM, Dolby Digital, DTS, MPEG, DVD-Audio, SACD, Dolby Digital Plus, True HD, dts-HD
- High-speed transmission of up to 18 Gbit/s for all image and sound standards with a bandwidth of 600 MHz and more
- Extended colour space

2 m			00074229
	6	BK	
0.5 m			00074237
	6	BK	


MHz

1.5 m

March 2020 INT hama®

Cables & Adapters





hama.

HDMI[™]-Cable "High Speed Type A/D (Micro)", Black

10

Quality	3 Stars
Data Transfer Rate	18 Gbit/s
Version	High Speed with Ethernet
Max. Resolution	4k (4096 x 2160)

- HDMI[™] cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- Gold-plated plugs with low contact resistance for secure signal transmission
- Fully shielded audio and video lines for optimum reduction of electromagnetic interference
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Return of the audio signal without additional audio cable (ODT, RCA etc.)
- For connecting devices with HDMI[™] type A connection to devices with HDMI[™] type D (micro) socket
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bits Transmission of the following audio data: 8PCM, Dolby Digital, DTS, MPEG, DVD-Audio, SACD, Dolby Digital Plus, True HD, dts-HD
- Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI[™] CEC support (Consumer Electronics Control)
- High-speed transmission of up to

6 BK

6 BK

2 m

0.5 m

hama.

HDMI[™]-Cable "High Speed Type A/C (Mini)", Black

Quality	Standard
Data Transfer Rate	10.2 Gbit/s
Version	High Speed
Max. Resolution	1080 p

• HDMI[™] cable for perfect high-

- resolution full HD quality, 1920 x 1080 pixels • Fully shielded audio and video lines
- for optimum reduction of electromagnetic interference 3D transmission due to extended
- bandwidth
- Return of the audio signal without additional audio cable (ODT, RCA etc.)
- High speed transmission of up to 10.2 Gbit/s for all image and sound standards with a bandwith of 340 MHz and more
- Supports automatic video/audio synchronisation of HDMI[™] devices
- Colour resolution: RGB/YUV/Deep Colour/XUYCC
- Transmission of lossless audio data: uncompressed (Dolby Digital and DTS), compressed (DolbyTrueHD and DTS-HD)

6 BK

00074243

Extended colour space

USB Cable



hama.

USB Cable "2.0 Type A/Mini B (B5 Pin)", Black

USB Mini B Plug, USB-A Plug Connection

- High-speed data transfer of up to 480 Mbps
- Gold-plated plugs with low contact resistance for secure signal transmission
- Gold-plated plug with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slim design especially suited for portable devices like smartphones, tablets and cameras
- The inner conductor is made of copper which ensures best transmission properties
- USB 2.0 (downward compatible) Sturdy plugs and moulded strain
- reliefs, high mechanical resistance
- Twisted data lines (twisted pairs) Ideal for data transfer and

synchronization



hama

USB Cable "2.0 Type A/Mini B (B8 Pin)", Black

USB Mini B Plug, USB-A Plug Connection

- High-speed data transfer of up to 480 Mbps
- Gold-plated plug with low contact resistance for secure signal transmission
- Gold-plated plugs with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slim design especially suited for portable devices like smartphones, tablets and cameras
- The inner conductor is made of copper which ensures best transmission properties
- USB 2.0 (downward compatible)
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Twisted data lines (twisted pairs)

12 BK

00074249

 Ideal for data transfer and synchronization

1.5 m

00074240

00074239

0.75 m

12 BK

00074248

0.75 m

Cables & Adapters



hama.

USB Cable "Micro USB 2.0 Cable, Gold-Plated, Twist-Proof", Black

Connection	Micro-USB-Plug, USB Micro B Plug, USB-A Plug
• High-speed data 480 Mbps	transfer of up to

- Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission properties
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slim design especially suited for portable devices like smartphones, tablets and cameras
- No bothersome trying out: the plug can be inserted without having to be turned
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Twisted data lines (twisted pairs) • Ideal for charging, data transfer and synchronization
- Also called "reversible micro USB"







С

USB Cable "2.0 Type A/Micro B", Black

onnection	Micro-USB-Plug, USB Micro B Plug, USB-A Plug

- Additional shielding for good reduction of electromagnetic interference
- The inner conductor is made of copper which ensures best transmission properties
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Suitable and tested for USB 2.0, downward compatible with USB 1.1
- Twisted data lines (twisted pairs)
- Ideal for charging, data transfer and synchronization






hama.

USB Cable "Adapter Cable, USB-C Plug - USB 2.0 A Plug", Black

Connection	USB-A Plug, USB- C-plug					
• High-speed data	transfer of up to					

- 480 Mbps
- Additional shielding for good reduction of electromagnetic interference
- The inner conductor is made of copper which ensures best transmission properties
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Ideal for charging, data transfer and synchronization





hama.

USB Cable "2.0 Type A/Mini B (B5 Pin)", Black

Connection	USB Mini B Plug, USB-A Plug
• USB 2.0 (downwa	rd compatible)

• High-density shielding due to tinned copper strands, fully excludes disturbing radiation/emittance

				Qtv	PT		N	1arch 2020 INT	hama	◎ 87	
0.75 m	12 BK	00074251	1.8 m	6 BK	00074245	1 m	6 BK	00074252	1.8 m 6 B	00074201 K	
· Also called											

Cables & Adapters | Microphones





hama.

Quality

Rate

Colour

USB Standard

properties

B-plug:

2-part kit comprising:

connection cable

(B4, B5, B6, B8, M4)

Max. Data Transfer

Mini USB Connection Kit

· Additional shielding for good reduc-

• The inner conductor is made of cop-

Connection cable, USB A-plug - USB

Basic cable corresponds to USB

• Suitable and tested for USB 2.0,

backward compatible with USB 1.1 • Sturdy plugs and moulded strain

reliefs, high mechanical resistance Nickel-plated plug housing

Star-shaped 5-way mini USB adapter

• Twisted data lines (twisted pairs)

per which ensures best transmission

tion of electromagnetic interference

1 Star

USB 1.1

480 MBit/s

Black





hama.

"LM-09" Lavalier Microphone

Connection	3.5 mm Jack Plug
Directivity	omni-directional
Cable Length	6 m

• Especially suited as a reporter's microphone in the video sector and during sales demonstrations, training courses, etc.

- Small, powerful and inconspicuous Includes a clip for different mounting options
- · With a windshield to ensure clear outside recording
- Comes with a 6.3 mm jack plug adapter
- Power supply: LR44 button cell



hama.

"Smart" Lavalier Microphone

Connection	3.5 mm Jack Plug
Directivity	omni-directional
Cable Length	6 m

- From smartphones to camcorders - for bloggers or film-makers: the microphone is ideal for all devices
- 6 metres for plenty of room to manoeuvre: reporters, vloggers and influencers therefore have plenty of freedom for their voice and video recordings
- Clip-on microphone for smartphones, tablets, cameras, camcorders, laptops, PCs, etc.
- Especially suitable for speech and video recordings (for bloggers, vloggers, influencers, etc.) and as a reporter microphone outdoors and indoors, e.g. for sales demonstrations, training courses
- Small, powerful and discreet
- Clip for different attachment options
- Wind protection for better-quality outdoor recordings
- With bag for safe storage
- With cable holder

Black

00046109

60 BK

• With 3.5 mm jack plug, 4-pin, gold-plated

6 BK

00004634

Connection

T

"2.0 Type A/Mini B (B8 Pin)", Black

hama.

- USB Mini B Plug, USB-A Plug • High-speed data transfer of up to 480 Mbps
- USB 2.0 (downward compatible) • High-density shielding due to tinned copper strands, fully excludes disturbing radiation/emittance

CAMERA ACCESSORIES

6 BK 88

1.8 m

hama March 2020 INT

0.5 m

00074204

Qty PT

Blac

00074218

6 BK

Microphones | Camera accessories

Camera Microphone





hama

"RMZ-16" Directional Microphone, zoom

Connection	3.5 mm Jack Plug
Directivity	Cardioid/Supercardi- oid (switchable)
Material	Aluminium
Model	Mono
Sensitivity	-46 dB with Super- cardioid, -50 dB with Cardioid
Cable Length	0.25 m
Frequency Range	100 Hz - 10 kHz
Impedance	200 Ω

- Directivity switchable between cardioid and supercardioid
- Permanently attached anti-vibration foot absorbs mechanical vibration and background noise
- Attaches to the flash shoe or via a 1/4" (6.4 mm) tripod socket
- With a windshield to ensure clear outside recording

00046116

12 BK

Black

• With a connection cable

Black



hama.

"RMZ-18" Directional Microphone, zoom

Connection	3.5 mm Jack Plug
Directivity	Cardioid/Supercardi- oid (switchable)
Material	Plastic Material
Model	Mono
Sensitivity	-46 dB
Cable Length	n/s
Frequency Range	20 Hz - 20 kHz
Impedance	1500 Ω

- With an on/off switch for increasing the volume (+10dB)
- The rubber-cushioned, vibrationdamping anti-shock frame absorbs mechanical vibration and background noise
- Lo/Hi (+10dB) sensitivity adjustment to the ambient noise level (gain)
- Optional high-pass filter deadens disturbing ambient noise like wind or traffic
- With a microphone input socket for connecting another microphone or for background music e.g. via an MP3 player
- The running recording can directly be controlled via the headphone input socket
- Directivity switchable between cardioid and supercardioid
- Space-saving coiled cable for avoiding cable clutter
- With a flash shoe and a 1/4" (6.4 mm) tripod socket
- Windshield to ensure clear outside recording
- Comes with a connection cable, 3.5 mm jack





hama

"RMZ-14" Directional Microphone, stereo

Connection	3.5 mm Jack Plug
Directivity	Cardioid/Supercardi- oid (switchable)
Material	Plastic Material
Model	Stereo
Sensitivity	-54 dB with Super- cardioid, -66 dB with Supercardioid
Cable Length	0.700 m
Frequency Range	400 Hz - 14 kHz
Impedance	1700, 470 Ω


- Directivity switchable between cardioid and supercardioid
- Attaches to the flash shoe or via a 1/4" (6.4 mm) tripod socket
- Permanently attached push-on foot • With a windshield to ensure clear
- outside recording
- With a connection cable



hama.

Lens Adapter for Cameras with T2 Connection and Canon EOS Lenses

1





hama

Lens Adapter for MFT Cameras (Panasonic/Olympus) and Leica M Lenses

• Perfect fit (CNC-milled)

hama

- Easy to use
- Ideal for high-quality Leica M lenses
- The adapter does not establish an electronic connection: the focus and if necessary the shutter must therefore be set on the lens

			Ι.										
		00046118		Black		00046114	Black				00030750		
20	BK					12	BK				36	SC	

March 2020 INT



Camera accessories



Camera accessories



hama. Housing Cover for Canon R

• Suitable for Canon R DSLR cameras



hama

Camera Spirit Level, 1 bubble level

Number of Bubble Levels	1
Depth	1.8 cm
Height	1.8 cm
Width	1.8 cm

- Transparent housing
- Is inserted into the camera's hot shoe (standard flash shoe), can also be connected via a flash bracket
- 2 feet to position the camera for broadside shots

6 BK

00005410

1 miles
in Col
Harris Contraction of the second seco

hama

Camera Spirit Level, 2 bubble levels

Number of Bubble Levels	2
Depth	1.9 cm
Height	2.3 cm
Width	3.3 cm

- For adjusting the camera for portrait and landscape shots
- Transparent housing
- Is inserted into the camera's hot shoe (standard flash shoe), can also be connected via a flash bracket
- 2 feet to position the camera for upright and broadside shots

			00005411
	6	BK	
	1		
	n.	5	5-1
 -	(1)	7	201





Camera Spirit Level, 3 bubble levels

Number of Bubble Levels	3
Depth	2.4 cm
Height	2.4 cm
Width	2.85 cm

- For adjusting the camera for portrait and landscape shots
- Transparent housing
- Is inserted into the camera's hot shoe (standard flash shoe), can also be connected via a flash bracket

6 BK

• 1 foot to position the camera for upright and broadside shots

409	

Black 00030139



hama Body Cap Nikon Z

hama.

Camera Spirit Level, 1 bubble level + cover

Number of Bubble Levels	1
Depth	1.8 cm
Height	0.6 cm
Width	1.9 cm

• With an integrated hot shoe cover for protecting the contacts form scratches and dirt

 Is inserted into the camera's hot
shoe (standard flash shoe), can also
be connected via a flash bracket
 Rubberized surface for a secure hold

on the flash shoe

6 BK

Black		00030141
	12	

B

00005413





ENERGY



Replacement battery



hama.

"DP 485" Lithium Ion **Battery for Sony NP-FZ100**

Model	Li-Ion
Capacity	1900 mAh
Voltage	7.2 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging process
- Gold-plated contacts: for low loss of contact and corrosion prevention
- Cells fix in place with super adhesive band: for improved impact resist-





hama.

"DP 479" Ultra Battery for Nikon EN-EL15a/b

Model	Li-Ion Info
Capacity	1700 mAh
Voltage	7 V
Colour	Black

- UltraLine battery: with increased capacity
- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion

9 BK

00077479



hama.

"DP 487" Ultra Battery for Nikon EN-EL15a/b

Model	Li-Ion Info
Capacity	1700 mAh
Voltage	7 V
Colour	Black

- UltraLine battery: with increased capacity
- Use with UL/IEC-certified branded cells: for increased safety
- · Safety electronics: for monitoring of the charging and discharge process • Gold-plated contacts: for fewer

hama.

DMW-BLC12

Model

Colour

Capacity Voltage

"DP 461" Lithium Ion

Battery for Panasonic

• Use of UL/IEC certified brand-name

• Safety electronics: for monitoring the charging and discharging cycle

• Self-resetting thermal fuse (polys-

witch/PTC): additional protection

against short circuit and overload

12 BK

· Gold-plated contacts: for lower con-

tact losses and corrosion prevention

cells: for increased safety

Li-Ion 950 mAh

7.2 V

Black

00077461

contact losses and prevention of corrosion

> 00077487 BK



hama.

"DP 471" Lithium Ion Battery for Canon NB-13L

Model	Li-Ion
Capacity	1010 mAh
Voltage	3.6 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- · Gold-plated contacts: for lower contact losses and corrosion prevention • Self-resetting thermal fuse (polys-
- witch/PTC): additional protection against short circuit and overload

		0007747
12	BK	



hama.

"DP 486" Ultra Battery for Sony NP-FW50

Model	Li-Ion
Capacity	1030 mAh
Voltage	7.2 V
Colour	Black

- UltraLine battery: with increased capacity
- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion

9 BK

00077486



hama.

"DP 488" Lithium Ion **Battery for Canon NB-13L**

Model	Li-Ion
Capacity	1010 mAh
Voltage	3.6 V
Colour	Black

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection

00077488





hama.

"DP 489" Lithium Ion **Battery for Panasonic** DMW-BLJ31

Model	Li-Ion
Capacity	3200 mAh
Voltage	7.2 V
Colour	Black

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection

00077489 12 BK





"DP 482" Lithium Ion **Battery for Nikon EN-EL14a**

Model	Li-Ion Info
Capacity	800 mAh
Voltage	7.4 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077482
	12	BK	



hama.

"DP 387" Li-Ion Battery for Canon LP-E6

Model	Li-Ion
Capacity	1430 mAh
Voltage	7.2 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00077387 12 BK



hama.

"DP 481" Ultra Battery for Nikon EN-EL14a

Model	Li-Ion Info
Capacity	1100 mAh
Voltage	7.4 V
Colour	Black

- UltraLine battery: with increased capacity
- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- · Gold-plated contacts: for lower contact losses and corrosion prevention • Self-resetting thermal fuse (polys-

resetting mermanuse (polys			
			00077481
	9	BK	
-		1.00	
	In	il'i	20
	000		
a for a		r.	



"DP 391" Lithium Ion

Li-Ion Info
750 mAh
7.2 V
Black

- the charging and discharging cycle • Gold-plated contacts: for lower con-
- tact losses and corrosion prevention • Self-resetting thermal fuse (polys-
- witch/PTC): additional protection against short circuit and overload

00077391 12 BK



hama.

"DP 323" Li-Ion Battery for Nikon EN-EL9

Model	Li-Ion
Capacity	900 mAh
Voltage	7.4 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle • Self-resetting thermal fuse (polys-
- witch/PTC): additional protection against short circuit and overload
- Cells are fixed with a highly adhesive tape: for improved shock resist-

			00077323
	12	BK	





"DP 321" Li-Ion Battery for Nikon EN-EL3e

Li-Ion
1500 mAh
7.4 V
Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle Gold-plated contacts: for lower con-
- tact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00077321



hama

"DP 470" Lithium Ion **Battery for Olympus BLS-50**

Model	Li-Ion
Capacity	900 mAh
Voltage	7.2 V
Colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00077470



hama.

"DP 307" Lithium Ion **Battery for Panasonic** CGR-S006E

Model	Li-Ion
Capacity	700 mAh
Voltage	7.2 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- · Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00077307

12 BK



hama.

Battery for Sony NP-FW50

woder	LI-ION INIO
Capacity	750 mAh
Voltage	7.2 V
Colour	Black

•	Use of UL/IEC certified brand-name
	cells: for increased safety



hama

"CP 826" Li-Ion Battery for Canon BP-511

Model	Li-Ion
Capacity	1400 mAh
Voltage	7.4 V
Colour	Metallic

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00046826



hama.

"DP 460" Lithium Ion Battery for Sony NP-BX1

Model	Li-Ion
Capacity	1090 mAh
Voltage	3.6 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00077460 12 BK



hama

"DP 399" Lithium Ion Battery for Sony NP-BN1

Model	Li-Ion Info
Capacity	630 mAh
Voltage	3.6 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
 Gold-plated contacts: for lower con-
- Solid plated contacts: for lower contacts for lower contacts and corrosion prevention
 Self-resetting thermal fuse (polys-
- witch/PTC): additional protection against short circuit and overload

12 BK

0	0	0	7	7	3	9	9



"DP 437" Lithium Ion Battery for Canon NB-11L

Model	Li-Ion
Capacity	580 mAh
Voltage	3.6 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00077437



hama

"DP 384" Lithium Ion Battery for Canon LP-E8

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload
 - 00077384



hama

"DP 450" Lithium Ion Battery for Panasonic DMW-BLG10

Model	Li-Ion
Capacity	770 mAh
Voltage	7.2 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00077450



hama

"DP 430" Lithium Ion Battery for Canon NB-10L

Model	Li-Ion
Capacity	820 mAh
Voltage	7.4 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00077430





hama

"DP 434" Lithium Ion Battery for Fuji NP-W126

Model	Li-Ion
Capacity	1000 mAh
Voltage	7.2 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK



hama

"DP 446" Lithium Ion Battery for Panasonic DMW-BCM13

Model	Li-Ion
Capacity	1050 mAh
Voltage	3.6 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077446
12	BK	



hama.

"DP 396" Lithium Ion Battery for Canon LP-E10

Model	Li-Ion
Capacity	950 mAh
Voltage	7.4 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00077396 12 BK



hama

"DP 444" Lithium Ion Battery for Canon LP-E12

Model	Li-Ion
Capacity	650 mAh
Voltage	7.2 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00077444



"DP 315" Li-Ion Battery for Sony NP-BG1

Model	Li-Ion Info
Wodel	
Capacity	950 mAh
Voltage	3.6 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
 Gold-plated contacts: for lower con-
- Self-resetting thermal fuse (polys-
- witch/PTC): additional protection against short circuit and overload

00077315 12 BK



hama.

"DP 447" Lithium Ion Battery for Olympus Li42B

Model	Li-Ion
Capacity	700 mAh
Voltage	3.7 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077447
	12	BK	





"DP 465" Lithium Ion Battery for Nikon EN-EL23

Model	Li-Ion
Capacity	1700 mAh
Voltage	3.8 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
 Gold-plated contacts: for lower con-
- tact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00077465



hama

"DP 395" Lithium Ion Battery for Nikon EN-EL19

Model	Li-Ion
Capacity	600 mAh
Voltage	3.7 V
Colour	Black
5	

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00077395



hama

"DP 342" Li-Ion Battery for Canon LP-E5

Model	Li-Ion
Capacity	700 mAh
Voltage	7.4 V
Colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00077342

12 BK





hama

"DP 343" Li-Ion Battery for Canon NB-6L

Model	Li-Ion
Capacity	700 mAh
Voltage	3.7 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00077343



hama.

"DP 331" Li-Ion Battery for Nikon EN-EL10

Model	Li-Ion
Capacity	600 mAh
Voltage	3.7 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00077331 12 BK



hama

"DP 313" Li-Ion Battery for Canon NB-5L

Model	Li-Ion
Capacity	700 mAh
Voltage	3.7 V
Colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
 Gold-plated contacts: for lower con-
- Solid plated contacts: for lower contacts for lower contacts and corrosion prevention
 Self-resetting thermal fuse (polys-
- witch/PTC): additional protection against short circuit and overload

00077313 12 BK



"DP 219" Li-Ion Battery for Canon NB-2L/H

Model	Li-Ion
Capacity	700 mAh
Voltage	7.4 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00047219



hama.

"DP 090" Li-Ion Battery for Canon NB-4L

Model	Li-Ion
Capacity	650 mAh
Voltage	3.7 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00047090
	12	BK	
	12	BK	



hama

"DP 349" Li-Ion Battery for Nikon EN-EL12

Model	Li-Ion
Capacity	950 mAh
Voltage	3.7 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

12 BK

00077349



hama

"CP 892" Lithium Ion Battery for GoPro Hero 3

Model	Li-Ion
Capacity	1000 mAh
Voltage	3.7 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00046892

12 BK



hama

"CP 305" Lithium Ion Battery for GoPro Hero 4

Model	Li-Ion
Capacity	1100 mAh
Voltage	3.8 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00046305

12 BK

hama



hama

"DP 344" Li-Ion Battery for Olympus Li-50B

Model	Li-Ion
Capacity	800 mAh
Voltage	3.7 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077344
	12	BK	
		di a	
411148		20	
8:	⊕	00	Э
to a fire animi an	Do not	Hann Hann	5
April 19	iny chu	a Geth	1





"DP 378" Li-Ion Battery for Panasonic CGA-S005E

Model	Li-Ion
Capacity	1050 mAh
Voltage	3.7 V
Colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
 Cold resetting the result fues (result)
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

00077378 12 BK



hama

"DP 317" Li-Ion Battery for Panasonic CGA-S007E

Model	Li-Ion
Capacity	800 mAh
Voltage	3.7 V
Colour	Black

- Use of brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
 Gold-plated contacts: for lower con-
- Gold-plated contacts: for lower contact losses and corrosion prevention
 Self-resetting thermal fuse (polys-
- witch/PTC): additional protection against short circuit and overload

12 BK

00077317



hama

"DP 028" Li-Ion Battery for Nikon EN-EL5

Model	Li-Ion
Capacity	1000 mAh
Voltage	3.7 V
Colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
 Gold-plated contacts: for lower con-
- Self-resetting thermal fuse (polys-
- witch/PTC): additional protection against short circuit and overload

12 BK



hama

Battery Charger "Travel for Canon"

Colour Black • LED function indicator gives infor-

- mation about the charge stateFast, simple and safe charging of
- the battery
- Perfect fit of the battery in the charger
- USB charging connection for USB mains adapters, USB car chargers, power packs
- Incl. USB connection cable (USB-A plug to micro-USB)
- Short-circuit-proof and reverse polarity protected
- With IC-controlled charge regulation for safe and efficient charging



hama

Battery Charger "Travel for Nikon"

Colour	Black		
• LED function indicator gives infor-			
mation about the charge state			

- mation about the charge stateFast, simple and safe charging of
- Perfect fit of the battery in the charger
- USB charging connection for USB mains adapters, USB car chargers, power packs
- Incl. USB connection cable (USB-A plug to micro-USB)
- Short-circuit-proof and reverse polarity protected
- With IC-controlled charge regulation for safe and efficient charging

NB-4L, NB-5L			00081374
NB-6L			00081375
LP-E6			00081378
LP-E8			00081379
NB-11L			00081381
NB-12L, NB-13L			00081385
LP-E10			00081394
LP-E17			00081397
BP-511, BP-512, BP-514,			00081403
LP-E12			00081405
	6	BK	

EN-EL14, EN-	EL14a			00081386
EN-EL12				00081391
EN-EL19				00081392
EN-EL15				00081398
EN-EL9				00081409
EN-EL5				00081408
		6	BK	

hama

Charger & Power Supply Units











hama.

"Delta Multi" Universal **Charger for Lithium Ion Batteries and AA/AAA Cells**

Black

- LED function indicator gives information about the charge state
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- USB connection for charging additional devices
- For all digital cameras and camcorders
- Easy to use
- The contacts are variably adjusted for different batteries on the charger's bottom side, therefore no need to touch the contacts on the upper side
- Automatically recognises the voltage and polarity of Lithium ion batteries
- Automatic charging procedure • Automatic charging cut-off for
- protecting the batteries
- Comes with a 12V charging cable for use in vehicles

00081360

6 BK

hama.

Battery Charger "Travel for Olympus"

Colour

ENERG

• LED function indicator gives information about the charge state

Black

- Fast, simple and safe charging of the battery
 - Perfect fit of the battery in the charger
- USB charging connection for USB mains adapters, USB car chargers, power packs
- Incl. USB connection cable (USB-A plug to micro-USB)
- Short-circuit-proof and reverse polarity protected
- With IC-controlled charge regulation for safe and efficient charging

hama.


Colour

Battery Charger "Travel for Panasonic"

- LED function indicator gives information about the charge state
- Fast, easy and safe charging of the battery
- The battery fits perfectly into the charger
- USB charging connection for USB power supplies, USB car chargers, power packs
- USB connection cable included (USB
- Short-circuit proof and reverse
- With IC controlled charging control for gentle and efficient charging

Black

- A plug micro USB)
- polarity protected



LI-40B, LI-42B 00081377 00081407 6 BK



6 BK

• Fast, easy and safe charging of the The battery fits perfectly into the USB charging connection for USB power supplies, USB car chargers,

Colour

power packs • USB connection cable included (USB

Black

00081387

00081389

00081393

00081396

00081406

n/s

A plug - micro USB) Short-circuit proof and reverse polarity protected

• LED function indicator gives infor-

mation about the charge state

hama.

Colour

battery

charger

Battery Charger

"Travel for Sony"

• With IC controlled charging control for gentle and efficient charging

BLS-5





Charger & Power Supply Units





hama

"Delta Ovum LCD" Universal Charger for Lithium Ion Batteries & AA/AAA Cells

Colour

• Spring-mounted hook contacts for form-fitting charging contact

Black

- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- USB connection for charging additional devices
- For all digital cameras and camcorders
- LCD function indicator gives information about the charge state
- Easy, quick adjustment of the contacts on the charger's bottom side
- Automatically recognises the voltage and polarity of lithium ion batteries
- Automatic charging procedure
- Automatic charging cut-off for protecting the batteries
- Comes with a 12V charging cable for use in vehicles
- Easy to use





hama

Colour

"Delta Ovum LED" Universal Charger for Lithium Ion Batteries & AA/AAA cells

 Spring-mounted hook contacts for form-fitting charging contact
 LED function indicator gives infor-

Black

- mation about the charge state
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- USB connection for charging additional devices
- For all digital cameras and camcorders
- LED function indicator gives information about the charge state
- Easy, quick adjustment of the contacts on the charger's bottom side
- Automatically recognises the
- voltage and polarity of lithium ion batteries
- Automatic charging procedure
- Automatic charging cut-off for
- protecting the batteries • Easy to use

hama.

USB Charger, 5V/1A

USB Charging Adapter

Euro Plug, USB A Socket
n/s
n/s
5V/ 1A

- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
 Compact design, therefore ideal for
- on the go
- USB output: 5V/1A

В

llack			00081371
	6	BK	



 00081380
 n/s
 00081370

 6
 BK
 6
 BK

n/s 000813

Qty PT





ACCESSORIES FOR FLASHES



Flash accessories



Flash/Lighting Rail



hama.

Flash Bracket, 90°, foldable, black

Material	Metal, Plastic Material
Height	14 cm
Length	19 cm
Width	3.4 cm
5	3.4 cm

- For all flash units, lights, synchromats and tilt heads with a standard accessory shoe
- For all photo/video cameras with a tripod socket
- Sliding A 1/4" (6.4 mm) camera screw and B 1/4" (6.4 mm) tripod socket
- Hand grip for ease of use
- With a hand strap for a secure hold
- Plastic surface
- Being foldable and compact, the bracket is ultra portable
- Larger illumination angle as the flash unit is attached next to the camera
- Prevents the effect of "red eye" as the flash comes from another angle and not directly from near the lens as this would be the case without a flash bracket
- Easy to use: the camera and flash unit are compactly attached to the flash bracket that ensures optimal weight shift for portrait shots

6 BK



hama

"V" Flash Rail

Material	Metal, Plastic Material
Height	3.5 cm
Length	20 cm
Width	16.4 cm

- For devices such as flash units, lights, microphones, spirit levels, etc. with standard flash foot
- Suitable for photo / video cameras with flash shoe
- Also suitable for smartphones and all devices with a 1/4" thread
- Multiple options to attach accessories and arrange the shot
- Easy handling: accessories are attached compactly to the camera's flash shoe



hama.

black/grey

Material

Flash Rail, 30 x 177 mm,

Plastic Material

hama.

Flash Cable

Flash Cable "90° Studio 2.5 mm", Black

- Connection cable for all modern studio flash systems
- Angled at 90°
- 2.5 mm jack plug, 2-pin PC plug

Height		2.3 cm					
Length	1	17.7 cm					
Width		3 cm	5 m				00006946
 For all flash device mats and tilt head attachment base Suitable for photo with tripod thread With a standard fl bile camera screw tripod thread B 1/4 Plastic runner Wider lighting ang flash device is atta camera Prevents the "red- because the flash different angle, an case without the f from the proximity Easy handling: the device are compact the flash rail, and res the ideal distril for portrait shots 	s with / videa ash shi ash shi A 1/4' d'' (6.4 gle, bea ached r eye eff is com is com d not, lash ra com the fis com the fis c	standard o cameras oe and mo- ' (6.4 mm), I mm) cause the next to the fect" ing from a as is the il, directly e lens ra and flash ached to sh rail ensu-	han Flash Ca "90° Stu	ble		вк 5 m	m", Red
			 Sync cabl flash syst Angled a 3.5 mm ja 	ems t 90°			
			10 m				00006945
					6	BK	
1/4" (6.4 mm)		00006815	5 m		6	BK	00006944



ACCESSORIES FOR FLASHES

104

1/4" (6.4 mm)

hama March 2020 INT

1/4" (6.4 mm)


00006831

Qty PT

00006810

60 BK

Flash accessories



Qty PT

March 2020 INT





CLEAN & CARE



Cleaners & Care Products

Compressed Air Cleaner

hama.

Compressed Air Cleaner "AntiDust"

- Ideal for cleaning hard-to-access parts of cameras and equipment
- Monoblock tin with screw head for increased blow intensity
- Gas pressure stable until the end of the filling process
- With spray valve and capillary tube

400 ml		00005801
	30	
250 ml		00005800
	30	



"Dust Ex Brush 55" Air Blower

Diameter Rubber Bellow	5.5 cm
Length	16 cm

- With a brush for removing heavy soiling and coarse particles
- The air blower removes dust, crumbs and other small particles without touching the surface
- Valve system creates an optimal gust of air
- The brush can be attached to the side when not in use
- Environmentally friendly as neither liquid nor chemicals are required for 00005635 Black, Red

hama.

Diameter Rubber

Bellow

Length

surface

gust of air

cleaning

• Talc free

"Dust Ex 55" Air Blower

• Removes dust, crumbs and other

• Valve system creates an optimal

• Environmentally friendly as neither

liquid nor chemicals are required for

small particles without touching the

5.5 cm

16.6 cm

6 BK



"Dust Ex Edge" Air Blov yellow

Diameter Rubber Bellow	5.7 cm
Length	12 cm

- Removes dust, crumbs and oth small particles without touchin surface
- Valve system creates an optima gust of air
- Environmentally friendly as nei liquid nor chemicals are require cleaning • Talc free



"Dust Ex Mini 40" Air Blower

Diameter Rubber Bellow	4 cm
Length	9.5 cm

- Small and handy
- Removes dust, cr small particles w surface
- Valve system creation gust of air
- Environmentally liquid nor chemic cleaning

Black

00005610 Black, Red 6 BK

		harman
wer,	hama "Glass Fibre" Cleaner	Contact
	Suitable for	Batteries and Devices
ner ng the al ither ed for	• Length of glass fil • Length of pen: 12	
5648		0000562
	6	BK



Replacement Bundles for "Glass Fibrer"

00005629

		4 cm	Suitable for			n/s
		9.5 cm				
, cru vit	hout	and other touching the				
eat	tes ar	n optimal				
		y as neither e required for				
		00005644				00005628
6	BK			6	BK	

 \bigcirc CLEAN & CARE

108

hama March 2020 INT



hama

"Pneu 40" Lens Brush

Diameter Rubber Bellow	40 mm
Length	9 cm

- With a brush for removing heavy soiling and coarse particles
- The dust blower removes dust, crumbs and other small particles without touching the surface
- Valve system creates an optimal gust of air
- With a protective cap
- Environmentally friendly as neither liquid nor chemicals are required for cleaning

Black		00005611	
	6	BK	





hama. "SensorKlear" Cleaning Set

- The lateral opening of the magnifier allows dust removal with light, no need to remove the magnifier
- Eight LEDs for optimal illumination to clean the camera sensor
- Magnifier for detecting smallest dirt particles on the camera sensor and for controlling the cleaning process
- Magnifier with 6x magnification
- Cleaning pen with joint





"Optic Dry" Photo Cleaning Set, 3-part

• Set comprising:

- Dust Ex Brush:
- With brush, for removing heavy soiling and coarser particles
- Air blower removes dust, crumbs and other small particles without touching the surface
- Valve system for optimised blowing action
- Brush can be attached to the side when not in use
- Environment-friendly • Talc-free

- Cleaning Cloth: • Removes dirt and dust from all optical surfaces
- Especially high-guality microfibre cloth for lint-free cleaning
- Excellent cleaning effect thanks to high-quality fibre structure
- Microfibre cleaning cloth (80% polyester, 20% polyamide)

Lenspen:

- Highly efficient and gentle cleaning of all optical surfaces, especially for lenses and filters
- Ready for use immediately, since the screw lock ensures automatic activation of the velvet surface and means that no special activation of the fibres is required
- Especially long-lasting, since no liquid can dry out or leak with dry cleaning
- Original Lenspen
- Removes durst, specks of grease and other dirt

6 BK

Does not dry out

00005645



 \bigcirc

CLEAN & CARE

• Set consisting of:

Cleaning Set

hama.

Lens pen:

- Allows highly effective and gentle cleaning of all optical surfaces, specially designed for lenses and filters
- Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers separately
- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Original lens pen Removes dust, grease spots and other smudges

• Does not dry out

- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- · Conveniently shaped pen with a clip for attachment and an ergonomic design
- Curved velvety surface
- Diameter: 13 mm, especially for lenses and filters

Air blower:

- For gently cleaning cameras, sensors, mirrors, lenses and eyepieces
- Removes dust, crumbs and other small particles without touching the surface
- Valve system creates an optimal gust of air
- Environmentally friendly as neither liquid nor chemicals are required for cleaning
- Talc free

6 BK

hama



109

00005939

3 BK

March 2020 INT



hama. "Classic" Lens Pen

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	13 mm
Nib Length	11.5 cm

- Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers separately
- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Original lens pen

 \bigcirc

CLEAN & CARE

- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- Conveniently shaped pen with a clip for attachment and an ergonomic design
- Curved velvety surface
- Diameter: 13 mm, especially for lenses and filters





hama "DigiKlear" Lens Pen

Special Velvet
13 mm
11.5 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers separately
- Original lens pen
- Removes dust, grease spots and other smudges
- Does not dry outWith a lens brush for dry
- precleaning • Special coating for high-quality lenses
- Conveniently shaped pen with a clip for attachment and an ergonomic design
- Velvety surface with a special flat triangular shape for hard to reach places
- Diameter: 13 mm, especially for lenses and filters





hama.

Lens Pen, 15 pieces in a display box

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	13 mm
Nib Length	12.5 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry
- precleaningSpecial coating for high-quality
- lensesConveniently shaped pen with a clip for attachment
- Curved velvety surface
- Diameter: 13 mm, especially for lenses and filters





hama. "MiniPro III" Lens Pen

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	8 mm
Nib Length	9 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers separately
- Original lens pen
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- Small and handy pen with a clip for attachment and an ergonomic design
- Flat velvety surface
- Diameter: 8 mm, especially for small optical surfaces

Black, Red 20 BK

00005961

hama

 Black, Silver
 00005962

 20
 BK

15 SC

Blac

Black, Green 20 BK

110

March 2020 INT





hama.

MiniPro II Lens Pen, 15 pieces in a display box

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	8 mm
Nib Length	9 cm
Nib Length	9 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Flat velvety surface
- Diameter: 8 mm, especially for small optical surfaces



hama.

Cleaning Cloth "Antistatic"

Material	100% Cotton
Length	23 cm
Width	25 cm

- The antistatic effect prevents dust from accumulating again after the cleaning process
- Cleaning cloth of superior quality, made of 100% cotton, for lint-free cleaning
- · Cleans effectively thanks to its highquality fibre structure

Orange		00005901
6	BK	
		D
	J	7
hama.		
Cleaning Cloth "Slides/Lenses		
	_	
Material	10	0% Cotton

Length	25 cm
Width	24 cm

- Cleaning cloth of superior quality, made of 100% cotton, for lint-free cleaning
- · Cleans effectively thanks to its highquality fibre structure



Cream Nature

hama.

Cleaning Cloth

cleaning process

stubborn grime · Perfect for on the go

Cream Nature

"Pro-Optic"

Material

Length

Width

Cleaning Cloth "Lens Cleaning Tissues, 150 pieces"

Material	Paper
Length	6 cm
Width	12 cm

 Made without silicone which avoids the formation of smears

• Optimized for wet cleaning with a special cleaning fluid

6 BK

00005915



hama.

Cleaning Cloth "Pro-Optic, 24 Packs/ **Display Box**"

Material	Paper
Length	14 cm
Width	12 cm

• The antistatic effect prevents dust from accumulating again after the cleaning process

- Wet cleaning perfect for stubborn dirt
- Ideal for travel



hama. **Cleaning Cloth**

"Micro"

Light Grey

Material	80% Polyester
Length	15.5 cm
Width	15.5 cm
	1010 011

- Microfibre cloth of superior quality for lint-free cleaning
- Cleans effectively thanks to its highquality fibre structure

6 BK

 Microfibre cleaning cloth (80%) polyester, 20% polyamide)

hama

Silver				00005620		Orange	
		15	SC				

Qty PT

00005921

00005973

Paper

14 cm

12 cm

• The antistatic effect prevents dust

Wet cleaning is ideal for removing

6 BK

from accumulating again after the



00005908

 \bigcirc CLEAN & CARE



hama

Cleaning Cloth "Micro, 10 Pieces in a **Display Box**"

Material	80% Polyester
Length	20 cm
Width	20 cm

• Microfibre cloth of superior quality for lint-free cleaning

Light Grey			00005916
	10	SC	



hama.

Cleaning Clot "Micro, 24 Pie **Display Box**"

Material	80% Polyester
Length	15.5 cm
Width	15.5 cm

• Microfibre cloth for lint-free clear

 Cleans effectively quality fibre stru

 Microfibre cleani nylon, 80% polye


Light Grey

and the second sec	6
	han
th eces in a	Cleanin "Pocket
80% Polyester	Material
15.5 cm	Length
15.5 cm	Width
of superior quality ning ly thanks to its high- icture ing cloth (20% <i>r</i> ester)	 With a cl it onto a or bunch Features neoprene Cleans ef quality fi Washable used reported
00005904	Light Grey, Black, Light
24 SC	, ,
	March 202





STORAGE MEDIA & ACCESSORIES



Memory Cards

hama. See I vo 256 GB R80 MBAR



SD Memory Card

SD Memory Card "Memory Fast", 80 MB/s

UHS Standard	UHS-I
Standard Speed Class	Class 10, UHS Speed Class 1
Video Speed Class	V10

- For real-time/broadcast recording; allows fast and direct data transfer between a memory card and a UHS-I capable terminal device
- SecureDigital-Extended-Capacity-Card (SDXC), compliant to the SD-3.01 standard
- Especially suited for real-time Full-HD video and 3D video recording
- Mechanical write protection
 (against inadvertent deletion)
- Incl. labelling field for short notes



hama.

UHS Standard

Class

Standard Speed

Video Speed Class

standard

SD Memory Card

"Memory Fast, narrow

• For real-time/broadcast recording;

Card (SDHC), meets new SD 3.01

• Especially suitable for real time full

HD video and 3D video recording

• With labelling field for short notes

Mechanical write protection against

I capable terminal device

accidental deletion

SecureDigital High Capacity

allows fast and direct data transfer

between a memory card and a UHS-

UHS-I

Class 10, UHS Speed

Class 1

V10

packaging", 80 MB/s





hama

SD Memory Card "Memory Base", 22 MB/s

UHS Standard	UHS-I
Standard Speed Class	Class 10, UHS Speed Class 1
Video Speed Class	n/s

 For real-time/broadcast recording; allows fast and direct data transfer between a memory card and a UHS-I capable terminal device

- SecureDigital Extended Capacity Card (SDXC), complies with SD 3.0 specifications
 Ideal for high-resolution full HD
- video recording
 Mechanical write protection
- (against unintentional deleting)With a label area for short notes

hama

SD Memory Card "Memory Base, narrow packaging", 22 MB/s


UHS Standard	No
Standard Speed Class	Class 10
Video Speed Class	n/s

- Allows direct recording and playback of films in FullHD
- SecureDigital High Capacity Card (SDHC), meets SD 2.0 standard
- Ideal for high-resolution full-HD video recording
- Mechanical write protection against accidental deletion
- With labelling field for short notes

256 GB			00123997
	24	BK	
128 GB			00124137
	24	BK	
64 GB			00124136
	24	BK	
32 GB			00124135
	24	BK	
16 GB			00124134
	24	BK	

hama

114



64 GB			00104379
	2	4 BK	
32 GB			00104368
	2	4 BK	
16 GB			00104367
	2	4 BK	
8 GB			00104366
	2	4 BK	
4 GB			00104365
	2	4 BK	

 32
 BK

8 GB

Memory Cards



hama microSD microSDHC microSDXC



hama microSD microSDHC microSDXC Adapter





SD Memory Card "Memory Base", 10 MB/s

UHS Standard	No				
Standard Speed Class	Class 4				
Video Speed Class	n/s				

- SecureDigital Card
- Suitable for terminal devices with SecureDigital slot
- Mechanical write protection against unintentional deleting
- With a label area for short notes

hama.

microSD Memory Card "Memory Fast + Adapter/ Photo", 80 MB/s

UHS-I
Class 10, UHS Speed Class 1
V10

- For real-time/broadcast recording; allows fast and direct data transfer between a memory card and a UHS-I capable terminal device
- micro SecureDigital Extended Capacity Card (microSDHC), complies with new SD 3.01 specifications
- Especially suited for real-time full HD video and 3D video recording
- Adapter for SD card format included

hama.

microSD Memory Card "Memory Pro 4K + Adapter/Photo", 80 MB/s

UHS Standard	UHS-I
Standard Speed Class	UHS Speed Class 3
Video Speed Class	V30

 Allows perfect, high-resolution 4k video recordings with a guaranteed minimum write speed of 30 MB/sec.

- micro SecureDigital Extended Capacity Card (microSDXC), complies with new SD 3.01 specifications
- Especially suited for 4k cinema video, real time full HD video and 3D video recordings
- Comes with an adapter for SD card format

hama


microSD Memory Card "Memory Base + Adapter/ Photo", 22 MB/s

UHS Standard	UHS-I
Standard Speed Class	Class 10
Video Speed Class	n/s

- For real-time/broadcast recording; allows fast and direct data transfer between a memory card and a UHS-I capable terminal device
- micro SecureDigital Extended Capacity Card (microSDXC), meets new SD 3.0 standard
- especially suited to real-time full HD video and 3D video recording
- Incl. adapter to SD card format

		_	
256 GB			00124173
	24	BK	
128 GB			00124160
	24	BK	
64 GB			00124152
	24	BK	
32 GB			00124151
	24	BK	
16 GB			00124150
	24	BK	

2 GB			00055377
	24	BK	



64 GB	00108077					
		24	BK			
32 GB				00108089		
		24	BK			
16 GB	16 GB					
		24	BK			
8 GB	8 GB					
		24	BK			

115

hama

March 2020 INT

Cardreader





hama.

USB 3.1 Type C UHS II OTG Card Reader, SD, grey

USB Standard

USB 3.1 Gen 1

- No more bothersome trying out: USB-C plugs can be plugged in at will
- Extremely fast data transfer rate (up to 312 MB/s) between the card and the PC when used with an appropriate UHS-II SD card
- Suitable for smartphones, tablet PCs, PCs and notebooks with USB Type C connection
- Suitable and tested for USB 3.1 Gen 1, but also works with USB 3.0 and USB 2.0 devices
- USB 3.1 Gen 1 is up to 10x faster than USB 2.0
- Super-speed data transfer at up to 5 Gbit/s
- and non-UHS-enabled SD cards
- High-quality and robust metal housing • LED function indicator provides
- information about the connection status

Memory Cards:

- SD/SDHC/SDXC • microSD/microSDHC/microSDXC (with adapter, not included in the extent of delivery)
- Operating system: Win 10/8/7/Vista/XP and MAC OS 9.x or later





hama.

USB 3.1 Type C OTG Card Reader, microSD, silver

USB Standard USB 3.1 Gen 1

- No more bothersome trying out: USB-C plugs can be plugged in at will
- High-quality and robust metal casing
- For direct data transfer between the microSD card and PC, notebook, smartphone or tablet
- Suitable for smartphones, tablet PCs, PCs and laptops with USB Type C connection
- Suitable and tested for USB 3.1 Gen 1, but also works with USB 3.0 and USB 2.0 devices
- USB 3.1 Gen 1 is up to 10x faster than USB 2.0
- SuperSpeed USB (USB 3.1 Gen 1) • Especially compact, therefore easy to transport with the notebook /
- tablet

Memory Cards:

- MicroSD/microSDHC/microSDXC • Operating system: Windows 10/8/7/
- Vista/XP and Mac OS X 10.6 or above

12 BK





hama

Card Reader "SD/microSD, Aluminium"

USB Standard

• Allows fast data transfer between the card and the PC when used with a UHS-I capable SD/microSD card

USB 3.0

- Allows direct data exchange between memory cards
- High-quality and robust metal casing
- LED function indicator gives information about the connection status
- Supports USB 3.0 SuperSpeed 5 Gbps
- Downward compatible with USB 2.0 (480 Mbit/s) and USB 1.1 (12 Mbit/s)

Memory cards:

• SD/SDHC/SDXC

- microSD/microSDHC/microSDXC
- Operating system: Windows 10/8/7/ Vista/XP or Mac OS 9.x or higher



hama

Card Reader "SD/microSD/CF"

USB Standard

• Allows fast data transfer between the card and the PC when used with a UDMA capable CF card

USB 3.0

- Allows fast data transfer between the card and the PC when used with a UHS-I capable SD/microSD card
- USB cable for connection with a PC/ laptop
- Supports USB 3.0 SuperSpeed 5 Gbps
- Downward compatible with USB 2.0 (480 Mbit/s) and USB 1.1 (12 Mbit/s)

Memory cards:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC
- CompactFlash I

Black

00123900

 Operating system: Windows 10/8/7/ Vista/XP and Mac OS 9.x or higher

00124022

25 SC

12 BK

116

March 2020 INT

Silver

Qty PT

30 BK

hama

00124186

STORAGE MEDIA & ACCESSORIES

• Backwards-compatible with UHS I

Black, Silve

Cardreader





hama.

Card Reader "SD/microSD/CF/MS"

USB Standard

• Allows fast data transfer between the card and the PC when used with a UHS-I capable SD/microSD card

USB 3.0

- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- Allows direct data exchange between memory cards
- Super speed data transfer rates of up to 5 Gbps
- LED function indicator gives information about the connection status
- Backwards-compatible with USB 2.0 (480 Mbit/s)
- Supports UDMA 7 mode
- Unique PID and VID

Memory Cards:

- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC CompactFlash I
- MS/MS Duo/MS PRO Duo/MS PRO Duo HG
- Operating system: Windows 10/8/7/ Vista/XP or Mac OS 9.x or higher





hama

Card Reader "UHS-II SD/SDHC/SDXC"

USB Standard USB 3.0

- Extremely fast data transfer rate (up to 312 MB/s) between the card and the PC when used with an appropriate UHS-II SD card
- Allows fast data transfer between the card and the PC when used with a UHS-I capable SD card
- High-quality and robust metal casing
- LED function indicator gives information about the connection status
- Downward compatible with USB 2.0 (480 Mbit/s), USB 1.1 (12 Mbit/s), UHS-I and non UHS enabled SD cards
- Supports USB 3.0 SuperSpeed 5 Gbps

Speicherkarten:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC (with adapter, not included in the delivery package)
- Operating system: Win 10/8/7/Vista/XP and MAC OS 9.x or higher







hama.

Card Reader "USB 3.0 multicard reader, SD-UHS-II / microSD UHS-II / CF"

- USB Standard USB 3.0 • Extremely fast data transfer rate (up to 312 MB/s) between the card and the PC when used with an appropriate UHS-II SD card
- Extremely fast data transfer rate (up to 312 MB/s) between the card and the PC when used with an appropriate UHS-II mircoSD card
- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- Allows direct data exchange between memory cards
- Super speed data transfer rates of up to 5 Gbps
- LED function indicator gives information about the connection status
- USB cable for connection with PC/ laptop
- Backwards-compatible with USB 2.0 (480 Mbit/s), UHS I and non-UHSenabled SD cards and micro-SD cards
- Supports USB 3.0 SuperSpeed 5 Gbps
- Supports UDMA 7 mode Operating system: Windows 10/8/7/ Vista/XP or Mac OS 9.x or higher



hama


Card Reader "35in1 SD/CF/MS/xD/SM"

USB Standard USB 2.0

- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- Allows direct data exchange between memory cards
- LED function indicator gives information about the connection status
- USB cable for connection with PC/ laptop
- Supports USB 2.0 (480 Mbit/s) and USB 1.1

Memory cards:

- SD/SDHC/SDXC microSD/microSDHC/microSDXC (with adapter, not included in the
- delivery package) • CompactFlash I & II
- MS/MS Duo/MS PRO Duo/MS PRO Duo HG
- Smart Media Card
- xD-Picture Card
- Operating system: Windows 10/8/7/ Vista/XP and Mac OS 9.x or higher



White			00181017									
Black			00181018	Anthracite			00124024	Black			00124185	Blue
	25	BK			10	BK			18	BK		

March 2020 INT



50 SC

00055348

117

STORAGE MEDIA & ACCESSORIES

Cardreader





hama.

Card Reader "8in1 SD/microSD"

USB Standard

• Allows direct data exchange between memory cards

USB 2.0

- LED function indicator gives information about the connection status
- Supports USB 2.0 (480 Mbit/s) and USB 1.1 (12 Mbit/s)
- 2 slot solution with direct USB connection (no USB cable necessary)
- Ideal for travelling

Memory cards:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC Operating system: Windows 10/8/7/
- Vista/XP bzw. Mac OS 9.x or higher





hama.

Card Reader "Basic SD/microSD/CF/MS/ xD"

USB Standard USB 2.0

- Allows direct data exchange between memory cards
- LED function indicator gives information about the connection status
- USB cable for connection with PC/ laptop
- · Compact card reader, ideal for travel

Memory cards:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC
- CompactFlash I & II • MS/MS Duo/MS PRO Duo/MS PRO Duo HG
- xD-Picture Card
- Operating system: Windows 10/8/7/ Vista/XP and Mac OS 9.x or higher





hama.

Card Reader "SD"

USB Standard USB 2.0

- LED function indicator gives information about the connection status Memory cards:
- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC (with adapter, not included in the delivery package)
- Operating system: Windows 10/8/7/ Vista/XP and Mac OS 9.x or higher



hama.

USB 2.0 Multi Card Reader, SD/microSD/CF, blue

USB Standard

• Allows fast data transfer between the card and the PC when used with a UDMA capable CF card

USB 2.0

- LED function indicator gives information about the connection status
- USB cable for connection with PC/ laptop
- Supports USB 2.0 (480 Mbit/s)
- Memory cards:
- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC
- CompactFlash I
- Operating system: Windows 10/8/7/ Vista/XP and Mac OS 9.x or higher

ш	
~	-
1	
ACCESSORI	2
Ū	7
v	7
ш	1
ι.	J
C	5
2	ŕ
à	2
-	
<	٢
-	-
	1
ц	_
5	5
~	
ш	
H	-
E U	
\sim	
\sim	
\sim	
STOR AGE	



Qty PT

Cardreader | Memory card storage





ama.

USB 2.0 OTG Card Reader, Micro-USB, microSD, silver

USB Standard	USB 2.0
a Diale and Berrard	

- High-quality and robust metal casing
- For direct data transfer between the microSD card and smartphone or tablet
- Compact card reader for microSD/ microSDHC/microSDXC Host/OTG-enabled smartphones and tablets with Android operating system from Android 4.0 and micro-USB interface.



hama.

Silver

Black

Memory Card Box "Smart"

Material	Plastic Material
Max. Capacity (Pieces)	18
Suitable for	Universal

• The flexible, non-slip material adapts to fit the shape of any memory card and provides optimum protection

12 BK

00095976

00095977



hama.

Memory Card Box "Fancy"

Material	Plastic Material
Max. Capacity (Pieces)	8
Suitable for	SD & MMC

• Elastic, shock-absorbing insert included

• Holds up to 8 SD memory cards

Silver			00049915
Black			00095973
Blue			00095974
	6	BK	





Memory Card Box "For 10 Memory Cards"

Material	Plastic Material
Max. Capacity (Pieces)	10
Suitable for	n/s

- Holds up to 10 memory cards
- Flexible, breakproof box which protects the cards from becoming damaged
- Date and memo area (can be labelled)
- Extremely flat and space-saving
- Fits in a 10x15 slip-in photo album

180 BK



ilver			00181019	
	12	BK		

S



hama

Memory Card Box "DuoCase"

Material	Plastic Material
Max. Capacity (Pieces)	2
Suitable for	SD & MMC

- Prevents your memory card from becoming damaged
- Flexible, breakproof box

Transparent

• Extremely flat and space-saving

6 BK



arent	00095949

6 BK

• Prevents your memory card from

• Extremely flat and space-saving

becoming damaged

Flexible, breakproof box

hama.

Material

(Pieces) Suitable for

Transp

Max. Capacity

Memory Card Box "SD Slim Box"

Plastic Material

1

SD & MMC

00095947



Memory card storage



hama

Memory Card Label "18 Pieces"

• Self-adhesive

Blac



hama

Transparent, White

Self-Adhesive Sleeves, pack of 5, white

Material	n/s
Max. Capacity (Pieces)	2
Suitable for	SD & MMC

High-quality, antistatic sleeves
For attaching two SD cards each to a file, folder, photo album, etc.

100 HC

00095950

Material	Faux Leather
External Dimension (Depth)	3.1 cm
External Dimension (Height)	13.4 cm
External Dimension (Width)	9.3 cm
Suitable for	SD & MMC

Memory Card Case, black

Memory Card Bag

hama.

High-quality, antistatic sleeves
Index can be labelled, allowing for organised archiving

 Trendy index templates can be downloaded at www.hama.de/ service/download
 Black
 00095983
 90 SU



hama Memory Card Case, black

MaterialFaux LeatherExternal Dimension
(Depth)3.1 cmExternal Dimension
(Height)9.7 cmExternal Dimension
(Width)9.3 cmSuitable forSD & MMC

- High-quality, antistatic sleeves
- Index can be labelled, allowing for organised archiving
- Trendy index templates can be downloaded at www.hama.de/ service/download
 Black
 00095980

120 SU



hama

"Vegas" Memory Card Case, size S, black

Material	Faux Leather
External Dimension (Depth)	1.6 cm
External Dimension (Height)	8.5 cm
External Dimension (Width)	8 cm
Suitable for	SD & MicroSD

- Holds up to 4 SD and 4 microSD cards
- With specially developed safety insert
- Practical magnetic fastener

Black

		00095956
120	HC	

k, White			00095916
	100	HC	

120

hama.

External Dimension

Material

(Depth) External Dimension

(Height) External Dimension

(Width) Suitable for

cards

insert

Black

"Vegas" Memory Card

• Holds up to 8 SD and 4 microSD

• With specially developed safety

120 HC

Practical magnetic fastener

Case, size M, black

_

00095964

Faux Leather

1.6 cm

13.7 cm

8 cm

SD & MicroSD

Memory card storage



hama

"Universal" Memory Card Case, large, black

Material	Faux Leather
External Dimension (Depth)	3.5 cm
External Dimension (Height)	12 cm
External Dimension (Width)	17 cm
Suitable for	Universal

- With a compartment for a Compact-Flash adapter
- Loops for up to 4 AA batteries and one stylus pen

Black				00047153
	(60	SU	



hama

"Maxi" Memory Card Case, black/grey

Material	Polyester
External Dimension (Depth)	12 cm
External Dimension (Height)	4 cm
External Dimension (Width)	19.5 cm
Suitable for	Universal

- Holds up to 20 memory cards
- Compartment for a PCMCIA adapter • Loops for up to 5 AA batteries and
- one stylus pen • Loops for a PDA or notepad plus

replaceme			
Black, Grey			00049917
	60	SU	



hama

Memory Card File, graphite

Polypropylene (PP)
1.5 cm
7.5 cm
10 cm
SD & MMC

- High-quality, antistatic sleeves
 Trendy index templates can be downloaded at www.hama.de/
- Index can be labelled, allowing for
- organised archiving Graphite 00095920

20 HC



hama.

"Universal" Memory Card Case, small, black

Material	Faux Leather
External Dimension (Depth)	1 cm
External Dimension (Height)	7.8 cm
External Dimension (Width)	10.5 cm
Suitable for	Universal

200 HC

00047152

• With hook and loop fastener

Black



hama

"Mini" Memory Card Case, black/grey

Material	Polyester		
External Dimension (Depth)	8 cm		
External Dimension (Height)	2 cm		
External Dimension (Width)	12.2 cm		
Suitable for	Universal		

• Holds up to 10 memory cards • 2 insert pockets for small parts

Black, Grey			00049916
	30	SU	





Memory Card File, blue

	Material	Polypropylene (PP)
	External Dimension (Depth)	1.5 cm
	External Dimension (Height)	7.5 cm
	External Dimension (Width)	10 cm
	Suitable for	SD & MMC

- High-quality, antistatic sleeves
 Trendy index templates can be downloaded at www.hama.de/ service/download
- Index can be labelled, allowing for organised archiving
 Blue
 00095921

20 HC

121



DIGITAL PICTURE FRAMES



Digital Photoframe

Digital Photo Frame











"8SLB" Digital Photo Frame, 20.32 cm (8.0"), slim steel, 1024 x 768 px



MMC Card, SD Card, SDHC Card 500 :1

0 M B

Stainless Steel

54 mm

157 mm

20.32 cm [8"

182 mm

300 cd/m²

1024 x 768 Pixel

"8SLB" Digital Photo Frame, 20.32 cm (8.0"), Slim, 1024 x 768 pixel



Card Slot	MMC Card, SD Card, SDHC Card
Contrast	500 :1
Internal Memory	0 MB
Material (Frame)	Plastic Material
Depth	56 mm
Height	165 mm
Screen Dimensions	20.32 cm [8"]
Width	200 mm
Brightness	300 cd/m ²
Resolution	1024 x 768 Pixel

- 20.32 cm (8.0") TFT LED display in 4:3 format
- Supports SD/SDHC/MMC memory cards
- Including USB port (type A, USB host, 2.0 high speed)
- Supported image formats: JPG, JPEG
- Supported functions: slide show (with transition effects), random slide show, zoom, split screen mode, automatic timer function, duration of image display, display format, image rotation, folder mode, multilingual menu

```
• Including calendar/clock
```



8 SC

Matt Black 00095290 8 SC

, III

DIGITAL PICTURE FRAMES

• 20.32 cm (8.0") TFT LED display in 4:3 format • Supports SD/SDHC/MMC memory cards

Card Slot

Contrast Internal Memory

Depth

Height

Width

Brightness

Resolution

Material (Frame)

Screen Dimensions

- Including USB port (type A, USB host, 2.0 high speed)
- Supported image formats: JPG, JPEG
- Supported functions: slide show (with transition effects), random slide show, zoom, split screen mode, automatic timer function, duration of image display, display format, image rotation, folder mode, multilingual menu
- Including calendar/clock
- Housing made of brushed stainless steel

hama

Digital Photoframe











"97SLB" Digital Photo Frame, 24.64 cm (9.7"), slim steel

- Andrew Constant
hama.

Card Slot	MMC Card, SD Card, SDHC Card		
Contrast	400 :1		
Internal Memory	0 MB		
Material (Frame)	Stainless Steel		
Depth	54 mm		
Height	184 mm		
Screen Dimensions	24.64 cm (9.7")		
Width	220 mm		
Brightness	150 cd/m ²		
Resolution	1024 x 768 Pixel		

Silver

- 24.64 cm (9.7") TFT LED display in 4:3 format
- Supports SD/SDHC/MMC memory cards
- Including USB port (type A, USB host, 2.0 high speed)
- Supported image formats: JPG, JPEG
- Supported functions: slide show (with transition effects), random slide show, zoom, split screen mode, automatic timer function, duration of image display, display format, image rotation, folder mode, multilingual menu
- Including calendar/clock
- Housing made of brushed stainless steel



"97SLB"	Digital	Photo	Frame,	24.64	cm
(9.7"), sl	im				

Card Slot	MMC Card, SD Card, SDHC Card
Contrast	400 :1
Internal Memory	0 MB
Material (Frame)	Plastic Material
Depth	56 mm
Height	192 mm
Screen Dimensions	24.64 cm (9.7")
Width	232 mm
Brightness	150 cd/m ²
Resolution	1024 x 768 Pixel

- 24.64 cm (9.7") TFT LED display in 4:3 format
- Supports SD/SDHC/MMC memory cards
- Including USB port (type A, USB host, 2.0 high speed)
- Supported image formats: JPG, JPEG • Supported functions: slide show (with transition effects), random slide show, zoom, split screen mode, automatic timer function, duration of image display, display format, image rotation, folder mode, multilingual menu
- Including calendar/clock



00095291 Black 8 SC

hama

8 SC




Digital Photoframe







"97SLP" Digital Photo Frame, 24.64 cm (9.7"), slim steel, music & video



hama.

hama 126


, III

March 2020 INT

Qty PT



SLIDE



Mounting of slides & Projection

Slide Viewer



hama.

"LED" Slide Viewer, 3 x Magnification

Max. Magnification Factor	3
Slide Format	5 x 5 cm
Power Supply	Battery

For all slide frames 5 x 5 cm in size
With LED lighting, for 2 Mignon AA batteries, 1.5 V

Black		00001655
	6	



hama.

"300" Slide Case, with 6 Magazines for 50 Slides each

Slide Format	5 x 5 cm
Colour	Black

- Flat, fold-up slide case, stackable • For 300 5 x 5 slides
- With 6 unit magazines for 50 slide mounts each
- Produced in accordance with DIN standard
- Incl. index card, table of contents



hama

"100" Stackable Slide Box, with 2 Magazines for 50 Slides each, Twin Pack

Slide Format	5 x 5 cm
Colour	Grey

Unit magazine for 5 x 5 slides
Twin pack: 2 stacked boxes with a total of 4 magazines (1081: 4 x 36 slides/1086: 4 x 50 slides)

6 PO

00001086

• 2 x 2 x 50





hama

Slide Sleeves for 20 mounted slides with a size of 5x5 cm, 25 pieces

Foil Thickness	80 µ
Number of Slides per Sleeve	20
Sheet Length	310 mm
Sheet Width	250 mm
Slide Format	5 x 5 cm
Slide Thickness	2.3 mm

• Protect your valuable slides against outside influences

- For 20 slide frames, thickness: up to 2.3 mm, without glass
- Clear





hama

Slide Sleeves for 20 Framed Slides in 5x5 cm Format, 12 pcs.

Foil Thickness	140 µ, 180 µ
Number of Slides per Sleeve	20
Sheet Length	310 mm
Sheet Width	250 mm
Slide Format	5 x 5 cm
Slide Thickness	3.2 mm

- To protect your valuable slides from external influences
- Made from archive-safe polypropylene, clear
- For 20 slide mounts up to 3.2 mm thick, with and without glass

200

25

00002004

12 PO

12

00002014


12 PO



CINEFILM & VIDEO



Smallformat accessories | Projectors



130

hama March 2020 INT



PROJECTION



Bags & Cases | Projectors







hama.

"Sportsline" Projector Bag, L, black

Material	Polytex
Internal Dimension (Depth)	27 cm
Internal Dimension (Height)	15 cm

- Adjustable and removable inner divider to divide the bag as required
- Fully padded projector bag with variable inner divider
- Two large, variable-position additional pads with hook and loop fastening
- Projector retaining strap
- Integrated metal edging for stability
 Personal code bag
- Removable cable bag
- Large hook and loop mesh pocket for accessories with hidden zip fastener to protect the surface of the appliance
- Front pocket on the outside
- Document compartment on the back
- Padded handle
 Detachable shoulder strap

prime line



hama

"Sportsline" Projector Bag, M, black

Material	Polytex
Internal Dimension (Depth)	23 cm
Internal Dimension (Height)	10 cm

- Adjustable and removable inner
- divider to divide the bag as required
 The metal border reinforces the bag thus providing stability and optimal protection
- Rainproof zip protects from penetrating water and dirt
- Padded notebook compartment for reliable protection during transportation
- Fully padded projector bag with variable inner divider
- Two large, variable-position additional pads with hook and loop
- fastening • Projector retaining strap
- Removable cable bag
- Large hook and loop mesh pocket for accessories with hidden zip fastener to protect the surface of the appliance
- Front pocket on the outside
- Document compartment on the back

4 HT

00101065

- Padded handle
 Detachable chaulder strap
- Detachable shoulder strap



hama.

Roller Projection Screen, 180 x 160 cm, 4:3

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	4:3
Projection Area	170 x 128 cm
Projection Diagonal	213 cm
Weight	6.6 kg
Gain-Value	n/s
Black Border	5 cm

- High-quality projection screen, especially developed for the home cinema
- Projection screen surface with high luminance and large viewing angle of 150°
- For mounting on ceilings or walls
- Spring balancer mechanism for quick and frictionless rolling in and out of the projection cloth
- With tension rod
- With black masking for enhanced picture contrast (5 cm)
- Safe height setting via steplessly adjustable locking system
- Quality of the screen surface: M1 (PVC)
- Aspect ratio: 4:3
- Optimal adjustment of the projection height trough 30 cm wide, black trail
- Compact housing cross section: 7.3 x 8.5 cm
- Black, light-proof backside
- Metal housing RAL 9010 with black end caps

1

00018772

PVC





hama

Roller Projection Screen, 200 x 175 cm, 4:3

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	4:3
Projection Area	190 x 143 cm
Projection Diagonal	238 cm
Weight	7.28 kg
Gain-Value	n/s
Black Border	5 cm

- High-quality projection screen, especially developed for the home cinema
- Projection screen surface with high luminance and large viewing angle of 150°
- For mounting on ceilings or walls
- Spring balancer mechanism for quick and frictionless rolling in and out of the projection cloth
- With tension rod
- With black masking for enhanced picture contrast (5 cm)
- Safe height setting via steplessly adjustable locking system
- Quality of the screen surface: M1 (PVC)
- Aspect ratio: 4:3
- Optimal adjustment of the projection height trough 30 cm wide, black trail
- Compact housing cross section: 7.3 x 8.5 cm
- Black, light-proof backside
- Metal housing RAL 9010 with black end caps

1

00018782

32 cm

00101066

3 HT

PVC

PROJECTION





hama

Roller Projection Screen, 240 x 195 cm, 4:3

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	4:3
Projection Area	230 x 173 cm
Projection Diagonal	288 cm
Weight	9.22 kg
Gain-Value	n/s
Black Border	5 cm

- High-quality projection screen, especially developed for the home cinema
- Projection screen surface with high luminance and large viewing angle of 150°
- For mounting on ceilings or walls
- Spring balancer mechanism for quick and frictionless rolling in and out of the projection cloth
- With tension rod
- With black masking for enhanced picture contrast (5 cm)
- Safe height setting via steplessly adjustable locking system
 Quality of the screen surface: M1
- Quality of the screen surface (PVC)
- Aspect ratio: 4:3
- Optimal adjustment of the projection height trough 22 cm wide, black trail
- Compact housing cross section: 7.3 x 8.5 cm
- Black, light-proof backside

PVC

 Metal housing RAL 9010 with black end caps

1

00018787

PVC



- 1

hama.

Ľ

Roller Projection Screen, 240 x 200 cm, 4:3

Material Tube Body	Aluminium
Cloth Thickness	290 µm
Format	4:3
Projection Area	240 x 200 cm
Projection Diagonal	312.41 cm
Weight	9.215 kg
Gain-Value	1.2
Black Border	0 cm

- High-quality projection screen which has especially been designed for home cinema use
- Also suitable for business and courses of studies
- Screen with high luminance and a large viewing angle of 150°
- Balancer mechanism for rolling the screen quickly and easily up and out
- Secure height adjustment via the continuously adjustable locking
- system
- For wall and ceiling mounting
- Aspect ratio: 4:3
- RAL 9010 metal casing with black caps



hama

Roller Projection Screen, 180 x 140 cm, 16:9

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	16:9
Projection Area	170 x 96 cm
Projection Diagonal	195 cm
Weight	6.6 kg
Gain-Value	n/s
Black Border	5 cm

- High-quality projection screen, especially developed for the home cinema
- Projection screen surface with high luminance and large viewing angle of 150°
- For mounting on ceilings or walls
- Spring balancer mechanism for quick and frictionless rolling in and out of the projection cloth
- With tension rod
- With black masking for enhanced picture contrast (5 cm)
- Safe height setting via steplessly
- adjustable locking system • Quality of the screen surface: M1
- (PVC) • Aspect ratio: 16:9
- Optimal adjustment of the projection height trough 40 cm wide, black trail
- Compact housing cross section: 7.3 x 8.5 cm
- Black, light-proof backside
- Metal housing RAL 9010 with black end caps

1





hama

Roller Projection Screen, 200 x 150 cm, 16:9

Material Tube Body	Metal
Cloth Thickness	330 µm
Format	16:9
Projection Area	190 x 107 cm
Projection Diagonal	218 cm
Weight	7.28 kg
Gain-Value	n/s
Black Border	5 cm

- High-quality projection screen, especially developed for the home cinema
- Projection screen surface with high luminance and large viewing angle of 150°
- For mounting on ceilings or walls
- Spring balancer mechanism for quick and frictionless rolling in and out of the projection cloth
- With tension rod
- With black masking for enhanced picture contrast (5 cm)
- Safe height setting via steplessly adjustable locking system
- Quality of the screen surface: M1 (PVC)
- Aspect ratio: 16:9
- Optimal adjustment of the projection height trough 40 cm wide, black trail
- Compact housing cross section: 7.3 x 8.5 cm
- Black, light-proof backside
- Metal housing RAL 9010 with black end caps

1

hama

00018783

133

Qty PT

1

00017798

PVC

March 2020 INT

00018773

PVC





hama.

Roller Projection Screen, 240 x 175 cm, 16:9

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	16:9
Projection Area	230 x 129 cm
Projection Diagonal	264 cm
Weight	9.22 kg
Gain-Value	n/s
Black Border	2 cm

- High-quality projection screen, especially developed for the home cinema
- Projection screen surface with high luminance and large viewing angle of 150°
- For mounting on ceilings or walls
- Spring balancer mechanism for quick and frictionless rolling in and out of the projection cloth
- With tension rod
- With black masking for enhanced picture contrast (5 cm)
- Safe height setting via steplessly adjustable locking system
- Quality of the screen surface: M1 (PVC)
- Aspect ratio: 16:9
- Optimal adjustment of the projection height trough 40 cm wide, black trail
- Compact housing cross section: 7.3 x 8.5 cm
- Black, light-proof backside
- Metal housing RAL 9010 with black
 end caps



hama.

"Slim" Roller Projection Screen, 175 x 175 cm, 1:1

Material Tube Body	Aluminium
Cloth Thickness	280 µm
Format	1:1 Standard
Projection Area	175 x 175 cm
Projection Diagonal	247 cm
Weight	4.36 kg
Gain-Value	1.1
Black Border	0 cm

- White PVC screen for unique colour brilliance and very fine contrasts, the optimum for rooms with normal illumination and without direct light incidence
- Lightweight projection screen for easy wall and ceiling mounting
- Screen with high luminance and a large viewing angle of 150°
- Therefore ideal for home cinema applications
- Aspect ratio 1:1
- Secure height adjustment via continuously adjustable locking system
- Black, light proof back
- Black metal tube with a diameter of about 5,7 cm

1



hama

Roller Projection Screen, 180 x 180 cm, 1:1

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	1:1 Standard
Projection Area	180 x 180 cm
Projection Diagonal	254 cm
Weight	6.8 kg
Gain-Value	1.1
Black Border	0 cm

- White PVC screen for brilliant colours and fine contrasts, ideal for rooms with "normal" illumination and without direct light incidence
- High-quality projection screen, specially designed for home cinema use
- Projection screen with high luminance and a large viewing angle of 150°
- For wall and ceiling mounting
- Spring balancer mechanism for rolling the projection screen easily and quickly in and out
- Secure height adjustment by continuously adjustable locking system
- Screen quality: M1 (PVC)
- Aspect ratio: 1:1
- Black, light-proof back
- RAL 9010 metal housing with black foot caps

00018746

PVC



hama

Roller Projecti	on Screen,
200 x 200 cm,	1:1

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	1:1 Standard
Projection Area	200 x 200 cm
Projection Diagonal	283 cm
Weight	7.5 kg
Gain-Value	1.1
Black Border	0 cm

- White PVC screen for brilliant colours and fine contrasts, ideal for rooms with "normal" illumination and without direct light incidence
- High-quality projection screen, specially designed for home cinema use
- Projection screen with high luminance and a large viewing angle of 150°
- For wall and ceiling mounting
- Spring balancer mechanism for rolling the projection screen easily and quickly in and out
- Secure height adjustment by continuously adjustable locking system
- Screen quality: M1 (PVC)
- Aspect ratio: 1:1
- Black, light-proof back
- RAL 9010 metal housing with black foot caps

1

00018747

PROJECTION

....

PVC

00018788

1

PVC





hama

Tripod Projection Screen, 125 x 125 cm, Duo

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	1:1 Standard
Projection Area	125 x 125 cm
Projection Diagonal	177 cm
Weight	5 kg
Gain-Value	n/s

- Mobile projection screen for business, study and leisure
- For all conventional forms of front projection
- PVC screen coated on both sides, white (side 1) and silver (side 2), format: 125 x 125 cm
- For completely darkened rooms (white) and partly darkened rooms (silver)
- Outstanding flat surface of the continuously extendible projection screen by fastening device at the tube
- Black metal tube with a diameter of about 7 cm
- The screen height can adjusted as desired by means of the infinitely height adjustable telescopic tube
- Screen is pivotable by 360°
- Handy red plastic carrying grip with a lock-on button
- Stable tripod with anti-slip plastic foot caps
- Compact and easy to transport

hama.

Tripod Projection Screen, 125 x 125, white

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	1:1 Standard
Projection Area	125 x 125 cm
Projection Diagonal	177 cm
Weight	5 kg
Gain-Value	1.1

- Mobile tripod projection screen suitable for business, study and leisure uses
- For all conventional kinds of front projection
- White screen made of PVC for unique colour brilliance and very fine contrasts, for rooms which are to be darkened, size 125 cm x 125 cm
- Black metal tube Ø about 7 cm
- Outstanding flat surface of the projection screen by fastening device at the tube
- Continuously variable adjustment of the screen height and the telescope tube
- The screen is pivotable by 360°
- Handy carrying grip made of red, high-quality plastic material with fixing button
- Stable three-legs tripod with antislip plastic foot caps
- Space-saving and easy for transport



hama

Tripod Projection Screen, 155 x 155 cm, Duo

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	1:1 Standard
Projection Area	155 x 155 cm
Projection Diagonal	219 cm
Weight	6 kg
Gain-Value	n/s

- Mobile projection screen for business, study and leisure
- For all conventional forms of front projection
- PVC screen coated on both sides, white (side 1) and silver (side 2), format: 155 x 155 cm
- For completely darkened rooms (white) and partly darkened rooms (silver)
- Outstanding flat surface of the continuously extendible projection screen by fastening device at the tube
- Black metal tube with a diameter of about 7 cm
- The screen height can adjusted as desired by means of the infinitely height adjustable telescopic tube
- Screen is pivotable by 360°
- Handy red plastic carrying grip with a lock-on button
- Stable tripod with anti-slip plastic foot caps
- Compact and easy to transport



Tripod Projection Screen, 155 x 155 cm, white

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	1:1 Standard
Projection Area	155 x 155 cm
Projection Diagonal	219 cm
Weight	6 kg
Gain-Value	1.1

- Mobile tripod projection screen suitable for business, study and leisure uses
- For all conventional kinds of front projection
- White screen made of PVC for unique colour brilliance and very fine contrasts, for rooms which are to be darkened, size 155 cm x 155 cm
- Black metal tube Ø about 7 cm
- Outstanding flat surface of the projection screen by fastening device at the tube
- Continuously variable adjustment of the screen height and the telescope tube
- The screen is pivotable by 360°
- Handy carrying grip made of red, high-quality plastic material with fixing button
- Stable three-legs tripod with antislip plastic foot caps
- Space-saving and easy for transport

PVC 1

00018792

PVC

Qty PT

00018790

PVC

March 2020 INT

00018795





hama.

Tripod Projection Screen, 180 x 180 cm, white

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	1:1 Standard
Projection Area	180 x 180 cm
Projection Diagonal	255 cm
Weight	7.5 kg
Gain-Value	1.1

- Mobile tripod projection screen suitable for business, study and leisure uses
- For all conventional kinds of front projection
- White screen made of PVC for unique colour brilliance and very fine contrasts, for rooms which are to be darkened, size 180 cm x 180 cm
- Black metal tube Ø about 7 cm
- Outstanding flat surface of the projection screen by fastening device at the tube
- Continuously variable adjustment of the screen height and the telescope tube
- The screen is pivotable by 360°
- · Handy carrying grip made of red, high-quality plastic material with fixing button
- Stable three-legs tripod with antislip plastic foot caps
- Space-saving and easy for transport



hama.

Tripod Projection Screen, 200 x 200 cm, 1:1, white

Material Tube Body	Metal
Cloth Thickness	290 µm
Format	1:1 Standard
Projection Area	200 x 200 cm
Projection Diagonal	283 cm
Weight	8.5 kg
Gain-Value	1.1

- Mobile projection screen for business, study and leisure
- For all conventional forms of front projection
- White PVC screen for brilliant colours and fine contrasts, ideal for rooms which can be darkened, format: 200 cm x 200 cm
- Black metal tube with a diameter of about 7 cm
- Outstanding flat surface of the continuously extendible projection screen by fastening device at the tube
- The screen height can adjusted as desired by means of the infinitely height adjustable telescopic tube
- Screen is pivotable by 360° • Handy red plastic carrying grip with a lock-on button
- Stable three leg tripod with anti-slip plastic foot caps
- Compact and easy to transport



hama

Projection Table, 40 x 60 cm

Maximum Load	30 kg
Depth	40 cm
Height	112 cm
Width	60 cm

2 platforms

Black, White

hama.

Maximum Load

• 2 platforms

projector

Black, White

Depth

Height

Width

Projection Table 30 x 40 cm

• Upper platform and one leg are

adjustable for alinement of the

1 SC

10 kg

30 cm

102 cm

40 cm

00018774

Silver

• Upper platform and one leg are adjustable for alignment of the projector

1 SC

00018775





hama.

"LP11" Laser Pointer, green

Max. Range	50 m
Diameter	13.5 mm
Length	122 mm
Colour Laser	Green

- Green laser is perfectly visible in bright surroundings
- Metal housing in a timeless design • With clip for fastening to bags or documents
- Laser class 2 less than 1 mW



hama.

"LP10" Laser Pointer, 3-in-1, Extendable, red

Max. Range	50 m
Diameter	10 mm
Length	145 mm
Colour Laser	Red

- The red laser is ideal for emphasizing important points in darkened surroundings
- Integrated ballpoint pen for quickly taking notes on paper
- Telescopic pointer for giving engaging presentations in front of a board, whiteboard or projection screen

40 BK

00003558

PROJECTION

1

00017799

136

PVC



hama

"LP16" Laser Pointer, red

Max. Range	50 m
Diameter	13.5 mm
Length	97 mm
Colour Laser	Red

- The red laser is ideal for emphasizing important points in darkened surroundings
- Metal housing in a timeless designWith clip for fastening to bags or
- documents
- TÜV/GS-tested
- Laser class 2 less than 1 mW

Chrome			00003516
	40	BK	



hama

"LP18" Laser Pointer, red

Max. Range	50 m
Diameter	13.5 mm
Length	126 mm
Colour Laser	Red

- The red laser is ideal for emphasizing important points in darkened surroundings
- Metal housing in a timeless design
- With clip for fastening to bags or
- documents • TÜV/GS-tested

Black

• Laser class 2 less than 1 mW

		00003518
40	BK	



hama.

"LP17" Laser Pointer, red

Max. Range	50 m
Diameter	13.5 mm
Length	97 mm
Colour Laser	Red

- The red laser is ideal for emphasizing important points in darkened surroundings
- Metal housing in a timeless design
 With clip for fastening to bags or documents
- TÜV/GS-tested

Bla

• Laser class 2 less than 1 mW

40 BK	ack			00003517
40 DR		40	BK	



hama

"LP15" Laser Pointer, red

Max. Range	50 m
Diameter	10 mm
Length	60 mm
Colour Laser	Red

- The red laser is ideal for emphasizing important points in darkened surroundings
- Metal housing in a timeless design
 Incl. key ring and snap hook for at-
- tachment to bags or key collections • TÜV/GS-tested
- Laser class 2 less than 1 mW

Chrome (mat	te)			00003531
		40	BK	





STORAGE SYSTEMS



Storage Systems





hama.

Photo Sleeves, DIN A4, for 4-8 Photos in 9x13 cm Format, clear, 10 pcs.

Format	Vertical Format
Number of Photos per Sleeve	8
Number of Sleeves	10
Picture Size	9 x 13 cm
Sheet Length	297 mm
Sheet Width	211 mm
Colour	Transparent

- The especially practical photo archive solution: slide the photo in, and you're done
- Also ideal for 4 postcards and autograph cards, which means that the reverse can be seen too
- The clear PP film reliably protects against fingerprints, dust and damage
- Tear-resistant
- No chemical influences on the pictures
- Filing margin with Euro holes





hama.

Photo Sleeves, DIN A4, 4-8 Photos in 10x15 cm Format, clear, 10 pcs.

Format	Vertical Format
Number of Photos per Sleeve	8
Number of Sleeves	10
Picture Size	10 x 15 cm
Sheet Length	314 mm
Sheet Width	237 mm
Colour	Transparent

- The especially practical photo archive solution: slide the photo in, and you're done
- Also ideal for 4 postcards and autograph cards, which means that the reverse can be seen too
- The clear PP film reliably protects against fingerprints, dust and damage
- Tear-resistant
- No chemical influences on the pictures
- Filing margin with Euro holes





hama

Photo Sleeves, DIN A4, for 8 photos with a size of 10x15cm, white, 10 pcs

Format	Vertical Format
Number of Photos per Sleeve	8
Number of Sleeves	10
Picture Size	10 x 15 cm
Sheet Length	314 mm
Sheet Width	237 mm
Colour	White

• Immensely practical system: simply insert the photo and you're done

- The crystal clear PP film protects against fingerprints, dust and damage
- Tearproof
- Without chemicals that can influence the photos
- Perforated binder edge
- With white interleaf





Negative Sleeves, Parchment, 7 Strips of 6 Negatives, 24x36 mm, 100 pcs.

Foil Thickness	35g/qm
Material	Glassine Matt (PER)
Number of Negatives per Sleeve	42
Sheet Length	310 mm
Sheet Width	260 mm

- To protect your valuable negatives from external influences
- For 7 film strips of 6 24 x 36 mm negatives
- For 35 mm film (135)

STORAGE SYSTEMS

15 HC

140

00009776

March 2020 INT

Qty PT

00009787

12 HC

100

00002251

14 SC

00009777

18 HC

Storage Systems









hama.

Negative Sleeves, Parchment, 7 Strips of 6 Negatives, 24x36 mm, 25 pcs.

Foil Thickness	35g/qm
Material	Glassine Matt (PER)
Number of Negatives per Sleeve	42
Sheet Length	310 mm
Sheet Width	260 mm

- To protect your valuable negatives from external influences
- For 7 film strips of 6 24 x 36 mm negatives
- For 35 mm film (135)

hama.

Negative Sleeves, Parchment, 10 Strips of 4 Negatives, 24x36 mm, 25 pcs.

Foil Thickness	35g/qm
Material	Glassine Matt (PER)
Number of Negatives per Sleeve	40
Sheet Length	315 mm
Sheet Width	250 mm

- To protect your valuable negatives from external influences
- For 10 film strips of 4 24 x 36 mm negatives
- For 35 mm film (135)

hama

Negative Sleeves, Parchment, 4 Strips of 3 Negatives, 6x6 cm, 25 pcs.

Foil Thickness	35g/qm
Material	Glassine Matt (PER)
Number of Negatives per Sleeve	16
Sheet Length	300 mm
Sheet Width	230 mm

• To protect your valuable negatives from external influences

- For 4 film strips of 4 24 x 36 mm negatives with reorder strips / for 4 film strips with 3 medium-format negatives 6 x 6 cm
- For 60 mm film (120)

hama

Negative Sleeves, Parchment, 4 Strips of 3 Negatives, 6x7 cm, 100 pcs.

Foil Thickness	35g/qm
Material	Glassine Matt (PER)
Number of Negatives per Sleeve	12
Sheet Length	310 mm
Sheet Width	260 mm

• To protect your valuable negatives from external influences

• For 4 film strips of 3 negatives up to 6 x 7 cm / 2 negatives up to 6 x 9 cm

• For 70 mm film (220)

STORAGE SYSTEMS

25 **00002250** 15 PO

Qty PT

10 PO

00002252

25

25

March 2020 INT

00002256

15 PO

100



00002259

14 SC

hama

Storage Systems



hama

Negative Sleeves, PP, 7 Strips of 6 Negatives, 24x36 mm, 100 pcs.

Foil Thickness	80 µ					
Material	Polypropylene (PP)					
Number of Negatives per Sleeve	42					
Sheet Length	310 mm					
Sheet Width	260 mm					

- To protect your valuable negatives from external influences
- For 7 film strips of 6 24 x 36 mm negatives
- Clear
- For 35 mm film (135)



hama.

Foil Thickness

Number of Negatives

Material

per Sleeve

Sheet Length

Sheet Width

negatives

• Clear

Negative Sleeves, PP,

24x36 mm, 25 pcs.

7 Strips of 6 Negatives,

• To protect your valuable negatives

• For 7 film strips of 6 24 x 36 mm

from external influences

• For 35 mm film (135)

80 µ

Polypropylene (PP)

42

310 mm

260 mm





hama

Negative Sleeves, PP, 1 Sheet for 40 Individual Negatives, 24x36 mm,

Foil Thickness	80 µ
Material	Polypropylene (PP)
Number of Negatives per Sleeve	40
Sheet Length	300 mm
Sheet Width	230 mm

• To protect your valuable negatives from external influences

- For 40 individual negatives or unframed slides, 24 x 36 mm
- Clear
- For 35 mm film (135)





hama.

Negative Folder, 4 D-Rings, Fill Height 45 mm, with Dust Protection Sleeve

Binding	Laminated Art Print					
Mechanics	4 Ring Mechanic					
Format	29 x 32,5 cm					
Maximum Sheet Size	260 x 310 mm					
Spine Width	80 mm					

- The practical and safe storage solution for photographs, negatives or slides
- Swap-out back plate
- Fine surface finish with linen structure, black/grey marble
- Hard-wearing
 Grey
 7 P0



hama

Negative Folder, 4 Rings, Fill Height 23 mm

					Binding			Lami	nated Art Print
					Mechanics			4 R	ing Mechanic
					Format			2	9 x 32,5 cm
					Maximum Sh	neet Si	ize	26	0 x 310 mm
					Spine Width				40 mm
					or slides	or ph ice fii ack iring	otog	graph	torage ns, negatives linen struc-
00002050	25			00002032	Black				00009003
		12	PO				16	РО	



100

25

10 PO

00002051

8 SC

Mounting of slides & Projection

Slide Sleeves





hama

Slide Sleeves for 20 mounted slides with a size of 5x5 cm, 25 pieces

Foil Thickness	80 µ
Number of Slides per Sleeve	20
Sheet Length	310 mm
Sheet Width	250 mm
Slide Format	5 x 5 cm
Slide Thickness	2.3 mm

- Protect your valuable slides against outside influences
- For 20 slide frames, thickness: up to 2.3 mm, without glass
- Clear





hama

Slide Sleeves for 20 Framed Slides in 5x5 cm Format, 12 pcs.

Foil Thickness	140 µ, 180 µ
Number of Slides per Sleeve	20
Sheet Length	310 mm
Sheet Width	250 mm
Slide Format	5 x 5 cm
Slide Thickness	3.2 mm

- To protect your valuable slides from external influences
- Made from archive-safe polypropylene, clear
- For 20 slide mounts up to 3.2 mm thick, with and without glass

12 PO

12

25

STORAGE SYSTEMS


12 PO







CUTTING MASCHINES



Office Equipment







hama

"ProCut 310" Paper Trimmer

Cut Height	0.5 mm
Cut Length	310 mm
 Easy cutting ruler for mobile use Safe and straight thanks to non-slip 	cut, up to 31 cm,

- Transparent clamping ruler with measurement division in cm & inch
- High longevity thanks to heattreated steel blade
- Cutting height: max. 5 sheets 80g/ m² (0.5 mm)



Cutting Machine/accessories



hama

"Easy Cut R 320" Rotary Trimmer

Cuttleinke	0.5
Cut Height	0.5 mm
Cut Length	320 mm
Sheet Format	DIN A4, DIN A5, DIN A6

- Circular blade made of hardened steel
- Transparent clamping ruler
- Guide bar made of aluminium • Interchangeable cutting head
- Scale for analogue and digital foto/ DIN formats and CD/DVD covers
- Angle lines for angular cutting in 5° steps • Cutting height: max. 5 sheets 80 g/
- m² (0.5 mm)





hama

Lever Cutter "ProCut S 330 Plus"

Cut Height	1 mm
Cut Length	330 mm
Sheet Format	DIN A4, DIN A5, DIN A6

- Lever cutter for paper and foil
- Clamping ruler with protective finger edge for optimal hold of the piece which is to be cut
- Marks on cutting table for analogue and digital picture/DIN formats with scale in CM and inch
- Formats and CD/DVD cover
- Angle lines for angular cutting in 5° steps
- Cutting height: max. 10 sheets 80 g/ m² (1.0 mm)



00008224

6 BK

Qty PT

00008206

5 SC

5 SC



FOTO-STUDIO



Monopods & Tripods | Background suspension

Lighting Tripod



hama Lighting Tripod 200

Leg Segments	1 Section
Material	Metal
Maximum Load	2500 g

Maximum Loau	2500 g
Maximum Height	200 cm
Minimum Height	75 cm
Colour	Black

- Stable design thanks to cross-struts
 Functional quick-action leg locks for rapid and simple locking
- Especially lightweight, therefore ideal for shots outside the studio



hama.

Bracket for Background Rolls, 3x, Hama System

Material	Plastic Material
Number of Hooks	3
Length	40 cm
Weight	14.7 kg

- For 3 background axes with Hama system
- Suitable for insert spindle item no. 00021210, aluminium tube 275 cm item no. 00021211, aluminium tube 360 cm item no. 00021212
- Wall or ceiling mountingWith mounting screws and dowels

Bla

	-		
ack			00021200
	1	SC	



hama.

Background Aluminium Tube Axle, 360 cm, Hama System

Maximum Load Capacity	14 kg
Clamping Area	n/s
Weight	12 kg

• For 3x brackets for background rolls, item no. 00021200 System Hama

• The end-to-end aluminium pipes prevent the background cardboard from sagging and therefore creasing

- Unrolling stop
- Metal chain
- Clamp device for cardboard tubes
- Load capacity max. 14 kg

360 cm		00021212
	1	



hama

Background Insert Spindles, 2-Part, Hama System

Maximum Load Capacity	5.5 kg
Clamping Area	n/s
Weight	2.7 kg

- For 3x brackets for background rolls, item no. 00021200, System Hama
- Clamp device for cardboard tube
- Unrolling stop
- Metal chain

275

- The axle parts are pushed into the cardboard tube from the left or right
 Weight
- For roll widths from 80 275 cm

cm			00021210
	3	SC	



Background Aluminium Tube Axle, 275 cm, Hama System

Maximum Load Capacity	5.5 kg
Clamping Area	n/s
Weight	10 kg

- For 3x brackets for background rolls, item no. 00021200 System Hama
 The end-to-end aluminium pipes
- prevent the background cardboard from sagging and therefore creasing
- Unrolling stopMetal chain
- Clamp device for cardboard tubes
- Load capacity max. 14 kg


275 cm		00021211
	1	

148


6 SC

4 mm)

Background suspension | Mounting Materials | Background Carton








150

hama March 2020 INT

1

Qty PT

1



March 2020 INT




hama.

Background 1,35 x 11 m, silver/grey

Material Cardboard Length 11 m • Coloured paper background, matt, non-fading, on a cardboard core • Especially suited for passport photos according to the new ePass guidelines 00021430 Grey, Silver 1 hama. Background 1,35 x 11 m, dove-grey

Material	Cardboard	Mater
Length	11 m	Lengt
 Coloured paper b non-fading, on a Especially suited i photos according guidelines 	cardboard core for passport	 Colc non Espe pho guid
Dove-Grey	00021443	Slate


hama. Background 1,35 x 11 m, lead-grey	hama. Background 1,35 x 11 m, neutral grey	hama . Background 1,35 x 11 m, apple-green
Material Cardboard	Material Cardboard	Material Cardboard
Length 11 m	Length 11 m	Length 11 m
 Coloured paper background, matt, non-fading, on a cardboard core 	 Coloured paper background, matt, non-fading, on a cardboard core Especially suited for passport photos according to the new ePass guidelines 	• Coloured paper background, matt, non-fading, on a cardboard core
Livid 00021457	Neutral Grey 00021404	Apple Green 00021463
n hama.	1	hama.
Background 1,35 x 11 m, slate-grey	Background 1,35 x 11 m, dark green	Background 1,35 x 11 m, fiery red
Material Cardboard	Material Cardboard	Material Cardboard
Length 11 m	Length 11 m	Length 11 m
 Coloured paper background, matt, non-fading, on a cardboard core Especially suited for passport photos according to the new ePass guidelines 	 Coloured paper background, matt, non-fading, on a cardboard core 	• Coloured paper background, matt, non-fading, on a cardboard core
Slate Grey 00021458	Dark Green 00021412	Fiery Red 00021427
	1	



March 2020 INT

153


hama



154

hama March 2020 M

Qty PT






hama.

Background 2,75 x 11 m, light grey

Material	Cardboard	N
Length	11 m	Ŀ
 Coloured paper b. non-fading, on a Especially suited f photos according guidelines 	cardboard core for passport	• (•] !
Light Grey 500	00021523	G
	1	¢
hama		
Background 2, misty grey	,75 x 11 m,	B d
Material	Cardboard	N
Length	11 m	Ŀ

FOTO-STUDIO

 Coloured paper background, matt, non-fading, on a cardboard core
 Especially suited for passport photos according to the new ePass guidelines





Background 2,75 x 11 m, neutral grey

	Material	Cardboard
	Length	11 m
tt,	 Coloured paper banon-fading, on a Especially suited faphotos according guidelines 	cardboard core or passport
57	Neutral Grey	00021504
	1	
		7
	hama. Background 2, dark green	,75 x 11 m,
	Background 2,	.75 x 11 m, Cardboard
	Background 2, dark green	
tt,	Background 2, dark green	Cardboard 11 m ackground, matt,
tt,	Background 2, dark green Material Length • Coloured paper ba	Cardboard 11 m ackground, matt,

Fog Grey

156

Fog Grey

00021524 Dov

hama

 Dove-Grey
 00021543

 1
 1

March 2020 INT

Qty PT


1

Slate Grey

00021558

Dark Green

1




March 2020 INT



158

Qty PT





Background Carton | Studio Accessories | Photo Studio

Adhesive Paste



hama Background cardboard 135,

Dimension (Length)	10 cm
Dimension (Width)	6 cm

• 1 original pattern each of the backgrounds 135, 275 and 360 in postcard size (14.8 x 10.5 cm)

Apple Green	00021102			
		200	PO	





hama Umbrella Holder for Flash Units with Attachment Foot

• With spigot adapter for use on

tripod sockets A 1/4" (6.4 mm)

Without adapter can be used for

Studio umbrella is attached to the

insert hole with a spring, suitable

for all common umbrella diameters

umbrella by 90° in both directions

larger diameters up to 1.5 cm

• Joint for inclining the flash and

Standard flash rail with locking

screw for secure fixing • Suitable for all stands up to 1.5 cm

Black

Colour



Adhesive Paste, 250 g

Kneadable

- For support
- Is simply applied to the product
- Neutral grey
- Can be coloured with a felt pen or similar on the surface
- Permanently elastic
 No skip formation
- No skin formation
- Does not become brittle

Self-adhesive



hama.

Matorial

Laboratory Glove

Laboratory Glove "Cotton, 1 Pair", White

material	
• Prevent finger pri	nts on objects
being photograph	ned

- Ideal for gentle cleaning and for work on optical parts or films
- For laboratory and precision engineering work
- Also suitable for domestic and hobby use
- Skin-friendly, breathable and pleasant to wear



								9, M			00008471
								11, L			00008472
1/4" (6.4 mm)			00006079	Grey			00007091	7, S			00008470
	3	BK			20	SC			25	РО	

Qty PT

hama

March 2020 INT

Photo Studio | Flash accessories


Matt Spray	Flash Cable	E TO TOTO
hama	hama	hama
Matt Spray	Flash Cable "90° Studio 2.5 mm", Black	Flash Cable "90° Studio 6.3 mm", Yellow
• Wash-out spray • Can be removed again with water	 Connection cable for all modern studio flash systems Angled at 90° 2.5 mm jack plug, 2-pin - PC plug 	 Sync cable for all modern studio flash systems Angled at 90° 6.3 mm jack plug, 2-pin - PC plug
400 ml 00006619	5 m 00006946	10 m 00006943 6 BK 5 m 00006942 6 BK
	hama.	
	Flash Cable "90° Studio 3.5 mm", Red	
	 Sync cable for all modern studio flash systems Angled at 90° 3.5 mm jack plug, 2-pin - PC plug 	
	10 m 00006945	
	6 BK	
	5 m 00006944	



hama



OPTICAL PRODUCTS



Holders | Optical Devices

Binoculars Holder



hama

"Alu" Binoculars Tripod Holder with 1/4" Thread

Thread/Connection	1/4" (6.4 mm)
Material	Aluminium
Colour	Black

- For wobble-free and lengthy observation since both hands remain free
- Firm position of the binoculars on the adapter and tripod
- Easy mounting of the binoculars: simply screw the adapter to the tripod and the binoculars to the adapter
- The binoculars remain fully operable
- Suitable for all binoculars with a 1/4" thread
- Adapter suitable for all tripods with 1/4" (6.4 mm) thread / connection



hama.

Smartphone Holder for Spotting Scope/Binoculars/ Telescope with Ø 2.5-4.8 cm

Attachment	Tripod Thread 1/4"
Model	Spotting Scope / Bi- noculars / Telescope
Mounting	Screw-On Mounting
Mobile Phone Width	n/s

- Suitable for smartphones from 5.5 cm to 9.5 cm
- Suitable for spotting scopes, binoculars, telescopes and microscopes featuring eyepieces with a diameter from 2.5 cm to 4.8 cm
- Attach the smartphone holder to the eyepiece using the screw connection
- The smartphone is secured in a clamping bracket with a screw mechanism
- Clamping bracket and resting surface rubber-coated and padded to protect against scratches
- Compact and space-saving, also ideal for luggage
- Smartphone lens meets eyepiece lens: telephoto lens for the smartphone camera - maximum magnification factor for impressive shots with the smartphone via binoculars, telescopes and so on.
- Share sensational photos and videos directly in social media
- Also suitable as a smartphone holder for tripods with 1/4" standard thread

6 BK

00044343





hama.

"Optec" Binoculars, 8x21 Compact

Armouring	Rubber
Design	Roof
Diameter of Exit Pupil	2.62 mm
Field of View /1000 m	122 m
Focusing	Joint Focusing Arrangement
Lens Coating	Coated
Weight	165 g
Colour	Black

- The "Blue Coated" antireflection lens coating avoids reflections thus guaranteeing a clear image, especially in case of backlight and dusk or dawn
- Soft touch body for shock protection and an optimal grip, therefore ideal for travel, sport and leisure time
- Due to reversible eyecups also suitable for wearers of glasses
- Compensates up to +/-3 diopters thus delivering clear images for spectacle wearers
- Quick and easy to focus thanks to large focusing wheel





hama

"Optec" Binoculars, 12x25 Compact

Armouring	Rubber
Design	Roof
Diameter of Exit Pupil	2.08 mm
Field of View /1000 m	78 m
Focusing	Joint Focusing Arrangement
Lens Coating	Coated
Weight	246 g
Colour	Black

- The "Blue Coated" antireflection lens coating avoids reflections thus guaranteeing a clear image, especially in case of backlight and dusk or dawn
- Soft touch body for shock protection and an optimal grip, therefore ideal for travel, sport and leisure time
- Due to reversible eyecups also suitable for wearers of glasses
- Compensates up to +/-3 diopters thus delivering clear images for spectacle wearers
- Quick and easy to focus thanks to large focusing wheel

00002802

12 BK

OPTICAL PRODUCTS

164

00002809 6 BK

hama March 2020 INT

12 SC

00002800

12x

Optical Devices





hama.

"Optec" Monocular, 10 x 25

Armouring	Rubber
Design	Monokular
Diameter of Exit Pupil	2.5 mm
Field of View /1000 m	96 m
Focusing	Single Ocular Focusing
Lens Coating	Multi-Coated
Weight	80 g
Colour	Black

- The "Blue Coated" antireflection lens coating avoids reflections thus guaranteeing a clear image, especially in case of backlight and dusk or dawn
- BK7 optical glass for a first class image even in extreme situations
- Soft touch body for shock protection and an optimal grip, therefore ideal when travelling as well as for sports and leisure time activities
- Due to reversible eyecups also suitable for wearers of glasses
- Compensates up to +/-3 diopters thus delivering clear images for spectacle wearers

15 SC

00002808

10x

10x





hama.

"Optec" Binoculars, 10x50 Prism

Armouring	Rubber
Design	Porro
Diameter of Exit Pupil	5 mm
Field of View /1000 m	101 m
Focusing	Joint Focusing Arrangement
Lens Coating	Coated
Weight	830 g
Colour	Black

- The "Blue Coated" antireflection lens coating avoids reflections thus guaranteeing a clear image, especially in case of backlight and dusk or dawn
- Soft touch body for shock protection and an optimal grip, therefore ideal
- for travel, sport and leisure time Due to reversible eyecups also suitable for wearers of glasses
- Compensates up to +/-3 diopters thus delivering clear images for
- spectacle wearers • Quick and easy to focus thanks to large focusing wheel
- 1/4" (6.4 mm) thread allows you to attach a tripod (includes thread cover)

Magnifier



hama.

"Basic 75" Magnifying Glass, 12 pcs. in display

Max. Magnification Factor	1.75
Height	80 mm
Lens Diameter	75 mm
Width	80 mm

With convenient handle

- 75 mm diameter for optimum
- visibility • Also perfect as a practical vision aid for the elderly to help them read comfortably and independently

Black			00005441
	12	SC	






"Basic 90 LED" Reading Magnifier, 18 pcs. in display

Max. Magnification Factor	4	
Height	94 mm	
Lens Diameter	90 mm	
Width	202 mm	
• With LED light (2 LEDs)		

- With LED light (2 LEDs)
- With convenient, slim handle
- Large lens diameter 90 mm (2 x
- magnification) for the best view Small lens diameter 21 mm (4) x magnification) for detailed





hama

"Fold LED" LED Reading Magnifier, 14 Pcs. in Display

Max. Magnification Factor	6
Height	125 mm
Lens Diameter	n/s
Width	87 mm

- With LED light (1 LED)
- Folding and frameless LED magnifier with convenient fold-out handle
- Ergonomically shaped handle for the right hand ensures comfortable reading and viewing
- Large lens, rectangular: 90 x 55 mm 00005448 Black 14 SC



hama.

Stand Magnifier, 10x Magnification, 26 mm

Max. Magnification Factor	10
Height	47 mm
Lens Diameter	26 mm
Width	50 mm

 Transparent acrylic base unit ensures sufficient incident light, allowing the objects to be particularly well identified

6 BK

- Lens with 10 x magnification for detailed observations
- Round

hama

Black

8 SC

⁰⁰⁰⁰⁵⁴⁹⁴

Index

Overview of all products from A to Z

Α

Action Camera Accessory Kit	35
Action Camera Carrying Strap	28
Action Camera Holder/Mounting	33
ActionCam Hand Strap	28
Adhesive Paste	160

B

Background Roller Holder	149
Background Subjects	160
Ball Joint/Tilt Head	62
Battery Charger	29, 99
Bending Tripod	31, 41, 59
Binoculars	164
Binoculars Holder	164
Bluetooth Shutter Release	46

С

•	
Camera Backpack	22
Camera Body Cap	90
Camera Colt Bag	11
Camera Lens Adapter	89
Camera Microphone	89
Camera Plate	62
Camera Quick-Release System	62
Camera Spirit Level	91
Camera Trolley	25
Camera/Accessories Bag	10
Card Reader	116
Carrying Strap	82, 82
Cleaning Cloth	111
Cleaning Kit	109
Cleaning Pen	38, 110
Clip-On Microphone	88
Compact Camera Bag	6
Compressed Air Cleaner	108
Contact Cleaner	108
Cutting Machine/accessories	146

D

Digital Photo Frame	124
Dust-Ex Brush	108

F

-	
Film Splicing Tape	130
Filter Adapter Ring	73
Filter Case	75
Filter Clamp	75
Flash Adapter/Tilt Head	105

Flash Cable	104, 161
Flash/Lighting Rail	104
Н	
Half Spindle	148
Hand Strap	83
Handle / accessories	66
HDMI™-Cable	85
Hook and Loop Tape	149

1

Infrared Shutter Release	70
	••••••

L

Laboratory Glove	160
Laser Pointer	136
Lens Brush	109
Lens Cap	79
Lens Cap Holder	79
Lens Hood	78
Lens Pouch/Bag	78
Lens Rear Cap	79
Lighting Tripod	148
Locking Cone	149
	· · · · · · · · · ·

Μ

Macro Lens Set	73
Magnifier	165
Matt Spray	4.64
Memory Card Bag	120
Memory Card Box	119
	120
	120
microSD Memory Card	115
Mini Pod	32, 42, 60
Monopod	FO

Ν

Negative File	142
Negative Sleeve	140
Neutral-Density Filter	72

Ρ

•	
Paper Trimmer	146
Photo Background	149
Photo Equipment Bag	10, 15
Photo Organizer Bag	9
Photo Shutter Release Extension	68
Photo Sleeves	140

Polarizing Filter	73
Power Pack	38
Projector Bag	132
Projector Table	
R	
Remote Release Adapter Cable	68
Replacement battery	
S	
Screen Protector	84
SD Memory Card	114
Selfie Stick	30, 40
Slide Magazine	128
Slide Sleeves	128, 143
Slide Viewer	1/8
Smartphone Holder/Fixing	44, 164
Smartphone Photo Lens	47
Split Ring	84
Stationary Projection Screen	132
Suction Cup/Pod	33, 62
•••••••••••••••••••••••••••••••••••••••	• • • • • • • • • • • • • • • • • • • •

Т

Telescreen	130
Tripod	29, 38, 50
Tripod Camera Screws	65
Tripod Conversion Bushings	65
Tripod Projection Screen	135
Tripod Socket	65

U

160
46, 86
88
101
72

Video Cassette Adapter	130
W	
Wall Bracket for Background Rolls	148
Wire Release	70
Wired Shutter Release	68
Wireless Shutter Release	68

1. General Information

We shall carry out deliveries exclusively in accordance with the following conditions. The purchasing party shall recognise these conditions of purchase as binding for all future transactions. Any agreement deviating from these terms requires our express written confirmation. No purchase conditions of the purchasing party that differ from the conditions stated here shall be considered valid unless they have been expressly accepted in writing by Hama. Our general terms and conditions shall be considered accepted upon receipt of the goods, at the latest. We shall store and process customer information electronically, in so far as this is required for the proper

conclusion of the given business transaction, in accordance with all relevant data protection regulations.

2. Quotation, Order and Minimum Order Value

Issuing a quotation, order and winning order value Issuing a quotation does not obligate Hama to accept the order. Changes shall be made in writing. Technical details and illustrations of articles for sale in advertising brochures and other advertising information are not binding features, but instead descriptions or labelling of our products. Factory tolerances as considered usual within the trade shall be considered binding in all cases in so far as

where samples have been provided, Hama shall make every effort to deliver to the quality and specifications of the relevant sample. Slight deviations shall not constitute grounds for a claim on the part of the ordering party.

a) Domestic orders

We shall apply a surcharge in the amount of \notin 4.00 for orders below the minimum net order value of \notin 50.00.

b) International orders

The minimum value for foreign orders shall be defined in a separate agreement.

3. Prices

All prices are ex works or warehouse and subject to legally stipulated value added tax at point of transaction. Postage and packaging costs are itemised separately on our invoices, as is transport insurance.

4. Delivery and Period of Delivery Unless the period of delivery has been agreed upon in written form for a specific case, delivery dates are to be understood as approximate dates to which we shall adhere whenever possible. Should the period of delivery be exceeded, the purchasing party may set an appropriate extension of said period, after the end of which they may withdraw from the contract through written declaration of their intent to do so.

The period of delivery shall be considered adhered to if the object of delivery has left the factory or notification of readiness to ship has been sent before the end of said period. The period of delivery shall be extended in the event of industrial disputes, particularly strikes and

lockouts, as well as unpredicted obstructions beyond our control such as disruption of production, delay in the delivery of essential materials and other such disruptions that demonstrably bear on the delivery of the goods to be delivered. The same applies should such eventualities affect subcontractors. The period of delivery is extended according to the duration of such eventualities and obstructions. Should delivery become impossible or unreasonable, we are released from the responsibility of making delivery. We are also not responsible for the aforementioned circumstances if they occur during an already

existing delay. In important cases, the onset and conclusion of such obstructions shall be commu-

Inicated by Hama to the ordering party at the earliest possible occasion. The purchasing party shall have no right to compensation for delayed delivery, unless deliberate or gross negligence on our part can be demonstrated. We are entitled to undertake partial deliveries in acceptable and reasonable quantities. Disputes over partial delivery do not entitle the purchasing party to refuse further partial deliveries.

5. Shipping and Transfer of Risk All deliveries take place at the expense of the purchasing party. The choice of route and means of transport are determined by Hama to ensure the swiftest trans-portation and punctual arrival to the best of its knowledge but without liability on the part of Hama.

Risk shall be transferred to the purchasing party when the object of delivery is received by the forwarding agent, carrier or other transporting agent – including those that are employed by us – and in any case no later than when the object leaves the factory or warehouse. This also applies to FOB and CIF transactions.

Goods for which notice has been given that they are ready for dispatch on the agreed upon date Goods for which notice has been given that they are ready for displation on the agreed upon date must be retrieved immediately. Ham is otherwise at liberty to store goods at the cost and risk of the customer as it considers fit, and to charge such goods as ex works or warehouse. The same applies if delivery cannot occur as a result of failure or suspension of transport, or of other con-ditions for which we cannot be held responsible. Should the ordering party delay acceptance of delivery for more than fourteen days after receiving notification of availability either intentionally or through gross negligence, Hama shall be, after an extension of a further fourteen days, entitled to withdow from the contract or the damped compare compared to the parts of contract. to withdraw from the contract or to demand compensation for breach of contract.

6. Terms of Payment

a) Creditworthiness In the case of delayed payment and justified concerns as to the solvency and creditworthiness of a purchasing party, Ham is within its rights to demand securities or advance payment for pending deliveries and to make all claims of the financial transaction immediately payable without affecting

our other rights.

our other rights. **b)** Terms of Payment, Domestic Payment shall be made in cash or by transfer of funds at a discount of 2 per cent of the invoice amount if made within ten days, or without any discount on the fixed price if made within thirty days. Payment shall be made irrespective of receipt of goods. In the absence of other agreements, advance payment shall be required. Payment by the ordering party shall be considered in default if such payment has not been made within the payment period starting upon receipt of the invoice. Set-off and retention rights shall only be granted to the ordering party if counterclaims are legally recognised, beyond dispute or recognised by Hama. We only accept rediscountable bills of exchange from the Bundesbank by special arrangement and on account of payment. Bills of exchange or cheques shall, subject to receipt, be credited with the value date of the day on which Hama shall finally have access to the proceeds. All costs incurred thereby are the responsibility of the purchasing party. If the payment deadline is exceeded, article 288 of the German Civil Code shall apply.

If the payment deadline is exceeded, article 288 of the German Civil Code shall apply c) Terms of Payment, International

Only written terms of payment are valid for export trade. In the absence of such agreements, advance payment shall be required.

7. Retention of Title

A Retention of Title Hama itself shall retain title of delivered goods until such time as the customer has made all payments resulting from the transaction, including those covering interest and costs, and any necessary balancing of a current account and any cheques or bills given in payment have been fully honoured. As long as payment resulting from the transaction remains due, the following shall apply: The purchasing party is within its rights to sell, process or use goods subject to this retention of title within the partnel current for the purchasing parts has leaded in default due to autotading parts

the normal course of business. Should the purchasing party be placed in default due to outstanding pay-ments, all factory-condition goods in the hands of the purchasing party and/or goods still to be received shall be put at our disposal.

Should any good sto which Hama maintains title be sold, all claims to reimbursement shall be transferred to Hama without any particular act of transfer being required when demand is made.

The purchasing party may collect such claims as have been transferred to Hama, but must immediately redirect collected funds to Hama. The same also applies to all claims arising from any other service provided by Hama.

The purchasing party is not entitled to pledge goods or ceded claims or to use such goods or claims as securities. Hama must be immediately notified of seizures by third parties. The purchasing party is obli-gated to insure goods against fire damage and theft and to furnish proof of insurance upon request. The retention of title extends to cover new items produced by processing. If property of the purchasing party is the produced by processing. If property of the purchasing party is the produced by processing. If property of the purchasing party is detected by the purchasing party is detec mixed or combined with items owned by Hama, Hama acquires partial ownership under articles 947/948 of the German Civil Code. On the request of the purchasing party, Hama shall release its securities in so far as the value of our securities exceeds more than 20 % of the claim on a non-temporary basis. The choice of securities to be released lies with Hama.

8. Claims for Defects and Warranty a) Claims for Defects

Hama warrants that its goods shall be free of material defects and defects of title at the time of transfer of risk. The warranty period begins with receipt of the goods by the customer and lasts two years.

Received goods shall be checked on receipt as to proper quality. The purchasing party shall notify Hama of any detectable defects in writing within fourteen days of receipt of goods. Hidden defects shall be reported in writing as soon as they are detected, at the latest within two years after receipt of goods. In the event of justified complaints made within the appropriate period, Hama shall rectify the defects, exchange the goods, or issue a credit note at its discretion.

b) Warranty

Hama warranties some of its products as indicated on the relevant product warranty card. Defects of material or fabrication shall be rectified within the warranty period by repair or replacement at Hama's discretion.

The warranty does not cover claims for damages of any kind, particularly not for replacement due to consequential damage. If the device in question is still under warranty, it shall be sent to Hama along with details of the defect and the dealer's receipt as proof of warranty. c) Voiding of Claims for Defects and Warranties In the case of defects caused by force or improper use, as well as in the case of repairs or actions by the ware the relation with a star of the defect and for the variant to dam for the defect and the defect and the defect was a start as a start of the defect and the defect and the defect and the defect as the damage of the defect and the defect as a start as a

by the purchasing party or third parties without our express written consent, the right to claim for defects and the warranty become null and void.

In the case of articles subject to wear and tear, no damage resulting from use over and above appropriate norms shall constitute a defect.

d) Reimbursement of Expenses

Reimbursement of expenses pursuant to article 439 II of the German Civil Code shall be agreed with Hama on an individual basis. This only applies to purchasing parties who themselves sell the goods they receive to private individuals. Any further liability for other reimbursement of expenses is excluded by Hama. The purchasing party has no other rights.

Is excluded by Hama. The purchasing party has no other rights.
e) Postage and Shipping Costs
The sender is responsible for initially paying the postage and shipping costs for any shipments sent to Hama relating to claims for defects, warranties, product liability claims and similar matters.
These costs will be reimbursed once the validity of the claim is acknowledged.

9. Disclaimer

Regardless of the legal basis of such claims, our liability for damages is limited to intentional Regardless of the legal basis of such claims, our liability for damages is limited to intentional acts and gross negligence, including intentional acts and gross negligence on the part of our representatives and agents. In so far as no intentional breach of duty exists, liability is limited to foreseeable damage that typically occurs. In the case of breach of an essential cardinal duty, we assume liability irrespective of the degree of fault. However, our liability is limited here to foreseeable damage that typically occurs. Liability due to non-accidental injury to life, limb or health is not affected. Liability is also not affected in so far as it is mandated by the German Product Liability Act, in the case of wilful deception or if a warranty is provided.

10. Returns

If it is necessary to clear merchandise, the scope and execution is generally to be clarified with us or with our field service. The following products are excluded from merchandise clearing: products from the technical price-list and weekly price-list (WPL), picture frames, opened display items, items with minimum order quantities and products that have been discontinued from our line. We also reserve the right to exclude from merchandise clearing individual product ranges that might be damaged during transport, that were delivered as part of a sales campaign or that could result in increased costs/procedures for returns and disposal.

Goods must be returned in the original packaging and with all shipping costs paid by the sender. The invoice belonging to the original delivery must accompany the shipment. Credit notes from the return of goods may only be charged against new orders of goods. Credit notes are subject to relevant deductions. Handling costs are set at fifteen per cent of the credited value of goods.

11. Applicable Law The material law of the Federal Republic of Germany shall apply. International law on the purchase of moveable goods shall not apply, even if the purchasing party has headquarters abroad.

12. Place of Performance and Jurisdiction

The place of performance for both parties is Monheim, Bavaria, Germany. In the event of any disputes arising from contractual conditions, all lawsuits are to be filed at the court whose jurisdiction covers and any non-contraction ordering party is a merchant under commercial law, a legal entity under public law or a special fund under public law. We also reserve the right to file lawsuits at the location of the headquarters of the purchasing party.

Monheim, May 2019

Hama GmbH & Co KG Dresdner Straße 9 86653 Monheim/Bayern

March 2020 hama





86653 Monheim/Germany Phone: +499091502-0 Fax: +499091502-458 hama@hama.de www.hama.com

www.facebook.com/Hama.Germany

All listed brands are trademarks of the respective companies. Errors and omissions excepted, and subject to technical changes. Our general terms of business are applied. Printed in Germany.

097904/03.2020

