



## Accessories

*Your meal. Our mission.*

# Convotherm – Your meal. Our mission.

Anyone who has ever worked with a Convotherm combi steamer knows how our pioneering products inspire better food preparation. “Your meal. Our mission.” is our philosophy born out of our passion and commitment to provide the best combi steamer solution that answer the varied needs of our customers.

The new Convotherm 4 range of combi steamers brings style into the professional commercial kitchen. From first glance, this oven combines world-class technology with user-friendly, ergonomic and hygienic design and all models share the same logical and intuitive system

of operation: a real plus in the often hectic daily life of foodservice. Our new combi steamers includes seven sizes of ovens, each with six different model options. The result is a combination of functional versatility and consistent design that is revolutionary in this product category.

Passion is behind every Convotherm combi steamer: passion for excellence, for creativity, for practical partnership – and for making our customers more successful each and every day.



# Manitowoc Foodservice – global leaders

The Manitowoc Foodservice Group is part of the Manitowoc Company Inc. The group develops, produces and sells world-leading solutions in the foodservice equipment sector.

Manitowoc Foodservice offers you an unrivalled understanding of the customer and industry combined with comprehensive kitchen solutions, culinary experience and first-class customer service. Globally and locally. With business operations in America, Europe and Asia, Manitowoc Foodservice supplies leading brands

such as Cleveland, Convothem®, Delfield®, Fabristeel, Frymaster®, Garland®, Kolpak®, Kysor Panel Systems®, Lincoln, Manitowoc® Ice, McCall®, Merrychef®, Merco, Moorwood Vulcan, Multiplex®, RDI Servend®, Manitowoc® Beverage Systems and TRUpour.

You can find out more about Manitowoc Foodservice, and how our leading brands could help you, from our website:

[www.manitowocfoodservice.com](http://www.manitowocfoodservice.com). You can also find details here of our regional and local offices.



# easyTouch and easyDial – 2 designs, 7 sizes each



6.10 easyDial



6.20 easyTouch



10.10 easyDial



10.20 easyTouch

## Convotherm 4 easyTouch

Our concept for convenience and reliability.

The easyTouch complete package gives you a full range of impressive and **practical features** including a high-resolution 9" full-touch screen and customisation options for your every need. The operating concept is incredibly easy, incorporating both established and new functions:

- **ACS+** including perfectly harmonised extra functions:
  - Crisp&Tasty – 5 moisture-removal settings
  - BakePro – 5 levels of traditional baking
  - HumidityPro – 5 humidity settings
  - Controllable fan - 5 speed settings
- **CONVOClean+**: The fully automated cleaning system with eco, express and regular modes, including optional single-measure dispensing
- **Ethernet / LAN interface**

## Convotherm 4 easyDial

For creative chefs! EasyDial sets **new standards in manual operation**: All settings and extra functions can be selected and adjusted in one operating level and are visible at all times.

- **ACS+** including perfectly harmonised extra functions:
  - Crisp&Tasty – 5 moisture-removal settings
  - BakePro – 5 levels of traditional baking
  - HumidityPro – 5 humidity settings
  - Controllable fan - 5 speed settings
- **Semi-automatic cleaning system**



12.20 easyDial

20.10 easyTouch

20.20 easyDial

**All Convotherm 4 appliances come with optimum features as standard**

- Ground-breaking design, also ideal for front-of-house cooking.
- ACS+: perfection in the third generation
- Space-saving footprint for a perfect fit in any kitchen\*, however small.
- Doors with sure-shut function (table-top appliances only)
- HygienicCare: antibacterial surfaces in operating areas, door handles and recoil hand shower – the new concept that promotes food safety.
- USB port integrated in the control panel.
- The “made-in-Germany” seal of quality: our own demanding standard

**Your options**

- The disappearing door for more space and safety at work.
- ConvoSmoker, the built-in food-smoking function in easyTouch appliances (table-top electric appliances only).
- ConvoClean in easyDial appliances, the fully automated cleaning system in regular mode, with optional single-measure dispensing
- Ethernet/LAN interface for easyDial
- Sous-vide sensor, with external socket
- Steam and vapour removal (built-in condensation hood)
- Grill version
- Prison models
- Ship models (electrical appliances only)
- Available in various voltages

\*and if it really won't fit, simply choose one of our minis

# Appliance stands - reliably stable

All appliance stands are made of high-quality stainless steel and ensure maximum hygiene standards. To aid installation, all appliance stands include additional rigidity so that a fork-lift truck can move both stand and appliance together.

## Appliance stands for combi steamers

### Open appliance stand with storage shelf\*

		6.10 / 10.10	6.20 / 10.20
<b>Standard</b>	GN	3251517	3251519
<b>On casters</b>	GN	3251541	3251542



### Open appliance stand with storage shelf and cover panel

		6.10 / 10.10	6.20 / 10.20
<b>Standard</b>	GN	3251500	3251501
<b>On casters</b>	GN	3251502	3251503



### Appliance stand, closed on two sides, 14 pairs of shelf rails

		6.10 / 10.10	6.20 / 10.20
<b>Standard</b>	GN	3251504	3251505
<b>On casters</b>	GN	3251506	3251507



\*without additional rigidity in the storage shelf for moving with a fork-lift truck

#### Appliance stand, closed on three sides, 14 pairs of shelf rails

		6.10 / 10.10	6.20 / 10.20
<b>Standard</b>	GN	3251508	3251509
<b>On casters</b>	GN	3251510	3251511
<b>NSF model, standard</b>	GN	3251547	3251548
<b>NSF model, on casters</b>	GN	3251549	3251551



#### Appliance stand, fully enclosed with double doors, 14 pairs of shelf rails

		6.10 / 10.10	6.20 / 10.20
<b>Standard</b>	GN	3251512	3251513
<b>On casters</b>	GN	3251514	3251515
<b>NSF model, standard</b>	GN	3251552	3251553
<b>NSF model, on casters</b>	GN	3251554	3251555



#### Appliance stand, closed on two sides, for EN/BM, 14 pairs of shelf rails

		6.10 / 10.10	
<b>Standard</b>	EN/BM		3251516
<b>On casters</b>	EN/BM		3251518



#### Spacer unit for appliance stands

This unit raises the 6.10 and 6.20 to the same height as the 10.10 and 10.20.

		6.10	6.20
<b>Standard</b>	GN	3455900	3455901
<b>With sliding table, pull-out</b>	GN	3455902	3455903

# Appliance stands - reliably stable

## Appliance stands for mini

### Open appliance stand

	6.06 mini	6.10 mini	10.10 mini
<b>Storage shelf</b>	3218570	3223762	3224362
<b>7 pairs of shelf rails</b>	-	-	3224365
<b>10 pairs of shelf rails</b>	3219163	3223839	-



### Open appliance stand, on casters

	6.06 mini / mini mobil	6.10 mini	10.10 mini
<b>Storage shelf</b>	3426949	-	3226422
<b>10 pairs of shelf rails</b>	3424215	3225701	-



# Stacking kit – the clever space-saver

Stacking two table-top appliances from the Convotherm 4 range or mini world not only makes sense but is so easy! The benefits are obvious: twice the capacity for the same footprint. When just one Convotherm is needed during quiet times, you save money compared with the larger floor-standing appliance because power consumption is lower.

## mini stacking kit unit

Maximum shelf height 1.60 m.

Appliance models	Part no.
6.06 mini on 6.06 mini	3418572
6.06 mini with cleaning-fluid container on 6.06 mini with cleaning-fluid container	3423558
6.06 mini on 6.10 mini	3424913
6.10 mini on 6.10 mini	3423832
6.10 mini with cleaning-fluid container on 6.10 mini with cleaning-fluid container	3425638
6.10 mini on 10.10 mini	3426383



## Stacking kit unit for C4 table-top appliances (electrical appliances only)

	6.10 / 10.10	6.20 / 10.20
Stacking kit, foot height 100 mm*	3455860	3455863
Stacking kit, foot height 150 mm	3455861	3455864
Stacking kit on casters foot height 100 mm	3455862	3455865

Stacking kit, foot height 150 mm



## Base unit

For raising the height by 200 mm (for 6.x on 6.x)

Appliance models	Part no.
Stacking kit x.10	3455866
Stacking kit x.20	3455867



\*for 6.x on 6.x stacking kits with base unit

# Hoods – ever-fresh air-conditioning

The efficient Convothem condensation hoods with powerful extraction performance ensure that the air in your kitchen is always fresh. Easy to use, practical and convenient to operate and with low power consumption: what more could you want? Of course all hoods can be readily retrofitted to any appliance.

**ConvoVent mini:** an ON/Off appliance switch is used to operate the hood. The hood captures and condenses the steam from the air vent and then returns the air into the room. The hood does not require a cold-water connection.

## ConvoVent mini

Appliance sizes	Part no.
6.06 mini	3424725
6.10 mini	
10.10 mini	
6.10 mini 2in1	3425012



**ConvoVent 4:** the condensation hood switches on automatically when the combi steamer is powered up. The hood captures and condenses the steam from the air vent. It also extracts and processes any vapour that escapes when the appliance door is opened. The hood does not require a cold-water connection.

## ConvoVent 4\*

Appliance sizes	Part no.
C4 6.10 / 10.10	3455870
C4 6.20 / 10.20	3455871
C4 20.10	3455872
C4 12.20 / 20.20	3455873
C4 6.10 / 10.10 for use in the stacking kit	3455847
C4 6.20 / 10.20 for use in the stacking kit	3455875

\*electrical appliances only

### Front condenser (optional for ConvoVent 4)

Auxiliary model for enhanced front condensation

Appliance sizes	Part no.
x.10	3455892
x.20	3455893

**ConvoVent 4+:** The condensation hood switches on automatically when the combi steamer is powered up. The hood captures and condenses the steam from the air vent. It also extracts and processes any vapour that escapes when the appliance door is opened. The hood does not require a cold-water connection. An additional filter module cuts the release of fumes and smells.

### ConvoVent 4+\*

Appliance sizes	Part no.
C4 6.10 / 10.10	3455876
C4 6.20 / 10.20	3455877
C4 20.10	3455878
C4 12.20 / 20.20	3455879
C4 6.10 / 10.10 for use in the stacking kit	3455880
C4 6.20 / 10.20 for use in the stacking kit	3455881

### Lighting for ConvoVent 4 and ConvoVent 4+

Appliance sizes	Part no.
x.10	3455894
x.20	3455985

\*electrical appliances only

# Baking trays, racks, pans in Gastro-norm and standard European sizes

In Convotherm combi steamers you can steam, roast, bake, grill, deep-fry and regenerate. However you want to prepare your meals, we have the right accessory for you.

## Stainless steel pans, perforated

Our perforated stainless steel pans are ideal for steaming vegetables, potatoes, hot dogs, fish etc.

	2/1 GN	1/1 GN	2/3 GN	EN/BM
<b>40 mm deep</b>	-	-	3013023	-
<b>65 mm deep</b>	3003080	3003074	3013022	-
<b>100 mm deep</b>	3003081	3003076	-	-
<b>150 mm deep</b>	-	3003077	-	-



## Stainless steel pans, unperforated

Ideal for preparing rice, noodles, sauces, boiled beef, traybakes etc.

	2/1 GN	1/1 GN	2/3 GN	EN/BM
<b>20 mm deep</b>	3004080	3004070	3013020	-
<b>40 mm deep</b>	3004082	3004072	3013024	-
<b>65 mm deep</b>	3004084	3004074	3013021	-
<b>100 mm deep</b>	3004085	3004076	-	-



### Electropolished stainless-steel rack

Equally suitable for roasting large joints, supporting pan trays or regenerating plated meals in the à la carte kitchen.


	2/1 GN	1/1 GN	2/3 GN	EN/BM
Flat	3001085	3001075	3012001	3012000



### Electropolished stainless-steel baking/frying basket

Ideal for fat-free frying of French fries, potato wedges, spring rolls, chicken wings, finger food and much more.

	2/1 GN	1/1 GN	2/3 GN	EN/BM
40 mm deep	-	3005000	3013025	-



# Baking trays, racks, pans in Gastro-norm and standard European sizes

## Aluminium grill rack with non-stick coating

The grill rack helps to make an appetizing grill pattern on your steaks, fish and antipasti while the food remains nice and succulent inside.

	2/1 GN	1/1 GN	2/3 GN	EN/BM
Flat	-	3012003	3012004	-

## Granite enamelled tray

This versatile tray is especially good for roasting small joints and chicken pieces, preparing casseroles and cooking prawns.


	2/1 GN	1/1 GN	2/3 GN	EN/BM
20 mm deep	-	3004033	3013026	-
40 mm deep	-	3004034	3013028	-
60 mm deep	-	3013030	-	-



### Aluminium, Teflon-coated roasting and baking tray

Thanks to its excellent heat conduction, this aluminium tray is perfect for preparing the classic “Wiener Schnitzel” but also for baking.


	2/1 GN	1/1 GN	2/3 GN	EN/BM
Flat	-	3001091	3001092	3001093



### Perforated aluminium baking tray with non-stick coating

The non-stick finish prevents food sticking fast, so is ideal for frozen baked goods, pretzels, tarte flambée, pizza, toasted food and much more.

	2/1 GN	1/1 GN	2/3 GN	EN/BM
Flat	3004041	3004040	3004039	3013000



### Regenerating rack

	2/1 GN	1/1 GN	2/3 GN	EN/BM
Flat	-	-	3001094	-

# Grilling accessories – crisp on the outside, juicy on the inside

You can be the BBQ king! Thanks to the specially designed grilling accessories, golden-brown chicken and succulent mackerel can be bestsellers in your business.

## Chicken grill rack

Golden-brown succulent chicken is now easy to achieve even in the combi steamer. Simply spear the chickens on the spit, cook and they're done!

	5 chickens	6 chickens	8 chickens
<b>GN 2/3</b>	3030197	-	-
<b>GN 1/1</b>	-	3030195	3030196



## Grease drip tray

Helps to remove excess fat produced when cooking dishes with a high fat content. Simply place the grease drip tray in the cooking chamber and then empty at the end of the cooking process.

	1/1 GN	2/1 GN table-top appliances	2/1 GN floor-standing appliances
<b>6.10</b>	3417011	-	-
<b>6.20</b>	-	3417014	-
<b>10.10</b>	3417011	-	-
<b>10.20</b>	-	3417014	-
<b>12.20</b>	-	3417014	3417098
<b>20.10</b>	3417011	-	-
<b>20.20</b>	-	3417014	3417098






### Special meat spit - for suckling pig and lamb

Thanks to the special meat spit, you can even cook an entire suckling pig or lamb perfectly in the Convotherm.

	horizontal design	vertical design
<b>6.10</b>	3418674	-
<b>6.20</b>	-	-
<b>10.10</b>	3418674	3418914
<b>10.20</b>	-	-
<b>12.20</b>	-	3403925
<b>20.10</b>	3418674	3417028
<b>20.20</b>	-	3403923



### Spit rack

	13 skewers	no skewers	12 skewers	no skewers	capacity
<b>6.10 mini</b>	3317563	3317571	-	-	1
<b>10.10 mini</b>	3317563	3317571	-	-	1
<b>6.10 mini 2in1</b>	3317563	3317571	-	-	2
<b>6.10</b>	3317563	3317571	-	-	1
<b>6.20</b>	-	-	3417578	3417579	2
<b>10.10</b>	3317563	3317571	-	-	2
<b>10.20</b>	-	-	3417578	3417579	4
<b>12.20</b>	-	-	3417578	3417579	4
<b>20.10</b>	3317563	3317571	-	-	4
<b>20.20</b>	-	-	3417578	3417579	8



# Grilling accessories

## Individual skewer

For spit rack; available to order individually

**Part no.**3317568



## Thermally insulated oven gloves

These thermally-insulated gloves withstand even prolonged exposure to high temperatures.

**Part no.**3007035





# The banqueting sector – the professional catering event

**Where quality, time and team spirit matter.** You know your ingredients, you know your staff, you know your guests. So would you simply put blind faith in the technology? You can with Convotherm! Convotherm has a long track record of delivering world-leading technology, reliability and user-friendly design in the banqueting sector.

## Plate banquet trolley

Thanks to the large gap between rings, Convotherm plate banquet trolleys give you the freedom to be creative when arranging food on the plate.

	Additional information	Ring spacing in mm	Number of plates (Ø 32 cm)	Part no.
12.20	4 swivel casters and parking brake	66	74	3316774
12.20	4 swivel casters and parking brake	80	59	3318555
20.10	4 swivel casters and parking brake	66	61	3316775
20.10	4 swivel casters and parking brake	80	50	3316967
20.20	4 swivel casters and parking brake	66	122	3316776
20.20	4 swivel casters and parking brake	80	98	3318563



### Thermal covers

The Convothem thermal cover encloses the entire trolley to prevent any heat escaping, letting you keep meals warm for up to 20 minutes without loss of quality. The magnetic closure makes it particularly hygienic and easy to clean.

	6.10	6.20	10.10	10.20	12.10	20.10	20.20
<b>GN or EN/BM loading trolleys and plate banquet trolleys</b>	3055780	3055781	3055782	3055783	3055784	3055785	3055786



# The banqueting sector - the professional catering event

## Loading trolley

Extra loading trolley designed to take GN and EN/BM containers (floor-standing appliances).

Appliance sizes	Additional information	Part no.
12.20	<b>GN</b> 4 swivel casters, 2 with parking brake	3315205
20.10		3315206
20.20		3315207
20.10	<b>EN/BM</b> 4 swivel casters, 2 with parking brake	3317460



## Plate rack

Slide-out plate rack for regenerating plated meals (table-top appliances).

Appliance sizes	Ring spacing in mm	Number of plates (Ø 32 cm)	Part no.
6.10	78	15	3355767
6.10	65	20	3355766
6.20	80	27	3355769
6.20	67	33	3355768
10.10	78	26	3355771
10.10	65	32	3355770
10.20	80	48	3355773
10.20	67	57	3355772



## Mobile shelf rack

Slide-out shelf rack designed to take GN containers (table-top appliances).

Appliance sizes		Number of plates (Ø 32 cm)	Part no.
6.10	GN	6 shelves Shelf spacing 67 mm	3355760
6.10	EN/BM	5 shelves Shelf spacing 80 mm	3355764
6.20	GN	6 shelves Shelf spacing 72 mm	3355761
10.10	GN	10 shelves Shelf spacing 67 mm	3355762
10.10	EN/BM	8 shelves Shelf spacing 82 mm	3355765
10.20	GN	10 shelves Shelf spacing 67 mm	3355763



# The banqueting sector – the professional catering event

## Roll-in frame

Base required for sliding the mobile shelf rack or plate rack into and out of the chamber.

Appliance sizes	Part no.
6.10 / 10.10	3455787
6.20 / 10.20	3455788



## Transport trolley

For transporting the plate rack and shelf rack. Guide rails ensure that the racks can slide into your Convothem safely and conveniently.

Appliance sizes	Additional information	Part no.
6.10 / 10.10	Includes 4 casters with parking brake	3355775
6.20 / 10.20	Includes 4 casters with parking brake	3355776
Stacking kit x.10	Includes 4 casters with parking brake, height adjustable	3355777
Stacking kit x.20	Includes 4 casters with parking brake, height adjustable	3355778





**Shelf rack (600 x 400 mm) EN/BM with L profile**

Appliance sizes	Additional information	Part no.
6.10	5 shelves with 94 mm shelf spacing (set)	3451335
10.10	8 shelves with 94 mm shelf spacing (set)	3451337



**Butchers' shelf rack (600 x 400 mm) EN/BM**

Appliance sizes	Additional information	Part no.
6.10	6 shelves	on request
10.10	10 shelves	on request



# Cook & Chill

The **ConvoChill** brand from Convotherm offers the most effective means of keeping food fresh for prolonged periods without loss of quality. Cook & Chill involves cooking (= producing dishes in the combi steamer) and chilling (= rapid cooling of the cooked food). Of course the loading trolleys are all inter-compatible.

1

### Cook

The prepared food is cooked particularly carefully in the combi steamer thanks to the ACS+ system, ensuring no loss of vitamins or minerals.

2

### Blast chill or flash freeze

The precooked food is cooled rapidly in the ConvoChill to the required temperature, allowing dishes to be stored for up to 72 hours.

3

### Portion and regenerate

The chilled food can now be arranged creatively on plates and regenerated in the plate banquet trolley entirely in the combi steamer.



Produce



Chill



Regenerate

# ConvoChill – blast chiller and flash freezer

Blast chilling or flash freezing offers the most effective means of keeping food fresh for prolonged periods without loss of quality.

## Blast chilling

+90°C → +3°C

The temperature range between +65°C and +10°C is particularly critical when storing food. Bacteria numbers will double every 20 minutes at a temperature of around +37°C. Thanks to our blast chillers, food passes through this dangerous temperature range as fast as possible, with the core temperature dropping to +3°C within 90 minutes. Any bacteria left in the food after cooking is kept to a minimum. The food's quality, colour and aroma is preserved almost entirely and its shelf-life extended significantly.

## Flash freezing

+90°C → -18°C

ConvoChill flash freezing uses an especially powerful cooling system with an air temperature of -40°C to take the core product temperature down to -18°C in less than 240 minutes. The rapid drop in temperature prevents damage to the cell structure, so that when the food is defrosted there is no loss in weight, consistency or taste.

### All your benefits at a glance

#### • Time saving of up to 30%

The longer shelf-life of blast-chilled goods lets you optimize your food production plan. Preparing large quantities of finished and semi-finished products dispenses with those daily preparation steps needed in the past. This guarantees peak freshness and quality at all times.

#### • Low weight loss

After cooking, food releases moisture through evaporation and loses valuable constituents. Blast chilling stops this process immediately while managing to conserve up to 7% more in weight.

#### • Save on shopping

By choosing the flash-freeze function you are preserving your meals at peak quality over a longer period. This means you can buy your ingredients in advance, in season at lower prices and in larger volumes.

#### • Less waste

The blast chiller/flash freezer extends the shelf-life of products, letting you use food in a more controlled way. This means you can cut food waste considerably.

For more information, please contact your regional sales manager.



# Software solutions – secure networking


**For appliances with easyTouch and easyDial controls**

**ConvoConnect**

The ConvoConnect software package is the complete solution for HACCP and combi-steamer management. You can install the software on your PC for use with Convotherm 4 appliances, the +3 appliance range and the mini world.

Product name	Part no.
ConvoConnect	3455506

Product name	Maximum distance between appliance and PC	P3/mini		Convotherm 4	
		Standard	easyTouch	easyDial	easyTouch
Ethernet (for any number of appliances)	no limit	2619134*	-	2619134*	≤




\* Ethernet interface


## HACCPViewer

Easily export HACCP data and information such as pasteurisation figures for displaying and managing on your PC.

The HACCP data is saved in the appliance controller (for at least 10 days) and can be retrieved at any time. This does not require a permanent connection.



Home screen in the HACCPViewer



HACCPViewer with Recipe screen

## Cooking-profile management

- Convotherm 4 can be connected to one PC.
- Lets you monitor and manage the combi steamers from your PC
- Ultra-simple tool for writing and managing, uploading and downloading cooking profiles.

# Additional accessories

**Wall spacing bracket, Convotherm 4 floor-standing appliances**



Ensures that the floor-standing appliances are at a safe distance from the wall behind.

Appliance size	Wall distance	Part no.
12.20 / 20.10 / 20.20	100 mm	3419130
12.20 / 20.10 / 20.20	200 mm	3419129

**Floor anchor, Convotherm 4 floor-standing appliances or appliance stands**



For fixing two appliance feet securely to the floor.

Appliance size	Part no.
12.20 / 20.10 / 20.20	2617348

### Wall bracket, mini



Versatile wall bracket for mini appliances

Appliance size	Part no.
6.06 mini	3418571
6.10 mini	3423853

### Indicator tower, Convotherm 4



	Part no.
Indicator lamp for all C4 appliances	3455896

### Heat shield, Convotherm 4

Appliance size	Part no.
6.10	3455849
6.20	3455851
10.10	3455850
10.20	3455852
12.20	3455853
20.10	3455854
20.20	3455855

# Additional accessories

## Water connection kit

For straightforward installation of a Convotherm combi steamer.

Product name	Additional information	Contents	Part no.
Kit for single water-connection (if water treatment already installed)	For connecting 6.10 to 20.20 appliances to the water supply pipe only	1 x T-piece 1 x connection hose (2m)	3423745
Kit for dual water-connection (if soft water and hard water available)	For connecting 6.10 to 20.20 and mini 2in1 appliances to the water supply pipe and the water-treatment pipe	2 x connection hose (2m)	3423747
Water connection kit	For connecting 6.06/6.10/10.10 mini appliances to the water supply pipe	2 x connection hose (2m)	3429190
Waste-water installation kit	For 6.06 mini/6.10 mini/10.10 mini appliances		3416709
Waste-water installation kit	For 6.10 to 20.20		3416730



## Water treatment systems

In areas that have particularly hard water, we recommend connecting a water-treatment system upstream of your Convotherm combi steamer. Modern water-treatment systems help to guarantee optimum water quality for wear-free use.

Only with Convotherm: FilterCare included in every Convotherm 4. Simply connect the filter head of the water-treatment system\* to the combi steamer and you need never forget to change the filter cartridge again.



Product name	Additional information	6.10/10.10		6.20/10.20	
		GN	EN/BM	GN	EN/BM
<b>Slide-in container for two canisters including hose feed-through</b>	fits GN appliance stands	3456310	-	3456310	-
<b>Cleaning-fluid box</b>	fits on mounting rail or wall	3456306		3456306	
<b>Water-filter box</b>	fits on mounting rail or wall	3456307		3456307	
<b>Mounting rail for cleaning-fluid and water-filter boxes</b>	fits appliance stands	3456302	3456302	3456305	3456305



\*currently only takes Brita

# Cleaning and care products – a neat solution

All Convotherm cleaning and care products are optimally balanced for use with our combi steamers. Using liquid cleaners means that no residues are left in the cooking chamber. We also care about the environment, so all our products meet the ISO standard and are biodegradable. In addition, all our cleaning fluids are Halal and Kosher certified.

## **ConvoClean new** (minimum order quantity 3 units, assorted)



10 l cooking-chamber cleaning fluid for automatic and fully automatic cleaning, unlabelled, environmentally friendly.  
Moderate cleaning strength  
**Part no.**3007015

## **ConvoClean forte** (minimum order quantity 3 units, assorted)



10 l cooking-chamber cleaning fluid for automatic and fully automatic cleaning.  
High cleaning strength  
**Part no.**3007017

## **ConvoCare** (minimum order quantity 3 units, assorted)



1 l concentrate, nozzle detergent for ConvoClean system, must be diluted with water as instructed.  
**Part no.**3007028

### Spray unit



for 1 l  
**Part no.**3007025

### Empty ConvoCare canister



**Part no.** 3007029

### Single-measure dispenser (minimum order quantity 1 box containing 20 bottles)


ConvoClean forte S  
**Part no.**3050884

ConvoClean new S  
**Part no.**3050883

ConvoCare S  
**Part no.**3050882



GN = Gastronorm 325 x 530 mm  
EN/BM = Euronorm/European baking-sheet  
size 600 x 400 mm



Manitowoc Foodservice is one of the world's largest manufacturers and suppliers of professional gastronomic appliances.  
We supply our customers with energy-saving, reliable and market-leading technologies from a single source.

If you want to find out more about Manitowoc Foodservice and its company brands, please visit us at  
[www.manitowocfoodservice.com](http://www.manitowocfoodservice.com)

