



CATALOGUE

The Professional Choice since 1947

G. F. THOMPSON CO. LTD.

1-800-499-3673 Canada

www.gfthompson.com





G. F. Thompson Co. Ltd. has been providing quality products under the MASTERS® brand name for over 60 years and continually strives to grow business with new products and acquisitions. Over that time, an extensive product line has been developed and supplied to the Plumbing, HVAC, Industrial and Retail trades. G. F. Thompson Co. Ltd. also represents quality brands such as IPS, Midwest, Coflex, Swan, Channellock, and Super Ego across Canada.

With a manufacturing and shipping facility in Newmarket, Ontario and warehousing facilities in Coquitlam, Calgary, and Regina, we are well positioned to have product in the customer's hands, operating on a turnaround time of 48 hours for most orders and a 99.5% fill rate. G. F. Thompson Co. Ltd. is and always will be totally dedicated to providing our customers with quality products, service and representation in the field.



MASTERS COMPOUNDS	2-3
MASTERS T-TAPE	4
MASTERS STRAPPING & CLIPS	5
MASTERS FITTING & CLEANING BRUSHES	6-7
MASTERS SILICONE SEALANT & TOOLING FOAM.....	8
MASTERS AQUAPROOF	9
MASTERS LEAK DETECTOR	9
MASTERS CUTTING OIL.....	9
MASTERS GRIT CLOTH	10
MASTERS SAND CLOTH	10
MASTERS SOLDERING PASTE & TINNING FLUX	10
MASTERS PIPESLICE	11
MASTERS PIPE PLUG.....	11
MASTERS FLAME PROTECTOR PAD	11
MASTERS STRETCH & SEAL COMPRESSION TAPE.....	12
MASTERS EPOXY PUTTY.....	12
MASTERS SCRUBS & HAND CLEANER.....	12
MASTERS HYDRONIC CHEMICAL	13
MASTERS HVAC CLEANER	13
MASTERS LUBRICATING OILER	13
MASTERS TEST PLUGS	14
MASTERS URINAL CLEANOUT COVERS.....	15
MASTERS COUPLINGS	15
MASTERS TOOLS	15-16
MASTERS SOLVENT CEMENT	17
MASTERS PORCELAIN REPAIR.....	17
MASTERS BOILER & FLUE BRUSHES.....	18-20



METALLIC COMPOUND™



- Heavy duty pipe thread sealant
- Effectively seals both metal and plastic threaded connections against leaks of most liquids and gases* up to 6,000 psi
- Will not dry out, harden or separate
- Lubricates during assembly and disassembles easily even after years of service
- ULC Listed for Natural Gas

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
CP250BT	250 ml (1/2 pt) Brush-Top Can	0 67001-00034 7	25	50
CP1L	1 L (1 qt) Can	0 67001-00035 4	4	34



PRO-DOPE®



- PTFE pipe thread sealant
- Effectively seals both metal and plastic threaded connections against leaks of most liquids and gases* up to 10,000 psi
- Will not dry out, stain, harden or separate
- Lubricates during assembly and disassembles easily even after years of service
- ULC Listed for Natural Gas and NSF/ANSI 61G listed for potable water

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
PD250BT	250 ml (1/2 pt) Brush-Top Can	0 67001-00007 1	25	26
PD500BT	500 ml (1 pt) Brush Top Can	0 67001-00017 0	12	23
PD1L	1 L (1 qt) Can	0 67001-00040 8	4	13
PD20L	20 L (5 gal) Pail	0 67001-00042 2	1	55



PRO-BLUE™



- PTFE pipe thread sealant
- Effectively seals both metal and plastic threaded connections against leaks of most liquids and gases* up to 10,000 psi
- Will not dry out, stain, harden or separate
- Lubricates during assembly and disassembles easily even after years of service
- ULC Listed for Natural Gas and NSF/ANSI 61G listed for potable water

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
PB250BT	250 ml (1/2 pt) Brush-Top Can	0 67001-00150 4	25	26
PB500BT	500 ml (1 pt) Brush-Top Can	0 67001-00151 1	12	23
PB1L	1 L (1 qt) Can	0 67001-02321 9	4	13



NON-METALLIC COMPOUND™

- Pipe thread sealant
- Effectively seals both metal and plastic threaded connections against leaks of most liquids and gases* at commonly used temperatures and pressures
- All weather, non-corrosive product contains no metal so it is not a conductor of electricity
- Lubricates during assembly, will not harden or separate and disassembles easily even after years of service
- ULC Listed for Natural Gas



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
MT2	59 ml (2 oz) Tube	0 67001-00002 6	20	2
NM250BT	250 ml (1 pt) Brush-Top Can	0 67001-00021 7	25	26
NM1L	1 L (1 qt) Can	0 67001-00037 8	4	13
NM20L	20 L (5 gal) Pail	0 67001-00039 2	1	58



A-PLUS®

- General purpose anaerobic pipe thread sealant for sealing metal threads
- Superior sealing and locking properties especially effective where vibrations are prevalent, making it suitable for production lines
- Lubricates during assembly and hardens in threads, with excellent performance on stainless steel
- Seals moderate pressure almost instantly and up to 250 psi steam pressure in approximately 24 hours
- ULC Listed for Natural Gas



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
MAP250	250 ml Squeeze Tube	0 67001-00167 2	10	7



NO LEAK™

- Economical pipe thread sealant
- Effectively seals both metal and plastic threaded connections against leaks of most liquids and gases* at commonly used temperatures and pressures
- All weather, non-corrosive product contains no metal so it is not a conductor of electricity
- Lubricates during assembly, will not harden or separate and disassembles easily even after years of service



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
NL250BT	250 ml (1 pt) Brush-Top Can	0 67001-00044 6	25	26
NL1L	1 L (1 qt) Can	0 67001-00045 3	4	13
NL20L	20 L (5 gal) Pail	0 67001-00047 7	1	58



ORANGE T-TAPE



- Non-corrosive, non-flammable, clean, easy to use premium quality thread sealing tape
- Because it is chemically inert, it seals all metal and plastic threaded connections against leakage of virtually everything at temperatures between -400°F & +600°F (-240°C & +316°C)
- Allows for easy disassembly of joints, even after years of service
- Meets MIL SPEC A-A-58092 (superseding T-27730A)
- For use on potable water systems

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
TOA260	1/4" x 260" (0.63 cm x 6.6 m) Roll	0 67001-00081 1	12	0.6
TOD540	1" x 540" (2.54 cm x 13.72 m) Roll	0 67001-00086 6	12	2

ULC Listed for Natural Gas for up to 3" pipe

ULC260	1/2" x 260" (1.27 cm x 6.6 m) Roll	0 67001-00082 8	12	0.7
ULC540	1/2" x 540" (1.27 cm x 13.72 m) Roll	0 67001-00087 3	12	1
ULC540V	1/2" x 540" (1.27 cm x 13.72 m) Roll	0 67001-00087 3	100	8
ULC1296	1/2" x 1296" (1.27 cm x 32.94 m) Roll	0 67001-00088 0	12	2
ULC1296V	1/2" x 1296" (1.27 cm x 32.94 m) Roll	0 67001-00088 0	100	17
TOC540	3/4" x 540" (1.91 cm x 13.72 m) Roll	0 67001-00085 9	12	2



YELLOW T-TAPE



- Non-corrosive, non-flammable, clean, easy to use gas seal tape
- Because it is chemically inert, it seals all metal and plastic threaded connections against leakage of virtually everything at temperatures between -400°F & +600°F (-240°C & +316°C)
- Allows for easy disassembly of joints, even after years of service
- Coloured yellow for easy identification during inspection
- Meets MIL SPEC A-A-58092 (superseding T-27730A)
- For use on potable water systems

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
ULC Listed for Natural Gas for up to 3" pipe				
TYB260	1/2" x 260" (1.27 cm x 6.6 m) Roll	0 67001-00079 8	24	1.4
TYB480	1/2" x 480" (1.27 cm x 12.19 m) Roll	0 67001-00089 7	24	1.9
TYB480V	1/2" x 480" (1.27 cm x 12.19 m) Roll	0 67001-00089 7	100	8



WHITE TAPE



- Non-corrosive, non-flammable, clean, easy to use thread sealing tape
- Because it is chemically inert, it seals all metal and plastic threaded connections against leakage of virtually everything at temperatures between -400°F & +600°F (-240°C & +316°C)
- Allows for easy disassembly of joints, even after years of service

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
TWA240G	1/4" x 240" (0.63 cm x 6.1 m) Roll	0 67001-00091 0	12	0.5
TWB240G	1/2" x 240" (1.27 cm x 6.1 m) Roll	0 67001-00092 7	12	0.7
TWB480G	1/2" x 480" (1.27 cm x 12.19 m) Roll	0 67001-00094 1	200	10
TWC480G	3/4" x 480" (1.91 cm x 12.19 m) Roll	0 67001-00095 8	12	1
TWD480G	1" x 480" (2.54 cm x 12.19 m) Roll	0 67001-00096 5	12	2
TWB480P	1/2" x 480" (1.27 cm x 12.19 m) Economy/Low Density Roll	0 67001-00093 4	200	6



SUSPENSION STRAPPING

- Wavy design for easy bending
- Available in various gauges, lengths and materials


Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
STEEL				
ST221050	22 Gauge, 1/2" x 10' Roll	0 67001-00429 1	34	11.6
ST222550	22 Gauge, 1/2" x 25' Roll	0 67001-00430 7	20	17.6
ST241075	24 Gauge, 3/4" x 10' Roll	0 67001-00433 8	34	17.0
ST242575	24 Gauge, 3/4" x 25' Roll	0 67001-00434 5	20	21.2
ST2410075	24 Gauge, 3/4" x 100' Roll	0 67001-00432 1	12	49.7
ST202575	20 Gauge, 3/4" x 25' Roll	0 67001-00427 7	20	31.6
ST2010075	20 Gauge, 3/4" x 100' Roll	0 67001-00426 0	12	66.0
NYLON COATED				
ST221050COATED	22 Gauge, 1/2" x 10' Roll	0 67001-00449 9	20	8.8
GALVANIZED STEEL				
SG242550	24 Gauge, 1/2" x 25' Roll	0 67001-00420 8	20	15.2
SG241075	24 Gauge, 3/4" x 10' Roll	0 67001-00419 2	34	18.0
SG242575	24 Gauge, 3/4" x 25' Roll	0 67001-00421 5	20	24.8
SG2410075	24 Gauge, 3/4" x 100' Roll	0 67001-00418 5	12	59.5
SG202575	20 Gauge, 3/4" x 25' Roll	0 67001-00417 8	20	30.4
SG2010075	20 Gauge, 3/4" x 100' Roll	0 67001-00416 1	12	64.8
COPPER				
SC221050	22 Gauge, 1/2" x 10' Roll	0 67001-00410 9	34	13.6
SC222550	22 Gauge, 1/2" x 25' Roll	0 67001-00411 6	20	21.2
SC241075	24 Gauge, 3/4" x 10' Roll	0 67001-00412 3	34	16.3
SC242575	24 Gauge, 3/4" x 25' Roll	0 67001-00413 0	20	24.4
COPPER-CLAD				
SCC241075	24 Gauge, 3/4" x 10' Roll	0 67001-00414 7	34	15.3
SCC242575	24 Gauge, 3/4" x 25' Roll	0 67001-00415 4	20	22.0



CLIPS

- Dimples to lock in pipe
- Nails included

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
COPPER				
CLC50	1/2" Clips - 10/bag	0 67001-00437 6	100	10
CLC50V	1/2" Clips - 100/bag	0 67001-00438 3	20	24
CLC75	3/4" Clips - 10/bag	0 67001-00439 0	100	11
CLC75V	3/4" Clips - 100/bag	0 67001-00440 6	15	22.5
COPPER-CLAD				
CLCC50	1/2" Clips - 10/bag	0 67001-00441 3	100	13
CLCC50V	1/2" Clips - 100/bag	0 67001-00442 0	20	26
CLCC75	3/4" Clips - 10/bag	0 67001-00443 7	100	15
CLCC75V	3/4" Clips - 100/bag	0 67001-00444 4	15	23





HEAVY DUTY FITTING BRUSHES



- High quality, heavy-duty brush for cleaning copper fittings
- Heavy gauge galvanized double-wound stem wire with double-spiral construction
- High carbon level fill wire

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
FB50HD	1/2" Double-Wound Brush	0 67001-00064 4	10	2
FB75HD	3/4" Double-Wound Brush	0 67001-00065 1	10	2
FB100HD	1" Double-Wound Brush	0 67001-00066 8	10	2
FB125HD	1-1/4" Double-Wound Brush	0 67001-00073 6	1	0.2
FB150HD	1-1/2" Double-Wound Brush	0 67001-00074 3	1	0.2
FB200HD	2" Double-Wound Brush	0 67001-00075 0	1	0.2



ECONOMY FITTING BRUSHES



- Economical alternative brush for cleaning copper fittings
- Single stem and spiral construction

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
FB50E	1/2" Single-Wound Brush	0 67001-00067 5	10	1
FB75E	3/4" Single-Wound Brush	0 67001-00068 2	10	1
FB100E	1" Single-Wound Brush	0 67001-00069 9	10	1



POWER FITTING BRUSHES



- Heavy duty bristle brushes
- Fits all power drills for a fast clean of the inside diameter of copper fittings

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
PFB25HD	1/4" Brush	0 67001-02322 6	1	0.03
PFB50HD	1/2" Brush	0 67001-00370 6	1	0.03
PFB75HD	3/4" Brush	0 67001-00371 3	1	0.03
PFB100HD	1" Brush	0 67001-00372 0	1	0.04
PFB125HD	1-1/4" Brush	0 67001-00373 7	1	0.04
PFB150HD	1-1/2" Brush	0 67001-00374 4	1	0.10
PFB200HD	2" Brush	0 67001-00375 1	1	0.11
PFB250HD	2-1/2" Brush	0 67001-00376 8	1	0.14
PFB300HD	3" Brush	0 67001-00377 5	1	0.16
PFB400HD	4" Brush	0 67001-02325 7	1	0.20



TUBE CLEANING BRUSHES

- Tough wire bristles for effectively cleaning the outside diameter of copper tube for a better joint
- Fast and effective

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
TC50	1/2" Brush	0 67001-00061 3	6	0.3
TC75	3/4" Brush	0 67001-00062 0	6	0.5
TC100	1" Brush	0 67001-00063 7	6	0.7



2-in-1 FITTING/TUBE CLEANING BRUSHES

- Heavy duty bristles inside and out for cleaning both the ID & OD of copper tubing
- Fits on all power drills for a fast and efficient clean

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
PFB50	1/2" Brush	0 67001-02314 1	12	2.0
PFB75	3/4" Brush	0 67001-02315 8	12	2.4



UTILITY BRUSH

- Multi-purpose pure bristle brush

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
UB100	1" Brush	0 67001-00071 2	20	0.8



ACID, FLUX & PIPE DOPE BRUSH

- Natural horsehair bristles firmly crimped into durable coated tin plate handle
- Minimal bristle loss

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
AP50	1/2" Brush	0 67001-00070 5	144	2.8





SILICONE SEALANT



- Rated for interior and exterior use from -50°F to +450°F (-45°C to +232°C)
- Creates a mildew resistant and watertight seal when fully cured
- Ideal for tub/shower surrounds, sinks, siding, window frames, tiling and countertops
- Comes with a re-sealable cap to keep product from drying out
- NSF-51 listed

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
SS80-W	80 ml Squeeze Tube - White	0 67001-00004 0	12	2.9
SS80-C	80 ml Squeeze Tube - Clear	0 67001-00004 0	12	2.9
SS300-W	300 ml Cartridge - White	0 67001-00310 2	12	10.2
SS300-C	300 ml Cartridge - Clear	0 67001-00311 9	12	10.2
SS300-T	300 ml Cartridge - Translucent	0 67001-00313 3	12	10.2
SS300-B	300 ml Cartridge - Bone	0 67001-00312 6	12	10.2
SS300-G	300 ml Cartridge - Grey	0 67001-00312 6	12	10.2
SS300-AL	300 ml Cartridge - Aluminum	0 67001-00312 6	12	10.2



HIGH TEMPERATURE SILICONE SEALANT



- Rated for interior and exterior use from -85°F to +500°F (-65°C to +260°C) consistent or up to 600°F (316°C) intermittent and is oxygen sensor safe
- Creates a mildew resistant and watertight seal when fully cured and comes with a re-sealable cap to keep product from drying out
- Can be used to replace cork, felt, rubber or asbestos gaskets and is ideal for sealing around ovens, flues on gas appliances, metal stacks and ductwork
- RED 302 is NSF-51 listed

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
RED 302	300 ml Cartridge - Red	0 67001-00192 4	12	10.2
BLACK 302	300 ml Cartridge - Black	0 67001-00192 4	12	10.2



SILICONE TOOLING FOAM



- Provides professional tooling results with no tools and less mess
- For best results, use with MASTERS® SILICONE SEALANT

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
MSTF-370	370 g Spray Can	0 67001-00315 7	12	10



AQUAPROOF™

- 30 mil thick grey PVC shower pan liner marked every 6" for easy cutting
- Creates permanent waterproofing under tile, concrete, etc.
- Meets ASTM D 4551, cUPC listed, IPC & IRC Compliant

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
AQ430	4' x 50' (1.2 m x 15.2 m) Roll - 200 sq ft	0 67001-00019 4	1	46
AQ530	5' x 40' (1.5 m x 12.2 m) Roll - 200 sq ft	0 67001-00020 0	1	46
AQ630	6' x 33.3' (1.8 m x 10.1 m) Roll - 200 sq ft	0 67001-00152 8	1	46

SOLVENT CEMENT (for joining PVC to PVC)

AQS	500 ml (1 pt) Can with Applicator Cap	0 67001-00006 4	12	15
-----	---------------------------------------	-----------------	----	----

CONTACT CEMENT (for joining PVC to subfloor)

CC 24	950 ml (1 qt) Can	0 58751-24100 5	6	20
-------	-------------------	-----------------	---	----



LEAK DETECTOR

- Bubble type non-freezing (to -35°F/-37°C) liquid quickly locates pin hole leaks even at low pressures
- Will detect leaks of various gases in appliances, air & gas lines, cylinders, pipe & fittings, pressure vessels, tanks, tubing and valves
- Not for use on oxygen systems
- Available in clear or pink liquid

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
LD059	59 ml (1/8 pt) Spray Bottle	0 67001-00059 0	20	5
LD227	227 ml (1/2 pt) Applicator Bottle	0 67001-00012 5	20	13
LD500	500 ml (1 pt) Spray Bottle	0 67001-00165 8	12	15
LD4L	4 L (1 gal) Jug	0 67001-00018 7	4	34
LD20L	20 L (5 gal) Pail	0 67001-00052 1	1	44



CUTTING OIL

- Heavy duty sulphurized, paraffinic oil specially blended for pipe threading, tapping, drilling, milling, broaching and general machine use
- Recommended for use on high carbon and alloy steels, stainless steel, many ferrous and non-ferrous metals as well as aluminum

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
CO500	500 ml (1 pt) Spray Bottle	0 67001-00196 2	12	14
CO1L	1 L (1 qt) Pour Spout Bottle	0 67001-00048 4	12	27
CO4L	4 L (1 gal) Jug	0 67001-00049 1	4	32
CO20L	20 L (5 gal) Pail	0 67001-00050 7	1	42
CO205L	205 L (45 gal) Drum	0 67001-00051 4	1	450





GRIT CLOTH



- Water-proof 180 grit open mesh cloth
- Open mesh allows debris to fall through screen rather than building up on surface
- High tensile strength that resists tearing

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
GC5	5 yard x 1-3/8" Roll	0 67001-00157 3	25	6



SAND CLOTH



- Water resistant 120 grit plumbers roll for abrasive metal cleaning of all types
- High tensile strength that resists tearing

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
SC5	5 yard x 1-3/8" Roll	0 67001-00055 2	100	20
SC25	25 yard x 1-3/8" Roll	0 67001-00056 9	1	1



ALL CONDITION SOLDERING PASTE



- Petrolatum based paste for typical sweat soldering with excellent wetting properties that allow for smooth flow and reduced voiding
- Paste is lead-free and NSF61G listed for use on potable water systems
- Works well on frozen, cold and wet pipe

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
SP057	57 g (2 oz) Jar	0 67001-00008 8	12	2.3
SP227	227 g (8 oz) Brush-Top Jar	0 67001-00010 1	28	17
SP454	454 g (16 oz) Tub	0 67001-00011 8	12	13
SP20L	20 L (5 gal) Pail	0 67001-00015 6	1	47



TINNING FLUX



- Specially formulated for use on lead-free valves and fittings
- Petrolatum based paste for typical sweat soldering with excellent wetting properties that allow for smooth flow and lead-free tin powder to draw solder in for reduced voiding
- Paste is lead-free and NSF61G listed for use on potable water systems
- Works well on frozen, cold and wet pipe

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
TF227	227 g (8 oz) Brush-Top Jar	0 67001-00621 9	28	17
TF454	454 g (16 oz) Tub	0 67001-00620 2	12	13
TF20L	20 L (5 gal) Pail	0 67001-00623 3	1	47



PIPESLICE

- Self adjusting copper pipe cutter with a replaceable blade
- Ideal for confined spaces, especially where there is a minimal pipe to wall clearance

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
KPX100	1/2" Cutter	0 67001-00175 7	12	6
KPX103	3/4" Cutter	0 67001-00176 4	12	6
KPX101	1" Cutter	0 67001-00174 0	1	0.65
KPX 3PK	1/2", 3/4" & 1" Cutter - 3 Pack	0 67001-00198 6	1	1.5

REPLACEMENT BLADES

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
KPX200	1/2" Cutter Wheel	0 67001-00177 1	1	0.01
KPX234	3/4" Cutter Wheel	0 67001-00178 8	1	0.01
KPX300	1" Cutter Wheel	0 67001-00180 1	1	0.01



PIPE PLUG

- "Plumber's Bread"
- Stops the flow of water without draining down the system, allowing for soldering to be done without water getting into the soldering weld
- Plug slides through fittings, most gate valves and some ball valves with full bore
- Replacement parts available upon request

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
B6001	1/2" to 2-1/2" Pipe Plug	0 67001-00302 7	1	3
B6002	1/2" to 1" Mini Pipe Plug	0 67001-00303 4	1	1



FLAME PROTECTOR PADS

- Designed to protect walls, studs, floors and other surfaces from flames, sparks and abrasions that could occur during soldering
- Reusable pads can be used wet or dry, are asbestos free and generate minimal smoke/fumes
- Available in regular (flame resistant up to 900°C/1,652°F) and heavy duty (flame resistant up to 1,300°C/2,500°F)

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
FPP912	9" x 12" Silica-Based Woven Pad	0 67001-00005 7	1	0.5
FPPHD912	9" x 12" Heavy Duty Fibrous Felt Pad	0 67001-00072 9	1	0.5





STRETCH & SEAL COMPRESSION TAPE



- Non-adhesive, environmentally safe and non-toxic emergency repair tape
- Temporarily stops leaks of up to 150 PSI (water, air, steam) even without turning off the system
- UV and tear resistant to allow for maximum stretch and tension to form silicone mass through compression, preventing leakage from damaged pipe, valves or fittings

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
RI-5-8A12	1" x 12' Roll in Hard Shell	8 90160-00110 4	10	3.5
RI-5-8K12M	2" x 12' Roll in Hard Shell	8 90160-00133 3	6	3.0
RI-5-8K40	2" x 36' Roll	8 90160-00117 3	1	1.1



EPOXY PUTTY



- One part epoxy repair putty in a tape roll that hardens to a steel strength finish
- Seals pipes and joints against leaks of liquids and gases up to 300 psi without draining the system
- Adheres to wet or dry surfaces and will even cure underwater without contaminating liquids or gases it connects with

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
EP114	114 g (4 oz) Tub	0 67001-00156 6	12	4



SCRUBS



- Waterless hand cleaning with shop-sized and durable pre-moistened towels
- Heavy-duty towels clean with pumice scrubbing power
- Remove dirt and grime from hands, equipment, tools, work surfaces, etc.

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
MS10	10 Towels in a Re-sealable Pack	0 67001-00109 2	24	7
MS72	72 Towels in a Dispensing Bucket	0 67001-00110 8	6	17



HAND CLEANER



- Industrial strength, lanolin-enriched pumice emulsion removes grease, grime, paint, carbon, soot, ink, cement and much more
- Contains no acids or other caustic chemicals and is biodegradable

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
HC455	455 ml (1 pt) Squeeze Bottle	0 67001-00111 5	24	26
HC4L	4 L (1 gal) Bottle with Dispenser Pump*	0 67001-00112 2	6	50
HCP4L	Dispenser Pump Only for HC4L	0 67001-00113 9	1	0.1

*1 pump per case of 6



HYDRO-SOLV 9100

- Safely and effectively cleans aluminum, brass, copper, iron and steel boiler components in new and used systems
- Environmentally friendly, non-hazardous and contains no acid or TSP
- Helps recover lost efficiency and removes scale, corrosion, bacteria, solder/flux, cutting oil, dirt and rust
- Concentrated formula (mix 1 part chemical to 50 parts water)

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
MHS 4L	4 L Jug	0 67001-00170 2	4	32
MHS 20L	20 L Pail	0 67001-02319 6	1	45



PRO-TEK 922

- Oxygen inhibiting boiler treatment to protect aluminum, brass, copper, iron and steel equipment from corrosion and scale build up
- Recommended by major boiler manufacturers for system use
- Environmentally friendly and non-hazardous
- Concentrated formula (mix 1 part chemical to 50 parts water)

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
MPT 4L	4 L Jug	0 67001-00169 6	4	32
MPT 20L	20 L Pail	0 67001-02320 2	1	45



HVAC CLEANER

- Heavy-duty, multi-purpose liquid cleaner
- Removes grease, inorganic soils, smoke deposits, etc

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
HVLC946	946 ml (1 qt) Spray Bottle	0 67001-00153 3	12	30
HVLC4L	4 L (1 gal) Jug	0 67001-02316 5	4	40



LUBRICATING OILER

- Premium grade, petroleum based, high viscosity, non-detergent general purpose lubricating oil
- Provides superior anti-wear protection and reduces sludge/sticking in close-tolerance components
- Dispenses upside down or right side up

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
LO113	113 ml (1/4 pt) Flexible Spout Applicator Bottle	0 67001-00013 2	20	6





T-CONE TEST PLUGS

- Economical, reusable and rust proof
- Positive sealing
- Test up to 50 ft of head pressure



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
19-S-152	1-1/2" Plug for Sch. 40 DWV	0 67001-02301 1	1	0.07
19-S-202	2" Plug for Sch. 40 DWV & Type 'M' Copper Tube	0 67001-02302 8	1	0.11
19-S-302	3" Plug for Sch. 40 & Copper DWV; 2" Cast Iron Hub	0 67001-02304 2	1	0.24
19-S-402	4" Plug for Sch. 40 & Copper DWV, PVC S & D, Cast Iron & VCP Barrel; 3" Cast Iron Hub	0 67001-02306 6	1	0.44
19-S-602	6" Plug for Sch. 40 DWV, PVC DR-18, CI Barrel (EH)	0 67001-00240 2	1	1.0
19-S-802	8" Plug for Sch. 40 DWV, PVC PSM (SDR 35) PVC DR-18, VCP Barrel	0 67001-02309 7	1	2.0

FLUSH MOUNT PLUGS



19-CS-202	2" Plug for Sch. 40 DWV	0 67001-02310 3	1	0.12
19-CS-301	3" Plug for Cast Iron	0 67001-02311 0	1	0.24
19-CO-402	4" Plug for Sch. 40 & Copper DWV, PVC S&D, CI Barrel	0 67001-02313 4	1	0.42



ECONOMY WING-NUT TEST PLUGS

- Cost effective expandable plugs used for plugging open-ended cast iron and PVC pipe
- Galvanized steel flange, aluminum wing-nut and rubber sealing ring



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
TP5-1 1/2	1-1/2" Plug	0 67001-00023 1	1	0.20
TP5-2	2" Plug	0 67001-00024 8	1	0.28
TP5-3	3" Plug	0 67001-00025 5	1	0.46
TP5-4	4" Plug	0 67001-00026 2	1	0.74
TP5-5	5" Plug	0 67001-02300 4	1	1.00
TP5-6	6" Plug	0 67001-00027 9	1	1.62



HEAVY-DUTY WING-NUT TEST PLUGS

- Heavy duty expandable plugs made for plugging open-ended cast iron and PVC pipe
- Cast iron flange and wing-nut with a rubber sealing ring
- Separate end cap allows for back pressure release before loosening wing-nut



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
TP4-2	2" Plug	0 67001-00028 6	1	1.1
TP4-3	3" Plug	0 67001-00029 3	1	2.0
TP4-4	4" Plug	0 67001-00030 9	1	2.2
TP4-6	6" Plug	0 67001-00032 3	1	5.0
TP2-8	8" Plug	0 67001-00131 3	1	12
TP2-10	10" Plug	0 67001-00132 0	1	16.3



URINAL CLEANOUT COVERS

- Round stainless steel cover attached with tightening screw to expandable test plug in various sizes
- Includes hex key for easy installation
- Total unit depth is 1-3/4"



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
UC150	1-1/2" Plug with 4-1/2" Cover	0 67001-00201 3	1	0.34
UC200	2" Plug with 4-1/2" Cover	0 67001-00202 0	1	0.4
UC300	3" Plug with 4-1/2" Cover	0 67001-02317 2	1	0.5
UC400	4" Plug with 4-1/2" Cover	0 67001-02318 9	1	0.75
LARGE COVER				
UC300-L	3" Plug with 8" Cover	0 67001-02326 4	1	0.6
UC400-L	4" Plug with 8" Cover	0 67001-02327 1	1	0.8



COUPLINGS

- Flexible PVC construction
- Connects cast iron/plastic/PVC/copper tubing for a leak-proof seal
- cUPC Listed, IPC & IRC Compliant



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
DS56-125	1-1/4" X 1-1/4" Coupling	7 55339-00009 1	1	0.4
DS56-150/125	1-1/2" x 1-1/4" Coupling	7 55339-00039 8	1	0.4
DS56-150	1-1/2" x 1-1/2" Coupling	7 55339-00011 4	1	0.4
DS56-22	2" x 2" Coupling	7 55339-00014 5	1	0.5
DS56-33	3" x 3" Coupling	7 55339-00037 4	1	1.0
DS56-43	4" x 3" Coupling	7 55339-00010 7	1	1.2
DS56-44	4" x 4" Coupling	7 55339-00024 4	1	1.4
DS56-64	6" x 4" Coupling	7 55339-00012 1	1	2.2
DS56-66	6" x 6" Coupling	7 55339-00065 7	1	2.5
DS56-88	8" x 8" Coupling	7 55339-00082 4	1	3.1



INSIDE PIPE CUTTER

- Fast cutting of ABS & PVC pipe, closet flanges, tub waste & overflows, shower drains and sink rims (wood)
- Can be used with any drill and comes with a replacement blade for longer tool use
- Replacements blades also sold separately



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
PS-100	1-1/2" Cutter	0 67001-00179 5	12	2.5
PS-102	1-1/2" Blade	0 67001-00191 7	1	0.02



PEX RING CRIMPING TOOL



- Impact offset crimper with an 8" handle and a GO-NOGO gauge
- Can be used with Brass, Copper and Plastic fittings
- Adjustable for wear

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
CM12	1/2" Ring Crimping Tool	0 67001-00350 8	1	2.2
CM34	3/4" Ring Crimping Tool	0 67001-00351 5	1	2.5
CM10	1" Ring Crimping Tool	0 67001-00352 2	1	2.6



RINGBUSTER



- Heavy duty PEX ring de-crimping tool will cut 1/2", 3/4" & 1" copper, brass and poly alloy/plastic fittings and tube
- Rounded anvil head doesn't fully close/connect allowing for fast cutting without damaging the inside or outside of the fitting, making the fittings reusable

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
73015	1/2" to 1" Tool	0 67001-00076 7	1	1



WILDE PLIERS



- Zinc plated, rubber gripped water pump pliers with a 2-1/8" jaw opening
- Grip tight clip keeps jaws in line, preventing unwanted locking and seizing

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
G253	10" Plier	0 85432-05114 1	10	9



PLUNGER



- Accordion style plunger with more push power than any other style
- Funnel-nose design ensures perfect fit in toilet bowls and kitchen sinks preventing slippage and splash back

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
MP100	Plunger	0 67001-00144 3	1	1



770 ABS SOLVENT CEMENT

- Medium-bodied, fast setting, low-VOC ABS cement for all classes and schedules of pipe with interference fit through 20 cm (8") diameter
- Specially formulated for DWV, sewer & drain pipes, conduit and foam core

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
00500	118 ml (1/4 pt) Brush-Top Can	0 67001-00500 7	24	9
00501	236 ml (1/2 pt) Brush-Top Can	0 67001-00501 4	24	16
00502	473 ml (1 pt) Brush-Top Can	0 67001-00502 1	12	15
00503	1 L (1 qt) Brush-Top Can	0 67001-00503 8	12	28
00504	4 L (1 gal) Brush-Top Can	0 67001-00504 5	6	51



PORC-A-FIX®

- Porcelain touch up paint used to fill chips, scratches and other imperfections in porcelain fixtures
- Non-yellowing, high gloss finish available in a variety of colours*
- Easy one step process with brush-top applicator included

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
AS-01	15 ml (1/2 oz) Jar - American Std White	0 67001-02001 7	4	0.44
AS-07	15 ml (1/2 oz) Jar - American Std Bone	0 67001-02007 9	4	0.44
AS-11	15 ml (1/2 oz) Jar - Amer. Std Fawn Beige	0 67001-02011 6	4	0.44
AS-33	15 ml (1/2 oz) Jar - Amer. Std Sterling Silver	0 67001-02033 8	4	0.44
BS-01	15 ml (1/2 oz) Jar - Basic Colours White	0 67001-02064 2	4	0.44
CA-01	15 ml (1/2 oz) Jar - Crane White	0 67001-02080 2	4	0.44
EM-01	15 ml (1/2 oz) Jar - Eljer Murray White	0 67001-02115 1	4	0.44
EM-14	15 ml (1/2 oz) Jar - Eljer Murray Natural	0 67001-02127 4	4	0.44
GE-05	15 ml (1/2 oz) Jar - General Electric White	0 67001-02151 9	4	0.44
GE-10	15 ml (1/2 oz) Jar - General Electric Almond	0 67001-02152 6	4	0.44



*Contact customer service for availability of additional colours



PORC-A-FILLER

- Porcelain chip filling compound used to fill deep chips and gouges in porcelain fixtures
- Top coat with MASTERS® PORC-A-FIX® for a professional coloured finish


Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
6001	57 g (2 oz) Brush-Top Jar	0 67001-02216 5	9	4





TUBE & SPECIALTY BOILER BRUSHES

- Tube cleaning brushes for boilers, burners, nozzles, fans, radiators, vents, etc
- 3" brush part lengths with 1/2" or 3/4" loop handles for easy hanging
- Available in various overall lengths (OAL) and bristle types*



Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
Stainless or Carbon Steel Bristle Brushes*				
01216-T	3/4" Dia. 24" OAL Stainless Steel Brush	0 67001-01216 6	1	0.50
01276-T	2" Dia. 36" OAL Stainless Steel Brush	0 67001-01276 0	1	0.70
01400-T	2" Dia. 42" OAL Carbon Steel Brush	0 67001-01400 9	1	0.85
01278-T	2-1/2" Dia. 36" OAL Carbon Steel Brush	0 67001-01278 4	1	0.70
01410-T	3" Dia. 42" OAL Carbon Steel Brush	0 67001-01410 8	1	0.85
01328-T	3" Dia. 48" OAL Stainless Steel Brush	0 67001-01328 6	1	0.95
Nylon Bristle Brushes*				
04882-T	1/4" Dia. 6-1/4" OAL Nylon Brush	0 67001-04882 0	1	0.02
04884-T	1/2" Dia. 8-1/2" OAL Nylon Brush	0 67001-04884 4	1	0.05
04867-T	3/4" Dia. 9" OAL Nylon Brush	0 67001-04867 7	1	0.07
01460-T	1-1/2" Dia. 30" OAL Nylon Brush	0 67001-01460 3	1	0.20
01478-T	1-1/2" Dia. 36" OAL Nylon Brush	0 67001-01478 8	1	0.25
Horsehair Bristle Brushes*				
04856-T	3/8" Dia. 6-1/4" OAL Horsehair Brush	0 67001-04856 1	1	0.02
04964-T	1/2" Dia. 9" OAL Horsehair Brush	0 67001-04964 3	1	0.05
04965-T	3/4" Dia. 12" OAL Horsehair Brush	0 67001-04965 0	1	0.10
04870-T	1" Dia. 12-1/2" OAL Horsehair Brush	0 67001-04870 7	1	0.25
39961-T	2" Dia. 16" OAL Horsehair Brush	0 67001-39961 8	1	0.20
39962-T	3" Dia. 27" OAL Horsehair Brush	0 67001-39962 5	1	0.40
Specialty - Columbia Boiler Brushes				
01271-T	1/2" x 1", 36" OAL - Flat (Light Duty)	0 67001-01271 5	1	0.58
84006-T	1/2" x 1", 27" OAL - Flat	0 67001-84006 6	1	0.33
84007-T	1/2" x 1", 48" OAL - Flat	0 67001-84007 3	1	0.50
Specialty - Weil McLain Boiler Brushes				
84200-T	1-1/2" x 1-1/8" Dia. 30" OAL	0 67001-84200 8	1	0.25
84201-T	1-1/2" x 1-1/8" Dia. 30" OAL HD, HH	0 67001-84201 5	1	0.63
84202-T	1-1/2" x 1-1/8" Dia. 36" OAL HD, Gold Series	0 67001-84202 2	1	0.42
84203-T	1-1/2" x 1-1/8" Dia. 42" OAL HD, Gold Series	0 67001-84203 9	1	0.43
84205-T	1-1/2" x 1-1/8" Dia. 30" OAL HD, Gold Series	0 67001-84205 3	1	0.67
84207-T	1-1/2" x 1-1/8" Dia. 24" OAL Light, HH	0 67001-84207 7	1	0.55
84208-T	3" Dia. 42" OAL, Ultra Oil	0 67001-84208 4	1	0.40
84210-T	1-1/2" x 1-1/8" Dia. 42" OAL	0 67001-84210 7	1	0.29
84211-T	1-1/2" x 1-1/8" Dia. 42" OAL, Horsehair	0 67001-84211 4	1	0.80
Specialty - Tapered Boiler Brushes				
84023-T	1-1/8" to 1-7/8" Dia. 30" OAL, Tampico	0 67001-84023 3	1	0.60
84027-T	1-1/8" to 1-7/8" Dia. 42" OAL, Horsehair	0 67001-84027 1	1	0.33
84028-T	1-1/8" to 1-7/8" Dia. 30" OAL, Horsehair	0 67001-84028 8	1	0.58
84029-T	1/2" to 1" Dia. 42" OAL Horsehair	0 67001-84029 5	1	0.67
84212-T	1/2" to 1" Dia. 36" OAL Horsehair	0 67001-84212 1	1	0.67
84214-T	1/2" to 1" Dia. 30" OAL Horsehair	0 67001-84214 5	1	0.58
84215-T	1/2" to 1" Dia. 30" OAL Tampico	0 67001-84215 2	1	0.60
84216-T	1/2" to 1" Dia. 21" OAL Horsehair	0 67001-84216 9	1	0.42

*Contact Customer Service for additional diameter and OAL sizes



TUBE & SPECIALTY BOILER BRUSHES (cont'd)

- Tube cleaning brushes for boilers, burners, nozzles, fans, radiators, vents, etc
- 3" brush part lengths with 1/2" or 3/4" loop handles for easy hanging

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
Specialty - Peerless Boiler Brushes				
84204-T	1-1/2" x 3/4", 30" OAL	0 67001-84204 6	1	0.21
Specialty - Slant Fin Boiler Brushes				
84009-T	2-1/4" Dia. 20" OAL - Tapered	0 67001-84009 7	1	0.18
84011-T	2-1/4" Dia. 20" OAL - Tapered HD	0 67001-84011 0	1	0.21



FLUE & BOILER TUBE BRUSHES

- Black oil tempered wire - 1/4" NPT
- Overall length of 8"
- Brush length of 4-1/2"

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
Single Spiral Construction*				
83002-T	1/2" Brush	0 67001-83002 9	1	0.16
83003-T	5/8" Brush	0 67001-83003 6	1	0.18
83005-T	3/4" Brush	0 67001-83005 0	1	0.20
83010-T	1" Brush	0 67001-83010 4	1	0.22
83015-T	1-1/4" Brush	0 67001-83015 9	1	0.24
83020-T	1-1/2" Brush	0 67001-83020 3	1	0.26
83025-T	1-3/4" Brush	0 67001-83025 8	1	0.28
83030-T	2" Brush	0 67001-83030 2	1	0.30
83035-T	2-1/4" Brush	0 67001-83035 7	1	0.32
83040-T	2-1/2" Brush	0 67001-83040 1	1	0.34
83045-T	2-3/4" Brush	0 67001-83045 6	1	0.36
83050-T	3" Brush	0 67001-83050 0	1	0.38
Double Spiral Construction*				
84002-T	1/2" Brush	0 67001-84002 8	1	0.16
84003-T	5/8" Brush	0 67001-84003 5	1	0.18
84005-T	3/4" Brush	0 67001-84005 9	1	0.20
84010-T	1" Brush	0 67001-84010 3	1	0.22
84015-T	1-1/4" Brush	0 67001-84015 8	1	0.24
84020-T	1-1/2" Brush	0 67001-84020 2	1	0.26
84025-T	1-3/4" Brush	0 67001-84025 7	1	0.28
84030-T	2" Brush	0 67001-84030 1	1	0.30
84035-T	2-1/4" Brush	0 67001-84035 6	1	0.32
84040-T	2-1/2" Brush	0 67001-84040 0	1	0.34
84045-T	2-3/4" Brush	0 67001-84045 5	1	0.36
84050-T	3" Brush	0 67001-84050 9	1	0.38
Fiberglass Extension Rod for Flue & Boiler Tube Brushes				
30002-T	3' Rod	0 67001-30002 7	1	0.4
30021-T	4' Rod	0 67001-30021 8	1	0.4
30061-T	6' Rod	0 67001-30061 4	1	0.8



*Contact customer service for brush sizes over 3"



SCRATCH BRUSHES



- High quality solid hardwood handles and backs
- Tough, high quality oil tempered carbon steel fill wire

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
70606-T	14" x 1" Bent Handle Brush	0 67001-70606 5	1	0.38
70610-T	14" x 1" Bent Handle Brush w/ Scraper	0 67001-70610 2	1	0.44
70550-T	14" x 1-1/8" Bent Handle Brush	0 67001-70550 1	1	0.38
70560-T	14" x 1-1/8" Bent Handle Brush w/ Scraper	0 67001-70560 0	1	0.44
70640-T	10" x 9/16" Shoe Handle Brush	0 67001-70640 9	1	0.38
70570-T	10" x 1-1/8" Shoe Handle Brush	0 67001-70570 9	1	0.44
70540-T	7-1/4" x 2-1/2" Straight Back Brush	0 67001-70540 2	1	0.78
70630-T	7" x 3" Curved Back Brush	0 67001-70630 0	1	0.67



FIN & COIL CLEANERS



- Whisk is ideal for cleaning in between small fins and coils
- Comb cleans and restores bent fins to normal position
- Refrigeration coil cleaning brushes are tapered, have a coated stem, and plastic handle

Product Code #	Product Description	UPC Barcode	Units/Case	Lbs/Case
73610-T	6-3/4" Fin & Coil Whisk	0 67001-73610 9	1	0.07
73620-T	Fin Comb Scraping Tool (Adjustable)	0 67001-73620 8	1	0.13
01392-T	5/8" - 1-5/8" Dia. 29" OAL - Horsehair	0 67001-01392 7	1	0.27
84377-T	3/4" - 1-3/4" Dia. 30" OAL - Synthetic	0 67001-84377 7	1	0.28



Head Office

620 Steven Court, Unit 11
Newmarket, ON L3Y 6Z2

Please send orders to:

Phone: 1-800-499-3673

Fax: 1-800-939-9559

sales@gfthompson.com

British Columbia Warehouse

4 - 68 Schooner St.
Coquitlam, BC V3K 7B1

Alberta Warehouse

4450 50th Ave. SE
Calgary, AB T2B 3R4

Saskatchewan Warehouse

1349 Wallace St.
Regina, SK S4N 3Z5

Quebec Warehouse

Future Plans Pending

***For further information
on any of our products,
please contact customer
service, your local
sales representative
or visit us online at
www.gfthompson.com***

Terms of Sale:

Prices subject to change without notice
Case quantities only
Minimum order of \$50.00, net 30 days,
all applicable taxes extra

20% restocking charge on products
authorized for return
FOB Newmarket, ON; Coquitlam, BC;
Calgary, AB; Regina, SK

MASTERS[®]

G. F. THOMPSON CO. LTD.

1-800-499-3673 Canada

www.gfthompson.com

