


HL7 Interface Specification for Connecting an External System to medavis RIS

Version 4.0.1, 2018-09-18



Copyright © 2018 medavis GmbH, Karlsruhe, Germany. All rights reserved.

Author: Thomas Freier

This publication is protected by copyright. This documentation and the software described herein may only be used in accordance with the terms of the contract/license agreement.

The contents of this document are intended for informational use only and are subject to change without notice. medavis Medizinische Informations Systeme GmbH assumes no responsibility or liability for any error or inaccuracies that may appear in this document.

This publication including all its components, may only be used according to the terms of the contract under which it was supplied. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic or mechanic, without the prior written permission of medavis Medizinische Informations Systeme GmbH.

Reference to Trademarks:

All trademarks and product names mentioned in this documentation are trademarks or registered trademarks of their respective owners.

Contact:

If you have any questions or suggestions regarding our software and documentation, please contact:

medavis GmbH
Bannwaldallee 60
76185 Karlsruhe
Fon: +49 721 92910 0
Fax: +49 721 92910 99
Mail: info@medavis.com
<http://www.medavis.com>

Our Customer Support team is available from Monday to Friday during normal office hours.

Table of Contents

| | |
|--|----|
| 1. Introduction | 7 |
| 2. General Information | 9 |
| 2.1. Actor Definitions | 9 |
| 2.2. Typical Framework | 9 |
| 3. HL7 Messages | 11 |
| 4. Data Transport Between medavis RIS and an External System | 14 |
| 4.1. TCP/IP Socket - Lower Level Protocol (LLP) | 14 |
| 4.2. File Transfer Method | 14 |
| 4.2.1. Multi File Mode | 14 |
| 4.2.2. Single File Mode | 14 |
| 4.3. Message Receipt and Acknowledgement | 15 |
| 5. Messages to medavis RIS | 17 |
| 5.1. Registering an (Outpatient) Visit – ADT^A01 | 17 |
| 5.2. Transferring a Patient – ADT^A02 | 18 |
| 5.3. Discharging a Patient – ADT^A03 | 18 |
| 5.4. Outpatient Visit – ADT^A04 | 19 |
| 5.5. Pre-admitting a Patient – ADT^A05 | 19 |
| 5.6. Changing from Outpatient to Inpatient – ADT^A06 | 20 |
| 5.7. Changing from Inpatient to Outpatient – ADT^A07 | 21 |
| 5.8. Updating Patient Information – ADT^A08 | 22 |
| 5.9. Cancelling a Patient Visit – ADT^A11 | 23 |
| 5.10. Cancelling a Patient Transfer – ADT^A12 | 24 |
| 5.11. Cancelling a Patient Discharge – ADT^A13 | 25 |
| 5.12. Deleting Patient Records – ADT^A23 | 25 |
| 5.13. Update Patient Information – ADT^A31 | 26 |
| 5.14. Merging Patient IDs – ADT^A34 | 27 |
| 5.15. Cancelling a Pre-admit – ADT^A38 | 28 |
| 5.16. Merging Patient IDs – ADT^A40 | 28 |
| 5.17. Case Merge - ADT^A42 | 29 |
| 5.18. Move visit information - ADT^A45 (customer specific) | 29 |
| 5.19. Change Patient ID - ADT^A46 | 30 |
| 5.20. Change Patient Identifier List - ADT^A47 | 30 |
| 5.21. External Service Request - ORM^O01 | 31 |
| 5.22. Order Response - ORR^O02 | 34 |
| 5.23. Report Import - ORU^R01 | 35 |
| 5.24. Patient Demographics Query – QBP^Q22 | 36 |
| 5.25. Patient Demographics and Visit Query – QBP^ZV1 | 37 |
| 5.26. Patient Query - QRY^A19 | 38 |
| 5.27. Add Patient Accounts - BAR^P01 | 39 |
| 5.28. Update Patient Account - BAR^P05 | 40 |
| 5.29. End Patient Account - BAR^P06 | 41 |
| 5.30. Post Detail Financial Transaction - DFT^P03 | 41 |
| 5.31. Original Document Notification and Content - MDM^T02 | 43 |
| 5.32. Document Cancel Notification - MDM^T11 | 44 |
| 5.33. Master File - Staff/Practitioner Message - MFN^M02 | 45 |

| | |
|---|----|
| 5.34. Test/Observation (Categorical) Master File - MFN^M09 | 46 |
| 5.35. Notification of New Appointment Booking - SIU^S12 | 46 |
| 5.36. Notification of Appointment Rescheduling - SIU^S13 | 47 |
| 5.37. Notification of Appointment Modification - SIU^S14 | 48 |
| 5.38. Notification of Appointment Cancellation - SIU^S15 | 50 |
| 5.39. Notification That Patient Did Not Show Up for Schedule Appointment - SIU^S26 | 51 |
| 6. Messages from medavis RIS to an external system | 53 |
| 6.1. Acknowledgement of an External Service Request/Examination Status Transfer ORM^O01 | 53 |
| 6.2. General clinical order message - OMG^O19 | 54 |
| 6.3. Imaging Order - OMI^O23 | 55 |
| 6.4. Admitting Patients – ADT^A01 | 56 |
| 6.5. Update Patient Information – ADT^A08 | 57 |
| 6.6. Delete a Patient Record – ADT^A23 | 58 |
| 6.7. Merging Patient IDs – ADT^A34 | 58 |
| 6.8. Change Patient Identifier List - ADT^A47 | 59 |
| 6.9. Patient Demographics Query - Get Corresponding Identifiers - QBP^Q23 | 59 |
| 6.9.1. ATNA Audit Message for PIX Query [ITI-9] | 60 |
| 6.10. Transferring Financial Data/Material Use – DFT^P03 | 61 |
| 6.11. Transferring Diagnoses/Procedures – BAR^P01/BAR^P12 | 62 |
| 6.11.1. Message type BAR^P01 "Snapshot" mode | 63 |
| 6.11.2. Message type BAR^P12 "action code/unique identifier" mode: | 64 |
| 6.12. Staff/Practitioner Master File Message - MFN^M02 | 64 |
| 6.13. Master File Notification - MFN^M09 | 65 |
| 6.14. Notification of New Appointment Booking - SIU^S12 | 65 |
| 6.15. Notification of appointment rescheduling - SIU^S13 | 66 |
| 6.16. Notification of appointment modification - SIU^S14 | 67 |
| 6.17. Notification of appointment cancellation - SIU^S15 | 67 |
| 6.18. Original Document Notification and Content - MDM^T02 | 67 |
| 6.19. Document Status Change Notification and Content - MDM^T04 | 68 |
| 6.20. Document Replacement Notification and Content - MDM^T10 | 69 |
| 6.21. Document Cancel Notification - MDM^T11 | 70 |
| 6.22. Transferring Reports – UDM^Q05/ORU^R01/MDM^T02 | 71 |
| 6.22.1. Message type: UDM^Q05 (<i>discontinued</i>): | 71 |
| 6.22.2. Message type: ORU^R01 (unstructured report) | 72 |
| 6.22.3. Message type: ORU^R01 (structured report) | 74 |
| 6.22.4. Message type: ORU^R01 (structured report, CDA) | 75 |
| 6.22.5. Message type: MDM^T02 | 77 |
| 7. Segment Definitions | 79 |
| 7.1. MSH - Message Header Segment | 79 |
| 7.2. MSA - Message Acknowledgement Segment | 79 |
| 7.3. EVN - Event Type Segment | 80 |
| 7.4. ERR - Error Segment | 80 |
| 7.5. AIG - Appointment Information | 80 |
| 7.6. AIL - Appointment Information - Location Resource | 81 |
| 7.7. AIP - Appointment Information - Personnel Resource | 81 |
| 7.8. AIS - Appointment Information | 81 |
| 7.9. DSC - Continuation Pointer | 82 |

| | |
|--|-----|
| 7.10. PID - Patient Identification Segment | 82 |
| 7.11. FT1 - Financial Transaction Segment | 83 |
| 7.12. GT1 - Guarantor | 84 |
| 7.13. PV1 - Patient Visit Segment | 86 |
| 7.14. IN1 - Insurance Segment | 88 |
| 7.15. IN2 - Insurance Additional Information Segment | 90 |
| 7.16. MRG - Merge Patient Information Segment | 92 |
| 7.17. QRD - Original-style Query Definition Segment | 92 |
| 7.18. DSP - Display Data Segment | 93 |
| 7.19. QAK - Query Acknowledgement Segment | 93 |
| 7.20. QPD - Query Parameter Definition | 93 |
| 7.21. QRF - Original Style Query Filter | 93 |
| 7.22. RCP - Response Control Parameter Segment | 94 |
| 7.23. RGS - Resource Group Segment | 94 |
| 7.24. ORC - Common Order Control | 94 |
| 7.25. OBR - Observation Request Segment | 95 |
| 7.26. OM1 - General Segment | 97 |
| 7.27. OBX - Observation/Result Segment | 99 |
| 7.28. NTE - Notes and Comments Segment | 100 |
| 7.29. URD - Results/Update Definition Segment | 100 |
| 7.30. URS - Unsolicited Selection Segment | 101 |
| 7.31. DG1 - Diagnosis Segment | 101 |
| 7.32. PR1 - Procedures Segment | 102 |
| 7.33. ZDS - Study Instance UID Segment | 103 |
| 7.34. SFT - Software Segment (since HL7 version 2.5) | 103 |
| 7.35. SCH - Scheduling Activity Information | 103 |
| 7.36. STF - Staff Identification | 105 |
| 7.37. MFE - Master File Entry | 106 |
| 7.38. MFI - Master File Identification Segment | 106 |
| 7.39. TQ1 - Timing/Quantity Segment | 106 |
| 7.40. TXA - Transcription Document Header | 107 |
| 7.41. ZWL - Non-Medical Optional Services | 107 |
| 8. Table Definitions | 109 |
| 8.1. User-defined table 0001 - Sex | 109 |
| 8.2. Table 0003 - Event type | 109 |
| 8.3. Table 0004 – Patient Class | 110 |
| 8.4. Table 0008 - Acknowledgement code | 110 |
| 8.5. Table 0017 – Transaction type | 110 |
| 8.6. Table 0038 – Order status | 111 |
| 8.7. Table 0048 – What subject filter | 111 |
| 8.8. Table 0051 – Diagnosis Code | 111 |
| 8.9. Table 0052 – Diagnosis Type | 111 |
| 8.10. Table 0074 – Diagnostic service section ID | 111 |
| 8.11. Table 0076 - Message type | 112 |
| 8.12. Table 86 – Plan ID | 112 |
| 8.13. Table 0106 - Query/response format code | 112 |
| 8.14. Table 0108 – Query Results Level | 112 |

| | |
|--|-----|
| 8.15. Table 0109 – Report Priority | 113 |
| 8.16. Table 0119 - Order control codes and their meaning | 113 |
| 8.17. Table 0123 - Result status | 113 |
| 8.18. Table 0124 - Transportation mode | 113 |
| 8.19. Table 0125 - Value type | 114 |
| 8.20. Table 0126 – Quantity limited request | 114 |
| 8.21. Table 0136 – Yes/No indicator | 114 |
| 8.22. Table 0137 – Mail claim party | 115 |
| 8.23. Table 0157 – Which Date/Time Status Qualifier | 115 |
| 8.24. Table 0175 – Master File Identifier Code | 115 |
| 8.25. Table 0178 – File level event code | 115 |
| 8.26. Table 0179 – Response level code | 115 |
| 8.27. Table 0180 – Record level event code | 115 |
| 8.28. Table 0182 – Staff type | 116 |
| 8.29. Table 0183 – Active/Inactive | 116 |
| 8.30. Table 0188 – Operator ID | 116 |
| 8.31. Table 0202 – Telecommunication equipment type | 116 |
| 8.32. Table 0206 – Segment action code | 116 |
| 8.33. Table 0208 – Query response status | 116 |
| 8.34. Table 0224 – Transport arranged | 117 |
| 8.35. Table 0225 – Escort required | 117 |
| 8.36. Table 0230 – Procedure Functional Type | 117 |
| 8.37. Table 0271 – Document completion status | 117 |
| 8.38. Table 0278 – Filler status code | 117 |
| 8.39. Table 0326 – Visit indicator | 117 |
| 8.40. Table 0340 – Procedure code modifier | 118 |
| 8.41. Table 0532 – Expanded Yes/No indicator | 118 |
| 9. Data Type Definitions | 119 |
| 10. National Extensions | 124 |
| 10.1. German Extensions | 124 |
| 10.1.1. Insurance Information | 124 |

1. Introduction

Revision History

| Version | Date | Reason | Editor |
|---------|------------|--|---|
| 1.0 | 01.07.2009 | Creation | Carsten Rambow |
| 2.0 | 04.04.2016 | Latest messages and segments added. New format | Marco Kuballa, Thomas Freier |
| 2.11 | 03.05.2016 | Format errors corrected, Message Type in Header | Thomas Freier |
| 2.12 | 06.05.2016 | Format errors corrected. Released. | Thomas Freier |
| 3.0 | 11.05.2017 | Latest messages and segments added. New Format. | Marco Kuballa, Martin Krogmann, Steffen Eitelmann |
| 3.1 | 29.11.2017 | Added description for CDA export via MDM^T02 | Martin Krogmann |
| 3.1.1 | 22.01.2018 | Added description for CDA export via ORU^R01 | Marco Kuballa |
| 3.2 | 03.05.2018 | Added outbound MDM^T10 messages. | Martin Krogmann |
| 4.0 | 13.08.2018 | Updated Software Version and corrected some texts. | Patrick Waldschmitt |

Audience

This document is written for the people that need to understand how the medavis HL7 interface will integrate into their healthcare facility. This document contains some basic HL7 definitions so that any reader may understand how this product implements HL7 features. For further information about the HL7 terminology please have a look at the HL7 standard itself.

Remarks

HL7 by itself, does not guarantee interoperability. However, the Conformance Statement facilitates a first-level validation for interoperability between different applications supporting the same HL7 functionality. This Conformance Statement is not intended to replace validation with other HL7 equipment to ensure proper exchange of information intended.

Definitions, Terms and Abbreviations

- ACK Acknowledgement
- ADT Admission, Discharge, and Transfer message
- AL1 Patient Allergy Information segment
- CDA HL7 Version 3 Clinical Document Architecture
- DFT Detail financial transactions
- DSP Display data segment
- EVN Event Type segment
- HL7 Health Level 7
- IHE Integrating the Healthcare Enterprise
- MDM Medical document management
- MFN Master files notification

MRG Merge Patient Information segment
MSA Message acknowledgement segment
MSH Message Header segment
NTE Notes and comments segment
OBR Observation Request segment
OBX Observation/Result segment
OMG General clinical order message
ORC Common Order segment ORM Order Request message
ORU Observation Results - Unsolicited message
PACS Picture Archiving and Communication System
PID Patient ID segment
PV1 Patient Visit segment
QAK Query acknowledgement
QRD Query Definition segment
RGS Resource Group Segment
RIS Radiology Information System
SIU Scheduling Information Unsolicited
UDM Unsolicited display update message

References

HL7 Standard, www.hl7.org

2. General Information

The Health Level Seven (HL7) protocol in the German version 2.2, 2.3, 2.3.1, 2.4, 2.5, 2.5.1 and 2.6 are used as the basis for the RIS/HIS communication. The processes described in this document refer to the medavis HL7 version 3.66 software release.

2.1. Actor Definitions

Actors are information systems or components of information systems that produce, manage, or act on information associated with operational activities in the enterprise. The following actors are referred to throughout the rest of this document.

- ADT System

A system responsible for adding and/or updating patient demographic and encounter information. In particular, it registers a new patient with the Order Placer and Department System.

- Charge Processor

Receives the posted charges and serves as a component of the financial system.

- Order Filler/Department System Scheduler

A department-based information system (medavis RIS) that provides functions related to the management of orders received from external systems or through the department system's user interface. Upon a defined workflow action, makes procedures available of charge posting. The action/event that actually causes charges to post is defined by the actor.

- Enterprise Report Repository

A system that receives Structured Report Export Transaction from the Report Manager and stores them.

- Image Manager


A system that provides functions related to safe storage and management of evidence objects. It supplies availability information for those objects to the Department System Scheduler.

- Order Placer

A hospital or enterprise-wide system that generates orders for various departments and distributes those orders to the correct department.

2.2. Typical Framework

This diagram shows a typical interaction between actors:



3. HL7 Messages

medavis RIS supports the HL7 protocol's most important messages:

Messages from external systems to medavis RIS

ADT^A01 – Admit a patient (outpatient visit)
 ADT^A02 – Transfer a patient
 ADT^A03 – Discharge a patient
 ADT^A04 – Register a patient (inpatient visit)
 ADT^A05 – Pre-admit a patient
 ADT^A06 – Change an outpatient to an inpatient
 ADT^A07 – Change an inpatient to an outpatient
 ADT^A08 – Update patient information
 ADT^A11 – Cancel admit/visit notification
 ADT^A12 – Cancel transfer
 ADT^A13 – Cancel discharge
 ADT^A23 – Delete a patient record
 ADT^A31 – Update person information
 ADT^A34 – Merge patient information – patient identifier only
 ADT^A38 – Cancel pre-admit
 ADT^A42 – Merge visit
 ADT^A45 – Move visit information
 ADT^A46 – Change patient identifier
 ADT^A47 – Change patient identifier list

ORM^O01 – Request/cancel examination
 ORR^O02 – Order response
 OMG^O19 – General clinical order

QBP^Q22 – Patient Demographics Query Find Candidates
 QBP^ZV1 – Patient Demographics and Visit Query
 QRY^A19 – Patient query
 ORU^R01 – Report import

BAR^P01 – Add patient account
 BAR^P05 – Update account
 BAR^P06 – End account
 DFT^P03 – Post detail financial transaction

SIU^S12 – Notification of new appointment booking
 SIU^S13 – Notification of appointment rescheduling
 SIU^S14 – Notification of appointment modification
 SIU^S15 – Notification of appointment cancellation
 SIU^S26 – Notification that patient did not show up for schedule appointment

MFN^M02 – Master file - staff practitioner
 MFN^M09 – Test/observation (categorical) master file

MDM^T02 – Original document notification and content

MDM^T11 – Document cancel notification

Messages from medavis RIS to external systems

ADT^A01 - Admit a patient

ADT^A08 - Update patient information

ADT^A34 - Merge patient information – patient identifier only

ADT^A40 - Merge patient – identifier list

ADT^A47 - Change patient identifier list

QBP^Q23 - Patient Demographics Query Get Corresponding Identifiers

ORM^O01 – General order message supporting the following events:

ORM^O01 - Acknowledge an examination request/transfer an examination status

ORM^O01 - Create, modify, update and cancel examinations

ORM^O01 – Request/cancel examination

OMG^O19 – General clinical order

OMI^O23 – Imaging Order

ORU^R01 - Report export

UDM^Q05 - Report export

BAR^P01 - Diagnoses/procedures ("Snapshot" mode)

DFT^P03 - Post detailed financial transaction

BAR^P12 - Update Diagnosis/procedures ("Action code/unique identifier" mode)

MFN^M02 – Master file - staff practitioner

MFN^M09 – Test/observation (categorical) master file

SIU^S12 – Notification of new appointment booking

SIU^S13 – Notification of appointment rescheduling

SIU^S14 – Notification of appointment modification

SIU^S15 – Notification of appointment cancellation

MDM^T02 – Original document notification and content

MDM^T04 – Document Status Change Notification and Content

MDM^T11 – Document cancel notification

Further HL7 messages are in preparation.

Syntax in this Document

The HL7 messages are explained in the following chapters in a BNF representation. Each segment is listed in the order it could appear in a message.

Curly brackets, { ... }, define a segment block which must occur at least once. Of course, a group can also consist of a segment. Square brackets [...] define an optional segment block which can occur. An optional, repetitive segment block is therefore identified by curly and square brackets, { [...] }. The declarations [{...}] and {[...]} are identical.


The segments marked in the tables in **bold** type are evaluated by the interface.

4. Data Transport Between medavis RIS and an External System

The link between medavis RIS and an external system can be implemented using a TCP/IP socket connection or a file transfer method. For the file transfer method, you can choose between the NFS, Samba and FTP protocols. To minimise the protocol overheads, a link using TCP/IP sockets is preferable.

4.1. TCP/IP Socket - Lower Level Protocol (LLP)

The set-up of a socket stream is modelled on the proposal made by the 'HL7 Implementation Support Guide App C.4'. A HL7 message is provided with a start and a stop character. The start and stop characters can be freely defined.



In addition, an extended LLP (Lower Level Protocol) can be selected which is extended by the parameter 'message length'. This parameter has a freely definable length and is transferred right justified in ASCII format. Blank positions are filled with zeros. If possible this protocol should not be used, as it is not a HL7 standard.



Optionally, medavis RIS supports TCP/IP with TLS for the encrypted transport of HL7 communication. Certificates for the sending and receiving systems need to be exchanged for this purpose.

4.2. File Transfer Method

HL7 messages are transferred in keeping with the semaphore concept.

Conflicts may occur when transferring data between the systems. One possible conflict is that, when writing an HL7 file, the receiving system reads this file quicker than it is being written. The semaphore concept prevents simultaneous reading and writing of the same HL7 file.

4.2.1. Multi File Mode


A semaphore file is created for every HL7 file which signals that the HL7 file may be read. The semaphore file can only be created once the HL7 file has been saved. The HL7 file and the semaphore file are deleted after processing by the receiving system.

Each HL7 file may only contain one HL7 message. The file name of the HL7 and the semaphore file must be made up of alphanumeric characters which are chronological to the HL7 message. The file suffix of the HL7 file is ".HL7" and the suffix for the semaphore file is ".SEM".

The HL7 message is saved in the file without a frame.

4.2.2. Single File Mode

All HL7 messages are written to a file with start and stop frames. The transfer procedure is similar to the Multi File Mode and is described in the next figure.



DATA = DATA PACKAGE CONTAINING MESSAGES

RDY = DATA PACKAGE READY FOR TRANSFER

CNF = CONFIRMATION LAST DATAPACKAGE RECEIVED

TRA = TRANSFER OF DATA IN PROGRESS

4.3. Message Receipt and Acknowledgement

If a TCP/IP basis is used for linking, the following features must be noted for the acknowledgement. medavis RIS processes received HL7 messages immediately and instantly sends a positive acknowledgement, or a negative

acknowledgement if they contain syntax errors. Each message sent through medavis RIS must be answered by an acknowledgement message. Delayed responses are not permitted.

Medavis RIS currently does not support enhanced acknowledgement.

5. Messages to medavis RIS

The following describes all HL7 messages used which can be processed by the medavis interface.

5.1. Registering an (Outpatient) Visit – ADT^A01

An ADT^A01 message causes medavis RIS to record new patient information. This message is usually sent by an ADT system. An ADT^A01 message is composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
|]] | |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
|]] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID, PV1, OBX, DG1, IN1 and IN2.

Example

```
MSH|^~\|ADTSys|MEDAVIS||20010402053241||ADT^A01|7756|P|2.5||AL|NE
EVN|A01|20010402053241
PID|||43222^^^ASSAUT|102092893|Doe^John||19500214|M||Bakerstreet 50^^New
York^^12345^US||555-3245|german|VH|EV||||||D
PV1||I|INN1^^^IM|||||||11209393^^^ASSAUT|K|||||||806|||20010
402073000|||||1120939
DG1|1|K92.2^Gastrointestinal haemorrhage, unspecified^I10
||20010402073500|AD|||||||1.1|0004711
IN1|1|43798|6201379^^^NII|Insurance Name|||1|Ins.Group|||20050431|M|||||||20010420
|||||6201379^^0405^1000^1^|||||||43798|
```

5.2. Transferring a Patient – ADT^A02

medavis RIS is informed of the transfer of a patient via an ADT^A02 message. This message is usually sent by ADT system. medavis RIS identifies the patient information using the external patient ID (PID-3). An ADT^A02 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |

The following segments are currently evaluated: MSH, EVN, PID and PV1.

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||ADT^A02|1|P|2.5
EVN|A02|20110818080300|||KIS
PID|1||4711^^DOMAIN-A||Deckenhauer^Franz1^^Dr.||19501101|M||Tollestr.10^^
Musterhausen^^12345^D|42|294386^^^^^^^^^^294386||D|O|AGN|43|||||D|D
PV1|1|I|ST1^Raum1^Bett1^Chirurgie|R|^^^^^^andereChirurgie^^|DocIdRef2^TheReferrer|
DocId1^Musterdoc||||||784654^^KIS|K||||||||||||||ABC|||||
20110818080300|||||A
```

5.3. Discharging a Patient – ADT^A03

medavis RIS is informed of the discharge of a patient via an ADT^A03 message. This message is usually sent by an ADT system. The patient data is removed from the RIS database if there is no case or examination data for this patient and there are no requests. RIS identifies the patient data using the external patient ID (PID-3). An ADT^A03 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |

| ADT | ADT Message |
|-------------|----------------------|
| [{ ROL }] | Role |
| }] | |
| [{ OBX }] | Observation / Result |

The following segments are currently evaluated: MSH, PID and PV1.

5.4. Outpatient Visit – ADT^A04

An ADT^A04 message causes medavis RIS to register a new patient visit. This message is usually sent by an ADT system. An ADT^A04 message is treated the same as an ADT^A01 message. The PV1-2 field is evaluated to differentiate between the type of admission/visit.

An ADT^A04 message is therefore composed of the following segments:

| ADT | ADT Message |
|--------------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
| }] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| }] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID, PV1, OBX, DG1, IN1 and IN2.

5.5. Pre-admitting a Patient – ADT^A05

An ADT^A05 message causes medavis RIS to register a new patient visit's pre-admit data. This message is usually sent by an ADT system. An ADT^A05 message is treated like an ADT^A01 message. The PV1-2 field is evaluated to differentiate between the type of admission/visit.

An ADT^A05 message is therefore composed of the following segments:

| ADT | ADT Message |
|--------------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID, PV1, DG1, IN1 and IN2.

5.6. Changing from Outpatient to Inpatient – ADT^A06

An ADT^A06 message causes medavis RIS to change the type of patient visit from outpatient to inpatient. This message is usually sent by an ADT system. The PV1-2 field (contract code) is evaluated for the new type of visit.

| ADT | ADT Message |
|--------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |

| ADT | ADT Message |
|-------------|--|
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
|]] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
|]] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID, PV1.

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||ADT^A06|1|P|2.5
EVN|A06|20110818080300|||KIS
PID|1||5000^^KISS||Deckenhauer^Franz1^^Dr.||19501101|M||Tollestr.10^^
Musterhausen^^12345^D|42|294386^294386||D|O|AGN|43|||D|D
PV1|1|I|ST1^Raum1^Bett1^Chirurgie|R||^andereChirurgie^^|DocIdRef2^TheReferrer|Doc
Id1^Musterdoc|MED|||784654^^KIS|K|ABC||20110818080300|||A
```

5.7. Changing from Inpatient to Outpatient – ADT^A07

An ADT^A07 message causes medavis RIS to modify the type of patient visit from inpatient to outpatient. This message is usually sent by an ADT system. The contact code from field PV1-2 is evaluated for the new type of visit. An ADT^A07 message is processed by the interface like an ADT^A06 message.

| ADT | ADT Message |
|--------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |

| ADT | ADT Message |
|-------------|--|
| }] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| }] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID, PV1.

5.8. Updating Patient Information – ADT^A08

medavis RIS is informed of the modification of patient data in the external system by an ADT^A08 message. This message is usually sent by an ADT system. medavis RIS identifies the patient data using the external patient ID (PID-3). An ADT^A08 message is therefore composed of the following segments:

| ADT | ADT Message |
|--------------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
| }] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| }] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID, PV1, OBX, DG1 IN1, and IN2.

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||ADT^A08|1|P|2.5
EVN|A08|20110818080300|||KIS
PID|1||4711^^^DOMAIN-A||Deckenhauer^Franz1^^^Dr.||19501101|M||Tollestr.10^^
Musterhausen^^12345^D|42|294386^^^^^^^^^^^^294386||D|O|AGN|43|||D|D
PV1|1|I|ST1^Raum1^Bett1^Chirurgie|R|^andereChirurgie^^|DocId1^Musterdoc|||
||44||K|||||ABC|||20110818080300|||A
```

5.9. Cancelling a Patient Visit – ADT^A11

An ADT^A11 message causes medavis RIS to cancel a patient visit. This message is usually sent by an ADT system.

An ADT^A11 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
|]] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
|]] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID and PV1.

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||ADT^A11|1|P|2.5
EVN|A11|20110818080300|||KIS
PID|1||5000^^KISS||Deckenhauer^Franz1^^Dr.||19501101|M||Tollestr.10^^
Musterhausen^^12345^D|42|294386^^^^^^^^^^294386||D|O|AGN|43|||D|D
PV1|1|I|ST1^Raum1^Bett1^Chirurgie|R|^andereChirurgie^^|DocIdRef2^TheReferrer|
DocId1^Musterdoc|||44^^KIS|K|ABC|||20110818080300|||A
```

5.10. Cancelling a Patient Transfer – ADT^A12

A patient transfer (ADT^A02) can be cancelled by an ADT^A12 message. This message is usually sent by an ADT system. medavis RIS does not track the patient stay, but only saves the patient's current and previous locations. Therefore, it is only possible to cancel the last transfer.

An ADT^A12 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
|]] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
|]] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID and PV1.

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||ADT^A12|1|P|2.5
EVN|A12|20110818080300|||KIS
PID|1||4711^^^DOMAIN-A||Deckenhauer^Franz1^^^Dr.||19501101|M||Tollestr.10^^
Musterhausen^^12345^D|42|294386^^^^^^^^^^^^^^294386|D|O|AGN|43|D|D
PV1|1|I|ST1^Raum1^Bett1^Chirurgie|R|^^^^^^andereChirurgie^^|DocIdRef2^TheReferrer|
DocId1^Musterdoc|||||784654^^^KIS|K|||||ABC|||20110818080300|||||A
```

5.11. Cancelling a Patient Discharge – ADT^A13

A patient discharge (ADT^A03) can be cancelled by an ADT^A13 message. This message is usually sent by an ADT system. medavis RIS resets the discharge to an undefined time.

An ADT^A13 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
|]] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
|]] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID and PV1.

5.12. Deleting Patient Records – ADT^A23

Patient records can be deleted from medavis RIS with an ADT^A23 message. This message is usually sent by an ADT system. medavis RIS only deletes patient information if it contains no case or examination data. Open

examination requests are also deleted. The patient information is identified by the external patient ID (PID-3). An ADT^A23 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
|]] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
|]] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

The following segments are currently evaluated: MSH, PID and PV1.

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||ADT^A23|1|P|2.5
EVN|A01|20110818080300|||KIS
PID||4712^^^DOMAIN-A||Doe^John~DoeAlt^Johnny^^^^^A||19400220|M||Bannwaldallee60^^
^^Karlsruhe^^76185^DE|42|294386home^^^^^^^^^^294386homeunformatted~12345mobile^^CP
^^^^^^^^^^12345mobileunformatted|294386business^^^^^^^^^^294386businessunformatted|
D|O|AGN|43|||D|D
PV1|1|I|ST1^Raum1^Bett1^Chirurgie|R|^^^^^^andereChirurgie^^|DocIdRef2^TheReferrer|
DocId1^Musterdoc|||45|K|ABC|||20110818080300|||A
```

5.13. Update Patient Information – ADT^A31

medavis RIS is informed of the modification of patient data in the external system by an ADT^A31 message. Usually, this message is used to update patient information on an MPI. It is similar to an A08 message. An ADT^A31 message is treated the same as an ADT^A08 message.

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
|]] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
|]] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |

Example

```
MSH|^~\&|MPI|FAC1|MEDAVIS||201108180804||ADT^A31|1|P|2
EVN|A31|20110818080300|||KIS
PID|1||GummiMayer^^^DOMAIN-0110|M||Tollestr1^^Musterhausen^^12345^D|42|
294386^^^^^^^^^^294386||D|O|AGN|43|||D|
PV1|1|I|ST1^Raum1^Bett1^Chirurgie|R|^andereChirurgie^^||DocId1^Musterdoc|||
||||44|K|||||ABC|||20110818080300|||A
```

5.14. Merging Patient IDs – ADT^A34

Retained for version 2.3.1 only. Use ADT^A40 instead.

Patient IDs can be merged using an ADT^A34. This message is usually sent by an ADT system. Patient data is identified using the PID-3 and MRG-1 fields. A new allocation of the same patient ID (MRG-1) is not permitted.

Remaining Patient = PID, Released Patient = MRG

1. Remaining Patient known, Released Patient known: merge patient id's
2. Remaining Patient known, Released Patient unknown: no operation
3. Remaining Patient unknown, Released Patient known: rename and keep existing patient id
4. Remaining Patient unknown, Released Patient unknown:
 - a. PID complete: create patient from PID

b. PID incomplete: reject message

An ADT^A34 message is therefore composed of the following segments:

| ADT | ADT Message |
|---------|---------------------------|
| MSH | Message Header |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| MRG | Merge Information |

The following segments are currently evaluated: MSH, PID and MRG.

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||ADT^A34|1|P|2.5
EVN|A34|20110818080300|||KIS
PID|1||5000a^^^KISS||Deckenhauer^Franz1^^remaining^Dr.||19501101|M||Tollestr1^^Mus
  terhausen^^12345^D|42|294386^^^^^^^^^^294386||D|O|AGN|43|||D|D
MRG|4000a^^^KISS|||
```

5.15. Cancelling a Pre-admit – ADT^A38

An ADT^A38 message causes medavis RIS to cancel a pre-admit. This message is usually sent by an ADT system. An ADT^A38 message is treated as an ADT^A11 message. An ADT^A38 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| EVN | Event Type |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |

The following segments are currently evaluated: MSH, PID and PV1.

5.16. Merging Patient IDs – ADT^A40

Patient IDs can be merged using an ADT^A40. This message usually sent by an ADT system. Patient data is identified using the PID-3 and MRG-1 fields. A new allocation of the same patient ID (MRG-1) is not permitted. A40 is processed equally to A34.

An ADT^A40 message is therefore composed of the following segments:

| ADT | ADT Message |
|----------|---------------------------|
| MSH | Message Header |
| EVN | Event Type |
| { PID | Patient Identification |
| [PD1] | Additional Identification |
| MRG | Merge Information |
| [PV1]} | Patient Visit |

The following segments are currently evaluated: MSH, PID and MRG.

5.17. Case Merge - ADT^A42

Patient episodes can be merged using an ADT^A42. This message is usually sent by an ADT system. The episodes are identified using the PV1.19 and the MRG.1 fields. All the available data for the episode which will not remain, will now belong to the remaining episode e.g. order, examination, etc.

An ADT^A42 message is therefore composed of the following segments:

| ADT | ADT Message |
|----------|---------------------------|
| MSH | Message Header |
| EVN | Event Type |
| { PID | Patient Identification |
| [PD1] | Additional Identification |
| MRG | Merge Information |
| [PV1]} | Patient Visit |

The following segments are currently evaluated: MSH, MRG and PV1.

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS|||201108180804||ADT^A42|1|P|2.5
EVN|A34|20110818080300|||KIS PV1|||784654^^^KIS
MRG|||784655^^^KIS
PV1|||784654^^^KIS
```

5.18. Move visit information - ADT^A45 (customer specific)

Important Note

ADT^A45 is currently implemented specifically for one customer. The implementation may interfere with other interpretations of the IHE or HL7 Standard.

An ADT^A45 message causes medavis RIS to move the visit record identified by PV1-19 or MRG-5 (if PV1-19 is not present). MRG-1 indicates the prior patient id.

An ADT^A45 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|-------------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| MRG | Merge Information |
| PV1 | Visit Information |

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||ADT^A45|1|P|2.5
EVN|A01|20110818080300|||KIS
PID|1||4711^^^DOMAIN-A|Deckenhauer2^Franz12||19400220|M||Strasse 4^^Karlsruhe^^5079^DE^H^^^^
201602180000||012 345 67 10^PRN^PH~098 765 43 21^ORN^PH|077 222 88 66^WPN^PH|UNB|VER|RK||
756.9545.3299.75|||Karlsruhe AG|001|1|DE|Kaufm. Angestellte|DE|||UNB
MRG|13370^^^DOMAIN-A
PV1|1|STAT|NOTF^^^5110^^^^DEI|NF|||105210^Schmidt^Ulli^^^Herr Dr.|235456^Maier^Mike^^^HR DR|||
UNF||SEL|Nein|ERW|33700|ALLG|UVG|||20160218000000|||DEI|AKU||ZUH|20160218080000|||
370|v|1
ZWL||TEL|AN
```

5.19. Change Patient ID - ADT^A46

Patient identifiers can be updated using ADT^A46 and ADT^A47 messages. ADT^A46 support is retained for backwards compatibility. With ADT^A46 messages, PID-2 is used to specify the new patient id. In contrast, ADT^A47 messages read the patient identifier list in PID-3 instead.

An ADT^A46 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|-------------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| MRG | Merge Information |

5.20. Change Patient Identifier List - ADT^A47

Patient identifiers can be updated using ADT^A46 and ADT^A47 messages. ADT^A46 support is retained for backwards compatibility. With ADT^A46 messages, PID-2 is used to specify the new patient id. In contrast, ADT^A47 messages read the patient identifier list in PID-3 instead.

An ADT^A47 message is therefore composed of the following segments:

| ADT | ADT Message |
|-----|----------------|
| MSH | Message Header |

| ADT | ADT Message |
|-------------|-------------------------------|
| [{ SFT }] | Software Segment |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| MRG | Merge Information |

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||ADT^A47|201111161634473|P|2.4
EVN|A47|20110818080300|||KIS
PID|1||6000^^^DOMAIN|Deckenhauer^Franzl^^remaining^Dr.||19501101|M||Goethestr.10 Mus
terhausen^^12345^D|42|294386^^^^^^^^^^294386||D|O|AGN|43|||D|D
MRG|2000^^^KISS|||
```

5.21. External Service Request - ORM^O01

A service request is made via an ORM^O01 message. This message is usually sent by an Order Placer. The concept of ORM is to use order control codes instead of different message triggers.

The order control codes (ORC-1) accepted by medavis RIS are defined by the following subset of table 0119 where P=Order Placer F=Order Filler:

| Value | Description | Originator |
|-------|---------------------------|------------|
| NW | New Order | P |
| CA | Cancel Order Request | P |
| OC | Order Cancelled | F |
| DC | Discontinue Order Request | F |
| XO | Change Order Request | P |
| NA | Number Assigned | P |
| SC | Status changed | F, P |

All order positions in a message are grouped to one order. This order can consist of several order positions/examinations.

The subsequent modification of an order, where one of the examinations has already begun, is not possible (configurable).

The complete deletion of an order is possible by sending the placer group number, without any placer order number under the following conditions:

- Order has not been edited
- Order not yet acknowledged by RIS
- None of the examinations has begun yet

In these cases the deletion request message is responded with a negative acknowledgement.

The medavis RIS request catalogue must be compared to the requesting system before the interface communication is started. All examinations are made available to the external system. An automatic comparison of the request catalogue is not currently possible!

When an ORM^O01 message is received, it is only checked for its syntax. The order positions, however, are not yet scheduled. An order confirmation takes place, in the reverse direction, with the same O01 messages.

The message transfer is carried out in this way because it is assumed that an order in medavis RIS, with regard to the examinations and appointment preferences, is still to be modified.

In the further development of the HL7 standard, the ORM^O01 message type has, among other things, been extended.

For transferring a diagnosis and other order details, please refer to the table below.

| Order Detail | POS. | TABLE | Description / Example |
|-------------------------------|--------|-------|--|
| Other risk factors | OBR-12 | | Free text |
| Clinical relevant Information | OBR-13 | | Free text |
| Type of transport | OBR-30 | 0124 | |
| Reason for Study | OBR-31 | | Free text |
| Diagnosis | DG1 | | DG1 1 K92.2^Gastrointestinal haemorrhage, unspecified^I10 19981123152300 AD 1.1 0004711 |
| Status of pregnancy | OBX | 0532 | OBX 1 CE ^PREGNANCY STATUS^LN Y |
| Week of pregnancy | OBX | 0532 | OBX 1 CE ^PREGNANCY STATUS^LN 25 Y |
| Status of diabetes | OBX | 0532 | OBX 1 CE ^DIABETES STATUS^LN N |
| Metformingabe | OBX | 0532 | OBX 1 CE ^METFORMINGABE^LN Y Y |
| Pace maker | OBX | 0532 | OBX 1 CE ^PACE MAKER^LN Y |
| MRSA | OBX | 0532 | OBX 1 CE ^MRSA^LN Y |
| Hepatitis | OBX | 0532 | OBX 1 CE ^HEPATITIS^LN Y |
| Norovirus | OBX | 0532 | OBX 1 CE ^NOROVIRUS^LN Y |
| Meningitis | OBX | 0532 | OBX 1 CE ^MENINGITIS^LN Y |
| ESBL | OBX | 0532 | OBX 1 CE ^ESBL^LN Y |
| METAL IMPLANT | OBX | 0532 | OBX 1 CE ^METAL IMPLANT^LN Y |
| Anamnesis | OBX | | Free text OBX 1 TX ^HISTORY OF PRESENT ILLNESS^LN Unknown anamnesis |
| Reason for Study | OBX | | Free text OBX 1 TX ^MEDQUEST^LN Unknown reason |
| Fachkunde-nachweis | OBX | 0532 | OBX 1 CE ^FACHKUNDENACHWEIS^LN |

| Order Detail | POS. | TABLE | Description / Example |
|---------------------------------|------|-------|---|
| Creatinine value | OBX | | OBX 1 NM ^CREATININE^LN 0.600000 |
| HIV risk | OBX | 0532 | OBX 1 CE ^HIV^LN N |
| Hb | OBX | 0532 | OBX 1 NM ^HB^LN 9.5 |
| INR | OBX | 0532 | OBX 1 NM ^INR^LN 11 |
| Weight (kg) | OBX | 0532 | OBX 1 NM ^GEWICHT^LN 66 |
| Size | OBX | 0532 | OBX 1 NM ^GROESSE^LN 166 |
| Quick | OBX | | OBX 1 NM ^QUICK^LN 104.000000 |
| PTT | OBX | | OBX 1 NM ^PTT^LN 29.000000 |
| Thrombo | OBX | | OBX 1 NM ^THROMBOZYTEN^LN 184000.000000 |
| TSH | OBX | | OBX 1 NM ^TSH^LN 0.590000 |
| T3 | OBX | | OBX 1 NM ^T3^LN 0 |
| T4 | OBX | | OBX 1 NM ^T4^LN 0 |
| Thyroid hyper function | OBX | 0532 | OBX 1 CE ^THYROID HYPER FUNCTION^LN N |
| Restricted renal function | OBX | 0532 | OBX 1 CE ^RESTRICTED RENAL FUNCTION^LN N |
| Contrast agent allergy | OBX | 0532 | OBX 1 CE ^CONTRAST MEDIA ALLERGY^LN N |
| Taking AE-inhibitors medication | OBX | 0532 | OBX 1 CE ^TAKING AE INHIBITORS^LN N |
| Taking thyroid medication | OBX | 0532 | OBX 1 CE ^TAKING THYROID MEDICATION^LN N |
| Comment | | | OBR / NTE pair |

| ORM | General Order Message |
|-------------|--|
| MSH | Message Header |
| [{NTE }] | Notes and Comments (for Header) |
| [PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NTE }] | Notes and Comments (for Patient ID) |
| [PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
|] | |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| }] | |
| [GT1] | Guarantor |
| [{ AL1 }] | Allergy Information |
|] | |
| { ORC | Common Order |
| [OBR | Order Detail Segment |
| [{ NTE }] | Notes and Comments (for Detail) |

| ORM | General Order Message |
|-------------|------------------------------------|
| [ZDS] | Study Instance UID (non-standard) |
| [{ OBX | Observation / Result |
| [{ NTE }] | Notes and Comments (for Results) |
| }] | |
|] | |
| {[CTI]} | Clinical Trial Information |
| [BLG] | Billing Segment |
| } | |
| [ZF1] | Main Financial Data (non-standard) |

The following segments are currently evaluated: MSH, PID, PV1, IN1, IN2, ORC, OBR, NTE, OBX, DG1, ZDS and ZF1.

Example

```
MSH|^~\&|extSys|medavis RIS||20081124184044||ORM^O01|242|P|2.5||AL|NE
PID|||432353|5423523^^ASSAUT|Doe^John||19400316|M|||Bakerstreet 15^^NewYork
  ^12345^US|09182119|555-1234|||NV|RK|||New York|||US
PV1||I|3^024^2^IN5|N|||||44821^^ASSAUT|||||931004|||||199
81120102600|||||44821
ORC|NW|110228^SYS||15405044^SYS|10||^20081125183500^R||20081124183517|UNIUSER||9
99^uni-user
OBR|1|110228^SYS||ctknee^CT Knee^KAT-MEDAVIS|110228|||||Warning|Comment||^
LEFT|||ap|||||CART|Reason of study|
ORC|NW|110229^SYS||15405044^SYS|10||^20081125183500^R||20081124183517|UNIUSER||9
99^uni-user
OBR|2|110229^SYS||ctleg^CT Leg^KAT-MEDAVIS|110229|||||Warning|Comment||^
LEFT|||ap|||||CART|Reason of study|
OBX|1|NM|^CREATININE^LN||0.600000|||||R
OBX|2|NM|^TSH^LN||0.590000|||||R DG1|1|X92.2^Gastrointestinal haemorrhage,
unspecified^I10 ||19981123152300|AD|||||1.1|0004711
```

5.22. Order Response - ORR^O02

medavis RIS can receive order response messages with the order control code "NA" (Number assigned) in order to assign a placer order number (ORC-2) to an order previously only identified via a filler order number.

| ORR | ORR Message |
|-------------|-------------------------------------|
| MSH | Message Header |
| MSA | Message Acknowledgement |
| [{ ERR }] | Error |
| [{ NTE }] | Notes and Comments (for Header) |
| [| --- RESPONSE begin |
| [| --- PATIENT begin |
| PID | Patient Identification |
| [{ NTE }] | Notes and Comments (for Patient ID) |
|] | --- PATIENT end |
| { | --- ORDER begin |
| ORC | Common Order |

| ORR | ORR Message |
|-------------|----------------------------------|
| < OBR | [Order Detail Segment] OBR, etc. |
| RQD | |
| RQ1 | |
| RXO | |
| ODS | |
| ODT > | |
| [{ NTE }] | Notes and Comments (for Detail) |
| [{ CTI }] | Clinical Trial Identification |
| } | --- ORDER end |
|] | --- RESPONSE end |

The following segments are currently evaluated: MSH and ORC.

5.23. Report Import - ORU^R01

A report may be imported via an ORU^O01 message. This message can be sent by any system. The report will be linked to an existing order or examination. medavis RIS expects report data to be sent in the ED (Encapsulated Data) data structure with encoding (ED-4) "Base64" or "A" (no encoding).

medavis RIS can import laboratory test reports and report documents. Laboratory test reports refer to the laboratory test master data in RIS. This catalogue needs to be known to sending systems prior to the communication. Report documents can be contained directly in OBX segments, or be specified as CDA documents contained in OBX segments.

An ORU^R01 message is therefore composed of the following segments:

| ORU | Observation Results (Unsolicited) |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| { PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NTE }] | Notes and Comments (for Patient ID) |
| [PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
|] | |
| {[ORC] | Common Order |
| OBR | Order Detail Segment |
| [{ NTE }] | Notes and Comments (for Detail) |
| [{ OBX | Observation / Result |
| [{ NTE }] | Notes and Comments (for Results) |
| }] | |
| {[CTI]} | Clinical Trial Information |
| } | |
| } | |
| [DSC] | Continuation Pointer |

The following segments are currently evaluated: MSH, PID, ORC, OBR and multiple OBX.

Example

```
MSH|^~\&|ERR_SYS|medavis RIS||20081124101844||ORU^R01|4|P|2.5||AL|NE|
PID|||5414354^^^ASSAUT^PI||Doe^John^^^|19701025|M||Bakerstreet 34^^New York^^12345^US||555-1234|german
PV1||I|P1^22^4^CHI2||||6^RefPhys^Mr.|||||||3424222^^^ASSAUT^VN|||||||
|||||||20081123101200|20081124101000|||||V
ORC|SC|49629^extSys|40764^MEDAVIS|15404276^extSys|IP||1^once^^20081124110725^200811
24111725^R||132^Assistant medical technician^Mrs.^^^^^^PN|||555-1234
OBR|1|49629^extSys|40764^MEDAVIS|ctknee^CTKnee^MEDAVIS|||20081124110725|200811241117
25|||||^LEFT||ap|CT1|||CT|F||1^once^^20081124110725^20081124111725^R||WALK
|Reason of Study|13&Physician&Clara&&&Dr. med.|12&First Physician&John&&&Dr. med|
Technician,Mrs.||20081124110000||||N|^CT1|ctknee^CT Knee^MEDAVIS|||ctknee^CT
Knee^MEDAVIS OBX|1|HD|DOC-ID^external Doc ID|3409|||||F
OBX|2|HD|^Study Instance UID|1|1.2.276.0.37.1.3.199907.123|||||F
OBX|3|TX|^ST Text||Radiological Drs. med. Joe and Smith\XOD\XOA\Group Practice71
Main St., 76133 Karlstown\XOD\XOA\KarlstownPhone:
0123/456789\XOD\XOA\XOD\XOA\EmergencyOutpatient\XOD\XOA\Surgery\XOD\XOA\In-
house\XOD\XOA\XOD\XOA\ Karlstown,24.11.2008 / cr\XOD\XOA\XOD\XOA\Thank you
for referring your patient to us\XOD\XOA\XOD\XOA\Doe, John\XOD\XOA\Date of
Birth 25.10.1970\XOD\XOA\Resident in: 76133 Karlstown\XOD\XOA\XOD\XOA\Clinical
details:\XOD\XOA\XOD\XOA\Trauma\XOD\XOA\XOD\XOA\Computerthomography of
knee\XOD\XOA\XOD\XOA\No evidence of fracture\XOD\XOA\XOD\XOA\XOD\XOA\Yours
sincerely\XOD\XOA\XOD\XOA\Dr. med. John Doe|||||F
```

Example CDA Report

```
MSH|^~\&|syngo.via|syngo|medavis |MEDAVIS|201507210930||ORU^R01|3|P|2.3.1|||||UNICODE UTF-8
PID|1||1^^^DOMAIN-A||SD_AS+_CarotidNeuroDSA^Australia||19280619|F
ORC|RE
OBR|1|||1.3.12.2.1107.5.99.2.9596.30000008081600404262500014328^Head Angio,
^StudyInstanceUID^65d459be-7e1b-48d0-89d0-4f42423e196d^^ReportUID|
||20080702155037|||||||1|||20150721093054||CT|P
OBX|1|CE|IMP|1|||||P
OBX|2|FT|BODY^txt|2|---\br\Diagnostic Imaging Report\br\---abbreviated---|||||P
OBX|3|FT|BODY|3|||||P
OBX|4|ED|18748-4^Diagnostic Imaging Report^LN|1|
^application^hl7-v3+xml^A^<?xml version="1.0" encoding="UTF-8"?>
<ClinicalDocument xmlns="urn:hl7-org:v3" xmlns:voc="urn:hl7-org:v3/voc"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<!--abbreviated-->
</ClinicalDocument>|||||P
```

CDA Import: The study instance UID is used by medavis RIS to link the report to an examination. The OBX with the CDA is marked with a LOINC code in OBX-3 (observation id) "18748-4^Diagnostic Imaging Report^LN".

5.24. Patient Demographics Query – QBP^Q22

A Patient Demographics Query is run using a QBP^Q22 message. This message can be sent by any system which holds ADT-information.

In the RCP segment, it is possible to query the following fields: PID.3, PID.5, PID.7, PID.8, PID.11, PID.18 (and any possible combinations), and to set the number of datasets to be submitted per continuation. The DSC segment allows a continuation pointer to be submitted. It is only of interest from the first continuation on.

A QBP^Q22 message is therefore composed of the following segments:

| QBP^Q22^QBP Q21 | Query By Parameter |
|-----------------|------------------------------------|
| MSH | Message Header |
| [{SFT}] | Software Segment |
| [UAC] | User Authentication Credentials |
| QPD | Query Parameter Definition Segment |
| RCP | Response Control Parameters |
| [DSC] | Continuation Pointer |

The following segments are currently evaluated: MSH, QPD, RCP and DSC.

Example

```
MSH|^~\&|IMPORTER|IMPORTER|MEDAVIS|RIS|20090730173450||QBP^Q22|1248968090280|P|2.5||
|AL|NE||8859/1
QPD|RY_PDQ_1001^Query By Name^MEDAVIS|MEDAVIS PDQ Query|@PID.5.1.1^Doe RCP|I
```

Possible Reply

```
MSH|^~\&|MEDAVIS|RIS|IMPORTER|IMPORTER|20090730173450||RSP^K22|1248968090280|P|2.5||
|AL|NE||8859/1
MSA|AA|1248968090280
QAK|@PID.5.1.1^test|OK
QPD|RY_PDQ_1001^Query By Name^MEDAVIS|MEDAVIS PDQ Query|@PID.5.1.1^test
PID|||1001362|Doe^John|19810101|U|||^^^^^DE
PID|||1001368|Doe^Catherine|19810921|M|||^^^^^DE
```

5.25. Patient Demographics and Visit Query – QBP^ZV1

In addition to the Patient Demographics Query, this message type submits a query for a combination of patient and episode.

In the RCP segment it is possible to query the following fields (in addition to the aforementioned PID-fields): PV1.2, PV1.3, PV1.7, PV1.8, PV1.9, PV1.10, PV1.17, PV1.19 (and any possible combinations), and to set the number of datasets to be submitted per continuation. The DSC segment enables a continuation pointer to be submitted. It is only of interest from the first continuation on.

Warning: This message type is not a part of the official HL7 standard. It is an IHE (Integrating the Healthcare Enterprises) extension.

A QBP^ZV1 message is therefore composed of the following segments:

| QBP^ZV1^QBP ZV1 | Query By Parameter |
|-----------------|------------------------------------|
| MSH | Message Header |
| QPD | Query Parameter Definition Segment |
| RCP | Response Control Parameters |
| [DSC] | Continuation Pointer |

The following segments are currently evaluated: MSH, QPD, RCP and DSC.

Example

```
MSH|^~\&|VHIS|VHIS|MEDAVIS RIS|MEDAVIS|20160112134341||
QBP^ZV1|1248968090280|P|2.5|||AL|NE||8859/1
QPD|RY_PDQ_1001^Query By Name^MEDAVIS|MEDAVIS PDQ Query|@PV1.8.2^Musterarzt
RCP|I
```

Possible Reply

```
MSH|^~\&|MEDAVIS
RIS|MEDAVIS|VHIS|VHIS|20160112134342||ACK|1248968090281|P|2.5|||AL|NE||8859/1
MSA|AA|1248968090281
QAK|@PV1.8.2^Musterarzt|OK
QPD|RY_PDQ_1001^Query By Name^MEDAVIS|MEDAVIS PDQ Query|@PV1.8.2^Musterarzt
PID||4||Josef^Cortez||19840214|M|||Borobudur 73^^Jakarta^^2YKROA^ID
PV1||R|T|||||2^Musterarzt^Peter^^^Dr. med.|||||||KIS17362^^^VN
PID||962||Bradley^Jordan||19360105|M|||Eiffel Tower 5^^Paris^^I9PR^FR
PV1||O|E|||||2^Musterarzt^Peter^^^Dr. med.|||||||2^Musterarzt^Peter^^^Dr.
med.||KIS02952^^^VN
PID||967||Jan^Derick||19840130|M|||Dirgantara 2^^Malang^^2C5EAJ^ID
PV1||R|E|||||2^Musterarzt^Peter^^^Dr. med.|||||||KIS68625^^^VN
```

5.26. Patient Query - QRY^A19

Patient query messages QRY^A19 can be used to query patient related information. Additionally, report documents can be retrieved. The medavis RIS implementation of this message is order-centric. This means that information can only be identified via the medavis RIS filler id for orders (QRF-1 or, for reports, QRF-5).

The Who Subject Filter (QRD-8) should specify a patient id. Wildcards in the Who Subject Filter are not supported.

The What Subject Filter (QRD-9) supports the following values:

| Value | Description |
|-------|---------------------|
| APN | Patient Name Lookup |
| RES | Result |
| DEM | Demographics |

A QRY^A19 message is therefore composed of the following segments:

| QRY | QRY Message |
|-------------|------------------------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| [UAC] | User Authentication Credentials |
| QPD | Query Parameter Definition Segment |
| [QRF] | Query Filter |

The following segments are currently evaluated: MSH, QRD and QRF.

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201108180804||QRY^A19|1|P|2.5
QRD|200811111016|R|I|Q1004|||1^RD|10000437363|DEM||
QRF|EKG||200801010000
```

Possible Reply

```
MSH|^~\&|MEDAVIS||KIS|KIS|20150914132123||DSR^A19|1|P|2.5
MSA|AA|1
QRD|200811111016|R|I|Q1004|||1^RD|10000437363|DEM
PID|1|4712^^^MEDAVIS^PI|4712^^^MEDAVIS^PI||Deckenhauer^Franz1^^^Dr.||19501101|M||
|Goethestr.^Musterstadt^^12345^D||294386~343434^^CP|294386~343434^^CP|||||
||||N10
IN1|1||0000^^^NII~00000^^^NIIP|||||||||||||||||||||^TP
```

5.27. Add Patient Accounts - BAR^P01

Patient accounting ids can be added by accounting or financial systems using BAR^P01 messages. medavis RIS can hold diagnosis, guarantor and insurance data for accounts. A BAR^P01 is composed of the following segments:

| QRY | QRY Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ ROL }] | Role |
| { | VISIT begin |
| [PV1] | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ ROL }] | Role |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ | PROCEDURE begin |
| PR1 | Procedures |
| [{ ROL }] | Role |
| }] | PROCEDURE end |
| [{ GT1 }] | Guarantor |
| [{ NK1 }] | Next of Kin/Associated Parties |
| [{ | INSURANCE begin |
| IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| [ROL] | Role |

| QRY | QRY Message |
|---------|-------------------------------|
| }] | INSURANCE end |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |
| } | VISIT end |

The following segments are currently evaluated: MSH, PID, DG1, GT1 and IN1.

5.28. Update Patient Account - BAR^P05

The P05 event is received when an existing account is being updated. medavis RIS can update diagnosis, guarantor and insurance data for accounts. A BAR^P05 is composed of the following segments:

| BAR | Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ ROL }] | Role |
| { | --- VISIT begin |
| [PV1] | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ ROL }] | Role |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ | --- PROCEDURE begin |
| PR1 | Procedures |
| [{ ROL }] | Role |
| }] | --- PROCEDURE end |
| [{ GT1 }] | Guarantor |
| [{ NK1 }] | Next of Kin/Associated Parties |
| [{ | --- INSURANCE begin |
| IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [{ IN3 }] | Insurance Additional Information - Cert. |
| [{ ROL }] | Role |
| }] | --- INSURANCE end |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |
| [ABS] | Abstract |

| BAR | Message |
|-------------|--------------------------|
| [{ BLC }] | Blood Code |
| [RMI] | Risk Management Incident |
| } | --- VISIT end |

The following segments are currently evaluated: MSH, PID, DG1, GT1 and IN1.

5.29. End Patient Account - BAR^P06

BAR^P06 messages can be used to end accounts previously created. A BAR^P06 is composed of the following segments:

| BAR | Message |
|-------------|--------------------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| [UAC] | User Authentication Credential |
| EVN | Event Type |
| { | --- PATIENT begin |
| PID | Patient Identification |
| [PV1] | Patient Visit |
| } | --- PATIENT end |

The following segments are currently evaluated: MSH and PID.

5.30. Post Detail Financial Transaction - DFT^P03

Typically, medavis RIS does not receive charge messages. However, information about predefined laboratory tests identified by FT1-7 can be referenced. The medavis RIS laboratory test (or examination substep) catalogue must be exchanged with the sending system before the interface communication is started. A DFT^P03 is composed of the following segments:

| BAR | Message |
|----------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| [UAC] | User Authentication Credential |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ ROL }] | Role |
| [PV1] | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ ROL }] | Role |
| [{ DB1 }] | Disability Information |
| [{ | --- COMMON ORDER begin |
| [ORC] | Common Order (across all FT1s) |
| [{ | --- TIMING QUANTITY begin |
| TQ1 | Timing/Quantity |

| BAR | Message |
|-------------|--|
| TQ2 | Timing/Quantity Order Sequence |
| }] | --- TIMING QUANTITY end |
| [| --- ORDER begin |
| OBR | Order Detail Segment |
| [{ NTE }] | Notes and Comments (on Order Detail) |
|] | --- ORDER end |
| [| --- OBSERVATION begin |
| [{ OBX }] | Observation / Result |
| [{ NTE }] | Notes and Comments (on Result) |
| [| --- OBSERVATION end |
| }] | --- COMMON ORDER end |
| { | --- FINANCIAL begin |
| FT1 | Financial Transaction |
| [{ NTE }] | Notes and Comments (on line item - FT1 - above) |
| [{ | --- FINANCIAL PROCEDURE begin |
| PR1 | Procedure |
| [{ ROL }] | Role |
| }] | --- FINANCIAL PROCEDURE end |
| [{ | --- FINANCIAL COMMON ORDER begin |
| [ORC] | Common Order (specific to above FT1) |
| [{ | --- FINANCIAL TIMING QUANTITY begin |
| TQ1 | Timing/Quantity |
| [{ TQ2 }] | Timing/Quantity Order Sequence |
| }] | --- FINANCIAL TIMING QUANTITY end |
| [| --- FINANCIAL ORDER begin |
| OBR | Order Detail Segment |
| [{ NTE }] | Notes and Comments (on Order Detail) |
|] | --- FINANCIAL ORDER end |
| [{ | --- FINANCIAL OBSERVATION begin |
| OBX | Observations / Result |
| [{ NTE }] | Notes and Comments (on Result) |
| }] | --- FINANCIAL OBSERVATION end |
| }] | --- FINANCIAL COMMON ORDER end |
| } | --- FINANCIAL end |
| [{ DG1 }] | Diagnosis Information (global across all FT1s) |
| [DRG] | Diagnosis Related Group |
| [GT1] | Diagnosis Related Group (global across all FT1s) |
| [{ | --- INSURANCE begin |
| IN1 | Insurance (global across all FT1s) |
| [IN2] | Insurance Additional Information |
| [{ IN3 }] | Insurance Additional Information - Cert. |
| [{ ROL }] | Role |
| }] | --- INSURANCE end |
| [ACC] | Accident Information |

Example

```
MSH|^~\&|LAB|LAB|medavis|medavis|201008160739||DFT^P03|20100816073949799250|P|2.4|||
||8859/1
EVN|P03|20100816073946
PID|1||4711^^^DOMAIN-A||Schuhmacher^Petra||19550629|F|||Sesamweg Weg 1 ^^Hamburg^^
12345^D||0721929100
PV1||O|||||40^Bauermeister^M.|||||||5000544
FT1|1|62991||201008160752||Charge|RTHBOES>2|Bestrahlung mit mehr als 2 Feldern
EBM|1|0,00|0,00|||^Your center- RO||O|C50.50|^Marx^Heinz||0,00
DG1|1|I9|C50.5 00|Breast, lower-outer quadrant
```

The following segments are currently evaluated: MSH, PID and FT1.

5.31. Original Document Notification and Content - MDM^T02

Multimedia documents can be imported to medavis RIS using MDM^T02 messages. The document data is expected by reference. In OBX segments with observation value type "ED". The mimetype of documents needs to be specified.

A MDM^T02 message is composed of the following segments:

| MDM | Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| [UAC] | User Authentication Credential |
| EVN | Event Type |
| PID | Patient Identification |
| PV1 | Patient Visit |
| [{ | --- COMMON_ORDER begin |
| [ORC] | Common Order segment |
| [{ | --- TIMING begin |
| TQ1 | Timing/Quantity |
| [{ TQ2 }] | Timing/Quantity Order Sequence |
| }] | --- TIMING end |
| OBR | Observation Request |
| [{ NTE }] | Notes and Comments (on Observation Request) |
| }] | --- COMMON_ORDER end |
| TXA | Document Notification |
| { | |
| OBX | Observation/Result (one or more required) |
| [{NTE}] | Notes and comments about the observation (OBX) |
| } | |

Example

```
MSH|^~\&|KIS|KIS|medavis|MEDAVIS|20111025140328.9526+0200||MDM^T02^MDM_T02|1c3a4497-
24a5-2676-a|P|2.5|||||8859/ 1 PID|1||4711^^^DOMAIN-A|Deckenbauer^Franz1^^^
Dr.||19501101|M||Goethestr.10 ^^^^12345^D|42|294386^^^^^^^^^^294386||D|O|
AGN|43||||||D|D
PV1|1|I|ST1^Rauml^Bett1^Chirurgie|R|^andereChirurgie^^||DocId1^Musterdoc|||||
||||44|K|||||||ABC|||||20110818080300|||||A
ORC||84653684^P60||1140|CM||1^once^^^20120229163700^R||2^medavis^GmbH^Dr.^^^^^^^PN
OBR|1|84653684^P60||5103^^medavis-RIS^chea^CT Head||20120229160700|20120229163700
||||||U-ID241|CT||20120229164500||CT|C||1^o nce^^^20120229163700^R||WALK||
4^Middle&Steve&&Dr.|4^Middle&Steve&&Dr.|GmbH medavis Dr.||20120229160625
||||N|^CT|||chea^medavis-RIS
TXA|1|other|||20130828151700|||||1235^DOC-
SOURCE||demo1500624^PLACER|780^PLACERGRP|Deckenbauer.png|LA
OBX|1|RP|^Document Reference Pointer||/files/image.png^&http://localhost:8080&URI^
image^png
OBX|2|ST|^Document Description|1|What a funny image||||||4^Middle^Steve^Dr.^^^^^^^PN
```

The following segments are currently evaluated: MSH, PID, ORC, TXA and multiple OBX.

5.32. Document Cancel Notification - MDM^T11

Non-medical multimedia documents added using MDM^T02 messages can be cancelled using MDM^T11 messages. If the document can be identified, it will be deleted from the medavis RIS multimedia repository.

A MDM^T11 message is composed of the following segments:

| MDM | Message |
|-------------|---|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| [UAC] | User Authentication Credential |
| EVN | Event Type |
| PID | Patient Identification |
| PV1 | Patient Visit |
| [{ | --- COMMON_ORDER begin |
| [ORC] | Common Order segment |
| [{ | --- TIMING begin |
| TQ1 | Timing/Quantity |
| [{ TQ2 }] | Timing/Quantity Order Sequence |
| }] | --- TIMING end |
| OBR | Observation Request |
| [{ NTE }] | Notes and Comments (on Observation Request) |
| }] | --- COMMON_ORDER end |
| TXA | Document Notification |

Example

```
MSH|^~\&|KIS|KIS|medavis|MEDAVIS|20111025140328.9526+0200||MDM^T11^MDM_T11|
1c3a449724 a5-2676-a|P|2.5|||||8859/
EVN|T11|20111025140328.9526+0200|||||KIS
TXA|1|other||||20130828151700|||||123^KIS|
```

5.33. Master File - Staff/Practitioner Message - MFN^M02

Messages of type MFN^M02 can be used to import and update referrer and user master data. The type of master file is identified using STF-39 (see User Table 0771).

Allowed STF-39

Referrer
User

Only the File Level Event Code (STF-3) "UPD" (Update) is supported.

A MFN^M02 message is composed of the following segments:

| MFN | Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| [UAC] | User Authentication Credential |
| MFI | Master File Identification |
| { | --- MF_STAFF begin |
| MFE | Master File Entry |
| STF | Staff Identification |
| [{ PRA }] | Practitioner Detail |
| [{ ORG }] | Practitioner Organization Unit Segment |
| [{ AFF }] | Professional Affiliation |
| [{ LAN }] | Language Detail |
| [{ EDU }] | Educational Detail |
| [{ CER }] | Certificate Detail |
| [{ NTE }] | Notes and Comments for the STF |
| } | --- MF_STAFF end |

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201412240804||MFN^M02|1|P|2.5
MFI|STF||UPD|||NE
MFE|MAD|||123^^MasterDataDomain|CWE|
STF|123^^MasterDataDomain|123^^MasterDataDomain|Nachname^Vorname^Dr.^L~kurz^Max
Muster^^^^^A||||^Hausarztpraxis~^Dr. Max Musterarzt||0721543210^^PH~0721543211^^
PH~0721543219^^FX~em@ai.la^^Test|Rainbow Road 2 ^^Karlsruhe^BW^76131^DE
|||||||||||||||||||||||||||||||Referrer
```

5.34. Test/Observation (Categorical) Master File - MFN^M09

MFN^M09 messages can be used to import/update examination master data in medavis RIS.

Only the File Level Event Code (STF-3) "UPD" (Update) is supported.

A MFN^M09 message is composed of the following segments:

| MFN | Message |
|-------------|---|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| [UAC] | User Authentication Credential |
| MFI | Master File Identification |
| { | --- MF_TEST_CATEGORICAL begin |
| MFE | Master File Entry |
| OM1 | General Segment (Fields That Apply to Most Observations) |
| [| --- MF_TEST_CAT_DETAIL begin |
| OM3 | Categorical Service/Test/Observation Segment |
| [{ OM4 }] | Observations that Require Specimen |
| ZM1 | Additional examination master data |
| [| --- MF_TEST_CAT_DETAIL end |
| } | --- MF_TEST_CATEGORICAL end |

Example

```
MSH|^~\&|KIS|KIS|MEDAVIS||201412240804||MFN^M09|1|P|2.5
MFI|OMB||UPD||NE
MFE|MAD||mrabeckbein^MRA Becken Bein^MEDAVIS|CWE||
OM1|1|mrabeckbein^MRA Becken Bein^MEDAVIS|||mrabeckbein||MRA Becken Bein|MRT-
  Angiographie des Abdomens, Beckens, der Beine und
  Füsse|Y||Becken|||||30|||||Vorher ruhig stellen|||||Kopf|MR
ZM1|examKind|Label|3|1|n
```

5.35. Notification of New Appointment Booking - SIU^S12

A SIU^S12 message can be used to schedule a new appointment in medavis RIS. If SCH-26 provides a new placer order number, the appoinment also creates a new order in medavis RIS.

A SIU^S12 message is composed of the following segments:

| MFN | Message |
|-------------|--------------------------------------|
| MSH | Message Header |
| SCH | Schedule Activity Information |
| [{ TQ1 }] | Timing/Quantity |
| [{ NTE }] | Notes and Comments for the SCH |
| [{ | --- PATIENT begin |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| [PV1] | Patient Visit |

| MFN | Message |
|-------------|---|
| [PV2] | Patient Visit - Additional Information |
| [[{ OBX }]] | Observation / Result |
| [[{ DG1 }]] | Diagnosis Information |
|]] | --- PATIENT end |
| { | --- RESOURCES begin |
| RGS | Resource Group Segment |
| [[| --- SERVICE begin |
| AIS | Appointment Information - Service |
| [[{ NTE }]] | Notes and Comments for the AIS |
|]] | --- SERVICE end |
| [[| --- GENERAL_RESOURCE begin |
| AIG | Appointment Information - General Resource |
| [[{ NTE }]] | Notes and Comments for the AIG |
|]] | --- GENERAL_RESOURCE end |
| [[| --- LOCATION_RESOURCE begin |
| AIL | Appointment Information - Location Resource |
| [[{ NTE }]] | Notes and Comments for the AIL |
|]] | --- LOCATION_RESOURCE end |
| [[| --- PERSONNEL_RESOURCE begin |
| AIP | Appointment Information - Personnel Resource |
| [[{ NTE }]] | Notes and Comments for the AIP |
|]] | --- PERSONNEL_RESOURCE end |
| } | --- RESOURCES end |

Example

```
MSH|^~\&|KIS|KIS|medavis
RIS|MEDAVIS|20111025140328.9526+0200||SIU^S12|1c3a4497-24a5-2676-a|P|2.5|||||8859/1
SCH|1234^SCHEDULER||||^REASON|||||ENTERED-PERSON|||||
TQ1|1|||||201309251130|201309251150|A
PID|1||4711^^^DOMAIN-A||Deckenhauer^Franz1^^^Dr.||19501101|M||Tollestr.10 ^^12345
^D|42|294386^294386||D|O|AGN|43|||||D|D
RGS|1|A
AIS|1||CTHEAD^^MEDAVIS|||||NO|BOOKED~t^^REPORT~f^^BILLING
AIL|1||HOSPITAL-A^2|||||NO|BOOKED
```

5.36. Notification of Appointment Rescheduling - SIU^S13

Existing appointments can be rescheduled using SIU^S13 messages.

A SIU^S13 message is composed of the following segments:

| MFN | Message |
|-------------|--------------------------------|
| MSH | Message Header |
| SCH | Schedule Activity Information |
| [[{ TQ1 }]] | Timing/Quantity |
| [[{ NTE }]] | Notes and Comments for the SCH |

| MFN | Message |
|-------------|--|
| [{ | --- PATIENT begin |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| [PV1] | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ OBX }] | Observation / Result |
| [{ DG1 }] | Diagnosis Information |
| }] | --- PATIENT end |
| { | --- RESOURCES begin |
| RGS | Resource Group Segment |
| [{ | --- SERVICE begin |
| AIS | Appointment Information - Service |
| [{ NTE }] | Notes and Comments for the AIS |
| }] | --- SERVICE end |
| [{ | --- GENERAL_RESOURCE begin |
| AIG | Appointment Information - General Resource |
| [{ NTE }] | Notes and Comments for the AIG |
| }] | --- GENERAL_RESOURCE end |
| [{ | --- LOCATION_RESOURCE begin |
| AIL | Appointment Information - Location Resource |
| [{ NTE }] | Notes and Comments for the AIL |
| }] | --- LOCATION_RESOURCE end |
| [{ | --- PERSONNEL_RESOURCE begin |
| AIP | Appointment Information - Personnel Resource |
| [{ NTE }] | Notes and Comments for the AIP |
| }] | --- PERSONNEL_RESOURCE end |
| } | --- RESOURCES end |

Example

```
MSH|^~\&|KIS|KIS|medavis|MEDAVIS|20111025140328.9526+0200||SIU^S13|1c3a4497-24a5-26
76-a|P|2.5|||||8859/1
SCH|CDE123^SCHEDULER-DOMAIN|||PLACER-GRP^SCHEDULER|^REASON|||||||ENTERED-PERSON
TQ1|1|||||201310250800|201310250900|A
PID|1||4711^^^DOMAIN-A||Deckenhauer^Franz1^^^Dr.||19501101|M||Goethestr.10^^^12345^D|
42|294386^^^^^^^^^^294386||D|O|AGN|43|||||D|D
RGS|1|U
AIS|1||CTHEAD^^MEDAVIS|||||NO|BOOKED
AIL|1||HOSPITAL-A^2|||||NO|BOOKED
```

5.37. Notification of Appointment Modification - SIU^S14

An existing appointment can be modified by SIU^S14 messages. Only an update of appointments and examinations is supported. Transactions like "add" or "remove" participant are not supported by this message. Empty fields are not processed, so the S14 may contain just as much as it needs to update specific data.

A SIU^S14 message is composed of the following segments:

| MFN | Message |
|------------|---|
| MSH | Message Header |
| SCH | Schedule Activity Information |
| [{ TQ1 }] | Timing/Quantity |
| [{ NTE }] | Notes and Comments for the SCH |
| [{ | --- PATIENT begin |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| [PV1] | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ OBX }] | Observation / Result |
| [{ DG1 }] | Diagnosis Information |
| }] | --- PATIENT end |
| { | --- RESOURCES begin |
| RGS | Resource Group Segment |
| [{ | --- SERVICE begin |
| AIS | Appointment Information - Service |
| [{ NTE }] | Notes and Comments for the AIS |
| }] | --- SERVICE end |
| [{ | --- GENERAL_RESOURCE begin |
| AIG | Appointment Information - General Resource |
| [{ NTE }] | Notes and Comments for the AIG |
| }] | --- GENERAL_RESOURCE end |
| [{ | --- LOCATION_RESOURCE begin |
| AIL | Appointment Information - Location Resource |
| [{ NTE }] | Notes and Comments for the AIL |
| }] | --- LOCATION_RESOURCE end |
| [{ | --- PERSONNEL_RESOURCE begin |
| AIP | Appointment Information - Personnel Resource |
| [{ NTE }] | Notes and Comments for the AIP |
| }] | --- PERSONNEL_RESOURCE end |
| }] | --- RESOURCES end |

Example

```
MSH|^~\&|KIS|KIS|medavis|MEDAVIS|20111025140328.9526+0200||SIU^S14|1c3a4497-24a5-2676-a|P|2.5|||||8859/1
SCH|CDE123^SCHEDULER-DOMAIN|||PLACER-GRP^SCHEDULER||^EVENT-REASON|^APPOINTMENT-REASON
N|||||ENTERED-PERSON
TQ1|1|||||201310100900|201310101000|P
PID|1||4711^^^DOMAIN-A|Deckenhauer^Franz1^^^Dr.||19501101|M||Tollestr.
10^^^12345^D|42|294386^^^^^^^^^^294386||D|O|AGN|43|||||D|D
PV1|1|I|ST1^Raum2^Bett1^IN|R|^^^^^andereChirurgie^^|DocIdRef2^TheReferrer|DocId1^
Musterdoc|||||44^^^V-DOMAIN|K||||10|||||ABC||||20110818080300|
11|12|13|||A
RGS|1|U
AIS|1||MRHEAD^^MEDAVIS|||||NO|RIGHT^^BODY-SITE~^KM^EXAM-OPTION~^2E^EXAM-OPTION
AIL|1||HOSPITAL-SOUTH^3|||||NO
```

5.38. Notification of Appointment Cancellation - SIU^S15

The medavis RIS interface supports canceling of examinations by receiving "SIU^S15" messages.

In case the examination is already on the waiting list or started, then messages will be rejected with a negative acknowledge by default.

A SIU^S15 message is composed of the following segments:

| MFN | Message |
|------------|--|
| MSH | Message Header |
| SCH | Schedule Activity Information |
| [[TQ1]] | Timing/Quantity |
| [[NTE]] | Notes and Comments for the SCH |
| [[| --- PATIENT begin |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| [PV1] | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [[OBX]] | Observation / Result |
| [[DG1]] | Diagnosis Information |
|]] | --- PATIENT end |
| { | --- RESOURCES begin |
| RGS | Resource Group Segment |
| [[| --- SERVICE begin |
| AIS | Appointment Information - Service |
| [[NTE]] | Notes and Comments for the AIS |
|]] | --- SERVICE end |
| [[| --- GENERAL_RESOURCE begin |
| AIG | Appointment Information - General Resource |
| [[NTE]] | Notes and Comments for the AIG |
|]] | --- GENERAL_RESOURCE end |
| [[| --- LOCATION_RESOURCE begin |
| AIL | Appointment Information - Location Resource |
| [[NTE]] | Notes and Comments for the AIL |
|]] | --- LOCATION_RESOURCE end |
| [[| --- PERSONNEL_RESOURCE begin |
| AIP | Appointment Information - Personnel Resource |
| [[NTE]] | Notes and Comments for the AIP |
|]] | --- PERSONNEL_RESOURCE end |
| } | --- RESOURCES end |

Example

```
MSH|^~\&|KIS|KIS|medavis|MEDAVIS|20111025140328.9526+0200||SIU^S15|1c3a4497-24a5
-2676- a|P|2.5|||||8859/1
SCH|||PLACER-GRP^SCHEDULER|^REASON|||||||||ENTERED-PERSON|||||item456^SCHEDU
LER-DOMAIN
NTE|||Getting claustrophobia when laying in CT
TQ1|1|||||201309251130|201309251150|A
RGS|1
AIS|1||CTHEAD^^MEDAVIS|||||NO|BOOKED
AIL|1||HOSPITAL-A^2|||||NO|BOOKED
```

5.39. Notification That Patient Did Not Show Up for Schedule Appointment - SIU^S26

If the patient did not show up for a scheduled appointment, a SIU^S26 message can be sent. The effect of this message is the same as SIU^S15: the appointment will be cancelled.

A SIU^S26 message is composed of the following segments:

| MFN | Message |
|-----------|---|
| MSH | Message Header |
| SCH | Schedule Activity Information |
| [{ TQ1 }] | Timing/Quantity |
| [{ NTE }] | Notes and Comments for the SCH |
| [{ | --- PATIENT begin |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| [PV1] | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ OBX }] | Observation / Result |
| [{ DG1 }] | Diagnosis Information |
| }] | --- PATIENT end |
| { | --- RESOURCES begin |
| RGS | Resource Group Segment |
| [{ | --- SERVICE begin |
| AIS | Appointment Information - Service |
| [{ NTE }] | Notes and Comments for the AIS |
| }] | --- SERVICE end |
| [{ | --- GENERAL_RESOURCE begin |
| AIG | Appointment Information - General Resource |
| [{ NTE }] | Notes and Comments for the AIG |
| }] | --- GENERAL_RESOURCE end |
| [{ | --- LOCATION_RESOURCE begin |
| AIL | Appointment Information - Location Resource |
| [{ NTE }] | Notes and Comments for the AIL |
| }] | --- LOCATION_RESOURCE end |

| MFN | Message |
|---------|--|
| [{ | --- PERSONNEL_RESOURCE begin |
| AIP | Appointment Information - Personnel Resource |
| [NTE] | Notes and Comments for the AIP |
| }] | --- PERSONNEL_RESOURCE end |
| } | --- RESOURCES end |

Example

```
MSH|^~\&|KIS|KIS|medavis|MEDAVIS|20111025140328.9526+0200||SIU^S26|hf93hfg|P|2.5|||
||8859/1
SCH|CDE123^SCHEDULER-DOMAIN||PLACER-GRP^SCHEDULER|^REASON|||||ENTERED-
PERSON
NTE||Patient did not show up for appointment.
TQ1|1|||||201309251130|201309251150|A
RGS|1
AIS|1||CTHEAD^MEDAVIS|||||NO|BOOKED
AIL|1||HOSPITAL-A^2|||||NO|BOOKED
```

6. Messages from medavis RIS to an external system

The following describes all messages which can be sent by medavis RIS.

6.1. Acknowledgement of an External Service Request/Examination Status Transfer ORM^O01

The scheduled service request or the transfer of an examination status is carried out by RIS with an ORM^O01 message. This message is usually sent to an Order Placer or to an Image Manager. Only one order examination is transferred per message. Depending on the installation, a ZDS segment can be added to the message in addition to the HL7 standard. The ZDS segment contains data on the studies saved in the PACS (StudyInstanceUID), if a PACS connection to medavis RIS exists.

An ORM^O01 message is therefore composed of the following segments:

| ORM | General Order Message |
|--------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| [{ NTE }] | Notes and Comments (for Header) |
| [| --- PATIENT begin |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| [{ NTE }] | Notes and Comments (for Patient ID) |
| [| --- PATIENT VISIT begin |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
|] | --- PATIENT VISIT end |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
|] | |
| [GT1] | Guarantor |
| [{ AL1 }] | Allergy Information |
|] | --- PATIENT end |
| { ORC | Common Order |
| [OBR | Order Detail Segment |
| [{ NTE }] | Notes and Comments (for Detail) |
| [{ CTD }] | Contact Data |
| [{ DG1 }] | Diagnosis |
| [{ OBX | Observation / Result |
| [{ NTE }] | Notes and Comments (for Results) |
|] | |
| { [FT1] } | Financial Transaction |
| { [CTI] } | Clinical Trial Information |
| [BLG] | Billing Segment |
| } | |

| ORM | General Order Message |
|---------|---|
| [ZDS] | Additional identification information (Study Inst. UID) |

Example

```
MSH|^~\&|medavis RIS|extSys||20081124110728||ORM^O01|18|P|2.5||AL|NE
PID||101435^^^MEDAVIS^PT|14301421^^^ASSAUT^PI|22999|Doe^John^^^|19560406|M||Baker
street 14 ^^New York^^12345^US|||german
PV1||I|CH^22^2^CH|||2^RefPhys|||22999^^^ASSAUT^VN|||
|20081124100901|||V
ORC|SC|49629^extSys|40764^MEDAVIS|15404276^extSys|SC||1^once^^20081124110725^200811
24111725^R||132^Assistant medical technician^Mrs.^^^^^^PN||555-1234
OBR|1|49629^extSys|40764^MEDAVIS|ctknee^CT Knee^MEDAVIS||20081124110725|
20081124111725|||^^^LEFT||ap|CT1|||CT|O|1^on ce^^20081124110725^
20081124111725^R||WALK|Reason of Study|13&Physician&Clara&&&Dr. med.|12&First
Physician&John&&&Dr. med|Technician, Mrs.||20081124110000|||N^^^^CT1|ctknee^CT
Knee^MEDAVIS||ctknee^CT Knee^MEDAVIS
ZDS|1.2.276.0.37.1.3.199907^^Application^Dicom
```

6.2. General clinical order message - OMG^O19

| OMG | Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| [{ NTE }] | Notes and Comments (for Header) |
| [PID | Patient Identification |
| [PD1] | Additional Demographics |
| [{ NTE }] | Notes and Comments (for Patient ID) |
| [PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
|] | |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| }] | |
| [GT1] | Guarantor |
| [{ AL1 }] | Allergy Information |
|] | |
| { ORC | Common Order |
| [OBR | Order Detail Segment |
| [{ NTE }] | Notes and Comments (for Detail) |
| [{ CTD }] | Contact Data |
| [{ DG1 }] | Diagnosis |
| [{ OBX | Observation / Result |
| [{ NTE }] | Notes and Comments (for Results) |
| }] | |
| [{ FT1 }] | Financial Transaction |
| [{ CTI }] | Clinical Trial Information |

| OMG | Message |
|---------|-----------------|
| [BLG] | Billing Segment |
| } | |

6.3. Imaging Order - OMI^O23

| OMI | Message |
|-------------|---|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| [{ NTE }] | Notes and Comments (for Header) |
| [PID | Patient Identification |
| [PD1] | Additional Demographics |
| [{ NTE }] | Notes and Comments (for Patient ID) |
| [PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
|] | |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| }] | |
| [GT1] | Guarantor |
| [{ AL1 }] | Allergy Information |
|] | |
| { ORC | Common Order |
| [{ TQ1 | Timing/Quantity |
| [{ TQ2 }] | Timing/Quantity Order Sequence |
| }] | |
| OBR | Observation |
| [{ NTE }] | Notes and Comments (for Detail) |
| [CTD] | Contact Data |
| [{ DG1 }] | Diagnosis |
| [{ OBX | Observation / Result |
| [{ NTE }] | Notes and Comments (for Results) |
| }] | |
| { [IPC] } | Imagin Procedure Control |
| } | Order End |

Example

```

MSH|^~\&|medavis RIS|medavis|MPI|FAC1|20160107145900||OMI^O23^OMI_O23||P|2.6||AL|NE||8859/1
PID|1|17739^^MEDAVIS^PI||444|Deck^Franz^^Dr.||19521101|M||Tollestr. 10
^^Musterstadt^^12345^D||294386~343434^^CP|294386~343434^^CP|||||||||||||N
PV1|1|I|001003^001101^001201^^^^000901|||229^List^Friedrich^^Prof.|228^Mozart^Wolfgang^^Prof.|||||227^Schubert^Franz^^Prof.||444^^^VN|||||||||||||ABC|||
|20110818080300|||||v
ORC|NW|demo1500624|783^MEDAVIS|demo1500624^placer domain|SC|||||^^^^^^^^^^^PN
TQ1|1|||||20110603160000|20110603163000|R
OBR|1|demo1500624|783^MEDAVIS|7^Zwerge^^clas^CT
A^MEDAVIS|||||^ServiceTypeCd\T\INNE|||||UID-142|||||CT|I|||||WALK||4&Doom&&&&Dr
.&&&MEDAVIS|3&Doom2&&&&Dr.&&&MEDAVIS|4&Doom&&&&Dr.&&&MEDAVIS||20110603160000|||||N
||||7^Zwerge ROL|UC|CP^CONSULTING_PROVIDER^443|DocId1^Beethoven^Ludwig^^Prof.
ROL||UC|AD^ADMITTING^443|227^Schubert^Franz^^Prof.
ROL||UC|RP^REFERRING_PROVIDER^443|228^Mozart^Wolfgang^^Prof.
ROL||UC|AT^ATTENDING^443|229^List^Friedrich^^Prof.
IPC|UID-142^medavis|5104|1.2.3.4.5.6.7.8^medavis|clas|CT|clas^CT A^MEDAVIS
    
```

6.4. Admitting Patients – ADT^A01

The subsystem can be informed of a new patient case recorded in medavis RIS by an ADT^A01 message. This message is usually sent to an Image Manager.

An ADT^A01 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
| }] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| }] | |
| [ACC] | Accident Information |

| ADT | ADT Message |
|---------|-------------------------------|
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |
| [PDA] | Patient Death and Autopsy |

Example

```

MSH|^~\&|medavis
RIS|MEDAVIS|MPI|FAC1|20150910135406|ADT^A01|377|P|2.5||AL|NE||8859/1
SFT|medavis
EVN|A01|20150910135406
PID|1|4714^^^MEDAVIS^PI|4714^^^medavis^PI~SSN12675^^^ABC^U|Dilbert^Hans||19661101|M
||Tollestr. 10^^Musterstadt^^12345^D|294386~343434^^CP~^NET^Internet^Franzl.
Deckenhauer@web.de|294386~343434 ^^CP~^NET^Internet^Franzl.Deckenhauer@web.de||
||SSN12675|||GER|||N
NTE|1||4 13.05.2011|CASE-DESCRIPTION
NTE|2||Vers.(KIS): Privat\X0D\X0A\Terminwunsch: 13.05.2011 15:22:00\X0
D\X0A\Aufenthalt: 001003 \S\001101\S\001201\S\S\S\S\000901\X0D\X0A\Verant.:
223\S\S\Referrer Atlanta\X0D\X0A\Kis Überweiser: 0|CASE-REMARK
PV1|1|||^^^MEDAVIS|||777^^^MEDAVIS^VN|T2|||S
IN1|1||123456-123456789^^^NII~00002^^^NIIP|ASCHEBESCHER|Holunderstr.^Erlangen^^45324^GER|||
||3|Schubert^Franz|||155011|5501^TP|||V 123456^^^
PN~1266A55^^^HC^^31110812
IN2|||I
    
```

6.5. Update Patient Information – ADT^A08

An ADT^A08 message informs of patient data and patient case data which has been edited in medavis RIS. This message is usually sent to an Image Manager. An ADT^A08 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NK1 }] | Next of Kin / Associated Parties |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis Information |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedures |
| [{ ROL }] | Role |
|]] | |
| [{ GT1 }] | Guarantor |
| [{ IN1 | Insurance |

| ADT | ADT Message |
|---------|--|
| [IN2] | Insurance Additional Information |
| [IN3] | Insurance Additional Information - Cert. |
| }] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |
| [PDA] | Patient Death and Autopsy |

Example

```
MSH|^~\&|medavis
RIS|MEDAVIS|MPI|FAC1|20150910135741||ADT^A08|376|P|2.5|||AL|NE||8859/1
SFT|medavis
EVN|A08|20150910135741
PID|1|4712^^^MEDAVIS^PI|4712^^^medavis^PI~derdo^^^diepalz^PT||Deckenhauer^Franzl^^^D
r.||19501101|M||Tollestr. 10^^Musterstadt^^12345^D||294386~343434^^CP~^NET^
Internet^Franzl.Deckenhauer@web.de|294386~343434^^CP~^NET^Internet^Franzl.Deckenhau
er@web.de||||SSN12675|||||GER|||N
PV1|1
IN1
IN2||||o
```

6.6. Delete a Patient Record – ADT^A23

An ADT^A23 message informs of patient data which has been deleted from medavis RIS. This message is usually sent to an Image Manager. An ADT^A23 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |

6.7. Merging Patient IDs – ADT^A34

An ADT^A34 message informs of patient data which has been merged in medavis RIS. This message is usually sent to an Image Manager. Only the medavis RIS patient IDs which have been merged are important here.

An ADT^A34 message is therefore composed of the following segments:

| ADT | ADT Message |
|-----|----------------|
| MSH | Message Header |

| ADT | ADT Message |
|-----------|--|
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| MRG | Merge Information |

Example

```
MSH|^~\&|medavis
RIS|MEDAVIS|MPI|FAC1|20150910135617||ADT^A34|375|P|2.5|||AL|NE||8859/1
SFT|medavis
EVN|A34|20150910135617
PID|1|4712^^^MEDAVIS^PI|4712^^^medavis^PI~derdo^^^diepalz^PT||Deckenhauer^Franzl^^^D
r.||19501101|M||Tollestr.
10^^Musterstadt^^12345^D||294386~343434^^CP~^NET^Internet^Franzl.Deckenhauer@web.de
|294386~343434^^CP~^NET^Internet^Franzl.Deckenhauer@web.de||||SSN12675|||||GER||||N
MRG|65432^^^MEDAVIS^PT||4711EXT^^^KIS^PI||Doe^John
```

6.8. Change Patient Identifier List - ADT^A47

| ADT | ADT Message |
|-----------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| MRG | Merge Information |

Example

```
MSH|^~\&|medavis
RIS|MEDAVIS|MPI|FAC1|20150910135828||ADT^A47|380|P|2.5|||AL|NE||8859/1
SFT|medavis
EVN|A47|20150910135828
PID|1|SSN12345.MPIPAT12345^^PT^ID1234^PT|SSN12345.MPIPAT12345^^PT^ID1234^PT||Doe^
John^^^Dr.||19501101|M||Tollestr. 10^^Musterstadt^^12345^D||294386~343434^^
CP~^NET^Internet^john.doe@web.de|294386~343434^^CP~^NET^Internet^john.doe@web.de
||||SSN12345|||||GER||||N
MRG|SSN12345.MEDAVIS4713^^^ID1234^PT||SSN12345.MEDAVIS4713^^^ID1234^PI
```

6.9. Patient Demographics Query - Get Corresponding Identifiers - QBP^Q23

medavis RIS can query patient identifiers as described by the IHE transaction for PIX Query [ITI-9]. In the XDS.b scenario this means that patient identifiers of the affinity domain are queried for use in a document submission to an XDS.b repository.

medavis RIS sends the local patient identifiers in QPD-3. The domains for which identifiers are queried are specified in QPD-4. The receiver shall respond to the query by sending the RSP^K23 response message.

RCP-1 - Query Priority always contains I, signifying that the response to the query is to be returned in Immediate mode.

A QBP^Q23 message is therefore composed of the following segments:

| ADT | ADT Message |
|-------------|----------------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| QPD | Query Parameter Definition |
| RCP | Response Control Parameter |
| [DSC] | Continuation Pointer |

Example

```
MSH|^~\&|medavis
RIS|MEDAVIS|NIST_RCVR_7|NIST|20170131152650||QBP^Q23^QBP_Q21|1042|P|2.5|||AL|NE||UNICODE UTF-8
QPD|IHE PIX Query|
5b808elfckgti-4hdp2g4p3vh2p|PIXL1^^^NIST2010^PT|^^^NIST2010-3
RCP|I
```

Possible Reply

```
MSH|^~\&|NIST_RCVR_7|NIST|medavis
RIS|MEDAVIS|20170131092650||RSP^K23^RSP_K23|NIST-170131092650720|P|2.5
MSA|AR|1042
QAK|5b808elfckgti-4hdp2g4p3vh2p|AR
QPD|IHE PIX Query|5b808elfckgti-4hdp2g4p3vh2p|PIXL1^^^NIST2010^PT|^^^NIST2010-3
```

6.9.1. ATNA Audit Message for PIX Query [ITI-9]

The PIX query audit message is sent every time medavis RIS queries a patient ID from the PIX Manager.

The Message structure is implemented according to IHE Standard (See ITI TF-2a: 3.9.5.1.1 Patient Identifier Cross-reference Consumer audit message)

Example Logging

```
<85>1 2017-02-03T13:57:51.700+01:00 WIN-J98NKK05IP7/10.0.2.15 - - IHE+RFC-3881 - <?xml
version="1.0" encoding="UTF-8" standalone="yes"?>
<AuditMessage>
  <EventIdentification EventActionCode="E" EventDateTime="2017-02-03T13:57:51.694+01:00"
  EventOutcomeIndicator="0">
    <EventID csd-code="110112" codeSystemName="DCM" displayName="Query" originalText=""/>
    <EventTypeCode csd-code="ITI-9" codeSystemName="IHE Transactions"
    displayName="PIX Query" originalText=""/>
  </EventIdentification>
  <ActiveParticipant UserID="MEDAVIS|MEDAVIS" AlternativeUserID="3904@WIN-J98NKK05IP7"
  UserIsRequestor="true" NetworkAccessPointID="10.0.1.12" NetworkAccessPointTypeCode="2">
    <RoleIDCode csd-code="110153" codeSystemName="DCM" displayName="Source" originalText=""/>
  </ActiveParticipant>
  <ActiveParticipant UserID="PIX|PIX" AlternativeUserID="3904@WIN-J98NKK05IP7"
  UserIsRequestor="false" NetworkAccessPointID="11.0.1.12" NetworkAccessPointTypeCode="2">
    <RoleIDCode csd-code="110152" codeSystemName="DCM" displayName="Destination"
    originalText=""/>
  </ActiveParticipant>
  <AuditSourceIdentification AuditSourceID="1.2.4.5.36.47.7">
    <AuditSourceTypeCode code="4" codeSystemName="RFC-3881"
    displayName="Application server process tier in a multi-tier system"/>
  </AuditSourceIdentification>
  <ParticipantObjectIdentification ParticipantObjectID="317041^^^affinityDomain"
  ParticipantObjectTypeCode="1" ParticipantObjectTypeCodeRole="1">
    <ParticipantObjectIDTypeCode csd-code="2" codeSystemName="RFC-3881"
    displayName="Patient Number" originalText=""/>
    <ParticipantObjectName>Patient^Name</ParticipantObjectName>
  </ParticipantObjectIdentification>
  <ParticipantObjectIdentification ParticipantObjectID="497" ParticipantObjectTypeCode="2"
  ParticipantObjectTypeCodeRole="24">
    <ParticipantObjectIDTypeCode csd-code="ITI-9" codeSystemName="IHE Transactions"
    displayName="PIX Query" originalText=""/>
  <ParticipantObjectQuery>TVNIff5+XCZ8TUVEQVZJU3xNRURBVklTfFBJWHxQSVh8MjAxNzAyMDMxMzU3NTF8fFFCUF5RMjNe
  UUJQXlEyMXw0OTd8UHwyLjMuMXx8fEFMfE5FfHw4ODU5LzENUVBfEElIRSBQSVggUXVlcnl8MzRzMmlyYjNucWlpZC00bXM2ajBv
  c2owbmk3fDVeXl5NRURBVklTXlBjff5eXmFmZmluaXR5RG9tYWluDVJDUHxJDQ==</ParticipantObjectQuery>
    <ParticipantObjectDetail type="MSH-10" value="NDk3"/>
  </ParticipantObjectIdentification>
</AuditMessage>
```

6.10. Transferring Financial Data/Material Use – DFT^P03

The DFT^P03 message transfers financial data. This message is usually sent to a Charge Processor. A DFT^P03 message is therefore composed of the following segments:

The message is sent when a service is recorded, a material is charged or a booking is posted. Similarly, a message is sent for the reverse actions: when a booking is canceled or a material deleted the relevant transaction is cancelled.

| DFT | Detail Financial Transaction |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| EVN | Event Type |
| PID | Patient Identification |

| DFT | Detail Financial Transaction |
|-------------|---|
| [PD1] | Additional Identification |
| PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| { FT1 | Financial Transaction |
| [{ PR1 | Procedure |
| [{ ROL }] | Role |
| }] | |
| [ORC] | Common Order (specific to above FT1) (v2.4 and later) |
| [OBR] | Order Detail Segment (v2.4 and later) |
| [{ NTE }] | Notes and Comments (on Order Detail) |
| } | |
| [{ DG1 }] | Diagnosis |
| [DRG] | Diagnosis Related Group |
| [{ GT1 }] | Diagnosis Related Group |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [{ IN3 }] | Insurance Additional Information - Cert. |
| [{ ROL }] | Role |
| }] | |
| [ACC] | Accident Information |

Example Rad. service

```
MSH|^~\&|medavis RIS|extSys|20081124111210|DFT^P03|30|P|2.5||AL|NE
EVN|P03|19981124111210
PID||52345^^^MEDAVIS^PT|5414354^^^ASSAUT^PI|Doe^John^^^|19701025|M||Bakerstreet
  34^^New York^^12345^US|555-1234|german
PV1||I|P1^22^4^CHI2|||6^RefPhys^Mr.|||||3424222^^^ASSAUT^VN|||||
|||||20081123101200|20081124101000||||V
FT1|1|341|20081123185428|2|5010^^GOAE||180|20.52||||4323|3223|300864
```

Example Tech. service

```
MSH|^~\&|medavis RIS|extSys|19981124111210|DFT^P03|30|P|2.2||AL|NE
EVN|P03|19981124111210
PID||52345^^^MEDAVIS^PT|5414354^^^ASSAUT^PI|Doe^John^^^|19701025|M||Bakerstreet
  34^^New York^^12345^US|555-1234|german
PV1||I|P1^22^4^CHI2|||6^RefPhys^Mr.|||||3424222^^^ASSAUT^VN|||||
|||||20081123101200|20081124101000||||V
FT1|1|342|20081123173728|2|kon100^Contrast 100^med-mat||100|m1|||||
4323|3223|300864
```

6.11. Transferring Diagnoses/Procedures – BAR^P01/BAR^P12

The BAR^P01 or BAR^P12 message transfers diagnoses and procedures. This message is usually sent to a system which will process this data.

6.11.1. Message type BAR^P01 "Snapshot" mode

All diagnoses and procedures belonging to a hospital visit are transferred to the external system. The same message updates the diagnoses and procedures. Old diagnoses and procedures positions become invalid.

A BAR^P01 message is composed of at least the following segments:

| BAR | Add Billing Account |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| EVN | Event Type |
| PID | Patient Identification |
| [PD1] | Additional Identification |
| { PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [{ DB1 }] | Disability Information |
| [{ OBX }] | Observation / Result |
| [{ AL1 }] | Allergy Information |
| [{ DG1 }] | Diagnosis |
| [DRG] | Diagnosis Related Group |
| [{ PR1 | Procedure |
| [{ ROL }] | Role |
| [ORC] | Common Order (Customisable by medavis) |
| [OBR] | Order Detail Segment (Customisable by medavis) |
| } | |
| [{ GT1 }] | Diagnosis Related Group |
| [{ NK1 }] | Next of Kin / Associated Parties |
| [{ IN1 | Insurance |
| [IN2] | Insurance Additional Information |
| [{ IN3 }] | Insurance Additional Information - Cert. |
| }] | |
| [ACC] | Accident Information |
| [UB1] | Universal Bill Information |
| [UB2] | Universal Bill 92 Information |
| } | |

Example

```
MSH|^~\&|medavis RIS|BillSys||20081124111210|BAR^P01|30|P|2.5||AL|NE
EVN|P01|19981124111210
PID||52345^^^MEDAVIS^PT|5414354^^^ASSAUT^PI||Doe^John^^^|19701025|M||Bakerstreet
34^^New York^^12345^US||555-1234||german
PV1||I|P1^22^4^CHI2||||6^RefPhys^Mr.|||||||3424222^^^ASSAUT^VN|||||||
|||||||20081123101200|20081124101000|||||V
DG1|1||S90.1V^Contusion of toe(s) without damage to nail^I10||19981123140000|
BD|||||||1^Saubermann^Susi^^^Dr. PR1|332^17|2008|3-209^Computertomography (CT),
contrast: other contrast Computertomography^2008||20081123140000||20|||||
1^Doctor^Jim^^^Dr.^^^^^^PN
```

6.11.2. Message type BAR^P12 "action code/unique identifier" mode:

Only the book/cancel transaction of a diagnosis or procedure is transferred to the external system.

| BAR | Add Billing Account |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| EVN | Event Type |
| PID | Patient Identification |
| PV1 | Patient Visit |
| [ORC] | Common Order (Customisable by medavis) |
| [OBR] | Order Detail Segment (Customisable by medavis) |
| [{ DGI }] | Diagnosis |
| [DRG] | Diagnosis Related Group |
| [{ PRI | Procedure |
| [{ ROL }] | Role |
|] | |

Example

```
MSH|^~\&|medavis RIS|BillSys||200811241209210||BAR^P12|30|P|2.5||AL|NE
EVN|P12|19981124120910
PID||52345^^^MEDAVIS^PT|5414354^^^ASSAUT^PI||Doe^John^^^|19701025|M||Bakerstreet
34^^New York^^12345^US||555-1234||german
PV1||I|P1^22^4^CHI2||||6^RefPhys^Mr.|||||||3424222^^^ASSAUT^VN|||||||
|||||||20081123101200|20081124101000|||||V
PR1|332^17|2008|3-209^Computertomography (CT), contrast: other contrast
Computertomography^2008||20081123140000|20|||||1^Doctor^Jim^^^Dr.^^^PN|||||46
3^unt_an2diag|A
```

6.12. Staff/Practitioner Master File Message - MFN^M02

| MFN | Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| MFI | Master File Identification |
| { MFE | Master File Entry |
| STF | Staff Identification |
| [{ PRA }] | Practitioner Detail |
| [{ ORG }] | Practitioner Organization Unit Segment |
| [{ AFF }] | Professional Affiliation |
| [{ LAN }] | Language Detail |
| [{ EDU }] | Educational Detail |
| [{ CER }] | Certificate Detail |
| [{ NTE }] | Notes and Comments for the STF |
| } | |

Example

```
MSH|^~\&||REC_APP|REC_FAC|20150909163112||MFN^M02|1401|P|2.3.1||AL|NE||8859/1
MFI|STF||UPD
MFE|MAD|||20^^MEDAVIS|CWE
STF|20^^MEDAVIS||Musterarzt^Peter^^^^Dr. med.^L~Muster^Musterarzt/Karlsruhe^^^^^A
|||~^Hausarztpraxis~^Dr. Peter Musterarzt~^Arzt für Allgemeinmedizin||0721-
929100^^PH~^^CP~0721-9291099^^FX~^^Internet|Musterstrasse 1^^
Karlsruhe^^76185^D|||||||||||||||||||||||||||Referrer
```

6.13. Master File Notification - MFN^M09

medavis RIS supports sending of examination master data in MFN M09 messages. The master data is communicated in the case that it is linked to an order code (=external identifier).

Supported events (MFE-1):

- MAD - Examination master data is created or linked to an order code.
- MUP - Master data was updated or an order code link was added/removed.
- MAC - An examination was activated, i.e. it's status changed from disabled to enabled.
- MDC - An examination was deactivated, i.e. it's status changed from enabled to disabled.

Individual master data records are identified via the Primary Key Value (MFE-4). Identifiers (MFE-4.1) are unique only for their respective coding system (MFE-4.3).

| MFN | Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment (HL7 version 2.5 or higher) |
| MFI | Master File Identification |
| { MFE | Master File Entry |
| OM1 | General Segment |
| [OM3 | Categorical Service/Test/Observation Segment |
| [{ OM4 }] | Observations that Require Specimen |
|] } | |

Example

```
MSH|^~\&||CSC_APP|CSC_FAC|20150909162357||MFN^M09|1401|P|2.3.1||AL|NE||8859/1
MFI|OMB||UPD||NE
MFE|MAD|||cpanc^CT Pancreas^designator|CWE
OM1||cpanc^CT Pancreas^designator||||||CT Pancreas|Computertomographie des
Pancreas|Y|||||||||20|||||||||vorbereiten|||||||Abdomen|CT
```

6.14. Notification of New Appointment Booking - SIU^S12

| SIU | Message |
|-----|----------------|
| MSH | Message Header |

| SIU | Message |
|-----------|--|
| SCH | Schedule Activity Information |
| [[TQ1]] | Timing/Quantity |
| [[NTE]] | Notes and Comments for the SCH |
| [[| |
| PID | Patient Identification |
| [PD1] | Additional Demographics |
| [PV1] | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
| [[OBX]] | Observation / Result |
| [[DG1]] | Diagnosis Information |
|]] | |
| { RGS | Resource Group Segment |
| [{ AIS | Appointment Information - Service |
| [[NTE]] | >Notes and Comments for the AIS |
| }] | |
| [{ AIG | Appointment Information - General Resource |
| [[NTE]] | Notes and Comments for the AIG |
| }] | |
| [{ AIL | Appointment Information - Location Resource |
| [[NTE]] | Notes and Comments for the AIL |
| }] | |
| [{ AIP | Appointment Information - Personnel Resource |
| [[NTE]] | Notes and Comments for the AIP |
| }] | |

Example

```
MSH|^~\&|medavis
RIS|MEDAVIS|Abba|Abba|20150909171018||SIU^S12|19192|P|2.3.1||AL|NE||8859/1
SCH|CDE123^SCHEDULER-DOMAIN|2371^MEDAVIS
TQ1|1|||||20100101010000|20100101020000|T
NTE|1||an appointment...|APPOINTMENT_DESCRIPTION
PID|1|4712^^^MEDAVIS^PI|4711^^^DOMAIN-A^PT-4712^^^medavis^PI||Deckenhauer^Franz1^^^D
r.||19501101|M||Tollestr. 10^^Musterstadt^^12345^D||294386~343434^^CP|
294386~343434^^CP|||||||||||||N
RGS|1|A
AIL|1|^2
AIP|1||4^Middle^Steve^Dr.^^^^^^^^^PN
AIG|1||5^CT At North^MEDAVIS|DEVICE^Device^MEDAVIS
```

6.15. Notification of appointment rescheduling - SIU^S13

The structure of this message is basically the same as in SIU^S12.

Example

```
MSH|^~\&|medavis
RIS|MEDAVIS|Abba|Abba|20150910091941||SIU^S13|19192|P|2.3.1||AL|NE||8859/1
SCH|CDE123^SCHEDULER-DOMAIN|2371^MEDAVIS
TQ1|1|||||20100101010000|20100101020000|T
NTE|1||an appointment...|APPOINTMENT_DESCRIPTION
PID|1|4712^^^MEDAVIS^PI|4711^^^DOMAIN-A^PT-4712^^^medavis^PI||Deckenhauer^Franz1^^^
Dr.||19501101|M||Tollestr. 10^^Musterstadt^^12345^D||294386~343434^^CP|294386~343434^^CP|||||
|||||N
RGS|1|U
AIS|1||^^^clus^CT Lum. Sp.^MEDAVIS|||||LEFT^^BODY-SITE
AIL|1|^2
AIP|1||4^Middle^Steve^Dr.^PN
AIG|1||5^CT At North^MEDAVIS|DEVICE^Device^MEDAVIS
```

6.16. Notification of appointment modification - SIU^S14

The structure of this message is basically the same as in SIU^S12.

Example

```
MSH|^~\&|medavis RIS|MEDAVIS|Abba|Abba|20150910091624||SIU^S14|19192|P|2.3.1||
AL|NE||8859/1
SCH|9876^SCHEDULER-DOMAIN|2372^MEDAVIS
TQ1|1|||||20230501010000|20240301010000|R
NTE|1||Journey to the Mars|APPOINTMENT_DESCRIPTION
PID|1|4712^^^MEDAVIS^PI|4711^^^DOMAIN-A^PT-4712^^^medavis^PI||Deckenhauer^Franz1^^^
Dr.||19501101|M||Tollestr. 10^^Musterstadt^^12345^D||294386~343434^^CP|
294386~343434^^CP|||||N
RGS|1|U
```

6.17. Notification of appointment cancellation - SIU^S15

The structure of this message is basically the same as in SIU^S12.

Example

```
MSH|^~\&|medavis RIS|MEDAVIS|Abba|Abba|20170511155607||SIU^S15^SIU_S12|19193|P|2.3.1||AL|NE||8859/1
SCH|159^Radar-DOMAIN|11197674^MEDAVIS|||^APT||||1
TQ1|1|||||20430511185000|20450121090000|R
NTE|1||Journey to the Saturn|APPOINTMENT_DESCRIPTION
PID|1|4712^^^MEDAVIS^PI|4711^^^DOMAIN-A^PT-4712^^^medavis^PI||Deckenhauer^Franz1^^^Dr.||19501101|
M||Tollestr. 10^^Musterstadt^^12345^D||294386~343434^^CP|294386~343434^^CP|||||N
RGS|1|D
AIL|1|^131
```

6.18. Original Document Notification and Content - MDM^T02

Depending of the HL7 interface configuration this message will be created in the event that the RIS attached a document like a multimedia file to an order, an examination, a case or patient. The document content is always sent embedded in the OBX segment as type ED.

Additionally MDM messages can also be sent for report documents. The formats available are PDF and CDA (see also Section 6.22, "Transferring Reports – UDM^Q05/ORU^R01/MDM^T02"). The CDA format is only available for structured reports. The CDA document is BASE64 encoded.

Segments ORC and OBR be can be absent in case when there is no relation to an order.

| MDM | Message |
|-------------|--|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| EVN | Event Type |
| PID | Patient Identification |
| PV1 | Patient Visit |
| [{ ORC | Common Order segment |
| [{ TQ1 | Timing/Quantity |
| [{ TQ2 }] | Timing/Quantity Order Sequence |
| OBR | Observation Request |
| [{ NTE }] | Notes and Comments (on Observation Request) |
| }] | |
| }] | |
| TXA | Document Notification |
| { OBX | Observation/Result (one or more required) |
| [{NTE}] | Notes and comments about the observation (OBX) |
| } | |

Example

```
MSH|^~\&|medavis
RIS|MEDAVIS|KIS|KIS|20150910102149||MDM^T02|375|P|2.3.1||AL|NE||8859/2
EVN|T02|20150910102149||4^Middle^Steve^Dr.^^^^^^^PN|20110513181548
PID|1|4712^^MEDAVIS^PI||44|Deckenhauer^Franz1^^^Dr.||19501101|M||Tollestr.10
^^Musterstadt^^12345^D||294386~343434^^CP|294386~343434^^CP|||||||||||||N
PV1|1|I|001003^001101^001201^^^000901|||||||||||||44^^^VN|||||||||||||
||ABC|||||20110818080300|||||v
ORC||demo1500624^PLACER|780^MEDAVIS|1140^PLACERGROUP|IP||1^once^^20110603123300^2011
0603123300 ^R||4^Middle^Steve^Dr.^^^^^^^PN
OBR|1|demo1500624^PLACER|780^MEDAVIS|^c^panc^CT Pancreas^MEDAVIS||20110603123300|
20110603123300|||^ServiceTypeCd^T^INNE|||||U-ID136
||||20110513114000|^CT^I||1^once^^20110603123300^20110603123300^0||WALK||4&Middle&
Steve&&Dr.&&&MEDAVIS||4&Middle&Steve&&Dr.&&&MEDAVIS||20100101010000|||||N
TXA|1|other||||20110513180500|||||1238^MEDAVIS|demo1500624^PLACER|780^MEDAVIS|DO
OBX|1|CE|^Examination ID|1|136^^MEDAVIS
OBX|2|EI|^Document
Identifier||1238^MEDAVIS~1.2.276.0.37.1.3.199907.99999.1234.88.105^OID
OBX|3|ED|364^cpanc|1238\S\MEDAVIS|PDF^multipart^Octet-Stream^Base64^content
```

For more examples, see Section 6.22.5, "Message type: MDM^T02".

6.19. Document Status Change Notification and Content - MDM^T04

| MDM | Message |
|-----|----------------|
| MSH | Message Header |

| MDM | Message |
|-------------|--|
| [{ SFT }] | Software Segment |
| EVN | Event Type |
| PID | Patient Identification |
| PV1 | Patient Visit |
| [{ ORC | Common Order segment |
| [{ TQ1 | Timing/Quantity |
| [{ TQ2 }] | Timing/Quantity Order Sequence |
| OBR | Observation Request |
| [{ NTE }] | Notes and Comments (on Observation Request) |
| }] | |
| }] | |
| TXA | Document Notification |
| { OBX | Observation/Result (one or more required) |
| [{NTE}] | Notes and comments about the observation (OBX) |
| } | |

Example

```
MSH|^~\&|medavis RIS|MEDAVIS|KIS|KIS|20150910101236||MDM^T04|376|P|2.3.1||AL|NE|
|8859/2
EVN|T04|20150910101236||4^Middle^Steve^Dr.^^^^^^^PN|20110513181548
PID|1|4712^^^MEDAVIS^PI||44|Deckenhauer^Franz1^^^Dr.||19501101|M||Tollestr.10
^^Musterstadt^^12345^D|294386~343434^^CP|294386~343434^^CP|||||||||||||N
PV1|1|I|001003^001101^001201^^^^000901|||||||||||||44^^^VN|||||||||||||
ABC|||||20110818080300|||||V
ORC|demo1500624^PLACER|780^MEDAVIS|1140^PLACERGROUP|IP||1^once^^20110603123300^
20110603123300^R||4^Middle^Steve^Dr.^^^^^^^PN
OBR|1|demo1500624^PLACER|780^MEDAVIS|^^^cpanc^CTPancreas^MEDAVIS|||20110603123300|
20110603123300|||^ServiceTypeCd^T\INNE|||||U-ID136 |||20110513114000|CT|I||
1^once^^20110603123300^20110603123300^0||WALK||4&Middle&Steve&&&Dr.&&&MEDAVIS||4&
Middle&Steve&&&Dr.&&&MEDAVIS||20100101010000|||||N
TXA|1|other|||20110513180500|||||1238^MEDAVIS|demo1500624^PLACER|780^MEDAVIS|DO
OBX|1|CE|^Examination ID|1|136^MEDAVIS
OBX|2|EI|^Document Identifier||1238^MEDAVIS
OBX|3|ED|364^cpanc|1238^S\MEDAVIS|PDF^multipart^Octet-Stream^Base64^content...
```

6.20. Document Replacement Notification and Content - MDM^T10

When the original version of a report document has been replaced by a new version of the same document, a replacement notification MDM^T10 can be sent. The message references the document to be replaced in TXA-13 ("Parent Document Number").

This event type is currently not supported for multimedia attachments. With this exception, the documentation of Section 6.18, "Original Document Notification and Content - MDM^T02" and Section 6.22, "Transferring Reports – UDM^Q05/ORU^R01/MDM^T02" applies.

| MDM | Message |
|-------------|------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |

| MDM | Message |
|-------------|--|
| EVN | Event Type |
| PID | Patient Identification |
| PV1 | Patient Visit |
| [{ ORC | Common Order segment |
| [{ TQ1 | Timing/Quantity |
| [{ TQ2 }] | Timing/Quantity Order Sequence |
| }] | |
| OBR | Observation Request |
| [{ NTE }] | Notes and Comments (on Observation Request) |
| }] | |
| TXA | Document Notification |
| { OBX | Observation/Result (one or more required) |
| [{NTE}] | Notes and comments about the observation (OBX) |
| } | |

Example

```
MSH|^~\&|medavis RIS|medavis|ERR|ERR|20180502164201||MDM^T10|57|P|2.5|||AL|NE||UNICODE UTF-8
EVN|T10|20180502164201|||20180502164200
PID|1|61^^^MEDAVIS^PI|4712^^^DOMAIN-A^PT||Smith^John||19800101|U||
|Bannwaldallee 60^^Karlruhe^^76185^DE|
|0049721456789~00176987654^^CP~^NET^Internet^john.doe@company.com
|0049721456789~00176987654^^CP~^NET^Internet^john.doe@company.com|||||||||||||N
PV1|1|||||||||||||61^^^MEDAVIS^VN
ORC|RE||61^MEDAVIS|CM||1^once||^PN
OBR|1||61^MEDAVIS|CTTHO^CT Thorax^MEDAVIS^CTTHO^CT Thorax^MEDAVIS|||||
|U-ID61|||CT|C||1^once^^^R||WALK|||||N
TXA|1|other|||20180502164200|||134F990^^1.2.40.0.34.99.111.1.1^ISO
|134F989^^1.2.40.0.34.99.111.1.1^ISO|||DO
OBX|1|CE|^Examination ID|1|61^^^MEDAVIS|||N
OBX|2|EI|^Document Identifier||134F990^^1.2.40.0.34.99.111.1.1^ISO
OBX|3|ED|29^CTTHO|134F990\S\1.2.40.0.34.99.111.1.1
|^application^hl7-v3+xml^Base64^PD94bWwgdmVyc2lvcj0iMS4wIiBl..remaining chars skipped
OBX|4|HD|^Study Instance UID||1.2.276.0.37.1.1.20160361|||||^PN
```

6.21. Document Cancel Notification - MDM^T11

This message will be created when multi media documents or examination reports from orders, examinations, cases or patients were removed.

Segments ORC and OBR be can be absent in case when there is no relation to an order.

| MDM | Message |
|-------------|------------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| EVN | Event Type |
| PID | Patient Identification |
| PV1 | Patient Visit |
| [{ ORC | Common Order segment |

| MDM | Message |
|-------------|---|
| [{ TQ1 | Timing/Quantity |
| [{ TQ2 }] | Timing/Quantity Order Sequence |
| OBR | Observation Request |
| [{ NTE }] | Notes and Comments (on Observation Request) |
|] | |
|] | |
| TXA | Document Notification |

Example

```
MSH|^~\&|medavis RIS|MEDAVIS|KIS|KIS|20150910102255||MDM^T11|374|P|2.3.1||AL|NE||8859/2
EVN|T11|20150910102255|||20110513181548
PID|1|4712^^^MEDAVIS^PI||44|Deckenhauer^Franz1^^^Dr.||19501101|M||Tollestr.
10^^Musterstadt^^12345^D||294386~343434^^CP|294386~343434^^CP|||N
PV1|1|I|001003^001101^001201^000901|||44^^^VN|||AB
C|||20110818080300|||v
ORC||demo1500624^PLACER|780^MEDAVIS|1140^PLACERGROUP|IP||1^once^^20110603123300^
20110603123300^R||^PN
OBR|1|demo1500624^PLACER|780^MEDAVIS|^MEDAVIS||20110603123300|20110603123300|||
^ServiceTypeCd^T^INNE|||U-ID135|||I||1^once^^20110603123300^
20110603123300^0||WALK|4&Middle&Steve&&Dr.&&&MEDAVIS||4&Middle&Steve&&&Dr.&&&
MEDAVIS||20100101010000|||N
TXA|1|other|||1^MEDAVIS|demo1500624^PLACER|780^MEDAVIS||CA
```

6.22. Transferring Reports – UDM^Q05/ORU^R01/MDM^T02

Reports can be transferred in four different message formats:

- ORU^R01: Section 6.22.2, “Message type: ORU^R01 (unstructured report)”
- ORU^R01 (IHE definitions): Section 6.22.3, “Message type: ORU^R01 (structured report)”
- ORU^R01 (CDA): Section 6.22.4, “Message type: ORU^R01 (structured report, CDA)”
- UDM^Q05 (deprecated): Section 6.22.1, “Message type: UDM^Q05 (discontinued):”
- MDM^T02: Section 6.22.5, “Message type: MDM^T02”

Additionally, XDS.b (not described in this document because it is not based on HL7) can be used. medavis RIS implements a document source that can send reports to a document repository.

Both preliminary and final reports are transferred. Usually this message is sent to an Enterprise Report Repository. Subsequent changes to a report are noted and transferred. The report text is converted/customised in the following formats ANSI, OEM, RTF, HTML, PDF or WORD. The formats HTML, PDF and WORD are transmitted in BASE64 encoding. Structured reports can also be exported in the CDA format which is also transmitted in BASE64 encoding.

6.22.1. Message type: UDM^Q05 (discontinued):

| UDM | Message |
|-------------|------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |

| UDM | Message |
|---------|-----------------------------------|
| URD | Results/Update Definition |
| [URS] | Results/Update Selection Criteria |
| { DSP } | Display Data |
| [DSC] | Continuation Pointer |

Example

```
MSH|^~\&|medavis RIS||extSys||19981124110723||UDM^Q05|17|P|2.2||AL|NE
URD|19981124075600|R|6800999||100598-1^100764^109629||T
URS|NOT CH||19981124110723|rhws|Report 'Thoracic spine' of 24.11.1998||REP
DSP|1||Radiological Drs. med. X and Y
DSP|2||Group Practice 71 Main St., 76133 Karlstowm
DSP|3||Karlstowm Phone: 0123 / 456789
DSP|4||
DSP|5||
DSP|6||Emergency Outpatient *U0987654321*
DSP|7||Surgery
DSP|8||In-house
DSP|9||
DSP|10||
DSP|11||Karlstowm, 22.11.1998 / cr
DSP|12||
DSP|13||
DSP|14||
DSP|15||Thank you for referring your patient to us.
DSP|16||
DSP|17||Doe, John
DSP|18||Date of Birth: 12.05.1930
DSP|19||Resident in: 76133 Karlstowm
DSP|20||
DSP|21||Clinical details:
DSP|22||
DSP|23||Cervical spine whiplash trauma
DSP|24||
DSP|25||Cervical spine in 2 planes from 22.11.1998:
DSP|26||
DSP|27||No evidence of fracture, no structural laxness or even subluxation or
DSP|28||luxation, no mentionable neg. posture, no degenerat. changes,
DSP|29||no narrowing of space between intervertebral discs. In as far as can be
DSP|30||judged also perfect proportions on atlant doxial joint.
DSP|31||
DSP|32||
DSP|33||Yours sincerely
DSP|34||
DSP|35||
DSP|36||
DSP|37||
DSP|38||Dr. med. X. Y.
```

6.22.2. Message type: ORU^R01 (unstructured report)

An ORU^R01 message is composed of the following segments:

| | |
|-----|-----------------------------------|
| ORU | Observation Results (Unsolicited) |
| MSH | Message Header |

| ORU | Observation Results (Unsolicited) |
|-------------|--|
| [{ SFT }] | Software Segment |
| { PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NTE }] | Notes and Comments (for Patient ID) |
| [PV1 | Patient Visit |
| [PV2] | Patient Visit - Additional Information |
|] | |
| { [ORC] | Common Order |
| OBR | Order Detail Segment |
| [{ NTE }] | Notes and Comments (for Detail) |
| { [OBX] | Observation / Result |
| [{ NTE }] | Notes and Comments (for Results) |
| } | |
| { [CTI] } | Clinical Trial Information |
| } | |
| } | |
| [DSC] | Continuation Pointer |

Example

```
MSH|^~\&|medavis RIS|OP_SYS||20021010101844||ORU^R01|4|P|2.5||AL|NE|
PID||52345^^^MEDAVIS^PT|5414354^^^ASSAUT^PI||Doe^John^^^|19701025|M||Bakerstreet
34^^New York^^12345^US||555-1234||german
PV1||I|P1^22^4^CHI2||||6^RefPhys^Mr.|||||3424222^^^ASSAUT^VN|||||
|||||20081123101200|20081124101000|||||V
ORC|SC|49629^extSys|40764^MEDAVIS|15404276^extSys|IP||1^once^^20081124110725^200811
24111725^R||132^Assistant medical technician^Mrs.^^^^^^PN||||555-1234
OBR|1|49629^extSys|40764^MEDAVIS|ctknee^CT Knee^MEDAVIS||20081124110725|
20081124111725||||^^^LEFT||ap|CT1||||CT|F||1^on ce^^20081124110725^
20081124111725^R||WALK|Reason of Study|13&Physician&Clara&&&Dr. med.|12&
First Physician&John&&&Dr. med|Technician, Mrs.||20081124110000|||||N|
^^^CT1|ctknee^CT Knee^MEDAVIS||ctknee^CT Knee^MEDAVIS
OBX|1|TX|223^ctknee|1964|Radiological Drs. med. Joe and Smith|||||F
OBX|2|TX|223^ctknee|1964|Group Practice 71 Main St, 76133 Karlstown|||||F
OBX|3|TX|223^ctknee|1964|Karlstown Phone: 0123/ 456789|||||F
OBX|4|TX|223^ctknee|1964|||||F
OBX|5|TX|223^ctknee|1964|Emergency Outpatient|||||F
OBX|6|TX|223^ctknee|1964|Surgery|||||F OBX|7|TX|223^ctknee|1964|In-house|||||F
OBX|8|TX|223^ctknee|1964|||||F
OBX|9|TX|223^ctknee|1964|Karlstown, 10.10.2002 / cr|||||F
OBX|10|TX|223^ctknee|1964|||||F
OBX|11|TX|223^ctknee|1964|Thank you for referring your patient to us.|||||F
OBX|12|TX|223^ctknee|1964|||||F
OBX|13|TX|223^ctknee|1964|Doe, John|||||F
OBX|14|TX|223^ctknee|1964|Date of Birth 25.10.1970|||||F
OBX|15|TX|223^ctknee|1964|Resident in: 12345 New York|||||F
OBX|16|TX|223^ctknee|1964|||||F
OBX|17|TX|223^ctknee|1964|Clinical details:|||||F
OBX|18|TX|223^ctknee|1964|||||F
OBX|19|TX|223^ctknee|1964|Trauma|||||F
OBX|20|TX|223^ctknee|1964|||||F
OBX|21|TX|223^ctknee|1964|Computerthomography of knee|||||F
OBX|22|TX|223^ctknee|1964|||||F
OBX|23|TX|223^ctknee|1964|No evidence of fracture|||||F
OBX|24|TX|223^ctknee|1964|||||F
OBX|25|TX|223^ctknee|1964|Yours sincerely|||||F
OBX|26|TX|223^ctknee|1964|||||F
OBX|27|TX|223^ctknee|1964|Dr. med. Clara Physician|||||F
```

6.22.3. Message type: ORU^R01 (structured report)

For report export details, as defined by IHE, please refer to the IHE Framework, Revision 5.4, Chapter 4.28.

An ORU^R01 message for a structured report is therefore composed of the following segments:

| ORU | Observation Results (Unsolicited) |
|-------------|-------------------------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| { PID | Patient Identification |
| [PD1] | Additional Identification |
| [{ NTE }] | Notes and Comments (for Patient ID) |
| [PV1 | Patient Visit |

| ORU | Observation Results (Unsolicited) |
|-------------|--|
| [PV2] | Patient Visit - Additional Information |
|] | |
| { [ORC] | Common Order |
| OBR | Order Detail Segment |
| [{ NTE }] | Notes and Comments (for Detail) |
| { [OBX] | Observation / Result |
| [{ NTE }] | Notes and Comments (for Results) |
| } | |
| { [CTI] } | Clinical Trial Information |
| } | |
| } | |
| [DSC] | Continuation Pointer |

Example

```
MSH|^~\&|medavis RIS||ERR_SYS||20081124101844||ORU^R01|4|P|2.5||AL|NE|
PID||52345^^^MEDAVIS^PT|5414354^^^ASSAUT^PI||Doe^John^^^|19701025|M||Bakerstreet
34^^New York^^12345^US||555-1234|german
PV1||I|P1^22^4^CHI2||||6^RefPhys^Mr.|||||||3424222^^^ASSAUT^VN|||||||
|||||20081123101200|20081124101000|||||V
ORC|SC|49629^extSys|40764^MEDAVIS|15404276^extSys|IP||1^once^^20081124110725^200811
24111725^R||132^Assistant medical technician^Mrs.^^^^^^^PN|||555-1234
OBR|1|49629^extSys|40764^MEDAVIS|ctknee^CT Knee^MEDAVIS||20081124110725
|20081124111725|||||^LEFT|||ap|CT1|||||CT|F||1^on ce^^20081124110725^
20081124111725^R|||WALK|Reason of Study|13&Physician&Clara&&&Dr. med.|12&First Physician
&John&&&Dr. med|Technician, Mrs.||20081124110000|||||N|^CT1|ctknee^CT Knee^MEDAVIS||
|ctknee^CT Knee^MEDAVIS OBX|1|HD|DOC-ID^medavis Document Id||3409|||||F
OBX|2|HD|^Study Instance UID|1|1.2.276.0.37.1.3.199907.123|||||F
OBX|3|TX|^ST Text||Radiological Drs. med. Joe and Smith\X0D\X0A\Group Practice71
Main St, 76133 Karlstown \X0D\X0A\Karlstown Phone: 0123 /
456789\X0D\X0A\X0D\X0A\Emergency Outpatient\X0D\X0A\Surgery\X0D\X0A\In-
house\X0D\X0A\X0D\X0A\Karlstown, 24.11.2008 / cr\X0D\X0A\X0D\X0A\Thank you
for referring your patient to us\X0D\X0A\X0D\X0A\Doe, John\X0D\X0A\Date of
Birth 25.10.1970\X0D\X0A\Resident in: 76133 Karlstown\X0D\X0A\X0D\X0A\Clinical
details:\X0D\X0A\X0D\X0A\Trauma\X0D\X0A\X0D\X0A\Computerthomography of
knee\X0D\X0A\X0D\X0A\No evidence of fracture\X0D\X0A\X0D\X0A\Yours
sincerely\X0D\X0A\X0D\X0A\Dr. med. John Doe|||||F
```

6.22.4. Message type: ORU^R01 (structured report, CDA)

CDA Report messages differ to standard Report messages (IHE) only in the OBX segment, where each CDA section is represented by an according OBX segment.

An ORU^R01 message for a CDA report is therefore composed of the following segments:

| ORU | Observation Results (Unsolicited) |
|-------------|-----------------------------------|
| MSH | Message Header |
| [{ SFT }] | Software Segment |
| { PID | Patient Identification |
| [PV1 | Patient Visit |

| ORU | Observation Results (Unsolicited) |
|-------------|--|
| [PV2] | Patient Visit - Additional Information |
|] | |
| {[ORC] | Common Order |
| OBR | Order Detail Segment |
| [{ NTE }] | Notes and Comments (for Detail) |
| { [OBX] | Observation / Result - One Segment per CDA section |
| [{ NTE }] | Notes and Comments (for Results) |
| } | |
| {[CTI]} | Clinical Trial Information |
| } | |
| } | |
| [DSC] | Continuation Pointer |

| | |
|----------|------------------------|
| OBX-2 | "TX" |
| OBX-3.1 | code |
| OBX-3.2 | displayName |
| OBX-3.3 | codeSystemName |
| OBX-3.14 | codeSystem |
| OBX-5.4 | "Base64" |
| OBX-5.5 | text (Base-64 encoded) |

Example with CDA

```
MSH|^~\&|medavis RIS|medavis|ERR|EXT-SYS|20171208130323||ORU^R01|374|P|2.4|||AL|NE||8859/1
PID|1|4712^^^MEDAVIS^PI|4711^^^DOMAIN-A^PT-4712^^^medavis^PI|44|Deckenhauer^Franz1^^^Dr.||19501101|M|
||Tollestr. 10^^Musterstadt^^12345^D||294386~343434^^CP|294386~343434^^CP|||||||||||||N
PV1|1|I|001003^001101^001201^^^^000901|||48395|13^Schubert^Franz^^^Prof.^^^MEDAVIS|||
|||||44^^^VN|||||Patient|||||||||ABC|||||20110818080300|||||V
ORC|RE||135^MEDAVIS|IP||1^once^^20110603123300^20110603123300^R|||3^Pan^Peter^Dr.^^^^^^^PN|
|13^Schubert^Franz^^^Prof.
OBR|1||135^MEDAVIS|^MEDAVIS^^^MEDAVIS|||20110603123300|20110603123300|||||
|13^Schubert^Franz^^^Prof.||U-ID135|||20110513114000|||F||1^once^^20110603123300^20110603123300^0|
||WALK||4&Middle&Steve&&&Dr.&&&MEDAVIS|2&Captain&Hook&&&Dr.&&&MEDAVIS|4&Middle&Steve&&&Dr.&&&MEDAVIS|
|20100101010000|||||N
OBX|1|ED|11329-0^History general^LOINC^^^^^^^^^^2.16.840.1.113883.6.1|^Base64^QW5hbW51...
OBX|2|ED|121181^DICOM Object Catalog^DCM^^^^^^^^^^1.2.840.10008.2.16.4|^Base64
OBX|3|ED|18782-3^Complications^LOINC^^^^^^^^^^2.16.840.1.113883.6.1|^Base64^ZGVm
OBX|4|ED|18783-1^18783-1^2.16.840.1.113883.6.1^^^^^^^^^^2.16.840.1.113883.6.1|^Base64
OBX|5|ED|18785-6^Reason for study^LOINC^^^^^^^^^^2.16.840.1.113883.6.1|^Base64^VGV4dCBmdWVyIE...
OBX|6|ED|18834-2^18834-2^2.16.840.1.113883.6.1^^^^^^^^^^2.16.840.1.113883.6.1|^Base64
OBX|7|ED|19005-8^19005-8^2.16.840.1.113883.6.1^^^^^^^^^^2.16.840.1.113883.6.1|^Base64
OBX|8|ED|55107-7^55107-7^2.16.840.1.113883.6.1^^^^^^^^^^2.16.840.1.113883.6.1|^Base64^CgkJCQk...
OBX|9|ED|55108-5^55108-5^2.16.840.1.113883.6.1^^^^^^^^^^2.16.840.1.113883.6.1|^Base64
OBX|10|ED|55109-3^Complications^LOINC^^^^^^^^^^2.16.840.1.113883.6.1|^Base64^VGVCB...
OBX|11|ED|55110-1^55110-1^2.16.840.1.113883.6.1^^^^^^^^^^2.16.840.1.113883.6.1|^Base64
OBX|12|ED|55111-9^Current imaging procedure descriptions^LOINC^^^^^^^^^^2.16.840.1.113883.6.1|
|^Base64^VGV4d...
OBX|13|ED|55112-7^55112-7^2.16.840.1.113883.6.1^^^^^^^^^^2.16.840.1.113883.6.1|^Base64
OBX|14|ED|55113-5^55113-5^2.16.840.1.113883.6.1^^^^^^^^^^2.16.840.1.113883.6.1|^Base64
OBX|15|ED|55114-3^55114-3^2.16.840.1.113883.6.1^^^^^^^^^^2.16.840.1.113883.6.1|^Base64
OBX|16|ED|55115-0^Requested imaging studies information^LOINC^^^^^^^^^^2.16.840.1.113883.6.1|
|^Base64^VGV4d...
OBX|17|ED|BRIEFT^Brieftext^ELGA_Sections^^^^^^^^^^1.2.40.0.34.5.40|^Base64^U2Voc...
```

6.22.5. Message type: MDM^T02

For general information on MDM^T02 messages, see Section 6.18, "Original Document Notification and Content - MDM^T02".

Example

```
MSH|^~\&|medavis RIS|MEDAVIS|ERR|ERR|20160606150747||MDM^T02|401|P|2.3.1|||AL|NE
EVN|T02|20160606150747|||20160606145939
PID|1|8^^^MEDAVIS^PI|205983^^^HIS^PT|Wahrenberger^Regula||19440503|U|||||||||
|||||||||N
PV1|1|||||1^^^^^^^MEDAVIS~000000^^^^^^^SEAL^^^DN|||||||||23^^^MEDAVIS^VN
|||||a_Bayerischer GUVV / München
TXA|1|other|||20160606145900|||14^MEDAVIS|||DO
OBX|1|CE|^Examination ID|1|26^^^MEDAVIS
OBX|2|EI|^Document Identifier||14^MEDAVIS
OBX|3|ED|39^ctabdoibnkm|14\S\MEDAVIS|PDF^multipart^Octet-Stream^Base64^JVBERi0x
[A lot of data]|||||F|||||2^medavis^GmbH^^^^^^^PN
OBX|4|HD|^Study Instance UID||1.2.43.53.7.77.26|||||||||2^medavis^GmbH^^^^^^^PN
```

Example with CDA

```

MSH|^~\&|medavis
RIS|MEDAVIS|KIS|KIS|20171129141626||MDM^T02|385|P|2.3.1||AL|NE||8859/2
EVN|T02|20171129141626|||4^Middle^Steve^Dr.^^^^^^^^^^PN|20110513181548
PID|1|4712^^^MEDAVIS^PI||44|Deckenhauer^Franzl^^^Dr.||19501101|M||Tollestr. 10
^^Musterstadt^^12345^D||294386~343434^^CP|294386~343434^^CP|||||||||||||N
PV1|1|I|001003^001101^001201^^^000901|||13^^^M^MEDAVIS|||44^^^VN|||||
|ABC|||20110818080300|||v
ORC|RE|demo1500624^PLACER|780^MEDAVIS|1140^PLACERGROUP|CM||1^once^^20110603123300^2011
0603123300^R|||4^Middle^Steve^Dr.^^^^^^^^^^PN||13
OBR|1|demo1500624^PLACER|780^MEDAVIS|^c^panc^CT Pancreas^M^MEDAVIS||20110603123300|
20110603123300|||^ServiceTypeCd^T\INNE|||13||U-ID146
|||20110513114000||CT|F||1^once^^20110603123300^20110603123300^0||WALK||4&Middle&
Steve&&Dr.&&&M^MEDAVIS||4&Middle&Steve&&Dr.&&&M^MEDAVIS||20100101010000|||N
TXA|1|other|||20171127154451|||demo1500624^PLACER|780^MEDAVIS||DO
OBX|1|CE|^Examination ID|1|146^^M^MEDAVIS||N
OBX|2|EI|^Document Identifier||25761^M^MEDAVIS
OBX|3|ED|364^c^panc|25761\S\M^MEDAVIS|^application^hl7-v3+xml^Base64^PHhtbD5jZGEgZG9jdW11bnQgdjQ8L3htbD4=
|||F|||4^Middle^Steve^Dr.^^^^^^^^^^PN
OBX|4|HD|^Study Instance UID||1.2.276.0.37.1.3.199907.99999.1234.146|||
|4^Middle^Steve^Dr.^^^^^^^^^^PN

```

7. Segment Definitions

The following describes all segments used in the medavis interface. Fields marked in the table in **bold** type are evaluated by the interface. Legend: I: evaluated inbound O: sent outbound.

7.1. MSH - Message Header Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|---------------|------|-------|----------------------------------|-----------------------|-----|
| 1 | 1 | ST | R | | | 00001 | Field separator | Constant: | I/O |
| 2 | 4 | ST | R | | | 00002 | Encoding characters | Constant: ^~\& | I/O |
| 3 | 180 | HD | R2 | | | 00003 | Sending application | | I/O |
| 4 | 180 | HD | O | | | 00004 | Sending facility | | I/O |
| 5 | 180 | HD | O | | | 00005 | Receiving application | | I/O |
| 6 | 180 | HD | O | | | 00006 | Receiving facility | | I/O |
| 7 | 26 | TS | O | | | 00007 | Date/time of message | Format: YYYYMMDDHHNNS | I/O |
| 8 | 40 | ST | O | | | 00008 | Security | | I/O |
| 9 | 7 | CM | R | 0076, 0003 | | 00009 | Message type | | I/O |
| 10 | 20 | ST | R | | | 00010 | Message control ID | | I/O |
| 11 | 3 | PT | R | | 0103 | 00011 | Processing ID | | O |
| 12 | 8 | ID | R | | 0104 | 00012 | Version ID | | O |
| 13 | 15 | NM | O | | | 00013 | Sequence number | | |
| 14 | 180 | ST | O | | | 00014 | Continuation pointer | | |
| 15 | 2 | ID | O | | 0155 | 00015 | Accept acknowledgement type | | O |
| 16 | 2 | ID | O | | 0155 | 00016 | Application acknowledgement type | | |
| 17 | 2 | ID | O | | | 00017 | Country code | | |
| 18 | 6 | ID | O | Y/3 | 0211 | 00692 | Character set | | O |
| 19 | 60 | CE | O | | | 00693 | Principal language of message | | |

7.2. MSA - Message Acknowledgement Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|------------------------------|------------------------|-----|
| 1 | 2 | ID | R | | 0008 | 00018 | Acknowledgement code | | I/O |
| 2 | 20 | ST | R | | | 00010 | Message Control ID | (obtained from MSH-10) | I/O |
| 3 | 80 | ST | | | | 00020 | Text Message | | I/O |
| 4 | 15 | NM | | | | 00021 | Expected Sequence Number | | |
| 5 | 1 | ID | | | 0102 | 00022 | Delayed Acknowledgement type | | |
| 6 | 100 | CE | | | | 00023 | Error Condition | | O |

7.3. EVN - Event Type Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|-------------------------|-------------|-----|
| 1 | 3 | ID | B | | 0003 | 00099 | Event Type Code | (MSH-9.2) | I/O |
| 2 | 26 | TS | R | | | 00100 | Date/Time of Event | (MSH-7) | I/O |
| 3 | 26 | TS | O | | | 00101 | Date/Time Planned Event | | |
| 4 | 3 | IS | O | | 0062 | 00102 | Event Reason Code | | |
| 5 | 60 | XCN | O | | 0188 | 00103 | Operator ID | | |
| 6 | 26 | TS | O | | | 01278 | Event Occurred | | I/O |

7.4. ERR - Error Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|------|-----|-----|------|------|-------|-----------------------------|-------------|-----|
| 1 | 493 | ELD | B | Y | | 00024 | Error Code and Location | | O |
| 2 | 18 | ERL | O | Y | | 01812 | Error Location | | O |
| 3 | 705 | CWE | R | | 0357 | 01813 | HL7 Error Code | | O |
| 4 | 2 | ID | R | | 0516 | 01814 | Severity | | O |
| 5 | 705 | CWE | O | | 0533 | 01815 | Application Error Code | | |
| 6 | 80 | ST | O | Y/10 | | 01816 | Application Error Parameter | | |
| 7 | 2048 | TX | O | | | 01817 | Diagnostic Information | | |
| 8 | 250 | TX | O | | | 01818 | User Message | | O |
| 9 | 20 | IS | O | Y | 0517 | 01819 | Inform Person Indicator | | |
| 10 | 705 | CWE | O | | 0518 | 01820 | Override Type | | |
| 11 | 705 | CWE | O | Y | 0519 | 01821 | Override Reason Code | | |
| 12 | 652 | XTN | O | Y | | 01822 | Help Desk Contact Point | | |

7.5. AIG - Appointment Information

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|------------------------------|-------------|-----|
| 1 | 4 | SI | R | | | 00896 | Set ID -AIG | | O |
| 2 | 3 | ID | C | | 0206 | 00763 | Segment Action Code | | |
| 3 | 250 | CE | C | | | 00897 | Resource ID | | O |
| 4 | 250 | CE | R | | | 00898 | Resource Type | | O |
| 5 | 250 | CE | O | Y | | 00899 | Resource Group | | |
| 6 | 5 | NM | O | | | 00900 | Resource Quantity | | |
| 7 | 250 | CE | O | | | 00901 | Resource Quantity Units | | |
| 8 | 26 | TS | C | | | 01202 | Start Date/Time | | |
| 9 | 20 | NM | C | | | 00891 | Start Date/Time Offset | | |
| 10 | 250 | CE | C | | | 00892 | Start Date/Time Offset Units | | |
| 11 | 20 | NM | O | | | 00893 | Duration | | |
| 12 | 250 | CE | O | | | 00894 | Duration Units | | |
| 13 | 10 | IS | C | | 0279 | 00895 | Allow Substitution Code | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|--------------------|-------------|-----|
| 14 | 250 | CE | C | | 0278 | 00889 | Filler Status Code | | |

7.6. AIL - Appointment Information - Location Resource

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|------------------------------|-------------|-----|
| 1 | 4 | SI | R | | | 00902 | Set ID -AIL | | O |
| 2 | 3 | ID | C | | 0206 | 00763 | Segment Action Code | | |
| 3 | 80 | PL | C | Y | | 00903 | Location Resource ID | | I/O |
| 4 | 250 | CE | C | | 305 | 00904 | Location Type-AIL | | |
| 5 | 250 | CE | O | | | 00905 | Location Group | | |
| 6 | 26 | TS | C | | | 01202 | Start Date/Time | | I |
| 7 | 20 | NM | C | | | 00891 | Start Date/Time Offset | | |
| 8 | 250 | CE | C | | | 00892 | Start Date/Time Offset Units | | |
| 9 | 20 | NM | O | | | 00893 | Duration | | I |
| 10 | 250 | CE | O | | | 00894 | Duration Units | | I |
| 11 | 10 | IS | C | | 0278 | 00895 | Allow Substitution Code | | |
| 12 | 250 | CE | C | | 0278 | 00889 | Filler Status Code | | |

7.7. AIP - Appointment Information - Personnel Resource

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|------------------------------|-------------|-----|
| 1 | 4 | SI | R | | | 00906 | Set ID -AIP | | O |
| 2 | 3 | ID | C | | 0206 | 00763 | Segment Action Code | | |
| 3 | 250 | XCN | C | Y | | 00913 | Personnel Resource ID | | I/O |
| 4 | 250 | CE | C | | 0182 | 00907 | Resource Type | | |
| 5 | 250 | CE | O | | | 00899 | Resource Group | | |
| 6 | 26 | TS | C | | | 01202 | Start Date/Time | | |
| 7 | 20 | NM | C | | | 00891 | Start Date/Time Offset | | |
| 8 | 250 | CE | C | | | 00892 | Start Date/Time Offset Units | | |
| 9 | 20 | NM | O | | | 00893 | Duration | | I |
| 10 | 250 | CE | O | | | 00894 | Duration Units | | |
| 11 | 10 | IS | C | | 0279 | 00895 | Allow Substitution Code | | |
| 12 | 250 | CE | C | | 0278 | 00889 | Filler Status Code | | |

7.8. AIS - Appointment Information

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|------------------------------|-------------|-----|
| 1 | 4 | SI | R | | | 00890 | Set ID -AIS | | O |
| 2 | 3 | ID | C | | 0206 | 00763 | Segment Action Code | | |
| 3 | 250 | CE | R | | | 00238 | Universal Service Identifier | | I/O |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|--|--|-----|
| 4 | 26 | TS | C | | | 01202 | Start Date/Time | Optional if Date/Time is already sent in SCH,TQ1 or AIL. | I |
| 5 | 20 | NM | C | | | 00891 | Start Date/Time Offset | | |
| 6 | 250 | CE | C | | | 00892 | Start Date/Time Offset Units | | |
| 7 | 20 | NM | O | | | 00893 | Duration | Optional if Date/T me is already sent in SCH,TQ1 or AIL | I/O |
| 8 | 250 | CE | O | | | 00894 | Duration Units | Optional if Date/Time is already sent inSCH, TQ1 or AIL. "MIN" or"SEC" | I |
| 9 | 10 | IS | C | | 0279 | 00895 | Allow Substitution Code | | |
| 10 | 250 | CE | C | | 0278 | 00889 | Filler Status Code | | |
| 11 | 250 | CE | O | Y | 0411 | 01474 | Placer Supple mental Service Information | | I/O |
| 12 | 250 | CE | O | Y | 0411 | 01475 | Filler Supplemental Service Information | | |

7.9. DSC - Continuation Pointer

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|----------------------|-------------|-----|
| 1 | 180 | ST | O | | | 00014 | Continuation Pointer | | I |
| 2 | 1 | ID | O | | 0398 | 01354 | Continuation Style | | I |

7.10. PID - Patient Identification Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|---------------------------------------|----------------------------------|-----|
| 1 | 4 | SI | O | | | 00104 | Set ID - Patient ID | | I |
| 2 | 20 | CX | O | | | 00105 | Patient ID (External ID) | Deprecated since HL7 version 2.4 | O |
| 3 | 20 | CX | R | Y | | 00106 | Patient identifier list (Internal ID) | (Patient ID of the ADT's) | I/O |
| 4 | 20 | CX | O | Y | | 00107 | Alternate Patient ID | | I |
| 5 | 48 | XPN | R | Y | | 00108 | Patient Name | | I/O |
| 6 | 48 | XPN | O | | | 00109 | Mother's Maiden Name | | I/O |
| 7 | 26 | TS | O | | | 00110 | Date of Birth | Format: YYYYMMDD | I/O |
| 8 | 1 | IS | O | | 0001 | 00111 | Sex | | I/O |
| 9 | 48 | XPN | O | Y | | 00112 | Patient Alias | | |
| 10 | 1 | IS | O | | 0005 | 00113 | Race | Not used | |
| 11 | 106 | XAD | O | Y | | 00114 | Patient Address | | I/O |
| 12 | 4 | IS | B | | | 00115 | County code | | |
| 13 | 40 | XTN | O | Y | | 00116 | Phone Number - Home | | I |
| 14 | 40 | XTN | O | Y | | 00117 | Phone Number - Business | | I |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|-----------------------------|--------------------------|-----|
| 15 | 60 | CE | O | | 0296 | 00118 | Language - Patient | | O |
| 16 | 1 | IS | O | | 0002 | 00119 | Marital Status | | |
| 17 | 3 | IS | O | | 0006 | 00120 | Religion | | |
| 18 | 20 | CX | O | | | 00121 | Patient Account Number | | I/O |
| 19 | 16 | ST | O | | | 00122 | SSN Number - Patient | | O |
| 20 | 25 | DLN | O | | | 00123 | Driver's Lic Num - Patient | Not used | |
| 21 | 20 | CX | O | Y | | 00124 | Mother's Identifier | | |
| 22 | 3 | IS | O | | 0189 | 00125 | Ethnic Group | | |
| 23 | 60 | ST | O | | | 00126 | Birth Place | | I |
| 24 | 2 | ID | O | | 0136 | 00127 | Multiple Birth Indicator | | |
| 25 | 2 | NM | O | | | 00128 | Birth Order | | |
| 26 | 4 | IS | O | Y | 0171 | 00129 | Citizenship | (country code) | I/O |
| 27 | 60 | CE | O | | 0172 | 00130 | Veterans Military Status | Patient's job/profession | |
| 28 | 80 | CE | O | | | 00739 | Nationality | | |
| 29 | 26 | TS | O | | | 00740 | Patient Death Date and Time | | O |
| 30 | 1 | ID | O | | 0136 | 00741 | Patient Death Indicator | | O |

7.11. FT1 - Financial Transaction Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|------------------------------|--------------------------------------|-----|
| 1 | 7 | SI | O | | | 00355 | Set ID financial transaction | Transaction number | O |
| 2 | 12 | ST | O | | | 00356 | Transaction ID | Bookingno./Receipt no./ Invoice no. | O |
| 3 | 10 | ST | O | | | 00357 | Transaction batch ID | Batch / account ing coder | O |
| 4 | 26 | TS | R | | | 00358 | Transaction Date | Receipt /Service/ Invoice date | I/O |
| 5 | 26 | TS | O | | | 00359 | Transaction Posting date | | O |
| 6 | 8 | IS | R | | 0017 | 00360 | Transaction Type | | O |
| 7 | 80 | CE | R | | 0132 | 00361 | Transaction Code | Service code/text | I/O |
| 8 | 40 | ST | B | | | 00362 | Transaction Description | | |
| 9 | 40 | ST | B | | | 00363 | Transaction Description | (should no longer be alternate used) | |
| 10 | 6 | NM | O | | | 00364 | Transaction Quantity | No. of services/no. of points | O |
| 11 | 12 | CP | O | | | 00365 | Transaction Amount extended | Amount(total) | |
| 12 | 12 | CP | O | | | 00366 | Transaction Amount unit | Unit price/point value | O |
| 13 | 60 | CE | O | | 0049 | 00367 | Department Code | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|--|----------------------------|-----|
| 14 | 60 | CE | O | | 0072 | 00368 | Insurance Plan ID | Tariff code of cost unit | |
| 15 | 12 | CP | O | | | 00369 | Insurance Amount | Paymentamount | |
| 16 | 80 | PL | O | | | 00133 | Assigned Patient Location | | 0 |
| 17 | 1 | IS | O | | 0024 | 00370 | Fee Schedule | No longer used (see FT1-7) | |
| 18 | 2 | IS | O | | 0018 | 00148 | PatientType | Type of patient(PPR) | |
| 19 | 60 | CE | O | Y | 0051 | 00371 | DiagnosisCode | | |
| 20 | 120 | XCN | O | Y | 0084 | 00372 | Performed by Code | | I/O |
| 21 | 120 | XCN | O | | | 00373 | Ordered by Code | | 0 |
| 22 | 12 | CP | O | | | 00374 | UnitCost | Accounting factor | 0 |
| 23 | 22 | EI | O | | | 00217 | Filler Order Number | | 0 |
| 24 | 120 | XCN | O | | | 00765 | Entered By Code | | 0 |
| 25 | 80 | CE | O | | 0088 | 00393 | Procedure Code | | 0 |
| 26 | 250 | CE | O | Y | 0340 | 01316 | Procedure Code Modifier | (HL 7 v2.4 and later) | 0 |
| 27 | 250 | CE | O | | 0339 | 01310 | Advanced Beneficiary Code | (HL 7 v2.5 and later) | 0 |
| 28 | 250 | CWE | O | | 0476 | 01646 | Medically Necessary Duplicate Procedure Reason | (HL 7 v2.5 and later) | |
| 29 | 250 | CNE | O | | | 01845 | NDC Code | (HL 7 v2.5 and later) | |
| 30 | 250 | CX | O | | | 01846 | Payment Reference ID | (HL 7 v2.5 and later) | 0 |

7.12. GT1 - Guarantor

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|-------------------------------|-------------|-----|
| 1 | 4 | SI | R | | | 00405 | Set ID - GT1 | | I/O |
| 2 | 250 | CX | O | Y | | 00406 | Guarant or Number | | |
| 3 | 250 | XPN | R | Y | | 00407 | Guarant or Name | | I/O |
| 4 | 250 | XPN | O | Y | | 00408 | Guarant or Spouse Name | | |
| 5 | 250 | XAD | O | Y | | 00409 | Guarant or Address | | |
| 6 | 250 | XTN | O | Y | | 00410 | Guarant or Ph Num - Home | | |
| 7 | 250 | XTN | O | Y | | 00411 | Guarant or Ph Num Business | | |
| 8 | 26 | TS | O | | | 00412 | Guarant or Date/Time Of Birth | | |
| 9 | 1 | IS | O | | 0001 | 00413 | Guarant or Administrative Sex | | |
| 10 | 2 | IS | O | | 0068 | 00414 | Guarant or Type | | |
| 11 | 250 | CE | O | | 0063 | 00415 | Guarant or Relationship | | |
| 12 | 11 | ST | O | | | 00416 | Guarant or SSN | | |
| 13 | 8 | DT | O | | | 00417 | Guarant or Date - Begin | | |
| 14 | 8 | DT | O | | | 00418 | Guarant or Date - End | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|------------------------------------|-------------|-----|
| 15 | 2 | NM | O | | | 00419 | Guarant or Priority | | |
| 16 | 250 | XPN | O | Y | | 00420 | Guarant or Employer Name | | |
| 17 | 250 | XAD | O | Y | | 00421 | Guarant or Employer Address | | |
| 18 | 250 | XTN | O | Y | | 00422 | Guarant or Employer Phone Number | | |
| 19 | 250 | CX | O | Y | | 00423 | Guarant or Employee ID Number | | |
| 20 | 2 | IS | O | | 0066 | 00424 | Guarant or Employment Status | | |
| 21 | 250 | XON | O | Y | | 00425 | Guarant or Organization Name | | |
| 22 | 1 | ID | O | | 0136 | 00773 | Guarant or Billing Hold Flag | | |
| 23 | 250 | CE | O | | 0341 | 00774 | Guarant or Credit Rating Code | | |
| 24 | 26 | TS | O | | | 00775 | Guarant or Death Date And Time | | |
| 25 | 1 | ID | O | | 0136 | 00776 | Guarant or Death Flag | | |
| 26 | 250 | CE | O | | 0218 | 00777 | Guarant or Charge Adjustment Code | | |
| 27 | 10 | CP | O | | | 00778 | Guarant or Household Annual Income | | |
| 28 | 3 | NM | O | | | 00779 | Guarant or Household Size | | |
| 29 | 250 | CX | O | Y | | 00780 | Guarant or Employer ID Number | | |
| 30 | 250 | CE | O | | 0002 | 00781 | Guarant or Marital Status Code | | |
| 31 | 8 | DT | O | | | 00782 | Guarant or Hire Effective Date | | |
| 32 | 8 | DT | O | | | 00783 | Employment Stop Date | | |
| 33 | 2 | IS | O | | 0223 | 00755 | Living Dependency | | |
| 34 | 2 | IS | O | Y | 0009 | 00145 | Ambulatory Status | | |
| 35 | 250 | CE | O | Y | 0171 | 00129 | Citizenship | | |
| 36 | 250 | CE | O | | 0296 | 00118 | Primary Language | | |
| 37 | 2 | IS | O | | 0220 | 00742 | Living Arrangement | | |
| 38 | 250 | CE | O | | 0215 | 00743 | Publicity Code | | |
| 39 | 1 | ID | O | | 0136 | 00744 | Protection Indicator | | |
| 40 | 2 | IS | O | | 0231 | 00745 | Student Indicator | | |
| 41 | 250 | CE | O | | 0006 | 00120 | Religion | | |
| 42 | 250 | XPN | O | Y | | 00109 | Mother's Maiden Name | | |
| 43 | 250 | CE | O | | 0212 | 00739 | Nationality | | |
| 44 | 250 | CE | O | Y | 0189 | 00125 | Ethnic Group | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|---|-------------|-----|
| 45 | 250 | XPN | O | Y | | 00748 | Contact Person's Name | | |
| 46 | 250 | XTN | O | Y | | 00749 | Contact Person's Telephone Number | | |
| 47 | 250 | CE | O | | 0222 | 00747 | Contact Reason | | |
| 48 | 3 | IS | O | | 0063 | 00784 | Contact Relationship | | |
| 49 | 20 | ST | O | | | 00785 | Job Title | | |
| 50 | 20 | JCC | O | | | 00786 | Job Code/Class | | |
| 51 | 250 | XON | O | Y | | 01299 | Guarant or Employer's Organization Name | | |
| 52 | 2 | IS | O | | 0295 | 00753 | Handicap | | |
| 53 | 2 | IS | O | | 0311 | 00752 | Job Status | | |
| 54 | 50 | FC | O | | | 01231 | Guarant or Financial Class | | |
| 55 | 250 | CE | O | Y | 0005 | 01291 | Guarant or Race | | |
| 56 | 250 | ST | O | | | 01851 | Guarant or Birth Place | | |
| 57 | 2 | IS | O | | 0099 | 00146 | VIP IndicatorS | | |

7.13. PV1 - Patient Visit Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|---------------------------|--|-----|
| 1 | 4 | SI | O | | | 00131 | Set ID - Patient Visit | Transaction number | O |
| 2 | 1 | IS | R | | 0004 | 00132 | Patient Class | (Type of billing) | I/O |
| 3 | 80 | PL | R2 | | | 00133 | Assigned Patient Location | (Dept., ward, room, bed) | I/O |
| 4 | 2 | IS | O | | 0007 | 00134 | Admission Type | | |
| 5 | 20 | CX | O | | | 00135 | Preadmit Number | | |
| 6 | 80 | PL | O | | | 00136 | Prior Patient Location | (when transferred) | I/O |
| 7 | 60 | XCN | O | Y | 0010 | 00137 | Attending Doctor | | I/O |
| 8 | 60 | XCN | O | Y | 0010 | 00138 | Referring Doctor | | I/O |
| 9 | 60 | XCN | O | Y | 0010 | 00139 | Consulting Doctor | | I/O |
| 10 | 3 | IS | O | | 0069 | 00140 | Hospital Service | Type of treatment intended | I/O |
| 11 | 80 | PL | O | | | 00141 | Temporary Location | | |
| 12 | 2 | IS | O | | | 00142 | Preadmit Test Indicator | Ref. to exam. prog. which must be carried out before the patient is admitted | |
| 13 | 2 | IS | O | | 0092 | 00143 | Readmission indicator | | |
| 14 | 3 | IS | O | | 0023 | 00144 | Admit Source | | I/O |
| 15 | 2 | IS | O | Y | 0009 | 00145 | Ambulatory Status | | O |
| 16 | 2 | IS | O | | 0099 | 00146 | VIP Indicator | | |
| 17 | 60 | XCN | O | Y | 0010 | 00147 | Admitting Doctor | | I/O |
| 18 | 2 | IS | O | | 0018 | 00148 | Patient Type | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|---------------------------|--|-----|
| 19 | 20 | CX | R2 | | | 00149 | Visit Number | Assigning Authority in PV1-19.4 | I/O |
| 20 | 50 | FC | O | Y | 0064 | 00150 | Financial Class | Type of payment (code 4 GSG) | I/O |
| 21 | 2 | IS | O | | 0032 | 00151 | Charge Price Indicator | Health-plan patient/ Self-pay patient | |
| 22 | 2 | IS | O | | 0045 | 00152 | Courtesy Code | Not used | |
| 23 | 2 | IS | O | | 0046 | 00153 | Credit Rating | Not used | |
| 24 | 2 | IS | O | Y | 0044 | 00154 | Contract Code | Type of billing | O |
| 25 | 8 | DT | O | Y | | 00155 | Contract Effective Date | Type of billing valid from | |
| 26 | 12 | NM | O | Y | | 0156 | Contract Amount | Billing amount | |
| 27 | 3 | NM | O | Y | | 0157 | Contract Period | Period of validity for billing | |
| 28 | 2 | IS | O | | 0073 | 00158 | Interest Code | Not used | |
| 29 | 1 | IS | O | | 0110 | 00159 | Transfer to Bad Debt Code | Not used | |
| 30 | 8 | DT | O | | | 00160 | Transfer to Bad Debt Date | Not used | |
| 31 | 10 | IS | O | | 0021 | 00161 | Bad Debt Agency Code | Not used | |
| 32 | 12 | NM | O | | | 00162 | Bad Debt Transfer Amount | Not used | |
| 33 | 12 | NM | O | | | 00163 | Bad Debt Recovery Amount | Not used | |
| 34 | 1 | IS | O | | 0111 | 00164 | Delete Account Indicator | Not used | |
| 35 | 8 | DT | O | | | 00165 | Delete Account Date | Not used | |
| 36 | 3 | IS | O | | 0112 | 00166 | Discharge Disposition | | |
| 37 | 25 | CM | O | | 0113 | 00167 | Discharged to Location | | |
| 38 | 2 | IS | O | | 0114 | 00168 | Diet Type | | |
| 39 | 2 | IS | O | | 0115 | 00169 | Servicing Facility | Default Cost Unit | I/O |
| 40 | 1 | IS | B | | 0116 | 00170 | Bed Status | Not used | |
| 41 | 2 | IS | B | | 0117 | 00171 | Account Status | | |
| 42 | 80 | PL | O | | | 00172 | Pending Location | | |
| 43 | 80 | PL | O | | | 00173 | Prior Temporary Location | | |
| 44 | 26 | TS | O | | | 00174 | Admit Date/Time | Alternative PV1-19.7 | I/O |
| 45 | 26 | TS | O | | | 00175 | Discharge Date/Time | Alternative PV1-19.8 | I/O |
| 46 | 12 | NM | O | | | 00176 | Current Patient Balance | Not used | |
| 47 | 12 | NM | O | | | 00177 | Total Charges | Not used | |
| 48 | 12 | NM | O | | | 00178 | Total Adjustments | Not used | |
| 49 | 12 | NM | O | | | 00179 | Total Payments | Not used | |
| 50 | 20 | CX | O | | 0192 | 00180 | Alternate Visit ID | | I/O |
| 51 | 1 | IS | O | | 0326 | 01226 | Visit Indicator | Medical/billing-oriented message | I/O |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|---------------------------|-------------|-----|
| 52 | 60 | XCN | O | Y | 0010 | 01224 | Other Healthcare Provider | | |

7.14. IN1 - Insurance Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|-----------------------------------|---|-----|
| 1 | 4 | SI | R | | | 00426 | Set ID insurance | Transaction number | O |
| 2 | 60 | CE | R | | 0072 | 00368 | Insurance plan ID | Tariff code of cost unit (insurance number) is used if IN1-49 not set. | I |
| 3 | 59 | CX | R | Y | | 00428 | Insurance company ID | Institute code/number of cost unit | I/O |
| 4 | 130 | XON | R2 | Y | | 00429 | Insurance company name | | I/O |
| 5 | 106 | XAD | O | Y | | 00430 | Insurance company address | | O |
| 6 | 48 | XPN | O | Y | | 0431 | Insurance co. Contact pers | | |
| 7 | 40 | XTN | O | Y | | 0432 | Insurance co phone number | | |
| 8 | 12 | ST | R2 | | | 00433 | Group number | Mapping takes place only with following ID: 1 = health-plan/BG, 2 = private, 3 = self-pay | |
| 9 | 130 | XON | R2 | Y | | 00434 | Group name | Type of cost unit | I/O |
| 10 | 12 | CX | O | Y | | 00435 | Insured's group emp ID | Not used | |
| 11 | 130 | XON | O | Y | | 00436 | Insured's group emp Name | Not used | |
| 12 | 8 | DT | O | | | 00437 | Plan effective date | Start date of health insurance card | I/O |
| 13 | 8 | DT | O | | | 00438 | Plan expiration date | Expiry date of health insurance card | |
| 14 | 55 | CM | O | | | 00439 | Authorization information | File reference of cost transfer | |
| 15 | 3 | IS | O | | 0086 | 00440 | Plan type | Insurance status (M / F / R) | I/O |
| 16 | 48 | XPN | O | Y | | 00441 | Name of insured | | I |
| 17 | 2 | IS | O | | 0063 | 00442 | Insured's relationship to patient | | |
| 18 | 26 | TS | O | | | 00443 | Insured's date of birth | | I/O |
| 19 | 106 | XAD | O | Y | | 00444 | Insured's address | | |
| 20 | 2 | IS | O | | 0135 | 00445 | Assignment of benefits | | |
| 21 | 2 | IS | O | | 0173 | 00446 | Coordination of benefits | | |
| 22 | 2 | ST | O | | | 00447 | Coord of ben. Priority | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----------|-----------|-----------|----------|----------|------|--------------|-------------------------------|--|------------|
| 23 | 2 | ID | O | | 0136 | 00448 | Notice of admission code | | |
| 24 | 8 | DT | O | | | 00449 | Notice of admission date | | |
| 25 | 2 | ID | O | | 0136 | 00450 | Rpt of eligibility code | Cost transfer feature (GSG) | |
| 26 | 8 | DT | O | | | 00451 | Rpt of eligibility date | Date of cost transfer | |
| 27 | 2 | IS | O | | 0093 | 00452 | Release information code | | |
| 28 | 15 | ST | O | | | 00453 | Pre admit cert (PAC) | | |
| 29 | 26 | TS | O | | | 00454 | Verification date/time | Date/time insurance card last verified | O |
| 30 | 60 | XCN | O | | | 00455 | Verification by | Verified by | |
| 31 | 2 | IS | O | | 0098 | 00456 | Type of agreement code | Not used | |
| 32 | 2 | IS | O | | 0022 | 00457 | Billing status | | |
| 33 | 4 | NM | O | | | 00458 | Lifetime reserve days | Not used | |
| 34 | 4 | NM | O | | | 00459 | Delay before L. R. day | Not used | |
| 35 | 8 | IS | O | | | 00460 | Company plan code | Insurance card data ICNo.^Ins.no.^validto ^Status^Status suppl. ^KT subgroup Example: 6201379^^0405^1000^1^ IN1-35.1 is used if IN1-2 not set. IN1-35.2 is used if IN1-15 not set. IN1-35.3 is used if IN1-13 not set. | |
| 36 | 15 | ST | O | | | 00461 | Policy number | | O |
| 37 | 12 | CP | O | | | 00462 | Policy deductible | | O |
| 38 | 12 | CP | B | | | 00463 | Policy limit amount | No longer used (see IN2-29) | |
| 39 | 4 | NM | O | | | 00464 | Policy limit days | | |
| 40 | 12 | CP | B | | | 00465 | Room rate semi private | No longer used | |
| 41 | 12 | CP | B | | | 00466 | Room rate private | No longer used | |
| 42 | 60 | CE | O | | 0066 | 00467 | Insured's employment status | | |
| 43 | 1 | IS | O | | 0001 | 00468 | Insured's sex | | |
| 44 | 106 | XAD | O | Y | | 00469 | Insured's employer address | | |
| 45 | 2 | ST | O | | | 00470 | Verification status | Not used | |
| 46 | 8 | IS | O | | 0072 | 00471 | Prior insurance plan ID | | |
| 47 | 3 | IS | O | | 0309 | 01227 | Coverage Type | | |
| 48 | 2 | IS | O | | 0310 | 00753 | Handicap Code | | |
| 49 | 12 | CX | O | Z | | 01230 | Insured's ID Number | Insurance number | I/O |

7.15. IN2 - Insurance Additional Information Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|----------|----------|-----------|----------|----------|------------|------------|--|-----------------------|------------|
| 1 | 250 | CX | O | Y | | 472 | Insured's Employee ID | | |
| 2 | 11 | ST | O | | | 473 | Insured's Social Security Number | | |
| 3 | 250 | XCN | O | Y | | 474 | Insured's Employer's Name and ID | | |
| 4 | 1 | IS | O | | 139 | 475 | Employer Information Data | | |
| 5 | 1 | IS | O | Y | 137 | 476 | Mail Claim Party | | I/O |
| 6 | 15 | ST | O | | | 477 | Medicare Health Insurance Card Number | | |
| 7 | 250 | XPN | O | Y | | 478 | | Medicaid Case Name | |
| 8 | 15 | ST | O | | | 479 | Medicaid Case Number | | |
| 9 | 250 | XPN | O | Y | | 480 | | Military Sponsor Name | |
| 10 | 20 | ST | O | | | 481 | Military ID Number | | |
| 11 | 250 | CWE | O | | 342 | 482 | Dependent Of Military Recipient | | |
| 12 | 25 | ST | O | | | 483 | Military Organization | | |
| 13 | 25 | ST | O | | | 484 | Military Station | | |
| 14 | 14 | IS | O | | 140 | 485 | Military Service | | |
| 15 | 2 | IS | O | | 141 | 486 | Military Rank/Grade | | |
| 16 | 3 | IS | O | | 142 | 487 | Military Status | | |
| 17 | 8 | DT | O | | | 488 | Military Retire Date | | |
| 18 | 1 | ID | O | | 136 | 489 | Military Non-Avail Certificate On File | | |
| 19 | 1 | ID | O | | 136 | 490 | Baby Coverage | | |
| 20 | 1 | ID | O | | 136 | 491 | Combine Baby Bill | | |
| 21 | 1 | ST | O | | | 492 | Blood Deductible | | |
| 22 | 250 | XPN | O | Y | | 493 | Special Coverage Approval Name | | |
| 23 | 30 | ST | O | | | 494 | Special Coverage Approval Title | | |
| 24 | 8 | IS | O | Y | 143 | 495 | Non-Covered Insurance Code | | |
| 25 | 250 | CX | O | Y | | 496 | Payor ID | | |
| 26 | 250 | CX | O | Y | | 497 | Payor Subscriber ID | | |
| 27 | 1 | IS | O | | 144 | 498 | Eligibility Source | | |
| 28 | 82 | RMC | O | Y | | 499 | Room Coverage Type/Amount | | |
| 29 | 56 | PTA | O | Y | | 500 | Policy Type/Amount | | |
| 30 | 25 | DDI | O | | | 501 | Daily Deductible | | |
| 31 | 2 | IS | O | | 223 | 755 | Living Dependency | | |
| 32 | 2 | IS | O | Y | 9 | 145 | Ambulatory Status | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|------|--|-------------|-----|
| 33 | 705 | CWE | O | Y | 171 | 129 | Citizenship | | |
| 34 | 705 | CWE | O | | 296 | 118 | Primary Language | | |
| 35 | 2 | IS | O | | 220 | 742 | Living Arrangement | | |
| 36 | 705 | CWE | O | | 215 | 743 | Publicity Code | | |
| 37 | 1 | ID | O | | 136 | 744 | Protection Indicator | | |
| 38 | 2 | IS | O | | 231 | 745 | Student Indicator | | |
| 39 | 705 | CWE | O | | 6 | 120 | Religion | | |
| 40 | 250 | XPN | O | Y | | 109 | Mother's Maiden Name | | |
| 41 | 705 | CWE | O | | 212 | 739 | Nationality | | |
| 42 | 705 | CWE | O | Y | 189 | 125 | Ethnic Group | | |
| 43 | 705 | CWE | O | Y | 2 | 119 | Marital Status | | |
| 44 | 8 | DT | O | | | 787 | Insured's Employment Start Date | | |
| 45 | 8 | DT | O | | | 783 | Employment Stop Date | | |
| 46 | 20 | ST | O | | | 785 | Job Title | | |
| 47 | 20 | JCC | O | | | 786 | Job Code/Class | | |
| 48 | 2 | IS | O | | 311 | 752 | Job Status | | |
| 49 | 250 | XPN | O | Y | | 789 | Employer Contact Person Name | | |
| 50 | 250 | XPN | O | Y | | 790 | Employer Contact Person Phone Number | | |
| 51 | 2 | IS | O | | 222 | 791 | Employer Contact Reason | | |
| 52 | 250 | XPN | O | Y | | 792 | Insured's Contact Person's Name | | |
| 53 | 250 | XPN | O | Y | | 793 | Insured's Contact Person Phone Number | | |
| 54 | 2 | IS | O | Y | 222 | 794 | Insured's Contact Person Reason | | |
| 55 | 8 | DT | O | | | 795 | Relationship to the Patient Start Date | | |
| 56 | 8 | DT | O | Y | | 796 | Relationship to the Patient Stop Date | | |
| 57 | 2 | IS | O | | 232 | 797 | Insurance Contact Reason | | |
| 58 | 250 | XPN | O | Y | | 798 | Insurance Contact Phone Number | | |
| 59 | 2 | IS | O | | 312 | 799 | Policy Scope | | |
| 60 | 2 | IS | O | | 313 | 800 | Policy Source | | |
| 61 | 250 | CX | O | | | 801 | Patient Member Number | | |
| 62 | 250 | CWE | O | | 63 | 802 | Guarant or's Relationship to Insured | | |
| 63 | 250 | XPN | O | Y | | 803 | Insured's Phone Number - Home | | |
| 64 | 250 | XPN | O | Y | | 804 | Insured's Employer Phone Number | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|------|---|-------------|-----|
| 65 | 250 | CWE | O | | 343 | 805 | Military Handicapped Program | | |
| 66 | 1 | ID | O | | 136 | 806 | Suspend Flag | | |
| 67 | 1 | ID | O | | 136 | 807 | Copay Limit Flag | | |
| 68 | 1 | ID | O | | 136 | 808 | Stoploss Limit Flag | | |
| 69 | 250 | XON | O | Y | | 809 | Insured Organization Name and ID | | |
| 70 | 250 | XON | O | Y | | 810 | Insured Employer Organization Name and ID | | |
| 71 | 705 | CWE | O | Y | 5 | 113 | Race | | |
| 72 | 705 | CWE | O | | 344 | 811 | Patient's Relationship to Insured | | |

7.16. MRG - Merge Patient Information Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|------------------------------|-------------|-----|
| 1 | 20 | CX | R | Y | | 00211 | Prior Patient ID - Internal | | I/O |
| 2 | 20 | CX | O | Y | | 00212 | Prior Alternate Patient ID | | |
| 3 | 20 | CX | O | | | 00213 | Prior Patient Account Number | | |
| 4 | 20 | CX | O | | | 00214 | Prior Patient ID - External | | |
| 5 | 20 | CX | O | | | 01279 | Prior Visit Number | | I |
| 6 | 20 | CX | O | | | 01280 | Prior Alternate Visit ID | | |
| 7 | 48 | XPN | O | | | 01281 | Prior Patient Name | | |

7.17. QRD - Original-style Query Definition Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|-----------------------------|--|-----|
| 1 | 26 | TS | R | | | 00025 | Query Date/Time | | |
| 2 | 1 | ID | R | | 0106 | 00026 | Query Format Code | R - for patient data D - for reports | |
| 3 | 1 | ID | R | | 0091 | 00027 | Query Priority | constant 'I' | |
| 4 | 10 | ST | R | | | 00028 | Query ID | | I |
| 5 | 1 | ID | | | 0107 | 00029 | Deferred Response Type | (to QRD 6) | |
| 6 | 26 | TS | | | | 00030 | Deferred Response Date/Time | | |
| 7 | 10 | CQ | R | | 0126 | 00031 | Quantity Limited Request | Maximum length of response With patient query = '1^RD' | I |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|----------------------------|---|-----|
| 8 | 20 | ST | R | Y | | 00032 | Who Subject Filter | Search term - Person (Patient ID) | |
| 9 | 3 | ID | R | Y | 0048 | 00033 | What Subject Filter | Search term - Information category APN - patient data RES - results | I |
| 10 | 20 | ST | R | Y | | 00034 | What Department Data Code | Search term - objects (Order Filler ID) | I |
| 11 | 20 | ST | | Y | | 00035 | What Data Code Value Qual. | Search term - Object range | |
| 12 | 1 | ID | | | 0108 | 00036 | Query Results Level | | |

7.18. DSP - Display Data Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|-----------------------|-----------------------------|-----|
| 1 | 4 | SI | | | | 00061 | Set ID - Display Data | Transaction number | O |
| 2 | 4 | SI | | | | 00062 | Display Level | Block number | |
| 3 | 300 | TX | R | | | 00063 | Data Line | (Formatting as per default) | O |
| 4 | 2 | ST | R | | | 00064 | Logical Break Point | | |
| 5 | 20 | TX | R | | | 00065 | Result ID | | |

7.19. QAK - Query Acknowledgement Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|-----------------------|-------------|-----|
| 1 | 32 | ST | C | | | 00696 | QueryTag | | O |
| 2 | 2 | ID | O | | 0208 | 00708 | Query Response Status | | O |
| 3 | 250 | CE | O | | 0471 | 01375 | Message Query Name | | |
| 4 | 10 | NM | O | | | 01434 | HitCount | | |
| 5 | 10 | NM | O | | | 01622 | This payload | | |
| 6 | 10 | NM | O | | | 01623 | Hits remaining | | |

7.20. QPD - Query Parameter Definition

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|--------|-----|-----|------|-------|--|-------------|-----|
| 1 | 250 | CE | R | | 0471 | 01375 | Message QueryName | | |
| 2 | 32 | ST | C | | | 00696 | QueryTag | | |
| 3-n | 256 | varies | | | | 01435 | User Parameters (in successive fields) | | I |

7.21. QRF - Original Style Query Filter

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|----------------------|-------------|-----|
| 1 | 20 | ST | R | Y | | 00037 | Where Subject Filter | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|----------------------------------|-------------|-----|
| 2 | 26 | TS | B | | | 00038 | When Data Start Date/Time | | |
| 3 | 26 | TS | B | | | 00038 | When Data End Date/Time | | |
| 4 | 60 | ST | O | Y | | 00040 | What User Qualifier | | |
| 5 | 60 | ST | O | Y | | 00041 | Other QRY Subject Filter | | I |
| 6 | 12 | ID | O | Y | 0156 | 00042 | Which Date/Time Qualifier | | |
| 7 | 12 | ID | O | Y | 0157 | 00043 | Which Date/Time Status Qualifier | | |
| 8 | 12 | ID | O | Y | 0158 | 00044 | Date/Time Selection Qualifier | | |
| 9 | 60 | TQ | O | | | 00694 | When Quantity/ Timing Qualifier | | |
| 10 | 10 | NM | O | | | 01442 | Search Confidence Threshold | | |

7.22. RCP - Response Control Parameter Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|---------------------------------|-------------|-----|
| 1 | 1 | ID | O | | 0091 | 00027 | Query Priority | | |
| 2 | 10 | CQ | O | | 0126 | 00031 | Quantity Limited Request | | I |
| 3 | 250 | CE | O | | 0394 | 01440 | Response Modality | | |
| 4 | 26 | TS | C | | | 01441 | Execution and Delivery Time | | |
| 5 | 1 | ID | O | | 0395 | 01443 | Modify Indicator | | |
| 6 | 512 | SRT | O | Y | | 01624 | Sort-by Field | | |
| 7 | 256 | ID | | Y | | 01594 | Segment group inclusion | | |

7.23. RGS - Resource Group Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|---------------------|-------------|-----|
| 1 | 4 | SI | R | | | 01203 | Set ID - RGS | | O |
| 2 | 3 | ID | C | | 0206 | 00763 | Segment Action Code | | O |
| 3 | 250 | CE | O | | | 01204 | Resource Group ID | | |

7.24. ORC - Common Order Control

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|---------------------|--|-----|
| 1 | 2 | ID | R | | 0119 | 00215 | Order Control | | I/O |
| 2 | 22 | EI | C | | | 00216 | Placer Order Number | Order no. of person/ dept. placing the order | I/O |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|-------------------------------------|--|-----|
| 3 | 22 | EI | C | | | 00217 | Filler Order Number | Processing number of service dept. filling the order | I/O |
| 4 | 22 | EI | R2 | | | 00218 | Placer Group Number | Clear order group no. | I/O |
| 5 | 2 | ID | O | | 0038 | 00219 | Order Status | | O |
| 6 | 1 | ID | O | | 0121 | 00220 | Response Flag | Scope of desired result message | |
| 7 | 200 | TQ | O | | | 00221 | Quantity/Timing | Quantity^Interval ^Duration^StartDate/ Time ^EndDate/ Time^Priority | I/O |
| 8 | 200 | CM | O | | | 0222 | Parent | Reference to main order | |
| 9 | 26 | TS | O | | | 00223 | Date/Time of Transaction | | O |
| 10 | 120 | XCN | R2 | | | 00224 | Entered By | | I/O |
| 11 | 120 | XCN | O | | | 00225 | Verified By | alternative ORC-10 | |
| 12 | 120 | XCN | O | | | 00226 | Ordering Provider | alternative ORC-11 | I/O |
| 13 | 80 | PL | O | | | 00227 | Enterer's Location | | |
| 14 | 40 | XTN | O | Y/2 | | 00228 | Call Back Phone Number | | I/O |
| 15 | 26 | TS | O | | | 00229 | Order Effective Date/ Time | | |
| 16 | 200 | CE | O | | | 00230 | Order Control Code Reason | Reason for cancellation | I |
| 17 | 60 | CE | O | | | 00231 | Entering Organization | | |
| 18 | 60 | CE | O | | | 00232 | Entering Device | | |
| 19 | 120 | XCN | O | | | 00233 | Action by | | |
| 20 | 250 | CE | O | | 0339 | 01310 | Advanced Beneficiary Notice Code | | |
| 21 | 250 | XON | O | Y | | 01311 | Ordering Facility Name | | |
| 22 | 250 | XAD | O | Y | | 01312 | Ordering Facility Address | | |
| 23 | 250 | XTN | O | Y | | 01313 | Ordering Facility Phone Number | | |
| 24 | 250 | XAD | O | Y | | 01314 | Ordering Provicer Address | | |
| 25 | 250 | CWE | O | | | 01473 | Order Status Modifier | | O |

7.25. OBR - Observation Request Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|-------------------------------|---|-----|
| 1 | 4 | SI | C | | | 00237 | Set ID Observation Request | | I/O |
| 2 | 22 | EI | C | | | 00216 | Placer Order Number | Order no. of person/ dept. placing the order | I/O |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|--------------------------------------|--|-----|
| 3 | 22 | EI | C | | | 00217 | Filler Order Number | Processing number of service dept. filling the order | I/O |
| 4 | 200 | CE | R | | | 00238 | Universal Service ID | | O |
| 5 | 2 | ID | B | | | 00239 | Priority - NOT USED in 2.2 | No longer used | |
| 6 | 26 | TS | B | | | 00240 | Requested Date/time - NOT USED | No longer used | |
| 7 | 26 | TS | C | | | 00241 | Observation Date/Time | | I/O |
| 8 | 26 | TS | O | | | 00242 | Observation End Date/Time | | O |
| 9 | 20 | CQ | O | | | 00243 | Collection Volume | | |
| 10 | 60 | XCN | O | Y | | 00244 | Collector Identifier | | |
| 11 | 1 | ID | O | | 0065 | 00245 | Specimen Action Code * | | |
| 12 | 60 | CE | O | | | 00246 | Danger Code | Warning for contagious materials | I/O |
| 13 | 300 | ST | O | | | 00247 | Relevant Clinical Info. | Comment for order | I/O |
| 14 | 26 | TS | C | | | 00248 | Specimen Received Date/Time * | | |
| 15 | 300 | CM | O | | 0070 | 00249 | Specimen Source * | Examination option (type of material / type of specimen) Body Site in OBR-15.5 | I/O |
| 16 | 80 | XCN | O | Y | | 00226 | Ordering Provider | | I/O |
| 17 | 40 | XTN | O | Y/2 | | 00250 | Order Callback Phone Number | | |
| 18 | 60 | ST | O | | | 00251 | Placer field 1 | Accession number (free text 1 for service placer) Option for order | I/O |
| 19 | 60 | ST | O | | | 00252 | Placer field 2 | free text 2 for service placer | I/O |
| 20 | 60 | ST | O | | | 00253 | Filler Field 1 | free text 1 for service filler | O |
| 21 | 60 | ST | O | | | 00254 | Filler Field 2 | free text 2 for service filler | O |
| 22 | 26 | TS | C | | | 00255 | Results Rpt/Status Chng -Date/Time + | | O |
| 23 | 40 | CM | O | | | 00256 | Charge to Practice | Service amount/service code | |
| 24 | 10 | ID | O | | 0074 | 00257 | Diagnostic Serv Sect ID | Detailed specification of service section | O |
| 25 | 1 | ID | C | | 0123 | 00258 | Result Status + | | O |
| 26 | 400 | CM | O | | | 00259 | Parent Result | | |
| 27 | 200 | TQ | O | Y | | 00221 | Quantity/Timing | Quantity^Interval^Duration^StartDate/ | O |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----------|-----------|-----------|----------|-----|-------------|--------------|--|---------------------------------|------------|
| | | | | | | | | Time^ EndDate/ Time^Priority | |
| 28 | 150 | XCN | O | Y/5 | | 00260 | Result Copies To | | |
| 29 | 150 | CM | O | Y/5 | | 00261 | Parent Number | | I |
| 30 | 20 | ID | O | | 0124 | 00262 | Transportation Mode | (Patient) | I/O |
| 31 | 300 | CE | O | Y | | 00263 | Reason for Study | Reason for Study | I |
| 32 | 200 | CM | O | | | 00264 | Principal Result Interpreter + | Principal Result Interpreter | I/O |
| 33 | 200 | CM | O | Y | | 00265 | Assistant Result Interpreter | First Result Interpreter | O |
| 34 | 200 | CM | O | Y | | 00266 | Technician + | Medical Assistant | O |
| 35 | 200 | CM | O | Y | | 00267 | Transcriptionist + | | O |
| 36 | 26 | TS | O | | | 00268 | Scheduled Date/Time | Scheduled Date/Time | O |
| 37 | 4 | NM | O | | | 01028 | Number of Sample Containers | | |
| 38 | 60 | CE | O | Y | | 01029 | Transport Logistics of Collected Sample | | |
| 39 | 200 | CE | O | Y | | 01030 | Collector's Comment | | |
| 40 | 60 | CE | O | | | 01031 | Transport Arrangement Responsibility | | |
| 41 | 30 | ID | O | | 0224 | 01032 | Transport Arranged | | I |
| 42 | 1 | ID | O | | 0225 | 01033 | Escort Required | | O |
| 43 | 200 | CE | O | Y | | 01034 | Planned PatientTransport Comment | | |
| 44 | 250 | CE | O | | 0088 | 00393 | Procedure Code | | O |
| 45 | 250 | CE | O | Y | 0340 | 01316 | Procedure Code Modifier | | |
| 46 | 250 | CE | O | Y | 0411 | 01474 | Placer Supplemental Service Information | | O |
| 47 | 250 | CE | O | Y | 0411 | 01475 | Filler Supplemental Service Information | | O |
| 48 | 250 | CE | O | | 0476 | 01646 | Medically Necessary Duplicate Procedure Reason | | |
| 49 | 2 | IS | O | | 0507 | 01647 | Result Handling | | |

7.26. OM1 - General Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|--|-------------|-----|
| 1 | 4 | NM | R | | | 00586 | Sequence Number - Test/Observation Master File | | |
| 2 | 250 | CE | R | | 9999 | 00587 | Producer's Service/ Test/ Observation ID | | I |
| 3 | 12 | ID | O | Y | 0125 | 00588 | Permitted Data Types | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|---|-------------|-----|
| 4 | 1 | ID | R | | 0136 | 00589 | Specimen Required | | |
| 5 | 250 | CE | R | | 9999 | 00590 | Producer ID | | |
| 6 | 200 | TX | O | | | 00591 | Observation Description | | |
| 7 | 250 | CE | O | | 9999 | 00592 | Other Service/Test/ Observation IDs for theObservation | | I |
| 8 | 200 | ST | R | Y | | 00593 | Other Names | | |
| 9 | 30 | ST | O | | | 00594 | Preferred Report Name for the Observation | | |
| 10 | 8 | ST | O | | | 00595 | Preferred Short Name or Mnemonic for Observation | | I/O |
| 11 | 200 | ST | O | | | 00596 | Preferred Long Name for the Observation | | I/O |
| 12 | 1 | ID | O | | 0136 | 00597 | Orderability | | I/O |
| 13 | 250 | CE | O | Y | 9999 | 00598 | Identity of Instrument Used to Perform this Study | | |
| 14 | 250 | CE | O | Y | 9999 | 00599 | Coded Representation of Method | | I/O |
| 15 | 1 | ID | O | | 0136 | 00600 | Portable Device Indicator | | |
| 16 | 250 | CE | O | Y | 9999 | 00601 | Observation Producing Department/Section | | |
| 17 | 250 | XTN | O | | | 00602 | Telephone Number of Section | | |
| 18 | 1 | IS | R | | 0174 | 00603 | Nature of Service/ Test/Observation | | |
| 19 | 250 | CE | O | | 9999 | 00604 | Report Subheader | | |
| 20 | 20 | ST | O | | | 00605 | Report Display Order | | |
| 21 | 26 | TS | O | | | 00606 | Date/Time Stamp for any change in Definition for the Observation | | |
| 22 | 26 | TS | O | | | 00607 | Effective Date/Time of Change | | |
| 23 | 20 | NM | O | | | 00608 | Typical Turn-Around Time | | |
| 24 | 20 | NM | O | | | 00609 | Processing Time | | I/O |
| 25 | 40 | ID | O | Y | 0168 | 00610 | Processing Priority | | |
| 26 | 5 | ID | O | | 0169 | 00611 | Reporting Priority | | |
| 27 | 250 | CE | O | Y | 9999 | 00612 | Outside Site(s) Where Observation may be Performed | | |
| 28 | 250 | XAD | O | Y | | 00613 | Address of Outside Site(s) | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|--------|-----|-----|-----|-----------|-------|--|-------------|-----|
| 29 | 250 | XTN | O | | | 00614 | Phone Number of Outside Site | | |
| 30 | 250 | CWE | O | | 0177 | 00615 | Confidentiality Code | | |
| 31 | 250 | CE | O | | 9999 | 00616 | Observations Required to Interpret the Observation | | |
| 32 | 6553/6 | TX | O | | | 00617 | Interpretation of Observations | | |
| 33 | 250 | CE | O | | 9999 | 00618 | Contraindications to Observations | | |
| 34 | 250 | CE | O | Y | 9999 | 00619 | Reflex Tests/ Observations | | |
| 35 | 80 | TX | O | | | 00620 | Rules that Trigger Reflex Testing | | |
| 36 | 250 | CE | O | | 9999 | 00621 | Fixed Canned Message | | |
| 37 | 200 | TX | O | | | 00622 | Patient Preparation | | I/O |
| 38 | 250 | CE | O | | 9999 | 00623 | Procedure Medication | | |
| 39 | 200 | TX | O | | | 00624 | Factors that may Affect the Observation | | |
| 40 | 60 | ST | O | Y | | 00625 | Service/ Test/ Observation performance Schedule | | |
| 41 | 6553/6 | TX | O | | | 00626 | Description of Test Methods | | |
| 42 | 250 | CE | O | | 0254 | 00637 | Kind of Quantity Observed | | |
| 43 | 250 | CE | O | | 0255 | 00638 | Point Versus Interval | | |
| 44 | 200 | TX | O | | 0256/0257 | 00639 | Challenge Information | | |
| 45 | 250 | CE | O | | 0258 | 00940 | Relationship Modifier | | |
| 46 | 250 | CE | O | | 9999 | 00941 | Target Anatomic Site Of Test | | I/O |
| 47 | 250 | CE | O | | 0259 | 00942 | Modality Of Imaging Measurement | | I/O |

7.27. OBX - Observation/Result Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|-------------------------------|---|-----|
| 1 | 4 | SI | R | | | 00569 | Set ID - Observational Simple | ID transaction number | I/O |
| 2 | 2 | ID | R | | 0125 | 00570 | Value Type | Result format | I/O |
| 3 | 80 | CE | O | | | 00571 | Observation Identifier | Name of observation Service number^service name^service catalogue | I/O |
| 4 | 20 | ST | O | | | 00572 | Observation Sub-ID | Differentiation of observation results | I/O |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|------|-----|------|-------|------------------------------|--------------------------------------|-----|
| | | | | | | | | (The document ID is set for reports) | |
| 5 | | | C/R | | | 00573 | Observation Value | | I/O |
| 6 | 60 | CE | O | | | 00574 | Units | | I |
| 7 | 60 | ST | O | | | 00575 | References Range | | I |
| 8 | 10 | ID | O | | 0078 | 00576 | Abnormal Flags | | |
| 9 | 5 | NM | O | Y/5 | | 00577 | Probability | | |
| 10 | 5 | ID | O | | 0080 | 00578 | Nature of Abnormal Test | | |
| 11 | 2 | ID | R/NA | | | 00579 | Observ Result Status | | O |
| 12 | 26 | TS | C | | | 00580 | Date Last Obs Normal Values | | |
| 13 | 20 | ST | C | | | 00581 | User Defined Access Checks | | |
| 14 | 26 | TS | O | | | 00582 | Date/Time of the Observation | | I |
| 15 | 60 | CE | C | | | 00583 | Producer's ID | | |
| 16 | 60 | XCN | O | | | 00584 | Responsible Observer | | I/O |
| 17 | 60 | CE | O | Y | | 00936 | Observation Method | | |

7.28. NTE - Notes and Comments Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|------|----|-----|-----|------|-------|-----------------------------|--------------------|-----|
| 1 | 4 | SI | | | | 00096 | Set ID - Notes and Comments | Transaction number | I/O |
| 2 | 8 | ID | | | 0105 | 00097 | Source of Comment | | |
| 3 | 6553 | ST | | Y | | 00098 | Comment | | I/O |
| 4 | 250 | CE | | | 0364 | 00099 | Comment Type | | I/O |

7.29. URD - Results/Update Definition Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|-----------------------------|---|-----|
| 1 | 26 | TS | | | | 00045 | R/U Date/Time | Time of report or update | O |
| 2 | 1 | ID | | | 0109 | 00046 | Report Priority | | O |
| 3 | 20 | ST | R | Y | | 00047 | R/U Who Subject Definition | Persons to whom the report or the update refers (case number/ admit number) | O |
| 4 | 3 | ID | | Y | | 00048 | R/U What Subject Definition | Information category | |
| 5 | 20 | ST | | Y | | 00049 | R/U What Department Code | Object of report or update, DOC_ID^UNT_PA_ID^ORD_UNT_or dernumber_Ext (in a collective | O |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|-----------------------------|---|-----|
| | | | | | | | | report, the order position numbers are added to the DOC:ID (e.g. "82453-2") | |
| 6 | 20 | ST | | Y | | 00050 | R/U Display/Print Locations | | |
| 7 | 1 | ID | | | 0108 | 00051 | R/U Results Level | Constant 'T' for results | 0 |

7.30. URS - Unsolicited Selection Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|--------------------------------------|--|-----|
| 1 | 20 | ST | R | Y | | 00052 | R/U Where Subject Definition | Dept. to which the report or update refers | 0 |
| 2 | 26 | TS | | | | 00053 | R/U When Data Start Date/Time | | |
| 3 | 26 | TS | | | | 00054 | R/U When Data End Date/Time | | 0 |
| 4 | 20 | ST | | Y | | 00055 | R/U What User Qualifier | (Observation abbreviation) | 0 |
| 5 | 20 | ST | | Y | | 00056 | R/U Other Results Subject Definition | (Report title) | 0 |
| 6 | 12 | ID | | Y | 0156 | 00057 | R/U Which Date/Time Qualifier | Events to which the report refers | |
| 7 | 12 | ID | | Y | 0158 | 00059 | R/U Date/Time Selection Qualifier | Scope of report | |
| 9 | 60 | TQ | 0 | | | 00695 | R/U Quantity/Timing Qualifier | | |

7.31. DG1 - Diagnosis Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|----------|-----|------|-------|---------------------------|---------------------|-----|
| 1 | 4 | SI | R | | | 00375 | Set ID diagnosis | Transaction number | I/O |
| 2 | 2 | ID | (B) R | | 0053 | 00376 | Diagnosis coding method | | I/O |
| 3 | 60 | CE | O | | 0051 | 00377 | Diagnosis code | | I/O |
| 4 | 40 | ST | B | | | 00378 | Diagnosis description | | I/O |
| 5 | 26 | TS | O | | | 00379 | Diagnosis date/time | | I/O |
| 6 | 2 | IS | R | | 0052 | 00380 | Diagnosis/DRG type | Diagnosis type (UD) | I/O |
| 7 | 60 | CE | B | | 0118 | 00381 | Major diagnostic category | Not used | |
| 8 | 60 | CE | B | | 0055 | 00382 | Diagnostic related group | Not used | |
| 9 | 2 | ID | B | | 0136 | 00383 | DRG approval indicator | Not used | |
| 10 | 2 | ID | B | | 0056 | 00384 | DRG grouper review code | Not used | |
| 11 | 60 | CE | B | | 0083 | 00385 | Outlier type | Not used | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|--------------------------|--|-----|
| 12 | 3 | NM | B | | | 00386 | Outlier days | Not used | |
| 13 | 12 | CP | B | | | 00387 | Outlier cost | Not used | |
| 14 | 4 | ST | B | | | 00388 | Grouper version and type | Not used | |
| 15 | 2 | NM | B | | | 00389 | Diagnosis Priority | (1-main diagnosis, 2..n further diagnoses) | I/O |
| 16 | 60 | XCN | O | Y | | 00390 | Diagnosing Clinician | | I/O |
| 17 | 3 | IS | O | | 0228 | 00766 | Diagnosis Classification | | |
| 18 | 1 | ID | O | | 0136 | 00767 | Diagnosis Classification | | |
| 19 | 26 | TS | O | | | 00768 | Attestation Date/Time | Not used | |
| 20 | 250 | EI | C | | | 01850 | Diagnosis Identifier | Order Filler ID^Diagnosis ID | O |
| 21 | 1 | ID | C | | 0206 | 01894 | Diagnosis Action Code | (HL7 v2.5 and later) | O |

7.32. PR1 - Procedures Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|----------|-----|------|-------|---------------------------|---|-----|
| 1 | 4 | SI | R | | | 00391 | Set ID procedure | Transaction number Order Filler ID^Diagnosis ID | I/O |
| 2 | 2 | IS | (B) R | | 0089 | 00392 | Procedure coding method | | O |
| 3 | 80 | CE | R | | 0088 | 00393 | Procedure code | | O |
| 4 | 40 | ST | B | | | 00394 | Procedure description | | O |
| 5 | 26 | TS | R | | | 00395 | Procedure date/time | Date and time of procedure | O |
| 6 | 2 | IS | R | | 0230 | 00396 | Procedure type | | I/O |
| 7 | 4 | NM | O | | | 00397 | Procedure minutes | | O |
| 8 | 120 | XCN | B | Y | 0010 | 00398 | Anesthesiologist | | |
| 9 | 2 | IS | O | | 0019 | 00399 | Anesthesia code | | |
| 10 | 4 | NM | O | | | 00400 | Anesthesia minutes | | |
| 11 | 120 | XCN | B | Y | 0010 | 00401 | Surgeon | Not used (use field 12) | |
| 12 | 230 | XCN | B | Y | 0010 | 00402 | Procedure Practitioner | | O |
| 13 | 60 | CE | O | | 0059 | 00403 | Consent code | | |
| 14 | 2 | NM | O | | | 00404 | Procedure priority | | O |
| 15 | 80 | CE | O | | | 00772 | Associated Diagnosis Code | | |
| 16 | 250 | CE | O | Y | 0340 | 01316 | Procedure Code Modifier | (HL7 v2.4 and later) | O |
| 17 | 20 | IS | O | | 0416 | 01501 | Procedure DRG Type | (HL7 v2.4 and later) | |
| 18 | 250 | CE | O | Y | 0417 | 01502 | Tissue Type Code | (HL7 v2.4 and later) | |
| 19 | 441 | EI | C | | | 01848 | Procedure Identifier | "Unique ID" (HL7 v2.5 and later) | O |
| 20 | 81 | ID | C | | 0206 | 01849 | Procedure Action Code | (HL7 v2.5 and later) | O |

7.33. ZDS - Study Instance UID Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|--------------------|------------------------------------|-----|
| 1 | 200 | RP | R | | | Z0001 | Study Instance UID | StudyInsUID^^ Application^Dicom | I/O |

7.34. SFT - Software Segment (since HL7 version 2.5)

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|------|-----|-----|-----|------|-------|--|-------------------------|-----|
| 1 | 567 | XON | R | | | 01834 | Software Vendor Organization | "medavis" | I/O |
| 2 | 15 | ST | R | | | 01835 | Software Certified Version or Release Number | For Example: "3.26.0.4" | O |
| 3 | 20 | ST | R | | | 01836 | Software Product Name | "medavis HL7" | O |
| 4 | 20 | ST | R | | | 01837 | Software Binary ID | | |
| 5 | 1024 | TX | O | | | 01838 | Software Product Information | | |
| 6 | 26 | TS | O | | | 01839 | Software Install Date | | |

7.35. SCH - Scheduling Activity Information

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|-------|-------|----------------------------|--|-----|
| 1 | 75 | EI | C | | | 00860 | Placer Appointment ID | Placer application's permanent unique identifier for the appointment. ID and domain are required. | I/O |
| 2 | 75 | EI | C | | | 00861 | Filler Appointment ID | | I |
| 3 | 5 | NM | C | | | 00862 | Occurrence Number | | |
| 4 | 22 | EI | O | | | 00218 | Placer Group Number | Unique placer ID and domain are required, if an order should be created for this appointment. The order group and case are read by this ID. If not found, new order, order group and case are created. | I/O |
| 5 | 250 | CE | O | | | 00864 | Schedule ID | | |
| 6 | 250 | CE | R | | | 00883 | EventReason | | |
| 7 | 250 | CE | O | | 00276 | 00866 | AppointmentReason | Appointment Reason. | I |
| 8 | 250 | CE | O | | 00277 | 00867 | Appointment Type | | |
| 9 | 20 | NM | B | | | 00868 | Appointment Duration | | I |
| 10 | 250 | CE | B | | | 00869 | Appointment Duration Units | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|-------|-------|------------------------------|--|-----|
| 11 | 200 | TQ | B | Y | | 00884 | Appointment Timing Quantity | Appointment Timing Quantity (Start date, end date, duration).Optional if Date/Time is already sent in TQ1,AIS or AIL. Pattern: yyyyMMddHHmm(ss) | I |
| 12 | 250 | XCN | O | Y | | 00874 | Placer Contact Person | | |
| 13 | 250 | XTN | O | | | 00875 | Placer Contact Phone Number | | I |
| 14 | 250 | XAD | O | Y | | 00876 | Placer Contact Address | | |
| 15 | 80 | PL | O | | | 00877 | Placer Contact Location | | |
| 16 | 250 | XCN | R | Y | | 00885 | Filler Contact Person | | |
| 17 | 250 | XTN | O | | | 00886 | Filler Contact Phone Number | | |
| 18 | 250 | XAD | O | Y | | 00887 | Filler Contact Address | | |
| 19 | 80 | PL | O | | | 00888 | Filler Contact Location | | |
| 20 | 250 | XCN | R | Y | | 00878 | Entered by Person | | |
| 21 | 250 | XTN | O | Y | | 00879 | Entered by Phone Number | | |
| 22 | 80 | PL | O | | | 00880 | Entered by Location | | |
| 23 | 75 | EI | O | | | 00881 | Parent Placer Appointment ID | | |
| 24 | 75 | EI | C | | | 00882 | Parent Filler Appointment ID | | |
| 25 | 250 | CE | O | | 00278 | 00889 | Filler Status Code | When filled with value "Waitlist" then appointment will be set automatically on the wait list. | I/O |
| 26 | 22 | EI | C | Y | | 00216 | Placer Order Number | Placer application's order number. Should consist of an unique ID and domain, if an order should be created for this appointment, else it should be empty. This ID can be useful to identify this appointment, if the RIS exports other messages like ORU messages, which do not contain the placers appointment id. | I/O |
| 27 | 22 | EI | C | Y | | 00217 | Filler Order Number | | O |

7.36. STF - Staff Identification

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|---------------------------------------|-------------|-----|
| 1 | 250 | CE | C | | 9999 | 00671 | Primary Key Value - STF | | I/O |
| 2 | 250 | CX | O | Y | | 00672 | Staff Identifier List | | I/O |
| 3 | 250 | XPN | O | Y | | 00673 | Staff Name | | I/O |
| 4 | 2 | IS | O | Y | 0182 | 00674 | Staff Type | | I/O |
| 5 | 1 | IS | O | | 0001 | 00111 | Administrative Sex | | |
| 6 | 26 | TS | O | | | 00110 | Date/Time of Birth | | I |
| 7 | 1 | ID | O | | 0183 | 00675 | Active/Inactive Flag | | I |
| 8 | 250 | CE | O | Y | 0184 | 00676 | Department | | I/O |
| 9 | 250 | CE | O | Y | 0069 | 00677 | Hospital Service - STF | | |
| 10 | 250 | XTN | O | Y | | 00678 | Phone | | I/O |
| 11 | 250 | XAD | O | Y | | 00679 | Office/Home Address/ Birthplace | | I/O |
| 12 | 276 | DIN | O | Y | 0537 | 00680 | Institution Activation Date | | I |
| 13 | 276 | DIN | O | Y | 0537 | 00681 | Institution Inactivation Date | | I |
| 14 | 250 | CE | O | Y | | 00682 | Backup Person ID | | |
| 15 | 40 | ST | O | Y | | 00683 | E-Mail Address | | |
| 16 | 250 | CE | O | | 0185 | 00684 | Preferred Method of Contact | | |
| 17 | 250 | CE | O | | 0002 | 00119 | Marital Status | | |
| 18 | 20 | ST | O | | | 00785 | Job Title | | |
| 19 | 20 | JCC | O | | | 00786 | Job Code/Class | | |
| 20 | 250 | CE | O | | 0066 | 01276 | Employment Status Code | | |
| 21 | 1 | ID | O | | 0136 | 01275 | Additional Insured on Auto | | |
| 22 | 25 | DLN | O | | | 01302 | Driver's License Number - Staff | | |
| 23 | 1 | ID | O | | 0136 | 01229 | Copy Auto Ins | | |
| 24 | 8 | DT | O | | | 01232 | Auto Ins.Expires | | |
| 25 | 8 | DT | O | | | 01298 | Date Last DMV Review | | |
| 26 | 8 | DT | O | | | 01234 | Date Next DMV Review | | |
| 27 | 250 | CE | O | | 0005 | 00113 | Race | | |
| 28 | 250 | CE | O | | 0189 | 00125 | EthnicGroup | | |
| 29 | 1 | ID | O | | 0136 | 01596 | Re-activation Approval Indicator | | |
| 30 | 250 | CWE | O | Y | 0171 | 00129 | Citizen ship | | I |
| 31 | 8 | TS | O | | | 01886 | Death Date and Time | | |
| 32 | 1 | ID | O | | 0136 | 01887 | Death Indicator | | |
| 33 | 250 | CWE | O | | 0538 | 01888 | Institution Relationship Type Code | | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|-----------------------------------|-----------------------------------|-----|
| 34 | 52 | DR | O | | | 01889 | Institution Relationship Period | | |
| 35 | 8 | DT | O | | | 01890 | Expected Return Date | | |
| 36 | 250 | CWE | O | Y | 0539 | 01891 | Cost Center Code | | |
| 37 | 1 | ID | O | | 0136 | 01892 | Generic Classification Indicator | | |
| 38 | 250 | CWE | O | Y | 0540 | 01893 | Inactive Reason Code | | |
| 39 | 1 | CWE | O | Y | 0771 | 02184 | Generic resource type or category | since HL7 version 2.6 for MFN^M02 | I |

7.37. MFE - Master File Entry

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|--------|-----|-----|------|-------|-------------------------|-------------|-----|
| 1 | 3 | ID | R | | 0180 | 00664 | Record- Level EventCode | | I/O |
| 2 | 20 | ST | C | | | 00665 | MFN Control ID | | |
| 3 | 26 | TS | O | | | 00662 | Effective Date/Time | | |
| 4 | 200 | Varies | R | Y | 9999 | 00667 | Primary Key Value - MFE | | I/O |
| 5 | 3 | ID | R | Y | 0355 | 01319 | Primary Key Value Type | | I/O |

7.38. MFI - Master File Identification Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|------------------------------------|-------------|-----|
| 1 | 250 | CE | R | | 0175 | 00658 | Master File Identifier | | I/O |
| 2 | 180 | HD | O | | 0361 | 00659 | Master File Application Identifier | | |
| 3 | 3 | ID | R | | 0178 | 00660 | File-Level Event Code | | I/O |
| 4 | 26 | TS | O | | | 00661 | Entered Date/Time | | |
| 5 | 26 | TS | O | | | 00662 | Effective Date/Time | | |
| 6 | 2 | ID | R | | 0179 | 00663 | Response Level Code | | O |

7.39. TQ1 - Timing/Quantity Segment

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|-------------------------|-------------|-----|
| 1 | 4 | SI | O | | | 01627 | Set ID - TQ1 | | O |
| 2 | 20 | CQ | O | | | 01628 | Quantity | | |
| 3 | 540 | RPT | O | Y | 0335 | 01629 | Repeat Pattern | | |
| 4 | 20 | TM | O | Y | | 01630 | Explicit Time | | |
| 5 | 20 | CQ | O | Y | | 01631 | Relative Time and Units | | |
| 6 | 20 | CQ | O | | | 01632 | Service Duration | | |
| 7 | 26 | TS | O | | | 01633 | Start date/time | | I/O |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|---------------------|-------------|-----|
| 8 | 26 | TS | O | | | 01634 | End date/time | | I/O |
| 9 | 250 | CWE | O | Y | 0485 | 01635 | Priority | | I/O |
| 10 | 250 | TX | O | | | 01636 | Condition text | | |
| 11 | 250 | TX | O | | | 01637 | Text instruction | | |
| 12 | 10 | ID | C | | 0427 | 01638 | Conjunction | | |
| 13 | 20 | CQ | O | | | 01639 | Occurrence duration | | |
| 14 | 10 | NM | O | | | 01640 | Total occurrence's | | |

7.40. TXA - Transcription Document Header

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|-----|-----|-----|------|-------|-------------------------------------|-------------|-----|
| 1 | 4 | SI | R | | | 00914 | Set ID - TXA | | O |
| 2 | 30 | IS | R | | 270 | 00915 | Document Type | | O |
| 3 | 2 | ID | C | | 0191 | 00916 | Document Content Presentation | | |
| 4 | 26 | TS | O | | | 00917 | Activity Date/Time | | |
| 5 | 250 | XCN | C | Y | | 00918 | Primary Activity Provider Code/Name | | |
| 6 | 26 | TS | O | | | 00919 | Origination Date/Time | | O |
| 7 | 26 | TS | C | | | 00920 | Transcription Date/Time | | |
| 8 | 26 | TS | O | Y | | 00921 | Edit Date/Time | | |
| 9 | 250 | XCN | O | Y | | 00922 | Originator Code/Name | | |
| 10 | 250 | XCN | O | Y | | 00923 | Assigned Document Authenticator | | |
| 11 | 250 | XCN | C | Y | | 00924 | Transcriptionist Code/Name | | |
| 12 | 30 | EI | R | | | 00925 | Unique Document Number | | I/O |
| 13 | 30 | EI | C | | | 00926 | Parent Document Number | | |
| 17 | 2 | ID | R | | 0271 | 00928 | Document Completion Status | | |
| 22 | 250 | PPN | C | | | 00934 | Authentication Person, Time Stamp | | |

7.41. ZWL - Non-Medical Optional Services

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|---|-------------|-----|
| 1 | 1 | ID | | | | 49043 | Mandant | MSH-4 | |
| 2 | 1 | ID | | | | 49044 | Belegart | PV1 | |
| 3 | 5 | ID | | | 4914 | 49045 | Wahlleistungstyp (nichtmedizinische Wahlleistungen) | OBX-2/5 | I |
| 4 | 5 | ID | | | 4915 | 49046 | Wahlleistungsaktion | ORC-1 | I |
| 5 | 6 | MO | | | | 49047 | Betrag | FT1 | |
| 6 | 20 | ST | | | | 49048 | Subsystem-Status | OBX | |

| SEQ | LEN | DT | R/O | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|-----|-----|----|-----|-----|------|-------|----------------|-------------|-----|
| 7 | 8 | DT | | | | 49049 | Datum von | ORB/OBR | |
| 8 | 8 | DT | | | | 49050 | Datum bis | ORC/OBR | |
| 9 | 4 | ID | | | | 49051 | Tarif | FT1 | |
| 10 | 10 | ID | | | | 49052 | Referenznummer | OBX | |

8. Table Definitions

8.1. User-defined table 0001 - Sex

| Attribute value | Description | Explanation |
|-----------------|-------------|-------------|
| F | Female | |
| M | Male | |
| O | Other | |
| U | Unknown | |

8.2. Table 0003 - Event type

| Attribute value | Description | Explanation |
|-----------------|--|-----------------------------------|
| A01 | ADT/ACK - Admit/visit notification | (Inpatient) admittance |
| A02 | ADT/ACK - Transfer a patient | |
| A03 | ADT/ACK - Discharge/end visit | |
| A04 | ADT/ACK - Register a patient | Patient registration (outpatient) |
| A05 | ADT/ACK - Pre-admit a patient | Pre-admit a patient |
| A06 | ADT/ACK - Change an outpatient to an inpatient | |
| A07 | ADT/ACK - Change an inpatient to an outpatient | |
| A08 | ADT/ACK - Update patient information | |
| A11 | ADT/ACK - Cancel admit/visit notification | Cancel A01 and A04 |
| A12 | ADT/ACK - Cancel transfer | Cancel A02 |
| A13 | ADT/ACK - Cancel discharge/end visit | Cancel A03 |
| A19 | QRY/ADR - Patient query | |
| A23 | ADT/ACK - Delete a patient record | |
| A34 | ADT/ACK -Merge patient information - patient ID only | |
| A38 | ADT/ACK - Cancel pre-admit | Cancel A05 |
| A42 | ADT/ACK - Case merge | |
| O01 | ORM - Order message (also RDE, RDS, RGV, RAS) | |
| O02 | ORR - Order response (also RRE, RRD, RRG, RRA) | |
| P01 | BAR/ACK - Add patient accounts | Open a patient account |
| P03 | DFT/ACK - Post Financial Data | |
| P12 | BAR/ACK - Diagnosis/Procedures "Action code/unique identifier" Mode) | Update a patient account |

| Attribute value | Description | Explanation |
|-----------------|--|--|
| Q05 | UDM/ACK - Unsolicited display update message | Immediate screen display (express message) |
| R01 | ORU/ACK - Unsolicited transmission of an observation message | Unrequested transfer of a report |

8.3. Table 0004 – Patient Class

| Attribute value | Description | Explanation |
|-----------------|--------------------|-------------|
| E | Emergency | |
| I | Inpatient | |
| O | Outpatient | |
| P | Preadmit | |
| R | Recurring Patient | |
| B | Obstetrics | |
| C | Commercial Account | |
| N | Not applicable | |
| U | Unknown | |

8.4. Table 0008 - Acknowledgement code

| Attribute value | Description | Explanation |
|-----------------|--|------------------------------|
| AA | Original mode: Application Accept | Accepted by application |
| AA | Enhanced mode: Application Acknowledgement: Accept | new: Accepted by application |
| AE | Original mode: Application Error | Transfer error |
| AE | Enhanced mode: Application Acknowledgement: Error | new: Application error |
| AR | Original mode: Application Reject | Rejected by application |
| AR | Enhanced mode: Application Acknowledgement: Reject | new: Rejected by application |
| CA | Enhanced mode: Accept Acknowledgement: Commit Accept | Transfer accepted (Commit) |
| CE | Enhance mode: Accept Acknowledgement: Commit Error | Transfer error |
| CR | Enhanced mode: Accept Acknowledgement: Commit Reject | Transfer rejected |

8.5. Table 0017 – Transaction type

| Attribute value | Description | Explanation |
|-----------------|-------------|----------------------|
| 2 | | Book (Final invoice) |
| 5 | | Cancel |
| CG | | Charge |

8.6. Table 0038 – Order status

| Attribute value | Description | Explanation |
|-----------------|------------------------------------|-------------|
| CA | Order was cancelled (by placer) | |
| CM | Order is completed | |
| DC | Order was discontinued (by filler) | |
| IP | In process, unspecified | |
| OD | Order was discontinued | |
| SC | In process, scheduled | |

8.7. Table 0048 – What subject filter

| Attribute value | Description | Explanation |
|-----------------|---------------------|-------------|
| APN | Patient name lookup | |
| RES | Result | |

8.8. Table 0051 – Diagnosis Code

| Attribute value | Description | Explanation |
|-----------------|-------------|-------------|
| I10 | ICD10 codes | |

8.9. Table 0052 – Diagnosis Type

| Attribute value | Description | Explanation |
|-----------------|-------------|-------------|
| A | Admitting | |
| W | Working | |

8.10. Table 0074 – Diagnostic service section ID

Values show with *italics* are extensions of the HL7 standard table additionally supported by medavis RIS. These values are mainly used for RIS PACS communication, thus more close to DICOM codes are used.

| Attribute value | Description | Explanation / RIS Method |
|-----------------|-----------------------------------|--------------------------|
| <i>BMD</i> | | <i>BMD</i> |
| <i>CT</i> | <i>Computed Tomography</i> | <i>(CAT Scan) CT</i> |
| <i>DX</i> | <i>Digital Radiography</i> | <i>DX</i> |
| <i>ECG</i> | <i>Echocardiography</i> | <i>ECG</i> |
| <i>IVUS</i> | <i>Intravascular Ultrasound</i> | <i>IVUS</i> |
| <i>MG</i> | <i>Mammography</i> | <i>MG</i> |
| <i>NMR</i> | <i>Nuclear Magnetic Resonance</i> | <i>MR</i> |
| <i>NMS</i> | <i>Nuclear medicine scan</i> | <i>NMS</i> |
| <i>OT</i> | <i>Other</i> | <i>OT</i> |

| Attribute value | Description | Explanation / RIS Method |
|-----------------|------------------------------------|--------------------------|
| PT | Positron Emission Tomography (PET) | PT |
| RX | Radiograph | RÖ, ANG, DL |
| RF | | RF |
| XA | | XA |

8.11. Table 0076 - Message type

| Attribute value | Description | Explanation |
|-----------------|------------------------------------|-------------|
| ADR | ADT response | |
| ACK | General acknowledgement message | |
| ADT | ADT message | |
| BAR | Add/change billing account | |
| DFT | Detail financial transaction | |
| MFN | Master Files Notification | |
| MDM | Medical document management | |
| ORM | Order message | |
| OMG | General clinical order message | |
| OMI | Imaging Order | |
| ORR | Order acknowledgement message | |
| ORU | Observation result/unsolicited | |
| QRY | Query, original Mode | |
| SIU | Schedule information unsolicited | |
| UDM | Unsolicited display update message | |

8.12. Table 86 – Plan ID

| Attribute value | Description | Explanation |
|-----------------|-------------|--------------------------|
| M | | Insured as member |
| F | | Insured as family member |
| R | | Insured as pensioner |

8.13. Table 0106 - Query/response format code

| Attribute value | Description | Explanation |
|-----------------|---------------------------------------|-------------|
| D | Response is in display format | |
| R | Response is in record-oriented format | |

8.14. Table 0108 – Query Results Level

| Attribute value | Description | Explanation |
|-----------------|--------------|-------------|
| T | Full Results | |

8.15. Table 0109 – Report Priority

| Attribute value | Description | Explanation |
|-----------------|-------------|-------------|
| R | Routine | |

8.16. Table 0119 - Order control codes and their meaning

| Attribute value | Description | Originator |
|-----------------|------------------------|------------|
| NW | New order | P |
| CA | Cancel order request | P |
| OC | Order cancelled | F |
| RU | Replaced unsolicited | F |
| XO | Change order request | P |
| XX | Order changed, unsol. | F |
| RE | Observations to follow | P,F |
| SC | Status Changed | P,F |
| SN | Send order number | P |

8.17. Table 0123 - Result status

| Attribute value | Description | Explanation |
|-----------------|--|-------------|
| C | Correction to results | Corrected |
| F | Final results; results stored and verified. Can only be changed with a corrected result. | Final |
| I | No results available; specimen received, procedure incomplete | In Progress |
| O | Order received; specimen not yet received | Waiting |
| P | Preliminary: A verified early result is available, final results not yet obtained | Preliminary |
| R | Results stored; not yet verified | |
| S | No results available; procedure scheduled, but not done | Scheduled |

8.18. Table 0124 - Transportation mode

Values show with *italics* are extensions of the HL7 standard table additionally supported by medavis RIS.

| Attribute value | Description | Explanation |
|-----------------|---|-------------|
| CART | Cart - patient travels on cart or gurney | |
| PORT | The examining device goes to patient's location | |

| Attribute value | Description | Explanation |
|------------------------|---|-------------|
| WALK | Patient walks to diagnostic service | |
| WHLC | Wheelchair | |
| INTENSIVE | <i>Intensive-care patient travels on a gurney</i> | |
| INTEANAES | <i>Intensive-care and anaesthesia patient travels on a gurney</i> | |
| FG | <i>Walking</i> | |
| Bett | <i>Lying</i> | |
| LIE | <i>Lying</i> | |
| LIEST | <i>Lying</i> | |
| SIE | <i>Sitting</i> | |
| SIST | <i>Sitting</i> | |
| SIWA | <i>Sitting</i> | |
| SIWALIE | <i>Sitting</i> | |
| SIWAST | <i>Sitting</i> | |
| Gehend | <i>Walking</i> | |
| Gehend, Begleitet | <i>Walking assisted</i> | |
| Sitzend | <i>Sitting</i> | |
| Sitzend, Begleitet | <i>Sitting assisted</i> | |
| Sitzend, Anästhesie | <i>Sitting anesthetized</i> | |
| Liegend | <i>Lying</i> | |
| Liegend, Begleitet | <i>Lying anesthetized</i> | |

8.19. Table 0125 - Value type

| Attribute value | Description | Originator |
|-----------------|--------------------------|------------|
| FT | Formatted Text (Display) | |
| NM | Numeric | |
| TX | Text Data (Display) | |

8.20. Table 0126 – Quantity limited request

| Attribute value | Description | Originator |
|-----------------|-------------|------------|
| RD | Records | |

8.21. Table 0136 – Yes/No indicator

| Attribute value | Description | Originator |
|-----------------|-------------|------------|
| Y | Yes | |

| Attribute value | Description | Originator |
|-----------------|-------------|------------|
| N | No | |

8.22. Table 0137 – Mail claim party

| Attribute value | Description | Originator |
|-----------------|-------------------------|------------|
| P | Patient | |
| E | Employer | |
| I | Social health insurance | |
| O | Other | |
| G | Guarantor | |

8.23. Table 0157 – Which Date/Time Status Qualifier

| Attribute value | Description | Originator |
|-----------------|-----------------------------|------------|
| PRE | Preliminary | |
| REP | Report Completion Date/Time | |

8.24. Table 0175 – Master File Identifier Code

| Attribute value | Description | Originator |
|-----------------|-------------------------------------|-------------------------------|
| OMB | Categorical observation master file | Examination master data |
| STF | Staff master file | User and referrer master data |

8.25. Table 0178 – File level event code

| Attribute value | Description | Originator |
|-----------------|---|---------------|
| REP | Replace current version of this master file with the version contained in this message | Not supported |
| UPD | Change file records as defined in the record-level event codes for each record that follows | |

8.26. Table 0179 – Response level code

| Attribute value | Description | Originator |
|-----------------|---|---|
| NE | Never No application-level response needed. | Application level responses for master files are not supported. |

8.27. Table 0180 – Record level event code

| Attribute value | Description | Originator |
|-----------------|--------------------------------|------------|
| MAC | Reactivate deactivated record. | |

| Attribute value | Description | Originator |
|-----------------|---|---------------|
| MAD | Add record to master file. | |
| MDC | Deactivate: discontinue using record in master file, but do not delete from database. | |
| MDL | Delete record from master file. | not supported |
| MUP | Update record for master file. | |

8.28. Table 0182 – Staff type

| Attribute value | Description | Originator |
|-----------------|-------------|------------|
| Befundung | Findings | |
| Diktat | Dictation | |

8.29. Table 0183 – Active/Inactive

| Attribute value | Description | Originator |
|-----------------|----------------|------------|
| A | Active Staff | |
| I | Inactive Staff | |

8.30. Table 0188 – Operator ID

| Attribute value | Description | Originator |
|-----------------|-------------|--|
| | | When part of a outgoing message, the operator id can identify a medavis RIS user connected to the event. |

8.31. Table 0202 – Telecommunication equipment type

| Attribute value | Description | Originator |
|-----------------|--------------------------|------------------|
| CP | Cellular or Mobile Phone | |
| Internet | | Internet Address |

8.32. Table 0206 – Segment action code

| Attribute value | Description | Originator |
|-----------------|-------------|------------|
| A | Add/Insert | |
| D | Delete | |
| U | Update | |

8.33. Table 0208 – Query response status

| Attribute value | Description | Originator |
|-----------------|--------------------------|------------|
| NF | No data found, no errors | |

| Attribute value | Description | Originator |
|-----------------|-----------------------|------------|
| OK | Data found, no errors | |

8.34. Table 0224 – Transport arranged

| Attribute value | Description | Originator |
|-----------------|--------------|------------|
| A | Arranged | |
| N | Not Arranged | |
| U | Unknown | |

8.35. Table 0225 – Escort required

| Attribute value | Description | Originator |
|-----------------|--------------|------------|
| N | Not Required | |
| R | Required | |
| U | Unknown | |

8.36. Table 0230 – Procedure Functional Type

| Attribute value | Description | Originator |
|-----------------|----------------------|------------|
| D | Diagnostic Procedure | |

8.37. Table 0271 – Document completion status

| Attribute value | Description | Originator |
|-----------------|-------------|------------|
| DO | Documented | |
| IN | Incomplete | |
| CA | Cancelled | |

8.38. Table 0278 – Filler status code

| Attribute value | Description | Originator |
|-----------------|--|--|
| Waitlist | Appointment has been placed on a waiting list for a particular slot, or set of slots | This status code in inbound messages is interpreted as a request to place the appointment directly onto the waiting list of a configured room. |

8.39. Table 0326 – Visit indicator

| Attribute value | Description | Originator |
|-----------------|---------------|------------|
| A | Account level | |

| Attribute value | Description | Originator |
|-----------------|-------------|------------|
| V | Visit level | |

8.40. Table 0340 – Procedure code modifier

| Attribute value | Description | Originator |
|-----------------|----------------------|------------|
| TC | Technical Billing | |
| 26 | Professional Billing | |

8.41. Table 0532 – Expanded Yes/No indicator

| Attribute value | Description | Originator |
|-----------------|-------------------------|------------|
| ASKU | Asked but unknown | |
| N | No | |
| NA | Not applicable | |
| NASK | Not asked | |
| NAV | Temporarily unavailable | |
| NI | No information | |
| UNK | Not present | |
| Y | Yes | |

9. Data Type Definitions

| Data Type Category | Data Type | Data Type Name | Notes/Format |
|--------------------|-----------|--------------------------------------|--|
| Alphanumeric | | | |
| | ST | String | |
| | TX | Text data | |
| | FT | Formatted text | |
| Numerical | | | |
| | CQ | Composite quantity with units | <quantity (NM)> ^ <units (CE)> |
| | MO | Money | <quantity (NM)> ^ <denomination (ID)> |
| | NM | Numeric | |
| | SI | Sequence ID | |
| | SN | Structured numeric | <comparator> ^ <num1 (NM)> ^ <separator/suffix> ^ <num2 (NM)> |
| Identifier | | | |
| | ID | Coded values for HL7 tables | |
| | IS | Coded values for User-Defined Tables | |
| | HD | Hierarchic designator | <namespace ID (IS)> ^ <universal ID (ST)> ^ <universal ID type (ID)> Used only as part of EI and other data types |
| | EI | Entity identifier | <entity identifier (ST)> ^ <namespace ID (IS)> ^ <universal ID (ST)> ^ <universal ID type (ID)> |
| | RP | Reference Pointer | <pointer (ST) > ^ < application ID (HD)> ^ <type of data (ID)> ^ <subtype (ID)> |
| | PL | Person Location | <point of care (IS)> ^ <room (IS)> ^ <bed (IS)> ^ <facility (HD)> ^ < location status (IS)> ^ <person location type (IS)> ^ <building (IS)> ^ <floor (IS)> ^<location description (ST)> |
| | PT | Processing type | <processing ID (ID)> ^ <processing mode (ID)> |
| Date/Time | | | |
| | DT | Date | YYYY[MM[DD]] |
| | TM | Time | HH[MM[SS[.S[S[S[S]]]]]][+/-ZZZZ] |
| | TS | Time stamp | YYYY[MM[DD[HHMM[SS[.S[S[S[S]]]]]]]][+/-ZZZZ] ^ <degree of precision> |
| Code Values | | | |
| | CE | Coded Element | <identifier (ST)> ^ <text (ST)> ^ <name of coding system (ST)> ^ <alternate identifier (ST)> ^ <alternate text (ST)> ^ <name of alternate coding system (ST)> |

| Data Type Category | Data Type | Data Type Name | Notes/Format |
|--------------------|-----------|--|---|
| | CF | Coded Element with Formatted Values | <identifier (ID)> ^ <formatted text (FT)> ^ <name of coding system (ST)> ^ <alternate identifier (ID)> ^ <alternate formatted text (FT)> ^ <name of alternate coding system (ST)> |
| | CK | Composite ID with check digit | <ID number (NM)> ^ <check digit (NM)> ^ <code identifying the check digit scheme employed (ID)> ^ < assigning authority (HD)> |
| | CN | Composite ID number and name | <ID number (ST)> ^ <family name (ST)> ^ <given name (ST)> ^ <middle initial or name (ST)> ^ <suffix (e.g., JR or III) (ST)> ^ <prefix (e.g., DR) (ST)> ^ <degree (e.g., MD) (ST)> ^ <source table (IS)> ^ <assigning authority (HD)> |
| | CX | Extended composite ID with check digit | <ID number (ST)> ^ <family name (ST)> ^ <given name (ST)> ^ <middle initial or name (ST)> ^ <suffix (e.g., JR or III) (ST)> ^ <prefix (e.g., DR) (ST)> ^ <degree (e.g., MD) (ST)> ^ <source table (IS)> ^ <assigning authority (HD)> |
| | XCN | Extended composite ID number and name | In version 2.3, use instead of the CN data type. <ID number (ST)> ^ <family name (ST)> ^ <given name (ST)> ^ <middle initial or name (ST)> ^ <suffix (e.g., JR or III) (ST)> ^ <prefix (e.g., DR) (ST)> ^ <degree (e.g., MD) (ST)> ^ <source table (IS)> ^ <assigning authority (HD)> ^ <name type code (ID)> ^ <identifier check digit (ST)> ^ <code identifying the check digit scheme employed (ID)> ^ <identifier type code (IS)> ^ <assigning facility (HD)> |
| Generic | | | |
| | CM | Composite | No new CMs are allowed after HL7 version 2.2. Hence there are no new CMs in version 2.3 |
| Demographics | | | |
| | AD | Address | <street address (ST)> ^ < other designation (ST)> ^ <city (ST)> ^ <state or province (ST)> ^ <zip or postal code (ST)> ^ <country (ID)> ^ <address type (ID)> ^ <other geographic designation (ST)> |
| | PN | Person name | <family name (ST)> ^ <given name (ST)> ^ <middle initial or name (ST)> ^ <suffix (e.g., JR or III) (ST)> ^ <prefix (e.g., DR) (ST)> ^ <degree (e.g., MD) (ST)> |
| | TN | Telephone number | [NN] [(999)]999-9999[X99999][B99999][C any text] |

| Data Type Category | Data Type | Data Type Name | Notes/Format |
|----------------------------|-----------|---|---|
| | XAD | Extended Address | In version 2.3, replaces the AD data type. <street address (ST)> ^ <other designation (ST)> ^ <city (ST)> ^ <state or province (ST)> ^ <zip or postal code (ST)> ^ <country (ID)> ^ < address type (ID)> ^ <other geographic designation (ST)> ^ <county/parish code (IS)> ^ <census tract (IS)> |
| | XPN | Extended Person Name | In version 2.3, replaces the PN data type. <family name (ST)> ^ <given name (ST)> ^ <middle initial or name (ST)> ^ <suffix (e.g., JR or III) (ST)> ^ <prefix (e.g., DR) (ST)> ^ <degree (e.g., MD) (ST)> ^ <name type code (ID) > |
| | XON | Extended composite name and ID number for organizations | <organization name (ST)> ^ <organization name type code (IS)> ^ <ID number (NM)> ^ <check digit (NM)> ^ <code identifying the check digit scheme employed (ID)> ^ <assigning authority (HD)> ^ <identifier type code (IS)> ^ <assigning facility ID (HD)> |
| | XTN | Extended telecommunications number | In version 2.3, replaces the TN data type. [NNN] [(999)]999-9999 [X99999] [B99999] [C any text] ^ <telecommunication use code (ID)> ^ <telecommunication equipment type (ID)> ^ <email address (ST)> ^ <country code (NM)> ^ <area/city code (NM)> ^ <phone number (NM)> ^ <extension (NM)> ^ <any text (ST)> |
| Specialty/Chapter Specific | | | |
| Waveform | | | |
| | CD | Channel definition | <channel identifier (*)> ^ <channel number (NM)> & <channel name (ST)>> ^ <electrode names (*) > ^ <channel sensitivity/units (*) > ^ <calibration parameters (*)> ^ <sampling frequency (NM)> ^ <minimum/maximum data values (*)> |
| | MA | Multiplexed array | For waveform data only, see Chapter 7, Section 7.15.2. <sample 1 from channel 1 (NM)> ^ <sample 1 from channel 2 (NM)> ^ <sample 1 from channel 3 (NM)>...~<sample 2 from channel 1 (NM)> ^ <sample 2 from channel 2 (NM)> ^ <sample 2 from channel 3 (NM)> ...~ |
| | NA | Numeric array | <value1 (NM)> ^ <value2 (NM)> ^ <value3 (NM)> ^ <value4 (NM)> ^ ... |
| | ED | Encapsulated Data | Supports ASCII MIME-encoding of binary data. <source application (HD) > ^ <main |

| Data Type Category | Data Type | Data Type Name | Notes/Format |
|---|-----------|------------------------------|---|
| | | | type of data (ID)> ^ <data subtype (ID)> ^ <encoding (ID)> ^ <data (ST)> |
| Price data | | | |
| | CP | Composite Price | In version 2.3, replaces the MO data type. <price (MO)> ^ <price type (ID)> ^ <from value (NM)> ^ <to value (NM)> ^ <range units (CE)> ^ <range type (ID)> |
| Patient Administration/ Financial Information | | | |
| | FC | Financial class | <financial class (ID)> ^ <effective date (TS)> |
| Extended Queries | | | |
| | QSC | Query selection criteria | <name of field (ST)> ^ <relational operator (ID)> ^ <value (ST)> ^ <relational conjunction (ID)> |
| | QIP | Query input parameter list | <field name (ST) > ^ <value1 (ST) & value2 (ST) & value3 (ST) ...> |
| | RCD | Row column definition | <HL7 item number (ST)> ^ <HL7 data type (ST)> ^ <maximum column width(NM)> |
| Master Files | | | |
| | DLN | Driver's license number | <license number (ST)> ^ <issuing state, province, country (IS)> ^ <expiration date (DT)> |
| | JCC | Job code/class | <job code (IS)> ^ <job class (IS)> |
| | VH | Visiting hours | <start day range (ID)> ^ <end day range (ID)> ^ <start hour range (TM)> ^ <end hour range (TM)> |
| Medical Records/ Information Management | | | |
| | PPN | Performing person time stamp | <ID number (ST)> ^ <family name (ST)> ^ <given name (ST)> ^ <middle initial or name (ST)> ^ <suffix (e.g., JR or III) (ST)> ^ <prefix (e.g., DR) (ST)> ^ <degree (e.g., MD) (ST)> ^ <source table (IS)> ^ <assigning authority (HD)> ^ <name type code(ID)>^ <identifier check digit (ST)> ^ <code identifying the check digit scheme employed (ID)> ^ <identifier type code (IS)> ^ <assigning facility (HD)> ^ < date/ time action performed (TS)> |
| Time Series | | | |
| | DR | Date/time range | Scheduling Chapter Only: <range start date/ time (TS)> ^ <range end date/time (TS)> |
| | RI | Repeat interval | Scheduling Chapter Only: <repeat pattern (IS)> ^ <explicit time interval (ST)> |

| Data Type Category | Data Type | Data Type Name | Notes/Format |
|--------------------|-----------|-----------------------------|---|
| | SCV | Scheduling class value pair | Scheduling Chapter Only: <parameter class (IS)> ^ <parameter value (IS)> |
| | TQ | Timing/Quantity | <quantity (CQ)> ^ <interval (*)> ^ <duration (*)> ^ <start date/time (TS)> ^ <end date/time (TS)> ^ <priority (ID)> ^ <condition (ST)> ^ <text (TX)> ^ <conjunction (ID)> ^ <order sequencing (*)> medavis RIS: quantity: always '1' interval: always 'once' priority: A: As soon as possible (a priority lower than stat) (RIS: 1st level) R: Routine (RIS : no emergency) S: Stat (do immediately) (RIS: 3rd level) T: Timing critical (RIS: emergency) 2: 2nd level(RIS: 2nd level) |

10. National Extensions

This chapter describes the national needs of the healthcare system which will differ from locale to locale. Some examples of national extensions are:

- Insurance Data
- Billing Data

10.1. German Extensions

This chapter describes the German extensions.

10.1.1. Insurance Information

The HL7 standard does not support the German health insurance card, by default. The German HL7 user group has developed a solution to this problem, which is supported by the medavis HL7.

The health insurance information on a card will be transmitted with an IN1 and IN2 segment and should be used for all types of insurance data.

Please note, the field IN1-3 is a repeatable field and each field's identifier type code must be set. The following fields must be filled:

| SEQ | LEN | DT | RP# | TBL# | ITEM | ELEMENT NAME | Explanation | I/O |
|----------|-----|-----|-----|------|-------|-------------------------|--|-----|
| IN1-1 | 4 | SI | | | 00426 | SetID insurance | Transaction number | |
| IN1-2 | 5 | CE | Y | | 00368 | Insurance Plan ID | Insurance Plan Number | |
| IN1-3 | 7 | CX | Y | | 00428 | Insurance Company ID | Insurance Company Number | |
| IN1-4 | 28 | XON | Y | | 00429 | Insurance Company Name | Insurance Company Name | |
| IN1-15.1 | 4 | IS | | 0086 | 00440 | Plan type | Insurance Status | |
| IN1-15.2 | 3 | IS | | 0086 | 00440 | Plan type | Status Supplement | |
| IN1-16 | 90 | XPN | Y | | 00441 | Name of Insured | | |
| IN1-18 | 26 | TS | | | 00443 | Insured's date of birth | | |
| IN1-19 | 65 | XAD | Y | | 00444 | Insured's address | | |
| IN1-29 | 26 | TS | | | 00454 | Verification date/time | Date/time insurance card last verified | |
| IN1-49.1 | 12 | CX | Y | | 01230 | Insured's ID Number | Insurance Number | |
| IN1-49.8 | 12 | DT | Y | | 01230 | Insured's ID Number | Expiration Date of insurance health card | |
| IN2-5 | | | | 0137 | | Mail Claim Party | Type of insurance relationship | |

Example

```
...  
IN1|||4345345^^^NII~32453^^^NIIP|AOK|||||||1^1|Hamilton^Harry||19740824|71  
Main St^Kalrstown^^76133^|||||||1407752067^^^^^^200406|  
IN2||||I|  
...
```

medavis at a glance

Since 1997, medavis has been synonymous with medical IT that goes the extra mile:

- State-of-the-art software technology
- Future-oriented, scalable and upgradable IT processes
- Customised services
- IT experts in radiology process optimisation and network architecture
- High-performance products with depth of functionality
- Long-standing project experience
- Top-class customer service with qualified staff

Medical centres, hospitals, clinic chains and teaching institutions in Germany and abroad – over 450 medical institutions of all sizes already rely on our radiology workflow solutions medavis RIS and portal4med..

medavis GmbH
Bannwaldallee 60
76185 Karlsruhe
Fon: +49 721 92910 0
Fax: +49 721 92910 99
Mail: info@medavis.com
<http://www.medavis.com>

medavis and other medavis names referred to herein are trademarks or registered trademarks of medavis GmbH.

All other product and company names mentioned herein are trademarks of their respective owners. All other rights not expressly referred to herein are reserved.

© 2018 medavis GmbH. All rights reserved.

**RADIOLOGY
WORKFLOW
MANAGEMENT**



**OPTIMISED
WORKFLOW**



**MAXIMUM
EFFICIENCY**

