



North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)

Honeywell NORTH

- Slots for cap-mounted earmuffs, face shields and other PPE accessories
- 3-level height adjustment (Low, Medium, High) for greater stability, balance and retention
- Removable, replaceable rear comfort cradle for improved fit and comfort
- Easy-grip ratchet for smooth and precise headband adjustment, even when wearing gloves
- Ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL)
- Moisture-wicking, breathable sweatband; easily removable, washable and replaceable
- Short brim and low-profile design for increased field of vision and user mobility
- Approved to be worn in the reverse position



SAP No.	Product No.	Fabricant	Description	Certification	Colour
11310606	N10010000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	○ White
11310607	N10020000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	Yellow
11310608	N10030000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	Orange
11310609	N10040000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	● Green
11310611	N10070000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	Sky Blue
11310612	N10080000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	Navy Blue
11310613	N10090000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	Gray
11310614	N10110000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	Black
11310616	N10150000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	• Red
11310618	N10440000	HONEYWELL	North Zone Hard Hat N10 Pinlock, High Density Polyethylene (HDPE)	CSA Z94.1-2015, ANSI Z89.1-2009	Hi-Viz Yellow
11311524	N10S	HONEYWELL	North Zone Pinlock Replacement Suspension		

North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points

Honeywell NORTH

- Slots for cap-mounted earmuffs, face shields and other PPE accessories
- 3-level height adjustment (Low, Medium, High) for greater stability, balance and retention
- Removable, replaceable rear comfort cradle for improved fit and comfort
- Easy-grip ratchet for smooth and precise headband adjustment, even when wearing gloves
- Ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL)
- Moisture-wicking, breathable sweatband; easily removable, washable and replaceable
- Short brim and low-profile design for increased field of vision and user mobility
- Approved to be worn in the reverse position







SAP No.	Product No.	Fabricant	Description	Certification	Colour
11310592	N10R010000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	O White
11310593	N10R020000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	Yellow
11310594	N10R030000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	Orange
11310595	N10R040000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	Green
11310598	N10R080000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	Navy Blue
11310599	N10R090000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	Gray
11310600	N10R110000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	Black
11310602	N10R150000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	• Red
11310604	N10R440000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	Hi-Viz Yellow
11310605	N10R460000	HONEYWELL	North Zone Hard Hat N10 Ratchet, High Density Polyethylene (HDPE), 4-points	CSA Z94.1-2015, ANSI Z89.1-2009	Hi-Viz Orange
11311525	N10RS	HONEYWELL	North Zone Ratchet Replacement Suspension		

The Mattherhorn A89R, Lateral Impact Hdpe Hard Hat With Foam Liner

Honeywell NORTH

HDPE all purpose side hard hat with foam liner. Openings for gutters and accessories. Four-point ratchet or quick-adjust nylon suspension system with three-level height adjustment. Meets ANSI Z89.1-2009 and CSA Z94.1-2005 Type 2 Class E standards.

- Comfortable 4-Point ratchet suspension
- Three levels of height adjustment to allow hard hat to sit higher or lower relative to wearer's head
- Integral sweat band and cushioning at top and back of head
- Integral Accessory Slots one on either side for use with wide array of accessories
- Integral Chin-strap anchor points
- Provides Vertical and Lateral Impact Protection
- Integral Rain Trough



A89RS3





SAP No.	Product No.	Fabricant	Description	Certification	Colour
11170761	A89R010000	HONEYWELL	The Mattherhorn A89R, lateral impact HDPE hard hat with foam liner	CSA Z94.1-2005 Type 2 Class E, ANSI Z89.1-2009	○ White
11183279	A89R020000	HONEYWELL	The Mattherhorn A89R, lateral impact HDPE hard hat with foam liner	CSA Z94.1-2005 Type 2 Class E, ANSI Z89.1-2009	Yellow
11183939	A89R030000	HONEYWELL	The Mattherhorn A89R, lateral impact HDPE hard hat with foam liner	CSA Z94.1-2005 Type 2 Class E, ANSI Z89.1-2009	Orange
11194585	A89R040000	HONEYWELL	The Mattherhorn A89R, lateral impact HDPE hard hat with foam liner	CSA Z94.1-2005 Type 2 Class E, ANSI Z89.1-2009	Green
11195881	A89R070000	HONEYWELL	The Mattherhorn A89R, lateral impact HDPE hard hat with foam liner	CSA Z94.1-2005 Type 2 Class E, ANSI Z89.1-2009	Sky Blue
11107146	A89R080000	HONEYWELL	The Mattherhorn A89R, lateral impact HDPE hard hat with foam liner	CSA Z94.1-2005 Type 2 Class E, ANSI Z89.1-2009	Navy Blue
11183278	A89R150000	HONEYWELL	The Mattherhorn A89R, lateral impact HDPE hard hat with foam liner	CSA Z94.1-2005 Type 2 Class E, ANSI Z89.1-2009	Red
11216410	A89RS3	HONEYWELL	Mattherhorn Ratchet Replacement Suspension		

North® BC86 Series Bump Cap

Honeywell NORTH

- Ideal for food industry, mechanics, maintenance departments and truck drivers
- For low hazard area protection against minor bumps and lacerations
- Cool, well-ventilated and lightweight polyethylene construction resists cracking and chipping (not for use in areas requiring hard hat protection)
- One size fits all
- Available in various colours







SAP No.	Product No.	Fabricant	Description	Certification	Colour
11174941 BC86150000		HONEYWELL	North® BC86 Series Bump Cap	Not approved CSA and ANSI	• Red
11174939	BC86040000	HONEYWELL	North® BC86 Series Bump Cap	Not approved CSA and ANSI	Green
11195883	BC86030000	HONEYWELL	North® BC86 Series Bump Cap	Not approved CSA and ANSI	Orange
11174942	BC86020000	HONEYWELL	North® BC86 Series Bump Cap	Not approved CSA and ANSI	Yellow
11174938	BC86070000	HONEYWELL	North® BC86 Series Bump Cap	Not approved CSA and ANSI	Sky Blue
11174940	BC86080000	HONEYWELL	North® BC86 Series Bump Cap	Not approved CSA and ANSI	Navy Blue
11343383	BC86010000	HONEYWELL	North® BC86 Series Bump Cap	Not approved CSA and ANSI	O White

MSA V-Gard® Polyethylene Cap Style Hard Hat With 4 Point Ratchet/Ratchet Suspension



- V-Gard® protective caps from MSA consist of a polyethylene shell and suspension system working together as a protection system.
- V-Gard® headwear features slotted sides and advanced styling in standard (6 1/2 - 8) size.
- Available with Fas-Trac® or 1-TouchTM suspension.
- Caps meet or exceed the applicable requirements for a type I helmet (top impact) as outlined in
- ANSI Z89.1 and CSA Z94.1, class E



SAP No.	Product No.	Fabricant	Description	Certification	Colour
11175783	475358	MSA	V-Gard® Protective Caps - Fas-Trac® Suspension, Ratchet Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	O White
11175784	475359	MSA	V-Gard® Protective Caps - Fas-Trac® Suspension, Ratchet Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Sky Blue
11175785	475360	MSA	V-Gard® Protective Caps - Fas-Trac® Suspension, Ratchet Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Yellow
11175786	475361	MSA	V-Gard® Protective Caps - Fas-Trac® Suspension, Ratchet Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Orange
11175787	475362	MSA	V-Gard® Protective Caps - Fas-Trac® Suspension, Ratchet Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	• Green
11175788	475363	MSA	V-Gard® Protective Caps - Fas-Trac® Suspension, Ratchet Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	• Red
11175789	475364	MSA	V-Gard® Protective Caps - Fas-Trac® Suspension, Ratchet Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Gray
11196997	802972	MSA	V-Gard® Protective Caps - Fas-Trac® Suspension, Ratchet Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Navy Blue
11319721	10148708	MSA	Fas-Trac III Replacement Suspension		

MSA V-Gard® Full Brim Hardhat, Ratchet Suspension



- Polyethylene shell provides superior impact
- Self-adjusting crown straps ensure a comfortable fit
- Fas-Trac® III suspension
- Slotted design works with MSA accessories
- Third party tested to meet ANSI/ISEA Z89.1 and CSA Z94.1, Class E requirement







SAP No.	Product No.	Fabricant	Description	Certification	Colour
11196981	475368	MSA	V-Gard Slotted Full-Brim Hat, W/Fas-Trac III Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Sky Blue
11196982	475366	MSA	V-Gard Slotted Full-Brim Hat, W/Fas-Trac III Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Yellow
11196983	496075	MSA	V-Gard Slotted Full-Brim Hat, W/Fas-Trac III Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Orange
11196984	475371	MSA	V-Gard Slotted Full-Brim Hat, W/Fas-Trac III Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	• Red
11196985	475370	MSA	V-Gard Slotted Full-Brim Hat, W/Fas-Trac III Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	● Green
11196986	475367	MSA	V-Gard Slotted Full-Brim Hat, W/Fas-Trac III Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Gray
11196987	802975	MSA	V-Gard Slotted Full-Brim Hat, W/Fas-Trac III Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	Navy Blue
11173553	475369	MSA	V-Gard Slotted Full-Brim Hat, W/Fas-Trac III Suspension	CSA Z94.1-2015, ANSI Z89.1-2014	○ White

Colour Chart

COLOR SELECTION CHART

Color No.	01	02	03	04	05	06	07	80	09	10	11	12	13	14	15	17	18	20	31	44	45	71	74
MODEL	White	Yellow	Orange	Dark Green	Hi-Viz Red	Light Blue	Sky Blue	Navy Blue	Gray	Beige	Black	Brown	Gold	Dark Gray	Red	Royal Blue	North. Blue	Pink	Hi-Viz Orange	Hi-Viz Yellow	Lime- Green	Steel Blue	Forest Green
HP141R				МТО	NA	МТО	NA	NA		NA		NA	NA	мто		NA	NA	NA	NA	NA	МТО	МТО	мто
HP241, HP241R HP241RV					МТО	МТО				мто		мто	мто				мто				МТО	МТО	МТО
HP261 HP261R	мто	мто	мто	мто	мто	МТО	мто	МТО	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	МТО	МТО	мто	мто
HP341 HP341R		мто	мто	мто	МТО	МТО	мто	МТО	мто	мто		мто	мто	мто		мто	мто	мто	мто	МТО	МТО	МТО	МТО
HP441 HP441R	мто	мто	мто	мто	NA	МТО	NA	NA	мто	NA	мто	NA	NA	мто	мто	NA	NA	NA	NA	NA	МТО	МТО	МТО
HP641	мто	мто	мто	мто	МТО	МТО	мто	МТО	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	МТО	МТО	мто	МТО
HP641R HP641RV					МТО	МТО				мто		мто	мто				мто				МТО	МТО	МТО
HP741 HP741R	мто	мто	мто	мто	МТО	МТО	мто	МТО	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	МТО	МТО	МТО	МТО	МТО
HP841R			мто	МТО	NA	МТО	NA	NA		NA		NA	NA			NA	NA	NA	NA	NA	МТО		МТО
HP841SR	мто	мто	мто	мто	МТО	МТО	мто	МТО	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	МТО	МТО	МТО	МТО	МТО
HP851R	мто	МТО	мто	МТО	NA	NA	NA	NA	NA	NA	мто	NA	NA	NA	мто	NA	NA	NA	NA	NA	NA	МТО	NA
HP1041 HP1041R	мто	мто	мто	мто	NA	МТО	NA	NA	мто	NA	мто	NA	NA	мто	мто	NA	NA	NA	NA	NA	МТО	мто	МТО
HP1141RSP HP1141RSPV	мто	мто	мто	мто	МТО	МТО	мто	МТО	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	МТО	МТО	мто	мто
HP142R				мто	NA	МТО	NA	NA		NA		NA	NA	мто		NA	NA	NA	NA	NA	МТО	мто	мто
HP542	мто	МТО	мто	МТО	МТО	МТО	мто	МТО	МТО	мто	мто	мто	мто	мто	мто	МТО	мто	мто	МТО	МТО	МТО	МТО	МТО
HP542R					мто	МТО				мто		мто	мто				мто				МТО	мто	мто
HP642R					мто	МТО				мто		мто	мто				мто				МТО	мто	мто
HP842R			мто	мто	NA	МТО	NA	NA	٠	NA		NA	NA	NA		٠	NA	NA	NA	NA	NA		МТО
HP1142RSP HP1142RSPV	мто	мто	мто	мто	МТО	МТО	мто	МТО	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	мто	МТО	МТО	мто	мто
HP940	-		мто	мто	МТО	МТО		МТО	мто	мто	мто	мто	мто	мто	мто	МТО	мто	мто	МТО	МТО	МТО	мто	мто

Stock colors

MTO = Available on demand only - leadtime 6-8 weeks

NA = Not available

RockyTM

Industrial Climbing Helmet with Polycarbonate / ABS Shell, Hi-Density Foam Impact Liner, Nylon Suspension, Wheel Ratchet Adjustment and 4-Point Chin Strap



- Ultra light Shell made out of Polycarbonate/ ABS while offering you superior protection.
- Shell has no front peak providing you a clear upward vision.
- Attractive ergonomic shell with fluid curves that do not interfere with the users ears.
- Large printing surface for your Logo.
- Redesigned suspension for maximum comfort.
- New and improved ratchet system «Sure-Lock II»







SAP No.	Product No.	Fabricant	Description	Certification	Colour
11278527	HP141R01	PIP	Industrial Climbing Helmet with Polycarbonate / ABS Shell, Hi-Density Foam Impact Liner, Nylon Suspension, Wheel Ratchet Adjustment and 4-Point Chin Strap	CSA Z94.1-15 Certified Type 1 Class E ANSI Z89.1-2014 CertifiedType I Class E CE Certified EN3907 : 2012	○ White
11278529	HP141R09	PIP	Industrial Climbing Helmet with Polycarbonate / ABS Shell, Hi-Density Foam Impact Liner, Nylon Suspension, Wheel Ratchet Adjustment and 4-Point Chin Strap	CSA Z94.1-15 Certified Type 1 Class E ANSI Z89.1-2014 CertifiedType I Class E CE Certified EN3907 : 2012	Gray
11278530	HP141R15	PIP	Industrial Climbing Helmet with Polycarbonate / ABS Shell, Hi-Density Foam Impact Liner, Nylon Suspension, Wheel Ratchet Adjustment and 4-Point Chin Strap	CSA Z94.1-15 Certified Type 1 Class E ANSI Z89.1-2014 CertifiedType I Class E CE Certified EN3907 : 2012	• Red

Whistler™

Whistler[™] Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and «Sure-Lock» Ratchet Adjustment



The shell is equipped with a rain trough to direct the rain drops away from the neck & accessories slots to accommodate all the latest accessories such as hearing protection, face shields brackets, forestry kits or welding shields.

- Sleek & Attractive Design
- High Density Polyethylene material
- Rain Trough For Extra Convenience
- Large Printing Surfaces For Great Custom Logo's on
- Front, Sides & Back

SAP No.

11248757

11248758

11334967

11248760

11248761

11248762

11248763

11288965

11248764

11347308

11288972

11248668

Comfortable Ratchet Adjustment Suspension

Product No.

HP241R01

HP241R02

HP241R03

HP241R04

HP241R07

HP241R08

HP241R09

HP241R10

HP241R15

HP241R18

HP241R44

HP641RS

Fabricant Description

PIP

Cap Style Hard Hat with HDPE Shell, 4-Point Nylon

Suspension and "Sure-Lock" Ratchet Adjustment

Cap Style Hard Hat with HDPE Shell, 4-Point Nylon

Suspension and "Sure-Lock" Ratchet Adjustment

HP241R, HP341R, HP441R, HP641R, HP1041R

Sure-Lock II Replacement Suspension for

Accessory Slots & Chin Strap Attachments



Certification

CSA Type 1 Class E,

ANSI Type I Class E.

CSA Type 1 Class E,

ANSI Type I Class E.

CSA Type 1 Classe E,

ANSI Type I Classe E.

Suspension and "Sure-Lock" Ratchet Adjustment	ANSI Type I Class E.	O White
Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and "Sure-Lock" Ratchet Adjustment	CSA Type 1 Class E, ANSI Type I Class E.	• Yellow
Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and "Sure-Lock" Ratchet Adjustment	CSA Type 1 Class E, ANSI Type I Class E.	Orange
Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and "Sure-Lock" Ratchet Adjustment	CSA Type 1 Class E, ANSI Type I Class E.	● Forest Green
Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and "Sure-Lock" Ratchet Adjustment	CSA Type 1 Class E, ANSI Type I Class E.	• Blue
Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and "Sure-Lock" Ratchet Adjustment	CSA Type 1 Class E, ANSI Type I Class E.	Navy Blue
Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and "Sure-Lock" Ratchet Adjustment	CSA Type 1 Class E, ANSI Type I Class E.	Gray
Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and "Sure-Lock" Ratchet Adjustment	CSA Type 1 Class E, ANSI Type I Class E.	Beige
Cap Style Hard Hat with HDPE Shell, 4-Point Nylon Suspension and "Sure-Lock" Ratchet Adjustment	CSA Type 1 Class E, ANSI Type I Class E.	• Red
Cap Style Hard Hat with HDPE Shell, 4-Point Nylon	CSA Type 1 Class E,	Northern Blue

Colour

∩ M/hito

Hi-Viz Yellow

StromboliTM

Stromboli™ Cap Style Hard Hat Safety Helmet



Designed primarily for welders and high heat applications. Lightweight Polycarbonate/ABS Shell, 4-Point Nylon Suspension and «Sure-Lock» Ratchet Adjustment

- Ultra lightweight polycarbonate shell provides superior heat, radiation and impact protection.
- Fluid curve helmet with a smooth and attractive design ideal for welders.
- Shell without gutter for those who prefer this
- Large areas for printing your logo on the front, back and sides.
- Suspension with exclusive "Sure-Lock" adjustment.
- Universal slots for the addition of accessories without the need to drill the shell and thus alter the approval (CSA).









SAP No.	Product No.	Fabricant	Description	Certification	Colour
11259586	HP841R09	PIP	Stromboli™ Cap Style Hard Hat Safety Helmet Designed For Welders And High Heat Applications	CSA Type 1 Class E, ANSI Type I Class E.	Gray
11334005	HP841R01	PIP	Stromboli™ Cap Style Hard Hat Safety Helmet Designed For Welders And High Heat Applications	CSA Type 1 Class E, ANSI Type I Class E.	O White
11334006	HP841R02	PIP	Stromboli™ Cap Style Hard Hat Safety Helmet Designed For Welders And High Heat Applications	CSA Type 1 Class E, ANSI Type I Class E.	Yellow
11334007	HP841R03	PIP	Stromboli™ Cap Style Hard Hat Safety Helmet Designed For Welders And High Heat Applications	CSA Type 1 Class E, ANSI Type I Class E.	Orange
11334009	HP841R11	PIP	Stromboli™ Cap Style Hard Hat Safety Helmet Designed For Welders And High Heat Applications	CSA Type 1 Class E, ANSI Type I Class E.	Black
11334010	HP841R15	PIP	Stromboli™ Cap Style Hard Hat Safety Helmet Designed For Welders And High Heat Applications	CSA Type 1 Class E, ANSI Type I Class E.	● Red
11334012	HP841R71	PIP	Stromboli™ Cap Style Hard Hat Safety Helmet Designed For Welders And High Heat Applications	CSA Type 1 Class E, ANSI Type I Class E.	Blue Steel
11334013	HP841R74	PIP	Stromboli™ Cap Style Hard Hat Safety Helmet Designed For Welders And High Heat Applications	CSA Type 1 Class E, ANSI Type I Class E.	• Forest Green
11334809	HP841SRS	PIP	Replacement 4-Point Nylon Sure-Lock/Swing Strap		

3M[™], Non-Vented, 4-Point Ratchet Cap With Uvicator Sensor



The 3M[™] Hard Hat is a comfortable, tough, and lightweight protective headgear that helps protect the top of the head from the potential hazard of small falling objects or exposed fixed objects that may be bumped into. The Uvicator sensor on the hat changes colour as the hard hat is exposed to UV light and signals that the hat needs to be replaced.

- 4-point ratchet suspension allows wearer to customize height and fit
- Uvicator sensor shows when it's time to replace hard hat due to UV exposure
- Meets requirements of ANSI/ISEA Z89.1-2014 Type I, Class C
- ANSI/ISEA compliant when worn in the forward and reverse donning positions
- Short brim enhances upward visibility
- Vents allow air circulation to keep worker cooler and more comfortable
- Replaceable brow pad enhances comfort and extends service life of hard hat
- Suspension sits lower on head to reduce pressure and can increase security
- Slots allow for attachment of safety accessories







SAP No.	Product No.	Fabricant	Description	Certification	Colour
11235884	H-701R-UV	3M	3M [™] Hard Hat, 4 Points Ratchet Suspension, Uvicator Sensor	Z89.1-2014 ANSI/ISEA Type 1, Class C	O White
11255143	H-702R-UV	3M	3M™ Hard Hat, 4 Points Ratchet Suspension, Uvicator Sensor	Z89.1-2014 ANSI/ISEA Type 1, Class C	Yellow
11285330	H-703R-UV	3M	3M™ Hard Hat, 4 Points Ratchet Suspension, Uvicator Sensor	Z89.1-2014 ANSI/ISEA Type 1, Class C	Blue
11278722	H-704R-UV	3M	3M™ Hard Hat, 4 Points Ratchet Suspension, Uvicator Sensor	Z89.1-2014 ANSI/ISEA Type 1, Class C	● Green
11255159	H-705R-UV	3M	3M™ Hard Hat, 4 Points Ratchet Suspension, Uvicator Sensor	Z89.1-2014 ANSI/ISEA Type 1, Class C	• Red
11257633	H-706R-UV	3M	3M™ Hard Hat, 4 Points Ratchet Suspension, Uvicator Sensor	Z89.1-2014 ANSI/ISEA Type 1, Class C	Orange
11253099	H-708R-UV	3M	3M™ Hard Hat, 4 Points Ratchet Suspension, Uvicator Sensor	Z89.1-2014 ANSI/ISEA Type 1, Class C	Gray
11270829	H-709R-UV	3M	3M™ Hard Hat, 4 Points Ratchet Suspension, Uvicator Sensor	Z89.1-2014 ANSI/ISEA Type 1, Class C	Hi-Viz Yellov
11253100	H-710R-UV	3M	3M™ Hard Hat, 4 Points Ratchet Suspension, Uvicator Sensor	Z89.1-2014 ANSI/ISEA Type 1, Class C	Navy Blue

Petzl Vertex Type 1 With Double Chin Bar Strap



The VERTEX VENT helmet is very comfortable, thanks to its 6-point textile suspension and CENTERFIT and FLIP&FIT systems, which guarantee that the helmet fits securely on the head. The adjustable-strength chin strap makes it ideal for both work at height and on the ground. It has ventilation holes with sliding shutters to allow airflow through the helmet. With its potential for integration of a Petzl headlamp, hearing protection, and multiple accessories, it is an entirely modular helmet, thus responding to the specific additional needs of professionals.







SAP No.	Product No.	Fabricant	Description	Certification	Colour
11344193	A010BA00	Petzl	Petzl Vertex Type 1 Safety Helmet with Dual Chinstrap	CSA Z94.1-2015, ANSI Z89.1-2009, Class E	O White
11346813	A010BA01	Petzl	Petzl Vertex Type 1 Safety Helmet with Dual Chinstrap	CSA Z94.1-2015, ANSI Z89.1-2009, Class E	Yellow
11355563	A010BA04	Petzl	Petzl Vertex Type 1 Safety Helmet with Dual Chinstrap	CSA Z94.1-2015, ANSI Z89.1-2009, Class E	Orange
11357530	A010BA05	Petzl	Petzl Vertex Type 1 Safety Helmet with Dual Chinstrap	CSA Z94.1-2015, ANSI Z89.1-2009, Class E	Blue

Accessoires



Honeywell



Honeywell

Sock Liner 100% Acrylic For Cap

SAP No.	Product No.	Fabricant
11011846	WL20BLU	HONEYWELL

Blue Cotton FR Winter Liner For Cap

SAP No.	Product No.	Fabricant
11171071	WL1	HONEYWELL



Honeywell



Honeywell

Balaclava Nomex FR, Warm And Washable

SAP No.	Product No.	Fabricant
11175323	FH157	HONEYWELL

Long Nomex Balaclava FR, Warm And Washable

SAP No.	Product No.	Fabricant
11175324	FH257	HONEYWELL

Honeywell



Terry Cloth Sweatband With Velcro Closure, 10/Pack

11177114 SB470 HONEYWEI	LL

Accessoires









Blue Cotton FR Winter Liner For Cap

SAP No.	Product No.	Fabricant	
11347093	320060	WASIP	



Blue Cotton FR Winter Liner With Mouth Piece For Cap

SAP No.	Product No.	Fabricant	
11347094	320080	WASIP	







Nomex® IIIA Light-Knit Balaclava, ARC 2 rating: ATPV 14 cal/cm

SAP No.	Product No.	Fabricant	
11337764	V4520970-O/S	PIONEER	

Black Stallion NH400 Nomex Knit Double Layer Sock Hood w/Single Layer, ATPV 8.9 cal/cm2 (ARC 2)

	nt
11336469 NH400 BLACK	STALLION*

^{*}Previously Revco Industries Inc.



Sweatband Fleece Absorbant With Velcro - 2/Pack

SAP No.	Product No.	Fabricant
11041081	PW3100V	TECHNIWELD

Accessoires



3M[™] Hard Hat Visor Seal, PVC Coated Nylon, Orange

SAP No.	Product No.	Fabricant	
11175547	GR2B	3M	



3m™ Hard Hat Rain Shield, PVC Coated Nylon Back, Orange

SAP No.	Product No.	Fabricant	
11175546	GR1C	3M	







3M™ Hard Hat Front Molten Metal Shield

Certification: ANSI Z87.1

SAP No.	Product No.	Fabricant	
11213520	GR2F	3M	

3M™ Peltor™ Helmet Adapter for Visors

SAP No.	Product No.	Fabricant	
11238137	P3EV/2	3M	



Honeywell



Honeywell

High Heat Resistant Aluminum Faceshield Bracket

SAP No.	Product No.	Fabricant
11108706	CP5004	HONEYWELL

Honeywell North® Nylon Faceshield Hard Hat Adapter

SAP No.	Product No.	Fabricant
11007509	CP5005	HONEYWELL





Honeywell

Faceshield Headgear, Ratchet Suspension

SAP No.	Product No.	Fabricant
11175620	KHG5001	HONEYWELL



SAP No.	Product No.	Fabricant
11101390	A8150/40	HONEYWELL

Honeywell



Faceshield - clear flat die cut visor - 8" x 15 1/2" / 20.3 x 39.4cm - polycarbonate, 0.060 in/1.5mm

SAP No.	Product No.	Fabricant
11174816	A8152/60	HONEYWELL

Honeywell



Faceshield - Green Flat Die Cut Visor - 8" X 15 1/2" / 20.3 X 39.4cm - Polycarbonate, 0.040 ln/1.0mm

SAP No.	Product No.	Fabricant
11101388	A8152G/40	HONEYWELL



Honeywell

Honeywell

Faceshield - Formed - 8" x 15 1/2" / 20.3 x 39.4cm -0.040" / 1.0mm - Clear Polycarbonate

_ ;	SAP No.	Product No.	Fabricant
	11006748	A8154	HONEYWELL



Clear Window Proprionate Faceshield 8" X 16 1/2" X .06"

SAP No.	Product No.	Fabricant
11136759	6750CL	HONEYWELL



Honeywell

Honeywell

Honeywell Fibre-Metal® F300 Headgear with 4" Crown Ratchet Headband

SAP No.	Product No.	Fabricant
11007924	F400CSA	HONEYWELL



Honeywell Fibre-Metal® F300 Headgear with 3" Crown Ratchet Headband

SAP No.	Product No.	Fabricant
11007920	F300CSA	HONEYWELL



Honeywell



Honeywell

Honeywell Fibre-Metal® 8" X 16 1/2" X .06" **Clear Propionate Faceshield System**

Dual Crown High Performance Faceshield, F400 4" Crown with 6750CL Clear window and Clear Chin Guard Complete, with 4001 Quick Lok Caps

SAP No.	Product No.	Fabricant
11213412	FM400DC-CL-C	HONEYWELL

Honeywell Fibre-Metal® F300 Headgear With 7" Crown Ratchet Headband

SAP No.	Product No.	Fabricant
11007932	F500CSA	HONEYWELL



Honeywell

Honeywell Fibre-Metal® F4400 Headgear for use with Protective Caps, 4" Crown with Quick-Lok 4001 **Mounting Cups**

SAP No.	Product No.	Fabricant
11007927	F4400	HONEYWELL



Honeywell



SAP No.	Product No.	Fabricant
11004024	4118CL	HONEYWELL



Honeywell

Honeywell Fibre-Metal® 8" X 16 1/2" X .06" **Green Propionate Faceshield**

SAP No.	Product No.	Fabricant
11004076	4178DGN	HONEYWELL



Honeywell

Honeywell Fibre-Metal® F4500 Headgear for use with Protective Caps, 7" Crown with Quick-Lok 4001 **Mounting Cups**

SAP No.	Product No.	Fabricant
11007928	F4500	HONEYWELL



Honeywell

Honeywell Fibre-Metal® 8" X 16 1/2" X .06" **Clear Propionate Faceshield**

SAP No.	Product No.	Fabricant
11004075	4178CL	HONEYWELL



Honeywell

Honeywell Fibre-Metal® 8" X 16 1/2" X .06" **Shade 5 | Green Propionate Faceshield**

SAP No.	Product No.	Fabricant
11004078	4178IRUV5	HONEYWELL



Honeywell



Honeywell

Honeywell Fibre-Metal® 9 3/4" X 19" X .06" Clear Propionate Faceshield

SAP No.	Product No.	Fabricant
11004084	4199CL	HONEYWELL

Honeywell Fibre-Metal® 9 3/4" X 19" X .06" Green Propionate Faceshield

SAP No.	Product No.	Fabricant
11004085	4199DGN	HONEYWELL



Honeywell

Honeywell



Honeywell

Honeywell Fibre-Metal® 9 3/4" X 19" X .06" Green | Shade 5 Propionate Faceshield

SAP No.	Product No.	Fabricant
11004087	4199IRUV5	HONEYWELL

Honeywell Fibre-Metal® 9 3/4" X 19" X .06" Green | Shade 3 Propionate Faceshield

SAP No.	Product No.	Fabricant
11193237	4199IRUV3	HONEYWELL



Honeywell North® 7" X 15 1/2" Black Metal Mesh Faceshield

SAP No.	Product No.	Fabricant
11169677	FS03-H5	HONEYWELL



Honeywell

Honeywell Bionic® Clear Uncoated Polycarbonate Faceshield System

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11176454	S8500	HONEYWELL



Honeywell



Honeywell

Honeywell Bionic® Clear Uncoated **Polycarbonate Faceshield**

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11176456	S8550	HONEYWELL

Honeywell Bionic® Clear Hard Coat/Anti Fog **Polycarbonate Faceshield**

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11204823	S8555	HONEYWELL



Honeywell

Uvex® Bionic™ Shield Faceshield Hardhat Adaptor

	Product No.	Fabricant
11196795	S8590	HONEYWELL







High Performance Headgears, pinlock adjustment, HDPE material, for regular use

SAP No.	Product No.	Fabricant	
11349632	EPHG300	PIP	



High Performance Faceshield Bracket Plastic, Dielectric, fits hardhats: HP241, HP341, HP441, HP741, HP542, HP841 and HP842 Only

Certification: CSA Z94.3-15 & ANSI Z87.1-2014

SAP No.	Product No.	Fabricant
11312323	EPB101	PIP







High Performance Faceshield Bracket Plastic, Dielectric, fits hardhats: HP641, HP642 and HP1041 Only

Certification: CSA Z94.3-15 & ANSI Z87.1-2014

SAP No.	Product No.	Fabricant	
11349617	EPB102	PIP	



Faceshield Clear Die cut visor 8" X 15 $1\!\!/\!\!2$ " P.E.T.G. co polyester 0.04" /1.0 mm

SAP No.	Product No.	Fabricant	
11274188	EP815/40	PIP	



3M™ H8A Deluxe Ratchet Headgear Features A **High-Strength Thermoplastic Crown Protector**

Certification: CSA Z94.3 and ANSI Z87.1-2010

SAP No.	Product No.	Fabricant
11167131	82501-00000	3M



Certification: ANSI Z87.1-2010.

SAP No.	Product No.	Fabricant
11217806	82502-00000	3M



3M™ Clear Propionate Faceshield, 9" X 14 1/2" X .06"

Certification:	ANSI Z87.1-2003	

SAP No.	Product No.	Fabricant
11174384	82700-00000	3M



3M™ Green | Gold Polycarbonate Faceshield Window,



3M™ Clear Polycarbonate Faceshield, 9" X 14 1/2" X .08"

Certification: ANSI Z87.1-2003

SAP No.	Product No.	Fabricant	
11012003	82701-00000	3M	



3M™ Green Polycarbonate Faceshield Window, 9" X 14 1/2" X .08"

Certification: ANSI Z87.1-2003

SAP No.	Product No.	Fabricant	
11194092	82702-10000	3M	





3M™ Green Polycarbonate Faceshield Window,

Shade 5.0, 9" X 14 1/2" X .08"

Certification: ANSI Z87.1

SAP No.	Product No.	Fabricant
11233203	82706-10000	3M



SAP No.	Product No.	Fabricant
11217814	82705-10000	3M





3M™ Peltor™ Acetate Faceshield, Clear

Certification: CSA Z94.3 ANSI Z87.1

SAP No.	Product No.	Fabricant	
11176814	V2A	3M	





3M™ Peltor™ Polycarbonate Faceshield, Clear

Certification: ANSI Z87+

SAP No.	Product No.	Fabricant	
11176816	V2C	3M	



3M™ Peltor™ Polycarbonate Faceshield, Green

Certification: ANSI Z87.1

SAP No.	Product No.	Fabricant	
11176815	V2B	3M	





3M™ Peltor™ Acetate Visor, Clear

Certification: ANSI Z87.1

SAP No.	Product No.	Fabricant	
11266092	V3F	3M	







3M™ Peltor™ Polycarbonate MultiVisor System, Clear

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant	
11176833	V4F	3M	

3M™ Peltor™ Metal Mesh Faceshield, Matte Black

Certification: ANSI Z87.1

SAP No.	Product No.	Fabricant
11176812	V1A	3M



3M™ Peltor™ Nylon Mesh Faceshield, Matte Black

Certification: ANSI Z87.1

SAP No.	Product No.	Fabricant	
11176813	V1B	3M	
		'	







Sellstrom® DP4 Series Ratcheting Faceshield, Shade 5 IR, Polycarbonate, Anti-Fog, Flip Front Window

Certification: ANSI Z87 + High Impact CAN/CSA-Z94.3

SAP No.	Product No.	Fabricant
11279426	S32151	Sellstrom



Sellstrom® DP4 Replacement Shade 5 IR Visor 4-3/8" x 9-1/4" x 0.070"

Certification: ANSI Z87 + High Impact CAN/CSA-Z94.3

SAP No.	Product No.	Fabricant	
11278740	S32155	Sellstrom	





sellstrom. Product that works.

Sellstrom® DP4 Faceshield, Clear Window only, Anti-fog, 9" X 12-1/8" X 0.060"

Certification: ANSI Z87 + High Impact CAN/CSA-Z94.3

SAP No.	Product No.	Fabricant	
11150536	S32100	Sellstrom	



Certification: ANSI Z87 + High Impact CAN/CSA-Z94.3

SAP No.	Product No.	Fabricant	
11345381	S32010	Sellstrom	



Hellberg Visor Holder Hard Hat

SAP No.	Product No.	Fabricant
11323680	20901-501	HELLBERG



Clear Polycarbonate Visor, Chinguard Version

Certification: ANSI Z87+

SAP No.	Product No.	Fabricant
11315106	20939-001	HELLBERG





Hellberg Secure Helmet Adapter for Visor

SAP No.	Product No.	Fabricant
	26108-101	HELLBERG



Honeywell



Honeywell

Honeywell Uvex® A400 Clear Safety Glasses With Clear Anti-Scratch/Hard Coat Lens

Certification: CSA Z94.3 ANSI Z87.1-2010

SAP No.	Product No.	Fabricant
11110457	A400	HONEYWELL

Honeywell Uvex® A700 Clear Safety Glasses With Clear Anti-Scratch/Hard Coat Lens

Certification: CSA Z94.3 ANSI Z87.1-2010

SAP No.	Product No.	Fabricant
11171047	A700	HONEYWELL



Honeywell



Honeywell

Honeywell Uvex® A700 Gray Safety Glasses With Gray Anti-Scratch/Hard Coat Lens

Certification: CSA Z94.3 ANSI Z87.1-2010

SAP No.	Product No.	Fabricant
11193769	A701	HONEYWELL

Honeywell Uvex® A700 Clear Safety Glasses With Clear Anti-Fog Lens

Certification: CSA Z94.3 ANSI Z87.1-2010

11187649 A705 HONEYWELL	SAP No.	Product No.	Fabricant
	11187649	A705	HONEYWELL



Honeywell



Honeywell

Honeywell Uvex® A800 Clear Safety Glasses With Clear Anti-Scratch/Hard Coat Lens

Certification: ANSI Z87.1-2010

SAP No.	Product No.	Fabricant
11215922	A800	HONEYWELL

Honeywell Uvex Ultra-Spec® 2001 OTG Clear Safety **Glasses With Clear Anti-Scratch/Hard Coat Lens**

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11176246	S0112	HONEYWELL



Honeywell



Honeywell

Honeywell Uvex Ultra-Spec® 2001 OTG Clear Safety Glasses With Clear Anti-Fog Lens

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11176247	S0112C	HONEYWELL

Honeywell Uvex® Skyper® Safety Glasses, Clear Lens, Anti-Scratch Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11010358	S1900	HONEYWELL



Honeywell



Honeywell

Honeywell Uvex® Skyper® Safety Glasses, Clear Lens, Anti-Fog/Anti-Scratch Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11010359	S1900X	HONEYWELL

Honeywell Uvex® Skyper® Safety Glasses, Brown Lens, Anti-Fog Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11176291	S1901X	HONEYWELL



Honeywell

Honeywell Uvex® Skyper® Safety Glasses, Amber Lens, Anti-Scratch Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11010360	S1902	HONEYWELL



Honeywell

Honeywell Uvex® Skyper® Safety Glasses, Green 3.0 Lens, Anti-Scratch Coating

Certification: CSA Z94.3/ANSI Z87+

SAPI	No.	Product No.	Fabricant
1101	0363	S1907	HONEYWELL



Honeywell



Honeywell

Honeywell Uvex® Skyper® Safety Glasses, 5.0 Lens, Anti-Scratch Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11010364	S1908	HONEYWELL

Honeywell Uvex® Genesis® Eyewear, Clear, HydroShield Coated Lens

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11306191	S3200HS	HONEYWELL



Honeywell



Honeywell

Honeywell Uvex® Genesis® Safety Glasses with HydroShield™ Lenses, Brown Lens, Anti-Fog Coating

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11317649	S3201HS	HONEYWELL

Honeywell Uvex® Genesis® Safety Glasses with HydroShield™ Lenses, Amber Lens, Anti-Fog Coating

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11350316	S3202HS	HONEYWELL





Honeywell Uvex® Genesis® Safety Glasses with HydroShield™ Lenses, 3.0 Lens, Anti-Fog Coating

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11354122	S3207HS	HONEYWELL

Honeywell



Honeywell Uvex® Genesis® Safety Glasses with HydroShield™ Lenses, 5.0 Lens, Anti-Fog Coating

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11354608	S3208HS	HONEYWELL



Honeywell

Honeywell

Honeywell

Honeywell Uvex® Genesis XC® Safety Glasses, Clear, HydroShield Coated Lens

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11308084	S3300HS	HONEYWELL

Honeywell Uvex® Genesis XC® Safety Glasses with HydroShield™ Lenses, Grey/Smoke Lens, **Anti-Fog Coating**

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11311335	S3301HS	HONEYWELL

Honeywell



Honeywell Uvex® Genesis XC® Safety Glasses with HydroShield™ Lenses, 5.0 Lens, Anti-Fog Coating

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11356054	S3307HS	HONEYWELL

Honeywell Uvex® Genesis XC® Safety Glasses with HydroShield™ Lenses, 3.0 Lens, Anti-Fog Coating

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11354201	S3306HS	HONEYWELL

Honeywell



Honeywell Uvex® Genesis XC® Safety Glasses Scratch Resistant, Silver Lens, Black Frame/Temple Color, **Polycarbonate**

Certification: CSA Z94.3, ANSI Z87.1

SAP No.	Product No.	Fabricant
11270496	S3308	HONEYWELL

Honeywell



Honeywell Uvex® Genesis XC® insert for prescription glasses

SAP No.	Product No.	Fabricant
11171068	S3350	HONEYWELL



Honeywell



Honeywell Uvex® Falcon® Safety Glasses,

Clear Lens, Ultra-dura Anti-scratch Coating

Product No.

S4500

Honeywell Uvex® SVP 200 Series Safety Glasses,

Product No.

SVP201

Certification: CSA Z94.3 ANSI Z87.1-2003

Honeywell

Honeywell Uvex® Protege® Safety Glasses, Clear, HydroShield Coated Lens

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11308085	S4200HS	HONEYWELL





Clear Lens, Anti-Fog Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.

11349732

SAP No.

11176380

Honeywell

Fabricant

HONEYWELL

Honeywell Uvex® Falcon® Safety Glasses, **Clear Lens, Anti-Fog Coating**

Certification: CSA Z94.3 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11176381	S4500X	HONEYWELL







Honeywell

Fabricant

HONEYWELL

Honeywell Norton 180® Clear Safety Glasses With Clear Anti-Scratch/Anti-Static/Anti-UV Lens

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11216739	T18000	HONEYWELL

Honeywell Uvex® Astrospec OTG® 3001 Black Safety **Glasses With Clear Anti-Fog Lens**

Certification: CSA Z94.3 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11176302	S2500C	HONEYWELL



Honeywell



Honeywell

Honeywell Uvex® N-Vision™ Safety Glasses, Clear Lens, Anti-Fog/Anti-Scratch Coating

Certification: CSA Z94.3 ANSI Z87.1-2010

SAP No.	Product No.	Fabricant
11011176	T56005B	HONEYWELL

Honeywell Uvex® N-Vision™ Safety Glasses, Clear Lens, Anti-Fog/Anti-Scratch Coating

Certification: CSA Z94.3 2015 ANSI Z87.1-2010

SAP No.	Product No.	Fabricant
11167459	T56505B	HONEYWELL



Honeywell



Honeywell

Honeywell Uvex® N-Vision™ Safety Glasses, Smoke Lens, Anti-Fog/Anti-Scratch Coating

Certification: CSA Z94.3 2015 ANSI Z87.1-2010

SAP No.	Product No.	Fabricant
11176615	T5605BS	HONEYWELL

Honeywell Adaptec™ Safety Glasses, Black Frame, Clear with HydroShield® Lens, Anti-Fog/Anti-Scratch Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11333580	T5900LTKHS	HONEYWELL	



Honeywell

Honeywell Adaptec™ Safety Glasses, Small Black Frame, Clear with HydroShield® Lens, Anti-Fog/Anti-Scratch Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11337379	T5900NTKHS	HONEYWELL
11337382	T5900WTKHS WIDE-FRAME	HONEYWELL

Honeywell



Honeywell North Adaptec™ Safety Glasses, Wide Black Frame, Clear with HydroShield® Lens, Anti-Fog/Anti-Scratch Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11321897	T5900WBLHS	HONEYWELL









Volcano Plus with foam gasket, Red/Black temples, 4A coating, Clear lens

Certification: CSA Z94.3-15 ANSI Z87.1

SAP No.	Product No.	Fabricant	
11348623	EP675GC	PIP	



Certification: CSA Z94.3-15 ANSI Z87.1

SAP No.	Product No.	Fabricant	
11293440	EP800S	PIP	









Firebird™ Safety Glasses, clear Lens, **Anti-Scratch/Anti-Static Coating**

Certification: CSA Z94.3-15 ANSI Z87.1

SAP No.	Product No.	Fabricant	
11277464	EP800C	PIP	



Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11258227	EP850S	PIP	





Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11258226	EP850C	PIP



SIVI

3M

3M™ BX Reader Protective Eyewear, clear lens, silver frame, +1.5 dioptre

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11170293	1137/-00000-20	31/1



Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11185247	11376-00000-20	3M



3M



3M

3M™ BX Protective Eyewear, clear anti-fog lens, silver/black frame

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11169901	11380-00000-20	3M



Certification: CSA Z94.3-2007 ANSI Z87.1-2003

11170396 11384-00000-20 3M	SAP No.	Product No.	Fabricant
	11170396	11384-00000-20	3M





3M

3M™ Virtua Cord Control System Protective Eyewear with Foam Gasket, clear anti-fog lens

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11259430	11872-00000-20	3M

3M™ Privo Protective Eyewear, clear anti-fog lens, black frame

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11170738	12261-00000-20	3M







3M™ Privo Protective Eyewear, grey anti-fog lens

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11208956	12262-00000-20	3M

3M™ Privo Protective Eyewear, clear anti-fog lens, silver/red frame

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No	o. F	Product No.	Fabricant
111703	397 ·	12265-00000-20	3M





3M™ Solus Protective Eyewear with Clear Scotchgard™ Anti-Fog Lens

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant	
11311209	S1101SGAF	3M	

3M[™] Solus Protective Eyewear with Clear Scotchgard[™] **Anti-Fog Lens, foam Gasket & Strap**

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11308322	S1101SGAFKT	3M
		'







3M™ SecureFit™ Protective Eyewear 200 Series, clear anti-fog lens

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant	
11271349	SF201AF-CA	3M	

3M™ SecureFit™ Protective Eyewear 200 Series, clear anti scratch lens

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant	
11271701	SF201AS-CA	3M	





Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant	
11271350	SF202AF-CA	3M	



3M™ SecureFit™ Protective Eyewear 400 Series, clear anti-fog lens

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant	
11285501	SF401AF	3M	









Ztek® Safety Glasses, Clear Lens, Anti-Scratch Coating

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11215005	S2510S	PYRAMEX	



Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11227566	S2510SN	PYRAMEX	









Mini Ztek® Safety Glasses, Clear Anti-Fog Lens with Clear Temples

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11234243	S2510SNT	PYRAMEX	

Ztek® Safety Glasses, Clear Anti-Fog Lens with Clear Temples

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11236789	S2510ST	PYRAMEX	









Ztek® Safety Glasses, Gray Lens with Gray Temples

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11215006	S2520S	PYRAMEX	

Mini Ztek® Safety Glasses, Gray Lens, Gray Temples

SA	NP No.	Product No.	Fabricant
11	227568	S2520SN	PYRAMEX









OTS® Safety Glasses, Clear H2X Anti-Fog Lens with Black Temples

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11299659	S3510STJ	PYRAMEX	

INTRUDER® Safety Glasses, Clear Lens, Clear Temples

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11215007	S4110S	PYRAMEX	







INTRUDER® Safety Glasses, Gray Lens, Gray Temples

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11215008	S4120S	PYRAMEX	

ITEK® Clear H2X Anti-Fog Lens with Clear Temples

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11291100	S5810ST	PYRAMEX	







CAPPTURE® OTG Clear H2X Anti-Fog Lens with Clear Temples

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11347029	S9910ST	PYRAMEX	

VENTURE II® READERS Safety Glasses, Clear +1.5 Lens with Black Frame

SAP No.	Product No.	Fabricant	
11255880	SB1810R15	PYRAMEX	









VENTURE II® READERS Safety Glasses, Clear +2.0 Lens with Black Frame

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11228729	SB1810R20	PYRAMEX	

VENTURE II® READERS Safety Glasses, Clear +2.5 Lens with Black Frame

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11255882	SB1810R25	PYRAMEX	









VENTURE II® Safety Glasses, Clear H2X, Anti-Fog Lens with Black Frame

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11215010	SB1810ST	PYRAMEX	

VENTURE II® Safety Glasses, Gray H2X, Anti-Fog Lens with Black Frame

SAP No.	Product No.	Fabricant	
11215011	SB1820ST	PYRAMEX	









VENTURE 3® Safety Glasses, Clear H2X, Anti-Fog Lens with Black Frame

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant
11249241	SB5710DT	PYRAMEX

EMERGE® Safety Glasses, lens 5.0 IR Lens with Black Frame

Certification: CSA Z94.3/ANSI Z87+

11215013 SB7950SF PYRAMEX	SAP No.	Product No.	Fabricant	
	11215013	SB7950SF	PYRAMEX	









EMERGE® Safety Glasses, lens 3.0 IR Lens with Black Frame

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11215012	SB7960SF	PYRAMEX	

ENDEAVOR® PLUS Safety Glasses, Clear H2X Anti-Fog Lens with Black and Gray Temples

SAP	No.	Product No.	Fabricant
1132	5415	SBG9610ST	PYRAMEX







Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11198671	12E91001	DENTEC	





SenTec[™] Safety Glasses, Clear Lens, Impact Resistant Polycarbonate Lens with a Scratch Resistant, Rubber **Temple Tips, CSA**

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant	
11210857	12E90801	DENTEC	



SenTec[™] Safety Glasses, Amber Lens, Impact Resistant Polycarbonate Lens with a Scratch Resistant, Rubber **Temple Tips, CSA**

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant	
11238884	12E90803	DENTEC	





EccoSpec™ Safety Glasses, clear lens, CSA

Certification: CSA Z94.3/ANSI Z87+

SAP No.	Product No.	Fabricant	
11351500	12E258000B	DENTEC	





SenTec[™] Safety Glasses, Grey Lens, Impact Resistant Polycarbonate Lens with a Scratch Resistant, Rubber **Temple Tips, CSA**

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant	
11238883	12E90802	DENTEC	





SenTec[™] Safety Glasses, Blue Mirror Lens, Impact Resistant Polycarbonate Lens with a Scratch Resistant, **Rubber Temple Tips, CSA**

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant	
11354410	12E90804	DENTEC	



SenTec™ Safety Glasses, Clear Lens, Impact Resistant Polycarbonate Lens with a Scratch Resistant, Rubber Temple Tips, CSA

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant	
11281646	12E90805	DENTEC	



SenTec[™] Safety Glasses, Clear Lens, with UV-AF® Lens Resistant, Rubber Temple Tips, CSA

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant	
11231728	12E90806	DENTEC	





SenTec[™] Safety Glasses, Grey Lens, with UV-AF® Lens Resistant, Rubber Temple Tips, CSA

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant	
11354411	12E90807	DENTEC	





Twister® Safety Glasses amber lens Anti-Scratch

SAP No.	Product No.	Fabricant	
11151756	W20804	WASIP	









Twister® Safety Glasses Clear Lens Anti-Scratch

Certification: CAN/CSA Z94.3/ANSI Z87.1

SAP No.	Product No.	Fabricant	
11217380	W20800	WASIP	

Twister® Safety Glasses dark green lens Anti-Scratch

SAP No.	Product No.	Fabricant	
11181718	W208052	WASIP	





SAP No.	Product No.	Fabricant	
11082229	130010	WASIP	



Economy Nylon Eyeglass Cord

11217271 460040 WASIP	SAP No.	Product No.	Fabricant
	11217271	460040	WASIP







Black cord with rubber tip

SAP No.	Product No.	Fabricant	
11321309	CORDS7A	PYRAMEX	



Honeywell Uvex® Safety Glasses Case

SAP No.	Product No.	Fabricant
11010430	S491	HONEYWELL

Goggles



Honeywell

Honeywell Uvex® Protective Goggles, Indirect Vent, Series: Classic™, Universal Size, Uvextreme® Anti-Fog Lens Coating, Clear Lens, OTG Frame, Clear Frame, PVC Frame, Polycarbonate Lens, Neoprene Strap

Certification: CSA Z94.3 ANSI Z87+

SAP No.	Product No.	Fabricant
11176336	S350CF	HONEYWELL



Honeywell

Honeywell Uvex® Protective Goggles, Indirect Vent, Series: Stealth®, Unisex Gender, Universal Size, Anti-Fog/Hard Coat Lens Coating, Clear Lens, Wrap Around Frame, Gray Frame, Elastomer Frame, Polycarbonate Lens, Neoprene Strap

Certification: CSA Z94.3 ANSI Z87+

SAP No.	Product No.	Fabricant
11297675	S3960HS	HONEYWELL



3M

3M™ GoggleGear Splash Goggle with Clear Scotchgard™ Anti-Fog Lens, black/red

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11310863	GG501SGAF	3M



Honeywell

Honeywell Uvex® Protective Goggles, Low Profile, Series: Carbonvision™, Universal Size, Dura-Streme® Anti-Fog/Scratch-Resistant Lens Coating, Clear Lens, Flexible Frame, Black/Gray Frame, Polypropylene/TPU Frame, Polycarbonate Lens, Neoprene Strap

Certification: CSA Z94.3 ANSI Z87+

SAP No.	Product No.	Fabricant
11254452	S1650D	HONEYWELL



Honeywell

Honeywell Uvex Flex Seal® Protective Goggles, Navy Body, Clear, HydroShield Antifog Lens, Neprene strap

Certification: CSA Z94.3 ANSI Z87+

SAP No.	Product No.	Fabricant
11353944	S3400HS	HONEYWELL



3M

3M™ Centurion Splash Safety Goggle, 454AF, clear anti-fog lens

Certification: CSA Z94.3-2007 ANSI Z87.1-2003

SAP No.	Product No.	Fabricant
11217787	403050000010	3M

Cleaning Accessories



Honeywell

Honeywell Uvex® Clear® Plus Disposable Lens Cleaning Station, Cardboard, 16" L x 3.19" D x 9.25" H

SAP No.	Product No.	Fabricant
11146574	S483	HONEYWELL



Honeywell

Honeywell Uvex® Clear® Plus Lens Tissue, pack of 500

SAP No.	Product No.	Fabricant
11176397	S474	HONEYWELL



Honeywell

Honeywell Uvex® Clear® Plus Lens Cleaner Refill Solution, 3.8 L

SAP No.	Product No.	Fabricant
11124587	S482	HONEYWELL



Honeywell

Honeywell Uvex® Clear® Plus Lens Cleaner Solution, 473 ml

SAP No.	Product No.	Fabricant
11176398	S471	HONEYWELL



Honeywell

Honeywell Uvex® Fog Eliminator Plus Lens Towelettes, 4" x 5", Pack Of 100

SAP No.	Product No.	Fabricant
11171040	S479	HONEYWELL



Honeywell

Honeywell Uvex® Clear® Plus Towelettes, 5.25" x 8", Pack Of 100

SAP No.	Product No.	Fabricant
11171092	S470	HONEYWELL

Cleaning Accessories







Disposable Lens Cleaning Station with 1-250ml Lens Cleaner And 2 Boxes Of Tissues

SAP No.	Product No.	Fabricant	
11172102	200000	WASIP	



11002042 2	200020	WASIP









Wasip Lens Cleaning Solution Anti-fog/anti-static solution w/ Sprayer, 250ml


SAP No.	Product No.	Fabricant	
11217262	200136	WASIP	

Wasip Lens Cleaning Solution Anti-fog/anti-static solution w/ Sprayer, 500ml

SAP No.	Product No.	Fabricant	
11172104	20003P	WASIP	







Wasip Lens Cleaning Tissues 300/box

SAP No.	Product No.	Fabricant
11217263	200190	WASIP

Wasip Lens Cleaning Solution Anti-fog/anti-static solution w/ Sprayer, 125ml

SAP No.	Product No.	Fabricant	
11172105	200040	WASIP	

Cleaning Accessories





Wasip Metal Lens Cleaning Station with Key and Lock, 2-500ml lens cleaner and 1 box of tissue

SAP No.	Product No.	Fabricant	
11217259	200010	WASIP	





The Safety Zone ® Lens cleaning Towelettes Anti-fog/ anti-static 100/box

SAP No.	Product No.	Fabricant	
11274560	ES-LCT	CANSAFE	





Crystal View Xtreme Nano Anti-Fog Treatment

7100 COOL 1	SAP No.	Product No.	Fabricant
11352822 1102 GO2 Industrial	11352822	TI02	GO2 Industrial





Kimtech Science™ Precision Wipes, Specialty, 280/box

SAP No.	Product No.	Fabricant
11170113	05511	KIMBERLY CLARK





Lens Cleaning Tissue or Wipe - 100 Wipes/Tissues, For Anti-Fog, Anti-Static Lenses

	ricant
11318147 LCT100 PY	RAMEX



3M

Speedglas™ ADF Welding Helmet 9002NC, 4.09" x 2.13" View Area, 8 - 12 Shade Range, Black

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant
11328023	04-0100-20-NC-CA	3M



3M

Speedglas[™] 9100 Welding Helmet & Auto-Darkening Filter 9100XXi, 4.2" x 2" View Area, 5/8 - 13 Shade Range, Silver/Black

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant
11248057	06-0100-30iSW-CA	3M



3M

Speedglas[™] Welding Helmet, 9100 FX, with Auto-Darkening Filter, 9100XX, shades 5, 8-13

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant
11232007	06-0600-30SW-CA	3M



3M

9100 Speedglas™ Welding Helmet with 9100X Auto-Darkening Filter, Field of View, Shade 5/8 - 13, Black

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant
11200378	06-0100-20SW	3M



3W

Speedglas[™] Welding Helmet 3M[™] Speedglas[™] Welding Helmet, 9100 FX, 1.73"x 3.66" View Area, 5, 8 - 13 Shade Range, Black

Certification: CSA Z94.3

SAP No.	Product No.	Fabricant
11232006	06-0600-20SW-CA	3M



ClearViEW

ClearViEW

ClearVIEW Welding Helmet OHE510 ADF 4/5-8/9-13

Certification: ANSI/ISEA Z87.1-2010; CSA 94.3-07

SAP No.	Product No.	Fabricant
11324543	MSSR3-10600LI	MESSER CANADA



Certification: ANSI/ISEA Z87.1-2010; CSA 94.3-07

SAP No.	Product No.	Fabricant
11312179	MSSR3W10500LI	MESSER CANADA



Clear VIEW



ClearVIEW Welding Helmet OHE410 ADF 4/9-13

Certification: ANSI/ISEA Z87.1-2010; CSA 94.3-07

SAP No.	Product No.	Fabricant
11303635	MSSR3W10300LI	MESSER CANADA



ClearVIEW Welding Helmet OHE450 ADF 4/9-13

Certification: ANSI/ISEA Z87.1-2010; CSA 94.3-07

SAP No.	Product No.	Fabricant
11312178	MSSR3W10400LI	MESSER CANADA



ClearVIEW Welding PAPR PA700 OHE410 Complete System

Certification: ANSI/ISEA Z87.1-2010; CSA 94.3-07

SAP No.	Product	t No.	Fabricant
1132006	6 MSSR3	3W410LIPAPRS	MESSER CANADA



Clear VIEW

ClearVIEW Welding Helmet OHE550D With Lens Pack new digital ADF 4-13

Certification: ANSI/ISEA Z87.1-2010; CSA 94.3-07

SAP No.	Product No.	Fabricant
11346280	OHE550D	MESSER CANADA







Certification: ANSI Z87.1 CSA Z94.3

SAP No.	Product No.	Fabricant
11316375	0700000800	ESAB WELDING





Digital Elite™ Welding Helmet, Shade 8 - 13/5 - 8, Black

Certification: ANSI Z87.1+, CSA and CE standards.

SAP No.	Product No.	Fabricant	
11325948	281000	MILLER	





Jackson Safety® HSL-100 Black Polycarbonate ABS Confined Space Lightweight Fixed Front Welding Helmet With 4 1/2" X 5 1/2" Shade 10 Lens

Certification: ANSI Z87.1 2010, CSA Z94.3

SAP No.	Product No.	Fabricant	
11355284	14975	JACKSON	



<u>JACKSON</u>

Jackson Safety® HSL-2 Passive Welding Helmet - Black - Lift Front With 2" X 4 1/4" Shade 10 Lens

Certification: ANSI Z87.1 2010, CSA Z94.3

SAP No.	Product No.	Fabricant	
11209992	14982	JACKSON	



Honeywell White Fibre-Metal® Roughneck P2HN Fiberglass Cap Style Hard Hat With SuperEight® **Rachet/8 Point Ratchet Suspension**

SAP No.	Product No.	Fabricant
11216696	P2HNQRW01A000	HONEYWELL



Honeywell Yellow Fibre-Metal® Roughneck P2HN Fiberglass Cap Style Hard Hat With SuperEight® **Rachet/8 Point Ratchet Suspension**

SAP No.	Product No.	Fabricant
11216697	P2HNQRW02A000	HONEYWELL



Honeywell Black Fibre-Metal® Roughneck P2HN Fiberglass Cap Style Hard Hat With SuperEight® **Rachet/8 Point Ratchet Suspension**

SAP No.	Product No.	Fabricant
11235613	P2HNQRW11A000	HONEYWELL



Honeywell Grey Fibre-Metal® Roughneck P2 Fiberglass Cap Style Hard Hat With SuperEight® Rachet/8 Point **Ratchet Suspension**

Certification: CSA Z94.1-2015, ANSI/ISEA Z89.1-2014

SAP No.	Product No.	Fabricant
11312495	P2AQRW09A000	HONEYWELL



Honeywell Orange Fibre-Metal® Roughneck P2HN Fiberglass Cap Style Hard Hat With SuperEight® **Rachet/8 Point Ratchet Suspension**

SAP No.	Product No.	Fabricant
11009806	P2HNQRW03A000	HONEYWELL



Honeywell Red Fibre-Metal® Roughneck P2HN Fiberglass Cap Style Hard Hat With SuperEight® **Rachet/8 Point Ratchet Suspension**

SAP No.	Product No.	Fabricant
11011030	P2HNQRW15A000	HONEYWELL

Honeywell



Honeywell Grey Fibre-Metal® Roughneck P2HN Fiberglass Cap Style Hard Hat With SuperEight® Rachet/8 Point Ratchet Suspension

Certification: CSA Z94.1-2015, ANSI/ISEA Z89.1-2014

SAP No.	Product No.	Fabricant
11009805	P2HNQRW09A000	HONEYWELL

Honeywell



Honeywell Blue Fibre-Metal® Roughneck P2HN Fiberglass Cap Style Hard Hat With SuperEight® Rachet/8 Point Ratchet Suspension

Certification: ANSI Z87.1 CSA Z94.3

SAP No.	Product No.	Fabricant
11009800	P2HNQRW71A000	HONEYWELL

Honeywell



Honeywell Green Fibre-Metal® Roughneck P2HN Fiberglass Cap Style Hard Hat With SuperEight® Rachet/8 Point Ratchet Suspension

Certification: CSA Z94.1-2015, ANSI/ISEA Z89.1-2014

SAP No.	Product No.	Fabricant
11009802	P2HNQRW74A000	HONEYWELL

Honeywell



Honeywell Grey Fibre-Metal® E2 Thermoplastic Cap Style Hard Hat With Rachet/8 Point Ratchet Suspension

Certification: ANSI Z89.1-2009 Type 1 Classe E, G, C

SAP No.	Product No.	Fabricant
11153706	E2RW09A000	HONEYWELL



Honeywell

Honeywell Fibre-Metal® Tigerhood Classic Gray **Thermoplastic Lift Front Welding Helmet With** 2" X 4 1/4" Shade 10 Lens

SAP No.	Product No.	Fabricant
11006090	906GY	HONEYWELL



Honeywell

Honeywell Fibre-Metal® Tigerhood Classic Gray **Thermoplastic Lift Front Welding Helmet With** 2" X 4 1/4" Shade 10 Lens

SAP No.	Product No.	Fabricant
11196790	4906GY	HONEYWELL



Honeywell Fibre Metal® Red Leather Lift Front Welding Helmet With 2" X 4 1/4" Shade 10 Lens

Certification: ANSI Z87.1

SAP No.	Product No.	Fabricant
11006030	870	HONEYWELL



Honeywell

Honeywell Fibre-Metal® Tigerhood Classic Gray **Thermoplastic Fixed Front Welding Helmet With** 4 1/2" X 5 1/4" Shade 10 Lens

SAP No.	Product No.	Fabricant
11006355	990GY	HONEYWELL



Honeywell

Honeywell Fibre-Metal® Tigerhood Classic Gray **Thermoplastic Fixed Front Welding Helmet With** 4 1/2" X 5 1/4" Shade 10 Lens

Certification: CSA Z94.1-2015, ANSI/ISEA Z89.1-2014

SAP No.	Product No.	Fabricant
11186579	4990GY	HONEYWELL





Filter Plate 4-1/4" L x 2" W Hardened Glass Shade 12


SAP No.	Product No.	Fabricant
11134613	CEP932-105-10	ESSENDANT

TECHNIWELDUSA



Cover Lens 4-1/4" L x 2" W Glass

SAP No.	Product No.	Fabricant
11032548	#GP2	TECHNIWELD



Filter Plate 5-1/4" L x 4-1/2" W Hardened Glass Shade 10


SAP No.	Product No.	Fabricant
11135570	MP4H10	TECHNIWELD





Filter Plate 4-1/4" L x 2 " W Hardened Glass Shade 11

SAP No.	Product No.	Fabricant
11289040	MP2H11	ESSENDANT



Cover Lens 5-1/4" L x 4-1/2" W Glass

SAP No.	Product No.	Fabricant
11032549	#GP4	TECHNIWELD



Filter Plate 5-1/4" L x 4-1/2" W Hardened Glass Shade 11

SAP No.	Product No.	Fabricant
11289039	MP4H11	TECHNIWELD



Honeywell

Honeywell 2" X 4 1/2" Fibre-Metal® **Clear CR.39 Outside Cover Plate**

SAP No.	Product No.	Fabricant
11006902	NP-242	HONEYWELL



Honeywell

Honeywell

Honeywell Safety Plate 4-1/4" L x 2" W **Polycarbonate Clear**

Certification: CSA Z94.1-2015, ANSI/ISEA Z89.1-2014

SAP No.	Product No.	Fabricant
11009869	NPC242	HONEYWELL





Honeywell Fibre-Metal® Replacement suspension for welder's helmet

SAP No.	Product No.	Fabricant
11003858	3RW2	HONEYWELL



Honeywell Fibre-Metal® Replacement **Swing Ratchet Suspension**

SAP No.	Product No.	Fabricant
11173213	3SW2V	HONEYWELL



Honeywell Fibre-Metal® Standard Replacement **Ratchet Headgear**

SAP No.	Product No.	Fabricant
11003789	3C	HONEYWELL



Honeywell Fibre-Metal® Quick Lok Complete Kit

SAP No.	Product No.	Fabricant
11003862	4000	HONEYWELL

Honeywell



Honeywell Fibre-Metal® Quick-Lok Cap Adapter Kit

SAP No.	Product No.	Fabricant
11003878	4002-H5	HONEYWELL

Honeywell



Honeywell Fibre-Metal®Terry Cloth Sweatband with velcro

SAP No.	Product No.	Fabricant
11229127	#FM44RTV	HONEYWELL

Honeywell



Honeywell Fibre-Metal® Welding Helmet Sweatband

SAP No.	Product No.	Fabricant
11008233	FM68	HONEYWELL

Honeywell



Honeywell Fibre-Metal® Quick Lok Helmet Adaptor Kit

SAP No.	Product No.	Fabricant
11003875	FM4001	HONEYWELL
	<u> </u>	<u> </u>

Honeywell



Honeywell Fibre-Metal® Hard Hats Sweatband

SAP No.	Product No.	Fabricant
11008234	FM69	HONEYWELL

Honeywell




Honeywell Fibre-Metal®Terry Cloth Sweatband

SAP No.	Product No.	Fabricant
11008217	#FM44T	HONEYWELL

ClearViEW







ClearVIEW Cover plate clear polycarbonate 2" X 4.25"

SAP No.	Product No.	Fabricant
11149226	MSSRCEP932440	MESSER CANADA

ClearVIEW Cover plate clear polycarbonate 4.5" X 5.25"

11307575 MSSR932442 MESSER CANADA	SAP No.	Product No.	Fabricant
	11307575	MSSR932442	MESSER CANADA



Beanie with Messer logo

11191435 MSSRWB MESSER CANAD	λ

Bouffant Caps and Hairnets





EMERSON SUMMERS

White Disposable Cap, Spunbond Polypropylene (100), 19"

SAP No.	Product No.	Fabricant
11224566	440110	EMERSON SUMMERS



White Disposable Cap, Spunbond Polypropylene (100), 21"

SAP No.	Product No.	Fabricant
11224567	440210	EMERSON SUMMERS





White Disposable Cap, Spunbond Polypropylene (100), 24"

SAP No.	Product No.	Fabricant
11224569	440310	EMERSON SUMMERS







SAP No.	Product No.	Fabricant
11168208	1011B2110	EMERSON SUMMERS





Beard Net, White Mesh (100), 19"

SAP No.	Product No.	Fabricant
11169143	4400WH	EMERSON SUMMERS





Brown Nylon Tight Mesh Hair Net (100), 21"

SAP No.	Product No.	Fabricant
11168207	1011B2102	EMERSON SUMMERS

Hearing Protection

Disposable, Reusable and 60-70 Banded Earplugs Earmuffs and Accessories 71-77 Communication Systems 78







3M™ Foam Earplugs, 1100, orange

Certification: 29 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11161180	1100	3M	200 pairs/box



Certification: 29 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11172977	1110	3M	100 pairs/box





3M™ E-A-R™ Classic Earplugs, 310-1001, yellow, uncorded, Pillow pack

Certification: 29 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11201922	310-1001	3M	200 pairs/box



SAP No.	Product No.	Fabricant	Quantity	
11172608	311-1101	3M	200 pairs/box	





3M™ E-A-R™ Classic Earplugs, 312-1201,

Certification: 29 dB, CSA Class AL

yellow, uncorded, Polybag

Certification: 29 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11172614	312-1201	3M	200 pairs/box





3M™ E-A-Rsoft Yellow Neon Earplugs, 311-1250, foam roll down, corded

Certification: 33 dB, CSA Class AL

11172611 311-1250 3M 200 pairs/box	SAP No.	Product No.	Fabricant	Quantity
	11172611	311-1250	3M	200 pairs/box



3M™ E-A-Rsoft™ Yellow Neons™ & Blasts™ Earplugs, 311-1252, yellow, corded

Certification: 33 dB, CSA Class AL

SAP No	o. Pro	duct No.	Fabricant	Quantity
111726	13 311	-1252	3M	200 pairs/box





3M™ E-A-Rsoft Yellow Neon Earplugs, 312-1251, large, uncorded

Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11172621	312-1251	3M	200 pairs/box





3M™ E-A-R™ TaperFit 2 Earplugs, 312-1219, yellow, uncorded

Certification: 32 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11198239	312-1219	3M	200 pairs/box





3M™ E-A-Rsoft Yellow Neon Earplugs, 312-1250, regular, uncorded

Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11171043	312-1250	3M	200 pairs/box





3M™ E-A-Rsoft Yellow Neon Blasts Earplugs, 312-1252, one size fits most, uncorded

Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11171042	312-1252	3M	200 pairs/box





3M™ E-A-R™ TaperFit 2 Plus Earplugs, 312-1221, yellow, uncorded

Certification: 32 dB, CSA Class AL

11172616 312-1221 3M 200 pairs/box	SAP No.	Product No	. Fabricant	Quantity
	11172616	312-1221	3M	200 pairs/box









3M™ E-A-R™ TaperFit 2 Earplugs, 312-1223, yellow, corded

Certification: 32 dB, CSA Class AL

SA	AP No.	Product No.	Fabricant	Quantity
11	172618	312-1223	3M	200 pairs/box

3M[™] E-A-R[™] E-Z-Fit[™] Earplugs, 312-1208, yellow, uncorded

Certification: 28 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11172615	312-1208	3M	200 pairs/box







3M™ E-A-Rsoft FX Earplugs, 312-1260, yellow, corded

Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11186696	312-1260	3M	200 pairs/box

3M[™] E-A-Rsoft FX Earplugs, 312-1261, yellow, uncorded

Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11166657	312-1261	3M	200 pairs/box





6



3M™ E-A-R™ Push-Ins Earplugs, 318-1001, yellow, corded

Certification: 28 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11171041	318-1001	3M	100 pairs/box

3M[™] E-A-R[™] Push-Ins Earplugs, 318-1002, yellow/blue, uncorded

Certification: 28 dB, CSA Class AL

11171044 318-1002 3M 200 pairs/box	SAP No.	Product No.	Fabricant	Quantity
	11171044	318-1002	3M	200 pairs/box







3M[™] E-A-R[™] Push-Ins Earplugs, 318-1003, yellow/blue, corded

Certification: 28 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11196785	318-1003	3M	200 pairs/box



Certification: 25 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11172610	311-1114	3M	100 pairs/box







3M™ E-A-R™ Express Pod Plugs Earplugs, 321-2100, yellow/blue, uncorded

Certification: 25 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11172713	321-2100	3M	100 pairs/box

3M[™] E-A-R[™] Express Pod Plugs Earplugs, 321-2200, yellow, uncorded, Assorted Colour Grips

Certification: 25 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11172716	321-2200	3M	100 pairs/box









3M™ E-A-Rsoft Yellow Neon One Touch Refill, 391-1004, CSA Class AL, uncorded

Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11238134	391-1004	3M	500 pairs/bottle

3M™ E-A-R™ Classic One Touch Refill, 391-1001, yellow, one size fits most

Certification: 29 dB, CSA Class AL

11238113 391-1001 3M 500 pairs/bottle	SAP No.	Product No	. Fabricant	Quantity
	11238113	391-1001	3M	500 pairs/bottle









3M™ Earplugs One Touch Refill 1100, 391-1100

Certification: 29 dB. CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11253030	391-1100	3M	500 pairs/bottle



SAP No.	Product No.	Fabricant	Quantity
11302402	391-0000	3M	1









3M™ E-A-R™ Skull Screws Earplugs, P1300, grey, uncorded

Certification: 32 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11170774	P1300	3M	480 pairs/case



Certification: 32 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11191430	P1301	3M	480 pairs/case









3M™ No-Touch Foam Plugs, P2000, purple, uncorded

Certification: 29 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11176058	P2000	3M	400 pairs/case





Certification: 29 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11341876	P2001	3M	400 pairs/case









3M™ Tri-Flange Earplugs, P3000, yellow, corded

Certification: 26 dB, CSA Class AL

SAP No.	Product No	. Fabricant	Quantity
11198373	P3000	3M	400 pairs/case



Certification: 25 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11200336	340-4014	3M	200 pairs/box







3M™ E-A-R™ UltraFit™ Earplugs, 340-4002, yellow, corded

Certification: 25 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11172813	340-4002	3M	50 pairs/box



3M™ E-A-R™ UltraFit™ Earplugs, 340-4004, yellow, corded

Certification: 25 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11202014	340-4004	3M	100 pairs/box





3M™ E-A-R™ UltraFit™ Earplugs, 340-4007, metal detectable, corded

Certification: 25 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11172817	340-4007	3M	100 pairs/box









3M™ E-A-R™ Caps Model 200 Banded Hearing Protector, 321-2101, blue/yellow

Certification: 17 dB, CSA Class BL

SAP No.	Product No.	Fabricant	Quantity
11172714	321-2101	3M	10/box, 100/case

3M™ E-A-R™ Caps Model 200 Replacement Pods, 321-2103, yellow

Certification: 12 dB, CSA Class BL

SAP No.	Product No.	Fabricant	Quantity
11269630	321-2103	3M	5 pairs/pck, 50 pairs/case





3

3M™ E-A-R™ Caboflex™ Banded Hearing Protector Model 600, 320-2001, blue/yellow, uncorded

Certification: 17-20 dB, CSA Class BL

SAP No.	Product No.	Fabricant	Quantity
11172707	320-2001	3M	10/box, 100/case

3M™ E-A-R™ Caboflex™ Model 600 Replacement Pods, 320-2004

Certification: 17 dB, CSA Class BL

SAP No.	Product No.	Fabricant	Quantity
11194762	320-2004	3M	5 pairs/pck, 50 pairs/case



Honeywell



Honeywell

Howard Leight™ Max Lite® Low-Pressure Foam Earplugs, Bulk - Box

Certification: 30 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11175712	LPF-1	HONEYWELL	200 pairs/box

Howard Leight™ Max Lite® Low-Pressure Foam Earplugs, Pair - Polybag, Corded

Certification: 30 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11185388	LPF-30	HONEYWELL	100 pairs/box

Honeywell



Honeywell

Howard Leight™ Max Lite® Earplugs, **Bulk - Box**

Certification: 30 dB, CSA Class AL

Dispenser

SAP No.	Product No.	Fabricant	Quantity
11218678	LPF-1-D	HONEYWELL	500 pairs/box



Howard Leight™ Max® Single-Use Earplugs, Bulk - Polybag

Certification: 30 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11218679	LPF-LS4-REFILL	HONEYWELL	200 paires/sac



Honeywell

Howard Leight™ Leight® Source 500 Earplug

SAP No.	Product No.	Fabricant	Quantity
11175717	LS-500	HONEYWELL	1



Honeywell

Howard Leight™ FirmFit™ Disposable Earplugs, Bulk - Box

Certification: 30 dB, CSA Class AL

11274738 FF-1 HONEYWELL 200 pairs/box	S	SAP No.	Product No.	Fabricant	Quantity
	1	1274738	FF-1	HONEYWELL	200 pairs/box



Honeywell

LASER LITE

Honeywell

Honeywell Howard Leight®/Laser-Lite® Contoured T-Shape Polyurethane Foam Uncorded Earplugs (Polybag)

Certification: 32 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11009307	LL-1	HONEYWELL	200 pairs/box

Honeywell Howard Leight®/Laser-Lite® Contoured T-Shape Polyurethane Foam Dispenser Refill Uncorded Earplugs

Certification: 32 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11175701	LL-1-D	HONEYWELL	500 pairs/box



Honeywell



Honeywell

Howard Leight™ Laser Lite® Multi-Colour Foam Earplugs, Pair - Polybag, Corded

Certification: 32 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11175702	LL-30	HONEYWELL	100 pairs/box

Howard Leight™ Laser Lite® Single-Use Earplugs, Bulk - Polybag


Certification: 32 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11236992	LL-LS4-REFILL	HONEYWELL	200 paires/sac



Honeywell

Honeywell



Howard Leight™ Max® Foam Earplugs, Bulk - Polybag

Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11186845	MAX-1	HONEYWELL	200 pairs/box

Howard Leight™ Max® Foam Earplugs, Bulk - Box, Corded

Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11175745	MAX-30	HONEYWELL	100 pairs/box



Honeywell



Honeywell

Howard Leight™ TrustFit™ Pod Earplugs, Bulk - One-Size

Certification: 28 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11318434	TRUSTFIPOD-1	HONEYWELL	100 pairs/box

Howard Leight™ TrustFit™ Pod Push-In Foam Earplugs, Corded, Bulk - Polybag

Certification: 28 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11320087	TRUSTFIPOD-30	HONEYWELL	100 pairs/box



Honeywell

Honeywell



Howard Leight™ FirmFit™ Disposable Earplugs Dispenser Refill, Bulk - Box

Certification: 30 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11279430	FF-1-D	HONEYWELL	500 pairs/box

Howard Leight™ FirmFit™ Disposable Earplugs, Bulk - Box, Corded

Certification: 30 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11276397	FF-30	HONEYWELL	100 pairs/box





Honeywell

Howard Leight™ Max® Earplugs, Bulk - Box

EST D

Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11198258	MAX-1-D	HONEYWELL	500 pairs/box

Howard Leight™ Fusion® Earplugs, Bulk -Box, Small, Corded

Certification: 27 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11236876	FUS30S-HP	HONEYWELL	100 pairs/box



Honeywell



Honeywell

Howard Leight™ Quiet® Earplugs, Bulk - Polybag, Corded

Certification: 26 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11181459	QD-30	HONEYWELL	100 pairs/box



Certification: 33 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11175724	LT30	HONEYWELL	100 pairs/box



Honeywell



Honeywell

Howard Leight™ SmartFit® Earplugs, Corded, Bulk - Polybag, 25 dB NRR, One-Size

Certification: 25 dB. CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11176523	SMF-30	HONEYWELL	100 pairs/box

Howard Leight™ Air Soft® Earplugs, Bulk - Polybag, Corded

Certification: 27 dB, CSA Class AL

SAP No.	Product No.	Fabricant	Quantity
11196811	DPAS-30R	HONEYWELL	100 pairs/box



Honeywell

Honeywell

Howard Leight™ Quiet Bands Earplugs

Certification: 25 dB, CSA Class AL

	SAP No.	Product No.	Fabricant	Quantity
ľ	11176198	QB2HYG	HONEYWELL	10 per box

Howard Leight™ Quiet Bands Replacement Pods

Certification: 25 dB, CSA Class AL

11010028 QB200HYG HONEYWELL 50 pairs/box	SAP No.	Product No.	Fabricant	Quantity
	11010028	QB200HYG	HONEYWELL	50 pairs/box

Earmuffs and Accessories







3M™ PELTOR™ Optime™ 95 Earmuffs, H6A, **Over-the-Head**

Certification: 21 dB, CSA Class A

SAP No.	Product No.	Fabricant
11217840	H6A/V	3M



Certification: 21 dB, CSA Class A

Behind-the-Head

SAP No.	Product No.	Fabricant
11175557	H6B/V	3M









3M™ PELTOR™ Optime™ 95 Folding Earmuffs, H6F/V, Over-the-Head

Certification: 21 dB, CSA Class A

SAP No.	Product No.	Fabricant
11230542	H6F/V	3M





Certification: 21 dB, CSA Class A

SAP No.	Product No.	Fabricant
11175558	H6P3E/V	3M









3M™ PELTOR™ Optime™ 98 Earmuffs, H9A, Over-the-Head

Certification: 25 dB, CSA Class A

SAP No.	Product No.	Fabricant
11167613	Н9А	3M

3M™ PELTOR™ Optime™ 98 Earmuffs, H9P3E, **Hard Hat Attached**

Certification: 25 dB, CSA Class A

SAP No.	Product No.	Fabricant
11169685	H9P3E	3M



3M™ Peltor™ Earmuff Replacement Hygiene Kit, H9 series

SAP No.	Product No.	Fabricant
11175581	HY54	3M



Certification: 27 dB, CSA Class A

SAP No.	Product No.	Fabricant
11170773	H7A	3M



3M™ PELTOR™ Optime™ 101 Earmuffs, H7P3E, **Hard Hat Attached**

Certification: 24 dB, CSA Class A

SAP No.	Product No.	Fabricant
11169276	H7P3E	3M



3M™ PELTOR™ Optime™ 101 Earmuffs, H7B, **Behind-the-Head**

Certification: 26 dB, CSA Class A

SAP No.	Product No.	Fabricant
11175560	H7B	3M



3M™ Peltor™ Earmuff Replacement Hygiene Kit, H7 series

SAP No.	Product No.	Fabricant
11175582	HY7	3M



3M™ PELTOR™ Optime™ 105 Earmuffs, H10A, Over-the-Head

Certification: 30 dB, CSA Class A

SAP No.	Product No.	Fabricant
11162659	H10A	3M







3M™ PELTOR™ Optime™ 105 Earmuffs, H10A HV, Over-the-head, high visibility

Certification: 30 dB, CSA Class A

SAP No.	Product No.	Fabricant
11232888	H10A HV	3M



Certification: 29 dB, CSA Class A

SAP No.	Product No.	Fabricant
11175551	H10B	3M







3M™ PELTOR™ Optime™ 105 Earmuffs, H10P3E, **Hard Hat Attached**

Certification: 27 dB, CSA Class A

SAP No.	Product No.	Fabricant
11170081	H10P3E	3M



SAP No.	Product No.	Fabricant
11175580	HY10	3M





3M™ PELTOR™ X Series Earmuffs, X1A, Over-the-Head

Certification: 22 dB, CSA Class A

SAP No. **Product No. Fabricant** 11282898 X1A 3M

3M™ PELTOR™ Welding Earmuff, H505B, Behind-the-Head

Certification: 17 dB, CSA Class B

SAP No.	Product No.	Fabricant
11252156	H505B	3M



3M

3M

3M™ PELTOR™ X Series Earmuffs, X1B, Behind-the-Head

Certification: 22 dB, CSA Class A

SAP No.	Product No.	Fabricant
11348388	X1B	3M

3M™ PELTOR™ X Series Earmuffs, X2A, Over-the-Head

Certification: 24 dB, CSA Class A

SAP No.	Product No.	Fabricant
11282899	X2A	3M



3M





3M

3M™ PELTOR™ X Series Earmuffs, X3A, Over-the-Head

Certification: 28 dB, CSA Class A

SAP No.	Product No.	Fabricant
11276409	ХЗА	3M



Certification: 25 dB, CSA Class A

SAP No.	Product No.	Fabricant
11282903	X3P5E	3M



3M

3N

3M™ PELTOR™ X Series Earmuffs, X4A, Over-the-Head

Certification: 24 dB, CSA Class A

SAP No.	Product No.	Fabricant
11282897	X4A	3M

3M™ PELTOR™ X Series Earmuffs, X4B, Behind-the-Head

Certification: 27 dB, CSA Class A

SAP No.	Product No.	Fabricant
11345571	X4B	3M









3M™ PELTOR™ X Series Earmuffs, X4P5E, Hard Hat **Attached Electrically Insulated**

Certification: 25 dB, CSA Class A

SAP No.	Product No.	Fabricant
11324227	X4P5E	3M



Certification: 31 dB, CSA Class A

SAP No.	Product No.	Fabricant
11282900	X5A	3M









3M™ PELTOR™ X Series Earmuffs, X5P5E, Hard Hat Attached Electrically Insulated

Certification: 31 dB, CSA Class A

SAP No.	Product No.	Fabricant
11276410	X5P5E	3M

Peltor™ Wireless Communication X-Series Earmuff Accessories

SAP No.	Product No.	Fabricant
11346405	WS-CUSH	3M





3M™ PELTOR™ Earmuff Assembly, for Versaflo™ M-100 and M-300 Products

Certification: 23 dB, CSA Class A

SAP No.	Product No.	Fabricant
11230767	M-985	3M



Honeywell

Howard Leight™ VeriShield™ 100 Series Passive Earmuffs, Cap Mount, 27 NRR dB

Certification: 27 dB, CSA Class AL

SAP No.	Product No.	Fabricant
11357019	1035127-VS	HONEYWELL



Honeywell

Howard Leight[™] VeriShield[™] 100 Series Dielectric Passive Earmuffs, Multi-position, 30 NRR dB

Certification: 30 dB, CSA Class AL

SAP No.	Product No.	Fabricant
11167390	1035187-VS	HONEYWELL



Honeywell

Howard Leight™ VeriShield™ 100 Series Dielectric Passive Earmuffs, Cap Mount

Certification: 25 dB, CSA Class A

SAP No.	Product No.	Fabricant
11349901	1035201-VS	HONEYWELL



Honeywell

Howard Leight™ VeriShield™ Earmuff Hygiene Kit

SAP No.	Product No.	Fabricant
11351150	1035136-VS	HONEYWELL



Honeywell

Howard Leight™ VeriShield™ 100 Series Dielectric Passive Earmuffs, Cap Mount

Certification: 23 dB, CSA Class A

SAP No.	Product No.	Fabricant
11171062	1035200-VS	HONEYWELL



Honeywell

Howard Leight™ QM24+ Earmuff, Multi-position

Certification: 25 dB, CSA Class A

SAP No.	No. Product No. Fabricant	
11126096	QM24PLUS	HONEYWELL



Honeywell



Honeywell

Earmuff Absorbent Cool Pads

SAP No.	Product No.	Fabricant	Quantity
11218588	1000365	HONEYWELL	20 of 5 pair packs per box

Optisorb® Earmuff cushion covers, made of pure cotton

SAP No.	Product No.	Fabricant	Quantity
11176035	OPSB	HONEYWELL	50 pairs/box



Honeywell



Honeywell

Howard Leight[™] VeriPRO® Earplug Fit **Testing System**

SAP No.	Product No.	Fabricant
11348612	VERIPRO	HONEYWELL

Howard Leight[™] VeriShield[™] 100 Series Passive Earmuffs, Cap Mount, 27 NRR dB

Certification: 27 dB, CSA Class AL

SAP No. Product No.		Fabricant	
11175183	1035124-VS	HONEYWELL	

Communication Systems





3M

Peltor™ Electronic Earplugs, Pair - Plastic Case, 23 dB NRR, Large/Medium/Small

Certification: 23 dB, CSA Class AL

SAP No.	Product No.	Fabricant
11346236	EEP-100	3M



Certification: 25 dB, CSA Class A

SAP No.	Product No.	Fabricant
11307825	MT7H7A4612-CA	3M





3M™ PELTOR™ CH-3 Headset with PTT, Hard Hat Attached, FLX2 connection jack for easy and reliable connection to a wide assortment of handheld devices

Certification: 30 dB, CSA Class A

Product No.	Fabricant
MT74H52P3E-111	3M

3M™ PELTOR™ WS ProTac XPI Level Dependent Bluetooth® Headset, Headband, Yellow

Certification: 26 dB, CSA Class A

SAP No.	Product No.	Fabricant
11348876	MT15H7AWS6-WS	3M









3M

3M™ Particulate Respirator, 8110S, N95, Small

		Fabricant	Quantity
11173089 81	10S	3M	20/box

3M™ Particulate Respirator, 8200, N95

11197526 8200 3M 20/box	SAP No.	Product No.	Fabricant	Quantity
	11197526	8200	3M	20/box







3M

3M™ Particulate Respirator, 8210, N95

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity
11168400	8210	3M	20/box

3M™ Particulate Respirator, 8210Plus, N95

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity
11195909	8210+	3M	20/box







3M™ Particulate Respirator, 8210V, N95

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity	
11250769	8210V	3M	10/box	

3M™ Particulate Welding Respirator, 8212, N95

SAP No.	Product No.	Fabricant	Quantity
11185438	8212	3M	10/box







3M

3M™ Particulate Respirator, 8214, N95

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity
11173090	8214	3M	10/box

3M™ Particulate Respirator, 8233, N100

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity
11005878	8233	3M	1/bag, 20/box









3M™ Particulate Respirator, 8246, R95

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity
11188679	8246	3M	20/box

3M™ Particulate Respirator, 8247, R95

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity
11173091	8247	3M	20/box









3M™ Particulate Respirator, 8271, P95

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity	
11173092	8271	3M	10/box	

3M™ Particulate Respirator, 8293, P100,

SAP No.	Product No.	Fabricant	Quantity
11139697	8293	3M	1/bag, 20/box









3M™ Particulate Respirator, 8511, N95

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity
11173093	8511	3M	10/box



Certification: NIOSH Approved

11173095 8515	3M	10/box









3M™ Particulate Respirator, 8576, P95

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity
11173096	8576	3M	10/box

3M™ Particulate Respirator, 8577, P95

SAP No.	Product No.	Fabricant	Quantity
11173097	8577	3M	10/box
11170007	0077	0111	10/00/









3M™ VFlex™ Particulate Respirator, 9105, N95, regular

Certification: NIOSH Approved

_	SAP No.	Product No.	Fabricant	Quantity
	11350988	9105	3M	50/box

3M™ Aura™ Particulate Respirator 9205+, N95

Certification: NIOSH Approved

11353921 9205+ 3M 400/box	 SAP No.	Product No.	Fabricant	Quantity
	11353921	9205+	3M	400/box









3M[™] Aura[™] Particulate Respirator, 9210+, N95

Certification: NIOSH Approved

	antity
11288253	/box

3M™ Aura™ Particulate Respirator, 9211+, N95

SAP No.	Product No.	Fabricant	Quantity	
11274013	9211+	3M	10/box	



Honeywell

Honeywell Medium - Large 7900 Series Mouthbit Acid Gas Air Purifying Respirator

Certification: NIOSH Approved For (Escape Only)

SAP No.	Product No.	Fabricant	Quantity
11185063	7902	HONEYWELL	10/box

Honeywell



SAF-T-FIT® Nuisance Disposable Dust Mask

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Quantity
11265641	14110094CC	HONEYWELL	50/BTE

Honeywell



HONEYWELL ONE-Fit Particulate Respirator, N95

SAP No.	Product No.	Fabricant	Quantity	
11263024	14110444	HONEYWELL	20/BTE	

MOLDEX

MOLDEX



2200 Particulate Respirators, N95, NIOSH, Large/Medium

Certification: ANSI/ISEA 110-2009 SECTION 7.11.1

SAP No.	Product No.	Fabricant	Quantity
11168225	2200N95	MOLDEX	20/box



2300 Particulate Respirators With Valve, N95, NIOSH Certified, Large/Medium

Certification: ANSI/ISEA 110-2009 SECTION 7.11.1

11168226 2300N95 MOLDEX 10/box	SAP No.	Product No.	Fabricant	Quantity
	11168226	2300N95	MOLDEX	10/box

MOLDEX

MOLDEX



2310 Particulate Respirators With Valve, N99, NIOSH Certified, Large/Medium

Certification: ANSI/ISEA 110-2009 SECTION 7.11.1

SAP No.	Product No.	Fabricant	Quantity
11204162	2310N99	MOLDEX	10/box

2400N95 Plus Relief From Organic Vapors Particulate Respirator With Exhale Valve

Certification: ANSI/ISEA 110-2009 SECTION 7.11.1

SAP No.	Product No.	Fabricant	Quantity
11236830	2400N95	MOLDEX	10/box





3M™ Half Facepiece Resuable Respirator, 6000

- This series combines comfort and convenience
- Comfortable soft, lightweight facepiece with easy-toadjust head straps
- NIOSH approved for negative pressure air purifying and supplied air dual airline applications
- Can be disassembled, cleaned and reused
- Replaceable cartridges and filters allow reuse of facepiece for cost savings
- Always use 3M[™] Half Mask Respirators with the correct respiratory cartridges

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Size
11003832	6100	3M	S
11168399	6200	3M	M
11003835	6300	3M	L





3M™ Half Facepiece Resuable Respirator With Quick-Latch Drop-Down Feature, 6500QL, Silicone

- Quick latch provides an easy on and off option as you move in and out of contaminated areas
- Resilient silicone faceseal helps provide comfort, durability, and stability with a soft but firm seal
- Bayonet connection is compatible with all bayonet-style 3MTM Cartridges and Filters
- Simplified cleaning and maintenance with fewer parts and services
- Includes the 3MTM Cool FlowTM Exhalation Valve that enhances comfort by reducing heat and moisture
- Keeps its shape in high-heat environments
- Always use 3M[™] Half Mask Respirators with the correct respiratory cartridges
- Low profile half facepiece design offers a wider field of view and better compatibility with welding and grinding shields

SAP No.	Product No.	Fabricant	Size	
11271704	6501QL	3M	S	
11271703	6502QL	3M	Μ	
11271702	6503QL	3M	L	

Introducing the 3M[™] Secure Click[™] Half Facepiece Reusable Respirator

Designed with intuitive features, the 3M Secure Click Half Facepiece Reusable Respirator HF-800 Series helps protect workers from particulates and/or a wide variety of gases and vapors when used with approved 3M Secure Click filters and cartridges.









3M

3M™ Secure Click™ Half Facepiece Reusable Respirator with Speaking Diaphragm HF-800SD

- Unique filter and cartridge connection snaps into place for intuitive assembly
- New dual-flow cartridge design allows air to be pulled through both sides of the cartridge for easier breathing
- Speaking diaphragm designed to help provide easier communication while working
- Push button seal check Easy way to conduct required (negative pressure) seal check prior to each use
- Silicone face seal with patented flex joint nose bridge helps provide a softer feel for more comfort on the wearer's face
- Easy-adjust head cradle buckles pull straps to tighten, squeeze the buckles to loosen
- Overmoulded design for easy assembly/disassembly
- Exhalation valve helps direct exhaled breath and moisture downward
- Greater breathability and comfort provided by the world's first guad-flow cartridge system
- Low-profile half facepiece design offers a wide field of view and compatibility with certain welding and grinding shields

3M™ Half Facepiece Resuable Respirator, 7500, Silicone

- Advanced silicone material for increased comfort and greater durability
- 3M[™] Cool Flow[™] Exhalation Valve helps make breathing easier and can offer cooler and drier comfort
- Dual-mode head harness that adjusts easily so users can wear the respirator in either standard or drop-down mode
- Solid exhalation valve cover
- For use with 3M[™] Cartridges, 6000 Series, 3M[™] Filters, 2000, 2200, 7000 or 5000 Series, or 3M[™] Dual Airline Systems
- Head harness assembly and spare parts available
- Always use 3M[™] Half Mask Respirators with the correct respiratory cartridges

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Size
11348752	HF-801SD	3M	S
11348753	HF-801SD	3M	М
11348754	HF-803SD	3M	L

11173064 7501 3M S 11173065 7502 3M M	
11173065 7502 3M M	
11173066 7503 3M L	



3M



3M

3M™ Full Facepiece Reusable Respirator, 6000

- Lightweight, well-balanced design and silicone faceseal for enhanced comfort, durability, and ease of cleaning
- Large lens provide a wide field of view for excellent visibility
- Unique centre adapter to direct exhaled breath and moisture downward, helps reduce debris from depositing in the valve, and allows for quick and easy cleaning
- 3MTM Cool FlowTM Exhalation Valve for cooler, drier comfort
- Air purifying respirator (APR), supplied air (SA) and powered air purifying respirator (PAPR) modes
- Full facepiece respirators are an industry-trusted tool from a variety of 3M Respirators - typically compatible with PAPRs and Supplied Air Respirator assemblies

3M™ Ultimate FX Full Facepiece Reusable Respirator, FF-400

- Silicone full facepiece design offers comfort, durability and ease of cleaning
- Large lens provide a wide field of view for excellent visibility
- 3M™ Cool Flow™ Exhalation Valve for cooler, drier comfort
- Passive speaking diaphragm enhances communications
- Scotchgard protection paint and stain resistant lens cause some liquids to bead up so they can be wiped off easily
- Full facepiece respirators are an industry-trusted tool from a variety of 3M Respirators - compatible with 3M Supplied Air Respirator assemblies

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Size	
11139863	6700	3M	S	
11003836	6800	3M	М	
11003838	6900	3M	L	

11213692 FF-401 3M S 11213693 FF-402 3M M 11213694 FF-403 3M L	SAP No.	Product No.	Fabricant	Size	
11210000 11 102 011	11213692	FF-401	3M	S	
11213694 FF-403 3M I	11213693	FF-402	3M	M	
11210001 11 100 011	11213694	FF-403	3M	L	



3M



3M

3M™ Particulate Filter, P95

 NIOSH approved for environments containing certain oil and non-oil based particles.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11238122	2071	3M	50 pairs/case





3M™ Particulate Filter, P95

 NIOSH approved to protect against hydrogen fluoride and certain oil and non-oil based particles.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11172995	2076HF	3M	50 pairs/case



3M

3M™ Particulate Filter, P95

- NIOSH approved for environments containing certain oil and non-oil based particles.
- 3M recommended for relief against nuisance levels of organic vapour/acid gases and for ozone protection up to 10X OSHA PEL.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11238123	2078	3M	50 pairs/case



3M

3M™ Particulate Filter, P100

- NIOSH approved for environments containing certain oil and non-oil based particles.
- Helps provide respiratory protection against exposure to lead, asbestos, cadmium, arsenic, and MDA.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11238124	2091	3M	50 pairs/case



3M

3M™ Particulate Filter, P100

- NIOSH approved for environments containing certain oil and non-oil based particles.
- 3M recommended for relief against nuisance levels of acid gases.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11172996	2096	3M	50 pairs/case

3M™ Particulate Filter, P100

- NIOSH approved for environments containing certain oil and non-oil based particles.
- 3M recommended for nuisance level organic vapour relief and for ozone protection up to 10X OSHA PEL.

SAP No.	Product No.	Fabricant	Paire
11238126	2097	3M	50 pairs/case









3M[™] Advanced Particulate Filter, P100

- Designed to make breathing easier while lasting longer.
- NIOSH approved for environments containing certain oil and non-oil based particles.
- 3M recommended for relief against nuisance level organic vapours and for ozone protection up to 10X OSHA PEL.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11172996	2291-P100	3M	50 pairs/case





3M™ Advanced Particulate Filter, P100

- Designed to make breathing easier while lasting longer.
- NIOSH approved for environments containing certain oil and non-oil based particles.
- 3M recommended for relief against nuisance level organic vapours and for ozone protection up to 10X OSHA PEL.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11217770	2297-P100	3M	50 pairs/case

3M™ Advanced Particulate Filter, P100

- Designed to make breathing easier while lasting longer.
- NIOSH approved for environments containing certain oil and non-oil based particles.
- 3M recommended for relief against nuisance level acid gases.

SAP No.	Product No.	Fabricant	Paire
11238126	2296-P100	3M	50 pairs/case









3M™ Particulate Filter, P95

 NIOSH approved for environments containing certain oil and non-oil based particles. 3M recommended for relief against nuisance levels of organic vapour/acid gases and for ozone protection up to 10X OSHA PEL.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	10/box
11004749	5P71	3M	10 boxes/case



 NIOSH approved for environments containing certain non-oil-based particles.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	10/box
11167628	5N11	3M	10 boxes/case









3M™ Filter Adapter

Used to attach 3M[™] Particulate Filters 2000 Series and 3M[™] Particulate Filters 7093 to the 3M[™] Respirators 5000 Series and 3M[™] Cartridges 6000 Series for a wide variety of applications.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Unité
11193088	502	3M	20/box



Designed to hold 3M Particulate Filter 5N11 and 5P71.

Certification: NIOSH Approved

11003825 501	3M	20/bc	Σ









3M™ Hydrogen Fluoride Cartridge/Filter, P100

 NIOSH approved for hydrogen fluoride and certain oil and non-oil based particles with relief against nuisance levels of organic vapor/ acid gases.

Certification: NIOSH Approved

SA	P No.	Product No.	Fabricant	Paire
11	291416	7093CB	3M	72 pairs/case

3M™ Particulate Filter, P100

 NIOSH approved for environments containing certain oil and non-oil based particles. Can be used in a variety of applications including welding, brazing, torch cutting, metal pouring, soldering, and exposure to lead, asbestos, cadmium, arsenic, and MDA.

SAP No.	Product No.	Fabricant	Paire
11182371	7093B	3M	72 pairs/case







3M™ Secure Click™ Particulate Filter D3071, P95

NIOSH approved and helps protect against certain oil and non-oil based particles.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11348755	D3071	3M	50 pairs/case







3M™ Secure Click™ Particulate Filter

With Nuisance Level Acid Gas Relief D3096, P100, is NIOSH approved and helps protect against environments containing certain oil and non-oil based particles, and is also 3M-recommended for nuisance level relief of acid gases.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11348759	D3096	3M	50 pairs/case





3M™ Secure Click™ Particulate Filter

With Nuisance Level Organic Vapour/Acid Gas Relief D3078, P95, is NIOSH approved and helps protect against environments containing certain oil and non-oil based particles, and is also 3M-recommended for nuisance level relief of organic vapour/acid gases and for ozone protection up to 10X the Permissible Exposure Limit (PEL)

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11348757	D3078	3M	50 pairs/case

3M™ Secure Click™ Particulate Filter D3091, P100

NIOSH approved and helps protect against certain oil and non-oil based particles.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11348758	D3091	3M	50 pairs/case





3M™ Secure Click™ Particulate Cartridge

With Nuisance Level Acid Gas Relief D3076HF, P95/HF, is NIOSH approved and helps protect against hydrogen fluoride and certain oil and non-oil based particles

Certification: NIOSH Approved

SA	P No.	Product No.	Fabricant	Paire
113	348756	D3076HF	3M	50 pairs/case





3M™ Secure Click™ Particulate Filter

With Nuisance Level Organic Vapour Relief D3097, P100, is NIOSH approved and helps protect against environments containing certain oil and non-oil based particles, and is also 3M-recommended for nuisance level relief of organic Vapour and for ozone protection up to 10X the Permissible Exposure Limit (PEL).

SAP No.	Product No.	Fabricant	Paire
11348760	D3097	3M	50 pairs/case













3M™ Secure Click™ Particulate Filter D7N11, N95

NIOSH approved and helps filter at least 95% of airborne particles, but is not resistant to oil.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	20/box
11348761	D7N11	3M	10 boxes/case





3M™ Secure Click™ Particulate Filter D7P71, P95

NIOSH approved and helps filter at least 95% of airborne particles, both oil and non-oil based.

Certification: NIOSH Approved

113/8762 D7P71 3M 10 hoves/case	SAP No.	Product No.	Fabricant	20/box
11348702 D7171 3W 10 D0Xe3/Ca3e	11348762	D7P71	3M	10 boxes/case

3M™ Secure Click™ Filter Retainer D701

Designed to hold 3M™ Secure Click™ Particulate Filter D7N11 and 3M™ Secure Click™ Particulate Filter D7P71 on 3M™ Secure Click™ D8000 Series Cartridges

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Unité
11348763	D701	3M	100 unit/box











3M™ Organic Vapour Cartridge, 6001

NIOSH approved against certain organic vapours.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11167600	6001	3M	30 pairs/case

M™ Acid Gas Cartridge, 6002

NIOSH approved against certain acid gases.

SAP No.	Product No.	Fabricant	Paire
11238122	6002	3M	30 pairs/case





3M™ Organic Vapour/Acid Gas Cartridge, 6003

NIOSH approved for protection against certain organic vapours or acid gases.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11238117	6003	3M	30 pairs/case







3M™ Formaldehyde/Organic Vapour Cartridge, 6005

NIOSH approved against formaldehyde and certain organic vapours.

Certification: NIOSH Approved

11173039 600)5	3M	30 pairs/case





3M™ Mercury Vapour/Chlorine or Sulfur Dioxide Gas Cartridge, 6009S

NIOSH approved for protection against mercury vapour, chlorine, sulfur dioxide.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11195895	6009S	3M	30 pairs/case



3M™ Ammonia Methylamine Cartridge, 6004

NIOSH approved against ammonia and methylamine.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11171226	6004	3M	30 pairs/case





3M™ Multi-Gas/Vapour Cartridge, 6006

NIOSH approved against certain organic vapours, acid gasses, ammonia, methylamine or formaldehyde.

SAP No.	Product No.	Fabricant	Paire
11238128	6006	3M	30 pairs/case





3M™ Organic Vapour Cartridge/Filter, 60921, P100

NIOSH approved against certain organic vapours and particulates.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11238131	60921	3M	30 pairs/case





3M™ Acid Gas Cartridge/Filter, 60922, P100

NIOSH approved against certain acid gases and particulates.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11173040	60922	3M	30 pairs/case



3M™ Organic Vapour/Acid Gas Cartridge/Filter, 60923, P100

NIOSH approved against certain organic vapours, acid gases and particulates.

Certification: NIOSH Approved

11173041 60923 3M 30 pairs/case	SAP No.	Product No.	Fabricant	Paire
11170011 00020 1111	11173041	60923	3M	30 pairs/case





3M™ Ammonia Methylamine Filter, 60924, P100

NIOSH approved to help provide respiratory protection against ammonia, methylamine and particulates.

Certification: NIOSH Approved

11195898 60924 3M 30 pairs/case	SAP No.	Product No.	Fabricant	Paire
11100000 00024 0111 00 pairs/6436	11195898	60924	3M	30 pairs/case



3M™ Formaldehyde/Organic Vapour Cartridge/Filter, 60925, P100

NIOSH approved against formaldehyde, certain organic vapours and particulates.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11195899	60925	3M	30 pairs/case



3M™ Multi-Gas/Vapour Cartridge/Filter, 60926, P100

NIOSH approved against certain organic vapours, acid gasses and particulates.

SAP No.	Product No.	Fabricant	Paire
11238132	60926	3M	30 pairs/case



3M



3M

3M™ Secure Click™ Organic Vapour/Acid Gas Cartridge with Dual Flow D8003

 NIOSH approved and helps protect against certain organic vapours and gases.

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11348765	D8003	3M	30 pairs/case



3M

٨

3M™ Secure Click™ Organic Vapour/Acid Gas Cartridge/ Filter with Dual Flow D80923, P100

 NIOSH approved and helps protect against certain organic vapours and gases up to 10 times the Permissible Exposure Limit (PEL).

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11348768	D80923	3M	30 pairs/case





3M™ Secure Click™ Organic Vapor Cartridge with Dual Rate D8001

NIOSH approved to provide protection against certain organic vapors

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11348764	D8001	3M	30 pairs/case

3M™ Secure Click™ Multi-Gas/Vapour Cartridge with Dual Flow D8006

 NIOSH approved and helps protect against certain vapours and gases

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11348766	D8006	3M	30 pairs/case





3M™ Secure Click™ Multi-Gas/Vapour Cartridge/ Filter with Dual Flow D80926, P100

 NIOSH approved and helps protect against certain vapours and gases up to 10 times the Permissible Exposure Limit (PEL).

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11348769	D80926	3M	30 pairs/case





3M[™] Secure Click[™] Organic Vapour Cartridge/Filter with Dual Flow D80921, P100

 NIOSH approved and helps protect against certain organic vapours and particulates up to 10 times the Permissible Exposure Limit (PEL).

SAP No.	Product No.	Fabricant	Paire
11348767	D80921	3M	30 pairs/case



Honeywell



Honeywell

North® 5500 Series Low Maintenance Half-Mask Respirator, Elastomer

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Size
11173760	550030L	HONEYWELL	L
11173761	550030M	HONEYWELL	Μ
11173762	550030S	HONEYWELL	S



Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Size
11134176	770030L	HONEYWELL	L
11134177	770030M	HONEYWELL	M
11134178	770030S	HONEYWELL	S



Honeywell



Honeywell

North® 5400 Series Low Maintenance Full Facepiece Respirator, Elastomer

Certification: NIOSH Approved

11015000	SAP No.	Product No.	Fabricant	Size
11150/45 54001 HONEYWELL M/L	11150745	54001	HONEYWELL	M/L

North® 7600 Series Full Facepiece Respirator, Silicone

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Size
11195915	760008A	HONEYWELL	M/L
11195916	760008AS	HONEYWELL	S



Honeywell



Honeywell

North® N Series Respirator Cartridges, Organic Vapour

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11175901	N75001L	HONEYWELL	18 pairs/case

North® N Series Respirator Cartridges, Acid Gas

SAP No.	Product No.	Fabricant	Paire
11009656	N75002L	HONEYWELL	18 pairs/case



Honeywell

Partie laboration of

Honeywell

North® N Series Respirator Cartridges, Organic Vapour/Acid Gas

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11175903	N75003L	HONEYWELL	18 pairs/case



Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11009657	N75004L	HONEYWELL	18 pairs/case



Honeywell

Honeywell



North® N Series Respirator Cartridges

 Multi Gas, Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11174203	75SCL	HONEYWELL	12 pairs/case

North® Hard Shell Filters, Particulate Filter, P100

Certification: NIOSH Approved

11005592 7580P100L HONEYWELL	SAP No.	Product No.	Fabricant	Paire
	11005592	7580P100L	HONEYWELL	





Honeywell

North® N Series Respirator Cartridges, Organic Vapour/P100

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11009658	7581P100L	HONEYWELL	12 pairs/case



Honeywell

North® N Series Respirator Cartridges, Organic Vapour/ Acid Gas/P100

SAP No.	Product No.	Fabricant	Paire
11005593	7583P100L	HONEYWELL	12 pairs/case



Honeywell

Honeywell



North® N Series Respirator Cartridges

 Multi Gas, Organic Vapours, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde, P100 Particulate Filter

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11238295	75SCP100L	HONEYWELL	12 pairs/case

North® Filter Cover

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11265449	N750036	HONEYWELL	10 pairs/case



Honeywell

Honeywell



North® Respirator Filters, Particulate, P100

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	Paire
11153550	75FFP100	HONEYWELL	50 pairs/case

North® Respirator Filters, Particulate, N95

Certification: NIOSH Approved

11121195 7506N95 HONEYWELL 12 pgt/caisse	SAP No.	Product No.	Fabricant	10/pqt
1 17	11121195	7506N95	HONEYWELL	12 pqt/caisse



Honeywell

Honeywell



North® Respirator Filters, Particulate, N99

Certification: NIOSH Approved

SAP No.	Product No.	Fabricant	10/pqt
11210716	7506N99	HONEYWELL	12 pqt/caisse

North® Respirator Filters, Particulate, R95

SAP No.	Product No.	Fabricant	10/pqt
11196485	7506R95	HONEYWELL	12 pqt/caisse

Accessories and Cleaners









3M™ Respirator Cleaning Wipe, 504, alcohol-free

SAP No.	Product No.	Fabricant	Quantity
11173010	504	3M	100/box



SAP No.	Product No.	Fabricant	Quantity
11188981	FT-10	3M	





3M™ Qualitative Fit Test Apparatus, FT-30, bitter

SAP No.	Product No.	Fabricant	Quantity
11187710	FT-30	3M	







Respirator Refresher Wipe Pads, with Alcohol

SAP No.	Product No.	Fabricant	Quantity
11219901	1001	ALLEGRO	100/box



Respirator Refresher Wipe Pads, Alcohol Free

SAP No.	Product No.	Fabricant	Quantity	
11219905	3001	ALLEGRO	100/box	

Accessories and Cleaners



Honeywell

10000000

Carrying Bag, Large, for full facepiece respirators, Nylon, with velcro closure and belt loops

SAP No.	Product No.	Fabricant	Quantity
11196482	76BAG	HONEYWELL	

Qualitative Fit Test Kit, Irritant Smoke with Deluxe carrying case

SAP No.	Product No.	Fabricant	Quantity
11335045	7700-40	HONEYWELL	



Honeywell

Honeywell

Honeywell

Respirator Refresher Wipe Pads, with alcohol, 5" x 7" towelettes

SAP No.	Product No.	Fabricant	Quantity
11005315	7003	HONEYWELL	100/box

Respirator Refresher Wipe Pads, Alcohol Free, 5" x 7" towelettes

SAP No.	Product No.	Fabricant	Quantity
11177310	7003A	HONEYWELL	100/box



3M



3M

3M™ Versaflo™ Easy Clean Powered Air Purifying Respirator Kit

The Kit Includes:

- 3M[™] Versaflo[™] Hood with Integrated Head Suspension, S-433L, medium/large
- 3M[™] Versaflo[™] Length Adjusting Breathing Tube, BT-30.
- 3M[™] Versaflo[™] Powered Air Purifying Unit, TR-302N+.
- 3M™ Easy Clean Belt, TR-327.
- 3M™ Versaflo™ High Capacity Battery, TR-332.
- 3M™ Single Station Battery Charger Kit, TR-341N.
- 3M™ HE Filter, TR-3712N.
- 3M™ Prefilter, TR-3600.
- 3M[™] Versaflo[™] Air Flow Indicator, TR-971.

Certification: NIOSH

SAP No.	Product No.	Fabricant
11288806	TR-300N+ ECK	3M





3M™ Versaflo™ Heavy Industry Powered Air Purifying Respirator Kit

The Kit Includes:

- 3M[™] Versaflo[™] Hardhat Assembly, M-307.
- 3M[™] Versaflo[™] Powered Air Purifying Respirator Unit, TR-602N.
- 3M™ Versaflo™ High Capacity Battery, TR-632.
- 3M[™] Versaflo[™] Length Adjusting Breathing Tube, BT-30.
- 3M™ Versaflo™ High Durability Belt TR-626
- 3M™ Versaflo™ Organic vapour/Acid Gas/HEPA Cartridge TR-6530N.
- 3M[™] Versaflo[™] Filter Cover, TR-6500FC.
- 3M™ Versaflo™ Single Station Battery Charger Kit, TR-641N.
- 3M™ Versaflo™ Air Flow Indicator TR-971.
- 3M™ Versaflo™ High Temperature Breathing Tube Cover BT-926.
- 3MTM VersafloTM Prefilter, TR-6600 (x2).
- 3M[™] Versaflo[™] Spark Arrestor, TR-662 (x2).

Certification: NIOSH

SAP No.	Product No.	Fabricant	
11296822	TR-600-HIK	3M	

3M[™] Versaflo[™] Heavy Industry Powered Air Purifying Respirator Kit.

The Kit Includes:

- 3M[™] Versaflo[™] Hardhat Assembly, M-307.
- 3M[™] Versaflo[™] Powered Air Purifying Unit, TR-302N+.
- 3M[™] Versaflo[™] High Durability Belt, TR-326.
- 3M™ Single Station Battery Charger Kit, TR-341N.
- 3M™ HE Filter, TR-3712N.
- 3M™ Versaflo™ Spark Arrestor, TR-362.
- 3M[™] Versaflo[™] Prefilter, TR-3600.
- 3M[™] Versaflo[™] High Capacity Battery, TR-332.
- 3M[™] Versaflo[™] Length Adjusting Breathing Tube, BT-30.
- 3M™ Versaflo™ Air Flow Indicator, TR-971.

Certification: NIOSH

SAP No.	Product No.	Fabricant
11334601	TR-300N+ HIK	3M





3M™ Versaflo™ Powered Air Purifying Respirator Assembly

The Kit Includes:

- Heavy Duty Tight Fitting Breathing Tube BT-64
- Powered Air Purifying Respirator Unit TR-602N
- Air Flow Indicator TR-973
- High Durability Belt TR-626
- Standard Battery TR-630
- Single Station Battery Charger Kit TR-641N
- Prefilter TR-6600
- Spark Arrestor TR-662
- Cleaning & Storage Kit BT-953.

SAP No.	Product No.	Fabricant
11340319	TR-612N	3M



3M



3M

3M™ Versaflo™ Powered Air Purifying Respirator Heavy Industry Kit

The Kit Includes:

- Hardhat Assembly, M-307
- Powered Air Purifying Respirator Unit, TR-802N
- Battery, TR-830
- Battery Attachment Tool, TR-838
- Length Adjusting Breathing Tube, BT-30
- High Durability Belt, TR-626
- Organic Vapour/Acid Gas/HEPA Cartridge, TR-6530N
- Filter Cover, TR-6500FC
- Single Station Battery Charger Kit, TR-641N
- Air Flow Indicator, TR-971
- High Temperature Breathing Tube Cover BT-926
- Prefilter, TR-6600 (2)
- Spark Arrestor, TR-662 (2)
- Cleaning & Storage Kit, TR-653

Certification: NIOSH

SAP No.	Product No.	Fabricant
11347127	TR-800-HIK	3M





3M[™] Adflo[™] Powered Air Purifying Respirator with 3M[™] Speedglas[™] Welding Helmet 9100-Air

 (No ADF) offers compact, lightweight respiratory protection and quality filter optics all-in-one.
 The helmet has a lithium ion battery, high-efficiency (HE) particulate filter, and wide leather belt.

Certification: NIOSH

SAP No.	Product No.	Fabricant
11357177	35-1101-00SW	3M

3M[™] Adflo[™] Powered Air Purifying Respirator with 3M[™] Speedglas[™] Welding Helmet 9100-Air (with 9100XXi ADF)

- Offers compact, lightweight respiratory protection and quality filter optics all-in-one.
- Grab and go with auto-on
- User interface is easy to understand
- · Delay function to set the dark-to-light opening time
- Arc detection sensitivity is adjustable
- 2.8" x 4.2" (7.1 cm x 10.6 cm viewing area)
- Adjustable head suspension for increased comfort, helmet stability and weight distribution
- Includes storage bag, welding cap and starter kit

Certification: NIOSH

SAP No.	Product No.	Fabricant
11317994	35-1101-30iSW-CA	3M





3M[™] Adflo[™] Powered Air Purifying Respirator With 3M[™] Speedglas[™] Welding Helmet 9100 Fx-Air (No ADF) Is A Powered Air Purifying Respirator System That Is Designed For Welders

- It is a compact, lightweight system with a lithium ion (Li-ion) battery, highefficiency (HE) particulate filter, and a wide leather belt.
- Audible and visual alarms signal low airflow and low battery charge
- High efficiency particulate filter included
- Wide leather belt included
- HE particulate filter can be "stacked" onto 3M™ Adflo™ Cartridge (not included) for additional protection against organic vapor/SD/CL/HC vapors
- Side windows shade 5 side filters that increase peripheral vision
- Adjustable head suspension for increased comfort, helmet stability and weight distribution
- Auto-Darkening Filter not included Compatible with 3M™ Speedglas™ Auto-Darkening Filters 9100V / 9100X / 9100XX
- When used with a compatible 3M™ Speedglas™ Auto-Darkening Filter Series 9100, this is a NIOSH-approved system and meets ANSI Z87.1-2010
- Storage bag and welding cap included

SAP No.	Product No.	Fabricant
11290407	36-1101-00SW	3M





- Audible and visual alarms signal low airflow and low battery charge
- Adjustable head suspension for increased comfort, helmet stability, and weight distribution
- HE particulate filter can be "stacked" onto 3M™ Adflo™ Cartridge (not included) for additional protection against organic vapor/SD/CL/HC vapors
- Side windows shade 5 side filters that increase peripheral vision
- Auto-Darkening Filter not included Compatible with 3M™ Speedglas™ Auto-Darkening Filters 9100V / 9100X / 9100XX / 9100 XXi
- When used with a compatible 3M[™] Speedglas[™] Auto-Darkening Filter Series 9100, this is a NIOSH-approved system and meets ANSI Z89.1 - 2009 requirements for Type 1 Class G hardhats and meets ANSI Z87.1-2010
- Storage bag and welding cap included

Certification: NIOSH

SAP No.	Product No.	Fabricant
11325939	37-1101-00SW	3M



3M™ Speedglas™ G5-01 Heavy-Duty Welding Helmet with 3M™ Adflo™ High-Altitude PAPR Assembly , No ADF, uses next-generation technology to help provide dynamic welding protection

- Kit contains a complete 3M[™] Speedglas[™] G5-01 Helmet Assembly, lithium-ion battery, charger, high-efficiency particulate filter, prefilter, spark arrestor, wide leather belt, and self-adjusting breathing tube.
- The big (104 mm x 170 mm), clear protective visor is curved, providing excellent viewing angles up, down, and peripherally.
 A slim profile makes the 3M™ Speedglas™ G5-01 Heavy-Duty Welding Helmet
- A slim profile makes the 3M[™] Speedglas[™] G5-01 Heavy-Duty Welding Helmet lightweight and easy to utilize in tight welding spaces.
- The system is NIOSH approved and provides an Assigned Protection Factor (APF) of 25 in our standard helmet assembly, and up to 1000 APF with our optional kit.
- With the right type of filter and/or cartridge, the 3M™ Adflo™ High-Altitude PAPR Assembly effectively protects you against both particles and gases — all in one system.
- For more comfort control the innovative 3M™ Speedglas™ G5-01 Heavy-Duty Welding Helmet lets you direct the airflow to either your face, visor, or somewhere in-between.

SAP No.	Product No.	Fabricant
11349221	46-1101-00	3M





31

3M™ Speedglas™ G5-01 Heavy-Duty Welding Helmet with 3M™ Adflo™ High-Altitude PAPR Assembly, G5-01 ADF helps provide high-efficiency particulate respiratory protection for welders in a lightweight, compact design

- Kit contains a complete 3M[™] Speedglas[™] G5-01 Helmet Assembly, lithium-ion battery, charger, high-efficiency particulate filter, prefilter, spark arrestor, wide leather belt, and self-adjusting breathing tube
- The big (104 mm x 170 mm), clear protective visor is curved, providing excellent viewing angles up, down, and peripherally
- A slim profile makes the 3M[™] Speedglas[™] G5-01 Heavy-Duty Welding Helmet lightweight and easy to utilize in tight welding spaces
- The system is NIOSH approved and provides an Assigned Protection Factor (APF) of 25 in our standard helmet assembly, and up to 1000 APF with our optional kit
- With the right type of filter and/or cartridge, the 3M™ Adflo™ High-Altitude PAPR Assembly effectively protects you against both particles and gases — all in one system
- For more comfort control the innovative 3M™ Speedglas™ G5-01 Heavy-Duty Welding Helmet lets you direct the airflow to either your face, visor, or somewhere in-between

Certification: NIOSH

SAP No.	Product No.	Fabricant
11349049	46-1101-30i-CA	3M

3M™ Speedglas™ G5-01 Heavy-Duty Welding Helmet with 3M™ Adflo™ High-Altitude PAPR Assembly , G5-01VC ADF uses next-generation technology to help provide dynamic welding protection

- Kit contains a complete 3M[™] Speedglas[™] G5-01 Helmet Assembly, lithium-ion battery, charger, high-efficiency particulate filter, prefilter, spark arrestor, wide leather belt, and self-adjusting breathing tube
- The big (104 mm x 170 mm), clear protective visor is curved, providing excellent viewing angles up, down, and peripherally
- A slim profile makes the 3MTM SpeedglasTM G5-01 Heavy-Duty Welding Helmet lightweight and easy to utilize in tight welding spaces
- The system is NIOSH approved and provides an Assigned Protection Factor (APF) of 25 in our standard helmet assembly, and up to 1000 APF with our optional kit
- With the right type of filter and/or cartridge, the 3M™ Adflo™ High-Altitude PAPR Assembly effectively protects you against both particles and gases — all in one system
- For more comfort control the innovative 3MTM SpeedglasTM G5-01 Heavy-Duty
 Welding Helmet lets you direct the airflow to either your face, visor, or somewhere
 in-between

SAP No.	Product No.	Fabricant
11349220	46-1101-30IVC-CA	3M

Powered and Supplied Air


3M™ High Pressure Loose-Fitting Supplied Air Respirators



Note: Headgear, breathing tube, air control valve, and compressed air supply hose are required parts in a NIOSH-approved system. Any NIOSH certification appearing on 3M components is strictly limited to use

Powered and Supplied Air

3M™ Tight-Fitting Supplied Air Respirators



To meet the NIOSH requirement in 42 CFR 84, subpart 84.150 for minimum and maximum airflow (6 to 15 scfm, 170 to 425 lpm), the air control devices approved for use with 3M headgear must be operated within the supply pressure ranges and hose lengths stated in the Use Instructions. Refer to the user instructions for the supply air pressure requirements.

W-3020 low pressure airlines can be used in single lengths of 25, 50, or 100 feet only. No connections are allowed. Refer to the user instructions for the supply air pressure requirements. The length of compressed air hose W-3020 used depends on the specifications of the low-pressure air pump utilized. Some pumps specify a minimum of 50 or 100 feet of hose to allow adequate cooling of the air heated by the pump's mechanism. Read the pump's instructions thoroughly before selecting the compressed air hose W-3020 length that will be used. NO PUMP IS TO BE USED WHICH COULD CAUSE AIR HOTTER THAN 160°F (71°C) TO ENTER THE COMPRESSED AIR HOSE W-3020. Air hotter than 160°F (71°C) will cause the hose to degrade, which would adversely affect respirator performance and may result in sickness or death.

W-2929 high pressure coiled airlines can be used in single lengths of 25, 50, or 100 feet only. No connections are allowed. Refer to the user instructions for the supply air pressure requirements

W-9435 airline combination options are based on the headtop model selected

3M headgear: L-501, L-503, L-505, L-701, L-703, L-705, L-901, L-905, 6000 series, 7800S and 7500 series.

3M™ Supplied Air Respirator System approvals allow you to combine up to three 100-foot lengths of W-9435 or W-9445 hoses. The total combined hose length not to exceed 300 feet (91.4 meters). You may not combine 25 or 50-foot (7.6 or 15.2 meter) lengths of W-9435 and W-9445 hoses. Refer to the user instructions for the supply air pressure requirements.

For all other approved headtops:

3M™ Supplied Air Respirator System approvals allow you to combine up to three W-9435 or W-9445 hoses (25, 50, 100 feet or 7.6, 15.2, 30.5 meters) in any combination not to exceed 300 feet (91.4 meters). Refer to the user instructions for the supply air pressure requirements.

A WARNING

Note: Headgear, breathing tube, air control valve, and compressed air supply hose are required parts in a NIOSH-approved system. Any NIOSH certification appearing on 3M components is strictly limited to use in an approved air system and only in full accordance with the specifications and limitations under said approval. NIOSH certifies complete assemblies only, not sub-assemblies.

**It is the employer's responsibility to ensure that the compressed air used with any supplied air system meets the requirements of the CSA Standard Z180.1.

These respirators help reduce exposure to certain airborne contaminants. Positive pressure respirators are to be used only by qualified persons who are properly trained in their use and maintenance. Use only in accordance with operating and maintenance manuals and the requirements of the authority having jurisdiction in your area. Use of 3M™ Positive Pressure Respirators by untrained or unqualified persons may adversely affect product performance and result in sickness or death. For proper use, each person must first read and understand the operator's manual. For assistance call the 3M Canada Technical Service Centre at 1-800-267-4414.



Women's Gloves

Inspector





Cream inspector glove (65% polyester and 35% cotton). Single palm and backhand. Heavy knit wrist.

SAP No.	Product No.	Size	
11167804	0003FKW	F	





Inspector glove 100% nylon, white.

SAP No.	Product No.	Size	
11168051	0003LN	F	

All Leather Assembler Welder





Natural cowhide leather glove (palm) and split leather back, 4 inch cuff.

SAP No.	Product No.	Size	
11166219	851Y	F	





Split leather glove. Fully lined in cotton, winged thumb. 14 inch length.

SAP No.	Product No.	Size	
11166525	14Y	F	

Combined split leather and cotton





Split leather and cotton glove. Lined palm. 2½ inch rolled cuff.

SAP No.	Product No.	Size	
11168457	148Y	F	





Industrial grade natural cowhide leather and cotton glove. 2½ inch rolled cuff.

SAP No.	Product No.	Size	
11168538	1424Y	F	

Women's Gloves

flannel foar





Split cowhide leather glove with cotton back. Single palm. Foam and flannel lining. 2½ inch rolled cuff.

SAP No.	Product No.	Size	
11168581	148YFM	F	



Winter Leather Lining

Synthetic Sheepskin





Pigskin and cotton glove. Single palm. Lined in synthetic sheepskin. 2½ inch cuff.

SAP No.	Product No.	Size	
11168685	1311YBO	F	

3M Thinsulate®





Cowhide and cotton glove. Lined 100g. of Thinsulate® and flannel. Single palm. 2½ inch cuff.

SAP No.	Product No.	Size	
11168532	1502YTS	F	

Foam and Flannel Lining





Cowhide and cotton glove. Single palm. Lined with foam and flannel. 2½ inch cuff.

SAP No.	Product No.	Size	
11168506	1411YFM	F	

Flannel





Cowhide and cotton glove. Single palm. Fully lined with flannel. 2½ inch rolled cuff.

SAP No.	Product No.	Size	
11168474	1411YD	F	

Textiles

General Handling





100% natural cotton glove 8 oz. Knit wrist. Winged thumb. Clute type model.

SAP No.	Product No.	Size	
11167084	3005L	L	

Cold Resistant





100% cotton jersey glove. Knit wrist. Clute type pattern.

SAP No.	Product No.	Size	
11168453	318	L	

Cold Resistant





Cotton jersey glove. Red flannel lining.

lr	าร	p	e	C.	to	١
		r				

SAP No.

11167805





Cream inspector glove (65% polyester and 35% cotton). Single palm and backhand. Heavy knit wrist.

SAP No.	Product No.	Size	
11169055	338	L	





Parade glove in white cotton. Nets on the top of the hand.

SAP No.	Product No.	Size	
11168450	M0005S	S	
11168449	M0005M	М	
11168448	M0005L	L	
11168451	M0005XL	XL	



Product No.

0003HKW



Inspector glove 100% nylon, white.

Size

L

SAP No.	Product No.	Size	
11168052	0003MN	L	

Textiles

General Handling





Knit glove (60% polyester and 40% cotton). Palm with PVC dots. Non-slip.

SAP No.	Product No.	Size	
11168711	426M	М	
11167085	426L	L	
11168713	426XL	XL	





Knit glove (60% polyester and 40% cotton). Palm and backhand with PVC dots. Ambidextrous.

SAP No.	Product No.	Size	
11168741	426DDM	М	
11168740	426DDL	L	





Polyester knit glove with PVC ribs. Slip-on type pattern. Ambidextrous. (Brown)

SAP No.	Product No.	Size	
11168559	669B	L	





Polyester knit glove with PVC ribs. Slip-on type pattern. Ambidextrous. (Yellow)

SAP No.	Product No.	Size	
11169058	669Y	L	





Knit glove (60% polyester and 40% cotton) Lightweight. Ambidextrous. Cream colour. CFIA

SAP No.	Product No.	Size	
11169057	560XS	XS	
11166528	560S	S	
11166529	560M	М	
11166527	560L	L	
11317144	560XL	XL	





Knit glove (60% polyester and 40% cotton) Lightweight. Ambidextrous. White colour. CFIA

SAP No.	Product No.	Size	
11168446	561S	S	
11168445	561M	М	
11168444	561L	L	
11168447	561XL	XL	

General Handling





Knit glove (70% nylon and 30% polyester). Ambidextrous. CFIA





Sure Grip® Economy 7-Gauge Knit Gloves with PVC Dots on Both Sides of

SAP No.	Product No.	Size
11168682	660S	S
11168681	660M	M
11167086	660L	L
11168683	660XL	XL
•	'	'

11176532 SQ2D-L Superior Glove 12 pairs/pkg L	SAP No.	Product No.	Fabricant	Quantity	Size
	11176532	SQ2D-L	Superior Glove	12 pairs/pkg	L





Glove in split leather (palm) and cotton (backhand). Right thumb. Knit wrist.





Split leather and cotton glove. Multi-piece palm. Lined palm. 2½ inch rolled cuff.

SAP No.	Product No.	Size	
11166512	130GANTEC	L	

SAP No.	Product No.	Size	
11166508	148TP	L	





Split leather and cotton glove. Lined palm. 2½ inch rolled cuff.





Green split leather and cotton glove. Lined palm. 2½ inch rubberized cuff.

11166499 148 L	SAP No.	Product No.	Size	
	11166499	148	L	

Product No.	Size	
147V	L	
147VXL	XL	
	147V	147V L

Split Leather and Cotton





Blue split leather and cotton glove, lined palm. 2½ inch rolled cuff. Ideal for logo printing.





Glove in green split leather and yellow cotton. Palm lined with cotton. 2½ inch rolled cuff. Ideal for logo printing. (Man)

SAP No.	Product No.	Size	
11169045	144B	L	

SAP No.	Product No.	Size	
11168557	145V	L	





Split leather and cotton glove. Lined palm. 4 inch rubberized cuff.





Split leather and plain blue cotton glove, lined palm. 2½ inch rolled cuff. Superior quality.

SAP No.	Product No.	Size	
11169048	1484	L	

SAP No.	Product No.	Size
11187233	144BL	L





Split leather and cotton glove. Double palm. Double thickness at fingertips. 2½ inch rubberized cuff.





Split leather and cotton glove. Double palm and double fingers. 2½ inch rubberized cuff.

SAP No.	Product No.	Size	
11169047	147DPD	L	

11166513 147DDPD L	SAP No.	Product No.	Size	
	11166513	147DDPD	L	

Split Leather and Cotton





Split leather and cotton glove.
Double palm. 4 inch rubberized cuff.





Split leather and cotton glove, blue double palm, rubberized cuff 2½ inches.

SAP No.	Product No.	Size	
11168564	1484DPXL	XL	

11168731 147DPB	L





Split leather and cotton glove. Double palm and double inner fingers. Sewn with kevlar thread. 2½ inch rubberized cuff.





Top quality split leather and cotton glove. Double green palm. 2½ inch rubberized cuff.

SAP No.	Product No.	Size	
11169049	148IDDP	L	

SAP No.	Product No.	Size	
11168616	148WP	L	

Double Palm





Superior quality split leather and cotton glove. Lined palm. 2½ inch rubberized cuff. Ideal for logo printing.

SAP No.	Product No.	Size	
11167079	144GGANTEC	L	





Split leather and cotton glove.
Double green palm.
Rubberized cuff of 2½ inches.

SAP No.	Product No.	Size	
11167081	147DPV	L	

Cowhide and Cotton





Glove in natural cowhide and cotton. Lined palm. 4 inch rubberized cuff.

SAP No.	Product No.	Size	
11169044	1444L	L	





Glove in premium natural cowhide leather and cotton. Lined palm. 2½ inch rubberized cuff.

SAP No.	Product No.	Size	
11167090	1501L	L	
11168530	1501XL	XL	
11331822	1501XXL	XXL	
		'	





Industrial grade natural cowhide leather and cotton glove. 2½ inch rolled cuff.

SAP No.	Product No.	Size	
11168539	1424S	S	
11168537	1424M	M	
11167089	1424L	L	
11168540	1424XL	XL	
11295428	1424XXL	XXL	





Glove in natural cowhide and cotton. Lined palm. Internal elastic. 2½ inch laminated cuff

SAP No.	Product No.	Size	
11167544	1424LPIE	L	





Glove in natural cowhide and cotton. Multi-piece lined palm. 2½ inch rolled cuff.

SAP No.	Product No.	Size	
11168466	1400M	М	
11167088	1400L	L	
11168488	1400XL	XL	

Anti-Vibration





Goat leather glove, very flexible with anti-vibration cushion in the palm.

SAP No.	Product No.	Size	
11169063	AV101S	S	
11169062	AV101M	M	
11169061	AV101L	L	
11169064	AV101XL	XL	

Driver





Cowhide leather glove, driver style, elastic wrist.





Goat leather glove, driver style, elastic wrist.

SAP No.	Product No.	Size	
11166515	177S	S	
11166516	177M	M	
11166514	177L	L	
11166517	177XL	XL	
11166518	177XXL	XXL	

SAP No.	Product No.	Size	
11168619	178S	S	
11168618	178M	M	
11168583	178L	L	
11168620	178XL	XL	
11168617	178XXL	XXL	





Endura® Oilbloc™ Treated Goatskin Impact Resistant Driver Gloves





Endura® Fitters Gloves, Cow Grain Palm, Safety Cuff

SAP No.	Product No.	Fabricant	Quantity	Size
11335027	378GKVSB-S	Superior Glove	12 pairs/pkg	S
11296463	378GKVSB-M	Superior Glove	12 pairs/pkg	М
11296464	378GKVSB-L	Superior Glove	12 pairs/pkg	L
11335028	378GKVSB-XL	Superior Glove	12 pairs/pkg	XL
11335029	378GKVSB-XXL	Superior Glove	12 pairs/pkg	XXL

SAP No.	Product No.	Fabricant	Quantity	Size
	76B-S	Superior Glove	12 pairs/pkg	S
	76B-M	Superior Glove	12 pairs/pkg	М
11027379	76B-L	Superior Glove	12 pairs/pkg	L
11289600	76B-XL	Superior Glove	12 pairs/pkg	XL
11342081	76B-XXL	Superior Glove	12 pairs/pkg	XXL

Assembler Welder





Natural cowhide leather glove (palm) and split leather back. Unlined. 2 inch cuff

-			
SAP No.	Product No.	Size	
11168527	852M	M	
11168523	852L	L	





Split leather glove. Unlined in the palm. 4 inch cuff.

SAP No.	Product No.	Size
11168196	51i	L





Split leather glove. Unlined in the palm. 2 inch cuff.



Product No.

K851DPD



Natural cowhide leather glove (palm) and split leather back, sewn with Kevlar thread. Double protection on thumb, index, palm and fingertips, 4 inch cuff

Size

L

SAP No.	Product No.	Size	
11168734	52i	L	





Natural cowhide leather glove (palm) and back in split leather, sewn with Kevlar thread, cuff of 4 inches.

SAP No.	Product No.	Size	
11168780	K851M	M	
11168779	K851L	L	
11168781	K851XL	XL	
11296447	K851XXL	XXL	



SAP No.

11196313



Natural cowhide leather glove (palm) and back in split leather, sewn with Kevlar thread, cuff of 4 inches.

SAP No.	Product No.	Size	
11169060	851S	S	
11169059	851M	M	
11166505	851L	L	
11168524	851XL	XL	

Assembler Welder





Natural cowhide leather glove. Unlined. 4 inch cuff.

À		1	1	1
Ð			1	
	lid.			
R				3
м				

Product No.

251S

251M

251L

251XL

Product No.

M154LB



Goat leather glove. Unlined. Thumb strap. Sewn with kevlar thread.

Size

S

M

L

XL

SAP No.	Product No.	Size	
11168491	151M	М	
11168490	151L	L	
11167735	151XL	XL	





Goat leather glove (palm) and gray split leather back. Unlined. 4 inch cuff with gusset.

- 1		ſ
_]		l
		ī.

SAP No.	Product No.	Size	
11169830	254GL	L	



SAP No.

11168777

SAP No.

11166522

11166523

11166521

11166524



Split leather glove, cotton lined, 5 inch cuff with gusset.

Size

L

SAP No.	Product No.	Size	
11169830	254GL	L	





Split deer leather glove. Unlined. 4 inch cuff. Kevlar thread seams. Thumb strap.







Cowhide glove (palm), split leather back, 5 inch cuff with adjustable strap.

				SAP No.	Product No.	Size
SAP No.	Product No.	Size		11168494	M851S	S
11166501	51SS	S		11168493	M851M	М
11166503	51SM	Μ		11167152	M851L	L
11167082	51SL	L		11168495	M851XL	XL
11214594	51SXL	XL		11168492	M851XXL	XXL
			_			

Assembler Welder






Leather glove cow (palm), split leather back, fully lined cotton, cuff 5 inches with adjustable strap.





Cowhide glove, split leather back, foam and flannel lining, 5 inch cuff, kevlar knit wrist.

SAP No.	Product No.	Size	
11168630	M851DM	М	
11168629	M851DL	L	
11168633	M851DXL	XL	







Split leather glove. Fully lined in cotton, winged thumb. 14 inch length.





Top grade red split leather glove. Fully lined in cotton, A1 confection. Kevlar thread seams. 14 inch length.

SAP No.	Product No.	Size	
11166500	14GANTEC	L	

SAP No.	Product No.	Size	
11169138	14R	L	
11294577	14RXL	XL	





Split leather glove. Fully lined in cotton, winged thumb. 14 inch length.





Split leather glove. Fully lined with cotton, seams with kevlar thread. Thumb strap. 14 inch length.

SAP No.	Product No.	Size	
11168783	14N	L	

11168776 14KB L	SAP No.	Product No.	Size	
	11168776	14KB	L	

Assembler Welder





Split leather glove. Left hand only. Fully lined. Kevlar thread seams. 14 inch length.



Product No.

Product No.

15R

K14B



Blue split leather glove, fully lined with cotton, kevlar thread seams. 14 inch ength

Size

L

11168590 14KMG L	SAP No.	Product No.	Size	
	11168590	14KMG	L	





Gray split leather three-finger mitt. Fully lined with cotton. 14 inch length.

1		
	F	
8		1
		-4
		-

SAP No.

SAP No.

11168716

11168589



Superior grade red leather three-finger mitt. Clothing A1. Fully lined with cotton. Kevlar thread seams. 14 inch length.

Size

L

SAP No.	Product No.	Size	
11166511	15	L	





Natural cowhide leather glove. Unlined palm. 6 inch split leather cuff with gusset.

_			
SAP No.	Product No.	Size	
11168511	M151EWM	M	
11168081	M151EWL	L	
11168512	M151EWXL	XL	





Deluxe deer leather glove, very soft, sewn with kevlar thread, adjusted, thus allocating a lot of sensitivity and dexterity. For welding work details.

11023136 LD335M M 11023135 LD335L L 11023137 LD335XL XL	SAP No.	Product No.	Size	
11020100 250002 2	11023136	LD335M	М	
11023137 LD335XL XL	11023135	LD335L	L	
	11023137	LD335XL	XL	

Welding Gloves Assembler





Premium quality 3-finger split leather mitt, sewn with Kevlar thread, protective ribbing on the seams, unequaled comfort, high durability.

SAP No.	Product No.	Size
11025446	L501BS	L





Mitaine 3 doigts de cuir fendu sélectionné, grand confort et sécuritaire pour la majorité des travaux de soudure.

SAP No.	Product No.	Size	
11036497	LS501	L	





Goat leather glove (palm) and split leather back. Sewn with Kevlar thread, 4 inch cuff.

SAP No.	Product No.	Size	
11226505	K854S	S	
11226506	K854M	M	
11226507	K854L	L	
11226508	K854XL	XL	
11226509	K854XXL	XXL	





Premium quality 5-finger split leather glove, sewn with Kevlar thread, protective ribbing on the seams, unequaled comfort, high durability.

SAP No.	Product No.	Size	
11025467	L505BS	L	





3-finger mitt in selected split leather, very comfortable and safe for most welding jobs.

11036499 LS505 L	SAP No.	Product No.	Size	
	11036499	LS505	L	





TIG glove in lambskin, very fitted. Provides great dexterity and sensitivity. Ideal for precision welding.

Product No.	Size
335STIGS	S
335STIGM	М
335STIGL	L
335STIGXL	XL
	335STIGS 335STIGM 335STIGL

Welding Gloves Assembler





Selected reversed cowhide leather glove, thumb strap, double protection on the top of the hand, sewn with kevlar thread.

M	ll _l
1	



Superior quality glove in lambskin, reinforced on the index and middle fingers. Sewn with kevlar thread.

SAP No.	Product No.	Size	
11152023	LDB335M	M	
11152022	LDB335L	L	
11152021	LDB335XL	XL	

SAP No.	Product No.	Size
11319740	WG114	L
	'	

Split Leather





Goat leather welder glove with vibration resistant palm and split leather back. Thumb and little finger reinforcement. Flannel foam lining.

SAP No.	Product No.	Size	
11351162	255L	L	
11351163	255XL	XL	





Heat Resistant Welding Gloves, Full Grain Cow Leather, PFR Rayon Multi-Layer Aluminized Back, Lined, Sewn with Kevlar Thread

SAP No.	Product No.	Fabricant	Size
11251285	K2982-L	Lincoln Electric	L
11237155	K2982-XL	Lincoln Electric	XL





Welding Gloves in black and red split leather, cotton lining, 14", Kevlar stitching

SAP No.	Product No.	Fabricant	Size
11297077	K2979AL-L	Lincoln Electric	L





Miller® Metalworker's Glove (LARGE), durable top grain leather, spandex back, neoprene wrist with Velcro closure, reinforced palm and thumb



Product No. Fabricant

Miller Electric

SAP No.

11278319





Miller® MIG Welding Gloves, Cowhide palm, split leather back and goatskin fingers padded palm, Kevlar stitching

Quantity

6 pairs/pkg

SAP No.	Product No.	Fabricant	Quantity	Size
11232746	251067-L	Miller Electric	6 pairs/pkg	L/XL









Miller® Large MIG/TIG Welder's Glove, Pigskin Palm, Split Leather Back, Double Layer Palm and Back, Kevlar Stitching



263333-L



Size

L/XL

Miller® TIG Welder Glove, Large, goatskin leather, split leather cuff, kevlar stitching

SAP No.	Product No.	Fabricant	Quantity	Size
11273542	263339-L	Miller Electric	6 pairs/pkg	L/XL/XXL

SAP No.	Product No.	Fabricant	Quantity	Size
11272710	263348-L	Miller Electric	6 pairs/pkg	S/M/L/XL





Miller® Large TIG/ Multitasking Welding Gloves, goatskin and split leather, wool lined back, Kevlar® stitching

SAP No.	Product No.	Fabricant	Quantity	Size
11279043	263354-L	Miller Electric	6 pairs/pkg	S/M/L/XL





Endura® Endura® Split Buckskin TIG Welding Gloves, Thumb Strap, Kevlar® Stitching





Endura® Endura® Heavy Duty Horseskin TIG Welding Glove, 4" Cuff, Kevlar® Stitched

SAP No.	Product No.	Fabricant	Size
11023134	335DTIG-S	Superior Glove	S
11003345	335DTIG-M	Superior Glove	M
11003344	335DTIG-L	Superior Glove	L
11003348	335DTIG-XL	Superior Glove	XL

SAP No.	Product No.	Fabricant	Size
11280401	365HBR-S	Superior Glove	S
11023446	365HBR-M	Superior Glove	М
11003579	365HBR-L	Superior Glove	L
11304537	365HBR-XL	Superior Glove	XL





Endura® Goatskin TIG Welding Gloves, Wide Cuff

SAP No.	Product No.	Fabricant	Size
11023514	370CTIG-S	Superior Glove	S
11023513	370CTIG-M	Superior Glove	М
11023512	370CTIG-L	Superior Glove	L
11023515	370CTIG-XL	Superior Glove	XL
11278633	370CTIG-XXL	Superior Glove	XXL

PVC Supported





Black rubber glove, 18 inches long.





Natural rubber coated palm glove, 2 inch safety cuff.

Size

L

SAP No.	Product No.	Size	
11168102	7078	L	





Yellow PVC coated glove, interlock lining. Knit wrist. Smooth finish.



SAP No.

11168722



Yellow PVC coated glove. Lining interlock. Smooth finish.

SAP No.	Product No.	Size	
11168710	7050	L	

11168703	7012	12" long	L
11168705	7060	14" long	XL

Product No.

8507





Glove coated with Green PVC. Double soaking. Finished rough. Cotton jersey lining.



Nitrile Supported





Semi coated glove of nitrile. Lining cotton jersey. Cuff of security.

SAP No.	Product No.	Size	
11166520	2767L	L	

Nitrile Supported





Glove completely nitrile coated. Jersey lining cotton. Cuff of security.

SAP No.	Product No.	Size	
11167074	2785L	L	





White nylon glove, palm coated with gray nitrile foam. **CFIA**

_	SAP No.	Product No.	Size
	11167457	11807	S
	11167456	11808	М
	11167076	11809	L
	11167458	118010	XL

Nitrile on nylon





Nylon glove. Palm coated with AQUA PU foam and with nitrile dots. Superior quality.

SAP No.	Product No.	Size	
11214071	11908	М	
11214072	11909	L	
11214073	119010	XL	
11214070	119011	XXL	

Nitrile on Nylon





Black nylon glove, palm coated with gray nitrile.

SAP No.	Product No.	Size	
11195613	3167	S	
11195614	3168	M	
11195615	3169	L	
11195616	31610	XL	
11195617	31611	XXL	





Gray nylon glove, palm coated with black nitrile foam. **CFIA**

SAP No.	Product No.	Size	
11195458	11857	S	
11195459	11858	М	
11195520	11859	L	
11195521	118510	XL	





Nylon glove coated with nitrile foam with pins adhering in the Palm.

SAP No.	Product No.	Size	
11291851	11958	S	
11291850	11959	Μ	
11291852	119510	L	
11291853	119511	XL	
11291854	119512	XXL	

Nitrile on Nylon



Polyurethane on Nylon





FOR TOUCH SCREEN

Nylon glove with palm coated NBR foam. Completely for touch screen.

1	M	V.
	L	Y

Polyurethane palm coated glove on black nylon knit.

SAP No.	Product No.	Size
11307629	TSBR7	S
11307630	TSBR8	М
11307631	TSBR9	L
11307632	TSBR10	XL
11307633	TSBR11	XXL

SAP No.	Product No.	Size	
11209755	313IBS	S	
11209756	313IBM	М	
11209757	313IBL	L	
11209758	313IBXL	XL	







Gray knit glove palm coated with

black latex.

1 (foam		1
	$t \cap \gamma m$	$^{\circ}$	I/ M I T





Black knit glove coated with foam black latex. Double.

SAP No.	Product No.	Size	
11193589	311S	S	
11193590	311M	М	
11193591	311L	L	
11193592	311XL	XL	

SAP No.	Product No.	Size
11252292	80401S	S
11252293	80401M	М
11252294	80401L	L
11252295	80401XL	XL

PVC Insulated





PVC coated glove. foam insulation and flannel. Flexible and comfortable. Wrist of knitting.

COTTION CADIO. VVIIOC
of knitting.
Size





PVC coated glove orange. Insulation of foam and flannel. Safety cuff rubberized with 2½ inches.

SAP No.	Product No.	Size	SAP No.	Product No.	Size	
11168578	7091	L	11167103	7093GANTEC	L	

Ansell



AlphaTec® Solvex® Glove, 13" lo, Nitrile, 11 mils

SAP No.	Product No.	Fabricant	Quantity	Size
11336362	37-145-6	Ansell	12 pairs/pkg	6
11167993	37-145-7	Ansell	12 pairs/pkg	7
11172867	37-145-8	Ansell	12 pairs/pkg	8
11172868	37-145-9	Ansell	12 pairs/pkg	9
11172865	37-145-10	Ansell	12 pairs/pkg	10
11172866	37-145-11	Ansell	12 pairs/pkg	11

Ansell



AlphaTec® Solvex® Glove, 15" lo, Nitrile, 22 mils

SAP No.	Product No.	Fabricant	Quantity	Size
11172870	37-165-7	Ansell	12 pairs/pkg	7
11172871	37-165-8	Ansell	12 pairs/pkg	8
11172872	37-165-9	Ansell	12 pairs/pkg	9
11172869	37-165-10	Ansell	12 pairs/pkg	10
11167999	37-165-11	Ansell	12 pairs/pkg	11

Ansell



AlphaTec® Solvex® Glove, 13" lo, Nitrile, 15 mils

	SAP No.	Product No.	Fabricant	Quantity	Size
	11172876	37-175-7	Ansell	12 pairs/pkg	7
	11172877	37-175-8	Ansell	12 pairs/pkg	8
	11172878	37-175-9	Ansell	12 pairs/pkg	9
Ī	11172873	37-175-10	Ansell	12 pairs/pkg	10
	11172874	37-175-11	Ansell	12 pairs/pkg	11

Ansell



AlphaTec® Solvex® Glove, 18" lo, Nitrile, 22 mils

	SAP No.	Product No.	Fabricant	Quantity	Size
Ī	11172881	37-185-7	Ansell	12 pairs/pkg	7
	11172882	37-185-8	Ansell	12 pairs/pkg	8
	11172883	37-185-9	Ansell	12 pairs/pkg	9
	11172879	37-185-10	Ansell	12 pairs/pkg	10
	11172880	37-185-11	Ansell	12 pairs/pkg	11

Ansell



Hyd-Tuf® Gloves, Nitrile Coating, Cotton Shell



208 Series Heavy Orange AlphaTec® Gloves, 13" lo, Latex Rubber, Fleece Liner, 29 mils

Ansell

SAP No.	Product No.	Fabricant	Quantity	Size
11173750	52-547-9	Ansell	12 pairs/pkg	9
11173749	52-547-10	Ansell	12 pairs/pkg	10

SAP No.	Product No.	Fabricant	Quantity	Size
11188637	87-208-7	Ansell	12 pairs/pkg	7
11188636	87-208-8	Ansell	12 pairs/pkg	8
11188635	87-208-9	Ansell	12 pairs/pkg	9
11193788	87-208-10	Ansell	12 pairs/pkg	10
11210794	87-208-11	Ansell	12 pairs/pkg	11

Ansell

Ansell



Hyflex® Gloves, Polyurethane Coating, 15 Gauge, Nylon Shell



Hyflex® Gloves, Polyurethane Coating, 15 Gauge, Nylon Cover

SAP No.	Product No.	Fabricant	Quantity	Size
11186747	11-600-6	Ansell	12 pairs/pkg	6
11203415	11-600-7	Ansell	12 pairs/pkg	7
11202681	11-600-8	Ansell	12 pairs/pkg	8
11186747	11-600-9	Ansell	12 pairs/pkg	9
11171507	11-600-10	Ansell	12 pairs/pkg	10
11218509	11-600-11	Ansell	12 pairs/pkg	11

	SAP No.	Product No.	Fabricant	Quantity	Size
	11209809	11-601-6	Ansell	12 pairs/pkg	6
	11202435	11-601-7	Ansell	12 pairs/pkg	7
	11201530	11-601-8	Ansell	12 pairs/pkg	8
	11187420	11-601-9	Ansell	12 pairs/pkg	9
Ī	11187639	11-601-10	Ansell	12 pairs/pkg	10
		11-601-11	Ansell	12 pairs/pkg	11

Ansell

Ansell



Hyflex® Gloves, Foam Nitrile Liner, 15 Gauge, Nylon Shell



Hyflex® Gloves, Foam Nitrile Liner, 15 Gauge, Nylon Shell

	SAP No.	Product No.	Fabricant	Quantity	Size
ı	11168047	11-800-6	Ansell	12 pairs/pkg	6
Ī	11167662	11-800-7	Ansell	12 pairs/pkg	7
Ī	11167663	11-800-8	Ansell	12 pairs/pkg	8
Ī	11171512	11-800-9	Ansell	12 pairs/pkg	9
Ī	11171509	11-800-10	Ansell	12 pairs/pkg	10
	11202288	11-800-11	Ansell	12 pairs/pkg	11

	SAP No.	Product No.	Fabricant	Quantity	Size
	11205265	11-801-6	Ansell	12 pairs/pkg	6
	11193800	11-801-7	Ansell	12 pairs/pkg	7
Ī	11187080	11-801-8	Ansell	12 pairs/pkg	8
ľ	11185313	11-801-9	Ansell	12 pairs/pkg	9
ľ	11185312	11-801-10	Ansell	12 pairs/pkg	10
	11185314	11-801-11	Ansell	12 pairs/pkg	11
				1/1- 5	



Ansell

Hyflex® Gloves, Foam Nitrile Liner, 18 Gauge, Nylon Shell



Ansell

ActivArmr® Gloves, Rubber Latex Liner, 10 Gauge, Polyester/Cotton Shell

SAP No.	Product No.	Fabricant	Quantity	Size
11286228	11-818-6	Ansell	12 pairs/pkg	6
11286229	11-818-7	Ansell	12 pairs/pkg	7
11286230	11-818-8	Ansell	12 pairs/pkg	8
11286231	11-818-9	Ansell	12 pairs/pkg	9
11286232	11-818-10	Ansell	12 pairs/pkg	10
11286233	11-818-11	Ansell	12 pairs/pkg	11

	SAP No.	Product No.	Fabricant	Quantity	Size
	11174280	80-100-6	Ansell	12 pairs/pkg	6
Г	11174281	80-100-7	Ansell	12 pairs/pkg	7
	11174282	80-100-8	Ansell	12 pairs/pkg	8
Г	11174283	80-100-9	Ansell	12 pairs/pkg	9
	11174279	80-100-10	Ansell	12 pairs/pkg	10
Г					



Ansell

ActivArm® Gloves Hi-Viz™, Nitrile/Polyurethane Coated, 13 Gauge, Nylon Cover



Ansell

AlphaTec® Glove, 13" lo, Rubber Latex

SAP No.	Product No.	Fabricant	Quantity	Size
	97-013-7	Ansell	12 pairs/pkg	7
11309422	97-013-8	Ansell	12 pairs/pkg	8
11309423	97-013-9	Ansell	12 pairs/pkg	9
11309424	97-013-10	Ansell	12 pairs/pkg	10
11309425	97-013-11	Ansell	12 pairs/pkg	11

SAP No.	Product No.	Fabricant	Quantity	Size
11269787	87-118-6.5	Ansell	12 pairs/pkg	6.5
11173920	87-118-7.5	Ansell	12 pairs/pkg	7.5
11173921	87-118-8.5	Ansell	12 pairs/pkg	8.5
11152126	87-118-9.5	Ansell	12 pairs/pkg	9.5
	87-118-10.5	Ansell	12 pairs/pkg	10.5



Ansell

AlphaTec® Glove, 12" lo, Neoprene, Cotton Jersey Liner, Heavyweight



Ansell

AlphaTec® Fully Coated Heavy Duty Gloves, 14" lo, Neoprene, Cotton Jersey Liner

SAP No.	Product No.	Fabricant	Quantity	Size
11249077	09-022-10	Ansell	12 pairs/pkg	XL/10

SAP No.	Product No.	Fabricant	Quantity	Size
11174701	09-924-10	Ansell	12 pairs/pkg	XL/10



Ansell

Snorkel® Gloves, 12" lo, PVC, Jersey Liner

SAP No.	Product No.	Fabricant	Quantity	Size
11298342	04-644-9	Ansell	12 pairs/pkg	L/9






SHOWA® 310 glove, Natural rubber, 10 gauge seamless lining, green, coated palm, knit wrist, rough, yellow/green palm

h



SHOWA® 380 glove, Nitrile on 13 gauge lint-free liner, coated palm, knit wrist, blue/black, waffle finish

SAP No.	Product No.	Fabricant	Quantity	Size
11177309	310GXS-06	Showa	12 pairs/pkg	6/XP
11169078	310GS-07	Showa	12 pairs/pkg	7/S
11167836	310GM-08	Showa	12 pairs/pkg	8/M
11167835	310GL-09	Showa	12 pairs/pkg	9/L
11167718	310GXL-10	Showa	12 pairs/pkg	10/XL







SHOWA® 4500 Nitrile glove on nylon lining, coated palm, knit wrist, green, smooth





SHOWA® ATLAS® 620 glove, super flexible PVC on seamless cotton liner, 12" (300 mm) gauntlet, orange, rough


SAP No.	Product No.	Fabricant	Quantity	Size
11177304	4500-06	Showa	12 pairs/pkg	6/XP
11173477	4500-07	Showa	12 pairs/pkg	7/S
11173478	4500-08	Showa	12 pairs/pkg	8/M
11173479	4500-09	Showa	12 pairs/pkg	9/L
11173476	4500-10	Showa	12 pairs/pkg	10/XL

SAP No.	Product No.	Fabricant	Quantity	Size
11269658	620M-08	Showa	12 pairs/pkg	8/M
11269657	620L-09	Showa	12 pairs/pkg	9/L
11269655	620XL-10	Showa	12 pairs/pkg	10/XL
11269656	620XXL-11	Showa	12 pairs/pkg	11/XXL





SHOWA® 6781R Neoprene glove with triple layer foam insulation, 12" (300 mm) gauntlet, black, roughened







SHOWA® 6731-10 Glove Fully waterproof neoprene, Sanitized®, 31" glove with eyelets, black, smooth, opening: 22.5" circumference

SAP No.	Product No.	Fabricant	Quantity	Size
11173951	6731-10	Showa	1 pair/pqt	





SHOWA® 7166 Nitrile glove on jersey cotton lining, fully coated, safety cuff, smooth, navy blue



Product No.

7166R-9

7166R-10

SAP No.

11168033

SAP No.

11174137

11174138

11174135

Fabricant

Showa

Showa

Fabricant

Showa

Showa

Showa

Showa

Showa

Showa



SHOWA® 7166R Nitrile glove on jersey cotton lining, fully coated, safety cuff, rough, navy blue

Quantity

12 pairs/pkg

12 pairs/pkg

SAP No.	Product No.	Fabricant	Quantity	Size
11174091	7166-9	Showa	12 pairs/pkg	9/M
11174089	7166-10	Showa	12 pairs/pkg	10/L





SHOWA® 717 glove, 100% chlorinated nitrile, unreinforced, unlined, 13" (330 mm), 11 mil, green, bisque



Product No.

730XS-06

730S-07

730M-08

730L-09

730LXL-10

730XXL-11



Size

9/M

10/L

SHOWA® 730 glove, 100% chlorinated nitrile, nonreinforced, quilted, 13" (330 mm), 15 mil, green, bisque

Quantity

12 pairs/pkg

12 pairs/pkg


12 pairs/pkg

12 pairs/pkg

12 pairs/pkg

12 pairs/pkg

SAP No.	Product No. Fabricant Quantity		Size	
	717XS-06	Showa	12 pairs/pkg	6/XP
	717S-07	Showa	12 pairs/pkg	7/S
11174094	717M-08	Showa	12 pairs/pkg	8/M
11174095	717L-09	Showa	12 pairs/pkg	9/L
11174092	717XL-10	Showa	12 pairs/pkg	10/XL
	717XXL-11	Showa	12 pairs/pkg	11/XXL







SHOWA®737 glove, 100% chlorinated nitrile, unreinforced, unlined, 15" (381 mm), 22 mil, green, bisque



SAP No.	Product No.	Fabricant	Quantity	Size
11174155	737M-08	Showa	12 pairs/pkg	8/M
11174156	737L-09	Showa	12 pairs/pkg	9/L
11174153	737XL-10	Showa	12 pairs/pkg	10/XL





Size

6/XP

7/S

8/M

9/L

10/XL

11/XXL

SHOWA® 772 Nitrile glove on interlock lining, 26" (660 mm) gauntlet, yellow, rough finish

SAP No.	Product No.	Fabricant	Quantity	Size
	772M-08	Showa	12 pairs/pkg	8/M
11169225	772L-09	Showa	12 pairs/pkg	9/L
11218478	772XL-10	Showa	12 pairs/pkg	10/XL







SHOWA® 7712R-10 glove, good quality PVC on jersey liner, 12" (300 mm) gauntlet, black, roughened



SHOWA® 960 CPV breathable glove, seamless lining, cotton, pull-on, yellow, rough finish

SAP No.	Product No.	Fabricant	Quantity	Size
11174234	7712R-10	Showa	12 pairs/pkg	

11174651	960S-08	Showa	10 : /	
		SHOWa	12 pairs/pkg	8/S
11174650	960M-09	Showa	12 pairs/pkg	9/M
11167676	960L-10	Showa	12 pairs/pkg	10/L
	960XL-11	Showa	12 pairs/pkg	11/XL







SHOWA® NSK26 Nitrile glove on interlock lining, 26" (660 mm) blue, rough finish



SHOWA® 377 Nitrile Lined Glove, 13 Gauge, Seamless, Full Coated, Knit Wrist, Blue/ Black, Foam

SAP No.	Product No.	Fabricant	Quantity	Size
11316053	NSK26-8	Showa	12 pairs/pkg	8/S
11211141	NSK26-9	Showa	12 pairs/pkg	9/M
11229424	NSK26-10	Showa	12 pairs/pkg	10/L
11236987	NSK26-11	Showa	12 pairs/pkg	11/XL

SAP No.	Product No.	Fabricant	Quantity	Size
11258844	377S-06	Showa	12 pairs/pkg	6/S
11258845	377M-07	Showa	12 pairs/pkg	7/M
11258846	377L-08	Showa	12 pairs/pkg	8/L
11258847	377XL-09	Showa	12 pairs/pkg	9/XL
11258848	377XXL-10	Showa	12 pairs/pkg	10/XXL











SAP No.	Product No.	Fabricant	Quantity	Size
	S13BKPUQ-5	Superior Glove	12 pairs/pkg	5
11228016	S13BKPUQ-6	Superior Glove	12 pairs/pkg	6
11228017	S13BKPUQ-7	Superior Glove	12 pairs/pkg	7
11228018	S13BKPUQ-8	Superior Glove	12 pairs/pkg	8
11217173	S13BKPUQ-9	Superior Glove	12 pairs/pkg	9
11217172	S13BKPUQ-10	Superior Glove	12 pairs/pkg	10
11255799	S13BKPUQ-11	Superior Glove	12 pairs/pkg	11

613BPVC-6 613BPVC-7	Superior Glove		6
S13BPVC-7	Superior Glove	10 ! /- !	
	'	12 pairs/pkg	7
S13BPVC-8	Superior Glove	12 pairs/pkg	8
S13BPVC-9	Superior Glove	12 pairs/pkg	9
313BPVC-10	Superior Glove	12 pairs/pkg	10
13BPVC-11	Superior Glove	12 pairs/pkg	11
	13BPVC-9 13BPVC-10	13BPVC-9 Superior Glove 13BPVC-10 Superior Glove	13BPVC-9 Superior Glove 12 pairs/pkg 13BPVC-10 Superior Glove 12 pairs/pkg







Superior Touch® 13 Gauge Polyester Glove, with polyurethane palm



Superior Touch® 13-Gauge Gray Nylon Knit Gloves with Polyurethane Palm

SAP No.	Product No.	Fabricant	Quantity	Size
11281228	S13GPPU-6	Superior Glove	12 pairs/pkg	6
11281229	S13GPPU-7	Superior Glove	12 pairs/pkg	7
11281230	S13GPPU-8	Superior Glove	12 pairs/pkg	8
11281231	S13GPPU-9	Superior Glove	12 pairs/pkg	9
11281232	S13GPPU-10	Superior Glove	12 pairs/pkg	10
11281233	S13GPPU-11	Superior Glove	12 pairs/pkg	11

SAP No.	Product No.	Fabricant	Quantity	Size
11200709	S13GPU-6	Superior Glove	12 pairs/pkg	6
11183477	S13GPU-7	Superior Glove	12 pairs/pkg	7
11176272	S13GPU-8	Superior Glove	12 pairs/pkg	8
11176273	S13GPU-9	Superior Glove	12 pairs/pkg	9
11183303	S13GPU-10	Superior Glove	12 pairs/pkg	10
11272783	S13GPU-11	Superior Glove	12 pairs/pkg	11





KleenGuard™ G40 Coated Gloves, Polyurethane Coating, Nylon Cover





KleenGuard™ G40 General Purpose Gloves, Foam Nitrile Coated, Nylon Cover

SAP No.	Product No.	Fabricant	Quantity	Size	SAP No.	Pro
11193453	13839-9	Kimberly Clark	12 pairs/pkg	6 à 11	11193701	40







PetroChief glove, in PVC and nitrile, Red, non-slip finish

11176161 PC830-L JOMAC 12 pairs/pkg L	SAP No.	Product No.	Fabricant	Quantity	Size
	11176161	PC830-L	JOMAC	12 pairs/pkg	L

Disposable Gloves

4 mil nitrile disposables





Disposable Gloves in 4 mil nitrile, powder free, medical classification. Box of 100 pieces. CFIA





Disposable Gloves in 4 mil nitrile, lightly powdered, medical classification. Box of 100 pieces. CFIA

SAP No.	Product No.	Size	
11168665	8001	S	
11168664	8002	М	
11168663	8003	L	
11168032	8004	XL	

SAP No.	Product No.	Size	
11168676	P8001	S	
11168675	P8002	Μ	
11168674	P8003	L	
11168677	P8004	XL	



8 mil nitrile disposables





Disposable nitrile glove, 4 mils, powder free. Box of 100 pieces. CFIA



Disposable Gloves in nitrile 8 mils, powder free, ULTIME SAISIE BLACK. Box of 50 pieces.

SAP No.	Product No.	Size
11230955	8001BLK	S
11230962	8002BLK	M
11230964	8003BLK	L
11230965	8004BLK	XL

SAP No.	Product No.	Size	
11251912	8801	S	
11251913	8802	М	
11251914	8803	L	
11251915	8804	XL	
11251916	8805	XXL	
	<u>'</u>		

latex disposables





Disposable Gloves, 4 mil latex, lightly powders, medical classification. Box of 100 pieces. CFIA

SAP No.	Product No.	Size	
11168597	5001	S	
11169087	5002	М	
11168596	5003	L	
11168598	5004	XL	

Disposable Gloves



Ansell

TouchNTuff® Gloves, Nitrile, 5 mils, Powder Free, Green





Ronco Polyethylene Glove 36", Blue, Ambidextrous, 1 mil

_ ;	SAP No.	Product No.	Fabricant	Quantity	Size
	11213591	92-600-S6-7	ANSELL	100 units/box	S/6-7
	11174628	92-600-M7-8	ANSELL	100 units/box	M/7-8
	11174629	92-600-G8-9	ANSELL	100 units/box	L/8-9
	11174627	92-600-XL9-10	ANSELL	100 units/box	XL/9-10







Ronco V1, Disposable Vinyl Glove, 3 mil





Ronco SENTRON™ 6, Nitrile Examination Glove, 6 mil

SAP No.	Product No.	Fabricant	Quantity	Size
	2143CF-S	RONCO	100 units/box	S
	2143CF-M	RONCO	100 units/box	M
11257747	2143CF-L	RONCO	100 units/box	L
	2143CF-XL	RONCO	100 units/box	XL

SAP No.	Product No.	Fabricant	Quantity	Size
11295474	962-S	RONCO	100 units/box	S
11295475	962-M	RONCO	100 units/box	М
11295476	962-L	RONCO	100 units/box	L
11295477	962-XL	RONCO	100 units/box	XL
11295478	962-XXL	RONCO	90 units/box	XXL





KeepKleen® Disposable Gloves Powder Free 8 Mil Nitrile

SAP No.	Product No.	Fabricant	Quantity	Size
11290463	RD8NPF-S	Superior Glove	50 units/box	S
11237130	RD8NPF-M	Superior Glove	50 units/box	М
11238831	RD8NPF-L	Superior Glove	50 units/box	L
11253920	RD8NPF-XL	Superior Glove	50 units/box	XL
11288704	RD8NPF-XXL	Superior Glove	50 units/box	XXL

Disposable Gloves





SHOWA® 5005, Disposable glove, Latex (natural), bisque, 5 mil, 9.5" (240 mm), rolled cuff, lightly powdered






SHOWA® 5005PF, Disposable glove, Latex (natural), bisque, powder free, 5 mil, 9.5" (240 mm), rolled cuff

SAP No.	Product No.	Fabricant	Quantity	Size
11235617	5005-XS	Showa	100 units/box	6/XP
11167839	5005-S	Showa	100 units/box	7/S
11218468	5005-M	Showa	100 units/box	8/M
11167837	5005-L	Showa	100 units/box	9/L
11173694	5005-XL	Showa	100 units/box	10/XL









SHOWA® N-DEX® 7005 Disposable glove, 100% nitrile (light blue), lightly powdered, 4 mil, 9.5" (240 mm), rolled cuff





SHOWA® N-DEX® 7700PFT, 100% Nitrile Accelerator Free Glove (Black), Bisque Fingertips, Powder Free, 4 mil, 9.5" (240 mm), Rolled Cuff

SAP No.	Product No.	Fabricant	Quantity	Size
11174022	7005-S	Showa	100 units/box	7/S
11174020	7005-M	Showa	100 units/box	8/M
11174019	7005-L	Showa	100 units/box	9/L
11174023	7005-XL	Showa	100 units/box	10/XL

	SAP No.	Product No.	Fabricant	Quantity	Size
Ī	11185188	7700PFT-S	Showa	50 units/box	7/S
Ī	11185189	7700PFT-M	Showa	50 units/box	8/M
Ī	11174228	7700PFT-L	Showa	50 units/box	9/L
	11174229	7700PFT-XL	Showa	50 units/box	10/XL
Ī					





SHOWA® N-DEX® 8005PF, 100% Nitrile Glove (Light Blue), Powder Free, 8 mil, 9.5" (240 mm) Rolled Cuff

SAP No.	Product No.	Fabricant	Quantity	Size
11174276	8005PF-S	Showa	50 units/box	7/S
11174275	8005PF-M	Showa	50 units/box	8/M
11174274	8005PF-L	Showa	50 units/box	9/L
11168014	8005PF-XL	Showa	50 units/box	10/XL

Heat Resistant Gloves



*JOMAC

Carbo-King[™] Heat Protection Mitts, Aramid, Large, Protects up to 2100° F (1149° C)



*JOMAC

Extra Heavy-Duty Baker's Glove, Terry Cloth, One Size, Protects up to 450° F (232° C)

SAP No.	Product No.	Fabricant	Quantity	Size	
11170812	M340CA	JOMAC	3 pairs/pkg	L	





*JOMAC

Terry Cloth Pad with Elastic, 1.75" x 10"





Mitt, thick terry 28 oz, 16", with vapor & grease cut, flame resistant

SAP No.	Product No.	Fabricant	Quantity	Size	
11175545	L-PAD	JOMAC	By unit	L	

11218946 M630XL JOMAC 3 pairs/pkg XL	SAP No.	Product No.	Fabricant	Quantity	Size
· · · =	11218946	M630XL	JOMAC	3 pairs/pkg	XL





Heavy Duty Mitt, Terrycloth, 24 oz. 13", Large, Protects up to 450° F (232° C)





Heavy Duty Mitt, Terrycloth, 24 oz. 16", Large, Protects up to 450° F (232° C)

SAP No.	Product No.	Fabricant	Quantity	Size
11218947	M635L	JOMAC	3 pairs/pkg	L

SAP No.	Product No.	Fabricant	Quantity	Size
11279684	M638L	JOMAC	3 pairs/pkg	L

Cold Resistant Gloves

Flannel





Split cowhide leather glove with cotton back. Single palm. Double of flannel. 2½ inch rolled cuff.

SAP No.	Product No.	Size	
11168728	148D	L	





Leather glove cow split and back of cotton. palm to multiple rooms. Flannel lined. Laminated cuff 2½ inches.

SAP No.	Product No.	Size	
11169050	148TPD	L	





Split cowhide leather glove with cotton back. Single palm. Double foam and flannel. Laminated cuff 2½ inches.

SAP No.	Product No.	Size	
11166214	148FM	L	





Leather glove cow split and back of cotton. Double palm. Double foam and flannel. Laminated cuff 2½ inches.

SAP No.	Product No.	Size	
11168732	147DPFM	L	

3M Thinsulate®





Leather glove cow split gray and cotton back. Single palm. Lined with 100g Thinsulate®. Laminated cuff 2½ inches.

SAP No.	Product No.	Size	
11168738	148TSXL	XL	





Leather glove cow split gray and cotton back.
Single palm.
Lined in
Thinsulate® 100g.
Laminated cuff
2½ inches.

11194802 144TSXI XI	SAP No.	Product No.	Size	
11101002 11110/12 /12	11194802	144TSXL	XL	

Cold Resistant Gloves

Synthetic Sheepskin





Cow leather glove split and cotton.
Single palm.
Sheepskin lining synthetic.
Laminated cuff
2½ inches.

SAP No.	Product No.	Size	
11168555	145BO	L	





Cow leather glove split and cotton.
Single palm. Lined in synthetic sheepskin.
Safety cuff
2½ inches.

SAP No.	Product No.	Size	
11166216	147BO	L	
	<u> </u>		

Flannel Lined





Cowhide glove, flannel lined, style driver.

SAP No.	Product No.	Size	
11169222	177DS	S	
11169221	177DM	M	
11168516	177DL	L	
11168517	177DXL	XL	
11168504	177DXXL	XXL	





Cowhide and cotton glove. Multi-piece palm. Fully lined with flannel. Laminated cuff 2½ inches.

11166509 1400DL L 11166510 1400DXL XL	SAP No.	Product No.	Size	
11166510 1400DXL XL	11166509	1400DL	L	
	11166510	1400DXL	XL	





Cowhide and cotton glove. Single palm. Entirely lined with flannel. Laminated cuff 2½ inches.

SAP No.	Product No.	Size	
11183874	1411DM	М	
11169042	1411DL	L	
11168505	1411DXL	XL	
11168473	1411DXXL	XXL	



Foam and flannel lining





Cow leather glove and cotton. Palm simple. Double foam and flannel. Laminated cuff 2½ inches.

SAP No.	Product No.	Size	
11168612	1502FMS	S	
11168611	1502FMM	M	
11168507	1502FML	L	
11168508	1502FMXL	XL	

3M Thinsulate®





Cow leather glove and cotton. Double Thinsulate® 100g. Single palm. Cuff of 2½ inches.

SAP No.	Product No.	Size	
11169051	1501TSL	L	
11168533	1501TSXL	XL	
11168531	1501TSXXL	XXL	

Synthetic Sheepskin





Pigskin leather glove (palm) and split (backhand). Single palm. Lined with synthetic sheepskin. 2½ inch cuff.

SAP No.	Product No.	Size	
11168615	751BO	L	





Cowhide and cotton glove. Multi-piece palm. Lined in synthetic sheepskin. 2½ inch rolled cuff.

SAP No.	Product No.	Size	
11168487	1400BOXL	XL	





Cowhide and cotton glove. Single palm. Lined in synthetic sheepskin. 2½ inch rubberized cuff.

SAP No.	Product No.	Size	
11168499	1501BOL	L	
11168501	1501BOXL	XL	
11168496	1501BOXXL	XXL	





Cowhide leather glove, driver style. Lined in synthetic sheepskin.

SAP No.	Product No.	Size	
11233188	177BOM	М	
11233187	177BOL	L	
11233189	177BOXL	XL	
11233190	177BOXXL	XXL	

All Leather Mitten





Natural cowhide leather mittens. Unlined.

Product No.

M228EW

Product No.

226DIL

226DIXL

SAP No.

SAP No.

11168812

11169053

11168799



Three-finger mitt in natural cowhide leather. Unlined. 6 inch split leather cuff with gusset.

Size

XL

SAP No.	Product No.	Size	
11168813	500L	L	
11168814	500XL	XL	





Natural cowhide leather mittens. Lined with synthetic sheepskin. Elastic wrist.





Cowhide 3-finger mitt, elastic wrist, lined with synthetic sheepskin.

Size

L

XL

SAP No.	Product No.	Size	
11168808	209DL	L	
11168810	209DXL	XL	





Cowhide mitten. Removable synthetic sheepskin lining.



SAP No.	Product No.	Size	
11168809	504DL	L	
11168807	504DXL	XL	





Split leather mitt. Lined with synthetic sheepskin.

SAP No.	Product No.	Size
11168817	810XL	XL
	1	



Ansell

Monkey Grip® Winter Gloves, 11" Io, PVC, Foam Fleece Liner, Winter Glove



Ansell

Monkey Grip® Winter Gloves, 10" lo, PVC, Foam Fleece Liner, Winter Glove

SAP No.	Product No.	Fabricant	Quantity	Size
11172601	23-173	ANSELL	12 pairs/pkg	10

SAP No.	Product No.	Fabricant	Quantity	Size
11172333	23-193	ANSELL	12 pairs/pkg	10



Ansell

Polar Grip® Gloves, 11" lo, PVC, Foam Fleece Liner, Winter Glove



Ansell

Therm Knit® Glove, Polyester, 13 Gauge, One Size

SAP No.	Product No.	Fabricant	Quantity	Size
11168064	23-700-9	ANSELL	12 pairs/pkg	9
11204013	23-700-10	ANSELL	12 pairs/pkg	10

SAP No.	Product No.	Fabricant	Quantity	Size
11174241	78-101	ANSELL	12 pairs/pkg	



Ansell

Power Flex® T° Hi Viz™ Gloves, Latex Rubber Coating, 7 Gauge, Terry Cloth Cover





Extreme™ Thermal Liner

SAP No.	Product No.	Fabricant	Quantity	Size
11218553	80-400-7	ANSELL	12 pairs/pkg	7
11174287	80-400-8	ANSELL	12 pairs/pkg	8
11174288	80-400-9	ANSELL	12 pairs/pkg	9
11174286	80-400-10	ANSELL	12 pairs/pkg	10
11196746	80-400-11	ANSELL	12 pairs/pkg	11

Product No.	Fabricant	Quantity	Size
FR1450-S	JOMAC	12 pairs/pkg	S
FR1450-M	JOMAC	12 pairs/pkg	М
FR1450-L	JOMAC	12 pairs/pkg	L
FR1450-XL	JOMAC	12 pairs/pkg	XL
	FR1450-S FR1450-M FR1450-L	FR1450-S JOMAC FR1450-M JOMAC FR1450-L JOMAC	FR1450-S JOMAC 12 pairs/pkg FR1450-M JOMAC 12 pairs/pkg FR1450-L JOMAC 12 pairs/pkg

Fabricant

Showa

Showa

Showa

Showa

Fabricant



Product No.

282M08

282L09

282XL10

282XXL11

SAP No.

11237153

11237152

11237154

11262876

SAP No.



SHOWA® 282. Glove Polyurethane coated on acrylic liner, 10.8" (274 mm) gauntlet, blue, rough

Quantity

12 pairs/pkg

12 pairs/pkg

12 pairs/pkg

12 pairs/pkg

	1	1	B	
	J			
	4	Ī		
	1			



SHOWA® 495 Triple layer PVC glove on insulating REMOVABLE acrylic fleece liner, 11.8" (300 mm) gauntlet, blue, rough

SAP No.	Product No.	Fabricant	Quantity	Size
11278232	495M08	Showa	12 pairs/pkg	8/M
11278233	495L09	Showa	12 pairs/pkg	9/L
11278234	495XL10	Showa	12 pairs/pkg	10/XL





Size

9

10

11

Endura® Deluxe Winter Linesman Gloves with 2" Reflective Cuff, Thinsulate Lining, Sewn with Kevlar® Thread, -10°C / 15°F

Quantity

12 pairs/pkg





Endura® Deluxe Winter Linesman Gloves with 6" Reflective Cuff, Thinsulate Lining, Sewn with Kevlar® Thread, -10°C / 15°F

SAP No.	Product No.	Fabricant	Quantity	Size
11204420	365DLXFTL-M	Superior Glove	12 pairs/pkg	Μ
11217117	365DLXFTL-L	Superior Glove	12 pairs/pkg	L
11217118	365DLXFTL-XL	Superior Glove	12 pairs/pkg	XL
11301591	365DLXFTL-2XL	Superior Glove	12 pairs/pkg	2XL



Product No.





Size

L

2XL

SAP No.	Product No.	Fabricant	Quantity	Size
11005623	76BOA	Superior Glove	12 pairs/pkg	L
	76BOA	Superior Glove	12 pairs/pkg	2XL
	76BOA	Superior Glove	12 pairs/pkg	3XL



Dexterity® Nylon Lined Winter Gloves with PVC Palms



SAP No.	Product No.	Fabricant	Quantity	Size
11326238	SNTAPVC-S	Superior Glove	12 pairs/pkg	S
11258938	SNTAPVC-M	Superior Glove	12 pairs/pkg	Μ
11258712	SNTAPVC-L	Superior Glove	12 pairs/pkg	L
11258711	SNTAPVC-XL	Superior Glove	12 pairs/pkg	XL
11238781	SNTAPVC-2XL	Superior Glove	12 pairs/pkg	2XL

Nitrile on nylon







HPPE glove with palm coated with white polyurethane. EN420, EN388, Level 3.



HPPE glove with palm coated with gray polyurethane. EN420, EN388, Level 3.

SAP No.	Product No.	Size	
11307619	GP3WPU7	S	
11307620	GP3WPU8	Μ	
11307621	GP3WPU9	L	
11307622	GP3WPU10	XL	
11307623	GP3WPU11	XXL	

SAP No.	Product No.	Size	
11319158	GP3SPPUG6	XS	
11307624	GP3SPPUG7	S	
11307625	GP3SPPUG8	M	
11307626	GP3SPPUG9	L	
11307627	GP3SPPUG10	XL	
11307628	GP3SPPUG11	XXL	

Level 5 cut protection







HPPE coated glove NBR foam and the sandblasted finished palm. EN420, EN388, Level 5



High visibility HPPE glove coated with NBR foam and sandblasted palm. EN420, EN388, Level 5

Product No.	Size	
GP5SPB7	S	
GP5SPB8	М	
GP5SPB9	L	
GP5SPB10	XL	
GP5SPB11	XXL	
	GP5SPB7 GP5SPB8 GP5SPB9 GP5SPB10	GP5SPB7 S GP5SPB8 M GP5SPB9 L GP5SPB10 XL

SAP No.	Product No.	Size	
11307614	GP5HVGB7	S	
11307615	GP5HVGB8	М	
11307616	GP5HVGB9	L	
11307617	GP5HVGB10	XL	
11307618	GP5HVGB11	XXL	

Ansell

Ansell



Cut Resistant Gloves HyFlex®, 13 Gauge, Foam Nitrile Coating, Kevlar® Shell, ANSI/ISEA 105 Level 4







Cut Resistant Gloves Hyflex®, 15 Gauge, Nitrile Coating, Intercept™ Shell, ASTM ANSI Level A2





SAP No.	Product No.	Fabricant	Quantity	Size
11229147	11-511-6	ANSELL	12 pairs/pkg	6
11229148	11-511-7	ANSELL	12 pairs/pkg	7
11229149	11-511-8	ANSELL	12 pairs/pkg	8
11229150	11-511-9	ANSELL	12 pairs/pkg	9
11229151	11-511-10	ANSELL	12 pairs/pkg	10
11229152	11-511-11	ANSELL	12 pairs/pkg	11

SAP No.	Product No.	Fabricant	Quantity	Size
11359985	11-550-7	ANSELL	12 pairs/pkg	7
11359986	11-550-8	ANSELL	12 pairs/pkg	8
11359987	11-550-9	ANSELL	12 pairs/pkg	9
11357662	11-550-10	ANSELL	12 pairs/pkg	10





Salt & Pepper Knitted Gloves with Black Palm Coating, Polyurethane Coating, HPPE Shell, EN388 Level 3 Compliant for Cut Resistance



*JOMAC

Mesh Gloves, Stainless Steel Jacket, ANSI/ISEA 105 Level 5

SAP No.	Product No.	Fabricant	Quantity	Size
11176951	Y9248-XS	JOMAC	12 pairs/pkg	XP
11176949	Y9248-S	JOMAC	12 pairs/pkg	S
11176948	Y9248-M	JOMAC	12 pairs/pkg	М
11176947	Y9248-L	JOMAC	12 pairs/pkg	L
11176950	Y9248-XL	JOMAC	12 pairs/pkg	XL
11176952	Y9248-XXL	JOMAC	12 pairs/pkg	XXL

SAP No.	Product No.	Fabricant	Quantity	Size
	CM030001	JOMAC	1 unit	XP
11175041	CM030002	JOMAC	1 unit	S
11175042	CM030003	JOMAC	1 unit	М
11175043	CM030004	JOMAC	1 unit	L
11175044	CM030005	JOMAC	1 unit	XL





SHOWA® 230, Nitrile Sponge Palm Coated Glove, ANSI Level A4, HPPE Fiber, Grey, 10 Gauge Seamless Liner



Product No.

8113-S07

8113-M08

8113-L09

8113-XL10

8113-XXL11

Fabricant

SHOWA

SHOWA

SHOWA

SHOWA

SHOWA



SHOWA® 8113 HPPE and AlphaSan glove, Thermax lining, ANSI level A4, knit wrist, uncoated, 13 gauge, light gray

Quantity

12 pairs/pkg

12 pairs/pkg

12 pairs/pkg

12 pairs/pkg

12 pairs/pkg

SAP No.	Product No.	Fabricant	Quantity	Size
11231539	230-S07	SHOWA	12 pairs/pkg	7/S
11231560	230-M08	SHOWA	12 pairs/pkg	8/M
11231561	230-L09	SHOWA	12 pairs/pkg	9/L
11233821	230-XL10	SHOWA	12 pairs/pkg	10/XL
11299513	230-XXL11	SHOWA	12 pairs/pkg	11/XXL





SHOWA® 66NFW-10 Glove Natural rubber on flannel lining, palm dipped, safety cuff, roughened



SAP No.

11218481

11218482

11218483

11218484

11354264



Size

7/S

8/M

9/L

10/XL

11/XXL

SHOWA® 65NFW Glove Natural rubber on flannel liner, 12" (300 mm) full coated, gauntlet, rough

SAP No.	Product No.	Fabricant	Quantity	Size
11167687	66NFW-10	SHOWA	12 pairs/pkg	10/L





SHOWA® S-TEX® 376 Nitrile sponge glove 3/4 dipped, ANSI level A4, 13-Gauge Polyester/ Hagane Coil, foam grip

SAP No.	Product No.	Fabricant	Quantity	Size
11322801	S-TEX376-S-06	SHOWA	12 pairs/pkg	6/S
11322802	S-TEX376-M-07	SHOWA	12 pairs/pkg	7/M
11322803	S-TEX376-L-08	SHOWA	12 pairs/pkg	8/L
11322804	S-TEX376-XL-09	SHOWA	12 pairs/pkg	9/XL
11322805	S-TEX376-XXL-10	SHOWA	12 pairs/pkg	10/XXL

SAP No.	Product No.	Fabricant	Quantity	Size
11173943	65NFW-10	SHOWA	12 pairs/pkg	10/L





Endura® Leather Gloves goat grain with knit cuffs and fiber lining of composite yarns and Kevlar®





Superior Touch® 13-Gauge Knit Gloves with Dyneema® and Polyurethane Palms









SAP No.	Product No.	Fabricant	Quantity	Size
11326921	399GKGL5-S	Superior Glove	12 pairs/pkg	S
11326920	399GKGL5-M	Superior Glove	12 pairs/pkg	Μ
11303958	399GKGL5-L	Superior Glove	12 pairs/pkg	L
11303959	399GKGL5-XL	Superior Glove	12 pairs/pkg	XL
11354992	399GKGL5-2XL	Superior Glove	12 pairs/pkg	XXL
11304195	399GKGL5-3XL	Superior Glove	12 pairs/pkg	XXL





SAP No.	Product No.	Fabricant	Quantity	Size
11261435	S13SXPU-6	Superior Glove	12 pairs/pkg	6
11197219	S13SXPU-7	Superior Glove	12 pairs/pkg	7
11176278	S13SXPU-8	Superior Glove	12 pairs/pkg	8
11176279	S13SXPU-9	Superior Glove	12 pairs/pkg	9
11176276	S13SXPU-10	Superior Glove	12 pairs/pkg	10
11176277	S13SXPU-11	Superior Glove	12 pairs/pkg	11
11225225	S13SXPU-12	Superior Glove	12 pairs/pkg	12





TenActiv™ High Performance Fiber String Knit Glove with Foam Nitrile Coated Palm, Cut Resistant, 13 Gauge





Dexterity® Arc Flash tested gloves that protect against flames and cuts. Kevlar knit gloves neoprene coated palms provide a strong and stable grip, even in wet or oily conditions. An Ultra-Fresh treatment achieves an antimicrobial status of 99.9%.









SAP No.	Product No.	Fabricant	Quantity	Size
11273625	S13TAFNT-6	Superior Glove	12 pairs/pkg	6
11273626	S13TAFNT-7	Superior Glove	12 pairs/pkg	7
11273627	S13TAFNT-8	Superior Glove	12 pairs/pkg	8
11273628	S13TAFNT-9	Superior Glove	12 pairs/pkg	9
11273629	S13TAFNT-10	Superior Glove	12 pairs/pkg	10
11273630	S13TAFNT-11	Superior Glove	12 pairs/pkg	11
11273631	S13TAFNT-12	Superior Glove	12 pairs/pkg	12















	SAP No.	Product No.	Fabricant	Quantity	Size
	11317112	S13FRNE-7	Superior Glove	12 pairs/pkg	7
	11317113	S13FRNE-8	Superior Glove	12 pairs/pkg	8
	11317114	S13FRNE-9	Superior Glove	12 pairs/pkg	9
Ī	11317115	S13FRNE-10	Superior Glove	12 pairs/pkg	10
	11317116	S13FRNE-11	Superior Glove	12 pairs/pkg	11





TenActiv™ 13 Gauge Gray Knit Cut Resistant Gloves with Foam Nitrile Palms





Sure $Knit^{TM}$, Dyneema glove with cotton, Lycra and PVC dots on palm







SAP No.	Product No.	Fabricant	Quantity	Size
11278367	STAFGFNT-6	Superior Glove	12 pairs/pkg	6
11278368	STAFGFNT-7	Superior Glove	12 pairs/pkg	7
11278369	STAFGFNT-8	Superior Glove	12 pairs/pkg	8
11265237	STAFGFNT-9	Superior Glove	12 pairs/pkg	9
11265238	STAFGFNT-10	Superior Glove	12 pairs/pkg	10
11278370	STAFGFNT-11	Superior Glove	12 pairs/pkg	11
11278371	STAFGFNT-12	Superior Glove	12 pairs/pkg	12



SAP No.	Product No.	Fabricant	Quantity	Size
11176542	SSGL/C13D-S	Superior Glove	12 pairs/pkg	S
11176541	SSGL/C13D-M	Superior Glove	12 pairs/pkg	М
11176540	SSGL/C13D-L	Superior Glove	12 pairs/pkg	L
11176543	SSGL/C13D-XL	Superior Glove	12 pairs/pkg	XL

Electrician's Gloves



Ansell

Black natural rubber insulating gloves, ASTM class 0, 11" long

* Available size 7 to 12

SAP No.	Product No.	Fabricant	Quantity	Size
11302623	9999243	ANSELL	pair	9



Ansell

Black natural rubber insulating gloves, ASTM class 1, 14" long

* Available size 8 to 12

11302628 9999260 A	ANSELL	pair	9



Ansell

Black natural rubber insulating gloves, ASTM class 2, Size 9, 14" long

* Available size 8 to 12





Ansell

Black natural rubber insulating gloves, ASTM class 3, Size 9, 16" long

* Available size 8 to 12

SAP No.	Product No.	Fabricant	Quantity	Size
11302638	9999396	ANSELL	pair	9

Electrician's Gloves



Ansell

Black natural rubber insulating gloves, ASTM class 4, Size 9, 18" long

* Available size 9 to 12



Ansell

ActivArmr® 96-002 Low Voltage Leather Protective Gloves, Class 00, 0

* Available size 7 to 12

SAP No.	Product No.	Fabricant	Quantity	Size	
11302688	9999400	ANSELL	pair	9	


SAP No.	Product No.	Fabricant	Quantity	Size
11302654	RIGLVCVR-090	ANSELL	pair	9



Ansell

ActivArmr® 96-003 High Voltage Leather Protective Gloves

* Available size 8 to 12





Ansell

Black natural rubber insulating glove, ASTM class 0

SAP No.	Product No.	Fabricant	Quantity	Size
11302623	RIGCVSBAG11	ANSELL	each	11 in
11302664	RIGCVSBAG14	ANSELL	each	14 in
11302665	RIGCVSBAG16	ANSELL	each	16 in
11302666	RIGCVSBAG18	ANSELL	each	18 in

Forestry Gloves

Chainsaw Protection Glove






Chainsaw protection glove and barrier chip guard.





Chainsaw and steel cable protection glove. Double leather palm inside and chip guard.

SAP No.	Product No.	Size	
11167704	F1501N2L	L	
11168436	F1501N2XL	XL	







Chainsaw protection glove and barrier chip guard.





Chainsaw and steel cable protection glove. Double leather palm inside and barrier chip guard.

SAP No.	Product No.	Size	
11168439	F325N2L	L	
11168440	F325N2XL	XL	

11167698 F325DPN2L L	
11168679 F325DPN2XL XL	





Chainsaw protection mitt and barrier chip guard.





Chainsaw and steel cable protection mitt. Double leather palm inside and chip guard.

Product No.	Size
F3525N2L	L
F3525N2XL	XL
	F3525N2L

Product No.	Size	
F3525DPN2L	L	
F3525DPN2XL	XL	
	F3525DPN2L	F3525DPN2L L





Disposable Clothing
General Use Clothing
Sleeves and Aprons
Flame Resistant Clothing
Welding Clothing
Protective Rainwear
Forestry Clothing

158-161 162-167 168 169-171

> 172-174 175-177

178



ProShield.

ProShield® 10 Coverall w/ Hood, Blue, SMS

ProShield® 10 Coverall w/ Hood, Elastic Wrists and Ankles, Blue, SMS, for non-hazardous dry particle and light liquid splash applications

SAP No.	Product No.	Fabricant	Size
11266917	PB127SBULG2500	DUPONT	M to 4XL



Tyvek.

Tyvek® 400 Coveralls, White, Tyvek® Serged seams, collar, front zipper closure, elastic wrists and ankles

Applications: General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica

SAP No.	Product No.	Fabricant	Size
11176773	TY125SWHLG002500	DUPONT	M to 4XL



Tyvek.

Tyvek® 400 Coveralls, White, Tyvek® Serged seams, collar, front zipper closure

Applications: General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica

SAP No.	Product No.	Fabricant	Size
11176768	TY120SWHLG002500	DUPONT	M to 4XL



Tyvek.

Tyvek® 400 Hooded Coveralls, White, Tyvek®
Features include serged seams, attached hood, front zipper closure, elastic wrists and ankles

Applications include general maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica

SAP No.	Product No.	Fabricant	Size
11176780	TY127SWHLG002500	DUPONT	M to 4XL



Tyvek.




- Polyethylene-coated Tyvek® fabric
- Flexible, durable and lightweight
- Light liquid splash protection
- Provides at least 30 minutes of protection against 42 chemical challenges
- Ideal for Petroleum; pulp and paper; food and chemical processing; and pharmaceutical
- Colour: Yellow for high visibility

SAP No.	Product No.	Fabricant	Size
11236014	QC127SYLLG001200	DUPONT	M to 4XL







Applications: Asbestos removal, paint spraying, light splashes, maintenance, general clean-up, dry particulate protection.

SAP No.	Product No.	Fabricant	Size
11287599	TY500SWH00020000	DUPONT	



Tyvek.

Tyvek® 400 Apron, Sewn ties, White, 28" x 36"

SAP No.	Product No.	Fabricant	Size
11198869	TY273BWH00010000	DUPONT	



Tyvek® 400 Shoe/boot Cover, One Size, Polyethylene, White Elastic top

Applications: Asbestos removal, paint spraying, light splashes, maintenance, general clean-up, dry particulate protection

11212084 TY450SW0002000 DUPONT Unique	SAP No.	Product No.	Fabricant	Size
112.12001 11.1000110002000 201011 0111940	11212084	TY450SW0002000	DUPONT	Unique







Kimberly-ClarkPROFESSIONAL*

KleenGuard™ A20 Coveralls

Breathable Particle Protection, White, Zipper Front, Elastic Back, Wrists, Ankles and Hood

SAP No.	Product No.	Fabricant	Size
11179375	49113	KIMBERLY CLARK	M to 2XL 24/case 3XL, 4XL 20/case





KleenGuard™ A20 Coveralls

Breathable Particle Protection, Blue Denim, Zipper Front, Elastic Back, Wrists, Ankles and Hood

SAP No.	Product No.	Fabricant	Size
11221088	58513	KIMBERLY CLARK	M to 2XL 24/case 3XL, 4XL 20/case

KleenGuard™ A60 Coveralls

Bloodborne Pathogen & Chemical, Splash Protection, Blue Denim, Zipper Front, Storm Flap, Elastic Back, Wrists, Ankles and Hood

SAP No.	Product No.	Fabricant	Size
11197116	45023	KIMBERLY CLARK	M to 2XL 24/case 3XL, 4XL 20/case









Gown Cast Polyethylene With Thumb Loops, Polyethylene, Blue, 45" x 79", 1.2 mil

SAP No.	Product No.	Fabricant	Size
11267153	31-500	RONCO	One Size

Ronco Coverme™ PEA3 Polyethylene Apron, White, 28" x 46", 1 mil

11218571 31-112 RONCO One Size	SAP No.	Product No.	Fabricant	Size
	11218571	31-112	RONCO	One Size









Polypropylene Shoe Cover, Anti-Slip For Fall Protection

SAP No.	Product No.	Fabricant	Size
11218573	1991	RONCO	Regular

PES3 Polyethylene Sleeve 1 mil, 18"

SAP No.	Product No.	Fabricant	Size
11293934	33113	RONCO	One Size





Premium Short-Sleeve Work Shirt with Button-Front Closure

65% Polyester / 35% Cotton, 6 OZ., Navy

- Easy care. Quick dry.
- Banded collar with pelon & stays.
- Placket front with button closure.
- 2 front chest pockets with flap and button closure.
- Pencil division on both pockets.
- · Back yoke.
- High resistance polyester thread. Serge and single stitch on all main seams.
- Bar-tacked at all stress points
- Care: Industrial wash

SAP No.	Product No.	Fabricant	Size
11170035	137-L-REG-NAY	BIG BILL	Regular or Tall Size (XS-5XL)







Short-Sleeve Snap Front Work Shirt

65% Polyester / 35% Cotton, 6 OZ., Navy

- · Easy care. Quick dry.
- Banded collar with pelon & stays.
- Placket front with button closure.
- 2 front chest pockets with flap and button closure.
- Pencil division on both pockets.
- Back yoke.
- High resistance polyester thread. Serge and single stitch on all main
- Bar-tacked at all stress points
- Care: Industrial wash

SAP No.	Product No.	Fabricant	Size
11172351	237-L-REG-NAY	BIG BILL	Regular or Tall Size (S-5XL)





Industrial Lab Coat

65% Polyester / 35% Cotton, 7.5 OZ., Navy

- Long life dye.
- Concealed snap front closure.
- 4 front pockets.
- Pencil division on left chest pocket.
- Side vent openings
- High resistance thread
- Bar-tacked at all stress points.
- Care: Industrial wash

SAP No.	Product No.	Fabricant	Size	
11171834	167-44-R-NAY	BIG BILL	32 to 60	





65% Polyester / 35% Cotton, 6 OZ., Navy

- Easy care. Quick dry.
- Banded collar with pelon & stays.
- Placket front with button closure.
- 2 front chest pockets with flap and button closure.
- Pencil division on both pockets.
- · Back yoke.
- High resistance polyester thread. Serge and single stitch on all main seams.
- Bar-tacked at all stress points
- · Care: Industrial wash

SAP No.	Product No.	Fabricant	Size
11167293	147-L-REG-NAY	BIG BILL	Regular or Tall Size (XS-5XL)





Long-Sleeve Snap Front Work Shirt

65% Polyester / 35% Cotton, 6 OZ., Navy

- Easy care, Quick dry,
- Banded collar with pelon & stays.
- Placket front with button closure.
- 2 front chest pockets with flap and button closure.
- Pencil division on both pockets.
- Back voke.
- High resistance polyester thread. Serge and single stitch on all main
- Bar-tacked at all stress points
- Care: Industrial wash

SAP No.	Product No.	Fabricant	Size
11167296	247-L-REG-NAY	BIG BILL	Regular or Tall Size (S-5XL)





65% Polyester / 35% Cotton, 7.5 OZ., Navy

- Low Rise for more comfort
- Long life dye.
- Permanent press.
- Brass zipper and Hook & eye front closure.
- 2 reinforced front pockets.
- 2 back welt pockets with loop and button closure on left side.
- High resistance thread.
- Bar-tacked at all stress points.
- Care: Industrial wash

SAP No.	Product No.	Fabricant	Size
11170042	2947-32W-33L-NAY	BIG BILL	Inseam 30-32-33-34-36 Waist 28 à 60







65% Polyester / 35% Cotton, 7.5 OZ., Navy

Deluxe Work Coverall

- · 2 front chest pockets
- · Right front chest pocket has flap and snap closure
- · 2 slash pockets at chest
- · Side openings at chest
- Snap closure on collar
- Two-way zipper front & leg closure
- Cuff with concealed snap closure
- 2 large back pockets
- Tool pocket on right leg
- Hammer loop on left leg
- Pleated back
- Bar-tacked at all stress points
- Elastic on each side of waistband
- · Care: Industrial wash





65% Polyester / 35% Cotton, 8.75 OZ., Navy

- Heavy-Duty Twill
- · Ample legs for more comfort
- Long life dye.
- · Permanent press.
- Brass zipper & button front closure.
- 2 reinforced front pockets.
- 2 back welt pockets with flap & hidden button closure.
- 2 large side pleated cargo pockets with flap and concealed button closure.
- High resistance thread.
- Bar-tacked at all stress points.
- Care: Industrial wash

SAP No.	Product No.	Fabricant	Size
11167213	439-44-REG-NAY	BIG BILL	Regular or Tall Size 36-60

SAP No.	Product No.	Fabricant	Size
11170051	3239-32W-32L-NAY	BIG BILL	Inseam 30-32-34 Waist 28 to 60







65% Polyester / 35% Cotton, 7.5 OZ. Insulation Quilt-Poly 100% Polyester 4 OZ.

- 2 front chest pockets
- · Pencil division on left chest pocket
- Side openings at waist
- 2 large slash pockets at waist
- 2 large back pockets
- Concealed two-way brass zipper front closure
- One-way brass zipper leg closure
- YKK® Nickel plated Brass snaps
- Snap closure on collar
- Pleated back
- Bar-tacked at all stress points
- Long life dye
- Reflective Material placement provides enhanced visibility with 2 vertical stripes on the front, a horizontal stripe around each arm, a horizontal stripe around each leg and an "X" on back.
- · Care: Industrial wash



Deluxe Work Coverall With Reflective Tape (Leg Zipper)

65% Polyester / 35% Cotton, 7.5 OZ., 3M Scotchlite (3/4" silver / 2" fluorescent fabric)

- 2 front chest pockets
- Right front chest pocket has flap and snap closure
- 2 slash pockets at waist
- Side openings at waist
- Snap closure on collar
- Two-way zipper front & leg closure
- Cuff with concealed snap closure
- 2 large back pockets
- Tool pocket on right leg
- Hammer loop on left leg
- Pleated back
- Bar-tacked at all stress points
- Elastic on each side of waistband
- Flame-Resistant Reflective Material placement provides enhanced visibility with 2 vertical stripes on the front, a horizontal stripe around each arm, a horizontal stripe around each leg and an "X" on back.
- Care: Industrial wash

SAP No.	Product No.	Fabricant	Size
11204337	837BF-L-REG-NAY	BIG BILL	Regular or Tall Size S to 5XL

SAP No.	Product No.	Fabricant	Size
11220604	439BF-42-REG-NAY	BIG BILL	Regular or Tall Size S to 5XL







Coverall 100% Cotton, Navy

- 2 Front chest pockets, 1 with pencil slot, 1 with flap
- 2 Front swing pockets
- 2 Rear hip pockets
- Ruler pocket, concealed brass zipper
- Reinforced at all points of strain





Shop Coat 100% Cotton, Navy

- Snap front
- 1 large front chest patch pocket with pencil holder
- 2 large front patch pockets
- 2 side concealed slash openings
- · Centre back vent
- Reinforced at all points of strain.


11222961 1444-42 BIGAL 30 to 64	SAP No.	Product No.	Fabricant	Size
	11222961	1444-42	BIGAL	30 to 64

11272422 204-44 BIGAL 30 to 56	SAP No.	Product No.	Fabricant	Size
	11272422	204-44	BIGAL	30 to 56









- 260 gsm pre-shrunk 65% polyester / 35% cotton twill
- Regular fit
- Two way front brass zipper closure with rustproof snaps
- Back with extension
- Two front chest pockets with pencil slots
- Two slash pockets at the waist
- Two side openings
- Two back pockets
- One back pocket at the right thigh
- One tool pocket
- Cuff with rustproof snap closure
- Zipper at the leg 57cm (22 inches)
- High resistance thread
- · Reinforced at all points of strain



Unlined Coverall With Zipper On The Legs And Reflective Stripes, **Marine**

- · Reflective stripes at the waist, at the back, at the chest, at the arms and at the legs, 4"
- Double sewing on silver reflective stripe and on the yellow band
- Pre-shrunk 65% polyester 35% cotton, 7 ¾ oz, precured
- · Permanent press
- Two front chest pockets (The right pocket has a pencil slot and the left pocket has a flap and a rustproof snap button)
- Two swing pockets at the waist
- Two rear pockets
- One tool pocket on the right leg
- Two side openings
- Long sleeves
- Two rustproof snap closure on the collar
- Two way brass zipper closure
- · Double thickness of fabric at the waistband
- High resistance thread
- · Reinforced at all points of strain

SAP No.	Product No.	Fabricant	Size	_	SAP	No
11234383	70-301R2-42	JACKFIELD	36 to 56		1131	40

SAP No.	Product No.	Fabricant	Size
11314092	70-305R4-42	JACKFIELD	36 to 60



NAT'S[®]



NAT'S[®]

Men's Work Pant, Black

- Stain and water repellent treatment for easier care
- Offers great comfort and movement freedom.
- Premium quality pocketing fabric with reinforcement points.
- Topstitches at stress points and bartack at crotch for better strength.
- Brass zipper and strong hook closure at waist.
- High strength sewing thread.
- 5 pockets.
- 65% polyester, 35% cotton fabric made from premium quality yarn.
- Inseams: 30, 32, 34 and 36,5.

	SAP No.	Product No.	Fabricant	Size
ľ	11263208	WR100-32W-32L-BLK	NAT'S	28 to 56





Stretch Cargo Work Pant For Women, Black

- · Contour waistband.
- Front pockets including 1 coin pocket. 2 back pockets.
- 1 cell pocket on the side and two cargo pockets
- Comfortable stretch fabric for great movement freedom
- Stain and water repellent treatment for easier care
- Premium quality pocketing fabric
- Topstitches at stress points and bartack at crotch for a better strength.
- Brass zipper and strong hook closure at waist
- High strength sewing thread
- 63% polyester, 34% cotton, 3% spandex fabric made from premium quality yarn.

SAP No.	Product No.	Fabricant	Size
11327507	PF820-N-10	NAT'S	0 to 24

Men's Cargo Work Pant, Black

- Flexible waistband with elastic cargo work pants.
- Stain and water repellent treatment for easier care.
- Front low rise cut and flexible waistband with elastic offering a better comfort
- Premium quality pocketing fabric with reinforcement points.
- Multiple cargo pockets with cell phone hidden pocket.
- · Safe and useful back flap pockets.
- Brass zipper and metal button closure.
- High strength sewing thread.
- 65% polyester, 35% cotton fabric made from premium quality yarn.
- Inseams: 32, 34 and 36.

SAP No.	Product No.	Fabricant	Size
11262486	WR225-32W-32L-BLK	NAT'S	28 to 56





600 Denier Endura Jacket, Black

- Waterproof 3000mm
- Inner vest
- Detachable and adjustable hood
- Elastic knitted cuffs
- Inner pocket
- YKK central zipper
- Quilted polar fleece interior finish
- Lined for temperatures up to -60 degrees celsius.

SAP No.	Product No.	Fabricant	Size
11238504	89-250-1-EN-L	GANKA	XS to 5XL





600 Denier Endura Jacket, Orange

- Waterproof 3000mm
- 4" Reflective stripes
- Inner vest
- Detachable and adjustable hood
- Elastic knitted cuffs
- Inner pocket
- YKK central zipper
- Quilted polar fleece interior finish
- Lined for temperatures up to -60 degrees celsius

SAP No.	Product No.	Fabricant	Size	
11222052	89-250-1-OR-L	GANKA	XS to 5XL	





600 Deniers Endura Overalls, Black

- YKK Center And Leg Zippers
- Quilted Nylon Inner Lining
- Lined For Temperatures Up To -60 Degrees Celsius

SAP No.	Product No.	Fabricant	Size
11238513	89-250-2-EN-L	GANKA	XS to 5XL





600 deniers Endura overalls, Orange

- 4" Reflective Stripes
- YKK Center And Leg Zippers
- Quilted Nylon Inner Lining
- Csa Z96-15
- Lined For Temperatures Up To -60 Degrees Celsius

SAP No.	Product No.	Fabricant	Size
11222057	89-250-2-OR-L	GANKA	XXS to 6XL









Hi-Vis Jacket - 7 In 1 System, Black CSA-Z-96-15 Class 1 Level 2

- Made of 300-deniers polyester with PU coating with sealed and water resistant seams
- Polyester taffeta lining / Removable and reversable liner with zip-off sleeves
- 2 in. reflective tape over 4 in. contrast stripe
- Microphone loops and ID badge holder
- Zipper opening for embroidery customization on outer and inner shell

SAP No.	Product No.	Fabricant	Size
11318706	116501-BLK-L	TERRA	S to 5XL





Hi-Vis Jacket - 7 In 1 System, Orange CSA-Z-96-15 Class 2 Level 2

- Made of 300-deniers polyester with PU coating with sealed and water resistant seams
- Polyester taffeta lining / Removable and reversable liner with zip-off sleeves
- 2 in. reflective tape over 4 in. contrast stripe
- Microphone loops and ID badge holder
- Zipper opening for embroidery customization on outer and inner shell

SAP No.	Product No.	Fabricant	Size
11314975	116501-OR-L	TERRA	S to 5XL





Hi-Vis Lined Freezer Jacket, Black CSA-Z-96-15 Class 1 Level 2

- Made of 150-deniers Oxford polyester with diamond quilting / Taffeta lining with 3.5 oz polyester insulation
- 2 in. reflective tape over 4 in. contrast stripe
- Stand up collar with fleece lining / Knit gusset at back of the shoulders
- Center zipper covered by storm flap
- Microphone loops and ID badge holder

SAP No.	Product No.	Fabricant	Size	
11340644	116505-BK-L	TERRA	S to 5XL	

Hi-Vis Fleece Hoodie, Black CSA-Z-96-15 Class 1 Level 2

- Made of polyester anti-pill knitted fleece
- 2 in. reflective tape over 4 in. contrast stripe
- Detachable hood with 2 levels of snaps to accommodate hard hat
- Microphone loops and ID badge holder
- · Knitted wrist and hem

SAP No.	Product No.	Fabricant	Size
11340630	116506-BK-L	TERRA	S to 5XL

Sleeves and Aprons



Ansell

CPP™ 6 mil Blue Vinyl Apron

Comes with economical plain edge and raw edge that provides enhanced flexibility and resistance to chemicals fats oils grease punctures and abrasions. It is available in heavy-duty styles with stomach patch for extended wear.

SAP No.	Product No.	Fabricant	Size	
11211808	56-009 (CB45)	ANSELL	33" X 44"	



Ansell

CPP™ Black Heavyweight Hycar Apron

Features 18 oz thickness reinforced neoprene styles that are resistant to a wide range of chemicals and hycar styles that are ideal for grease and animal fats in cold conditions while urethane styles offer lightweight comfort and long wear. It is ideal for chemical processing oil refining and petrochemicals food packing and handling food processing industrial maintenance and meat packaging.

SAP No.	Product No.	Fabricant	Size
11209204	56-512 (BH45H)	ANSELL	35" X 45"



Ansell

CPP™ Yellow Heavyweight Hycar Chemical Protection Apron

Features 18 oz thickness reinforced neoprene styles that are resistant to a wide range of chemicals and hycar styles that are ideal for grease and animal fats in cold conditions while urethane styles offer lightweight comfort and long wear. It is ideal for chemical processing oil refining and petrochemicals food packing and handling food processing industrial maintenance and meat packaging.

SAP No.	Product No.	Fabricant	Size
11230692	56-510 ('YH45H)	ANSELL	35" X 45"



Ansell

Endurosaf™ Blue Apron

Features Enduro 2000™, Blue, material that is lighter in weight stronger wears longer and is exceptionally resistant to abrasions chemicals and deterioration from oils fats. It is environmental friendly that it can be buried or incinerated without harm to the environment and is softer easy to clean comfortable and remains flexible in cold temperatures. Apron is ideal for beef/pork/poultry/fish processing chemical processing oil refining and petrochemicals clean rooms janitorial and maintenance work.

SAP No.	Product No.	Fabricant	Size
11196489	56-802 (SAF-45B)	ANSELL	35" X 45"



Ansell

Endurosaf™ Blue Apron

Features Enduro 2000TM, White, material that is lighter in weight stronger wears longer and is exceptionally resistant to abrasions chemicals and deterioration from oils fats. It is environmental friendly that it can be buried or incinerated without harm to the environment and is softer easy to clean comfortable and remains flexible in cold temperatures. Apron is ideal for beef/pork/poultry/fish processing chemical processing oil refining and petrochemicals clean rooms janitorial and maintenance work.

11176462 56-800 (SAF-50W) ANSELL 34" X 50"	SAP No.	Product No.	Fabricant	Size
	11176462	56-800 (SAF-50W)	ANSELL	34" X 50"

Sleeves and Aprons







18" Yellow Kevlar®Sleeve, Fiber

- Flame resistant
- Made from 100% Kevlar®
- Available with or without a thumb hole
- ANSI Level 3, A3

SAP No.	Product No.	Fabricant	Certification
11182902	SK-18-2PLY	JOMAC	ANSI Level 3, A3
11218954	SK18-1PLY	JOMAC	ANSI Level 3, A3



S-Series Tube Style Sleeves, 24" long

- 100% Cotton, Beige,
- 2 ply with thumb hole,
- Up to 250°F/121°C

SAP No.	Product No.	Fabricant	Size
11197141	S-24-H	JOMAC	24" long







Contender™ Cut-Resistant Composite-Knit Sleeves, Aramid, 18", Yellow

- Inner layer is moisture-wicking Coolmax® for the ultimate comfort in hot working conditions
- Tubular knit with thumbhole
- Latex-free

SAP No.	Product No.	Fabricant	Certification
11262704	KFGCM18TH	SUPERIOR GLOVE	ANSI Level A5



18" FR cotton sleeves, flame resistant, with elastic

SAP No.	Product No.	Fabricant	Size
11251464	6518E	NATPRO	18" long

Flame Resistant Clothing







Westex UltraSoft® Economy Work Coverall with Reflective Material

88% Cotton / 12% Nylon, 7 OZ., Royal Blue

- Single large double stitched front chest and back pocket
- 2 slash pockets at waist
- Side openings at waist with concealed snap closure
- YKK® #5 Concealed Nomex® taped two-way brass zipper and snap front closure
- YKK® Nickel plated brass snaps
- Cuff with concealed snap closure
- Bar-tacked at all stress points
- · Quadruple stitched on waistband
- Flame-Resistant Reflective Material placement provides enhanced visibility with 2 vertical stripes on the front, a horizontal stripe around each arm, a horizontal stripe around each leg and an "X" on back.
- Care: Industrial wash



Arc Rating ATPV 8.7 calories/cm²; CSA Z462; HRC 2; NFPA 70E

SAP No.	Product No.	Fabricant	Size
11230465	401RTUS7-L-REG-BLR	BIG BILL	Regular or Tall S to 5XL



Unlined 3-In-1 Bomber Jacket With Reflective Material, Westex UltraSoft®

88% Cotton / 12% Nylon, 9 OZ.

- 2 large bottom patch pockets with concealed snap flap closure and side hand warmer pockets
- YKK® #10 Storm flap, concealed Nomex® taped two-way brass zipper and snap, front closure, Interior Nomex® taped Vislon zipper for zip in liner.
- YKK® Nickel plated brass snaps (All snaps are covered with material)
- Elastic at cuffs
- Elastic waist
- Telescopic back
- Snaps on the back of the collar for detachable hood
- Hood not included
- Bar-tacked pockets
- Elastic loop on cuffs to stabilize zip in liner
- Flame-Resistant Reflective Material placement provides 360° visibility with 2
 vertical stripes on the front, a horizontal stripe around the waist, a horizontal stripe
 around each arm and an "X" on back.
- · Care: Industrial wash

Certification:

Arc Rating ATPV 12.4 calories/cm², CSA Z462, CSA Z96 Class 1 / Level FR; HRC 2; NFPA 70E

SAP No.	Product No.	Fabricant	Size
11351504	L495US9-L-REG-NAY	BIG BILL	Regular or Tall S to 5XL

Flame Resistant Clothing





FR/ARC Rated Safety Coveralls, 100% Cotton -Royal - 46





FR-Tech® FR/ARC RTD 7 oz Hi-Viz Safety Coveralls 88/12 - HV Orange - 46

- 100% cotton, FR treated, 10 oz (340 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-10a, NFPA 70E and CSA Z462-15
- ATPV 9.5 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Average Thermal Protective \

- Performance (TPP) value: 11.8 cal/cm²
- StarTech® FR reflective tape
- · Sewn with inherently FR thread
- 2-way FR brass non-locking zipper7 storage pockets: 2 back, 2 chest, 2
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action back
- Elastic on the back on either side of waistband
- Radiophone clip strap

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- Material and all components meet CGSB 155.20-2017 and NFPA 2112-2018 certified to UL
- 7705/7705T CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- Meets ASTM F1506-20A, NFPA 70E-2021 and CSA Z462-2021
- ATPV 9.7 cal/cm² (Arc Thermal Protective Value)
- ARC 2 Arc Rating Category
- Average Thermal Protective Performance (TPP) value: 9 cal/cm²

- Double-stitched StarTech® FR reflective tape
- Sewn with aramid inherently FR thread
- Flame resistance guaranteed for the life of the garment
- Radiophone clip strap
- · 2-way FR brass zipper
- 18" covered leg zippers
- 7 storage pockets: 2 back, 2 chest, 2 side, 1 tool
- 2 pass-through pockets
- Adjustable wrists and ankles
- Action bac
- Elastic on the back on either side of waistband

Certification: CSA Z96-15 Class 1 Level 2 and Class 1 Level FR Certification: CSA Z96-15 Class 1 Level 2 and Class 1 Level FR

SAP No.	Product No.	Fabricant	Size
11345957	V2540650-46	PIONEER	36 to 66

CSA 296-15 Class | Level 2 and Class | Level FR

	luct No. F	Fabricant	OIZE
11280658 V25	20210-46 F	PIONEER	36 to 66





Hi-Vis Fire Resistant Coverall, Orange

- Made with 7,5 oz (254 gsm) FR Flashtex textile, 88% cotton and 12% nylon for high topocity.
- Respect NFPA 2112-2018 standard certified by UL
- Garment with an arc thermal protective value of category 2, ATPV: 9,6 cal/cm2
- Front 2-way brass zipper with aramid tape
- Double-stitched & FR 2 in. reflective tape over 4 in. contrast stripe

Certification: CSA-Z-96-15 Class 3 Level 2/FR

SAP No.	Product No.	Fabricant	Size
11347018	116566MH-OR-XL	TERRA	S to 5XL

Welding Clothing

Product No.

Product No.

PS-09

GUECU





Gaiters

Size

Leather gaiter for welder with velcro closure and elastic at the foot.

Simonness
The state of the s

allo allo

GANTEC POLYSAFE

Protective screens

Protective screen for glove, combination of aluminized fiberglass and leather. Two elastic straps protected with leather. 1000 degree Fahrenheit protection

SAP No.	Product No.	Size	
11186807	PS-14	6" x 8"	



SAP No.

SAP No.

11168211

11185503



Protective screens

Protective screen for glove, combination of Kevlar and leather. Two elastic straps protected with leather.





Protective screens

Glove protector, combination of aluminized Kevlar and leather. Two elastic straps protected with leather. 350 degree Fahrenheit protection.

SAP No.	Product No.	Size	
11168210	PS-07	6" x 8"	

Product No.
ALCAPE1823





Aprons

• Brown split leather welder waist apron.

Size

6" x 8"

• 18 inches long x 24 inches wide.

2.505	100		

SAP No.

11006846



Aprons

- Brown split leather apron with buttons.
- Back tie, 18 inches long.

SAP No.	Product No.	Size
11006847	AL1824	One Size





Wand Holder

- Split leather wand holder with solid metal hook
- reinforced bottom and hammer holder.

SAP No.	Product No.	Size	
11035425	RHB	12"	





Aprons

Size

One Size

- Welding overalls apron in brown split leather.
- 36 inches long x 24 inches wide.

SAP No.	Product No.	Size	
11006849	AL3624B	One Size	

Welding Clothing



GANTEC POLYSAFE

Welding Bolero

- 2 inch long A1 split leather welder bolero
- with button to add an apron.

SAP No.	Product No.	Size	
11348977	LCAPES	S	
11033959	LCAPEM	М	
11033958	LCAPEL	L	
11033961	LCAPEXL	XL	
11033962	LCAPEXXL	XXL	





Welding Jackets

- A1 Quality Split Leather Welding Jacket
- 30 inch length, entirely sewn with kevlar thread.

SAP No.	Product No.	Size	
11166583	WJB30S	S	
11011831	WJB30M	М	
11011830	WJB30L	L	
11109908	WJB30XL	XL	
11011832	WJB302XL	XXL	
11011833	WJB303XL	XXXL	





Welding Bolero

- Boléro de soudeur long avec boutons pression et sangles d'attache.
- Fait de cuir de vache.
- Longueur de 30 pouces.

SAP No.	Product No.	Size	
11168786	BL/M	М	
11168785	BL/L	L	
11168787	BL/XL	XL	





Welding Jackets

- A1 Quality Split Leather Welding Jacket
- 24 inches in length, entirely sewn with kevlar thread.

SAP No.	Product No.	Size	
11041063	WJB24S	S	
11041062	WJB24M	Μ	
11041061	WJB24L	L	
11041064	WJB24XL	XL	
11041065	WJB242XL	XXL	
11041066	WJB243XL	XXXL	





Short Welder's Bolero With Press Studs

- Made of cow leather.
- 12 inch length.

SAP No.	Product No.	Size	
11168791	BCS	S	
11168790	BCM	М	
11167157	BCL	L	
11168792	BCXL	XL	
11168788	BC2XL	XXL	
11168789	BC3XL	XXXL	





Welding Jackets

- Welding leather jacket with flame retardant cotton back.
- 30 inch length.

SAP No.	Product No.	Size	
11168857	VS-250/M	M	
11168856	VS-250/L	L	
11168859	VS-250/XL	XL	
11168854	VS-250/XXL	XXL	
11100001	10 200//012	7012	

Welding Clothing





SAP No.	Product No.	Fabricant	Size
11191435	MSSRRWB	Messer	One Size





BSX® Contoured FR Cotton Welding Jacket, Black with Red Flames

- 9 oz. FR-treated cotton for lightweight protection from heat, sparks, and spatter
- Welder's collar with adjustable snap options protects neck against sparks
- Adjustable waist straps with 2 snap positions for a customized fit and trimmer appearance
- Extended length front coverage offers added protection
- Dual scribe pockets one on each sleeve
- · Convenient snap front and wrists
- Leather reinforcements on all snaps
- Zippered inside pocket
- Black with red flame graphics

SAP No.	Product No.	Fabricant	Size
11249983	BX9C-L	Black Stallion	S to 5XL





23" Long Welder Arm Warmers

- Sold in pairs
- Protects arms and front of shoulders
- Comfortable easy-moving strap system for around the neck
- Adjustable cuffs for best fit

SAP No.	Product No.	Fabricant	Size
110110678	SL100	RANPRO	One Size





BSX® Contoured FR Cotton Welding Jacket, Royal Blue with Blue Flames

- 9 oz. FR-treated cotton for lightweight protection from heat, sparks, and spatter
- Welder's collar with adjustable snap options protects neck against sparks
- Adjustable waist straps with 2 snap positions for a customized fit and trimmer appearance
- Extended length front coverage offers added protection
- Dual scribe pockets one on each sleeve
- Convenient snap front and wrists
- Leather reinforcements on all snaps
- Zippered inside pocket
- Blue with blue flame graphics

11249989 BXRB9C-L Black Stallion S to 5XL	SAP No.	Product No.	Fabricant	Size
	11249989	BXRB9C-L	Black Stallion	S to 5XL

Protective Rainwear





200 Denier Yellow

• 3 piece rain suit.

Rain Suit

- Reinforced stitching at all stress points.
- Nylon Oxford on 0.35 mm PVC.
- Hood convertible into a storage bag.
- Individual packaging.





Orange 200 Denier High Visibility Rain Suit

- 3 piece rain suit.
- 200 denier Oxford nylon on 0.35 mm PVC.
- Gray reflective strips conforming to the standard
- CSA Z96-09. Level 2. Class 2. (Class 3 when combined).

SAP No.	Product No.	Size	
11168397	518EYS	S	
11168396	518EYM	М	
11167092	518EYL	L	
11168398	518EYXL	XL	
11168382	518EYXXL	XXL	
11168385	518EYXXXL	XXXL	





FIRE RETARDANT



Orange Rain Suits, Polyurethane, High Visibility

- 3-piece flame retardant rain suit in polyurethane. Orange color.
- Combined reflective strips compliant with standards
- CSA Z96-09. Level 2. Class 2. (Class 3 when combined).

SAP No.	Product No.	Size	
11259774	517PUS	S	
11259775	517PUM	M	
11259776	517PUL	L	
11259777	517PUXL	XL	
11259778	517PU2XL	XXL	
11259779	517PU3XL	XXXL	





High Visibility 300 Denier Rain Jacket

- Orange rain coat, 300 denier oxford nylon, 2-inch gray hi-vis stripes conforming to standard
- CSA Z96-09. Level 2. Class 2.

SAP No.	Product No.	Size
11211158	E400035ORS	S
11211159	E400035ORM	М
11211160	E400035ORL	L
11211161	E400035ORXL	XL
11211162	E400035OR2XL	XXL
11211163	E400035OR3XL	XXXL
11211164	E400035OR4XL	XXXXL
	· · · · · · · · · · · · · · · · · · ·	





High Visibility 300 Denier Rain Pants

- Orange rain pants, 300 denier oxford nylon, 2 inch gray hi-vis stripes conforming to standard
- CSA Z96-09. Level 2. Class 3 (when combined with E400035).

SAP No.	Product No.	Size
11211098	E400040ORS	S
11211099	E400040ORM	М
11211100	E400040ORL	L
11211101	E400040ORXL	XL
11211102	E400040OR2XL	XXL
11211103	E400040OR3XL	XXXL
11211104	E400040OR4XL	XXXXL

Protective Rainwear









Hi-Vis 300-Denier Rain Jacket, Orange

- Made in 300-deniers Oxford polyester with polyurethane coating
- Sealed and water repellent seams and polyester mesh lining
- 2 in. reflective tape over 4 in. contrast stripe
- Detachable hood with 2 levels of snaps to accommodate hard hat
- Dual microphone loops and ID badge holder

Certification: CSA-Z-96-15 Class 3 Level 2*

ANSI /ISEA - 107 - 2015 Type R Class 3*

SAP No.	Product No.	Fabricant	Size
11340651	116520J-OR-L	TERRA	S to XXXXXL

Hi-Vis 300-Deniers Rain Pants, Orange

- Made in 300-deniers Oxford polyester with polyurethane coating
- Sealed and water repellent seams
- 2 in. reflective tape over 4 in. contrast stripe
- Front pass through pockets
- Elastic waist band for better adjustment

Certification: ANSI /ISEA 107 - 2015 Supplemental Class E

SAP NO. I	Product No.	Fabricant	Size
11341331	116520P-OR-L	TERRA	S to XXXXXL



3 Pieces Polyester Rain Suit, Green

- Made in 200-deniers polyester
- Double stitched, taped and heat sealed seams
- Multiple front and back vents
- Jacket and pants can be folded and stored into zip hood
- Adjustable wrists and ankles cuffs with self-gripping strap

SAP No.	Product No.	Fabricant	Size
11314952	112900G-L	TERRA	M to XXL

Protective Rainwear







HI-VIZ FR Waterproof Safety Jacket - Pu Stretch -**Detachable Hood - HV Orange**

- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- Tested to ASTM D6413 for flame resistance
- Oil and chemical resistant
- 100% waterproof and windproof
- Lightweight and tough 4-way stretch PU
- StarTech® FR reflective tape
- Heat welded seams
- Extra-large detachable hood
- Full front zipper with snap storm placket



HI-VIZ Waterproof Safety Suit -210D Oxford Poly with PVC Backing -**Bag - HV Orange**

- 2 pieces: hooded jacket and bib pant, fold into zippered storage pouch
- Extra tough 100% waterproof 210 denier oxford polyester with PVC backing StarTech™ reflective tape
- Taped and heat sealed seams
- Full back vent for working comfort
- Jacket: 2 lower flap pockets, drawstring with toggle on hem, half mesh lined back, full front zipper, hood folds into collar
- Bib pant: elastic suspenders, metal buckles, snaps on leg hems to fit snug to boots

Certification: CSA Z96-15 Class 1 Level 2

ANSI/ISEA 107-2020 Class 1 Type O

SAP No.	Product No.	Fabricant	Size	
11336725	V1080250-XL	PIONEER	S to 4XL	



Certification:

3 when worn with FR hi-viz pant featuring reflective leg bands) and ANSI/ISEA 107-2020 Class 3 Type P and R

CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class

SAP No.	Product No.	Fabricant	Size
11339758	V3520150-XL	PIONEER	XS to 5XL





HI-VIZ Waterproof Safety Jacket HI-VIZ Orange, 150D, with **Detachable Hood**

- 150 denier PU coated polyester, 10 oz (350 GSM)
- 100% waterproof and windproof
- StarTech® reflective tape
- Taped and heat sealed seams
- Extra liberal fit for working comfort
- Multiple front and back vents
- Fully mesh lined
- Adjustable wrists
- 2 large front cargo pockets
- Detachable and adjustable hood, folds into comfort fleece collar
- Full front zipper with storm placket





- 150 denier PU coated polyester, 10 oz (350 GSM)
- 100% waterproof and windproof
- ANSI/ISEA 107-2020 Class E Supplemental Type
- StarTech® reflective tape
- Taped and heat sealed seams
- Extra liberal fit for working comfort
- Elastic suspenders with quick-release clips
- Boot access zippers with adjustable ankles
- · Fly access

Certification:

CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands) ANSI/ISEA 107-2020 Class 3 Type P and R

SAP No.	Product No.	Fabricant	Size	
11341411	V1090150-XL	PIONEER	XS to 5XL	

Certification:

CSA Z96-15 Class 3 Level 2 when worn with

CSA Class 2 Level 2 top featuring reflective arm bands

SAP No.	Product No.	Fabricant	Size
11341419	V1090250-XL	PIONEER	XS to 5XL

Forestry Clothing





Chainsaw Chaps made 400 denier nylon with webbing straps & buckles

• Front and back ballistic protection

Certification: CAN/BNQ 1923-450-M91

SAP No.	Product No.	Fabricant	Size
11217021	18-784	NATPRO	
11217021	10 704	NATITIO	





Forestry Nylon Pants

- Made of 400-denier nylon with front and back ballistic nylon protection
- Six pleats front and back protection
- Lined backside, elastic waist at the back
- Front and back pockets

Certification: UI Certified - CAN/BNQ Standard #1923-450-M91- ASTM F3325-2019 (New Standard 2021)

6, 28/30, 32/ 36/38, 40/42, 6, 48/50



Vests and Sash Belts









Economical orange traffic jacket and gray reflective strips,

Product No.

TRV02ORL



Polyester Mesh Traffic Vests

Orange traffic jacket and 3M reflective stripes. Class 2, level 2, 5-point detachable

SAP No.	Product No.	Size	
11202395	TRV01ORL	L	











detachable in 5 points.

SAP No.

11202397



TERRA💔

Size

1

Polyester Mesh Traffic Vests

Orange traffic jacket and combined 3M reflective stripes. Class 2, level 2. CSA Z96-09 compliant 5-point detachable.

	SAP No.	Product No.	Size
	11234059	TRV03OR5DS	S
	11234060	TRV03OR5DM	M
	11234061	TRV03OR5DL	L
	11234062	TRV03OR5DXL	XL
	11234063	TRV03OR5D2XL	XXL
ĺ	11234064	TRV03OR5D3XL	XXXL
	<u>"</u>		



Polyester Mesh Traffic Vests

100% Polyester Traffic Jackets

Orange traffic jacket and combined 3M reflective stripes. Class 2, Level 2. Complies with CSA Z96-09 5-point detachable.

SAP No.	Product No.	Size
11234020	TRV04OR5DS	S
11234022	TRV04OR5DM	М
11234023	TRV04OR5DL	L
11234024	TRV04OR5DXL	XL
11234025	TRV04OR5D2XL	XXL







High Visibility Safety Vest

- Made of 150 denier polyester
- 2" reflective strips. on 4» contrasting bands.
- Snap button closure
- Microphone loops / Multiple eyelets for carabiners
- Multiple pockets including a pocket in the back to insert a card or a clipboard

Traffic ramp

Circulation ramp with lime/grey/lime stripes. (2 inches)

SAP No.	Product No.	Size
11210755	BRVL	Universal

Certification: CSA Z96-15 Class 2 Level 2

SAP No.	Product No.	Fabricant	Size
11342451	116522-OR-L	TERRA	S to 5XL

Vests and Sash Belts









Traffic Safety Vests, Hi-Vis Orange, Polyester

- Soft mesh polyester material
- 4» reflective stripes
- Safety D-ring slot access
- 5-point hook and loop tear away design
- Four front pockets
- Dual chest strap for ID badge, cell, or radio

Certification: CSA Z96 Class 2 - Level 2

SAP No.	Product No.	Fabricant	Size
11218827	6125-O-S/M	VIKING	S/M
11218826	6125-O-L/XL	VIKING	L/XL
11218825	6125-O-2XL/3XL	VIKING	2XL/3XL
11343854	6125-O-4XL/5XL	VIKING	4XL/5XL





Traffic Safety Vest, High Visibility Lime-Yellow, Polyester

- Soft mesh polyester material
- · 4» reflective stripes
- Safety D-ring slot access
- 5-point hook and loop tear away design
- Four front pockets
- Dual chest strap for ID badge, cell, or radio

Certification: CSA Z96 Class 2 - Level 2

SAP No.	Product No.	Fabricant	Size
11327172	6125-L-S/M	VIKING	S/M
11202521	6125-L-L/XL	VIKING	L/XL
11272214	6125-L-2XL/3XL	VIKING	2XL/3XL





Traffic Safety Vest, High Visibility Orange, Polyester

- Breathable solid polyester material
- 2» reflective material on 4» contrasting tape
- Safety D-ring slot access
- 5-point hook and loop tear away design
- Four front pockets
- Dual chest straps for ID badge, cell, or radio

Certification: CSA Z96-09 Class 2 Level 2 ANSI/ISEA 107-2010 Class 2 Level 2

SAP No.	Product No.	Fabricant	Size
11218831	6135-O-S/M	VIKING	S/M
11212404	6135-O-L/XL	VIKING	L/XL
11212403	6135-O-2XL/3XL	VIKING	2XL/3XL
11231190	6135-O-4XL/5XL	VIKING	4XL/5XL

Traffic Safety Vest, High Visibility Lime-Yellow, Polyester

- Breathable solid polyester material
- 2» reflective material on 4» contrasting tape
- Safety D-ring slot access
- 5-point hook and loop tear away design
- Four front pockets
- Dual chest straps for ID badge, cell, or radio

Certification: CSA Z96-09 Class 2 Level 2

ANSI/ISEA 107-2010 Class 2 Level 2

SAP	No.	Product No.	Fabricant	Size
112	18830	6135-L-S/M	VIKING	S/M
112	18829	6135-L-L/XL	VIKING	L/XL
112	18828	6135-L-2XL/3XL	VIKING	2XL/3XL
1123	37131	6135-L-4XL/5XL	VIKING	4XL/5XL

Vests and Sash Belts





FR Hi-Viz Safety Tear-Away Vest -Poly Mesh - HV, Yellow/Green

- FR treated polyester mesh Meets EN ISO 14116 Index 1
- Must be worn over an FR sleeved garment
- Tested to ASTM D6413 for flame resistance (Damaged length under 6")
- 5 point tear-away
- StarTech® FR reflective tape
- D ring access slot

11310626

• Adjustable 1 size up at front

Certification: CSA Z96-15 class 2 Level 2

ANSI/ISEA 107-2020 Class 2 Type P and R

SAP No. **Product No. Fabricant Size**





PIONEER S/M, L/XL, 2XL/3XL



V2510860-L/XL



- 3.5 oz (120 GSM) tricot polyester
- Meets Transports Québec P4.34.1 (Road Work Signage)
- StarTech® reflective tape with orange tricot trim in between bands
- Full front zipper with hook and loop placket
- Collar in contrasting colour
- · Black cuffs
- Invisible underarm zippers
- Chest pocket with pen slot on right side
- Shoulder and chest radiophone clip strap on each side
- ID pockets

Certification:

CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands) ANSI/ISEA 107-2020 Class 3 Type P and R

SAP No.	Product No.	Fabricant	Size
11293367	6007L	PIONEER	XS to 4XL





Quebec Hi-Viz Breathable Traffic Safety Pants -**Tricot Poly - MTQ Approved**

- 3.5 oz (120 GSM) tricot polyester
- Meets Transports Québec P4.34.1 (Road Work Signage)
- StarTech® reflective tape across knees with orange tricot trim in between bands
- Belt loops
- Hook and loop fly opening and closure on waistband
- 2 cargo pockets on each side
- · 2 back pockets with flaps
- 2 slash pockets
- Black hem with hook and loop closure
- Boot access zippers with adjustable ankles

Certification: CSA Z96-15 Class 3 Level 2 when worn with CSA

Class 2 Level 2 top featuring reflective arm bands ANSI/ISEA 107-2020 Class E Supplemental Type

SAP No.	Product No.	Fabricant	Size
11293375	6009L	PIONEER	XS to 4XL

Flags and Traffic Cones









PVC/Nylon/PVC Flag, Orange, 18" X 18"

SAP No.	Product No.	Fabricant	Size
11323225	670020	WASIP	18"x18"



SAP No.	Product No.	Fabricant	Size
11301051	670050	WASIP	18"x18"





12" Traffic Cone

- Constructed from Hi-Vis PVC that resists peeling, cracking and moisture
- Tip-resistant, weighted base provides stability and long lasting durability
- Offers quick setup and removal for a variety of traffic control and pedestrian safety applications
- Cones are stackable for easy storage
- For use indoors and outdoors

SAP No. P	roduct No.	Fabricant	Size
11170077 T	C1202OK00	WASIP	12" high





18" Traffic Cone

- Constructed from Hi-Vis PVC that resists peeling, cracking and moisture
- Tip-resistant, weighted base provides stability and long lasting durability
- Offers quick setup and removal for a variety of traffic control and pedestrian safety applications
- Cones are stackable for easy storage
- For use indoors and outdoors

11209656 TC1804OK00 WASIP 18" high	SAP No.	Product No.	Fabricant	Size
	11209656	TC1804OK00	WASIP	18" high







28" Traffic Cone

- Constructed from Hi-Vis PVC that resists peeling, cracking and moisture
- Tip-resistant, weighted base provides stability and long lasting durability
- Offers quick setup and removal for a variety of traffic control and pedestrian safety applications
- Cones are stackable for easy storage
- For use indoors and outdoors





Reflective Triangle Flare

- · Triangle unfolds & locks together
- Non-skid heavy base withstands strong winds
- Comes with a reusable storage kit
- Triangle height: 17
- Ideal for use on roads as an emergency marker
- 3 Piece Triangle kit

SAP No.	Product No.	Fabricant	Size
11170076	TC2807OK00	WASIP	28" high

SAP No.	Product No.	Fabricant	Size
11323454	610300	WASIP	17" high

Flags and Traffic Cones









28" Premium PVC Flexible Safety Cone - 4" x 6" Bands

- High-luminance Type 3 bands for superior visibility
- Soft, high-quality, injection-moulded PVC
- Hi-viz colour with UV protection
- One-piece design for strength and durability
- Bounces back to shape when run over
- · Superior strength and flexibility
- Durable heavy, black rubberized base
- Stable, wide-body design
- · Stackable for easy storage
- 100% recyclable design
- Not recommended for use below -20°C

SAP No.	Product No.	Fabricant	Size
11273468	V6200550	PIONEER	28" high

Loop Top 44" Delineator Post

- High-visibility reflective post
- Two 4-inch high-intensity Type 3 reflective bands at the top of the post
- Compact storage
- UV inhibitors resist fading
- Easy-carry hand hold on pole bottom
- Top can be used to tie barricade tape or to support standard barricade lights
- Base sold separately

SAP No.	Product No.	Fabricant	Size
11297941	V6210250	PIONEER	44" high





Delineator Base - 11 Lb

- Durable PE material
- Odour-free
- Easy-carry hand hold

11328169 V6220170 PIONEER	SAP No.	Product No.	Fabricant	Size
	11328169	V6220170	PIONEER	

Flares and Accessories









C-I-L Red fusee with stand, Up to 20 minutes

SAP No.	Product No.	Fabricant	Size
11219257	9240E	CIL Orion	72/case





CIL Small Flare Container, Up to 20 minutes

- With wire stand or without spike
- Can hold 4 flares

SAP No.	Product No.	Fabricant	Size
11180372	CONT6009126	CIL Orion	



Interior Convex Mirrors

- 100+ degree angle of view
- Ball & swivel plate attached directly to the mirror for lightness & economy
- Comes with telescoping arm & bracket

SAP No.	Product No.	Fabricant	Size
	1000Cl12	RALSTON	12"
11171410	1000Cl18	RALSTON	18"
11171411	1000Cl26	RALSTON	26"
	1000Cl30	RALSTON	30"
11171412	1000Cl36	RALSTON	36"



SAP No.	Product No.	Fabricant	Size
11219258	9340E	CIL Orion	36/case



Exterior Convex Mirrors

- 100+ degree angle of view
- Ball & swivel plate bolted to weatherproof back
- Weatherproof metal frame
- Comes with telescoping arm & bracket
- All sizes available with a metal back (MB) for high wind applications

SAP No.	Product No.	Fabricant	Size
	1100CE12	RALSTON	12"
11171454	1100CE18	RALSTON	18"
11171455	1100CE26	RALSTON	26"
	1100CE30	RALSTON	30"
11171457	1100CE36	RALSTON	36"



Protective Footwear

General Purpose Footwear Shoe Covers Accessories 187-214 215-217 218-219










CLASSIC 8" Boots, Black

- B-Tek insulation throughout
- Oil and acid resistant rubber outsole
- PU cushion mid-sole and safety cradle
- Frost plate foot-bed finish
- Double Comfort insole
- Non-Metallic construction
- Waterproof leather
- Coefficient of friction slip resistant rating of .84 at room temperature and .74 at -20°C/-4°F
- 8" height design







- Composite Safety Toe and Plate
- Rubber toe guard and Thermoplastic Polyurethane (TPU) external heel
- Moulded mid-sole for high-performance stability
- Anti-fatigue insole and base technology for shock absorption and energy return
- Dual density Polyurethane (PU) midsole for added comfort
- Oil and acid resistant rubber outsole
- Deep lug sole with multi-directional traction and durable comfort zones
- Tested in accordace to Z195-14 for Coeffiency of Friction (COF) on Quarry tile/stainless steel/wet and dry surfances, at room temperature and cold climate conditions

Certification: \[\int \Omega \int \Omeg





SAP No.	Product No.	Fabricant	Size
11317299	MNST-MP01-BK1-10	BAFFIN	7 to 14







MONSTER 8" External Metatarsal Men's Boot

- Composite Safety Toe and Plate with external metatarsal guard
- CSA/ASTM Approved ESR/EH Rated
- Waterproof leather with breathable membrane and comfort padded
- Rubber toe guard and Thermoplastic polyurethane (TPU) external heel counter Oil and acid resistant rubber outsole
- Slip-resistant sole features deep lugs, multi-directional traction and durable contact zones to provide exceptional durability and traction

Certification: Δ Ω Ω Μ Θ







SAP No.	Product No.	Fabricant	Size
11327122	MNST-MM04-BK1-10	BAFFIN	7 to 14

ENDURO 15" Boot, Black

- Nominal temperature: All Seasons
- Composed of lightweight and flexible thermoplastic
- Broader fit & GelFlex midsole prevents fatigue
- Insole designed for comfort & Self-Cleaning Wear Sole
- Unique design with shock-absorbing heel & Safety tip and plate CSA, ASTM and CE certified non-metallic end and safety plate with
- resistance certification against electric shock and other electrical hazards Certification of resistance to electric shock and other electrical hazards.
- Made in Canada

Certification:



2 ®	Ω
------------	---

SAP No.	Product No.	Fabricant	Size
11174661	9669-0000-589-10	BAFFIN	7 to 14







⊌BAFFIN

Blackhawk Boots, Rubber

- Lightweight TPR Compound
- Comfort Crafted Removable Insole
- Self-Cleaning Outsole
- CSA/ASTM Approved in STP

Certification:

\[\int \Omega \omeg







SAP No.	Product No.	Fabricant	Size
11342876	LICOMP01BK10	BAFFIN	4 to 15





Hunter STP Boots

- Light weight and flexible TR compound
- Long wearing, self cleaning outsole
- 1" snow cuff
- -40°C/-40°F felt inner boot system
- Protective safety toe and plate
- CSA / ASTM approved
- ESR / EH rated

Certification:

\[\int \Omega \omeg





SAP No.	Product No.	Fabricant	Size
11174452	8564-0000-10	BAFFIN	7 to 14





Titan Safety Boots, Rubber

- Fully moulded waterproof boot
- 1" snow cuff
- -100°C/-148°F comfort rated inner boot system
- Aggressive, long wearing, self-cleaning outsole design
- Micro cellular waffle foot-bed traps air and moisture
- Protective safety toe and plate
- CSA / ASTM approved
- ESR / EH rated
- Oil and acid resistant Oarprene compound
- Made in Canada



SAP No.	Product No.	Fabricant	Size
11221119	2359-0000-10	BAFFIN	7 to 14

Workhorse Boots, Leather

- Nominal temperature: -60 ° c/ -76 ° f
- Oil and acid resistant Polyurethane base
- Oil and acid resistant rubber outsole
- Oil and acid resistant stitching throughout
- Premium PU coated leather upper
- Micro cellular waffle foot-bed traps air and moisture
- Metal free non-detectable safety components and hardware
- CSA / ASTM / CE approved safety toe and plate protection with electric shock and electric hazard protection

Certification: Δ Ω 🗓





SAP No.	Product No.	Fabricant	Size
11198043	7157-0238-001-10	BAFFIN	7 to 14





₩BAFFIN





BLASTCAP Boot

- Nominal temperature -60°C/-76°F
- Oil and acid resistant Polyurethane base
- Oil and acid resistant rubber outsole
- Metal free non-detectable safety components and hardware
- External metatarsal protection
- Hi-Visibility accents for improved safety
- CSA / ASTM approved safety toe, plate and metatarsal protection with electric shock and electric hazard protection

Constructor Safety Boots, Leather, Steel Toe

- Oil and acid resistant Neoprene and leather upper design
- Oil and acid resistant stitching, laces and metal free hardware •
- High visibility reflective strips
- Oil and acid resistant rubber outsole for slip resistance in extreme cold temperatures
- Ice Bear outsole design for additional traction in ice & snow
- Light weight PU base is cold crack tested to 50,000 flexes at -50°C/-58°F
- Light weight GelFlex mid-sole provides cushioning to reduce fatigue and improve comfort
- Metal free safety toe and plate with electric shock resistant
- Baffin -100°C/-148°F 8 layered inner boot
- Micro cellular waffle foot-bed traps air and moisture
- Frost plate foot-bed
- CSA / ASTM / CE approved











SAP No.	Product No.	Fabricant	Size
11221203	POLA-MP01-BK2-10	BAFFIN	5 to 15



DERRICK Safety Boots, Toe & Plate

- Non-metallic construction
- Upper: Oil and acid-resistant Neoprene and leather upper with hi-vis
- Lining: Layered inner boot comfort rated to -100°C/-148°F
- Outersole: Oil and acid-resistant Ice Bear rubber outsole for slip
- Midsole: Lightweight GelFlex midsole for cushioning
- Footbed: Microcellular waffle foot-bed traps air and moisture. Frost plate foot-bed.

Certification:

\[\int \Omega \omeg





SAP No. Product No. F	Fabricant	Size
11221213 POLA-MP02-BK2-10 E	BAFFIN	5 to 15









Miner 49er Professional Mining Boots, Rubber, Steel Toe

- Handcrafted 100% waterproof ozone-resistant natural rubber
- Heavy-duty cotton canvas lining
- Air-cushioned sole pockets
- Achilles tendon and ankle protection
- Oil and chemical-resistant nitrile lug sole
- Removable comfort felt insole
- ANSI MT/75 metatarsal protection
- CSA class #1 steel toe and plate
- CSA Omega electric shock resistant

Certification: \[\int \Omega \omeg





SAP No.	Product No.	Fabricant	Size
11193822	VW49-09	VIKING	5 to 15

THERMIC, Insulated Pu Work Boots With Metatarsal Protection

- Cold Defender PU upper resistant to -50°C/-58°F.
- PU removable insole PU Cold Defender.
- PU/Nitrile rubber outsole resistant up to +300°C/+572°F (1 minute contact) and to low temperatures down to -50°C/-58°F.
- TOP return composite toe protection.
- Anti-perforation midsole made of non-metallic APT Plate Zero Perforation.







SAP No.	Product No.	Fabricant	Size
11230837	C0004011-01-10	COFRA	4 to 14





- 2 mm waterproof leather with triple sealed seams.
- Composite toe protector
- Antipuncture non metallic plate
- Removable comfortable PU insole
- Extra wide fit for more room and comfort
- Nylon polycarbonate shank PU scuff resistant toe cap
- Natural rubber and PU core outsole
- Natural rubber 4GRIP outsole
- Polymer eyelets

Certification:

\[\Omega \quad \Omega \ome





G2E, 8" Work Boots with External Metatarsal Protection

- 2 mm waterproof leather with triple sealed seams.
- Padded collar
- Fire resisatnt NOMEX thread
- Composite toe protector
- Removable comfortable PU insole
- Antipuncture non metallic plate
- Nylon polycarbonate shank Wide fit for more room and comfort
- PU scuff resistant toe cap
- Scratchproof Silizium Tectuff leather piece
- CSA certified external hard metguard protection
- Natural rubber and PU core outsole
- Natural rubber 4GRIP outsole

Certification: 🛕 Ω 🛭 M 👺





SAP No.	Product No.	Fabricant	Size
11269711	A9077-11-10	ACTON	4 to 15





PROSPECT, Chemtech 8" Work Boots

- Waterproof microfiber CHEMTECH upper,
- Steel toe protector
- Antipuncture steel plate
- Taibrelle lining for added abrasion resistance
- Breathable lining
- Removable comfortable PU insole Steel shank
- PU scuff resistant toe cap
- Oil resistant ultra-lightweight PU outsole
- Corrosion resistant metal eyelets
- Padded collar and tongue for added comfort
- 200g Thinsulate insulation





SAP No.	Product No.	Fabricant	Size
11311171	A9226-11-10	ACTON	3 to 17





- Breathable waterproof Sympatex membrane
- Padded ankle protection
- Removable multi-layered molded insulating insole
- Natural rubber and EVA core outsole
- Padded collar and tongue for added comfort
- 2 mm waterproof leather upper with sealed seams
- Bumper toe protector
- AEGIS™ antimicrobial treatment •
- Speed lace system
- Extra wide fit for more room and comfort Natural rubber 4GRIP outsole

- Protector side support
- Anti-torsion polypropylene insole
- Composite toe protector
- Antipuncture non metallic plate
- Internal Poron® XRDTM metguard protection
- CSA grade 1 and ESR certified
- Energy absorber heel with an angle of 90°
- High visibility reflective inserts.
- 1000g Thinsulate insulation
- CosmoTM Comfort LUNAR



FIGHTER Winter Work Boots With Removable Felt Liner, Black

- CSA grade 1 and ESR certified
- Composite toe protector
- Antipuncture non metallic plate
- Waterproof leather upper with sealed seams
- Waterproof PU shell
- Natural rubber 4GRIP outsole High visibility reflective inserts.
- Laced up boot for precise and quick adjustment.







SAP No.	Product No.	Fabricant	Size
11269188	A907611-10	ACTON	7 to 14

Certification:

\[\tilde{\Omega} \frac{\Omega}{\Omega} \tilde{\Omega} \]



SAP No.	Product No.	Fabricant	Size
11289824	A5603B-11-10	ACTON	4 to 14









REBEL Waterproof & Breathable 8" Leather Work Boots, Black

- Waterproof full grain leather upper with quadruple sealed seams.
- Composite toe protector and puncture-resistant insole.
- Breathable & abrasion resistant lining with antimicrobial treatment.
- Waterproof and breathable Drylock II membrane.
- 200 g Thinsulate insulation surrounding the foot.
- TPU scuff resistant bumper toe increasing wear protection.

- Removable Instant Comfort gel insole. PU & memory foam.
- Dual density Outlaw outsole made of natural rubber and a comfortable
- lightweight EVA core at the heel.
- Cemented and Goodyear construction combining robustness and lightweight.
- High visibility reflective inserts.
- Padded tongue and collar allowing extra comfort.

SHIRE Ballistic Nylon Metal Free 8" Work Boots, Black

- Waterproof tear resistant basillistic nylon and Chemtech upper with sealed seams.
- Composite toe protector and puncture-resistant insole.
- Ventilated and anti-perspirant padded mesh with antimicrobial treatment to control odors.
- Waterproof and breathable Sympatex membrane resistant to various pathogens.
- Removable Instant Comfort insole made of gel, PU and memory foam.
- 90° heel angle.
- PU scuff resistant bumper toe increasing wear protection.
- Dual density Vibram GEN 6 outsole made of TC4+ natural rubber and comfortable lightweight PU core.
- Padded tongue and collar allowing extra comfort.





SAP No.	Product No.	Fabricant	Size	
11342282	S29046-11-10	STC	7 to 14	





SAP No.	Product No.	Fabricant	Size
11221334	S21994-11-100	STC	5 to 14







MORGAN Waterproof 8" Work Boots, Black

- Waterproof full grain upper leather with H2O Seal sealed seams.
- 90° heel angle.
- Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- Removable Instant Comfort insole made of gel, PU and memory foam.
- Composite toe protector and puncture-resistant insole.
- PU scuff resistant bumper toe increasing wear protection.
- Dual density Vibram GEN 6 outsole made of TC4+ natural rubber and comfortable lightweight PU core.
- Padded tongue and collar allowing extra comfort.
- Norwegian cut.

DAWSON 8" Work Boots, Black

- Waterproof full grain leather upper with triple H2O Seal sealed seams.
- Steel toe protector & composite puncture-resistant insole.
- Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- Padded tongue allowing extra comfort.
- Removable Instant Comfort insole made of gel, PU and memory foam.
- 90° heel angle.
- PU scuff resistant bumper toe increasing wear protection.
- Dual density Vibram V4K outsole made of TC4+ natural rubber and a comfortable PU

Certification:

\[\tilde{\Omega} \quad \tilde{\Omega} \tilde{\Omega} \]





SAP No.	Product No.	Fabricant	Size
11221313	S21991-11-100	STC	5 to 14

Certification:



$\overline{\cap}$	(SB

SAP No.	Product No.	Fabricant	Size
11221359	S22022-11-10	STC	4 to 14



Alloy 8" Work Boots With External **Metatarsal Protection, Black**

- Waterproof full grain leather upper with H2O Seal sealed seams.
- CSA certified resistant external rigid metguard protection covered with Silizium Tectuff for increasing abrasion resistance.
- Composite toe protector and puncture-resistant insole.
- Breathable and abrasion resistant Cambrelle lining with antimicrobial
- 200 g Thinsulate insulation surrounding the foot.
- Removable Instant Comfort insole made of gel, PU and memory foam.
- 90° heel angle.
- PU scuff resistant bumper toe increasing wear protection.
- Dual density Vibram GEN 6 outsole made of TC4+ natural rubber and
- comfortable lightweight PU core.
- Fire resistant Nomex thread.
- Padded tongue and collar allowing extra comfort.

Certification: Δ Ω Μ Θ







11237059 S22007-11-100 STC 5 to 14	SAP No.	Product No.	Fabricant	Size
11207000 022007 11 100 010 010 11	11237059	S22007-11-100	STC	5 to 14







Men's CSA Rossland Composite Toe Work Shoes

- Water-resistant nubuck leather upper
- Oil- and slip-resistant non-marking rubber outsole
- Cleansport NXT™ for natural odor control




Men's CSA Vista Energy XT Carbon-Fiber Toe

- Synthetic upper
- Left and right asymmetrical non-metallic carbon-fiber toes offer unobtrusive fit and are 15% lighter than steel
- Electric Shock Resistant (ESR) rated providing a secondary source of protection in case of accidental contact with live electrical circuits
- ASTM/CSA-certified non-metallic, flexible woven-textile punctureresistant midsole plate for underfoot protection
- 100% non-metallic construction for easily passing through metal detectors in highly-secured areas
- Nylon shank for midfoot support
- Non-mutilating upper reduces the chance of marking or scratching
- KONNECTFIT heel-capture system for a locked-in feel
- Secure fit lace capture system

Certification:

\[\int \Omega \int \Omeg



Certification: Δ Ω 🗓



SAP No.	Product No.	Fabricant	Size
11355759	1024610	KEEN	7 to 15
	'	'	









- Dry Waterproof, breathable membrane
- 200g Warm insulation
- 100% non-metallic construction
- Non-metallic, puncture-resistant midsole plate—CSA certified
- TPU shank for midfoot support
- 90 degree heel
- Cleansport NXT™ for natural odor control



Men's CSA Philadelphia+ 8" Internal **MET Waterproof Boot**

- Carbon-Fibre Toe Left and right asymmetrical, non-metallic carbonfibre toes offer unobtrusive fit and are 15% lighter than steel
- KEEN.DRY waterproof, breathable membrane
- Full-grain waterproof leather
 - Heat resistant, rubber outsole rated up to 572° F / 300° C
- Oil- and slip-resistant non-marking rubber outsole
- Electric Shock Resistant (ESR) footwear provides a secondary source of protection incase accidentally coming into contact with live electrical circuits
- Internal, lightweight XRD® Metatarsal Guard for enhanced impact protection
- KEEN.POLAR TRACTION: Micro-glass fibres create a «micro cleat» effect for increased ice traction*
- Non-metallic, flexible woven-textile puncture resistant midsole plate - ASTM/CSA certified
- 3/4 Goodyear welt construction for enhanced durability and flexibility under extreme working conditions
- KEEN LUFTcell dual-density PU midsole, infused with air for weightless comfort

Certification:

\[\int \Omega \omeg





SAP No.	Product No.	Fabricant	Size
11316654	1017799	KEEN	7 to 15

Certification:

\[\tilde{\Omega} \frac{\Omega}{\Omega} \frac{\Omega}{\Omega} \]





SAP No.	Product No.	Fabricant	Size
11346980	1022091	KEEN	7 to 15



ROYER



ROYER

ROYER

Sports Shoes, Black

- Leather and EVA footbed
- Mesh lining
- Non-metallic puncture-resistant insole
- Steel protective toecap
- Protection against electrical hazards
- EVA midsole with Oil resistant rubber outsole
- Full-grain leather
- 6 eyelets Derby shoe

Certification:

\[\int \Omega \omega \omega \omega \omega \end{aligned}
\]





SAP No.	Product No.	Fabricant	Size
11196119	501SP-10	ROYER	4 to 14

INSPADES Shoes, Black

- Non-metallic puncture-resistant insole
- Protection against electrical hazards
- 5 eyelets shoe
- Full-grain leather
- Aluminium protective toecap
- Ultra-resistant TECTUFF bumper toe
- Triple seams for increased durability
- Rigid heel counter for improved stability
- Ultra-cushioned low density PU midsole
- Slip and oil resistant rubber outsole
- Woven lining with antimicrobial treatment
- Low density PU footbed with antimicrobial treatment

Certification: Δ Ω (§





11345526 601 SP2-10 ROVER 4 to 14	SAP No.	Product No.	Fabricant	Size
11343320 00131 Z-10 1101 E11 4 to 14	11345526	601SP2-10	ROYER	4 to 14

ROYER



XPAN Canadian-Made 8" Boot, Black

- Waterproof full-grain leather
- REALFLEX external metatarsal protector
- Non-metallic puncture-resistant insole
- Dual-density rubber XPAN technology
- Flame resistant KEVLAR threads
- Flexible, comfortable and robust ARROW sole
- V2000 footbed
- Protection against electrical hazards
- Non-magnetic
- Aluminium protective toecap
- Leather and nylon straps with Velcro
- Leather and TAIBRELLE lining
- Elastic lacing

Certification: Δ Ω Θ

Rush Shoes, Black

5 eyelets shoe





Protection against electrical hazards

Abrasion resistant R-KNITTM fabric with

Pre-molded heel counter for better stability

Durable rubber outsole for added slip and oil resistance

Comfortable and breathable ORTHOLITE® footbed

3 vents offering maximum breathability

Non-metallic puncture resistance insole

Aluminium protective toecap

absorption properties

SAP No.	Product No.	Fabricant	Size
11358052	700RS-10	ROYER	4 to 14

Ultra-resistant TPU PARESHOKTM bumber toe fused without stiches

Long term ultra cushioned low density PU midsole with excellent shock

Certification: Δ Ω M M







SAP No.	Product No.	Fabricant	Size
11240076	12006XP-10	ROYER	4 to 14



ROYER



ROYER

8" Buffalo Leather Boot, Tan

- Puncture-resistant steel plate
- Ultra-resistant TPU PARESHOK bumper toe
- Flexible and lighweight dual-density PU sole
- TAIBRELLE lining
- **EVA** footbed
- Protection against electrical hazards
- EVA midsole with Oil resistant rubber outsol

Certification:

Ω

Ω

⑤



SAP No.	Product No.	Fabricant	Size
11228235	5012DD-10	ROYER	7 to 13

Arrow Sole RealFlex Kevlar Waterproof Leather 8" Boot

- Waterproof full-grain leather
- **REALFLEX** metatarsal protector designed to increase comfort when walking or squatting
- Non-metallic puncture-resistant
- Dual-density rubber XPAN technology
- Flame resistant KEVLAR threads
- Flexible, comfortable and robust ARROW sole
- Steel protective toecap Non-woven ISOFIX lining
- POLIYOU footbed
- Protection against electrical hazards
- Width: EEE

Certification: 🚨 Ω 🚳 M 🚱

SAP No.

11172236





Product No.

2033XP-10

Fabricant	Size
ROYER	4 to 14



ROYER



ROYER

XPAN, 8" Boot Made in Canada

- Waterproof full-grain leather
- REALFLEX external metatarsal protector
- Non-metallic puncture-resistant insole Dual-density rubber XPAN technology
- Flame resistant KEVLAR threads
- Flexible, comfortable and robust ARROW sole
- V2000 footbed
- Protection against electrical hazards
- Non-magnetic
- Aluminium protective toecap
- Leather and nylon straps with Velcro
- Leather and TAIBRELLE lining
- Elastic lacing







_ :	SAP No.	Product No.	Fabricant	Size
	11345724	12161XP-10	ROYER	4 to 14

8" Boot Made in Canada

- Waterproof full-grain leather
- Flexible and comfortable INTERGUARD internal metatarsal protector
- Rubber PARESHOK bumper toe
- Non-metallic puncture-resistant insole
- Dual-density rubber XPAN technology
- Steel protective toecap
- Non-woven ISOFIX lining
- Low density PU footbed for added comfort
- Protection against electrical hazards
- Flexible, comfortable and robust JYG sole

Certification: 🛕 🔽 🖲 M 🚳







SAP No.	Product No.	Fabricant	Size
11270404	2252XPJ-10	ROYER	4 to 14



ROYER



ROYER

8" Buffalo Leather Boot, Black

- Puncture-resistant steel plate
- Ultra-resistant TPU PARESHOK bumper toe
- Flexible and lighweight dual-density PU sole
- TAIBRELLE lining
- **EVA** footbed
- Protection against electrical hazards
- EVA midsole with Oil resistant rubber outsol

8" Buffalo Leather Boot, Black

- Upper with 200g THINSULATE thermal insulation
- **REALFLEX** metatarsal protector designed to increase • comfort when walking or squatting
- Ultra-resistant TPU PARESHOK bumper toe
- Non-metallic punctureresistant insole
- TAIBRELLE lining
- Flame resistant KEVLAR threads
- Rubber, PU and TPU 4-density
- Steel protective toecap
- Low density PU footbed for added comfort
- Protection against electrical hazards

Certification:

\[\int \Omega \quad \Omega \infty \end{align*}
\]





SAP No.	Product No.	Fabricant	Size
11228278	5002DD-10	ROYER	7 to 13



SAP No.

11198526





Product No.	Fabricant	Size
5301QD-10	ROYER	4 to 14



ROYER



ROYER

8" Buffalo Leather Boot, Black

- Upper with 200g THINSULATE thermal insulation
- Buffalo leather
- Composite protective toecap
- REALFLEX metatarsal protector designed to increase comfort when walking or squatting
- Ultra-resistant TPU PARESHOK bumper toe
- Non-metallic puncture-resistant insole
- Oil resistant rubber outsole
- TAIBRELLE lining
- Direct-attach PU midsole
- Flame resistant KEVLAR threads
- Low density PU footbed for added comfort
- Protection against electrical hazards

Certification: Δ Ω Μ Μ







SAP No.	Product No.	Fabricant	Size
11336303	5301VT-10	ROYER	7 to 14

8" Agility Boots, Black

- Ultra-light and metal-free 8 inch, assembled in Canada Composite protective toecap
- Rubber outsole
- Ultra-resistant TPU PARESHOK bumper toe
- Non-metallic puncture-resistant insole
- Direct-attach PU midsole
- Protection against electrical hazards
- Full-grain leather
- Comfortable and breathable R-LITE footbed

Certification:

\[\int \Omega \omeg





SAP No.	Product No.	Fabricant	Size
11316413	5701GT-10	ROYER	5 to 16



ROYER



ROYER

Agility Artic Grip Boots, Black

- 8 inch metal-free boot, assembled in Canada Waterproof AIRFLOW membrane
- Waterproof full-grain leather
- Composite protective toecap
- Ultra-resistant TPU PARESHOK bumper toe
- Non-metallic puncture-resistant insole
- Direct-attach PU midsole
- Protection against electrical hazards
- Upper with 400g THINSULATE thermal insulation
- VIBRAM ARCTIC GRIP rubber outsole for best grip on wet ice
- Comfortable and breathable R-LITE footbed





SAP No.	Product No.	Fabricant	Size
11318101	5707AG-10	ROYER	5 to 16

8" Metal-Free Boot

- Upper with 200g THINSULATE thermal insulation
- External ultra-resistant textured TPU PARESHOK bumper toe
- Composite protective toecap
- Non-metallic puncture-resistant insole
- TAIBRELLE lining
- Rubber, PU and TPU 4-density sole
- Low density PU footbed
- Protection against electrical hazards
- Full-grain leather

Certification:

\[\int \Omega \omeg





SAP No.	Product No.	Fabricant	Size
11231232	6000QD-10	ROYER	7 to 13





ROYER

8" Metal-Free Boot, Made In Canada

- Abrasion resistant CORDURA fabric
- Waterproof full-grain leather
- Composite protective toecap
- Ultra-resistant TPU PARESHOK bumper toe
- Non-metallic puncture-resistant insole
- Oil resistant rubber outsole
- Direct-attach PU midsole
- Low density PU footbed for added comfort
- Protection against electrical hazards
- 8 inch metal-free boot, assembled in Canada

Certification: Δ Ω Θ





SAP No.	Product No.	Fabricant	Size
11275667	6200VT-10	ROYER	7 to 14

8" Crazy-Horse Leather Boot, Brown

- SHIELDTEX abrasion resistant fabric
- Ultra-resistant TPU PARESHOK bumper toe
- Non-metallic puncture-resistant insole
- Light and flexible FLX rubber sole
- Direct-attach PU midsole
- SILVERCLEAR treated TAIBRELLE lining
- Low density PU footbed for added comfort
- Protection against electric

Certification: Δ Ω Θ





SAP No.	Product No.	Fabricant	Size
11212170	8520FLX-10	ROYER	5 to 15



ROYER



ROYER

8" Crazy-Horse Leather Metal-Free Boot, Black

- Waterproof AIRFLOW membrane
- Crazy-horse leather
- SHIELDTEX abrasion resistant fabric
- Composite protective toecap
- Ultra-resistant TPU PARESHOK bumper toe
- Non-metallic puncture-resistant insole
- Light and flexible FLX rubber sole
- Direct-attach PU midsole
- SILVERCLEAR treated TAIBRELLE lining
- Low density PU footbed for added comfort
- Protection against electrical hazard

Certification:

\[\int \Omega \int \Omeg





	1	
X		
	Towns	

8" Crazy-Horse Leather Metal-Free Boot, Brown

- Waterproof AIRFLOW membrane
- Crazy-horse leather
- SHIELDTEX abrasion resistant fabric
- Composite protective toecap
- Ultra-resistant TPU PARESHOK bumper toe
- Non-metallic puncture-resistant insole
- Light and flexible FLX rubber sole
- Direct-attach PU midsole
- SILVERCLEAR treated TAIBRELLE lining
- Low density PU footbed for added comfort
- Protection against electrical hazard

Certification:



\sim	Œ
1	96

SAP No.	Product No.	Fabricant	Size
11203252	8600FLX-10	ROYER	5 to 15

11189610 8620FLX-10 ROYER 5 to 15	SAP No.	Product No.	Fabricant	Size
	11189610	8620FLX-10	ROYER	5 to 15



ROYER[®]

8" Interguard 2.0 Boot, Black and Red

- Saline-treated full-grain waterproof leather
- Waterproof and breathable R-DRY™ membrane
- Carbon nanotube protective toe cap
- PARESHOK MC outer toe cap in ultra-resistant TPU
- INTERGUARD™ 2.0 internal metatarsal protection
- V-shaped padded collar for increased comfort and good mobility
- Hooks and eyelets for quick and optimal lacing
- Quadruple stitching
- Non-metallic anti-perforation sole
- VIBRAM ® MEGAGRIP MC PRO outsole for better slip resistance on wet rocks and steel
- Non-metallic anti-perforation sole
- PU midsole made by direct injection
- Dual density sole with composite shank
- Protection against electric shock

Certification:

\[\Omega \om











SAP No.	Product No.	Fabricant	Size
11351614	8900RT-10	ROYER	5 to 15







Pacer 2.0 Men's Composite Toe Athletic Work, Black/Blue


- Breathable microfibre and micro-mesh upper, sewn and punched
- Moisture wicking and abrasion resistant lining
- CLEANFEET® odour control treatment
- Reflective 3M Scotchlite™ heel and vamp accents
- Athletic, high traction industrial rubber outsole
- Lightweight shock absorbing EVA midsole with TPU arch shank
- Premium single density EVA FOOTBED®
- CSA Grade 1 composite toe, composite plate
- TERRA FIRMA-FLEX® metal free

Certification: \[\int \Omega \int \omeg











Pacer 2.0 Men's Composite Toe Athletic Work, **Black/Silver**

- Breathable microfibre and micro-mesh upper, sewn and punched
- Moisture wicking and abrasion resistant lining
- CLEANFEET® odour control treatment
- Reflective 3M Scotchlite™ heel and vamp accents
- Athletic, high traction industrial rubber outsole
- Lightweight shock absorbing EVA midsole with TPU arch shank
- Premium single density EVA FOOTBED®
- CSA Grade 1 composite toe, composite plate
- TERRA FIRMA-FLEX® metal free

Certification: 🛕 👊 🌃







SAP No.	Product No.	Fabricant	Size
11335277	106013BLG-10	TERRA	7 to 14





Albany Men's Composite Toe Work Safety Shoe, Black

- Full grain waterproof sealed-seam leather upper
- Moisture wicking and abrasion resistant lining
- CLEANFEET® odour control treatment
- Direct injected, all-purpose industrial PU outsole
- Direct injected, shock absorbing PU midsole
- Premium dual density PU FOOTBED®
- CSA Grade 1 composite toe, composite plate, E.S.R.
- TERRA FIRMA-FLEX® metal free

Certification:

\[\tilde{\Omega} \ \ti







SAP No.	Product No.	Fabricant	Size
11224063	835235-10	TERRA	7 to 13









Baron Men's 6" Composite Toe Work Safety Boots

- Full grain waterproof sealed-seam leather upper
- Exclusive pull-on collar ports
- Moisture wicking and abrasion resistant aero-lining
- 200g Thinsulate™ insulation and CLEANFEET® odour control
- High traction, anti-F.O.D. slip-resistant rubber outsole
- Direct injected, shock absorbing PU midsole and PU toe bumper
- Premium dual density PU FOOTBED®
- CSA Grade 1 composite toe, composite plate, E.S.R.

Product No.

2925B-10

TERRA FIRMA-FLEX® metal free

Certification:

\[\Omega \om

SAP No.

11239586







Fabricant

TERRA





3 to 13

Full grain waterproof sealed-seam leather upper

Quinton Men's Composite Toe Hiker Work Boot, Black

- Moisture wicking and abrasion resistant lining
- CLEANFEET® odour control treatment
- Direct injected, all-purpose industrial PU outsole
- Direct injected, shock absorbing PU midsole
- Premium dual density PU FOOTBED®
- CSA Grade 1 composite toe, composite plate, E.S.R.
- TERRA FIRMA-FLEX® metal free

Certification: 🛕 👊 🎏







SAP No.	Product No.	Fabricant	Size
11319098	835265-10	TERRA	7 to 13





Terra Argo 8» Waterproof Composite Toe Work Safety Boot, Black

- Full grain waterproof sealed-seam leather upper
- Exclusive pull-on collar ports
- Moisture wicking and abrasion resistant aero-lining
- 200g Thinsulate[™] insulation and CLEANFEET® odour control treatment
- High traction, anti-F.O.D. slip-resistant rubber outsole
- Direct injected, shock absorbing PU midsole and PU toe bumper
- Premium dual density PU FOOTBED®
- CSA Grade 1 composite toe, composite plate, E.S.R.
- TERRA FIRMA-FLEX® metal free

Certification:

\[\int \O \infty \omega \o







SAP No.	Product No.	Fabricant	Size
11265219	2975B-10	TERRA	3 to 13

Terra Argo 8» Waterproof Composite Toe Work Safety Boot, Tan

- Full grain waterproof sealed-seam leather upper
- Exclusive pull-on collar ports
- Moisture wicking and abrasion resistant aero-lining
- 200g Thinsulate™ insulation and CLEANFEET® odour control treatment
- High traction, anti-F.O.D. slip-resistant rubber outsole
- Direct injected, shock absorbing PU midsole and PU toe bumper
- Premium dual density PU FOOTBED®
- CSA Grade 1 composite toe, composite plate, E.S.R.
- TERRA FIRMA-FLEX® metal free

Certification:

\[\int \Omega \omeg







SAP No.	Product No.	Fabricant	Size
11239601	2974B-10	TERRA	3 to 14





- Full grain waterproof sealed-seam leather upper
- Moisture wicking and abrasion resistant aero-lining
- 200g Thinsulate[™] insulation and CLEANFEET® odour control treatment
- External composite Met-Guard with reinforced heat resistant NOMEX™ thread
- Reflective 3M Scotchlite™ quarter accent
- High traction, anti-F.O.D. slip-resistant rubber outsole
- Direct injected, shock absorbing PU midsole and PU toe bumper
- Premium dual density PU FOOTBED®
- CSA Grade 1 composite toe, composite plate, E.S.R., Metguard
- TERRA FIRMA-FLEX® metal free

Certification: Ω Ω M @







SAP No.	Product No.	Fabricant	Size
11306006	305515-10	TERRA	7 to 14



Paladin 8" Composite Toe Boot With **Internal Met Guard**

- Full grain waterproof sealed-seam leather upper
- Exclusive pull-on collar ports
- Moisture wicking and abrasion resistant aero-lining
- 200g Thinsulate™ insulation and CLEANFEET® odour control treatment
- XRD® internal metatarsal protection
- High traction, anti-F.O.D. slip-resistant rubber outsole
- Direct injected, shock absorbing PU midsole and PU toe bumper
- Premium dual density PU FOOTBED®
- CSA Grade 1 composite toe, composite plate, E.S.R., Metguard
- TERRA FIRMA-FLEX® metal free Made in Canada

Certification: Δ Ω M M







SAP No.	Product No.	Fabricant	Size
11265438	2988B-10	TERRA	3 to 13



EKODIAK



隱KODIAK

Men's Trakker Composite Toe Hiker Work Boot, 6", Brown

- Full-grain, seam-sealed waterproof leather upper
- Rugged nylon side-panel eliminate weight and adds breathability
- Waterproof membrane construction
- 200 gm Thinsulate™ insulation for all-season warmth
- Comfort padded collar and gusseted tongue keeps out debris
- Abrasion-resistant rubber toe and heel guard for durability
- Removable polyurethane insole provides maximum cushioning and comfort
- Slip, Oil-resistant and Electric Shock Resistant rubber outsole
- ROCKFIBRE® METAL FREE composite safety toe
- CSA approved grade 1, composite toe, composite plate, electric shock resistance

Certification: 🛕 👊

SAP No.

11249280







Product No.

Fabricant

Men's Kodiak Axton Composite Toe 8" Work Boots, Black

- Premium waterproof leather upper with sealed seams
- Waterproof membrane construction
- 200 gm ThinsulateTM insulation
- KODIAK® SOS Smell Out Science® system naturally eliminates odour
- Abrasion-resistant protective toe guard and heel underlay
- Waxed canvas trim and bellows tongue
- Removable, comfort trainer cored EVA insole
- Direct injected, shock absorbing PU midsole
- KODIAK® Ultimate SR & oil-resistant rubber outsole
- CSA approved composite toe, composite plate, ESR

Certification: 🛕 👊 🌇







SAP No.	Product No.	Fabricant	Size
11335210	303004BLK-10	KODIAK	7 to 14





Size

7 to 14





Men's Kodiak Crusade 6" Composite **Toe Hiker Work Shoe, Black**

- Full-grain, seam-sealed waterproof leather upper
- Waterproof membrane construction
- CSA-approved composite safety toe and composite plate
- KODIAK® SOS Smell Out Science odor control technology
- KODIAK Smell Out Science® system naturally eliminates odour
- Abrasion-resistant toe guard fends off scuffs
- Removable EVA insole provides maximum cushioning and comfort
- Slip, Oil-resistant and Electric Shock Resistant rubber outsole
- Two sets of laces

Certification: 🛕 🔽 🖟







SAP No.	Product No.	Fabricant	Size
11327237	305002BLK-10	KODIAK	7 to 14

Men's Kodiak Blue Plus Aluminum Toe 6" Work Boot, Black

- Full-grain, seam-sealed waterproof leather upper
- Leather V-back comfort collar
- Triple-stitched molded TPU toe and heel guard
- Patented anatomical tongue with leather lace keeper
- Removable COMFORTZONE® dual density polyurethane insole
- Direct injected midsole provides cushioning and support
- Oil-resistant and Electric Shock Resistant rubber outsole
- CSA approved grade 1, aluminum toe, composite plate

Certification: Δ Ω®





SAP No.	Product No.	Fabricant	Size
11300621	314067-10	KODIAK	7 to 14

隱KODIAK





Men's Kodiak Greer Aluminum Toe **Casual Work Shoe, Black**

- Full-grain leather upper
- Hex-weave perforated lining for maximum ventilation
- Removable antimicrobial OrthoLite® footbed for long-term
- Lightweight polyurethane midsole with shock-absorbing QuadAir® TPU airbag
- Oil-resistant and Electric Shock Resistant rubber outsole
- CSA approved grade 1, aluminum toe, composite plate

Certification:

\[\int \Omega \int \Omeg





SAP No.	Product No.	Fabricant	Size
11222586	304034-10	KODIAK	7 to 14



Men's Kodiak Flex Borden Aluminum **Toe Casual Work Shoe, Black**

- Kodiak® Flex technology conforms to the shape of your foot
- Kodiak® SOS Smell Out Science® technology controls odour
- Stretch nylon comfort lining with reinforced microfibre heel
- Removable breathable, antimicrobial OrthoLite® insole for all-day
- Lightweight EVA flexible midsole
- Slip & oil-resistant rubber outsole compound
- CSA-approved grade 1, aluminum toe, composite plate and ESR

Certification: Δ Ω (Ω () ()





SAP No.	Product No.	Fabricant	Size
11327311	308008BLK-10	KODIAK	7 to 14





Men's Kodiak Trail Composite Toe Hiker Work Shoe, Brown

- Full-grain waterproof leather upper
- Waterproof membrane
- Comfort padded gusseted tongue keeps out debris
- Removable polyurethane insole provides maximum cushioning and
- Slip, Oil-resistant and Electric Shock Resistant rubber outsole
- ROCKFIBRE® METAL FREE composite safety toe
- Abrasion-resistant rubber toe and heel guard for durability
- CSA approved grade 1, composite toe, composite plate, electric shock resistance (E.S.R.)

Certification: 🛕 👊 🎏







SAP No.	Product No.	Fabricant	Size
11275603	302120-10	KODIAK	7 to 14





- Full-grain, seam-sealed waterproof leather upper
- Leather V-back comfort collar
- Triple-stitched molded TPU toe and heel guard
- Patented anatomical tongue with leather lace keeper
- Removable COMFORTZONE® dual density polyurethane insole
- Innovative anatomical off-centre last for best fit
- Oil-resistant and Electric Shock Resistant rubber outsole
- CSA approved grade 1, aluminum toe, composite plate

Certification: \[\tilde{\Omega} \frac{\Omega}{\Omega} \tilde{\Omega} \]





SAP No.	Product No.	Fabricant	Size
11300585	310090-10	KODIAK	7 to 15



Men's Kodiak Blue Plus Aluminum Toe 8" Work Boot, Black

- Full-grain, seam-sealed waterproof leather upper
- Leather V-back comfort collar
- Triple-stitched molded TPU toe and heel guard
- Patented anatomical tongue with leather lace keeper
- Removable COMFORTZONE® dual density polyurethane insole
- Innovative anatomical off-centre last for best fit
- Oil-resistant and Electric Shock Resistant rubber outsole
- CSA approved grade 1, aluminum toe, composite plate

Certification: Δ Ω Θ





SAP No.	Product No.	Fabricant	Size
11300597	310091-10	KODIAK	7 to 14









Men's Pro® Endurance Alloy Toe Work Shoes, Black

- Premium full-grain leather uppers
- Alloy safety toes
- Cement construction
- Mesh linings with anti-microbial treatment for odor control
- Abrasion-resistant Ever-Guard™ leather toe bumpers and backstays
- Dynamic anti-fatigue technology polyurethane footbeds
- Metallic Steel-Flex[™] puncture-resistant plate
- Timberland PRO® rubber outsoles feature a low profile for high surface contact and are slip-, oil- and abrasion-resistant

Certification: Δ Ω Θ





SAP No.	Product No.	Fabricant	Size
11268583	91670001-10	TIMBERLAND PRO	7 to 14







- Abrasion-resistant ripstop nylon for lightweight and breathable performance
- Asymmetrical composite safety toe powered by Carbon Shield™ technology
- Electrical hazard protection & Metal and mutilation free
- Luggy rubber outsole with anatomically positioned flex grooves
- TPU-wrapped Aerocore™ midsole for maximum energy return while resisting rips, abrasions, and scuffs
- Fiberglass shank for structural support
- Non-metallic, puncture-resistant plate
- Anti-Fatigue Technology polyurethane footbed for shock absorption and energy return
- Breathable and moisture-wicking lining with antimicrobial treatment for
- Cement construction for flexibility

Certification:

\[\int \Omega \omeg





SAP No.	Product No.	Fabricant	Size
11343592	A22P8001-10	TIMBERLAND PRO	7 to 15

Men's Timberland Pro® Drivetrain Comp Toe Work Shoes

- Premium full-grain leather
- Composite safety toe powered by Carbon Shield™ technology
- Metal and mutilation free
- Cement construction
- Electrical hazard protection & Anti-fatigue technology
- Breathable, moisture-wicking lining with antimicrobial treatment for odor
- Fiberglass shank & All-weather TPU outsoles

Certification:

\[\int \Omega \omeg





SAP No.	Product No.	Fabricant	Size
11343618	A21WK001-10	TIMBERLAND PRO	7 to 13





Men's Timberland Pro® Radius Composite Safety-Toe Work Shoes, Black/Orange

- Asymmetrical composite safety toe & Electrical shock protection
- Metal and mutilation free
- Timberland PRO® Flex Technology outsole featuring anatomically positioned flex grooves
- Fuel- and oil-resistant, lightweight HoverSpring™ foam midsole, providing industry-leading underfoot comfort, flexibility, and durability
- Non-metallic puncture-resistant plate
- Anti-Fatigue Technology polyurethane footbed for shock absorption and energy return
- Breathable, durable mesh upper with abrasion-resistant reinforcements
- Breathable and moisture-wicking lining with antimicrobial treatment for odor control
- Cement construction for flexibility

Certification:

\[\int \Omega \int \Omeg





SAP No.	Product No.	Fabricant	Size
11352726	A27Y3001-10	TIMBERLAND PRO	7 to 15









Women's Timberland Pro® Radius Composite Safety-Toe Work Shoes, Black/Purple Hi-Vis

- Built on a women's specific last for optimal fit and comfort
- Asymmetrical composite safety toe
- Electrical shock protection
- Metal and mutilation free
- Timberland PRO® Flex Technology outsole featuring anatomically positioned flex grooves
- Non-metallic puncture-resistant plate
- Fuel- and oil-resistant, lightweight HoverSpring™ foam midsole, providing industry-leading underfoot comfort, flexibility, and durability
- Anti-Fatigue Technology polyurethane footbed for shock absorption and energy return
- Breathable, durable mesh upper with abrasion-resistant reinforcements
- Breathable and moisture-wicking lining with antimicrobial treatment for
- Cement construction for flexibility

Certification: \[\int \Omega \int \Omega \infty \end{aligned} \]

SAP No.	Product No.	Fabricant	Size
11352755	A285Z001-10	TIMBERLAND PRO	5.5 to 11



Men's Boondock 8" Composite Toe **Waterproof Work Boot, Black**

- Premium waterproof leather with a waterproof membrane
- Asymmetrical composite safety toe
- Electrical hazard protection
- Vibram Fire & Ice outsole for optimal performance in any temperature, durability, and traction
- Fiberglass shank for structural support
- Non-metallic puncture-resistant plate
- Dual-purpose top hardware for lacing customization
- Anti-Fatigue Technology polyurethane footbed for shock absorption and
- Molded Timberland PRO® rubber toe protector
- Rigid external heel cup for lateral stability
- Breathable and moisture-wicking lining with antimicrobial treatment for
- Combination three-quarter Goodyear welt/cement heel construction



SAP No.	Product No.	Fabricant	Size
11269029	89645001-10	TIMBERLAND PRO	7 to 15









- Premium leather uppers
- 200 grams of Thermolite® insulation
- Composite safety toes
- Padded top collars for comfort
- Air-textured nylon tongue base for added comfort with leather overlays
- Mesh lining with anti-microbial treatment for odor control
- Lightweight polyurethane midsoles
- Dynamic Anti-Fatigue Technology polyurethane footbeds
- Fiberglass shanks for structural support
- Non-metallic puncture plates
- All-weather TPU outsoles are slip-resistant, oil-resistant per SATRA TM63 and up to 248 degrees Fahrenheit/120 degrees Celsius using EN/ ISO 20344:2004
- Weight of a single boot (size 9): 830 grams

Certification:

\[\int \Omega \omeg





SAP No.	Product No.	Fabricant	Size
11283874	92663214-10	TIMBERLAND PRO	7 to 15



Men's Boondock 6" Composite Toe Waterproof Work Boot, Brown

- Premium waterproof leather with a waterproof membrane
- Asymmetrical composite safety toe
- Electrical hazard protection
- Lightweight and abrasion-resistant All-Weather TPU outsole
- Fiberglass shank for structural support
- Non-metallic puncture-resistant plate
- Anti-Fatigue technology polyurethane footbed for shock absorption and
- Dual-purpose top hardware for lacing customization
- Molded Timberland PRO® rubber toe protector
- Rigid external heel cup for lateral stability
- Breathable and moisture-wicking lining with antimicrobial treatment for
- Combination three-quarter Goodyear welt/cement heel construction
- Heat-, slip-, oil-, and abrasion-resistant, non-marking rub

Certification:

\[\int \Omega \int \Omeg





SAP No.	Product No.	Fabricant	Size
11268611	91631214-10	TIMBERLAND PRO	7 to 15








Men's Pro® Resistor 6" Composite **Toe Work Boots, Black**

- Premium leather uppers
- 200 grams of Thermolite® insulation
- Composite safety toes
- Padded top collars for comfort
- Air-textured nylon tongue base for added comfort with leather overlays for protection
- Mesh lining with anti-microbial treatment for odor control
- Lightweight polyurethane midsoles
- Dynamic Anti-Fatigue Technology polyurethane footbeds
- Fiberglass shanks for structural support
- Non-metallic puncture plates
- All-weather TPU outsoles are slip-resistant, oil-resistant per SATRA TM63 and up to 248 degrees Fahrenheit/120 degrees Celsius using EN/ISO 20344:2004
- Weight of a single boot (size 9): 830 grams

Certification: Δ Ω Θ







Men's Pro® Gridworks 8" Alloy **Toe Work Boots, Brown**

- Premium full-grain leather uppers with waterproof membranes
- Alloy safety toes
- Steel shanks
- Brass hardware
- Mesh linings with antimicrobial treatment for odor control
- Goodyear Welt construction
- Dual-density Dynamic Anti-Fatigue Technology footbeds absorb shock and return energy to the foot with every step
- Electrical hazard protection
- Cold temperature TPU (thermo-plastic urethane) outsoles are oil resistant, abrasion-resistant and heat resistant up to 248 degrees Fahrenheit/120 degrees Celsius using EN/ISO 20344:2004
- Weight of a single boot (size 9) is 1065 grams

Certification: Δ Ω Θ





SAP No.	Product No.	Fabricant	Size
11298849	A12EZ214-10	TIMBERLAND PRO	7 to 15







Men's Pro® Endurance HD 8" Composite **Toe Work Boots, Black**

- Premium waterproof full-grain leather uppers with waterproof
- Composite safety toes feature CarbonShield™ technology for extra durability
- Direct-inject construction
- Non-metallic puncture-resistant plates
- Fiberglass shank for structural support
- Mesh linings with antimicrobial treatment for odor control and
- Anti-fatigue polyurethane footbeds reduce shock and return energy to the foot
- Non-marking, all-weather thermal plastic urethane (TPU) outsole is slip-resistant, oil resistant and heat resistant up to 248 degrees Fahrenheit/120 degrees Celsius using EN/ISO 20344:2004

Certification: Δ Ω Θ





Men's Pro® Endurance HD 8" Composite **Toe Work Boots, Brown**

- Premium waterproof full-grain leather uppers with waterproof
- Composite safety toes feature CarbonShield™ technology for extra durability
- Direct-inject construction
- Non-metallic puncture-resistant plates
- Fiberglass shank for structural support
- Mesh linings with antimicrobial treatment for odor control and comfort
- Anti-fatigue polyurethane footbeds reduce shock and return energy to the foot
- Non-marking, all-weather thermal plastic urethane (TPU) outsole is slip-resistant, oil resistant and heat resistant up to 248 degrees Fahrenheit/120 degrees Celsius using EN/ISO 20344:2004

Certification: Δ Ω Θ





SAP No.	Product No.	Fabricant	Size
11325818	A1RW2214-10	TIMBERLAND PRO	7 to 15







Men's Timberland Pro® Boondock 8" Unlined **Composite Toe Boots, Brown**

- Molded Timberland PRO® rubber toe protector
- Composite safety toes
- Combination 3/4-Goodyear welt construction
- Dual-purpose top hardware
- Non-metallic shank for structural support
- Dynamic anti-fatigue technology polyurethane footbeds
- Non-metallic puncture-resistant plate
- Unique finger-grip pull-on
- Slip-resistant all-weather TPU outsoles are oil resistant, heat resistant up to 248 degrees Fahrenheit/120 degrees Celsius

Men's Timberland Pro® Boondock 8" **Composite Toe Boots, Black**

- Molded Timberland PRO® rubber toe protector
- Composite safety toe
- Combination 3/4-Goodyear welt construction
- Dual-purpose top hardware
- Mesh lining with anti-microbial treatment for odor control
- Non-metallic shank for structural support
- Dynamic anti-fatigue technology polyurethane footbed
- Non-metallic puncture-resistant plate
- Unique finger-grip pull-on
- Slip-resistant Vibram® Fire&lce™ rubber outsoles are formulated to maximize traction on cold surfaces

Certification:

\[\tilde{\Omega} \frac{\Omega}{\Omega} \]



SAP No.	Product No.	Fabricant	Size
11334703	A1V3W270-10	TIMBERLAND PRO	7 to 15

Certification:

\[\tilde{\Omega} \quad \tilde{\Omega} \quad \tilde{\Omega} \]



SAP No.	Product No.	Fabricant	Size
11339244	A1VYP001-10	TIMBERLAND PRO	7 to 15







Men's Timberland Pro® Boondock 8" **Composite Toe Boots, Brown**

- Molded Timberland PRO® rubber toe protector
- Composite safety toe
- Combination 3/4-Goodyear welt construction
- Dual-purpose top hardware
- Mesh lining with anti-microbial treatment for odor control
- Non-metallic shank for structural support
- Dynamic anti-fatigue technology polyurethane footbed
- Non-metallic puncture-resistant plate
- Unique finger-grip pull-on
- Slip-resistant Vibram® Fire&lce™ rubber outsoles are formulated to maximize traction on cold surfaces

Certification:

\[\tilde{\Omega} \quad \tilde{\Omega} \tilde{\Omega} \]





SAP No.	Product No.	Fabricant	Size
11343553	A21B7231-10	TIMBERLAND PRO	7 to 15

Men's Pro® Endurance HD 8" External Met Guard **Composite Toe Work Boots, Black**

- Premium full-grain leather uppers
- Composite safety toes with CarbonShield™ technology
- Direct-inject construction
- Anti-fatigue technology with conical geometry in the polyurethane midsole reduces shock and returns energy to the foot
- Electrical shock protection
- Mesh lining with antimicrobial treatment for odor control and comfort
- Dual-purpose cast metal top hardware
- Fiberglass shank for structural support
- Contoured single-density open-cell polyurethane footbed with antimicrobial cover for breathable comfort and odor control
- Timberland PRO® rubber outsole is slip-, oil- and heat-resistant up to 1000 degrees Fahrenheit/537 degrees Celsius using EN/ISO 20344:20034to la norme EN/ISO 20344:20034

Certification: \(\int \O \) \(\O \) \(\o \)

SAP No. 11339270





Product No.	Fabricant	Size	
1VY3001-10	TIMBERI AND PRO	7 to 15	

Shoe Covers









Neos® Adventurer All Season Overshoes, Nylon, Hook and Loop Closure

- Nylon upper with Perma outsole offers good traction in tough weather
- Calf-high coverage protects footwear and pant legs in snow or mud
- 100% waterproof

SAP No.	Product No.	Fabricant	Size
11174852	ANN1BLK-S	NEOS	S
11174854	ANN1BLK-M	NEOS	M
11174853	ANN1BLK-L	NEOS	L
11174855	ANN1BLK-XL	NEOS	XL
11174851	ANN1BLK-2XL	NEOS	2XL



Neos® Explorer™ Overshoes, Nylon, Insulated, Hook and Loop

- Fits Men's Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Nylon upper fabric, Superlite outsole

Product No.	Fabricant	Size
EXPGBLK-S	NEOS	S
EXPGBLK-M	NEOS	М
EXPGBLK-L	NEOS	L
EXPGBLK-XL	NEOS	XL
EXPGBLK-2XL	NEOS	2XL
EXPGBLK-3XL	NEOS	2XL
	EXPGBLK-S EXPGBLK-M EXPGBLK-L EXPGBLK-XL EXPGBLK-2XL	EXPGBLK-S NEOS EXPGBLK-M NEOS EXPGBLK-L NEOS EXPGBLK-XL NEOS EXPGBLK-2XL NEOS









Neos® Navigator 5™ Overshoes, Nylon, Insulated, Hook and Loop

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Polyester upper fabric, Vibram Ninja outsole

SAP No.	Product No.	Fabricant	Size
11175898	N5P3GRY-S	NEOS	S
11175889	N5P3GRY-M	NEOS	M
11175888	N5P3GRY-L	NEOS	L
11199366	N5P3GRY-XL	NEOS	XL
11199367	N5P3GRY-2XL	NEOS	2XL
11199908	N5P3GRY-3XL	NEOS	3XL
11225160	N5P3GRY-4XL	NEOS	4XL
	11175898 11175889 11175888 11199366 11199367 11199908	11175898 N5P3GRY-S 11175889 N5P3GRY-M 11175888 N5P3GRY-L 11199366 N5P3GRY-XL 11199367 N5P3GRY-2XL 11199908 N5P3GRY-3XL	11175898 N5P3GRY-S NEOS 11175889 N5P3GRY-M NEOS 11175888 N5P3GRY-L NEOS 11199366 N5P3GRY-XL NEOS 11199367 N5P3GRY-2XL NEOS 11199908 N5P3GRY-3XL NEOS

Neos® Voyager™ Overshoes, **Nylon, Hook and Loop Closure**

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Nylon upper fabric, Perma outsole
- For temperatures up to 0° F (-17.7° C)

SAP No.	Product No.	Fabricant	Size
	VNN1BLK1-XS	NEOS	XS
	VNN1BLK1-S	NEOS	S
11176855	VNN1BLK1-M	NEOS	М
11176854	VNN1BLK1-L	NEOS	L
11176857	VNN1BLK1-XL	NEOS	XL
11176853	VNN1BLK1-2XL	NEOS	2XL
11197169	VNN1BLK1-3XL	NEOS	3XL

216 Protective Footwear Protective Footwear 216

Shoe Covers





Neos® Navigator 5™ Stabilicers® Overshoes, Nylon, Insaluted, Hook and Loop

- Polyester upper with waterproof membrane
- Stabilicers® outsoles with 32 replaceable cleats provides excellent traction on ice and snow
- NOT to be used on hard surfaces
- Cleat wrench included with convenient internal pocket
- Expandable gaiter top can roll-out to increase boot height to 20 inches
- Polyester upper and 4 mm polyurethane foam insulation add comfort and warmth

SAP No.	Product No.	Fabricant	Size
11353741	N5P3GGRY-XS	NEOS	XS
11353742	N5P3GGRY-S	NEOS	S
11353743	N5P3GGRY-M	NEOS	М
11353744	N5P3GGRY-L	NEOS	L
11353745	N5P3GGRY-XL	NEOS	XL
11353746	N5P3GGRY-2XL	NEOS	2XL
11353747	N5P3GGRY-3XL	NEOS	3XL
11353748	N5P3GGRY-4XL	NEOS	4XL

Shoe Covers





Robson Wide Overshoes

- Waterproof natural rubber.
- Knit lining.
- Short tongue covering the laces.
- Wide opening.
- Extra large last for boots with metatarsal guard and very thick outsole.





Prince Overshoes

- Waterproof natural rubber
- Insulating fleece lining
- Anticorrosive zipper
- Protecting tongue with bellows

SAP No.	Product No.	Fabricant	Size
11172728	A3223-11-10	ACTON	3 to 15



XTRA Overboots

- Waterproof natural rubber.
- Knit lining
- Adjustable buckle and wide bellows tongue.
- Lower part reinforced by thicker rubber.
- Extra-large last for boots with metatarsal guard and very thick outsole

11187190 A3186-11-10 ACTON 6 to 17	SAP No.	Product No.	Fabricant	Size
	11187190	A3186-11-10	ACTON	6 to 17

Accessoires









Non-Conductive Metatarsal Guards, Polycarbonate

SAP No.	Product No.	Fabricant	Size
11301500	METGUARD	IMPACTO	

Midcleat Versatile Metal Ice Cleats

SAP No.	Product No.	Fabricant	Size
11325746	MIDCLEAT100-00	IMPACTO	









Removable Instant Comfort insole

- Ultimate comfort + odor control Comfortable removable insole
- Made of PU and memory foam
- Fits most work shoes
- Antimicrobial treatment

SAP No.	Product No.	Fabricant	Size
11336418	S20000 B17-10	STC	4 to 14

Timberland Pro® Anti-Fatigue Insole

- Anti Fatigue Dynamic Insole
- Sizing: XS fits women's shoe size 5/6, S fits women's size 7/8 and men's size 6/7, M fits women's size 9/10 and men's size 8/9, L fits women's size 11/12 and men's size 10/11, XL fits men's size 12/13, XXL fits men's size 14/15

SAP No.	Product No.	Fabricant	Size
11353564	TB91621827-XS	Timberland	XS
11313069	TB91621827-S	Timberland	S
11313070	TB91621827-M	Timberland	М
11313071	TB91621827-L	Timberland	L
11313072	TB91621827-XL	Timberland	XL
	TB91621827-XXL	Timberland	XXL

Accessoires

ROYER ROYER



Breathable V2000 insole

SAP No.	Product No.	Fabricant	Size
11198601	VF007-10	ROYER	4 to 13



Round black nylon lace, 160 cm (64")

SAP No.	Product No.	Fabricant	Size
11262608	VL160NO1	ROYER	









HOTTEC™ Adhesive Toe Warmers

 HOTTEC ™ warmers are air activated and made with all natural ingredients

SAP No.	Product No.	Fabricant	Size
11337333	1070601HT	DENTEC	4 to 14

Bama Boot Liners

- Keep your feet warm and dry
- Proven 2 layer construction provides warmth, ventilation, and moisture control
- Ideal for wearing in rubber boots with or without socks in any weather

34-305-6/7	GANKA	6/7
34-305-8/9	GANKA	8/9
34-305-10/11	GANKA	10/11
34-305-12/13	GANKA	12/13
34-305-14/15	GANKA	14/15
	84-305-8/9 84-305-10/11 84-305-12/13	34-305-8/9 GANKA 34-305-10/11 GANKA 34-305-12/13 GANKA



Honeywell Harness



Honeywell

Miller® Titan™ Contractor's Harnesses

CSA Certified, Class A, 400 lbs. Cap., mating buckle legs

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11176578	T4000/UAK	Honeywell	Universal



Honeywell

Miller® Titan™ Contractor's Harnesses

CSA Certified, Class A, 400 lbs. Cap., mating buckle legs, tongue buckle legs

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11176583	T4500/UAK	Honeywell	Universal



Honeywell

Miller® Revolution™ Harnesses

CSA Certified, Class A, 400 lbs. Cap., Quick-Connect Buckle Legs - Universal

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11170481	RDT-QC/UBK	Honeywell	(S,M,XL,XXL)



Honeywell

Miller® Revolution™ Construction Harnesses

CSA Certified, Class A, 400 lbs. Cap. Chest Strap Connections and Leg Strap Connections Pass-Through/Mating

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11321740	R10CN-MB/UGN	Honeywell	Universal



Honeywell

Miller® Aircore™ Harnesses

CSA Certified, Class A, 400 lbs. Cap. with Quick Connectors, Universal

Certification: CSA Z259.10



Honeywell

Miller® Aircore™ Harnesses

CSA Certified, Class A, 400 lbs. Cap.with Quick Connectors, Removable Belt, Side D-Rings & Pad, Universal

Certification: CSA Z259.10

11276391 AC-QC/UGN Honeywell (S,M,XL,XXL)	SAP No.	Product No.	Fabricant	Size
	11276391	AC-QC/UGN	Honeywell	(S,M,XL,XXL)

11280617 AC-QC-BDP/UGN Honeywe	(S,M,XL,XXL)

Honeywell Harness



Honeywell



Honeywell

North® Rite-On™Comfort Harness

with one piece back and shoulder pad CSA Certified, Class A, 400 lbs. Cap.

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11175465	FP81F/1DBA	Honeywell	Universal

Honeywell Miller® Universal Non-Stretch Construction Style Harness

Class AP, back and side D-rings, mating chest buckles, friction shoulder buckles, tongue buckle leg straps, shoulder/back D-ring pad, pull free lanyard rings, belt loops, 4 1/2" belt pad and sub-pelvic strap.

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11218639	650CN-BDP/UGN	Honeywell	Universal



Honeywell

Miller® Phyton Harnesses

CSA Certified, Class A, 400 lbs. Cap. Comfort-touch back D-ring pad, Back D-Rings, Belt Loops and Quick-Connect Chest and Leg Buckles, Belt loops included

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11170480	P950QC/UGN	Honeywell	Universal



Honeywell

Titan™ Shock-Absorbing Lanyard

4', Locking Rebar Hook Center, Locking Snap Hook Leg Ends, Polyester, 1 Leg(s)

Certification: CSA Standard Z259.11

SAP No.	Product No.	Fabricant	Size
11350384	T1SSSR-OS4C	Honeywell	4'

Honeywell



Titan™ Shock-Absorbing Lanyard

4', Locking Rebar Hook Center, Locking Snap Hook Leg Ends, Polyester, 2 Leg(s)

Certification: CSA Standard Z259.11

SAP No.	Product No.	Fabricant	Size	
11350386	T2SSSR-OS4C	Honeywell	4'	



Honeywell

Automatic Rope Grab with Panic Lock

FP541 with 2' (0.6 m) Lanyard energy absorber with snap hook

Certification: CSA Standard Z259.11

SAP No.	Product No.	Fabricant	Size
11175416	FP542	Honeywell	2'

Honeywell



Titan™ Shock-Absorbing Lanyard

6', Locking Rebar Hook Center, Locking Snap Hook Leg Ends, Polyester, 1 Leg(s)

Certification: CSA Standard Z259.11

SAP No.	Product No.	Fabricant	Size
11350385	T1SSSR-OS6C	Honeywell	6'

Honeywell



Titan™ Shock-Absorbing Lanyard

6', Locking Rebar Hook Center, Locking Snap Hook Leg Ends, Polyester, 2 Leg(s)

Certification: CSA Standard Z259.11

11350387 T2SSSR-OS6C Honeywell 6'	SAP No.	Product No.	Fabricant	Size
	11350387	T2SSSR-OS6C	Honeywell	6'



Honeywell

Honeywell, Vertical Rope Lifeline

5/8" Diameter Polyester/Polypropylene, With Locking Snap Hook and Loop, 310 lb Load Capacity

Certification: CSA Standard Z259.11

Product No.	Fabricant	Size
300L-Z7/25FTBL	Honeywell	25'
300L-Z7/50FTBL	Honeywell	50'
300L-Z7/100FTBL	Honeywell	100'
	300L-Z7/25FTBL 300L-Z7/50FTBL	300L-Z7/25FTBL Honeywell 300L-Z7/50FTBL Honeywell

Honeywell

Honeywell



Miller® Black Rhino™ Self-Retracting Lifelines, 9', Stainless Steel, Swivel

- Repairable; no annual factory recertification required
- Ideal for concrete construction, welding, steel erection and warehouse applications
- Quick-activating, high-strength stainless steel braking system
- Variety of integral anchorage connectors available
- Integral load indicator indicates when the unit must be removed from service
- Extended service life corrosion-resistant stainless steel and aluminum components
- Integral internal shock absorber consistently reduces fall forces to 900 lbs./f (4 kN) or less for greater safety



Miller® Mini-Lite™ Self-Retracting Lanyard 11', Steel Twist-Lock Carabiner & Swivel Shackle

- Lightweight, compact design only 2.5 lbs.
- Corrosion-resistant interior, frame and components
- Visual load indicator
- Quick-activating, high-strength stainless steel braking system
- Arrests free falls within inches
- Fits in the palm of your hand
- Provides the best overall value when compared with competitive units
- · High-impact protective outer cover
- Prominent reflective labeling
- Available with a variety of integral anchorage connectors
- Snap hook harness connection

Certification: CSA standard Z259.2.2, Type 1 SRL

SAP No.	Product No.	Fabricant	Size	
11265668	CFL4-Z7/9FT	Honeywell	9'	

Certification: CSA Z259.2.2, Type 1 SRL

11252743 FL11-3-Z7/11FT Honeywell 11'	SAP No.	Product No.	Fabricant	Size
	11252743	FL11-3-Z7/11FT	Honeywell	11'

Honeywell

Minilite® Fall Limiter 2-1/2 In Steel Locking Snap 11', Rebar Hook, Lanyard End Connector, Locking Snap Hook

- Lightweight, compact design only 2.5 lbs.
- Corrosion-resistant interior, frame and components
- Visual load indicator
- Quick-activating, high-strength stainless steel braking system
- · Arrests free falls within inches
- Fits in the palm of your hand
- Provides the best overall value when compared with competitive units
- High-impact protective outer cover
- Prominent reflective labeling
- Available with a variety of integral anchorage connectors
- Snap hook harness connection



Honeywell

Miller TurboLite 6' Personal Fall Limiter with Unit End Steel Carabiner & Lanyard End Steel Locking Snap Hook

- First affordable alternative to shock-absorbing lanyards
- Compact and lightweight PFL, workers will no longer need to "switch-out" equipment to maintain a safe fall distance
- Extremely compact and lightweight 1.9 lbs. (0.86 kg)
- Unit attaches directly to the harness back D-ring for greater mobility and versatility
- Engineered webbing for greater abrasion resistance and long service life
- High-strength, impact-resistant nylon housing for maximum durability
- Built-in swivel prevents lifeline from twisting
- Rated for up to a 400 lbs. (181.4 kg) user
- Quick-activating, high-strength stainless steel braking system

Certification: CSA Z259.2.2, type 1 SRL

SAP No.	Product No.	Fabricant	Size	
11196837	FL11-5-Z7/11FT	Honeywell	11'	

Certification: CSA Z259.2.2, type 1 SRL

SAP No.	Product No.	Fabricant	Size	
11265665	MFL-1-Z7/6FT	Honeywell	6'	



Honeywell

Miller® Twin Turbo™ G2 Personal Fall Limiter, 9', G2 Connector and Aluminum Locking Rebar Hooks

- First affordable alternative to shock-absorbing lanyards
- Compact and lightweight PFL, workers will no longer need to "switch-out" equipment to maintain a safe fall distance
- Extremely compact and lightweight 1.9 lbs. (0.86 kg)
- Unit attaches directly to the harness back D-ring for greater mobility and versatility
- Engineered webbing for greater abrasion resistance and long service life
- High-strength, impact-resistant nylon housing for maximum durability
- Built-in swivel prevents lifeline from twisting
- Rated for up to a 400 lbs. (181.4 kg) user
- Quick-activating, high-strength stainless steel braking system
- Twin-Turbo ™ models feature a G2 connector and 2 legs for 100% tie off

Certification: CSA Z259.2.2, type 1 SRL

SAP No.	Product No.	Fabricant	Size
11341600	MFLC-12-Z7/9FT	Honeywell	9'



Honeywell

Miller® TurboLite™ Extreme Sharp Edge Personal Fall Limiter, 9', Galvanized Steel, Swivel

- Designed for use in sharp edge applications with radius ≥ 0.005 in (0.13 mm)
- Meets ANSI Z359.14 Class B and Leading Edge requirements
- Two buttons on harness connector positioned on two different planes require two distinct actions, preventing accidental disengagement
- Lightweight, compact harness connector with free-floating shock-absorber pack keeps workers cooler, and provides a more comfortable work experience

Certification: CAN/CSA Z259.2.2, ANSI Z359.14, Classe B

SAP No.	Product No.	Fabricant	Size	
11355082	MFLEC-11/9FTC	Honeywell	9'	

Honeywell

Miller® TurboLite™ Extreme Twin Sharp Edge Personal Fall Limiter, 9', Galvanized Steel, Swivel

- Designed for use in sharp edge applications with radius ≥ 0.005 in (0.13 mm)
- Meets ANSI Z359.14 Class B and Leading Edge requirements
- Two buttons on harness connector positioned on two different planes require two distinct actions, preventing accidental disengagement
- Lightweight, compact harness connector with free-floating shock-absorber pack keeps workers cooler, and provides a more comfortable work experience



Honeywell

Honeywell Miller® MightEvac™ Self-Retracting Lifelines with Mounting Bracket

- Combines the MightyLite self-retracting lifeline series with a quick-activating retrieval mechanism for emergency evacuation
- 20% lighter than competitive models
- Provides quick and easy rescue with a 4:1 mechanical advantage (average speed of 25 feet per minute)
- Durable, field-tested construction
- Corrosion-resistant stainless steel/aluminum components
- Convenient, heavy-duty carrying handle
- Galvanised wire rope in lengths of 50 feet, 100 feet and 130 feet
- Also available with stainless steel wire rope and Kevlar® rope upon request
- 310 lbs. weight capacity

Certification: CAN/CSA Z259.2.2, ANSI Z359.14, Classe B

S	SAP No.	Product No.	Fabricant	Size
1	11353154	MFLEC2-12/9FTC	Honeywell	9'

Certification: CSA Z259.2.2, type 3 RSRL

SAP No.	Product No.	Fabricant	Size
11196833	MR50GB-Z7/50FT	Honeywell	



Honeywell



Honeywell

Honeywell Miller® Falcon™ Edge Self-Retracting Lifeline, 50'

- 7/32-In. (5.6 Mm) Galvanized Steel Cable Lifeline, 50',
- Integrated Leading Edge Shock Absorber, Carabiner And Tagline

Certification: CSA Z259.2.2-17 Class SRL-LE

SAP No.	Product No.	Fabricant	Size
11352081	MP50G-LE	Honeywell	50'

Honeywell Miller® Falcon Self-Retracting Lifelines, 20'

• 20', 3/16" Galvanized Wire Rope Lifeline with Tagline and Carabiner

Certification: ANSI Z359.1-2007, CSA

11265670 MP20G-Z7/20FT Honeywell 20'	SAP No.	Product No.	Fabricant	Size
	11265670	MP20G-Z7/20FT	Honeywell	20'



Honeywell

Honeywell Miller MR50GC-Z7/50FT MightEvac® Complete Confined Space System

- 50' Galvanized Wire Rope (3/16") Unit with Emergency Retrieval
- 7' Tripod, Mounting Bracket
- Pulley Carabiner
- Carrying Bags [2]

Certification: ANSI Z359-2007

SAP No.	Product No.	Fabricant	Size
11265661	MR50GC-Z7/50FT	Honeywell	50'

Honeywell Accessories



Honeywell

Honeywell Miller 416 D-Bolt Anchor Steel Material

Includes a 5/8-in. diameter bolt with lockwasher and nutHardware, Capacity: 400 lb

Certification: CSA Standards / ANSI Standards

SAP No.	Product No.	Fabricant	Size
11173344	416/	Honeywell	



Honeywell

Miller Grip™ Portable/Reusable Anchorage

supports 5,000 lb. (2,268 kg) ultimate strength; for single user connection; 400 lbs. (181.4 kg) maximum capacity; color-coded green. Hole diameter – 3/4-in. (19 mm)

SAP No.	Product No.	Fabricant	Size
11171082	496/	Honeywell	



Honeywell

Autolocking Carabiner

Steel, with 3/4" opening, 5000 lbs Capacity

Certification: ANSI, CSA & CE

		6
	. 1	1
A	6	

Honeywell

Permanent D-Bolt Anchor

with ½-in. (13 mm) Bolt on D-Ring

SAP No.	Product No.	Fabricant	Size
11167168	FP86	Honeywell	

SAP No.	Product No.	Fabricant	Size
11175406	FP3730	Honeywell	



Web Anchor Sling Honeywell

Tiny'n Tough (T'nT) Anchor Sling is lightweight, small size and has exceptional strength – ¾-in. (19 mm) web can be used without additional protective materials in concrete forming; 4-ft. (1.5 m). Additional lengths available.

SAP No.	Product No.	Fabricant	Size
11175388	FP242/4	Honeywell	



Honeywell

Miller Relief Step™ Safety Device

11218656 9099X12 Honeywell	





Honeywell

Miller Cross-Arm Strap Anchorage Connector, 6-ft. (1.8 m) web cross-arm strap

SAP No.	Product No.	Fabricant	Size
11184214	8183/6FTGN	Honeywell	

3M Harness



A

3M™ Protecta® Vest-Style Harness

Back and Shoulder D-rings and impact indicators, Tongue-Buckle Leg Connection, Pass-Through Chest Connection

Certification: CSA Z259.10

SAP No	o. Pro	duct No.	Fabricant	Size
11342	524 116	31550C	3M	Medium/Large



3M[™] Protecta® Comfort Vest-Style Harness

Black, Back D-Ring, Breathable, Fixed D-Ring, Impact Indicators, Padded, Quick-Connect Chest Connection, Quick-Connect Leg Connection, Shoulder D-rings, Medium/Large

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11335110	1161450C	3M	Medium/Large



3M

3M™ Protecta® Comfort Vest-Style Harness

Easy-link web adapter, a fixed Back D-ring, breathable Back Padding, Quick-Connect Leg Connection, and Quick-Connect Chest Connection

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11335476	1161427C	3M	Medium/Large



3M™ Protecta® Vest-Style Harness

Fixed Back D-ring, Pass-Through Leg Connection, and Pass-Through Chest Connection

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11335921	1161571C	3M	Medium/Large





3M™ Protecta® Vest-Style Harness

Hot Work Use Back D-ring, Kevlar® fibre webbing, tongue-buckle legs.

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11293266	1191383C	3M	Medium/Large



3M[™] Protecta® PRO[™] Vest-Style Welders Harness

Back D-ring, Kevlar® fibre web, and pass-thru buckle leg straps.

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11291694	1191379C	3M	Medium/Large



3M Harness



ЗМ

3M™ DBI-SALA® Delta™ Vest-Style Harness

Back D-ring and Tech-Lite™ Quick-Connect Buckle Leg Straps features coated, corrosion-resistant hardware that is water-repellant and abrasion-resistant

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11209608	1110600C	3M	Universal





3M[™] DBI-SALA® Delta[™] Vest-Style Harness

Features coated, corrosion-resistant hardware, back D-ring, tongue buckle leg straps and detachable shoulder padding

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11221017	1102000C	3M	Universal





3M™ DBI-SALA® ExoFit NEX™ Construction Style Positioning Harness

Arc Flash, PVC coated aluminum back D-ring, Nomex®/ Kevlar® fibre webbing and comfort padding, quick-connect buckle leg straps.

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11221001	1113127C	3M	Large





3m[™] Protecta® Entry Level 5-Point Vest-Style Harness

Back D-ring, Tongue buckle leg straps

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11306154	AB17550C	3M	Universal







3M Protecta Fall Protection Lightweight Tie-Off Shock Absorbing Lanyard

4 ft L, E4, Polyester Webbing Line, 2 Legs, Snap Hook Anchorage Connection, Snap Hook Harness Connection Hook

Certification: CSA

SAP No.	Product No.	Fabricant	Size
11282238	1342002C	3M	4'



6 ft L, E4 Polyester Webbing Line, 2 Legs, center snap hook, and a steel rebar hook at leg ends

Certification: CSA

SAP No.	Product No.	Fabricant	Size	
11288297	1340180C	3M	6'	







3M™ Protecta® PRO™ Pack Adjustable 100% Tie-Off Shock Absorbing Lanyards

6 ft, with a centre snap hook, and steel rebar hooks at leg ends

Certification: CSA

SAP No.	Product No.	Fabricant	Size
11299383	1342275C	3M	6'



3M™ Protecta® PRO™ Pack Shock **Absorbing Lanyards**

E4, single leg 4 ft, sanp hook and steel rebar hook

Certification: CSA

11326052 1341006C 3M 4'	SAP No.	Product No.	Fabricant	Size
	11326052	1341006C	3M	4'





Cobra™ Mobile/Manual Rope Grab, with Lanyard, 5/8" Rope Diameter

Certification: CSA Z259.2.1

SAP No.	Product No.	Fabricant	Size
11331974	AC202CSA2	3M	





Protecta Pro 18" D-Ring Extension, D-Ring

SAP	No.	Product No.	Fabricant	Size	
1126	0393	1385000C	3M	18"	





3M™ DBI-SALA® Nano-Lok™ Edge **Self Retracting Lifeline**

- Galvanized steel cable lifeline, quick connect, 8 ft (2.4 m)
- Designed for foot-level tie-off and sharp edge applications
- Built-in connector for single-leg SRL direct attachment to harness
- 8 ft (2. 4m) lifeline with 3/16 in (5 mm) galvanized steel cable lifeline
- Self-locking snap hook on end of lifeline
- Compact, lightweight design
- Durable, impact-resistant thermoplastic housing
- Swiveling anchorage loop
- Quick activating speed-sensing brake
- Integrated backpack-style energy absorber
- Wide variety of configurations available
- i-Safe™ equipped

3M™ Nano-Lok™ Extended Length **Self Retracting Lifeline**

- 9 ft. (2.74m) 3/4" (19mm)
- Dyneema® fiber and polyester web
- Anchor Hook Web & Steel Rebar



SAP No.	Product No.	Fabricant	Size
11349796	3101610	3M	9'



SAP No.	Product No.	Fabricant	Size
11355582	3500217	3M	8'





3M™ PROTECTA® Rebel™ Self **Retracting Lifeline**

- 15 ft (4.5 m) cable Swiveling anchorage loop and carabiner
- 15 ft (4.5 m) 3/16 in (5 mm) galvanized steel wire rope lifeline
- Self-locking snap hook on lifeline
- Compact, lightweight design
- Durable, impact-resistant stackable thermoplastic housing
- Quick activating speed-sensing brake
- · High capacity external energy absorber and impact indicator
- · Several configurations available





- 3100435, 20 ft (6.1 m) web Swiveling anchorage loop and carabiner
- 20 ft (6.1 m) 1 in (2.5 cm) polyester web
- Self-locking swiveling snap hook on
- Compact, lightweight design
- Tough and impact-resistant stackable thermoplastic housing
- Quick activating speed-sensing brake
- · High capacity external energy absorber and impact indicator
- Several configurations available

Certification: CSA Z259.2.2

11328127 3590021 3M 15'	SAP No.	Product No.	Fabricant	Size
	11328127	3590021	3M	15'

Certification: CSA Z259.2.2

SAP No.	Product No.	Fabricant	Size
11325273	3100435	3M	20'









3M™ PROTECTA® Rebel™ Self Retracting Lifeline, 33 ft (10 m) cable

- Durable, lightweight thermoplastic housing
- Stackable housing design
- Built-in carrying handle
- 33 ft (10 m) 3/16 in (5 mm) galvanized steel cable lifeline
- Swiveling self-locking snap hook with impact indicator
- Speed-sensing all metal brake system
- Internal energy absorption system
- Reserve lifeline system
- Side lifeline exit with ergonomic handle
- High-strength, corrosion-resistant components
- Swiveling anchorage point
- · Self-locking anchorage carabiner



3M™ PROTECTA® Rebel™ Self Retracting Lifeline, 50 ft (15.2 m) cable

- Durable, lightweight thermoplastic housing
- Stackable housing design
- Built-in carrying handle
- 50 ft (15.2 m) 3/16 in (5 mm) galvanized steel cable lifeline
- Swiveling self-locking snap hook with impact indicator
- speed-sensing all metal brake system
- Internal energy absorption system
- Reserve lifeline system
- Side lifeline exit with ergonomic handle
- High strength, corrosion-resistant components
- Swiveling anchorage point
- Self-locking anchorage carabiner

Certification: CSA Z259.2.2

SAP No.	Product No.	Fabricant	Size
11232795	3590502	3M	33'

SAP No.	Product No.	Fabricant	Size	
11231106	3590552	3M	50'	

Certification: CSA Z259.2.2





3M™ DBI-SALA® Smart Lock Leading Edge Self-Retracting Lifeline

- Galvanized Cable, blue, 30 ft (9.1 m)
 Rugged and extremely lightweight thermoplastic housing with built in ergonomic handle
- 30 ft. (10m) of 7/32" (5.5mm) galvanized steel cable lifeline
- Using advanced motion capture, horizontal use is designed to reduce nuisance lockups when compared to previous generation SRLs
- Highly-visible orange Leading Edge external energy absorber indicates the product is esigned for sharp edge applications
- Patented magnetic retraction control system allows lifeline retract smoothly, hands free
- Swiveling anchorage point and carabiner included
- Patented dual label system located within ergonomic cable handle to simplify inspections and reduce the need for replacement
- Swiveling snap hook with impact indicator
- Connected Safety RFID located in cable handle





- Galvanized Cable, Blue, 50 ft. (15m)
 Rugged and lightweight thermoplastic housing with built in ergonomic handle
- 50 ft. (15m) of 3/16" (5mm) galvanized steel cable lifeline
- 4ft. fall clearance allows workers up to 310 lbs. to meet OSHA's 1910 general industry rule
- Patent pending magnetic retraction control system allows lifeline retract smoothly, hands free
- Swiveling anchorage point and carabiner included
- Patent pending dual label system located within ergonomic cable handle to simplify inspections and reduce the need for replacement
- Swiveling snap hook with impact indicator
- Connected Safety RFID located in cable handle

Certification: CSA Z259.2.2

SAP No.	Product No.	Fabricant	Size
11332753	3503822	3M	30'



SAP No.	Product No.	Fabricant	Size	
11345414	3503824	3M	50'	







3m[™] Protecta® Confined Space System, Galvanized Steel, Silver, 50 ft (15 m)

- 8 ft (2.4 m) 3M[™] Protecta® aluminum tripod (model AK105A) and carrying bag (AK067A)
- Telescoping adjustable locking legs
- 3M[™] Rebel[™] 3-way self retracting lifeline with retrieval winch (model 3591008)
- 50 ft (15.2 m) 3/16 in (5 mm) galvanized steel cable lifeline
- Pulley for confined space entry (model AK020A1)
- Routes winch lifeline
- Mounting bracket attaches SRL to tripod (model 3590498)
- Durable and compact design

SAP No.	Product No.	Fabricant	Size	
11309959	8308009	3M		



3M™ DBI-SALA® Rollgliss™ R550 Rescue and Descent Device, yellow, 100 ft (30.4 m)

- Emergency rescue and evacuation from a wide variety of elevated work areas
- Fully automatic controlled descent
- Bi-directional design enables multiple rescues
- Built-in rescue lifting wheel
- 100 ft. (30.5 m) 3/8in (9.5 mm) kernmantle rope lifeline
- Rated for up to 1,640 ft. (500 m) height for one user, 575 ft. (175 m) for two users
- Compact and lightweight design
- High strength, corrosion-resistant construction
- Integrated rope ears
- Dual brake design
- Kit also contains 4 ft. (1.2m) an anchor sling, two carabiners, and a carrying bag

Certification: CSA Z259.2.2

SAP No.	Product No.	Fabricant	Size
11314667	3327100	3M	





3M Protecta Fall Protection Kits, Construction Kit

- Durable, lightweight, 100% polyester, pass-thru style 5-point harness
- Reusable roof anchor installs to sloped or flat wood and metal decking roofs, resists corrosion, includes a hinged design with D-Ring
- Durable and lightweight corrosion resistant rope grab with attached 2ft shock absorber; includes a built in gravity latch for added security
- 50ft polyester/polypropylene 5/8" lifeline with Snap hook at one end, sewn termination at the other end

Certification: CSA ANSI

SAP No.	Product No.	Fabricant	Size	
11311239	2199910	3M		

3M Accessories

Product No.

9501403C





3M™ DBI-SALA® Suspension Trauma Safety Straps, Black

- Suspension trauma safety strap
- Allows user to stand in harness after a fall
- Attaches to almost any harness
- Fast and easy installation
- Extremely compact and lightweight design

Size

- Simple and fast zipper-style deployment
- · Continuous loop design
- · Can be reset in the field

Fabricant

3M



3M[™] DBI-SALA® Concrete D-ring Anchor, silver, yellow zinc, 5.7 in x 3 in x 4.4 in (14.4 cm x 7.6 cm x 11 cm)

- Installs into 11/16 in, (18 mm) or 3/4 in concrete hole
- Use vertically in wall or horizontally in ceiling
- Install as temporary or permanent anchor
- Reusable D-ring assembly extra bolts available
- Safe hook-up indicator
- Compact and lightweight design
- High strength steel and aluminum construction
- Rugged and corrosion resistant materials
- · Swiveling D-ring tie-off point

Certification: OSHA

SAP No.	Product No.	Fabricant	Size
11289002	2104568	3M	



SAP No.

11221032

DBI-SALA® Sliding Beam Anchor

I-Beam, Temporary Use, 5,000 lb. strength and up to 420 lb. (189 kg) capacity

SAP No.	Product No.	Fabricant	Size
11287768	2104710	3M	



PROTECTA® PRO™ Reusable Hinged Roof Anchor

Roof, Temporary Use

SAP No.	Product No.	Fabricant	Size
11212023	2104000	3M	





3M™ DBI-SALA® Rescue/Retrieval Y-Lanyards with Spreader Bar, Blue, 2 ft (0.6 m)

- 2 ft (0.6 m) rescue/retrieval Y-Lanyard
- Keeps victim upright during rescue
- Abrasion-resistant polyester webbing
- Built-in spreader bar
- User-friendly self-locking snap hooks
- High-strength D-Ring tie-off point
- Equipped with 3M[™] Connected Safety ID (CSID)

Certification: ANSI Z359.3

SAP No.	Product No.	Fabricant	Size	
11221003	1231460	3M	2'	



3M[™] Protecta® Cable Tie-Off Adaptor, silver, 6 ft (1.8 m)

- 6 ft (1.8 m) cable anchor extension
- Durable 1/4 in (6.3 mm) 7x19 galvanized steel cable with vinyl jacket
- High strength steel O-ring at one end
- High strength self locking snap hook at one end
- Compact and lightweight design

Certification: OSHA

SAP No.	Product No.	Fabricant	Size	
11284184	AJ408CG6	3M	6'	



MSA Harness





Workman Arc Flash Vest-Style Harness

BACK STEEL D-Ring, Tongue Buckle Leg Straps, Standard (STD), Black

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11356723	10152637	MSA	Universal





V-FORM Harness

Standard, Back D-Ring, Tongue Buckle Leg Straps

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11354430	10196642	MSA	Universal





V-FORM Harness

Standard, Back & Hip D-Rings, **Qwik-Fit Leg Straps**

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11355583	10197200	MSA	Universal





Workman Arc Flash Vest-Style Harness

BACK WEB Loop, Owik-Fit leg straps, Standard (STD), Black

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11355881	10152648	MSA	Universal





V-FORM Harness

Standard, Back D-Ring, Q wik-Fit Leg Straps

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11354209	10197196	MSA	Universal





V-FORM Harness

Back & Hip D-Rings, Tongue Buckle Leg Straps

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11355168	10197215	MSA	Universal
11355169	10197216	MSA	XL
11355260	10197217	MSA	XXL

MSA Harness





V-FORM Harness

Standard, Back & Shoulder D-Rings, Tongue Buckle Leg Straps

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11356722	10197219	MSA	Universal





V-FORM+ Harness

Standard, Back D-Ring, Tongue Buckle Leg Straps

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11354089	10205845	MSA	Universal





MSA

V-FORM+ Harness

Back & Hip D-Rings, Tongue Buckle Leg Straps

Certification: CSA Z259.10

_ :	SAP No.	Product No.	Fabricant	Size
	11356601	10206089	MSA	Universal
	11357339	10206090	MSA	XL





V-FORM+ Harness

Standard, Back D-Ring, Quick Connect Leg Straps

Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11357573	10206101	MSA	Universal



Suspension Trauma Safety Step Without Carabiner

SAP No.	Product No.	Fabricant	Size
11356725	10063441	MSA	







V-Series Standard Twin-Leg Energy Absorbing Lanyard

4', 36CL Large Snaphooks

Certification: CSA Z259.11-17

SAP No.	Product No.	Fabricant	Size	
11354206	10215226	MSA	4'/L	

V-Series Standard Twin-Leg Energy Absorbing Lanyard

4', 36C Small Snaphooks

Certification:

11355882 10215227 MSA 4'/S	SAP No.	Product No.	Fabricant	Size
	11355882	10215227	MSA	4'/S









V-Series Standard Single-Leg Energy **Absorbing Lanyard**

4', Locking Snap Hook

Certification: CSA Z259.11-17

SAP No.	Product No.	Fabricant	Size
11354208	10214343	MSA	4'



V-Series Standard Single-Leg Adjustable Energy **Absorbing lanyard**

6', 36CL Large Snaphooks

Certification: CSA Z259.11-17

SAP No.	Product No.	Fabricant	Size
11354207	10188103	MSA	6'/L





MSA

V-Series Standard Twin-Leg Adjustable Energy **Absorbing Lanyard**

6', 36CL Large Snaphooks Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size
11340885	10188101	MSA	6'/L



V-Series Utility Twin-Leg Adjustable Energy **Absorbing Lanyard**

FR, 6', 36C Small Snaphooks Certification: CSA Z259.10

SAP No.	Product No.	Fabricant	Size	
11356724	10199058	MSA	6'/S	



MSA

V-Tec[™] Personal Fall Limiter, 10', Web, Swivel, Carabiner And Snap Hook Connector

- · Compact and lightweight
- New design eliminates the need for an external energy-absorber outside of the housing
- High-impact polycarbonate transparent housing allows for easy visual inspection of internal components
- 360° fully rotating attachment point for complete flexibility
- Requires zero recalibration or adjustment
- Stainless steel components



MSA

V-TEC™ Personal Fall Limiter, 6', Polyester, Stationary

- The most compact and lightweight self-retracting lanyard ever developed using radial energy-absorbing technology
- Compact design eliminates the need for an exposed external energy-absorber outside of the housing, which improves wear and tear performance
- Unit offers fall arrest and restraint for users 130 to 400 lbs. (60 to 181 kg) including tools
- Highly durable polycarbonate, clear casing, allowing for easy pre-use inspection of critical internal components
- Unit can withstand temperatures ranging from -40° to +130° F (-40° to +54° C)

Certification: CSA Z259.2.2

SAP No.	Product No.	Fabricant	Size
11354436	63013-00-ECA	MSA	10'

Certification: CSA Z259.2.2

11357919 63111-00FCA MSA 6'	SAP No.	Product No.	Fabricant	Size
11007010 00111 001 071	11357919	63111-00FCA	MSA	6'







V-TEC™ Self-Retracting Lifeline, 20', Stainless Steel, Swivel

- Premium components and innovative engineering
- Offers controlled cable retraction—preventing excessive lifeline retraction speed and protecting internal parts from damage
- Clear outer casing offers easy inspection
- Carry handle included for easy transportation
- Spring radial energy-absorbing technology requires zero calibration or adjustment
- Retraction dampening features controls the cable speed to <3m/s
- Completely field serviceable, the cable, energyabsorber, and retraction dampener can all be replaced on site

Certification: CSA Z259.2.2

SAP No. Pro	oduct No.	Fabricant	Size
11358424 633	206-00ACA	MSA	20'



Workman Rescuer, 50' Stainless Steel Cable

- Stainless steel 3/16" wire rope
- Integral mounting bracket
- Color-coded switch for retrieval mechanism activation.
- Ergonomic, stainless steel carrying handle can also be used as anchorage connection point
- Built-in shock absorber
- Robust aluminum housing with thermoplastic bumpers
- Self-locking swivel snap hook with load indicator
- Stow-able, foldable crank handle
- RFID-enabled

Certification: CSA Z259.2.2

SAP No.	Product No.	Fabricant	Size
11354990	10158180	MSA	50'





V-TEC Twin-Link Connector For Mini Personal Fall Limiter

Certification: CSA Z259.2.2

SAP No.	Product No.	Fabricant	Size	
11357363	63900-04	MSA		

PIP Accessories





Red Pvc Coated Against Corrosion Flemish Eye Splice At Each End. Available On , 4 Ft (1.2 M), 5 Ft (1.5m), 6 Ft (1.8 M)

SAP No.	Product No.	Fabricant	Size
11341966	FP10/3F	PIP	3'





Roof Anchor Reusable With Srews

SAP No.	Product No.	Fabricant	Size
11271691	FP09R	PIP	



Rescue/Retrieval Y-Lanyard with Spreader Bar

11344690 FP4017B PIP	SAP No.	Product No.	Fabricant	Size
	11344690	FP4017B	PIP	




Basic Roofer's Kit

- (1) FP4001D Harness with (1) permanently attached Lanyard FP3B3 including one attach FP141L rope grab
- (1) 3 Strand Co-Polymer rope lifeline 50 ft (15 m)
- Model FP58EPS50
- (1) Disposable roof anchor model FP09D, nails
- Small storage bucket

Certification: CSA ANSI

SAP No.	Product No.	Fabricant	Size
11354960	FPRK099D50	PIP	







Honeywell



Honeywell

BW[™] Solo Standard Gas Detector, Single Gas

- Honeywell BW™ Solo is an easy-to-service, single-gas detector
- Lightweight convenience
- · High standards of sensor quality and reliability
- Compatible with IntelliDoX
- Bump testing (qualitative function check) of the sensors, is a recommended function and requires test gas cylinders and bump test accessories

SAP No.	Product No.	Fabricant	Cell
11345637	BWS-A-Y	Honeywell	Ammonia (NH3)
11345638	BWS-ML-Y	Honeywell	Carbon Monoxide (CO)
11345639	BWS-C-Y	Honeywell	Chlorine (Cl2)
11345650	BWS-V-Y	Honeywell	Chlorine Dioxide (ClO2)
11345652	BWS-R-Y	Honeywell	Hydrogen (H2)
11345653	BWS-Z-Y	Honeywell	Hydrogen Cyanide (HCN)
11345654	BWS-HL-Y	Honeywell	Hydrogen Sulfide (H2S)
11345655	BWS-N-Y	Honeywell	Nitrogen Oxide (NO)
11345656	BWS-D-Y	Honeywell	Nitrogen Dioxide (NO2)
11345657	BWS-XL-Y	Honeywell	Oxygen (O2)
11345658	BWS-G-Y	Honeywell	Ozone (O3)
11345659	BWS-P-Y	Honeywell	Phosphine (PH3)
11345660	BWS-S-Y	Honeywell	Sulfur Dioxide (SO2)
11353103	BWS-BL-Y	Honeywell	Carbon Dioxide (CO2)

BW™ Clip Gas Detector, Single Gas

- Maintenance-free: no sensor or battery changes necessary
- Offers extended longevity with a 2-year field-replaceable battery & sensor
- Compact, lightweight design with one-button operation
- Designed for a range of harsh environments and extreme temperatures
- Hibernation mode with case accessory or IntelliDoX
- Automated self-test of battery, sensor and electronics
- Wide-angle flash, which alerts simultaneously, audible & vibrating alarm
- Automatic logging of the 35 most recent gas events and bump test results
- Compatible with MicroDock II and Fleet Manager II software
- Affordable, with low cost of ownership
- Bump testing (qualitative function check) of the sensors, is a recommended function and requires test gas cylinders & bump test accessories

SAP No.	Product No.	Fabricant	Cell
11309603	BWC2-H	Honeywell	Hydrogen Sulfide (H2S) 2 Year Maintenance Free
11309604	BWC2-M	Honeywell	Carbon Monoxide (CO) 2 Year Maintenance Free
11309605	BWC2-S	Honeywell	Sulfur Dioxide (SO2) 2 Year Maintenance Free
11309606	BWC2-X	Honeywell	Oxygen (O2) 2 Year Maintenance Free
11309607	BWC3-H	Honeywell	Hydrogen Sulfide (H2S) 3 Year Maintenance Free
11309608	BWC3-M	Honeywell	Carbon Monoxide (CO) 3 Year Maintenance Free



Honeywell



Honeywell

BW[™] Icon Multi-Gas Gas Detector, 4 Gas, LEL - O2 - CO - H2S

- 2 months of battery runtime on a 4.5-hour charge and up to 4 months
 if you turn off the detector at the end of each shift, no daily charging, no
 unexpected downtime
- No service required, activate and use for two years
- Bluetooth included for ease of downloading and sending reports via the Safety Suite App
- Small, lightweight and wearable
- One-button operation
- IntelliFlashTM green light indicates the detector is in compliance; amber light indicates the need for maintenance
- Compatible with IntelliDoX instrument management system and Honeywell Safety Suite
- Compatible with TouchConnect, using Bluetooth® for wireless configuration

SAP No.	Product No.	Fabricant	Cell
11360146	ICON-Y-H	Honeywell	LEL - O2 - CO - H2S

BW[™] Flex Gas Detector, 4 Gas, LEL - O2 - CO - H2S

- See real-time readings on a clear-resolution display, available in multiple languages
- Offers direct reading directly on its display, as well as through the easy to download Honeywell Safety Suite Device Configurator app
- Uses Bluetooth® to pair smartphone with the detector to view data organized in a report that's ready to send
- Detector complete with sensors, stainless steel alligator clip, concussionproof housing and built-in rechargeable battery
- LEL is measured using a Infrared (IR) Sensor
- Includes: Gas detector, Calibration / test cap & hose, USB charging cable, Quick-start guide

SAP No.	Product No.	Fabricant
11360147	CPD-W5X1H1M1Y-00	Honeywell
11360148	CPD-W6X1H1M1Y-00 Filtered Catalytic Sensor	Honeywell



Honeywell



Honeywell

BW™ MicroClipXL Multi-Gas Detector, 4 Gas, O2/H2S/CO/LEL

- · Slim and compact multi-gas detector is lightweight and comfortable to wear
- Provides affordable protection from up to four hazards
- Rugged and durable water-resistant design with built-in concussion-proof boot
- Features IntelliFlash, a green LED that continuously flashed to provide visual confirmation of detector operation and compliance
- Simple one-button operation offers ultimate ease of use and significantly reduces time spent training the user
- 16 hours of standard data logging and event logging up to 10 events
- Calibration is required only two times per year with a simple one-button automatic procedure
- Powered by a rechargeable battery with extended run-time, expecially in cold weather
- Fully compatible with the MicroDock II automatic test and calibration system

BW™ XT II Multi-Gas Detectors - Standard Confined Space Kit, 4 Gas, O2/H2S/CO/LEL

- Reliably monitors up to four hazards, including H2S, CO, O2 and combustibles
- Straightforward one-button operation
- Robust motorized SmartSample pump for intelligent remote sampling, ideal for confined spaces
- Reliable pump block detection; water and other liquids are prevented from being drawn into the pump
- Calibration is required only two times per year with a simple onebutton automatic procedure
- Tamper-proof adjustable options can be customized to suit any application
- Built-in rechargeable lithium battery
- Rugged and durable water resistant design with built-in concussion-proof boot
- Standard data logging and event logging
- Fully compatible with the MicroDock II automatic test and calibration system
- Bump testing (qualitative function check) of the sensors, is a recommended function and requires test gas cylinders and bump test accessories

	SAP No.	Product No.	Fabricant	Cell
ĺ	11309654	MCXL-XWHM-Y-NA	Honeywell	O2/H2S/CO/LEL
	11309658	MCX3-XWHM-Y-NA three-year warranty	Honeywell	O2/H2S/CO/LEL

SAP No.	Product No.	Fabricant	
11309722	XT-XWHM-Y-NA	Honeywell	



Honeywell



Honeywell

BW™ XT II Multi-Gas Detectors - Standard Confined Space Kit, 4 Gas, O2/H2S/CO/LEL

- Standard Kit Includes: XT II Multi-Gas Detectors, IR Connectivity Kit, Regulator, Sampling Probe and Calibration Gas
- Straightforward one-button operation
- Robust motorized SmartSample pump for intelligent remote sampling, ideal for confined spaces
- Reliable pump block detection; water and other liquids are prevented from being drawn into the pump
- Calibration is required only two times per year with a simple one-button automatic procedure
- Tamper-proof adjustable options can be customized to suit any application
- Built-in rechargeable lithium battery
- Rugged and durable water resistant design with built-in concussion-proof boot
- · Standard data logging and event logging
- Fully compatible with the MicroDock II automatic test and calibration system

SAP No.	Product No.	Fabricant
11320794	XT-XWHM-Y-NA-CS	Honeywell

Bw[™] GasAlertMicroClip XT Multi-Gas Detectors With Docking Module & Charging Cable

- Fully automatic «hands-free» calibration and functional bump testing
- Automatically verifies performance of audible and visual alarms
- Stores and updates calibration records in the MicroDock II, as well as in datalogging instruments
- Entirely self-contained with no computer required
- Lightweight and fully portable with optional wall mount
- Operates via 6V line power or a set of four C-cell batteries
- Fully customizable
- Add extra self-contained docking modules to system via simple, plug-in connections no external pressure transducers or gas lines necessary
- · Simple, accurate record keeping and fleet management
- Verifies proper performance of detectors
- Reduces maintenance costs
- Multiple MicroDock II systems can be connected via a LAN
- Includes BW Fleet Manager software for easy data analysis
- Multi-language support in English, French, German, Spanish and Portuguese

SAP No. Product No.	o. Fabricant
11309757 DOCK2-2-	C1P-00-G Honeywell



Honeywell

Honeywell



BW™ IntellidoX Docking Station for BW Solo

- The IntellidoX system is expandable to five docking modules helping you drive productivity, reliability and efficiency
- Provides a new level of customization for bump testing, configuration and recordkeeping in a maintenance-free detector+D6:G6
- · Configure alarm set points and change detector settings
- Quick and easy setup great for turnarounds
- Each module has its own easy-to-read LCD screen and keypad for independent operation

SAP No.	Product No.	Fabricant
11353940	DX-SOLO	Honeywell

BW™ Hibernation Case for BW Clip

- Gain up to one extra year of operation on two-year H2S and CO BW Clip detectors
- Can hibernate the monitors for a week or more, for up to 12 months of extended service

SAP No.	Product No.	Fabricant
11309609	CLIPHB-CASE	Honeywell



Dräger

Dräger



Pac® 8000 Monitor, Single Gas, CO2

Dräger Pac® 8000 his non-disposable, personal single-gas detection device is a reliable and precise instrument, which detects hazardous concentrations of twenty nine different gases, including special gases like NO2, O3 or COCl2.

- Single-gas detector & Strong performance for maximum safety
- Sensors for special gases
- Robust design even for the toughest conditions
- Easy handling thanks to clear user guidance
- User-friendly display with all important information
- 360° alarm with various functions
- Data logger and event logger for analyses and reports
- Economical operational costs
- · Fast function test saves time and money

SAP No.	Product No.	Fabricant
11346125	8326351	DRAEGER

Dräger-Tubes® For Short-Term Measurements

- A great number of different gases and vapors can be measured by the short-term Dräger-Tubes®.
- These tubes are used e.g. for the determination of concentration peaks, the measurement of exposures in the inhalation area, the determination of possible leakages as well as for the analysis of air in sewers, shafts, tanks or other confined spaces.
- More than 200 different Dräger-Tubes® are available to accurately make spot measurements for over 500 gases and vapors.
- The short-term Dräger-Tubes® are employed either manually together with the Dräger accuro gas detection pump or automatically together with the pump accuro 2000 or the compact microprocessor-controlled Quantimeter 1000

SAP No.	Product No.	Fabricant
		DRAEGER



Dräger



Dräger



Dräger

The Dräger X-am® 5000

Belongs to a generation of gas detectors, developed especially for personal monitoring applications. This 1- to 5-gas detector reliably measures combustible gases and vapors as well as O2 and harmful concentrations of toxic gases, organic vapors, odorant and amine.

- · Multi-gas detector
- Ergonomic mobile phone design
- Flexible sensor exchange
- Poison-resistant Ex sensor
- Durable sensor technology
- Robust and watertight
- External pump
- Area monitoring

Dräger X-am® 8000

- The 1 to 7 gas detector detects toxic and flammable gases as well as vapors and oxygen all at once – either in pump or diffusion mode. Innovative signaling design and handy assistant functions ensure complete safety throughout the process.
- Multi-gas detector
- Specially designed for use with a pump, optimized for clearance measurement
- Clearance measurement, release and documentation in no time
- Clear signaling design
- Economical Fleet Management
- Specialist for high and low hydrocarbon concentrations
- Inductive charging protects against wear & tear

Dräger's X-am® 2500

- Dräger's X-am® 2500 accurately detects O2, CO, NO2, SO2 and H2S and is the only 1–4 gas monitor you need in industrial and refinery applications.
- The X-am® 2500 combines reliable sensor technology with long battery life and intuitive operation in an instrument that define safety
- It is approved for most markets including mining, oil & gas, chemical, fire and hazardous response, government and many other applications.

SAP No.	Product No.	Fabricant	
11195264	8320000	DRAEGER	

SAP No.	Product No.	Fabricant
11344144	8325800	DRAEGER

SAP No.	Product No.	Fabricant	
11274063	8323900	DRAEGER	



Absorbents and storage of Hazardous Material

Absorbents Spill Kits 247 248-249

Absorbents





- Pure meltblown polypropylene fibres, the most cost-effective absorption
- Fast-wicking fibres absorb 25 times their weight in hydrocarbon, repel water

SAP No.	Product No.	Description	Format	Quantity
11195288	P100	15 in x 18 in, heavy	Pads	100/pkg
11177100	P200	15 in x 18 in, lightweight	Pads	200/pkg
11177078	EP100	15 in x 18 in, medium	Pads	100/pkg
11195289	R144	30 in x 150 ft, heavy	Rolls	1/pkg
11195290	SR144S	15 in x 150 ft, heavy	Rolls	1/pkg
11237079	B510	5 in x 10 ft	Booms	4/pkg
11237080	B810	8 in x 10 ft	Booms	4/pkg
11195293	MOPO3048	3 in x 48 in	Socks	30/pkg
11195294	MOPO10120	3 in x 120 in	Socks	10/pkg
11195295	SP818-20	8 in x 18 in	Pillows	20/pkg
11195296	SP1818-10	18 in x 18 in	Pillows	10/pkg





Universal Chemical Absorbents

- Universal chemical sorbents, designed to pick-up aggressive hydrocarbon (oil and water) spills
- Suitable for non-aggressive acids, caustics, coolants, solvents, water and other solutions

SAP No.	Product No.	Description	Format	Quantity
11195298	UP118	15 in x 18 in, heavy	Pads	100/pkg
11195300	UP200G	15 in x 18 in, lightweight	Pads	200/pkg
11195301	UP118-9	15 in x 18 in, medium	Pads	100/pkg
11195302	UR136	30 in x 150 ft, heavy	Rolls	1/pkg
11195305	UR118-9	15 in x 150 ft, medium	Rolls	2/pkg
11195307	MOPU3048	3 in x 48 in	Socks	30/pkg
11195308	MOPU10120	3 in x 120 in	Socks	10/pkg
11195309	SPU818-20	8 in x 18 in	Pillows	20/pkg
11195310	SPU1818-10	18 in x 18 in	Pillows	10/pkg





Oil Absorbent Pads and Rolls

- Ideal for wiping applications when increased tensile strength is necessary
- The sonic bonding process creates a stronger more durable fibre, without affecting absorption

SAP No.	Product No.	Description	Format	Quantity
11195313	BP100	15 in x 18 in, heavy	Pads	100/pkg

Spill Kits



45 Gallon Spill Kit - Oil Only

Contents:

- 50 sorbent pads
- 3 sorbent booms (5"x10")
- 5 sorbent socks (3"x4")
- 1 bag granular sorbent
- 1 neoprene drain cover
- 5 disposal bags
- 1 retractable shovel
- 2 pair safety goggles
- 2 pair gloves
- 2 Tyvek Suits

SAP No.	Product No.	Fabricant	
11195315	CSKF45	SPILKLEEN	



45 Gallon Spill Kit - Universal

Contents:

- 50 sorbent pads
- 3 sorbent booms (5"x10")
- 5 sorbent socks (3"x4")
- 1 bag granular sorbent
- 1 neoprene drain cover
- 5 disposal bags
- 1 retractable shovel
- 2 pair safety goggles
- 2 pair gloves
- 2 Tyvek Suits

SAP No.	Product No.	Fabricant	
11195316	CSKUF45	SPILKLEEN	



20 Gallon Spill Kit - HazMa

Contents:

- 50 sorbent pads
- 4 sorbent socks
- 2 sorbent pillows
- 1 disposal bag
- 1 pair gloves
- 1 pair goggles

11228124 HAZSK20 SPILKLEEN	SAP No.	Product No.	Fabricant	
	11228124	HAZSK20	SPILKLEEN	

Spill Kits





First Responder Spill Kit - Oil Only

Contents:

- 4 sorbent pads
- 1 sorbent sock
- 1 disposal bag
- 1 repair putty
- 1 pair gloves
- 1 pair goggles

SAP No.	Product No.	Fabricant
11298221	CSK15	SPILKLEEN





60 Litre Spill Kit - Oil Only In Poly Ziplock Bag Contents:

- 20 sorbent pads
- 3 sorbent socks
- 2 sorbent pillows
- 2 disposal bags
- 1 pair safety goggles
- 1 pair gloves

SAP No.	Product No.	Fabricant
11195321	ASK20O	SPILKLEEN
	<u> </u>	







60 Litre Spill Kit - Oil Only In Nylon Bag

Contents:

- 20 sorbent pads
- 3 sorbent socks
- 2 sorbent pillows
- 2 disposal bags
- 1 pair safety goggles
- 1 pair gloves

SAP No.	Product No.	Fabricant	
11237078	ASK20ON	SPILKLEEN	





60 Litre Spill Kit - Universal In Nylon Bag

Contents:

- 20 sorbent pads
- 3 sorbent socks
- 2 sorbent pillows
- 2 disposal bags
- 1 pair safety goggles
- 1 pair gloves

SAP No.	Product No.	Fabricant
11195324	ASK20UN	SPILKLEEN



First Aid Kits

Choosing A Workplace First Aid Kit

The Standard outlines the minimum classification, size and number of first aid kits in the workplace. The number of workers per shift determines the type of first aid kit the workplace requires.

Your workplace can use first aid kits of different sizes in various combinations to ensure kits are readily accessible to all workers and for the unique configurations of the workplace.

	1 employee	Small (2-25 workers)	Medium (26-50 workers)	Large (51-100 workers)
Type 1 (Personal)	1	N/A	N/A	N/A
Type 2 (Basic)	N/A	1 small	2 small or 1 medium	4 small or 2 medium or 1 large or 2 small and 1 medium
Type 3 (Intermediate)	N/A	1 small	2 small or 1 medium	4 small or 2 medium or 1 large or 2 small and 1 medium

Definition of the different types*

Type 1 (Personal): Required for all workers who work in isolation or those who do not otherwise have access to a workplace first aid kit.

Type 2 (Basic): Low to Moderate Risk Work Environment

Type 3 (Intermediate): High Risk Workplace

First Aid Kits, Small Kit Manitoba, Saskatchewan, Quebec, New Brunswick & Newfoundland

• Plastic Box

Certification: CSA Z1220-2017

SAP No.	Product No.	Type	Workers
11353450	81CSA-0002-0	Type 2	2-25 workers



Quantity	Description	SAP No.
13	Sterile Adhesive Bandages 7/8" X 3"	11214247
4	Fingertip bandage	11167144
4	Knuckle bandage	11167145
4	Large patch	11353678
12	Sterile compress bandage 7.6 cm x 7.6 cm (3" x 3")	11180534
1	Abdominal compresses 12.7cm x 22.9cm (5" x 9")	11353677
1	Conforming Gauze Bandage Rolls 5.1cm x 4.5m (2" x 5yd)	11217303
1	Conforming Gauze Bandage Rolls 7.6cm x 4.5m (3" x 5yd)	11217304
2	Pressure Bandages 10.2cm x 10.2cm (4" x 4")	11184128
2	Triangular Bandages 102cm x 102cm x 142cm (40" x 40" x 56")	11199464
1	Adhesive Cloth Tape 2.5cm x 4.5m (1" x 5yd)	11353777
25	Antiseptic wound cleansing towelette, individually wrapped	11184129
6	Hand/skin cleansing towelette, individually wrapped	11185776
6	Topical antibiotic ointment, single use	11353674
1	CPR resuscitation barrier device with one-way valve	11217325
4	Medical-grade disposable examination gloves, non-latex, powder free	
1	Biohazard waste disposal bag	11185843
1	Stainless steel bandage scissors. 15.25 cm (6")	11198447
1	Fine point stainless steel splinter forceps - 11.4cm (4.5")	11185882
1	Aluminized emergency blanket 132cm x 213cm (52" x 84")	11180553

First Aid Kits, Medium Kit Manitoba, Saskatchewan, Quebec, New Brunswick & Newfoundland

• Plastic Box

Certification: CSA Z1220-2017

SAP No.	Product No.	Туре	Workers
11353409	81CSA-0003-0	Type 2	26-50 workers



Quantity	Description	SAP No.
35	Sterile Adhesive Bandages	11214247
5	Fingertip bandage	11167144
5	Knuckle bandage	11167145
5	Large patch	11353678
24	Sterile compress bandage 7.6 cm x 7.6 cm (3" x 3")	11180534
2	Abdominal compresses 12.7cm x 22.9cm (5" x 9")	11353677
2	Conforming Gauze Bandage Rolls 5.1cm x 4.5m (2" x 5yd)	11217303
2	Conforming Gauze Bandage Rolls 7.6cm x 4.5m (3" x 5yd)	11217304
4	Pressure Bandages 10.2cm x 10.2cm (4" x 4")	11184128
4	Triangular Bandages 102cm x 102cm x 142cm (40" x 40" x 56")	11199464
1	Adhesive Cloth Tape 2.5cm x 4.5m (1" x 5yd)	11353777
50	Antiseptic wound cleansing towelette, individually wrapped	11184129
12	Hand/skin cleansing towelette, individually wrapped	11185776
12	Topical antibiotic ointment, single use	11353674
1	CPR resuscitation barrier device with one-way valve	11217325
8	Medical-grade disposable examination gloves, non-latex, powder free	
2	Biohazard waste disposal bag	11185843
1	Stainless steel bandage scissors. 15.25 cm (6")	11198447
1	Fine point stainless steel splinter forceps - 11.4cm (4.5")	11185882
1	Aluminized emergency blanket 132cm x 213cm (52" x 84")	11180553

First Aid Kits, Small Kit Manitoba, Saskatchewan, Quebec, New Brunswick & Newfoundland

Plastic Box

Certification: CSA Z1220-2017

SAP No.	Product No.	Туре	Workers
11353697	81CSA-0005-1	Type 3	2-25 workers



Quantity	Description	SAP No.
13	Sterile Adhesive Bandages	11214247
4	Fingertip bandage	11167144
4	Knuckle bandage	11167145
4	Large patch	11353678
12	Sterile compress bandage 7.6 cm x 7.6 cm (3" x 3")	11180534
6	Sterile compress bandage 10.2 cm x 10.2 cm (4" x 4")	11180535
4	Non-adherent compresses 5.1cm x 7.6cm (2" x 3")	11353772
1	Abdominal compresses 12.7cm x 22.9cm (5" x 9")	11353677
1	Conforming Gauze Bandage Rolls 5.1cm x 4.5m (2" x 5yd)	11217303
1	Conforming Gauze Bandage Rolls 7.6cm x 4.5m (3" x 5yd)	11217304
1	Pressure Bandages 10.2cm x 10.2cm (4" x 4")	11184128
1	Pressure Bandages 15.2cm x 15.2cm (6" x 6")	11178313
1	Triangular Bandages 102cm x 102cm x 142cm (40" x 40" x 56")	11199464
1	Quick release turnstile	11353778
1	Adhesive Cloth Tape 2.5cm x 4.5m (1" x 5yd)	11353777
1	Elastic bandage roll 7.6cm x 4.5m (3" x 5yd)	11353774
2	Oval eye pads 4.12cm x 6.67cm (1.62" x 2.62")	11353773
2	Plastic eye protection	11353773
1	Instant cold compress 10.2cm x 12.7cm (4" x 5")	11185921
25	Antiseptic wound cleansing towelette, individually wrapped	11184129
6	Hand/skin cleansing towelette, individually wrapped	11185776
6	Topical antibiotic ointment, single use	11353674
10	Glucose tablets	11353775
1	CPR resuscitation barrier device with one-way valve	11217325
4	Medical-grade disposable examination gloves, non-latex, powder free	
2	Biohazard waste disposal bag	11185843
1	Stainless steel bandage scissors 15.25 cm (6")	11198447
1	Fine point stainless steel splinter forceps - 11.4cm (4.5")	11185882
1	Flat malleable splint 10.8cm x 61cm (4.25" x 24")	11353779
1	Aluminized emergency blanket 132cm x 213cm (52" x 84")	11180553

First Aid Kits, Medium Kit Manitoba, Saskatchewan, Quebec, New Brunswick & Newfoundland

• Plastic Box

Certification: CSA Z1220-2017

SAP No.	Product No.	Туре	Workers
11353451	81CSA-0006-1	Type 3	26-50 workers



Quantity	Description	SAP No.
50	Adhesive bandages, various sizes	
	Sterile Adhesive Bandages	11214247
	Fingertip bandage	11167144
	Knuckle bandage	11167145
	Large patch	11353678
24	Sterile compress bandage 7.6 cm x 7.6 cm (3" x 3")	11180534
12	Sterile compress bandage 10.2 cm x 10.2 cm (4" x 4")	11180535
8	Non-adherent compresses 5.1cm x 7.6cm (2" x 3")	11353772
2	Abdominal compresses 12.7cm x 22.9cm (5" x 9")	11353677
2	Conforming Gauze Bandage Rolls 5.1cm x 4.5m (2" x5yd)	11217303
2	Conforming Gauze Bandage Rolls 7.6cm x 4.5m (3" x 5yd)	11217304
2	Pressure Bandages 10.2cm x 10.2cm (4" x 4")	11184128
2	Pressure Bandages 15.2cm x 15.2cm (6" x 6")	11178313
4	Triangular Bandages 102cm x 102cm x 142cm (40" x 40" x 56")	11199464
1	Quick release turnstile	11353778
1	Adhesive Cloth Tape 2.5cm x 4.5m (1" x 5yd)	11353777
2	Elastic bandage roll 7.6cm x 4.5m (3" x 5yd)	11353774
2	Oval eye pads 4.12cm x 6.67cm (1.62" x 2.62")	11353773
2	Plastic eye protection	
2	Instant cold compress 10.2cm x 12.7cm (4" x 5")	11185921
50	Antiseptic wound cleansing towelette, individually wrapped	11184129
12	Hand/skin cleansing towelette, individually wrapped	11185776
12	Topical antibiotic ointment, single use	11353674
20	Glucose tablets	11353775
1	CPR resuscitation barrier device with one-way valve	11217325
8	Medical-grade disposable examination gloves, non-latex, powder free	
4	Biohazard waste disposal bag	11185843
1	Stainless steel bandage scissors 15.25 cm (6")	11198447
1	Fine point stainless steel splinter forceps - 11.4cm (4.5")	11185882
1	Flat malleable splint 10.8cm x 61cm (4.25" x 24")	11353779
2	Aluminized emergency blanket 132cm x 213cm (52" x 84")	11180553



Stretch Bandage

SAP No.	Product No.	Dimensions	Packaging
1121730	3 F1020412	2"x5' (5cm x 4.5m)	Pack of 12
1121730	4 F1021412	3"x5' (7.5cm x 4.5m)	Pack of 12
1121730	5 F1022412	4"x5' (10cm x 4.5m)	Pack of 12



Compressure Bandage

SAP No.	Product No.	Dimensions	Packaging
11184128	02424	4"x4" (10cm x 10cm)	each
11178313	02126	6"x6" (15cm x 15cm)	each



Non-Adherent Compress Pads

SAP No.	Product No.	Dimensions	Packaging
11353772	FATF2X3	2"x3"	Box of 100



Gauze Pads

SA	P No.	Product No.	Dimensions	Packaging
11	180533	F1030760	2"x2" (5cm x 5cm)	Box of 100
11	180534	F1031760	3"x3" (7.5cm x 7.5cm)	Box of 100
11	180535	F1032760	4"x4" (10cm x 10cm)	Box of 100



Abdominal Compress Pad

SAP No.	Product No.	Dimensions	Packaging
11353677	FAAP5X9	5"x9" (12.7cm x 22.9cm)	each



Triangular Bandage

SAP No.	Product No.	Dimensions	Packaging
11199464	02612	40"x40"x56"	each



Sterile Adhesive Bandages

SAP No.	Product No.	Dimensions	Packaging
11214247	03026	7/8"x3" (2.2x7.6cm)	Box of 100
11180537	F1030760	7/8"x3" (2.2x7.6cm)	Box of 100



Large Fabric Bandages

SAP No.	Product No.	Dimensions	Packaging
11353678	03035	2"x3" (5.1x7.6cm)	Box of 50





Sterile Adhesive Fingertip Bandages

SAP No.	Product No.	Dimensions	Packaging
11167144	03455	1.75"x3" (4.4x7.5cm)	Box of 100



Plastic Strip Bandages

11185655 F1570760 3/4"x3" (2x7.6cm) Box of 100	SAP No.	Product No.	Dimensions	Packaging
	11185655	F1570760	3/4"x3" (2x7.6cm)	Box of 100



Sterile Adhesive Knuckles Bandages

SAP No.	Product No.	Dimensions	Packaging
11167145	F1510760	1.5"x3" (3.7x7.5cm)	Box of 100





Blue Detectable Dressings

SAP No.	Product No.	Dimensions	Packaging
11301943	FAFSD006	Finger tip, 1"x3"	Box of 100
11301942	FAFSD005	Joint, 3/4"x3"	Box of 100
11301941	FAFSD13100	Bandage 1"x3"	Box of 100



Elastic Bandage Roll

SAP No.	Product No.	Dimensions	Packaging
11353774	FATNB03	3"x 5yd (7.6cm x 4.5m)	each



Transpore Surgical Tape

SAP No.	Product No.	Dimensions	Packaging
11177845	15271	1"x 10yd	each



Hand Cleaning Wipes

SAP No.	Product No.	Dimensions	Packaging
11185776	F2528760		Box of 100



Cloth Duct Tape

11353777 FAAT015 1"x 5yd (2.5cm x 4.5m) each	SAP No.	Product No.	Dimensions	Packaging
	11353777	FAAT015	1"x 5yd (2.5cm x 4.5m)	each



Benzalkonium Chloride Antiseptic Towelette

	ing
11184129 06061 5"x7" (12.7x17.8cm) Box of	100



Topical Antibiotic Ointment

SAP No.	Product No.	Dimensions	Packaging
11353674	05796	1g per bag	Box of 25



Alcohol Antiseptic Swabs

SAP No.	Product No.	Dimensions	Packaging
11184180	06095	3x7cm (1.1875" x 2.75")	Box of 200



CPR Compact Mask w/ O2 Inlet, Case, Gloves & Wipes

SAP No.	Product No.	Dimensions	Packaging
11185957	F5018401		each
	-		



Universal Paramedic Scissors

SAP No.	Product No.	Dimensions	Packaging
11178142	19423	7" (17cm)	each



CPR-Aid Rescuer Device, Single Use

SAP No.	Product No.	Dimensions	Packaging
11217325	F5003401		each



Instant Compress Packs, Cold

SAP No.	Product No.	Dimensions	Packaging
11185921	F4001701	4.5"x7" (11.5x18cm)	each
11304855	14130	6"x9" (15.2x22.9cm)	each



Bandage Scissors

SAP No.	Product No.	Dimensions	Packaging
11198447	19161	5.5" (14cm)	each



Stainless Steel Splinter Forceps

SAP No.	Product No.	Dimensions	Packaging
11301943	F3533111	4.5" (11.5cm)	each
11301942	19156	4.5" (11.5cm) Narrow pliers	each
11301941	19157	4.5" (11.5cm)	each



Safety Pins

SAP No.	Product No.	Dimensions	Packaging
11180541	F3553512		Pack of 12



Biohazard Red Bag

SAP No.	Product No.	Dimensions	Packaging
11185843	F3240100	23.6"x23.6"(60x60cm)	each





Cotton-Tipped Applicators

SAP No.	Product No.	Dimensions	Packaging
11180536	F1201560	3" (7.5cm)	Sac de 100
11185607	F1203560	6" (15cm)	Sac de 100



Survival Blanket

11180553 F6501401 83"x51" (210x130cm) each	SAP No.	Product No.	Dimensions	Packaging
	11180553	F6501401	83"x51" (210x130cm)	each



Eye Dressing Kit

SAP No.	Product No.	Dimensions	Packaging
11353773	F4589501		each





Emergency Eye Wash Products

SAP No.	Product No.	Format
11217323	F4573301	Empty bottle, 500ml (16oz)
11175262	F4570301	Empty bottle, 1 L (32oz)
11185936	F4565401	Simple bottle station 500 ml
11175260	F4561401	Simple bottle station 1L
11175259	F4560701	Complete station with empty bottle 1L



Eye Wash Solution

SAP No.	Product No.	Dimensions	Packaging
11175254	F4501162	250 ml	each
11175255	F4501165	500 ml	each
11233831	FAEW032	1L	each
11233832	FAEW160	4L	each







Eye Wash Cederroth

	SAP No.	Product No.	Format
	11268354	04100	Bottle of 235 ml
Γ	11250971	04100	Bottle of 500 ml
Г	11250972	04100	Wall bracket for rope 500 ml
	11277017	04101COUSU	Bottle pouch 235 ml





Hand and Toe Warmers

SAP No.	Product No.	Dimensions	Packaging
11321315	1070500HT	Hand Warmers	Pair
11337333	1070601HT	Foot Warmers	Pair



Faucet Mount Eyewash Station

SAP No.	Product No.	Dimensions	Packaging
11219952	S19200B	5.25" height	each



Flat Fold Splint

SAP No.	Product No.	Dimensions	Packaging
11353779	F6125301	11x61cm (4.25"x24")	each



Arterial tourniquet

SAP No.	Product No.	Dimensions	Packaging
11353778	F1127501		each




Dex 4, Glucose Tablets, Orange

SAP No.	Product No.	Packaging
11353775	14428	Tube of 10 tablets



First Aid Non-Woven Blanket

SAP No.	Product No.	Dimensions	Packaging
1112671	F6503401	180 cm x 102.5 cm (72" x 41")	each



Gloves Knee Pads and Lumbar Supports Anti-Fatigue Mats 264

265-266

267

Gloves







Impacto® Anti-Impact Fingerless Right-Hand Glove, Large, Split Leather Palm, Slip-On Cuff

- Fingerless four-way stretch poly/cotton lycra glove makes an excellent liner for leather work gloves.
- Visco-elastic polymer (VEP) full palm padding absorbs & dissipates shock.
- Split leather palm for abrasion resistance in applications where it will be used on its own.
- Ideal for general assembly and material handling applications.

SAP No.	Product No.	Fabricant	Size
11173702	501-10L-R	IMPACTO	S to XL right hand
11173703	501-10L-L	IMPACTO	S to XL left hand



Impacto® Full Finger Polycotton Lycra Glove Liner

- Impact absorbing VEP padding in the palm and fingers
- Recommended to be worn under work glove or by itself in clean applications
- Provides impact and shock protection
- Soft polycotton ensures breathability and hand dexterity

SAP No.	Product No.	Fabricant	Size
11173877	601-00L-R	IMPACTO	S to XL right hand
11173878	601-00L-L	IMPACTO	S to XL left hand









Impacto® Fingerless Nylon Lycra And Grain Leather Glove with Vep Padding In The Palm & Thumb Web Area

- Detachable grain leather wrist support.
- Provides protection from abrasion, impact and shock
- Fingerless style for optimum dexterity
- Wrist support minimizes extension and over flexion of the wrist to prevent RSI such as Carpal Tunnel Syndrome or Tendinitis

SAP No.	Product No.	Fabricant	Size
11174047	704-20L-R	IMPACTO	S to XL right hand
11174046	704-20L-L	IMPACTO	S to XL left hand

Impacto[®] Carpal Tunnel Impact Gloves, Cowhide Palm, Driver Cuff

- Provides protection from vibration and impact
- Helps prevent the onset of injuries such as carpal tunnel syndrome, repetitive strain and white finger disease
- Thin, snug fit, padding is precision-cut to eliminate bunching and provide
- Used with power and electric tools such as rivet guns, and air actuated tools
- Ideal for construction, packaging, material handling, assembly line

SAP No.	Product No.	Fabricant	Size
11176549	ST5010-L	IMPACTO	XS to XXXL

Knee Pads and Lumbar Supports







Impacto[®] Hinged Action Hard Shell Kneepads, Ribbed Flat Kneeling Surface

- Premium molded foam is toxin free. Breathable Coolmax® inner lining.
- Dual elastic straps with hook and loop closure.
- The hinged-action shell bends with your knee
- Long term protection from cumulative trauma injuries
- Provides stability when working on your knees
- Made with 100% PVC materials
- Replacement straps available, #825-STRAPS

SAP No.	Product No.	Fabricant	Size
11236102	825-00	IMPACTO	one size fits all



Impacto® Molded Kneepads

- Made with toxin free premium foam. Breathable Coolmax® inner lining.
- Single, replaceable elastic strap with hook and loop closure.
- Made with 100% PVC-Free materials for a clean environment
- Provides protection from cumulative trauma
- · Light design for all day
- Replacement straps available, #840-STRAPS

SAP No.	Product No.	Fabricant	Size
11197128	840-00	IMPACTO	one size fits all





Impacto® All-Terrain Gel Knee Protection

- Sewn-on cover, GEL padding provide maximum comfort with breathable nylon mesh.
- Elevated face with side extended threads offer extra stability.

SAP No.	Product No.	Fabricant	Size
11222306	864-00	IMPACTO	one size fits all





- Nitrogen injected Co-polymer padding offers instant comfort.
- Removable leather cover.
- Single webbing bottom strap with plastic quick release fastener.
- Cover made of strong saddle leather, ideal for when heat is a concerned.

SAP No.	Product No.	Fabricant	Size
11236104	870-00	IMPACTO	one size fits all



Knee Pads and Lumbar Supports





Allegro® Contour Knee Pad

- Soft 1/2 foam rubber pad is contoured to the shape of the knee.
- Designed to allow easy side to side movement on hard surfaces and can be used in wet environments.
- The contoured shape allows the 1 1/2 hook and loop straps to be worn more loosely for greater comfort.
- · Perfect for laying brick and other masonry work.

SAP No.	Product No.	Fabricant	Size
11174066	7100	ALLEGRO	one size fits all





Allegro® Gel FlexKnee Pad

- Designed with a large abrasion-resistant poly cap, the silica gel insert cushions and protects the knee cap by dispersing pressure that can build from hours of kneeling.
- 1 1/2" Nylon reinforced elastic dual straps and hook and loop closures offer durability and stability, not to mention comfort and flexibility.

SAP No.	Product No.	Fabricant	Size
11174067	7103-GEL	ALLEGRO	one size fits all





Allegro® Spanbak® Belts, Elastic

- 9" wide back support
- Two-part closing design
- Breathable knit material backed with rubber grip webbing to help prevent ride-up
- Comes with snap-off suspenders.
- Colour : Black

11174098 7190-03L ALLEGRO S to XXL	SAP No.	Product No.	Fabricant	Size
	11174098	7190-03L	ALLEGRO	S to XXL

Anti-Fatigue Mats





MAT TECH Comfort-King[™] Mats, Smooth, 5' x 3' x 3/8", Black, Sponge

- Highly energized Zedlan [™] sponge combines softness, resilience and durability for exceptional relief
- Outwears other sponge products by nearly three to one
- For applications in dry areas
- Suitable for retail stores, car dealerships, and grocery stores
- Maintains flexibility and anti-fatigue properties even in low temperatures

SAP No.	Product No.	Fabricant	Size
11194979	CKM0035BK	MATTECH	Other colours and dimensions available





MAT TECH Industrial Deck Plate Mats, Diamond, 5' x 3' x 9/16", Black, PVC Sponge

- Deck plate surface fused to an industrial grade PVC foam backing to offer comfort and relief
- Resistant to most common fluids and chemicals
- For industrial applications in dry areas
- Appropriate for use in assembly lines, packaging stations and other workstations
- Heavy-duty, slip resistant surface tolerates cart traffic

SAP No.	Product No.	Fabricant	Size
11180421	CUMR60DB	MATTECH	Other colours and dimensions available





MAT TECH Safewalk™ Light Mats, Honeycomb, 5' x 3' x 1/2", Black, Rubber

- Raised surface ribs provide excellent traction
- Nitrile rubber blend increases the resistance to oil and fats
- Low profile mat with molded bevelled edges for increased safety
- Lightweight for easy handling and cleaning
- Appropriate for use in dishwashing areas, cafeterias, laundry rooms, and arenas

SAP No.	Product No.	Fabricant	Size
11195079	WSSL35BK	MATTECH	Other colours and dimensions available



Signs and Lockouts

Signs and Lockouts

Barricade Signs and Tapes Lockouts

269 270-273

Safety Signs

For the industrial sector, we offer a complete range of prevention, identification and signaling posters. These posters are available in several formats and type of printing according to your needs. They are available in aluminum, PVC, self-adhesive vinyl or other.

For more information, contact our Customer Service

Barricade Tapes









Danger tape Red, 3" X 1000', .015 mil

SAP No.	Product No.	Fabricant
11348024	PIT315RF9	PIP CANADA

Danger tape Yellow, 3" X 1000', .015 mil

SAP No.	Product No.	Fabricant
11348025	PIT315YF7	PIP CANADA

^{*}Other warning messages available on request. Custom prints available.





Abus Aluminium Padlock, 40mm

- Isolated
- Compact, lightweight, and superior corrosion and chemical resistance
- Good heat resistance
- Shackle and plastic housing can be changed
- Double bolt locking mechanism
- Automatic locking for best usability combined with key retaining function for higher safety
- Precision 6-pin cylinder with high number of key differ
- Others colour available

SAP No.	Product No.	Fabricant
11292411	74/40-W25-KD-RED	ABUS





Abus 1" Steel Lockout Hasp for 6 Padlocks

11252258 H701-RED ABUS	SAP No.	Product No.	Fabricant	
	11252258	H701-RED	ABUS	






Padlock, Keyed Different, Aluminum, 1-1/2" Width, Shackle Clearance Height 1"

- Lock body made from TITALIUM special aluminium high security with low weight
- Shackle made from hardened steel with NANO PROTECT™ coating
- Double-bolted
- ABUS precision 6-pin cylinder, can be rekeyed to match an existing key
- Self-locking—lock without key by pushing down the shackle
- Two keys per lock
- Coloured aluminium lock body corrosion-resistant
- Product is ULE-validated
- Others colour available

SAP No.	Product No.	Fabricant	
11266060	72IB/40HB40BLUE	ABUS	





Safelex™ Adjustable Cable Lock

- Universal lockout device for locking out different energy sources during maintenance
- Intuitive design for self-explanatory application
- Patented grip mechanism for secure fixation of the cable
- Retightening possible at any time, even when locked
- Isolated, exchangeable metal cable in different lengths
- Holds up to 6 padlocks

SAP No.	Product No.	Fabricant	Length
11306849	C503	ABUS	1m
	C506	ABUS	2m
	C509	ABUS	3m
11341878	C515	ABUS	5m









ABUS Lockout Gate Valve Red 1"-2.5"

- High-quality polypropylene: long-lasting, robust and non-conductive
- Five sizes: Valves from 1" to 13"
- Holds 1 padlock with up to 23/64" shackle diameter
- Unique, predetermined breaking point at the top for valves with thread
- Stickers in various languages included

SAP No.	Product No.	Fabricant	
11306813	V303	ABUS	

ABUS Safety Redbox™ Portable Lockout Box

- High level of stability in spite of low weight
- Ergonomic and space-saving fold-away handle
- Inside is exposed to light from all sides for better visibility of contents
- Lid features innovative and secure locking mechanism
- Patented wall bracket, also facilitates storing of padlocks

SAP No.	Product No.	Fabricant	
11298247	B835	ABUS	









ABUS Circuit Breaker Lockout

- High-quality materials: long-lasting, robust and non-conductive
- Easy-to-use with screwing mechanism for secure fixation
- Can be used universally on common single-pole circuit breakers
- With adapter for blade-type electric fuses

11294151 E201 ABUS	SAP No.	Product No.	Fabricant	
	11294151	E201	ABUS	

ABUS Ball Valve Lockout

- Stable and secure, made from powder-coated steel
- Two sizes for most common ball valves
- A number of holes for exact positioning of the padlock gives more stability
- Best used on hard-to-reach pipes

	SAP No.	Product No.	Fabricant	Length
Ī	11303650	V426	ABUS	1,25" to 3" Large
	11303649	V423	ABUS	0,25" to 1" Small

Master

Master



Zenex[™] Padlocks, Safety Padlock, Keyed Different, Thermoplastic, 1-1/2" Width

Others colour available

SAP No.	Product No.	Fabricant
11223046	410RED	MASTER LOCK



Trilingual Covered Lock Station, None Padlocks, 10 Padlock Capacity, Padlocks Not Included

- Station message printed in English. Spanish and French labels included for optional application
- Resilient polycarbonate material provides ultimate heat resistance and impact strength superior to typical stations
- Translucent lockable cover protects contents from dust and prevents missing equipment
- Reinforced snap-on clips provide easy padlock and hasp storage and removal
- One-piece molded construction eliminates loose parts

SAP No.	Product No.	Fabricant
11229019	1483B	MASTER LOCK
		·

Master

Master



Lockout Station, Thermoplastic Padlocks, 4 Padlock Capacity, Padlocks Included

- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Integrated, one-piece molded construction eliminates loose parts
- 12 Safety Series [™] heavy-duty bilingual "Do Not Operate" lockout I.D. tags with brass grommets
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Lockout stations are bilingual with English/ French labels and lockout tags
- 4-LOCK STATIONS INCLUDE:
- Compliant with OSHA "One employee, One lock, One key" directive
- 4 Master Lock® Safety Series ™ padlocks
- Zenex ™ locks available with up to 100,000 key changes available to fit even the largest lockout systems
- Available with your choice of safety lock design with highly visible red locks keyed different of Zenex ™, aluminum or laminated steel in 4, 10 or 20 lock format
- 2 Safety Series ™ hasps for lockouts by up to six workers
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Innovative hinge holds cover open for easy product selection

SAP No.	Product No.	Fabricant
11223032	1482BP410FRC	MASTER LOCK



Lockout Stations, Thermoplastic Padlocks, 10 Padlock Capacity, Padlocks Included

- Integrated, one-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Innovative hinge holds cover open for easy product selection
- Zenex [™] locks available with up to 100,000 key changes available to fit even the largest lockout systems
- Compliant with OSHA "One employee, One lock, One key" directive
- Lockout stations are bilingual with English/ French labels and lockout tags
- INCLUDES:
 - 10 Master Lock® Safety Series ™ padlocks
- 2 Safety Series ™ hasps for lockouts by up to six workers
 - 24 Safety Series $^{\text{TM}}$ heavy-duty bilingual "Do Not Operate" lockout I.D. tags with brass grommet

SAP No.	Product No.	Fabricant
11228166	1483BP410FRC	MASTER LOCK



Ventilation Systems



8" Plastic COM-PAX-IAL Blowers, 1/3 HP, 831 CFM with Canister & 25' Ducting

- 1/3 HP, 115 V motor
- Lightweight, corrosion, UV and chemical resistant polyethylene housing offers a superior design with durable construction
- Integrated carry handle is molded into the blower
- Compact, super quiet unit
- Features a polypropylene nine blade fan, a steel/powder coated grill
- Bottom enclosure ensures safe and convenient storage of electrical components
- Designed to work separately or with canister and ducting
- Quick-connect clipping system allows tool-free attachment of canister to input side for powerful extraction or output side for ventilation
- Meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G Hazardous

SAP No.	Product No.	Fabricant
11219943	9533-25	ALLEGRO



12" Axial AC Industrial Plastic Blower

Lightweight, portable, and durable, this single phase motor blower is ideally suited for large confined spaces such as paper mills, tank purging, or utility sites. This "safety orange" blower delivers both positive and negative airflow. Super quiet, molded carry handle, stackable, built-in On/Off switch, and enclosed electrical components are all part of the construction and design of this blower.

SAP No.	Product No.	Fabricant
11350351	9539-12	ALLEGRO


Safety Screens



PRODUCT CONFIGURATION

RETRACTABLE WELD SCREEN


5.5' X 20'
STANDARD COLORS:
SEMI-TRANSPARENT ORANGE, BLUE,
YELLOW, DARK GREEN
INCLUDES 2 J-HOOKS



*CUSTOM UNITS AVAILABLE

FIXED BASE

12" X 12" + ALUMINUM POST



MOBILE BASE

20" X 20" BASE + ALUMINUM POST



J-HOOKS

1" X 6"


SET OF 2

















Configuration Examples



Safety Screens



Strip Curtain/Door

Clear vinyl strips with 2 in x 2 in x 3/16 in angle mounting plate

Clear vinyl strips used for:

- Traffic doors
- Dock and entry openings
- Draft curtains and doors
- Sound attenuation curtains
- Freezer doors



SAP No.	Product No.	Width	Thickness	Overlap	Quantity
11011578	VS-112-C	6 in	0,06 mm	2 in	per square foot
11154391	VS-222-C	8 in	0,08 mm	2 in	per square foot







Portable Safety Screen

Lightweight frames of the AGO portable safety screens are constructed of plated, corrosion resistant, heavy duty tubular steel, consisting of slip joint design with easy press spring locks for simple and adjustable assembly. Support legs are of adjustable spring lock design that allows leg to be folded parallel to screen for compact storage. Sturdy plated hinges permit easy folding for compact storage and handling on two, three and four panel models. Heavy duty plated frame hooks secure curtains to frames.

AGO portable safety screens can be used as:

- Welding booths
- Grinding shield
- Dividing partitions

Specify curtain fabric choice

- 001 Yellow "see thru" vinyl
- * Other colours available



SAP No.	Product No.	Width	No. of Panels	Height
11010531	166	6 ft	1 panel	6 ft
11010577	266	6 ft	2 panels	6 ft
11010586	3666	6 ft	3 panels	6 ft

Flashlights and Batteries





PELICAN



Penlight, LED, 139 Lumens, AAA Batteries

- Plastic Body, AAA Batteries, Included
- The integrated clip can be mounted to a safety vest for hands free
- Engineered with an aluminum core and ABS overmolded plastic, the Pelican™ 1970 penlight can survive tough work environments, yet is slim enough to snap into the available helmet mount or hold with your

,	Activates with a click of the tall switch or light pressure for momentary	
	use	

Penlight, LED, 115 Lumens, AA Batteries

- Plastic Body, AA Batteries, Included
- Class I, II, III Division 1 / IECEx ia Safety Certified
- IPX8 1m waterproof
- Full / Momentary Activation Tail Switch
- 2 AA Batteries (included)
- Integrated Clip
- Helmet mount (included)

11346120 019700-0100-110 PELICAN	SAP No.	Product No.	Fabricant	
	11346120	019700-0100-110	PELICAN	

112EE024 0221E0 0100 24E DELICAN	t	Product No. Fabricant	SAP No.
11333034 023130-0100-245 PELICAL	1	023150-0100-245 PELICAN	11355034





3315 Compact Flashlight, LED, 160 Lumens, **AA Batteries**

- Compact, rugged and lightweight
- Constructed of high impact ABS
- Powered by three AA alkaline batteries (included)
- Water resistant IPX4
- Class I II III, Div. 1, GP. ABCDEFG T4 Exia

SAP No.	Product No.	Fabricant	
11274168	033150-0103-245	PELICAN	





2740 Headlamp, LED, 66 Lumens, 7.25 Hrs. Run Time, AAA Batteries

- Compact and reliable headlamp suited for harsh conditions
- Features 3 LEDs: 2 white and 1 red
- Designed with weather resistant casing which allows for fast and easy battery change
- Can be operated in high or low mode

SAP No.	Product No.	Fabricant	
11326431	027400-0101-110	PELICAN	

Flashlights and Batteries



Stylus Pro® Pen Light, LED, 100 Lumens, Aluminum Body, AAA Batteries

- Compact, high-powered LED penlights featuring a proprietary Micro Optical
- System that provides a super bright beam
- Constructed of corrosion proof, machined aircraft-grade aluminum alloy with Type II MIL-Spec anodized plating
- Tail cap switching features momentary blink and constant «on» modes
- Matte black finish
- Limited lifetime warranty
- Includes: 2 AAA alkaline batteries, nylon holster and pocket clip

SAP No.	Product No.	Fabricant
11226554	66118	STREAMLIGHT





Septor® Headlamp Flashlight, LED, 120 Lumens, 3.5 Hrs. Run Time, AAA Batteries

- Hands-free headlamp features LEDs lighting that amply illuminate the task at hand
- Produces up to 120 lumens 7 LEDs; 45 lumens 3 LEDs; 13 lumens
 1 LED
- Water resistant
- 90° tilting head for task targeting
- Includes batteries, elastic head strap and rubber hard hat strap

SAP No.	Product No.	Fabricant
11226551	61052	STREAMLIGHT





Dualie® Compact Hand-Held Flashlight, LED, 175 Lumens, AA Batteries

IPX4 water-resistant

SAP No.	Product No.	Fabricant
11348548	67751	STREAMLIGHT





Syclone® Ultra-Compact Multi-Function Work Light, LED, 400 Lumens, Plastic Housing

- 360° rotating body aims the beam where you need it and is easily moveable with one hand
- CRI light with Streamlight's Color-Rite Technology™ helps identify colour differences in paint or wires
- USB rechargeable
- Multi-function push-button switch with charge indicator (red for charging, green for charged)
- Magnetic base

SAP No.	Product No.	Fabricant
11348547	61510	STREAMLIGHT





Enduro® Pro HAZ-LO® Intrinsically Safe Headlamp, LED, 235 Lumens, 5 Hrs. Run Time, AAA Batteries

- Tough thermoplastic construction with elastomer over mold
- Unbreakable polycarbonate lens
- Two white LEDs, impervious to shock with a 50,000 hour lifetime
- 45° tilting head
- Includes: Elastic head strap, Rubber hardhat strap, 3M® Dual Lock® Fastener
- Headlamp is certified Class I, II, Division 1, Groups A, B, C, D, E, F & G, Class III, Class 1, Zone 0, Group IIC

SAP No.	Product No.	Fabricant
11348549	61424	STREAMLIGHT

Flashlights and Batteries



Energizer





Vision HD+ Headlight, LED, 250 Lumens, 7 Hrs. Run Time, AAA Batteries

- Features three light modes: white spot light, white flood light and red for night vision
- Dimmable in all modes to control brightness and runtime
- Beam is up to 4X brighter than standard LED technology
- Water resistant and drop tested to stand up to harsh conditions

SAP No.	Product No.	Fabricant
11288995	HDC32E	ENERGIZER

Alkaline Industrial Batteries, AA, 1.5 V

- Designed with high quality materials for long-lasting performance
- Shelf life of 10 years in storage at 21°C
- Each pack of 24 contains 6 smaller boxes of 4 batteries

SAP No.	Product No.	Fabricant
11180181	EN91	ENERGIZER





Energizer







- Designed with high quality materials for long-lasting performance
- Shelf life of 10 years in storage at 21°C
- Each pack of 24 contains 6 smaller boxes of 4 batteries

Alkaline Industrial Batteries, AAA, 1.5 V

SAP No.	Product No.	Fabricant
11222128	EN92	ENERGIZER

- Designed with high quality materials for long-lasting performance
- Shelf life of 10 years in storage at 21°C
- Pack of 12

SAP No.	Product No.	Fabricant
11222129	EN93	ENERGIZER

Suitcase





Hard Case Protector, Black

- Interior: 9.3" × 7.1" × 4.1"
- Pick N PluckTM with convoluted lid foam
- Watertight, crushproof, and dustproof
- Open cell core with solid wall design strong, light weight
- Easy open Double Throw latches
- Automatic Pressure Equalization Valve balances interior pressure, keeps water out
- O-ring seal

SAP No.	Product No.	Fabricant	
11348474	1200-000-110	PELICAN	





Hard Case Protector, Black

- Interior: 28.6" × 17.5" × 10.7"
- 4 strong polyurethane wheels with stainless steel bearings
- Watertight, crushproof, and dustproof
- 2 level Pick N Pluck™ with convoluted lid foam
- Open cell core with solid wall design strong, light weight
- Retractable extension handle
- Fold down handles

SAP No.	Product No.	Fabricant	
11356610	1650-020-110	PELICAN	

Maintenance and Sanitation Products





WypAll® Waterless Cleaning Wipes, 50 Wipes, 12" x 10.5"

- Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin
- Pre-saturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces outils, des mains, des pièces et des surfaces de travail non-poreuses

SAP No.	Product No.	Fabricant
11196968	58310	KIMBERLY-CLARK





WypAll® Waterless Cleaning Wipes, 450 Wipes, 12" x 9.5"

- 6 containers of 75 sheets per case; 450 sheets per case
- Disposable industrial cleaning wipes are pre-saturated with an alcoholfree natural citrus cleaning agent for the waterless cleansing of skin and hard surfaces
- These wipers are tough on grease, but gentle enough to use on your hand; contains moisturizers to help keep skin hydrated
- One textured side for scrubbing dirt, grime, and grease (great for tool cleaning), one smooth side for wiping dirt off surfaces and hands
- Since these wipes are pre-moistened, you won't worry about spilling a liquid cleansing agent

11196969 91371 KIMBERLY-CLARK	SAP No.	Product No.	Fabricant
	11196969	91371	KIMBERLY-CLARK





WypAll® X60 Wipers, All-Purpose, 126 Wipes, 16.75" x 8.75"

- Use to apply thinners and solvents and for adhesive cleaning
- Remove cable lubricant, grease and soil in tight areas
- Constructed without adhesives or binders means these wipers leave behind no residue
- Reinforced for extra scrubbing and cleaning power
- Robust enough for tough jobs, yet gentle enough for bare skin

SAP No.	Product No.	Fabricant
11196976	34790	KIMBERLY-CLARK



The First Step Towards an Integrated and Automated Supply Concept for The Industry.

Messer offers to the industry the DistriMesser, a new management tool for welding accessories and personal protective equipment.

With DistriMesser, you get: efficient stock control, increased productivity, easy and fast supply, decreased product consumption and expenses allowance by employee and/or department.



The DMMS Software

- Can produce reports by item, department, job numbers or employee and submit orders through internet to your Messer branch
- Keeps track of all the DistriMesser linked to the system.
- Enables configuration of the users by department. Assigns
 job numbers and gives access to the storekeeper for review
 of all the information and product holding
- Gives to the werehouse's menager access to all stock data.
- Inventory control

What you are looking for

- Increese in productivity
- Reordering in an affactive and timely manner
- Reduction in product consumption.
- Allocation of expenses per lob or department.
- Reduction of comings and goings to the store
- Fewer work stoppeges or emergency procurements

The solution we offer for your inventory problems

- Gets the more popular items available to your employees.
- Seves on product consumption and improves productivity.
- Improves your supply management and avoids production abut downs

Call your Messer representative for a free project evaluation

Moseer Canada inc.

5990 Chedworth Way Mississeuge, ON LSR BAZ Canada Phone 1-999-256-7359 info@messer-os.com www.masser-os.com www.shop.masser-os.com





