

---

# Product Catalog & Price List

---

My Cable Mart, LLC currently has over **3,177** unique skus providing for connectivity products for all your low voltage needs. We have hundreds of HDMI products (cables, adapters, splitters, switches), thousands of adapters, ethernet cables, bulk boxed cables, and TV mounts.

We also specialized in "small-run" customized cables. If you find a cable in our catalog or website that is close to what you need for your project, we can make such cable to a custom length and with custom connectors. In general, the run quantity must be 100 pieces or more. We offer quick turn-around for such projects (generally in 2.5 to 3 weeks or less). Send your inquiry to [quotes@mycablemart.com](mailto:quotes@mycablemart.com).

Our product catalog is "generated" once per month, and is provided as a PDF download from our website. Each day, new products are added, and some are discontinued.

**My Cable Mart, LLC**  
**6224 Bury Dr**  
**Minneapolis, MN 55346**  
**P. 952-486-8736**  
**F. 952-937.0469**  
**MyCableMart.com**

Pricing in our catalog is shown for "quantity 1". We offer discounted pricing for different quantity breaks (or tiers). Certain products will have higher quantity discounts compared to others. You can easily calculate final pricing for larger quantities by checking the "Tier Letter" (A, B, C, or D) and using the pricing tables below. Your final price may be different due to rounding. Products marked with an (X) do not have discounted pricing available. Should pricing differ in this catalog, pricing on our website shall be considered correct. Pricing is always subject to change

## Quantity Price Breaks

	Tier A	Tier B	Tier C	Tier D
Quantity	Discount %	Discount %	Discount %	Discount %
2 - 5	3.0	5.0	7.0	10.0
6 - 10	4.8	8.5	12.0	15.7
11 - 30	11.0	11.0	16.0	20.5
31 - 50	13.6	13.6	19.0	24.0
51 - 100	15.0	15.0	21.0	26.4
101 - 200	16.0	16.0	22.4	28.0
201+	17.0	17.0	23.4	29.5

⊗ = Special Order Item. Item is generally NOT a stock item, and is a special order.

Prices all in USD\$ and valid as of 04/11/24



Our 15,000 sq ft warehouse is centrally located in Minneapolis, MN USA



With nearly \$1M in inventory, we can service your largest A/V, networking, or TV mount project



We have over 10,000 TV Mounts in stock with over 25 different models. The largest selection in the mid-west!



Our retail store/showroom in Eden Prairie, MN has many of our products on display

# Table of Contents

<b>HDMI Products - HDMI Products (All)</b>	<b>7</b>
HDMI Fiber Optic Cables	7
HDMI PLENUM Rated Cables	7
HDMI Extension Cables	8
Micro HDMI Cables and Adapters (Type D)	9
Mini HDMI Cables and Adapters	10
Display Port/Mini-Display Port to HDMI	10
HDMI over Ethernet and Wireless	10
HDMI / DVI Combo Cables	10
Type C USB to HDMI Cables and Adapters	11
HDMI and DVI Adapters/Gender Changers	12
<b>HDMI Cables - by LENGTH</b>	<b>13</b>
8in to 1.5ft HDMI	14
3ft HDMI	14
6 - 8ft HDMI	14
10 - 12ft HDMI	14
15ft HDMI	15
20ft HDMI	15
25ft HDMI	15
30ft HDMI	15
35ft HDMI	15
40 - 45ft HDMI	16
50ft HDMI	16
60 - 65ft HDMI	16
75 - 85ft HDMI	16
100ft and Longer HDMI	17
<b>HDMI Products - 8K HDMI Cables</b>	<b>17</b>
<b>HDMI Switch / Splitter - HDMI Switches</b>	<b>18</b>
<b>HDMI Switch / Splitter - HDMI Splitters</b>	<b>18</b>
<b>HDMI Switch / Splitter - HDMI Matrix Box</b>	<b>19</b>
<b>HDMI Accessory - Repeaters &amp; Boosters</b>	<b>19</b>
<b>HDMI Accessory - Infra-Red (IR)</b>	<b>19</b>
<b>Video Cables - BNC Video / Security</b>	<b>20</b>
<b>Video Cables - Coax / RG6</b>	<b>22</b>
<b>Video Cables - Component Video (RCA)</b>	<b>25</b>
2 Wire RCA Left and Right Audio	25
5 Wire Component Video and Audio Bundle	27
<b>Video Cables - Composite Video 3-RCA</b>	<b>27</b>
1 Wire Composite Video ONLY	27
3 Wire Composite Video with Audio Bundle	28
<b>Video Cables - Display Port</b>	<b>29</b>
DisplayPort Cables	29
Mini DisplayPort Cables	30
DisplayPort to HDMI Cables	30
DisplayPort to VGA Cables	31
DisplayPort to DVI Cables	31
Mini DisplayPort to HDMI Cables	31
Mini DisplayPort to DVI	32
DisplayPort and Mini DisplayPort Adapters	32
<b>Video Cables - DVI</b>	<b>32</b>
DVI Video Cables	32
VGA to DVI Cables	33
Mini DisplayPort to DVI	34
<b>Video Cables - RCA Audio / Video</b>	<b>34</b>
2 Wire RCA Left and Right Audio	34
5 Wire Component Video and Audio Bundle	36
<b>Video Cables - S-Video</b>	<b>37</b>
<b>Video Cables - SDI Digital Cables</b>	<b>37</b>
<b>Video Cables - USB Type C</b>	<b>38</b>
<b>Video Cables - VGA</b>	<b>39</b>
VGA Cables	39
VGA and 3.5mm Audio Combo Cable	40
VGA Cables - ULTRA Thin	41
VGA Extension Cables	42
VGA Splitters, Switches, Converters, and Amplifiers	42
VGA to DVI Cables	43
VGA Projector to RGB Component	43
<b>Audio Cables - 3.5 Mini Audio</b>	<b>43</b>
3.5mm Male to Male Cables	43
3.5mm Male to FEMALE Extension Cables	46
3.5mm / 2.5mm 4 Conductor TRRS Cables	47
3.5mm MONO Cables	51

2.5mm Mini Cables	52
3.5mm to 1/4inch Cables	54
3.5mm to 2 RCA Audio Cables	54
3.5mm and VGA Audio Combo Cable	55
<b>Audio Cables - Digital Audio SPDIF (RCA)</b>	<b>55</b>
<b>Audio Cables - Optical SPDIF / Toslink</b>	<b>56</b>
<b>Audio Cables - Speaker Wire</b>	<b>58</b>
<b>Audio Cables - Subwoofer</b>	<b>59</b>
<b>Pro Audio - All Pro Audio</b>	<b>61</b>
XLR Cables	61
o XLR Male/Female Microphone Audio Mixer	61
o XLR to 1/4inch Microphone	61
o XLR to 3.5mm Microphone	62
o XLR to RCA Microphone	62
o XLR Y-Breakout Cables to 3.5mm	62
o XLR Adapters, Accessories, Bulk Cable	62
1/4inch (All Types)	63
o 1/4 inch TRS (Stereo) Cables	63
o 1/4 inch TS (Mono/Guitar) Cables	64
o 1/4 inch to 3.5mm and Y-Cables	65
o 1/4 inch to XLR Cables	65
o 1/4 inch to RCA Cables	66
o 1/4 inch and XLR Adapters and Wall plates	66
o 1/4 inch Bulk Cable and Connectors	67
SpeakON Cables	67
D-Series / Neutrik Panel Mount	68
Connectors - Self Solder	68
Bulk Cable	69
Euro / Phoenix(TM) Block Connector	69
<b>Adapters - 1/4 Inch</b>	<b>70</b>
<b>Adapters - 3.5mm &amp; 2.5mm Mini</b>	<b>70</b>
<b>Adapters - BNC</b>	<b>74</b>
<b>Adapters - DisplayPort</b>	<b>74</b>
<b>Adapters - DVI</b>	<b>75</b>
<b>Adapters - Emulator / Dummy Plug</b>	<b>75</b>
<b>Adapters - Ethernet &amp; Networking</b>	<b>75</b>
<b>Adapters - Fiber Network</b>	<b>76</b>
<b>Adapters - HDMI</b>	<b>76</b>
<b>Adapters - iPhone &amp; iPad</b>	<b>77</b>
<b>Adapters - Optical / Toslink</b>	<b>78</b>
<b>Adapters - Phone / RJ11 / RJ12</b>	<b>78</b>
<b>Adapters - RCA &amp; Coax</b>	<b>78</b>
<b>Adapters - S-Video</b>	<b>79</b>
<b>Adapters - Serial RS232 / DB9 / DB25</b>	<b>80</b>
<b>Adapters - Speaker / Banana</b>	<b>80</b>
<b>Adapters - USB &amp; Firewire</b>	<b>80</b>
<b>Adapters - VGA</b>	<b>82</b>
<b>Adapters - XLR</b>	<b>82</b>
<b>USB CABLES &amp; ADAPTERS - All USB Products</b>	<b>83</b>
USB 3 Type-C Cables and Adapters (All Types)	83
o USB Type C to Type-C	83
o USB Type C to Type-A Male	83
o USB Type C EXTENSION Cables	84
o USB Type C to Micro-B 10pin	84
o USB Type C to Micro B 5-Pin	85
o USB Type C to Type-B (Printer) Male	85
o USB Type C to HDMI	85
o USB Type C to DisplayPort	85
o USB Type C to DVI/VGA/Other and Converters	86
o USB Type C to Lightning	86
o USB Type C Adapters and Hubs	86
USB4 Type-C Thunderbolt Cables	87
USB 2.0 Type A to B (Printer) Cables	87
USB 2.0 Type A to A Cables	88
USB 2.0 Type A FEMALE Extension Cables	88
USB 2.0 Micro B 5-Pin Cables	89
USB 2.0 Mini 4 Pin Cables	90
USB 2.0 Mini-B 5 Pin Cables	90
USB 3 Type-B (Printer) 5Gbps Cables	91
USB Lightning (TM) Cables	91
USB 3 Type-A Standard 5Gbps Cables	92
USB 3 Micro-B 10pin 5Gbps Cables	93
USB 3 Type-A EXTENSION 5Gbps Cables	93
USB to Barrel and 2.5mm	94
USB Adapters and Gender Changers	94
USB Chargers and Wallplates	95
<b>USB CHARGERS - USB Charging Blocks</b>	<b>96</b>
<b>Networking - Patch (Copper), Fiber Optic, &amp; Hardware</b>	<b>97</b>
Cat 5E Patch Cables (All Colors Available)	98

Cat 6 Patch Cables (All Colors Available)	98
Cat 5E SHIELDED Patch Cables	99
Cat 5E Patch Cables (ANGLED)	99
Cat 6 Patch Cables (ANGLED)	99
Cat 6A SHIELDED Patch Cables (Black & Grey Available)	100
Cat 5E Cross-Over / System Link	101
Cat 7 SHIELDED Patch Cables	101
Cat 8 SHIELDED Patch Cables	101
Cat 6 Ultra Slim Patch Cables (Black, Grey, Blue, & White Available)	102
Fiber Optic Jumpers	102
◦ Fiber Optic LC/LC SingleMode Duplex 9/125	102
◦ Fiber Optic LC/LC 10G Multimode Duplex OM3 50/125	102
◦ Fiber Optic LC/LC 100G Multimode Duplex OM4 50/125	102
◦ Fiber Optic LC/LC 100G Multimode Duplex OM5 50/125	102
◦ Fiber Optic LC/SC SingleMode Duplex 9/125	103
◦ Fiber Optic LC/SC 10G Multimode Duplex OM3 50/125	103
◦ Fiber Optic SC/SC SingleMode Duplex 9/125	103
◦ Fiber Optic SC/SC 10G Multimode Duplex OM3 50/125	103
◦ Fiber Optic ST/ST 10G Multimode Duplex OM3 50/125	103
◦ Adapters and Couplers	103
◦ Cisco (TM) Transceivers	103
Switches and Routers	104
Connectors / Accessories	104
Cisco (TM) Transceivers	105
<b>Computer Cables - Firewire / 1394</b>	<b>105</b>
<b>Computer Cables - Keyboard / Mouse</b>	<b>105</b>
<b>Computer Cables - SAS &amp; Mini SAS Cables</b>	<b>106</b>
<b>Computer Cables - SATA / IDE</b>	<b>106</b>
<b>Computer Cables - SCSI</b>	<b>106</b>
<b>Computer Cables - Serial &amp; Parallel</b>	<b>106</b>
Serial DB25 Male to Male	106
Serial DB25 Male to Female EXTENSION	106
Serial DB9 Male to Male	107
Serial DB9 Female to Female	107
Serial DB9 Male to Female EXTENSION	107
Serial DB9 Female to DB25 Male	107
NULL-MODEM DB9/DB25 Serial Cables (Both Genders)	107
Serial Adapters and Misc Cables	108
<b>Power Cords - Computer: 5-15P to C13</b>	<b>108</b>
<b>Power Cords - Computer: 5-15P to C19</b>	<b>109</b>
<b>Power Cords - Computer Ext: C14 to C13</b>	<b>109</b>
<b>Power Cords - Power Ext: C14 to C15</b>	<b>109</b>
<b>Power Cords - Power Ext: C19 to C20</b>	<b>109</b>
<b>Power Cords - Extension: 5-15P to 5-15R</b>	<b>110</b>
<b>Power Cords - Extension: 5-15P to Multi</b>	<b>110</b>
<b>Power Cords - Figure 8: 1-15P to C7</b>	<b>110</b>
<b>Power Cords - Mickey Mouse: 5-15P to C5</b>	<b>111</b>
<b>Power Cords - DC Barrel</b>	<b>111</b>
<b>Power Cords - Medical Grade</b>	<b>111</b>
<b>Power Cords - Accessories and Adapters</b>	<b>111</b>
<b>Power Cords - Power Supplies</b>	<b>112</b>
<b>Power Cords - Power/Surge Strips</b>	<b>112</b>
<b>Converters Video/Audio - HDMI</b>	<b>112</b>
<b>Converters Video/Audio - VGA</b>	<b>113</b>
<b>Converters Video/Audio - RCA &amp; S-Video</b>	<b>113</b>
<b>Converters Video/Audio - Audio</b>	<b>114</b>
<b>Converters Video/Audio - USB</b>	<b>114</b>
<b>Converters Video/Audio - DisplayPort</b>	<b>114</b>
<b>Phone Cables - Headsets</b>	<b>114</b>
<b>Phone Cables - Telephone RJ11/12</b>	<b>115</b>
<b>Bulk &amp; Commercial - CAT5E Bulk</b>	<b>115</b>
<b>Bulk &amp; Commercial - CAT6 &amp; 6A Bulk</b>	<b>116</b>
<b>Bulk &amp; Commercial - CAT 8</b>	<b>116</b>
<b>Bulk &amp; Commercial - RG6, RG59, RG11 Coax Bulk</b>	<b>116</b>
<b>Bulk &amp; Commercial - CAT3 / Telephone Bulk</b>	<b>117</b>
<b>Bulk &amp; Commercial - Security, Camera, Control</b>	<b>117</b>
<b>Bulk &amp; Commercial - Fire Alarm</b>	<b>118</b>
<b>Bulk &amp; Commercial - Plenum Cables</b>	<b>118</b>
Plenum - HDMI Cables	118
Plenum - VGA Cables	118
Plenum - 3.5mm and RCA Audio Cables	118
Plenum - USB Cables	119
Plenum - BULK Cables (Networking, Coax)	119
Plenum - Speaker Wire	119
<b>Bulk &amp; Commercial - By the Foot (All Types)</b>	<b>119</b>
<b>Bulk &amp; Commercial - Connectors &amp; Tools</b>	<b>120</b>
<b>Bulk &amp; Commercial - Euro Block Connector</b>	<b>121</b>
<b>Racking / Patch Panels</b>	<b>121</b>
<b>Wallplates - Audio, Video, Computer</b>	<b>123</b>

<b>Wallplates - HDMI</b> .....	<b>124</b>
<b>Wallplates - Pass-Thru</b> .....	<b>125</b>
<b>Wallplates - Decora Type</b> .....	<b>127</b>
<b>Wallplates - Powered &amp; Bridge</b> .....	<b>127</b>
<b>Wallplates - D-Series / Neutrik Panel</b> .....	<b>127</b>
<b>Wallplates - Panel Mount Connects</b> .....	<b>128</b>
<b>Wallplates - Phone (RJ11/RJ12)</b> .....	<b>129</b>
<b>Cable Management - Loom and Cable Tube</b> .....	<b>129</b>
<b>TV Mounts</b> .....	<b>129</b>
<b>TV Mounts - TV Outdoor Covers</b> .....	<b>132</b>
<b>TV Antennas</b> .....	<b>132</b>
<b>Accessory - Cable Management</b> .....	<b>133</b>
Grommets .....	133
Cable Mesh / Tubing / Ties / Straps .....	136
Cables Ladders and Hooks .....	136
<b>Accessory - Infra-Red (IR)</b> .....	<b>136</b>
<b>Accessory - Tools</b> .....	<b>137</b>
<b>Accessory - EV Charger Adapter</b> .....	<b>137</b>
<b>EV Accessory - EV Charger Adapter</b> .....	<b>137</b>

# HDMI Products - HDMI Products (All)

Confused about WHICH HDMI Cable you need? HDMI with Ethernet? High-Speed vs Standard-Speed? 28AWG, 24, or 22AWG? 4.92, 10.2, or 18Gbps? CL-2 or In-wall rated? Take the guess-work out of picking the RIGHT HDMI cable. Visit our [HDMI Cable Help Center](#) now! We will provide you **EXPERT** advice on cable gauge, speed, and features without the up-sell found at your local BIG-BOX store.

## HDMI Fiber Optic Cables

Price / Tier



-- HDMI 2.1 8K@60HZ/48GB OR 4K@120HZ HYBRID FIBER OPTIC CABLES --		
<b>GC-HHFO-8K-17</b>	17ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	34.92 A
<b>GC-HHFO-8K-20</b>	20ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	36.40 D
<b>GC-HHFO-8K-27</b>	27ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	42.94 B
<b>GC-HHFO-8K-33</b>	33ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	44.72 C
<b>GC-HHFO-8K-49</b>	49ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	49.73 C
<b>GC-HHFO-8K-66</b>	66ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	50.08 B
<b>GC-HHFO-8K-82</b>	82ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	70.44 B
<b>GC-HHFO-8K-100</b>	100ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	76.11 B
<b>GC-HHFO-8K-130</b>	130ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	88.06 B
<b>GC-HHFO-8K-164</b>	164ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	99.64 B
<b>GC-HHFO-8K-200</b>	200ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	125.98 B
<b>GC-HHFO-8K-230</b>	230ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	141.93 B
<b>GC-HHFO-8K-330</b>	330ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	149.66 B

### -- ARMORED ACTIVE FIBER OPTIC 4K@60HZ/YUV 4:4:4 18GBPS HDMI CABLES --

<b>TL-HD20ST-100</b>	100ft ARMORED HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4K@60Hz .....	538.99 X
----------------------	---	----------

### -- PLENUM ACTIVE FIBER OPTIC 4K@60HZ/YUV 4:4:4 18GBPS HDMI CABLES --

<b>HA-HHFO-PL-66</b>	66ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	252.07 A
<b>HA-HHFO-PL-130</b>	130ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	364.78 A

Our **PLENUM RATED** HDMI Fiber Optic Hybrid solutions allow your HDMI signal to reach distances to 330ft in perfect 4K@60Hz 18Gbps YUV:444 mode



### Features and Specifications

- Extremely Flexible
- Supports up to 4K@60Hz to 330ft
- Plenum Rated
- Detachable HDMI ends to easy installation in conduit or tight spaces
- Patented locking HDMI end connectors
- Audio Return Channel
- Perfect digital video and audio

<b>HA-HHFO-PL-200</b>	200ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	498.44 X
<b>HA-HHFO-PL-230</b>	230ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	552.77 X
<b>HA-HHFO-PL-262</b>	262ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	625.04 X

### -- FIBER OPTIC/HYBRID USB TYPE-C MALE TO HDMI 18GB 4K@60HZ CABLE --

<b>HA-CHFO-15</b>	15ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	87.13 A
<b>GC-CHFO-20</b>	20ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	96.03 A
<b>GC-CHFO-30</b>	30ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	100.75 A
<b>GC-CHFO-49</b>	49ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	110.21 A
<b>GC-CHFO-65</b>	65ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	118.06 A
<b>GC-CHFO-82</b>	82ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	131.93 A
<b>GC-CHFO-100</b>	100ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	140.19 A

### -- POWER SUPPLIES FOR FIBER CABLES --

<b>FE-ADT-308</b>	1 Port 110v/5v USB 2000mA Slim Profile Charger, Black .....	6.38 C
-------------------	---	--------

## HDMI PLENUM Rated Cables

Price / Tier





<b>CV-P-HD24-16M</b>	16ft **PLENUM** HIGH SPEED HDMI Cable with Ethernet 24AWG, Gold Plated	66.08 A
<b>CV-P-HD28-25RM</b>	25ft **PLENUM** HIGH SPEED HDMI Cable with Ethernet 28AWG, Gold Plated	144.59 A
<b>CV-P-HD28-35RM</b>	35ft **PLENUM** HIGH SPEED HDMI Cable with Ethernet 28AWG, Gold Plated	181.15 A
<b>CV-P-HD28-50RM</b>	50ft **PLENUM** STANDARD SPEED HDMI Cable with Ethernet 28AWG, Gold Plated	224.35 B
<b>CV-P-HD24-50RM</b>	50ft **PLENUM** HIGH SPEED (4K/30Hz) HDMI Cable with Ethernet 24AWG	353.71 A
<b>CV-P-HD28-75RM</b>	75ft **PLENUM** STANDARD SPEED HDMI Cable with Ethernet 28AWG, Gold Plated	286.91 B
<b>CV-P-HDA20-100</b>	100ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	241.00 A
<b>CV-P-HDA20-50</b>	50ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	165.45 A

**-- PLENUM RATED HDMI CABLES (STANDARD COPPER) --**

**-- PLENUM ACTIVE FIBER OPTIC 4K@60HZ/YUV 4:4:4 18GBPS HDMI CABLES --**

<b>HA-HHFO-PL-66</b>	66ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	252.07 A
<b>HA-HHFO-PL-130</b>	130ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	364.78 A

Our **PLENUM RATED**HDMI Fiber Optic Hybrid solutions allow your HDMI signal to reach distances to 330ft in perfect 4K@60Hz 18Gbps YUV:444 mode



**Features and Specifications**

- Extremely Flexible
- Supports up to 4K@60Hz to 330ft
- Plenum Rated
- Detachable HDMI ends to easy installation in conduit or tight spaces
- Patented locking HDMI end connectors
- Audio Return Channel
- Perfect digital video and audio

<b>HA-HHFO-PL-200</b>	200ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	498.44 x
<b>HA-HHFO-PL-230</b>	230ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	552.77 x
<b>HA-HHFO-PL-262</b>	262ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	625.04 x

**HDMI Extension Cables**

Price / Tier



**-- HDMI WITH ETHERNET EXTENSION CABLES 28 AWG (MALE TO FEMALE) --**

<b>FE-HXT28-6IN</b>	6inch HIGH-SPEED HDMI w/Ethernet 28 AWG EXTENSION (M/F) Cable,Gold Plated	6.21 D
<b>FE-HXT28-01</b>	1.5ft HIGH-SPEED HDMI w/Ethernet 28 AWG EXTENSION (M/F) Cable,Gold Plated	6.14 D
<b>FE-HXT28-03</b>	3ft HIGH-SPEED HDMI w/Ethernet 28 AWG EXTENSION (M/F) Cable,Gold Plated	7.25 D
<b>FE-HXT28-06</b>	6ft HIGH-SPEED HDMI w/Ethernet 28 AWG EXTENSION (M/F) Cable,Gold Plated	10.34 D
<b>FE-HXT28-10</b>	10ft HIGH-SPEED HDMI w/Ethernet 28 AWG EXTENSION (M/F) Cable,Gold Plated	11.19 D
<b>HA-HXT28-15</b>	15ft STANDARD-SPEED HDMI w/Ethernet 28 AWG EXTENSION (M/F) Cable,Gold Plat	14.76 C

**-- HDMI AND DVI PANEL MOUNT CONNECTORS --**

<b>FE-PMHH-10IN</b>	10 INCH PANEL-MOUNT HDMI Female/Male Cable (30 AWG), Gold Plated	6.05 D
<b>FE-PMHH-01</b>	1.5FT INCH PANEL-MOUNT HDMI Female/Male Cable (30 AWG), Gold Plated	6.51 D
<b>FE-PMHH-03</b>	3FT INCH PANEL-MOUNT HDMI Female/Male Cable (30 AWG), Gold Plated	7.44 D

**-- ANGLED HDMI WITH ETHERNET EXTENSION CABLES 28 AWG (MALE TO FEMALE) --**

<b>FE-HXT-LF-08IN</b>	8inch High Speed 4K@60Hz HDMI EXTENSION Adapter Cable LEFT ANGLE CONNECTOR	7.11 D
-----------------------	--	--------



Angle extension cable (6 inches) is ideal for connecting products that are in a hard-to-reach location. Male connector is angled LEFT (see photo to determine direction you need) to allow you to fit your final HDMI connector at any angle.

- HDMI resolution: Up to 4K
- Data transfer speed: to 18Gbps
- Male connector is ANGLED LEFT (see photo for angle orientation)
- Wire Gauge: 28 AWG

<b>FE-HXT-RT-08IN</b>	8inch High Speed 4K@60Hz HDMI EXTENSION Adapter Cable RIGHT ANGLE CONNECTOR	7.11 C
<b>FE-HXT-UP-08IN</b>	8inch High Speed 4K@60Hz HDMI EXTENSION Adapter Cable UP ANGLE CONNECTOR	7.16 D
<b>FE-HXT-DW-08IN</b>	8inch High Speed 4K@60Hz HDMI EXTENSION Adapter Cable DOWN ANGLE CONNECTOR	7.16 D

**-- HDMI WITH ETHERNET EXTENSION CABLES 24 AWG (MALE TO FEMALE) --**

<b>FE-HXT14-03</b>	3ft HIGH-SPEED HDMI w/Ethernet 24 AWG EXTENSION (M/F) CL2 Cable, Gold Plate	9.80 D
<b>FE-HXT14-06</b>	6ft HIGH-SPEED HDMI w/Ethernet 24 AWG EXTENSION (M/F) CL2 Cable,Gold Plate	13.49 D



<b>FE-HXT14-10</b>	10ft HIGH-SPEED HDMI w/Ethernet 24 AWG EXTENSION (M/F) CL2 Cable,Gold Plat	16.15 c
<b>FE-HXT14-15</b>	15ft HIGH-SPEED HDMI w/Ethernet 24 AWG EXTENSION (M/F) CL2 Cable,Gold Plat	31.17 D
<b>-- HDMI EXTENSION ACCESSORIES AND CABLE BOOSTER/EXTENDERS --</b>		
<b>FE-ADT-121</b>	Ferrite Core (8mm), for VGA, HDMI, DVI, or Other Cables for 24/26/28AWG	1.31 D

## Micro HDMI Cables and Adapters (Type D) Price / Tier



<b>-- MICRO-HDMI TO STANDARD HDMI W/ETHERNET MALE TO MALE CABLE (34AWG) --</b>		
<b>FE-HHD14-6IN</b>	6inch MICRO-HDMI (Type D) to Standard HDMI M to M 30AWG Cable	4.61 c
<b>FE-HHD34-6IN</b>	6inch Ultra-Slim MICRO-HDMI (Type D) to Standard HDMI M to M 34AWG Cable	6.17 D
<b>FE-HHD14-01</b>	1.5ft MICRO-HDMI (Type D) to Standard HDMI M to M 30AWG Cable	6.10 D
<b>FE-HHD90-18IN</b>	18INCH MICRO-HDMI (Type D) Angled to Standard HDMI M to M 32AWG Cable	6.93 D
<b>FE-HHD14-03</b>	3ft MICRO-HDMI (Type D) to Standard HDMI M to M 30AWG Cable	6.93 D
<b>FE-HHD14-06</b>	6ft MICRO-HDMI (Type D) to Standard HDMI M to M 30AWG Cable	8.22 c
<b>FE-HHD14-10</b>	10ft MICRO-HDMI (Type D) to Standard HDMI M to M 30AWG Cable	9.06 c

<b>-- MICRO-HDMI TO MICRO-HDMI W/ETHERNET MALE TO MALE CABLE (34AWG) --</b>		
<b>FE-HHMD-6IN</b>	6 inch MICRO-HDMI to MICRO-HDMI w/Ethernet Male to Male Cable (32AWG), Blac	4.50 B



Connects any **MICRO-HDMI TYPE D**, or other device that has an MICRO-HDMI TYPE D female port to another MICRO-HDMI device. Both ends of this cable thus have MICRO-D HDMI male connectors.

**Features and Specifications**

- PVC Molded End Dimensions: 1 in (L) x 0.5in (W) x 5/16in (H)
- Wire Gauge: 34 AWG
- Supports both VIDEO and AUDIO
- Micro-HDMI (Type D) to Micro-HDMI Type D (Micro) Connections both ends
- Supports to 1080P Resolution

<b>FE-HHMD-7.5IN</b>	7.9inch MICRO-HDMI to MICRO-HDMI Male to Male Cable (32AWG), Black	5.54 B
----------------------	--	--------



Connects any **MICRO-HDMI TYPE D**, or other device that has an MICRO-HDMI TYPE D female port to another MICRO-HDMI device. Both ends of this cable thus have MICRO-D HDMI male connectors.

**Features and Specifications**

- PVC Molded End Dimensions: 1 in (L) x 0.5in (W) x 5/16in (H)
- Wire Gauge: 34 AWG
- Supports both VIDEO and AUDIO
- Micro-HDMI (Type D) to Micro-HDMI Type D (Micro) Connections both ends
- Supports to 1080P Resolution

<b>FE-HHMD-01</b>	1.5ft MICRO-HDMI to MICRO-HDMI w/Ethernet Male to Male Cable (32AWG)	4.82 x
<b>FE-HHMD-03</b>	3ft MICRO-HDMI to MICRO-HDMI w/Ethernet Male to Male Cable (32AWG)	5.32 B
<b>FE-HHMD-06</b>	6ft MICRO-HDMI to MICRO-HDMI w/Ethernet Male to Male Cable (32AWG)	6.90 c
<b>FE-HHMD-10</b>	10ft MICRO-HDMI to MICRO-HDMI w/Ethernet Male to Male Cable (32AWG)	7.65 D

<b>-- MICRO HDMI (TYPE D) CABLES AND ADAPTERS --</b>		
<b>FE-ADT-224</b>	6 inch MICRO-HDMI (Male) to HDMI (Female) 4K@60Hz Port Saver Adapter Cable	4.63 c
<b>FE-ADT-155</b>	Micro-HDMI (Type-D) Male to HDMI A Female Adapter, Gold Plated	3.10 c
<b>FE-ADT-227</b>	Micro-HDMI (Type-D) Male to HDMI A Female RIGHT-ANGLE Adapter, Gold Pl	3.16 D



Connect your Micro HDMI in tight spaces with this angle adapter

**Features and Specifications**

- Micro-HDMI (Type-D) Male
- HDMI A Female
- Right Angle
- Gold Plated

## Mini HDMI Cables and Adapters

Price / Tier



<b>-- HIGH-SPEED MINI-HDMI TO HDMI W/ETHERNET 30 AWG CABLE --</b>		
<b>FE-HHM14-6IN</b>	6inch HIGH-SPEED Mini-HDMI to HDMI 30 AWG Cable	4.23 B
<b>GC-HHM14-03</b>	3ft HIGH-SPEED Mini-HDMI to HDMI 30 AWG Cable	4.64 D
<b>FE-HHM14-06</b>	6ft HIGH-SPEED Mini-HDMI to HDMI 30 AWG Cable	7.74 C
<b>FE-HHM14-10</b>	10ft HIGH-SPEED Mini-HDMI to HDMI 30 AWG Cable	9.76 C

<b>-- HIGH-SPEED MINI-HDMI TO MINI-HDMI W/ETHERNET 30 AWG CABLE --</b>		
<b>FE-HHMC-01</b>	1.5ft HIGH-SPEED Mini-HDMI to Mini-HDMI w/Ethernet 30 AWG Cable	4.44 D

Connects any **MINI-HDMI**, or other device that has an Mini-HDMI female port to another Mini-HDMI device.



### Features and Specifications

- Wire Gauge: 30 AWG, HDCP 2.2, HDMI 2.0
- Supports the following resolutions: 720i, 720p, 1080i, 1080p, 1280x1024, 4Kx2K@30Hz and beyond (WITHOUT the need of a booster)
- Mini-HDMI Type C to Mini-HDMI Type C (Mini) Connection
- Molded Connector Dimensions: 1.25in (L) x 9/16in (W) x 5/16in (H)
- CEC Control via PIN 13 NOT enabled
- Silver-tinned copper wire for maximum conductivity - without ANY harmful lead

<b>FE-HHMC-03</b>	3ft HIGH-SPEED Mini-HDMI to Mini-HDMI w/Ethernet 30 AWG Cable	5.84 D
<b>FE-HHMC-06</b>	6ft HIGH-SPEED Mini-HDMI to Mini-HDMI w/Ethernet 30 AWG Cable	6.22 D
<b>FE-HHMC-10</b>	10ft HIGH-SPEED Mini-HDMI to Mini-HDMI w/Ethernet 30 AWG Cable	6.75 D

### -- MINI HDMI (TYPE C) CABLES AND ADAPTERS --

<b>FE-ADT-228</b>	MINI-HDMI (Type C) Female to HDMI (Type A) Male Adapter Gold Plated	4.00 D
<b>FE-ADT-250</b>	HDMI Female to Micro and Mini HDMI Male Dual Adapter	4.30 X

## Display Port/Mini-Display Port to HDMI

Price / Tier



<b>FE-MDPHH-03</b>	3ft Mini DisplayPort to HDMI Cable 30AWG Gold Plated, 4Kx2K@30Hz, Black	11.01 C
<b>GC-MDPHH-06</b>	6ft Mini DisplayPort to HDMI Cable 32AWG Gold Plated, 4Kx2K@30Hz, Black	13.62 D
<b>GC-MDPHH-10</b>	10ft Mini DisplayPort to HDMI Cable 32AWG Gold Plated, 4Kx2K@30Hz, Black	17.73 C
<b>HA-MDPHH-15</b>	15ft Mini DisplayPort to HDMI Cable 28AWG Gold Plated, 4Kx2K@30Hz, Black	18.93 C
<b>FE-HH-DP</b>	DisplayPort (Male) to HDMI (Female) Adapter, Gold Plated	9.16 C
<b>FE-HH-DP-4IN</b>	4 INCH DisplayPort SOURCE (Male) to HDMI DESTINATION (Female) Adapter Cable	10.02 B
<b>FE-ADT-253</b>	HDMI Female (Source) to Mini DisplayPort (Monitor) Male Adapter, White	13.80 D
<b>FE-ADT-252</b>	HDMI Female (Source) to DisplayPort Male (Monitor) Adapter, Black	28.40 B

## HDMI over Ethernet and Wireless

Price / Tier



<b>-- HDMI OVER ETHERNET (CAT5 AND CAT6) BALUN, 1080 AND 4K RESOLUTIONS --</b>		
<b>HD-C-EDB50C</b>	164ft HDMI 4K@60Hz over Cat5E/Cat6 Network Cable Kit w/IR & Loop Out	119.52 A
<b>HD-C-ED970C</b>	230ft HDMI 4K@30Hz over Cat5E/Cat6 Network Cable Kit w/IR & Loop Out	78.51 B
<b>LK-V393-KIT</b>	394ft HDMI 4K@60Hz over Cat5E/Cat6 Network Cable Kit w/IR	239.48 X
<b>HD-C-SPB14D60</b>	4 Port - 200ft HDMI 4K@60 18Gbps Splitter/Distribution over CAT6 Ethernet	217.75 C

### -- HDMI WIRELESS --

<b>HD-V-W561</b>	100ft HDMI 4K@30Hz over Wireless Transmitter / Receiver Kit	194.91 A
<b>VT-WS050A</b>	164FT HDMI 4K@30HZ Over Wireless Transmitter / Switch Receiver Kit	165.20 B
<b>VT-WS050A-TX</b>	164FT HDMI 4K@30HZ Over Wireless Additional Transmitter ONLY	82.08 B

## HDMI / DVI Combo Cables

Price / Tier



-- HDMI / DVI COMBO CABLES (VIDEO SUPPORT ONLY) --		
<b>GC-HD-6IN</b>	6inch HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	4.72 C
<b>GC-HD-01</b>	1.5ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	6.14 D
<b>GC-HD-03</b>	3ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	7.75 D
<b>GC-HD-06</b>	6ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	10.56 D
<b>GC-HD-10</b>	10ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	13.15 D
<b>GC-HD-15</b>	15ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	14.71 D
<b>GC-HD-20</b>	20ft HDMI/DVI-D Combination Cable (28 AWG), Gold Plated	15.84 C
<b>GC-HD-25-8</b>	25ft HDMI/DVI-D Combination Cable (28 AWG), Gold Plated	17.16 C
<b>GC-HD-35-6</b>	35ft HDMI/DVI-D Combination Cable (26 AWG), Gold Plated	23.32 B
<b>GC-HD-50-6</b>	50ft HDMI/DVI-D Combination Cable (26 AWG), Gold Plated	39.16 C
<b>FE-PMHD-10IN</b>	10inch PANEL-MOUNT HDMI Female/DVI-D Combination Cable (30 AWG),Gold Plate	6.29 C
<b>FE-PMHD-03</b>	3ft PANEL-MOUNT HDMI Female / DVI-D Combination Cable (30 AWG), Gold Plated	9.04 D

-- HDMI / DVI COMBO CABLES (WITH AUDIO PIGTAILS) --		
<b>FE-HD3MM-03</b>	3ft HDMI/DVI-D w/3.5mm AUDIO Cable High Performance 28 AWG Gold Plated	9.96 X
<b>FE-HD3MM-10</b>	10ft HDMI/DVI-D w/3.5mm AUDIO Cable High Performance 28 AWG Gold Plated	16.51 X
<b>FE-HD3MM-15</b>	15ft HDMI/DVI-D w/3.5mm AUDIO Cable High Performance 28 AWG Gold Plated	23.45 D
<b>FE-HD-FM</b>	DVI-D Male (24+Blade) to HDMI Female Adapter, Gold Plated	4.00 D

This adapter converts HDMI Male to DVI Male Single (Digital) Link connector. Gold Plated. As the HDMI standard is SINGLE LINK, an HDMI signal can ONLY be converted to a DVI Digital Single link type (18pin + 1 blade) technology.



**Features and Specifications**

- HDMI Type A Female (Standard)
- DVI-D 24pin + Blade Male
- Gold Plate Pins

<b>FE-HD-MF</b>	DVI-D Female to HDMI Male Adapter, Gold Plated	2.10 A
<b>FE-ADT-112</b>	HDMI Female to DVI-D Male Swivel Adapter GOLD PLATED	8.89 D
<b>FE-ADT-235</b>	6inch HDMI Male to 2 DVI-D Female Splitter (Mirror) Adapter Cable	8.44 C
<b>FE-ADT-124</b>	DVI-I (Fully Pinned) Coupler / Gender Changer (Female to Female)	8.53 X
<b>FE-ADT-121</b>	Ferrite Core (8mm), for VGA, HDMI, DVI, or Other Cables for 24/26/28AWG	1.31 D
<b>FE-ADT-122</b>	Ferrite Core (13mm), for VGA, HDMI, DVI, or Other Cables for 22/24/26AWG	1.31 D

## Type C USB to HDMI Cables and Adapters Price / Tier



-- USB TYPE-C MALE TO HDMI 18GB 4K@60HZ CABLE --		
<b>FE-C3H-10</b>	10ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	22.42 B
<b>FE-C3H-06</b>	6ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	19.21 B
<b>FE-C3H-03</b>	3ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	17.67 B
<b>FE-C3H-01</b>	1.5ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	16.98 B

-- FIBER OPTIC/HYBRID USB TYPE-C MALE TO HDMI 18GB 4K@60HZ CABLE --		
<b>HA-CHFO-15</b>	15ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	87.13 A
<b>GC-CHFO-20</b>	20ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	96.03 A
<b>GC-CHFO-30</b>	30ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	100.75 A
<b>GC-CHFO-49</b>	49ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	110.21 A
<b>GC-CHFO-65</b>	65ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	118.06 A
<b>GC-CHFO-82</b>	82ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	131.93 A
<b>GC-CHFO-100</b>	100ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybri Cable	140.19 A

-- USB 3 TYPE-C TO VIDEO ADAPTERS AND CONVERTERS --		
<b>FE-ADT-276</b>	4inch USB 3 Type C Male to HDMI (4Kx2K@30Hz) Female Adapter Cable	15.14 A

This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.



**Features and Specifications**

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

USB-C Multi-port Hub provides instant access (output) for 2 x USB 3.0 Type A, USB 3.1 Type C, Gigabit Ethernet (RJ45 jack), and 4K HDMI Video. This multi-port hub is perform for providing every possible needed output for your PC or Mac Laptop that has a single USB Type-C Output.



**Features and Specifications**

- No drivers required: Plug and Play
- HDMI: Supports 4Kx2K (3840 x 2160 pixels), 30Hz output
- USB: 2x USB 3.0 Type A Ports Output (.5A and .9A)
- RJ45: 1 Gbit LAN
- 1xUSB 3.1 Type C Ports Output

FE-ADT-382  
AE-AUT039  
FE-USB-432  
XF-UCH07

USB 3 Type C Male to HDMI 4K@30Hz with Charge Out-ports	11.90 A
USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable	21.67 A
USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports	56.37 A
USB 3 Type C Male to 2x HDMI Video Out 4K, Split or Extend Displays Adapter	25.32 A

**HDMI and DVI Adapters/Gender Changers**

Price / Tier



FE-HH-FM90  
HA-HH-FM270

HDMI Male to Female 90 Degree Angle Adapter, Down Facing, Gold Plated	5.91 D
HDMI Male to Female 90 Degree Angle Adapter, Upward Facing, Gold Plated	4.99 x



Connect this handy adapter to your HDTV and then connect a standard male HDMI wire to this adapter. Ideal for TV's that are wall-mounted, but do not leave enough room for the cable to easily connect. Once male HDMI end is inserted, adapter has approx 3/8" clearance. Gold Plated, HDMI 1.4 certified.

FE-ADT-177  
FE-ADT-178  
FE-ADT-114  
FE-ADT-176  
FE-ADT-115  
FE-PAN-HDMI  
FE-HD-FM

HDMI Right Angle M/F Adapter LEFT-SIDE Oriented Gold Plated	5.48 D
HDMI Right Angle M/F Adapter RIGHT-SIDE Oriented Gold Plated	5.45 D
HDMI Male to Female SWIVEL Adapter Gold Plated	5.38 D
HDMI-HDMI Female to Female Gender Changer/Coupler, Gold Plated	3.22 D
HDMI Angle Coupler (Female to Female) - 90 Degree Gold Plated	2.92 C
Wall plate: HDMI Female D-Series/Neutrik Panel Mount Connector, Metal Shell	4.79 B
DVI-D Male (24+Blade) to HDMI Female Adapter, Gold Plated	4.00 D

This adapter converts HDMI Male to DVI Male Single (Digital) Link connector. Gold Plated. As the HDMI standard is SINGLE LINK, an HDMI signal can ONLY be converted to a DVI Digital Single link type (18pin + 1 blade) technology.



**Features and Specifications**

- HDMI Type A Female (Standard)
- DVI-D 24pin + Blade Male
- Gold Plate Pins

FE-HD-MF  
FE-ADT-235  
FE-ADT-112

DVI-D Female to HDMI Male Adapter, Gold Plated	2.10 A
6inch HDMI Male to 2 DVI-D Female Splitter (Mirror) Adapter Cable	8.44 C
HDMI Female to DVI-D Male Swivel Adapter GOLD PLATED	8.89 D



This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.

**Features and Specifications**

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

**XF-UCH07** USB 3 Type C Male to 2x HDMI Video Out 4K, Split or Extend Displays Adapter ..... 25.32 A  
**FE-ADT-314** USB-C Multi Hub 4K HDMI, 2xUSB 3.2 Gen 1, USB-C, Gigabit Lan Out ..... 32.87 A

USB-C Multi-port Hub provides instant access (output) for 2 x USB 3.0 Type A, USB 3.1 Type C, Gigabit Ethernet (RJ45 jack), and 4K HDMI Video. This multi-port hub is perform for providing every possible needed output for your PC or Mac Laptop that has a single USB Type-C Output.



**Features and Specifications**

- No drivers required: Plug and Play
- HDMI: Supports 4Kx2K (3840 x 2160 pixels), 30Hz output
- USB: 2x USB 3.0 Type A Ports Output (.5A and .9A)
- RJ45: 1Gbit LAN
- 1xUSB 3.1 Type C Ports Output

**FE-USB-432** USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports ..... 56.37 A  
**HD-V-R65** HDMI 2.0 18Gb 4K@60Hz Equalizer/Extender/Repeater/Booster ..... 20.13 B  
**FE-ADT-453** HDMI 2.0 18Gb 4K@60Hz POWERED Equalizer/Extender/Repeater/Booster ..... 26.63 B  
**FE-ADT-124** DVI-I (Fully Pinned) Coupler / Gender Changer (Female to Female) ..... 8.53 X  
**FE-ADT-322** DVI-I Male to DVI-I Female (24+4+Blade) Port Saver/Adapter, Gold Plated ..... 2.89 X  
**FE-ADT-187** DVI-I Male to Male Gender Changer Gold Plated with 4 Thumb Bolts ..... 4.11 C

**-- VGA / DVI INTERCONNECTS, ACCESSORIES, AND WALLPLATES --**

**FE-ADT-119** DVI-I Male (Analog) to VGA (15 Pin) Female Adapter, Gold Plated ..... 3.77 D  
**HA-ADT-127** Mini-DVI to DVI (Female) Adapter Cable ..... 9.89 X  
**FE-HH-DP-4IN** 4 INCH DisplayPort SOURCE (Male) to HDMI DESTINATION (Female) Adapter Cable ..... 10.02 B  
**FE-ADT-253** HDMI Female (Source) to Mini DisplayPort (Monitor) Male Adapter, White ..... 13.80 D  
**FE-ADT-252** HDMI Female (Source) to DisplayPort Male (Monitor) Adapter, Black ..... 28.40 B  
**HA-DD-MDP** Mini DisplayPort (Male) to DVI (Female) Adapter ..... 9.69 B  
**MO-12800** DisplayPort (Male) to HDMI (4K), DVI, VGA (Female) Adapter Cable, White ..... 45.14 C  
**FE-ADT-329** 4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable ..... 14.43 B  
**FE-ADT-228** MINI-HDMI (Type C) Female to HDMI (Type A) Male Adapter Gold Plated ..... 4.00 D  
**FE-ADT-227** Micro-HDMI (Type-D) Male to HDMI A Female RIGHT-ANGLE Adapter, Gold Pl ..... 3.16 D

Connect your Micro HDMI in tight spaces with this angle adapter



**Features and Specifications**

- Micro-HDMI (Type-D) Male
- HDMI A Female
- Right Angle
- Gold Plated

**FE-ADT-155** Micro-HDMI (Type-D) Male to HDMI A Female Adapter, Gold Plated ..... 3.10 C  
**FE-ADT-224** 6 inch MICRO-HDMI (Male) to HDMI (Female) 4K@60Hz Port Saver Adapter Cable ..... 4.63 C  
**FE-ADT-250** HDMI Female to Micro and Mini HDMI Male Dual Adapter ..... 4.30 X  
**ZT-T-602S** VGA with 3.5mm Audio to HDMI (to 1080P) Digital Converter, Portable ..... 20.36 A  
**FE-ADT-121** Ferrite Core (8mm), for VGA, HDMI, DVI, or Other Cables for 24/26/28AWG ..... 1.31 D  
**HA-DD-DP-4IN** 4inch DisplayPort (Male) to DVI-D (Female) Adapter Cable ..... 9.47 B  
**FE-ADT-328** DisplayPort (Male) to VGA (Female) Adapter Cable, White, Gold Plated ..... 12.62 C  
**FE-HH-DP** DisplayPort (Male) to HDMI (Female) Adapter, Gold Plated ..... 9.16 C  
**FE-ADT-439** Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG ..... 1.31 D  
**NW-58T7288** HDMI Cable Digital LED Tester (v1.4) with ARC and Ethernet Support ..... 48.96 A

**HDMI Cables - by LENGTH**



## 8in to 1.5ft HDMI

Price / Tier



**FE-HH14-8IN**  
**GC-HH14-01**  
**GC-HH34-01**  
**HA-HHL18-01**

**-- GENERAL DUTY, EXTREME, ELITE, AND SLIM HDMI CABLES --**

8inch High Speed 4K@60Hz HDMI Cable 18Gbps 30AWG Gold Plated .....	6.71 D
1.5ft High Speed 4K@60Hz HDMI Cable 18Gbps 30AWG Gold Plated .....	7.37 D
1.5ft Ultra-Slim HDMI Cable 34 AWG 4K@60Hz Gold Plated, Black .....	6.68 D
1.5ft ELITE Ultra High Speed 4K@60Hz/18Gb HDMI Cable 28AWG Gold Plated .....	10.40 D

**-- 8K@60HZ/48GBPS ELITE ULTRA HIGH SPEED HDMI CABLE GOLD PLATED CABLE --**

**GC-HHL48-12IN**  
**GC-HHL48-01**

12inch ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable .....	10.68 C
1.5ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable .....	10.93 C

**-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --**

**GC-HH90-01**  
**FE-HH270-01**

1ft 90 Degree High Speed HDMI Cable 4K@60Hz/18Gbps 30AWG Gold Plated .....	7.03 D
1ft 270 Degree ANGLED High Speed HDMI Cable 4K@60Hz/18Gbps 30AWG .....	8.56 D

## 3ft HDMI

Price / Tier



**GC-HH14-03**  
**GC-HH34-03**

**-- GENERAL DUTY, EXTREME, ELITE, AND SLIM HDMI CABLES --**

3ft High Speed 4K@60Hz HDMI Cable 18Gbps 30AWG Gold Plated .....	7.70 D
3ft Ultra-Slim HDMI Cable (4K@60Hz/18Gbps) 34 AWG Gold Plated .....	8.35 D

**-- 8K@60HZ/48GBPS ELITE ULTRA HIGH SPEED HDMI CABLE GOLD PLATED CABLE --**

**GC-HHL48-03**

3ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable .....	11.91 C
--	---------

**-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --**

**GC-HH90-03**  
**GC-HH270-03**  
**FE-HHSW-03**

3ft 90 Degree ANGLED High Speed HDMI Cable 4K@60Hz/18Gbps 28AWG .....	7.09 D
3ft 270 Degree ANGLED High Speed HDMI Cable 4K@60Hz/18Gbps 30AWG .....	7.09 D
3ft SWIVEL High Speed HDMI Cable 10.2Gbps 28AWG Gold Plated .....	7.54 X

## 6 - 8ft HDMI

Price / Tier



**GC-HH14-06**  
**GC-HH34-06**  
**GC-HHL48-06**

**-- 6FT GENERAL DUTY, EXTREME, ELITE, AND SLIM HDMI CABLES --**

6ft High Speed 4K@60Hz HDMI Cable 18Gbps 30AWG Gold Plated .....	8.22 D
6ft Ultra-Slim HDMI Cable (4K@30Hz/10.2Gbps) 34 AWG Gold Plated .....	9.29 D
6ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable .....	14.12 C

**-- 8FT GENERAL DUTY, EXTREME, ELITE, AND SLIM HDMI CABLES --**

**GC-HH14-08**  
**HA-HHL18-08**  
**GC-HHL48-08**

8ft High Speed 4K@60Hz HDMI Cable 18Gbps 28AWG Gold Plated .....	10.81 D
8ft ELITE Ultra High Speed 4K@60Hz/18Gb HDMI Cable 28AWG Gold Plated .....	17.29 C
8ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable .....	17.62 C

**-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --**

**GC-HH90-06**  
**GC-HH270-06**  
**FE-HHSW-06**  
**GC-HH14-06-WH**

6ft 90 Degree High Speed HDMI Cable 4K@60Hz/18Gbps 30AWG Gold Plated .....	9.07 D
6ft 270 Degree ANGLED High Speed HDMI Cable 4K@60Hz/18Gbps 30AWG .....	8.99 D
6ft SWIVEL High Speed HDMI Cable 10.2Gbps 28AWG Gold Plated .....	8.21 C
6ft High Speed 4K@60Hz HDMI Cable 18Gbps 30AWG Gold Plated, White .....	8.22 D

## 10 - 12ft HDMI

Price / Tier



**GC-HH14-10**  
**GC-HH34-10**  
**GC-HHL48-10**  
**FE-HH14-10-CS**

**-- 10FT GENERAL DUTY, EXTREME, ELITE, AND SLIM HDMI CABLES --**

10ft High Speed 4K@60Hz HDMI Cable 18Gbps 30AWG Gold Plated .....	12.84 D
10ft Ultra-Slim HDMI Cable (4K@30Hz/10.2Gbps) 34 AWG Gold Plated .....	11.66 C
10ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable .....	17.75 C
100 PCS/1 Case 10ft High Speed 4K@60Hz HDMI Cable 18Gbps 30AWG Gold Plated .....	944.45 X

**-- 12FT GENERAL DUTY, EXTREME, ELITE, AND SLIM HDMI CABLES --**

**GC-HH14-12**  
**GC-HHL48-12**

12ft High Speed 4K@60Hz HDMI Cable 18Gbps 30AWG Gold Plated .....	13.86 D
12ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable .....	19.23 C

**-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --**

<b>GC-HH90-10</b>	10ft 90 Degree ANGLED High Speed HDMI Cable 4K@60Hz/18Gbps 28AWG .....	10.00 D
<b>GC-HH270-10</b>	10ft 270 Degree ANGLED High Speed HDMI Cable 4K@60Hz/18Gbps 30AWG .....	11.89 D
<b>FE-HHSW-10</b>	10ft SWIVEL High Speed HDMI Cable 10.2Gbps 28AWG Gold Plated .....	12.70 D

**15ft HDMI**

Price / Tier



**GC-HH14-15**  
**GC-HHL18-15**

**-- GENERAL DUTY, EXTREME, ELITE, AND SLIM HDMI CABLES --**

15ft High Speed 4K@60Hz HDMI Cable 18Gbps 28AWG Gold Plated .....	15.84 D
15ft ELITE Ultra High Speed 4K@60Hz/18Gb HDMI Cable 28AWG Gold Plated .....	27.12 D

**-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --**

**GC-HH90-15**  
**GC-HH270-15**  
**CV-P-HD24-16M**  
**HA-CHFO-15**  
**GC-HHFO-8K-17**

15ft 90 Degree ANGLED High Speed HDMI Cable 4K@60Hz/18Gbps 28AWG .....	13.93 D
15ft 270 Degree ANGLED High Speed HDMI Cable 4K@60Hz/18Gbps 30AWG .....	15.48 D
16ft **PLENUM** HIGH SPEED HDMI Cable with Ethernet 24AWG, Gold Plated .....	66.08 A
15ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	87.13 A
17ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	34.92 A

**20ft HDMI**

Price / Tier



**GC-HH28-20**  
**GC-HHL18-20**

**-- GENERAL DUTY, EXTREME, ELITE, AND SLIM HDMI CABLES --**

20ft High Speed 4K@60Hz HDMI Cable 18Gbps 28AWG w/Redmere .....	38.64 C
20ft ELITE Ultra High Speed 4K@60Hz/18Gb HDMI Cable 28AWG Gold Plated .....	31.80 B

**-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --**

**GC-CHFO-20**  
**GC-HHFO-8K-17**  
**GC-HHFO-8K-20**

20ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	96.03 A
17ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	34.92 A
20ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	36.40 D

**25ft HDMI**

Price / Tier



**GC-HH28-25**  
**GC-HHL18-25**

**-- GENERAL DUTY, EXTREME, ELITE, AND SLIM HDMI CABLES --**

25ft High Speed 4K@60Hz HDMI Cable 18Gbps 28AWG w/Redmere .....	40.53 C
25ft ELITE Ultra High Speed 4K@60Hz/18Gb HDMI Cable 28AWG Gold Plated .....	38.28 B

**-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --**

**CV-P-HD28-25RM**  
**GC-HHFO-8K-27**

25ft **PLENUM** HIGH SPEED HDMI Cable with Ethernet 28AWG, Gold Plated .....	144.59 A
27ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	42.94 B

**30ft HDMI**

Price / Tier



**GC-HH28-30**  
**GC-HHL18-30**

**-- GENERAL DUTY, EXTREME, AND ELITE HDMI CABLES --**

30ft High Speed 4K@60Hz HDMI Cable 18Gbps 28AWG w/Redmere .....	40.72 C
30ft ELITE Ultra High Speed 4K@60Hz/18Gb HDMI Cable 26AWG Gold Plated .....	47.99 B

**-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --**

**GC-CHFO-30**  
**GC-HHFO-8K-27**  
**GC-HHFO-8K-33**

30ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable .....	100.75 A
27ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	42.94 B
33ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	44.72 C

**35ft HDMI**

Price / Tier



**GC-HH26-35**  
**GC-HHL18-35**  
**GC-HHFO-8K-33**

**-- GENERAL DUTY, EXTREME, AND ELITE HDMI CABLES --**

35ft High Speed 4K@60Hz HDMI Cable 18Gbps 26AWG w/Redmere .....	52.68 C
35ft ELITE Ultra High Speed 4K@60Hz/18Gb HDMI Cable 26AWG Gold Plated .....	55.33 C

33ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz .....	44.72 C
---	---------



-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --

CV-P-HD28-35RM 35ft \*\*PLENUM\*\* HIGH SPEED HDMI Cable with Ethernet 28AWG, Gold Plated ..... 181.15 A

**40 - 45ft HDMI**

Price / Tier



GC-HH26-40  
GC-HHL18-40

-- 40FT GENERAL DUTY, EXTREME, ELITE, AND FIBER OPTIC HDMI CABLES --

40ft High Speed 4K@60Hz HDMI Cable 18Gbps 26AWG w/Redmere ..... 51.85 c  
40ft ELITE Ultra High Speed 4K@60hz/18Gb HDMI Cable 26AWG Gold Plated ..... 63.79 c

**50ft HDMI**

Price / Tier



GC-HH26-50  
GC-HHL18-50

-- GENERAL DUTY, EXTREME, AND ELITE HDMI CABLES --

50ft High Speed 4K@60Hz HDMI Cable 18Gbps 26AWG w/Redmere ..... 57.25 c  
50ft ELITE Ultra High Speed 4K@60hz/18Gb HDMI Cable 26AWG Gold Plated ..... 72.47 d

GC-HHFO-8K-49  
GC-CHFO-49

-- ULTRA HIGH SPEED HDMI 4K & 8K FIBER OPTIC/HYBRID SOLUTIONS --

49ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz ..... 49.73 C  
49ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable ..... 110.21 A

CV-P-HD28-50RM  
CV-P-HD24-50RM

-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --

50ft \*\*PLENUM\*\* STANDARD SPEED HDMI Cable with Ethernet 28AWG, Gold Plated ..... 224.35 B  
50ft \*\*PLENUM\*\* HIGH SPEED (4K/30Hz) HDMI Cable with Ethernet 24AWG ..... 353.71 A

**60 - 65ft HDMI**

Price / Tier



HA-HHL14-60  
FE-HH28-65

-- HDMI CABLE IN WALL (CL-2) RATED COPPER SOLUTIONS --

60ft ELITE High Speed HDMI Cable 28AWG Gold Plate In Wall Rated ..... 69.09 A  
65ft Standard Speed HDMI Cable In Wall Rated w/Redmere ..... 57.40 B

GC-HHFO-8K-66  
HA-HHFO-PL-66

-- ULTRA HIGH SPEED HDMI 4K & 8K FIBER OPTIC/HYBRID SOLUTIONS --

66ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz ..... 50.08 B  
66ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz ..... 252.07 A

HA-HHTN-66  
GC-CHFO-65

-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --

66ft TITAN Ultra High Speed 4K@60Hz HDMI Cable 18Gbps 26AWG Gold Plated ..... 147.14 x  
65ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable ..... 118.06 A

-- FIBER OPTIC/HYBRID USB TYPE-C MALE TO HDMI 18GB 4K@60HZ CABLE --

**75 - 85ft HDMI**

Price / Tier



GC-HH24-85  
HA-HHTN-82

-- HDMI CABLE IN WALL (CL-2) RATED COPPER SOLUTIONS --

85ft High Speed 4K@30Hz HDMI Cable 10.2Gbps 24AWG w/Redmere ..... 71.28 B  
82ft TITAN Ultra High Speed 4K@60Hz HDMI Cable 18Gbps 24AWG Gold Plated ..... 184.78 x

CV-P-HD28-75RM

-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --

75ft \*\*PLENUM\*\* STANDARD SPEED HDMI Cable with Ethernet 28AWG, Gold Plated ..... 286.91 B

GC-HHFO-8K-82

-- ULTRA HIGH SPEED HDMI 4K & 8K FIBER OPTIC/HYBRID SOLUTIONS --

82ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz ..... 70.44 B

GC-CHFO-82

-- ALTERNATIVE LONG LENGTH HDMI SOLUTIONS --

82ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable ..... 131.93 A

# 100ft and Longer HDMI

Price / Tier



<b>-- ULTRA HIGH SPEED HDMI 18GB (4K) FIBER OPTIC/HYBRID SOLUTIONS --</b>		
<b>-- ULTRA HIGH SPEED HDMI 40GB (8K) FIBER OPTIC/HYBRID SOLUTIONS --</b>		
<b>GC-HHFO-8K-100</b>	100ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	76.11 B
<b>GC-HHFO-8K-130</b>	130ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	88.06 B
<b>GC-HHFO-8K-164</b>	164ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	99.64 B
<b>GC-HHFO-8K-200</b>	200ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	125.98 B
<b>GC-HHFO-8K-230</b>	230ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	141.93 B
<b>GC-HHFO-8K-330</b>	330ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	149.66 B
<b>-- SPECIALIZED (ANGLED, SWIVEL, COLORED, AND PLENUM) HDMI CABLES --</b>		
<b>CV-P-HDA20-50</b>	50ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	165.45 A
<b>CV-P-HDA20-100</b>	100ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	241.00 A
<b>HA-HHFO-PL-200</b>	200ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	498.44 X
<b>-- ARMORED ACTIVE FIBER OPTIC 4K@60HZ/YUV 4:4:4 18GBPS HDMI CABLES --</b>		
<b>TL-HD20ST-100</b>	100ft ARMORED HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4K@60Hz	538.99 X
<b>-- ULTRA HIGH SPEED HDMI 18GB FIBER OPTIC/HYBRID SOLUTIONS PLENUM --</b>		
<b>HA-HHFO-PL-130</b>	130ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	364.78 A

Our **PLENUM RATED** HDMI Fiber Optic Hybrid solutions allow your HDMI signal to reach distances to 330ft in perfect 4K@60Hz 18Gbps YUV:444 mode



### Features and Specifications

- Extremely Flexible
- Supports up to 4K@60Hz to 330ft
- Plenum Rated
- Detachable HDMI ends to easy installation in conduit or tight spaces
- Patented locking HDMI end connectors
- Audio Return Channel
- Perfect digital video and audio

<b>HA-HHFO-PL-230</b>	230ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	552.77 X
<b>HA-HHFO-PL-262</b>	262ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz	625.04 X
<b>-- ALTERNATIVE LONG LENGTH HDMI SOLUTIONS --</b>		
<b>GC-CHFO-100</b>	100ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	140.19 A
<b>HD-C-ED970C</b>	230ft HDMI 4K@30Hz over Cat5E/Cat6 Network Cable Kit w/IR & Loop Out	78.51 B
<b>HD-C-EDB50C</b>	164ft HDMI 4K@60Hz over Cat5E/Cat6 Network Cable Kit w/IR & Loop Out	119.52 A
<b>LK-V373-KIT</b>	330ft HDMI over RJ45/Ethernet/Networking TRANSMITTER/RECEIVER (Kit)	96.91 B
<b>LK-V393-KIT</b>	394ft HDMI 4K@60Hz over Cat5E/Cat6 Network Cable Kit w/IR	239.48 X
<b>HD-V-W561</b>	100ft HDMI 4K@30Hz over Wireless Transmitter / Receiver Kit	194.91 A
<b>VT-WS050A</b>	164FT HDMI 4K@30HZ Over Wireless Transmitter / Switch Receiver Kit	165.20 B
<b>VT-WS050A-TX</b>	164FT HDMI 4K@30HZ Over Wireless Additional Transmitter ONLY	82.08 B
<b>FE-SDI3-SH</b>	SDI 3G (via BNC) to HDMI Converter to 1080P/60Hz	43.01 A
<b>FE-SDI3-HS</b>	HDMI to SDI 3G (via BNC) Converter to 1080P/60Hz	43.01 A

# HDMI Products - 8K HDMI Cables



<b>-- 8K@60HZ/48GBPS ELITE ULTRA HIGH SPEED HDMI CABLE GOLD PLATED CABLE --</b>		
<b>GC-HHL48-12IN</b>	12inch ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable	10.68 C
<b>GC-HHL48-01</b>	1.5ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable	10.93 C
<b>GC-HHL48-03</b>	3ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable	11.91 C
<b>GC-HHL48-06</b>	6ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable	14.12 C
<b>GC-HHL48-08</b>	8ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable	17.62 C
<b>GC-HHL48-10</b>	10ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable	17.75 C
<b>GC-HHL48-12</b>	12ft ELITE Ultra High Speed 8K@60Hz/48Gb HDMI Cable Gold Plated Cable	19.23 C
<b>-- HDMI 2.1 8K@60HZ/48GB OR 4K@120HZ HYBRID FIBER OPTIC CABLES --</b>		
<b>GC-HHFO-8K-17</b>	17ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	34.92 A
<b>GC-HHFO-8K-33</b>	33ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	44.72 C
<b>GC-HHFO-8K-27</b>	27ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	42.94 B

GC-HHFO-8K-49	49ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	49.73 C
GC-HHFO-8K-66	66ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	50.08 B
GC-HHFO-8K-82	82ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	70.44 B
GC-HHFO-8K-130	130ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	88.06 B
GC-HHFO-8K-330	330ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	149.66 B
GC-HHFO-8K-200	200ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	125.98 B
GC-HHFO-8K-100	100ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	76.11 B
GC-HHFO-8K-164	164ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	99.64 B
GC-HHFO-8K-230	230ft Ultra HIGH SPEED HDMI 48Gb Fiber Optic/Hybrid Cable 8Kx4K/4K@120Hz	141.93 B

## HDMI Switch / Splitter - HDMI Switches



<b>-- HDMI SWITCHES (MULTIPLE SOURCE DEVICES TO 1 DISPLAY/TV) --</b>		
HA-HSW21K	2 IN/1 OUT HDMI Switch AUTO-SELECT, 4K@30Mhz, HDCP2.2	10.78 A
HA-CSW21NN00NK	2 IN/1 OUT HDMI Switch AUTO-SELECT, Pigtail Style, 4K@60Hz/4:4:4/HDCP2.2	14.64 X
CE-HSWUH0201S	2 IN/1 OUT HDMI Switch AUTO-SELECT, 4Kx2K@60Hz / 4:4:4 / HDCP2.2	15.79 A
HD-C-SWC21	2 IN/1 OUT HDMI Switch AUTO-SELECT, 8K@60Hz / 48Gbps HDMI 2.1/HDCP2.3	32.21 B
FE-CSW31NN00K	3 IN/1 OUT HDMI Switch AUTO-SELECT, Pigtail Style,4Kx2K @60Hz/4:4:4/HDCP2.2	13.93 B
HD-S-B31	3 IN/1 OUT HDMI Switch AUTO-SELECT, 4Kx2K @60Hz / 4:4:4 / HDCP2.2	21.43 A
CE-HSWUH0401S	4 IN/1 OUT HDMI Switch AUTO-SELECT, 4Kx2K @60Hz / 4:4:4 / HDCP2.2	32.56 A
HD-S-B51	5 IN/1 OUT HDMI Switch AUTO-SELECT, 4Kx2K @60Hz / 4:4:4 / HDCP2.2, Remote	25.32 A
HA-ERWC-0068	Infra-Red (IR) Control Transmitter/Receiver Kit for HA-EXOB05R Cable	13.06 B
HA-IR-RECR	Infra-Red (IR) Control Receiver Kit (1 HDMI IR Adapters, 1 Rx)	10.64 A
VT-WS050A	164FT HDMI 4K@30HZ Over Wireless Transmitter / Switch Receiver Kit	165.20 B
VT-WS050A-TX	164FT HDMI 4K@30HZ Over Wireless Additional Transmitter ONLY	82.08 B

<b>-- HDMI MATRIX DISTRIBUTORS --</b>		
HD-C-MXB42AC	4 IN/2 OUT HDMI Amplified TRUE MATRIX w/Audio Extractor/ARC,4Kx2K@60Hz/18G	73.94 X
HD-C-MXB22AC	2 IN/2 OUT HDMI Amplified TRUE MATRIX w/Audio Extractor,4Kx2K@60Hz,18G	47.80 A
HD-P-MXB88DA2	8 IN/8 OUT HDMI Amplified TRUE MATRIX, 4Kx2K @60Hz, 18G	510.68 X
HD-C-MXB44C	4 IN/4 OUT HDMI Amplified TRUE MATRIX, 4Kx2K @60Hz, 18G	156.80 A
HD-M-962U	6 IN/2 OUT HDMI Amplified MATRIX with ARC Support, 4Kx2K@60Hz/4:2:0	123.65 A

<b>-- OTHER AUDIO/VIDEO ACCESSORIES FOR SWITCHES OR COMPLEX SETUPS --</b>		
NW-58T7288	HDMI Cable Digital LED Tester (v1.4) with ARC and Ethernet Support	48.96 A

## HDMI Switch / Splitter - HDMI Splitters



<b>-- HDMI SPLITTERS (SINGLE SOURCE TO MULTIPLE DISPLAYS) --</b>		
HD-V-B12IH	2 Port HDMI Amplified Splitter (Video/Audio) 4Kx2K @60Hz / 4:4:4 / HDCP2.2	26.08 A
HD-V-B14IH	4 Port HDMI Amplified Splitter (Video/Audio), 4Kx2K @60Hz / 4:4:4 / HDCP2.2	43.41 A

This is a high-performance and small-sized HDMI Ultra High Definition Splitter with hot plug and iron shell. It distributes the input of the HDMI signal into four identical outputs at the same time. It provides high performance audio and video output through HDMI cables up to 4Kx2K@60HZ resolution and is capable of receiving and transmitting up to 6Gbps (per channel, 18Gbps total)/600MHz bandwidth.



### Features and Specifications

- Support HDMI resolution max up to 4KX2K@60Hz, 3D and HDR
- Support compressed audio such as DTS Digital, Dolby Digital
- Support HDCP 2.2
- Input: 1 HDMI, Output: 4 HDMI
- Heavy Duty Metal Enclosure

HD-C-SPB14D60	4 Port - 200ft HDMI 4K@60 18Gbps Splitter/Distribution over CAT6 Ethernet	217.75 C
HD-V-B18IH	8 Port HDMI Amplified Splitter (Video/Audio) 4Kx2K @60Hz / 4:4:4 / HDCP2.2	108.04 A
HD-C-SPB116	16 Port HDMI Amplified Splitter (Video/Audio) 4Kx2K @60Hz / 4:4:4 / HDCP2.2	187.14 A
HD-C-TWB14	2x2 Video Wall Controller - 1 HDMI Source to 4 TVs 4K@60Hz Multi-Mode	119.00 A
ZT-T-631	HDMI (Female) to HDMI (Female) and DisplayPort Splitter to 4Kx2K@60Hz	51.07 A

<b>-- HDMI MATRIX DISTRIBUTORS --</b>		
HD-C-MXB22AC	2 IN/2 OUT HDMI Amplified TRUE MATRIX w/Audio Extractor,4Kx2K@60Hz,18G	47.80 A
HD-C-MXB42AC	4 IN/2 OUT HDMI Amplified TRUE MATRIX w/Audio Extractor/ARC,4Kx2K@60Hz/18G	73.94 X
HD-M-962U	6 IN/2 OUT HDMI Amplified MATRIX with ARC Support, 4Kx2K@60Hz/4:2:0	123.65 A
HD-C-MXB44C	4 IN/4 OUT HDMI Amplified TRUE MATRIX, 4Kx2K @60Hz, 18G	156.80 A
HD-P-MXB88DA2	8 IN/8 OUT HDMI Amplified TRUE MATRIX, 4Kx2K @60Hz, 18G	510.68 X
LK-V393-KIT	394ft HDMI 4K@60Hz over Cat5E/Cat6 Network Cable Kit w/IR	239.48 X

-- HDMI VIDEO DISTRIBUTION (ALTERNATIVE METHODS) --

<b>LK-V373-KIT</b>	330ft HDMI over RJ45/Ethernet/Networking TRANSMITTER/RECEIVER (Kit)	96.91 B
<b>HA-ERWC-0068</b>	Infra-Red (IR) Control Transmitter/Receiver Kit for HA-EXOB05R Cable	13.06 B

-- OTHER AUDIO/VIDEO ACCESSORIES FOR SWITCHES OR COMPLEX SETUPS --

<b>FE-ADT-235</b>	6inch HDMI Male to 2 DVI-D Female Splitter (Mirror) Adapter Cable	8.44 C
<b>NW-58T7288</b>	HDMI Cable Digital LED Tester (v1.4) with ARC and Ethernet Support	48.96 A
<b>HA-IR-RECR</b>	Infra-Red (IR) Control Receiver Kit (1 HDMI IR Adapters, 1 Rx)	10.64 A

## HDMI Switch / Splitter - HDMI Matrix Box



<b>HD-C-MXB22AC</b>	2 IN/2 OUT HDMI Amplified TRUE MATRIX w/Audio Extractor,4Kx2K@60Hz,18G	47.80 A
<b>HD-C-MXB42AC</b>	4 IN/2 OUT HDMI Amplified TRUE MATRIX w/Audio Extractor/ARC,4Kx2K@60Hz/18G	73.94 X
<b>HD-C-MXB44C</b>	4 IN/4 OUT HDMI Amplified TRUE MATRIX, 4Kx2K @60Hz, 18G	156.80 A
<b>HD-M-962U</b>	6 IN/2 OUT HDMI Amplified MATRIX with ARC Support, 4Kx2K@60Hz/4:2:0	123.65 A
<b>HD-P-MXB88DA2</b>	8 IN/8 OUT HDMI Amplified TRUE MATRIX, 4Kx2K @60Hz, 18G	510.68 X

-- HDMI MATRIX DISTRIBUTORS --

<b>HD-C-MXB22AC</b>	2 IN/2 OUT HDMI Amplified TRUE MATRIX w/Audio Extractor,4Kx2K@60Hz,18G	47.80 A
<b>HD-C-MXB42AC</b>	4 IN/2 OUT HDMI Amplified TRUE MATRIX w/Audio Extractor/ARC,4Kx2K@60Hz/18G	73.94 X
<b>HD-C-MXB44C</b>	4 IN/4 OUT HDMI Amplified TRUE MATRIX, 4Kx2K @60Hz, 18G	156.80 A
<b>HD-M-962U</b>	6 IN/2 OUT HDMI Amplified MATRIX with ARC Support, 4Kx2K@60Hz/4:2:0	123.65 A
<b>HD-P-MXB88DA2</b>	8 IN/8 OUT HDMI Amplified TRUE MATRIX, 4Kx2K @60Hz, 18G	510.68 X

-- HDMI VIDEO DISTRIBUTION (ALTERNATIVE METHODS) --

<b>HD-C-TWB14</b>	2x2 Video Wall Controller - 1 HDMI Source to 4 TVs 4K@60Hz Multi-Mode	119.00 A
<b>LK-V373-KIT</b>	330ft HDMI over RJ45/Ethernet/Networking TRANSMITTER/RECEIVER (Kit)	96.91 B
<b>LK-V393-KIT</b>	394ft HDMI 4K@60Hz over Cat5E/Cat6 Network Cable Kit w/IR	239.48 X
<b>HA-IR-RECR</b>	Infra-Red (IR) Control Receiver Kit (1 HDMI IR Adapters, 1 Rx)	10.64 A
<b>HA-ERWC-0068</b>	Infra-Red (IR) Control Transmitter/Receiver Kit for HA-EXOB05R Cable	13.06 B

## HDMI Accessory - Repeaters & Boosters



<b>HD-V-R65</b>	HDMI 2.0 18Gb 4K@60Hz Equalizer/Extender/Repeater/Booster	20.13 B
<b>FE-ADT-453</b>	HDMI 2.0 18Gb 4K@60Hz POWERED Equalizer/Extender/Repeater/Booster	26.63 B
<b>HD-C-ED970C</b>	230ft HDMI 4K@30Hz over Cat5E/Cat6 Network Cable Kit w/IR & Loop Out	78.51 B
<b>LK-V393-KIT</b>	394ft HDMI 4K@60Hz over Cat5E/Cat6 Network Cable Kit w/IR	239.48 X
<b>HD-C-EDB50C</b>	164ft HDMI 4K@60Hz over Cat5E/Cat6 Network Cable Kit w/IR & Loop Out	119.52 A
<b>FE-HD-PI</b>	HDMI-HDMI Male to Female 5v Power Injector Adapter Cable via USB, 1.5ft	6.36 D

If you have a source that does not provide enough power on its HDMI output for these types of devices, this power adapter can substitute 5V from the external power supply to the downstream device.



**Features and Specifications**

- HDMI Type A Male to Type A Female (Out)
- Power Output (via HDMI port): 50mA, 5v
- Cable Length: 8 inches
- USB Charging Block NOT included (sold separately)

<b>FE-SDI3-SH</b>	SDI 3G (via BNC) to HDMI Converter to 1080P/60Hz	43.01 A
<b>FE-SDI3-HS</b>	HDMI to SDI 3G (via BNC) Converter to 1080P/60Hz	43.01 A
<b>VT-WS050A</b>	164FT HDMI 4K@30HZ Over Wireless Transmitter / Switch Receiver Kit	165.20 B
<b>VT-WS050A-TX</b>	164FT HDMI 4K@30HZ Over Wireless Additional Transmitter ONLY	82.08 B

## HDMI Accessory - Infra-Red (IR)

Infra-Red Products, Cables, and Extenders



-- INFRA-RED (IR) PRODUCTS --





This wireless IR extender converts the IR signal into an RF (Radio Frequency) signal at 433.92 MHz, for transmission to the receiver unit, up to 100 meters (about 330ft) away, through walls, doors, ceilings, and floors, or whatever. At the receiving end, an IR cable with three bulbs repeats the IR signal from your remote to up to three individual components, so you can use it up for your receiver, DVD player, and satellite receiver, for example.

**Features and Specifications**

- Transmitting Frequency (UHF): 433.92Mhz +-200kHz
- Receiving Frequencies Supported: 34-60kHz
- Emitting Frequency: 38kHz
- Power: DV 5V 500mAh via included power supplies
- Remote Control Distance: Approx 22ft supported
- Transmitting Distance: 30M - 100M (Approx 100ft to 330ft)

<b>HA-IR-1116</b>	Infra-Red (IR) Remote Control Repeater Kit for 12 Devices Dual Frequency .....	35.61 B
<b>NW-95T3471</b>	Add-on in-wall receiver for Infra-Red (IR) Repeater Kit .....	20.79 A
<b>HA-IR-1-10</b>	10ft Infra-Red (IR) Single Lead (SIGNAL TRANSMITTER) Cable .....	6.63 D
<b>HA-IR-2-10</b>	10ft Infra-Red (IR) Dual Lead (SIGNAL TRANSMITTER) Cable .....	7.98 X
<b>MO-8060</b>	5ft Infra-Red (IR) SIGNAL RECEIVER EYE Cable with RECEIVER Lens .....	11.80 C

**-- INFRA-RED (IR) CONTROL PRODUCTS --**

<b>HA-ERWC-0068</b>	Infra-Red (IR) Control Transmitter/Receiver Kit for HA-EXOB05R Cable .....	13.06 B
<b>HA-IR-RECR</b>	Infra-Red (IR) Control Receiver Kit (1 HDMI IR Adapters, 1 Rx) .....	10.64 A

## Video Cables - BNC Video / Security

### BNC Cables and Connectors

BNC Cables are a type of coaxial cable that use the BNC connector which is a common type of RF connector. The BNC (Bayonet Neill-Concelman) connector is a common type of RF connector used for the coaxial cable which connects much radio, television, and other radio-frequency electronic equipment. It is usually applied for frequencies below 3 GHz.



**-- BNC MALE/MALE COAX CABLES --**

<b>FE-BNC-6IN</b>	6 inch BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	1.96 D
-------------------	--	--------



The BNC (Bayonet Neill-Concelman) connector is a common type of RF connector used for the coaxial cable which connects much radio, television, and other radio-frequency electronic equipment. It is usually applied for frequencies below 3 GHz

**Features and Specifications**

- Type: RG59 Coax
- Wire Gauge: 22 AWG
- Ohm Rating: 75
- Shield Type: Braided 95%
- Connector Type: BNC Male/Male, Nickel Plated

<b>FE-BNC-01</b>	1.5ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	2.19 D
<b>FE-BNC-03</b>	3ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	2.40 D
<b>FE-BNC-06</b>	6ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	2.76 C
<b>FE-BNC-10</b>	10ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	3.15 D
<b>FE-BNC-12</b>	12ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	3.71 D
<b>FE-BNC-15</b>	15ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	4.05 D
<b>FE-BNC-20</b>	20ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	5.28 C
<b>FE-BNC-25</b>	25ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	5.89 C
<b>FE-BNC-50</b>	50ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	9.35 C
<b>FE-BNC-75</b>	75ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	11.52 B
<b>FE-BNC-100</b>	100ft BNC Plug RG59/Coax Cable, Male to Male, Nickel Plated .....	15.19 C

**-- 6G-SDI (SERIAL DIGITAL INTERFACE) PROFESSIONAL GOLD PLATED COAX CABLES --**

<b>FE-SDI6-02</b>	2ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	4.27 D
-------------------	---	--------



This specialized BNC cable meets the 6G-SDI (Serial Digital Interface) standards to support 6 Gbps, and maximum resolutions to 4Kx2K (2160P30 YUV 4:2:2) at 30Hz. The 6G-SDI standard is 100% backward compatible with the SD-SDI, ED-SDI, HD-SDI, and 3G-SDI specifications (SMPTE 259M, 344M, 292M, 373M, 424M, and the 6G-SDI standard of SMPTE ST-2081), but supports the faster 6Gbps speed needed for tomorrow's 4Kx2K video/audio applications.

#### Features and Specifications

- Meets SMPTE ST-2081 6G-SDI Standards
- Supports to 6 Gbps or better
- Supports: 1080P (All formats to YUV 4:4:4), 10/12-bit 4Kx2K RAW, 10-bit 4Kx2K YUV 4:2:2
- Cable Spec: RG6/U (Copper) 18AWG, Quad Shield
- Professional quality BNC connector with fully-wrapped shielding end-to-end
- Color: Black, with Blue PVC molded end connectors
- 75 Ohm

<b>FE-SDI6-03</b>	3ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	4.76 D
<b>FE-SDI6-06</b>	6ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	6.87 D
<b>FE-SDI6-08</b>	8ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	7.64 D
<b>FE-SDI6-10</b>	10ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	9.77 D
<b>FE-SDI6-12</b>	12ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	10.23 D
<b>FE-SDI6-15</b>	15ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	12.25 D
<b>FE-SDI6-20</b>	20ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	15.52 D
<b>FE-SDI6-25</b>	25ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	20.45 D
<b>FE-SDI6-50</b>	50ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	35.31 D
<b>FE-SDI6-75</b>	75ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	44.14 C
<b>FE-SDI6-100</b>	100ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	58.85 C
<b>FE-SDI6-150</b>	150ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	80.63 C
<b>FE-SDI6-200</b>	200ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	93.84 C
<b>FE-SDI6-250</b>	250ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin	120.98 C
<b>FE-SDI6-500B</b>	500ft RG6/18AWG 6G-SDI (4K) Bulk Coax HD Video Cable, 6Ghz, Black	108.68 A
<b>FE-SDI6-1000B</b>	1000ft RG6/18AWG 6G-SDI (4K) Bulk Coax HD Video Cable, 6Ghz, Black	208.01 A
<b>FE-SDI3-SH</b>	SDI 3G (via BNC) to HDMI Converter to 1080P/60Hz	43.01 A
<b>FE-SDI3-HS</b>	HDMI to SDI 3G (via BNC) Converter to 1080P/60Hz	43.01 A

#### -- 12G-SDI UHD (SERIAL DIGITAL INTERFACE) PROFESSIONAL GOLD PLATED COAX CABLES --

<b>FE-SDI12-02</b>	2ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	8.48 D
<b>FE-SDI12-01</b>	1.5ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	7.88 D
<b>FE-SDI12-03</b>	3ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	9.45 D
<b>FE-SDI12-06</b>	6ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	15.75 D
<b>FE-SDI12-08</b>	8ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	17.29 D
<b>FE-SDI12-10</b>	10ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	19.55 D
<b>FE-SDI12-12</b>	12ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	22.18 D
<b>FE-SDI12-15</b>	15ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	25.56 D
<b>FE-SDI12-20</b>	20ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male Gold Pin	31.58 D
<b>FE-SDI12-25</b>	25ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	37.29 D
<b>FE-SDI12-50</b>	50ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin	66.16 D
<b>FE-SDI12-75</b>	75ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin	127.03 D
<b>FE-SDI12-100</b>	100ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin	165.99 D
<b>FE-SDI12-150</b>	150ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin	243.84 D
<b>FE-SDI12-200</b>	200ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin	321.63 D
<b>FE-SDI12-250</b>	250ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin	399.26 D

#### -- BNC ADAPTERS, CONNECTORS, ACCESSORIES --

<b>FE-ADT-232</b>	BNC/RG59 Compression Connector for Quad Shield RG6 Coax Cable, each	1.42 X
<b>FE-ADT-366</b>	6G-SDI (4K) BNC Compression Connector for QUAD Shield RG6 Coax	3.94 D
<b>FE-ADT-233</b>	BNC/RG6 Compression Connector for QUAD Shield RG6 Coax Cable (Each)	1.41 D
<b>BE-270304BL</b>	BNC/RG59 Compression Connector for QUAD Shield RG59 Coax Cable (Each)	2.43 C
<b>FE-ADT-283</b>	BNC/RG59 Compression Connector for Dual Shield RG59 Coax Cable (Each)	1.99 D
<b>FE-ADT-205</b>	BNC/RG59 Twist-On Connector for Dual Shield RG59 Coax Cable (Each)	0.77 B
<b>FE-ADT-206</b>	BNC Coupler Adapter, Female/Female Nickel Plated	0.72 D
<b>FE-ADT-365</b>	6G-SDI (4K) BNC Coupler/Adapter, Gold Plated Pin Insert, Female/Female	3.81 D



BNC T-Connector, Nickel Plated

<b>FE-BNC-90</b>	BNC Male/Female Right Angle Adapter, Nickel Plated	2.14 C
<b>FE-ADT-104</b>	BNC Plug (Male) / RCA Jack (Female) Adapter GOLD PLATED	1.35 D
<b>FE-ADT-105</b>	BNC Female to RCA Male Adapter, Nickel Plated	1.07 D
<b>FE-ADT-207</b>	BNC Male to "F" (Coax) Type Connector	0.89 D
<b>FE-ADT-208</b>	BNC Female to "F" (RG6) Type Male Connector	1.17 C
<b>FE-ADT-394</b>	BNC Terminator Adapter, 50 ohm	2.70 D
<b>FE-ADT-395</b>	BNC Terminator Adapter, 75 ohm	2.13 D
<b>FE-ADT-428</b>	BNC Male to SMA Antenna Female Adapter, Gold Plated (Connectors)	2.48 C
<b>FE-ADT-429</b>	BNC Female to SMA Antenna Male Adapter, Gold Plated	2.48 C
<b>FE-ADT-300</b>	4inch RIGHT ANGLE 3.5mm MONO Male to FEMALE BNC Adapter Cable	2.01 C



**Features and Specifications**

- BNC Female to 3.5mm MONO Adapter Cable
- Nickel Plated Mono 3.5mm connector with strain relief
- Nickel Plated BNC connector
- 4 inches (end to end) (100mm +- 20mm)
- PVC Outer jacket, RoHS-2 Compliant
- 30AWG wire
- Wire Spec: 30AWG 7/0.1BC\*2C OD:2.5MM
- Outer Diameter Cable: Approx 2.5mm

<b>FE-PAN-BNC</b>	Wall plate: BNC Female D-Series/Neutrik Panel Mount Connector, Metal	4.24 B
<b>WN-TOOLCOM-N</b>	Deluxe Coaxial Compression Tool for RG59, RG6, and RG11 F Type Connector	47.74 A
<b>BE-252023</b>	Compression Connector Tool Kit, Cutter, and Compression Connectors (18pc)	64.79 A

## Video Cables - Coax / RG6

Coax/RG6/F Type Satellite Cable

Quad Shield Coax Cable with 2xFoil and 2xBraid Shielding in Black. These are High-Bandwidth, High-Speed cables for high definition satellite and cable systems.

**-- RG6 COAX QUAD SHIELD HI-BANDWIDTH CABLES FOR SATELLITE / CABLE TV, BLACK --**



<b>FE-RG6-8IN</b>	8inch RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	2.28 D
<b>FE-RG6-01</b>	1.5ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	2.40 D
<b>FE-RG6-02</b>	2ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	2.59 D
<b>FE-RG6-03</b>	3ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	2.82 D

This premium RG6 Type F Cable is perfect for connecting up your Satellite or Cable Box receiver. Each end is gold-plated to ensure a perfect connection and to resist oxidation. It is satellite rated and CL-2 (Class 2) rated for in-wall installation.



**Features and Specifications**

- Standard Coax F-type connection
- Quad (4 times) shielded to virtually eliminate any outside interference
- Insulation Material: PVC 45pa
- Aluminum Braid / Foil / Braid / Foil shielded
- Cable Outer Diameter: 7.0mm
- Color: Black, CL-2 In-Wall Rated
- 18 AWG center core wire (.040 +- Bare Copper-Clad Steel Conductor)
- 75 Ohm Rated, Gold Plated, RoHS
- Frequency Rating: 2200Mhz (Sweep Tested to 3.0GHz)



<b>FE-RG6-06</b>	6ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	4.10 D
<b>FE-RG6-06</b>	6ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	4.10 D
<b>FE-RG6-12</b>	12ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	4.99 C
<b>FE-RG6-15</b>	15ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	6.44 D
<b>FE-RG6-20</b>	20ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	6.87 D
<b>FE-RG6-25</b>	25ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	8.32 D
<b>FE-RG6-35</b>	35ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	9.23 B
<b>FE-RG6-50</b>	50ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	12.83 B
<b>FE-RG6-75</b>	75ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	16.93 C
<b>FE-RG6-100</b>	100ft RG6 QUAD SHIELD Black HI-BANDWIDTH Coax Cable F-type Gold Plated	23.33 B

**-- RG6 COAX QUAD SHIELD HI-BANDWIDTH CABLES FOR SATELLITE / CABLE TV, WHITE --**

<b>FE-RG6W-03</b>	3ft RG6 QUAD SHIELD HI-BANDWIDTH Coax Cable F-type Gold Plated WHITE	2.74 D
-------------------	--	--------

This premium RG6 Type F Cable is perfect for connecting up your Satellite or Cable Box receiver. Each end is gold-plated to ensure a perfect connection and to resist oxidation. It is satellite end and CL-2 (Class 2) rated for in-wall installation.



**Features and Specifications**

- Standard Coax F-type connection
- Quad (4 times) shielded to virtually eliminate any outside interference
- Insulation Material: PVC 45pa
- Aluminum Braid / Foil / Braid / Foil shielded
- Cable Outer Diameter: 7.0mm
- Color: White, CL-2 In-Wall Rated
- 18 AWG center core wire (.040 +- Bare Copper-Clad Steel Conductor)
- 75 Ohm Rated, Gold Plated, RoHS
- Frequency Rating: 2200Mhz (Sweep Tested to 3.0GHz)

<b>FE-RG6W-06</b>	6ft RG6 QUAD SHIELD HI-BANDWIDTH Coax Cable F-type Gold Plated WHITE	3.38 D
<b>FE-RG6W-12</b>	12ft RG6 QUAD SHIELD HI-BANDWIDTH Coax Cable F-type Gold Plated WHITE	4.53 D
<b>FE-RG6W-25</b>	25ft RG6 QUAD SHIELD HI-BANDWIDTH Coax Cable F-type Gold Plated WHITE	6.96 C
<b>FE-RG6W-50</b>	50ft RG6 QUAD SHIELD HI-BANDWIDTH Coax Cable F-type Gold Plated WHITE	13.32 C

**-- RG6 COAX BULK CABLE --**

<b>WN-12FT-RG59RBK1</b>	12FT RG59 DUAL SHIELD Black HI-BANDWIDTH Bulk Coax Cable ,Black,END CUT	1.58 A
<b>WN-RG59RBK1</b>	1000ft RG59 Shielded Black HI-BANDWIDTH Bulk Coax Cable , Black	162.62 X
<b>WN-1FT-RG59RBK1</b>	RG59 DUAL SHIELD Black HI-BANDWIDTH Bulk Coax Cable PER FOOT , Black	0.25 X
<b>WN-RG6URWH1</b>	1000ft RG6 Dual SHIELD White HI-BANDWIDTH Bulk Coax Cable, White	106.38 X
<b>WN-RG6QRBK4-500</b>	500ft RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax Cable , Black	74.51 X
<b>WN-H6182JRBK</b>	1000ft RG6 Siamese 18/2 Black HI-BANDWIDTH Bulk Coax Cable , Black ⊗	227.47 X
<b>WN-RG11PWH2</b>	1000ft RG11 DUAL SHIELD *PLENUM* HI-BANDWIDTH 3Ghz Bulk Coax Cable, White	848.23 X
<b>WN-1FT-RG6QOSPBK1</b>	RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax **BURIAL** Cable, PER FOOT	0.21 X
<b>WN-RG11RBK2</b>	1000ft RG11 DUAL SHIELD CMR HI-BANDWIDTH 3Ghz Bulk Coax Cable, Black	215.97 X
<b>WN-1FT-RG11RBK2</b>	RG11 DUAL SHIELD Black HI-BANDWIDTH 3Ghz Bulk Coax Cable PER FOOT	0.35 X
<b>WN-RG6QOSPBK1</b>	1000ft RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax BURIAL Cable , Black	121.80 X
<b>WN-RG6QRBK1</b>	1000ft RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax Cable , Black	95.59 X
<b>WN-RG6QPWH4</b>	1000ft RG6 QUAD SHIELD/PLENUM HI-BANDWIDTH Bulk Coax Cable, White	375.22 X
<b>WN-RG6URBK1</b>	1000ft RG6 Dual SHIELD Black HI-BANDWIDTH Bulk Coax Cable, Black	110.74 X
<b>WN-RG6QRWH1</b>	1000ft RG6 QUAD SHIELD White HI-BANDWIDTH Bulk Coax Cable, White	100.89 X

**-- RG6 COAX CONNECTORS, ADAPTERS, AND ACCESSORIES --**

<b>NW-31AC3160</b>	Digital Tuner (QFX CV-103) Off-Air Antenna with HDMI/Composite/USB & DVR	59.80 A
<b>FE-ADT-153</b>	RG6 Quick Connector, Twist-on Type, Nickel Plated (Each)	0.24 C
<b>FE-ADT-440</b>	RG6/F QUAD SHIELD Compression Adapter/Connector for RG6, Each	0.90 C
<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type	1.04 B
<b>NW-51M2616</b>	Coax F-type Lightning and Surge Protector Adapter (Male to Female)	6.15 B
<b>FE-ADT-437</b>	Coax F-Type Female to N-type Male Adapter, Threaded, Nickel Plated	3.07 D
<b>FE-ADT-370</b>	Coax Female Threaded Adapter to F-type Male Push-Type Adapter / Coupler	1.01 C
<b>FE-ADT-325</b>	RG6/F Weatherproof Compression Connector for Dual/Quad Shield RG6 Cable	1.45 C
<b>NW-05H6813</b>	RG11/F Compression Connector (Belden) for RG11 Trunk Cable (Each)	13.52 X
<b>FE-ADT-416</b>	RG11/F Compression Connector for Dual Shield Cable	3.88 C
<b>FE-ADT-154</b>	RG6/F Compression Connector for Dual Shield RG6 Cable (Each)	0.94 C
<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each	1.68 D
<b>FE-ADT-233</b>	BNC/RG6 Compression Connector for QUAD Shield RG6 Coax Cable (Each)	1.41 D
<b>FE-ADT-283</b>	BNC/RG59 Compression Connector for Dual Shield RG59 Coax Cable (Each)	1.99 D
<b>BE-270304BL</b>	BNC/RG59 Compression Connector for QUAD Shield RG59 Coax Cable (Each)	2.43 C
<b>FE-ADT-205</b>	BNC/RG59 Twist-On Connector for Dual Shield RG59 Coax Cable (Each)	0.77 B
<b>FE-ADT-232</b>	BNC/RG59 Compression Connector for Quad Shield RG6 Coax Cable, each	1.42 X

<b>FE-ADT-366</b>	6G-SDI (4K) BNC Compression Connector for QUAD Shield RG6 Coax .....	3.94 D
<b>FE-ADT-104</b>	BNC Plug (Male) / RCA Jack (Female) Adapter GOLD PLATED .....	1.35 D
<b>FE-BNC-90</b>	BNC Male/Female Right Angle Adapter, Nickel Plated .....	2.14 C
<b>FE-ADT-208</b>	BNC Female to "F" (RG6) Type Male Connector .....	1.17 C
<b>FE-ADT-207</b>	BNC Male to "F" (Coax) Type Connector .....	0.89 D
<b>FE-ADT-258</b>	RCA Female to F-type (Coax) Male Adapter - Nickel Plated .....	0.81 C
<b>FE-ADT-396</b>	F-Type (Coax) Terminator, 75 ohm .....	2.13 D
<b>FE-MSA-391</b>	Antenna Signal Amplifier (24dB) 54Mhz-1000Mhz, Powered .....	29.65 C
<b>NW-52T9527</b>	Antenna Signal Amplifier/Adapter (25dB) 50Mhz-860Mhz, Powered .....	22.48 B



Compact indoor signal amplifier is perfect for indoor TV and FM antennas requiring more signal gain. The bandwidth of 50Mhz ~ 860Mhz makes it suitable for all HDTV television broadcasts, as well as standard and HD FM.

**Features and Specifications**

- Bandwidth: 50~860MHz
- For indoor use only
- Boosts Signal +25dB
- Operates on 12VDC, 200mA (adapter included)

<b>FE-RG6-FF</b>	Coax Coupler for RG59 / RG6 F-Type Cables, Nickel Plated .....	1.00 D
<b>FE-ADT-185</b>	Coax Coupler Adapter, Nickel Plated (RG59/RG6) 2.4Ghz Support (High Speed) .....	1.64 D
<b>FE-F-SURGE</b>	Coax Cable F-Type (RG59 / RG6) Adapter Surge Protector .....	13.37 B
<b>FE-RG6HS-90</b>	Coax/F-Type Right Angle Adapter HIGH SPEED 2.5Ghz, Nickel Plated (RG6/RG59) .....	1.42 D

Need to connect your RG6 coax cable in a hard to reach location? Our coax angle adapter, now supporting 2.5Ghz, is the perfect solution for tight corners




**Features and Specifications**

- Right Angle F-type Coax Adapter
- Male/Female
- 90 Degree Angle for tight fitting spaces
- Suitable for RG6, or RG59 cable, satellite, and high speed internet/network connections
- Nickel Plated
- Suitable for 1080P, and 4K Satellite, Antenna, and Cable TV signals
- High Speed 2.5Ghz

<b>FE-ADT-145</b>	RCA Male to F (Coax) Female Adapter - Nickel Plated .....	1.23 D
<b>FE-ADT-106</b>	RCA Male to F (Coax) Female Adapter - Gold Plated .....	1.42 D

**-- RG6 COAX SPLITTERS, DISTRIBUTION SYSTEMS, AMPLIFIERS, AND SWITCHES --**

<b>FE-ADT-140</b>	Coax Splitter, 2 Way, (Premium, Gold Plated) 5-2400 Mhz .....	3.42 C
-------------------	---	--------



This premium signal splitter is able to split a single input signal into multiple separate signals. Convenient and ideal for those who have the need for additional outputs into multiple displays from one source.

- Non-powered
- 5~2400 MHz
- 1 input 2 output
- 2-way F-type splitter
- Best for cable, satellite TV where a HIGH QUALITY split is needed with minimal signal loss

<b>FE-ADT-157</b>	Coax Splitter, 4 Way, (Premium, Gold Plated) 5-2400 Mhz .....	5.37 D
<b>DA-70-0078</b>	4-Gang 110 Phone Plate with Coax Video Distribution Wall-Plate, White .....	33.81 X
<b>DA-RG6-30-1516</b>	Coax Splitter: 6 Way 1000Mhz .....	13.75 B
<b>DA-RG6-30-1518</b>	Coax Splitter: 8 Way 1000Mhz .....	15.44 B
<b>NW-97W3569</b>	Coax Splitter: 8 Way 54-1000Mhz, Amplified, Powered .....	78.79 B
<b>NW-42AH1271</b>	Antenna Transformer Adapter (75/30 Ohm) for Legacy TV Support, Out/Indoor .....	8.79 A

**-- RG6 COAX CRIMPING AND STRIPPING TOOLS AND ACCESSORIES --**

<b>BE-252023</b>	Compression Connector Tool Kit, Cutter, and Compression Connectors (18pc) .....	64.79 A
<b>WN-TOOLCOM-N</b>	Deluxe Coaxial Compression Tool for RG59, RG6, and RG11 F Type Connector .....	47.74 A
<b>FE-PAN-F</b>	Wall plate: Coax/F-Type 2.5Ghz D-Series/Neutrik Panel Mount Connector .....	4.73 C
<b>DA-WAL-32-0032</b>	Wall plate: 2 F/Type Coax Connectors, White .....	2.06 B
<b>BE-101812IV</b>	Keystone Wallplate Jack Insert/Coupler Type for Coax F-Type/RG-6/RG-59, Ivory .....	0.97 B

<b>FE-KEY-RG6HS-WH</b>	Keystone Jack Insert/Coupler Type: Coax F-Type 2.4Ghz HIGH SPEED, White	2.02 D
<b>FE-KEY-RG6HS-BK</b>	Keystone Jack Insert/Coupler Type: Coax F-Type 2.4Ghz HIGH SPEED, Black	2.02 D
<b>ZH-KEY-RCAF-IV</b>	Keystone Jack Insert/Coupler Type: RCA to F-Type (Coax),Nickel Plated,Ivory	2.32 X

# Video Cables - Component Video (RCA)

1, 2, 3 and 5 Wire PREMIUM RCA Cables supporting your Digital Audio, Composite Video, Analog Audio, Component Video. Gold Plated!

## 2 Wire RCA Left and Right Audio

Price / Tier



<b>FE-AUD-6IN</b>	6inch 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	6.66 C
<b>FE-AUD-12IN</b>	12inch 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	6.85 C
<b>FE-AUD-01</b>	1.5ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	7.08 B
<b>FE-AUD-03</b>	3ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	7.23 C
<b>FE-AUD-06</b>	6ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	7.35 B

### -- 2 WIRE HIGH DEFINITION COMPONENT AUDIO CABLES --



Connects any DVD, TV/HDTV, VCRs, CD players, receivers and other home theater devices with component audio connectors.

Connectors: single RCA Plug (male) to single RCA Plug (male)

- Connectors: Dual-RCA Male to Male,
- Cable Color: Black, with white and red identification leads
- Conduction Impedance: 30ohm, Insulation Impedance: 5MOhm
- High Voltage Tested to DC-500V
- Per Cable: 17 Conducting Strands, 0.16mm per conductor, Pure 99.99% Copper, 22 AWG
- Aluminum Foil shielding, #32 Braid with OD 0.12mm
- UL Listed, CL-2 In wall rated

<b>FE-AUD-10</b>	10ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	8.31 B
<b>FE-AUD-15</b>	15ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	10.22 B
<b>FE-AUD-25</b>	25ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	14.66 B
<b>MO-RCA-2867</b>	35ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	15.41 A
<b>FE-AUD-50</b>	50ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	26.72 C
<b>FE-AUD-75</b>	75ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	33.59 B
<b>FE-AUD-100</b>	100ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black	52.42 C

### -- 2 WIRE RCA GENERAL DUTY AUDIO CABLES --

<b>FE-RCA-2A-01</b>	1.5ft 2 Wire RCA Audio Cables, Male/Male (General Duty)	1.96 D
<b>FE-RCA-2A-02</b>	2ft 2 Wire RCA Audio Cables, Male/Male (General Duty)	2.24 D



Dual cable, General Duty with color coded RCA plugs on each end.

Connectors: single RCA Plug (male) to single RCA Plug (male)

- Connectors: Dual-RCA Male to Male,
- Cable Color: Black, with white and red identification leads
- Unshielded
- Economical solution for stereo audio

<b>FE-RCA-2A-03</b>	3ft 2 Wire RCA Audio Cables, Male/Male (General Duty)	2.49 D
<b>FE-RCA-2A-06</b>	6ft 2 Wire RCA Audio Cables, Male/Male (General Duty)	2.70 D
<b>FE-RCA-2A-12</b>	12ft 2 Wire RCA Audio Cables, Male/Male (General Duty)	3.22 D
<b>FE-RCA-2A-25</b>	25ft 2 Wire RCA Audio Cables, Male/Male (General Duty)	4.85 C

### -- 2 WIRE RCA TO 3.5MM HIGH DEFINITION COMPONENT AUDIO CABLES --

<b>FE-PR3RCA-6IN</b>	6inch 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	3.72 B
<b>FE-PR3RCA-03</b>	3ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	6.61 C
<b>FE-PR3RCA-06</b>	6ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	8.00 C
<b>FE-PR3RCA-10</b>	10ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	9.96 C
<b>FE-PR3RCA-15</b>	15ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	10.14 B
<b>FE-PR3RCA-25</b>	25ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	18.31 C
<b>FE-PR3RCA-35</b>	35ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	24.57 C
<b>FE-PR3RCA-50</b>	50ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	27.05 C

### -- 3.5MM MINI-STEREO TRS MALE TO TWO RCA MALE AUDIO CABLES --



Convert the 3.5mm stereo TRS port on your PC into regular RCA for connecting to your home stereo receiver. Uses 75ohm coaxial cable to provide best audio performance. Connectors: 3.5mm Mini-Stereo TRS Male to 2 RCA Male.

<b>FE-3MM-MRCA-02</b>	2ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	1.49 C
<b>FE-3MM-MRCA-03</b>	3ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	1.87 C
<b>FE-3MM-MRCA-06</b>	6ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	4.24 D
<b>FE-3MM-MRCA-12</b>	12ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	2.79 D
<b>FE-3MM-MRCA-20</b>	20ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	3.79 D
<b>FE-3MM-MRCA-25</b>	25ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	4.43 D
<b>FE-3MM-MRCA-35</b>	35ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	5.56 X
<b>FE-3MM-MRCA-50</b>	50ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	5.91 D

**-- RCA VIDEO ADAPTERS, CONNECTORS, SPLITTERS, AND CONVERTERS --**

<b>ZT-T-608</b>	Analog (2 RCA) Audio to Digital Coax or Optical Toslink Converter .....	14.10 B
<b>ZT-T-609PRO</b>	Digital Audio to Analog 3.5mm and 2 RCA Converter Amplifier Volume Control .....	17.96 A
<b>ZT-T-609S</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter PLUS 3.5mm Output .....	17.96 A
<b>ZT-T-609B</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter w/Bluetooth Recvr .....	23.38 A
<b>FE-AY80</b>	HDMI ARC Audio Extractor/Converter, RCA/Coax/Toslink Audio/OUT .....	25.14 A
<b>HD-C-SWB11A</b>	HDMI (4K@60Hz) eARC/AC Audio Extractor/Converter Multi-Port with HDCP 2.3 .....	86.02 A
<b>FE-ADT-108</b>	RCA Female-Female Coupler / Connector (Nickel Plated) Adapter .....	0.43 D



RCA 75-ohm Video Couplers offer excellent picture quality for today's video and home theater applications.

- NICKEL plating providing low-loss signal transfers
- 75-ohms impedance
- Nickel plated
- Female-Female

<b>FE-ADT-107</b>	RCA Video Audio Coupler / Adapter (RCA Male to Male) .....	0.83 D
<b>FE-ADT-110</b>	6 inch RCA Plug to 2 RCA (1 RCA Male to 2 RCA Female) Adapter Cable .....	2.55 D
<b>FE-ADT-183</b>	RCA Male to 2 RCA Female Piggy-Back Splitter (Premium), Gold Plated .....	5.58 C
<b>FE-ADT-100</b>	6inch RCA Video/Audio Splitter (1 RCA Female to 2 RCA Male) Y Cable .....	1.17 C
<b>FE-ADT-101</b>	RCA Video Audio Splitter Adapter (RCA 1 Male to 2 RCA Female) .....	1.12 D
<b>FE-ADT-103</b>	RCA Video Audio Splitter Adapter (RCA Female to 2 RCA Female) .....	1.18 C
<b>FE-ADT-295</b>	3.5mm Mono Male TS Plug to RCA Female Jack Adapter, Nickel Plated .....	1.05 D
<b>FE-3MM-3MRCA</b>	RCA Audio Splitter Adapter (3.5mm Male Stereo TRS to 2 RCA Female) .....	1.38 D
<b>FE-ADT-152</b>	3.5mm Male MONO TS Plug to RCA Female Mono Jack, Nickel Plated, each .....	1.13 D
<b>FE-ADT-151</b>	3.5mm Female MONO TS Jack to RCA Male Mono Plug, Nickel Plated .....	0.83 D
<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each .....	1.68 D
<b>FE-3MM-FRCA</b>	4 inch Mini Jack 3.5mm Male Stereo Plug to 2 RCA Female Jack adapter cable .....	2.37 D
<b>FE-3MM-MRCA-04IN</b>	4 INCH 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Adapter Cable .....	1.30 X
<b>CV-CSP345H-22-8IN</b>	6 INCH PLENUM 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter .....	22.19 A
<b>FE-3MM-FMRCA</b>	8 INCH 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter .....	1.79 D

Convert any PC stereo speaker cable into regular RCA and connect it to your stereo system. It uses 75ohm coaxial cable to provide best audio performance.



**Features and Specifications**

- Connectors: 3.5mm TRS Female
- 2 RCA Male Male
- Length: Approx 8inches

<b>FE-ADT-370</b>	Coax Female Threaded Adapter to F-type Male Push-Type Adapter / Coupler .....	1.01 C
<b>FE-ADT-145</b>	RCA Male to F (Coax) Female Adapter - Nickel Plated .....	1.23 D



<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type .....	1.04 B
<b>FE-ADT-106</b>	RCA Male to F (Coax) Female Adapter - Gold Plated .....	1.42 D
<b>FE-ADT-210</b>	RCA 90 Degree Adapter Male/Female Nickel Plated (Each) .....	0.94 C
<b>FE-ADT-105</b>	BNC Female to RCA Male Adapter, Nickel Plated .....	1.07 D
<b>FE-IPOD-RCA-R</b>	2.5ft iPhone/iPod Audio out (Apple Connector to Audio 2xRCA), Retractable .....	3.55 D
<b>FE-ADT-104</b>	BNC Plug (Male) / RCA Jack (Female) Adapter GOLD PLATED .....	1.35 D
<b>FE-ADT-258</b>	RCA Female to F-type (Coax) Male Adapter - Nickel Plated .....	0.81 C
<b>FE-ADT-302</b>	1/4" Stereo Jack (Male) to 2 RCA (Female) Adapter, Nickel Plated .....	1.51 D
<b>FE-ADT-296</b>	3.5mm Stereo Jack (Male) to 2 RCA (Female) Adapter, Gold Plated .....	1.22 D
<b>MO-RCA-6212</b>	Premium RCA PLUG Connector, Self-Solder, Gold Plated .....	3.47 B
<b>NW-29X0259</b>	Stereo Line (left/right) Automatic RCA Switch with level selection .....	73.09 A
<b>NW-95W1962</b>	Stereo Phono Preamplifier (Pre-Amp/Adapter), RCA Inputs/RCA Outputs .....	37.29 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## 5 Wire Component Video and Audio Bundle

Price / Tier



**ZH-RCA-5AV-03**

### -- 5 WIRE HIGH DEFINITION COMPONENT VIDEO AND AUDIO CABLES --

3ft RCA Premium IN-WALL 5-Wire Component Video/Audio Cables Gold Plated .....	29.62 C
---	---------

### -- RCA VIDEO ADAPTERS, CONNECTORS, SPLITTERS, AND CONVERTERS --

<b>FE-ADT-110</b>	6 inch RCA Plug to 2 RCA (1 RCA Male to 2 RCA Female) Adapter Cable .....	2.55 D
<b>FE-ADT-107</b>	RCA Video Audio Coupler / Adapter (RCA Male to Male) .....	0.83 D
<b>FE-ADT-100</b>	6inch RCA Video/Audio Splitter (1 RCA Female to 2 RCA Male) Y Cable .....	1.17 C
<b>FE-ADT-108</b>	RCA Female-Female Coupler / Connector (Nickel Plated) Adapter .....	0.43 D



RCA 75-ohm Video Couplers offer excellent picture quality for today's video and home theater applications.

- NICKEL plating providing low-loss signal transfers
- 75-ohms impedance
- Nickel plated
- Female-Female

<b>FE-ADT-210</b>	RCA 90 Degree Adapter Male/Female Nickel Plated (Each) .....	0.94 C
<b>FE-ADT-103</b>	RCA Video Audio Splitter Adapter (RCA Female to 2 RCA Female) .....	1.18 C
<b>FE-ADT-101</b>	RCA Video Audio Splitter Adapter (RCA 1 Male to 2 RCA Female) .....	1.12 D
<b>FE-ADT-183</b>	RCA Male to 2 RCA Female Piggy-Back Splitter (Premium), Gold Plated .....	5.58 C
<b>FE-ADT-152</b>	3.5mm Male MONO TS Plug to RCA Female Mono Jack, Nickel Plated, each .....	1.13 D
<b>FE-ADT-151</b>	3.5mm Female MONO TS Jack to RCA Male Mono Plug, Nickel Plated .....	0.83 D
<b>FE-ADT-104</b>	BNC Plug (Male) / RCA Jack (Female) Adapter GOLD PLATED .....	1.35 D
<b>FE-ADT-105</b>	BNC Female to RCA Male Adapter, Nickel Plated .....	1.07 D
<b>FE-ADT-370</b>	Coax Female Threaded Adapter to F-type Male Push-Type Adapter / Coupler .....	1.01 C
<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type .....	1.04 B
<b>FE-ADT-106</b>	RCA Male to F (Coax) Female Adapter - Gold Plated .....	1.42 D
<b>MO-RCA-6212</b>	Premium RCA PLUG Connector, Self-Solder, Gold Plated .....	3.47 B
<b>FE-ADT-145</b>	RCA Male to F (Coax) Female Adapter - Nickel Plated .....	1.23 D
<b>FE-ADT-258</b>	RCA Female to F-type (Coax) Male Adapter - Nickel Plated .....	0.81 C
<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each .....	1.68 D
<b>FE-HHYPBPR-06</b>	6ft HDMI to Component Video (YPbPr) with Left/Right Audio Converter Cable .....	16.28 A

## Video Cables - Composite Video 3-RCA

### 1 Wire Composite Video ONLY

Price / Tier



<b>FE-RCA-1V-6IN</b>	6 inch 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	5.32 C
<b>FE-RCA-1V-01</b>	1.5ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	7.26 C
<b>FE-RCA-1V-03</b>	3ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	7.76 B
<b>FE-RCA-1V-06</b>	6ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	9.21 C



This single wire PREMIUM Gold Plated RCA cable is suitable for S/PDIF Audio Connections (Typically an Orange Connector), Legacy Composite Video Connection (normally with a yellow connector), and Sub-Woofer Connectors.

- Connectors: single RCA Plug (male) to single RCA Plug (male)
- 24k Gold Plated 8-cut connectors ensure long-lasting, corrosion-free connections
- High-quality coax wire with copper braid shield reduces unwanted noise and distortion
- Gold-plated, RCA connectors give you solid, corrosion-free contact
- True digital signal maintained by high materials and connectors
- 99.999% Pure Copper Non-OFC conductor, CL-2 In-Wall Rated
- THICK 18AWG 75 Ohm Copper Wire
- Conduction Impedance: 3 Ohms
- Pure Copper 99.99%, #144 Braid

<b>FE-RCA-1V-15</b>	15ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	13.75 B
<b>FE-RCA-1V-20</b>	20ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	13.71 B
<b>FE-RCA-1V-25</b>	25ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	20.70 C
<b>FE-RCA-1V-35</b>	35ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	25.99 C
<b>FE-RCA-1V-50</b>	50ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	31.91 B
<b>FE-RCA-1V-75</b>	75ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	43.89 B
<b>FE-RCA-1V-100</b>	100ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	50.09 B

**-- RCA VIDEO ADAPTERS, CONNECTORS, SPLITTERS, AND CONVERTERS --**

<b>FE-ADT-108</b>	RCA Female-Female Coupler / Connector (Nickel Plated) Adapter	0.43 D
-------------------	---	--------



RCA 75-ohm Video Couplers offer excellent picture quality for today's video and home theater applications.

- NICKEL plating providing low-loss signal transfers
- 75-ohms impedance
- Nickel plated
- Female-Female

<b>MO-RCA-6212</b>	Premium RCA PLUG Connector, Self-Solder, Gold Plated	3.47 B
<b>FE-ADT-210</b>	RCA 90 Degree Adapter Male/Female Nickel Plated (Each)	0.94 C
<b>FE-ADT-107</b>	RCA Video Audio Coupler / Adapter (RCA Male to Male)	0.83 D
<b>FE-ADT-100</b>	6inch RCA Video/Audio Splitter (1 RCA Female to 2 RCA Male) Y Cable	1.17 C
<b>FE-ADT-103</b>	RCA Video Audio Splitter Adapter (RCA Female to 2 RCA Female)	1.18 C
<b>FE-ADT-101</b>	RCA Video Audio Splitter Adapter (RCA 1 Male to 2 RCA Female)	1.12 D
<b>FE-ADT-183</b>	RCA Male to 2 RCA Female Piggy-Back Splitter (Premium), Gold Plated	5.58 C
<b>FE-ADT-110</b>	6 inch RCA Plug to 2 RCA (1 RCA Male to 2 RCA Female) Adapter Cable	2.55 D
<b>FE-ADT-151</b>	3.5mm Female MONO TS Jack to RCA Male Mono Plug, Nickel Plated	0.83 D
<b>FE-ADT-152</b>	3.5mm Male MONO TS Plug to RCA Female Mono Jack, Nickel Plated, each	1.13 D
<b>FE-ADT-104</b>	BNC Plug (Male) / RCA Jack (Female) Adapter GOLD PLATED	1.35 D
<b>FE-ADT-258</b>	RCA Female to F-type (Coax) Male Adapter - Nickel Plated	0.81 C
<b>FE-ADT-105</b>	BNC Female to RCA Male Adapter, Nickel Plated	1.07 D
<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each	1.68 D
<b>ZT-T-607B</b>	Composite (RCA) Video w L/R Analog Audio to HDMI Digital Converter w/Scaler	18.75 B
<b>ZT-T-606B</b>	HDMI Digital Converter to Composite Video with Left/Right Analog Audio	16.57 B
<b>ZT-T-U001</b>	Composite (RCA) or S-Video & Stereo Audio Capture/Converter via USB	16.23 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

**3 Wire Composite Video with Audio Bundle**

Price / Tier



**-- 3 WIRE GENERAL DUTY COMPOSITE VIDEO WITH LEFT/RIGHT AUDIO --**

<b>BE-201902</b>	3ft 3 Wire RCA GENERAL DUTY Composite Video with Audio Gold Plated Cables	3.40 C
<b>BE-201903</b>	6ft 3 Wire RCA GENERAL DUTY Composite Video with Audio Gold Plated Cables	4.12 C
<b>BE-201904</b>	12ft 3 Wire RCA GENERAL DUTY Composite Video with Audio Gold Plated Cables	5.11 C
<b>BE-201905</b>	25ft 3 Wire RCA GENERAL DUTY Composite Video with Audio Gold Plated Cables	7.90 C
<b>BE-201906</b>	50ft 3 Wire RCA GENERAL DUTY Composite Video with Audio Gold Plated Cables	18.06 D
<b>BE-201907</b>	75ft 3 Wire RCA GENERAL DUTY Composite Video with Audio Gold Plated Cables	25.81 D
<b>BE-201908</b>	100ft 3 Wire RCA GENERAL DUTY Composite Video with Audio Gold Plated Cables	39.62 D

**-- RCA VIDEO ADAPTERS, CONNECTORS, SPLITTERS, AND CONVERTERS --**

<b>FE-ADT-108</b>	RCA Female-Female Coupler / Connector (Nickel Plated) Adapter .....	0.43 D
	 <ul style="list-style-type: none"> <li>RCA 75-ohm Video Couplers offer excellent picture quality for today's video and home theater applications.</li> <li>• NICKEL plating providing low-loss signal transfers</li> <li>• 75-ohms impedance</li> <li>• Nickel plated</li> <li>• Female-Female</li> </ul>	
<b>FE-ADT-210</b>	RCA 90 Degree Adapter Male/Female Nickel Plated (Each) .....	0.94 C
<b>FE-ADT-101</b>	RCA Video Audio Splitter Adapter (RCA 1 Male to 2 RCA Female) .....	1.12 D
<b>FE-ADT-103</b>	RCA Video Audio Splitter Adapter (RCA Female to 2 RCA Female) .....	1.18 C
<b>FE-ADT-183</b>	RCA Male to 2 RCA Female Piggy-Back Splitter (Premium), Gold Plated .....	5.58 C
<b>FE-ADT-107</b>	RCA Video Audio Coupler / Adapter (RCA Male to Male) .....	0.83 D
<b>FE-ADT-100</b>	6inch RCA Video/Audio Splitter (1 RCA Female to 2 RCA Male) Y Cable .....	1.17 C
<b>FE-ADT-110</b>	6 inch RCA Plug to 2 RCA (1 RCA Male to 2 RCA Female) Adapter Cable .....	2.55 D
<b>FE-ADT-152</b>	3.5mm Male MONO TS Plug to RCA Female Mono Jack, Nickel Plated, each .....	1.13 D
<b>FE-ADT-201</b>	3.5mm 4 Conductor TRRS FEMALE to 3 RCA Male L/R Audio & Video Adapter Cable .....	5.41 D
	 <ul style="list-style-type: none"> <li>• There is no industry standard for a 4-conductor (3 black ring) to 3 RCA connector or adapter. We have designed this adapter to adhere to the more common "iPod standard" (shown in the above pin-out).</li> <li>• Female 3.5mm 4 Conductor (Left and Right Audio, Video, and Ground) Female Connector</li> <li>• 3 RCA Male Connectors (Red/White RCA Audio, Yellow-Composite Video)</li> <li>• Length: Approx 6 inches</li> <li>• Nickel Plated</li> </ul>	
<b>FE-ADT-267</b>	3.5mm 4 Conductor TRRS MALE to 3 RCA FEMALE L/R Audio & Video Adapter Cable .....	5.89 X
	 <ul style="list-style-type: none"> <li>• Male 3.5mm 4 Conductor TRRS (Left &amp; Right Audio, Video, and Ground) Female Connector</li> <li>• 3 RCA Female Connectors (Red/White RCA Audio, Yellow-Composite Video)</li> <li>• Length: Approx 6 inches</li> <li>• Nickel Plated Conductors</li> <li>• See TECH DOC for wiring information</li> </ul>	
<b>FE-ADT-105</b>	BNC Female to RCA Male Adapter, Nickel Plated .....	1.07 D
<b>FE-ADT-104</b>	BNC Plug (Male) / RCA Jack (Female) Adapter GOLD PLATED .....	1.35 D
<b>MO-RCA-6212</b>	Premium RCA PLUG Connector, Self-Solder, Gold Plated .....	3.47 B
<b>FE-ADT-258</b>	RCA Female to F-type (Coax) Male Adapter - Nickel Plated .....	0.81 C
<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each .....	1.68 D
<b>ZT-T-U001</b>	Composite (RCA) or S-Video & Stereo Audio Capture/Converter via USB .....	16.23 A
<b>ZT-T-607B</b>	Composite (RCA) Video w L/R Analog Audio to HDMI Digital Converter w/Scaler .....	18.75 B
<b>FE-ADT-151</b>	3.5mm Female MONO TS Jack to RCA Male Mono Plug, Nickel Plated .....	0.83 D
<b>ZT-T-606B</b>	HDMI Digital Converter to Composite Video with Left/Right Analog Audio .....	16.57 B

## Video Cables - Display Port

Display Port Cables and Adapters

Shop top selling Display Port Adapters at My Cable Mart. Save money and continue using legacy peripherals on your new computer.

**DisplayPort Cables**

Price / Tier





<b>-- DISPLAYPORT V1.4 (8K@30HZ) TO DISPLAYPORT CABLES (BLACK) --</b>		
<b>GC-DP14-01</b>	1.5ft DisplayPort to DisplayPort (v1.4/8K@60) 28AWG Cable, Gold Plated	5.02 B
<b>GC-DP14-15</b>	15ft DisplayPort to DisplayPort (v1.4/8K@60) 28AWG Cable, Gold Plated	8.44 A
<b>-- DISPLAYPORT V2 (16K@60HZ/80GBPS) TO DISPLAYPORT CABLES --</b>		
<b>FE-DP2-01</b>	1.5ft DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables, Gold Plated	6.86 D
<b>FE-DP2-03</b>	3ft DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables, Gold Plated	7.17 D
<b>FE-DP2-06</b>	6ft DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables, Gold Plated	7.70 D
<b>FE-DP2-10</b>	10ft DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables, Gold Plated	8.44 D
<b>-- MINI DISPLAYPORT V1.4 (8K@30HZ) TO DISPLAYPORT CABLES (BLACK) --</b>		
<b>FE-MDP14-15</b>	15ft Mini DisplayPort to DisplayPort (v1.4/8K@30) Cable, 30AWG, Gold	9.40 X
<b>-- MINI DISPLAYPORT V2 (16K@60HZ/80GB) TO DISPLAYPORT CABLES (BLACK) --</b>		
<b>FE-MDP2-01</b>	1.5ft Mini DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables	6.24 C
<b>FE-MDP2-03</b>	3ft Mini DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables	9.81 D
<b>FE-MDP2-06</b>	6ft Mini DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables	10.37 D
<b>FE-MDP2-10</b>	10ft Mini DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables	15.53 D
<b>-- DISPLAYPORT ADAPTERS AND CONVERTERS --</b>		
<b>FE-ADT-254</b>	Mini DisplayPort MALE to DisplayPort FEMALE Adapter	3.68 C
<b>FE-ADT-255</b>	Mini DisplayPort FEMALE to DisplayPort MALE Adapter Cable, White	8.58 D

## Mini DisplayPort Cables

Price / Tier



<b>-- MINI DISPLAYPORT V1.4 (8K@30HZ) TO DISPLAYPORT CABLES (BLACK) --</b>		
<b>FE-MDP14-15</b>	15ft Mini DisplayPort to DisplayPort (v1.4/8K@30) Cable, 30AWG, Gold	9.40 X
<b>-- MINI DISPLAYPORT V2 (16K@60HZ/80GB) TO DISPLAYPORT CABLES (BLACK) --</b>		
<b>FE-MDP2-01</b>	1.5ft Mini DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables	6.24 C
<b>FE-MDP2-03</b>	3ft Mini DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables	9.81 D
<b>FE-MDP2-06</b>	6ft Mini DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables	10.37 D
<b>FE-MDP2-10</b>	10ft Mini DisplayPort v2 (16K@60Hz/80Gbps) to DisplayPort Cables	15.53 D
<b>-- MINI DISPLAYPORT V1.4 (8K@30HZ) CABLES (BLACK) --</b>		
<b>FE-MDMD14-03</b>	3ft Mini DisplayPort (v1.4/8K@30) Cable, 30AWG, Gold Plated, White	10.60 C
<b>FE-MDMD14-06</b>	6ft Mini DisplayPort (v1.4/8K@30) Cable, 30AWG, Gold Plated, White	12.04 C
<b>BE-184015</b>	6ft Mini DisplayPort Cable 30AWG Gold Plated, White	9.17 X
<b>FE-MDMD14-10</b>	10ft Mini DisplayPort (v1.4/8K@30) Cable, 30AWG, Gold Plated, White	15.89 C
<b>-- MINI DISPLAYPORT TO HDMI CABLES --</b>		
<b>FE-MDPHH-03</b>	3ft Mini DisplayPort to HDMI Cable 30AWG Gold Plated, 4Kx2K@30Hz, Black	11.01 C
<b>GC-MDPHH-06</b>	6ft Mini DisplayPort to HDMI Cable 32AWG Gold Plated, 4Kx2K@30Hz, Black	13.62 D
<b>GC-MDPHH-10</b>	10ft Mini DisplayPort to HDMI Cable 32AWG Gold Plated, 4Kx2K@30Hz, Black	17.73 C
<b>HA-MDPHH-15</b>	15ft Mini DisplayPort to HDMI Cable 28AWG Gold Plated, 4Kx2K@30Hz, Black	18.93 C
<b>-- MINI DISPLAYPORT TO VGA CABLES --</b>		
<b>MO-MDV-03</b>	3ft Mini DisplayPort to VGA Cable 28AWG Gold Plated, White	20.08 B
<b>FE-MDV-06</b>	6ft Mini DisplayPort to VGA MALE Cable 32AWG Gold Plated, Black	12.20 B
<b>MO-MDV-06</b>	6ft Mini DisplayPort to VGA MALE Cable 32AWG Gold Plated, White	19.77 X
<b>-- MINI DISPLAYPORT TO DVI CABLES --</b>		
<b>FE-MDD-03</b>	3ft Mini DisplayPort Cable to DVI 30AWG Gold Plated, White	13.54 D
<b>GC-MDD-01</b>	1.5ft Mini DisplayPort Cable to DVI 32AWG Gold Plated, White	13.05 D
<b>GC-MDD-06</b>	6ft Mini DisplayPort Cable to DVI 32AWG Gold Plated, White	13.47 C
<b>FE-MDD-10</b>	10ft Mini DisplayPort Cable to DVI 30AWG Gold Plated, White	16.56 D
<b>FE-MDD-15</b>	15ft Mini DisplayPort Cable to DVI 30AWG Gold Plated, White	21.39 C
<b>HA-DD-MDP</b>	Mini DisplayPort (Male) to DVI (Female) Adapter	9.69 B
<b>-- DISPLAYPORT ADAPTERS AND CONVERTERS --</b>		
<b>FE-ADT-254</b>	Mini DisplayPort MALE to DisplayPort FEMALE Adapter	3.68 C
<b>FE-ADT-255</b>	Mini DisplayPort FEMALE to DisplayPort MALE Adapter Cable, White	8.58 D

## DisplayPort to HDMI Cables

Price / Tier

### -- DISPLAYPORT 4K SOURCE TO HDMI DISPLAY CABLES --

<b>FE-HH-DP-4IN</b>	4 INCH DisplayPort SOURCE (Male) to HDMI DESTINATION (Female) Adapter Cable .....	10.02 B
<b>FE-DPHH-8IN</b>	8inch DisplayPort to HDMI Cable 28AWG Gold Plated 4Kx2K, Black .....	6.51 C



Connect your Macbook, or other DisplayPort equipped computer, directly to your HDMI equipped display with this DisplayPort to HDMI cable

- Up to 1080p resolution with digital audio
- 8b/10b data transmission (up to 2.7 GHz symbol rate, up to 4 lanes)
- 28AWG Cable Gauge, Black
- Cable Outer Diameter: 7.0mm
- RoHS Compliant
- Supports color depth of 6, 8, 10, 12 and 16 bits per color component

<b>FE-DPHH-01</b>	1.5ft DisplayPort to HDMI Cable 28AWG Gold Plated 4Kx2K@30Hz, Black .....	7.45 B
<b>GC-DPHH-03</b>	3ft DisplayPort to HDMI Cable 32AWG Gold Plated 4Kx2K@30Mhz, Black .....	12.03 C
<b>GC-DPHH-06</b>	6ft DisplayPort to HDMI Cable 32AWG Gold Plated 4Kx2K@30Hz, Black .....	8.70 C
<b>GC-DPHH-10</b>	10ft DisplayPort to HDMI Cable 32AWG Gold Plated 4Kx2K@30Hz, Black .....	14.85 C
<b>GC-DPHH-15</b>	15ft DisplayPort to HDMI Cable 32AWG Gold Plated 4Kx2K@30Hz, Black .....	17.32 C

**-- DISPLAYPORT V1.4 8K@60HZ SOURCE TO HDMI 2.1 DISPLAY CABLES --**

<b>FE-DPH8K-8IN</b>	8inch DisplayPort v1.4 to HDMI v2.1 Adapter Cable 28AWG Gold Plated 8K@60Hz .....	21.38 A
<b>FE-DPH8K-03</b>	3ft DisplayPort v1.4 to HDMI v2.1 Cable 28AWG Gold Plated 8K@60Hz, Black .....	22.47 A
<b>FE-DPH8K-06</b>	6ft DisplayPort v1.4 to HDMI v2.1 Cable 28AWG Gold Plated 8K@60Hz, Black .....	22.91 A
<b>FE-DPH8K-10</b>	10ft DisplayPort v1.4 to HDMI v2.1 Cable 28AWG Gold Plated 8K@60Hz, Black .....	23.78 A

**-- DISPLAYPORT ADAPTERS AND CONVERTERS --**

<b>FE-ADT-252</b>	HDMI Female (Source) to DisplayPort Male (Monitor) Adapter, Black .....	28.40 B
<b>ZT-T-631</b>	HDMI (Female) to HDMI (Female) and DisplayPort Splitter to 4Kx2K@60Hz .....	51.07 A

<b>DisplayPort to VGA Cables</b>		Price / Tier
<b>BC-DPVGA-3MM</b>	3ft DisplayPort to VGA Cable 28AWG Gold Plated, Black .....	21.75 C
<b>BC-DPVGA-6MM</b>	6ft DisplayPort to VGA Cable 28AWG Gold Plated, Black .....	24.34 C
<b>BC-DPVGA-10MM</b>	10ft DisplayPort to VGA Cable 28AWG Gold Plated, Black .....	27.60 C
<b>BC-DPVGA-15MM</b>	15ft DisplayPort to VGA Cable 28AWG Gold Plated, Black .....	30.85 C
<b>-- DISPLAYPORT TO VGA CABLES WHITE --</b>		
<b>MO-DV-06</b>	6ft DisplayPort to VGA Cable 28AWG Gold Plated, White .....	36.09 A
<b>MO-DV-10</b>	10ft DisplayPort to VGA Cable 28AWG Gold Plated, White .....	16.86 A
<b>-- DISPLAYPORT TO VGA CABLES ADAPTERS AND ACCESSORIES --</b>		
<b>FE-ADT-328</b>	DisplayPort (Male) to VGA (Female) Adapter Cable, White, Gold Plated .....	12.62 C
<b>MO-12800</b>	DisplayPort (Male) to HDMI (4K), DVI, VGA (Female) Adapter Cable, White .....	45.14 C
<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable .....	14.43 B



<b>DisplayPort to DVI Cables</b>		Price / Tier
<b>FE-DD-DP-03</b>	3ft DisplayPort to DVI Cable 30AWG Gold Plated, Black .....	10.51 D
<b>FE-DD-DP-06</b>	6ft DisplayPort to DVI Cable 30AWG Gold Plated, Black .....	14.50 C
<b>FE-DD-DP-10</b>	10ft DisplayPort to DVI Cable 30AWG Gold Plated, Black .....	12.42 C
<b>FE-DD-DP-15</b>	15ft DisplayPort to DVI Cable 30AWG Gold Plated, Black .....	15.61 B
<b>HA-DD-DP-4IN</b>	4inch DisplayPort (Male) to DVI-D (Female) Adapter Cable .....	9.47 B
<b>MO-12800</b>	DisplayPort (Male) to HDMI (4K), DVI, VGA (Female) Adapter Cable, White .....	45.14 C



<b>Mini DisplayPort to HDMI Cables</b>		Price / Tier
<b>-- MINI DISPLAYPORT TO HDMI CABLES --</b>		
<b>FE-MDPHH-03</b>	3ft Mini DisplayPort to HDMI Cable 30AWG Gold Plated, 4Kx2K@30Hz, Black .....	11.01 C
<b>GC-MDPHH-06</b>	6ft Mini DisplayPort to HDMI Cable 32AWG Gold Plated, 4Kx2K@30Hz, Black .....	13.62 D
<b>GC-MDPHH-10</b>	10ft Mini DisplayPort to HDMI Cable 32AWG Gold Plated, 4Kx2K@30Hz, Black .....	17.73 C
<b>HA-MDPHH-15</b>	15ft Mini DisplayPort to HDMI Cable 28AWG Gold Plated, 4Kx2K@30Hz, Black .....	18.93 C
<b>-- MINI DISPLAYPORT ADAPTERS AND CONVERTERS --</b>		



## Mini DisplayPort to DVI

Price / Tier



<b>GC-MDD-01</b>	1.5ft Mini DisplayPort Cable to DVI 32AWG Gold Plated, White	13.05 D
<b>FE-MDD-03</b>	3ft Mini DisplayPort Cable to DVI 30AWG Gold Plated, White	13.54 D
<b>GC-MDD-06</b>	6ft Mini DisplayPort Cable to DVI 32AWG Gold Plated, White	13.47 C
<b>FE-MDD-10</b>	10ft Mini DisplayPort Cable to DVI 30AWG Gold Plated, White	16.56 D
<b>FE-MDD-15</b>	15ft Mini DisplayPort Cable to DVI 30AWG Gold Plated, White	21.39 C
<b>HA-DD-MDP</b>	Mini DisplayPort (Male) to DVI (Female) Adapter	9.69 B

## DisplayPort and Mini DisplayPort Adapters

Price / Tier



### -- MINI DISPLAYPORT ADAPTERS AND CONVERTERS --

<b>FE-ADT-254</b>	Mini DisplayPort MALE to DisplayPort FEMALE Adapter	3.68 C
<b>FE-ADT-255</b>	Mini DisplayPort FEMALE to DisplayPort MALE Adapter Cable, White	8.58 D
<b>FE-HH-MDP</b>	4 INCH Mini DisplayPort (Male) to HDMI (Female) Adapter Cable	4.75 C
<b>FE-ADT-253</b>	HDMI Female (Source) to Mini DisplayPort (Monitor) Male Adapter, White	13.80 D
<b>HA-DD-MDP</b>	Mini DisplayPort (Male) to DVI (Female) Adapter	9.69 B
<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable	14.43 B
<b>FE-KEY-MDP-WH</b>	Keystone Jack Wallplate Insert/Coupler Type - Mini DisplayPort Female/Female, White	7.96 B
<b>FE-KEY-MDP-BK</b>	Keystone Jack Wallplate Insert/Coupler Type - Mini DisplayPort Female/Female, Black	7.96 B

### -- DISPLAYPORT ADAPTERS AND CONVERTERS --

<b>FE-HH-DP</b>	DisplayPort (Male) to HDMI (Female) Adapter, Gold Plated	9.16 C
<b>FE-HH-DP-4IN</b>	4 INCH DisplayPort SOURCE (Male) to HDMI DESTINATION (Female) Adapter Cable	10.02 B
<b>FE-DPH8K-8IN</b>	8inch DisplayPort v1.4 to HDMI v2.1 Adapter Cable 28AWG Gold Plated 8K@60Hz	21.38 A
<b>FE-ADT-252</b>	HDMI Female (Source) to DisplayPort Male (Monitor) Adapter, Black	28.40 B
<b>ZT-T-631</b>	HDMI (Female) to HDMI (Female) and DisplayPort Splitter to 4Kx2K@60Hz	51.07 A
<b>FE-ADT-328</b>	DisplayPort (Male) to VGA (Female) Adapter Cable, White, Gold Plated	12.62 C
<b>HA-DD-DP-4IN</b>	4inch DisplayPort (Male) to DVI-D (Female) Adapter Cable	9.47 B
<b>MO-12800</b>	DisplayPort (Male) to HDMI (4K), DVI, VGA (Female) Adapter Cable, White	45.14 C
<b>FE-ADT-358</b>	DisplayPort Dummy (Emulator) Adapter Plug, 2560x1600@60Hz Support by Fueran	10.61 B

## Video Cables - DVI

DVI Cables (All Types)

Digital Visual Interface (DVI) is a video display interface developed by the Digital Display Working Group (DDWG). The digital interface is used to connect a video source, such as a video display controller, to a display device, such as a computer monitor.

## DVI Video Cables

Price / Tier



### -- DVI DIGITAL DUAL LINK MALE/MALE CABLES (SINGLE LINK COMPATIBLE) --

<b>FE-DD-6IN</b>	6inch DVI-D Dual Link DIGITAL (30 AWG) Male to Male Gold Plated Cable	6.30 C
<b>FE-DD-01</b>	1.5ft DVI-D Dual Link DIGITAL (30 AWG) Male to Male Gold Plated Cable	7.67 C
<b>GC-DD-03</b>	3ft DVI-D Dual Link DIGITAL (30 AWG) Male to Male Gold Plated Cable	8.73 D
<b>GC-DD-06</b>	6ft DVI-D Dual Link DIGITAL (30 AWG) Male to Male Gold Plated Cable	10.56 D
<b>GC-DD-10</b>	10ft DVI-D Dual Link DIGITAL (30 AWG) Male to Male Gold Plated Cable	12.49 D
<b>GC-DD-15</b>	15ft DVI-D Dual Link DIGITAL (28 AWG) Male to Male Gold Plated Cable	18.68 C
<b>FE-DD-15-6</b>	15ft DVI-D Dual Link DIGITAL (26 AWG) Male to Male Gold Plated Cable	32.47 D
<b>GC-DD-25</b>	25ft DVI-D Dual Link DIGITAL (26 AWG) Male to Male Gold Plated Cable	23.81 B
<b>GC-DD-30</b>	30ft DVI-D Dual Link DIGITAL (26 AWG) Male to Male Gold Plated Cable	59.21 D
<b>GC-DD-35</b>	35ft DVI-D Dual Link DIGITAL (26 AWG) Male to Male Gold Plated Cable	40.21 C
<b>GC-DD-50</b>	50ft DVI-D Dual Link DIGITAL (26 AWG) Male to Male Gold Plated Cable	54.41 C
<b>BB-MDVI-C5</b>	DVI-D CAT5/RJ45 Extender Kit, 130ft Range (Cable Not Included)	67.37 B

### -- USB TYPE C TO DVI-D DIGITAL DUAL LINK MALE/MALE CABLES --

<b>BE-150216</b>	3ft USB 3 Type C Male to DVI (Male) 1080P Cable	19.33 A
<b>CL-U3109-1110</b>	10ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable	27.17 A
<b>BE-150217</b>	6ft USB 3 Type C Male to DVI-D (Male) 1080P Cable	24.57 A

### -- DVI SPECIALIZED (DVI-I AND DVI-A) MALE/MALE CABLES --

<b>BC-DVIA-VGA-1MM</b>	3ft DVI-A ANALOG ONLY Single Link to VGA (28 AWG) Gold Plated Cable	15.08 B
------------------------	---	---------

<b>FE-DDA-06</b>	6ft DVI-A ANALOG ONLY Single Link to VGA (28 AWG) Gold Plated Cable	8.25 D
<b>BC-DVIIF-2MM</b>	6ft DVI-I Dual Link DIGITAL AND ANALOG (28 AWG) Gold Plated Cable	16.04 B
<b>MR-DVIIF-3MM</b>	10ft DVI-I Dual Link DIGITAL AND ANALOG (28 AWG) Gold Plated Cable	20.36 C
<b>MR-DVIIF-5MM</b>	15ft DVI-I Dual Link DIGITAL AND ANALOG (28 AWG) Gold Plated Cable	29.48 B
<b>-- DVI DIGITAL DUAL LINK MALE/FEMALE EXTENSION CABLES (SINGLE LINK COMPATIBLE) --</b>		
<b>BC-DVIDF-3MF</b>	10ft DVI-D DUAL LINK (28 AWG) Extension Cable (M/F) Gold Plated	25.23 B
<b>-- HDMI / DVI COMBO CABLES (VIDEO SUPPORT ONLY) --</b>		
<b>GC-HD-6IN</b>	6inch HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	4.72 C
<b>GC-HD-01</b>	1.5ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	6.14 D
<b>GC-HD-03</b>	3ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	7.75 D
<b>FE-PMHD-03</b>	3ft PANEL-MOUNT HDMI Female / DVI-D Combination Cable (30 AWG), Gold Plated	9.04 D
<b>FE-PMHD-10IN</b>	10inch PANEL-MOUNT HDMI Female/DVI-D Combination Cable (30 AWG),Gold Plate	6.29 C
<b>GC-HD-06</b>	6ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	10.56 D
<b>GC-HD-10</b>	10ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	13.15 D
<b>GC-HD-15</b>	15ft HDMI/DVI-D Combination Cable (30 AWG), Gold Plated	14.71 D
<b>GC-HD-20</b>	20ft HDMI/DVI-D Combination Cable (28 AWG), Gold Plated	15.84 C
<b>GC-HD-25-8</b>	25ft HDMI/DVI-D Combination Cable (28 AWG), Gold Plated	17.16 C
<b>GC-HD-35-6</b>	35ft HDMI/DVI-D Combination Cable (26 AWG), Gold Plated	23.32 B
<b>GC-HD-50-6</b>	50ft HDMI/DVI-D Combination Cable (26 AWG), Gold Plated	39.16 C
<b>FE-ADT-235</b>	6inch HDMI Male to 2 DVI-D Female Splitter (Mirror) Adapter Cable	8.44 C
<b>FE-ADT-191</b>	6inch DVI-D Male to 2 DVI-D Female Splitter (Mirror) Adapter Cable	11.80 C
<b>-- DISPLAYPORT TO DVI-D COMBINATION CABLES --</b>		
<b>FE-DD-DP-03</b>	3ft DisplayPort to DVI Cable 30AWG Gold Plated, Black	10.51 D
<b>FE-DD-DP-10</b>	10ft DisplayPort to DVI Cable 30AWG Gold Plated, Black	12.42 C
<b>FE-DD-DP-06</b>	6ft DisplayPort to DVI Cable 30AWG Gold Plated, Black	14.50 C
<b>FE-DD-DP-15</b>	15ft DisplayPort to DVI Cable 30AWG Gold Plated, Black	15.61 B
<b>HA-DD-DP-4IN</b>	4inch DisplayPort (Male) to DVI-D (Female) Adapter Cable	9.47 B
<b>-- DVI ADAPTERS, CONVERTERS, ETC --</b>		
<b>XF-CDVF01</b>	USB 3 Type C Male to DVI Converter Adapter, 4 inches, white	8.36 A
<b>FE-HD-MF</b>	DVI-D Female to HDMI Male Adapter, Gold Plated	2.10 A
<b>FE-ADT-187</b>	DVI-I Male to Male Gender Changer Gold Plated with 4 Thumb Bolts	4.11 C
<b>FE-ADT-322</b>	DVI-I Male to DVI-I Female (24+4+Blade) Port Saver/Adapter, Gold Plated	2.89 X
<b>FE-ADT-124</b>	DVI-I (Fully Pinned) Coupler / Gender Changer (Female to Female)	8.53 X
<b>FE-ADT-427</b>	DVI-D Male to DVI-D Female Right Angle (90 degrees) Adapter	16.91 C
<b>FE-ADT-182</b>	DVI-I Male to DVI-I Female Right Angle (90 degrees) Adapter	16.91 C
<b>HA-ADT-127</b>	Mini-DVI to DVI (Female) Adapter Cable	9.89 X
<b>FE-ADT-112</b>	HDMI Female to DVI-D Male Swivel Adapter GOLD PLATED	8.89 D
<b>FE-HD-FM</b>	DVI-D Male (24+Blade) to HDMI Female Adapter, Gold Plated	4.00 D

This adapter converts HDMI Male to DVI Male Single (Digital) Link connector. Gold Plated. As the HDMI standard is SINGLE LINK, an HDMI signal can ONLY be converted to a DVI Digital Single link type (18pin + 1 blade) technology.



#### Features and Specifications

- HDMI Type A Female (Standard)
- DVI-D 24pin + Blade Male
- Gold Plate Pins

<b>FE-ADT-359</b>	DVI Dummy (Emulator) Adapter Plug, 2560x1600@60Hz Support by Fueran	10.61 B
-------------------	---	---------

#### -- VGA / DVI INTERCONNECTS, ACCESSORIES, AND WALLPLATES --

<b>FE-ADT-119</b>	DVI-I Male (Analog) to VGA (15 Pin) Female Adapter, Gold Plated	3.77 D
<b>ZH-KEY-DVI4H-IV</b>	Wall plate: DVI + 4 Hole Keystone, Nickel Plated, Ivory	6.86 X

## VGA to DVI Cables

Price / Tier



<b>MR-DVIAF-VGA-1MM</b>	3ft DVI-A Male (Analog) to VGA Male Triple Shielded Gold Plated Cable	11.25 C
<b>BC-DVIA-VGA-3MM</b>	10ft DVI-A Male (Analog) to VGA Male Triple Shielded Gold Plated Cable	19.00 B
<b>BC-DVIA-VGA-5MM</b>	15ft DVI-A Male (Analog) to VGA Male Triple Shielded Gold Plated Cable	24.71 B

#### -- VGA / DVI INTERCONNECTS, ACCESSORIES, AND WALLPLATES --

<b>FE-ADT-119</b>	DVI-I Male (Analog) to VGA (15 Pin) Female Adapter, Gold Plated	3.77 D
-------------------	---	--------



## Mini DisplayPort to DVI

Price / Tier



<b>GC-MDD-01</b>	1.5ft Mini DisplayPort Cable to DVI 32AWG Gold Plated, White .....	13.05 D
<b>FE-MDD-03</b>	3ft Mini DisplayPort Cable to DVI 30AWG Gold Plated, White .....	13.54 D
<b>GC-MDD-06</b>	6ft Mini DisplayPort Cable to DVI 32AWG Gold Plated, White .....	13.47 C
<b>FE-MDD-10</b>	10ft Mini DisplayPort Cable to DVI 30AWG Gold Plated, White .....	16.56 D
<b>FE-MDD-15</b>	15ft Mini DisplayPort Cable to DVI 30AWG Gold Plated, White .....	21.39 C
<b>HA-DD-MDP</b>	Mini DisplayPort (Male) to DVI (Female) Adapter .....	9.69 B

## Video Cables - RCA Audio / Video

1, 2, 3 and 5 Wire PREMIUM RCA Cables supporting your Digital Audio, Composite Video, Analog Audio, Component Video. Gold Plated!

### 2 Wire RCA Left and Right Audio

Price / Tier



#### -- 2 WIRE HIGH DEFINITION COMPONENT AUDIO CABLES --

<b>FE-AUD-6IN</b>	6inch 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	6.66 C
<b>FE-AUD-12IN</b>	12inch 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	6.85 C
<b>FE-AUD-01</b>	1.5ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	7.08 B
<b>FE-AUD-03</b>	3ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	7.23 C
<b>FE-AUD-06</b>	6ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	7.35 B



Connects any DVD, TV/HDTV, VCRs, CD players, receivers and other home theater devices with component audio connectors.

Connectors: single RCA Plug (male) to single RCA Plug (male)

- Connectors: Dual-RCA Male to Male,
- Cable Color: Black, with white and red identification leads
- Conduction Impedance: 30hm, Insulation Impedance: 5MOhm
- High Voltage Tested to DC-500V
- Per Cable: 17 Conducting Strands, 0.16mm per conductor, Pure 99.99% Copper, 22 AWG
- Aluminum Foil shielding, #32 Braid with OD 0.12mm
- UL Listed, CL-2 In wall rated

<b>FE-AUD-10</b>	10ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	8.31 B
<b>FE-AUD-15</b>	15ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	10.22 B
<b>FE-AUD-25</b>	25ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	14.66 B
<b>MO-RCA-2867</b>	35ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	15.41 A
<b>FE-AUD-50</b>	50ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	26.72 C
<b>FE-AUD-75</b>	75ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	33.59 B
<b>FE-AUD-100</b>	100ft 2 Wire RCA Premium Component Audio Cables, 24K Gold Plated, Black .....	52.42 C

#### -- 2 WIRE RCA GENERAL DUTY AUDIO CABLES --

<b>FE-RCA-2A-01</b>	1.5ft 2 Wire RCA Audio Cables, Male/Male (General Duty) .....	1.96 D
<b>FE-RCA-2A-02</b>	2ft 2 Wire RCA Audio Cables, Male/Male (General Duty) .....	2.24 D



Dual cable, General Duty with color coded RCA plugs on each end.

Connectors: single RCA Plug (male) to single RCA Plug (male)

- Connectors: Dual-RCA Male to Male,
- Cable Color: Black, with white and red identification leads
- Unshielded
- Economical solution for stereo audio

<b>FE-RCA-2A-03</b>	3ft 2 Wire RCA Audio Cables, Male/Male (General Duty) .....	2.49 D
<b>FE-RCA-2A-06</b>	6ft 2 Wire RCA Audio Cables, Male/Male (General Duty) .....	2.70 D
<b>FE-RCA-2A-12</b>	12ft 2 Wire RCA Audio Cables, Male/Male (General Duty) .....	3.22 D
<b>FE-RCA-2A-25</b>	25ft 2 Wire RCA Audio Cables, Male/Male (General Duty) .....	4.85 C


#### -- 2 WIRE RCA TO 3.5MM HIGH DEFINITION COMPONENT AUDIO CABLES --

<b>FE-PR3RCA-6IN</b>	6inch 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable .....	3.72 B
----------------------	--	--------

<b>FE-PR3RCA-03</b>	3ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable .....	6.61 C
<b>FE-PR3RCA-06</b>	6ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable .....	8.00 C
<b>FE-PR3RCA-10</b>	10ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable .....	9.96 C
<b>FE-PR3RCA-15</b>	15ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable .....	10.14 B
<b>FE-PR3RCA-25</b>	25ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable .....	18.31 C
<b>FE-PR3RCA-35</b>	35ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable .....	24.57 C
<b>FE-PR3RCA-50</b>	50ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable .....	27.05 C

**-- 3.5MM MINI-STEREO TRS MALE TO TWO RCA MALE AUDIO CABLES --**

<b>FE-3MM-MRCA-01</b>	1.5ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	1.05 D
-----------------------	--	--------



Convert the 3.5mm stereo TRS port on your PC into regular RCA for connecting to your home stereo receiver. Uses 75ohm coaxial cable to provide best audio performance. Connectors: 3.5mm Mini-Stereo TRS Male to 2 RCA Male.

<b>FE-3MM-MRCA-02</b>	2ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	1.49 C
<b>FE-3MM-MRCA-03</b>	3ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	1.87 C
<b>FE-3MM-MRCA-06</b>	6ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	4.24 D
<b>FE-3MM-MRCA-12</b>	12ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	2.79 D
<b>FE-3MM-MRCA-20</b>	20ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	3.79 D
<b>FE-3MM-MRCA-25</b>	25ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	4.43 D
<b>FE-3MM-MRCA-35</b>	35ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	5.56 X
<b>FE-3MM-MRCA-50</b>	50ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	5.91 D

**-- RCA VIDEO ADAPTERS, CONNECTORS, SPLITTERS, AND CONVERTERS --**

<b>ZT-T-608</b>	Analog (2 RCA) Audio to Digital Coax or Optical Toslink Converter .....	14.10 B
<b>ZT-T-609PRO</b>	Digital Audio to Analog 3.5mm and 2 RCA Converter Amplifier Volume Control .....	17.96 A
<b>ZT-T-609S</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter PLUS 3.5mm Output .....	17.96 A
<b>ZT-T-609B</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter w/Bluetooth Recvr .....	23.38 A
<b>FE-AY80</b>	HDMI ARC Audio Extractor/Converter, RCA/Coax/Toslink Audio/OUT .....	25.14 A
<b>HD-C-SWB11A</b>	HDMI (4K@60Hz) eARC/AC Audio Extractor/Converter Multi-Port with HDCP 2.3 .....	86.02 A
<b>FE-ADT-108</b>	RCA Female-Female Coupler / Connector (Nickel Plated) Adapter .....	0.43 D



RCA 75-ohm Video Couplers offer excellent picture quality for today's video and home theater applications.

- NICKEL plating providing low-loss signal transfers
- 75-ohms impedance
- Nickel plated
- Female-Female

<b>FE-ADT-107</b>	RCA Video Audio Coupler / Adapter (RCA Male to Male) .....	0.83 D
<b>FE-ADT-110</b>	6 inch RCA Plug to 2 RCA (1 RCA Male to 2 RCA Female) Adapter Cable .....	2.55 D
<b>FE-ADT-183</b>	RCA Male to 2 RCA Female Piggy-Back Splitter (Premium), Gold Plated .....	5.58 C
<b>FE-ADT-100</b>	6inch RCA Video/Audio Splitter (1 RCA Female to 2 RCA Male) Y Cable .....	1.17 C
<b>FE-ADT-101</b>	RCA Video Audio Splitter Adapter (RCA 1 Male to 2 RCA Female) .....	1.12 D
<b>FE-ADT-103</b>	RCA Video Audio Splitter Adapter (RCA Female to 2 RCA Female) .....	1.18 C
<b>FE-ADT-295</b>	3.5mm Mono Male TS Plug to RCA Female Jack Adapter, Nickel Plated .....	1.05 D
<b>FE-3MM-3MRCA</b>	RCA Audio Splitter Adapter (3.5mm Male Stereo TRS to 2 RCA Female) .....	1.38 D
<b>FE-ADT-152</b>	3.5mm Male MONO TS Plug to RCA Female Mono Jack, Nickel Plated, each .....	1.13 D
<b>FE-ADT-151</b>	3.5mm Female MONO TS Jack to RCA Male Mono Plug, Nickel Plated .....	0.83 D
<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each .....	1.68 D
<b>FE-3MM-FRCA</b>	4 inch Mini Jack 3.5mm Male Stereo Plug to 2 RCA Female Jack adapter cable .....	2.37 D
<b>FE-3MM-MRCA-04IN</b>	4 INCH 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Adapter Cable .....	1.30 X
<b>CV-CSP345H-22-8IN</b>	6 INCH PLENUM 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter .....	22.19 A



Convert any PC stereo speaker cable into regular RCA and connect it to your stereo system. It uses 75ohm coaxial cable to provide best audio performance.

**Features and Specifications**

- Connectors: 3.5mm TRS Female
- 2 RCA Male Male
- Length: Approx 8inches

<b>FE-ADT-370</b>	Coax Female Threaded Adapter to F-type Male Push-Type Adapter / Coupler .....	1.01 C
<b>FE-ADT-145</b>	RCA Male to F (Coax) Female Adapter - Nickel Plated .....	1.23 D
<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type .....	1.04 B
<b>FE-ADT-106</b>	RCA Male to F (Coax) Female Adapter - Gold Plated .....	1.42 D
<b>FE-ADT-210</b>	RCA 90 Degree Adapter Male/Female Nickel Plated (Each) .....	0.94 C
<b>FE-ADT-105</b>	BNC Female to RCA Male Adapter, Nickel Plated .....	1.07 D
<b>FE-IPOD-RCA-R</b>	2.5ft iPhone/iPod Audio out (Apple Connector to Audio 2xRCA), Retractable .....	3.55 D
<b>FE-ADT-104</b>	BNC Plug (Male) / RCA Jack (Female) Adapter GOLD PLATED .....	1.35 D
<b>FE-ADT-258</b>	RCA Female to F-type (Coax) Male Adapter - Nickel Plated .....	0.81 C
<b>FE-ADT-302</b>	1/4" Stereo Jack (Male) to 2 RCA (Female) Adapter, Nickel Plated .....	1.51 D
<b>FE-ADT-296</b>	3.5mm Stereo Jack (Male) to 2 RCA (Female) Adapter, Gold Plated .....	1.22 D
<b>MO-RCA-6212</b>	Premium RCA PLUG Connector, Self-Solder, Gold Plated .....	3.47 B
<b>NW-29X0259</b>	Stereo Line (left/right) Automatic RCA Switch with level selection .....	73.09 A
<b>NW-95W1962</b>	Stereo Phono Preamplifier (Pre-Amp/Adapter), RCA Inputs/RCA Outputs .....	37.29 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## 5 Wire Component Video and Audio Bundle

Price / Tier



ZH-RCA-5AV-03

**-- 5 WIRE HIGH DEFINITION COMPONENT VIDEO AND AUDIO CABLES --**

3ft RCA Premium IN-WALL 5-Wire Component Video/Audio Cables Gold Plated .....	29.62 C
---	---------

**-- RCA VIDEO ADAPTERS, CONNECTORS, SPLITTERS, AND CONVERTERS --**

<b>FE-ADT-110</b>	6 inch RCA Plug to 2 RCA (1 RCA Male to 2 RCA Female) Adapter Cable .....	2.55 D
<b>FE-ADT-107</b>	RCA Video Audio Coupler / Adapter (RCA Male to Male) .....	0.83 D
<b>FE-ADT-100</b>	6inch RCA Video/Audio Splitter (1 RCA Female to 2 RCA Male) Y Cable .....	1.17 C
<b>FE-ADT-108</b>	RCA Female-Female Coupler / Connector (Nickel Plated) Adapter .....	0.43 D



RCA 75-ohm Video Couplers offer excellent picture quality for today's video and home theater applications.

- NICKEL plating providing low-loss signal transfers
- 75-ohms impedance
- Nickel plated
- Female-Female

<b>FE-ADT-210</b>	RCA 90 Degree Adapter Male/Female Nickel Plated (Each) .....	0.94 C
<b>FE-ADT-103</b>	RCA Video Audio Splitter Adapter (RCA Female to 2 RCA Female) .....	1.18 C
<b>FE-ADT-101</b>	RCA Video Audio Splitter Adapter (RCA 1 Male to 2 RCA Female) .....	1.12 D
<b>FE-ADT-183</b>	RCA Male to 2 RCA Female Piggy-Back Splitter (Premium), Gold Plated .....	5.58 C
<b>FE-ADT-152</b>	3.5mm Male MONO TS Plug to RCA Female Mono Jack, Nickel Plated, each .....	1.13 D
<b>FE-ADT-151</b>	3.5mm Female MONO TS Jack to RCA Male Mono Plug, Nickel Plated .....	0.83 D
<b>FE-ADT-104</b>	BNC Plug (Male) / RCA Jack (Female) Adapter GOLD PLATED .....	1.35 D
<b>FE-ADT-105</b>	BNC Female to RCA Male Adapter, Nickel Plated .....	1.07 D
<b>FE-ADT-370</b>	Coax Female Threaded Adapter to F-type Male Push-Type Adapter / Coupler .....	1.01 C
<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type .....	1.04 B
<b>FE-ADT-106</b>	RCA Male to F (Coax) Female Adapter - Gold Plated .....	1.42 D
<b>MO-RCA-6212</b>	Premium RCA PLUG Connector, Self-Solder, Gold Plated .....	3.47 B
<b>FE-ADT-145</b>	RCA Male to F (Coax) Female Adapter - Nickel Plated .....	1.23 D
<b>FE-ADT-258</b>	RCA Female to F-type (Coax) Male Adapter - Nickel Plated .....	0.81 C
<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each .....	1.68 D
<b>FE-HHYPBPR-06</b>	6ft HDMI to Component Video (YPbPr) with Left/Right Audio Converter Cable .....	16.28 A



# Video Cables - S-Video

Our S-Video cables offer superb performance, even over great distances. Used by most VCRs and nearly all TVs.



**MR-SVHSC-25MM**  
**BB-CSV-A100**

## -- S-VIDEO MINI4 VIDEO CABLES --

25ft S-Video Mini4 Male/Male Digital VHS/VCR Cable, Gold Plated Ends .....	8.54 C
100ft PREMIUM S-Video Mini4 Male/Male Digital Cable, Gold Plated Ends .....	32.34 A

## -- S-VIDEO ADAPTERS AND ACCESSORIES --

**FE-ADT-135**  
**ZH-KEY-SVID-IV**

S-Video (4-Pin) Female to RCA/Composite Female Adapter, Gold Plated .....	2.04 X
Keystone Jack Insert/Coupler Type: S-Video (VCR), Ivory .....	2.30 X

# Video Cables - SDI Digital Cables

Serial Digital Interface cables are a HIGH GRADE BNC cable made from RG6/U Shielded Coax Cable.



**FE-SDI6-02**  
**FE-SDI6-01**

## -- 6G-SDI (SERIAL DIGITAL INTERFACE) PROFESSIONAL GOLD PLATED COAX CABLES --

2ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	4.27 D
1.5ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	3.93 D

This specialized BNC cable meets the 6G-SDI (Serial Digital Interface) standards to support 6 Gbps, and maximum resolutions to 4Kx2K (2160P30 YUV 4:2:2) at 30Hz. The 6G-SDI standard is 100% backward compatible with the SD-SDI, ED-SDI, HD-SDI, and 3G-SDI specifications (SMPTE 259M, 344M, 292M, 373M, 424M, and the 6G-SDI standard of SMPTE ST-2081), but supports the faster 6Gbps speed needed for tomorrows 4Kx2K video/audio applications.

### Features and Specifications

- Meets SMPTE ST-2081 6G-SDI Standards
- Supports to 6 Gbps or better
- Supports: 1080P (All formats to YUV 4:4:4), 10/12-bit 4Kx2K RAW, 10-bit 4Kx2K YUV 4:2:2
- Cable Spec: RG6/U (Copper) 18AWG, Quad Shield
- Professional quality BNC connector with fully-wrapped shielding end-to-end
- Color: Black, with Blue PVC molded end connectors
- 75 Ohm



**FE-SDI6-03**  
**FE-SDI6-06**  
**FE-SDI6-08**  
**FE-SDI6-10**  
**FE-SDI6-12**  
**FE-SDI6-15**  
**FE-SDI6-20**  
**FE-SDI6-25**  
**FE-SDI6-50**  
**FE-SDI6-75**  
**FE-SDI6-100**  
**FE-SDI6-150**  
**FE-SDI6-200**  
**FE-SDI6-250**  
**FE-SDI6-500B**  
**FE-1FT-SDI6**  
**FE-SDI6-1000B**

3ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	4.76 D
6ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	6.87 D
8ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	7.64 D
10ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	9.77 D
12ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	10.23 D
15ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	12.25 D
20ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	15.52 D
25ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	20.45 D
50ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	35.31 D
75ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	44.14 C
100ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	58.85 C
150ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	80.63 C
200ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	93.84 C
250ft 6G-SDI (4K) BNC Coax Cable, RG6/18AWG Male to Male, Gold Plated Pin .....	120.98 C
500ft RG6/18AWG 6G-SDI (4K) Bulk Coax HD Video Cable, 6Ghz, Black .....	108.68 A
RG6/18AWG 6G-SDI (4K) Bulk Coax HD Video Cable, 6Ghz, BLACK **PER FOOT** .....	0.30 X
1000ft RG6/18AWG 6G-SDI (4K) Bulk Coax HD Video Cable, 6Ghz, Black .....	208.01 A

## -- 12G-SDI UHD (SERIAL DIGITAL INTERFACE) PROFESSIONAL GOLD PLATED COAX CABLES --

**FE-SDI12-01**  
**FE-SDI12-02**  
**FE-SDI12-03**  
**FE-SDI12-06**  
**FE-SDI12-08**  
**FE-SDI12-10**  
**FE-SDI12-12**  
**FE-SDI12-15**  
**FE-SDI12-20**  
**FE-SDI12-25**  
**FE-SDI12-50**  
**FE-SDI12-75**  
**FE-SDI12-100**

1.5ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	7.88 D
2ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	8.48 D
3ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	9.45 D
6ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	15.75 D
8ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	17.29 D
10ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	19.55 D
12ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	22.18 D
15ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	25.56 D
20ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male Gold Pin .....	31.58 D
25ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	37.29 D
50ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/18AWG Male to Male, Gold Pin .....	66.16 D
75ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin .....	127.03 D
100ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin .....	165.99 D

<b>FE-SDI12-150</b>	150ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin	243.84 D
<b>FE-SDI12-200</b>	200ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin	321.63 D
<b>FE-SDI12-250</b>	250ft 12G-SDI UHD (4K/60) BNC Coax Cable, RG6/16AWG Male to Male, Gold Pin	399.26 D
<b>-- SDI (SERIAL DIGITAL INTERFACE) ACCESORIES AND CONNECTORS --</b>		
<b>FE-SDI3-HS</b>	HDMI to SDI 3G (via BNC) Converter to 1080P/60Hz	43.01 A
<b>FE-SDI3-SH</b>	SDI 3G (via BNC) to HDMI Converter to 1080P/60Hz	43.01 A
<b>FE-ADT-365</b>	6G-SDI (4K) BNC Coupler/Adapter, Gold Plated Pin Insert, Female/Female	3.81 D
<b>FE-ADT-366</b>	6G-SDI (4K) BNC Compression Connector for QUAD Shield RG6 Coax	3.94 D
<b>FE-ADT-394</b>	BNC Terminator Adapter, 50 ohm	2.70 D
<b>FE-ADT-395</b>	BNC Terminator Adapter, 75 ohm	2.13 D
<b>FE-PAN-BNC</b>	Wall plate: BNC Female D-Series/Neutrik Panel Mount Connector, Metal	4.24 B

## Video Cables - USB Type C

USB Type C to Video (HDMI, DisplayPort, MiniDisplayPort, VGA)



<b>-- USB TYPE-C MALE TO HDMI 18GB 4K@60HZ CABLE --</b>		
<b>FE-C3H-01</b>	1.5ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	16.98 B
<b>FE-C3H-03</b>	3ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	17.67 B
<b>FE-C3H-06</b>	6ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	19.21 B
<b>FE-C3H-10</b>	10ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	22.42 B

<b>-- FIBER OPTIC/HYBRID USB TYPE-C MALE TO HDMI 18GB 4K@60HZ CABLE --</b>		
<b>HA-CHFO-15</b>	15ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	87.13 A
<b>GC-CHFO-20</b>	20ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	96.03 A
<b>GC-CHFO-30</b>	30ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	100.75 A
<b>GC-CHFO-49</b>	49ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	110.21 A
<b>GC-CHFO-65</b>	65ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	118.06 A
<b>GC-CHFO-82</b>	82ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	131.93 A
<b>GC-CHFO-100</b>	100ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybri Cable	140.19 A

<b>-- TYPE C MALE TO 8K@60HZ DISPLAYPORT V1.4/THUNDERBOLT 3 (ALT MODE) CABLES --</b>		
<b>FE-C3DP14-01</b>	1.5ft USB 3 Type C Male to DisplayPort Thunderbolt 3/Alt Mode 8K@60Hz Cable	12.77 A
<b>FE-C3DP14-03</b>	3ft USB 3 Type C Male to DisplayPort Thunderbolt 3/Alt Mode 8K@60Hz Cable	13.21 A
<b>FE-C3DP14-06</b>	6ft USB 3 Type C Male to DisplayPort Thunderbolt 3/Alt Mode 8K@60Hz Cable	14.57 A
<b>FE-C3DP14-10</b>	10ft USB 3 Type C Male to DisplayPort Thunderbolt 3/Alt Mode 8K@60Hz Cable	18.43 A

<b>-- TYPE C MALE TO 4K@60HZ DISPLAYPORT V1.2 CABLES --</b>		
<b>-- TYPE C MALE TO 4K@60HZ MINI DISPLAYPORT V1.2 CABLES --</b>		
<b>FE-C3MDP-01</b>	1.5ft USB 3 Type C Male to Mini DisplayPort 4K@60Hz Cables	12.52 A
<b>FE-C3MDP-03</b>	3ft USB 3 Type C Male to Mini DisplayPort 4K@60Hz Cables	13.16 A
<b>FE-C3MDP-06</b>	6ft USB 3 Type C Male to Mini DisplayPort 4K@60Hz Cables	14.17 A
<b>FE-C3MDP-10</b>	10ft USB 3 Type C Male to Mini DisplayPort 4K@60Hz Cables	16.71 A

<b>-- TYPE C MALE TO DVI-D CABLES --</b>		
<b>BE-150216</b>	3ft USB 3 Type C Male to DVI (Male) 1080P Cable	19.33 A
<b>BE-150217</b>	6ft USB 3 Type C Male to DVI-D (Male) 1080P Cable	24.57 A

<b>-- TYPE C MALE TO VGA CABLES --</b>		
<b>CL-U3109-1103</b>	3ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable	23.05 A
<b>CL-U3109-1106</b>	6ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable	24.63 A
<b>CL-U3109-1110</b>	10ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable	27.17 A

<b>-- TYPE C MALE TO VIDEO ADAPTERS AND CONVERTERS --</b>		
<b>FE-ADT-382</b>	USB 3 Type C Male to HDMI 4K@30Hz with Charge Out-ports	11.90 A
<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable	21.67 A
<b>FE-ADT-276</b>	4inch USB 3 Type C Male to HDMI (4Kx2K@30Hz) Female Adapter Cable	15.14 A



This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.

### Features and Specifications

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

<b>XF-UCH07</b>	USB 3 Type C Male to 2x HDMI Video Out 4K, Split or Extend Displays Adapter	25.32 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports	56.37 A

# Video Cables - VGA

Our SVGA cables are TRIPLE shielded, and available in lengths from 3ft to 200ft - in standard, or Ultra-Thin configurations. Also available: VGA/Audio Combination Cables, VGA Extension Cables, Switches, Amplifiers, and Video Distribution Units. VGA cables are considered legacy type cables used to connector older computers to VGA type monitors. Many newer monitors while supporting newer technologies such as HDMI, DVI, USB Type-C, many still support the analog 15-pin trapezoid shaped VGA connector. Most devices have a FEMALE port, while VGA cables have MALE connector pins.

## VGA Cables

Price / Tier



**FE-VGA-6IN**  
**FE-VGA-01F**  
**FE-VGA-03F**

**-- PREMIUM GOLD PLATED VGA MALE TO MALE CABLES --**

6inch Premium VGA Male/Male Triple-Shielded Cable Gold Plated	4.41 D
1.5ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	4.44 C
3ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	5.93 C



This VGA Male/Male cable features a low loss, double shielded design. Signal integrity is further enhanced by ferrites cores that filters out noise. Comes with durable molded connectors with thumbscrews (at both male and female end) for a secure connection.

- Connectors: single RCA Plug (male) to single RCA Plug (male)
- Supports all VGA monitors including analog flat panel display, high resolution desktop, CAD and graphic workstations.
- 2 MALE Connectors: Fully Pinned 15 male with thumb-bolts
- All 15 wires connected "straight through"
- Triple shielded for maximum graphics performance preventing signal loss, screen ghosting & loss of color
- DDC2/E-DDC Data Support (for monitor detection by OS)
- Gold Plated Connectors, Ferrite cores (both ends)

<b>BE-180440</b>	3ft Premium VGA Male/Male Triple-Shielded Cable NO Ferrites Gold Plated	7.02 C
<b>FE-VGA-06F</b>	6ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	9.18 D
<b>FE-VGA-10F</b>	10ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	9.74 C
<b>FE-VGA-15F</b>	15ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	10.97 C
<b>FE-VGA-20F</b>	20ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	16.04 C
<b>FE-VGA-25F</b>	25ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	19.54 C
<b>FE-VGA-35F</b>	35ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	25.96 C
<b>FE-VGA-50F</b>	50ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	38.19 C
<b>FE-VGA-75F</b>	75ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	43.04 B
<b>FE-VGA-100F</b>	100ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	53.13 B
<b>HA-VGA-150F</b>	150ft Premium VGA Male/Male Triple-Shielded Cable w/Ferrites Gold Plated	120.76 C
<b>BB-VGA-C5EP2</b>	1000ft VGA w/MONITOR Extender using Ethernet Cable up to 1280x1024/60Hz ☉	368.24 B

**-- PLENUM RATED PREMIUM GOLD PLATED VGA MALE TO MALE CABLES --**

<b>CV-P-CVGAID-25M</b>	25ft PLENUM RATED VGA Male/Male Triple-Shielded Cable Nickel Plated	86.49 B
<b>CV-P-CVGAID-75M</b>	75ft PLENUM RATED VGA Male/Male Triple-Shielded Cable Nickel Plated	236.02 B

**-- DISPLAYPORT TO VGA CABLES WHITE --**

<b>MO-DV-06</b>	6ft DisplayPort to VGA Cable 28AWG Gold Plated, White	36.09 A
<b>MO-DV-10</b>	10ft DisplayPort to VGA Cable 28AWG Gold Plated, White	16.86 A
<b>BC-DPVGA-15MM</b>	15ft DisplayPort to VGA Cable 28AWG Gold Plated, Black	30.85 C
<b>BC-DPVGA-10MM</b>	10ft DisplayPort to VGA Cable 28AWG Gold Plated, Black	27.60 C
<b>BC-DPVGA-6MM</b>	6ft DisplayPort to VGA Cable 28AWG Gold Plated, Black	24.34 C
<b>BC-DPVGA-3MM</b>	3ft DisplayPort to VGA Cable 28AWG Gold Plated, Black	21.75 C
<b>FE-ADT-328</b>	DisplayPort (Male) to VGA (Female) Adapter Cable, White, Gold Plated	12.62 C

**-- MINI DISPLAYPORT TO VGA CABLES --**

<b>MO-MDV-03</b>	3ft Mini DisplayPort to VGA Cable 28AWG Gold Plated, White	20.08 B
<b>MO-MDV-06</b>	6ft Mini DisplayPort to VGA MALE Cable 32AWG Gold Plated, Whit	19.77 X
<b>FE-MDV-06</b>	6ft Mini DisplayPort to VGA MALE Cable 32AWG Gold Plated, Black	12.20 B
<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable	14.43 B

**-- TYPE C MALE TO VGA CABLES --**

<b>CL-U3109-1106</b>	6ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable	24.63 A
<b>CL-U3109-1103</b>	3ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable	23.05 A
<b>CL-U3109-1110</b>	10ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable	27.17 A

**-- VGA WALL PLATES, ADAPTERS AND ACCESSORIES --**

<b>FE-ADT-339</b>	VGA 90 Degree LEFT Angle Adapter (Male/Female), Nickel Plated	4.04 B
<b>FE-ADT-175</b>	VGA 90 Degree UP Angle Adapter (Male/Female), Nickel Plated	4.11 D
<b>FE-VGA-Y</b>	VGA Video Splitter Cable, 6" 15 Pin Male to 15 Pin Female, Black	5.43 D
<b>HA-VGA-Y-BEI</b>	VGA Video Splitter Cable, 8" 15 Pin Male to 15 Pin Female, Beige	5.23 X
<b>ZH-WAL-VGA-WH</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, White	4.44 X
<b>ZH-WAL-VGA-IV</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, Ivory	4.44 X
<b>ZH-WAL-3RCAV3-IV</b>	Wall plate: VGA, 3.5mm Audio, and 3 RCA, Nickel Plated, Decor, Ivory	6.40 X
<b>FE-WAL-HH-VGA-WH</b>	Wall plate HDMI & VGA Female/Female 1 Port, Gold Plated, White	9.61 B
<b>FE-ADT-119</b>	DVI-I Male (Analog) to VGA (15 Pin) Female Adapter, Gold Plated	3.77 D

**-- VGA / DVI INTERCONNECTS, ACCESSORIES, AND WALLPLATES --**

<b>FE-ADT-117</b>	HD15 (VGA/VGA) Male/Male 15 pin, Mini Gender Changer Adapter	2.62 D
<b>FE-ADT-435</b>	HDMI Male to VGA Female Video Converter Cable (Video and Audio)	8.56 B
<b>FE-ADT-330</b>	4inch USB 3 Type C Male to VGA Female Adapter Cable	11.05 A
<b>FE-ADT-118</b>	HD15 (VGA/VGA) Female/Female,Mini Gender Changer	2.62 D
<b>FE-ADT-357</b>	VGA Dummy (Emulator) Adapter Plug, 1920x1080@60Hz Support by Fueran	11.52 B
<b>FE-ADT-116</b>	VGA 15 Pin Gender Changer, Male/Male, Black	3.57 D
<b>FE-ADT-121</b>	Ferrite Core (8mm), for VGA, HDMI, DVI, or Other Cables for 24/26/28AWG	1.31 D
<b>FE-ADT-122</b>	Ferrite Core (13mm), for VGA, HDMI, DVI, or Other Cables for 22/24/26AWG	1.31 D
<b>ZH-WAL-VGA3-IV</b>	Wall plate: VGA Female/Female & Stereo TRS 3.5mm Audio, Gold Plated, Ivory	5.29 X

**-- VGA LONG DISTANCE SOLUTIONS AND CONVERTERS --**

<b>BE-501509</b>	300ft VGA Extender using Ethernet Cable up to 1280x1024/60Hz	122.30 X
<b>ZT-T-602S</b>	VGA with 3.5mm Audio to HDMI (to 1080P) Digital Converter, Portable	20.36 A
<b>BB-VAC5-EX8</b>	8 Port VGA Video/Audio Splitter/DISTRIBUTION Hub via CAT5/RJ45 up to 590ft	410.45 X
<b>BE-273003</b>	VGA/HD15 Male Cup/Circuit Board Connector, Solder Type	1.00 D
<b>BE-273032</b>	VGA/HD15 Plastic Hood (Metalized), Solder Type	1.32 C
<b>FE-ADT-288</b>	VGA MALE Connector Repair Kit, Solderless (Each)	12.04 D



This specific block connector is used to REPLACE or REPAIR an existing MALE VGA connector. When used in conjunction with the MaxBlox hood (included with this kit), these connectors simply slide, snap and lock into the hood without the use of tools. Optimized for use in any A/V application where VGA controls are used, the HD15 connectors are manufactured by with genuine Phoenix Contact terminal blocks, the industry standard for reliability. The system accommodates wire diameters, from .120 inch. to .500 inch.

**VGA and 3.5mm Audio Combo Cable**

Price / Tier



**-- VGA WITH 3.5MM AUDIO CABLES (MALE/MALE) --**

<b>MR-SVST-6MM</b>	6ft Premium Tri-Shield VGA & 3.5mm Stereo TRS Audio M/M Combo Cable	10.70 B
<b>MR-SVST-35MM</b>	35ft Premium Tri-Shield VGA & 3.5mm Stereo TRS Audio M/M Combo Cable	24.01 B

**-- PLENUM RATED PREMIUM GOLD PLATED VGA WITH AUDIO MALE TO MALE CABLES --**

<b>CV-P-CVGAAID-35M</b>	35ft PLENUM RATED VGA Male/Male w/AUDIO Triple-Shielded Cable Nickel Plat	151.33 X
<b>CV-P-CVGAAID-50M</b>	50ft PLENUM RATED VGA Male/Male w/AUDIO Triple-Shielded Cable Nickel Plat ☉	214.30 B

**-- VGA WITH 3.5MM AUDIO WIRELESS PRODUCTS, SPLITTERS, AND ACCESSORIES --**

<b>ZH-WAL-VGA3-IV</b>	Wall plate: VGA Female/Female & Stereo TRS 3.5mm Audio, Gold Plated, Ivory	5.29 X
<b>ZH-WAL-3RCAV3-IV</b>	Wall plate: VGA, 3.5mm Audio, and 3 RCA, Nickel Plated, Decor, Ivory	6.40 X
<b>FE-3MM-FMRCA</b>	8 INCH 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter	1.79 D

Convert any PC stereo speaker cable into regular RCA and connect it to your stereo system. It uses 75ohm coaxial cable to provide best audio performance.



**Features and Specifications**

- Connectors: 3.5mm TRS Female
- 2 RCA Male Male
- Length: Approx 8inches

<b>CV-CSP345H-22-8IN</b>	6 INCH PLENUM 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter	22.19 A
--------------------------	--	---------



<b>FE-ADT-118</b>	HD15 (VGA/VGA) Female/Female,Mini Gender Changer .....	2.62 D
<b>FE-ADT-116</b>	VGA 15 Pin Gender Changer, Male/Male, Black .....	3.57 D
<b>FE-ADT-175</b>	VGA 90 Degree UP Angle Adapter (Male/Female), Nickel Plated .....	4.11 D
<b>FE-ADT-339</b>	VGA 90 Degree LEFT Angle Adapter (Male/Female), Nickel Plated .....	4.04 B
<b>ZT-T-602S</b>	VGA with 3.5mm Audio to HDMI (to 1080P) Digital Converter, Portable .....	20.36 A
<b>BB-VAC5-EX8</b>	8 Port VGA Video/Audio Splitter/DISTRIBUTION Hub via CAT5/RJ45 up to 590ft .....	410.45 X
<b>FE-ADT-121</b>	Ferrite Core (8mm), for VGA, HDMI, DVI, or Other Cables for 24/26/28AWG .....	1.31 D
<b>FE-ADT-122</b>	Ferrite Core (13mm), for VGA, HDMI, DVI, or Other Cables for 22/24/26AWG .....	1.31 D
<b>FE-ADT-288</b>	VGA MALE Connector Repair Kit, Solderless (Each) .....	12.04 D



This specific block connector is used to REPLACE or REPAIR an existing MALE VGA connector. When used in conjunction with the MaxBlox hood (included with this kit), these connectors simply slide, snap and lock into the hood without the use of tools. Optimized for use in any A/V application where VGA controls are used, the HD15 connectors are manufactured by with genuine Phoenix Contact terminal blocks, the industry standard for reliability. The system accommodates wire diameters, from .120 inch. to .500 inch.

## VGA Cables - ULTRA Thin

Price / Tier

### -- VGA ULTRA-THIN COMPACT END MALE/MALE TRIPLE SHIELDED CABLE --



<b>FE-VGAT-01</b>	1ft VGA ULTRA-THIN COMPACT END Male/Male Triple Shielded Cable .....	4.22 C
-------------------	--	--------



High Performance UltraThin VGA HD15 Male to Male Triple Shielded Cable with Interchangeable Mounting.

- Outer Cable Diameter: 5.5mm
- 32 AWG for 3 coax lines
- Compact end allowing for installing in tight locations
- 30 AWG for remaining connectors

<b>FE-VGAT-02</b>	2ft VGA ULTRA-THIN COMPACT END Male/Male Triple Shielded Cable .....	5.60 C
<b>FE-VGATF-02</b>	2ft VGA ULTRA-THIN COMPACT END Male/Male Triple Shielded w/Ferrites Cable .....	5.60 B
<b>FE-VGAT-03</b>	3ft VGA ULTRA-THIN COMPACT END Male/Male Triple Shielded Cable .....	6.85 C
<b>FE-VGATF-03</b>	3ft VGA ULTRA-THIN COMPACT END Male/Male Triple Shielded w/Ferrites Cable .....	4.70 A
<b>FE-VGAT-06</b>	6ft VGA ULTRA-THIN COMPACT END Male/Male Triple Shielded Cable .....	7.90 B
<b>FE-VGAT-10</b>	10ft VGA ULTRA-THIN COMPACT END Male/Male Triple Shielded Cable .....	9.44 B
<b>FE-VGATF-10</b>	10ft VGA ULTRA-THIN COMPACT END Male/Male Triple Shielded w/Ferrites Cable .....	9.44 B
<b>HA-VGAT-15</b>	15ft VGA ULTRA-THIN COMPACT END Male/Male Triple Shielded Cable .....	10.34 C
<b>BB-CC388M1-35</b>	35ft VGA ULTRA-THIN Male/Male Compact End Triple Shielded Cable .....	53.37 B
<b>BB-CC388M1-75</b>	75ft VGA ULTRA-THIN Male/Male Compact End Triple Shielded Cable .....	83.46 X
<b>BB-CC388M1-100</b>	100ft VGA ULTRA-THIN Male/Male Compact End Triple Shielded Cable .....	104.27 B

### -- VGA ACCESSORIES AND ADAPTERS --

<b>ZH-WAL-VGA-WH</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, White .....	4.44 X
<b>ZH-WAL-VGA3-IV</b>	Wall plate: VGA Female/Female & Stereo TRS 3.5mm Audio, Gold Plated, Ivory .....	5.29 X
<b>FE-WAL-HH-VGA-WH</b>	Wall plate HDMI & VGA Female/Female 1 Port, Gold Plated, White .....	9.61 B
<b>FE-ADT-175</b>	VGA 90 Degree UP Angle Adapter (Male/Female), Nickel Plated .....	4.11 D
<b>FE-ADT-339</b>	VGA 90 Degree LEFT Angle Adapter (Male/Female), Nickel Plated .....	4.04 B
<b>FE-ADT-118</b>	HD15 (VGA/VGA) Female/Female,Mini Gender Changer .....	2.62 D
<b>FE-ADT-116</b>	VGA 15 Pin Gender Changer, Male/Male, Black .....	3.57 D
<b>ZH-WAL-VGA-IV</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, Ivory .....	4.44 X





This specific block connector is used to REPLACE or REPAIR an existing MALE VGA connector. When used in conjunction with the MaxBlox hood (included with this kit), these connectors simply slide, snap and lock into the hood without the use of tools. Optimized for use in any A/V application where VGA controls are used, the HD15 connectors are manufactured by with genuine Phoenix Contact terminal blocks, the industry standard for reliability. The system accommodates wire diameters, from .120 inch. to .500 inch.

VGA Extension Cables

Price / Tier



-- PREMIUM GOLD PLATED VGA EXTENSION FEMALE TO MALE CABLES --

<b>FE-VGAT-MF-01</b>	1ft Premium VGA EXTENSION M/F Ultra Thin Cable Gold Plated	6.13 D
<b>FE-VGATF-MF-01</b>	1ft Premium VGA EXTENSION M/F Ultra Thin Cable w/Ferrites Gold Plated	6.13 D
<b>FE-VGAX-01F</b>	1.5ft Premium VGA EXTENSION M/F Triple-Shield Cable Gold Plated	5.37 D
<b>FE-VGAX-03F</b>	3ft Premium VGA EXTENSION M/F Triple-Shield Cable Gold Plated	5.63 C
<b>FE-VGAX-06F</b>	6ft Premium VGA EXTENSION M/F Triple-Shield Cable Gold Plated	7.43 D
<b>FE-VGAX-20F</b>	20ft Premium VGA EXTENSION M/F Triple-Shield Cable Gold Plated	18.74 C
<b>FE-VGAX-25F</b>	25ft Premium VGA EXTENSION M/F Triple-Shield Cable Gold Plated	18.90 C
<b>FE-VGAX-50F</b>	50ft Premium VGA EXTENSION M/F Triple-Shield Cable Gold Plated	31.44 D
<b>FE-VGAX-75F</b>	75ft Premium VGA EXTENSION M/F Triple-Shield Cable Gold Plated	42.13 C
<b>MR-SVGAF-100MF</b>	100ft Premium VGA EXTENSION M/F Triple-Shield Cable Gold Plated	57.42 B

-- VGA ACCESSORIES, ADAPTERS, AND WALLPLATES --

<b>BB-MC843B</b>	Cable Hex Nut (#4-40, 5.0mm), EACH	0.36 B
<b>HA-VGA-Y-BEI</b>	VGA Video Splitter Cable, 8" 15 Pin Male to 15 Pin Female, Beige	5.23 X
<b>FE-VGA-Y</b>	VGA Video Splitter Cable, 6" 15 Pin Male to 15 Pin Female, Black	5.43 D
<b>ZH-WAL-VGA-WH</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, White	4.44 X
<b>ZH-WAL-VGA-IV</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, Ivory	4.44 X
<b>ZH-WAL-VGA3-IV</b>	Wall plate: VGA Female/Female & Stereo TRS 3.5mm Audio, Gold Plated, Ivory	5.29 X
<b>FE-WAL-HH-VGA-WH</b>	Wall plate HDMI & VGA Female/Female 1 Port, Gold Plated, White	9.61 B
<b>FE-ADT-118</b>	HD15 (VGA/VGA) Female/Female, Mini Gender Changer	2.62 D
<b>FE-ADT-116</b>	VGA 15 Pin Gender Changer, Male/Male, Black	3.57 D
<b>FE-ADT-339</b>	VGA 90 Degree LEFT Angle Adapter (Male/Female), Nickel Plated	4.04 B
<b>FE-ADT-175</b>	VGA 90 Degree UP Angle Adapter (Male/Female), Nickel Plated	4.11 D
<b>FE-ADT-122</b>	Ferrite Core (13mm), for VGA, HDMI, DVI, or Other Cables for 22/24/26AWG	1.31 D
<b>FE-ADT-121</b>	Ferrite Core (8mm), for VGA, HDMI, DVI, or Other Cables for 24/26/28AWG	1.31 D
<b>BE-273032</b>	VGA/HD15 Plastic Hood (Metalized), Solder Type	1.32 C
<b>BE-273003</b>	VGA/HD15 Male Cup/Circuit Board Connector, Solder Type	1.00 D
<b>FE-ADT-288</b>	VGA MALE Connector Repair Kit, Solderless (Each)	12.04 D



This specific block connector is used to REPLACE or REPAIR an existing MALE VGA connector. When used in conjunction with the MaxBlox hood (included with this kit), these connectors simply slide, snap and lock into the hood without the use of tools. Optimized for use in any A/V application where VGA controls are used, the HD15 connectors are manufactured by with genuine Phoenix Contact terminal blocks, the industry standard for reliability. The system accommodates wire diameters, from .120 inch. to .500 inch.

VGA Splitters, Switches, Converters, and Amplifiers

Price / Tier



-- VIDEO SPLITTER/DISTRIBUTION - SINGLE SOURCE/PC TO MULTIPLE DISPLAYS --

<b>FE-VGA-Y</b>	VGA Video Splitter Cable, 6" 15 Pin Male to 15 Pin Female, Black	5.43 D
<b>HA-VGA-Y-BEI</b>	VGA Video Splitter Cable, 8" 15 Pin Male to 15 Pin Female, Beige	5.23 X
<b>FE-VGA-SP2</b>	2-Way VGA AMPLIFIED Splitter, 350 MHz to 1920x1400	31.07 X

-- VIDEO SPLITTER/DISTRIBUTION - SINGLE SOURCE/PC TO MULTIPLE DISPLAYS W/AUDIO --

<b>BB-VAC5-EX8</b>	8 Port VGA Video/Audio Splitter/DISTRIBUTION Hub via CAT5/RJ45 up to 590ft	410.45 X
--------------------	--	----------

**-- VIDEO SWITCHES - MULTIPLES PC/SOURCES AND DISPLAY TO SINGLE MONITOR --**

<b>BB-MSV102P</b>	2-Port VGA Switch, Push Button, to 250Mhz to 1920x1440	59.89 B
<b>VT-WS050A</b>	164FT HDMI 4K@30HZ Over Wireless Transmitter / Switch Receiver Kit	165.20 B
<b>VT-WS050A-TX</b>	164FT HDMI 4K@30HZ Over Wireless Additional Transmitter ONLY	82.08 B

**-- ADDITIONAL VGA EXTENDERS, ACCESSORIES, AND WALL PLATES --**

<b>BB-VGA-C5EP2</b>	1000ft VGA w/MONITOR Extender using Ethernet Cable up to 1280x1024/60Hz ☉	368.24 B
<b>BE-501509</b>	300ft VGA Extender using Ethernet Cable up to 1280x1024/60Hz	122.30 X
<b>ZT-T-602S</b>	VGA with 3.5mm Audio to HDMI (to 1080P) Digital Converter, Portable	20.36 A
<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable	14.43 B
<b>FE-ADT-435</b>	HDMI Male to VGA Female Video Converter Cable (Video and Audio)	8.56 B
<b>ZH-WAL-VGA-IV</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, Ivory	4.44 X
<b>ZH-WAL-VGA-WH</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, White	4.44 X
<b>ZH-WAL-VGA3-IV</b>	Wall plate: VGA Female/Female & Stereo TRS 3.5mm Audio, Gold Plated, Ivory	5.29 X
<b>FE-WAL-HH-VGA-WH</b>	Wall plate HDMI & VGA Female/Female 1 Port, Gold Plated, White	9.61 B
<b>FE-ADT-118</b>	HD15 (VGA/VGA) Female/Female,Mini Gender Changer	2.62 D
<b>FE-ADT-116</b>	VGA 15 Pin Gender Changer, Male/Male, Black	3.57 D
<b>FE-ADT-339</b>	VGA 90 Degree LEFT Angle Adapter (Male/Female), Nickel Plated	4.04 B
<b>FE-ADT-175</b>	VGA 90 Degree UP Angle Adapter (Male/Female), Nickel Plated	4.11 D
<b>FE-VGATF-MF-01</b>	1ft Premium VGA EXTENSION M/F Ultra Thin Cable w/Ferrites Gold Plated	6.13 D
<b>FE-VGATF-MF-01</b>	1ft Premium VGA EXTENSION M/F Ultra Thin Cable Gold Plated	6.13 D
<b>BE-273032</b>	VGA/HD15 Plastic Hood (Metalized), Solder Type	1.32 C
<b>BE-273003</b>	VGA/HD15 Male Cup/Circuit Board Connector, Solder Type	1.00 D

### VGA to DVI Cables

Price / Tier



<b>MR-DVIAF-VGA-1MM</b>	3ft DVI-A Male (Analog) to VGA Male Triple Shielded Gold Plated Cable	11.25 C
<b>BC-DVIA-VGA-3MM</b>	10ft DVI-A Male (Analog) to VGA Male Triple Shielded Gold Plated Cable	19.00 B
<b>BC-DVIA-VGA-5MM</b>	15ft DVI-A Male (Analog) to VGA Male Triple Shielded Gold Plated Cable	24.71 B

**-- VGA / DVI INTERCONNECTS, ACCESSORIES, AND WALLPLATES --**

<b>FE-ADT-119</b>	DVI-I Male (Analog) to VGA (15 Pin) Female Adapter, Gold Plated	3.77 D
<b>FE-ADT-175</b>	VGA 90 Degree UP Angle Adapter (Male/Female), Nickel Plated	4.11 D
<b>FE-ADT-339</b>	VGA 90 Degree LEFT Angle Adapter (Male/Female), Nickel Plated	4.04 B
<b>FE-ADT-121</b>	Ferrite Core (8mm), for VGA, HDMI, DVI, or Other Cables for 24/26/28AWG	1.31 D
<b>FE-ADT-122</b>	Ferrite Core (13mm), for VGA, HDMI, DVI, or Other Cables for 22/24/26AWG	1.31 D

### VGA Projector to RGB Component

Price / Tier



<b>BB-CC2261-06</b>	6ft VGA/HD15 Video Projector to 3-RCA Component (Y, Pr, Pb) Cable	8.48 B
<b>BB-CC2261-12</b>	12ft VGA/HD15 Video Projector to 3-RCA Component (Y, Pr, Pb) Cable	10.83 X
<b>FE-ADT-121</b>	Ferrite Core (8mm), for VGA, HDMI, DVI, or Other Cables for 24/26/28AWG	1.31 D
<b>FE-ADT-122</b>	Ferrite Core (13mm), for VGA, HDMI, DVI, or Other Cables for 22/24/26AWG	1.31 D

## Audio Cables - 3.5 Mini Audio

3.5mm, 2.5mm, and MP3 Mini Cables

2.5mm, 3.5mm (1/8 inch) Audio, Audio/Video Combination Cables, Converter Cables (to RCA, to 2.5mm, etc), and Aux Cables to connect your mp3 player, iPad, mobile phone or computer and other small/mini cable audio devices.

### 3.5mm Male to Male Cables

Price / Tier



**-- GENERAL DUTY/STANDARD 3.5MM (1/8") MINI AUDIO CABLES (MALE TO MALE) --**

<b>FE-3MM-4IN-MM</b>	4inch 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	1.03 D
<b>FE-3MM-6IN-MM</b>	6inch 3.5mm SLIM Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	0.84 D
<b>FE-3MM-01MM</b>	1.5ft 3.5mm SLIM Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	1.68 D
<b>FE-3MM-02MM</b>	2ft 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	1.79 D
<b>FE-3MM-03MM</b>	3ft 3.5mm SLIM Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	1.84 D
<b>FE-3MM-06MM</b>	6ft 3.5mm SLIM Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	2.46 D
<b>FE-3MM-10MM</b>	10ft 3.5mm SLIM Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	2.03 D
<b>FE-3MM-12MM</b>	12ft 3.5mm SLIM Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	2.75 D
<b>FE-3MM-15MM</b>	15ft 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	2.46 D
<b>FE-3MM-20MM</b>	20ft 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	2.97 D
<b>FE-3MM-25MM</b>	25ft 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	3.61 D
<b>FE-3MM-35MM</b>	35ft 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black	4.16 D

<b>FE-3MM-50MM</b>	50ft 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable, Black .....	5.96 D
<b>FE-3MM-75MM</b>	75ft 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	8.26 D
<b>-- PREMIUM 3.5MM (1/8") MINI AUDIO CABLES (MALE TO MALE) SHIELDED, GOLD PLATED --</b>		
<b>FE-PX3MM-MM-6IN</b>	6 inch PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	1.93 A
<b>FE-PX3MM-MM-01</b>	1.5ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	2.03 B
<b>FE-PX3MM-MM-02</b>	2ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	2.10 A
<b>FE-PX3MM-MM-03</b>	3ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	2.25 A
<b>FE-PX3MM-MM-06</b>	6ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	2.67 A
<b>FE-PX3MM-MM-10</b>	10ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	3.16 B
<b>FE-PX3MM-MM-12</b>	12ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	3.50 A
<b>FE-PX3MM-MM-25</b>	25ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	5.21 A
<b>FE-PX3MM-MM-35</b>	35ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	7.39 A
<b>FE-PX3MM-MM-50</b>	50ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	8.54 A
<b>FE-PX3MM-MM-75</b>	75ft PREMIUM 3.5mm Mini-Stereo TRS Male to Male Speaker/Audio Cable .....	12.70 A
<b>-- 90 DEGREE BOTH ENDS 3.5MM (1/8") MINI AUDIO CABLES (MALE TO MALE) --</b>		
<b>FE-3MM-06IN-90</b>	6inch DOUBLE ANGLED 3.5mm Mini Stereo TRS Male to Male Speaker Cable .....	1.75 D

Connects any stereo audio devices. Specifically design for computer audio applications, it works with any PC sound card, speaker, headset, portable CD players, and microphone with a **3 conductor (2 black ring) 3.5mm connector**.



**Features and Specifications**

- Connector: 3.5mm (1/8") Male to Male
- Outer Diameter of Cable: 3.00mm
- Right Angle Connectors at BOTH ends of cable
- 3 Conductor, 28AWG CCS
- Nickel Plated Connectors
- Insulation Type: PVC 1.00mm
- Outer Diameter of Molded Connector: 10.3mm
- Cable Shielding: No

<b>FE-3MM-10IN-90</b>	10inch DOUBLE ANGLED 3.5mm Mini Stereo TRS Male to Male Speaker Cable .....	1.98 D
<b>FE-3MM-12IN-90</b>	1 FT DOUBLE ANGLED 3.5mm Mini Stereo TRS Male to Male Speaker Cable .....	2.02 D
<b>FE-3MM-01-90</b>	1.5ft DOUBLE ANGLED 3.5mm Mini Stereo TRS Male to Male Speaker Cable .....	2.05 D
<b>FE-3MM-03-90</b>	3ft DOUBLE ANGLED 3.5mm Mini Stereo TRS Male to Male Speaker Cable .....	2.42 D
<b>FE-3MM-06-90</b>	6ft DOUBLE ANGLED 3.5mm Mini Stereo TRS Male to Male Speaker Cable .....	3.68 D
<b>FE-3MM-10-90</b>	10ft DOUBLE ANGLED 3.5mm Mini Stereo TRS Male to Male Speaker Cable .....	2.90 D
<b>FE-3MM-12-90</b>	12ft DOUBLE ANGLED 3.5mm Mini Stereo TRS Male to Male Speaker Cable .....	5.80 X
<b>FE-3MM-SMM-06IN</b>	6inch EXTRA SLIM 3.5mm Mini-Stereo TRS Male to Male Gold Plated Cable, Whi .....	2.12 X

The CONNECTOR ENDS are shielded to protect against radio frequency and electromagnetic interference. This cable has a PVC jacket, molded ends, and inner hood soldered.



- Connector: 3.5mm (1/8") Male to Male
- Outer Diameter of Cable: 2.1mm
- 3 Conductor, 32AWG
- Cable Type: Copper wire
- GOLD Plated 3 conductors
- EXTRA SLIM Metal Silver-colored connector shell, approx 5.8mm Outer Diameter (Shielded)
- Outer Diameter of Molded Connector: 10.3mm
- Cable Shielding: No (Connectors ONLY)

<b>FE-3MM-SMM-01</b>	1.5ft EXTRA SLIM 3.5mm Mini-Stereo TRS Male to Male Gold Plated Cable .....	2.27 X
<b>FE-3MM-SMM-03</b>	3ft EXTRA SLIM 3.5mm Mini-Stereo TRS Male to Male Gold Plated Cable, White .....	2.41 C
<b>FE-3MM-SMM-06</b>	6ft EXTRA SLIM 3.5mm Mini-Stereo TRS Male to Male Gold Plated Cable, White .....	2.66 D
<b>FE-3MM-SMM-10</b>	10ft EXTRA SLIM 3.5mm Mini-Stereo TRS Male to Male Gold Plated Cable, Whit .....	3.26 C
<b>FE-3MM-SMM-25</b>	25ft EXTRA SLIM 3.5mm Mini-Stereo TRS Male to Male Gold Plated Cable, Whit .....	4.82 C

**-- 2.5MM TO 3.5MM MINI AUDIO TRS CABLES (MALE TO MALE) --**

2.5mm Male to 3.5mm Male cable for specialized "small end" devices.



**Features and Specifications**

- 1 End 2.5mm MINI audio Male Stereo Connector
- 1 End 3.5mm MINI audio Male Stereo Connector
- Nickel Plated
- Molded End Outer Diameter: 10.3mm
- Cable Outer Diameter: 3.0mm, Black Jacket
- Molded End Length: 32mm
- 28AWG CCS 3 conductor wiri

<b>FE-23MM-01</b>	1ft 2.5mm to 3.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	1.06 D
<b>FE-23MM-03</b>	3ft 2.5mm to 3.5mm SLIM Mini Stereo TRS Plug Male/Male Cable, Black .....	1.52 D
<b>FE-23MM-06</b>	6ft 2.5mm to 3.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	1.96 D
<b>FE-23MM-10</b>	10ft 2.5mm to 3.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	2.67 D

**-- PREMIUM 3.5MM TRS STEREO MALE TO 2 (Y) 1/4" MONO MALE Y-BREAKOUT CABLE --**

<b>FE-3MM214-03</b>	3ft Premium 3.5mm TRS Stereo Male to 2 1/4" TS Stereo Breakout Cable .....	6.90 C
<b>FE-3MM214-06</b>	6ft Premium 3.5mm TRS Stereo Male to 2 1/4" Mono Male Y-Breakout Cable .....	8.22 B
<b>FE-3MM214-10</b>	10ft Premium 3.5mm TRS Stereo Male to 2 1/4" Mono Male Y-Breakout Cable .....	9.56 B

**-- PREMIUM 3.5MM TRS STEREO MALE TO 2 XLR" MALE Y-BREAKOUT CABLE --**

<b>FE-3MM2XLR-03</b>	3ft Premium 3.5mm TRS Stereo Male to 2 XLR" Male Stereo Breakout Cable .....	6.75 C
<b>FE-3MM2XLR-06</b>	6ft Premium 3.5mm TRS Stereo Male to 2 XLR" Male Y-Breakout Cable .....	7.91 B
<b>FE-3MM2XLR-10</b>	10ft Premium 3.5mm TRS Stereo Male to 2 XLR" Male Y-Breakout Cable .....	9.28 B

**-- PLENUM RATED (CMP) 3.5MM STEREO TRS AUDIO CABLES --**

<b>CV-CSP3222-22-03</b>	3ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black .....	22.52 A
<b>CV-CSP3222-22-06</b>	6ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black .....	23.89 A
<b>CV-CSP3222-22-12</b>	12ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black .....	24.86 A
<b>CV-CSP3222-22-15</b>	15ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black .....	25.38 A
<b>CV-CSP3222-22-25M</b>	25ft 3.5mm PLENUM PVC Molded End Mini-Stereo TRS Male to Male Cable, Black .....	12.77 A
<b>CV-CSP3222-22-35M</b>	35ft 3.5mm PLENUM PVC Molded End Mini-Stereo TRS Male to Male Cable, Black .....	13.88 A
<b>CV-CSP3222-22-50M</b>	50ft 3.5mm PLENUM PVC Molded End Mini-Stereo TRS Male to Male Cable, Black .....	18.87 A
<b>CV-CSP3222-22-75M</b>	75ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black .....	24.62 A
<b>CV-CSP3222-22-100</b>	100ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black .....	36.96 A

**-- XLR 3P MALE TO 3.5MM TRS MALE (BALANCED AUDIO) CAPTURE CABLE --**

<b>FE-XLR35-06MM</b>	6Ft XLR 3P Male to 3.5mm TRS Male (Balanced Audio) Capture Cable .....	4.60 D
<b>FE-XLR35-03MM</b>	3Ft XLR 3P Male to 3.5mm TRS Male (Balanced Audio) Capture Cable .....	4.11 D
<b>FE-XLR35-10MM</b>	10Ft XLR 3P Male to 3.5mm TRS Male (Balanced Audio) Capture Cable .....	7.00 D
<b>FE-XLR35-25MM</b>	25Ft XLR 3P Male to 3.5mm TRS Male (Balanced Audio) Capture Cable .....	10.86 D

**-- XLR 3P FEMALE TO 3.5MM TRS MALE (BALANCED AUDIO) CABLE --**

<b>BE-203298</b>	6Ft XLR 3P Female to 3.5mm TRS (Balanced Audio) Male Cable .....	4.57 B
<b>BE-203300</b>	25ft XLR 3P Female to 3.5mm TRS (Balanced Audio) Male Cable .....	10.68 B

**-- AUDIO ACCESSORIES --**

<b>FE-ADT-143</b>	3.5mm Right Angle Adapter, Male/Female Stereo TRS (3 connector) .....	1.64 C
<b>FE-ADT-213</b>	2.5mm MALE to 3.5mm FEMALE Right Angle Adapter, Stereo TRS (3 connector) .....	1.49 C

Ideal for iPods, iPhones, and other devices that have a tight 2.5mm connection



**Features and Specifications**

- 2.5mm MALE to 3.5mm FEMALE in-line adapter.
- 2.5mm right angle adapter (2.5mm MALE to 3.5mm FEMALE connectors).
- Type: stereo-stereo, 3 connection point
- Does NOT support microphone used found in TRRS (3 band) connectors
- See technical drawing for product dimensions
- PVC Black Plastic Casing





Adds convenience to any headphone that does not provide a local volume control. Simply plugs into the sound source and provides a 3.5mm jack for connecting existing headphones. Great for use with audio equipment with unusually high output levels, and for using low impedance headphones with devices designed for higher loads, such as airline in flight entertainment systems.

<b>HD-C-MC01</b>	HDMI (8K@60) eARC Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT .....	56.90 A
<b>ZT-T-621E</b>	HDMI (4K@60) Pass-thru Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT .....	32.59 A
<b>FE-ADT-142</b>	1/4" Stereo TRS Jack (Female) to 3.5mm Stereo Plug (Male) Adapter .....	0.90 D

## 3.5mm Male to FEMALE Extension Cables

Price / Tier

### -- 3.5MM (1/8") STEREO TRS MINI AUDIO EXTENSION CABLES (MALE TO FEMALE) --



<b>FE-3MM-6IN-MF</b>	6inch 3.5mm SLIM Mini-Stereo TRS Male to Female Audio Extension Cable .....	1.33 D
----------------------	---	--------

**EXTENDS** any stereo audio devices. Specifically design for computer audio applications, it works with any PC sound card, speaker, headset, portable CD players, and microphone with a **3 conductor (2 black ring) 3.5mm connector**.



#### Features and Specifications

- Outer Diameter of Cable: 3.00mm
- 3 Conductor, 28AWG CCS
- Nickel Plated Connectors
- Insulation Type: PVC 1.00mm
- Outer Diameter of Molded Connector: 10.3mm

<b>FE-3MM-01MF</b>	1.5ft 3.5mm Mini-Stereo TRS Male to Female Audio Extension Cable .....	2.24 D
<b>FE-3MM-02MF</b>	2ft 3.5mm Mini-Stereo TRS Male to Female Audio Extension Cable .....	1.61 D
<b>FE-3MM-03MF</b>	3ft 3.5mm Mini-Stereo TRS Male to Female Audio Extension Cable .....	1.64 X
<b>FE-3MM-06MF</b>	6ft 3.5mm SLIM Mini-Stereo TRS Male to Female Audio Extension Cable .....	1.97 D
<b>FE-3MM-12MF</b>	12ft 3.5mm SLIM Mini-Stereo TRS Male to Female Audio Extension Cable .....	2.74 D
<b>FE-3MM-15MF</b>	15ft 3.5mm SLIM Mini-Stereo TRS Male to Female Audio Extension Cable .....	2.40 D
<b>FE-3MM-20MF</b>	20ft 3.5mm SLIM Mini-Stereo TRS Male to Female Audio Extension Cable .....	3.23 D
<b>FE-3MM-25MF</b>	25ft 3.5mm Mini-Stereo TRS Male to Female Audio Extension Cable .....	5.11 D
<b>FE-3MM-35MF</b>	35ft 3.5mm SLIM Mini-Stereo TRS Male to Female Audio Extension Cable .....	4.37 X
<b>FE-3MM-50MF</b>	50ft 3.5mm Mini-Stereo TRS Male to Female Audio Extension Cable .....	5.01 D
<b>FE-3MM-75MF</b>	75ft 3.5mm Mini-Stereo TRS Male to Female Audio Extension Cable .....	6.09 D

### -- PREMIUM SHIELDED 3.5MM (1/8") SHIELDED STEREO TRS MINI AUDIO EXTENSIONS --

<b>FE-PX3MM-MF-6IN</b>	6inch PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	2.03 B
<b>FE-PX3MM-MF-01</b>	1.5ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	2.35 B
<b>FE-PX3MM-MF-02</b>	2ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	2.85 D
<b>FE-PX3MM-MF-03</b>	3ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	3.20 B
<b>FE-PX3MM-MF-06</b>	6ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	3.58 B
<b>FE-PX3MM-MF-10</b>	10ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	3.96 B
<b>FE-PX3MM-MF-12</b>	12ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	4.43 B
<b>FE-PX3MM-MF-15</b>	15ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	4.87 B
<b>FE-PX3MM-MF-20</b>	20ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	5.46 B
<b>FE-PX3MM-MF-25</b>	25ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	6.43 B
<b>FE-PX3MM-MF-35</b>	35ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	8.54 A
<b>FE-PX3MM-MF-50</b>	50ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	10.41 A
<b>FE-PX3MM-MF-75</b>	75ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	14.31 A
<b>FE-PX3MM-MF-100</b>	100ft PREMIUM SHIELDED 3.5mm Mini-Stereo TRS Male to FEMALE EXTENSION Cable .....	18.93 A

### -- 3.5MM (1/8") MINI AUDIO PANEL-MOUNT EXTENSION CABLES (MALE TO FEMALE) --

<b>FE-3MMPM-6INMF</b>	6inch 3.5mm Stereo TRS Male to Female Panel-Mount Extension Cable .....	3.50 D
<b>FE-3MMPM-01MF</b>	1.5ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable .....	3.95 D
<b>FE-3MMPM-03MF</b>	3ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable .....	3.58 D
<b>FE-3MMPM-06MF</b>	6ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable .....	3.94 D
<b>FE-3MMPM-10MF</b>	10ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable .....	4.42 D
<b>FE-3MMPM-15MF</b>	15ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable .....	5.74 D



**-- 3.5MM (1/8") MINI ACCESSORIES --**

<b>FE-ADT-422</b>	6 inch Adapter Cable: Stereo (TRS) 3.5mm FEMALE to 2.5mm FEMALE .....	2.32 D
<b>FE-3MM-VOL</b>	10inch 3.5mm In-Line Volume Control Adapter for Headphone, Black .....	4.53 D



Adds convenience to any headphone that does not provide a local volume control. Simply plugs into the sound source and provides a 3.5mm jack for connecting existing headphones. Great for use with audio equipment with unusually high output levels, and for using low impedance headphones with devices designed for higher loads, such as airline in flight entertainment systems.

<b>FE-ADT-261</b>	3.5mm TRRS Male to Female Port PVC Extender Shielded,4 Conductor, Gold Plat .....	2.18 x
<b>FE-ADT-333</b>	3.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, FEMALE .....	0.63 B
<b>FE-ADT-142</b>	1/4" Stereo TRS Jack (Female) to 3.5mm Stereo Plug (Male) Adapter .....	0.90 D
<b>FE-ADT-244</b>	4 Conductor TRRS Male to 2-3.5mm Female Audio/ Microphone Break-out Adapter .....	2.06 x
<b>FE-ADT-248</b>	4 Conductor TRRS APPLE Male to 2-3.5mm Female Audio/Mic Break-out Adapter C .....	3.19 D



Connects stereo audio & microphone devices requiring 4 conductors (left and right audio and microphone plus ground). This connector MAY also be suitable for left/right audio, 1 video (composite) and ground. Great for making your own 3.5mm 4 conductor Cables, or for repairing existing cables. Wire terminals are attached using solder (not included).

**Features and Specifications**

- Gold plated 4 conductor MALE to 2 Gold Plated 3 conductor FEMALE connectors
- ORANGE=Microphone, GREEN=Headphone/SpeakersUses APPLE (TM) wiring standard.
- Many newer smart phones from Samsung, LG, Blackberry, etc are now using this standard.
- CONFIRMED works with: Samsung Galaxy S4, S5, Lenovo Laptop, Playstation 4

<b>FE-3MM-FFF</b>	4inch 3.5mm Mini-Stereo TRS Female to 2 Female Y-Cable / Splitter .....	1.81 C
-------------------	---	--------

<b>3.5mm / 2.5mm 4 Conductor TRRS Cables</b>	<b>Price / Tier</b>
--	---------------------

<b>FE-4CTPR-75-MM</b>	75ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	12.24 x
<b>FE-4CTPR-20-MM</b>	20ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	5.06 x



**-- 3.5MM 4 CONDUCTOR TRRS CABLES (LEFT/RIGHT STEREO, MIC/VIDEO, GROUND) MALE/M --**

<b>FE-4CT-06IN-MM</b>	6inch 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video Male to Male Cable .....	1.78 D
<b>FE-4CT-01-MM</b>	1.5ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video Male to Male Cable .....	2.52 D
<b>FE-4CT-02-MM</b>	2ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video Male to Male Cable .....	2.31 D
<b>FE-ADT-385</b>	2ft 3.5mm TRS Male to 3.5mm TRRS Angled Male LINE LEVEL RECORDING Cable .....	10.80 D
<b>FE-4CT-03-MM</b>	3ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video Male to Male Cable .....	2.66 D
<b>FE-2MM490-04MM</b>	4ft 2.5mm 4 Conductor Mini-Stereo TRRS+Mic/Video M/M Cable RIGHT ANGLE .....	3.10 D
<b>FE-4CT-06-MM</b>	6ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video Male to Male Cable .....	3.09 D
<b>FE-4CT-12-MM</b>	12ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video Male to Male Cable .....	3.71 x
<b>FE-4CT-15-MM</b>	15ft 3.5mm SLIM 4 Conductor TRRS / 3 Band + Mic or Video Male to Male Cable .....	4.51 D
<b>FE-4CT-25-MM</b>	25ft 3.5mm SLIM 4 Conductor TRRS / 3 Band + Mic or Video Male to Male Cable .....	6.38 D
<b>FE-4CT-50-MM</b>	50ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video Male to Male Cable .....	8.81 D

**-- METAL SHELL 3.5MM 4 CONDUCTOR TRRS/3 BAND + MIC/VIDEO EXTENSION CABLE WHITE --**



Our PREMIUM line of our 4 conductor cable connects stereo audio & microphone devices requiring 4 conductors (left and right audio and microphone plus ground). This cable MAY also be suitable for left/right audio, 1 video (composite) and ground.

- Connector: 3.5mm (1/8") Male to Male
- 4 conductor, connected straight through
- Outer Diameter of Metal Shell Connector (Silver): 8.4mm
- Durable connector to cable shell suitable for commercial or industrial usage
- 4 individually PVC protected 28AWG copper (CU) stranded wires (Red, White, Green, Yellow)
- Connector ends are GOLD PLATED
- White PVC Cabling

FE-4CTPR-01-MM	1.5ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	3.14 x
FE-4CTPR-02-MM	2ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	3.19 c
FE-4CTPR-03-MM	3ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	3.30 c
FE-4CTPR-06-MM	6ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	3.62 x
FE-4CTPR-08-MM	8ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	3.82 x
FE-4CTPR-12-MM	12ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	4.25 x
FE-4CTPR-15-MM	15ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	4.55 x
FE-4CTPR-25-MM	25ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	5.77 x
FE-4CTPR-35-MM	35ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	7.49 x
FE-4CTPR-50-MM	50ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic or Video M/M Cable .....	9.25 x

**-- 3.5MM 4 CONDUCTOR TRRS BOTH ANGLED MINI +MIC / VIDEO M/M CABLE --**

FE-4CT-01-90	1.5ft 3.5mm 4 Conductor TRRS BOTH ANGLED Mini +Mic / Video M/M Cable .....	2.03 x
--------------	--	--------



This cable be suitable for left/right audio, 1 video (composite) and ground or microphone. This cable has a PVC jacket, molded ends, and inner hood soldered 360 degrees. Both ends are angled at 90 degrees.

- Connector: 3.5mm (1/8") Male to Male
- 4 conductor, connected straight through
- End 1: 90 Degree Angle, End 2: 90 Degree Angle
- 4 individually PVC protected 30AWG wires (Red, White, Green, Black tip to sleeve)
- 28AWG Braided copper wire
- RoHS Compliant

FE-4CT-03-90	3ft 3.5mm 4 Conductor TRRS BOTH ANGLED Mini +Mic / Video M/M Cable .....	2.33 D
FE-4CT-06-90	6ft 3.5mm 4 Conductor TRRS BOTH ANGLED Mini +Mic / Video M/M Cable .....	3.50 D
FE-4CT-10-90	10ft 3.5mm 4 Conductor TRRS BOTH ANGLED Mini +Mic / Video M/M Cable .....	4.98 D

**-- PREMIUM/SHIELDED 3.5MM 4 CONDUCTOR TRRS/3 BAND + MIC/VIDEO CABLE, BLACK --**

FE-PX4CT-MM-6IN	6IN PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	2.73 B
FE-PX4CT-MM-01	1ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	2.85 B
FE-PX4CT-MM-02	2ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	2.95 B
FE-PX4CT-MM-03	3ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	3.36 B
FE-PX4CT-MM-06	6ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	3.92 B
FE-PX4CT-MM-12	12ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	5.45 B
FE-PX4CT-MM-10	10ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	4.81 B
FE-PX4CT-MM-15	15ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	5.75 B
FE-PX4CT-MM-20	20ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	6.68 B
FE-PX4CT-MM-25	25ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	7.77 B
FE-PX4CT-MM-35	35ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	11.51 B
FE-PX4CT-MM-50	50ft PREMIUM SHIELDED 3.5mm 4 Conductor TRRS/3 Band+Mic or Video M/M Cable .....	14.00 B

**-- 4 CONDUCTOR TRRS ANGLED AND STRAIGHT MINI +MIC / VIDEO M/M CABLE --**

FE-4CT-01-90-S	1.5ft 3.5mm 4 Conductor TRRS ANGLED/STRAIGHT Mini +Mic / Video M/M Cable .....	2.72 x
FE-4CT-02-90-S	2ft 3.5mm 4 Conductor TRRS ANGLED/STRAIGHT Mini +Mic / Video M/M Cable .....	2.02 x
FE-4CT-03-90-S	3ft 3.5mm 4 Conductor TRRS ANGLED/STRAIGHT Mini +Mic / Video M/M Cable .....	2.94 D
FE-4CT-06-90-S	6ft 3.5mm 4 Conductor TRRS ANGLED/STRAIGHT Mini +Mic / Video M/M Cable .....	3.22 D
FE-4CT-10-90-S	10ft 3.5mm 4 Conductor TRRS ANGLED/STRAIGHT Mini +Mic / Video M/M Cable .....	4.59 x

**-- 3.5MM 4 CONDUCTOR TRRS CABLES EXTENSION --**

FE-4CT-06IN-MF	6inch 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video M/F EXTENSION Cable .....	2.30 D
FE-4CT-CTIA-MF	6inch 3.5mm 4 Conduct TRRS OMTP Male to 4 Conduct TRRS CTIA Female Adapter .....	2.30 D
FE-4CT-06IN-CTIA	6inch 3.5mm 4 Conductor TRRS OMTP Male to 4 Conduct TRRS CTIA Male Adapter .....	2.30 x
FE-ADT-349	3.5mm Male Stereo (TRS) to Female 4 Conductor (TRRS) CTIA or OMTP Adapter .....	2.52 D
FE-4CT-01-MF	1.5ft 3.5mm SLIM 4 Conductor TRRS/3 Band + Mic or Video M/F EXTENSION Cable .....	2.36 x

<b>FE-4CT-02-MF</b>	2ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video M/F EXTENSION Cable .....	2.56 X
<b>FE-4CT-03-MF</b>	3ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video M/F EXTENSION Cable .....	2.94 D
<b>FE-4CT-06-MF</b>	6ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video M/F EXTENSION Cable .....	3.42 D
<b>FE-4CT-12-MF</b>	12ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video M/F EXTENSION Cable .....	4.53 D
<b>FE-4CT-15-MF</b>	15ft 3.5mm 4 Conductor TRRS / 3 Band Mic or Video M/F EXTENSION Cable .....	4.47 D
<b>FE-4CT-20-MF</b>	20ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video M/F EXTENSION Cable .....	5.48 D
<b>FE-4CT-25-MF</b>	25ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video M/F EXTENSION Cable .....	6.35 D
<b>FE-4CT-50-MF</b>	50ft 3.5mm 4 Conductor TRRS / 3 Band + Mic or Video M/F EXTENSION Cable .....	12.76 D

**-- PREMIUM 3.5MM 4 CONDUCTOR TRRS/3 BAND + MIC OR VIDEO EXTENSION CABLE --**

<b>FE-4CTPR-06IN-MF</b>	6 in Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	3.32 C
-------------------------	--	--------



Our PREMIUM line of our 4 conductor EXTENSION cable connects stereo audio & microphone devices requiring 4 conductors (left and right audio and microphone plus ground).

- Connector: 3.5mm (1/8") Male to Female
- 4 conductor, connected straight through
- Durable connector to cable shell suitable for commercial or industrial usage
- 4 individually PVC protected 28AWG copper (CU) stranded wires (Red, White, Green, Yellow)
- Connector ends are GOLD PLATED
- RoHS-2 Compliant (Lead Free soldering)
- White PVC Cabling

<b>FE-4CTPR-01-MF</b>	1.5ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	3.47 X
<b>FE-4CTPR-02-MF</b>	2ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	3.50 X
<b>FE-4CTPR-03-MF</b>	3ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	3.62 X
<b>FE-4CTPR-06-MF</b>	6ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	3.95 X
<b>FE-4CTPR-08-MF</b>	8ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	4.14 X
<b>FE-4CTPR-12-MF</b>	12ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	4.59 C
<b>FE-4CTPR-15-MF</b>	15ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	4.89 X
<b>FE-4CTPR-20-MF</b>	20ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	5.88 X
<b>FE-4CTPR-25-MF</b>	25ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	6.44 C
<b>FE-4CTPR-35-MF</b>	35ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	7.83 C
<b>FE-4CTPR-50-MF</b>	50ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	10.43 C
<b>FE-4CTPR-75-MF</b>	75ft Metal Shell 3.5mm 4 Conductor TRRS/3 Band + Mic/Video EXTENSION Cable .....	13.66 C

**-- 2.5MM TRRS 4 CONDUCTOR MINI AUDIO TS CABLES (MALE TO MALE) --**

<b>FE-25TRRS-6IN-MM</b>	6inch 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	2.55 D
<b>FE-25TRRS-01-MM</b>	1.5ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	2.66 D
<b>FE-25TRRS-02-MM</b>	2ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	3.12 D
<b>FE-25TRRS-03-MM</b>	3ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	3.79 D
<b>FE-25TRRS-06-MM</b>	6ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	4.17 D
<b>FE-25TRRS-12-MM</b>	12ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	6.55 D

**-- 3.5MM 4 CONDUCTOR TRRS MALE TO FEMALE PANEL-MOUNT EXTENSION CABLE --**

<b>FE-4CTPM-6IN</b>	6inch 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable .....	4.08 C
<b>FE-4CTPM-01</b>	1.5ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable .....	4.31 C
<b>FE-4CTPM-03</b>	3ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable .....	4.49 C
<b>FE-4CTPM-06</b>	6ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable .....	4.62 C
<b>FE-4CTPM-10</b>	10ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable .....	4.95 C
<b>FE-4CTPM-15</b>	15ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable .....	5.85 C

**-- 3.5MM 4 CONDUCTOR TRRS ADAPTERS AND ACCESSORIES --**

<b>FE-ADT-423</b>	6 inch Adapter Cable: 4 Conductor (TRRS) 3.5mm FEMALE to 2.5mm FEMALE .....	2.40 D
<b>FE-ADT-200</b>	3.5mm 4 Conductor TRRS Female to 2.5mm Male 4 Conductor TRRS Adapter .....	2.25 X
<b>FE-ADT-199</b>	2.5mm 4 Conductor (TRRS) Female to 3.5mm Male 4 Conductor Adapter .....	2.77 X
<b>FE-4CT-FFF</b>	4inch 3.5mm 4 Conductor TRRS Female to 2 Female Y-Cable / Splitter .....	1.81 C
<b>FE-ADT-241-XO</b>	3.5mm Male to Female Port Extender Shielded OMTP/CTIA, 4 Conductor TRRS .....	2.14 D



- There is no industry standard for a 4-conductor (3 black ring) to 3 RCA connector or adapter. We have designed this adapter to adhere to the more common "iPod standard" (shown in the above pin-out).
- Female 3.5mm 4 Conductor (Left and Right Audio, Video, and Ground) Female Connector
- 3 RCA Male Connectors (Red/White RCA Audio, Yellow-Composite Video)
- Length: Approx 6 inches
- Nickel Plated



- Male 3.5mm 4 Conductor TRRS (Left & Right Audio, Video, and Ground) Female Connector
- 3 RCA Female Connectors (Red/White RCA Audio, Yellow-Composite Video)
- Length: Approx 6 inches
- Nickel Plated Conductors
- See TECH DOC for wiring information

FE-ADT-426 2.5mm 4 Conductor TRRS Y-Split:1 Male to 2 Female 4 Conductor Adapter Cable ..... 4.26 D  
 FE-ADT-323 3.5mm 4 Conductor TRRS Y-Split:1 Male to 2 Female 4 Conductor Adapter Cable ..... 3.48 D  
 FE-ADT-244 4 Conductor TRRS Male to 2-3.5mm Female Audio/ Microphone Break-out Adapter ..... 2.06 x  
 FE-ADT-298 4 Conductor TRRS F to 2x3.5mm M Audio/Microphone (Android) Breakout Cable ..... 1.76 x  
 FE-ADT-259 Headphone and Microphone (PC) Combine to Apple(TM) Headset with Microphone ..... 3.10 D  
 FE-ADT-269 3.5mm Plug/Jack, 4 Conductor TRRS, Self Solder, Male ..... 1.05 D

Connects stereo audio & microphone devices requiring 4 conductors (left and right audio and microphone plus ground). This connector MAY also be suitable for left/right audio, 1 video (composite) and ground. Great for making your own 3.5mm 4 conductor Cables, or for repairing existing cables. Wire terminals are attached using solder (not included).



**Features and Specifications**

- 3.5mm 4 conductor (3 band) plug
- Outer Dimensions (at PVC outer molding): 9.1mm-9.6mm
- Outer Dimensions (with PVC outer molding REMOVED): 8.0mm
- Connector Length: 15.0mm
- Total Length (from end to end): 49.5mm
- Self-solder


FE-ADT-380 2.5mm Plug/Jack, TRRS 4 Connector, Self Solder, Male ..... 1.11 D  
 SH-1011 2.5mm Plug/Jack, TRRS 4 Connector, Self Solder, Female ..... 7.30 A  
 FE-ADT-248 4 Conductor TRRS APPLE Male to 2-3.5mm Female Audio/Mic Break-out Adapter C ..... 3.19 D

Connects stereo audio & microphone devices requiring 4 conductors (left and right audio and microphone plus ground). This connector MAY also be suitable for left/right audio, 1 video (composite) and ground. Great for making your own 3.5mm 4 conductor Cables, or for repairing existing cables. Wire terminals are attached using solder (not included).



**Features and Specifications**

- Gold plated 4 conductor MALE to 2 Gold Plated 3 conductor FEMALE connectors
- ORANGE=Microphone, GREEN=Headphone/SpeakersUses APPLE (TM) wiring standard.
- Many newer smart phones from Samsung, LG, Blackberry, etc are now using this standard.
- CONFIRMED works with: Samsung Galaxy S4, S5, Lenovo Laptop, Playstation 4

<b>FE-ADT-241</b>	3.5mm TRRS 4 Conductor Male / Female Port Extender Shielded Adapter .....	3.36 D
	Designed for use with Square, Intuit, and Paypal Card Readers, this 4 Conductor (4 Pole) Port Extender Works With Android, All iPhone Models, iPad, Smart Phones & iPod Touch.	
		
	<b>Features and Specifications</b>	
	<ul style="list-style-type: none"> <li>• 4 Conductor MALE to 3.5mm to 4 Conductor FEMALE Extender/ Adapter</li> <li>• Gold Plated conductors, Shielded</li> <li>• Maximum Outer Diameter (OD): 6.79mm (Slim Design)</li> <li>• TRRS Type Straight Through Wiring (4 conductor)</li> <li>• Ideal for use with Smart Phone use with Credit Card swipers, or cables that have a thicker housing.</li> <li>• Tested with PAYPAL and INTUIT card readers that need a 4 conductor connection</li> </ul>	
<b>FE-ADT-261</b>	3.5mm TRRS Male to Female Port PVC Extender Shielded,4 Conductor, Gold Plat .....	2.18 X
<b>FE-ADT-277</b>	3.5mm TRRS Male to Female Port Flexible Adapter, 4 Conductor, Nickel Plated .....	3.30 D
<b>FE-ADT-247</b>	3.5mm 4 Conductor TRRS Right Angle Adapter, Male/Female Stereo/Mic .....	3.37 D
<b>FE-ADT-249</b>	3.5mm 4 Conductor TRRS Female to Female Coupler Adapter .....	2.46 D

Converts any **4 conductor** 3.5mm cable or port with male connector into 3.5mm female, or couples 2 TRRS male cables together to form a longer cable



**Features and Specifications**

- Nickel Plated
- RoHS Compliant
- Connectors: 3.5mm Female to Female, 4 conductor (TRRS) - 3 black band
- Straight-through wiring (1-1, 2-2, 3-3, 4-4).
- Total Length end to end: 40.3mm (Approx 1.59 inches)

<b>FE-ADT-305</b>	3.5mm 4 Conductor TRRS MALE to MALE Coupler Adapter .....	2.14 D
-------------------	---	--------

<b>3.5mm MONO Cables</b>	Price / Tier
--------------------------	--------------

	<b>FE-MONO-06IN-MM</b> 6inch 3.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	1.13 D
	Connects any MONO (2 conductor - 1 channel and ground) audio devices.	
	<ul style="list-style-type: none"> <li>• Connector: 3.5mm (1/8") Male to Male MONO 2 Conductor</li> <li>• Outer Diameter of Cable: 3.00mm</li> <li>• 2 Conductor, 28AWG, Nickel Plated</li> <li>• Insulation Type: PVC 1.00mm, not shielded</li> <li>• (SLIM) Outer Diameter of Molded Connector: 8.4mm</li> </ul>	
<b>FE-MONO-01-MM</b>	1.5ft 3.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	2.34 D
<b>FE-MONO-01MCST</b>	1.5ft 3.5mm MONO TS MALE to Strip and Cut End (No Tin) .....	1.69 D
<b>FE-MONO-03-MM</b>	3ft 3.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	1.85 D
<b>FE-MONO-02-MM</b>	2ft 3.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	1.50 D
<b>FE-MONO-06-MM</b>	6ft 3.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	1.77 D
<b>FE-MONO-12-MM</b>	12ft 3.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	3.10 D
<b>FE-MONO-15-MM</b>	15ft 3.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	3.72 D
<b>FE-MONO-20-MM</b>	20ft 3.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	4.09 D
<b>FE-MONO-25-MM</b>	25ft 3.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	5.38 D
	<b>-- 3.5MM MONO TS (2 CONDUCTOR) MALE TO FEMALE AUDIO EXTENSION CABLE --</b>	
<b>FE-MONO-6IN-MF</b>	6 IN 3.5mm SLIM MONO TS (2 conductor) Male to Female Audio EXTENSION Cable .....	1.66 D
<b>FE-MONO-01-MF</b>	1.5ft 3.5mm SLIM MONO TS (2 conductor) Male to Female Audio EXTENSION Cable .....	1.74 D



<b>FE-MONO-06-MF</b>	6ft 3.5mm SLIM MONO TS (2 conductor) Male to Female Audio EXTENSION Cable .....	2.12 D
----------------------	---	--------



Connects any MONO (2 conductor - 1 channel and ground) audio devices.

- Connector: 3.5mm (1/8") Male to Female MONO 2 Conductor
- Outer Diameter of Cable: 3.00mm
- 2 Conductor, 28AWG, Nickel Plated
- Insulation Type: PVC 1.00mm, not shielded
- (SLIM) Outer Diameter of Molded Connector: 8.4mm

<b>FE-MONO-03-MF</b>	3ft 3.5mm SLIM MONO TS (2 conductor) Male to Female Audio EXTENSION Cable .....	3.65 D
<b>FE-MONO-12-MF</b>	12ft 3.5mm SLIM MONO TS (2 conductor) Male to Female Audio EXTENSION Cable .....	3.03 D
<b>FE-MONO-15-MF</b>	15ft 3.5mm SLIM MONO TS (2 conductor) Male to Female Audio EXTENSION Cable .....	4.71 D
<b>FE-MONO-20-MF</b>	20ft 3.5mm SLIM MONO TS (2 conductor) Male to Female Audio EXTENSION Cable .....	4.90 D
<b>FE-MONO-25-MF</b>	25ft 3.5mm SLIM MONO TS (2 conductor) Male to Female Audio EXTENSION Cable .....	6.15 D

**-- GUITAR/INSTRUMENT 1/4" MONO TO 3.5MM MONO CABLES --**

<b>FE-1435-TS-01</b>	1.5ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black .....	1.34 C
<b>FE-1435-TS-03</b>	3ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black .....	1.56 D
<b>FE-1435-TS-06</b>	6ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black .....	2.36 D
<b>FE-1435-TS-10</b>	10ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black .....	2.63 D
<b>FE-1435-TS-15</b>	15ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black .....	2.87 C
<b>FE-1435-TS-25</b>	25ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black .....	4.71 D
<b>FE-1435-TS-50</b>	50ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black .....	7.84 C

**-- 3.5MM MONO TS MALE TO FEMALE PANEL-MOUNT EXTENSION CABLE --**

<b>FE-MONOPM-6IN</b>	6 inch 3.5mm MONO TS Male to Female Panel-Mount Extension Cable .....	3.10 D
<b>FE-MONOPM-01</b>	1.5ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable .....	3.17 D
<b>FE-MONOPM-03</b>	3ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable .....	3.38 D
<b>FE-MONOPM-06</b>	6ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable .....	3.69 D
<b>FE-MONOPM-10</b>	10ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable .....	4.15 D
<b>FE-MONOPM-15</b>	15ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable .....	5.63 D

**-- 3.5MM MONO ADAPTERS AND ACCESSORIES --**

<b>FE-MONO-FFF</b>	4inch 3.5mm MONO TS Female to 2 Female Adapter Y-Cable / Splitter .....	1.81 C
<b>FE-MONO-6IN-FF</b>	6 IN 3.5mm SLIM MONO TS (2 conductor) Female to Female COUPLER Audio Cable .....	1.73 D
<b>FE-MONO-01-FF</b>	1ft 3.5mm SLIM MONO TS (2 conductor) Female to Female Audio Coupler Cable .....	1.72 D
<b>FE-ADT-379</b>	2.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, Male .....	0.89 D
<b>FE-ADT-331</b>	3.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, Male .....	0.89 D
<b>FE-ADT-333</b>	3.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, FEMALE .....	0.63 B
<b>FE-ADT-295</b>	3.5mm Mono Male TS Plug to RCA Female Jack Adapter, Nickel Plated .....	1.05 D
<b>FE-ADT-151</b>	3.5mm Female MONO TS Jack to RCA Male Mono Plug, Nickel Plated .....	0.83 D
<b>FE-ADT-152</b>	3.5mm Male MONO TS Plug to RCA Female Mono Jack, Nickel Plated, each .....	1.13 D
<b>FE-ADT-237</b>	1/4 Inch MONO TS Male to 3.5mm Female MONO TS Adapter, Nickel Plated .....	1.11 D
<b>FE-ADT-111</b>	4inch 3.5mm Female Stereo TRS to 3.5mm Male Mono TS Airline Adapter Cable .....	1.81 D
<b>FE-ADT-300</b>	4inch RIGHT ANGLE 3.5mm MONO Male to FEMALE BNC Adapter Cable .....	2.01 C

**Features and Specifications**



- BNC Female to 3.5mm MONO Adapter Cable
- Nickel Plated Mono 3.5mm connector with strain relief
- Nickel Plated BNC connector
- 4 inches (end to end) (100mm +- 20mm)
- PVC Outer jacket, RoHS-2 Compliant
- 30AWG wire
- Wire Spec: 30AWG 7/0.1BC\*2C OD:2.5MM
- Outer Diameter Cable: Approx 2.5mm

<b>FE-ADT-421</b>	6 inch Adapter Cable: MONO (TS) 3.5mm FEMALE to 2.5mm FEMALE .....	2.24 D
-------------------	--	--------

**2.5mm Mini Cables**

Price / Tier



<b>FE-2MM-TS-MFF</b>	4inch 2.5mm Mini-Stereo (TRS) Male to Two 2.5mm MONO (TS) Adapter Y-Cable Female Splitter .....	2.17 D
<b>-- 2.5MM MINI AUDIO TRS STEREO CABLES (MALE TO MALE) --</b>		
<b>FE-2MM-MM-6IN</b>	6 INCH 2.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	0.77 D
<b>FE-2MM-MM-10IN</b>	10 INCH SLIM 2.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	1.26 D
<b>FE-2MM-01MM</b>	1.5ft 2.5mm SLIM Mini Stereo TRS Plug Male/Male Cable, Black .....	1.03 D
<b>FE-2MM-03MM</b>	3ft 2.5mm SLIM Mini Stereo TRS Plug Male/Male Cable, Black .....	1.33 D
<b>FE-2MM-06MM</b>	6ft 2.5mm SLIM Mini Stereo TRS Plug Male/Male Cable, Black .....	1.49 D
<b>FE-2MM-10MM</b>	10ft 2.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	1.74 D
<b>-- 2.5MM MINI AUDIO TRS CABLES (MALE TO FEMALE) EXTENSION --</b>		
<b>FE-2MM-6INMF</b>	6inch 2.5mm Mini-Stereo TRS Male to Female Speaker/Audio EXTENSION Cable .....	2.22 D
<b>FE-2MM-01MF</b>	1.5 FT 2.5mm Mini-Stereo TRS Male to Female Speaker/Audio EXTENSION Cable .....	2.42 D
<b>FE-2MM-03MF</b>	3FT 2.5mm Mini-Stereo TRS Male to Female Speaker/Audio EXTENSION Cable .....	2.62 D
<b>FE-2MM-06MF</b>	6ft 2.5mm Mini-Stereo TRS Male to Female Speaker/Audio EXTENSION Cable .....	2.02 D
<b>FE-2MM-12MF</b>	12ft 2.5mm Mini-Stereo TRS Male to Female Speaker/Audio EXTENSION Cable .....	2.43 D
<b>-- 2.5MM TO 3.5MM MINI AUDIO TRS CABLES (MALE TO MALE) --</b>		
<b>FE-23MM-6IN</b>	6inch 2.5mm to 3.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	1.01 X

2.5mm Male to 3.5mm Male cable for specialized "small end" devices.



**Features and Specifications**

- 1 End 2.5mm MINI audio Male Stereo Connector
- 1 End 3.5mm MINI audio Male Stereo Connector
- Nickel Plated
- Molded End Outer Diameter: 10.3mm
- Cable Outer Diameter: 3.0mm, Black Jacket
- Molded End Length: 32mm
- 28AWG CCS 3 conductor wiri

<b>FE-23MM-01</b>	1ft 2.5mm to 3.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	1.06 D
<b>FE-23MM-03</b>	3ft 2.5mm to 3.5mm SLIM Mini Stereo TRS Plug Male/Male Cable, Black .....	1.52 D
<b>FE-23MM-06</b>	6ft 2.5mm to 3.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	1.96 D
<b>FE-23MM-10</b>	10ft 2.5mm to 3.5mm Mini Stereo TRS Plug Male/Male Cable, Black .....	2.67 D

**-- 2.5MM MONO MINI AUDIO TS CABLES (MALE TO MALE) --**

<b>FE-25TS-6IN-MM</b>	6inch 2.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	1.50 D
<b>FE-25TS-01-MM</b>	1.5ft 2.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	2.47 D
<b>FE-25TS-02-MM</b>	2ft 2.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	2.17 D
<b>FE-25TS-03-MM</b>	3ft 2.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	2.21 D
<b>FE-25TS-06-MM</b>	6ft 2.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	2.47 D
<b>FE-25TS-12-MM</b>	12ft 2.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	3.44 D
<b>FE-25TS-15-MM</b>	15ft 2.5mm SLIM MONO TS (2 conductor) Male to Male Audio Cable .....	4.19 D

**-- 2.5MM MONO MINI AUDIO TS EXTENSION CABLES (MALE TO FEMALE) --**

<b>FE-25TS-6IN-MF</b>	6inch 2.5mm SLIM (TS) MONO EXTENSION Male to Female Audio Cable .....	2.71 D
<b>FE-25TS-01-MF</b>	1.5 FT 2.5mm SLIM (TS) MONO EXTENSION Male to Female Audio Cable .....	2.96 D
<b>FE-25TS-03-MF</b>	3 FT 2.5mm SLIM (TS) MONO EXTENSION Male to Female Audio Cable .....	3.21 D
<b>FE-25TS-06-MF</b>	6 FT 2.5mm SLIM (TS) MONO EXTENSION Male to Female Audio Cable .....	3.82 D
<b>FE-25TS-12-MF</b>	12 FT 2.5mm SLIM (TS) MONO EXTENSION Male to Female Audio Cable .....	4.32 D

**-- 2.5MM TRRS 4 CONDUCTOR MINI AUDIO TS CABLES (MALE TO MALE) --**

<b>FE-25TRRS-6IN-MM</b>	6inch 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	2.55 D
<b>FE-25TRRS-01-MM</b>	1.5ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	2.66 D
<b>FE-25TRRS-02-MM</b>	2ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	3.12 D
<b>FE-25TRRS-03-MM</b>	3ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	3.79 D
<b>FE-2MM490-04MM</b>	4ft 2.5mm 4 Conductor Mini-Stereo TRRS+Mic/Video M/M Cable RIGHT ANGLE .....	3.10 D
<b>FE-25TRRS-06-MM</b>	6ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	4.17 D
<b>FE-25TRRS-12-MM</b>	12ft 2.5mm SLIM TRRS (4 conductor) Male to Male Audio Cable .....	6.55 D

**-- 2.5MM TS AND TRS ADAPTERS --**

<b>FE-ADT-426</b>	2.5mm 4 Conductor TRRS Y-Split:1 Male to 2 Female 4 Conductor Adapter Cable .....	4.26 D
<b>FE-ADT-450</b>	2.5mm 3 Conductor TRS Y-Split:1 Male to 2 Female Stereo Adapter Cable .....	3.48 D

Ideal for iPods, iPhones, and other devices that have a tight 2.5mm connection



**Features and Specifications**

- 2.5mm MALE to 3.5mm FEMALE in-line adapter.
- 2.5mm right angle adapter (2.5mm MALE to 3.5mm FEMALE connectors).
- Type: stereo-stereo, 3 connection point
- Does NOT support microphone used found in TRRS (3 band) connectors
- See technical drawing for product dimensions
- PVC Black Plastic Casing

FE-ADT-421	6 inch Adapter Cable: MONO (TS) 3.5mm FEMALE to 2.5mm FEMALE	2.24 D
FE-ADT-212	2.5mm Right Angle Adapter, Male/Female Stereo TRS (3 connector)	1.50 c
FE-3MM-F2M3	2.5mm Stereo TRS Jack(Female) to 3.5mm Stereo TRS Plug(Male) adapter	1.18 c
FE-3MM-F3M2	3.5mm Stereo TRS Jack (Female) to 2.5mm Stereo TRS Plug (Male) adapter	1.10 D
FE-ADT-422	6 inch Adapter Cable: Stereo (TRS) 3.5mm FEMALE to 2.5mm FEMALE	2.32 D
FE-USB-25E-03	3ft USB 2.0 Type A Male to 2.5mm (Extended Length Connector) Power Cable	4.03 x

**-- 3.5MM MONO ADAPTERS AND ACCESSORIES --**

FE-ADT-334	2.5mm Plug/Jack, Stereo (or Mono) TRS 3 Conductor, Self Solder, FEMALE	0.51 c
FE-ADT-380	2.5mm Plug/Jack, TRRS 4 Connector, Self Solder, Male	1.11 D
FE-ADT-332	2.5mm Plug/Jack, Stereo TRS 3 Connector, Self Solder, Male	0.69 D
SH-1011	2.5mm Plug/Jack, TRRS 4 Connector, Self Solder, Female	7.30 A
FE-ADT-379	2.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, Male	0.89 D
FE-25TS-6IN-FF	6inch 2.5mm SLIM MONO TS (2 conductor) FEMALE to FEMALE Audio Cable	2.83 D

**3.5mm to 1/4inch Cables**

Price / Tier



**-- GUITAR/INSTRUMENT 1/4" STEREO TO 3.5MM STEREO CABLES --**

FE-1435-TRS-01	1.5ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	1.46 c
FE-1435-TRS-03	3ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	1.78 D
FE-1435-TRS-06	6ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	2.06 D
FE-1435-TRS-10	10ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	2.96 D
FE-1435-TRS-15	15ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	3.37 D
FE-1435-TRS-25	25ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	5.77 D
FE-1435-TRS-50	50ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	11.87 D

**-- GUITAR/INSTRUMENT 1/4" MONO TO 3.5MM MONO CABLES --**

FE-1435-TS-01	1.5ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	1.34 c
FE-1435-TS-03	3ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	1.56 D
FE-1435-TS-06	6ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	2.36 D
FE-1435-TS-10	10ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	2.63 D
FE-1435-TS-15	15ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	2.87 c
FE-1435-TS-25	25ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	4.71 D
FE-1435-TS-50	50ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	7.84 c

**3.5mm to 2 RCA Audio Cables**

Price / Tier




**-- PREMIUM 3.5MM TO RCA (LEFT/RIGHT) AUDIO CABLES --**

FE-PR3RCA-6IN	6inch 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	3.72 B
FE-PR3RCA-03	3ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	6.61 c
FE-PR3RCA-06	6ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	8.00 c
FE-PR3RCA-10	10ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	9.96 c
FE-PR3RCA-15	15ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	10.14 B
FE-PR3RCA-25	25ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	18.31 c
FE-PR3RCA-35	35ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	24.57 c
FE-PR3RCA-50	50ft 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable	27.05 c

**-- 3.5MM TO RCA (LEFT/RIGHT) AUDIO CABLES AND CONNECTORS (GENERAL DUTY) --**

FE-3MM-MRCA-04IN	4 INCH 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Adapter Cable	1.30 x
------------------	---	--------

<b>FE-3MM-MRCA-01</b>	1.5ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	1.05 D
-----------------------	--	--------



Convert the 3.5mm stereo TRS port on your PC into regular RCA for connecting to your home stereo receiver. Uses 75ohm coaxial cable to provide best audio performance. Connectors: 3.5mm Mini-Stereo TRS Male to 2 RCA Male.

<b>FE-3MM-MRCA-02</b>	2ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	1.49 C
<b>FE-3MM-MRCA-03</b>	3ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	1.87 C
<b>FE-3MM-MRCA-06</b>	6ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	4.24 D
<b>FE-3MM-MRCA-12</b>	12ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	2.79 D
<b>FE-3MM-MRCA-20</b>	20ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	3.79 D
<b>FE-3MM-MRCA-25</b>	25ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	4.43 D
<b>FE-3MM-MRCA-35</b>	35ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	5.56 X
<b>FE-3MM-MRCA-50</b>	50ft 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Cable .....	5.91 D

**-- 3.5MM TO RCA ADAPTERS --**

<b>FE-3MM-FRCA</b>	4 inch Mini Jack 3.5mm Male Stereo Plug to 2 RCA Female Jack adapter cable .....	2.37 D
<b>FE-3MM-FMRCA</b>	8 INCH 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter .....	1.79 D



Convert any PC stereo speaker cable into regular RCA and connect it to your stereo system. It uses 75ohm coaxial cable to provide best audio performance.

**Features and Specifications**

- Connectors: 3.5mm TRS Female
- 2 RCA Male Male
- Length: Approx 8inches

<b>CV-CSP345H-22-8IN</b>	6 INCH PLENUM 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter .....	22.19 A
--------------------------	--	---------

## 3.5mm and VGA Audio Combo Cable

Price / Tier



**MR-SVST-6MM**  
**MR-SVST-35MM**

**-- 3.5MM WITH VGA CABLE BUNDLE --**

6ft Premium Tri-Shield VGA & 3.5mm Stereo TRS Audio M/M Combo Cable .....	10.70 B
35ft Premium Tri-Shield VGA & 3.5mm Stereo TRS Audio M/M Combo Cable .....	24.01 B

## Audio Cables - Digital Audio SPDIF (RCA)

Digital Audio Cables

Digital Audio via RCA/Coax Cables for Crystal Clear Audio using SPDIF Data Encoding Technology.



<b>FE-RCA-1V-6IN</b>	6 inch 1 Wire RCA Premium Digital Audio Subwoofer/Video Cable IN WALL .....	5.32 C
<b>FE-RCA-1V-01</b>	1.5ft 1 Wire RCA Premium Digital Audio Subwoofer/Video Cable IN WALL .....	7.26 C
<b>FE-RCA-1V-03</b>	3ft 1 Wire RCA Premium Digital Audio Subwoofer/Video Cable IN WALL .....	7.76 B
<b>FE-RCA-1V-06</b>	6ft 1 Wire RCA Premium Digital Audio Subwoofer/Video Cable IN WALL .....	9.21 C



This single wire PREMIUM Gold Plated RCA cable is suitable for S/PDIF Audio Connections (Typically an Orange Connector), Legacy Composite Video Connection (normally with a yellow connector), and Sub-Woofer Connectors.

Connectors: single RCA Plug (male) to single RCA Plug (male)

- 24k Gold Plated 8-cut connectors ensure long-lasting, corrosion-free connections
- High-quality coax wire with copper braid shield reduces unwanted noise and distortion
- Gold-plated, RCA connectors give you solid, corrosion-free contact
- True digital signal maintained by high materials and connectors
- 99.999% Pure Copper Non-OFC conductor, CL-2 In-Wall Rated
- THICK 18AWG 75 Ohm Copper Wire
- Conduction Impedance: 3 Ohms
- Pure Copper 99.99%, #144 Braid

<b>FE-RCA-1V-15</b>	15ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	13.75 B
<b>FE-RCA-1V-20</b>	20ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	13.71 B
<b>FE-RCA-1V-25</b>	25ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	20.70 C
<b>FE-RCA-1V-35</b>	35ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	25.99 C
<b>FE-RCA-1V-50</b>	50ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	31.91 B
<b>FE-RCA-1V-75</b>	75ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	43.89 B
<b>FE-RCA-1V-100</b>	100ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL	50.09 B

**-- RCA VIDEO ADAPTERS, CONNECTORS, SPLITTERS, AND CONVERTERS --**

<b>FE-ADT-105</b>	BNC Female to RCA Male Adapter, Nickel Plated	1.07 D
<b>FE-ADT-107</b>	RCA Video Audio Coupler / Adapter (RCA Male to Male)	0.83 D
<b>FE-ADT-152</b>	3.5mm Male MONO TS Plug to RCA Female Mono Jack, Nickel Plated, each	1.13 D
<b>FE-ADT-151</b>	3.5mm Female MONO TS Jack to RCA Male Mono Plug, Nickel Plated	0.83 D
<b>FE-ADT-100</b>	6inch RCA Video/Audio Splitter (1 RCA Female to 2 RCA Male) Y Cable	1.17 C
<b>FE-ADT-183</b>	RCA Male to 2 RCA Female Piggy-Back Splitter (Premium), Gold Plated	5.58 C
<b>FE-ADT-108</b>	RCA Female-Female Coupler / Connector (Nickel Plated) Adapter	0.43 D



RCA 75-ohm Video Couplers offer excellent picture quality for today's video and home theater applications.

- NICKEL plating providing low-loss signal transfers
- 75-ohms impedance
- Nickel plated
- Female-Female

<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each	1.68 D
<b>FE-ADT-210</b>	RCA 90 Degree Adapter Male/Female Nickel Plated (Each)	0.94 C
<b>FE-ADT-106</b>	RCA Male to F (Coax) Female Adapter - Gold Plated	1.42 D
<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type	1.04 B
<b>FE-ADT-145</b>	RCA Male to F (Coax) Female Adapter - Nickel Plated	1.23 D
<b>FE-ADT-370</b>	Coax Female Threaded Adapter to F-type Male Push-Type Adapter / Coupler	1.01 C
<b>FE-ADT-104</b>	BNC Plug (Male) / RCA Jack (Female) Adapter GOLD PLATED	1.35 D
<b>BE-101817YWT</b>	Keystone Wallplate Jack Insert/Coupler Type for RCA with YELLOW Center, White	3.59 B
<b>ZT-T-608</b>	Analog (2 RCA) Audio to Digital Coax or Optical Toslink Converter	14.10 B
<b>FE-CVDCT2R</b>	Digital Coax or Optical Toslink (SPDIF) to Analog (2 RCA) Audio Converter	9.26 B
<b>ZT-T-609PRO</b>	Digital Audio to Analog 3.5mm and 2 RCA Converter Amplifier Volume Control	17.96 A
<b>ZT-T-609S</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter PLUS 3.5mm Output	17.96 A
<b>ZT-T-609B</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter w/Bluetooth Recvr	23.38 A

## Audio Cables - Optical SPDIF / Toslink

Get digital quality sound using our PREMIUM Toslink Digital Audio cables. Toslink (and Mini-Toslink) are compatible with 99% of today's optical audio DVD players, home theater systems, and TVs.



**-- ELITE QUALITY TOSLINK SPDIF OPTICAL CABLES WITH GOLD PLATED METAL ENDS --**





**Product Features**

- HEAVY 6.0mm JACKET Helps Prevent Cable Damage and Provides Additional Strain Relief
- Outer Cable Diameter: 6.0mm
- NYLON Braided Sleeve Jacket
- Suitable for in-wall installation
- TL1-5 Toslink Standard End Connectors
- RoHS Compliant (Lead Free)
- GOLD-PLATED FERRULE Prevents Corrosion and Provides for Maximum Protection of the Fiber Tip
- PRECISION POLISHED FIBER TIPS for Maximum Signal Transfer (includes tip protectors)

<b>FE-TOS-03</b>	3ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connectors	9.17 c
<b>FE-TOS-06</b>	6ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connectors	12.05 c
<b>FE-TOS-08</b>	8ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connectors	13.42 c
<b>FE-TOS-12</b>	12ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connector	15.15 c
<b>FE-TOS-15</b>	15ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connector	17.90 x
<b>FE-TOS-20</b>	20ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connector	21.19 x
<b>FE-TOS-25</b>	25ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connector	24.73 c
<b>FE-TOS-30</b>	30ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connector	26.06 c
<b>FE-TOS-35</b>	35ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connector	30.27 c
<b>FE-TOS-40</b>	40ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connector	34.65 c
<b>FE-TOS-50</b>	50ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connector	42.06 c
<b>FE-TOS-75</b>	75ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connector	65.29 D
<b>FE-TOS-100</b>	100ft ELITE Toslink Digital Optical Audio Cable (SPDIF), Metal Connecto	76.12 c

**-- SLIM TOSLINK SPDIF OPTICAL CABLES --**

<b>FE-TOSSL-03</b>	3ft SLIM Toslink Digital Optical Audio Cable (SPDIF)	4.09 D
--------------------	--	--------



**Product Features**

- Plug: PVC, 45 Pa Black
- Connector: Ass&euml;y Type , Metal Tip
- Cable: Plastic Optical Fiber
- Core: Transparent PMMA
- Diameter: ID :1.0mm, OD 2.2MM
- Jacket : Black Jacket PVC

<b>FE-TOSSL-06</b>	6ft SLIM Toslink Digital Optical Audio Cable (SPDIF)	2.93 c
<b>FE-TOSSL-12</b>	12ft SLIM Toslink Digital Optical Audio Cable (SPDIF)	7.97 D
<b>FE-TOSSL-15</b>	15ft SLIM Toslink Digital Optical Audio Cable (SPDIF)	8.24 D
<b>FE-TOSSL-20</b>	20ft SLIM Toslink Digital Optical Audio Cable (SPDIF)	14.29 D
<b>FE-TOSSL-25</b>	25ft SLIM Toslink Digital Optical Audio Cable (SPDIF)	15.06 D
<b>FE-TOSSL-30</b>	30ft SLIM Toslink Digital Optical Audio Cable (SPDIF)	16.84 D
<b>FE-TOSSL-50</b>	50ft SLIM Toslink Digital Optical Audio Cable (SPDIF)	25.59 D

**-- TOSLINK SPLITTER, SWITCHES, BOOSTERS, AND CONVERTERS --**

<b>ZH-KEY-TOS4H-IV</b>	Wall plate: Toslink Optical (Female/Female) + 4 Hole Keystone, Ivory	2.81 X
<b>FE-TOS-3WAY</b>	Toslink 3 Way Switch/Splitter (Bi-Directional) for Optical Audio	10.96 B
<b>ZT-T-8103</b>	Toslink Digital Audio SPDIF Splitter, Powered/Amplified (1 in, 3 Out)	23.19 B
<b>NW-94AC7327</b>	Toslink Digital Audio Converter, Coaxial to Toslink	23.19 A
<b>ZT-T-608</b>	Analog (2 RCA) Audio to Digital Coax or Optical Toslink Converter	14.10 B
<b>FE-CVDCT2R</b>	Digital Coax or Optical Toslink (SPDIF) to Analog (2 RCA) Audio Converter	9.26 B
<b>SE-BT17</b>	Wireless Dual Device Support Bluetooth Transmitter/Receiver	23.41 A
<b>HD-C-SWB11A</b>	HDMI (4K@60Hz) eARC/AC Audio Extractor/Converter Multi-Port with HDCP 2.3	86.02 A
<b>ZT-T-609B</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter w/Bluetooth Recvr	23.38 A
<b>ZT-T-609PRO</b>	Digital Audio to Analog 3.5mm and 2 RCA Converter Amplifier Volume Control	17.96 A
<b>ZT-T-609S</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter PLUS 3.5mm Output	17.96 A
<b>ZT-T-621E</b>	HDMI (4K@60) Pass-thru Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT	32.59 A
<b>FE-AY80</b>	HDMI ARC Audio Extractor/Converter, RCA/Coax/Toslink Audio/OUT	25.14 A
<b>HD-C-MC01</b>	HDMI (8K@60) eARC Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT	56.90 A

**-- TOSLINK ADAPTERS, ACCESSORIES, AND WALL PLATES --**

<b>MO-TOS-2671</b>	Toslink to 3.5mm (1/8") Mini-Toslink Adapter (1 Adapter)	1.74 A
--------------------	--	--------



Toslink Optical 90 degree adapter allows you to connect your optical cables into tight positions. Male end connector swivels 360 degrees allowing you to point this adapter in any direction.

<b>FE-TOS-FF</b>	Toslink Digital Audio Coupler/Adapter (Female/Female)	1.26 x
<b>JI-WAL-3RCAT-WH</b>	Wall plate: 3 RCA component & Toslink Optical, Gold Plate, White	4.33 x
<b>JI-WAL-3RCAT-IV</b>	Wall plate: 3 RCA component & Toslink Optical, Gold Plate, Ivory	4.33 x
<b>FE-KEY-TOS-WH</b>	Keystone Jack Insert/Coupler Type: Toslink Optical Female/Female, White	2.91 c
<b>ZH-KEY-TOS-IV</b>	Keystone Jack Insert/Coupler Type: Toslink Optical Female/Female, Ivory	1.18 x

## Audio Cables - Speaker Wire

We offer only the BEST speaker wire cables available in 16, 14 and 12 gauge wire - at a fraction of retail price. Forget the fancy buzz words out there, and forget paying for over-priced retail packaged cable. Copper is copper. Available in standard, and CL-2 In Wall Rated.

### -- 2 WIRE ROPE/BRAID COPPER SPEAKER WIRE --

<b>FE-SPK-16-50</b>	Speaker Wire, 50ft, 16AWG Copper Enhanced Loud Oxygen Free	10.75 c
---------------------	--	---------



Specially designed, high purity, oxygen free copper for wide frequency range, low signal loss and enhanced emphasis on the low end for loud, clear and bold audio reproduction. Our speaker cables bring you the high quality, great performance and excellent value you've come to expect from us.

- High Quality Oxygen-free Copper/CCA
- Twist type: Multi-twist, rope lay
- PVC color: Clear
- Polarity markers: Yes, blue
- Packaging: Rolled on Spool w/ PE wrap

<b>FE-SPK-14-50</b>	Speaker Wire, 50ft, 14AWG Copper Enhanced Loud Oxygen Free	15.06 c
<b>FE-SPK-12-50</b>	Speaker Wire, 50ft, 12AWG Copper Enhanced Loud Oxygen Free	19.90 B
<b>FE-SPK-16-100</b>	Speaker Wire, 100ft, 16AWG Copper Enhanced Loud Oxygen Free	19.28 c
<b>FE-SPK-14-100</b>	Speaker Wire, 100ft, 14AWG Copper Enhanced Loud Oxygen Free	35.62 c
<b>FE-SPK-12-100</b>	Speaker Wire, 100ft, 12AWG Copper Enhanced Loud Oxygen Free	46.12 c
<b>FE-SPK-16-250</b>	Speaker Wire, 250ft, 16AWG Copper Enhanced Loud Oxygen Free	39.57 c
<b>FE-SPK-14-250</b>	Speaker Wire, 250ft, 14AWG Copper Enhanced Loud Oxygen Free	65.83 B
<b>FE-SPK-12-250</b>	Speaker Wire, 250ft, 12AWG Copper Enhanced Loud Oxygen Free	111.55 c
<b>FE-SPK-16-500</b>	Speaker Wire, 500ft, 16AWG Copper Enhanced Loud Oxygen Free	75.97 c
<b>FE-SPK-14-500</b>	Speaker Wire, 500ft, 14AWG Copper Enhanced Loud Oxygen Free	136.41 D
<b>WN-AC1602OSPBK1-500</b>	Speaker Wire, 500ft, 16AWG Copper **BURIAL Rated** W/PVC Outer Jacket	124.72 x
<b>WN-AC1402OSPBK1-500</b>	Speaker Wire, 500ft, 14AWG Copper **BURIAL Rated** W/PVC Outer Jacket	172.72 x
<b>WN-1FT-AC1402OSPBK1</b>	Speaker Wire, 14AWG Copper **BURIAL Rated** W/PVC Outer Jacket PER FOOT	0.36 x

### -- 2 WIRE IN-WALL RATED (CL-2) 99.99% PURE COPPER SPEAKER WIRE --

<b>FE-CL2-16-50</b>	50ft Speaker Wire, 16AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	15.97 B
<b>FE-CL2-14-50</b>	50ft Speaker Wire, 14AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	22.33 A
<b>FE-CL2-12-50</b>	50ft Speaker Wire, 12AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	39.99 A
<b>FE-CL2-16-100</b>	100ft Speaker Wire, 16AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	35.37 A
<b>FE-CL2-14-100</b>	100ft Speaker Wire, 14AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	56.56 A
<b>FE-CL2-12-100</b>	100ft Speaker Wire, 12AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	69.90 A
<b>FE-CL2-16-250</b>	250ft Speaker Wire, 16AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	73.35 A
<b>FE-CL2-14-250</b>	250ft Speaker Wire, 14AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	144.80 A
<b>FE-CL2-12-250</b>	250ft Speaker Wire, 12AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	169.74 A
<b>FE-CL2-16-500</b>	500ft Speaker Wire, 16AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	146.54 A
<b>FE-CL2-14-500</b>	500ft Speaker Wire, 14AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	189.03 A
<b>FE-CL2-12-500</b>	500ft Speaker Wire, 12AWG Copper In Wall Rated/CL2 with PVC Outer Jacket	316.08 A

### -- SPEAKON/NL4 (TM) SPEAKER WIRE --

<b>FE-SPKON-03</b>	3ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor .....	5.55 A
--------------------	---	--------



Connector your SPEAKON(TM) NL4 receiver to your SPEAKON speakers using these high-quality 12AWG stranded copper wire cables.

- 12AWG CU (Pure Copper) stranded cables
- 2 Female SPEAKON 2/NL4 twist connectors at each end of the speaker wire
- Strand Count (per wire): 65 wires
- Gauge: 12AWG (Suitable for up to 600watts at 100ft)
- Cable Tech Spec: 12AWG(65/0.254BC) \* 2C OD: 10.0mm Black

<b>FE-SPKON-06</b>	6ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor .....	8.86 B
<b>FE-SPKON-10</b>	10ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor .....	12.23 B
<b>FE-SPKON-15</b>	15ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor .....	16.58 B
<b>FE-SPKON-20</b>	20ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor .....	23.01 B
<b>FE-SPKON-25</b>	25ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor .....	27.80 B
<b>FE-SPKON-50</b>	50ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor .....	51.44 B
<b>FE-PAN-SPKON</b>	Wall plate: SpeakOn(TM) D-Series/Neutrik Panel Mount Connector, Metal .....	3.20 C

**-- SPEAKER CONNECTORS, STANDS, AND ACCESSORIES --**

<b>LU-SB-49</b>	Soundbar Bracket Mounting Base Holder, Heavy Duty to 33lbs (Set of 2) .....	21.75 C
<b>LU-SB-42</b>	Soundbar Bracket Accessory, Universal up to 33lbs with Level .....	13.28 X
<b>FE-BAN-PR</b>	Speaker Wire - PREMIUM Banana Plugs/Adapter (Pair) Black/Red over Gold (Screw ONLY) .....	3.02 A
<b>FE-BAN-SW</b>	Speaker Wire - Banana Plugs (Pair) Black/Red over Gold (Screw ONLY) .....	2.47 C
<b>FE-BAN-90</b>	Speaker Wire - ANGLE Banana Plugs (Pair) Black/Red over Gold (Screw ONLY) .....	2.76 A
<b>FE-SPK-PLUG</b>	Speaker Wire - Speaker Plugs (2) Black/Red, Gold Plated .....	4.27 B
<b>BE-202451</b>	Speakon/NL4 (TM) Male Connector End for 12 to 16AWG Speaker Wire .....	2.24 B
<b>FE-ADT-355</b>	Speakon/NL4 (TM) Speaker Wire Coupler (chassis connector on ends) .....	3.22 B
<b>FE-ADT-373</b>	1/4" Female Mono to Speakon/NL4 (TM) Line Adapter .....	3.99 C

**-- SPEAKER WALLPLATES AND ACCESSORIES --**

<b>DA-45-0006-BK</b>	Wall plate: 1 3/4" Hole Saw Plate with Brushes, Black .....	4.97 B
<b>DA-45-0006-WH</b>	Wall plate: 1 3/4" Hole Saw Plate with Brushes, White .....	4.67 B

Our 1 3/4 INCH Hole Saw Plate is used to conceal low voltage cables behind smaller home theater and security equipment. The Hole Saw Plate's low profile design is ideal for concealing connections to components such as speakers, cameras, and other similar applications.



**Features and Specifications**

- Low profile fits behind the industry's thinnest mounts and TV's
- Conceal low voltage cables that connect speakers, surveillance cameras, small displays and other components
- Face plate dimensions are 2IN x 2IN
- Cut-hole size: 1 3/4 INCH
- Brush opening dimensions are 0.77IN x 0.87IN
- Maximum Drywall/board thickness for clamps: 7/8IN
- Ideal for HDMI, security, or speaker cable pass-through

<b>DA-45-0007-WH</b>	Wall plate: Mini Rough-In Box with brush plate, NEW CONSTRUCT, White .....	4.09 X
<b>FE-WAL-1SPK-WH</b>	Wall plate 1 Speaker (2 input jacks) for Banana Plugs Gold Plate,White .....	4.82 B
<b>FE-WAL-2SPK-IV</b>	Wall plate 2 Speaker (4 input jacks) for Banana Plugs Gold Plate,Ivory .....	7.79 C
<b>FE-WAL-2SPK-WH</b>	Wall plate 2 Speaker (4 input jacks) for Banana Plugs Gold Plate,White .....	7.53 B
<b>FE-WAL-4SPK-WH</b>	Wall plate 4 Speaker (8 input jacks) for Banana Plugs Gold Plate,White .....	13.52 A
<b>ZH-WAL-5SPKSUB-IV</b>	Wall plate: 5 Speaker Channel plus 1 RCA SubWoof (RCA/Coax), Ivory .....	21.42 X
<b>MO-WAL-3643</b>	Wall plate: 5 Speaker (10 input jacks) for Banana Plugs Gold Pltd,White .....	20.43 B
<b>DA-WAL-45-0060</b>	Wall plate: 5 Speaker Channel plus 1 RCA SubWoof (RCA/Coax), White .....	42.45 A
<b>FE-KEY-2SPK-WH</b>	Keystone Jack Insert/CRIMP Type: Speaker w/Rear Block 14-30AWG, White .....	4.03 C
<b>FE-KEY-2SPK-IV</b>	Wall plate: Keystone Jack Dual Speaker w/Rear Crimp Block 14-30AWG, Ivory .....	3.69 C
<b>FE-KEY-2SPK-BK</b>	Keystone Jack Insert/CRIMP Type: Speaker w/Rear Block 14-30AWG, Black .....	3.69 C
<b>FE-KEY-SPKDU-WH</b>	Keystone Jack Insert/Coupler: Dual Speaker DUAL Spring Clips 14-30AWG,White .....	4.07 C
<b>FE-KEY-SPKDU-BK</b>	Keystone Jack Insert/Coupler: Dual Speaker DUAL Spring Clips 14-30AWG,Black .....	4.07 C
<b>FE-KEY-2H-BK</b>	Wall plate: Keystone, 2 Hole - Black .....	1.34 D
<b>FE-KEY-SK2BBK-WH</b>	Keystone Jack Insert/Coupler: Speaker, Banana Plug type w/BLACK Ring, White .....	2.97 C
<b>FE-KEY-SK2BRD-WH</b>	Keystone Jack Insert/Coupler: Speaker, Banana Plug type w/RED Ring, White .....	3.23 C
<b>FE-KEY2G-8H-WH</b>	Wall plate: Decora Keystone, DUAL Gang 8 Hole - White .....	2.66 D

## Audio Cables - Subwoofer

Sub-Woofers Cables - Single RCA to RCA and RCA to Positive/Negative Speaker Connectors



**FE-RCA-1V-6IN**  
**FE-RCA-1V-01**  
**FE-RCA-1V-03**  
**FE-RCA-1V-06**  
**FE-RCA-1V-10**

**-- 1 RCA CONNECTING SUB-WOOFER CABLES --**

6 inch 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	5.32 c
1.5ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	7.26 c
3ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	7.76 B
6ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	9.21 c
10ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	10.14 B

This single wire PREMIUM Gold Plated RCA cable is suitable for S/PDIF Audio Connections (Typically an Orange Connector), Legacy Composite Video Connection (normally with a yellow connector), and Sub-Woofer Connectors.

Connectors: single RCA Plug (male) to single RCA Plug (male)

- 24k Gold Plated 8-cut connectors ensure long-lasting, corrosion-free connections
- High-quality coax wire with copper braid shield reduces unwanted noise and distortion
- Gold-plated, RCA connectors give you solid, corrosion-free contact
- True digital signal maintained by high materials and connectors
- 99.999% Pure Copper Non-OFC conductor, CL-2 In-Wall Rated
- THICK 18AWG 75 Ohm Copper Wire
- Conduction Impedance: 3 Ohms
- Pure Copper 99.99%, #144 Braid



<b>FE-RCA-1V-15</b>	15ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	13.75 B
<b>FE-RCA-1V-20</b>	20ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	13.71 B
<b>FE-RCA-1V-25</b>	25ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	20.70 C
<b>FE-RCA-1V-35</b>	35ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	25.99 C
<b>FE-RCA-1V-50</b>	50ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	31.91 B
<b>FE-RCA-1V-75</b>	75ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	43.89 B
<b>FE-RCA-1V-100</b>	100ft 1 Wire RCA Premium Digital Audio SubWoofer/Video Cable IN WALL .....	50.09 B

**-- 1 RCA OUTPUT TO 2 LEAD INPUT CONNECTING SUB-WOOFER CABLES --**

<b>FE-RCA1SW-006</b>	6ft 1 Wire SubWoofer 18AWG (1 RCA to 2 Pos/Neg Speaker Connects) Cable .....	11.17 c
----------------------	--	---------

Sub-Woofer Cable, 1 RCA Connector (connection at receiver SUBWOOFER connector) to 2 speaker wire connectors (1 positive, 1 negative). For use with sub-woofer's that have standard speaker connectors (1 positive, and 1 negative) instead of RCA connectors. NOT suitable for older sub-woofers that have 2 positive, and 2 negative terminals.



**Features and Specifications**

- Gold plated speaker plugs
- Gold plated RCA male receiver input jack
- 18 AWG Stranded Copper Wire
- Suitable for sub-woofers that have red and black (positive and negative) speaker-style connectors

<b>FE-RCA1SW-012</b>	12ft 1 Wire SubWoofer 18AWG (1 RCA to 2 Pos/Neg Speaker Connects) Cable .....	12.94 c
<b>FE-RCA1SW-015</b>	15ft 1 Wire SubWoofer 18AWG (1 RCA to 2 Pos/Neg Speaker Connects) Cable .....	13.06 c
<b>FE-RCA1SW-020</b>	20ft 1 Wire SubWoofer 18AWG (1 RCA to 2 Pos/Neg Speaker Connects) Cable .....	15.28 c
<b>FE-RCA1SW-025</b>	25ft 1 Wire SubWoofer 18AWG (1 RCA to 2 Pos/Neg Speaker Connects) Cable .....	18.13 c
<b>FE-RCA1SW-035</b>	35ft 1 Wire SubWoofer 18AWG (1 RCA to 2 Pos/Neg Speaker Connects) Cable .....	23.51 D
<b>FE-RCA1SW-050</b>	50ft 1 Wire SubWoofer 18AWG (1 RCA to 2 Pos/Neg Speaker Connects) Cable .....	28.69 c
<b>FE-RCA1SW-075</b>	75ft 1 Wire SubWoofer 18AWG (1 RCA to 2 Pos/Neg Speaker Connects) Cable .....	37.12 c

**-- RCA VIDEO ADAPTERS, CONNECTORS, SPLITTERS, AND CONVERTERS --**

<b>FE-ADT-107</b>	RCA Video Audio Coupler / Adapter (RCA Male to Male) .....	0.83 D
<b>FE-ADT-101</b>	RCA Video Audio Splitter Adapter (RCA 1 Male to 2 RCA Female) .....	1.12 D
<b>FE-ADT-103</b>	RCA Video Audio Splitter Adapter (RCA Female to 2 RCA Female) .....	1.18 c
<b>FE-ADT-210</b>	RCA 90 Degree Adapter Male/Female Nickel Plated (Each) .....	0.94 c
<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type .....	1.04 B
<b>FE-ADT-100</b>	6inch RCA Video/Audio Splitter (1 RCA Female to 2 RCA Male) Y Cable .....	1.17 c
<b>FE-ADT-106</b>	RCA Male to F (Coax) Female Adapter - Gold Plated .....	1.42 D
<b>FE-ADT-370</b>	Coax Female Threaded Adapter to F-type Male Push-Type Adapter / Coupler .....	1.01 c
<b>FE-ADT-145</b>	RCA Male to F (Coax) Female Adapter - Nickel Plated .....	1.23 D
<b>FE-ADT-151</b>	3.5mm Female MONO TS Jack to RCA Male Mono Plug, Nickel Plated .....	0.83 D
<b>FE-ADT-110</b>	6 inch RCA Plug to 2 RCA (1 RCA Male to 2 RCA Female) Adapter Cable .....	2.55 D





RCA 75-ohm Video Couplers offer excellent picture quality for today's video and home theater applications.

- NICKEL plating providing low-loss signal transfers
- 75-ohms impedance
- Nickel plated
- Female-Female

<b>FE-ADT-152</b>	3.5mm Male MONO TS Plug to RCA Female Mono Jack, Nickel Plated, each	1.13 D
<b>ZH-WAL-5SPKSUB-IV</b>	Wall plate: 5 Speaker Channel plus 1 RCA SubWoof (RCA/Coax), Ivory	21.42 X
<b>DA-WAL-45-0060</b>	Wall plate: 5 Speaker Channel plus 1 RCA SubWoof (RCA/Coax), White	42.45 A

## Pro Audio - All Pro Audio

Pro Audio Cables

1/4 inch, XLR, Speak-on, D-Series Panel Connectors, Speaker Wire, and Bulk 22/2 Cable

### XLR Cables

Price / Tier

#### XLR Male/Female Microphone Audio Mixer



##### -- GENERAL DUTY XLR 3P MALE/FEMALE MICROPHONE / AUDIO MIXER CABLE --

<b>FE-ECXLR-03MF</b>	3Ft XLR 3P Male / Female Microphone / Audio Mixer Cable	3.77 D
<b>FE-ECXLR-06MF</b>	6Ft XLR 3P Male / Female Microphone / Audio Mixer Cable	4.03 D
<b>FE-ECXLR-10MF</b>	10Ft XLR 3P Male / Female Microphone / Audio Mixer Cable	4.26 C
<b>FE-ECXLR-15MF</b>	15Ft XLR 3P Male / Female Microphone / Audio Mixer Cable	5.00 C
<b>FE-ECXLR-25MF</b>	25Ft XLR 3P Male / Female Microphone / Audio Mixer Cable	7.02 C
<b>FE-ECXLR-50MF</b>	50Ft XLR 3P Male / Female Microphone / Audio Mixer Cable	11.79 C
<b>FE-ECXLR-75MF</b>	75Ft XLR 3P Male / Female Microphone / Audio Mixer Cable	19.35 C
<b>FE-ECXLR-100MF</b>	100Ft XLR 3P Male / Female Microphone / Audio Mixer Cable	22.84 C
<b>FE-XLR-MFF</b>	XLR Male to Dual XLR Female Adapter Cable	7.41 C
<b>FE-XLR-FMM</b>	XLR Female to Dual XLR Male Adapter Cable	7.41 C

##### -- PREMIUM XLR 3P MALE/FEMALE MICROPHONE / AUDIO MIXER CABLE --

<b>FE-PRXLR-03MF</b>	3Ft Premium XLR 3P Male/Female Microphone / Audio Mixer Cable	6.86 C
<b>FE-PRXLR-06MF</b>	6Ft Premium XLR 3P Male/Female Microphone / Audio Mixer Cable	7.79 B
<b>FE-PRXLR-10MF</b>	10Ft Premium XLR 3P Male/Female Microphone / Audio Mixer Cable	9.86 B
<b>FE-PRXLR-15MF</b>	15Ft Premium XLR 3P Male/Female Microphone / Audio Mixer Cable	12.42 B
<b>FE-PRXLR-25MF</b>	25Ft Premium XLR 3P Male/Female Microphone / Audio Mixer Cable	17.49 B
<b>FE-PRXLR-50MF</b>	50Ft Premium XLR 3P Male/Female Microphone / Audio Mixer Cable	30.31 B
<b>FE-PRXLR-75MF</b>	75Ft Premium XLR 3P Male/Female Microphone / Audio Mixer Cable	50.44 B
<b>FE-PRXLR-100MF</b>	100Ft Premium XLR 3P Male/Female Microphone / Audio Mixer Cable	55.97 B

#### XLR to 1/4inch Microphone



##### -- XLR 3P FEMALE TO 1/4" TRS (BALANCED AUDIO) MALE MICROPHONE CABLE --

<b>FE-ECXLR14-03FM</b>	3Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	3.00 C
<b>FE-ECXLR14-06FM</b>	6Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	3.54 C
<b>FE-ECXLR14-10FM</b>	10Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	4.36 C
<b>FE-ECXLR14-15FM</b>	15Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	4.88 C
<b>FE-ECXLR14-25FM</b>	25Ft XLR 3P Female to 1/4" TRS (Balanced) Male Microphone Cable	7.81 C
<b>FE-ECXLR14-50FM</b>	50Ft XLR 3P Female to 1/4" TRS (Balanced) Male Microphone Cable	12.93 C
<b>FE-ECXLR14-100FM</b>	100Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	24.08 C

##### -- XLR 3P FEMALE TO 1/4" TS (SINGLE BAND) MONO MALE MICROPHONE CABLE --

<b>FE-XLR14TS-06FM</b>	6Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	4.17 D
<b>FE-XLR14TS-10FM</b>	10Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	4.07 C
<b>FE-XLR14TS-15FM</b>	15Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	5.27 D
<b>FE-XLR14TS-25FM</b>	25Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	7.50 D
<b>FE-XLR14TS-50FM</b>	50Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	15.77 D
<b>BE-203196</b>	100Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	29.01 D

##### -- XLR 3P MALE TO 1/4" TS MONO MALE MICROPHONE CABLE --



FE-ECXLR14-03MM	3Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable .....	3.05 D
-----------------	---	--------



The XLR connector is a style of electrical connector, primarily found on professional audio, video, and stage lighting equipment.

- XLR 3P Male to 1/4" Mono plug
- Balanced
- Wire gauge: 28 AWG
- OD 6mm
- Nickel Plated Connectors

FE-ECXLR14-06MM	6Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable .....	3.80 C
FE-ECXLR14-10MM	10Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable .....	4.88 D
FE-ECXLR14-15MM	15Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable .....	5.09 C
FE-ECXLR14-25MM	25Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable .....	8.21 C
FE-ECXLR14-50MM	50Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable .....	15.19 C

**-- XLR 3P MALE TO 1/4" TRS STEREO (BALANCED) MALE MICROPHONE CABLE --**

FE-XLR14MM-03	3Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable .....	3.24 C
FE-XLR14MM-06	6Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable .....	3.62 C
FE-XLR14MM-10	10Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable .....	4.62 D
FE-XLR14MM-15	15Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable .....	5.66 D
FE-XLR14MM-25	25Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable .....	7.90 D
FE-XLR14MM-100	100Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable .....	22.97 C
FE-XLR14MM-50	50Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable .....	12.80 C

**XLR to 3.5mm Microphone**



BE-203298	6Ft XLR 3P Female to 3.5mm TRS (Balanced Audio) Male Cable .....	4.57 B
BE-203300	25Ft XLR 3P Female to 3.5mm TRS (Balanced Audio) Male Cable .....	10.68 B

**-- XLR 3P MALE TO 3.5MM TRS MALE (BALANCED AUDIO) CAPTURE CABLE --**

FE-XLR35-03MM	3Ft XLR 3P Male to 3.5mm TRS Male (Balanced Audio) Capture Cable .....	4.11 D
FE-XLR35-06MM	6Ft XLR 3P Male to 3.5mm TRS Male (Balanced Audio) Capture Cable .....	4.60 D
FE-XLR35-10MM	10Ft XLR 3P Male to 3.5mm TRS Male (Balanced Audio) Capture Cable .....	7.00 D
FE-XLR35-25MM	25Ft XLR 3P Male to 3.5mm TRS Male (Balanced Audio) Capture Cable .....	10.86 D

**-- PREMIUM 3.5MM TRS STEREO MALE TO 2 XLR" MALE Y-BREAKOUT CABLE --**

FE-3MM2XLR-03	3ft Premium 3.5mm TRS Stereo Male to 2 XLR" Male Stereo Breakout Cable .....	6.75 C
FE-3MM2XLR-06	6ft Premium 3.5mm TRS Stereo Male to 2 XLR" Male Y-Breakout Cable .....	7.91 B
FE-3MM2XLR-10	10ft Premium 3.5mm TRS Stereo Male to 2 XLR" Male Y-Breakout Cable .....	9.28 B

**XLR to RCA Microphone**



BE-203285	25Ft XLR 3P Male to RCA Male Microphone Cable .....	7.90 B
-----------	---	--------

**-- XLR 3P FEMALE TO RCA MALE MICROPHONE CABLE --**

**XLR Y-Breakout Cables to 3.5mm**



FE-3MM2XLR-03	3ft Premium 3.5mm TRS Stereo Male to 2 XLR" Male Stereo Breakout Cable .....	6.75 C
FE-3MM2XLR-06	6ft Premium 3.5mm TRS Stereo Male to 2 XLR" Male Y-Breakout Cable .....	7.91 B
FE-3MM2XLR-10	10ft Premium 3.5mm TRS Stereo Male to 2 XLR" Male Y-Breakout Cable .....	9.28 B
FE-XLR-FMM	XLR Female to Dual XLR Male Adapter Cable .....	7.41 C
FE-XLR-MFF	XLR Male to Dual XLR Female Adapter Cable .....	7.41 C

**XLR Adapters, Accessories, Bulk Cable**



<b>-- BULK CABLE AND CABLE CONNECTORS --</b>		
CV-CSP1200-22-1KR	1000ft Shielded Twisted Pair 22AWG/2 Conductor, Black .....	198.03 X
CV-1FT-CSP1200-22-1KR	Shielded Twisted Pair 22AWG/2 Conductor, Black PER FOOT .....	0.25 X
FE-ADT-376	XLR Female Self-solder Connector, Shielded, Gold Plated .....	4.28 C
FE-ADT-377	XLR Male Self-solder Connector, Shielded, Gold Plated .....	4.28 C

**-- XLR ADAPTERS AND ACCESSORIES --**

<b>FE-ADT-389</b>	XLR RIGHT ANGLE Male Self-solder Connector, Shielded, Nickel Plated	3.89 C
<b>FE-ADT-388</b>	XLR RIGHT ANGLE Female Self-solder Connector, Shielded, Nickel Plated	3.89 C
<b>BE-202401</b>	XLR Female Self-solder Connector (Adapter), Nickel Plated	3.29 D
<b>BE-202408</b>	XLR Female to 1/4 Stereo Male Adapter, Nickel Plated	3.16 C
<b>FE-ADT-420</b>	XLR Male to 1/4 Stereo Female Adapter, Nickel Plated	3.69 C
<b>FE-ADT-419</b>	XLR Female to 1/4 MONO Male Adapter, Nickel Plated	4.83 D
<b>FE-ADT-434</b>	XLR Male/Male Barrel Coupler Adapter (Gender Changer), Nickel Plated	3.48 C
<b>FE-XLR-FMM</b>	XLR Female to Dual XLR Male Adapter Cable	7.41 C
<b>FE-XLR-MFF</b>	XLR Male to Dual XLR Female Adapter Cable	7.41 C
<b>FE-ADT-438</b>	XLR Female/Female Barrel Coupler Adapter, Nickel Plated	2.99 B
<b>FE-ADT-424</b>	XLR Male to RCA Female Adapter (Unbalanced)	3.70 C
<b>FE-ADT-399</b>	XLR Female to RCA Female Adapter (Unbalanced)	3.36 C
<b>BE-202407</b>	XLR Male to 1/4 Stereo (TRS) Male Adapter, Nickel Plated	3.22 B
<b>SH-844</b>	XLR Female to RCA Male Adapter, Nickel Plated	15.12 A
<b>FE-ADT-418</b>	XLR Male to RCA Male Adapter, Nickel Plated	3.69 C
<b>FE-PAN-XLR-F</b>	Wall plate: XLR Female D-Series Panel Mount Connector, Metal Shell	3.87 C
<b>FE-PAN-XLR-M</b>	Wall plate: XLR Male D-Series/Neutrik Panel Mount Connector, Metal Shell	3.87 C
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## 1/4inch (All Types)

Price / Tier

### 1/4 inch TRS (Stereo) Cables



#### -- 1/4" STEREO PHONO CABLES --

<b>FE-ECTRS-01MM</b>	1.5ft 1/4" Stereo TRS Phono Cable, Male to Male, 28AWG, Nickel Plated	2.45 D
----------------------	---	--------



Our line of 1/4 inch Audio cables brings you high performance cables at rock bottom prices. Whether you're connecting broadcast equipment, instruments for your band or your high end entertainment system, we have the interconnect cables for you.

- 28AWG Stranded Copper Wire Conduits.
- 97.5% Shielded Balanced Connections
- Nickel Plated Connectors
- Molded Connector Housings
- Molded Strain Relief Boots

<b>FE-ECTRS-03MM</b>	3ft 1/4" Stereo TRS Phono Cable, Male to Male, 28AWG, Nickel Plated	2.45 D
<b>FE-ECTRS-06MM</b>	6ft 1/4" Stereo TRS Phono Cable, Male to Male, 28AWG, Nickel Plated	3.16 D
<b>FE-ECTRS-10MM</b>	10ft 1/4" Stereo TRS Phono Cable, Male to Male, 28AWG, Nickel Plated	3.56 D
<b>FE-ECTRS-15MM</b>	15ft 1/4" Stereo TRS Phono Cable, Male to Male, 28AWG, Nickel Plated	4.56 D
<b>FE-ECTRS-25MM</b>	25ft 1/4" Stereo TRS Phono Cable, Male to Male, 28AWG, Nickel Plated	6.39 D
<b>FE-ECTRS-50MM</b>	50ft 1/4" Stereo TRS Phono Cable, Male to Male, 28AWG, Nickel Plated	10.54 C
<b>FE-ECTRS-100MM</b>	100ft 1/4" Stereo TRS Phono Cable, Male to Male, 28AWG, Nickel Plated	18.43 C

#### -- PREMIUM 1/4" STEREO TO 1/4" STEREO CABLES, 18AWG, GOLD PLATED --

<b>FE-14TRS-03MM</b>	3ft Premium 1/4" Stereo TRS Phono Cable, Male to Male, 18AWG, Gold Plated	5.84 C
----------------------	---	--------



Our PREMIUM cable is made using 18AWG copper wire with end-to-end shielding and gold-plated 1/4inch conductors

- 18AWG Stranded Copper Wire Conduits.
- Shielded Balanced Connections
- Gold Plated Connectors
- Metal Shell Connector Housings
- Cable Outer Diameter: 6.5mm
- Molded Strain Relief Boots

<b>FE-14TRS-01MM</b>	1.5ft Premium 1/4" Stereo TRS Phono Cable, Male to Male, 18AWG, Gold Plated .....	5.85 c
----------------------	---	--------



- Our PREMIUM cable is made using 18AWG copper wire with end-to-end shielding and gold-plated 1/4inch conductors
- 18AWG Stranded Copper Wire Conduits.
  - Shielded Balanced Connections
  - Gold Plated Connectors
  - Metal Shell Connector Housings
  - Cable Outer Diameter: 6.5mm
  - Molded Strain Relief Boots

<b>FE-14TRS-06MM</b>	6ft Premium 1/4" Stereo TRS Phono Cable, Male to Male, 18AWG, Gold Plated .....	8.09 c
----------------------	---	--------



- Our PREMIUM cable is made using 18AWG copper wire with end-to-end shielding and gold-plated 1/4inch conductors
- 18AWG Stranded Copper Wire Conduits.
  - Shielded Balanced Connections
  - Gold Plated Connectors
  - Metal Shell Connector Housings
  - Cable Outer Diameter: 6.5mm
  - Molded Strain Relief Boots

<b>FE-14TRS-10MM</b>	10ft Premium 1/4" Stereo TRS Phono Cable, Male to Male, 18AWG, Gold Plated .....	9.31 B
<b>FE-14TRS-15MM</b>	15ft Premium 1/4" Stereo TRS Phono Cable, Male to Male, 18AWG, Gold Plated .....	11.71 B
<b>FE-14TRS-25MM</b>	25ft Premium 1/4" Stereo TRS Phono Cable, Male to Male, 18AWG, Gold Plated .....	18.74 B
<b>FE-14TRS-50MM</b>	50ft Premium 1/4" Stereo TRS Phono Cable, Male to Male, 18AWG, Gold Plated .....	31.35 B
<b>FE-14TRS-100MM</b>	100ft Premium 1/4" Stereo TRS Phono Cable, Male to Male, 18AWG, Gold Plated .....	50.13 B

**-- 1/4" STEREO EXTENSION CABLES MALE TO FEMALE --**

<b>FE-ECTRS-06MF</b>	6ft 1/4" Stereo EXTENSION Cable, Male to Female, 28AWG, Nickel Plated .....	2.97 D
<b>FE-ECTRS-10MF</b>	10ft 1/4" Stereo EXTENSION Cable, Male to Female, 28AWG, Nickel Plated .....	3.62 D
<b>FE-ECTRS-15MF</b>	15ft 1/4" Stereo EXTENSION Cable, Male to Female, 28AWG, Nickel Plated .....	5.26 D
<b>FE-ECTRS-25MF</b>	25ft 1/4" Stereo EXTENSION Cable, Male to Female, 28AWG, Nickel Plated .....	7.13 D
<b>FE-ECTRS-50MF</b>	50ft 1/4" Stereo EXTENSION Cable, Male to Female, 28AWG, Nickel Plated .....	18.09 D

**-- PREMIUM 3.5MM TRS STEREO MALE TO 2 (Y) 1/4" MONO MALE Y-BREAKOUT CABLE --**

<b>FE-3MM214-03</b>	3ft Premium 3.5mm TRS Stereo Male to 2 1/4" TS Stereo Breakout Cable .....	6.90 c
<b>FE-3MM214-06</b>	6ft Premium 3.5mm TRS Stereo Male to 2 1/4" Mono Male Y-Breakout Cable .....	8.22 B
<b>FE-3MM214-10</b>	10ft Premium 3.5mm TRS Stereo Male to 2 1/4" Mono Male Y-Breakout Cable .....	9.56 B
<b>BE-202409</b>	1/4inch Stereo/MONO TRS (Female/Female) Adapter Coupler, Nickel Plated .....	2.30 B
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

**1/4 inch TS (Mono/Guitar) Cables**

**-- 1/4" GENERAL DUTY MONO (GUITAR) TO 1/4" MONO CABLES --**



<b>FE-EC14-6IN-MM</b>	6 inch 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	1.05 c
<b>FE-EC14-01MM</b>	1.5ft 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	1.21 B
<b>FE-EC14-03MM</b>	3ft 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	1.42 c
<b>FE-EC14-06MM</b>	6ft 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	1.82 D
<b>FE-EC14-10MM</b>	10ft 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	2.68 D
<b>FE-EC14-15MM</b>	15ft 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	3.56 D
<b>FE-EC14-25MM</b>	25ft 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	6.16 X
<b>FE-EC14-50MM</b>	50ft 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	9.71 c
<b>FE-EC14-75MM</b>	75ft 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	12.13 c
<b>FE-EC14-100MM</b>	100ft 1/4" MONO (TS) Guitar Cable, Male to Male, 28AWG, Nickel Plated .....	15.50 c

**-- PREMIUM 1/4" MONO (GUITAR) TO 1/4" MONO CABLES --**

<b>FE-14TS-6IN-MM</b>	6inch Premium 1/4" MONO (TS) Guitar Cable, Male to Male, 18AWG, Gold Plate .....	3.99 c
<b>FE-14TS-01MM</b>	1.5ft Premium 1/4" MONO (TS) Guitar Cable, Male to Male, 18AWG, Gold Plated .....	4.46 c
<b>FE-14TS-03MM</b>	3ft Premium 1/4" MONO (TS) Guitar Cable, Male to Male, 18AWG, Gold Plated .....	5.27 c
<b>FE-14TS-06MM</b>	6ft Premium 1/4" MONO (TS) Guitar Cable, Male to Male, 18AWG, Gold Plated .....	6.75 c
<b>FE-14TS-10MM</b>	10ft Premium 1/4" MONO (TS) Guitar Cable, Male to Male, 18AWG, Gold Plated .....	8.31 B
<b>FE-14TS-15MM</b>	15ft Premium 1/4" MONO (TS) Guitar Cable, Male to Male, 18AWG, Gold Plated .....	10.19 c
<b>FE-14TS-25MM</b>	25ft Premium 1/4" MONO (TS) Guitar Cable, Male to Male, 18AWG, Gold Plated .....	14.23 B
<b>FE-14TS-50MM</b>	50ft Premium 1/4" MONO (TS) Guitar Cable, Male to Male, 18AWG, Gold Plated .....	23.83 B
<b>FE-14TS-100MM</b>	100ft Premium 1/4" MONO (TS) Guitar Cable, Male to Male, 18AWG, Gold Plated .....	44.26 B

**-- 1/4" ANGLED 90 DEGREE GENERAL DUTY MONO (GUITAR) TO 1/4" MONO CABLES --**

<b>FE-EC1490-6IN-MM</b>	6inch 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 28AWG,Nickel Plate .....	1.62 c
<b>FE-EC1490-01-MM</b>	1.5ft 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 28AWG,Nickel Plated .....	1.90 D

<b>FE-EC1490-03-MM</b>	3ft 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 28AWG,Nickel Plated	2.17 D
<b>FE-EC1490-06-MM</b>	6ft 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 28AWG,Nickel Plated	2.57 D
<b>FE-EC1490-10-MM</b>	10ft 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 28AWG,Nickel Plated	2.62 D
<b>FE-EC1490-15-MM</b>	15ft 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 28AWG,Nickel Plated	3.47 D
<b>FE-EC1490-25-MM</b>	25ft 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 28AWG,Nickel Plated	4.89 D
<b>FE-EC1490-50-MM</b>	50ft 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 28AWG,Nickel Plated	9.03 D
<b>-- PREMIUM 1/4" ANGLED 90 DEGREE MONO (GUITAR) TO 1/4" MONO CABLES --</b>		
<b>FE-PR1490-6IN-MM</b>	6 inch Premium 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 18AWG	4.49 C
<b>FE-PR1490-01-MM</b>	1.5ft Premium 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 18AWG	4.95 C
<b>FE-PR1490-03-MM</b>	3ft Premium 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 18AWG	5.74 C
<b>FE-PR1490-06-MM</b>	6ft Premium 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 18AWG	7.16 B
<b>FE-PR1490-10-MM</b>	10ft Premium 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 18AWG	8.63 B
<b>FE-PR1490-15-MM</b>	15ft Premium 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 18AWG	10.51 B
<b>FE-PR1490-25-MM</b>	25ft Premium 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 18AWG	14.22 B
<b>FE-PR1490-50-MM</b>	50ft Premium 1/4" ANGLED MONO (TS) Guitar Cable, Male to Male, 18AWG	23.56 B
<b>-- 1/4" GENERAL DUTY MONO (GUITAR) TO 1/4" MONO EXTENSION CABLES --</b>		
<b>FE-EC14X-03MF</b>	3ft 1/4" MONO (TS) EXTENSION Cable, Male/Female, 28AWG, Nickel Plated	2.18 D
<b>FE-EC14X-06MF</b>	6ft 1/4" MONO (TS) EXTENSION Cable, Male/Female, 28AWG, Nickel Plated	2.18 D
<b>FE-EC14X-10MF</b>	10ft 1/4" MONO (TS) EXTENSION Cable, Male/Female, 28AWG, Nickel Plated	2.39 D
<b>FE-EC14X-15MF</b>	15ft 1/4" MONO (TS) EXTENSION Cable, Male/Female, 28AWG, Nickel Plated	3.22 D
<b>FE-EC14X-25MF</b>	25ft 1/4" MONO (TS) EXTENSION Cable, Male/Female, 28AWG, Nickel Plated	5.45 D
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## 1/4 inch to 3.5mm and Y-Cables



<b>-- GUITAR/INSTRUMENT 1/4" STEREO TO 3.5MM STEREO CABLES --</b>		
<b>FE-1435-TRS-01</b>	1.5ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	1.46 C
<b>FE-1435-TRS-03</b>	3ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	1.78 D
<b>FE-1435-TRS-06</b>	6ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	2.06 D
<b>FE-1435-TRS-10</b>	10ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	2.96 D
<b>FE-1435-TRS-15</b>	15ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	3.37 D
<b>FE-1435-TRS-25</b>	25ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	5.77 D
<b>FE-1435-TRS-50</b>	50ft 1/4" Stereo TRS to 3.5mm Audio/Guitar Male to Male Cable, Black	11.87 D
<b>-- GUITAR/INSTRUMENT 1/4" MONO TO 3.5MM MONO CABLES --</b>		
<b>FE-1435-TS-01</b>	1.5ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	1.34 C
<b>FE-1435-TS-03</b>	3ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	1.56 D
<b>FE-1435-TS-06</b>	6ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	2.36 D
<b>FE-1435-TS-10</b>	10ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	2.63 D
<b>FE-1435-TS-15</b>	15ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	2.87 C
<b>FE-1435-TS-25</b>	25ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	4.71 D
<b>FE-1435-TS-50</b>	50ft 1/4" MONO (TS) to 3.5mm Audio/Guitar, Male to Male Cable, Black	7.84 C
<b>-- PREMIUM 3.5MM TRS STEREO MALE TO 2 (Y) 1/4" MONO MALE Y-BREAKOUT CABLE --</b>		
<b>FE-3MM214-03</b>	3ft Premium 3.5mm TRS Stereo Male to 2 1/4" TS Stereo Breakout Cable	6.90 C
<b>FE-3MM214-06</b>	6ft Premium 3.5mm TRS Stereo Male to 2 1/4" Mono Male Y-Breakout Cable	8.22 B
<b>FE-3MM214-10</b>	10ft Premium 3.5mm TRS Stereo Male to 2 1/4" Mono Male Y-Breakout Cable	9.56 B
<b>-- ADAPTERS AND CONNECTORS --</b>		
<b>FE-ADT-209</b>	1/4" Stereo TRS Male Plug to Dual 3.5mm Stereo Female Splitter, Nickel Plat	1.22 D
<b>FE-ADT-237</b>	1/4 Inch MONO TS Male to 3.5mm Female MONO TS Adapter, Nickel Plated	1.11 D
<b>FE-ADT-142</b>	1/4" Stereo TRS Jack (Female) to 3.5mm Stereo Plug (Male) Adapter	0.90 D
<b>FE-3MM-F2M4</b>	3.5mm Stereo TRS Jack (Female) to 1/4" Stereo Plug (Male) Adapter	1.10 D



Adapter for plugging a 3.5mm (1/8 inch) stereo plug into a 1/4 inch stereo jack.

### Features and Specifications

- 3.5mm FEMALE Connector, Nickel Plated
- 1/4inch (6.35mm) MALE Connector, Nickel Plated
- Supports 3 conductors (TRS, stereo)

<b>BE-202409</b>	1/4inch Stereo/MONO TRS (Female/Female) Adapter Coupler, Nickel Plated	2.30 B
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## 1/4 inch to XLR Cables





<b>-- XLR 3P MALE TO 1/4" TRS STEREO (BALANCED) MALE MICROPHONE CABLE --</b>		
<b>FE-XLR14MM-03</b>	3Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable	3.24 c
<b>FE-XLR14MM-06</b>	6Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable	3.62 c
<b>FE-XLR14MM-10</b>	10Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable	4.62 D
<b>FE-XLR14MM-15</b>	15Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable	5.66 D
<b>FE-XLR14MM-25</b>	25Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable	7.90 D
<b>FE-XLR14MM-50</b>	50Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable	12.80 c
<b>FE-XLR14MM-100</b>	100Ft XLR 3P Male to 1/4" TRS (Balanced) Male Microphone Cable	22.97 c

<b>-- XLR 3P MALE TO 1/4" TS MONO MALE MICROPHONE CABLE --</b>		
<b>FE-ECXLR14-03MM</b>	3Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable	3.05 D



The XLR connector is a style of electrical connector, primarily found on professional audio, video, and stage lighting equipment.

- XLR 3P Male to 1/4" Mono plug
- Balanced
- Wire gauge: 28 AWG
- OD 6mm
- Nickel Plated Connectors

<b>FE-ECXLR14-06MM</b>	6Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable	3.80 c
<b>FE-ECXLR14-10MM</b>	10Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable	4.88 D
<b>FE-ECXLR14-15MM</b>	15Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable	5.09 c
<b>FE-ECXLR14-25MM</b>	25Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable	8.21 c
<b>FE-ECXLR14-50MM</b>	50Ft XLR 3P Male to 1/4" TS MONO Male Microphone Cable	15.19 c

<b>-- XLR 3P FEMALE TO 1/4" TRS (BALANCED AUDIO) MALE MICROPHONE CABLE --</b>		
<b>FE-ECXLR14-03FM</b>	3Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	3.00 c
<b>FE-ECXLR14-06FM</b>	6Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	3.54 c
<b>FE-ECXLR14-10FM</b>	10Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	4.36 c
<b>FE-ECXLR14-15FM</b>	15Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	4.88 c
<b>FE-ECXLR14-25FM</b>	25Ft XLR 3P Female to 1/4" TRS (Balanced) Male Microphone Cable	7.81 c
<b>FE-ECXLR14-50FM</b>	50Ft XLR 3P Female to 1/4" TRS (Balanced) Male Microphone Cable	12.93 c
<b>FE-ECXLR14-100FM</b>	100Ft XLR 3P Female to 1/4" TRS (Balanced Audio) Male Microphone Cable	24.08 c

<b>-- XLR 3P FEMALE TO 1/4" TS (SINGLE BAND) MONO MALE MICROPHONE CABLE --</b>		
<b>FE-XLR14TS-06FM</b>	6Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	4.17 D
<b>FE-XLR14TS-10FM</b>	10Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	4.07 c
<b>FE-XLR14TS-15FM</b>	15Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	5.27 D
<b>FE-XLR14TS-25FM</b>	25Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	7.50 D
<b>FE-XLR14TS-50FM</b>	50Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	15.77 D
<b>BE-203196</b>	100Ft XLR 3P Female to 1/4" TS MONO Male Microphone Cable	29.01 D

<b>-- ADAPTERS AND CONNECTORS --</b>		
<b>FE-ADT-419</b>	XLR Female to 1/4 MONO Male Adapter, Nickel Plated	4.83 D
<b>FE-ADT-420</b>	XLR Male to 1/4 Stereo Female Adapter, Nickel Plated	3.69 c
<b>BE-202408</b>	XLR Female to 1/4 Stereo Male Adapter, Nickel Plated	3.16 c
<b>FE-ADT-418</b>	XLR Male to RCA Male Adapter, Nickel Plated	3.69 c
<b>BE-202407</b>	XLR Male to 1/4 Stereo (TRS) Male Adapter, Nickel Plated	3.22 B
<b>SH-844</b>	XLR Female to RCA Male Adapter, Nickel Plated	15.12 A
<b>BE-202409</b>	1/4inch Stereo/MONO TRS (Female/Female) Adapter Coupler, Nickel Plated	2.30 B
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## 1/4 inch to RCA Cables



<b>-- 1/4" MONO (TS) SINGLE BAND TO 1 RCA CABLES --</b>		
<b>-- 1/4" STEREO MALE (TRS) TO 2 RCA CABLES --</b>		
<b>BE-203171</b>	6ft 1/4" (TRS) Stereo to 2 RCA Cable	1.68 B
<b>BE-203172</b>	10ft 1/4" (TRS) Stereo to 2 RCA Cable	3.10 c
<b>BE-203173</b>	15ft 1/4" (TRS) Stereo to 2 RCA Cable	3.57 c

<b>-- 1/4" ADAPTERS --</b>		
<b>BE-202409</b>	1/4inch Stereo/MONO TRS (Female/Female) Adapter Coupler, Nickel Plated	2.30 B
<b>FE-ADT-225</b>	1/4" Mono Jack (Male) to RCA (Female) Adapter, Nickel Plated	1.58 D
<b>FE-ADT-441</b>	1/4" Mono Jack (Female) to RCA (Male) Adapter, Nickel Plated	2.30 D
<b>FE-ADT-302</b>	1/4" Stereo Jack (Male) to 2 RCA (Female) Adapter, Nickel Plated	1.51 D
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## 1/4 inch and XLR Adapters and Wall plates





**FE-ADT-209**  
**FE-ADT-441**  
**FE-ADT-237**  
**FE-ADT-374**  
**FE-ADT-398**  
**FE-ADT-192**

**-- 1/4" ADAPTERS --**

1/4" Stereo TRS Male Plug to Dual 3.5mm Stereo Female Splitter, Nickel Plat .....	1.22 D
1/4" Mono Jack (Female) to RCA (Male) Adapter, Nickel Plated .....	2.30 D
1/4 Inch MONO TS Male to 3.5mm Female MONO TS Adapter, Nickel Plated .....	1.11 D
1/4 Inch MONO TS Male Self-solder Premium Connector, Shielded & Gold Plated .....	4.42 C
1/4 Inch ANGLED MONO TS Male Self-solder Premium Connector, Gold Plated .....	4.42 D
1/4" Stereo TRS Male Plug to Dual 1/4" Stereo TRS Female Splitter Adapter .....	0.97 D



Splits a single 1/4" stereo connection into 2

**Features and Specifications**

- 1 Male 1/4inc (6.35mm) Connector, Nickel Plated
- 2 Female 1/4inch Connectors, Nickel Plated

<b>FE-ADT-225</b>	1/4" Mono Jack (Male) to RCA (Female) Adapter, Nickel Plated .....	1.58 D
<b>FE-ADT-302</b>	1/4" Stereo Jack (Male) to 2 RCA (Female) Adapter, Nickel Plated .....	1.51 D
<b>FE-ADT-142</b>	1/4" Stereo TRS Jack (Female) to 3.5mm Stereo Plug (Male) Adapter .....	0.90 D
<b>FE-ADT-373</b>	1/4" Female Mono to Speakon/NL4 (TM) Line Adapter .....	3.99 C
<b>FE-3MM-F2M4</b>	3.5mm Stereo TRS Jack (Female) to 1/4" Stereo Plug (Male) Adapter .....	1.10 D



Adapter for plugging a 3.5mm (1/8 inch) stereo plug into a 1/4 inch stereo jack.

**Features and Specifications**

- 3.5mm FEMALE Connector, Nickel Plated
- 1/4inch (6.35mm) MALE Connector, Nickel Plated
- Supports 3 conductors (TRS, stereo)

<b>BE-202407</b>	XLR Male to 1/4 Stereo (TRS) Male Adapter, Nickel Plated .....	3.22 B
<b>FE-ADT-418</b>	XLR Male to RCA Male Adapter, Nickel Plated .....	3.69 C
<b>SH-844</b>	XLR Female to RCA Male Adapter, Nickel Plated .....	15.12 A
<b>BE-202408</b>	XLR Female to 1/4 Stereo Male Adapter, Nickel Plated .....	3.16 C
<b>FE-ADT-419</b>	XLR Female to 1/4 MONO Male Adapter, Nickel Plated .....	4.83 D
<b>FE-ADT-420</b>	XLR Male to 1/4 Stereo Female Adapter, Nickel Plated .....	3.69 C
<b>BE-202409</b>	1/4inch Stereo/MONO TRS (Female/Female) Adapter Coupler, Nickel Plated .....	2.30 B
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

**-- 1/4" WALLPLATES --**

<b>FE-PAN-14TRS</b>	Wall plate: 1/4" Stereo Female D-Series/Neutrik Panel Mount Connector, Metal .....	3.87 C
<b>FE-PAN-14TS</b>	Wall plate: 1/4" MONO Female D-Series/Neutrik Panel Mount Connector, Metal .....	3.87 C
<b>ZH-KEY-PHONO-WH</b>	Keystone Jack Insert/Coupler Type: Stereo TRS 1/4" Audio Jack, White .....	2.87 X

**1/4 inch Bulk Cable and Connectors**



**CV-CSP1200-22-1KR**  
**CV-1FT-**  
**CSP1200-22-1KR**  
**FE-ADT-375**  
**FE-ADT-374**  
**FE-ADT-398**  
**BE-202409**  
**FE-ADT-439**

**-- BULK CABLE AND CABLE CONNECTORS --**

1000ft Shielded Twisted Pair 22AWG/2 Conductor, Black .....	198.03 X
Shielded Twisted Pair 22AWG/2 Conductor, Black PER FOOT .....	0.25 X
1/4 Inch Stereo TRS Male Self-solder Premium Connector, Shielded & Gold .....	4.42 C
1/4 Inch MONO TS Male Self-solder Premium Connector, Shielded & Gold Plated .....	4.42 C
1/4 Inch ANGLED MONO TS Male Self-solder Premium Connector, Gold Plated .....	4.42 D
1/4inch Stereo/MONO TRS (Female/Female) Adapter Coupler, Nickel Plated .....	2.30 B
Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

**SpeakON Cables**

Price / Tier



<b>FE-SPKON-03</b>	3ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor	5.55 A
--------------------	---	--------

Connector your SPEAKON(TM) NL4 receiver to your SPEAKON speakers using these high-quality 12AWG stranded copper wire cables.

- 12AWG CU (Pure Copper) stranded cables
- 2 Female SPEAKON 2/NL4 twist connectors at each end of the speaker wire
- Strand Count (per wire): 65 wires
- Gauge: 12AWG (Suitable for up to 600watts at 100ft)
- Cable Tech Spec: 12AWG(65/0.254BC) \* 2C OD: 10.0mm Black

<b>FE-SPKON-06</b>	6ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor	8.86 B
<b>FE-SPKON-10</b>	10ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor	12.23 B
<b>FE-SPKON-15</b>	15ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor	16.58 B
<b>FE-SPKON-20</b>	20ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor	23.01 B
<b>FE-SPKON-25</b>	25ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor	27.80 B
<b>FE-SPKON-50</b>	50ft Speakon/NL4 (TM) Speaker Wire/Cable, Stranded Copper, 2 Conductor	51.44 B
<b>FE-ADT-355</b>	Speakon/NL4 (TM) Speaker Wire Coupler (chassis connector on ends)	3.22 B
<b>BE-202451</b>	Speakon/NL4 (TM) Male Connector End for 12 to 16AWG Speaker Wire	2.24 B
<b>FE-ADT-373</b>	1/4" Female Mono to Speakon/NL4 (TM) Line Adapter	3.99 C
<b>FE-PAN-SPKON</b>	Wall plate: SpeakOn(TM) D-Series/Neutrik Panel Mount Connector, Metal	3.20 C

## D-Series / Neutrik Panel Mount

Price / Tier



### -- "D" SERIES (NEUTRIK) PANEL MOUNT CONNECTORS --

<b>FE-PAN-1H</b>	Wall plate: 1 Gang / 1 Hole D-Series/Neutrik Connector Plate, Stainless	4.03 C
<b>FE-PAN-2H</b>	Wall plate: 1 Gang / 2 Hole D-Series/Neutrik Connector Plate, Stainless	4.85 D
<b>FE-PAN-4H</b>	Wall plate: 2 Gang / 4 Hole D-Series/Neutrik Connector Plate, PVC White	5.44 C
<b>FE-PAN-HDMI</b>	Wall plate: HDMI Female D-Series/Neutrik Panel Mount Connector, Metal Shell	4.79 B
<b>FE-PAN-BOLTS</b>	2 x D-Series/Neutrik Panel Mount bolts and nuts (10mm/M3)	0.31 B
<b>FE-PAN-F</b>	Wall plate: Coax/F-Type 2.5Ghz D-Series/Neutrik Panel Mount Connector	4.73 C
<b>FE-PAN-RJ45</b>	Wall plate: Ethercon CAT6/RJ45 D-Series/Neutrik Panel Mount Connector	7.43 B
<b>FE-PAN-14TS</b>	Wall plate: 1/4" MONO Female D-Series/Neutrik Panel Mount Connector, Metal	3.87 C
<b>FE-PAN-35BCTRS</b>	Wall plate: 3.5mm TRS Stereo D-Series/Neutrik Panel Mount, Block Connect	5.16 C
<b>FE-PAN-35TRS</b>	Wall plate: 3.5mm TRS Stereo D-Series/Neutrik Panel Mount, Coupler Connect	6.56 C
<b>FE-PAN-14TRS</b>	Wall plate: 1/4" Stereo Female D-Series/Neutrik Panel Mount Connector, Metal	3.87 C
<b>FE-PAN-XLR-F</b>	Wall plate: XLR Female D-Series Panel Mount Connector, Metal Shell	3.87 C
<b>FE-PAN-XLR-M</b>	Wall plate: XLR Male D-Series/Neutrik Panel Mount Connector, Metal Shell	3.87 C
<b>FE-PAN-BNC</b>	Wall plate: BNC Female D-Series/Neutrik Panel Mount Connector, Metal	4.24 B
<b>FE-PAN-SPKON</b>	Wall plate: SpeakOn(TM) D-Series/Neutrik Panel Mount Connector, Metal	3.20 C
<b>FE-PAN-BLANK</b>	BLANK Keystone D-Series/Neutrik Panel Mount Connector, Black	4.26 C
<b>FE-PAN-MET</b>	BLANK Keystone D-Series/Neutrik Panel Mount Connector, Metal	3.87 C

### -- BULK CABLE AND CABLE CONNECTORS --

<b>CV-CSP1200-22-1KR</b>	1000ft Shielded Twisted Pair 22AWG/2 Conductor, Black	198.03 X
<b>CV-1FT-</b>	Shielded Twisted Pair 22AWG/2 Conductor, Black PER FOOT	0.25 X
<b>CSP1200-22-1KR</b>		
<b>FE-ADT-378</b>	Ethercon RJ45 (CAT5/6) Cable Connector for Panel Mounting	3.30 B

## Connectors - Self Solder

Price / Tier



<b>FE-ADT-380</b>	2.5mm Plug/Jack, TRRS 4 Connector, Self Solder, Male	1.11 D
<b>FE-ADT-379</b>	2.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, Male	0.89 D
<b>FE-ADT-332</b>	2.5mm Plug/Jack, Stereo TRS 3 Connector, Self Solder, Male	0.69 D
<b>SH-1011</b>	2.5mm Plug/Jack, TRRS 4 Connector, Self Solder, Female	7.30 A
<b>FE-ADT-334</b>	2.5mm Plug/Jack, Stereo (or Mono) TRS 3 Conductor, Self Solder, FEMALE	0.51 C
<b>FE-ADT-331</b>	3.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, Male	0.89 D
<b>FE-ADT-333</b>	3.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, FEMALE	0.63 B
<b>FE-ADT-299</b>	3.5mm Plug/Jack, Stereo TRS 3 Connector, Self Solder, FEMALE	0.91 D

Connects stereo audio & microphone devices requiring 4 conductors (left and right audio and microphone plus ground). This connector MAY also be suitable for left/right audio, 1 video (composite) and ground. Great for making your own 3.5mm 4 conductor Cables, or for repairing existing cables. Wire terminals are attached using solder (not included).



**Features and Specifications**

- 3.5mm 4 conductor (3 band) plug
- Outer Dimensions (at PVC outer molding): 9.1mm-9.6mm
- Outer Dimensions (with PVC outer molding REMOVED): 8.0mm
- Connector Length: 15.0mm
- Total Length (from end to end): 49.5mm
- Self-solder

<b>FE-ADT-374</b>	1/4 Inch MONO TS Male Self-solder Premium Connector, Shielded & Gold Plated	4.42 C
<b>FE-ADT-398</b>	1/4 Inch ANGLED MONO TS Male Self-solder Premium Connector, Gold Plated	4.42 D
<b>FE-ADT-375</b>	1/4 Inch Stereo TRS Male Self-solder Premium Connector, Shielded & Gold	4.42 C
<b>FE-ADT-377</b>	XLR Male Self-solder Connector, Shielded, Gold Plated	4.28 C
<b>FE-ADT-388</b>	XLR RIGHT ANGLE Female Self-solder Connector, Shielded, Nickel Plated	3.89 C
<b>FE-ADT-389</b>	XLR RIGHT ANGLE Male Self-solder Connector, Shielded, Nickel Plated	3.89 C
<b>FE-ADT-376</b>	XLR Female Self-solder Connector, Shielded, Gold Plated	4.28 C
<b>BE-202401</b>	XLR Female Self-solder Connector (Adapter), Nickel Plated	3.29 D
<b>FE-ADT-288</b>	VGA MALE Connector Repair Kit, Solderless (Each)	12.04 D



This specific block connector is used to REPLACE or REPAIR an existing MALE VGA connector. When used in conjunction with the MaxBlox hood (included with this kit), these connectors simply slide, snap and lock into the hood without the use of tools. Optimized for use in any A/V application where VGA controls are used, the HD15 connectors are manufactured by with genuine Phoenix Contact terminal blocks, the industry standard for reliability. The system accommodates wire diameters, from .120 inch. to .500 inch.

<b>FE-BAR-35-M</b>	Barrel Connector (3.5/1.3mm) Self-Solder, Male	0.80 D
<b>FE-BAR-35-F</b>	Barrel Connector (3.5/1.3mm) Self-Solder, Female	1.76 D
<b>FE-BAR-55-M</b>	Barrel Connector (5.5/2.1mm) Self-Solder, Male	0.80 D
<b>FE-BAR-55-F</b>	Barrel Connector (5.5/2.1mm) Self-Solder, Female	1.76 D
<b>CV-1FT-</b>		0.25 X
<b>CSP1200-22-1KR</b>	Shielded Twisted Pair 22AWG/2 Conductor, Black PER FOOT	
<b>CV-CSP1200-22-1KR</b>	1000ft Shielded Twisted Pair 22AWG/2 Conductor, Black	198.03 X

**Bulk Cable**

Price / Tier



<b>CV-CSP1200-22-1KR</b>	1000ft Shielded Twisted Pair 22AWG/2 Conductor, Black	198.03 X
<b>CV-1FT-</b>		0.25 X
<b>CSP1200-22-1KR</b>	Shielded Twisted Pair 22AWG/2 Conductor, Black PER FOOT	
<b>WN-RG6QRBK1</b>	1000ft RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax Cable , Black	95.59 X
<b>WN-RG6QRWH1</b>	1000ft RG6 QUAD SHIELD White HI-BANDWIDTH Bulk Coax Cable, White	100.89 X
<b>WN-1FT-RG6QRBK1</b>		0.15 X
	RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax Cable , Black, PER FOOT	

**Euro / Phoenix(TM) Block Connector**

Price / Tier



**-- 3.5MM EURO / PHOENIX(TM) PCB TERMINAL BLOCK CONNECTORS --**

<b>FE-EUR-352</b>	3.5mm Pitch 2 Position Euro / Phoenix(TM) PCB Terminal Block Connector	1.44 C
<b>FE-EUR-353</b>	3.5mm Pitch 3 Position Euro / Phoenix(TM) PCB Terminal Block Connector	2.24 C
<b>FE-EUR-354</b>	3.5mm Pitch 4 Position Euro / Phoenix(TM) PCB Terminal Block Connector	2.74 C
<b>FE-EUR-355</b>	3.5mm Pitch 5 Position Euro / Phoenix(TM) PCB Terminal Block Connector	3.47 C

**-- 3.81MM EURO / PHOENIX(TM) PCB TERMINAL BLOCK CONNECTORS --**

<b>FE-EUR-382</b>	3.81mm Pitch 2 Position Euro / Phoenix(TM) PCB Terminal Block Connector	1.32 C
<b>FE-EUR-383</b>	3.81mm Pitch 3 Position Euro / Phoenix(TM) PCB Terminal Block Connector	1.90 D
<b>FE-EUR-384</b>	3.81mm Pitch 4 Position Euro / Phoenix(TM) PCB Terminal Block Connector	2.56 D

<b>FE-EUR-385</b>	3.81mm Pitch 5 Position Euro / Phoenix(TM) PCB Terminal Block Connector .....	3.20 c
<b>-- 5.08MM EURO / PHOENIX(TM) PCB TERMINAL BLOCK CONNECTORS --</b>		
<b>FE-EUR-502</b>	5.08mm Pitch 2 Position Euro / Phoenix(TM) PCB Terminal Block Connector .....	1.26 D
<b>FE-EUR-503</b>	5.08mm Pitch 3 Position Euro / Phoenix(TM) PCB Terminal Block Connector .....	1.63 D

## Adapters - 1/4 Inch

1/4 inch Adapters

Use My Cable Mart 1/4" adapters to adapt to and from 3.5mm and XLR, or split to multiple 1/4" outputs. 1/4" adapters connect headphones to audio equipment. Self-solder 1/4" ends and make your own guitar or instrument cables.



<b>FE-ADT-441</b>	1/4" Mono Jack (Female) to RCA (Male) Adapter, Nickel Plated .....	2.30 D
<b>BE-202409</b>	1/4inch Stereo/MONO TRS (Female/Female) Adapter Coupler, Nickel Plated .....	2.30 B
<b>FE-ADT-225</b>	1/4" Mono Jack (Male) to RCA (Female) Adapter, Nickel Plated .....	1.58 D
<b>FE-ADT-302</b>	1/4" Stereo Jack (Male) to 2 RCA (Female) Adapter, Nickel Plated .....	1.51 D
<b>FE-ADT-192</b>	1/4" Stereo TRS Male Plug to Dual 1/4" Stereo TRS Female Splitter Adapter .....	0.97 D



Splits a single 1/4" stereo connection into 2

### Features and Specifications

- 1 Male 1/4inc (6.35mm) Connector, Nickel Plated
- 2 Female 1/4inch Connectors, Nickel Plated

<b>FE-ADT-209</b>	1/4" Stereo TRS Male Plug to Dual 3.5mm Stereo Female Splitter, Nickel Plat .....	1.22 D
<b>FE-ADT-374</b>	1/4 Inch MONO TS Male Self-solder Premium Connector, Shielded & Gold Plated .....	4.42 c
<b>FE-ADT-398</b>	1/4 Inch ANGLED MONO TS Male Self-solder Premium Connector, Gold Plated .....	4.42 D
<b>FE-ADT-375</b>	1/4 Inch Stereo TRS Male Self-solder Premium Connector, Shielded & Gold .....	4.42 c
<b>FE-3MM-F2M4</b>	3.5mm Stereo TRS Jack (Female) to 1/4" Stereo Plug (Male) Adapter .....	1.10 D



Adapter for plugging a 3.5mm (1/8 inch) stereo plug into a 1/4 inch stereo jack.

### Features and Specifications

- 3.5mm FEMALE Connector, Nickel Plated
- 1/4inch (6.35mm) MALE Connector, Nickel Plated
- Supports 3 conductors (TRS, stereo)

<b>FE-ADT-418</b>	XLR Male to RCA Male Adapter, Nickel Plated .....	3.69 c
<b>SH-844</b>	XLR Female to RCA Male Adapter, Nickel Plated .....	15.12 A
<b>BE-202407</b>	XLR Male to 1/4 Stereo (TRS) Male Adapter, Nickel Plated .....	3.22 B
<b>BE-202408</b>	XLR Female to 1/4 Stereo Male Adapter, Nickel Plated .....	3.16 c
<b>FE-ADT-419</b>	XLR Female to 1/4 MONO Male Adapter, Nickel Plated .....	4.83 D
<b>FE-ADT-420</b>	XLR Male to 1/4 Stereo Female Adapter, Nickel Plated .....	3.69 c
<b>FE-ADT-373</b>	1/4" Female Mono to Speakon/NL4 (TM) Line Adapter .....	3.99 c
<b>FE-PAN-14TRS</b>	Wall plate: 1/4" Stereo Female D-Series/Neutrik Panel Mount Connector, Metal .....	3.87 c
<b>FE-PAN-14TS</b>	Wall plate: 1/4" MONO Female D-Series/Neutrik Panel Mount Connector, Metal .....	3.87 c
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## Adapters - 3.5mm & 2.5mm Mini

3.5mm and 2.5mm (Mini) Adapters

Adapters, couplers, connectors, and splitters for mp3 players, mobile phone, tablets, iPods, computers and other 3.5mm audio devices.



### -- 3.5MM ADAPTERS --

<b>FE-ADT-217</b>	3.5mm Male to Female Port Extender Adapter, Stereo TRS, Gold Plated .....	1.12 c
<b>FE-MONO-6IN-FF</b>	6 IN 3.5mm SLIM MONO TS (2 conductor) Female to Female COUPLER Audio Cable .....	1.73 D



Converts any 3.5mm cable or port with male connector into 3.5mm female. It can also used to connect two 3.5mm mini-stereo cable with male connectors.

- Nickel Plated
- 3.5mm Female to Female TRS (Stereo) connection

<b>FE-ADT-304</b>	3.5mm Mini-Stereo TRS MALE to MALE Coupler Adapter .....	2.33 D
<b>FE-ADT-111</b>	4inch 3.5mm Female Stereo TRS to 3.5mm Male Mono TS Airline Adapter Cable .....	1.81 D
<b>FE-3MM-TS-MFF</b>	4inch 3.5mm Mini-Stereo (TRS) Male to Two 3.5mm MONO (TS) Adapter Y-Cable Female Splitter .....	1.81 D
<b>FE-3MM-MFF</b>	4inch 3.5mm Mini-Stereo TRS Male to Two 3.5mm Adapter Y-Cable TRS Female Split .....	1.81 D
<b>FE-2MM-TS-MFF</b>	4inch 2.5mm Mini-Stereo (TRS) Male to Two 2.5mm MONO (TS) Adapter Y-Cable Female Splitter .....	2.17 D
<b>FE-MONO-FFF</b>	4inch 3.5mm MONO TS Female to 2 Female Adapter Y-Cable / Splitter .....	1.81 C
<b>FE-3MM-FFF</b>	4inch 3.5mm Mini-Stereo TRS Female to 2 Female Y-Cable / Splitter .....	1.81 C
<b>FE-3MM-VOL</b>	10inch 3.5mm In-Line Volume Control Adapter for Headphone, Black .....	4.53 D



Adds convenience to any headphone that does not provide a local volume control. Simply plugs into the sound source and provides a 3.5mm jack for connecting existing headphones. Great for use with audio equipment with unusually high output levels, and for using low impedance headphones with devices designed for higher loads, such as airline in flight entertainment systems.

<b>FE-ADT-306</b>	6 inch Micro-B USB Male Angled to 3.5mm Female Stereo Audio Adapter, Black .....	2.54 D
<b>FE-ADT-334</b>	2.5mm Plug/Jack, Stereo (or Mono) TRS 3 Conductor, Self Solder, FEMALE .....	0.51 C
<b>FE-ADT-379</b>	2.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, Male .....	0.89 D
<b>FE-ADT-421</b>	6 inch Adapter Cable: MONO (TS) 3.5mm FEMALE to 2.5mm FEMALE .....	2.24 D
<b>FE-ADT-299</b>	3.5mm Plug/Jack, Stereo TRS 3 Connector, Self Solder, FEMALE .....	0.91 D
<b>FE-ADT-331</b>	3.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, Male .....	0.89 D
<b>FE-ADT-333</b>	3.5mm Plug/Jack, MONO TS 2 Connector, Self Solder, FEMALE .....	0.63 B
<b>FE-ADT-332</b>	2.5mm Plug/Jack, Stereo TRS 3 Connector, Self Solder, Male .....	0.69 D
<b>FE-ADT-202</b>	3.5mm Plug/Jack, Stereo TRS 3 Connector, Self Solder, Male .....	0.36 B
<b>FE-ADT-380</b>	2.5mm Plug/Jack, TRRS 4 Connector, Self Solder, Male .....	1.11 D
<b>SH-1011</b>	2.5mm Plug/Jack, TRRS 4 Connector, Self Solder, Female .....	7.30 A
<b>FE-ADT-422</b>	6 inch Adapter Cable: Stereo (TRS) 3.5mm FEMALE to 2.5mm FEMALE .....	2.32 D
<b>FE-ADT-143</b>	3.5mm Right Angle Adapter, Male/Female Stereo TRS (3 connector) .....	1.64 C
<b>FE-ADT-144</b>	3.5mm Stereo TRS Plug to Dual 3.5mm Stereo Jack Splitter/Adapter .....	1.31 D
<b>FE-3MM-MRCA-04IN</b>	4 INCH 3.5mm Mini-Stereo TRS Male to Two RCA Male Audio Adapter Cable .....	1.30 X
<b>FE-ADT-295</b>	3.5mm Mono Male TS Plug to RCA Female Jack Adapter, Nickel Plated .....	1.05 D
<b>FE-PR3RCA-6IN</b>	6inch 3.5mm Premium Mini-Stereo TRS Male to 2 RCA Male Audio/Speaker Cable .....	3.72 B
<b>CV-CSP345H-22-8IN</b>	6 INCH PLENUM 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter .....	22.19 A
<b>FE-3MM-FMRCA</b>	8 INCH 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter .....	1.79 D

Convert any PC stereo speaker cable into regular RCA and connect it to your stereo system. It uses 75ohm coaxial cable to provide best audio performance.



**Features and Specifications**

- Connectors: 3.5mm TRS Female
- 2 RCA Male Male
- Length: Approx 8inches

<b>FE-3MM-FRCA</b>	4 inch Mini Jack 3.5mm Male Stereo Plug to 2 RCA Female Jack adapter cable .....	2.37 D
<b>FE-3MM-3MRCA</b>	RCA Audio Splitter Adapter (3.5mm Male Stereo TRS to 2 RCA Female) .....	1.38 D
<b>FE-ADT-296</b>	3.5mm Stereo Jack (Male) to 2 RCA (Female) Adapter, Gold Plated .....	1.22 D



<b>FE-3MM-F2M4</b>	3.5mm Stereo TRS Jack (Female) to 1/4" Stereo Plug (Male) Adapter .....	1.10 D
--------------------	---	--------



Adapter for plugging a 3.5mm (1/8 inch) stereo plug into a 1/4 inch stereo jack.

**Features and Specifications**

- 3.5mm FEMALE Connector, Nickel Plated
- 1/4inch (6.35mm) MALE Connector, Nickel Plated
- Supports 3 conductors (TRS, stereo)

<b>FE-ADT-142</b>	1/4" Stereo TRS Jack (Female) to 3.5mm Stereo Plug (Male) Adapter .....	0.90 D
<b>FE-ADT-209</b>	1/4" Stereo TRS Male Plug to Dual 3.5mm Stereo Female Splitter, Nickel Plat .....	1.22 D
<b>FE-ADT-237</b>	1/4 Inch MONO TS Male to 3.5mm Female MONO TS Adapter, Nickel Plated .....	1.11 D
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports .....	56.37 A

**-- 3.5MM 4 CONDUCTOR (3 BAND) ADAPTERS --**

<b>FE-ADT-241</b>	3.5mm TRRS 4 Conductor Male / Female Port Extender Shielded Adapter .....	3.36 D
-------------------	---	--------

Designed for use with Square, Intuit, and Paypal Card Readers, this 4 Conductor (4 Pole) Port Extender Works With Android, All iPhone Models, iPad, Smart Phones & iPod Touch.

**Features and Specifications**



- 4 Conductor MALE to 3.5mm to 4 Conductor FEMALE Extender/ Adapter
- Gold Plated conductors, Shielded
- Maximum Outer Diameter (OD): 6.79mm (Slim Design)
- TRRS Type Straight Through Wiring (4 conductor)
- Ideal for use with Smart Phone use with Credit Card swipers, or cables that have a thicker housing.
- Tested with PAYPAL and INTUIT card readers that need a 4 conductor connection

<b>FE-ADT-261</b>	3.5mm TRRS Male to Female Port PVC Extender Shielded,4 Conductor, Gold Plat .....	2.18 x
<b>FE-ADT-277</b>	3.5mm TRRS Male to Female Port Flexible Adapter, 4 Conductor, Nickel Plated .....	3.30 D
<b>FE-ADT-305</b>	3.5mm 4 Conductor TRRS MALE to MALE Coupler Adapter .....	2.14 D
<b>FE-ADT-247</b>	3.5mm 4 Conductor TRRS Right Angle Adapter, Male/Female Stereo/Mic .....	3.37 D
<b>FE-ADT-267</b>	3.5mm 4 Conductor TRRS MALE to 3 RCA FEMALE L/R Audio & Video Adapter Cable .....	5.89 x



- Male 3.5mm 4 Conductor TRRS (Left & Right Audio, Video, and Ground) Female Connector
- 3 RCA Female Connectors (Red/White RCA Audio, Yellow-Composite Video)
- Length: Approx 6 inches
- Nickel Plated Conductors
- See TECH DOC for wiring information

<b>FE-ADT-249</b>	3.5mm 4 Conductor TRRS Female to Female Coupler Adapter .....	2.46 D
-------------------	---	--------

Converts any **4 conductor** 3.5mm cable or port with male connector into 3.5mm female, or couples 2 TRRS male cables together to form a longer cable

**Features and Specifications**



- Nickel Plated
- RoHS Compliant
- Connectors: 3.5mm Female to Female, 4 conductor (TRRS) - 3 black band
- Straight-through wiring (1-1, 2-2, 3-3, 4-4).
- Total Length end to end: 40.3mm (Approx 1.59 inches)



- There is no industry standard for a 4-conductor (3 black ring) to 3 RCA connector or adapter. We have designed this adapter to adhere to the more common "iPod standard" (shown in the above pin-out).
- Female 3.5mm 4 Conductor (Left and Right Audio, Video, and Ground) Female Connector
- 3 RCA Male Connectors (Red/White RCA Audio, Yellow-Composite Video)
- Length: Approx 6 inches
- Nickel Plated

FE-ADT-200 3.5mm 4 Conductor TRRS Female to 2.5mm Male 4 Conductor TRRS Adapter ..... 2.25 X  
 FE-ADT-423 6 inch Adapter Cable: 4 Conductor (TRRS) 3.5mm FEMALE to 2.5mm FEMALE ..... 2.40 D  
 FE-ADT-248 4 Conductor TRRS APPLE Male to 2-3.5mm Female Audio/Mic Break-out Adapter C ..... 3.19 D

Connects stereo audio & microphone devices requiring 4 conductors (left and right audio and microphone plus ground). This connector MAY also be suitable for left/right audio, 1 video (composite) and ground. Great for making your own 3.5mm 4 conductor Cables, or for repairing existing cables. Wire terminals are attached using solder (not included).



**Features and Specifications**

- Gold plated 4 conductor MALE to 2 Gold Plated 3 conductor FEMALE connectors
- ORANGE=Microphone, GREEN=Headphone/SpeakersUses APPLE (TM) wiring standard.
- Many newer smart phones from Samsung, LG, Blackberry, etc are now using this standard.
- CONFIRMED works with: Samsung Galaxy S4, S5, Lenovo Laptop, Playstation 4

FE-4CT-FFF 4inch 3.5mm 4 Conductor TRRS Female to 2 Female Y-Cable / Splitter ..... 1.81 C  
 FE-ADT-244 4 Conductor TRRS Male to 2-3.5mm Female Audio/ Microphone Break-out Adapter ..... 2.06 X  
 FE-ADT-426 2.5mm 4 Conductor TRRS Y-Split:1 Male to 2 Female 4 Conductor Adapter Cable ..... 4.26 D  
 FE-ADT-450 2.5mm 3 Conductor TRS Y-Split:1 Male to 2 Female Stereo Adapter Cable ..... 3.48 D  
 FE-ADT-323 3.5mm 4 Conductor TRRS Y-Split:1 Male to 2 Female 4 Conductor Adapter Cable ..... 3.48 D  
 FE-ADT-241-XO 3.5mm Male to Female Port Extender Shielded OMTP/CTIA, 4 Conductor TRRS ..... 2.14 D  
 FE-ADT-349 3.5mm Male Stereo (TRS) to Female 4 Conductor (TRRS) CTIA or OMTP Adapter ..... 2.52 D  
 FE-ADT-269 3.5mm Plug/Jack, 4 Conductor TRRS, Self Solder, Male ..... 1.05 D

Connects stereo audio & microphone devices requiring 4 conductors (left and right audio and microphone plus ground). This connector MAY also be suitable for left/right audio, 1 video (composite) and ground. Great for making your own 3.5mm 4 conductor Cables, or for repairing existing cables. Wire terminals are attached using solder (not included).



**Features and Specifications**

- 3.5mm 4 conductor (3 band) plug
- Outer Dimensions (at PVC outer molding): 9.1mm-9.6mm
- Outer Dimensions (with PVC outer molding REMOVED): 8.0mm
- Connector Length: 15.0mm
- Total Length (from end to end): 49.5mm
- Self-solder

FE-PAN-35TRS Wall plate: 3.5mm TRS Stereo D-Series/Neutrik Panel Mount, Coupler Connect ..... 6.56 C  
 FE-PAN-35BCTRS Wall plate: 3.5mm TRS Stereo D-Series/Neutrik Panel Mount, Block Connect ..... 5.16 C  
 FE-ADT-405 3.5mm TRS Stereo (or MONO) Panel Mount Connector, Shielded ..... 1.68 D

**-- 2.5MM ADAPTERS --**

FE-3MM-F2M3 2.5mm Stereo TRS Jack(Female) to 3.5mm Stereo TRS Plug(Male) adapter ..... 1.18 C  
 FE-ADT-212 2.5mm Right Angle Adapter, Male/Female Stereo TRS (3 connector) ..... 1.50 C  
 FE-25TS-6IN-FF 6inch 2.5mm SLIM MONO TS (2 conductor) FEMALE to FEMALE Audio Cable ..... 2.83 D

Ideal for iPods, iPhones, and other devices that have a tight 2.5mm connection



**Features and Specifications**

- 2.5mm MALE to 3.5mm FEMALE in-line adapter.
- 2.5mm right angle adapter (2.5mm MALE to 3.5mm FEMALE connectors).
- Type: stereo-stereo, 3 connection point
- Does NOT support microphone used found in TRRS (3 band) connectors
- See technical drawing for product dimensions
- PVC Black Plastic Casing

**-- 3.5MM MONO ADAPTERS AND ACCESSORIES --**

<b>FE-ADT-199</b>	2.5mm 4 Conductor (TRRS) Female to 3.5mm Male 4 Conductor Adapter	2.77 x
<b>FE-3MM-F3M2</b>	3.5mm Stereo TRS Jack (Female) to 2.5mm Stereo TRS Plug (Male) adapter	1.10 D

**-- 3.5MM MISC ADAPTERS --**

<b>ZT-T-602S</b>	VGA with 3.5mm Audio to HDMI (to 1080P) Digital Converter, Portable	20.36 A
<b>FE-ADT-409A</b>	6 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black	2.99 C
<b>FE-ADT-409A-5IN</b>	5 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black	2.99 C
<b>FE-ADT-407</b>	USB Type-C to 3.5mm Audio and Microphone Adapter for Smartphone / Computer	7.18 B
<b>FE-ADT-409</b>	4 inch USB Type-C to 3.5mm Audio ONLY Adapter Cable, Black	3.37 C
<b>BB-USB-AUDIO3</b>	USB 2.0 to Dual 3.5mm Audio Converter (Sound / Microphone) with Volume	8.25 B
<b>ZT-T-609S</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter PLUS 3.5mm Output	17.96 A
<b>ZT-T-609PRO</b>	Digital Audio to Analog 3.5mm and 2 RCA Converter Amplifier Volume Control	17.96 A
<b>ZT-T-609B</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter w/Bluetooth Recvr	23.38 A
<b>SE-BT17</b>	Wireless Dual Device Support Bluetooth Transmitter/Receiver	23.41 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## Adapters - BNC

### BNC Adapters

The BNC adapter or BNC connector is a miniature quick connect/disconnect radio frequency connector used for coaxial cable. BNC connectors are used with miniature-to-subminiature coaxial cable in radio, television, and other radio-frequency electronic equipment, test instruments, and video signals. The BNC was commonly used for early computer networks, including ARCnet, the IBM PC Network, and the 10BASE2 variant of Ethernet.

<b>FE-ADT-206</b>	BNC Coupler Adapter, Female/Female Nickel Plated	0.72 D
<b>FE-ADT-365</b>	6G-SDI (4K) BNC Coupler/Adapter, Gold Plated Pin Insert, Female/Female	3.81 D
<b>FE-ADT-105</b>	BNC Female to RCA Male Adapter, Nickel Plated	1.07 D
<b>FE-BNC-90</b>	BNC Male/Female Right Angle Adapter, Nickel Plated	2.14 C
<b>FE-ADT-231</b>	BNC T-Connector Adapter, Female-Female-Male, Nickel Plated	1.26 D



BNC T-Connector, Nickel Plated

<b>FE-ADT-394</b>	BNC Terminator Adapter, 50 ohm	2.70 D
<b>FE-ADT-395</b>	BNC Terminator Adapter, 75 ohm	2.13 D
<b>FE-ADT-429</b>	BNC Female to SMA Antenna Male Adapter, Gold Plated	2.48 C
<b>FE-ADT-428</b>	BNC Male to SMA Antenna Female Adapter, Gold Plated (Connectors)	2.48 C
<b>FE-PAN-BNC</b>	Wall plate: BNC Female D-Series/Neutrik Panel Mount Connector, Metal	4.24 B
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## Adapters - DisplayPort

### DisplayPort Adapters

My Cable Mart DisplayPort adapters convert DisplayPort or Mini DisplayPort to VGA/HDMI/DVI devices.



<b>FE-HH-DP</b>	DisplayPort (Male) to HDMI (Female) Adapter, Gold Plated	9.16 C
<b>FE-HH-DP-4IN</b>	4 INCH DisplayPort SOURCE (Male) to HDMI DESTINATION (Female) Adapter Cable	10.02 B
<b>MO-12800</b>	DisplayPort (Male) to HDMI (4K), DVI, VGA (Female) Adapter Cable, White	45.14 C
<b>FE-DPH8K-8IN</b>	8inch DisplayPort v1.4 to HDMI v2.1 Adapter Cable 28AWG Gold Plated 8K@60Hz	21.38 A
<b>HA-DD-DP-4IN</b>	4inch DisplayPort (Male) to DVI-D (Female) Adapter Cable	9.47 B
<b>FE-ADT-328</b>	DisplayPort (Male) to VGA (Female) Adapter Cable, White, Gold Plated	12.62 C
<b>FE-ADT-252</b>	HDMI Female (Source) to DisplayPort Male (Monitor) Adapter, Black	28.40 B
<b>FE-ADT-253</b>	HDMI Female (Source) to Mini DisplayPort (Monitor) Male Adapter, White	13.80 D
<b>FE-ADT-254</b>	Mini DisplayPort MALE to DisplayPort FEMALE Adapter	3.68 C
<b>FE-HH-MDP</b>	4 INCH Mini DisplayPort (Male) to HDMI (Female) Adapter Cable	4.75 C
<b>HA-DD-MDP</b>	Mini DisplayPort (Male) to DVI (Female) Adapter	9.69 B
<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable	14.43 B
<b>FE-ADT-358</b>	DisplayPort Dummy (Emulator) Adapter Plug, 2560x1600@60Hz Support by Fueran	10.61 B
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## Adapters - DVI

### DVI Adapters

There are 3 types of DVI adapters: DVI-A (analog), DVI-D (digital) and the DVI-I (integrated).



<b>FE-ADT-322</b>	DVI-I Male to DVI-I Female (24+4+Blade) Port Saver/Adapter, Gold Plated	2.89 X
<b>FE-ADT-187</b>	DVI-I Male to Male Gender Changer Gold Plated with 4 Thumb Bolts	4.11 C
<b>FE-ADT-427</b>	DVI-D Male to DVI-D Female Right Angle (90 degrees) Adapter	16.91 C
<b>FE-ADT-182</b>	DVI-I Male to DVI-I Female Right Angle (90 degrees) Adapter	16.91 C
<b>FE-ADT-124</b>	DVI-I (Fully Pinned) Coupler / Gender Changer (Female to Female)	8.53 X
<b>FE-ADT-359</b>	DVI Dummy (Emulator) Adapter Plug, 2560x1600@60Hz Support by Fueran	10.61 B
<b>XF-CDVF01</b>	USB 3 Type C Male to DVI Converter Adapter, 4 inches, white	8.36 A
<b>FE-HD-FM</b>	DVI-D Male (24+Blade) to HDMI Female Adapter, Gold Plated	4.00 D

This adapter converts HDMI Male to DVI Male Single (Digital) Link connector. Gold Plated. As the HDMI standard is SINGLE LINK, an HDMI signal can ONLY be converted to a DVI Digital Single link type (18pin + 1 blade) technology.



### Features and Specifications

- HDMI Type A Female (Standard)
- DVI-D 24pin + Blade Male
- Gold Plate Pins

<b>FE-HD-MF</b>	DVI-D Female to HDMI Male Adapter, Gold Plated	2.10 A
<b>FE-ADT-112</b>	HDMI Female to DVI-D Male Swivel Adapter GOLD PLATED	8.89 D
<b>FE-ADT-119</b>	DVI-I Male (Analog) to VGA (15 Pin) Female Adapter, Gold Plated	3.77 D

### -- VGA / DVI INTERCONNECTS, ACCESSORIES, AND WALLPLATES --

<b>HA-DD-MDP</b>	Mini DisplayPort (Male) to DVI (Female) Adapter	9.69 B
<b>HA-DD-DP-4IN</b>	4inch DisplayPort (Male) to DVI-D (Female) Adapter Cable	9.47 B
<b>HA-ADT-127</b>	Mini-DVI to DVI (Female) Adapter Cable	9.89 X
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## Adapters - Emulator / Dummy Plug

### Emulator / Dummy Plugs

My Cable Mart Emulator and Dummy Plugs connect to the video port of a computer to fool the computer in to thinking you have a monitor attached. Ideal for remote connecting to servers.



<b>FE-ADT-361</b>	HDMI Dummy (Emulator) Adapter Plug, 4Kx2K@60Hz Support by Fueran	9.63 A
<b>FE-ADT-359</b>	DVI Dummy (Emulator) Adapter Plug, 2560x1600@60Hz Support by Fueran	10.61 B
<b>FE-ADT-357</b>	VGA Dummy (Emulator) Adapter Plug, 1920x1080@60Hz Support by Fueran	11.52 B
<b>FE-ADT-358</b>	DisplayPort Dummy (Emulator) Adapter Plug, 2560x1600@60Hz Support by Fueran	10.61 B
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## Adapters - Ethernet & Networking

### Ethernet and Networking Adapters



<b>FE-ADT-221</b>	Inline Coupler RJ45 Cat5e Jack Straight, Female to Female, White	3.24 D
<b>FE-ADT-222</b>	Inline Coupler Cat6 Jack to Jack (Female/Female), White	3.72 D
<b>FE-KEY-C6A-MT</b>	Keystone Jack INSERT/PUNCH-DOWN Type SHIELDED-Cat 6A RJ45 Networking, Metal	5.10 C
<b>FE-ADT-451</b>	USB 3 Type-A to RJ45 CAT6/Gigabit Networking / Ethernet Adapter, 6 inch	12.73 B
<b>BE-102002WT</b>	Inline Coupler RJ45 Cat5e Jack CrossOver, Female to Female, White	3.70 C
<b>BE-150464</b>	USB 2.0 Type A Male/Female Extender via RJ45 CAT5/CAT6 Ethernet to 150ft	10.92 B
<b>FE-ADT-433</b>	USB Type-C to RJ45 CAT6/Gigabit Ethernet Adapter, 5 inch, Black	19.06 B
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports	56.37 A
<b>FE-ADT-289</b>	12inch CAT5E SHIELDED Network MALE/FEMALE Port-Saver, Gold Plated, GRAY	8.07 D
<b>FE-C6-01EXT-GRY</b>	12inch CAT6 Network MALE/FEMALE Port-Saver, Gold Plated, GRAY	2.87 D
<b>FE-C6A-01EXT-BLK</b>	12inch CAT6A SHIELDED Network MALE/FEMALE Port-Saver, Gold Plated, BLACK	3.64 D
<b>FE-C7-01EXT-GRY</b>	12inch CAT7 SHIELDED Network MALE/FEMALE Port-Saver, Gold Plated, GRAY	4.05 D
<b>FE-C5-01EXT-GRY</b>	12inch CAT5 Network MALE/FEMALE Port-Saver, Gold Plated, GRAY	2.35 D
<b>FE-ADT-378</b>	Ethercon RJ45 (CAT5/6) Cable Connector for Panel Mounting	3.30 B
<b>FE-PAN-RJ45</b>	Wall plate: Ethercon CAT6/RJ45 D-Series/Neutrik Panel Mount Connector	7.43 B
<b>FE-ADT-340</b>	RJ45 CAT6 Ethernet UP FACING Angle Adapter Male/Female	4.94 C
<b>FE-ADT-341</b>	RJ45 CAT6 Ethernet RIGHT FACING Angle Adapter Male/Female	4.94 C
<b>FE-ADT-345</b>	RJ45 CAT6/5E Ethernet 1 In, 2 Out Port Adapter/Coupler/Splitter	3.63 B
<b>FE-ADT-452</b>	RJ45 CAT6/5E 2 Port Mini Networking Ethernet Switch	12.21 A
<b>FE-ADT-372</b>	Power Injector for POE (Power over Ethernet) 48V/0.5Amp for IP Devices	11.89 C
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## Adapters - Fiber Network

### Adapters and Couplers

Fiber optic network jumpers, couplers, and adapters. Confused about which networking fiber cable you need? Take the guess-work out of picking the Fiber Networking Cables. Visit our [Networking Fiber Optics Help Center](#)



<b>FE-ADT-444</b>	LC-LC Fiber Optic Single-Mode Coupler / Adapter	1.05 D
<b>FE-ADT-443</b>	LC-LC Fiber Optic Multimode Duplex Coupler / Adapter	2.34 D
<b>BE-102887</b>	LC-LC Fiber Optic Multimode Duplex OM3 Coupler / Adapter	1.88 C
<b>BE-102889</b>	SC-SC Fiber Optic Single-Mode Simplex Coupler / Adapter	0.71 B
<b>BE-102888</b>	SC-SC Fiber Optic Multimode Duplex Coupler / Adapter	1.33 B
<b>FE-STSC</b>	ST-SC Fiber Optic Multimode Duplex Coupler / Adapter	3.70 C


## Adapters - HDMI

### HDMI Adapters

Use My Cable Mart HDMI Adapters to convert your HDMI signal to VGA, DVI, or HDMI male to female, HDMI male to male, or HDMI female to female.



<b>HA-HH-FM270</b>	HDMI Male to Female 90 Degree Angle Adapter, Upward Facing, Gold Plated	4.99 X
--------------------	---	--------



Connect this handy adapter to your HDTV and then connect a standard male HDMI wire to this adapter. Ideal for TVs that are wall-mounted, but do not leave enough room for the cable to easily connect. Once male HDMI end is inserted, adapter has approx 3/8" clearance. Gold Plated, HDMI 1.4 certified.

<b>FE-HH-FM90</b>	HDMI Male to Female 90 Degree Angle Adapter, Down Facing, Gold Plated	5.91 D
<b>FE-ADT-178</b>	HDMI Right Angle M/F Adapter RIGHT-SIDE Oriented Gold Plated	5.45 D
<b>FE-ADT-177</b>	HDMI Right Angle M/F Adapter LEFT-SIDE Oriented Gold Plated	5.48 D
<b>FE-HXT-LF-08IN</b>	8inch High Speed 4K@60Hz HDMI EXTENSION Adapter Cable LEFT ANGLE CONNECTOR	7.11 D



Angle extension cable (6 inches) is ideal for connecting products that are in a hard-to-reach location. Male connector is angled LEFT (see photo to determine direction you need) to allow you to fit your final HDMI connector at any angle.

- HDMI resolution: Up to 4K
- Data transfer speed: to 18Gbps
- Male connector is ANGLED LEFT (see photo for angle orientation)
- Wire Gauge: 28 AWG

<b>FE-HXT-RT-08IN</b>	8inch High Speed 4K@60Hz HDMI EXTENSION Adapter Cable RIGHT ANGLE CONNECTOR	7.11 C
<b>FE-HXT-DW-08IN</b>	8inch High Speed 4K@60Hz HDMI EXTENSION Adapter Cable DOWN ANGLE CONNECTOR	7.16 D



<b>FE-HXT-UP-08IN</b>	8inch High Speed 4K@60Hz HDMI EXTENSION Adapter Cable UP ANGLE CONNECTOR	7.16 D
<b>FE-ADT-114</b>	HDMI Male to Female SWIVEL Adapter Gold Plated	5.38 D
<b>FE-ADT-176</b>	HDMI-HDMI Female to Female Gender Changer/Coupler, Gold Plated	3.22 D
<b>FE-ADT-115</b>	HDMI Angle Coupler (Female to Female) - 90 Degree Gold Plated	2.92 C
<b>FE-ADT-361</b>	HDMI Dummy (Emulator) Adapter Plug, 4Kx2K@60Hz Support by Fueran	9.63 A
<b>HD-V-R65</b>	HDMI 2.0 18Gb 4K@60Hz Equalizer/Extender/Repeater/Booster	20.13 B
<b>FE-ADT-453</b>	HDMI 2.0 18Gb 4K@60Hz POWERED Equalizer/Extender/Repeater/Booster	26.63 B
<b>FE-HD-PI</b>	HDMI-HDMI Male to Female 5v Power Injector Adapter Cable via USB, 1.5ft	6.36 D

If you have a source that does not provide enough power on its HDMI output for these types of devices, this power adapter can substitute 5V from the external power supply to the downstream device.



#### Features and Specifications

- HDMI Type A Male to Type A Female (Out)
- Power Output (via HDMI port): 50mA, 5v
- Cable Length: 8 inches
- USB Charging Block NOT included (sold separately)

<b>FE-ADT-112</b>	HDMI Female to DVI-D Male Swivel Adapter GOLD PLATED	8.89 D
<b>FE-HD-FM</b>	DVI-D Male (24+Blade) to HDMI Female Adapter, Gold Plated	4.00 D

This adapter converts HDMI Male to DVI Male Single (Digital) Link connector. Gold Plated. As the HDMI standard is SINGLE LINK, an HDMI signal can ONLY be converted to a DVI Digital Single link type (18pin + 1 blade) technology.



#### Features and Specifications

- HDMI Type A Female (Standard)
- DVI-D 24pin + Blade Male
- Gold Plate Pins

<b>FE-HD-MF</b>	DVI-D Female to HDMI Male Adapter, Gold Plated	2.10 A
<b>FE-ADT-252</b>	HDMI Female (Source) to DisplayPort Male (Monitor) Adapter, Black	28.40 B
<b>FE-HH-DP</b>	DisplayPort (Male) to HDMI (Female) Adapter, Gold Plated	9.16 C
<b>FE-DPH8K-8IN</b>	8inch DisplayPort v1.4 to HDMI v2.1 Adapter Cable 28AWG Gold Plated 8K@60Hz	21.38 A
<b>FE-HH-DP-4IN</b>	4 INCH DisplayPort SOURCE (Male) to HDMI DESTINATION (Female) Adapter Cable	10.02 B
<b>MO-12800</b>	DisplayPort (Male) to HDMI (4K), DVI, VGA (Female) Adapter Cable, White	45.14 C
<b>FE-ADT-382</b>	USB 3 Type C Male to HDMI 4K@30Hz with Charge Out-ports	11.90 A
<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable	21.67 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports	56.37 A
<b>FE-ADT-253</b>	HDMI Female (Source) to Mini DisplayPort (Monitor) Male Adapter, White	13.80 D
<b>FE-HH-MDP</b>	4 INCH Mini DisplayPort (Male) to HDMI (Female) Adapter Cable	4.75 C
<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable	14.43 B
<b>FE-ADT-250</b>	HDMI Female to Micro and Mini HDMI Male Dual Adapter	4.30 X
<b>FE-ADT-224</b>	6 inch MICRO-HDMI (Male) to HDMI (Female) 4K@60Hz Port Saver Adapter Cable	4.63 C
<b>FE-ADT-155</b>	Micro-HDMI (Type-D) Male to HDMI A Female Adapter, Gold Plated	3.10 C
<b>FE-ADT-227</b>	Micro-HDMI (Type-D) Male to HDMI A Female RIGHT-ANGLE Adapter, Gold PI	3.16 D

Connect your Micro HDMI in tight spaces with this angle adapter



#### Features and Specifications

- Micro-HDMI (Type-D) Male
- HDMI A Female
- Right Angle
- Gold Plated

<b>FE-ADT-228</b>	MINI-HDMI (Type C) Female to HDMI (Type A) Male Adapter Gold Plated	4.00 D
<b>FE-AY80</b>	HDMI ARC Audio Extractor/Converter, RCA/Coax/Toslink Audio/OUT	25.14 A
<b>HD-C-SWB11A</b>	HDMI (4K@60Hz) eARC/AC Audio Extractor/Converter Multi-Port with HDCP 2.3	86.02 A
<b>ZT-T-602S</b>	VGA with 3.5mm Audio to HDMI (to 1080P) Digital Converter, Portable	20.36 A
<b>FE-PAN-HDMI</b>	Wall plate: HDMI Female D-Series/Neutrik Panel Mount Connector, Metal Shell	4.79 B

## Adapters - iPhone & iPad



<b>FE-ADT-342</b>	Lightning to 3.5mm Headphone with Charging Output Adapter Cable .....	12.28 A
<b>FE-ADT-327</b>	Lightning to 3.5mm Headphone Audio ONLY Adapter, with Apple(TM) Chipset .....	9.96 B
<b>RF-RCA105</b>	Lightning(TM) MFi-Certified to 3.5mm Headphone Adapter Cable w/Volume .....	28.58 X
<b>FE-ADT-242</b>	iPhone 5 ONLY Apple Lightning to 30-pin Adapter (Sync/Charge/Audio) .....	7.81 B
<b>FE-ADT-218</b>	iPhone 5 (ONLY) Apple(TM) Lightning to 30-pin Adapter (Sync/Charge) .....	7.56 X
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## Adapters - Optical / Toslink



<b>FE-TOS-FF</b>	Toslink Digital Audio Coupler/Adapter (Female/Female) .....	1.26 X
<b>FE-ADT-150</b>	Toslink 90 Degree Angled Swiveling Male/Female Adapter .....	3.34 D



Toslink Optical 90 degree adapter allows you to connect your optical cables into tight positions. Male end connector swivels 360 degrees allowing you to point this adapter in any direction.

<b>ZT-T-609PRO</b>	Digital Audio to Analog 3.5mm and 2 RCA Converter Amplifier Volume Control .....	17.96 A
<b>ZT-T-609B</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter w/Bluetooth Recvr .....	23.38 A
<b>ZT-T-609S</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter PLUS 3.5mm Output .....	17.96 A
<b>SE-BT17</b>	Wireless Dual Device Support Bluetooth Transmitter/Receiver .....	23.41 A
<b>HD-C-SWB11A</b>	HDMI (4K@60Hz) eARC/AC Audio Extractor/Converter Multi-Port with HDCP 2.3 .....	86.02 A
<b>FE-AY80</b>	HDMI ARC Audio Extractor/Converter, RCA/Coax/Toslink Audio/OUT .....	25.14 A

## Adapters - Phone / RJ11 / RJ12



<b>BE-170403S</b>	RJ12 6 Pin Modular Telephone Coupler, Straight Thru, White .....	0.92 C
<b>FE-ADT-188</b>	RJ11 4 Pin Modular Telephone Coupler, Straight, Ivory .....	0.83 D
<b>FE-ADT-189</b>	RJ11 Modular Telephone T-Adapter, 1-Female to 2-Female, White .....	1.04 D
<b>FE-ADT-190</b>	RJ11 Modular Telephone T-Adapter, 1-Male to 2-Female, Ivory .....	1.04 D
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D
<b>BE-272002</b>	DB9-Female to RJ11/12 (6 wire) RS232 Modular Adapter Ivory .....	2.89 D
<b>BE-272001</b>	DB9-Male to RJ11/12 (6 wire) RS232 Modular Adapter Ivory .....	3.76 D

## Adapters - RCA & Coax



<b>FE-ADT-108</b>	RCA Female-Female Coupler / Connector (Nickel Plated) Adapter .....	0.43 D
-------------------	---	--------



RCA 75-ohm Video Couplers offer excellent picture quality for today's video and home theater applications.

- NICKEL plating providing low-loss signal transfers
- 75-ohms impedance
- Nickel plated
- Female-Female

<b>JI-RCA-GRN-FF</b>	RCA Coupler or Panel Mount Connector, Gold Plated, Green .....	0.42 C
<b>JI-RCA-BLU-FF</b>	RCA Coupler or Panel Mount Connector, Gold Plated, Blue .....	0.42 C
<b>FE-ADT-210</b>	RCA 90 Degree Adapter Male/Female Nickel Plated (Each) .....	0.94 C
<b>MO-RCA-6212</b>	Premium RCA PLUG Connector, Self-Solder, Gold Plated .....	3.47 B
<b>FE-ADT-107</b>	RCA Video Audio Coupler / Adapter (RCA Male to Male) .....	0.83 D
<b>FE-ADT-396</b>	F-Type (Coax) Terminator, 75 ohm .....	2.13 D
<b>FE-ADT-100</b>	6inch RCA Video/Audio Splitter (1 RCA Female to 2 RCA Male) Y Cable .....	1.17 C
<b>FE-ADT-103</b>	RCA Video Audio Splitter Adapter (RCA Female to 2 RCA Female) .....	1.18 C
<b>FE-ADT-101</b>	RCA Video Audio Splitter Adapter (RCA 1 Male to 2 RCA Female) .....	1.12 D
<b>FE-ADT-183</b>	RCA Male to 2 RCA Female Piggy-Back Splitter (Premium), Gold Plated .....	5.58 C
<b>FE-ADT-110</b>	6 inch RCA Plug to 2 RCA (1 RCA Male to 2 RCA Female) Adapter Cable .....	2.55 D
<b>FE-ADT-370</b>	Coax Female Threaded Adapter to F-type Male Push-Type Adapter / Coupler .....	1.01 C
<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type .....	1.04 B

<b>FE-ADT-145</b>	RCA Male to F (Coax) Female Adapter - Nickel Plated	1.23 D
<b>NW-51M2616</b>	Coax F-type Lightning and Surge Protector Adapter (Male to Female)	6.15 B
<b>FE-F-SURGE</b>	Coax Cable F-Type (RG59 / RG6) Adapter Surge Protector	13.37 B
<b>FE-ADT-437</b>	Coax F-Type Female to N-type Male Adapter, Threaded, Nickel Plated	3.07 D
<b>FE-ADT-399</b>	XLR Female to RCA Female Adapter (Unbalanced)	3.36 C
<b>FE-ADT-424</b>	XLR Male to RCA Female Adapter (Unbalanced)	3.70 C
<b>FE-ADT-425</b>	Car Antenna Plug (Motorola DIN 41585) without sleeve	0.89 A
<b>FE-PAN-F</b>	Wall plate: Coax/F-Type 2.5Ghz D-Series/Neutrik Panel Mount Connector	4.73 C
<b>FE-3MM-FRCA</b>	4 inch Mini Jack 3.5mm Male Stereo Plug to 2 RCA Female Jack adapter cable	2.37 D
<b>FE-ADT-295</b>	3.5mm Mono Male TS Plug to RCA Female Jack Adapter, Nickel Plated	1.05 D
<b>FE-ADT-267</b>	3.5mm 4 Conductor TRRS MALE to 3 RCA FEMALE L/R Audio & Video Adapter Cable	5.89 X



- Male 3.5mm 4 Conductor TRRS (Left & Right Audio, Video, and Ground) Female Connector
- 3 RCA Female Connectors (Red/White RCA Audio, Yellow-Composite Video)
- Length: Approx 6 inches
- Nickel Plated Conductors
- See TECH DOC for wiring information

<b>FE-ADT-201</b>	3.5mm 4 Conductor TRRS FEMALE to 3 RCA Male L/R Audio & Video Adapter Cable	5.41 D
-------------------	---	--------



- There is no industry standard for a 4-conductor (3 black ring) to 3 RCA connector or adapter. We have designed this adapter to adhere to the more common "iPod standard" (shown in the above pin-out).
- Female 3.5mm 4 Conductor (Left and Right Audio, Video, and Ground) Female Connector
- 3 RCA Male Connectors (Red/White RCA Audio, Yellow-Composite Video)
- Length: Approx 6 inches
- Nickel Plated

<b>FE-ADT-302</b>	1/4" Stereo Jack (Male) to 2 RCA (Female) Adapter, Nickel Plated	1.51 D
<b>FE-ADT-296</b>	3.5mm Stereo Jack (Male) to 2 RCA (Female) Adapter, Gold Plated	1.22 D
<b>FE-RG6-FF</b>	Coax Coupler for RG59 / RG6 F-Type Cables, Nickel Plated	1.00 D
<b>FE-ADT-185</b>	Coax Coupler Adapter, Nickel Plated (RG59/RG6) 2.4Ghz Support (High Speed)	1.64 D
<b>FE-RG6HS-90</b>	Coax/F-Type Right Angle Adapter HIGH SPEED 2.5Ghz, Nickel Plated (RG6/RG59)	1.42 D

Need to connect your RG6 coax cable in a hard to reach location? Our coax angle adapter, now supporting 2.5Ghz, is the perfect solution for tight corners



#### Features and Specifications

- Right Angle F-type Coax Adapter
- Male/Female
- 90 Degree Angle for tight fitting spaces
- Suitable for RG6, or RG59 cable, satellite, and high speed internet/network connections
- Nickel Plated
- Suitable for 1080P, and 4K Satellite, Antenna, and Cable TV signals
- High Speed 2.5Ghz

<b>FE-ADT-258</b>	RCA Female to F-type (Coax) Male Adapter - Nickel Plated	0.81 C
<b>FE-ADT-157</b>	Coax Splitter, 4 Way, (Premium, Gold Platted) 5-2400 Mhz	5.37 D
<b>ZT-T-U001</b>	Composite (RCA) or S-Video & Stereo Audio Capture/Converter via USB	16.23 A
<b>ZT-T-609PRO</b>	Digital Audio to Analog 3.5mm and 2 RCA Converter Amplifier Volume Control	17.96 A
<b>ZT-T-609B</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter w/Bluetooth Recvr	23.38 A
<b>ZT-T-609S</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter PLUS 3.5mm Output	17.96 A
<b>FE-AY80</b>	HDMI ARC Audio Extractor/Converter, RCA/Coax/Toslink Audio/OUT	25.14 A
<b>HD-C-SWB11A</b>	HDMI (4K@60Hz) eARC/AC Audio Extractor/Converter Multi-Port with HDCP 2.3	86.02 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## Adapters - S-Video



FE-ADT-135  
ZT-T-U001  
FE-ADT-439

S-Video (4-Pin) Female to RCA/Composite Female Adapter, Gold Plated .....	2.04 X
Composite (RCA) or S-Video & Stereo Audio Capture/Converter via USB .....	16.23 A
Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## Adapters - Serial RS232 / DB9 / DB25

Adapter and converter from both the DB9 (9pin) and DB25 (25pin) RS-232 serial standards with our extensive line of adapters. Our ANGLE adapters allow for serial connectors in tight locations.



BE-271005	Serial Port Gender Changer Adapter (Male/Male) DB25, Nickel Plated .....	4.64 C
FE-DB9-TS	Thumb Screws ONLY (2) for Serial Port DB9 Connector to Terminal Board .....	0.86 C
FE-ADT-343	Serial Port Right Angle Adapter DB9 (Style 1), Black .....	2.76 B
FE-ADT-449	Serial Port Gender Changer Adapter (Female/Female) DB9, Nickel Plated .....	2.52 D
FE-ADT-344	Serial Port Right Angle Adapter DB9 (Style 2), Black .....	3.03 C
FE-DB9S-F	Serial Port DB9 Female RS232 Connector to Terminal Board Module w/Hood .....	6.06 B
GC-DB9NULL-MF	Serial Port Gender Changer Adapter NULL MODEM (Male/Female) DB9 .....	1.35 C
BE-271006	Serial Port Gender Changer Adapter (Female/Female) DB25, Nickel Plated .....	4.56 C
FE-DB9S-M	Serial Port DB9 Male RS232 Connector to Terminal Board Module w/Hood .....	6.06 B
FE-ADT-448	Serial Port Gender Changer Adapter (Male/Male) DB9, Nickel Plated .....	3.07 D
FE-ADT-445	DB9 Male to DB25 Female, Adapter, (Serial Port) Molded .....	2.65 B
BE-272001	DB9-Male to RJ11/12 (6 wire) RS232 Modular Adapter Ivory .....	3.76 D
BE-272002	DB9-Female to RJ11/12 (6 wire) RS232 Modular Adapter Ivory .....	2.89 D
BE-272009	DB9-Female to RJ45 (8 wire) RS232 Modular Adapter, Black .....	3.05 D
BE-272005	DB9-Male to RJ45 (8 wire) RS232 Modular Adapter Ivory .....	2.82 C
FE-ADT-439	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## Adapters - Speaker / Banana

Banana, Speakon(TM), and speaker plugs to make your profession connection to and from your speakers to your receiver



FE-BAN-SW	Speaker Wire - Banana Plugs (Pair) Black/Red over Gold (Screw ONLY) .....	2.47 C
FE-BAN-PR	Speaker Wire - PREMIUM Banana Plugs/Adapter (Pair) Black/Red over Gold (Screw ONLY) .....	3.02 A
FE-BAN-90	Speaker Wire - ANGLE Banana Plugs (Pair) Black/Red over Gold (Screw ONLY) .....	2.76 A
BE-202451	Speakon/NL4 (TM) Male Connector End for 12 to 16AWG Speaker Wire .....	2.24 B
FE-ADT-355	Speakon/NL4 (TM) Speaker Wire Coupler (chassis connector on ends) .....	3.22 B

-- "D" SERIES (NEUTRIK) PANEL MOUNT CONNECTORS --

-- HDMI AND DVI PANEL MOUNT CONNECTORS --

-- MISC MOUNT CONNECTORS --

-- RCA PANEL MOUNT CONNECTORS --

-- USB PANEL MOUNT CONNECTORS --

-- 3.5MM AUDIO PANEL MOUNT CONNECTORS --

FE-PAN-SPKON	Wall plate: SpeakOn(TM) D-Series/Neutrik Panel Mount Connector, Metal .....	3.20 C
FE-ADT-373	1/4" Female Mono to Speakon/NL4 (TM) Line Adapter .....	3.99 C

## Adapters - USB & Firewire



-- USB TYPE A AND B ADAPTERS AND ACCESSORIES --

FE-ADT-336	USB 2.0 RIGHT Facing A Male to A Female 90 Degree Right Angle Adapter .....	3.36 D
FE-ADT-338	USB 3.2 Gen 1 RIGHT Facing A Male to A Female 90 Degree Right Angle Adapter .....	4.85 D
FE-ADT-335	USB 2.0 LEFT Facing A Male to A Female 90 Degree Right Angle Adapter .....	3.36 D
FE-ADT-337	USB 3.2 Gen 1 LEFT Facing A Male to A Female 90 Degree Right Angle Adapter .....	4.85 D
FE-ADT-310	USB 3.2 Gen 1 UPWARD FACING A Male to A Female Right Angle Adapter .....	4.60 D
FE-ADT-311	USB 3.2 Gen 1 DOWNWARD FACING A Male to A Female Right Angle Adapter .....	3.47 D

<b>FE-ADT-270</b>	USB 2.0 DOWNWARD Facing A Male to A Female Right Angle Adapter 90 degree .....	4.47 D
-------------------	--	--------



- Right angle adapter allows easy access to those hard to get at USB 2.0 ports. Type A (standard) fits all PCs
- Facing **DOWNWARDS** when connected to MOST USB 2.0 Ports
  - USB 2.0 specifications
  - Supports speeds to USB 2.0 standards (480Mbps)
  - Connectors: USB 2.0 MALE to USB 2.0 FEMALE
  - Nickel Plated

<b>FE-ADT-180</b>	USB 2.0 UPWARD Facing A Male to A Female Right Angle Adapter 90 degree .....	4.47 D
<b>FE-ADT-353</b>	6inch DOWN-Facing USB 3.2 Gen 1 Type A Male to Type A Female Cable, Black .....	7.05 D
<b>FE-ADT-181</b>	USB A Male to A Female Swivel Adapter, Nickel Plated .....	4.80 D
<b>FE-USB-100</b>	USB A Female to A Female Coupler Adapter / Gender Changer .....	2.51 D
<b>FE-USB-104</b>	USB A Male/B Female Adapter, Black .....	2.81 D
<b>FE-USB-108</b>	USB A Female/B Female Adapter .....	2.77 D
<b>FE-ADT-351</b>	RIGHT-Facing ANGLED USB 3.0 Male to USB 3.0 Female Cable 6", Black .....	6.49 D
<b>FE-ADT-352</b>	LEFT-Facing ANGLED USB 3.0 Male to USB 3.0 Female Cable 7", Black .....	6.49 D
<b>FE-ADT-451</b>	USB 3 Type-A to RJ45 CAT6/Gigabit Networking / Ethernet Adapter, 6 inch .....	12.73 B
<b>BE-150464</b>	USB 2.0 Type A Male/Female Extender via RJ45 CAT5/CAT6 Ethernet to 150ft .....	10.92 B

**-- USB TYPE C ADAPTERS --**

<b>FE-ADT-404</b>	USB 3.2 Gen 1 Type-C Male to Female Up/Down Angle 90 degree Adapter, Black .....	3.35 C
<b>FE-ADT-392</b>	USB 3.2 Gen 1 Type-C Male to Female Angle 90 degree Adapter, Black .....	3.68 D
<b>LE-LS-USB4A1</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Left/Right Adapter .....	4.92 D
<b>FE-ADT-457</b>	USB Type-C Male to Female U-Angle (180 degree) Adapter, 10Gbps, Black .....	2.88 B
<b>LE-LS-USB4A2</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Up/Down Adapter .....	4.98 C
<b>LE-LS-USB4A3</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Rotated Adapter .....	5.00 C
<b>FE-ADT-431</b>	USB 3.2 Gen 1 Type-C Female to USB Type A Male Aluminum Shell Adapter, Red .....	3.23 C
<b>FE-ADT-317</b>	USB 3 Type-C Male to Micro B Female Adapter, Black .....	2.48 C
<b>FE-ADT-390</b>	USB 3.2 Gen 1 Type-C Male to USB Type A Female Adapter, Black .....	2.94 C
<b>BC-AD-USB3AC-MF</b>	USB 3 Type-A MALE to USB-C Female Adapter, Low Profile, Black .....	2.48 B
<b>FE-ADT-400</b>	USB 3.2 Gen 1 Type-C Female to USB Type A Male Adapter, Black .....	2.89 C
<b>FE-ADT-433</b>	USB Type-C to RJ45 CAT6/Gigabit Ethernet Adapter, 5 inch, Black .....	19.06 B

**-- USB TYPE C VIDEO OR AUDIO OUT ADAPTERS --**

<b>FE-ADT-276</b>	4inch USB 3 Type C Male to HDMI (4Kx2K@30Hz) Female Adapter Cable .....	15.14 A
-------------------	---	---------



This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.

**Features and Specifications**

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

<b>FE-ADT-382</b>	USB 3 Type C Male to HDMI 4K@30Hz with Charge Out-ports .....	11.90 A
<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable .....	21.67 A
<b>FE-ADT-314</b>	USB-C Multi Hub 4K HDMI, 2xUSB 3.2 Gen 1, USB-C, Gigabit Lan Out .....	32.87 A

USB-C Multi-port Hub provides instant access (output) for 2 x USB 3.0 Type A, USB 3.1 Type C, Gigabit Ethernet (RJ45 jack), and 4K HDMI Video. This multi-port hub is perform for providing every possible needed output for your PC or Mac Laptop that has a single USB Type-C Output.



**Features and Specifications**

- No drivers required: Plug and Play
- HDMI: Supports 4Kx2K (3840 x 2160 pixels), 30Hz output
- USB: 2x USB 3.0 Type A Ports Output (.5A and .9A)
- RJ45: 1Gbit LAN
- 1xUSB 3.1 Type C Ports Output

<b>XF-UCH07</b>	USB 3 Type C Male to 2x HDMI Video Out 4K, Split or Extend Displays Adapter .....	25.32 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports .....	56.37 A
<b>XF-CDVF01</b>	USB 3 Type C Male to DVI Converter Adapter, 4 inches, white .....	8.36 A



<b>FE-ADT-330</b>	4inch USB 3 Type C Male to VGA Female Adapter Cable	11.05 A
<b>FE-ADT-407</b>	USB Type-C to 3.5mm Audio and Microphone Adapter for Smartphone / Computer	7.18 B
<b>FE-ADT-409</b>	4 inch USB Type-C to 3.5mm Audio ONLY Adapter Cable, Black	3.37 C
<b>FE-ADT-409A-5IN</b>	5 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black	2.99 C
<b>FE-ADT-409A</b>	6 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black	2.99 C
<b>-- USB MICRO-B, MINI-B, AND USB LIGHTNING ADAPTERS --</b>		
<b>FE-USB-455</b>	Micro USB-B Male to Micro USB-B Female LEFT Angle Adapter	2.08 D
<b>FE-ADT-256</b>	Micro USB-B Male to Micro USB-B Female RIGHT Angle Adapter	2.08 D
<b>FE-ADT-367</b>	Micro-B USB Male to Micro-B USB Female STRAIGHT Adapter	1.37 B
<b>FE-ADT-306</b>	6 inch Micro-B USB Male Angled to 3.5mm Female Stereo Audio Adapter, Black	2.54 D
<b>FE-USB-111</b>	USB A Female/Micro-B 5 pin Male Adapter (Data & Charge)	2.54 D
<b>MO-USB-4813</b>	USB Type-A Female/Mini 4 pin Male Adapter	3.30 X
<b>FE-USB-103</b>	USB Type-A Female to Mini 5 pin (B5) Male Adapter, Black	1.03 C
<b>BC-AD-USBAMINB-FF</b>	USB A Female/Mini-B 5 pin Female Adapter	3.68 D
<b>FE-USB-280</b>	Mini-B 5pin Male to Mini-B 5pin Female RIGHT Angle Adapter	2.08 D
<b>FE-USB-454</b>	Mini-B 5pin Male to Mini-B 5pin Female LEFT Angle Adapter	2.08 D
<b>FE-USB-106</b>	USB B Female/Mini 4 pin Male Adapter	1.89 D
<b>FE-USB-107</b>	USB B Female/Mini 5 pin Male Adapter	1.96 D
<b>-- USB OTG (ON THE GO) ADAPTER CABLES --</b>		
<b>FE-ADT-413</b>	6inch OTG USB 2.0 Type-C Male to Type A Female, Black	3.20 C
<b>FE-ADT-412</b>	6inch OTG USB 3.1 Gen1 Type-C Male to Type A 5Gbps Female, Black	4.89 B
<b>FE-ADT-246</b>	6inch OTG USB Micro-B 5pin Male to Type A Female, Black	0.56 B
<b>-- USB ELECTRONIC CONVERTER/ADAPTERS/CHARGERS --</b>		
<b>KC-SAE2USB</b>	3ft SAE Motorcycle 2 Port USB Port (2.1A) Charger Adapter 12-24v Battery	4.42 A
<b>BB-USB-AUDIO3</b>	USB 2.0 to Dual 3.5mm Audio Converter (Sound / Microphone) with Volume	8.25 B
<b>ZT-T-U001</b>	Composite (RCA) or S-Video & Stereo Audio Capture/Converter via USB	16.23 A
<b>HA-ADT-307</b>	4 Port USB 6ft FULL-Car Rapid Charger/Adapter, 9.6Amp (2 local, 2 remote)	13.63 X
<b>FE-ADT-501</b>	3 Port USB Car Charger/Adapter, Type A, 2x Type C 12v Car Socket, High Amp	18.86 A
<b>FE-ADT-417</b>	2 Port USB Car Charger/Adapter, Type A and C 12v QUICK CHARGE, White	4.99 A
<b>FE-ADT-238</b>	2 Port USB Car Charger/Adapter, Type A 12v Car Socket, 2.1A/1.0A	4.05 B
<b>BB-USBCC-3P</b>	3 Port USB Car Charger/Adapter 3.1Amp, LED-Lighted	10.98 B
<b>-- USB BREAKOUTS AND HUBS --</b>		
<b>FE-USB-286</b>	6inch USB 2.0 4 Port Hub, Non-Powered, White	7.10 C
<b>FE-USB-284</b>	6inch USB 2.0 Female to Dual Male (1 Power, 1 Data/Pwr) Y Extension Cable	4.17 D
<b>FE-USB-368</b>	6inch USB 2.0 Male to Dual Female (1 Power, 1 Data/Powr) Y-Cable	3.80 D
<b>-- FIREWIRE ADAPTERS --</b>		
<b>FS-FWI-100</b>	Firewire 1394 / iLink 6F/4M Adapter (400mbps)	2.14 X
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## Adapters - VGA

Connect to a computer monitor or projector with an adapter or converter. Whether you need to convert to or from a VGA connection, we carry the converters, adapters, and gender changers you need.



<b>FE-ADT-116</b>	VGA 15 Pin Gender Changer, Male/Male, Black	3.57 D
<b>FE-ADT-117</b>	HD15 (VGA/VGA) Male/Male 15 pin, Mini Gender Changer Adapter	2.62 D
<b>FE-ADT-118</b>	HD15 (VGA/VGA) Female/Female, Mini Gender Changer	2.62 D
<b>BE-273003</b>	VGA/HD15 Male Cup/Circuit Board Connector, Solder Type	1.00 D
<b>BE-273032</b>	VGA/HD15 Plastic Hood (Metalized), Solder Type	1.32 C
<b>FE-ADT-339</b>	VGA 90 Degree LEFT Angle Adapter (Male/Female), Nickel Plated	4.04 B
<b>FE-ADT-175</b>	VGA 90 Degree UP Angle Adapter (Male/Female), Nickel Plated	4.11 D
<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable	21.67 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports	56.37 A
<b>ZT-T-602S</b>	VGA with 3.5mm Audio to HDMI (to 1080P) Digital Converter, Portable	20.36 A
<b>FE-ADT-357</b>	VGA Dummy (Emulator) Adapter Plug, 1920x1080@60Hz Support by Fueran	11.52 B
<b>-- VGA / DVI INTERCONNECTS, ACCESSORIES, AND WALLPLATES --</b>		
<b>FE-ADT-119</b>	DVI-I Male (Analog) to VGA (15 Pin) Female Adapter, Gold Plated	3.77 D
<b>FE-ADT-328</b>	DisplayPort (Male) to VGA (Female) Adapter Cable, White, Gold Plated	12.62 C
<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable	14.43 B

## Adapters - XLR

XLR Adapters

XLR adapters is a style of electrical connector, primarily found on professional audio, video, and stage lighting equipment.



<b>FE-ADT-434</b>	XLR Male/Male Barrel Coupler Adapter (Gender Changer), Nickel Plated	3.48 C
<b>FE-ADT-438</b>	XLR Female/Female Barrel Coupler Adapter, Nickel Plated	2.99 B
<b>FE-ADT-424</b>	XLR Male to RCA Female Adapter (Unbalanced)	3.70 C
<b>SH-844</b>	XLR Female to RCA Male Adapter, Nickel Plated	15.12 A
<b>FE-ADT-418</b>	XLR Male to RCA Male Adapter, Nickel Plated	3.69 C
<b>FE-ADT-399</b>	XLR Female to RCA Female Adapter (Unbalanced)	3.36 C
<b>BE-202408</b>	XLR Female to 1/4 Stereo Male Adapter, Nickel Plated	3.16 C
<b>FE-ADT-419</b>	XLR Female to 1/4 MONO Male Adapter, Nickel Plated	4.83 D
<b>BE-202407</b>	XLR Male to 1/4 Stereo (TRS) Male Adapter, Nickel Plated	3.22 B
<b>FE-ADT-420</b>	XLR Male to 1/4 Stereo Female Adapter, Nickel Plated	3.69 C
<b>FE-ADT-377</b>	XLR Male Self-solder Connector, Shielded, Gold Plated	4.28 C
<b>FE-ADT-389</b>	XLR RIGHT ANGLE Male Self-solder Connector, Shielded, Nickel Plated	3.89 C
<b>FE-ADT-376</b>	XLR Female Self-solder Connector, Shielded, Gold Plated	4.28 C
<b>BE-202401</b>	XLR Female Self-solder Connector (Adapter), Nickel Plated	3.29 D
<b>FE-ADT-388</b>	XLR RIGHT ANGLE Female Self-solder Connector, Shielded, Nickel Plated	3.89 C
<b>FE-XLR-FMM</b>	XLR Female to Dual XLR Male Adapter Cable	7.41 C
<b>FE-XLR-MFF</b>	XLR Male to Dual XLR Female Adapter Cable	7.41 C
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## USB CABLES & ADAPTERS - All USB Products

### USB Cable Types

Please [read](#) about the USB 3.x nomenclature, features, and specifications. The USB 3.x standard has undergone many changes in the past few years - especially with naming conventions like USB 3.0, USB 3.2 Gen1, USB 3.2 2x2, etc.

## USB 3 Type-C Cables and Adapters (All Types)

Price / Tier

### USB Type C to Type-C



<b>-- 5 GBPS USB 3.2 GEN 1 TYPE-C MALE CHARGE/DATA CABLES --</b>		
<b>FE-USB35-CC-6IN</b>	6 INCH USB 3.2 Gen 1 Type-C Male to Type-C Male Cable 5 Gbps Black	4.35 D
<b>FE-USB35-CC-01</b>	1ft USB 3.2 Gen 1 Type-C Male to Type-C Male Cable 5 Gbps Black	4.56 D
<b>FE-USB35-CC-03</b>	3ft USB 3.2 Gen 1 Type-C Male to Type-C Male Cable 5 Gbps Black	5.87 D
<b>FE-USB35-CC-06</b>	6ft USB 3.2 Gen 1 Type-C Male to Type-C Male Cable 5 Gbps Black	7.70 D
<b>-- 10 GBPS USB 3.2 GEN 2 TYPE-C MALE CHARGE/DATA CABLES --</b>		
<b>FE-USB3E-CC-6IN</b>	6inch USB 3.2 Gen 2 Type-C Male/Male Cable, PD to 100W/5A, 10Gbps Black	5.82 A
<b>FE-USB3E-CC-01</b>	1.5ft USB 3.2 Gen 2 Type-C Male/Male Cable, PD to 100W/5A, 10Gbps Black	5.25 C
<b>FE-USB3E-CC-03</b>	3ft USB 3.2 Gen 2 Type-C Male/Male Cable, PD to 100W/5A, 10Gbps Black	6.04 B
<b>FE-USB3E-CCF-03</b>	3ft USB 3.2 Gen 2 Type-C Male to Type-C Male Cable 10Gbps w/FERRITES Black	7.58 A
<b>FE-USB3E-CC-04</b>	4ft USB 3.2 Gen 2 Type-C Male/Male Cable, PD to 100W/5A, 10Gbps Black	7.36 A
<b>FE-USB3E-CC-06</b>	6ft USB 3.2 Gen 2 Type-C Male/Male Cable, PD to 100W/5A, 10Gbps Black	9.49 C
<b>FE-USB3E-CC-10</b>	10ft USB 3.2 Gen 2 Type-C Male/Male Cable, PD to 100W/5A, 10Gbps Black	14.34 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D
<b>-- 40GBPS USB4 THUNDERBOLT 3 8K USB-C CABLES --</b>		
<b>FE-USB4-TB3-6IN</b>	6inch USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable	11.58 B
<b>FE-USB4-TB3-01</b>	1.5ft USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable	12.75 B
<b>FE-USB4-TB3-02</b>	2ft USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable	13.24 B
<b>FE-USB4-TB3-03</b>	3ft USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable	13.53 B
<b>FE-USB4-TB3-04</b>	4ft USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable	13.85 C
<b>FE-USB4-TB3-06</b>	6ft USB4 Type-C Thunderbolt 3 (20Gbps, 100W, PD, 8K) Braided Cable	14.99 C
<b>-- 40GBPS USB4 THUNDERBOLT 4 INTEL CERTIFIED 8K TYPE-C CABLES --</b>		
<b>FE-USB4-TB4-1M</b>	3.3ft USB4 Type-C Thunderbolt 4 (40Gbps, 100W, PD, 8K) Intel Cert Cable	17.42 A
<b>FE-USB4-TB4-2M</b>	6.6ft USB4 Type-C Thunderbolt 4 (40Gbps, 100W, PD, 8K) Intel Cert Cable	20.27 A

### USB Type C to Type-A Male



<b>-- USB TYPE-C MALE TO TYPE-A MALE CHARGING/DATA CABLES (USB 2.0) --</b>		
<b>GC-USB-CA-6IN</b>	6inch USB Type-C Male to Type-A Male Cable, 480Mbps, Black	1.91 D
<b>FE-USB-CA-12IN</b>	12inch USB Type-C Male to Type-A Male Cable, 480Mbps, Black	2.44 C
<b>GC-USB-CA-01</b>	1.5ft USB Type-C Male to Type-A Male Cables, 480Mbps, Black	2.27 D
<b>GC-USB-CA-02</b>	2ft USB Type-C Male to Type-A Male Cables, 480Mbps, Black	2.30 D
<b>GC-USB-CA-03</b>	3ft USB Type-C Male to Type-A Male Cables, 480Mbps, Black	2.71 D
<b>FE-USB-C90A-1M-25</b>	1 Meter 25 PACK USB Type-C 90 Degree Male to Type-A Male Cables, 480Mbps	75.75 X
<b>FE-USB-CA-06</b>	6ft USB Type-C Male to Type-A Male Cables, 480Mbps, Black	2.98 B

<b>FE-USB-CA-06-WH</b>	6ft USB Type-C Male to Type-A Male Cables, 480Mbps, WHITE	2.98 D
<b>FE-USB-CA-10</b>	10ft USB Type-C Male to Type-A Male Cables, 480Mbps, Black	3.84 B
<b>GC-USB-CA-12</b>	12ft USB Type-C Male to Type-A Male Cables, 480Mbps, Black	4.24 D
<b>FE-USB-CA-15</b>	15ft USB Type-C Male to Type-A Male Cables, 480Mbps, Black	4.77 C
<b>BC-AD-USB3AC-MF</b>	USB 3 Type-A MALE to USB-C Female Adapter, Low Profile, Black	2.48 B

**-- USB QUICK-CHARGE(TM) V3 TYPE-C MALE TO TYPE-A MALE CABLES (USB 2.0) --**

<b>GC-USBQC-CA-12IN</b>	12inch USB QUICK-CHARGE v3 Type-C Male to Type-A Male Cables, 480Mbps Black	2.51 D
<b>FE-USBQC-CA-01</b>	1.5ft USB QUICK-CHARGE v3 Type-C Male to Type-A Male Cables, 480Mbps, Black	3.23 C
<b>FE-USBQC-CA-03</b>	3ft USB QUICK-CHARGE v3 Type-C Male to Type-A Male Cables, 480Mbps, Black	3.84 C
<b>FE-USBQC-CA-06</b>	6ft USB QUICK-CHARGE v3 Type-C Male to Type-A Male Cables, 480Mbps, Black	3.68 C
<b>FE-USBQC-CA-10</b>	10ft USB QUICK-CHARGE v3 Type-C Male to Type-A Male Cables, 480Mbps, Black	6.15 C

**-- ANGLED USB TYPE-C MALE TO TYPE-A MALE CHARGING/DATA CABLES (USB 2.0) --**

<b>FE-USB-C90A-6IN</b>	6inch USB Type-C 90 Degree Male to Type-A Male Cables, 480Mbps, Black	2.36 C
------------------------	---	--------



This USB 2.0 cable features a male 90 degree angled USB Type C connector on one end, and a USB 2.0 (480Mbps) Type A Male connector at the other end

- Angled End Dimension: 18.3mm x 19mm
- USB 2.0 supports up to 480Mbps data rate
- Supports Super Fast Charging and Syncing
- Cable Conductors Gauge: 28AWG (1P) + 24AWG\*2C, Black PVC
- USB Standard: 2.0, RoHS 2.0 Compliant
- Type: USB Type C male 90 degree angled to USB 2.0 Type A male straight
- Power Rating: Up to 5V, 2A

<b>FE-USB-C90A-01</b>	1.5ft USB Type-C 90 Degree Male to Type-A Male Cables, 480Mbps, Black	2.42 B
<b>FE-USB-C90A-03</b>	3ft USB Type-C 90 Degree Male to Type-A Male Cables, 480Mbps, Black	3.03 C
<b>FE-USB-C90A-06</b>	6ft USB Type-C 90 Degree Male to Type-A Male Cables, 480Mbps, Black	3.82 C
<b>FE-USB-C90A-10</b>	10ft USB Type-C 90 Degree Male to Type-A Male Cables, 480Mbps, Black	4.48 C

**-- USB TYPE-C ANGLED METALLIC BLUE MALE TO USB TYPE-A MALE CABLES, 480 MBPS --**

<b>FE-USBM-C27A-6IN</b>	6inch USB Type-C 90 Degree METALLIC BLUE Male to Type-A Male Cables	3.11 C
<b>FE-USBM-C27A-01</b>	1.5ft USB Type-C 90 Degree METALLIC BLUE Male to Type-A Male Cables	3.42 B
<b>FE-USBM-C27A-03</b>	3ft USB Type-C 90 Degree METALLIC BLUE Male to Type-A Male Cables	3.64 C
<b>FE-USBM-C27A-06</b>	6ft USB Type-C 90 Degree METALLIC BLUE Male to Type-A Male Cables	4.49 C
<b>FE-USBM-C27A-10</b>	10ft USB Type-C 90 Degree METALLIC BLUE Male to Type-A Male Cables	5.87 C

**-- USB 3.2 GEN 1 5GBPS TYPE-C MALE TO TYPE-A MALE CABLES --**

<b>FE-USB3-CA-6IN</b>	6inch USB 3.2 Gen 1 Type-C Male to Type-A Male Cables, 5Gbps, Black	3.26 D
<b>FE-USB3-CA-8IN</b>	8inch USB 3.2 Gen 1 Type-C Male to Type-A Male Cables, 5Gbps, Black	3.26 D
<b>FE-USB3-CA-01</b>	1.5FT USB 3.2 Gen 1 Type-C Male to Type-A Male Cables, 5Gbps, Black	4.29 D
<b>FE-USB3-CA-02</b>	2FT USB 3.2 Gen 1 Type-C Male to Type-A Male Cables, 5Gbps, Black	4.57 D
<b>FE-USB3-CA-03</b>	3ft USB 3.2 Gen 1 Type-C Male to Type-A Male Cables, 5Gbps, Black	4.60 D
<b>FE-USB3-CA-06</b>	6ft USB 3.2 Gen 1 Type-C Male to Type-A Male Cables, 5Gbps, Black	6.00 D
<b>FE-USB3-CA-08</b>	8ft USB 3.2 Gen 1 Type-C Male to Type-A Male Cables, 5Gbps, Black	7.04 D
<b>FE-USB3-CA-10</b>	10ft USB 3.2 Gen 1 Type-C Male to Type-A Male Cables, 5Gbps, Black	7.78 D
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

**-- USB OTG (ON THE GO) ADAPTER CABLES --**

<b>FE-ADT-413</b>	6inch OTG USB 2.0 Type-C Male to Type A Female, Black	3.20 C
<b>FE-ADT-412</b>	6inch OTG USB 3.1 Gen1 Type-C Male to Type A 5Gbps Female, Black	4.89 B

## USB Type C EXTENSION Cables




**-- USB 3.2 GEN 2 TYPE-C MALE TO FEMALE EXTENSION CABLE, 10GBPS --**

<b>FE-USB-CX-6IN</b>	6inch USB 3.2 Gen 2 Type-C Male to Female EXTENSION Cable, 10 Gbps Black	3.88 B
<b>FE-USB-CX-01</b>	1.5Ft USB 3.2 Gen 2 Type-C Male to Female EXTENSION Cable, 10 Gbps Black	8.20 B
<b>FE-USB-CX-03</b>	3Ft USB 3.2 Gen 2 Type-C Male to Female EXTENSION Cable, 10 Gbps Black	9.91 B
<b>FE-USB-CX-06</b>	6Ft USB 3.1 Gen 1 Type-C Male to Female ACTIVE EXTENSION Cable, 5 Gbps	11.01 B
<b>FE-USB-CX-10</b>	10Ft USB 3.1 Gen 1 Type-C Male to Female ACTIVE EXTENSION Cable, 5 Gbps	20.14 A
<b>FE-USB-CX-16</b>	16Ft USB 3.1 Gen 1 Type-C Male to Female ACTIVE EXTENSION Cable, 5 Gbps	22.97 A
<b>FE-USB-CXC-06</b>	6Ft USB 3.2 CHARGE ONLY Gen 2 Type-C Male to Female EXTENSION Cable	8.52 X


**-- USB 2.0 TYPE-C MALE TO TYPE-A FEMALE EXTENSION CABLE, 480MBPS --**

<b>FE-ADT-413</b>	6inch OTG USB 2.0 Type-C Male to Type A Female, Black	3.20 C
<b>FE-ADT-412</b>	6inch OTG USB 3.1 Gen1 Type-C Male to Type A 5Gbps Female, Black	4.89 B
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D


## USB Type C to Micro-B 10pin

	<b>FE-USB3-CMIC-6IN</b>	6inch USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	4.84 C
	<b>FE-USB3-CMIC-01</b>	1.5ft USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	3.92 D
	<b>FE-USB3-CMIC-03</b>	3ft USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	5.68 C
	<b>FE-USB3-CMIC-06</b>	6ft USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	7.00 C
	<b>FE-USB3-CMIC-10</b>	10ft USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	8.59 D
	<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D


## USB Type C to Micro B 5-Pin

	<b>-- USB 2.0 TYPE-C MALE TO MICRO-B 5PIN MALE CABLES --</b>		
	<b>FE-USB-CCB5-6IN</b>	6inch USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black	2.34 D
	<b>FE-USB-CCB5-01</b>	1.5ft USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black	2.48 D
	<b>FE-USB-CCB5-03</b>	3ft USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black	3.03 D
	<b>FE-USB-CCB5-06</b>	6ft USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black	3.68 D
	<b>FE-USB-CCB5-10</b>	10ft USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black	4.15 C

## USB Type C to Type-B (Printer) Male

	<b>-- USB TYPE-C MALE TO TYPE-B (PRINTER) MALE CABLE, 480MBPS, BLACK --</b>		
	<b>FE-USB-CB-6IN</b>	6inch USB Type-C Male to Type-B (Printer) Male Cable, 480Mbps, Black	2.56 D
	<b>FE-USB-CB-01</b>	1.5ft USB Type-C Male to Type-B (Printer) Male Cable, 480Mbps, Black	2.64 C
	<b>FE-USB-CB-03</b>	3ft USB Type-C Male to Type-B (Printer) Male Cable, 480Mbps, Black	3.72 D
	<b>FE-USB-CB-06</b>	6ft USB Type-C Male to Type-B (Printer) Male Cable, 480Mbps, Black	4.59 C
	<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## USB Type C to HDMI

	<b>-- USB TYPE-C MALE TO HDMI 18GB 4K@60HZ CABLE --</b>		
	<b>FE-C3H-01</b>	1.5ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	16.98 B
	<b>FE-C3H-03</b>	3ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	17.67 B
	<b>FE-C3H-06</b>	6ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	19.21 B
	<b>FE-C3H-10</b>	10ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Cables	22.42 B
	<b>-- FIBER OPTIC/HYBRID USB TYPE-C MALE TO HDMI 18GB 4K@60HZ CABLE --</b>		
<b>HA-CHFO-15</b>	15ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	87.13 A	
<b>GC-CHFO-20</b>	20ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	96.03 A	
<b>GC-CHFO-30</b>	30ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	100.75 A	
<b>GC-CHFO-49</b>	49ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	110.21 A	
<b>GC-CHFO-65</b>	65ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	118.06 A	
<b>GC-CHFO-82</b>	82ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	131.93 A	
<b>GC-CHFO-100</b>	100ft USB 3.2 Gen2 Type-C Male to HDMI 18GB 4K@60Hz Fiber Optic/Hybrid Cable	140.19 A	
<b>-- USB 3 TYPE-C TO VIDEO ADAPTERS AND CONVERTERS --</b>			
<b>FE-ADT-276</b>	4inch USB 3 Type C Male to HDMI (4Kx2K@30Hz) Female Adapter Cable	15.14 A	




This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.

### Features and Specifications

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable	21.67 A
<b>XF-UCH07</b>	USB 3 Type C Male to 2x HDMI Video Out 4K, Split or Extend Displays Adapter	25.32 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports	56.37 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## USB Type C to DisplayPort

	<b>-- TYPE C MALE TO 4K@60HZ DISPLAYPORT V1.2 CABLES --</b>		
	<b>-- TYPE C MALE TO 8K@60HZ DISPLAYPORT V1.4/THUNDERBOLT 3 (ALT MODE) CABLES --</b>		
	<b>FE-C3DP14-01</b>	1.5ft USB 3 Type C Male to DisplayPort Thunderbolt 3/Alt Mode 8K@60Hz Cable	12.77 A
	<b>FE-C3DP14-03</b>	3ft USB 3 Type C Male to DisplayPort Thunderbolt 3/Alt Mode 8K@60Hz Cable	13.21 A
	<b>FE-C3DP14-06</b>	6ft USB 3 Type C Male to DisplayPort Thunderbolt 3/Alt Mode 8K@60Hz Cable	14.57 A



<b>FE-C3DP14-10</b>	10ft USB 3 Type C Male to DisplayPort Thunderbolt 3/Alt Mode 8K@60Hz Cable .....	18.43 A
<b>-- TYPE C MALE TO 4K@60HZ MINI DISPLAYPORT V1.2 CABLES --</b>		
<b>FE-C3MDP-01</b>	1.5ft USB 3 Type C Male to Mini DisplayPort 4K@60Hz Cables .....	12.52 A
<b>FE-C3MDP-03</b>	3ft USB 3 Type C Male to Mini DisplayPort 4K@60Hz Cables .....	13.16 A
<b>FE-C3MDP-06</b>	6ft USB 3 Type C Male to Mini DisplayPort 4K@60Hz Cables .....	14.17 A
<b>FE-C3MDP-10</b>	10ft USB 3 Type C Male to Mini DisplayPort 4K@60Hz Cables .....	16.71 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## USB Type C to DVI/VGA/Other and Converters



<b>-- TYPE C MALE TO DVI-D CABLES --</b>		
<b>BE-150216</b>	3ft USB 3 Type C Male to DVI (Male) 1080P Cable .....	19.33 A
<b>BE-150217</b>	6ft USB 3 Type C Male to DVI-D (Male) 1080P Cable .....	24.57 A

<b>-- TYPE C MALE TO VGA CABLES --</b>		
<b>CL-U3109-1103</b>	3ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable .....	23.05 A
<b>CL-U3109-1106</b>	6ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable .....	24.63 A
<b>CL-U3109-1110</b>	10ft USB 3.1 Type-C Male to VGA (Male) 1920x1200@60Hz Cable .....	27.17 A

<b>-- USB 3 TYPE-C TO VIDEO ADAPTERS AND CONVERTERS --</b>		
<b>FE-ADT-276</b>	4inch USB 3 Type C Male to HDMI (4Kx2K@30Hz) Female Adapter Cable .....	15.14 A



This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.

### Features and Specifications

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

<b>FE-ADT-382</b>	USB 3 Type C Male to HDMI 4K@30Hz with Charge Out-ports .....	11.90 A
<b>FE-ADT-330</b>	4inch USB 3 Type C Male to VGA Female Adapter Cable .....	11.05 A
<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable .....	21.67 A
<b>XF-UCH07</b>	USB 3 Type C Male to 2x HDMI Video Out 4K, Split or Extend Displays Adapter .....	25.32 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports .....	56.37 A
<b>XF-CDVF01</b>	USB 3 Type C Male to DVI Converter Adapter, 4 inches, white .....	8.36 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## USB Type C to Lightning



<b>-- GENUINE LIGHTNING(TM) TO USB TYPE-C RAPID CHARGE 18WATT (PD)/SYNC, WHITE --</b>		
<b>GC-CMFI-01-WHI</b>	1.5ft Genuine Lightning(TM) to USB Type-C Rapid Charge 18Watt (PD) Cable .....	7.05 A
<b>GC-CMFI-03-WHI</b>	3.3ft Genuine Lightning(TM) to USB Type-C Rapid Charge 18Watt (PD) Cable .....	7.37 A
<b>GC-CMFI-06-WHI</b>	6.6ft Genuine Lightning(TM) to USB Type-C Rapid Charge 18Watt (PD) Cable .....	8.02 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## USB Type C Adapters and Hubs



<b>FE-ADT-409</b>	4 inch USB Type-C to 3.5mm Audio ONLY Adapter Cable, Black .....	3.37 C
<b>FE-ADT-409A</b>	6 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black .....	2.99 C
<b>FE-ADT-409A-5IN</b>	5 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black .....	2.99 C
<b>LE-LS-USB4A3</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Rotated Adapter .....	5.00 C
<b>LE-LS-USB4A2</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Up/Down Adapter .....	4.98 C
<b>FE-ADT-392</b>	USB 3.2 Gen 1 Type-C Male to Female Angle 90 degree Adapter, Black .....	3.68 D
<b>FE-ADT-400</b>	USB 3.2 Gen 1 Type-C Female to USB Type A Male Adapter, Black .....	2.89 C
<b>FE-ADT-390</b>	USB 3.2 Gen 1 Type-C Male to USB Type A Female Adapter, Black .....	2.94 C
<b>FE-ADT-431</b>	USB 3.2 Gen 1 Type-C Female to USB Type A Male Aluminum Shell Adapter, Red .....	3.23 C
<b>FE-ADT-404</b>	USB 3.2 Gen 1 Type-C Male to Female Up/Down Angle 90 degree Adapter, Black .....	3.35 C
<b>LE-LS-USB4A1</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Left/Right Adapter .....	4.92 D
<b>FE-ADT-413</b>	6inch OTG USB 2.0 Type-C Male to Type A Female, Black .....	3.20 C
<b>FE-ADT-457</b>	USB Type-C Male to Female U-Angle (180 degree) Adapter, 10Gbps, Black .....	2.88 B
<b>FE-ADT-412</b>	6inch OTG USB 3.1 Gen1 Type-C Male to Type A 5Gbps Female, Black .....	4.89 B
<b>FE-ADT-317</b>	USB 3 Type-C Male to Micro B Female Adapter, Black .....	2.48 C
<b>BC-AD-USB3AC-MF</b>	USB 3 Type-A MALE to USB-C Female Adapter, Low Profile, Black .....	2.48 B
<b>FE-ADT-306</b>	6 inch Micro-B USB Male Angled to 3.5mm Female Stereo Audio Adapter, Black .....	2.54 D
<b>BB-USBCC-3P</b>	3 Port USB Car Charger/Adapter 3.1Amp, LED-Lighted .....	10.98 B
<b>FE-ADT-433</b>	USB Type-C to RJ45 CAT6/Gigabit Ethernet Adapter, 5 inch, Black .....	19.06 B
<b>FE-ADT-382</b>	USB 3 Type C Male to HDMI 4K@30Hz with Charge Out-ports .....	11.90 A



<b>FE-ADT-276</b>	4inch USB 3 Type C Male to HDMI (4Kx2K@30Hz) Female Adapter Cable .....	15.14 A
-------------------	---	---------



This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.

**Features and Specifications**

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

<b>FE-ADT-330</b>	4inch USB 3 Type C Male to VGA Female Adapter Cable .....	11.05 A
<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable .....	21.67 A
<b>XF-CDVF01</b>	USB 3 Type C Male to DVI Converter Adapter, 4 inches, white .....	8.36 A
<b>FE-USB-456</b>	4 Port USB-C 3.2 (Gen 2) 10Gbps Hub, Silver (Type C to 4 x Type C) .....	29.90 C
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports .....	56.37 A
<b>FE-KEY-USB-C-WH</b>	Keystone Jack Insert/Coupler USB 3 Type C to C, Female, Coupler Type, White .....	4.82 C
<b>FE-KEY-USB-C-BK</b>	Keystone Jack Insert/Coupler USB 3 Type C to C, Female, Coupler Type, Black .....	4.61 C
<b>FE-ADT-314</b>	USB-C Multi Hub 4K HDMI, 2xUSB 3.2 Gen 1, USB-C, Gigabit Lan Out .....	32.87 A

USB-C Multi-port Hub provides instant access (output) for 2 x USB 3.0 Type A, USB 3.1 Type C, Gigabit Ethernet (RJ45 jack), and 4K HDMI Video. This multi-port hub is perform for providing every possible needed output for your PC or Mac Laptop that has a single USB Type-C Output.



**Features and Specifications**

- No drivers required: Plug and Play
- HDMI: Supports 4Kx2K (3840 x 2160 pixels), 30Hz output
- USB: 2x USB 3.0 Type A Ports Output (.5A and .9A)
- RJ45: 1Gbit LAN
- 1xUSB 3.1 Type C Ports Output

<b>FB-08TGC16G</b>	16GB USB Flash Memory Stick with Type-C Connectivity .....	11.98 B
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## USB4 Type-C Thunderbolt Cables Price / Tier



**-- 40GBPS USB4 THUNDERBOLT 3 8K USB-C CABLES --**

<b>FE-USB4-TB3-6IN</b>	6inch USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable .....	11.58 B
<b>FE-USB4-TB3-01</b>	1.5ft USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable .....	12.75 B
<b>FE-USB4-TB3-02</b>	2ft USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable .....	13.24 B
<b>FE-USB4-TB3-03</b>	3ft USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable .....	13.53 B
<b>FE-USB4-TB3-04</b>	4ft USB4 Type-C Thunderbolt 3 (40Gbps, 100W, PD, 8K) Braided Cable .....	13.85 C
<b>FE-USB4-TB3-06</b>	6ft USB4 Type-C Thunderbolt 3 (20Gbps, 100W, PD, 8K) Braided Cable .....	14.99 C

**-- 40GBPS USB4 THUNDERBOLT 4 INTEL CERTIFIED 8K TYPE-C CABLES --**

<b>FE-USB4-TB4-1M</b>	3.3ft USB4 Type-C Thunderbolt 4 (40Gbps, 100W, PD, 8K) Intel Cert Cable .....	17.42 A
<b>FE-USB4-TB4-2M</b>	6.6ft USB4 Type-C Thunderbolt 4 (40Gbps, 100W, PD, 8K) Intel Cert Cable .....	20.27 A
<b>LE-LS-USB4A1</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Left/Right Adapter .....	4.92 D
<b>FE-ADT-457</b>	USB Type-C Male to Female U-Angle (180 degree) Adapter, 10Gbps, Black .....	2.88 B
<b>LE-LS-USB4A2</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Up/Down Adapter .....	4.98 C
<b>LE-LS-USB4A3</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Rotated Adapter .....	5.00 C

## USB 2.0 Type A to B (Printer) Cables Price / Tier



**-- USB TYPE A TO B CABLES, BEIGE --**

<b>FE-USB-AB-6IN</b>	6inch USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige .....	1.93 D
<b>FE-USB-AB-10IN</b>	10inch USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige .....	1.78 D
<b>FE-USB-AB-01</b>	1.5ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige .....	1.98 D
<b>FE-USB-AB-02</b>	2ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige .....	2.47 D
<b>FE-USB-AB-03</b>	3ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige .....	3.22 D
<b>FE-USB-AB-06</b>	6ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige .....	3.43 D
<b>FE-USB-AB-10</b>	10ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige .....	4.51 D
<b>FE-USB-AB-15</b>	15ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige .....	7.12 D

**-- USB TYPE A TO B CABLES, BLACK --**

<b>FE-USB-AB-6IN-BLK</b>	6inch USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Black	2.07 D
<b>FE-USB-AB-12IN-BLK</b>	1ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, BLACK	2.45 D
<b>FE-USB-AB-01-BLK</b>	1.5ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, BLACK	2.16 D
<b>FE-USB-AB-03-BLK</b>	3ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Black	3.22 D
<b>FE-USB-AB-06-BLK</b>	6ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Black	4.44 D
<b>FE-USB-AB-10-BLK</b>	10ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Black	4.72 D
<b>FE-USB-AB-15-BLK</b>	15ft USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Black	7.73 D

**-- USB TYPE A TO B ANGLE CABLES AND ANGLE ADAPTER CABLE --**

<b>FE-USB-AB90-01</b>	1.5ft ANGLE USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige	3.09 X
<b>FE-USB-AB90-06</b>	6ft ANGLE USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige	3.78 D
<b>FE-USB-AB90-10</b>	10ft ANGLE USB 2.0 Certified 480Mbps Type A Male to B Male Cable, Beige	4.60 D

**-- PANEL MOUNT USB 2.0 EXTENSION TYPE B MALE TO B FEMALE CABLES --**

<b>FE-USBB-PM-6IN</b>	6inch USB 2.0 EXTENSION Type B Male to B Female PANEL MOUNT Cable	3.63 D
<b>FE-USBB-PM-12IN</b>	12 inch USB 2.0 EXTENSION Type B Male to B Female PANEL MOUNT Cable	3.78 D
<b>FE-USBB-PM-18IN</b>	18 inch USB 2.0 EXTENSION Type B Male to B Female PANEL MOUNT Cable	3.94 D
<b>FE-USBB-PM-36IN</b>	36 inch USB 2.0 EXTENSION Type B Male to B Female PANEL MOUNT Cable	4.46 D

**-- USB TYPE A TO B PLENUM CABLES LONG LENGTH WITH EXTENDER CHIP --**

<b>CV-P-USBAB-25ACT</b>	25ft USB 2.0 (ACTIVE) PLENUM Type A Male to B Male Cable, Black	77.58 B
<b>CV-P-USBAB-35ACT</b>	35ft USB 2.0 (ACTIVE) PLENUM Type A Male to B Male Cable, Black	101.57 B
<b>CV-P-USBAB-50ACT</b>	50ft USB 2.0 (ACTIVE) PLENUM Type A Male to B Male Cable, Black	132.02 B
<b>CV-P-USBAB-75ACT</b>	75ft USB 2.0 (ACTIVE) PLENUM Type A Male to B Male Cable, Black	146.01 A
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## USB 2.0 Type A to A Cables

Price / Tier



**-- USB TYPE A (STANDARD) TO A CABLES --**

<b>FE-USB-AA-6IN</b>	6inch USB 2.0 Certified 480Mbps Type A Male to A Male Beige Cable	1.45 D
<b>FE-USB-AA-12IN</b>	12inch USB 2.0 Certified 480Mbps Type A Male to A Male Beige Cable	1.76 D
<b>FE-USB-AA-01</b>	1.5ft USB 2.0 Certified 480Mbps Type A Male to A Male Beige Cable	1.87 D
<b>BE-150103BK</b>	3ft USB 2.0 Certified 480Mbps Type A Male to A Male Black Cable	2.33 C
<b>FE-USB-AA-03</b>	3ft USB 2.0 Certified 480Mbps Type A Male to A Male Beige Cable	2.33 D
<b>FE-USB-AA-06</b>	6ft USB 2.0 Certified 480Mbps Type A Male to A Male Beige Cable	3.48 D
<b>FE-USB-AA-10</b>	10ft USB 2.0 Certified 480Mbps Type A Male to A Male Beige Cable	4.78 D
<b>FE-USB-AA-15-BLK</b>	15ft USB 2.0 Certified 480Mbps Type A Male to A Male Black Cable	5.50 D
<b>FE-USB-AA-15</b>	15ft USB 2.0 Certified 480Mbps Type A Male to A Male Beige Cable	5.50 D

**-- USB TYPE A ADAPTER CABLES AND CONVERTERS --**

<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D
-------------------	---	--------

## USB 2.0 Type A FEMALE Extension Cables

Price / Tier



**-- USB TYPE A TO A EXTENSION CABLES --**

<b>FE-USB-AA90-4IN</b>	4inch ANGLE USB 2.0 Certified 480Mbps Type A Male to A Female Cable, Beige	2.18 D
<b>FE-USB-EXT-6IN</b>	6inch USB 2.0 EXTENSION Type A Male to A FEMALE Cable, Beige	1.71 D
<b>FE-USB-EXT-01</b>	1ft USB 2.0 EXTENSION Type A Male to A FEMALE Cable, Beige	2.14 D
<b>FE-USB-EXT-02</b>	2ft USB 2.0 EXTENSION Type A Male to A FEMALE Cable, Beige	2.25 D
<b>FE-USB-EXT-03</b>	3ft USB 2.0 EXTENSION Type A Male to A FEMALE Cable, Beige	2.62 D
<b>FE-USB-EXT-06</b>	6ft USB 2.0 EXTENSION Type A Male to A FEMALE Cable, Beige	3.62 D
<b>FE-USB-EXT-10</b>	10ft USB 2.0 EXTENSION Type A Male to A FEMALE Cable, Beige	3.68 D
<b>FE-USB-EXT-15</b>	15ft USB 2.0 EXTENSION Type A Male to A FEMALE Cable, Beige	5.11 D
<b>FE-USB-AEXT-16X</b>	16ft USB 2.0 480Mbps ACTIVE EXTENSION Cable, Metallic Clear	16.49 C
<b>FE-USB-AEXT-33X</b>	33ft USB 2.0 480Mbps ACTIVE EXTENSION Cable, Extends to 33ft	23.22 C
<b>FE-USB-AEXT-80</b>	80ft USB 2.0 A Male to A Female Active Extension / Repeater Cable	37.59 C
<b>BE-150464</b>	USB 2.0 Type A Male/Female Extender via RJ45 CAT5/CAT6 Ethernet to 150ft	10.92 B
<b>FE-USBC-PM-6IN</b>	6inch USB 2.0 EXTENSION Type A Male to C Female PANEL MOUNT Cable	5.61 C
<b>FE-USB3C-PM-6IN</b>	6inch USB 3.0 EXTENSION Type A Male to C Female 5Gbps PANEL MOUNT Cable	7.90 C
<b>FE-USB3C-FCAP</b>	USB Dust Caps for USB Type-C Female Ports/Panel Mounts	0.37 B
<b>FE-USB-FCAP</b>	USB Dust Cap for USB Type-A Female Ports/Panel Mounts	0.43 C
<b>FE-USB-PM-05</b>	5ft USB 2.0 EXTENSION Type A Male to A Female PANEL MOUNT Cable	3.49 D
<b>FE-ACB5-PM-18IN</b>	18inch USB 2.0 EXTENSION Micro-B 5 pin to A Female PANEL MOUNT Cable	3.10 D
<b>FE-USB-PM-6IN</b>	6inch USB 2.0 EXTENSION Type A Male to A Female PANEL MOUNT Cable	2.52 D
<b>FE-ACB5-PM-12IN</b>	12inch USB 2.0 EXTENSION Micro-B 5 pin to A Female PANEL MOUNT Cable	3.01 D
<b>FE-USB-PM-18IN</b>	18inch USB 2.0 EXTENSION Type A Male to A Female PANEL MOUNT Cable	3.10 D

<b>FE-USB-284</b>	6inch USB 2.0 Female to Dual Male (1 Power, 1 Data/Pwr) Y Extension Cable	4.17 D
<b>FE-USB-368</b>	6inch USB 2.0 Male to Dual Female (1 Power, 1 Data/Pwr) Y-Cable	3.80 D
<b>FE-USB-286</b>	6inch USB 2.0 4 Port Hub, Non-Powered, White	7.10 C
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

**-- USB TYPE A TO A FEMALE PLENUM CABLES LONG LENGTH WITH EXTENDER CHIP --**

<b>CV-P-USBA-AF-25ACT</b>	25ft USB 2.0 (ACTIVE) PLENUM Type A Male to A FEMALE Cable, Black	80.05 B
<b>CV-P-USBA-AF-35ACT</b>	35ft USB 2.0 (ACTIVE) PLENUM Type A Male to A FEMALE Cable, Black	106.19 B
<b>CV-P-USBA-AF-50ACT</b>	50ft USB 2.0 (ACTIVE) PLENUM Type A Male to A FEMALE Cable, Black	145.28 B
<b>CV-P-USBA-AF-75ACT</b>	75ft USB 2.0 (ACTIVE) PLENUM Type A Male to A FEMALE Cable, Black	159.79 A

## USB 2.0 Micro B 5-Pin Cables Price / Tier

**-- USB TYPE A TO STRAIGHT MICRO B 5-PIN CABLES --**



<b>FE-USB-ACB5-6IN</b>	6inch USB 2.0 Type A Male to SLIM Micro-B 5-Pin Cable, Nickel Plated	2.19 D
------------------------	--	--------

USB A Male to Micro USB 5 pin Male Cable, Black. This USB A to Micro USB B 5pin Cable provides one USB A Male connector, and one Micro USB B connector to create a simple way to connect mobile devices to a USB capable computer for every day tasks such as data synchronization and file transfers.



**Features and Specifications**

- Cable Conductors Gauge: 28AWG (1P) + 24AWG\*2C
- Shielding and Jacket Type: Aluminum foil + drain wire 7/0.12mm pure copper
- Wire: CU (Pure Copper)
- RoHS Compliant
- Outer Cable Diameter: 4.5mm

<b>BE-150148</b>	8inch USB 2.0 Type A Male to Micro-B 5-Pin Cable, Nickel Plated	2.18 D
<b>FE-USB-ACB5-10IN</b>	10inch USB 2.0 Type A Male to SLIM Micro-B 5-Pin Cable, Nickel Plated	2.45 D
<b>FE-USB-ACB5-01</b>	1.5ft USB 2.0 Type A Male to SLIM Micro-B 5-Pin Cable, Nickel Plated	2.90 D
<b>FE-USB-ACB5-02</b>	2ft USB 2.0 Type A Male to SLIM Micro-B 5-Pin Cable, Nickel Plated	3.28 D
<b>HA-USB-ACB5-03-MET</b>	3ft ARMORED USB Type A Male to Micro-B 5-Pin Cable, Metallic/Charcoal	4.84 D
<b>FE-USB-ACB5-03</b>	3ft USB 2.0 Type A Male to SLIM Micro-B 5-Pin Cable, Nickel Plated	3.47 D
<b>FE-USB-ACB5-06</b>	6ft USB 2.0 Type A Male to SLIM Micro-B 5-Pin Cable, Nickel Plated	4.55 D
<b>MO-5458</b>	6ft USB 2.0 Type A Male to Micro-B 5-Pin Cable, 24AWG, w/ Ferrites	3.53 X
<b>FE-USB-ACB5-10</b>	10ft USB 2.0 Type A Male to SLIM Micro-B 5-Pin Cable, Nickel Plated	5.30 D
<b>FE-USB-ACB5-15</b>	15ft USB 2.0 Type A Male to SLIM Micro-B 5-Pin Cable, Nickel Plated	6.50 D
<b>FE-USB-SLACB5-03</b>	3ft FLAT USB 2.0 Certified Type A Male to Micro-B 5-Pin Cable Nickel Plate	3.59 D

**-- REVERSIBLE USB TYPE A TO MICRO B 5-PIN CABLES --**

<b>FE-USB-RACB5-01</b>	1.5ft REVERSIBLE USB 2.0 Type A Male to Micro-B 5-Pin Cable, Nickel Plated	4.01 D
<b>FE-USB-RACB5-03</b>	3ft REVERSIBLE USB 2.0 Type A Male to Micro-B 5-Pin Cable, Nickel Plated	4.55 D
<b>FE-USB-RACB5-10</b>	10ft REVERSIBLE USB 2.0 Type A Male to Micro-B 5-Pin Cable, Nickel Plated	7.30 D

**-- USB TYPE A TO 90 DEGREE ANGLED (LEFT OR RIGHT) MICRO B 5-PIN CABLES --**

<b>FE-USB-ACB590-6IN</b>	6inch USB 2.0 Type A Male to RIGHT ANGLED Micro-B 5-Pin Cable	2.32 D
--------------------------	---	--------

USB A Male to 90 degree ANGLED Micro USB 5 pin Male Cable, Black. This USB A to Micro USB B 5pin Cable provides one USB A Male connector, and one Micro USB B connector to create a simple way to connect mobile devices to a USB capable computer for every day tasks such as data synchronization and file transfers



- Cable Conductors Gauge: 28AWG (1P) + 24AWG\*2C
- Shielding and Jacket Type: Aluminum foil + drain wire 7/0.12mm pure copper
- Wire: CU (Pure Copper)
- Connector 1: 90 degree angled Micro-B 5 Pin Connector, Male
- Connector 2: Straight USB 2.0 Type A Connector, Male
- Outer Cable Diameter: 3.5mm

<b>FE-USB-ACB590-10IN</b>	10inch USB 2.0 Type A Male to RIGHT ANGLED Micro-B 5-Pin Cable	2.32 D
<b>FE-USB-ACB590-12IN</b>	12inch USB 2.0 Type A Male to RIGHT ANGLED Micro-B 5-Pin Cable	2.37 D
<b>FE-USB-ACB590-01</b>	1.5ft USB 2.0 Type A Male to RIGHT ANGLED Micro-B 5-Pin Cable	2.68 D
<b>FE-USB-ACB527-01</b>	1.5ft USB 2.0 Certified Type A Male to LEFT ANGLE Micro-B 5-Pin Cable	2.44 D
<b>FE-USB-ACB590-03</b>	3ft USB 2.0 Type A Male to RIGHT ANGLED Micro-B 5-Pin Cable	3.13 D
<b>FE-USB-ACB527-03</b>	3ft USB 2.0 Certified Type A Male to LEFT ANGLE Micro-B 5-Pin Cable	2.83 D

<b>FE-USB-ACB590-06</b>	6ft USB 2.0 Type A Male to RIGHT ANGLED Micro-B 5-Pin Cable .....	3.46 D
<b>FE-USB-ACB527-06</b>	6ft USB 2.0 Certified Type A Male to LEFT ANGLE Micro-B 5-Pin Cable .....	3.46 D
<b>FE-USB-ACB590-10</b>	10ft USB 2.0 Type A Male to RIGHT ANGLED Micro-B 5-Pin Cable .....	3.96 D
<b>-- USB TYPE A TO MICRO B 5-PIN HIGH AMPHERAGE 24/28AWG CABLES --</b>		
<b>FE-USB-SACB5-15</b>	15ft USB SLIM/High Amp Type A Male to Micro-B 5-Pin Cable, Nickel Plated .....	6.12 X
<b>-- USB TYPE A TO MICRO B 5-PIN ULTRA-SLIM/HI-AMP 24/28AWG CABLES --</b>		
<b>FE-USB-ACB5HA-06</b>	6ft USB 2.0 Certified Type A Male to Micro-B 5-Pin Cable, 24AWG, Gold .....	5.00 X
<b>-- MICRO B 5-PIN EXTENSION (MALE/FEMALE) CABLES --</b>		
<b>FE-USB-CB5MF-6IN</b>	6inch USB 2.0 Micro-B 5-Pin EXTENSION Male/Female Cable, Nickel Plated .....	3.18 A
<b>FE-USB-CB5MF-01</b>	1.5ft USB 2.0 Micro-B 5-Pin EXTENSION Male/Female Cable, Nickel Plated .....	3.34 D
<b>FE-USB-CB5MF-03</b>	3ft USB 2.0 Micro-B 5-Pin EXTENSION Male/Female Cable, Nickel Plated .....	3.67 D
<b>FE-USB-CB5MF-06</b>	6ft USB 2.0 Micro-B 5-Pin EXTENSION Male/Female Cable, Nickel Plated .....	4.80 D
<b>-- USB 2.0 TYPE-C MALE TO MICRO-B 5PIN MALE CABLES --</b>		
<b>FE-USB-CCB5-6IN</b>	6inch USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black .....	2.34 D
<b>FE-USB-CCB5-01</b>	1.5ft USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black .....	2.48 D
<b>FE-USB-CCB5-03</b>	3ft USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black .....	3.03 D
<b>FE-USB-CCB5-06</b>	6ft USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black .....	3.68 D
<b>FE-USB-CCB5-10</b>	10ft USB 2.0 Type-C Male to Micro-B 5Pin Male Cable 480Mbps, Black .....	4.15 C
<b>-- MHL ADAPTERS, OTHER SMARTPHONE CABLES, AND OTHER ADAPTERS --</b>		
<b>FE-ADT-317</b>	USB 3 Type-C Male to Micro B Female Adapter, Black .....	2.48 C
<b>FE-ADT-367</b>	Micro-B USB Male to Micro-B USB Female STRAIGHT Adapter .....	1.37 B
<b>FE-ADT-306</b>	6 inch Micro-B USB Male Angled to 3.5mm Female Stereo Audio Adapter, Black .....	2.54 D
<b>FE-ADT-246</b>	6inch OTG USB Micro-B 5pin Male to Type A Female, Black .....	0.56 B
<b>FE-USB-268</b>	3.5ft USB 12 volt Retractable 2.1/1.2Amp Dual Micro-B Charge Cable, Red .....	16.37 X
<b>FE-USB-Y-CRB5-12</b>	USB Y Dual Charging Cable Type A to 2 Micro-B 5" and 12" leads, Black .....	3.03 D
<b>FE-USB-266</b>	USB Multi-Port Charge-ONLY Cable for Apple(TM) 30pin, Lightning, Micro-B .....	5.25 X
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## USB 2.0 Mini 4 Pin Cables

Price / Tier



<b>-- USB TYPE A TO MINI 4 PIN CABLES --</b>		
<b>FE-USB-ANB4-6IN</b>	6inch USB 2.0 Certified 480Mbps Type A Male to Mini 4-Pin Male Cable .....	2.38 D

The USB A to MINI-B 4pin cables are used by many cameras, GPS systems, and some older cellphones that use the MINI 4pin connector type



### Features and Specifications

- Cable Conductors Gauge: 28AWG (1P) + 24AWG\*2C
- Connectors: USB 2.0 Type A and USB Mini-B 4 pin
- Shielding and Jacket Type: Aluminum foil + drain wire 7/0.12mm pure copper
- Wire: CU (Pure Copper)
- RoHS Compliant
- Outer Cable Diameter: 4.5mm

<b>FE-USB-ANB4-01</b>	1.5ft USB 2.0 Certified 480Mbps Type A Male to Mini 4-Pin Male Cable .....	2.59 D
<b>FE-USB-ANB4-03</b>	3ft USB 2.0 Certified 480Mbps Type A Male to Mini 4-Pin Male Cable .....	3.01 D
<b>FE-USB-ANB4-06</b>	6ft USB 2.0 Certified 480Mbps Type A Male to Mini 4-Pin Male Cable .....	3.12 D
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## USB 2.0 Mini-B 5 Pin Cables

Price / Tier



### -- USB TYPE A TO MINI B/5 PIN CABLES --



<b>FE-USB-ANB5-6IN</b>	6inch USB 2.0 Certified 480Mbps Type A Male to Mini-B/5-Pin Cable .....	2.27 D
------------------------	---	--------

The USB A to MINI-B 4pin cables are used by many cameras, GPS systems, and some older cellphones that use the MINI 4pin connector type.



**Features and Specifications**

- Cable Conductors Gauge: 28AWG (1P) + 24AWG\*2C
- Connectors: USB 2.0 Type A and USB Mini-B 4 pin
- Shielding and Jacket Type: Aluminum foil + drain wire 7/0.12mm pure copper
- Wire: CU (Pure Copper)
- RoHS Compliant
- Outer Cable Diameter: 4.5mm

<b>FE-USB-ANB5-10IN</b>	10inch USB 2.0 Certified 480Mbps Type A Male to Mini-B/5-Pin Cable .....	2.14 D
<b>FE-USB-ANB5-01</b>	1.5ft USB 2.0 Certified 480Mbps Type A Male to Mini-B/5-Pin Male Cable .....	3.05 D
<b>FE-USB-ANB5-02</b>	2ft USB 2.0 Certified 480Mbps Type A Male to Mini-B/5-Pin Male Cable .....	2.98 D
<b>FE-USB-ANB5-03</b>	3ft USB 2.0 Certified 480Mbps Type A Male to Mini-B/5-Pin Male Cable .....	3.18 D
<b>FE-USB-ANB5-06MF</b>	6ft USB 2.0 Certified 480Mbps Type A FEMALE to Mini-B/5-Pin MALE Cable .....	3.34 D
<b>FE-USB-ANB5-06</b>	6ft USB 2.0 Certified 480Mbps Type A Male to Mini-B/5-Pin Male Cable .....	4.02 D
<b>FE-USB-ANB5-06-FCG</b>	6ft USB 2.0 Certified 480Mbps Type A Male to Mini-B/5-Pin Gold Plated w/FERRITE .....	4.58 D
<b>FE-USB-ANB5-10</b>	10ft USB 2.0 Certified 480Mbps Type A Male to Mini-B/5-Pin Male Cable .....	4.89 D
<b>FE-USB-ANB5-15</b>	15ft USB 2.0 Certified 480Mbps Type A Male to Mini-B/5-Pin Male Cable .....	5.54 D
<b>-- ANGLED USB TYPE A TO MINI B/5 PIN CABLES --</b>		
<b>FE-USB-ANB5-90-01</b>	1ft USB 2.0 480Mbps Type A Male to RIGHT ANGLE Mini-B/5-Pin Male Cable .....	2.18 D
<b>-- USB TYPE MINI B/5 PIN TO MINI B/5 PIN EXTENSION CABLES --</b>		
<b>FE-USB-NB5MF-6IN</b>	6inch USB 2.0 Certified 480Mbps Mini-B/5-Pin Male/Female EXTENSION Cable .....	1.98 D
<b>FE-USB-NB5MF-03</b>	3ft USB 2.0 Certified 480Mbps Mini-B/5-Pin Male/Female EXTENSION Cable .....	3.63 D
<b>FE-USB-NB5MF-06</b>	6ft USB 2.0 Certified 480Mbps Mini-B/5-Pin Male/Female EXTENSION Cable .....	4.47 D
<b>-- USB TYPE MINI B/5 PIN ADAPTERS --</b>		
<b>BC-AD-USBAMINB-FF</b>	USB A Female/Mini-B 5 pin Female Adapter .....	3.68 D
<b>FE-USB-454</b>	Mini-B 5pin Male to Mini-B 5pin Female LEFT Angle Adapter .....	2.08 D
<b>FE-USB-280</b>	Mini-B 5pin Male to Mini-B 5pin Female RIGHT Angle Adapter .....	2.08 D
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## USB 3 Type-B (Printer) 5Gbps Cables

Price / Tier



<b>-- USB 3.2 GEN 1 SUPERSPEED 5GBPS TYPE A MALE TO B MALE CABLE --</b>		
<b>FE-USB3-AB-6IN</b>	6inch USB 3.2 Gen 1 SUPERSPEED Certified 5Gbps Type A Male to B Male Cable .....	4.92 C
<b>FE-USB3-AB-01</b>	1.5ft USB 3.2 Gen 1 SUPERSPEED Certified 5Gbps Type A Male to B Male Cable .....	5.65 D
<b>FE-USB3-AB-03</b>	3ft USB 3.2 Gen 1 SUPERSPEED Certified 5Gbps Type A Male to B Male Cable .....	6.09 D
<b>FE-USB3-AB-06</b>	6ft USB 3.2 Gen 1 SUPERSPEED Certified 5Gbps Type A Male to B Male Cable .....	6.87 D
<b>BE-150164BK</b>	6ft USB 3.2 Gen 1 SUPERSPEED Certified 5Gbps Type A Male to B Male Cable, Black .....	7.48 D
<b>FE-USB3-AB-10</b>	10ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to B Male Cable .....	7.70 D
<b>BC-USB3-15AB-G</b>	15ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to B Male Cable, Black .....	10.04 B
<b>-- USB 3.2 GEN 1 SUPERSPEED 5 GIGABIT ACCESORIES --</b>		
<b>MO-38298</b>	USB 3.1 Gen1 2x4 USB Peripheral Sharing Switch/KVM .....	97.13 A
<b>-- USB TYPE A AND B ADAPTERS AND ACCESSORIES --</b>		
<b>FE-ADT-338</b>	USB 3.2 Gen 1 RIGHT Facing A Male to A Female 90 Degree Right Angle Adapter .....	4.85 D
<b>FE-ADT-311</b>	USB 3.2 Gen 1 DOWNWARD FACING A Male to A Female Right Angle Adapter .....	3.47 D
<b>FE-ADT-310</b>	USB 3.2 Gen 1 UPWARD FACING A Male to A Female Right Angle Adapter .....	4.60 D
<b>FE-ADT-337</b>	USB 3.2 Gen 1 LEFT Facing A Male to A Female 90 Degree Right Angle Adapter .....	4.85 D
<b>-- USB MICRO-B, MINI-B, AND USB LIGHTNING ADAPTERS --</b>		
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG .....	1.31 D

## USB Lightning (TM) Cables

Price / Tier





**-- USB 2.0 TYPE A TO GENUINE LIGHTNING USB CABLE SYNC AND CHARGE --**

<b>GC-MFI-18IN-WHI</b>	1.5ft Genuine Lightning MFi-Certified USB Cable Sync and Charge, White .....	5.82 B
<b>GC-MFI-03-WHI</b>	3.3ft Genuine Lightning(TM) USB Cable Sync and Charge, White .....	6.31 B



Certified Genuine APPLE (TM) certified charging and data Cable. Suitable for any Apple device for CHARGE and SYNC using the Lightning connector, including the new iPhone 5S, 5C, 6, and 7 and any other APPLE (TM) device using the lightning cable standard

- MFi Apple-certified
- Strong, durable, and tangle proof
- White

<b>GC-MFI-06-WHI</b>	6.6ft Genuine Lightning MFi-Certified USB Cable Sync and Charge, White .....	8.05 B
<b>GC-MFI-10-WHI</b>	10ft Genuine Lightning(TM) USB Cable Sync and Charge, White .....	7.64 A
<b>GC-MFI-18IN-BLK</b>	1.5ft Genuine Lightning MFi-Certified USB Cable Sync and Charge, Black .....	5.83 A
<b>GC-MFI-03-BLK</b>	3.3ft Genuine Lightning(TM) USB Cable Sync and Charge, Black .....	6.31 B
<b>GC-MFI-06-BLK</b>	6.6ft Genuine Lightning(TM) USB Cable Sync and Charge, Black .....	6.86 B
<b>FE-MFI-10-BLK</b>	10ft Genuine Lightning MFi-Certified USB Cable Sync and Charge, Black .....	8.95 A
<b>HA-MFI-03-MET</b>	3.3ft ARMORED Genuine Lightning MFi-Certified USB Cable Sync & Charge .....	9.07 A



Certified Genuine APPLE (TM) certified charging and data Cable. Suitable for any Apple device for CHARGE and SYNC using the Lightning connector, including the new iPhone 5S, 5C, 6, and 7 and any other APPLE (TM) device using the lightning cable standard

- MFi Apple-certified
- Strong, durable, and tangle proof
- White

**-- GENUINE LIGHTNING(TM) TO USB TYPE-C RAPID CHARGE 18WATT (PD)/SYNC, WHITE --**

<b>GC-CMFI-01-WHI</b>	1.5ft Genuine Lightning(TM) to USB Type-C Rapid Charge 18Watt (PD) Cable .....	7.05 A
<b>GC-CMFI-03-WHI</b>	3.3ft Genuine Lightning(TM) to USB Type-C Rapid Charge 18Watt (PD) Cable .....	7.37 A
<b>GC-CMFI-06-WHI</b>	6.6ft Genuine Lightning(TM) to USB Type-C Rapid Charge 18Watt (PD) Cable .....	8.02 A

**USB 3 Type-A Standard 5Gbps Cables**

Price / Tier



**-- USB 3.2 GEN 1 SUPERSPEED 5 GIGABIT CABLES TYPE A TO A MALE --**

<b>FE-USB3-AA-06IN</b>	6inch USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to A Male Cable, BLUE .....	5.69 D
<b>FE-USB3-AA-01</b>	1.5ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to A Male Cable, BLUE .....	5.67 D
<b>FE-USB3-AA-03</b>	3ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to A Male Cable, BLUE .....	7.90 X
<b>FE-USB3-AA-06</b>	6ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to A Male Cable, BLUE .....	8.57 D
<b>FE-USB3-AA-10</b>	10ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to A Male Cable, BLUE .....	9.82 D
<b>BE-150162BK</b>	10ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to A Male Cable, BLACK .....	9.82 D

**-- USB TYPE A AND B ADAPTERS AND ACCESSORIES --**

<b>FE-ADT-353</b>	6inch DOWN-Facing USB 3.2 Gen 1 Type A Male to Type A Female Cable, Black .....	7.05 D
<b>FE-ADT-311</b>	USB 3.2 Gen 1 DOWNWARD FACING A Male to A Female Right Angle Adapter .....	3.47 D
<b>FE-ADT-337</b>	USB 3.2 Gen 1 LEFT Facing A Male to A Female 90 Degree Right Angle Adapter .....	4.85 D
<b>FE-ADT-310</b>	USB 3.2 Gen 1 UPWARD FACING A Male to A Female Right Angle Adapter .....	4.60 D
<b>FE-ADT-338</b>	USB 3.2 Gen 1 RIGHT Facing A Male to A Female 90 Degree Right Angle Adapter .....	4.85 D

USB-C Multi-port Hub provides instant access (output) for 2 x USB 3.0 Type A, USB 3.1 Type C, Gigabit Ethernet (RJ45 jack), and 4K HDMI Video. This multi-port hub is perform for providing every possible needed output for your PC or Mac Laptop that has a single USB Type-C Output.



**Features and Specifications**

- No drivers required: Plug and Play
- HDMI: Supports 4Kx2K (3840 x 2160 pixels), 30Hz output
- USB: 2x USB 3.0 Type A Ports Output (.5A and .9A)
- RJ45: 1Gbit LAN
- 1xUSB 3.1 Type C Ports Output

**USB 3 Micro-B 10pin 5Gbps Cables** Price / Tier



<b>-- USB 3 TYPE A TO MICRO-B 10-PIN CABLES --</b>		
FE-USB3-MICB-06IN	6inch USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A to Micro-B Male Cable, Blue	4.79 D
FE-USB3-MICB-03	3ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A to Micro-B Male Cable, Blue	5.90 D
FE-USB3-MICB-06	6ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A to Micro-B Male Cable, BLUE	6.99 D
FE-USB3-MICB-10	10ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A to Micro-B Male Cable, Blue	7.83 D
<b>-- USB 3 TYPE C TO MICRO-B 10-PIN CABLES --</b>		
FE-USB3-CMIC-6IN	6inch USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	4.84 C
FE-USB3-CMIC-01	1.5ft USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	3.92 D
FE-USB3-CMIC-03	3ft USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	5.68 C
FE-USB3-CMIC-06	6ft USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	7.00 C
FE-USB3-CMIC-10	10ft USB 3.2 Gen 1 Type-C Male to Micro-B 10Pin Male Cable 5Gbps, Black	8.59 D
<b>-- USB TYPE A AND B ADAPTERS --</b>		
FE-ADT-310	USB 3.2 Gen 1 UPWARD FACING A Male to A Female Right Angle Adapter	4.60 D
FE-ADT-337	USB 3.2 Gen 1 LEFT Facing A Male to A Female 90 Degree Right Angle Adapter	4.85 D
FE-ADT-338	USB 3.2 Gen 1 RIGHT Facing A Male to A Female 90 Degree Right Angle Adapter	4.85 D
FE-ADT-311	USB 3.2 Gen 1 DOWNWARD FACING A Male to A Female Right Angle Adapter	3.47 D
FE-ADT-439	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

**USB 3 Type-A EXTENSION 5Gbps Cables** Price / Tier



<b>-- USB 3.2 GEN 1 5GBPS TYPE A MALE TO FEMALE EXTENSION CABLES --</b>		
FE-USB3-EXT-03	3ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to A FEMALE Extension Cable	5.37 D
FE-USB3-EXT-06	6ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to A FEMALE Extension Cable	7.80 D
FE-USB3-EXT-10	10ft USB 3.2 Gen 1 SUPERSPEED 5Gbps Type A Male to A FEMALE Extension Cable	8.85 D
BB-USB3-RPTR	16ft USB 3.2 Gen 1 5Gbps Type A Male to Female Extension Active Cable	25.54 B
FE-USB3-PM-6IN	6inch USB 3.0 5Gbps EXTENSION Type A Male to A Female PANEL MOUNT Cable	4.53 C
FE-ADT-351	RIGHT-Facing ANGLED USB 3.0 Male to USB 3.0 Female Cable 6", Black	6.49 D
FE-ADT-352	LEFT-Facing ANGLED USB 3.0 Male to USB 3.0 Female Cable 7", Black	6.49 D
FE-ADT-439	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D
<b>-- FIBER OPTIC USB 3.2 GEN 1 5GBPS TYPE A MALE TO FEMALE EXTENSION --</b>		
HA-USB3-AX-10	10ft USB 3.2 Gen 1 5Gbps Type A Male to Female EXTENSION Fiber Cable	71.32 X
HA-USB3-AX-15	15ft USB 3.2 Gen 1 5Gbps Type A Male to Female EXTENSION Fiber Cable	75.40 X
<b>-- USB 3.2 GEN 1 5GBPS TYPE A MALE TO FEMALE ACTIVE EXTENSION CABLES --</b>		
CV-USB3A-AF-16ACT	16ft USB 3.2 Gen 1 5Gbps Type A Male to Female EXTENSION Active Cable	42.26 B
CV-USB3A-AF-25ACT	25ft USB 3.2 Gen 1 5Gbps Type A Male to Female EXTENSION Active Cable	136.86 B
CV-USB3A-AF-35ACT	35ft USB 3.2 Gen 1 5Gbps Type A Male to Female EXTENSION Active Cable	173.71 B
CV-USB3A-AF-50ACT	50ft USB 3.2 Gen 1 5Gbps Type A Male to Female EXTENSION Active Cable	224.20 B
<b>-- USB **PLENUM** 3.2 GEN 1 5GBPS TYPE A MALE TO FEMALE EXTENSION CABLES --</b>		
CV-P-USB3A-AF-25ACT	25ft **PLENUM** USB 3.2 Gen 1 5Gbps Type A Male to Female EXTENSION Cable	163.23 A
CV-P-USB3A-AF-35ACT	35ft **PLENUM** USB 3.2 Gen 1 5Gbps Type A Male to Female EXTENSION Cable	172.32 A

## USB to Barrel and 2.5mm

Price / Tier



<b>FE-USB-BCA31-03</b>	3ft USB 2.0 Type A Male to Barrel Connector (3.5/1.3mm) Power Cable	2.08 D
<b>FE-USB-BCA-03</b>	3ft USB 2.0 Type A Male to Barrel Connector (5.5/2.1mm) Power Cable	2.30 D
<b>FE-USB-25E-03</b>		4.03 X
	3ft USB 2.0 Type A Male to 2.5mm (Extended Length Connector) Power Cable	

## USB Adapters and Gender Changers

Price / Tier



### -- USB TYPE A AND B ADAPTERS --

<b>FE-USB-100</b>	USB A Female to A Female Coupler Adapter / Gender Changer	2.51 D
<b>FE-ADT-181</b>	USB A Male to A Female Swivel Adapter, Nickel Plated	4.80 D
<b>FE-ADT-270</b>	USB 2.0 DOWNWARD Facing A Male to A Female Right Angle Adapter 90 degree	4.47 D



Right angle adapter allows easy access to those hard to get at USB 2.0 ports. Type A (standard) fits all PCs

- Facing **DOWNWARDS** when connected to MOST USB 2.0 Ports
- USB 2.0 specifications
- Supports speeds to USB 2.0 standards (480Mbps)
- Connectors: USB 2.0 MALE to USB 2.0 FEMALE
- Nickel Plated

<b>FE-ADT-336</b>	USB 2.0 RIGHT Facing A Male to A Female 90 Degree Right Angle Adapter	3.36 D
<b>FE-ADT-180</b>	USB 2.0 UPWARD Facing A Male to A Female Right Angle Adapter 90 degree	4.47 D
<b>FE-ADT-335</b>	USB 2.0 LEFT Facing A Male to A Female 90 Degree Right Angle Adapter	3.36 D
<b>FE-ADT-310</b>	USB 3.2 Gen 1 UPWARD FACING A Male to A Female Right Angle Adapter	4.60 D
<b>FE-ADT-311</b>	USB 3.2 Gen 1 DOWNWARD FACING A Male to A Female Right Angle Adapter	3.47 D
<b>FE-ADT-353</b>	6inch DOWN-Facing USB 3.2 Gen 1 Type A Male to Type A Female Cable, Black	7.05 D
<b>FE-ADT-338</b>	USB 3.2 Gen 1 RIGHT Facing A Male to A Female 90 Degree Right Angle Adapter	4.85 D
<b>FE-ADT-337</b>	USB 3.2 Gen 1 LEFT Facing A Male to A Female 90 Degree Right Angle Adapter	4.85 D
<b>FE-USB-104</b>	USB A Male/B Female Adapter, Black	2.81 D
<b>FE-USB-108</b>	USB A Female/B Female Adapter	2.77 D
<b>FE-ADT-451</b>	USB 3 Type-A to RJ45 CAT6/Gigabit Networking / Ethernet Adapter, 6 inch	12.73 B

### -- USB TYPE MINI-B AND MICRO-B ADAPTER --

<b>BC-AD-USBAMINB-FF</b>	USB A Female/Mini-B 5 pin Female Adapter	3.68 D
<b>FE-USB-106</b>	USB B Female/Mini 4 pin Male Adapter	1.89 D
<b>FE-USB-107</b>	USB B Female/Mini 5 pin Male Adapter	1.96 D
<b>FE-USB-280</b>	Mini-B 5pin Male to Mini-B 5pin Female RIGHT Angle Adapter	2.08 D
<b>FE-USB-454</b>	Mini-B 5pin Male to Mini-B 5pin Female LEFT Angle Adapter	2.08 D
<b>FE-USB-103</b>	USB Type-A Female to Mini 5 pin (B5) Male Adapter, Black	1.03 C
<b>FE-USB-111</b>	USB A Female/Micro-B 5 pin Male Adapter (Data & Charge)	2.54 D
<b>FE-ADT-367</b>	Micro-B USB Male to Micro-B USB Female STRAIGHT Adapter	1.37 B
<b>FE-ADT-256</b>	Micro USB-B Male to Micro USB-B Female RIGHT Angle Adapter	2.08 D
<b>FE-USB-455</b>	Micro USB-B Male to Micro USB-B Female LEFT Angle Adapter	2.08 D

### -- USB TYPE-C ADAPTERS --

<b>FE-ADT-400</b>	USB 3.2 Gen 1 Type-C Female to USB Type A Male Adapter, Black	2.89 C
<b>FE-ADT-431</b>	USB 3.2 Gen 1 Type-C Female to USB Type A Male Aluminum Shell Adapter, Red	3.23 C
<b>FE-ADT-390</b>	USB 3.2 Gen 1 Type-C Male to USB Type A Female Adapter, Black	2.94 C
<b>FE-ADT-317</b>	USB 3 Type-C Male to Micro B Female Adapter, Black	2.48 C
<b>BC-AD-USB3AC-MF</b>	USB 3 Type-A MALE to USB-C Female Adapter, Low Profile, Black	2.48 B
<b>FE-ADT-404</b>	USB 3.2 Gen 1 Type-C Male to Female Up/Down Angle 90 degree Adapter, Black	3.35 C
<b>FE-ADT-392</b>	USB 3.2 Gen 1 Type-C Male to Female Angle 90 degree Adapter, Black	3.68 D
<b>FE-ADT-457</b>	USB Type-C Male to Female U-Angle (180 degree) Adapter, 10Gbps, Black	2.88 B
<b>LE-LS-USB4A1</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Left/Right Adapter	4.92 D
<b>LE-LS-USB4A2</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Up/Down Adapter	4.98 C
<b>LE-LS-USB4A3</b>	USB4 Type-C 40G/240W Male to Female Angle 90 degree Rotated Adapter	5.00 C
<b>FE-ADT-382</b>	USB 3 Type C Male to HDMI 4K@30Hz with Charge Out-ports	11.90 A



This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.

**Features and Specifications**

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

<b>XF-UCH07</b>	USB 3 Type C Male to 2x HDMI Video Out 4K, Split or Extend Displays Adapter	25.32 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports	56.37 A
<b>FE-ADT-409A-5IN</b>	5 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black	2.99 C
<b>FE-ADT-409</b>	4 inch USB Type-C to 3.5mm Audio ONLY Adapter Cable, Black	3.37 C
<b>FE-ADT-407</b>	USB Type-C to 3.5mm Audio and Microphone Adapter for Smartphone / Computer	7.18 B
<b>FE-ADT-409A</b>	6 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black	2.99 C

**-- USB OTG (ON THE GO) ADAPTER CABLES --**

<b>FE-ADT-413</b>	6inch OTG USB 2.0 Type-C Male to Type A Female, Black	3.20 C
<b>FE-ADT-412</b>	6inch OTG USB 3.1 Gen1 Type-C Male to Type A 5Gbps Female, Black	4.89 B
<b>FE-ADT-246</b>	6inch OTG USB Micro-B 5pin Male to Type A Female, Black	0.56 B

**-- USB MULTI-PURPOSE AND MISC ADAPTERS --**

<b>BB-USB-AUDIO3</b>	USB 2.0 to Dual 3.5mm Audio Converter (Sound / Microphone) with Volume	8.25 B
<b>FE-USB-BCA31-03</b>	3ft USB 2.0 Type A Male to Barrel Connector (3.5/1.3mm) Power Cable	2.08 D
<b>FE-USB-BCA-03</b>	3ft USB 2.0 Type A Male to Barrel Connector (5.5/2.1mm) Power Cable	2.30 D
<b>FE-USB-25E-03</b>	3ft USB 2.0 Type A Male to 2.5mm (Extended Length Connector) Power Cable	4.03 X
<b>FE-ADT-351</b>	RIGHT-Facing ANGLED USB 3.0 Male to USB 3.0 Female Cable 6", Black	6.49 D
<b>FE-ADT-352</b>	LEFT-Facing ANGLED USB 3.0 Male to USB 3.0 Female Cable 7", Black	6.49 D
<b>FE-USB-286</b>	6inch USB 2.0 4 Port Hub, Non-Powered, White	7.10 C
<b>BE-150464</b>	USB 2.0 Type A Male/Female Extender via RJ45 CAT5/CAT6 Ethernet to 150ft	10.92 B
<b>FE-USB-368</b>	6inch USB 2.0 Male to Dual Female (1 Power, 1 Data/Power) Y-Cable	3.80 D
<b>FE-USB-284</b>	6inch USB 2.0 Female to Dual Male (1 Power, 1 Data/Pwr) Y Extension Cable	4.17 D
<b>KC-SAE2USB</b>	3ft SAE Motorcycle 2 Port USB Port (2.1A) Charger Adapter 12-24v Battery	4.42 A

**USB Chargers and Wallplates**

Price / Tier



**FE-USB-217**  
**FE-USB-260**

**-- USB BLOCK CHARGERS 110V TO 5V --**

1 Port 110v/5v USB 1000mA Charger, Discrete, White	4.27 D
1 Port 110v/5v USB 1000ma Charger, Discrete, Black	4.04 D



Charge your USB device using standard outlet instead of keeping your PC turned on. Type A female USB connecting port (same as a PC or Laptop)

- Simply plug the charger into any USA style wall outlet.
- Built-in charging circuitry protects against back-flow current
- Charger fits standard AC power outlets
- Made of Durable Hard Plastic
- Fast Charges and maximizes battery life
- Amp Rating: 1000Ma (not suitable for iPad or order LARGER tablet devices)
- CE Listed

<b>FE-ADT-308</b>	1 Port 110v/5v USB 2000mA Slim Profile Charger, Black	6.38 C
<b>FE-ADT-383</b>	1 Port 110v/5v USB 3 Amp QUICK CHARGE (QC3.0) Charger	8.49 A
<b>FE-ADT-410</b>	1 Port 110v/5v USB Type-C PD/20 Watt Quick Charge Port, White	8.10 C
<b>FE-ADT-436</b>	2 Port 110v/5v USB Dual Type-A/C PD/QC Charge Port, White	10.18 C
<b>FE-ADT-312</b>	4 Port 110v/5v USB 10 Amp QUICK CHARGE Charger (KP-4U) with USB Type-C Port	15.47 A
<b>FE-IPADX2-220V</b>	2 Port 220v/5v USB 2100ma European (Type F) Charger, White	8.78 X
<b>FE-ADT-313</b>	EU 240V Adapter Kit ONLY (for use with Part FE-ADT-312/KP-4U)	1.69 B

**-- USB CHARGERS 12V TO 5V FOR CAR / CIGARETTE PORT --**

<b>FE-ADT-238</b>	2 Port USB Car Charger/Adapter, Type A 12v Car Socket, 2.1A/1.0A	4.05 B
<b>FE-ADT-417</b>	2 Port USB Car Charger/Adapter, Type A and C 12v QUICK CHARGE, White	4.99 A
<b>FE-ADT-501</b>	3 Port USB Car Charger/Adapter, Type A, 2x Type C 12v Car Socket, High Amp	18.86 A
<b>BB-USBCC-3P</b>	3 Port USB Car Charger/Adapter 3.1Amp, LED-Lighted	10.98 B
<b>HA-ADT-307</b>	4 Port USB 6ft FULL-Car Rapid Charger/Adapter, 9.6Amp (2 local, 2 remote)	13.63 X

<b>KC-SAE2USB</b>	3ft SAE Motorcycle 2 Port USB Port (2.1A) Charger Adapter 12-24v Battery .....	4.42 A
<b>-- USB POWER CENTERS 110V TO 5V --</b>		
<b>FE-USB-282</b>	6 Port 110v/5v USB 1000/2000ma Charging Dock, White .....	18.54 x
<b>FE-UH2-6</b>	6 Port USB 12 Amp High Capacity Power Charger Center .....	19.10 c



Connect 6 HIGH AMPERAGE USB peripherals such as iPads, phones, tablets, and other chargeable devices. Each port on this power center product supplies 2 Amps of current allowing for the concurrent charging of up to 6 such devices for rapid-charge capability

- 6 USB 2.0 Ports
- 3.5 Amp PER PORT maximum draw
- 2.5 Amp PER PORT when all ports used MAXIMUM
- 16 Amp Power supply 5V/110v
- Supports RAPID CHARGING capabilities
- 110v power cord and internal power supply

<b>FE-YC-CDA15</b>	8 Port USB 8A/40Watt Amp High Capacity Power Charger Center .....	17.14 B
<b>FE-YC-CDA19Q</b>	8 Port USB 8 Amp High Capacity Power Charger, QC3 & C with Smart Monitoring .....	32.98 A



Connect up to 8 HIGH AMPERAGE USB peripherals such as iPads, phones, tablets, and other chargeable devices. Each port will provide from 0.8 to 2.4Amp in will automatically increase or decrease based on device communications with this smart-charger.

- 8 USB 2.0 Charging concurrent ports
- 0.8 Amps Min, 2.4 Amp PER PORT maximum draw
- Smart power distribution automatically detects and provides optimum power to each device
- 2.4 Amp PER PORT when all ports used MAXIMUM. Maximum TOTAL CONCURRENT Amps: 8.0
- Real-time voltage and current displayed for each connected device
- Long 4.9ft 110v AC Cord
- FCC and CE Listed
- Supports RAPID CHARGING capabilities
- Real-time voltage/amps charging rates displayed via LED display

<b>BB-P2P2UA-10</b>	10ft Desk Mounted Dual 3.5Amp USB Quick Charge and Power Center .....	77.50 x
<b>FE-UH2-13</b>	13 Port USB 2.0 Hub and USB Data Center, Powered .....	17.33 c
<b>FE-ADT-403</b>	2 Port USB plus 2 120 volt Recessed Charging Center, 6ft Power Cable .....	14.39 A

## USB CHARGERS - USB Charging Blocks

USB Wall-plate Chargers for Cell Phones, Tablets, and Other Devices. There are TWO fast charging standards currently for all smart phones developed in the past 8 years:

**USB-PD** - Apple iPhones 8 or greater, and many new Android/Google phones use the USB-PD (Power Delivery) method for FAST CHARGING. USB-PD for phones generally uses charging blocks that provide variable voltages up to 14.5v and 2A, for a total power of 96 watts. USB-PD is only available with the USB Type-C connector at the source charge block.

**QuickCharge (QC)** - Developed by Qualcomm, this standard is supported by nearly all newer Android and Windows phones, supporting up to 20 volts and 5 amps for a total maximum power of 100 watts. QC is available from either a Type-A or Type-C connector at the source charge block.

QUICK-CHARGE (QC) and USB-PD are not compatible with each other. Typically, a charging block supports ONE or the other standard, but not both. Some newer Android, Google, and Windows phones will accept both the USB-PD or QB charging standards



**FE-USB-217**

### -- USB BLOCK CHARGERS 110V TO 5V --

1 Port 110v/5v USB 1000mA Charger, Discrete, White .....	4.27 D
--	--------





Charge your USB device using standard outlet instead of keeping your PC turned on. Type A female USB connecting port (same as a PC or Laptop)

- Simply plug the charger into any USA style wall outlet.
- Built-in charging circuitry protects against back-flow current
- Charger fits standard AC power outlets
- Made of Durable Hard Plastic
- Fast Charges and maximizes battery life
- Amp Rating: 1000Ma (not suitable for iPad or order LARGER tablet devices)
- CE Listed

<b>FE-ADT-308</b>	1 Port 110v/5v USB 2000mA Slim Profile Charger, Black	6.38 C
<b>FE-ADT-383</b>	1 Port 110v/5v USB 3 Amp QUICK CHARGE (QC3.0) Charger	8.49 A
<b>FE-ADT-410</b>	1 Port 110v/5v USB Type-C PD/20 Watt Quick Charge Port, White	8.10 C
<b>FE-ADT-436</b>	2 Port 110v/5v USB Dual Type-A/C PD/QC Charge Port, White	10.18 C
<b>FE-ADT-312</b>	4 Port 110v/5v USB 10 Amp QUICK CHARGE Charger (KP-4U) with USB Type-C Port	15.47 A
<b>FE-IPADX2-220V</b>	2 Port 220v/5v USB 2100ma European (Type F) Charger, White	8.78 X
<b>FE-ADT-313</b>	EU 240V Adapter Kit ONLY (for use with Part FE-ADT-312/KP-4U)	1.69 B

**-- USB CHARGERS 12V TO 5V FOR CAR / CIGARETTE PORT --**

<b>FE-ADT-238</b>	2 Port USB Car Charger/Adapter, Type A 12v Car Socket, 2.1A/1.0A	4.05 B
<b>FE-ADT-417</b>	2 Port USB Car Charger/Adapter, Type A and C 12v QUICK CHARGE, White	4.99 A
<b>FE-ADT-501</b>	3 Port USB Car Charger/Adapter, Type A, 2x Type C 12v Car Socket, High Amp	18.86 A
<b>BB-USBCC-3P</b>	3 Port USB Car Charger/Adapter 3.1Amp, LED-Lighted	10.98 B
<b>HA-ADT-307</b>	4 Port USB 6ft FULL-Car Rapid Charger/Adapter, 9.6Amp (2 local, 2 remote)	13.63 X
<b>KC-SAE2USB</b>	3ft SAE Motorcycle 2 Port USB Port (2.1A) Charger Adapter 12-24v Battery	4.42 A

**-- USB POWER CENTERS 110V TO 5V --**

<b>FE-USB-282</b>	6 Port 110v/5v USB 1000/2000ma Charging Dock, White	18.54 X
<b>FE-UH2-6</b>	6 Port USB 12 Amp High Capacity Power Charger Center	19.10 C



Connect 6 HIGH AMPERAGE USB peripherals such as iPads, phones, tablets, and other chargeable devices. Each port on this power center product supplies 2 Amps of current allowing for the concurrent charging of up to 6 such devices for rapid-charge capability

- 6 USB 2.0 Ports
- 3.5 Amp PER PORT maximum draw
- 2.5 Amp PER PORT when all ports used MAXIMUM
- 16 Amp Power supply 5V/110v
- Supports RAPID CHARGING capabilities
- 110v power cord and internal power supply

<b>FE-YC-CDA15</b>	8 Port USB 8A/40Watt Amp High Capacity Power Charger Center	17.14 B
<b>FE-YC-CDA19Q</b>	8 Port USB 8 Amp High Capacity Power Charger, QC3 & C with Smart Monitoring	32.98 A

Connect up to 8 HIGH AMPERAGE USB peripherals such as iPads, phones, tablets, and other chargeable devices. Each port will provide from 0.8 to 2.4Amp in will automatically increase or decrease based on device communications with this smart-charger.

- 8 USB 2.0 Charging concurrent ports
- 0.8 Amps Min, 2.4 Amp PER PORT maximum draw
- Smart power distribution automatically detects and provides optimum power to each device
- 2.4 Amp PER PORT when all ports used MAXIMUM. Maximum TOTAL CONCURRENT Amps: 8.0
- Real-time voltage and current displayed for each connected device
- Long 4.9ft 110v AC Cord
- FCC and CE Listed
- Supports RAPID CHARGING capabilities
- Real-time voltage/amps charging rates displayed via LED display



<b>BB-P2P2UA-10</b>	10ft Desk Mounted Dual 3.5Amp USB Quick Charge and Power Center	77.50 X
<b>FE-UH2-13</b>	13 Port USB 2.0 Hub and USB Data Center, Powered	17.33 C
<b>FE-ADT-403</b>	2 Port USB plus 2 120 volt Recessed Charging Center, 6ft Power Cable	14.39 A

# Networking - Patch (Copper), Fiber Optic, & Hardware

CAT5E, CAT6 cables, Bulk Cables, Patch Panels and Racks

## Cat 5E Patch Cables (All Colors Available)

Price / Tier



<b>FE-C5-6IN-BLK</b>	6inch Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	0.81 c
<b>FE-C5-01-BLK</b>	1ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	0.90 c
<b>FE-C5-02-BLK</b>	2ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	1.04 c
<b>FE-C5-03-BLK</b>	3ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	1.38 c
<b>FE-C5-04-BLK</b>	4ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	1.56 c
<b>FE-C5-05-BLK</b>	5ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	1.76 d
<b>FE-C5-06-BLK</b>	6ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	1.97 d
<b>FE-C5-07-BLK</b>	7ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	2.17 d
<b>FE-C5-10-BLK</b>	10ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	2.70 d
<b>FE-C5-14-BLK</b>	14ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	3.65 d
<b>FE-C5-20-BLK</b>	20ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	4.26 d
<b>FE-C5-25-BLK</b>	25ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	5.42 d
<b>FE-C5-30-BLK</b>	30ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	6.12 d
<b>FE-C5-35-BLK</b>	35ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	6.41 c
<b>FE-C5-40-BLK</b>	40ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	7.09 d
<b>BE-100509BK</b>	50ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	8.36 A
<b>FE-C5-60-BLK</b>	60ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	10.58 c
<b>FE-C5-75-BLK</b>	75ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	11.51 c
<b>FE-C5-100-BLK</b>	100ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	16.29 c
<b>FE-C5-150-BLK</b>	150ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	24.44 c
<b>FE-C5-200-BLK</b>	200ft Cat5E Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	32.57 c
<b>FE-ADT-290</b>	Keystone Jack Insert/Coupler Type - Cat 5E RJ45 Networking, Black	1.55 c
<b>FE-KEY-CAT6KIT-BK</b>	Keystone Jack Insert/Punch-down SLIM - Cat 6 RJ45 Networking, Black	2.25 c
<b>FE-ADT-291</b>	Keystone Jack Insert/Coupler Type Cat 6 RJ45 Networking, Black	1.76 B
<b>FE-KEY-CAT5KIT-BK</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Black	2.12 d
<b>FE-KEY-CAT690-BK</b>	Keystone Jack Insert/Coupler Type ANGLED/90 Cat 6 RJ45 Networking, Black	2.06 A

## Cat 6 Patch Cables (All Colors Available)

Price / Tier



<b>FE-C6-6IN-BLK</b>	6inch Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	1.50 c
----------------------	--	--------



Connects any CAT6 application such as computer to hub, patch panel or wall jack. This 550MHz CAT6 PVC stranded patch cord meets TIA/EIA 568A specifications, and support all CAT6 and other high speed applications. It has stranded wires for added cable flexibility.

- 26AWG Copper twisted pairs
- Suitable for any 10Mbit, 100Mbit, 1GB network standards up to 330ft segment runs
- 550Mhz Category 6, exceed IEEE standards suitable for 1Gbit networks.
- Unshielded Twisted pairs (UTP) suitable for most business and home network installations
- CM NEC Rated for In-wall installation (Home or business)
- Meets EIA/TIA TSB-40A for Stranded 568B standards
- 50u Gold Plated contacted, Molded Strain Relief boot connectors
- RoHS-2 Compliant
- NOT UL Listed, but meets UL standards

<b>FE-C6-01-BLK</b>	1ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	1.61 c
<b>FE-ADT-347</b>	1.6ft CAT6 SHIELDED, Straight Female to UP-Angled Male, BLACK	3.81 c
<b>FE-C6-02-BLK</b>	2ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	1.81 d
<b>FE-C6-03-BLK</b>	3ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	1.95 d
<b>FE-C6-04-BLK</b>	4ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	2.21 c
<b>FE-C6-05-BLK</b>	5ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	2.70 d
<b>FE-C6-06-BLK</b>	6ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	2.94 d
<b>FE-C6-07-BLK</b>	7ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	3.18 d
<b>FE-C6-10-BLK</b>	10ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	3.90 d
<b>FE-C6-14-BLK</b>	14ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	4.59 d
<b>FE-C6-20-BLK</b>	20ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	6.07 d
<b>FE-C6-25-BLK</b>	25ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	7.09 d
<b>FE-C6-30-BLK</b>	30ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	8.00 d
<b>FE-C6-35-BLK</b>	35ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	9.03 c
<b>FE-C6-40-BLK</b>	40ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	9.94 c
<b>FE-C6-50-BLK</b>	50ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	11.77 c
<b>FE-C6-60-BLK</b>	60ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	13.60 c
<b>FE-C6-75-BLK</b>	75ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	16.82 c
<b>BE-100710BK</b>	75ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	16.82 A

<b>FE-C6-100-BLK</b>	100ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	19.50 C
<b>FE-C6-150-BLK</b>	150ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	26.68 B
<b>FE-C6-200-BLK</b>	200ft Cat6 Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	34.07 B
<b>FE-ADT-433</b>	USB Type-C to RJ45 CAT6/Gigabit Ethernet Adapter, 5 inch, Black	19.06 B
<b>FE-ADT-291</b>	Keystone Jack Insert/Coupler Type Cat 6 RJ45 Networking, Black	1.76 B
<b>FE-KEY-CAT6KIT-BK</b>	Keystone Jack Insert/Punch-down SLIM - Cat 6 RJ45 Networking, Black	2.25 C
<b>FE-ADT-290</b>	Keystone Jack Insert/Coupler Type - Cat 5E RJ45 Networking, Black	1.55 C
<b>FE-KEY-CAT690-BK</b>	Keystone Jack Insert/Coupler Type ANGLED/90 Cat 6 RJ45 Networking, Black	2.06 A

## Cat 5E SHIELDED Patch Cables

Price / Tier



### -- CAT5E SHIELDED ETHERNET RJ45 PATCH CABLE, STRANDED, SNAGLESS BOOTED, BLUE --

<b>BE-100614BL</b>	6INCH Cat5E SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLUE	1.57 C
<b>FE-C55-01-BLU</b>	1ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	1.82 D
<b>BE-100601RD</b>	1ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted, RED	1.84 B
<b>FE-C55-02-BLU</b>	2ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	2.07 D
<b>FE-C55-03-BLU</b>	3ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	2.70 D
<b>FE-C55-04-BLU</b>	4ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	2.83 D
<b>FE-C55-05-BLU</b>	5ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	2.98 D
<b>FE-C55-06-BLU</b>	6ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	3.31 D
<b>FE-C55-07-BLU</b>	7ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	3.50 D
<b>FE-C55-10-BLU</b>	10ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	4.04 D
<b>FE-C55-14-BLU</b>	14ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	5.36 D
<b>BE-100616BL</b>	20ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	6.71 A
<b>FE-C55-25-BLU</b>	25ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	10.96 C
<b>HA-C55-35-BLU</b>	35ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	9.90 D
<b>HA-C55-40-BLU</b>	40ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	11.17 D
<b>FE-C55-50-BLU</b>	50ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	15.34 D
<b>HA-C55-60-BLU</b>	60ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	14.49 D
<b>BE-100610BL</b>	75ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLUE	22.59 B
<b>FE-C55-100-BLU</b>	100ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLU	29.29 D
<b>FE-C55-150-BLU</b>	150ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLU	45.38 C
<b>FE-C55-200-BLU</b>	200ft Cat5E SHIELDED Ethernet RJ45 Patch Cable,Stranded,Snagless Booted,BLU	56.10 D
<b>FE-ADT-301</b>	8inch Network MALE/FEMALE PANEL CONNECT, CAT5E SHIELDED, Gold Plated,Blac	4.94 D
<b>FE-ADT-289</b>	12inch CAT5E SHIELDED Network MALE/FEMALE Port-Saver, Gold Plated, GRAY	8.07 D
<b>FE-WAL-RJ45-2</b>	Wall plate Surface Block (Biscuit Jack) RJ45 2 Port, White	3.61 B
<b>FE-WAL-RJ45-4</b>	Wall plate Surface Block (Biscuit Jack) CAT5E RJ45 4 Port, Punch-down type	7.84 B
<b>FE-WAL-C6-4</b>	Wall plate Surface Block (Biscuit Jack) CAT6 RJ45 4 Port, Punch-down type	12.08 B

## Cat 5E Patch Cables (ANGLED)

Price / Tier



<b>FE-C590-6IN-BLU</b>	6INCH Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	1.55 C
<b>FE-C590-01-BLU</b>	1ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	1.55 C
<b>FE-C590-02-BLU</b>	2ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	1.79 C
<b>FE-C590-03-BLU</b>	3ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	2.24 C
<b>FE-C590-04-BLU</b>	4ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	2.42 C
<b>FE-C590-05-BLU</b>	5ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	2.55 C
<b>FE-C590-06-BLU</b>	6ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	2.78 C
<b>FE-C590-07-BLU</b>	7ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	3.01 C
<b>FE-C590-10-BLU</b>	10ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	3.96 C
<b>FE-C590-14-BLU</b>	14ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	4.55 C
<b>FE-C590-20-BLU</b>	20ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	6.05 C
<b>FE-C590-25-BLU</b>	25ft Cat5E ANGLED Ethernet RJ45 Patch Cable, NON-BOOTED, BLUE	6.44 C
<b>FE-ADT-345</b>	RJ45 CAT6/5E Ethernet 1 In, 2 Out Port Adapter/Coupler/Splitter	3.63 B
<b>FE-ADT-341</b>	RJ45 CAT6 Ethernet RIGHT FACING Angle Adapter Male/Female	4.94 C
<b>FE-ADT-340</b>	RJ45 CAT6 Ethernet UP FACING Angle Adapter Male/Female	4.94 C
<b>FE-ADT-452</b>	RJ45 CAT6/5E 2 Port Mini Networking Ethernet Switch	12.21 A

## Cat 6 Patch Cables (ANGLED)

Price / Tier



**FE-C690-6IN-BLK**  
**FE-C690-01-BLK**

**-- CAT6 ANGLED-UP ETHERNET RJ45 PATCH CABLE, NON-BOOTED, BLACKACK --**

6INCH Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	2.51 D
1ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	2.70 C



Connects any CAT6 application such as computer to hub, patch panel or wall jack. This 550MHz CAT6 PVC stranded patch cord meets TIA/EIA 568A specifications, and support all CAT6 and other high speed applications. One end is ANGLED 90 degrees. When plugged into a female jack, this will normally have the cable angle UPWARDS

- 24AWG Copper twisted pairs
- Suitable for any 10Mbit, 100Mbit, & 1Gbit network standards up to 1000ft segment runs
- 550 Mhz Category 6, exceed IEEE standards
- Unshielded Twisted pairs (UTP) suitable for most business and home network installations
- Cable Category: CM NEC Rated for In-wall installation (Home or business)
- EIA/TIA TSB-40A ETL Verified, for Stranded 568B standards
- 50u" Gold Plated contacted, 1 End 90 Degree ANGLE, the other end STRAIGHT
- Molded Strain Relief boot connectors
- RoHS Compliant, UL & CSA Listed

<b>FE-C690-02-BLK</b>	2ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	2.87 C
<b>FE-C690-03-BLK</b>	3ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	3.04 C
<b>FE-C690-04-BLK</b>	4ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	3.18 D
<b>FE-C690-05-BLK</b>	5ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	3.36 C
<b>FE-C690-06-BLK</b>	6ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	4.13 C
<b>FE-C690-07-BLK</b>	7ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	4.91 D
<b>FE-C690-10-BLK</b>	10ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	5.93 C
<b>FE-C690-14-BLK</b>	14ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	6.77 C
<b>FE-C690-20-BLK</b>	20ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	7.83 C
<b>FE-C690-25-BLK</b>	25ft Cat6 ANGLED-UP Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	9.69 C

**-- CAT6 ANGLED-DOWN ETHERNET RJ45 PATCH CABLE, NON-BOOTED, BLACK --**

<b>FE-C6270-6IN-BLK</b>	6INCH Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	2.51 D
<b>FE-C6270-01-BLK</b>	1ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	2.70 D
<b>FE-C6270-02-BLK</b>	2ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	2.87 C
<b>FE-C6270-03-BLK</b>	3ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	2.79 C
<b>FE-C6270-04-BLK</b>	4ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	3.72 D
<b>FE-C6270-05-BLK</b>	5ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	3.36 C
<b>FE-C6270-06-BLK</b>	6ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	3.91 D
<b>FE-C6270-07-BLK</b>	7ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	4.10 C
<b>FE-C6270-10-BLK</b>	10ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	4.85 C
<b>FE-C6270-14-BLK</b>	14ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	6.15 C
<b>FE-C6270-20-BLK</b>	20ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	7.83 C
<b>FE-C6270-25-BLK</b>	25ft Cat6 ANGLED-DOWN Ethernet RJ45 Patch Cable, NON-BOOTED, BLACK	9.69 C
<b>FE-ADT-345</b>	RJ45 CAT6/5E Ethernet 1 In, 2 Out Port Adapter/Coupler/Splitter	3.63 B
<b>FE-ADT-347</b>	1.6ft CAT6 SHIELDED, Straight Female to UP-Angled Male, BLACK	3.81 C
<b>FE-ADT-452</b>	RJ45 CAT6/5E 2 Port Mini Networking Ethernet Switch	12.21 A
<b>FE-ADT-341</b>	RJ45 CAT6 Ethernet RIGHT FACING Angle Adapter Male/Female	4.94 C
<b>FE-ADT-340</b>	RJ45 CAT6 Ethernet UP FACING Angle Adapter Male/Female	4.94 C

**Cat 6A SHIELDED Patch Cables (Black & Grey Available)**

Price / Tier



<b>FE-C6A-6IN-BLK</b>	6INCH Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	3.36 D
<b>FE-C6A-01-BLK</b>	1ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	3.36 D
<b>FE-C6A-01EXT-BLK</b>	12inch CAT6A SHIELDED Network MALE/FEMALE Port-Saver, Gold Plated, BLACK	3.64 D
<b>FE-C6A-02-BLK</b>	2ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	6.30 D
<b>FE-C6A-03-BLK</b>	3ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	6.30 D
<b>FE-C6A-04-BLK</b>	4ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	5.67 D
<b>FE-C6A-05-BLK</b>	5ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	6.25 D
<b>FE-C6A-06-BLK</b>	6ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	7.44 D
<b>FE-C6A-07-BLK</b>	7ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	7.44 D
<b>FE-C6A-10-BLK</b>	10ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	9.52 D
<b>FE-C6A-15-BLK</b>	15ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	11.48 D
<b>BE-100860BK</b>	20ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	16.04 B
<b>FE-C6A-25-BLK</b>	25ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	18.29 D
<b>FE-C6A-35-BLK</b>	35ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	23.39 C
<b>FE-C6A-75-BLK</b>	75ft Cat6A SHIELDED Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	44.78 C



## Cat 5E Cross-Over / System Link

Price / Tier



**MR-C5XMB-5GRY**

### -- CAT5E CROSSOVER ETHERNET RJ45 PATCH CABLES --

5ft Cat5E CROSSOVER Ethernet RJ45 Patch Cable, Snagless Booted, Gray ..... 1.98 B

### -- ACCESSORIES AND ADAPTERS --

**BE-102002WT**

Inline Coupler RJ45 Cat5e Jack CrossOver, Female to Female, White ..... 3.70 C

**WN-5EPP12V-S**

12 port, CAT5E Universal Patch Panel Wall-Mountable ..... 20.63 A

**WN-5EPP24-S**

24 port (1U), 19" CAT5E Universal Patch Panel, Rack Mountable ..... 51.76 A

**WN-5EPP48-S**

48 port (2U), 19" CAT5E Universal Patch Panel, Rack Mountable ..... 82.34 A

**WN-6EPP12V-S**

12 port, CAT6 Universal Patch Panel Wall-Mountable ..... 42.27 A

**WN-6EPP24-S**

24 port (1U), 19" CAT6 Universal Patch Panel, Rack Mountable ..... 79.89 A

**WN-6EPP48-S**

48 port (2U), 19" CAT6 Universal Patch Panel, Rack Mountable ..... 109.55 A

**WN-BPPWM-48**

48 port, 19" Keystone (Blanks, 2U) Universal Patch Panel ..... 31.49 A

**WN-BPPWM-24**

24 port, 19" Keystone (Blanks, 1U) Universal Patch Panel with Lacing Bar ..... 17.46 A

**DA-20-5550**

19" Rack Cable Management Wire Holder ..... 15.13 A

## Cat 7 SHIELDED Patch Cables

Price / Tier



**FE-C7-01EXT-GRY**

12inch CAT7 SHIELDED Network MALE/FEMALE Port-Saver, Gold Plated, GRAY ..... 4.05 D

**FE-C7S-01-BLU**

1ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 4.25 D



The latest standard from the TIA for enhanced performance standards for twisted pair cable systems was defined in February 2002 in ANSI/TIA/EIA-568-B.2-10. CATEGORY 7 is defined at frequencies up to 600 MHz, supporting device speeds up to 10Gbps

- Performance conforms to proposed Cat.7 Class F standards (ANSI/TIA-568-B.2-1)
- 26AWG stranded copper wire x 4 pairs
- UL listed and cUL Listed
- RoHS compliant
- Double shielded: Each pair foil shielded / 4 pair braid shielded
- 50 micron gold plated RJ45 shielded plug Suitable for 10Gbase-T networks
- Molded shielded snagless boot

**FE-C7S-03-BLU**

3ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 4.05 C

**FE-C7S-05-BLU**

5ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 5.15 C

**FE-C7S-07-BLU**

7ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 6.27 C

**FE-C7S-10-BLU**

10ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 9.68 C

**FE-C7S-15-BLU**

15ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 12.95 C

**FE-C7S-20-BLU**

20ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 16.18 C

**FE-C7S-25-BLU**

25ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 18.26 C

**FE-C7S-30-BLU**

30ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 20.89 C

**FE-C7S-40-BLU**

40ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 25.53 C

**FE-C7S-50-BLU**

50ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 30.85 C

**FE-C7S-60-BLU**

60ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 36.18 C

**FE-C7S-80-BLU**

80ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 46.61 C

**FE-C7S-100-BLU**

100ft Cat7 SHIELDED (SSTP) RJ45 Ethernet Patch Cord, Booted, BLUE ..... 58.00 C

## Cat 8 SHIELDED Patch Cables

Price / Tier



**BE-100371BK**

1ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 5.04 B

**BE-100372BK**

2ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 5.68 B

**BE-100373BK**

3ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 6.22 B

**BE-100375BK**

5ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 7.39 B

**BE-100377BK**

7ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 8.52 B

**BE-100378BK**

10ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 10.28 B

**BE-100360BK**

15ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 21.34 B

**BE-100361BK**

25ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 32.23 B

**BE-100362BK**

35ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 34.67 B

**BE-100363BK**

50ft Cat8 SHIELDED (S/FTP) RJ45 Ethernet Patch Cord, Booted, BLACK ..... 64.02 B



## Cat 6 Ultra Slim Patch Cables (Black, Grey, Blue, & White Available)

Price / Tier



<b>FE-C6SLM-6IN-BLK</b>	6INCH Cat6 SLIM Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	2.75 D
<b>FE-C6SLM-01-BLK</b>	1ft Cat6 SLIM Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	2.83 D
<b>BE-100182BK</b>	1.5ft Cat6 SLIM Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	2.89 C
<b>FE-C6SLM-02-BLK</b>	2ft Cat6 SLIM Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	2.99 D
<b>FE-C6SLM-03-BLK</b>	3ft Cat6 SLIM Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	3.21 D
<b>FE-C6SLM-04-BLK</b>	4ft Cat6 SLIM Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	3.55 D
<b>FE-C6SLM-06-BLK</b>	6ft Cat6 SLIM Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	3.72 D
<b>FE-C6SLM-08-BLK</b>	8ft Cat6 SLIM Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	4.27 D
<b>FE-C6SLM-10-BLK</b>	10ft Cat6 SLIM Ethernet RJ45 Patch Cable, Stranded, Snagless Booted, BLACK	4.63 D

## Fiber Optic Jumpers

Price / Tier

### Fiber Optic LC/LC SingleMode Duplex 9/125



<b>BE-102792</b>	1 Meter LC/LC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	12.33 D
<b>BE-102793</b>	2 Meter LC/LC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	12.32 D
<b>BE-102794</b>	3 Meter LC/LC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	12.73 C
<b>BE-102808</b>	4 Meter LC/LC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	13.17 B
<b>BE-102795</b>	5 Meter LC/LC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	13.34 C
<b>BE-102809</b>	6 Meter LC/LC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	13.87 C
<b>BE-102855</b>	7 Meter LC/LC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	14.81 C
<b>BE-102856</b>	10 Meter LC/LC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	15.52 C
<b>FE-ADT-444</b>	LC-LC Fiber Optic Single-Mode Coupler / Adapter	1.05 D
<b>FE-KEY-LC</b>	Keystone Jack - Fiber Optic LC Type (9/125, 50/125) OM2/3/4	2.43 C

### Fiber Optic LC/LC 10G Multimode Duplex OM3 50/125



<b>FE-LCLCM-50CM</b>	0.5 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	11.30 D
<b>FE-LCLCM-01</b>	1 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	13.00 D
<b>FE-LCLCM-02</b>	2 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	13.12 C
<b>FE-LCLCM-03</b>	3 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	15.22 C
<b>FE-LCLCM-05</b>	5 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	16.83 C
<b>FE-LCLCM-06</b>	6 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	20.23 C
<b>BE-102683</b>	7 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	21.07 C
<b>FE-LCLCM-08</b>	8 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	22.21 C
<b>FE-LCLCM-10</b>	10 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	22.84 B
<b>FE-LCLCM-15</b>	15 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	31.58 C
<b>BE-105009</b>	20 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	39.79 C
<b>BE-105011</b>	30 Meter LC/LC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	55.38 C
<b>FE-ADT-443</b>	LC-LC Fiber Optic Multimode Duplex Coupler / Adapter	2.34 D
<b>BE-102887</b>	LC-LC Fiber Optic Multimode Duplex OM3 Coupler / Adapter	1.88 C
<b>FE-KEY-LC</b>	Keystone Jack - Fiber Optic LC Type (9/125, 50/125) OM2/3/4	2.43 C
<b>BE-190517</b>	Cisco(TM) Compatible (GLC-SX-MM) GE SFP 1000MB SX Mini-GBIC 30-1301-02	54.97 A
<b>BE-190519</b>	Cisco(TM) Compatible (GLC-T) 1000 Base-T SFP Copper 100 Meter 30-14 Trans	67.68 A
<b>BE-190518</b>	Cisco(TM) Compatible (GLC-LH-SM) GE SFP LC Connector LX/LH Transceiver	79.50 A
<b>BE-190515</b>	Cisco(TM) Compatible (SFP-10G-SR) 10G Base-SR Mini-GBIC Rev3 Transceiver	84.66 A
<b>BE-190516</b>	Cisco(TM) Compatible (SFP-10G-LR) 10G Base -LR Mini-GBIC Rev2 Transceiver	136.70 A

### Fiber Optic LC/LC 100G Multimode Duplex OM4 50/125




<b>BE-102957</b>	1 Meter LC/LC 40/100G Multi-Mode Duplex OM4 50/125 Fiber Optic Cable	13.17 B
<b>BE-102958</b>	1.5 Meter LC/LC 40/100G Multi-Mode Duplex OM4 50/125 Fiber Optic Cable	13.41 B
<b>BE-102959</b>	2 Meter LC/LC 40/100G Multi-Mode Duplex OM4 50/125 Fiber Optic Cable	14.32 B
<b>BE-102960</b>	3 Meter LC/LC 40/100G Multi-Mode Duplex OM4 50/125 Fiber Optic Cable	16.16 B
<b>BE-102961</b>	4 Meter LC/LC 40/100G Multi-Mode Duplex OM4 50/125 Fiber Optic Cable	18.10 B
<b>BE-102969</b>	15 Meter LC/LC 40/100G Multi-Mode Duplex OM4 50/125 Fiber Optic Cable	36.74 X
<b>BE-102970</b>	20 Meter LC/LC 40/100G Multi-Mode Duplex OM4 50/125 Fiber Optic Cable	48.69 B
<b>BE-102971</b>	25 Meter LC/LC 40/100G Multi-Mode Duplex OM4 50/125 Fiber Optic Cable	58.14 B
<b>FE-KEY-LC</b>	Keystone Jack - Fiber Optic LC Type (9/125, 50/125) OM2/3/4	2.43 C

### Fiber Optic LC/LC 100G Multimode Duplex OM5 50/125




<b>BE-105225</b>	2 Meter LC/UPC-LC/UPC OM5 Multi-Mode Duplex OFNR 50/125 Fiber Optic Cable	20.69 D
<b>BE-105226</b>	3 Meter LC/UPC-LC/UPC OM5 Multi-Mode Duplex OFNR 50/125 Fiber Optic Cable	26.06 D

## Fiber Optic LC/SC SingleMode Duplex 9/125




BE-102796	1 Meter LC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	9.60 X
BE-102797	2 Meter LC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	10.97 C
BE-102798	3 Meter LC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	11.82 X
BE-102799	5 Meter LC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	12.91 B
BE-102857	7 Meter LC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	14.20 B
BE-102858	10 Meter LC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	17.20 C
BE-102881	15 Meter LC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	21.06 C
FE-KEY-LC	Keystone Jack - Fiber Optic LC Type (9/125, 50/125) OM2/3/4	2.43 C
FE-KEY-SC	Keystone Jack Insert/Coupler - Fiber Optic SC (9/125 or 50/125) OM2/3/4	2.21 B

## Fiber Optic LC/SC 10G Multimode Duplex OM3 50/125




BE-102621	1 Meter LC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	10.40 C
BE-102622	2 Meter LC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	12.93 C
BE-102689	4 Meter LC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	14.33 B
BE-102624	5 Meter LC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	17.31 C
BE-102625	10 Meter LC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	25.28 B
FE-KEY-SC	Keystone Jack Insert/Coupler - Fiber Optic SC (9/125 or 50/125) OM2/3/4	2.21 B
FE-KEY-LC	Keystone Jack - Fiber Optic LC Type (9/125, 50/125) OM2/3/4	2.43 C
BE-190517	Cisco(TM) Compatible (GLC-SX-MM) GE SFP 1000MB SX Mini-GBIC 30-1301-02	54.97 A
BE-190519	Cisco(TM) Compatible (GLC-T) 1000 Base-T SFP Copper 100 Meter 30-14 Trans	67.68 A
BE-190518	Cisco(TM) Compatible (GLC-LH-SM) GE SFP LC Connector LX/LH Transceiver	79.50 A
BE-190515	Cisco(TM) Compatible (SFP-10G-SR) 10G Base-SR Mini-GBIC Rev3 Transceiver	84.66 A
BE-190516	Cisco(TM) Compatible (SFP-10G-LR) 10G Base -LR Mini-GBIC Rev2 Transceiver	136.70 A

## Fiber Optic SC/SC SingleMode Duplex 9/125




BE-102788	1 Meter SC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	12.26 B
BE-102789	2 Meter SC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	13.02 D
BE-102790	3 Meter SC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	7.88 B
BE-102791	5 Meter SC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	9.63 B
BE-102853	7 Meter SC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	15.74 B
BE-102854	10 Meter SC/SC Single-Mode Duplex 9/125 Fiber Optic Networking Cable	17.25 C
BE-102889	SC-SC Fiber Optic Single-Mode Simplex Coupler / Adapter	0.71 B
FE-KEY-SC	Keystone Jack Insert/Coupler - Fiber Optic SC (9/125 or 50/125) OM2/3/4	2.21 B

## Fiber Optic SC/SC 10G Multimode Duplex OM3 50/125




<b>-- 10G (AQUA) SC/SC MULTI-MODE DUPLEX OM3 50/125 FIBER OPTIC NETWORKING CABLE --</b>		
BE-102634	1 Meter SC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	6.66 B
BE-102635	2 Meter SC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	13.24 B
BE-102636	3 Meter SC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	12.74 C
MR-F03M-SCSC-5M	5 Meter SC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	16.86 X
BE-102638	10 Meter SC/SC 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	23.98 X
FE-102888	SC-SC Fiber Optic Multimode Duplex Coupler / Adapter	1.33 B
FE-STSC	ST-SC Fiber Optic Multimode Duplex Coupler / Adapter	3.70 C
FE-KEY-SC	Keystone Jack Insert/Coupler - Fiber Optic SC (9/125 or 50/125) OM2/3/4	2.21 B
<b>-- 1G (ORANGE) SC/SC MULTI-MODE DUPLEX OM2 50/125 FIBER OPTIC NETWORKING CABLE --</b>		
BE-102762	3 Meter SC/SC Multi-Mode Duplex OM2 50/125 Fiber Optic Networking Cable	13.96 C

## Fiber Optic ST/ST 10G Multimode Duplex OM3 50/125



BE-102646	1 Meter ST/ST 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	11.10 B
BE-102647	2 Meter ST/ST 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	12.50 X
BE-102648	3 Meter ST/ST 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	13.88 X
BE-102649	5 Meter ST/ST 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Networking Cable	16.71 X
BE-102650	10 Meter ST/ST 10G Multi-Mode Duplex OM3 50/125 Fiber Optic Network Cable	23.70 B
FE-STSC	ST-SC Fiber Optic Multimode Duplex Coupler / Adapter	3.70 C

## Adapters and Couplers



FE-ADT-444	LC-LC Fiber Optic Single-Mode Coupler / Adapter	1.05 D
FE-ADT-443	LC-LC Fiber Optic Multimode Duplex Coupler / Adapter	2.34 D
BE-102887	LC-LC Fiber Optic Multimode Duplex OM3 Coupler / Adapter	1.88 C
BE-102889	SC-SC Fiber Optic Single-Mode Simplex Coupler / Adapter	0.71 B
BE-102888	SC-SC Fiber Optic Multimode Duplex Coupler / Adapter	1.33 B
FE-STSC	ST-SC Fiber Optic Multimode Duplex Coupler / Adapter	3.70 C

## Cisco (TM) Transceivers



<b>BE-190519</b>	Cisco(TM) Compatible (GLC-T) 1000 Base-T SFP Copper 100 Meter 30-14 Trans	67.68 A
<b>BE-190515</b>	Cisco(TM) Compatible (SFP-10G-SR) 10G Base-SR Mini-GBIC Rev3 Transceiver	84.66 A
<b>BE-190518</b>	Cisco(TM) Compatible (GLC-LH-SM) GE SFP LC Connector LX/LH Transceiver	79.50 A
<b>BE-190517</b>	Cisco(TM) Compatible (GLC-SX-MM) GE SFP 1000MB SX Mini-GBIC 30-1301-02	54.97 A
<b>BE-190516</b>	Cisco(TM) Compatible (SFP-10G-LR) 10G Base -LR Mini-GBIC Rev2 Transceiver	136.70 A

## Switches and Routers

Price / Tier



<b>-- 10/100 MBIT NETWORK SWITCHES --</b>		
<b>BE-102301</b>	5 Port 10/100 Mbit TP-LINK Network Switch (TL-SF1005D)	22.17 B
<b>BE-102303</b>	8 Port 10/100 Mbit TP-LINK Network Switch (TL-SF1008D)	28.45 B
<b>BE-102307</b>	16 Port 10/100 Mbit TP-LINK Network Switch (TL-SF1016D)	70.41 A
<b>BE-102305</b>	24 Port 10/100 Mbit TP-LINK Rack Mountable Network Switch (SF1024)	83.80 A
<b>-- GIGABIT (1000MBITS) NETWORK SWITCHES --</b>		
<b>BE-102319</b>	5 Port GIGABIT TP-LINK Network Switch (SG1005D)	39.54 A
<b>BE-102308</b>	8 Port GIGABIT TP-LINK Network Switch (SG1008D)	58.52 B
<b>BE-102320</b>	24 Port GIGABIT TP-LINK Rack Mountable Network Switch (SG1024)	143.42 A
<b>-- ROUTERS AND ACCESSORIES --</b>		
<b>FE-ADT-372</b>	Power Injector for POE (Power over Ethernet) 48V/0.5Amp for IP Devices	11.89 C
<b>BE-103023</b>	750Mbps WiFi TP-LINK Range Extender/Hot-Spot via Wall Plug	39.38 A

## Connectors / Accessories

Price / Tier



<b>NW-06AC3903</b>	EZ-RJ45 Platinum Modular Plugs for CAT5E Wire, Pack of 100	109.50 A
<b>NW-45AC6256</b>	EZ-RJ45 Platinum Modular Plugs for CAT6 Wire, Pack of 100	99.50 A
<b>MR-RJ45SC</b>	RJ45 Modular Plugs for CAT5E **SHIELDED** Wire, Pkg of 100	27.76 A
<b>FE-C5-RJ45-100</b>	RJ45 Modular Plugs for CAT5/CAT5E Solid Wire, Pack of 100	12.72 C
<b>FE-C5-RJ45-20</b>	RJ45 Modular Plugs for CAT5/CAT5E Solid Wire, Pack of 20	4.03 D
<b>FE-KEY-CAT5-WH</b>	Keystone Jack Insert/Coupler Type - Cat 5E/6 RJ45 Networking, white	2.30 D
<b>FE-KEY-CAT5KIT-BK</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Black	2.12 D
<b>FE-KEY-C6S</b>	Keystone Jack Insert/Punch-down - Cat 6 SHIELDED RJ45 Networking	4.05 C
<b>FE-KEY-C6A-MT</b>	Keystone Jack INSERT/PUNCH-DOWN Type SHIELDED-Cat 6A RJ45 Networking, Metal	5.10 C
<b>FE-KEY-CAT5SLM-WH</b>	Keystone Jack Insert/Punch-down SLIM - Cat 5E RJ45 Networking, White	1.97 D
<b>FE-KEY-CAT5KIT-WH</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, White	2.33 D
<b>FE-KEY-CAT5KIT-IV</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Ivory	2.12 D
<b>BE-101602YW</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Yellow	2.07 B
<b>FE-KEY-CAT5KIT-RD</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Red	2.07 D
<b>FE-KEY-CAT5KIT-GY</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Gray	2.07 D
<b>FE-KEY-CAT5KIT-BL</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Blue	2.12 D
<b>FE-KEY-SC</b>	Keystone Jack Insert/Coupler - Fiber Optic SC (9/125 or 50/125) OM2/3/4	2.21 B
<b>-- FIBER OPTIC (NETWORKING) KEYSTONE INSERTS --</b>		
<b>FE-KEY-LC</b>	Keystone Jack - Fiber Optic LC Type (9/125, 50/125) OM2/3/4	2.43 C
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A
<b>BE-101301BL</b>	RJ45 Boots for CAT5/5E/6 RJ45, Blue, Pack of 100	7.89 C
<b>BE-101301GY</b>	RJ45 Boots for CAT5/5E/6 RJ45, Gray, Pack of 100	8.35 C
<b>FE-C6S-RJ45-100</b>	RJ45 Modular Plugs for CAT6 **SHIELDED** Wire, Pkg of 100	15.10 A
<b>FE-C6-RJ45-20L</b>	RJ45 Modular Plugs for CAT6 Solid Wire with Load-Bar, Pack of 20	4.43 C
<b>FE-C8-RJ45</b>	RJ45 Shielded Modular Plug (toolless) for CAT8 (Single Piece)	6.43 A
<b>FE-KEY-CAT690-BK</b>	Keystone Jack Insert/Coupler Type ANGLED/90 Cat 6 RJ45 Networking, Black	2.06 A
<b>FE-KEY-CAT690-WH</b>	Keystone Jack Insert/Coupler Type ANGLED/90 Cat 6 RJ45 Networking, White	2.58 B
<b>FE-KEY-CAT5-IV</b>	Keystone Jack Insert/Coupler Type - Cat 5E RJ45 Networking, Ivory	2.21 D
<b>FE-ADT-291</b>	Keystone Jack Insert/Coupler Type Cat 6 RJ45 Networking, Black	1.76 B
<b>FE-KEY-CAT6SLM-WH</b>	Keystone Jack Insert/Punch-down SLIM - Cat 6 RJ45 Networking, White	2.51 C
<b>FE-KEY-CAT6KIT-WH</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, White	3.10 D
<b>BE-101702IV</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Ivory	2.43 B
<b>FE-KEY-CAT6KIT-BL</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Blue	2.48 C
<b>FE-KEY-CAT6KIT-BK</b>	Keystone Jack Insert/Punch-down SLIM - Cat 6 RJ45 Networking, Black	2.25 C
<b>FE-KEY-CAT6KIT-RD</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Red	2.20 C
<b>FE-KEY-CAT6KIT-YW</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Yellow	2.25 D
<b>FE-KEY-CAT6KIT-GN</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Green	2.25 C
<b>FE-KEY-CAT6A-MT</b>	Keystone Jack Insert/Punch-down - Cat 6A SHIELDED RJ45 Networking	5.25 C

<b>MR-KEY645-90GRY</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Gray	2.28 B
<b>FE-KEY-CAT6KIT-OR</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Orange	2.25 D
<b>FE-KEY-CAT6A-WH</b>	Keystone Jack Insert/Punch-down - Cat 6A RJ45 Networking, White	2.81 B
<b>FE-ADT-292</b>	Wall plate: Keystone Jack/Coupler - Cat 6 RJ45 Networking, Gray	2.02 C
<b>-- CAT 7 AND CAT 8 PUNCHDOWN AND COUPLER-TYPE KEYSTONE INSERTS --</b>		
<b>FE-ADT-414</b>	Keystone Jack Insert/Punch-down - Cat 7 RJ45 Networking, Die-Cast	8.61 A
<b>FE-ADT-415</b>	Keystone Jack Insert/Punch-down - Cat 8 RJ45 Networking, Die-Cast	9.20 A
<b>-- SURFACE BLOCK AND TOOLS --</b>		
<b>FE-WAL-RJ45-4</b>	Wall plate Surface Block (Biscuit Jack) CAT5E RJ45 4 Port, Punch-down type	7.84 B
<b>FE-WAL-C6-4</b>	Wall plate Surface Block (Biscuit Jack) CAT6 RJ45 4 Port, Punch-down type	12.08 B
<b>BE-250103</b>	RJ45 Network Cable Crimper Tool (for CAT5E/CAT6 Modular Crimping)	15.22 B
<b>NW-13T8759</b>	EZ-RJ45(TM) Replacement Blade Kit for Platinum Network Cable Crimper Tool	17.90 B
<b>NW-74R1290</b>	EZ-RJ45 Platinum Network Cable Crimper Tool (for CAT5E/CAT6 Crimping)	139.50 A
<b>BE-150464</b>	USB 2.0 Type A Male/Female Extender via RJ45 CAT5/CAT6 Ethernet to 150ft	10.92 B
<b>FE-ADT-372</b>	Power Injector for POE (Power over Ethernet) 48V/0.5Amp for IP Devices	11.89 C
<b>BE-250131</b>	Impact Punch Down (Type 110/66) Tool with Hook and Extractor	24.75 A

## Cisco (TM) Transceivers

Price / Tier



<b>BE-190517</b>	Cisco(TM) Compatible (GLC-SX-MM) GE SFP 1000MB SX Mini-GBIC 30-1301-02	54.97 A
<b>BE-190519</b>	Cisco(TM) Compatible (GLC-T) 1000 Base-T SFP Copper 100 Meter 30-14 Trans	67.68 A
<b>BE-190518</b>	Cisco(TM) Compatible (GLC-LH-SM) GE SFP LC Connector LX/LH Transceiver	79.50 A
<b>BE-190515</b>	Cisco(TM) Compatible (SFP-10G-SR) 10G Base-SR Mini-GBIC Rev3 Transceiver	84.66 A
<b>BE-190516</b>	Cisco(TM) Compatible (SFP-10G-LR) 10G Base -LR Mini-GBIC Rev2 Transceiver	136.70 A

## Computer Cables - Firewire / 1394

Firewire / 1394 / iLink

Firewire cables (also known as iLink, and IEEE cables) are primarily used in the marketplace to connect Digital Video Cameras and Hard Drives to PC's. A typical firewire port found on a Digital Video Camera is a "4 pin" variety. My Cable Mart carries many lengths and adapters to go from 6 pin to 4 pin, 6 pin to 9 pin, and 9 pin to 4 pin.



<b>-- 4 PIN TO 4 PIN FIREWIRE / I LINK /1394 CABLES --</b>		
<b>BB-CC1394C-06</b>	6ft, 4 Pin to 4 Pin Firewire 400 / 1394 / iLink Cable	6.54 A
<b>FE-FWI-44-10</b>	10ft, 4 Pin to 4 Pin Firewire 400 / 1394 / iLink Cable	7.05 D
<b>FE-FWI-44-15</b>	15ft, 4 Pin to 4 Pin Firewire 400 / 1394 / iLink Cable	7.03 C
<b>FE-FWI-44-25</b>	25ft, 4 Pin to 4 Pin Firewire 400 / 1394 / iLink HEAVY DUTY Cable	10.88 C
<b>-- 4 PIN TO 6 PIN FIREWIRE / I LINK /1394 CABLES --</b>		
<b>BB-CC1394B-06</b>	6ft, 6 Pin to 4 Pin Firewire 400 / 1394 / iLink Cable	7.63 B
<b>FE-FWI-44-10</b>	10ft, 4 Pin to 4 Pin Firewire 400 / 1394 / iLink Cable	7.05 D
<b>-- 6 PIN TO 6 PIN FIREWIRE / I LINK /1394 CABLES --</b>		
<b>FE-FWI-66-06</b>	6ft, 6 Pin to 6 Pin Firewire 400 / 1394 / iLink Cable	4.44 D
<b>FE-FWI-66-03</b>	3ft, 6 Pin to 6 Pin Firewire 400 / 1394 / iLink Cable	3.67 D
<b>FE-FWI-66-06</b>	6ft, 6 Pin to 6 Pin Firewire 400 / 1394 / iLink Cable	4.44 D
<b>BB-CC1394-10</b>	10ft, 6 Pin to 6 Pin Firewire 400 / 1394 / iLink Cable	8.71 A
<b>FE-FWI-66-15</b>	15ft, 6 Pin to 6 Pin Firewire 400 / 1394 / iLink Cable	8.84 C
<b>-- 4 PIN TO 9 PIN FIREWIRE / I LINK /1394 CABLES --</b>		
<b>FE-FWI-49-10</b>	10ft, 9 Pin to 4 Pin Firewire-800/400 Bilingual Cable	7.69 C
<b>FE-FWI-66-15</b>	15ft, 6 Pin to 6 Pin Firewire 400 / 1394 / iLink Cable	8.84 C
<b>-- 9 PIN (800) TO 9 PIN (400) FIREWIRE / I LINK /1394 CABLES --</b>		
<b>MR-IE9499-6</b>	6ft, 9 Pin to 9 Pin Firewire-800/800 Bilingual Cable	9.36 C
<b>FE-FWI-99-10</b>	10ft, 9 Pin to 9 Pin Firewire-800/800 Bilingual Cable	9.30 C
<b>-- FIREWIRE ADAPTERS, EXTENDERS, HUBS, AND ACCESSORIES --</b>		
<b>FS-FWI-100</b>	Firewire 1394 / iLink 6F/4M Adapter (400mbps)	2.14 X
<b>FE-ADT-439</b>	Ferrite Core (5mm), for USB, or Other Cables for 30/32/34 AWG	1.31 D

## Computer Cables - Keyboard / Mouse



# Computer Cables - SAS & Mini SAS Cables

Serial-attached SCSI (SAS) cables provide serial communication for transfer of data for directly attached devices, such as hard disk drives, solid-state drives, and CD-ROM drives. In computing, Serial Attached SCSI (SAS) is a point-to-point serial protocol that moves data to and from computer-storage devices such as hard disk drives and tape drives.

SAS technology is have created varies different connectors, such as SFF-8086, SFF-8087, SFF-8088, SFF-8470, and SFF-8484 to name a few of the 17 different types now supported



<b>MO-8184</b>	1m 28AWG EXTERNAL Mini SAS 26 Pin (SFF-8088) Male to Male Cable .....	55.30 B
<b>MO-8185</b>	2m 28AWG EXTERNAL Mini SAS 26 Pin (SFF-8088) Male to Male Cable .....	65.02 A
<b>MO-8193</b>		36.57 A
	1m 28AWG EXTERNAL Mini SAS 34 Pin (SFF-8470) Male to Male Cable .....	

# Computer Cables - SATA / IDE

SATA I, II, III, e, IDE-40, IDE-80, and Floppy Cables



<b>-- SATA II DATA CABLES 3.0 GBIT/S (300MB/S) --</b>		
<b>MO-8785</b>	18IN SATA 3 Internal Data Cable, w/Locking Latch 90 Degree, Red .....	7.46 c
<b>MR-SATAIII-1MR</b>	36IN SATA II Internal Data Cable, w/Locking Latch 90 Degree, Red .....	3.49 c
<b>FE-SATA2-40</b>	40IN SATA II Internal Data Red Bulk Cable .....	1.90 c
<b>-- SATA III DATA CABLES 6.0 GBIT/S (600MB/S) --</b>		
<b>FE-SAT3-18</b>	16IN SATA III Internal Data Red Bulk Cable, Locking, to 6GB .....	1.13 D
<b>MO-SAT-8779</b>	24IN SATA III Internal Data Black Bulk Cable, Locking, to 6GB .....	2.39 c
<b>-- IDE CABLES AND OTHER HARD DRIVE/FLOPPY DRIVE --</b>		
<b>BB-IDEU-1BSVB</b>	18inch IDE Cable, IDE ATA/133 Single Drive Round Int Bulk Cable, Silver .....	8.32 c
<b>BB-IDEU-1DSVB</b>	36IN IDE Cable ATA/133 Single Drive Internal Drive Cable, Silver .....	13.78 B
<b>BB-IDEU-2CBG</b>	35IN IDE Cable, ATA/133 Dual Drives 80 Wires Ribbon Bulk Cable, Round Beige .....	15.25 B
<b>BB-USB2-IDE2</b>	USB 2.0 to IDE / PATA CD / DVD / Hard Drive Adapter Cable Kit .....	31.12 A
<b>BB-IDEU-2BPRB</b>	24 Inches IDE ATA/133 40pin/80wire Dual Drives Round Internal Bulk Cable .....	8.58 B
<b>BB-IDEHD-24B</b>	24IN IDE Cable IDE Dual Drives Ribbon Cable 40pin (DVD/Hard Drive) .....	1.94 c

# Computer Cables - SCSI

Standard SCSI, SCSI-160, SCSI-320, and Ultra-SCSI in multiple drive and length configurations.

<b>BB-SCSI18-1</b>	SCSI,18" SCSI IDC50 Single Drives Ribbon Bulk Cable ☉ .....	3.59 B
<b>BB-SCSI1SVB</b>	SCSI,20" IDC50 Single Drive Translucent Cable .....	7.61 X
<b>BB-SCU160SV3</b>	40" SCSI Ultra320SCSI LVD 3 Drives Translucent Silver Cable ☉ .....	34.36 B
<b>BB-SCSIR-4</b>	SCSI,45inch IDC50 Four Drives Gray Round Internal Cable ☉ .....	16.94 X
<b>BB-SCSIR-2</b>	SCSI,24" IDC50 Two Drives Gray Round Internal Cable ☉ .....	10.34 B

# Computer Cables - Serial & Parallel

Get those hard to find serial (DB9 and DB25), modem, and null-modem cables here

## Serial DB25 Male to Male

Price / Tier



<b>-- SERIAL DB25/DB25 STRAIGHT-THRU RS232 MALE TO MALE CABLE --</b>		
<b>FE-25M25M-03</b>	3ft Serial DB25/DB25 Straight-thru RS232 Male to Male Cable .....	5.05 D
<b>FE-25M25M-06</b>	6ft Serial DB25/DB25 Straight-thru RS232 Male to Male Cable .....	5.45 D
<b>FE-25M25M-10</b>	10ft Serial DB25/DB25 Straight-thru RS232 Male to Male Cable .....	5.31 C
<b>FE-25M25M-15</b>	15ft Serial DB25/DB25 Straight-thru RS232 Male to Male Cable .....	7.13 C
<b>BE-180204</b>	25ft Serial DB25/DB25 Straight-thru RS232 Male to Male Cable .....	14.41 D
<b>BB-PC305-75M</b>	75ft Serial DB25/DB25 Straight-thru RS232 Male to Male Cable .....	35.59 B
<b>BC-SC-100MM</b>	100ft Serial DB25/DB25 Straight-thru RS232 Male to Male Cable .....	51.85 A

## Serial DB25 Male to Female EXTENSION

Price / Tier





<b>-- SERIAL DB25/DB25 RS232 MALE TO FEMALE EXTENSION CABLE --</b>		
<b>FE-25M-EXT-03</b>	3ft Serial DB25/DB25 RS232 Male to Female EXTENSION Cable .....	4.92 D
<b>FE-25M-EXT-06</b>	6ft Serial DB25/DB25 RS232 Male to Female EXTENSION Cable .....	5.45 D
<b>FE-25M-EXT-10</b>	10ft Serial DB25/DB25 RS232 Male to Female EXTENSION Cable .....	7.56 D
<b>BC-SC-15MF</b>	15ft Serial DB25/DB25 RS232 Male to Female EXTENSION Cable .....	12.57 B
<b>FE-25M-EXT-25</b>	25ft Serial DB25/DB25 RS232 Male to Female EXTENSION Cable .....	13.79 C
<b>BC-SC-50MF</b>	50ft Serial DB25/DB25 RS232 Male to Female EXTENSION Cable .....	41.46 B

## Serial DB9 Male to Male

Price / Tier



<b>-- SERIAL DB9/DB9 STRAIGHT-THRU RS232 MALE TO MALE CABLE --</b>		
<b>FE-9M9M-03</b>	3ft Serial DB9/DB9 Straight-thru RS232 Male to Male Cable .....	2.86 D
<b>FE-9M9M-06</b>	6ft Serial DB9/DB9 Straight-thru RS232 Male to Male Cable .....	3.11 D
<b>FE-9M9M-10</b>	10ft Serial DB9/DB9 Straight-thru RS232 Male to Male Cable .....	4.14 D
<b>FE-9M9M-15</b>	15ft Serial DB9/DB9 Straight-thru RS232 Male to Male Cable .....	5.81 D
<b>FE-9M9M-25</b>	25ft Serial DB9/DB9 Straight-thru RS232 Male to Male Cable .....	9.35 D

## Serial DB9 Female to Female

Price / Tier

<b>FE-9F9F-25</b>	25ft Serial DB9/DB9 Straight-thru RS232 Female to Female Cable .....	6.68 C
-------------------	--	--------



<b>-- SERIAL DB9/DB9 STRAIGHT-THRU RS232 FEMALE TO FEMALE CABLE --</b>		
<b>FE-9F9F-03</b>	3ft Serial DB9/DB9 Straight-thru RS232 Female to Female Cable .....	2.68 D
<b>FE-9F9F-06</b>	6ft Serial DB9/DB9 Straight-thru RS232 Female to Female Cable .....	3.03 D
<b>FE-9F9F-10</b>	10ft Serial DB9/DB9 Straight-thru RS232 Female to Female Cable .....	3.70 D
<b>FE-9F9F-15</b>	15ft Serial DB9/DB9 Straight-thru RS232 Female to Female Cable .....	7.88 D

## Serial DB9 Male to Female EXTENSION

Price / Tier



<b>-- SERIAL CABLE, DB9/DB9 RS232 MALE TO FEMALE EXTENSION CABLE --</b>		
<b>FE-9F9M-03</b>	3ft Serial Cable, DB9/DB9 RS232 Male to Female EXTENSION Cable .....	3.23 D
<b>FE-9F9M-06</b>	6ft Serial Cable, DB9/DB9 RS232 Male to Female EXTENSION Cable .....	3.11 D
<b>GC-9F9M-10</b>	10ft Serial Cable, DB9/DB9 RS232 Male to Female EXTENSION Cable .....	4.14 C
<b>BE-180217</b>	15ft Serial Cable, DB9/DB9 RS232 Male to Female EXTENSION Cable .....	6.59 C
<b>GC-9F9M-15</b>	15ft Serial Cable, DB9/DB9 RS232 Male to Female EXTENSION Cable, Black .....	6.59 D
<b>FE-9F9M-25</b>	25ft Serial Cable, DB9/DB9 RS232 Male to Female EXTENSION Cable .....	9.06 C
<b>FE-9F9M-50</b>	50ft Serial Cable, DB9/DB9 RS232 Male to Female EXTENSION Cable .....	12.26 C
<b>FE-9F9M-100</b>	100ft Serial Cable, DB9/DB9 RS232 Male to Female EXTENSION Cable .....	28.83 D

## Serial DB9 Female to DB25 Male

Price / Tier



<b>-- SERIAL DB9 FEMALE TO DB25 RS232 MALE CABLE --</b>		
<b>GC-9F25M-01</b>	1ft Serial DB9 FEMALE to DB25 RS232 Male Cable .....	2.37 B
<b>FE-9F25M-03</b>	3ft Serial DB9 FEMALE to DB25 RS232 Male Cable .....	3.27 C
<b>GC-9F25M-06</b>	6ft Serial DB9 FEMALE to DB25 RS232 Male Cable .....	3.62 C
<b>GC-9F25M-10</b>	10ft Serial DB9 FEMALE to DB25 RS232 Male Cable .....	4.14 C

## NULL-MODEM DB9/DB25 Serial Cables (Both Genders)

Price / Tier



<b>-- NULL-MODEM SERIAL DB9/DB9 FEMALE-FEMALE CABLES --</b>		
<b>FE-NUL9F9F-01</b>	1.5ft Serial NULL-MODEM, DB9/DB9 Female to Female Cable .....	3.52 D
<b>FE-NUL9F9F-03</b>	3ft Serial NULL-MODEM, DB9/DB9 Female to Female Cable .....	3.87 D
<b>FE-NUL9F9F-06</b>	6ft Serial NULL-MODEM, DB9/DB9 Female to Female Cable .....	3.94 D
<b>FE-NUL9F9F-10</b>	10ft Serial NULL-MODEM, DB9/DB9 Female to Female Cable .....	5.11 D
<b>FE-NUL9F9F-15</b>	15ft Serial NULL-MODEM, DB9/DB9 Female to Female Cable .....	7.83 D
<b>FE-NUL9F9F-25</b>	25ft Serial NULL-MODEM, DB9/DB9 Female to Female Cable .....	5.26 C
<b>-- NULL-MODEM SERIAL DB25/DB9 MALE-FEMALE CABLES --</b>		
<b>BE-180501</b>	6ft Serial NULL-MODEM, DB25 Male to DB9 Female Cable .....	4.82 C
<b>BE-180502</b>	10ft Serial NULL-MODEM, DB25 MALE TO DB9 FEMALE CABLE .....	5.82 C
<b>-- NULL-MODEM SERIAL DB9/DB9 MALE-FEMALE CABLES --</b>		
<b>FE-NUL9F9M-06</b>	6ft Serial NULL-MODEM, DB9/DB9 Male to Female Cable .....	3.27 D
<b>FE-NUL9F9M-10</b>	10ft Serial NULL-MODEM, DB9/DB9 Male to Female Cable .....	4.01 D

## Serial Adapters and Misc Cables

Price / Tier



<b>-- MISC SERIAL / PARALLEL / CENTRONICS CONVERTER CABLES --</b>		
<b>CL-DB112-0103</b>	3ft Parallel to Centronics CN36 Male to DB25 Male Cable .....	8.49 C
<b>FE-USB-SER3-03</b>	3ft USB Type-A to Serial (DB9 Male RS232) Converter Cable .....	11.88 B
<b>CL-DB112-0110</b>	10ft Parallel to Centronics CN36 Male to DB25 Male Cable .....	14.51 C
<b>BE-150181</b>	USB A to Serial (Male/DB9) Converter via Ethernet CAT5/6/RJ45 to 270ft .....	43.45 A
<b>-- MISC SERIAL/PARALLEL/CONVERTER ADAPTERS --</b>		
<b>BE-272001</b>	DB9-Male to RJ11/12 (6 wire) RS232 Modular Adapter Ivory .....	3.76 D
<b>BE-272002</b>	DB9-Female to RJ11/12 (6 wire) RS232 Modular Adapter Ivory .....	2.89 D
<b>BE-272009</b>	DB9-Female to RJ45 (8 wire) RS232 Modular Adapter, Black .....	3.05 D
<b>BE-272005</b>	DB9-Male to RJ45 (8 wire) RS232 Modular Adapter Ivory .....	2.82 C
<b>BE-271005</b>	Serial Port Gender Changer Adapter (Male/Male) DB25, Nickel Plated .....	4.64 C
<b>FE-DB9S-M</b>	Serial Port DB9 Male RS232 Connector to Terminal Board Module w/Hood .....	6.06 B
<b>BE-271006</b>	Serial Port Gender Changer Adapter (Female/Female) DB25, Nickel Plated .....	4.56 C
<b>GC-DB9NULL-MF</b>	Serial Port Gender Changer Adapter NULL MODEM (Male/Female) DB9 .....	1.35 C
<b>FE-DB9S-F</b>	Serial Port DB9 Female RS232 Connector to Terminal Board Module w/Hood .....	6.06 B
<b>FE-ADT-343</b>	Serial Port Right Angle Adapter DB9 (Style 1), Black .....	2.76 B
<b>FE-ADT-344</b>	Serial Port Right Angle Adapter DB9 (Style 2), Black .....	3.03 C
<b>FE-ADT-449</b>	Serial Port Gender Changer Adapter (Female/Female) DB9, Nickel Plated .....	2.52 D
<b>FE-ADT-448</b>	Serial Port Gender Changer Adapter (Male/Male) DB9, Nickel Plated .....	3.07 D
<b>FE-ADT-445</b>	DB9 Male to DB25 Female, Adapter, (Serial Port) Molded .....	2.65 B
<b>FE-DB9-TS</b>	Thumb Screws ONLY (2) for Serial Port DB9 Connector to Terminal Board .....	0.86 C

## Power Cords - Computer: 5-15P to C13

Power cord for your standard desktop computer and many monitors from 1ft to 25ft



<b>-- COMPUTER POWER CORD (NEMA 5-15P TO C13 PLUG), 18AWG, BLACK --</b>		
<b>FE-PWR-01</b>	1ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	3.32 B
<b>FE-PWR-02</b>	2ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	3.64 D
<b>FE-PWR-03</b>	3ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	4.22 D
<b>FE-PWR-04</b>	4ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	5.30 D
<b>BE-210109BK</b>	5ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	4.62 B
<b>FE-PWR-06</b>	6ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	5.65 C
<b>BE-210144BK</b>	6ft ANGLED Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	5.48 B
<b>FE-PWR-08</b>	8ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	5.78 C
<b>FE-PWR-10</b>	10ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	7.02 C
<b>BE-210145BK</b>	10ft ANGLED Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	6.11 B
<b>FE-PWR-12</b>	12ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	7.27 C
<b>FE-PWR-15</b>	15ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	8.69 B
<b>FE-PWR-25</b>	25ft Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Black .....	13.49 C
<b>-- HOSPITAL GRADE COMPUTER POWER CORD (NEMA 5-15P TO C13 PLUG) --</b>		
<b>BE-210247CB</b>	10ft Hospital Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Gray .....	8.40 A
<b>BE-210241CB</b>	6ft Hospital Computer Power Cord (NEMA 5-15P to C13 Plug), 16AWG, Gray .....	7.32 A
<b>-- MISCELLANEOUS POWER AND POWER CORD ACCESSORIES --</b>		
<b>FE-PWR-PCY</b>	6ft Y Computer Power Cord (NEMA 5-15P to 2x C13 Plug), 18AWG, Black .....	6.88 D
<b>BE-210103BK</b>	6ft Computer Power Cord (Schuko CEE 7/4 to C13 Plug), 18AWG, Black .....	5.26 B

# Power Cords - Computer: 5-15P to C19



**FE-51519-03**  
**FE-51519-06**  
**FE-51519-10**

**-- COMPUTER POWER CORD (NEMA 5-15P TO C19 PLUG), 14AWG, BLACK --**

3ft Computer Power Cord (NEMA 5-15P to C19 Plug), 14AWG, Black .....	7.08 c
6ft Computer Power Cord (NEMA 5-15P to C19 Plug), 14AWG, Black .....	11.40 c
10ft Computer Power Cord (NEMA 5-15P to C19 Plug), 14AWG, Black .....	15.71 c

# Power Cords - Computer Ext: C14 to C13

Extend an existing computer on monitor power connector



**BE-210148BK**  
**FE-C14EXT-03**  
**FE-C14EXT-06**  
**FE-C14EXT-10**

**-- COMPUTER POWER EXTENSION CORD (NEMA C14 TO C13 PLUG), 18AWG, BLACK --**

1ft Computer Power Extension Cord (NEMA C14 to C13 Plug), 18AWG, Black .....	3.10 c
3ft Computer Power Extension Cord (NEMA C14 to C13 Plug), 18AWG, Black .....	4.31 c
6ft Computer Power Extension Cord (NEMA C14 to C13 Plug), 16AWG, Black .....	5.47 c
10ft Computer Power Extension Cord (NEMA C14 to C13 Plug), 18AWG, Black .....	8.04 c



Replacement power extension cord for LCD, Plasmas, PC power supplies and other devices that use 3 conductor C13/14 type power cord.

- IEC-320 C-14 to IEC-320 C-13
- AC125V 10A 1250W
- 18AWG / 3
- UL CSA Approved
- RoHS compliant

**-- MISCELLANEOUS POWER AND POWER CORD ACCESSORIES --**

**FE-PWR-PCY**  
**FE-515RC14-01**

6ft Y Computer Power Cord (NEMA 5-15P to 2x C13 Plug), 18AWG, Black .....	6.88 D
1ft Computer Power Cord (NEMA 5-15R to C14 Plug), 18AWG, Black .....	2.98 c

# Power Cords - Power Ext: C14 to C15

C14 to C15 Black Power Cords, 14AWG 3 prong



**FE-PWREXT-03**

3ft Computer Power Extension Cord (NEMA C14 to C15 Plug), 14AWG, Black .....	5.06 B
--	--------



Replacement power extension cord for LCD, Plasmas, PC power supplies and other devices that use 3 conductor C13/14 type power cord.

- IEC-320 C-14 to IEC-320 C-15
- AC125V 10A 1250W
- 14AWG / 3
- UL CSA Approved
- RoHS compliant

**FE-PWREXT-06**  
**FE-PWREXT-10**

6ft Computer Power Extension Cord (NEMA C14 to C15 Plug), 14AWG, Black .....	8.17 B
10ft Computer Power Extension Cord (NEMA C14 to C15 Plug), 14AWG, Black .....	12.01 B

# Power Cords - Power Ext: C19 to C20

Power Cord C19 (Female) to C20 (Male) Black/ SJT 14AWG, 3 Prong, rated up to 20Amps



**BE-210332BK**  
**BE-210334BK**  
**BE-210335BK**

**-- COMPUTER POWER CORD (NEMA C19 FEMALE TO C20 MALE PLUG), 14AWG, BLACK --**

2ft Computer Power Cord (NEMA C19 to C20 Plug), 14AWG, Black .....	7.09 B
6ft Computer Power Cord (NEMA C19 to C20 Plug), 14AWG, Black .....	13.52 B
10ft Computer Power Cord (NEMA C19 to C20 Plug), 14AWG, Black .....	15.52 B

## Power Cords - Extension: 5-15P to 5-15R

Extend a single 120v power source with this male to female power cord



<b>FE-515-01</b>	1ft Standard Power Extension Cord (NEMA 5-15P to 5-15R Plug), 16AWG, Black	2.88 B
<b>FE-515-03</b>	3ft Standard Power Extension Cord (NEMA 5-15P to 5-15R Plug), 16AWG, Black	4.33 B
<b>FE-515-06</b>	6ft Standard Power Extension Cord (NEMA 5-15P to 5-15R Plug), 16AWG, Black	6.48 C
<b>FE-515-10</b>	10ft Standard Power Extension Cord (NEMA 5-15P to 5-15R Plug), 16AWG, Black	9.25 C
<b>FE-515-15</b>	15ft Standard Power Extension Cord (NEMA 5-15P to 5-15R Plug), 16AWG, Black	14.93 C
<b>FE-515-25</b>	25ft Standard Power Extension Cord (NEMA 5-15P to 5-15R Plug), 16AWG, Black	20.73 C

### -- STANDARD POWER EXTENSION CORD (NEMA 5-15P TO 5-15R PLUG), 18AWG, BLACK --

### -- 3-OUTLET 3-PRONG POWER EXTENSION CORD (NEMA 5-15P TO MULTIPLE), BLACK --

### -- 3-OUTLET 3-PRONG POWER EXTENSION CORD (NEMA 5-15P TO MULTIPLE), WHITE --

<b>BB-PC3PX-06</b>	6ft 3-Outlet 3-Prong Power Extension Cord (NEMA 5-15P), Black	13.77 B
<b>BE-210217WT</b>	12ft 3-Outlet 3-Prong FLAT ANGLED Power Extension Cord (NEMA 5-15P), White	15.65 B
<b>BE-210215WT</b>	6ft 3-Outlet 3-Prong FLAT ANGLED Power Extension Cord (NEMA 5-15P), White	11.20 B
<b>BB-PC3PX-10</b>	10ft 3-Outlet 3-Prong Power Extension Cord (NEMA 5-15P), Black	14.03 B
<b>BB-PC3PX-15</b>	15ft 3-Outlet 3-Prong Power Extension Cord (NEMA 5-15P), Black	24.73 B
<b>BB-PC3PX-25</b>	25ft 3-Outlet 3-Prong Power Extension Cord (NEMA 5-15P), Black	32.89 B

### -- EXTENSION CORD WITH FLAT 360 DEGREE ROTATING SWIVEL PLUG --

<b>FE-515S-6IN-WHI</b>	6inch Extension Cord with Flat 360 Degree Rotating Swivel Plug, White	7.50 A
<b>FE-515S-6IN-BLK</b>	6inch Extension Cord with Flat 360 Degree Rotating Swivel Plug, Black	7.50 A
<b>FE-515S-12IN-WHI</b>	12inch Extension Cord with Flat 360 Degree Rotating Swivel Plug, White	8.17 A
<b>NW-26Y8641</b>	12inch Extension Cord with Flat 360 Degree Rotating Swivel Plug, Black	13.21 A

### -- MISCELLANEOUS POWER AND POWER CORD ACCESSORIES --

<b>FE-515RC14-01</b>	1ft Computer Power Cord (NEMA 5-15R to C14 Plug), 18AWG, Black	2.98 C
----------------------	--	--------

## Power Cords - Extension: 5-15P to Multi

Extend multiple 120v power devices with this standard 3-prong ground power extension cord



<b>BB-PC3PX-06</b>	6ft 3-Outlet 3-Prong Power Extension Cord (NEMA 5-15P), Black	13.77 B
<b>BB-PC3PX-10</b>	10ft 3-Outlet 3-Prong Power Extension Cord (NEMA 5-15P), Black	14.03 B
<b>BB-PC3PX-15</b>	15ft 3-Outlet 3-Prong Power Extension Cord (NEMA 5-15P), Black	24.73 B
<b>BB-PC3PX-25</b>	25ft 3-Outlet 3-Prong Power Extension Cord (NEMA 5-15P), Black	32.89 B

### -- 3-OUTLET 3-PRONG POWER EXTENSION CORD (NEMA 5-15P TO MULTIPLE), BLACK --

### -- 3-OUTLET 3-PRONG POWER EXTENSION CORD (NEMA 5-15P TO MULTIPLE), WHITE --

<b>BE-210215WT</b>	6ft 3-Outlet 3-Prong FLAT ANGLED Power Extension Cord (NEMA 5-15P), White	11.20 B
<b>BE-210217WT</b>	12ft 3-Outlet 3-Prong FLAT ANGLED Power Extension Cord (NEMA 5-15P), White	15.65 B

## Power Cords - Figure 8: 1-15P to C7

Replacement power cord for many small 2-prong electrical devices, some laptops. Includes NON polarized, and polarized female connector types.



<b>FE-PWR8-05</b>	5ft Figure 8 Power Cord (NEMA 1-15P to C7 Plug), 18AWG, Black	3.00 C
-------------------	---	--------

### -- FIGURE 8 POWER CORD (NEMA 1-15P TO C7 PLUG), 18AWG, BLACK --



Figure 8 replacement power cord fitting a large number of laptop power supplies, various AV equipment. Non-Polarized Power Cord / SPT-2 18/2 SF-21+85A

<b>BE-210301</b>	6ft Figure 8 Power Cord (NEMA 1-15P to C7 Plug), 18AWG, Black	3.42 C
<b>BE-210305</b>	6ft Figure 8 POLARIZED Power Cord (NEMA 1-15 to C7 Plug), 18/2AWG, Black	4.46 C
<b>FE-PWR8-08</b>	8ft Figure 8 Power Cord (NEMA 1-15P to C7 Plug), 18AWG, Black	4.54 D
<b>FE-PWR8-10</b>	10ft Figure 8 Power Cord (NEMA 1-15P to C7 Plug), 18AWG, Black	5.14 D

# Power Cords - Mickey Mouse: 5-15P to C5

Replacement 3-prong power cord found in many popular laptop and notebooks using the SJT Connector Type.



**FE-PWRM-03**  
**BE-210314**  
**FE-PWRM-05**

## -- MICKEY MOUSE CORD (NEMA 5-15P TO C5 PLUG), 18AWG, BLACK --

3ft Mickey Mouse Cord (NEMA 5-15P to C5 Plug), 18AWG, Black	4.06 C
3ft Mickey Mouse Cord (NEMA 5-15P to C5 Plug), 18AWG, Black	4.10 C
5ft Mickey Mouse Cord (NEMA 5-15P to C5 Plug), 18AWG, Black	4.90 C



This is a three prong conductor Power Cord, three orb end that fits many laptop ac adapters. It is also referred to as 3-Ear Plug, Cloverleaf, Tri-Plug, Orb, Shamrock or Cox-40 Fits all laptops depending on the type of ac adapter. Used for Apple, Compaq, Dell, Fujitsu, Gateway, IBM, Toshiba, and other laptops

<b>BE-210302</b>	6ft Mickey Mouse Cord (NEMA 5-15P to C5 Plug), 18AWG, Black	5.41 B
------------------	---	--------



This is a three prong conductor Power Cord, three orb end that fits many laptop ac adapters. It is also referred to as 3-Ear Plug, Cloverleaf, Tri-Plug, Orb, Shamrock or Cox-40 Fits all laptops depending on the type of ac adapter. Used for Apple, Compaq, Dell, Fujitsu, Gateway, IBM, Toshiba, and other laptops

<b>FE-PWRM-08</b>	8ft Mickey Mouse Cord (NEMA 5-15P to C5 Plug), 18AWG, Black	5.87 D
<b>FE-PWRM-10</b>	10ft Mickey Mouse Cord (NEMA 5-15P to C5 Plug), 18AWG, Black	6.85 D
<b>FE-PWRM-12</b>	12ft Mickey Mouse Cord (NEMA 5-15P to C5 Plug), 18AWG, Black	7.58 D
<b>FE-PWRM-15</b>	15ft Mickey Mouse Cord (NEMA 5-15P to C5 Plug), 18AWG, Black	8.50 D

# Power Cords - DC Barrel

Barrel Power Cables for Small Devices



<b>FE-USB-BCA31-03</b>	3ft USB 2.0 Type A Male to Barrel Connector (3.5/1.3mm) Power Cable	2.08 D
<b>FE-USB-BCA-03</b>	3ft USB 2.0 Type A Male to Barrel Connector (5.5/2.1mm) Power Cable	2.30 D
<b>FE-BARX-35-01</b>	1.5ft Barrel Connector (3.5/1.3mm) Extension Power Cable	2.23 D
<b>FE-BARX-35-03</b>	3ft Barrel Connector (3.5/1.3mm) Extension Power Cable	2.55 D
<b>FE-BARX-55-01</b>	1.5ft Barrel Connector (5.5/2.1mm) Extension Power Cable	2.23 D
<b>FE-BARX-55-03</b>	3ft Barrel Connector (5.5/2.1mm) 24AWG Extension Power Cable	2.55 D
<b>FE-BAR-35-M</b>	Barrel Connector (3.5/1.3mm) Self-Solder, Male	0.80 D
<b>FE-BAR-35-F</b>	Barrel Connector (3.5/1.3mm) Self-Solder, Female	1.76 D
<b>FE-BAR-55-M</b>	Barrel Connector (5.5/2.1mm) Self-Solder, Male	0.80 D
<b>FE-BAR-55-F</b>	Barrel Connector (5.5/2.1mm) Self-Solder, Female	1.76 D

# Power Cords - Medical Grade

Hospital grade power cords conform to strict standards for grounding, strength, and durability, and are UL Listed



<b>BE-210241CB</b>	6ft Hospital Computer Power Cord (NEMA 5-15P to C13 Plug), 16AWG, Gray	7.32 A
<b>BE-210247CB</b>		8.40 A

	10ft Hospital Computer Power Cord (NEMA 5-15P to C13 Plug), 18AWG, Gray	
--	---	--

# Power Cords - Accessories and Adapters





<b>-- EXTENSION CORD WITH FLAT 360 DEGREE ROTATING SWIVEL PLUG --</b>		
<b>FE-5155-6IN-WHI</b>	6inch Extension Cord with Flat 360 Degree Rotating Swivel Plug, White	7.50 A
<b>FE-5155-6IN-BLK</b>	6inch Extension Cord with Flat 360 Degree Rotating Swivel Plug, Black	7.50 A
<b>NW-26Y8641</b>	12inch Extension Cord with Flat 360 Degree Rotating Swivel Plug, Black	13.21 A
<b>FE-5155-12IN-WHI</b>	12inch Extension Cord with Flat 360 Degree Rotating Swivel Plug, White	8.17 A

<b>-- MISCELLANEOUS POWER AND POWER CORD ACCESSORIES --</b>		
<b>FE-MSC-416</b>	Power Supply, 3-12 Volts, 30 Watts, 8 Switchable Barrel Connector Ends	12.57 A
<b>BE-500937</b>	DC 5V 500mA Power Supply AC110/240V 5.5/2.1mm Plug	7.83 C
<b>XX-ADT-319</b>	DC12V 500mA Power (Adapter) Supply EUROPE 220V 5.5/2.5mm Plug	3.26 D
<b>FE-USB-25E-03</b>	3ft USB 2.0 Type A Male to 2.5mm (Extended Length Connector) Power Cable	4.03 X
<b>FE-ADT-372</b>	Power Injector for POE (Power over Ethernet) 48V/0.5Amp for IP Devices	11.89 C

## Power Cords - Power Supplies



<b>XX-ADT-319</b>	DC12V 500mA Power (Adapter) Supply EUROPE 220V 5.5/2.5mm Plug	3.26 D
<b>FE-MSC-416</b>	Power Supply, 3-12 Volts, 30 Watts, 8 Switchable Barrel Connector Ends	12.57 A
<b>BE-500937</b>	DC 5V 500mA Power Supply AC110/240V 5.5/2.1mm Plug	7.83 C
<b>FE-USB-25E-03</b>	3ft USB 2.0 Type A Male to 2.5mm (Extended Length Connector) Power Cable	4.03 X
<b>FE-ADT-372</b>	Power Injector for POE (Power over Ethernet) 48V/0.5Amp for IP Devices	11.89 C

## Power Cords - Power/Surge Strips

Protect your Investment without breaking the bank!



<b>-- POWER STRIPS AND SURGE PROTECTORS --</b>		
<b>BE-210531</b>	6 Outlet Swivel Wall Tap Adapter with 300J Surge Protector, White	14.47 B
<b>BE-215012</b>	3ft 6 Outlet PERP Power Bar (14AWG/15A) with 90J Surge Protector, White	10.78 B
<b>BE-215001BK</b>	3ft 6 Outlet Power Bar (14AWG/15A) with 90J Surge Protector, Black	10.24 B
<b>BE-215001</b>	3ft 6 Outlet Power Bar (14AWG/15A) with 90J Surge Protector, White	10.24 B
<b>BE-215002</b>	6ft 6 Outlet Power Bar (14AWG/15A) with 90J Surge Protector, White	14.15 B
<b>BE-215002BK</b>	6ft 6 Outlet Power Bar (14AWG/15A) with 90J Surge Protector, Black	14.15 B
<b>BE-215010</b>	12ft 6 Outlet Power Bar (14AWG/15A) with 90J Surge Protector, White	20.68 B
<b>NW-88C9103</b>	6ft 7 Outlet Surge Protection 1250 Joules by CyberPower, Black	45.62 B
<b>BE-215040</b>	6ft 8 Outlet Surge Protector (Managed) Power Bar with 1050J Surge, White	38.27 B
<b>BE-215060</b>	6ft 8 Outlet Power Bar (14AWG/15A) with 90J Surge Protector, White	13.00 A
<b>BE-215097</b>	4ft 12 Outlet 49INCH Heavy Duty Power Bar Strip, Black	64.00 B
<b>WN-PDU1012M-24</b>	6ft 12 Outlet 1.5U Power Strip Rackmount Metal 1650Watt/120V/15A w/Surge	94.81 A

<b>-- IN-LINE SURGE PROTECTION DEVICES --</b>		
<b>NW-51M2616</b>	Coax F-type Lightning and Surge Protector Adapter (Male to Female)	6.15 B
<b>FE-F-SURGE</b>	Coax Cable F-Type (RG59 / RG6) Adapter Surge Protector	13.37 B

<b>-- USB POWER SUPPLIES --</b>		
<b>FE-ADT-308</b>	1 Port 110v/5v USB 2000mA Slim Profile Charger, Black	6.38 C
<b>FE-IPADX2-220V</b>	2 Port 220v/5v USB 2100ma European (Type F) Charger, White	8.78 X
<b>FE-ADT-312</b>	4 Port 110v/5v USB 10 Amp QUICK CHARGE Charger (KP-4U) with USB Type-C Port	15.47 A
<b>FE-ADT-410</b>	1 Port 110v/5v USB Type-C PD/20 Watt Quick Charge Port, White	8.10 C
<b>FE-ADT-383</b>	1 Port 110v/5v USB 3 Amp QUICK CHARGE (QC3.0) Charger	8.49 A
<b>FE-ADT-436</b>	2 Port 110v/5v USB Dual Type-A/C PD/QC Charge Port, White	10.18 C
<b>FE-ADT-313</b>	EU 240V Adapter Kit ONLY (for use with Part FE-ADT-312/KP-4U)	1.69 B
<b>FE-ADT-501</b>	3 Port USB Car Charger/Adapter, Type A, 2x Type C 12v Car Socket, High Amp	18.86 A
<b>FE-ADT-417</b>	2 Port USB Car Charger/Adapter, Type A and C 12v QUICK CHARGE, White	4.99 A
<b>HA-ADT-307</b>	4 Port USB 6ft FULL-Car Rapid Charger/Adapter, 9.6Amp (2 local, 2 remote)	13.63 X
<b>FE-ADT-238</b>	2 Port USB Car Charger/Adapter, Type A 12v Car Socket, 2.1A/1.0A	4.05 B
<b>BB-USBCC-3P</b>	3 Port USB Car Charger/Adapter 3.1Amp, LED-Lighted	10.98 B

<b>-- POWER ACCESSORIES --</b>		
<b>BE-500937</b>	DC 5V 500mA Power Supply AC110/240V 5.5/2.1mm Plug	7.83 C
<b>FE-MSC-416</b>	Power Supply, 3-12 Volts, 30 Watts, 8 Switchable Barrel Connector Ends	12.57 A
<b>XX-ADT-319</b>	DC12V 500mA Power (Adapter) Supply EUROPE 220V 5.5/2.5mm Plug	3.26 D
<b>FE-ADT-372</b>	Power Injector for POE (Power over Ethernet) 48V/0.5Amp for IP Devices	11.89 C

## Converters Video/Audio - HDMI

HDMI and DVI

Use My Cable Mart HDMI Adapters to convert your HDMI signal to VGA, DVI, or component video.



**FE-ADT-435**  
**HD-C-MC01**  
**ZT-T-621E**  
**HD-C-SWB11A**  
**FE-AY80**  
**FE-HHYPBPR-06**  
**ZT-T-603**  
**ZT-T-606B**  
**FE-ADT-361**  
**FE-SDI3-SH**  
**FE-SDI3-HS**

**-- HDMI (SOURCE) TO OTHER VIDEO DEVICE CONVERTERS --**

HDMI Male to VGA Female Video Converter Cable (Video and Audio)	8.56 B
HDMI (8K@60) eARC Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT	56.90 A
HDMI (4K@60) Pass-thru Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT	32.59 A
HDMI (4K@60Hz) eARC/AC Audio Extractor/Converter Multi-Port with HDCP 2.3	86.02 A
HDMI ARC Audio Extractor/Converter, RCA/Coax/Toslink Audio/OUT	25.14 A
6ft HDMI to Component Video (YPbPr) with Left/Right Audio Converter Cable	16.28 A
HDMI to Component Video (YPbPr) with Left/Right Audio Converter	17.36 A
HDMI Digital Converter to Composite Video with Left/Right Analog Audio	16.57 B
HDMI Dummy (Emulator) Adapter Plug, 4Kx2K@60Hz Support by Fueran	9.63 A
SDI 3G (via BNC) to HDMI Converter to 1080P/60Hz	43.01 A
HDMI to SDI 3G (via BNC) Converter to 1080P/60Hz	43.01 A

**-- OTHER VIDEO DEVICE CONVERTERS TO HDMI --**

<b>ZT-T-602S</b>	VGA with 3.5mm Audio to HDMI (to 1080P) Digital Converter, Portable	20.36 A
<b>FE-ADT-252</b>	HDMI Female (Source) to DisplayPort Male (Monitor) Adapter, Black	28.40 B
<b>ZT-T-631</b>	HDMI (Female) to HDMI (Female) and DisplayPort Splitter to 4Kx2K@60Hz	51.07 A
<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable	14.43 B
<b>ZT-T-607B</b>	Composite (RCA) Video w L/R Analog Audio to HDMI Digital Converter w/Scaler	18.75 B
<b>FE-ADT-471</b>	Component (YPbPr) Video and Audio Analog to HDMI Digital Converter	22.08 B
<b>FE-ADT-276</b>	4inch USB 3 Type C Male to HDMI (4Kx2K@30Hz) Female Adapter Cable	15.14 A



This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.

**Features and Specifications**

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

<b>FE-ADT-382</b>	USB 3 Type C Male to HDMI 4K@30Hz with Charge Out-ports	11.90 A
<b>XF-UCH07</b>	USB 3 Type C Male to 2x HDMI Video Out 4K, Split or Extend Displays Adapter	25.32 A
<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable	21.67 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports	56.37 A
<b>XF-CDVF01</b>	USB 3 Type C Male to DVI Converter Adapter, 4 inches, white	8.36 A
<b>NW-31AC3160</b>	Digital Tuner (QFX CV-103) Off-Air Antenna with HDMI/Composite/USB & DVR	59.80 A

## Converters Video/Audio - VGA

Whether you need to convert to or from a VGA connection, we carry the converter you need.

**-- VGA (SOURCE) TO OTHER VIDEO DEVICE CONVERTERS --**

<b>ZT-T-602S</b>	VGA with 3.5mm Audio to HDMI (to 1080P) Digital Converter, Portable	20.36 A
<b>FE-ADT-357</b>	VGA Dummy (Emulator) Adapter Plug, 1920x1080@60Hz Support by Fueran	11.52 B

**-- OTHER VIDEO DEVICE CONVERTERS TO VGA --**

<b>FE-ADT-435</b>	HDMI Male to VGA Female Video Converter Cable (Video and Audio)	8.56 B
<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable	21.67 A
<b>FE-ADT-330</b>	4inch USB 3 Type C Male to VGA Female Adapter Cable	11.05 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports	56.37 A
<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable	14.43 B

## Converters Video/Audio - RCA & S-Video

Convert various S-Video (1 RCA), Component Video (3 RCA Red, Green, Blue), S-Video, and RF Coax formats to and from different supported video formats such as HDMI.



**ZT-T-606B**  
**HD-C-SWB11A**  
**HD-C-MC01**  
**FE-AY80**  
**ZT-T-621E**  
**FE-HHYPBPR-06**  
**ZT-T-603**  
**FE-ADT-471**  
**ZT-T-607B**  
**ZT-T-U001**  
**NW-31AC3160**

HDMI Digital Converter to Composite Video with Left/Right Analog Audio	16.57 B
HDMI (4K@60Hz) eARC/AC Audio Extractor/Converter Multi-Port with HDCP 2.3	86.02 A
HDMI (8K@60) eARC Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT	56.90 A
HDMI ARC Audio Extractor/Converter, RCA/Coax/Toslink Audio/OUT	25.14 A
HDMI (4K@60) Pass-thru Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT	32.59 A
6ft HDMI to Component Video (YPbPr) with Left/Right Audio Converter Cable	16.28 A
HDMI to Component Video (YPbPr) with Left/Right Audio Converter	17.36 A
Component (YPbPr) Video and Audio Analog to HDMI Digital Converter	22.08 B
Composite (RCA) Video w L/R Analog Audio to HDMI Digital Converter w/Scaler	18.75 B
Composite (RCA) or S-Video & Stereo Audio Capture/Converter via USB	16.23 A
Digital Tuner (QFX CV-103) Off-Air Antenna with HDMI/Composite/USB & DVR	59.80 A

## Converters Video/Audio - Audio

### Audio

Digital to analog audio converters and extractors are used to convert or extract digital audio signal from your sources such as TVs, cable or satellite boxes, DVD or Blu-Ray player to an analog signal for your stereo system or speakers.



<b>ZT-T-609S</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter PLUS 3.5mm Output .....	17.96 A
<b>ZT-T-609PRO</b>	Digital Audio to Analog 3.5mm and 2 RCA Converter Amplifier Volume Control .....	17.96 A
<b>ZT-T-609B</b>	Digital Audio (Toslink or Coax) to Analog Audio Converter w/Bluetooth Recvr .....	23.38 A
<b>FE-ADT-409A-5IN</b>	5 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black .....	2.99 C
<b>FE-ADT-407</b>	USB Type-C to 3.5mm Audio and Microphone Adapter for Smartphone / Computer .....	7.18 B
<b>FE-ADT-409</b>	4 inch USB Type-C to 3.5mm Audio ONLY Adapter Cable, Black .....	3.37 C
<b>FE-ADT-409A</b>	6 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black .....	2.99 C
<b>ZT-T-608</b>	Analog (2 RCA) Audio to Digital Coax or Optical Toslink Converter .....	14.10 B
<b>FE-CVDCT2R</b>	Digital Coax or Optical Toslink (SPDIF) to Analog (2 RCA) Audio Converter .....	9.26 B
<b>NW-94AC7327</b>	Toslink Digital Audio Converter, Coaxial to Toslink .....	23.19 A
<b>SE-BT17</b>	Wireless Dual Device Support Bluetooth Transmitter/Receiver .....	23.41 A
<b>ZT-T-621E</b>	HDMI (4K@60) Pass-thru Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT .....	32.59 A
<b>HD-C-MC01</b>	HDMI (8K@60) eARC Audio Extractor, 3.5mm/Coax/Toslink Audio/HDMI OUT .....	56.90 A
<b>FE-AY80</b>	HDMI ARC Audio Extractor/Converter, RCA/Coax/Toslink Audio/OUT .....	25.14 A
<b>HD-C-SWB11A</b>	HDMI (4K@60Hz) eARC/AC Audio Extractor/Converter Multi-Port with HDCP 2.3 .....	86.02 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports .....	56.37 A
<b>NW-95W1962</b>	Stereo Phono Preamplifier (Pre-Amp/Adapter), RCA Inputs/RCA Outputs .....	37.29 A
<b>NW-29X0259</b>	Stereo Line (left/right) Automatic RCA Switch with level selection .....	73.09 A
<b>NW-31AC3160</b>	Digital Tuner (QFX CV-103) Off-Air Antenna with HDMI/Composite/USB & DVR .....	59.80 A

## Converters Video/Audio - USB

<b>FE-ADT-276</b>	4inch USB 3 Type C Male to HDMI (4Kx2K@30Hz) Female Adapter Cable .....	15.14 A
-------------------	---	---------



This 4 inch video adapter features a male Type C connector on one end and a female HDMI connector on the other end.

### Features and Specifications

- Cable Length Approx 4 inches
- Maximum Resolution Up to Ultra High Definition 4Kx2K @ 30Hz
- Compatibility Mac OS X, Chrome OS, Windows
- Type USB 3.1 Type C male to HDMI 1.4B female

<b>FE-ADT-382</b>	USB 3 Type C Male to HDMI 4K@30Hz with Charge Out-ports .....	11.90 A
<b>AE-AUT039</b>	USB 3 Type C Male to HDMI 4K@30Hz VGA (Mirror or Desktop) Adapter Cable .....	21.67 A
<b>XF-UCH07</b>	USB 3 Type C Male to 2x HDMI Video Out 4K, Split or Extend Displays Adapter .....	25.32 A
<b>FE-USB-432</b>	USB 3 Type C Docking Station/Hub w/2 HDMI 4K, VGA, PD and 4 Ports .....	56.37 A
<b>FE-ADT-330</b>	4inch USB 3 Type C Male to VGA Female Adapter Cable .....	11.05 A
<b>XF-CDVF01</b>	USB 3 Type C Male to DVI Converter Adapter, 4 inches, white .....	8.36 A
<b>FE-ADT-407</b>	USB Type-C to 3.5mm Audio and Microphone Adapter for Smartphone / Computer .....	7.18 B
<b>FE-ADT-409A</b>	6 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black .....	2.99 C
<b>FE-ADT-409</b>	4 inch USB Type-C to 3.5mm Audio ONLY Adapter Cable, Black .....	3.37 C
<b>FE-ADT-409A-5IN</b>	5 inch USB Type-C ANALOG PASS-THRU to 3.5mm Audio ONLY Adapter Cable, Black .....	2.99 C
<b>ZT-T-U001</b>	Composite (RCA) or S-Video & Stereo Audio Capture/Converter via USB .....	16.23 A

## Converters Video/Audio - DisplayPort

### DisplayPort

Convert DisplayPort or Mini DisplayPort to VGA/HDMI/DVI with My Cable Mart DisplayPort converters and adapters. DisplayPort (DP) is a digital display interface developed by a consortium of PC and chip manufacturers and standardized by the Video Electronics Standards Association (VESA). The interface is primarily used to connect a video source to a display device such as a computer monitor, and it can also carry audio, USB, and other forms of data.



<b>FE-ADT-329</b>	4 INCH Mini DisplayPort Male to VGA/HDMI/DVI Female Adapter Cable .....	14.43 B
<b>ZT-T-631</b>	HDMI (Female) to HDMI (Female) and DisplayPort Splitter to 4Kx2K@60Hz .....	51.07 A
<b>FE-ADT-252</b>	HDMI Female (Source) to DisplayPort Male (Monitor) Adapter, Black .....	28.40 B
<b>FE-ADT-358</b>	DisplayPort Dummy (Emulator) Adapter Plug, 2560x1600@60Hz Support by Fueran .....	10.61 B

## Phone Cables - Headsets



Adds convenience to any headphone that does not provide a local volume control. Simply plugs into the sound source and provides a 3.5mm jack for connecting existing headphones. Great for use with audio equipment with unusually high output levels, and for using low impedance headphones with devices designed for higher loads, such as airline in flight entertainment systems.

## Phone Cables - Telephone RJ11/12

Standard 4 conductor (2 lines) RJ11 Telephone Wire



<b>FE-PHN-07</b>	7Ft RJ11 Modular Telephone Cable, (6P4C), 4 Conductor/2 Lines Reverse	1.13 D
<b>FE-PHN-14</b>	14Ft RJ11 Modular Telephone Cable, (6P4C), 4 Conductor/2 Lines Reverse	1.54 C
<b>FE-PHN-25</b>	25Ft RJ11 Modular Telephone Cable, (6P4C), 4 Conductor/2 Lines Reverse	2.41 D
<b>BE-170204</b>	1000Ft RJ11 Modular Telephone Cable, (6P4C), 4 Conductor/2 Lines, UL	85.71 X
<b>FE-KEY-PHONE-BK</b>	Keystone Wallplate Jack Insert/Punch-down for Phone (RJ-11/RJ-12) for 2/3 Lines	1.64 D
<b>FE-KEY-PHONE-WH</b>	Keystone Jack Insert/Punch-down: Phone (RJ-11/RJ-12) for 2/3 Lines - White	1.64 D
<b>FE-KEY-PHONE4-WH</b>	Keystone Jack Insert/Punch-down: Phone (RJ-11) for 1 or 2 Lines - White	1.41 D
<b>FE-KEY-RJ11-WH</b>	Keystone Jack Insert/Punch-down: Phone (RJ-11) for 1 or 2 Lines - White	1.51 C
<b>BE-170403S</b>	RJ12 6 Pin Modular Telephone Coupler, Straight Thru, White	0.92 C
<b>FE-ADT-188</b>	RJ11 4 Pin Modular Telephone Coupler, Straight, Ivory	0.83 D
<b>FE-ADT-189</b>	RJ11 Modular Telephone T-Adapter, 1-Female to 2-Female, White	1.04 D
<b>FE-ADT-190</b>	RJ11 Modular Telephone T-Adapter, 1-Male to 2-Female, Ivory	1.04 D
<b>FE-RJ11-20</b>	RJ11 Modular Telephone Plug, (6P4C), 4 Conductor/2 Lines, 20 Pack	1.61 D
<b>BE-170607WT</b>	Wall plate: Standard Phone, White	1.27 C
<b>BE-250102</b>	RJ11 (6P4C) / RJ12 (6P6C) Crimp Tool for Modular Plug	22.07 D

## Bulk & Commercial - CAT5E Bulk

CAT5E (UTP, STP, Plenum, or Burial)

My Cable Mart CAT5E Cable (Unshielded, Shielded, Plenum, or Burial) by the 1000ft Pull-Box for indoor and outdoor network cables. We also sell selected CAT5E, CAT6, and COAX cables [by the FOOT](#), made to measure!



### -- CAT5 STANDARD UTP/CMR NETWORK CABLE --

<b>NW-74R4934</b>	500ft CAT5E Bulk Network Cable, UTP/CMR Unshielded Solid 350MHz Gray	106.92 X
<b>WN-5E04URBK1</b>	1000ft CAT5E Bulk Network Cable, UTP/CMR Unshielded Solid 350MHz Black	120.30 X
<b>WN-5E04URBL1</b>	1000ft CAT5E Bulk Network Cable, UTP/CMR Unshielded Solid 350MHz Blue	120.30 X
<b>WN-5E04URGY1</b>	1000ft CAT5E Bulk Network Cable, UTP/CMR Unshielded Solid 350MHz Gray	120.30 X
<b>WN-5E04URWH1</b>	1000ft CAT5E Bulk Network Cable, UTP/CMR Unshielded Solid 350MHz White	120.30 X
<b>WN-5E04URGN1</b>	1000ft CAT5E Bulk Network Cable, UTP/CMR Unshielded Solid 350MHz Green	120.30 X
<b>WN-5E04URRD1</b>	1000ft CAT5E Bulk Network Cable, UTP/CMR Unshielded Solid 350MHz Red	120.30 X

### -- CAT5 PLENUM, SHIELDED, BURIAL/OUTDOOR NETWORK CABLE --

<b>WN-5E04UPBK1</b>	1000ft CAT5E Bulk Network Cable, CMP/Solid 350Mhz PLENUM Black	273.31 X
<b>WN-5E04UPBL1</b>	1000ft CAT5E Bulk Network Cable, CMP/Solid 350Mhz PLENUM Blue	273.31 X
<b>WN-5E04UPWH1</b>	1000ft CAT5E Bulk Network Cable, CMP/Solid 350Mhz PLENUM White	273.31 X
<b>WN-5E04SRBL2</b>	1000ft CAT5E Bulk Network Cable, STP/CMR SHIELDED Solid 350MHz Blue	219.38 X
<b>WN-5E04SRGY1</b>	1000ft CAT5E Bulk Network Cable, STP/CMR SHIELDED Solid 350MHz Gray	219.38 X
<b>WN-5E0SPBK1</b>	1000ft CAT5E Bulk Network Cable UTP/PE 350Mhz, UV / BURIAL Outdoor, Black	201.60 X

### -- CAT5E PUNCHDOWN-TYPE KEYSTONE INSERTS --

<b>FE-KEY-CAT5KIT-BL</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Blue	2.12 D
<b>FE-WAL-RJ45-4</b>	Wall plate Surface Block (Biscuit Jack) CAT5E RJ45 4 Port, Punch-down type	7.84 B
<b>FE-WAL-C6-4</b>	Wall plate Surface Block (Biscuit Jack) CAT6 RJ45 4 Port, Punch-down type	12.08 B
<b>FE-WAL-RJ45-2</b>	Wall plate Surface Block (Biscuit Jack) RJ45 2 Port, White	3.61 B
<b>NW-06AC3903</b>	EZ-RJ45 Platinum Modular Plugs for CAT5E Wire, Pack of 100	109.50 A
<b>FE-ADT-378</b>	Ethercon RJ45 (CAT5/6) Cable Connector for Panel Mounting	3.30 B
<b>FE-C5-RJ45-100</b>	RJ45 Modular Plugs for CAT5/CAT5E Solid Wire, Pack of 100	12.72 C
<b>FE-C5-RJ45-20</b>	RJ45 Modular Plugs for CAT5/CAT5E Solid Wire, Pack of 20	4.03 D
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A



# Bulk & Commercial - CAT6 & 6A Bulk

CAT6/6A (UTP, STP, Plenum, or Burial)

My Cable Mart CAT6 and CAT6A Cable (Unshielded, Shielded, Plenum, or Burial) by the 1000ft Pull-Box for indoor and outdoor network cables. We also sell selected CAT5E, CAT6, and COAX cables by the foot, made to measure!



<b>NW-45AC6256</b>	EZ-RJ45 Platinum Modular Plugs for CAT6 Wire, Pack of 100	99.50 A
<b>-- CAT6E (ENHANCED) STANDARD UTP/CMR 550MHZ NETWORK CABLE --</b>		
<b>WN-6E04URBK1</b>	1000ft CAT6E Bulk Network Cable, UTP/CMR 550Mhz Unshielded Solid, Black	169.25 x
<b>WN-6E04URBL1</b>	1000ft CAT6E Bulk Network Cable, UTP/CMR 550Mhz Unshielded Solid, Blue	169.25 x
<b>WN-6E04URGY1</b>	1000ft CAT6E Bulk Network Cable, UTP/CMR 550Mhz Unshielded Solid, Gray	169.25 x
<b>WN-6E04URWH1</b>	1000ft CAT6E Bulk Network Cable UTP/CMR 550MHZ Unshielded Solid, White	169.25 x
<b>WN-6E04URRD1</b>	1000ft CAT6E Bulk Network Cable, UTP/CMR 550Mhz Unshielded Solid, Red	169.25 x
<b>WN-6E04URYL1</b>	1000ft CAT6E Bulk Network Cable UTP/CMR 550MHZ Unshielded Solid, Yellow	169.25 x
<b>WN-6E04UROR1</b>	1000ft CAT6E Bulk Network Cable UTP/CMR 550MHZ Unshielded Solid, Orange	169.25 x
<b>WN-6E04URGR1</b>	1000ft CAT6E Bulk Network Cable UTP/CMR 550MHZ Unshielded Solid, Green	169.25 x
<b>WN-6E04SRGY2</b>	1000ft CAT6E Bulk Network Cable STP/CMR 550Mhz SHIELDED Solid , Gray	259.02 x
<b>-- CAT6E AND CAT6A 550MHZ PLENUM, SHIELDED, BURIAL/OUTDOOR NETWORK CABLE --</b>		
<b>WN-6E04UPBK1</b>	1000ft CAT6E Bulk Network Cable, CMP 550Mhz PLENUM Solid, Black	309.10 x
<b>WN-6E04UPBL1</b>	1000ft CAT6E Bulk Network Cable, CMP 550Mhz PLENUM Solid, Blue	309.10 x
<b>WN-6E04UPGY3</b>	1000ft CAT6E Bulk Network Cable, CMP 550Mhz PLENUM Solid, Grey	309.10 x
<b>WN-6E04UPWH1</b>	1000ft CAT6E Bulk Network Cable, CMP 550Mhz PLENUM Solid, White	309.10 x
<b>WN-6E04FPGY2</b>	1000ft CAT6E Bulk Network Cable, STP/FTP 550Mhz SHIELDED PLENUM Solid, Grey	548.58 x
<b>WN-6A04UPBL2</b>	1000ft CAT6A Bulk Network Cable, PLENUM 550Mhz (10Gbits) Solid, Blue	553.04 x
<b>WN-6E0SPBK2-T</b>	1000ft CAT6E Bulk Network Cable UTP/PE 550Mhz, UV / BURIAL Outdoor, Black	270.30 x
<b>WN-6A04URBL1</b>	1000ft CAT6A Bulk Network Cable, UTP/CMR 550Mhz (10Gbits) Solid, Blue	312.81 x
<b>WN-6A04FRBL2</b>	1000ft CAT6A Bulk Network Cable, STP/FTP 550Mhz 10Gbits SHIELDED, Blue	380.82 x
<b>-- BULK NETWORKING CABLE ACCESSORIES, PLUGS, CONNECTORS --</b>		
<b>FE-WAL-C6-4</b>	Wall plate Surface Block (Biscuit Jack) CAT6 RJ45 4 Port, Punch-down type	12.08 B
<b>FE-WAL-RJ45-4</b>	Wall plate Surface Block (Biscuit Jack) CAT5E RJ45 4 Port, Punch-down type	7.84 B
<b>FE-WAL-RJ45-2</b>	Wall plate Surface Block (Biscuit Jack) RJ45 2 Port, White	3.61 B
<b>FE-KEY-C6A-MT</b>	Keystone Jack INSERT/PUNCH-DOWN Type SHIELDED-Cat 6A RJ45 Networking, Metal	5.10 C
<b>FE-C6-RJ45-20L</b>	RJ45 Modular Plugs for CAT6 Solid Wire with Load-Bar, Pack of 20	4.43 C
<b>FE-C6S-RJ45-100</b>	RJ45 Modular Plugs for CAT6 **SHIELDED** Wire, Pkg of 100	15.10 A
<b>FE-ADT-378</b>	Ethercon RJ45 (CAT5/6) Cable Connector for Panel Mounting	3.30 B
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A

# Bulk & Commercial - CAT 8

CAT8 offers near fiber performance up to 40Gbps/2000Mhz bandwidth



<b>BE-101022BL</b>	300ft CAT8 Bulk Network Cable, S/FTP 2000Mhz Shielded Solid, Blue	237.84 x
<b>FE-C8-RJ45</b>	RJ45 Shielded Modular Plug (toolless) for CAT8 (Single Piece)	6.43 A

# Bulk & Commercial - RG6, RG59, RG11 Coax Bulk

RG6, RG59, and RG11 Dual and Quad Shield Coax Cable for Satellite and Cable Boxes



<b>FE-ADT-366</b>	6G-SDI (4K) BNC Compression Connector for QUAD Shield RG6 Coax	3.94 D
<b>WN-RG6QRBK4-500</b>	500ft RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax Cable , Black	74.51 x
<b>WN-RG59RBK1</b>	1000ft RG59 Shielded Black HI-BANDWIDTH Bulk Coax Cable , Black	162.62 x
<b>WN-RG6URBK1</b>	1000ft RG6 Dual SHIELD Black HI-BANDWIDTH Bulk Coax Cable, Black	110.74 x
<b>WN-RG6URWH1</b>	1000ft RG6 Dual SHIELD White HI-BANDWIDTH Bulk Coax Cable, White	106.38 x
<b>WN-RG6QRBK1</b>	1000ft RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax Cable , Black	95.59 x
<b>WN-RG6QRWH1</b>	1000ft RG6 QUAD SHIELD White HI-BANDWIDTH Bulk Coax Cable, White	100.89 x
<b>WN-RG6QSPBK1</b>	1000ft RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax BURIAL Cable , Black	121.80 x
<b>WN-RG6QPWH4</b>	1000ft RG6 QUAD SHIELD/PLENUM HI-BANDWIDTH Bulk Coax Cable, White	375.22 x
<b>FE-1FT-SDI6</b>	RG6/18AWG 6G-SDI (4K) Bulk Coax HD Video Cable, 6Ghz, BLACK **PER FOOT**	0.30 x
<b>FE-SDI6-500B</b>	500ft RG6/18AWG 6G-SDI (4K) Bulk Coax HD Video Cable, 6Ghz, Black	108.68 A
<b>FE-SDI6-1000B</b>	1000ft RG6/18AWG 6G-SDI (4K) Bulk Coax HD Video Cable, 6Ghz, Black	208.01 A
<b>WN-H6182JRBK</b>	1000ft RG6 Siamese 18/2 Black HI-BANDWIDTH Bulk Coax Cable , Black ⊗	227.47 x
<b>WN-1FT-RG11RBK2</b>	RG11 DUAL SHIELD Black HI-BANDWIDTH 3Ghz Bulk Coax Cable PER FOOT	0.35 x
<b>WN-RG11PWH2</b>	1000ft RG11 DUAL SHIELD *PLENUM* HI-BANDWIDTH 3Ghz Bulk Coax Cable, White	848.23 x
<b>WN-RG11RBK2</b>	1000ft RG11 DUAL SHIELD CMR HI-BANDWIDTH 3Ghz Bulk Coax Cable, Black	215.97 x



<b>FE-ADT-153</b>	RG6 Quick Connector, Twist-on Type, Nickel Plated (Each)	0.24 C
<b>FE-ADT-440</b>	RG6/F QUAD SHIELD Compression Adapter/Connector for RG6, Each	0.90 C
<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type	1.04 B
<b>NW-51M2616</b>	Coax F-type Lightning and Surge Protector Adapter (Male to Female)	6.15 B
<b>NW-05H6813</b>	RG11/F Compression Connector (Belden) for RG11 Trunk Cable (Each)	13.52 X
<b>FE-ADT-154</b>	RG6/F Compression Connector for Dual Shield RG6 Cable (Each)	0.94 C
<b>FE-ADT-325</b>	RG6/F Weatherproof Compression Connector for Dual/Quad Shield RG6 Cable	1.45 C
<b>FE-ADT-416</b>	RG11/F Compression Connector for Dual Shield Cable	3.88 C
<b>FE-F-SURGE</b>	Coax Cable F-Type (RG59 / RG6) Adapter Surge Protector	13.37 B
<b>FE-RG6HS-90</b>	Coax/F-Type Right Angle Adapter HIGH SPEED 2.5Ghz, Nickel Plated (RG6/RG59)	1.42 D

Need to connect your RG6 coax cable in a hard to reach location? Our coax angle adapter, now supporting 2.5Ghz, is the perfect solution for tight corners



#### Features and Specifications

- Right Angle F-type Coax Adapter
- Male/Female
- 90 Degree Angle for tight fitting spaces
- Suitable for RG6, or RG59 cable, satellite, and high speed internet/network connections
- Nickel Plated
- Suitable for 1080P, and 4K Satellite, Antenna, and Cable TV signals
- High Speed 2.5Ghz

<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each	1.68 D
<b>BE-270304BL</b>	BNC/RG59 Compression Connector for QUAD Shield RG59 Coax Cable (Each)	2.43 C
<b>FE-BNC-90</b>	BNC Male/Female Right Angle Adapter, Nickel Plated	2.14 C
<b>FE-ADT-258</b>	RCA Female to F-type (Coax) Male Adapter - Nickel Plated	0.81 C
<b>FE-ADT-157</b>	Coax Splitter, 4 Way, (Premium, Gold Platted) 5-2400 Mhz	5.37 D
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A
<b>BE-252023</b>	Compression Connector Tool Kit, Cutter, and Compression Connectors (18pc)	64.79 A
<b>WN-TOOLCOM-N</b>	Deluxe Coaxial Compression Tool for RG59, RG6, and RG11 F Type Connector	47.74 A

## Bulk & Commercial - CAT3 / Telephone Bulk

Telephone Cable (CAT3) by the spool or pull-box



<b>BE-170204</b>	1000ft RJ11 Modular Telephone Cable, (6P4C), 4 Conductor/2 Lines, UL	85.71 X
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A

## Bulk & Commercial - Security, Camera, Control

Security Camera, Surveillance Camera, and Control Cables



<b>WN-H59182JR-500WH</b>	500ft Security Camera Cable RG-59+18AWG/2 Conductor Solid CMR, White	99.23 X
<b>WN-H59182JRBK</b>	1000ft Security Camera/Siamese Cable RG-59+18AWG/2 CMR, Black	233.59 X
<b>WN-H59182JR-500BK</b>	500ft Security Camera/Siamese Cable RG-59+18AWG/2 CMR, Black	115.91 X
<b>CV-CSP1200-22-1KR</b>	1000ft Shielded Twisted Pair 22AWG/2 Conductor, Black	198.03 X
<b>WN-PW226SMGY4</b>	1000ft 22/6 CMR Stranded Cable, Control Cable 7 Strand, Grey	191.50 X
<b>WN-CC2206FPWH4</b>	1000ft 22/6 CMP **PLENUM** Stranded Cable, Control Cable 7 Strand, White	269.31 X
<b>CV-1FT-CSP1200-22-1KR</b>	Shielded Twisted Pair 22AWG/2 Conductor, Black PER FOOT	0.25 X

#### -- BULK CABLE AND CABLE CONNECTORS --

<b>WN-SC2202RWH</b>	Security Cable 22AWG/2 Conductor Solid CMR Class-2, 1000ft, White	66.41 X
<b>WN-SC2204RWH</b>	Security Cable 22AWG/4 Conductor Solid CMR Class-2, 1000ft, White	113.35 X
<b>MO-BNC-9907</b>	50ft BNC Siamese (with Power) RG59/Coax Security Camera Cable, Male to Male	22.49 C
<b>MO-BNC-9908</b>	100ft BNC Siamese (with Power) RG59/Coax Security Camera Cable, Male to Male	42.97 B
<b>FE-ADT-372</b>	Power Injector for POE (Power over Ethernet) 48V/0.5Amp for IP Devices	11.89 C
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A

# Bulk & Commercial - Fire Alarm

Fire Alarm

My Cable Mart Fire Alarm Cable for businesses, schools, facilities, homes and buildings. Comes in several sizes 14, 16, and 18AWG.



SH-90-733-200	21N Bridle Ring - Wood Screw Type .....	2.37 A
SH-90-259-200	21N Bridle Ring - Threaded Machine Screw (1/4-20) Type .....	1.13 A
SH-90-734-200		10.64 A
	21N Bridle Ring with Saddle, Wood Screw Type, Plenum Rated .....	

# Bulk & Commercial - Plenum Cables

Plenum Rated Cables (UL Listed) suitable for In-wall installation in office environments. Plenum cable is cable that is laid in the plenum spaces of buildings.

## Plenum - HDMI Cables

Price / Tier



### -- PLENUM RATED HDMI CABLES (STANDARD COPPER) --

CV-P-HD24-16M	16ft **PLENUM** HIGH SPEED HDMI Cable with Ethernet 24AWG, Gold Plated .....	66.08 A
CV-P-HD28-25RM	25ft **PLENUM** HIGH SPEED HDMI Cable with Ethernet 28AWG, Gold Plated .....	144.59 A
CV-P-HD28-35RM	35ft **PLENUM** HIGH SPEED HDMI Cable with Ethernet 28AWG, Gold Plated .....	181.15 A
CV-P-HD28-50RM	50ft **PLENUM** STANDARD SPEED HDMI Cable with Ethernet 28AWG, Gold Plated .....	224.35 B
CV-P-HD28-75RM	75ft **PLENUM** STANDARD SPEED HDMI Cable with Ethernet 28AWG, Gold Plated .....	286.91 B

### -- PLENUM ACTIVE FIBER OPTIC 4K@60HZ/YUV 4:4:4 18GBPS HDMI CABLES --

CV-P-HDA20-50	50ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	165.45 A
HA-HHFO-PL-66	66ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	252.07 A
CV-P-HDA20-100	100ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	241.00 A
HA-HHFO-PL-130	130ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	364.78 A

Our **PLENUM RATED**HDMI Fiber Optic Hybrid solutions allow your HDMI signal to reach distances to 330ft in perfect 4K@60Hz 18Gbps YUV:444 mode



### Features and Specifications

- Extremely Flexible
- Supports up to 4K@60Hz to 330ft
- Plenum Rated
- Detachable HDMI ends to easy installation in conduit or tight spaces
- Patented locking HDMI end connectors
- Audio Return Channel
- Perfect digital video and audio

HA-HHFO-PL-200	200ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	498.44 x
HA-HHFO-PL-230	230ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	552.77 x
HA-HHFO-PL-262	262ft PLENUM Ultra HIGH SPEED HDMI 18Gb Fiber Optic/Hybrid Cable 4Kx2K/60Hz .....	625.04 x

## Plenum - VGA Cables

Price / Tier



### -- PLENUM RATED PREMIUM GOLD PLATED VGA MALE TO MALE CABLES --

CV-P-CVGAID-25M	25ft PLENUM RATED VGA Male/Male Triple-Shielded Cable Nickel Plated .....	86.49 B
CV-P-CVGAID-75M	75ft PLENUM RATED VGA Male/Male Triple-Shielded Cable Nickel Plated .....	236.02 B

### -- PLENUM RATED PREMIUM GOLD PLATED VGA WITH AUDIO MALE TO MALE CABLES --

CV-P-CVGAID-35M	35ft PLENUM RATED VGA Male/Male w/AUDIO Triple-Shielded Cable Nickel Plat .....	151.33 x
CV-P-CVGAID-50M	50ft PLENUM RATED VGA Male/Male w/AUDIO Triple-Shielded Cable Nickel Plat ⊗ .....	214.30 B

## Plenum - 3.5mm and RCA Audio Cables

Price / Tier



**-- PLENUM RATED (CMP) 3.5MM STEREO TRS AUDIO CABLES --**

<b>CV-CSP3222-22-03</b>	3ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black	22.52 A
<b>CV-CSP3222-22-06</b>	6ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black	23.89 A
<b>CV-CSP3222-22-12</b>	12ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black	24.86 A
<b>CV-CSP3222-22-15</b>	15ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black	25.38 A
<b>CV-CSP3222-22-25M</b>	25ft 3.5mm PLENUM PVC Molded End Mini-Stereo TRS Male to Male Cable, Black	12.77 A
<b>CV-CSP3222-22-35M</b>	35ft 3.5mm PLENUM PVC Molded End Mini-Stereo TRS Male to Male Cable, Black	13.88 A
<b>CV-CSP3222-22-50M</b>	50ft 3.5mm PLENUM PVC Molded End Mini-Stereo TRS Male to Male Cable, Black	18.87 A
<b>CV-CSP3222-22-75M</b>	75ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black	24.62 A
<b>CV-CSP3222-22-100</b>	100ft 3.5mm PLENUM METAL SHELL Mini-Stereo TRS Male to Male Cable, Black	36.96 A
<b>CV-CSP345H-22-8IN</b>	6 INCH PLENUM 3.5mm Mini-Stereo TRS Female to Two RCA Male Speaker Adapter	22.19 A

**Plenum - USB Cables** Price / Tier



**-- USB TYPE A TO A FEMALE PLENUM CABLES LONG LENGTH WITH EXTENDER CHIP --**

<b>CV-P-USBA-AF-25ACT</b>	25ft USB 2.0 (ACTIVE) PLENUM Type A Male to A FEMALE Cable, Black	80.05 B
<b>CV-P-USBA-AF-35ACT</b>	35ft USB 2.0 (ACTIVE) PLENUM Type A Male to A FEMALE Cable, Black	106.19 B
<b>CV-P-USBA-AF-50ACT</b>	50ft USB 2.0 (ACTIVE) PLENUM Type A Male to A FEMALE Cable, Black	145.28 B
<b>CV-P-USBA-AF-75ACT</b>	75ft USB 2.0 (ACTIVE) PLENUM Type A Male to A FEMALE Cable, Black	159.79 A

**-- USB TYPE A TO B PLENUM CABLES LONG LENGTH WITH EXTENDER CHIP --**

<b>CV-P-USBAB-25ACT</b>	25ft USB 2.0 (ACTIVE) PLENUM Type A Male to B Male Cable, Black	77.58 B
<b>CV-P-USBAB-35ACT</b>	35ft USB 2.0 (ACTIVE) PLENUM Type A Male to B Male Cable, Black	101.57 B
<b>CV-P-USBAB-50ACT</b>	50ft USB 2.0 (ACTIVE) PLENUM Type A Male to B Male Cable, Black	132.02 B
<b>CV-P-USBAB-75ACT</b>	75ft USB 2.0 (ACTIVE) PLENUM Type A Male to B Male Cable, Black	146.01 A

**Plenum - BULK Cables (Networking, Coax)** Price / Tier



**-- BULK CAT5E, CAT6 ETHERNET, CONTROL AND COAX PLENUM RATED CABLES --**

<b>WN-5E04UPBL1</b>	1000ft CAT5E Bulk Network Cable, CMP/Solid 350Mhz PLENUM Blue	273.31 X
<b>WN-5E04UPBK1</b>	1000ft CAT5E Bulk Network Cable, CMP/Solid 350Mhz PLENUM Black	273.31 X
<b>WN-5E04UPWH1</b>	1000ft CAT5E Bulk Network Cable, CMP/Solid 350Mhz PLENUM White	273.31 X
<b>WN-6E04UPBK1</b>	1000ft CAT6E Bulk Network Cable, CMP 550Mhz PLENUM Solid, Black	309.10 X
<b>WN-6E04UPBL1</b>	1000ft CAT6E Bulk Network Cable, CMP 550Mhz PLENUM Solid, Blue	309.10 X
<b>WN-6E04UPWH1</b>	1000ft CAT6E Bulk Network Cable, CMP 550Mhz PLENUM Solid, White	309.10 X
<b>WN-6A04UPBL2</b>	1000ft CAT6A Bulk Network Cable, PLENUM 550Mhz (10Gbits) Solid, Blue	553.04 X
<b>WN-RG6QPWH4</b>	1000ft RG6 QUAD SHIELD/PLENUM HI-BANDWIDTH Bulk Coax Cable, White	375.22 X
<b>WN-CC2206FPWH4</b>	1000ft 22/6 CMP **PLENUM** Stranded Cable, Control Cable 7 Strand, White	269.31 X
<b>WN-1FT-6E04UPBL3</b>	CAT6 Bulk Network Cable, CMP/Solid 550Mhz PLENUM Blue PER FOOT	0.53 X

**Plenum - Speaker Wire** Price / Tier



**-- PLENUM RATED (CMP) PURE COPPER SPEAKER WIRE --**

**Bulk & Commercial - By the Foot (All Types)**  
 By the Foot (All Types)  
 My Cable Mart Bulk Networking and Phone Cables. CAT5, CAT6, and Coax cut to the exact length you need by the foot.



**-- BY THE FOOT: CAT 5E --**

<b>WN-1FT-5E04URGY1</b>	CAT5E Bulk Network Cable UTP/CMR Unshielded Solid 350MHz Gray PER FOOT	0.21 X
<b>WN-1FT-5E04URBK1</b>	CAT5E Bulk Network Cable UTP/CMR Unshielded Solid 350MHz Black PER FOOT	0.21 X
<b>WN-1FT-5E04URWH1</b>	CAT5E Bulk Network Cable UTP/CMR Unshielded Solid 350MHz White PER FOOT	0.21 X
<b>WN-1FT-5E04UPBL3</b>	CAT5E Bulk Network Cable UTP/CMP Solid 350Mhz PLENUM Blue PER FOOT	0.51 X
<b>WN-1FT-5E0SPBK1</b>	CAT5E Bulk Network Cable UTP/PE 350Mhz, UV / BURIAL Outdoor, Black PER FOOT	0.33 X

**-- BY THE FOOT: CAT 6 --**

<b>WN-1FT-6E04URGY3</b>	CAT6 Bulk Network Cable, UTP/CMR 550Mhz Solid, Gray PER FOOT	0.32 x
<b>WN-1FT-6E0SPBK2</b>	CAT6 Bulk Network Cable UTP/PE 550Mhz, UV / BURIAL Outdoor, Black PER FOOT	0.46 x
<b>WN-1FT-6E04UPBL3</b>	CAT6 Bulk Network Cable, CMP/Solid 550Mhz PLENUM Blue PER FOOT	0.53 x

**-- BY THE FOOT: RG59, RG6, RG11 AND RG6/SDI --**

<b>WN-1FT-RG59RBK1</b>	RG59 DUAL SHIELD Black HI-BANDWIDTH Bulk Coax Cable PER FOOT , Black	0.25 x
<b>WN-1FT-RG6URBK1</b>	RG6 DUAL SHIELD Black HI-BANDWIDTH Bulk Coax Cable, Black PER FOOT	0.16 x
<b>WN-1FT-RG6URWH1</b>	RG6 DUAL SHIELD White HI-BANDWIDTH Bulk Coax Cable, White PER FOOT	0.16 x
<b>WN-1FT-RG6QRBK1</b>	RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax Cable , Black, PER FOOT	0.15 x
<b>WN-1FT-RG6QOSPBK1</b>	RG6 QUAD SHIELD Black HI-BANDWIDTH Bulk Coax <b>**BURIAL**</b> Cable, PER FOOT	0.21 x
<b>WN-1FT-RG11RBK2</b>	RG11 DUAL SHIELD Black HI-BANDWIDTH 3Ghz Bulk Coax Cable PER FOOT	0.35 x
<b>FE-1FT-SDI6</b>	RG6/18AWG 6G-SDI (4K) Bulk Coax HD Video Cable, 6Ghz, BLACK <b>**PER FOOT**</b>	0.30 x

**-- BY THE FOOT: SPEAKER WIRE AND OTHER BULK --**

<b>WN-1FT-AC1402OSPBK1</b>	Speaker Wire, 14AWG Copper <b>**BURIAL Rated**</b> W/PVC Outer Jacket PER FOOT	0.36 x
----------------------------	--	--------

**-- ASSORTED ENDS CUTS, REDUCED TO CLEAR --**

<b>WN-9FT-5E04URBK1</b>	9FT CAT5E Bulk Network Cable UTP/CMR Unshielded Solid 350MHz Black,END CUT	1.24 x
<b>WN-12FT-RG59RBK1</b>	12FT RG59 DUAL SHIELD Black HI-BANDWIDTH Bulk Coax Cable ,Black,END CUT	1.58 A

## Bulk & Commercial - Connectors & Tools

Accessories, Connectors, and Tools  
Connectors, Ties, Tools, Patch Panels, Wall Plates and Networking Tools.



<b>FE-MSC-226</b>	4inch Nylon Cable Tie 18lbs (Rated) Black 100 pack	2.91 D
<b>BE-220104BK</b>	12inch Nylon Cable Tie 50lbs (Rated) Black 100 pack	8.63 B
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A

**-- NETWORKING AND RG6/COAX CONNECTORS, TOOLS, AND ACCESSORIES --**

<b>FE-ADT-372</b>	Power Injector for POE (Power over Ethernet) 48V/0.5Amp for IP Devices	11.89 c
<b>FE-C8-RJ45</b>	RJ45 Shielded Modular Plug (toolless) for CAT8 (Single Piece)	6.43 A
<b>FE-C6S-RJ45-100</b>	RJ45 Modular Plugs for CAT6 <b>**SHIELDED**</b> Wire, Pkg of 100	15.10 A

**-- SURFACE BLOCK TYPE --**

<b>FE-KEY-CAT5KIT-BL</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Blue	2.12 D
<b>NW-45AC6256</b>	EZ-RJ45 Platinum Modular Plugs for CAT6 Wire, Pack of 100	99.50 A

**-- CAT 7 AND CAT 8 PUNCHDOWN AND COUPLER-TYPE KEYSTONE INSERTS --**

<b>FE-C6-RJ45-20L</b>	RJ45 Modular Plugs for CAT6 Solid Wire with Load-Bar, Pack of 20	4.43 c
-----------------------	--	--------

**-- CAT5E PUNCHDOWN-TYPE KEYSTONE INSERTS --**

<b>FE-C5-RJ45-20</b>	RJ45 Modular Plugs for CAT5/CAT5E Solid Wire, Pack of 20	4.03 D
<b>NW-06AC3903</b>	EZ-RJ45 Platinum Modular Plugs for CAT5E Wire, Pack of 100	109.50 A
<b>FE-C6-RJ45-100L</b>	RJ45 Modular Plugs for CAT6 Solid Wire with Load-Bar, Pack of 100	13.90 B
<b>FE-RJ11-20</b>	RJ11 Modular Telephone Plug, (6P4C), 4 Conductor/2 Lines, 20 Pack	1.61 D
<b>FE-KEY-PHONE-WH</b>	Keystone Jack Insert/Punch-down: Phone (RJ-11/RJ-12) for 2/3 Lines - White	1.64 D
<b>FE-KEY-PHONE-BK</b>	Keystone Wallplate Jack Insert/Punch-down for Phone (RJ-11/RJ-12) for 2/3 Lines	1.64 D
<b>FE-KEY-PHONE4-WH</b>	Keystone Jack Insert/Punch-down: Phone (RJ-11) for 1 or 2 Lines - White	1.41 D
<b>FE-KEY-CAT5KIT-BK</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Black	2.12 D
<b>FE-WAL-C6-4</b>	Wall plate Surface Block (Biscuit Jack) CAT6 RJ45 4 Port, Punch-down type	12.08 B
<b>FE-WAL-RJ45-4</b>	Wall plate Surface Block (Biscuit Jack) CAT5E RJ45 4 Port, Punch-down type	7.84 B
<b>FE-WAL-RJ45-2</b>	Wall plate Surface Block (Biscuit Jack) RJ45 2 Port, White	3.61 B
<b>FE-KEY-CAT5KIT-WH</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, White	2.33 D
<b>FE-KEY-CAT5KIT-RD</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Red	2.07 D
<b>FE-KEY-CAT5KIT-IV</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Ivory	2.12 D
<b>FE-KEY-CAT5SLM-WH</b>	Keystone Jack Insert/Punch-down SLIM - Cat 5E RJ45 Networking, White	1.97 D
<b>FE-KEY-CAT6SLM-WH</b>	Keystone Jack Insert/Punch-down SLIM - Cat 6 RJ45 Networking, White	2.51 C
<b>BE-101702IV</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Ivory	2.43 B
<b>FE-KEY-CAT6KIT-WH</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, White	3.10 D
<b>FE-KEY-CAT6KIT-RD</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Red	2.20 C
<b>FE-KEY-CAT6A-WH</b>	Keystone Jack Insert/Punch-down - Cat 6A RJ45 Networking, White	2.81 B
<b>FE-KEY-CAT6KIT-OR</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Orange	2.25 D
<b>FE-KEY-CAT6KIT-BL</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Blue	2.48 C
<b>FE-KEY-CAT6KIT-YW</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Yellow	2.25 D
<b>FE-KEY-CAT6A-MT</b>	Keystone Jack Insert/Punch-down - Cat 6A SHIELDED RJ45 Networking	5.25 C
<b>FE-ADT-414</b>	Keystone Jack Insert/Punch-down - Cat 7 RJ45 Networking, Die-Cast	8.61 A
<b>FE-ADT-415</b>	Keystone Jack Insert/Punch-down - Cat 8 RJ45 Networking, Die-Cast	9.20 A
<b>MR-KEY645-90GRY</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Gray	2.28 B
<b>FE-KEY-CAT6KIT-BK</b>	Keystone Jack Insert/Punch-down SLIM - Cat 6 RJ45 Networking, Black	2.25 C
<b>FE-KEY-CAT6KIT-GN</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, Green	2.25 C



<b>FE-KEY-C6S</b>	Keystone Jack Insert/Punch-down - Cat 6 SHIELDED RJ45 Networking	4.05 C
<b>FE-KEY-C6A-MT</b>	Keystone Jack INSERT/PUNCH-DOWN Type SHIELDED-Cat 6A RJ45 Networking, Metal	5.10 C
<b>BE-101301BL</b>	RJ45 Boots for CAT5/5E/6 RJ45, Blue, Pack of 100	7.89 C
<b>BE-101301GY</b>	RJ45 Boots for CAT5/5E/6 RJ45, Gray, Pack of 100	8.35 C
<b>BE-101602YW</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Yellow	2.07 B
<b>FE-ADT-130</b>	RCA Male Compression Connector for RG6 QUAD SHIELD Coax Cable, Each	1.68 D
<b>FE-ADT-153</b>	RG6 Quick Connector, Twist-on Type, Nickel Plated (Each)	0.24 C
<b>FE-ADT-371</b>	Compression Connector RG6 Coax to F-type Male Push-Type	1.04 B
<b>NW-51M2616</b>	Coax F-type Lightning and Surge Protector Adapter (Male to Female)	6.15 B
<b>FE-ADT-440</b>	RG6/F QUAD SHIELD Compression Adapter/Connector for RG6, Each	0.90 C
<b>FE-ADT-325</b>	RG6/F Weatherproof Compression Connector for Dual/Quad Shield RG6 Cable	1.45 C
<b>FE-ADT-154</b>	RG6/F Compression Connector for Dual Shield RG6 Cable (Each)	0.94 C
<b>NW-05H6813</b>	RG11/F Compression Connector (Belden) for RG11 Trunk Cable (Each)	13.52 X
<b>FE-ADT-416</b>	RG11/F Compression Connector for Dual Shield Cable	3.88 C
<b>BE-270304BL</b>	BNC/RG59 Compression Connector for QUAD Shield RG59 Coax Cable (Each)	2.43 C
<b>FE-ADT-283</b>	BNC/RG59 Compression Connector for Dual Shield RG59 Coax Cable (Each)	1.99 D
<b>FE-ADT-233</b>	BNC/RG6 Compression Connector for QUAD Shield RG6 Coax Cable (Each)	1.41 D
<b>FE-ADT-366</b>	6G-SDI (4K) BNC Compression Connector for QUAD Shield RG6 Coax	3.94 D
<b>FE-ADT-205</b>	RJ45 Network Cable Crimper Tool (for CAT5E/CAT6 Modular Crimping)	0.77 B
<b>FE-ADT-232</b>	BNC/RG59 Compression Connector for Quad Shield RG6 Coax Cable, each	1.42 X
<b>WN-TOOLCOM-N</b>	Deluxe Coaxial Compression Tool for RG59, RG6, and RG11 F Type Connector	47.74 A
<b>BE-252023</b>	Compression Connector Tool Kit, Cutter, and Compression Connectors (18pc)	64.79 A
<b>NW-13T8759</b>	EZ-RJ45(TM) Replacement Blade Kit for Platinum Network Cable Crimper Tool	17.90 B
<b>BE-250103</b>	RJ45 Network Cable Crimper Tool (for CAT5E/CAT6 Modular Crimping)	15.22 B
<b>NW-74R1290</b>	EZ-RJ45 Platinum Network Cable Crimper Tool (for CAT5E/CAT6 Crimping)	139.50 A
<b>BE-250131</b>	Impact Punch Down (Type 110/66) Tool with Hook and Extractor	24.75 A
<b>BB-VAC5-EX8</b>	8 Port VGA Video/Audio Splitter/DISTRIBUTION Hub via CAT5/RJ45 up to 590ft	410.45 X

**-- PATCH PANELS AND ACCESSORIES --**

<b>WN-5EPP12V-S</b>	12 port, CAT5E Universal Patch Panel Wall-Mountable	20.63 A
<b>WN-5EPP24-S</b>	24 port (1U), 19" CAT5E Universal Patch Panel, Rack Mountable	51.76 A
<b>WN-BPPWM-24</b>	24 port, 19" Keystone (Blanks, 1U) Universal Patch Panel with Lacing Bar	17.46 A
<b>WN-BPPWM-48</b>	48 port, 19" Keystone (Blanks, 2U) Universal Patch Panel	31.49 A
<b>WN-5EPP48-S</b>	48 port (2U), 19" CAT5E Universal Patch Panel, Rack Mountable	82.34 A
<b>WN-6EPP12V-S</b>	12 port, CAT6 Universal Patch Panel Wall-Mountable	42.27 A
<b>WN-6EPP24-S</b>	24 port (1U), 19" CAT6 Universal Patch Panel, Rack Mountable	79.89 A
<b>WN-6EPP48-S</b>	48 port (2U), 19" CAT6 Universal Patch Panel, Rack Mountable	109.55 A
<b>DA-20-5550</b>	19" Rack Cable Management Wire Holder	15.13 A

## Bulk & Commercial - Euro Block Connector

Euro / Phoenix(TM) Block Connector

My Cable Mart Euro / Phoenix(TM) terminal block connectors are commonly used for microphone and line level-audio signals, and for control signals such as RS-232 or RS-485. Connect to your PCB our 3.5, 3.81, and 5.08mm pitch Euro / Phoenix(TM) terminal block connectors available in 2, 3, 4, and 5 position blocks.



**-- 3.5MM EURO / PHOENIX(TM) PCB TERMINAL BLOCK CONNECTORS --**

<b>FE-EUR-352</b>	3.5mm Pitch 2 Position Euro / Phoenix(TM) PCB Terminal Block Connector	1.44 C
<b>FE-EUR-353</b>	3.5mm Pitch 3 Position Euro / Phoenix(TM) PCB Terminal Block Connector	2.24 C
<b>FE-EUR-354</b>	3.5mm Pitch 4 Position Euro / Phoenix(TM) PCB Terminal Block Connector	2.74 C
<b>FE-EUR-355</b>	3.5mm Pitch 5 Position Euro / Phoenix(TM) PCB Terminal Block Connector	3.47 C

**-- 3.81MM EURO / PHOENIX(TM) PCB TERMINAL BLOCK CONNECTORS --**

<b>FE-EUR-382</b>	3.81mm Pitch 2 Position Euro / Phoenix(TM) PCB Terminal Block Connector	1.32 C
<b>FE-EUR-383</b>	3.81mm Pitch 3 Position Euro / Phoenix(TM) PCB Terminal Block Connector	1.90 D
<b>FE-EUR-384</b>	3.81mm Pitch 4 Position Euro / Phoenix(TM) PCB Terminal Block Connector	2.56 D
<b>FE-EUR-385</b>	3.81mm Pitch 5 Position Euro / Phoenix(TM) PCB Terminal Block Connector	3.20 C

**-- 5.08MM EURO / PHOENIX(TM) PCB TERMINAL BLOCK CONNECTORS --**

<b>FE-EUR-502</b>	5.08mm Pitch 2 Position Euro / Phoenix(TM) PCB Terminal Block Connector	1.26 D
<b>FE-EUR-503</b>	5.08mm Pitch 3 Position Euro / Phoenix(TM) PCB Terminal Block Connector	1.63 D

## Racking / Patch Panels

Pro Audio Cables

My Cable Mart is an authorized distributor of [KENDALL HOWARD](#) RACKS and ACCESSORIES. We are conveniently located 53 miles from the manufacturing factory and receive twice-weekly shipments. Looking for a specific Kendall Howard product NOT listed on our website? Visit the [KENDALL HOWARD](#) website, locate the product you are looking for, then [CONTACT US](#) for a quote! We quote the **MINIMUM allowable price** for all Kendall Howard products!





<b>-- PATCH PANELS: CAT5E, CAT6 AND BLANKS --</b>		
WN-5EPP12V-S	12 port, CAT5E Universal Patch Panel Wall-Mountable	20.63 A
WN-6EPP12V-S	12 port, CAT6 Universal Patch Panel Wall-Mountable	42.27 A
WN-BPPWM-24	24 port, 19" Keystone (Blanks, 1U) Universal Patch Panel with Lacing Bar	17.46 A
WN-BPPWM-48	48 port, 19" Keystone (Blanks, 2U) Universal Patch Panel	31.49 A
WN-5EPP24-S	24 port (1U), 19" CAT5E Universal Patch Panel, Rack Mountable	51.76 A
WN-6EPP24-S	24 port (1U), 19" CAT6 Universal Patch Panel, Rack Mountable	79.89 A
WN-5EPP48-S	48 port (2U), 19" CAT5E Universal Patch Panel, Rack Mountable	82.34 A
WN-6EPP48-S	48 port (2U), 19" CAT6 Universal Patch Panel, Rack Mountable	109.55 A
<b>-- PATCH PANEL HOLDERS AND WALL BRACKETS --</b>		
KH-1916-3-200-04	4U Patch Panel Bracket, Wall Type, Hinged	50.65 A
<b>-- WALL MOUNTED RACKS (HANGING) --</b>		
KH-1916-2-100-2	2U Vertical Hanging Wall Mount Rack	54.55 A
KH-1916-2-100-3	3U Vertical Hanging Wall Mount Rack	62.34 A
KH-1916-2-100-4	4U Vertical Hanging Wall Mount Rack	70.13 A
KH-1916-2-100-6	6U Vertical Hanging Wall Mount Rack	77.92 A
<b>-- WALL MOUNTED RACKS (ENCLOSED) --</b>		
KH-3141-3-001-06	6U Wall Mount Cabinet 23inches Deep with Solid Door	279.75 A
KH-3142-3-001-06	6U Wall Mount Cabinet 23inches Deep with Vented Cabinet, 250lbs Capacity	289.88 A
KH-3140-3-001-06	6U Wall Mount Cabinet 23inches Deep with Glass Door	269.62 A
KH-1915-3-100-08	8U Wall Mount Cabinet 20"es Deep with Glass Door	425.99 A
KH-3140-3-001-12	12U Wall Mount Cabinet 23inches Deep with Glass Door	331.18 A
KH-1915-3-700-12	12U Corner Wall Mount Cabinet 27inches Deep with Glass Door	551.71 A
KH-3142-3-001-18	12U Wall Mount Cabinet 23inches Deep with Vented Cabinet, 250lbs Capacity ⊗	433.26 A
KH-5500-3-000-35	Professional Training Table, 60" Width x 30" Depth, Folkstone ⊗	401.31 A
KH-3130-3-001-12	12U Swing-Out Wall Mount Cabinet 23inches Deep with Glass Door	519.76 A
KH-3130-3-001-15	15U Swing-Out Wall Mount Cabinet 23inches Deep with Glass Door ⊗	579.76 A
KH-3130-3-001-18	18U Swing-Out Wall Mount Cabinet 23inches Deep with Glass Door ⊗	639.76 A
<b>-- WALL MOUNTED RACKS (OPEN) --</b>		
KH-1915-3-001-08	8U Wall Mount Rack 18in Deep	124.68 A
KH-1915-3-500-08	8U Deep Open Frame Wall Rack	140.26 A
KH-1915-3-001-12	12U Wall Mount Rack 18in Deep	187.02 A
KH-1915-3-300-12	12U Fixed V-Line Wall Mount Rack 12"es Deep	107.54 A
KH-1915-3-300-16	16U Fixed V-Line Wall Mount Rack 12"es Deep	116.11 A
KH-1915-3-301-16	16U Fixed V-Line Wall Mount Rack 18"es Deep	132.47 A
KH-1915-3-300-21	21U Fixed V-Line Wall Mount Rack 12"es Deep	144.16 A
<b>-- FLOOR MOUNTED RACKS AND SERVER CABINETS --</b>		
KH-1932-3-001-12	12U Compact SOHO Server Cabinet 22.5" Deep on Rollers	886.50 A
KH-1911-3-200-24	24U 48" High 2 Post Relay Rack Floor Type ⊗	339.75 A
KH-1911-3-200-45	45U 84" High 2 Post Relay Rack Floor Type	454.30 A
KH-3140-3-001-15	15U Linier(TM) Server Cabinet 22.5" Deep with Glass Door ⊗	384.95 A
KH-3131-3-001-22	22U Linier(TM) Server Cabinet 24"es Deep with Solid Door ⊗	569.16 A
KH-3100-3-024-22	22U Linier(TM) Server Cabinet 24 inches Deep with Glass Door ⊗	881.33 A
KH-3100-3-024-27	27U Linier(TM) Server Cabinet 24 inches Deep with Glass Door ⊗	881.33 A
KH-3107-3-001-27	27U Linier(TM) Server Cabinet 36 inches Deep with Vented Door ⊗	1,266.28 A
KH-3100-3-001-42	42U Linier(TM) Server Cabinet 36" Deep with Glass/Vented Doors ⊗	1,184.46 A
KH-3100-3-024-37	37U Linier(TM) Server Cabinet 24 inches Deep with Glass Door ⊗	1,045.75 A
KH-3107-3-001-42	42U Linier(TM) Server Cabinet 36 inches Deep with Vented Door ⊗	1,541.36 A
KH-3170-3-024-22	22U Linier(TM) Server Cabinet 24 inches Deep (No Doors, No Side Panels) ⊗	578.20 A
KH-3170-3-001-22	22U Linier(TM) Server Cabinet 36"es Deep No Doors, No Side Panels ⊗	633.53 A
KH-3170-3-024-37	37U Linier(TM) Server Cabinet 24 inches Deep (No Doors, No Side Panels) ⊗	742.63 A
<b>-- RACK, PATCH PANEL, AND CPU SHELVES --</b>		
KH-1906-1-001-01	1U 12" Component Rack Shelf, 70lb Capacity	46.76 A
KH-1906-1-201-01	1U 12" Vented Component Rack Shelf, 70lb Capacity	50.65 A
KH-1906-3-007-01	1U 22-40" 4-point Component Rack Shelf, 250lb Capacity	140.26 A
KH-1922-3-400-01	1U 20" Vented Component Rack sliding Shelf, 100lb Capacity	132.47 A
KH-1906-3-008-01	1U 22-40" VENTED 4-point Component Rack Shelf, 250lb Capacity	140.26 A
KH-3000-1-002-02	2U 12" Value Line Racking Shelf, 125lbs Capacity	42.86 A
KH-1906-1-010-02	2U 14" Vented Component Rack Shelf, 50lb Capacity	62.34 A
KH-1906-1-002-02	2U 14" Solid Component Rack Shelf, 120lb Capacity	62.34 A
KH-1907-3-000-03	3U 24" Vented Component Rack Shelf, Center Mount, 350lb Capacity	155.85 A
KH-1906-1-003-03	3U 16" Solid Component Rack Shelf, 150lb Capacity	77.92 A
KH-1910-1-001-01	1U Stationary Keyboard Tray	44.42 A
KH-1915-1-400-00	Wall Mount Desktop CPU/Computer Bracket	69.35 A

**-- RACK AND PATCH PANEL ACCESSORY --**

<b>KH-0100-1-002-03</b>	12-24 Cage/Server/Racking Screws, can of 100pcs, Black	18.70 A
<b>KH-0100-1-001-01</b>	10-32 Cage/Server/Racking Screws, can of 50pcs, Black	13.25 A
<b>KH-0100-1-002-01</b>	10-32 Cage/Server/Racking Screws, can of 100pcs, Black	16.36 A
<b>KH-0200-1-001-01</b>	10-32 Cage/Server/Racking Clip Nuts, can of 50pcs, Black	28.05 A
<b>WN-BP-1U-5N</b>	1U Flat Rack Cabinet Spacer Blank, (EACH) Black	6.56 B
<b>WN-BP-2U-5N</b>	2U Flat Rack Cabinet Spacer Blank, (EACH) Black	8.72 A
<b>KH-1901-1-001-01</b>	1U Flanged Rack Cabinet Spacer Blank, Black	11.69 A
<b>KH-1901-1-002-02</b>	2U Flanged Rack Cabinet Spacer Blank, Black	15.59 A
<b>KH-0004-1-002-01</b>	Heavy Duty Universal Wire Minder for Racking	10.91 A
<b>KH-1903-1-101-00</b>	3inch D Flanged Lacing Bar/Cable Management for Racking	14.25 A
<b>DA-20-5550</b>	19" Rack Cable Management Wire Holder	15.13 A
<b>KH-1903-3-100-01</b>	Heavy Duty 5 D-Ring Cable Manager	23.38 A
<b>BE-104051</b>	2U 12-Finger Cable Manager with Cover	16.27 B
<b>BE-104050</b>	1U 24-Finger Cable Manager with Cover	7.93 B
<b>KH-3150-3-002-06</b>	6U Wall Mount Vertical Rail Kit 10-32 Tapped	38.96 A
<b>KH-3150-3-002-12</b>	12U Wall Mount Vertical Rail Kit 10-32 Tapped	50.65 A
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A
<b>KH-1908-4-001-01</b>	High Speed Fan Assembly Kit	52.21 A
<b>DA-80-1500-SC</b>	Wall plate: 15" Plastic Enclosure/Media Box with Solid Cover for Racking	61.88 A

**-- PLASTIC ENCLOSURES/MEDIA BOXES --**

**-- CABLE LADDERS --**

<b>BE-102293-1PC</b>	4inch J-Hook Cable Support, 18 gauge galvanized steel, SINGLE PIECE	3.75 A
<b>WN-JHWM04</b>	4inch J-Hook Cable Support, 18 gauge galvanized steel, Set of 25pcs	77.34 A

**-- CAT5E / CAT6 KEYSTONE PUNCHDOWN TYPE PANEL INSERTS --**

<b>FE-KEY-CAT5KIT-WH</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, White	2.33 D
<b>BE-101602YW</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Yellow	2.07 B
<b>FE-KEY-CAT5KIT-BK</b>	Keystone Jack Insert/Punch-down - Cat 5E RJ45 Networking, Black	2.12 D
<b>FE-KEY-CAT6KIT-WH</b>	Keystone Jack Insert/Punch-down - Cat 6 RJ45 Networking, White	3.10 D
<b>FE-ADT-414</b>	Keystone Jack Insert/Punch-down - Cat 7 RJ45 Networking, Die-Cast	8.61 A
<b>FE-KEY-CAT6KIT-BK</b>	Keystone Jack Insert/Punch-down SLIM - Cat 6 RJ45 Networking, Black	2.25 C
<b>FE-ADT-415</b>	Keystone Jack Insert/Punch-down - Cat 8 RJ45 Networking, Die-Cast	9.20 A
<b>FE-KEY-CAT6A-WH</b>	Keystone Jack Insert/Punch-down - Cat 6A RJ45 Networking, White	2.81 B
<b>FE-KEY-CAT6A-MT</b>	Keystone Jack Insert/Punch-down - Cat 6A SHIELDED RJ45 Networking	5.25 C
<b>FE-KEY-C6S</b>	Keystone Jack Insert/Punch-down - Cat 6 SHIELDED RJ45 Networking	4.05 C
<b>FE-KEY-C6A-MT</b>	Keystone Jack INSERT/PUNCH-DOWN Type SHIELDED-Cat 6A RJ45 Networking, Metal	5.10 C

**-- ELECTRONICS, ACCESORIES, AND CONNECTORS --**

<b>KH-1915-1-500-00</b>	Computer/CPU Under Desk Mount Holder, Adjustable	135.85 A
<b>WN-PDU1012M-24</b>	6ft 12 Outlet 1.5U Power Strip Rackmount Metal 1650Watt/120V/15A w/Surge	94.81 A
<b>BE-102305</b>	24 Port 10/100 Mbit TP-LINK Rack Mountable Network Switch (SF1024)	83.80 A
<b>BE-102320</b>	24 Port GIGABIT TP-LINK Rack Mountable Network Switch (SG1024)	143.42 A
<b>BE-102303</b>	8 Port 10/100 Mbit TP-LINK Network Switch (TL-SF1008D)	28.45 B
<b>BE-102307</b>	16 Port 10/100 Mbit TP-LINK Network Switch (TL-SF1016D)	70.41 A

## Wallplates - Audio, Video, Computer

Wallplates - Standard

Choose from My Cable Mart's wallplates: HDMI, Component, RCA, S-Video, and Coax for a clean, professional looking HDTV installation. Ideal for wall-mounted LCD/Plasma HDTVs.

**-- HDMI WALL PLATES --**



<b>FE-WAL-HH4IN-1-WH</b>	Wall plate HDMI (Single) w/4" Built-in Flexible Extension Cable, White	9.73 D
--------------------------	--	--------



Perfect for putting HDMI wire in-wall, and connecting to a nice, clean wall-plate.

- Gold plated connectors.
- White only.
- HDMI ATC tested to 1.4 specifications.
- Female HDMI front and behind-the-wall connectors
- Minor assembly may be required

<b>FE-WAL-HH-1-IV</b>	Wall plate HDMI (Single) w/4" Built-in Flexible Extension Cable, Ivory	9.73 X
<b>FE-WAL-HH1-WH</b>	HDMI Wall Plate (Single) Direct Connect Straight Feed-thru, White	6.86 D

<b>FE-KEY-1HH-SS</b>	Wall plate: HDMI (Single Port) Stainless Steel	7.14 B
<b>FE-KEY-1H-HH-SS</b>	Wall plate: Keystone, HDMI and 1 Keystone Hole - Stainless Steel	7.35 B
<b>FE-WAL-HH2-WH</b>	HDMI Wall Plate (Dual) Direct Straight Degree Feed-thru, White	6.20 A
<b>FE-WAL-HH-2-IV</b>	Wall plate HDMI (Dual) w/4" Built-in Flexible Extension Cable Ivory	16.31 X
<b>FE-WAL-HH2-IV</b>	HDMI Wall Plate (Dual) Direct Connect Straight Feed-thru, Ivory	6.10 B
<b>FE-KEY-2HH-SS</b>	Wall plate: HDMI (DUAL Port) Stainless Steel	11.80 C

**-- VGA, DVI, AND DISPLAYPORT WALL PLATES --**

<b>FE-WAL-HH-VGA-WH</b>	Wall plate HDMI & VGA Female/Female 1 Port, Gold Plated, White	9.61 B
<b>ZH-KEY-DVI4H-IV</b>	Wall plate: DVI + 4 Hole Keystone, Nickel Plated, Ivory	6.86 X
<b>ZH-WAL-3RCAV3-IV</b>	Wall plate: VGA, 3.5mm Audio, and 3 RCA, Nickel Plated, Decor, Ivory	6.40 X
<b>ZH-WAL-VGA-IV</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, Ivory	4.44 X
<b>ZH-WAL-VGA-WH</b>	Wall plate: VGA Female/Female 1 Port, Gold Plated, White	4.44 X
<b>ZH-WAL-VGA3-IV</b>	Wall plate: VGA Female/Female & Stereo TRS 3.5mm Audio, Gold Plated, Ivory	5.29 X

**-- SPEAKER WALL PLATES --**

<b>FE-WAL-1SPK-WH</b>	Wall plate 1 Speaker (2 input jacks) for Banana Plugs Gold Plate,White	4.82 B
<b>FE-WAL-2SPK-WH</b>	Wall plate 2 Speaker (4 input jacks) for Banana Plugs Gold Plate,White	7.53 B
<b>FE-DEC-3H-IV</b>	Wall plate: 3 Open Keystone Decora Plate Insert, Ivory	1.04 D
<b>FE-WAL-4SPK-WH</b>	Wall plate 4 Speaker (8 input jacks) for Banana Plugs Gold Plate,White	13.52 A
<b>MO-WAL-3643</b>	Wall plate: 5 Speaker (10 input jacks) for Banana Plugs Gold Pltd,White	20.43 B
<b>FE-WAL-2SPK-IV</b>	Wall plate 2 Speaker (4 input jacks) for Banana Plugs Gold Plate,Ivory	7.79 C
<b>ZH-WAL-5SPKSUB-IV</b>	Wall plate: 5 Speaker Channel plus 1 RCA SubWoof (RCA/Coax), Ivory	21.42 X
<b>DA-WAL-45-0060</b>	Wall plate: 5 Speaker Channel plus 1 RCA SubWoof (RCA/Coax), White	42.45 A
<b>FE-BAN-SW</b>	Speaker Wire - Banana Plugs (Pair) Black/Red over Gold (Screw ONLY)	2.47 C
<b>FE-BAN-PR</b>	Speaker Wire - PREMIUM Banana Plugs/Adapter (Pair) Black/Red over Gold (Screw ONLY)	3.02 A
<b>FE-BAN-90</b>	Speaker Wire - ANGLE Banana Plugs (Pair) Black/Red over Gold (Screw ONLY)	2.76 A

**-- RCA, COAX (F-TYPE), AND TOSLINK OPTICAL TYPE --**


<b>FE-WAL-3RCA-IV</b>	Wall plate 3 Wire RCA Component Wall Plate Gold Plated, Ivory	2.65 C
<b>JI-WAL-3RCAT-WH</b>	Wall plate: 3 RCA component & Toslink Optical, Gold Plate, White	4.33 X
<b>JI-WAL-3RCAT-IV</b>	Wall plate: 3 RCA component & Toslink Optical, Gold Plate, Ivory	4.33 X
<b>ZH-KEY-TOS4H-IV</b>	Wall plate: Toslink Optical (Female/Female) + 4 Hole Keystone, Ivory	2.81 X
<b>DA-WAL-32-0032</b>	Wall plate: 2 F/Type Coax Connectors, White	2.06 B
<b>DA-WAL-20-5108</b>	Wall plate: 2 F/Coax Connects & 2 Open Keyst Decora Plate Insert, White	5.22 B

**-- SURFACE BLOCK AND OTHER WALLPLATES --**

<b>FE-WAL-RJ45-2</b>	Wall plate Surface Block (Biscuit Jack) RJ45 2 Port, White	3.61 B
<b>FE-WAL-C6-4</b>	Wall plate Surface Block (Biscuit Jack) CAT6 RJ45 4 Port, Punch-down type	12.08 B
<b>FE-WAL-RJ45-4</b>	Wall plate Surface Block (Biscuit Jack) CAT5E RJ45 4 Port, Punch-down type	7.84 B
<b>FE-RJ11-SB-WH</b>	Wall plate: Surface Block Phone Jack, RJ11, White	2.79 D

**-- WALL PLATE FRAMES, GANG BOXES, AND ACCESSORIES --**

<b>FE-WAL-LV1</b>	Wall plate Single Gang Wallbox, Low Voltage Existing Construction	2.17 D
<b>FE-WAL-LV2</b>	Wall plate Double Gang Wallbox, Low Voltage Existing Construction	2.69 X
<b>AR-WAL-LV3</b>	Wall plate: Triple Gang Wallbox, Low Voltage Existing Construction, Black	5.18 B
<b>FE-WAL-1G-HV-BLU</b>	Single Gang Wallbox, Full Voltage Existing Construction, BLUE	3.57 B
<b>MS-5325-E</b>	15 Amp 125v, 5-15R, Decora Duplex Receptacle Outlet, Black	3.57 X
<b>FE-DEC-2H-WH</b>	Wall plate: 2 Open Keystone Decora Plate Insert, White	1.50 D
<b>FE-DEC-3H-WH</b>	Wall plate: 3 Open Keystone Decora Plate Insert, White	1.12 D
<b>FE-DEC-4H-WH</b>	Wall plate: 4 Open Keystone Decora Plate Insert, White	1.04 D
<b>FE-DEC-6H-WH</b>	Wall plate: 6 Open Keystone Decora Plate Insert, White	1.12 X



Decor style wallplate insert (outer plate not included) with 6 open keystone jacks Due to the compact design of this keystone plate, certain keystone WIDER INSERTS, such as our CAT5E couplers and CAT5E punch-down inserts will NOT properly fit due to their larger back portion of the insert. Please contact us if you have a specific question about an INSERT that may or may NOT fit into this keystone plate.

<b>FE-DEC-1G-WH</b>	Wall plate: 1 Gang Decor Outer Frame, White	0.56 C
<b>FS-DEC-1G-IV</b>	Wall plate: 1 Gang Decor Outer Frame, Ivory	0.49 X
<b>FS-DEC-2G-IV</b>	Wall plate: 2 Gang Decor Plate Frame, Ivory	0.36 X
<b>JI-DEC-3G-IV</b>	Wall plate: 3 Gang Decor Plate Frame, Ivory	0.48 X

## Wallplates - HDMI

Wallplates - HDMI

Clean up messy wires and run cables through the wall for that professional look with My Cable Mart HDMI Wallplates.



- Build your OWN Keystone wallplate combination!
- Version 1.4a Certified, suitable for HDMI 2.0 applications
  - Female HDMI on both front and back
  - Gold-plated connections

<b>FE-KEY-HH-IV</b>	Keystone Jack Insert/Coupler Type - HDMI, Gold Plated, Female/Female, Ivory .....	5.06 C
<b>FE-KEY-HH-BK</b>	Keystone Jack Insert/Coupler Type - HDMI, Gold Plated, Female/Female, Black .....	4.67 C
<b>FE-KEY-HH-8IN-BK</b>	Keystone Jack Insert/Dongle Type - HDMI Cable Female/Female, Black 8 INCH .....	6.05 X
<b>FE-KEY-HH-8IN-WH</b>	Keystone Jack Insert/Dongle Type - HDMI Cable Female/Female, White 8 INCH .....	6.05 C
<b>FE-KEY-HH90-WH</b>	Keystone Jack Insert/Coupler HDMI Angled, Gold Plated, Female/Female, White .....	5.40 C
<b>FE-KEY-HH90-IV</b>	Keystone Jack Insert/Coupler HDMI Angled, Gold Plated, Female/Female, Ivory .....	4.97 C
<b>FE-WAL-HH4IN-1-WH</b>	Wall plate HDMI (Single) w/4" Built-in Flexible Extension Cable, White .....	9.73 D



- Perfect for putting HDMI wire in-wall, and connecting to a nice, clean wall-plate.
- Gold plated connectors.
  - White only.
  - HDMI ATC tested to 1.4 specifications.
  - Female HDMI front and behind-the-wall connectors
  - Minor assembly may be required

<b>FE-WAL-HH-1-IV</b>	Wall plate HDMI (Single) w/4" Built-in Flexible Extension Cable, Ivory .....	9.73 X
<b>FE-WAL-HH-2-IV</b>	Wall plate HDMI (Dual) w/4" Built-in Flexible Extension Cable Ivory .....	16.31 X
<b>FE-WAL-HH1-WH</b>	HDMI Wall Plate (Single) Direct Connect Straight Feed-thru, White .....	6.86 D
<b>FE-WAL-HH2-IV</b>	HDMI Wall Plate (Dual) Direct Connect Straight Feed-thru, Ivory .....	6.10 B
<b>FE-WAL-HH2-WH</b>	HDMI Wall Plate (Dual) Direct Straight Degree Feed-thru, White .....	6.20 A
<b>FE-WAL-HH-VGA-WH</b>	Wall plate HDMI & VGA Female/Female 1 Port, Gold Plated, White .....	9.61 B
<b>FE-WAL-LV1</b>	Wall plate Single Gang Wallbox, Low Voltage Existing Construction .....	2.17 D
<b>FE-WAL-LV2</b>	Wall plate Double Gang Wallbox, Low Voltage Existing Construction .....	2.69 X

## Wallplates - Pass-Thru

### Wallplates - Pass-Thru

Pass through wallplates are used on existing hollow walls and ceilings when you need both GFCI protected power and low voltage cables pulled to one location.



#### -- SINGLE GANG WALL PLATES --

<b>DA-45-0006-BK</b>	Wall plate: 1 3/4" Hole Saw Plate with Brushes, Black .....	4.97 B
<b>DA-45-0006-WH</b>	Wall plate: 1 3/4" Hole Saw Plate with Brushes, White .....	4.67 B

Our 1 3/4 INCH Hole Saw Plate is used to conceal low voltage cables behind smaller home theater and security equipment. The Hole Saw Plate's low profile design is ideal for concealing connections to components such as speakers, cameras, and other similar applications.



#### Features and Specifications

- Low profile fits behind the industry's thinnest mounts and TV's
- Conceal low voltage cables that connect speakers, surveillance cameras, small displays and other components
- Face plate dimensions are 2IN x 2IN
- Cut-hole size: 1 3/4 INCH
- Brush opening dimensions are 0.77IN x 0.87IN
- Maximum Drywall/board thickness for clamps: 7/8IN
- Ideal for HDMI, security, or speaker cable pass-through

<b>DA-45-0007-WH</b>	Wall plate: Mini Rough-In Box with brush plate, NEW CONSTRUCT, White .....	4.09 X
<b>DA-WAL-45-0001-WH</b>	Wall plate: Single-Gang Recessed Cable Pass-thru, White .....	4.83 B





With these new plates you can install low voltage cables behind your flat panel TV, your amplifier or other audio/video devices, flush to the wall surface. Available in White, Ivory, Light Almond, Brown, and Black

<b>DA-WAL-45-0001-IV</b>	Wall plate: Single-Gang Recessed Cable Pass-thru, Ivory	3.99 B
<b>DA-WAL-45-0001-BK</b>	Wall plate: Single-Gang Recessed Cable Pass-thru, Black	4.83 B
<b>DA-45-0014-WH</b>	Wall plate: Single-Gang Pass-Thru with Flex Opening, White	5.90 A
<b>DA-45-0014-LA</b>	Wall plate: Single-Gang Pass-Thru with Flex Opening, Light Almond	5.90 A
<b>DA-45-0014-BK</b>	Wall plate: Single-Gang Pass-Thru with Flex Opening, Black	5.90 A
<b>FE-BRS-1G-WH</b>	Wall plate: Single-Gang Decora with Brush Pass-thru, White	3.76 C
<b>FE-BRS-1G-BK</b>	Wall plate: Single-Gang Decora with Brush Pass-thru, Black	4.04 C



Single gang wallplate with modern black brush front finish allows for discrete cable pull-through.

<b>DA-WAL-45-0008-WH</b>	Wall plate: Recessed Low Voltage Cable Pass-Thru w/Easy Mount, White	5.67 B
<b>DA-WAL-45-0008-IV</b>	Wall plate: Recessed Low Voltage Cable Pass-Thru w/Easy Mount, Ivory	5.67 X
<b>DA-WAL-45-0008-LA</b>	Wall plate: Recessed Low Voltage Cable Pass-Thru w/Easy Mount, Lt Almond	5.67 B
<b>DA-WAL-45-0008-BK</b>	Wall plate: Recessed Low Voltage Cable Pass-Thru w/Easy Mount, Black	5.67 B
<b>FE-WAL-LV1</b>	Wall plate Single Gang Wallbox, Low Voltage Existing Construction	2.17 D
<b>FE-WAL-1G-HV-BLU</b>	Single Gang Wallbox, Full Voltage Existing Construction, BLUE	3.57 B
<b>MS-5325-E</b>	15 Amp 125v, 5-15R, Decora Duplex Receptacle Outlet, Black	3.57 X

**-- DUAL (2) GANG WALL PLATES --**

<b>DA-WAL-45-0002-WH</b>	Wall plate: Double-Gang Recessed Cable Pass-thru, White	5.93 B
--------------------------	---	--------



With these new plates you can install low voltage cables behind your flat panel TV, your amplifier or other audio/video devices, flush to the wall surface. Use DataComm Electronics new 1-gang, 2-gang and 3-gang recessed low voltage cable plates to install low voltage cables behind your flat panel TV, your amplifier or other audio and video devices.

<b>DA-WAL-45-0002-IV</b>	Wall plate: Double-Gang Recessed Cable Pass-thru, Ivory	5.93 B
<b>DA-WAL-45-0002-BR</b>	Wall plate: Double-Gang Recessed Cable Pass-thru, Brown	5.93 B
<b>DA-WAL-45-0002-BK</b>	Wall plate: Double-Gang Recessed Cable Pass-thru, Black	5.93 B
<b>DA-45-0015-WH</b>	Wall plate: DOUBLE-Gang Pass-Thru with Flex Opening, White	7.73 A
<b>DA-45-0015-LA</b>	Wall plate: DOUBLE-Gang Pass-Thru with Flex Opening, Light Almond	7.46 X
<b>DA-45-0015-IV</b>	Wall plate: DOUBLE-Gang Pass-Thru with Flex Opening, Ivory	7.46 X
<b>FE-WAL-2G-PT</b>	Wall plate: Double-Gang Pass-Thru Wall plate Split-Port, White	10.82 X
<b>DA-WAL-45-0010-BK</b>	Wall plate: Recessed Media Box, Black	33.59 A
<b>DA-WAL-45-0021-WH</b>	Wall plate: Cable Pass-thru Media Plate with 110v Recessed, White	26.70 A
<b>DA-WAL-45-0071-WH</b>	Wall plate: Cable Pass-thru Media Plate with DUAL 110v Recessed, White	29.80 A
<b>DA-WAL-45-0081-WH</b>	Wall plate: Cable Pass-thru SURGE Media Plate w/ DUAL 110v Recessed, White	64.17 A
<b>DA-WAL-45-0023-WH</b>	Wall plate: Flat Panel TV Power Kit with Straight Blad Inlet, White	86.14 B
<b>FE-WAL-LV2</b>	Wall plate Double Gang Wallbox, Low Voltage Existing Construction	2.69 X

**-- TRIPLE (3) GANG WALL PLATES --**

<b>DA-WAL-45-0003-WH</b>	Wall plate: Triple-Gang Recessed Cable Pass-thru, White	9.68 B
<b>DA-WAL-45-0003-LA</b>	Wall plate: Triple-Gang Recessed Cable Pass-thru, Light Almond	8.98 X



<b>DA-WAL-45-0003-BK</b>	Wall plate: Triple-Gang Recessed Cable Pass-thru, Black	8.98 B
<b>AR-WAL-LV3</b>	Wall plate: Triple Gang Wallbox, Low Voltage Existing Construction, Black	5.18 B

**-- PLASTIC ENCLOSURES/MEDIA BOXES --**

<b>DA-80-1500-SC</b>	Wall plate: 15" Plastic Enclosure/Media Box with Solid Cover for Racking	61.88 A
----------------------	--	---------


## Wallplates - Decora Type

Wallplates - Decora Type (Frames ONLY)

Decora wallplates are the standard size used by most rocker, dimmer, and slider light switches, as well as many GFCI outlets and phone/data jacks. It's also referred to as a decorator wallplate or a rocker plate. Decora wallplate frames and inserts can be used to create custom, professional A/V installations.



<b>FE-KEY2G-12H-IV</b>	Wall plate: Decora Keystone, DUAL Gang 12 Hole - Ivory	2.66 D
<b>FE-DEC-1G-WH</b>	Wall plate: 1 Gang Decor Outer Frame, White	0.56 C
<b>FS-DEC-1G-IV</b>	Wall plate: 1 Gang Decor Outer Frame, Ivory	0.49 X
<b>FS-DEC-2G-IV</b>	Wall plate: 2 Gang Decor Plate Frame, Ivory	0.36 X
<b>JI-DEC-3G-IV</b>	Wall plate: 3 Gang Decor Plate Frame, Ivory	0.48 X
<b>FE-DEC-2H-WH</b>	Wall plate: 2 Open Keystone Decora Plate Insert, White	1.50 D
<b>FE-DEC-3H-WH</b>	Wall plate: 3 Open Keystone Decora Plate Insert, White	1.12 D
<b>FE-DEC-3H-IV</b>	Wall plate: 3 Open Keystone Decora Plate Insert, Ivory	1.04 D
<b>FE-DEC-4H-WH</b>	Wall plate: 4 Open Keystone Decora Plate Insert, White	1.04 D
<b>FE-DEC-6H-WH</b>	Wall plate: 6 Open Keystone Decora Plate Insert, White	1.12 X



Decor style wallplate insert (outer plate not included) with 6 open keystone jacks. Due to the compact design of this keystone plate, certain keystone WIDER INSERTS, such as our CAT5E couplers and CAT5E punch-down inserts will NOT properly fit due to their larger back portion of the insert. Please contact us if you have a specific question about an INSERT that may or may NOT fit into this keystone plate.

<b>FE-KEY2G-8H-WH</b>	Wall plate: Decora Keystone, DUAL Gang 8 Hole - White	2.66 D
<b>FE-WAL-LV1</b>	Wall plate Single Gang Wallbox, Low Voltage Existing Construction	2.17 D
<b>FE-WAL-LV2</b>	Wall plate Double Gang Wallbox, Low Voltage Existing Construction	2.69 X
<b>AR-WAL-LV3</b>	Wall plate: Triple Gang Wallbox, Low Voltage Existing Construction, Black	5.18 B

## Wallplates - Powered & Bridge

Wallplates - Powered and Bridge

My Cable Mart offers powered (110v) and bridged wallplates that are perfect for hiding cables and creating clean installations for wall-mounted TVs.



<b>DA-WAL-45-0021-WH</b>	Wall plate: Cable Pass-thru Media Plate with 110v Recessed, White	26.70 A
<b>DA-WAL-45-0023-WH</b>	Wall plate: Flat Panel TV Power Kit with Straight Blad Inlet, White	86.14 B
<b>DA-WAL-45-0081-WH</b>	Wall plate: Cable Pass-thru SURGE Media Plate w/ DUAL 110v Recessed, White	64.17 A
<b>DA-WAL-45-0071-WH</b>	Wall plate: Cable Pass-thru Media Plate with DUAL 110v Recessed, White	29.80 A
<b>FE-WAL-1G-HV-BLU</b>	Single Gang Wallbox, Full Voltage Existing Construction, BLUE	3.57 B
<b>MS-5325-E</b>	15 Amp 125v, 5-15R, Decora Duplex Receptacle Outlet, Black	3.57 X
<b>DA-45-0024-WH</b>	Wall plate: Flat Panel TV Power Kit with Gang Box/Power Cable, White	63.73 A

## Wallplates - D-Series / Neutrik Panel

Wallplates - D-Series Panel Mount

Connect your professional cables using our D-Series Panel Mount connectors and stainless steel plates, for a variety of connector types: HDMI, Coax, CAT6, 1/4inch, 3.5mm, XLR, BNC, and SpeakOn(TM). "D" Series connectors and plates follow a standard established by Neutrik(TM) for panel-mounting various professional audio/video connectors into a precise 23.8mm hole, and provide for holes to insert 2 nuts and bolts per connector.



<b>FE-PAN-1H</b>	Wall plate: 1 Gang / 1 Hole D-Series/Neutrik Connector Plate, Stainless	4.03 C
<b>FE-PAN-2H</b>	Wall plate: 1 Gang / 2 Hole D-Series/Neutrik Connector Plate, Stainless	4.85 D
<b>FE-PAN-4H</b>	Wall plate: 2 Gang / 4 Hole D-Series/Neutrik Connector Plate, PVC White	5.44 C
<b>FE-PAN-BOLTS</b>	2 x D-Series/Neutrik Panel Mount bolts and nuts (10mm/M3)	0.31 B
<b>FE-PAN-HDMI</b>	Wall plate: HDMI Female D-Series/Neutrik Panel Mount Connector, Metal Shell	4.79 B
<b>FE-PAN-14TRS</b>	Wall plate: 1/4" Stereo Female D-Series/Neutrik Panel Mount Connector, Metal	3.87 C
<b>FE-PAN-35BCTRS</b>	Wall plate: 3.5mm TRS Stereo D-Series/Neutrik Panel Mount, Block Connect	5.16 C
<b>FE-PAN-35TRTS</b>	Wall plate: 3.5mm TRS Stereo D-Series/Neutrik Panel Mount, Coupler Connect	6.56 C
<b>FE-PAN-14TS</b>	Wall plate: 1/4" MONO Female D-Series/Neutrik Panel Mount Connector, Metal	3.87 C
<b>FE-PAN-RJ45</b>	Wall plate: Ethercon CAT6/RJ45 D-Series/Neutrik Panel Mount Connector	7.43 B
<b>FE-PAN-F</b>	Wall plate: Coax/F-Type 2.5Ghz D-Series/Neutrik Panel Mount Connector	4.73 C
<b>FE-PAN-XLR-F</b>	Wall plate: XLR Female D-Series Panel Mount Connector, Metal Shell	3.87 C
<b>FE-PAN-XLR-M</b>	Wall plate: XLR Male D-Series/Neutrik Panel Mount Connector, Metal Shell	3.87 C

<b>FE-PAN-SPKON</b>	Wall plate: SpeakOn(TM) D-Series/Neutrik Panel Mount Connector, Metal	3.20 c
<b>FE-PAN-BNC</b>	Wall plate: BNC Female D-Series/Neutrik Panel Mount Connector, Metal	4.24 B
<b>FE-PAN-BLANK</b>	BLANK Keystone D-Series/Neutrik Panel Mount Connector, Black	4.26 c
<b>FE-PAN-MET</b>	BLANK Keystone D-Series/Neutrik Panel Mount Connector, Metal	3.87 c

# Wallplates - Panel Mount Connects

Panel-connect your audio, video, or other device to a metal cabinet

## -- USB PANEL MOUNT CONNECTORS --

<b>FE-USB-PM-6IN</b>	6inch USB 2.0 EXTENSION Type A Male to A Female PANEL MOUNT Cable	2.52 D
<b>FE-USB3-PM-6IN</b>	6inch USB 3.0 5Gbps EXTENSION Type A Male to A Female PANEL MOUNT Cable	4.53 c
<b>FE-USB-PM-18IN</b>	18inch USB 2.0 EXTENSION Type A Male to A Female PANEL MOUNT Cable	3.10 D
<b>FE-USB-PM-05</b>	5ft USB 2.0 EXTENSION Type A Male to A Female PANEL MOUNT Cable	3.49 D
<b>FE-ACB5-PM-12IN</b>	12inch USB 2.0 EXTENSION Micro-B 5 pin to A Female PANEL MOUNT Cable	3.01 D
<b>FE-ACB5-PM-18IN</b>	18inch USB 2.0 EXTENSION Micro-B 5 pin to A Female PANEL MOUNT Cable	3.10 D
<b>FE-USBB-PM-6IN</b>	6inch USB 2.0 EXTENSION Type B Male to B Female PANEL MOUNT Cable	3.63 D

## -- PANEL MOUNT USB 2.0 EXTENSION TYPE B MALE TO B FEMALE CABLES --

<b>FE-USBB-PM-12IN</b>	12 inch USB 2.0 EXTENSION Type B Male to B Female PANEL MOUNT Cable	3.78 D
<b>FE-USBB-PM-18IN</b>	18 inch USB 2.0 EXTENSION Type B Male to B Female PANEL MOUNT Cable	3.94 D
<b>FE-USBB-PM-36IN</b>	36 inch USB 2.0 EXTENSION Type B Male to B Female PANEL MOUNT Cable	4.46 D
<b>FE-USBC-PM-6IN</b>	6inch USB 2.0 EXTENSION Type A Male to C Female PANEL MOUNT Cable	5.61 c
<b>FE-USB3C-PM-6IN</b>	6inch USB 3.0 EXTENSION Type A Male to C Female 5Gbps PANEL MOUNT Cable	7.90 c
<b>FE-USB-FCAP</b>	USB Dust Cap for USB Type-A Female Ports/Panel Mounts	0.43 c
<b>FE-USB3C-FCAP</b>	USB Dust Caps for USB Type-C Female Ports/Panel Mounts	0.37 B

## -- HDMI AND DVI PANEL MOUNT CONNECTORS --

<b>FE-PMHH-10IN</b>	10 INCH PANEL-MOUNT HDMI Female/Male Cable (30 AWG), Gold Plated	6.05 D
<b>FE-PMHH-01</b>	1.5FT INCH PANEL-MOUNT HDMI Female/Male Cable (30 AWG), Gold Plated	6.51 D
<b>FE-PMHH-03</b>	3FT INCH PANEL-MOUNT HDMI Female/Male Cable (30 AWG), Gold Plated	7.44 D
<b>FE-PMHD-10IN</b>	10inch PANEL-MOUNT HDMI Female/DVI-D Combination Cable (30 AWG),Gold Plate	6.29 c
<b>FE-PMHD-03</b>	3ft PANEL-MOUNT HDMI Female / DVI-D Combination Cable (30 AWG), Gold Plated	9.04 D

## -- MISC MOUNT CONNECTORS --

<b>FE-ADT-378</b>	Ethercon RJ45 (CAT5/6) Cable Connector for Panel Mounting	3.30 B
-------------------	---	--------

## -- 3.5MM AUDIO PANEL MOUNT CONNECTORS --

<b>FE-ADT-405</b>	3.5mm TRS Stereo (or MONO) Panel Mount Connector, Shielded	1.68 D
<b>FE-3MMPM-6INMF</b>	6inch 3.5mm Stereo TRS Male to Female Panel-Mount Extension Cable	3.50 D
<b>FE-3MMPM-01MF</b>	1.5ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable	3.95 D
<b>FE-3MMPM-03MF</b>	3ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable	3.58 D
<b>FE-3MMPM-06MF</b>	6ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable	3.94 D
<b>FE-3MMPM-10MF</b>	10ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable	4.42 D
<b>FE-3MMPM-15MF</b>	15ft 3.5mm Mini-Stereo TRS Male to Female Panel-Mount Extension Cable	5.74 D

## -- 3.5MM MONO TS MALE TO FEMALE PANEL-MOUNT EXTENSION CABLE --

<b>FE-MONOPM-6IN</b>	6 inch 3.5mm MONO TS Male to Female Panel-Mount Extension Cable	3.10 D
<b>FE-MONOPM-01</b>	1.5ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable	3.17 D
<b>FE-MONOPM-03</b>	3ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable	3.38 D
<b>FE-MONOPM-06</b>	6ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable	3.69 D
<b>FE-MONOPM-10</b>	10ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable	4.15 D
<b>FE-MONOPM-15</b>	15ft 3.5mm MONO TS Male to Female Panel-Mount Extension Cable	5.63 D

## -- 3.5MM 4 CONDUCTOR TRRS MALE TO FEMALE PANEL-MOUNT EXTENSION CABLE --

<b>FE-4CTPM-6IN</b>	6inch 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable	4.08 c
<b>FE-4CTPM-01</b>	1.5ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable	4.31 c
<b>FE-4CTPM-03</b>	3ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable	4.49 c
<b>FE-4CTPM-06</b>	6ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable	4.62 c
<b>FE-4CTPM-10</b>	10ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable	4.95 c
<b>FE-4CTPM-15</b>	15ft 3.5mm 4 Conductor TRRS Male to Female Panel-Mount Extension Cable	5.85 c

## -- "D" SERIES (NEUTRIK) PANEL MOUNT CONNECTORS --

<b>FE-PAN-1H</b>	Wall plate: 1 Gang / 1 Hole D-Series/Neutrik Connector Plate, Stainless	4.03 c
<b>FE-PAN-2H</b>	Wall plate: 1 Gang / 2 Hole D-Series/Neutrik Connector Plate, Stainless	4.85 D
<b>FE-PAN-4H</b>	Wall plate: 2 Gang / 4 Hole D-Series/Neutrik Connector Plate, PVC White	5.44 c
<b>FE-PAN-14TS</b>	Wall plate: 1/4" MONO Female D-Series/Neutrik Panel Mount Connector, Metal	3.87 c
<b>FE-PAN-14TRS</b>	Wall plate: 1/4" Stereo Female D-Series/Neutrik Panel Mount Connector, Metal	3.87 c
<b>FE-PAN-35BCTRS</b>	Wall plate: 3.5mm TRS Stereo D-Series/Neutrik Panel Mount, Block Connect	5.16 c
<b>FE-PAN-35TRS</b>	Wall plate: 3.5mm TRS Stereo D-Series/Neutrik Panel Mount, Coupler Connect	6.56 c
<b>FE-PAN-BNC</b>	Wall plate: BNC Female D-Series/Neutrik Panel Mount Connector, Metal	4.24 B
<b>FE-PAN-F</b>	Wall plate: Coax/F-Type 2.5Ghz D-Series/Neutrik Panel Mount Connector	4.73 c
<b>FE-PAN-RJ45</b>	Wall plate: Ethercon CAT6/RJ45 D-Series/Neutrik Panel Mount Connector	7.43 B

<b>FE-PAN-HDMI</b>	Wall plate: HDMI Female D-Series/Neutrik Panel Mount Connector, Metal Shell	4.79 B
<b>FE-PAN-BOLTS</b>	2 x D-Series/Neutrik Panel Mount bolts and nuts (10mm/M3)	0.31 B
<b>FE-PAN-SPKON</b>	Wall plate: SpeakOn(TM) D-Series/Neutrik Panel Mount Connector, Metal	3.20 C
<b>FE-PAN-XLR-M</b>	Wall plate: XLR Male D-Series/Neutrik Panel Mount Connector, Metal Shell	3.87 C
<b>FE-PAN-MET</b>	BLANK Keystone D-Series/Neutrik Panel Mount Connector, Metal	3.87 C
<b>FE-PAN-BLANK</b>	BLANK Keystone D-Series/Neutrik Panel Mount Connector, Black	4.26 C
<b>-- RCA PANEL MOUNT CONNECTORS --</b>		
<b>JI-RCA-GRN-FF</b>	RCA Coupler or Panel Mount Connector, Gold Plated, Green	0.42 C
<b>JI-RCA-BLU-FF</b>	RCA Coupler or Panel Mount Connector, Gold Plated, Blue	0.42 C

## Wallplates - Phone (RJ11/RJ12)



<b>DA-WAL-20-1532</b>	Wall plate: Dual Phone, White	2.73 B
<b>BE-170607WT</b>	Wall plate: Standard Phone, White	1.27 C
<b>FE-RJ11-SB-WH</b>		2.79 D
	Wall plate: Surface Block Phone Jack, RJ11, White	

## Cable Management - Loom and Cable Tube

Cable Mesh / Tubing / Ties / Straps

Keep your desk and home theater wires neat and tidy with My Cable Mart Cable Management. Cable Mesh, Tubing, Ties and Straps will keep your area from looking messy and ensure a clean and professional look.



<b>TF-F6N075BK</b>	Flexible, Semi-Rigid Wrappable Split Tube, 3/4" Diameter PER FOOT, Blac	1.60 X
<b>TF-PTPO.25BK</b>	Flexible, Semi-Rigid Wrappable Split Tube, 1/4inch Diameter PER FOOT, Black	0.51 X
<b>TF-F6N050BK</b>	Flexible, Semi-Rigid Wrappable Split Tube, 1/2inch Diameter PER FOOT, Black	1.27 X
<b>TF-F6N075CW</b>	Flexible, Semi-Rigid Wrappable Split Tube, 3/4" Diameter PER FOOT, Whit	1.72 C
<b>TF-F6N075CW-2FT</b>	Flexible, Semi-Rigid Wrappable Split Tube, 3/4" Diameter, 2FT, White	2.92 X
<b>BE-220935</b>	20 inch Flexible, Spiral Cable Holder with Adhesive, Gray	11.17 B
<b>WA-ACC-LOOM-1B</b>	Wire/Cable Saver Corrugated Split Tube/Loom 1" Diameter, Black (per FOOT)	0.80 X

### -- CABLES TIES AND RACEWAYS --

<b>LU-CC07-75</b>	30" Cable Raceway / Cable Management PVC, White (60x20x750mm), Each	5.92 C
<b>LU-CC07-J1</b>	Cable Raceway Connector Bracket, Each	1.17 C
<b>FE-MSC-234</b>	6inch Marker Tie, White, 100pk	3.72 D
<b>FE-MSC-228</b>	8inch Nylon Cable Tie 50lbs (Rated) Black 100 pack	3.68 D
<b>FE-MSC-230</b>	8inch Wall Mountable Cable Tie Clear 100pcs	3.69 D
<b>FE-MSC-239</b>	6inch Cable Ties (Hook/Loop), Fabric, Pkg of 10, Black	3.70 C
<b>BE-220898A6</b>	6inch Cable Ties (Hook/Loop), Fabric, Pkg of 60, Assorted Colors	8.21 B
<b>FE-MSC-447</b>	Cable Tie Mount 22mm 100 Pack, Black	7.85 C
<b>BE-220910BK</b>	50ft Hook and Loop Strap Tape, Black	21.44 C

### -- CABLE HOOKS AND HOLDERS --

<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>BE-220701BK</b>	100 Pack Nail-in Cable Clip for Coax RG59 or RG6, Black	2.52 C
<b>BE-220701WT</b>	100 Pack Nail-in Cable Clip for Coax RG59 or RG6, White	2.52 C

## TV Mounts

Quality LED, LCD, Plasma, and Monitor Mounts at a fraction of the price of retail!



### -- COMPACT SIZED AND TRAVEL LOCKING ARM MOUNTS --


**LU-LCD-601M-BLK** ARM Tilting/Swivel Wall Mount Bracket 23-42" TVs to 66 lbs ..... 14.20 x



The mount allows you to tilt the display up and down about 35 degrees off center max. You can swivel it side to side up to 50 degrees off center max. And, it will retract down to a depth of 3.25" when parallel and even to the wall and extend out to a maximum of about 5.75".

- 3" apart horizontally & 3" vertically (VESA 75x75),
- 4" apart horizontally & 4" vertically (VESA 100x100),
- 8" apart horizontally & 8" vertically (VESA 200x200), or
- 8" apart horizontally & 4" vertically (VESA 200x100)
- Maximum weight capacity: 66lbs
- Tilt: 35 degrees off center
- Swivel: 50 degrees off center side to side
- Extension from wall: 3.25" to 5.75"

**LU-LDA18-111** ARM 2-Way TRAVEL/LOCK Adjustable/Tilt Wall Mount Bracket 13-32" to 33 lbs ..... 21.52 x



The LDA18-111 is an articulating wall mount for 13"-32" flat-panel TVs up to 15kg/33lbs especially designed for RVs, TRAILERS, ICE HOUSES, or other mobile units. With enhanced fixing structure, it can be widely applied in RVs, Motor Homes, Caravans, or Ice Houses where the TV needs to be protected from the damage while travelling.

**Features and Specifications**

- VESA: 75/100
- Suitable for most TVs 13-32 inches
- Maximum weight capacity: 33lbs
- 2 Dock Plates supplied
- Tilt: Up or Down approx: 55 degrees UP, 35 degrees DOWN
- Swivel (left right): 180 degrees

**LU-LCD-201P** Extension Arms for LU-LDA18-111 Travel Mount to VESA 200x200 ..... 4.24 C

**LU-LDA18-222** ARM 3-Way TRAVEL/LOCK Adjustable/Tilt Wall Mount Bracket 13-42" to 33 lbs ..... 26.46 A




The LDA18-222 is an articulating wall mount for 13"-42" flat-panel TVs up to 15kg/33lbs especially designed for RVs, TRAILERS, ICE HOUSES, or other mobile units. With enhanced fixing structure, it can be widely applied in RVs, Motor Homes, Caravans, or Ice Houses where the TV needs to be protected from the damage while travelling.

**Features and Specifications**

- VESA: 75/100/200
- Suitable for most TVs 13-42 inches
- Maximum weight capacity: 33lbs
- 2 Dock Plates supplied
- Tilt: Up or Down approx: 55 degrees UP, 35 degrees DOWN
- Swivel (left right): 180 degrees

**LU-LDA18-222B** ARM 3-Way TRAVEL/LOCK Adjustable/Tilt Wall Mount Bracket EXTRA BASE ONLY ..... 5.15 B

**LU-LCD-CM** UNDER CABINET Mount Bracket to 23", VESA 50/75/100, Black ☒ ..... 17.31 B



Suitable for mounting monitors, and smaller LCD/plasma sets from 10-30in diag up to 44 lbs under cabinets

- Wall Mount Plate Width: 4"
- Mount Plate Height: 5-7/8"
- TV Mount Plate: 4-3/4"x6-1/6" (Square)
- Tilt: 110 to 0 degrees, Swivel: 360 degrees

**BE-502906** UNDER CABINET Mount for 17-37inch LCD w/Tilting to 44 lbs ..... 41.04 A

**-- LOW PROFILE AND ULTRA SLIM PROFILE WALL MOUNT BRACKETS --**

**LU-KL22-44F** LOW PROFILE Wall Mount Bracket 32-55" TVs to 77 lbs Black ..... 12.62 D


<b>LU-PLB-34L</b>	LOW PROFILE HEAVY DUTY Wall Mount Bracket 37-70" TVs to 165 lbs Black	25.26 D
<b>LU-KL22-64F</b>	LOW PROFILE Wall Mount Bracket 37-80" TVs to 77 lbs Black	15.73 D
<b>LU-LP37-69F</b>	LOW PROFILE Wall Mount Bracket 60-100" TVs to 220 lbs Black	32.90 B

**-- TILTING ONLY WALL MOUNT BRACKETS --**

<b>LU-KL21G-44T</b>	TILT ONLY Wall Mount Bracket 32-55" TVs to 88 lbs, Black	18.30 C
<b>BE-502688BK</b>	TILT ONLY Wall Mount Bracket 37-70" TVs to 77 lbs, Black	22.07 C
<b>LU-PLB-35XL</b>	TILT ONLY Wall Mount Bracket 42-80" TVs to 165lbs HEAVY DUTY, Black	27.54 D
<b>LU-LP59-48T</b>	TILT ONLY Wall Mount Bracket 43-90" TVs to 154 lbs, Black	28.80 C
<b>LU-LP37-810T</b>	TILT ONLY Wall Mount Bracket 60-100" TVs to 220 lbs, Black	54.55 X
<b>LU-LDT03-17S</b>	SWIVEL ONLY Table Top Mount Bracket 32-55" TVs to 88 lbs, Black	29.55 B

**-- 1 ARM FULL MOTION (TILT UP/DOWN AND SWINGS LEFT/RIGHT) WALL MOUNT BRACKETS --**

<b>LU-LPA36-443A</b>	FULL MOTION 1-ARM 19" Wall Mount Bracket 32-55" TVs Wide Plate, Black	32.33 B
----------------------	---	---------



Adjustable Tilting up/down (+10 degrees up, -20 degree down) and Swivel left/right (+-90 degrees) Wall Mount Bracket for LCD Plasma (Max 110Lbs, 32~50inch)

- Will fit most small to mid-sized flat panel plasma and LCD TVs with mounting patterns up to VESA 400x400.
- Wall Back mount plate width: 18.9", Wall Back mount plate height: 8"
- TV Front mount plate width: 18.9", TV Front mount plate height: 16.3"
- Tilt: up to 5 degrees upward & 20 degrees down (variable) (Lock In Fixed Position)
- Swivel: -90 to +90 degree rotation (depending on TV size and location from wall)
- Extension from wall: 2.5" to 18.7"

<b>LU-LPA49-443</b>	FULL MOTION 1-ARM 24" Wall Mount Bracket 32-55" TVs Narrow Plate, Black	39.63 C
---------------------	---	---------

**-- 2 ARM FULL MOTION (TILT UP/DOWN AND SWINGS LEFT/RIGHT) WALL MOUNT BRACKETS --**

<b>LU-LPA72-464</b>	FULL MOTION SLIM 2-ARM Wall Mount Bracket 37-90" TVs to 110 lbs, Black	48.64 B
<b>LU-LPA63-446</b>	FULL MOTION 2-ARM Wall Mount Bracket 37-70" TVs to 88 lbs, Black	44.75 C
<b>LU-LPA13-484</b>	FULL MOTION 2-ARM Wall Mount Bracket 42-74" TVs to 132 lbs, Black	52.37 B
<b>LU-LPA63-466</b>	FULL MOTION 2-ARM HEAVY DUTY Wall Mount Bracket 37-80" TVs to 88 lbs	49.77 D
<b>LU-LPA49-486</b>	FULL MOTION 2-ARM HEAVY DUTY Wall Mount Bracket 42-90" TVs to 165 lbs	60.81 B
<b>LU-LPA53N-461</b>	FULL MOTION Fireplace Drop-Down Wall Mount Bracket 43-70" TVs to 72 lbs	123.64 A
<b>LU-LPA53M-461</b>	FULL MOTION MOTORIZED Fireplace Drop-Down Wall Mount Bracket 37-70" TVs	175.59 X
<b>LU-LPA53M-RC</b>	Remote Control (Replacement) for Fireplace Wall Mount Bracket LPA53M-461	12.52 B

**-- CEILING AND FLOOR MOUNTS --**

<b>BE-502854BK</b>	CEILING Television Mount (Pole NOT Included) Bracket for 32-55" w/ Tilt	61.82 A
<b>BE-502857BK</b>	ACCESSORY: CEILING Pole for BE-502854BK TV Mount, 35 inches	31.07 A
<b>BE-502861BK</b>	ACCESSORY: CEILING Plate (Slanted) for BE-502854BK TV Mount/Pole	19.55 A
<b>BE-502859BK</b>	ACCESSORY: CEILING Pole Coupler 1.5inch Threaded for BE-502854BK Mount/Pole	8.83 A
<b>LU-PLB-CE946-01XL-01-NT</b>	SINGLE CEILING Television Mount (76" Height) Bracket for 37-70" w/ Tilt	69.90 C
<b>LU-RET-PLB-CE946-01XLD-01-NT</b>	DUAL CEILING Television Mount (76" Height) Bracket for 37-70" w/ Tilt	97.80 X



Our PLB-CE946-01XLD is a flexible ceiling mount designed to provide extra possibilities by allowing two screens to be placed back-to-back. Tilting ceiling plate for flat and sloping ceiling application.

- VESA Spec: 200x200 to 600x400
- Mount Tilt: 5 degrees up, 20 degrees down
- Pole Tilt (At Ceiling): Yes, Pole Height (to center of mount plate): 98 to 118 inches adjustable
- Pole Height (if center pole discarded): 55 to 76 inches adjustable
- Solid toughened steel construction, Durable scratch resistant
- Black Finish, Easy installation





Our PLB-CE946-01XLD is a flexible ceiling mount designed to provide extra possibilities by allowing two screens to be placed back-to-back. Tilting ceiling plate for flat and sloping ceiling application.

- VESA Spec: 200x200 to 600x400
- Mount Tilt: 5 degrees up, 20 degrees down
- Pole Tilt (At Ceiling): Yes, Pole Height (to center of mount plate): 98 to 118 inches adjustable
- Pole Height (if center pole discarded): 55 to 76 inches adjustable
- Solid toughened steel construction, Durable scratch resistant
- Black Finish, Easy installation

LU-PLB-CE946-01XLD-SP01	42 inch Pole Extension for PLB-CE946-01 Series Ceiling TV Mount	10.09 B
LU-LDT02-T04	ARM DESK MOUNT, Quad (4) 13-27 to 17 lbs Each, BLACK	91.72 x

-- LCD/LED/PLASMA FURNITURE AND MOUNT ACCESSORIES --

LU-HW-M8	TV Mount Universal Hardware Kit (4-M8x30 and 4-M8x50mm) Bolts Only	2.54 D
LU-HWKIT2	TV Mount Universal Hardware Kit (M6/M8 Bolts and Spacers)	4.78 D
LU-HWKIT	TV Mount Universal Hardware Kit (M5/M6/M8 Bolts, Spacers and Spacer Plates)	5.71 D
LU-SB-42	Soundbar Bracket Accessory, Universal up to 33lbs with Level	13.28 x
LU-SB-49	Soundbar Bracket Mounting Base Holder, Heavy Duty to 33lbs (Set of 2)	21.75 C
LU-DVD-31	DVD / BlueRay / Cable Box / Media Metal Accessory Shelf, Black	10.28 D
MO-8101	DVD/BlueRay Slim Glass Accessory Shelf for Wall Mounted TVs, Black	13.46 B
LA-HN1614	4-Pack, TV Mount Anchor Bolt Kit for Brick, Masonry, or Concrete	4.47 C
ZE-BB-24014	4-Pack, Drywall Installation Bolt/Anchor Kit by SNAPTOGGLE	8.94 B

-- TV OUTDOOR COVERS --

FE-TVC-39	30-39 inch TV Outdoor Cover (33x23x5in) Waterproof, Polyester, Black	24.71 c
FE-TVC-49	39-49 inch TV Outdoor Cover (42x26.5x5), Waterproof, Polyester, Black	27.18 c
FE-TVC-59	49-59 inch TV Outdoor Cover (52x33x5), Waterproof, Polyester, Black	28.89 c
FE-TVC-68	60-68 inch TV Outdoor Cover (58x37x5), Waterproof, Polyester, Black	34.75 c

-- INSTALLATION SERVICES --

CA-TVSB	Sound Bar Install Service (No wiring or electrical included)	56.83 x
CA-TVMOUNT	Standard TV Mount Install Service (No wiring or electrical included)	126.39 x
CA-TVPWRCBL	Standard TV Mount, Power Outlet, Conceal Cables Install Service	288.76 x
CA-TVPWRCBLFP	Standard TV Mount, Power Outlet, Conceal Cables Fireplace Install Service	346.75 x

## TV Mounts - TV Outdoor Covers

Protect your TV from the outdoor elements!



-- TV OUTDOOR COVERS --

FE-TVC-39	30-39 inch TV Outdoor Cover (33x23x5in) Waterproof, Polyester, Black	24.71 c
FE-TVC-49	39-49 inch TV Outdoor Cover (42x26.5x5), Waterproof, Polyester, Black	27.18 c
FE-TVC-59	49-59 inch TV Outdoor Cover (52x33x5), Waterproof, Polyester, Black	28.89 c
FE-TVC-68	60-68 inch TV Outdoor Cover (58x37x5), Waterproof, Polyester, Black	34.75 c

## TV Antennas

Antennas for HDTV and Radio

Get up to 30 digital crystal-clear UNCOMPRESSED 1080P channels right over the air for FREE using an off-air TV antenna. Many cable and satellite providers have a F-Coax input connection on their receivers allowing you to map channels to their local feeds/guides. Check your local ABC, NBC, CBS, FOX (and other) providers to find out if they are broadcasting their channels in UHF (new standard) or VHF (old standard - but still used in some markets) to determine if you need a UHF ONLY or UHF/VHF supporting antenna.



-- UHF AND VHF ANTENNAS --

NW-84Y7953	HDTV Off-Air UHF/VHF/FM Antenna, Indoor/Compact/Flat, up to 25 Miles	13.64 B
NW-29X0161	HDTV Off-Air UHF/VHF Antenna, Indoor/Compact/Flat, up to 30 Miles	16.17 B
NW-55W7741	HDTV Off-Air UHF Antenna, Compact, Side/Roof Mount, up to 30 Miles	34.42 B
NW-71Y5463	HDTV Off-Air UHF/VHF Antenna, Compact, Roof/Attic Mount, up to 40 Miles	68.21 B
NW-88W2140	HDTV Off-Air UHF/VHF Antenna, Full Sized, Roof/Attic Mount, up to 60 Miles	70.29 B
NW-25AC5066	HDTV Off-Air UHF Antenna, Compact, Side/Roof Mount, up to 60 Miles	70.84 B
NW-55W7740	HDTV Off-Air UHF Antenna, Full Sized, Roof/Attic Mount, up to 80 Miles	71.23 B
NW-25AC5067	HDTV Off-Air UHF Antenna, Full Sized, Roof/Attic Mount, up to 80 Miles	123.72 B

-- ACCESSORIES --

<b>NW-74R5018</b>	HDTV Off-Air Antenna 3 Foot Tripod Stand	41.18 A
<b>NW-85W0466</b>	HDTV Off-Air Antenna 3 Foot Antenna Mast Pole	13.69 D
<b>NW-31Y6077</b>	HDTV Off-Air Antenna Wall Bracket Standoff Mount Angle Mast Pole	29.58 D
<b>NE-Z30-4</b>	HDTV Off-Air Antenna Side-Mounting Clamp Kit	17.78 B
<b>NW-51M2616</b>	Coax F-type Lightning and Surge Protector Adapter (Male to Female)	6.15 B
<b>FE-F-SURGE</b>	Coax Cable F-Type (RG59 / RG6) Adapter Surge Protector	13.37 B
<b>FE-ADT-437</b>	Coax F-Type Female to N-type Male Adapter, Threaded, Nickel Plated	3.07 D
<b>NW-31AC3160</b>	Digital Tuner (QFX CV-103) Off-Air Antenna with HDMI/Composite/USB & DVR	59.80 A
<b>NW-42AH1271</b>	Antenna Transformer Adapter (75/30 Ohm) for Legacy TV Support, Out/Indoor	8.79 A
<b>NW-52T9527</b>	Antenna Signal Amplifier/Adapter (25dB) 50Mhz-860Mhz, Powered	22.48 B

Compact indoor signal amplifier is perfect for indoor TV and FM antennas requiring more signal gain. The bandwidth of 50Mhz ~ 860Mhz makes it suitable for all HDTV television broadcasts, as well as standard and HD FM.



#### Features and Specifications

- Bandwidth: 50~860MHz
- For indoor use only
- Boosts Signal +25dB
- Operates on 12VDC, 200mA (adapter included)

<b>FE-MSC-391</b>	Antenna Signal Amplifier (24dB) 54Mhz-1000Mhz, Powered	29.65 C
<b>NW-37J1216</b>	FM Dipole T Antenna for Local Reception with Coax F-type Connector	5.35 B
<b>NW-85W0467</b>	Antenna Roof or Side Mount Leak Kit (4 bolts, Pitch Pads)	12.54 B

## Accessory - Cable Management

### Cable Management

Cable Loom, Grommets, Ties, Raceways. Keep your desk and home theater wires neat and tidy with My Cable Mart Grommets, Cable Mesh, Tubing, Ties and Straps. Keep your area tidy and ensure a clean and professional look. **GROMMETS** are sized by their 'cut hole' needed to insert the grommet into wood or other material. Each grommet specifically lists all dimensions and provides for a TECH data sheet with a technical drawing.

## Grommets

Price / Tier



<b>-- 3/4" ROUND WIRE MANAGEMENT GROMMETS (NO LIDS) --</b>		
<b>BA-1108BK</b>	3/4" CUT-HOLE SIZE Black Round Wire Management Grommet **NO LID**	1.46 D
<b>BA-1108WH</b>	3/4" CUT-HOLE SIZE White Round Wire Management Grommet **NO LID**	1.46 C
<b>BA-1108AL</b>	3/4" CUT-HOLE SIZE Almond Round Wire Management Grommet **NO LID**	1.46 X

### -- 1" ROUND WIRE MANAGEMENT GROMMETS WITH LIDS --

<b>BA-1041BK</b>	1" CUT-HOLE SIZE Black Round Wire Management Grommet with Removable Lid	1.63 C
------------------	---	--------

Organize your cables with professional desk and cabinet cable-pass through grommets. Cut hole to size specified, and either press or glue into place. Available in Black, White, Brown, and Almond for this size.



#### Features and Specifications

- Cut-hole Size Required: 1.0"
- Inside usable diameter: 0.8"
- Grommet Insert Width: .960" (50mm)
- Grommet Lid Width: 1.238"
- Grommet Depth: .844"
- Size Tolerances May Vary
- Inside Diameter (Approx): .79"

<b>BA-1041WH</b>	1" CUT-HOLE SIZE White Round Wire Management Grommet with Removable Lid	1.63 C
<b>BA-1041BR</b>	1" CUT-HOLE SIZE Brown Round Wire Management Grommet with Removable Lid	1.63 C

### -- 1 1/2" ROUND WIRE MANAGEMENT GROMMETS WITH LIDS --

<b>BA-1037BK</b>	1 1/2" CUT-HOLE SIZE Black Round Wire Management Grommet with Removable Lid	1.98 C
------------------	---	--------

<b>BA-1037WH</b>	1 1/2" CUT-HOLE SIZE White Round Wire Management Grommet with Removable Lid .....	1.98 c
------------------	---	--------

Organize your cables with professional desk and cabinet cable-pass through grommets. Cut hole to size specified, and either press or glue into place. Available in Black, White, Brown, Almond, Gray, Light Gray, Tan, and Cocoa for this size.



**Features and Specifications**

- Cut-Hole Size Required: 1.5"
- Inside Usable Diameter: 1.25"
- Grommet Insert Width: 1.5" (50mm)
- Grommet Lid Width: 1.9"
- Grommet Depth: .625"
- Size Tolerances May Vary

<b>BA-1037LTGY</b>	1 1/2" CUT-HOLE Light Gray Round Wire Management Grommet with Removable Lid .....	1.98 c
<b>BA-1037BR</b>	1 1/2" CUT-HOLE SIZE Brown Round Wire Management Grommet with Removable Lid .....	1.98 c
<b>BA-1037GY</b>	1 1/2" CUT-HOLE SIZE Gray Round Wire Management Grommet with Removable Lid .....	1.98 B
<b>BA-1037CCBR</b>	1 1/2" CUT-HOLE Coco Brown Round Wire Management Grommet with Removable Lid .....	1.98 c
<b>BA-1037AL</b>	1 1/2" CUT-HOLE SIZE Almond Round Wire Management Grommet w/ Removable Lid ⊗ .....	2.28 c
<b>BA-1037T</b>	1 1/2" CUT-HOLE SIZE Tan Round Wire Management Grommet with Removable Cover ⊗ .....	2.28 c

**-- 1 3/4 TO 2" ROUND WIRE MANAGEMENT GROMMETS WITH LIDS --**

<b>BA-1039BK</b>	1 3/4" CUT-HOLE SIZE Black Round Wire Management Grommet with Removable Lid .....	2.01 c
<b>BA-1039WH</b>	1 3/4" CUT-HOLE SIZE White Round Wire Management Grommet with Removable Lid .....	2.01 c
<b>BA-1039BR</b>	1 3/4" CUT-HOLE SIZE Brown Round Wire Management Grommet with Removable Lid .....	2.01 B

Organize your cables with professional desk and cabinet cable-pass through grommets. Cut hole to size specified, and either press or glue into place. Available in Black, White, and Brown for this size.



**Features and Specifications**

- Hole Size Required: 1.75"
- Grommet Insert Width: 1.75" (50mm)
- Grommet Lid Width: 2.0"
- Grommet Depth: .625"
- Inside Diameter (Approx): 1.53
- Size Tolerances May Vary

<b>BA-1035BK</b>	2IN CUT-HOLE SIZE Black Round Wire Management Grommet with Removable Lid .....	2.32 D
------------------	--	--------

Organize your cables with professional desk and cabinet cable-pass through grommets. Cut hole to size specified, and either press or glue into place. Available in Black, White, and Brown for this size.



**Features and Specifications**

- Hole Size Required: 2.0"
- Grommet Insert Width: 1.960" (50mm)
- Grommet Lid Width: 2 7/16"
- Grommet Depth: 5/8"
- Inside Diameter (Approx): 1.75"
- Size Tolerances May Vary

<b>BA-1035WH</b>	2IN CUT-HOLE SIZE White Round Wire Management Grommet with Removable Lid .....	2.32 c
<b>BA-1035BR</b>	2IN CUT-HOLE SIZE Brown Round Wire Management Grommet with Removable Lid .....	2.32 D

**-- 2 3/8 TO 2 1/2" ROUND WIRE MANAGEMENT GROMMETS WITH LIDS --**

<b>BA-1038BK</b>	2 3/8" CUT-HOLE SIZE Black Round Wire Management Grommet w/ Removable Lid .....	2.34 C
------------------	---	--------

Organize your cables with professional desk and cabinet cable-pass through grommets. Cut hole to size specified, and either press or glue into place. Available in Black, White, and Brown for this size.



**Features and Specifications**

- Hole Size Required: 2 3/8"
- Grommet Insert Width: 2 3/8" (50mm)
- Grommet Lid Width: 2.5"
- Grommet Depth: .625"
- Inside Diameter (Approx): 2.10
- Size Tolerances May Vary

<b>BA-1038WH</b>	2 3/8" CUT-HOLE SIZE White Round Wire Management Grommet with Removable Lid .....	2.34 C
<b>BA-1038BR</b>	2 3/8" CUT-HOLE SIZE Brown Round Wire Management Grommet w/ Removable Lid .....	2.34 C
<b>BA-1031WH</b>	2 1/2" CUT-HOLE SIZE White Round Wire Management Grommet w/ Removable Lid .....	2.52 C

Organize your cables with professional desk and cabinet cable-pass through grommets. Cut hole to size specified, and either press or glue into place. Available in Black, White, Brown, Light Gray, Almond, Cocoa Brown, Gray, Tan, and Black for this size.



**Features and Specifications**

- Hole Size Required: 2.5"
- Grommet Insert Width: 2.459"
- Grommet Lid Width: 2.972"
- Grommet Depth: Approx 5/8"
- Inside Diameter (Approx): 2.21"
- Size Tolerances May Vary

<b>BA-1031GY</b>	2 1/2" CUT-HOLE SIZE Gray Round Wire Management Grommet w/ Removable Lid .....	2.52 C
<b>BA-1031BR</b>	2 1/2" CUT-HOLE SIZE Brown Round Wire Management Grommet with Removable Lid .....	2.52 D
<b>BA-1031BK</b>	2 1/2" CUT-HOLE SIZE Black Round Wire Management Grommet with Removable Lid .....	2.52 C

**-- 3" ROUND WIRE MANAGEMENT GROMMETS WITH LIDS --**

<b>BA-1043BK</b>	3" CUT-HOLE SIZE Black Round Wire Management Grommet with Removable Lid .....	2.47 B
------------------	---	--------

Organize your cables with professional desk and cabinet cable-pass through grommets. Cut hole to size specified, and either press or glue into place. Available in Black, White, Brown, Light Gray, Almond, Cocoa Brown, Gray, Tan, and Black for this size.



**Features and Specifications**

- Hole Size Required: 3.0"
- Grommet Insert Width: 2.973"
- Grommet Lid Width: 3.484"
- Grommet Depth: 0.689"
- Inside Diameter (Approx): 2.77"
- Size Tolerances May Vary

<b>BA-1043WH</b>	3" CUT-HOLE SIZE White Round Wire Management Grommet with Removable Lid .....	2.47 B
------------------	---	--------

**-- 4" ROUND WIRE MANAGEMENT GROMMETS WITH LIDS --**

<b>BA-1040BK</b>	4" CUT-HOLE SIZE Black Round Wire Management Grommet with Removable Lid .....	2.97 C
<b>BA-1040WH</b>	4" CUT-HOLE SIZE White Round Wire Management Grommet with Removable Lid .....	2.97 C
<b>BA-1040BR</b>	4" CUT-HOLE SIZE Brown Round Wire Management Grommet with Removable Lid .....	2.97 C

**-- SAW HOLE DRILLS --**

<b>FE-SAW-25</b>	1 inch (25mm) High-Speed Saw Hole with Pilot Drill .....	2.45 D
<b>FE-SAW-38</b>	1.5 inch (38mm) High-Speed Saw Hole with Pilot Drill .....	4.08 D
<b>FE-SAW-53</b>	2 inch (53mm) High-Speed Saw Hole with Pilot Drill .....	5.39 D
<b>FE-SAW-65</b>	2.5 inch (65mm) High-Speed Saw Hole with Pilot Drill .....	6.51 D

**-- POWERED GROMMETS --**

<b>FE-ADT-362</b>	3 Port USB 3.1 Amp Grommet/Desk Style Power Stations Charger, Black .....	15.60 C
<b>FE-ADT-403</b>	2 Port USB plus 2 120 volt Recessed Charging Center, 6ft Power Cable .....	14.39 A

## Cable Mesh / Tubing / Ties / Straps

Price / Tier



<b>TF-F6N075BK</b>	Flexible, Semi-Rigid Wrappable Split Tube, 3/4" Diameter PER FOOT, Blac	1.60 X
<b>TF-PTP0.25BK</b>	Flexible, Semi-Rigid Wrappable Split Tube, 1/4inch Diameter PER FOOT, Black	0.51 X
<b>TF-F6N050BK</b>	Flexible, Semi-Rigid Wrappable Split Tube, 1/2inch Diameter PER FOOT, Black	1.27 X
<b>TF-F6N075CW</b>	Flexible, Semi-Rigid Wrappable Split Tube, 3/4" Diameter PER FOOT, Whit	1.72 C
<b>TF-F6N075CW-2FT</b>	Flexible, Semi-Rigid Wrappable Split Tube, 3/4" Diameter, 2FT, White	2.92 X
<b>BE-220935</b>	20 inch Flexible, Spiral Cable Holder with Adhesive, Gray	11.17 B
<b>WA-ACC-LOOM-1B</b>	Wire/Cable Saver Corrugated Split Tube/Loom 1" Diameter, Black (per FOOT)	0.80 X

### -- CABLES TIES AND RACEWAYS --

<b>LU-CC07-75</b>	30" Cable Raceway / Cable Management PVC, White (60x20x750mm), Each	5.92 C
<b>LU-CC07-J1</b>	Cable Raceway Connector Bracket, Each	1.17 C
<b>FE-MSC-234</b>	6inch Marker Tie, White, 100pk	3.72 D
<b>FE-MSC-228</b>	8inch Nylon Cable Tie 50lbs (Rated) Black 100 pack	3.68 D
<b>FE-MSC-230</b>	8inch Wall Mountable Cable Tie Clear 100pcs	3.69 D
<b>FE-MSC-239</b>	6inch Cable Ties (Hook/Loop), Fabric, Pkg of 10, Black	3.70 C
<b>BE-220898A6</b>	6inch Cable Ties (Hook/Loop), Fabric, Pkg of 60, Assorted Colors	8.21 B
<b>FE-MSC-447</b>	Cable Tie Mount 22mm 100 Pack, Black	7.85 C
<b>BE-220910BK</b>	50ft Hook and Loop Strap Tape, Black	21.44 C

### -- CABLE HOOKS AND HOLDERS --

<b>SH-90-734-200</b>	2IN Bridle Ring with Saddle, Wood Screw Type, Plenum Rated	10.64 A
<b>SH-90-259-200</b>	2IN Bridle Ring - Threaded Machine Screw (1/4-20) Type	1.13 A
<b>SH-90-733-200</b>	2IN Bridle Ring - Wood Screw Type	2.37 A
<b>BE-220701BK</b>	100 Pack Nail-in Cable Clip for Coax RG59 or RG6, Black	2.52 C
<b>BE-220701WT</b>	100 Pack Nail-in Cable Clip for Coax RG59 or RG6, White	2.52 C

## Cables Ladders and Hooks

Price / Tier



**WN-JHWM04**

77.34 A

4inch J-Hook Cable Support, 18 gauge galvanized steel, Set of 25pcs

## Accessory - Infra-Red (IR)

Infra-Red Products, Cables, and Extenders

### -- INFRA-RED (IR) PRODUCTS --



**FE-IR-330**

Wireless IR (Infra-Red/UHF) Remote Controller Extender LONG DISTANCE

39.55 A

This wireless IR extender converts the IR signal into an RF (Radio Frequency) signal at 433.92 MHz, for transmission to the receiver unit, up to 100 meters (about 330ft) away, through walls, doors, ceilings, and floors, or whatever. At the receiving end, an IR cable with three bulbs repeats the IR signal from your remote to up to three individual components, so you can use it up for your receiver, DVD player, and satellite receiver, for example.



### Features and Specifications

- Transmitting Frequency (UHF): 433.92Mhz +-200kHz
- Receiving Frequencies Supported: 34-60kHz
- Emitting Frequency: 38kHz
- Power: DV 5V 500mAh via included power supplies
- Remote Control Distance: Approx 22ft supported
- Transmitting Distance: 30M - 100M (Approx 100ft to 330ft)

<b>HA-IR-1116</b>	Infra-Red (IR) Remote Control Repeater Kit for 12 Devices Dual Frequency	35.61 B
<b>NW-95T3471</b>	Add-on in-wall receiver for Infra-Red (IR) Repeater Kit	20.79 A
<b>HA-IR-1-10</b>	10ft Infra-Red (IR) Single Lead (SIGNAL TRANSMITTER) Cable	6.63 D
<b>HA-IR-2-10</b>	10ft Infra-Red (IR) Dual Lead (SIGNAL TRANSMITTER) Cable	7.98 X
<b>MO-8060</b>	5ft Infra-Red (IR) SIGNAL RECEIVER EYE Cable with RECEIVER Lens	11.80 C



**-- INFRA-RED (IR) CONTROL PRODUCTS --**

<b>HA-ERWC-0068</b>	Infra-Red (IR) Control Transmitter/Receiver Kit for HA-EXOB05R Cable .....	13.06 B
<b>HA-IR-RECR</b>	Infra-Red (IR) Control Receiver Kit (1 HDMI IR Adapters, 1 Rx) .....	10.64 A

## Accessory - Tools



<b>HF-38156</b>	50 Foot Fish Tape, PVC and Carbon Steel .....	18.90 A
<b>NW-78K5660</b>	Soldering Iron, plug-in, 30 Watt .....	13.50 B
<b>NW-38C9097</b>	Solder Wire, 0.04inch diameter, 7ft Length with Rosin Flux, Lead-free .....	4.91 B
<b>NW-13T8759</b>	EZ-RJ45(TM) Replacement Blade Kit for Platinum Network Cable Crimper Tool .....	17.90 B
<b>NW-74R1290</b>	EZ-RJ45 Platinum Network Cable Crimper Tool (for CAT5E/CAT6 Crimping) .....	139.50 A
<b>BE-250103</b>	RJ45 Network Cable Crimper Tool (for CAT5E/CAT6 Modular Crimping) .....	15.22 B
<b>BE-250102</b>	RJ11 (6P4C) / RJ12 (6P6C) Crimp Tool for Modular Plug .....	22.07 D
<b>WN-TOOLCOM-N</b>	Deluxe Coaxial Compression Tool for RG59, RG6, and RG11 F Type Connector .....	47.74 A
<b>BE-252023</b>	Compression Connector Tool Kit, Cutter, and Compression Connectors (18pc) .....	64.79 A
<b>BE-250131</b>	Impact Punch Down (Type 110/66) Tool with Hook and Extractor .....	24.75 A
<b>NW-58T7288</b>	HDMI Cable Digital LED Tester (v1.4) with ARC and Ethernet Support .....	48.96 A
<b>AZ-B004Y75B5Y</b>	Sperry TT64202 Ethernet and Coax Cable Tester (for Coax, RJ45/CAT5/CAT6) .....	56.44 A

**-- SAW HOLE DRILLS --**

<b>FE-SAW-25</b>	1 inch (25mm) High-Speed Saw Hole with Pilot Drill .....	2.45 D
<b>FE-SAW-38</b>	1.5 inch (38mm) High-Speed Saw Hole with Pilot Drill .....	4.08 D
<b>FE-SAW-53</b>	2 inch (53mm) High-Speed Saw Hole with Pilot Drill .....	5.39 D
<b>FE-SAW-65</b>	2.5 inch (65mm) High-Speed Saw Hole with Pilot Drill .....	6.51 D

## Accessory - EV Charger Adapter

Adapters for Tesla and other EV Chargers supporting the J1772, CC2, or Telsa (NACS) Standards



<b>HA-A0002</b>	CCS to Tesla (NACS) Charger Adapter .....	59.00 A
<b>HA-A0003</b>	Tesla (NACS) to J1772 Charger Adapter .....	39.00 A

## EV Accessory - EV Charger Adapter

Adapters for Tesla and other EV Chargers supporting the J1772, CC2, or Telsa (NACS) Standards



<b>HA-A0002</b>	CCS to Tesla (NACS) Charger Adapter .....	59.00 A
<b>HA-A0003</b>	Tesla (NACS) to J1772 Charger Adapter .....	39.00 A