

# Appendix I- Product Specifications

Category	Additional Notes		
1 - Electronic Key System	Glen Peifer: 901-363-6396	www.peiferlock.com	glen@peiferlock.com

Category	Additional Notes		
2 - PeerSync Application	Mary McDougald: 470-240-8860	www.peersoftware.com	macym@peersoftware.com

Category	Additional Notes		
3 - Barco Video Management	No additional Information		

Category	Part Number	Description	Service Duration	Quantity	Additional Notes
4 - Cisco IP Phones	<b>CP-8861-K9=</b>				
	CON-SNT-CP8861K9	SNTC-8X5XNBD Cisco UC Phone 8861	60.0 month(s)	10	The Cisco CCO ID and End User Information is listed below CCO ID: SMARTSUNGUIDE End User: SmartSunguide RTMC FDOT D4 2300 W Commercial Blvd. Fort Lauderdale, FL 33309
	<b>CP-8851-K9=</b>				
	CON-SNT-CP8851K9	SNTC-8X5XNBD Cisco UC Phone 8851	60.0 month(s)	22	
<b>CP-BEKEM=</b>					
	CON-SNT-CPBEKEM	SNTC-8X5XNBD Cisco IP Phone 8800 Key Expansion Module	60.0 month(s)	5	

Category	Part Number	Description	Service Duration	Quantity	Additional Notes
5 - Unified Workspace Licenses	<b>CUWL-11X-K9</b>	Unified Workspace Licensing v. 11.x		1	This is an expansion to the existing Cisco Unified Workspace Licenses. The Cisco CCO ID and End User Information is listed below CCO ID: SMARTSUNGUIDE End User: SmartSunguide RTMC FDOT D4 2300 W Commercial Blvd. Fort Lauderdale, FL 33309
	CON-ECMU-CUW1LXK9	SWSS UPGRADES Unified Workspace Licensing v. 11.x	60.0 month(s)	1	
	NEW-UWL-11X-S-SLED	New CUWL Std Edition 11.x Usr, SLED/Govt/Edu Only, 1 Usr	N/A	32	
	NEW-UWL	New or Migration users for a new CUWL Deployment	N/A	1	
	CCX-CUIC-PREM	License for Cisco Unified Intelligence Center Premium	N/A	1	
	JABBER-TABLET-RTU	Jabber for Tablet Right to Use	N/A	1	
	LIC-EXP-AN	Enable Advanced Networking Option	N/A	6	
	LIC-EXP-E-PAK	Expressway Series, Expressway-E PAK	N/A	1	
	CCX-11-N-P-LIC	CCX 11.0 PRE Seat Qty 1 LICENSE ONLY	N/A	5	
	CON-ECMU-CCX11NLC	SWSS UPGRADES CCX 11.0 PRE Seat Qty 1 LICENSE ONLY	60.0 month(s)	5	
	EXPWY-VE-E-K9	Cisco Expressway-E Server, Virtual Edition	N/A	6	
	JAB-IPH-CLNT-UWL	Jabber for iPhone CUWL Only	N/A	13	
	JABBER-DSK-K9-RTU	Jabber for Desktop Right to Use	N/A	1	
	LIC-EXP-DSK	Expressway Desktop Endpoint License	N/A	32	
	LIC-EXP-TURN	Enable TURN Relay Option	N/A	6	
	SW-EXP-8.X-K9	Software Image for Expressway with Encryption, Version X8	N/A	1	
	UWL-11X-STD	CUWL Standard 11.x Users - Service Use Only	N/A	32	
	CON-ECMU-UWL11XS1	SWSS UPGRADES CUWL Standard 11.x Users - Service Use O	60.0 month(s)	32	
	CCX-11-PAK	CCX 11 autoexpanded PAK	N/A	1	
	IPC8-CLIENT-UWL	IP Communicator 8.x for CUWL only	N/A	4	
	JAB-ADR-RTU	Jabber for Android Right to Use	N/A	1	
	JABBER-DESKTOP	Jabber for Desktop for PC and Mac	N/A	24	
	LIC-EXP-MSFT-PMP	Microsoft Interoperability Option	N/A	1	
	UCXN-11X-SC-PORTS	Unity Connection 11.x SpeechConnect Ports	N/A	2	
	CUCILYNC-CLNT-UWL	Cisco Unified Comm Integration for Lync for CUWL only	N/A	4	
	LIC-EXP-E	Enable Expressway-E Feature Set	N/A	6	
	VXME-USR	Cisco VXME Users	N/A	1	
	LIC-SW-EXP-K9	License Key Software Encrypted	N/A	12	

## Appendix I- Product Specifications

UCXN-11X-UWL-STD	Unity Connection 11.x CUWL STD Users	N/A	32
CCEH-CCP-SVR-LIC	CCP Server	N/A	1
CIPC-UWL-RTU	CIPC UWL Right to Use Certificate	N/A	1
EXPWY-VE-C-K9	Cisco Expressway-C Server, Virtual Edition	N/A	6
JAB-IPH-RTU	Jabber for iPhone Right to Use	N/A	1
LIC-EXP-GW	Enable GW Feature (H323-SIP)	N/A	12
JAB-ADR-CLNT-UWL	Jabber for Android CUWL Only	N/A	10
JABBER-TABLET	Jabber for iPad and Android Tablet	N/A	10
CCX-11-P-SVR-LIC	CCX 11.0 NEW PRE Server License	N/A	1
CUCILYNC-UWL-RTU	CUCILYNC UWL Right to Use Certificate	N/A	1
JAB-SDK-K9-RTU	Jabber Software Development Kit RTU	N/A	1
JABBER-SDK	Jabber Software Development Kit	N/A	1
LIC-EXP-SERIES	Enable Expressway Series Feature Set	N/A	12
UCM-11X-UWL-STD	UC Manager 11.x CUWL STD Users	N/A	32
UWL-11X-PAK	CUWL 11.x PAK	N/A	1
VXME-USR-RTU	VXME Right to Use	N/A	1
UCAPPS-SW-11.X-K9	Version 11.x Software Kit	N/A	1
JABBER-GUEST	Jabber Guest Session	N/A	20
CCX-11-5P	CCX 11 Premium 5 seat Promo Bundle	N/A	1

Category	Part Number	Description	Service Duration	Quantity	Additional Notes
<b>6 - Distribution Switches &amp; Access Points</b>	<b>WS-C3850-24P-E</b>	Cisco Catalyst 3850 24 Port PoE IP Services	N/A	1	The Cisco CCO ID and End User Information is listed below ID: SMARTSUNGUIDE CCO
	CON-SNT-WSC384PE	SNTC-8X5XNBD Cisco Catalyst 3850 24 Port PoE IP Servi	12.0 month(s)	1	End User:
	S3850UK9-37E	CAT3850 Universal k9 image	N/A	1	SmartSunguide RTMC FDOT D4
	PWR-C1-715WAC/2	715W AC Config 1 Secondary Power Supply	N/A	1	2300 W Commercial Blvd.
	STACK-T1-50CM	50CM Type 1 Stacking Cable	N/A	1	Fort Lauderdale, FL
	PWR-C1-715WAC	715W AC Config 1 Power Supply	N/A	1	33309
	C3850-NM-2-10G	Cisco Catalyst 3850 2 x 10GE Network Module	N/A	1	Cisco OEM Parts only. No 3rd party parts will be accepted. The SFP modules must be provided in
	CAB-TA-NA	North America AC Type A Power Cable	N/A	2	cojunction with the Cisco Switches listed in this section
	CAB-SPWR-30CM	Catalyst Stack Power Cable 30 CM	N/A	1	
	CAB-CONSOLE-USB	Console Cable 6ft with USB Type A and mini-B	N/A	1	
	SFP-10G-LR=	10GBASE-LR SFP Module	N/A	2	
	<b>WS-C3850-24P-L</b>	Cisco Catalyst 3850 24 Port PoE LAN Base	N/A	2	The Cisco CCO ID and End User Information is listed below CCO
	CON-SNT-WSC384PL	SNTC-8X5XNBD Cisco Catalyst 3850 24 Port PoE LAN Base	12.0 month(s)	2	ID: SMARTSUNGUIDE
	S3850UK9-37E	CAT3850 Universal k9 image	N/A	2	End User:
PWR-C1-715WAC/2	715W AC Config 1 Secondary Power Supply	N/A	2	SmartSunguide RTMC FDOT D4	
C3850-NM-4-1G	Cisco Catalyst 3850 4 x 1GE Network Module	N/A	2	2300 W Commercial Blvd.	
CAB-TA-NA	North America AC Type A Power Cable	N/A	4	Fort Lauderdale, FL	
STACK-T1-50CM	50CM Type 1 Stacking Cable	N/A	2	33309	
PWR-C1-715WAC	715W AC Config 1 Power Supply	N/A	2	Cisco OEM Parts only. No	
GLC-SX-MMD=	1000BASE-SX SFP transceiver module, MMF, 850nm, DOM	N/A	4	3rd party parts will be accepted. This modules must be provided in cojunction with the Cisco Switches listed in this section	
<b>WS-C3850-48T-E</b>	Cisco Catalyst 3850 48 Port Data IP Services	N/A	1	The Cisco CCO ID and End User Information is listed below CCO	
CON-SNT-WSC388TE	SNTC-8X5XNBD Cisco Catalyst 3850 48 Port Data IP Serv	60.0 month(s)	1	ID: SMARTSUNGUIDE	
S3850UK9-37E	CAT3850 Universal k9 image	N/A	1	End User:	
PWR-C1-350WAC/2	350W AC Config 1 SecondaryPower Supply	N/A	1	SmartSunguide RTMC FDOT D4	
CAB-TA-NA	North America AC Type A Power Cable	N/A	2	2300 W Commercial Blvd.	
CAB-CONSOLE-USB	Console Cable 6ft with USB Type A and mini-B	N/A	1	Fort Lauderdale, FL	
STACK-T1-1M	1M Type 1 Stacking Cable	N/A	1	33309	
CAB-SPWR-150CM	Catalyst Stack Power Cable 150 CM	N/A	1		
PWR-C1-350WAC	350W AC Config 1 Power Supply	N/A	1		
C3850-NM-BLANK	Cisco Catalyst 3850 Network Module Blank	N/A	1		
<b>WS-C3560CX-8PC-S</b>	Cisco Catalyst 3560-CX 8 Port PoE IP Base	N/A	7	The Cisco CCO ID and End User Information is: CCO ID: SMARTSUNGUIDE	
CON-SNT-WSC38PC	SNTC-8X5XNBD Cisco Catalyst 3560-CX 8 Port PoE IP Ba	12.0 month(s)	7	End User: SmartSunguide RTMC FDOT D4	
CAB-TA-NA	North America AC Type A Power Cable	N/A	7	2300 W Commercial Blvd. Fort Lauderdale, FL 33309	

# Appendix I- Product Specifications

<b>AIR-AP1852I-B-K9</b>	802.11ac Wave 2; 4x4:4SS; Int Ant; B Reg Dom	N/A	10	The Cisco CCO ID and End User Information is	CCO ID:
CON-SNT-AIRAP185	SNTC-8X5XNBD 802.11ac Wave 2; 4x4:4SS; Int Ant; B Reg	12.0 month(s)	10	SMARTSUNGUIDE	
SW1850-CAPWAP-K9	Cisco Aironet 1850 Series CAPWAP Software Image	N/A	10	End User: SmartSunguide RTMC FDOT D4	
AIR-AP-BRACKET-1	802.11n AP Low Profile Mounting Bracket (Default)	N/A	10	2300 W Commercial Blvd. Fort Lauderdale, FL	
AIR-AP-T-RAIL-R	Ceiling Grid Clip for Aironet APs - Recessed Mount (Default)	N/A	10	33309	

<b>AIR-CT3504-K9</b>	Cisco 3504 Wireless Controller	N/A	1	The Cisco CCO ID and End User Information is listed below	CCO
CON-SNT-AIRCTRTK	SNTC-8X5XNBD Cisco 3504 Wireless Controller	12.0 month(s)	1	ID: SMARTSUNGUIDE	
PWR-115W-AC	Cisco 3504 Wireless Controller Power Supply	N/A	1	End User:	
AIR-CT3504-SW-8.5	Cisco 3504 Wireless Controller SW Rel. 8.5	N/A	1	SmartSunguide RTMC FDOT D4	
LIC-CT3504-1A	Cisco 3504 Wireless Controller 1 AP Adder License	N/A	50	2300 W Commercial Blvd.	
CON-ECMU-LICCTCTA	SWSS UPGRADES Cisco 3504 Wireless Controller 1 AP Adde	12.0 month(s)	50	Fort Lauderdale, FL	
CAB-AC-C5	AC Power Cord, Type C5, US, Canada	N/A	1	33309	
ISE-EXPRESS-K9	Cisco ISE Express - ISE virtual machine + 150 Base Licenses	N/A	1		
CON-ECMU-ISEEXPR	SWSS UPGRADES Cisco ISE Express - ISE virtual machine + 150	12.0 month(s)	1		
AIR-CT3504-RMNT	3504 Wireless Controller Rack Mount Tray	N/A	1		
LIC-CT3504-DTLS-K9	Cisco 3504 Wireless Controller DTLS License	N/A	1		

Category	Part Number	Description	Service Duration	Quantity	Additional Notes
<b>7 - Cisco Core Routers</b>	<b>C6807-XL</b>	Catalyst 6807-XL 7-slot chassis, 10RU	N/A	1	There are two Cisco C6807-XL Switches. Each are shown as independent configurations.
	CON-SNT-C6807XLC	SNTC-8X5XNBD Catalyst 6807-XL 7-s	60.0 month(s)	1	Configurations are identical for each switch. This is not a typo The Cisco CCO ID and End User
	C6800-XL-3KW-AC	Catalyst 6807-XL 3000W Power Supply	N/A	4	Information is listed below CCO ID: SMARTSUNGUIDE
	CAB-AC-C6K-TWLK	Power Cord, 250Vac 16A, twist lock NEMA L6-20 plug, US	N/A	4	End User:
	C6807-XL-FAN	Catalyst 6807-XL Chassis Fan Tray	N/A	1	SmartSunguide RTMC FDOT D4
	CAB-CONSOLE-USB	Console Cable 6ft with USB Type A and mini-B	N/A	1	2300 W Commercial Blvd.
	CAB-CONSOLE-RJ45	Console Cable 6ft with RJ45 and DB9F	N/A	1	Fort Lauderdale, FL
	C6800-SUP6T-XL	Catalyst 6800 Sup6T (440G/slot) with 8x10GE, 2x40GE (XL)	N/A	1	33309
	C6800-CAMPUS-CORE	Catalyst 6800 Campus Core Deployment; For Tracking Only	N/A	1	All SKU's listed in this
	C6800-48P-SFP-XL	C6k 48-port 1GE Mod: fabric-enabled with DFC4XL	N/A	1	section make up the full C6807-XL. When pricing the C6807-XL, all SKU's in this section must be
	C6800-48P-TX-XL	C6k 48-port 10/100/1000 GE Mod: fabric enabled, RJ-45 DFC4XL	N/A	1	included in the pricing in order satisfy the requirements of this section. No Substitutions will be
	QSFP-H40G-AOC7M	40GBASE Active Optical Cable, 7m	N/A	1	allow
	C6800-32P10G-XL	Catalyst 6800 32 port 10GE with integrated dual DFC4XL	N/A	1	
	SP6TAEK9-15501SY	CAT6800-VS-S6T IOS ADV ENT SERV FULL ENCRYPT	N/A	1	
	C6800-48P-SFP-XL	C6k 48-port 1GE Mod: fabric-enabled with DFC4XL	N/A	1	
	C6800-48P-TX-XL	C6k 48-port 10/100/1000 GE Mod: fabric enabled, RJ-45 DFC4XL	N/A	1	
	C6800-SUP6T-XL	Catalyst 6800 Sup6T (440G/slot) with 8x10GE, 2x40GE (XL)	N/A	1	
	QSFP-H40G-AOC7M	40GBASE Active Optical Cable, 7m	N/A	1	
	GLC-ZX-SMD=	1000BASE-ZX SFP transceiver module, SMF, 1550nm, DOM	N/A	8	Cisco OEM Parts only. No 3rd party parts will be accepted. These modules must be provided in
	GLC-LH-SMD=	1000BASE-LX/LH SFP transceiver module, MMF/SMF, 1310nm, DOM	N/A	20	conjunction with the Cisco C6807-XL Switch listed in this section.
	GLC-SX-MMD=	1000BASE-SX SFP transceiver module, MMF, 850nm, DOM	N/A	15	
	SFP-10G-SR=	10GBASE-SR SFP Module	N/A	12	
	SFP-10G-ER=	10GBASE-ER SFP Module	N/A	8	
	SFP-10G-ZR=	Cisco 10GBASE-ZR SFP10G Module for SMF	N/A	4	
	<b>C6807-XL</b>	Catalyst 6807-XL 7-slot chassis, 10RU	N/A	1	There are two Cisco C6807-XL Switches. Each are shown as an independent configurations.
	CON-SNT-C6807XLC	SNTC-8X5XNBD Catalyst 6807-XL 7-s	60.0 month(s)	1	Configurations are identical for each switch. This is not a typo The Cisco CCO ID and End User
	C6800-XL-3KW-AC	Catalyst 6807-XL 3000W Power Supply	N/A	4	Information is listed below CCO ID: SMARTSUNGUIDE
	CAB-AC-C6K-TWLK	Power Cord, 250Vac 16A, twist lock NEMA L6-20 plug, US	N/A	4	End User:
	C6807-XL-FAN	Catalyst 6807-XL Chassis Fan Tray	N/A	1	SmartSunguide RTMC FDOT D4
	CAB-CONSOLE-USB	Console Cable 6ft with USB Type A and mini-B	N/A	1	2300 W Commercial Blvd.
	CAB-CONSOLE-RJ45	Console Cable 6ft with RJ45 and DB9F	N/A	1	Fort Lauderdale, FL
	C6800-SUP6T-XL	Catalyst 6800 Sup6T (440G/slot) with 8x10GE, 2x40GE (XL)	N/A	1	33309
	C6800-CAMPUS-CORE	Catalyst 6800 Campus Core Deployment; For Tracking Only	N/A	1	All SKU's listed in
	C6800-48P-SFP-XL	C6k 48-port 1GE Mod: fabric-enabled with DFC4XL	N/A	1	this section make up the full C6807-XL. When pricing the C6807-XL, all SKU's in this section must be
	C6800-48P-TX-XL	C6k 48-port 10/100/1000 GE Mod: fabric enabled, RJ-45 DFC4XL	N/A	1	included in the pricing in order satisfy the requirements of this section. No Substitutions will be
	QSFP-H40G-AOC7M	40GBASE Active Optical Cable, 7m	N/A	1	allow

## Appendix I- Product Specifications

C6800-32P10G-XL	Catalyst 6800 32 port 10GE with integrated dual DFC4XL	N/A	1	Cisco OEM Parts only. No 3rd party parts will be accepted. These modules must be provided in conjunction with the Cisco C6807-XL Switch listed in this section.
SP6TAEK9-15501SY	CAT6800-VS-S6T IOS ADV ENT SERV FULL ENCRYPT	N/A	1	
C6800-48P-SFP-XL	C6k 48-port 1GE Mod: fabric-enabled with DFC4XL	N/A	1	
C6800-48P-TX-XL	C6k 48-port 10/100/1000 GE Mod: fabric enabled, RJ-45 DFC4XL	N/A	1	
C6800-SUP6T-XL	Catalyst 6800 Sup6T (440G/slot) with 8x10GE, 2x40GE (XL)	N/A	1	
QSFP-H40G-AOC7M	40GBASE Active Optical Cable, 7m	N/A	1	
GLC-ZX-SMD=	1000BASE-ZX SFP transceiver module, SMF, 1550nm, DOM	N/A	8	
GLC-LH-SMD=	1000BASE-LX/LH SFP transceiver module, MMF/SMF, 1310nm, DOM	N/A	20	
GLC-SX-MMD=	1000BASE-SX SFP transceiver module, MMF, 850nm, DOM	N/A	15	
SFP-10G-SR=	10GBASE-SR SFP Module	N/A	12	
SFP-10G-ER=	10GBASE-ER SFP Module	N/A	8	
SFP-10G-ZR=	Cisco 10GBASE-ZR SFP10G Module for SMF	N/A	4	

Category	Part Number	Description	Service Duration	Quantity	Additional Notes
<b>8 - Cisco ASA Appliances</b>	<b>ASA5545-FPWR-K9</b>	ASA 5545-X with FirePOWER Services, 8GE, AC, 3DES/AES, 2SSD	N/A	1	There are two Cisco ASA5545 Appliances. Each appliance is shown as an independent configuration. Configurations are identical for each appliance. This is not a typo
	CON-SNT-A45FPK9	SNTC-8X5XNBD ASA 5545-X with FirePOWER Services, 8GE,	60.0 month(s)	1	
	ASA5545-CTRL-LIC	Cisco ASA5545 Control License	N/A	1	The Cisco CCO ID and End User Information is listed below
	ASA-RAILS	ASA 5512-X -- ASA 5555-X Rail Kit	N/A	1	ID: SMARTSUNGUIDE
	CAB-AC	AC Power Cord (North America), C13, NEMA 5-15P, 2.1m	N/A	1	End User:
	ASA5500X-SSD120INC	ASA 5512-X through 5555-X 120GB MLC SED SSD (Incl.)	N/A	2	SmartSunguide RTMC FDOT D4
	ASA5500-ENCR-K9	ASA 5500 Strong Encryption License (3DES/AES)	N/A	1	2300 W Commercial Blvd.
	ASA5545-MB	^ASA 5545 IPS Part Number with which PCB Serial is associated	N/A	1	Fort Lauderdale, FL
	ASA-PWR-AC	ASA 5545-X/5555-X AC Power Supply	N/A	1	33309
	SF-ASA-X-9.7.1-K8	ASA 9.7.1 Software image for ASA Spyker/Saleen	N/A	1	listed in this section make up the full ASA5545-FPWR-K9. When pricing the ASA5545-FPWR-K9, all
	SF-ASA-FP6.2-K9	Cisco FirePOWER Software v6.2 for ASA 5500-X	N/A	1	SKU's in this section must be included in the pricing in order satisfy the requirements of this
	ASA-IC-C-BLANK	ASA 5545-X/5555-X Interface Card Blank Slot Cover	N/A	1	section. No Substitutions will be allow
	ASA-PWR-BLANK	ASA 5545-X/5555-X Power Slot Blank Cover	N/A	1	
	<b>L-ASA5545-TAMC=</b>	Cisco ASA5545 FirePOWER IPS, AMP and URL Licenses	N/A	1	
	L-ASA5545-TAMC-5Y	Cisco ASA5545 FirePOWER IPS, AMP and URL 5YR Subs	60.0 month(s)	1	
	<b>L-AC-APX-LIC=</b>	Cisco AnyConnect Apex Term License, Total Authorized Users	N/A	50	
L-AC-APX-5Y-S1	Cisco AnyConnect Apex License, 5YR, 25-99 Users	60.0 month(s)	50		

<b>ASA5545-FPWR-K9</b>	ASA 5545-X with FirePOWER Services, 8GE, AC, 3DES/AES, 2SSD	N/A	1	There are two Cisco ASA5545 Appliances. Each appliance is shown as an independent configuration. Configurations are identical for each appliance. This is not a typo
CON-SNT-A45FPK9	SNTC-8X5XNBD ASA 5545-X with FirePOWER Services, 8GE,	60.0 month(s)	1	
ASA5545-CTRL-LIC	Cisco ASA5545 Control License	N/A	1	The Cisco CCO ID and End User Information is listed below
ASA-RAILS	ASA 5512-X -- ASA 5555-X Rail Kit	N/A	1	ID: SMARTSUNGUIDE
CAB-AC	AC Power Cord (North America), C13, NEMA 5-15P, 2.1m	N/A	1	End User:
ASA5500X-SSD120INC	ASA 5512-X through 5555-X 120GB MLC SED SSD (Incl.)	N/A	2	SmartSunguide RTMC FDOT D4
ASA5500-ENCR-K9	ASA 5500 Strong Encryption License (3DES/AES)	N/A	1	2300 W Commercial Blvd.
ASA5545-MB	^ASA 5545 IPS Part Number with which PCB Serial is associated	N/A	1	Fort Lauderdale, FL
ASA-PWR-AC	ASA 5545-X/5555-X AC Power Supply	N/A	1	33309
SF-ASA-X-9.7.1-K8	ASA 9.7.1 Software image for ASA Spyker/Saleen	N/A	1	in this section make up the full ASA5545-FPWR-K9. When pricing the ASA5545-FPWR-K9, all
SF-ASA-FP6.2-K9	Cisco FirePOWER Software v6.2 for ASA 5500-X	N/A	1	SKU's in this section must be included in the pricing in order satisfy the requirements of this
ASA-IC-C-BLANK	ASA 5545-X/5555-X Interface Card Blank Slot Cover	N/A	1	section. No Substitutions will be allow
ASA-PWR-BLANK	ASA 5545-X/5555-X Power Slot Blank Cover	N/A	1	
<b>L-ASA5545-TAMC=</b>	Cisco ASA5545 FirePOWER IPS, AMP and URL Licenses	N/A	1	
L-ASA5545-TAMC-5Y	Cisco ASA5545 FirePOWER IPS, AMP and URL 5YR Subs	60.0 month(s)	1	
<b>L-AC-APX-LIC=</b>	Cisco AnyConnect Apex Term License, Total Authorized Users	N/A	50	
L-AC-APX-5Y-S1	Cisco AnyConnect Apex License, 5YR, 25-99 Users	60.0 month(s)	50	

Category	Additional Notes
<b>9 - HPE Servers</b>	The 6 x U8AG0E HPE 5 Year 24/7 Hour Response Time Pro Care Service must be linked to the 6 Serial Numbers of the HP DL380 Generation 9 Servers with Part Number 803860-B21 listed in this section. You do not need to build a CTO server with the parts listed. They can be purchased separately. The 1 x U7AJ2E Pro Care Pack must be linked to teh single HP DL380 Generation 9 Server with Part Number 826683-B21

Category	Additional Notes
----------	------------------



# Appendix I- Product Specifications

## 10 - Microsoft Licenses

The select plus agreement must list dgali@smartsunguide.com as the sole administrator of the select plus agreement when the order is established.

Category	Additional Notes
11 - Miscellaneous	All Equipment are individual part numbers. No further information is provided.

Category	Part Number	Description	Service Duration	Quantity	Additional Notes
12 - EMC SAN	X2-SD-BASE-FD	XTREMIO X2-S BASE FLD	N/A	1	EMC Site ID that the EMC SAN Must be registered under is 26409355. All warranty durations must be for the months listed. All software, hardware, installation and support SKU's listed in this section must be included to the base SAN in pricing to satisfy the specific requirement of this SAN
	X2-VRACK-F	X2 FIELD SHIPPING CONTAINER FLD	N/A	1	
	C13-PWR-12	2 C13 CORDS NEMA 5-15 125V 10A - NON DPE	N/A	3	
	X2-SD-TAG-FD	XTREMIO X2-S PSNT FLD	N/A	1	
	X2-400-6SSD-FD	XTREMIO X2-S 400GB SAS 6SSD FLD	N/A	3	
	X2-SD-CTRL-FD	XTREMIO X2-S STORAGE CONTROLLER FLD	N/A	2	
	X2-IB-SINGLE-U	X2-SINGLE X-BRICK IB CBL KIT-UPGRADE	N/A	1	
	X2-DAE-FD	XTREMIO X2- FLASH DRV ENC FLD	N/A	1	
	X2-CMD-F	XTREMIO X2 CABLE MANAGEMENT DUCT FLD	N/A	1	
	X2-BRICK-KIT-U	XTREMIO X2 X-BRICK INSTL KIT UG	N/A	1	
	X2-400-18SSD-BA	XTREMIO X2-S 400GB SAS 18SSD BASE	N/A	1	
	PS-PDP-TRACKING	PRODEPLOY PLUS TRACKING MODEL	N/A	1	
	PSINST-ESRS	ZERO DOLLAR ESRS INSTALL	N/A	1	
	PS-BAS-XTIMBS	IMPL ARRAY WITH 5 HOSTS	N/A	1	
	PS-BAS-XTINX2	INSTALL FULL X2CAB OR 1ST BRK IN CUSTCAB	N/A	1	
	M-PSM-HW-X-002	PROSUPPORT W/MISSION CRITICAL-HARDWARE	60.0 month(s)	1	
	458-002-131	XTREMIO X2-S X-BRICK OE =IC	N/A	1	
	456-112-873	XTREMIO X2-S 1 X-BRICK OE RTU =IC	N/A	1	
	M-PSM-SW-X-002	PROSUPPORT W/MISSION CRITICAL-SOFTWARE	60.0 month(s)	1	
	450-001-636	XTREMIO X2/E SW BUNDLE FOR X2-S=IC	N/A	1	
	M-PSM-SW-X-002	PROSUPPORT W/MISSION CRITICAL-SOFTWARE	60.0 month(s)	1	
	PS-PDP-TRACKING	PRODEPLOY PLUS TRACKING MODEL	N/A	1	
	PS-PKG-RPINSRPA	RECOVERPOINT PRPA INSTALL	N/A	2	
	RP-LNX-GPL	RECOVERPOINT LINUX GPLV3 DISTRIBUTION	N/A	1	
	PS-PKG-RPIMPCDP	RECOVERPOINT IMPL CDP REPLICATION	N/A	1	
	PS-PKG-XIORPCINS	RECOVERPOINT CFG XTREMIO CONNECTOR	N/A	1	
	PS-PKG-RPXIOIMPS	RECOVERPOINT IMPL RP/XTREMIO SOLN	N/A	1	
	PS-PKG-RPDESCDP	RECOVERPOINT DESIGN FOR CDP	N/A	1	
	PS-BAS-RCVRPT	RECOVERPOINT FIXED	N/A	1	
	PS-BAS-SABLK	COMMERCIAL SA 4HOURS QS	N/A	1	
	458-000-173	RP FOR XTREMIO LOCAL PRODUCT	N/A	1	
	456-105-744	RP/EX LOC 10TB XTREMIO X-BRICK=ID	N/A	2	
	M-PSM-SW-D3-001	PROSUPPORT W/MISSION CRITICAL-SOFTWARE	60.0 month(s)	1	
	XIO-RPHWX-G6T-D	DELL RPA FOR XTREMIO	N/A	1	
	C13-PWR-12	2 C13 CORDS NEMA 5-15 125V 10A - NON DPE	N/A	2	
	W-PSM-HW-001	PROSUPPORT W/MISSION CRITICAL-HW WARRANT	36.0 month(s)	1	
	M-PSM-HW-001	PROSUPPORT W/MISSION CRITICAL-HARDWARE	24.0 month(s)	1	
	XIO-RPHWX-G6T-D	DELL RPA FOR XTREMIO	N/A	1	
	C13-PWR-12	2 C13 CORDS NEMA 5-15 125V 10A - NON DPE	N/A	2	
	W-PSM-HW-001	PROSUPPORT W/MISSION CRITICAL-HW WARRANT	36.0 month(s)	1	
M-PSM-HW-001	PROSUPPORT W/MISSION CRITICAL-HARDWARE	24.0 month(s)	1		