



## H $\alpha$ SOLAR FLARES Confirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM-PORTANCE	OBS. COND. TYPE	MEASUREMENTS				REMARKS					
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH FLARE REGION	CHP DAY				TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H $\alpha$		MAX. INT. %				
336 PALE	03	0207E	0218D	0208U	N12	E07	.152	13262	3.6	110	--F	1	V		.21				DE	2		
	03	0218	0222	NO FLARE PATROL																		
	03	0232	0238	NO FLARE PATROL																		
	03	0241	0255	NO FLARE PATROL																		
GRP61337	03	0631	0640	0634	N13	E06	.151	13262	3.7	9	--F				.75				2	2	2	4
TEHR	03	0629	0641	0633	N12	E06	.139	13262	3.7	12	-F	4	C		.45				F			
ABST	03	0633	0638	0635	N13	E06	.151	13262	3.7	5	-F		C	0635	1.05	1.10						
GRP61338	03	0732	0740	0734	S06	E12	.299	13263	4.2	8	--F				.84				2	2	2	5
TEHR	03	0729	0740	0732	S06	E11	.288	13263	4.1	11	-F	4	C		.19				DE			
ABST	03	0735	0740	0736	S06	E13	.311	13263	4.3	5	-F		C	0736	1.48	1.50			EJ			
340 TEHR	03	0946	1012	0947	S05	E09	.254	13263	4.1	26	--F	3	C		.19				DE S		4	
345 HUAN	03	1654	1700	1656	N06	E85	.995	13279	10.1	6	--F	1	C	1656	.30						3	
346 MCMA	03	1655	1659	1656	N03	E87	.998	13279	10.2	4	--F		C	1656					D		3	
GRP61347	03	2047	2145	2101	N09	E01	.045	13262	3.9	58	1F				2.68				2	1	1	2
BOUL	03	2047	2145D	2101	N09	E01	.045	13262	3.9	58D	1F		C	2101	2.68	2.68			E			
MCHA	03	2116E	2128D		N11	W01	.078	13262	3.8	120	1N		P	2122	2.58	2.50						
	03	2139	0020	NO FLARE PATROL																		
GRP61349	04	0517	0544	0531	S08	W02	.254	13263	4.1	27	--F				.52				2	2	2	5
MITK	04	0517	0544	0535	S07	W02	.237	13263	4.1	27	-F		C	0535	.62	.70			D			
MANI	04	0527E	0544D	0527U	S08	W02	.254	13263	4.1	170	-N	1		0527	.41	.41			F			
GRP61350	04	0959	1010	1006	S05	W04	.212	13263	4.1	11	--F				.27				1	1	1	3
TEHR	04	0959	1010D	1006	S05	W04	.212	13263	4.1	110	-F	4	C		.27				DE			
TEHR	04	1004E	1010	1005U	S05	W04	.212	13263	4.1	60	-F	4	V		.25							
GRP61351	04	1115	1132	1118	S18	E62	.913	13278	9.1	17	--N				.22				2	2	2	4
ATHN	04	1114	1132	1118	S18	E59	.892	13278	8.9	18	-N	3	C		.17				DE			
TEHR	04	1115	1129D	1118	S17	E65	.930	13278	9.3	140	-N	4	C		.27				DE			
GRP61352	04	1226	1235	1227	S05	W07	.234	13263	4.0	9	--F				.48				2	2	2	4
ATHN	04	1226	1234	1227	S05	W06	.226	13263	4.1	8	-F	3	C		.50				DE			
TEHR	04	1226E	1235D	1227	S04	W07	.219	13263	4.0	90	-N	4	D		.45				U			
GRP61354	04	1328	1350	1331	S17	E57	.875	13278	8.8	22	--F				.40				2	1	1	4
HUAN	04	1328	1350D	1331	S17	E57	.875	13278	8.8	22D	-F	1	C	1331	.40	.84			F			
ATHN	04	1331	1353	1342	S17	E58	.883	13278	8.9	22	-F	3	C		.33							
GRP61355	04	1415	1500	1422	S18	E58	.885	13278	8.9	45	--F				.48				3	2	2	4
ATHN	04	1414	1438	1421	S18	E59	.892	13278	9.0	24	-F	2	C		.50				F			
HUAN	04	1415	1503	1423U	S18	E57	.878	13278	8.9	48	-N	1	C	1423	.45	.94			EK			
BOUL	04	1428E	1445D	1433	S19	E56	.873	13278	8.8	17D	1F		C	1433	1.50	2.66			DE			
ATHN	04	1449	1456	1452	S17	E57	.875	13278	8.9	7	-F	2	C		.17							
GRP61358	04	1550	1656	1559	S19	E56	.873	13278	8.9	66	--B				.37				2	2	2	2
HUAN	04	1550	1656	1602U	S17	E57	.875	13278	8.9	66	-N	1	C	1602	.45	.94						
CATA	04	1550	1555D	1555	S20	E55	.868	13278	8.8	50	-B	3		1555	.28	.58	2.69					
359 HUAN	04	1825	1840	1832	S17	E56	.867	13278	9.0	15	--F	1	C	1832	.25	.51			D		2	
	04	1955	2016	NO FLARE PATROL																		
	04	2029	2120	NO FLARE PATROL																		
	04	2140	2257	NO FLARE PATROL																		
	04	2335	0010	NO FLARE PATROL																		
	05	0130	0147	NO FLARE PATROL																		
	05	0154	0200	NO FLARE PATROL																		
	05	0218	0224	NO FLARE PATROL																		
360 MITK	05	0341	0349	0344	N13	E9D	1.000	13280	11.9	8	1B		C	0344	1.03				H		4	
GRP61361	05	0348	0402	0355	S08	W20	.417	13263	3.7	14	--F				.46				2	2	2	5
MITK	05	0348	0401	0353	S06	W21	.413	13263	3.8	13	-F		C	0353	.72	.80			D			
TEHR	05	0352E	0403	0357	S09	W19	.415	13263	3.7	11D	-F	4	C		.19				H			

## H $\alpha$ SOLAR FLARES Confirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION				DURATION	IM- POR- TANCE	OBS. COND.	OBS. TYPE	MEASUREMENTS				REMARKS			
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	CENTRAL MER. DIST.	MCMATH PLAGE REGION	CMP DAY					MIN.	TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.		MAX. WIDTH Hg	MAX. INT. %	
362 TEHR	05	0603	0619	0612	S09	W20	.427	13263	3.8	16	--F	4	C		.19				4	
GRP61365	05	0759	0820	0808	S13	W54	.839	13257	1.3	21	--F				.54				2 2 2 6	
ABST	05	0754	0820	0811	S12	W53	.828	13257	1.4	270	-F		P	0811	.87	1.60			DJK	
HTPR	05	0803	0819	0805	S13	W55	.848	13257	1.2	16	-F		C	0805	.21	.30			D	
GRP51367	05	0810	0817	0811	N14	E77	.970	13280	11.1	7	--F				.46				3 3 3 7	
TEHR	05	0809	0817	0811	N15	E78	.973	13280	11.2	8	-F	4	C		.19					
HTPR	05	0810	0815	0810	N12	E75	.961	13280	11.0	5	-F		C	0810	.31				D	
ABST	05	0811	0819	0812	N13	E78	.974	13280	11.2	80	1F		P	0812	.87				DJK	
GRP61370	05	0832	0850	0835	S09	W21	.439	13263	3.8	18	--F				.20				2 2 2 6	
TEHR	05	0830	0851	0835	S09	W20	.427	13263	3.9	21	-F	4	C		.19				F	
HTPR	05	0833	0848	0835	S08	W22	.443	13263	3.7	15	-N		C	0835	.21	.20			E	
GRP61371	05	0851	0858	0854	S05	W23	.434	13263	3.6	7	--N				.35				3 3 3 5	
CATA	05	0850	0855	0850	S04	W24	.441	13263	3.6	5	-N	3		0850	.56	.64	1.70			
TEHR	05	0851	0902	0856	S05	W22	.420	13263	3.7	11	-F	4	C		.28					
HTPR	05	0852	0858	0855	S05	W23	.434	13263	3.6	6	-N		C	0855	.21	.20			DH	
373 HTPR	05	1158	1222	1217	N08	E90	1.000	13280	12.2	24	-N		C	1217	.31				A	
GRP61374	05	1405	1424	1409	S08	W18	.392	13263	4.2	19	-N				1.03				3 3 3 3	
MCMA	05	1405	14250	1409	S09	W18	.402	13263	4.2	200	-N		C	1409	.77	.90			EL	
HTPR	05	1405	1430	1409	S08	W18	.392	13263	4.2	25	-B		C	1409	.72	.70			HL	
HUAN	05	1405	1415	1408	S07	W17	.370	13263	4.3	10	-N	1	C	1408	1.60	1.76				
HTPR	05	1408	1435	1410	S07	W22	.435	13263	3.9	27	-F		C	1410	.21	.20				
GRP61375	05	1508	1547	1515	S20	E44	.774	13278	8.9	39	--N				.49				4 4 4 4	
HTPR	05	1505	1540	1514	S20	E43	.765	13278	8.9	35	-N		C	1514	.31	.50				
BOUL	05	1507	1559	1515	S19	E43	.760	13278	8.9	52	-F		C	1515	.64	.88				
HUAN	05	1508	1545	1516U	S18	E44	.765	13278	8.9	37	-N	1	C	1516	.60	.95				
MCMA	05	1510	15450	1511	S21	E44	.779	13278	8.9	350	-N		C	1520	.41	.60			E	
GRP61378	05	1737	1746	1738	N09	E89	.999	13280	12.4	9	--F				.30				2 2 1 3	
MCMA	05	1736	1745	1737	N08	E89	.999	13280	12.4	9	-N		C	1737	.30				D	
HUAN	05	1737	1746	1738	N10	E88	.999	13280	12.3	9	-F	1	C	1738	.30					
379 HJAN	05	1930	1932	1931	S18	E36	.684	13278	8.5	2	--F	1	C	1931	.28	.27			D	
380 HJAN	05	2037	2039	2038	N10	E88	.999	13280	12.5	2	--F	1	C	2038	.30				3	
	05	2200	2210	NO FLARE PATROL																
381 VORD	05	2357	0002	2358	N07	E49	.751	13279	9.7	5	-B		C	2358	.81	1.30		62	2	
GRP61382	06	0112	0154	0122	N06	E87	.998	13280	12.6	42	-F				.66				2 2 2 2	
PALE	06	0108	01540	0122	N05	E86	.997	13280	12.5	460	-F	3	C		.81				DE U	
VORD	06	0116	0154	0122	N06	E87	.998	13280	12.6	38	1N		C	0122	.54	3.80		64	EFJ	
GRP51383	06	0232	0316	0243	N05	E81	.986	13280	12.2	44	1N				1.10				3 3 3 3	
PALE	06	0228	02590	0240	N05	E78	.976	13280	12.0	310	-N	3	C		.72				F	
MANI	06	0236	02470	0242	N05	E80	.983	13280	12.1	110	1N			0242	1.65	4.24			F	
MITK	06	0244E	03150	0246	N05	E85	.995	13280	12.5	320	1B		C	0246	.93				E	
GRP61385	06	0604	0615	0606	S12	E57	.863	13281	10.5	11	--F				.39				2 2 2 3	
HITK	06	0603	0614	0605	S12	E58	.871	13281	10.6	11	-F		C	0605	.52	1.10			D	
TEHR	06	0604	0615	0607	S12	E56	.854	13281	10.5	11	-F	4	C		.25				F	
GRP51386	06	0640	0654	0648	N07	E84	.993	13280	12.6	14	-N				.71				3 3 3 5	
TEHR	06	0637E	06530	0648U	N07	E84	.993	13280	12.6	160	-B	3	V		.52				DE	
TEHR	06	0638	0656	0647	N08	E83	.991	13280	12.5	18	-B	3	C		.55				DE	
MITK	06	0641	0651	0644	N06	E81	.986	13280	12.4	10	-N		C	0644	.52				D	
ABST	06	0652E	06570	0652	N08	E87	.998	13280	12.8	50	1N		F	0652	1.05			60	BDJ	
GRP51387	06	0740	0748	0741	N07	E80	.983	13280	12.3	8	-N				.46				3 3 3 4	
HTPR	06	0739	0744	0740	N07	E78	.976	13280	12.2	5	-F			0740	.31				E	
ATHN	06	0740E	0751	0741	N07	E78	.976	13280	12.2	110	-N	3	C		.66				F	
TEHR	06	0740	0748	0742	N06	E83	.991	13280	12.5	8	-N	4	V		.41				F	
TEHR	06	0741	0749	0743	N06	E83	.991	13280	12.5	8	-N	4	C		.36				F	
GRP61389	06	0821	0837	0827	N07	E81	.986	13280	12.4	16	-N				.66				5 5 5 5	
ABST	06	0737	0846	0826	N09	E83	.991	13280	12.3	69	1N		F	0826	1.57			68	FJKZ	
HTPR	06	0803	0810	0807	N07	E78	.976	13280	12.2	7	-F		C	0807	.21				D	
TEHR	06	0819	0835	0828	N05	E83	.991	13280	12.6	17	--F	4	C		.36				F	
ARCE	06	0820E	08380	0827	N07	E82	.989	13280	12.5	130	-B		C	0825	.31					
ATHN	06	0823	0833	0827	N07	E77	.972	13280	12.1	10	-N	2	C		.83				F	
TEHR	06	0825E	08350	0828U	N05	E83	.991	13280	12.6	100	-N	4	V		.19				F	
HTPR	06	0826	0832	0828	N07	E78	.976	13280	12.2	6	-F		C	0828	.21				E	

# H $\alpha$ SOLAR FLARES

## Confirmed

### OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM-PORTANCE	OBS. COND. TYPE	MEASUREMENTS					REMARKS
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY				TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H $\alpha$	MAX. INT. %	
GRP61390	06	0930	0937	0934	N07	E78	.976	13280	12.2	7	-N							2 2 2 5
HTPR	06	0930	0937	0933	N07	E78	.976	13280	12.2	7	-N	C	0933	.38				D
ATHN	06	0930	0935	0935	N07	E77	.972	13280	12.2	60	-N	1 C		.10				F
GRP61393	06	1035	1054	1040	S21	E34	.685	13278	9.0	19	--F			.22				2 2 2 5
HTPR	06	1033	1055	1040	S22	E33	.683	13278	8.9	22	-F	C	1040	.10	.10			D
ATHN	06	1036	1053	1040	S20	E35	.687	13278	9.1	17	-F	2 C		.33				DE
GRP61394	06	1145	1200	1149	N13	W39	.629	13262	3.6	15	--F			.79				4 4 4 4
TEHR	06	1144	1203	1149	N15	W39	.632	13262	3.6	19	-N	4 C		.45				F
HTPR	06	1145	1200	1150	N13	W37	.602	13262	3.7	15	-F	C	1150	.31	.40			E
KHAR	06	1145E	1158D		N13	W40	.642	13262	3.5	13D	1F	P	1148	1.75	2.30	1.50		C
ATHN	06	1146	1158	1148	N11	W39	.626	13262	3.6	12	-F	3 C		.66				U F
GRP61396	06	1224	1232	1227	S08	W37	.638	13263	3.7	8	--N			.53				3 3 3 4
ATHN	06	1223	1233	1226	S10	W35	.623	13263	3.9	10	-N	2 C		.66				F
MCMA	06	1225	1232	1227	S07	W38	.646	13263	3.7	7	-N	C	1227	.62	.80			E
HTPR	06	1225	1232	1227	S07	W39	.658	13263	3.6	7	-F	C	1227	.31	.40			E
397 ATHN	06	1320	1328	1323	N04	W30	.500	13263	4.3	8	--F	3 C		.17				DE H 3
398 ATHN	06	1358	1407	1402	N05	E48	.740	13279	10.2	9	--F	3 C		.33				DE 3
399 ATHN	06	1446	1453	1449	N06	E73	.954	13280	12.1	7	-N	3 C		.50				DE 3
	06	1521	1535		NO FLARE PATROL													
	06	1542	1555		NO FLARE PATROL													
400 PALE	06	2117	2204	2134	N11	E64	.893	13280	11.7	47	1N	3 C		1.00				F 1
400 PALE	06	2122E	2204	2124	N12	E63	.885	13280	11.6	42D	*-N	3 C		.93				F 1
401 PALE	06	2148	2234	2200	S18	E23	.550	13278	8.6	46	--N	3 C		.45				F 2
GRP61406	07	0643	0654	0649	N06	E69	.931	13280	12.5	11	--F			.23				2 2 2 4
ATHN	07	0643	0653	0648	N06	E67	.917	13280	12.3	10	-N	3 C		.17				F
TEHR	07	0647E	0655D	0649	N06	E71	.943	13280	12.6	8D	-F	4 V		.28				
GRP61408	07	0848	0936	0903	N13	E62	.877	13280	12.0	48	-N			.95				6 5 5 7
MDNT	07	0848	0905D	0859	N13	E63	.885	13280	12.1	18D	-N	C	0859	.60				E
ABST	07	0848	0931	0909	N13	E63	.885	13280	12.1	43	1N	C	0909	.96	2.10		78	FJK
TEHR	07	0855E	0918D	0905U	N11	E62	.878	13280	12.0	23D	-B	4 C		.55				F
ATHN	07	0856E	0925D	0858	N14	E60	.861	13280	11.9	30D	-N	2 C		.99				F
KHAR	07	0904E	0940D		N12	E62	.878	13280	12.0	36D	1N	P	0906	1.65	3.70	2.10		T
ARCE	07	0917E	0931D		N12	E64	.893	13280	12.2	14D	1N	P	0925	1.31	2.10			
GRP61412	07	1311	1330	1315	S17	E17	.482	13278	8.8	19	--N			.60				3 3 3 4
ATHN	07	1310	1333	1316	S17	E17	.482	13278	8.8	23	-F	3 C		.99				F
TEHR	07	1311	1331	1314	S12	E17	.423	13278	8.8	20	-N	4 C		.36				DE
MCMA	07	1312	1327	1316	S21	E16	.524	13278	8.8	15	-N	C	1316	.46	.50			E
	07	1532	1537		NO FLARE PATROL													
413 HUAN	07	1537E	1542		N08	E62	.879	13280	12.3	5D	--F	1 P	1539	.25	.55			C 2
GRP61414	07	1913	1936	1920	S20	E15	.504	13278	8.9	23	--F			.89				2 2 2 2
BOUL	07	1913	1942	1920	S19	E14	.483	13278	8.9	29	-F	C	1920	.96	.99			
PALE	07	1917E	1930	1920	S20	E15	.504	13278	8.9	13D	-N	2 C		.81				DE U
415 BOUL	07	2050	2115	2057	N05	E21	.357	13279	9.4	25	--F	C	2057	.75	.80			2
	07	2327	2334		NO FLARE PATROL													
	08	0109	0119		NO FLARE PATROL													
	08	0211	0230		NO FLARE PATROL													
	08	0238	0255		NO FLARE PATROL													
GRP61419	08	1023	1043	1031	N07	E50	.762	13280	12.2	20	--F			.35				2 2 2 3
TEHR	08	1021	1046	1027	N07	E50	.762	13280	12.2	25	-F	4 C		.36				DE
ATHN	08	1024	1040	1034	N07	E50	.762	13280	12.2	16	-F	4 C		.33				DE

8  
Oct 74

**H $\alpha$  SOLAR FLARES**  
Confirmed  
OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION					DURATION	IMPOR-TANCE	OBS. COND. TYPE	MEASUREMENTS					REMARKS				
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MC MATH FLARE REGION	CMP DAY				MIN.	TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H $\alpha$		MAX. INT. %			
GRP61420	08	1114	1202	1119	N07	E49	.751	13280	12.1	48	-N				.63					3 3 3 3		
ATHN	08	1113	1203	1120	N06	E50	.763	13280	12.2	50	-N	4	C		.63					Z F		
TEHR	08	1114	1201	1119	N07	E50	.762	13280	12.2	47	-N	4	C		.64					DE		
HTPR	08	1115	12000	1118	N07	E48	.739	13280	12.1	450	-N		C	1118	.41	.60				EK		
HTPR	08	1115	12000	1133	N07	E48	.739	13280	12.1	450	-N		C	1133	.41	.60				EK		
TEHR	08	1116E	1201	1120	N07	E50	.762	13280	12.2	450	-N	4	V		.66					Z		
GRP61423	08	1311	1327	1313	N11	E42	.666	13280	11.7	16	--N				.49					3 3 3 4		
ATHN	08	1310	1326	1312	N12	E41	.654	13280	11.6	16	-N	3	C		.83					F		
TEHR	08	1311	1332	1313	N10	E42	.665	13280	11.7	21	-N	2	C		.45					DE		
HUAN	08	1312	1323	1315	N11	E44	.691	13280	11.9	11	-F	1	C	1315	.20	.28				D		
GRP61425	08	1404	1410	1405	N10	E43	.678	13280	11.8	6	--F				.32					3 3 3 3		
ATHN	08	1402	1410	1405	N09	E42	.665	13280	11.7	8	-F	3	C		.33					F		
BOUL	08	1405	1410D	1406	N11	E42	.666	13280	11.7	50	-F		C	1406	.43	.56						
HUAN	08	1405	1409	1405	N11	E44	.691	13280	11.9	4	-F	1	C	1405	.20	.28				D		
	08	1434	1437	NO FLARE PATROL																		
GRP61426	08	1449	1514	1452	N07	E48	.739	13280	12.2	25	-B				.68					3 3 3 3		
HTPR	08	1448	1507	1451	N07	E47	.727	13280	12.1	19	-B		C	1451	.72	1.00				E		
HUAN	08	1449	1520	1450	N08	E48	.739	13280	12.2	31	-N	1	C	1450	.50	.76				E		
RAMY	08	1449	1515	1456	N06	E48	.740	13280	12.2	26	-B	4	V		.83					DE		
GRP61427	08	1550	1610	1555	N07	E47	.727	13280	12.2	20	--F				.31					3 3 3 3		
HTPR	08	1550	1558D	1554	N07	E47	.727	13280	12.2	80	-F		C	1554	.31	.50				E		
HUAN	08	1554E	1605		N07	E47	.727	13280	12.2	110	-F	1	P	1554	.30	.45				CE		
BOUL	08	1555E	1615	1555E	N07	E47	.727	13280	12.2	200	-F		C	1555	.32	.47						
GRP61428	08	1742	1805	1744	N07	E46	.715	13280	12.2	23	-N				1.00					3 3 3 3		
BOUL	08	1741	1805	1744	N08	E45	.703	13280	12.1	24	-N		C	1744	1.18	1.66						
HUAN	08	1742	1807	1743	N07	E45	.703	13280	12.1	25	-N	1	C	1743	.90	1.28				E		
PALE	08	1743	1803	1745	N07	E47	.727	13280	12.3	20	-B	3	C		.91					DE		
GRP61429	08	1818	1840	1828	S19	E00	.428	13278	8.8	22	--F				.45					3 3 3 3		
BOUL	08	1815	1848	1828	S18	W01	.413	13278	8.7	33	-F		C	1828	.43	.43						
HUAN	08	1820	1838	1830U	S19	E00	.428	13278	8.8	18	-F	1	C	1830	.50	.57				F		
PALE	08	1822E	1833	1825	S19	E01	.428	13278	8.8	110	-N	3	C		.41							
GRP61431	08	1918	1927	1922	N07	E46	.715	13280	12.3	9	--F				.28					3 3 3 3		
HUAN	08	1918	1921D		N08	E45	.703	13280	12.2	3D	-F	1	P	1921	.25	.36				D		
BOUL	08	1918	1928	1921	N07	E45	.703	13280	12.2	10	-F		C	1921	.32	.45						
PALE	08	1918	1925	1922	N07	E49	.751	13280	12.5	8	-F	3	C		.27					F		
432 BOUL	08	2054	2111	2058	S16	E00	.380	13278	8.9	17	--F		C	2058	.21	.21				3		
GRP61433	08	2300	2309	2302	N07	E44	.691	13280	12.3	9	--F				.33					2 2 2 4		
BOUL	08	2258	2308	2301	N06	E44	.691	13280	12.3	10	-F		C	2301	.21	.30						
PALE	08	2302	2310	2383	N07	E43	.678	13280	12.2	8	-F	3	C		.45					DE		
GRP61435	08	2318	2323	2320	S19	W05	.436	13278	8.6	5	--N				.61					2 2 2 4		
VORO	08	2318	2322	2319	S19	W03	.431	13278	8.7	4	-B		C	2319	.90	1.00				68		
PALE	08	2318	2323	2320	S19	W06	.439	13278	8.9	5	-F	3	C		.31							
GRP61436	08	2329	2347	2333	S17	W02	.398	13278	8.8	18	--N				.68					2 2 2 2		
PALE	08	2328	2352	2334	S17	W02	.398	13278	8.8	24	-F	3	C		.45					DE		
VORO	08	2329	2342	2332	S17	W01	.397	13278	8.8	13	-B		C	2332	.90	1.00				67		
437 PALE	09	0048	0101	0050	N05	E42	.667	13280	12.2	13	--F	3	C		.55					DE		
GRP61440	09	0155	0210	0158	N11	E35	.572	13280	11.7	15	-N				1.12					2 2 2 4		
VORO	09	0154	0207	0156	N12	E35	.573	13280	11.7	13	-B		C	0156	1.16	1.40				63		
PALE	09	0156	0212	0159	N10	E35	.571	13280	11.7	16	-F	3	C		1.08					F		
GRP61441	09	0236	0250	0240	S18	W04	.416	13278	8.8	14	--B				.63					2 2 2 4		
PALE	09	0235	0253	0239	S18	W04	.416	13278	8.8	18	-N	2	C		.36					DE		
VORO	09	0237	0246	0240	S18	W04	.416	13278	8.8	9	-B		C	0240	.90	1.00				64		
442 PALE	09	0252	0253	0252U	N07	E40	.639	13280	12.1	1	--F	2	C		.45					DE		
444 PALE	09	0351E	04010	0352U	S08	W06	.267	13278	8.7	100	--F	1	C		.52					3		
445 PALE	09	0351E	04010	0352U	N09	E32	.527	13280	11.6	100	--F	1	C		.62					3		
GRP61447	09	0445	0453	0446	N06	E42	.666	13280	12.3	8	--N				.40					2 2 2 4		
HANI	09	0445E	04500	0445U	N05	E42	.667	13280	12.3	50	-N	2	C	0445	.52	.69						
TEHR	09	0446E	04530	0447U	N07	E41	.652	13280	12.3	70	-N	3	C		.28					DE		

## H $\alpha$ SOLAR FLARES Confirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT			LOCATION					DURATION	IMPOR.	OBS. COND.	MEASUREMENTS				REMARKS		
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	APPROX. MER. DIST.	CENTRAL DISTANCE	MCATH PLAGE REGION				OMP DAY	TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.		MAX. WIDTH H $\alpha$	MAX. INT. %
GRP61450	09	0542	0620	0547	N04	E05	.096	13279	9.6	38	-N				1.21		3 3 3 4	
ATHN	09	0542	0617	0545	N05	E05	.090	13279	9.6	35	-B	3	C		.99		U U	
TEHR	09	0543E	0620	0546U	N04	E06	.111	13279	9.7	190	-N	2	C		.45		F	
ABST	09	0545E	0622	0549	N02	E04	.102	13279	9.5	370	1N		P	0549	2.18 2.20		89 FJU	
454 ATHN	09	1006	1019	1011	N11	E19	.331	13280	10.8	12	--F	3	C		.33		F 3	
GRP61455	09	1039	1130	1042	S19	W10	.456	13278	8.7	51	--F				.30		2 2 2 4	
MONT	09	1038	1041D	1041	S19	W09	.451	13278	8.8	30	-N		C	1041	.50		D 2 2 4	
HTPR	09	1039	1130	1042	S18	W10	.442	13278	8.7	91	-F		C	1042	.10 .10		EK	
GRP61458	09	1239	1255	1243	N06	E36	.585	13280	12.2	16	--F				.31		2 2 2 5	
HUAN	09	1238	1255	1244	N07	E36	.584	13280	12.2	17	-F	1	C	1244	.40 .51		E	
HTPR	09	1240	1254	1241	N05	E35	.571	13280	12.2	14	-F		C	1241	.21 .20		E	
GRP61459	09	1251	1309	1255	N08	E10	.175	13280	10.3	18	--F				.22		3 3 3 5	
ATHN	09	1248	1322	1255	N08	E10	.175	13280	10.3	34	-F	3	C		.33		OE H	
HTPR	09	1252	1302	1254	N07	E10	.173	13280	10.3	10	-F		C	1254	.21 .20			
TEHR	09	1253	1303	1255	N09	E10	.178	13280	10.3	10	-N	3	C		.12		OE	
GRP61460	09	1400	1425	1403	N07	E36	.584	13280	12.3	25	--F				.49		4 4 4 6	
BOUL	09	1359	1425	1404	N07	E35	.570	13280	12.2	26	-F		C	1404	.54 .65			
HTPR	09	1359	1423	1401	N07	E36	.584	13280	12.3	24	-N		C	1402	.52 .60		EK	
HUAN	09	1400	1424	1403	N08	E36	.584	13280	12.3	24	-F	1	C	1403	.40 .51		E	
ATHN	09	1400	1428	1403	N06	E36	.585	13280	12.3	28	-F	3	C		.50		F	
464 MCHA	09	1640	1655	1641	N05	E35	.571	13280	12.3	15	--F		C	1641	.26 .40		DH 3	
GRP61465	09	1642	1705	1650	S23	W09	.509	13278	9.0	24	--N				.72		4 4 4 4	
MCHA	09	1638E	1700	1649	S23	W10	.513	13278	8.9	220	-B		C	1649	.62 .70		EV	
BOUL	09	1639	1722	1648	S23	W08	.505	13278	9.1	43	-N		C	1648	1.29 1.30			
PALE	09	1650	1701	1653	S23	W09	.509	13278	9.0	11	-N	1	C		.55			
HUAN	09	1654E	1659		S23	W09	.509	13278	9.0	50	-N	1	P	1654	.40 .48			
GRP61467	09	2100	2123	2107	N06	E35	.571	13280	12.5	23	--F				.26		2 2 2 3	
MCHA	09	2058E	2123D		N05	E38	.613	13280	12.7	250	-N		C	2108	.31 .40		DH	
BOUL	09	2101	2122	2107	N07	E32	.527	13280	12.3	21	-F		C	2107	.21 .25			
468 PALE	09	2150E	2152D	2152U	N03	W07	.134	13279	9.4	20	--F	2	C		.27		DE 2	
469 PALE	09	2202E	2208	2203U	N06	E27	.452	13280	11.9	60	--F	2	V		.21		OE 2	
	09	2225	2244	NO FLARE PATROL														
GRP61470	09	2324	2353	2332	N06	E28	.467	13280	12.1	29	--N				.81		1 1 1 2	
PALE	09	2324E	2353	2332	N06	E29	.482	13280	12.1	290	-N	2	O		.81		DE	
PALE	09	2329E	2352	2332	N06	E27	.452	13280	12.0	230	-F	2	V		.41		DE	
GRP61471	10	0000	0015	0001	S07	W79	.985	13263	4.1	18	--F				.20		2 2 2 4	
HANI	10	0000E	0012D	0000U	S07	W78	.981	13263	4.1	120	-F	1	C	0000	.21 .52			
PALE	10	0001E	0016	0001U	S06	W79	.984	13263	4.1	150	-F	2	C		.19			
472 PALE	10	0034	0111	0039	N08	E26	.436	13280	12.0	37	--F	2	O		.81		U 3	
473 PALE	10	0118	0125	0121	N07	E26	.436	13280	12.0	7	--F	2	O		.19		OE 3	
474 PALE	10	0303	0322	0309	S19	W20	.530	13278	8.6	19	--F	2	O		.45		OE 4	
475 PALE	10	0305	0315	0309	N07	E26	.436	13280	12.1	10	--F	2	O		.27		OE 4	
GRP61476	10	0543	0614	0550	S19	W18	.513	13278	8.9	31	--F				.56		2 2 2 2	
TEHR	10	0542	0615	0550	S18	W17	.492	13278	9.0	33	-F	3	C		.64		U	
ATHN	10	0544	0612	0550	S19	W18	.513	13278	8.9	28	-N	1	C	0550	.52 .50			
GRP61477	10	0619	0707	0623	N04	W07	.127	13279	9.7	48	-B				1.17		3 3 3 3	
ATHN	10	0618	0700	0623	N05	W03	.056	13279	10.3	42	-B	1		0623	.85 .80			
TEHR	10	0620	0713	0623	N05	W09	.157	13279	9.6	53	-B	3	C		1.64		U	
HTPR	10	0625E	0628D		N03	W10	.182	13279	9.9	30	-N		C	0628	1.03 1.00		E	
GRP61479	10	0821	0825	0823	N11	E27	.456	13280	12.4	4	--F				.19		2 2 2 6	
HTPR	10	0820E	0824		N12	E26	.443	13280	12.3	40	-F		C	0821	.21 .20			
ATHN	10	0822	0825	0823	N09	E27	.452	13280	12.4	4	-N	1		0823	.17 .16			
GRP61480	10	0909	0919	0913	N11	E25	.425	13280	12.3	10	--F				.21		3 3 3 5	
ARCE	10	0905E	0910D		N10	E25	.423	13280	12.3	50	-F			0910	.37 .40		H	
HTPR	10	0908	0919	0911	N12	E26	.443	13280	12.3	11	-F		C	0911	.10 .10			
ATHN	10	0914	0918	0915	N11	E25	.425	13280	12.3	4	-F			0915	.17 .16			

10  
Oct 74

# H $\alpha$ SOLAR FLARES

## Confirmed

### OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION				DURATION — MIN.	IM-POR- TANCE COND.	OBS. TYPE	MEASUREMENTS				REMARKS
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	CENTRAL MER. DIST.	MCMATH PLAGE REGION	CMP DAY				TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H $\alpha$	
GRP61481	10	0950	0959	0955	N08	E24	.405 13280	12.2	9	--F					2 2 2 6	
ARCE	10	0945E	1000		N07	E25	.420 13280	12.3	150	-F	C	0950	.63	.70		
HTPR	10	0954	0957	0955	N08	E23	.389 13280	12.1	3	-F	C	0955	.21	.20		
GRP61482	10	1036	1050	1038	N07	E25	.420 13280	12.3	14	--N			.45		3 3 3 5	
HTPR	10	1035	1050	1037	N09	E24	.406 13280	12.2	15	-F	C	1037	.31	.30		
MONT	10	1035E	10420	1040	N08	E25	.421 13280	12.3	60	-N	C	1040	.70			
ATHN	10	1036	1049	1038	N05	E25	.421 13280	12.3	13	-N	1	1038	.34	.33		
GRP61483	10	1049	1122	1058	N10	E08	.152 13280	11.1	33	-B			1.90		4 3 3 6	
HTPR	10	1045	1115	1055	N10	E08	.152 13280	11.0	30	-B	C	1055	.31	.30		
HTPR	10	1047	1110	1056	N13	E08	.180 13280	11.0	23	-N	C	1056	.83	.80		
ATHN	10	1047	1122	1050	N18	E03	.210 13280	10.7	35	-B	1	1050	1.55	2.10		
ATHN	10	1047	1113	1054	N05	E15	.258 13280	11.6	26	-B	1	1054	.85	.80		
HTPR	10	1050	1140	1102	N07	E13	.224 13280	11.4	50	-F	C	1102	.31	.30		
CATA	10	1055	1200	1115	N11	E06	.132 13280	10.9	65	1N	3	1115	3.09	3.21	1.91	
MONT	10	1056E	1129	1106	N10	E05	.108 13280	10.8	330	1N	C	1106	3.00			
HTPR	10	1056	1103	1102	N11	E10	.190 13280	11.2	7	-F	C	1102	.31	.30		
GRP61485	10	1134	1146	1139	N07	E25	.420 13280	12.4	12	--F			.27		2 2 2 5	
ATHN	10	1131	1147	1137	N05	E24	.405 13280	12.3	16	-N	1	1137	.34	.33		
MONT	10	1136	1145	1141	N08	E25	.421 13280	12.4	9	-F	C	1141	.20			
GRP61487	10	1221	1231	1223	N11	E15	.268 13280	11.6	10	--F			.39		4 4 4 5	
HTPR	10	1220	1227	1221	N12	E15	.274 13280	11.6	7	-F	C	1221	.31	.30		
ATHN	10	1221	1230	1223	N10	E15	.264 13280	11.6	9	-N	1	1223	.34			
MONT	10	1222	1233	1224	N11	E16	.284 13280	11.7	11	-N	C	1224	.40			
HUAN	10	1223E	1233		N12	E14	.258 13280	11.6	100	-F	1	1226	.50	.54		
GRP61490	10	1404	1409	1406	N12	E09	.184 13280	11.3	5	--F			.38		2 2 2 5	
HUAN	10	1403	1410	1406	N12	E09	.184 13280	11.3	7	-F	1	1406	.35	.37		
MONT	10	1404	1407	1405	N12	E09	.184 13280	11.3	3	-F	C	1405	.40			
GRP61491	10	1404	1413	1407	N07	E22	.372 13280	12.2	9	--F			.33		2 2 2 5	
HUAN	10	1404	1417	1407	N07	E23	.388 13280	12.3	13	-F	2	1407	.45	.50		
MONT	10	1404	1408	1406	N07	E20	.340 13280	12.1	4	-F	C	1406	.20			
494 MCMA	10	1510	1517	1513	N10	E20	.344 13280	12.1	7	--N	C	1513	.31	.30		
GRP61495	10	1521	1600	1530	N07	E22	.372 13280	12.3	39	--N			.66		4 4 4 4	
MCMA	10	1521	1600	1530	N07	E21	.356 13280	12.2	39	-B	C	1530	.52	.50		
BOUL	10	1525E	15430	1530	N08	E21	.357 13280	12.2	180	-F	C	1530	1.50	1.61		
HTPR	10	1528E	15290		N06	E22	.373 13280	12.3	10	-F	C	1528	.21	.20		
HUAN	10	1535E	1600		N07	E22	.372 13280	12.3	250	-N	1	1537	.40	.44		
496 HUAN	10	1626	1627	1627	N12	E21	.367 13280	12.3	1	--F	2	1627	.20	.22		
497 MCMA	10	1634	1640	1637	S19	W29	.617 13278	8.5	6	--N	C	1637	.41	.50		
GRP61498	10	1648	1657	1652	S19	W28	.607 13278	8.6	9	--N	C		.56		2 2 2 3	
MCMA	10	1645	1658	1652	S19	W29	.617 13278	8.5	13	-N	C	1652	.52	.70		
HUAN	10	1650	1655	1652	S19	W27	.597 13278	8.7	5	-N	1	1652	.60	.77		
GRP61499	10	1723	1735	1726	N13	E07	.168 13280	11.2	13	--F			.45		2 2 2 3	
BOUL	10	1723E	1740	1725	N13	E08	.180 13280	11.3	170	-F	C	1725	.54	.54		
PALE	10	1726E	1732	1726	N13	E06	.156 13280	11.2	60	-F	3		.36			
3 STATIONS REPORTING GROUP 61500												0 STATIONS OBSERVING AND NOT REPORTING.				
GRP61500	10	1725	1750	1729	N07	E21	.356 13280	12.3	25	--F			.24		2 2 2 3	
BOUL	10	1723E	18520	1725	N07	E21	.356 13280	12.3	890	-F	C	1731	.21	.23		
PALE	10	1726	1750	1732	N07	E20	.340 13280	12.2	24	-F	3		.27			
61500	10	1730	1805	1745	N05	E20	.341 13280	12.2	35	*-N			1.55		2 1 1 2	
MCMA	10	1730E	18050		N05	E20	.341 13280	12.2	350	-N	C	1743	1.55	1.60		
PALE	10	1741	1759	1745	N12	E07	.156 13280	11.3	18	-N	2		.55			
GRP61501	10	1808	1835	1810	N11	E18	.316 13280	12.1	27	-B			1.07		3 3 3 3	
MCMA	10	1808	1840	1809	N10	E18	.312 13280	12.1	32	-B	C	1809	1.03	1.10		
PALE	10	1809E	1829	1810	N12	E19	.336 13280	12.2	200	-B	2		1.08			
HUAN	10	1810E	18140		N12	E18	.320 13280	12.1	40	-N	1	1811	1.10	1.20		
GRP61502	10	1820	1903	1832	N13	E06	.156 13280	11.2	43	-B			1.56		4 4 4 4	
PALE	10	1819	1902	1830	N13	E06	.156 13280	11.2	43	-B	3		1.27			
MCMA	10	1820	1900	1836	N13	E05	.146 13280	11.1	40	-B	C	1836	1.55	1.50		
BOUL	10	1825E	1914	1829	N13	E07	.168 13280	11.3	490	1N	C	1829	2.57	2.59		
HUAN	10	1838E	1854		N12	E06	.144 13280	11.2	160	-N	2	1839	.85	.88		

## H $\alpha$ SOLAR FLARES Confirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION				DURATION MIN.	IM-PORTANCE	OBS. COND. TYPE	MEASUREMENTS				REMARKS	
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	CENTRAL MER. DIST.	MCMATH FLARE REGION	OMP DAY				TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH Ha		MAX. INT. %
GRP61503	10	1838	1845	1841	S18	W26	.578 13278	8.8	7	--F			.34			2 2 2 4	
BOUL	10	1838	1842	1840	S18	W26	.578 13278	8.8	40	-F	C	1840	.32	.36			
PALE	10	1841	1845	1841	S18	W25	.568 13278	8.9	40	-N	3 C		.36			DE	
GRP61504	10	1934	1950	1940	N05	E19	.325 13280	12.2	16	--F			.47			4 4 4 4	
MCMA	10	1925	1950	1941	N05	E19	.325 13280	12.2	250	-N	C	1941	.41	.50		EV	
BOUL	10	1935	1950	1939	N06	E18	.367 13280	12.2	150	-F	C	1939	.43	.45			
PALE	10	1938	1940	1940	N04	E19	.326 13280	12.2	20	-F	2 C		.62				
HJAN	10	1938	1942		N06	E19	.324 13280	12.2	40	-F	2 P	1942	.40	.44			
GRP61505	10	1945	1951	1950	N13	E05	.146 13280	11.2	6	--F			.31			2 2 2 3	
MCMA	10	1941	1950		N13	E05	.146 13280	11.2	90	-F	C	1947	.41	.50		E	
BOUL	10	1949	1951	1950	N13	E05	.146 13280	11.2	20	-F	C	1950	.21	.22			
	10	1953	1957		NO FLARE PATROL												
506 PALE	10	2002	2014	2002	N12	E06	.144 13280	11.3	120	--F	2 C		.36			DE 1	
507 PALE	10	2031	2036	2032	N08	E18	.308 13280	12.2	5	--F	2 C		.36			DE 3	
GRP61508	10	2044	2048	2045	N10	E20	.344 13280	12.4	4	--F			.20			2 2 2 3	
BOUL	10	2043	2048	2044	N10	E20	.344 13280	12.4	5	-F	C	2044	.21	.23			
PALE	10	2044	2047	2045	N10	E20	.344 13280	12.4	30	-N	2 C		.19			DE	
GRP61509	10	2051	2137	2056	N08	E16	.275 13280	12.1	46	--N			.93			3 3 3 3	
MCMA	10	2050	2130		N10	E12	.216 13280	11.8	230	-N	C	2055	1.65	1.60		EI	
BOUL	10	2052	2130	2056	N07	E18	.307 13280	12.2	450	-F	C	2056	.86	.90			
PALE	10	2055	2056	2056	N07	E18	.307 13280	12.2	10	-N	2 C		.27			DE	
	10	2113	2141		NO FLARE PATROL												
	10	2154	2209		NO FLARE PATROL												
	10	2211	2212		NO FLARE PATROL												
510 PALE	10	2249	2302	2249	N03	W20	.345 13279	9.5	130	--N	2 C		.81			F 2	
GRP61511	10	2316	2335	2320	N09	E15	.261 13280	12.1	19	--F			.32			2 1 1 3	
BOUL	10	2316	2335	2320	N09	E15	.261 13280	12.1	19	-F	C	2320	.32	.33			
PALE	10	2333	2348	2334	N12	E05	.132 13280	11.4	150	-N	2 C		.55			F	
	10	2319	2321		NO FLARE PATROL												
513 VORO	11	0112	0119	0113	N06	E22	.373 13280	12.7	7	--B	C	0113	.81	.80	61	EH 2	
514 VORO	11	0129	0136	0132	N11	E27	.456 13280	13.1	7	-B	C	0132	.90	1.00	71	EHJ 4	
GRP61517	11	0325	0402	0331	N12	E02	.107 13280	11.3	37	1N			2.97			4 3 3 4	
CULG	11	0325	0400	0329	N12	E02	.107 13280	11.3	430	1N	F	0329	2.20	2.20			
TEHR	11	0329	0402	0329	N12	E03	.114 13280	11.4	330	1B	3 C		5.07			2 U	
PALE	11	0336	0357	0336	N12	E02	.107 13280	11.3	210	-N	1 V		1.65			DE	
VORO	11	0343	0400		N13	W01	.120 13280	11.1	17	1B	C	0343	2.33	2.40	112	E	
518 TEHR	11	0425	0443	0430	N12	E02	.107 13280	11.3	18	--F	3 V		.31			F 2	
519 TEHR	11	0444	0505	0449	N08	E10	.175 13280	11.9	21	--F	4 C		.64			F 2	
520 TEHR	11	0523	0547	0527	N05	W23	.389 13279	9.5	24	--N	4 C		.45			F 3	
GRP61521	11	0614	0629	0618	N09	E15	.261 13280	12.4	15	--N			.39			2 2 2 3	
TEHR	11	0611	0627	0618	N08	E15	.259 13280	12.4	16	-N	4 C		.28			DE	
ATHN	11	0616	0630	0618	N10	E14	.248 13280	12.3	14	-N	2 C		.50			F	
522 TEHR	11	0631	0647	0637	N10	E14	.248 13280	12.3	16	--F	4 C		.46			3	
523 TEHR	11	0640	0649	0643	S19	W34	.668 13278	8.7	9	--N	4 V		.15			DE 3	
524 TEHR	11	0707	0714	0708	N09	E14	.245 13280	12.3	7	--F	4 C		.17			F 3	
GRP61525	11	0755	0818	0801	N10	E14	.248 13280	12.4	23	--N			.35			3 3 3 5	
ATHN	11	0739	0814	0740	N11	E13	.237 13280	12.3	350	-F	2 C		.33			DE	
TEHR	11	0752	0817	0801	N09	E15	.261 13280	12.5	25	-N	4 C		.28			F	
ATHN	11	0757	0811	0800	N10	E13	.232 13280	12.3	14	-N	1 C	0800	.68	.64			
HTPR	11	0809	0818		N10	E13	.232 13280	12.3	90	-F	C	0810	.10	.10			
3 STATIONS REPORTING GROUP 61526. 1 STATIONS OBSERVING AND NOT REPORTING.																	
GRP61526	11	0828	0845	0833	N10	E13	.232 13280	12.3	17	-N			.91			3 3 3 4	
HTPR	11	0827	0830		N10	E13	.232 13280	12.3	90	-B	C	0832	1.03	1.00		EJ	
ABST	11	0828	0842	0831	N10	E13	.232 13280	12.3	14	-F	C	0831	1.14	1.20		DE	
TEHR	11	0830	0848	0835	N09	E14	.245 13280	12.4	18	-B	4 C		.55			F H	



12  
Oct 74

## H $\alpha$ SOLAR FLARES Confirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT			MAX. PHASE	LOCATION					DURATION MIN.	IM-POR-TANCE	OBS. COND. TYPE	MEASUREMENTS				REMARKS
	DATE OCT	START	END		APPROX. LAT. MER. DIST.	CENTRAL DISTANCE	MC MATH PLAGE REGION	CMP DAY	TIME UT				MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH R $\circ$	MAX. INT. %	
526 TEHR	11	0836	0846	0839	N15	E15	.295	13280	12.5	10	*-F 4 C		.25				F 4
5 STATIONS REPORTING GROUP 61527. 0 STATIONS OBSERVING AND NOT REPORTING.																	
GRP61527	11	1010	1050	1020	N13	W03	.130	13280	11.2	40	1B		3.25				3 3 3 3
TEHR	11	1006E	1022D	1012	N13	W01	.120	13280	11.3	160	1B 4 V		2.31				Z
CATA	11	1010	1045D	1021	N13	W03	.130	13280	11.2	350	1B 3	1021	3.93	4.09	3.72		
KIEV	11	1015	1050	1027	N13	W04	.137	13280	11.1	35	1N	1027	3.50	3.50		70	EI
61527	11	1027	1125	1034	N11	W03	.099	13280	11.2	59	*1B		3.16				2 2 2 5
ATHN	11	1027E	1125	1033	N12	W02	.107	13280	11.3	590	1B 2 C		2.31				U F
HRS	11	1032E	1039D	1034	N10	W03	.084	13280	11.2	70	1N	1034	4.01	4.00			E
GRP61528	11	1125	1135	1130	N04	W28	.469	13279	9.4	10	--F		.39				2 2 2 5
ATHN	11	1125	1135	1129	N04	W28	.469	13279	9.4	10	-N 2 C		.50				DE
RAMY	11	1130E	1134	1130U	N04	W27	.454	13279	9.5	40	-F 5 C		.28				DE
GRP61531	11	1208	1235	1211	N13	W04	.137	13280	11.2	27	-F		.89				3 2 2 6
RAMY	11	1205	1235	1208	N13	W06	.157	13280	11.1	30	-F		.46				F
TEHR	11	1210	1224D	1214	N13	W01	.120	13280	11.4	14D	-N 4 V		1.32				F
MCMA	11	1223E	1310		N12	W04	.123	13280	11.2	470	-N	1225	1.03	1.00			BE
GRP61532	11	1255	1311	1301	N10	E11	.200	13280	12.4	16	--N		.52				5 5 5 5
MCMA	11	1250	1315	1300	N10	E10	.184	13280	12.3	25	-B	1300	.83	.80			E
HTPR	11	1256	1307	1300	N10	E12	.216	13280	12.4	11	-N	1301	.31	.30			E
HUAN	11	1257	1310	1259	N11	E10	.191	13280	12.3	13	-N 1 C	1259	.60	.63			E
RAMY	11	1258	1310	1303	N10	E10	.184	13280	12.3	12	-B 5 C		.46				DE
TEHR	11	1305E	1312	1309U	N08	E11	.192	13280	12.4	70	-N 4 C		.41				F
GRP61533	11	1416	1436	1425	N10	E08	.153	13280	12.2	20	-B		1.63				4 4 4 4
MCMA	11	1338	1420D	1348	N10	E03	.084	13280	11.8	420	-N	1348	1.86	1.80			EI
RAMY	11	1408	1434	1424	N09	E09	.163	13280	12.3	26	-N 5 C		1.30				FDE
HTPR	11	1417	1425D		N06	E08	.138	13280	12.2	80	-F	1420	.21	.20			EI
HTPR	11	1419	1425D		N10	E10	.184	13280	12.3	60	-B	1422	1.44	1.40			EI
HUAN	11	1420	1425D		N11	E09	.176	13280	12.3	50	-B 1 R	1424	1.50	1.58			EI
HTPR	11	1420	1425D		N14	E12	.245	13280	12.5	50	-N	1422	.21	.20			E
MCMA	11	1420	1438	1426	N10	E08	.153	13280	12.2	18	1B	1426	2.06	2.10			EHV
GRP61534	11	1425	1539	1441	N12	W03	.114	13280	11.4	73	1B		2.44				4 3 3 4
RAMY	11	1425	1548	1441	N12	W01	.103	13280	11.5	83	1N 5 C		3.71				FDE
MCMA	11	1425	1550		N13	W03	.130	13280	11.4	85	1B	1439	2.06	2.10			FIWZ
HTPR	11	1437E	1515		N12	W05	.133	13280	11.2	380	-B	1445	1.55	1.50			EFI
HUAN	11	1437E	1518D		N12	W05	.133	13280	11.2	410	-B 1 R	1453	1.10	1.14			E
GRP61535	11	1621	1634	1627	N11	E07	.147	13280	12.2	13	--F		.72				2 2 2 3
MCMA	11	1621	1635	1627	N11	E06	.133	13280	12.1	14	-N	1627	.83	.80			E
HUAN	11	1624E	1632		N11	E07	.147	13280	12.2	80	-F 1 C	1626	.60	.62			E
GRP61536	11	1640	1710	1642	N11	E06	.133	13280	12.1	300	-N	1642	.83	.80			2 1 1 4
MCMA	11	1640	1710D	1642	N11	E06	.133	13280	12.1	300	-N	1642	.83	.80			E
PALE	11	1657E	1705	1657U	N11	E09	.176	13280	12.4	80	-F 2 C		.36				DE
GRP61537	11	1645	1717	1700	N12	W06	.145	13280	11.2	32	--F		.72				2 2 2 3
MCMA	11	1645	1710D	1659	N12	W06	.145	13280	11.2	250	-F	1659	.72	.70			E
PALE	11	1657E	1717	1700	N12	W06	.145	13280	11.3	200	-F 2 C		.72				DE
GRP61538	11	1728	1746	1733	N11	E07	.147	13280	12.3	18	-B		1.73				4 3 3 4
PALE	11	1725	1743D	1732	N11	E08	.161	13280	12.3	180	1B 2 C		2.71				U
MCMA	11	1729E	1745D		N11	E05	.120	13280	12.1	160	-B	1733	.93	.80			E
RAMY	11	1731	1746	1734	N10	E08	.153	13280	12.3	15	-B 4 C		1.65				F
HUAN	11	1745E	1745D		N11	E06	.133	13280	12.2	10	-N 1 R	1745	1.10	1.14			E
GRP61539	11	1755	1807	1801	N11	E06	.133	13280	12.2	12	--F		.60				2 2 2 3
MCMA	11	1755E	1805		N11	E05	.120	13280	12.1	110	-N	1757	.83	.80			E
PALE	11	1801E	1807	1801U	N11	E07	.147	13280	12.3	60	-F 1 C		.36				DE
GRP61540	11	1820	1835	1825	N11	E07	.147	13280	12.3	16	--F		.46				2 2 2 3
RAMY	11	1820	1840	1824	N10	E06	.123	13280	12.2	20	-F 4 C		.37				F
PALE	11	1822E	1832	1825	N11	E08	.161	13280	12.4	100	-F 2 C		.55				DE
GRP61541	11	1823	1855	1831	N12	W07	.157	13280	11.2	32	--N		.69				3 2 2 4
PALE	11	1823	1854	1831	N12	W07	.157	13280	11.2	31	-N 2 C		.55				DE
HUAN	11	1826E	1828D		N12	W07	.157	13280	11.2	20	-F 1 R						E
MCMA	11	1829E	1855D		N12	W08	.170	13280	11.2	250	-N	1840	.83	.80			E
542 PALE	11	1952	2011	1957	N11	E07	.147	13280	12.4	19	--F 2 C		.63				DE 1
543 PALE	11	2038	2054	2044	N07	E02	.038	13280	12.0	16	--F 1 C		.63				DE 1
	11	2111	2141	NO FLARE PATROL													

**H $\alpha$  SOLAR FLARES  
Confirmed  
OCTOBER 1974**

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS. COND. TYPE	MEASUREMENTS					REMARKS	
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST	CENTRAL DISTANCE	MCARTH PLAGE REGION	OMP DAY				TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH Ha	MAX. INT. %		
544 HUAN	11	2157	2208	2201	N09	E04	.085	13280	12.2	11	--F	1 C						2	
	11	2212	2215	NO FLARE PATROL															
545 VORO	12	0007	0044	0008	N12	W11	.214	13280	11.2	37	--B	C	0008	.90	.90		73	EJ	2
GRP61546	12	0125	0154	0127	N12	W10	.199	13280	11.3	29	--N	C		.45				2 1 1 4	
PALE	12	0125	0154	0127	N12	W10	.199	13280	11.3	290	-N	1 C		.45				F	
MANI	12	0137E	0206D	0145U	N10	W10	.185	13280	11.3	290	-N	2 C	0145	.83	.84			F	
547 PALE	12	0129	01330	0133U	N09	E17	.294	13280	13.3	40	--N	2 C		.36				4	
GRP61548	12	0137	0154	0139	N08	E02	.048	13280	12.2	17	-N	C		1.27				3 3 3 4	
VORO	12	0136	0157	0138	N08	E02	.048	13280	12.2	21	-B	C	0138	1.70	1.70		74	EJL	
MANI	12	0137E	0148D	0138U	N07	E02	.038	13280	12.2	110	-N	2 C	0138	.93	.93			F	
PALE	12	0137	0151	0142	N07	E02	.038	13280	12.2	14	-N	1 C		1.18				F	
PALE	12	0145E	0219	0149	N12	E04	.124	13280	12.4	340	-N	2 C		.72				OE	
61548	12	0201	0237	0212	N10	E03	.085	13280	12.3	36	*-B	C		.76				2 2 2 3	
VORO	12	0201	0235	0207	N10	E03	.085	13280	12.3	34	-B	C	0207	.90	.90		77	EJL	
MANI	12	0216E	0238D	0217	N09	E02	.061	13280	12.2	220	-N	2 C	0217	.62	.62			F	
GRP61550	12	0321	0339	0329	S20	W47	.799	13278	8.6	18	--F	C		.44				2 2 2 3	
TEHR	12	0321	0334	0326	S20	W46	.790	13278	8.7	13	-F	3 C		.36				2 2 2 3	
MANI	12	0332E	0344	0332U	S20	W47	.799	13278	8.6	120	-N	2 C	0332	.52	.72			2 2 2 3	
553 TEHR	12	0425	0443	0431	N12	E01	.104	13280	12.3	18	--F	3 C		.45				F	3
554 MANI	12	0448E	0517	0448U	N11	W15	.269	13280	11.1	290	--F	2 C	0448	.52	.54				2
555 MANI	12	0448E	0514	0452U	N07	E00	.016	13280	12.2	260	--N	2 C	0452	.72	.72			F	2
556 MANI	12	0448E	0507	0453	S19	W45	.776	13278	8.8	190	--F	2 C	0453	.52	.69				2
GRP61557	12	0552	0603	0554	N07	E00	.016	13280	12.2	11	--F	C		.39				2 2 2 3	
TEHR	12	0551	0605	0554	N05	E00	.019	13280	12.2	14	-N	4 C		.27				DE	
ATHN	12	0552	0600	0554	N08	E00	.033	13280	12.2	8	-F	2 C		.50				DE	
6 STATIONS REPORTING GROUP 61559. 1 STATIONS OBSERVING AND NOT REPORTING.																			
GRP61559	12	0718	0755	0724	N09	W02	.061	13280	12.2	37	--N	C		.60				5 5 5 6	
HTPR	12	0714	0751	0720	N08	W02	.048	13280	12.2	37	-F	C	0714	.21	.20			EK	
TEHR	12	0718	0803	0723	N10	E01	.070	13280	12.4	45	-B	4 C		.41				OE Z	
BUCA	12	0720	0805		N10	W03	.085	13280	12.1	45	-N	F	0732	1.10	1.10			E	
ATHN	12	0721	0805	0724	N10	W01	.070	13280	12.2	44	-N	3 C		.50				F	
ABST	12	0726E	0732	0728	N07	W06	.105	13280	11.9	60	-F	P	0728	.79	.80			DJ	
61559	12	0719	0758	0736	N10	W02	.076	13280	12.2	39	*-F	C		1.22				4 1 1 7	
HTPR	12	0716	0730	0720	N12	W19	.275	13280	11.2	14	-F	C	0720	.31	.30				
ABST	12	0719	0758	0736	N10	W02	.076	13280	12.2	39	-F	C	0736	1.22	1.30			FJ	
ATHN	12	0720	0759	0724	N01	W12	.225	13280	11.4	38	-N	2 C		.66				F	
MANI	12	0755E	0758D	0755U	N10	W01	.070	13280	12.3	30	-N	1 C	0755	.72	.72			F	
GRP61561	12	0813	0837	0816	N11	W03	.100	13280	12.1	24	--F	C		.37				3 2 2 4	
ATHN	12	0812	0830	0814	V10	W02	.076	13280	12.2	18	-F	C	0814	.17	.16				
ATHN	12	0812	0830D	0813	N11	W01	.087	13280	12.3	18D	-F	2 C		.17				F	
TEHR	12	0813	0837	0817	N11	W04	.110	13280	12.0	24	-F	4 C		.56				U F	
ABST	12	0820E	0832D	0825	N10	W15	.265	13280	11.2	120	-F	P	0825	1.05	1.10			EJ	
GRP61562	12	0827	0840	0830	S19	W47	.795	13278	8.8	13	--F	C		.94				2 2 2 4	
ABST	12	0825	0835D	0826	S20	W50	.826	13278	8.8	110	-F	P	0826	.87	1.60			OJ	
TEHR	12	0829	0840	0833	S18	W44	.762	13278	9.1	11	-F	4 C		1.00					
GRP61564	12	1027	1037	1032	N11	W10	.191	13280	11.7	10	--F	C		.15				3 3 3 6	
HTPR	12	1025	1034	1029	N10	W10	.185	13280	11.7	9	-F	C	1029	.10	.10			E	
TEHR	12	1027	1040	1031	N12	W10	.199	13280	11.7	13	-F	4 C		.19				F	
ATHN	12	1030	1037	1037	N12	W11	.214	13280	11.6	7	-N	2 C		.17				OE	
GRP61565	12	1046	1108	1051	N10	W02	.076	13280	12.3	22	--F	C		.21				3 3 3 5	
ATHN	12	1041	1049	1045	N11	W06	.134	13280	12.0	8	-N	1 C		.17				OE	
RAHY	12	1049E	1110D	1051	N10	W03	.085	13280	12.2	210	-F	5 C		.28				FOE	
TEHR	12	1049	1105	1056	N11	E02	.092	13280	12.8	16	-F	4 C		.19				F	
ATHN	12	1050	1057D	1054	N06	W04	.069	13280	12.2	70	-N	2 C		.17				F	
GRP61566	12	1130	1217	1147	N11	W05	.121	13280	12.1	47	1B	C		4.04				4 4 4 4	
KIEV	12	1120	1202	1150	N13	W05	.147	13280	12.1	42	2B	C	1150	6.80	6.80		80	EI	
TEHR	12	1130	1145	1140	N12	W12	.229	13280	11.8	15	-N	4 C		.56				DE	
RAHY	12	1133E	1237D	1148U	N08	W05	.093	13280	12.1	640	1N	4 C		4.64				F	
TEHR	12	1133	1219	1144	N10	E02	.076	13280	12.8	46	1N	4 C		2.31				F	
HTPR	12	1135	1210	1146	N10	W05	.110	13280	12.1	35	-B	C	1146	1.88	1.80			EFI	

14  
Oct 74

**H $\alpha$  SOLAR FLARES**  
**Confirmed**  
OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM-PORTANCE	OBS. COND. TYPE	MEASUREMENTS					REMARKS			
	DATE	START	END	MAX. PHASE	APPROX. LAT.	CENTRAL MER. DIST.	MC MATH PLAGE REGION	CMP DAY	TIME UT				MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH Ho	MAX. INT. %					
																	OCT				
GRP61567	12	1149	1211	1155	N14	W16	.303 13280	11.3	22	--N					.83					2 2 2 4	
RAMY	12	1148	1214	1152	N14	W18	.332 13280	11.1	26	-N	5	C			1.02					F	
TEHR	12	1149	1207	1158	N14	W14	.274 13280	11.4	18	-N	4	C			.64					F	
GRP61568	12	1311	1332	1317	V10	W04	.097 13280	12.2	21	-N					1.02					3 3 3 3	
TEHR	12	1307	1336	1320	N10	W03	.085 13280	12.3	29	-N	4	C			1.28					F	
HTPR	12	1310	1327	1313	N10	W05	.110 13280	12.2	17	-F		C	1313		.21	.20				EK	
RAMY	12	1315	1334	1318	V11	W04	.110 13280	12.3	19	-N	4	C			1.56					F	
GRP61569	12	1426	1449	1433	V13	W19	.341 13280	11.2	23	--F					.43					3 3 3 3	
HTPR	12	1425	1442	1432	N13	W20	.356 13280	11.1	17	-F		C	1432		.21	.20				E	
ATHN	12	1426	1440	1434	N12	W18	.321 13280	11.3	14	-F	2	C			.33					DE	
RAMY	12	1426	15050	14330	N14	W20	.362 13280	11.1	390	-F	5	C			.74					DE	
GRP61570	12	1441	1528	1523	N07	W15	.258 13280	11.5	47	--F	1	P			.21					2 2 1 4	
HUAN	12	1405E	15250		N04	W10	.177 13280	11.6	810	-N	1	P								K	
HTPR	12	1517	1523	1523	N10	W20	.345 13280	11.1	11	-F		C	1518		.21	.20					
GRP61571	12	1501	1519	1506	V11	W20	.348 13280	11.1	18	--F					.25					3 3 3 4	
HJAN	12	1500	15250		N11	W21	.364 13280	11.1	260	-F	1	P	1505		.20	.22				D	
HTPR	12	1501	1511	1504	N10	W20	.345 13280	11.1	10	-F		C	1504		.21	.20					
ATHN	12	1503	15100	1507	N11	W18	.317 13280	11.3	70	-N	2	C			.33					F	
GRP61572	12	1609	1626	1614	N09	W16	.278 13280	11.5	17	--F					.43					2 2 2 2	
HTPR	12	1600	1607	1603	N08	W20	.341 13280	11.2	7	-F		C	1603		.10	.10					
HTPR	12	1601	1622	1603	N05	W12	.208 13280	11.8	21	-F		C	1603		.10	.10				K	
HTPR	12	1602	1625	1604	N07	W18	.307 13280	11.3	23	-F		C	1604		.10	.10				K	
RAMY	12	1607	1626	1614	N09	W16	.278 13280	11.5	19	-F	5	C			.65					F	
HTPR	12	1610	16250	1613	N13	W15	.281 13280	11.5	150	-F		C	1613		.21	.20				EK	
573 PALE	12	1649	1654	1651	N12	W20	.352 13280	11.2	5	--F	2	C			.36					F	
574 PALE	12	1726	1753	1732	N10	W06	.124 13280	12.3	27	-N	2	C			1.80					OE	
575 PALE	12	1833	1851	1843	N12	W18	.321 13280	11.4	18	--F	3	C			.45					F	
GRP61576	12	1858	1928	1908	N11	W07	.147 13280	12.3	30	--N					.57					2 2 2 2	
PALE	12	1858	1927	1905	N11	W08	.162 13280	12.2	29	-N	3	C			.63					DE	
RAMY	12	1901E	19280	19100	N10	W06	.124 13280	12.3	270	-N	4	C			.50					DE	
577 PALE	12	2205	2218	2209	N08	W22	.373 13280	11.3	13	--F	3	C			.55					F	
578 PALE	12	2211	22180	2214	N13	W09	.195 13280	12.2	70	--F	3	C			.36						
3 STATIONS REPORTING GROUP 61579.																2 STATIONS OBSERVING AND NOT REPORTING.					
GRP61579	13	0509	0552	0518	N11	W13	.238 13280	12.2	43	1B					2.09					3 3 3 5	
TEHR	13	0453	0558	0519	N12	W14	.260 13280	12.2	65	1B	4	C			2.73					U	
ATHN	13	0508	0555	0512	N12	W12	.229 13280	12.3	47	-N	3	V			1.32					U F	
TACH	13	0510	0544	0522	N09	W13	.229 13280	12.2	34	1B		V	0522		2.21	2.36	102			CEKHZ	
579 ATHN	13	0513	0521	0516	N08	W23	.389 13280	11.5	8	*-F	3	V			.50					F	
GRP61580	13	0656	0714	0700	N12	W17	.306 13280	12.0	18	--F					.62					3 3 3 6	
ATHN	13	0654	0708	0658	N12	W15	.275 13280	12.2	14	-F	1		0658		.52	.50					
TEHR	13	0655	0715	0658	N13	W17	.311 13280	12.0	21	-F	4	C			.55					F	
ABST	13	0700	0718	0703	N12	W19	.337 13280	11.9	18	-F		C	0703		.79	.80				DJ	
GRP61583	13	0840	0907	0844	N14	W31	.523 13280	11.0	27	--F					.85					4 4 4 8	
HTPR	13	0838	0859	0841	N13	W32	.534 13280	11.0	21	-F		C	0841		.41	.50				E	
ARCE	13	0838E	09250		N12	W30	.503 13280	11.1	470	-F		C	0848		.75	.90					
BUCA	13	0840	0900		N14	W30	.508 13280	11.1	20	-F		C	0842		1.10	1.20					
ABST	13	0845	0902	0847	N15	W30	.512 13280	11.1	17	-N		C	0847		1.14	1.40				FJ	
10 STATIONS REPORTING GROUP 61584.																1 STATIONS OBSERVING AND NOT REPORTING.					
GRP61584	13	0850	1112	0939	N12	W26	.444 13280	11.4	142	1B					7.42					3 3 3 6	
TEHR	13	0840	1140	0936	N13	W25	.432 13280	11.3	180	1B	4	C			4.93					U F	
HTPR	13	0855	1045	0936	N13	W27	.462 13280	11.3	110	-E		C	0936		.83	.90				UZ	
KHAR	13	0855E	11100	0945	N12	W26	.444 13280	11.4	1350	3N		F	0950		16.50	18.40	2.40			EKQTZ	
TEHR	13	0926E	09500	0934	N10	W25	.424 13280	11.5	240	-N	3	V			.52					F	
61584	13	0925	1125	0958	N11	W22	.380 13280	11.7	120	*1N					4.65					3 3 3 8	
ARCE	13	0916E	10000		N10	W20	.345 13280	11.9	440	2N		C	0950		7.37	8.30				FI	
HTPR	13	0933	1115	0956	N08	W24	.405 13280	11.6	102	-N		C	0956		.41	.40					
CATA	13	0950E	10300	1000	N13	W22	.387 13280	11.8	400	2B	3		1000		6.18	6.91	2.95				
HTPR	13	1115	1135	1116	N11	W25	.426 13280	11.6	20	-N		C	1116		.21	.20				E	



## H $\alpha$ SOLAR FLARES Confirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS. COND. TYPE	MEASUREMENTS					REMARKS
	DATE	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION	OMP DAY				TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H $\alpha$	MAX. INT. %	
	OCT																	
GRP61502	15	0811	0902	0817	N09	W43	.679 13280	12.1	51	2N		5.29				5 5 5 5		
HTPR	15	0809	0850	0815	N10	W42	.666 13280	12.2	41	1B	C	0815	1.65	2.20		U		
KHAR	15	0810E	0920	0816	N08	W43	.678 13280	12.1	700	3N	P	0816	8.60	12.70		CEIWXZ		
ABST	15	0810	0855D	0822	N12	W45	.705 13280	12.0	450	2N	P	0822	8.70	12.40		FIJK		
MANI	15	0812	0824D	0818	N08	W42	.666 13280	12.2	120	1N	2	0818	2.99	4.03		F		
HTPR	15	0813	0855	0822	N13	W47	.729 13280	11.8	42	-F	C	0822	.83	1.10				
TEHR	15	0815E	0859	0816U	N07	W40	.639 13280	12.3	440	1B	4	V	4.29			U		
TEHR	15	0903E	0923	0905U	N10	W42	.666 13280	12.2	200	-F	4	V	.25			DE		
GRP61605	15	1154	1214	1159	N10	W46	.716 13280	12.0	20	--F		.36				3 3 2 6		
TEHR	15	1153	1218	1201	N10	W43	.679 13280	12.3	25	-F	4	V	.50			F		
HTPR	15	1154	1210	1157	N09	W47	.728 13280	12.0	16	-F		1157	.21	.30		E		
KHAR	15	1157E	12050		N11	W48	.740 13280	11.9	90	-F		1158		1.20		D		
GRP61507	15	1232	1250	1239	N10	W46	.716 13280	12.1	18	--F		.41				4 4 4 5		
HTPR	15	1231	1255	1236	N09	W47	.728 13280	12.0	24	-N		1236	.31	.40		E		
HUAN	15	1231	12400		N11	W46	.716 13280	12.1	90	-F	1	P	1236	.35	.52		E	
RAMY	15	1233	1247	1238U	N08	W46	.716 13280	12.1	14	-F	3	C		.46		OE		
TEHR	15	1242E	1249	1242U	N10	W44	.691 13280	12.2	70	-N	4	V		.50		F		
6 STATIONS REPORTING GROUP 61608. 0 STATIONS OBSERVING AND NOT REPORTING.																		
GRP61608	15	1324	1427	1330	N08	W47	.728 13280	12.0	63	1B		3.28				6 6 6 6		
BOUL	15	1323	1425	1328	N07	W47	.728 13280	12.0	62	1N	C	1328	2.36	3.47				
HTPR	15	1323	1415	1325	N09	W47	.728 13280	12.0	52	1B		1325	1.34	2.30		V		
RAMY	15	1324	1418	1336	N06	W48	.740 13280	12.0	54	1B	4	O		4.18		OE F		
TEHR	15	1325E	13290	1326U	N06	W43	.679 13280	12.3	40	1B	1	V		4.13		U		
HUAN	15	1325	1429	1327	N10	W47	.728 13280	12.0	64	1B	2	P	1327	3.00	4.62			
HTPR	15	1326	1430	1333	N03	W48	.742 13280	12.0	64	-N		1333	.93	1.60				
MCMA	15	1330E	14500	1335	N10	W48	.739 13280	12.0	800	2B		1335	4.64	7.00		FH		
508 HTPR	15	1326	1420	1326	N14	W50	.764 13280	11.6	54	*-N		1326	.62	.90				
GRP61611	15	1850	1917	1857	N09	W49	.751 13280	12.1	27	--F		.79				5 5 5 5		
BOUL	15	1845U	19060	1856U	N10	W48	.739 13280	12.2	210	-F		1856	.43	.64				
MCMA	15	1850	19240	1900	N10	W51	.773 13280	12.0	340	-N		1900	1.13	1.70		E		
RAMY	15	1851	1916	1856	N06	W51	.774 13280	12.0	25	-F	4	O		.56		F		
HUAN	15	1851	1915	1853U	N10	W48	.739 13280	12.2	24	-F	1	O	1853	.40	.62		E	
PALE	15	1851	1914	1858	N10	W49	.751 13280	12.1	23	1N	3	O		1.44		F		
GRP61512	15	1923	1945	1930	N06	W79	.980 13279	9.9	22	--F		.38				2 2 2 4		
RAMY	15	1922	1950	1932U	N04	W77	.973 13279	10.0	28	-F	4	O		.31				
PALE	15	1923	1940	1926	N07	W80	.983 13279	9.8	17	-N	2	O		.45				
GRP61613	15	1939	1958	1950	N09	W56	.825 13280	11.6	19	-F		1.72				2 2 2 4		
PALE	15	1853E	19580	19580	N10	W49	.751 13280	12.1	650	1N	3	V		1.44		F		
RAMY	15	1938	1958	1946	N08	W58	.844 13280	11.5	20	-F	4	O		.65		F		
PALE	15	1940	2013	1954U	N11	W59	.853 13280	11.4	33	1N	2	O		1.35		DE		
GRP61614	15	2012	2051	2018	N09	W52	.784 13280	11.9	39	-N		.59				5 4 4 5		
RAMY	15	2011	20350	2016	N07	W51	.773 13280	12.0	240	-N	4	O		.74		DE F		
PALE	15	2013	20510	2015U	N11	W51	.773 13280	12.0	380	-B	2	O		.72		F		
HUAN	15	2013	20150		N09	W53	.794 13280	11.9	20	-F	1	P	2015	.35	.59			
BOUL	15	2020E	20420	2022U	N10	W51	.773 13280	12.0	220	-N		2022	.54	.85		D		
MCMA	15	2034E	20500		N10	W51	.773 13280	12.0	160	-F		2034	.31	.50				
	15	2113	2209	NO FLARE PATROL														
515 VORO	15	2324	2335	2326	N09	W67	.917 13280	10.9	11	-B		2326	.81	1.90		76	EJ 2	
GRP61616	16	0003	0019	0005	N10	W53	.795 13280	12.0	16	-B		.73				2 2 2 2		
VORO	16	0003	0019	0006	N08	W53	.795 13280	12.0	16	-B		0005	.90	1.40		101	EJ	
PALE	16	0003E	00040	0004U	N11	W52	.784 13280	12.1	10	-N	1	O		.55				
GRP61617	16	0031	0045	0034	N11	W59	.853 13280	11.6	14	-B		.75				3 3 3 3		
PALE	16	0028	00350	0034	N12	W59	.853 13280	11.6	80	-B	2	O		.62		DE		
HITK	16	0032	0043	0035	N12	W60	.862 13280	11.5	11	-N		0035	.83	1.60		EH		
VORO	16	0032	0046	0033	N09	W57	.835 13280	11.7	14	-B		0033	.81	1.40		125	EJ	
GRP61520	16	0138	0203	0142	N08	W58	.844 13280	11.7	25	-B		.99				2 1 1 5		
VORO	16	0138	0203	0142	N08	W58	.844 13280	11.7	25	-B		0142	.99	1.80		84	EJ F	
PALE	16	0201E	02100	0205	N08	W57	.835 13280	11.8	90	-F	1	O		.36				
GRP61624	16	0729	0741	0733	N10	W72	.947 13280	10.9	12	-B		.69				3 3 3 6		
TEHR	16	0728	0741	0731	N12	W72	.947 13280	10.9	13	-B	4	O		.64		DE U		
ABST	16	0729	0742	0732	N10	W72	.947 13280	10.9	13	1N		0732	1.14			74		
CATA	16	0730	0740	0735	N09	W72	.948 13280	10.9	10	-B	3		0735	.26		2.45	FJ	

## H $\alpha$ SOLAR FLARES Confirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION				DURATION MIN.	IM-PORTANCE	OBS. COND. TYPE	MEASUREMENTS				REMARKS
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION				CMP DAY	TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	
6 STATIONS REPORTING GROUP 61626. 0 STATIONS OBSERVING AND NOT REPORTING.																
GRP61626	16	0835	1004	0907	N11	W58	.844 13280	12.0	89	1N	C	3.00				5 5 5 5
HTPR	16	0822	0830		N08	W60	.862 13280	11.8	8	-F	C	.10	.20			D
ABST	16	0830E	0907D	0907	N15	W56	.826 13280	12.2	370	1N	P	2.62	5.00			FJK
ARCE	16	0835E	0927D		N09	W60	.862 13280	11.9	520	2B	C	5.76	11.50			K
HTPR	16	0835	0847	0840	N10	W57	.834 13280	12.1	12	-F	C	.21	.40			O
HTPR	16	0837	1015	0907	N13	W63	.886 13280	11.6	98	-F	C	.52	1.00			
HTPR	16	0837	1015	0857	N14	W58	.844 13280	12.0	98	-F	C	.62	1.00			U F
TEHR	16	0839	1003	0904U	N13	W58	.844 13280	12.0	84	1N	4 C	2.89				U
HTPR	16	0848	1015	0856	N11	W55	.815 13280	12.2	87	-F	C	.21	.40			
CATA	16	0855	0955	0910	N11	W60	.862 13280	11.9	60	2B	3 C	3.09	6.28	2.24		3 3 3 5
61626	16	0912	0949	0923	N12	W62	.878 13280	11.7	37	*-F	C	1.16				
HTPR	16	0906	0955	0919	N07	W62	.879 13280	11.7	49	-F	C	.21	.40			
ARCE	16	0917	0927	0924	N17	W65	.902 13280	11.5	10	-F	C	.57	1.30			BF
MONT	16	0927E	1005	0927	N13	W59	.853 13280	12.0	380	1N	C	2.70				
8 STATIONS REPORTING GROUP 61627. 0 STATIONS OBSERVING AND NOT REPORTING.																
GRP61627	16	1258	1411	1313	N11	W61	.870 13280	12.0	73	1B	C	1.78				8 8 8 8
ATHN	16	1256E	1329D	1307	N10	W63	.887 13280	11.8	330	1B	2 C	2.64				U F
HTPR	16	1258	1320	1302	N10	W60	.862 13280	12.0	22	-B	C	.41	.80			E
HUAN	16	1259	1418	1304	N09	W63	.887 13280	11.8	79	1N	1 P	1304	1.40	2.93		E
MCMA	16	1302E	1445D		N10	W63	.887 13280	11.8	1030	2B	C	1304	3.61	7.50		FL
TEHR	16	1302E	1309D	1303	N10	W61	.870 13280	12.0	70	1B	2 C	1.46				U F
HTPR	16	1302	1305	1303	N14	W60	.862 13280	12.0	3	-F	C	.21	.40			
HTPR	16	1302	1325	1308	N05	W62	.880 13280	11.9	23	-F	C	.10	.20			B
MONT	16	1305E	1422D	1305	N11	W60	.862 13280	12.0	770	-N	C	1305	2.20			
HTPR	16	1306	1320	1308	N14	W60	.862 13280	12.0	14	-F	C	.31	.60			
BOUL	16	1320E	1400	1324	N11	W56	.825 13280	12.4	400	1N	C	1324	1.71	3.03		
CATA	16	1340E	1400	1345	N14	W62	.879 13280	11.9	200	-N	3 C	1345	.84	1.82	1.78	
ATHN	16	1410E	1415D	1411U	N13	W65	.902 13280	11.7	50	-N	2 C	.66				F
627 HTPR	16	1301	1310	1304	N14	W67	.916 13280	11.5	9	*-N	C	1304	.21	.40		
GRP61629	16	1642	1657	1646	N08	W57	.835 13280	12.4	15	--F	C	.21				2 1 1 5
BOUL	16	1642	1657	1646	N08	W57	.835 13280	12.4	15	-F	C	1646	.21	.39		
PALE	16	1657	1709	1658	N11	W68	.923 13280	11.6	12	-F	2 V	.31				DE
GRP61630	16	1803	1818	1807	N09	W60	.862 13280	12.3	15	--F	C	.23				3 3 3 5
PALE	16	1753E	1808	1754S	N06	W66	.911 13280	11.8	150	-N	2 C	.36				
BOUL	16	1802	1823D	1808	N09	W57	.835 13280	12.5	210	-F	3 C	1808	.21	.39		
RAMY	16	1804	1815	1806	N10	W60	.862 13280	12.3	11	-F	3 V	.21				DE
PALE	16	1804E	1815	1807	N10	W59	.853 13280	12.3	110	-N	2 C	.27				F H
GRP61631	16	1844	1851	1845	N12	W70	.935 13280	11.5	7	-N	C	.39				3 3 3 3
PALE	16	1843	1854	1845U	N13	W70	.935 13280	11.5	11	-F	3 C	.55				DE
MCMA	16	1844	1849	1846	N10	W66	.909 13280	11.8	5	-N	1 C	1846	.41	1.00		
HUAN	16	1844	1849	1845	N12	W75	.962 13280	11.2	5	-N	1 C	1845	.20	.46		
GRP61632	16	1954	2016	2003	N08	W77	.972 13280	11.1	22	--F	C	.33				4 4 4 4
PALE	16	1937E	1959	1940U	N10	W72	.947 13280	11.4	220	-F	2 V	.26				DE
RAMY	16	1951	1957D	1956	N07	W70	.937 13280	11.6	60	-F	3 C	.37				DE
BOUL	16	1955	2013	2002	N09	W77	.972 13280	11.1	23	-F	1 C	2002	.32	1.00		
HUAN	16	1955	2015	2005	N07	W89	.995 13280	10.9	20	-F	1 C	2005	.35			
PALE	16	2003	2015	2009U	N11	W78	.975 13280	11.0	12	-F	2 C	.27				DE
633 PALE	16	2026	2031D	2027	N09	W75	.963 13280	11.2	50	--N	1 C	.27				F
	16	2205	2213		NO FLARE PATROL											
	16	2305	0015		NO FLARE PATROL											
	17	0022	0031		NO FLARE PATROL											
	17	0116	0150		NO FLARE PATROL											
	17	0202	0217		NO FLARE PATROL											
	17	0227	0230		NO FLARE PATROL											
	17	0232	0245		NO FLARE PATROL											
	17	0246	0254		NO FLARE PATROL											
634 TEHR	17	0317	0338	0323	N09	W67	.914 13280	12.1	21	--N	3 C	.36				DE

18  
Oct 74

### H $\alpha$ SOLAR FLARES Confirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT			LOCATION					DURATION	IM-POR-TANCE	OBS. COND. TYPE	MEASUREMENTS					REMARKS		
	DATE	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION				CMP DAY	TIME - UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH Hz		MAX. INT. %	
GRP61635 TEHR KODA MITK	17	0412	0502	0418	N10	H71	.939	13280	11.9	50	-B							3 2 1 3	
	17	0412	0502	0418	N10	H71	.939	13280	11.8	50	1B	4	C		2.64			F	
	17	0416E	0419D	0417	N10	H70	.933	13280	11.9	30	-N		V	0416			2.20	D	
	17	0436E	0453D		N13	H75	.959	13280	11.6	17D	-N		C	0436	.52			D	
GRP61638 ABST MONT	17	0829	0837	0833	N13	H80	.980	13280	11.4	8	--F				.45			2 2 2 4	
	17	0824	0836D	0832	N13	H80	.980	13280	11.4	12D	-F		P	0832	.70			DJK	
	17	0833	0837	0834	N13	H79	.976	13280	11.4	4	-F		C	0834	.20				
539 TEHR	17	1108	1117	1111	N07	H83	.990	13280	11.2	9	--N	4	C		.25			DE 3	
GRP61644 BOUL HUAN PALE	17	1750	1802	1752	N10	H84	.992	13280	11.4	12	-N				.31			3 3 3 5	
	17	1748	1807	1751	N10	H83	.989	13280	11.5	19	-F		C	1751	.21	.75			
	17	1751	1758	1752	N10	H88	.998	13280	11.1	7	-N	1	C	1752	.35				
	17	1752E	1802D	1752U	N11	H81	.984	13280	11.7	10D	-N	2	C		.36				
546 PALE	17	1839E	1841	1839U	N11	H81	.984	13280	11.7	2D	--F	3	C		.27			DE 3	
GRP61647 BOUL PALE	17	1949	2003	1953	N11	H78	.973	13280	12.0	14	--F				.44			2 2 2 2	
	17	1948	2010	1953	N11	H77	.969	13280	12.0	22	-F		C	1953	.43	1.34			
	17	1949	1956	1953	N11	H78	.973	13280	12.0	7	-F	3	C		.45			DE	
	17	2135	2145																NO FLARE PATROL
	17	2305	0115																NO FLARE PATROL
18	0201	0213																NO FLARE PATROL	
548 TEHR	18	0359	0428	0405	N14	H86	.996	13280	11.7	29	--F	3	C		.46			3	
549 TEHR	18	0646E	0655	0650	N15	H86	.996	13280	11.8	90	-N	4	C		.55			5	
GRP61650 ABST ATHN ATHN	18	0715	0728	0717	N05	H86	.997	13280	11.9	13	-N				.65			2 2 2 5	
	18	0714	0725	0716	N05	H86	.997	13280	11.9	12	1N		C	0716	.96		59	AOJK	
	18	0716	0730	0718	N04	H85	.996	13280	11.9	14	-N	3	C		.33			DE	
	18	0725	0732	0727	N05	H85	.995	13280	11.9	7	-F	3	C		.17			DE	
GRP61651 ATHN TEHR CATA	18	0751	0817	0758	N12	H88	.999	13280	11.7	26	--F				.52			3 3 2 6	
	18	0747E	0824	0759	N10	H90	1.000	13280	11.6	37D	-N	3	V					DE	
	18	0754	0810	0759	N15	H84	.992	13280	12.0	16	-F	4	C		.47				
	18	0755E	0800D	0755	N10	H90	1.000	13280	11.6	5D	1F	3	C	0755	.56		1.32		
GRP61654 HTPR ATHN HTPR BOUL MONT	18	1330	1340	1333	N06	H87	.998	13280	12.0	10	--F				.25			4 4 4 7	
	18	1323	1345	1330	N08	H90	1.000	13280	11.8	22	-F		C	1330	.21			A	
	18	1329	1338	1332	N06	H89	1.000	13280	11.9	9	-N	2	C		.17			DE	
	18	1329	1400	1335U	N05	H90	1.000	13280	11.8	31	-F		C	1335	.31			2 0	
	18	1330	1333	1332	N05	H82	.989	13280	12.4	8	-N		C	1332	.32	1.12			
	18	1331	1339	1333	N08	H88	.999	13280	12.0	8	-F		C	1333	.20			D	
GRP61656 HTPR BOUL ATHN RAMY MONT HUAN MCMA	18	1416	1427	1418	N05	H88	.999	13280	12.0	11	-N				.55			7 7 3 10	
	18	1415	1430	1417	N04	H90	1.000	13280	11.8	15	-N		C	1417	.31			A	
	18	1415	1429	1419	N04	H82	.989	13280	12.4	14	1N		C	1419	.64	2.24			
	18	1416E	1420D	1417U	N04	H90	1.000	13280	11.8	4D	-N	1	C					DE	
	18	1416	1424	1418	N02	H88	.999	13280	12.0	8	-N	3	C						
	18	1416	1425	1418	N08	H88	.999	13280	12.0	9	-N		C	1418	.70				
	18	1416	1421D	1418	N03	H90	1.000	13280	11.8	5D	-F	1	P						
	18	1417	1426	1418	N11	H90	1.000	13280	11.8	9	-F		C	1418					
	18	1602	1615																NO FLARE PATROL
	557 BOUL	18	1708	1725	1715	N09	H83	.991	13280	12.5	17	--F		C	1715	.11	.38		3
		19	2045	2054															
20		0010	0020																NO FLARE PATROL
560 RAMY	20	1945E	1950	1947U	N05	H61	.872	13292	16.2	5D	--F	3	C		.31			3	
	20	2005	2014																NO FLARE PATROL
	20	2023	2028																NO FLARE PATROL
	22	0116	0124																NO FLARE PATROL
	22	0150	0151																NO FLARE PATROL
22	0245	0248																NO FLARE PATROL	
563 PALE	22	2043	2113	2055	S09	H64	.909	13302	18.1	30	--F	3	C		.40			DE Z 3	





## H $\alpha$ SOLAR FLARES Confirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT			MAX. PHASE	LOCATION				DURATION MIN.	IMPOR-TANCE	OBS. COND. TYPE	MEASUREMENTS					REMARKS
	DATE OCT	START	END		APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION				CMP DAY	TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H $\alpha$	
578 HUAN	30	2250	2255	NO FLARE	PATROL												
	31	0257	0300	NO FLARE	PATROL												
	31	1250	1315	NO FLARE	PATROL												
	31	1319	1408	NO FLARE	PATROL												
	31	1500	1513	NO FLARE	PATROL												
	31	1518	1522	NO FLARE	PATROL												
	31	1539	1553	1551U	N16 E90	1.000	13324	7.4	14	-N	1	C	1551	.60			3
	31	1626	1630	NO FLARE	PATROL												
	31	2048	2050	NO FLARE	PATROL												
	31	2054	2057	NO FLARE	PATROL												
	31	2112	2113	NO FLARE	PATROL												
	31	2121	2204	NO FLARE	PATROL												
	31	2227	2247	NO FLARE	PATROL												
	31	2310	2318	NO FLARE	PATROL												
	31	2322	2327	NO FLARE	PATROL												

- A = Eruptive prominence whose base is less than 90° from central meridian.
- B = Probably the end of a more important flare.
- C = Invisible 10 minutes before.
- D = Brilliant point.
- E = Two or more brilliant points.
- F = Several eruptive centers.
- G = No visible spots in the neighborhood.
- H = Flare accompanied by a high speed dark filament.
- I = Active region very extended.
- J = Distinct variations of plage intensity before or after the flare.
- K = Several intensity maxima.
- L = Existing filaments show signs of sudden activity.
- M = White-light flare.

- N = Continuous spectrum shows effects of polarization.
- O = Observations have been made in the calcium II lines H and K.
- P = Flare shows helium D<sub>3</sub> in emission.
- Q = Flare shows the Balmer continuum in emission.
- R = Marked asymmetry in H $\alpha$  line suggests ejection of high velocity material.
- S = Brightness follows disappearance of filament (same position).
- T = Region active all day.
- U = Two bright branches, parallel (||) or converging (Y).
- V = Occurrence of an explosive phase: important and abrupt expansion in about a minute with or without important intensity increase.
- W = Great increase in area after time of maximum intensity.
- X = Unusually wide H $\alpha$  line.
- Y = System of loop-type prominences.
- Z = Major sunspot umbra covered by flare.

In the importance column "-" signifies the subflare has been confirmed by the NOAA grouping program but is not included in the I.A.U. Quarterly Bulletin on Solar Activity. These subflares are also not included in the Flare Index below.

DAILY FLARE INDICES								
Date	Flare Index	HR OBS	Date	Flare Index	HR OBS	Date	Flare Index	HR OBS
741001	3.13	23.6	<del>741011</del>	<del>176.37</del>	<del>23.5</del>	741022	0.00	23.7
741002	0.00	22.4	741012	117.25	24.0	741023	1.37	20.5
741003	40.83	23.9	741013	320.37	23.7	<del>741024</del>	<del>0.00</del>	<del>23.5</del>
741004	0.00	20.9	<del>741014</del>	<del>2.66</del>	<del>23.7</del>	741025	0.00	23.8
741005	15.29	23.4	741015	226.17	23.1	<del>741026</del>	<del>0.00</del>	<del>23.9</del>
741006	34.03	23.5	741016	78.49	22.7	741027	0.00	22.5
741007	4.76	23.8	<del>741017</del>	<del>39.51</del>	<del>20.3</del>	741028	0.00	22.3
<del>741008</del>	<del>9.81</del>	<del>23.2</del>	741018	5.42	23.6	<del>741029</del>	<del>0.00</del>	<del>24.0</del>
741009	14.35	23.7	741019	0.00	23.9	741030	0.00	23.7
741010	45.16	23.2	<del>741020</del>	<del>0.56</del>	<del>23.5</del>	741031	2.01	21.0

When no Flare Index is given, it is 0 for that day.

H $\alpha$  SOLAR FLARES  
Unconfirmed  
OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM- POR- TANCE	OBS. COND. TYPE	MEASUREMENTS				REMARKS				
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION	OMP DAY				TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H $\alpha$			MAX. INT. %		
327	ATHN	02	0625	0643	0630	S09	E29	.543	13263	4.4	17	-F	2	C		.17				DE	4
328	ATHN	02	0755	0815	0802	S08	E28	.523	13263	4.4	20	-F	4	C		.33				DE	7
329	ATHN	02	1023	1029	1024	S06	E24	.456	13263	4.2	6	-F	1	C	1024	.68	.68				3
331	HUAN	02	1837E	1853		N05	E90	1.000	13279	9.5	160	-F	1	P	1838	.30					3
339	TEHR	03	0805	0818	0806	S05	E10	.264	13263	4.1	13	-F	3	C		.36				DE	4
341	MOMA	03	1228	1235		S22	E75	.981	13278	9.1	7	-N		C	1230	.31				D	4
342	HJAN	03	1516	1530	1525	N13	E90	1.000	13279	10.4	14	-F	1	C	1525	.20				D	4
343	CATA	03	1545	1555	1550	N13	E90	1.000	13279	10.4	10	-F	3	C	1550	.28		1.23			5
344	HUAN	03	1551	1600	1555	N09	E90	1.000	13280	10.4	9	-F	1	C							5
348	MITK	04	0420E	04400		S12	E90	1.000	13281	10.9	200	1N	P	C	0420	.93					3
353	HUAN	04	1244	1311	13030	S17	E58	.883	13278	8.9	27	-F	1	C	1303	.45	.94			T	4
356	CATA	04	1420	1445	1430	N10	E90	1.000	13280	11.3	25	1N	3	C	1430	.56		1.51			4
357	HUAN	04	1455	1502	1456	N08	H11	.191	13262	3.8	7	-F	1	C							4
363	TEHR	05	0735	0747	0739	S08	H21	.430	13263	3.7	12	-F	4	C		.19				H	5
364	CATA	05	0745E	07500	0745	N08	E90	1.000	13280	12.1	50	-F	3	C	0745	.28		1.45			6
365	ABST	05	0754E	08030	0756	N13	E89	.999	13280	12.0	90	1F	P	C	0756	.87				ADJK	5
368	HTPR	05	0824	0848	0826	S20	E48	.810	13278	9.0	24	-N		C	0826	.31	.50			EK	6
369	HTPR	05	0824	0848	0833	S20	E48	.810	13278	9.0	24	-N		C	0833	.41	.70			EK	6
372	HTPR	05	0918	0935	0925	S20	E48	.810	13278	9.0	17	-N		C	0925	.21	.30			OK	5
376	HTPR	05	1510	1525	1514	N08	E90	1.000	13280	12.4	15	-N		C	1514	.10				ADY	4
377	HUAN	05	1633	1635	1633	N10	E88	.999	13280	12.3	3	-F	1	C	1633	.20				D	4
384	ATHN	06	0523E	05290	0526U	N11	E73	.952	13280	11.7	60	-F	1	C		.50				F	5
388	ATHN	06	0749	0800	0754	S10	H35	.623	13263	3.7	11	-F	1	C		.33				F	4
391	HTPR	06	0939	0943	0940	S13	E57	.865	13281	10.7	4	-F		C	0940	.41	.80			E	5
392	ATHN	06	1023	1032	1024	N07	E78	.976	13280	12.3	9	-F	2	C		.50				F	5
395	KHAR	06	1152E	11580		N03	E75	.965	13280	12.1	60	-F		V						D	4
402	KODA	07	0216E	0230	0220	N14	E65	.901	13280	12.0	140	-N		P	0216	1.52	1.53	2.24		D	3
403	MITK	07	0431E	0434		N12	E66	.908	13280	12.1	30	-N		C	0431	.52				E	5
404	MITK	07	0529	0538	0531	N05	E65	.904	13280	12.1	9	-F		C	0531	.62	1.40			E	5
405	ATHN	07	0612	0621	0613	N07	E53	.795	13280	11.2	9	-F	3	C		.33				DE	6
407	ATHN	07	0754	0804	0757	S20	E21	.552	13278	8.9	18	-F	3	C		.50				DE	4
409	KHAR	07	0930E	09500		S04	H49	.766	13263	3.7	200	-F		V	0934			1.20		D	7
410	KHAR	07	0932E	09480		N13	H56	.824	13262	3.2	160	-F		V	0935			1.20		D	7
411	KHAR	07	0945E	11050		N05	E64	.896	13280	12.2	800	1N	P	C	0950	1.40	3.20	1.50		T	5
416	HTPR	08	0759	0802	0800	N08	E50	.762	13280	12.1	3	-F		C	0800	.21	.30			D	4
417	ABST	08	0816E	08330	0831	S22	E08	.491	13278	8.9	170	-F		P	0831	.79	.90			D	4
418	ATHN	08	0901	0958	0903	N06	E51	.774	13280	12.2	57	-N	4	C		.33				DE	4
421	HUAN	08	1246E	1251		N05	E15	.259	13279	9.7	50	-F	1	P	1247	.25	.27			D	3
422	ATHN	08	1310	1323	1313	N12	E32	.531	13280	10.9	13	-N	1	C	1313	.68	.70				4
424	ATHN	08	1349	1401	1355	N07	E50	.762	13280	12.3	12	-F	3	C		.33				F	4

22  
Oct 74

## H $\alpha$ SOLAR FLARES Unconfirmed OCTOBER 1974

OBSERVATORY	OBSERVED UT				LOCATION					DURATION MIN.	IM-POR-TANCE	OBS. COORD. TYPE	MEASUREMENTS					REMARKS	
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY				TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H $\alpha$	MAX. INT. %		
430 HJAN	08	1908	1912	1909	N09	E46	.715	13280	12.2	4	-F	1	C	1909	.30	.34			4
434 VJRO	08	2309	2313		N05	E09	.157	13279	9.6	10	-B		C	2310	.72	.70	64	EJ	4
438 PALE	09	0114	0127	0118	N05	E41	.654	13280	12.1	13	-F	3	C		.27			DE	4
439 PALE	09	0118	0143	0121	S18	W04	.416	13278	8.8	25	-F	3	C		.63			DE	4
443 PALE	09	0351E	0401D	0352U	S18	W06	.423	13278	8.7	100	-F	1	V		.52				3
446 MANI	09	0426E	0431D	0426U	N05	E38	.613	13280	12.0	50	-F	2		0426	.41	.52		F	3
448 MANI	09	0505	0520D	0508	S20	W02	.444	13278	9.1	150	-N	2		0508	.41	.46			4
449 MANI	09	0510	0520D	0512	N04	E04	.080	13279	9.5	180	-F	2		0512	.31	.31			4
451 ABST	09	0632	0642D	0633	S20	W09	.465	13278	8.6	100	-F		P	0639	.96	1.10		EJ	3
GRPs1452	09	0705	0745	0727	N07	E40	.639	13280	12.3	40	-F				.61			2 2 2 7	
ABST	09	0655E	0742	0731	N06	E39	.626	13280	12.2	47D	-F		P	0731	1.05	1.20		DJK	
ATHN	09	0714	0747	0722	N07	E40	.639	13280	12.3	33	-N	3	C		.17			F	
453 ARCE	09	0807E	0807D		S18	W09	.436	13278	8.7		-N		P	0807	1.12	1.20		H	7
456 MCMA	09	1205E	1212D		S19	W11	.462	13278	8.7	70	-N		P	1209	.83	.90		E	5
457 HJAN	09	1220E	1231		S19	W11	.462	13278	8.7	110	-F	1	P	1221	.40	.46			5
461 HJAN	09	1505E	1520		S19	W11	.462	13278	8.8	150	-F	1	P	1506	.30	.35			6
462 HTPR	09	1515	1530	1516	N06	E32	.527	13280	12.0	15	-F		C	1517	.10	.10			6
463 MCMA	09	1619E	1621D		S19	W13	.475	13278	8.7	20	-N		P	1621	.41	.50		E	4
466 BJUL	09	1716	1729	1717	N10	E24	.407	13280	11.5	13	-F		C	1717	.21	.23			4
478 HTPR	10	0752	0809	0754	N04	W10	.177	13279	9.6	17	-F		C	0754	.21	.20		E	5
484 ATHN	10	1100	1110	1103	N07	E25	.420	13280	12.3	10	-F	1		1103	.17	.16			5
486 ATHN	10	1152	1157	1153	N05	W09	.157	13279	9.8	5	-F	1		1153	.68	.83			4
488 HUAN	10	1235	1301	1250U	S19	W25	.577	13278	8.6	25	-F	1	C	1250	.30	.38			7
489 MONT	10	1333	1341	1339	N07	E21	.356	13280	12.1	8	-F		C	1339	.20				5
492 BJUL	10	1432	1445	1438	N11	E22	.379	13280	12.3	13	-F		C	1438	.11	.12			4
493 BJUL	10	1449	1501	1456	N04	W16	.277	13279	9.4	12	-F		C	1452	.64	.67			4
512 VJRJ	11	0054	0110	0058	N12	E25	.428	13280	12.9	16	-B		C	0058	.81	.90	69	EHJL	4
515 VJRO	11	0134	0152	0138	N12	E02	.107	13280	11.2	18	-B		C	0138	.81	.80	67	EJL	4
516 TEHR	11	0325E	0333	0326U	S20	W42	.753	13278	8.0	80	-F	3	V		.31				5
529 ATHN	11	1137	1145D	1141	N12	W03	.114	13280	11.3	80	-F	2	C		.33			DE	5
530 ATHN	11	1139	1145D	1142	N10	E08	.153	13280	12.1	60	-F	2	C		.17			DE	5
549 MANI	12	0300	0308D	0302	N09	E02	.061	13280	12.3	80	-N	2		0302	.52	.52		F	5
551 PALE	12	0337E	0357D	0337U	N12	E02	.108	13280	12.3	200	1N	1	C		3.07			DE	4
552 MANI	12	0350	0359	0351	S19	W48	.804	13278	8.6	9	-N	2		0351	.31	.43			3
558 ATHN	12	0617	0626	0621	N12	W14	.259	13280	11.2	9	-F	2	C		.50			DE	4
GRPs1560	12	0745	0830	0755	N11	W14	.253	13280	11.3	45	-F				.96			2 2 2 7	
ATHN	12	0745	0830D	0754	N11	W13	.238	13280	11.3	45D	-F	2	C		.99			DE	
MANI	12	0755E	0758D	0755U	N11	W15	.269	13280	11.2	30	-N	1		0755	.93	.96			
563 TEHR	12	0843	0852	0848	N11	W15	.269	13280	11.2	9	-F	4	C		.25				4
581 ABST	13	0720	0754D	0722	N15	W20	.368	13280	11.8	340	-F		P	0722	.87	1.00		DJ	5
GRPs1582	13	0813	0819	0814	N05	W14	.241	13280	12.3	6	-F				.44			2 2 2 7	
ATHN	13	0811	0815	0812	N04	W13	.227	13280	12.4	4	-F	1		0812	.17	.16			
ABST	13	0814	0822	0815	N06	W15	.257	13280	12.2	8	-F		C	0815	.78	.78		DJ	

**H $\alpha$  SOLAR FLARES**  
**Unconfirmed**  
**OCTOBER 1974**

OBSERVATORY	OBSERVED UT			LOCATION					DURATION MIN.	IM-PORTANCE	OBS. COND. TYPE	MEASUREMENTS					REMARKS					
	DATE OCT	START	END	MAX. PHASE	APPROX. LAT.	MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION				CMP DAY	TIME UT	MEAS. AREA Sq. Deg.	CORR. AREA Sq. Deg.	MAX. WIDTH H $\alpha$		MAX. INT. %				
585 HJAN	13	1407	1425		S17	W69	.951	13278	8.4	19	-F	1	C							6		
596 RAMY	14	1421E	1448D	1428U	N07	W49	.751	13280	10.9	27D	-F	3	C		.37					4		
597 HTPR	14	1431	1457	1437	N05	W34	.557	13280	12.1	26	-N		C	1437	.10	.10			D	5		
600 MANI	15	0054E	0107	0054U	N09	W54	.805	13280	11.0	13D	-F	1		0054	.41	.67				3		
603 HTPR	15	0814	0850	0816	N05	W48	.741	13280	11.7	36	-F		C	0816	.72	1.00				5		
604 TEHR	15	0929	0942	0931	N10	W47	.728	13280	11.9	13	-N	4	V		.41				F	4		
GRP51505	15	1112	1129	1112	N10	W53	.794	13280	11.5	17	-N				.17				2	1	1	6
TEHR	15	1112E	1129	1112U	N10	W53	.794	13280	11.5	17D	-N	4	V		.17				DE			
KHAR	15	1128E	1143D		N12	W58	.844	13280	11.1	20D	-F		V	1140			1.20		D			
609 RAMY	15	1402	1421	1414U	N04	W75	.965	13279	10.0	19	-F	4	C		.50				DE	4		
610 PALE	15	1723	1730	1726	N09	W52	.784	13280	11.8	7	-F	2	C		.36				DE	6		
618 VJRD	16	0114	0119	0115	N08	W69	.930	13280	10.9	5	1B		C	0115	.81	2.40		90	DJ	3		
619 PALE	16	0121E	0136D	0122U	N14	W62	.879	13280	11.4	15D	-N	2	C		1.03				DE	4		
619 PALE	16	0133E	0135D	0135U	N12	W54	.805	13280	12.0	3D	*-F	2	C		.31				DE	5		
621 PALE	16	0256E	0302D	0257U	N10	W59	.853	13280	11.7	6D	-F	2	C		.26				DE	4		
622 ABST	16	0608	0618D	0614	N12	W58	.844	13280	11.9	10D	-F		P	0614	1.05	2.00			FJK	3		
623 ABST	16	0642	0654D	0650	N11	W57	.834	13280	12.0	12D	-F		P	0650	.96	1.90			DJ	4		
625 ABST	16	0803	0808	0804	N10	W72	.947	13280	10.9	5	1F		C	0804	.79				DJ	5		
628 MCMA	16	1457	1510	1501	S09	E03	.261	13286	16.8	13	-F		C	1501	.26	.30			OH	6		
636 TEHR	17	0720	0733	0726	N12	W79	.976	13280	11.4	13	-F	4	C		.37				DE	5		
637 ABST	17	0748	0751	0749	N10	W69	.927	13280	12.1	3	-F		C	0749	.79				DJ	8		
640 MONT	17	1231	1239	1232	N15	W69	.924	13280	12.3	8	-F		C	1232	.20					4		
641 TEHR	17	1257	1309	1301U	N08	W71	.940	13280	12.2	12	-N	3	C		.31				DE	4		
642 MONT	17	1401	1416	1407	N12	W87	.997	13280	11.1	15	-F		C	1407	.20					7		
643 BOUL	17	1435	1454	1437	N15	W68	.918	13280	12.5	19	-F		C	1437	.21	.54				8		
645 MCMA	17	1822	1835		N10	W88	.998	13280	11.2	13	-F		P	1823						4		
652 ATHN	18	0825E	0843	0830	N10	W90	1.000	13280	11.6	18D	-N	3	V						DE	4		
653 MONT	18	1115	1132	1118	N06	W87	.998	13280	11.9	17	-N		C	1118	1.10					4		
655 HTPR	18	1341	1355	1346	N17	W90	1.000	13280	11.8	14	-F		C	1346	.41				A	9		
658 BOUL	18	1826	1835	1829	N08	W90	1.000	13280	12.0	10	-N		C	1829	.21	.87				5		
659 HTPR	20	1317	1335	1318	N07	W58	.845	13292	16.2	18	-F		C	1318	.21	.40			D	7		
661 RAMY	21	1439	1530	1517U	N04	W65	.905	13292	16.7	51	-F	4	C		.28				DE H	5		
662 HTPR	22	1349	1407	1350	S10	W60	.880	13302	18.1	18	-F		C	1350	.10	.10				6		
668 PALE	24	0129	0142	0135	S09	W83	.994	13302	17.8	13	-N	2	C		.27					5		
669 KODA	24	0256	0320	0313	S08	W84	.996	13302	17.8	24	-N		V	0256			1.96		D	6		
674 HTPR	29	0844	0847	0845	S08	E26	.483	13310	31.3	3	-F		C	0845	.21	.20			D	5		
676 ATHN	29	1422	1425	1423	N02	E42	.669	13315	1.7	3	-F	3	V		.17				DE	3		
679 HUAN	31	1608E	1639		N12	E90	1.000	13324	7.4	31D	-N	1	P	1608	.20				C	2		