

**Notice of Award and Method of Operation**  
**For**  
**Data Communications Equipment and**  
**Associated OEM Maintenance**  
**& Training**

**1.0 Purpose and Intent**

The purpose of this contract is to provide a mechanism to purchase data communications/networking products, maintenance and training for all State agencies and Cooperative Purchasing Partners.

The State of New Jersey is now a Participating State under the Western States Contracting Alliance (“WSCA”), along with several other states and is authorized to use the WSCA contracts with equipment manufacturers, who provide data communications products, OEM maintenance and training. Through this program, the State of New Jersey and other participating states are leveraging their collective buying power to achieve significant cost savings for their respective taxpayers. This WSCA contract with participating equipment manufacturers for data communications/networking products is managed by the State of Utah.

In February 2009, New Jersey signed a Participating Addendum with each of the following equipment manufacturers: Cisco Systems, Enterasys Networks, Juniper Networks, Meru Networks and 3Com. The Participating Addendum is a contractual document stipulating New Jersey-specific terms and conditions with each equipment manufacturer (hereinafter, “Contractor”), and incorporates by reference all the terms and conditions of each Contractor’s individual contract with WSCA through the State of Utah (“WSCA Master Agreement”).

**COOPERATIVE PURCHASING PARTNERS:** While the State of New Jersey makes this contracting vehicle available to county, local and quasi-governmental agencies, each Cooperative Purchasing Partner should make its own determination whether using this contracting vehicle is consistent with its procurement policies, rules and regulations.

**2.0 Contract Term**

The contract term with all Contractors listed above is April 20, 2009 through May 31, 2010. The contracts provide four (4) one-year extensions. Information about the WSCA Data Communications contracts is available on the WSCA website, which specifies the links for each manufacturer: <http://www.aboutwsca.org/contracts/dataCommunications2.cfm>

**3.0 Method of Operation**

Each Participating Addendum is a direct contract with a data communications equipment manufacturer (or Contractor) to provide a full range of equipment, maintenance, training and services at the deepest discounts possible. Using Agencies must seek only those products and

services that are within the scope of each Contractor's Participating Addendum. There are no dollar limits on orders.

The Contractors utilize local equipment and service resellers/partners as approved and listed by the Contractors and the State. Each Contractor has a list of resellers/partners to be utilized for providing equipment and services under its respective contract with the State. These resellers/partners are listed on the State's Notice of Award (as "dealers") and the individual Contractor's website. However, each Contractor remains solely responsible for the performance of its resellers/partners under the terms and conditions of the contract with the State. The State of New Jersey may request a removal of an authorized reseller/partner for cause, including vendor responsibility reasons.

Orders of \$100,000 or less require the agency to seek a minimum of two (2) quotes. Orders over \$100,000 require the agency to seek quotes from at least three (3) resellers/partners. However, it is suggested that Using Agencies seek quotes from as many authorized resellers/partners as possible from a specific Contractor in order to ensure the lowest possible price. Agencies are discouraged from using one (1) reseller/partner for all its purchases without affording other reseller/partners the same opportunity. The purpose of this contract is to ensure the best possible price for products and services that meet the needs of the agency.

### **3.1 WSCA Contractor's Scope of Equipment and Services**

The Contractor may only fill contract orders from the scope of products and services for which the Contractor has been awarded a contract. Contractors are contractually bound to keep their respective website information current and correct.

### **3.2 Pricing**

Each Contractor has been awarded a contract based on the discounts off of its pricelists for equipment and services. This is considered the baseline or minimum contract discount. Each Contractor's authorized resellers/partners cannot offer less favorable pricing discounts than the established minimum contract discounts. However, each Contractor's resellers/partners may offer additional, incremental discounts for the products and services, which are above and beyond the Contractor's minimum contract discounts. This will enable the Using Agencies to avail themselves of the best possible price and promote competition within the authorized reseller/partner community. Agencies must go to each Contractor's respective website to access its minimum contract discounts, additional discounts offered by its resellers/partners and the pricelists for equipment and services that are authorized for sale under its Participating Addendum with the State of New Jersey.

#### **3.2.1 Contract Discounts - Guarantee Period**

All contract pricing discounts (including incremental discounts offered by resellers/partners) for products and services, including maintenance, training, installation and configuration, as set forth on each Contractor's website must be guaranteed for the entire term of the contract period. The

contract pricing discounts will be applied against each Contractor's current pricelist(s) at the time of acceptance of the Purchase Order by the Contractor or its resellers/partners to determine the net price to be paid by the agency for products and services procured. Discounts may only be adjusted by the Contractor or its resellers/partners to reflect a deeper discount.

### **3.2.2 E-Rate Requirement**

As part of the publicly bid State of Utah contract, all Contractors were required to participate in the Federal Communication Commission's E-rate discount program established under authority of the Federal Telecommunications Commission Act of 1996. Participation in, and implementation of this program must be provided without the addition of any service or administration fee by a Contractor.

### **3.2.3 Freight Terms of Sale: F.O.B. Destination, Freight Prepaid**

Each Contractor or its authorized resellers/partners shall ship all products F.O.B. Destination, shipping and handling prepaid by the Contractor or its authorized resellers/partners.

### **3.3 Usage Reporting Requirement**

All Contractors must provide quarterly usage reports to the State of Utah. A copy must also be sent to the State of New Jersey buyer, Marianne Bixler.

Quarterly reports must coincide with the quarters in the State of Utah fiscal year as outlined below:

Quarter #1: July 1 through September 30, due annually by October 30.

Quarter #2: October 1 through December 31, due annually by January 30.

Quarter #3: January 1 through March 31, due annually by April 30.

Quarter #4: April 1 through June 30, due annually by July 30.

### **3.4 Product Revision Requests**

Each Contractor is responsible for updating and maintaining its pricelists on its respective website. The Contractor must delete obsolete and discontinued products from its contract pricelists on a timely basis. Major product model changes shall be incorporated into its pricelists as soon as possible after product release and will be offered at the same contract discount rate(s). This information will be kept current on each Contractor's website provided for the State. The State of Utah manages the product revision process for this contract. The New Jersey Purchase Bureau will not be accepting, approving or denying contractors' request to modify, add or delete products from the contracts.

### 3.5 Warranties

Each Contractor has provided warranties for the equipment and services that it is authorized to sell and/or license as set forth in its respective Participating Addendum with the State of New Jersey and in the WSCA Master Agreement with the State of Utah. Agencies should refer to each Contractor's website for copies of the agreements for further information on warranty provisions.

### 3.6 Technical Support

Technical support is available through each Contractor's offerings of products and services. Please refer to each Contractor's website for further details on the types and levels of support that are available from each Contractor and from its authorized resellers/partners.

### 3.7 Training and Services

The intent of this contract is not professional, consulting or labor services. However, it is understood that there may be a need for such services. The following services are included and permitted under this contracting vehicle:

- Maintenance and optimization support services
- Training
- Configuration
- Installation
- Other services as contractually authorized and as listed on each contractor's pricelist(s)

Using Agencies may purchase said services from Contractor and/or its resellers/partners without purchasing equipment (i.e., standalone Purchase Orders for services only are permitted). These services may be purchased under this contract with the stipulation that the services must be directly related to the installation, ongoing support, maintenance and/or optimization of the products offered under this contract. Each Contractor must include the authorized services on its respective website (i.e., pricelists). **Reseller/partners are not permitted to offer Using Agencies any other services not specified on the Contractor's website and/or on its pricelists.**

**This contract may not be utilized primarily for the procurement of cabling installation services. Cabling installation services are permissible under this contract provided; cabling installation services do not exceed 20% of the total order for equipment and services or; the order is only for the authorized services (as set forth above) and does not include equipment, then the cabling installation services can not exceed 20% of the total order amount including cabling.**

**Through 6-30-2009, Using Agencies may not purchase products in the categories of VoIP phones, call control, and physical security. For Cisco Systems, Inc., the list of restricted products is presented in the attached Appendix 1 ("Delayed Sale Products"), to which is**

**added products in the VoIP phones, call control, and physical security categories introduced after 1-1-2009.**

**3.8 Description of Areas Covered by This Contract**

**AREA 1** – Area 1 -- Routing devices based on OSI Layer 3 decision making. This includes: routers; bridges; modems; serial interface cards; WAN Interface Cards (WICs); transceivers; and, network devices capable of (a) interfacing with both traditional and modern carrier services offerings; (b) Layer 3 packet inspection, decision making and packet forwarding; and, (c) compliance with applicable regulatory and industry requirements and, (d) providing integrated service capabilities such as data prioritization, wireless and advanced security options.

**AREA 2** – Switching devices based on Layer 2 forwarding. This includes switches; network adapters; network devices capable of (a) interfacing with traditional and current carrier service offerings; (b) IT environments that include MAN/WAN optical, storage networking, Ethernet, wireless, and other environments where information must be transmitted between attached devices; (c) physical layer (non-disruptive) switches for patching, testing, and monitoring purposes; (d) Ethernet switches with the abilities to make decisions and manipulate data at Layer 3 or higher, including advanced services such as load balancing, bandwidth optimization, health and alert monitoring, and security features; and, (e) technologies employed that include Ethernet, SONET, WDM, and ATM; (f) support of server virtualization technologies.

**AREA 3** – Wireless Ethernet and all wireless products. This typically includes Layer 2 and/or Layer 3 devices capable of wireless transmission and reception of data packets for (a) access points capable of providing local device accessibility; (b) point-to-point or bridged; (c) meshed configuration; and, (3) licensed or unlicensed spectrum use.

**AREA 4** – Security Equipment and Solutions. May include devices operating at any layer in the OSI model. (a) packet inspection/rule enforcement (ACL, firewall, IDS, IPS, etc.); (b) realtime interpretation and response (SIMS, system log collection and analysis); (c) content filtering and/or rate limiting; (d) RAS solutions (VPN,, etc.); and, (e) centralized monitoring, trend analysis, health and alerting systems; wireless networking security solutions.

**AREA 5** – Monitoring and Management Solutions. May include software or appliances operating at any layer in the OSI model. Items on this price line include (a) solutions accomplishing the centralization and interpretation of data acquired from networked devices detailing, device availability, capacity and configuration metrics or status; (b) solutions developed around commonly accepted methodologies and that use SNMP and/or TL1; (c) solutions enhancing security, manageability, and accountability; and (d) solutions with an intuitive GUI, possibly built in CLI and with manual configuration abilities; and, (e) reporting and analysis tools that include canned reports for regulatory compliance with HIPAA, GLBA, etc.

**AREA 6** – Other Network-Centric Solutions, including required network elements not listed on the other price lines, such as (a) DNS, NAT/PAT, DHCP, and other IP address management

solutions; (b) mobility and session persistence solutions; (c) RADIUS, TACACS, 802.1x, and AAA authentication solutions; (d) SIP and other centralized communications and messaging solutions; and, (e) transceivers.

**AREA 7** – Multi-Function Solutions, including products that are merging into multi-function platforms, e.g., a blade server chassis housing a built-in Ethernet switch, a router capable of firewall or IDS; network storage that includes an Ethernet and/or a fiber channel switch; etc.

**AREA 8** – Dense Wave Networking Systems – includes Wavelength-Division Multiplexing (WDM) or Divisional WDM (DWDM) products. WDM chassis assemblies, transmission modules, including optical terminal filters, optical amplifiers, optical service channel, and other multiservice transport platform (MSTP) capabilities to provide or access network bandwidth/services from a single DWDM channel up to 32 channels.

**AREA 9** – Optical/Sonet Networking Systems, Enhanced Wave Division Multiplexing (EWDM), Course Wave Division Multiplexing (CWDM) enable the deployment of a variety of topologies to multiplex up to eight different wavelengths supporting gigabit Ethernet, Fiber Channel, etc., on the same pair of fibers in protected or unprotected configurations. EWDM enhances the speed and capacity of the services offered in a coarse wavelength-division multiplexing (CWDM) network by offering the ability to insert up to 8 dense wavelength-division multiplexing (DWDM) wavelengths to the existing 8-wavelength CWDM channel plan. CWDM and EWDM modules enhance the capabilities of Layer 2 and Layer 3 switching platforms providing Ethernet, Fiber Channel, SONET, WDM, ATM services, etc., over dark fiber.

**AREA 10** – Application front end, external appliance or internal modules that provide network edge services to enhance the performance, security or resiliency of application services; load balancing, geographic load dispersion (DNS), protocol acceleration, protocol caching, SSL acceleration and decryption, wide area file services and specialized application inspection and security devices, such as XML gateways and application firewalls.

**Services** – Network-Related Services, network centric design and planning, network centric installation and configuration or migration, network performance testing, network speed testing, network penetration testing, network vulnerability testing, network maintenance and warranty, network technical support, network training. (a) This may include design and engineering review; (b) implementation and configuration services support; (c) post-implementation support services such as network performance analysis and/or triage services; (d) security services such as penetration and vulnerability testing; (e) maintenance and equipment replacement.

The following are excluded from this contract:

- Bulk network coaxial cable
- Bulk network fiber cable
- Bulk network patch cord
- Cable routing troughs
- Computer - desktop, notebook, tablet PC

Consulting services  
Ethernet services  
Home networking equipment  
KVM or KVM-over-IP switch for servers  
Managed service  
Microwave communication equipment or services  
Patch panel for server racks  
Power strip  
Print server  
Rack enclosure for server or storage  
Satellite communication equipment or services  
Surveillance equipment or services – **until 6/30/09**  
Telephony equipment or services – fixed or landline  
Telephony equipment or services – mobile or cellular  
Telephony equipment or services – PBX  
Telephony equipment or services – satellite  
Telephony equipment or services – Voice-over-IP (VoIP) – **until 6/30/09**  
Testing & Certification of Audio Systems  
Testing & Certification of Copper Cabling Systems  
Testing & Certification of Fiber Cabling Systems  
Testing & Certification of Video Systems  
Tools– hardware  
Uninterruptible Power Supply (UPS)  
Video – cable or IP television products or service  
Video – conference products or service  
Video – Video-over-IP products or service

#### **4.0 Contractor Pricelists and Websites**

Each Contractor has a dedicated website for this contract. Each website will provide the reseller/partner list and all products, services and pricing.

The Contractor and its website address are provided below.

<b>Contractor</b>	<b>Link to Website</b>
Cisco Systems	<a href="http://www.cisco.com/web/strategy/government/wsca/index.html">http://www.cisco.com/web/strategy/government/wsca/index.html</a>
Enterasys Networks	<a href="http://www.enterasys.com/solutions/verticals/government/state/nj6537.aspx">http://www.enterasys.com/solutions/verticals/government/state/nj6537.aspx</a>
Juniper Networks	<a href="http://www.juniper.net/us/en/how-to-buy/wsca/">http://www.juniper.net/us/en/how-to-buy/wsca/</a>
Meru Networks	<a href="http://www.merunetworks.com/solutions/education/purchaseagreements.php">http://www.merunetworks.com/solutions/education/purchaseagreements.php</a>
3Com	<a href="http://www.3com.com/solutions/en_US/government/pricelist/wsca.html">http://www.3com.com/solutions/en_US/government/pricelist/wsca.html</a>

The detailed contract line items are specified on the Notice of Award.



## Appendix 1

### Delayed Sale Products

Product ID: Call Control	Product Description
UCSS-MM-1-1=	Mobility Manager 1 Year -S/W Sub. - 1 User
UCSS-MM-1-10=	Mobility Manager 1 Year -S/W Sub. - 10 User
UCSS-MM-1-100=	Mobility Manager 1 Year -S/W Sub. - 100 User
UCSS-MM-1-50=	Mobility Manager 1 Year -S/W Sub. - 50 User
UCSS-MM-2-1=	Mobility Manager 2 Year -S/W Sub. - 1 User
UCSS-MM-2-10=	Mobility Manager 2 Year -S/W Sub. - 10 User
UCSS-MM-2-100=	Mobility Manager 2 Year -S/W Sub. - 100 User
UCSS-MM-3-1=	Mobility Manager 3 Year -S/W Sub. - 1 User
UCSS-MM-3-10=	Mobility Manager 3 Year -S/W Sub. - 10 User
UCSS-MM-3-100=	Mobility Manager 3 Year -S/W Sub. - 100 User
UCSS-MM-3-50=	Mobility Manager 3 Year -S/W Sub. - 50 User
CUMC-UBL	Unified Mobile Connect UBL RTU- HIDDEN SKU
CUMC-K9-V3	Cisco Unified Mobile Communicator and Mobility Advantage v3
CUMC-K9-V7	Cisco Unified Mobile Communicator and Mobility Advantage V7.
CUMC-SYM-CAL-V3	CUMC Symbian Client Access License for CUMA V3.x (Min 20)
CUMC-SYM-CAL-V3=	CUMC Symbian Client Access License for CUMA V3.x (Min 20)
CUMC-SYM-K9-V3	Cisco Unified Mobile Communicator Software for Symbian S60
CUMC-SYM-K9-V3=	Cisco Unified Mobile Communicator Software for Symbian S60
CUMC-V3-K9-DEMO	SW Cisco Unified Mobile Communicator 3.0 Demo Not for Resale
CUMC-WM6-CAL	CUMC WM6 Client Access License V7.x (Min 20)
CUMC-WM6-CAL=	CUMC WM6 Client Access License V7.x (Min 20)
CUMC-WM-SP-K9-V3	Cisco Unified Mobile Communicator Software for Windows Mobil
CUMC-WM-SP-K9-V3=	Cisco Unified Mobile Communicator Software for Windows Mobil
LIC-MM-MC=	MobilityManager user license for Mobile Connect
MCS-7845-I2-MOB1	HW only, MCS-7845-I2 with 4GB RAM, Four 72GB SAS HD
MM1.1-K9=	MobilityManager 1.1 SW and Linux OS appliance w/ K9
MM1.2-K9=	MobilityManager 1.2 SW and Linux OS appliance w/ K9
MOBLITY_ADJ_PROD	MOBLITY_ADJ_PROD
MOBLITY_CREDIT_ADJ	MOBLITY_CREDIT_ADJ
MOBLITY_OTHER_ADJ	MOBLITY_OTHER_ADJ
UCSS-UPS	Top level SKU, Unified Presence Software Subscription
UCSS-UPS-1-10	UCSS for UPS for One Year - 10 users
UCSS-UPS-1-100	UCSS for UPS for One Year - 100 users
UCSS-UPS-1-1K	UCSS for UPS for One Year - 1,000 users
UCSS-UPS-1-5K	UCSS for UPS for One Year - 5,000 users
UCSS-UPS-2-10	UCSS for UPS for Two Year - 10 users
UCSS-UPS-2-100	UCSS for UPS for Two Year - 100 users
UCSS-UPS-2-1K	UCSS for UPS for Two Year - 1,000 users
UCSS-UPS-3-10	UCSS for UPS for Three Year - 10 users
UCSS-UPS-3-100	UCSS for UPS for Three Year - 100 users
UCSS-UPS-3-10K	UCSS for UPS for Three Year - 10,000 users
UCSS-UPS-3-1K	UCSS for UPS for Three Year - 1,000 users
UCSS-UPS-3-5K	UCSS for UPS for Three Year - 5,000 users
CUP1-7.0-U-K9=	Upgrade from CUP 1.0 to CUP 7.0 Base Software
CUP6.0-K9-DEMO	SW Cisco Unified Presence 6.0 DEMO Not For Resale
CUP6.0-K9-NFR=	SW Cisco Unified Presence 6.0 DEMO Not For Resale
CUP6.0-U-K9=	SW Upgrade UPS 1.0 to CUP 6.0
CUP-BUN-7.0	Cisco Unified Presence 7.0 Bundle
MCS7825H3-K9-CUP7	CUP 7.0 MCS 7.0 Pre-loaded Server HP
MCS7825I3-K9-CUP7	IBM Server with SW-CUP7.0-K9 Preloaded
PRESNCE_ADJ_PROD	PRESNCE_ADJ_PROD
PRESNCE_CREDIT_ADJ	PRESNCE_CREDIT_ADJ
PRESNCE_OTHER_ADJ	PRESNCE_OTHER_ADJ
SW-CUP6.0-K9=	License Unified Presence 6.0 Software
SW-CUP6.0-K9P	Unified Presence 6.0 Software - available with CCM
SW-CUP7.0-K9	CUP 7.0 Application Software
SW-CUP7.0-K9=	CUP 7.0 Application Software
SW-PAS1.0-K9-NFR=	SW PAS1.0 DEMO Not For Resale
SW-UPS1.0-K9=	^Cisco Unified Presence Server 1.0 Server Software

Product ID: Call Control	Product Description
SW-UPS1.0-K9P	^Unified Presence Server 1.0 Software - available with CCM
UPS1.0-K9-NFR=	^SW Cisco Unified Presence Server 1.0 DEMO Not For Resale
ABUMOD_OTHER_ADJ	ABUMOD_OTHER_ADJ
FL-CCME-100	Feat Lic Communications Manager Express Up To 100 Users
FL-CCME-100=	Feat Lic Communications Manager Express Up To 100 Users
FL-CCME-12	Cisco Call Manager Express Feat License For Up To 12 Users
FL-CCME-120	Cisco Call Manager Express Feat License For Up To 120 Users
FL-CCME-120=	Cisco Call Manager Express Feat License For Up To 120 Users
FL-CCME-144	Cisco CallManager Express Feat License Up To 144 Phones
FL-CCME-144=	Cisco CallManager Express Feat License Up To 144 Phones
FL-CCME-168	Cisco CallManager Express Feat License Up To 168 Phones
FL-CCME-168=	Cisco CallManager Express Feat License Up To 168 Phones
FL-CCME-175	Feat Lic Communications Manager Express Up To 175 Users
FL-CCME-175=	Feat Lic Communications Manager Express Up To 175 Users
FL-CCME-192	Cisco CallManager Express Feat License Up To 192 Phones
FL-CCME-192=	Cisco CallManager Express Feat License Up To 192 Phones
FL-CCME-240	Cisco CallManager Express Feat License Up To 240 Phones
FL-CCME-240=	Cisco CallManager Express Feat License Up To 240 Phones
FL-CCME-25	Feat Lic Communications Manager Express Up To 25 Users
FL-CCME-25=	Feat Lic Communications Manager Express Up To 25 Users
FL-CCME-250	Feat Lic Communications Manager Express Up To 250 Users
FL-CCME-250=	Feat Lic Communications Manager Express Up To 250 Users
FL-CCME-35	Feat Lic Communications Manager Express Up To 35 Users
FL-CCME-35=	Feat Lic Communications Manager Express Up To 35 Users
FL-CCME-36	Cisco CallManager Express Feature License For Up To 36 Users
FL-CCME-36=	Cisco Call Manager Express Feat License For Up To 36 Users
FL-CCME-50	Feat Lic Communications Manager Express Up To 50 Users
FL-CCME-50=	Feat Lic Communications Manager Express Up To 50 Users
FL-CCME-72	Cisco Call Manager Express Feat License For Up To 72 Users
FL-CCME-72=	Cisco Call Manager Express Feat License For Up To 72 Users
FL-CCME-96	Cisco Call Manager Express Feat License For Up To 96 Users
FL-CCME-96=	Cisco Call Manager Express Feat License For Up To 96 Users
FL-CCME-MEDIUM	Cisco Call Manager Express Feat License For Up To 48 Users
FL-CCME-MEDIUM=	Cisco Call Manager Express Feat License For Up To 48 Users
FL-CCME-SMALL	Cisco Call Manager Express Feat License For Up To 24 Users
FL-CCME-SMALL=	Cisco Call Manager Express Feat License For Up To 24 Users
FL-CCME-UC-10-INC	Internal SKU for C2801-UC/K9 and C2801-UC-VSEC/K9
FL-CCME-UC-15-INC	Internal SKU for C2811-UC/K9 and C2811-UC-VSEC/K9
FL-CCME-UC-25	25 users CME and CUE feature lic with 25 Phone Device Lic
FL-CCME-UC-25=	25 users CME and CUE feature lic with 25 Phone Device Lic
FL-CCME-UC-25-INC	Internal SKU for C2821-UC/K9 and C2821-UC-VSEC/K9
FL-CCME-UC-35-INC	Internal SKU for UC and -UC-VSEC bundles for 2851,3825,3845
FL-CCME-UC-5	5 users CME and CUE feature lic with 5 Phone Device Lic
FL-CCME-UC-5=	5 users CME and CUE feature lic with 5 Phone Device Lic
FL-CCME-UC-50	50 users CME and CUE feature lic with 50 Phone Device Lic
FL-CCME-UC-50=	50 users CME and CUE feature lic with 50 Phone Device Lic
FL-ITS-SMALL	^Feat Lic IOS Tel Service for up to 24 phones
FL-SRST-100	Feat Lic Survivable Remote Site Telephony Up To 100 Users
FL-SRST-100=	Feat Lic Survivable Remote Site Telephony Up To 100 Users
FL-SRST-144	Feat Lic Survivable Remote Site Telephony up to 144 phones
FL-SRST-144=	Feat Lic Survivable Remote Site Telephony up to 144 phones
FL-SRST-168	Feat Lic Survivable Remote Site Telephony Up To 168 Phones
FL-SRST-168=	Feat Lic Survivable Remote Site Telephony Up To 168 Phones
FL-SRST-175	Feat Lic Survivable Remote Site Telephony Up To 175 Users
FL-SRST-175=	Feat Lic Survivable Remote Site Telephony Up To 175 Users
FL-SRST-240	Feat Lic Survivable Remote Site Telephony up to 240 phones
FL-SRST-240=	Feat Lic Survivable Remote Site Telephony up to 240 phones
FL-SRST-25	Feat Lic Survivable Remote Site Telephony Up To 25 Users
FL-SRST-25=	Feat Lic Survivable Remote Site Telephony Up To 25 Users
FL-SRST-250	Feat Lic Survivable Remote Site Telephony Up To 250 Users
FL-SRST-250=	Feat Lic Survivable Remote Site Telephony Up To 250 Users
FL-SRST-336	Feat Lic Survivable Remote Site Telephony Up To 336 Phones
FL-SRST-336=	Feat Lic Survivable Remote Site Telephony Up To 336 Phones
FL-SRST-35	Feat Lic Survivable Remote Site Telephony Up To 35 Users
FL-SRST-35=	Feat Lic Survivable Remote Site Telephony Up To 35 Users

Product ID: Call Control	Product Description
FL-SRST-36	Feature Lic Survivable Remote Site Telephony up to 36 phones
FL-SRST-36=	Feature Lic Survivable Remote Site Telephony up to 36 phones
FL-SRST-480	Feat Lic Survivable Remote Site Telephony up to 480 phones
FL-SRST-480=	Feat Lic Survivable Remote Site Telephony up to 480 phones
FL-SRST-50	Feat Lic Survivable Remote Site Telephony Up To 50 Users
FL-SRST-50=	Feat Lic Survivable Remote Site Telephony Up To 50 Users
FL-SRST-720	Feat Lic Survivable Remote Site Telephony Up To 720 Phones
FL-SRST-720=	Feat Lic Survivable Remote Site Telephony Up To 720 Phones
FL-SRST-96	Feat Lic Survivable Remote Site Telephony up to 96 phones
FL-SRST-96=	Feat Lic Survivable Remote Site Telephony up to 96 phones
FL-SRST-MEDIUM	Feat Lic Survivable Remote Site Telephony up to 48 phones
FL-SRST-MEDIUM=	Feat Lic Survivable Remote Site Telephony up to 48 phones
FL-SRST-SMALL	Feat Lic Survivable Remote Site Telephony up to 24 phones
FL-SRST-SMALL=	Feat Lic Survivable Remote Site Telephony up to 24 phones
NOK-SCCP-CME-01	Nokia SCCP License w/ UC500
NOK-SCCP-CME-01=	Nokia SCCP License For Use with CallMgr Express (CME)
NOK-SCCP-CME-05	Nokia SCCP license w/ UC500 - Qty 5
SW-CCME-3.1.0	CallManager Express 3.1 Phantom SKU for CME Orderability
SW-CCME-3.1.1	CallManager Express 3.1 Phantom SKU for CME Orderability
SW-CCME-3.2.0	CallManager Express 3.2 Phantom SKU for CME Orderability
SW-CCME-3.3.0	Phantom SKU for Manufacturing load of CCME 3.3.0
SW-CCME-3.3.1	CallManager Express 3.3 (12.4) Phantom SKU for Orderability
SW-CCME-3.4.0	CallManager Express 3.4-12.4(4)T Phantom SKU for Order..
SW-CCME-4.0.0	CallManager Express 4.0-12.4(9)T Phantom SKU
SW-CCME-UL-3911	Cisco CallManager Express License For Single 3911 IP Phone
SW-CCME-UL-3911=	Cisco CallManager Express License For Single 3911 IP Phone
SW-CCME-UL-3951	Cisco CallManager Express License For Single 3951 IP Phone
SW-CCME-UL-3PSIPM=	CallManager Express UL For Multi Line 3rd Party SIP Phone
SW-CCME-UL-3PSIPS=	CallManager Express UL For Single Line 3rd Party SIP Phones
SW-CCME-UL-3PTYM=	User License 3rd party Multi Line Phone
SW-CCME-UL-7902	Cisco CallManager Express License For Single 7910 IP Phone
SW-CCME-UL-7902=	Cisco CallManager Express License For Single 7910 IP Phone
SW-CCME-UL-7905	Cisco CallManager Express License For Single 7905 IP Phone
SW-CCME-UL-7905=	Cisco CallManager Express License For Single 7905 IP Phone
SW-CCME-UL-7906	Cisco CallManager Express License For Single 7906 IP Phone
SW-CCME-UL-7906=	Cisco CallManager Express License For Single 7906 IP Phone
SW-CCME-UL-7910	^Cisco CallManager Express License For Single 7910 IP Phone
SW-CCME-UL-7910=	^Cisco CallManager Express License For Single 7910 IP Phone
SW-CCME-UL-7910SW	Cisco CallManager Express Lic For Single 7910+SW IP Phone
SW-CCME-UL-7911	Cisco CallManager Express License For Single 7911G IP Phone
SW-CCME-UL-7911=	Cisco CallManager Express License For Single 7911G IP Phone
SW-CCME-UL-7912	Cisco CallManager Express License For Single 7912 IP Phone
SW-CCME-UL-7912=	Cisco CallManager Express License For Single 7912 IP Phone
SW-CCME-UL-7920	Cisco CallManager Express License For Single 7920 IP Phone
SW-CCME-UL-7920=	Cisco CallManager Express License For Single 7920 IP Phone
SW-CCME-UL-7921G	Cisco Unified CME User License for single Cisco 7921G
SW-CCME-UL-7921G=	Cisco Unified CME User License for single Cisco 7921G
SW-CCME-UL-7925	Cisco Unified CME User License for single Cisco 7925
SW-CCME-UL-7931	Cisco CallManager Express License For Single 7931 IP Phone
SW-CCME-UL-7931=	Cisco CallManager Express License For Single 7931 IP Phone
SW-CCME-UL-7935	Cisco CallManager Express License For Single 7935 IP Phone
SW-CCME-UL-7935=	Cisco CallManager Express License For Single 7935 IP Phone
SW-CCME-UL-7936	Cisco CallManager Express License For Single 7936 IP Phone
SW-CCME-UL-7936=	Cisco CallManager Express License For Single 7936 IP Phone
SW-CCME-UL-7937	Communications Manager Express License For One 7937G Phone
SW-CCME-UL-7937=	Communications Manager Express License For One 7937G Phone
SW-CCME-UL-7940	Cisco CallManager Express License For Single 7940 IP Phone
SW-CCME-UL-7940=	Cisco CallManager Express License For Single 7940 IP Phone
SW-CCME-UL-7941	Cisco CallManager Express License For Single 7941 IP Phone
SW-CCME-UL-7941=	License, CCME, Cisco IP Phone 7941, spare
SW-CCME-UL-7942	Communications Manager Express License For One 7942G Phone
SW-CCME-UL-7942=	Communications Manager Express License For One 7942G Phone
SW-CCME-UL-7945	Communications Manager Express License For One 7945G Phone
SW-CCME-UL-7945=	Communications Manager Express License For One 7945G Phone
SW-CCME-UL-7960	Cisco CallManager Express License For Single 7960 IP Phone

Product ID: Call Control	Product Description
SW-CCME-UL-7960=	Cisco CallManager Express License For Single 7960 IP Phone
SW-CCME-UL-7961	Cisco CallManager Express License For Single 7961G IP Phone
SW-CCME-UL-7961=	Cisco CallManager Express License For Single 7961 IP Phone
SW-CCME-UL-7962	Communications Manager Express License For One 7962G Phone
SW-CCME-UL-7962=	Communications Manager Express License For One 7962G Phone
SW-CCME-UL-7965	Communications Manager Express License For One 7965G Phone
SW-CCME-UL-7965=	Communications Manager Express License For One 7965G Phone
SW-CCME-UL-7970	Cisco CallManager Express License For Single 7970 IP Phone
SW-CCME-UL-7970=	Cisco CallManager Express License For Single 7970 IP Phone
SW-CCME-UL-7971G	Cisco CallManager Express License For Single 7971G IP Phone
SW-CCME-UL-7971G=	Cisco CallManager Express License For Single 7971G IP Phone
SW-CCME-UL-7975	Communications Manager Express License For One 7975G Phone
SW-CCME-UL-7975=	Communications Manager Express License For One 7975G Phone
SW-CCME-UL-7985	Communications Manager Express License For One 7985G Phone
SW-CCME-UL-7985=	Communications Manager Express License For One 7985G Phone
SW-CCME-UL-ANA	Cisco CallManager Express Lic for Cisco ATA
SW-CCME-UL-ANA=	Cisco CallManager Express Lic for Cisco ATA
SW-CCME-UL-IPCOMM	Single CallManager Express Unit License for IP Communicator
SW-CCME-UL-IPCOMM=	Single CallManager Express Unit License for IP Communicator
SW-CCME-UL-NOKIA	CME User License for Nokia SCCP Client
SW-CCME-UL-NOKIA=	CME User License for Nokia SCCP Client
SW-UC520-4.1.0	Unified Communications 520 4.1
SW-UCC-CLIENT-1	Cisco Unified CallConnector for MS Windows Personal License
SW-UCC-CME	Cisco Unified CallConnector for CallManager Express
SW-UCC-MOBILITY	Cisco Unified CallConnector for Office Mobility Svr License
SW-UCC-SERVER	Cisco Unified CallConnector for MS Windows Server License
SFAPCP-11.2.1	^Cisco AccessPro Series IOS IP Plus Feature Set
FL-ITS-MEDIUM	^Feat Lic IOS Tel Service for up to 48 phones
FL-ITS-MEDIUM=	^Feat Lic IOS Tel Service for up to 48 phones
FL-ITS-SMALL=	^Feat Lic IOS Tel Service for up to 24 phones
SW-ITS-2.1.0	IOS Telephony Services 2.1 Phantom SKU for ITS Orderability
SW-ITS-3.0.0	IOS Telephony Services 3.0 Phantom SKU for ITS/CCME
SW-ITS-UL-7902	IOS Telephony Service license for single 7902 IP phone y
SW-ITS-UL-7905	IOS Telephony Service license for single 7905 IP phone y
SW-ITS-UL-7905=	IOS Telephony Service license for single 7905 IP phone y
SW-ITS-UL-7910	^IOS Telephony Service license for single 7910 IP phone
SW-ITS-UL-7910=	^IOS Telephony Service license for single 7910 IP phone
SW-ITS-UL-7910+SW	IOS Telephony Service license for single 7910+SW IP phone
SW-ITS-UL-7912	IOS Telephony Service license for single 7912 IP phone y
SW-ITS-UL-7935	IOS Telephony Service license for single 7935 IP phone
SW-ITS-UL-7935=	IOS Telephony Service license for single 7935 IP phone
SW-ITS-UL-7940	IOS Telephony Service license for single 7940 IP phone
SW-ITS-UL-7940=	IOS Telephony Service license for single 7940 IP phone
SW-ITS-UL-7960	IOS Telephony Service license for single 7960 IP phone
SW-ITS-UL-7960=	IOS Telephony Service license for single 7960 IP phone
SW-ITS-UL-ANA	IOS Telephony Service license for single SCCP analog port
SW-ITS-UL-ANA=	IOS Telephony Service license for single SCCP analog port
MEM-7815I-2.0-512	512MB SDRAM - MCS 7815I-2000
CTRAM1.0-1Y10R-K9=	TelePresence Readiness Assessment Mgr 1.0 For 1 yr and 10 R
CTRAM1.0-1Y20R-K9=	TelePresence Readiness Assessment Mgr 1.0 For 1 Yr and 20 R
CTRAM1.0-1Y5R-K9=	TelePresence Readiness Assessment Mgr 1.0 For 1 Yr and 5 Rm
CTRAM1.0-3M5R-K9=	TelePresence Readiness Assessment Mgr 1.0 For 3 Mo and 5 Rm
CUCMS21-MON10K-PK9	CUCMS Monitoring Bundle Prem Edition 10K Lic OM/SM 2.1
CUCMS21-MON1K-PK9	CUCMS Monitoring Bundle Prem Edition 1K Lic OM/SM 2.1
CUCMS21-MON1K-SK9	CUCMS Monitoring Bundle Std Edition 1K Lic OM/SM 2.1
CUCMS21-MON20K-PK9	CUCMS Monitoring Bundle Prem Edition 20K Lic OM/SM 2.1
CUCMS21-MON2K-PK9	CUCMS Monitoring Bundle Prem Edition 2K Lic OM/SM 2.1
CUCMS21-MON2K-SK9	CUCMS Monitoring Bundle Std Edition 2K Lic OM/SM 2.1
CUCMS21-MON30K-PK9	CUCMS Monitoring Bundle Prem Edition 30K Lic OM/SM 2.1
CUCMS21-MON5K-PK9	CUCMS Monitoring Bundle Prem Edition 5K Lic OM/SM 2.1
CUCMS21-MON5K-SK9	CUCMS Monitoring Bundle Std Edition 5K Lic OM/SM 2.1
CUCMS-7.0-NFR-K9	CUCMS NFR Kit for UC 7.0 system release
CUCMS-A-30K-PK9	CUCMS OM SM SSM PM SW bundle 30K phones 3 year RTU
CUCMS_ADJ_PROD	CUCMS_ADJ_PROD
CUCMS_CREDIT_ADJ	CUCMS_CREDIT_ADJ

Product ID: Call Control	Product Description
CUCMS-EVAL-K9	CUCMS Monitoring Bundle Evaluation
CUCMS-MON-10K-PK9	CUCMS Monitoring Bundle Prem Edition 10K Lic OM/SM 2.0
CUCMS-MON-1K-PK9	CUCMS Monitoring Bundle Prem Edition 1K Lic OM/SM 2.0
CUCMS-MON-1K-SK9	CUCMS Monitoring Bundle Std Edition 1K Lic OM/SM 2.0
CUCMS-MON-20K-PK9	CUCMS Monitoring Bundle Prem Edition 20K Lic OM/SM 2.0
CUCMS-MON-2K-PK9	CUCMS Monitoring Bundle Prem Edition 2K Lic OM/SM 2.0
CUCMS-MON-2K-SK9	CUCMS Monitoring Bundle Std Edition 2K Lic OM/SM 2.0
CUCMS-MON-30K-PK9	CUCMS Monitoring Bundle Prem Edition 30K Lic OM/SM 2.0
CUCMS-MON-5K-PK9	CUCMS Monitoring Bundle Prem Edition 5K Lic OM/SM 2.0
CUCMS-MON-5K-SK9	CUCMS Monitoring Bundle Std Edition 5K Lic OM/SM 2.0
CUCMS-OM-SVC	OM Svc Contract
CUCMS_OTHER_ADJ	CUCMS_OTHER_ADJ
CUCMS-SM-SVC	SM Svc Contract
CUOM-1.1-10K-K9	^Cisco Unified Operations Manager 1.1 - Max 10K Phones
CUOM-1.1-15K-K9	^Cisco Unified Operations Manager 1.1 - Max 15K Phones
CUOM-1.1-1K-K9	^Cisco Unified Operations Manager 1.1 - Max 1K Phones
CUOM-1.1-20K-K9	^Cisco Unified Operations Manager 1.1 - Max 20K Phones
CUOM-1.1-25K-K9	^Cisco Unified Operations Manager 1.1 - Max 25K Phones
CUOM-1.1-2K-K9	^Cisco Unified Operations Manager 1.1 - Max 2K Phones
CUOM-1.1-30K-K9	Cisco Unified Operations Manager 1.1 - Max 30K Phones
CUOM-1.1-5K-K9	^Cisco Unified Operations Manager 1.1 - Max 5K Phones
CUOM-1.1-ENT-6PK	Enterprise Bundle - 6pk 1040 Sensor and SM 1.1
CUOM-1.1-ENT-K9	^Cisco Unified Mgmt Enterprise Bundle - OM w/ 5K, SM, 6x 1040
CUOM-1.1-ENT-OMSW	Enterprise Bundle - OM SW Service Contract
CUOM-1.1-ENT-SMSW	Enterprise Bundle - SM SW Service Contract
CUOM-1.1-K9	Cisco Unified Operations Manager 1.1
CUOM-1.1-LIC-10K=	^Cisco Unified Operations Manager 1.1. Adds 10K Phone license
CUOM-1.1-LIC-1K	^Cisco Unified Operations Manager 1.1. Adds 1K Phone license
CUOM-1.1-LIC-1K=	^Cisco Unified Operations Manager 1.1. Adds 1K Phone license
CUOM-1.1-LIC-2K=	^Cisco Unified Operations Manager 1.1. Adds 2K Phone license
CUOM-1.1-LIC-5K=	^Cisco Unified Operations Manager 1.1. Adds 5K Phone license
CUOM-1.1-LICUP-1K	^Operations Manager 1.1 - license upg from CUOM-1.1-K9 only
CUOM-1.1-MMB-2PK	Mid Market Bundle - 2 pack 1040 Sensor
CUOM-1.1-MMB-K9	^Cisco Unified Mgmt Mid Market Bundle - OM w/ 1K, SM, 2x 1040
CUOM-1.1-MMB-OMSW	Mid Market Bundle - OM SW Service Contract
CUOM-1.1-MMB-SMSW	Mid Market Bundle - SM SW Service Contract
CUOM-1.1-RLIC-10K	Cisco Unified Operations Manager 1.1. Redundant 10K Ph lic
CUOM1X-20P10KUPK9	CUOM 1.x to 2.0 Premium upg 10K phones
CUOM1X-20P1KUPK9	CUOM 1.x to 2.0 Premium upg 1K phones
CUOM1X-20P2KUPK9	CUOM 1.x to 2.0 Premium upg 2K phones
CUOM1X-20P5KUPK9	CUOM 1.x to 2.0 Premium upg 5K phones
CUOM1X-20PENT-UPK9	CUCMS Monitoring Bdl Prem 5K Lic Upg from CUOM-1.1-ENT-K9
CUOM1X-20PMMB-UPK9	CUCMS Monitoring Bdl Prem 1K Lic Upg from CUOM-1.1-MMB-K9
CUOM1X-20SENT-UPK9	CUCMS Monitoring Bdl Std 5K Lic Upg from CUOM-1.1-ENT-K9
CUOM1X-20SMMB-UPK9	CUCMS Monitoring Bdl Std 1K Lic Upg from CUOM-1.1-MMB-K9
CUOM1X-20SUPK9	CUOM 1.x to 2.0 Standard upg Maintains current 1.x license
CUOM-2.0-10K-P-K9	Cisco Unified Operations Manager 2.0 Premium 10K Phones
CUOM-2.0-1K-P-K9	Cisco Unified Operations Manager 2.0 Premium 1K Phones
CUOM-2.0-1K-S-K9	Cisco Unified Operations Manager 2.0 Standard 1K Phones
CUOM-2.0-20K-P-K9	Cisco Unified Operations Manager 2.0 Premium 20K Phones
CUOM-2.0-2K-P-K9	Cisco Unified Operations Manager 2.0 Premium 2K Phones
CUOM-2.0-2K-S-K9	Cisco Unified Operations Manager 2.0 Standard 2K Phones
CUOM-2.0-30KP-AK9	Cisco Unified Operations Manager 2.0 Premium 30K Ph - Bdl
CUOM-2.0-30K-P-K9	Cisco Unified Operations Manager 2.0 Premium 30K Phones
CUOM-2.0-5K-P-K9	Cisco Unified Operations Manager 2.0 Premium 5K Phones
CUOM-2.0-5K-S-K9	Cisco Unified Operations Manager 2.0 Standard 5K Phones
CUOM20-CTS100-K9	Operations Manager 2.0 for Telepresence - 100 CTS Lic
CUOM-2.0-LIC10K-P	Cisco Unified Operations Manager 2.0 Premium 10K Lic Upg
CUOM-2.0-LIC1K-P	Cisco Unified Operations Manager 2.0 Premium 1K Lic Upg
CUOM-2.0-LIC1K-S	Cisco Unified Operations Manager 2.0 Standard 1K Lic Upg
CUOM-2.0-LIC2K-P	Cisco Unified Operations Manager 2.0 Premium 2K Lic Upg
CUOM-2.0-LIC2K-S	Cisco Unified Operations Manager 2.0 Standard 2K Lic Upg
CUOM-2.0-LIC5K-P	Cisco Unified Operations Manager 2.0 Premium 5K Lic Upg
CUOM-2.0-LIC5K-S	Cisco Unified Operations Manager 2.0 Standard 5K Lic Upg
CUOM-2.0-RLIC10K	Cisco Unified Operations Manager 2.0 Premium 10K Lic RED

Product ID: Call Control	Product Description
CUOM-2.0-RLIC20K	Cisco Unified Operations Manager 2.0 Premium 20K Lic RED
CUOM-2.0-RLIC30K	Cisco Unified Operations Manager 2.0 Premium 30K Lic RED
CUOM-2.0-RLIC5K	Cisco Unified Operations Manager 2.0 Premium 5K Lic RED
CUOM-2.0SP-LIC10K	CUOM 2.0 Standard To Premium 10K Lic Upg
CUOM-2.0SP-LIC1K	CUOM 2.0 Standard To Premium 1K Lic Upg
CUOM-2.0SP-LIC2K	CUOM 2.0 Standard To Premium 2K Lic Upg
CUOM-2.0SP-LIC5K	CUOM 2.0 Standard To Premium 5K Lic Upg
CUOM-2.1-10K-P-K9	Cisco Unified Operations Manager 2.1 Premium 10K Phones
CUOM-2.1-1K-P-K9	Cisco Unified Operations Manager 2.1 Premium 1K Phones
CUOM-2.1-1K-S-K9	Cisco Unified Operations Manager 2.1 Standard 1K Phones
CUOM-2.1-20K-P-K9	Cisco Unified Operations Manager 2.1 Premium 20K Phones
CUOM-2.1-2K-P-K9	Cisco Unified Operations Manager 2.1 Premium 2K Phones
CUOM-2.1-2K-S-K9	Cisco Unified Operations Manager 2.1 Standard 2K Phones
CUOM-2.1-30K-P-K9	Cisco Unified Operations Manager 2.1 Premium 30K Phones
CUOM-2.1-5K-P-K9	Cisco Unified Operations Manager 2.1 Premium 5K Phones
CUOM-2.1-5K-S-K9	Cisco Unified Operations Manager 2.1 Standard 5K Phones
CUOM-2-NMTG-CBR-K9	CUOM Version 2.x, 30k Lic - ROS CoBrand Service
CUOM-SEP07-SR-K9	Cisco Unified Operations Manager Service Release only
CUOMSM-EVAL-K9	Cisco Unified Operations Mgr And Service Monitor Eval CD
CUOMUP-1.1-10K-K9	^Cisco Unified Operations Manager 1.1 UPG - Max 10K Phones
CUOMUP-1.1-15K-K9	^Cisco Unified Operations Manager 1.1 UPG - Max 15K Phones
CUOMUP11-1KCWIPC	^Operations Manager 1.1 UPG from CWIPCOM - Max 1K Phones
CUOMUP-1.1-1K-K9	^Cisco Unified Operations Manager 1.1 UPG - Max 1K Phones
CUOMUP11-2KCWIPC	^Operations Manager 1.1 UPG from CWIPCOM - Max 2K Phones
CUOMUP-1.1-2K-K9	^Cisco Unified Operations Manager 1.1 UPG - Max 2K Phones
CUOMUP-1.1-30K-K9	^Cisco Unified Operations Manager 1.1 UPG - Max 30K Phones
CUOMUP11-5KCWIPC	^Operations Manager 1.1 UPG from CWIPCOM - Max 5K Phones
CUOMUP-1.1-5K-K9	^Cisco Unified Operations Manager 1.1 UPG - Max 5K Phones
CUOMUP11-ENT-6PK	Enterprise Bundle - 6pk 1040 Sensor and SM 1.1-UPG ITEM VHM
CUOMUP-1.1-ENT-K9	^Cisco Unified Mgmt Enterprise Bundle - UPG ITEM VHM
CUOMUP11-ENT-OMSW	Enterprise Bundle - OM SW Service Contract - UPG ITEM VHM
CUOMUP11-ENT-SMSW	Enterprise Bundle - SM SW Service Contract - UPG ITEM VHM
CUOMUP-1.1-K9	^Cisco Unified Operations Manager 1.1 - UPG from ITEM, VHM
CUOMUP11-MMB-2PK	Mid Market Bundle - 2 pack 1040 sensor - UPG ITEM VHM
CUOMUP-1.1-MMB-K9	^Cisco Unified Mgmt Mid Market Bundle - UPG ITEM VHM
CUOMUP11-MMB-OMSW	Mid Market Bundle - OM SW Service Contract - UPG ITEM VHM
CUOMUP11-MMB-SMSW	Mid Market Bundle - SM SW Service Contract - UPG ITEM VHM
CUPM-1.0-10K-K9	Cisco Unified Provisioning Manager 1.0 Max 10K Phones
CUPM-1.0-10KLIC	Cisco Unified Provisioning Manager 1.0 10K phone license
CUPM-1.0-1K-K9	Cisco Unified Provisioning Manager 1.0 Max 1K Phones
CUPM-1.0-1KLIC	Cisco Unified Provisioning Manager 1.0 1K phone license
CUPM-1.0-20K-K9	Cisco Unified Provisioning Manager 1.0 Max 20K Phones
CUPM-1.0-2K-K9	Cisco Unified Provisioning Manager 1.0 Max 2K Phones
CUPM-1.0-2KLIC	Cisco Unified Provisioning Manager 1.0 2K phone license
CUPM-1.0-30K-K9	Cisco Unified Provisioning Manager 1.0 Max 30K Phones
CUPM-1.0-5K-K9	Cisco Unified Provisioning Manager 1.0 Max 5K Phones
CUPM-1.0-5KLIC	Cisco Unified Provisioning Manager 1.0 5K phone license
CUPM-1.1-10K-K9	Cisco Unified Provisioning Manager 1.1 Max 10K Phones
CUPM-1.1-10KLIC	Cisco Unified Provisioning Manager 1.1 10K add-on phone lic
CUPM-1.1-1K-K9	Cisco Unified Provisioning Manager 1.1 Max 1K Phones
CUPM-1.1-1KLIC	Cisco Unified Provisioning Manager 1.1 1K add-on phone lic
CUPM-1.1-20K-K9	Cisco Unified Provisioning Manager 1.1 Max 20K Phones
CUPM-1.1-2K-K9	Cisco Unified Provisioning Manager 1.1 Max 2K Phones
CUPM-1.1-2KLIC	Cisco Unified Provisioning Manager 1.1 2K add-on phone lic
CUPM-1.1-30K-AK9	Cisco Unified Provisioning Manager 1.1 Max 30K Ph - Bdl
CUPM-1.1-30K-K9	Cisco Unified Provisioning Manager 1.1 Max 30K Phones
CUPM-1.1-5K-K9	Cisco Unified Provisioning Manager 1.1 Max 5K Phones
CUPM-1.1-5KLIC	Cisco Unified Provisioning Manager 1.1 5K add-on phone lic
CUPM-1.1-BMR-K9	CUPM 1.0 to 1.1 Base Software Minor Rel Update
CUPM-1.1-BSR-K9	SERVICE RELEASE ONLY; CUPM 1.0 to 1.1 Update
CUPM-1.2-10K-K9	Cisco Unified Provisioning Manager 1.2 Max 10K Phones
CUPM-1.2-10KLIC	Cisco Unified Provisioning Manager 1.2 10K add-on phone lic
CUPM-1.2-1K-K9	Cisco Unified Provisioning Manager 1.2 Max 1K Phones
CUPM-1.2-1KLIC	Cisco Unified Provisioning Manager 1.2 1K add-on phone lic
CUPM-1.2-20K-K9	Cisco Unified Provisioning Manager 1.2 Max 20K Phones

Product ID: Call Control	Product Description
CUPM-1.2-2K-K9	Cisco Unified Provisioning Manager 1.2 Max 2K Phones
CUPM-1.2-2K LIC	Cisco Unified Provisioning Manager 1.2 2K add-on phone lic
CUPM-1.2-30K-K9	Cisco Unified Provisioning Manager 1.2 Max 30K Phones
CUPM-1.2-500-K9	Cisco Unified Provisioning Manager 1.2 Max 500 Phones
CUPM-1.2-500 LIC	Cisco Unified Provisioning Manager 1.2 500 add-on phone lic
CUPM-1.2-5K-K9	Cisco Unified Provisioning Manager 1.2 Max 5K Phones
CUPM-1.2-5K LIC	Cisco Unified Provisioning Manager 1.2 5K add-on phone lic
CUPM-1.2-BMR-K9	CUPM 1.1 to 1.2 Base Software Minor Rel Update
CUPM-1.2-BSR-K9	SERVICE RELEASE ONLY; CUPM 1.1 to 1.2 Update
CUPM-1.3-10K-K9	Cisco Unified Provisioning Manager 1.3 Max 10K Phones
CUPM-1.3-10K LIC	Cisco Unified Provisioning Manager 1.3 10K add-on phone lic
CUPM-1.3-1K-K9	Cisco Unified Provisioning Manager 1.3 Max 1K Phones
CUPM-1.3-1K LIC	Cisco Unified Provisioning Manager 1.3 1K add-on phone lic
CUPM-1.3-20K-K9	Cisco Unified Provisioning Manager 1.3 Max 20K Phones
CUPM-1.3-2K-K9	Cisco Unified Provisioning Manager 1.3 Max 2K Phones
CUPM-1.3-2K LIC	Cisco Unified Provisioning Manager 1.3 2K add-on phone lic
CUPM-1.3-30K-K9	Cisco Unified Provisioning Manager 1.3 Max 30K Phones
CUPM-1.3-500-K9	Cisco Unified Provisioning Manager 1.3 Max 500 Phones
CUPM-1.3-500 LIC	Cisco Unified Provisioning Manager 1.3 500 add-on phone lic
CUPM-1.3-5K-K9	Cisco Unified Provisioning Manager 1.3 Max 5K Phones
CUPM-1.3-5K LIC	Cisco Unified Provisioning Manager 1.3 5K add-on phone lic
CUPM-1.3-BMR-K9	CUPM 1.2 to 1.3 Base Software Minor Rel Update
CUPM-1.3-BSR-K9	SERVICE RELEASE ONLY; CUPM 1.2 to 1.3 Update
CUSM-1040-2PK	Cisco 1040 Sensor 2 Pack
CUSM-1040-2PK=	Cisco 1040 Sensor 2 Pack
CUSM-1040-5PK	Cisco 1040 Sensor 5 Pack
CUSM-1040-5PK=	Cisco 1040 Sensor 5 Pack
CUSM-1040A-2PK	^Cisco 1040A hardware - 2 sensors
CUSM-1040A-5PK	^Cisco 1040A hardware - 5 sensors
CUSM1.1-6PK-K9	^CUSM 1.1 bundle with 6 sensors SM SW and lic for 10 sensors
CUSM1.1-SW LIC10=	^CUSM 1.1 upgrade license for additional 10 sensors
CUSM1X-20-PLIC10K	CUSM 1.x to 2.0 Upg (Phone Based VQ Measurement) 10K LIC
CUSM1X-20-PLIC1K	CUSM 1.x to 2.0 Upg (Phone Based VQ Measurement) 1K LIC
CUSM1X-20-PLIC2K	CUSM 1.x to 2.0 Upg (Phone Based VQ Measurement) 2K LIC
CUSM1X-20-PLIC5K	CUSM 1.x to 2.0 Upg (Phone Based VQ Measurement) 5K LIC
CUSM1X-20UPK9	CUSM 1.x to 2.0 Upg (Sensors Based VQ Measurement)
CUSM-2.0-10K-K9	Cisco Unified Service Monitor 2.0 SW And 10K Phone Lic
CUSM-2.0-10K-K9=	Cisco Unified Service Monitor 2.0 SW And 10K Phone Lic
CUSM-2.0-1K-K9	Cisco Unified Service Monitor 2.0 SW And 1K Phone Lic
CUSM-2.0-1K-K9=	Cisco Unified Service Monitor 2.0 SW And 1K Phone Lic
CUSM-2.0-20K-K9	Cisco Unified Service Monitor 2.0 SW And 20K Phone Lic
CUSM-2.0-20K-K9=	Cisco Unified Service Monitor 2.0 SW And 20K Phone Lic
CUSM-2.0-2K-K9	Cisco Unified Service Monitor 2.0 SW And 2K Phone Lic
CUSM-2.0-2K-K9=	Cisco Unified Service Monitor 2.0 SW And 2K Phone Lic
CUSM-2.0-30K-K9	Cisco Unified Service Monitor 2.0 SW And 30K Phone Lic
CUSM-2.0-30K-K9=	Cisco Unified Service Monitor 2.0 SW And 30K Phone Lic
CUSM-2.0-5K-K9	Cisco Unified Service Monitor 2.0 SW And 5K Phone Lic
CUSM-2.0-5K-K9=	Cisco Unified Service Monitor 2.0 SW And 5K Phone Lic
CUSM-2.0-LIC10K	Cisco Unified Service Monitor 2.0 10K Phone Lic Upg
CUSM-2.0-LIC1K	Cisco Unified Service Monitor 2.0 1K Phone Lic Upg
CUSM-2.0-LIC2K	Cisco Unified Service Monitor 2.0 2K Phone Lic Upg
CUSM-2.0-LIC5K	Cisco Unified Service Monitor 2.0 5K Phone Lic Upg
CUSM-2.0-RLIC10K	Cisco Unified Service Monitor 2.0 Add 10K Phone Lic RED
CUSM-2.0-RLIC20K	Cisco Unified Service Monitor 2.0 20K Phone Lic RED
CUSM-2.0-RLIC30K	Cisco Unified Service Monitor 2.0 30K Phone Lic RED
CUSM-2.0-RLIC5K	Cisco Unified Service Monitor 2.0 Add 5K Phone Lic RED
CUSM-2.1-10K-K9	Cisco Unified Service Monitor 2.1 SW And 10K Phone Lic
CUSM-2.1-10K-K9=	Cisco Unified Service Monitor 2.1 SW And 10K Phone Lic
CUSM-2.1-1K-K9	Cisco Unified Service Monitor 2.1 SW And 1K Phone Lic
CUSM-2.1-1K-K9=	Cisco Unified Service Monitor 2.1 SW And 1K Phone Lic
CUSM-2.1-2K-K9	Cisco Unified Service Monitor 2.1 SW And 2K Phone Lic
CUSM-2.1-2K-K9=	Cisco Unified Service Monitor 2.1 SW And 2K Phone Lic
CUSM-2.1-5K-K9	Cisco Unified Service Monitor 2.1 SW And 5K Phone Lic
CUSM-2.1-5K-K9=	Cisco Unified Service Monitor 2.1 SW And 5K Phone Lic
CUSM-SEP07-SR-K9	Cisco Unified Service Monitor 2.0.1 Service Release only

Product ID: Call Control	Product Description
CUSM-SW-1.1-K9	^CUSM 1.1 software and license support up to 10 sensors
CUSSM1.0-10KP-K9	Cisco USSM 1.0 Premium Edition 10K phones
CUSSM1.0-11SU-K9	USSM 1.0-1.1 Std. Upgrade. Maintains current 1.0 licence
CUSSM1.0-1KP-K9	Cisco USSM 1.0 Premium Edition 1K phones
CUSSM1.0-1KS-K9	Cisco USSM 1.0 Standard Edition 1K phones
CUSSM1.0-20KP-K9	Cisco USSM 1.0 Premium Edition 20K phones
CUSSM1.0-2KP-K9	Cisco USSM 1.0 Premium Edition 2K phones
CUSSM1.0-2KS-K9	Cisco USSM 1.0 Standard Edition 2K phones
CUSSM1.0-30KP-AK9	Cisco USSM 1.0 Premium Edition 30K Ph - Bld
CUSSM1.0-30KP-K9	Cisco USSM 1.0 Premium Edition 30K phones
CUSSM1.0-5KP-K9	Cisco USSM 1.0 Premium Edition 5K phones
CUSSM1.0-5KS-K9	Cisco USSM 1.0 Standard Edition 5K phones
CUSSM1.0-L10KP	Cisco USSM 1.0 Premium Edition 10K phones Lic Upg
CUSSM1.0-L1KP	Cisco USSM 1.0 Premium Edition 1K phones Lic Upg
CUSSM1.0-L1KS	Cisco USSM 1.0 Standard Edition 1K phones Lic Upg
CUSSM1.0-L20KP	Cisco USSM 1.0 Premium Edition 20K phones Lic Upg
CUSSM1.0-L2KP	Cisco USSM 1.0 Premium Edition 2K phones Lic Upg
CUSSM1.0-L2KS	Cisco USSM 1.0 Standard Edition 2K phones Lic Upg
CUSSM1.0-L30KP	Cisco USSM 1.0 Premium Edition 30K phones Lic Upg
CUSSM1.0-L5KP	Cisco USSM 1.0 Premium Edition 5K phones Lic Upg
CUSSM1.0-L5KS	Cisco USSM 1.0 Standard Edition 5K phones Lic Upg
CUSSM1.1-10KP-K9	Cisco USSM 1.1 Premium Edition 10K phones
CUSSM1.1-1KP-K9	Cisco USSM 1.1 Premium Edition 1K phones
CUSSM1.1-1KS-K9	Cisco USSM 1.1 Standard Edition 1K phones
CUSSM1.1-20KP-K9	Cisco USSM 1.1 Premium Edition 20K phones
CUSSM1.1-2KP-K9	Cisco USSM 1.1 Premium Edition 2K phones
CUSSM1.1-2KS-K9	Cisco USSM 1.1 Standard Edition 2K phones
CUSSM1.1-30KP-K9	Cisco USSM 1.1 Premium Edition 30K phones
CUSSM1.1-5KP-K9	Cisco USSM 1.1 Premium Edition 5K phones
CUSSM1.1-5KS-K9	Cisco USSM 1.1 Standard Edition 5K phones
CUSSM1.1-L10KP	Cisco USSM 1.1 Premium Edition 10K phones Lic Upg
CUSSM1.1-L1KP	Cisco USSM 1.1 Premium Edition 1K phones Lic Upg
CUSSM1.1-L1KS	Cisco USSM 1.1 Standard Edition 1K phones Lic Upg
CUSSM1.1-L20KP	Cisco USSM 1.1 Premium Edition 20K phones Lic Upg
CUSSM1.1-L2KP	Cisco USSM 1.1 Premium Edition 2K phones Lic Upg
CUSSM1.1-L2KS	Cisco USSM 1.1 Standard Edition 2K phones Lic Upg
CUSSM1.1-L30KP	Cisco USSM 1.1 Premium Edition 30K phones Lic Upg
CUSSM1.1-L5KP	Cisco USSM 1.1 Premium Edition 5K phones Lic Upg
CUSSM1.1-L5KS	Cisco USSM 1.1 Standard Edition 5K phones Lic Upg
CVVM-2.1-UPE	Service Use; CW Voice Mgr 2.1 WIN/SOL; Maint Rel for 2.x
CWIP-1.0-MB-1K-K9	^CWIPC Mgmt Bdl-OM 1KLic, SM, Req CWIPCSA-1.0-2PK
CWIPCMS_ADJ_PROD	CWIPCMS_ADJ_PROD
CWIPCOM-1.0-1K-K9	^CiscoWorks IPC Operations Manager 1.0 - Max 1K Phones
CWIPCOM-1.0-2K-K9	^CiscoWorks IPC Operations Manager 1.0 - Max 2K Phones
CWIPCOM-1.0-5K-K9	^CiscoWorks IPC Operations Manager 1.0 - Max 5K Phones
CWIPCOM-1.0-K9	^CiscoWorks IPC Operations Manager 1.0
CWIPCOM-1.0-UP-K9	^CiscoWorks IPC Operations Manager 1.0 - UPG from ITEM, VHM
CWIPCOMUP10-1K-K9	^CiscoWorks IPC Operations Manager 1.0 UPG - Max 1K Phones
CWIPCOMUP10-2K-K9	^CiscoWorks IPC Operations Manager 1.0 UPG - Max 2K Phones
CWIPCOMUP10-5K-K9	^CiscoWorks IPC Operations Manager 1.0 UPG - Max 5K Phones
CWIPCSA	CWIPCSA Mfg Only
CWIPCSA-1.0-2PK	^CiscoWorks IPC Sensor A 1.0 - 2 Pack
CWIPCSA-1040	^CiscoWorks IP Communications Service Monitor
CWIPCSA-1.0-6PK-K9	^CiscoWorks IPC Sensor A 1.0 - 6 Pack 1 IPCSM SW
CWIPCSA-1SENSOR	CiscoWorks IPC Sensor A Service Replacement 1 Sensor
CWIPCSM-1.0-K9	^CiscoWorks IPC Service Monitor 1.0
CWITEM-1.3-ADD-K9	^IP Telephony Env Monitor 1.3 WIN, VHM only addon to LMS 2.X
CWITEM-1.3-MR-K9	^Maint Release update for CWVOIP 1.X
CWITEM-1.3-WIN-K9	^IP Telephony Env Monitor 1.3 for WIN; incl DFM, VHM, CV
CWITEM-1.4-ADD-K9	^ITEM 1.4 WIN addon to LMS 2.X; incl. CD One 5th, VHM
CWITEM-1.4-MR-K9	^Minor Release update for ITEM 1.X
CWITEM-1.4-WIN-K9	^IP Telephony Env Monitor 1.4 for WIN; incl DFM, VHM, CV
CWITEM-2.0-ADD-K9	^ITEM 2.0 WIN addon to LMS 2.X
CWITEM-2.0-MV-K9	^IP Telephony Env Monitor Multi-View 2.0
CWITEM-2.0-UP-K9	^Upgrade to ITEM 2.0 for WIN from ITEM 1.X



Product ID: Call Control	Product Description
CWITEM-2.0-WIN-K9	^IP Telephony Env Monitor 2.0 for WIN
CWITEM_ADJ_PROD	CWITEM_ADJ_PROD
CWVM-2.02	^CW2000 Voice Manager 2.02 for WIN and SOL
CWVM-2.02-UPE	^Service Use: CW2000 Voice Mgr 2.02 WIN: Maint Rel for 2.x
CWVM-2.02-UPG	^CW2000 Voice Manager 2.02 for WIN and SOL: Upgrade from 1.x
CWVM-2.02-UPT	^CW2000 Voice Manager 2.02 for WIN: Maint Rel. for 2.x
CWVM-2.0-SOL-P1	^CW2000 Voice Manager 2.0 for SOL, Introductory PROMO
CWVM-2.0-SOL-UPE	^Service Contract UPG for CVM 1.0 or 1.1 to CVM 2.0 on SOL
CWVM-2.0-SOL-UPG	^Upgrade from Cisco Voice Manager 1.0/1.1 to CVM 2.0 on SOL
CWVM-2.1	CiscoWorks, Voice Gateway Manager 2.1 for WIN/SOL
CWVM-2.1-UPE	CiscoWorks, ServUse;CWVoiceGtwyMgr2.1WIN/SOL;MinorRelfor2.x
CWVM-2.1-UPG	CiscoWorks, VoiceGtwyMgr 2.1 for WIN/SOL; Upg from 1.x
CWVM-2.1-UPT	CiscoWorks, VoiceGtwyMgr 2.1 for WIN/SOL; Minor Rel. for 2.x
CWVM-2.2-K9	^CiscoWorks Voice Gateway Manager 2.2 for WIN/SOL
CWVM-2.2-MR-K9	^Minor Release: Requires existing CWVM 2.x -Oct. 2003
CWVM-2.2-SR-K9	^Service Release Only: Req. existing CWVM 2.x -Oct. 2003
CWVM-2.2-UP-K9	^CiscoWorks VoiceGtwyMgr 2.2 for WIN/SOL; Upg from 1.x, 2.x
CWVM-2.3-K9	^CiscoWorks Voice Gateway Manager 2.3 for WIN/SOL
CWVM-2.3-MR-K9	^Minor Release: Requires existing CWVM 2.x -May 2004
CWVM-2.3-SR-K9	^Service Release Only: Req. existing CWVM 2.x -May 2004
CWVM-2.3-UP-K9	^CiscoWorks VoiceGtwyMgr 2.3 for WIN/SOL; Upg from 1.x, 2.x
CWVM-3.0-R-K9	CW Voice Manager 3.0 ? Restricted 500 voice port License
CWVM-3.0-RUP-K9	CW Voice Manager 3.0 ? Upg to Restricted 500 voice port Lic
CWVM-3.0-UR-K9	CW Voice Manager 3.0 ? Unrestricted License
CWVM-3.0-URUP-K9	CW Voice Manager 3.0 ? Upg to Unrestricted License
CWVM-3.1-R-K9	CW Voice Manager 3.1Restricted 500 voice port
CWVM-3.1-RUP-K9	CW Voice Manager 3.1Upg to Restricted 500 voice port
CWVM-3.1-UR-K9	CW Voice Manager 3.1 Unrestricted
CWVM-3.1-URUP-K9	CW Voice Manager 3.1 Upg to Unrestricted
CWVM_ADJ_PROD	CWVM_ADJ_PROD
CWVOIP-1.0-WIN-ADD	^CiscoWorks, VoIP Health Monitor V1.0 f/WIN AddOn;VHM only
NMTG-CBR-CUOM-1.1	CUOM Version 1.1, 30k Lic - ROS CoBrand Service
OM-1.1-PAK	Operations Manager 1.1 PAK
OM-PAK	Operations Manager PAK
SM-1.1-PAK	Service Monitor 1.1 PAK
SM-1.1-SW-SVC-K9	Service Monitor 1.1 SW service contract for the bundle
SM-PAK	Service Monitor PAK
UOM OPT	Cisco Unified Operations Manager 1.1 Options
VOIP_ADJ_PROD	VOIP_ADJ_PROD
CNMUC1.0-250-1Y-K9	Product has enter end-of-life. Replacement SKU CNMUC 1.1
CNMUC1.0-250-K9	Product has enter end-of-life. Replacement SKU CNMUC 1.1
CNMUC1.0-250-LIC	Product has enter end-of-life. Replacement SKU CNMUC 1.1
CNMUC1.0-500-1Y-K9	Product has enter end-of-life. Replacement SKU CNMUC 1.1
CNMUC1.0-500-K9	Product has enter end-of-life. Replacement SKU CNMUC 1.1
CNMUC1.0-EVAL-K9	Cisco netManager - UC 1.0 for 250 phones - 90 day eval
ASR1006-NTT	ASR1006 Configuration for NTT-NGN
CALLMGR_ADJ_PROD	CALLMGR_ADJ_PROD
CALLMGR_CREDIT_ADJ	CALLMGR_CREDIT_ADJ
CALLMGR_OTHER_ADJ	CALLMGR_OTHER_ADJ
UCSS-CUMC-3-10=	UCSS for CUMC for Three Years - 10 Instance
CUAE_OTHER_ADJ	CUAE_OTHER_ADJ
UAD2.3-K9-DEV=	SW Cisco Unified App Designer 2.3 CD, 1 Developer Seat
UAE2.4-SE16-K9=	SW/LIC/KEY Cisco UAS 2.4, UME 2.4, 16 Inst/Port License
UAE2.4-SE8-K9=	SW/LIC/KEY Cisco UAS 2.4, UME 2.4, 8 Inst/Port License
UAE2.5-SE16-K9=	SW/LIC/KEY Cisco UAS 2.5, UME 2.4, 16 Inst/Port License
UAE2.5-SE8-K9=	SW/LIC/KEY Cisco UAS 2.5, UME 2.4, 8 Inst/Port License
UAS2.3-E-50-150=	LIC Unified AppServer 2.3 Enhanced, 50 Instances, 150 Limit
UAS2.3-INST-10=	LIC Cisco Unified AppServer 2.3 Instance 10-Pack
UAS2.3-INST-100=	LIC Cisco Unified AppServer 2.3 Instance 100-Pack
UAS2.3-P-100-UL=	LIC Unified AppServer 2.3 Premium, 100 Instances, Unltd
UAS2.3-S-25-50=	LIC Unified AppServer 2.3 Standard, 25 Instances, 50 Limit
UAS2.4-E-P-UPG=	LIC/KEY Cisco UAS 2.4 Enh to Prem Upgrade
UAS2.4-INST-10=	LIC/KEY Cisco UAS 2.4 Instance 10-Pack
UAS2.4-INST-100=	LIC/KEY Cisco UAS 2.4 Instance 100-Pack
UAS2.4-INST-1000=	LIC/KEY Cisco UAS 2.4 Instance 1000-Pack

Product ID: Call Control	Product Description
UAS2.4-INST-50=	LIC/KEY Cisco UAS 2.4 Instance 50-Pack
UAS2.4-INST-500=	LIC/KEY Cisco UAS 2.4 Instance 500-Pack
UAS2.4-K9-ENH=	SW/LIC/KEY Cisco UAS 2.4 Enhanced, 50 Instances, 150 Limit
UAS2.4-K9-PREM=	SW/LIC/KEY Cisco UAS 2.4 Premium, 100 Instances, Unltd
UAS2.4-K9-SE16=	SW/LIC/KEY Cisco UAS 2.4 Small Env, 16 Instances, 16 Limit
UAS2.4-K9-SE8=	SW/LIC/KEY Cisco UAS 2.4 Small Env, 8 Instances, 16 Limit
UAS2.4-K9-STD=	SW/LIC/KEY Cisco UAS 2.4 Standard, 25 Instances, 50 Limit
UAS2.4-S-E-UPG=	LIC/KEY Cisco UAS 2.4 Std to Enh Upgrade
UAS2.4-S-P-UPG=	LIC/KEY Cisco UAS 2.4 Std to Prem Upgrade
UAS2.5-E-P-UPG=	LIC/KEY Cisco UAS 2.5 Enh to Prem Upgrade
UAS2.5-INST-10=	LIC/KEY Cisco UAS 2.5 Instance 10-Pack
UAS2.5-INST-100=	LIC/KEY Cisco UAS 2.5 Instance 100-Pack
UAS2.5-INST-1000=	LIC/KEY Cisco UAS 2.5 Instance 1000-Pack
UAS2.5-INST-50=	LIC/KEY Cisco UAS 2.5 Instance 50-Pack
UAS2.5-INST-500=	LIC/KEY Cisco UAS 2.5 Instance 500-Pack
UAS2.5-K9-ENH=	SW/LIC/KEY Cisco UAS 2.5 Enhanced, 50 Instances, 150 Limit
UAS2.5-K9-PREM=	SW/LIC/KEY Cisco UAS 2.5 Premium, 100 Instances, Unltd
UAS2.5-K9-SE16=	SW/LIC/KEY Cisco UAS 2.5 Small Env, 16 Instances, 16 Limit
UAS2.5-K9-SE8=	SW/LIC/KEY Cisco UAS 2.5 Small Env, 8 Instances, 16 Limit
UAS2.5-K9-STD=	SW/LIC/KEY Cisco UAS 2.5 Standard, 25 Instances, 50 Limit
UAS2.5-S-E-UPG=	LIC/KEY Cisco UAS 2.5 Std to Enh Upgrade
UAS2.5-S-P-UPG=	LIC/KEY Cisco UAS 2.5 Std to Prem Upgrade
UME2.3-H3.0=	LIC Cisco Unified Media Engine 2.3
UME2.3-H3.0-CON-A	LIC/KEY UME2.3 H3.0 Conferencing Media Resource
UME2.3-H3.0-CON-N	LIC/KEY UME2.3 H3.0 Conferencing Media Resource
UME2.3-H3.0-ETP-N	LIC/KEY UME2.3 H3.0 Enhanced RTP (G.723/9) Media Resource
UME2.3-H3.0-INT-N	LIC/KEY UME2.3 H3.0 Speech Integration Media Resource
UME2.3-H3.0-MR-ADD	LIC/KEY UME2.3 H3 Media Resources, Incremental License
UME2.3-H3.0-MR-NEW	LIC/KEY UME2.3 H3 Media Resources, New License
UME2.3-H3.0-RTP-A	LIC/KEY UME2.3 H3.0 RTP (G.711) Media Resource
UME2.3-H3.0-RTP-N	LIC/KEY UME2.3 H3.0 RTP (G.711) Media Resource
UME2.3-H3.0-VOI-A	LIC/KEY UME2.3 H3.0 Voice Media Resource
UME2.3-H3.0-VOI-N	LIC/KEY UME2.3 H3.0 Voice Media Resource
UME2.3-N3-TTS-N	LIC/KEY UME2.3 NS3 TTS Media Resource - New
UME2.3-N3-TTS-NEW	LIC/KEY UME2.3 NS3 TTS Media Resources, New License
UME2.4-H2.0-CON	LIC/KEY UME2.4 H2.0 Conferencing Media Resource
UME2.4-H2.0-ETP	LIC/KEY UME2.4 H2.0 Enhanced RTP (G.723/9) Media Resource
UME2.4-H2.0-INT	LIC/KEY UME2.4 H2.0 Speech Integration Media Resource
UME2.4-H2.0-RTP	LIC/KEY UME2.4 H2.0 RTP (G.711) Media Resource
UME2.4-H2.0-VOI	LIC/KEY UME2.4 H2.0 Voice Media Resource
UME2.4-K9-H2.0-SE	SW/LIC/KEY Cisco UME 2.4 Small Environment, 16 Port Limit
UME2.4-MR	LIC/KEY UME2.4 Media Resources
UME2.4-N3.0-TTS	LIC/KEY UME2.4 NS3.0 Text-To-Speech Media Resource
UME2.5-K9-H2.0	SW/LIC/KEY Cisco UME 2.5 Standard
UME2.5-K9-H2.0-SE	SW/LIC/KEY Cisco UME 2.5 Small Environment, 16 Port Limit
UME2.5-MR	LIC/KEY UME2.5 Media Resources
CM7-PAK	CUCM7.0 PAK
CM-DL-10000-CTDP=	CM DLU FOR DEV PTR ONLY
CUCM-BE7-10USR=	Unified Com Mgr BE 7.X - Seat Licenses - 10
CUCM-BE7-50USR=	Unified Com Mgr BE 7.X - Seat Licenses - 50
DLU_OTHER_ADJ	DLU_OTHER_ADJ
IPCOMM USER LIC	Cisco IP Communicator User License Options
KEY-CER1.2-100=	^CER 1.2 user license, for 100 phones
KEY-CER1.2-10K=	^CER 1.2 user license, for 10000 phones
KEY-CER1.2-1K=	^CER 1.2 user license, for 1000 phones
KEY-CER1.2-500=	^CER 1.2 user license, for 500 phones
KEY-CER1.2-5K=	^CER 1.2 user license, for 5000 phones
KEY-CER1.X-100=	CER 1.X (1.2 or Higher) User License 100 Phones
KEY-CER1.X-10K=	CER 1.X (1.2 or Higher) User License 10000 Phones
KEY-CER1.X-1K=	CER 1.X (1.2 or Higher) User License 1000 Phones
KEY-CER1.X-500=	CER 1.X (1.2 or Higher) User License 500 Phones
KEY-CER1.X-5K=	CER 1.X (1.2 or Higher) User License 5000 Phones
KEY-ER2.X-100=	Cisco Emergency Responder 2.X User License 100 Phones
KEY-ER2.X-10K=	Cisco Emergency Responder 2.X User License 10,000 Phones
KEY-ER2.X-1K=	Cisco Emergency Responder 2.X User License 1,000 Phones

Product ID: Call Control	Product Description
KEY-ER2.X-500=	Cisco Emergency Responder 2.X User License 500 Phones
KEY-ER2.X-5K=	Cisco Emergency Responder 2.X User License 5,000 Phones
KEY-ER2.X-UPG-100=	Emergency Responder 2.X User Lic 100 Phones Upgrade 1.X
KEY-ER2.X-UPG-10K=	Emergency Respond 2.X User License 10,000 Phones Upgrade 1.X
KEY-ER2.X-UPG-1K=	Emergency Responder 2.X User Lic 1,000 Phones Upgrade 1.X
KEY-ER2.X-UPG-500=	Emergency Responder 2.X User Lic 500 Phones Upgrade 1.X
KEY-ER2.X-UPG-5K=	Emergency Responder 2.X User Lic 5,000 Phones Upgrade 1.X
L-3PTY-DL-10=	Unified CM 3rd Party DLU for eLD- 10 units
L-3PTY-DL-100=	Unified CM 3rd Party DLU for eLD - 100 units
L-3PTY-DL-1000=	Unified CM 3rd Party DLU for eLD - 1,000 units
L-3PTY-DL-10000=	Unified CM 3rd Party DLU for eLD - 10,000 units
L-3PTY-DL-100K=	Unified CM 3rd Party DLU for eLD - 100,000 units
L-3PTY-DL-1M=	Unified CM 3rd Party DLU for eLD - 1,000,000 units
L-3PTY-DL-25000=	Unified CM 3rd Party DLU for eLD - 25,000 units
L-3PTY-DL-500=	Unified CM 3rd Party DLU for eLD - 500 units
L-3PTY-DL-5000=	Unified CM 3rd Party DLU for eLD - 5,000 units
L-3PTY-DL-50000=	Unified CM 3rd Party DLU for eLD - 50,000 units
L-3PTY-DL-500K=	Unified CM 3rd Party DLU for eLD - 500,000 units
L-CM5.1-7816=	License Unified CM 5.1 7816 Appliance, 500 seats, eLD
L-CM5.1-7825=	License Unified CM 5.1 7825 Appliance, 1,000 seats, eLD
L-CM5.1-7835=	License Unified CM 5.1 7835 Appliance, 2,500 seats, eLD
L-CM5.1-7845=	License Unified CM 5.1 7845 Appliance, 5,000 seats, eLD
L-CM6.0-7816=	License Unified CM 6.0 7816 Appliance, 500 seats, eLD
L-CM6.0-7835=	License Unified CM 6.0 7835 Appliance, 2,500 seats, eLD
L-CM6.0-7845=	License Unified CM 6.0 7845 Appliance, 5,000 seat, eLD
L-CM6.1-7816=	License Unified CM 6.1 7816 Appliance, 500 seats, eLD
L-CM6.1-7825=	License Unified CM 6.1 7825 Appliance, 1,000 seats, eLD
L-CM6.1-7835=	License Unified CM 6.1 7835 Appliance, 2,500 seats, eLD
L-CM-DL-10=	Unified CM Device License For ELD - 10 Units
L-CM-DL-100=	Unified CM Device License For ELD - 100 Units
L-CM-DL-1000=	Unified CM Device License For ELD - 1000 Units
L-CM-DL-10000=	Unified CM Device License For ELD 10,000 Units
L-CM-DL-100000=	Unified CM Device License For ELD 100,000 Units
L-CM-DL-1000000=	Unified CM Device License For ELD 1,000,000 Units
L-CM-DL-25000=	Unified CM Device License For ELD 25,000 Units
L-CM-DL-500=	Unified CM Device License For ELD - 500 Units
L-CM-DL-5000=	Unified CM Device License For ELD 5,000 Units
L-CM-DL-50000=	Unified CM Device License For ELD 50,000 Units
L-CM-DL-500000=	Unified CM Device License For ELD 500,000 Units
LIC-3PTY-DL-10	Unified CM Third-Party Device License - 10 units
LIC-3PTY-DL-10=	CallManager 3rd Party Device License - 10 units
LIC-3PTY-DL-100=	CallManager 3rd Party Device License - 100 units
LIC-3PTY-DL-1000=	CallManager 3rd Party Device License - 1,000 units
LIC-3PTY-DL-25000=	CallManager 3rd Party Device License - 25,000 units
LIC-3PTY-DL-500=	CallManager 3rd Party Device License - 500 units
LIC-3PTY-DL-5000=	CallManager 3rd Party Device License - 5,000 units
LIC3.X-4.3-U-2500=	License Upgrade Of 2500 Addtl Users, CM 3.x To CM 4.3
LIC-CCM3.X-2500U=	CallManager Server User License, 2500 Users, MCS-7845H-2400
LIC-CCM-4.X-2500=	CallManager Server 4.X User License, 2500 Users, MCS-7845
LIC-CCM5.X-2500=	License CallMgr Additional 2,500 Users
LIC-CCM-7912+1000=	CallMgr User License 7912 And IP Comm, 1000 Licenses
LIC-CCM-7912+250=	CallMgr User License 7912 And IP Comm, 250 Licenses
LIC-CCM-7912+COM=	CallMgr User License 7912 And IP Comm, Single License
LIC-CCM-7940+1000=	CallMgr User License 7940/41 And IP Comm, 1000 Licenses
LIC-CCM-7940+250=	CallMgr User License 7940/41 And IP Comm, 250 Licenses
LIC-CCM-7940+COM	CallMgr User License 7940/41 And IP Comm, Single License
LIC-CCM-7940+COM=	CallMgr User License 7940/41 And IP Comm, Single License
LIC-CCM-7960+1000=	CallMgr User License 7960/61 And IP Comm, 1000 Licenses
LIC-CCM-7960+250=	CallMgr User License 7960/61 And IP Comm, 250 Licenses
LIC-CCM-7960+COM	CallMgr User License 7960/61 And IP Comm, Single License
LIC-CCM-7960+COM=	CallMgr User License 7960/61 And IP Comm, Single License
LIC-CCM-7970+1000=	CallMgr User License 7970/71 And IP Comm, 1000 Licenses
LIC-CCM-7970+250=	CallMgr User License 7970/71 And IP Comm, 250 Licenses
LIC-CCM-7970+COM	CallMgr User License 7970/71 And IP Comm, Single License
LIC-CCM-7970+COM=	CallMgr User License 7970/71 And IP Comm, Single License

Product ID: Call Control	Product Description
LIC-CM-4.X-200U=	CallMgr 200 Usr License for MID-MKT-IPC-K9-A
LIC-CM-4.X-900U=	CallMgr 900 Usr License for MID-MKT-IPC-K9-B and C
LIC-CM5.0-7835-H2=	^License CallMgr 5.0 7835-H2 Appliance
LIC-CM7.0-7816=	License CM 7.0 7815/7816 Appliance, 500 seats
LIC-CM7.0-7825=	License CM 7.0 7825 Appliance, 1,000 seats
LIC-CM7.0-7835=	License CM 7.0 7835 Appliance, 2,500 seats
LIC-CM7.0-7845=	License CM 7.0 7845 Appliance, 5,000 seat
LIC-CM7.X-2500=	License CM7.X Additional 2500 Users
LIC-CM-DL	Top level part number for Unified CM Device Licenses
LIC-CM-DL-10	Unified CM Device License - 10 units
LIC-CM-DL-10=	CallManager Device License - 10 units
LIC-CM-DL-100=	CallManager Device License - 100 units
LIC-CM-DL-1000=	CallManager Device License - 1,000 units
LIC-CM-DL-10,000	CM License Bundle - for CTDTP partners only.
LIC-CM-DL-10000=	CallManager Device License - 10,000 units
LIC-CM-DL-1000000=	CallManager Device License - 1,000,000 units
LIC-CM-DL-25000=	CallManager Device License - 25,000 units
LIC-CM-DL-500=	CallManager Device License - 500 units
LIC-CM-DL-5000=	CallManager Device License - 5,000 units
LIC-CM-DL-50000=	CallManager Device License - 50,000 units
LIC-CM-TOTAL	Unified CM Device License - 10 units
LIC-CM-VID-H.323=	Single User License for a H.323 Video Device
LIC-CM-VID-SCCP=	Single User License For SCCP Video Device
SW-CCM-10USER=	Cisco CallManager 10 Station License Pkg.
SW-CCM-1USER=	Cisco CallManager 1 Station License Pkg.
SW-CCM-3.3-SUP=	^CallManager 3.3(5) upgd from CCM 3.1, 3.2, 3.3(x), same svr.
SW-CCM-500USER=	Cisco CallManager 500 Station License Pkg.
SW-CCM-UL-3PTYM	CUCM 3.x or 4.x RTU lic. for single 3rd pty multi line phone
SW-CCM-UL-3PTYS	CUCM 3.x or 4.x RTU lic. for single 3rd pty single line phn
SW-CCM-UL-7902	CallManager Unit license for single 7902 IP phone
SW-CCM-UL-7902=	Spare CallManager Unit license for single 7902 IP phone
SW-CCM-UL-7905	CallManager Unit license for single 7905 IP phone
SW-CCM-UL-7905=	Spare CallManager Unit license for single 7905 IP phone
SW-CCM-UL-7906	CUCM 3.x or 4.x RTU lic. for single IP Phone 7906
SW-CCM-UL-7906=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7906, spare
SW-CCM-UL-7910	^CallManager Unit license for single 7910 IP phone
SW-CCM-UL-7910=	^Spare license 7910 phone
SW-CCM-UL-7910+SW	CallManager Unit license for single 7910+SW IP phone
SW-CCM-UL-7910+SW=	Spare license 7910+SW phone
SW-CCM-UL-7911	CUCM 3.x or 4.x RTU lic. for single IP Phone 7911
SW-CCM-UL-7911=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7911, spare
SW-CCM-UL-7912	CallManager Unit license for single 7912 IP phone
SW-CCM-UL-7912=	Spare CallManager Unit license for single 7912 IP phone
SW-CCM-UL-7920	CallManager Unit License for Single Wireless IP Phone 7920
SW-CCM-UL-7920=	CallManager Unit License for Single Wireless IP Phone 7920
SW-CCM-UL-7921G	CUCM 3.x or 4.x RTU lic. for single W IP Phone 7921G
SW-CCM-UL-7921G=	CUCM 3.x or 4.x RTU lic. for single W IP Phone 7921G. spare
SW-CCM-UL-7935	CallManager Unit license for single 7935 IP phone
SW-CCM-UL-7935=	Spare license 7935 Conf. Sta.
SW-CCM-UL-7936	CUCM 3.x or 4.x RTU lic. for single Conf. Station 7936
SW-CCM-UL-7936=	CUCM 3.x or 4.x RTU lic. for single Conf. Stn 7936, spare
SW-CCM-UL-7937	CUCM 3.x or 4.x RTU lic. for single Conf. Station 7937
SW-CCM-UL-7937=	CUCM 3.x or 4.x RTU lic. for single Conf. Stn 7936, spare
SW-CCM-UL-7940	CUCM 3.x or 4.x RTU lic. for single IP Phone 7940
SW-CCM-UL-7940=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7940, spare
SW-CCM-UL-7941	CUCM 3.x or 4.x RTU lic. for single IP Phone 7941
SW-CCM-UL-7941=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7941, spare
SW-CCM-UL-7942	CUCM 3.x or 4.x RTU lic. for single IP Phone 7942
SW-CCM-UL-7942=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7942, spare
SW-CCM-UL-7945	CUCM 3.x or 4.x RTU lic. for single IP Phone 7945
SW-CCM-UL-7945=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7945, spare
SW-CCM-UL-7960	CUCM 3.x or 4.x RTU lic. for single IP Phone 7960
SW-CCM-UL-7960=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7960, spare
SW-CCM-UL-7961	CUCM 3.x or 4.x RTU lic. for single IP Phone 7961
SW-CCM-UL-7961=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7961, spare

Product ID: Call Control	Product Description
SW-CCM-UL-7962	CUCM 3.x or 4.x RTU lic. for single IP Phone 7962
SW-CCM-UL-7962=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7962, spare
SW-CCM-UL-7965	CUCM 3.x or 4.x RTU lic. for single IP Phone 7965
SW-CCM-UL-7965=	CUCM 3.x or 4.x RTU lic. for single IP Phone 7965, spare
SW-CCM-UL-7970	CUCM 3.x or 4.x RTU lic. for single IP Phone 7970
SW-CCM-UL-7970=	CUCM 3.x/4.x RTU license for single IP Phone 7970, spare
SW-CCM-UL-7971G	CUCM 3.x/4.x RTU license for single IP Phone 7971
SW-CCM-UL-7971G=	CUCM 3.x/4.x RTU license for single IP Phone 7971, spare
SW-CCM-UL-7975	CUCM 3.x/4.x RTU license for single IP Phone 7975
SW-CCM-UL-7975=	CUCM 3.x/4.x RTU license for single IP Phone 7975, spa
SW-CCM-UL-7985	CUCM 3.x/4.x RTU license for single IP Phone 7985
SW-CCM-UL-7985=	CUCM 3.x/4.x RTU license for single IP Phone 7985, spare
SW-CCM-UL-ANA	CUCM 3.x/4.x RTU license for single ATA
SW-CCM-UL-ANA=	CUCM 3.x/4.x RTU license for single ATA, spare
SW-CCM-UL-ARC	CUCM 3.x/4.x RTU license, Arc Enterprise Attendant Console
SW-CCM-UL-IPCOMM=	CUCM 3.x/4.x RTU license single IP Communicator, spare
SW-CCM-UL-IPCOMM-E	CUCM 3.x/4.x RTU license for single IP Communicator
SW-CCM-UL-NOK=	Single Call Manager License for Nokia Eseries DualMode Phone
SW-CCM-UL-UPGRD=	CUCM 3.x/4.x RTU license upgrade, spare
SW-KEY-ER1.1-USER=	Cisco ER1.1 single user license
SW-SMH-UL-7905	SIP or H.323 license for single 7905 IP phone
SW-SMH-UL-7905=	Spare SIP or H.323 license for single 7905 IP phone
SW-SMH-UL-7912	SIP license for single 7912 IP phone
SW-SMH-UL-7912=	Spare SIP license for single 7912 IP phone
SW-SM-UL-7940	Cisco and 3PCC SIP and MGCP license for single 7940 IP phone
SW-SM-UL-7940=	Cisco and 3PCC SIP and MGCP license for single 7940 IP phone
SW-SM-UL-7960	SIP and MGCP license for single 7960 IP phone
SW-SM-UL-7960=	Cisco and 3PCC SIP and MGCP license for single 7960 IP phone
ER_ADJ_PROD	ER_ADJ_PROD
ER_CREDIT_ADJ	ER_CREDIT_ADJ
ER_OTHER_ADJ	ER_OTHER_ADJ
EVVBUSW_CREDIT_ADJ	EVVBUSW_CREDIT_ADJ
EVVBUSW_OTHER_ADJ	EVVBUSW_OTHER_ADJ
CUB-ATT-CON	Cisco Unified Business Attendant Console
CUB-ATT-CON=	Cisco Unified Business Attendant Console
CUD-ATT-CON	Cisco Unified Department Attendant Console
CUD-ATT-CON=	Cisco Unified Department Attendant Console
EVVBUSW_ADJ_PROD	EVVBUSW_ADJ_PROD
S77A-2.5.0	^ICS System Software 2.5.0
S77A-2.6.0	^ICS System Software Release 2.6.0
S77A-2.6.2	ICS System Software Release 2.6.2
S77C10V2-12215ZL	Cisco 7700 IOS REDUCED-IP/ANALOG VOICE PLUS
S77C10V2-12302XA	^Cisco 7700 IOS REDUCED-IP/ANALOG VOICE PLUS
S77C-12213ZH	^Cisco 7700 IOS REDUCED-IP/VOICE PLUS
S77CHVK9-12211YU=	Cisco 7700 IOS IP/FW/VOICE PLUS IPSEC 3DES
S77CHVK9-12213ZH	Cisco 7700 IOS IP/FW/VOICE PLUS IPSEC 3DES
S77CHVK9-12215ZL	^Cisco 7700 IOS IP/FW/VOICE PLUS IPSEC 3DES
S77CHVK9-12215ZL=	^Cisco 7700 IOS IP/FW/VOICE PLUS IPSEC 3DES
S77CVP-12208YN	Cisco 7700 IOS IP/VOICE PLUS
S77CVP-12208YN=	Cisco 7700 IOS IP/VOICE PLUS
S77CVP-12213ZH	Cisco 7700 IOS IP/VOICE PLUS
S77CVP-12215ZL	^Cisco 7700 IOS IP/VOICE PLUS
S77CVP-12302XA	^Cisco 7700 IOS IP/VOICE PLUS
S77CVP-12302XA=	^Cisco 7700 IOS IP/VOICE PLUS
S77CVP-12304XG=	Cisco 7700 IOS IP/VOICE PLUS
SW-10ICD2.2-ICS=	^ICD2.2 server SW + 10 agent licenses for the ICS
SW-5IVR2.2-ICS=	^IP IVR2.2 server SW + 5 IVR port licenses for the ICS
SW-CCM-3.1-ICS=	^CallManager 3.1(3a) Software for ICS SPE (CD-ROM)
SW-CCM-3.1-ICSBASE	^ICS 7750 Base CCM 3.1(3a)(incl. in ICS-7750 part #)
SW-CCM-3.2-ICS	^CallManager 3.2x for SPE 310
SW-CCM-3.2-ICS=	^CallManager 3.2x for SPE 310
SW-CCM-3.2-ICSBASE	^CallManager 3.2x in ICS 7750 chassis
SW-CCM-3.3-ICS	^Cisco CallManager 3.3 for SPE
SW-CCM-3.3-ICS=	^Cisco CallManager 3.3 for SPE
SW-CCM-3.3-ICSBASE	^CallManager 3.3x in ICS 7750 chassis

Product ID: Call Control	Product Description
SW-CCM-3.3UPG-ICS=	^CallManager 3.3 upgrade for the ICS 7750
SW-CCM4.0U-K9-ICS=	ICS 7750 CCM 4.0 upgrade spare
SW-CCM-VO-UPGD=	^ICS 7750 CallManager Upgrade for Voice-only Pkgs
SW-ICD2.2AGNT-ICS	^ICD2.2 agent license for the ICS
SW-ICD2.2AGNT-ICS=	^One ICD2.2 agent license for the ICS 7750
SW-IVR2.2-KEY-ICS=	^One IVR2.2 port license for the ICS 7750
SW-S77A-2.5.0=	^ICS System Software 2.5.0 on CD-ROM
SW-S77A-2.6.0=	^ICS System Software 2.6.0 on CD-ROM
SW-S77A-2.6.2=	ICS System Software Release 2.6.2 on CD ROM
SW-W2K-SPE-1=	^ICS 7750 Windows 2000 bootable CD for SPE (CD-ROM)
CP-7902G-CCME	7902G IP Phone With One CallManager Express Station User Lic
CP-7902G-CH1	7902G IP PHONE WITH ONE STATION USER LICENSE
CP-7905G-CCME	7905G IP Phone With One CallManager Express Station User Lic
CP-7905G-CH1	7905G IP PHONE WITH ONE STATION USER LICENSE
CP-7905G-SP	Cisco IP Phone 7905G SP Bundle
CP-7910G-CH1	^7910 IP Phone with one Station User License
CP-7910G+SW-CH1	7910+SW IP Phone with one Station User License
CP-7911G-CCME	Cisco IP Phone 7911G with 1 CCME RTU License
CP-7911G-CH1	Cisco IP Phone 7911G with 1 RTU License
CP-7912G-A-CCME	^7912G IP Phone With One CallManager Express Station User Lic
CP-7912G-CCME	7912G IP Phone With One CallManager Express Station User Lic
CP-7912G-CCME=	7912G IP Phone With One CallManager Express Station User Lic
CP-7912G-CH1	7912G IP PHONE WITH ONE STATION USER LICENSE
CP-7912G-CH1-A	^7912G IP PHONE WITH ONE STATION USER LICENSE
CP-7912G-SP	^Cisco IP Phone 7912G SP Bundle
CP-7935-CH1	7935 IP Phone with one Station User License
CP-7936-CH1	Conf. Station w external mic ports, license
CP-7940G-CCME	7940 IP Phone With One CallManager Express Station User Lic
CP-7940G-CCME=	7940 IP Phone With One CallManager Express Station User Lic
CP-7940G-CH1	7940 IP Phone with one Station User License
CP-7940G-SP	Cisco IP Phone 7940G SP Bundle
CP-7941G-CH1	Cisco IP Phone 7941, Channel w/license
CP-7941G-GE-CH1	IP Phone 7941G-GE for Channels with 1 Station User License
CP-7960G-CCME	7960 IP Phone With One CallManager Express Station User Lic
CP-7960G-CH1	7960 IP Phone with one Station User License
CP-7960G-SP	Cisco IP Phone 7960G SP Bundle
CP-7961G-CH1	Cisco IP Phone 7961, Channel w/ license
CP-7961G-GE-CH1	IP Phone 7961G-GE for Channels with 1 Station User License
CP-7970G-CH1	7970 IP Phone with one Station User License
CP-7970G-CH2	IP Phone 7970G, for channel, license, power cube, NA cord
CP-7971G-GE-CH1	IP Phone 7971G-GE for Channels with 1 Station User License
CP-7971G-GE-CH2	IP Phone 7971G-GE for Channels w-License and Power Cube
CP-7985-NTSC-CH1	Cisco IP Video Phone for NTSC channels with 1 user license
CP-7985-PAL-CH1	Cisco IP Video Phone for PAL channels with 1 user license
PSA_ADJ_PROD	PSA_ADJ_PROD
AP7845-K9-2.3-H1D=	SKU ERROR - DO NOT USE
AP7845-K9-AS2.3-H1	HW/SW AP7845-H1, App/MediaServer 2.3, No SW License
AP7845-K9-AS2.3-H2	HW/SW AP7845-H2, App/MediaServer 2.3, No SW License
CALLMANAGER-4.2	Top Level Part Number for Ordering CallManager 4.2
CALLMANAGER-5.0	^Top Level Part Number Used In Ordering Tool
CALLMANAGER-5.1	Top Level Part Number Used In Ordering Tool
DAT-7835-H1=	Spare 20/40GB DAT Drive For MCS-7835-H1
DAT-7835-I1=	Spare 36/72GB DAT Drive For MCS-7835-I1
DAT-7845-H1=	Spare 20/40GB DAT Drive For MCS-7845-H1
DAT-7845-I1=	Spare 36/72GB DAT Drive For MCS-7845-I1
DAT-USB-ADPT=	PCI to USB DAT Adapter for Unified CallMgr 5.0 Appliance
DAT-USB-EXT-72=	External USB 36/72GB DAT Drive
DAT-USB-RM-72=	Rack Mount USB 36/72GB DAT Drive
EMEA-UMSG-PROMO	2 MCS 7815, CM 100 Srv USR, Unity UM16/Inbox 100 USR, 2 TTS
EMEA-VMSG-PROMO	2 MCS 7815, CM 100 Srv USR, Unity VM16/Inbox 100 USR
FAN-7835-H1=	Spare Fan Assembly for MCS-7835-H1
FAN-7835-H2=	Spare Fan for MCS-7835-H2 Server
FAN-7835-I1=	Spare Fan Assembly for MCS-7835-I1
FAN-7845-H1=	Spare Fan Assembly for MCS-7845-H1
FAN-7845-H2=	Spare Fan for MCS-7845-H2 Server

Product ID: Call Control	Product Description
FAN-7845-I1=	Spare Fan Assembly for MCS-7845-I1
HDD-7815-I1-80=	Spare 80GB SATA Hard Drive for MCS-7815-I1
HDD-7815-I2-80=	Spare 80GB SATA Hard Disk Drive For MCS-7815-I2 Server
HDD-7815I-3.0-80=	Spare 80GB SATA Hard Drive for MCS-7815I-3000
HDD-7816-H3-160=	Spare 160GB Cold Swap SATA Drive for MCS 7816-H3
HDD-7816-I3-160=	Spare 160GB Cold Swap SATA Drive for MCS 7816-I3
HDD-7825-H1-80=	Spare 80GB SATA Hard Drive for MCS-7825-H1
HDD-7825-H2-80=	Spare 80GB SATA Hard Disk Drive For MCS-7825-H2 Server
HDD-7825-H3-160=	Spare 160GB Cold Swap SATA Drive for MCS 7825-H3
HDD-7825-I1-80=	Spare 80GB SATA Hard Drive for MCS-7825-I1
HDD-7825-I2-80=	Spare 80GB SATA Hard Disk Drive For MCS-7825-I2 Server
HDD-7825I-3.0-80=	Spare, 80GB SATA Hard Drive for MCS-7825I-3000
HDD-7825-I3-160=	Spare 160GB Cold Swap SATA Drive for MCS 7825-I3
HDD-7828-H3-250=	Spare 250GB Cold Swap SATA Drive for MCS 7828-H3
HDD-7828-I3-250=	Spare 250GB Cold Swap SATA Drive for MCS 7828-I3
HDD-7835-H1-72=	Spare 72GB SCSI HS Hard Drive for MCS-7835-H1
HDD-7835-H2-146=	Spare 146GB SAS Hard Disk Drive For MCS-7835-H2 Server
HDD-7835-H2-72=	Spare 72GB SAS Hard Disk Drive For MCS-7835-H2 Server
HDD-7835-I1-72=	Spare 72GB SCSI HS Hard Drive for MCS-7835-I1
HDD-7835-I2-146=	Spare 146GB SAS Hard Disk Drive For MCS-7835-I2 Server
HDD-7835-I2-72=	Spare 72GB SAS Hard Disk Drive For MCS-7835-I2 Server
HDD-7845-H1-72=	Spare 72GB SCSI HS Hard Drive for MCS-7845-H1
HDD-7845-H2-72=	Spare 72GB SAS Hard Disk Drive For MCS-7845-H2 Server
HDD-7845-I1-72=	Spare 72GB SCSI HS Hard Drive for MCS-7845-I1
HDD-7845-I2-72=	Spare 72GB SAS Hard Disk Drive For MCS-7845-I2 Server
KEY-CCM-ADMIN-K9=	Hardware Security Key for CCM Admin, Release 4.0 or Greater
MCS-7815-1000	^Media Convergence Server 7815 Celeron 1000MHz Top Level
MCS-7815-1000-CH1	^MCS-7815-1000 w/CallManager and PWR Cord
MCS-7815-1000-CH2	^Dual MCS-7815-1000s w/CallManager and PWR Cords
MCS-7815-1000-CH5	^MCS-7815-1000 w/CallManager 3.3 and PWR cord
MCS-7815-1000-HW	^Hardware option- Software NOT included
MCS-7815-1000-RDT	^Redundant 7815-1000s with CCM and power cords
MCS-7815-I1-IPC1	^HW Only MCS-7815-I1 with 1024MB RAM and 80GB HD
MCS-7815-I1-IPC3	^HW Only MCS-7815-I1 with 2GB RAM, 80GB HD
MCS-7815-I1-IPC4	^For promo use only, MCS 7815-I1, 2GB RAM
MCS7815I1-K9-CM50	^HW/SW Unified CallMgr 5.0 7815-I1 Appliance
MCS-7815-I1-RD2	^HW Only Two MCS-7815-I1-IPC3 Servers
MCS-7815-I1-RDT	HW Only Two MCS-7815-I1 Servers used Redundantly
MCS-7815I-2.0-EVV1	HW Only MCS-7815I-2000 with P4 2.0, 512MB RAM, 40GB HD
MCS-7815I-2.0-EVV2	HW Only MCS-7815I-2000 with P4 2.0, 512MB RAM, 40GB HD
MCS-7815I-2.0-RDT	Two MCS-7815I-2000 Servers used Redundantly
MCS-7815-I2-IPC1	^HW Only MCS-7815-I2 with 2GB RAM and 80GB SATA HD
MCS-7815-I2-IPCP	^HW Only MCS-7815-I2, 2GB SDRAM, 80GB HDD, Comm-Bdl
MCS7815I2-K9-CM50	^HW/SW CallMgr 5.0 7815-I2 Appliance, 0 Seats
MCS7815I2-K9-CMA1	^HW/SW Unified CallMgr 5.0 7815-I2 Appliance, 0 Seats
MCS7815I2-K9-CMA2	HW/SW CallMgr 5.1 7815-I2 Appliance, 0 Seats
MCS7815I2-K9-CMA2P	HW/SW CallMgr 5.1 7815-I2 Appliance, 0 Seats, Comm-Bdl
MCS7815I2-K9-CMAP	HW/SW CallMgr 5.0 7815-I2 Appliance, 0 Seats, Comm-Bdl
MCS-7815I-3.0-IPC1	HW Only MCS-7815I-3000 with P4 3.06, 1024MB RAM, 80GB HD
MCS-7815I-3.0-IPC2	HW Only MCS-7815I-3000 with P4 3.06, 1024MB RAM, 80GB HD
MCS-7815I-3.0-RDT	HW Only Two MCS-7815I-3000 Servers used Redundantly
MCS-7816-C1-IPC1	^HW Only MCS 7816-C1 Server
MCS7816C1-K9-CMB2	^HW/SW MCS 7816-C1 Unified CM 6.1 Appliance
MCS-7816-H3-IPC1	HW Only MCS-7816-H3 with 2GB RAM and One 160GB SATA HD
MCS-7816-H3IPC1-RF	HW Only MCS-7816-H3, 2GB RAM, One 160GB SATA HD REFURBISHED
MCS7816H3-K9-CMA2	Unified CM 5.1 7816-H3 Appliance, 0 Seats
MCS7816H3-K9-CMB1	Unified CM 6.0 7816-H3 Appliance, 0 Seats
MCS7816H3-K9-CMB2	Unified CM 6.1 7816-H3 Appliance, 0 Seats
MCS7816H3-K9-CMC1	HW/SW MCS 7816-H3 Unified CM 7.0 Appliance
MCS-7816-I3-IPC1	HW Only MCS-7816-I3 with 2GB RAM and One 160GB SATA HD
MCS7816I3-K9-CMA2	Unified CM 5.1 7816-I3 Appliance, 0 Seats
MCS7816I3-K9-CMB1	Unified CM 6.0 7816-I3 Appliance, 0 Seats
MCS7816I3-K9-CMB2	Unified CM 6.1 7816-I3 Appliance, 0 Seats
MCS7816I3-K9-CMC1	HW/SW MCS 7816-I3 Unified CM 7.0 Appliance
MCS-7816-I4-IPC1	HW Only MCS 7816-I4 Server

Product ID: Call Control	Product Description
MCS781614-K9-CMB2	HW/SW MCS 7816-I4 Unified CM 6.1 Appliance
MCS781614-K9-CMC1	HW/SW Unified CM 7.0 7816I4 Appliance, 0 seats
MCS781614-K9-CMC2	Unified CM 7.1 7816-I4 Appliance, 0 Seats
MCS-7820	^Cisco Media Convergence Server 7820
MCS-7822	^Cisco Media Convergence Server 7822
MCS-7822-RF	MCS-7822 REFURBISHED
MCS-7822-ROW-BUN-2	^MCS 7822 with: CallManager and w/o Power Cord
MCS-7825-1133	^Media Convergence Server 7825 PIII 1133MHz Top Level
MCS-7825-1133-CH1	^MCS-7825-1133 w/CallManager and PWR Cord
MCS-7825-1133-CH3	^MCS-7825-1133 w/Cisco ER, 100 User License
MCS-7825-1133-CH5	^MCS-7825-1133 w/CallManager 3.3 and PWR cord
MCS-7825-1133-HW	^MCS-7825-1133 Hardware option class-No Software-No Spares
MCS-7825-800-CH1	^MCS-7825-800 with: CallManager and PWR Cord
MCS-7825-800-HW	^Hardware option- Software NOT included
MCS-7825-H1-IPC1	^HW Only MCS-7825-H1 with 2GB RAM and SATA RAID
MCS7825H1-K9-CM50	^HW/SW Unified CallMgr 5.0 7825-H1 Appliance
MCS-7825H-2.2-EVV1	HW Only MCS 7825H-2266 With P4 2.266,1GB RAM, 40GB HD
MCS-7825H-2.2-EVV2	HW Only MCS 7825H-2266 With P4 2.266,1GB RAM, 40GB HD
MCS-7825-H2-IPC1	^HW Only MCS-7825-H2 with 2GB RAM and Dual 80GB SATA HD
MCS-7825-H2-IPC2	^HW Only MCS-7825-H2 with 2GB RAM and Dual 80GB SATA HD
MCS7825H2-K9-CM50	^HW/SW CallMgr 5.0 7825-H2 Appliance, 0 Seats
MCS7825H2-K9-CMA1	^HW/SW Unified CallMgr 5.0 7825-H2 Appliance, 0 Seats
MCS7825H2-K9-CMA2	^HW/SW CallMgr 5.1 7825-H2 Appliance, 0 Seats
MCS-7825H-3.0-IPC1	HW Only MCS 7825H-3000 With P4 3060, 1GB RAM, 40GB HD
MCS-7825H-3.0-IPC2	HW Only MCS 7825H-3000 With P4 3060, 1GB RAM, 40GB HD
MCS-7825-H3-IPC1	HW Only MCS-7825-H3 with 2GB RAM and Two 160GB SATA HD
MCS7825H3-K9-CMA2	Unified CM 5.1 7825-H3 Appliance, 0 Seats
MCS7825H3-K9-CMB1	Unified CM 6.0 7825-H3 Appliance, 0 Seats
MCS7825H3-K9-CMB2	Unified CM 6.1 7825-H3 Appliance, 0 Seats
MCS7825H3-K9-CMC1	HW/SW MCS 7825-H3 Unified CM 7.0 Appliance
MCS-7825-H4-IPC1	HW Only MCS 7825-H4 Server
MCS7825H4-K9-CMB2	HW/SW MCS 7825-H4 Unified CM 6.1 Appliance
MCS7825H4-K9-CMC2	Unified CM 7.1 7825-H4 Appliance, 0 Seats
MCS-7825-I1-IPC1	^HW Only MCS-7825-I1 with 2GB RAM and SATA RAID
MCS7825I1-K9-CM50	^HW/SW Unified CallMgr 5.0 7825-I1 Appliance
MCS-7825-I2-IPC1	^HW Only MCS-7825-I2 with 2GB RAM and Dual 80GB SATA HD
MCS-7825-I2-IPC2	^HW Only MCS-7825-I2 with 2GB RAM and Dual 80GB SATA HD
MCS7825I2-K9-CM50	HW/SW CallMgr 5.0 7825-I2 Appliance, 0 Seats
MCS7825I2-K9-CMA1	HW/SW Unified CallMgr 5.0 7825-I2 Appliance, 0 Seats
MCS7825I2-K9-CMA2	^HW/SW CallMgr 5.1 7825-I2 Appliance, 0 Seats
MCS-7825I-3.0-IPC1	HW Only MCS 7825I-3000 With P4 3060, 1GB RAM, 80GB HD
MCS-7825-I3-IPC1	HW Only MCS-7825-I3 with 2GB RAM and Two 160GB SATA HD
MCS7825I3-K9-CMA2	Unified CM 5.1 7825-I3 Appliance, 0 Seats
MCS7825I3-K9-CMB1	Unified CM 6.0 7825-I3 Appliance, 0 Seats
MCS7825I3-K9-CMB2	Unified CM 6.1 7825-I3 Appliance, 0 Seats
MCS7825I3-K9-CMC1	HW/SW MCS 7825-I3 Unified CM 7.0 Appliance
MCS-7825-I4-IPC1	HW Only MCS 7825-I4 Server
MCS7825I4-K9-CMB2	HW/SW MCS 7825-I4 Unified CM 6.1 Appliance
MCS7825I4-K9-CMC2	Unified CM 7.1 7825-I4 Appliance, 0 Seats
MCS7828H3-SS1	Cisco MCS 7828-H3 HW Only Service Spare
MCS7828I3-SS1	Cisco MCS 7828-I3 HW Only Service Spare
MCS-7830	^Cisco Media Convergence Server (MCS)
MCS-7835	^Cisco Media Convergence Server 7835
MCS-7835-1000-NTD	^Server (without Tape Drive) Does NOT include Software
MCS-7835-1000-TD	^Server(with Tape Drive) Does NOT include Software
MCS-7835-1266	^Media Convergence Server 7835 PIII 1266 MHz Top Level Part
MCS-7835-1266-CH1	^MCS-7835-1266 w/CallManager, No Tape Drive and 2 PWR Cords
MCS-7835-1266-CH2	^MCS-7835-1266 w/CallManager, Tape Drive and 2 PWR Cords
MCS-7835-1266-CH7	^MCS-7835-1266-NTD w/CallManager 3.3 and PWR cords
MCS-7835-1266-CH8	^MCS-7835-1266-TD w/CallManager 3.3 and PWR cords
MCS-7835-1266-FAN=	^HP Fan for MCs-7835-1266 / MCS-7845-1400
MCS-7835-1266-NTD	^MCS-7835-1266 Server w/out Tape Drive-No Software-No Spares
MCS-78351266NTD-RF	MCS-7835-1266-NTD REFURBISHED
MCS-7835-1266-TD	^MCS-7835-1266 Server w/ Tape Drive-No Software-No Spares
MCS-7835-1266TD-RF	MCS-7835-1266-TD REFURBISHED



Product ID: Call Control	Product Description
MCS-7835-H1-IPC1	^HW Only MCS-7835-H1 with 2048MB RAM and Two 72GB SCSI HD
MCS7835H1-K9-CM50	^HW/SW Unified CallMgr 5.0 7835-H1 Appliance, 0 Seats
MCS7835H1-K9-CMA2	HW/SW CallMgr 5.1 7835-H1 Appliance, 0 Seats
MCS-7835H-2.4-36=	Spare 36GB Ultra SCSI Hot Plug Drive for MCS 7835H-2400
MCS-7835H-2.4-DAT=	20/40GB HP DAT Drive, MCS-7835H-2400, MCS-7845H-2400
MCS-7835H-2.4-EVV1	HW Only MCS 7835H-2400 With P4 2.4, 1GB RAM, 2-36.4GB SCSI
MCS-7835H-2.4-EVV2	MCS 7835H-2400 Svr - Dual P4 2.4, 2GB SDRAM, 4-72GB SCSI
MCS-7835-H2-IPC1	HW Only MCS-7835-H2 with 2GB RAM and Two 72GB SAS HD
MCS-7835-H2-IPC2	HW Only MCS-7835-H2 with 2GB RAM and Two 146GB SAS HD
MCS7835H2-K9-CM50	^HW/SW CallMgr 5.0 7835-H2 Appliance, 0 Seats
MCS7835H2-K9-CMA1	^HW/SW Unified CallMgr 5.0 7835-H2 Appliance, 0 Seats
MCS7835H2-K9-CMA2	HW/SW CallMgr 5.1 7835-H2 Appliance, 0 Seats
MCS7835H2-K9-CMA2D	Unified CM 5.1 7835-H2 Appliance, 0 Seats. 146GB HD
MCS7835H2-K9-CMB1	Unified CM 6.0 7835-H2 Appliance, 0 Seats
MCS7835H2-K9-CMB1D	Unified CM 6.0 7835-H2 Appliance, 0 Seats. 146GB HD
MCS7835H2-K9-CMB2	Unified CM 6.1 7835-H2 Appliance, 0 Seats
MCS7835H2-K9-CMB2D	Unified CM 6.1 7835-H2 Appliance, 0 Seats. 146GB HD
MCS7835H2-K9-CMC1	HW/SW MCS 7835-H2 Unified CM 7.0 Appliance
MCS7835H2-K9-CMC2	Unified CM 7.1 7835-H2 Appliance, 0 Seats
MCS-7835H-3.0-IPC1	HW Only MCS 7835H-3000 With Xeon 3.06, 1GB RAM,2-36GB SCSI
MCS7835H3.0IPC1-RF	HW ONLY MCS7835H-3000,Xeon 3.06,1GB,2-36GB SCSI REFURBISHED
MCS-7835-I1-IPC1	^HW Only MCS-7835-I1 with 2048MB RAM and Two 72GB SCSI HD
MCS7835I1-K9-CM50	^HW/SW Unified CallMgr 5.0 7835-I1 Appliance, 0 Seats
MCS7835I1-K9-CMA2	HW/SW CallMgr 5.1 7835-I1 Appliance, 0 Seats
MCS-7835I-2.4-36=	Spare 36GB Ultra SCSI Hot Plug Drive for MCS 7835I-2400
MCS-7835I-2.4-EVV1	HW Only MCS 7835I-2400 With P4 2.4, 1GB RAM, 2-36.4GB SCSI
MCS-7835-I2-IPC1	HW Only MCS-7835-I2 with 2GB RAM and Two 72GB SAS HD
MCS-7835-I2-IPC2	HW Only MCS-7835-I2 with 2GB RAM and Two 146GB SAS HD
MCS7835I2-K9-CM50	^HW/SW CallMgr 5.0 7835-I2 Appliance, 0 Seats
MCS7835I2-K9-CMA1	^HW/SW Unified CallMgr 5.0 7835-I2 Appliance, 0 Seats
MCS7835I2-K9-CMA2	HW/SW CallMgr 5.1 7835-I2 Appliance, 0 Seats
MCS7835I2-K9-CMA2D	Unified CM 5.1 7835-I2 Appliance, 0 Seats. 146GB HD
MCS7835I2-K9-CMB1	Unified CM 6.0 7835-I2 Appliance, 0 Seats
MCS7835I2-K9-CMB1D	Unified CM 6.0 7835-I2 Appliance, 0 Seats. 146GB HD
MCS7835I2-K9-CMB2	Unified CM 6.1 7835-I2 Appliance, 0 Seats
MCS7835I2-K9-CMB2D	Unified CM 6.1 7835-I2 Appliance, 0 Seats. 146GB HD
MCS7835I2-K9-CMC1	HW/SW MCS 7835-I2 Unified CM 7.0 Appliance
MCS7835I2-K9-CMC2	Unified CM 7.1 7835-I2 Appliance, 0 Seats
MCS-7835I-3.0-IPC1	HW Only MCS 7835I-3000 With Xeon 3.06, 1GB RAM,2-36GB SCSI
MCS-7835-NTD	^MCS-7835 Server (w/o Tape Drive) Does NOT include Software!
MCS-7835-NTD=	^MCS 7835 Server Spare (without Tape Drive)
MCS-7835-TD	^MCS-7835 Server (with Tape Drive) Does NOT include Software!
MCS-7845-1400-CH1	^Media Convergence Server and CallManager 3.1
MCS-7845-1400-CH2	Media Convergence Server 7845-1400 and CallManager 3.2
MCS-7845-1400-HW	^MCS-7845-1400 Server
MCS-7845-H1-IPC1	^HW Only MCS-7845-H1 with 4096MB RAM and Four 72GB SCSI HD
MCS7845H1-K9-CM50	^HW/SW Unified CallMgr 5.0 7845-H1 Appliance
MCS7845H1-K9-CMA2	HW/SW CallMgr 5.1 7845-H1 Appliance, 0 Seats
MCS-7845H-2.4-72=	Spare 72GB Ultra SCSI Hot Plug Drive for MCS 7845H-2400
MCS-7845H-2.4-EVV1	HW Only MCS 7845H-2400 Dual P4 2.4, 4GB RAM, 4-72GB SCSI
MCS-7845-H2-IPC1	HW Only MCS-7845-H2 with 4GB RAM and Four 72GB SAS HD
MCS-7845-H2-IPC2	HW Only MCS-7845-H2 with 4GB RAM and Four 146GB SAS HD
MCS7845H2-K9-CM50	^HW/SW CallMgr 5.0 7845-H2 Appliance, 0 Seats
MCS7845H2-K9-CMA1	^HW/SW Unified CallMgr 5.0 7845-H2 Appliance, 0 Seats
MCS7845H2-K9-CMA2	HW/SW CallMgr 5.1 7845-H2 Appliance, 0 Seats
MCS7845H2-K9-CMA2D	Unified CM 5.1 7845-H2 Appliance, 0 Seats. 146GB HD
MCS7845H2-K9-CMB1	Unified CM 6.0 7845-H2 Appliance, 0 Seats
MCS7845H2-K9-CMB1D	Unified CM 5.1 7845-H2 Appliance, 0 Seats. 146GB HD
MCS7845H2-K9-CMB2	Unified CM 6.1 7845-H2 Appliance, 0 Seats
MCS7845H2-K9-CMB2D	Unified CM 6.1 7845-H2 Appliance, 0 Seats. 146GB HD
MCS7845H2-K9-CMC1	HW/SW MCS 7845-H2 Unified CM 7.0 Appliance
MCS7845H2-K9-CMC2	Unified CM 7.1 7845-H2 Appliance, 0 Seats
MCS-7845H-3.0-IPC1	HW Only MCS 7845H-3000 Dual Xeon 3.06, 4GB RAM,4-72GB SCSI
MCS7845H3.0IPC1-RF	HW ONLY MCS 7845H,Dual Xeon 3.06,4GB,4-72GB SCSI REFURBISHED
MCS-7845-I1-IPC1	^HW Only MCS-7845-I1 with 4096MB RAM and Four 72GB SCSI HD

Product ID: Call Control	Product Description
MCS784511-K9-CM50	^HW/SW Unified CallMgr 5.0 7845-I1 Appliance
MCS784511-K9-CMA2	^HW/SW CallMgr 5.1 7845-I1 Appliance, 0 Seats
MCS-7845-I2-IPC1	HW Only MCS-7845-I2 with 4GB RAM and Four 72GB SAS HD
MCS-7845-I2-IPC2	HW Only MCS-7845-I2 with 4GB RAM and Four 146GB SAS HD
MCS784512-K9-CM50	^HW/SW CallMgr 5.0 7845-I2 Appliance, 0 Seats
MCS784512-K9-CMA1	^HW/SW Unified CallMgr 5.0 7845-I2 Appliance, 0 Seats
MCS784512-K9-CMA2	HW/SW CallMgr 5.1 7845-I2 Appliance, 0 Seats
MCS784512-K9-CMA2D	Unified CM 5.1 7845-H2 Appliance, 0 Seats. 146GB HD
MCS784512-K9-CMB1	Unified CM 6.0 7845-I2 Appliance, 0 Seats
MCS784512-K9-CMB1D	Unified CM 6.0 7845-H2 Appliance, 0 Seats. 146GB HD
MCS784512-K9-CMB2	Unified CM 6.1 7845-I2 Appliance, 0 Seats
MCS784512-K9-CMB2D	Unified CM 6.1 7845-H2 Appliance, 0 Seats. 146GB HD
MCS784512-K9-CMC1	HW/SW MCS 7845-I2 Unified CM 7.0 Appliance
MCS784512-K9-CMC2	Unified CM 7.1 7845-I2 Appliance, 0 Seats
MCS-REDUNDANT-1	MCS-7815I-2000 Redundancy Bundle Top Level Part Number
MCS-REDUNDANT-3	Top Level - Redundant 7815I-3000 Servers With CCM 4.0
MCS-REDUNDANT-5	Redundant top level for MCS-7815-I1 Bundle
MCS-SPARE-18.2GB=	18.2GB SCSI Ultra 3 10K 1
MCS-SPARE-18GB=	18.2 GB Ultra 2 SCSI Drive Spare for the MCS-7835
MCS-SPARE-72GB=	^72GB HP SCSI Ultra3 Drive for MCS-7845-1400
MCS-STARTERKIT-1	1 MCS-7820, 5 12SP+ IP Phones (Licenses / Pwr Supls incld.)
MCS-STARTERKIT-10	MCS-7825H-3000 with CCM 4.0 and 5-7960G IP Phones Top Level
MCS-STARTERKIT-13	Top Level Part Number For MCS 7825H Bundle
MCS-STARTERKIT-3	MCS 7822, Five 7960 IP Phones, and Five Power Cubes / Cords
MCS-STARTERKIT-4	MCS 7825-800, (5)7960 IP Phones, and (5)Power Cubes / Cords
MCS-STARTERKIT-5	^MCS-7825-1133, (5)7960 IP Phones, (5)Power Cubes/Cords
MCS-STARTERKIT-7	MCS-7815I-2000 with CallManager and 5-7960G IP Phones
MCS-STARTERKIT-8	^MCS-7825H-3000 with 5-7960G IP Phones and Pwr/Cubes/Cords
MEM-7815-1000-512=	^MCS-7815-1000 Spare 512MB SDRAM
MEM-7815-I1-1GB=	Spare 1GB DIMM For MCS-7815-I1
MEM-7815-I1-512=	^Spare 512MB DIMM For MCS-7815-I1
MEM-7815I-2.0-512=	Spare 512MB SDRAM - MCS 7815I-2000
MEM-7815-I2-2GB=	Spare 2x1GB DIMMs For MCS 7815-I2 server
MEM-7815I-3.0-512=	Spare 512MB DIMM For MCS-7815I-3000
MEM-7816-H3-1GB=	Spare 1GB DIMM For MCS-7816-H3
MEM-7816-I3-2GB=	Spare Two 1GB DIMM For MCS-7816-I3
MEM-7825-H1-1GB=	Spare 1GB DIMM for MCS-7825-H1
MEM-7825-H1-512=	^Spare 512MB DIMM For MCS-7825-H1
MEM-7825-H2-1GB=	Spare 1GB DIMM For Cisco MCS 7825-H2 server
MEM-7825H-2.2-256=	Spare 256MB SDRAM - MCS 7825H-2266
MEM-7825H-2.2-512=	Spare 512MB SDRAM - MCS 7825H-2266
MEM-7825-H3-1GB=	Spare 1GB DIMM For MCS-7825-H3
MEM-7825-I1-1GB=	Spare Pair 1GB DIMM For MCS-7825-I1
MEM-7825-I1-512=	^Spare 512MB DIMM For MCS-7825-I1
MEM-7825-I2-2GB=	Spare 2x1GB DIMMs For MCS 7825-I2 server
MEM-7825I-3.0-512=	Spare, 512MB DIMM For MCS-7825I-3000
MEM-7825-I3-2GB=	Spare Two 1GB DIMM For MCS-7825-I3
MEM-7828-H3-1GB=	Spare 1GB DIMM For MCS-7828-H3
MEM-7828-H3-2GB=	Spare 2GB DIMM For MCS-7828-H3
MEM-7828-I3-2GB=	Spare Two 1GB DIMM For MCS-7828-I3
MEM-7828-I3-4GB=	Spare Two 2GB DIMM For MCS-7828-I3
MEM-7830-256-100=	^256MB SDRAM (100MHz) For MCS-7830
MEM-7835-1266-512=	^Spare 512 MB Memory for MCS-7835-1266
MEM-7835-256-133=	^256MB SDRAM (133MHz) For MCS-7835-1000,MCS-7825-800 and -1133
MEM-7835-512-133=	^512MB SDRAM (133MHz) For MCS-7835-1000,MCS-7825-800 and -1133
MEM-7835-H1-1GB=	Spare 1GB DIMM For MCS-7835-H1
MEM-7835-H2-1GB=	Spare 1GB DIMM For MCS-7835-H2
MEM-7835H-2.4-256=	Spare 256MB SDRAM - MCS 7835H-2400/7845H-2400
MEM-7835H-2.4-512=	Spare 512MB SDRAM DIMM for MCS 7835H-2400, MCS 7845H-2400
MEM-7835-I1-1GB=	Spare Pair 1GB DIMM For MCS-7835-I1
MEM-7835-I2-2GB=	Spare 2x1GB DIMM For MCS-7835-I2
MEM-7835I-2.4-512=	Spare 512MB SDRAM - MCS 7835I-2400
MEM-7845-H1-1GB=	Spare 1GB DIMM For MCS-7845-H1
MEM-7845-H2-1GB=	Spare 1GB DIMM For MCS-7845-H2
MEM-7845H-2.4-1GB=	Spare 1GB SDRAM DIMM for MCS 7845H-2400

Product ID: Call Control	Product Description
MEM-7845-I1-1GB=	Spare Pair 1GB DIMM For MCS-7845-I1
MEM-7845-I2-2GB=	Spare 2x1GB DIMM For MCS-7845-I2
METREOS-MCE2400	Metreos-CUAE-MCE2400 Server
MID-MKT-IPC-C	3-Server, CCM 100 User Redundant, Unity VM 25 User Bundle
MID-MKT-IPC-C1	No longer orderable as of 1/31/05
MID-MKT-IPC-K9-C	No longer orderable as of 1/31/05
MOH-USB-AUDIO=	Music On Hold USB Audio Adapter
PWR-7835-H1=	Spare Hot Swap Pwr Supply For MCS-7835-H1
PWR-7835-H2=	Spare Power Supply for MCS-7835-H2 Server
PWR-7835-I1=	Spare Hot Swap Pwr Supply For MCS-7835-I1
PWR-7835-I2=	Spare Power Supply For MCS-7835-I2
PWR-7845-H1=	Spare Hot Swap Pwr Supply For MCS-7845-H1
PWR-7845-H2=	Spare Power Supply for MCS-7845-H2 Server
PWR-7845-I1=	Spare Hot Swap Pwr Supply For MCS-7845-I1
PWR-7845-I2=	Spare Power Supply For MCS-7845-I2
RAIL-7815-I1=	Rail Kit To Rack Mount MCS 7815-I1
RAIL-7815-I2=	Rail Kit to Rack Mount MCS 7815-I2
RAIL-7815I-3.0=	Spare, Rail Kit For MCS-7815-3000 Server
SERVER_ADJ_PROD	SERVER_ADJ_PROD
SERVER_CREDIT_ADJ	SERVER_CREDIT_ADJ
SERVER_OTHER_ADJ	SERVER_OTHER_ADJ
SPCTRX-MW200000002	Citrix S+ Application Gateway
SPCTRX-MW200000003	Citrix S+ Cisco IPT Driver
UAE-S-7816-H3	HW Cisco Unified Application Environment 7816-H3 System
UAE-S-7816-I3	HW Cisco Unified Application Environment 7816-I3 System
UAE-S-7825-H3	HW Cisco Unified Application Environment 7825-H3 System
UAE-S-7825-I3	HW Cisco Unified Application Environment 7825-I3 System
UAE-S-7835-H2	HW Cisco Unified Application Environment 7835-H2 System
UAE-S-7835-I2	HW Cisco Unified Application Environment 7835-I2 System
UAE-S-7845-H2	HW Cisco Unified Application Environment 7845-H2 System
UAE-S-7845-I2	HW Cisco Unified Application Environment 7845-I2 System
USB-SERIAL-CA=	USB Serial Cable to Connect To Legacy VM Via SMDI
SP-ARC-ENP-ATT-CON	SolutionsPlus ARC Enterprise PC Attendant Console
SP-ARC-ENP-WL100	SolutionsPlus ARC Enterprise Whisper License for 100 users
SP-ARC-ENP-WL1000	SolutionsPlus ARC Enterprise Whisper License for 1000 users
SP-ATLAS-I128SYS=	Atlas I128SYS Ceiling Tile IP Speaker
SP-ATLAS-I8S=	I8S Indoor IP Speaker
SP-ATLAS-I8SC=	Atlas I8SC Indoor IP Speaker w/Cik
SP-ATLAS-IHVP=	Atlas IHVP Outdoor, Vandal Resistant IP Speaker
SP-ATLAS-IPS-ZC1=	Atlas IPS-ZC1 Zone Controller
SP-ATLAS-SEA-I8S=	Atlas SEA-I8S Straight indoor enclosure
SP-ATLAS-SEA-I8SC=	Atlas SEA-I8SC Straight, indoor w/clock enclosure
SP-ATLAS-SEST-IH=	Atlas SEST-IH Straight outdoor enclosure
SP-BEACON-100UL	Radiana Beacon Office 100 User Licenses
SP-BEACON-10UL	Radiana Beacon Office 10 User Licenses
SP-BEACON-FOR-CUAE	Radiana Beacon Office for CUAE
SP-BERBEE-1000=	Solutions Plus Berbee Audio and Text Broadcast-1000 Users
SP-BERBEE-250=	Solutions Plus Berbee Audio and Text Broadcast-250 Users
SP-BERBEE-50=	Solutions Plus Audio And Text Broadcast - 50 Users
SP-GLD-PW-FOR-CUAE	SolutionsPlus Gold Password Reset for CUAE
SP-PRODUCTS-TERMS	Buyer Acceptance of SolutionsPlus Terms and Conditions
CALLMANAGER-3.2	CallManager 3.2 Top Level Part Number
CALLMANAGER-3.3	CallManager 3.3 Top Level Part Number
CALLMANAGER-4.0	CallManager 4.0 Top Level Part Number
CALLMANAGER-4.1	CallManager 4.1 Top Level Part Number
CCC-1.2	Cisco Conference Connection Top Level Part Number
CC-REBATES	Rebates
CER-1.1	^Cisco Emergency Responder 1.1 Top Level Part Number
CER-1.2	^Top level part number used to aid in ordering CER 1.2
CM3.3-320G4=	^SW Only, CallManager 3.3 For HP DL320-G4
CM3.3-320G4-1=	^SW Only, CallManager 3.3 For HP DL320-G4
CM3.3-320G5=	^SW Only, CallManager 3.3 for HP DL320-G5
CM3.3-3250=	^SW Only, CallManager 3.3 for IBM x3250=
CM3.3-380G4=	^SW Only, CallManager 3.3 For HP DL380-G4 /1CPU
CM3.3-380G4D=	^SW Only, CallManager 3.3 For HP DL380-G4 /2CPU

Product ID: Call Control	Product Description
CM3.3-380G5=	^SW Only, CallManager 3.3 For HP DL380-G5 /1CPU
CM3.3-380G5D=	^SW Only, CallManager 3.3 For HP DL380-G5 /2CPU
CM3.3-7815I2-1=	^SW Only, CallManager 3.3 For MCS 7815-I2, 300 User
CM3.3-7815I2S=	^SW Only, CallMgr 3.3 For MCS-7815-I2 / MCS-7815-I1, 100 Usr
CM3.3-7815I2S-1=	^SW Only, CallManager 3.3 For MCS 7815-I2, 100 User
CM3.3-7825-H1=	^SW CallMgr 3.3 For MCS-7825-H1
CM3.3-7825H2=	^SW Only, CallMgr 3.3 For MCS-7825-H2 / MCS-7825-H1
CM3.3-7825H2-1=	^SW Only, CallManager 3.3 For MCS 7825-H2
CM3.3-7825H3=	^SW Only, CallManager 3.3 For MCS 7825-H3
CM3.3-7825I2=	^SW Only, CallMgr 3.3 For MCS-7825-I2 / MCS-7825-I1
CM3.3-7825I2-1=	^SW Only, CallManager 3.3 For MCS 7825-I2
CM3.3-7825I3=	^SW Only, CallManager 3.3 For MCS 7825-I3
CM3.3-7835H1=	^SW Only, CallManager 3.3 For MCS 7835-H1
CM3.3-7835H2=	^SW Only, CallManager 3.3 For MCS 7835-H2
CM3.3-7835I1=	^SW Only, CallManager 3.3 For MCS 7835-I1
CM3.3-7835I2=	^SW Only, CallManager 3.3 For MCS 7835-I2
CM3.3-7845H1=	^SW Only, CallManager 3.3 For MCS 7845-H1
CM3.3-7845H2=	^SW Only, CallManager 3.3 For MCS 7845-H2
CM3.3-7845I1=	^SW Only, CallManager 3.3 For MCS 7845-I1
CM3.3-7845I2=	^SW Only, CallManager 3.3 For MCS 7845-I2
CM3.3-X306M-1=	^SW Only, CallManager 3.3 For IBM X306M, 8849-K2Y
CM3.3-X3650=	^SW Only, CallManager 3.3 For IBM X3650 7979-5AY /1CPU
CM3.3-X3650D=	^SW Only, CallManager 3.3 For IBM X3650 7979-5AY /2CPU
CM4.0-4.1-K9-SUP=	SW CallMgr 4.0 Upgrade To 4.1 For SMARTnet
CM4.0-4.1-K9-UPG=	SW CallMgr 4.0 to 4.1(3) Upgrade For SASU
CM4.0-4.1-U-K9=	SW CallMgr 4.0 To 4.1 Upgd, All Supported Servers
CM4.0-4.2-K9-SUP=	CallManager 4.0 Upgrade To 4.2 For SMARTnet
CM4.0-4.2-K9-UPG=	CallManager 4.0 Upgrade To 4.2 For SASU
CM4.0-4.2-U-K9=	SW CallMgr 4.0 to 4.2 Upgd, All supported servers
CM4.0-K9-320G4-1	SW Only, CallManager 4.0 For HP DL320-G4
CM4.0-K9-320G5	SW Only, Unified CallMgr 4.0, HP DL320-G5, 1000 User
CM4.0-K9-380G4-1	SW Only, Unified CallMgr 4.0 For HP DL380-G4 /1CPU
CM4.0-K9-380G4-1D	SW Only, Unified CallMgr 4.0 For HP DL380-G4 /2CPU
CM4.0-K9-380G5-1	SW Only, Unified CallMgr 4.0, HP DL380-G5 1CPU, 2500 User
CM4.0-K9-380G5D-1	SW Only, Unified CallMgr 4.0, HP DL380-G5 2CPU, 5000 User
CM4.0-K9-7815=	^SW CallMgr 4.0, MCS 7815
CM4.0-K9-7815-I2	SW Only, CallMgr 4.0 For MCS-7815-I2 / MCS-7815-I1, 300 Usr
CM4.0-K9-7815I2-1	SW Only, CallManager 4.0 For MCS 7815-I2, 300 User
CM4.0-K9-7815I2S-1	SW Only, CallManager 4.0 For MCS 7815-I2, 100 User
CM4.0-K9-7815-I2SE	SW Only, CallMgr 4.0 For MCS-7815-I2 / MCS-7815-I1, 100 Usr
CM4.0-K9-7815R=	^SW CallMgr 4.0, Redundant MCS-7815
CM4.0-K9-7815SE	^SW CallMgr 4.0, MCS-7815, 100 Svr Usr Lic
CM4.0-K9-7815SE=	^SW CallMgr 4.0, MCS-7815, 100 Svr Usr Lic
CM4.0-K9-7825=	^SW CallMgr 4.0, MCS-7825H-3.0 and MCS-7825I-3.0
CM4.0-K9-7825-H1=	^SW CallMgr 4.0 For MCS-7825-H1
CM4.0-K9-7825-H2	SW Only, CallMgr 4.0 For MCS-7825-H2 / MCS-7825-H1
CM4.0-K9-7825H2-1	SW Only, CallManager 4.0 For MCS 7825-H2
CM4.0-K9-7825-H3	SW Only, Unified CallMgr 4.0 For MCS 7825-H3, 1000 User
CM4.0-K9-7825-I1=	^SW CallMgr 4.0 For MCS-7825-I1
CM4.0-K9-7825-I2	SW Only, CallMgr 4.0 For MCS-7825-I2 / MCS-7825-I1
CM4.0-K9-7825I2-1	SW Only, CallManager 4.0 For MCS 7825-I2
CM4.0-K9-7825-I3	SW Only, Unified CallMgr 4.0 For MCS 7825-I3, 1000 User
CM4.0-K9-7825SE	^SW CallMgr 4.0, MCS 7825, 100 Svr Usr Lic Mid-MKt Bndl Only
CM4.0-K9-7835=	^SW CallMgr 4.0, MCS 7835
CM4.0-K9-7835H1	SW Only, Unified CallMgr 4.0 For MCS 7835-H1
CM4.0-K9-7835-H2	SW Only, CallMgr 4.0 For MCS-7835-H2 / MCS-7835-H1
CM4.0-K9-7835H2-1	SW Only, Unified CallMgr 4.0 For MCS 7835-H2, 2500 User
CM4.0-K9-7835I1	SW Only, Unified CallMgr 4.0 For MCS 7835-I1
CM4.0-K9-7835I2-1	SW Only, Unified CallMgr 4.0 For MCS 7835-I2, 2500 User
CM4.0-K9-7845=	^SW CallMgr 4.0, MCS 7845
CM4.0-K9-7845H1	SW Only, Unified CallMgr 4.0 For MCS 7845-H1
CM4.0-K9-7845-H2	SW Only, CallMgr 4.0 For MCS-7845-H2 / MCS-7845-H1
CM4.0-K9-7845H2-1	SW Only, Unified CallMgr 4.0 For MCS 7845-H2, 5000 User
CM4.0-K9-7845I1	SW Only, Unified CallMgr 4.0 For MCS 7845-I1
CM4.0-K9-7845I2-1	SW Only, Unified CallMgr 4.0 For MCS 7845-I2, 5000 User

Product ID: Call Control	Product Description
CM4.0-K9-DL320=	^SW CallMgr 4.0, HP DL320
CM4.0-K9-DL320-1=	^SW CallMgr 4.0, HP DL320-G3, 1000 Svr Usr Lic
CM4.0-K9-DL320G4	SW Only, CallManager 4.0 For HP DL320-G4
CM4.0-K9-DL380=	^SW CallMgr 4.0, HP DL380, 1CPU
CM4.0-K9-DL380D=	^SW CallMgr 4.0, HP DL380, 2CPU
CM4.0-K9-DL380G5	SW Only, CallManager 4.0 For HP DL380-G5 /1CPU
CM4.0-K9-DL380G5D	SW Only, CallManager 4.0 For HP DL380-G5 /2CPU
CM4.0-K9-MIG0=	^SW CallMgr 4.0 Migration 7815SE to 7815SE
CM4.0-K9-MIG1=	^SW CallMgr 4.0 Migration 7815 to 7815
CM4.0-K9-MIG10=	^SW CallMgr 4.0 Migration 7815 to 7835
CM4.0-K9-MIG11=	^SW CallMgr 4.0 Migration 7815 to 7845
CM4.0-K9-MIG12=	^SW CallMgr 4.0 Migration 7825 to 7835
CM4.0-K9-MIG13=	^SW CallMgr 4.0 Migration 7825 to 7845
CM4.0-K9-MIG14=	^SW CallMgr 4.0 Migration 7835 to 7845
CM4.0-K9-MIG2=	^SW CallMgr 4.0 Migration 7825 to 7825
CM4.0-K9-MIG3=	^SW CallMgr 4.0 Migration 7835 to 7835
CM4.0-K9-MIG4=	^SW CallMgr 4.0 Migration 7845 to 7845
CM4.0-K9-MIG5=	^SW CallMgr 4.0 Migration 7815SE to 7815
CM4.0-K9-MIG6=	^SW CallMgr 4.0 Migration 7815SE to 7825
CM4.0-K9-MIG7=	^SW CallMgr 4.0 Migration 7815SE to 7835
CM4.0-K9-MIG9=	^SW CallMgr 4.0 Migration 7815 to 7825
CM4.0-K9-NFR=	^CallManager 4.0 New Install And Upgrade, Not For Resale
CM4.0-K9-NFR-1	^SW CallManager 4.0 New Install And Upgrade, Not For Resale
CM4.0-K9-SUP=	SW CallMgr 4.0(2a) New Install And Upgrade, SMARTnet
CM4.0-K9-UPG=	SW CallMgr 4.0(2a) New Install and Upgrade, SASU
CM4.0-K9-X206=	^SW CallMgr 4.0 new install for IBM x206 server, 300 Svr Usr Lic
CM4.0-K9-X306=	^SW CallMgr 4.0 for IBM x306
CM4.0-K9-X306-1=	^SW CallMgr 4.0 for IBM x306 3.4GHz server, 1000 Svr Usr Lic
CM4.0-K9-X306M	SW Only, CallManager 4.0 For IBM X306M
CM4.0-K9-X306M-1	SW Only, CallManager 4.0 For IBM X306M, 8849-K2Y
CM4.0-K9-X3250	SW Only, Unified CallMgr 4.0 For IBM x3250, 1000 User
CM4.0-K9-X345=	^SW CallMgr 4.0, IBM X345, 1CPU
CM4.0-K9-X345D=	^SW CallMgr 4.0, IBM X345, 2CPU
CM4.0-K9-X346=	^SW CallMgr 4.0, IBM X346, 1CPU
CM4.0-K9-X346-1	SW Only, Unified CallMgr 4.0 For IBM X346, 8840-3RY /1CPU
CM4.0-K9-X346D=	^SW CallMgr 4.0, IBM X346, 2CPU
CM4.0-K9-X3650	SW Only, CallManager 4.0 For IBM X3650 7979-5AY /1CPU
CM4.0-K9-X3650-1	SW Only, Unified CallMgr 4.0 For IBM x3650 1CPU, 2500 User
CM4.0-K9-X3650D	SW Only, CallManager 4.0 For IBM X3650 7979-5AY /2CPU
CM4.0-K9-X3650D-1	SW Only, Unified CallMgr 4.0 For IBM x3650 2CPU, 5000 User
CM4.1-4.2-K9-SUP=	CallManager 4.1 Upgrade To 4.2 For SMARTnet
CM4.1-4.2-K9-UPG=	CallManager 4.1 Upgrade To 4.2 For SASU
CM4.1-4.2-U-K9=	SW CallMgr 4.1 to 4.2 Upgd, All supported servers
CM4.1-K9-2850D	SW CallMgr 4.1 Dell PE2850, 2CPU, 5000 Svr Usr Lic
CM4.1-K9-2950D-1	SW Only, Unified CallMgr 4.1 For Dell PE 2950 /2CPU
CM4.1-K9-320G4-1	SW Only, CallManager 4.1 For HP DL320-G4
CM4.1-K9-320G5	SW Only, Unified CallMgr 4.1 For HP DL320-G5, 1000 User
CM4.1-K9-380G4	SW Only, Unified CallMgr 4.1 For HP DL380-G4 /1CPU
CM4.1-K9-380G4D	SW Only, Unified CallMgr 4.1 For HP DL380-G4 /2CPU
CM4.1-K9-380G5-1	SW Only, Unified CallMgr 4.1, HP DL380-G5 1CPU, 2500 User
CM4.1-K9-380G5D-1	SW Only, Unified CallMgr 4.1, HP DL380-G5 2CPU, 5000 User
CM4.1-K9-7815	^SW CallMgr 4.1, MCS-7815
CM4.1-K9-7815=	^SW CallMgr 4.1, MCS 7815
CM4.1-K9-7815COM	For use in Commercial bundle with multiple applications
CM4.1-K9-7815-I2	SW Only, CallMgr 4.1 For MCS 7815-I2 / MCS-7815-I1, 300 Usr
CM4.1-K9-7815I2-1	SW Only, CallManager 4.1 For MCS 7815-I2, 300 User
CM4.1-K9-7815I2S-1	SW Only, CallManager 4.1 For MCS 7815-I2, 100 User
CM4.1-K9-7815-I2SE	SW Only, CallMgr 4.1 For MCS 7815-I2 / MCS-7815-I1, 100 Usr
CM4.1-K9-7815R	^SW CallMgr 4.1, Redundant MCS-7815
CM4.1-K9-7815R=	^SW CallMgr 4.1, Redundant MCS-7815
CM4.1-K9-7815SE	^SW CallMgr 4.1, MCS-7815, 100 Svr Usr Lic
CM4.1-K9-7815SE=	^SW CallMgr 4.1, MCS-7815, 100 Svr Usr Lic
CM4.1-K9-7815SE1	^SW CallMgr 4.1, MCS-7815, 100 Svr Usr Lic
CM4.1-K9-7825	^SW CallMgr 4.1, MCS-7825H-3.0 or MCS-7825I-3.0
CM4.1-K9-7825=	SW CallMgr 4.1, MCS-7825H-3.0 or MCS-7825I-3.0

Product ID: Call Control	Product Description
CM4.1-K9-7825-H1	^SW CallMgr 4.1 For MCS-7825-H1
CM4.1-K9-7825-H2	SW Only, CallMgr 4.1 For MCS 7825-H2 / MCS-7825-H1
CM4.1-K9-7825H2-1	SW Only, CallManager 4.1 For MCS 7825-H2
CM4.1-K9-7825-H3	^SW Only, Unified CallMgr 4.1 For MCS 7825-H3, 1000 User
CM4.1-K9-7825-I1	^SW CallMgr 4.1 For MCS-7825-I1
CM4.1-K9-7825-I2	SW Only, CallMgr 4.1 For MCS 7825-I2 / MCS-7825-I1
CM4.1-K9-7825I2-1	SW Only, CallManager 4.1 For MCS 7825-I2
CM4.1-K9-7825-I3	SW Only, Unified CallMgr 4.1 For MCS 7825-I3, 1000 User
CM4.1-K9-7825SE	^SW CallMgr 4.1, MCS-7825, 100 Svr Usr Lic, MM Bundle Only
CM4.1-K9-7835	^SW CallMgr 4.1, MCS-7835
CM4.1-K9-7835=	^SW CallMgr 4.1, MCS 7835
CM4.1-K9-7835H1-1	SW Only, Unified CallMgr 4.1 For MCS 7835-H1
CM4.1-K9-7835-H2	SW Only, CallMgr 4.1 For MCS-7835-H2 / MCS-7835-H1
CM4.1-K9-7835H2-1	^SW Only, Unified CallMgr 4.1 For MCS 7835-H2, 2500 User
CM4.1-K9-7835I1-1	SW Only, Unified CallMgr 4.1 For MCS 7835-I1
CM4.1-K9-7835-I2	SW Only, CallMgr 4.1 For MCS-7835-I2 / MCS-7835-I1
CM4.1-K9-7835I2-1	SW Only, Unified CallMgr 4.1 For MCS 7835-I2, 2500 User
CM4.1-K9-7845	^SW CallMgr 4.1, MCS-7845
CM4.1-K9-7845=	^SW CallMgr 4.1, MCS 7845
CM4.1-K9-7845H1-1	SW Only, Unified CallMgr 4.1 For MCS 7845-H1
CM4.1-K9-7845-H2	SW Only, CallMgr 4.1 For MCS-7845-H2 / MCS-7845-H1
CM4.1-K9-7845H2-1	SW Only, Unified CallMgr 4.1 For MCS 7845-H2, 5000 User
CM4.1-K9-7845I1-1	SW Only, Unified CallMgr 4.1 For MCS 7845-I1
CM4.1-K9-7845-I2	SW Only, CallMgr 4.1 For MCS-7845-I2 / MCS-7845-I1
CM4.1-K9-7845I2-1	SW Only, Unified CallMgr 4.1 For MCS 7845-I2, 5000 User
CM4.1-K9-DL320	^SW CallMgr 4.1, HP DL320, 1000 Svr Usr Lic
CM4.1-K9-DL320=	^SW CallMgr 4.1, HP DL320
CM4.1-K9-DL320-1	^SW CallMgr 4.1, HP DL320-G3, 1000 Svr Usr Lic
CM4.1-K9-DL320G4	SW Only, CallManager 4.1 For HP DL320-G4
CM4.1-K9-DL380	^SW CallMgr 4.1, HP DL380/1CPU, 2500 Svr Usr Lic
CM4.1-K9-DL380=	^SW CallMgr 4.1, HP DL380, 1CPU
CM4.1-K9-DL380D	^SW CallMgr 4.1, HP DL380/2CPU, 5000 Svr Usr Lic
CM4.1-K9-DL380D=	^SW CallMgr 4.1, HP DL380, 2CPU
CM4.1-K9-DL380G5	SW Only, CallManager 4.1 For HP DL380-G5 /1CPU
CM4.1-K9-DL380G5D	SW Only, CallManager 4.1 For HP DL380-G5 /2CPU
CM4.1-K9-MIG0=	SW CallMgr 4.1 Same Server Class Migration
CM4.1-K9-MIG1=	SW CallMgr 4.1 Migration 7815SE to 7815
CM4.1-K9-MIG-10=	SW CallMgr 4.1 Migration 7835 to 7845
CM4.1-K9-MIG2=	SW CallMgr 4.1 Migration 7815SE to 7825
CM4.1-K9-MIG3=	SW CallMgr 4.1 Migration 7815SE to 7835
CM4.1-K9-MIG5=	SW CallMgr 4.1 Migration 7815 to 7825
CM4.1-K9-MIG6=	SW CallMgr 4.1 Migration 7815 to 7835
CM4.1-K9-MIG7=	SW CallMgr 4.1 Migration 7815 to 7845
CM4.1-K9-MIG8=	SW CallMgr 4.1 Migration 7825 to 7835
CM4.1-K9-MIG9=	SW CallMgr 4.1 Migration 7825 to 7845
CM4.1-K9-NFR	SW CallMgr 4.1 New Install And Upgrade, Not For Resale
CM4.1-K9-NFR=	SW CallMgr 4.1 New Install And Upgrade, Not For Resale
CM4.1-K9-NFR-1	SW CallManager 4.1 New Install And Upgrade, Not For Resale
CM4.1-K9-PE2950D	SW Only, CallManager 4.1 For Dell PE 2950 /2CPU
CM4.1-K9-UPG=	SW CallMgr 3.3 To 4.1(3) Upgrade for SASU
CM4.1-K9-X206	^SW CallMgr 4.1 for IBM x206 server, 300 Svr Usr Lic
CM4.1-K9-X206=	^SW CallMgr 4.1new install for IBM x206 server, 300 Svr Usr Lic
CM4.1-K9-X206M	SW Only, CallManager 4.1 For IBM X206M
CM4.1-K9-X306	^SW CallMgr 4.1 for IBM x306 server, 1000 Svr Usr Lic
CM4.1-K9-X306=	^SW CallMgr 4.1 for IBM X306
CM4.1-K9-X306-1	^SW CallMgr 4.1 for IBM x306 3.4GHz server, 1000 Svr Usr Lic
CM4.1-K9-X306M	SW Only, CallManager 4.1 For IBM X306M
CM4.1-K9-X306M-1	SW Only, CallManager 4.1 For IBM X306M, 8849-K2Y
CM4.1-K9-X3250	SW Only, Unified CallMgr 4.1 For IBM x3250, 1000 User
CM4.1-K9-X33650D	SW Only, CallManager 4.1 For IBM X346M, NEED MTM /2CPU
CM4.1-K9-X345=	^SW CallMgr 4.1, IBM X345
CM4.1-K9-X345D=	^SW CallMgr 4.1, IBM X345 2CPU
CM4.1-K9-X346	^SW CallMgr 4.1, IBM X346, 1CPU, 2500 Svr Usr Lic
CM4.1-K9-X346=	^SW CallMgr 4.1, IBM X346, 1CPU
CM4.1-K9-X346D	^SW CallMgr 4.1, IBM X346, 2CPU, 5000 Svr Usr Lic

Product ID: Call Control	Product Description
CM4.1-K9-X346D=	^SW CallMgr 4.1, IBM X346, 2CPU
CM4.1-K9-X346R	SW Only, Unified CallMgr 4.1 For IBM X346, 8840-3RY /1CPU
CM4.1-K9-X346RD	SW Only, Unified CallMgr 4.1 For IBM X346, 8840-3RY /2CPU
CM4.1-K9-X3650	SW Only, CallManager 4.1 For IBM X3650 7979-5AY /1CPU
CM4.1-K9-X3650-1	SW Only, Unified CallMgr 4.1 For IBM x3650 1CPU, 2500 User
CM4.1-K9-X3650D	SW Only, CallManager 4.1 For IBM X3650 7979-5AY /2CPU
CM4.1-K9-X3650D-1	SW Only, Unified CallMgr 4.1 For IBM x3650 2CPU, 5000 User
CM4.1-U-K9-7815=	SW CallMgr 3.x to 4.1 Upgd, MCS-7815, 300 Svr Usr Lic
CM4.1-U-K9-7815SE=	SW CallMgr 3.x to 4.1 Upgd, MCS-7815, 100 Svr Usr Lic
CM4.1-U-K9-7825=	SW CallMgr 3.x to 4.1 Upgd, MCS-7825, 1000 Svr Usr Lic
CM4.1-U-K9-7825SE=	SW CallMgr 3.x to 4.1 Upgd, MCS-7825, 100 Svr Usr Lic
CM4.1-U-K9-7835=	SW CallMgr 3.x to 4.1 Upgd, MCS-7835, 2500 Svr Usr Lic
CM4.1-U-K9-7845=	SW CallMgr 3.x to 4.1 Upgd, MCS-7845, 5000 Svr Usr Lic
CM4.1-U-K9-DL320=	SW CallMgr 3.x to 4.1 Upgd, HP DL320, 1000 Svr Usr Lic
CM4.1-U-K9-DL380=	SW CallMgr 3.x to 4.1 Upgd, HP DL380/1CPU, 2500 Svr Usr Lic
CM4.1-U-K9-DL380D=	SW CallMgr 3.x to 4.1 Upgd, HP DL380/2CPU, 5000 Svr Usr Lic
CM4.1-U-K9-X206=	SW CallMgr 3.3 to 4.1, Upgrade for IBM X206, 300 Svr Usr Lic
CM4.1-U-K9-X306=	SW CallMgr 3.x to 4.1 Upgd, IBM X306, 1000 Svr Usr Lic
CM4.1-U-K9-X345=	SW CallMgr 3.x to 4.1 Upgd, IBM X345, 2500 Svr Usr Lic
CM4.1-U-K9-X345D=	SW CallMgr 3.x to 4.1 Upgd, IBM X345/2CPU, 5000 Svr Usr Lic
CM4.1-U-K9-X346=	SW CallMgr 3.x to 4.1 Upgd, IBM X346/1CPU, 2500 Svr Usr Lic
CM4.1-U-K9-X346D=	SW CallMgr 3.x to 4.1 Upgd, IBM X346/2CPU, 5000 Svr Usr Lic
CM4.2-K9-2950D-1	SW Only, Unified CallMgr 4.2 For Dell PE 2950 /2CPU
CM4.2-K9-320G4-1	SW Only, CallManager 4.2 For HP DL320-G4
CM4.2-K9-320G5	SW Only, Unified CallMgr 4.2 For HP DL320-G5, 1000 User
CM4.2-K9-380G4	SW Only, Unified CallMgr 4.2 For HP DL380-G4 /1CPU
CM4.2-K9-380G4D	SW Only, Unified CallMgr 4.2 For HP DL380-G4 /2CPU
CM4.2-K9-380G5-1	SW Only, Unified CallMgr 4.2 For HP DL380-G5 1CPU, 2500 User
CM4.2-K9-380G5D-1	SW Only, Unified CallMgr 4.2 For HP DL380-G5 2CPU, 5000 User
CM4.2-K9-7815-I1	^SW CallMgr 4.2, For MCS-7815-I1, 300 Svr Usr Lic
CM4.2-K9-7815-I2	SW Only, CallMgr 4.2 For MCS-7815-I2 / MCS-7815-I1, 300 Usr
CM4.2-K9-7815I2-1	SW Only, CallManager 4.2 For MCS 7815-I2, 300 User
CM4.2-K9-7815-I2P	SW Only, CallManager 4.2 For MCS 7815-I2, 300 User Comm-Bdl
CM4.2-K9-7815I2S-1	SW Only, CallManager 4.2 For MCS 7815-I2, 100 User
CM4.2-K9-7815-I2SE	SW Only, CallMgr 4.2 For MCS-7815-I2 / MCS-7815-I1, 100 Usr
CM4.2-K9-7815SE	^SW CallMgr 4.2, For MCS-7815-I1, 100 Svr Usr Lic
CM4.2-K9-7825-H1	^SW CallMgr 4.2, For MCS-7825-H1
CM4.2-K9-7825-H2	SW Only, CallMgr 4.2 For MCS-7825-H2 / MCS-7825-H1
CM4.2-K9-7825H2-1	SW Only, CallManager 4.2 For MCS 7825-H2
CM4.2-K9-7825-H3	^SW Only, Unified CallMgr 4.2 For MCS 7825-H3, 1000 User
CM4.2-K9-7825-I1	^SW CallMgr 4.2, For MCS-7825-I1
CM4.2-K9-7825-I2	SW Only, CallMgr 4.2 For MCS-7825-I2 / MCS-7825-I1
CM4.2-K9-7825I2-1	SW Only, CallManager 4.2 For MCS 7825-I2
CM4.2-K9-7825-I3	SW Only, Unified CallMgr 4.2 For MCS 7825-I3, 1000 User
CM4.2-K9-7835-H1	^SW CallMgr 4.2, For MCS-7835-H1
CM4.2-K9-7835H1-1	SW Only, Unified CallMgr 4.2 For MCS 7835-H1
CM4.2-K9-7835-H2	SW Only, CallMgr 4.2 For MCS-7835-H2 / MCS-7835-H1
CM4.2-K9-7835H2-1	SW Only, Unified CallMgr 4.2 For MCS 7835-H2, 2500 User
CM4.2-K9-7835-I1	^SW CallMgr 4.2, For MCS-7835-I1
CM4.2-K9-7835I1-1	SW Only, Unified CallMgr 4.2 For MCS 7835-I1
CM4.2-K9-7835-I2	SW Only, CallMgr 4.2 For MCS-7835-I2 / MCS-7835-I1
CM4.2-K9-7835I2-1	SW Only, Unified CallMgr 4.2 For MCS 7835-I2, 2500 User
CM4.2-K9-7845-H1	^SW CallMgr 4.2, For MCS-7845-H1
CM4.2-K9-7845H1-1	SW Only, Unified CallMgr 4.2 For MCS 7845-H1
CM4.2-K9-7845-H2	SW Only, CallMgr 4.2 For MCS-7845-H2 / MCS-7845-H1
CM4.2-K9-7845H2-1	^SW Only, Unified CallMgr 4.2 For MCS 7845-H2, 5000 User
CM4.2-K9-7845-I1	^SW CallMgr 4.2, For MCS-7845-I1
CM4.2-K9-7845I1-1	SW Only, Unified CallMgr 4.2 For MCS 7845-I1
CM4.2-K9-7845-I2	SW Only, CallMgr 4.2 For MCS-7845-I2 / MCS-7845-I1
CM4.2-K9-7845I2-1	SW Only, Unified CallMgr 4.2 For MCS 7845-I2, 5000 User
CM4.2-K9-DL320	^SW CallMgr 4.2, HP DL320-G3, 1000 Svr Usr Lic
CM4.2-K9-DL320G4	SW Only, CallManager 4.2 For HP DL320-G4
CM4.2-K9-DL380	^SW CallMgr 4.2, HP DL380-G4/1CPU, 2500 Svr Usr Lic
CM4.2-K9-DL380D	^SW CallMgr 4.2, HP DL380-G4/2CPU, 5000 Svr Usr Lic
CM4.2-K9-DL380G5	SW Only, CallManager 4.2 For HP DL380-G5 /1CPU

Product ID: Call Control	Product Description
CM4.2-K9-DL380G5D	SW Only, CallManager 4.2 For HP DL380-G5 /2CPU
CM4.2-K9-MIG0=	SW CallMgr 4.2 Same Server Class Migration
CM4.2-K9-MIG1=	SW CallMgr 4.2 Migration 7815SE to 7815
CM4.2-K9-MIG10=	^SW CallMgr 4.2 Migration 7835 to 7845
CM4.2-K9-MIG2=	SW CallMgr 4.2 Migration 7815SE to 7825
CM4.2-K9-MIG3=	^SW CallMgr 4.2 Migration 7815SE to 7835
CM4.2-K9-MIG5=	SW CallMgr 4.2 Migration 7815 to 7825
CM4.2-K9-MIG6=	SW CallMgr 4.2 Migration 7815 to 7835
CM4.2-K9-MIG7=	^SW CallMgr 4.2 Migration 7815 to 7845
CM4.2-K9-MIG8=	SW CallMgr 4.2 Migration 7825 to 7835
CM4.2-K9-MIG9=	^SW CallMgr 4.2 Migration 7825 to 7845
CM4.2-K9-NFR	SW CallMgr 4.2 New Install And Upgrade, Not For Resale
CM4.2-K9-NFR-1	SW CallManager 4.2 New Install And Upgrade, Not For Resale
CM4.2-K9-PE2950D	SW Only, CallManager 4.2 For Dell PE 2950 /2CPU
CM4.2-K9-SUP=	CallManager 3.3, 4.0, 4.1 To 4.2 Upgrade for SMARTnet
CM4.2-K9-UPG=	CallManager 3.3, 4.0, 4.1 To 4.2 Upgrade for SASU
CM4.2-K9-X206	^SW CallMgr 4.2 for IBM x206 server, 300 Svr Usr Lic
CM4.2-K9-X206M	SW Only, CallManager 4.2 For IBM X206M
CM4.2-K9-X306	^SW, Unified CallMgr 4.2 for IBM x306, 3.4GHz server
CM4.2-K9-X306M	SW Only, CallManager 4.2 For IBM X306M
CM4.2-K9-X306M-1	SW Only, CallManager 4.2 For IBM X306M, 8849-K2Y
CM4.2-K9-X3250	SW Only, Unified CallMgr 4.2 For IBM x3250, 1000 User
CM4.2-K9-X346	^SW CallMgr 4.2, IBM X346, 1CPU, 2500 Svr Usr Lic
CM4.2-K9-X346R	SW Only, Unified CallMgr 4.2 For IBM X346, 8840-3RY /1CPU
CM4.2-K9-X346RD	SW Only, Unified CallMgr 4.2 For IBM X346, 8840-3RY /2CPU
CM4.2-K9-X3650	SW Only, CallManager 4.2 For IBM X3650 7979-5AY /1CPU
CM4.2-K9-X3650-1	SW Only, Unified CallMgr 4.2 For IBM x3650 1CPU, 2500 User
CM4.2-K9-X3650D	SW Only, CallManager 4.2 For IBM X3650 7979-5AY /2CPU
CM4.2-K9-X3650D-1	SW Only, Unified CallMgr 4.2 For IBM x3650 2CPU, 5000 User
CM4.2-U-K9-7815=	SW CallMgr 3.3 to 4.2 Upgd, MCS-7815, 300 Svr Usr Lic
CM4.2-U-K9-7815SE=	SW CallMgr 3.3 to 4.2 Upgd, MCS-7815, 100 Svr Usr Lic
CM4.2-U-K9-7825=	SW CallMgr 3.3 to 4.2 Upgd, MCS-7825, 1000 Svr Usr Lic
CM4.2-U-K9-7825SE=	SW CallMgr 3.3 to 4.2 Upgd, MCS-7825, 100 Svr Usr Lic
CM4.2-U-K9-7835=	SW CallMgr 3.3 to 4.2 Upgd, MCS-7835, 2500 Svr Usr Lic
CM4.2-U-K9-7845=	SW CallMgr 3.3 to 4.2 Upgd, MCS-7845, 5000 Svr Usr Lic
CM4.2-U-K9-DL320=	SW CallMgr 3.3 to 4.2 Upgd, HP DL320, 1000 Svr Usr Lic
CM4.2-U-K9-DL380=	SW CallMgr 3.3 to 4.2 Upgd, HP DL380/1CPU, 2500 Svr Usr Lic
CM4.2-U-K9-DL380D=	SW CallMgr 3.3 to 4.2 Upgd, HP DL380/2CPU, 5000 Svr Usr Lic
CM4.2-U-K9-X206=	SW CallMgr 3.3 to 4.2 Upgd, IBM X206, 300 Svr Usr Lic
CM4.2-U-K9-X306=	SW CallMgr 3.3 to 4.2 Upgd, IBM X306, 1000 Svr Usr Lic
CM4.2-U-K9-X345=	SW CallMgr 3.3 to 4.2 Upgd, IBM X345, 2500 Svr Usr Lic
CM4.2-U-K9-X346=	SW CallMgr 3.3 to 4.2 Upgd, IBM X346/1CPU, 2500 Svr Usr Lic
CM4.3-K9-2950D	SW CallMgr 4.3, Dell PE2950 / 2CPU
CM4.3-K9-2950D-1	SW Only, Unified CallMgr 4.3 For Dell PE 2950 /2CPU
CM4.3-K9-320G4-1	SW Only, CallManager 4.3 For HP DL320-G4
CM4.3-K9-320G5	SW Only, Unified CallMgr 4.3 For HP DL320-G5, 1000 User
CM4.3-K9-380G5-1	SW Only, Unified CallMgr 4.3, HP DL380-G5 1CPU, 2500 User
CM4.3-K9-380G5D-1	SW Only, Unified CallMgr 4.3, HP DL380-G5 2CPU, 5000 User
CM4.3-K9-7815I2-1	SW Only, CallManager 4.3 For MCS 7815-I2, 300 User
CM4.3-K9-7815I2S-1	SW Only, CallManager 4.3 For MCS 7815-I2, 100 User
CM4.3-K9-7816-H3	SW Only, Unified CallMgr 4.3 For MCS 7816-H3, 300 User
CM4.3-K9-7816-H3S	SW Only, Unified CallMgr 4.3 For MCS 7816-H3, 100 User
CM4.3-K9-7816-I3	SW Only, Unified CallMgr 4.3 For MCS 7816-I3, 300 User
CM4.3-K9-7816-I3S	SW Only, Unified CallMgr 4.3 For MCS 7816-I3, 100 User
CM4.3-K9-7825H2-1	SW Only, CallManager 4.3 For MCS 7825-H2
CM4.3-K9-7825-H3	SW Only, Unified CallMgr 4.3 For MCS 7825-H3, 1000 User
CM4.3-K9-7825I2-1	SW Only, CallManager 4.3 For MCS 7825-I2
CM4.3-K9-7825-I3	SW Only, Unified CallMgr 4.3 For MCS 7825-I3, 1000 User
CM4.3-K9-7835-H2	SW Only, CallManager 4.3 For MCS 7835-H2
CM4.3-K9-7835H2-1	SW Only, Unified CallMgr 4.3 For MCS 7835-H2, 2500 User
CM4.3-K9-7835-I2	SW Only, CallManager 4.3 For MCS 7835-I2
CM4.3-K9-7835I2-1	SW Only, Unified CallMgr 4.3 For MCS 7835-I2, 2500 User
CM4.3-K9-7845-H2	SW Only, CallManager 4.3 For MCS 7845-H2
CM4.3-K9-7845H2-1	SW Only, Unified CallMgr 4.3 For MCS 7845-H2, 5000 User
CM4.3-K9-7845-I2	SW Only, CallManager 4.3 For MCS 7845-I2



Product ID: Call Control	Product Description
CM4.3-K9-7845I2-1	SW Only, Unified CallMgr 4.3 For MCS 7845-I2, 5000 User
CM4.3-K9-DL380G5	SW Only, CallManager 4.3 For HP DL380-G5 /1CPU
CM4.3-K9-DL380G5D	SW Only, CallManager 4.3 For HP DL380-G5 /2CPU
CM4.3-K9-GOBOOK=	SW Only, CallMgr 4.3 for General Dynamics GoBook
CM4.3-K9-MIG0=	SW CallMgr 4.3 Same Server Class Migration
CM4.3-K9-MIG1=	SW CallMgr 4.3 Migration 7815SE to 7815
CM4.3-K9-MIG10=	SW CallMgr 4.3 Migration 7835 to 7845
CM4.3-K9-MIG2=	SW CallMgr 4.3 Migration 7815SE to 7825
CM4.3-K9-MIG3=	SW CallMgr 4.3 Migration 7815SE to 7835
CM4.3-K9-MIG4=	SW CallMgr 4.3 Migration 7815SE to 7845
CM4.3-K9-MIG5=	SW CallMgr 4.3 Migration 7815 to 7825
CM4.3-K9-MIG6=	SW CallMgr 4.3 Migration 7815 to 7835
CM4.3-K9-MIG7=	SW CallMgr 4.3 Migration 7815 to 7845
CM4.3-K9-MIG8=	SW CallMgr 4.3 Migration 7825 to 7835
CM4.3-K9-MIG9=	SW CallMgr 4.3 Migration 7825 to 7845
CM4.3-K9-NFR	SW CallMgr 4.3 New Install And Upgrade, Not For Resale
CM4.3-K9-NFR-1	SW CallManager 4.3 New Install And Upgrade, Not for Resale
CM4.3-K9-OSM=	SW CallManager OS Migration for SAS media
CM4.3-K9-SUP=	SW CallManager Upgrade 4.x To 4.3
CM4.3-K9-UPG=	SW CallManager Upgrade To 4.3 For SASU/UCSS
CM4.3-K9-X306M-1	SW Only, CallManager 4.3 For IBM X306M, 8849-K2Y
CM4.3-K9-X3250	SW Only, Unified CallMgr 4.3 For IBM x3250, 1000 User
CM4.3-K9-X3650	SW Only, CallManager 4.3 For IBM X3650 7979-5AY /1CPU
CM4.3-K9-X3650-1	SW Only, Unified CallMgr 4.3 For IBM x3650 1CPU, 2500 User
CM4.3-K9-X3650D	SW Only, CallManager 4.3 For IBM X3650 7979-5AY /2CPU
CM4.3-K9-X3650D-1	SW Only, Unified CallMgr 4.3 For IBM x3650 2CPU, 5000 User
CM4.3-U-K9-7815=	SW CallMgr 3.3 To 4.3 Upgd, MCS-7815, 300 Svr Usr Lic
CM4.3-U-K9-7815SE=	SW CallMgr 3.3 To 4.3 Upgd, MCS-7815, 100 Svr Usr Lic
CM4.3-U-K9-7825=	SW CallMgr 3.3 To 4.3 Upgd, MCS-7825, 1000 Svr Usr Lic
CM4.3-U-K9-7825SE=	SW CallMgr 3.3 To 4.3 Upgd, MCS-7825, 100 Svr Usr Lic
CM4.3-U-K9-7835=	SW CallMgr 3.3 To 4.3 Upgd, MCS-7835, 2500 Svr Usr Lic
CM4.3-U-K9-7845=	SW CallMgr 3.3 To 4.3 Upgd, MCS-7845, 5000 Svr Usr Lic
CM4.3-U-K9-DL320=	SW CallMgr 3.3 To 4.3 Upgd, HP DL320, 1000 Svr Usr Lic
CM4.3-U-K9-DL380=	SW CallMgr 3.3 To 4.3 Upgd, HP DL380/1CPU, 2500 Svr Usr Lic
CM4.3-U-K9-DL380D=	SW CallMgr 3.3 To 4.3 Upgd, No Service, HP DL380/2CPU, 5000
CM4.3-U-K9-X206=	SW CallMgr 3.3 To 4.3 Upgd, IBM X206, 300 Svr Usr Lic
CM4.3-U-K9-X306=	SW CallMgr 3.3 To 4.3 Upgd, IBM X306, 1000 Svr Usr Lic
CM4.3-U-K9-X345=	SW CallMgr 3.3 To 4.3 Upgd, IBM X345, 2500 Svr Usr Lic
CM4.3-U-K9-X345D=	SW CallMgr 3.3 To 4.3 Upgd, IBM X345/2CPU, 5000 Svr Usr Lic
CM4.3-U-K9-X346=	SW CallMgr 3.3 To 4.3 Upgd, IBM X346/1CPU, 2500 Svr Usr Lic
CM4.3-U-K9-X346D=	SW CallMgr 3.3 To 4.3 Upgd, IBM X346/2CPU, 5000 Svr Usr Lic
CM4.X-4.3OS-U-K9=	SW CallMgr 4.X to 4.3 OS Upgd For SAS, All Servers
CM4.X-U-K9-7815=	SW CallMgr 3.3 to 4.0 Upgd, MCS-7815, 300 Svr Usr Lic
CM4.X-U-K9-7815SE=	SW CallMgr 3.3 to 4.0 Upgd, MCS-7815, 100 Svr Usr Lic
CM4.X-U-K9-7825=	SW CallMgr 3.3 to 4.0 Upgd, MCS-7825, 1000 Svr Usr Lic
CM4.X-U-K9-7825SE=	SW CallMgr 3.3 to 4.0 Upgd, MCS-7825, 100 Svr Usr Lic
CM4.X-U-K9-7835=	SW CallMgr 3.3 to 4.0 Upgd, MCS-7835, 2500 Svr Usr Lic
CM4.X-U-K9-7845=	SW CallMgr 3.3 to 4.0 Upgd, MCS-7845, 5000 Svr Usr Lic
CM4.X-U-K9-DL320=	SW CallMgr 3.3 to 4.0 Upgd, HP DL320, 1000 Svr Usr Lic
CM4.X-U-K9-DL380=	SW CallMgr 3.3 to 4.0 Upgd, HP DL380/1CPU, 2500 Svr Usr Lic
CM4.X-U-K9-DL380D=	SW CallMgr 3.3 to 4.0 Upgd, HP DL380/2CPU, 5000 Svr Usr Lic
CM4.X-U-K9-X206=	SW CallMgr 3.3 to 4.0, Upgrade for IBM X206, 300 Svr Usr Lic
CM4.X-U-K9-X306=	SW CallMgr 3.3 to 4.0 Upgd, IBM X306, 1000 Svr Usr Lic
CM4.X-U-K9-X345=	SW CallMgr 3.3 to 4.0 Upgd, IBM X345/1CPU, 2500 Svr Usr Lic
CM4.X-U-K9-X345D=	SW CallMgr 3.3 to 4.0 Upgd, IBM X345/2CPU, 5000 Svr Usr Lic
CM4.X-U-K9-X346=	SW CallMgr 3.3 to 4.0 Upgd, IBM X346/1CPU, 2500 Svr Usr Lic
CM4.X-U-K9-X346D=	SW CallMgr 3.3 to 4.0 Upgd, IBM X346/2CPU, 5000 Svr Usr Lic
CM5.0.4C-HPONLY	^SW Only, Unified CallMgr for 5.0.4c HP Only
CM5.0-5.1-U-K9=	SW Upgrade CM 5.0 to 5.1
CM5.0-K9-380G4	^SW Only, Unified CallMgr 5.0 For HP DL380-G4 /1CPU
CM5.0-K9-380G4D	^SW Only, Unified CallMgr 5.0 For HP DL380-G4 /2CPU
CM5.0-K9-DL320	^SW CallMgr 5.0 DL320-G3 3.4GHz
CM5.0-K9-DL320G4	^SW Only, Unified CallMgr 5.0 For HP DL320-G4
CM5.0-K9-DL380	^SW CallMgr 5.0 DL380-G4 3.4GHz 1CPU
CM5.0-K9-DL380D	^SW CallMgr 5.0 DL380-G4 3.4GHz 2CPU

Product ID: Call Control	Product Description
CM5.0-K9-MIG0=	^SW CallMgr 5.0 Same Server Class Migration
CM5.0-K9-MIG1=	^SW CallMgr 5.0 Migration 7815SE to 7815
CM5.0-K9-MIG10=	^SW CallMgr 5.0 Migration 7835 to 7845
CM5.0-K9-MIG5=	^SW CallMgr 5.0 Migration 7815 to 7825
CM5.0-K9-MIG6=	^SW CallMgr 5.0 Migration 7815 to 7835
CM5.0-K9-MIG8=	^SW CallMgr 5.0 Migration 7825 to 7835
CM5.0-K9-MIG9=	^SW CallMgr 5.0 Migration 7825 to 7845
CM5.0-K9-NFR	^SW CallMgr 5.0 Appliance Not For Resale
CM5.0-K9-SIS	^Slip into SIP Upgrade
CM5.0-K9-SLI=	^Slip Into SIP Upgrade
CM5.0-K9-SUP=	^CallManager 4.1 To 5.0 Upgrade for SMARTnet
CM5.0-K9-UPG=	^CallManager 4.1 To 5.0 Upgrade for SASU
CM5.0-K9-X306	^SW CallMgr 5.0 X306 3.4GHz
CM5.0-K9-X306M	^SW Only, Unified CallMgr 5.0 For IBM X306M, 8849-G2Y
CM5.0-K9-X346	^SW CallMgr 5.0 X346 3.4GHz 1CPU
CM5.0-K9-X346D	^SW CallMgr 5.0 X346 3.4GHz 2CPU
CM5.0-K9-X346R	^SW Only, Unified CallMgr 5.0 For IBM X346, 8840-3RY /1CPU
CM5.0-K9-X346RD	^SW Only, Unified CallMgr 5.0 For IBM X346, 8840-3RY /2CPU
CM5.0-U-K9-7815=	^SW Upgrade CM 4.x to CM 5.0 - 7815
CM5.0-U-K9-7815SE	^SW Upgrade CM 4.x to CM 5.0 - 7815SE
CM5.0-U-K9-7815SE=	^SW Upgrade CM 4.x to CM 5.0 - 7815SE
CM5.0-U-K9-7825=	^SW Upgrade CM 4.x to CM 5.0 - 7825
CM5.0-U-K9-7825SE=	^SW Upgrade CM 4.x to CM 5.0 - MMIPC bundles only
CM5.0-U-K9-7835	^SW Upgrade CM 4.x to CM 5.0 - 7835
CM5.0-U-K9-7835=	^SW Upgrade CM 4.x to CM 5.0 - 7835
CM5.0-U-K9-7845=	^SW Upgrade CM 4.x to CM 5.0 - 7845
CM5.0-U-K9-DL320=	^SW Upgrade CM 4.x to CM 5.0 - DL320
CM5.0-U-K9-DL380=	^SW Upgrade CM 4.x to CM 5.0 - DL380 1CPU
CM5.0-U-K9-DL380D=	^SW Upgrade CM 4.x to CM 5.0 - DL380 2CPU
CM5.0-U-K9-X306=	^SW Upgrade CM 4.x to CM 5.0 - X306
CM5.0-U-K9-X346=	^SW Upgrade CM 4.x to CM 5.0 - X346 1CPU
CM5.0-U-K9-X346D=	^SW Upgrade CM 4.x to CM 5.0 - X346 2CPU
CM5.1-K9-380G4	SW Only,Unified CMgr 5.1 HP DL380-G4 /1CPUor7835-H1
CM5.1-K9-380G5	SW Only,CallMgr 5.1 For HP DL380-G5 /1CPU or 7835-H2
CM5.1-K9-380G5D	SW Only,CallMgr 5.1 For HP DL380-G5 /2CPU or 7845-H2
CM5.1-K9-DL320G4	SW Only,Unified CMgr 5.1 For HP DL320-G4 or 7825-H2
CM5.1-K9-DL320G5	SW Only, Unified CM 5.1 For DL 320-G5 or 7825-H3
CM5.1-K9-LAB	SW Unified CM 5.1 Appliance, 100 DLUs, Lab System Only
CM5.1-K9-MIG0=	SW CallMgr 5.1 Same Server Class Migration
CM5.1-K9-MIG1=	SW CallMgr 5.1 Migration 7815SE to 7815
CM5.1-K9-MIG10=	SW CallMgr 5.1 Migration 7835 to 7845
CM5.1-K9-MIG2=	SW CallMgr 5.1 Migration 7815SE to 7825
CM5.1-K9-MIG3=	SW CallMgr 5.1 Migration 7815SE to 7835
CM5.1-K9-MIG4=	SW CallMgr 5.1 Migration 7815SE to 7845
CM5.1-K9-MIG5=	SW CallMgr 5.1 Migration 7815 to 7825
CM5.1-K9-MIG6=	SW CallMgr 5.1 Migration 7815 to 7835
CM5.1-K9-MIG7=	SW CallMgr 5.1 Migration 7815 to 7845
CM5.1-K9-MIG8=	SW CallMgr 5.1 Migration 7825 to 7835
CM5.1-K9-MIG9=	SW CallMgr 5.1 Migration 7825 to 7845
CM5.1-K9-NFR	SW CallMgr 5.1 Appliance Not For Resale
CM5.1-K9-NFR-TRNG=	SW CallMgr 5.1 Appl Not For Resale -Training Partners only
CM5.1-K9-PE2950D	SW Only, Unified CallMgr 5.1 For Dell PE2950 /2CPU
CM5.1-K9-SIS	CM5.1 Slip Into SIP-IPCC
CM5.1-K9-SLI	CM5.1 Slip Into SIP-IPCC
CM5.1-K9-SLI=	Slip Into SIP Upgrade for CM 5.1
CM5.1-K9-SUP=	SW Upgrade CM 4.1 to 5.1 for SMARTnet
CM5.1-K9-UPG=	SW Upgrade CM 4.1 to 5.1 for SASU
CM5.1-K9-X306M	SW Only, Unified CMgr 5.1 IBM X306M, 8849-G2Y or 7825-I2
CM5.1-K9-X3250	SW Only, Unified CM 5.1 For IBM X3250 or 7825-I3
CM5.1-K9-X346D	SW Only,Unified CMgr5.1IBM X346, 8840-3RY /2CPU or 7845-I1
CM5.1-K9-X346R	SW Only,Unified CMgr5.1IBM X346, 8840-3RY /1CPU or 7835-I1
CM5.1-K9-X3650	SW Only,CallMgr 5.1,IBM X3650,7979-5AY/1CPU or 7835-I2
CM5.1-K9-X3650D	SW Only,CallMgr 5.1,IBM X3650D,7979-5AY/2CPU or 7845-I2
CM5.1-U-K9-7815=	SW Upgrade CM 4.1 to CM 5.1 - 7815
CM5.1-U-K9-7815SE=	SW Upgrade CM 4.1 to CM 5.1 - 7815SE

Product ID: Call Control	Product Description
CM5.1-U-K9-7825=	SW Upgrade CM 4.1 to CM 5.1 - 7825
CM5.1-U-K9-7825SE=	SW Upgrade CM 4.1 to CM 5.1 - MMIPC bundles only
CM5.1-U-K9-7835=	SW Upgrade CM 4.1 to CM 5.1 - 7835
CM5.1-U-K9-7845=	SW Upgrade CM 4.1 to CM 5.1 - 7845
CM5.1-U-K9-DL320=	SW Upgrade CM 4.1 to CM 5.1 - DL320
CM5.1-U-K9-DL380=	SW Upgrade CM 4.1 to CM 5.1 - DL380 1CPU
CM5.1-U-K9-DL380D=	SW Upgrade CM 4.1 to CM 5.1 - DL380 2CPU
CM5.1-U-K9-X206=	SW Upgrade CM 4.1 to CM 5.1 - X206
CM5.1-U-K9-X306=	SW Upgrade CM 4.1 to CM 5.1 - X306
CM5.1-U-K9-X346=	SW Upgrade CM 4.1 to CM 5.1 - X346 1CPU
CM5.1-U-K9-X346D=	SW Upgrade CM 4.1 to CM 5.1 - X346 2CPU
CM-5-ME	^CallManager - Additional Server Software ME
CM-5-REDUND-ME	^CallManager - Redundant Server License ME
CM-5-REDUND-SE	^CallManager - Redundant Server License SE
CM-5-SE	^CallManager - Additional Server Software SE
CM6.0-6.1-U-K9=	SW Upgrade CM 6.0 to 6.1
CM6.0-K9-380G4	SW Only, Unified CM 6.0 For HP DL380-G4 /1CPU or 7835-H1
CM6.0-K9-380G4D	SW Only, Unified CM 6.0 For HP DL380-G4 /2CPU or 7845-H1
CM6.0-K9-380G5	SW Only, Unified CM 6.0 For HP DL380-G5 /1CPU or 7835-H2
CM6.0-K9-380G5D	SW Only, Unified CM 6.0 For HP DL380-G5 /2CPU or 7845-H2
CM6.0-K9-DEMO	SW Unified CM 6.0 Appliance - Not For Resale
CM6.0-K9-DL320G4	SW Only, Unified CM 6.0 For HP DL320-G4 or 7825-H2
CM6.0-K9-DL320G5	SW Only, Unified CM 6.0 For DL 320-G5 or 7825-H3
CM6.0-K9-LAB	SW Unified CM 6.0 Appliance, 100 DLUs, Lab System Only
CM6.0-K9-MIG0=	SW Unified CM 6.0 Same Server Class Migration
CM6.0-K9-MIG1=	SW Unified CM 6.0 Migration 7815SE to 781X
CM6.0-K9-MIG10=	SW Unified CM 6.0 Migration 7835 to 7845
CM6.0-K9-MIG2=	SW Unified CM 6.0 Migration 7815SE to 7825
CM6.0-K9-MIG3=	SW Unified CM 6.0 Migration 7815SE to 7835
CM6.0-K9-MIG4=	SW Unified CM 6.0 Migration 7815SE to 7845
CM6.0-K9-MIG5=	SW Unified CM 6.0 Migration 781X to 7825
CM6.0-K9-MIG6=	SW Unified CM 6.0 Migration 781X to 7835
CM6.0-K9-MIG7=	SW Unified CM 6.0 Migration 781X to 7845
CM6.0-K9-MIG8=	SW Unified CM 6.0 Migration 7825 to 7835
CM6.0-K9-MIG9=	SW Unified CM 6.0 Migration 7825 to 7845
CM6.0-K9-NFR	SW Unified CM 6.0 Appliance Not For Resale
CM6.0-K9-NFR-TRNG	SW Unified CM 6.0 Appl Not For Resale-Training Partners Only
CM6.0-K9-PE2950D	SW Only, Unified CM 6.0 For Dell PE2950 /2CPU
CM6.0-K9-SDK=	SW Unified CM 6.0, 50 DLUs, Software Development Kit
CM6.0-K9-SLI=	Slip Into SIP Upgrade for CM 6.0
CM6.0-K9-SUP=	SW Upgrade CM 5.1 to 6.0 for Cisco SMARTnet
CM6.0-K9-UPG=	SW Upgrade CM 5.1 to 6.0 for SASU or UCSS
CM6.0-K9-X306M	SW Only, Unified CM 6.0 For IBM X306M, 8849-G2Y or 7825-I2
CM6.0-K9-X3250	SW Only, Unified CM 6.0 For IBM X3250 or 7825-I3
CM6.0-K9-X346D	SW Only, Unified CM 6.0, IBM X346 8840-3RY/2CPU or 7845-I1
CM6.0-K9-X346R	SW Only, Unified CM 6.0, IBM X346 8840-3RY/1CPU or 7835-I1
CM6.0-K9-X3650	SW Only, Unified CM 6.0 IBM X3650, 7979-5AY/1CPU or 7835-I2
CM6.0-K9-X3650D	SW Only, Unified CM 6.0, IBM X3650D 7979-5AY/2CPU or 7845-I2
CM6.0U4-K9-7815=	SW Upgrade CM 4.1/4.2 to CM 6.0 - 7815
CM6.0U4-K9-7815SE=	SW Upgrade CM 4.1/4.2 to CM 6.0 - 7815SE
CM6.0U4-K9-7825=	SW Upgrade CM 4.1/4.2 to CM 6.0 - 7825
CM6.0U4-K9-7825SE=	SW Upgrade CM 4.1/4.2 to CM 6.0 - MMIPC bundles only
CM6.0U4-K9-7835=	SW Upgrade CM 4.1/4.2 to CM 6.0 - 7835
CM6.0U4-K9-7845=	SW Upgrade CM 4.1/4.2 to CM 6.0 - 7845
CM6.0U4-K9-DL320=	SW Upgrade CM 4.1/4.2 to CM 6.0 - DL320
CM6.0U4-K9-DL380=	SW Upgrade CM 4.1/4.2 to CM 6.0 - DL380 1CPU
CM6.0U4-K9-DL380D=	SW Upgrade CM 4.1/4.2 to CM 6.0 - DL380 2CPU
CM6.0U4-K9-UPG=	SW Upgrade CM 4.1/4.2 to 6.0 for SASU or UCSS
CM6.0U4-K9-X206=	SW Upgrade CM 4.1/4.2 to CM 6.0 - X206
CM6.0U4-K9-X306=	SW Upgrade CM 4.1/4.2 to CM 6.0 - X306
CM6.0U4-K9-X346=	SW Upgrade CM 4.1/4.2 to CM 6.0 - X346 1CPU
CM6.0U4-K9-X346D=	SW Upgrade CM 4.1/4.2 to CM 6.0 - X346 2CPU
CM6.0U4-K9-X3650=	SW Upgrade CM 4.1/4.2 to CM 6.0 - X3650 1CPU
CM6.0-U-K9-7815=	SW Upgrade CM 5.1 to CM 6.0 - 7815
CM6.0-U-K9-7815SE=	SW Upgrade CM 5.1 to CM 6.0 - 7815SE

Product ID: Call Control	Product Description
CM6.0-U-K9-7825=	SW Upgrade CM 5.1 to CM 6.0 - 7825
CM6.0-U-K9-7825SE=	SW Upgrade CM 5.1 to CM 6.0 - MMIPC bundles only
CM6.0-U-K9-7835=	SW Upgrade CM 5.1 to CM 6.0 - 7835
CM6.0-U-K9-7845=	SW Upgrade CM 5.1 to CM 6.0 - 7845
CM6.0-U-K9-DL320=	SW Upgrade CM 5.1 to CM 6.0 - DL320
CM6.0-U-K9-DL380=	SW Upgrade CM 5.1 to CM 6.0 - DL380 1CPU
CM6.0-U-K9-DL380D=	SW Upgrade CM 5.1 to CM 6.0 - DL380 2CPU
CM6.0-U-K9-X206=	SW Upgrade CM 5.1 to CM 6.0 - X206
CM6.0-U-K9-X306=	SW Upgrade CM 5.1 to CM 6.0 - X306
CM6.0-U-K9-X346=	SW Upgrade CM 5.1 to CM 6.0 - X346 1CPU
CM6.0-U-K9-X346D=	SW Upgrade CM 5.1 to CM 6.0 - X346 2CPU
CM6.0-U-K9-X3650=	SW Upgrade CM 5.1 to CM 6.0 - X3650 1CPU
CM6.0-U-K9-X3650D=	SW Upgrade CM 5.1 to CM 6.0 - X3650 2CPU
CM6.1-K9-380G4	SW Only, Unified CM 6.1 For HP DL380-G4 /1CPU or 7835-H1
CM6.1-K9-380G4D	SW Only, Unified CM 6.1 For HP DL380-G4 /2CPU or 7845-H1
CM6.1-K9-380G5	SW Only, Unified CM 6.1 For HP DL380-G5 /1CPU or 7835-H2
CM6.1-K9-380G5D	SW Only, Unified CM 6.1 For HP DL380-G5 /2CPU or 7845-H2
CM6.1-K9-DEMO	SW Unified CM 6.1 Appliance - Not For Resale
CM6.1-K9-DL320G4	SW Only, Unified CM 6.1 For HP DL320-G4 or 7825-H2
CM6.1-K9-DL320G5	SW Only, Unified CM 6.1 For DL 320-G5 or 7825-H3
CM6.1-K9-LAB	SW Unified CM 6.1 Appliance, 100 DLUs, Lab System Only
CM6.1-K9-MIG0=	SW Unified CM 6.1 Same Server Class Migration
CM6.1-K9-MIG1=	SW Unified CM 6.1 Migration 7815SE to 781X
CM6.1-K9-MIG10=	SW Unified CM 6.1 Migration 7835 to 7845
CM6.1-K9-MIG2=	SW Unified CM 6.1 Migration 7815SE to 7825
CM6.1-K9-MIG3=	SW Unified CM 6.1 Migration 7815SE to 7835
CM6.1-K9-MIG4=	SW Unified CM 6.1 Migration 7815SE to 7845
CM6.1-K9-MIG5=	SW Unified CM 6.1 Migration 781X to 7825
CM6.1-K9-MIG6=	SW Unified CM 6.1 Migration 781X to 7835
CM6.1-K9-MIG7=	SW Unified CM 6.1 Migration 781X to 7845
CM6.1-K9-MIG8=	SW Unified CM 6.1 Migration 7825 to 7835
CM6.1-K9-MIG9=	SW Unified CM 6.1 Migration 7825 to 7845
CM6.1-K9-NFR	SW Unified CM 6.1 Appliance Not For Resale
CM6.1-K9-PE2950D	SW Only, Unified CM 6.1 For Dell PE2950 /2CPU
CM6.1-K9-SUP=	SW Upgrade CM 5.0/5.1 to 6.1 for Cisco SMARTnet?
CM6.1-K9-UPG=	SW Upgrade CM 5.0/5.1 to 6.1 for SASU or UCSS
CM6.1-K9-X306M	SW Only, Unified CM 6.1 For IBM X306M, 8849-G2Y or 7825-I2
CM6.1-K9-X3250	SW Only, Unified CM 6.1 For IBM X3250 or 7825-I3
CM6.1-K9-X346D	SW Only, Unified CM 6.1, IBM X346 8840-3RY/2CPU or 7845-I1
CM6.1-K9-X346R	SW Only, Unified CM 6.1, IBM X346 8840-3RY/1CPU or 7835-I1
CM6.1-K9-X3650	SW Only, Unified CM 6.1 IBM X3650, 7979-5AY/1CPU or 7835-I2
CM6.1-K9-X3650D	SW Only, Unified CM 6.1, IBM X3650D 7979-5AY/2CPU or 7845-I2
CM6.1U4-K9-7815=	SW Upgrade CM 4.1/4.2 to CM 6.1 - 7815
CM6.1U4-K9-7815SE=	SW Upgrade CM 4.1/4.2 to CM 6.1 - 7815SE
CM6.1U4-K9-7825=	SW Upgrade CM 4.1/4.2 to CM 6.1 - 7825
CM6.1U4-K9-7825SE=	SW Upgrade CM 4.1/4.2 to CM 6.1 - MMIPC bundles only
CM6.1U4-K9-7835=	SW Upgrade CM 4.1/4.2 to CM 6.1 - 7835
CM6.1U4-K9-7845=	SW Upgrade CM 4.1/4.2 to CM 6.1 - 7845
CM6.1U4-K9-DL320=	SW Upgrade CM 4.1/4.2 to CM 6.1 - DL320
CM6.1U4-K9-DL380=	SW Upgrade CM 4.1/4.2 to CM 6.1 - DL380 1CPU
CM6.1U4-K9-DL380D=	SW Upgrade CM 4.1/4.2 to CM 6.1 - DL380 2CPU
CM6.1U4-K9-UPG=	SW Upgrade CM 4.1/4.2 to 6.1 for SASU or UCSS
CM6.1U4-K9-X206=	SW Upgrade CM 4.1/4.2 to CM 6.1 - X206
CM6.1U4-K9-X306=	SW Upgrade CM 4.1/4.2 to CM 6.1 - X306
CM6.1U4-K9-X346=	SW Upgrade CM 4.1/4.2 to CM 6.1 - X346 1CPU
CM6.1U4-K9-X346D=	SW Upgrade CM 4.1/4.2 to CM 6.1 - X346 2CPU
CM6.1U4-K9-X3650=	SW Upgrade CM 4.1/4.2 to CM 6.1 - X3650 1CPU
CM6.1U4-K9-X3650D=	SW Upgrade CM 4.1/4.2 to CM 6.1 - X3650 2CPU
CM6.1-U-K9-7815=	SW Upgrade CM 5.0/5.1 to CM 6.1 - 781X
CM6.1-U-K9-7815SE=	SW Upgrade CM 5.0/5.1 to CM 6.1 - 7815SE
CM6.1-U-K9-7825=	SW Upgrade CM 5.0/5.1 to CM 6.1 - 7825
CM6.1-U-K9-7825SE=	SW Upgrade CM 5.0/5.1 to CM 6.1 - MMIPC bundles only
CM6.1-U-K9-7835=	SW Upgrade CM 5.0/5.1 to CM 6.1 - 7835
CM6.1-U-K9-7845=	SW Upgrade CM 5.0/5.1 to CM 6.1 - 7845
CM6.1-U-K9-DL320=	SW Upgrade CM 5.0/5.1 to CM 6.1 - DL320

Product ID: Call Control	Product Description
CM6.1-U-K9-DL380=	SW Upgrade CM 5.0/5.1 to CM 6.1 - DL380 1CPU
CM6.1-U-K9-DL380D=	SW Upgrade CM 5.0/5.1 to CM 6.1 - DL380 2CPU
CM6.1-U-K9-X206=	SW Upgrade CM 5.0/5.1 to CM 6.1 - X206
CM6.1-U-K9-X306=	SW Upgrade CM 5.0/5.1 to CM 6.1 - X306
CM6.1-U-K9-X346=	SW Upgrade CM 5.0/5.1 to CM 6.1 - X346 1CPU
CM6.1-U-K9-X346D=	SW Upgrade CM 5.0/5.1 to CM 6.1 - X346 2CPU
CM6.1-U-K9-X3650=	SW Upgrade CM 5.0/5.1 to CM 6.1 - X3650 1CPU
CM6.1-U-K9-X3650D=	SW Upgrade CM 5.0/5.1 to CM 6.1 - X3650 2CPU
CM6-DL-PAK	Cisco Unified CM 6.X DL PAK
CM-6-ME	^Unified CM - Additional Server Software ME
CM6-PAK	Cisco Unified CM 6.X PAK
CM-6-REDUND-ME	^Unified CM - Redundant Server License ME
CM-6-REDUND-SE	^Unified CM - Redundant Server License SE
CM-6-SE	^Unified CM - Additional Server Software SE
CM6-USERS	Cisco Unified CM 6.X users
CM7.0-K9-DEMO	SW, Unified CM 7.0, 150 DLUs, for internal use only, NFR
CM7.0-K9-DL320	SW only, CUCM 7.0 for HP DL320-G4/G5 or 7825-H2/H3
CM7.0-K9-DL380	SW only, CUCM 7.0 for HP DL380-G4/G5- 1CPU or 7835-H2/H3
CM7.0-K9-LAB	SW, Unified CM, 100 DLUs, Lab system only
CM7.0-K9-MIG0=	SW Unified CM 7.0 Same Server Class Migration
CM7.0-K9-MIG1=	SW Unified CM 7.0 Migration 7815SE to 781X
CM7.0-K9-MIG10=	SW Unified CM 7.0 Migration 7835 to 7845
CM7.0-K9-MIG2=	SW Unified CM 7.0 Migration 7815SE to 7825
CM7.0-K9-MIG3=	SW Unified CM 7.0 Migration 7815SE to 7835
CM7.0-K9-MIG4=	SW Unified CM 7.0 Migration 7815SE to 7845
CM7.0-K9-MIG5=	SW Unified CM 7.0 Migration 781X to 7825
CM7.0-K9-MIG6=	SW Unified CM 7.0 Migration 781X to 7835
CM7.0-K9-MIG7=	SW Unified CM 7.0 Migration 781X to 7845
CM7.0-K9-MIG8=	SW Unified CM 7.0 Migration 7825 to 7835
CM7.0-K9-MIG9=	SW Unified CM 7.0 Migration 7825 to 7845
CM7.0-K9-UPG=	Major Release SW Upgrade to 7.0 for SASU or UCSS
CM7.0-K9-X3250	SW only, CM7.0 for IBM X3250/X306 or 7825-I3
CM7.0-K9-X3650	SW only, CM7.0- IBM X3650/X346R, 7979-5AY/I CPU or 7835-I2
CM7.0-K9-X3650D	SW only, CM7.0- IBM X3650D/X346D, 7979-5AY/2 CPU or 7845-I2
CM7.0-U-K9-7815=	SW Upgrade CM 6.0/6.1 to CM 7.0 - 7815
CM7.0-U-K9-7815SE=	SW Upgrade CM6.0/ 6.1 to CM 7.0 - 7815SE
CM7.0-U-K9-7816=	SW Upgrade CM 6.1 to CM7.0 - 7816
CM7.0-U-K9-7825=	SW Upgrade CM 6.0/6.1 to CM 7.0 - 7825
CM7.0-U-K9-7835=	SW Upgrade CM6.0/ 6.1 to CM 7.0 - 7835
CM7.0-U-K9-7845=	SW Upgrade CM 6.0/6.1 to CM 7.0 - 7845
CM7.0-U-K9-DL320=	SW Upgrade CM6.0/ 6.1 to CM 7.0 - DL320
CM7.0-U-K9-DL380=	SW Upgrade CM6.0/6.1 to CM 7.0 - DL380 1CPU
CM7.0-U-K9-DL380D=	SW Upgrade CM6.0/ 6.1 to CM 7.0 - DL380 2CPU
CM7.0-U-K9-X206=	SW Upgrade CM 6.0/6.1 to CM7.0 - X206
CM7.0-U-K9-X306=	SW Upgrade CM6.0/ 6.1 to CM 7.0 - X306
CM7.0-U-K9-X346=	SW Upgrade CM6.0/ 6.1 to CM 7.0 - X346 1CPU
CM7.0-U-K9-X346D=	SW Upgrade CM6.0/ 6.1 to CM 7.0 - X346 2CPU
CM7.0-U-K9-X3650=	SW Upgrade CM6.0/ 6.1 to CM 7.0 - X3650 1CPU
CM7.0-U-K9-X3650D=	SW Upgrade CM 6.0/6.1 to CM7.0 - X3650 2CPU
CMBE6.1-K9-UPG=	SW Upgrade BE 6.0 to 6.1 for ESW/UCSS
CMBE6.1-U-K9=	SW Upgrade BE 6.0 to 6.1
CMBE7.0-K9-UPG=	SW Upgrade BE 6.1 to 7.0 for ESW/UCSS
CMBE7.0-U-K9=	SW Upgrade BE 6.1 to 7.0
CMBE-7828-61-KIT	CMBE media kit for WL
CM-PAK	CallManager PAK
CM-RTU	Unified CM RTU claim certificate
CM-USERS	CallManager Users
CUCM6-BE	Unified Communication Manager 6.X - Bus Ed - Top Level
CUCM-BE-MIG	SW CMBE migration to CUCM 7.X/Unity Conn 7.X
DOC-CCM-3.3=	1500 pg hardcopy of docs shipping on CD with CCM 3.3
IPC-COM-4X-BUN	IPC Commercial, 2 MCS servers, CCM 4.X, Unity CN +apps
IPC-COM-5X-BUN	IPC Commercial, 2 MCS Srvrs, CCM 5.X, Unity CN + apps
IPC-COM-BUN	IPC Commercial, 2 MCS svrs, CCM, Unity VM, VPT +apps
L-CM6.0-7825=	License Unified CM 6.0 7825 Appliance, 1,000 seats, eLD
L-CM6.1-7845=	License Unified CM 6.1 7845 Appliance, 5,000 seat, eLD

Product ID: Call Control	Product Description
LIC4.X-5.X-U-2500=	License Upgrade of 2500 Addl Users, CM 4.x to CM 5.x
LIC-CCM4.3-2500=	License CallMgr Additional 2,500 Users
LIC-CM5.0-7815-I1=	^License CallMgr 5.0 7815-I1 Appliance
LIC-CM5.0-7815-I2=	^License CallMgr 5.0 7815-I2 Appliance
LIC-CM5.0-7815-I2P	^License CallMgr 5.0 7815-I2 Appliance, Comm-Bdl
LIC-CM5.0-7825-H1=	^License CallMgr 5.0 7825-H1 Appliance
LIC-CM5.0-7825-H2=	^License CallMgr 5.0 7825-H2 Appliance
LIC-CM5.0-7825-I1=	^License CallMgr 5.0 7825-I1 Appliance
LIC-CM5.0-7825-I2=	^License CallMgr 5.0 7825-I2 Appliance
LIC-CM5.0-7835-H1=	^License CallMgr 5.0 7835-H1 Appliance
LIC-CM5.0-7835-I1=	^License CallMgr 5.0 7835-I1 Appliance
LIC-CM5.0-7845-H1=	^License CallMgr 5.0 7845-H1 Appliance
LIC-CM5.0-7845-I1=	^License CallMgr 5.0 7845-I1 Appliance
LIC-CM5.1-7815=	License CallMgr 5.1 7815 Appliance, 500 seats
LIC-CM5.1-7815-I2P	License CallMgr 5.1 7815-I2 Appliance, App4all
LIC-CM5.1-7816=	License Unified CM 5.1 7816 Appliance, 500 seats
LIC-CM5.1-7825=	License CallMgr 5.1 7825 Appliance, 1,000 seats
LIC-CM5.1-7835=	License CallMgr 5.1 7835 Appliance, 2,500 seats
LIC-CM5.1-7845=	License CallMgr 5.1 7845 Appliance, 5,000 seat
LIC-CM6.0-7816=	License Unified CM 6.0 7816 Appliance, 500 seats
LIC-CM6.0-7825=	License Unified CM 6.0 7825 Appliance, 1,000 seats
LIC-CM6.0-7835=	License Unified CM 6.0 7835 Appliance, 2,500 seats
LIC-CM6.0-7845=	License Unified CM 6.0 7845 Appliance, 5,000 seat
LIC-CM6.1-7816=	License Unified CM 6.1 7816 Appliance, 500 seats
LIC-CM6.1-7825=	License Unified CM 6.1 7825 Appliance, 1,000 seats
LIC-CM6.1-7835=	License Unified CM 6.1 7835 Appliance, 2,500 seats
LIC-CM6.1-7845=	License Unified CM 6.1 7845 Appliance, 5,000 seat
LIC-CM6.X-2500=	License Unified CM Additional 2500 Users
LIC-CM-DL-10P	CallManager Device License - 10 units - (Special use)
MCS7828H3-K9-BE	Unified CM BE, 7828-H3 appliance, 50 seats
MCS7828H3-K9/BE	Unified CM BE, 7828-H3 appliance, 50 seats
MCS7828H3-K9-BE7	Unified CM BE 7.X, 7828-H3 appliance, 50 seats
MCS7828H3-K9/BE7	Unified CM BE 7.X, 7828-H3 appliance, 50 seats
MCS7828I3-K9-BE	Unified CM BE, 7828-I3 appliance, 50 seats
MCS7828I3-K9/BE	Unified CM BE, 7828-I3 appliance, 50 seats
MCS7828I3-K9-BE7	Unified CM BE 7.X, 7828-I3 appliance, 50 seats
MCS7828I3-K9/BE7	Unified CM BE 7.X, 7828-I3 appliance, 50 seats
MCS-OS-2000.2.4=	MCS Server Legacy OS (2000.2.4) Image Kit
SPCTRXMW260000014=	Solutions Plus Voice Office 50 User License
SPCTRXMW260000015=	Citrix Solutions Plus Voice Office 100 User License Spare
SPCTRXMW260000016=	Citrix Solutions Plus 200 User License Spare
SPCTRXMW260000017=	Citrix Solutions Plus 500 User License Spare
SW-CCM-2.2=	^Cisco CallManager 2.2 Software Pkg.
SW-CCM-3.0	Cisco CallManager 3.0.x Software for the MCS-78xx
SW-CCM-3.0.1	Cisco CallManager 3.0(1) Software
SW-CCM-3.0.2	Cisco CallManager 3.0.2 Software for the MCS-7835
SW-CCM-3.0.2=	Cisco CallManager 3.0.2 Software
SW-CCM-3.0-7822	Cisco CallManager 3.0 Software for the MCS 7822
SW-CCM-3.0-COMPAQ=	For required HW part numbers go to <a href="http://www.cisco.com/go/swonly">www.cisco.com/go/swonly</a>
SW-CCM-3.0-MCS	CallManager 3.0 Software for MCS servers
SW-CCM-3.1-7815	CallManager 3.1 Software for MCS-7815-1000
SW-CCM-3.1-7825	CallManager 3.1 Software for MCS-7825 Servers
SW-CCM-3.1-COMPAQ	For required HW part numbers go to <a href="http://www.cisco.com/go/swonly">www.cisco.com/go/swonly</a>
SW-CCM-3.1-CPQ-V2=	For required HW part numbers go to <a href="http://www.cisco.com/go/swonly">www.cisco.com/go/swonly</a>
SW-CCM-3.1-IBM-V2=	For required HW part numbers go to <a href="http://www.cisco.com/go/swonly">www.cisco.com/go/swonly</a>
SW-CCM-3.1-MCS	CallManager 3.1 Software for MCS servers
SW-CCM-3.2-7815	SW CallMgr 3.2, MCS 7815
SW-CCM-3.2-7815=	SW CallMgr 3.2, MCS 7815
SW-CCM-3.2-7815R=	SW CallMgr 3.2 Red. - MCS 7815
SW-CCM-3.2-7815SE=	SW CallMgr 3.2 For MCS 7815, 100 Svr User Lic
SW-CCM-3.2-7825	SW CallMgr 3.2 For MCS 7825
SW-CCM-3.2-7825=	SW CallMgr 3.2, MCS 7825
SW-CCM-3.2-7835	SW CallMgr 3.2, MCS 7835
SW-CCM-3.2-7835=	SW CallMgr 3.2, MCS 7835
SW-CCM-3.2-7845	SW CallMgr 3.2, MCS 7845

Product ID: Call Control	Product Description
SW-CCM-3.2-7845=	SW CallMgr 3.2, MCS-7845
SW-CCM-3.2-CPQ-V2=	For required HW part numbers go to <a href="http://www.cisco.com/swonly">www.cisco.com/swonly</a>
SW-CCM-3.2-DL320=	SW CallMgr 3.2 for HP DL320 server
SW-CCM-3.2-DL380=	SW CallMgr 3.2 for HP DL380,1CPU
SW-CCM-3.2-DL380D=	CallManager 3.2 for HP DL380 G2 2CPU, 2500 Svr Usr Lic
SW-CCM-3.2-MCS	CallManager 3.2 on MCS-7835 platforms
SW-CCM-3.2-PUT=	SW CallMgr 3.2(3) Upgrade For SASU
SW-CCM-3.2-X330=	SW CallMgr 3.2 for IBM x330
SW-CCM-3.2-X345=	SW CallMgr 3.2 for IBM x345, 1CPU
SW-CCM-3.3-7815	^SW CallMgr 3.3, MCS 7815
SW-CCM-3.3-7815=	^SW CallMgr 3.3, MCS 7815
SW-CCM-3.3-7815R=	^SW CallMgr 3.3 Red., MCS 7815
SW-CCM-3.3-7815SE	^SW CallMgr 3.3, MCS 7815I server, 100 Svr Usr Lic
SW-CCM-3.3-7815SE=	^SW CallMgr 3.3, MCS 7815, 100 Svr User Licenses
SW-CCM-3.3-7825	^SW CallMgr 3.3, MCS 7825
SW-CCM-3.3-7825=	^SW CallMgr 3.3, MCS-7825H-3.0 and MCS-7825I-3.0
SW-CCM-3.3-7825SE	^SW CallMgr 3.3, MCS 7825, 100 Svr Usr Lic, Mid-Mkt Bndl Only
SW-CCM-3.3-7835	^SW CallMgr 3.3, MCS 7835
SW-CCM-3.3-7835=	^SW CallMgr 3.3, MCS 7835
SW-CCM-3.3-7845	^SW CallMgr 3.3 for MCS 7845
SW-CCM-3.3-7845=	^SW CallMgr 3.3, MCS 7845
SW-CCM-3.3-AQU-RU=	^CallManager 3.3 software for cust provided Aquarius server
SW-CCM-3.3-DL320=	^SW CallMgr 3.3 for HP DL320
SW-CCM-3.3-DL380=	^SW CallMgr 3.3 for HP DL380, 1CPU
SW-CCM-3.3-DL380D=	^SW CallMgr 3.3 for HP DL380, 2CPU
SW-CCM-3.3-MIG0=	^SW CallMgr 3.3(5) Migration, Same Server Class To New Server
SW-CCM-3.3-MIG1=	^CallManager 3.3 Migration, 7815SE to 7815 Server Class
SW-CCM-3.3-MIG10=	^CallManager 3.3 Migration, 7835 to 7845 Server Class
SW-CCM-3.3-MIG2=	^CallManager 3.3 Migration, 7815SE to 7825 Server Class
SW-CCM-3.3-MIG3=	^CallManager 3.3 Migration, 7815SE to 7835 Server Class
SW-CCM-3.3-MIG5=	^CallManager 3.3 Migration, 7815 to 7825 Server Class
SW-CCM-3.3-MIG6=	^CallManager 3.3 Migration, 7815 to 7835 Server Class
SW-CCM-3.3-MIG7=	^CallManager 3.3 Migration, 7815 to 7845 Server Class
SW-CCM-3.3-MIG8=	^CallManager 3.3 Migration, 7825 to 7835 Server Class
SW-CCM-3.3-MIG9=	^CallManager 3.3 Migration, 7825 to 7845 Server Class
SW-CCM-3.3-NFR=	^CallManager 3.3 New Install and Upgrade, Not For Resale
SW-CCM-3.3-UPG=	^CallManager 3.3(5) upgd from CCM 3.1, 3.2, 3.3(x), same svr
SW-CCM-3.3-UPGA=	S/W CallManager3.3 for SAU and Smartnet
SW-CCM-3.3-X206=	^SW CallMgr 3.3 new install for IBM X206 Server, 300 Svr Usr Lic
SW-CCM-3.3-X306=	^SW CallMgr 3.3,IBM x306
SW-CCM-3.3-X345=	^SW CallMgr 3.3 for IBM x345, 1CPU
SW-CCM-3.3-X345D=	^SW CallMgr 3.3 for IBM x345, 2CPU
SW-CCM-3.3-X346=	^SW CallMgr 3.3, IBM X346, 1CPU
SW-CCM-3.3-X346D=	^SW CallMgr 3.3, IBM X346, 2CPU
SW-CER-1.2-SVR=	^CER 1.2 software on CD, with 100 user licenses
SW-CER-1.3-SVR=	CER 1.3 Software Plus CER 1.X User License 100 Phones
SW-CM3.1-APPS-NFR=	^IP Telephony SW NFR Kit for CCM 3.1 incl. voice applications
SW-ER1.1-SVR	^Cisco Emergency Responder (includes 100 user licenses)
SW-ER1.1-SVR=	^Cisco Emergency Responder (includes 100 user licenses)
SW-ER1.1-SVR-CPQ=	^ER1.1 software-only for approved Compaq servers
SW-ER-2.0-NFR-K9	Cisco Emergency Responder 2.0 Software Demo Not For Resale
SW-ER-2.0-SVR-K9=	Emergency Responder 2.0 SW + 2.X User Lic 100 Phones
SW-ER-2.0-UPG-K9=	Emergency Respond 2.0 SW + 2.X User Lic 100 Phones Upgrd 1.X
SW-MCSUPG-2.X-3.0=	Cisco CallManager 3.0 Upgrade CD (to upgrade from CM 2.4)
SW-UP-3.0-3.1=	CallManager 3.0 to 3.1 software upgrade
UC6.0-K9-NFR	SW Unified Communications System 6.0 - Not For Resale
UC6.1-K9-NFR	SW Unified Communications System 6.0 - Not For Resale
UC7.0-K9-SDK	UC7.0 SW Tracking SKU
UCMGR_OTHER_ADJ	UCMGR_OTHER_ADJ
UME2.4-K9-H2.0	SW/LIC/KEY Cisco UME 2.4 Standard
UNIFIED-CM-6.1	Top Level Part For Unfied Communications Manager 6.1
USOL6-A-50USR	^UC System Release 6.0 Bundle -A- Additional Licenses - 50
USOL6-A-50U+SW-LIC	^UC System Release 6.0 Bundle -A- Software License - 50
USOL6-A-ME-USR	^UC System Release 6.0 Bundle - A - ME
USOL6-A-SE-USR	^UC System Release 6.0 Bundle - A - SE

Product ID: Call Control	Product Description
USOL6-A-SE-USR-ADD	^UC System Release 6.0 Bundle Addition - A - SE
USOL6-B-10USR	^UC System Release 6.0 Bundle -B- Additional Licenses - 10
USOL6-B-50U+SW-K9	^UC System Release 6.0 Bundle -B- Software and Licenses - 50
USOL6-B-ME-USR	^UC System Release 6.0 Bundle - B - ME
USOL6-B-SE-USR	^UC System Release 6.0 Bundle - B - SE
USOL6-B-SE-USR-ADD	^UC System Release 6.0 Bundle Addition - B - SE
USOL-A-10USR	^Solution Bundle - A - Additional Licenses - 10
USOL-A-50USR	^Solution Bundle - A - Additional Licenses - 50
USOL-A-50U+SW-LIC	^Solution Bundle - A - Software License - 50
USOL-A-ME-USR	^Solution Bundle - A - ME
USOL-A-ME-USR-ADD	^Solution Bundle Addition - A - ME
USOL-A-SE-USR	^Solution Bundle - A - SE (MIN 50 - MAX 299)
USOL-A-SE-USR-ADD	^Solution Bundle Addition - A - SE
USOL-B-ME-USR	^Solution Bundle - B - ME
USOL-B-ME-USR-ADD	^Solution Bundle Addition - B - ME
USOL-B-SE-USR-ADD	^Solution Bundle Addition - B - SE
USOL-C-10USR	^Solution Bundle - C - Additional Licenses - 10
USOL-C-200U+SW-K9	^Solution Bundle - C - Software And Licenses - 200
USOL-C-ME-USR	^Solution Bundle - C - ME
USOL-C-SE-USR	^Solution Bundle - C - SE (MIN 200 - MAX 299)
USOL-ME-K9	^Solution Bundle - ME
USOL-SE-ADD-K9	^Solution Bundle Addition - SE
USOL-SE-K9	^Solution Bundle - SE
UCSS_ADJ_PROD	UCSS_ADJ_PROD
UCSS-ATT-CUB1-1=	UCSS for Business Att Console for 1 Year - 1 Instance
UCSS-ATT-CUB1M-1=	UCSS Business Att Console 1 month add-on 1 user
UCSS-ATT-CUB3-1=	UCSS for Business Att Console for 3 Year - 1 Instance
UCSS-ATT-CUB5-1=	UCSS for Business Att Console for 5 years - 1 Instance
UCSS-ATT-CUD1-1=	UCSS for Department Att Console for 1 Year - 1 Instance
UCSS-ATT-CUD1M-1=	UCSS Department Att Console 1 month add-on 1 user
UCSS-ATT-CUD3-1=	UCSS for Department Att Console for 3 Year - 1 Instance
UCSS-ATT-CUD5-1=	UCSS for Department Att Console for 5 years - 1 Instance
UCSS-CMBE-1-10	UCSS For Unified CM BE For 1 Year - 10 Users
UCSS-CMBE-1-10=	UCSS For Unified CM BE For 1 Year - 10 Users
UCSS-CMBE-1-50	UCSS For Unified CM BE For 1 Year - 50 Users
UCSS-CMBE-1-50=	UCSS For Unified CM BE For 1 Year - 50 Users
UCSS-CMBE-1M-10	UCSS Unified CM BE 1 month add-on 10 Users
UCSS-CMBE-1M-50	UCSS Unified CM BE 1 month add-on 50 Users
UCSS-CMBE-2-10	UCSS For Unified CM BE For 2 Years - 10 Users
UCSS-CMBE-2-10=	UCSS For Unified CM BE For 2 Years - 10 Users
UCSS-CMBE-2-50	UCSS For Unified CM BE For 2 Years - 50 Users
UCSS-CMBE-2-50=	UCSS For Unified CM BE For 2 Years - 50 Users
UCSS-CMBE-3-10	UCSS For Unified CM BE For 3 Years - 10 Users
UCSS-CMBE-3-10=	UCSS For Unified CM BE For 3 Years - 10 Users
UCSS-CMBE-3-50	UCSS For Unified CM BE For 3 Years - 50 Users
UCSS-CMBE-3-50=	UCSS For Unified CM BE For 3 Years - 50 Users
UCSS-CMBE-5-10	UCSS For Unified CM BE For 5 Years - 10 Users
UCSS-CMBE-5-10=	UCSS For Unified CM BE For 5 Years - 10 Users
UCSS-CMBE-5-50	UCSS For Unified CM BE For 5 Years - 50 Users
UCSS-CMBE-5-50=	UCSS For Unified CM BE For 5 Years - 50 Users
UCSS-CMBE-WL	3 yr UCSS for CUWL Business Edition - 1 User
UCSS-CMBE-WL1	1yr CUWL Business Edition - 1 User for Gov/Edu only
UCSS-CUCM-BE	Top level for Unified CM, Bus Ed SW Subscription
UCSS-CUMC-1-10=	UCSS for CUMC for One Year - 10 Instance
UCSS-ER	UCSS Emergency Responder Top Level SKU
UCSS-ER-1-100	UCSS Emergency Responder 1 Year 100 Users
UCSS-ER-1-100=	UCSS Emergency Responder 1 Year 100 Users
UCSS-ER-1-10K	UCSS Emergency Responder 1 Year 10,000 Users
UCSS-ER-1-10K=	UCSS Emergency Responder 1 Year 10,000 Users
UCSS-ER-1-1K	UCSS Emergency Responder 1 Year 1,000 Users
UCSS-ER-1-1K=	UCSS Emergency Responder 1 Year 1,000 Users
UCSS-ER-1-500	UCSS Emergency Responder 1 Year 500 Users
UCSS-ER-1-500=	UCSS Emergency Responder 1 Year 500 Users
UCSS-ER-1-5K	UCSS Emergency Responder 1 Year 5,000 Users
UCSS-ER-1-5K=	UCSS Emergency Responder 1 Year 5,000 Users



Product ID: Call Control	Product Description
UCSS-ER-1M-100	UCSS Emergency Responder 1 Month Add-On 100 Users
UCSS-ER-1M-1K	UCSS Emergency Responder 1 Month Add-On 1000 Users
UCSS-ER-1M-500	UCSS Emergency Responder 1 Month Add-On 500 Users
UCSS-ER-1M-5K	UCSS Emergency Responder 1 Month Add-On 5000 Users
UCSS-ER-2-100	UCSS Emergency Responder 2 Years 100 Users
UCSS-ER-2-100=	UCSS Emergency Responder 2 Years 100 Users
UCSS-ER-2-10K=	UCSS Emergency Responder 2 Years 10,000 Users
UCSS-ER-2-1K	UCSS Emergency Responder 2 Years 1,000 Users
UCSS-ER-2-1K=	UCSS Emergency Responder 2 Years 1,000 Users
UCSS-ER-2-500	UCSS Emergency Responder 2 Years 500 Users
UCSS-ER-2-500=	UCSS Emergency Responder 2 Years 500 Users
UCSS-ER-2-5K	UCSS Emergency Responder 2 Years 5,000 Users
UCSS-ER-2-5K=	UCSS Emergency Responder 2 Years 5,000 Users
UCSS-ER-3-100	UCSS Emergency Responder 3 Years 100 Users
UCSS-ER-3-100=	UCSS Emergency Responder 3 Years 100 Users
UCSS-ER-3-10K	UCSS Emergency Responder 3 Years 10,000 Users
UCSS-ER-3-10K=	UCSS Emergency Responder 3 Years 10,000 Users
UCSS-ER-3-1K	UCSS Emergency Responder 3 Years 1,000 Users
UCSS-ER-3-1K=	UCSS Emergency Responder 3 Years 1,000 Users
UCSS-ER-3-500	UCSS Emergency Responder 3 Years 500 Users
UCSS-ER-3-500=	UCSS Emergency Responder 3 Years 500 Users
UCSS-ER-3-5K	UCSS Emergency Responder 3 Years 5,000 Users
UCSS-ER-3-5K=	UCSS Emergency Responder 3 Years 5,000 Users
UCSS-ER-5-100	UCSS Emergency Responder 5 Years 100 Users
UCSS-ER-5-1K	UCSS Emergency Responder 5 Years 1,000 Users
UCSS-ER-5-500	UCSS Emergency Responder 5 Years 500 Users
UCSS_OTHER_ADJ	UCSS_OTHER_ADJ
UCSS-UAS	UCSS For UAE
UCSS-UAS-1-10	UCSS for UAE for One Year - 10 Instance
UCSS-UAS-1-10=	UCSS for UAE for One Year - 10 Instance
UCSS-UAS-1-100	UCSS for UAE for One Year - 100 Instance
UCSS-UAS-1-100=	UCSS for UAE for One Year - 100 Instance
UCSS-UAS-1-50	UCSS for UAE for One Year - 50 Instance
UCSS-UAS-1-50=	UCSS for UAE for One Year - 50 Instance
UCSS-UAS-1-500	UCSS for UAE for One Year - 500 Instance
UCSS-UAS-1-500=	UCSS for UAE for One Year - 500 Instance
UCSS-UAS-2-10=	UCSS for UAE for Two Years - 10 Instance
UCSS-UAS-3-10=	UCSS for UAE for Three Years - 10 Instance
UCSS-UAS-3-100	UCSS for UAE for Three Years - 100 Instance
UCSS-UAS-3-100=	UCSS for UAE for Three Years - 100 Instance
UCSS-UAS-3-1K=	UCSS for UAE for Three Years - 1000 Instance
UCSS-UAS-3-50=	UCSS for UAE for Three Years - 50 Instance
UCSS-UCM	Top level SKU, Unified CallManager Software Subscription
UCSS-UCM-1-10	UCSS for UCM for One Year - 10 users
UCSS-UCM-1-10=	UCSS for UCM for One Year - 10 users
UCSS-UCM-1-100	UCSS for UCM for One Year - 100 users
UCSS-UCM-1-100=	UCSS for UCM for One Year - 100 users
UCSS-UCM-1-10K	UCSS for UCM for One Year - 10,000 users
UCSS-UCM-1-10K=	UCSS for UCM for One Year - 10,000 users
UCSS-UCM-1-1K	UCSS for UCM for One Year - 1,000 users
UCSS-UCM-1-1K=	UCSS for UCM for One Year - 1,000 users
UCSS-UCM-1-5K	UCSS for UCM for One Year - 5,000 users
UCSS-UCM-1-5K=	UCSS for UCM for One Year - 5,000 users
UCSS-UCM-1M-10	UCSS Unified Communications Manager 1 month add-on 10 users
UCSS-UCM-1M-10=	UCSS Unified Communications Manager 1 month add-on 10 users
UCSS-UCM-1M-100	UCSS Unified Communications Manager 1 month add-on 100 users
UCSS-UCM-1M-10K	UCSS Unified Communications Manager 1 month add-on 10k users
UCSS-UCM-1M-1K	UCSS Unified Communications Manager 1 month add-on 1k users
UCSS-UCM-1M-5K	UCSS Unified Communications Manager 1 month add-on 5k users
UCSS-UCM-2-10	UCSS for UCM for Two Years - 10 users
UCSS-UCM-2-10=	UCSS for UCM for Two Years - 10 users
UCSS-UCM-2-100	UCSS for UCM for Two Years - 100 users
UCSS-UCM-2-100=	UCSS for UCM for Two Years - 100 users
UCSS-UCM-2-10K	UCSS for UCM for Two Year - 10,000 users
UCSS-UCM-2-10K=	UCSS for UCM for Two Year - 10,000 users

Product ID: Call Control	Product Description
UCSS-UCM-2-1K	UCSS for UCM for Two Years - 1,000 users
UCSS-UCM-2-1K=	UCSS for UCM for Two Years - 1,000 users
UCSS-UCM-2-5K	UCSS for UCM for Two Years - 5,000seats
UCSS-UCM-2-5K=	UCSS for UCM for Two Years - 5,000seats
UCSS-UCM-3-10	UCSS for UCM for Three Years - 10 seats
UCSS-UCM-3-10=	UCSS for UCM for Three Years - 10 seats
UCSS-UCM-3-100	UCSS for UCM for Three Years - 100 seats
UCSS-UCM-3-100=	UCSS for UCM for Three Years - 100 seats
UCSS-UCM-3-10K	UCSS for UCM for Three Years - 10,000 seats
UCSS-UCM-3-10K=	UCSS for UCM for Three Years - 10,000 seats
UCSS-UCM-3-1K	UCSS for UCM for Three Years - 1,000 seats
UCSS-UCM-3-1K=	UCSS for UCM for Three Years - 1,000 seats
UCSS-UCM-3-5K	UCSS for UCM for Three Years - 5,000 seats
UCSS-UCM-3-5K=	UCSS for UCM for Three Years - 5,000 seats
UCSS-UCM-5-10	UCSS for UCM for Five Years - 10 seats
UCSS-UCM-5-10=	UCSS for UCM for Five Years - 10 seats
UCSS-UCM-5-100	UCSS for UCM for Five Years - 100 seats
UCSS-UCM-5-100=	UCSS for UCM for Five Years - 100 seats
UCSS-UCM-5-10K=	UCSS for UCM for Five Years - 10,000 seats
UCSS-UCM-5-1K	UCSS for UCM for Five Years - 1,000 seats
UCSS-UCM-5-1K=	UCSS for UCM for Five Years - 1,000 seats
UCSS-UCM-5-5K=	UCSS for UCM for Five Years - 5,000 seats
UCSS-UME	UCSS For Media Resources
UCSS-UME-1-10	UCSS for Media Resources for One Year - 10 Resources
UCSS-UME-1-10=	UCSS for Media Resources for One Year - 10 Resources
UCSS-UME-1-100	UCSS for Media Resources for One Year - 100 Resources
UCSS-UME-1-100=	UCSS for Media Resources for One Year - 100 Resources
UCSS-UME-1-1K	UCSS for Media Resources for One Year - 1000 Resources
UCSS-UME-1-50	UCSS for Media Resources for One Year - 50 Resources
UCSS-UME-1-50=	UCSS for Media Resources for One Year - 50 Resources
UCSS-UME-1-500	UCSS for Media Resources for One Year - 500 Resources
UCSS-UME-2-50=	UCSS for Media Resources for Two Years - 50 Resources
UCSS-UME-3-10	UCSS for Media Resources for Three Years - 10 Resources
UCSS-UME-3-10=	UCSS for Media Resources for Three Years - 10 Resources
UCSS-UME-3-100	UCSS for Media Resources for Three Years - 100 Resources
UCSS-UME-3-100=	UCSS for Media Resources for Three Years - 100 Resources
UCSS-UME-3-1K	UCSS for Media Resources for Three Years - 1000 Resources
UCSS-UME-3-50	UCSS for Media Resources for Three Years - 50 Resources
UCSS-UME-3-50=	UCSS for Media Resources for Three Years - 50 Resources
UCSS-UME-3-500=	UCSS for Media Resources for Three Years - 500 Resources
UCSS-UPP	UCSS For PhoneProxy
UCSS-UPP-1-10	UCSS for PhoneProxy for One Year - 10 users
UCSS-UPP-1-10=	UCSS for PhoneProxy for One Year - 10 users
UCSS-UPP-1-100	UCSS for PhoneProxy for One Year - 100 users
UCSS-UPP-1-100=	UCSS for PhoneProxy for One Year - 100 users
UCSS-UPP-1-50	UCSS for PhoneProxy for One Year - 50 users
UCSS-UPP-1-50=	UCSS for PhoneProxy for One Year - 50 users
UCSS-UPP-3-10	UCSS for PhoneProxy for Three Years - 10 users
UCSS-UPP-3-10=	UCSS for PhoneProxy for Three Years - 10 users
CMBE-WRKSP-BDL	Unified Com Manager Bus Edition Workspace Bundle-Top level
CUCM-BE-UPG-WL	Upgrade from CUCMBE to CUWL BE, 1 User
CUCM-BE-WL	UWL Business Edition 1 User
MCS7828H3-K9-WL	CUCMBE 7828-H3 appliance, CUWL BE 50 Users
MCS7828I3-K9-WL	CUCMBE 7828-I3 appliance, CUWL BE 50 Users
CP-7920-AC-CH1-K9	Cisco 7920/APAC; CCM UL; Battery/Pwr Supply Not Included
CP-7920-AE-CH1-K9	Cisco 7920/APAC; CCME UL; Battery/Pwr Supply Not Included
CP-7920-CCME-K9	Cisco 7920 Phone ASSY W/One CallManager Express Stn User Lic
CP-7920-CH1-K9	Cisco 7920 Phone ASSY w/User License
CP-7920-EC-CH1-K9	Cisco 7920/ETSI; CCM UL; Battery/Pwr Supply Not Included
CP-7920-EE-CH1-K9	Cisco 7920/ETSI; CCME UL; Battery/Pwr Supply Not Included
CP-7920-FC-CH1-K9	Cisco 7920/FCC; CCM UL; Battery/Pwr Supply Not Included
CP-7920-FE-CH1-K9	Cisco 7920/FCC; CCME UL; Battery/Pwr Supply Not Included
ACS-UC500RM-19=	19 inch Rack Mount Kit for the Cisco Unified 500 (8/16 User)
L-UC520-16UPG=	License eDelivery of PAK for upgrade from 8U => 16U.
L-UC520-32UPG=	License eDelivery of PAK for upgrade from 24U => 32U

Product ID: Call Control	Product Description
L-UC520-48UPG=	License eDelivery of PAK for upgrade from 32U => 48U
MEMUC500-128CF	128MB CF for the Cisco Unified 500 Series
MEMUC500-128CF=	128MB CF for the Cisco Unified 500 Series (Spare)
PWR-UC500-220W	Cisco Unified 500 Desk Top Power Adapter 100-240VAC
PWR-UC500-220W=	Cisco Unified 500 Desk Top Power Adapter 100-240VAC
SL-UC520-16UPG=	UC500 software update from 8U => 16U. Mail delivery of PAK.
SL-UC520-32UPG=	UC500 software update from 24U => 32U. Mail delivery of PAK.
SL-UC520-48UPG=	UC500 software update from 32U => 48U. Mail delivery of PAK.
UC500_ADJ_PROD	UC500_ADJ_PROD
UC520-16U-2BRI	16U CME, CUE and Phone FL w/2BRI, 1VIC
UC520-16U-2BRI-K9	16U CME Base, CUE and Phone FL w/2BRI, 1VIC
UC520-16U-2BRI-W	16 U CME Base, CUE and Phone FL w/2BRI, 1VIC WIFI
UC520-16U-4FXO	16 U CME Base, CUE and Phone FL w/4FXO, 1VIC
UC520-16U-4FXO-K9	16U CME Base, CUE and Phone FL w/4FXO, 1VIC
UC520-16U-4FXO-W	16 U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI
UC520-24U-4BRI-K9	24U CME Base, CUE and Phone FL with 4 BRI, 1 VIC
UC520-24U-8FXO-K9	24U CME Base, CUE and Phone FL with 8 FXO, 1 VIC
UC520-32U-4BRI	32U CME Base, CUE and Phone FL w/4BRI
UC520-32U-4BRI-K9	32U CME Base, CUE and Phone FL w/4BRI, 1VIC
UC520-32U-4BRI-W	32U CME Base, CUE and Phone FL w/4BRI WIFI
UC520-32U-8FXO	32U CME Base, CUE and Phone FL w/8FXO
UC520-32U-8FXO-K9	32U CME Base, CUE and Phone FL w/8FXO, 1VIC
UC520-32U-8FXO-W	32U CME Base, CUE and Phone FL w/8FXO WIFI
UC520-48U-12FXO	48U CME Base, CUE and Phone FL w/12FXO
UC520-48U-12FXO-K9	48U CME Base, CUE and Phone FL w/12FXO
UC520-48U-12FXO-W	48U CME Base, CUE and Phone FL w/12FXO WIFI
UC520-48U-6BRI	48U CME Base, CUE and Phone FL w/6BRI
UC520-48U-6BRI-K9	48U CME Base, CUE and Phone FL w/6BRI
UC520-48U-6BRI-W	48U CME Base, CUE and Phone FL w/6BRI WIFI
UC520-48U-T1/E1-B	48U CME Base, CUE and Phone FL w/ 2BRI, T1/E1, 1VIC
UC520-48U-T1/E1-BW	48U CME Base, CUE and Phone FL w/ 2BRI, T1/E1, 1VIC
UC520-48U-T1/E1-F	48U CME Base, CUE and Phone FL w/ 4FXO, T1/E1, 1VIC
UC520-48U-T1/E1-FW	48U CME Base, CUE and Phone FL w/4FXO, T1/E1, 1VIC WIFI
UC520-48U-T/E/B-K9	48U CME Base, CUE and Phone FL w/ 2BRI, T1/E1, 1VIC
UC520-48U-T/E/F-K9	48U CME Base, CUE and Phone FL w/ 4FXO, T1/E1, 1VIC
UC520-8U-2BRI	8U CME Base, CUE and Phone FL w/2BRI, 1VIC
UC520-8U-2BRI-K9	8U CME Base, CUE and Phone FL w/2BRI, 1VIC
UC520-8U-2BRI-W	8U CME Base, CUE and Phone FL w/2BRI, 1VIC WIFI
UC520-8U-4FXO	8U CME Base, CUE and Phone FL w/4FXO, 1VIC
UC520-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC
UC520-8U-4FXO-W	8U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI
UC520W-16U-2BRI-K9	16U CME Base, CUE and Phone FL w/2BRI, 1VIC WIFI
UC520W-16U-4FXO-K9	16U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI
UC520W-16U-K9/J	16U CME Base, CUE and Phone FL w/2BRI, 1 VIC WIFI
UC520W-8U-2BRI-K9	8U CME Base, CUE and Phone FL w/2BRI, 1VIC WIFI
UC520W-8U-4FXO-K9	8U CME Base, CUE and Phone FL w/4FXO, 1VIC WIFI
UC520W-8U-K9/J	8U CME Base, CUE and Phone FL w/2BRI, 1 VIC WIFI
EGW-7825H-11	^EGW 2200 MCS 7825 (HP) Hardware
EGW-7825H-11=	^EGW 2200 MCS 7825 (HP) Hardware Spare
EGW-7825H-11-R	^EGW 2200 MCS 7825 HP, 1 CPU, 1Gig RAM Redundant System
EGW-7825H-MEM-UGB=	^EGW 2200 MCS 7825H 512 MB Memory Upgrade
EGW-7835H-12	^EGW 2200 MCS 7835 HP, 1 CPU, 2Gig RAM
EGW-7835H-12=	^EGW 2200 MCS 7835 HP, 1 CPU, 2Gig RAM Spare
EGW-7835H-12-R	^EGW 2200 MCS 7835 HP, 1 CPU, 2Gig RAM Redundant System
EGW-7835I-12	^EGW 2200 MCS 7835 IBM, 1CPU, 2Gig RAM
EGW-7845H-24	^EGW 2200 MCS 7845, 2 CPU, 4Gig RAM
SFB22EGW-K9-1.1.2	^EGW 2200 Application Software Ver 1.1.2
SFB22EGW-K9-1.1.2=	^EGW 2200 Application Software Ver 1.1.2 Spare
SWP22-EGW-E1-RTU	^EGW 2200 RTU License (Per E1)
SWP22-EGW-E1-RTU=	^EGW 2200 RTU License (Per E1) Spare
SWP22-EGW-T1-RTU	^EGW 2200 RTU License (Per T1)
SWP22-EGW-T1-RTU=	^EGW 2200 RTU License (Per T1) Spare
ACE-SBC-H248	ACE Session Border Control H.248 License
ACE-SBC-H323=	ACE Session Border Control H323 License
ACE-SBC-NO-APP	No Application SKU for ACE Session Border Control

Product ID: Call Control	Product Description
ACE-SBC-RTU	ACE Session Border Control Application RTU
ACE-SBC-SIP=	ACE Session Border Control SIP License
ACE-SBC-SW2000	ACE Session Border Control Release 2.0.00
ACE-SBC-SW2000-K9	ACE Session Border Controller Release 2.0.00
ACE-SBC-SW3000-K9=	ACE Session Border Controller Release 3.0.00
XR-12K-SBC-H248	XR 12000 Session Border Control H.248 License
XR-12K-SBC-H323	XR 12000 Session Border Control H.323 License
XR-12K-SBC-RTU	XR 12000 Session Border Control Application RTU
XR-12K-SBC-SIP	XR 12000 Session Border Control SIP License
SBCSW_ADJ_PROD	SBCSW_ADJ_PROD
SBCSW_CREDIT_ADJ	SBCSW_CREDIT_ADJ
SBCSW_OTHER_ADJ	SBCSW_OTHER_ADJ
CUMA-LINX-K9-V3	Cisco Unified Mobility Advantage Server and Proxy Software
CUMC-BB-CAL-V3	CUMC BlackBerry Client Access License V3.x (Min 20)
CUMC-BB-CAL-V3=	CUMC BlackBerry Client Access License for CUMA V3.x (Min 20)
CUMC-BB-K9-V3	Cisco Unified Mobile Communicator Software for BlackBerry
CUMC-BB-K9-V3=	Cisco Unified Mobile Communicator Software for BlackBerry fo
CUMC-CM4X-LICDL	DLU Equivalent For CCM 4.x only. Not Used With 5.0 or Later
CUMC-CM4X-LICDL=	DLU Equivalent For CCM 4.x only. Not Used With 5.0 And Highr
CUMC-WM-CAL-V3	CUMC Windows Mobile Client Access License for CUMA V3.x (Min
CUMC-WM-CAL-V3=	CUMC Windows Mobile Client Access License for CUMA V3.x (Min
NOK-SCCP-CCM-01=	Nokia Intellisync PBX Connect for CCM (SCCP Client), 1 User
NOK-SCCP-CCM-05=	Nokia Intellisync PBX Connect for CCM (SCCP Client), 5 User
NOK-SCCP-CCM-10=	Nokia Intellisync PBX Connect for CCM (SCCP Client), 10 User
NOK-SCCP-CCM-100=	Nokia Intellisync PBX Connect for CCM (SCCP Client), 100 Usr
NOK-SCCP-CCM-25=	Nokia Intellisync PBX Connect for CCM (SCCP Client), 25 User
NOK-SCCP-CCM-50=	Nokia Intellisync PBX Connect for CCM (SCCP Client), 50 User
UCSS-CUMC-1-10	UCSS Cisco Unified Mobile Communicator For 1 Year - 10 pack
UCSS-CUMC-1-100=	UCSS for CUMC for One Year - 100 Instance
UCSS-CUMC-1-50=	UCSS for CUMC for One Year - 50 Instance
UCSS-CUMC-2-10=	UCSS for CUMC for Two Years - 10 Instance
UCSS-CUMC-2-100=	UCSS for CUMC for Two Years - 100 Instance
UCSS-CUMC-2-50=	UCSS for CUMC for Two Years - 50 Instance
UCSS-CUMC-3-100=	UCSS for CUMC for Three Years - 100 Instance
UCSS-CUMC-3-50=	UCSS for CUMC for Three Years - 50 Instance
UCSS-MM-1M-10=	UCSS for Mobility Manager 1 month add-on 10 users
UCSS-CUP-1M-10	UCSS Cisco Unified Presence 1 month add-on 10 users
UCSS-CUP-1M-100	UCSS Cisco Unified Presence 1 month add-on 100 users
UCSS-CUP-1M-1K	UCSS Cisco Unified Presence 1 month add-on 1000 users
USOL-B-10USR	^Solution Bundle - B - Additional Licenses - 10
USOL-B-50USR	^Solution Bundle - B - Additional Licenses - 50
USOL-B-50U+SW-K9	^Solution Bundle - B - Software and Licenses - 50
USOL-B-SE-USR	^Solution Bundle - B - SE
DAT-7835-I1	36/72GB DAT Drive For MCS-7835-I1 server
DAT-7845-I1	36/72GB DAT Drive For MCS-7845-I1
DAT-USB-EXT-72	External USB 36/72GB DAT Drive
DAT-USB-RM-72	Rack Mount USB 36/72GB DAT Drive
HDD-7845-H1-144=	Spare 144GB SCSI HS Hard Drive for MCS-7845-H1
MID-MKT-IPC-A	2-Server, CCM 100 User, Unity VM 25 User Bundle
MID-MKT-IPC-A1	No longer orderable as of 1/31/05
MID-MKT-IPC-B	2-Server, CCM 100 User, Unity VM 25 User Bundle
MID-MKT-IPC-B1	No longer orderable as of 1/31/05
MID-MKT-IPC-K9-A	2-Server, CCM 100 User, Unity VM 25 User Bundle, 3DES
MID-MKT-IPC-K9-A1	No longer orderable as of 1/31/05
MID-MKT-IPC-K9-B	No longer orderable as of 1/31/05
RAIL-7815-I1	Rail Kit To Rack Mount MCS 7815-I1
VoIP Phones	
CP-7936	IP Conf. Station w external mic ports
CP-7936-PWR-KIT-RF	Replacement Power Kit for 7936/7935 REFURBISHED
CP-7936-RF	IP Conference Station w/ ext. microphone ports REFURBISHED
CP-7937-MIC-KIT-RF	Microphone Kit for 7937 REFURBISHED
S17C7V8P-12304T	Cisco 1700 IOS IP/ADSL/VOX PLUS
CP-7905G-RF	7905G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7912G-RF	7912G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7914-RF	7914 IP Phone (SW License NOT INCLUDED) REFURBISHED

Product ID: Call Control	Product Description
IPCBU_ADJ_PROD	IPCBU_ADJ_PROD
IPTLELE_ADJ_PROD	IPTLELE_ADJ_PROD
3950 SERIES OTHER I2	
7961 SERIES OTHER I2	
AP7845-K9-2.3-H1D= I2	
CP-7921G I2	
CP-7936-MIC-KIT I2	
CP-7936-PWR-KIT= I2	
CP-BATT-7920-EXT= I2	
CP-DOUBLFOOTSTAND I2	
CP-HANDSET-CORD I2	
CP-HANDSET I2	
CP-LAN-CORD I2	
CP-LCKNGWALLMNT2= I2	
CP-LCKNGWALLMOUNT I2	
CP-MCHGR-7921G I2	
CP-PWR-CUBE-3 I2	
CP-PWR-INJ I2	
CP-SINGLFOOTSTAND I2	
CP-WALLMOUNTKIT I2	
IPCBU_FUTURE_PF_CREDIT_ADJ	IPCBU_FUTURE_PF_CREDIT_ADJ
IPCBU_FUTURE_PF_OTHER_ADJ	IPCBU_FUTURE_PF_OTHER_ADJ
PHONE_ADJ_PROD I2	
990-0051-003	^Cisco-Phone Model 30 VIP, Power Supply Optional
990-0052-003=	^Cisco-Phone Model 12 SP+ Pkg.
APPS_ADJ_PROD	APPS_ADJ_PROD
EVVBU_ADJ_PROD	EVVBU_ADJ_PROD
OLDPTCC_ADJ_PROD	OLDPTCC_ADJ_PROD
OLDPTCC_CREDIT_ADJ	OLDPTCC_CREDIT_ADJ
OLDPTCC_OTHER_ADJ	OLDPTCC_OTHER_ADJ
7940 USER LIC OPT	User License Options for CP-7940G
7941 USER LIC OPT	User License Options for CP-7941G or CP-7941G-GE
7960 USER LIC OPT	User License Options for CP-7960G
7961 USER LIC OPT	User License Options for CP-7961G or CP-7961G-GE
CP-12SP+	^IP Phone Model 12 SP+ pkg. (includes power supply & license)
CP-12SP-INTL=	^IP Phone Model 12SP+ Spare (w/o power supply & license)
CP-30VIP	^IP Phone Model 30 VIP pkg. (includes power supply & license)
CP-30VIP-INTL=	^IP Phone Model 30VIP Spare (w/o power supply & license)
CP-3911	Cisco SIP Phone 3911
CP-3911=	Cisco SIP Phone 3911
CP-3911-CCME	Cisco SIP Phone 3911 with 1 CCME RTU License
CP-3951	Cisco SIP Phone 3951
CP-3951=	Cisco SIP Phone 3951
CP-3951-CCME	Cisco SIP Phone 3951 with 1 CCME RTU License
CP-3951-CH1	Cisco SIP Phone 3951with RTU License
CP-7902G	Cisco IP Phone 7902G, Global
CP-7902G=	Cisco IP Phone 7902G, Global, Spare
CP-7902G-CCME	7902G IP Phone With One CallManager Express Station User Lic
CP-7902G-CH1	7902G IP PHONE WITH ONE STATION USER LICENSE
CP-7902G-RF	7902G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7905	^Cisco IP Phone 7905
CP-7905=	^Cisco IP Phone 7905, Spare
CP-7905-CORD-CE	7905 Series Power Cord, Central Europe
CP-7905-CORD-NA	7905 Series Power Cord, North America
CP-7905G	Cisco IP Phone 7905G, Global
CP-7905G=	Cisco IP Phone 7905G, Global, Spare
CP-7905G-CCME	7905G IP Phone With One CallManager Express Station User Lic
CP-7905G-CH1	7905G IP PHONE WITH ONE STATION USER LICENSE
CP-7905G-SP	Cisco IP Phone 7905G SP Bundle
CP-7906G	Cisco IP Phone 7906G
CP-7906G=	Cisco IP Phone 7906G
CP-7906G-CCME	Cisco IP Phone 7906G with 1 CCME RTU License
CP-7906G-CH1	Cisco IP Phone 7906G Channel Bundle
CP-7906G-RF	Cisco IP Phone 7906G REFURBISHED
CP-7906G-SP	Cisco IP Phone 7906G SP Bundle

Product ID: Call Control	Product Description
CP-7910	^Cisco IP Phone 7910, Bid Set (Including User License)
CP-7910=	^Cisco IP Phone, 7910, Bid Set, Spare (license not included)
CP-7910G	^Cisco IP Phone 7910G, Global
CP-7910G=	^Cisco IP Phone 7910G, Global, Spare
CP-7910G-CH1	^7910 IP Phone with one Station User License
CP-7910G-RF	7910G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7910G+SW	Cisco IP Phone 7910G+SW, Global
CP-7910G+SW=	Cisco IP Phone 7910G+SW, Global, Spare
CP-7910G+SW-CH1	7910+SW IP Phone with one Station User License
CP-7910G+SW-RF	7910G+SW IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7910-RF	7910 IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7910+SW	^Cisco 7910 IP Phone with 10/100 BaseT Switch (w/License)
CP-7910+SW=	^Cisco 7910+SW IP Phone Spare (w/o user license)
CP-7910+SWC	^Cisco IP Phone 7910+SW (Skinny Protocol Version)
CP-7910+SW OPTIONS	Options for the CP-7910+SW
CP-7910+SW-RF	7910+SW IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7911G	Cisco IP Phone 7911G
CP-7911G=	Cisco IP Phone 7911G
CP-7911G-CCME	Cisco IP Phone 7911G with 1 CCME RTU License
CP-7911G-CH1	Cisco IP Phone 7911G with 1 RTU License
CP-7911G-NA	Cisco IP Phone 7911G for NA
CP-7911G-NA=	Cisco IP Phone 7911G for NA
CP-7911G-NA-CH1	Cisco IP Phone 7911G with 1 RTU License for NA
CP-7911G-NA-RF	Cisco IP Phone 7911G with 1 RTU License for NA REFURBISHED
CP-7911G-RF	7911G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7911G-SP	Cisco IP Phone 7911G SP Bundle
CP-7912G	Cisco IP Phone 7912G
CP-7912G=	Cisco IP Phone 7912G, Global, Spare
CP-7912G-A	^Cisco IP Phone 7912G
CP-7912G-A=	^Cisco IP Phone 7912G
CP-7912G-A-CCME	^7912G IP Phone With One CallManager Express Station User Lic
CP-7912G-A-RF	7912G IP Phone (SW License NOT INCLUDED)REFURBISHED
CP-7912G-BZ1	^Cisco IP Phone 7912G Bundle for Brazil
CP-7912G-CCME	7912G IP Phone With One CallManager Express Station User Lic
CP-7912G-CCME=	7912G IP Phone With One CallManager Express Station User Lic
CP-7912G-CH1	7912G IP PHONE WITH ONE STATION USER LICENSE
CP-7912G-CH1-A	^7912G IP PHONE WITH ONE STATION USER LICENSE
CP-7912G-SP	^Cisco IP Phone 7912G SP Bundle
CP-7912G-W	Cisco IP Phone 7912G for Japan
CP-7912G-W=	Cisco IP Phone 7912G for Japan
CP-7914=	7914 IP Phone Expansion Module
CP-7915	7915 IP Phone Grayscale Expansion Module
CP-7915=	7915 IP Phone Grayscale Expansion Module
CP-7916	7916 IP Phone Color Expansion Module
CP-7916=	7916 IP Phone Color Expansion Module
CP-7931G	Cisco IP phone 7931G
CP-7931G=	Cisco IP phone 7931G
CP-7931G-CH1	Cisco IP Phone 7931G with 1 RTU License
CP-7931G-RF	Cisco IP phone 7931G REFURBISHED
CP-7935	Cisco IP Conference Station 7935
CP-7935=	Cisco IP Conference Station 7935
CP-7935-CCME	7935 IP Phone With One CallManager Express Station User Lic
CP-7936=	IP Conferece Station, Spare
CP-7936-MIC-KIT	Microphone Kit, for 7936
CP-7936-MIC-KIT=	Microphone Kit, for 7936
CP-7936-PWR-KIT=	Replacement Power Kit for 7936/7935
CP-7937G	Cisco IP Conference Station 7937 Global
CP-7937G=	Cisco IP Conference Station 7937 Global
CP-7937-MIC-KIT	Microphone Kit for 7937
CP-7937-MIC-KIT=	Microphone Kit for 7937
CP-7937-PWR-SPL	Power Splitter for 7937
CP-7937-PWR-SPL=	Power Splitter for 7937
CP-7940	^Cisco IP Phone 7940, Business Set (with User License)
CP-7940=	^Cisco IP Phone 7940, Business Set (w/o User License)
CP-7940G	Cisco IP Phone 7940G, Global

Product ID: Call Control	Product Description
CP-7940G=	Cisco IP Phone 7940G, Global, Spare
CP-7940G-1SPB=	Cisco Unified IP Phone 7940G With Lic - India promo only
CP-7940G-8SPB=	Cisco Unified IP Phone 7940G 8-Pk With Lic-India promo only
CP-7940G-BZ1	Cisco IP Phone 7940G Bundle for Brazil
CP-7940G-CCME	7940 IP Phone With One CallManager Express Station User Lic
CP-7940G-CCME=	7940 IP Phone With One CallManager Express Station User Lic
CP-7940G-CH1	7940 IP Phone with one Station User License
CP-7940G-PROMO	Cisco Unified IP Phone 7940G - Special Bundle only
CP-7940G-RF	7940G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP7940G-RF	CP7940G REFURBISHED
CP-7940G-SP	Cisco IP Phone 7940G SP Bundle
CP-7940G-SPB	Cisco Unified IP Phone 7940G With Liic - India Promo only
CP-7940-RF	7940 IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7941	Cisco IP Phone, 7941 Memory+
CP-7941G	Cisco IP Phone 7941
CP-7941G=	Cisco IP Phone 7941, spare
CP-7941G-1SPB=	Cisco Unified IP Phone 7941G With Lic - India Promo Only
CP-7941G-8SPB=	Cisco Unified IP Phone 7941G 8-Pk With Lic-India Promo Only
CP-7941G-CCME	Cisco IP Phone 7941, CCME
CP-7941G-CH1	Cisco IP Phone 7941, Channel w/license
CP-7941G-GE	Cisco IP Phone 7941G-GE, Global, Gig Ethernet
CP-7941G-GE=	Cisco IP Phone 7941G-GE, Global, Gig Ethernet, spare
CP-7941G-GE-CCME	Cisco IP Phone 7941G-GE CCME
CP-7941G-GE-CH1	IP Phone 7941G-GE for Channels with 1 Station User License
CP-7941G-GE-RF	7941G-GE IP Phone (SW License NOT INCLUDED)REFURBISHED
CP-7941G-GE-SP	Cisco IP Phone 7941G-GE SP Bundle
CP-7941G-ITA-S2=	Cisco IP Phone 7941G Type 2 Promo for ITA
CP-7941G-ITA-S3=	Cisco IP Phone 7941G Type 3 Promo for ITA
CP-7941G-PROMO	Cisco Unified IP Phone 7941G With License - Special Bundle
CP-7941G-RF	7941G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7941G-SPB	Cisco Unified IP Phone 7941G With Lic - India Promo Only
CP-7942G	Cisco Unified IP Phone 7942
CP-7942G=	Cisco Unified IP Phone 7942, spare
CP-7942G-CCME	Cisco Unified IP Phone 7942 with 1 CCME RTU License
CP-7942G-CH1	Cisco Unified IP Phone 7942 with 1 RTU License
CP-7945G	Cisco Unified IP Phone 7945, Gig Ethernet, Color
CP-7945G=	Cisco IP Phone 7945, Gig Ethernet, Color, spare
CP-7945G-CCME	Cisco IP Phone 7945, Gig, Color, with 1 CCME RTU License
CP-7945G-CH1	Cisco IP Phone 7945, Gig, Color, with 1 RTU License
CP-7945G-RF	Cisco Unified IP Phone 7945, Gig Ethernet, Color REFURBISHED
CP-7960	^Cisco IP Phone 7960, Manager Set (w/User License)
CP-7960=	^Cisco IP Phone, 7960, Manager Set, Spare (w/o License)
CP-7960-1PACK	^7960 IP Phone for 2 Tier Dist
CP-7960C	^Cisco 7960 Model IP Phone (Skinny Protocol Version)
CP-7960G	Cisco IP Phone 7960G, Global
CP-7960G=	Cisco IP Phone 7960G, Global, Spare
CP-7960G-10BNL=	Ten Cisco IP Phone 7960G Plus License
CP-7960G-BZ1	Cisco IP Phone 7960G Bundle for Brazil
CP-7960G-CCME	7960 IP Phone With One CallManager Express Station User Lic
CP-7960G-CH1	7960 IP Phone with one Station User License
CP-7960G-RF	7960G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP7960G-RF	CP7960G REFURBISHED
CP7960G/SFPH1.3BUN	Cisco IP Phone 7960G + Cisco IP SoftPhone 1.3 Bundle
CP-7960G-SP	Cisco IP Phone 7960G SP Bundle
CP-7960-RF	CP-7960 REFURBISHED
CP-7961G	Cisco IP Phone 7961
CP-7961G=	Cisco IP Phone 7961, spare
CP-7961G-CCME	Cisco IP Phone 7961 CCME
CP-7961G-CH1	Cisco IP Phone 7961, Channel w/ license
CP-7961G-GE	Cisco IP Phone 7961G-GE, Global, Gig Ethernet
CP-7961G-GE=	Cisco IP Phone 7961G-GE, Global, Gig Ethernet, spare
CP-7961G-GE-CCME	Cisco IP Phone 7961G-GE CCME
CP-7961G-GE-CH1	IP Phone 7961G-GE for Channels with 1 Station User License
CP-7961G-GE-RF	7961G-GE IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7961G-GE-SP	Cisco IP Phone 7961G-GE SP Bundle

Product ID: Call Control	Product Description
CP-7961G-ITA-S1=	Cisco IP Phone 7961G Type 1 Promo for ITA
CP-7961G-RF	7961G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7962G	Cisco Unified IP Phone 7962
CP-7962G=	Cisco Unified IP Phone 7962, spare
CP-7962G-CCME	Cisco IP Phone 7962 with 1 CCME RTU License
CP-7962G-CH1	Cisco IP Phone 7962 with 1 RTU License
CP-7965G	Cisco Unified IP Phone 7965, Gig Ethernet, Color
CP-7965G=	Cisco Unified IP Phone 7965, Gig Ethernet, Color, spare
CP-7965G-CCME	Cisco IP Phone 7965, Gig, Color, with 1 CCME RTU License
CP-7965G-CH1	Cisco IP Phone 7965, Gig, Color, with 1 RTU License
CP-7970	Color Display IP Phone 7970
CP-7970G	Cisco IP Phone 7970G, Global
CP-7970G=	Spare Cisco IP Phone 7970G, Global
CP-7970G-10BNDL=	Ten Cisco IP Phone 7970G Plus License
CP-7970G-CH1	7970 IP Phone with one Station User License
CP-7970G-CH2	IP Phone 7970G, for channel, license, power cube, NA cord
CP-7970G-RF	7970G IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7970G-SP	Cisco IP Phone 7970G SP Bundle
CP-7971G-GE	Cisco IP Phone 7971G-GE, Global, Gig Ethernet
CP-7971G-GE=	Cisco IP Phone 7971G-GE, Global, Gig Ethernet
CP-7971G-GE-CH1	IP Phone 7971G-GE for Channels with 1 Station User License
CP-7971G-GE-CH2	IP Phone 7971G-GE for Channels w-License and Power Cube
CP-7971G-GE-RF	7971G-GE IP Phone (SW License NOT INCLUDED) REFURBISHED
CP-7971G-GE-SP	Cisco IP Phone 7971G-GE SP Bundle
CP-7975G	Cisco Unified IP Phone 7975, Gig Ethernet, Color
CP-7975G=	Cisco IP Phone 7975, Gig Ethernet, Color, spare
CP-7975G-CCME	Cisco IP Phone 7975, Gig, Color, with 1 CCME RTU License
CP-7975G-CH1	Cisco IP Phone 7975, Gig, Color, with 1 RTU License
CP-7980	Cisco IP Video Phone 7980
CP-7985-NTSC	Cisco IP Video Phone 7985 NTSC
CP-7985-NTSC=	Cisco IP Video Phone 7985 NTSC
CP-7985-NTSC-CH1	Cisco IP Video Phone for NTSC channels with 1 user license
CP-7985-PAL	Cisco IP Video Phone 7985 PAL
CP-7985-PAL=	Cisco IP Video Phone 7985 PAL
CP-7985-PAL-CH1	Cisco IP Video Phone for PAL channels with 1 user license
CP-DOUBLEFOOTSAND	^FOOTSTAND, DOUBLE 7914
CP-DOUBLFOOTSTAND=	Footstand kit for 2 7914s, 7915s, and 7916s
CP-HANDSET	Handset for 7900 series phones
CP-HANDSET=	Handset for 7900 series phones
CP-HANDSET-CORD	Handset cord for 7900 series phones
CP-HANDSET-CORD=	Handset cord for 7900 series phones
CP-HANDSET-CORD-W=	Handset cord for White 7900 series phones
CP-HANDSET-W=	Handset for White 7900 series phones
CP-LAN-CORD=	Spare LAN cord for 7900 Series IP phones
CP-LCKNGWALLMNT2=	Universal Locking Wallmount Kit for 7900 Series IP Phones
CP-LCKNGWALLMOUNT=	Locking Wallmount Kit for the 7910, 7940, 7960 IP Phones
CP-PROMO-SPB	Cisco Unified IP Phone With License-India promo Only-Top Lvl
CP-PWR-CORD-AP	7900 Series Asia Pacific Power Cord
CP-PWR-CORD-AP=	7900 Series Asia Pacific Power Cord
CP-PWR-CORD-AR	Power cord, Argentina
CP-PWR-CORD-AR=	Argentina power cord spare
CP-PWR-CORD-AU	7900 Series Transformer Power Cord, Australia
CP-PWR-CORD-AU=	7900 Series Transformer Power Cord, Australia
CP-PWR-CORD-CE	7900 Series Transformer Power Cord, Central Europe
CP-PWR-CORD-CE=	7900 Series Transformer Power Cord, Central Europe
CP-PWR-CORD-CN	7900 Series Transformer Power Cord, China
CP-PWR-CORD-CN=	7900 Series Transformer Power Cord, China
CP-PWR-CORD-IN=	7900 Series Transformer Power Cord, India
CP-PWR-CORD-JP	7900 Series Transformer Power Cord, Japan
CP-PWR-CORD-JP=	7900 Series Transformer Power Cord, Japan
CP-PWR-CORD-NA	7900 Series Transformer Power Cord, North America
CP-PWR-CORD-NA=	7900 Series Transformer Power Cord, North America
CP-PWR-CORD-SW	7900 Series Transformer Power Cord, Switzerland
CP-PWR-CORD-SW=	7900 Series Transformer Power Cord, Switzerland
CP-PWR-CORD-UK	7900 Series Transformer Power Cord, United Kingdom



Product ID: Call Control	Product Description
CP-PWR-CORD-UK=	7900 Series Transformer Power Cord, United Kingdom
CP-PWR-CUBE	^IP Phone power transformer for 7900 series phones
CP-PWR-CUBE=	^IP Phone pwr trnsfmr Requires seperate cord,CP-PWR-CORD-xx=
CP-PWR-CUBE-2	IP Phone power transformer for the 7900 phone series
CP-PWR-CUBE-2=	Spare IP Phone power transformer for the 7900 phone series
CP-PWR-CUBE-2-RF	IP Phone Power Transformer for the 7900 phones REFURBISHED
CP-PWR-CUBE-3	IP Phone power transformer for the 7900 phone series
CP-PWR-CUBE-3=	IP Phone power transformer for the 7900 phone series
CP-PWR-CUBE-3-RF	IP Phone Power Transformer for the 7900 phones REFURBISHED
CP PWR CUBE OPT	POWER CUBE OPTION
CP-PWR-CUBE-RF	CP-PWR-CUBE REFURBISHED
CP-PWR-INJ	IP Phone Power Injector For 7900 Series Phones
CP-PWR-INJ=	IP Phone Power Injector For 7900 Series Phones
CP-PWR-NA=	^Cisco IP Phone Country Kit, North America
CP-REBATES	Bucket SKU for Reporting Rebates
CP-SINGLEFOOTSTAND	^FOOTSTAND, SINGLE 7914
CP-SINGLFOOTSTAND=	Footstand kit for single 7914, 7915, or 7916
CP-WALLMOUNTKIT=	Non-Locking Wall Mount Kit for 7910, 7940, 7960 IP Phones
CP-WB-HANDSET	WideBand Handset for Select 7900 IP Phones
CP-WB-HANDSET=	WideBand Handset for Select 7900 IP Phones
CP-WMK=	^Cisco IP Phone Wall Mount Kit for Model 12SP+
PHONE_ADJ_PROD	PHONE_ADJ_PROD
PHONE_CREDIT_ADJ	PHONE_CREDIT_ADJ
PHONE_OTHER_ADJ	PHONE_OTHER_ADJ
POWER CORD OPTS	Power Cord Options
POWER CUBE OPTS	Power Cube for CP-7970G
SPCTRX-MW260000014	S+ CiTRX - 50 User License
SPCTRX-MW260000015	S+ CTRX - 100 User License
SPCTRX-MW260000016	S+ CTRX - 200 User License
SPCTRX-MW260000017	S+ CTRX - 500 User License
SW-5UL-IPCOMM-EP	5 RTU IP Communicator licenses for Commercial promo
SELSIUS_ADJ_PROD	SELSIUS_ADJ_PROD
VTCBU_ADJ_PROD	VTCBU_ADJ_PROD
VTCBU Future Product_ADJ_PROD	VTCBU Future Product_ADJ_PROD
CP-7920-AP-K9	Cisco 7920/APAC; CCM/CCME UL Reqd; Battery/PS Not Incl
CP-7920-AP-K9=	Cisco 7920/APAC; Battery/Pwr Supply Not Included
CP-7920-AUC-CH1-K9	Cisco 7920/Australia; CCM UL; Battery/Pwr Supply Not Incl
CP-7920-AUE-CH1-K9	Cisco 7920/Australia; CCME UL; Battery/Pwr Supply Not Incl
CP-7920-AU-K9	Cisco 7920/Australia; CCM/CCME UL Reqd; Battery/PS Not Incl
CP-7920-AU-K9=	Cisco 7920/Australia; Battery/Pwr Supply Not Incl
CP-7920-B-10PAC-K9	CP-7920, Std. Phone Pack,10 Pack,Satchmo
CP-7920-BUN-ST-K9	Cisco 7920 Phone ASSY, Standard Phone Package
CP-7920-ET-K9	Cisco 7920/ETSI; CCM/CCME UL Reqd; Battery/PS Not Incl
CP-7920-ET-K9=	Cisco 7920/ETSI; Battery/Pwr Supply Not Incl
CP-7920-FC-K9	Cisco 7920/FCC; CCM/CCME UL Reqd; Battery/PS Not Incl
CP-7920-FC-K9=	Cisco 7920/FCC; Battery/Pwr Supply Not Incl
CP-7920G-AU-K9	Cisco 7920/Australia; CCM/CCME UL Reqd; Battery/PS Not Incl
CP-7920G-AU-K9=	Cisco 7920/Australia Only; Battery/Power Supply Not Included
CP-7920G-UC-CH1-K9	Cisco 7920/Australia, CCM UL; Battery/Power Suply Not Incl
CP-7920G-UE-CH1-K9	Cisco 7920/Australia, CCME UL; Battery/Power Supply Not Incl
CP-7920-JA-K9	Cisco 7920/Japan; CCM/CCME UL Reqd; Battery/PS Not Incl
CP-7920-JA-K9=	Cisco 7920/Japan; Battery/Pwr Supply Not Incl
CP-7920-SW-K9-APAC	Cisco 7920, Software, APAC
CP-7920-SW-K9-AU	Cisco 7920, Software, Australia
CP-7920-SW-K9-ETSI	Cisco 7920, Software, ETSI
CP-7920-SW-K9-FCC	Cisco 7920, Software, FCC
CP-7920-SW-K9-FRA	Cisco 7920, Software, FRANCE
CP-7920-SW-K9-JWD	Cisco 7920, Software, JPNWIDE
CP-7921G-AC-CH1-K9	Cisco 7921G FCC; CCM UL; Battery/Power Supply Not Included
CP-7921G-AE-CH1-K9	Cisco 7921G FCC; CCME UL; Battery/Power Supply Not Included
CP-7921G-A-K9	Cisco 7921G FCC; CCM/CCME UL Reqd; Battery/PS Not Included
CP-7921G-A-K9=	Cisco 7921G FCC; Battery/Power Supply Not Included
CP-7921G-EC-CH1-K9	Cisco 7921G ETSI; CCM UL; Battery/Power Supply Not Included
CP-7921G-EE-CH1-K9	Cisco 7921G ETSI; CCME UL; Battery/Power Supply Not Included
CP-7921G-E-K9	Cisco 7921G ETSI; CCM/CCME UL Reqd; Battery/PS Not Included

Product ID: Call Control	Product Description
CP-7921G-E-K9=	Cisco 7921G ETSI; Battery/Power Supply Not Included
CP-7921G-PC-CH1-K9	Cisco 7921G Japan; CCM UL; Battery/Power Supply Not Incl
CP-7921G-PE-CH1-K9	Cisco 7921G Japan; CCME UL; Battery/Power Supply Not Incl
CP-7921G-P-K9	Cisco 7921G Japan; CCM/CCME UL Reqd; Battery/PS Not Incl
CP-7921G-P-K9=	Cisco 7921G Japan; Battery/Power Supply Not Included
CP-7921G-SW-K9-A	Cisco 7921G Software, FCC
CP-7921G-SW-K9-E	Cisco 7921G Software, ETSI
CP-7921G-SW-K9-P	Cisco 7921G Software, Japan
CP-7921G-SW-K9-W	Cisco 7921G Software, Rest of World
CP-7921G-WC-CH1-K9	Cisco 7921G Rest of World; CCM UL; Battery/Pwr Sup Not Incl
CP-7921G-W-K9	Cisco 7921G Rest of World; CCM/CCME UL Reqd; Batt/PS Not Inc
CP-7921G-W-K9=	Cisco 7921G Rest of World; Battery/Power Supply Not Included
CP-7925G-AC-CH1-K9	Cisco 7925G FCC; CM UL; Battery/PS Not Included
CP-7925G-AE-CH1-K9	Cisco 7925G FCC; CME UL; Battery/PS Not Included
CP-7925G-A-K9	Cisco 7925G FCC; CM/CME UL Reqd; Battery/PS Not Included
CP-7925G-A-K9=	Cisco 7925G FCC; Battery/Power Supply Not Included
CP-7925G-EE-CH1-K9	Cisco 7925G ETSI; CME UL; Battery/PS Not Included
CP-7925G-E-K9	Cisco 7925G ETSI; CM/CME UL Reqd; Battery/PS Not Included
CP-7925G-E-K9=	Cisco 7925G ETSI; Battery/Power Supply Not Included
CP-7925G-PC-CH1-K9	Cisco 7925G Japan; CM UL; Battery/PS Not Included
CP-7925G-PE-CH1-K9	Cisco 7925G Japan; CME UL; Battery/PS Not Included
CP-7925G-P-K9	Cisco 7925G Japan; CM/CME UL Reqd; Battery/PS Not Included
CP-7925G-P-K9=	Cisco 7925G Japan; Battery/Power Supply Not Included
CP-7925G-WC-CH1-K9	Cisco 7925G Rest of World; CM UL; Battery/PS Not Included
CP-7925G-WE-CH1-K9	Cisco 7925G Rest of World; CME UL; Battery/PS Not Included
CP-7925G-W-K9	Cisco 7925G Rest of World; CM/CME UL Reqd; Batt/PS Not Incl
CP-7925G-W-K9=	Cisco 7925G Rest of World; Battery/Power Supply Not Included
CP-BATT-7920-EXT=	Cisco 7920 Battery, Extended
CP-BATT-7920-STD=	Cisco 7920 Battery, Standard
CP-BATT-7921G-EXT=	Cisco 7921G Battery, Extended
CP-BATT-7921G-STD=	Cisco 7921G Battery, Standard
CP-CAB-USB-7921G=	Cisco 7921G USB Cable
CP-CASE-7920-F10P=	Cisco 7920 Leather Carry Case, Full Cover, 10 Pack
CP-CASE-7920-FLC=	Cisco 7920 Leather Carry Case, Full Cover
CP-CASE-7920-H10P=	Cisco 7920 Leather Carry Case, Holster, 10 Pack
CP-CASE-7920-HOL=	Cisco 7920 Leather Carry Case, Holster
CP-CASE-7921G=	Cisco 7921G Leather Carry Case
CP-CFGPR-BUN-7920	Cisco 7920 Config Program; Incl. Config Util, 2 USB Cables
CP-DOC-7920-ACCY-E	Cisco 7920 Accessory Guide, English
CP-DOC-7920-ACCY-F	Cisco 7920 Accessory Guide, French
CP-DOC-7920-ACCY-G	Cisco 7920 Accessory Guide, German
CP-DOC-7920-RCSI-A	Cisco 7920 RCSI, Australia
CP-DOC-7920-RCSI-E	Cisco 7920 RCSI, English
CP-DOC-7920-RCSI-F	Cisco 7920 RCSI, French
CP-DOC-7920-RCSI-G	Cisco 7920 RCSI, German
CP-DOC-7920-USER-E	Cisco 7920 User Guide, English
CP-DOC-7920-USER-F	Cisco 7920 User Guide, French
CP-DOC-7920-USER-G	Cisco 7920 User Guide, German
CP-DSKCH-10P-7920	Cisco 7920 Desk Top Charger ASSY, STD, 10 Pack
CP-DSKCH-7920	Cisco Cisco 7920 DeskTop Charger
CP-DSKCH-7921G	Cisco 7921G Desk Top Charger
CP-DSKCH-7921G=	Cisco 7921G Desk Top Charger
CP-DSKCH-7921G-BUN	Cisco 7921G Desk Top Charger, Power Supply, AC Power Cord
CP-DSKCH-BUN-7920	Cisco 7920 Desk Top Charger; Power Supply Not Included
CP-EARB-7920-10PS=	Cisco 7920 Series Wired Ear-Bud, Standard, 10 Pack
CP-EARBUD-7920-ST=	Cisco 7920 Series Wired Ear-Bud, Standard
CP-HOLSTER-7921G=	Cisco 7921G Belt Holster
CP-LOCK-7921G=	Cisco 7921G and Desk Top Charger Lock Set
CP-MCHGR-7920-BUN	Cisco Wireless IP Phone 7920 Multi Charger Bundle
CP-MCHGR-7921G	Cisco 7921G Multi-Charger
CP-MCHGR-7921G=	Cisco 7921G Multi-Charger
CP-MCHGR-7921G-BUN	Cisco 7921G Multi-Charger, Power Supply, AC Power Cord
CP-MULTICHGR-7920	Cisco Wireless IP Phone 7920 Multi-Phone and Battery Charger
CP-MULTICHGR-7920=	Cisco Wireless IP Phone 7920 Multi-Charger
CP-PWR-7920-AU	Cisco 7920 Series Power Supply for Australia (AU)

Product ID: Call Control	Product Description
CP-PWR-7920-AU=	Cisco 7920 Series Power Supply for Australia (AU)
CP-PWR-7920-CE	Cisco 7920 Series Power Supply for Central Europe (CE)
CP-PWR-7920-CE=	Cisco 7920 Series Power Supply for Central Europe (CE)
CP-PWR-7920-CN	Cisco 7920 Series Power Supply for China (CN)
CP-PWR-7920-CN=	Cisco 7920 Series Power Supply for China (CN)
CP-PWR-7920-JP	Cisco 7920 Series Power Supply for Japan (JP)
CP-PWR-7920-JP=	Cisco 7920 Series Power Supply for Japan (JP)
CP-PWR-7920-NA	Cisco 7920 Series Power Supply for North America (NA)
CP-PWR-7920-NA=	Cisco 7920 Series Power Supply for North America (NA)
CP-PWR-7920-UK	Cisco 7920 Series Power Supply for United Kingdom (UK)
CP-PWR-7920-UK=	Cisco 7920 Series Power Supply for United Kingdom (UK)
CP-PWR-7921G-AU=	Cisco 7921G Power Supply for Australia
CP-PWR-7921G-CE=	Cisco 7921G Power Supply for Central Europe
CP-PWR-7921G-CN=	Cisco 7921G Power Supply for China
CP-PWR-7921G-JP=	Cisco 7921G Power Supply for Japan
CP-PWR-7921G-NA=	Cisco 7921G Power Supply for North America
CP-PWR-7921G-UK=	Cisco 7921G Power Supply for United Kingdom
CP-PWR-DC7921G-AU	Cisco 7921G Desk Top Charger Power Supply For Australia
CP-PWR-DC7921G-AU=	Cisco 7921G Desk Top Charger Power Supply For Australia
CP-PWR-DC7921G-CE	Cisco 7921G Desk Top Charger Power Supply for Central Europe
CP-PWR-DC7921G-CE=	Cisco 7921G Desk Top Charger Power Supply for Central Europe
CP-PWR-DC7921G-CN	Cisco 7921G Desk Top Charger Power Supply For China
CP-PWR-DC7921G-CN=	Cisco 7921G Desk Top Charger Power Supply For China
CP-PWR-DC7921G-JP	Cisco 7921G Desk Top Charger Power Supply For Japan
CP-PWR-DC7921G-JP=	Cisco 7921G Desk Top Charger Power Supply For Japan
CP-PWR-DC7921G-NA	Cisco 7921G Desk Top Charger Power Supply For North America
CP-PWR-DC7921G-NA=	Cisco 7921G Desk Top Charger Power Supply For North America
CP-PWR-DC7921G-UK	Cisco 7921G Desk Top Charger Power Supply For United Kingdom
CP-PWR-DC7921G-UK=	Cisco 7921G Desk Top Charger Power Supply For United Kingdom
CP-PWR-MC7920	Cisco Wireless IP Phone 7920 Multi Charger Power Supply
CP-PWR-MC7920=	Cisco Wireless IP Phone 7920 Multi Charger Power Supply
CP-PWR-MC7921G=	Cisco 7921G Multi-Charger Power Supply
CP-SHOULDER-7921G=	Cisco 7921G Shoulder Strap
CP USER DOC OPT	Doc Options
WPHONE_ADJ_PROD	WPHONE_ADJ_PROD
CP500_ADJ_PROD	CP500_ADJ_PROD
CP-500-HANDSET=	Cisco Unified IP Phone 500 Series Phone Handset (Spare)
CP500_OTHER_ADJ	CP500_OTHER_ADJ
CP-500-PWRSUPPLY=	Cisco Unified IP Phone 500 Series Universal AC Power Supply
CP-500-WALLMOUNT=	Cisco Unified IP Phone 500 Series Non-Locking Wallmount Bracket Kit
CP-521G	Cisco IP Phone 521G
CP-521G=	Cisco IP Phone 521G
CP-521SG=	Cisco IP Phone 521SG
CP-524G	Cisco IP Phone 524G
CP-524G=	Cisco IP Phone 524G
CP-524SG=	Cisco IP Phone 524SG
IPPBX_ADJ_PROD	IPPBX_ADJ_PROD
IPPBX_OTHER_ADJ	IPPBX_OTHER_ADJ
SPA400-AU	Internet Telephony Gateway with 4 FXO Ports (Australia)
SPA400-EU	Internet Telephony Gateway with 4 FXO Ports (Europe)
SPA400-NA	Internet Telephony Gateway with 4 FXO Ports (North America)
SPA9000-AU	IP Communication System (ANZ)
SPA9000-EU	IP Communication System (Europe)
SPA9000-NA	IP Telephony System
SPA9000-UK	IP Communication System (United Kingdom)
IPPHONE_ADJ_PROD	IPPHONE_ADJ_PROD
IPPHONE_OTHER_ADJ	IPPHONE_OTHER_ADJ
SPA901-AU	1-Line IP Telephone (ANZ)
SPA901-EU	1-Line IP Telephone (Europe)
SPA901-NA	1-Line IP Telephone (North America)
SPA901-SG	1-Line IP Telephone (Singapore)
SPA901-UK	1-Line IP Telephone (United Kingdom)
SPA921-EU	1-Line IP Telephone with 1-Port Ethernet, Display (Europe)
SPA921-NA	1-Line IP Telephone with 1-Port Ethernet, Display (NA)
SPA921-SG	1-Line IP Telephone with 1-Port Ethernet, Display (SG)

Product ID: Call Control	Product Description
SPA921-UK	1-Line IP Telephone with 1-Port Ethernet, Display (UK)
SPA922-EU	1-Line IP Telephone with 2-Port Switch, PoE and Display
SPA922-NA	1-Line IP Telephone with 2-Port Switch, PoE and Display
SPA922-RC	1-Line IP Telephone with 2-Port Switch, PoE and Display
SPA941-AS	IP Phone
SPA941-EU	IP Phone
SPA941-KR	IP Phone
SPA941-NA	IP Phone
SPA941-SG	IP Phone
SPA941-UK	IP Phone
SPA942-EU	2- or 4-Line IP Telephone with 2-Port Ethernet Switch (EU)
SPA942-NA	2- or 4-Line IP Telephone with 2-Port Ethernet Switch (NA)
SPA942P-AU	2- or 4-Line IP Telephone with 2-Port Ethernet Switch (EU)
SPA942P-NA	2- or 4-Line IP Telephone with 2-Port Ethernet Switch (EU)
SPA942-RC	2- or 4-Line IP Telephone with 2-Port Ethernet Switch
SPA962-EU	6-Line IP Telephone with 2-Port Switch, PoE and Display
SPA962-NA	6-Line IP Telephone with 2-Port Switch, PoE and Display
SPA962-RC	6-Line IP Telephone with 2-Port Switch, PoE and Display
MB100	Wall Mount Bracket for Linksys 900 Series Phones
PA100-AU	Power Supply for Linksys VoIP Products - 5V/2A (ANZ)
PA100-EU	Power Supply for Linksys VoIP Products - 5V/2A (Europe)
PA100-NA	Power Supply for Linksys VoIP Products - 5V/2A (NA)
PA100-UK	Power Supply for Linksys VoIP Products - 5V/2A (UK)
POES5	5 Volt Power Over Ethernet Splitter
POES5-EU	5 Volt Power Over Ethernet Splitter
SPA932	32 Button Attendant Console for the SPA962 IP Phone
VOIPACC_ADJ_PROD	VOIPACC_ADJ_PROD
WBP54G	Wireless-G Bridge for Phone Adapters
WBP54G-EU	Wireless-G Bridge for Phone Adapters
SW-IPCOMM	Cisco IP Communicator - Softphone Client
SW-IPCOMM-1000BUN=	Cisco IP Communicator 1000-Unit Bundle
SW-IPCOMM-100BUN=	Cisco IP Communicator 100-Unit Bundle
SW-IPCOMM-250BUN=	Cisco IP Communicator 250-Unit Bundle
SW-IPCOMM-B5	Cisco IP Communicator - 5-unit bundle (special use)
SW-IPCOMM-E1	Cisco IP Communicator - Communications Client
SW-IPCOMM-E1=	Cisco IP Communicator - Communications Client
SW-IPCOMM-E1-CH1	IP Communicator and License for CallManager 3.x or 4.x
SW-IPCOMM-NFR	IP Communicator NFR 5-unit license
SW-IPSFTPHONE100=	Cisco IP Softphone CD/ 100 licenses
SW-IPSOFTPHONE-1	Cisco IP Softphone CD/ 1 License
SW-IPSOFTPHONE1=	Cisco IP Softphone CD/ 1 license
SW-IPSOFTPHONE-100	Cisco IP Softphone CD/ 100 Licenses
SW-IPSOFTPHONE25=	Cisco IP Softphone CD/ 25 licenses
UPC-CAMERAS-24=	Cisco VT Camera II 24 Unit Bundle
UPC-CLIENT-K9-PC	Cisco Unified Personal Communicator
UPC-CLIENT-LIC	Cisco Unified Personal Communicator User License
UPC-K9-NFR	Cisco Unified Personal Communicator NFR
UPC-K9-SW-10=	Cisco Unified Personal Communicator 10 User Licenses
UPC-K9-SW-100=	Cisco Unified Personal Communicator 100 User Licenses
UPC-PAK	Cisco Unified Personal Communicator
VTG_ADJ_PROD	VTG_ADJ_PROD
SELSIUS_CREDIT_ADJ	SELSIUS_CREDIT_ADJ
SELSIUS_OTHER_ADJ	SELSIUS_OTHER_ADJ
IPC-COM-4X-BUN	IPC Commercial, 2 MCS servers, CCM 4.X, Unity CN +apps
IPC-COM-5X-BUN	IPC Commercial, 2 MCS Srvrs, CCM 5.X, Unity CN + apps
IPC-COM-BUN	IPC Commercial, 2 MCS svrs, CCM, Unity VM, VPT +apps
CUWL-ST8-KIT	IBM Lotus Sametime Standard 8 for Cisco Unified Comm SW Kit
CUWL-ST8-NFR	IBM Lotus Sametime Std 8 for Cisco UC Not For Resale 50 Usr
CUWL-ST8-RTU	IBM Lotus Sametime Standard 8 for Cisco Unif Comm RightToUse
CUWL-ST8-USR	IBM Lotus Sametime Standard 8 for Cisco Unified Comm Usr Lic
IPCOMM7-LIC	Cisco IP Communicator 7.x - Communications Client
UPC7-CLIENT-LIC	Cisco Unified Personal Communicator User License 7.x
CP-7920-AC-CH1-K9	Cisco 7920/APAC; CCM UL; Battery/Pwr Supply Not Included
CP-7920-AE-CH1-K9	Cisco 7920/APAC; CCME UL; Battery/Pwr Supply Not Included
CP-7920-CCME-K9	Cisco 7920 Phone ASSY W/One CallManager Express Stn User Lic

Product ID: Call Control	Product Description
CP-7920-CH1-K9	Cisco 7920 Phone ASSY w/User License
CP-7920-EC-CH1-K9	Cisco 7920/ETSI; CCM UL; Battery/Pwr Supply Not Included
CP-7920-EE-CH1-K9	Cisco 7920/ETSI; CCME UL; Battery/Pwr Supply Not Included
CP-7920-ET-K9-RF	7920/ETSI;Battery/Pwr Supply/SW License Not Incl REFURBISHED
CP-7920-FC-CH1-K9	Cisco 7920/FCC; CCM UL; Battery/Pwr Supply Not Included
CP-7920-FE-CH1-K9	Cisco 7920/FCC; CCME UL; Battery/Pwr Supply Not Included
CP-7921G-WE-CH1-K9	Cisco 7921G Rest of World; CCME UL; Battery/Pwr Sup Not Incl
CP-7925G-EC-CH1-K9	Cisco 7925G ETSI; CM UL; Battery/PS Not Included
CP-7925G-SW-K9-A	Cisco 7925G Software, FCC
CP-7925G-SW-K9-E	Cisco 7921G Software, ETSI
CP ACCY DOC OPT	Doc Options
CP-BATT-7925G-EXT=	Cisco 7925G Battery, Extended
CP-BATT-7925G-STD=	Cisco 7925G Battery, Standard
CP-CAB-USB-7925G=	Cisco 7925G USB Cable
CP-CASE-7925G=	Cisco 7925G Leather Carry Case
CP-COUNTRY SW	CPE Country SW Options
CP-HOLSTER-7925G=	Cisco 7925G Belt Holster
CP-MCHGR-7925G	Cisco 7925G Multi-Charger
CP-MCHGR-7925G=	Cisco 7925G Multi-Charger
CP-MCHGR-7925G-BUN	Cisco 7925G Multi-Charger, Power Supply, AC Power Cord
CP-PWR-7921G-AR=	Cisco 7921G Power Supply for Argentina
CP-PWR-7925G-AR=	Cisco 7925G Power Supply for Argentina
CP-PWR-7925G-AU=	Cisco 7925G Power Supply for Australia
CP-PWR-7925G-CE=	Cisco 7925G Power Supply for Central Europe
CP-PWR-7925G-CN=	Cisco 7925G Power Supply for China
CP-PWR-7925G-JP=	Cisco 7925G Power Supply for Japan
CP-PWR-7925G-NA=	Cisco 7925G Power Supply for North America
CP-PWR-7925G-UK=	Cisco 7925G Power Supply for United Kingdom
CP-PWR-DC7921G-AR	Cisco 7921G Desk Top Charger Power Supply for Argentina
CP-PWR-MC7925G	Cisco 7925G Multi-Charger Power Supply
CP-PWR-MC7925G=	Cisco 7925G Multi-Charger Power Supply
WPHONE_CREDIT_ADJ	WPHONE_CREDIT_ADJ
WPHONE_OTHER_ADJ	WPHONE_OTHER_ADJ
Physical Security	
NME-VMSS-16	Cisco Video Management and Storage System NME16 Ports
NME-VMSS-16=	Cisco Video Management and Storage System NME16 Ports
NME-VMSS-HP16	Cisco Video Management and Storage System HP NME16 Ports
NME-VMSS-HP16=	Cisco Video Management and Storage System HP NME16 Ports
NME-VMSS-HP32	Cisco Video Management and Storage System HP NME32 Ports
NME-VMSS-HP32=	Cisco Video Management and Storage System HP NME32 Ports
SW-IPVS-K9-1.0	Cisco IP Video Surveillance Encoding Module SW v1.0
CIAC-GW-IP10	Cisco Physical Access Input Module
CIAC-GW-K9	Cisco Physical Access Gateway
CIAC-GW-OP8	Cisco Physical Access Output Module
CIAC-GW-RDR	Cisco Physical Access Reader Module
CIAC-PAME-1125-K9	Cisco Physical Access Manager Appliance
ICEACHW_CREDIT_ADJ	ICEACHW_CREDIT_ADJ
ICEACHW_OTHER_ADJ	ICEACHW_OTHER_ADJ
CIAC-GW-SW-1.0-K9	Cisco Physical Access Gateway Software Version 1.0
CIAC-PAME-BD=	Cisco PAM Badge Designer and Enroller License
CIAC-PAME-EDI=	Cisco PAM Enterprise Data Integration License
CIAC-PAME-HA=	Cisco PAM HA License
CIAC-PAME-L1024=	Cisco PAM 1024 Reader Conversion Growth License
CIAC-PAME-L128=	Cisco PAM 128 Reader Conversion Growth License
CIAC-PAME-L512=	Cisco PAM 512 Reader Conversion Growth License
CIAC-PAME-L64=	Cisco PAM 64 Reader Conversion Growth License
CIAC-PAME-M1024=	Cisco PAM 1024 Module License
CIAC-PAME-M128=	Cisco PAM 128 Module License
CIAC-PAME-M512=	Cisco PAM 512 Module License
CIAC-PAME-M64=	Cisco PAM 64 Module License
CIAC-SW-LNX-1.0-K9	Cisco PAM Appliance Software Version 1.0
ICEACSW_CREDIT_ADJ	ICEACSW_CREDIT_ADJ
ICEACSW_OTHER_ADJ	ICEACSW_OTHER_ADJ
CAB-FIBCHANFC-2M=	Cisco Fiber Chan. Cable for VS DAS / SA FC Conn - 2 Meter
CAB-FIBCHANLC-2M=	Cisco Fiber Chan. Cable for VS DAS / SA LC Conn - 2 Meter

Product ID: Call Control	Product Description
CAB-SCSI-1M=	Cisco SCSI Cable for VS DAS / Storage Array, 1 Meter Spare
CAB-SCSI-2M=	Cisco SCSI Cable for VS DAS / Storage Array 2 Meter Spare
CAB-USB-1M=	Cisco USB cable for CVG16K to VS Recorder, 1 Meter Spare
CIAC-GW-IP8	Access Control 8 Input Module
CIVS-15CCMD-R232T=	Cisco VS 15 bi-dir Contact Closure, RS-232 TX CVG16 MOD
CIVS-15CC-R232TX	Cisco VS 15 bi-dir Contact Closure, RS-232 Transmission
CIVS-16ECCVG16-USB	Cisco VS 16CH SERIES B ENCODERS IN CVG16-USB, 4USB No PS
CIVS-1R-FBCHMOD=	Cisco VS Fiber Channel Interface Card for 1R SVCS Pltfrm
CIVS-1R-SCSIMOD=	Cisco VS SCSI Interface Card for 1R SVCS Pltfrm
CIVS-1RU-SPACER=	Cisco VS 1RU 19 Inch Rack Spacer
CIVS-3CCMD-R232T=	Cisco VS 3 bi-dir Contact Closure, RS-232 TX CVG16 MOD
CIVS-3CC-R232TX	Cisco VS 3 bi-dir Contact Closure, RS-232 Transmission
CIVS-3CVG-PS2=	Cisco VS Internal Power for 3 RU CVG-16 Dual Voltage
CIVS-4BECMD-2RISP=	Cisco VS 4CH SERIES B ENCODER 2R INTEGR SVCS PLTFRM MOD
CIVS-4BECMD-C16U=	Cisco VS 4CH SERIES B ENCODER, CVG16-USB MODULE
CIVS-4MGDSWMD-4FE=	Cisco VS 4 PORT MGD SWITCH, 4FE, CVG16 MODULE
CIVS-4SWMD-2FE1MM=	Cisco VS 4 PORT SWITCH, 2FE, 2SS FX MM CVG16 MODULE
CIVS-4SWMD-2FE1SM=	Cisco VS 4 PORT SWITCH, 2FE, 2SS FX SM CVG16 MODULE
CIVS-4SWMD-2FE2MM=	Cisco VS 4 PORT SWITCH, 2FE, 2DS FX MM CVG16 MODULE
CIVS-4SWMD-2FE2SM=	Cisco VS 4 PORT SWITCH, 2FE, 2DS FX SM CVG16 MODULE
CIVS-6SWMD-4FE1MM=	Cisco VS 6 PORT SWITCH, 4FE, 2SS FX MM CVG16 MODULE
CIVS-6SWMD-4FE1SM=	Cisco VS 6 PORT SWITCH, 4FE, 2SS FX SM CVG16 MODULE
CIVS-6SWMD-4FE2MM=	Cisco VS 6 PORT SWITCH, 4FE, 2DS FX MM CVG16 MODULE
CIVS-6SWMD-4FE2SM=	Cisco VS 6 PORT SWITCH, 4FE, 2DS FX SM CVG16 MODULE
CIVS-AUD-4P	Audio Encoder, 4 port, MSP
CIVS-AUD-4P=	Audio Encoder, 4 port, MSP
CIVS-CAB-16-AC	CIVS C16 Power Cable North America
CIVS-CAB-16-CE	CIVS C16 Power Cable Europe
CIVS-CAB-16-CU	CIVS C16 Power Cable UK
CIVS-CAB-BAC	CIVS C15 Power Cable North America
CIVS-CAB-BAC=	CIVS C15 Power Cable North America
CIVS-CAB-BCE	CIVS C15 Power Cable Europe
CIVS-CAB-BCE=	CIVS C15 Power Cable Europe
CIVS-CAB-BCI	CIVS C15 Power Cable Italy
CIVS-CAB-BCI=	CIVS C15 Power Cable Italy
CIVS-CAB-BCU	CIVS C15 Power Cable UK
CIVS-CAB-BCU=	CIVS C15 Power Cable UK
CIVS-CAB-CAC	CIVS C19 Power Cable North America
CIVS-CAB-CAC=	CIVS C19 Power Cable North America
CIVS-CAB-CCE=	CIVS C19 Power Cable Europe
CIVS-CAB-CCI=	CIVS C19 Power Cable Italy
CIVS-CAB-CCU=	CIVS C19 Power Cable UK
CIVS-CAB-ES-8EC	8 Port Video cable for 16 Channel Encoder Card
CIVS-CVG16-1BLANK=	Cisco VS 1 slot blank panel for CVG16-spare
CIVS-CVG16-2BLANK=	Cisco VS 2 slot blank panel for CVG16-spare
CIVS-CVG16-FE-0	Cisco VS 16 SLOT CHASSIS, FE, NO power
CIVS-CVG16-FE-115	Cisco VS 16 SLOT CHASSIS, FE, 115V AC
CIVS-CVG16-FE-230	Cisco VS 16 SLOT CHASSIS, FE, 230V AC
CIVS-CVG16-FE-WLD	Cisco VS FE Chassis 3RU, 16 slots, Internal Dual Voltage Pow
CIVS-CVG16-GE-0	Cisco VS 16 SLOT CHASSIS, GE, NO power
CIVS-CVG16-GE-115	Cisco VS 16 SLOT CHASSIS, GE, 115V AC
CIVS-CVG16-GE-230	Cisco VS 16 SLOT CHASSIS, GE, 230V AC
CIVS-CVG16-GE-WLD	Cisco VS GE Chassis 3RU, 16 slots, Internal Dual Voltage Pow
CIVS-CVG16PS-115=	Cisco VS 115W power supply for CVG16 chassis-spare
CIVS-CVG16PS-230=	Cisco VS 230W power supply for CVG16 chassis-spare
CIVS-CVG16-USB-0	Cisco VS 16 SLOT CHASSIS, USB, no power
CIVS-CVG16-USB-115	Cisco VS 16 SLOT CHASSIS, USB, 115V AC
CIVS-CVG16-USB-230	Cisco VS 16 SLOT CHASSIS, USB, 230V AC
CIVS-CVG-DC-CAB=	Cisco VS DC cable from CIVS-EXTPWR-CHS to CVG16 chassis
CIVS-EDTFM-115=	Cisco VS Enc/decdr Transformer, 115AC In, 12 DC
CIVS-EDTFM-230=	Cisco VS Enc/decdr Transformer, 230AC In, 12 DC
CIVS-ENC-16P	Video Encoder, 16 port, MSP
CIVS-ENC-16P=	Video Encoder, 16 port, MSP
CIVS-ENC-4P-C16U=	Video Encoder, 4 port, USB, Convergence Chassis
CIVS-ENC-4P-ISP=	Video Encoder, 4 port, USB, ISP

Product ID: Call Control	Product Description
CIVS-ENC-8P	Video Encoder, 8 port, MSP
CIVS-ENC-8P=	Video Encoder, 8 port, MSP
CIVS-ENC-USB-4P	4 Port Encoder Card for CIVS-MSP
CIVS-ES-115	Cisco VS Encoding Server: 3U, 12 Bay, 16 channel, 115VAC
CIVS-ES-16-12000	Cisco VS Encoding Server: 3U, 16 Channel,12x1000GB
CIVS-ES-16-1500	Cisco VS Encoding Server: 3U, 16 Channel,3x500GB
CIVS-ES-16-3500	Cisco VS Encoding Server: 3U,16 Channel, 7x500GB
CIVS-ES-16-6000	Cisco VS Encoding Server: 3U,16 Channel,12x500GB
CIVS-ES-16-9000	Cisco VS Encoding Server: 3U,16 Channel,12x750GB
CIVS-ES-16EC	Cisco VS 16 Channel Encoder Card with SW License
CIVS-ES-16EC=	Cisco VS 16 Channel Encoder Card with SW License
CIVS-ES-16-VO	Cisco VS Encoding Server: 3U,16 Channel,Video Only
CIVS-ES-1FC	Single Fibre Channel Controller for ES Server
CIVS-ES-1FC=	Single Fibre Channel Controller for ES Server
CIVS-ES-1SCFL	1 IP Stream Connection Feature License for Cisco ES
CIVS-ES-1SCFL=	1 IP Stream Connection Feature License for Cisco ES
CIVS-ES-32-12000	Cisco VS Encoding Server: 3U,32 Channel,12x1000GB
CIVS-ES-32-6000	Cisco VS Encoding Server: 3U,32 Channel,12x500GB
CIVS-ES-32-9000	Cisco VS Encoding Server: 3U,32 Channel,12x750GB
CIVS-ES-32-VO	Cisco VS Encoding Server: 3U,32 Channel,Video Only
CIVS-ES-48-12000	Cisco VS Encoding Server: 3U,48 Channel,12x1000GB
CIVS-ES-48-6000	Cisco VS Encoding Server: 3U,48 Channel,12x500GB
CIVS-ES-48-9000	Cisco VS Encoding Server: 3U,48 Channel,12x750GB
CIVS-ES-48-VO	Cisco VS Encoding Server: 3U,48 Channel,Video Only
CIVS-ES-64-12000	Cisco VS Encoding Server: 3U,64 Channel,12x1000GB
CIVS-ES-64-6000	Cisco VS Encoding Server: 3U,64 Channel,12x500GB
CIVS-ES-64-9000	Cisco VS Encoding Server: 3U,64 Channel,12x750GB
CIVS-ES-64-VO	Cisco VS Encoding Server: 3U,64 Channel,Video Only
CIVS-ES-IO	IO Conn for ES server, with 8 TTL Inputs with 1-PTZ (RS485)
CIVS-ES-IO=	IO Conn for ES server, with 8 TTL Inputs with 1-PTZ (RS485)
CIVS-EXTPS-350=	Cisco VS 350W power supply for EXTPWR-CHS
CIVS-EXTPWR-CHS	Cisco VS EXTERNAL POWER SUPPLY CHASSIS
CIVS-FAN-2RU=	Fan Assembly for CIVS-MSP-2RU
CIVS-FAN-4RU=	Fan Assembly for CIVS-MSP-4RU
CIVS-FC-1P	1 Port FibreChannel Card for CIVS-MSP
CIVS-FC-1P=	1 Port FibreChannel Card for CIVS-MSP
CIVS-FCHDASMD=	Cisco VS Addl Fiber Chan.Control Mod for DAS
CIVS-GM-ISP12-6TB	Cisco Gaming ISP 6TB 12 input
CIVS-GM-ISP8-2TB	Cisco Gaming ISP 2TB 8 input
CIVS-GM-ISP8-6TB	Cisco Gaming ISP 6TB 8 input
CIVS-GM-ISPA8-2TB	Cisco Gaming Audio ISP 2TB 8 input
CIVS-GM-SP-2TB	Cisco Gaming SP 2TB
CIVS-GM-SP-6TB	Cisco Gaming SP 6TB
CIVS-HD1000S	1000 Gigabyte HD for ES, MS, OM Series Platforms
CIVS-HD500S	500 Gigabyte HD for ES, MS and OM Series Platforms
CIVS-HD750S	750 Gigabyte HD for ES, MS, OM Series Platforms
CIVS-HDD-1000	1TB SATA Drive for CIVS-MSP
CIVS-HDD-1000=	1TB SATA Drive for CIVS-MSP
CIVS-HDD-400GB=	Cisco VS 400GB SATA Hard Disk Drive 1R/2R SVCS PLTRFM
CIVS-HDD-500GB	Cisco VS 500 GB SATA Hard Disk Drive for SP-ISP
CIVS-HDD-500GB=	Cisco VS 500 GB SATA Hard Drive for 2RU SP-ISP
CIVS-HDD-750	750 GB SATA Drive for CIVS-MSP
CIVS-HDD-750=	750 GB SATA Drive for CIVS-MSP
CIVS-IPC-2500	Cisco 2500 IP Camera, Full Resolution, Day/Night
CIVS-IPC-2500T	Cisco 2500 IP Camera, SD, Day/Night, TAA
CIVS-IPC-2500W	Cisco 2500 IP Camera, Full Resolution, Day/Night, Wireless
CIVS-IPC-2500WT	Cisco 2500 IP Camera, SD, Day/Night, Wireless, TAA
CIVS-IPC-4300	Cisco 4300 IP Camera, HD, Day/Night
CIVS-IPC-4300T	Cisco 4300 IP Camera, HD, Day/Night, TAA
CIVS-IPC-4300W	Cisco 4300 IP Camera, HD, Day/Night, Wireless
CIVS-IPC-4300WT	Cisco 4300 IP Camera, HD, Day/Night, Wireless, TAA
CIVS-IPC-4500	Cisco 4500 IP Camera, HD, DSP, Day/Night
CIVS-IPC-4500T	Cisco 4500 IP Camera, HD, DSP, Day/Night, TAA
CIVS-IPC-4500W	Cisco 4500 IP Camera, HD, DSP, Day/Night, Wireless
CIVS-IPC-4500WT	Cisco 4500 IP Camera, HD, DSP, Day/Night, Wireless, TAA

Product ID: Call Control	Product Description
CIVS-IPCS-1.0-L	Cisco IP Camera - Wired
CIVS-IPCS-1.0-LW	Cisco IP Camera - Wireless
CIVS-IPCS-1.0-VF31	Cisco IP Camera Fujinon 3-11mm Varifocal Lens
CIVS-IPCS-1.0-VF38	Cisco IP Camera Fujinon 3-8mm Varifocal Lens
CIVS-IPCS-1.0-VF55	Cisco IP Camera Fujinon 5-50mm Varifocal Lens
CIVS-IPCS-1.0-VT31	Cisco IP Camera Tamron 3-11mm Varifocal Lens
CIVS-IPCS-1.0-VT38	Cisco IP Camera Tamron 3-8mm Varifocal Lens
CIVS-IPCS-1.0-VT55	Cisco IP Camera Tamron 5-50mm Varifocal Lens
CIVS-IPC-VF31	Cisco IP Camera Fujinon 3-11mm Varifocal Lens
CIVS-IPC-VF31=	Cisco IP Camera Fujinon 3-11mm Varifocal Lens
CIVS-IPC-VF38	Cisco IP Camera Fujinon 3-8mm Varifocal Lens
CIVS-IPC-VF38=	Cisco IP Camera Fujinon 3-8mm Varifocal Lens
CIVS-IPC-VF55	Cisco IP Camera Fujinon 5-50mm Varifocal Lens
CIVS-IPC-VF55=	Cisco IP Camera Fujinon 5-50mm Varifocal Lens
CIVS-IPC-VT31	Cisco IP Camera Tamron 3-11mm Varifocal Lens
CIVS-IPC-VT31=	Cisco IP Camera Tamron 3-11mm Varifocal Lens
CIVS-IPC-VT38	Cisco IP Camera Tamron 3-8mm Varifocal Lens
CIVS-IPC-VT38=	Cisco IP Camera Tamron 3-8mm Varifocal Lens
CIVS-IPC-VT55	Cisco IP Camera Tamron 5-50mm Varifocal Lens
CIVS-IPC-VT55=	Cisco IP Camera Tamron 5-50mm Varifocal Lens
CIVS-JOY1-USB=	USB Joystick for Operations Manager
CIVS-KYBD2232=	Cisco VS KEYBOARD 232 to RS422/485 ADAPT GENERIC
CIVS-KYBD2232-AD=	Cisco VS KEYBOARD 232 to RS422/485 ADAPT Amer Dyn
CIVS-KYBD2232-B=	Cisco VS KEYBOARD 232 to RS422/485 ADAPT FOR BOSCH?
CIVS-KYBD2232-P=	Cisco VS KEYBOARD 232 to RS422/485 ADAPT FOR PELCO ?
CIVS-MS-1FC	Single Fibre Channel Controller for Media Server
CIVS-MS-1FC=	Single Fibre Channel Controller for Media Server
CIVS-MS1R-115	Cisco VS Media Server, 1RU, 3 Bays, Dual Processor
CIVS-MS1R-1500	Cisco VS Media Server, 1RU,3x500GB
CIVS-MS1R-2250	Cisco VS Media Server,1RU,3x750G
CIVS-MS1R-3000	Cisco VS Media Server,1RU,3x1000GB
CIVS-MS1R-500	Cisco VS Media Server, 1RU,1x500GB
CIVS-MS1R-500FC	Cisco VS Media Server, 1RU,1x500GB, Fibre Channel
CIVS-MS1R-PSU	Power Supply For 1U Media Servers
CIVS-MS1R-SC	Cisco VS Media Server, Short Chassis,1x200GB, 10 Channels
CIVS-MS1R-SCFC	Cisco VS Media Server, Short Chas,Fibre Chan, 50 Chan
CIVS-MS-2FC	Dual Fibre Channel Controller for Media Server
CIVS-MS-2FC=	Dual Fibre Channel Controller for Media Server
CIVS-MS2R-115	Cisco VS Media Server, 2RU, 6 Bays, Dual Processor
CIVS-MS2R-3000	Cisco VS Media Server, 2RU, 6x500GB
CIVS-MS2R-4500	Cisco VS Media Server, 2RU,6x750GB
CIVS-MS2R-6000	Cisco VS Media Server, 2RU,6x1000GB
CIVS-MS2R-PSU	Power Supply For 2U Media Servers
CIVS-MS3R-115	Cisco VS Media Server, 3RU, 12 Bays, Dual Processor
CIVS-MS3R-12000	Cisco VS Media Server, 3RU,12x1000GB
CIVS-MS3R-6000	Cisco VS Media Server, 3RU,12x500GB
CIVS-MS3R-9000	Cisco VS Media Server, 3RU,12x750GB
CIVS-MS3R-PSU	Power Supply For 3U Media And Encoding Servers
CIVS-MS4R-115	Cisco VS Media Server, 4RU, 16 Bays, Dual Processor
CIVS-MS5R-115	Cisco VS Media Server, 5RU, 24 Bays, Dual Processor
CIVS-MS5R-18000	Cisco VS Media Server, 5RU,24x750GB
CIVS-MS5R-24000	Cisco VS Media Server, 5RU,24x1000GB
CIVS-MS5R-PSU	Power Supply For 5U Media Servers
CIVS-MSA1R-250	Cisco VS Media Server Appliance, 1RU, 250GB
CIVS-MSA1R-FIBER	Cisco VS PCI Fiber Channel card for MSA1R Server
CIVS-MSA1R-FIBER=	CAM25 Fiber Channel Card
CIVS-MS-EFC	Cisco VS Media Server, SC, EFC, 50 channel, 1x200GB
CIVS-MS-MINI	Cisco VS Media Server, Reduced FP, 10 channel, 1x200GB
CIVS-MSP-1RU	1RU MSP Assembly
CIVS-MSP-1RU=	1RU MSP Assembly, Spare
CIVS-MSP-2RU	2RU w/Motherboard;1 CPU;RAID;Pwr Supp;NO Drives;NO Options
CIVS-MSP-2RU=	2RU w/Motherboard;1 CPU;RAID;Pwr Supp;NO Drives, Spare
CIVS-MSP-4RU	4RU w/Motherboard;1 CPU;RAID;Pwr Suppl;NO Drives;NO Options
CIVS-MSP-4RU=	4RU w/Motherboard;1 CPU;RAID;Pwr Supp;NO Drives, Spare
CIVS-MSP-TWR	Tower MSP Assembly



Product ID: Call Control	Product Description
CIVS-OM-115	Cisco VS Operations Manager 1RU, 115V
CIVS-PS-900	Redundant 900W Power Supply for CIVS-MSP 2RU, 4RU
CIVS-PS-900=	Redundant 900W Power Supply for CIVS-MSP 2RU, 4RU
CIVS-PWRPAC-12V	Cisco VS External Dual Voltage Power Supply for Encode/Dec
CIVS-PWRPAC-12V=	Cisco VS External Dual Voltage Power Supply for Encode/Dec
CIVS-SCSDASMD=	Cisco VS Addl SCSI Controller Mod DAS
CIVS-SER-2P	2 Port RS-232 Card for CIVS-MSP
CIVS-SER-2P=	2 Port RS-232 Card for CIVS-MSP
CIVS-SG1ADCMD-C16=	Cisco VS STRMGR Gatew 1CH SERIES A DECODER, CVG16 MODULE
CIVS-SG1ADCOD-FE	Cisco VS STRMGR Gatew 1CH SERIES A DECODER, FE OUTPUT
CIVS-SG1ADISP-C16=	Cisco VS 1 port ISP Decoder Card for FE and GE Chassis
CIVS-SG1ADISP-FE	Cisco VS STRMGR GWY SW, 1CH Series A IPG Decoder for ISP, FE
CIVS-SG1AEC4SW-1MM	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, 2SS FX MM 2FE
CIVS-SG1AEC4SW-1SM	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, 2SS FX SM 2FE
CIVS-SG1AEC4SW-2MM	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, 2DS FX MM 2FE
CIVS-SG1AEC4SW-2SM	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, 2DS FX SM 2FE
CIVS-SG1AECMD-C16=	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, CVG16 MODULE
CIVS-SG1AECOD-1MM	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, SS FX MM
CIVS-SG1AECOD-1SM	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, SS FX SM
CIVS-SG1AECOD-2MM	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, DS FX MM
CIVS-SG1AECOD-2SM	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, DS FX SM
CIVS-SG1AECOD-FE	Cisco VS STRMGR Gatew 1CH SERIES A ENCODER, FE OUTPUT
CIVS-SG1BDCMD-C16=	Cisco VS 1 port Decoder FE-GE Chassis Card (MPEG4/H.264)
CIVS-SG1BDCOD-FE	CISCO VS 1 port Decoder Standalone (MPEG4/H.264) lic n/a
CIVS-SG1BDISP-C16=	Cisco VS Hybrid Decoder FE-GE Chassis Card (MPEG4/H.264)
CIVS-SG1BDISP-FE	Cisco VS Hybrid Decoder Standalone (MPEG4/H.264)
CIVS-SG1BECMD-C16=	Cisco VS 1 port Encoder FE-GE Chassis Card (MPEG4/H.264)
CIVS-SG1BECOD-FE	Cisco VS 1 port Encoder Standalone (MPEG4/H.264) lic incl
CIVS-SG4AEDSP-C16=	Cisco VS 4 Port Encoder Card for CVG16 Chassis Strm Lic Incl
CIVS-SG4AEDSP-FE	Cisco VS 4 Port Encoder Standalone Unit Stream Lic Incl
CIVS-SP12-ISP-6000	Cisco VS Integrated Services Platform 12 input 6TB (RAID5)
CIVS-SP1R-2FBCH	Cisco VS STRMGR SVCS SW, 1RU SP, 2 x 80GB HDD, 2 Fiber Chan
CIVS-SP1R-FBCH	Cisco VS STRMGR SVCS SW, 1RU SP, DAS Fiber Channel
CIVS-SP1RJB-800	Cisco VS STRMGR SVCS SW, 1RU SP JBOD 2X400GB
CIVS-SP1R-SCSI	Cisco VS STRMGR SVCS SW 1RU SP, DAS SCSI connect
CIVS-SP2RR5-2000	Cisco VS STRMGR SVCS SW, 2RU SP RAID5 6X400GB
CIVS-SP2RR5-2000A	Cisco VS STRMGR SVCS SW, 2RU SP RAID5 6X400GB Archive
CIVS-SP2RR5-6000	Cisco Video Surveillance Services Platform wii
CIVS-SP8ECISP-2000	Cisco VS Integrated Services Platform 8 input 2TB (RAID5)
CIVS-SP8ECISP-2KS	Cisco VS Integrated Services Platform with 8 video + 8 audio
CIVS-SP8ECISP-6000	Cisco VS Integrated Services Platform 8 input 6TB (RAID5)
CIVS-SS-3U-10500	Cisco VS 3U Storage System W/ 14x750GB Drives
CIVS-SS-3U-14000	Cisco VS 3U Storage System with 14x1000GB drives
CIVS-SS-3U-14000=	Cisco VS 3U Storage System with 14x1000GB drives
CIVS-SS-3U-4000	Cisco VS 3U Storage System with 8x500GB drives
CIVS-SS-3U-4000=	Cisco VS 3U Storage System with 8x500GB drives
CIVS-SS-3U-6000	Cisco VS 3U Storage System with 8x750GB drives
CIVS-SS-3U-6000=	Cisco VS 3U Storage System with 8x750GB drives
CIVS-SS-3U-7000	Cisco VS 3U Storage System with 14x500GB drives
CIVS-SS-3U-7000=	Cisco VS 3U Storage System with 14x500GB drives
CIVS-SS-3U-FC	Fiber Channel Controller For 3U Storage Systm
CIVS-SS-3U-HD1000	1000 Gigabyte HD For 3U Storage Systm
CIVS-SS-3U-HD500	500 Gigabyte HD For 3U Storage Systm
CIVS-SS-3U-HD750	750 Gigabyte HD For 3U Storage Systm
CIVS-SS-3U-PSU	Power Supply Unit For 3U Storage System
CIVS-SS-4U-10500	Cisco VS 4U Storage System with 14x750GB drives
CIVS-SS-4U-10500=	Cisco VS 4U Storage System with 14x750GB drives
CIVS-SS-4U-14000	Cisco VS 4U Storage System with 28x500GB drives
CIVS-SS-4U-14000=	Cisco VS 4U Storage System with 28x500GB drives
CIVS-SS-4U-21000	Cisco VS 4U Storage System with 42x500GB drives
CIVS-SS-4U-21000=	Cisco VS 4U Storage System with 42x500GB drives
CIVS-SS-4U-28000	Cisco VS 4U Storage System with 28x1000GB drives
CIVS-SS-4U-28000=	Cisco VS 4U Storage System with 28x1000GB drives
CIVS-SS-4U-31500	Cisco VS 4U Storage System with 42x750GB drives
CIVS-SS-4U-31500=	Cisco VS 4U Storage System with 42x750GB drives

Product ID: Call Control	Product Description
CIVS-SS-4U-42000	Cisco VS 4U Storage System with 42x1000GB drives
CIVS-SS-4U-42000=	Cisco VS 4U Storage System with 42x1000GB drives
CIVS-SS-4U-FC	Fiber Channel Controller For 4U Storage System
CIVS-SS-4U-HD1000	1000 Gigabyte HD For 4U Storage System
CIVS-SS-4U-HD500	500 Gigabyte HD For 4U Storage System
CIVS-SS-4U-HD750	750 Gigabyte HD For 4U Storage System
CIVS-SS-4U-PSU	Power Supply Unit For 4U Storage System
CIVS-VM-115	Cisco VS Virtual Matrix Server, 1client, 1RU, 115V
ICEVSHW_ADJ_PROD	ICEVSHW_ADJ_PROD
ICEVSHW_CREDIT_ADJ	ICEVSHW_CREDIT_ADJ
ICEVSHW_OTHER_ADJ	ICEVSHW_OTHER_ADJ
CIVS-MS-100SCFL	100 Stream Connection Feature License for Media Server
CIVS-MS-100SCFL=	100 Stream Connection Feature License for Media Server
CIVS-MS-100XSCL=	100 Special/Upgrade Stream Connect License for Media Server
CIVS-MS-10SCFL	10 Stream Connection Feature License for Media Server
CIVS-MS-10SCFL=	10 Stream Connection Feature License for Media Server
CIVS-MS-10XSCL=	10 Special/Upgrade Stream Connect License for Media Server
CIVS-MS-1SCFL	1 Stream Connection Feature License for Media Server
CIVS-MS-1SCFL=	1 Stream Connection Feature License for Media Server
CIVS-MS-1XSCL=	1 Special/Upgrade Stream Connect License for Media Server
CIVS-MS-200SCFL	200 Stream Connection Feature License for Media Server
CIVS-MS-200SCFL=	200 Stream Connection Feature License for Media Server
CIVS-MS-200XSCL=	200 Special/Upgrade Stream Connect License for Media Server
CIVS-MS-500SCFL	500 Stream Connection Feature License for Media Server
CIVS-MS-500SCFL=	500 Stream Connection Feature License for Media Server
CIVS-MS-500XSCL=	500 Special/Upgrade Stream Connect License for Media Server
CIVS-MS-50SCFL=	50 Stream Connection Feature License for Media Server
CIVS-MS-50XSCL=	50 Special/Upgrade Stream Connect License for Media Server
CIVS-MS-CPSD-1SCL=	CIVS 1 Cisco Device Stream Connect License for Media Server
CIVS-MS-MP2-10FL=	Media Server 10 license pack for MPEG-2 support.
CIVS-MS-MP4-10FL=	Media Server 10 license pack for MPEG-4 support.
CIVS-MS-SW5.0	Media Server V5.0 Software Only
CIVS-MS-SW5.0=	Media Server V5.0 Software Only
CIVS-MS-SW5.1	CIVS-MS Media Server v5.1 Software with Hardware Bundle
CIVS-MS-SW5.1=	Media Server V5.1 Software Only
CIVS-MS-SW6.0	CIVS-MS Media Server v6.0 Software with Hardware Bundle
CIVS-MS-SW6.0=	CIVS-MS Media Server v6.0 Software Only
CIVS-MS-UP5X-6X=	CIVS-MS Media Server v6 Software License Upgrade Only
CIVS-OM-SW3.0	Cisco VS Operations Manager v3.0 SW Only
CIVS-OM-SW3.0=	Cisco VS Operations Manager v3.0 SW Only
CIVS-OM-SW3.1=	Operations Manager V3.1 Software Only
CIVS-OM-SW4.0=	CIVS-OM Operations Manager v4.0 Software Only w/ SmartSearch
CIVS-OM-SW4.0X=	CIVS-OM Extra Operations Manager v4.0 SW Only no SmartSearch
CIVS-OM-UP3X-4X=	CIVS-OM Operations Manager v4 Software License Upgrade Only
CIVS-RCSFL	Cisco VS Media Server Remote Clip Feature License
CIVS-RCSFL=	Cisco VS Media Server Remote Clip Feature License
CIVS-SM-10SCFL=	Cisco Video Surveillance 10 Connection Stream Mgr Feat Lic
CIVS-SM-1SCFL=	Cisco Video Surveillance 1 Connection Stream Mgr Feat Lic
CIVS-SM-200SCFL=	Cisco Video Surveillance 200 Connection Stream Mgr Feat Lic
CIVS-SM-4SCFL=	Cisco Video Surveillance 4 Connection Stream Mgr Feat Lic
CIVS-SM-AS30=	Cisco Video Surveillance Stream Mgr Admin Storage S/W
CIVS-SM-AS50=	Cisco Video Surveillance Stream Mgr 5.0 Admin Storage S/W
CIVS-SM-ASF30=	Cisco VS Stream Mgr Admin Storage Failover S/W, excl Admin
CIVS-SM-CFG30=	Cisco Video Surveillance Stream Mgr Configuration S/W
CIVS-SM-CFG50=	Cisco Video Surveillance Stream Mgr 5.0 Configuration S/W
CIVS-SM-CL30=	Cisco Video Surveillance Stream Mgr Client S/W
CIVS-SM-CL50=	Cisco Video Surveillance Stream Mgr 5.0 Client S/W
CIVS-SM-GY30	Cisco Video Surveillance Stream Mgr Gateway S/W Version 3.0
CIVS-VM-1DFL	Cisco VS Virtual Matrix Client License, 1 client
CIVS-VM-1DFL=	Cisco VS Virtual Matrix Client License, 1 client
CIVS-VM-SW5.0	Cisco VS Virtual Matrix v5.0 SW Only
CIVS-VM-SW5.0=	Cisco VS Virtual Matrix v5.0 SW Only
CIVS-VM-SW5.1=	Virtual Matrix V5.1 Software Only
CIVS-VM-SW6.0=	CIVS-VM Virtual Matrix v6.0 Software Only
CIVS-VM-UP5X-6X=	CIVS-VM Virtual Matrix v6 Software License Upgrade Only

Product ID: Call Control	Product Description
CIVS-VM-WCSW5.0=	Cisco VS Virtual Matrix Client v5.0 SW, includes 1client
CIVS-VSM-CEDAP	Special VSM Configuration for CEDAP
CIVS-VSM-SW3151	CIVS-VSM Video Surveillance Manager v3.1/5.1 SW Mfg Image
CIVS-VSM-SW3151CA	CIVS-VSM v3.1/5.1 Software Manufacturing Image (CAM-25)
CIVS-VSM-SW4060	CIVS-VSM Video Surveillance Manager v4.0/6.0 SW Mfg Image
CIVS-VSM-SW4060CA	CIVS-VSM v4.0/6.0 Software Manufacturing Image (CAM-25)
ICEVSSW_ADJ_PROD	ICEVSSW_ADJ_PROD
ICEVSSW_CREDIT_ADJ	ICEVSSW_CREDIT_ADJ
ICEVSSW_OTHER_ADJ	ICEVSSW_OTHER_ADJ
PS3FUT_CREDIT_ADJ	PS3FUT_CREDIT_ADJ
PS3FUT_OTHER_ADJ	PS3FUT_OTHER_ADJ
CIVS-EXTPWR-CHS I2	
CSIBU NEW FAM1 NEW SER1 I2	
CSIBU NEW FAM1 UNMAPPED NONCHAS I2	
CSIBU NEW FAM2 NEW SER1 I2	
ICEVSHW NONCHAS OTHER I2	
VSERVER SER OTHER I2	
S3BU_ADJ_PROD	S3BU_ADJ_PROD
IPCAM_ADJ_PROD	IPCAM_ADJ_PROD
IPCAM_OTHER_ADJ	IPCAM_OTHER_ADJ
PVC2300	Business Internet Video Camera with Audio and PoE
PVC2300-AU	Business Internet Video Camera with Audio and PoE
PVC2300-EU	Business Internet Video Camera with Audio and PoE
WVC200	Wireless-G PTZ Internet Camera with Audio
WVC200-AU	Pan/Tilt Wired/Wireless Camera with Zoom for SMB
WVC200-EU	Pan/Tilt Wired/Wireless Camera with Zoom for SMB
WVC200-UK	Pan/Tilt Wired/Wireless Camera with Zoom for SMB
WVC2300	Wireless-G Business Internet Video Camera with Audio
WVC2300-AU	Wireless-G Business Internet Video Camera with Audio
WVC2300-EU	Wireless-G Business Internet Video Camera with Audio