

CHAPTER 6 APPENDICES

Table of Contents

6.6	Appendix.....	6.6-1
6.6.1	PWR Fuel Assemblies	6.6.1-1
6.6.2	BWR Fuel Assemblies.....	6.6.2-1
6.6.3	MTR Fuel Elements.....	6.6.3-1
6.6.4	Intact PWR and BWR Fuel Rods in a Rod Holder or Fuel Assembly Lattice.....	6.6.4-1
6.6.5	TRIGA Fuel Elements.....	6.6.5-1
6.6.6	TRIGA Fuel Cluster Rods.....	6.6.6-1
6.6.7	MTR Fuel Bounding Configuration.....	6.6.7-1
6.6.8	DIDO Fuel Assemblies	6.6.8-1
6.6.9	General Atomics Irradiated Fuel Material	6.6.9-1
6.6.10	Damaged Fuel Rods in a Rod Holder	6.6.10-1
6.6.11	PULSTAR Fuel Elements in the LWT Cask	6.6.11-1
6.6.12	Spiral Fuel Assemblies in the LWT Cask	6.6.12-1
6.6.13	MOATA Plate Bundles in the LWT Cask.....	6.6.13-1
6.6.14	High Fissile Mass LEU (32 g ²³⁵ U per Plate) MTR Fuel Elements	6.6.14-1

List of Figures

Figure 6.6.1-1	CSAS Input/Output for NAC-LWT with PWR Fuel – 3.7% Enrichment - Most Reactive Normal Condition Configuration.....	6.6.1-2
Figure 6.6.1-2	CSAS Input/Output for NAC-LWT with PWR Fuel – 3.7% Enrichment – Most Reactive Accident Condition Configuration.....	6.6.1-32
Figure 6.6.1-3	CSAS Input/Output for NAC-LWT with PWR Fuel – 3.5% Enrichment – Most Reactive Normal Condition Configuration.....	6.6.1-57
Figure 6.6.1-4	CSAS Input/Output for NAC-LWT with PWR Fuel – 3.5% Enrichment – Most Reactive Accident Condition Configuration.....	6.6.1-85
Figure 6.6.2-1	CSAS Input/Output for NAC-LWT with BWR Fuel Assemblies – Most Reactive Normal Condition Configuration.....	6.6.2-2
Figure 6.6.2-2	CSAS Input/Output for NAC-LWT with BWR Fuel Assemblies – Most Reactive Accident Condition Configuration.....	6.6.2-29
Figure 6.6.3-1	CSAS Input/Output for NAC-LWT with Design Basis MTR Fuel - Most Reactive Normal Condition Configuration.....	6.6.3-2
Figure 6.6.3-2	CSAS Input/Output for NAC-LWT with Design Basis MTR Fuel - Most Reactive Accident Condition Configuration – 94 wt %, 355 g ²³⁵ U	6.6.3-37
Figure 6.6.4-1	CSAS Input/Output for NAC-LWT with 25 PWR Rods – Most Reactive Normal Condition Configuration.....	6.6.4-2
Figure 6.6.4-2	CSAS Input/Output for NAC-LWT with 25 PWR Rods – Most Reactive Accident Condition Configuration.....	6.6.4-21
Figure 6.6.4-3	CSAS Input/Output for NAC-LWT with 25 BWR Rods – Most Reactive Normal Condition Configuration.....	6.6.4-40
Figure 6.6.4-4	CSAS Input/Output for NAC-LWT with 25 BWR Rods – Most Reactive Accident Condition Configuration.....	6.6.4-59
Figure 6.6.5-1	Summary of CSAS Input/Output for NAC-LWT with TRIGA Fuel Elements - Most Reactive Nonpoisoned Basket Configuration.....	6.6.5-2
Figure 6.6.5-2	Summary of CSAS25 Input/Output for NAC-LWT with TRIGA Fuel Elements - Most Reactive Poisoned Basket Configuration	6.6.5-36
Figure 6.6.5-3	Summary of CSAS Input/Output for TRIGA Benchmark Core 132	6.6.5-73
Figure 6.6.6-1	TRIGA Fuel Cluster Rods – Most Reactive Nonpoisoned Basket Configuration	6.6.6-2
Figure 6.6.6-2	TRIGA Fuel Cluster Rods – Most Reactive Poisoned Basket Configuration	6.6.6-40
Figure 6.6.7-1	MTR Finite Cask Model	6.6.7-2
Figure 6.6.7-2	HEU MTR Finite Cask Model (460 g ²³⁵ U)	6.6.7-49
Figure 6.6.8-1	Maximum Reactivity DIDO Configuration – Eight Cask Array	6.6.8-2
Figure 6.6.8-2	Maximum Reactivity DIDO Configuration – Infinite Array	6.6.8-93
Figure 6.6.9-1	Maximum Reactivity GA IFM Configuration	6.6.9-2
Figure 6.6.10-1	Damaged BWR Rods in a Rod Holder.....	6.6.10-2
Figure 6.6.11-1	Maximum Reactivity PULSTAR Configuration.....	6.6.11-2
Figure 6.6.12-1	Maximum Reactivity Spiral Fuel Assembly Configuration.....	6.6.12-2
Figure 6.6.13-1	Maximum Reactivity MOATA Plate Bundle Configuration	6.6.13-2
Figure 6.6.14-1	High Fissile Mass LEU MTR Sample Input	6.6.14-2

6.6 Appendix

This appendix contains computer input/output for the analyses presented in Section 6.4.

6.6.1 PWR Fuel Assemblies

This section contains abbreviated output files from the most reactive normal condition and accident condition moderator density variation cases.

Figure 6.6.1-1 CSAS Input/Output for NAC-LWT with PWR Fuel – 3.7% Enrichment -
Most Reactive Normal Condition Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT ANALYSIS; Exxon 15x15(W) ASSEMBLY; NO WATER IN GAP
27GROUPNDF4 LATTICECELL
UO2 1 0.95 293.0 92235 3.7 92238 96.3 END
ZR 2 1.0 293.0 END
H2O 3 1.000 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.0 293.0 END
H2O 8 1.0E-20 293.0 END
H2O 9 1.0E-20 293.0 END
END COMP
SQUAREPITCH 1.4300 0.9056 1 3 1.0770 2 0.9246 9 END
LWT ANALYSIS; Exxon 15x15(W) ASSEMBLY; NO WATER IN GAP
READ PARAM RUN=YES PLT=NO TME=5000 GEN=303 NPG=1000 END PARAM
READ GEOM
UNIT 1
COM='FUEL PIN CELL - WITH H2O'
CYLINDER 1 1 0.4528 2P182.88
CYLINDER 9 1 0.4623 2P182.88
CYLINDER 2 1 0.5385 2P182.88
CUBOID 3 1 4P0.7150 2P182.88
UNIT 2
COM='WATER ROD CELL - WITH H2O'
CYLINDER 3 1 0.6477 2P182.88
CYLINDER 2 1 0.6909 2P182.88
CUBOID 3 1 4P0.7150 2P182.88
GLOBAL UNIT 9
ARRAY 1 -10.7250 -10.7250 -182.88
CUBOID 3 1 4P11.3157 2P182.88
CYLINDER 4 1 16.891 2P182.88
CYLINDER 3 1 16.9863 2P182.88
CYLINDER 5 1 18.8913 2P182.88
CYLINDER 6 1 33.4963 2P182.88
CYLINDER 5 1 36.5443 2P182.88
CYLINDER 7 1 49.2443 2P182.88
CYLINDER 5 1 49.8539 212.48 -192.16
CYLINDER 6 1 49.8539 212.48 -199.78
CYLINDER 5 1 49.8539 212.48 -208.67
CUBOID 8 1 4P81.0000 243.00 -240.00
END GEOM
READ ARRAY
ARA=1 NUX=15 NUY=15 NUZ=1 FILL
      3R1
2R1 2 2R1 2 3R1 2 2R1 2 2R1
      7R1 2 7R1
      4R1 2 5R1 2 4R1
      2R1 2 9R1 2 2R1
      15R1
      3R1 2 3R1 2 3R1 2 3R1
      15R1
      2R1 2 9R1 2 2R1
      4R1 2 5R1 2 4R1
      7R1 2 7R1
2R1 2 2R1 2 3R1 2 2R1 2 2R1
      30R1
END FILL
END ARRAY
READ BOUNDS ZFC=VAC YXF=VAC END BOUNDS
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1.32 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 13.68 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 593.36 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 612.37 (SECONDS).

```

```
CCCCCCCCCC SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS 2222222222 555555555555
CCCCCCCCCC SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS 2222222222 555555555555
CC          CC SS      SS AA      AA SS      SS      22      55
CC          SS      AA      AA SS      SS      22      55
CC          SS      AA      AA SS      SS      22      55
CC          SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS      22      555555555555
CC          SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS      22      555555555555
CC          SS      AA      AA SS      SS      22      55
CC          SS      AA      AA SS      SS      22      55
CC          CC SS      SS AA      AA SS      SS      22      55      55
CCCCCCCCCC SSSSSSSSSS AA      AA SSSSSSSSSS 2222222222 555555555555
CCCCCCCCCC SSSSSSSSSS AA      AA SSSSSSSSSS 2222222222 5555555555
```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL          EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL          EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SS      SS CC          CC AA      AA LL          EE          PP      PP CC          CC
SS      CC          AA      AA LL          EE          PP      PP CC          CC
SS      CC          AA      AA LL          EE          PP      PP CC          CC
SSSSSSSSSS CC          AAAAAAAAAA LL          EEEEEEEEEEE ----- PPPPPPPPPP CC
SSSSSSSSSS CC          AAAAAAAAAA LL          EEEEEEEEEEE ----- PPPPPPPPPP CC
SS CC          AA      AA LL          EE          PP      CC
SS CC          AA      AA LL          EE          PP      CC
SS      SS CC          CC AA      AA LL          EE          PP      CC          CC
SSSSSSSSSS CCCCCCCCCC AA      AA LLLLLLLLLL EEEEEEEEEEE PP          CC          CC
SSSSSSSSSS CCCCCCCCCC AA      AA LLLLLLLLLL EEEEEEEEEEE PP          CC          CC
```

```
0000000 7777777777 // 2222222222 2222222222 // 9999999999 8888888888
00000000 7777777777 // 222222222222 222222222222 // 999999999999 888888888888
00 00 77 77 // 22 22 22 22 // 99 99 88 88
00 00 77 77 // 22 22 22 22 // 99 99 88 88
00 00 77 77 // 22 22 22 22 // 99 99 88 88
00 00 77 77 // 22 22 22 22 // 9999999999 8888888888
00 00 77 77 // 22 22 22 22 // 9999999999 8888888888
00 00 77 77 // 22 22 22 22 // 99 99 88 88
00 00 77 77 // 22 22 22 22 // 99 99 88 88
00000000 77 77 // 222222222222 222222222222 // 999999999999 888888888888
0000000 77 77 // 222222222222 222222222222 // 999999999999 888888888888
```

```
11 7777777777 0000000 44 3333333333 0000000
111 7777777777 00000000 444 33333333333 00000000
1111 77 77 ::: 00 00 4444 ::: 33 33 00 00
11 77 77 ::: 00 00 44 44 ::: 33 00 00
11 77 77 ::: 00 00 44 44 ::: 33 00 00
11 77 77 ::: 00 00 44 44 ::: 333 00 00
11 77 77 ::: 00 00 44 44 ::: 333 00 00
11 77 77 ::: 00 00 444444444444 ::: 33 00 00
11 77 77 ::: 00 00 4444444444444444 ::: 33 00 00
11 77 77 ::: 00 00 44 44 ::: 33 33 00
11111111 77 00000000 44 333333333333 00000000
11111111 77 0000000 44 33333333333 0000000
```


LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
 MXX 9 MIXTURES
 MSC 9 COMPOSITION SPECIFICATIONS
 IZM 4 MATERIAL ZONES
 GE LATTICECELL GEOMETRY
 MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
 MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC UO2 STANDARD COMPOSITION
 MX 1 MIXTURE NO.
 VF 0.9500 VOLUME FRACTION
 ROTH 10.9600 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 92000 1.00 ATOM/MOLECULE
 92235 3.700 WT%
 92238 96.300 WT%
 8016 2.00 ATOMS/MOLECULE

END

SC ZR STANDARD COMPOSITION
 MX 2 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 6.4900 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 40000 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 3 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
 MX 4 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 2.7020 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 13027 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
 MX 5 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 7.9200 THEORETICAL DENSITY
 NEL 4 NO. ELEMENTS
 ICP 0 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 24304 19.000 WT%
 25055 2.000 WT%
 26304 69.500 WT%
 28304 9.500 WT%

END

SC PB STANDARD COMPOSITION
 MX 6 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 11.3440 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 82000 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 7 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 8 MIXTURE NO.
 VF 0.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND

```
TEMP      293.0 DEG KELVIN
          1001      2.00 ATOMS/MOLECULE
          8016      1.00 ATOM/MOLECULE

END

SC H2O          STANDARD COMPOSITION
MX              9 MIXTURE NO.
VF              0.0000 VOLUME FRACTION
ROTH           0.9982 THEORETICAL DENSITY
NEL            2 NO. ELEMENTS
ICP            1 O/1 MIXTURE/COMPOUND
TEMP           293.0 DEG KELVIN
          1001      2.00 ATOMS/MOLECULE
          8016      1.00 ATOM/MOLECULE

END
```

**** PROBLEM GEOMETRY ****

```
CTP SQUAREPITCH CELL TYPE
PITCH        1.4300 CM CENTER TO CENTER SPACING
FUELOD       0.9056 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL        1 MIXTURE NO. OF FUEL
MMOD         3 MIXTURE NO. OF MODERATOR
CLADOD       1.0770 CM CLAD OUTER DIAMETER
MCLAD        2 MIXTURE NO. OF CLAD
GAPOD        0.9246 CM GAP OUTER DIAMETER
MGAP         9 MIXTURE NO. OF GAP
```

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

```
ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD
```

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP

***** DATA LIBRARY INFORMATION *****

UNIT NUMBER	DATA SET NAME	VOLUME NAME	UNIT FUNCTION
89	G:\scale43\DATALIB\FT89F001		STANDARD COMPOSITION LIBRARY
82	G:\scale43\DATALIB\FT82F001		CROSS SECTION LIBRARY
11	D:\PROJECTS\BU85-C-1\pwrfin02\15NX1M\FT11F00		SHORT CROSS SECTION LIBRARY
90	D:\PROJECTS\BU85-C-1\pwrfin02\15NX1M\FT90F00		INPUT DATA DIRECT ACCESS

STANDARD COMPOSITION LIBRARY DATA

UNIT NUMBER : 89
 DATASET NAME : G:\scale43\DATALIB\FT89F001
 LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
 637 STANDARD COMPOSITIONS, 490 NUCLIDES
 90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
 CREATION DATE: 6/30/95

CROSS SECTION LIBRARY DATA

UNIT NUMBER : 82
 DATASET NAME : G:\scale43\DATALIB\FT82F001
 LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
 BASED ON ENDF-B VERSION 4 DATA
 COMPILED FOR NRC 1/27/89
 LAST UPDATED 08/12/94
 L.M.PETRIE - ORNL

..... 0 IO'S WERE USED BEFORE READING KENO V DATA

..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA

***** DATA READING COMPLETED *****

..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA

..... 0 IO'S WERE USED LOADING THE KENO V DATA

..... 0 IO'S WERE USED LOADING THE DATA

..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA

***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****

..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA

..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA

CONTROL MODULE CSAS25 IS COMPLETE.

```
KK      KK      EEEEEEEEEEE NN      NN      0000000000 VV      VV
KK      KK      EEEEEEEEEEE NNN     NN     000000000000 VV      VV
KK      KK      EE           NNNN    NN     00           VV      VV
KK      KK      EE           NN NN   NN     00           VV      VV
KK      KK      EE           NN NN   NN     00           VV      VV
KKKKKKKK EEEEEEEEE NN      NN     00           VV      VV
KKKKKKKK EEEEEEEEE NN      NN     00           VV      VV
KK      KK      EE           NN      NN     00           VV      VV
KK      KK      EE           NN      NN     00           VV      VV
KK      KK      EE           NN      NN     00           VV      VV
KK      KK      EEEEEEEEEEE NN      NN     000000000000 VV      VV
KK      KK      EEEEEEEEEEE NN      NN     0000000000 V      V

SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL      EEEEEEEEEEE FPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL      EEEEEEEEEEE FPPPPPPPPPPPP CCCCCCCCCC
SS      SS      CC      CC      AA      AA      LL      EE           PP      PP      CC      CC
SS      SS      CC      CC      AA      AA      LL      EE           PP      PP      CC      CC
SS      SS      CC      CC      AA      AA      LL      EE           PP      PP      CC      CC
SSSSSSSSSSSS CC      AAAAAAAAAA LL      EEEEEEEEE EEEEEEEEE FPPPPPPPPPPPP CC
SSSSSSSSSSSS CC      AAAAAAAAAA LL      EEEEEEEEE EEEEEEEEE FPPPPPPPPPPPP CC
SS      SS      CC      AA      AA      LL      EE           PP      CC      CC
SS      SS      CC      AA      AA      LL      EE           PP      CC      CC
SS      SS      CC      AA      AA      LL      EE           PP      CC      CC
SSSSSSSSSSSS CCCCCCCCCC AA      AA      LLLLLLLLLLLL EEEEEEEEEEE PP      CCCCCCCCCC
SSSSSSSSSSSS CCCCCCCCCC AA      AA      LLLLLLLLLLLL EEEEEEEEEEE PP      CCCCCCCCCC

00000000 7777777777 // 2222222222 2222222222 // 9999999999 8888888888
000000000 7777777777 // 2222222222222 2222222222222 // 9999999999999 8888888888888
00      00      77 // 22 22 22 22 // 99 99 99 99 88 88
00      00      77 // 22 22 22 22 // 99 99 99 99 88 88
00      00      77 // 22 22 22 22 // 99 99 99 99 88 88
00      00      77 // 22 22 22 22 // 99 99 99 99 88 88
00      00      77 // 22 22 22 22 // 99 99 99 99 88 88
00      00      77 // 22 22 22 22 // 99 99 99 99 88 88
00      00      77 // 22 22 22 22 // 99 99 99 99 88 88
00      00      77 // 22 22 22 22 // 99 99 99 99 88 88
000000000 77 // 2222222222222 2222222222222 // 9999999999999 8888888888888
00000000 77 // 2222222222222 2222222222222 // 9999999999999 8888888888888

11      7777777777 // 00000000 44 8888888888
111     7777777777 // 000000000 444 8888888888888
1111    77 77 // 00 00 4444 88 88
11      77 // 00 00 44 44 // 44 44 88 88
11      77 // 00 00 44 44 // 44 44 88 88
11      77 // 00 00 44 44 // 44 44 8888888888
11      77 // 00 00 4444444444 // 4444444444 88 88
11      77 // 00 00 444444444444 // 444444444444 88 88
11      77 // 00 00 44 44 // 44 44 88 88
1111111 77 // 00000000 44 8888888888888
1111111 77 // 00000000 44 8888888888888
```



```
.....  
LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP  
.....  
***** LOGICAL PARAMETERS *****  
*****  
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***  
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***  
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***  
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***  
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***  
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***  
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***  
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***  
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***  
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***  
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***  
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***  
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***  
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***  
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***  
*** PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***  
*** TRK PRINT TRACKING INFORMATION NO ***  
.....  
PARAMETER INPUT COMPLETED  
.....
```

```
..... 0 IO'S WERE USED READING THE PARAMETER DATA .....  
***** DATA READING COMPLETED *****
```

```
*****
*****
***** LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP *****
*****
*****
*****
```

UNIT NUMBER	DATA SET NAME	VOLUME NAME	UNIT FUNCTION
XSC 14	D:\PROJECTS\BU85-C-1\pwrfm02\15NX1M\FT14F00		MIXED CROSS SECTIONS
ALB 79	G:\scale43\DATA LIB\FT79F001		INPUT ALBEDOS
WTS 80	G:\scale43\DATA LIB\FT80F001		INPUT WEIGHTS
SKT 16	UNKNOWN		WRITE SCRATCH DATA
BIN 95	D:\PROJECTS\BU85-C-1\pwrfm02\15NX1M\FT95F00		BINARY INPUT DATA
RST 95	D:\PROJECTS\BU85-C-1\pwrfm02\15NX1M\FT95F00		READ RESTART DATA
LIB 4	D:\PROJECTS\BU85-C-1\pwrfm02\15NX1M\FT04F00		INPUT AMPX WORKING LIBRARY
8	D:\PROJECTS\BU85-C-1\pwrfm02\15NX1M\FT08F00		INPUT DATA DIRECT ACCESS
9	UNKNOWN		SUPER GROUPED DIRECT ACCESS
10	UNKNOWN		XSEC MIXING DIRECT ACCESS

```
*****
*****
```

..... 0 IO'S WERE USED PREPARING INPUT DATA

CROSS SECTIONS READ FROM THE AMPX WORKING LIBRARY ON UNIT 4

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP

MIXING TABLE

NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD = 3.0E-05

MIXTURE =	1	DENSITY (G/CC) =	10.412								
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE	TITLE					
1008016	4.64601E-02	1.18483E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276					UPDATED
08/12/94											
1092235	8.70095E-04	3.26161E-02	92235	235.0441	URANIUM-235	ENDF/B-IV MAT 1261					UPDATED
08/12/94											
1092238	2.23600E-02	8.48901E-01	92238	238.0510	URANIUM-238	ENDF/B-IV MAT 1262					UPDATED
08/12/94											
MIXTURE =	2	DENSITY (G/CC) =	6.4900								
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE	TITLE					
2040000	4.28457E-02	1.00000E+00	40000	91.2196	ZIRCONIUM	ENDF/B-IV MAT 7141					UPDATED
08/12/94											
MIXTURE =	3	DENSITY (G/CC) =	0.99817								
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE	TITLE					
3001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002					UPDATED
08/12/94											
3008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276					UPDATED
08/12/94											
MIXTURE =	4	DENSITY (G/CC) =	2.7020								
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE	TITLE					
4013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27	1193 218 GP 040375(5)					UPDATED
08/12/94											
MIXTURE =	5	DENSITY (G/CC) =	7.9200								
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE	TITLE					
5024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'						UPDATED
08/12/94											
5025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55	ENDF/B-IV MAT 1197					UPDATED
08/12/94											
5026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'						UPDATED
08/12/94											
5028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'						UPDATED
08/12/94											
MIXTURE =	6	DENSITY (G/CC) =	11.344								
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE	TITLE					
6082000	3.29690E-02	1.00000E+00	82000	207.2100	PB 1288 218NGP 042375 P-3 293K						UPDATED
08/12/94											
MIXTURE =	7	DENSITY (G/CC) =	0.99817								
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE	TITLE					
7001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002					UPDATED
08/12/94											
7008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276					UPDATED
08/12/94											
MIXTURE =	8	DENSITY (G/CC) =	0.99817E-20								
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE	TITLE					
8001001	6.67692E-22	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002					UPDATED
08/12/94											
8008016	3.33846E-22	8.88073E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276					UPDATED
08/12/94											
MIXTURE =	9	DENSITY (G/CC) =	0.99817E-20								
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE	TITLE					
9001001	6.67692E-22	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002					UPDATED
08/12/94											
9008016	3.33846E-22	8.88073E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276					UPDATED
08/12/94											

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 3 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 7 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 8 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 9 WERE CORRECTED FOR BAD MOMENTS.

1-D CROSS SECTION ARRAY ID NUMBERS
 1 2002 1452 27 18 1018

..... 0 IO'S WERE USED PREPARING THE CROSS SECTIONS

```
.....  
***  
***          LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP          ***  
***  
.....  
***  
***          ***** ADDITIONAL INFORMATION *****          ***  
***  
*** NUMBER OF ENERGY GROUPS          27          USE LATTICE GEOMETRY          YES ***  
*** NO. OF FISSION SPECTRUM SOURCE GROUP 1          GLOBAL ARRAY NUMBER          1 ***  
*** NO. OF SCATTERING ANGLES IN XSECS   2          NUMBER OF UNITS IN THE GLOBAL X DIR.  15 ***  
*** ENTRIES/NEUTRON IN THE NEUTRON BANK 16          NUMBER OF UNITS IN THE GLOBAL Y DIR.  15 ***  
*** ENTRIES/NEUTRON IN THE FISSION BANK  9          NUMBER OF UNITS IN THE GLOBAL Z DIR.   1 ***  
*** NUMBER OF MIXTURES USED              9          USE A GLOBAL REFLECTOR          YES ***  
*** NUMBER OF BIAS ID'S USED             1          USE NESTED HOLES                NO ***  
*** NUMBER OF DIFFERENTIAL ALBEDOS USED  0          NUMBER OF HOLES                 0 ***  
*** TOTAL INPUT GEOMETRY REGIONS        19          MAXIMUM HOLE NESTING LEVEL      0 ***  
*** NUMBER OF GEOMETRY REGIONS USED     19          USE NESTED ARRAYS              NO ***  
*** LARGEST GEOMETRY UNIT NUMBER        9          NUMBER OF ARRAYS USED          1 ***  
*** LARGEST ARRAY NUMBER                1          MAXIMUM ARRAY NESTING LEVEL    1 ***  
***  
*** +X BOUNDARY CONDITION                VAC          -X BOUNDARY CONDITION          VAC ***  
*** +Y BOUNDARY CONDITION                VAC          -Y BOUNDARY CONDITION          VAC ***  
*** +Z BOUNDARY CONDITION                VAC          -Z BOUNDARY CONDITION          VAC ***  
***  
.....
```

```
*****
LWT ANALYSIS; EXXON 15X15(W); ASSEMBLY; NO WATER IN GAP
*****
***** SPACE AND SUPERGROUP INFORMATION *****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
28389 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
71611 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99759 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
71551 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.
1172 WORDS ARE NEEDED FOR THE LARGEST GROUP.
29777 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
41991 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
42144 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.
*****
*****
SUPERGROUP      STARTING      ENDING      XSEC      ALBEDO      TOTAL
GROUP           GROUP         GROUP        LENGTH    LENGTH      LENGTH
*****
1                1             27          2697      0           13542
*****
```

```
..... 0 IO'S WERE USED IN SUPERGROUPING .....
..... 0 IO'S WERE USED LOADING THE DATA .....
```

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 1 -----							
FUEL PIN CELL - WITH H2O							
1	CYLINDER 1 1	RADIUS = 0.45280	-Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	CYLINDER 9 1	RADIUS = 0.46230	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CYLINDER 2 1	RADIUS = 0.53850	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	CUBOID 3 1	+X = 0.71500	-X = -0.71500	+Y = 0.71500	-Y = -0.71500	+Z = 182.88 -Z = -182.88	
----- UNIT 2 -----							
WATER ROD CELL - WITH H2O							
1	CYLINDER 3 1	RADIUS = 0.64770	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	CYLINDER 2 1	RADIUS = 0.69090	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CUBOID 3 1	+X = 0.71500	-X = -0.71500	+Y = 0.71500	-Y = -0.71500	+Z = 182.88 -Z = -182.88	
***** GLOBAL *****							
----- UNIT 9 EXTERNAL TO LATTICE 1 -----							
1	ARRAY NUMBER 1	+X = 10.725	-X = -10.725	+Y = 10.725	-Y = -10.725	+Z = 182.88 -Z = -182.88	
2	CUBOID 3 1	+X = 11.316	-X = -11.316	+Y = 11.316	-Y = -11.316	+Z = 182.88 -Z = -182.88	
3	CYLINDER 4 1	RADIUS = 16.891	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	CYLINDER 3 1	RADIUS = 16.986	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5	CYLINDER 5 1	RADIUS = 18.891	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6	CYLINDER 6 1	RADIUS = 33.496	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7	CYLINDER 5 1	RADIUS = 36.544	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
8	CYLINDER 7 1	RADIUS = 49.244	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
9	CYLINDER 5 1	RADIUS = 49.654	+Z = 212.48	-Z = -192.16	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
10	CYLINDER 6 1	RADIUS = 49.854	+Z = 212.48	-Z = -199.78	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
11	CYLINDER 5 1	RADIUS = 49.854	+Z = 212.48	-Z = -208.67	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
12	CUBOID 8 1	+X = 81.000	-X = -81.000	+Y = 81.000	-Y = -81.000	+Z = 243.00 -Z = -240.00	

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

Z LAYER 1, X COLUMN 1 TO 15 LEFT TO RIGHT Y ROW 1 TO 15 BOTTOM TO TOP

1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	2	1	1	2	1	1	2	1	1	2	1	1	1	1
1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
1	1	1	1	2	1	1	1	1	2	1	1	1	1	1	1
1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	2	1	1	2	1	1	1	2	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	1
1	1	1	1	2	1	1	1	1	2	1	1	1	1	1	1
1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
1	1	2	1	1	2	1	1	2	1	1	2	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	2.35591E+02 CM**3	2.35591E+02 CM**3
	2	2	9.98936E+00 CM**3	2.45581E+02 CM**3
	3	3	8.76291E+01 CM**3	3.33210E+02 CM**3
	4	4	4.14733E+02 CM**3	7.47943E+02 CM**3
2	1	5	4.82052E+02 CM**3	4.82052E+02 CM**3
	2	6	6.64478E+01 CM**3	5.48500E+02 CM**3
	3	7	1.99443E+02 CM**3	7.47943E+02 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 8 IS AN ARRAY PLACEMENT BOUNDARY REGION				
9	1	8	1.68287E+05 CM**3	1.68287E+05 CM**3
	2	9	1.90480E+04 CM**3	1.87335E+05 CM**3
	3	10	1.40501E+05 CM**3	3.27836E+05 CM**3
	4	11	3.70972E+03 CM**3	3.31546E+05 CM**3
	5	12	7.85353E+04 CM**3	4.10081E+05 CM**3
	6	13	8.79177E+05 CM**3	1.28926E+06 CM**3
	7	14	2.45308E+05 CM**3	1.53457E+06 CM**3
	8	15	1.25193E+06 CM**3	2.78649E+06 CM**3
	9	16	3.72996E+05 CM**3	3.15949E+06 CM**3
	10	17	5.94983E+04 CM**3	3.21899E+06 CM**3
	11	18	6.94145E+04 CM**3	3.28840E+06 CM**3
	12	19	9.38745E+06 CM**3	1.26759E+07 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	204	1	1	4.80606E+04 CM**3
		2	9	2.03783E+03 CM**3
		3	2	1.78763E+04 CM**3
		4	3	8.46055E+04 CM**3
2	21	1	3	1.01231E+04 CM**3
		2	2	1.39540E+03 CM**3
		3	3	4.18830E+03 CM**3
9	1	1	1	1.68287E+05 CM**3
		2	3	1.90480E+04 CM**3
		3	4	1.40501E+05 CM**3
		4	3	3.70972E+03 CM**3
		5	5	7.85353E+04 CM**3
		6	6	8.79177E+05 CM**3
		7	5	2.45308E+05 CM**3
		8	7	1.25193E+06 CM**3
		9	5	3.72996E+05 CM**3
		10	6	5.94983E+04 CM**3
		11	5	6.94145E+04 CM**3
		12	8	9.38745E+06 CM**3

MIXTURE	TOTAL MIXTURE VOLUMES	MASS (G)
1	4.80606E+04 CM**3	5.00406E+05
2	1.92717E+04 CM**3	1.25074E+05
3	1.21675E+05 CM**3	1.21452E+05
4	1.40501E+05 CM**3	3.79634E+05
5	7.66253E+05 CM**3	6.06873E+06
6	9.38675E+05 CM**3	1.06483E+07
7	1.25193E+06 CM**3	1.24964E+06
8	9.38745E+06 CM**3	9.37028E-14
9	2.03783E+03 CM**3	2.03410E-17

.....

 *** BIASING INFORMATION ***
 *** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING

..... 0.01650 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 2.85587E-01

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUROID DEFINED BY:

+X= 1.07250E+01 -X=-1.07250E+01 +Y= 1.07250E+01 -Y=-1.07250E+01 +Z= 1.82880E+02 -Z=-1.82880E+02

THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.09867 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.11733 MINUTES.

NAC-LWT Cask SAR
Revision 38

November 2007

LWT ANALYSIS; EXXON 15X15 (W) ASSEMBLY; NO WATER IN GAP

GENERATION KENO MESSAGE NUMBER K1-132	GENERATION K-EFFECTIVE NUMBER K1-132	ELAPSED TIME MINUTES WARNING... ONLY	AVERAGE K-EFFECTIVE 987 INDEPENDENT	AVG K-EFF DEVIATION FISSION POINTS WERE	MATRIX K-EFFECTIVE GENERATED	MATRIX K-EFF DEVIATION
1	8.94613E-01	1.55833E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
2	8.61756E-01	1.67667E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	9.26407E-01	2.19667E-01	9.26407E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	9.47862E-01	2.52667E-01	9.37184E-01	1.07775E-02	0.00000E+00	0.00000E+00
5	9.44386E-01	2.84667E-01	9.39588E-01	6.67085E-03	0.00000E+00	0.00000E+00
6	9.57348E-01	3.16667E-01	9.44028E-01	6.47781E-03	0.00000E+00	0.00000E+00
7	9.68890E-01	3.50667E-01	9.37001E-01	8.63509E-03	0.00000E+00	0.00000E+00
8	9.21887E-01	3.80633E-01	9.34495E-01	7.48138E-03	0.00000E+00	0.00000E+00
9	9.25116E-01	4.12000E-01	9.33158E-01	6.46336E-03	0.00000E+00	0.00000E+00
10	9.55106E-01	4.44000E-01	9.35902E-01	6.23361E-03	0.00000E+00	0.00000E+00
11	9.67018E-01	4.77833E-01	9.32693E-01	6.36572E-03	0.00000E+00	0.00000E+00
12	9.39932E-01	5.10833E-01	9.33416E-01	5.73951E-03	0.00000E+00	0.00000E+00
13	9.50831E-01	5.42833E-01	9.35000E-01	5.42759E-03	0.00000E+00	0.00000E+00
14	9.66727E-01	5.75833E-01	9.37644E-01	5.61601E-03	0.00000E+00	0.00000E+00
15	9.31262E-01	6.07833E-01	9.37153E-01	5.18925E-03	0.00000E+00	0.00000E+00
16	9.19301E-01	6.39800E-01	9.35878E-01	4.97664E-03	0.00000E+00	0.00000E+00
17	9.05264E-01	6.72833E-01	9.33637E-01	5.05748E-03	0.00000E+00	0.00000E+00
18	9.66305E-01	7.04000E-01	9.35666E-01	5.14771E-03	0.00000E+00	0.00000E+00
19	9.19402E-01	7.35167E-01	9.34897E-01	4.93146E-03	0.00000E+00	0.00000E+00
20	9.26002E-01	7.67667E-01	9.34403E-01	4.67662E-03	0.00000E+00	0.00000E+00
21	9.12766E-01	7.98333E-01	9.32264E-01	4.56695E-03	0.00000E+00	0.00000E+00
22	9.45442E-01	8.28500E-01	9.33873E-01	4.37514E-03	0.00000E+00	0.00000E+00
23	9.38969E-01	8.57833E-01	9.34116E-01	4.16866E-03	0.00000E+00	0.00000E+00
24	9.52939E-01	8.88833E-01	9.34972E-01	4.06573E-03	0.00000E+00	0.00000E+00
25	9.21769E-01	9.19167E-01	9.34398E-01	3.92711E-03	0.00000E+00	0.00000E+00
26	8.98143E-01	9.52000E-01	9.32887E-01	4.05203E-03	0.00000E+00	0.00000E+00
27	9.47410E-01	9.81333E-01	9.33466E-01	3.92874E-03	0.00000E+00	0.00000E+00
28	8.74141E-01	1.01517E+00	9.31186E-01	4.41152E-03	0.00000E+00	0.00000E+00
29	9.01779E-01	1.04900E+00	9.30097E-01	4.36246E-03	0.00000E+00	0.00000E+00
30	9.57957E-01	1.08200E+00	9.31093E-01	4.33905E-03	0.00000E+00	0.00000E+00
31	9.34654E-01	1.11400E+00	9.31214E-01	4.18654E-03	0.00000E+00	0.00000E+00
32	8.76054E-01	1.14700E+00	9.29377E-01	4.44469E-03	0.00000E+00	0.00000E+00
33	9.15205E-01	1.17900E+00	9.28920E-01	4.32317E-03	0.00000E+00	0.00000E+00
34	9.46478E-01	1.21117E+00	9.29469E-01	4.27169E-03	0.00000E+00	0.00000E+00
35	9.16337E-01	1.24317E+00	9.29671E-01	4.11107E-03	0.00000E+00	0.00000E+00
36	9.25952E-01	1.27517E+00	9.28679E-01	3.96538E-03	0.00000E+00	0.00000E+00
37	9.18173E-01	1.30633E+00	9.28671E-01	3.86601E-03	0.00000E+00	0.00000E+00
38	8.87881E-01	1.33750E+00	9.27637E-01	3.94282E-03	0.00000E+00	0.00000E+00
39	9.43313E-01	1.36950E+00	9.27964E-01	3.85641E-03	0.00000E+00	0.00000E+00
40	9.03753E-01	1.40250E+00	9.27327E-01	3.80516E-03	0.00000E+00	0.00000E+00
41	9.28225E-01	1.43533E+00	9.27350E-01	3.71026E-03	0.00000E+00	0.00000E+00
42	9.67952E-01	1.46750E+00	9.28665E-01	3.92087E-03	0.00000E+00	0.00000E+00
43	9.16506E-01	1.50133E+00	9.28663E-01	3.83590E-03	0.00000E+00	0.00000E+00
44	9.29004E-01	1.53433E+00	9.28674E-01	3.74347E-03	0.00000E+00	0.00000E+00
45	9.22795E-01	1.56633E+00	9.28440E-01	3.65765E-03	0.00000E+00	0.00000E+00
46	8.95847E-01	1.60017E+00	9.27701E-01	3.64825E-03	0.00000E+00	0.00000E+00
47	9.60195E-01	1.63033E+00	9.28423E-01	3.63958E-03	0.00000E+00	0.00000E+00
48	9.23892E-01	1.66333E+00	9.28325E-01	3.56694E-03	0.00000E+00	0.00000E+00
49	9.09483E-01	1.69633E+00	9.27924E-01	3.50734E-03	0.00000E+00	0.00000E+00
50	8.85016E-01	1.72833E+00	9.27630E-01	3.54758E-03	0.00000E+00	0.00000E+00
51	9.38381E-01	1.76133E+00	9.27611E-01	3.48253E-03	0.00000E+00	0.00000E+00
52	9.41845E-01	1.79517E+00	9.27553E-01	3.42462E-03	0.00000E+00	0.00000E+00
53	9.46666E-01	1.82833E+00	9.27928E-01	3.3776E-03	0.00000E+00	0.00000E+00
54	9.24769E-01	1.85917E+00	9.27667E-01	3.31262E-03	0.00000E+00	0.00000E+00
55	9.41126E-01	1.89317E+00	9.28117E-01	3.25913E-03	0.00000E+00	0.00000E+00
56	9.71286E-01	1.92517E+00	9.28917E-01	3.29660E-03	0.00000E+00	0.00000E+00
57	9.32230E-01	1.95717E+00	9.28977E-01	3.23667E-03	0.00000E+00	0.00000E+00
58	9.08288E-01	1.99100E+00	9.28612E-01	3.19925E-03	0.00000E+00	0.00000E+00
59	9.67686E-01	2.02133E+00	9.29287E-01	3.21430E-03	0.00000E+00	0.00000E+00
60	9.16362E-01	2.05233E+00	9.29064E-01	3.16625E-03	0.00000E+00	0.00000E+00
61	9.21463E-01	2.08633E+00	9.28935E-01	3.11479E-03	0.00000E+00	0.00000E+00
62	9.52915E-01	2.11917E+00	9.29326E-01	3.08728E-03	0.00000E+00	0.00000E+00
63	9.43213E-01	2.15033E+00	9.29554E-01	3.04477E-03	0.00000E+00	0.00000E+00
64	9.49338E-01	2.18233E+00	9.29873E-01	3.01221E-03	0.00000E+00	0.00000E+00
65	9.37709E-01	2.21533E+00	9.29997E-01	2.96662E-03	0.00000E+00	0.00000E+00
66	9.33550E-01	2.24833E+00	9.30053E-01	2.92043E-03	0.00000E+00	0.00000E+00
67	9.78257E-01	2.28033E+00	9.30794E-01	2.96925E-03	0.00000E+00	0.00000E+00
68	8.92296E-01	2.31417E+00	9.30211E-01	2.98153E-03	0.00000E+00	0.00000E+00
69	9.03144E-01	2.34533E+00	9.29807E-01	2.96435E-03	0.00000E+00	0.00000E+00
70	9.37593E-01	2.37550E+00	9.29922E-01	2.92267E-03	0.00000E+00	0.00000E+00
71	9.27195E-01	2.40750E+00	9.29882E-01	2.88627E-03	0.00000E+00	0.00000E+00
72	9.34762E-01	2.44150E+00	9.29952E-01	2.83699E-03	0.00000E+00	0.00000E+00
73	9.19899E-01	2.47250E+00	9.29611E-01	2.80592E-03	0.00000E+00	0.00000E+00
74	9.33397E-01	2.50650E+00	9.29661E-01	2.76416E-03	0.00000E+00	0.00000E+00
75	9.10163E-01	2.53850E+00	9.29591E-01	2.73966E-03	0.00000E+00	0.00000E+00
76	9.32267E-01	2.57050E+00	9.29628E-01	2.70233E-03	0.00000E+00	0.00000E+00
77	9.26710E-01	2.60250E+00	9.29589E-01	2.66634E-03	0.00000E+00	0.00000E+00
78	8.98330E-01	2.63550E+00	9.29177E-01	2.62977E-03	0.00000E+00	0.00000E+00
79	9.35670E-01	2.66750E+00	9.29262E-01	2.62951E-03	0.00000E+00	0.00000E+00
80	9.33596E-01	2.69967E+00	9.29317E-01	2.59618E-03	0.00000E+00	0.00000E+00
81	9.48769E-01	2.72933E+00	9.29563E-01	2.57490E-03	0.00000E+00	0.00000E+00
82	9.39203E-01	2.76183E+00	9.29604E-01	2.54537E-03	0.00000E+00	0.00000E+00
83	9.28844E-01	2.79200E+00	9.29674E-01	2.51377E-03	0.00000E+00	0.00000E+00
84	8.94824E-01	2.82317E+00	9.29249E-01	2.51903E-03	0.00000E+00	0.00000E+00
85	9.08282E-01	2.85517E+00	9.28996E-01	2.50129E-03	0.00000E+00	0.00000E+00
86	9.15407E-01	2.88917E+00	9.28634E-01	2.47662E-03	0.00000E+00	0.00000E+00
87	9.93412E-01	2.92017E+00	9.29594E-01	2.56252E-03	0.00000E+00	0.00000E+00
88	9.42819E-01	2.95400E+00	9.29748E-01	2.53721E-03	0.00000E+00	0.00000E+00
89	9.39362E-01	2.98517E+00	9.29858E-01	2.51031E-03	0.00000E+00	0.00000E+00
90	9.64034E-01	3.01633E+00	9.30247E-01	2.51183E-03	0.00000E+00	0.00000E+00
91	9.41603E-01	3.04933E+00	9.30374E-01	2.48672E-03	0.00000E+00	0.00000E+00
92	9.26417E-01	3.08217E+00	9.30330E-01	2.45933E-03	0.00000E+00	0.00000E+00
93	9.39822E-01	3.11433E+00	9.30434E-01	2.43439E-03	0.00000E+00	0.00000E+00
94	9.41933E-01	3.14633E+00	9.30559E-01	2.41102E-03	0.00000E+00	0.00000E+00
95	9.08772E-01	3.17833E+00	9.30325E-01	2.39644E-03	0.00000E+00	0.00000E+00
96	9.68022E-01	3.20667E+00	9.30726E-01	2.40448E-03	0.00000E+00	0.00000E+00

97	9.63263E-01	3.23700E+00	9.31069E-01	2.40557E-03	0.00000E+00	0.00000E+00
98	9.49781E-01	3.22983E+00	9.31264E-01	2.38637E-03	0.00000E+00	0.00000E+00
99	8.60497E-01	3.30263E+00	9.30740E-01	2.41894E-03	0.00000E+00	0.00000E+00
100	9.29109E-01	3.33883E+00	9.30724E-01	2.38418E-03	0.00000E+00	0.00000E+00
101	9.14907E-01	3.36882E+00	9.30565E-01	2.37521E-03	0.00000E+00	0.00000E+00
102	9.58820E-01	3.40693E+00	9.30648E-01	2.36624E-03	0.00000E+00	0.00000E+00
103	9.43701E-01	3.42362E+00	9.30975E-01	2.34814E-03	0.00000E+00	0.00000E+00
104	9.40429E-01	3.46583E+00	9.31069E-01	2.32455E-03	0.00000E+00	0.00000E+00
105	9.08479E-01	3.49883E+00	9.30848E-01	2.31457E-03	0.00000E+00	0.00000E+00
106	8.98068E-01	3.53167E+00	9.30533E-01	2.31375E-03	0.00000E+00	0.00000E+00
107	9.19000E-01	3.56100E+00	9.30423E-01	2.29474E-03	0.00000E+00	0.00000E+00
108	9.44591E-01	3.58400E+00	9.30574E-01	2.27700E-03	0.00000E+00	0.00000E+00
109	9.09290E-01	3.62517E+00	9.30378E-01	2.26499E-03	0.00000E+00	0.00000E+00
110	9.05182E-01	3.65533E+00	9.30145E-01	2.25591E-03	0.00000E+00	0.00000E+00
111	9.27537E-01	3.68550E+00	9.30121E-01	2.23255E-03	0.00000E+00	0.00000E+00
112	9.22314E-01	3.71650E+00	9.30050E-01	2.21597E-03	0.00000E+00	0.00000E+00
113	9.16378E-01	3.75153E+00	9.29971E-01	2.20320E-03	0.00000E+00	0.00000E+00
114	9.28726E-01	3.78433E+00	9.29861E-01	2.18347E-03	0.00000E+00	0.00000E+00
115	9.26631E-01	3.81733E+00	9.29832E-01	2.16425E-03	0.00000E+00	0.00000E+00
116	9.21527E-01	3.85053E+00	9.29799E-01	2.14441E-03	0.00000E+00	0.00000E+00
117	9.45762E-01	3.88217E+00	9.29896E-01	2.13221E-03	0.00000E+00	0.00000E+00
118	9.52413E-01	3.91433E+00	9.30092E-01	2.12205E-03	0.00000E+00	0.00000E+00
119	9.15698E-01	3.94617E+00	9.29969E-01	2.10662E-03	0.00000E+00	0.00000E+00
120	9.03018E-01	3.97933E+00	9.29741E-01	2.10252E-03	0.00000E+00	0.00000E+00
121	9.42711E-01	4.01050E+00	9.29850E-01	2.08763E-03	0.00000E+00	0.00000E+00
122	9.28797E-01	4.04067E+00	9.29841E-01	2.07018E-03	0.00000E+00	0.00000E+00
123	8.99665E-01	4.07277E+00	9.29893E-01	2.06795E-03	0.00000E+00	0.00000E+00
124	9.50440E-01	4.10383E+00	9.2974E-01	2.05004E-03	0.00000E+00	0.00000E+00
125	9.34668E-01	4.13583E+00	9.29804E-01	2.04163E-03	0.00000E+00	0.00000E+00
126	9.35066E-01	4.16700E+00	9.29846E-01	2.02554E-03	0.00000E+00	0.00000E+00
127	9.12199E-01	4.20083E+00	9.29705E-01	2.01422E-03	0.00000E+00	0.00000E+00
128	9.04446E-01	4.23300E+00	9.29505E-01	2.00200E-03	0.00000E+00	0.00000E+00
129	9.19795E-01	4.26583E+00	9.29428E-01	1.99380E-03	0.00000E+00	0.00000E+00
130	9.34935E-01	4.29700E+00	9.29471E-01	1.97863E-03	0.00000E+00	0.00000E+00
131	9.75850E-01	4.33000E+00	9.29631E-01	1.99585E-03	0.00000E+00	0.00000E+00
132	9.55577E-01	4.36300E+00	9.30029E-01	1.99631E-03	0.00000E+00	0.00000E+00
133	9.51162E-01	4.3937E+00	9.30190E-01	1.98165E-03	0.00000E+00	0.00000E+00
134	9.32807E-01	4.42433E+00	9.30210E-01	1.96688E-03	0.00000E+00	0.00000E+00
135	9.24365E-01	4.45533E+00	9.30166E-01	1.95233E-03	0.00000E+00	0.00000E+00
136	8.97050E-01	4.48633E+00	9.29919E-01	1.95337E-03	0.00000E+00	0.00000E+00
137	9.25851E-01	4.5237E+00	9.29889E-01	1.93808E-03	0.00000E+00	0.00000E+00
138	9.04873E-01	4.55733E+00	9.29705E-01	1.93544E-03	0.00000E+00	0.00000E+00
139	9.46926E-01	4.59033E+00	9.29621E-01	1.92348E-03	0.00000E+00	0.00000E+00
140	9.16020E-01	4.62263E+00	9.29716E-01	1.91293E-03	0.00000E+00	0.00000E+00
141	9.23100E-01	4.65633E+00	9.29669E-01	1.89971E-03	0.00000E+00	0.00000E+00
142	9.62653E-01	4.68700E+00	9.29504E-01	1.90075E-03	0.00000E+00	0.00000E+00
143	9.30366E-01	4.72063E+00	9.29697E-01	1.88723E-03	0.00000E+00	0.00000E+00
144	9.28224E-01	4.75200E+00	9.2981E-01	1.87407E-03	0.00000E+00	0.00000E+00
145	9.94848E-01	4.78317E+00	9.3005E-01	1.86909E-03	0.00000E+00	0.00000E+00
146	8.98790E-01	4.81517E+00	9.29825E-01	1.87039E-03	0.00000E+00	0.00000E+00
147	9.04833E-01	4.84817E+00	9.29653E-01	1.86542E-03	0.00000E+00	0.00000E+00
148	8.98944E-01	4.88200E+00	9.29442E-01	1.86450E-03	0.00000E+00	0.00000E+00
149	9.33294E-01	4.91400E+00	9.29409E-01	1.85196E-03	0.00000E+00	0.00000E+00
150	9.34657E-01	4.94700E+00	9.29504E-01	1.83974E-03	0.00000E+00	0.00000E+00
151	9.18472E-01	4.97963E+00	9.29430E-01	1.82885E-03	0.00000E+00	0.00000E+00
152	8.67052E-01	5.01447E+00	9.29014E-01	1.86300E-03	0.00000E+00	0.00000E+00
153	9.27606E-01	5.04483E+00	9.29004E-01	1.85124E-03	0.00000E+00	0.00000E+00
154	9.47229E-01	5.07783E+00	9.29124E-01	1.84293E-03	0.00000E+00	0.00000E+00
155	9.32962E-01	5.10900E+00	9.29149E-01	1.83102E-03	0.00000E+00	0.00000E+00
156	9.72611E-01	5.14017E+00	9.29432E-01	1.84065E-03	0.00000E+00	0.00000E+00
157	9.65798E-01	5.17033E+00	9.2966E-01	1.8392E-03	0.00000E+00	0.00000E+00
158	9.17370E-01	5.20233E+00	9.29567E-01	1.83370E-03	0.00000E+00	0.00000E+00
159	9.10247E-01	5.23617E+00	9.29464E-01	1.82620E-03	0.00000E+00	0.00000E+00
160	9.13379E-01	5.26917E+00	9.29362E-01	1.81746E-03	0.00000E+00	0.00000E+00
161	9.28367E-01	5.30117E+00	9.29356E-01	1.80600E-03	0.00000E+00	0.00000E+00
162	9.19275E-01	5.33700E+00	9.29293E-01	1.79579E-03	0.00000E+00	0.00000E+00
163	9.35644E-01	5.36900E+00	9.29334E-01	1.78506E-03	0.00000E+00	0.00000E+00
164	9.11599E-01	5.40200E+00	9.29224E-01	1.77738E-03	0.00000E+00	0.00000E+00
165	9.78200E-01	5.43217E+00	9.29225E-01	1.79182E-03	0.00000E+00	0.00000E+00
166	9.48222E-01	5.46333E+00	9.29639E-01	1.78450E-03	0.00000E+00	0.00000E+00
167	9.32245E-01	5.49433E+00	9.29655E-01	1.77372E-03	0.00000E+00	0.00000E+00
168	9.59548E-01	5.52650E+00	9.29635E-01	1.77218E-03	0.00000E+00	0.00000E+00
169	9.26540E-01	5.55483E+00	9.29815E-01	1.76165E-03	0.00000E+00	0.00000E+00
170	9.56491E-01	5.58317E+00	9.29974E-01	1.75831E-03	0.00000E+00	0.00000E+00
171	9.66214E-01	5.61517E+00	9.30188E-01	1.76098E-03	0.00000E+00	0.00000E+00
172	8.99076E-01	5.64817E+00	9.30005E-01	1.76014E-03	0.00000E+00	0.00000E+00
173	9.28425E-01	5.68017E+00	9.29996E-01	1.74964E-03	0.00000E+00	0.00000E+00
174	8.75995E-01	5.71417E+00	9.29682E-01	1.76774E-03	0.00000E+00	0.00000E+00
175	9.07432E-01	5.74983E+00	9.29553E-01	1.76219E-03	0.00000E+00	0.00000E+00
176	9.06516E-01	5.78267E+00	9.29421E-01	1.75703E-03	0.00000E+00	0.00000E+00
177	9.02496E-01	5.81750E+00	9.29267E-01	1.75372E-03	0.00000E+00	0.00000E+00
178	9.32729E-01	5.84950E+00	9.29287E-01	1.74384E-03	0.00000E+00	0.00000E+00
179	9.45110E-01	5.87983E+00	9.29376E-01	1.73626E-03	0.00000E+00	0.00000E+00
180	9.40149E-01	5.91083E+00	9.29437E-01	1.72754E-03	0.00000E+00	0.00000E+00
181	8.96099E-01	5.94200E+00	9.29250E-01	1.72753E-03	0.00000E+00	0.00000E+00
182	9.11153E-01	5.97317E+00	9.29150E-01	1.72124E-03	0.00000E+00	0.00000E+00
183	8.87411E-01	6.00617E+00	9.28919E-01	1.72171E-03	0.00000E+00	0.00000E+00
184	9.49590E-01	6.03817E+00	9.29033E-01	1.72140E-03	0.00000E+00	0.00000E+00
185	8.81613E-01	6.07117E+00	9.28774E-01	1.73147E-03	0.00000E+00	0.00000E+00
186	9.11404E-01	6.10500E+00	9.28679E-01	1.72462E-03	0.00000E+00	0.00000E+00
187	9.02526E-01	6.13903E+00	9.28538E-01	1.72109E-03	0.00000E+00	0.00000E+00
188	9.31905E-01	6.17183E+00	9.28556E-01	1.71191E-03	0.00000E+00	0.00000E+00
189	9.08840E-01	6.20483E+00	9.28451E-01	1.70599E-03	0.00000E+00	0.00000E+00
190	9.42424E-01	6.23583E+00	9.28525E-01	1.69852E-03	0.00000E+00	0.00000E+00
191	9.30885E-01	6.26700E+00	9.28537E-01	1.68955E-03	0.00000E+00	0.00000E+00
192	9.48939E-01	6.29900E+00	9.28645E-01	1.68406E-03	0.00000E+00	0.00000E+00
193	9.08979E-01	6.33100E+00	9.28542E-01	1.67838E-03	0.00000E+00	0.00000E+00
194	9.15399E-01	6.36217E+00	9.28473E-01	1.67102E-03	0.00000E+00	0.00000E+00
195	9.47854E-01	6.39233E+00	9.28574E-01	1.66537E-03	0.00000E+00	0.00000E+00
196	9.42632E-01	6.42350E+00	9.28646E-01	1.65835E-03	0.00000E+00	0.00000E+00
197	8.91985E-01	6.45733E+00	9.28458E-01	1.66050E-03	0.00000E+00	0.00000E+00

198	9.18636E-01	6.49033E+00	9.28409E-01	1.65273E-03	0.00000E+00	0.00000E+00
199	9.75930E-01	6.52050E+00	9.28650E-01	1.66192E-03	0.00000E+00	0.00000E+00
200	9.16611E-01	6.55277E+00	9.28590E-01	1.65463E-03	0.00000E+00	0.00000E+00
201	8.98135E-01	6.58550E+00	9.28437E-01	1.65339E-03	0.00000E+00	0.00000E+00
202	9.50982E-01	6.61850E+00	9.28549E-01	1.64896E-03	0.00000E+00	0.00000E+00
203	9.12632E-01	6.65150E+00	9.28470E-01	1.64264E-03	0.00000E+00	0.00000E+00
204	9.43946E-01	6.68350E+00	9.28547E-01	1.63295E-03	0.00000E+00	0.00000E+00
205	9.34774E-01	6.71550E+00	9.28577E-01	1.62849E-03	0.00000E+00	0.00000E+00
206	8.96601E-01	6.74667E+00	9.28421E-01	1.62606E-03	0.00000E+00	0.00000E+00
207	9.29265E-01	6.77783E+00	9.28425E-01	1.62610E-03	0.00000E+00	0.00000E+00
208	9.12953E-01	6.80983E+00	9.28350E-01	1.61396E-03	0.00000E+00	0.00000E+00
209	9.25468E-01	6.84283E+00	9.28336E-01	1.60621E-03	0.00000E+00	0.00000E+00
210	9.23886E-01	6.87667E+00	9.28314E-01	1.59861E-03	0.00000E+00	0.00000E+00
211	9.47202E-01	6.90783E+00	9.28405E-01	1.59351E-03	0.00000E+00	0.00000E+00
212	9.95862E-01	6.93900E+00	9.28276E-01	1.61611E-03	0.00000E+00	0.00000E+00
213	9.76294E-01	6.97103E+00	9.28951E-01	1.62612E-03	0.00000E+00	0.00000E+00
214	9.04657E-01	7.00567E+00	9.28837E-01	1.62249E-03	0.00000E+00	0.00000E+00
215	8.92376E-01	7.03783E+00	9.28666E-01	1.62390E-03	0.00000E+00	0.00000E+00
216	9.49883E-01	7.06983E+00	9.28765E-01	1.61933E-03	0.00000E+00	0.00000E+00
217	9.32266E-01	7.10000E+00	9.28781E-01	1.61186E-03	0.00000E+00	0.00000E+00
218	9.11619E-01	7.13300E+00	9.28702E-01	1.60635E-03	0.00000E+00	0.00000E+00
219	9.71129E-01	7.16417E+00	9.28897E-01	1.61084E-03	0.00000E+00	0.00000E+00
220	9.10902E-01	7.19617E+00	9.28815E-01	1.60556E-03	0.00000E+00	0.00000E+00
221	9.48981E-01	7.22817E+00	9.28907E-01	1.60686E-03	0.00000E+00	0.00000E+00
222	9.19034E-01	7.26117E+00	9.28862E-01	1.59420E-03	0.00000E+00	0.00000E+00
223	9.28355E-01	7.29317E+00	9.28860E-01	1.58697E-03	0.00000E+00	0.00000E+00
224	9.28464E-01	7.32700E+00	9.28858E-01	1.57881E-03	0.00000E+00	0.00000E+00
225	9.44280E-01	7.35917E+00	9.28927E-01	1.57423E-03	0.00000E+00	0.00000E+00
226	9.11169E-01	7.39300E+00	9.28848E-01	1.56919E-03	0.00000E+00	0.00000E+00
227	8.98061E-01	7.42600E+00	9.28711E-01	1.56818E-03	0.00000E+00	0.00000E+00
228	9.34595E-01	7.45700E+00	9.28737E-01	1.56144E-03	0.00000E+00	0.00000E+00
229	9.01249E-01	7.48817E+00	9.28616E-01	1.55926E-03	0.00000E+00	0.00000E+00
230	9.00532E-01	7.51933E+00	9.28493E-01	1.55728E-03	0.00000E+00	0.00000E+00
231	9.65530E-01	7.54950E+00	9.28654E-01	1.55888E-03	0.00000E+00	0.00000E+00
232	9.05497E-01	7.58250E+00	9.28554E-01	1.55353E-03	0.00000E+00	0.00000E+00
233	9.32295E-01	7.61550E+00	9.28570E-01	1.54868E-03	0.00000E+00	0.00000E+00
234	9.39394E-01	7.64750E+00	9.28616E-01	1.54270E-03	0.00000E+00	0.00000E+00
235	9.24179E-01	7.68133E+00	9.28597E-01	1.53618E-03	0.00000E+00	0.00000E+00
236	9.00026E-01	7.71433E+00	9.28475E-01	1.53447E-03	0.00000E+00	0.00000E+00
237	9.26802E-01	7.74717E+00	9.28468E-01	1.52794E-03	0.00000E+00	0.00000E+00
238	9.10312E-01	7.78117E+00	9.28391E-01	1.52340E-03	0.00000E+00	0.00000E+00
239	9.25053E-01	7.81500E+00	9.28377E-01	1.51702E-03	0.00000E+00	0.00000E+00
240	9.51164E-01	7.84700E+00	9.28473E-01	1.51367E-03	0.00000E+00	0.00000E+00
241	9.42666E-01	7.87717E+00	9.28532E-01	1.50849E-03	0.00000E+00	0.00000E+00
242	9.56394E-01	7.91017E+00	9.28648E-01	1.50667E-03	0.00000E+00	0.00000E+00
243	9.17748E-01	7.94317E+00	9.28603E-01	1.50109E-03	0.00000E+00	0.00000E+00
244	9.51436E-01	7.97517E+00	9.28698E-01	1.49785E-03	0.00000E+00	0.00000E+00
245	9.64962E-01	8.00633E+00	9.28847E-01	1.49912E-03	0.00000E+00	0.00000E+00
246	8.98459E-01	8.04017E+00	9.28722E-01	1.49814E-03	0.00000E+00	0.00000E+00
247	9.54002E-01	8.07217E+00	9.28825E-01	1.49558E-03	0.00000E+00	0.00000E+00
248	9.21945E-01	8.10433E+00	9.28797E-01	1.48975E-03	0.00000E+00	0.00000E+00
249	9.16143E-01	8.13717E+00	9.28746E-01	1.48459E-03	0.00000E+00	0.00000E+00
250	9.25566E-01	8.16933E+00	9.28733E-01	1.47865E-03	0.00000E+00	0.00000E+00
251	9.48658E-01	8.20133E+00	9.28813E-01	1.47487E-03	0.00000E+00	0.00000E+00
252	9.34766E-01	8.23333E+00	9.28837E-01	1.46915E-03	0.00000E+00	0.00000E+00
253	9.68129E-01	8.26450E+00	9.28994E-01	1.47164E-03	0.00000E+00	0.00000E+00
254	8.64140E-01	8.29467E+00	9.28736E-01	1.48821E-03	0.00000E+00	0.00000E+00
255	8.96829E-01	8.32667E+00	9.28610E-01	1.48767E-03	0.00000E+00	0.00000E+00
256	9.27779E-01	8.35967E+00	9.28607E-01	1.48180E-03	0.00000E+00	0.00000E+00
257	9.35282E-01	8.39167E+00	9.28633E-01	1.47621E-03	0.00000E+00	0.00000E+00
258	9.36664E-01	8.42350E+00	9.28665E-01	1.47077E-03	0.00000E+00	0.00000E+00
259	9.21719E-01	8.45667E+00	9.28638E-01	1.46528E-03	0.00000E+00	0.00000E+00
260	9.18450E-01	8.48967E+00	9.28598E-01	1.46013E-03	0.00000E+00	0.00000E+00
261	9.36405E-01	8.52267E+00	9.28628E-01	1.45479E-03	0.00000E+00	0.00000E+00
262	9.22285E-01	8.55550E+00	9.28604E-01	1.44939E-03	0.00000E+00	0.00000E+00
263	8.93737E-01	8.58867E+00	9.28470E-01	1.44999E-03	0.00000E+00	0.00000E+00
264	9.65537E-01	8.61867E+00	9.28612E-01	1.45136E-03	0.00000E+00	0.00000E+00
265	9.45569E-01	8.64900E+00	9.28676E-01	1.44727E-03	0.00000E+00	0.00000E+00
266	9.37357E-01	8.68183E+00	9.28709E-01	1.44215E-03	0.00000E+00	0.00000E+00
267	9.23928E-01	8.71583E+00	9.28691E-01	1.43681E-03	0.00000E+00	0.00000E+00
268	8.63376E-01	8.74967E+00	9.28445E-01	1.45231E-03	0.00000E+00	0.00000E+00
269	9.47296E-01	8.78167E+00	9.28516E-01	1.44858E-03	0.00000E+00	0.00000E+00
270	9.61230E-01	8.81367E+00	9.28638E-01	1.44832E-03	0.00000E+00	0.00000E+00
271	9.03436E-01	8.84667E+00	9.28544E-01	1.44596E-03	0.00000E+00	0.00000E+00
272	9.29466E-01	8.87867E+00	9.28548E-01	1.44060E-03	0.00000E+00	0.00000E+00
273	9.12897E-01	8.91167E+00	9.28490E-01	1.43644E-03	0.00000E+00	0.00000E+00
274	9.22394E-01	8.94550E+00	9.28468E-01	1.43132E-03	0.00000E+00	0.00000E+00
275	9.33945E-01	8.97667E+00	9.28438E-01	1.42621E-03	0.00000E+00	0.00000E+00
276	9.18429E-01	9.00600E+00	9.28451E-01	1.42147E-03	0.00000E+00	0.00000E+00
277	9.11184E-01	9.03617E+00	9.28388E-01	1.41768E-03	0.00000E+00	0.00000E+00
278	9.44100E-01	9.07000E+00	9.28445E-01	1.41368E-03	0.00000E+00	0.00000E+00
279	9.31465E-01	9.10383E+00	9.28456E-01	1.40861E-03	0.00000E+00	0.00000E+00
280	9.47174E-01	9.13783E+00	9.28523E-01	1.40515E-03	0.00000E+00	0.00000E+00
281	9.35082E-01	9.16983E+00	9.28547E-01	1.40030E-03	0.00000E+00	0.00000E+00
282	9.27815E-01	9.20183E+00	9.28544E-01	1.39530E-03	0.00000E+00	0.00000E+00
283	9.31773E-01	9.23567E+00	9.28556E-01	1.39037E-03	0.00000E+00	0.00000E+00
284	9.16095E-01	9.26867E+00	9.28512E-01	1.38613E-03	0.00000E+00	0.00000E+00
285	9.84640E-01	9.30067E+00	9.28710E-01	1.39539E-03	0.00000E+00	0.00000E+00
286	9.25277E-01	9.33100E+00	9.28698E-01	1.39052E-03	0.00000E+00	0.00000E+00
287	9.09745E-01	9.36300E+00	9.28631E-01	1.38723E-03	0.00000E+00	0.00000E+00
288	9.57832E-01	9.39600E+00	9.28733E-01	1.38614E-03	0.00000E+00	0.00000E+00
289	9.24622E-01	9.42700E+00	9.28719E-01	1.38137E-03	0.00000E+00	0.00000E+00
290	8.97633E-01	9.46100E+00	9.28611E-01	1.38679E-03	0.00000E+00	0.00000E+00
291	9.12205E-01	9.49383E+00	9.28554E-01	1.37718E-03	0.00000E+00	0.00000E+00
292	9.76897E-01	9.52500E+00	9.28721E-01	1.38251E-03	0.00000E+00	0.00000E+00
293	9.34423E-01	9.55800E+00	9.28741E-01	1.37789E-03	0.00000E+00	0.00000E+00
294	9.58806E-01	9.58900E+00	9.28844E-01	1.37702E-03	0.00000E+00	0.00000E+00
295	8.90681E-01	9.62200E+00	9.28713E-01	1.37848E-03	0.00000E+00	0.00000E+00
296	8.85455E-01	9.65500E+00	9.28566E-01	1.38164E-03	0.00000E+00	0.00000E+00
297	9.45813E-01	9.68800E+00	9.28625E-01	1.37819E-03	0.00000E+00	0.00000E+00
298	9.52040E-01	9.71817E+00	9.28704E-01	1.37580E-03	0.00000E+00	0.00000E+00

299	9.51573E-01	9.74833E+00	9.28781E-01	1.37332E-03	0.00000E+00	0.00000E+00
300	9.49305E-01	9.78033E+00	9.28850E-01	1.37043E-03	0.00000E+00	0.00000E+00
301	9.38119E-01	9.81150E+00	9.28780E-01	1.36760E-03	0.00000E+00	0.00000E+00
302	9.20235E-01	9.84450E+00	9.28752E-01	1.36333E-03	0.00000E+00	0.00000E+00
303	9.30871E-01	9.87467E+00	9.28759E-01	1.35881E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LWT ANALYSIS; EXXON 15X15 (W) ASSEMBLY; NO WATER IN GAP

LIFETIME = 9.73114E-05 + OR - 2.94167E-07 GENERATION TIME = 3.71858E-05 + OR - 9.05456E-08
 NU BAR = 2.43684E+00 + OR - 1.00493E-04 AVERAGE FISSION GROUP = 2.24236E+01 + OR - 5.68246E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 1.68092E-01 + OR - 8.11248E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.92877	+ OR - 0.00136	0.92740 TO 0.93013	0.92604 TO 0.93149	0.92468 TO 0.93286	300000
4	0.92870	+ OR - 0.00137	0.92734 TO 0.93007	0.92597 TO 0.93144	0.92460 TO 0.93280	299000
5	0.92865	+ OR - 0.00137	0.92728 TO 0.93002	0.92591 TO 0.93139	0.92454 TO 0.93276	298000
6	0.92855	+ OR - 0.00137	0.92718 TO 0.92992	0.92581 TO 0.93130	0.92444 TO 0.93267	297000
7	0.92862	+ OR - 0.00137	0.92725 TO 0.92999	0.92587 TO 0.93137	0.92450 TO 0.93274	296000
8	0.92864	+ OR - 0.00138	0.92726 TO 0.93002	0.92588 TO 0.93140	0.92451 TO 0.93278	295000
9	0.92865	+ OR - 0.00138	0.92727 TO 0.93004	0.92589 TO 0.93142	0.92450 TO 0.93280	294000
10	0.92856	+ OR - 0.00139	0.92718 TO 0.92995	0.92579 TO 0.93133	0.92441 TO 0.93272	293000
11	0.92864	+ OR - 0.00139	0.92725 TO 0.93003	0.92586 TO 0.93141	0.92447 TO 0.93280	292000
12	0.92860	+ OR - 0.00139	0.92721 TO 0.92999	0.92581 TO 0.93138	0.92442 TO 0.93278	291000
17	0.92849	+ OR - 0.00141	0.92709 TO 0.92990	0.92568 TO 0.93130	0.92428 TO 0.93271	286000
22	0.92839	+ OR - 0.00142	0.92697 TO 0.92982	0.92555 TO 0.93124	0.92413 TO 0.93266	281000
27	0.92833	+ OR - 0.00144	0.92689 TO 0.92977	0.92546 TO 0.93121	0.92402 TO 0.93265	276000
32	0.92869	+ OR - 0.00143	0.92726 TO 0.93012	0.92583 TO 0.93155	0.92440 TO 0.93298	271000
37	0.92877	+ OR - 0.00145	0.92732 TO 0.93022	0.92587 TO 0.93168	0.92441 TO 0.93313	266000
42	0.92874	+ OR - 0.00145	0.92729 TO 0.93019	0.92584 TO 0.93164	0.92439 TO 0.93309	261000
47	0.92882	+ OR - 0.00147	0.92735 TO 0.93028	0.92588 TO 0.93175	0.92442 TO 0.93322	256000
52	0.92900	+ OR - 0.00148	0.92752 TO 0.93048	0.92603 TO 0.93196	0.92455 TO 0.93345	251000
57	0.92871	+ OR - 0.00150	0.92721 TO 0.93021	0.92571 TO 0.93171	0.92421 TO 0.93321	246000
62	0.92862	+ OR - 0.00152	0.92710 TO 0.93013	0.92559 TO 0.93165	0.92407 TO 0.93317	241000
67	0.92820	+ OR - 0.00153	0.92667 TO 0.92973	0.92514 TO 0.93126	0.92361 TO 0.93279	236000
72	0.92840	+ OR - 0.00155	0.92685 TO 0.92995	0.92530 TO 0.93150	0.92375 TO 0.93305	231000
77	0.92848	+ OR - 0.00158	0.92690 TO 0.93007	0.92532 TO 0.93165	0.92374 TO 0.93323	226000
82	0.92842	+ OR - 0.00161	0.92682 TO 0.93003	0.92521 TO 0.93164	0.92360 TO 0.93325	221000
87	0.92843	+ OR - 0.00161	0.92682 TO 0.93004	0.92522 TO 0.93164	0.92361 TO 0.93325	216000
92	0.92809	+ OR - 0.00163	0.92646 TO 0.92972	0.92483 TO 0.93135	0.92319 TO 0.93298	211000


LWT ANALYSIS; EXXON 15X15 (W) ASSEMBLY; NO WATER IN GAP

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.92769	+ OR - 0.00165	0.92605 TO 0.92934	0.92440 TO 0.93099	0.92276 TO 0.93263	206000
102	0.92772	+ OR - 0.00166	0.92606 TO 0.92938	0.92440 TO 0.93104	0.92274 TO 0.93269	201000
107	0.92787	+ OR - 0.00169	0.92618 TO 0.92955	0.92449 TO 0.93124	0.92281 TO 0.93293	196000
112	0.92802	+ OR - 0.00172	0.92629 TO 0.92974	0.92457 TO 0.93146	0.92285 TO 0.93318	191000
117	0.92805	+ OR - 0.00176	0.92629 TO 0.92982	0.92453 TO 0.93158	0.92277 TO 0.93334	186000
122	0.92804	+ OR - 0.00180	0.92624 TO 0.92984	0.92445 TO 0.93164	0.92265 TO 0.93343	181000
127	0.92809	+ OR - 0.00183	0.92625 TO 0.92992	0.92442 TO 0.93176	0.92258 TO 0.93359	176000
132	0.92779	+ OR - 0.00185	0.92594 TO 0.92965	0.92409 TO 0.93150	0.92223 TO 0.93336	171000
137	0.92784	+ OR - 0.00190	0.92594 TO 0.92974	0.92405 TO 0.93163	0.92215 TO 0.93353	166000
142	0.92776	+ OR - 0.00193	0.92583 TO 0.92969	0.92390 TO 0.93163	0.92197 TO 0.93356	161000
147	0.92793	+ OR - 0.00197	0.92596 TO 0.92990	0.92399 TO 0.93187	0.92202 TO 0.93384	156000
152	0.92851	+ OR - 0.00198	0.92652 TO 0.93049	0.92454 TO 0.93247	0.92256 TO 0.93446	151000
157	0.92780	+ OR - 0.00201	0.92579 TO 0.92980	0.92378 TO 0.93181	0.92177 TO 0.93382	146000
162	0.92815	+ OR - 0.00207	0.92608 TO 0.93022	0.92401 TO 0.93229	0.92194 TO 0.93436	141000
167	0.92767	+ OR - 0.00210	0.92557 TO 0.92978	0.92346 TO 0.93188	0.92136 TO 0.93399	136000
172	0.92714	+ OR - 0.00213	0.92501 TO 0.92927	0.92289 TO 0.93140	0.92076 TO 0.93353	131000
177	0.92805	+ OR - 0.00215	0.92590 TO 0.93021	0.92375 TO 0.93236	0.92160 TO 0.93451	126000
182	0.92818	+ OR - 0.00221	0.92596 TO 0.93039	0.92375 TO 0.93261	0.92153 TO 0.93482	121000
187	0.92911	+ OR - 0.00222	0.92689 TO 0.93133	0.92467 TO 0.93356	0.92244 TO 0.93578	116000
192	0.92895	+ OR - 0.00231	0.92665 TO 0.93126	0.92434 TO 0.93356	0.92204 TO 0.93587	111000
197	0.92931	+ OR - 0.00237	0.92694 TO 0.93168	0.92458 TO 0.93405	0.92221 TO 0.93641	106000
202	0.92917	+ OR - 0.00241	0.92677 TO 0.93158	0.92436 TO 0.93399	0.92196 TO 0.93639	101000
207	0.92947	+ OR - 0.00250	0.92697 TO 0.93197	0.92448 TO 0.93447	0.92198 TO 0.93697	96000
212	0.92883	+ OR - 0.00252	0.92632 TO 0.93135	0.92380 TO 0.93387	0.92129 TO 0.93638	91000
217	0.92870	+ OR - 0.00254	0.92616 TO 0.93124	0.92362 TO 0.93379	0.92108 TO 0.93633	86000
222	0.92848	+ OR - 0.00261	0.92587 TO 0.93109	0.92325 TO 0.93371	0.92064 TO 0.93632	81000
227	0.92890	+ OR - 0.00274	0.92616 TO 0.93164	0.92342 TO 0.93438	0.92068 TO 0.93712	76000

LWT ANALYSIS; EXXON 15X15 (W) ASSEMBLY; NO WATER IN GAP

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
232	0.92942	+ OR - 0.00281	0.92661 TO 0.93224	0.92380 TO 0.93505	0.92099 TO 0.93786	71000
237	0.92979	+ OR - 0.00299	0.92681 TO 0.93278	0.92382 TO 0.93577	0.92084 TO 0.93875	66000
242	0.92919	- OR - 0.00316	0.92604 TO 0.93235	0.92288 TO 0.93551	0.91972 TO 0.93867	61000
247	0.92847	+ OR - 0.00327	0.92519 TO 0.93174	0.92192 TO 0.93502	0.91865 TO 0.93829	56000
252	0.92838	+ OR - 0.00356	0.92481 TO 0.93194	0.92125 TO 0.93550	0.91769 TO 0.93906	51000
257	0.92946	+ OR - 0.00351	0.92594 TO 0.93297	0.92243 TO 0.93648	0.91892 TO 0.94000	46000
262	0.92974	+ OR - 0.00392	0.92582 TO 0.93366	0.92190 TO 0.93759	0.91798 TO 0.94151	41000
267	0.92926	+ OR - 0.00421	0.92505 TO 0.93347	0.92085 TO 0.93767	0.91664 TO 0.94188	36000
272	0.93060	+ OR - 0.00413	0.92647 TO 0.93473	0.92233 TO 0.93886	0.91820 TO 0.94299	31000
277	0.93268	+ OR - 0.00478	0.92790 TO 0.93746	0.92312 TO 0.94224	0.91834 TO 0.94702	26000
282	0.93162	+ OR - 0.00587	0.92575 TO 0.93749	0.91989 TO 0.94335	0.91402 TO 0.94922	21000
287	0.93103	+ OR - 0.00673	0.92430 TO 0.93776	0.91757 TO 0.94450	0.91083 TO 0.95123	16000
292	0.92976	+ OR - 0.00770	0.92205 TO 0.93746	0.91435 TO 0.94516	0.90665 TO 0.95287	11000
297	0.93536	+ OR - 0.00759	0.92777 TO 0.94294	0.92018 TO 0.95053	0.91260 TO 0.95812	6000

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP
PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS K-EFF = 0.9288 + OR - 0.0014 WHICH OCCURS FOR 303 GENERATIONS RUN.



300

Y * I
Z * I
I * I
I * I

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0045			4.13525E-03	2.1624	2.31474E-03	1.6942	1.16131E-04	17.4208
2	0.0184			1.70563E-02	0.6777	8.53945E-03	0.5701	3.24894E-04	9.2849
3	0.0203			1.80901E-02	0.5923	7.85394E-03	0.5710	6.72946E-04	6.9707
4	0.0085			7.89259E-03	0.7446	3.77855E-03	0.7149	3.66621E-04	9.1531
5	0.0027			2.50503E-03	0.5824	2.63470E-03	0.5120	7.00533E-04	7.3109
6	0.0024			2.18471E-03	0.4558	4.37485E-03	0.3727	1.49246E-03	4.9447
7	0.0023			2.16286E-03	0.4659	4.93271E-03	0.3755	1.74377E-03	4.3704
8	0.0023			2.17357E-03	0.5027	7.35496E-03	0.4059	7.33592E-04	6.1702
9	0.0032			2.94449E-03	0.5013	1.14341E-02	0.4011	3.78803E-04	8.7840
10	0.0068			6.27675E-03	0.5048	1.73735E-02	0.4335	3.43542E-04	9.0743
11	0.0142			1.32020E-02	0.4807	2.83683E-02	0.3962	3.93503E-04	8.8978
12	0.0186			1.73191E-02	0.5908	3.00757E-02	0.5258	2.80550E-04	10.6990
13	0.0173			1.60818E-02	0.6608	3.00656E-02	0.5610	2.75200E-04	9.6225
14	0.0136			1.26222E-02	0.6139	4.26237E-02	0.5164	2.48169E-04	11.1716
15	0.0030			2.82311E-03	1.0771	8.92172E-03	0.7964	1.17966E-04	16.4384
16	0.0021			1.90622E-03	1.3681	5.33009E-03	0.8758	6.21348E-05	21.6067
17	0.0031			2.90625E-03	1.8577	3.68193E-03	1.1582	5.40723E-05	23.9178
18	0.0042			3.89564E-03	1.9751	3.87745E-03	1.1947	3.15613E-05	36.6593
19	0.0052			4.80254E-03	1.4571	6.07032E-03	0.8868	3.98236E-05	26.8273
20	0.0218			2.02349E-02	0.7613	2.39932E-02	0.6156	1.81114E-04	12.7240
21	0.0120			1.11287E-02	1.2990	1.05616E-02	0.8876	7.94104E-05	18.5923
22	0.0287			2.66463E-02	0.8876	2.42407E-02	0.6724	1.87182E-04	10.7523
23	0.1052			9.77197E-02	0.4944	9.31371E-02	0.3247	1.46447E-03	3.6272
24	0.2112			1.96132E-01	0.3421	1.86364E-01	0.2154	2.87278E-03	2.4320
25	0.1808			1.67964E-01	0.3689	1.59086E-01	0.2113	1.91103E-03	2.9220
26	0.2176			2.02106E-01	0.3731	1.94026E-01	0.2287	1.55253E-03	2.9482
27	0.0700			6.50546E-02	0.6649	6.47251E-02	0.4115	2.30984E-04	7.4502
SYSTEM TOTAL =				9.28767E-01	0.1468	9.85739E-01	0.0516	1.68559E-02	1.1296

ELAPSED TIME 9.87833 MINUTES

RANDOM NUMBER= 79596BFA0823

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; NO WATER IN GAP

FREQUENCY FOR GENERATIONS 4 TO 303
0.8560 TO 0.8686 ***
0.8686 TO 0.8813 ****
0.8813 TO 0.8939 *****
0.8939 TO 0.9066 *****
0.9066 TO 0.9192 *****
0.9192 TO 0.9319 *****
0.9319 TO 0.9445 *****
0.9445 TO 0.9572 *****
0.9572 TO 0.9698 *****
0.9698 TO 0.9825 *****
0.9825 TO 0.9951 *****
0.9951 TO 1.0078 *

FREQUENCY FOR GENERATIONS 79 TO 303
0.8560 TO 0.8686 ***
0.8686 TO 0.8813 **
0.8813 TO 0.8939 *****
0.8939 TO 0.9066 *****
0.9066 TO 0.9192 *****
0.9192 TO 0.9319 *****
0.9319 TO 0.9445 *****
0.9445 TO 0.9572 *****
0.9572 TO 0.9698 *****
0.9698 TO 0.9825 *****
0.9825 TO 0.9951 **
0.9951 TO 1.0078 *

FREQUENCY FOR GENERATIONS 154 TO 303
0.8560 TO 0.8686 **
0.8686 TO 0.8813 *
0.8813 TO 0.8939 *****
0.8939 TO 0.9066 *****
0.9066 TO 0.9192 *****
0.9192 TO 0.9319 *****
0.9319 TO 0.9445 *****
0.9445 TO 0.9572 *****
0.9572 TO 0.9698 *****
0.9698 TO 0.9825 *****
0.9825 TO 0.9951 *
0.9951 TO 1.0078 *

FREQUENCY FOR GENERATIONS 229 TO 303
0.8560 TO 0.8686 **
0.8686 TO 0.8813 **
0.8813 TO 0.8939 ***
0.8939 TO 0.9066 *****
0.9066 TO 0.9192 *****
0.9192 TO 0.9319 *****
0.9319 TO 0.9445 *****
0.9445 TO 0.9572 *****
0.9572 TO 0.9698 *****
0.9698 TO 0.9825 *****
0.9825 TO 0.9951 *
0.9951 TO 1.0078 *

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 9.87833 MINUTES
.....

**Figure 6.6.1-2 CSAS Input/Output for NAC-LWT with PWR Fuel – 3.7% Enrichment
– Most Reactive Accident Condition Configuration**

```
PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT ANALYSIS; Exxon 15x15(W) ASSEMBLY; WATER IN GAP
27GROUPNDF4 LATTICECELL
UO2 1 0.95 293.0 92235 3.7 92238 96.3 END
ZR 2 1.0 293.0 END
H2O 3 1.0 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.000 293.0 END
H2O 8 1.000 293.0 END
H2O 9 1.0 293.0 END
END COMP
SQUAREPITCH 1.4300 0.9056 1 3 1.0770 2 0.9246 9 END
LWT ANALYSIS; Exxon 15x15(W) ASSEMBLY; WATER IN GAP
READ PARAM RUN=YES PLT=NO TME=5000 GEN=303 RND=1D NPG=1000 END PARAM
READ GEOM
UNIT 1
COM='FUEL PIN CELL - WITH H2O'
CYLINDER 1 1 0.4528 2P182.88
CYLINDER 9 1 0.4623 2P182.88
CYLINDER 2 1 0.5305 2P182.88
CUBOID 3 1 4P0.7150 2P182.88
UNIT 2
COM='WATER ROD CELL - WITH H2O'
CYLINDER 3 1 0.6477 2P182.88
CYLINDER 2 1 0.6909 2P182.88
CUBOID 3 1 4P0.7150 2P182.88
GLOBAL UNIT 9
ARRAY 1 -10.7250 -10.7250 -182.88
CUBOID 3 1 4P11.3157 2P182.88
CYLINDER 4 1 16.891 2P182.88
CYLINDER 3 1 14.9863 2P182.88
CYLINDER 5 1 18.8913 2P182.88
CYLINDER 6 1 33.4963 2P182.88
CYLINDER 5 1 36.5443 2P182.88
CYLINDER 7 1 49.2443 2P182.88
CYLINDER 5 1 49.8539 212.48 -192.16
CYLINDER 6 1 49.8539 212.48 -199.78
CYLINDER 5 1 49.8539 212.48 -206.67
CUBOID 8 1 4P81.0000 243.00 -240.00
END GEOM
READ ARRAY
ARA=1 NUX=15 NUY=15 NUZ=1 FILL
30R1
2R1 2 2R1 2 3R1 2 2R1 2 2R1
7R1 2 7R1
4R1 2 5R1 2 4R1
2R1 2 9R1 2 2R1
15R1
3R1 2 3R1 2 3R1 2 3R1
15R1
2R1 2 9R1 2 2R1
4R1 2 5R1 2 4R1
7R1 2 7R1
2R1 2 2R1 2 3R1 2 2R1 2 2R1
30R1
END FILL
END ARRAY
READ BOUNDS ZFC=VAC YXF=VAC END BOUNDS
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.44 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 5.27 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 317.91 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 325.16 (SECONDS).
```


LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
 MXX 9 MIXTURES
 MSC 9 COMPOSITION SPECIFICATIONS
 IZM 4 MATERIAL ZONES
 GE LATTICECELL GEOMETRY
 MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
 MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC UO2 STANDARD COMPOSITION
 MX 1 MIXTURE NO.
 VF 0.9500 VOLUME FRACTION
 ROTH 10.9600 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 92000 1.00 ATOM/MOLECULE
 92235 3.700 WT%
 92238 96.300 WT%
 8016 2.00 ATOMS/MOLECULE
 END

SC ZR STANDARD COMPOSITION
 MX 2 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 6.4900 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 40000 1.00 ATOM/MOLECULE
 END

SC H2O STANDARD COMPOSITION
 MX 3 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE
 END

SC AL STANDARD COMPOSITION
 MX 4 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 2.7020 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 13027 1.00 ATOM/MOLECULE
 END

SC SS304 STANDARD COMPOSITION
 MX 5 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 7.9200 THEORETICAL DENSITY
 NEL 4 NO. ELEMENTS
 ICP 0 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 24304 19.000 WT%
 25055 2.000 WT%
 26304 69.500 WT%
 28304 9.500 WT%
 END

SC PB STANDARD COMPOSITION
 MX 6 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 11.3440 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 82000 1.00 ATOM/MOLECULE
 END

SC H2O STANDARD COMPOSITION
 MX 7 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE
 END

SC H2O STANDARD COMPOSITION
 MX 8 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN

```
      1001      2.00 ATOMS/MOLECULE
      8016      1.00 ATOM/MOLECULE
END
SC H2O      STANDARD COMPOSITION
MX          9 MIXTURE NO.
VF          1.0000 VOLUME FRACTION
ROTH       0.9982 THEORETICAL DENSITY
NEL        2 NO. ELEMENTS
ICP        1 0/1 MIXTURE/COMPOUND
TEMP       293.0 DEG KELVIN
      1001      2.00 ATOMS/MOLECULE
      8016      1.00 ATOM/MOLECULE
END
```

**** PROBLEM GEOMETRY ****

```
CTP SQUAREPITCH CELL TYPE
PITCH      1.4300 CM CENTER TO CENTER SPACING
FUELOD     0.9056 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL      1 MIXTURE NO. OF FUEL
MMOD       3 MIXTURE NO. OF MODERATOR
CLADOD     1.0770 CM CLAD OUTER DIAMETER
MCLAD      2 MIXTURE NO. OF CLAD
GAPOD      0.9246 CM GAP OUTER DIAMETER
MGAP       9 MIXTURE NO. OF GAP
```

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

```
ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD
```



```

.....
LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP
.....
***** DATA LIBRARY INFORMATION *****
.....
UNIT      DATA SET NAME      VOLUME      UNIT FUNCTION
NUMBER   NAME                  NAME
-----   -----
.....
      89  G:\scale43\DATALIB\FT89F001      STANDARD COMPOSITION LIBRARY
.....
      82  G:\scale43\DATALIB\FT82F001      CROSS SECTION LIBRARY
.....
      11  C:\mev-pwr\RERUNS\15HX2MD\FT11F001  SHORT CROSS SECTION LIBRARY
.....
      90  C:\mev-pwr\RERUNS\15HX2MD\FT90F001  INPUT DATA DIRECT ACCESS
.....
.....
STANDARD COMPOSITION LIBRARY DATA
-----
UNIT NUMBER : 89
DATASET NAME : G:\scale43\DATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
                637 STANDARD COMPOSITIONS, 490 NUCLIDES
                90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95
.....
CROSS SECTION LIBRARY DATA
-----
UNIT NUMBER : 82
DATASET NAME : G:\scale43\DATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
                BASED ON ENDF-B VERSION 4 DATA
                COMPILED FOR NRC    1/27/89
                LAST UPDATED
                L.M.PETRIE - ORNL
.....
08/12/94
.....

```

```

..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....
.....
***** DATA READING COMPLETED *****
..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....

```

CONTROL MODULE CSAS25 IS COMPLETE.

```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  000000000000  VV      VV
KK      KK  EE           NNNN    NN  00           00  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KKKKKKKK EEEEEEEEE  NN  NN   NN  00           00  -----  VV      VV
KKKKKKKK EEEEEEEEE  NN  NN   NN  00           00  -----  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  000000000000  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  0000000000  V

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  -----  PPPPPPPPPPP  CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  -----  PPPPPPPPPPP  CC
SS      SS  CC      AA      AA  LL      EE           PP      CC
SS      SS  CC      AA      AA  LL      EE           PP      CC
SS      SS  CC      AA      AA  LL      EE           PP      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC

```

```

0000000  77777777777  //  3333333333  11  //  9999999999  8888888888
00000000  77777777777  //  333333333333  111  //  999999999999  888888888888
00  00  77  33  1111  99  99  88  88
00  00  77  33  11  99  99  88  88
00  00  77  33  11  99  99  88  88
00  00  77  333  11  999999999999  888888888888
00  00  77  333  11  999999999999  888888888888
00  00  77  33  11  99  88  88
00  00  77  33  11  99  88  88
00  00  77  33  11  99  88  88
00000000  77  333333333333  11111111  999999999999  888888888888
0000000  77  3333333333  11111111  9999999999  8888888888

```

```

2222222222  11  11  2222222222  0000000  2222222222
2222222222  111  111  222222222222  000000000  222222222222
22  22  1111  :::  1111  22  22  00  00  22
22  22  11  :::  11  22  22  00  00  22
22  22  11  :::  11  22  22  00  00  22
22  22  11  :::  11  22  22  00  00  22
22  22  11  :::  11  22  22  00  00  22
22  22  11  :::  11  22  22  00  00  22
22  22  11  :::  11  22  22  00  00  22
222222222222  11111111  11111111  222222222222  00000000  222222222222
222222222222  11111111  11111111  222222222222  00000000  222222222222

```

```
.....
LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP
.....
*****
          NUMERIC PARAMETERS
          *****
TME      MAXIMUM PROBLEM TIME (MIN)          *****
TBA      TIME PER GENERATION (MIN)           0.50
GEN      NUMBER OF GENERATIONS               303
NPG      NUMBER PER GENERATION               1000
NSK      NUMBER OF GENERATIONS TO BE SKIPPED 3
BEG      BEGINNING GENERATION NUMBER         1
RES      GENERATIONS BETWEEN CHECKPOINTS     0
X1D      NUMBER OF EXTRA 1-D CROSS SECTIONS  1
NBK      NEUTRON BANK SIZE                   1025
XNB      EXTRA POSITIONS IN NEUTRON BANK     0
NFB      FISSION BANK SIZE                   1000
XFB      EXTRA POSITIONS IN FISSION BANK     0
WTA      DEFAULT VALUE OF WEIGHT AVERAGE    0.5000
WTH      WEIGHT HIGH FOR SPLITTING           3.0000
WTL      WEIGHT LOW FOR RUSSIAN ROULETTE     0.3333
RND      STARTING RANDOM NUMBER              1D
NB8      NUMBER OF D.A. BLOCKS ON UNIT 8     200
NL8      LENGTH OF D.A. BLOCKS ON UNIT 8     512
ADJ      MODE OF CALCULATION                 FORWARD
          INPUT DATA WRITTEN ON RESTART UNIT NO
          BINARY DATA INTERFACE             YES
.....
```

```

*****
LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP
*****
LOGICAL PARAMETERS
*****
RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO
FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO
SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES
MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO
CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO
FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO
MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO
CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO
FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO
HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO
AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO
XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO
XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO
XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO
PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO
PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO
TRK PRINT TRACKING INFORMATION NO
*****
PARAMETER INPUT COMPLETED

```

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

*****
LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP
*****
***** ADDITIONAL INFORMATION *****
*****
NUMBER OF ENERGY GROUPS 27 USE LATTICE GEOMETRY YES
NO. OF FISSION SPECTRUM SOURCE GROUP 1 GLOBAL ARRAY NUMBER 1
NO. OF SCATTERING ANGLES IN XSECS 2 NUMBER OF UNITS IN THE GLOBAL X DIR. 15
ENTRIES/NEUTRON IN THE NEUTRON BANK 16 NUMBER OF UNITS IN THE GLOBAL Y DIR. 15
ENTRIES/NEUTRON IN THE FISSION BANK 9 NUMBER OF UNITS IN THE GLOBAL Z DIR. 1
NUMBER OF MIXTURES USED 9 USE A GLOBAL REFLECTOR YES
NUMBER OF BIAS ID'S USED 1 USE NESTED HOLES NO
NUMBER OF DIFFERENTIAL ALBEDOS USED 0 NUMBER OF HOLES 0
TOTAL INPUT GEOMETRY REGIONS 19 MAXIMUM HOLE NESTING LEVEL 0
NUMBER OF GEOMETRY REGIONS USED 19 USE NESTED ARRAYS NO
LARGEST GEOMETRY UNIT NUMBER 9 NUMBER OF ARRAYS USED 1
LARGEST ARRAY NUMBER 1 MAXIMUM ARRAY NESTING LEVEL 1
*****
+X BOUNDARY CONDITION VAC -X BOUNDARY CONDITION VAC
+Y BOUNDARY CONDITION VAC -Y BOUNDARY CONDITION VAC
+Z BOUNDARY CONDITION VAC -Z BOUNDARY CONDITION VAC
*****

```


LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP

GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM

REGION	MEDIA BIAS NUM	ID	GEOMETRY DESCRIPTION				
----- UNIT 1 -----							
FUEL PIN CELL - WITH H2O							
1	CYLINDER	1 1	RADIUS = 0.45280	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	9 1	RADIUS = 0.46230	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	2 1	RADIUS = 0.53850	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4	CUBOID	3 1	+X = 0.71500	-X = -0.71500	+Y = 0.71500	-Y = -0.71500 +Z = 182.88 -Z = -182.88	

----- UNIT 2 -----						
WATER ROD CELL - WITH H2O						
1	CYLINDER	3 1	RADIUS = 0.64770	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000
2	CYLINDER	2 1	RADIUS = 0.69090	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000
3	CUBOID	3 1	+X = 0.71500	-X = -0.71500	+Y = 0.71500	-Y = -0.71500 +Z = 182.88 -Z = -182.88

***** GLOBAL *****							
----- UNIT 9 EXTERNAL TO LATTICE 1 -----							
1	ARRAY NUMBER	1	+X = 10.725	-X = -10.725	+Y = 10.725	-Y = -10.725	+Z = 182.88 -Z = -182.88
2	CUBOID	3 1	+X = 11.316	-X = -11.316	+Y = 11.316	-Y = -11.316	+Z = 182.88 -Z = -182.88
3	CYLINDER	4 1	RADIUS = 16.891	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000
4	CYLINDER	3 1	RADIUS = 16.986	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000
5	CYLINDER	-5 1	RADIUS = 18.891	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000
6	CYLINDER	6 1	RADIUS = 33.496	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000
7	CYLINDER	5 1	RADIUS = 36.544	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000
8	CYLINDER	7 1	RADIUS = 49.244	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000
9	CYLINDER	5 1	RADIUS = 49.854	+Z = 212.48	-Z = -192.16	CENTERLINE IS AT X = 0.00000	Y = 0.00000
10	CYLINDER	6 1	RADIUS = 49.854	+Z = 212.48	-Z = -199.78	CENTERLINE IS AT X = 0.00000	Y = 0.00000
11	CYLINDER	5 1	RADIUS = 49.854	+Z = 212.48	-Z = -208.67	CENTERLINE IS AT X = 0.00000	Y = 0.00000
12	CUBOID	8 1	+X = 81.000	-X = -81.000	+Y = 81.000	-Y = -81.000	+Z = 243.00 -Z = -240.00

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

Z LAYER 1, X COLUMN 1 TO 15 LEFT TO RIGHT Y ROW 1 TO 15 BOTTOM TO TOP

```

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 2 1 1 2 1 1 1 2 1 1 2 1 1 1
1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1
1 1 1 1 2 1 1 1 1 1 2 1 1 1 1 1
1 1 2 1 1 1 1 1 1 1 1 1 2 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 2 1 1 2 1 1 1 2 1 1 2 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

```

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	2.35591E+02 CM**3	2.35591E+02 CM**3
	2	2	9.98936E+00 CM**3	2.45581E+02 CM**3
	3	3	8.76291E+01 CM**3	3.33210E+02 CM**3
	4	4	4.14733E+02 CM**3	7.47943E+02 CM**3
2	1	5	4.82052E+02 CM**3	4.82052E+02 CM**3
	2	6	6.64478E+01 CM**3	5.48500E+02 CM**3
	3	7	1.99443E+02 CM**3	7.47943E+02 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 8 IS AN ARRAY PLACEMENT BOUNDARY REGION				
9	1	8	1.68287E+05 CM**3	1.68287E+05 CM**3
	2	9	1.90480E+04 CM**3	1.87335E+05 CM**3
	3	10	1.40501E+05 CM**3	3.27836E+05 CM**3
	4	11	3.70972E+03 CM**3	3.31546E+05 CM**3
	5	12	7.85353E+04 CM**3	4.10081E+05 CM**3
	6	13	8.79177E+05 CM**3	1.28926E+06 CM**3
	7	14	2.45308E+05 CM**3	1.53457E+06 CM**3
	8	15	1.25193E+06 CM**3	2.78649E+06 CM**3
	9	16	3.72996E+05 CM**3	3.15949E+06 CM**3
	10	17	5.94983E+04 CM**3	3.21899E+06 CM**3
	11	18	6.94145E+04 CM**3	3.28840E+06 CM**3
	12	19	9.38745E+06 CM**3	1.26759E+07 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	204	1	1	4.80606E+04 CM**3
		2	9	2.03783E+03 CM**3
		3	2	1.78763E+04 CM**3
		4	3	8.46055E+04 CM**3
2	21	1	3	1.01231E+04 CM**3
		2	2	1.39540E+03 CM**3
		3	3	4.18830E+03 CM**3
9	1	1	1	1.68287E+05 CM**3
		2	3	1.90480E+04 CM**3
		3	4	1.40501E+05 CM**3
		4	3	3.70972E+03 CM**3
		5	5	7.85353E+04 CM**3
		6	6	8.79177E+05 CM**3
		7	5	2.45308E+05 CM**3
		8	7	1.25193E+06 CM**3
		9	5	3.72996E+05 CM**3
		10	6	5.94983E+04 CM**3
		11	5	6.94145E+04 CM**3
		12	8	9.38745E+06 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	4.80606E+04 CM**3	5.90406E+05
2	1.92717E+04 CM**3	1.25074E+05
3	1.21675E+05 CM**3	1.21452E+05
4	1.40501E+05 CM**3	3.79634E+05
5	7.66253E+05 CM**3	6.06873E+06
6	9.38675E+05 CM**3	1.06483E+07
7	1.25193E+06 CM**3	1.24964E+06
8	9.38745E+06 CM**3	9.37028E+06
9	2.03783E+03 CM**3	2.03410E+03

```

*****
***
***          BIASING INFORMATION          ***
***
***  A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S.  ***
***
*****

```

```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING .....
..... 0.00833 MINUTES WERE USED PROCESSING DATA. ....

```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 2.85587E-01

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 1.07250E+01 -X=-1.07250E+01 +Y= 1.07250E+01 -Y=-1.07250E+01 +Z= 1.82880E+02 -Z=-1.82880E+02
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.04883 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.06400 MINUTES.

NAC-LWT Cask SAR
Revision 38

November 2007

LWT ANALYSIS; EXXON 15X15(M) ASSEMBLY; WATER IN GAP

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF	MATRIX K-EFFECTIVE DEVIATION	MATRIX K-EFF DEVIATION
1	9.01758E-01	7.60000E-02	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132 WARNING: ... ONLY 997 INDEPENDENT FISSION POINTS WERE GENERATED						
2	9.43422E-01	9.25000E-02	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	9.50011E-01	1.11667E-01	9.50011E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	9.23268E-01	1.29167E-01	9.36659E-01	1.33713E-02	0.00000E+00	0.00000E+00
5	9.41541E-01	1.47500E-01	9.36273E-01	7.99046E-03	0.00000E+00	0.00000E+00
6	9.48674E-01	1.66000E-01	9.40874E-01	6.15584E-03	0.00000E+00	0.00000E+00
7	9.40843E-01	1.80533E-01	9.40867E-01	4.76829E-03	0.00000E+00	0.00000E+00
8	9.73009E-01	1.96833E-01	9.46224E-01	6.62232E-03	0.00000E+00	0.00000E+00
9	9.23107E-01	2.15333E-01	9.42922E-01	6.48558E-03	0.00000E+00	0.00000E+00
10	9.40767E-01	2.30667E-01	9.42653E-01	5.63438E-03	0.00000E+00	0.00000E+00
11	9.89496E-01	2.47167E-01	9.47857E-01	7.19552E-03	0.00000E+00	0.00000E+00
12	9.23595E-01	2.65500E-01	9.45431E-01	6.87834E-03	0.00000E+00	0.00000E+00
13	9.06062E-01	2.83000E-01	9.41852E-01	7.17767E-03	0.00000E+00	0.00000E+00
14	9.44856E-01	2.99333E-01	9.42101E-01	6.55700E-03	0.00000E+00	0.00000E+00
15	9.41754E-01	3.18633E-01	9.42074E-01	6.03142E-03	0.00000E+00	0.00000E+00
16	9.56168E-01	3.33333E-01	9.43081E-01	5.67421E-03	0.00000E+00	0.00000E+00
17	9.41557E-01	3.49633E-01	9.42979E-01	5.28538E-03	0.00000E+00	0.00000E+00
18	9.48574E-01	3.65333E-01	9.43329E-01	4.95450E-03	0.00000E+00	0.00000E+00
19	9.99072E-01	3.82667E-01	9.40726E-01	5.33259E-03	0.00000E+00	0.00000E+00
20	9.79909E-01	4.00167E-01	9.42902E-01	5.47865E-03	0.00000E+00	0.00000E+00
21	9.20647E-01	4.17500E-01	9.41742E-01	5.31070E-03	0.00000E+00	0.00000E+00
22	9.31596E-01	4.34000E-01	9.41234E-01	5.06365E-03	0.00000E+00	0.00000E+00
23	9.03910E-01	4.52333E-01	9.39457E-01	5.13397E-03	0.00000E+00	0.00000E+00
24	9.37084E-01	4.69667E-01	9.39349E-01	4.89624E-03	0.00000E+00	0.00000E+00
25	9.44135E-01	4.86167E-01	9.39557E-01	4.66314E-03	0.00000E+00	0.00000E+00
26	9.19049E-01	5.03500E-01	9.38763E-01	4.56447E-03	0.00000E+00	0.00000E+00
27	9.19408E-01	5.20000E-01	9.37931E-01	4.44559E-03	0.00000E+00	0.00000E+00
28	9.51091E-01	5.36500E-01	9.38457E-01	4.30102E-03	0.00000E+00	0.00000E+00
29	9.50371E-01	5.53833E-01	9.38879E-01	4.16220E-03	0.00000E+00	0.00000E+00
30	9.27492E-01	5.71333E-01	9.38472E-01	4.03136E-03	0.00000E+00	0.00000E+00
31	9.31326E-01	5.87633E-01	9.38226E-01	3.89766E-03	0.00000E+00	0.00000E+00
32	9.40426E-01	6.04167E-01	9.38299E-01	3.76212E-03	0.00000E+00	0.00000E+00
33	9.51578E-01	6.21667E-01	9.38727E-01	3.66780E-03	0.00000E+00	0.00000E+00
34	9.23158E-01	6.38167E-01	9.38241E-01	3.56450E-03	0.00000E+00	0.00000E+00
35	9.28308E-01	6.55500E-01	9.37940E-01	3.48720E-03	0.00000E+00	0.00000E+00
36	9.40623E-01	6.72000E-01	9.38001E-01	3.38364E-03	0.00000E+00	0.00000E+00
37	9.32064E-01	6.89333E-01	9.37830E-01	3.29000E-03	0.00000E+00	0.00000E+00
38	9.15507E-01	7.05833E-01	9.37210E-01	3.25688E-03	0.00000E+00	0.00000E+00
39	9.96861E-01	7.22333E-01	9.36119E-01	3.35009E-03	0.00000E+00	0.00000E+00
40	9.34545E-01	7.39667E-01	9.36076E-01	3.26100E-03	0.00000E+00	0.00000E+00
41	9.73308E-01	7.56167E-01	9.37032E-01	3.31663E-03	0.00000E+00	0.00000E+00
42	9.19912E-01	7.72667E-01	9.36604E-01	3.26087E-03	0.00000E+00	0.00000E+00
43	9.11511E-01	7.80000E-01	9.35983E-01	3.23851E-03	0.00000E+00	0.00000E+00
44	9.79666E-01	8.06500E-01	9.37033E-01	3.32713E-03	0.00000E+00	0.00000E+00
45	9.39866E-01	8.24833E-01	9.37099E-01	3.24949E-03	0.00000E+00	0.00000E+00
46	9.26522E-01	8.42333E-01	9.36858E-01	3.18387E-03	0.00000E+00	0.00000E+00
47	9.81390E-01	8.58667E-01	9.37848E-01	3.26585E-03	0.00000E+00	0.00000E+00
48	9.43632E-01	8.76167E-01	9.37974E-01	3.19654E-03	0.00000E+00	0.00000E+00
49	9.47915E-01	8.91667E-01	9.38185E-01	3.13493E-03	0.00000E+00	0.00000E+00
50	9.04586E-01	9.09000E-01	9.37485E-01	3.14774E-03	0.00000E+00	0.00000E+00
51	9.24459E-01	9.26500E-01	9.37219E-01	3.09427E-03	0.00000E+00	0.00000E+00
52	9.18151E-01	9.43833E-01	9.36838E-01	3.05565E-03	0.00000E+00	0.00000E+00
53	9.48855E-01	9.61333E-01	9.37974E-01	3.00439E-03	0.00000E+00	0.00000E+00
54	9.03575E-01	9.78667E-01	9.36429E-01	3.01565E-03	0.00000E+00	0.00000E+00
55	9.55673E-01	9.96000E-01	9.36792E-01	2.98041E-03	0.00000E+00	0.00000E+00
56	9.17601E-01	1.01250E+00	9.36437E-01	2.94621E-03	0.00000E+00	0.00000E+00
57	9.68348E-01	1.02900E+00	9.37017E-01	2.94977E-03	0.00000E+00	0.00000E+00
58	9.04699E-01	1.04733E+00	9.36440E-01	2.95355E-03	0.00000E+00	0.00000E+00
59	9.35986E-01	1.06383E+00	9.36432E-01	2.90128E-03	0.00000E+00	0.00000E+00
60	9.48324E-01	1.08033E+00	9.36637E-01	2.85818E-03	0.00000E+00	0.00000E+00
61	9.40586E-01	1.09767E+00	9.36704E-01	2.81012E-03	0.00000E+00	0.00000E+00
62	9.24890E-01	1.11417E+00	9.36507E-01	2.76989E-03	0.00000E+00	0.00000E+00
63	9.09367E-01	1.13150E+00	9.36062E-01	2.76020E-03	0.00000E+00	0.00000E+00
64	9.96454E-01	1.14900E+00	9.35423E-01	2.78946E-03	0.00000E+00	0.00000E+00
65	9.22110E-01	1.16633E+00	9.35212E-01	2.75295E-03	0.00000E+00	0.00000E+00
66	9.99260E-01	1.18183E+00	9.35213E-01	2.86849E-03	0.00000E+00	0.00000E+00
67	9.50733E-01	1.19933E+00	9.36436E-01	2.85247E-03	0.00000E+00	0.00000E+00
68	9.22057E-01	1.21567E+00	9.36218E-01	2.81735E-03	0.00000E+00	0.00000E+00
69	9.53002E-01	1.23217E+00	9.36469E-01	2.78627E-03	0.00000E+00	0.00000E+00
70	9.28308E-01	1.24967E+00	9.36349E-01	2.74761E-03	0.00000E+00	0.00000E+00
71	9.15497E-01	1.26700E+00	9.36047E-01	2.72431E-03	0.00000E+00	0.00000E+00
72	9.30934E-01	1.28350E+00	9.35974E-01	2.68610E-03	0.00000E+00	0.00000E+00
73	9.11776E-01	1.30083E+00	9.35633E-01	2.66984E-03	0.00000E+00	0.00000E+00
74	9.38164E-01	1.31733E+00	9.35668E-01	2.63273E-03	0.00000E+00	0.00000E+00
75	9.43395E-01	1.33483E+00	9.35774E-01	2.59857E-03	0.00000E+00	0.00000E+00
76	9.15137E-01	1.35217E+00	9.35495E-01	2.57834E-03	0.00000E+00	0.00000E+00
77	9.59855E-01	1.36950E+00	9.35820E-01	2.56439E-03	0.00000E+00	0.00000E+00
78	9.05825E-01	1.38700E+00	9.35425E-01	2.56101E-03	0.00000E+00	0.00000E+00
79	9.08305E-01	1.40333E+00	9.35073E-01	2.55195E-03	0.00000E+00	0.00000E+00
80	9.29653E-01	1.42083E+00	9.35003E-01	2.51998E-03	0.00000E+00	0.00000E+00
81	9.37316E-01	1.43817E+00	9.35033E-01	2.48805E-03	0.00000E+00	0.00000E+00
82	9.36897E-01	1.45467E+00	9.35056E-01	2.45687E-03	0.00000E+00	0.00000E+00
83	9.28681E-01	1.47200E+00	9.34977E-01	2.42762E-03	0.00000E+00	0.00000E+00
84	9.54221E-01	1.48950E+00	9.35212E-01	2.40929E-03	0.00000E+00	0.00000E+00
85	9.31478E-01	1.50600E+00	9.35167E-01	2.38051E-03	0.00000E+00	0.00000E+00
86	9.29477E-01	1.52333E+00	9.35099E-01	2.35297E-03	0.00000E+00	0.00000E+00
87	9.74410E-01	1.53983E+00	9.35562E-01	2.37068E-03	0.00000E+00	0.00000E+00
88	9.35244E-01	1.55817E+00	9.35558E-01	2.34295E-03	0.00000E+00	0.00000E+00
89	9.23112E-01	1.57467E+00	9.35415E-01	2.32028E-03	0.00000E+00	0.00000E+00
90	9.44556E-01	1.59200E+00	9.35519E-01	2.29611E-03	0.00000E+00	0.00000E+00
91	9.26975E-01	1.60933E+00	9.35423E-01	2.27219E-03	0.00000E+00	0.00000E+00
92	8.84113E-01	1.62683E+00	9.34853E-01	2.31801E-03	0.00000E+00	0.00000E+00
93	9.48189E-01	1.64233E+00	9.34999E-01	2.29707E-03	0.00000E+00	0.00000E+00
94	9.47857E-01	1.65967E+00	9.35139E-01	2.27626E-03	0.00000E+00	0.00000E+00
95	9.29915E-01	1.67717E+00	9.35083E-01	2.25236E-03	0.00000E+00	0.00000E+00
96	9.34510E-01	1.69550E+00	9.35077E-01	2.22827E-03	0.00000E+00	0.00000E+00

97	9.39685E-01	1.71183E+00	9.35125E-01	2.20523E-03	0.00000E+00	0.00000E+00
98	9.19299E-01	1.72933E+00	9.34967E-01	2.18628E-03	0.00000E+00	0.00000E+00
99	9.33630E-01	1.74677E+00	9.34950E-01	2.16563E-03	0.00000E+00	0.00000E+00
100	9.64360E-01	1.76233E+00	9.35854E-01	2.20192E-03	0.00000E+00	0.00000E+00
101	9.20610E-01	1.77967E+00	9.35306E-01	2.16471E-03	0.00000E+00	0.00000E+00
102	9.35212E-01	1.79700E+00	9.35273E-01	2.16280E-03	0.00000E+00	0.00000E+00
103	9.34488E-01	1.81450E+00	9.35275E-01	2.14135E-03	0.00000E+00	0.00000E+00
104	9.40288E-01	1.83083E+00	9.35274E-01	2.12081E-03	0.00000E+00	0.00000E+00
105	9.43811E-01	1.84733E+00	9.35406E-01	2.10173E-03	0.00000E+00	0.00000E+00
106	9.18277E-01	1.86283E+00	9.35225E-01	2.08933E-03	0.00000E+00	0.00000E+00
107	9.06119E-01	1.88133E+00	9.34951E-01	2.06731E-03	0.00000E+00	0.00000E+00
108	9.12204E-01	1.89767E+00	9.34744E-01	2.07768E-03	0.00000E+00	0.00000E+00
109	9.63474E-01	1.91417E+00	9.35015E-01	2.07561E-03	0.00000E+00	0.00000E+00
110	9.54392E-01	1.93167E+00	9.35194E-01	2.06412E-03	0.00000E+00	0.00000E+00
111	9.55435E-01	1.94617E+00	9.35261E-01	2.05193E-03	0.00000E+00	0.00000E+00
112	9.23131E-01	1.96450E+00	9.35250E-01	2.03622E-03	0.00000E+00	0.00000E+00
113	9.75656E-01	1.98100E+00	9.35616E-01	2.05069E-03	0.00000E+00	0.00000E+00
114	9.73656E-01	1.99750E+00	9.35957E-01	2.06078E-03	0.00000E+00	0.00000E+00
115	9.72786E-01	2.01583E+00	9.35398E-01	2.11755E-03	0.00000E+00	0.00000E+00
116	9.97897E-01	2.03217E+00	9.35069E-01	2.12455E-03	0.00000E+00	0.00000E+00
117	9.40812E-01	2.04967E+00	9.35119E-01	2.10659E-03	0.00000E+00	0.00000E+00
118	9.06429E-01	2.06717E+00	9.34872E-01	2.10294E-03	0.00000E+00	0.00000E+00
119	9.14217E-01	2.08450E+00	9.34698E-01	2.09235E-03	0.00000E+00	0.00000E+00
120	9.17762E-01	2.10183E+00	9.34552E-01	2.07956E-03	0.00000E+00	0.00000E+00
121	9.95103E-01	2.11833E+00	9.35016E-01	2.12361E-03	0.00000E+00	0.00000E+00
122	9.92628E-01	2.13483E+00	9.34707E-01	2.13552E-03	0.00000E+00	0.00000E+00
123	9.38176E-01	2.15133E+00	9.34736E-01	2.11799E-03	0.00000E+00	0.00000E+00
124	9.97548E-01	2.16883E+00	9.34431E-01	2.12254E-03	0.00000E+00	0.00000E+00
125	9.13047E-01	2.18617E+00	9.34257E-01	2.11246E-03	0.00000E+00	0.00000E+00
126	9.36272E-01	2.20250E+00	9.34274E-01	2.09537E-03	0.00000E+00	0.00000E+00
127	9.32272E-01	2.21900E+00	9.34260E-01	2.07868E-03	0.00000E+00	0.00000E+00
128	9.68977E-01	2.23650E+00	9.34066E-01	2.07177E-03	0.00000E+00	0.00000E+00
129	9.05814E-01	2.25383E+00	9.33837E-01	2.06735E-03	0.00000E+00	0.00000E+00
130	9.36365E-01	2.27117E+00	9.33857E-01	2.05127E-03	0.00000E+00	0.00000E+00
131	9.69187E-01	2.28867E+00	9.34131E-01	2.05365E-03	0.00000E+00	0.00000E+00
132	9.18397E-01	2.30600E+00	9.34010E-01	2.04139E-03	0.00000E+00	0.00000E+00
133	9.32649E-01	2.32333E+00	9.34022E-01	2.02578E-03	0.00000E+00	0.00000E+00
134	9.65045E-01	2.34083E+00	9.33803E-01	2.02233E-03	0.00000E+00	0.00000E+00
135	9.19422E-01	2.35817E+00	9.33696E-01	2.00998E-03	0.00000E+00	0.00000E+00
136	9.26498E-01	2.37550E+00	9.33643E-01	1.99555E-03	0.00000E+00	0.00000E+00
137	9.15749E-01	2.39283E+00	9.33510E-01	1.98515E-03	0.00000E+00	0.00000E+00
138	9.01904E-01	2.41033E+00	9.33278E-01	1.98411E-03	0.00000E+00	0.00000E+00
139	9.46567E-01	2.42783E+00	9.33375E-01	1.97198E-03	0.00000E+00	0.00000E+00
140	9.19810E-01	2.44417E+00	9.33277E-01	1.96009E-03	0.00000E+00	0.00000E+00
141	9.14892E-01	2.46167E+00	9.33143E-01	1.95652E-03	0.00000E+00	0.00000E+00
142	9.31690E-01	2.47900E+00	9.33135E-01	1.93657E-03	0.00000E+00	0.00000E+00
143	9.87356E-01	2.49733E+00	9.32808E-01	1.93600E-03	0.00000E+00	0.00000E+00
144	9.08196E-01	2.51477E+00	9.32635E-01	1.94396E-03	0.00000E+00	0.00000E+00
145	9.18122E-01	2.53117E+00	9.32553E-01	1.93296E-03	0.00000E+00	0.00000E+00
146	9.17517E-01	2.54767E+00	9.32429E-01	1.92234E-03	0.00000E+00	0.00000E+00
147	9.29000E-01	2.56417E+00	9.32474E-01	1.90958E-03	0.00000E+00	0.00000E+00
148	9.15950E-01	2.58150E+00	9.32261E-01	1.89983E-03	0.00000E+00	0.00000E+00
149	9.45130E-01	2.59800E+00	9.32248E-01	1.88886E-03	0.00000E+00	0.00000E+00
150	9.41785E-01	2.61550E+00	9.32111E-01	1.87711E-03	0.00000E+00	0.00000E+00
151	9.59299E-01	2.63383E+00	9.32266E-01	1.86057E-03	0.00000E+00	0.00000E+00
152	9.44531E-01	2.64933E+00	9.32247E-01	1.86578E-03	0.00000E+00	0.00000E+00
153	9.26586E-01	2.66583E+00	9.32309E-01	1.85775E-03	0.00000E+00	0.00000E+00
154	9.69541E-01	2.68317E+00	9.32554E-01	1.86167E-03	0.00000E+00	0.00000E+00
155	9.20252E-01	2.70050E+00	9.32474E-01	1.85121E-03	0.00000E+00	0.00000E+00
156	9.26564E-01	2.71800E+00	9.32435E-01	1.83955E-03	0.00000E+00	0.00000E+00
157	9.91752E-01	2.73533E+00	9.32618E-01	1.86728E-03	0.00000E+00	0.00000E+00
158	8.83350E-01	2.75267E+00	9.32501E-01	1.88217E-03	0.00000E+00	0.00000E+00
159	9.14138E-01	2.77017E+00	9.32384E-01	1.87380E-03	0.00000E+00	0.00000E+00
160	9.39314E-01	2.78767E+00	9.32428E-01	1.86242E-03	0.00000E+00	0.00000E+00
161	9.38305E-01	2.80400E+00	9.32455E-01	1.85104E-03	0.00000E+00	0.00000E+00
162	9.10987E-01	2.82050E+00	9.32331E-01	1.84432E-03	0.00000E+00	0.00000E+00
163	9.44044E-01	2.83783E+00	9.32406E-01	1.83428E-03	0.00000E+00	0.00000E+00
164	9.28029E-01	2.85433E+00	9.32374E-01	1.82312E-03	0.00000E+00	0.00000E+00
165	9.21940E-01	2.87167E+00	9.32322E-01	1.81303E-03	0.00000E+00	0.00000E+00
166	9.29656E-01	2.88817E+00	9.32296E-01	1.80201E-03	0.00000E+00	0.00000E+00
167	9.23887E-01	2.90467E+00	9.32245E-01	1.79176E-03	0.00000E+00	0.00000E+00
168	9.32727E-01	2.92117E+00	9.32248E-01	1.78096E-03	0.00000E+00	0.00000E+00
169	9.35740E-01	2.93850E+00	9.32269E-01	1.77039E-03	0.00000E+00	0.00000E+00
170	9.18509E-01	2.95583E+00	9.32187E-01	1.76172E-03	0.00000E+00	0.00000E+00
171	9.48287E-01	2.97250E+00	9.32262E-01	1.75386E-03	0.00000E+00	0.00000E+00
172	9.36651E-01	2.98900E+00	9.32308E-01	1.74370E-03	0.00000E+00	0.00000E+00
173	9.41403E-01	3.00533E+00	9.32361E-01	1.73429E-03	0.00000E+00	0.00000E+00
174	9.14841E-01	3.02283E+00	9.32259E-01	1.72718E-03	0.00000E+00	0.00000E+00
175	8.86355E-01	3.04117E+00	9.32199E-01	1.73755E-03	0.00000E+00	0.00000E+00
176	9.04627E-01	3.05850E+00	9.32187E-01	1.73468E-03	0.00000E+00	0.00000E+00
177	9.43446E-01	3.07583E+00	9.32190E-01	1.72601E-03	0.00000E+00	0.00000E+00
178	9.25594E-01	3.09233E+00	9.32186E-01	1.71655E-03	0.00000E+00	0.00000E+00
179	9.77007E-01	3.10800E+00	9.32122E-01	1.72577E-03	0.00000E+00	0.00000E+00
180	9.50993E-01	3.12533E+00	9.32228E-01	1.71932E-03	0.00000E+00	0.00000E+00
181	9.23091E-01	3.14267E+00	9.32177E-01	1.71045E-03	0.00000E+00	0.00000E+00
182	9.16612E-01	3.15917E+00	9.32091E-01	1.70312E-03	0.00000E+00	0.00000E+00
183	9.52241E-01	3.17750E+00	9.32202E-01	1.69734E-03	0.00000E+00	0.00000E+00
184	9.27574E-01	3.19400E+00	9.32177E-01	1.68818E-03	0.00000E+00	0.00000E+00
185	9.09302E-01	3.21233E+00	9.32052E-01	1.68357E-03	0.00000E+00	0.00000E+00
186	9.15016E-01	3.22883E+00	9.31948E-01	1.67759E-03	0.00000E+00	0.00000E+00
187	9.29239E-01	3.24617E+00	9.31933E-01	1.66856E-03	0.00000E+00	0.00000E+00
188	9.30232E-01	3.26267E+00	9.31924E-01	1.65959E-03	0.00000E+00	0.00000E+00
189	9.23889E-01	3.28000E+00	9.31881E-01	1.65125E-03	0.00000E+00	0.00000E+00
190	9.26294E-01	3.29650E+00	9.31852E-01	1.64271E-03	0.00000E+00	0.00000E+00
191	9.25582E-01	3.31483E+00	9.31818E-01	1.63434E-03	0.00000E+00	0.00000E+00
192	9.18807E-01	3.33317E+00	9.31750E-01	1.62715E-03	0.00000E+00	0.00000E+00
193	9.09692E-01	3.34967E+00	9.31634E-01	1.62273E-03	0.00000E+00	0.00000E+00
194	9.16176E-01	3.36600E+00	9.31554E-01	1.61626E-03	0.00000E+00	0.00000E+00
195	9.17106E-01	3.38350E+00	9.31479E-01	1.60960E-03	0.00000E+00	0.00000E+00
196	9.06240E-01	3.40083E+00	9.31349E-01	1.60656E-03	0.00000E+00	0.00000E+00
197	9.31866E-01	3.41833E+00	9.31352E-01	1.59830E-03	0.00000E+00	0.00000E+00

198	6.96800E-01	3.43467E+00	9.31156E-01	1.59877E-03	0.00000E+00	0.00000E+00
199	6.67374E-01	3.45217E+00	9.31205E-01	1.60121E-03	0.00000E+00	0.00000E+00
200	6.21614E-01	3.46950E+00	9.31221E-01	1.59243E-03	0.00000E+00	0.00000E+00
201	6.65337E-01	3.46600E+00	9.31493E-01	1.59514E-03	0.00000E+00	0.00000E+00
202	9.64124E-01	3.50333E+00	9.31354E-01	1.59299E-03	0.00000E+00	0.00000E+00
203	9.42744E-01	3.52063E+00	9.31413E-01	1.58604E-03	0.00000E+00	0.00000E+00
204	9.00964E-01	3.53817E+00	9.31292E-01	1.58281E-03	0.00000E+00	0.00000E+00
205	9.05345E-01	3.55467E+00	9.31164E-01	1.58018E-03	0.00000E+00	0.00000E+00
206	9.22457E-01	3.57117E+00	9.31175E-01	1.57245E-03	0.00000E+00	0.00000E+00
207	9.10066E-01	3.58850E+00	9.31318E-01	1.57129E-03	0.00000E+00	0.00000E+00
208	9.13099E-01	3.60600E+00	9.31230E-01	1.56614E-03	0.00000E+00	0.00000E+00
209	9.03316E-01	3.62437E+00	9.31095E-01	1.56436E-03	0.00000E+00	0.00000E+00
210	8.96795E-01	3.64167E+00	9.30930E-01	1.56555E-03	0.00000E+00	0.00000E+00
211	9.35330E-01	3.65817E+00	9.30951E-01	1.56618E-03	0.00000E+00	0.00000E+00
212	9.01360E-01	3.67633E+00	9.30610E-01	1.56713E-03	0.00000E+00	0.00000E+00
213	9.01621E-01	3.69363E+00	9.30672E-01	1.56589E-03	0.00000E+00	0.00000E+00
214	9.76733E-01	3.72317E+00	9.30889E-01	1.56370E-03	0.00000E+00	0.00000E+00
215	9.31450E-01	3.73950E+00	9.30892E-01	1.56355E-03	0.00000E+00	0.00000E+00
216	9.74359E-01	3.75700E+00	9.30861E-01	1.56493E-03	0.00000E+00	0.00000E+00
217	9.19991E-01	3.77433E+00	9.30997E-01	1.56407E-03	0.00000E+00	0.00000E+00
218	9.24756E-01	3.79350E+00	9.31044E-01	1.56099E-03	0.00000E+00	0.00000E+00
219	9.03956E-01	3.81183E+00	9.30890E-01	1.56393E-03	0.00000E+00	0.00000E+00
220	9.28864E-01	3.82833E+00	9.30860E-01	1.56186E-03	0.00000E+00	0.00000E+00
221	9.76464E-01	3.84667E+00	9.30870E-01	1.56491E-03	0.00000E+00	0.00000E+00
222	9.26410E-01	3.86400E+00	9.30849E-01	1.56100E-03	0.00000E+00	0.00000E+00
223	9.59603E-01	3.88150E+00	9.30980E-01	1.56686E-03	0.00000E+00	0.00000E+00
224	9.54579E-01	3.89963E+00	9.31087E-01	1.56377E-03	0.00000E+00	0.00000E+00
225	9.05585E-01	3.91900E+00	9.30972E-01	1.56130E-03	0.00000E+00	0.00000E+00
226	9.45070E-01	3.93733E+00	9.31035E-01	1.56585E-03	0.00000E+00	0.00000E+00
227	9.37493E-01	3.95383E+00	9.31044E-01	1.49942E-03	0.00000E+00	0.00000E+00
228	9.46362E-01	3.97217E+00	9.31140E-01	1.49474E-03	0.00000E+00	0.00000E+00
229	9.46329E-01	3.98850E+00	9.31161E-01	1.48689E-03	0.00000E+00	0.00000E+00
230	9.46385E-01	4.00683E+00	9.31250E-01	1.48406E-03	0.00000E+00	0.00000E+00
231	8.89040E-01	4.02433E+00	9.31672E-01	1.48903E-03	0.00000E+00	0.00000E+00
232	9.45909E-01	4.04167E+00	9.31224E-01	1.49259E-03	0.00000E+00	0.00000E+00
233	9.74998E-01	4.05900E+00	9.31411E-01	1.49562E-03	0.00000E+00	0.00000E+00
234	9.10708E-01	4.07733E+00	9.31348E-01	1.49506E-03	0.00000E+00	0.00000E+00
235	9.30789E-01	4.09363E+00	9.31346E-01	1.48409E-03	0.00000E+00	0.00000E+00
236	9.20432E-01	4.11117E+00	9.31299E-01	1.47647E-03	0.00000E+00	0.00000E+00
237	9.26550E-01	4.12867E+00	9.31279E-01	1.47230E-03	0.00000E+00	0.00000E+00
238	9.83530E-01	4.14517E+00	9.31543E-01	1.48959E-03	0.00000E+00	0.00000E+00
239	9.42801E-01	4.16333E+00	9.31591E-01	1.48406E-03	0.00000E+00	0.00000E+00
240	9.49539E-01	4.18063E+00	9.31666E-01	1.47974E-03	0.00000E+00	0.00000E+00
241	9.51291E-01	4.19917E+00	9.31749E-01	1.47562E-03	0.00000E+00	0.00000E+00
242	9.35034E-01	4.21650E+00	9.31762E-01	1.46972E-03	0.00000E+00	0.00000E+00
243	9.55411E-01	4.23300E+00	9.31800E-01	1.46690E-03	0.00000E+00	0.00000E+00
244	9.26882E-01	4.25033E+00	9.31846E-01	1.46097E-03	0.00000E+00	0.00000E+00
245	9.25955E-01	4.26763E+00	9.31816E-01	1.45514E-03	0.00000E+00	0.00000E+00
246	9.41014E-01	4.28417E+00	9.31853E-01	1.44966E-03	0.00000E+00	0.00000E+00
247	9.19919E-01	4.30067E+00	9.31805E-01	1.44455E-03	0.00000E+00	0.00000E+00
248	8.96194E-01	4.31800E+00	9.31660E-01	1.44093E-03	0.00000E+00	0.00000E+00
249	9.52413E-01	4.33550E+00	9.31744E-01	1.44251E-03	0.00000E+00	0.00000E+00
250	9.43546E-01	4.35363E+00	9.31751E-01	1.43747E-03	0.00000E+00	0.00000E+00
251	9.16055E-01	4.37300E+00	9.31707E-01	1.43200E-03	0.00000E+00	0.00000E+00
252	9.59810E-01	4.39050E+00	9.31819E-01	1.43287E-03	0.00000E+00	0.00000E+00
253	9.16570E-01	4.40783E+00	9.31758E-01	1.42644E-03	0.00000E+00	0.00000E+00
254	9.18356E-01	4.42517E+00	9.31705E-01	1.42276E-03	0.00000E+00	0.00000E+00
255	9.50095E-01	4.44167E+00	9.31778E-01	1.41998E-03	0.00000E+00	0.00000E+00
256	9.46912E-01	4.45917E+00	9.31837E-01	1.41563E-03	0.00000E+00	0.00000E+00
257	9.48633E-01	4.47833E+00	9.31963E-01	1.41161E-03	0.00000E+00	0.00000E+00
258	9.16091E-01	4.49667E+00	9.31841E-01	1.40744E-03	0.00000E+00	0.00000E+00
259	9.46760E-01	4.51767E+00	9.31800E-01	1.40316E-03	0.00000E+00	0.00000E+00
260	9.01064E-01	4.54233E+00	9.31780E-01	1.40281E-03	0.00000E+00	0.00000E+00
261	9.46954E-01	4.56250E+00	9.31839E-01	1.39861E-03	0.00000E+00	0.00000E+00
262	9.66209E-01	4.58000E+00	9.31971E-01	1.39948E-03	0.00000E+00	0.00000E+00
263	9.09969E-01	4.59817E+00	9.31667E-01	1.39665E-03	0.00000E+00	0.00000E+00
264	9.35793E-01	4.61467E+00	9.31901E-01	1.39139E-03	0.00000E+00	0.00000E+00
265	9.45468E-01	4.63217E+00	9.31953E-01	1.38705E-03	0.00000E+00	0.00000E+00
266	9.62096E-01	4.64950E+00	9.32067E-01	1.38650E-03	0.00000E+00	0.00000E+00
267	9.17831E-01	4.66683E+00	9.32013E-01	1.38230E-03	0.00000E+00	0.00000E+00
268	9.31604E-01	4.68433E+00	9.32012E-01	1.37709E-03	0.00000E+00	0.00000E+00
269	9.39430E-01	4.70350E+00	9.32040E-01	1.37221E-03	0.00000E+00	0.00000E+00
270	9.49882E-01	4.72000E+00	9.32106E-01	1.36870E-03	0.00000E+00	0.00000E+00
271	9.26082E-01	4.73917E+00	9.32084E-01	1.36378E-03	0.00000E+00	0.00000E+00
272	9.22410E-01	4.75667E+00	9.32048E-01	1.35920E-03	0.00000E+00	0.00000E+00
273	9.24674E-01	4.77317E+00	9.32021E-01	1.35444E-03	0.00000E+00	0.00000E+00
274	9.41151E-01	4.79050E+00	9.32054E-01	1.34987E-03	0.00000E+00	0.00000E+00
275	9.58979E-01	4.80700E+00	9.32153E-01	1.34853E-03	0.00000E+00	0.00000E+00
276	9.37074E-01	4.82433E+00	9.32171E-01	1.34372E-03	0.00000E+00	0.00000E+00
277	9.14275E-01	4.84167E+00	9.32106E-01	1.34040E-03	0.00000E+00	0.00000E+00
278	9.58754E-01	4.85733E+00	9.32202E-01	1.33902E-03	0.00000E+00	0.00000E+00
279	9.03889E-01	4.87567E+00	9.32100E-01	1.33809E-03	0.00000E+00	0.00000E+00
280	9.38855E-01	4.89300E+00	9.32125E-01	1.33349E-03	0.00000E+00	0.00000E+00
281	9.43286E-01	4.91217E+00	9.32165E-01	1.32931E-03	0.00000E+00	0.00000E+00
282	9.20021E-01	4.93233E+00	9.32121E-01	1.32526E-03	0.00000E+00	0.00000E+00
283	9.26751E-01	4.95067E+00	9.32102E-01	1.32067E-03	0.00000E+00	0.00000E+00
284	9.00211E-01	4.96900E+00	9.31989E-01	1.32083E-03	0.00000E+00	0.00000E+00
285	9.01443E-01	4.98633E+00	9.31861E-01	1.32057E-03	0.00000E+00	0.00000E+00
286	9.01616E-01	5.00283E+00	9.31774E-01	1.32022E-03	0.00000E+00	0.00000E+00
287	9.41979E-01	5.02033E+00	9.31810E-01	1.31607E-03	0.00000E+00	0.00000E+00
288	9.35863E-01	5.03767E+00	9.31824E-01	1.31154E-03	0.00000E+00	0.00000E+00
289	9.11547E-01	5.05600E+00	9.31754E-01	1.30887E-03	0.00000E+00	0.00000E+00
290	9.29271E-01	5.07250E+00	9.31745E-01	1.30434E-03	0.00000E+00	0.00000E+00
291	9.58920E-01	5.08883E+00	9.31839E-01	1.30322E-03	0.00000E+00	0.00000E+00
292	9.66201E-01	5.10533E+00	9.31958E-01	1.30411E-03	0.00000E+00	0.00000E+00
293	9.26759E-01	5.12367E+00	9.31940E-01	1.29975E-03	0.00000E+00	0.00000E+00
294	9.08628E-01	5.14017E+00	9.31860E-01	1.29774E-03	0.00000E+00	0.00000E+00
295	9.30354E-01	5.15667E+00	9.31855E-01	1.29332E-03	0.00000E+00	0.00000E+00
296	9.45246E-01	5.17400E+00	9.31900E-01	1.28972E-03	0.00000E+00	0.00000E+00
297	8.99599E-01	5.19150E+00	9.31791E-01	1.28999E-03	0.00000E+00	0.00000E+00
298	9.42083E-01	5.20883E+00	9.31826E-01	1.28610E-03	0.00000E+00	0.00000E+00

NAC-LWT Cask SAR
Revision 38

November 2007

299	9.31882E-01	5.22533E+00	9.31826E-01	1.28176E-03	0.00000E+00	0.00000E+00
300	9.31684E-01	5.24367E+00	9.31825E-01	1.27745E-03	0.00000E+00	0.00000E+00
301	9.54073E-01	5.26017E+00	9.31900E-01	1.27534E-03	0.00000E+00	0.00000E+00
302	9.46381E-01	5.27833E+00	9.31948E-01	1.27200E-03	0.00000E+00	0.00000E+00
303	9.56835E-01	5.29400E+00	9.32031E-01	1.27046E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP

LIFETIME = 1.01160E-04 + OR - 3.16687E-07 GENERATION TIME = 3.72912E-05 + OR - 9.47620E-08
 NU BAR = 2.43654E+00 + OR - 9.54075E-05 AVERAGE FISSION GROUP = 2.24639E+01 + OR - 5.71557E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 1.62849E-01 + OR - 7.87513E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.93197	+ OR - 0.00127	0.93070 TO 0.93324	0.92942 TO 0.93452	0.92815 TO 0.93579	300000
4	0.93200	+ OR - 0.00128	0.93072 TO 0.93328	0.92945 TO 0.93455	0.92817 TO 0.93583	299000
5	0.93197	+ OR - 0.00128	0.93069 TO 0.93325	0.92941 TO 0.93453	0.92812 TO 0.93581	298000
6	0.93191	+ OR - 0.00128	0.93063 TO 0.93320	0.92934 TO 0.93448	0.92806 TO 0.93576	297000
7	0.93188	+ OR - 0.00129	0.93059 TO 0.93317	0.92931 TO 0.93446	0.92802 TO 0.93575	296000
8	0.93174	+ OR - 0.00128	0.93046 TO 0.93303	0.92917 TO 0.93431	0.92789 TO 0.93560	295000
9	0.93177	+ OR - 0.00129	0.93048 TO 0.93306	0.92919 TO 0.93435	0.92790 TO 0.93564	294000
10	0.93174	+ OR - 0.00129	0.93045 TO 0.93303	0.92915 TO 0.93433	0.92786 TO 0.93562	293000
11	0.93154	+ OR - 0.00128	0.93026 TO 0.93283	0.92898 TO 0.93411	0.92770 TO 0.93539	292000
12	0.93157	+ OR - 0.00129	0.93028 TO 0.93286	0.92900 TO 0.93414	0.92771 TO 0.93543	291000
17	0.93146	+ OR - 0.00130	0.93016 TO 0.93276	0.92885 TO 0.93406	0.92755 TO 0.93536	286000
22	0.93138	+ OR - 0.00131	0.93007 TO 0.93268	0.92876 TO 0.93399	0.92746 TO 0.93529	281000
27	0.93150	+ OR - 0.00132	0.93017 TO 0.93282	0.92885 TO 0.93414	0.92753 TO 0.93547	276000
32	0.93134	+ OR - 0.00134	0.92999 TO 0.93268	0.92865 TO 0.93402	0.92731 TO 0.93537	271000
37	0.93127	+ OR - 0.00137	0.92990 TO 0.93263	0.92854 TO 0.93400	0.92717 TO 0.93537	266000
42	0.93133	+ OR - 0.00137	0.92996 TO 0.93270	0.92858 TO 0.93408	0.92721 TO 0.93545	261000
47	0.93101	+ OR - 0.00137	0.92964 TO 0.93238	0.92826 TO 0.93375	0.92689 TO 0.93512	256000
52	0.93107	+ OR - 0.00139	0.92968 TO 0.93246	0.92829 TO 0.93386	0.92690 TO 0.93525	251000
57	0.93092	+ OR - 0.00140	0.92952 TO 0.93232	0.92811 TO 0.93372	0.92671 TO 0.93512	246000
62	0.93092	+ OR - 0.00142	0.92949 TO 0.93234	0.92807 TO 0.93376	0.92665 TO 0.93518	241000
67	0.93082	+ OR - 0.00141	0.92941 TO 0.93223	0.92800 TO 0.93364	0.92659 TO 0.93505	236000
72	0.93084	+ OR - 0.00144	0.92940 TO 0.93227	0.92796 TO 0.93371	0.92653 TO 0.93514	231000
77	0.93077	+ OR - 0.00146	0.92932 TO 0.93223	0.92786 TO 0.93369	0.92640 TO 0.93514	226000
82	0.93094	+ OR - 0.00148	0.92945 TO 0.93242	0.92797 TO 0.93390	0.92649 TO 0.93538	221000
87	0.93064	+ OR - 0.00150	0.92914 TO 0.93214	0.92765 TO 0.93364	0.92615 TO 0.93513	216000
92	0.93083	+ OR - 0.00151	0.92931 TO 0.93234	0.92780 TO 0.93386	0.92628 TO 0.93537	211000

LWT ANALYSIS; EXXON 15X15 (W); ASSEMBLY; WATER IN GAP


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.93060	+ OR - 0.00155	0.92906 TO 0.93215	0.92751 TO 0.93370	0.92596 TO 0.93524	206000
102	0.93041	+ OR - 0.00156	0.92885 TO 0.93197	0.92729 TO 0.93353	0.92573 TO 0.93509	201000
107	0.93047	+ OR - 0.00159	0.92887 TO 0.93206	0.92728 TO 0.93365	0.92569 TO 0.93524	196000
112	0.93018	+ OR - 0.00161	0.92857 TO 0.93179	0.92695 TO 0.93340	0.92534 TO 0.93501	191000
117	0.93012	+ OR - 0.00158	0.92854 TO 0.93170	0.92696 TO 0.93328	0.92538 TO 0.93486	186000
122	0.93026	+ OR - 0.00156	0.92870 TO 0.93182	0.92714 TO 0.93337	0.92558 TO 0.93493	181000
127	0.93045	+ OR - 0.00159	0.92886 TO 0.93204	0.92727 TO 0.93362	0.92568 TO 0.93521	176000
132	0.93053	+ OR - 0.00161	0.92892 TO 0.93213	0.92731 TO 0.93374	0.92571 TO 0.93534	171000
137	0.93083	+ OR - 0.00164	0.92918 TO 0.93247	0.92754 TO 0.93411	0.92590 TO 0.93576	166000
142	0.93107	+ OR - 0.00168	0.92940 TO 0.93275	0.92772 TO 0.93443	0.92604 TO 0.93610	161000
147	0.93162	+ OR - 0.00170	0.92992 TO 0.93331	0.92823 TO 0.93501	0.92653 TO 0.93671	156000
152	0.93172	+ OR - 0.00173	0.92999 TO 0.93344	0.92826 TO 0.93517	0.92653 TO 0.93690	151000
157	0.93120	+ OR - 0.00172	0.92948 TO 0.93291	0.92776 TO 0.93463	0.92605 TO 0.93634	146000
162	0.93169	+ OR - 0.00173	0.92996 TO 0.93342	0.92823 TO 0.93515	0.92650 TO 0.93689	141000
167	0.93177	+ OR - 0.00179	0.92998 TO 0.93356	0.92819 TO 0.93535	0.92640 TO 0.93714	136000
172	0.93167	+ OR - 0.00185	0.92982 TO 0.93352	0.92797 TO 0.93537	0.92612 TO 0.93722	131000
177	0.93221	+ OR - 0.00187	0.93034 TO 0.93408	0.92847 TO 0.93595	0.92660 TO 0.93782	126000
182	0.93194	+ OR - 0.00190	0.93004 TO 0.93384	0.92815 TO 0.93574	0.92625 TO 0.93763	121000
187	0.93219	+ OR - 0.00195	0.93023 TO 0.93414	0.92828 TO 0.93610	0.92632 TO 0.93805	116000
192	0.93251	+ OR - 0.00204	0.93048 TO 0.93455	0.92844 TO 0.93658	0.92640 TO 0.93862	111000
197	0.93328	+ OR - 0.00210	0.93118 TO 0.93538	0.92909 TO 0.93747	0.92699 TO 0.93957	106000
202	0.93337	+ OR - 0.00210	0.93127 TO 0.93547	0.92917 TO 0.93756	0.92707 TO 0.93966	101000
207	0.93355	+ OR - 0.00215	0.93140 TO 0.93570	0.92925 TO 0.93785	0.92710 TO 0.94000	96000
212	0.93485	+ OR - 0.00216	0.93268 TO 0.93701	0.93052 TO 0.93917	0.92836 TO 0.94133	91000
217	0.93462	+ OR - 0.00218	0.93244 TO 0.93679	0.93026 TO 0.93897	0.92808 TO 0.94115	86000
222	0.93524	+ OR - 0.00228	0.93296 TO 0.93752	0.93069 TO 0.93979	0.92841 TO 0.94207	81000
227	0.93489	+ OR - 0.00235	0.93254 TO 0.93725	0.93018 TO 0.93960	0.92783 TO 0.94196	76000

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
232	0.93465	+ OR - 0.00238	0.93227 TO 0.93703	0.92989 TO 0.93940	0.92751 TO 0.94178	71000
237	0.93471	+ OR - 0.00246	0.93225 TO 0.93717	0.92979 TO 0.93962	0.92733 TO 0.94208	66000
242	0.93309	+ OR - 0.00244	0.93065 TO 0.93553	0.92821 TO 0.93796	0.92577 TO 0.94040	61000
247	0.93302	+ OR - 0.00261	0.93041 TO 0.93563	0.92781 TO 0.93824	0.92520 TO 0.94084	56000
252	0.93307	+ OR - 0.00265	0.93042 TO 0.93572	0.92777 TO 0.93836	0.92513 TO 0.94101	51000
257	0.93274	+ OR - 0.00284	0.92990 TO 0.93558	0.92706 TO 0.93841	0.92423 TO 0.94125	46000
262	0.93241	+ OR - 0.00291	0.92950 TO 0.93532	0.92660 TO 0.93822	0.92369 TO 0.94113	41000
267	0.93216	+ OR - 0.00310	0.92906 TO 0.93525	0.92597 TO 0.93835	0.92287 TO 0.94144	36000
272	0.93188	+ OR - 0.00353	0.92835 TO 0.93541	0.92483 TO 0.93894	0.92130 TO 0.94246	31000
277	0.93124	+ OR - 0.00399	0.92724 TO 0.93523	0.92325 TO 0.93922	0.91926 TO 0.94321	26000
282	0.93083	+ OR - 0.00450	0.92632 TO 0.93533	0.92182 TO 0.93983	0.91732 TO 0.94433	21000
287	0.93596	+ OR - 0.00470	0.93126 TO 0.94066	0.92656 TO 0.94536	0.92186 TO 0.95005	16000
292	0.93396	+ OR - 0.00537	0.92859 TO 0.93933	0.92322 TO 0.94470	0.91785 TO 0.95007	11000
297	0.94382	+ OR - 0.00437	0.93945 TO 0.94820	0.93508 TO 0.95257	0.93070 TO 0.95694	6000

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K\text{-EFF} = 0.9320 \pm 0.0013$ WHICH OCCURS FOR 303 GENERATIONS RUN.



300
|
|
|

I * I
I * I
I * I
I * I

LWT ANALYSIS; EXXON 15X15(W); ASSEMBLY; WATER IN GAP

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0044			4.12382E-03	2.2144	2.31596E-03	1.7429	9.65822E-06	57.6063
2	0.0180			1.67539E-02	0.6733	8.40488E-03	0.5753	0.00000E+00	0.0000
3	0.0200			1.86620E-02	0.5834	7.76219E-03	0.5667	0.00000E+00	0.0000
4	0.0084			7.85246E-03	0.7543	3.75926E-03	0.7213	0.00000E+00	0.0000
5	0.0026			2.42704E-03	0.5530	2.56147E-03	0.4791	0.00000E+00	0.0000
6	0.0023			2.15423E-03	0.4075	4.32427E-03	0.3424	0.00000E+00	0.0000
7	0.0023			2.11604E-03	0.4532	4.86679E-03	0.3862	0.00000E+00	0.0000
8	0.0023			2.14614E-03	0.5016	7.24848E-03	0.4245	0.00000E+00	0.0000
9	0.0031			2.89714E-03	0.5196	1.12585E-02	0.4242	0.00000E+00	0.0000
10	0.0067			6.25759E-03	0.5651	1.73420E-02	0.4456	0.00000E+00	0.0000
11	0.0140			1.30250E-02	0.5315	2.80004E-02	0.4400	0.00000E+00	0.0000
12	0.0184			1.71878E-02	0.6059	2.98291E-02	0.5484	0.00000E+00	0.0000
13	0.0170			1.58165E-02	0.6547	2.97315E-02	0.5618	0.00000E+00	0.0000
14	0.0134			1.25289E-02	0.6097	4.23690E-02	0.5109	0.00000E+00	0.0000
15	0.0030			2.76823E-03	1.0342	8.78912E-03	0.8033	0.00000E+00	0.0000
16	0.0021			1.92938E-03	1.3874	5.29241E-03	0.8411	0.00000E+00	0.0000
17	0.0032			2.97248E-03	1.6548	3.72679E-03	1.1017	0.00000E+00	0.0000
18	0.0042			3.95071E-03	1.9001	3.84560E-03	1.2468	0.00000E+00	0.0000
19	0.0051			4.79233E-03	1.2874	6.01308E-03	0.8243	0.00000E+00	0.0000
20	0.0216			2.01376E-02	0.8603	2.36640E-02	0.5959	0.00000E+00	0.0000
21	0.0119			1.10782E-02	1.2904	1.04705E-02	0.9036	0.00000E+00	0.0000
22	0.0289			2.69181E-02	0.9346	2.43475E-02	0.6607	0.00000E+00	0.0000
23	0.1036			9.65919E-02	0.4601	9.35088E-02	0.3275	0.00000E+00	0.0000
24	0.2115			1.97140E-01	0.3347	1.90608E-01	0.1993	0.00000E+00	0.0000
25	0.1819			1.69493E-01	0.3884	1.63260E-01	0.2228	8.62806E-07	100.0000
26	0.2191			2.04213E-01	0.3709	2.00778E-01	0.2291	1.58655E-06	100.0000
27	0.0709			6.60369E-02	0.6982	6.74562E-02	0.4170	0.00000E+00	0.0000
SYSTEM TOTAL =				9.31971E-01	0.1366	1.00153E+00	0.0446	1.21076E-05	48.1945

ELAPSED TIME 5.29483 MINUTES

RANDOM NUMBER= 9A242D7225

LWT ANALYSIS; EXXON 15X15(W) ASSEMBLY; WATER IN GAP

FREQUENCY FOR GENERATIONS 4 TO 303
*
0.8694 TO 0.8820 *
0.8820 TO 0.8947 *****
0.8947 TO 0.9073 *****
0.9073 TO 0.9200 *****
0.9200 TO 0.9326 *****
0.9326 TO 0.9453 *****
0.9453 TO 0.9579 *****
0.9579 TO 0.9706 *****
0.9706 TO 0.9832 *****
0.9832 TO 0.9959 *****
0.9959 TO 1.0085 *

FREQUENCY FOR GENERATIONS 79 TO 303
*
0.8694 TO 0.8820 *
0.8820 TO 0.8947 *****
0.8947 TO 0.9073 *****
0.9073 TO 0.9200 *****
0.9200 TO 0.9326 *****
0.9326 TO 0.9453 *****
0.9453 TO 0.9579 *****
0.9579 TO 0.9706 *****
0.9706 TO 0.9832 *****
0.9832 TO 0.9959 *****
0.9959 TO 1.0085 *****

FREQUENCY FOR GENERATIONS 154 TO 303
*
0.8694 TO 0.8820 *
0.8820 TO 0.8947 *****
0.8947 TO 0.9073 *****
0.9073 TO 0.9200 *****
0.9200 TO 0.9326 *****
0.9326 TO 0.9453 *****
0.9453 TO 0.9579 *****
0.9579 TO 0.9706 *****
0.9706 TO 0.9832 *****
0.9832 TO 0.9959 *****
0.9959 TO 1.0085 *****

FREQUENCY FOR GENERATIONS 229 TO 303
*
0.8694 TO 0.8820 *
0.8820 TO 0.8947 *****
0.8947 TO 0.9073 *****
0.9073 TO 0.9200 *****
0.9200 TO 0.9326 *****
0.9326 TO 0.9453 *****
0.9453 TO 0.9579 *****
0.9579 TO 0.9706 *****
0.9706 TO 0.9832 *****
0.9832 TO 0.9959 *****
0.9959 TO 1.0085 *****

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 5.29483 MINUTES
.....

**Figure 6.6.1-3 CSAS Input/Output for NAC-LWT with PWR Fuel – 3.5% Enrichment
– Most Reactive Normal Condition Configuration**

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP
Z7GROUPNDF4 LATTICECELL
UO2 1 0.95 293.0 92235 3.5 92238 96.5 END
ZR 2 1.0 293.0 END
H2O 3 1.000 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.0 293.0 END
H2O 8 1.0E-20 293.0 END
H2O 9 1.0E-20 293.0 END
END COMP
SQUAREPITCH 1.2598 0.7844 1 3 0.9144 2 0.8002 9 END
LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP
READ PARAM RUN=YES PLT=NO TME=5000 GEN=303 RND= NPG=1000 END PARAM
READ GEOM
UNIT 1
COM='FUEL PIN CELL - WITH H2O'
CYLINDER 1 1 0.3922 2P182.88
CYLINDER 9 1 0.4001 2P182.88
CYLINDER 2 1 0.4572 2P182.88
CUBOID 3 1 4P0.6299 2P182.88
UNIT 2
COM='WATER ROD CELL - WITH H2O'
CYLINDER 3 1 0.5715 2P182.88
CYLINDER 2 1 0.6121 2P182.88
CUBOID 3 1 4P0.6299 2P182.88
GLOBAL UNIT 9
ARRAY 1 -10.7083 -10.7083 -182.88
CUBOID 3 1 4P11.2776 2P182.88
CYLINDER 4 1 16.891 2P182.88
CYLINDER 3 1 16.9863 2P182.88
CYLINDER 5 1 18.8913 2P182.88
CYLINDER 6 1 33.4963 2P182.88
CYLINDER 5 1 36.5443 2P182.88
CYLINDER 7 1 49.2443 2P182.88
CYLINDER 5 1 49.8539 212.48 -192.16
CYLINDER 6 1 49.8539 212.48 -199.78
CYLINDER 5 1 49.8539 212.48 -208.67
CUBOID 8 1 4P81.0000 243.00 -240.00
END GEOM
READ ARRAY
ARA=1 NUX=17 NUY=17 NUZ=1 FILL
          34R1
          5R1 2 2R1 2 2R1 2 5R1
          3R1 2 9R1 2 3R1
          17R1
2R1 2 2R1 2 2R1 2 2R1 2 2R1 2 2R1
          34R1
2R1 2 2R1 2 2R1 2 2R1 2 2R1 2 2R1
          34R1
2R1 2 2R1 2 2R1 2 2R1 2 2R1 2 2R1
          17R1
          3R1 2 9R1 2 3R1
          5R1 2 2R1 2 2R1 2 5R1
          34R1
END FILL
END ARRAY
READ BOUNDS ZFC=VAC YXF=VAC END BOUNDS
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1.26 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 13.24 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 607.64 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 626.15 (SECONDS).

```

```
CCCCCCCCC      SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  5555555555555
CCCCCCCCC      SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22222222222  5555555555555
CC      CC      SS      SS      AA      AA      SS      SS      22      22      55
CC      CC      SS      SS      AA      AA      SS      SS      22      22      55
CC      CC      SS      SS      AA      AA      SS      SS      22      22      55
CC      SSSSSSSSS  AAAAAAAAA  SSSSSSSSS      22      5555555555555
CC      SSSSSSSSS  AAAAAAAAA  SSSSSSSSS      22      5555555555555
CC      SS      AA      AA      SS      SS      22      55      55
CC      CC      SS      SS      AA      AA      SS      SS      22      55      55
CCCCCCCCC      SSSSSSSSS  AA      AA      SSSSSSSSS  22222222222  5555555555555
CCCCCCCCC      SSSSSSSSS  AA      AA      SSSSSSSSS  22222222222  5555555555555
```

```
SSSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCC
SSSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCC
SS      SS  CC      CC      AA      AA  LL      EE      EE      PP      PP  CC      CC
SS      CC      AA      AA  LL      EE      EE      PP      PP  CC      CC
SS      CC      AA      AA  LL      EE      EE      PP      PP  CC      CC
SSSSSSSSSS  CC      AAAAAAAAA  LL      EEEEEEEE  -----  PPPPPPPPPPP  CC
SSSSSSSSSS  CC      AAAAAAAAA  LL      EEEEEEEE  -----  PPPPPPPPPPP  CC
SS      SS  CC      AA      AA  LL      EE      EE      PP      PP  CC      CC
SS      SS  CC      AA      AA  LL      EE      EE      PP      PP  CC      CC
SS      SS  CC      AA      AA  LL      EE      EE      PP      PP  CC      CC
SSSSSSSSSS  CCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCC
SSSSSSSSSS  CCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCC
```

```
0000000  77777777777  //  2222222222  3333333333  //  9999999999  88888888888
000000000  77777777777  //  22222222222  33333333333  //  99999999999  88888888888
00      00      77      //  22      22      33      //  99      99      88      88
00      00      77      //  22      22      33      //  99      99      88      88
00      00      77      //  22      22      33      //  99      99      88      88
00      00      77      //  22      22      33      //  99      99      88      88
00      00      77      //  22      22      33      //  99      99      88      88
00      00      77      //  22      22      33      //  99      99      88      88
000000000  77      //  22222222222  33333333333  //  99999999999  88888888888
0000000  77      //  22222222222  33333333333  //  99999999999  88888888888
```

```
0000000  99999999999  2222222222  77777777777  11  66666666666
000000000  99999999999  22222222222  77777777777  111  6666666666666
00      00      99      99      :::  22      22      77      77      :::  1111  66
00      00      99      99      :::  22      22      77      77      :::  11  66
00      00      99      99      :::  22      22      77      77      :::  11  66
00      00      9999999999999  22      77      11  66666666666
00      00      9999999999999  22      77      11  6666666666666
00      00      99      99      :::  22      77      11  66      66
00      00      99      99      :::  22      77      11  66      66
00      00      99      99      :::  22      77      11  66      66
000000000  9999999999999  22222222222  77      11111111  6666666666666
0000000  9999999999999  22222222222  77      11111111  6666666666666
```


LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MXX 9 MIXTURES
MSC 9 COMPOSITION SPECIFICATIONS
IZM 4 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC UO2 STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.9500 VOLUME FRACTION
ROTH 10.9600 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 3.500 WT
92238 96.500 WT
8016 2.00 ATOMS/MOLECULE
END

SC ZR STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 6.4900 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
40000 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC AL STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE
END

SC SS304 STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT
25055 2.000 WT
26304 69.500 WT
28304 9.500 WT
END

SC PB STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 0.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND

TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 0.0300 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

**** PROBLEM GEOMETRY ****

CTP SQUAREPITCH CELL TYPE
PITCH 1.2598 CM CENTER TO CENTER SPACING
FUELOD 0.7844 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 0.9144 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD
GAPOD 0.8002 CM GAP OUTER DIAMETER
MGAP 9 MIXTURE NO. OF GAP

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD

```

.....
LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP
.....
***** DATA LIBRARY INFORMATION *****
.....
UNIT          DATA SET NAME          VOLUME          UNIT FUNCTION
NUMBER        DATA SET NAME          NAME            -----
-----
89   G:\scale43\DATALIB\FT89F001          STANDARD COMPOSITION LIBRARY
82   G:\scale43\DATALIB\FT82F001          CROSS SECTION LIBRARY
11   D:\PROJECTS\BU85-C-1\pwrfin02\17NX1M\FT11F00          SHORT CROSS SECTION LIBRARY
90   D:\PROJECTS\BU85-C-1\pwrfin02\17NX1M\FT90F00          INPUT DATA DIRECT ACCESS
.....
STANDARD COMPOSITION LIBRARY DATA
-----
UNIT NUMBER : 89
DATASET NAME : G:\scale43\DATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
                637 STANDARD COMPOSITIONS, 490 NUCLIDES
                90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95
.....
CROSS SECTION LIBRARY DATA
-----
UNIT NUMBER : 82
DATASET NAME : G:\scale43\DATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
                BASED ON ENDF-B VERSION 4 DATA
                COMPILED FOR NRC    1/27/89
                LAST UPDATED
                L.M.PETRIE - ORNL
.....................................................................
0 IO'S WERE USED BEFORE READING KENO V DATA .....
0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....
***** DATA READING COMPLETED *****
0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
0 IO'S WERE USED LOADING THE KENO V DATA .....
0 IO'S WERE USED LOADING THE DATA .....
0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....
.....
CONTROL MODULE CSAS25 IS COMPLETE.
.....

```

```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000      VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  000000000000      VV      VV
KK      KK  EE          E  NNNN    NN  00      00      VV      VV
KK      KK  EE          E  NN  NN   NN  00      00      VV      VV
KK      KK  EE          E  NN  NN   NN  00      00      VV      VV
KKKKKKKK EEEEEEEEEEE  NN  NN   NN  00      00      VV      VV
KKKKKKKK EEEEEEEEEEE  NN  NN   NN  00      00      VV      VV
KK      KK  EE          E  NN  NN   NN  00      00      VV      VV
KK      KK  EE          E  NN  NN   NN  00      00      VV      VV
KK      KK  EE          E  NN  NN   NN  00      00      VV      VV
KK      KK  EE          E  NN  NN   NN  00      00      VV      VV
KK      KK  EEEEEEEEEEE  NN     NNN  000000000000      VVV     VVV
KK      KK  EEEEEEEEEEE  NN     NN   0000000000      V      V
    
```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE          EE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE          EE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE          EE  PP      PP  CC      CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEEEE  PPPPPPPPPP  CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEEEE  PPPPPPPPPP  CC
SS      SS  CC      AA      AA  LL      EE          EE  PP      CC      CC
SS      SS  CC      AA      AA  LL      EE          EE  PP      CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
    
```

```

0000000  7777777777  //  2222222222  3333333333  //  9999999999  8888888888
00000000 7777777777  //  222222222222 333333333333 //  999999999999 888888888888
00 00 77 77 // 22 22 33 33 // 99 99 88 88
00 00 77 77 // 22 22 33 33 // 99 99 88 88
00 00 77 77 // 22 22 33 33 // 99 99 88 88
00 00 77 77 // 22 22 33 33 // 99 99 88 88
00 00 77 77 // 22 22 33 33 // 99 99 88 88
00 00 77 77 // 22 22 33 33 // 99 99 88 88
00 00 77 77 // 22 22 33 33 // 99 99 88 88
00000000 77 77 // 222222222222 333333333333 // 999999999999 888888888888
0000000 77 77 // 222222222222 3333333333 // 99999999999 8888888888
    
```

```

0000000  9999999999  //  2222222222  7777777777  //  3333333333  3333333333
00000000 9999999999 //  222222222222 7777777777 //  333333333333 333333333333
00 00 99 99 // 22 22 77 77 // 33 33 33 33
00 00 99 99 // 22 22 77 77 // 33 33 33 33
00 00 99 99 // 22 22 77 77 // 33 33 33 33
00 00 9999999999 // 22 22 77 77 // 333 333 333
00 00 9999999999 // 22 22 77 77 // 333 333 333
00 00 99 99 // 22 22 77 77 // 33 33 33
00 00 99 99 // 22 22 77 77 // 33 33 33
00 00 99 99 // 22 22 77 77 // 33 33 33
00000000 9999999999 // 222222222222 77 77 // 333333333333 333333333333
0000000 9999999999 // 222222222222 77 77 // 333333333333 333333333333
    
```



```

*****
LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP
*****
*****
          NUMERIC PARAMETERS
*****
TME      MAXIMUM PROBLEM TIME (MIN)          *****
TBA      TIME PER GENERATION (MIN)           0.50
GEN      NUMBER OF GENERATIONS               303
NPG      NUMBER PER GENERATION               1000
NSK      NUMBER OF GENERATIONS TO BE SKIPPED 3
BEG      BEGINNING GENERATION NUMBER         1
RES      GENERATIONS BETWEEN CHECKPOINTS     0
X1D      NUMBER OF EXTRA 1-D CROSS SECTIONS  1
NBK      NEUTRON BANK SIZE                   1025
XNB      EXTRA POSITIONS IN NEUTRON BANK     0
NFB      FISSION BANK SIZE                   1000
XFB      EXTRA POSITIONS IN FISSION BANK     0
WTA      DEFAULT VALUE OF WEIGHT AVERAGE     0.5000
WTH      WEIGHT HIGH FOR SPLITTING           3.0000
WTL      WEIGHT LOW FOR RUSSIAN ROULETTE     0.3333
RND      STARTING RANDOM NUMBER              BB827100001
NBB      NUMBER OF D.A. BLOCKS ON UNIT 8     200
NLB      LENGTH OF D.A. BLOCKS ON UNIT 8     512
ADJ      MODE OF CALCULATION                 FORWARD
          INPUT DATA WRITTEN ON RESTART UNIT NO
          BINARY DATA INTERFACE             YES
*****

```

```
.....  
LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP  
.....  
***** LOGICAL PARAMETERS *****  
.....  
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***  
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***  
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***  
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***  
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***  
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***  
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***  
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***  
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***  
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***  
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***  
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***  
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***  
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***  
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***  
*** PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***  
*** TRK PRINT TRACKING INFORMATION NO ***  
.....  
PARAMETER INPUT COMPLETED  
.....
```

```
..... 0 IO'S WERE USED READING THE PARAMETER DATA .....
```

```
***** DATA READING COMPLETED *****
```

```

*****
LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP
*****
***** ADDITIONAL INFORMATION *****
*****
NUMBER OF ENERGY GROUPS          27      USE LATTICE GEOMETRY          YES
NO. OF FISSION SPECTRUM SOURCE GROUP 1      GLOBAL ARRAY NUMBER          1
NO. OF SCATTERING ANGLES IN XSECS  2      NUMBER OF UNITS IN THE GLOBAL X DIR. 17
ENTRIES/NEUTRON IN THE NEUTRON BANK 16     NUMBER OF UNITS IN THE GLOBAL Y DIR. 17
ENTRIES/NEUTRON IN THE FISSION BANK  9     NUMBER OF UNITS IN THE GLOBAL Z DIR.  1
NUMBER OF MIXTURES USED            9      USE A GLOBAL REFLECTOR        YES
NUMBER OF BIAS ID'S USED           1      USE NESTED HOLES              NO
NUMBER OF DIFFERENTIAL ALBEDOS USED 0      NUMBER OF HOLES                0
TOTAL INPUT GEOMETRY REGIONS        19     MAXIMUM HOLE NESTING LEVEL     0
NUMBER OF GEOMETRY REGIONS USED     19     USE NESTED ARRAYS              NO
LARGEST GEOMETRY UNIT NUMBER        9      NUMBER OF ARRAYS USED          1
LARGEST ARRAY NUMBER                 1     MAXIMUM ARRAY NESTING LEVEL    1
*****
+X BOUNDARY CONDITION                VAC    -X BOUNDARY CONDITION          VAC
+Y BOUNDARY CONDITION                VAC    -Y BOUNDARY CONDITION          VAC
+Z BOUNDARY CONDITION                VAC    -Z BOUNDARY CONDITION          VAC
*****

```


LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 1 -----								
FUEL PIN CELL - WITH H2O								
1	CYLINDER	1	RADIUS = 0.39220	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	CYLINDER	9	RADIUS = 0.40010	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CYLINDER	2	RADIUS = 0.45720	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	CUBOID	3	+X = 0.62990	-X = -0.62990	+Y = 0.62990	-Y = -0.62990	+Z = 182.88 -Z = -182.88	
----- UNIT 2 -----								
WATER ROD CELL - WITH H2O								
1	CYLINDER	3	RADIUS = 0.57150	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	CYLINDER	2	RADIUS = 0.61210	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CUBOID	3	+X = 0.62990	-X = -0.62990	+Y = 0.62990	-Y = -0.62990	+Z = 182.88 -Z = -182.88	
***** GLOBAL *****								
----- UNIT 9 GLOBAL EXTERNAL TO LATTICE 1 -----								
1	ARRAY NUMBER	1	+X = 10.708	-X = -10.708	+Y = 10.708	-Y = -10.708	+Z = 182.88 -Z = -182.88	
2	CUBOID	3	+X = 11.278	-X = -11.278	+Y = 11.278	-Y = -11.278	+Z = 182.88 -Z = -182.88	
3	CYLINDER	4	RADIUS = 16.891	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	CYLINDER	3	RADIUS = 16.986	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5	CYLINDER	5	RADIUS = 18.891	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6	CYLINDER	6	RADIUS = 33.496	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7	CYLINDER	5	RADIUS = 36.544	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
8	CYLINDER	7	RADIUS = 49.244	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
9	CYLINDER	5	RADIUS = 49.854	+Z = 212.48	-Z = -192.16	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
10	CYLINDER	6	RADIUS = 49.854	+Z = 212.48	-Z = -199.78	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
11	CYLINDER	5	RADIUS = 49.854	+Z = 212.48	-Z = -208.67	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
12	CUBOID	8	+X = 81.000	-X = -81.000	+Y = 81.000	-Y = -81.000	+Z = 243.00 -Z = -240.00	

LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

Z LAYER 1, X COLUMN 1 TO 17 LEFT TO RIGHT Y ROW 1 TO 17 BOTTOM TO TOP

```
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 2 1 1 2 1 1 2 1 1 1 1 1
1 1 1 2 1 1 1 1 1 1 1 1 1 2 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 2 1 1 1 1 1 1 1 1 1 2 1 1 1
1 1 1 1 1 2 1 1 2 1 1 2 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
```

LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	1.76751E+02 CM**3	1.76751E+02 CM**3
	2	2	7.19223E+00 CM**3	1.83943E+02 CM**3
	3	3	5.02490E+01 CM**3	2.40192E+02 CM**3
	4	4	3.40304E+02 CM**3	5.80496E+02 CM**3
2	1	5	3.75300E+02 CM**3	3.75300E+02 CM**3
	2	6	5.52175E+01 CM**3	4.30516E+02 CM**3
	3	7	1.49979E+02 CM**3	5.80496E+02 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 8 IS AN ARRAY PLACEMENT BOUNDARY REGION				
9	1	8	1.67763E+05 CM**3	1.67763E+05 CM**3
	2	9	1.83123E+04 CM**3	1.86076E+05 CM**3
	3	10	1.41760E+05 CM**3	3.27836E+05 CM**3
	4	11	3.70972E+03 CM**3	3.31544E+05 CM**3
	5	12	7.85353E+04 CM**3	4.10081E+05 CM**3
	6	13	8.79177E+05 CM**3	1.28926E+06 CM**3
	7	14	2.45306E+05 CM**3	1.53457E+06 CM**3
	8	15	1.25193E+06 CM**3	2.78649E+06 CM**3
	9	16	3.72996E+05 CM**3	3.15949E+06 CM**3
	10	17	5.94983E+04 CM**3	3.21899E+06 CM**3
	11	18	6.94145E+04 CM**3	3.28840E+06 CM**3
	12	19	9.38745E+06 CM**3	1.26759E+07 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	264	1	1	4.66622E+04 CM**3
		2	9	1.89875E+03 CM**3
		3	2	1.48497E+04 CM**3
		4	3	8.98403E+04 CM**3
2	25	1	3	9.38250E+03 CM**3
		2	2	1.38044E+03 CM**3
		3	3	3.74947E+03 CM**3
9	1	1	1	1.67763E+05 CM**3
		2	3	1.83123E+04 CM**3
		3	4	1.41760E+05 CM**3
		4	3	3.70972E+03 CM**3
		5	5	7.85353E+04 CM**3
		6	6	8.79177E+05 CM**3
		7	5	2.45306E+05 CM**3
		8	7	1.25193E+06 CM**3
		9	5	3.72996E+05 CM**3
		10	6	5.94983E+04 CM**3
		11	5	6.94145E+04 CM**3
		12	8	9.38745E+06 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	4.66622E+04 CM**3	4.85846E-05
2	1.62302E+04 CM**3	1.05334E+05
3	1.24994E+05 CM**3	1.24766E+05
4	1.41760E+05 CM**3	3.83037E+05
5	7.66253E+05 CM**3	6.06873E+06
6	9.38675E+05 CM**3	1.06483E+07
7	1.25193E+06 CM**3	1.24964E+06
8	9.38745E+06 CM**3	9.37028E-14
9	1.89875E+03 CM**3	1.89528E-17

.....

 *** BIASING INFORMATION ***

 *** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING

..... 0.01650 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 2.78143E-01

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 1.07083E+01 -X=-1.07083E+01 +Y= 1.07083E+01 -Y=-1.07083E+01 +Z= 1.82880E+02 -Z=-1.82880E+02

THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.09217 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.11733 MINUTES.

NAC-LWT Cask SAR
Revision 38

November 2007

LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP

GENERATION KENO MESSAGE NUMBER	GENERATION K-EFFECTIVE MINUTES	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE DEVIATION	MATRIX K-EFF DEVIATION
1	6.85806E-01	1.53623E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
2	9.39214E-01	1.68667E-01	1.00000E+00	0.00000E+00	-0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132 WARNING... ONLY 994 INDEPENDENT FISSION POINTS WERE GENERATED						
3	9.13529E-01	2.21500E-01	9.13529E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	9.01618E-01	2.54500E-01	9.07274E-01	6.22521E-03	0.00000E+00	0.00000E+00
5	9.02144E-01	2.66500E-01	9.05564E-01	3.99573E-03	0.00000E+00	0.00000E+00
6	8.82090E-01	2.20335E-01	8.99695E-01	6.11215E-03	0.00000E+00	0.00000E+00
7	9.06539E-01	3.57000E-01	9.01064E-01	5.22744E-03	0.00000E+00	0.00000E+00
8	9.56216E-01	3.90833E-01	9.10256E-01	1.61345E-02	0.00000E+00	0.00000E+00
9	9.56446E-01	4.50333E-01	9.13897E-01	9.34672E-03	0.00000E+00	0.00000E+00
10	8.67858E-01	4.42333E-01	9.10730E-01	6.72806E-03	0.00000E+00	0.00000E+00
11	8.91353E-01	4.87167E-01	9.08577E-01	7.99271E-03	0.00000E+00	0.00000E+00
12	9.24083E-01	5.35500E-01	9.11128E-01	7.59111E-03	0.00000E+00	0.00000E+00
13	9.54576E-01	5.47500E-01	9.15078E-01	7.92145E-03	0.00000E+00	0.00000E+00
14	8.96471E-01	6.01500E-01	9.13527E-01	7.39563E-03	0.00000E+00	0.00000E+00
15	9.28472E-01	6.34333E-01	9.14492E-01	6.90202E-03	0.00000E+00	0.00000E+00
16	9.41564E-01	6.68333E-01	9.16111E-01	6.67208E-03	0.00000E+00	0.00000E+00
17	9.01900E-01	6.99333E-01	9.15131E-01	6.28831E-03	0.00000E+00	0.00000E+00
18	9.69297E-01	7.32333E-01	9.18985E-01	6.77129E-03	0.00000E+00	0.00000E+00
19	9.56127E-01	7.67167E-01	9.21170E-01	6.72830E-03	0.00000E+00	0.00000E+00
20	9.01176E-01	7.99167E-01	9.20059E-01	6.43723E-03	0.00000E+00	0.00000E+00
21	8.94536E-01	8.32167E-01	9.18716E-01	6.23540E-03	0.00000E+00	0.00000E+00
22	9.29596E-01	8.65333E-01	9.19260E-01	5.94388E-03	0.00000E+00	0.00000E+00
23	9.16368E-01	8.98000E-01	9.19122E-01	5.65211E-03	0.00000E+00	0.00000E+00
24	9.97969E-01	9.29167E-01	9.22707E-01	6.47252E-03	0.00000E+00	0.00000E+00
25	9.36650E-01	9.63000E-01	9.23512E-01	6.21426E-03	0.00000E+00	0.00000E+00
26	9.17401E-01	9.96833E-01	9.23066E-01	5.95480E-03	0.00000E+00	0.00000E+00
27	9.49137E-01	1.02600E+00	9.24109E-01	5.80406E-03	0.00000E+00	0.00000E+00
28	8.87709E-01	1.06183E+00	9.22709E-01	5.75128E-03	0.00000E+00	0.00000E+00
29	9.19245E-01	1.09400E+00	9.22581E-01	5.53665E-03	0.00000E+00	0.00000E+00
30	9.20737E-01	1.12783E+00	9.22678E-01	5.34224E-03	0.00000E+00	0.00000E+00
31	9.54481E-01	1.15993E+00	9.23962E-01	5.26871E-03	0.00000E+00	0.00000E+00
32	9.12407E-01	1.19100E+00	9.23577E-01	5.16461E-03	0.00000E+00	0.00000E+00
33	9.19944E-01	1.22217E+00	9.23459E-01	4.93859E-03	0.00000E+00	0.00000E+00
34	9.27206E-01	1.25500E+00	9.23577E-01	4.76520E-03	0.00000E+00	0.00000E+00
35	9.05590E-01	1.28983E+00	9.23631E-01	4.66792E-03	0.00000E+00	0.00000E+00
36	9.50760E-01	1.32283E+00	9.23847E-01	4.60140E-03	0.00000E+00	0.00000E+00
37	9.34740E-01	1.35583E+00	9.24158E-01	4.47882E-03	0.00000E+00	0.00000E+00
38	9.25213E-01	1.38783E+00	9.24188E-01	4.35735E-03	0.00000E+00	0.00000E+00
39	9.61123E-01	1.41983E+00	9.25186E-01	4.34956E-03	0.00000E+00	0.00000E+00
40	9.42560E-01	1.45367E+00	9.25643E-01	4.25617E-03	0.00000E+00	0.00000E+00
41	8.96787E-01	1.48750E+00	9.24903E-01	4.21502E-03	0.00000E+00	0.00000E+00
42	9.39391E-01	1.51763E+00	9.25265E-01	4.12729E-03	0.00000E+00	0.00000E+00
43	9.50404E-01	1.54883E+00	9.25678E-01	4.06697E-03	0.00000E+00	0.00000E+00
44	9.24725E-01	1.58163E+00	9.25851E-01	3.96906E-03	0.00000E+00	0.00000E+00
45	9.17061E-01	1.61463E+00	9.25647E-01	3.88104E-03	0.00000E+00	0.00000E+00
46	9.32333E-01	1.64683E+00	9.25799E-01	3.79485E-03	0.00000E+00	0.00000E+00
47	9.06479E-01	1.68067E+00	9.25369E-01	3.73433E-03	0.00000E+00	0.00000E+00
48	9.19627E-01	1.71467E+00	9.25244E-01	3.65437E-03	0.00000E+00	0.00000E+00
49	9.41650E-01	1.74750E+00	9.25593E-01	3.59277E-03	0.00000E+00	0.00000E+00
50	9.05315E-01	1.78050E+00	9.25171E-01	3.54241E-03	0.00000E+00	0.00000E+00
51	9.27366E-01	1.81433E+00	9.25216E-01	3.46865E-03	0.00000E+00	0.00000E+00
52	9.08010E-01	1.84550E+00	9.24872E-01	3.41692E-03	0.00000E+00	0.00000E+00
53	9.37532E-01	1.87750E+00	9.25120E-01	3.35844E-03	0.00000E+00	0.00000E+00
54	9.45465E-01	1.90967E+00	9.25511E-01	3.31638E-03	0.00000E+00	0.00000E+00
55	9.10189E-01	1.94350E+00	9.25222E-01	3.26603E-03	0.00000E+00	0.00000E+00
56	9.17433E-01	1.97733E+00	9.25078E-01	3.20822E-03	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132 WARNING... ONLY 977 INDEPENDENT FISSION POINTS WERE GENERATED						
57	8.41913E-01	2.01033E+00	9.23566E-01	3.49354E-03	0.00000E+00	0.00000E+00
58	8.95416E-01	2.04417E+00	9.23063E-01	3.46722E-03	0.00000E+00	0.00000E+00
59	9.47738E-01	2.07617E+00	9.23496E-01	3.43325E-03	0.00000E+00	0.00000E+00
60	9.14889E-01	2.10817E+00	9.23348E-01	3.37679E-03	0.00000E+00	0.00000E+00
61	8.97825E-01	2.14117E+00	9.22915E-01	3.34714E-03	0.00000E+00	0.00000E+00
62	9.65730E-01	2.17133E+00	9.23629E-01	3.36736E-03	0.00000E+00	0.00000E+00
63	8.85004E-01	2.20433E+00	9.22995E-01	3.37169E-03	0.00000E+00	0.00000E+00
64	9.52399E-01	2.23817E+00	9.23470E-01	3.35059E-03	0.00000E+00	0.00000E+00
65	9.39262E-01	2.27117E+00	9.23720E-01	3.30649E-03	0.00000E+00	0.00000E+00
66	9.14343E-01	2.30417E+00	9.23574E-01	3.25772E-03	0.00000E+00	0.00000E+00
67	9.17100E-01	2.33717E+00	9.23474E-01	3.20875E-03	0.00000E+00	0.00000E+00
68	9.73007E-01	2.37000E+00	9.24225E-01	3.24766E-03	0.00000E+00	0.00000E+00
69	9.19364E-01	2.40483E+00	9.24152E-01	3.19965E-03	0.00000E+00	0.00000E+00
70	8.97601E-01	2.43600E+00	9.23762E-01	3.17633E-03	0.00000E+00	0.00000E+00
71	8.99201E-01	2.46983E+00	9.23406E-01	3.15014E-03	0.00000E+00	0.00000E+00
72	9.23122E-01	2.50000E+00	9.23402E-01	3.10481E-03	0.00000E+00	0.00000E+00
73	9.11981E-01	2.53200E+00	9.23241E-01	3.06499E-03	0.00000E+00	0.00000E+00
74	8.98014E-01	2.56500E+00	9.22890E-01	3.04237E-03	0.00000E+00	0.00000E+00
75	9.35208E-01	2.59700E+00	9.23059E-01	3.00514E-03	0.00000E+00	0.00000E+00
76	9.23685E-01	2.63100E+00	9.23068E-01	2.96426E-03	0.00000E+00	0.00000E+00
77	9.59360E-01	2.66300E+00	9.23551E-01	2.96424E-03	0.00000E+00	0.00000E+00
78	9.59641E-01	2.69500E+00	9.24026E-01	2.96327E-03	0.00000E+00	0.00000E+00
79	9.56868E-01	2.72617E+00	9.24453E-01	2.95547E-03	0.00000E+00	0.00000E+00
80	9.55849E-01	2.76000E+00	9.24855E-01	2.94497E-03	0.00000E+00	0.00000E+00
81	9.42287E-01	2.79383E+00	9.25076E-01	2.91581E-03	0.00000E+00	0.00000E+00
82	9.36740E-01	2.82417E+00	9.25222E-01	2.88282E-03	0.00000E+00	0.00000E+00
83	9.96816E-01	2.85700E+00	9.24871E-01	2.86853E-03	0.00000E+00	0.00000E+00
84	9.14175E-01	2.89000E+00	9.24741E-01	2.83633E-03	0.00000E+00	0.00000E+00
85	9.53858E-01	2.92200E+00	9.25091E-01	2.82382E-03	0.00000E+00	0.00000E+00
86	9.32691E-01	2.95500E+00	9.25182E-01	2.79147E-03	0.00000E+00	0.00000E+00
87	9.41861E-01	2.98800E+00	9.25378E-01	2.76541E-03	0.00000E+00	0.00000E+00
88	9.17970E-01	3.02083E+00	9.25292E-01	2.73442E-03	0.00000E+00	0.00000E+00
89	9.41289E-01	3.05383E+00	9.25476E-01	2.70905E-03	0.00000E+00	0.00000E+00
90	9.23612E-01	3.08767E+00	9.25455E-01	2.67817E-03	0.00000E+00	0.00000E+00
91	9.08846E-01	3.12067E+00	9.25268E-01	2.65448E-03	0.00000E+00	0.00000E+00
92	9.13348E-01	3.15267E+00	9.25136E-01	2.62816E-03	0.00000E+00	0.00000E+00
93	9.28301E-01	3.18567E+00	9.25170E-01	2.59935E-03	0.00000E+00	0.00000E+00
94	9.60296E-01	3.21867E+00	9.25552E-01	2.59914E-03	0.00000E+00	0.00000E+00

95	9.14236E-01	3.25147E+00	9.25430E-01	2.57592E-03	0.00060E+00	0.00000E+00
96	8.75069E-01	3.28550E+00	9.24895E-01	2.60210E-03	0.00000E+00	0.00000E+00
97	9.35395E-01	3.31850E+00	9.25005E-01	2.57694E-03	0.00000E+00	0.00000E+00
98	9.06466E-01	3.35250E+00	9.24612E-01	2.55724E-03	0.00000E+00	0.00000E+00
99	8.87846E-01	3.38633E+00	9.24554E-01	2.54596E-03	0.00000E+00	0.00000E+00
100	8.96200E-01	3.41753E+00	9.24200E-01	2.53406E-03	0.00000E+00	0.00000E+00
101	8.94662E-01	3.44853E+00	9.23967E-01	2.52666E-03	0.00000E+00	0.00000E+00
102	9.34891E-01	3.48233E+00	9.24666E-01	2.50386E-03	0.00000E+00	0.00000E+00
103	9.31677E-01	3.51433E+00	9.24442E-01	2.47967E-03	0.00000E+00	0.00000E+00
104	9.31327E-01	3.54633E+00	9.24214E-01	2.45447E-03	0.00000E+00	0.00000E+00
105	9.45878E-01	3.57833E+00	9.24244E-01	2.44198E-03	0.00000E+00	0.00000E+00
106	9.24709E-01	3.61233E+00	9.24277E-01	2.41798E-03	0.00000E+00	0.00000E+00
107	9.39009E-01	3.64433E+00	9.24565E-01	2.39887E-03	0.00000E+00	0.00000E+00
108	9.45230E-01	3.67733E+00	9.24761E-01	2.38419E-03	0.00000E+00	0.00000E+00
109	9.45529E-01	3.70933E+00	9.25142E-01	2.39234E-03	0.00000E+00	0.00000E+00
110	9.34461E-01	3.74233E+00	9.25229E-01	2.37166E-03	0.00000E+00	0.00000E+00
111	9.40742E-01	3.77517E+00	9.25375E-01	2.35411E-03	0.00000E+00	0.00000E+00
112	9.68989E-01	3.80817E+00	9.25766E-01	2.36606E-03	0.00000E+00	0.00000E+00
113	9.21929E-01	3.84200E+00	9.25733E-01	2.34492E-03	0.00000E+00	0.00000E+00
114	9.40170E-01	3.87500E+00	9.25916E-01	2.33104E-03	0.00000E+00	0.00000E+00
115	9.22911E-01	3.90800E+00	9.25899E-01	2.31647E-03	0.00000E+00	0.00000E+00
116	9.15666E-01	3.94300E+00	9.26238E-01	2.31154E-03	0.00000E+00	0.00000E+00
117	9.21870E-01	3.97800E+00	9.26200E-01	2.29662E-03	0.00000E+00	0.00000E+00
118	9.01764E-01	4.00767E+00	9.25990E-01	2.28646E-03	0.00000E+00	0.00000E+00
119	9.07249E-01	4.04167E+00	9.25830E-01	2.27249E-03	0.00000E+00	0.00000E+00
120	9.81145E-01	4.07267E+00	9.26298E-01	2.30139E-03	0.00000E+00	0.00000E+00
121	9.44074E-01	4.10365E+00	9.26448E-01	2.28655E-03	0.00000E+00	0.00000E+00
122	9.21559E-01	4.13217E+00	9.26407E-01	2.26808E-03	0.00000E+00	0.00000E+00
123	9.20206E-01	4.16517E+00	9.26356E-01	2.24963E-03	0.00000E+00	0.00000E+00
124	9.19285E-01	4.20000E+00	9.26298E-01	2.23207E-03	0.00000E+00	0.00000E+00
125	9.16275E-01	4.23300E+00	9.26217E-01	2.21535E-03	0.00000E+00	0.00000E+00
126	9.91448E-01	4.26500E+00	9.25936E-01	2.21523E-03	0.00000E+00	0.00000E+00
127	9.26114E-01	4.29900E+00	9.25953E-01	2.19743E-03	0.00000E+00	0.00000E+00
128	9.12693E-01	4.33300E+00	9.25833E-01	2.18246E-03	0.00000E+00	0.00000E+00
129	9.40210E-01	4.36400E+00	9.26103E-01	2.16200E-03	0.00000E+00	0.00000E+00
130	9.29697E-01	4.39767E+00	9.26131E-01	2.16513E-03	0.00000E+00	0.00000E+00
131	9.42543E-01	4.43167E+00	9.26259E-01	2.15204E-03	0.00000E+00	0.00000E+00
132	9.16525E-01	4.46550E+00	9.26184E-01	2.13673E-03	0.00000E+00	0.00000E+00
133	8.96387E-01	4.49833E+00	9.25956E-01	2.13255E-03	0.00000E+00	0.00000E+00
134	9.54771E-01	4.53233E+00	9.26171E-01	2.12715E-03	0.00000E+00	0.00000E+00
135	9.38626E-01	4.56333E+00	9.26266E-01	2.11324E-03	0.00000E+00	0.00000E+00
136	9.33384E-01	4.59633E+00	9.26319E-01	2.09808E-03	0.00000E+00	0.00000E+00
137	9.04157E-01	4.63117E+00	9.26155E-01	2.08594E-03	0.00000E+00	0.00000E+00
138	9.50015E-01	4.66233E+00	9.26330E-01	2.08094E-03	0.00000E+00	0.00000E+00
139	9.46112E-01	4.69433E+00	9.26621E-01	2.06600E-03	0.00000E+00	0.00000E+00
140	9.26934E-01	4.72617E+00	9.26623E-01	2.07633E-03	0.00000E+00	0.00000E+00
141	9.07740E-01	4.76483E+00	9.26451E-01	2.06305E-03	0.00000E+00	0.00000E+00
142	9.24065E-01	4.79867E+00	9.26434E-01	2.04533E-03	0.00000E+00	0.00000E+00
143	9.15953E-01	4.83067E+00	9.26644E-01	2.04450E-03	0.00000E+00	0.00000E+00
144	9.38778E-01	4.86450E+00	9.26729E-01	2.03184E-03	0.00000E+00	0.00000E+00
145	9.28669E-01	4.89650E+00	9.26743E-01	2.01763E-03	0.00000E+00	0.00000E+00
146	9.21329E-01	4.93050E+00	9.26705E-01	2.00392E-03	0.00000E+00	0.00000E+00
147	9.10866E-01	4.96350E+00	9.26966E-01	1.99304E-03	0.00000E+00	0.00000E+00
148	9.24269E-01	4.99633E+00	9.26560E-01	1.97841E-03	0.00000E+00	0.00000E+00
149	9.63222E-01	5.03117E+00	9.26421E-01	1.97231E-03	0.00000E+00	0.00000E+00
150	8.95189E-01	5.06417E+00	9.26210E-01	1.97027E-03	0.00000E+00	0.00000E+00
151	9.48128E-01	5.09717E+00	9.26357E-01	1.96252E-03	0.00000E+00	0.00000E+00
152	9.08226E-01	5.13100E+00	9.26236E-01	1.95314E-03	0.00000E+00	0.00000E+00
153	9.16249E-01	5.16467E+00	9.26184E-01	1.94967E-03	0.00000E+00	0.00000E+00
154	9.52513E-01	5.19763E+00	9.26357E-01	1.93562E-03	0.00000E+00	0.00000E+00
155	9.26765E-01	5.22963E+00	9.26306E-01	1.92313E-03	0.00000E+00	0.00000E+00
156	9.22425E-01	5.26163E+00	9.26334E-01	1.91077E-03	0.00000E+00	0.00000E+00
157	9.50244E-01	5.29363E+00	9.26489E-01	1.90466E-03	0.00000E+00	0.00000E+00
158	9.34982E-01	5.32763E+00	9.26433E-01	1.89131E-03	0.00000E+00	0.00000E+00
159	9.46343E-01	5.36067E+00	9.26669E-01	1.88532E-03	0.00000E+00	0.00000E+00
160	9.24231E-01	5.39467E+00	9.26654E-01	1.87341E-03	0.00000E+00	0.00000E+00
161	9.26075E-01	5.42750E+00	9.26650E-01	1.86160E-03	0.00000E+00	0.00000E+00
162	9.16128E-01	5.46233E+00	9.26684E-01	1.85109E-03	0.00000E+00	0.00000E+00
163	9.29609E-01	5.49433E+00	9.26604E-01	1.83967E-03	0.00000E+00	0.00000E+00
164	9.31262E-01	5.52733E+00	9.26633E-01	1.82850E-03	0.00000E+00	0.00000E+00
165	9.29190E-01	5.56117E+00	9.26449E-01	1.81732E-03	0.00000E+00	0.00000E+00
166	9.36944E-01	5.59417E+00	9.26712E-01	1.80729E-03	0.00000E+00	0.00000E+00
167	9.17540E-01	5.62800E+00	9.26656E-01	1.79717E-03	0.00000E+00	0.00000E+00
168	9.04166E-01	5.66183E+00	9.26521E-01	1.79144E-03	0.00000E+00	0.00000E+00
169	9.59455E-01	5.69483E+00	9.26716E-01	1.79157E-03	0.00000E+00	0.00000E+00
170	9.67619E-01	5.72867E+00	9.26961E-01	1.79743E-03	0.00000E+00	0.00000E+00
171	9.32381E-01	5.75983E+00	9.26993E-01	1.78705E-03	0.00000E+00	0.00000E+00
172	9.39258E-01	5.79100E+00	9.27065E-01	1.77798E-03	0.00000E+00	0.00000E+00
173	8.62756E-01	5.82400E+00	9.26699E-01	1.80711E-03	0.00000E+00	0.00000E+00
174	9.38090E-01	5.85667E+00	9.26756E-01	1.79780E-03	0.00000E+00	0.00000E+00
175	9.00613E-01	5.89267E+00	9.26665E-01	1.79275E-03	0.00000E+00	0.00000E+00
176	9.19442E-01	5.92650E+00	9.26564E-01	1.78388E-03	0.00000E+00	0.00000E+00
177	9.04231E-01	5.96033E+00	9.26436E-01	1.77624E-03	0.00000E+00	0.00000E+00
178	9.17689E-01	5.99333E+00	9.26387E-01	1.76860E-03	0.00000E+00	0.00000E+00
179	9.26085E-01	6.02817E+00	9.26395E-01	1.75878E-03	0.00000E+00	0.00000E+00
180	9.10857E-01	6.06100E+00	9.26298E-01	1.75105E-03	0.00000E+00	0.00000E+00
181	9.43644E-01	6.09483E+00	9.26385E-01	1.74393E-03	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-112 WARNING... ONLY 997 INDEPENDENT FISSION POINTS WERE GENERATED						
182	8.47673E-01	6.13067E+00	9.26957E-01	1.78851E-03	0.00000E+00	0.00000E+00
183	9.39103E-01	6.16350E+00	9.26025E-01	1.77989E-03	0.00000E+00	0.00000E+00
184	8.90688E-01	6.19650E+00	9.25831E-01	1.78071E-03	0.00000E+00	0.00000E+00
185	9.35330E-01	6.22950E+00	9.25882E-01	1.77171E-03	0.00000E+00	0.00000E+00
186	9.26899E-01	6.26333E+00	9.25888E-01	1.76207E-03	0.00000E+00	0.00000E+00
187	9.23684E-01	6.29533E+00	9.25876E-01	1.75256E-03	0.00000E+00	0.00000E+00
188	9.10842E-01	6.32833E+00	9.25795E-01	1.74498E-03	0.00000E+00	0.00000E+00
189	9.37209E-01	6.35950E+00	9.25856E-01	1.73670E-03	0.00000E+00	0.00000E+00
190	9.50270E-01	6.39150E+00	9.25986E-01	1.73231E-03	0.00000E+00	0.00000E+00
191	9.52251E-01	6.42533E+00	9.26125E-01	1.72871E-03	0.00000E+00	0.00000E+00
192	9.25949E-01	6.45833E+00	9.26124E-01	1.71959E-03	0.00000E+00	0.00000E+00
193	9.42037E-01	6.49033E+00	9.26207E-01	1.71259E-03	0.00000E+00	0.00000E+00
194	9.51804E-01	6.52233E+00	9.26341E-01	1.70886E-03	0.00000E+00	0.00000E+00

195	9.25066E-01	6.55633E+00	9.26337E-01	1.69996E-03	0.00000E+00	0.00000E+00
196	9.32754E-01	6.58833E+00	9.26370E-01	1.69159E-03	0.00000E+00	0.00000E+00
197	9.47192E-01	6.62217E+00	9.26278E-01	1.68707E-03	0.00000E+00	0.00000E+00
198	9.75703E-01	6.65600E+00	9.26266E-01	1.67708E-03	0.00000E+00	0.00000E+00
199	9.27047E-01	6.68817E+00	9.26270E-01	1.66855E-03	0.00000E+00	0.00000E+00
200	9.45197E-01	6.71917E+00	9.26367E-01	1.66295E-03	0.00000E+00	0.00000E+00
201	9.42746E-01	6.75400E+00	9.26410E-01	1.65692E-03	0.00000E+00	0.00000E+00
202	9.51617E-01	6.78517E+00	9.26475E-01	1.64852E-03	0.00000E+00	0.00000E+00
203	9.67107E-01	6.82000E+00	9.26487E-01	1.64270E-03	0.00000E+00	0.00000E+00
204	9.59893E-01	6.85200E+00	9.26424E-01	1.63270E-03	0.00000E+00	0.00000E+00
205	9.18666E-01	6.88500E+00	9.27000E-01	1.62520E-03	0.00000E+00	0.00000E+00
206	9.21028E-01	6.91877E+00	9.26971E-01	1.64423E-03	0.00000E+00	0.00000E+00
207	9.17264E-01	6.95267E+00	9.26823E-01	1.63687E-03	0.00000E+00	0.00000E+00
208	6.95367E-01	6.98650E+00	9.26760E-01	1.63703E-03	0.00000E+00	0.00000E+00
209	9.42777E-01	7.02033E+00	9.26836E-01	1.63094E-03	0.00000E+00	0.00000E+00
210	9.26255E-01	7.05433E+00	9.26835E-01	1.62300E-03	0.00000E+00	0.00000E+00
211	9.45664E-01	7.08717E+00	9.26826E-01	1.61780E-03	0.00000E+00	0.00000E+00
212	9.35674E-01	7.11933E+00	9.26966E-01	1.61068E-03	0.00000E+00	0.00000E+00
213	9.47448E-01	7.15217E+00	9.27065E-01	1.60598E-03	0.00000E+00	0.00000E+00
214	9.61191E-01	7.18517E+00	9.27320E-01	1.61863E-03	0.00000E+00	0.00000E+00
215	9.12584E-01	7.22000E+00	9.27251E-01	1.61250E-03	0.00000E+00	0.00000E+00
216	9.36204E-01	7.25017E+00	9.27293E-01	1.60549E-03	0.00000E+00	0.00000E+00
217	9.40146E-01	7.28133E+00	9.27353E-01	1.59912E-03	0.00000E+00	0.00000E+00
218	8.81631E-01	7.31983E+00	9.27141E-01	1.60572E-03	0.00000E+00	0.00000E+00
219	9.11066E-01	7.35267E+00	9.27007E-01	1.60001E-03	0.00000E+00	0.00000E+00
220	9.41373E-01	7.38567E+00	9.27132E-01	1.59401E-03	0.00000E+00	0.00000E+00
221	9.70273E-01	7.41867E+00	9.27329E-01	1.59889E-03	0.00000E+00	0.00000E+00
222	8.98117E-01	7.45250E+00	9.27199E-01	1.59695E-03	0.00000E+00	0.00000E+00
223	9.34562E-01	7.48450E+00	9.27232E-01	1.59066E-03	0.00000E+00	0.00000E+00
224	8.82609E-01	7.51833E+00	9.27030E-01	1.59570E-03	0.00000E+00	0.00000E+00
225	9.25143E-01	7.55233E+00	9.27022E-01	1.58855E-03	0.00000E+00	0.00000E+00
226	9.50005E-01	7.58333E+00	9.27125E-01	1.58477E-03	0.00000E+00	0.00000E+00
227	9.19243E-01	7.61633E+00	9.27090E-01	1.57810E-03	0.00000E+00	0.00000E+00
228	9.61220E-01	7.64833E+00	9.27339E-01	1.58926E-03	0.00000E+00	0.00000E+00
229	9.42088E-01	7.68233E+00	9.27394E-01	1.58258E-03	0.00000E+00	0.00000E+00
230	9.26421E-01	7.71433E+00	9.27364E-01	1.57691E-03	0.00000E+00	0.00000E+00
231	9.10318E-01	7.74733E+00	9.27289E-01	1.57177E-03	0.00000E+00	0.00000E+00
232	9.16055E-01	7.77933E+00	9.27240E-01	1.56569E-03	0.00000E+00	0.00000E+00
233	9.60212E-01	7.81133E+00	9.27470E-01	1.57567E-03	0.00000E+00	0.00000E+00
234	9.62820E-01	7.84333E+00	9.27622E-01	1.57625E-03	0.00000E+00	0.00000E+00
235	9.27678E-01	7.87900E+00	9.27622E-01	1.56947E-03	0.00000E+00	0.00000E+00
236	9.47358E-01	7.91300E+00	9.27792E-01	1.57194E-03	0.00000E+00	0.00000E+00
237	9.01526E-01	7.94583E+00	9.27686E-01	1.56923E-03	0.00000E+00	0.00000E+00
238	9.58282E-01	7.97800E+00	9.27810E-01	1.56793E-03	0.00000E+00	0.00000E+00
239	9.16623E-01	8.01183E+00	9.27771E-01	1.56179E-03	0.00000E+00	0.00000E+00
240	9.52132E-01	8.04200E+00	9.27874E-01	1.55857E-03	0.00000E+00	0.00000E+00
241	9.09282E+01	8.07563E+00	9.27796E-01	1.55399E-03	0.00000E+00	0.00000E+00
242	9.65912E+01	8.10760E+00	9.27855E-01	1.55563E-03	0.00000E+00	0.00000E+00
243	8.83765E-01	8.13900E+00	9.27771E-01	1.55997E-03	0.00000E+00	0.00000E+00
244	9.07330E-01	8.17300E+00	9.27676E-01	1.55561E-03	0.00000E+00	0.00000E+00
245	9.47471E-01	8.20500E+00	9.27766E-01	1.55153E-03	0.00000E+00	0.00000E+00
246	9.34985E-01	8.23700E+00	9.27798E-01	1.54544E-03	0.00000E+00	0.00000E+00
247	9.30121E-01	8.27063E+00	9.27807E-01	1.53915E-03	0.00000E+00	0.00000E+00
248	9.37416E-01	8.30300E+00	9.27846E-01	1.53333E-03	0.00000E+00	0.00000E+00
249	8.22009E-01	8.33563E+00	9.27823E-01	1.52734E-03	0.00000E+00	0.00000E+00
250	9.18967E-01	8.36967E+00	9.27767E-01	1.52159E-03	0.00000E+00	0.00000E+00
251	9.02665E-01	8.40267E+00	9.27684E-01	1.51601E-03	0.00000E+00	0.00000E+00
252	9.26316E-01	8.4347E+00	9.27681E-01	1.51274E-03	0.00000E+00	0.00000E+00
253	9.74784E-01	8.46767E+00	9.27666E-01	1.51609E-03	0.00000E+00	0.00000E+00
254	9.37892E-01	8.49967E+00	9.27966E-01	1.51258E-03	0.00000E+00	0.00000E+00
255	9.47611E-01	8.53163E+00	9.27964E-01	1.50640E-03	0.00000E+00	0.00000E+00
256	9.15236E-01	8.56363E+00	9.27934E-01	1.50349E-03	0.00000E+00	0.00000E+00
257	9.14173E-01	8.59767E+00	9.27880E-01	1.49855E-03	0.00000E+00	0.00000E+00
258	9.56066E-01	8.62967E+00	9.27990E-01	1.49674E-03	0.00000E+00	0.00000E+00
259	9.15185E-01	8.66367E+00	9.27966E-01	1.49174E-03	0.00000E+00	0.00000E+00
260	9.26990E-01	8.69650E+00	9.27936E-01	1.48595E-03	0.00000E+00	0.00000E+00
261	9.43926E-01	8.72950E+00	9.27996E-01	1.48150E-03	0.00000E+00	0.00000E+00
262	9.26172E-01	8.76250E+00	9.27891E-01	1.47580E-03	0.00000E+00	0.00000E+00
263	9.46441E-01	8.79533E+00	9.28062E-01	1.47183E-03	0.00000E+00	0.00000E+00
264	9.55709E-01	8.82933E+00	9.27816E-01	1.46999E-03	0.00000E+00	0.00000E+00
265	9.28661E-01	8.86217E+00	9.28166E-01	1.46439E-03	0.00000E+00	0.00000E+00
266	9.33064E-01	8.89517E+00	9.28186E-01	1.45896E-03	0.00000E+00	0.00000E+00
267	9.04900E-01	8.92900E+00	9.28100E-01	1.45666E-03	0.00000E+00	0.00000E+00
268	9.32353E-01	8.96200E+00	9.28116E-01	1.45068E-03	0.00000E+00	0.00000E+00
269	9.39116E-01	8.99500E+00	9.28158E-01	1.44563E-03	0.00000E+00	0.00000E+00
270	9.32928E-01	9.02617E+00	9.28174E-01	1.44053E-03	0.00000E+00	0.00000E+00
271	9.93832E-01	9.06000E+00	9.28048E-01	1.44064E-03	0.00000E+00	0.00000E+00
272	9.38845E-01	9.09300E+00	9.28082E-01	1.43605E-03	0.00000E+00	0.00000E+00
273	9.41662E-01	9.12500E+00	9.28138E-01	1.43116E-03	0.00000E+00	0.00000E+00
274	8.94413E-01	9.15863E+00	9.28014E-01	1.43172E-03	0.00000E+00	0.00000E+00
275	9.33043E-01	9.19063E+00	9.28032E-01	1.42659E-03	0.00000E+00	0.00000E+00
276	9.65242E-01	9.22260E+00	9.28168E-01	1.42764E-03	0.00000E+00	0.00000E+00
277	9.15540E-01	9.25463E+00	9.28122E-01	1.42338E-03	0.00000E+00	0.00000E+00
278	9.55975E-01	9.28967E+00	9.28223E-01	1.42180E-03	0.00000E+00	0.00000E+00
279	9.17744E-01	9.32267E+00	9.28185E-01	1.41718E-03	0.00000E+00	0.00000E+00
280	8.97664E-01	9.3547E+00	9.28076E-01	1.41632E-03	0.00000E+00	0.00000E+00
281	9.03321E-01	9.38767E+00	9.27987E-01	1.41402E-03	0.00000E+00	0.00000E+00
282	9.23108E-01	9.42067E+00	9.27969E-01	1.40907E-03	0.00000E+00	0.00000E+00
283	9.40774E-01	9.45367E+00	9.28015E-01	1.40478E-03	0.00000E+00	0.00000E+00
284	9.30739E-01	9.48650E+00	9.28024E-01	1.39982E-03	0.00000E+00	0.00000E+00
285	8.82695E-01	9.51950E+00	9.27864E-01	1.40405E-03	0.00000E+00	0.00000E+00
286	9.34269E-01	9.55333E+00	9.27887E-01	1.39924E-03	0.00000E+00	0.00000E+00
287	9.39833E-01	9.58633E+00	9.27929E-01	1.39498E-03	0.00000E+00	0.00000E+00
288	9.81553E-01	9.61933E+00	9.28116E-01	1.40268E-03	0.00000E+00	0.00000E+00
289	8.93769E-01	9.65233E+00	9.27997E-01	1.40290E-03	0.00000E+00	0.00000E+00
290	9.20555E-01	9.68617E+00	9.27971E-01	1.39826E-03	0.00000E+00	0.00000E+00
291	9.42749E-01	9.72000E+00	9.28022E-01	1.39435E-03	0.00000E+00	0.00000E+00
292	8.99384E-01	9.75383E+00	9.27923E-01	1.39303E-03	0.00000E+00	0.00000E+00
293	9.30678E-01	9.78683E+00	9.27933E-01	1.38827E-03	0.00000E+00	0.00000E+00
294	9.11641E-01	9.82067E+00	9.27877E-01	1.38463E-03	0.00000E+00	0.00000E+00
295	9.18919E-01	9.85267E+00	9.27846E-01	1.38024E-03	0.00000E+00	0.00000E+00

296	8.89102E-01	9.88667E+00	9.27714E-01	1.38183E-03	0.00000E+00	0.00000E+00
297	9.07287E-01	9.91767E+00	9.27645E-01	1.37888E-03	0.00000E+00	0.00000E+00
298	9.27070E-01	9.94983E+00	9.27643E-01	1.37422E-03	0.00000E+00	0.00000E+00
299	9.10371E-01	9.98267E+00	9.27585E-01	1.37682E-03	0.00000E+00	0.00000E+00
300	9.32232E-01	1.00167E+01	9.27601E-01	1.36630E-03	0.00000E+00	0.00000E+00
301	9.37152E-01	1.00495E+01	9.27633E-01	1.36209E-03	0.00000E+00	0.00000E+00
302	8.94576E-01	1.00825E+01	9.27522E-01	1.36201E-03	0.00000E+00	0.00000E+00
303	9.23771E-01	1.01163E+01	9.27510E-01	1.35754E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP

LIFETIME = 9.74486E-05 + OR - 2.73865E-07 GENERATION TIME = 3.83859E-05 + OR - 8.46030E-08
 NU BAR = 2.43589E+00 + OR - 9.63558E-05 AVERAGE FISSION GROUP = 2.26257E+01 + OR - 5.66318E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 1.43638E-01 + OR - 6.80425E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.92756	+ OR - 0.00136	0.92620 TO 0.92892	0.92483 TO 0.93028	0.92347 TO 0.93164	300000
4	0.92765	+ OR - 0.00136	0.92628 TO 0.92901	0.92492 TO 0.93037	0.92356 TO 0.93173	299000
5	0.92773	+ OR - 0.00136	0.92637 TO 0.92910	0.92500 TO 0.93046	0.92364 TO 0.93183	298000
6	0.92788	+ OR - 0.00136	0.92652 TO 0.92925	0.92516 TO 0.93061	0.92380 TO 0.93197	297000
7	0.92796	+ OR - 0.00136	0.92659 TO 0.92932	0.92523 TO 0.93068	0.92387 TO 0.93205	296000
8	0.92786	+ OR - 0.00136	0.92650 TO 0.92923	0.92513 TO 0.93059	0.92377 TO 0.93195	295000
9	0.92783	+ OR - 0.00137	0.92646 TO 0.92920	0.92509 TO 0.93057	0.92372 TO 0.93194	294000
10	0.92797	+ OR - 0.00137	0.92660 TO 0.92933	0.92523 TO 0.93070	0.92387 TO 0.93207	293000
11	0.92809	+ OR - 0.00137	0.92673 TO 0.92946	0.92536 TO 0.93082	0.92400 TO 0.93219	292000
12	0.92807	+ OR - 0.00137	0.92670 TO 0.92944	0.92533 TO 0.93081	0.92396 TO 0.93218	291000
17	0.92813	+ OR - 0.00138	0.92675 TO 0.92952	0.92537 TO 0.93090	0.92398 TO 0.93228	286000
22	0.92810	+ OR - 0.00139	0.92671 TO 0.92949	0.92532 TO 0.93087	0.92393 TO 0.93226	281000
27	0.92782	+ OR - 0.00139	0.92643 TO 0.92920	0.92505 TO 0.93059	0.92366 TO 0.93196	276000
32	0.92795	+ OR - 0.00140	0.92655 TO 0.92934	0.92515 TO 0.93074	0.92375 TO 0.93214	271000
37	0.92795	+ OR - 0.00142	0.92653 TO 0.92937	0.92511 TO 0.93079	0.92369 TO 0.93221	266000
42	0.92785	+ OR - 0.00143	0.92642 TO 0.92929	0.92498 TO 0.93072	0.92355 TO 0.93216	261000
47	0.92789	+ OR - 0.00146	0.92643 TO 0.92934	0.92497 TO 0.93080	0.92352 TO 0.93226	256000
52	0.92804	+ OR - 0.00148	0.92656 TO 0.92952	0.92508 TO 0.93099	0.92360 TO 0.93247	251000
57	0.92839	+ OR - 0.00146	0.92693 TO 0.92986	0.92546 TO 0.93132	0.92400 TO 0.93278	246000
62	0.92848	+ OR - 0.00147	0.92701 TO 0.92995	0.92553 TO 0.93142	0.92406 TO 0.93289	241000
67	0.92862	+ OR - 0.00148	0.92714 TO 0.93011	0.92565 TO 0.93159	0.92417 TO 0.93308	236000
72	0.92875	+ OR - 0.00149	0.92726 TO 0.93025	0.92577 TO 0.93174	0.92428 TO 0.93323	231000
77	0.92882	+ OR - 0.00151	0.92731 TO 0.93033	0.92580 TO 0.93185	0.92429 TO 0.93336	226000
82	0.92834	+ OR - 0.00153	0.92681 TO 0.92987	0.92528 TO 0.93139	0.92376 TO 0.93292	221000
87	0.92835	+ OR - 0.00155	0.92680 TO 0.92990	0.92525 TO 0.93144	0.92371 TO 0.93299	216000
92	0.92852	+ OR - 0.00158	0.92694 TO 0.93010	0.92537 TO 0.93168	0.92379 TO 0.93326	211000

LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
97	0.92867	+ OR - 0.00159	0.92708	TO 0.93025	0.92549	TO 0.93184	0.92391	TO 0.93342	206000
102	0.92922	+ OR - 0.00160	0.92763	TO 0.93082	0.92603	TO 0.93242	0.92443	TO 0.93401	201000
107	0.92909	+ OR - 0.00164	0.92745	TO 0.93072	0.92582	TO 0.93236	0.92418	TO 0.93399	196000
112	0.92851	+ OR - 0.00165	0.92686	TO 0.93016	0.92521	TO 0.93181	0.92356	TO 0.93346	191000
117	0.92832	+ OR - 0.00168	0.92664	TO 0.93000	0.92496	TO 0.93168	0.92328	TO 0.93336	186000
122	0.92824	+ OR - 0.00169	0.92655	TO 0.92993	0.92487	TO 0.93162	0.92318	TO 0.93330	181000
127	0.92863	+ OR - 0.00172	0.92691	TO 0.93035	0.92519	TO 0.93207	0.92347	TO 0.93378	176000
132	0.92852	+ OR - 0.00175	0.92676	TO 0.93027	0.92501	TO 0.93203	0.92326	TO 0.93378	171000
137	0.92861	+ OR - 0.00178	0.92683	TO 0.93039	0.92505	TO 0.93218	0.92326	TO 0.93396	166000
142	0.92845	+ OR - 0.00181	0.92663	TO 0.93026	0.92482	TO 0.93207	0.92301	TO 0.93388	161000
147	0.92836	+ OR - 0.00186	0.92650	TO 0.93022	0.92465	TO 0.93207	0.92279	TO 0.93393	156000
152	0.92878	+ OR - 0.00189	0.92689	TO 0.93066	0.92500	TO 0.93255	0.92311	TO 0.93444	151000
157	0.92859	+ OR - 0.00194	0.92666	TO 0.93053	0.92472	TO 0.93247	0.92278	TO 0.93441	146000
162	0.92856	+ OR - 0.00200	0.92656	TO 0.93056	0.92456	TO 0.93256	0.92256	TO 0.93456	141000
167	0.92855	+ OR - 0.00207	0.92648	TO 0.93062	0.92440	TO 0.93269	0.92233	TO 0.93476	136000
172	0.92809	+ OR - 0.00211	0.92598	TO 0.93019	0.92388	TO 0.93230	0.92177	TO 0.93440	131000
177	0.92900	+ OR - 0.00210	0.92690	TO 0.93110	0.92480	TO 0.93321	0.92269	TO 0.93531	126000
182	0.92982	+ OR - 0.00207	0.92775	TO 0.93189	0.92568	TO 0.93396	0.92361	TO 0.93603	121000
187	0.93012	+ OR - 0.00213	0.92798	TO 0.93225	0.92585	TO 0.93438	0.92372	TO 0.93651	116000
192	0.92988	+ OR - 0.00220	0.92768	TO 0.93208	0.92548	TO 0.93429	0.92327	TO 0.93649	111000
197	0.92979	+ OR - 0.00228	0.92750	TO 0.93207	0.92522	TO 0.93436	0.92293	TO 0.93664	106000
202	0.92956	+ OR - 0.00239	0.92717	TO 0.93195	0.92478	TO 0.93434	0.92239	TO 0.93672	101000
207	0.92876	+ OR - 0.00244	0.92633	TO 0.93120	0.92389	TO 0.93364	0.92145	TO 0.93607	96000
212	0.92876	+ OR - 0.00253	0.92623	TO 0.93129	0.92371	TO 0.93382	0.92118	TO 0.93635	91000
217	0.92790	+ OR - 0.00258	0.92532	TO 0.93049	0.92274	TO 0.93307	0.92016	TO 0.93565	86000
222	0.92835	+ OR - 0.00259	0.92576	TO 0.93094	0.92318	TO 0.93353	0.92059	TO 0.93612	81000
227	0.92875	+ OR - 0.00267	0.92608	TO 0.93143	0.92341	TO 0.93410	0.92073	TO 0.93677	76000

LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
232	0.92838	+ OR - 0.00274	0.92565 TO 0.93112	0.92291 TO 0.93386	0.92017 TO 0.93659	71000
237	0.92690	+ OR - 0.00269	0.92422 TO 0.92959	0.92153 TO 0.93228	0.91884 TO 0.93496	66000
242	0.92576	+ OR - 0.00273	0.92303 TO 0.92850	0.92029 TO 0.93123	0.91756 TO 0.93396	61000
247	0.92621	+ OR - 0.00283	0.92338 TO 0.92904	0.92055 TO 0.93187	0.91772 TO 0.93470	56000
252	0.92667	+ OR - 0.00306	0.92361 TO 0.92974	0.92055 TO 0.93280	0.91749 TO 0.93586	51000
257	0.92546	+ OR - 0.00316	0.92229 TO 0.92862	0.91913 TO 0.93179	0.91597 TO 0.93495	46000
262	0.92446	+ OR - 0.00343	0.92103 TO 0.92789	0.91760 TO 0.93132	0.91416 TO 0.93475	41000
267	0.92316	+ OR - 0.00371	0.91946 TO 0.92687	0.91575 TO 0.93058	0.91204 TO 0.93429	36000
272	0.92248	+ OR - 0.00412	0.91836 TO 0.92659	0.91424 TO 0.93071	0.91013 TO 0.93483	31000
277	0.92103	+ OR - 0.00440	0.91664 TO 0.92543	0.91224 TO 0.92983	0.90785 TO 0.93422	26000
282	0.92139	+ OR - 0.00499	0.91639 TO 0.92638	0.91140 TO 0.93137	0.90641 TO 0.93636	21000
287	0.92005	+ OR - 0.00576	0.91429 TO 0.92581	0.90853 TO 0.93157	0.90276 TO 0.93734	16000
292	0.91662	+ OR - 0.00469	0.91193 TO 0.92131	0.90723 TO 0.92600	0.90254 TO 0.93070	11000
297	0.92086	+ OR - 0.00644	0.91443 TO 0.92730	0.90799 TO 0.93373	0.90155 TO 0.94017	6000

LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K\text{-EFF} = 0.9276 \pm 0.0014$ WHICH OCCURS FOR 303 GENERATIONS RUN.



100	I	*	I
101	I	*	I
102	I	*	I
103	I	*	I
104	I	*	I
105	I	*	I
106	I	*	I
107	I	*	I
108	I	*	I
109	I	*	I
110	I	*	I
111	I	*	I
112	I	*	I
113	I	*	I
114	I	*	I
115	I	*	I
116	I	*	I
117	I	*	I
118	I	*	I
119	I	*	I
120	I	*	I
121	I	*	I
122	I	*	I
123	I	*	I
124	I	*	I
125	I	*	I
126	I	*	I
127	I	*	I
128	I	*	I
129	I	*	I
130	I	*	I
131	I	*	I
132	I	*	I
133	I	*	I
134	I	*	I
135	I	*	I
136	I	*	I
137	I	*	I
138	I	*	I
139	I	*	I
140	I	*	I
141	I	*	I
142	I	*	I
143	I	*	I
144	I	*	I
145	I	*	I
146	I	*	I
147	I	*	I
148	I	*	I
149	I	*	I
150	I	*	I
151	I	*	I
152	I	*	I
153	I	*	I
154	I	*	I
155	I	*	I
156	I	*	I
157	I	*	I
158	I	*	I
159	I	*	I
160	I	*	I
161	I	*	I
162	I	*	I
163	I	*	I
164	I	*	I
165	I	*	I
166	I	*	I
167	I	*	I
168	I	*	I
169	I	*	I
170	I	*	I
171	I	*	I
172	I	*	I
173	I	*	I
174	I	*	I
175	I	*	I
176	I	*	I
177	I	*	I
178	I	*	I
179	I	*	I
180	I	*	I
181	I	*	I
182	I	*	I
183	I	*	I
184	I	*	I
185	I	*	I
186	I	*	I
187	I	*	I
188	I	*	I
189	I	*	I
190	I	*	I
191	I	*	I
192	I	*	I
193	I	*	I
194	I	*	I
195	I	*	I

300 +

I I I
I I I
I I I
I I I

LWT ANALYSIS; W17X17 OPA ASSEMBLY; NO WATER IN GAP

SKIPPING 3 GENERATIONS
PERCENT DEVIATION

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0041			3.82159E-03	2.2285	2.23872E-03	1.6019	1.15365E-04	17.5402
2	0.0176			1.62875E-02	0.6788	8.22928E-03	0.5887	2.90700E-04	10.4431
3	0.0195			1.81087E-02	0.5982	7.53114E-03	0.5755	6.30226E-04	6.7848
4	0.0080			7.43364E-03	0.7828	3.56477E-03	0.7521	3.81020E-04	9.1521
5	0.0025			2.29030E-03	0.5584	2.46799E-03	0.4834	5.72032E-04	7.7086
6	0.0021			1.92991E-03	0.4310	4.08883E-03	0.3825	1.56084E-03	4.7185
7	0.0020			1.89655E-03	0.4214	4.61079E-03	0.3581	1.76478E-03	4.2262
8	0.0021			1.94380E-03	0.5120	6.93673E-03	0.4313	8.11684E-04	6.1129
9	0.0028			2.63948E-03	0.5738	1.08006E-02	0.4894	4.31467E-04	8.9926
10	0.0062			5.70684E-03	0.5540	1.67942E-02	0.4655	4.62936E-04	7.9790
11	0.0129			1.19819E-02	0.5434	2.73418E-02	0.4594	4.15735E-04	8.2827
12	0.0169			1.57150E-02	0.5901	2.90498E-02	0.5221	2.65027E-04	10.9580
13	0.0161			1.49765E-02	0.7211	2.96920E-02	0.6243	2.26158E-04	11.3033
14	0.0127			1.17814E-02	0.6073	4.24296E-02	0.5074	2.55644E-04	11.0784
15	0.0027			2.53721E-03	1.0023	8.66856E-03	0.7845	1.32182E-04	15.6621
16	0.0019			1.75894E-03	1.3997	5.16861E-03	0.9238	6.54276E-05	20.1921
17	0.0029			2.66520E-03	1.8406	3.52185E-03	1.0888	4.77522E-05	24.4371
18	0.0039			3.58287E-03	1.8401	3.66608E-03	1.1653	3.29000E-05	29.7861
19	0.0048			4.46800E-03	1.3701	5.84850E-03	0.8953	5.72788E-05	22.5666
20	0.0202			1.87404E-02	0.8243	2.29555E-02	0.5788	1.84537E-04	12.2584
21	0.0111			1.02892E-02	1.2914	1.00103E-02	0.8827	5.76837E-05	23.1358
22	0.0270			2.50763E-02	0.8781	2.31897E-02	0.6229	1.56659E-04	11.8902
23	0.1015			9.41627E-02	0.4969	9.15781E-02	0.3251	1.41312E-03	3.5432
24	0.2107			1.95465E-01	0.3094	1.86579E-01	0.2124	2.86114E-03	2.3289
25	0.1843			1.70920E-01	0.3838	1.61167E-01	0.2326	1.77367E-03	3.1578
26	0.2272			2.10732E-01	0.3707	1.99426E-01	0.2299	1.38539E-03	3.3467
27	0.0762			7.06463E-02	0.6653	6.77221E-02	0.3877	1.95343E-04	8.6185
SYSTEM TOTAL =				9.27587E-01	0.1468	9.85276E-01	0.0469	1.65467E-02	1.1479

ELAPSED TIME 10.11817 MINUTES

RANDOM NUMBER= 3F140C717467

LWT ANALYSIS; W17X17 OFA ASSEMBLY; NO WATER IN GAP

```
                                FREQUENCY FOR GENERATIONS    4 TO 303
0.8396 TO 0.8523    **
0.8523 TO 0.8649    *
0.8649 TO 0.8776    *
0.8776 TO 0.8902    *****
0.8902 TO 0.9028    *****
0.9028 TO 0.9155    *****
0.9155 TO 0.9281    *****
0.9281 TO 0.9408    *****
0.9408 TO 0.9534    *****
0.9534 TO 0.9661    *****
0.9661 TO 0.9787    *****
0.9787 TO 0.9914    *****
0.9914 TO 1.0040    *
```

```
                                FREQUENCY FOR GENERATIONS    79 TO 303
0.8396 TO 0.8523    *
0.8523 TO 0.8649    *
0.8649 TO 0.8776    *
0.8776 TO 0.8902    *****
0.8902 TO 0.9028    *****
0.9028 TO 0.9155    *****
0.9155 TO 0.9281    *****
0.9281 TO 0.9408    *****
0.9408 TO 0.9534    *****
0.9534 TO 0.9661    *****
0.9661 TO 0.9787    *****
0.9787 TO 0.9914    *****
0.9914 TO 1.0040
```

```
                                FREQUENCY FOR GENERATIONS   154 TO 303
0.8396 TO 0.8523    *
0.8523 TO 0.8649    *
0.8649 TO 0.8776    *
0.8776 TO 0.8902    *****
0.8902 TO 0.9028    *****
0.9028 TO 0.9155    *****
0.9155 TO 0.9281    *****
0.9281 TO 0.9408    *****
0.9408 TO 0.9534    *****
0.9534 TO 0.9661    *****
0.9661 TO 0.9787    *****
0.9787 TO 0.9914    *****
0.9914 TO 1.0040
```

```
                                FREQUENCY FOR GENERATIONS   229 TO 303
0.8396 TO 0.8523
0.8523 TO 0.8649
0.8649 TO 0.8776
0.8776 TO 0.8902    ***
0.8902 TO 0.9028    *****
0.9028 TO 0.9155    *****
0.9155 TO 0.9281    *****
0.9281 TO 0.9408    *****
0.9408 TO 0.9534    *****
0.9534 TO 0.9661    *****
0.9661 TO 0.9787    **
0.9787 TO 0.9914    **
0.9914 TO 1.0040
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 10.11817 MINUTES
.....

Figure 6.6.1-4 CSAS Input/Output for NAC-LWT with PWR Fuel – 3.5% Enrichment
– Most Reactive Accident Condition Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP
27GROUPNDF4 LATTICECELL
UO2 1 0.95 293.0 92235 3.5 92238 96.5 END
TR 2 1.0 293.0 END
H2O 3 1.0 293.0 END
AL 4 1.0 293.0 END
SE304 5 1.0 293.0 END
FE 6 1.0 293.0 END
H2O 7 1.000 293.0 END
H2O 8 1.000 293.0 END
H2O 9 1.0 293.0 END
END COMP
SQUAREPITCH 1.2598 0.7844 1 3 0.9144 2 0.8002 9 END
LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP
READ PARAM RUN=YES PLT=NO TME=5000 GEN=303 NPG=1000 END PARAM
READ GEOM
UNIT 1
COM='FUEL PIN CELL - WITH H2O'
CYLINDER 1 1 0.3922 2P182.88
CYLINDER 9 1 0.4001 2P182.88
CYLINDER 2 1 0.4572 2P182.88
CUBOID 3 1 4PG.6299 2P182.88
UNIT 2
COM='WATER ROD CELL - WITH H2O'
CYLINDER 3 1 0.5715 2P182.88
CYLINDER 2 1 0.6121 2P182.88
CUBOID 3 1 4PG.6299 2P182.88
GLOBAL UNIT 9
ARRAY 1 -10.7083 -10.7083 -182.88
CUBOID 3 1 4P11.2776 2P182.88
CYLINDER 4 1 14.691 2P182.88
CYLINDER 3 1 16.9863 2P182.88
CYLINDER 5 1 18.8913 2P182.88
CYLINDER 6 1 33.4963 2P182.88
CYLINDER 5 1 36.5443 2P182.88
CYLINDER 7 1 49.2443 2P182.88
CYLINDER 5 1 49.8539 212.48 -192.16
CYLINDER 6 1 49.8539 212.48 -199.78
CYLINDER 5 1 49.8539 212.48 -208.67
CUBOID 8 1 4P81.0000 243.00 -243.00
END GEOM
READ ARRAY
ARA=1 NUX=17 NUZ=17 NU2=1 FILL
          34R1
          5R1 2 2R1 2 2R1 2 5R1
          3R1 2 9R1 2 3R1
          17R1
2R1 2 2R1 2 2R1 2 2R1 2 2R1 2 2R1
          34R1
2R1 2 2R1 2 2R1 2 2R1 2 2R1 2 2R1
          34R1
2R1 2 2R1 2 2R1 2 2R1 2 2R1 2 2R1
          17R1
          3R1 2 9R1 2 3R1
          5R1 2 2R1 2 2R1 2 5R1
          34R1
END FILL
END ARRAY
READ BOUNDS ZFC=VAC YXF=VAC END BOUNDS
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1.32 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 13.07 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 622.14 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 641.09 (SECONDS).

```


LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MXX 9 MIXTURES
MSC 9 COMPOSITION SPECIFICATIONS
IZM 4 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC U02 STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.9500 VOLUME FRACTION
ROTH 10.9600 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 3.500 WT%
92238 96.500 WT%
8016 2.00 ATOMS/MOLECULE
END

SC ZR STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 6.4900 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
40000 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC AL STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE
END

SC SS304 STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%
END

SC PB STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND

TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

**** PROBLEM GEOMETRY ****

CTP SQUAREPITCH CELL TYPE
PITCH 1.2598 CM CENTER TO CENTER SPACING
FUELOD 0.7844 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 0.9144 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD
GAPOD 0.8002 CM GAP OUTER DIAMETER
MGAP 9 MIXTURE NO. OF GAP

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD

```

*****
LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP
*****
***** DATA LIBRARY INFORMATION *****
UNIT          DATA SET NAME          VOLUME      UNIT FUNCTION
NUMBER        NAME                      NAME
-----
89  G:\scale43\DATALIB\FT89F001          STANDARD COMPOSITION LIBRARY
82  G:\scale43\DATALIB\FT82F001          CROSS SECTION LIBRARY
11  D:\PROJECTS\BU85-C-1\pwrfin02\17HX2M\FT11F00  SHORT CROSS SECTION LIBRARY
90  D:\PROJECTS\BU85-C-1\pwrfin02\17HX2M\FT90F00  INPUT DATA DIRECT ACCESS
*****
STANDARD COMPOSITION LIBRARY DATA
-----
UNIT NUMBER : 89
DATASET NAME : G:\scale43\DATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
              637 STANDARD COMPOSITIONS, 490 NUCLIDES
              90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95
*****
CROSS SECTION LIBRARY DATA
-----
UNIT NUMBER : 82
DATASET NAME : G:\scale43\DATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
              BASED ON ENDF-B VERSION 4 DATA
              COMPILED FOR NRC      1/27/89
              LAST UPDATED
              L.M.PETRIE - ORNL
*****
08/12/94
*****

```

```

..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....
***** DATA READING COMPLETED *****
..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....

```

CONTROL MODULE CSAS25 IS COMPLETE.

```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  000000000000  VV      VV
KK      KK  EE           NNNN    NN  00           00  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KKKKKKK  EEEEEEEEE  NN  NN   NN  00           00  -----  VV      VV
KKKKKKK  EEEEEEEEE  NN  NN   NN  00           00  -----  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  000000000000  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  0000000000    V

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  -----  PPPPPPPPPP  CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  -----  PPPPPPPPPP  CC
SS      SS  CC      AA  AA  LL      EE           PP      CC
SS      SS  CC      AA  AA  LL      EE           PP      CC
SS      SS  CC      AA  AA  LL      EE           PP      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC

```

```

0000000  77777777777  //  2222222222  3333333333  //  9999999999  8888888888
00000000  7777777777  //  222222222222  333333333333  //  999999999999  888888888888
00  00  77  //  22  22  33  33  //  99  99  88  88
00  00  77  //  22  22  33  33  //  99  99  88  88
00  00  77  //  22  22  33  33  //  99  99  88  88
00  00  77  //  22  22  33  33  //  99  99  88  88
00  00  77  //  22  22  33  33  //  99  99  88  88
00  00  77  //  22  22  33  33  //  99  99  88  88
00  00  77  //  22  22  33  33  //  99  99  88  88
00000000  77  //  222222222222  333333333333  //  999999999999  888888888888
0000000  77  //  222222222222  33333333333  //  999999999999  888888888888

```

```

0000000  3333333333  11  11  2222222222  11
00000000  333333333333  111  111  222222222222  111
00  00  33  33  :::  1111  1111  22  22  1111
00  00  33  33  :::  11  11  22  22  11
00  00  33  33  :::  11  11  22  22  11
00  00  333  333  11  11  22  22  11
00  00  333  333  11  11  22  22  11
00  00  33  33  :::  11  11  22  22  11
00  00  33  33  :::  11  11  22  22  11
00  00  33  33  :::  11  11  22  22  11
00000000  333333333333  11111111  11111111  222222222222  11111111
0000000  33333333333  11111111  11111111  222222222222  11111111

```

```
.....
***
***              LWT ANALYSIS; W17X17 OPA ASSEMBLY; WATER IN GAP              ***
***              ***** NUMERIC PARAMETERS *****                          ***
***
*** TME          MAXIMUM PROBLEM TIME (MIN)          *****                    ***
*** TBA          TIME PER GENERATION (MIN)           0.50                      ***
*** GEN          NUMBER OF GENERATIONS              303                          ***
*** NPG          NUMBER PER GENERATION              1000                           ***
*** NSK          NUMBER OF GENERATIONS TO BE SKIPPED 3                       ***
*** BEG          BEGINNING GENERATION NUMBER        1                               ***
*** RES          GENERATIONS BETWEEN CHECKPOINTS    0                               ***
*** X1D          NUMBER OF EXTRA 1-D CROSS SECTIONS 1                               ***
*** NBK          NEUTRON BANK SIZE                  1025                            ***
*** XNB          EXTRA POSITIONS IN NEUTRON BANK    0                               ***
*** NFB          FISSION BANK SIZE                  1000                            ***
*** XFB          EXTRA POSITIONS IN FISSION BANK    0                               ***
*** WTA          DEFAULT VALUE OF WEIGHT AVERAGE    0.5000                          ***
*** WTH          WEIGHT HIGH FOR SPLITTING          3.0000                          ***
*** WTL          WEIGHT LOW FOR RUSSIAN ROULETTE    0.3333                          ***
*** RND          STARTING RANDOM NUMBER              BB827100001                      ***
*** NB8          NUMBER OF D.A. BLOCKS ON UNIT 8    200                              ***
*** NL8          LENGTH OF D.A. BLOCKS ON UNIT 8    512                              ***
*** ADJ          MODE OF CALCULATION                FORWARD                          ***
***
***          INPUT DATA WRITTEN ON RESTART UNIT    NO                               ***
***          BINARY DATA INTERFACE                YES                               ***
***
***
.....
```



```
.....  
***  
***          LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP          ***  
***          .....  
***          ***** ADDITIONAL INFORMATION *****          ***  
***          .....  
*** NUMBER OF ENERGY GROUPS          27          USE LATTICE GEOMETRY          YES ***  
*** NO. OF FISSION SPECTRUM SOURCE GROUP 1          GLOBAL ARRAY NUMBER          1 ***  
*** NO. OF SCATTERING ANGLES IN XSECS 2          NUMBER OF UNITS IN THE GLOBAL X DIR. 17 ***  
*** ENTRIES/NEUTRON IN THE NEUTRON BANK 16          NUMBER OF UNITS IN THE GLOBAL Y DIR. 17 ***  
*** ENTRIES/NEUTRON IN THE FISSION BANK 9          NUMBER OF UNITS IN THE GLOBAL Z DIR. 1 ***  
*** NUMBER OF MIXTURES USED          9          USE A GLOBAL REFLECTOR          YES ***  
*** NUMBER OF BIAS ID'S USED          1          USE NESTED HOLES          NO ***  
*** NUMBER OF DIFFERENTIAL ALBEDOS USED 0          NUMBER OF HOLES          0 ***  
*** TOTAL INPUT GEOMETRY REGIONS          19          MAXIMUM HOLE NESTING LEVEL          0 ***  
*** NUMBER OF GEOMETRY REGIONS USED          19          USE NESTED ARRAYS          NO ***  
*** LARGEST GEOMETRY UNIT NUMBER          9          NUMBER OF ARRAYS USED          1 ***  
*** LARGEST ARRAY NUMBER          1          MAXIMUM ARRAY NESTING LEVEL          1 ***  
***          .....  
*** +X BOUNDARY CONDITION          VAC          -X BOUNDARY CONDITION          VAC ***  
*** +Y BOUNDARY CONDITION          VAC          -Y BOUNDARY CONDITION          VAC ***  
*** +Z BOUNDARY CONDITION          VAC          -Z BOUNDARY CONDITION          VAC ***  
***          .....  
.....
```


LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
----- UNIT 1 -----							
FUEL PIN CELL - WITH H2O							
1	CYLINDER	1 1	RADIUS = 0.39220	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	9 1	RADIUS = 0.46010	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	2 1	RADIUS = 0.45720	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4	CUBOID	3 1	+X = 0.62990	-X = -0.62990	+Y = 0.62990	-Y = -0.62990 +Z = 182.88 -Z = -182.88	
----- UNIT 2 -----							
WATER ROD CELL - WITH H2O							
1	CYLINDER	3 1	RADIUS = 0.57150	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	2 1	RADIUS = 0.61210	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CUBOID	3 1	+X = 0.62990	-X = -0.62990	+Y = 0.62990	-Y = -0.62990 +Z = 182.88 -Z = -182.88	
***** GLOBAL ***** ----- UNIT 9 EXTERNAL TO LATTICE 1 -----							
1	ARRAY NUMBER	1	+X = 10.708	-X = -10.708	+Y = 10.708	-Y = -10.708 +Z = 182.88 -Z = -182.88	
2	CUBOID	3 1	+X = 11.278	-X = -11.278	+Y = 11.278	-Y = -11.278 +Z = 182.88 -Z = -182.88	
3	CYLINDER	4 1	RADIUS = 16.891	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4	CYLINDER	3 1	RADIUS = 16.986	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
5	CYLINDER	5 1	RADIUS = 18.891	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
6	CYLINDER	6 1	RADIUS = 33.496	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
7	CYLINDER	5 1	RADIUS = 36.544	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
8	CYLINDER	7 1	RADIUS = 49.244	+Z = 182.88	-Z = -182.88	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
9	CYLINDER	5 1	RADIUS = 49.854	+Z = 212.48	-Z = -192.16	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
10	CYLINDER	6 1	RADIUS = 49.854	+Z = 212.48	-Z = -199.78	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
11	CYLINDER	5 1	RADIUS = 49.854	+Z = 212.48	-Z = -208.67	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
12	CUBOID	8 1	+X = 81.000	-X = -81.000	+Y = 81.000	-Y = -81.000 +Z = 243.00 -Z = -240.00	

LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

Z LAYER 1, X COLUMN 1 TO 17 LEFT TO RIGHT Y ROW 1 TO 17 BOTTOM TO TOP

```
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1
1 1 1 2 1 1 1 1 1 1 1 1 1 2 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 2 1 1 1 1 1 1 1 1 1 2 1 1 1 1
1 1 1 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
```

LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	1.76751E+02 CM**3	1.76751E+02 CM**3
	2	2	7.19223E+00 CM**3	1.83943E+02 CM**3
	3	3	5.62490E+01 CM**3	2.40192E+02 CM**3
	4	4	3.40304E+02 CM**3	5.80496E+02 CM**3
2	1	5	3.75300E+02 CM**3	3.75300E+02 CM**3
	2	6	5.52175E+01 CM**3	4.30518E+02 CM**3
	3	7	1.49979E+02 CM**3	5.80496E+02 CM**3

SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 8 IS AN ARRAY PLACEMENT BOUNDARY REGION

9	1	8	1.67763E+05 CM**3	1.67763E+05 CM**3
	2	9	1.83123E+04 CM**3	1.86076E+05 CM**3
	3	10	1.41760E+05 CM**3	3.27836E+05 CM**3
	4	11	3.70972E+03 CM**3	3.31544E+05 CM**3
	5	12	7.85353E+04 CM**3	4.10081E+05 CM**3
	6	13	8.79177E+05 CM**3	1.28926E+06 CM**3
	7	14	2.45308E+05 CM**3	1.53457E+06 CM**3
	8	15	1.25193E+06 CM**3	2.78649E+06 CM**3
	9	16	3.72996E+05 CM**3	3.15949E+06 CM**3
	10	17	5.94983E+04 CM**3	3.21899E+06 CM**3
	11	18	6.94145E+04 CM**3	3.28840E+06 CM**3
	12	19	9.38745E+06 CM**3	1.26759E+07 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	264	1	1	4.66622E+04 CM**3
		2	9	1.89875E+03 CM**3
		3	2	1.48497E+04 CM**3
		4	3	8.98403E+04 CM**3
2	25	1	3	9.38250E+03 CM**3
		2	2	1.38044E+03 CM**3
		3	3	3.74947E+03 CM**3
9	1	1	1	1.67763E+05 CM**3
		2	3	1.83123E+04 CM**3
		3	4	1.41760E+05 CM**3
		4	3	3.70972E+03 CM**3
		5	5	7.85353E+04 CM**3
		6	6	8.79177E+05 CM**3
		7	5	2.45308E+05 CM**3
		8	7	1.25193E+06 CM**3
		9	5	3.72996E+05 CM**3
		10	6	5.94983E+04 CM**3
		11	5	6.94145E+04 CM**3
		12	8	9.38745E+06 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	4.66622E+04 CM**3	4.85846E+05
2	1.62302E+04 CM**3	1.05334E+05
3	1.24994E+05 CM**3	1.24766E+05
4	1.41760E+05 CM**3	3.83037E+05
5	7.66253E+05 CM**3	6.06873E+06
6	9.38675E+05 CM**3	1.06483E+07
7	1.25193E+06 CM**3	1.24964E+06
8	9.38745E+06 CM**3	9.37028E+06
9	1.89875E+03 CM**3	1.89528E+03

BIASING INFORMATION

A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S.

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING

..... 0.01650 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 2.78143E-01

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 1.07083E+01 -X=-1.07083E+01 +Y= 1.07083E+01 -Y=-1.07083E+01 +Z= 1.82880E+02 -Z=-1.82880E+02

THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.10317 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.12800 MINUTES.

LWT ANALYSIS: W17X17 OFA ASSEMBLY; WATER IN GAP

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF	MATRIX K-EFFECTIVE	MATRIX K-EFF DEVIATION
1	9.51010E-01	1.56500E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
2	9.40984E-01	1.90200E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	9.54190E-01	2.42500E-01	9.54190E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	9.40282E-01	2.57167E-01	9.47237E-01	0.00000E+00	0.00000E+00	0.00000E+00
5	9.16672E-01	2.81167E-01	9.37049E-01	1.09500E-02	0.00000E+00	0.00000E+00
6	9.40452E-01	3.24000E-01	9.37900E-01	9.39000E-03	0.00000E+00	0.00000E+00
7	9.34813E-01	3.56333E-01	9.37282E-01	6.01547E-03	0.00000E+00	0.00000E+00
8	9.30020E-01	3.92667E-01	9.36075E-01	5.09758E-03	0.00000E+00	0.00000E+00
9	9.38346E-01	4.26667E-01	9.35296E-01	4.32662E-03	0.00000E+00	0.00000E+00
10	9.92032E-01	4.62333E-01	9.36852E-01	6.69000E-03	0.00000E+00	0.00000E+00
11	9.11582E-01	4.98333E-01	9.28717E-01	6.27656E-03	0.00000E+00	0.00000E+00
12	9.15588E-01	5.30000E-01	9.27399E-01	5.76527E-03	0.00000E+00	0.00000E+00
13	9.52713E-01	5.63000E-01	9.29700E-01	5.69999E-03	0.00000E+00	0.00000E+00
14	9.35356E-01	5.96833E-01	9.30171E-01	5.22466E-03	0.00000E+00	0.00000E+00
15	9.37422E-01	6.29833E-01	9.30707E-01	4.83566E-03	0.00000E+00	0.00000E+00
16	9.37905E-01	6.64667E-01	9.31222E-01	4.50651E-03	0.00000E+00	0.00000E+00
17	9.29604E-01	6.97500E-01	9.31114E-01	4.19672E-03	0.00000E+00	0.00000E+00
18	9.20469E-01	7.30500E-01	9.30448E-01	3.98103E-03	0.00000E+00	0.00000E+00
19	9.29994E-01	7.63500E-01	9.30422E-01	3.74206E-03	0.00000E+00	0.00000E+00
20	9.46117E-01	7.97333E-01	9.31294E-01	3.63205E-03	0.00000E+00	0.00000E+00
21	9.12822E-01	8.32167E-01	9.30300E-01	3.57523E-03	0.00000E+00	0.00000E+00
22	9.43821E-01	8.66000E-01	9.30986E-01	3.48941E-03	0.00000E+00	0.00000E+00
23	9.57911E-01	8.99833E-01	9.32269E-01	3.53151E-03	0.00000E+00	0.00000E+00
24	9.94522E-01	9.33667E-01	9.30553E-01	3.77910E-03	0.00000E+00	0.00000E+00
25	9.25850E-01	9.69500E-01	9.30346E-01	3.61664E-03	0.00000E+00	0.00000E+00
26	9.11303E-01	1.00233E+00	9.29555E-01	3.55262E-03	0.00000E+00	0.00000E+00
27	9.20195E-01	1.03717E+00	9.29180E-01	3.42860E-03	0.00000E+00	0.00000E+00
28	9.35677E-01	1.07100E+00	9.29430E-01	3.30302E-03	0.00000E+00	0.00000E+00
29	9.32110E-01	1.10583E+00	9.29520E-01	3.17980E-03	0.00000E+00	0.00000E+00
30	9.16995E-01	1.13967E+00	9.29600E-01	3.09695E-03	0.00000E+00	0.00000E+00
31	9.18142E-01	1.17550E+00	9.28703E-01	3.01194E-03	0.00000E+00	0.00000E+00
32	9.52791E-01	1.20933E+00	9.29506E-01	3.01858E-03	0.00000E+00	0.00000E+00
33	9.20900E-01	1.24400E+00	9.29225E-01	2.93275E-03	0.00000E+00	0.00000E+00
34	9.29466E-01	1.27800E+00	9.29234E-01	2.83963E-03	0.00000E+00	0.00000E+00
35	9.66663E-01	1.31267E+00	9.30370E-01	2.97677E-03	0.00000E+00	0.00000E+00
36	9.38891E-01	1.34667E+00	9.30221E-01	2.89674E-03	0.00000E+00	0.00000E+00
37	9.03279E-01	1.37867E+00	9.29840E-01	2.92110E-03	0.00000E+00	0.00000E+00
38	9.28871E-01	1.41250E+00	9.29807E-01	2.83898E-03	0.00000E+00	0.00000E+00
39	9.62427E-01	1.44450E+00	9.30694E-01	2.90017E-03	0.00000E+00	0.00000E+00
40	9.95983E-01	1.48033E+00	9.29778E-01	2.96774E-03	0.00000E+00	0.00000E+00
41	9.06233E-01	1.51500E+00	9.29174E-01	2.95301E-03	0.00000E+00	0.00000E+00
42	9.15841E-01	1.54900E+00	9.28834E-01	2.89835E-03	0.00000E+00	0.00000E+00
43	9.72554E-01	1.58100E+00	9.29900E-01	3.02122E-03	0.00000E+00	0.00000E+00
44	9.38366E-01	1.61667E+00	9.30101E-01	2.95529E-03	0.00000E+00	0.00000E+00
45	9.32599E-01	1.65150E+00	9.30100E-01	2.88633E-03	0.00000E+00	0.00000E+00
46	9.88065E-01	1.68667E+00	9.31476E-01	3.11194E-03	0.00000E+00	0.00000E+00
47	9.32628E-01	1.72100E+00	9.31523E-01	3.04237E-03	0.00000E+00	0.00000E+00
48	9.52331E-01	1.75500E+00	9.31976E-01	3.00969E-03	0.00000E+00	0.00000E+00
49	9.38474E-01	1.78817E+00	9.31966E-01	2.94497E-03	0.00000E+00	0.00000E+00
50	9.18013E-01	1.81900E+00	9.31701E-01	2.89561E-03	0.00000E+00	0.00000E+00
51	9.64442E-01	1.85183E+00	9.32384E-01	2.91351E-03	0.00000E+00	0.00000E+00
52	9.41027E-01	1.88583E+00	9.32557E-01	2.85987E-03	0.00000E+00	0.00000E+00
53	9.11851E-01	1.92000E+00	9.32152E-01	2.83226E-03	0.00000E+00	0.00000E+00
54	9.06637E-01	1.95433E+00	9.31700E-01	2.81364E-03	0.00000E+00	0.00000E+00
55	9.47154E-01	1.98833E+00	9.31992E-01	2.77559E-03	0.00000E+00	0.00000E+00
56	9.20431E-01	2.02033E+00	9.31778E-01	2.73211E-03	0.00000E+00	0.00000E+00
57	9.27528E-01	2.05150E+00	9.31700E-01	2.68309E-03	0.00000E+00	0.00000E+00
58	9.16464E-01	2.08333E+00	9.31428E-01	2.64671E-03	0.00000E+00	0.00000E+00
59	8.88113E-01	2.12017E+00	9.30678E-01	2.70609E-03	0.00000E+00	0.00000E+00
60	9.62017E-01	2.15217E+00	9.31218E-01	2.71529E-03	0.00000E+00	0.00000E+00
61	9.47144E-01	2.18700E+00	9.31488E-01	2.68249E-03	0.00000E+00	0.00000E+00
62	9.04490E-01	2.22167E+00	9.31038E-01	2.67551E-03	0.00000E+00	0.00000E+00
63	9.40984E-01	2.25667E+00	9.31201E-01	2.63633E-03	0.00000E+00	0.00000E+00
64	9.52704E-01	2.28850E+00	9.31548E-01	2.61655E-03	0.00000E+00	0.00000E+00
65	9.07223E-01	2.32250E+00	9.31162E-01	2.60347E-03	0.00000E+00	0.00000E+00
66	9.36334E-01	2.35633E+00	9.31149E-01	2.56250E-03	0.00000E+00	0.00000E+00
67	9.25500E-01	2.39117E+00	9.31063E-01	2.52424E-03	0.00000E+00	0.00000E+00
68	9.66495E-01	2.42500E+00	9.31600E-01	2.54301E-03	0.00000E+00	0.00000E+00
69	9.41266E-01	2.45883E+00	9.31743E-01	2.50887E-03	0.00000E+00	0.00000E+00
70	9.33999E-01	2.49267E+00	9.31776E-01	2.47192E-03	0.00000E+00	0.00000E+00
71	9.71056E-01	2.52633E+00	9.32345E-01	2.50147E-03	0.00000E+00	0.00000E+00
72	8.88156E-01	2.55667E+00	9.31714E-01	2.45010E-03	0.00000E+00	0.00000E+00
73	9.80005E-01	2.59150E+00	9.32394E-01	2.59947E-03	0.00000E+00	0.00000E+00
74	9.13067E-01	2.62500E+00	9.32126E-01	2.57713E-03	0.00000E+00	0.00000E+00
75	9.70327E-01	2.65833E+00	9.32649E-01	2.59469E-03	0.00000E+00	0.00000E+00
76	9.31805E-01	2.69233E+00	9.32638E-01	2.55961E-03	0.00000E+00	0.00000E+00
77	9.52213E-01	2.72617E+00	9.32899E-01	2.53871E-03	0.00000E+00	0.00000E+00
78	9.47100E-01	2.75917E+00	9.33086E-01	2.51210E-03	0.00000E+00	0.00000E+00
79	8.93701E-01	2.79117E+00	9.32575E-01	2.53147E-03	0.00000E+00	0.00000E+00
80	9.47226E-01	2.82233E+00	9.32763E-01	2.50586E-03	0.00000E+00	0.00000E+00
81	9.48599E-01	2.85333E+00	9.32963E-01	2.48203E-03	0.00000E+00	0.00000E+00
82	9.25849E-01	2.88733E+00	9.32874E-01	2.45242E-03	0.00000E+00	0.00000E+00
83	9.01452E-01	2.92117E+00	9.32487E-01	2.45275E-03	0.00000E+00	0.00000E+00
84	9.20041E-01	2.95500E+00	9.32335E-01	2.42740E-03	0.00000E+00	0.00000E+00
85	8.82999E-01	2.98983E+00	9.31741E-01	2.47055E-03	0.00000E+00	0.00000E+00
86	9.23140E-01	3.02450E+00	9.31638E-01	2.44311E-03	0.00000E+00	0.00000E+00
87	9.43337E-01	3.05750E+00	9.31776E-01	2.41812E-03	0.00000E+00	0.00000E+00
88	9.28753E-01	3.09233E+00	9.31741E-01	2.39009E-03	0.00000E+00	0.00000E+00
89	9.25355E-01	3.12533E+00	9.31667E-01	2.36360E-03	0.00000E+00	0.00000E+00
90	9.31143E-01	3.15917E+00	9.31684E-01	2.33665E-03	0.00000E+00	0.00000E+00
91	9.25500E-01	3.19400E+00	9.31615E-01	2.31129E-03	0.00000E+00	0.00000E+00
92	9.17867E-01	3.22867E+00	9.31462E-01	2.29056E-03	0.00000E+00	0.00000E+00
93	9.65543E-01	3.26267E+00	9.31837E-01	2.29600E-03	0.00000E+00	0.00000E+00
94	9.28435E-01	3.29733E+00	9.31810E-01	2.27106E-03	0.00000E+00	0.00000E+00
95	9.05071E-01	3.32933E+00	9.31523E-01	2.26483E-03	0.00000E+00	0.00000E+00
96	9.28498E-01	3.36233E+00	9.31491E-01	2.24084E-03	0.00000E+00	0.00000E+00
97	9.20727E-01	3.39617E+00	9.31377E-01	2.22002E-03	0.00000E+00	0.00000E+00

98	9.03651E-01	3.43017E+00	9.31069E-01	2.23568E-03	0.00000E+00	9.30000E+00
99	9.74764E-01	3.46200E+00	9.31539E-01	2.23651E-03	0.00000E+00	0.00000E+00
100	9.78591E-01	3.49517E+00	9.32019E-01	2.26696E-03	0.00000E+00	0.00000E+00
101	9.62223E-01	3.52900E+00	9.32324E-01	2.26460E-03	0.00000E+00	0.00000E+00
102	9.36607E-01	3.56383E+00	9.32611E-01	2.24215E-03	0.00000E+00	0.00000E+00
103	9.34207E-01	3.59863E+00	9.32879E-01	2.21991E-03	0.00000E+00	0.00000E+00
104	9.19747E-01	3.62843E+00	9.33256E-01	2.20153E-03	0.00000E+00	0.00000E+00
105	9.53356E-01	3.66247E+00	9.32460E-01	2.18955E-03	0.00000E+00	0.00000E+00
106	9.26897E-01	3.69650E+00	9.32407E-01	2.16461E-03	0.00000E+00	0.00000E+00
107	9.06431E-01	3.72950E+00	9.32179E-01	2.16050E-03	0.00000E+00	0.00000E+00
108	8.89871E-01	3.76333E+00	9.31675E-01	2.16143E-03	0.00000E+00	0.00000E+00
109	9.16471E-01	3.79717E+00	9.31731E-01	2.14602E-03	0.00000E+00	0.00000E+00
110	9.29757E-01	3.83200E+00	9.31722E-01	2.12614E-03	0.00000E+00	0.00000E+00
111	9.33557E-01	3.86583E+00	9.31729E-01	2.10661E-03	0.00000E+00	0.00000E+00
112	9.31116E-01	3.89967E+00	9.31542E-01	2.09574E-03	0.00000E+00	0.00000E+00
113	9.66646E-01	3.93350E+00	9.31800E-01	2.10101E-03	0.00000E+00	0.00000E+00
114	9.52367E-01	3.96733E+00	9.32043E-01	2.09022E-03	0.00000E+00	0.00000E+00
115	9.36334E-01	4.00217E+00	9.32081E-01	2.07199E-03	0.00000E+00	0.00000E+00
116	9.24667E-01	4.03617E+00	9.3261E-01	2.05494E-03	0.00000E+00	0.00000E+00
117	9.10967E-01	4.07003E+00	9.33266E-01	2.04519E-03	0.00000E+00	0.00000E+00
118	9.57862E-01	4.10200E+00	9.32622E-01	2.03967E-03	0.00000E+00	0.00000E+00
119	9.24976E-01	4.13317E+00	9.31992E-01	2.02326E-03	0.00000E+00	0.00000E+00
120	9.76033E-01	4.16517E+00	9.32331E-01	2.03451E-03	0.00000E+00	0.00000E+00
121	9.31745E-01	4.19817E+00	9.32324E-01	2.01734E-03	0.00000E+00	0.00000E+00
122	9.49474E-01	4.23300E+00	9.32198E-01	2.01885E-03	0.00000E+00	0.00000E+00
123	9.49515E-01	4.26583E+00	9.32736E-01	2.00697E-03	0.00000E+00	0.00000E+00
124	9.21618E-01	4.30107E+00	9.32647E-01	1.99254E-03	0.00000E+00	0.00000E+00
125	9.30152E-01	4.33580E+00	9.32607E-01	1.97638E-03	0.00000E+00	0.00000E+00
126	9.32698E-01	4.37033E+00	9.32607E-01	1.96036E-03	0.00000E+00	0.00000E+00
127	9.38079E-01	4.40317E+00	9.32711E-01	1.94511E-03	0.00000E+00	0.00000E+00
128	9.67843E-01	4.43617E+00	9.32889E-01	1.94965E-03	0.00000E+00	0.00000E+00
129	9.30024E-01	4.46917E+00	9.32971E-01	1.93433E-03	0.00000E+00	0.00000E+00
130	9.48982E-01	4.50300E+00	9.33096E-01	1.92323E-03	0.00000E+00	0.00000E+00
131	9.73619E-01	4.53500E+00	9.33412E-01	1.93420E-03	0.00000E+00	0.00000E+00
132	9.23245E-01	4.56983E+00	9.33333E-01	1.92066E-03	0.00000E+00	0.00000E+00
133	9.67607E-01	4.60370E+00	9.32916E-01	1.95128E-03	0.00000E+00	0.00000E+00
134	9.46498E-01	4.63670E+00	9.33619E-01	1.95916E-03	0.00000E+00	0.00000E+00
135	9.56328E-01	4.66670E+00	9.33194E-01	1.93249E-03	0.00000E+00	0.00000E+00
136	9.66680E-01	4.69983E+00	9.33437E-01	1.93327E-03	0.00000E+00	0.00000E+00
137	9.39728E-01	4.73307E+00	9.33483E-01	1.91946E-03	0.00000E+00	0.00000E+00
138	9.42255E-01	4.76700E+00	9.33548E-01	1.90639E-03	0.00000E+00	0.00000E+00
139	9.55999E-01	4.80133E+00	9.33711E-01	1.89950E-03	0.00000E+00	0.00000E+00
140	9.20811E-01	4.83533E+00	9.33618E-01	1.88800E-03	0.00000E+00	0.00000E+00
141	9.49597E-01	4.87000E+00	9.33733E-01	1.87789E-03	0.00000E+00	0.00000E+00
142	9.24254E-01	4.90483E+00	9.33665E-01	1.86566E-03	0.00000E+00	0.00000E+00
143	9.63611E-01	4.93500E+00	9.33879E-01	1.86468E-03	0.00000E+00	0.00000E+00
144	9.43771E-01	4.97107E+00	9.33945E-01	1.85281E-03	0.00000E+00	0.00000E+00
145	9.98301E-01	5.00550E+00	9.33699E-01	1.85662E-03	0.00000E+00	0.00000E+00
146	9.22833E-01	5.03950E+00	9.33624E-01	1.84523E-03	0.00000E+00	0.00000E+00
147	9.24198E-01	5.07417E+00	9.33599E-01	1.83361E-03	0.00000E+00	0.00000E+00
148	9.26591E-01	5.10800E+00	9.33511E-01	1.82163E-03	0.00000E+00	0.00000E+00
149	9.14254E-01	5.14283E+00	9.33380E-01	1.81393E-03	0.00000E+00	0.00000E+00
150	9.93634E-01	5.17670E+00	9.33122E-01	1.82154E-03	0.00000E+00	0.00000E+00
151	9.31493E-01	5.21067E+00	9.33101E-01	1.80931E-03	0.00000E+00	0.00000E+00
152	9.41517E-01	5.24450E+00	9.33157E-01	1.79806E-03	0.00000E+00	0.00000E+00
153	9.18274E-01	5.27833E+00	9.33058E-01	1.78687E-03	0.00000E+00	0.00000E+00
154	9.42222E-01	5.31217E+00	9.33118E-01	1.77806E-03	0.00000E+00	0.00000E+00
155	9.02412E-01	5.34617E+00	9.32918E-01	1.77778E-03	0.00000E+00	0.00000E+00
156	9.16376E-01	5.38133E+00	9.32810E-01	1.76947E-03	0.00000E+00	0.00000E+00
157	9.57243E-01	5.41667E+00	9.32968E-01	1.76507E-03	0.00000E+00	0.00000E+00
158	9.95399E-01	5.45080E+00	9.32777E-01	1.75624E-03	0.00000E+00	0.00000E+00
159	9.40761E-01	5.48433E+00	9.32778E-01	1.75967E-03	0.00000E+00	0.00000E+00
160	9.48863E-01	5.51817E+00	9.32678E-01	1.75137E-03	0.00000E+00	0.00000E+00
161	9.90182E-01	5.55200E+00	9.32388E-01	1.77725E-03	0.00000E+00	0.00000E+00
162	9.11682E-01	5.58580E+00	9.32104E-01	1.77123E-03	0.00000E+00	0.00000E+00
163	9.36520E-01	5.61983E+00	9.33125E-01	1.76032E-03	0.00000E+00	0.00000E+00
164	9.47962E-01	5.65100E+00	9.33216E-01	1.75180E-03	0.00000E+00	0.00000E+00
165	9.23602E-01	5.68483E+00	9.33158E-01	1.74200E-03	0.00000E+00	0.00000E+00
166	9.40602E-01	5.71867E+00	9.33203E-01	1.73195E-03	0.00000E+00	0.00000E+00
167	9.12696E-01	5.75200E+00	9.33080E-01	1.72582E-03	0.00000E+00	0.00000E+00
168	9.41259E-01	5.78580E+00	9.33130E-01	1.71610E-03	0.00000E+00	0.00000E+00
169	9.74655E-01	5.81933E+00	9.33278E-01	1.72383E-03	0.00000E+00	0.00000E+00
170	9.36418E-01	5.85417E+00	9.33596E-01	1.71363E-03	0.00000E+00	0.00000E+00
171	9.54401E-01	5.88800E+00	9.33521E-01	1.70799E-03	0.00000E+00	0.00000E+00
172	9.46339E-01	5.91917E+00	9.33566E-01	1.69596E-03	0.00000E+00	0.00000E+00
173	9.44046E-01	5.95300E+00	9.33657E-01	1.69072E-03	0.00000E+00	0.00000E+00
174	9.51695E-01	5.98600E+00	9.33762E-01	1.68413E-03	0.00000E+00	0.00000E+00
175	9.21412E-01	6.01900E+00	9.33691E-01	1.67599E-03	0.00000E+00	0.00000E+00
176	9.24144E-01	6.05283E+00	9.33636E-01	1.66713E-03	0.00000E+00	0.00000E+00
177	9.08439E-01	6.08670E+00	9.33492E-01	1.66382E-03	0.00000E+00	0.00000E+00
178	9.67472E-01	6.11967E+00	9.33685E-01	1.66557E-03	0.00000E+00	0.00000E+00
179	9.40432E-01	6.15433E+00	9.33723E-01	1.65657E-03	0.00000E+00	0.00000E+00
180	9.47099E-01	6.18650E+00	9.33758E-01	1.64895E-03	0.00000E+00	0.00000E+00
181	9.12795E-01	6.22033E+00	9.33681E-01	1.64391E-03	0.00000E+00	0.00000E+00
182	9.35628E-01	6.25517E+00	9.33692E-01	1.63478E-03	0.00000E+00	0.00000E+00
183	9.31479E-01	6.28800E+00	9.33679E-01	1.62577E-03	0.00000E+00	0.00000E+00
184	9.04767E-01	6.32200E+00	9.33521E-01	1.62460E-03	0.00000E+00	0.00000E+00
185	9.63407E-01	6.35583E+00	9.33644E-01	1.62395E-03	0.00000E+00	0.00000E+00
186	9.82646E-01	6.38883E+00	9.33950E-01	1.63686E-03	0.00000E+00	0.00000E+00
187	9.07694E-01	6.42350E+00	9.33808E-01	1.63416E-03	0.00000E+00	0.00000E+00
188	9.34857E-01	6.45650E+00	9.33814E-01	1.62536E-03	0.00000E+00	0.00000E+00
189	9.51836E-01	6.49217E+00	9.33910E-01	1.61952E-03	0.00000E+00	0.00000E+00
190	9.14491E-01	6.52700E+00	9.33807E-01	1.61419E-03	0.00000E+00	0.00000E+00
191	9.31743E-01	6.56083E+00	9.33796E-01	1.60566E-03	0.00000E+00	0.00000E+00
192	9.40107E-01	6.59383E+00	9.33829E-01	1.59753E-03	0.00000E+00	0.00000E+00
193	9.12241E-01	6.62767E+00	9.33716E-01	1.59316E-03	0.00000E+00	0.00000E+00
194	9.48536E-01	6.65883E+00	9.33793E-01	1.58672E-03	0.00000E+00	0.00000E+00
195	9.31343E-01	6.69183E+00	9.33761E-01	1.57853E-03	0.00000E+00	0.00000E+00
196	9.43475E-01	6.72467E+00	9.33831E-01	1.57117E-03	0.00000E+00	0.00000E+00
197	9.58436E-01	6.75950E+00	9.33957E-01	1.56817E-03	0.00000E+00	0.00000E+00
198	9.06276E-01	6.79150E+00	9.33815E-01	1.56653E-03	0.00000E+00	0.00000E+00

199	8.52724E-01	6.62633E+00	9.33607E-01	1.57245E-03	0.00000E+00	0.00000E+00
200	8.34722E-01	6.66117E+00	9.33613E-01	1.56450E-03	0.00000E+00	0.00000E+00
201	9.59515E-01	6.69500E+00	9.33743E-01	1.56205E-03	0.00000E+00	0.00000E+00
202	9.35422E-01	6.92600E+00	9.33752E-01	1.55425E-03	0.00000E+00	0.00000E+00
203	8.13608E-01	6.96000E+00	9.33651E-01	1.54974E-03	0.00000E+00	0.00000E+00
204	8.24135E-01	6.99363E+00	9.33604E-01	1.54277E-03	0.00000E+00	0.00000E+00
205	9.55551E-01	7.02663E+00	9.33712E-01	1.53895E-03	0.00000E+00	0.00000E+00
206	9.06918E-01	7.06077E+00	9.33581E-01	1.53761E-03	0.00000E+00	0.00000E+00
207	9.42248E-01	7.09550E+00	9.33623E-01	1.53008E-03	0.00000E+00	0.00000E+00
208	9.20183E-01	7.12933E+00	9.33558E-01	1.52403E-03	0.00000E+00	0.00000E+00
209	8.43419E-01	7.16223E+00	9.33666E-01	1.51740E-03	0.00000E+00	0.00000E+00
210	9.41051E-01	7.19433E+00	9.33641E-01	1.51051E-03	0.00000E+00	0.00000E+00
211	9.42003E-01	7.22733E+00	9.33661E-01	1.50360E-03	0.00000E+00	0.00000E+00
212	8.90922E-01	7.26200E+00	9.33478E-01	1.51037E-03	0.00000E+00	0.00000E+00
213	8.57178E-01	7.29600E+00	9.33590E-01	1.50738E-03	0.00000E+00	0.00000E+00
214	9.10290E-01	7.33077E+00	9.33481E-01	1.50428E-03	0.00000E+00	0.00000E+00
215	8.84104E-01	7.36650E+00	9.33249E-01	1.51504E-03	0.00000E+00	0.00000E+00
216	9.50654E-01	7.40033E+00	9.33330E-01	1.51013E-03	0.00000E+00	0.00000E+00
217	9.26341E-01	7.43233E+00	9.33296E-01	1.50344E-03	0.00000E+00	0.00000E+00
218	9.29420E-01	7.46617E+00	9.33280E-01	1.49658E-03	0.00000E+00	0.00000E+00
219	9.03167E-01	7.50100E+00	9.33141E-01	1.49610E-03	0.00000E+00	0.00000E+00
220	9.51222E-01	7.53483E+00	9.33224E-01	1.48153E-03	0.00000E+00	0.00000E+00
221	9.23679E-01	7.56967E+00	9.33160E-01	1.46535E-03	0.00000E+00	0.00000E+00
222	9.27250E-01	7.60450E+00	9.33153E-01	1.47882E-03	0.00000E+00	0.00000E+00
223	9.37266E-01	7.63833E+00	9.33172E-01	1.47224E-03	0.00000E+00	0.00000E+00
224	9.56940E-01	7.67133E+00	9.33288E-01	1.47018E-03	0.00000E+00	0.00000E+00
225	9.28442E-01	7.70533E+00	9.33266E-01	1.46373E-03	0.00000E+00	0.00000E+00
226	9.13533E-01	7.73817E+00	9.33178E-01	1.45984E-03	0.00000E+00	0.00000E+00
227	8.91955E-01	7.77200E+00	9.33295E-01	1.46482E-03	0.00000E+00	0.00000E+00
228	9.01803E-01	7.80677E+00	9.33257E-01	1.46484E-03	0.00000E+00	0.00000E+00
229	9.60438E-01	7.84067E+00	9.33297E-01	1.46342E-03	0.00000E+00	0.00000E+00
230	8.95772E-01	7.87533E+00	9.33280E-01	1.46710E-03	0.00000E+00	0.00000E+00
231	9.66852E-01	7.90933E+00	9.33295E-01	1.46233E-03	0.00000E+00	0.00000E+00
232	9.74108E-01	7.94317E+00	9.33134E-01	1.47274E-03	0.00000E+00	0.00000E+00
233	8.89022E-01	7.97800E+00	9.33294E-01	1.47871E-03	0.00000E+00	0.00000E+00
234	8.62702E-01	8.01183E+00	9.33072E-01	1.47790E-03	0.00000E+00	0.00000E+00
235	8.0619E-01	8.04650E+00	9.33295E-01	1.47607E-03	0.00000E+00	0.00000E+00
236	8.11933E-01	8.08137E+00	9.33287E-01	1.47249E-03	0.00000E+00	0.00000E+00
237	8.44068E-01	8.11717E+00	9.332914E-01	1.46698E-03	0.00000E+00	0.00000E+00
238	9.47216E-01	8.15000E+00	9.332975E-01	1.46201E-03	0.00000E+00	0.00000E+00
239	8.26144E-01	8.18383E+00	9.332935E-01	1.45636E-03	0.00000E+00	0.00000E+00
240	8.52147E-01	8.21783E+00	9.33016E-01	1.45248E-03	0.00000E+00	0.00000E+00
241	8.93088E-01	8.25200E+00	9.332849E-01	1.45601E-03	0.00000E+00	0.00000E+00
242	8.1811E-01	8.28650E+00	9.332762E-01	1.45147E-03	0.00000E+00	0.00000E+00
243	9.29697E-01	8.32117E+00	9.332769E-01	1.44549E-03	0.00000E+00	0.00000E+00
244	9.16165E-01	8.35700E+00	9.332701E-01	1.44114E-03	0.00000E+00	0.00000E+00
245	9.04298E-01	8.39267E+00	9.332584E-01	1.43955E-03	0.00000E+00	0.00000E+00
246	9.53972E-01	8.42850E+00	9.332671E-01	1.43671E-03	0.00000E+00	0.00000E+00
247	9.35449E-01	8.464850E+00	9.332663E-01	1.43088E-03	0.00000E+00	0.00000E+00
248	9.66397E-01	8.49233E+00	9.332820E-01	1.43163E-03	0.00000E+00	0.00000E+00
249	9.77602E-01	8.52633E+00	9.33001E-01	1.43720E-03	0.00000E+00	0.00000E+00
250	9.53491E-01	8.56100E+00	9.33084E-01	1.43368E-03	0.00000E+00	0.00000E+00
251	9.53652E-01	8.59317E+00	9.33166E-01	1.43049E-03	0.00000E+00	0.00000E+00
252	9.10631E-01	8.62783E+00	9.33076E-01	1.42761E-03	0.00000E+00	0.00000E+00
253	9.66311E-01	8.66000E+00	9.33209E-01	1.42806E-03	0.00000E+00	0.00000E+00
254	9.30825E-01	8.69467E+00	9.33199E-01	1.42242E-03	0.00000E+00	0.00000E+00
255	9.67891E-01	8.72867E+00	9.33336E-01	1.42340E-03	0.00000E+00	0.00000E+00
256	9.07966E-01	8.76333E+00	9.33236E-01	1.42130E-03	0.00000E+00	0.00000E+00
257	9.23536E-01	8.79717E+00	9.33188E-01	1.41623E-03	0.00000E+00	0.00000E+00
258	9.50763E-01	8.82933E+00	9.33267E-01	1.41235E-03	0.00000E+00	0.00000E+00
259	9.18617E-01	8.86033E+00	9.33210E-01	1.40800E-03	0.00000E+00	0.00000E+00
260	9.42168E-01	8.89333E+00	9.33245E-01	1.40296E-03	0.00000E+00	0.00000E+00
261	9.04953E-01	8.92817E+00	9.33135E-01	1.40180E-03	0.00000E+00	0.00000E+00
262	9.38220E-01	8.96200E+00	9.33155E-01	1.39653E-03	0.00000E+00	0.00000E+00
263	9.04271E-01	8.99683E+00	9.33044E-01	1.39557E-03	0.00000E+00	0.00000E+00
264	9.98266E-01	9.03167E+00	9.332912E-01	1.39655E-03	0.00000E+00	0.00000E+00
265	9.55485E-01	9.06550E+00	9.33297E-01	1.39388E-03	0.00000E+00	0.00000E+00
266	9.13548E-01	9.09850E+00	9.33299E-01	1.38859E-03	0.00000E+00	0.00000E+00
267	9.56080E-01	9.13317E+00	9.33087E-01	1.38608E-03	0.00000E+00	0.00000E+00
268	9.39627E-01	9.16517E+00	9.33112E-01	1.38109E-03	0.00000E+00	0.00000E+00
269	9.21043E-01	9.19817E+00	9.33067E-01	1.37665E-03	0.00000E+00	0.00000E+00
270	9.05240E-01	9.23200E+00	9.332963E-01	1.37543E-03	0.00000E+00	0.00000E+00
271	9.35161E-01	9.26600E+00	9.332971E-01	1.37033E-03	0.00000E+00	0.00000E+00
272	9.58771E-01	9.29983E+00	9.33067E-01	1.36858E-03	0.00000E+00	0.00000E+00
273	9.37723E-01	9.33183E+00	9.33084E-01	1.36363E-03	0.00000E+00	0.00000E+00
274	9.11992E-01	9.36667E+00	9.33006E-01	1.36082E-03	0.00000E+00	0.00000E+00
275	9.03998E-01	9.40333E+00	9.32900E-01	1.35999E-03	0.00000E+00	0.00000E+00
276	9.23672E-01	9.43717E+00	9.32866E-01	1.35543E-03	0.00000E+00	0.00000E+00
277	9.59550E-01	9.47100E+00	9.32963E-01	1.35397E-03	0.00000E+00	0.00000E+00
278	9.42804E-01	9.50400E+00	9.32999E-01	1.34953E-03	0.00000E+00	0.00000E+00
279	9.58298E-01	9.53600E+00	9.33090E-01	1.34775E-03	0.00000E+00	0.00000E+00
280	9.68398E-01	9.56983E+00	9.33217E-01	1.34888E-03	0.00000E+00	0.00000E+00
281	9.54490E-01	9.60183E+00	9.33294E-01	1.34620E-03	0.00000E+00	0.00000E+00
282	9.05657E-01	9.63667E+00	9.33195E-01	1.34501E-03	0.00000E+00	0.00000E+00
283	9.47219E-01	9.67050E+00	9.33245E-01	1.34115E-03	0.00000E+00	0.00000E+00
284	9.51373E-01	9.70450E+00	9.33309E-01	1.33793E-03	0.00000E+00	0.00000E+00
285	9.59679E-01	9.73733E+00	9.33402E-01	1.33644E-03	0.00000E+00	0.00000E+00
286	9.45263E-01	9.77133E+00	9.33444E-01	1.33238E-03	0.00000E+00	0.00000E+00
287	9.77649E-01	9.80417E+00	9.33599E-01	1.33673E-03	0.00000E+00	0.00000E+00
288	8.93935E-01	9.84083E+00	9.33460E-01	1.33925E-03	0.00000E+00	0.00000E+00
289	9.55230E-01	9.87383E+00	9.33536E-01	1.33673E-03	0.00000E+00	0.00000E+00
290	9.40062E-01	9.90767E+00	9.33559E-01	1.33227E-03	0.00000E+00	0.00000E+00
291	9.60614E-01	9.94150E+00	9.33653E-01	1.33095E-03	0.00000E+00	0.00000E+00
292	9.39502E-01	9.97633E+00	9.33673E-01	1.32650E-03	0.00000E+00	0.00000E+00
293	9.03937E-01	1.00112E+01	9.33571E-01	1.32588E-03	0.00000E+00	0.00000E+00
294	9.05696E-01	1.00458E+01	9.33475E-01	1.32478E-03	0.00000E+00	0.00000E+00
295	9.57129E-01	1.00770E+01	9.33556E-01	1.32271E-03	0.00000E+00	0.00000E+00
296	8.99288E-01	1.01118E+01	9.33439E-01	1.32335E-03	0.00000E+00	0.00000E+00
297	8.80477E-01	1.01465E+01	9.33260E-01	1.33102E-03	0.00000E+00	0.00000E+00
298	8.99152E-01	1.01805E+01	9.33145E-01	1.33151E-03	0.00000E+00	0.00000E+00
299	8.93755E-01	1.02162E+01	9.33012E-01	1.33363E-03	0.00000E+00	0.00000E+00

300	9.30119E-01	1.02518E+01	9.33002E-01	1.32918E-03	0.00000E+00	0.00000E+00
301	8.74132E-01	1.02875E+01	9.32805E-01	1.33828E-03	0.00000E+00	0.00000E+00
302	8.94503E-01	1.03215E+01	9.32678E-01	1.34690E-03	0.00000E+00	0.00000E+00
303	9.07105E-01	1.03553E+01	9.32593E-01	1.33914E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP

LIFETIME = 1.00988E-04 + OR - 2.94947E-07 GENERATION TIME = 3.85312E-05 + OR - 8.81779E-08
 NU BAR = 2.43572E+00 + OR - 9.65096E-05 AVERAGE FISSION GROUP = 2.26571E+01 + OR - 5.04111E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 1.40077E-01 + OR - 6.25718E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.93252	+ OR - 0.00134	0.93118 TO 0.93386	0.92984 TO 0.93520	0.92850 TO 0.93655	300000
4	0.93249	+ OR - 0.00135	0.93115 TO 0.93384	0.92980 TO 0.93519	0.92846 TO 0.93653	299000
5	0.93255	+ OR - 0.00135	0.93120 TO 0.93390	0.92985 TO 0.93525	0.92850 TO 0.93660	298000
6	0.93252	+ OR - 0.00135	0.93117 TO 0.93387	0.92981 TO 0.93523	0.92846 TO 0.93658	297000
7	0.93251	+ OR - 0.00136	0.93116 TO 0.93387	0.92980 TO 0.93523	0.92844 TO 0.93659	296000
8	0.93252	+ OR - 0.00136	0.93116 TO 0.93388	0.92980 TO 0.93525	0.92843 TO 0.93661	295000
9	0.93250	+ OR - 0.00137	0.93113 TO 0.93387	0.92977 TO 0.93524	0.92840 TO 0.93660	294000
10	0.93264	+ OR - 0.00136	0.93128 TO 0.93401	0.92991 TO 0.93537	0.92855 TO 0.93674	293000
11	0.93271	+ OR - 0.00137	0.93134 TO 0.93408	0.92998 TO 0.93545	0.92861 TO 0.93682	292000
12	0.93277	+ OR - 0.00137	0.93140 TO 0.93414	0.93003 TO 0.93551	0.92866 TO 0.93688	291000
17	0.93267	+ OR - 0.00139	0.93128 TO 0.93406	0.92988 TO 0.93546	0.92849 TO 0.93685	286000
22	0.93271	+ OR - 0.00141	0.93129 TO 0.93412	0.92988 TO 0.93554	0.92846 TO 0.93695	281000
27	0.93290	+ OR - 0.00143	0.93147 TO 0.93433	0.93005 TO 0.93576	0.92862 TO 0.93718	276000
32	0.93293	+ OR - 0.00145	0.93148 TO 0.93438	0.93004 TO 0.93583	0.92859 TO 0.93728	271000
37	0.93295	+ OR - 0.00147	0.93149 TO 0.93442	0.93002 TO 0.93589	0.92856 TO 0.93735	266000
42	0.93317	+ OR - 0.00148	0.93169 TO 0.93465	0.93021 TO 0.93612	0.92874 TO 0.93760	261000
47	0.93278	+ OR - 0.00148	0.93130 TO 0.93426	0.92981 TO 0.93575	0.92833 TO 0.93723	256000
52	0.93260	+ OR - 0.00150	0.93110 TO 0.93410	0.92959 TO 0.93561	0.92809 TO 0.93711	251000
57	0.93279	+ OR - 0.00153	0.93127 TO 0.93432	0.92974 TO 0.93585	0.92821 TO 0.93737	246000
62	0.93298	+ OR - 0.00154	0.93144 TO 0.93452	0.92991 TO 0.93605	0.92837 TO 0.93759	241000
67	0.93301	+ OR - 0.00156	0.93145 TO 0.93458	0.92989 TO 0.93614	0.92833 TO 0.93770	236000
72	0.93286	+ OR - 0.00157	0.93129 TO 0.93443	0.92972 TO 0.93599	0.92816 TO 0.93756	231000
77	0.93249	+ OR - 0.00158	0.93092 TO 0.93407	0.92934 TO 0.93564	0.92777 TO 0.93722	226000
82	0.93249	+ OR - 0.00160	0.93089 TO 0.93409	0.92930 TO 0.93568	0.92770 TO 0.93728	221000
87	0.93291	+ OR - 0.00161	0.93131 TO 0.93452	0.92970 TO 0.93613	0.92809 TO 0.93774	216000
92	0.93307	+ OR - 0.00164	0.93143 TO 0.93472	0.92979 TO 0.93636	0.92814 TO 0.93801	211000

LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.93315	+ OR - 0.00167	0.93146 TO 0.93482	0.92981 TO 0.93649	0.92814 TO 0.93816	206000
102	0.93271	+ OR - 0.00167	0.93104 TO 0.93438	0.92937 TO 0.93605	0.92770 TO 0.93772	201000
107	0.93281	+ OR - 0.00170	0.93111 TO 0.93452	0.92941 TO 0.93622	0.92770 TO 0.93793	196000
112	0.93320	+ OR - 0.00173	0.93146 TO 0.93493	0.92973 TO 0.93667	0.92800 TO 0.93840	191000
117	0.93307	+ OR - 0.00176	0.93130 TO 0.93483	0.92954 TO 0.93659	0.92778 TO 0.93836	186000
122	0.93259	+ OR - 0.00178	0.93080 TO 0.93437	0.92902 TO 0.93616	0.92724 TO 0.93794	181000
127	0.93251	+ OR - 0.00183	0.93068 TO 0.93434	0.92885 TO 0.93617	0.92702 TO 0.93800	176000
132	0.93203	+ OR - 0.00185	0.93018 TO 0.93388	0.92832 TO 0.93574	0.92647 TO 0.93759	171000
137	0.93187	+ OR - 0.00186	0.93001 TO 0.93373	0.92814 TO 0.93559	0.92628 TO 0.93746	166000
142	0.93166	+ OR - 0.00191	0.92975 TO 0.93357	0.92784 TO 0.93548	0.92593 TO 0.93739	161000
147	0.93169	+ OR - 0.00194	0.92975 TO 0.93364	0.92780 TO 0.93558	0.92586 TO 0.93753	156000
152	0.93203	+ OR - 0.00199	0.93004 TO 0.93402	0.92805 TO 0.93601	0.92607 TO 0.93800	151000
157	0.93219	+ OR - 0.00203	0.93016 TO 0.93423	0.92813 TO 0.93626	0.92609 TO 0.93829	146000
162	0.93201	+ OR - 0.00204	0.92997 TO 0.93405	0.92794 TO 0.93609	0.92590 TO 0.93813	141000
167	0.93200	+ OR - 0.00210	0.92990 TO 0.93410	0.92779 TO 0.93621	0.92569 TO 0.93831	136000
172	0.93129	+ OR - 0.00215	0.92914 TO 0.93344	0.92700 TO 0.93559	0.92485 TO 0.93773	131000
177	0.93134	+ OR - 0.00222	0.92913 TO 0.93356	0.92691 TO 0.93577	0.92470 TO 0.93799	126000
182	0.93096	+ OR - 0.00228	0.92868 TO 0.93323	0.92640 TO 0.93551	0.92413 TO 0.93779	121000
187	0.93065	+ OR - 0.00230	0.92836 TO 0.93295	0.92606 TO 0.93525	0.92377 TO 0.93754	116000
192	0.93048	+ OR - 0.00239	0.92809 TO 0.93286	0.92570 TO 0.93525	0.92332 TO 0.93763	111000
197	0.93008	+ OR - 0.00247	0.92761 TO 0.93255	0.92514 TO 0.93502	0.92267 TO 0.93749	106000
202	0.93030	+ OR - 0.00254	0.92776 TO 0.93283	0.92522 TO 0.93537	0.92269 TO 0.93791	101000
207	0.93039	+ OR - 0.00264	0.92776 TO 0.93303	0.92512 TO 0.93566	0.92249 TO 0.93830	96000
212	0.93055	+ OR - 0.00274	0.92781 TO 0.93328	0.92508 TO 0.93602	0.92234 TO 0.93875	91000
217	0.93083	+ OR - 0.00281	0.92802 TO 0.93364	0.92522 TO 0.93644	0.92241 TO 0.93925	86000
222	0.93107	+ OR - 0.00295	0.92812 TO 0.93402	0.92517 TO 0.93697	0.92223 TO 0.93991	81000
227	0.93140	+ OR - 0.00307	0.92833 TO 0.93447	0.92527 TO 0.93754	0.92220 TO 0.94060	76000


LWT ANALYSIS; W17X17 OPA ASSEMBLY; WATER IN GAP

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
232	0.93084	+ OR - 0.00309	0.92775 TO 0.93393	0.92466 TO 0.93701	0.92157 TO 0.94010	71000
237	0.93145	+ OR - 0.00318	0.92826 TO 0.93463	0.92508 TO 0.93782	0.92190 TO 0.94100	66000
242	0.93185	+ OR - 0.00335	0.92850 TO 0.93520	0.92515 TO 0.93855	0.92180 TO 0.94189	61000
247	0.93220	+ OR - 0.00358	0.92862 TO 0.93578	0.92503 TO 0.93936	0.92145 TO 0.94295	56000
252	0.93022	+ OR - 0.00369	0.92653 TO 0.93391	0.92284 TO 0.93760	0.91915 TO 0.94129	51000
257	0.92924	+ OR - 0.00390	0.92534 TO 0.93313	0.92144 TO 0.93703	0.91755 TO 0.94092	46000
262	0.92903	+ OR - 0.00428	0.92475 TO 0.93330	0.92047 TO 0.93758	0.91620 TO 0.94186	41000
267	0.92896	+ OR - 0.00463	0.92433 TO 0.93358	0.91970 TO 0.93821	0.91507 TO 0.94284	36000
272	0.92846	+ OR - 0.00522	0.92325 TO 0.93368	0.91803 TO 0.93890	0.91281 TO 0.94411	31000
277	0.92867	+ OR - 0.00600	0.92268 TO 0.93467	0.91668 TO 0.94066	0.91069 TO 0.94666	26000
282	0.92456	+ OR - 0.00675	0.91781 TO 0.93132	0.91106 TO 0.93807	0.90430 TO 0.94482	21000
287	0.91466	+ OR - 0.00703	0.90763 TO 0.92170	0.90060 TO 0.92873	0.89356 TO 0.93577	16000
292	0.90412	+ OR - 0.00688	0.89724 TO 0.91100	0.89036 TO 0.91787	0.88348 TO 0.92475	11000
297	0.89979	+ OR - 0.00752	0.89227 TO 0.90731	0.88475 TO 0.91483	0.87723 TO 0.92235	6000

LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS K-EFF = 0.9325 + OR - 0.0013 WHICH OCCURS FOR 303 GENERATIONS RUN.





300 +
|
|
|

I | + | I
I | + | I
I | + | I
I | + | I

LWT ANALYSIS; W17X17 OFA ASSEMBLY; WATER IN GAP

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0043			3.96333E-03	2.2101	2.32667E-03	1.5738	7.13220E-06	70.5924
2	0.0172			1.60748E-02	0.6729	8.15133E-03	0.5683	6.56993E-06	71.1810
3	0.0191			1.78139E-02	0.5962	7.42025E-03	0.5726	0.00000E+00	0.0000
4	0.0080			7.43939E-03	0.7686	3.56443E-03	0.7418	0.00000E+00	0.0000
5	0.0024			2.25833E-03	0.5724	2.43004E-03	0.5047	3.33836E-06	100.0000
6	0.0020			1.90579E-03	0.4378	4.02480E-03	0.3774	7.64047E-06	71.5891
7	0.0020			1.88267E-03	0.4394	4.57068E-03	0.3857	2.92771E-06	100.0000
8	0.0021			1.93315E-03	0.4678	6.88167E-03	0.3994	0.00000E+00	0.0000
9	0.0028			2.63764E-03	0.5077	1.07470E-02	0.4242	0.00000E+00	0.0000
10	0.0060			5.62159E-03	0.5638	1.65638E-02	0.4683	0.00000E+00	0.0000
11	0.0129			1.20234E-02	0.5301	2.72875E-02	0.4436	0.00000E+00	0.0000
12	0.0170			1.58775E-02	0.5790	2.92963E-02	0.5009	3.27701E-06	100.0000
13	0.0158			1.47503E-02	0.6289	2.92144E-02	0.5315	0.00000E+00	0.0000
14	0.0126			1.17142E-02	0.5393	4.22411E-02	0.4594	0.00000E+00	0.0000
15	0.0027			2.52808E-03	1.0582	8.58507E-03	0.8058	0.00000E+00	0.0000
16	0.0019			1.73386E-03	1.3526	5.11345E-03	0.9908	0.00000E+00	0.0000
17	0.0029			2.67751E-03	1.7290	3.51488E-03	1.0442	0.00000E+00	0.0000
18	0.0040			3.71272E-03	1.8852	3.72257E-03	1.2083	0.00000E+00	0.0000
19	0.0047			4.39970E-03	1.5321	5.76579E-03	0.9257	0.00000E+00	0.0000
20	0.0202			1.88134E-02	0.8208	2.28784E-02	0.6376	3.09353E-06	100.0000
21	0.0110			1.02323E-02	1.2799	1.00350E-02	0.8804	0.00000E+00	0.0000
22	0.0269			2.50706E-02	0.9306	2.32588E-02	0.6493	0.00000E+00	0.0000
23	0.1002			9.34293E-02	0.5043	9.17259E-02	0.3357	8.32955E-07	100.0000
24	0.2103			1.96081E-01	0.3276	1.90202E-01	0.2028	1.56009E-06	71.2983
25	0.1855			1.72976E-01	0.3897	1.65903E-01	0.2460	1.66667E-06	100.0000
26	0.2288			2.13321E-01	0.3454	2.05684E-01	0.2108	2.11603E-06	74.7173
27	0.0768			7.16497E-02	0.6616	7.04055E-02	0.3989	9.96604E-07	100.0000
SYSTEM TOTAL =				9.32521E-01	0.1439	1.09151E+00	0.0436	4.11515E-05	28.6621
ELAPSED TIME 10.35717 MINUTES									
RANDOM NUMBER= 1EE413D01710									

LWT ANALYSIS: W17X17 OFA ASSEMBLY; WATER IN GAP

```
                                FREQUENCY FOR GENERATIONS 4 TO 303
0.8692 TO 0.8818    ***
0.8818 TO 0.8945    *****
0.8945 TO 0.9071    *****
0.9071 TO 0.9198    *****
0.9198 TO 0.9324    *****
0.9324 TO 0.9451    *****
0.9451 TO 0.9577    *****
0.9577 TO 0.9704    *****
0.9704 TO 0.9830    *****
0.9830 TO 0.9957    **
```

```
                                FREQUENCY FOR GENERATIONS 79 TO 303
0.8692 TO 0.8818    ***
0.8818 TO 0.8945    *****
0.8945 TO 0.9071    *****
0.9071 TO 0.9198    *****
0.9198 TO 0.9324    *****
0.9324 TO 0.9451    *****
0.9451 TO 0.9577    *****
0.9577 TO 0.9704    *****
0.9704 TO 0.9830    *****
0.9830 TO 0.9957    *
```

```
                                FREQUENCY FOR GENERATIONS 154 TO 303
0.8692 TO 0.8818    **
0.8818 TO 0.8945    *****
0.8945 TO 0.9071    *****
0.9071 TO 0.9198    *****
0.9198 TO 0.9324    *****
0.9324 TO 0.9451    *****
0.9451 TO 0.9577    *****
0.9577 TO 0.9704    *****
0.9704 TO 0.9830    *****
0.9830 TO 0.9957    *
```

```
                                FREQUENCY FOR GENERATIONS 229 TO 303
0.8692 TO 0.8818    **
0.8818 TO 0.8945    *****
0.8945 TO 0.9071    *****
0.9071 TO 0.9198    *****
0.9198 TO 0.9324    *****
0.9324 TO 0.9451    *****
0.9451 TO 0.9577    *****
0.9577 TO 0.9704    *****
0.9704 TO 0.9830    *****
0.9830 TO 0.9957    ***
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 10.35717 MINUTES
.....

6.6.2 BWR Fuel Assemblies

This section contains abbreviated output files from the most reactive normal condition and accident condition moderator density variation cases.

Figure 6.6.2-1 CSAS Input/Output for NAC-LWT with BWR Fuel Assemblies – Most Reactive Normal Condition Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
NAC-LWT CASK MODEL; Exxon 9x9 - 2 Water Rods 80 MIL CHANNEL
27GROUJNDF4 LATTICECELL
JOB 1 0.95 293.0 92235 4.0 92238 96.0 END
ZIRCALLOY 2 1.0 293.0 END
H2O 3 1.0 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.0 293.0 END
H2O 8 1.000 293.0 END
H2O 9 1.0E-20 293.0 END
END COMP
SQUAREPITCH 1.4529 0.9055 1 3 1.0770 2 0.9246 9 END
NAC-LWT CASK MODEL; Exxon 9x9 - 2 Water Rods 80 MIL CHANNEL
READ PARAM RUN=YES PLT=NO TME=5000 GEN=303 NPG=1000 END PARAM
READ GEOM
UNIT 1
COM='FUEL PIN CELL - WITH H2O'
CYLINDER 1 1 0.4528 2P10.0
CYLINDER 9 1 0.4623 2P10.0
CYLINDER 2 1 0.5385 2P10.0
CUBOID 3 1 4P0.7264 2P10.0
UNIT 2
COM='WATER ROD CELL - WITH H2O'
CYLINDER 3 1 0.4623 2P10.0
CYLINDER 2 1 0.5385 2P10.0
CUBOID 3 1 4P0.7264 2P10.0
UNIT 3
ARRAY 1 -6.5376 -6.5376 -10.0
CUBOID 3 1 4P6.7031 2P10.0
CUBOID 2 1 4P6.9063 2P10.0
CUBOID 3 1 4P7.3025 2P10.0
UNIT 4
ARRAY 1 -6.5376 -6.5376 -10.0
CUBOID 3 1 4P6.7031 2P10.0
CUBOID 2 1 4P6.9063 2P10.0
CUBOID 3 1 4P7.3025 2P10.0
UNIT 5
CYLINDER 4 1 16.8275 2P10.0
HOLE 3 -7.4613 0.0 0.0
HOLE 4 7.4613 0.0 0.0
CYLINDER 3 1 16.9863 2P10.0
CYLINDER 5 1 18.8913 2P10.0
CYLINDER 6 1 33.4963 2P10.0
CYLINDER 5 1 36.5443 2P10.0
CYLINDER 7 1 49.2443 2P10.0
CYLINDER 5 1 49.8539 2P10.0
GLOBAL UNIT 6
CYLINDER 8 1 696.00 2P10.0
HOLE 5 00.00 00.00 0.0
HOLE 5 00.00 243.80 0.0
HOLE 5 211.17 121.90 0.0
HOLE 5 211.17 -121.90 0.0
HOLE 5 00.00 -243.80 0.0
HOLE 5 -211.17 -121.90 0.0
HOLE 5 -211.17 121.90 0.0
HOLE 5 0.0 487.7 0.0
HOLE 5 211.2 365.8 0.0
HOLE 5 422.3 243.8 0.0
HOLE 5 422.3 0.0 0.0
HOLE 5 422.3 -243.8 0.0
HOLE 5 211.2 -365.8 0.0
HOLE 5 0.0 -487.7 0.0
HOLE 5 -211.2 -365.8 0.0
HOLE 5 -422.3 -243.88 0.0
HOLE 5 -422.3 0.0 0.0
HOLE 5 -422.3 243.8 0.0
HOLE 5 -211.2 365.8 0.0
HOLE 5 633.51 121.9 0.0
CUBOID 8 1 4P696.00 2P10.0
END GEOM
READ ARRAY
ARA=1 NUX=9 NUZ=9 NUZ=1 FILL
36R1
4R1 2 4R1
5R1 2 3R1
27R1 ---
END FILL
END ARRAY
READ BOUNDS ZFC=PER YXF=H2O END BOUNDS
END DATA

```

```

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.61 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 5.88 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.

```

MODULE 000609	IS FINISHED. COMPLETION CODE	0. CPU TIME USED	440.77 (SECONDS).
MODULE CSAS25	IS FINISHED. COMPLETION CODE	0. CPU TIME USED	446.85 (SECONDS).

```
CCCCCCCCC      SSSSSSSSS      AAAAAAAAA      SSSSSSSSS      222222222      5555555555555
CCCCCCCCCCCCC  SSSSSSSSSSSS  AAAAAAAAAAAA  SSSSSSSSSSSS  222222222222  5555555555555
CC      CC      SS      SS      AA      AA      SS      SS      22      22      55
CC      SS      AA      AA      SS      SS      22      22      55
CC      SS      AA      AA      SS      SS      22      22      55
CC      SSSSSSSSSSSS  AAAAAAAAAAAA  SSSSSSSSSSSS      22      5555555555555
CC      SSSSSSSSSSSS  AAAAAAAAAAAA  SSSSSSSSSSSS      22      5555555555555
CC      SS      SS      AA      AA      SS      SS      22      55
CC      SS      SS      AA      AA      SS      SS      22      55
CC      CC      SS      SS      AA      AA      SS      SS      22      55
CCCCCCCCCCCCC  SSSSSSSSSSSS  AA      AA      SSSSSSSSSSSS  222222222222  5555555555555
CCCCCCCCCCCCC  SSSSSSSSSSSS  AA      AA      SSSSSSSSSSSS  222222222222  555555555555
```

```
SSSSSSSSSSS  CCCCCCCCCC  AAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSSSS  CCCCCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCCCCC
SS      SS      CC      CC      AA      AA      LL      EE      PP      PP      CC      CC
SS      CC      AA      AA      LL      EE      PP      PP      CC      CC
SS      CC      AA      AA      LL      EE      PP      PP      CC      CC
SSSSSSSSSSSS  CC      AAAAAAAAAA  LL      EEEEEEEE  PPPPPPPPPPP  CC
SSSSSSSSSSSS  CC      AAAAAAAAAA  LL      EEEEEEEE  PPPPPPPPPPP  CC
SS      SS      CC      AA      LL      EE      PP      CC      CC
SS      SS      CC      AA      LL      EE      PP      CC      CC
SS      SS      CC      AA      LL      EE      PP      CC      CC
SSSSSSSSSSSS  CCCCCCCCCCCCC  AA      AA      LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCCCCC
SSSSSSSSSSSS  CCCCCCCCCC      AA      AA      LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
```

```
0000000      777777777777  //      22222222222  33333333333  //      99999999999  88888888888
0000000000  777777777777  //      222222222222  333333333333  //      999999999999  888888888888
00      00      77      //      22      22      33      //      99      99      88
00      00      77      //      22      22      33      //      99      99      88
00      00      77      //      22      22      33      //      99      99      88
00      00      77      //      22      22      33      //      99      99      88
00      00      77      //      22      22      33      //      99      99      88
00      00      77      //      22      22      33      //      99      99      88
00      00      77      //      22      22      33      //      99      99      88
0000000000  77      //      22222222222  333333333333  //      999999999999  888888888888
0000000      77      //      222222222222  333333333333  //      999999999999  888888888888
```

```
22222222222  11      11      22222222222  33333333333  33333333333
222222222222  111      111      222222222222  333333333333  333333333333
22      22      1111      1111      22      22      1111      1111      33      33      33
22      22      11      11      22      22      11      11      33      33      33
22      22      11      11      22      22      11      11      33      33      33
22      22      11      11      22      22      11      11      33      33      33
22      22      11      11      22      22      11      11      33      33      33
22      22      11      11      22      22      11      11      33      33      33
22      22      11      11      22      22      11      11      33      33      33
222222222222  11111111  11111111  222222222222  333333333333  333333333333
222222222222  11111111  11111111  222222222222  333333333333  333333333333
```


NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

**** PROBLEM PARAMETERS ****

LIB 27GROUENDF4 LIBRARY
 MX 9 MIXTURES
 MSC 9 COMPOSITION SPECIFICATIONS
 IZM 4 MATERIAL ZONES
 GE LATTICECELL GEOMETRY
 MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
 MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC UO2 STANDARD COMPOSITION
 MX 1 MIXTURE NO.
 VF 0.9500 VOLUME FRACTION
 ROTH 10.9600 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 92000 1.00 ATOM/MOLECULE
 92235 4.000 WT%
 92236 96.000 WT%
 8016 2.00 ATOMS/MOLECULE

END

SC ZIRCALLOY STANDARD COMPOSITION
 MX 2 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 6.5600 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 40302 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 3 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
 MX 4 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 2.7029 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 13027 1.00 ATOM/MOLECULE

END

SC 59304 STANDARD COMPOSITION
 MX 5 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 7.9200 THEORETICAL DENSITY
 NEL 4 NO. ELEMENTS
 ICP 0 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 24304 19.000 WT%
 25055 2.000 WT%
 26304 69.500 WT%
 28304 9.500 WT%

END

SC PB STANDARD COMPOSITION
 MX 6 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 11.3440 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 82000 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 7 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 8 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN

```
      1001      2.00 ATOMS/MOLECULE
      8016      1.00 ATOM/MOLECULE
END
SC H2O      STANDARD COMPOSITION
MX          9 MIXTURE NO.
VF          0.0000 VOLUME FRACTION
ROTH       0.9982 THEORETICAL DENSITY
NEL        2 NO. ELEMENTS
ICP        1 0/1 MIXTURE/COMPOUND
TEMP       293.0 DEG KELVIN
      1001      2.00 ATOMS/MOLECULE
      8016      1.00 ATOM/MOLECULE
END
```

**** PROBLEM GEOMETRY ****

```
CTP SQUAREPITCH CELL TYPE
PITCH      1.4529 CM CENTER TO CENTER SPACING
FUELOD     0.9055 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL      1 MIXTURE NO. OF FUEL
MMOD       3 MIXTURE NO. OF MODERATOR
CLADOD     1.0770 CM CLAD OUTER DIAMETER
MCLAD      2 MIXTURE NO. OF CLAD
GAPOD      0.9246 CM GAP OUTER DIAMETER
MGAP       9 MIXTURE NO. OF GAP
```

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

```
ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD
```



```

*****
***** NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL *****
*****
***** ADDITIONAL INFORMATION *****
*****
NUMBER OF ENERGY GROUPS      27      USE LATTICE GEOMETRY      YES
NO. OF FISSION SPECTRUM SOURCE GROUP  1      GLOBAL ARRAY NUMBER      0
NO. OF SCATTERING ANGLES IN XSECS    2      NUMBER OF UNITS IN THE GLOBAL X DIR.    0
ENTRIES/NEUTRON IN THE NEUTRON BANK  19      NUMBER OF UNITS IN THE GLOBAL Y DIR.    0
ENTRIES/NEUTRON IN THE FISSION BANK  12      NUMBER OF UNITS IN THE GLOBAL Z DIR.    0
NUMBER OF MIXTURES USED          9      USE A GLOBAL REFLECTOR      YES
NUMBER OF BIAS ID'S USED         1      USE NESTED HOLES            YES
NUMBER OF DIFFERENTIAL ALBEDOS USED  1      NUMBER OF HOLES             22
TOTAL INPUT GEOMETRY REGIONS      24      MAXIMUM HOLE NESTING LEVEL    2
NUMBER OF GEOMETRY REGIONS USED    24      USE NESTED ARRAYS            NO
LARGEST GEOMETRY UNIT NUMBER       6      NUMBER OF ARRAYS USED        1
LARGEST ARRAY NUMBER              1      MAXIMUM ARRAY NESTING LEVEL    1
*****
+X BOUNDARY CONDITION            H2O      -X BOUNDARY CONDITION        H2O
+Y BOUNDARY CONDITION            H2O      -Y BOUNDARY CONDITION        H2O
+Z BOUNDARY CONDITION            PER      -Z BOUNDARY CONDITION        PER
*****

```

```

*****
***** NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL *****
*****
***** SPACE AND SUPERGROUP INFORMATION *****
*****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
34647 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
65383 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99458 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
65292 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.
1576 WORDS ARE NEEDED FOR THE LARGEST GROUP.
36466 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
51430 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
51872 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.
*****
*****
*****
SUPERGROUP      STARTING      ENDING      XSEC      ALBEDO      TOTAL
GROUP           GROUP         GROUP      LENGTH    LENGTH      LENGTH
*****
1              1              27         2764      544         16854
*****

```

```

*****
***** 0 IO'S WERE USED IN SUPERGROUPING *****
***** 0 IO'S WERE USED LOADING THE DATA *****
*****

```

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM

REGION	MEDIA BIAS NUM ID						
----- UNIT 1 -----							
FUEL PIN CELL - WITH H2O							
1	CYLINDER 1 1	RADIUS = 0.45280	-Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	CYLINDER 9 1	RADIUS = 0.46230	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CYLINDER 2 1	RADIUS = 0.53850	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	CUBOID 3 1	-X = 0.72640	-X = -0.72640	+Y = 0.72640	-Y = -0.72640	+Z = 10.000	-Z = -10.000

----- UNIT 2 -----

WATER ROD CELL - WITH H2O

1	CYLINDER 3 1	RADIUS = 0.46230	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	CYLINDER 2 1	RADIUS = 0.53850	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CUBOID 3 1	-X = 0.72640	-X = -0.72640	+Y = 0.72640	-Y = -0.72640	+Z = 10.000	-Z = -10.000

----- UNIT 3 EXTERNAL TO LATTICE 1 -----

1	ARRAY NUMBER 1	+X = 6.5376	-X = -6.5376	+Y = 6.5376	-Y = -6.5376	+Z = 10.000	-Z = -10.000
2	CUBOID 3 1	+X = 6.7031	-X = -6.7031	+Y = 6.7031	-Y = -6.7031	+Z = 10.000	-Z = -10.000
3	CUBOID 2 1	+X = 6.9063	-X = -6.9063	+Y = 6.9063	-Y = -6.9063	+Z = 10.000	-Z = -10.000
4	CUBOID 3 1	+X = 7.3025	-X = -7.3025	+Y = 7.3025	-Y = -7.3025	+Z = 10.000	-Z = -10.000

----- UNIT 4 EXTERNAL TO LATTICE 1 -----

1	ARRAY NUMBER 1	+X = 6.5376	-X = -6.5376	+Y = 6.5376	-Y = -6.5376	+Z = 10.000	-Z = -10.000
2	CUBOID 3 1	+X = 6.7031	-X = -6.7031	+Y = 6.7031	-Y = -6.7031	+Z = 10.000	-Z = -10.000
3	CUBOID 2 1	+X = 6.9063	-X = -6.9063	+Y = 6.9063	-Y = -6.9063	+Z = 10.000	-Z = -10.000
4	CUBOID 3 1	+X = 7.3025	-X = -7.3025	+Y = 7.3025	-Y = -7.3025	+Z = 10.000	-Z = -10.000

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM

REGION	MEDIA BIAS NUM ID						
----- UNIT 5 -----							
1	CYLINDER 4 1	RADIUS = 16.627	-Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
	HOLE NUMBER 1	AT X = -7.4613	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 3		
	HOLE NUMBER 2	AT X = 7.4613	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 4		
2	CYLINDER 3 1	RADIUS = 16.986	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CYLINDER 5 1	RADIUS = 18.891	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	CYLINDER 6 1	RADIUS = 33.496	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5	CYLINDER 5 1	RADIUS = 36.544	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6	CYLINDER 7 1	RADIUS = 49.244	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7	CYLINDER 5 1	RADIUS = 49.854	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM

REGION	MEDIA BIAS NUM ID						
----- GLOBAL UNIT 6 -----							
1	CYLINDER 6 1	RADIUS = 696.00	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
	HOLE NUMBER 3	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 5		
	HOLE NUMBER 4	AT X = 0.00000	Y = 243.80	Z = 0.00000	IS UNIT NUMBER 5		
	HOLE NUMBER 5	AT X = 211.17	Y = 121.90	Z = 0.00000	IS UNIT NUMBER 5		
	HOLE NUMBER 6	AT X = 211.17	Y = -121.90	Z = 0.00000	IS UNIT NUMBER 5		
	HOLE NUMBER 7	AT X = 0.00000	Y = -243.80	Z = 0.00000	IS UNIT NUMBER 5		
	HOLE NUMBER 8	AT X = -211.17	Y = -121.90	Z = 0.00000	IS UNIT NUMBER 5		

HOLE NUMBER	9	AT X = -211.17	Y = 121.90	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	10	AT X = 0.00000	Y = 487.70	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	11	AT X = 211.20	Y = 365.80	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	12	AT X = 422.30	Y = 243.80	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	13	AT X = 422.30	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	14	AT X = 422.30	Y = -243.80	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	15	AT X = 211.20	Y = -365.80	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	16	AT X = 0.00000	Y = -487.70	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	17	AT X = -211.20	Y = -365.80	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	18	AT X = -422.30	Y = -243.88	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	19	AT X = -422.30	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	20	AT X = -422.30	Y = 243.80	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	21	AT X = -211.20	Y = 365.80	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	22	AT X = 633.51	Y = 121.90	Z = 0.00000	IS UNIT NUMBER	5
2 CUBOID	8 1	+X = 696.00	-X = -696.00	+Y = 696.00	-Y = -696.00	+Z = 10.000 -Z = -10.000

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

2 LAYER 1, X COLUMN 1 TO 9 LEFT TO RIGHT Y ROW 1 TO 9 BOTTOM TO TOP

```

1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 2 1 1 1
1 1 1 1 2 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1

```


**NAC-LWT Cask SAR
Revision 38**

November 2007

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 1.30338E-02

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

*X= 6.96000E+02 -X=-6.96000E+02 *Y= 6.96000E+02 -Y=-6.96000E+02 *Z= 1.00000E+01 -Z=-1.00000E+01

THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 24 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

976 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

0.45333 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.46933 MINUTES.

_NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

GENERATION	ELAPSED TIME	AVERAGE	AVG K-EFF	MATRIX	MATRIX K-EFF
GENERATION K-EFFECTIVE	MINUTES	K-EFFECTIVE	DEVIATION	K-EFFECTIVE	DEVIATION
KENO MESSAGE NUMBER K5-132 1 8.03015E-01	WARNING...ONLY 4.66000E-01	874 INDEPENDENT 1.00000E+00	FISSION POINTS WERE GENERATED 0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132 2 8.55134E-01	WARNING...ONLY 5.08000E-01	967 INDEPENDENT 1.00000E+00	FISSION POINTS WERE GENERATED 0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132 3 8.61212E-01	WARNING...ONLY 5.29000E-01	904 INDEPENDENT 8.62121E-01	FISSION POINTS WERE GENERATED 0.00000E+00	0.00000E+00	0.00000E+00
4 8.44058E-01	5.51000E-01	8.52635E-01	8.57702E-03	0.00000E+00	0.00000E+00
5 8.82350E-01	5.73833E-01	8.62540E-01	1.10737E-02	0.00000E+00	0.00000E+00
6 8.47498E-01	5.97667E-01	8.58780E-01	6.68646E-03	0.00000E+00	0.00000E+00
7 8.51571E-01	6.20667E-01	8.57338E-01	6.68123E-03	0.00000E+00	0.00000E+00
8 8.93366E-01	6.41667E-01	8.63343E-01	8.22366E-03	0.00000E+00	0.00000E+00
9 8.33529E-01	6.64500E-01	8.59084E-01	8.15146E-03	0.00000E+00	0.00000E+00
10 8.36796E-01	6.87333E-01	8.56298E-01	7.58924E-03	0.00000E+00	0.00000E+00
11 8.82450E-01	7.09333E-01	8.59204E-01	7.29663E-03	0.00000E+00	0.00000E+00
12 8.44942E-01	7.32333E-01	8.57778E-01	6.68031E-03	0.00000E+00	0.00000E+00
13 8.42681E-01	7.55167E-01	8.56405E-01	6.19646E-03	0.00000E+00	0.00000E+00
14 8.42487E-01	7.78000E-01	8.55245E-01	5.77424E-03	0.00000E+00	0.00000E+00
15 8.27233E-01	8.01000E-01	8.53091E-01	5.73198E-03	0.00000E+00	0.00000E+00
16 8.58392E-01	8.23833E-01	8.53469E-01	5.32028E-03	0.00000E+00	0.00000E+00
17 8.42240E-01	8.45833E-01	8.52721E-01	5.00917E-03	0.00000E+00	0.00000E+00
18 8.33538E-01	8.68667E-01	8.51522E-01	4.83660E-03	0.00000E+00	0.00000E+00
19 8.75942E-01	8.91500E-01	8.52956E-01	4.76489E-03	0.00000E+00	0.00000E+00
20 8.17923E-01	9.15333E-01	8.51012E-01	4.89591E-03	0.00000E+00	0.00000E+00
21 8.49207E-01	9.40000E-01	8.50917E-01	4.63204E-03	0.00000E+00	0.00000E+00
22 8.28669E-01	9.63000E-01	8.49804E-01	4.53294E-03	0.00000E+00	0.00000E+00
23 8.19649E-01	9.85833E-01	8.48368E-01	4.54452E-03	0.00000E+00	0.00000E+00
24 8.72464E-01	1.00667E+00	8.49465E-01	4.46954E-03	0.00000E+00	0.00000E+00
25 8.08727E-01	1.03250E+00	8.47693E-01	4.62351E-03	0.00000E+00	0.00000E+00
26 8.63732E-01	1.05450E+00	8.48362E-01	4.47683E-03	0.00000E+00	0.00000E+00
27 8.27315E-01	1.07650E+00	8.47520E-01	4.37577E-03	0.00000E+00	0.00000E+00
28 8.69706E-01	1.09933E+00	8.46373E-01	4.28963E-03	0.00000E+00	0.00000E+00
29 8.44903E-01	1.12217E+00	8.46245E-01	4.12989E-03	0.00000E+00	0.00000E+00
30 8.33130E-01	1.14417E+00	8.47705E-01	4.01610E-03	0.00000E+00	0.00000E+00
31 8.77643E-01	1.16617E+00	8.46737E-01	4.01030E-03	0.00000E+00	0.00000E+00
32 8.42523E-01	1.18900E+00	8.46530E-01	3.87965E-03	0.00000E+00	0.00000E+00
33 8.66517E-01	1.21150E+00	8.48917E-01	3.77245E-03	0.00000E+00	0.00000E+00
34 8.50583E-01	1.23400E+00	8.46969E-01	3.65306E-03	0.00000E+00	0.00000E+00
35 8.66833E-01	1.25633E+00	8.50162E-01	3.73617E-03	0.00000E+00	0.00000E+00
36 8.28639E-01	1.27967E+00	8.49529E-01	3.67948E-03	0.00000E+00	0.00000E+00
37 8.98219E-01	1.30167E+00	8.50920E-01	3.63409E-03	0.00000E+00	0.00000E+00
38 8.55574E-01	1.32450E+00	8.51049E-01	3.72831E-03	0.00000E+00	0.00000E+00
39 8.64577E-01	1.34833E+00	8.51415E-01	3.64453E-03	0.00000E+00	0.00000E+00
40 8.18400E-01	1.37217E+00	8.50546E-01	3.65217E-03	0.00000E+00	0.00000E+00
41 8.44394E-01	1.39500E+00	8.50393E-01	3.66056E-03	0.00000E+00	0.00000E+00
42 8.25682E-01	1.41800E+00	8.49780E-01	3.52409E-03	0.00000E+00	0.00000E+00
43 8.94276E-01	1.43900E+00	8.50866E-01	3.60433E-03	0.00000E+00	0.00000E+00
44 8.48984E-01	1.46100E+00	8.50821E-01	3.51775E-03	0.00000E+00	0.00000E+00
45 8.38697E-01	1.48283E+00	8.50544E-01	3.44615E-03	0.00000E+00	0.00000E+00
46 8.27345E-01	1.50483E+00	8.50016E-01	3.40795E-03	0.00000E+00	0.00000E+00
47 8.43568E-01	1.52867E+00	8.49873E-01	3.33443E-03	0.00000E+00	0.00000E+00
48 8.34958E-01	1.55067E+00	8.49549E-01	3.27722E-03	0.00000E+00	0.00000E+00
49 8.28192E-01	1.57350E+00	8.49094E-01	3.23877E-03	0.00000E+00	0.00000E+00
50 8.79751E-01	1.59550E+00	8.49733E-01	3.23462E-03	0.00000E+00	0.00000E+00
51 8.30097E-01	1.61833E+00	8.49332E-01	3.19262E-03	0.00000E+00	0.00000E+00
52 8.31352E-01	1.64217E+00	8.48975E-01	3.14891E-03	0.00000E+00	0.00000E+00
53 8.02345E-01	1.66617E+00	8.48058E-01	3.21911E-03	0.00000E+00	0.00000E+00
54 8.39723E-01	1.68700E+00	8.47898E-01	3.16067E-03	0.00000E+00	0.00000E+00
55 8.40903E-01	1.71000E+00	8.47766E-01	3.10326E-03	0.00000E+00	0.00000E+00
56 8.68127E-01	1.73183E+00	8.48143E-01	3.06851E-03	0.00000E+00	0.00000E+00
57 8.55930E-01	1.75483E+00	8.48285E-01	3.01553E-03	0.00000E+00	0.00000E+00
58 8.32171E-01	1.77683E+00	8.47997E-01	2.97514E-03	0.00000E+00	0.00000E+00
59 8.32146E-01	1.79967E+00	8.47719E-01	2.93568E-03	0.00000E+00	0.00000E+00
60 8.61564E-01	1.82250E+00	8.47958E-01	2.89448E-03	0.00000E+00	0.00000E+00
61 8.36321E-01	1.84550E+00	8.47760E-01	2.85182E-03	0.00000E+00	0.00000E+00
62 8.22286E-01	1.87017E+00	8.47336E-01	2.83585E-03	0.00000E+00	0.00000E+00
63 8.05083E-01	1.89300E+00	8.46643E-01	2.87370E-03	0.00000E+00	0.00000E+00
64 8.58331E-01	1.91500E+00	8.46832E-01	2.83325E-03	0.00000E+00	0.00000E+00
65 8.31174E-01	1.93783E+00	8.46583E-01	2.79897E-03	0.00000E+00	0.00000E+00
66 8.26488E-01	1.96063E+00	8.46269E-01	2.77273E-03	0.00000E+00	0.00000E+00
67 8.41472E-01	1.98183E+00	8.46195E-01	2.73073E-03	0.00000E+00	0.00000E+00
68 8.70657E-01	2.00567E+00	8.46566E-01	2.71445E-03	0.00000E+00	0.00000E+00
69 8.59016E-01	2.02850E+00	8.46752E-01	2.68009E-03	0.00000E+00	0.00000E+00
70 8.64105E-01	2.05133E+00	8.47007E-01	2.65269E-03	0.00000E+00	0.00000E+00
71 8.65970E-01	2.07433E+00	8.47282E-01	2.62837E-03	0.00000E+00	0.00000E+00
72 8.45386E-01	2.09717E+00	8.47255E-01	2.59069E-03	0.00000E+00	0.00000E+00
73 8.20063E-01	2.12183E+00	8.46872E-01	2.58249E-03	0.00000E+00	0.00000E+00
74 8.18769E-01	2.14383E+00	8.46482E-01	2.57611E-03	0.00000E+00	0.00000E+00
75 8.28930E-01	2.16667E+00	8.46241E-01	2.55193E-03	0.00000E+00	0.00000E+00
76 8.41596E-01	2.19050E+00	8.46178E-01	2.51799E-03	0.00000E+00	0.00000E+00
77 8.55685E-01	2.21350E+00	8.46305E-01	2.48742E-03	0.00000E+00	0.00000E+00
78 8.53658E-01	2.23633E+00	8.46402E-01	2.45638E-03	0.00000E+00	0.00000E+00
79 8.74212E-01	2.25917E+00	8.46763E-01	2.45103E-03	0.00000E+00	0.00000E+00
80 8.66232E-01	2.28200E+00	8.47013E-01	2.43224E-03	0.00000E+00	0.00000E+00
81 8.25765E-01	2.30500E+00	8.46744E-01	2.41627E-03	0.00000E+00	0.00000E+00

82	8.22817E-01	2.32700E+00	8.46443E-01	2.40455E-03	0.00000E+00	0.00000E+00
83	8.19609E-01	2.35067E+00	8.46311E-01	2.39734E-03	0.00000E+00	0.00000E+00
84	8.41492E-01	2.37367E+00	8.46062E-01	2.36854E-03	0.00000E+00	0.00000E+00
85	8.83550E-01	2.39630E+00	8.46513E-01	2.36302E-03	0.00000E+00	0.00000E+00
86	8.57550E-01	2.41933E+00	8.46645E-01	2.35815E-03	0.00000E+00	0.00000E+00
87	8.91905E-01	2.44133E+00	8.47177E-01	2.39020E-03	0.00000E+00	0.00000E+00
88	8.35816E-01	2.46333E+00	8.47045E-01	2.36603E-03	0.00000E+00	0.00000E+00
89	8.49144E-01	2.48533E+00	8.47069E-01	2.33850E-03	0.00000E+00	0.00000E+00
90	8.47923E-01	2.50817E+00	8.47079E-01	2.31210E-03	0.00000E+00	0.00000E+00
91	8.38329E-01	2.53200E+00	8.46981E-01	2.28608E-03	0.00000E+00	0.00000E+00
92	8.46967E-01	2.55583E+00	8.46961E-01	2.26252E-03	0.00000E+00	0.00000E+00
93	8.22642E-01	2.57967E+00	8.46713E-01	2.25345E-03	0.00000E+00	0.00000E+00
94	8.36773E-01	2.60350E+00	8.46627E-01	2.23049E-03	0.00000E+00	0.00000E+00
95	8.72414E-01	2.62733E+00	8.46904E-01	2.22373E-03	0.00000E+00	0.00000E+00
96	8.42533E-01	2.64733E+00	8.46861E-01	2.20037E-03	0.00000E+00	0.00000E+00
97	8.39828E-01	2.67117E+00	8.46787E-01	2.17835E-03	0.00000E+00	0.00000E+00
98	8.20131E-01	2.69500E+00	8.46509E-01	2.17335E-03	0.00000E+00	0.00000E+00
99	8.27881E-01	2.71783E+00	8.46317E-01	2.15938E-03	0.00000E+00	0.00000E+00
100	8.69356E-01	2.73863E+00	8.46756E-01	2.18159E-03	0.00000E+00	0.00000E+00
101	8.75624E-01	2.76083E+00	8.47048E-01	2.17933E-03	0.00000E+00	0.00000E+00
102	8.56070E-01	2.78263E+00	8.47158E-01	2.16024E-03	0.00000E+00	0.00000E+00
103	8.50654E-01	2.80567E+00	8.47195E-01	2.13906E-03	0.00000E+00	0.00000E+00
104	8.25914E-01	2.82867E+00	8.46986E-01	2.12824E-03	0.00000E+00	0.00000E+00
105	8.30769E-01	2.85150E+00	8.46829E-01	2.11335E-03	0.00000E+00	0.00000E+00
106	8.44415E-01	2.87433E+00	8.46805E-01	2.09205E-03	0.00000E+00	0.00000E+00
107	8.25164E-01	2.89633E+00	8.46599E-01	2.08323E-03	0.00000E+00	0.00000E+00
108	8.37758E-01	2.91917E+00	8.46516E-01	2.06517E-03	0.00000E+00	0.00000E+00
109	8.49844E-01	2.94217E+00	8.46547E-01	2.04601E-03	0.00000E+00	0.00000E+00
110	8.55113E-01	2.96500E+00	8.46626E-01	2.02653E-03	0.00000E+00	0.00000E+00
111	8.46195E-01	2.98700E+00	8.46623E-01	2.00984E-03	0.00000E+00	0.00000E+00
112	8.45141E-01	3.00983E+00	8.46609E-01	1.99153E-03	0.00000E+00	0.00000E+00
113	8.31607E-01	3.03163E+00	8.46474E-01	1.97813E-03	0.00000E+00	0.00000E+00
114	8.24469E-01	3.05467E+00	8.46277E-01	1.97021E-03	0.00000E+00	0.00000E+00
115	8.55939E-01	3.07667E+00	8.46363E-01	1.95456E-03	0.00000E+00	0.00000E+00
116	8.35661E-01	3.09950E+00	8.46271E-01	1.93953E-03	0.00000E+00	0.00000E+00
117	8.69436E-01	3.12150E+00	8.46646E-01	1.95889E-03	0.00000E+00	0.00000E+00
118	8.36781E-01	3.14433E+00	8.46561E-01	1.94379E-03	0.00000E+00	0.00000E+00
119	8.56479E-01	3.16733E+00	8.46646E-01	1.92897E-03	0.00000E+00	0.00000E+00
120	8.31943E-01	3.19117E+00	8.46521E-01	1.91661E-03	0.00000E+00	0.00000E+00
121	8.47651E-01	3.21400E+00	8.46526E-01	1.90044E-03	0.00000E+00	0.00000E+00
122	8.56000E-01	3.23600E+00	8.46605E-01	1.88619E-03	0.00000E+00	0.00000E+00
123	8.66896E-01	3.25983E+00	8.46772E-01	1.87804E-03	0.00000E+00	0.00000E+00
124	8.87945E-01	3.28267E+00	8.47110E-01	1.89290E-03	0.00000E+00	0.00000E+00
125	8.03069E-01	3.30550E+00	8.46752E-01	1.91129E-03	0.00000E+00	0.00000E+00
126	8.78590E-01	3.32833E+00	8.46605E-01	1.90146E-03	0.00000E+00	0.00000E+00
127	8.37357E-01	3.35217E+00	8.46531E-01	1.88764E-03	0.00000E+00	0.00000E+00
128	8.54670E-01	3.37417E+00	8.46596E-01	1.87371E-03	0.00000E+00	0.00000E+00
129	8.34564E-01	3.39700E+00	8.46501E-01	1.86131E-03	0.00000E+00	0.00000E+00
130	8.31266E-01	3.41900E+00	8.46382E-01	1.85055E-03	0.00000E+00	0.00000E+00
131	8.26426E-01	3.44200E+00	8.46227E-01	1.84265E-03	0.00000E+00	0.00000E+00
132	7.89050E-01	3.46483E+00	8.45792E-01	1.87958E-03	0.00000E+00	0.00000E+00
133	8.36767E-01	3.48883E+00	8.45723E-01	1.86645E-03	0.00000E+00	0.00000E+00
134	8.63284E-01	3.51083E+00	8.45856E-01	1.85703E-03	0.00000E+00	0.00000E+00
135	8.58040E-01	3.53683E+00	8.45948E-01	1.84529E-03	0.00000E+00	0.00000E+00
136	8.47175E-01	3.55450E+00	8.45957E-01	1.83149E-03	0.00000E+00	0.00000E+00
137	8.11389E-01	3.57733E+00	8.45701E-01	1.83585E-03	0.00000E+00	0.00000E+00
138	8.30414E-01	3.60033E+00	8.45632E-01	1.82358E-03	0.00000E+00	0.00000E+00
139	8.34532E-01	3.62317E+00	8.45551E-01	1.81203E-03	0.00000E+00	0.00000E+00
140	8.29938E-01	3.64700E+00	8.45438E-01	1.80241E-03	0.00000E+00	0.00000E+00
141	8.32637E-01	3.67063E+00	8.45346E-01	1.79176E-03	0.00000E+00	0.00000E+00
142	8.19858E-01	3.69467E+00	8.45463E-01	1.78287E-03	0.00000E+00	0.00000E+00
143	8.93389E-01	3.71867E+00	8.45605E-01	1.80252E-03	0.00000E+00	0.00000E+00
144	8.40486E-01	3.73950E+00	8.45767E-01	1.79017E-03	0.00000E+00	0.00000E+00
145	8.37730E-01	3.76233E+00	8.45711E-01	1.77849E-03	0.00000E+00	0.00000E+00
146	8.06936E-01	3.78433E+00	8.45456E-01	1.78447E-03	0.00000E+00	0.00000E+00
147	8.51072E-01	3.80633E+00	8.45494E-01	1.77254E-03	0.00000E+00	0.00000E+00
148	8.25831E-01	3.82917E+00	8.45360E-01	1.76550E-03	0.00000E+00	0.00000E+00
149	8.72424E-01	3.85200E+00	8.45544E-01	1.76309E-03	0.00000E+00	0.00000E+00
150	8.48161E-01	3.87400E+00	8.45561E-01	1.75123E-03	0.00000E+00	0.00000E+00
151	8.12393E-01	3.89783E+00	8.45339E-01	1.75362E-03	0.00000E+00	0.00000E+00
152	8.27142E-01	3.91983E+00	8.45218E-01	1.74611E-03	0.00000E+00	0.00000E+00
153	8.56656E-01	3.94267E+00	8.45289E-01	1.73599E-03	0.00000E+00	0.00000E+00
154	8.43779E-01	3.96550E+00	8.45279E-01	1.72456E-03	0.00000E+00	0.00000E+00
155	8.23765E-01	3.98933E+00	8.45139E-01	1.71902E-03	0.00000E+00	0.00000E+00
156	8.62734E-01	4.01133E+00	8.45253E-01	1.71164E-03	0.00000E+00	0.00000E+00
157	8.36396E-01	4.03417E+00	8.45196E-01	1.70152E-03	0.00000E+00	0.00000E+00
158	8.44308E-01	4.05617E+00	8.45190E-01	1.69056E-03	0.00000E+00	0.00000E+00
159	8.62942E-01	4.07900E+00	8.45303E-01	1.68358E-03	0.00000E+00	0.00000E+00
160	8.61780E-01	4.10100E+00	8.45407E-01	1.67614E-03	0.00000E+00	0.00000E+00
161	8.35460E-01	4.12383E+00	8.45345E-01	1.66674E-03	0.00000E+00	0.00000E+00
162	8.25338E-01	4.14663E+00	8.45220E-01	1.66102E-03	0.00000E+00	0.00000E+00
163	8.40144E-01	4.16983E+00	8.45185E-01	1.65095E-03	0.00000E+00	0.00000E+00
164	8.42616E-01	4.19167E+00	8.45173E-01	1.64081E-03	0.00000E+00	0.00000E+00
165	8.39231E-01	4.21450E+00	8.45136E-01	1.63112E-03	0.00000E+00	0.00000E+00
166	8.54434E-01	4.23750E+00	8.45193E-01	1.62213E-03	0.00000E+00	0.00000E+00
167	8.59968E-01	4.26033E+00	8.45283E-01	1.61475E-03	0.00000E+00	0.00000E+00
168	8.44632E-01	4.28317E+00	8.45279E-01	1.60500E-03	0.00000E+00	0.00000E+00
169	8.66339E-01	4.30517E+00	8.45405E-01	1.60034E-03	0.00000E+00	0.00000E+00
170	8.30213E-01	4.32717E+00	8.45314E-01	1.59335E-03	0.00000E+00	0.00000E+00
171	8.53259E-01	4.34917E+00	8.45361E-01	1.58459E-03	0.00000E+00	0.00000E+00
172	8.52991E-01	4.37200E+00	8.45406E-01	1.57588E-03	0.00000E+00	0.00000E+00
173	8.35313E-01	4.39483E+00	8.45347E-01	1.56775E-03	0.00000E+00	0.00000E+00
174	8.39402E-01	4.41867E+00	8.45313E-01	1.55900E-03	0.00000E+00	0.00000E+00
175	8.85390E-01	4.44150E+00	8.45544E-01	1.56717E-03	0.00000E+00	0.00000E+00
176	8.67804E-01	4.46350E+00	8.45672E-01	1.56338E-03	0.00000E+00	0.00000E+00
177	8.90259E-01	4.48650E+00	8.45927E-01	1.57517E-03	0.00000E+00	0.00000E+00
178	8.63545E-01	4.50750E+00	8.46027E-01	1.56939E-03	0.00000E+00	0.00000E+00
179	8.24477E-01	4.53133E+00	8.45905E-01	1.56524E-03	0.00000E+00	0.00000E+00
180	8.48311E-01	4.55317E+00	8.45919E-01	1.55648E-03	0.00000E+00	0.00000E+00
181	8.24968E-01	4.57617E+00	8.45802E-01	1.55218E-03	0.00000E+00	0.00000E+00
182	8.74340E-01	4.59817E+00	8.45960E-01	1.55165E-03	0.00000E+00	0.00000E+00

183	8.43356E-01	4.82160E+00	6.45946E-01	1.54312E-03	0.00000E+00	C.00000E+00
184	7.96096E-01	4.64567E+00	6.45672E-01	1.55867E-03	0.00000E+00	C.00000E+00
185	6.19912E-01	4.66767E+00	6.45531E-01	1.55671E-03	0.00000E+00	C.00000E+00
186	6.56812E-01	4.68867E+00	6.45558E-01	1.54844E-03	0.00000E+00	C.00000E+00
187	6.38616E-01	4.71167E+00	6.45527E-01	1.54052E-03	0.00000E+00	C.00000E+00
188	6.32801E-01	4.73456E+00	6.45452E-01	1.53374E-03	0.00000E+00	C.00000E+00
189	6.16017E-01	4.75733E+00	6.45306E-01	1.52256E-03	0.00000E+00	C.00000E+00
190	6.06331E-01	4.78033E+00	6.45097E-01	1.50856E-03	0.00000E+00	C.00000E+00
191	6.34868E-01	4.80400E+00	6.45043E-01	1.53135E-03	0.00000E+00	C.00000E+00
192	6.40406E-01	4.82700E+00	6.45019E-01	1.52347E-03	0.00000E+00	C.00000E+00
193	6.51144E-01	4.84900E+00	6.45051E-01	1.51581E-03	0.00000E+00	C.00000E+00
194	6.51366E-01	4.87180E+00	6.45084E-01	1.50825E-03	0.00000E+00	C.00000E+00
195	6.53999E-01	4.89567E+00	6.45130E-01	1.50113E-03	0.00000E+00	C.00000E+00
196	6.57997E-01	4.91667E+00	6.45196E-01	1.49484E-03	0.00000E+00	C.00000E+00
197	6.31102E-01	4.93950E+00	6.45124E-01	1.48692E-03	0.00000E+00	C.00000E+00
198	6.60282E-01	4.96250E+00	6.45201E-01	1.48331E-03	0.00000E+00	C.00000E+00
199	6.09193E-01	4.98433E+00	6.45019E-01	1.48704E-03	0.00000E+00	C.00000E+00
200	6.45723E-01	5.00817E+00	6.45022E-01	1.47952E-03	0.00000E+00	C.00000E+00
201	6.47729E-01	5.03017E+00	6.45036E-01	1.47212E-03	0.00000E+00	C.00000E+00
202	6.67544E-01	5.05300E+00	6.45148E-01	1.46906E-03	0.00000E+00	C.00000E+00
203	6.42843E-01	5.07600E+00	6.45137E-01	1.46178E-03	0.00000E+00	C.00000E+00
204	6.53551E-01	5.09883E+00	6.45164E-01	1.45477E-03	0.00000E+00	C.00000E+00
205	6.15964E-01	5.12383E+00	6.45020E-01	1.45472E-03	0.00000E+00	C.00000E+00
206	6.43229E-01	5.14283E+00	6.45011E-01	1.44760E-03	0.00000E+00	C.00000E+00
207	6.66512E-01	5.16483E+00	6.45116E-01	1.44433E-03	0.00000E+00	C.00000E+00
208	6.56123E-01	5.18850E+00	6.45169E-01	1.43829E-03	0.00000E+00	C.00000E+00
209	6.34250E-01	5.21150E+00	6.45117E-01	1.43230E-03	0.00000E+00	C.00000E+00
210	6.24444E-01	5.23517E+00	6.45018E-01	1.42879E-03	0.00000E+00	C.00000E+00
211	6.23410E-01	5.25717E+00	6.44915E-01	1.42569E-03	0.00000E+00	C.00000E+00
212	6.32794E-01	5.28200E+00	6.44857E-01	1.42006E-03	0.00000E+00	C.00000E+00
213	6.65427E-01	5.30483E+00	6.44955E-01	1.41667E-03	0.00000E+00	C.00000E+00
214	6.32686E-01	5.32683E+00	6.44896E-01	1.41119E-03	0.00000E+00	C.00000E+00
215	6.54653E-01	5.34967E+00	6.44939E-01	1.40520E-03	0.00000E+00	C.00000E+00
216	6.71032E-01	5.37067E+00	6.45061E-01	1.40393E-03	0.00000E+00	C.00000E+00
217	6.52064E-01	5.39267E+00	6.45094E-01	1.39776E-03	0.00000E+00	C.00000E+00
218	6.32361E-01	5.41650E+00	6.45035E-01	1.39252E-03	0.00000E+00	C.00000E+00
219	6.69524E-01	5.43750E+00	6.45148E-01	1.39068E-03	0.00000E+00	C.00000E+00
220	6.56193E-01	5.46050E+00	6.45198E-01	1.38521E-03	0.00000E+00	C.00000E+00
221	6.61869E-01	5.48333E+00	6.45274E-01	1.38095E-03	0.00000E+00	C.00000E+00
222	6.63130E-01	5.50433E+00	6.45355E-01	1.37706E-03	0.00000E+00	C.00000E+00
223	6.14770E-01	5.52633E+00	6.45217E-01	1.37778E-03	0.00000E+00	C.00000E+00
224	6.06511E-01	5.55017E+00	6.45043E-01	1.38252E-03	0.00000E+00	C.00000E+00
225	6.61994E-01	5.57300E+00	6.45119E-01	1.37840E-03	0.00000E+00	C.00000E+00
226	6.35567E-01	5.59600E+00	6.45077E-01	1.37290E-03	0.00000E+00	C.00000E+00
227	6.18250E-01	5.61883E+00	6.44957E-01	1.37197E-03	0.00000E+00	C.00000E+00
228	6.53376E-01	5.64267E+00	6.44981E-01	1.36610E-03	0.00000E+00	C.00000E+00
229	6.37106E-01	5.66550E+00	6.44947E-01	1.36051E-03	0.00000E+00	C.00000E+00
230	6.59632E-01	5.68750E+00	6.45008E-01	1.35594E-03	0.00000E+00	C.00000E+00
231	6.38666E-01	5.71033E+00	6.44976E-01	1.35034E-03	0.00000E+00	C.00000E+00
232	6.76563E-01	5.73233E+00	6.45124E-01	1.35238E-03	0.00000E+00	C.00000E+00
233	6.00652E-01	5.75517E+00	6.44929E-01	1.36057E-03	0.00000E+00	C.00000E+00
234	6.38247E-01	5.77900E+00	6.44900E-01	1.35500E-03	0.00000E+00	C.00000E+00
235	6.13711E-01	5.80283E+00	6.44766E-01	1.35500E-03	0.00000E+00	C.00000E+00
236	6.19853E-01	5.82483E+00	6.44660E-01	1.35418E-03	0.00000E+00	C.00000E+00
237	6.59566E-01	5.84880E+00	6.44723E-01	1.34990E-03	0.00000E+00	C.00000E+00
238	6.73399E-01	5.87050E+00	6.44845E-01	1.34955E-03	0.00000E+00	C.00000E+00
239	6.28429E-01	5.89250E+00	6.44776E-01	1.34572E-03	0.00000E+00	C.00000E+00
240	6.03342E-01	5.91450E+00	6.45022E-01	1.34273E-03	0.00000E+00	C.00000E+00
241	6.45582E-01	5.93733E+00	6.45024E-01	1.35675E-03	0.00000E+00	C.00000E+00
242	6.44312E-01	5.96033E+00	6.45021E-01	1.35109E-03	0.00000E+00	C.00000E+00
243	6.51148E-01	5.98433E+00	6.44963E-01	1.34671E-03	0.00000E+00	C.00000E+00
244	6.42377E-01	6.00517E+00	6.44953E-01	1.34117E-03	0.00000E+00	C.00000E+00
245	6.26543E-01	6.02800E+00	6.44877E-01	1.33779E-03	0.00000E+00	C.00000E+00
246	6.69212E-01	6.05000E+00	6.44976E-01	1.33602E-03	0.00000E+00	C.00000E+00
KENO MESSAGE NUMBER K5-132 WARN:NG... ONLY 962 INDEPENDENT FISSION POINTS WERE GENERATED						
247	7.82290E-01	6.07383E+00	6.44721E-01	1.35493E-03	0.00000E+00	C.00000E+00
248	6.70272E-01	6.09483E+00	6.44825E-01	1.35341E-03	0.00000E+00	C.00000E+00
249	6.66825E-01	6.11767E+00	6.44914E-01	1.35046E-03	0.00000E+00	C.00000E+00
250	6.37830E-01	6.13967E+00	6.44885E-01	1.34570E-03	0.00000E+00	C.00000E+00
251	6.32824E-01	6.16350E+00	6.44837E-01	1.34116E-03	0.00000E+00	C.00000E+00
252	6.68829E-01	6.18550E+00	6.45005E-01	1.34630E-03	0.00000E+00	C.00000E+00
253	6.62470E-01	6.20750E+00	6.45074E-01	1.34273E-03	0.00000E+00	C.00000E+00
254	6.60390E-01	6.22933E+00	6.45135E-01	1.33878E-03	0.00000E+00	C.00000E+00
255	6.26730E-01	6.25233E+00	6.45062E-01	1.33546E-03	0.00000E+00	C.00000E+00
256	6.47655E-01	6.27517E+00	6.45073E-01	1.33023E-03	0.00000E+00	C.00000E+00
257	6.32629E-01	6.29717E+00	6.45025E-01	1.32587E-03	0.00000E+00	C.00000E+00
258	6.41696E-01	6.32000E+00	6.45012E-01	1.32075E-03	0.00000E+00	C.00000E+00
259	6.35759E-01	6.34283E+00	6.44976E-01	1.31609E-03	0.00000E+00	C.00000E+00
260	6.28722E-01	6.36667E+00	6.44913E-01	1.31249E-03	0.00000E+00	C.00000E+00
261	6.24629E-01	6.38867E+00	6.44834E-01	1.30976E-03	0.00000E+00	C.00000E+00
262	6.30084E-01	6.41150E+00	6.44801E-01	1.30514E-03	0.00000E+00	C.00000E+00
263	6.46621E-01	6.43450E+00	6.44808E-01	1.30016E-03	0.00000E+00	C.00000E+00
264	6.46912E-01	6.45650E+00	6.44816E-01	1.29521E-03	0.00000E+00	C.00000E+00
265	6.46996E-01	6.47833E+00	6.44825E-01	1.29030E-03	0.00000E+00	C.00000E+00
266	6.67247E-01	6.50217E+00	6.44910E-01	1.28821E-03	0.00000E+00	C.00000E+00
267	6.66171E-01	6.52500E+00	6.44990E-01	1.28584E-03	0.00000E+00	C.00000E+00
268	6.76363E-01	6.54617E+00	6.45115E-01	1.28713E-03	0.00000E+00	C.00000E+00
269	6.34032E-01	6.57000E+00	6.45074E-01	1.28297E-03	0.00000E+00	C.00000E+00
270	6.74759E-01	6.59283E+00	6.45185E-01	1.28297E-03	0.00000E+00	C.00000E+00
271	6.67916E-01	6.61567E+00	6.45269E-01	1.28098E-03	0.00000E+00	C.00000E+00
272	6.51654E-01	6.63950E+00	6.45290E-01	1.27640E-03	0.00000E+00	C.00000E+00
273	6.31307E-01	6.66150E+00	6.45239E-01	1.27273E-03	0.00000E+00	C.00000E+00
274	6.44673E-01	6.68533E+00	6.45237E-01	1.26805E-03	0.00000E+00	C.00000E+00
275	6.32542E-01	6.70817E+00	6.45194E-01	1.26412E-03	0.00000E+00	C.00000E+00
276	6.59575E-01	6.72917E+00	6.45246E-01	1.26059E-03	0.00000E+00	C.00000E+00
277	6.33866E-01	6.75300E+00	6.45205E-01	1.25668E-03	0.00000E+00	C.00000E+00
278	6.12346E-01	6.77583E+00	6.45086E-01	1.25776E-03	0.00000E+00	C.00000E+00
279	6.89446E-01	6.79783E+00	6.45246E-01	1.26341E-03	0.00000E+00	C.00000E+00
280	7.95746E-01	6.82083E+00	6.45068E-01	1.27138E-03	0.00000E+00	C.00000E+00
281	6.27775E-01	6.84367E+00	6.45006E-01	1.26833E-03	0.00000E+00	C.00000E+00
282	6.66185E-01	6.86467E+00	6.45082E-01	1.26606E-03	0.00000E+00	C.00000E+00

283	8.75302E-01	6.88750E+00	8.45189E-01	1.26612E-03	0.00000E+00	0.00000E+00
284	8.16010E-01	6.91050E+00	8.45086E-01	1.26586E-03	0.00000E+00	0.00000E+00
285	8.63003E-01	6.93333E+00	8.45149E-01	1.26297E-03	0.00000E+00	0.00000E+00
286	8.73404E-01	6.95533E+00	8.45249E-01	1.26244E-03	0.00000E+00	0.00000E+00
287	8.81556E-01	6.97817E+00	8.45306E-01	1.25930E-03	0.00000E+00	0.00000E+00
288	8.87909E-01	7.00200E+00	8.45356E-01	1.25566E-03	0.00000E+00	0.00000E+00
289	8.98852E-01	7.02300E+00	8.45223E-01	1.25773E-03	0.00000E+00	0.00000E+00
290	8.31169E-01	7.04683E+00	8.45174E-01	1.25436E-03	0.00000E+00	0.00000E+00
291	8.34772E-01	7.06863E+00	8.45138E-01	1.25047E-03	0.00000E+00	0.00000E+00
292	8.18060E-01	7.09167E+00	8.45045E-01	1.24964E-03	0.00000E+00	0.00000E+00
293	8.01426E-01	7.11550E+00	8.44895E-01	1.25432E-03	0.00000E+00	0.00000E+00
294	8.35443E-01	7.13750E+00	8.44662E-01	1.25046E-03	0.00000E+00	0.00000E+00
295	8.35251E-01	7.16033E+00	8.44630E-01	1.24660E-03	0.00000E+00	0.00000E+00
296	8.16200E-01	7.18333E+00	8.44739E-01	1.24565E-03	0.00000E+00	0.00000E+00
297	8.00944E-01	7.20700E+00	8.44591E-01	1.25027E-03	0.00000E+00	0.00000E+00
298	8.21223E-01	7.23000E+00	8.44512E-01	1.24853E-03	0.00000E+00	0.00000E+00
299	8.47216E-01	7.25100E+00	8.44521E-01	1.24436E-03	0.00000E+00	0.00000E+00
300	8.60221E-01	7.27300E+00	8.44573E-01	1.24129E-03	0.00000E+00	0.00000E+00
301	8.49427E-01	7.29583E+00	8.44590E-01	1.23724E-03	0.00000E+00	0.00000E+00
302	8.72947E-01	7.31783E+00	8.44684E-01	1.23673E-03	0.00000E+00	0.00000E+00
303	8.51278E-01	7.33983E+00	8.44706E-01	1.23281E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

**NAC-LWT Cask SAR
Revision 38**

November 2007

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

LIFETIME = 1.15449E-04 + OR - 3.48275E-07 GENERATION TIME = 3.88784E-05 + OR - 1.17453E-07
 NU BAR = 2.43690E+00 + OR - 1.11422E-04 AVERAGE FISSION GROUP = 2.23149E+01 + OR - 6.58134E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 1.81957E-01 + OR - 1.00812E-03

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.84465	+ OR - 0.00124	0.84342 TO 0.84589	0.84218 TO 0.84712	0.84094 TO 0.84836	300000
4	0.84465	+ OR - 0.00124	0.84341 TO 0.84589	0.84217 TO 0.84713	0.84093 TO 0.84837	299000
5	0.84453	+ OR - 0.00124	0.84329 TO 0.84576	0.84205 TO 0.84700	0.84081 TO 0.84824	298000
6	0.84452	+ OR - 0.00124	0.84327 TO 0.84576	0.84203 TO 0.84700	0.84079 TO 0.84824	297000
7	0.84449	+ OR - 0.00125	0.84325 TO 0.84574	0.84200 TO 0.84698	0.84076 TO 0.84823	296000
8	0.84433	+ OR - 0.00124	0.84309 TO 0.84557	0.84185 TO 0.84680	0.84061 TO 0.84804	295000
9	0.84436	+ OR - 0.00124	0.84312 TO 0.84561	0.84188 TO 0.84685	0.84064 TO 0.84809	294000
10	0.84439	+ OR - 0.00125	0.84314 TO 0.84564	0.84190 TO 0.84688	0.84065 TO 0.84813	293000
11	0.84426	+ OR - 0.00124	0.84302 TO 0.84550	0.84177 TO 0.84675	0.84053 TO 0.84799	292000
12	0.84426	+ OR - 0.00125	0.84301 TO 0.84550	0.84176 TO 0.84675	0.84051 TO 0.84800	291000
17	0.84429	+ OR - 0.00127	0.84302 TO 0.84555	0.84175 TO 0.84682	0.84048 TO 0.84809	286000
22	0.84434	+ OR - 0.00128	0.84306 TO 0.84562	0.84178 TO 0.84690	0.84050 TO 0.84818	281000
27	0.84445	+ OR - 0.00129	0.84317 TO 0.84574	0.84188 TO 0.84702	0.84059 TO 0.84831	276000
32	0.84428	+ OR - 0.00130	0.84298 TO 0.84558	0.84168 TO 0.84688	0.84038 TO 0.84818	271000
37	0.84389	+ OR - 0.00130	0.84259 TO 0.84518	0.84130 TO 0.84648	0.84000 TO 0.84777	266000
42	0.84393	+ OR - 0.00131	0.84262 TO 0.84524	0.84131 TO 0.84655	0.83999 TO 0.84786	261000
47	0.84380	+ OR - 0.00132	0.84248 TO 0.84512	0.84116 TO 0.84644	0.83984 TO 0.84776	256000
52	0.84386	+ OR - 0.00134	0.84252 TO 0.84519	0.84119 TO 0.84653	0.83985 TO 0.84786	251000
57	0.84391	+ OR - 0.00135	0.84256 TO 0.84525	0.84121 TO 0.84660	0.83986 TO 0.84795	246000
62	0.84405	+ OR - 0.00137	0.84268 TO 0.84542	0.84132 TO 0.84679	0.83995 TO 0.84816	241000
67	0.84430	+ OR - 0.00138	0.84291 TO 0.84568	0.84153 TO 0.84706	0.84015 TO 0.84844	236000
72	0.84393	+ OR - 0.00140	0.84253 TO 0.84533	0.84113 TO 0.84674	0.83973 TO 0.84814	231000
77	0.84418	+ OR - 0.00142	0.84275 TO 0.84560	0.84133 TO 0.84702	0.83991 TO 0.84844	226000
82	0.84408	+ OR - 0.00144	0.84264 TO 0.84551	0.84120 TO 0.84695	0.83977 TO 0.84839	221000
87	0.84373	+ OR - 0.00144	0.84230 TO 0.84517	0.84086 TO 0.84660	0.83943 TO 0.84804	216000
92	0.84374	+ OR - 0.00147	0.84227 TO 0.84528	0.84086 TO 0.84667	0.83933 TO 0.84814	211000

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.84375	+ OR - 0.00149	0.84225 TO 0.84524	0.84076 TO 0.84673	0.83926 TO 0.84823	206000
102	0.84349	+ OR - 0.00150	0.84199 TO 0.84498	0.84049 TO 0.84648	0.83899 TO 0.84798	201000
107	0.84369	+ OR - 0.00153	0.84216 TO 0.84522	0.84064 TO 0.84675	0.83911 TO 0.84828	196000
112	0.84361	+ OR - 0.00157	0.84204 TO 0.84518	0.84048 TO 0.84674	0.83891 TO 0.84831	191000
117	0.84351	+ OR - 0.00158	0.84192 TO 0.84509	0.84034 TO 0.84667	0.83876 TO 0.84826	186000
122	0.84345	+ OR - 0.00162	0.84183 TO 0.84507	0.84020 TO 0.84669	0.83858 TO 0.84831	181000
127	0.84341	+ OR - 0.00162	0.84179 TO 0.84503	0.84016 TO 0.84666	0.83854 TO 0.84828	176000
132	0.84388	+ OR - 0.00164	0.84225 TO 0.84552	0.84061 TO 0.84715	0.83898 TO 0.84879	171000
137	0.84390	+ OR - 0.00167	0.84223 TO 0.84556	0.84057 TO 0.84723	0.83890 TO 0.84890	166000
142	0.84405	+ OR - 0.00171	0.84234 TO 0.84576	0.84063 TO 0.84746	0.83892 TO 0.84917	161000
147	0.84397	+ OR - 0.00172	0.84225 TO 0.84569	0.84054 TO 0.84741	0.83882 TO 0.84913	156000
152	0.84420	+ OR - 0.00175	0.84245 TO 0.84594	0.84071 TO 0.84769	0.83896 TO 0.84943	151000
157	0.84419	+ OR - 0.00179	0.84239 TO 0.84598	0.84060 TO 0.84777	0.83881 TO 0.84956	146000
162	0.84412	+ OR - 0.00184	0.84228 TO 0.84596	0.84044 TO 0.84781	0.83860 TO 0.84965	141000
167	0.84401	+ OR - 0.00190	0.84210 TO 0.84591	0.84020 TO 0.84781	0.83829 TO 0.84972	136000
172	0.84380	+ OR - 0.00196	0.84183 TO 0.84576	0.83987 TO 0.84773	0.83791 TO 0.84969	131000
177	0.84301	+ OR - 0.00197	0.84104 TO 0.84498	0.83907 TO 0.84695	0.83710 TO 0.84892	126000
182	0.84284	+ OR - 0.00202	0.84083 TO 0.84486	0.83881 TO 0.84687	0.83679 TO 0.84889	121000
187	0.84341	+ OR - 0.00205	0.84136 TO 0.84546	0.83930 TO 0.84751	0.83725 TO 0.84956	116000
192	0.84417	+ OR - 0.00210	0.84207 TO 0.84627	0.83997 TO 0.84837	0.83787 TO 0.85047	111000
197	0.84394	+ OR - 0.00219	0.84175 TO 0.84612	0.83956 TO 0.84831	0.83737 TO 0.85050	106000
202	0.84383	+ OR - 0.00225	0.84158 TO 0.84608	0.83933 TO 0.84833	0.83707 TO 0.85059	101000
207	0.84383	+ OR - 0.00234	0.84149 TO 0.84617	0.83915 TO 0.84851	0.83681 TO 0.85085	96000
212	0.84436	+ OR - 0.00244	0.84192 TO 0.84680	0.83948 TO 0.84924	0.83704 TO 0.85167	91000
217	0.84374	+ OR - 0.00254	0.84120 TO 0.84628	0.83865 TO 0.84882	0.83611 TO 0.85136	86000
222	0.84294	+ OR - 0.00265	0.84029 TO 0.84559	0.83764 TO 0.84824	0.83499 TO 0.85090	81000
227	0.84396	+ OR - 0.00272	0.84124 TO 0.84669	0.83851 TO 0.84941	0.83579 TO 0.85214	76000


NAC-LWT CASK MODEL: EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
232	0.84335	+ OR - 0.00286	0.84049 TO 0.84621	0.83763 TO 0.84908	0.83476 TO 0.85194	71000
237	0.84464	+ OR - 0.00294	0.84171 TO 0.84758	0.83877 TO 0.85052	0.83583 TO 0.85346	66000
242	0.84347	+ OR - 0.00298	0.84049 TO 0.84644	0.83752 TO 0.84942	0.83454 TO 0.85239	61000
247	0.84464	+ OR - 0.00299	0.84165 TO 0.84763	0.83867 TO 0.85062	0.83568 TO 0.85360	56000
252	0.84324	+ OR - 0.00309	0.84016 TO 0.84633	0.83707 TO 0.84941	0.83399 TO 0.85250	51000
257	0.84294	+ OR - 0.00335	0.83959 TO 0.84629	0.83624 TO 0.84964	0.83290 TO 0.85299	46000
262	0.84411	+ OR - 0.00371	0.84040 TO 0.84781	0.83670 TO 0.85152	0.83299 TO 0.85522	41000
267	0.84262	+ OR - 0.00412	0.83850 TO 0.84674	0.83438 TO 0.85086	0.83026 TO 0.85498	36000
272	0.83962	+ OR - 0.00440	0.83521 TO 0.84402	0.83081 TO 0.84842	0.82641 TO 0.85282	31000
277	0.83943	+ OR - 0.00518	0.83425 TO 0.84461	0.82907 TO 0.84979	0.82388 TO 0.85497	26000
282	0.83970	+ OR - 0.00522	0.83447 TO 0.84492	0.82925 TO 0.85014	0.82403 TO 0.85536	21000
287	0.83402	+ OR - 0.00538	0.82864 TO 0.83940	0.82326 TO 0.84479	0.81788 TO 0.85017	16000
292	0.83578	+ OR - 0.00704	0.82874 TO 0.84282	0.82170 TO 0.84986	0.81466 TO 0.85690	11000
297	0.85039	+ OR - 0.00700	0.84339 TO 0.85738	0.83639 TO 0.86438	0.82940 TO 0.87137	6000

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K-EFF = 0.8447 \pm 0.0012$ WHICH OCCURS FOR 303 GENERATIONS RUN.





300

I * I
I * I
I * I
I * I

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0043			3.61777E-03	2.2735	2.18472E-03	1.6447	0.00000E+00	0.0000
2	0.0185			1.56076E-02	0.6937	7.98975E-03	0.5770	0.00000E+00	0.0000
3	0.0206			1.74335E-02	0.6802	7.32774E-03	0.6498	0.00000E+00	0.0000
4	0.0087			7.32810E-03	0.7389	3.57368E-03	0.7003	0.00000E+00	0.0000
5	0.0029			2.41700E-03	0.5573	2.60715E-03	0.4706	0.00000E+00	0.0000
6	0.0026			2.17260E-03	0.4693	4.41687E-03	0.3848	0.00000E+00	0.0000
7	0.0025			2.14659E-03	0.4714	5.01186E-03	0.3688	0.00000E+00	0.0000
8	0.0025			2.11131E-03	0.5189	7.13242E-03	0.4091	0.00000E+00	0.0000
9	0.0034			2.90308E-03	0.5647	1.14886E-02	0.4381	0.00000E+00	0.0000
10	0.0073			6.15712E-03	0.5802	1.69292E-02	0.4601	0.00000E+00	0.0000
11	0.0153			1.29563E-02	0.6108	2.73480E-02	0.4723	0.00000E+00	0.0000
12	0.0197			1.66202E-02	0.6463	2.84516E-02	0.5647	0.00000E+00	0.0000
13	0.0182			1.53687E-02	0.7378	2.89485E-02	0.6118	0.00000E+00	0.0000
14	0.0142			1.19993E-02	0.6820	4.07978E-02	0.5531	0.00000E+00	0.0000
15	0.0032			2.70080E-03	1.0990	9.69814E-03	0.7338	0.00000E+00	0.0000
16	0.0022			1.83704E-03	1.4949	5.76935E-03	0.8555	0.00000E+00	0.0000
17	0.0034			2.89596E-03	1.7804	3.96015E-03	1.0609	0.00000E+00	0.0000
18	0.0044			3.75823E-03	1.9471	4.04526E-03	1.1440	0.00000E+00	0.0000
19	0.0055			4.68498E-03	1.4897	6.51489E-03	0.8758	0.00000E+00	0.0000
20	0.0230			1.94468E-02	0.8207	2.53005E-02	0.5405	0.00000E+00	0.0000
21	0.0121			1.02611E-02	1.2461	1.07616E-02	0.7964	0.00000E+00	0.0000
22	0.0290			2.44663E-02	0.9071	2.45684E-02	0.6055	0.00000E+00	0.0000
23	0.1059			8.94160E-02	0.4903	9.55808E-02	0.3058	0.00000E+00	0.0000
24	0.2106			1.77859E-01	0.3520	1.91926E-01	0.1980	0.00000E+00	0.0000
25	0.1788			1.51066E-01	0.4321	1.63657E-01	0.2162	0.00000E+00	0.0000
26	0.2140			1.80725E-01	0.3744	1.99844E-01	0.2280	0.00000E+00	0.0000
27	0.0671			5.66943E-02	0.7907	6.62470E-02	0.4303	0.00000E+00	0.0000
SYSTEM TOTAL =				6.44691E-01	0.1463	1.90208E-00	0.0496	0.00000E+00	0.0000

THE WEIGHT LOST IN THE ALBEDO PORTION OF THE PROBLEM = 1.2281E-07 + OR - 0.0000

ELAPSED TIME 7.34067 MINUTES

RANDOM NUMBER= 26F447865737

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

```
FREQUENCY FOR GENERATIONS 4 TO 303
**
0.7799 TO 0.7925 *****
0.7925 TO 0.8052 *****
0.8052 TO 0.8178 *****
0.8178 TO 0.8305 *****
0.8305 TO 0.8431 *****
0.8431 TO 0.8558 *****
0.8558 TO 0.8684 *****
0.8684 TO 0.8811 *****
0.8811 TO 0.8937 *****
0.8937 TO 0.9064 *****
```

```
FREQUENCY FOR GENERATIONS 79 TO 303
**
0.7799 TO 0.7925 *****
0.7925 TO 0.8052 *****
0.8052 TO 0.8178 *****
0.8178 TO 0.8305 *****
0.8305 TO 0.8431 *****
0.8431 TO 0.8558 *****
0.8558 TO 0.8684 *****
0.8684 TO 0.8811 *****
0.8811 TO 0.8937 *****
0.8937 TO 0.9064 *****
```

```
FREQUENCY FOR GENERATIONS 154 TO 303
*
0.7799 TO 0.7925 *****
0.7925 TO 0.8052 *****
0.8052 TO 0.8178 *****
0.8178 TO 0.8305 *****
0.8305 TO 0.8431 *****
0.8431 TO 0.8558 *****
0.8558 TO 0.8684 *****
0.8684 TO 0.8811 *****
0.8811 TO 0.8937 *****
0.8937 TO 0.9064 *****
```

```
FREQUENCY FOR GENERATIONS 229 TO 303
*
0.7799 TO 0.7925 *****
0.7925 TO 0.8052 *****
0.8052 TO 0.8178 *****
0.8178 TO 0.8305 *****
0.8305 TO 0.8431 *****
0.8431 TO 0.8558 *****
0.8558 TO 0.8684 *****
0.8684 TO 0.8811 *****
0.8811 TO 0.8937 *****
0.8937 TO 0.9064 *****
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 7.34067 MINUTES
.....

Figure 6.6.2-2 CSAS Input/Output for NAC-LWT with BWR Fuel Assemblies – Most Reactive Accident Condition Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25: WILL BE CALLED
NAC-LWT CASK MODEL; Exxon 9x9 - 2 Water Rods 80 MIL CHANNEL
27GROUPNDF4 LATTICECELL
UG2 1 0.95 293.0 92235 4.0 92238 96.0 END
ZIRCALLOY 2 1.0 293.0 END
H2O 3 1.000 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.0E-20 293.0 END
H2O 8 1.0E-20 293.0 END
H2O 9 1.0 293.0 END
END COMP
SQUAREPITCH 1.4529 0.9055 1 3 1.0770 2 0.9246 9 END
NAC-LWT CASK MODEL; Exxon 9x9 - 2 Water Rods 80 MIL CHANNEL
READ PARAM RUN=YES PLT=NO TME=5000 GEN=303 NPG=1000 END PARAM
READ GEOM
UNIT 1
COM='FUEL PIN CELL - WITH H2O'
CYLINDER 1 1 0.4528 2P10.0
CYLINDER 9 1 0.4623 2P10.0
CYLINDER 2 1 0.5385 2P10.0
CUBOID 3 1 4P0.7264 2P10.0
UNIT 2
COM='WATER ROD CELL - WITH H2O'
CYLINDER 3 1 0.4623 2P10.0
CYLINDER 2 1 0.5385 2P10.0
CUBOID 3 1 4P0.7264 2P10.0
UNIT 3
ARRAY 1 -6.5376 -6.5376 -10.0
CUBOID 3 1 4P6.7031 2P10.0
CUBOID 2 1 4P6.9063 2P10.0
CUBOID 3 1 4P7.3025 2P10.0
UNIT 4
ARRAY 1 -6.5376 -6.5376 -10.0
CUBOID 3 1 4P6.7031 2P10.0
CUBOID 2 1 4P6.9063 2P10.0
CUBOID 3 1 4P7.3025 2P10.0
UNIT 5
CYLINDER 4 1 16.8275 2P10.0
HOLE 3 -7.4613 0.0 0.0
HOLE 4 7.4613 0.0 0.0
CYLINDER 3 1 16.9863 2P10.0
CYLINDER 5 1 18.8913 2P10.0
CYLINDER 6 1 33.4963 2P10.0
CYLINDER 5 1 36.5443 2P10.0
CYLINDER 7 1 49.2443 2P10.0
CYLINDER 5 1 49.6539 2P10.0
GLOBAL UNIT 6
CYLINDER 8 1 314.00 2P10.0
HOLE 5 00.00 00.00 0.0
HOLE 5 00.00 99.80 0.0
HOLE 5 86.43 49.90 0.0
HOLE 5 86.43 -49.90 0.0
HOLE 5 00.00 -99.80 0.0
HOLE 5 -86.43 -49.90 0.0
HOLE 5 -86.43 49.90 0.0
HOLE 5 0.0 199.6 0.0
HOLE 5 86.43 149.7 0.0
HOLE 5 172.86 99.8 0.0
HOLE 5 172.86 0.0 0.0
HOLE 5 172.86 -99.8 0.0
HOLE 5 86.43 -149.7 0.0
HOLE 5 0.0 -199.6 0.0
HOLE 5 -86.43 -149.7 0.0
HOLE 5 -172.86 -99.88 0.0
HOLE 5 -172.86 0.0 0.0
HOLE 5 -172.86 99.8 0.0
HOLE 5 -86.43 149.7 0.0
HOLE 5 259.29 49.9 0.0
CUBOID 6 1 4P314.00 2P10.0
END GEOM
READ ARRAY
ARA=1 NUX=9 NUY=9 NUZ=1 FILL
36R1
4R1 2 4R1
5R1 2 3R1
27R1
END FILL
END ARRAY
READ BOUNDS ZFC=PER YXF=H2O END BOUNDS
END DATA

```

```

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.55 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 5.93 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.

```

MODULE 00009	IS FINISHED. COMPLETION CODE	0. CPU TIME USED	438.36 (SECONDS).
MODULE CSAS25	IS FINISHED. COMPLETION CODE	0. CPU TIME USED	446.44 (SECONDS).

```

CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  55555555555
CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  55555555555
CC          SS        SS        AA        AA        SS        SS        22        22        55
CC          SS        SS        AA        AA        SS        SS        22        22        55
CC          SS        SS        AA        AA        SS        SS        22        22        55
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22        22        55555555555
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22        22        55555555555
CC          SS        SS        AA        AA        SS        SS        22        22        55
CC          SS        SS        AA        AA        SS        SS        22        22        55
CC          SS        SS        AA        AA        SS        SS        22        22        55
CC          SS        SS        AA        AA        SS        SS        22        22        55
CCCCCCCCC  SSSSSSSSS  AA        AA        SSSSSSSSS  222222222  55555555555
CCCCCCCCC  SSSSSSSSS  AA        AA        SSSSSSSSS  222222222  55555555555
    
```

```

SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SS          SS        CC        AA        AA        LL          EE          PP        PP        CC        CC
SS          SS        CC        AA        AA        LL          EE          PP        PP        CC        CC
SS          SS        CC        AA        AA        LL          EE          PP        PP        CC        CC
SS          SS        CC        AA        AA        LL          EE          PP        PP        CC        CC
SSSSSSSSS  CC          AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CC
SSSSSSSSS  CC          AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CC
SS          SS        AA        AA        LL          EE          PP        PP        CC        CC
SS          SS        AA        AA        LL          EE          PP        PP        CC        CC
SS          SS        AA        AA        LL          EE          PP        PP        CC        CC
SS          SS        AA        AA        LL          EE          PP        PP        CC        CC
SSSSSSSSS  CCCCCCCCC  AA        AA        LLLLLLLLL  EEEEEEEEE  PP        PP        CCCCCCCCC
SSSSSSSSS  CCCCCCCCC  AA        AA        LLLLLLLLL  EEEEEEEEE  PP        PP        CCCCCCCCC
    
```

```

0000000  77777777777  //  222222222  11          //  999999999  888888888
00000000  77777777777  //  222222222  111         //  999999999  888888888
00          77        //  22        1111        //  99          88
00          77        //  22        11           //  99          88
00          77        //  22        11           //  99          88
00          77        //  22        11           //  99          88
00          77        //  22        11           //  99          88
00          77        //  22        11           //  99          88
00          77        //  22        11           //  99          88
00          77        //  22        11           //  99          88
00          77        //  22        11           //  99          88
00000000  77        //  222222222  11111111  //  999999999  888888888
0000000  77        //  222222222  11111111  //  999999999  888888888
    
```

```

11          222222222  222222222  77777777777  0000000  333333333
111        222222222  222222222  77777777777  000000000  33333333333
1111       22        22        :::  22        22        77        77        :::  00        00        33
11         22        22        :::  22        22        77        77        :::  00        00        33
11         22        22        :::  22        22        77        77        :::  00        00        33
11         22        22        :::  22        22        77        77        :::  00        00        33
11         22        22        :::  22        22        77        77        :::  00        00        33
11         22        22        :::  22        22        77        77        :::  00        00        33
11         22        22        :::  22        22        77        77        :::  00        00        33
11111111  222222222  222222222  77        77        :::  00000000  33333333333
11111111  222222222  222222222  77        77        :::  0000000  33333333333
    
```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL  EE  PP      PP  CC      CC
SS      CC  CC      AA  AA      AA  LL  EE  PP      PP  CC      CC
SS      CC  AA      AA  LL  EE  PP      PP  CC      CC
SSSSSSSSSS  CC  AAAAAAAAAA  LL  EEEEEEEE  -----  PPPPPPPPPP  CC
SSSSSSSSSS  CC  AAAAAAAAAA  LL  EEEEEEEE  -----  PPPPPPPPPP  CC
SS      CC  AA      AA  LL  EE  PF      CC
SS      CC  AA      AA  LL  EE  PF      CC
SS      CC  CC      AA  AA      AA  LL  EE  PF      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLL  EEEEEEEEEEEE  PP      CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLL  EEEEEEEEEEEE  PP      CCCCCCCCCC

```

```

.....
.....
.....
PROGRAM VERIFICATION INFORMATION
.....
CODE SYSTEM:  SCALE-PC VERSION:  4.3
.....
.....
PROGRAM:  CSAS
.....
CREATION DATE:  03/08/96
.....
VOLUME:  ENG
.....
LIBRARY:  G:\SCALE43\WIN_NT\EXE
.....
PRODUCTION CODE:  CSAS
.....
VERSION:  3.1
.....
JOBNAME:  SCALE-PC
.....
DATE OF EXECUTION:  07/21/98
.....
TIME OF EXECUTION:  12:27:03
.....
.....
.....

```

NAC-LWT CASK MODEL: EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

**** PROBLEM PARAMETERS ****

LIB 27GROJPNDF4 LIBRARY
 MX 9 MIXTURES
 MSC 9 COMPOSITION SPECIFICATIONS
 IZM 4 MATERIAL ZONES
 GE LATTICECELL GEOMETRY
 MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
 MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC UO2 STANDARD COMPOSITION
 MX 1 MIXTURE NO.
 VF 0.9500 VOLUME FRACTION
 ROTH 10.9600 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 92000 1.00 ATOM/MOLECULE
 92235 4.000 WT
 92238 96.000 WT
 8016 2.00 ATOMS/MOLECULE

END

SC ZIRCALLOY STANDARD COMPOSITION
 MX 2 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 6.5600 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 40302 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 3 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
 MX 4 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 2.7020 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 13027 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
 MX 5 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 7.9200 THEORETICAL DENSITY
 NEL 4 NO. ELEMENTS
 ICP 0 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 24304 19.000 WT
 25055 2.000 WT
 26304 69.500 WT
 28304 9.500 WT

END

SC PB STANDARD COMPOSITION
 MX 6 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 11.3440 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 82000 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 7 MIXTURE NO.
 VF 0.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 8 MIXTURE NO.
 VF 0.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN

1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

**** PROBLEM GEOMETRY ****

CTP SQUAREPITCH CELL TYPE
PITCH 1.4529 CM CENTER TO CENTER SPACING
FUELOD 0.9055 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 1.0770 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD
GAPOD 0.9246 CM GAP OUTER DIAMETER
MGAP 9 MIXTURE NO. OF GAP

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

***** DATA LIBRARY INFORMATION *****

UNIT NUMBER	DATA SET NAME	VOLUME NAME	UNIT FUNCTION
89	G:\scale43\DATALIB\FT89F001		STANDARD COMPOSITION LIBRARY
82	G:\scale43\DATALIB\FT82F001		CROSS SECTION LIBRARY
11	D:\PROJECTS\BU85-C-1\BWRFIN\19HX1M\FT11F001		SHORT CROSS SECTION LIBRARY
90	D:\PROJECTS\BU85-C-1\BWRFIN\19HX1M\FT90F001		INPUT DATA DIRECT ACCESS

STANDARD COMPOSITION LIBRARY DATA

UNIT NUMBER : 89
DATASET NAME : G:\scale43\DATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
637 STANDARD COMPOSITIONS, 490 NUCLIDES
90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95

CROSS SECTION LIBRARY DATA

UNIT NUMBER : 82
DATASET NAME : G:\scale43\DATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED 08/12/94
L.M.PETRIE - ORNL

..... 0 IO'S WERE USED BEFORE READING KENO V DATA

..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA

***** DATA READING COMPLETED *****

..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA

..... 0 IO'S WERE USED LOADING THE KENO V DATA

..... 0 IO'S WERE USED LOADING THE DATA

..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA

***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****

..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA

..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA

CONTROL MODULE CSAS25 IS COMPLETE.

```

KK      KK  EEEEEEEEEEE  NN      NN  C0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  0G00000000000  VV      VV
KK      KK  EE           NNNN    NN  00           00  VV      VV
KK      KK  EE           NN  NN   NN  00           00  VV      VV
KK      KK  EE           NN      NN  00           00  VV      VV
KKKKKKKK EEEEEEEEE  NN      NN  00           00  VV      VV
KKKKKKKK EEEEEEEEE  NN      NN  00           00  VV      VV
KK      KK  EE           NN      NN  00           00  VV      VV
KK      KK  EE           NN      NN  00           00  VV      VV
KK      KK  EE           NN      NN  00           00  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  0000000000000  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  00000000000  V

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SS      SS  CC      AA      AA  LL      EE           PP      CC
SS      SS  CC      AA      AA  LL      EE           PP      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CC

```

```

0000000  77777777777  //  2222222222  11  //  9999999999  8888888888
00000000  77777777777  22222222222  111  99999999999  88888888888
00 00  77 77  22 22  1111  99 99 88 88
00 00  77 77  22 22  11  99 99 88 88
00 00  77 77  22 22  11  99 99 88 88
00 00  77 77  22 22  11  99 99 88 88
00 00  77 77  22 22  11  99 99 88 88
00 00  77 77  22 22  11  99 99 88 88
00 00  77 77  22 22  11  99 99 88 88
00000000  77  22222222222  11111111  99999999999  88888888888
0000000  77  22222222222  11111111  99999999999  88888888888

```

```

11 2222222222  2222222222  77777777777  11 11
111 22222222222  22222222222  77777777777  111 111
1111 22 22  22 22  77 77  1111 1111
11 22 22  22 22  77 77  11 11
11 22 22  22 22  77 77  11 11
11 22 22  22 22  77 77  11 11
11 22 22  22 22  77 77  11 11
11 22 22  22 22  77 77  11 11
11 22 22  22 22  77 77  11 11
11111111 2222222222222  2222222222222  77 77  11111111 11111111
11111111 2222222222222  2222222222222  77 77  11111111 11111111

```

```
.....
***
***          NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS  80 MIL CHANNEL
***
*****          NUMERIC PARAMETERS          *****
***
***          TME          MAXIMUM PROBLEM TIME (MIN)          *****
***          TBA          TIME PER GENERATION (MIN)          0.50
***          GEN          NUMBER OF GENERATIONS          303
***          NPG          NUMBER PER GENERATION          1000
***          NSK          NUMBER OF GENERATIONS TO BE SKIPPED          3
***          BEG          BEGINNING GENERATION NUMBER          1
***          RES          GENERATIONS BETWEEN CHECKPOINTS          0
***          X1D          NUMBER OF EXTRA 1-D CROSS SECTIONS          1
***          NBK          NEUTRON BANK SIZE          1025
***          XNB          EXTRA POSITIONS IN NEUTRON BANK          0
***          NFB          FISSION BANK SIZE          1000
***          XFB          EXTRA POSITIONS IN FISSION BANK          0
***          WTA          DEFAULT VALUE OF WEIGHT AVERAGE          0.5000
***          WTH          WEIGHT HIGH FOR SPLITTING          3.0000
***          WTL          WEIGHT LOW FOR RUSSIAN ROULETTE          0.3333
***          RND          STARTING RANDOM NUMBER          BB827100001
***          NBB          NUMBER OF D.A. BLOCKS ON UNIT  8          200
***          NL8          LENGTH OF D.A. BLOCKS ON UNIT  8          512
***          ADJ          MODE OF CALCULATION          FORWARD
***
***          INPUT DATA WRITTEN ON RESTART UNIT          NO
***          BINARY DATA INTERFACE          YES
***
.....
```



```

.....
NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL
.....
***** LOGICAL PARAMETERS *****
.....
RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO
FLX COMPUTE FLOX NO FDN COMPUTE FISSION DENSITIES NO
SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES
MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO
CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO
FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO
MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO
CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO
FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO
HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO
AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO
XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO
XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO
XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO
PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO
PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO
TRK PRINT TRACKING INFORMATION NO
.....

```

PARAMETER INPUT COMPLETED

..... 0 10'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

.....
NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL
.....
***** ADDITIONAL INFORMATION *****
.....
NUMBER OF ENERGY GROUPS 27 USE LATTICE GEOMETRY YES
NO. OF FISSION SPECTRUM SOURCE GROUP 1 GLOBAL ARRAY NUMBER 0
NO. OF SCATTERING ANGLES IN XSECS 2 NUMBER OF UNITS IN THE GLOBAL X DIR. 0
ENTRIES/NEUTRON IN THE NEUTRON BANK 19 NUMBER OF UNITS IN THE GLOBAL Y DIR. 0
ENTRIES/NEUTRON IN THE FISSION BANK 12 NUMBER OF UNITS IN THE GLOBAL Z DIR. 0
NUMBER OF MIXTURES USED 9 USE A GLOBAL REFLECTOR YES
NUMBER OF BIAS ID'S USED 1 USE NESTED HOLES YES
NUMBER OF DIFFERENTIAL ALBEDOS USED 1 NUMBER OF HOLES 22
TOTAL INPUT GEOMETRY REGIONS 24 MAXIMUM HOLE NESTING LEVEL 2
NUMBER OF GEOMETRY REGIONS USED 24 USE NESTED ARRAYS NO
LARGEST GEOMETRY UNIT NUMBER 6 NUMBER OF ARRAYS USED 1
LARGEST ARRAY NUMBER 1 MAXIMUM ARRAY NESTING LEVEL 1
.....
+X BOUNDARY CONDITION H2O -X BOUNDARY CONDITION H2O
+Y BOUNDARY CONDITION H2O -Y BOUNDARY CONDITION H2O
+Z BOUNDARY CONDITION PER -Z BOUNDARY CONDITION PER
.....

```


NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
----- UNIT 1 -----							
FUEL PIN CELL - WITH H2O							
1	CYLINDER	1	RADIUS = 0.45280	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	9	RADIUS = 0.46230	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	2	RADIUS = 0.53850	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4	CUBOID	3	+X = 0.72640	-X = -0.72640	+Y = 0.72640	-Y = -0.72640 +Z = 10.000 -Z = -10.000	
----- UNIT 2 -----							
WATER ROD CELL - WITH H2O							
1	CYLINDER	3	RADIUS = 0.46230	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	2	RADIUS = 0.53850	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CUBOID	3	+X = 0.72640	-X = -0.72640	+Y = 0.72640	-Y = -0.72640 +Z = 10.000 -Z = -10.000	
----- UNIT 3 EXTERNAL TO LATTICE 1 -----							
1	ARRAY NUMBER	1	+X = 6.5376	-X = -6.5376	+Y = 6.5376	-Y = -6.5376 +Z = 10.000 -Z = -10.000	
2	CUBOID	3	+X = 6.7031	-X = -6.7031	+Y = 6.7031	-Y = -6.7031 +Z = 10.000 -Z = -10.000	
3	CUBOID	2	+X = 6.9063	-X = -6.9063	+Y = 6.9063	-Y = -6.9063 +Z = 10.000 -Z = -10.000	
4	CUBOID	3	+X = 7.3025	-X = -7.3025	+Y = 7.3025	-Y = -7.3025 +Z = 10.000 -Z = -10.000	
----- UNIT 4 EXTERNAL TO LATTICE 1 -----							
1	ARRAY NUMBER	1	+X = 6.5376	-X = -6.5376	+Y = 6.5376	-Y = -6.5376 +Z = 10.000 -Z = -10.000	
2	CUBOID	3	+X = 6.7031	-X = -6.7031	+Y = 6.7031	-Y = -6.7031 +Z = 10.000 -Z = -10.000	
3	CUBOID	2	+X = 6.9063	-X = -6.9063	+Y = 6.9063	-Y = -6.9063 +Z = 10.000 -Z = -10.000	
4	CUBOID	3	+X = 7.3025	-X = -7.3025	+Y = 7.3025	-Y = -7.3025 +Z = 10.000 -Z = -10.000	

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
----- UNIT 5 -----							
1	CYLINDER	4	RADIUS = 16.627	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
	HOLE NUMBER	1	AT X = -7.4613	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 3	
	HOLE NUMBER	2	AT X = 7.4613	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 4	
2	CYLINDER	3	RADIUS = 16.986	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	5	RADIUS = 18.891	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4	CYLINDER	6	RADIUS = 33.496	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
5	CYLINDER	5	RADIUS = 36.544	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
6	CYLINDER	7	RADIUS = 49.244	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
7	CYLINDER	5	RADIUS = 49.854	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
***** GLOBAL *****							
----- UNIT 6 -----							
1	CYLINDER	8	RADIUS = 314.00	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
	HOLE NUMBER	3	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 5	
	HOLE NUMBER	4	AT X = 0.00000	Y = 99.800	Z = 0.00000	IS UNIT NUMBER 5	
	HOLE NUMBER	5	AT X = 86.430	Y = 49.900	Z = 0.00000	IS UNIT NUMBER 5	
	HOLE NUMBER	6	AT X = 86.430	Y = -49.900	Z = 0.00000	IS UNIT NUMBER 5	
	HOLE NUMBER	7	AT X = 0.00000	Y = -99.800	Z = 0.00000	IS UNIT NUMBER 5	
	HOLE NUMBER	8	AT X = -86.430	Y = -49.900	Z = 0.00000	IS UNIT NUMBER 5	

HOLE NUMBER	9	AT X = -86.430	Y = 49.900	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	10	AT X = 0.00000	Y = 199.60	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	11	AT X = 86.430	Y = 149.70	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	12	AT X = 172.85	Y = 99.800	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	13	AT X = 172.86	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	14	AT X = 172.86	Y = -99.800	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	15	AT X = 86.430	Y = -149.70	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	16	AT X = 0.00000	Y = -199.60	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	17	AT X = -86.430	Y = -149.70	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	18	AT X = -172.86	Y = -99.880	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	19	AT X = -172.86	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	20	AT X = -172.86	Y = 99.800	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	21	AT X = -86.430	Y = 149.70	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	22	AT X = 259.29	Y = 49.900	Z = 0.00000	IS UNIT NUMBER	5
2 CUBOID	8 1	+X = 314.00	-X = -314.00	+Y = 314.00	-Y = -314.00	+Z = 10.000 -Z = -10.000

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

Z LAYER 1, X COLUMN 1 TO 9 LEFT TO RIGHT Y ROW 1 TO 9 BOTTOM TO TOP

```

1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 2 1 1 1
1 1 1 1 2 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1

```

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	1.28823E+01 CM**3	1.28823E+01 CM**3
	2	2	5.46226E-01 CM**3	1.34285E+01 CM**3
	3	3	4.79162E-00 CM**3	1.82201E+01 CM**3
	4	4	2.39924E+01 CM**3	4.22126E+01 CM**3
2	1	5	1.34285E+01 CM**3	1.34285E+01 CM**3
	2	6	4.79162E+00 CM**3	1.82201E+01 CM**3
	3	7	2.39924E+01 CM**3	4.22126E+01 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 8 IS AN ARRAY PLACEMENT BOUNDARY REGION				
3	1	8	3.41922E+03 CM**3	3.41922E+03 CM**3
	2	9	1.75307E+02 CM**3	3.59452E+03 CM**3
	3	10	2.21234E-02 CM**3	3.81576E+03 CM**3
	4	11	4.50362E+02 CM**3	4.26612E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 12 IS AN ARRAY PLACEMENT BOUNDARY REGION				
4	1	12	3.41922E+03 CM**3	3.41922E+03 CM**3
	2	13	1.75307E+02 CM**3	3.59452E+03 CM**3
	3	14	2.21234E+02 CM**3	3.81576E+03 CM**3
	4	15	4.50362E+02 CM**3	4.26612E+03 CM**3
5	1	16	9.25953E+03 CM**3	1.77918E+04 CM**3
	2	17	3.37383E+02 CM**3	1.81291E+04 CM**3
	3	18	4.29436E+03 CM**3	2.24235E+04 CM**3
	4	19	4.80740E+04 CM**3	7.04975E+04 CM**3
	5	20	1.34136E+04 CM**3	8.39110E+04 CM**3
	6	21	6.84563E+04 CM**3	1.52367E+05 CM**3
	7	22	3.79567E+03 CM**3	1.56163E+05 CM**3
6	1	23	3.07171E+06 CM**3	6.19497E+06 CM**3
	2	24	1.69271E+06 CM**3	7.88768E+06 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	3160	1	1	4.07080E+04 CM**3
		2	9	1.72607E+03 CM**3
		3	2	1.51415E+04 CM**3
		4	3	7.58161E+04 CM**3
2	80	1	3	1.07428E+03 CM**3
		2	2	3.83329E+02 CM**3
		3	3	1.91939E+03 CM**3
3	20	1	3	6.83843E+04 CM**3
		2	3	3.50614E+03 CM**3
		3	2	4.42469E+03 CM**3
		4	3	9.00723E+03 CM**3
4	20	1	3	6.83843E+04 CM**3
		2	3	3.50614E+03 CM**3
		3	2	4.42469E+03 CM**3
		4	3	9.00723E+03 CM**3
		1	4	1.85191E+05 CM**3
		2	3	6.74766E+03 CM**3
		3	5	8.58872E+04 CM**3
5	20	4	6	9.61479E+05 CM**3
		5	5	2.68272E+05 CM**3
		6	7	1.36913E+06 CM**3
		7	5	7.59134E+04 CM**3
		1	8	3.07171E+06 CM**3
		2	8	1.69271E+06 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	4.07080E+04 CM**3	4.23851E+05
2	2.43742E+04 CM**3	1.59895E+05
3	1.10584E+05 CM**3	1.10382E+05
4	1.85191E+05 CM**3	5.00385E+05
5	4.30072E+05 CM**3	3.40617E+06
6	9.61479E+05 CM**3	1.09070E+07
7	1.36913E+06 CM**3	1.36662E-14
8	4.76442E+06 CM**3	4.75571E-14
9	1.72607E+03 CM**3	1.72292E+03

.....

 *** BIASING INFORMATION ***

 *** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING
 0.00833 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 1.30338E-02

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:
-X= 3.14000E+02 -X=-3.14000E+02 +Y= 3.14000E+02 -Y=-3.14000E+02 +Z= 1.00000E+01 -Z=-1.00000E+01
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 148 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

852 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

0.45350 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.46933 MINUTES.

**NAC-LWT Cask SAR
Revision 38**

November 2007

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE	MATRIX K-EFF DEVIATION
KENO MESSAGE NUMBER K5-132	1	9.01189E-01	976 INDEPENDENT	FISSION POINTS WERE	GENERATED	0.00000E+00
	2	9.28035E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
WARNING... ONLY		5.07167E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	3	8.92323E-01	994 INDEPENDENT	FISSION POINTS WERE	GENERATED	0.00000E+00
	4	9.34444E-01	8.92323E-01	0.00000E+00	0.00000E+00	0.00000E+00
	5	9.07684E-01	9.13383E-01	2.10603E-02	0.00000E+00	0.00000E+00
	6	9.48055E-01	9.11483E-01	1.23067E-02	0.00000E+00	0.00000E+00
	7	8.92456E-01	9.20626E-01	1.26222E-02	0.00000E+00	0.00000E+00
	8	9.27400E-01	9.14992E-01	1.12843E-02	0.00000E+00	0.00000E+00
	9	9.27652E-01	6.39833E-01	9.44284E-03	0.00000E+00	0.00000E+00
	10	9.14856E-01	9.18573E-01	8.12283E-03	0.00000E+00	0.00000E+00
	11	8.96192E-01	9.18109E-01	7.04991E-03	0.00000E+00	0.00000E+00
	12	8.97511E-01	9.15673E-01	6.67731E-03	0.00000E+00	0.00000E+00
	13	9.10384E-01	9.13857E-01	6.24242E-03	0.00000E+00	0.00000E+00
	14	9.30904E-01	9.13541E-01	5.65531E-03	0.00000E+00	0.00000E+00
	15	9.47282E-01	9.14988E-01	5.36149E-03	0.00000E+00	0.00000E+00
	16	9.07252E-01	9.17473E-01	5.52215E-03	0.00000E+00	0.00000E+00
	17	9.01455E-01	8.15667E-01	5.16438E-03	0.00000E+00	0.00000E+00
	18	8.88184E-01	8.37667E-01	4.91462E-03	0.00000E+00	0.00000E+00
	19	8.96816E-01	8.59667E-01	4.90885E-03	0.00000E+00	0.00000E+00
	20	9.40758E-01	8.83333E-01	4.72059E-03	0.00000E+00	0.00000E+00
	21	9.02359E-01	9.07167E-01	4.71037E-03	0.00000E+00	0.00000E+00
	22	9.53151E-01	9.30167E-01	4.50140E-03	0.00000E+00	0.00000E+00
	23	9.22802E-01	9.52000E-01	4.69994E-03	0.00000E+00	0.00000E+00
	24	9.32954E-01	9.75000E-01	4.48275E-03	0.00000E+00	0.00000E+00
	25	9.47618E-01	9.96833E-01	4.34156E-03	0.00000E+00	0.00000E+00
	26	9.36387E-01	1.01883E+00	4.35754E-03	0.00000E+00	0.00000E+00
	27	9.64685E-01	1.04183E+00	4.23968E-03	0.00000E+00	0.00000E+00
	28	9.41832E-01	1.06367E+00	4.45769E-03	0.00000E+00	0.00000E+00
	29	9.41274E-01	1.08483E+00	4.35809E-03	0.00000E+00	0.00000E+00
	30	9.43159E-01	1.10767E+00	4.25597E-03	0.00000E+00	0.00000E+00
	31	9.11565E-01	1.12967E+00	4.16766E-03	0.00000E+00	0.00000E+00
	32	9.11421E-01	1.15350E+00	4.04113E-03	0.00000E+00	0.00000E+00
	33	9.11966E-01	1.17633E+00	3.92228E-03	0.00000E+00	0.00000E+00
	34	9.17329E-01	1.19917E+00	3.80844E-03	0.00000E+00	0.00000E+00
	35	8.90667E-01	1.22300E+00	3.69042E-03	0.00000E+00	0.00000E+00
	36	9.29267E-01	1.24500E+00	3.69978E-03	0.00000E+00	0.00000E+00
	37	9.38488E-01	1.26783E+00	3.59767E-03	0.00000E+00	0.00000E+00
	38	9.15709E-01	1.29167E+00	3.52820E-03	0.00000E+00	0.00000E+00
	39	9.11158E-01	1.31450E+00	3.43279E-03	0.00000E+00	0.00000E+00
	40	8.92236E-01	1.33933E+00	3.35042E-03	0.00000E+00	0.00000E+00
	41	8.91023E-01	1.36133E+00	3.34912E-03	0.00000E+00	0.00000E+00
	42	9.11460E-01	1.38500E+00	3.34832E-03	0.00000E+00	0.00000E+00
	43	8.81758E-01	1.40700E+00	3.27005E-03	0.00000E+00	0.00000E+00
	44	8.89869E-01	1.42983E+00	3.31950E-03	0.00000E+00	0.00000E+00
	45	8.88130E-01	1.45183E+00	3.31085E-03	0.00000E+00	0.00000E+00
	46	9.54337E-01	1.47567E+00	3.30623E-03	0.00000E+00	0.00000E+00
	47	9.32707E-01	1.49850E+00	3.33863E-03	0.00000E+00	0.00000E+00
	48	9.25099E-01	1.52050E+00	3.27981E-03	0.00000E+00	0.00000E+00
	49	9.04156E-01	1.54350E+00	3.21104E-03	0.00000E+00	0.00000E+00
	50	9.52327E-01	1.56533E+00	3.15681E-03	0.00000E+00	0.00000E+00
	51	9.26219E-01	1.58733E+00	3.17100E-03	0.00000E+00	0.00000E+00
	52	9.38677E-01	1.60933E+00	3.10918E-03	0.00000E+00	0.00000E+00
	53	9.59202E-01	1.63217E+00	3.07148E-03	0.00000E+00	0.00000E+00
	54	9.34213E-01	1.65517E+00	3.10983E-03	0.00000E+00	0.00000E+00
	55	9.23051E-01	1.67700E+00	3.06124E-03	0.00000E+00	0.00000E+00
	56	9.43534E-01	1.70000E+00	3.00331E-03	0.00000E+00	0.00000E+00
	57	8.99568E-01	1.72283E+00	2.97771E-03	0.00000E+00	0.00000E+00
	58	9.47481E-01	1.74667E+00	2.94890E-03	0.00000E+00	0.00000E+00
	59	9.19284E-01	1.76867E+00	2.93528E-03	0.00000E+00	0.00000E+00
	60	9.33921E-01	1.79067E+00	2.88349E-03	0.00000E+00	0.00000E+00
	61	9.04019E-01	1.81350E+00	2.84202E-03	0.00000E+00	0.00000E+00
	62	9.03335E-01	1.83633E+00	2.80870E-03	0.00000E+00	0.00000E+00
	63	9.43630E-01	1.85833E+00	2.77710E-03	0.00000E+00	0.00000E+00
	64	9.15463E-01	1.88117E+00	2.75698E-03	0.00000E+00	0.00000E+00
	65	9.27783E-01	1.90317E+00	2.71365E-03	0.00000E+00	0.00000E+00
	66	9.64049E-01	1.92700E+00	2.67242E-03	0.00000E+00	0.00000E+00
	67	9.52222E-01	1.94900E+00	2.71467E-03	0.00000E+00	0.00000E+00
	68	9.38790E-01	1.97100E+00	2.71339E-03	0.00000E+00	0.00000E+00
	69	9.39284E-01	1.99383E+00	2.68373E-03	0.00000E+00	0.00000E+00
	70	9.18021E-01	2.01583E+00	2.65526E-03	0.00000E+00	0.00000E+00
	71	9.09255E-01	2.03867E+00	2.61683E-03	0.00000E+00	0.00000E+00
	72	9.85449E-01	2.06250E+00	2.58593E-03	0.00000E+00	0.00000E+00
	73	8.82877E-01	2.08350E+00	2.70292E-03	0.00000E+00	0.00000E+00
	74	9.20326E-01	2.10733E+00	2.72469E-03	0.00000E+00	0.00000E+00
	75	8.82683E-01	2.13017E+00	2.68700E-03	0.00000E+00	0.00000E+00
	76	9.51438E-01	2.15217E+00	2.70618E-03	0.00000E+00	0.00000E+00
	77	9.20571E-01	2.17417E+00	2.69844E-03	0.00000E+00	0.00000E+00
	78	9.38215E-01	2.19617E+00	2.66235E-03	0.00000E+00	0.00000E+00
	79	9.19033E-01	2.21900E+00	2.63514E-03	0.00000E+00	0.00000E+00
	80	9.20555E-01	2.24183E+00	2.62777E-03	0.00000E+00	0.00000E+00
	81	9.21486E-01	2.26483E+00	2.60115E-03	0.00000E+00	0.00000E+00
	82	9.18215E-01	2.28667E+00	2.56774E-03	0.00000E+00	0.00000E+00
	83	9.27842E-01	2.30967E+00	2.53507E-03	0.00000E+00	0.00000E+00
	84	9.11448E-01	2.33250E+00	2.50381E-03	0.00000E+00	0.00000E+00
	85	9.03452E-01	2.35450E+00	2.47354E-03	0.00000E+00	0.00000E+00
	86	9.28189E-01	2.37650E+00	2.44703E-03	0.00000E+00	0.00000E+00
	87	9.32908E-01	2.39933E+00	2.42830E-03	0.00000E+00	0.00000E+00
	88	9.32844E-01	2.42217E+00	2.40024E-03	0.00000E+00	0.00000E+00
	89	9.37330E-01	2.44417E+00	2.37505E-03	0.00000E+00	0.00000E+00
	90	9.35225E-01	2.46717E+00	2.35034E-03	0.00000E+00	0.00000E+00
	91	9.34490E-01	2.48900E+00	2.32930E-03	0.00000E+00	0.00000E+00
	92	9.08846E-01	2.51100E+00	2.30699E-03	0.00000E+00	0.00000E+00
	93	9.17967E-01	2.53303E+00	2.28461E-03	0.00000E+00	0.00000E+00
	94	8.85436E-01	2.55500E+00	2.26461E-03	0.00000E+00	0.00000E+00
		2.57883E+00	2.2867E-01	2.24025E-03	0.00000E+00	0.00000E+00
			2.22460E-01	2.25281E-03	0.00000E+00	0.00000E+00

96	6.86037E-01	2.62367E+00	9.22172E-01	2.24076E-03	0.00000E+00	0.00000E-00
97	9.34995E-01	2.64567E+00	9.22307E-01	2.22116E-03	0.00000E+00	0.00000E-00
98	9.41666E-01	2.66850E+00	9.22506E-01	2.20715E-03	0.00000E+00	0.00000E-00
99	9.32066E-01	2.68950E+00	9.22607E-01	2.18650E-03	0.00000E+00	0.00000E-00
100	9.22857E-01	2.71150E+00	9.22709E-01	2.16407E-03	0.00000E+00	0.00000E-00
101	9.13197E-01	2.73350E+00	9.22704E-01	2.14419E-03	0.00000E+00	0.00000E-00
102	9.03239E-01	2.75733E+00	9.22569E-01	2.12691E-03	0.00000E+00	0.00000E-00
103	8.93590E-01	2.78017E+00	9.22105E-01	2.11529E-03	0.00000E+00	0.00000E-00
104	8.80232E-01	2.80300E+00	9.21991E-01	2.14579E-03	0.00000E+00	0.00000E-00
105	9.03079E-01	2.82600E+00	9.21706E-01	2.13269E-03	0.00000E+00	0.00000E-00
106	9.40959E-01	2.84883E+00	9.21893E-01	2.12000E-03	0.00000E+00	0.00000E-00
107	9.49844E-01	2.87167E+00	9.22159E-01	2.11170E-03	0.00000E+00	0.00000E-00
108	9.39698E-01	2.89447E+00	9.22325E-01	2.10315E-03	0.00000E+00	0.00000E-00
109	9.32212E-01	2.91750E+00	9.22417E-01	2.08545E-03	0.00000E+00	0.00000E-00
110	9.26711E-01	2.94033E+00	9.22144E-01	2.08040E-03	0.00000E+00	0.00000E-00
111	9.28407E-01	2.96233E+00	9.22201E-01	2.06566E-03	0.00000E+00	0.00000E-00
112	9.21411E-01	2.98517E+00	9.22194E-01	2.04682E-03	0.00000E+00	0.00000E-00
113	9.33755E-01	3.00617E+00	9.22298E-01	2.03097E-03	0.00000E+00	0.00000E-00
114	9.35223E-01	3.03100E+00	9.22414E-01	2.01600E-03	0.00000E+00	0.00000E+00
115	9.39859E-01	3.05363E+00	9.22568E-01	2.00410E-03	0.00000E+00	0.00000E+00
116	9.12919E-01	3.07767E+00	9.22453E-01	1.98624E-03	0.00000E+00	0.00000E+00
117	9.31865E-01	3.10350E+00	9.22565E-01	1.97257E-03	0.00000E+00	0.00000E+00
118	9.34653E-01	3.12250E+00	9.22664E-01	1.95800E-03	0.00000E+00	0.00000E+00
119	9.57707E-01	3.14450E+00	9.22964E-01	1.96410E-03	0.00000E+00	0.00000E+00
120	9.36524E-01	3.16650E+00	9.23095E-01	1.95190E-03	0.00000E+00	0.00000E+00
121	9.16934E-01	3.16933E+00	9.23044E-01	1.93120E-03	0.00000E+00	0.00000E+00
122	9.19902E-01	3.21217E+00	9.23016E-01	1.92010E-03	0.00000E+00	0.00000E+00
123	9.04315E-01	3.23333E+00	9.22836E-01	1.91043E-03	0.00000E+00	0.00000E+00
124	8.89191E-01	3.25617E+00	9.22567E-01	1.91470E-03	0.00000E+00	0.00000E+00
125	8.78869E-01	3.27900E+00	9.22323E-01	1.93205E-03	0.00000E+00	0.00000E+00
126	9.21744E-01	3.30100E+00	9.22262E-01	1.91441E-03	0.00000E+00	0.00000E+00
127	9.29411E-01	3.32400E+00	9.22265E-01	1.90156E-03	0.00000E+00	0.00000E+00
128	9.28569E-01	3.34500E+00	9.22335E-01	1.88739E-03	0.00000E+00	0.00000E+00
129	9.54092E-01	3.36700E+00	9.22565E-01	1.88909E-03	0.00000E+00	0.00000E+00
130	9.14894E-01	3.38900E+00	9.22525E-01	1.87523E-03	0.00000E+00	0.00000E+00
131	9.92940E-01	3.41063E+00	9.22296E-01	1.87472E-03	0.00000E+00	0.00000E+00
132	9.15062E-01	3.43263E+00	9.22240E-01	1.86106E-03	0.00000E+00	0.00000E+00
133	9.34626E-01	3.45567E+00	9.22334E-01	1.84924E-03	0.00000E+00	0.00000E+00
134	9.30755E-01	3.47667E+00	9.22398E-01	1.83628E-03	0.00000E+00	0.00000E+00
135	8.84656E-01	3.50067E+00	9.22114E-01	1.84436E-03	0.00000E+00	0.00000E+00
136	8.97894E-01	3.52350E+00	9.21934E-01	1.83947E-03	0.00000E+00	0.00000E+00
137	8.83584E-01	3.54633E+00	9.21650E-01	1.84776E-03	0.00000E+00	0.00000E+00
138	8.90514E-01	3.56933E+00	9.21421E-01	1.84836E-03	0.00000E+00	0.00000E+00
139	9.40755E-01	3.59217E+00	9.21662E-01	1.84023E-03	0.00000E+00	0.00000E+00
140	9.26957E-01	3.61417E+00	9.21601E-01	1.82727E-03	0.00000E+00	0.00000E+00
141	9.41954E-01	3.63517E+00	9.21747E-01	1.81997E-03	0.00000E+00	0.00000E+00
142	8.86837E-01	3.65900E+00	9.21498E-01	1.82405E-03	0.00000E+00	0.00000E+00
143	9.11381E-01	3.68100E+00	9.21426E-01	1.81244E-03	0.00000E+00	0.00000E+00
144	9.59398E-01	3.70283E+00	9.21695E-01	1.81938E-03	0.00000E+00	0.00000E+00
145	9.14633E-01	3.72483E+00	9.21647E-01	1.80725E-03	0.00000E+00	0.00000E+00
146	9.31203E-01	3.74683E+00	9.21714E-01	1.79588E-03	0.00000E+00	0.00000E+00
147	8.92769E-01	3.76883E+00	9.21514E-01	1.79459E-03	0.00000E+00	0.00000E+00
148	9.65623E-01	3.79167E+00	9.21817E-01	1.80791E-03	0.00000E+00	0.00000E+00
149	9.38335E-01	3.81467E+00	9.21933E-01	1.79909E-03	0.00000E+00	0.00000E+00
150	8.90125E-01	3.83750E+00	9.21715E-01	1.79979E-03	0.00000E+00	0.00000E+00
151	9.40850E-01	3.85950E+00	9.21844E-01	1.79225E-03	0.00000E+00	0.00000E+00
152	9.50210E-01	3.88150E+00	9.22032E-01	1.79020E-03	0.00000E+00	0.00000E+00
153	9.10544E-01	3.90333E+00	9.21957E-01	1.78001E-03	0.00000E+00	0.00000E+00
154	9.31726E-01	3.92633E+00	9.22021E-01	1.76943E-03	0.00000E+00	0.00000E+00
155	9.01260E-01	3.94917E+00	9.21885E-01	1.76305E-03	0.00000E+00	0.00000E+00
156	9.42117E-01	3.97117E+00	9.22016E-01	1.75649E-03	0.00000E+00	0.00000E+00
157	9.24665E-01	3.99317E+00	9.22034E-01	1.74520E-03	0.00000E+00	0.00000E+00
158	9.22738E-01	4.01683E+00	9.22038E-01	1.73399E-03	0.00000E+00	0.00000E+00
159	9.32736E-01	4.03800E+00	9.22106E-01	1.72425E-03	0.00000E+00	0.00000E+00
160	8.92679E-01	4.06083E+00	9.21920E-01	1.72340E-03	0.00000E+00	0.00000E+00
161	9.06268E-01	4.08183E+00	9.21834E-01	1.71468E-03	0.00000E+00	0.00000E+00
162	8.95652E-01	4.10483E+00	9.21670E-01	1.71178E-03	0.00000E+00	0.00000E+00
163	9.32096E-01	4.12767E+00	9.21735E-01	1.70234E-03	0.00000E+00	0.00000E+00
164	9.51827E-01	4.14867E+00	9.21921E-01	1.70197E-03	0.00000E+00	0.00000E+00
165	8.85013E-01	4.17067E+00	9.21694E-01	1.70659E-03	0.00000E+00	0.00000E+00
166	9.05424E-01	4.19167E+00	9.21595E-01	1.69905E-03	0.00000E+00	0.00000E+00
167	9.38226E-01	4.21467E+00	9.21696E-01	1.69172E-03	0.00000E+00	0.00000E+00
168	9.18771E-01	4.23750E+00	9.21675E-01	1.68163E-03	0.00000E+00	0.00000E+00
169	9.24393E-01	4.25950E+00	9.21692E-01	1.67161E-03	0.00000E+00	0.00000E+00
170	8.82554E-01	4.28233E+00	9.21459E-01	1.67788E-03	0.00000E+00	0.00000E+00
171	9.18620E-01	4.30350E+00	9.21442E-01	1.66801E-03	0.00000E+00	0.00000E+00
172	9.37974E-01	4.32633E+00	9.21539E-01	1.66101E-03	0.00000E+00	0.00000E+00
173	9.49211E-01	4.34733E+00	9.21701E-01	1.65916E-03	0.00000E+00	0.00000E+00
174	9.12636E-01	4.37117E+00	9.21646E-01	1.65035E-03	0.00000E+00	0.00000E+00
175	9.28413E-01	4.39317E+00	9.21667E-01	1.64125E-03	0.00000E+00	0.00000E+00
176	9.40136E-01	4.41517E+00	9.21793E-01	1.63523E-03	0.00000E+00	0.00000E+00
177	9.25922E-01	4.43700E+00	9.21817E-01	1.62603E-03	0.00000E+00	0.00000E+00
178	9.42747E-01	4.46000E+00	9.21936E-01	1.62113E-03	0.00000E+00	0.00000E+00
179	9.43369E-01	4.48283E+00	9.22057E-01	1.61649E-03	0.00000E+00	0.00000E+00
180	9.64434E-01	4.50483E+00	9.22295E-01	1.62492E-03	0.00000E+00	0.00000E+00
181	9.61077E-01	4.52767E+00	9.22512E-01	1.63027E-03	0.00000E+00	0.00000E+00
182	9.21660E-01	4.55150E+00	9.22507E-01	1.62120E-03	0.00000E+00	0.00000E+00
183	9.06974E-01	4.57533E+00	9.22421E-01	1.61450E-03	0.00000E+00	0.00000E+00
184	8.98866E-01	4.59917E+00	9.22292E-01	1.61080E-03	0.00000E+00	0.00000E+00
185	9.33264E-01	4.62200E+00	9.22352E-01	1.60310E-03	0.00000E+00	0.00000E+00
186	9.04862E-01	4.64483E+00	9.22257E-01	1.59719E-03	0.00000E+00	0.00000E+00
187	9.27530E-01	4.66783E+00	9.22265E-01	1.58879E-03	0.00000E+00	0.00000E+00
188	9.02055E-01	4.69076E+00	9.22177E-01	1.58397E-03	0.00000E+00	0.00000E+00
189	9.67078E-01	4.71167E+00	9.22417E-01	1.59366E-03	0.00000E+00	0.00000E+00
190	9.60754E-01	4.73367E+00	9.22621E-01	1.59823E-03	0.00000E+00	0.00000E+00
191	9.25356E-01	4.75650E+00	9.22635E-01	1.58982E-03	0.00000E+00	0.00000E+00
192	9.82945E-01	4.77950E+00	9.22952E-01	1.61297E-03	0.00000E+00	0.00000E+00
193	9.36432E-01	4.80233E+00	9.23023E-01	1.60605E-03	0.00000E+00	0.00000E+00
194	9.52149E-01	4.82617E+00	9.23175E-01	1.60485E-03	0.00000E+00	0.00000E+00
195	9.50764E-01	4.84900E+00	9.23316E-01	1.60290E-03	0.00000E+00	0.00000E+00
196	9.07413E-01	4.87183E+00	9.23236E-01	1.59672E-03	0.00000E+00	0.00000E+00

197	9.28760E-01	4.89567E+00	9.23264E-01	1.56677E-03	0.00000E+00	0.00000E+00
198	9.07747E-01	4.91767E-00	9.23185E-01	1.56262E-03	0.00000E+00	0.00000E+00
199	9.21906E-01	4.94150E+00	9.23176E-01	1.57458E-03	0.00000E+00	0.00000E+00
200	9.25966E-01	4.96533E-00	9.23193E-01	1.56667E-03	0.00000E+00	0.00000E+00
201	9.29846E-01	4.98733E+00	9.23224E-01	1.55914E-03	0.00000E+00	0.00000E+00
202	9.35257E-01	5.01017E+00	9.23166E-01	1.55183E-03	0.00000E+00	0.00000E+00
203	9.68503E-01	5.03400E+00	9.23113E-01	1.54562E-03	0.00000E+00	0.00000E+00
204	9.08062E-01	5.05883E-00	9.23039E-01	1.53995E-03	0.00000E+00	0.00000E+00
205	9.06777E-01	5.07883E-00	9.22966E-01	1.53396E-03	0.00000E+00	0.00000E+00
206	9.02570E-01	5.10167E-00	9.22866E-01	1.52969E-03	0.00000E+00	0.00000E+00
207	9.23500E-01	5.12367E+00	9.22871E-01	1.52221E-03	0.00000E+00	0.00000E+00
208	8.96954E-01	5.14650E+00	9.22746E-01	1.52002E-03	0.00000E+00	0.00000E+00
209	9.09160E-01	5.16850E-00	9.22680E-01	1.51409E-03	0.00000E+00	0.00000E+00
210	9.21769E-01	5.19050E-00	9.22695E-01	1.50668E-03	0.00000E+00	0.00000E+00
211	9.02445E-01	5.21433E-00	9.22596E-01	1.50271E-03	0.00000E+00	0.00000E+00
212	9.04908E-01	5.23717E+00	9.22514E-01	1.49796E-03	0.00000E+00	0.00000E+00
213	9.10647E-01	5.26000E+00	9.22457E-01	1.49190E-03	0.00000E+00	0.00000E+00
214	8.68898E-01	5.28300E+00	9.22205E-01	1.50619E-03	0.00000E+00	0.00000E+00
215	9.45750E-01	5.30483E+00	9.22315E-01	1.50317E-03	0.00000E+00	0.00000E+00
216	9.32390E-01	5.32600E+00	9.22362E-01	1.49687E-03	0.00000E+00	0.00000E+00
217	9.43201E-01	5.34800E+00	9.22459E-01	1.49304E-03	0.00000E+00	0.00000E+00
218	9.35512E-01	5.37083E-00	9.22520E-01	1.48734E-03	0.00000E+00	0.00000E+00
219	8.85614E-01	5.39367E+00	9.22350E-01	1.49021E-03	0.00000E+00	0.00000E+00
220	9.61417E-01	5.41667E+00	9.22621E-01	1.50790E-03	0.00000E+00	0.00000E+00
221	9.44546E-01	5.43767E+00	9.22721E-01	1.50433E-03	0.00000E+00	0.00000E+00
222	9.39459E-01	5.46150E+00	9.22797E-01	1.49941E-03	0.00000E+00	0.00000E+00
223	9.10404E-01	5.48433E+00	9.22741E-01	1.49366E-03	0.00000E+00	0.00000E+00
224	9.18697E-01	5.50717E+00	9.22723E-01	1.48703E-03	0.00000E+00	0.00000E+00
225	8.84000E-01	5.53100E+00	9.22549E-01	1.49050E-03	0.00000E+00	0.00000E+00
226	9.02204E-01	5.55383E+00	9.22458E-01	1.48661E-03	0.00000E+00	0.00000E+00
227	9.24094E-01	5.57767E+00	9.22465E-01	1.48600E-03	0.00000E+00	0.00000E+00
228	9.02574E-01	5.60067E+00	9.22377E-01	1.47666E-03	0.00000E+00	0.00000E+00
229	9.26655E-01	5.62350E+00	9.22396E-01	1.46967E-03	0.00000E+00	0.00000E+00
230	9.24029E-01	5.64633E+00	9.22403E-01	1.46323E-03	0.00000E+00	0.00000E+00
231	9.20599E-01	5.66917E+00	9.22395E-01	1.45684E-03	0.00000E+00	0.00000E+00
232	9.34938E-01	5.69117E+00	9.22450E-01	1.45152E-03	0.00000E+00	0.00000E+00
233	9.27772E-01	5.71500E+00	9.22473E-01	1.44541E-03	0.00000E+00	0.00000E+00
234	9.26126E-01	5.73783E+00	9.22469E-01	1.43925E-03	0.00000E+00	0.00000E+00
235	8.96442E-01	5.75983E+00	9.22366E-01	1.43671E-03	0.00000E+00	0.00000E+00
236	8.87684E-01	5.78283E+00	9.22238E-01	1.43822E-03	0.00000E+00	0.00000E+00
237	9.32308E-01	5.80567E+00	9.22281E-01	1.43273E-03	0.00000E+00	0.00000E+00
238	8.85845E-01	5.82850E+00	9.22127E-01	1.43498E-03	0.00000E+00	0.00000E+00
239	9.39433E-01	5.85133E+00	9.22200E-01	1.43077E-03	0.00000E+00	0.00000E+00
240	9.06601E-01	5.87433E+00	9.22134E-01	1.42626E-03	0.00000E+00	0.00000E+00
241	9.27072E-01	5.89817E+00	9.22155E-01	1.42043E-03	0.00000E+00	0.00000E+00
242	9.23204E-01	5.92183E+00	9.22159E-01	1.41450E-03	0.00000E+00	0.00000E+00
243	9.58466E-01	5.94383E+00	9.22310E-01	1.41665E-03	0.00000E+00	0.00000E+00
244	9.54488E-01	5.96767E+00	9.22443E-01	1.41704E-03	0.00000E+00	0.00000E+00
245	9.53238E-01	5.98967E+00	9.22569E-01	1.41687E-03	0.00000E+00	0.00000E+00
246	9.40665E-01	6.01167E+00	9.22644E-01	1.41300E-03	0.00000E+00	0.00000E+00
247	8.89099E-01	6.03633E+00	9.22507E-01	1.41387E-03	0.00000E+00	0.00000E+00
248	9.59811E-01	6.05917E+00	9.22658E-01	1.41625E-03	0.00000E+00	0.00000E+00
249	9.36168E-01	6.08033E+00	9.22713E-01	1.41157E-03	0.00000E+00	0.00000E+00
250	9.12594E-01	6.10400E+00	9.22672E-01	1.40646E-03	0.00000E+00	0.00000E+00
251	9.11767E-01	6.12700E+00	9.22628E-01	1.40146E-03	0.00000E+00	0.00000E+00
252	9.12743E-01	6.15063E+00	9.22589E-01	1.39642E-03	0.00000E+00	0.00000E+00
253	8.81522E-01	6.17367E+00	9.22425E-01	1.40044E-03	0.00000E+00	0.00000E+00
254	9.43794E-01	6.19650E+00	9.22510E-01	1.39745E-03	0.00000E+00	0.00000E+00
255	9.35166E-01	6.21933E+00	9.22560E-01	1.39281E-03	0.00000E+00	0.00000E+00
256	9.50770E-01	6.24333E+00	9.22671E-01	1.39175E-03	0.00000E+00	0.00000E+00
257	8.01653E-01	6.26433E+00	9.22540E-01	1.38869E-03	0.00000E+00	0.00000E+00
258	9.25094E-01	6.28617E+00	9.22599E-01	1.38329E-03	0.00000E+00	0.00000E+00
259	8.87971E-01	6.31000E+00	9.22465E-01	1.38447E-03	0.00000E+00	0.00000E+00
260	9.16477E-01	6.33200E+00	9.22441E-01	1.37929E-03	0.00000E+00	0.00000E+00
261	9.24263E-01	6.35583E+00	9.22446E-01	1.37397E-03	0.00000E+00	0.00000E+00
262	8.86397E-01	6.37867E+00	9.22310E-01	1.37566E-03	0.00000E+00	0.00000E+00
263	9.15748E-01	6.40150E+00	9.22285E-01	1.37063E-03	0.00000E+00	0.00000E+00
264	9.21627E-01	6.42350E+00	9.22282E-01	1.36539E-03	0.00000E+00	0.00000E+00
265	9.27530E-01	6.44650E+00	9.22302E-01	1.36033E-03	0.00000E+00	0.00000E+00
266	9.43544E-01	6.46933E+00	9.22363E-01	1.35756E-03	0.00000E+00	0.00000E+00
267	9.60302E-01	6.49133E+00	9.22524E-01	1.35997E-03	0.00000E+00	0.00000E+00
268	9.05761E-01	6.51417E+00	9.22463E-01	1.35632E-03	0.00000E+00	0.00000E+00
269	9.55820E-01	6.53700E+00	9.22568E-01	1.35699E-03	0.00000E+00	0.00000E+00
270	9.09560E-01	6.55900E+00	9.22539E-01	1.35279E-03	0.00000E+00	0.00000E+00
271	9.21786E-01	6.58200E+00	9.22536E-01	1.34776E-03	0.00000E+00	0.00000E+00
272	9.16804E-01	6.60483E+00	9.22515E-01	1.34252E-03	0.00000E+00	0.00000E+00
273	9.07458E-01	6.62867E+00	9.22459E-01	1.33911E-03	0.00000E+00	0.00000E+00
274	9.00971E-01	6.65050E+00	9.22380E-01	1.33652E-03	0.00000E+00	0.00000E+00
275	9.36220E-01	6.67067E+00	9.22431E-01	1.33257E-03	0.00000E+00	0.00000E+00
276	9.20443E-01	6.69367E+00	9.22424E-01	1.32772E-03	0.00000E+00	0.00000E+00
277	9.20281E-01	6.71733E+00	9.22416E-01	1.32291E-03	0.00000E+00	0.00000E+00
278	9.34639E-01	6.74033E+00	9.22460E-01	1.31885E-03	0.00000E+00	0.00000E+00
279	9.61809E-01	6.76233E+00	9.22602E-01	1.32174E-03	0.00000E+00	0.00000E+00
280	9.22592E-01	6.78417E+00	9.22602E-01	1.31697E-03	0.00000E+00	0.00000E+00
281	9.54083E-01	6.80717E+00	9.22715E-01	1.31709E-03	0.00000E+00	0.00000E+00
282	9.53818E-01	6.82917E+00	9.22824E-01	1.31707E-03	0.00000E+00	0.00000E+00
283	8.97614E-01	6.85263E+00	9.22736E-01	1.31543E-03	0.00000E+00	0.00000E+00
284	9.11954E-01	6.87667E+00	9.22698E-01	1.31132E-03	0.00000E+00	0.00000E+00
285	9.21965E-01	6.89867E+00	9.22696E-01	1.30668E-03	0.00000E+00	0.00000E+00
286	9.34111E-01	6.92150E+00	9.22736E-01	1.30269E-03	0.00000E+00	0.00000E+00
287	9.36488E-01	6.94450E+00	9.22784E-01	1.29901E-03	0.00000E+00	0.00000E+00
288	9.22643E-01	6.96633E+00	9.22784E-01	1.29444E-03	0.00000E+00	0.00000E+00
289	9.31979E-01	6.98933E+00	9.22816E-01	1.29034E-03	0.00000E+00	0.00000E+00
290	9.28679E-01	7.01133E+00	9.22836E-01	1.28601E-03	0.00000E+00	0.00000E+00
291	9.46820E-01	7.03317E+00	9.22919E-01	1.28424E-03	0.00000E+00	0.00000E+00
292	9.09605E-01	7.05617E+00	9.22873E-01	1.28062E-03	0.00000E+00	0.00000E+00
293	8.99557E-01	7.07800E+00	9.22793E-01	1.27873E-03	0.00000E+00	0.00000E+00
294	9.32222E-01	7.10100E+00	9.22825E-01	1.27475E-03	0.00000E+00	0.00000E+00
295	9.65427E-01	7.12383E+00	9.22971E-01	1.27869E-03	0.00000E+00	0.00000E+00
296	8.93684E-01	7.14583E+00	9.22871E-01	1.27822E-03	0.00000E+00	0.00000E+00
297	9.39107E-01	7.16867E+00	9.22926E-01	1.27507E-03	0.00000E+00	0.00000E+00

296	9.29070E-01	7.19067E+00	9.22947E-01	1.27092E-03	0.00000E-00	0.00000E+00
299	8.85026E-01	7.21350E+00	9.22879E-01	1.27305E-03	0.00000E-00	0.00000E+00
300	9.44079E-01	7.23550E+00	9.22890E-01	1.27078E-03	0.00000E-00	0.00000E+00
301	9.33244E-01	7.25750E+00	9.22925E-01	1.26699E-03	0.00000E-00	0.00000E+00
302	9.49263E-01	7.28033E+00	9.23013E-01	1.26587E-03	0.00000E-00	0.00000E+00
303	9.34646E-01	7.30150E+00	9.23051E-01	1.26219E-03	0.00000E-00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

LIFETIME = 4.56164E-04 + OR - 4.31099E-06 GENERATION TIME = 4.02381E-05 + OR - 1.18607E-07
 NU BAR = 2.43523E+00 + OR - 9.27544E-05 AVERAGE FISSION GROUP = 2.24439E+01 + OR - 5.65727E-03
 ENERGY(EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 1.63071E-01 + OR - 7.57220E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
3	0.92315	+ OR - 0.00126	0.92189	TO 0.92442	0.92063	TO 0.92568	0.91937	TO 0.92694	300000
4	0.92312	+ OR - 0.00127	0.92185	TO 0.92438	0.92058	TO 0.92565	0.91932	TO 0.92691	299000
5	0.92317	+ OR - 0.00127	0.92190	TO 0.92444	0.92063	TO 0.92571	0.91936	TO 0.92698	298000
6	0.92308	+ OR - 0.00127	0.92181	TO 0.92435	0.92054	TO 0.92563	0.91927	TO 0.92690	297000
7	0.92319	+ OR - 0.00127	0.92192	TO 0.92446	0.92065	TO 0.92573	0.91938	TO 0.92700	296000
8	0.92317	+ OR - 0.00127	0.92190	TO 0.92445	0.92062	TO 0.92572	0.91935	TO 0.92700	295000
9	0.92316	+ OR - 0.00128	0.92188	TO 0.92444	0.92060	TO 0.92572	0.91932	TO 0.92700	294000
10	0.92319	+ OR - 0.00128	0.92190	TO 0.92447	0.92062	TO 0.92575	0.91934	TO 0.92704	293000
11	0.92328	+ OR - 0.00128	0.92199	TO 0.92456	0.92071	TO 0.92585	0.91943	TO 0.92713	292000
12	0.92337	+ OR - 0.00129	0.92208	TO 0.92465	0.92080	TO 0.92594	0.91951	TO 0.92722	291000
17	0.92344	+ OR - 0.00130	0.92213	TO 0.92474	0.92083	TO 0.92604	0.91953	TO 0.92734	286000
22	0.92356	+ OR - 0.00131	0.92226	TO 0.92487	0.92095	TO 0.92618	0.91964	TO 0.92748	281000
27	0.92325	+ OR - 0.00132	0.92193	TO 0.92457	0.92061	TO 0.92589	0.91930	TO 0.92720	276000
32	0.92313	+ OR - 0.00134	0.92179	TO 0.92446	0.92046	TO 0.92580	0.91912	TO 0.92713	271000
37	0.92323	+ OR - 0.00135	0.92188	TO 0.92459	0.92053	TO 0.92594	0.91918	TO 0.92729	266000
42	0.92360	+ OR - 0.00137	0.92223	TO 0.92496	0.92086	TO 0.92633	0.91950	TO 0.92769	261000
47	0.92387	+ OR - 0.00136	0.92251	TO 0.92524	0.92115	TO 0.92660	0.91978	TO 0.92796	256000
52	0.92377	+ OR - 0.00138	0.92238	TO 0.92515	0.92100	TO 0.92653	0.91962	TO 0.92791	251000
57	0.92360	+ OR - 0.00140	0.92220	TO 0.92500	0.92081	TO 0.92639	0.91941	TO 0.92779	246000
62	0.92364	+ OR - 0.00142	0.92222	TO 0.92506	0.92081	TO 0.92648	0.91939	TO 0.92789	241000
67	0.92328	+ OR - 0.00143	0.92185	TO 0.92471	0.92042	TO 0.92614	0.91900	TO 0.92757	236000
72	0.92296	+ OR - 0.00143	0.92153	TO 0.92439	0.92010	TO 0.92582	0.91867	TO 0.92725	231000
77	0.92321	+ OR - 0.00143	0.92178	TO 0.92464	0.92034	TO 0.92608	0.91891	TO 0.92751	226000
82	0.92320	+ OR - 0.00146	0.92174	TO 0.92467	0.92028	TO 0.92613	0.91881	TO 0.92760	221000
87	0.92326	+ OR - 0.00149	0.92177	TO 0.92475	0.92027	TO 0.92625	0.91878	TO 0.92774	216000
92	0.92311	+ OR - 0.00152	0.92158	TO 0.92463	0.92006	TO 0.92615	0.91854	TO 0.92768	211000

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.92340	+ OR - 0.00154	0.92186 TO 0.92493	0.92032 TO 0.92647	0.91878 TO 0.92801	20000
102	0.92329	+ OR - 0.00157	0.92172 TO 0.92486	0.92015 TO 0.92643	0.91858 TO 0.92800	20000
107	0.92353	+ OR - 0.00157	0.92195 TO 0.92510	0.92038 TO 0.92668	0.91880 TO 0.92825	19000
112	0.92355	+ OR - 0.00161	0.92194 TO 0.92515	0.92034 TO 0.92676	0.91873 TO 0.92836	191000
117	0.92335	+ OR - 0.00164	0.92171 TO 0.92499	0.92007 TO 0.92664	0.91843 TO 0.92828	186000
122	0.92307	+ OR - 0.00167	0.92140 TO 0.92475	0.91973 TO 0.92642	0.91805 TO 0.92809	181000
127	0.92360	+ OR - 0.00169	0.92191 TO 0.92528	0.92022 TO 0.92697	0.91853 TO 0.92866	176000
132	0.92367	+ OR - 0.00172	0.92195 TO 0.92538	0.92024 TO 0.92710	0.91852 TO 0.92882	171000
137	0.92419	+ OR - 0.00173	0.92247 TO 0.92592	0.92074 TO 0.92764	0.91901 TO 0.92937	166000
142	0.92440	+ OR - 0.00175	0.92266 TO 0.92615	0.92091 TO 0.92789	0.91917 TO 0.92964	161000
147	0.92448	+ OR - 0.00177	0.92271 TO 0.92625	0.92094 TO 0.92803	0.91916 TO 0.92980	156000
152	0.92406	+ OR - 0.00178	0.92228 TO 0.92585	0.92050 TO 0.92763	0.91872 TO 0.92941	151000
157	0.92413	+ OR - 0.00183	0.92230 TO 0.92596	0.92047 TO 0.92779	0.91864 TO 0.92962	146000
162	0.92462	+ OR - 0.00187	0.92275 TO 0.92648	0.92089 TO 0.92835	0.91902 TO 0.93021	141000
167	0.92470	+ OR - 0.00189	0.92280 TO 0.92659	0.92091 TO 0.92848	0.91902 TO 0.93037	136000
172	0.92501	+ OR - 0.00193	0.92308 TO 0.92695	0.92115 TO 0.92888	0.91921 TO 0.93082	131000
177	0.92477	+ OR - 0.00200	0.92277 TO 0.92676	0.92078 TO 0.92876	0.91878 TO 0.93075	126000
182	0.92386	+ OR - 0.00202	0.92184 TO 0.92588	0.91983 TO 0.92789	0.91781 TO 0.92991	121000
187	0.92427	+ OR - 0.00208	0.92219 TO 0.92635	0.92012 TO 0.92843	0.91804 TO 0.93051	116000
192	0.92322	+ OR - 0.00203	0.92119 TO 0.92525	0.91916 TO 0.92729	0.91712 TO 0.92932	111000
197	0.92266	+ OR - 0.00208	0.92058 TO 0.92474	0.91849 TO 0.92683	0.91641 TO 0.92891	106000
202	0.92276	+ OR - 0.00218	0.92060 TO 0.92496	0.91842 TO 0.92714	0.91624 TO 0.92933	101000
207	0.92344	+ OR - 0.00227	0.92117 TO 0.92570	0.91890 TO 0.92797	0.91663 TO 0.93024	96000
212	0.92429	+ OR - 0.00235	0.92194 TO 0.92664	0.91960 TO 0.92899	0.91725 TO 0.93134	91000
217	0.92453	+ OR - 0.00237	0.92216 TO 0.92690	0.91979 TO 0.92927	0.91742 TO 0.93164	86000
222	0.92374	+ OR - 0.00234	0.92140 TO 0.92608	0.91906 TO 0.92842	0.91672 TO 0.93076	81000
227	0.92479	+ OR - 0.00241	0.92237 TO 0.92720	0.91996 TO 0.92961	0.91755 TO 0.93202	76000


NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
232	0.92500	+ OR - 0.00256	0.92244 TO 0.92756	0.91988 TO 0.93012	0.91732 TO 0.93268	71000
237	0.92579	+ OR - 0.00266	0.92314 TO 0.92845	0.92048 TO 0.93111	0.91782 TO 0.93377	66000
242	0.92656	+ OR - 0.00277	0.92379 TO 0.92934	0.92102 TO 0.93211	0.91824 TO 0.93488	61000
247	0.92543	+ OR - 0.00279	0.92265 TO 0.92822	0.91986 TO 0.93101	0.91707 TO 0.93380	56000
252	0.92532	+ OR - 0.00295	0.92237 TO 0.92827	0.91942 TO 0.93121	0.91648 TO 0.93416	51000
257	0.92561	+ OR - 0.00300	0.92261 TO 0.92861	0.91962 TO 0.93161	0.91662 TO 0.93460	46000
262	0.92776	+ OR - 0.00306	0.92469 TO 0.93082	0.92163 TO 0.93388	0.91857 TO 0.93694	41000
267	0.92692	+ OR - 0.00332	0.92361 TO 0.93024	0.92029 TO 0.93355	0.91697 TO 0.93687	36000
272	0.92773	+ OR - 0.00361	0.92412 TO 0.93134	0.92050 TO 0.93495	0.91689 TO 0.93856	31000
277	0.92977	+ OR - 0.00406	0.92572 TO 0.93383	0.92166 TO 0.93789	0.91760 TO 0.94195	26000
282	0.92606	+ OR - 0.00440	0.92165 TO 0.93046	0.91725 TO 0.93486	0.91285 TO 0.93927	21000
287	0.92782	+ OR - 0.00536	0.92246 TO 0.93318	0.91710 TO 0.93854	0.91173 TO 0.94390	16000
292	0.92776	+ OR - 0.00748	0.92027 TO 0.93524	0.91279 TO 0.94272	0.90531 TO 0.95020	11000
297	0.92922	+ OR - 0.00935	0.91987 TO 0.93857	0.91053 TO 0.94792	0.90118 TO 0.95726	6000

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS K-EFF = 0.9232 + OR - 0.0013 WHICH OCCURS FOR 333 GENERATIONS RUN.





300 +

I * I
I * I
I * I
I * I

NAC-LWT CASK MODEL; EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0041			3.77954E-03	2.4762	2.27971E-03	1.7625	0.00000E+00	0.0000
2	0.0166			1.53484E-02	0.6623	7.91156E-03	0.5604	0.00000E+00	0.0000
3	0.0185			1.70463E-02	0.6535	7.23633E-03	0.6156	0.00000E+00	0.0000
4	0.0078			7.19320E-03	0.8032	3.55433E-03	0.7494	0.00000E+00	0.0000
5	0.0026			2.36365E-03	0.5822	2.76274E-03	0.4823	0.00000E+00	0.0000
6	0.0024			2.18845E-03	0.4869	5.90695E-03	0.4100	0.00000E+00	0.0000
7	0.0024			2.19241E-03	0.4650	8.30656E-03	0.4008	0.00000E+00	0.0000
8	0.0024			2.23029E-03	0.4971	1.00129E-02	0.3818	0.00000E+00	0.0000
9	0.0033			3.05338E-03	0.5503	1.42582E-02	0.3863	0.00000E+00	0.0000
10	0.0071			6.54045E-03	0.5588	2.39631E-02	0.4360	0.00000E+00	0.0000
11	0.0150			1.36589E-02	0.6088	3.57136E-02	0.4483	0.00000E+00	0.0000
12	0.0191			1.76731E-02	0.6127	3.44911E-02	0.4689	0.00000E+00	0.0000
13	0.0180			1.66595E-02	0.6443	3.67475E-02	0.4907	0.00000E+00	0.0000
14	0.0142			1.31041E-02	0.5990	5.11136E-02	0.4462	0.00000E+00	0.0000
15	0.0031			2.87393E-03	1.0394	1.43410E-02	0.6200	0.00000E+00	0.0000
16	0.0022			2.02285E-03	1.3462	8.24815E-03	0.7862	0.00000E+00	0.0000
17	0.0033			3.08454E-03	1.9387	5.08476E-03	0.9479	0.00000E+00	0.0000
18	0.0045			4.14548E-03	1.7991	5.04738E-03	1.0115	0.00000E+00	0.0000
19	0.0055			5.09696E-03	1.4471	7.99143E-03	0.7852	0.00000E+00	0.0000
20	0.0234			2.15608E-02	0.7556	2.94462E-02	0.5373	0.00000E+00	0.0000
21	0.0122			1.12665E-02	1.3926	1.19914E-02	0.8317	0.00000E+00	0.0000
22	0.0301			2.77517E-02	0.9038	2.66452E-02	0.6349	0.00000E+00	0.0000
23	0.1071			9.88951E-02	0.4773	8.80475E-02	0.3489	0.00000E+00	0.0000
24	0.2116			1.95307E-01	0.3360	1.56040E-01	0.2555	0.00000E+00	0.0000
25	0.1806			1.66702E-01	0.3986	1.28382E-01	0.3147	0.00000E+00	0.0000
26	0.2136			1.97207E-01	0.3631	1.51858E-01	0.2826	0.00000E+00	0.0000
27	0.0693			6.40088E-02	0.7565	5.95539E-02	0.5464	0.00000E+00	0.0000
SYSTEM TOTAL =				9.23184E-01	0.1367	9.36935E-01	0.0630	0.00000E+00	0.0000

THE WEIGHT LOST IN THE ALBEDO PORTION OF THE PROBLEM = 6.5153E-02 + OR - 0.0004

ELAPSED TIME 7.30150 MINUTES

RANDOM NUMBER= 677D583D170E

NAC-LWT CASK MODEL: EXXON 9X9 - 2 WATER RODS 80 MIL CHANNEL

FREQUENCY FOR GENERATIONS 4 TO 303
0.8597 TO 0.8724
0.8724 TO 0.8850
0.8850 TO 0.8977
0.8977 TO 0.9103
0.9103 TO 0.9230
0.9230 TO 0.9356
0.9356 TO 0.9483
0.9483 TO 0.9609
0.9609 TO 0.9736
0.9736 TO 0.9862

FREQUENCY FOR GENERATIONS 79 TO 303
0.8597 TO 0.8724
0.8724 TO 0.8850
0.8850 TO 0.8977
0.8977 TO 0.9103
0.9103 TO 0.9230
0.9230 TO 0.9356
0.9356 TO 0.9483
0.9483 TO 0.9609
0.9609 TO 0.9736
0.9736 TO 0.9862

FREQUENCY FOR GENERATIONS 154 TO 303
0.8597 TO 0.8724
0.8724 TO 0.8850
0.8850 TO 0.8977
0.8977 TO 0.9103
0.9103 TO 0.9230
0.9230 TO 0.9356
0.9356 TO 0.9483
0.9483 TO 0.9609
0.9609 TO 0.9736
0.9736 TO 0.9862

FREQUENCY FOR GENERATIONS 229 TO 303
0.8597 TO 0.8724
0.8724 TO 0.8850
0.8850 TO 0.8977
0.8977 TO 0.9103
0.9103 TO 0.9230
0.9230 TO 0.9356
0.9356 TO 0.9483
0.9483 TO 0.9609
0.9609 TO 0.9736
0.9736 TO 0.9862

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 7.30233 MINUTES
.....

6.6.3 MTR Fuel Elements

This section contains abbreviated output files from the most reactive normal condition and accident condition moderator density variation cases.

Figure 6.6.3-1 CSAS Input/Output for NAC-LWT with Design Basis MTR Fuel - Most Reactive Normal Condition Configuration

```
PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT HFBR DESIGN U308-AL FUEL 93 W/O U235 ELEMENTS IN CLOSE, MIN BASKET PLATES
Z7GROUPNDF4 LATTICECELL
*LINE MATCH
URANIUM 1 DEN=3.990 0.3000 293 92235 93. 92238 7. END
O 1 DEN=3.990 0.0542 293 END
AL 1 DEN=3.990 0.6468 293 END
AL 2 1.0 293.0 END
H2O 3 1.000 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.000 293.0 END
H2O 8 1.0 293.0 END
END COMP
SYNMSLABCELL 0.3708 0.053 1 3 0.127 2 END

READ PARAM RUN=YES PLT=YES RND=2 GEN=206 NPG=800 END PARAM
READ GEOM
UNIT 1
COM='AL PLATE CELL'
CUBOID 2 1 2P3.1250 2P0.127 2P10.0
CUBOID 3 1 2P3.1250 2P0.254 2P10.0
UNIT 2
COM='HFBR FUEL PLATE CELL 1'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 0.1905 -0.2134 2P10.0
UNIT 3
COM='HFBR FUEL PLATE CELL 2'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 0.2134 -0.2007 2P10.0
UNIT 4
COM='HFBR FUEL PLATE CELL 3'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 0.2007 -0.1854 2P10.0
UNIT 5
COM='HFBR FUEL PLATE CELL 4'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 0.1854 -0.1854 2P10.0
UNIT 6
COM='HFBR FUEL PLATE CELL 5'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 0.1854 -0.2007 2P10.0
UNIT 7
COM='HFBR FUEL PLATE CELL 6'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 0.2007 -0.2134 2P10.0
UNIT 8
COM='HFBR FUEL PLATE CELL 7'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 0.2134 -0.1905 2P10.0
UNIT 90
COM='HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB CENTER'
ARRAY 1 -3.1250 -3.9369 -10.0
REPLICATE 3 1 2R0.0 2R0.1631 2R0.0 1
REPLICATE 4 1 2R0.4750 4R0.0 1
REPLICATE 3 1 2R0.7690 2R0.2688 2R0.0 1
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 91
COM='HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT'
ARRAY 1 -3.1250 -3.9369 -10.0
REPLICATE 3 1 2R0.0 2R0.1631 2R0.0 1
REPLICATE 4 1 2R0.4750 4R0.0 1
REPLICATE 3 1 1.5380 0.0 2R0.2688 2R0.0 1
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 92
COM='HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT'
ARRAY 1 -3.1250 -3.9369 -10.0
REPLICATE 3 1 2R0.0 2R0.1631 2R0.0 1
REPLICATE 4 1 2R0.4750 4R0.0 1
REPLICATE 3 1 0.0 1.5380 2R0.2688 2R0.0 1
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 10
COM='HFBR FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK'
ARRAY 1 -3.1250 -3.9369 -10.0
REPLICATE 3 1 2R0.0 2R0.1631 2R0.0 1
REPLICATE 4 1 2R0.4750 4R0.0 1
REPLICATE 3 1 2R0.7690 0.5376 0.0 2R0.0 1
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 101
COM='HFBR FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 1 -3.1250 -3.9369 -10.0
REPLICATE 3 1 2R0.0 2R0.1631 2R0.0 1
REPLICATE 4 1 2R0.4750 4R0.0 1
REPLICATE 3 1 2R0.7690 0.0 0.5376 2R0.0 1
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 11
```

```
COM='HFBR FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK'  
ARRAY 1 -3.1250 -3.9369 -10.0  
REPLICATE 3 1 2R0.0 2R0.1631 2R0.0 1  
REPLICATE 4 1 2R0.4750 4R0.0 1  
REPLICATE 3 1 2R0.7690 0.5376 0.0 2R0.0 1  
REPLICATE 5 1 0.0 0.3048 4R0.0 1  
UNIT 111  
COM='HFBR FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'  
ARRAY 1 -3.1250 -3.9369 -10.0  
REPLICATE 3 1 2R0.0 2R0.1631 2R0.0 1  
REPLICATE 4 1 2R0.4750 4R0.0 1  
REPLICATE 3 1 2R0.7690 0.0 0.5376 2R0.0 1  
REPLICATE 5 1 0.0 0.3048 4R0.0 1  
UNIT 12  
COM='2 UNIT ARRAY WITH 0.120 IN. PLATE ON TOP AND SIDES'  
ARRAY 2 -9.0428 -4.3688 -10.0  
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1  
UNIT 13  
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'  
ARRAY 3 -14.1738 -4.3688 -10.0  
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1  
UNIT 14  
COM='2 UNIT ARRAY WITH 0.120 IN. PLATE ON BOTTOM and SIDES'  
ARRAY 4 -9.0428 -4.3688 -10.0  
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1  
'LINE MATCH  
'LINE MATCH  
'LINE MATCH  
GLOBAL UNIT 15  
COM='7 HFBR ASSEMBLIES IN THE LWT'  
CYLINDER 3 1 17.0500 2P10.0  
HOLE 12 0.0 +9.4489 0.0  
HOLE 13 0.0 0.0 0.0  
HOLE 14 0.0 -9.4489 0.0  
CYLINDER 5 1 18.8913 2P10.0  
CYLINDER 6 1 33.4963 2P10.0  
CYLINDER 5 1 36.5443 2P10.0  
CYLINDER 8 1 49.2443 2P10.0  
CYLINDER 5 1 80.33900 2P10.0  
CUBOID 7 1 4P80.33900 2P10.0  
END GEOM  
READ ARRAY  
ARA=1 NUX=1 NUY=20 NUZ=1 FILL 1 8 7 6 12R5 4 3 2 1 END FILL  
ARA=2 NUX=2 NUY=1 NUZ=1 FILL 10 11 END FILL  
ARA=3 NUX=3 NUY=1 NUZ=1 FILL 92 90 91 END FILL  
ARA=4 NUX=2 NUY=1 NUZ=1 FILL 101 111 END FILL  
END ARRAY  
READ BOUNDS ALL=MIR END BOUNDS  
READ PLOT  
TTL='X-Y PLOT OF ASSEMBLY'  
NCH=' FCWASPW'  
UAX=1.0 VDN=-1.0 NAX=130  
XUL=-5.0 YUL=5.0 ZUL=0.0  
XLR=5.0 YLR=-5.0 ZLR=0.0 END  
TTL='X-Y PLOT OF CASK'  
UAX=1.0 VDN=-1.0 NAX=130  
XUL=-65.0 YUL=65.0 ZUL=0.0  
XLR=65.0 YLR=-65.0 ZLR=0.0 END  
TTL='X-Y PLOT OF BASKET'  
UAX=1.0 VDN=-1.0 NAX=130  
XUL=-17.0 YUL=17.0 ZUL=0.0  
XLR=17.0 YLR=-17.0 ZLR=0.0 END  
TTL='X-Z PLOT OF BASKET'  
VAX=1.0 WDN=-1.0  
XUL=0.0 YUL=-5.0 ZUL=10.0  
XLR=0.0 YLR=5.0 ZLR=-10.0  
END PLOT  
END DATA
```

SECONDARY MODULE 000008 HAS BEEN CALLED.


```

*****
LWT HFBR DESIGN U309-AL FUEL 93 W/O U235 ELEMENTS IN CLOSE, MIN BASKET PLATES
*****
***** DATA LIBRARY INFORMATION *****
UNIT NUMBER      DATA SET NAME      VOLUME NAME      UNIT FUNCTION
-----
89      G:\scale43\DATA LIB\FT89F001      STANDARD COMPOSITION LIBRARY
82      G:\scale43\DATA LIB\FT82F001      CROSS SECTION LIBRARY
11      C:\PROJECTS\bu85-crit\nct\NCTY3M\FT11F001      SHORT CROSS SECTION LIBRARY
90      C:\PROJECTS\bu85-crit\nct\NCTY3M\FT90F001      INPUT DATA DIRECT ACCESS
*****

STANDARD COMPOSITION LIBRARY DATA
-----
UNIT NUMBER      : 89
DATASET NAME     : G:\scale43\DATA LIB\FT89F001
LIBRARY TITLE    : SCALE-4 STANDARD COMPOSITION LIBRARY
                  637 STANDARD COMPOSITIONS, 490 NUCLIDES
                  90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE    : 6/30/95

CROSS SECTION LIBRARY DATA
-----
UNIT NUMBER      : 82
DATASET NAME     : G:\scale43\DATA LIB\FT82F001
LIBRARY TITLE    : SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
                  BASED ON ENDF-B VERSION 4 DATA
                  COMPILED FOR NRC      1/27/89
                  LAST UPDATED
                  L.M.PETRIE - ORNL      08/12/94

```


***** NUMERIC PARAMETERS *****		
TME	MAXIMUM PROBLEM TIME (MIN)	30.00
TBA	TIME PER GENERATION (MIN)	0.50
GEN	NUMBER OF GENERATIONS	206
NPG	NUMBER PER GENERATION	800
NSK	NUMBER OF GENERATIONS TO BE SKIPPED	3
BEG	BEGINNING GENERATION NUMBER	1
RES	GENERATIONS BETWEEN CHECKPOINTS	0
X1D	NUMBER OF EXTRA 1-D CROSS SECTIONS	1
NBK	NEUTRON BANK SIZE	825
XNB	EXTRA POSITIONS IN NEUTRON BANK	0
NFB	FISSION BANK SIZE	800
XFB	EXTRA POSITIONS IN FISSION BANK	0
WTA	DEFAULT VALUE OF WEIGHT AVERAGE	0.5000
WTH	WEIGHT HIGH FOR SPLITTING	3.0000
WTL	WEIGHT LOW FOR RUSSIAN ROULETTE	0.3333
RND	STARTING RANDOM NUMBER	2
NBS	NUMBER OF D.A. BLOCKS ON UNIT 8	200
NLS	LENGTH OF D.A. BLOCKS ON UNIT 8	512
ADJ	MODE OF CALCULATION	FORWARD
	INPUT DATA WRITTEN ON RESTART UNIT	NO
	BINARY DATA INTERFACE	YES

```
***** LOGICAL PARAMETERS *****
***
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) YES ***
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***
*** PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***
*** TRK PRINT TRACKING INFORMATION NO ***
***
*****
```

PARAMETER INPUT COMPLETED

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

MIXING TABLE

NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD = 3.0E-05

MIXTURE =	1	DENSITY (G/CC) =	3.9940			NUCLIDE TITLE		
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT				
1008016	8.14438E-03	5.41451E-02	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED
08/12/94								
1013027	5.76000E-02	6.46154E-01	13027	26.9818	AL-27 1193 218 GP 040375(5)			UPDATED
08/12/94								
1092235	2.85219E-03	2.78722E-01	92235	235.0441	URANIUM-235	ENDF/B-IV MAT 1261		UPDATED
08/12/94								
1092238	2.11969E-04	2.09790E-02	92238	238.0510	URANIUM-238	ENDF/B-IV MAT 1262		UPDATED
08/12/94								
MIXTURE =	2	DENSITY (G/CC) =	2.7020			NUCLIDE TITLE		
2013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)			UPDATED
08/12/94								
MIXTURE =	3	DENSITY (G/CC) =	0.99817			NUCLIDE TITLE		
3001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED
08/12/94								
3008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED
08/12/94								
MIXTURE =	4	DENSITY (G/CC) =	2.7020			NUCLIDE TITLE		
4013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)			UPDATED
08/12/94								
MIXTURE =	5	DENSITY (G/CC) =	7.9200			NUCLIDE TITLE		
5024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'			UPDATED
08/12/94								
5025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55	ENDF/B-IV MAT 1197		UPDATED
08/12/94								
5026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'			UPDATED
08/12/94								
5028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'			UPDATED
08/12/94								
MIXTURE =	6	DENSITY (G/CC) =	11.344			NUCLIDE TITLE		
6082000	3.29690E-02	1.00000E+00	82000	207.2100	PB 1288 218NGP 042375 P-3 293K			UPDATED
08/12/94								
MIXTURE =	7	DENSITY (G/CC) =	0.99817			NUCLIDE TITLE		
7001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED
08/12/94								
7008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED
08/12/94								
MIXTURE =	8	DENSITY (G/CC) =	0.99817			NUCLIDE TITLE		
8001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED
08/12/94								
8008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED
08/12/94								
3001001					HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94
7001001					HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94
8001001					HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94
1008016					OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94
3008016					OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94
7008016					OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94
8008016					OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94
1013027					AL-27 1193 218 GP 040375(5)			UPDATED 08/12/94
2013027					AL-27 1193 218 GP 040375(5)			UPDATED 08/12/94
4013027					AL-27 1193 218 GP 040375(5)			UPDATED 08/12/94
5024304					CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'			UPDATED 08/12/94
5025055					MANGANESE-55	ENDF/B-IV MAT 1197		UPDATED 08/12/94
5026304					FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'			UPDATED 08/12/94
5028304					NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'			UPDATED 08/12/94
6082000					PB 1288 218NGP 042375 P-3 293K			UPDATED 08/12/94
1092235					URANIUM-235	ENDF/B-IV MAT 1261		UPDATED 08/12/94
1092238					URANIUM-238	ENDF/B-IV MAT 1262		UPDATED 08/12/94

```

***** ADDITIONAL INFORMATION *****
NUMBER OF ENERGY GROUPS          27      USE LATTICE GEOMETRY          YES
NO. OF FISSION SPECTRUM SOURCE GROUP  1      GLOBAL ARRAY NUMBER          0
NO. OF SCATTERING ANGLES IN XSECS    2      NUMBER OF UNITS IN THE GLOBAL X DIR.  0
ENTRIES/NEUTRON IN THE NEUTRON BANK  22      NUMBER OF UNITS IN THE GLOBAL Y DIR.  0
ENTRIES/NEUTRON IN THE FISSION BANK  15      NUMBER OF UNITS IN THE GLOBAL Z DIR.  0
NUMBER OF MIXTURES USED              8      USE A GLOBAL REFLECTOR        YES
NUMBER OF BIAS ID'S USED              1      USE NESTED HOLES              NO
NUMBER OF DIFFERENTIAL ALBEDOS USED   0      NUMBER OF HOLES                3
TOTAL INPUT GEOMETRY REGIONS          71      MAXIMUM HOLE NESTING LEVEL      1
NUMBER OF GEOMETRY REGIONS USED        71      USE NESTED ARRAYS              YES
LARGEST GEOMETRY UNIT NUMBER          111     NUMBER OF ARRAYS USED           4
LARGEST ARRAY NUMBER                   4      MAXIMUM ARRAY NESTING LEVEL     2
+X BOUNDARY CONDITION                  MIR     -X BOUNDARY CONDITION          MIR
+Y BOUNDARY CONDITION                  MIR     -Y BOUNDARY CONDITION          MIR
+Z BOUNDARY CONDITION                  MIR     -Z BOUNDARY CONDITION          MIR

```



```

***** SPACE AND SUPERGROUP INFORMATION *****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
34213 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
65787 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99721 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
65727 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.
1037 WORDS ARE NEEDED FOR THE LARGEST GROUP.
35466 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
45792 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
46240 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.

```

SUPERGROUP	STARTING GROUP	ENDING GROUP	XSEC LENGTH	ALBEDO LENGTH	TOTAL LENGTH
1	1	27	2252	0	11519

..... 0 IO'S WERE USED IN SUPERGROUPING

```

*****
**
** ARRAY      UNITS IN  UNITS IN  UNITS IN  NESTING
** NUMBER     X DIR.    Y DIR.    Z DIR.    LEVEL
**
** 1          1        20         1         2
**
** 2          2         1         1         1
**
** 3          3         1         1         1
**
** 4          2         1         1         1
**
*****

```

NAC-LWT Cask SAR
Revision 38

November 2007

MEDIA BIAS REGION GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

				----- UNIT 1 -----				
AL PLATE CELL								
1 CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 0.12700	-Y = -0.12700	+Z = 10.000	-Z = -10.000	
2 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.25400	-Y = -0.25400	+Z = 10.000	-Z = -10.000	
				----- UNIT 2 -----				
HFBR FUEL PLATE CELL 1								
1 CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000	
2 CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000	
3 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.19050	-Y = -0.21340	+Z = 10.000	-Z = -10.000	
				----- UNIT 3 -----				
HFBR FUEL PLATE CELL 2								
1 CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000	
2 CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000	
3 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.21340	-Y = -0.20070	+Z = 10.000	-Z = -10.000	
				----- UNIT 4 -----				
HFBR FUEL PLATE CELL 3								
1 CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000	
2 CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000	
3 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.20070	-Y = -0.18540	+Z = 10.000	-Z = -10.000	
				----- UNIT 5 -----				
HFBR FUEL PLATE CELL 4								
1 CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000	
2 CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000	
3 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.18540	-Y = -0.18540	+Z = 10.000	-Z = -10.000	

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM						
----- UNIT 6 -----								
HFBR FUEL PLATE CELL 5								
1 CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000	
2 CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000	
3 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.18540	-Y = -0.20070	+Z = 10.000	-Z = -10.000	
----- UNIT 7 -----								
HFBR FUEL PLATE CELL 6								
1 CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000	
2 CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000	
3 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.20070	-Y = -0.21340	+Z = 10.000	-Z = -10.000	
----- UNIT 8 -----								
HFBR FUEL PLATE CELL 7								
1 CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000	
2 CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000	
3 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.21340	-Y = -0.19050	+Z = 10.000	-Z = -10.000	
----- UNIT 10 EXTERNAL TO LATTICE 1 -----								
HFBR FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK								
1 ARRAY NUMBER	1	+X = 3.1250	-X = -3.1250	+Y = 3.9369	-Y = -3.9369	+Z = 10.000	-Z = -10.000	
2 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000	
3 CUBOID	4 1	+X = 3.6000	-X = -3.6000	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000	
4 CUBOID	3 1	+X = 4.3690	-X = -4.3690	+Y = 4.6376	-Y = -4.1000	+Z = 10.000	-Z = -10.000	
5 CUBOID	5 1	+X = 4.6738	-X = -4.3690	+Y = 4.6376	-Y = -4.1000	+Z = 10.000	-Z = -10.000	

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
		----- UNIT 11 EXTERNAL TO LATTICE 1 -----					
		HFBR FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK					
1	ARRAY NUMBER 1	+X = 3.1250	-X = -3.1250	+Y = 3.9369	-Y = -3.9369	+Z = 10.000	-Z = -10.000
2	CUBOID 3 1	+X = 3.1250	-X = -3.1250	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000
3	CUBOID 4 1	+X = 3.6000	-X = -3.6000	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000
4	CUBOID 3 1	+X = 4.3690	-X = -4.3690	+Y = 4.6376	-Y = -4.1000	+Z = 10.000	-Z = -10.000
5	CUBOID 5 1	+X = 4.3690	-X = -4.6738	+Y = 4.6376	-Y = -4.1000	+Z = 10.000	-Z = -10.000
		----- UNIT 12 EXTERNAL TO LATTICE 2 -----					
		2 UNIT ARRAY WITH 0.120 IN. PLATE ON TOP AND SIDES					
1	ARRAY NUMBER 2	+X = 9.0428	-X = -9.0428	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
2	CUBOID 5 1	+X = 9.3476	-X = -9.3476	+Y = 4.6736	-Y = -4.3688	+Z = 10.000	-Z = -10.000
		----- UNIT 13 EXTERNAL TO LATTICE 3 -----					
		3 UNIT ARRAY WITH REST OF 5/16 WEB					
1	ARRAY NUMBER 3	+X = 14.174	-X = -14.174	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
2	CUBOID 5 1	+X = 14.529	-X = -14.529	+Y = 5.0800	-Y = -5.0800	+Z = 10.000	-Z = -10.000
		----- UNIT 14 EXTERNAL TO LATTICE 4 -----					
		2 UNIT ARRAY WITH 0.120 IN. PLATE ON BOTTOM AND SIDES					
1	ARRAY NUMBER 4	+X = 9.0428	-X = -9.0428	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
2	CUBOID 5 1	+X = 9.3476	-X = -9.3476	+Y = 4.3688	-Y = -4.6736	+Z = 10.000	-Z = -10.000

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
		----- GLOBAL ----- UNIT 15 -----					
7 HFBR ASSEMBLIES IN THE LWT							
1 CYLINDER	3 1	RADIUS = 17.050	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
HOLE NUMBER	1	AT X = 0.00000	Y = 9.4489	Z = 0.00000	IS UNIT NUMBER	12	
HOLE NUMBER	2	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	13	
HOLE NUMBER	3	AT X = 0.00000	Y = -9.4489	Z = 0.00000	IS UNIT NUMBER	14	
2 CYLINDER	5 1	RADIUS = 18.891	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3 CYLINDER	6 1	RADIUS = 33.496	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4 CYLINDER	5 1	RADIUS = 36.544	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5 CYLINDER	8 1	RADIUS = 49.244	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6 CYLINDER	5 1	RADIUS = 60.339	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7 CUBOID	7 1	+X = 80.339	-X = -80.339	+Y = 80.339	-Y = -80.339	+Z = 10.000 -Z = -10.000	
----- UNIT 90 EXTERNAL TO LATTICE 1 -----							
HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB CENTER							
1 ARRAY NUMBER	1	+X = 3.1250	-X = -3.1250	+Y = 3.9369	-Y = -3.9369	+Z = 10.000 -Z = -10.000	
2 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 4.1000	-Y = -4.1000	+Z = 10.000 -Z = -10.000	
3 CUBOID	4 1	+X = 3.6000	-X = -3.6000	+Y = 4.1000	-Y = -4.1000	+Z = 10.000 -Z = -10.000	
4 CUBOID	3 1	+X = 4.3690	-X = -4.3690	+Y = 4.3688	-Y = -4.3688	+Z = 10.000 -Z = -10.000	
5 CUBOID	5 1	+X = 4.7246	-X = -4.7246	+Y = 4.3688	-Y = -4.3688	+Z = 10.000 -Z = -10.000	
----- UNIT 91 EXTERNAL TO LATTICE 1 -----							
HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT							
1 ARRAY NUMBER	1	+X = 3.1250	-X = -3.1250	+Y = 3.9369	-Y = -3.9369	+Z = 10.000 -Z = -10.000	
2 CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 4.1000	-Y = -4.1000	+Z = 10.000 -Z = -10.000	
3 CUBOID	4 1	+X = 3.6000	-X = -3.6000	+Y = 4.1000	-Y = -4.1000	+Z = 10.000 -Z = -10.000	
4 CUBOID	3 1	+X = 5.1380	-X = -3.6000	+Y = 4.3688	-Y = -4.3688	+Z = 10.000 -Z = -10.000	
5 CUBOID	5 1	+X = 5.4936	-X = -3.9556	+Y = 4.3688	-Y = -4.3688	+Z = 10.000 -Z = -10.000	

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
		----- UNIT 92 EXTERNAL TO LATTICE 1 -----					
HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT							
1	ARRAY NUMBER 1	+X = 3.1250	-X = -3.1250	+Y = 3.9369	-Y = -3.9369	+Z = 10.000	-Z = -10.000
2	CUBOID 3 1	+X = 3.1250	-X = -3.1250	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000
3	CUBOID 4 1	+X = 3.6000	-X = -3.6000	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000
4	CUBOID 3 1	+X = 3.6000	-X = -5.1380	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
5	CUBOID 5 1	+X = 3.9556	-X = -5.4936	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
		----- UNIT 101 EXTERNAL TO LATTICE 1 -----					
HFBR FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK							
1	ARRAY NUMBER 1	+X = 3.1250	-X = -3.1250	+Y = 3.9369	-Y = -3.9369	+Z = 10.000	-Z = -10.000
2	CUBOID 3 1	+X = 3.1250	-X = -3.1250	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000
3	CUBOID 4 1	+X = 3.6000	-X = -3.6000	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000
4	CUBOID 3 1	+X = 4.3690	-X = -4.3690	+Y = 4.1000	-Y = -4.6376	+Z = 10.000	-Z = -10.000
5	CUBOID 5 1	+X = 4.6738	-X = -4.3690	+Y = 4.1000	-Y = -4.6376	+Z = 10.000	-Z = -10.000
		----- UNIT 111 EXTERNAL TO LATTICE 1 -----					
HFBR FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK							
1	ARRAY NUMBER 1	+X = 3.1250	-X = -3.1250	+Y = 3.9369	-Y = -3.9369	+Z = 10.000	-Z = -10.000
2	CUBOID 3 1	+X = 3.1250	-X = -3.1250	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000
3	CUBOID 4 1	+X = 3.6000	-X = -3.6000	+Y = 4.1000	-Y = -4.1000	+Z = 10.000	-Z = -10.000
4	CUBOID 3 1	+X = 4.3690	-X = -4.3690	+Y = 4.1000	-Y = -4.6376	+Z = 10.000	-Z = -10.000
5	CUBOID 5 1	+X = 4.3690	-X = -4.6738	+Y = 4.1000	-Y = -4.6376	+Z = 10.000	-Z = -10.000

VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	3.17500E+01 CM**3	3.17500E+01 CM**3
	2	2	3.17500E+01 CM**3	6.35000E+01 CM**3
2	1	3	6.06320E+00 CM**3	6.06320E+00 CM**3
	2	4	9.81180E+00 CM**3	1.58750E+01 CM**3
	3	5	3.46125E+01 CM**3	5.04875E+01 CM**3
3	1	6	6.06320E+00 CM**3	6.06320E+00 CM**3
	2	7	9.81180E+00 CM**3	1.58750E+01 CM**3
	3	8	3.58875E+01 CM**3	5.17625E+01 CM**3
4	1	9	6.06320E+00 CM**3	6.06320E+00 CM**3
	2	10	9.81180E+00 CM**3	1.58750E+01 CM**3
	3	11	3.23875E+01 CM**3	4.82625E+01 CM**3
5	1	12	6.06320E+00 CM**3	6.06320E+00 CM**3
	2	13	9.81180E+00 CM**3	1.58750E+01 CM**3
	3	14	3.04750E+01 CM**3	4.63500E+01 CM**3
6	1	15	6.06320E+00 CM**3	6.06320E+00 CM**3
	2	16	9.81180E+00 CM**3	1.58750E+01 CM**3
	3	17	3.23875E+01 CM**3	4.82625E+01 CM**3
7	1	18	6.06320E+00 CM**3	6.06320E+00 CM**3
	2	19	9.81180E+00 CM**3	1.58750E+01 CM**3
	3	20	3.58875E+01 CM**3	5.17625E+01 CM**3
8	1	21	6.06320E+00 CM**3	6.06320E+00 CM**3
	2	22	9.81180E+00 CM**3	1.58750E+01 CM**3
	3	23	3.46125E+01 CM**3	5.04875E+01 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 39 IS AN ARRAY PLACEMENT BOUNDARY REGION				
10	1	39	9.84225E+02 CM**3	9.84225E+02 CM**3
	2	40	4.07750E+01 CM**3	1.02500E+03 CM**3
	3	41	1.55800E+02 CM**3	1.18080E+03 CM**3
	4	42	3.46183E+02 CM**3	1.52698E+03 CM**3
	5	43	5.32644E+01 CM**3	1.58025E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 49 IS AN ARRAY PLACEMENT BOUNDARY REGION				
11	1	49	9.84225E+02 CM**3	9.84225E+02 CM**3
	2	50	4.07750E+01 CM**3	1.02500E+03 CM**3
	3	51	1.55800E+02 CM**3	1.18080E+03 CM**3
	4	52	3.46183E+02 CM**3	1.52698E+03 CM**3
	5	53	5.32644E+01 CM**3	1.58025E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 59 IS AN ARRAY PLACEMENT BOUNDARY REGION				
12	1	59	3.16049E+03 CM**3	3.16049E+03 CM**3
	2	60	2.20495E+02 CM**3	3.38099E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 61 IS AN ARRAY PLACEMENT BOUNDARY REGION				
13	1	61	4.95380E+03 CM**3	4.95380E+03 CM**3
	2	62	9.50948E+02 CM**3	5.90475E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 63 IS AN ARRAY PLACEMENT BOUNDARY REGION				
14	1	63	3.16049E+03 CM**3	3.16049E+03 CM**3
	2	64	2.20495E+02 CM**3	3.38099E+03 CM**3
15	1	65	5.59865E+03 CM**3	1.82654E+04 CM**3
	2	66	4.15813E+03 CM**3	2.24235E+04 CM**3
	3	67	4.80740E+04 CM**3	7.04975E+04 CM**3
	4	68	1.34136E+04 CM**3	8.39110E+04 CM**3
	5	69	6.84563E+04 CM**3	1.52367E+05 CM**3
	6	70	2.53172E+05 CM**3	4.05539E+05 CM**3
	7	71	1.10809E+05 CM**3	5.16348E+05 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 24 IS AN ARRAY PLACEMENT BOUNDARY REGION				
90	1	24	9.84225E+02 CM**3	9.84225E+02 CM**3
	2	25	4.07750E+01 CM**3	1.02500E+03 CM**3
	3	26	1.55800E+02 CM**3	1.18080E+03 CM**3
	4	27	3.46183E+02 CM**3	1.52698E+03 CM**3
	5	28	1.24284E+02 CM**3	1.65127E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 29 IS AN ARRAY PLACEMENT BOUNDARY REGION				
91	1	29	9.84225E+02 CM**3	9.84225E+02 CM**3
	2	30	4.07750E+01 CM**3	1.02500E+03 CM**3
	3	31	1.55800E+02 CM**3	1.18080E+03 CM**3
	4	32	3.46183E+02 CM**3	1.52698E+03 CM**3
	5	33	1.24284E+02 CM**3	1.65127E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 34 IS AN ARRAY PLACEMENT BOUNDARY REGION				
92	1	34	9.84225E+02 CM**3	9.84225E+02 CM**3
	2	35	4.07750E+01 CM**3	1.02500E+03 CM**3
	3	36	1.55800E+02 CM**3	1.18080E+03 CM**3
	4	37	3.46183E+02 CM**3	1.52698E+03 CM**3
	5	38	1.24284E+02 CM**3	1.65127E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 44 IS AN ARRAY PLACEMENT BOUNDARY REGION				

101	1	44	9.84225E+02 CM**3	9.84225E+02 CM**3
	2	45	4.07750E+01 CM**3	1.02500E+03 CM**3
	3	46	1.55800E+02 CM**3	1.18080E+03 CM**3
	4	47	3.46183E+02 CM**3	1.52698E+03 CM**3
	5	48	5.32644E+01 CM**3	1.58025E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 54 IS AN ARRAY PLACEMENT BOUNDARY REGION				
111	1	54	9.84225E+02 CM**3	9.84225E+02 CM**3
	2	55	4.07750E+01 CM**3	1.02500E+03 CM**3
	3	56	1.55800E+02 CM**3	1.18080E+03 CM**3
	4	57	3.46183E+02 CM**3	1.52698E+03 CM**3
	5	58	5.32644E+01 CM**3	1.58025E+03 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	14	1	2	4.44500E+02 CM**3
		2	3	4.44500E+02 CM**3
2	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.42288E+02 CM**3
3	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.51213E+02 CM**3
4	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.26713E+02 CM**3
5	84	1	1	5.09309E+02 CM**3
		2	2	8.24191E+02 CM**3
		3	3	2.55990E+03 CM**3
6	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.26713E+02 CM**3
7	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.51213E+02 CM**3
8	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.42288E+02 CM**3
10	1	1		9.84225E+02 CM**3
		2	3	4.07750E+01 CM**3
		3	4	1.55800E+02 CM**3
		4	3	3.46183E+02 CM**3
		5	5	5.32644E+01 CM**3
11	1	1		9.84225E+02 CM**3
		2	3	4.07750E+01 CM**3
		3	4	1.55800E+02 CM**3
		4	3	3.46183E+02 CM**3
		5	5	5.32644E+01 CM**3
12	1	1		3.16049E+03 CM**3
		2	5	2.20495E+02 CM**3
13	1	1		4.95380E+03 CM**3
		2	5	9.50948E+02 CM**3
14	1	1		3.16049E+03 CM**3
		2	5	2.20495E+02 CM**3
15	1	1	3	5.59865E+03 CM**3
		2	5	4.15813E+03 CM**3
		3	6	4.80740E+04 CM**3
		4	5	1.34136E+04 CM**3
		5	8	6.84563E+04 CM**3
		6	5	2.53172E+05 CM**3
		7	7	1.10809E+05 CM**3
90	1	1		9.84225E+02 CM**3
		2	3	4.07750E+01 CM**3
		3	4	1.55800E+02 CM**3
		4	3	3.46183E+02 CM**3
		5	5	1.24284E+02 CM**3
91	1	1		9.84225E+02 CM**3
		2	3	4.07750E+01 CM**3
		3	4	1.55800E+02 CM**3
		4	3	3.46183E+02 CM**3
		5	5	1.24284E+02 CM**3
92	1	1		9.84225E+02 CM**3
		2	3	4.07750E+01 CM**3
		3	4	1.55800E+02 CM**3
		4	3	3.46183E+02 CM**3
		5	5	1.24284E+02 CM**3
101	1	1		9.84225E+02 CM**3
		2	3	4.07750E+01 CM**3
		3	4	1.55800E+02 CM**3
		4	3	3.46183E+02 CM**3

		5	5	5.32644E+01 CM**3
111	1	1		9.84225E+02 CM**3
		2	3	4.07750E+01 CM**3
		3	4	1.55800E+02 CM**3
		4	3	3.46183E+02 CM**3
		5	5	5.32644E+01 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	7.63963E+02 CM**3	3.05126E+03
2	1.68079E+03 CM**3	4.54148E+03
3	1.27522E+04 CM**3	1.27289E+04
4	1.09060E+03 CM**3	2.94600E+03
5	2.72721E+05 CM**3	2.15695E+06
6	4.80740E+04 CM**3	5.45351E+05
7	1.10809E+05 CM**3	1.10607E+05
8	6.84563E+04 CM**3	6.83311E+04

```
.....  
***  
***  
***          BIASING INFORMATION          ***  
***  
*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***  
***  
.....
```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING

..... 0.01750 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 6.03126E-02

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:
+X= 8.03390E+01 -X=-8.03390E+01 +Y= 8.03390E+01 -Y=-8.03390E+01 +Z= 1.00000E+01 -Z=-1.00000E+01

THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 336 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

464 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

0.45383 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.48000 MINUTES.

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE GENERATED	MATRIX K-EFF DEVIATION
KENO MESSAGE NUMBER K5-132	7.82588E-01	5.06333E-01	700 INDEPENDENT	0.00000E+00	FISSION POINTS WERE GENERATED	0.00000E+00
KENO MESSAGE NUMBER K5-132	8.20012E-01	5.35500E-01	744 INDEPENDENT	0.00000E+00	FISSION POINTS WERE GENERATED	0.00000E+00
KENO MESSAGE NUMBER K5-132	8.21350E-01	5.64833E-01	741 INDEPENDENT	0.00000E+00	FISSION POINTS WERE GENERATED	0.00000E+00
3	7.85323E-01	5.95000E-01	8.31350E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	8.23855E-01	6.24333E-01	8.08337E-01	2.30137E-02	0.00000E+00	0.00000E+00
5	7.56112E-01	6.54500E-01	8.13509E-01	1.42583E-02	0.00000E+00	0.00000E+00
6	8.45663E-01	6.84833E-01	7.99160E-01	1.75371E-02	0.00000E+00	0.00000E+00
7	7.80519E-01	7.15000E-01	8.08461E-01	1.64631E-02	0.00000E+00	0.00000E+00
8	7.77308E-01	7.45167E-01	8.03804E-01	1.42259E-02	0.00000E+00	0.00000E+00
9	8.03211E-01	7.75333E-01	8.00019E-01	1.26048E-02	0.00000E+00	0.00000E+00
10	7.61307E-01	8.04667E-01	8.00418E-01	1.09234E-02	0.00000E+00	0.00000E+00
11	8.34185E-01	8.35833E-01	7.96072E-01	1.05683E-02	0.00000E+00	0.00000E+00
12	7.68171E-01	8.66000E-01	7.99883E-01	1.01920E-02	0.00000E+00	0.00000E+00
13	8.61627E-01	8.93500E-01	7.97000E-01	9.65929E-03	0.00000E+00	0.00000E+00
14	8.43867E-01	9.23667E-01	8.02386E-01	1.03322E-02	0.00000E+00	0.00000E+00
15	8.23382E-01	9.53000E-01	8.05577E-01	1.00256E-02	0.00000E+00	0.00000E+00
16	7.80078E-01	9.83167E-01	8.06649E-01	9.36864E-03	0.00000E+00	0.00000E+00
17	8.45103E-01	1.01250E+00	8.05064E-01	8.90246E-03	0.00000E+00	0.00000E+00
18	7.79327E-01	1.04267E+00	8.07566E-01	8.69537E-03	0.00000E+00	0.00000E+00
19	7.67797E-01	1.07300E+00	8.05905E-01	8.33508E-03	0.00000E+00	0.00000E+00
20	8.11431E-01	1.10400E+00	8.03786E-01	8.13857E-03	0.00000E+00	0.00000E+00
21	8.23154E-01	1.13433E+00	8.04190E-01	7.70882E-03	0.00000E+00	0.00000E+00
22	7.58654E-01	1.16450E+00	8.05138E-01	7.37444E-03	0.00000E+00	0.00000E+00
23	8.22415E-01	1.19467E+00	8.02925E-01	7.35546E-03	0.00000E+00	0.00000E+00
24	8.05434E-01	1.22583E+00	8.03811E-01	7.06889E-03	0.00000E+00	0.00000E+00
25	8.03967E-01	1.25600E+00	8.03885E-01	6.46735E-03	0.00000E+00	0.00000E+00
26	7.94770E-01	1.28617E+00	8.03520E-01	6.21397E-03	0.00000E+00	0.00000E+00
27	7.85637E-01	1.31833E+00	8.02833E-01	6.00968E-03	0.00000E+00	0.00000E+00
28	8.06424E-01	1.34850E+00	8.02966E-01	5.78435E-03	0.00000E+00	0.00000E+00
29	8.66667E-01	1.37783E+00	8.05241E-01	6.02035E-03	0.00000E+00	0.00000E+00
30	7.60055E-01	1.40883E+00	8.03683E-01	6.01438E-03	0.00000E+00	0.00000E+00
31	7.38283E-01	1.44100E+00	8.01503E-01	6.20593E-03	0.00000E+00	0.00000E+00
32	7.67211E-01	1.47117E+00	8.00396E-01	6.10348E-03	0.00000E+00	0.00000E+00
33	7.73616E-01	1.50233E+00	7.99559E-01	5.96863E-03	0.00000E+00	0.00000E+00
34	8.51868E-01	1.53150E+00	8.01145E-01	5.99817E-03	0.00000E+00	0.00000E+00
35	8.07863E-01	1.56183E+00	8.01342E-01	5.82243E-03	0.00000E+00	0.00000E+00
36	8.05200E-01	1.59283E+00	8.01452E-01	5.65471E-03	0.00000E+00	0.00000E+00
37	7.85393E-01	1.62317E+00	8.01006E-01	5.51346E-03	0.00000E+00	0.00000E+00
38	7.67882E-01	1.65333E+00	8.00111E-01	5.43660E-03	0.00000E+00	0.00000E+00
39	8.40520E-01	1.68350E+00	8.01174E-01	5.39739E-03	0.00000E+00	0.00000E+00
40	8.53727E-01	1.71283E+00	8.02522E-01	5.42712E-03	0.00000E+00	0.00000E+00
41	8.04652E-01	1.74400E+00	8.02575E-01	5.28997E-03	0.00000E+00	0.00000E+00
42	8.28772E-01	1.77500E+00	8.03214E-01	5.19875E-03	0.00000E+00	0.00000E+00
43	7.84712E-01	1.80717E+00	8.02774E-01	5.09255E-03	0.00000E+00	0.00000E+00
44	7.97866E-01	1.83733E+00	8.02660E-01	4.97401E-03	0.00000E+00	0.00000E+00
45	7.82687E-01	1.86750E+00	8.02206E-01	4.88081E-03	0.00000E+00	0.00000E+00
46	8.10596E-01	1.89683E+00	8.02392E-01	4.77475E-03	0.00000E+00	0.00000E+00
47	8.36581E-01	1.92700E+00	8.03135E-01	4.72858E-03	0.00000E+00	0.00000E+00
48	8.35149E-01	1.95717E+00	8.03816E-01	4.67674E-03	0.00000E+00	0.00000E+00
49	8.07847E-01	1.98650E+00	8.03900E-01	4.57905E-03	0.00000E+00	0.00000E+00
50	7.90965E-01	2.01583E+00	8.03636E-01	4.49239E-03	0.00000E+00	0.00000E+00
51	7.91820E-01	2.04700E+00	8.03400E-01	4.40796E-03	0.00000E+00	0.00000E+00
52	8.58332E-01	2.07617E+00	8.04477E-01	4.45290E-03	0.00000E+00	0.00000E+00
53	7.93312E-01	2.10733E+00	8.04262E-01	4.37170E-03	0.00000E+00	0.00000E+00
54	8.46627E-01	2.13667E+00	8.05062E-01	4.36228E-03	0.00000E+00	0.00000E+00
55	8.50713E-01	2.16783E+00	8.05907E-01	4.36342E-03	0.00000E+00	0.00000E+00
56	7.93341E-01	2.19800E+00	8.05679E-01	4.28944E-03	0.00000E+00	0.00000E+00
57	7.63313E-01	2.22817E+00	8.04922E-01	4.27954E-03	0.00000E+00	0.00000E+00
58	7.77036E-01	2.25833E+00	8.04433E-01	4.23216E-03	0.00000E+00	0.00000E+00
59	7.99299E-01	2.28767E+00	8.04344E-01	4.15950E-03	0.00000E+00	0.00000E+00
60	8.41467E-01	2.31883E+00	8.04973E-01	4.13635E-03	0.00000E+00	0.00000E+00
61	8.13266E-01	2.34900E+00	8.05112E-01	4.06935E-03	0.00000E+00	0.00000E+00
62	8.19781E-01	2.38017E+00	8.05352E-01	4.00930E-03	0.00000E+00	0.00000E+00
63	8.32399E-01	2.41133E+00	8.05788E-01	3.96816E-03	0.00000E+00	0.00000E+00
64	8.11585E-01	2.44150E+00	8.05880E-01	3.90575E-03	0.00000E+00	0.00000E+00
65	8.01330E-01	2.47167E+00	8.05809E-01	3.84489E-03	0.00000E+00	0.00000E+00
66	8.35365E-01	2.50183E+00	8.06264E-01	3.81249E-03	0.00000E+00	0.00000E+00
67	8.14892E-01	2.53117E+00	8.06395E-01	3.75656E-03	0.00000E+00	0.00000E+00
68	7.95587E-01	2.56050E+00	8.06233E-01	3.70358E-03	0.00000E+00	0.00000E+00
69	8.18935E-01	2.59167E+00	8.06420E-01	3.65349E-03	0.00000E+00	0.00000E+00
70	7.74137E-01	2.62367E+00	8.05952E-01	3.63042E-03	0.00000E+00	0.00000E+00
71	8.45016E-01	2.65383E+00	8.06510E-01	3.62144E-03	0.00000E+00	0.00000E+00
72	7.67445E-01	2.68500E+00	8.05960E-01	3.61222E-03	0.00000E+00	0.00000E+00
73	8.70584E-01	2.71433E+00	8.06858E-01	3.67304E-03	0.00000E+00	0.00000E+00
74	8.94342E-01	2.74533E+00	8.08056E-01	3.81547E-03	0.00000E+00	0.00000E+00
75	7.88294E-01	2.77467E+00	8.07789E-01	3.77302E-03	0.00000E+00	0.00000E+00
76	8.07239E-01	2.80483E+00	8.07782E-01	3.72238E-03	0.00000E+00	0.00000E+00
77	8.27989E-01	2.83417E+00	8.08048E-01	3.68269E-03	0.00000E+00	0.00000E+00
78						

79	8.03489E-01	2.86433E+00	8.07988E-01	3.63503E-03	0.00000E+00	0.00000E+00
80	7.63271E-01	2.85467E+00	8.07415E-01	3.63564E-03	0.00000E+00	0.00000E+00
81	7.62581E-01	2.92567E+00	8.06860E-01	3.63000E-03	0.00000E+00	0.00000E+00
82	7.71390E-01	2.95600E+00	8.06417E-01	3.61166E-03	0.00000E+00	0.00000E+00
83	7.87178E-01	2.98617E+00	8.06179E-01	3.57469E-03	0.00000E+00	0.00000E+00
84	7.96479E-01	3.01733E+00	8.06061E-01	3.53281E-03	0.00000E+00	0.00000E+00
85	8.33068E-01	3.04650E+00	8.06386E-01	3.50512E-03	0.00000E+00	0.00000E+00
86	7.86310E-01	3.07683E+00	8.06171E-01	3.46982E-03	0.00000E+00	0.00000E+00
87	7.73423E-01	3.10760E+00	8.06786E-01	3.45034E-03	0.00000E+00	0.00000E+00
88	8.19029E-01	3.13617E+00	8.06940E-01	3.41345E-03	0.00000E+00	0.00000E+00
89	8.06473E-01	3.16517E+00	8.06969E-01	3.37412E-03	0.00000E+00	0.00000E+00
90	8.24039E-01	3.19767E+00	8.06174E-01	3.34187E-03	0.00000E+00	0.00000E+00
91	8.03419E-01	3.22667E+00	8.06142E-01	3.30425E-03	0.00000E+00	0.00000E+00
92	8.31289E-01	3.25900E+00	8.06423E-01	3.27522E-03	0.00000E+00	0.00000E+00
93	8.05054E-01	3.29183E+00	8.06408E-01	3.24306E-03	0.00000E+00	0.00000E+00
94	7.80756E-01	3.32117E+00	8.06129E-01	3.21971E-03	0.00000E+00	0.00000E+00
95	8.21524E-01	3.35233E+00	8.06299E-01	3.18920E-03	0.00000E+00	0.00000E+00
96	7.86701E-01	3.38250E+00	8.06086E-01	3.16197E-03	0.00000E+00	0.00000E+00
97	8.30209E-01	3.41283E+00	8.06340E-01	3.13679E-03	0.00000E+00	0.00000E+00
98	7.78135E-01	3.44200E+00	8.06047E-01	3.11576E-03	0.00000E+00	0.00000E+00
99	8.65698E-01	3.47133E+00	8.06662E-01	3.14806E-03	0.00000E+00	0.00000E+00
100	7.89119E-01	3.50150E+00	8.06462E-01	3.12692E-03	0.00000E+00	0.00000E+00
101	7.71261E-01	3.53267E+00	8.06127E-01	3.10966E-03	0.00000E+00	0.00000E+00
102	7.42795E-01	3.56383E+00	8.05493E-01	3.14287E-03	0.00000E+00	0.00000E+00
103	7.84544E-01	3.59400E+00	8.05288E-01	3.11680E-03	0.00000E+00	0.00000E+00
104	7.83195E-01	3.62517E+00	8.05069E-01	3.09527E-03	0.00000E+00	0.00000E+00
105	8.38004E-01	3.65350E+00	8.05389E-01	3.08160E-03	0.00000E+00	0.00000E+00
106	8.06543E-01	3.68367E+00	8.05400E-01	3.05204E-03	0.00000E+00	0.00000E+00
107	8.19463E-01	3.71400E+00	8.05534E-01	3.02580E-03	0.00000E+00	0.00000E+00
108	8.01206E-01	3.74500E+00	8.05493E-01	2.99740E-03	0.00000E+00	0.00000E+00
109	7.77892E-01	3.77617E+00	8.05235E-01	2.98044E-03	0.00000E+00	0.00000E+00
110	7.64249E-01	3.80633E+00	8.04856E-01	2.97700E-03	0.00000E+00	0.00000E+00
111	7.83489E-01	3.83667E+00	8.04660E-01	2.95607E-03	0.00000E+00	0.00000E+00
112	7.95690E-01	3.86767E+00	8.04578E-01	2.93021E-03	0.00000E+00	0.00000E+00
113	8.34454E-01	3.89800E+00	8.04848E-01	2.91614E-03	0.00000E+00	0.00000E+00
114	8.14258E-01	3.92717E+00	8.04932E-01	2.89120E-03	0.00000E+00	0.00000E+00
115	8.12118E-01	3.95750E+00	8.04995E-01	2.86621E-03	0.00000E+00	0.00000E+00
116	8.12652E-01	3.98767E+00	8.05062E-01	2.84175E-03	0.00000E+00	0.00000E+00
117	8.16646E-01	4.01517E+00	8.05163E-01	2.81873E-03	0.00000E+00	0.00000E+00
118	7.75865E-01	4.04717E+00	8.04910E-01	2.80572E-03	0.00000E+00	0.00000E+00
119	8.03062E-01	4.07733E+00	8.04895E-01	2.78168E-03	0.00000E+00	0.00000E+00
120	8.05484E-01	4.10667E+00	8.04900E-01	2.75801E-03	0.00000E+00	0.00000E+00
121	8.51749E-01	4.13683E+00	8.05293E-01	2.76293E-03	0.00000E+00	0.00000E+00
122	8.49198E-01	4.16617E+00	8.05659E-01	2.76413E-03	0.00000E+00	0.00000E+00
123	8.51824E-01	4.19633E+00	8.06041E-01	2.76761E-03	0.00000E+00	0.00000E+00
124	8.19276E-01	4.22650E+00	8.06149E-01	2.74697E-03	0.00000E+00	0.00000E+00
125	7.72826E-01	4.25683E+00	8.05878E-01	2.73799E-03	0.00000E+00	0.00000E+00
126	7.77407E-01	4.28783E+00	8.05649E-01	2.72550E-03	0.00000E+00	0.00000E+00
127	8.48435E-01	4.31817E+00	8.05991E-01	2.72519E-03	0.00000E+00	0.00000E+00
128	8.14418E-01	4.34833E+00	8.06058E-01	2.70431E-03	0.00000E+00	0.00000E+00
129	7.58884E-01	4.37850E+00	8.05686E-01	2.70852E-03	0.00000E+00	0.00000E+00
130	7.83040E-01	4.40867E+00	8.05510E-01	2.69308E-03	0.00000E+00	0.00000E+00
131	7.73447E-01	4.43983E+00	8.05261E-01	2.68367E-03	0.00000E+00	0.00000E+00
132	8.01253E-01	4.46917E+00	8.05230E-01	2.66312E-03	0.00000E+00	0.00000E+00
133	8.13066E-01	4.49933E+00	8.05290E-01	2.64339E-03	0.00000E+00	0.00000E+00
134	8.24373E-01	4.52950E+00	8.05435E-01	2.62727E-03	0.00000E+00	0.00000E+00
135	8.10658E-01	4.56067E+00	8.05474E-01	2.60774E-03	0.00000E+00	0.00000E+00
136	7.70361E-01	4.59183E+00	8.05212E-01	2.60144E-03	0.00000E+00	0.00000E+00
137	7.79411E-01	4.62300E+00	8.05021E-01	2.58916E-03	0.00000E+00	0.00000E+00
138	8.08704E-01	4.65317E+00	8.05048E-01	2.57019E-03	0.00000E+00	0.00000E+00
139	7.67183E-01	4.68333E+00	8.04771E-01	2.56629E-03	0.00000E+00	0.00000E+00
140	7.80991E-01	4.71450E+00	8.04599E-01	2.55345E-03	0.00000E+00	0.00000E+00
141	8.36822E-01	4.74467E+00	8.04831E-01	2.54559E-03	0.00000E+00	0.00000E+00
142	7.86705E-01	4.77483E+00	8.04701E-01	2.53065E-03	0.00000E+00	0.00000E+00
143	7.81529E-01	4.80517E+00	8.04537E-01	2.51801E-03	0.00000E+00	0.00000E+00
144	7.91742E-01	4.83533E+00	8.04447E-01	2.50184E-03	0.00000E+00	0.00000E+00
145	8.04700E-01	4.86550E+00	8.04449E-01	2.48428E-03	0.00000E+00	0.00000E+00
146	7.93523E-01	4.89567E+00	8.04373E-01	2.46813E-03	0.00000E+00	0.00000E+00
147	7.83499E-01	4.92600E+00	8.04229E-01	2.45528E-03	0.00000E+00	0.00000E+00
148	8.12237E-01	4.95617E+00	8.04284E-01	2.43902E-03	0.00000E+00	0.00000E+00
149	8.40777E-01	4.98733E+00	8.04532E-01	2.43506E-03	0.00000E+00	0.00000E+00
150	8.57578E-01	5.01650E+00	8.04890E-01	2.44496E-03	0.00000E+00	0.00000E+00
151	8.01474E-01	5.04683E+00	8.04867E-01	2.42861E-03	0.00000E+00	0.00000E+00
152	7.89781E-01	5.07700E+00	8.04767E-01	2.41446E-03	0.00000E+00	0.00000E+00
153	8.32128E-01	5.10633E+00	8.04948E-01	2.40525E-03	0.00000E+00	0.00000E+00
154	8.02724E-01	5.13650E+00	8.04933E-01	2.38942E-03	0.00000E+00	0.00000E+00
155	8.62724E-01	5.16583E+00	8.05311E-01	2.40361E-03	0.00000E+00	0.00000E+00
156	8.43748E-01	5.19600E+00	8.05561E-01	2.40096E-03	0.00000E+00	0.00000E+00
157	8.42898E-01	5.22533E+00	8.05802E-01	2.39755E-03	0.00000E+00	0.00000E+00
158	8.27336E-01	5.25467E+00	8.05940E-01	2.38613E-03	0.00000E+00	0.00000E+00
159	8.31212E-01	5.28483E+00	8.06101E-01	2.37634E-03	0.00000E+00	0.00000E+00
160	8.22070E-01	5.31417E+00	8.06202E-01	2.36342E-03	0.00000E+00	0.00000E+00
161	8.47374E-01	5.34333E+00	8.06461E-01	2.36274E-03	0.00000E+00	0.00000E+00
162	7.73563E-01	5.37450E+00	8.06255E-01	2.35691E-03	0.00000E+00	0.00000E+00
163	8.28438E-01	5.40467E+00	8.06393E-01	2.34627E-03	0.00000E+00	0.00000E+00
164	7.84095E-01	5.43500E+00	8.06255E-01	2.33580E-03	0.00000E+00	0.00000E+00
165	7.79844E-01	5.46700E+00	8.06093E-01	2.32708E-03	0.00000E+00	0.00000E+00
166	8.10761E-01	5.49717E+00	8.06122E-01	2.31302E-03	0.00000E+00	0.00000E+00
167	8.59358E-01	5.52650E+00	8.06444E-01	2.32149E-03	0.00000E+00	0.00000E+00
168	8.69515E-01	5.55833E+00	8.06824E-01	2.33853E-03	0.00000E+00	0.00000E+00
169	8.35061E-01	5.58600E+00	8.06993E-01	2.33063E-03	0.00000E+00	0.00000E+00
170	8.07052E-01	5.61617E+00	8.06994E-01	2.31672E-03	0.00000E+00	0.00000E+00
171	7.74453E-01	5.64633E+00	8.06801E-01	2.31100E-03	0.00000E+00	0.00000E+00
172	8.82550E-01	5.67483E+00	8.07247E-01	2.34018E-03	0.00000E+00	0.00000E+00
173	8.16679E-01	5.70500E+00	8.07302E-01	2.32711E-03	0.00000E+00	0.00000E+00
174	8.42197E-01	5.73333E+00	8.07505E-01	2.32242E-03	0.00000E+00	0.00000E+00
175	7.44863E-01	5.76450E+00	8.07143E-01	2.33717E-03	0.00000E+00	0.00000E+00
176	7.76623E-01	5.79567E+00	8.06967E-01	2.33031E-03	0.00000E+00	0.00000E+00
177	8.15792E-01	5.82667E+00	8.07018E-01	2.31751E-03	0.00000E+00	0.00000E+00
178	8.05464E-01	5.85600E+00	8.07009E-01	2.30432E-03	0.00000E+00	0.00000E+00
179	8.04421E-01	5.88617E+00	8.06994E-01	2.29131E-03	0.00000E+00	0.00000E+00

180	8.40447E-01	5.91650E+00	6.07102E-01	2.28614E-03	0.00000E+00	0.00000E+00
181	8.46729E-01	5.94667E+00	8.07403E-01	2.28404E-03	0.00000E+00	0.00000E+00
182	8.06225E-01	5.97683E+00	8.07397E-01	2.27132E-03	0.00000E+00	0.00000E+00
183	8.24680E-01	6.00617E+00	8.07493E-01	2.26076E-03	0.00000E+00	0.00000E+00
184	7.83884E-01	6.03817E+00	8.07363E-01	2.25704E-03	0.00000E+00	0.00000E+00
185	8.08498E-01	6.06833E+00	8.07369E-01	2.23971E-03	0.00000E+00	0.00000E+00
186	8.16651E-01	6.09767E+00	8.07420E-01	2.22808E-03	0.00000E+00	0.00000E+00
187	8.35256E-01	6.12700E+00	8.07570E-01	2.22110E-03	0.00000E+00	0.00000E+00
188	7.99256E-01	6.15717E+00	8.07525E-01	2.20958E-03	0.00000E+00	0.00000E+00
189	7.74693E-01	6.18733E+00	8.07351E-01	2.20465E-03	0.00000E+00	0.00000E+00
190	8.10815E-01	6.21767E+00	8.07369E-01	2.19297E-03	0.00000E+00	0.00000E+00
191	8.38666E-01	6.24683E+00	8.07555E-01	2.18761E-03	0.00000E+00	0.00000E+00
192	7.76145E-01	6.27717E+00	8.07370E-01	2.18233E-03	0.00000E+00	0.00000E+00
193	7.91436E-01	6.30633E+00	8.07286E-01	2.17248E-03	0.00000E+00	0.00000E+00
194	7.71756E-01	6.33567E+00	8.07161E-01	2.16904E-03	0.00000E+00	0.00000E+00
195	7.86135E-01	6.36583E+00	8.06993E-01	2.16650E-03	0.00000E+00	0.00000E+00
196	8.36534E-01	6.39517E+00	8.07145E-01	2.15473E-03	0.00000E+00	0.00000E+00
197	7.78126E-01	6.42433E+00	8.06996E-01	2.14681E-03	0.00000E+00	0.00000E+00
198	8.21092E-01	6.45650E+00	8.07066E-01	2.13903E-03	0.00000E+00	0.00000E+00
199	8.06780E-01	6.48667E+00	8.07066E-01	2.12614E-03	0.00000E+00	0.00000E+00
200	7.93471E-01	6.51783E+00	8.06998E-01	2.11848E-03	0.00000E+00	0.00000E+00
201	8.25068E-01	6.54717E+00	8.07089E-01	2.10976E-03	0.00000E+00	0.00000E+00
202	7.79774E-01	6.57733E+00	8.06952E-01	2.10362E-03	0.00000E+00	0.00000E+00
203	7.99331E-01	6.60750E+00	8.06914E-01	2.09347E-03	0.00000E+00	0.00000E+00
204	8.00386E-01	6.63967E+00	8.06882E-01	2.08334E-03	0.00000E+00	0.00000E+00
205	8.00386E-01	6.66983E+00	8.06850E-01	2.07329E-03	0.00000E+00	0.00000E+00
206	7.93801E-01	6.70100E+00	8.06786E-01	2.06410E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123


EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.


LIFETIME = 9.98934E-05 + OR - 3.46130E-07 GENERATION TIME = 4.27633E-05 + OR - 1.65576E-07
 NU BAR = 2.42064E+00 + OR - 2.24711E-05 AVERAGE FISSION GROUP = 2.34293E+01 + OR - 9.34937E-03
 ENERGY(EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 7.08986E-02 + OR - 4.92764E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.80666	+ OR - 0.00207	0.80459 TO 0.80874	0.80252 TO 0.81081	0.80045 TO 0.81288	162400
4	0.80677	+ OR - 0.00208	0.80469 TO 0.80885	0.80261 TO 0.81093	0.80054 TO 0.81301	161600
5	0.80669	+ OR - 0.00209	0.80460 TO 0.80877	0.80251 TO 0.81086	0.80042 TO 0.81295	160800
6	0.80694	+ OR - 0.00208	0.80486 TO 0.80902	0.80277 TO 0.81110	0.80069 TO 0.81318	160000
7	0.80674	+ OR - 0.00208	0.80466 TO 0.80883	0.80258 TO 0.81091	0.80049 TO 0.81299	159200
8	0.80688	+ OR - 0.00209	0.80479 TO 0.80897	0.80270 TO 0.81106	0.80061 TO 0.81314	158400
9	0.80703	+ OR - 0.00209	0.80493 TO 0.80912	0.80284 TO 0.81122	0.80074 TO 0.81331	157600
10	0.80705	+ OR - 0.00211	0.80494 TO 0.80915	0.80283 TO 0.81126	0.80073 TO 0.81336	156800
11	0.80728	+ OR - 0.00210	0.80518 TO 0.80938	0.80307 TO 0.81149	0.80097 TO 0.81359	156000
12	0.80714	+ OR - 0.00211	0.80503 TO 0.80925	0.80292 TO 0.81136	0.80081 TO 0.81347	155200
17	0.80692	+ OR - 0.00212	0.80480 TO 0.80904	0.80268 TO 0.81116	0.80056 TO 0.81328	151200
22	0.80696	+ OR - 0.00215	0.80481 TO 0.80912	0.80266 TO 0.81127	0.80051 TO 0.81342	147200
27	0.80724	+ OR - 0.00219	0.80505 TO 0.80943	0.80286 TO 0.81162	0.80067 TO 0.81382	143200
32	0.80770	+ OR - 0.00217	0.80553 TO 0.80987	0.80335 TO 0.81204	0.80118 TO 0.81421	139200
37	0.80789	+ OR - 0.00220	0.80569 TO 0.81009	0.80349 TO 0.81229	0.80130 TO 0.81448	135200
42	0.80781	+ OR - 0.00222	0.80559 TO 0.81003	0.80337 TO 0.81226	0.80115 TO 0.81448	131200
47	0.80803	+ OR - 0.00228	0.80575 TO 0.81031	0.80348 TO 0.81258	0.80120 TO 0.81486	127200
52	0.80789	+ OR - 0.00233	0.80555 TO 0.81022	0.80322 TO 0.81255	0.80089 TO 0.81488	123200
57	0.80719	+ OR - 0.00235	0.80485 TO 0.80954	0.80250 TO 0.81189	0.80015 TO 0.81424	119200
62	0.80748	+ OR - 0.00239	0.80509 TO 0.80987	0.80270 TO 0.81226	0.80031 TO 0.81465	115200
67	0.80703	+ OR - 0.00246	0.80457 TO 0.80949	0.80211 TO 0.81195	0.79965 TO 0.81441	111200
72	0.80693	+ OR - 0.00252	0.80441 TO 0.80945	0.80189 TO 0.81197	0.79937 TO 0.81449	107200
77	0.80621	+ OR - 0.00245	0.80375 TO 0.80866	0.80130 TO 0.81111	0.79885 TO 0.81357	103200
82	0.80702	+ OR - 0.00248	0.80454 TO 0.80951	0.80206 TO 0.81199	0.79958 TO 0.81447	99200
87	0.80750	+ OR - 0.00255	0.80495 TO 0.81005	0.80240 TO 0.81260	0.79985 TO 0.81515	95200
92	0.80707	+ OR - 0.00265	0.80443 TO 0.80972	0.80178 TO 0.81237	0.79913 TO 0.81501	91200

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.80717	+ OR - 0.00274	0.80443 TO 0.80991	0.80169 TO 0.81266	0.79895 TO 0.81540	87200
102	0.80803	+ OR - 0.00270	0.80532 TO 0.81073	0.80262 TO 0.81344	0.79992 TO 0.81614	83200
107	0.80811	+ OR - 0.00280	0.80531 TO 0.81091	0.80251 TO 0.81372	0.79971 TO 0.81652	79200
112	0.80937	+ OR - 0.00288	0.80649 TO 0.81225	0.80362 TO 0.81512	0.80074 TO 0.81800	75200
117	0.80888	+ OR - 0.00302	0.80586 TO 0.81191	0.80284 TO 0.81493	0.79981 TO 0.81795	71200
122	0.80840	+ OR - 0.00310	0.80530 TO 0.81149	0.80220 TO 0.81459	0.79910 TO 0.81769	67200
127	0.80804	+ OR - 0.00315	0.80489 TO 0.81119	0.80174 TO 0.81434	0.79860 TO 0.81749	63200
132	0.80952	+ OR - 0.00324	0.80628 TO 0.81276	0.80304 TO 0.81599	0.79981 TO 0.81923	59200
137	0.81024	+ OR - 0.00339	0.80685 TO 0.81363	0.80346 TO 0.81702	0.80007 TO 0.82041	55200
142	0.81135	+ OR - 0.00352	0.80783 TO 0.81486	0.80431 TO 0.81838	0.80079 TO 0.82190	51200
147	0.81307	+ OR - 0.00372	0.80935 TO 0.81679	0.80564 TO 0.82050	0.80192 TO 0.82422	47200
152	0.81239	+ OR - 0.00391	0.80848 TO 0.81631	0.80457 TO 0.82022	0.80065 TO 0.82413	43200
157	0.80990	+ OR - 0.00405	0.80585 TO 0.81395	0.80180 TO 0.81800	0.79775 TO 0.82205	39200
162	0.80872	+ OR - 0.00430	0.80442 TO 0.81301	0.80013 TO 0.81731	0.79583 TO 0.82160	35200
167	0.80823	+ OR - 0.00454	0.80369 TO 0.81277	0.79916 TO 0.81730	0.79462 TO 0.82184	31200
172	0.80448	+ OR - 0.00410	0.80038 TO 0.80858	0.79628 TO 0.81269	0.79217 TO 0.81679	27200
177	0.80539	+ OR - 0.00397	0.80141 TO 0.80936	0.79744 TO 0.81334	0.79346 TO 0.81731	23200
182	0.80220	+ OR - 0.00418	0.79802 TO 0.80638	0.79384 TO 0.81056	0.78966 TO 0.81474	19200
187	0.79915	+ OR - 0.00462	0.79453 TO 0.80377	0.78992 TO 0.80838	0.78530 TO 0.81300	15200
192	0.79886	+ OR - 0.00496	0.79391 TO 0.80382	0.78895 TO 0.80877	0.78400 TO 0.81373	11200
197	0.80223	+ OR - 0.00466	0.79757 TO 0.80690	0.79291 TO 0.81156	0.78824 TO 0.81622	7200
202	0.79848	+ OR - 0.00158	0.79690 TO 0.80005	0.79532 TO 0.80163	0.79374 TO 0.80321	3200

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K-EFF = 0.8067 \pm 0.0021$ WHICH OCCURS FOR 206 GENERATIONS RUN.







200

I I I
I I I
I I I
I I I
I I I
I I I
I I I

205

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION SKIPPED.
THE LINE REPRESENTS $K\text{-EFF} = 0.8067 \pm 0.0021$ WHICH OCCURS FOR 3 GENERATIONS SKIPPED.





SKIPPING 3 GENERATIONS									
GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0004			2.86476E-04	5.6283	1.52136E-03	2.1427	0.00000E+00	0.0000
2	0.0016			1.31520E-03	1.6881	3.28436E-03	0.6898	0.00000E+00	0.0000
3	0.0020			1.65180E-03	1.3890	1.02449E-03	0.9693	0.00000E+00	0.0000
4	0.0012			9.43977E-04	1.6759	5.32299E-04	1.2734	0.00000E+00	0.0000
5	0.0016			1.30055E-03	1.4876	8.62508E-04	1.0596	0.00000E+00	0.0000
6	0.0022			1.73728E-03	1.1993	1.59844E-03	0.8216	0.00000E+00	0.0000
7	0.0022			1.73932E-03	1.2733	1.82219E-03	0.7980	0.00000E+00	0.0000
8	0.0021			1.70173E-03	1.6759	1.95710E-03	1.0360	0.00000E+00	0.0000
9	0.0028			2.29548E-03	2.1818	2.68646E-03	1.1910	0.00000E+00	0.0000
10	0.0062			4.98683E-03	2.0026	5.54078E-03	1.1600	0.00000E+00	0.0000
11	0.0130			1.04472E-02	1.7934	1.01338E-02	1.2292	0.00000E+00	0.0000
12	0.0178			1.43956E-02	1.7857	1.22652E-02	1.3669	0.00000E+00	0.0000
13	0.0173			1.39667E-02	1.8845	1.47971E-02	1.3920	0.00000E+00	0.0000
14	0.0147			1.18675E-02	1.8872	1.70869E-02	1.1396	0.00000E+00	0.0000
15	0.0028			2.27686E-03	3.6085	7.05768E-03	1.3004	0.00000E+00	0.0000
16	0.0019			1.57102E-03	4.9306	4.44604E-03	1.5434	0.00000E+00	0.0000
17	0.0031			2.48854E-03	4.6242	3.13351E-03	2.2078	0.00000E+00	0.0000
18	0.0041			3.32845E-03	5.0847	3.32257E-03	2.6860	0.00000E+00	0.0000
19	0.0048			3.86190E-03	4.1248	5.22856E-03	1.7409	0.00000E+00	0.0000
20	0.0218			1.76250E-02	1.9493	2.19269E-02	1.0219	0.00000E+00	0.0000
21	0.0122			9.81387E-03	2.8332	9.93820E-03	1.4733	0.00000E+00	0.0000
22	0.0293			2.36442E-02	1.8314	2.35717E-02	0.9757	0.00000E+00	0.0000
23	0.1071			8.63764E-02	0.9656	1.02873E-01	0.4780	0.00000E+00	0.0000
24	0.2203			1.77698E-01	0.6344	2.22769E-01	0.3016	0.00000E+00	0.0000
25	0.1876			1.51351E-01	0.6628	1.94392E-01	0.2872	0.00000E+00	0.0000
26	0.2344			1.89104E-01	0.6734	2.42944E-01	0.2717	0.00000E+00	0.0000
27	0.0854			6.88912E-02	1.0923	8.53098E-02	0.5363	0.00000E+00	0.0000
SYSTEM TOTAL =				8.06665E-01	0.2567	1.00203E+00	0.0566	0.00000E+00	0.0000
ELAPSED TIME 6.70283 MINUTES									
RANDOM NUMBER= 62803D4620D2									

```
FREQUENCY FOR GENERATIONS 4 TO 206
0.7335 TO 0.7476 ***
0.7476 TO 0.7617 ****
0.7617 TO 0.7759 *****
0.7759 TO 0.7900 *****
0.7900 TO 0.8042 *****
0.8042 TO 0.8183 *****
0.8183 TO 0.8324 *****
0.8324 TO 0.8466 *****
0.8466 TO 0.8607 *****
0.8607 TO 0.8749 *****
0.8749 TO 0.8890 *****
0.8890 TO 0.9032 *****
```

```
FREQUENCY FOR GENERATIONS 55 TO 206
0.7335 TO 0.7476 **
0.7476 TO 0.7617 *
0.7617 TO 0.7759 *****
0.7759 TO 0.7900 *****
0.7900 TO 0.8042 *****
0.8042 TO 0.8183 *****
0.8183 TO 0.8324 *****
0.8324 TO 0.8466 *****
0.8466 TO 0.8607 *****
0.8607 TO 0.8749 *****
0.8749 TO 0.8890 *****
0.8890 TO 0.9032 *****
```

```
FREQUENCY FOR GENERATIONS 105 TO 206
0.7335 TO 0.7476 *
0.7476 TO 0.7617 *
0.7617 TO 0.7759 *****
0.7759 TO 0.7900 *****
0.7900 TO 0.8042 *****
0.8042 TO 0.8183 *****
0.8183 TO 0.8324 *****
0.8324 TO 0.8466 *****
0.8466 TO 0.8607 *****
0.8607 TO 0.8749 **
0.8749 TO 0.8890 *
0.8890 TO 0.9032 *
```

```
FREQUENCY FOR GENERATIONS 156 TO 206
0.7335 TO 0.7476 *
0.7476 TO 0.7617 *
0.7617 TO 0.7759 ****
0.7759 TO 0.7900 *****
0.7900 TO 0.8042 *****
0.8042 TO 0.8183 *****
0.8183 TO 0.8324 *****
0.8324 TO 0.8466 *****
0.8466 TO 0.8607 *****
0.8607 TO 0.8749 *
0.8749 TO 0.8890 *
0.8890 TO 0.9032 *
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 6.70283 MINUTES
.....

Figure 6.6.3-2 CSAS Input/Output for NAC-LWT with Design Basis MTR Fuel - Most
Reactive Accident Condition Configuration - 94 wt %, 355 g ²³⁵U

```
PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT HFBR DESIGN U308-AL FUEL 93 W/O U235 PLATES IN CLOSE & PLATES @ FULL PITCH
'MIN BASKET PLATE
27GROUPNDF4 LATTICECELL
URANIUM 1 DEN=3.9912 0.3000 293 92235 94. 92238 6. END
O 1 DEN=3.990 0.0542 293 END
AL 1 DEN=3.990 0.6468 293 END
AL 2 1.0 293.0 END
H2O 3 1.000 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.0E-20 293.0 END
H2O 8 1.0E-20 293.0 END
END COMP
SYMMSLABCELL 0.4572 0.053 1:3 0.127 2 END

READ PARAM RUN=YES PLT=YES RND=2 GEN=206 NPC=800 END PARAM
READ GEOM
UNIT 1
COM='AL PLATE CELL'
CUBOID 2 1 2P3.1250 2P0.127 2P10.0
UNIT 2
COM='HFBR FUEL PLATE CELL 1'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 2P0.2286 2P10.0
UNIT 3
COM='HFBR FUEL PLATE CELL 2'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 2P0.2286 2P10.0
UNIT 4
COM='HFBR FUEL PLATE CELL 3'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 2P0.2286 2P10.0
UNIT 5
COM='HFBR FUEL PLATE CELL 4'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 2P0.2286 2P10.0
UNIT 6
COM='HFBR FUEL PLATE CELL 5'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 2P0.2286 2P10.0
UNIT 7
COM='HFBR FUEL PLATE CELL 6'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 2P0.2286 2P10.0
UNIT 8
COM='HFBR FUEL PLATE CELL 7'
CUBOID 1 1 2P2.8600 2P0.0265 2P10.0
CUBOID 2 1 2P3.1250 2P0.0635 2P10.0
CUBOID 3 1 2P3.1250 2P0.2286 2P10.0
UNIT 81
CUBOID 2 1 2P0.2375 2P4.1 2P10.0
UNIT 83
CUBOID 2 1 2P0.2375 2P4.1 2P10.0
UNIT 90
COM='HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB CENTER'
ARRAY 1 -3.1250 -4.3688 -10.0
CUBOID 3 1 2P4.3688 2P4.3688 2P10.0
HOLE 81 -4.1312 0.0 0.0
HOLE 83 4.1312 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 91
COM='HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT'
ARRAY 1 -3.8935 -4.3688 -10.0
CUBOID 3 1 2P4.3688 2P4.3688 2P10.0
HOLE 81 -4.1312 0.0 0.0
HOLE 83 4.1312 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 92
COM='HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT'
ARRAY 1 -2.3565 -4.3688 -10.0
CUBOID 3 1 2P4.3688 2P4.3688 2P10.0
HOLE 81 -4.1312 0.0 0.0
HOLE 83 4.1312 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 10
COM='HFBR FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK'
ARRAY 1 -2.3565 -4.3688 -10.0
CUBOID 3 1 2P4.3688 2P4.3688 2P10.0
HOLE 81 -4.1312 0.0 0.0
HOLE 83 4.1312 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 101
COM='HFBR FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 1 -2.3565 -4.3688 -10.0
CUBOID 3 1 2P4.3688 2P4.3688 2P10.0
HOLE 81 -4.1312 0.0 0.0
```



```
HOLE 83 4.1312 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0-1
UNIT 11
COM='HFBR FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK'
ARRAY 1 -3.8935 -4.3688 -10.0
CUBOID 3 1 2P4.3688 2P4.3688 2P10.0
HOLE 81 -4.1312 0.0 0.0
HOLE 83 4.1312 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1
UNIT 111
COM='HFBR FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'
ARRAY 1 -3.8935 -4.3688 -10.0
CUBOID 3 1 2P4.3688 2P4.3688 2P10.0
HOLE 81 -4.1312 0.0 0.0
HOLE 83 4.1312 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1
UNIT 12
COM='2 UNIT ARRAY WITH 0.120 IN. PLATE ON TOP AND SIDES'
ARRAY 2 -9.0428 -4.3688 -10.0
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1
UNIT 13
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'
ARRAY 3 -14.1738 -4.3688 -10.0
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1
UNIT 14
COM='2 UNIT ARRAY WITH 0.120 IN. PLATE ON BOTTOM and SIDES'
ARRAY 4 -9.0428 -4.3688 -10.0
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1
GLOBAL UNIT 15
COM='7 HFBR ASSEMBLIES IN THE LWT'
CYLINDER 3 1 17.0500 2P10.0
HOLE 12 0.0 +9.4489 0.0
HOLE 13 0.0 0.0 0.0
HOLE 14 0.0 -9.4489 0.0
CYLINDER 5 1 18.8913 2P10.0
CYLINDER 6 1 33.4963 2P10.0
CYLINDER 5 1 36.5443 2P10.0
CYLINDER 8 1 49.2443 2P10.0
CYLINDER 5 1 49.85390 2P10.0
CUBOID 7 1 4P49.85390 2P10.0
END GEOM
READ ARRAY
ARA=1 NUX=1 NUY=20 NUZ=1 FILL 1 8 7 6 12R5 4 3 2 1 END FILL
ARA=2 NUX=2 NUY=1 NUZ=1 FILL 10 11 END FILL
ARA=3 NUX=3 NUY=1 NUZ=1 FILL 92 90 91 END FILL
ARA=4 NUX=2 NUY=1 NUZ=1 FILL 101 111 END FILL
END ARRAY
READ BOUNDS ALL=MIR END BOUNDS
READ PLOT
TTL='X-Y PLOT OF ASSEMBLY'
NCH=' FCWASPW'
UAX=1.0 VDN=-1.0 MAX=130
XUL=-5.0 YUL=5.0 ZUL=0.0
XLR=5.0 YLR=-5.0 ZLR=0.0 END
TTL='X-Y PLOT OF CASK'
UAX=1.0 VDN=-1.0 MAX=130
XUL=-65.0 YUL=65.0 ZUL=0.0
XLR=65.0 YLR=-65.0 ZLR=0.0 END
TTL='X-Y PLOT OF BASKET'
UAX=1.0 VDN=-1.0 MAX=130
XUL=-17.0 YUL=17.0 ZUL=0.0
XLR=17.0 YLR=-17.0 ZLR=0.0 END
TTL='X-Z PLOT OF BASKET'
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-5.0 ZUL=10.0
XLR=0.0 YLR=5.0 ZLR=-10.0
END PLOT
END DATA
```

SECONDARY MODULE 000008 HAS BEEN CALLED.

```

CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  5555555555555
CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22222222222  5555555555555
CC          SS          SS          AA          AA          SS          SS          22          22          55
CC          SS          AA          AA          AA          SS          SS          22          22          55
CC          SS          AA          AA          AA          SS          SS          22          22          55
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22          22          5555555555555
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22          22          5555555555555
CC          SS          AA          AA          AA          SS          SS          22          22          55
CC          SS          AA          AA          AA          SS          SS          22          22          55
CC          SS          AA          AA          AA          SS          SS          22          22          55
CCCCCCCCC  SSSSSSSSS  AA          AA          SSSSSSSSS  22222222222  5555555555555
CCCCCCCCC  SSSSSSSSS  AA          AA          SSSSSSSSS  22222222222  5555555555555
    
```

```

SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SS          CC          CC          AA          AA          LL          EE          PP          PP          CC          CC
SS          CC          AA          AA          AA          LL          EE          PP          PP          CC          CC
SS          CC          AA          AA          AA          LL          EE          PP          PP          CC          CC
SSSSSSSSS  CC          AAAAAAAAA  LL          EEEEEEEEE  -----  PPPPPPPPP  CC
SSSSSSSSS  CC          AAAAAAAAA  LL          EEEEEEEEE  -----  PPPPPPPPP  CC
SS          SS          CC          AA          AA          LL          EE          PP          CC          CC
SS          SS          CC          AA          AA          LL          EE          PP          CC          CC
SS          SS          CC          AA          AA          LL          EE          PP          CC          CC
SSSSSSSSS  CCCCCCCCC  AA          AA          LLLLLLLLLLL  EEEEEEEEEEE  PP          CCCCCCCCC
SSSSSSSSS  CCCCCCCCC  AA          AA          LLLLLLLLLLL  EEEEEEEEEEE  PP          CCCCCCCCC
    
```

```

0000000  7777777777  //          0000000  222222222  //          999999999  888888888
00000000  7777777777  //          00000000  22222222222  //          99999999999  88888888888
00          00          77          //          00          00          22          //          99          99          88          88
00          00          77          //          00          00          22          //          99          99          88          88
00          00          77          //          00          00          22          //          99          99          88          88
00          00          77          //          00          00          22          //          99          99          88          88
00          00          77          //          00          00          22          //          99          99          88          88
00          00          77          //          00          00          22          //          99          99          88          88
00          00          77          //          00          00          22          //          99          99          88          88
00000000  77          //          00000000  22222222222  //          99999999999  88888888888
0000000  77          //          0000000  22222222222  //          99999999999  88888888888
    
```

```

11          44          //          44          7777777777  //          44          2222222222
111         444         //          444         7777777777  //          444         22222222222
1111        4444        //          4444        77          77          //          4444        22          22
11          44 44        //          44 44        77          77          //          44 44        22          22
11          44 44        //          44 44        77          77          //          44 44        22          22
11          44 44        //          44 44        77          77          //          44 44        22          22
11          44 44        //          44 44        77          77          //          44 44        22          22
11          4444444444  //          4444444444  77          77          //          4444444444  22
11          4444444444  //          4444444444  77          77          //          4444444444  22
11          44          //          44          77          77          //          44          22          22
11111111   44          //          44          77          77          //          44          222222222222
11111111   44          //          44          77          77          //          44          222222222222
    
```


LWT HFBR DESIGN U308-AL FUEL 93 W/O U235 PLATES IN CLOSE & PLATES @ FULL PITCH

**** PROBLEM PARAMETERS ****

LTB 27GROUPNDF4 LIBRARY
 MX 8 MIXTURES
 MSC 10 COMPOSITION SPECIFICATIONS
 IZM 3 MATERIAL ZONES
 GE LATTICECELL GEOMETRY
 MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
 MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC URANIUM STANDARD COMPOSITION
 MX 1 MIXTURE NO.
 VF 0.3000 VOLUME FRACTION
 ROTH 3.9912 SPECIFIED DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 92000 1.00 ATOM/MOLECULE
 92235 94.000 WT%
 92238 6.000 WT%

END

SC O STANDARD COMPOSITION
 MX 1 MIXTURE NO.
 VF 0.0542 VOLUME FRACTION
 ROTH 3.9900 SPECIFIED DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 8016 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
 MX 1 MIXTURE NO.
 VF 0.6468 VOLUME FRACTION
 ROTH 3.9900 SPECIFIED DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 13027 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
 MX 2 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 2.7020 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 13027 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
 MX 3 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
 MX 4 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 2.7020 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 13027 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
 MX 5 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 7.9200 THEORETICAL DENSITY
 NEL 4 NO. ELEMENTS
 ICP 0 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 24304 19.000 WT%
 25055 2.000 WT%
 26304 69.500 WT%
 28304 9.500 WT%

END

SC PB STANDARD COMPOSITION
 MX 6 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 11.3440 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 82000 1.00 ATOM/MOLECULE

END

```
SC H2O          STANDARD COMPOSITION
MX              7 MIXTURE NO.
VF              0.0000 VOLUME FRACTION
ROTH           0.9982 THEORETICAL DENSITY
NEL            2 NO. ELEMENTS
ICP            1 0/1 MIXTURE/COMPOUND
TEMP           293.0 DEG KELVIN
               1001 2.00 ATOMS/MOLECULE
               8016 1.00 ATOM/MOLECULE
END
```

```
SC H2O          STANDARD COMPOSITION
MX              8 MIXTURE NO.
VF              0.0000 VOLUME FRACTION
ROTH           0.9982 THEORETICAL DENSITY
NEL            2 NO. ELEMENTS
ICP            1 0/1 MIXTURE/COMPOUND
TEMP           293.0 DEG KELVIN
               1001 2.00 ATOMS/MOLECULE
               8016 1.00 ATOM/MOLECULE
END
```

**** PROBLEM GEOMETRY ****

```
CTP SYMMSLABCELL CELL TYPE
PITCH          0.4572 CM CENTER TO CENTER SPACING
FUELOD         0.0530 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL          1 MIXTURE NO. OF FUEL
MMOD           3 MIXTURE NO. OF MODERATOR
CLADOD         0.1270 CM CLAD OUTER DIAMETER
MCLAD          2 MIXTURE NO. OF CLAD
```

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

```
ZONE 1 IS FUEL
ZONE 2 IS CLAD
ZONE 3 IS MOD
```

LWT HFBR DESIGN U308-AL FUEL 93 W/O U235 PLATES IN CLOSE & PLATES @ FULL PITCH

***** DATA LIBRARY INFORMATION *****

UNIT NUMBER	DATA SET NAME	VOLUME NAME	UNIT FUNCTION
89	G:\scale43\ATALIB\FT89F001		STANDARD COMPOSITION LIBRARY
82	G:\scale43\ATALIB\FT82F001		CROSS SECTION LIBRARY
11	G:\SHARED\cx1\mtr35\hacx1m_94_355\FT11F001		SHORT CROSS SECTION LIBRARY
90	G:\SHARED\cx1\mtr35\hacx1m_94_355\FT90F001		INPUT DATA DIRECT ACCESS

STANDARD COMPOSITION LIBRARY DATA

UNIT NUMBER : 89
 DATASET NAME : G:\scale43\ATALIB\FT89F001
 LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
 637 STANDARD COMPOSITIONS, 490 NUCLIDES
 90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
 CREATION DATE: 6/30/95

CROSS SECTION LIBRARY DATA

UNIT NUMBER : 82
 DATASET NAME : G:\scale43\ATALIB\FT82F001
 LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
 BASED ON ENDF-B VERSION 4 DATA
 COMPILED FOR NRC 1/27/89
 LAST UPDATED 08/12/94
 L.M.PETRIE - ORNL

```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  0000000000  VV      VV
KK      KK  EE            NNNN    NN  00      00  VV      VV
KK      KK  EE            NN  NN   NN  00      00  VV      VV
KK      KK  EE            NN  NN   NN  00      00  VV      VV
KK      KK  EE            NN  NN   NN  00      00  VV      VV
KKKKKKKK EEEEEEEEE  NN      NN  00      00  VV      VV
KKKKKKKK EEEEEEEEE  NN      NN  00      00  VV      VV
KK      KK  EE            NN      NN  00      00  VV      VV
KK      KK  EE            NN      NN  00      00  VV      VV
KK      KK  EE            NN      NN  00      00  VV      VV
KK      KK  EEEEEEEEEEE  NN      NNN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VVV     V

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE            PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EF            PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE            PP      PP  CC      CC
SSSSSSSSSS  CC      AAAAAAAAAA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SSSSSSSSSS  CC      AAAAAAAAAA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SS      SS  CC      AA      AA  LL      EE            PP      CC
SS      SS  CC      AA      AA  LL      EE            PP      CC
SS      SS  CC      AA      AA  LL      EE            PP      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC

```

```

0000000  7777777777  //  0000000  2222222222  //  9999999999  8888888888
00000000  7777777777  //  000000000  2222222222  //  99999999999  88888888888
00      00  77      //  00      00  22      22  //  99      99  88      88
00      00  77      //  00      00  22      22  //  99      99  88      88
00      00  77      //  00      00  22      22  //  99      99  88      88
00      00  77      //  00      00  22      22  //  99999999999  88888888888
00      00  77      //  00      00  22      22  //  99999999999  88888888888
00      00  77      //  00      00  22      22  //  99      99  88      88
00      00  77      //  00      00  22      22  //  99      99  88      88
00000000  77      //  000000000  2222222222  //  99999999999  88888888888
0000000  77      //  0000000  2222222222  //  99999999999  88888888888

```

```

11      44  44  7777777777  5555555555  3333333333
111     444  444  7777777777  5555555555  3333333333
1111    4444  4444  77      77      55      33
11      44 44  44 44  44 44  77      77      55      33
11      44 44  44 44  44 44  77      77      55      33
11      44 44  44 44  44 44  77      77      55      33
11      44 44  44 44  44 44  77      77      55      33
11      4444444444  4444444444  77      77      55      33
11      4444444444444  4444444444444  77      77      55      33
11      44      44      44      77      77      55      33
11111111  44      44      44      77      77      5555555555  33333333333
11111111  44      44      44      77      77      5555555555  33333333333

```

```
.....  
.....  
.....  
PROGRAM VERIFICATION INFORMATION  
.....  
CODE SYSTEM: SCALE-PC VERSION: 4.3  
.....  
.....  
PROGRAM: 000009  
.....  
CREATION DATE: 03-08-96  
.....  
VOLUME: ENG  
.....  
LIBRARY: G:\SCALE43\EXE  
.....  
PRODUCTION CODE: KENOVA  
.....  
VERSION: 3.1  
.....  
JOBNAME: SCALE-PC  
.....  
DATE OF EXECUTION: 07/02/98  
.....  
TIME OF EXECUTION: 14:47:53  
.....  
.....  
.....
```


***** NUMERIC PARAMETERS *****			
TME	MAXIMUM PROBLEM TIME (MIN)	30.00	
TBA	TIME PER GENERATION (MIN)	0.50	
GEN	NUMBER OF GENERATIONS	206	
NPG	NUMBER PER GENERATION	800	
NSK	NUMBER OF GENERATIONS TO BE SKIPPED	3	
BEG	BEGINNING GENERATION NUMBER	1	
RES	GENERATIONS BETWEEN CHECKPOINTS	0	
X1D	NUMBER OF EXTRA 1-D CROSS SECTIONS	1	
NBK	NEUTRON BANK SIZE	825	
XNB	EXTRA POSITIONS IN NEUTRON BANK	0	
NFB	FISSION BANK SIZE	800	
XFB	EXTRA POSITIONS IN FISSION BANK	0	
WTA	DEFAULT VALUE OF WEIGHT AVERAGE	0.5000	
WTH	WEIGHT HIGH FOR SPLITTING	3.0000	
WTL	WEIGHT LOW FOR RUSSIAN ROULETTE	0.3333	
RND	STARTING RANDOM NUMBER	2	
NB8	NUMBER OF D.A. BLOCKS ON UNIT 8	200	
NL8	LENGTH OF D.A. BLOCKS ON UNIT 8	512	
ADJ	MODE OF CALCULATION	FORWARD	
	INPUT DATA WRITTEN ON RESTART UNIT	NO	
	BINARY DATA INTERFACE	YES	

```
***** LOGICAL PARAMETERS *****
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) YES ***
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***
*** PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***
*** TRK PRINT TRACKING INFORMATION NO ***
*****
```

PARAMETER INPUT COMPLETED

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

*****
*****
*****
UNIT          DATA SET NAME          VOLUME      UNIT FUNCTION
NUMBER
-----
XSC 14      G:\SHARED\cx1\mtr35\hacx1m_94_355\FT14F001  MIXED CROSS SECTIONS
ALB 79      G:\scale43\DATA LIB\FT79F001             INPUT ALBEDOS
WTS 80      G:\scale43\DATA LIB\FT80F001             INPUT WEIGHTS
SKT 16      UNKNOWN                                   WRITE SCRATCH DATA
BIN 95      G:\SHARED\cx1\mtr35\hacx1m_94_355\FT95F001  BINARY INPUT DATA
RST 95      G:\SHARED\cx1\mtr35\hacx1m_94_355\FT95F001  READ RESTART DATA
LIB 4       G:\SHARED\cx1\mtr35\hacx1m_94_355\FT04F001  INPUT AMPX WORKING LIBRARY
      8       G:\SHARED\cx1\mtr35\hacx1m_94_355\FT08F001  INPUT DATA DIRECT ACCESS
      9       UNKNOWN                                   SUPER GROUPED DIRECT ACCESS
      10      UNKNOWN                                   XSEC MIXING DIRECT ACCESS
*****
*****

```

..... 0 IO'S WERE USED PREPARING INPUT DATA

CROSS SECTIONS READ FROM THE AMPX WORKING LIBRARY ON UNIT 4

MIXING TABLE

NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD = 3.0E-05

MIXTURE #	NUCLIDE	ATOM-DENS.	DENSITY (G/CC)	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE	
MIXTURE = 1 08/12/94	1008016	8.14438E-03	3.9943	5.41402E-02	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276 UPDATED
	1013027	5.76000E-02		6.46096E-01	13027	26.9818	AL-27 1193 218 GP 040375(5)	UPDATED
	1092235	2.88373E-03		2.81778E-01	92235	235.0441	URANIUM-235	ENDF/B-IV MAT 1261 UPDATED
	1092238	1.81743E-04		1.79858E-02	92238	238.0510	URANIUM-238	ENDF/B-IV MAT 1262 UPDATED
	2013027	6.03066E-02	2.7020	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)	UPDATED
MIXTURE = 3 08/12/94	3001001	6.67692E-02	0.99817	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002 UPDATED
	3008016	3.33846E-02		8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276 UPDATED
	4013027	6.03066E-02	2.7020	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)	UPDATED
MIXTURE = 5 08/12/94	5024304	1.74286E-02	7.9200	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED
	5025055	1.73633E-03		1.99999E-02	25055	54.9379	MANGANESE-55	ENDF/B-IV MAT 1197 UPDATED
	5026304	5.93579E-02		6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED
	5028304	7.72070E-03		9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED
	6082000	3.29690E-02	11.344	1.00000E+00	82000	207.2100	PB 1288 218NGP 042375 P-3 293K	UPDATED
MIXTURE = 7 08/12/94	7001001	6.67692E-22	0.99817E-20	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002 UPDATED
	7008016	3.33846E-22		8.88073E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276 UPDATED
	8001001	6.67692E-22	0.99817E-20	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002 UPDATED
MIXTURE = 8 08/12/94	8008016	3.33846E-22		8.88073E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276 UPDATED
	3001001						HYDROGEN	ENDF/B-IV MAT 1269/THRM1002 UPDATED 08/12/94
	7001001						HYDROGEN	ENDF/B-IV MAT 1269/THRM1002 UPDATED 08/12/94
	8001001						HYDROGEN	ENDF/B-IV MAT 1269/THRM1002 UPDATED 08/12/94
	1008016						OXYGEN-16	ENDF/B-IV MAT 1276 UPDATED 08/12/94
	3008016						OXYGEN-16	ENDF/B-IV MAT 1276 UPDATED 08/12/94
	7008016						OXYGEN-16	ENDF/B-IV MAT 1276 UPDATED 08/12/94
	8008016						OXYGEN-16	ENDF/B-IV MAT 1276 UPDATED 08/12/94
	1013027						AL-27 1193 218 GP 040375(5)	UPDATED 08/12/94
	2013027						AL-27 1193 218 GP 040375(5)	UPDATED 08/12/94
	4013027						AL-27 1193 218 GP 040375(5)	UPDATED 08/12/94
	5024304						CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED 08/12/94
	5025055						MANGANESE-55	ENDF/B-IV MAT 1197 UPDATED 08/12/94
	5026304						FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED 08/12/94
	5028304						NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED 08/12/94
	6082000						PB 1288 218NGP 042375 P-3 293K	UPDATED 08/12/94
	1092235						URANIUM-235	ENDF/B-IV MAT 1261 UPDATED 08/12/94
	1092238						URANIUM-238	ENDF/B-IV MAT 1262 UPDATED 08/12/94

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 3 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 7 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 8 WERE CORRECTED FOR BAD MOMENTS.
 0 IO'S WERE USED MIXING CROSS-SECTIONS

1-D CROSS SECTION ARRAY ID NUMBERS
 1 2002 1452 27 18 1018

```

***** ADDITIONAL INFORMATION *****
NUMBER OF ENERGY GROUPS      27      USE LATTICE GEOMETRY          YES
NO. OF FISSION SPECTRUM SOURCE GROUP 1      GLOBAL ARRAY NUMBER          0
NO. OF SCATTERING ANGLES IN XSECS  2      NUMBER OF UNITS IN THE GLOBAL X DIR.  0
ENTRIES/NEUTRON IN THE NEUTRON BANK 24      NUMBER OF UNITS IN THE GLOBAL Y DIR.  0
ENTRIES/NEUTRON IN THE FISSION BANK 17      NUMBER OF UNITS IN THE GLOBAL Z DIR.  0
NUMBER OF MIXTURES USED        7      USE A GLOBAL REFLECTOR        YES
NUMBER OF BIAS ID'S USED       1      USE NESTED HOLES              YES
NUMBER OF DIFFERENTIAL ALBEDOS USED  0      NUMBER OF HOLES                17
TOTAL INPUT GEOMETRY REGIONS    58      MAXIMUM HOLE NESTING LEVEL     2
NUMBER OF GEOMETRY REGIONS USED  58      USE NESTED ARRAYS              YES
LARGEST GEOMETRY UNIT NUMBER    111     NUMBER OF ARRAYS USED          4
LARGEST ARRAY NUMBER            4      MAXIMUM ARRAY NESTING LEVEL    2
+X BOUNDARY CONDITION           MIR      -X BOUNDARY CONDITION          MIR
+Y BOUNDARY CONDITION           MTR      -Y BOUNDARY CONDITION          MIR
+Z BOUNDARY CONDITION           MIR      -Z BOUNDARY CONDITION          MIR

```

```

***** SPACE AND SUPERGROUP INFORMATION *****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
37327 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
62673 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99750 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
62613 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.
958 WORDS ARE NEEDED FOR THE LARGEST GROUP.
38501 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
48151 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
48288 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.

```

SUPERGROUP	STARTING GROUP	ENDING GROUP	XSEC LENGTH	ALBEDO LENGTH	TOTAL LENGTH
1	1	27	2124	0	10764

..... 0 IO'S WERE USED IN SUPERGROUPING

```

**
** ARRAY      UNITS IN  UNITS IN  UNITS IN  NESTING
** NUMBER     X DIR.    Y DIR.    Z DIR.    LEVEL
**
** 1           1         20         1         2
**
** 2           2         1          1         1
**
** 3           3         1          1         1
**
** 4           2         1          1         1
**

```

..... 0 IO'S WERE USED LOADING THE DATA

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			----- UNIT 1 -----					
AL PLATE CELL								
1	CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 0.12700	-Y = -0.12700	+Z = 10.000	-Z = -10.000
			----- UNIT 2 -----					
HFBR FUEL PLATE CELL 1								
1	CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000
2	CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000
3	CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.22860	-Y = -0.22860	+Z = 10.000	-Z = -10.000
			----- UNIT 3 -----					
HFBR FUEL PLATE CELL 2								
1	CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000
2	CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000
3	CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.22860	-Y = -0.22860	+Z = 10.000	-Z = -10.000
			----- UNIT 4 -----					
HFBR FUEL PLATE CELL 3								
1	CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000
2	CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000
3	CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.22860	-Y = -0.22860	+Z = 10.000	-Z = -10.000
			----- UNIT 5 -----					
HFBR FUEL PLATE CELL 4								
1	CUBOID	1 1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000
2	CUBOID	2 1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000
3	CUBOID	3 1	+X = 3.1250	-X = -3.1250	+Y = 0.22860	-Y = -0.22860	+Z = 10.000	-Z = -10.000

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			----- UNIT 6 -----					
HFBR FUEL PLATE CELL 5								
1 CUBOID	1	1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000
2 CUBOID	2	1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000
3 CUBOID	3	1	+X = 3.1250	-X = -3.1250	+Y = 0.22860	-Y = -0.22860	+Z = 10.000	-Z = -10.000
			----- UNIT 7 -----					
HFBR FUEL PLATE CELL 6								
1 CUBOID	1	1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000
2 CUBOID	2	1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000
3 CUBOID	3	1	+X = 3.1250	-X = -3.1250	+Y = 0.22860	-Y = -0.22860	+Z = 10.000	-Z = -10.000
			----- UNIT 8 -----					
HFBR FUEL PLATE CELL 7								
1 CUBOID	1	1	+X = 2.8600	-X = -2.8600	+Y = 2.65000E-02	-Y = -2.65000E-02	+Z = 10.000	-Z = -10.000
2 CUBOID	2	1	+X = 3.1250	-X = -3.1250	+Y = 6.35000E-02	-Y = -6.35000E-02	+Z = 10.000	-Z = -10.000
3 CUBOID	3	1	+X = 3.1250	-X = -3.1250	+Y = 0.22860	-Y = -0.22860	+Z = 10.000	-Z = -10.000
			----- UNIT 10 EXTERNAL TO LATTICE 1 -----					
HFBR FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK								
1 ARRAY NUMBER	1		+X = 3.8935	-X = -2.3565	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
2 CUBOID	3	1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
HOLE NUMBER	7		AT X = -4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	81	
HOLE NUMBER	8		AT X = 4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	83	
3 CUBOID	5	1	+X = 4.6736	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 11 EXTERNAL TO LATTICE 1 -----							
HFBR FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK							
1 ARRAY NUMBER	1	+X = 2.3565	-X = -3.8935	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
2 CUBOID	3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
HOLE NUMBER	11	AT X = -4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	81	
HOLE NUMBER	12	AT X = 4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	83	
3 CUBOID	5 1	+X = 4.3688	-X = -4.6736	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
----- UNIT 12 EXTERNAL TO LATTICE 2 -----							
2 UNIT ARRAY WITH 0.120 IN. PLATE ON TOP AND SIDES							
1 ARRAY NUMBER	2	+X = 9.0420	-X = -9.0428	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
2 CUBOID	5 1	+X = 9.3468	-X = -9.3476	+Y = 4.6736	-Y = -4.3688	+Z = 10.000	-Z = -10.000
----- UNIT 13 EXTERNAL TO LATTICE 3 -----							
3 UNIT ARRAY WITH REST OF 5/16 WEB							
1 ARRAY NUMBER	3	+X = 14.173	-X = -14.174	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
2 CUBOID	5 1	+X = 14.528	-X = -14.529	+Y = 5.0800	-Y = -5.0800	+Z = 10.000	-Z = -10.000
----- UNIT 14 EXTERNAL TO LATTICE 4 -----							
2 UNIT ARRAY WITH 0.120 IN. PLATE ON BOTTOM AND SIDES							
1 ARRAY NUMBER	4	+X = 9.0420	-X = -9.0428	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000
2 CUBOID	5 1	+X = 9.3468	-X = -9.3476	+Y = 4.3688	-Y = -4.6736	+Z = 10.000	-Z = -10.000

```

REGION          MEDIA BIAS          GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
                NUM    ID

                ***** GLOBAL *****
                ----- UNIT    15 -----

7 HFBR ASSEMBLIES IN THE LWT

1 CYLINDER      3 1 RADIUS = 17.050  +Z = 10.000  -Z = -10.000  CENTERLINE IS AT X = 0.00000  Y = 0.00000
  HOLE NUMBER   15   AT X = 0.00000  Y = 9.4489   Z = 0.00000  IS UNIT NUMBER 12
  HOLE NUMBER   16   AT X = 0.00000  Y = 0.00000  Z = 0.00000  IS UNIT NUMBER 13
  HOLE NUMBER   17   AT X = 0.00000  Y = -9.4489  Z = 0.00000  IS UNIT NUMBER 14

2 CYLINDER      5 1 RADIUS = 18.891  +Z = 10.000  -Z = -10.000  CENTERLINE IS AT X = 0.00000  Y = 0.00000

3 CYLINDER      6 1 RADIUS = 33.496  +Z = 10.000  -Z = -10.000  CENTERLINE IS AT X = 0.00000  Y = 0.00000

4 CYLINDER      5 1 RADIUS = 36.544  +Z = 10.000  -Z = -10.000  CENTERLINE IS AT X = 0.00000  Y = 0.00000

5 CYLINDER      8 1 RADIUS = 49.244  +Z = 10.000  -Z = -10.000  CENTERLINE IS AT X = 0.00000  Y = 0.00000

6 CYLINDER      5 1 RADIUS = 49.854  +Z = 10.000  -Z = -10.000  CENTERLINE IS AT X = 0.00000  Y = 0.00000

7 CUBOID        7 1   +X = 49.854  -X = -49.854  +Y = 49.854  -Y = -49.854  +Z = 10.000  -Z = -10.000

                ----- UNIT    81 -----

1 CUBOID        2 1   +X = 0.23750  -X = -0.23750  +Y = 4.1000  -Y = -4.1000  +Z = 10.000  -Z = -10.000

                ----- UNIT    83 -----

1 CUBOID        2 1   +X = 0.23750  -X = -0.23750  +Y = 4.1000  -Y = -4.1000  +Z = 10.000  -Z = -10.000

                ----- UNIT    90 EXTERNAL TO LATTICE 1 -----

HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB CENTER

1 ARRAY NUMBER  1   +X = 3.1250  -X = -3.1250  +Y = 4.3688  -Y = -4.3688  +Z = 10.000  -Z = -10.000

2 CUBOID        3 1   +X = 4.3688  -X = -4.3688  +Y = 4.3688  -Y = -4.3688  +Z = 10.000  -Z = -10.000
  HOLE NUMBER   1   AT X = -4.1312  Y = 0.00000  Z = 0.00000  IS UNIT NUMBER 81
  HOLE NUMBER   2   AT X = 4.1312  Y = 0.00000  Z = 0.00000  IS UNIT NUMBER 83

3 CUBOID        5 1   +X = 4.7244  -X = -4.7244  +Y = 4.3688  -Y = -4.3688  +Z = 10.000  -Z = -10.000

```

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM						
		----- UNIT 91 EXTERNAL TO LATTICE 1 -----						
HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT								
1	ARRAY NUMBER 1	+X = 2.3565	-X = -3.8935	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
	HOLE NUMBER 3	AT X = -4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 81			
	HOLE NUMBER 4	AT X = 4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 83			
3	CUBOID 5 1	+X = 4.7244	-X = -4.7244	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
		----- UNIT 92 EXTERNAL TO LATTICE 1 -----						
HFBR FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT								
1	ARRAY NUMBER 1	+X = 3.8935	-X = -2.3565	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
	HOLE NUMBER 5	AT X = -4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 81			
	HOLE NUMBER 6	AT X = 4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 83			
3	CUBOID 5 1	+X = 4.7244	-X = -4.7244	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
		----- UNIT 101 EXTERNAL TO LATTICE 1 -----						
HFBR FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK								
1	ARRAY NUMBER 1	+X = 3.8935	-X = -2.3565	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
	HOLE NUMBER 9	AT X = -4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 81			
	HOLE NUMBER 10	AT X = 4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 83			
3	CUBOID 5 1	+X = 4.6736	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
		----- UNIT 111 EXTERNAL TO LATTICE 1 -----						
HFBR FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK								
1	ARRAY NUMBER 1	+X = 2.3565	-X = -3.8935	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	
	HOLE NUMBER 13	AT X = -4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 81			
	HOLE NUMBER 14	AT X = 4.1312	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 83			
3	CUBOID 5 1	+X = 4.3688	-X = -4.6736	+Y = 4.3688	-Y = -4.3688	+Z = 10.000	-Z = -10.000	

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 20 BOTTOM TO TOP

1
2
3
4
5
5
5
5
5
5
5
5
5
5
5
5
6
7
8
1

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 2 -----

Z LAYER 1, X COLUMN 1 TO 2 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

10 11

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 3 -----

Z LAYER 1, X COLUMN 1 TO 3 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

92 90 91

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 4 -----

Z LAYER 1, X COLUMN 1 TO 2 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

101 111

VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	3.17500E+01 CM**3	3.17500E+01 CM**3
2	1	2	6.06320E+00 CM**3	6.06320E+00 CM**3
		3	9.81180E+00 CM**3	1.58750E+01 CM**3
		4	4.12750E+01 CM**3	5.71500E+01 CM**3
3	1	5	6.06320E+00 CM**3	6.06320E+00 CM**3
		6	9.81180E+00 CM**3	1.58750E+01 CM**3
		7	4.12750E+01 CM**3	5.71500E+01 CM**3
4	1	8	6.06320E+00 CM**3	6.06320E+00 CM**3
		9	9.81180E+00 CM**3	1.58750E+01 CM**3
		10	4.12750E+01 CM**3	5.71500E+01 CM**3
5	1	11	6.06320E+00 CM**3	6.06320E+00 CM**3
		12	9.81180E+00 CM**3	1.58750E+01 CM**3
		13	4.12750E+01 CM**3	5.71500E+01 CM**3
6	1	14	6.06320E+00 CM**3	6.06320E+00 CM**3
		15	9.81180E+00 CM**3	1.58750E+01 CM**3
		16	4.12750E+01 CM**3	5.71500E+01 CM**3
7	1	17	6.06320E+00 CM**3	6.06320E+00 CM**3
		18	9.81180E+00 CM**3	1.58750E+01 CM**3
		19	4.12750E+01 CM**3	5.71500E+01 CM**3
8	1	20	6.06320E+00 CM**3	6.06320E+00 CM**3
		21	9.81180E+00 CM**3	1.58750E+01 CM**3
		22	4.12750E+01 CM**3	5.71500E+01 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	34 IS AN ARRAY PLACEMENT BOUNDARY REGION	
10	1	34	1.09220E+03 CM**3	1.09220E+03 CM**3
		35	2.78913E+02 CM**3	1.52691E+03 CM**3
		36	5.32644E+01 CM**3	1.58018E+03 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	40 IS AN ARRAY PLACEMENT BOUNDARY REGION	
11	1	40	1.09220E+03 CM**3	1.09220E+03 CM**3
		41	2.78913E+02 CM**3	1.52691E+03 CM**3
		42	5.32644E+01 CM**3	1.58018E+03 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	46 IS AN ARRAY PLACEMENT BOUNDARY REGION	
12	1	46	3.16036E+03 CM**3	3.16036E+03 CM**3
		47	2.20490E+02 CM**3	3.38085E+03 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	48 IS AN ARRAY PLACEMENT BOUNDARY REGION	
13	1	48	4.95359E+03 CM**3	4.95359E+03 CM**3
		49	9.50914E+02 CM**3	5.90450E+03 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	50 IS AN ARRAY PLACEMENT BOUNDARY REGION	
14	1	50	3.16036E+03 CM**3	3.16036E+03 CM**3
		51	2.20490E+02 CM**3	3.38085E+03 CM**3
15	1	52	5.59918E+03 CM**3	1.82654E+04 CM**3
		53	4.15813E+03 CM**3	2.24235E+04 CM**3
		54	4.80740E+04 CM**3	7.04975E+04 CM**3
		55	1.34136E+04 CM**3	8.39110E+04 CM**3
		56	6.84563E+04 CM**3	1.52367E+05 CM**3
		57	3.79567E+03 CM**3	1.56163E+05 CM**3
		58	4.26699E+04 CM**3	1.98833E+05 CM**3
81	1	23	7.79000E+01 CM**3	7.79000E+01 CM**3
83	1	24	7.79000E+01 CM**3	7.79000E+01 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	25 IS AN ARRAY PLACEMENT BOUNDARY REGION	
90	1	25	1.09220E+03 CM**3	1.09220E+03 CM**3
		26	2.78913E+02 CM**3	1.52691E+03 CM**3
		27	1.24284E+02 CM**3	1.65120E+03 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	28 IS AN ARRAY PLACEMENT BOUNDARY REGION	
91	1	28	1.09220E+03 CM**3	1.09220E+03 CM**3
		29	2.78913E+02 CM**3	1.52691E+03 CM**3
		30	1.24284E+02 CM**3	1.65120E+03 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	31 IS AN ARRAY PLACEMENT BOUNDARY REGION	
92	1	31	1.09220E+03 CM**3	1.09220E+03 CM**3
		32	2.78913E+02 CM**3	1.52691E+03 CM**3
		33	1.24284E+02 CM**3	1.65120E+03 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	37 IS AN ARRAY PLACEMENT BOUNDARY REGION	
101	1	37	1.09220E+03 CM**3	1.09220E+03 CM**3
		38	2.78913E+02 CM**3	1.52691E+03 CM**3
		39	5.32644E+01 CM**3	1.58018E+03 CM**3
SURROUNDING	GEOMETRY VOLUMES -	GEOMETRY REGION	43 IS AN ARRAY PLACEMENT BOUNDARY REGION	

111	1	43	1.09220E+03 CM**3	1.09220E+03 CM**3
	2	44	2.78913E+02 CM**3	1.52691E+03 CM**3
	3	45	5.32644E+01 CM**3	1.58018E+03 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	14	1	2	4.44500E+02 CM**3
2	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.88925E+02 CM**3
3	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.88925E+02 CM**3
4	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.88925E+02 CM**3
5	84	1	1	5.09309E+02 CM**3
		2	2	8.24191E+02 CM**3
		3	3	3.46710E+03 CM**3
6	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.88925E+02 CM**3
7	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.88925E+02 CM**3
8	7	1	1	4.24424E+01 CM**3
		2	2	6.86826E+01 CM**3
		3	3	2.88925E+02 CM**3
10	1	1		1.09220E+03 CM**3
		2	3	2.78913E+02 CM**3
		3	5	5.32644E+01 CM**3
11	1	1		1.09220E+03 CM**3
		2	3	2.78913E+02 CM**3
		3	5	5.32644E+01 CM**3
12	1	1		3.16036E+03 CM**3
		2	5	2.20490E+02 CM**3
13	1	1		4.95359E+03 CM**3
		2	5	9.50914E+02 CM**3
14	1	1		3.16036E+03 CM**3
		2	5	2.20490E+02 CM**3
15	1	1	3	5.59918E+03 CM**3
		2	5	4.15813E+03 CM**3
		3	6	4.80740E+04 CM**3
		4	5	1.34136E+04 CM**3
		5	8	6.84563E+04 CM**3
		6	5	3.79567E+03 CM**3
		7	7	4.26699E+04 CM**3
81	7	1	2	5.45300E+02 CM**3
83	7	1	2	5.45300E+02 CM**3
90	1	1		1.09220E+03 CM**3
		2	3	2.78913E+02 CM**3
		3	5	1.24284E+02 CM**3
91	1	1		1.09220E+03 CM**3
		2	3	2.78913E+02 CM**3
		3	5	1.24284E+02 CM**3
92	1	1		1.09220E+03 CM**3
		2	3	2.78913E+02 CM**3
		3	5	1.24284E+02 CM**3
101	1	1		1.09220E+03 CM**3
		2	3	2.78913E+02 CM**3
		3	5	5.32644E+01 CM**3
111	1	1		1.09220E+03 CM**3
		2	3	2.78913E+02 CM**3
		3	5	5.32644E+01 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	7.63963E+02 CM**3	3.05153E+03
2	2.77139E+03 CM**3	7.48628E+03
3	1.27522E+04 CM**3	1.27289E+04
5	2.33452E+04 CM**3	1.84894E+05
6	4.80740E+04 CM**3	5.45351E+05
7	4.26699E+04 CM**3	4.25919E-16
8	6.84563E+04 CM**3	6.83311E-16

.....

*** BIASING INFORMATION ***

*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***

.....

NAC-LWT Cask SAR
Revision 38

November 2007

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING

..... 0.02017 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSION MATERIAL IN THE CORE= 6.03151E-02

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:
+X= 4.98539E+01 -X=-4.98539E+01 +Y= 4.98539E+01 -Y=-4.98539E+01 +Z= 1.00000E+01 -Z=-1.00000E+01

THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.38617 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.40533 MINUTES.

GENERATION	K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE	MATRIX K-EFF DEVIATION
KENO MESSAGE NUMBER K5-132 WARNING... ONLY 770 INDEPENDENT FISSION POINTS WERE GENERATED						
1	8.64733E-01	4.38500E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
2	9.07118E-01	4.72500E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132 WARNING... ONLY 773 INDEPENDENT FISSION POINTS WERE GENERATED						
3	8.54140E-01	5.05333E-01	8.54140E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	8.56161E-01	5.37333E-01	8.96378E-01	4.22379E-02	0.00000E+00	0.00000E+00
5	8.22249E-01	5.69400E-01	9.65002E-01	2.56659E-02	0.00000E+00	0.00000E+00
6	8.78528E-01	6.01400E-01	8.96633E-01	1.93669E-02	0.00000E+00	0.00000E+00
7	8.96732E-01	6.34500E-01	8.96653E-01	1.50016E-02	0.00000E+00	0.00000E+00
8	9.11766E-01	6.67333E-01	9.06442E-01	1.24426E-02	0.00000E+00	0.00000E+00
9	8.67361E-01	6.99500E-01	8.98919E-01	1.06904E-02	0.00000E+00	0.00000E+00
10	9.20900E-01	7.30500E-01	9.01676E-01	9.66016E-03	0.00000E+00	0.00000E+00
11	8.81180E-01	7.62667E-01	9.00610E-01	8.59692E-03	0.00000E+00	0.00000E+00
12	9.06228E-01	7.95667E-01	9.01052E-01	7.71233E-03	0.00000E+00	0.00000E+00
13	9.05461E-01	8.28633E-01	9.01480E-01	6.96741E-03	0.00000E+00	0.00000E+00
14	8.42603E-01	8.66667E-01	8.56090E-01	6.03716E-03	0.00000E+00	0.00000E+00
15	9.41479E-01	8.99633E-01	9.00043E-01	6.35975E-03	0.00000E+00	0.00000E+00
16	8.65977E-01	9.31833E-01	8.97610E-01	7.93666E-03	0.00000E+00	0.00000E+00
17	8.83131E-01	9.65633E-01	8.96645E-01	7.45147E-03	0.00000E+00	0.00000E+00
18	8.92143E-01	9.97833E-01	8.96365E-01	6.97575E-03	0.00000E+00	0.00000E+00
19	9.28505E-01	1.01983E+00	8.96255E-01	6.81991E-03	0.00000E+00	0.00000E+00
20	9.26201E-01	1.05483E+00	8.99808E-01	6.61465E-03	0.00000E+00	0.00000E+00
21	8.97280E-01	1.08983E+00	8.99679E-01	6.25822E-03	0.00000E+00	0.00000E+00
22	9.39244E-01	1.11663E+00	9.01655E-01	6.25671E-03	0.00000E+00	0.00000E+00
23	9.00410E-01	1.14900E+00	9.01596E-01	5.95351E-03	0.00000E+00	0.00000E+00
24	9.47855E-01	1.18100E+00	9.03699E-01	5.05338E-03	0.00000E+00	0.00000E+00
25	8.96989E-01	1.21300E+00	9.03406E-01	5.79160E-03	0.00000E+00	0.00000E+00
26	8.50033E-01	1.24500E+00	9.05348E-01	5.87526E-03	0.00000E+00	0.00000E+00
27	8.87597E-01	1.27700E+00	9.04638E-01	5.67990E-03	0.00000E+00	0.00000E+00
28	8.42066E-01	1.31000E+00	9.02232E-01	5.96307E-03	0.00000E+00	0.00000E+00
29	8.09666E-01	1.34017E+00	9.02506E-01	5.74538E-03	0.00000E+00	0.00000E+00
30	8.01386E-01	1.37133E+00	9.02468E-01	5.53653E-03	0.00000E+00	0.00000E+00
31	8.15198E-01	1.40433E+00	9.02638E-01	5.35500E-03	0.00000E+00	0.00000E+00
32	8.38927E-01	1.43633E+00	9.04041E-01	5.31145E-03	0.00000E+00	0.00000E+00
33	8.62382E-01	1.47017E+00	9.02698E-01	5.31010E-03	0.00000E+00	0.00000E+00
34	8.79410E-01	1.50233E+00	9.01970E-01	5.19273E-03	0.00000E+00	0.00000E+00
35	8.92716E-01	1.53433E+00	9.01689E-01	5.04072E-03	0.00000E+00	0.00000E+00
36	8.98032E-01	1.56733E+00	9.01583E-01	4.89138E-03	0.00000E+00	0.00000E+00
37	8.71316E-01	1.60117E+00	9.00718E-01	4.82764E-03	0.00000E+00	0.00000E+00
38	9.11996E-01	1.63317E+00	9.01031E-01	4.70209E-03	0.00000E+00	0.00000E+00
39	9.15146E-01	1.66617E+00	9.01413E-01	4.56913E-03	0.00000E+00	0.00000E+00
40	8.96372E-01	1.69817E+00	9.01333E-01	4.46744E-03	0.00000E+00	0.00000E+00
41	8.70585E-01	1.73017E+00	9.00544E-01	4.42223E-03	0.00000E+00	0.00000E+00
42	8.05066E-01	1.76233E+00	9.00658E-01	4.31175E-03	0.00000E+00	0.00000E+00
43	8.90664E-01	1.79333E+00	9.00418E-01	4.21211E-03	0.00000E+00	0.00000E+00
44	9.25132E-01	1.82633E+00	9.01006E-01	4.15250E-03	0.00000E+00	0.00000E+00
45	8.42242E-01	1.85933E+00	8.99640E-01	4.27869E-03	0.00000E+00	0.00000E+00
46	9.37250E-01	1.89500E+00	9.00495E-01	4.26700E-03	0.00000E+00	0.00000E+00
47	8.61176E-01	1.92250E+00	8.99621E-01	4.26164E-03	0.00000E+00	0.00000E+00
48	9.01697E-01	1.95450E+00	8.99666E-01	4.16821E-03	0.00000E+00	0.00000E+00
49	8.79237E-01	1.98650E+00	8.99231E-01	4.10165E-03	0.00000E+00	0.00000E+00
50	8.96695E-01	2.01850E+00	8.99178E-01	4.01564E-03	0.00000E+00	0.00000E+00
51	8.91902E-01	2.0507E+00	8.99030E-01	3.93564E-03	0.00000E+00	0.00000E+00
52	9.47823E-01	2.08350E+00	9.00066E-01	3.97768E-03	0.00000E+00	0.00000E+00
53	9.14855E-01	2.11567E+00	9.00297E-01	3.90976E-03	0.00000E+00	0.00000E+00
54	9.02876E-01	2.14767E+00	9.00348E-01	3.83419E-03	0.00000E+00	0.00000E+00
55	9.32833E-01	2.18007E+00	9.00956E-01	3.81015E-03	0.00000E+00	0.00000E+00
56	8.62499E-01	2.21350E+00	9.00244E-01	3.80640E-03	0.00000E+00	0.00000E+00
57	8.76213E-01	2.2467E+00	8.99844E-01	3.75796E-03	0.00000E+00	0.00000E+00
58	9.29361E-01	2.27667E+00	9.00371E-01	3.72770E-03	0.00000E+00	0.00000E+00
59	9.52866E-01	2.30700E+00	9.01292E-01	3.71575E-03	0.00000E+00	0.00000E+00
60	9.45472E-01	2.33800E+00	9.02616E-01	3.78069E-03	0.00000E+00	0.00000E+00
61	8.91692E-01	2.37100E+00	9.01847E-01	3.72002E-03	0.00000E+00	0.00000E+00
62	9.24170E-01	2.40300E+00	9.02219E-01	3.67637E-03	0.00000E+00	0.00000E+00
63	8.90866E-01	2.43517E+00	9.02033E-01	3.62038E-03	0.00000E+00	0.00000E+00
64	8.44533E-01	2.46800E+00	9.01106E-01	3.68028E-03	0.00000E+00	0.00000E+00
65	9.19200E-01	2.50017E+00	9.01393E-01	3.63276E-03	0.00000E+00	0.00000E+00
66	8.68399E-01	2.53217E+00	9.00877E-01	3.61259E-03	0.00000E+00	0.00000E+00
67	8.64434E-01	2.56500E+00	9.00316E-01	3.60050E-03	0.00000E+00	0.00000E+00
68	8.77680E-01	2.59800E+00	8.99973E-01	3.56208E-03	0.00000E+00	0.00000E+00
69	9.24317E-01	2.63000E+00	9.00337E-01	3.52727E-03	0.00000E+00	0.00000E+00
70	9.11875E-01	2.66300E+00	9.00506E-01	3.47915E-03	0.00000E+00	0.00000E+00
71	9.00279E-01	2.69417E+00	9.00503E-01	3.42836E-03	0.00000E+00	0.00000E+00
72	9.37093E-01	2.72533E+00	9.01026E-01	3.41920E-03	0.00000E+00	0.00000E+00
73	8.71049E-01	2.75817E+00	9.00603E-01	3.39704E-03	0.00000E+00	0.00000E+00
74	8.95938E-01	2.79033E+00	9.00539E-01	3.35015E-03	0.00000E+00	0.00000E+00
75	8.91734E-01	2.82317E+00	9.00418E-01	3.30614E-03	0.00000E+00	0.00000E+00
76	9.07962E-01	2.85533E+00	9.00520E-01	3.26275E-03	0.00000E+00	0.00000E+00
77	9.00078E-01	2.88817E+00	9.00514E-01	3.21896E-03	0.00000E+00	0.00000E+00
78	9.26636E-01	2.91933E+00	9.00858E-01	3.19486E-03	0.00000E+00	0.00000E+00
79	9.14409E-01	2.95133E+00	9.01034E-01	3.15801E-03	0.00000E+00	0.00000E+00
80	8.93065E-01	2.98250E+00	9.00932E-01	3.11893E-03	0.00000E+00	0.00000E+00
81	9.39654E-01	3.01550E+00	9.01422E-01	3.11796E-03	0.00000E+00	0.00000E+00
82	8.68000E-01	3.04933E+00	9.01004E-01	3.10696E-03	0.00000E+00	0.00000E+00

184	8.61304E-01	6.31917E+00	9.02979E-01	2.16496E-03	0.00000E+00	0.00000E+00
185	8.58905E-01	6.35133E+00	9.02739E-01	2.16652E-03	0.00000E+00	0.00000E+00
186	8.43865E-01	6.38335E+00	9.02419E-01	2.17836E-03	0.00000E+00	0.00000E+00
187	9.00657E-01	6.41533E+00	9.02406E-01	2.16659E-03	0.00000E+00	0.00000E+00
188	8.91287E-01	6.44654E+00	9.02346E-01	2.15574E-03	0.00000E+00	0.00000E+00
189	8.87537E-01	6.46033E+00	9.02267E-01	2.14564E-03	0.00000E+00	0.00000E+00
190	8.77943E-01	6.51150E+00	9.02137E-01	2.13611E-03	0.00000E+00	0.00000E+00
191	8.85705E-01	6.54167E+00	9.02051E-01	2.12855E-03	0.00000E+00	0.00000E+00
192	9.03297E-01	6.57367E+00	9.02058E-01	2.11733E-03	0.00000E+00	0.00000E+00
193	8.93692E-01	6.60563E+00	9.02014E-01	2.10667E-03	0.00000E+00	0.00000E+00
194	9.00854E-01	6.63867E+00	9.02006E-01	2.09568E-03	0.00000E+00	0.00000E+00
195	8.96094E-01	6.67167E+00	9.01977E-01	2.08501E-03	0.00000E+00	0.00000E+00
196	8.86010E-01	6.70367E+00	9.01895E-01	2.07507E-03	0.00000E+00	0.00000E+00
197	8.92024E-01	6.73483E+00	9.01844E-01	2.06582E-03	0.00000E+00	0.00000E+00
198	8.69306E-01	6.76600E+00	9.01673E-01	2.06236E-03	0.00000E+00	0.00000E+00
199	9.07466E-01	6.79800E+00	9.01702E-01	2.05208E-03	0.00000E+00	0.00000E+00
200	9.32423E-01	6.82917E+00	9.01858E-01	2.04757E-03	0.00000E+00	0.00000E+00
201	9.20243E-01	6.86217E+00	9.01950E-01	2.03935E-03	0.00000E+00	0.00000E+00
202	8.43967E-01	6.89500E+00	9.01660E-01	2.04974E-03	0.00000E+00	0.00000E+00
203	9.18508E-01	6.92617E+00	9.01744E-01	2.04124E-03	0.00000E+00	0.00000E+00
204	9.21690E-01	6.95917E+00	9.01843E-01	2.03350E-03	0.00000E+00	0.00000E+00
205	8.85344E-01	6.99200E+00	9.01761E-01	2.02509E-03	0.00000E+00	0.00000E+00
206	9.25774E-01	7.02317E+00	9.01879E-01	2.01858E-03	0.00000E+00	0.00000E+00


KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LIFETIME = 8.34755E-05 + OR - 2.90697E-07 GENERATION TIME = 4.14031E-05 + OR - 1.44102E-07
 NU BAR = 2.42026E+00 + OR - 1.85916E-05 AVERAGE FISSION GROUP = 2.35537E+01 + OR - 8.36356E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 6.47922E-02 + OR - 4.37889E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.90211	+ OR - 0.00201	0.90010 TO 0.90413	0.89808 TO 0.90614	0.89607 TO 0.90816	162400
4	0.90193	+ OR - 0.00202	0.89992 TO 0.90395	0.89790 TO 0.90597	0.89588 TO 0.90798	161600
5	0.90183	+ OR - 0.00202	0.89981 TO 0.90386	0.89778 TO 0.90588	0.89576 TO 0.90790	160800
6	0.90194	+ OR - 0.00203	0.89991 TO 0.90398	0.89788 TO 0.90601	0.89585 TO 0.90804	160000
7	0.90196	+ OR - 0.00204	0.89992 TO 0.90400	0.89788 TO 0.90604	0.89584 TO 0.90808	159200
8	0.90191	+ OR - 0.00205	0.89986 TO 0.90396	0.89781 TO 0.90601	0.89576 TO 0.90806	158400
9	0.90198	+ OR - 0.00206	0.89992 TO 0.90404	0.89786 TO 0.90610	0.89580 TO 0.90816	157600
10	0.90189	+ OR - 0.00207	0.89982 TO 0.90396	0.89775 TO 0.90602	0.89568 TO 0.90809	156800
11	0.90194	+ OR - 0.00208	0.89986 TO 0.90402	0.89779 TO 0.90610	0.89571 TO 0.90818	156000
12	0.90192	+ OR - 0.00209	0.89983 TO 0.90401	0.89774 TO 0.90610	0.89565 TO 0.90819	155200
17	0.90229	+ OR - 0.00210	0.90019 TO 0.90439	0.89810 TO 0.90649	0.89600 TO 0.90859	151200
22	0.90190	+ OR - 0.00214	0.89977 TO 0.90404	0.89763 TO 0.90618	0.89549 TO 0.90832	147200
27	0.90149	+ OR - 0.00216	0.89933 TO 0.90366	0.89717 TO 0.90582	0.89500 TO 0.90798	143200
32	0.90151	+ OR - 0.00219	0.89932 TO 0.90369	0.89713 TO 0.90588	0.89494 TO 0.90807	139200
37	0.90212	+ OR - 0.00223	0.89989 TO 0.90435	0.89766 TO 0.90658	0.89544 TO 0.90880	135200
42	0.90218	+ OR - 0.00229	0.89989 TO 0.90446	0.89761 TO 0.90675	0.89532 TO 0.90903	131200
47	0.90252	+ OR - 0.00230	0.90022 TO 0.90481	0.89793 TO 0.90711	0.89563 TO 0.90941	127200
52	0.90249	+ OR - 0.00235	0.90014 TO 0.90483	0.89779 TO 0.90718	0.89545 TO 0.90953	123200
57	0.90263	+ OR - 0.00239	0.90024 TO 0.90503	0.89784 TO 0.90742	0.89545 TO 0.90982	119200
62	0.90174	+ OR - 0.00242	0.89931 TO 0.90416	0.89689 TO 0.90658	0.89447 TO 0.90901	115200
67	0.90261	+ OR - 0.00244	0.90017 TO 0.90505	0.89772 TO 0.90750	0.89528 TO 0.90994	111200
72	0.90232	+ OR - 0.00251	0.89982 TO 0.90483	0.89731 TO 0.90734	0.89480 TO 0.90985	107200
77	0.90267	+ OR - 0.00259	0.90008 TO 0.90527	0.89749 TO 0.90786	0.89489 TO 0.91045	103200
82	0.90244	+ OR - 0.00266	0.89979 TO 0.90510	0.89713 TO 0.90776	0.89447 TO 0.91041	99200
87	0.90317	+ OR - 0.00272	0.90045 TO 0.90589	0.89773 TO 0.90861	0.89501 TO 0.91133	95200
92	0.90343	+ OR - 0.00274	0.90069 TO 0.90617	0.89794 TO 0.90892	0.89520 TO 0.91166	91200


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.90324	+ OR - 0.00277	0.90048 TO 0.90601	0.89771 TO 0.90878	0.89494 TO 0.91155	87200
102	0.90271	+ OR - 0.00286	0.89985 TO 0.90557	0.89699 TO 0.90843	0.89413 TO 0.91129	83200
107	0.90236	+ OR - 0.00286	0.89950 TO 0.90522	0.89664 TO 0.90808	0.89378 TO 0.91094	79200
112	0.90234	+ OR - 0.00299	0.89935 TO 0.90534	0.89636 TO 0.90833	0.89337 TO 0.91132	75200
117	0.90349	+ OR - 0.00310	0.90040 TO 0.90659	0.89730 TO 0.90969	0.89420 TO 0.91279	71200
122	0.90164	+ OR - 0.00312	0.89852 TO 0.90475	0.89540 TO 0.90787	0.89228 TO 0.91099	67200
127	0.90118	+ OR - 0.00310	0.89809 TO 0.90428	0.89499 TO 0.90738	0.89189 TO 0.91047	63200
132	0.90064	+ OR - 0.00322	0.89742 TO 0.90386	0.89420 TO 0.90708	0.89098 TO 0.91030	59200
137	0.90102	+ OR - 0.00333	0.89769 TO 0.90435	0.89436 TO 0.90768	0.89103 TO 0.91101	55200
142	0.90069	+ OR - 0.00337	0.89732 TO 0.90406	0.89395 TO 0.90744	0.89058 TO 0.91081	51200
147	0.89893	+ OR - 0.00340	0.89553 TO 0.90233	0.89214 TO 0.90572	0.88874 TO 0.90912	47200
152	0.89844	+ OR - 0.00368	0.89476 TO 0.90211	0.89109 TO 0.90579	0.88741 TO 0.90947	43200
157	0.89777	+ OR - 0.00386	0.89391 TO 0.90163	0.89005 TO 0.90549	0.88619 TO 0.90935	39200
162	0.89926	+ OR - 0.00414	0.89511 TO 0.90340	0.89097 TO 0.90754	0.88683 TO 0.91168	35200
167	0.89782	+ OR - 0.00438	0.89344 TO 0.90220	0.88905 TO 0.90659	0.88467 TO 0.91097	31200
172	0.89869	+ OR - 0.00474	0.89395 TO 0.90342	0.88921 TO 0.90816	0.88447 TO 0.91290	27200
177	0.89722	+ OR - 0.00538	0.89184 TO 0.90260	0.88646 TO 0.90797	0.88108 TO 0.91335	23200
182	0.89195	+ OR - 0.00493	0.88702 TO 0.89688	0.88209 TO 0.90181	0.87717 TO 0.90674	19200
187	0.89675	+ OR - 0.00496	0.89179 TO 0.90171	0.88684 TO 0.90666	0.88189 TO 0.91162	15200
192	0.89946	+ OR - 0.00649	0.89297 TO 0.90595	0.88648 TO 0.91244	0.87999 TO 0.91892	11200
197	0.90264	+ OR - 0.01006	0.89257 TO 0.91270	0.88251 TO 0.92276	0.87245 TO 0.93282	7200
202	0.91283	+ OR - 0.00928	0.90355 TO 0.92211	0.89427 TO 0.93139	0.88498 TO 0.94067	3200




```
100 + | I * J  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
105 + | I * I  
      | I * I  
      | I * J  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
110 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
115 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
120 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
125 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
130 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
135 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
140 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
145 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
150 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
155 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
160 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
165 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
170 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
175 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
180 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
185 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
190 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
195 + | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I  
      | I * I
```

200	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
205	I	*	I
	I	*	I
	I	*	I

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION SKIPPED.
THE LINE REPRESENTS $K-EFF = 0.9021 \pm OR - 0.0020$ WHICH OCCURS FOR 3 GENERATIONS SKIPPED.







GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	SKIPPING 3 GENERATIONS	
									PERCENT DEVIATION	PERCENT DEVIATION
1	0.0003			2.56035E-04	5.4573	1.50773E-03	2.1757	0.00000E+00	0.0000	
2	0.0013			1.19711E-03	1.7824	3.23043E-03	0.6837	0.00000E+00	0.0000	
3	0.0017			1.52498E-03	1.4960	1.03787E-03	1.0080	0.00000E+00	0.0000	
4	0.0010			9.21900E-04	1.7058	5.67407E-04	1.2742	0.00000E+00	0.0000	
5	0.0014			1.25991E-03	1.4508	1.02450E-03	0.9580	0.00000E+00	0.0000	
6	0.0018			1.65059E-03	1.1540	2.63366E-03	0.8416	0.00000E+00	0.0000	
7	0.0019			1.70295E-03	1.1907	4.22649E-03	0.8983	0.00000E+00	0.0000	
8	0.0020			1.79592E-03	1.8803	3.80393E-03	1.0126	0.00000E+00	0.0000	
9	0.0027			2.41033E-03	1.9931	4.26692E-03	1.0242	0.00000E+00	0.0000	
10	0.0058			5.23952E-03	1.9873	9.84187E-03	1.0582	0.00000E+00	0.0000	
11	0.0122			1.10506E-02	1.7951	1.50933E-02	1.0254	0.00000E+00	0.0000	
12	0.0166			1.49499E-02	1.8439	1.56324E-02	1.2484	0.00000E+00	0.0000	
13	0.0162			1.46159E-02	1.7701	1.92808E-02	1.0976	0.00000E+00	0.0000	
14	0.0137			1.23654E-02	1.8835	2.24392E-02	1.0243	0.00000E+00	0.0000	
15	0.0027			2.41279E-03	3.3935	1.01851E-02	1.1256	0.00000E+00	0.0000	
16	0.0019			1.67969E-03	4.3603	6.19063E-03	1.3070	0.00000E+00	0.0000	
17	0.0029			2.65759E-03	4.7425	3.98055E-03	2.0496	0.00000E+00	0.0000	
18	0.0041			3.68149E-03	4.6778	4.09399E-03	2.2997	0.00000E+00	0.0000	
19	0.0049			4.46071E-03	3.9852	6.55610E-03	1.5972	0.00000E+00	0.0000	
20	0.0208			1.87417E-02	1.8909	2.46814E-02	0.9581	0.00000E+00	0.0000	
21	0.0115			1.03529E-02	2.7066	1.06895E-02	1.4122	0.00000E+00	0.0000	
22	0.0277			2.49519E-02	1.9069	2.45621E-02	1.1086	0.00000E+00	0.0000	
23	0.1056			9.52794E-02	0.9464	1.01529E-01	0.5113	0.00000E+00	0.0000	
24	0.2186			1.97206E-01	0.6778	2.12961E-01	0.3258	0.00000E+00	0.0000	
25	0.1915			1.72761E-01	0.6087	1.83980E-01	0.3180	0.00000E+00	0.0000	
26	0.2416			2.17928E-01	0.5720	2.28888E-01	0.3164	0.00000E+00	0.0000	
27	0.0876			7.90606E-02	1.0865	7.84555E-02	0.6611	0.00000E+00	0.0000	
SYSTEM TOTAL =				9.02114E-01	0.2233	1.00134E+00	0.0542	0.00000E+00	0.0000	
ELAPSED TIME	7.02500 MINUTES									
RANDOM NUMBER=	791A56DD44CA									

```
                                FREQUENCY FOR GENERATIONS 4 TO 206
0.8419 TO 0.8561 *****
0.8561 TO 0.8702 *****
0.8702 TO 0.8843 *****
0.8843 TO 0.8985 *****
0.8985 TO 0.9126 *****
0.9126 TO 0.9268 *****
0.9268 TO 0.9409 *****
0.9409 TO 0.9551 *****
0.9551 TO 0.9692 *****
0.9692 TO 0.9833 **
```

```
                                FREQUENCY FOR GENERATIONS 55 TO 206
0.8419 TO 0.8561 *****
0.8561 TO 0.8702 *****
0.8702 TO 0.8843 *****
0.8843 TO 0.8985 *****
0.8985 TO 0.9126 *****
0.9126 TO 0.9268 *****
0.9268 TO 0.9409 *****
0.9409 TO 0.9551 *****
0.9551 TO 0.9692 *****
0.9692 TO 0.9833 **
```

```
                                FREQUENCY FOR GENERATIONS 105 TO 206
0.8419 TO 0.8561 *****
0.8561 TO 0.8702 *****
0.8702 TO 0.8843 *****
0.8843 TO 0.8985 *****
0.8985 TO 0.9126 *****
0.9126 TO 0.9268 *****
0.9268 TO 0.9409 *****
0.9409 TO 0.9551 *****
0.9551 TO 0.9692 *****
0.9692 TO 0.9833 *
```

```
                                FREQUENCY FOR GENERATIONS 156 TO 206
0.8419 TO 0.8561 *****
0.8561 TO 0.8702 *****
0.8702 TO 0.8843 *****
0.8843 TO 0.8985 *****
0.8985 TO 0.9126 *****
0.9126 TO 0.9268 *****
0.9268 TO 0.9409 *****
0.9409 TO 0.9551 *****
0.9551 TO 0.9692 *****
0.9692 TO 0.9833 *
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 7.02500 MINUTES
.....

6.6.4 Intact PWR and BWR Fuel Rods in a Rod Holder or Fuel Assembly Lattice

This section contains abbreviated output files from the most reactive normal condition and accident condition moderator density variation cases.

Figure 6.6.4-1 CSAS Input/Output for NAC-LWT with 25 PWR Rods – Most Reactive Normal Condition Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
PWR RODS, NO BASKET, VOID EXTERIOR, GAP VOID
Z7GROUPNDF4 LATTICECELL
UO2 1 0.95 293.0 92235 5.0 92238 95.0 END
ZIRCALLOY 2 1.0 293.0 END
H2O 3 1.000 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.0 293.0 END
H2O 8 1.000 293.0 END
H2O 9 1.0E-20 293.0 END
END COMP
TRIANGPITCH 2.92169 0.9564 1 3 1.1175 2 0.9753 9 END
"1WT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"
READ PARAM RUN=YES PLT=NO GEN=103 NPG=400 END PARAM
READ GEOM
UNIT 1
COM="PWR FUEL ROD"
CYLINDER 1 1 0.4781 -2P10.0
CYLINDER 9 1 0.4876 2P10.0
CYLINDER 2 1 0.5588 2P10.0
GLOBAL UNIT 2
CYLINDER 3 1 16.9663 2P10.0
HOLE 1 1 .0000 .0000 .0000
HOLE 1 1 .0000 -2.9216 .0000
HOLE 1 1 2.5301 1.4608 .0000
HOLE 1 1 2.5301 -1.4608 .0000
HOLE 1 1 .0000 -2.9216 .0000
HOLE 1 1 -2.5301 -1.4608 .0000
HOLE 1 1 -2.5301 1.4608 .0000
HOLE 1 1 -2.5301 4.3825 .0000
HOLE 1 1 .0000 5.8433 .0000
HOLE 1 1 2.5301 4.3825 .0000
HOLE 1 1 5.0603 2.9216 .0000
HOLE 1 1 5.0603 .0000 .0000
HOLE 1 1 5.0603 -2.9216 .0000
HOLE 1 1 2.5301 -4.3825 .0000
HOLE 1 1 .0000 -5.8433 .0000
HOLE 1 1 -2.5301 -4.3825 .0000
HOLE 1 1 -5.0603 -2.9216 .0000
HOLE 1 1 -5.0603 .0000 .0000
HOLE 1 1 -5.0603 2.9216 .0000
HOLE 1 1 -5.0603 5.8433 .0000
HOLE 1 1 2.5301 7.3041 .0000
HOLE 1 1 7.5904 1.4608 .0000
HOLE 1 1 5.0603 -5.8433 .0000
HOLE 1 1 -2.5301 -7.3041 .0000
HOLE 1 1 -7.5904 -1.4608 .0000
CYLINDER 5 1 18.8913 2P10.0
CYLINDER 6 1 33.4963 2P10.0
CYLINDER 5 1 36.5443 2P10.0
CYLINDER 7 1 49.2443 2P10.0
CYLINDER 5 1 49.8539 2P10.0
CUBOID 8 1 4P49.8539 2P10.0
END GEOM
READ BOUNDS ALL=MIR END BOUNDS
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.60 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 5.93 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 262.93 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 271.12 (SECONDS).

```

```

CCCCCCCCC SSSSSSSSS AAAAAAAA SSSSSSSSS 222222222 555555555555
CCCCCCCCC SSSSSSSSS AAAAAAAA SSSSSSSSS 222222222 555555555555
CC CC SS AA AA SS SS 22 22 55
CC SS AA AA SS SS 22 22 55
CC SS AA AA SS SS 22 22 55
CC SSSSSSSSS AAAAAAAA SSSSSSSSS 22 5555555555
CC SSSSSSSSS AAAAAAAA SSSSSSSSS 22 5555555555
CC SS AA AA SS 22 55 55
CC SS AA AA SS 22 55 55
CC SS AA AA SS 22 55 55
CCCCCCCCC SSSSSSSSS AA AA SSSSSSSSS 222222222 555555555555
CCCCCCCCC SSSSSSSSS AA AA SSSSSSSSS 222222222 555555555555
    
```

```

SSSSSSSSS CCCCCCCCC AAAAAAAA LL EEEEEEEEE PPPPPPPPP CCCCCCCCC
SSSSSSSSS CCCCCCCCC AAAAAAAA LL EEEEEEEEE PPPPPPPPP CCCCCCCCC
SS SS CC CC AA AA LL EE EEEEEEEEE P PP CC CC
SS CC AA AA LL EE EEEEEEEEE P PP CC CC
SS CC AA AA LL EE EEEEEEEEE P PP CC CC
SSSSSSSSS CC AAAAAAAA LL EEEEEEEEE ----- PPPPPPPPP CC
SSSSSSSSS CC AAAAAAAA LL EEEEEEEEE ----- PPPPPPPPP CC
SS SS CC AA AA LL EE EE CC CC
SS SS CC AA AA LL EE EE CC CC
SSSSSSSSS CCCCCCCCC AA AA LLLLLLLLLL EEEEEEEEE PP CCCCCCCCC
SSSSSSSSS CCCCCCCCC AA AA LLLLLLLLLL EEEEEEEEE PP CCCCCCCCC
    
```

```

0000000 888888888 // 0000000 555555555 // 999999999 888888888
000000000 88888888888 000000000 55555555555 99999999999 88888888888
00 00 88 88 00 00 55 55 99 99 88 88
00 00 88 88 00 00 55 55 99 99 88 88
00 00 88 88 00 00 55 55 99 99 88 88
00 00 888888888 00 00 555555555 99999999999 88888888888
00 00 888888888 00 00 555555555 99999999999 88888888888
00 00 88 88 00 00 55 55 99 99 88 88
00 00 88 88 00 00 55 55 99 99 88 88
00 00 88 88 00 00 55 55 99 99 88 88
000000000 88888888888 // 000000000 55555555555 // 99999999999 88888888888
0000000 888888888 // 0000000 555555555 // 999999999 888888888
    
```

```

0000000 888888888 11 0000000 44 44
000000000 88888888888 111 000000000 444 444
00 00 88 88 ::: 1111 00 00 ::: 4444 4444
00 00 88 88 ::: 11 00 00 ::: 44 44 44 44
00 00 888888888 11 00 00 ::: 44 44 44 44
00 00 888888888 11 00 00 ::: 44 44 44 44
00 00 88 88 ::: 11 00 00 ::: 4444444444 4444444444
00 00 88 88 ::: 11 00 00 ::: 444444444444 444444444444
00 00 88 88 ::: 11 00 00 ::: 44 44 44 44
000000000 88888888888 11111111 000000000 44 44
0000000 888888888 1111111 0000000 44 44
    
```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAA  LL  EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAAA  LL  EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SS  SS  CC  CC  AA  AA  LL  EE  PP  PP  CC  CC
SS  CC  AA  AA  LL  EE  PP  PP  CC  CC
SS  CC  AA  AA  LL  EE  PP  PP  CC  CC
SSSSSSSSSS  CC  AAAAAAAAAAA  LL  EEEEEEEE  -----  PPPPPPPPPPP  CC
SSSSSSSSSS  CC  AAAAAAAAAAA  LL  EEEEEEEE  -----  PPPPPPPPPPP  CC
SS  SS  CC  AA  AA  LL  EE  PP  PP  CC  CC
SS  SS  CC  CC  AA  AA  LL  EE  PP  PP  CC  CC
SSSSSSSSSS  CCCCCCCCCC  AA  AA  LLLLLLLLLL  EEEEEEEEEEE  PP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA  AA  LLLLLLLLLL  EEEEEEEEEEE  PP  CCCCCCCCCC
  
```

```

.....
*****
PROGRAM VERIFICATION INFORMATION
*****
CODE SYSTEM:  SCALE-PC VERSION:  4.3
*****
.....
PROGRAM:  CSAS
*****
CREATION DATE:  03/08/96
*****
VOLUME:  ENG
*****
LIBRARY:  G:\SCALE43\WIN_NT\EXE
*****
PRODUCTION CODE:  CSAS
*****
VERSION:  3.1
*****
JOBNAME:  SCALE-PC
*****
DATE OF EXECUTION:  08/05/98
*****
TIME OF EXECUTION:  08:10:44
*****
.....
  
```


PWR RODS, NO BASKET, VOID EXTERIOR, GAP VOID

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MX 9 MIXTURES
MSC 9 COMPOSITION SPECIFICATIONS
IZM 4 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC UO2 STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.9500 VOLUME FRACTION
ROTH 10.9600 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 5.000 WT%
92238 95.000 WT%
8016 2.00 ATOMS/MOLECULE

END

SC ZIRCALLOY STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 6.5600 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
40302 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

END

SC PB STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND

```
TEMP      293.0 DEG KELVIN
          1001      2.00 ATOMS/MOLECULE
          8016      1.00 ATOM/MOLECULE
END

SC H2O          STANDARD COMPOSITION
MX              9 MIXTURE NO.
VF      0.0000  VOLUME FRACTION
ROTH     0.9982  THEORETICAL DENSITY
NEL       2 NO. ELEMENTS
ICP       1 0/1 MIXTURE/COMPOUND
TEMP      293.0 DEG KELVIN
          1001      2.00 ATOMS/MOLECULE
          8016      1.00 ATOM/MOLECULE
END
```

**** PROBLEM GEOMETRY ****

```
CTP TRIANGPITCH CELL TYPE
PITCH      2.9217_CM CENTER TO CENTER SPACING
FUELOD     0.9564_CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL      1 MIXTURE NO. OF FUEL
MMOD       3 MIXTURE NO. OF MODERATOR
CLADOD     1.1175_CM CLAD OUTER DIAMETER
MCLAD      2 MIXTURE NO. OF CLAD
GAPOD     . 0.9753_CM GAP OUTER DIAMETER
MGAP       9 MIXTURE NO. OF GAP
```

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

```
ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD
```

```

*****
PWR RODS, NO BASKET, VOID EXTERIOR, GAP VOID
*****
***** DATA LIBRARY INFORMATION *****
UNIT          DATA SET NAME          VOLUME          UNIT FUNCTION
NUMBER        DATA SET NAME          NAME             DATA SET NAME
-----        -----
89            G:\scale43\DATALIB\FT89F001          STANDARD COMPOSITION LIBRARY
82            G:\scale43\DATALIB\FT82F001          CROSS SECTION LIBRARY
11            D:\PROJECTS\BU85-C-1\rods9\RONX3M\FT11F001  SHORT CROSS SECTION LIBRARY
90            D:\PROJECTS\BU85-C-1\rods9\RONX3M\FT90F001  INPUT DATA DIRECT ACCESS
*****
*****
STANDARD COMPOSITION LIBRARY DATA
-----
UNIT NUMBER   : 89
DATASET NAME  : G:\scale43\DATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
              637 STANDARD COMPOSITIONS, 490 NUCLIDES
              90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95
*****
*****
CROSS SECTION LIBRARY DATA
-----
UNIT NUMBER   : 82
DATASET NAME  : G:\scale43\DATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
              BASED ON ENDF-B VERSION 4 DATA
              COMPILED FOR NRC      1/27/89
              LAST UPDATED
              L.M.PETRIE - ORNL
*****
*****
08/12/94
*****

```

```

..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....
***** DATA READING COMPLETED *****
..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....

```

CONTROL MODULE CSAS25 IS COMPLETE.

KK	KK	EEEEEEEEEEEE	NN	NN	0000000000	VV	VV
KK	KK	EEEEEEEEEEEE	NNN	NN	0000000000	VV	VV
KK	KK	EE	NNNN	NN	00	VV	VV
KK	KK	EE	NN NN	NN	00	VV	VV
KK	KK	EE	NN NN	NN	00	VV	VV
KKKKKKKK	EEEEEEEE	NN NN	NN	00	00	VV	VV
KKKKKKKK	EEEEEEEE	NN NN	NN	00	00	VV	VV
KK	KK	EE	NN	NN NN	00	00	00
KK	KK	EE	NN	NN NN	00	00	00
KK	KK	EE	NN	NNNN	00	00	00
KK	KK	EEEEEEEEEEEE	NN	NNN	0000000000	VVV	V
KK	KK	EEEEEEEEEEEE	NN	NN	0000000000	V	

SSSSSSSSSS	CCCCCCCCCC	AAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC					
SSSSSSSSSS	CCCCCCCCCC	AAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC					
SS	SS	CC	CC	AA	AA	LL	EE	EP	PP	CC	CC
SS		CC		AA	AA	LL	EE	EP	PP	CC	CC
SS		CC		AA	AA	LL	EE	EP	PP	CC	CC
SSSSSSSSSS	CC	AAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC		PPPPPPPPPP	CC		
SSSSSSSSSS	CC	AAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC		PPPPPPPPPP	CC		
	SS	CC	CC	AA	AA	LL	EE	PP	CC	CC	CC
	SS	CC	CC	AA	AA	LL	EE	PP	CC	CC	CC
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LLLLLLLLLLL	EEEEEEEEEEEE	PP	PP	PP	CC	CCCCCCCCCC	CC
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LLLLLLLLLLL	EEEEEEEEEEEE	PP	PP	PP	CC	CCCCCCCCCC	CC

0000000	8888888888	//	0000000	5555555555	//	9999999999	8888888888
00000000	888888888888	//	00000000	555555555555	//	999999999999	888888888888
00	00		00	00		99	99
00	00		00	00		99	99
00	00		00	00		99	99
00	00		00	00		99	99
00	00		00	00		99	99
00	00		00	00		99	99
00	00		00	00		99	99
00	00		00	00		99	99
00000000	888888888888	//	00000000	555555555555	//	999999999999	888888888888
0000000	8888888888	//	0000000	5555555555	//	99999999999	8888888888

0000000	8888888888	11	0000000	5555555555	2222222222
00000000	888888888888	111	00000000	555555555555	222222222222
00	00	88	00	00	55
00	00	88	00	00	55
00	00	88	00	00	55
00	00	88	00	00	55
00	00	88	00	00	55
00	00	88	00	00	55
00	00	88	00	00	55
00	00	88	00	00	55
00	00	88	00	00	55
00	00	88	00	00	55
00000000	888888888888	1111111	00000000	555555555555	222222222222
0000000	8888888888	1111111	0000000	5555555555	222222222222

```
.....
***
***                               "LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"
***
.....
***                               NUMERIC PARAMETERS
***
***
***      TME      MAXIMUM PROBLEM TIME (MIN)      30.00
***
***      TBA      TIME PER GENERATION (MIN)      0.50
***
***      GEN      NUMBER OF GENERATIONS      103
***
***      NPG      NUMBER PER GENERATION      400
***
***      NSK      NUMBER OF GENERATIONS TO BE SKIPPED      3
***
***      BEG      BEGINNING GENERATION NUMBER      1
***
***      RES      GENERATIONS BETWEEN CHECKPOINTS      0
***
***      X1D      NUMBER OF EXTRA 1-D CROSS SECTIONS      1
***
***      NBK      NEUTRON BANK SIZE      425
***
***      XNB      EXTRA POSITIONS IN NEUTRON BANK      0
***
***      NFB      FISSION BANK SIZE      400
***
***      XFB      EXTRA POSITIONS IN FISSION BANK      0
***
***      WTA      DEFAULT VALUE OF WEIGHT AVERAGE      0.5000
***
***      WTH      WEIGHT HIGH FOR SPLITTING      3.0000
***
***      WTL      WEIGHT LOW FOR RUSSIAN ROULETTE      0.3333
***
***      RND      STARTING RANDOM NUMBER      BB827100001
***
***      NBB      NUMBER OF D.A. BLOCKS ON UNIT 8      200
***
***      NLB      LENGTH OF D.A. BLOCKS ON UNIT 8      512
***
***      ADJ      MODE OF CALCULATION      FORWARD
***
***      INPUT DATA WRITTEN ON RESTART UNIT      NO
***
***      BINARY DATA INTERFACE      YES
***
.....
```

```
.....  
..... "LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"  
.....  
..... LOGICAL PARAMETERS .....  
.....  
..... RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO .....  
..... FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO .....  
..... SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES .....  
..... MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO .....  
..... CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO .....  
..... FMU PRINT FISS PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISS PROD MATRIX BY UNIT LOCATION NO .....  
..... MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO .....  
..... CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO .....  
..... FMH PRINT FISS PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISS PROD MATRIX BY ARRAY NUMBER NO .....  
..... HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO .....  
..... AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO .....  
..... XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO .....  
..... XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO .....  
..... XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO .....  
..... PKJ PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO .....  
..... P1D PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO .....  
..... TRK PRINT TRACKING INFORMATION NO .....  
.....  
..... PARAMETER INPUT COMPLETED  
.....  
..... 0 IO'S WERE USED READING THE PARAMETER DATA .....  
..... DATA READING COMPLETED .....
```

```
*****  
*** "LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH" ***  
*****  
***  
***          ***** ADDITIONAL INFORMATION *****          ***  
***  
*** NUMBER OF ENERGY GROUPS          27          USE LATTICE GEOMETRY          NO ***  
*** NO. OF FISSION SPECTRUM SOURCE GROUP 1          GLOBAL ARRAY NUMBER          0 ***  
*** NO. OF SCATTERING ANGLES IN XSECS  2          NUMBER OF UNITS IN THE GLOBAL X DIR.  0 ***  
*** ENTRIES/NEUTRON IN THE NEUTRON BANK 17         NUMBER OF UNITS IN THE GLOBAL Y DIR.  0 ***  
*** ENTRIES/NEUTRON IN THE FISSION BANK 10         NUMBER OF UNITS IN THE GLOBAL Z DIR.  0 ***  
*** NUMBER OF MIXTURES USED            8          USE A GLOBAL REFLECTOR          YES ***  
*** NUMBER OF BIAS ID'S USED           1          USE NESTED HOLES                NO ***  
*** NUMBER OF DIFFERENTIAL ALBEDOS USED 0          NUMBER OF HOLES                 25 ***  
*** TOTAL INPUT GEOMETRY REGIONS       10         MAXIMUM HOLE NESTING LEVEL       1 ***  
*** NUMBER OF GEOMETRY REGIONS USED    10         USE NESTED ARRAYS                NO ***  
*** LARGEST GEOMETRY UNIT NUMBER       2          NUMBER OF ARRAYS USED           0 ***  
*** LARGEST ARRAY NUMBER               1          MAXIMUM ARRAY NESTING LEVEL     0 ***  
***  
*** +X BOUNDARY CONDITION              MIR        -X BOUNDARY CONDITION              MIR ***  
*** +Y BOUNDARY CONDITION              MIR        -Y BOUNDARY CONDITION              MIR ***  
*** +Z BOUNDARY CONDITION              MIR        -Z BOUNDARY CONDITION              MIR ***  
***  
*****
```

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
			----- UNIT 1 -----				
PWR FUEL ROD							
1	1	1	RADIUS = 0.47810	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	1	9	RADIUS = 0.48760	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	1	2	RADIUS = 0.55880	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
			***** GLOBAL *****				
			----- UNIT 2 -----				
1	3	1	RADIUS = 16.986	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
	HOLE NUMBER	1	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	2	AT X = 0.00000	Y = 2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	3	AT X = 2.5301	Y = 1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	4	AT X = 2.5301	Y = -1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	5	AT X = 0.00000	Y = -2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	6	AT X = -2.5301	Y = -1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	7	AT X = -2.5301	Y = 1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	8	AT X = -2.5301	Y = 4.3825	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	9	AT X = 0.00000	Y = 5.8433	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	10	AT X = 2.5301	Y = 4.3825	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	11	AT X = 5.0603	Y = 2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	12	AT X = 5.0603	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	13	AT X = 5.0603	Y = -2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	14	AT X = 2.5301	Y = -4.3825	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	15	AT X = 0.00000	Y = -5.8433	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	16	AT X = -2.5301	Y = -4.3825	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	17	AT X = -5.0603	Y = -2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	18	AT X = -5.0603	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	19	AT X = -5.0603	Y = 2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	20	AT X = -5.0603	Y = 5.8433	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	21	AT X = 2.5301	Y = 7.3041	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	22	AT X = 7.5904	Y = 1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	23	AT X = 5.0603	Y = -5.8433	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	24	AT X = -2.5301	Y = -7.3041	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	25	AT X = -7.5904	Y = -1.4608	Z = 0.00000	IS UNIT NUMBER 1	
2	5	1	RADIUS = 18.891	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	6	1	RADIUS = 33.496	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4	5	1	RADIUS = 36.544	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
5	7	1	RADIUS = 49.244	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
6	5	1	RADIUS = 49.854	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
7	8	1	RX = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854 +Z = 10.000 -Z = -10.000	

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	1.43621E+01 CM**3	1.43621E+01 CM**3
	2	2	5.76429E-01 CM**3	1.49385E+01 CM**3
	3	3	4.68120E+00 CM**3	1.96197E+01 CM**3
2	1	4	1.76387E+04 CM**3	1.81291E+04 CM**3
	2	5	4.29436E+03 CM**3	2.24235E+04 CM**3
	3	6	4.80740E+04 CM**3	7.04975E+04 CM**3
	4	7	1.34136E+04 CM**3	8.39110E+04 CM**3
	5	8	6.84563E+04 CM**3	1.52367E+05 CM**3
	6	9	3.79567E+03 CM**3	1.56163E+05 CM**3
	7	10	4.26699E+04 CM**3	1.98833E+05 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	25	1	1	3.59052E+02 CM**3
		2	9	1.44107E+01 CM**3
		3	2	1.17030E+02 CM**3
2	1	1	3	1.76387E+04 CM**3
		2	5	4.29436E+03 CM**3
		3	6	4.80740E+04 CM**3
		4	5	1.34136E+04 CM**3
		5	7	6.84563E+04 CM**3
		6	5	3.79567E+03 CM**3
		7	8	4.26699E+04 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	3.59052E+02 CM**3	3.73844E+03
2	1.17030E+02 CM**3	7.67717E+02
3	1.76387E+04 CM**3	1.76064E+04
5	2.15036E+04 CM**3	1.70309E+05
6	4.80740E+04 CM**3	5.45351E+05
7	6.84563E+04 CM**3	6.83311E+04
8	4.26699E+04 CM**3	4.25919E+04
9	1.44107E+01 CM**3	1.43844E-19

```

*****
***
***          BIASING INFORMATION          ***
***
*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***
***
*****

```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING

..... 0.00733 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 1.80580E-03

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED UNIFORMLY THROUGHOUT THE ENTIRE VOLUME DEFINED BY THE OUTERMOST GEOMETRY CARD.
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 49 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

351 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

0.45350 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.46933 MINUTES.

94	6.01010E-01	4.03883E+00	6.06449E-01	3.60892E-03	0.00000E+00	0.00000E+00
95	6.31734E-01	4.07753E+00	6.06721E-01	3.56024E-03	0.00000E+00	0.00000E+00
96	6.48617E-01	4.11363E+00	6.07166E-01	3.56968E-03	0.00000E+00	0.00000E+00
97	6.37762E-01	4.15150E+00	6.07488E-01	3.54676E-03	0.00000E+00	0.00000E+00
98	6.23961E-01	4.16963E+00	6.07660E-01	3.51361E-03	0.00000E+00	0.00000E+00
99	5.81891E-01	4.22753E+00	6.07594E-01	3.48753E-03	0.00000E+00	0.00000E+00
100	6.24901E-01	4.26563E+00	6.07573E-01	3.45638E-03	0.00000E+00	0.00000E+00
101	6.07566E-01	4.30333E+00	6.07573E-01	3.42129E-03	0.00000E+00	0.00000E+00
102	6.08627E-01	4.34000E+00	6.07582E-01	3.38692E-03	0.00000E+00	0.00000E+00
103	6.08048E-01	4.37667E+00	6.07586E-01	3.35322E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123


EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

LIFETIME = 2.21135E-04 + OR - 1.12274E-06 GENERATION TIME = 1.16931E-04 + OR - 8.33192E-07
 NU BAR = 2.42948E+00 + OR - 2.62739E-04 AVERAGE FISSION GROUP = 2.38394E+01 + OR - 1.55874E-02
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 6.34530E-02 + OR - 9.03504E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.60783	+ OR - 0.00338	0.60445 TO 0.61120	0.60107 TO 0.61458	0.59769 TO 0.61796	40000
4	0.60701	+ OR - 0.00331	0.60370 TO 0.61032	0.60038 TO 0.61363	0.59707 TO 0.61694	39600
5	0.60662	+ OR - 0.00332	0.60330 TO 0.60995	0.59998 TO 0.61327	0.59666 TO 0.61659	39200
6	0.60708	+ OR - 0.00332	0.60376 TO 0.61041	0.60043 TO 0.61373	0.59711 TO 0.61706	38800
7	0.60724	+ OR - 0.00336	0.60389 TO 0.61060	0.60053 TO 0.61396	0.59718 TO 0.61731	38400
8	0.60731	+ OR - 0.00339	0.60392 TO 0.61070	0.60053 TO 0.61409	0.59714 TO 0.61748	38000
9	0.60744	+ OR - 0.00342	0.60402 TO 0.61087	0.60059 TO 0.61429	0.59717 TO 0.61772	37600
10	0.60786	+ OR - 0.00343	0.60443 TO 0.61130	0.60100 TO 0.61473	0.59756 TO 0.61817	37200
11	0.60830	+ OR - 0.00344	0.60485 TO 0.61174	0.60141 TO 0.61519	0.59796 TO 0.61863	36800
12	0.60796	+ OR - 0.00347	0.60449 TO 0.61142	0.60102 TO 0.61489	0.59756 TO 0.61835	36400
17	0.60739	+ OR - 0.00363	0.60377 TO 0.61102	0.60014 TO 0.61465	0.59651 TO 0.61828	34400
22	0.60742	+ OR - 0.00385	0.60357 TO 0.61127	0.59972 TO 0.61512	0.59588 TO 0.61897	32400
27	0.60756	+ OR - 0.00389	0.60367 TO 0.61145	0.59977 TO 0.61534	0.59588 TO 0.61923	30400
32	0.60721	+ OR - 0.00412	0.60309 TO 0.61132	0.59897 TO 0.61544	0.59485 TO 0.61956	28400
37	0.60887	+ OR - 0.00423	0.60465 TO 0.61310	0.60042 TO 0.61732	0.59620 TO 0.62155	26400
42	0.60798	+ OR - 0.00430	0.60368 TO 0.61228	0.59938 TO 0.61657	0.59508 TO 0.62087	24400
47	0.60680	+ OR - 0.00449	0.60231 TO 0.61129	0.59781 TO 0.61579	0.59332 TO 0.62028	22400
52	0.60809	+ OR - 0.00466	0.60343 TO 0.61275	0.59877 TO 0.61740	0.59411 TO 0.62206	20400
57	0.61198	+ OR - 0.00481	0.60717 TO 0.61679	0.60236 TO 0.62160	0.59755 TO 0.62641	18400
62	0.61276	+ OR - 0.00514	0.60762 TO 0.61790	0.60248 TO 0.62304	0.59735 TO 0.62818	16400
67	0.60805	+ OR - 0.00487	0.60318 TO 0.61292	0.59831 TO 0.61779	0.59344 TO 0.62266	14400
72	0.61160	+ OR - 0.00507	0.60653 TO 0.61667	0.60145 TO 0.62174	0.59638 TO 0.62682	12400
77	0.61179	+ OR - 0.00507	0.60672 TO 0.61686	0.60165 TO 0.62194	0.59658 TO 0.62701	10400
82	0.61226	+ OR - 0.00570	0.60656 TO 0.61795	0.60087 TO 0.62365	0.59517 TO 0.62934	8400
87	0.61570	+ OR - 0.00493	0.61076 TO 0.62063	0.60583 TO 0.62556	0.60089 TO 0.63050	6400
92	0.61944	+ OR - 0.00598	0.61345 TO 0.62542	0.60747 TO 0.63140	0.60149 TO 0.63738	4400
97	0.60917	+ OR - 0.00636	0.60280 TO 0.61553	0.59644 TO 0.62189	0.59008 TO 0.62825	2400

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"
PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS K-EFF = 0.6078 + OR - 0.0034 WHICH OCCURS FOR 103 GENERATIONS RUN.



100

I * I
I * I
I * I
I * I
I * I
I * I
I * I

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0026			1.57985E-03	8.7976	1.46109E-03	4.6127	0.00000E+00	0.0000
2	0.0115			7.00679E-03	2.7598	4.70633E-03	1.7867	0.00000E+00	0.0000
3	0.0117			7.09670E-03	2.4508	2.94741E-03	2.3817	0.00000E+00	0.0000
4	0.0050			3.04076E-03	2.7124	1.44708E-03	2.5780	0.00000E+00	0.0000
5	0.0017			1.05042E-03	2.2811	9.71530E-04	2.0226	0.00000E+00	0.0000
6	0.0013			8.01924E-04	1.8786	1.27437E-03	1.5946	0.00000E+00	0.0000
7	0.0011			6.58599E-04	2.2485	1.13115E-03	1.8620	0.00000E+00	0.0000
8	0.0009			5.46337E-04	2.7318	1.38799E-03	2.3369	0.00000E+00	0.0000
9	0.0011			6.88145E-04	3.2905	2.04965E-03	2.8429	0.00000E+00	0.0000
10	0.0023			1.37228E-03	4.0690	3.08278E-03	3.1438	0.00000E+00	0.0000
11	0.0050			3.01285E-03	3.2726	5.58792E-03	2.7255	0.00000E+00	0.0000
12	0.0068			4.14269E-03	4.1673	6.55793E-03	3.5414	0.00000E+00	0.0000
13	0.0061			3.70803E-03	4.2331	6.66073E-03	3.2560	0.00000E+00	0.0000
14	0.0052			3.14150E-03	3.9860	1.00693E-02	2.9291	0.00000E+00	0.0000
15	0.0010			5.92258E-04	6.9217	2.66806E-03	3.6113	0.00000E+00	0.0000
16	0.0008			4.92749E-04	8.2799	1.72052E-03	4.2351	0.00000E+00	0.0000
17	0.0011			6.58539E-04	11.8002	1.10648E-03	5.0772	0.00000E+00	0.0000
18	0.0015			9.35353E-04	13.1549	1.20556E-03	5.5875	0.00000E+00	0.0000
19	0.0020			1.22599E-03	9.2968	2.04936E-03	3.7905	0.00000E+00	0.0000
20	0.0084			5.09529E-03	5.8262	8.23197E-03	2.6286	0.00000E+00	0.0000
21	0.0050			3.03201E-03	7.8495	3.81663E-03	4.1344	0.00000E+00	0.0000
22	0.0132			8.02532E-03	4.6382	9.93741E-03	2.4315	0.00000E+00	0.0000
23	0.0855			5.19793E-02	2.0678	7.77471E-02	0.8462	0.00000E+00	0.0000
24	0.2422			1.47194E-01	1.2481	2.28032E-01	0.4439	0.00000E+00	0.0000
25	0.2248			1.36621E-01	1.1692	2.18870E-01	0.4151	0.00000E+00	0.0000
26	0.2717			1.65140E-01	1.0707	2.89862E-01	0.3604	0.00000E+00	0.0000
27	0.0806			4.89865E-02	2.5235	1.07785E-01	0.6253	0.00000E+00	0.0000
SYSTEM TOTAL =				6.07825E-01	0.5556	1.00237E+00	0.1147	0.00000E+00	0.0000

ELAPSED TIME 4.37750 MINUTES

RANDOM NUMBER= 141C1CDC4912

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

```
FREQUENCY FOR GENERATIONS 4 TO 103
***
0.5183 TO 0.5383 *****
0.5383 TO 0.5583 *****
0.5583 TO 0.5783 *****
0.5783 TO 0.5983 *****
0.5983 TO 0.6183 *****
0.6183 TO 0.6383 *****
0.6383 TO 0.6583 *****
0.6583 TO 0.6783 **
0.6783 TO 0.6983 *
0.6983 TO 0.7183 *
```

```
FREQUENCY FOR GENERATIONS 29 TO 103
**
0.5183 TO 0.5383 *****
0.5383 TO 0.5583 *****
0.5583 TO 0.5783 *****
0.5783 TO 0.5983 *****
0.5983 TO 0.6183 *****
0.6183 TO 0.6383 *****
0.6383 TO 0.6583 *****
0.6583 TO 0.6783 **
0.6783 TO 0.6983 *
0.6983 TO 0.7183 *
```

```
FREQUENCY FOR GENERATIONS 54 TO 103
****
0.5183 TO 0.5383 *****
0.5383 TO 0.5583 *****
0.5583 TO 0.5783 *****
0.5783 TO 0.5983 *****
0.5983 TO 0.6183 *****
0.6183 TO 0.6383 *****
0.6383 TO 0.6583 *****
0.6583 TO 0.6783 **
0.6783 TO 0.6983 *
0.6983 TO 0.7183 *
```

```
FREQUENCY FOR GENERATIONS 79 TO 103
*
0.5183 TO 0.5383 *****
0.5383 TO 0.5583 *****
0.5583 TO 0.5783 *****
0.5783 TO 0.5983 *****
0.5983 TO 0.6183 *****
0.6183 TO 0.6383 *****
0.6383 TO 0.6583 *****
0.6583 TO 0.6783 **
0.6783 TO 0.6983 *
0.6983 TO 0.7183 *
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 4.37750 MINUTES
.....

Figure 6.6.4-2 CSAS Input/Output for NAC-LWT with 25 PWR Rods – Most Reactive Accident Condition Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
PWR RODS, NO BASKET, VOID EXTERIOR, GAP FULL
27GROUPNDF4 LATTICECELL
UO2 1 0.95 293.0 92235 5.0 92238 95.0 END
ZIRCALLOY 2 1.0 293.0 END
H2O 3 1.000 293.0 END
AL 4 1.0 293.0 END
SE304 5 1.0 293.0 END
PE 6 1.0 293.0 END
H2O 7 1.000 293.0 END
H2O 8 1.000 293.0 END
H2O 9 1.0 293.0 END
END COMP
TRIANGPITCH 2.92169 0.9564 1 3 1.1175 2 0.9753 9 END
"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"
READ PARAM RUN=YES PLT=NO GEN=103 NPG=400 END PARAM
READ GEOM
UNIT 1
COM="PWR FUEL ROD"
CYLINDER 1 1 0.4781 2P10.0
CYLINDER 9 1 0.4876 2P10.0
CYLINDER 2 1 0.5588 2P10.0
GLOBAL UNIT 2
CYLINDER 3 1 16.9863 2P10.0
HOLE 1 .0000 .0000 .0000
HOLE 1 .0000 2.9216 .0000
HOLE 1 2.5301 1.4608 .0000
HOLE 1 2.5301 -1.4608 .0000
HOLE 1 .0000 -2.9216 .0000
HOLE 1 -2.5301 -1.4608 .0000
HOLE 1 -2.5301 1.4608 .0000
HOLE 1 -2.5301 4.3825 .0000
HOLE 1 .0000 5.8433 .0000
HOLE 1 2.5301 4.3825 .0000
HOLE 1 5.0603 2.9216 .0000
HOLE 1 5.0603 .0000 .0000
HOLE 1 5.0603 -2.9216 .0000
HOLE 1 2.5301 -4.3825 .0000
HOLE 1 .0000 -5.8433 .0000
HOLE 1 -2.5301 -4.3825 .0000
HOLE 1 -5.0603 -2.9216 .0000
HOLE 1 -5.0603 .0000 .0000
HOLE 1 -5.0603 2.9216 .0000
HOLE 1 -5.0603 5.8433 .0000
HOLE 1 2.5301 7.3041 .0000
HOLE 1 7.5904 1.4608 .0000
HOLE 1 5.0603 -5.8433 .0000
HOLE 1 -2.5301 -7.3041 .0000
HOLE 1 -7.5904 -1.4608 .0000
CYLINDER 5 1 18.8913 2P10.0
CYLINDER 6 1 33.4963 2P10.0
CYLINDER 5 1 36.5443 2P10.0
CYLINDER 7 1 49.2443 2P10.0
CYLINDER 5 1 49.8539 2P10.0
CUBOID 8 1 4P49.8539 2P10.0
END GEOM
READ BOUNDS ALL=MIR END BOUNDS
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1.04 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 11.48 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 472.53 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 488.18 (SECONDS).

```

```

CCCCCCCCC  SSSSSSSSSS  AAAAAAAA  SSSSSSSSSS  2222222222  555555555555
CCCCCCCCC  SSSSSSSSSS  AAAAAAAA  SSSSSSSSSS  2222222222  555555555555
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55      55
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55      55
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55      55
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55      55
SSSSSSSSSS  SSSSSSSSSS  AAAAAAAA  SSSSSSSSSS  22      22  5555555555
CC          CC  SS      SS  AA      AA  SS      SS  22      22  5555555555
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55      55
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55      55
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55      55
CCCCCCCCC  SSSSSSSSSS  AA          AA  SSSSSSSSSS  2222222222  55555555555
CCCCCCCCC  SSSSSSSSSS  AA          AA  SSSSSSSSSS  2222222222  55555555555
    
```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAA  LL          EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAA  LL          EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS          SS  CC          CC  AA          AA  LL          LL  EE          EE  PP          PP  CC          CC
SS          SS  CC          CC  AA          AA  LL          LL  EE          EE  PP          PP  CC          CC
SS          SS  CC          CC  AA          AA  LL          LL  EE          EE  PP          PP  CC          CC
SSSSSSSSSS  CC          AA          AA  LL          LL  EEEEEEEEE  -----  PPPPPPPPPP  CC
SSSSSSSSSS  CC          AA          AA  LL          LL  EEEEEEEEE  -----  PPPPPPPPPP  CC
SS          SS  CC          CC  AA          AA  LL          LL  EE          EE  PP          PP  CC          CC
SS          SS  CC          CC  AA          AA  LL          LL  EE          EE  PP          PP  CC          CC
SS          SS  CC          CC  AA          AA  LL          LL  EE          EE  PP          PP  CC          CC
SSSSSSSSSS  CCCCCCCCCC  AA          AA  LLLLLLLLLL  EEEEEEEEEEE  PP          PP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA          AA  LLLLLLLLLL  EEEEEEEEEEE  PP          PP  CCCCCCCCCC
    
```

```

0000000  7777777777  //  3333333333  0000000  //  9999999999  8888888888
000000000  7777777777  //  333333333333  000000000  //  999999999999  888888888888
00 00 77 77 // 33 33 00 00 // 99 99 88 88
00 00 77 77 // 33 33 00 00 // 99 99 88 88
00 00 77 77 // 333 33 00 00 // 99 99 88 88
00 00 77 77 // 333 33 00 00 // 9999999999 8888888888
00 00 77 77 // 33 33 00 00 // 9999999999 8888888888
00 00 77 77 // 33 33 00 00 // 99 99 88 88
00 00 77 77 // 33 33 00 00 // 99 99 88 88
00 00 77 77 // 33 33 00 00 // 99 99 88 88
000000000  77  // 33333333333  000000000  // 99999999999 88888888888
0000000  77 // 3333333333  0000000  // 9999999999 8888888888
    
```

```

11          9999999999  11          44          5555555555  7777777777
111        99999999999  111        444          5555555555  7777777777
1111       99          99  :::  1111       4444          55          77
11         99          99  :::  11         44 44          55          77
11         99          99  :::  11         44 44          55          77
11         99999999999  11         44 44          5555555555  77
11         99999999999  11         44 44          5555555555  77
11         99          99  :::  11         44444444444  :::  55          77
11         99          99  :::  11         4444444444444  :::  55          77
11         99          99  :::  11         44          55          77
111111111  99999999999  111111111  44          5555555555  77
111111111  99999999999  111111111  44          5555555555  77
    
```

```

SSSSSSSSSS   CCCCCCCCCC   AAAAAAAAAA   LL   EEEEEEEEEEEE   PPPPPPPPPPPP   CCCCCCCCCC
SSSSSSSSSS   CCCCCCCCCC   AAAAAAAAAA   LL   EEEEEEEEEEEE   PPPPPPPPPPPP   CCCCCCCCCC
SE           SS   CC         CC   AA       AA   LL   EE           PP           PP   CC         CC
SS           CC         CC   AA       AA   LL   EE           PP           PP   CC         CC
SE           CC         CC   AA       AA   LL   EE           PP           PP   CC         CC
SSSSSSSSSS   CC           AAAAAAAAAA   LL   EEEEEEEE   -----   PPPPPPPPPPPP   CC
SSSSSSSSSS   CC           AAAAAAAAAA   LL   EEEEEEEE   -----   PPPPPPPPPPPP   CC
              SS         CC           AA       AA   LL   EE           PP           CC
              SS         CC           AA       AA   LL   EE           PP           CC
SS           SS         CC           AA       AA   LL   EE           PP           CC
SSSSSSSSSS   CCCCCCCCCC   AA         AA   LLLLLLLLLL   EEEEEEEEEEEE   P           CCCCCCCCCC
SSSSSSSSSS   CCCCCCCCCC   AA         AA   LLLLLLLLLL   EEEEEEEEEEEE   PP          CCCCCCCCCC

```

```

*****
*****
*****
PROGRAM VERIFICATION INFORMATION
*****
*****
CODE SYSTEM: SCALE-PC VERSION: 4.3
*****
*****
*****
PROGRAM: CSAS
*****
CREATION DATE: 03/08/96
*****
VOLUME: ENG
*****
LIBRARY: G:\SCALE43\WIN_NT\EXE
*****
*****
PRODUCTION CODE: CSAS
*****
VERSION: 3.1
*****
JOBNAME: SCALE-PC
*****
DATE OF EXECUTION: 07/30/98
*****
TIME OF EXECUTION: 19:14:57
*****
*****
*****
*****

```

PWR RODS, NO BASKET, VOID EXTERIOR, GAP FULL

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MX 9 MIXTURES
MSC 9 COMPOSITION SPECIFICATIONS
IZM 4 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC UO2 STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.9500 VOLUME FRACTION
ROTH 10.9600 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 5.000 WT%
92238 95.000 WT%
8016 2.00 ATOMS/MOLECULE
END

SC ZIRCALLOY STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 6.5600 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
40302 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC AL STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE
END

SC SS304 STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%
END

SC PB STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN

```
      1001      2.00 ATOMS/MOLECULE
      8016      1.00 ATOM/MOLECULE
END
SC H2O          STANDARD COMPOSITION
MX              9 MIXTURE NO.
VF              1.0000 VOLUME FRACTION
ROTH           0.9982 THEORETICAL DENSITY
NEL            2 NO. ELEMENTS
ICP            1 0/1 MIXTURE/COMPOUND
TEMP           293.0 DEG KELVIN
              1001      2.00 ATOMS/MOLECULE
              8016      1.00 ATOM/MOLECULE
END
```

**** PROBLEM GEOMETRY ****

```
CTP TRIANGPITCH CELL TYPE
PITCH          2.9217 CM CENTER TO CENTER SPACING
FUELOD         0.9564 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL          1 MIXTURE NO. OF FUEL
MMOD           3 MIXTURE NO. OF MODERATOR
CLADOD         1.1175 CM CLAD OUTER DIAMETER
MCLAD          2 MIXTURE NO. OF CLAD
GAPOD          0.9753 CM GAP OUTER DIAMETER
MGAP           9 MIXTURE NO. OF GAP
```

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

```
ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD
```

PWR RODS, NO BASKET, VOID EXTERIOR, GAP FULL

***** DATA LIBRARY INFORMATION *****

UNIT NUMBER	DATA SET NAME	VOLUME NAME	UNIT FUNCTION
89	G:\scale43\DATALIB\FT89F001		STANDARD COMPOSITION LIBRARY
82	G:\scale43\DATALIB\FT82F001		CROSS SECTION LIBRARY
11	D:\PROJECTS\BU85-C-1\rods8\ROHX3M\FT11F001		SHORT CROSS SECTION LIBRARY
90	D:\PROJECTS\BU85-C-1\rods8\ROHX3M\FT90F001		INPUT DATA DIRECT ACCESS

STANDARD COMPOSITION LIBRARY DATA

UNIT NUMBER : 89
DATASET NAME : G:\scale43\DATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
637 STANDARD COMPOSITIONS, 490 NUCLIDES
90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95

CROSS SECTION LIBRARY DATA

UNIT NUMBER : 82
DATASET NAME : G:\scale43\DATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED 08/12/94
L.M.PETRIE - ORNL

..... 0 IO'S WERE USED BEFORE READING KENO V DATA

..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA

***** DATA READING COMPLETED *****

..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA

..... 0 IO'S WERE USED LOADING THE KENO V DATA

..... 0 IO'S WERE USED LOADING THE DATA

..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA

***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****

..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA

..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA

CONTROL MODULE CSAS25 IS COMPLETE.

```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  000000000000  VV      VV
KK      KK  EE           NMNN    NN  00      00  VV      VV
KK      KK  EE           NN NN    NN  00      00  VV      VV
KK      KK  EE           NN  NN   NN  00      00  VV      VV
KKKKKKKK EEEEEEEEE  NN      NN  00      00  ----- VV      VV
KKKKKKKK EEEEEEEEE  NN      NN  00      00  ----- VV      VV
KK      KK  EE           NN      NN  00      00  VV      VV
KK      KK  EE           NN      NN  00      00  VV      VV
KK      KK  EE           NN      NNN  00      00  VV      VV
KK      KK  EEEEEEEEEEE  NN      NNN  000000000000  VVV     VV
KK      KK  EEEEEEEEEEE  NN      NN  0000000000  V
    
```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EE EEEEEEEEEEE  P P P P P P P P P P  C C C C C C C C C C
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EE EEEEEEEEEEE  P P P P P P P P P P  C C C C C C C C C C
S S      S S  C C      C C  A A      A A  LL      EE           P P      P P  C C      C C
S S      S S  C C      C C  A A      A A  LL      EE           P P      P P  C C      C C
SSSSSSSSSS  C C      A A      A A      A A  LL      EE           P P P P P P P P P P  C C
SSSSSSSSSS  C C      A A      A A      A A  LL      EE           P P P P P P P P P P  C C
SS      S S  C C      C C  A A      A A  LL      EE           P P      P P  C C      C C
SS      S S  C C      C C  A A      A A  LL      EE           P P      P P  C C      C C
SSSSSSSSSS  C C C C C C C C C C  A A      A A  L L L L L L L L L L  E E E E E E E E E E  P P      C C C C C C C C C C
SSSSSSSSSS  C C C C C C C C C C  A A      A A  L L L L L L L L L L  E E E E E E E E E E  P P      C C C C C C C C C C
    
```

```

00000000  777777777777  //  3333333333  00000000  //  9999999999  8888888888
00000000  777777777777  333333333333  0000000000  999999999999  888888888888
00      00  77      77  33      33  00      00  99      99  88      88
00      00  77      77  33      33  00      00  99      99  88      88
00      00  77      77  33      33  00      00  99      99  88      88
00      00  77      77  33      33  00      00  99      99  88      88
00      00  77      77  33      33  00      00  99      99  88      88
00      00  77      77  33      33  00      00  99      99  88      88
00000000  77      77  333333333333  0000000000  999999999999  888888888888
00000000  77      77  3333333333  00000000  99999999999  88888888888
    
```

```

11      9999999999  //  11      5555555555  //  11      2222222222
111     99999999999  111     55555555555  111     22222222222
1111    99      99  :::  1111    55      55  :::  1111    22      22
11      99      99  :::  11      55      55  :::  11      22      22
11      99      99  :::  11      55      55  :::  11      22      22
11      99      99  :::  11      55      55  :::  11      22      22
11      99      99  :::  11      55      55  :::  11      22      22
11111111  999999999999  11111111  555555555555  11111111  222222222222
11111111  999999999999  11111111  555555555555  11111111  222222222222
    
```

```
.....  
.....  
..... "LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH" .....  
.....  
..... ***** NUMERIC PARAMETERS ***** .....  
.....  
..... TME      MAXIMUM PROBLEM TIME (MIN)      30.00 .....  
..... TBA      TIME PER GENERATION (MIN)      0.50 .....  
..... GEN      NUMBER OF GENERATIONS      103 .....  
..... NPG      NUMBER PER GENERATION      400 .....  
..... NSK      NUMBER OF GENERATIONS TO BE SKIPPED      3 .....  
..... BEG      BEGINNING GENERATION NUMBER      1 .....  
..... RES      GENERATIONS BETWEEN CHECKPOINTS      0 .....  
..... X1D      NUMBER OF EXTRA 1-D CROSS SECTIONS      1 .....  
..... NBK      NEUTRON BANK SIZE      425 .....  
..... XNB      EXTRA POSITIONS IN NEUTRON BANK      0 .....  
..... NFB      FISSION BANK SIZE      400 .....  
..... XFB      EXTRA POSITIONS IN FISSION BANK      0 .....  
..... WTA      DEFAULT VALUE OF WEIGHT AVERAGE      0.5000 .....  
..... WTH      WEIGHT HIGH FOR SPLITTING      3.0000 .....  
..... WTL      WEIGHT LOW FOR RUSSIAN ROULETTE      0.3333 .....  
..... RND      STARTING RANDOM NUMBER      BB827100001 .....  
..... NBB      NUMBER OF D.A. BLOCKS ON UNIT 8      200 .....  
..... NLB      LENGTH OF D.A. BLOCKS ON UNIT 8      512 .....  
..... ADJ      MODE OF CALCULATION      FORWARD .....  
.....          INPUT DATA WRITTEN ON RESTART UNIT      NO .....  
.....          BINARY DATA INTERFACE      YES .....  
.....  
.....  
.....
```



```
.....  
.....  
..... "LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"  
.....  
..... LOGICAL PARAMETERS .....  
.....  
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***  
*** FLX COMPUTE FLUX NO PDN COMPUTE FISSION DENSITIES NO ***  
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***  
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***  
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***  
*** FMU PRINT FISS PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISS PROD MATRIX BY UNIT LOCATION NO ***  
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***  
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***  
*** FMH PRINT FISS PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISS PROD MATRIX BY ARRAY NUMBER NO ***  
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***  
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***  
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***  
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***  
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***  
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***  
*** P1D PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***  
*** TRK PRINT TRACKING INFORMATION NO ***  
.....  
.....  
..... PARAMETER INPUT COMPLETED
```

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

*****
***** "LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"
*****
*****
***** ADDITIONAL INFORMATION *****
*****
NUMBER OF ENERGY GROUPS          27      USE LATTICE GEOMETRY          NO
NO. OF FISSION SPECTRUM SOURCE GROUP 1      GLOBAL ARRAY NUMBER          0
NO. OF SCATTERING ANGLES IN XSECS  2      NUMBER OF UNITS IN THE GLOBAL X DIR.  0
ENTRIES/NEUTRON IN THE NEUTRON BANK 17     NUMBER OF UNITS IN THE GLOBAL Y DIR.  0
ENTRIES/NEUTRON IN THE FISSION BANK 10     NUMBER OF UNITS IN THE GLOBAL Z DIR.  0
NUMBER OF MIXTURES USED            8      USE A GLOBAL REFLECTOR        YES
NUMBER OF BIAS ID'S USED           1      USE NESTED HOLES              NO
NUMBER OF DIFFERENTIAL ALBEDOS USED 0      NUMBER OF HOLES                25
TOTAL INPUT GEOMETRY REGIONS        10     MAXIMUM HOLE NESTING LEVEL      1
NUMBER OF GEOMETRY REGIONS USED      10     USE NESTED ARRAYS              NO
LARGEST GEOMETRY UNIT NUMBER         2      NUMBER OF ARRAYS USED          0
LARGEST ARRAY NUMBER                 1      MAXIMUM ARRAY NESTING LEVEL    0
*****
+X BOUNDARY CONDITION                MIR    -X BOUNDARY CONDITION          MIR
+Y BOUNDARY CONDITION                MIR    -Y BOUNDARY CONDITION          MIR
+Z BOUNDARY CONDITION                MIR    -Z BOUNDARY CONDITION          MIR
*****

```

```

*****
***** "LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"
*****
*****
***** SPACE AND SUPERGROUP INFORMATION *****
*****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
12479 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
87521 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99784 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
87461 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.
1165 WORDS ARE NEEDED FOR THE LARGEST GROUP.
13860 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
25594 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
25760 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.
*****

```

SUPERGROUP	STARTING GROUP	ENDING GROUP	XSEC LENGTH	ALBEDO LENGTH	TOTAL LENGTH
1	1	27	2636	0	13055

```

..... 0 IO'S WERE USED IN SUPERGROUPING .....
..... 0 IO'S WERE USED LOADING THE DATA .....

```

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
			----- UNIT 1 -----				
PWR FUEL ROD							
1	CYLINDER	1	RADIUS = 0.47810	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	9	RADIUS = 0.48760	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	2	RADIUS = 0.55880	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
			***** GLOBAL *****				
			----- UNIT 2 -----				
1	CYLINDER	3	RADIUS = 16.986	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
	HOLE NUMBER	1	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	2	AT X = 0.00000	Y = 2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	3	AT X = 2.5301	Y = 1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	4	AT X = 2.5301	Y = -1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	5	AT X = 0.00000	Y = -2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	6	AT X = -2.5301	Y = -1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	7	AT X = -2.5301	Y = 1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	8	AT X = -2.5301	Y = 4.3825	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	9	AT X = 0.00000	Y = 5.8433	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	10	AT X = 2.5301	Y = 4.3825	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	11	AT X = 5.0603	Y = 2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	12	AT X = 5.0603	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	13	AT X = 5.0603	Y = -2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	14	AT X = 2.5301	Y = -4.3825	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	15	AT X = 0.00000	Y = -5.8433	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	16	AT X = -2.5301	Y = -4.3825	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	17	AT X = -5.0603	Y = -2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	18	AT X = -5.0603	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	19	AT X = -5.0603	Y = 2.9216	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	20	AT X = -5.0603	Y = 5.8433	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	21	AT X = 2.5301	Y = 7.3041	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	22	AT X = 7.5904	Y = 1.4608	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	23	AT X = 5.0603	Y = -5.8433	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	24	AT X = -2.5301	Y = -7.3041	Z = 0.00000	IS UNIT NUMBER 1	
	HOLE NUMBER	25	AT X = -7.5904	Y = -1.4608	Z = 0.00000	IS UNIT NUMBER 1	
2	CYLINDER	5	RADIUS = 18.891	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	6	RADIUS = 33.496	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4	CYLINDER	5	RADIUS = 36.544	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
5	CYLINDER	7	RADIUS = 49.244	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
6	CYLINDER	5	RADIUS = 49.854	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
7	CUBOID	8	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854 +Z = 10.000 -Z = -10.000	

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	1.43621E+01 CM**3	1.43621E+01 CM**3
	2	2	5.76429E-01 CM**3	1.49385E+01 CM**3
	3	3	4.68120E+00 CM**3	1.96197E+01 CM**3
2	1	4	1.76387E+04 CM**3	1.81291E+04 CM**3
	2	5	4.29436E+03 CM**3	2.24235E+04 CM**3
	3	6	4.80740E+04 CM**3	7.04975E+04 CM**3
	4	7	1.34136E+04 CM**3	8.39110E+04 CM**3
	5	8	6.84563E+04 CM**3	1.52367E+05 CM**3
	6	9	3.79567E+03 CM**3	1.56163E+05 CM**3
	7	10	4.26699E+04 CM**3	1.98833E+05 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	25	1	1	3.59052E+02 CM**3
		2	9	1.44107E+01 CM**3
		3	2	1.17030E+02 CM**3
2	1	1	3	1.76387E+04 CM**3
		2	5	4.29436E+03 CM**3
		3	6	4.80740E+04 CM**3
		4	5	1.34136E+04 CM**3
		5	7	6.84563E+04 CM**3
		6	5	3.79567E+03 CM**3
		7	8	4.26699E+04 CM**3

MIXTURE	TOTAL MIXTURE VOLUMES TOTAL VOLUME	MASS (G)
1	3.59052E+02 CM**3	3.73844E+03
2	1.17030E+02 CM**3	7.67717E+02
3	1.76387E+04 CM**3	1.76064E+04
5	2.15036E+04 CM**3	1.70309E+05
6	4.80740E+04 CM**3	5.45351E+05
7	6.84563E+04 CM**3	6.83311E+04
8	4.26699E+04 CM**3	4.25919E+04
9	1.44107E+01 CM**3	1.43844E+01

```

*****
***
***          BIASING INFORMATION          ***
***
*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***
***
*****

```

```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING .....
..... 0.01550 MINUTES WERE USED PROCESSING DATA. ....

```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 1.80580E-03

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED UNIFORMLY THROUGHOUT THE ENTIRE VOLUME DEFINED BY THE OUTERMOST GEOMETRY CARD.
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 26 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

374 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

0.45333 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.46933 MINUTES.

**NAC-LWT Cask SAR
Revision 38**

November 2007

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

GENERATION KENO MESSAGE NUMBER K5-152	GENERATION K-EFFECTIVE KENO MESSAGE NUMBER K5-152	ELAPSED TIME MINUTES WARNING...ONLY	AVERAGE K-EFFECTIVE WARNING...ONLY	AVG K-EFF DEVIATION FISSION POINTS WERE	MATRIX K-EFFECTIVE GENERATED	MATRIX K-EFF DEVIATION GENERATED
1	6.17733E-01	5.25500E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
2	5.93625E-01	6.09667E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	5.90839E-01	6.62000E-01	5.90839E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	5.62655E-01	7.56653E-01	5.76697E-01	1.40421E-02	0.00000E+00	0.00000E+00
5	6.03002E-01	8.32006E-01	5.85619E-01	1.19079E-02	0.00000E+00	0.00000E+00
6	6.08147E-01	9.62600E-01	5.91251E-01	1.01301E-02	0.00000E+00	0.00000E+00
7	5.86029E-01	9.74833E-01	5.90606E-01	7.87316E-03	0.00000E+00	0.00000E+00
8	5.65290E-01	1.05087E+00	5.86387E-01	7.68947E-03	0.00000E+00	0.00000E+00
9	6.54057E-01	1.11767E+00	5.96654E-01	1.16484E-02	0.00000E+00	0.00000E+00
10	6.16964E-01	1.19467E+00	5.98666E-01	1.04209E-02	0.00000E+00	0.00000E+00
11	6.46536E-01	1.26600E+00	6.02967E-01	1.06185E-02	0.00000E+00	0.00000E+00
12	6.84139E-01	1.33917E+00	6.12662E-01	1.24276E-02	0.00000E+00	0.00000E+00
13	6.15014E-01	1.41333E+00	6.12276E-01	1.12445E-02	0.00000E+00	0.00000E+00
14	6.19643E-01	1.48383E+00	6.12999E-01	1.02631E-02	0.00000E+00	0.00000E+00
15	6.40168E-01	1.55250E+00	6.14988E-01	9.68607E-03	0.00000E+00	0.00000E+00
16	6.22312E-01	1.62033E+00	6.16225E-01	9.05528E-03	0.00000E+00	0.00000E+00
17	5.78663E-01	1.69806E+00	6.13715E-01	8.79599E-03	0.00000E+00	0.00000E+00
18	5.70644E-01	1.77317E+00	6.10965E-01	8.66678E-03	0.00000E+00	0.00000E+00
19	6.15171E-01	1.84183E+00	6.11231E-01	8.14663E-03	0.00000E+00	0.00000E+00
20	6.45942E-01	1.91050E+00	6.13049E-01	7.89277E-03	0.00000E+00	0.00000E+00
21	6.52649E-01	1.96100E+00	6.15143E-01	7.75412E-03	0.00000E+00	0.00000E+00
22	6.00628E-01	2.04967E+00	6.14426E-01	7.39094E-03	0.00000E+00	0.00000E+00
23	6.41552E-01	2.12183E+00	6.15719E-01	7.14768E-03	0.00000E+00	0.00000E+00
24	6.32690E-01	2.19050E+00	6.16508E-01	6.85974E-03	0.00000E+00	0.00000E+00
25	6.27317E-01	2.26467E+00	6.16970E-01	6.57156E-03	0.00000E+00	0.00000E+00
26	6.23046E-01	2.33617E+00	6.17223E-01	6.29696E-03	0.00000E+00	0.00000E+00
27	5.62499E-01	2.40850E+00	6.15634E-01	6.19743E-03	0.00000E+00	0.00000E+00
28	6.21451E-01	2.48167E+00	6.16050E-01	5.95621E-03	0.00000E+00	0.00000E+00
29	6.11866E-01	2.55667E+00	6.15665E-01	5.73566E-03	0.00000E+00	0.00000E+00
30	5.99803E-01	2.62717E+00	6.15311E-01	5.55686E-03	0.00000E+00	0.00000E+00
31	5.79691E-01	2.70050E+00	6.14082E-01	5.50062E-03	0.00000E+00	0.00000E+00
32	5.61116E-01	2.77183E+00	6.12984E-01	5.42556E-03	0.00000E+00	0.00000E+00
33	5.87532E-01	2.84233E+00	6.12479E-01	5.27262E-03	0.00000E+00	0.00000E+00
34	5.84740E-01	2.91467E+00	6.11612E-01	5.17845E-03	0.00000E+00	0.00000E+00
35	6.17649E-01	2.96333E+00	6.11795E-01	5.02741E-03	0.00000E+00	0.00000E+00
36	6.09311E-01	3.05933E+00	6.10299E-01	5.09693E-03	0.00000E+00	0.00000E+00
37	5.83069E-01	3.12963E+00	6.09806E-01	4.97355E-03	0.00000E+00	0.00000E+00
38	5.82479E-01	3.20400E+00	6.09353E-01	4.85468E-03	0.00000E+00	0.00000E+00
39	6.36434E-01	3.27633E+00	6.10685E-01	4.77865E-03	0.00000E+00	0.00000E+00
40	6.22092E-01	3.34563E+00	6.10401E-01	4.66134E-03	0.00000E+00	0.00000E+00
41	6.21971E-03	3.41717E+00	6.10698E-01	4.54993E-03	0.00000E+00	0.00000E+00
42	6.35092E-01	3.48400E+00	6.11307E-01	4.47646E-03	0.00000E+00	0.00000E+00
43	6.27146E-01	3.55450E+00	6.11938E-01	4.41116E-03	0.00000E+00	0.00000E+00
44	5.55148E-01	3.63223E+00	6.10585E-01	4.51226E-03	0.00000E+00	0.00000E+00
45	6.02323E-01	3.70650E+00	6.10393E-01	4.41021E-03	0.00000E+00	0.00000E+00
46	5.85122E-01	3.77967E+00	6.09819E-01	4.34692E-03	0.00000E+00	0.00000E+00
47	6.17823E-01	3.85567E+00	6.09997E-01	4.25294E-03	0.00000E+00	0.00000E+00
48	6.50272E-01	3.92717E+00	6.10872E-01	4.25061E-03	0.00000E+00	0.00000E+00
49	6.48568E-01	3.99583E+00	6.11674E-01	4.23551E-03	0.00000E+00	0.00000E+00
50	6.21761E-01	4.06633E+00	6.11885E-01	4.15155E-03	0.00000E+00	0.00000E+00
51	6.32914E-01	4.13867E+00	6.12314E-01	4.08892E-03	0.00000E+00	0.00000E+00
52	5.92216E-01	4.21000E+00	6.11912E-01	4.02642E-03	0.00000E+00	0.00000E+00
53	5.74569E-01	4.28133E+00	6.11180E-01	4.01403E-03	0.00000E+00	0.00000E+00
54	6.21663E-01	4.35000E+00	6.11381E-01	3.94124E-03	0.00000E+00	0.00000E+00
55	6.18352E-01	4.41967E+00	6.11513E-01	3.86840E-03	0.00000E+00	0.00000E+00
56	6.14087E-01	4.49567E+00	6.11560E-01	3.79638E-03	0.00000E+00	0.00000E+00
57	6.45562E-01	4.56883E+00	6.12179E-01	3.77765E-03	0.00000E+00	0.00000E+00
58	6.83629E-01	4.63483E+00	6.13454E-01	3.92266E-03	0.00000E+00	0.00000E+00
59	5.84007E-01	4.70983E+00	6.12938E-01	3.88790E-03	0.00000E+00	0.00000E+00
60	6.02552E-01	4.78033E+00	6.12759E-01	3.82448E-03	0.00000E+00	0.00000E+00
61	6.55602E-01	4.85167E+00	6.13485E-01	3.82859E-03	0.00000E+00	0.00000E+00
62	5.56112E-01	4.92317E+00	6.12529E-01	3.88379E-03	0.00000E+00	0.00000E+00
63	6.06527E-01	4.99550E+00	6.12430E-01	3.82086E-03	0.00000E+00	0.00000E+00
64	6.12000E-01	5.06683E+00	6.12423E-01	3.75873E-03	0.00000E+00	0.00000E+00
65	6.24962E-01	5.14000E+00	6.12622E-01	3.70394E-03	0.00000E+00	0.00000E+00
66	5.48012E-01	5.21700E+00	6.11613E-01	3.78281E-03	0.00000E+00	0.00000E+00
67	5.62255E-01	5.28933E+00	6.10854E-01	3.80078E-03	0.00000E+00	0.00000E+00
68	5.93111E-01	5.36167E+00	6.10585E-01	3.75239E-03	0.00000E+00	0.00000E+00
69	5.80987E-01	5.43117E+00	6.10143E-01	3.72227E-03	0.00000E+00	0.00000E+00
70	6.00007E-01	5.50533E+00	6.09994E-01	3.67015E-03	0.00000E+00	0.00000E+00
71	6.45326E-01	5.57300E+00	6.10506E-01	3.65264E-03	0.00000E+00	0.00000E+00
72	6.32962E-01	5.64267E+00	6.10827E-01	3.61435E-03	0.00000E+00	0.00000E+00
73	5.7951E-01	5.71217E+00	6.10392E-01	3.58952E-03	0.00000E+00	0.00000E+00
74	5.69347E-01	5.78267E+00	6.09822E-01	3.58493E-03	0.00000E+00	0.00000E+00
75	6.21438E-01	5.85233E+00	6.09981E-01	3.53905E-03	0.00000E+00	0.00000E+00
76	5.52810E-01	5.93000E+00	6.09208E-01	3.57537E-03	0.00000E+00	0.00000E+00
77	5.94347E-01	5.99967E+00	6.09010E-01	3.53294E-03	0.00000E+00	0.00000E+00
78	6.16649E-01	6.07283E+00	6.09111E-01	3.48759E-03	0.00000E+00	0.00000E+00
79	6.16678E-01	6.14517E+00	6.09209E-01	3.44340E-03	0.00000E+00	0.00000E+00
80	5.91369E-01	6.21750E+00	6.08980E-01	3.40665E-03	0.00000E+00	0.00000E+00
81	5.93922E-01	6.29167E+00	6.08790E-01	3.36865E-03	0.00000E+00	0.00000E+00
82	6.17036E-01	6.36400E+00	6.08893E-01	3.32787E-03	0.00000E+00	0.00000E+00
83	5.64033E-01	6.44083E+00	6.08339E-01	3.33287E-03	0.00000E+00	0.00000E+00
84	6.18586E-01	6.51317E+00	6.08464E-01	3.29434E-03	0.00000E+00	0.00000E+00
85	5.97377E-01	6.58833E+00	6.08330E-01	3.25715E-03	0.00000E+00	0.00000E+00
86	6.07878E-01	6.66417E+00	6.08325E-01	3.21815E-03	0.00000E+00	0.00000E+00
87	6.82650E-01	6.73100E+00	6.09199E-01	3.29809E-03	0.00000E+00	0.00000E+00
88	6.42184E-01	6.79783E+00	6.09583E-01	3.28200E-03	0.00000E+00	0.00000E+00
89	5.55622E-01	6.87567E+00	6.08963E-01	3.30282E-03	0.00000E+00	0.00000E+00
90	6.06546E-01	6.94617E+00	6.08935E-01	3.26518E-03	0.00000E+00	0.00000E+00
91	5.78821E-01	7.02133E+00	6.08597E-01	3.24597E-03	0.00000E+00	0.00000E+00
92	5.66679E-01	7.09083E+00	6.08131E-01	3.24332E-03	0.00000E+00	0.00000E+00
93	6.20164E-01	7.16500E+00	6.08263E-01	3.21020E-03	0.00000E+00	0.00000E+00
94	6.06480E-01	7.23550E+00	6.08244E-01	3.17518E-03	0.00000E+00	0.00000E+00

95	5.78361E-01	7.30233E+00	6.07923E-01	3.15724E-03	0.00000E+00	0.00000E+00
96	5.98211E-01	7.37650E+00	6.07819E-01	3.12516E-03	0.00000E+00	0.00000E+00
97	5.80772E-01	7.44783E+00	6.07529E-01	3.10566E-03	0.00000E+00	0.00000E+00
98	6.13701E-01	7.51750E+00	6.07594E-01	3.07363E-03	0.00000E+00	0.00000E+00
99	6.02968E-01	7.58700E+00	6.07546E-01	3.04235E-03	0.00000E+00	0.00000E+00
100	6.10898E-01	7.65383E+00	6.07560E-01	3.01134E-03	0.00000E+00	0.00000E+00
101	5.52344E-01	7.72700E+00	6.07622E-01	3.03253E-03	0.00000E+00	0.00000E+00
102	6.13199E-01	7.79567E+00	6.07664E-01	3.00269E-03	0.00000E+00	0.00000E+00
103	6.08742E-01	7.86433E+00	6.07101E-01	2.97266E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.


"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

LIFETIME = 2.18556E-04 + OR - 1.10041E-06 GENERATION TIME = 1.16144E-04 + OR - 8.15332E-07
 NU BAR = 2.42957E+00 + OR - 2.50942E-04 AVERAGE FISSION GROUP = 2.38494E+01 + OR - 1.41599E-02
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 6.26896E-02 + OR - 8.45492E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.60726	+ OR - 0.00300	0.60426 TO 0.61026	0.60127 TO 0.61326	0.59827 TO 0.61626	40000
4	0.60771	+ OR - 0.00299	0.60472 TO 0.61071	0.60172 TO 0.61370	0.59873 TO 0.61669	39600
5	0.60776	+ OR - 0.00302	0.60473 TO 0.61078	0.60171 TO 0.61381	0.59868 TO 0.61683	39200
6	0.60775	+ OR - 0.00306	0.60470 TO 0.61081	0.60164 TO 0.61387	0.59859 TO 0.61692	38800
7	0.60796	+ OR - 0.00308	0.60488 TO 0.61104	0.60180 TO 0.61412	0.59872 TO 0.61720	38400
8	0.60841	+ OR - 0.00308	0.60533 TO 0.61149	0.60225 TO 0.61457	0.59917 TO 0.61765	38000
9	0.60792	+ OR - 0.00307	0.60485 TO 0.61100	0.60177 TO 0.61407	0.59870 TO 0.61715	37600
10	0.60783	+ OR - 0.00311	0.60472 TO 0.61093	0.60161 TO 0.61404	0.59851 TO 0.61715	37200
11	0.60741	+ OR - 0.00311	0.60429 TO 0.61052	0.60118 TO 0.61363	0.59807 TO 0.61674	36800
12	0.60656	+ OR - 0.00303	0.60353 TO 0.60959	0.60051 TO 0.61262	0.59748 TO 0.61565	36400
17	0.60595	+ OR - 0.00314	0.60280 TO 0.60909	0.59966 TO 0.61223	0.59652 TO 0.61538	34400
22	0.60529	+ OR - 0.00322	0.60207 TO 0.60851	0.59885 TO 0.61173	0.59563 TO 0.61495	32400
27	0.60423	+ OR - 0.00334	0.60089 TO 0.60757	0.59754 TO 0.61091	0.59420 TO 0.61426	30400
32	0.60461	+ OR - 0.00354	0.60108 TO 0.60815	0.59754 TO 0.61169	0.59400 TO 0.61522	28400
37	0.60567	+ OR - 0.00372	0.60194 TO 0.60939	0.59822 TO 0.61311	0.59450 TO 0.61683	26400
42	0.60434	+ OR - 0.00394	0.60040 TO 0.60828	0.59646 TO 0.61222	0.59252 TO 0.61616	24400
47	0.60477	+ OR - 0.00414	0.60063 TO 0.60891	0.59649 TO 0.61305	0.59236 TO 0.61719	22400
52	0.60238	+ OR - 0.00430	0.59808 TO 0.60669	0.59377 TO 0.61099	0.58947 TO 0.61530	20400
57	0.60103	+ OR - 0.00460	0.59643 TO 0.60563	0.59183 TO 0.61023	0.58723 TO 0.61482	18400
62	0.59916	+ OR - 0.00438	0.59477 TO 0.60354	0.59039 TO 0.60792	0.58601 TO 0.61231	16400
67	0.60032	+ OR - 0.00459	0.59573 TO 0.60492	0.59114 TO 0.60951	0.58654 TO 0.61411	14400
72	0.59869	+ OR - 0.00497	0.59371 TO 0.60366	0.58874 TO 0.60863	0.58377 TO 0.61361	12400
77	0.60159	+ OR - 0.00540	0.59620 TO 0.60699	0.59080 TO 0.61238	0.58540 TO 0.61778	10400
82	0.60027	+ OR - 0.00655	0.59372 TO 0.60683	0.58717 TO 0.61338	0.58061 TO 0.61993	8400
87	0.59595	+ OR - 0.00620	0.58975 TO 0.60215	0.58354 TO 0.60836	0.57734 TO 0.61456	6400
92	0.59867	+ OR - 0.00613	0.59254 TO 0.60479	0.58642 TO 0.61092	0.58029 TO 0.61704	4400
97	0.60031	+ OR - 0.00972	0.59059 TO 0.61004	0.58086 TO 0.61976	0.57114 TO 0.62948	2400

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K\text{-EFF} = 0.6073 \pm 0.0030$ WHICH OCCURS FOR 103 GENERATIONS RUN.



100

I * I
I * I
I * I
I * I
I * I
I * I

NAC-LWT Cask SAR
Revision 38

November 2007

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0026			1.58113E-03	8.8616	1.46856E-03	4.5943	0.00000E+00	0.0000
2	0.0115			7.01126E-03	2.7409	4.68199E-03	1.7423	0.00000E+00	0.0000
3	0.0117			7.11948E-03	2.6033	2.96074E-03	2.5228	0.00000E+00	0.0000
4	0.0047			2.82935E-03	3.1388	1.34864E-03	3.0296	0.00000E+00	0.0000
5	0.0017			1.01605E-03	2.3549	9.47995E-04	2.0780	0.00000E+00	0.0000
6	0.0013			7.72662E-04	1.9853	1.22786E-03	1.6528	0.00000E+00	0.0000
7	0.0010			6.27492E-04	2.3255	1.08055E-03	1.9573	0.00000E+00	0.0000
8	0.0009			5.24207E-04	3.1331	1.32918E-03	2.5888	0.00000E+00	0.0000
9	0.0011			6.47597E-04	3.4079	1.99941E-03	2.8600	0.00000E+00	0.0000
10	0.0024			1.44552E-03	3.5593	3.33204E-03	2.9680	0.00000E+00	0.0000
11	0.0051			3.11237E-03	3.6134	5.75020E-03	3.0300	0.00000E+00	0.0000
12	0.0062			3.75062E-03	4.0647	6.04935E-03	3.3493	0.00000E+00	0.0000
13	0.0063			3.84031E-03	4.3839	6.85260E-03	3.4473	0.00000E+00	0.0000
14	0.0052			3.15665E-03	4.1710	1.01914E-02	3.0251	0.00000E+00	0.0000
15	0.0010			5.91114E-04	7.7815	2.56756E-03	3.7314	0.00000E+00	0.0000
16	0.0009			5.41851E-04	8.1764	1.74955E-03	3.8844	0.00000E+00	0.0000
17	0.0013			8.03768E-04	11.7890	1.25184E-03	6.1496	0.00000E+00	0.0000
18	0.0015			9.01252E-04	13.2285	1.15433E-03	6.4656	0.00000E+00	0.0000
19	0.0020			1.22418E-03	10.4069	1.99020E-03	4.6794	0.00000E+00	0.0000
20	0.0081			4.88855E-03	5.3486	8.15507E-03	2.6046	0.00000E+00	0.0000
21	0.0049			2.95337E-03	7.9215	3.74379E-03	3.8325	0.00000E+00	0.0000
22	0.0133			8.08212E-03	5.1373	9.89744E-03	2.5451	0.00000E+00	0.0000
23	0.0851			5.16556E-02	1.6624	7.75125E-02	0.7161	0.00000E+00	0.0000
24	0.2434			1.47805E-01	1.0804	2.28168E-01	0.4195	0.00000E+00	0.0000
25	0.2251			1.36676E-01	1.0379	2.18079E-01	0.3868	0.00000E+00	0.0000
26	0.2699			1.63912E-01	1.2141	2.88964E-01	0.4041	0.00000E+00	0.0000
27	0.0820			4.97920E-02	2.2488	1.07512E-01	0.6855	0.00000E+00	0.0000
SYSTEM TOTAL =				6.07262E-01	0.4937	9.99966E-01	0.1233	0.00000E+00	0.0000

ELAPSED TIME 7.86533 MINUTES

RANDOM NUMBER= 16DE4F176D87

"LWT CASK, 25 PWR RODS, NO PWR BASKET, 5 W/O U235 VARIABLE PITCH"

FREQUENCY FOR GENERATIONS 4 TO 103
0.5410 TO 0.5610 *****
0.5610 TO 0.5810 *****
0.5810 TO 0.6010 *****
0.6010 TO 0.6210 *****
0.6210 TO 0.6410 *****
0.6410 TO 0.6610 *****
0.6610 TO 0.6810 *****
0.6810 TO 0.7010 ***

FREQUENCY FOR GENERATIONS 29 TO 103
0.5410 TO 0.5610 *****
0.5610 TO 0.5810 *****
0.5810 TO 0.6010 *****
0.6010 TO 0.6210 *****
0.6210 TO 0.6410 *****
0.6410 TO 0.6610 *****
0.6610 TO 0.6810 *****
0.6810 TO 0.7010 **

FREQUENCY FOR GENERATIONS 54 TO 103
0.5410 TO 0.5610 *****
0.5610 TO 0.5810 *****
0.5810 TO 0.6010 *****
0.6010 TO 0.6210 *****
0.6210 TO 0.6410 *****
0.6410 TO 0.6610 *****
0.6610 TO 0.6810 *****
0.6810 TO 0.7010 **

FREQUENCY FOR GENERATIONS 79 TO 103
0.5410 TO 0.5610 **
0.5610 TO 0.5810 *****
0.5810 TO 0.6010 *****
0.6010 TO 0.6210 *****
0.6210 TO 0.6410 *****
0.6410 TO 0.6610 *****
0.6610 TO 0.6810 *****
0.6810 TO 0.7010 *****

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 7.86533 MINUTES
.....

Figure 6.6.4-3 CSAS Input/Output for NAC-LWT with 25 BWR Rods – Most Reactive Normal Condition Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
BWR RODS, NO BASKET, VOID EXTERIOR, GAP VOID
27GROUPNDF4 LATTICECELL
UO2 1 0.95 293.0 92235 5.0 92238 95.0 END
ZIRCALLOY 2 1.0 293.0 END
H2O 3 1.0 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.0 293.0 END
H2O 8 0.025 293.0 END
H2O 9 1.0E-20 293.0 END
END COMP
TRIANGPITCH 3.69059 1.2446 1.3 1.4478 2 1.2650 9 END
"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"
READ PARAM RUN=YES PLT=NO GEN=103 NPG=400 END PARAM
READ GEOM
UNIT 1
COM="BWR FUEL ROD"
CYLINDER 1 1 0.62230 2P10.0
CYLINDER 9 1 0.63250 2P10.0
CYLINDER 2 1 0.72390 2P10.0
GLOBAL UNIT 2
CYLINDER 3 1 16.9863 2P10.0
HOLE 1 1 .0000 .0600 .0000
HOLE 1 1 .0000 3.6905 .0000
HOLE 1 1 3.1960 1.8453 .0000
HOLE 1 1 3.1960 -1.8453 .0000
HOLE 1 1 .0000 -3.6905 .0000
HOLE 1 1 -3.1960 -1.8453 .0000
HOLE 1 1 -3.1960 1.8453 .0000
HOLE 1 1 -3.1960 5.5258 .0000
HOLE 1 1 .0000 7.3810 .0000
HOLE 1 1 3.1960 5.5258 .0000
HOLE 1 1 6.3920 3.6905 .0000
HOLE 1 1 6.3920 .0600 .0000
HOLE 1 1 6.3920 -3.6905 .0000
HOLE 1 1 3.1960 -5.5258 .0000
HOLE 1 1 .0000 -7.3810 .0000
HOLE 1 1 -3.1960 -5.5258 .0000
HOLE 1 1 -6.3920 -3.6905 .0000
HOLE 1 1 -6.3920 .0600 .0000
HOLE 1 1 -6.3920 3.6905 .0000
HOLE 1 1 -6.3920 7.3810 .0000
HOLE 1 1 3.1960 9.2263 .0000
HOLE 1 1 9.5879 1.8453 .0000
HOLE 1 1 6.3920 -7.3810 .0000
HOLE 1 1 -3.1960 -9.2263 .0000
HOLE 1 1 -9.5879 -1.8453 .0000
CYLINDER 5 1 18.8913 2P10.0
CYLINDER 6 1 33.4963 2P10.0
CYLINDER 5 1 36.5443 2P10.0
CYLINDER 7 1 49.2443 2P10.0
CYLINDER 5 1 49.8539 2P10.0
CUBOID 8 1 4P121.92 2P10.0
END GEOM
READ BOUNDS ALL=MIR END BOUNDS
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.71 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 7.03 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 231.51 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 242.27 (SECONDS).

```

```

CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  555555555555
CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  555555555555
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55
CC          SS      AA      AA  SS      SS  22      22  55
CC          SS      AA      AA  SS      SS  22      22  55
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22      22  555555555555
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22      22  555555555555
CC          SS      AA      AA  SS      SS  22      22  55
CC          SS      AA      AA  SS      SS  22      22  55
CC          SS      AA      AA  SS      SS  22      22  55
CCCCCCCCC  SSSSSSSSS  AA          AA  SSSSSSSSS  222222222  555555555555
CCCCCCCCC  SSSSSSSSS  AA          AA  SSSSSSSSS  222222222  555555555555
    
```

```

SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SS          CC          AA      AA  LL          EE          PP          CC          CC
SS          CC          AA      AA  LL          EE          PP          PP          CC          CC
SS          CC          AA      AA  LL          EE          PP          PP          CC          CC
SSSSSSSSS  CC          AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CC
SSSSSSSSS  CC          AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CC
SS          SS          AA      AA  LL          EE          PP          CC          CC
SS          SS          AA      AA  LL          EE          PP          CC          CC
SS          SS          AA      AA  LL          EE          PP          CC          CC
SS          SS          AA      AA  LL          EE          PP          CC          CC
SSSSSSSSS  CCCCCCCCC  AA          AA  LLLLLLLLL  EEEEEEEEE  PP          CCCCCCCCC
SSSSSSSSS  CCCCCCCCC  AA          AA  LLLLLLLLL  EEEEEEEEE  PP          CCCCCCCCC
    
```

```

0000000  11          0000000  66666666666  0000000  0000000
00000000  111         00000000  666666666666  000000000  000000000
00          00      1111         00          00  66          00          00          00
00          00      11          00          00  66          00          00          00
00          00      11          00          00  66          00          00          00
00          00      11          00          00  666666666666  00          00          00          00
00          00      11          00          00  666666666666  00          00          00          00
00          00      11          00          00  66          66          00          00          00          00
00          00      11          00          00  66          66          00          00          00          00
00          00      11          00          00  66          66          00          00          00          00
00000000  11111111  000000000  666666666666  000000000  000000000
0000000    1111111  0000000    66666666666  0000000    0000000
    
```

```

11          44          55555555555  33333333333  44          11
111         444         55555555555  33333333333  444         111
1111        4444        55          33          4444        1111
11          44 44        55          33          44 44        11
11          44 44        55          33          44 44        11
11          44 44        55555555555  333          44 44        11
11          44 44        55555555555  333          44 44        11
11          44444444444  55          33          44444444444  11
11          44444444444  55          33          44444444444  11
11          44          55          33          44          11
11111111   44          55555555555  33333333333  44          11111111
11111111   44          55555555555  33333333333  44          11111111
    
```

```

SSSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE P P P P P P P P P P CCCCCCCCCC
SSSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE P P P P P P P P P P CCCCCCCCCC
SS SS CC CC AA AA LL EE EEEEEEEEEEE PP PP CC CC CC
SS CC CC AA AA LL EE EEEEEEEEEEE PP PP CC CC CC
SS CC CC AA AA LL EE EEEEEEEEEEE PP PP CC CC CC
SSSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEEEE ----- P P P P P P P P P P CC
SSSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEEEE ----- P P P P P P P P P P CC
SS CC AA AA LL EE EEEEEEEEEEE PP PP CC CC CC
SS CC AA AA LL EE EEEEEEEEEEE PP PP CC CC CC
SSSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CC CC
SSSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CC CC

```

```

*****
*****
*****
PROGRAM VERIFICATION INFORMATION *****
*****
CODE SYSTEM: SCALE-PC VERSION: 4.3 *****
*****
*****
*****
PROGRAM: CSAS *****
*****
CREATION DATE: 03/08/96 *****
*****
VOLUME: ENG *****
*****
LIBRARY: G:\SCALE43\WIN_NT\EXE *****
*****
*****
PRODUCTION CODE: CSAS *****
*****
VERSION: 3.1 *****
*****
JOBNAME: SCALE-PC *****
*****
DATE OF EXECUTION: 01/06/00 *****
*****
TIME OF EXECUTION: 14:53:41 *****
*****
*****
*****
*****

```

BWR RODS, NO BASKET, VOID EXTERIOR, GAP VOID

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
 MXX 9 MIXTURES
 MSC 9 COMPOSITION SPECIFICATIONS
 IZM 4 MATERIAL ZONES
 GE LATTICECELL GEOMETRY
 MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
 MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC UO2 STANDARD COMPOSITION
 MX 1 MIXTURE NO.
 VF 0.9500 VOLUME FRACTION
 ROTH 10.9600 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 92000 1.00 ATOM/MOLECULE
 92235 5.000 WT%
 92238 95.000 WT%
 8016 2.00 ATOMS/MOLECULE
 END

SC ZIRCALLOY STANDARD COMPOSITION
 MX 2 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 6.5600 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 40302 1.00 ATOM/MOLECULE
 END

SC H2O STANDARD COMPOSITION
 MX 3 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE
 END

SC AL STANDARD COMPOSITION
 MX 4 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 2.7020 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 13027 1.00 ATOM/MOLECULE
 END

SC S5364 STANDARD COMPOSITION
 MX 5 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 7.9200 THEORETICAL DENSITY
 NEL 4 NO. ELEMENTS
 ICP 0 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 24304 19.000 WT%
 25055 2.000 WT%
 26304 69.500 WT%
 28304 9.500 WT%
 END

SC PB STANDARD COMPOSITION
 MX 6 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 11.3440 THEORETICAL DENSITY
 NEL 1 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 82000 1.00 ATOM/MOLECULE
 END

SC H2O STANDARD COMPOSITION
 MX 7 MIXTURE NO.
 VF 1.0000 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN
 1001 2.00 ATOMS/MOLECULE
 8016 1.00 ATOM/MOLECULE
 END

SC H2O STANDARD COMPOSITION
 MX 8 MIXTURE NO.
 VF 0.0250 VOLUME FRACTION
 ROTH 0.9982 THEORETICAL DENSITY
 NEL 2 NO. ELEMENTS
 ICP 1 0/1 MIXTURE/COMPOUND
 TEMP 293.0 DEG KELVIN

```
      1001      2.00 ATOMS/MOLECULE
      8016      1.00 ATOM/MOLECULE
END
SC H2O          STANDARD COMPOSITION
MX              9 MIXTURE NO.
VF              0.0000 VOLUME FRACTION
ROTH           0.9982 THEORETICAL DENSITY
NEL            2 NO. ELEMENTS
ICP            1 0/1 MIXTURE/COMPOUND
TEMP           293.0 DEG KELVIN
              1001      2.00 ATOMS/MOLECULE
              8016      1.00 ATOM/MOLECULE
END
```

**** PROBLEM GEOMETRY ****

```
CTP TRIANGPITCH CELL TYPE
PITCH          3.6906 CM CENTER TO CENTER SPACING
FUELOD         1.2446 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL          1 MIXTURE NO. OF FUEL
MMOD           3 MIXTURE NO. OF MODERATOR
CLADOD         1.4478 CM CLAD OUTER DIAMETER
MCLAD          2 MIXTURE NO. OF CLAD
GAPOD          1.2650 CM GAP OUTER DIAMETER
MGAP           9 MIXTURE NO. OF GAP
```

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

```
ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD
```



```

*****
BWR RODS, NO BASKET, VOID EXTERIOR, GAP VOID
*****

***** DATA LIBRARY INFORMATION *****
UNIT          DATA SET NAME          VOLUME      UNIT FUNCTION
NUMBER        DATA SET NAME          NAME
-----
09  G:\scale43\DATALIB\FT89F001      STANDARD COMPOSITION LIBRARY
02  G:\scale43\DATALIB\FT82F001      CROSS SECTION LIBRARY
11  D:\dcn\326023-1.3_R\BRONZ22D\FT11F001  SHORT CROSS SECTION LIBRARY
90  D:\dcn\326023-1.3_R\BRONZ22D\FT90F001  INPUT DATA DIRECT ACCESS
*****

STANDARD COMPOSITION LIBRARY DATA
-----
UNIT NUMBER : 89
DATASET NAME : G:\scale43\DATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
               637 STANDARD COMPOSITIONS, 490 NUCLIDES
               90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95

CROSS SECTION LIBRARY DATA
-----
UNIT NUMBER : 82
DATASET NAME : G:\scale43\DATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
               BASED ON ENDF-B VERSION 4 DATA
               COMPILED FOR NRC    1/27/89
               LAST UPDATED
               .L.M.PETRIE - ORNL
               08/12/94
*****

```

```

..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....

***** DATA READING COMPLETED *****
..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO_V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....

```

CONTROL MODULE CSAS25 IS COMPLETE.

```

KK      KK      EEEEEEEEEEE   NN      NN      0000000000   VV      VV
KK      KK      EEEEEEEEEEE   NNN     NN     0000000000   VV      VV
KK      KK      EE             NNNN    NN    00             VV      VV
KK      KK      EE             NN NN   NN    00             VV      VV
KK      KK      EE             NN NN   NN    00             VV      VV
KKKKKKK  EEEEEEEEE   NN     NN   NN    00             VV      VV
KKKKKKK  EEEEEEEEE   NN     NN   NN    00             VV      VV
KK      KK      EE             NN     NN   NN    00             VV      VV
KK      KK      EE             NN     NN   NN    00             VV      VV
KK      KK      EE             NN     NN   NN    00             VV      VV
KK      KK      EEEEEEEEEEE   NN     NN   NNN  0000000000   VV      VV
KK      KK      EEEEEEEEEEE   NN     NN   NN   0000000000   VV      V

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS      SS   CC      CC   AA      AA   LL      EE             PP      PP   CC      CC
SE      SE   CC      CC   AA      AA   LL      EE             PP      PP   CC      CC
SR      SR   CC      CC   AA      AA   LL      EE             PP      PP   CC      CC
SSSSSSSSSS  CC          AAAAAAAAAA  LL      EEEEEEEEE   PPPPPPPPPP  CC
SSSSSSSSSS  CC          AAAAAAAAAA  LL      EEEEEEEEE   PPPPPPPPPP  CC
SS      SS   CC      CC   AA      AA   LL      EE             PP      PP   CC      CC
SS      SS   CC      CC   AA      AA   LL      EE             PP      PP   CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA   LLLLLLLLLLLL  EEEEEEEEEEE  PP      PP   CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA   LLLLLLLLLLLL  EEEEEEEEEEE  PP      PP   CCCCCCCCCC

```

```

0000000    11
000000000  111
00      00  1111
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
000000000  11111111
0000000    1111111

// // //
0000000    6666666666
000000000  6666666666
00      00  66
00      00  66
00      00  6666666666
00      00  6666666666
00      00  66      66
00      00  66      66
00      00  66      66
000000000  6666666666
0000000    6666666666

// // //
0000000    0000000
000000000  000000000
00      00  00
00      00  00
00      00  00
00      00  00
00      00  00
00      00  00
00      00  00
00      00  00
000000000  000000000
0000000    0000000

```

```

11      44
111     444
1111    4444   :::
11      44 44   :::
11      44 44   :::
11      44 44
11      44 44
11      44 44
11      444444444444   :::
11      444444444444   :::
11      44      44   :::
11111111  44
11111111  44

555555555555  3333333333
555555555555  3333333333
55      33      33   :::
55      33      33   :::
55      33      33   :::
555555555555  333
555555555555  333
55      55      33   :::
55      55      33   :::
555555555555  333333333333
555555555555  3333333333

555555555555  11
555555555555  111
55      1111
55      11
55      11
555555555555  11
555555555555  11
55      11
55      11
555555555555  11111111
555555555555  11111111

```

```
.....
***
***          "LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"
***
*****          NUMERIC PARAMETERS          *****
***
***          TME          MAXIMUM PROBLEM TIME (MIN)          30.00
***
***          TBA          TIME PER GENERATION (MIN)          0.50
***
***          GEN          NUMBER OF GENERATIONS          103
***
***          NPG          NUMBER PER GENERATION          400
***
***          NSK          NUMBER OF GENERATIONS TO BE SKIPPED          3
***
***          BEG          BEGINNING GENERATION NUMBER          1
***
***          RES          GENERATIONS BETWEEN CHECKPOINTS          0
***
***          X1D          NUMBER OF EXTRA 1-D CROSS SECTIONS          1
***
***          NBK          NEUTRON BANK SIZE          425
***
***          XNB          EXTRA POSITIONS IN NEUTRON BANK          0
***
***          NFB          FISSION BANK SIZE          400
***
***          XFB          EXTRA POSITIONS IN FISSION BANK          0
***
***          WTA          DEFAULT VALUE OF WEIGHT AVERAGE          0.5000
***
***          WTH          WEIGHT HIGH FOR SPLITTING          3.0000
***
***          WTL          WEIGHT LOW FOR RUSSIAN ROULETTE          0.3333
***
***          RND          STARTING RANDOM NUMBER          BB827100001
***
***          NBB          NUMBER OF D.A. BLOCKS ON UNIT B          200
***
***          NLB          LENGTH OF D.A. BLOCKS ON UNIT B          512
***
***          ADJ          MODE OF CALCULATION          FORWARD
***
***          INPUT DATA WRITTEN ON RESTART UNIT          NO
***
***          BINARY DATA INTERFACE          YES
***
.....
```

```
.....  
.....  
..... "LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH" .....  
.....  
..... LOGICAL PARAMETERS .....  
.....  
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***  
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***  
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***  
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***  
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***  
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***  
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***  
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***  
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***  
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***  
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***  
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***  
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***  
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***  
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***  
*** P1D PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***  
*** TRK PRINT TRACKING INFORMATION NO ***  
.....  
.....  
.....
```

PARAMETER INPUT COMPLETED

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

.....
" LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"
.....
***** ADDITIONAL INFORMATION *****
NUMBER OF ENERGY GROUPS      27      USE LATTICE GEOMETRY          NO
NO. OF FISSION SPECTRUM SOURCE GROUP  1      GLOBAL ARRAY NUMBER          0
NO. OF SCATTERING ANGLES IN XSECS   2      NUMBER OF UNITS IN THE GLOBAL X DIR.  0
ENTRIES/NEUTRON IN THE NEUTRON BANK  17     NUMBER OF UNITS IN THE GLOBAL Y DIR.  0
ENTRIES/NEUTRON IN THE FISSION BANK  10     NUMBER OF UNITS IN THE GLOBAL Z DIR.  0
NUMBER OF MIXTURES USED           8      USE A GLOBAL REFLECTOR        YES
NUMBER OF BIAS ID'S USED          1      USE NESTED HOLES              NO
NUMBER OF DIFFERENTIAL ALBEDOS USED  0      NUMBER OF HOLES               25
TOTAL INPUT GEOMETRY REGIONS       10     MAXIMUM HOLE NESTING LEVEL     1
NUMBER OF GEOMETRY REGIONS USED     10     USE NESTED ARRAYS             NO
LARGEST GEOMETRY UNIT NUMBER        2      NUMBER OF ARRAYS USED         0
LARGEST ARRAY NUMBER                1      MAXIMUM ARRAY NESTING LEVEL    0
+X BOUNDARY CONDITION               MIR    -X BOUNDARY CONDITION         MIR
+Y BOUNDARY CONDITION               MIR    -Y BOUNDARY CONDITION         MIR
+Z BOUNDARY CONDITION               MIR    -Z BOUNDARY CONDITION         MIR
.....
" LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"
.....
***** SPACE AND SUPERGROUP INFORMATION *****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
12479 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
87521 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99784 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
87461 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.
1165 WORDS ARE NEEDED FOR THE LARGEST GROUP.
13860 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
25594 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
25760 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.
.....
SUPERGROUP    STARTING    ENDING    XSEC    ALBEDO    TOTAL
              GROUP     GROUP    LENGTH LENGTH    LENGTH
              -----
                1         1         27      2636      0       13055
.....
..... 0 IO'S WERE USED IN SUPERGROUPING .....
..... 0 IO'S WERE USED LOADING THE DATA .....

```

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM			
			----- UNIT 1 -----			
BWR FUEL ROD						
1	CYLINDER	1 1	RADIUS = 0.62230	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000
2	CYLINDER	9 1	RADIUS = 0.63250	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000
3	CYLINDER	2 1	RADIUS = 0.72390	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM			
			***** GLOBAL *****			
			----- UNIT 2 -----			
1	CYLINDER	3 1	RADIUS = 16.986	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000
	HOLE NUMBER	1	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	2	AT X = 0.00000	Y = 3.6905	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	3	AT X = 3.1960	Y = 1.8453	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	4	AT X = 3.1960	Y = -1.8453	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	5	AT X = 0.00000	Y = -3.6905	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	6	AT X = -3.1960	Y = -1.8453	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	7	AT X = -3.1960	Y = 1.8453	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	8	AT X = -3.1960	Y = 5.5358	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	9	AT X = 0.00000	Y = 7.3810	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	10	AT X = 3.1960	Y = 5.5358	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	11	AT X = 6.3920	Y = 3.6905	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	12	AT X = 6.3920	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	13	AT X = 6.3920	Y = -3.6905	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	14	AT X = 3.1960	Y = -5.5358	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	15	AT X = 0.00000	Y = -7.3810	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	16	AT X = -3.1960	Y = -5.5358	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	17	AT X = -6.3920	Y = -3.6905	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	18	AT X = -6.3920	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	19	AT X = -6.3920	Y = 3.6905	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	20	AT X = -6.3920	Y = 7.3810	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	21	AT X = 3.1960	Y = 9.2263	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	22	AT X = 9.5879	Y = 1.8453	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	23	AT X = 6.3920	Y = -7.3810	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	24	AT X = -3.1960	Y = -9.2263	Z = 0.00000	IS UNIT NUMBER 1
	HOLE NUMBER	25	AT X = -9.5879	Y = -1.8453	Z = 0.00000	IS UNIT NUMBER 1
2	CYLINDER	5 1	RADIUS = 18.891	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000
3	CYLINDER	6 1	RADIUS = 33.496	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000
4	CYLINDER	5 1	RADIUS = 36.544	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000
5	CYLINDER	7 1	RADIUS = 49.244	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000
6	CYLINDER	5 1	RADIUS = 49.854	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000 Y = 0.00000
7	CUBOID	8 1	+X = 121.92	-X = -121.92	+Y = 121.92	-Y = -121.92 +Z = 10.000 -Z = -10.000

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	2.43321E+01 CM**3	2.43321E+01 CM**3
	2	2	8.04178E-01 CM**3	2.51362E+01 CM**3
	3	3	7.78958E+00 CM**3	3.29259E+01 CM**3
2	1	4	1.73060E+04 CM**3	1.81291E+04 CM**3
	2	5	4.29436E+03 CM**3	2.24235E+04 CM**3
	3	6	4.80740E+04 CM**3	7.04975E+04 CM**3
	4	7	1.34136E+04 CM**3	8.39110E+04 CM**3
	5	8	6.84563E+04 CM**3	1.52367E+05 CM**3
	6	9	3.79567E+03 CM**3	1.56163E+05 CM**3
	7	10	1.03300E+06 CM**3	1.18916E+06 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	25	1	1	6.08302E+02 CM**3
		2	9	2.01045E+01 CM**3
		3	2	1.94739E+02 CM**3
2	1	1	3	1.73060E+04 CM**3
		2	5	4.29436E+03 CM**3
		3	6	4.80740E+04 CM**3
		4	7	1.34136E+04 CM**3
		5	8	6.84563E+04 CM**3
		6	9	3.79567E+03 CM**3
		7	8	1.03300E+06 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	6.08302E+02 CM**3	6.33563E+03
2	1.94739E+02 CM**3	1.27749E+03
3	1.73060E+04 CM**3	1.72744E+04
5	2.15036E+04 CM**3	1.70309E+05
6	4.80740E+04 CM**3	5.45351E+05
7	6.84563E+04 CM**3	6.83311E+04
8	1.03300E+06 CM**3	2.57777E+04
9	2.01045E+01 CM**3	2.00677E-19

```

*****
*****          BIASING INFORMATION          *****
*****
*****  A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S.  *****
*****

```

```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING .....
..... 0.00917 MINUTES WERE USED PROCESSING DATA. ....

```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 5.11540E-04

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED UNIFORMLY THROUGHOUT THE ENTIRE VOLUME DEFINED BY THE OUTERMOST GEOMETRY CARD.
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 15 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

385 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

0.45350 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.46933 MINUTES.

95	6.77878E-01	3.58667E+00	7.02543E-01	3.99360E-03	0.00000E+00	0.00000E+00
96	7.22040E-01	3.61867E+00	7.02750E-01	3.85632E-03	0.00000E+00	0.00000E+00
97	6.94216E-01	3.65067E+00	7.02660E-01	3.91566E-03	0.00000E+00	0.00000E+00
98	6.89477E-01	3.68450E+00	7.02523E-01	3.87711E-03	0.00000E+00	0.00000E+00
99	6.54985E-01	3.71667E+00	7.02633E-01	3.86811E-03	0.00000E+00	0.00000E+00
100	7.30407E-01	3.74683E+00	7.02222E-01	3.83936E-03	0.00000E+00	0.00000E+00
101	7.01445E-01	3.77800E+00	7.02314E-01	3.80040E-03	0.00000E+00	0.00000E+00
102	7.58112E-01	3.80900E+00	7.02872E-01	3.80335E-03	0.00000E+00	0.00000E+00
103	7.90971E-01	3.84117E+00	7.03744E-01	3.86522E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

LIFETIME = 2.30278E-04 + OR - 4.37502E-06 GENERATION TIME = 1.11547E-04 + OR - 7.28438E-07
 NU BAR = 2.43036E+00 + OR - 2.66918E-04 AVERAGE FISSION GROUP = 2.37161E+01 + OR - 1.32587E-02
 ENERGY(EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 7.18706E-02 + OR - 8.84026E-04


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.70458	+ OR - 0.00381	0.70077 TO 0.70839	0.69696 TO 0.71220	0.69315 TO 0.71602	40000
4	0.70474	+ OR - 0.00385	0.70090 TO 0.70859	0.69705 TO 0.71244	0.69321 TO 0.71628	39600
5	0.70486	+ OR - 0.00388	0.70098 TO 0.70875	0.69710 TO 0.71263	0.69321 TO 0.71651	39200
6	0.70481	+ OR - 0.00392	0.70088 TO 0.70873	0.69696 TO 0.71265	0.69304 TO 0.71658	38800
7	0.70478	+ OR - 0.00396	0.70082 TO 0.70875	0.69685 TO 0.71271	0.69289 TO 0.71668	38400
8	0.70467	+ OR - 0.00401	0.70067 TO 0.70868	0.69666 TO 0.71268	0.69266 TO 0.71669	38000
9	0.70517	+ OR - 0.00402	0.70115 TO 0.70918	0.69713 TO 0.71320	0.69312 TO 0.71722	37600
10	0.70530	+ OR - 0.00406	0.70124 TO 0.70935	0.69718 TO 0.71341	0.69312 TO 0.71747	37200
11	0.70532	+ OR - 0.00410	0.70122 TO 0.70942	0.69711 TO 0.71352	0.69301 TO 0.71763	36800
12	0.70545	+ OR - 0.00415	0.70131 TO 0.70960	0.69716 TO 0.71374	0.69302 TO 0.71789	36400
17	0.70388	+ OR - 0.00423	0.69966 TO 0.70811	0.69543 TO 0.71233	0.69120 TO 0.71656	34400
22	0.70332	+ OR - 0.00429	0.69903 TO 0.70761	0.69474 TO 0.71191	0.69045 TO 0.71620	32400
27	0.70354	+ OR - 0.00441	0.69913 TO 0.70795	0.69472 TO 0.71237	0.69031 TO 0.71678	30400
32	0.70455	+ OR - 0.00454	0.70002 TO 0.70909	0.69548 TO 0.71362	0.69095 TO 0.71816	28400
37	0.70602	+ OR - 0.00481	0.70120 TO 0.71083	0.69639 TO 0.71565	0.69158 TO 0.72046	26400
42	0.70771	+ OR - 0.00497	0.70274 TO 0.71269	0.69776 TO 0.71766	0.69279 TO 0.72263	24400
47	0.71005	+ OR - 0.00520	0.70486 TO 0.71525	0.69966 TO 0.72044	0.69446 TO 0.72564	22400
52	0.71209	+ OR - 0.00555	0.70654 TO 0.71764	0.70099 TO 0.72319	0.69544 TO 0.72874	20400
57	0.71127	+ OR - 0.00595	0.70532 TO 0.71722	0.69937 TO 0.72316	0.69342 TO 0.72911	18400
62	0.71246	+ OR - 0.00654	0.70592 TO 0.71899	0.69939 TO 0.72553	0.69285 TO 0.73207	16400
67	0.71411	+ OR - 0.00720	0.70691 TO 0.72131	0.69972 TO 0.72851	0.69252 TO 0.73571	14400
72	0.71602	+ OR - 0.00783	0.70818 TO 0.72385	0.70035 TO 0.73169	0.69251 TO 0.73952	12400
77	0.71903	+ OR - 0.00894	0.71008 TO 0.72797	0.70114 TO 0.73692	0.69219 TO 0.74586	10400
82	0.70967	+ OR - 0.00941	0.70026 TO 0.71908	0.69085 TO 0.72849	0.68144 TO 0.73790	8400
87	0.71067	+ OR - 0.01120	0.69947 TO 0.72187	0.68827 TO 0.73306	0.67708 TO 0.74426	6400
92	0.70753	+ OR - 0.01206	0.69547 TO 0.71959	0.68342 TO 0.73164	0.67136 TO 0.74370	4400

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.72090	+ OR - 0.02008	0.70082 TO 0.74098	0.68074 TO 0.76106	0.66066 TO 0.78114	2400

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K\text{-EFF} = 0.7046 \pm 0.0038$ WHICH OCCURS FOR 103 GENERATIONS RUN.



100

I I I
I I I
I I I
I I I

NAC-LWT Cask SAR
Revision 38

November 2007

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0032			2.25095E-03	7.8999	1.69980E-03	4.5846	0.00000E+00	0.0000
2	0.0117			8.26592E-03	2.6166	5.12285E-03	1.8582	0.00000E+00	0.0000
3	0.0133			9.37768E-03	2.2716	3.87435E-03	2.1804	0.00000E+00	0.0000
4	0.0053			3.70092E-03	2.7681	1.76169E-03	2.6427	0.00000E+00	0.0000
5	0.0017			1.21374E-03	2.1824	1.13160E-03	1.9162	0.00000E+00	0.0000
6	0.0014			1.01081E-03	1.6627	1.54773E-03	1.3194	0.00000E+00	0.0000
7	0.0012			8.22068E-04	2.2097	1.39633E-03	1.8199	0.00000E+00	0.0000
8	0.0010			6.71540E-04	2.8381	1.69331E-03	2.3480	0.00000E+00	0.0000
9	0.0012			8.56593E-04	2.9293	2.54030E-03	2.5375	0.00000E+00	0.0000
10	0.0024			1.66103E-03	3.2172	3.64944E-03	2.5647	0.00000E+00	0.0000
11	0.0050			3.52613E-03	3.1318	6.32132E-03	2.5665	0.00000E+00	0.0000
12	0.0071			5.00778E-03	3.8527	7.57670E-03	3.3871	0.00000E+00	0.0000
13	0.0066			4.62519E-03	3.9332	7.92726E-03	3.0584	0.00000E+00	0.0000
14	0.0050			3.54103E-03	3.7969	1.09799E-02	2.8209	0.00000E+00	0.0000
15	0.0012			8.75754E-04	6.3603	3.16548E-03	3.1721	0.00000E+00	0.0000
16	0.0009			5.99919E-04	7.4684	1.91457E-03	4.0471	0.00000E+00	0.0000
17	0.0013			8.93173E-04	10.4906	1.30725E-03	5.0843	0.00000E+00	0.0000
18	0.0019			1.32780E-03	10.3387	1.42220E-03	5.9406	0.00000E+00	0.0000
19	0.0020			1.41318E-03	8.8499	2.19704E-03	4.2113	0.00000E+00	0.0000
20	0.0096			6.75531E-03	4.9862	9.53559E-03	2.6179	0.00000E+00	0.0000
21	0.0052			3.65163E-03	7.6738	4.17396E-03	3.9216	0.00000E+00	0.0000
22	0.0131			9.23177E-03	5.0220	1.09786E-02	2.5974	0.00000E+00	0.0000
23	0.0905			6.37689E-02	1.8699	8.17951E-02	0.8746	0.00000E+00	0.0000
24	0.2506			1.76576E-01	1.0931	2.33370E-01	0.5061	0.00000E+00	0.0000
25	0.2238			1.57684E-01	1.1584	2.16982E-01	0.4441	0.00000E+00	0.0000
26	0.2640			1.86030E-01	1.1510	2.80289E-01	0.4053	0.00000E+00	0.0000
27	0.0699			4.92422E-02	2.4599	9.82105E-02	0.7319	0.00000E+00	0.0000
SYSTEM TOTAL =				7.04582E-01	0.5409	1.00256E+00	0.1192	0.00000E+00	0.0000

ELAPSED TIME 3.84117 MINUTES

RANDOM NUMBER= 12FB24B34616

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

```
FREQUENCY FOR GENERATIONS 4 TO 103
0.6045 TO 0.6245 *
0.6245 TO 0.6445 *****
0.6445 TO 0.6645 *****
0.6645 TO 0.6845 *****
0.6845 TO 0.7045 *****
0.7045 TO 0.7245 *****
0.7245 TO 0.7445 *****
0.7445 TO 0.7645 *****
0.7645 TO 0.7845 **
0.7845 TO 0.8045 *****
```

```
FREQUENCY FOR GENERATIONS 29 TO 103
0.6045 TO 0.6245 *
0.6245 TO 0.6445 **
0.6445 TO 0.6645 ****
0.6645 TO 0.6845 *****
0.6845 TO 0.7045 *****
0.7045 TO 0.7245 *****
0.7245 TO 0.7445 *****
0.7445 TO 0.7645 *****
0.7645 TO 0.7845 *
0.7845 TO 0.8045 *****
```

```
FREQUENCY FOR GENERATIONS 54 TO 103
0.6045 TO 0.6245 *
0.6245 TO 0.6445 **
0.6445 TO 0.6645 ****
0.6645 TO 0.6845 *****
0.6845 TO 0.7045 *****
0.7045 TO 0.7245 *****
0.7245 TO 0.7445 *****
0.7445 TO 0.7645 *****
0.7645 TO 0.7845 *
0.7845 TO 0.8045 *****
```

```
FREQUENCY FOR GENERATIONS 79 TO 103
0.6045 TO 0.6245
0.6245 TO 0.6445
0.6445 TO 0.6645 **
0.6645 TO 0.6845 ****
0.6845 TO 0.7045 *****
0.7045 TO 0.7245 ***
0.7245 TO 0.7445 **
0.7445 TO 0.7645 ***
0.7645 TO 0.7845 *
0.7845 TO 0.8045 *****
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 3.84117 MINUTES
.....

Figure 6.6.4-4 CSAS Input/Output for NAC-LWT with 25 BWR Rods – Most Reactive Accident Condition Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
EWR RODS, NO BASKET, VOID EXTERIOR, GAP FULL
27GROUPNDF4 LATTICECELL
UO2 1 0.95 293.0 92235 5.0 92238 95.0 END
ZIRCALLOY 2 1.0 293.0 END
H2O 3 1.0 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
FB 6 1.0 293.0 END
H2O 7 1E-20 293.0 END
H2O 8 1E-20 293.0 END
H2O 9 1.0 293.0 END
END COMP
TRIANGPITCH 3.69059 1.2446 1 3 1.4478 2 1.2650 9 END
"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"
READ PARAM RUN=YES PLT=NO GEN=103 NPG=400 END PARAM
READ GEOM
UNIT 1
COM="BWR FUEL ROD"
CYLINDER 1 1 0.62230 2P10.0
CYLINDER 9 1 0.63250 2P10.0
CYLINDER 2 1 0.72390 2P10.0
GLOBAL UNIT 2
CYLINDER 3 1 16.9863 2P10.0
HOLE 1 0.0000 1.6000 .0000
HOLE 1 0.0000 3.6905 .0000
HOLE 1 3.1960 1.8453 .0000
HOLE 1 3.1960 -1.8453 .0000
HOLE 1 0.0000 -3.6905 .0000
HOLE 1 -3.1960 -1.8453 .0000
HOLE 1 -3.1960 1.8453 .0000
HOLE 1 -3.1960 5.5258 .0000
HOLE 1 0.0000 7.3810 .0000
HOLE 1 3.1960 5.5258 .0000
HOLE 1 6.3920 3.6905 .0000
HOLE 1 6.3920 .0000 .0000
HOLE 1 6.3920 -3.6905 .0000
HOLE 1 3.1960 -5.5258 .0000
HOLE 1 0.0000 -7.3810 .0000
HOLE 1 -3.1960 -5.5258 .0000
HOLE 1 -6.3920 -3.6905 .0000
HOLE 1 -6.3920 .0000 .0000
HOLE 1 -6.3920 3.6905 .0000
HOLE 1 -6.3920 7.3810 .0000
HOLE 1 3.1960 9.2263 .0000
HOLE 1 9.5679 1.8453 .0000
HOLE 1 6.3920 -7.3810 .0000
HOLE 1 -3.1960 -9.2263 .0000
HOLE 1 -9.5679 -1.8453 .0000
CYLINDER 5 1 18.8913 2P10.0
CYLINDER 6 1 33.4963 2P10.0
CYLINDER 5 1 36.5443 2P10.0
CYLINDER 7 1 49.2443 2P10.0
CYLINDER 5 1 49.8539 2P10.0
CUBOID 8 1 4P121.92 2P10.0
END GEOM
READ BOUNDS ALL=MIR END BOUNDS
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.44 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 6.37 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 238.65 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 247.05 (SECONDS).

```

```

CCCCCCCCC      SSSSSSSSS      AAAAAAAA      SSSSSSSSS      22222222222      5555555555555
CCCCCCCCC      SSSSSSSSS      AAAAAAAAAA      SSSSSSSSS      22222222222      5555555555555
CC             CC      SS      SS      AA      AA      SS      SS      22      22      55
CC             CC      SS      SS      AA      AA      SS      SS      22      22      55
CC             CC      SS      SS      AA      AA      SS      SS      22      22      55
CC             CC      SS      SS      AA      AA      SS      SS      22      22      55
SSSSSSSSSS      SSSSSSSSS      AAAAAAAAAA      SSSSSSSSS      22      55555555555
CC             SS      AA      AA      SS      SS      22      55555555555
CC             SS      AA      AA      SS      SS      22      55
CC             CC      SS      SS      AA      AA      SS      SS      22      55
CCCCCCCCC      SSSSSSSSS      AA      AA      SSSSSSSSS      22222222222      5555555555555
CCCCCCCCC      SSSSSSSSS      AA      AA      SSSSSSSSS      22222222222      55555555555

SSSSSSSSSS      CCCCCCCCC      AAAAAAAA      LL      EEEEEEEEEEE      PPPPPPPPPPP      CCCCCCCCC
SSSSSSSSSS      CCCCCCCCC      AAAAAAAAAA      LL      EEEEEEEEEEE      PPPPPPPPPPP      CCCCCCCCC
SS      SS      CC      CC      AA      AA      LL      EE      PP      PP      CC      CC
SS      CC      AA      AA      LL      EE      PP      PP      CC      CC
SS      CC      AA      AA      LL      EE      PP      PP      CC      CC
SSSSSSSSSS      CC      AAAAAAAAAA      LL      EEEEEEE      PPPPPPPPPPP      CC
SSSSSSSSSS      CC      AAAAAAAAAA      LL      EEEEEEE      PPPPPPPPPPP      CC
SS      CC      AA      AA      LL      EE      PP      CC      CC
SS      CC      AA      AA      LL      EE      PP      CC      CC
SS      CC      AA      AA      LL      EE      PP      CC      CC
SSSSSSSSSS      CCCCCCCCC      AA      AA      LLLLLLLLLLL      EEEEEEEEEEE      PP      CCCCCCCCC
SSSSSSSSSS      CCCCCCCCC      AA      AA      LLLLLLLLLLL      EEEEEEEEEEE      PP      CCCCCCCCC

0000000      11
00000000      111
00      00      1111
00      00      11
00      00      11
00      00      11
00      00      11
00      00      11
00      00      11
00      00      11
00      00      11
00000000      11111111
0000000      11111111

0000000      66666666666
00000000      66666666666
00      00      66
00      00      66
00      00      66
00      00      66666666666
00      00      66666666666
00      00      66
00      00      66
00      00      66
00      00      66
00000000      66666666666
0000000      66666666666

0000000      00000000
00000000      00000000
00      00      00      00
00      00      00      00
00      00      00      00
00      00      00      00
00      00      00      00
00      00      00      00
00      00      00      00
00      00      00      00
00000000      00000000
0000000      0000000

0000000      88888888888
00000000      8888888888888
00      00      88      88      :::      44      77777777777
00      00      88      88      :::      444      77777777777
00      00      88      88      :::      44      77      77      77
00      00      88      88      :::      44      77      77      77
00      00      88888888888      44      77      77      77
00      00      88888888888      44      77      77      77
00      00      88      88      :::      44444444444      77      77      77
00      00      88      88      :::      44444444444      77      77      77
00      00      88      88      :::      44      77      77      77
00000000      8888888888888      44      77      77      77
0000000      88888888888      44      77      77      77

0000000      11      77777777777
00000000      111      77777777777
00      00      1111      77      77
00      00      11      77
00      00      11      77
00      00      11      77
00      00      11      77
00      00      11      77
00      00      11      77
00000000      11111111      77
0000000      11111111      77

```



```

SSSSSSSSSSS  CCCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCCC
SSSSSSSSSSSS  CCCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCCC
SS  SS  CC  CC  AA  AA  LL  EE  EE  PP  PP  CC  CC
SS  CC  CC  AA  AA  LL  EE  EE  PP  PP  CC  CC
SS  CC  CC  AA  AA  LL  EE  EE  PP  PP  CC  CC
SSSSSSSSSSSS  CC  AAAAAAAAAA  LL  EEEEEEE  -----  PPPPPPPPPPP
SSSSSSSSSSSS  CC  AAAAAAAAAA  LL  EEEEEEE  -----  PPPPPPPPPPP
SS  CC  AA  AA  LL  EE  PP  CC  CC
SS  CC  AA  AA  LL  EE  PP  CC  CC
SS  SS  CC  CC  AA  AA  LL  EE  PP  CC  CC
SSSSSSSSSSSS  CCCCCCCCCCC  AA  AA  LLLLLLLLLLL  EEEEEEEEEEE  PP  CCCCCCCCCCC
SSSSSSSSSSSS  CCCCCCCCCCC  AA  AA  LLLLLLLLLLL  EEEEEEEEEEE  PP  CCCCCCCCCCC
  
```

```

.....
.....
*****
*****          PROGRAM VERIFICATION INFORMATION          *****
*****
*****          CODE SYSTEM: SCALE-PC VERSION: 4.3          *****
*****
*****
*****          PROGRAM: CSAS          *****
*****
*****          CREATION DATE: 03/08/96          *****
*****
*****          VOLUME: ENG          *****
*****
*****          LIBRARY: G:\SCALE43\WIN_NT\EXE          *****
*****
*****          PRODUCTION CODE: CSAS          *****
*****
*****          VERSION: 3.1          *****
*****
*****          JOBNAME: SCALE-PC          *****
*****
*****          DATE OF EXECUTION: 01/06/00          *****
*****
*****          TIME OF EXECUTION: 08:47:17          *****
*****
.....
.....
  
```

BWR RODS, NO BASKET, VOID EXTERIOR, GAP FULL

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MX 9 MIXTURES
MSC 9 COMPOSITION SPECIFICATIONS
IZM 4 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC UO2 STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.9500 VOLUME FRACTION
ROTH 10.9600 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 5.000 WT:
92238 95.000 WT:
8016 2.00 ATOMS/MOLECULE
END

SC ZIRCALLOY STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 6.5600 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
40302 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC AL STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE
END

SC SS304 STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT:
25055 2.000 WT:
26304 69.500 WT:
28304 9.500 WT:
END

SC PB STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 0.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 0.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN

```
      1001      2.00 ATOMS/MOLECULE
      8016      1.00 ATOM/MOLECULE
END
SC H2O          STANDARD COMPOSITION
MX              9 MIXTURE NO.
VF              1.0000 VOLUME FRACTION
ROTH           0.9982 THEORETICAL DENSITY
NEL            2 NO. ELEMENTS
ICP            1 0/1 MIXTURE/COMPOUND
TEMP           293.0 DEG KELVIN
              1001      2.00 ATOMS/MOLECULE
              8016      1.00 ATOM/MOLECULE
END
```

**** PROBLEM GEOMETRY ****

```
CTP TRIANGPITCH CELL TYPE
PITCH          3.6906 CM CENTER TO CENTER SPACING
FUELOD         1.2446 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL          1 MIXTURE NO. OF FUEL
MMOD           3 MIXTURE NO. OF MODERATOR
CLADOD         1.4478 CM CLAD OUTER DIAMETER
MCLAD          2 MIXTURE NO. OF CLAD
GAPOD          1.2650 CM GAP OUTER DIAMETER
MGAP           9 MIXTURE NO. OF GAP
```

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

```
ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD
```

```
*****
***** BWR RODS, NO BASKET, VOID EXTERIOR, GAP FULL *****
*****
***** DATA LIBRARY INFORMATION *****
*****
UNIT      DATA SET NAME      VOLUME      UNIT FUNCTION
NUMBER   NAME                     NAME
-----   -----
89      G:\scale43\ATALIB\FT89F001
        STANDARD COMPOSITION LIBRARY
82      G:\scale43\ATALIB\FT82F001
        CROSS SECTION LIBRARY
11      D:\dcn\326023-1.3_R\BROHZ2A\FT11F001
        SHORT CROSS SECTION LIBRARY
90      D:\dcn\326023-1.3_R\BROHZ2A\FT90F001
        INPUT DATA DIRECT ACCESS
*****
*****
***** STANDARD COMPOSITION LIBRARY DATA *****
*****
UNIT NUMBER : 89
DATASET NAME : G:\scale43\ATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
                637 STANDARD COMPOSITIONS, 490 NUCLIDES
                90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95
*****
*****
***** CROSS SECTION LIBRARY DATA *****
*****
UNIT NUMBER : 82
DATASET NAME : G:\scale43\ATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
                BASED ON ENDF-B VERSION 4 DATA
                COMPILED FOR NRC 1/27/89
                LAST UPDATED
                L.M.PETRIE - ORNL
*****
***** 08/12/94 *****
*****
*****
```

```
..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....
***** DATA READING COMPLETED *****
..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....
```

CONTROL MODULE CSAS25 IS COMPLETE.

```
KK      KK  EEEEEEEEEEE  NN      NN  OOOOOOOOOO
KK      KK  EEEEEEEEEEE  NNN     NN  OOOOOOOOOO
KK      KK  EE           NNNN    NN  OO      OO
KK      KK  EE           NN NN    NN  OO      OO
KK      KK  EE           NN  NN    NN  OO      OO
KKKKKKKK EEEEEEEEE   NN  NN    NN  OO      OO
KKKKKKKK EEEEEEEEE   NN  NN    NN  OO      OO
KK      KK  EE           NN  NN    NN  OO      OO
KK      KK  EE           NN  NN    NN  OO      OO
KK      KK  EE           NN  NN    NN  OO      OO
KK      KK  EEEEEEEEEEE  NN     NNN  OOOOOOOOOO
KK      KK  EEEEEEEEEEE  NN     NN  OOOOOOOOOO
```

```
VV      VV
VV      VV
VV      VV
VV      VV
VV      VV
VV      VV
VV      VV
VV      VV
VV      VV
VV      VV
VV      VV
VV      V
```

```
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAA  LL      EEEEEEEEEEE
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAA  LL      EEEEEEEEEEE
SE      SS  CC      CC  AA      AA  LL      EE
SS      CC  AA      AA  LL      EE
SE      CC  AA      AA  LL      EE
SSSSSSSSSS  CC      CC  AA      AA  LL      EE
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLL
SS      SS  CC      CC  AA      AA  LL      EE
SS      SS  CC      CC  AA      AA  LL      EE
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLL
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLL
```

```
EEEEEEEEEE
EEEEEEEEEE
EE
EE
EE
EEEEEEEE
EEEEEEEE
EE
EF
EF
EEEEEEEEEE
EEEEEEEEEE
```

```
PPPPPPPPPP  CCCCCCCCCC
PPPPPPPPPP  CCCCCCCCCC
PP      PP  CC      CC
PP      PP  CC      CC
PP      PP  CC      CC
PPPPPPPPPP  CC
PPPPPPPPPP  CC
PP      CC
PP      CC
PP      CC
PP      CC
PP      CC
PP      CC
```

```
000000      11
00000000    111
00      00  1111
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
00000000    1111111
000000      1111111
```

```
000000      6666666666
00000000    6666666666
00      00  €€
00      00  €€
00      00  €€
00      00  €€6666666666
00      00  666666666666
00      00  €€
00      00  €€
00      00  €€
00000000    6666666666
000000      6666666666
```

```
000000      000000
00000000    00000000
00      00  00      00
00      00  00      00
00      00  00      00
00      00  00      00
00      00  00      00
00      00  00      00
00      00  00      00
00000000    00000000
000000      000000
```

```
000000      8888888888
00000000    8888888888
00      00  €€      €€
00      00  €€      €€
00      00  €€      €€
00      00  8888888888
00      00  8888888888
00      00  88      88
00      00  88      88
00      00  88      88
00000000    8888888888
000000      8888888888
```

```
44      7777777777
444     7777777777
4444    77      77
44 44   77
44 44   77
44 44   77
44 44   77
4444444444 77
4444444444 77
44      77
44      77
44      77
```

```
2222222222 5555555555
2222222222 5555555555
22      22  55
22      22  55
22      22  55
22      22  55
22      22  5555555555
22      22  5555555555
22      22  55
22      22  55
2222222222 5555555555
2222222222 5555555555
```

```

*****
***** "LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH" *****
*****
*****          NUMERIC PARAMETERS          *****
*****
TME          MAXIMUM PROBLEM TIME (MIN)          30.00
TBA          TIME PER GENERATION (MIN)          0.50
GEN          NUMBER OF GENERATIONS          103
NPG          NUMBER PER GENERATION          400
NSK          NUMBER OF GENERATIONS TO BE SKIPPED          3
BEG          BEGINNING GENERATION NUMBER          1
RES          GENERATIONS BETWEEN CHECKPOINTS          0
X1D          NUMBER OF EXTRA 1-D CROSS SECTIONS          1
NBK          NEUTRON BANK SIZE          425
XNB          EXTRA POSITIONS IN NEUTRON BANK          0
NFB          FISSION BANK SIZE          400
XFB          EXTRA POSITIONS IN FISSION BANK          0
WTA          DEFAULT VALUE OF WEIGHT AVERAGE          0.5000
WTH          WEIGHT HIGH FOR SPLITTING          3.0000
WTL          WEIGHT LOW FOR RUSSIAN ROULETTE          0.3333
RND          STARTING RANDOM NUMBER          BB827100001
NB8          NUMBER OF D.A. BLOCKS ON UNIT 8          200
NL8          LENGTH OF D.A. BLOCKS ON UNIT 8          512
ADJ          MODE OF CALCULATION          FORWARD
          INPUT DATA WRITTEN ON RESTART UNIT          NO
          BINARY DATA INTERFACE          YES
*****
*****
  
```

```
.....  
.....  
..... "LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH" .....  
.....  
..... LOGICAL PARAMETERS .....  
.....  
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***  
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***  
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***  
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***  
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***  
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***  
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***  
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***  
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***  
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***  
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***  
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***  
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***  
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***  
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***  
*** PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***  
*** TRK PRINT TRACKING INFORMATION NO ***  
.....  
.....  
..... PARAMETER INPUT COMPLETED .....  
.....
```

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

*****
***** "LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH" *****
*****
***** ADDITIONAL INFORMATION *****
*****
NUMBER OF ENERGY GROUPS          27      USE LATTICE GEOMETRY          NO *****
NO. OF FISSION SPECTRUM SOURCE GROUP 1      GLOBAL ARRAY NUMBER          0 *****
NO. OF SCATTERING ANGLES IN XSECS  2      NUMBER OF UNITS IN THE GLOBAL X DIR.  0 *****
ENTRIES/NEUTRON IN THE NEUTRON BANK 17     NUMBER OF UNITS IN THE GLOBAL Y DIR.  0 *****
ENTRIES/NEUTRON IN THE FISSION BANK 10     NUMBER OF UNITS IN THE GLOBAL Z DIR.  0 *****
NUMBER OF MIXTURES USED            8      USE A GLOBAL REFLECTOR        YES *****
NUMBER OF BIAS ID'S USED           1      USE NESTED HOLES              NO *****
NUMBER OF DIFFERENTIAL ALBEDOS USED 0      NUMBER OF HOLES                25 *****
TOTAL INPUT GEOMETRY REGIONS        10     MAXIMUM HOLE NESTING LEVEL     1 *****
NUMBER OF GEOMETRY REGIONS USED      10     USE NESTED ARRAYS              NO *****
LARGEST GEOMETRY UNIT NUMBER         2      NUMBER OF ARRAYS USED          0 *****
LARGEST ARRAY NUMBER                 1      MAXIMUM ARRAY NESTING LEVEL    0 *****
*****
+X BOUNDARY CONDITION                MIR     -X BOUNDARY CONDITION          MIR *****
+Y BOUNDARY CONDITION                MIR     -Y BOUNDARY CONDITION          MIR *****
+Z BOUNDARY CONDITION                MIR     -Z BOUNDARY CONDITION          MIR *****
*****

```

```

*****
***** "LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH" *****
*****
***** SPACE AND SUPERGROUP INFORMATION *****
*****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
12479 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
87521 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99784 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
87461 WORDS OF STORAGE ARE AVAILAHLE TO EACH SUPERGROUP.
1165 WORDS ARE NEEDED FOR THE LARGEST GROUP.
13860 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
25594 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
25760 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.
*****
*****
SUPERGROUP   STARTING   ENDING    XSEC      ALBEDO    TOTAL
              GROUP     GROUP    LENGTH   LENGTH   LENGTH
*****
              1         1       27       2636     0       13055
*****

```

```

..... 0 IO'S WERE USED IN SUPERGROUPING .....
..... 0 IO'S WERE USED LOADING THE DATA .....

```


"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 1 -----								
BWR FUEL ROD								
1	CYLINDER	1	1	RADIUS = 0.62230	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
2	CYLINDER	9	1	RADIUS = 0.63250	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3	CYLINDER	2	1	RADIUS = 0.72390	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
***** GLOBAL *****								
----- UNIT 2 -----								
1	CYLINDER	3	1	RADIUS = 16.986	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
	HOLE NUMBER	1		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	2		AT X = 0.00000	Y = 3.6905	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	3		AT X = 3.1960	Y = 1.8453	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	4		AT X = 3.1960	Y = -1.8453	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	5		AT X = 0.00000	Y = -3.6905	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	6		AT X = -3.1960	Y = -1.8453	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	7		AT X = -3.1960	Y = 1.8453	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	8		AT X = -3.1960	Y = 5.5358	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	9		AT X = 0.00000	Y = 7.3810	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	10		AT X = 3.1960	Y = 5.5358	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	11		AT X = 6.3920	Y = 3.6905	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	12		AT X = 6.3920	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	13		AT X = 6.3920	Y = -3.6905	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	14		AT X = 3.1960	Y = -5.5358	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	15		AT X = 0.00000	Y = -7.3810	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	16		AT X = -3.1960	Y = -5.5358	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	17		AT X = -6.3920	Y = -3.6905	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	18		AT X = -6.3920	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	19		AT X = -6.3920	Y = 3.6905	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	20		AT X = -6.3920	Y = 7.3810	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	21		AT X = 3.1960	Y = 9.2263	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	22		AT X = 9.5879	Y = 1.8453	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	23		AT X = 6.3920	Y = -7.3810	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	24		AT X = -3.1960	Y = -9.2263	Z = 0.00000	IS UNIT NUMBER	1
	HOLE NUMBER	25		AT X = -9.5879	Y = -1.8453	Z = 0.00000	IS UNIT NUMBER	1
2	CYLINDER	5	1	RADIUS = 18.891	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3	CYLINDER	6	1	RADIUS = 33.496	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
4	CYLINDER	5	1	RADIUS = 36.544	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
5	CYLINDER	7	1	RADIUS = 49.244	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
6	CYLINDER	5	1	RADIUS = 49.854	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
7	CUBOID	8	1	+X = 121.92	-X = -121.92	+Y = 121.92	-Y = -121.92	+Z = 10.000 -Z = -10.000

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	2.43321E+01 CM**3	2.43321E+01 CM**3
	2	2	6.04178E-01 CM**3	2.51363E+01 CM**3
	3	3	7.78958E+00 CM**3	3.29259E+01 CM**3
2	1	4	1.73060E+04 CM**3	1.81291E+04 CM**3
	2	5	4.29436E+03 CM**3	2.24235E+04 CM**3
	3	6	4.80740E+04 CM**3	7.04975E+04 CM**3
	4	7	1.34136E+04 CM**3	8.39110E+04 CM**3
	5	8	6.84563E+04 CM**3	1.52367E+05 CM**3
	6	9	3.79567E+03 CM**3	1.56163E+05 CM**3
	7	10	1.03300E+06 CM**3	1.18916E+06 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	25	1	1	6.08302E+02 CM**3
		2	9	2.01045E+01 CM**3
		3	2	1.94739E+02 CM**3
2	1	1	3	1.73060E+04 CM**3
		2	5	4.29436E+03 CM**3
		3	6	4.80740E+04 CM**3
		4	5	1.34136E+04 CM**3
		5	7	6.84563E+04 CM**3
		6	5	3.79567E+03 CM**3
		7	8	1.03300E+06 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	6.08302E+02 CM**3	6.33363E+03
2	1.94739E+02 CM**3	1.27749E+03
3	1.73060E+04 CM**3	1.72744E+04
5	2.15036E+04 CM**3	1.70309E+05
6	4.80740E+04 CM**3	5.45351E+05
7	6.84563E+04 CM**3	6.83311E-16
8	1.03300E+06 CM**3	1.03111E-14
9	2.01045E+01 CM**3	2.00677E+01

```

*****
***
***          BIASING INFORMATION          ***
***
*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***
***
*****

```

```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING .....
..... 0.00917 MINUTES WERE USED PROCESSING DATA. ....

```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 5.11540E-04

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED UNIFORMLY THROUGHOUT THE ENTIRE VOLUME DEFINED BY THE OUTERMOST GEOMETRY CARD.
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING; ONLY 14 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

386 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INTIAL DISTRIBUTION.

0.45333 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.46933 MINUTES.

NAC-LWT Cask SAR
Revision 38

November 2007

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE DEVIATION
KENO MESSAGE NUMBER K5-132	1	WARNING.... ONLY	355 INDEPENDENT FISSION POINTS WERE GENERATED	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	2	WARNING.... ONLY	322 INDEPENDENT FISSION POINTS WERE GENERATED	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	3	WARNING.... ONLY	326 INDEPENDENT FISSION POINTS WERE GENERATED	0.00000E+00	0.00000E+00
	4				
	5				
	6				
	7				
	8				
	9				
	10				
	11				
	12				
	13				
	14				
	15				
	16				
	17				
	18				
	19				
	20				
	21				
	22				
	23				
	24				
	25				
	26				
	27				
	28				
	29				
	30				
	31				
	32				
	33				
	34				
	35				
	36				
	37				
	38				
	39				
	40				
	41				
	42				
	43				
	44				
	45				
	46				
	47				
	48				
	49				
	50				
	51				
	52				
	53				
	54				
	55				
	56				
	57				
	58				
	59				
	60				
	61				
	62				
	63				
	64				
	65				
	66				
	67				
	68				
	69				
	70				
	71				
	72				
	73				
	74				
	75				
	76				
	77				
	78				
	79				
	80				
	81				
	82				
	83				
	84				
	85				
	86				
	87				
	88				
	89				
	90				
	91				
	92				
	93				
	94				

95	6.86783E-01	3.69733E+00	7.13989E-01	3.28555E-03	0.00000E+00	0.00000E+00
96	7.19390E-01	3.73217E+00	7.14047E-01	3.24894E-03	0.00000E+00	0.00000E+00
97	6.80724E-01	3.76783E+00	7.13696E-01	3.23363E-03	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-152	WARNING.....ONLY	386 INDEPENDENT	FISSION POINTS WERE	GENERATED		
98	6.20195E-01	3.80167E+00	7.12722E-01	3.34472E-03	0.00000E+00	0.00000E+00
99	6.48745E-01	3.83833E+00	7.12062E-01	3.37513E-03	0.00000E+00	0.00000E+00
100	7.70577E-01	3.86950E+00	7.12659E-01	3.39246E-03	0.00000E+00	0.00000E+00
101	7.08621E-01	3.90417E+00	7.12619E-01	3.35823E-03	0.00000E+00	0.00000E+00
102	7.17891E-01	3.93717E+00	7.12671E-01	3.32591E-03	0.00000E+00	0.00000E+00
103	7.57292E-01	3.97200E+00	7.13113E-01	3.32232E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

LIFETIME = 2.16183E-04 + OR - 2.12662E-06 GENERATION TIME = 1.13659E-04 + OR - 8.29443E-07
 NU BAR = 2.42979E+00 + OR - 2.35841E-04 AVERAGE FISSION GROUP = 2.37499E+01 + OR - 1.33856E-02
 ENERGY(EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 6.89807E-02 + OR - 8.35504E-04


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.71353	+ OR - 0.00333	0.71020 TO 0.71686	0.70687 TO 0.72019	0.70354 TO 0.72352	40000
4	0.71383	+ OR - 0.00335	0.71048 TO 0.71718	0.70713 TO 0.72053	0.70378 TO 0.72388	39600
5	0.71351	+ OR - 0.00337	0.71015 TO 0.71688	0.70678 TO 0.72025	0.70341 TO 0.72362	39200
6	0.71347	+ OR - 0.00340	0.71006 TO 0.71687	0.70666 TO 0.72027	0.70325 TO 0.72368	38800
7	0.71383	+ OR - 0.00342	0.71041 TO 0.71725	0.70699 TO 0.72067	0.70357 TO 0.72409	38400
8	0.71403	+ OR - 0.00345	0.71058 TO 0.71748	0.70713 TO 0.72093	0.70368 TO 0.72438	38000
9	0.71341	+ OR - 0.00343	0.70998 TO 0.71684	0.70655 TO 0.72027	0.70312 TO 0.72370	37600
10	0.71332	+ OR - 0.00347	0.70986 TO 0.71679	0.70639 TO 0.72025	0.70293 TO 0.72372	37200
11	0.71348	+ OR - 0.00350	0.70998 TO 0.71698	0.70648 TO 0.72048	0.70298 TO 0.72398	36800
12	0.71296	+ OR - 0.00350	0.70946 TO 0.71646	0.70596 TO 0.71996	0.70246 TO 0.72345	36400
17	0.71320	+ OR - 0.00348	0.70972 TO 0.71668	0.70625 TO 0.72015	0.70277 TO 0.72363	34400
22	0.71321	+ OR - 0.00360	0.70961 TO 0.71681	0.70601 TO 0.72041	0.70241 TO 0.72401	32400
27	0.71502	+ OR - 0.00365	0.71137 TO 0.71868	0.70772 TO 0.72233	0.70407 TO 0.72598	30400
32	0.71347	+ OR - 0.00377	0.70970 TO 0.71724	0.70593 TO 0.72101	0.70216 TO 0.72478	28400
37	0.71303	+ OR - 0.00395	0.70908 TO 0.71698	0.70512 TO 0.72094	0.70117 TO 0.72489	26400
42	0.71395	+ OR - 0.00425	0.70970 TO 0.71820	0.70545 TO 0.72244	0.70120 TO 0.72669	24400
47	0.71596	+ OR - 0.00451	0.71145 TO 0.72047	0.70694 TO 0.72498	0.70244 TO 0.72948	22400
52	0.71732	+ OR - 0.00468	0.71264 TO 0.72200	0.70797 TO 0.72668	0.70329 TO 0.73136	20400
57	0.71435	+ OR - 0.00473	0.70962 TO 0.71908	0.70488 TO 0.72381	0.70015 TO 0.72854	18400
62	0.71361	+ OR - 0.00524	0.70838 TO 0.71885	0.70314 TO 0.72408	0.69790 TO 0.72932	16400
67	0.71221	+ OR - 0.00567	0.70654 TO 0.71789	0.70087 TO 0.72356	0.69520 TO 0.72923	14400
72	0.71038	+ OR - 0.00645	0.70394 TO 0.71683	0.69749 TO 0.72328	0.69104 TO 0.72973	12400
77	0.70755	+ OR - 0.00733	0.70023 TO 0.71488	0.69290 TO 0.72220	0.68557 TO 0.72953	10400
82	0.70963	+ OR - 0.00875	0.70088 TO 0.71838	0.69213 TO 0.72713	0.68338 TO 0.73587	8400
87	0.70378	+ OR - 0.01015	0.69363 TO 0.71392	0.68348 TO 0.72407	0.67333 TO 0.73422	6400
92	0.70244	+ OR - 0.01376	0.68868 TO 0.71620	0.67492 TO 0.72996	0.66116 TO 0.74372	4400

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.70389	+ OR - 0.02420	0.67969 TO 0.72808	0.65549 TO 0.75228	0.63130 TO 0.77647	2400

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS K-EFF = 0.7135 + OR - 0.0033 WHICH OCCURS FOR 103 GENERATIONS RUN.



100

I * I
I * I
I * I
I * I
I * I

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	SKIPPING	3 GENERATIONS
									PERCENT DEVIATION	
1	0.0027			1.92049E-03	7.9551	1.55933E-03	4.6801	0.00000E+00	0.0000	
2	0.0119			8.47839E-03	2.3095	5.24441E-03	1.6315	0.00000E+00	0.0000	
3	0.0124			8.87829E-03	2.4641	3.70982E-03	2.3483	0.00000E+00	0.0000	
4	0.0051			3.61159E-03	3.2896	1.73888E-03	3.1541	0.00000E+00	0.0000	
5	0.0017			1.24621E-03	1.8610	1.25950E-03	1.6420	0.00000E+00	0.0000	
6	0.0014			1.00221E-03	1.6885	2.17782E-03	1.6503	0.00000E+00	0.0000	
7	0.0012			8.32696E-04	2.1601	2.77279E-03	1.9339	0.00000E+00	0.0000	
8	0.0009			6.32962E-04	2.3808	2.54617E-03	2.1997	0.00000E+00	0.0000	
9	0.0011			8.12195E-04	3.1579	3.22371E-03	2.3339	0.00000E+00	0.0000	
10	0.0024			1.71284E-03	3.3921	5.74338E-03	2.3470	0.00000E+00	0.0000	
11	0.0052			3.71633E-03	2.9123	8.87449E-03	2.1449	0.00000E+00	0.0000	
12	0.0066			4.74161E-03	3.6874	8.82059E-03	2.7710	0.00000E+00	0.0000	
13	0.0063			4.51110E-03	4.4318	9.69352E-03	2.7547	0.00000E+00	0.0000	
14	0.0052			3.72684E-03	3.9334	1.36092E-02	2.5871	0.00000E+00	0.0000	
15	0.0013			9.07042E-04	6.3377	4.51955E-03	3.1016	0.00000E+00	0.0000	
16	0.0008			5.46759E-04	7.0791	2.57548E-03	3.9213	0.00000E+00	0.0000	
17	0.0012			8.73620E-04	11.1197	1.64378E-03	5.2113	0.00000E+00	0.0000	
18	0.0018			1.28315E-03	10.7961	1.66254E-03	5.4296	0.00000E+00	0.0000	
19	0.0023			1.65015E-03	8.1758	2.73285E-03	3.5998	0.00000E+00	0.0000	
20	0.0096			6.86870E-03	4.2910	1.04665E-02	2.3819	0.00000E+00	0.0000	
21	0.0053			3.76837E-03	7.3940	4.49843E-03	3.9745	0.00000E+00	0.0000	
22	0.0137			9.74644E-03	4.5119	1.12421E-02	2.5474	0.00000E+00	0.0000	
23	0.0891			6.35829E-02	1.7811	8.04947E-02	0.8691	0.00000E+00	0.0000	
24	0.2522			1.79948E-01	1.0626	2.28908E-01	0.5136	0.00000E+00	0.0000	
25	0.2261			1.61345E-01	1.0192	2.13349E-01	0.4255	0.00000E+00	0.0000	
26	0.2579			1.84035E-01	0.8679	2.71962E-01	0.4119	0.00000E+00	0.0000	
27	0.0745			5.31486E-02	2.3429	9.70387E-02	0.6775	0.00000E+00	0.0000	
SYSTEM TOTAL =				7.13527E-01	0.4666	1.00267E+00	0.1233	0.00000E+00	0.0000	

ELAPSED TIME 3.97283 MINUTES

RANDOM NUMBER= 6ECC71283DC6

"LWT CASK, 25 BWR RODS, NO BWR BASKET, 5 W/O U235 VARIABLE PITCH"

FREQUENCY FOR GENERATIONS 4 TO 103
0.6076 TO 0.6276 *
0.6276 TO 0.6476 **
0.6476 TO 0.6676 ***
0.6676 TO 0.6876 ****
0.6876 TO 0.7076 *****
0.7076 TO 0.7276 *****
0.7276 TO 0.7476 *****
0.7476 TO 0.7676 *****
0.7676 TO 0.7876 *****

FREQUENCY FOR GENERATIONS 29 TO 103
0.6076 TO 0.6276 *
0.6276 TO 0.6476 **
0.6476 TO 0.6676 ***
0.6676 TO 0.6876 ****
0.6876 TO 0.7076 *****
0.7076 TO 0.7276 *****
0.7276 TO 0.7476 *****
0.7476 TO 0.7676 *****
0.7676 TO 0.7876 *****

FREQUENCY FOR GENERATIONS 54 TO 103
0.6076 TO 0.6276 *
0.6276 TO 0.6476 **
0.6476 TO 0.6676 ***
0.6676 TO 0.6876 ****
0.6876 TO 0.7076 *****
0.7076 TO 0.7276 *****
0.7276 TO 0.7476 *****
0.7476 TO 0.7676 *****
0.7676 TO 0.7876 *****

FREQUENCY FOR GENERATIONS 79 TO 103
0.6076 TO 0.6276 *
0.6276 TO 0.6476 **
0.6476 TO 0.6676 ***
0.6676 TO 0.6876 ****
0.6876 TO 0.7076 *****
0.7076 TO 0.7276 *****
0.7276 TO 0.7476 *****
0.7476 TO 0.7676 *****
0.7676 TO 0.7876 *****

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 3.97283 MINUTES
.....

6.6.5 **TRIGA Fuel Elements**

This section contains abbreviated output files from the most reactive nonpoisoned and poisoned basket configurations for TRIGA fuel elements, and a sample benchmark case for TRIGA fuel.

Figure 6.6.5-1 Summary of CSAS Input/Output for NAC-LWT with TRIGA Fuel Elements - Most Reactive Nonpoisoned Basket Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE
27GROUPMDF4 INFROMMEDIUM
'FUEL
U-235 1 0.0 2.3049E-04 END
U-238 1 0.0 9.8008E-05 END
ZR 1 0.0 8.7748E-03 END
H 1 0.0 1.4040E-02 END
H2O 1 0.7454 293.0 END
'CLAD, BASKET, AND CASK
SS304 2 1.0 293.0 END
'CANISTER INTERNAL MODERATOR
H2O 3 1.0 293.0 END
'ZIRCONIUM ROD
ZR 4 1.0 293.0 END
'GRAPHITE REFLECTOR
C 5 1.0 293.0 END
'LEAD SHIELD
PB 6 1.0 293.0 END
'NEUTRON SHIELD
H2O 7 1.0E-20 293.0 END
'CASK EXTERNAL MATERIAL
H2O 8 1.0E-20 293.0 END
'END FITTING FOR FUEL ELEMENT
SS304 9 0.337137 293.0 END
H2O 9 0.662863 293.0 END
'SECOND FUEL MATERIAL FOR UN-CANISTERED
U-235 10 0.0 9.052980E-4 END
U-238 10 0.0 3.849480E-4 END
ZR 10 0.0 3.446510E-2 END
H 10 0.0 5.514420E-2 END
'SECOND END-FITTING MATERIAL FOR UN-CANISTERED FUEL
SS304 11 0.337137 293.0 END
H2O 11 DEN=0.662863 1.0E-20 293.0 END
'CASK INTERIOR MODERATOR MATERIAL
H2O 12 1.0E-20 293.0 END
END COMP
MORE DATA
RES=10 CYLINDER 1.8224 DAN(10)=8.52196E-01
END MORE
TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE
READ PARAM TME=170.0 GEN=403 NPG=1000 RUN=YES PLT=NO
TBA=2.0 END PARAM
READ GEOM
UNIT 1
COM='TRIGA FUEL (SMEARED)'
CYLINDER 1 1 3.9877 60.959 0.001
UNIT 5
COM='3.38 in Width / 0.28 in Thickness DIVIDER CENTER STACK (SEALED)'
CUBOID 2 1 2P4.2926 0.7112 0.0 +74.29 -8.255
UNIT 6
COM='3.38 in Width / 0.24 in Thickness DIVIDER OUTSIDE STACK (SEALED)'
CUBOID 2 1 2P4.2926 0.6096 0.0 +74.29 -8.255
UNIT 7
COM='SEALED CANISTER'
CYLINDER 12 1 3.9878 +60.96 0.0
HOLE 1 0.0 0.0 0.0
CYLINDER 2 1 4.1529 +63.50 -1.27
CYLINDER 12 1 4.1529 +74.29 -8.255
UNIT 10
COM='TRIGA ELEMENTS IN Top of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2926 2P4.2926 +74.29 -8.255
HOLE 7 0.0 0.1396 0.0
UNIT 11
COM='TRIGA ELEMENTS IN Bottom of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2926 2P4.2926 +74.29 -8.255
HOLE 7 0.0 -0.1396 0.0
UNIT 12
COM='TRIGA ELEMENTS IN Bottom Right of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2926 2P4.2926 +74.29 -8.255
HOLE 7 +0.1396 -0.1396 0.0
UNIT 13
COM='TRIGA ELEMENTS IN Top Right of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2926 2P4.2926 +74.29 -8.255
HOLE 7 +0.1396 +0.1396 0.0
UNIT 14
COM='TRIGA ELEMENTS IN Bottom Left of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2926 2P4.2926 +74.29 -8.255
HOLE 7 -0.1396 -0.1396 0.0
UNIT 15
COM='TRIGA ELEMENTS IN Top Left of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2926 2P4.2926 +74.29 -8.255
HOLE 7 -0.1396 +0.1396 0.0
UNIT 16
COM='TRIGA BASKET 3.38 in x 3.38 in CENTER OPENING (SEALED)'
CUBOID 12 1 2P4.2926 2P4.2926 +74.29 -8.255
UNIT 20
COM='CENTER COLUMN OF THREE OPENINGS w/ 0.28 in plate (SEALED)'
ARRAY 1 -4.2926 -13.589 -8.255
REPLICATE 2 1 4R0.7112 2R0.0 1
UNIT 21
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate (SEALED)'
ARRAY 2 -4.2926 -8.89 -8.255

```

```
REPLICATE 2 1 0.0 0.3048 2R0.3048 2R0.0 1
UNIT 22
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate (SEALED)'  
ARRAY 3 -4.2926 -8.89 -8.255
REPLICATE 2 1 0.3048 0.0 2R0.3048 2R0.0 1
UNIT 30
COM='NAC-LWT TRIGA BASKET (SEALED)'  
CYLINDER 12 1 17.1 +74.29 -8.255
HOLE 20 0.0 0.0 0.0
HOLE 21 -9.2974 0.0 0.0
HOLE 22 +9.2974 0.0 0.0
CYLINDER 2 1 18.9103 +74.93 -8.890
CYLINDER 6 1 33.4645 +74.93 -8.890
CYLINDER 2 1 36.5188 +74.93 -8.890
CYLINDER 7 1 49.2227 +74.93 -8.890
CYLINDER 2 1 49.8221 +74.93 -8.890
CUBOID 8 1 4P49.8221 +74.93 -8.890
UNIT 41
COM='TRIGA FUEL ELEMENT'  
CYLINDER 4 1 0.2858 2P19.05
CYLINDER 10 1 1.8224 2P19.05
CYLINDER 5 1 1.8224 2P27.7368
CYLINDER 2 1 1.8771 2P27.7368
CYLINDER 11 1 1.8771 2P36.703
UNIT 45
COM='3.38 in Width / 0.28 in Thickness DIVIDER CENTER STACK'  
CUBOID 2 1 2P4.2926 0.7112 0.0 2P36.703
UNIT 46
COM='3.38 in Width / 0.24 in Thickness DIVIDER OUTSIDE STACK'  
CUBOID 2 1 2P4.2926 0.6096 0.0 2P36.703
UNIT 50
COM='TRIGA FUEL ELEMENTS IN Top of 3.38 in x 3.38 in OPENING'  
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 +1.8772 +2.4154 0.0
HOLE 41 -1.8772 +2.4154 0.0
HOLE 41 -1.8772 -1.3389 0.0
HOLE 41 +1.8772 -1.3389 0.0
UNIT 51
COM='TRIGA FUEL ELEMENTS IN Bottom of 3.38 in x 3.38 in OPENING'  
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 +1.8772 -2.4154 0.0
HOLE 41 -1.8772 -2.4154 0.0
HOLE 41 -1.8772 +1.3389 0.0
HOLE 41 +1.8772 +1.3389 0.0
UNIT 52
COM='TRIGA FUEL ELEMENTS IN Bottom Right of 3.38 in x 3.38 in OPENING'  
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 +2.4154 -2.4154 0.0
HOLE 41 +2.4154 +1.3389 0.0
HOLE 41 -1.3389 -2.4154 0.0
HOLE 41 -1.3389 +1.3389 0.0
UNIT 53
COM='TRIGA FUEL ELEMENTS IN Top Right of 3.38 in x 3.38 in OPENING'  
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 +2.4154 +2.4154 0.0
HOLE 41 +2.4154 -1.3389 0.0
HOLE 41 -1.3389 +2.4154 0.0
HOLE 41 -1.3389 -1.3389 0.0
UNIT 54
COM='TRIGA FUEL ELEMENTS IN Bottom Left of 3.38 in x 3.38 in OPENING'  
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 -2.4154 -2.4154 0.0
HOLE 41 -2.4154 +1.3389 0.0
HOLE 41 +1.3389 -2.4154 0.0
HOLE 41 +1.3389 +1.3389 0.0
UNIT 55
COM='TRIGA FUEL ELEMENTS IN Top Left of 3.38 in x 3.38 in OPENING'  
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 -2.4154 +2.4154 0.0
HOLE 41 -2.4154 -1.3389 0.0
HOLE 41 +1.3389 +2.4154 0.0
HOLE 41 +1.3389 -1.3389 0.0
UNIT 56
COM='TRIGA BASKET 3.38 in x 3.38 in CENTER OPENING'  
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
UNIT 60
COM='CENTER COLUMN OF THREE OPENINGS w/ 0.28 in plate'  
ARRAY 11 -4.2926 -13.589 -36.703
REPLICATE 2 1 4R0.7112 2R0.0 1
UNIT 61
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate'  
ARRAY 12 -4.2926 -8.89 -36.703
REPLICATE 2 1 0.0 0.3048 2R0.3048 2R0.0 1
UNIT 62
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate'  
ARRAY 13 -4.2926 -8.89 -36.703
REPLICATE 2 1 0.3048 0.0 2R0.3048 2R0.0 1
UNIT 70
COM='NAC-LWT TRIGA BASKET'  
CYLINDER 12 1 17.1 2P36.703
HOLE 60 0.0 0.0 0.0
HOLE 61 -9.2974 0.0 0.0
HOLE 62 +9.2974 0.0 0.0
CYLINDER 2 1 18.9103 2P37.338
CYLINDER 6 1 33.4645 2P37.338
CYLINDER 2 1 36.5188 2P37.338
CYLINDER 7 1 49.2227 2P37.338
CYLINDER 2 1 49.8221 2P37.338
CUBOID 8 1 4P49.8221 2P37.338
UNIT 80
COM='SIMPLIFIED LID STRUCTURE NAC-LWT'
```

```
CYLINDER 2 1 36.5188 2P14.1351
CYLINDER 8 1 49.8221 2P14.1351
CUBOID 8 1 4P49.8221 2P14.1351
UNIT 81
COM='SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT'
CYLINDER 6 1 26.3525 2P3.81
CYLINDER 2 1 36.6188 +13.97 -12.7
CYLINDER 8 1 49.8221 +13.97 -12.7
CUBOID 8 1 4P49.8221 +13.97 -12.7
GLOBAL UNIT 82
COM='STACK OF 5 BASKETS IN CASK'
ARRAY 20 -49.6221 -49.8221 -221.3
END GEOM
READ ARRAY
ARA=1 NUX=1 NUZ=1 NUY=5 NUZ=1 FILL 10 5 16 5 11 END FILL
ARA=2 NUX=1 NUY=3 NUZ=1 FILL 13 6 12 END FILL
ARA=3 NUX=1 NUY=3 NUZ=1 FILL 15 6 14 END FILL
ARA=11 NUX=1 NUY=5 NUZ=1 FILL 50 45 56 45 51 END FILL
ARA=12 NUX=1 NUY=3 NUZ=1 FILL 53 46 52 END FILL
ARA=13 NUX=1 NUY=3 NUZ=1 FILL 55 46 54 END FILL
ARA=20 NUX=1 NUY=1 NUZ=7 FILL 81 30 3R70 30 80 END FILL
END ARRAY
READ BOUNDS ALL=MIR END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CASK (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-50.0 YUL=50.0 ZUL=149.352
XLR=50.0 YLR=-50.0 ZLR=149.352 END
TTL='X-Y PLOT OF BASKET (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-17.2 YUL=17.2 ZUL=149.352
XLR=17.2 YLR=-17.2 ZLR=149.352 END
TTL='X-Y PLOT OF BASKET (CAVITY MID PLANE)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-17.2 YUL=17.2 ZUL=0.0
XLR=17.2 YLR=-17.2 ZLR=0.0 END
TTL='X-Y PLOT OF CENTER OPENING (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-7.0 YUL=7.0 ZUL=149.352
XLR=7.0 YLR=-7.0 ZLR=149.352 END
TTL='X-Y PLOT OF PERIPHERAL OPENING (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-7.0 YUL=16.0 ZUL=149.352
XLR=7.0 YLR=4.0 ZLR=149.352 END
TTL='Y-Z PLOT OF BASKET (CENTER OF FUEL ELEMENTS,CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
VAX=1.0 WDN=-1.0 NAX=800
XUL=2.12 YUL=-14.0 ZUL=186.69
XLR=2.12 YLR=-4.5 ZLR=112.014 END
TTL='Y-Z PLOT OF BASKET (CASK)'
SCR=YES PIC=MAT LPI=10
VAX=1.0 WDN=-1.0 NAX=800
XUL=2.12 YUL=-51 ZUL=250
XLR=2.12 YLR=+51 ZLR=-250
END PLOT
END DATA
```

```
SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.88 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 9.72 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 718.10 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 729.96 (SECONDS).
```

```

CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  55555555555
CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  55555555555
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55
CC          SS  AA      AA  SS      SS  22      22  55
CC          SS  AA      AA  SS      SS  22      22  55
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22      55555555555
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22      55555555555
CC          SS  AA      AA  SS      SS  22      55
CC          SS  AA      AA  SS      SS  22      55
CC          CC  SS  AA      AA  SS      SS  22      55
CCCCCCCCC  SSSSSSSSS  AA      AA  SSSSSSSSS  222222222  55555555555
CCCCCCCCC  SSSSSSSSS  AA      AA  SSSSSSSSS  222222222  55555555555
    
```

```

SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SS          CC          AA      AA  LL          EE          PP          PP  CC          CC
SS          CC          AA      AA  LL          EE          PP          PP  CC          CC
SS          CC          AA      AA  LL          EE          PP          PP  CC          CC
SSSSSSSSS  CC          AAAAAAAAA  LL          EEEEEEE   -----  PPPPPPPPP  CC
SSSSSSSSS  CC          AAAAAAAAA  LL          EEEEEEE   -----  PPPPPPPPP  CC
          SS          AA      AA  LL          EE          PP          PP  CC
          SS          AA      AA  LL          EE          PP          PP  CC
SS          SS          CC          AA      AA  LL          EE          PP          PP  CC
SS          SS          CC          AA      AA  LL          EE          PP          PP  CC
SSSSSSSSS  CCCCCCCCC  AA      AA  LLLLLLLLL  EEEEEEEEE  PP          CCCCCCCCC
SSSSSSSSS  CCCCCCCCC  AA      AA  LLLLLLLLL  EEEEEEEEE  PP          CCCCCCCCC
    
```

```

11          222222222  // 333333333  0000000  // 999999999  888888888
111         222222222  333333333  000000000  999999999  88888888888
1111        22          33          00          00  99          99  88          88
11          22          33          00          00  99          99  88          88
11          22          333         00          00  99          99  88          88
11          22          333         00          00  999999999  888888888
11          22          33          00          00  99          99  88          88
11          22          33          00          00  99          99  88          88
11          22          33          00          00  99          99  88          88
111111111  222222222  333333333  000000000  999999999  88888888888
111111111  222222222  333333333  0000000  // 999999999  888888888
    
```

```

0000000  55555555555  333333333  333333333  55555555555  88888888888
000000000  55555555555  33333333333  33333333333  55555555555  8888888888888
00          00  55          :::  33          33  33          33  :::  55          88
00          00  55          :::  33          33  33          33  :::  55          88
00          00  55          :::  33          33  33          33  :::  55          88
00          00  55555555555  333         333  55555555555  88888888888
00          00  55555555555  333         333  55555555555  88888888888
00          00  55          :::  33          33  55          55  :::  88          88
00          00  55          :::  33          33  55          55  :::  88          88
00          00  55          :::  33          33  55          55  :::  88          88
000000000  55555555555  33333333333  33333333333  55555555555  8888888888888
0000000    55555555555  33333333333  33333333333  55555555555  88888888888
    
```

SSSSSSSSSS	CCCCCCCCC	AAAAAAA	LL	EEEEEEEEEE	PPPPPPPPPP	CCCCCCCCC
SSSSSSSSSS	CCCCCCCCC	AAAAAAA	LL	EEEEEEEEEE	PPPPPPPPPP	CCCCCCCCC
SS SS	CC CC	AA AA	LL LL	EE EE	PP PP	CC CC
SS SS	CC CC	AA AA	LL LL	EE EE	PP PP	CC CC
SS SS	CC CC	AA AA	LL LL	EE EE	PP PP	CC CC
SSSSSSSSSS	CCCCCCCCC	AAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CCCCCCCCC
SSSSSSSSSS	CCCCCCCCC	AAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CCCCCCCCC
SS SS	CC CC	AA AA	LL LL	EE EE	PP PP	CC CC
SS SS	CC CC	AA AA	LL LL	EE EE	PP PP	CC CC
SS SS	CC CC	AA AA	LL LL	EE EE	PP PP	CC CC
SSSSSSSSSS	CCCCCCCCC	AAAAAAA	LLLLLLLLLL	EEEEEEEEEE	PPPPPPPPPP	CCCCCCCCC
SSSSSSSSSS	CCCCCCCCC	AAAAAAA	LLLLLLLLLL	EEEEEEEEEE	PPPPPPPPPP	CCCCCCCCC

```

.....
*****
*****           PROGRAM VERIFICATION INFORMATION          *****
*****
*****           CODE SYSTEM:  SCALE-PC VERSION:  4.3        *****
*****
*****
*****           PROGRAM:  CSAS                              *****
*****
*****           CREATION DATE:  03/08/96                    *****
*****
*****           VOLUME:  ENG                                *****
*****
*****           LIBRARY:  G:\SCALE43\WIN_NT\EXE              *****
*****
*****           PRODUCTION CODE:  CSAS                       *****
*****
*****           VERSION:  3.1                                *****
*****
*****           JOBNAME:  SCALE-PC                            *****
*****
*****           DATE OF EXECUTION:  12/30/98                 *****
*****
*****           TIME OF EXECUTION:  05:33:58                 *****
*****
*****
*****
.....

```

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
 MXX 12 MIXTURES
 MSC 21 COMPOSITION SPECIFICATIONS
 LZM 1 MATERIAL ZONES
 GE 1MEDIUM GEOMETRY
 MORE 1 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
 MSLN 0 FUEL SOLUTIONS

**** PROBLEM GEOMETRY ****

**** INFINITE HOMOGENEOUS MEDIUM ****
 MFUEL 1 MIXTURE NO. OF THE INFINITE HOMOGENEOUS MEDIUM

**** SPECIAL PARAMETERS ****

ISN 8 ORDER OF ANGULAR QUADRATURE
 IIM 20 INNER ITERATION MAXIMUM
 ICM 25 OUTER ITERATION MAXIMUM
 SZF 1.00000E+00 SIZE FACTOR FOR SPATIAL MESH
 EPS 1.00000E-04 OVERALL PROBLEM CONVERGENCE
 PTC 1.00000E-04 SCALAR FLUX CONVERGENCE
 BKL 1.42089E+00 BUCKLING FACTOR
 IUS 0 THERMAL UPSCATTER SCALING
 BAL FINE BALANCE TABLE PRINT FLAG
 DY 0.00000E+00 BUCKLING HEIGHT
 DZ 0.00000E+00 BUCKLING DEPTH
 IPN 0 DIFFUSION COEFFICIENT OPTION
 FRD 0 LOGICAL UNIT NUMBER TO READ FLUX GUESS
 FWR -1 LOGICAL UNIT NUMBER TO WRITE FLUX GUESS
 MSH 2001 NUMBER OF INTERVALS FOR RES. INTGRTRS
 MLV 2 MAX LVALUE FOR RES. INTGRTRS
 AXS 0 LOGICAL UNIT NUMBER TO WRITE ANISN LIB
 RES 10 MIXTURE WITH SPECIAL RESONANCE CORRECTION
 * CYLINDER GEOMETRY FOR SPECIAL RESONANCE CORRECTION
 * 1.82240E+00 DIMENSION (LBAR) FOR SPECIAL RESONANCE CORRECTION

DANCOFF FACTOR SPECIFICATION
 MIXTURE FACTOR
 10 0.85220

```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  000000000000  VV      VV
KK      KK  EE           NNNN    NN  00           00  VV      VV
KK      KK  EE           NN NN   NN  00           00  VV      VV
KK      KK  EE           NN  NN  NN  00           00  VV      VV
KKKKKKK  EEEEEEEEE  NN  NN  NN  00           00  VV      VV
KKKKKKK  EEEEEEEEE  NN  NN  NN  00           00  VV      VV
KK      KK  EE           NN  NN  NN  00           00  VV      VV
KK      KK  EE           NN  NN  NN  00           00  VV      VV
KK      KK  EE           NN  NNNN  00           00  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  000000000000  VVV     VV
KK      KK  EEEEEEEEEEE  NN      NN  0000000000    V

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  PPPPPPPPPP  CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  PPPPPPPPPP  CC
SS      SS  CC      AA      AA  LL      EE           PP      CC
SS      SS  CC      AA      AA  LL      EE           PP      CC
SS      SS  CC      AA      AA  LL      EE           PP      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC

```

```

11      222222222  //  333333333  0000000  //  999999999  888888888
111     222222222  333333333  000000000  999999999  888888888
1111    22      33      00      00      99      99      88
11      22      33      00      00      99      99      88
11      22      33      00      00      99      99      88
11      22      333     00      00      999999999  888888888
11      22      333     00      00      999999999  888888888
11      22      33      00      00      99      99      88
11      22      33      00      00      99      99      88
11      22      33      00      00      99      99      88
1111111  222222222  333333333  000000000  999999999  888888888
1111111  222222222  333333333  0000000    999999999  888888888

```

```

0000000  555555555  333333333  44      11      0000000
00000000  555555555  333333333  444     111     00000000
00      00  55      33      4444    111     00      00
00      00  55      33      44 44    11      00      00
00      00  55      33      44 44    11      00      00
00      00  555555555  333     44 44    11      00      00
00      00  555555555  333     44 44    11      00      00
00      00  55      33      444444444  11      00      00
00      00  55      33      444444444  11      00      00
00      00  55      33      44      11      00      00
00000000  555555555  333333333  44      1111111  00000000
0000000  555555555  333333333  44      1111111  0000000

```



```

SSSSSSSSSS   CCCCCCCCCC   AAAAAAAAAA   LL   EEEEEEEEEEEE   PPPPPPPPPPP   CCCCCCCCCC
SSSSSSSSSSSS CCCCCCCCCCCC AAAAAAAAAAAA LL   EEEEEEEEEEEE   PPPPPPPPPPPPP CCCCCCCCCCCC
SS   SS   CC   CC   AA   AA   LL   EE   PP   PP   CC   CC
SS   CC   CC   AA   AA   LL   EE   PP   PP   CC   CC
SS   CC   CC   AA   AA   LL   EE   PP   PP   CC   CC
SSSSSSSSSSSS CC   AAAAAAAAAAAAAA LL   EEEEEEEEE   ----- PPPPPPPPPPPP CC
SSSSSSSSSSSS CC   AAAAAAAAAAAAAA LL   EEEEEEEEE   ----- PPPPPPPPPPPP CC
               SS   CC   AA   AA   LL   EE   PP   CC
               SS   CC   AA   AA   LL   EE   PP   CC
SS   SS   CC   CC   AA   AA   LL   EE   PP   CC   CC
SSSSSSSSSSSS CCCCCCCCCCCC AA   AA   LLLLLLLLLLLL EEEEEEEEEEEE PP   CCCCCCCCCCCC
SSSSSSSSSSSS CCCCCCCCCCCC AA   AA   LLLLLLLLLLLL EEEEEEEEEEEE PP   CCCCCCCCCCCC

```

```

.....
.....
.....
*****
*****
*****          PROGRAM VERIFICATION INFORMATION
*****
*****          CODE SYSTEM: SCALE-PC VERSION: 4.3
*****
*****
*****
*****          PROGRAM: 00009
*****
*****          CREATION DATE: 03/08/96
*****
*****          VOLUME: ENG
*****
*****          LIBRARY: G:\SCALE43\WIN_NT\EXE
*****
*****
*****          PRODUCTION CODE: KENOVA
*****
*****          VERSION: 3.1
*****
*****          JOBNAME: SCALE-PC
*****
*****          DATE OF EXECUTION: 12/30/98
*****
*****          TIME OF EXECUTION: 05:34:10
*****
*****
*****
*****
*****
*****
*****
.....
.....

```

```
.....
***
***          TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE
***
*****          NUMERIC PARAMETERS          *****
***
***          TME          MAXIMUM PROBLEM TIME (MIN)          170.00
***
***          TBA          TIME PER GENERATION (MIN)          2.00
***
***          GEN          NUMBER OF GENERATIONS          403
***
***          NPG          NUMBER PER GENERATION          1000
***
***          NSK          NUMBER OF GENERATIONS TO BE SKIPPED          3
***
***          BEG          BEGINNING GENERATION NUMBER          1
***
***          RES          GENERATIONS BETWEEN CHECKPOINTS          0
***
***          X1D          NUMBER OF EXTRA 1-D CROSS SECTIONS          1
***
***          NBK          NEUTRON BANK SIZE          1025
***
***          XNB          EXTRA POSITIONS IN NEUTRON BANK          0
***
***          NFB          FISSION BANK SIZE          1000
***
***          XFB          EXTRA POSITIONS IN FISSION BANK          0
***
***          WTA          DEFAULT VALUE OF WEIGHT AVERAGE          0.5000
***
***          WTH          WEIGHT HIGH FOR SPLITTING          3.0000
***
***          WTL          WEIGHT LOW FOR RUSSIAN ROULETTE          0.3333
***
***          RND          STARTING RANDOM NUMBER          BB827100001
***
***          NBS          NUMBER OF D.A. BLOCKS ON UNIT 8          200
***
***          NL8          LENGTH OF D.A. BLOCKS ON UNIT 8          512
***
***          ADJ          MODE OF CALCULATION          FORWARD
***
***          INPUT DATA WRITTEN ON RESTART UNIT          NO
***
***          BINARY DATA INTERFACE          YES
***
.....
```

```

.....
***
*** TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE ***
***
***** LOGICAL PARAMETERS *****
***
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***
*** PLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***
*** PK1 PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***
*** PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***
*** TRK PRINT TRACKING INFORMATION NO ***
.....

```

PARAMETER INPUT COMPLETED

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

.....
***
*** TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE ***
***
***** ADDITIONAL INFORMATION *****
***
*** NUMBER OF ENERGY GROUPS 27 USE LATTICE GEOMETRY YES ***
*** NO. OF FISSION SPECTRUM SOURCE GROUP 1 GLOBAL ARRAY NUMBER 20 ***
*** NO. OF SCATTERING ANGLES IN XSECS 2 NUMBER OF UNITS IN THE GLOBAL X DIR. 1 ***
*** ENTRIES/NEUTRON IN THE NEUTRON BANK 25 NUMBER OF UNITS IN THE GLOBAL Y DIR. 1 ***
*** ENTRIES/NEUTRON IN THE FISSION BANK 18 NUMBER OF UNITS IN THE GLOBAL Z DIR. 7 ***
*** NUMBER OF MIXTURES USED 10 USE A GLOBAL REFLECTOR YES ***
*** NUMBER OF BIAS ID'S USED 1 USE NESTED HOLES YES ***
*** NUMBER OF DIFFERENTIAL ALBEDOS USED 0 NUMBER OF HOLES 37 ***
*** TOTAL INPUT GEOMETRY REGIONS 61 MAXIMUM HOLE NESTING LEVEL 3 ***
*** NUMBER OF GEOMETRY REGIONS USED 61 USE NESTED ARRAYS YES ***
*** LARGEST GEOMETRY UNIT NUMBER 82 NUMBER OF ARRAYS USED 7 ***
*** LARGEST ARRAY NUMBER 20 MAXIMUM ARRAY NESTING LEVEL 2 ***
***
*** +X BOUNDARY CONDITION MIR -X BOUNDARY CONDITION MIR ***
*** +Y BOUNDARY CONDITION MIR -Y BOUNDARY CONDITION MIR ***
*** +Z BOUNDARY CONDITION MIR -Z BOUNDARY CONDITION MIR ***
.....

```

```

*****
TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE
*****
***** SPACE AND SUPERGROUP INFORMATION *****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
48807 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
51193 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99679 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
51133 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.
1315 WORDS ARE NEEDED FOR THE LARGEST GROUP.
50338 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
65200 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
65696 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.
*****
SUPERGROUP      STARTING      ENDING      XSEC      ALBEDO      TOTAL
                  GROUP        GROUP      LENGTH    LENGTH      LENGTH
*****
          1          1          27         3334         0         16333
*****

```

..... 0 IO'S WERE USED IN SUPERGROUPING

```

*****
** ARRAY      UNITS IN   UNITS IN   UNITS IN   NESTING
** NUMBER     X DIR.     Y DIR.     Z DIR.     LEVEL
**
** 1          1          5          1          2
**
** 2          1          3          1          2
**
** 3          1          3          1          2
**
** 11         1          5          1          2
**
** 12         1          3          1          2
**
** 13         1          3          1          2
**
** 20 GLOBAL  1          1          7          1
**
*****

```

..... 0 IO'S WERE USED LOADING THE DATA

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM

```

REGION      MEDIA BIAS  GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
            NUM   ID
            ----
            UNIT 1
TRIGA FUEL (SMEARED)
  1 CYLINDER  1 1 RADIUS = 3.9877  +Z = 60.959  -Z = 1.00000E-03 CENTERLINE IS AT X = 0.00000  Y = 0.00000
            ----
            UNIT 5
  3.38 IN WIDTH / 0.28 IN THICKNESS DIVIDER CENTER STACK (SEALED)
  1 CUBOID   2 1  +X = 4.2926  -X = -4.2926  +Y = 0.71120  -Y = 0.00000  +Z = 74.290  -Z = -8.2550
            ----
            UNIT 6
  3.38 IN WIDTH / 0.24 IN THICKNESS DIVIDER OUTSIDE STACK (SEALED)
  1 CUBOID   2 1  +X = 4.2926  -X = -4.2926  +Y = 0.60960  -Y = 0.00000  +Z = 74.290  -Z = -8.2550
            ----
            UNIT 7
SEALED CANISTER
  1 CYLINDER  12 1 RADIUS = 3.9878  +Z = 60.960  -Z = 0.00000  CENTERLINE IS AT X = 0.00000  Y = 0.00000
    HOLE NUMBER 1 AT X = 0.00000  Y = 0.00000  Z = 0.00000  IS UNIT NUMBER 1
  2 CYLINDER  2 1 RADIUS = 4.1529  +Z = 63.500  -Z = -1.2700  CENTERLINE IS AT X = 0.00000  Y = 0.00000
  3 CYLINDER  12 1 RADIUS = 4.1529  +Z = 74.290  -Z = -8.2550  CENTERLINE IS AT X = 0.00000  Y = 0.00000

```

```

----- UNIT 10 -----
TRIGA ELEMENTS IN TOP OF 3.38 IN X 3.38 IN OPENING (SEALED)
  1 CUBOID      12 1    +X = 4.2926   -X = -4.2926   +Y = 4.2926   -Y = -4.2926   +Z = 74.290   -Z = -8.2550
  HOLE NUMBER   2      AT X = 0.00000   Y = 0.13960   Z = 0.00000   IS UNIT NUMBER 7

----- UNIT 11 -----
TRIGA ELEMENTS IN BOTTOM OF 3.38 IN X 3.38 IN OPENING (SEALED)
  1 CUBOID      12 1    +X = 4.2926   -X = -4.2926   +Y = 4.2926   -Y = -4.2926   +Z = 74.290   -Z = -8.2550
  HOLE NUMBER   3      AT X = 0.00000   Y = -0.13960  Z = 0.00000   IS UNIT NUMBER 7
  TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

-
REGION          MEDIA BIAS          GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
                NUM ID

----- UNIT 12 -----
TRIGA ELEMENTS IN BOTTOM RIGHT OF 3.38 IN X 3.38 IN OPENING (SEALED)
  1 CUBOID      12 1    +X = 4.2926   -X = -4.2926   +Y = 4.2926   -Y = -4.2926   +Z = 74.290   -Z = -8.2550
  HOLE NUMBER   4      AT X = 0.13960   Y = -0.13960  Z = 0.00000   IS UNIT NUMBER 7

----- UNIT 13 -----
TRIGA ELEMENTS IN TOP RIGHT OF 3.38 IN X 3.38 IN OPENING (SEALED)
  1 CUBOID      12 1    +X = 4.2926   -X = -4.2926   +Y = 4.2926   -Y = -4.2926   +Z = 74.290   -Z = -8.2550
  HOLE NUMBER   5      AT X = 0.13960   Y = 0.13960   Z = 0.00000   IS UNIT NUMBER 7

----- UNIT 14 -----
TRIGA ELEMENTS IN BOTTOM LEFT OF 3.38 IN X 3.38 IN OPENING (SEALED)
  1 CUBOID      12 1    +X = 4.2926   -X = -4.2926   +Y = 4.2926   -Y = -4.2926   +Z = 74.290   -Z = -8.2550
  HOLE NUMBER   6      AT X = -0.13960  Y = -0.13960  Z = 0.00000   IS UNIT NUMBER 7

----- UNIT 15 -----
TRIGA ELEMENTS IN TOP LEFT OF 3.38 IN X 3.38 IN OPENING (SEALED)
  1 CUBOID      12 1    +X = 4.2926   -X = -4.2926   +Y = 4.2926   -Y = -4.2926   +Z = 74.290   -Z = -8.2550
  HOLE NUMBER   7      AT X = -0.13960  Y = 0.13960   Z = 0.00000   IS UNIT NUMBER 7

----- UNIT 16 -----
TRIGA BASKET 3.38 IN X 3.38 IN CENTER OPENING (SEALED)
  1 CUBOID      12 1    +X = 4.2926   -X = -4.2926   +Y = 4.2926   -Y = -4.2926   +Z = 74.290   -Z = -8.2550

----- UNIT 20 EXTERNAL TO LATTICE 1 -----
CENTER COLUMN OF THREE OPENINGS W/ 0.28 IN PLATE (SEALED)
  1 ARRAY NUMBER 1      +X = 4.2926   -X = -4.2926   +Y = 13.589   -Y = -13.589   +Z = 74.290   -Z = -8.2550
  2 CUBOID      2 1      +X = 5.0038   -X = -5.0038   +Y = 14.300   -Y = -14.300   +Z = 74.290   -Z = -8.2550
  TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

-
REGION          MEDIA BIAS          GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
                NUM ID

----- UNIT 21 EXTERNAL TO LATTICE 2 -----
LEFT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE (SEALED)
  1 ARRAY NUMBER 2      +X = 4.2926   -X = -4.2926   +Y = 8.8900   -Y = -8.8900   +Z = 74.290   -Z = -8.2550
  2 CUBOID      2 1      +X = 4.2926   -X = -4.5974   +Y = 9.1948   -Y = -9.1948   +Z = 74.290   -Z = -8.2550

----- UNIT 22 EXTERNAL TO LATTICE 3 -----
RIGHT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE (SEALED)
  1 ARRAY NUMBER 3      +X = 4.2926   -X = -4.2926   +Y = 8.8900   -Y = -8.8900   +Z = 74.290   -Z = -8.2550
  2 CUBOID      2 1      +X = 4.5974   -X = -4.2926   +Y = 9.1948   -Y = -9.1948   +Z = 74.290   -Z = -8.2550

----- UNIT 30 -----
NAC-LWT TRIGA BASKET (SEALED)

```

1	CYLINDER	12	1	RADIUS = 17.100	+Z = 74.290	-Z = -8.2550	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
	HOLE NUMBER	8		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	20	
	HOLE NUMBER	9		AT X = -9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	21	
	HOLE NUMBER	10		AT X = 9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	22	
2	CYLINDER	2	1	RADIUS = 18.910	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
3	CYLINDER	6	1	RADIUS = 33.465	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
4	CYLINDER	2	1	RADIUS = 36.519	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
5	CYLINDER	7	1	RADIUS = 49.223	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
6	CYLINDER	2	1	RADIUS = 49.822	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
7	CUBOID	8	1	+X = 49.822	-X = -49.822	+Y = 49.822	-Y = -49.822	+Z = 74.930	-Z = -8.8900

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 41 -----

TRIGA FUEL ELEMENT

1	CYLINDER	4	1	RADIUS = 0.28580	+Z = 19.050	-Z = -19.050	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
2	CYLINDER	10	1	RADIUS = 1.8224	+Z = 19.050	-Z = -19.050	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
3	CYLINDER	5	1	RADIUS = 1.8224	+Z = 27.737	-Z = -27.737	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
4	CYLINDER	2	1	RADIUS = 1.8771	+Z = 27.737	-Z = -27.737	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
5	CYLINDER	11	1	RADIUS = 1.8771	+Z = 36.703	-Z = -36.703	CENTERLINE IS AT	X = 0.00000	Y = 0.00000

----- UNIT 45 -----

3.38 IN WIDTH / 0.28 IN THICKNESS DIVIDER CENTER STACK

1	CUBOID	2	1	+X = 4.2926	-X = -4.2926	+Y = 0.71120	-Y = 0.00000	+Z = 36.703	-Z = -36.703
---	--------	---	---	-------------	--------------	--------------	--------------	-------------	--------------

----- UNIT 46 -----

3.38 IN WIDTH / 0.24 IN THICKNESS DIVIDER OUTSIDE STACK

1	CUBOID	2	1	+X = 4.2926	-X = -4.2926	+Y = 0.60960	-Y = 0.00000	+Z = 36.703	-Z = -36.703
---	--------	---	---	-------------	--------------	--------------	--------------	-------------	--------------

----- UNIT 50 -----

TRIGA FUEL ELEMENTS IN TOP OF 3.38 IN X 3.38 IN OPENING

1	CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
	HOLE NUMBER	11		AT X = 1.8772	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	12		AT X = -1.8772	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	13		AT X = -1.8772	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	14		AT X = 1.8772	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41	

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 51 -----

TRIGA FUEL ELEMENTS IN BOTTOM OF 3.38 IN X 3.38 IN OPENING

1	CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
	HOLE NUMBER	15		AT X = 1.8772	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	16		AT X = -1.8772	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	17		AT X = -1.8772	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	18		AT X = 1.8772	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41	

----- UNIT 52 -----

TRIGA FUEL ELEMENTS IN BOTTOM RIGHT OF 3.38 IN X 3.38 IN OPENING

1	CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
	HOLE NUMBER	19		AT X = 2.4154	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	20		AT X = 2.4154	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	21		AT X = -1.3389	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	

HOLE NUMBER	22	AT X = -1.3389	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41
----- UNIT 53 -----						
TRIGA FUEL ELEMENTS IN TOP RIGHT OF 3.38 IN X 3.38 IN OPENING						
1 CUBOID	12 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703 -Z = -36.703
HOLE NUMBER	23	AT X = 2.4154	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	24	AT X = 2.4154	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	25	AT X = -1.3389	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	26	AT X = -1.3389	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41
TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE						
REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
----- UNIT 54 -----						
TRIGA FUEL ELEMENTS IN BOTTOM LEFT OF 3.38 IN X 3.38 IN OPENING						
1 CUBOID	12 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703 -Z = -36.703
HOLE NUMBER	27	AT X = -2.4154	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	28	AT X = -2.4154	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	29	AT X = 1.3389	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	30	AT X = 1.3389	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41
----- UNIT 55 -----						
TRIGA FUEL ELEMENTS IN TOP LEFT OF 3.38 IN X 3.38 IN OPENING						
1 CUBOID	12 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703 -Z = -36.703
HOLE NUMBER	31	AT X = -2.4154	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	32	AT X = -2.4154	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	33	AT X = 1.3389	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	34	AT X = 1.3389	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41
----- UNIT 56 -----						
TRIGA BASKET 3.38 IN X 3.38 IN CENTER OPENING						
1 CUBOID	12 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703 -Z = -36.703
----- UNIT 60 EXTERNAL TO LATTICE 11 -----						
CENTER COLUMN OF THREE OPENINGS W/ 0.28 IN PLATE						
1 ARRAY NUMBER	11	+X = 4.2926	-X = -4.2926	+Y = 13.589	-Y = -13.589	+Z = 36.703 -Z = -36.703
2 CUBOID	2 1	+X = 5.0038	-X = -5.0038	+Y = 14.300	-Y = -14.300	+Z = 36.703 -Z = -36.703
----- UNIT 61 EXTERNAL TO LATTICE 12 -----						
LEFT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE						
1 ARRAY NUMBER	12	+X = 4.2926	-X = -4.2926	+Y = 8.8900	-Y = -8.8900	+Z = 36.703 -Z = -36.703
2 CUBOID	2 1	+X = 4.2926	-X = -4.5974	+Y = 9.1948	-Y = -9.1948	+Z = 36.703 -Z = -36.703
TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE						
REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
----- UNIT 62 EXTERNAL TO LATTICE 13 -----						
RIGHT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE						
1 ARRAY NUMBER	13	+X = 4.2926	-X = -4.2926	+Y = 8.8900	-Y = -8.8900	+Z = 36.703 -Z = -36.703
2 CUBOID	2 1	+X = 4.5974	-X = -4.2926	+Y = 9.1948	-Y = -9.1948	+Z = 36.703 -Z = -36.703
----- UNIT 70 -----						
NAC-LWT TRIGA BASKET						
1 CYLINDER	12 1	RADIUS = 17.100	+Z = 36.703	-Z = -36.703	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	35	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	60
HOLE NUMBER	36	AT X = -9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	61
HOLE NUMBER	37	AT X = 9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	62

2	CYLINDER	2	1	RADIUS = 18.910	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
3	CYLINDER	6	1	RADIUS = 33.465	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
4	CYLINDER	2	1	RADIUS = 36.519	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
5	CYLINDER	7	1	RADIUS = 49.223	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
6	CYLINDER	2	1	RADIUS = 49.822	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
7	CUBOID	8	1	+X = 49.822	-X = -49.822	+Y = 49.822	-Y = -49.822	+Z = 37.338	-Z = -37.338

----- UNIT 80 -----

SIMPLIFIED LID STRUCTURE NAC-LWT

1	CYLINDER	2	1	RADIUS = 36.519	+Z = 14.135	-Z = -14.135	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
2	CYLINDER	8	1	RADIUS = 49.822	+Z = 14.135	-Z = -14.135	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
3	CUBOID	8	1	+X = 49.822	-X = -49.822	+Y = 49.822	-Y = -49.822	+Z = 14.135	-Z = -14.135

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 81 -----

SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT

1	CYLINDER	6	1	RADIUS = 26.353	+Z = 3.8100	-Z = -3.8100	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
2	CYLINDER	2	1	RADIUS = 36.619	+Z = 13.970	-Z = -12.700	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
3	CYLINDER	8	1	RADIUS = 49.822	+Z = 13.970	-Z = -12.700	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
4	CUBOID	8	1	+X = 49.822	-X = -49.822	+Y = 49.822	-Y = -49.822	+Z = 13.970	-Z = -12.700

***** GLOBAL *****
----- UNIT 82 EXTERNAL TO LATTICE 20 -----

STACK OF 5 BASKETS IN CASK

1	ARRAY NUMBER	20		+X = 49.822	-X = -49.822	+Y = 49.822	-Y = -49.822	+Z = 225.31	-Z = -221.30
---	--------------	----	--	-------------	--------------	-------------	--------------	-------------	--------------

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

2 LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 5 BOTTOM TO TOP

11
5
16
5
10

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 2 -----

2 LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

12
.6
13

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 3 -----

2 LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

14
6
15

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 11 -----

2 LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 5 BOTTOM TO TOP

51
45
56
45
50

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 12 -----

2 LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

52

46

53

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 13 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

54

46

55

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 20 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

81

Z LAYER 2, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

30

Z LAYER 3, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

70

Z LAYER 4, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

70

Z LAYER 5, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

70

Z LAYER 6, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

30

Z LAYER 7, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

80

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	3.04527E+03 CM**3	3.04527E+03 CM**3
5	1	2	5.04003E+02 CM**3	5.04003E+02 CM**3
6	1	3	4.32002E+02 CM**3	4.32002E+02 CM**3
7	1	4	2.52441E-01 CM**3	3.04552E+03 CM**3
	2	5	4.63830E+02 CM**3	3.50935E+03 CM**3
	3	6	9.63081E+02 CM**3	4.47243E+03 CM**3
10	1	7	1.61160E+03 CM**3	6.08403E+03 CM**3
11	1	8	1.61160E+03 CM**3	6.08403E+03 CM**3
12	1	9	1.61160E+03 CM**3	6.08403E+03 CM**3
13	1	10	1.61160E+03 CM**3	6.08403E+03 CM**3
14	1	11	1.61160E+03 CM**3	6.08403E+03 CM**3
15	1	12	1.61160E+03 CM**3	6.08403E+03 CM**3
16	1	13	6.08403E+03 CM**3	6.08403E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 14 IS AN ARRAY PLACEMENT BOUNDARY REGION				
20	1	14	1.92601E+04 CM**3	1.92601E+04 CM**3
	2	15	4.36604E+03 CM**3	2.36261E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 16 IS AN ARRAY PLACEMENT BOUNDARY REGION				
21	1	16	1.26001E+04 CM**3	1.26001E+04 CM**3
	2	17	8.94680E+02 CM**3	1.34948E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 18 IS AN ARRAY PLACEMENT BOUNDARY REGION				
22	1	18	1.26001E+04 CM**3	1.26001E+04 CM**3
	2	19	8.94680E+02 CM**3	1.34948E+04 CM**3
30	1	20	2.52129E+04 CM**3	7.58286E+04 CM**3
	2	21	1.83375E+04 CM**3	9.41660E+04 CM**3
	3	22	2.00728E+05 CM**3	2.94894E+05 CM**3
	4	23	5.62864E+04 CM**3	3.51181E+05 CM**3
	5	24	2.86831E+05 CM**3	6.38011E+05 CM**3
	6	25	1.56332E+04 CM**3	6.53645E+05 CM**3
	7	26	1.78602E-05 CM**3	8.32246E+05 CM**3
41	1	27	9.77686E+00 CM**3	9.77686E+00 CM**3
	2	28	3.87746E+02 CM**3	3.97523E+02 CM**3
	3	29	1.81270E+02 CM**3	5.78793E+02 CM**3
	4	30	3.52668E+01 CM**3	6.14060E+02 CM**3
	5	31	1.98501E+02 CM**3	8.12561E+02 CM**3
45	1	32	4.48202E+02 CM**3	4.48202E+02 CM**3

46	1	33	3.84173E+02 CM**3	3.84173E+02 CM**3
50	1	34	2.16019E+03 CM**3	5.41044E+03 CM**3
51	1	35	2.16019E+03 CM**3	5.41044E+03 CM**3
52	1	36	2.16019E+03 CM**3	5.41044E+03 CM**3
53	1	37	2.16019E+03 CM**3	5.41044E+03 CM**3
54	1	38	2.16019E+03 CM**3	5.41044E+03 CM**3
55	1	39	2.16019E+03 CM**3	5.41044E+03 CM**3
56	1	40	5.41044E+03 CM**3	5.41044E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 41 IS AN ARRAY PLACEMENT BOUNDARY REGION				
60	1	41	1.71277E+04 CM**3	1.71277E+04 CM**3
	2	42	3.80265E+03 CM**3	2.10104E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 43 IS AN ARRAY PLACEMENT BOUNDARY REGION				
61	1	43	1.12050E+04 CM**3	1.12050E+04 CM**3
	2	44	7.95625E+02 CM**3	1.20007E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 45 IS AN ARRAY PLACEMENT BOUNDARY REGION				
62	1	45	1.12050E+04 CM**3	1.12050E+04 CM**3
	2	46	7.95625E+02 CM**3	1.20007E+04 CM**3
70	1	47	2.24215E+04 CM**3	6.74332E+04 CM**3
	2	48	1.64602E+04 CM**3	8.38934E+04 CM**3
	3	49	1.78831E+05 CM**3	2.62724E+05 CM**3
	4	50	5.01461E+04 CM**3	3.12870E+05 CM**3
	5	51	2.55540E+05 CM**3	5.68410E+05 CM**3
	6	52	1.39278E+04 CM**3	5.82338E+05 CM**3
	7	53	1.59118E+05 CM**3	7.41456E+05 CM**3
80	1	54	1.18444E+05 CM**3	1.18444E+05 CM**3
	2	55	1.02013E+05 CM**3	2.20456E+05 CM**3
	3	56	6.02374E+04 CM**3	2.80694E+05 CM**3
81	1	57	1.66245E+04 CM**3	1.66245E+04 CM**3
	2	58	9.57276E+04 CM**3	1.12352E+05 CM**3
	3	59	9.56257E+04 CM**3	2.07978E+05 CM**3
	4	60	5.68278E+04 CM**3	2.64806E+05 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 61 IS AN ARRAY PLACEMENT BOUNDARY REGION				
82	1	61	4.43436E+06 CM**3	4.43436E+06 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	12	1	1	3.65432E+04 CM**3
5	4	1	2	2.01601E+03 CM**3
6	4	1	2	1.72801E+03 CM**3
7	12	1	12	3.02930E+00 CM**3
		2	2	5.56596E+03 CM**3
		3	12	1.15570E+04 CM**3
10	2	1	12	3.22321E+03 CM**3
11	2	1	12	3.22321E+03 CM**3
12	2	1	12	3.22321E+03 CM**3
13	2	1	12	3.22321E+03 CM**3
14	2	1	12	3.22321E+03 CM**3
15	2	1	12	3.22321E+03 CM**3
16	2	1	12	1.21681E+04 CM**3
20	2	1	2	3.85202E+04 CM**3
		2	2	8.73207E+03 CM**3
21	2	1	2	2.52001E+04 CM**3
		2	2	1.78936E+03 CM**3
22	2	1	2	2.52001E+04 CM**3
		2	2	1.78936E+03 CM**3
30	2	1	12	5.04259E+04 CM**3
		2	2	3.66750E+04 CM**3
		3	6	4.01456E+05 CM**3
		4	2	1.12573E+05 CM**3
		5	7	5.73661E+05 CM**3
		6	2	3.12664E+04 CM**3
		7	8	3.57203E+05 CM**3
41	72	1	4	7.03934E+02 CM**3
		2	10	2.79177E+04 CM**3
		3	5	1.30515E+04 CM**3
		4	2	2.53921E+03 CM**3

		5	11	1.42921E+04	CM**3
45	6	1	2	2.68921E+03	CM**3
46	6	1	2	2.30504E+03	CM**3
50	3	1	12	6.48058E+03	CM**3
51	3	1	12	6.48058E+03	CM**3
52	3	1	12	6.48058E+03	CM**3
53	3	1	12	6.48058E+03	CM**3
54	3	1	12	6.48058E+03	CM**3
55	3	1	12	6.48058E+03	CM**3
56	3	1	12	1.62313E+04	CM**3
60	3	1		5.13832E+04	CM**3
		2	2	1.16479E+04	CM**3
61	3	1		3.36151E+04	CM**3
		2	2	2.38688E+03	CM**3
62	3	1		3.36151E+04	CM**3
		2	2	2.38688E+03	CM**3
70	3	1	12	6.72644E+04	CM**3
		2	2	4.93806E+04	CM**3
		3	6	5.36492E+05	CM**3
		4	2	1.50438E+05	CM**3
		5	7	7.66620E+05	CM**3
		6	2	4.17833E+04	CM**3
		7	8	4.77353E+05	CM**3
80	1	1	2	1.18444E+05	CM**3
		2	8	1.02013E+05	CM**3
		3	8	6.02374E+04	CM**3
81	1	1	6	1.66245E+04	CM**3
		2	2	9.57276E+04	CM**3
		3	8	9.56257E+04	CM**3
		4	8	5.68278E+04	CM**3
82	1	1		4.43436E+06	CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	3.65432E+04 CM**3	8.13227E+04
2	6.81863E+05 CM**3	5.40036E+06
4	7.03934E+02 CM**3	4.56853E+03
5	1.30515E+04 CM**3	2.74083E+04
6	9.54572E+05 CM**3	1.08287E+07
7	1.34028E+06 CM**3	1.33783E-14
8	1.14926E+06 CM**3	1.14716E-14
10	2.79177E+04 CM**3	1.62435E+05
11	1.42921E+04 CM**3	3.81617E+04
12	2.15872E+05 CM**3	2.15478E-15

```

*****
***
***          BIASING INFORMATION          ***
***
*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***
***
*****

```

```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING .....
..... 0.01183 MINUTES WERE USED PROCESSING DATA. ....

```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 1.45367E-02

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 4.98221E+01 -X=-4.98221E+01 +Y= 4.98221E+01 -Y=-4.98221E+01 +Z= 2.25308E+02 -Z=-2.21300E+02
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

1.31200 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 1.32267 MINUTES.

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE GENERATED	MATRIX K-EFF DEVIATION
KENO MESSAGE NUMBER K5-132	1	1.34033E+00	972 INDEPENDENT	6.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	2	1.37500E+00	895 INDEPENDENT	6.00000E+00	0.00000E+00	0.00000E+00
	3	1.35867E+00		6.00000E+00	0.00000E+00	0.00000E+00
	4	1.42717E+00		2.07680E-02	0.00000E+00	0.00000E+00
	5	1.45367E+00		1.15002E-01	0.00000E+00	0.00000E+00
	6	1.46017E+00		9.06153E-01	1.33291E-02	0.00000E+00
	7	1.50583E+00		9.07547E-01	1.03474E-02	0.00000E+00
	8	1.52333E+00		9.08666E-01	8.52102E-03	0.00000E+00
	9	1.55900E+00		9.11380E-01	7.68918E-03	0.00000E+00
	10	1.56633E+00		9.14150E-01	7.21207E-03	0.00000E+00
	11	1.61200E+00		9.09853E-01	7.67580E-03	0.00000E+00
	12	1.63950E+00		9.07856E-01	7.14943E-03	0.00000E+00
	13	1.66417E+00		9.07026E-01	6.47105E-03	0.00000E+00
	14	1.69007E+00		9.06934E-01	5.94772E-03	0.00000E+00
	15	1.71817E+00		9.03911E-01	6.25069E-03	0.00000E+00
	16	1.74383E+00		9.04951E-01	5.87977E-03	0.00000E+00
	17	1.76950E+00		9.05622E-01	5.54263E-03	0.00000E+00
	18	1.79600E+00		9.08093E-01	6.03113E-03	0.00000E+00
	19	1.82167E+00		9.09857E-01	5.76985E-03	0.00000E+00
	20	1.84733E+00		9.10170E-01	5.44263E-03	0.00000E+00
	21	1.87300E+00		9.08779E-01	5.33300E-03	0.00000E+00
	22	1.90133E+00		9.09522E-01	5.11366E-03	0.00000E+00
	23	1.92683E+00		9.08198E-01	5.04112E-03	0.00000E+00
	24	1.95533E+00		9.09009E-01	4.87445E-03	0.00000E+00
	25	1.96367E+00		9.09751E-01	4.71653E-03	0.00000E+00
	26	2.01017E+00		9.11015E-01	4.68917E-03	0.00000E+00
	27	2.03767E+00		9.10623E-01	4.50177E-03	0.00000E+00
	28	2.06417E+00		9.11259E-01	4.34659E-03	0.00000E+00
	29	2.06983E+00		9.12066E-01	4.26394E-03	0.00000E+00
	30	2.11550E+00		9.11994E-01	4.10965E-03	0.00000E+00
	31	2.12450E+00		9.12656E-01	4.02077E-03	0.00000E+00
	32	2.17050E+00		9.11195E-01	4.15106E-03	0.00000E+00
	33	2.19760E+00		9.10727E-01	4.04205E-03	0.00000E+00
	34	2.22450E+00		9.09538E-01	4.16740E-03	0.00000E+00
	35	2.25100E+00		9.09581E-01	4.07298E-03	0.00000E+00
	36	2.27750E+00		9.06714E-01	4.04530E-03	0.00000E+00
	37	2.30500E+00		9.07575E-01	4.06990E-03	0.00000E+00
	38	2.32967E+00		9.09636E-01	4.47735E-03	0.00000E+00
	39	2.35633E+00		9.09456E-01	4.35833E-03	0.00000E+00
	40	2.36367E+00		9.09767E-01	4.25343E-03	0.00000E+00
	41	2.40933E+00		9.09490E-01	4.15219E-03	0.00000E+00
	42	2.43583E+00		9.09611E-01	4.05066E-03	0.00000E+00
	43	2.46250E+00		9.09294E-01	3.96765E-03	0.00000E+00
	44	2.48983E+00		9.09538E-01	3.87971E-03	0.00000E+00
	45	2.51650E+00		9.09570E-01	3.78845E-03	0.00000E+00
	46	2.54383E+00		9.09963E-01	3.72358E-03	0.00000E+00
	47	2.56950E+00		9.10962E-01	3.77462E-03	0.00000E+00
	48	2.59617E+00		9.11195E-01	3.69884E-03	0.00000E+00
	49	2.62267E+00		9.11406E-01	3.62554E-03	0.00000E+00
	50	2.64833E+00		9.11958E-01	3.59199E-03	0.00000E+00
	51	2.67483E+00		9.12627E-01	3.58090E-03	0.00000E+00
	52	2.70050E+00		9.13242E-01	3.56210E-03	0.00000E+00
	53	2.72617E+00		9.13040E-01	3.49668E-03	0.00000E+00
	54	2.75167E+00		9.14319E-01	3.65551E-03	0.00000E+00
	55	2.77917E+00		9.13475E-01	3.68489E-03	0.00000E+00
	56	2.80567E+00		9.12979E-01	3.66155E-03	0.00000E+00
	57	2.83133E+00		9.13168E-01	3.60662E-03	0.00000E+00
	58	2.85783E+00		9.13295E-01	3.54322E-03	0.00000E+00
	59	2.88450E+00		9.12976E-01	3.49469E-03	0.00000E+00
	60	2.91100E+00		9.12648E-01	3.45000E-03	0.00000E+00
	61	2.93750E+00		9.12661E-01	3.39104E-03	0.00000E+00
	62	2.96417E+00		9.12996E-01	3.35082E-03	0.00000E+00
	63	2.98967E+00		9.13168E-01	3.30001E-03	0.00000E+00
	64	3.01717E+00		9.13151E-01	3.24640E-03	0.00000E+00
	65	3.04367E+00		9.12521E-01	3.25597E-03	0.00000E+00
	66	3.07033E+00		9.12605E-01	3.20579E-03	0.00000E+00
	67	3.09683E+00		9.12613E-01	3.15610E-03	0.00000E+00
	68	3.12250E+00		9.13025E-01	3.13636E-03	0.00000E+00
	69	3.14817E+00		9.13518E-01	3.12675E-03	0.00000E+00
	70	3.17367E+00		9.14000E-01	3.11797E-03	0.00000E+00
	71	3.20033E+00		9.13477E-01	3.11674E-03	0.00000E+00
	72	3.22683E+00		9.13179E-01	3.08630E-03	0.00000E+00
	73	3.25333E+00		9.13277E-01	3.04412E-03	0.00000E+00
	74	3.28000E+00		9.13450E-01	3.00650E-03	0.00000E+00
	75	3.30550E+00		9.13222E-01	2.97279E-03	0.00000E+00
	76	3.33217E+00		9.13065E-01	2.93610E-03	0.00000E+00
	77	3.35667E+00		9.12895E-01	2.90357E-03	0.00000E+00
	78	3.38517E+00		9.12864E-01	2.86527E-03	0.00000E+00
	79	3.41083E+00		9.12883E-01	2.82788E-03	0.00000E+00
	80	3.43733E+00		9.12993E-01	2.79385E-03	0.00000E+00
	81	3.46400E+00		9.12404E-01	2.82013E-03	0.00000E+00
	82	3.48950E+00		9.12348E-01	2.78523E-03	0.00000E+00
	83	3.51517E+00		9.12560E-01	2.75883E-03	0.00000E+00
	84	3.54167E+00		9.12309E-01	2.73655E-03	0.00000E+00
	85	3.56733E+00		9.12250E-01	2.70385E-03	0.00000E+00
	86	3.59300E+00		9.12502E-01	2.68252E-03	0.00000E+00
	87	3.62050E+00		9.12143E-01	2.67499E-03	0.00000E+00
	88	3.64700E+00		9.11876E-01	2.65716E-03	0.00000E+00
	89	3.67250E+00		9.12168E-01	2.64265E-03	0.00000E+00
	90	3.70017E+00		9.11880E-01	2.62826E-03	0.00000E+00
	91	3.72567E+00		9.11737E-01	2.60247E-03	0.00000E+00
	92	3.75233E+00		9.11815E-01	2.57456E-03	0.00000E+00
	93	3.77967E+00		9.12556E-01	2.63172E-03	0.00000E+00
	94	3.80633E+00		9.12431E-01	2.62574E-03	0.00000E+00
	95	3.83200E+00		9.12323E-01	2.59957E-03	0.00000E+00

96	4.38250E-01	3.85933E+00	9.12599E-01	2.56650E-03	0.00000E+00	0.00000E+00
97	6.91607E-01	3.86600E+00	9.12378E-01	2.56805E-03	0.00000E+00	0.00000E+00
98	9.14741E-01	3.91250E+00	9.12403E-01	2.54188E-03	0.00000E+00	0.00000E+00
99	8.69482E-01	3.94000E+00	9.11960E-01	2.55415E-03	0.00000E+00	0.00000E+00
100	6.42807E-01	3.96450E+00	9.12273E-01	2.54723E-03	0.00000E+00	0.00000E+00
101	6.18903E-01	3.98217E+00	9.12344E-01	2.52227E-03	0.00000E+00	0.00000E+00
102	9.11621E-01	4.01950E+00	9.12327E-01	2.49696E-03	0.00000E+00	0.00000E+00
103	9.31676E-01	4.04617E+00	9.12519E-01	2.47852E-03	0.00000E+00	0.00000E+00
104	9.31187E-01	4.07183E+00	9.12702E-01	2.46190E-03	0.00000E+00	0.00000E+00
105	9.12166E-01	4.09653E+00	9.12696E-01	2.43789E-03	0.00000E+00	0.00000E+00
106	9.14453E-01	4.12563E+00	9.12713E-01	2.41439E-03	0.00000E+00	0.00000E+00
107	6.97115E-01	4.15253E+00	9.12664E-01	2.39590E-03	0.00000E+00	0.00000E+00
108	9.22886E-01	4.17800E+00	9.12725E-01	2.37862E-03	0.00000E+00	0.00000E+00
109	6.96594E-01	4.20553E+00	9.12574E-01	2.36110E-03	0.00000E+00	0.00000E+00
110	9.43979E-01	4.23200E+00	9.12645E-01	2.35714E-03	0.00000E+00	0.00000E+00
111	8.75353E-01	4.26023E+00	9.12521E-01	2.36664E-03	0.00000E+00	0.00000E+00
112	8.94002E-01	4.28783E+00	9.12352E-01	2.34513E-03	0.00000E+00	0.00000E+00
113	9.47321E-01	4.31350E+00	9.12667E-01	2.34516E-03	0.00000E+00	0.00000E+00
114	9.31552E-01	4.33900E+00	9.12836E-01	2.33024E-03	0.00000E+00	0.00000E+00
115	8.85036E-01	4.36450E+00	9.12590E-01	2.32259E-03	0.00000E+00	0.00000E+00
116	9.29128E-01	4.38217E+00	9.12823E-01	2.31367E-03	0.00000E+00	0.00000E+00
117	9.07775E-01	4.41667E+00	9.12779E-01	2.29406E-03	0.00000E+00	0.00000E+00
118	9.20362E-01	4.44433E+00	9.12844E-01	2.27915E-03	0.00000E+00	0.00000E+00
119	6.87089E-01	4.47083E+00	9.12624E-01	2.26343E-03	0.00000E+00	0.00000E+00
120	9.29109E-01	4.49650E+00	9.12649E-01	2.25823E-03	0.00000E+00	0.00000E+00
121	9.33180E-01	4.52300E+00	9.13019E-01	2.24568E-03	0.00000E+00	0.00000E+00
122	8.98252E-01	4.54967E+00	9.12895E-01	2.23629E-03	0.00000E+00	0.00000E+00
123	9.04215E-01	4.57617E+00	9.12825E-01	2.21294E-03	0.00000E+00	0.00000E+00
124	9.11441E-01	4.60183E+00	9.12813E-01	2.19478E-03	0.00000E+00	0.00000E+00
125	9.37687E-01	4.62750E+00	9.13015E-01	2.18622E-03	0.00000E+00	0.00000E+00
126	9.12857E-01	4.65400E+00	9.13014E-01	2.16851E-03	0.00000E+00	0.00000E+00
127	9.20716E-01	4.67967E+00	9.13124E-01	2.15369E-03	0.00000E+00	0.00000E+00
128	9.14445E-01	4.70617E+00	9.13155E-01	2.13755E-03	0.00000E+00	0.00000E+00
129	9.17151E-01	4.73163E+00	9.13166E-01	2.12101E-03	0.00000E+00	0.00000E+00
130	9.20122E-01	4.75733E+00	9.13221E-01	2.10417E-03	0.00000E+00	0.00000E+00
131	9.56822E-01	4.78400E+00	9.13544E-01	2.11269E-03	0.00000E+00	0.00000E+00
132	9.15764E-01	4.81050E+00	9.13511E-01	2.09644E-03	0.00000E+00	0.00000E+00
133	8.67318E-01	4.83683E+00	9.13360E-01	2.08999E-03	0.00000E+00	0.00000E+00
134	9.15454E-01	4.86350E+00	9.13376E-01	2.07416E-03	0.00000E+00	0.00000E+00
135	6.6668E-01	4.89200E+00	9.13025E-01	2.08825E-03	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132 WARNING...ONLY 992 INDEPENDENT FISSION POINTS WERE GENERATED						
136	8.8865E-01	4.91850E+00	9.12845E-01	2.08043E-03	0.00000E+00	0.00000E+00
137	8.96141E-01	4.94500E+00	9.12721E-01	2.06867E-03	0.00000E+00	0.00000E+00
138	9.07659E-01	4.97167E+00	9.12644E-01	2.05374E-03	0.00000E+00	0.00000E+00
139	9.31430E-01	4.99633E+00	9.12821E-01	2.04328E-03	0.00000E+00	0.00000E+00
140	9.09886E-01	5.02283E+00	9.12799E-01	2.02853E-03	0.00000E+00	0.00000E+00
141	8.91672E-01	5.04950E+00	9.12647E-01	2.01961E-03	0.00000E+00	0.00000E+00
142	9.51248E-01	5.07500E+00	9.12923E-01	2.02400E-03	0.00000E+00	0.00000E+00
143	9.01526E-01	5.10350E+00	9.12842E-01	2.01122E-03	0.00000E+00	0.00000E+00
144	9.32689E-01	5.12900E+00	9.12963E-01	2.00199E-03	0.00000E+00	0.00000E+00
145	8.96399E-01	5.15567E+00	9.12667E-01	1.99153E-03	0.00000E+00	0.00000E+00
146	8.84883E-01	5.18217E+00	9.12742E-01	1.98140E-03	0.00000E+00	0.00000E+00
147	9.34625E-01	5.20867E+00	9.12889E-01	1.97315E-03	0.00000E+00	0.00000E+00
148	9.40990E-01	5.23433E+00	9.13061E-01	1.96902E-03	0.00000E+00	0.00000E+00
149	9.25885E-01	5.26083E+00	9.13153E-01	1.95658E-03	0.00000E+00	0.00000E+00
150	9.18423E-01	5.28650E+00	9.13155E-01	1.94408E-03	0.00000E+00	0.00000E+00
151	9.47462E-01	5.31217E+00	9.13425E-01	1.94458E-03	0.00000E+00	0.00000E+00
152	9.08013E-01	5.33783E+00	9.13353E-01	1.93191E-03	0.00000E+00	0.00000E+00
153	8.85231E-01	5.36433E+00	9.13274E-01	1.92280E-03	0.00000E+00	0.00000E+00
154	9.44444E-01	5.39183E+00	9.13479E-01	1.92108E-03	0.00000E+00	0.00000E+00
155	8.93909E-01	5.41933E+00	9.13347E-01	1.91298E-03	0.00000E+00	0.00000E+00
156	8.82057E-01	5.44483E+00	9.13209E-01	1.90555E-03	0.00000E+00	0.00000E+00
157	9.03251E-01	5.47233E+00	9.13145E-01	1.89431E-03	0.00000E+00	0.00000E+00
158	8.97884E-01	5.49803E+00	9.13047E-01	1.88467E-03	0.00000E+00	0.00000E+00
159	8.64900E-01	5.52633E+00	9.12740E-01	1.89757E-03	0.00000E+00	0.00000E+00
160	8.97233E-01	5.55383E+00	9.12642E-01	1.88808E-03	0.00000E+00	0.00000E+00
161	9.18827E-01	5.57950E+00	9.12681E-01	1.87657E-03	0.00000E+00	0.00000E+00
162	9.24453E-01	5.60600E+00	9.12755E-01	1.86625E-03	0.00000E+00	0.00000E+00
163	8.87075E-01	5.63350E+00	9.12595E-01	1.86147E-03	0.00000E+00	0.00000E+00
164	9.46600E-01	5.65917E+00	9.12805E-01	1.86182E-03	0.00000E+00	0.00000E+00
165	9.22167E-01	5.68303E+00	9.12863E-01	1.85125E-03	0.00000E+00	0.00000E+00
166	9.36622E-01	5.70507E+00	9.13008E-01	1.84565E-03	0.00000E+00	0.00000E+00
167	9.53502E-01	5.73417E+00	9.13255E-01	1.85075E-03	0.00000E+00	0.00000E+00
168	9.17649E-01	5.75983E+00	9.13279E-01	1.83977E-03	0.00000E+00	0.00000E+00
169	9.23258E-01	5.78550E+00	9.13338E-01	1.82988E-03	0.00000E+00	0.00000E+00
170	9.81120E-01	5.81100E+00	9.13415E-01	1.82035E-03	0.00000E+00	0.00000E+00
171	9.26614E-01	5.83583E+00	9.13493E-01	1.81123E-03	0.00000E+00	0.00000E+00
172	9.08422E-01	5.86317E+00	9.13464E-01	1.80079E-03	0.00000E+00	0.00000E+00
173	9.02981E-01	5.88983E+00	9.13402E-01	1.79128E-03	0.00000E+00	0.00000E+00
174	9.18104E-01	5.91550E+00	9.13430E-01	1.78165E-03	0.00000E+00	0.00000E+00
175	8.91659E-01	5.94100E+00	9.13300E-01	1.77544E-03	0.00000E+00	0.00000E+00
176	8.95988E-01	5.96850E+00	9.13201E-01	1.76800E-03	0.00000E+00	0.00000E+00
177	9.03157E-01	5.99500E+00	9.13143E-01	1.75861E-03	0.00000E+00	0.00000E+00
178	9.30350E-01	6.02067E+00	9.13241E-01	1.75122E-03	0.00000E+00	0.00000E+00
179	9.01541E-01	6.04633E+00	9.13175E-01	1.74285E-03	0.00000E+00	0.00000E+00
180	9.35730E-01	6.07200E+00	9.13302E-01	1.73766E-03	0.00000E+00	0.00000E+00
181	9.59340E-01	6.09767E+00	9.13559E-01	1.74696E-03	0.00000E+00	0.00000E+00
182	9.24043E-01	6.12417E+00	9.13617E-01	1.73820E-03	0.00000E+00	0.00000E+00
183	9.16527E-01	6.15067E+00	9.13633E-01	1.72865E-03	0.00000E+00	0.00000E+00
184	8.97510E-01	6.17717E+00	9.13545E-01	1.72140E-03	0.00000E+00	0.00000E+00
185	9.26777E-01	6.20283E+00	9.13614E-01	1.71338E-03	0.00000E+00	0.00000E+00
186	9.05886E-01	6.22850E+00	9.13568E-01	1.70468E-03	0.00000E+00	0.00000E+00
187	8.84514E-01	6.25600E+00	9.13411E-01	1.70269E-03	0.00000E+00	0.00000E+00
188	9.23112E-01	6.28167E+00	9.13463E-01	1.69432E-03	0.00000E+00	0.00000E+00
189	9.13747E-01	6.30817E+00	9.13465E-01	1.68523E-03	0.00000E+00	0.00000E+00
190	9.20576E-01	6.33383E+00	9.13501E-01	1.67665E-03	0.00000E+00	0.00000E+00
191	8.83691E-01	6.36117E+00	9.13345E-01	1.67510E-03	0.00000E+00	0.00000E+00
192	9.27817E-01	6.38683E+00	9.13421E-01	1.66800E-03	0.00000E+00	0.00000E+00
193	9.44674E-01	6.41350E+00	9.13586E-01	1.66739E-03	0.00000E+00	0.00000E+00
194	9.09017E-01	6.43900E+00	9.13562E-01	1.65886E-03	0.00000E+00	0.00000E+00
195	8.94144E-01	6.46650E+00	9.13461E-01	1.65330E-03	0.00000E+00	0.00000E+00

196	8.72850E-01	6.49300E+00	9.13252E-01	1.45803E-03	0.00000E+00	0.00000E+00
197	8.64799E-01	6.52130E+00	9.13603E-01	1.46811E-03	0.00000E+00	0.00000E+00
198	9.19588E-01	6.54433E+00	9.14037E-01	1.45952E-03	0.00000E+00	0.00000E+00
199	8.81142E-01	6.57163E+00	9.13875E-01	1.45939E-03	0.00000E+00	0.00000E+00
200	9.45766E-01	6.59860E+00	9.13641E-01	1.45922E-03	0.00000E+00	0.00000E+00
201	9.35885E-01	6.62217E+00	9.13156E-01	1.45496E-03	0.00000E+00	0.00000E+00
202	9.24781E-01	6.64753E+00	9.13240E-01	1.46876E-03	0.00000E+00	0.00000E+00
203	8.99675E-01	6.67433E+00	9.13173E-01	1.46191E-03	0.00000E+00	0.00000E+00
204	8.95885E-01	6.70063E+00	9.13078E-01	1.46544E-03	0.00000E+00	0.00000E+00
205	8.12623E-01	6.72733E+00	9.13074E-01	1.46284E-03	0.00000E+00	0.00000E+00
206	8.95375E-01	6.75466E+00	9.12966E-01	1.46278E-03	0.00000E+00	0.00000E+00
207	9.06995E-01	6.78050E+00	9.12956E-01	1.46152E-03	0.00000E+00	0.00000E+00
208	9.11243E-01	6.80700E+00	9.12950E-01	1.46076E-03	0.00000E+00	0.00000E+00
209	9.54729E-01	6.83133E+00	9.13150E-01	1.46118E-03	0.00000E+00	0.00000E+00
210	9.38852E-01	6.85733E+00	9.13278E-01	1.46095E-03	0.00000E+00	0.00000E+00
211	9.24160E-01	6.88400E+00	9.13330E-01	1.46043E-03	0.00000E+00	0.00000E+00
212	9.33424E-01	6.91050E+00	9.13420E-01	1.45975E-03	0.00000E+00	0.00000E+00
213	9.55546E-01	6.92517E+00	9.13425E-01	1.46025E-03	0.00000E+00	0.00000E+00
214	9.40600E-01	6.96133E+00	9.13753E-01	1.46006E-03	0.00000E+00	0.00000E+00
215	8.73862E-01	6.96633E+00	9.13966E-01	1.46034E-03	0.00000E+00	0.00000E+00
216	8.77567E-01	7.01533E+00	9.13398E-01	1.46047E-03	0.00000E+00	0.00000E+00
217	9.07999E-01	7.04133E+00	9.13373E-01	1.45746E-03	0.00000E+00	0.00000E+00
218	8.72392E-01	7.06600E+00	9.13183E-01	1.46013E-03	0.00000E+00	0.00000E+00
219	9.17624E-01	7.09450E+00	9.13204E-01	1.45940E-03	0.00000E+00	0.00000E+00
220	8.90346E-01	7.12100E+00	9.13099E-01	1.45902E-03	0.00000E+00	0.00000E+00
221	9.20152E-01	7.14850E+00	9.13177E-01	1.45845E-03	0.00000E+00	0.00000E+00
222	9.30915E-01	7.17600E+00	9.13257E-01	1.45796E-03	0.00000E+00	0.00000E+00
223	8.56220E-01	7.20300E+00	9.13189E-01	1.45739E-03	0.00000E+00	0.00000E+00
224	9.14913E-01	7.23633E+00	9.13266E-01	1.45669E-03	0.00000E+00	0.00000E+00
225	9.32257E-01	7.26533E+00	9.13209E-01	1.45635E-03	0.00000E+00	0.00000E+00
226	8.86142E-01	7.29400E+00	9.13188E-01	1.45616E-03	0.00000E+00	0.00000E+00
227	9.18733E-01	7.31150E+00	9.13213E-01	1.45542E-03	0.00000E+00	0.00000E+00
228	9.04503E-01	7.32633E+00	9.13174E-01	1.45479E-03	0.00000E+00	0.00000E+00
229	9.11392E-01	7.35550E+00	9.13166E-01	1.45416E-03	0.00000E+00	0.00000E+00
230	8.62656E-01	7.39300E+00	9.12945E-01	1.45502E-03	0.00000E+00	0.00000E+00
231	9.13911E-01	7.41950E+00	9.12949E-01	1.45434E-03	0.00000E+00	0.00000E+00
232	9.02364E-01	7.44700E+00	9.12935E-01	1.45374E-03	0.00000E+00	0.00000E+00
233	9.47530E-01	7.47250E+00	9.13053E-01	1.45307E-03	0.00000E+00	0.00000E+00
234	9.44245E-01	7.49817E+00	9.13167E-01	1.45273E-03	0.00000E+00	0.00000E+00
235	8.86146E-01	7.52650E+00	9.13080E-01	1.45347E-03	0.00000E+00	0.00000E+00
236	9.19263E-01	7.55217E+00	9.13166E-01	1.45281E-03	0.00000E+00	0.00000E+00
237	9.23997E-01	7.57833E+00	9.13153E-01	1.45231E-03	0.00000E+00	0.00000E+00
238	9.23656E-01	7.60433E+00	9.13196E-01	1.45165E-03	0.00000E+00	0.00000E+00
239	9.63672E-01	7.63000E+00	9.13156E-01	1.45166E-03	0.00000E+00	0.00000E+00
240	9.25109E-01	7.65470E+00	9.13208E-01	1.45051E-03	0.00000E+00	0.00000E+00
241	8.93009E-01	7.68133E+00	9.13124E-01	1.45120E-03	0.00000E+00	0.00000E+00
242	9.33327E-01	7.70783E+00	9.13208E-01	1.44975E-03	0.00000E+00	0.00000E+00
243	9.48267E-01	7.73350E+00	9.13353E-01	1.44915E-03	0.00000E+00	0.00000E+00
244	9.19141E-01	7.76000E+00	9.13377E-01	1.45214E-03	0.00000E+00	0.00000E+00
245	9.44727E-01	7.78470E+00	9.13536E-01	1.45156E-03	0.00000E+00	0.00000E+00
246	9.15687E-01	7.81033E+00	9.13516E-01	1.45546E-03	0.00000E+00	0.00000E+00
247	9.30912E-01	7.83600E+00	9.13587E-01	1.45109E-03	0.00000E+00	0.00000E+00
248	9.59002E-01	7.86670E+00	9.13711E-01	1.45857E-03	0.00000E+00	0.00000E+00
249	9.00273E-01	7.89833E+00	9.13717E-01	1.46154E-03	0.00000E+00	0.00000E+00
250	9.28670E-01	7.91383E+00	9.13775E-01	1.47449E-03	0.00000E+00	0.00000E+00
251	9.42718E-01	7.94033E+00	9.13891E-01	1.47534E-03	0.00000E+00	0.00000E+00
252	9.55589E-01	7.96600E+00	9.14085E-01	1.47866E-03	0.00000E+00	0.00000E+00
253	9.73605E-01	7.99170E+00	9.14096E-01	1.47346E-03	0.00000E+00	0.00000E+00
254	8.78240E-01	8.01817E+00	9.13954E-01	1.47447E-03	0.00000E+00	0.00000E+00
255	9.35734E-01	8.04547E+00	9.14040E-01	1.47115E-03	0.00000E+00	0.00000E+00
256	9.04564E-01	8.07170E+00	9.14084E-01	1.46879E-03	0.00000E+00	0.00000E+00
257	9.42663E-01	8.09733E+00	9.14116E-01	1.46435E-03	0.00000E+00	0.00000E+00
258	9.44797E-01	8.12350E+00	9.14236E-01	1.46333E-03	0.00000E+00	0.00000E+00
259	8.97386E-01	8.15000E+00	9.14171E-01	1.45930E-03	0.00000E+00	0.00000E+00
260	8.94212E-01	8.17750E+00	9.14093E-01	1.45569E-03	0.00000E+00	0.00000E+00
261	8.52654E-01	8.20483E+00	9.14015E-01	1.45216E-03	0.00000E+00	0.00000E+00
262	8.60088E-01	8.23233E+00	9.13855E-01	1.45244E-03	0.00000E+00	0.00000E+00
263	8.94266E-01	8.25883E+00	9.13810E-01	1.44879E-03	0.00000E+00	0.00000E+00
264	9.24580E-01	8.28550E+00	9.13658E-01	1.44400E-03	0.00000E+00	0.00000E+00
265	9.03500E-01	8.31300E+00	9.13619E-01	1.43910E-03	0.00000E+00	0.00000E+00
266	9.05642E-01	8.33950E+00	9.13789E-01	1.43955E-03	0.00000E+00	0.00000E+00
267	9.05741E-01	8.36600E+00	9.13758E-01	1.42866E-03	0.00000E+00	0.00000E+00
268	9.14516E-01	8.39250E+00	9.13711E-01	1.42348E-03	0.00000E+00	0.00000E+00
269	8.92759E-01	8.41917E+00	9.13682E-01	1.42032E-03	0.00000E+00	0.00000E+00
270	8.90366E-01	8.44650E+00	9.13595E-01	1.41768E-03	0.00000E+00	0.00000E+00
271	9.10508E-01	8.47317E+00	9.13584E-01	1.41244E-03	0.00000E+00	0.00000E+00
272	9.19783E-01	8.49967E+00	9.13607E-01	1.40739E-03	0.00000E+00	0.00000E+00
273	9.00667E-01	8.52533E+00	9.13560E-01	1.40298E-03	0.00000E+00	0.00000E+00
274	9.13667E-01	8.55367E+00	9.13561E-01	1.39771E-03	0.00000E+00	0.00000E+00
275	8.84983E-01	8.57933E+00	9.13457E-01	1.39611E-03	0.00000E+00	0.00000E+00
276	9.45233E-01	8.60583E+00	9.13573E-01	1.39632E-03	0.00000E+00	0.00000E+00
277	9.36732E-01	8.63233E+00	9.13657E-01	1.39379E-03	0.00000E+00	0.00000E+00
278	9.33689E-01	8.65800E+00	9.13730E-01	1.39662E-03	0.00000E+00	0.00000E+00
279	9.08970E-01	8.68550E+00	9.13712E-01	1.39570E-03	0.00000E+00	0.00000E+00
280	8.76328E-01	8.71300E+00	9.13578E-01	1.38724E-03	0.00000E+00	0.00000E+00
281	9.64515E-01	8.73867E+00	9.13760E-01	1.39426E-03	0.00000E+00	0.00000E+00
282	8.95538E-01	8.76417E+00	9.13695E-01	1.39008E-03	0.00000E+00	0.00000E+00
283	9.38120E-01	8.78983E+00	9.13782E-01	1.38856E-03	0.00000E+00	0.00000E+00
284	8.98166E-01	8.81917E+00	9.13727E-01	1.38474E-03	0.00000E+00	0.00000E+00
285	9.30993E-01	8.84567E+00	9.13788E-01	1.38118E-03	0.00000E+00	0.00000E+00
286	9.28540E-01	8.87217E+00	9.13840E-01	1.37725E-03	0.00000E+00	0.00000E+00
287	8.83632E-01	8.89967E+00	9.13735E-01	1.37648E-03	0.00000E+00	0.00000E+00
288	9.06707E-01	8.92633E+00	9.13710E-01	1.37188E-03	0.00000E+00	0.00000E+00
289	8.98009E-01	8.95367E+00	9.13655E-01	1.36819E-03	0.00000E+00	0.00000E+00
290	9.10563E-01	8.97933E+00	9.13645E-01	1.36347E-03	0.00000E+00	0.00000E+00
291	9.35439E-01	9.00583E+00	9.13720E-01	1.36084E-03	0.00000E+00	0.00000E+00
292	9.24570E-01	9.03250E+00	9.13757E-01	1.35665E-03	0.00000E+00	0.00000E+00
293	9.02256E-01	9.05983E+00	9.13718E-01	1.35256E-03	0.00000E+00	0.00000E+00
294	9.50070E-01	9.08550E+00	9.13842E-01	1.35366E-03	0.00000E+00	0.00000E+00
295	9.16326E-01	9.11033E+00	9.13851E-01	1.34905E-03	0.00000E+00	0.00000E+00
296	9.43632E-01	9.13583E+00	9.13952E-01	1.34827E-03	0.00000E+00	0.00000E+00

297	8.79052E-01	9.16250E+00	9.13634E-01	1.34889E-03	0.00000E+00	0.00000E+00
298	9.54132E-01	9.18600E+00	9.13970E-01	1.35120E-03	0.00000E+00	0.00000E+00
299	9.25572E-01	9.21283E+00	9.14009E-01	1.34721E-03	0.00000E+00	0.00000E+00
300	9.56927E-01	9.23933E+00	9.14153E-01	1.35033E-03	0.00000E+00	0.00000E+00
301	9.02724E-01	9.26560E+00	9.14115E-01	1.34640E-03	0.00000E+00	0.00000E+00
302	9.44560E-01	9.29677E+00	9.14216E-01	1.34574E-03	0.00000E+00	0.00000E+00
303	8.79787E-01	9.31600E+00	9.14162E-01	1.34613E-03	0.00000E+00	0.00000E+00
304	8.69647E-01	9.34510E+00	9.13955E-01	1.34964E-03	0.00000E+00	0.00000E+00
305	9.35426E-01	9.37117E+00	9.14026E-01	1.34671E-03	0.00000E+00	0.00000E+00
306	9.01656E-01	9.39767E+00	9.13979E-01	1.34289E-03	0.00000E+00	0.00000E+00
307	8.83165E-01	9.42477E+00	9.13878E-01	1.34230E-03	0.00000E+00	0.00000E+00
308	9.42584E-01	9.44955E+00	9.13972E-01	1.34115E-03	0.00000E+00	0.00000E+00
309	9.69021E-01	9.47656E+00	9.14151E-01	1.34878E-03	0.00000E+00	0.00000E+00
310	8.88058E-01	9.50300E+00	9.14066E-01	1.34707E-03	0.00000E+00	0.00000E+00
311	8.87527E-01	9.53050E+00	9.13980E-01	1.34545E-03	0.00000E+00	0.00000E+00
312	8.72847E-01	9.55863E+00	9.13846E-01	1.34765E-03	0.00000E+00	0.00000E+00
313	8.14955E-01	9.58633E+00	9.13851E-01	1.34331E-03	0.00000E+00	0.00000E+00
314	8.26561E-01	9.61263E+00	9.13892E-01	1.33962E-03	0.00000E+00	0.00000E+00
315	8.95774E-01	9.63933E+00	9.13825E-01	1.33668E-03	0.00000E+00	0.00000E+00
316	9.04703E-01	9.66633E+00	9.13799E-01	1.33293E-03	0.00000E+00	0.00000E+00
317	8.73971E-01	9.69377E+00	9.13672E-01	1.33476E-03	0.00000E+00	0.00000E+00
318	9.87692E-01	9.72080E+00	9.13905E-01	1.33600E-03	0.00000E+00	0.00000E+00
319	9.36953E-01	9.74850E+00	9.13977E-01	1.34825E-03	0.00000E+00	0.00000E+00
320	9.02684E-01	9.77400E+00	9.13942E-01	1.34452E-03	0.00000E+00	0.00000E+00
321	8.99100E-01	9.80050E+00	9.13895E-01	1.34110E-03	0.00000E+00	0.00000E+00
322	8.17986E-01	9.82617E+00	9.13966E-01	1.33697E-03	0.00000E+00	0.00000E+00
323	8.83388E-01	9.85333E+00	9.13813E-01	1.33020E-03	0.00000E+00	0.00000E+00
324	9.00661E-01	9.88060E+00	9.13770E-01	1.33272E-03	0.00000E+00	0.00000E+00
325	9.01044E-01	9.90767E+00	9.13731E-01	1.32938E-03	0.00000E+00	0.00000E+00
326	8.46564E-01	9.93317E+00	9.13832E-01	1.32894E-03	0.00000E+00	0.00000E+00
327	8.27457E-01	9.95983E+00	9.13888E-01	1.32511E-03	0.00000E+00	0.00000E+00
328	8.33945E-01	9.98633E+00	9.13920E-01	1.32247E-03	0.00000E+00	0.00000E+00
329	9.20471E-01	1.00128E+01	9.13940E-01	1.31837E-03	0.00000E+00	0.00000E+00
330	9.06509E-01	1.00403E+01	9.13937E-01	1.31474E-03	0.00000E+00	0.00000E+00
331	8.96696E-01	1.00688E+01	9.13865E-01	1.31179E-03	0.00000E+00	0.00000E+00
332	9.09415E-01	1.00955E+01	9.13852E-01	1.30767E-03	0.00000E+00	0.00000E+00
333	8.96729E-01	1.01218E+01	9.13800E-01	1.30494E-03	0.00000E+00	0.00000E+00
334	8.65787E-01	1.01475E+01	9.13956E-01	1.30388E-03	0.00000E+00	0.00000E+00
335	8.35715E-01	1.01740E+01	9.14022E-01	1.30868E-03	0.00000E+00	0.00000E+00
336	8.30031E-01	1.01997E+01	9.14076E-01	1.30503E-03	0.00000E+00	0.00000E+00
337	8.10459E-01	1.02252E+01	9.14059E-01	1.30116E-03	0.00000E+00	0.00000E+00
338	8.99454E-01	1.02518E+01	9.14015E-01	1.29803E-03	0.00000E+00	0.00000E+00
339	9.40123E-01	1.02785E+01	9.14093E-01	1.29649E-03	0.00000E+00	0.00000E+00
340	9.48688E-01	1.03050E+01	9.14195E-01	1.29669E-03	0.00000E+00	0.00000E+00
341	8.91366E-01	1.03315E+01	9.14127E-01	1.29465E-03	0.00000E+00	0.00000E+00
342	9.27387E-01	1.03570E+01	9.14166E-01	1.29142E-03	0.00000E+00	0.00000E+00
343	9.12735E-01	1.03837E+01	9.14162E-01	1.28763E-03	0.00000E+00	0.00000E+00
344	8.78616E-01	1.04110E+01	9.14058E-01	1.28667E-03	0.00000E+00	0.00000E+00
345	8.85034E-01	1.04377E+01	9.13985E-01	1.28338E-03	0.00000E+00	0.00000E+00
346	9.47418E-01	1.04652E+01	9.14082E-01	1.28631E-03	0.00000E+00	0.00000E+00
347	8.94473E-01	1.04927E+01	9.14026E-01	1.28385E-03	0.00000E+00	0.00000E+00
348	9.11660E-01	1.05192E+01	9.14015E-01	1.28014E-03	0.00000E+00	0.00000E+00
349	9.23640E-01	1.05468E+01	9.14045E-01	1.27671E-03	0.00000E+00	0.00000E+00
350	9.07013E-01	1.05743E+01	9.14016E-01	1.27380E-03	0.00000E+00	0.00000E+00
351	9.06768E-01	1.05978E+01	9.13969E-01	1.27062E-03	0.00000E+00	0.00000E+00
352	9.40376E-01	1.06225E+01	9.14065E-01	1.26862E-03	0.00000E+00	0.00000E+00
353	9.00742E-01	1.06492E+01	9.14027E-01	1.26557E-03	0.00000E+00	0.00000E+00
354	9.36849E-01	1.06765E+01	9.14092E-01	1.26364E-03	0.00000E+00	0.00000E+00
355	9.24388E-01	1.07032E+01	9.14121E-01	1.26039E-03	0.00000E+00	0.00000E+00
356	9.14130E-01	1.07278E+01	9.14121E-01	1.25663E-03	0.00000E+00	0.00000E+00
357	8.95041E-01	1.07535E+01	9.14067E-01	1.25443E-03	0.00000E+00	0.00000E+00
358	9.66788E-01	1.07782E+01	9.14215E-01	1.25964E-03	0.00000E+00	0.00000E+00
359	9.05266E-01	1.08038E+01	9.14201E-01	1.25618E-03	0.00000E+00	0.00000E+00
360	9.30507E-01	1.08295E+01	9.14247E-01	1.25356E-03	0.00000E+00	0.00000E+00
361	9.16986E-01	1.08560E+01	9.14244E-01	1.25002E-03	0.00000E+00	0.00000E+00
362	8.91497E-01	1.08817E+01	9.14191E-01	1.24815E-03	0.00000E+00	0.00000E+00
363	8.78586E-01	1.09090E+01	9.14093E-01	1.24659E-03	0.00000E+00	0.00000E+00
364	9.01561E-01	1.09347E+01	9.14088E-01	1.24461E-03	0.00000E+00	0.00000E+00
365	8.76575E-01	1.09612E+01	9.13956E-01	1.24637E-03	0.00000E+00	0.00000E+00
366	8.76950E-01	1.09866E+01	9.13854E-01	1.24709E-03	0.00000E+00	0.00000E+00
367	9.13162E-01	1.10125E+01	9.13822E-01	1.24367E-03	0.00000E+00	0.00000E+00
368	9.09250E-01	1.10382E+01	9.13840E-01	1.24033E-03	0.00000E+00	0.00000E+00
369	9.06512E-01	1.10647E+01	9.13820E-01	1.23711E-03	0.00000E+00	0.00000E+00
370	8.96960E-01	1.10922E+01	9.13774E-01	1.23460E-03	0.00000E+00	0.00000E+00
371	9.11398E-01	1.11176E+01	9.13767E-01	1.23126E-03	0.00000E+00	0.00000E+00
372	9.56847E-01	1.11435E+01	9.13864E-01	1.22844E-03	0.00000E+00	0.00000E+00
373	8.99059E-01	1.11700E+01	9.13844E-01	1.22076E-03	0.00000E+00	0.00000E+00
374	8.99473E-01	1.11975E+01	9.13805E-01	1.22805E-03	0.00000E+00	0.00000E+00
375	9.23804E-01	1.12222E+01	9.13832E-01	1.22505E-03	0.00000E+00	0.00000E+00
376	9.49284E-01	1.12468E+01	9.13927E-01	1.22544E-03	0.00000E+00	0.00000E+00
377	9.07115E-01	1.12733E+01	9.13909E-01	1.22230E-03	0.00000E+00	0.00000E+00
378	8.89644E-01	1.13000E+01	9.13844E-01	1.22076E-03	0.00000E+00	0.00000E+00
379	8.62222E-01	1.13265E+01	9.13767E-01	1.22519E-03	0.00000E+00	0.00000E+00
380	9.08018E-01	1.13530E+01	9.13892E-01	1.22704E-03	0.00000E+00	0.00000E+00
381	9.29187E-01	1.13787E+01	9.13733E-01	1.21949E-03	0.00000E+00	0.00000E+00
382	8.74807E-01	1.14043E+01	9.13631E-01	1.22059E-03	0.00000E+00	0.00000E+00
383	9.10426E-01	1.14308E+01	9.13622E-01	1.21741E-03	0.00000E+00	0.00000E+00
384	9.22945E-01	1.14563E+01	9.13647E-01	1.21446E-03	0.00000E+00	0.00000E+00
385	8.96195E-01	1.14840E+01	9.13601E-01	1.21214E-03	0.00000E+00	0.00000E+00
386	8.96304E-01	1.15105E+01	9.13566E-01	1.20982E-03	0.00000E+00	0.00000E+00
387	9.07288E-01	1.15370E+01	9.13540E-01	1.20678E-03	0.00000E+00	0.00000E+00
388	8.81735E-01	1.15645E+01	9.13478E-01	1.20147E-03	0.00000E+00	0.00000E+00
389	8.87890E-01	1.15920E+01	9.13391E-01	1.20516E-03	0.00000E+00	0.00000E+00
390	9.27316E-01	1.16197E+01	9.13427E-01	1.20259E-03	0.00000E+00	0.00000E+00
391	9.83680E-01	1.16473E+01	9.13608E-01	1.21301E-03	0.00000E+00	0.00000E+00
392	9.33104E-01	1.16680E+01	9.13658E-01	1.21093E-03	0.00000E+00	0.00000E+00
393	9.12553E-01	1.16945E+01	9.13655E-01	1.20783E-03	0.00000E+00	0.00000E+00
394	8.88733E-01	1.17220E+01	9.13619E-01	1.20642E-03	0.00000E+00	0.00000E+00
395	9.20633E-01	1.17485E+01	9.13609E-01	1.20348E-03	0.00000E+00	0.00000E+00
396	9.19766E-01	1.17760E+01	9.13625E-01	1.20053E-03	0.00000E+00	0.00000E+00
397	9.32565E-01	1.18025E+01	9.13673E-01	1.19844E-03	0.00000E+00	0.00000E+00

398	8.96231E-01	1.18290E+01	9.13629E-01	1.19622E-03	0.00000E+00	0.00000E+00
399	9.16973E-01	1.18557E+01	9.13637E-01	1.19324E-03	0.00000E+00	0.00000E+00
400	9.29953E-01	1.18822E+01	9.13678E-01	1.19094E-03	0.00000E+00	0.00000E+00
401	9.16368E-01	1.19068E+01	9.13685E-01	1.18797E-03	0.00000E+00	0.00000E+00
402	9.38027E-01	1.19335E+01	9.13746E-01	1.18656E-03	0.00000E+00	0.00000E+00
403	8.68354E-01	1.19600E+01	9.13633E-01	1.18900E-03	0.00000E+00	0.00000E+00


KENO MESSAGE NUMBER K5-123


EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS..


TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

LIFETIME = 6.65183E-05 + OR - 1.55342E-07 GENERATION TIME = 2.66454E-05 + OR - 6.91541E-08
 NU BAR = 2.42127E+00 + OR - 9.95371E-06 AVERAGE FISSION GROUP = 2.22457E+01 + OR - 5.44642E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 1.48733E-01 + OR - 5.78079E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.91355	+ OR - 0.00119	0.91236 TO 0.91474	0.91117 TO 0.91593	0.90998 TO 0.91712	400000
4	0.91357	+ OR - 0.00119	0.91238 TO 0.91476	0.91119 TO 0.91596	0.91000 TO 0.91715	399000
5	0.91362	+ OR - 0.00119	0.91243 TO 0.91482	0.91123 TO 0.91601	0.91004 TO 0.91720	398000
6	0.91369	+ OR - 0.00120	0.91249 TO 0.91488	0.91130 TO 0.91608	0.91010 TO 0.91727	397000
7	0.91371	+ OR - 0.00120	0.91251 TO 0.91491	0.91131 TO 0.91611	0.91012 TO 0.91730	396000
8	0.91371	+ OR - 0.00120	0.91251 TO 0.91491	0.91131 TO 0.91611	0.91011 TO 0.91731	395000
9	0.91367	+ OR - 0.00120	0.91247 TO 0.91488	0.91127 TO 0.91608	0.91006 TO 0.91728	394000
10	0.91362	+ OR - 0.00121	0.91242 TO 0.91483	0.91121 TO 0.91603	0.91001 TO 0.91724	393000
11	0.91372	+ OR - 0.00120	0.91251 TO 0.91492	0.91131 TO 0.91613	0.91011 TO 0.91733	392000
12	0.91378	+ OR - 0.00121	0.91257 TO 0.91499	0.91137 TO 0.91619	0.91016 TO 0.91740	391000
17	0.91394	+ OR - 0.00121	0.91272 TO 0.91515	0.91151 TO 0.91637	0.91029 TO 0.91758	390000
22	0.91385	+ OR - 0.00122	0.91263 TO 0.91507	0.91140 TO 0.91629	0.91018 TO 0.91752	381000
27	0.91382	+ OR - 0.00123	0.91259 TO 0.91505	0.91135 TO 0.91629	0.91012 TO 0.91752	376000
32	0.91383	+ OR - 0.00124	0.91259 TO 0.91507	0.91135 TO 0.91631	0.91011 TO 0.91755	371000
37	0.91421	+ OR - 0.00124	0.91297 TO 0.91545	0.91173 TO 0.91669	0.91049 TO 0.91793	366000
42	0.91407	+ OR - 0.00124	0.91283 TO 0.91531	0.91159 TO 0.91656	0.91035 TO 0.91780	361000
47	0.91397	+ OR - 0.00125	0.91272 TO 0.91522	0.91147 TO 0.91647	0.91021 TO 0.91773	356000
52	0.91369	+ OR - 0.00126	0.91243 TO 0.91495	0.91116 TO 0.91621	0.90990 TO 0.91747	351000
57	0.91370	+ OR - 0.00126	0.91245 TO 0.91496	0.91119 TO 0.91621	0.90994 TO 0.91747	346000
62	0.91374	+ OR - 0.00127	0.91247 TO 0.91501	0.91120 TO 0.91628	0.90993 TO 0.91755	341000
67	0.91383	+ OR - 0.00128	0.91255 TO 0.91511	0.91126 TO 0.91640	0.90998 TO 0.91768	336000
72	0.91373	+ OR - 0.00129	0.91244 TO 0.91501	0.91116 TO 0.91630	0.90987 TO 0.91759	331000
77	0.91380	+ OR - 0.00130	0.91250 TO 0.91511	0.91120 TO 0.91641	0.90989 TO 0.91771	326000
82	0.91395	+ OR - 0.00131	0.91264 TO 0.91527	0.91132 TO 0.91658	0.91001 TO 0.91790	321000
87	0.91403	+ OR - 0.00133	0.91271 TO 0.91536	0.91138 TO 0.91669	0.91005 TO 0.91802	316000
92	0.91416	+ OR - 0.00134	0.91282 TO 0.91550	0.91148 TO 0.91684	0.91014 TO 0.91818	311000
97	0.91402	+ OR - 0.00134	0.91268 TO 0.91536	0.91134 TO 0.91670	0.91000 TO 0.91804	306000
102	0.91407	+ OR - 0.00135	0.91272 TO 0.91542	0.91136 TO 0.91677	0.91001 TO 0.91812	301000
107	0.91401	+ OR - 0.00137	0.91264 TO 0.91538	0.91127 TO 0.91675	0.90990 TO 0.91812	296000
112	0.91412	+ OR - 0.00138	0.91274 TO 0.91550	0.91136 TO 0.91688	0.90998 TO 0.91825	291000
117	0.91398	+ OR - 0.00139	0.91259 TO 0.91537	0.91119 TO 0.91676	0.90980 TO 0.91815	286000
122	0.91395	+ OR - 0.00141	0.91254 TO 0.91535	0.91113 TO 0.91676	0.90973 TO 0.91817	281000
127	0.91386	+ OR - 0.00143	0.91243 TO 0.91529	0.91101 TO 0.91672	0.90958 TO 0.91815	276000
132	0.91367	+ OR - 0.00145	0.91222 TO 0.91511	0.91077 TO 0.91656	0.90933 TO 0.91801	271000
137	0.91410	+ OR - 0.00145	0.91264 TO 0.91555	0.91119 TO 0.91700	0.90973 TO 0.91846	266000
142	0.91401	+ OR - 0.00147	0.91254 TO 0.91548	0.91107 TO 0.91696	0.90960 TO 0.91843	261000
147	0.91405	+ OR - 0.00149	0.91256 TO 0.91555	0.91107 TO 0.91704	0.90958 TO 0.91853	256000
152	0.91378	+ OR - 0.00151	0.91226 TO 0.91529	0.91075 TO 0.91680	0.90924 TO 0.91831	251000
157	0.91394	+ OR - 0.00153	0.91241 TO 0.91547	0.91088 TO 0.91700	0.90935 TO 0.91853	246000
162	0.91422	+ OR - 0.00154	0.91267 TO 0.91576	0.91113 TO 0.91730	0.90958 TO 0.91885	241000
167	0.91390	+ OR - 0.00155	0.91234 TO 0.91545	0.91079 TO 0.91701	0.90923 TO 0.91856	236000
172	0.91376	+ OR - 0.00159	0.91217 TO 0.91534	0.91059 TO 0.91693	0.90900 TO 0.91851	231000
177	0.91401	+ OR - 0.00161	0.91240 TO 0.91563	0.91078 TO 0.91724	0.90917 TO 0.91885	226000
182	0.91365	+ OR - 0.00163	0.91201 TO 0.91528	0.91038 TO 0.91671	0.90875 TO 0.91854	221000
187	0.91382	+ OR - 0.00166	0.91216 TO 0.91548	0.91050 TO 0.91714	0.90884 TO 0.91880	216000
192	0.91382	+ OR - 0.00169	0.91213 TO 0.91552	0.91044 TO 0.91721	0.90875 TO 0.91890	211000
197	0.91423	+ OR - 0.00170	0.91253 TO 0.91592	0.91084 TO 0.91762	0.90914 TO 0.91931	206000
202	0.91402	+ OR - 0.00172	0.91231 TO 0.91574	0.91059 TO 0.91746	0.90887 TO 0.91917	201000
207	0.91434	+ OR - 0.00175	0.91259 TO 0.91609	0.91083 TO 0.91784	0.90908 TO 0.91960	196000
212	0.91386	+ OR - 0.00178	0.91208 TO 0.91564	0.91030 TO 0.91742	0.90853 TO 0.91919	191000
217	0.91393	+ OR - 0.00178	0.91215 TO 0.91572	0.91037 TO 0.91750	0.90859 TO 0.91929	186000
222	0.91409	+ OR - 0.00181	0.91228 TO 0.91590	0.91047 TO 0.91770	0.90867 TO 0.91951	181000
227	0.91417	+ OR - 0.00185	0.91232 TO 0.91601	0.91048 TO 0.91786	0.90863 TO 0.91971	176000
232	0.91461	+ OR - 0.00187	0.91274 TO 0.91649	0.91087 TO 0.91836	0.90899 TO 0.92023	171000
237	0.91431	+ OR - 0.00190	0.91241 TO 0.91622	0.91051 TO 0.91812	0.90860 TO 0.92002	166000
242	0.91427	+ OR - 0.00195	0.91232 TO 0.91622	0.91036 TO 0.91817	0.90841 TO 0.92012	161000
247	0.91370	+ OR - 0.00199	0.91172 TO 0.91569	0.90973 TO 0.91768	0.90774 TO 0.91967	156000
252	0.91293	+ OR - 0.00200	0.91093 TO 0.91493	0.90893 TO 0.91693	0.90693 TO 0.91893	151000
257	0.91279	+ OR - 0.00204	0.91075 TO 0.91482	0.90872 TO 0.91686	0.90668 TO 0.91889	146000
262	0.91317	+ OR - 0.00207	0.91110 TO 0.91524	0.90903 TO 0.91731	0.90696 TO 0.91936	141000
267	0.91339	+ OR - 0.00214	0.91125 TO 0.91553	0.90911 TO 0.91766	0.90697 TO 0.91980	136000
272	0.91369	+ OR - 0.00221	0.91148 TO 0.91589	0.90927 TO 0.91810	0.90707 TO 0.92030	131000
277	0.91358	+ OR - 0.00226	0.91132 TO 0.91584	0.90906 TO 0.91810	0.90680 TO 0.92036	126000
282	0.91349	+ OR - 0.00228	0.91121 TO 0.91577	0.90892 TO 0.91805	0.90664 TO 0.92034	121000
287	0.91338	+ OR - 0.00235	0.91104 TO 0.91573	0.90869 TO 0.91807	0.90635 TO 0.92042	116000
292	0.91331	+ OR - 0.00244	0.91087 TO 0.91574	0.90843 TO 0.91818	0.90600 TO 0.92062	111000
297	0.91307	+ OR - 0.00249	0.91058 TO 0.91556	0.90810 TO 0.91805	0.90561 TO 0.92054	106000
302	0.91190	+ OR - 0.00252	0.90938 TO 0.91441	0.90687 TO 0.91693	0.90435 TO 0.91945	101000
307	0.91285	+ OR - 0.00256	0.91030 TO 0.91541	0.90774 TO 0.91797	0.90518 TO 0.92052	96000
312	0.91290	+ OR - 0.00254	0.91036 TO 0.91544	0.90783 TO 0.91798	0.90529 TO 0.92051	91000
317	0.91349	+ OR - 0.00263	0.91086 TO 0.91612	0.90823 TO 0.91875	0.90560 TO 0.92136	86000
322	0.91255	+ OR - 0.00261	0.90993 TO 0.91516	0.90732 TO 0.91777	0.90471 TO 0.92038	81000
327	0.91267	+ OR - 0.00271	0.90996 TO 0.91537	0.90725 TO 0.91808	0.90455 TO 0.92079	76000
332	0.91261	+ OR - 0.00287	0.90974 TO 0.91549	0.90687 TO 0.91836	0.90400 TO 0.92123	71000
337	0.91147	+ OR - 0.00293	0.90853 TO 0.91440	0.90560 TO 0.91734	0.90266 TO 0.92027	66000
342	0.91066	+ OR - 0.00304	0.90762 TO 0.91370	0.90457 TO 0.91674	0.90153 TO 0.91979	61000
347	0.91121	+ OR - 0.00316	0.90805 TO 0.91437	0.90489 TO 0.91753	0.90173 TO 0.92069	56000
352	0.91067	+ OR - 0.00341	0.90726 TO 0.91408	0.90385 TO 0.91749	0.90044 TO 0.92090	51000
357	0.91028	+ OR - 0.00371	0.90657 TO 0.91399	0.90287 TO 0.91769	0.89916 TO 0.92140	46000
362	0.90873	+ OR - 0.00385	0.90488 TO 0.91258	0.90103 TO 0.91643	0.89718 TO 0.92028	41000
367	0.91141	+ OR - 0.00409	0.90732 TO 0.91549	0.90323 TO 0.91958	0.89914 TO 0.92367	36000
372	0.91063	+ OR - 0.00449	0.90614 TO 0.91512	0.90165 TO 0.91961	0.89717 TO 0.92410	31000
377	0.90965	+ OR - 0.00508	0.90457 TO 0.91473	0.89949 TO 0.91981	0.89441 TO 0.92489	26000
382	0.91367	+ OR - 0.00539	0.90828 TO 0.91906	0.90289 TO 0.92444	0.89750 TO 0.92983	21000
387	0.91587	+ OR - 0.00688	0.90898 TO 0.92275	0.90210 TO 0.92963	0.89522 TO 0.93652	16000
392	0.91274	+ OR - 0.00625	0.90650 TO 0.91899	0.90025 TO 0.92523	0.89401 TO 0.93148	11000
397	0.91098	+ OR - 0.01031	0.90067 TO 0.92130	0.89036 TO 0.93161	0.88004 TO 0.94192	6000









I * I
I * I
I * I

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION SKIPPED.
 THE LINE REPRESENTS K-EFF = 0.9136 + OR - 0.0012 WHICH OCCURS FOR 3 GENERATIONS SKIPPED.





400 +

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0004			3.78261E-04	1.7107	1.15095E-03	1.5661	0.00000E+00	0.0000
2	0.0019			1.75837E-03	0.5591	3.10796E-03	0.4703	0.00000E+00	0.0000
3	0.0025			2.28749E-03	0.5099	1.94752E-03	0.3999	0.00000E+00	0.0000
4	0.0015			1.37908E-03	0.5231	1.10253E-03	0.4127	0.00000E+00	0.0000
5	0.0021			1.94967E-03	0.4578	2.41958E-03	0.3640	0.00000E+00	0.0000
6	0.0032			2.93131E-03	0.3491	8.91355E-03	0.3460	0.00000E+00	0.0000
7	0.0039			3.60175E-03	0.2838	1.93545E-02	0.3332	0.00000E+00	0.0000
8	0.0041			3.76576E-03	0.2765	1.66521E-02	0.3506	0.00000E+00	0.0000
9	0.0057			5.16621E-03	0.2941	1.80498E-02	0.2826	0.00000E+00	0.0000
10	0.0121			1.10499E-02	0.2832	4.36278E-02	0.2806	0.00000E+00	0.0000
11	0.0257			2.35064E-02	0.2820	6.14684E-02	0.2361	0.00000E+00	0.0000
12	0.0344			3.14157E-02	0.2790	4.92024E-02	0.2293	0.00000E+00	0.0000
13	0.0313			2.85808E-02	0.2936	5.76898E-02	0.2103	0.00000E+00	0.0000
14	0.0255			2.32593E-02	0.2715	6.87534E-02	0.2560	0.00000E+00	0.0000
15	0.0050			4.54822E-03	0.3571	3.02211E-02	0.3717	0.00000E+00	0.0000
16	0.0034			3.09197E-03	0.4445	1.65618E-02	0.4372	0.00000E+00	0.0000
17	0.0052			4.73398E-03	0.6335	9.52084E-03	0.4348	0.00000E+00	0.0000
18	0.0068			6.25696E-03	0.6007	8.97307E-03	0.4118	0.00000E+00	0.0000
19	0.0084			7.65993E-03	0.5298	1.40545E-02	0.4171	0.00000E+00	0.0000
20	0.0338			3.08651E-02	0.3441	4.44361E-02	0.3445	0.00000E+00	0.0000
21	0.0177			1.61492E-02	0.4988	1.70573E-02	0.4152	0.00000E+00	0.0000
22	0.0403			3.67780E-02	0.3622	3.38568E-02	0.3256	0.00000E+00	0.0000
23	0.1157			1.05719E-01	0.2352	8.93478E-02	0.2345	0.00000E+00	0.0000
24	0.1882			1.71967E-01	0.2075	1.29114E-01	0.1984	0.00000E+00	0.0000
25	0.1537			1.40418E-01	0.2359	9.90052E-02	0.2247	0.00000E+00	0.0000
26	0.1909			1.74441E-01	0.2514	1.15238E-01	0.2552	0.00000E+00	0.0000
27	0.0765			6.98923E-02	0.3710	4.14854E-02	0.3860	0.00000E+00	0.0000
SYSTEM TOTAL =				9.13550E-01	0.1302	1.00231E+00	0.0445	0.00000E+00	0.0000

ELAPSED TIME 11.96103 MINUTES

RANDOM NUMBER= 1B2D06BC15BF

TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

```
                                FREQUENCY FOR GENERATIONS    4 TO 403
0.8577 TO 0.8660      *****
0.8660 TO 0.8743      *****
0.8743 TO 0.8825      *****
0.8825 TO 0.8908      *****
0.8908 TO 0.8991      *****
0.8991 TO 0.9073      *****
0.9073 TO 0.9156      *****
0.9156 TO 0.9239      *****
0.9239 TO 0.9321      *****
0.9321 TO 0.9404      *****
0.9404 TO 0.9487      *****
0.9487 TO 0.9569      *****
0.9569 TO 0.9652      ***
0.9652 TO 0.9735      ***
0.9735 TO 0.9817      ***
0.9817 TO 0.9900      ***
```

```
                                FREQUENCY FOR GENERATIONS   104 TO 403
0.8577 TO 0.8660      *****
0.8660 TO 0.8743      *****
0.8743 TO 0.8825      *****
0.8825 TO 0.8908      *****
0.8908 TO 0.8991      *****
0.8991 TO 0.9073      *****
0.9073 TO 0.9156      *****
0.9156 TO 0.9239      *****
0.9239 TO 0.9321      *****
0.9321 TO 0.9404      *****
0.9404 TO 0.9487      *****
0.9487 TO 0.9569      *****
0.9569 TO 0.9652      ***
0.9652 TO 0.9735      ***
0.9735 TO 0.9817      **
0.9817 TO 0.9900      **
```

```
                                FREQUENCY FOR GENERATIONS   204 TO 403
0.8577 TO 0.8660      **
0.8660 TO 0.8743      *****
0.8743 TO 0.8825      *****
0.8825 TO 0.8908      *****
0.8908 TO 0.8991      *****
0.8991 TO 0.9073      *****
0.9073 TO 0.9156      *****
0.9156 TO 0.9239      *****
0.9239 TO 0.9321      *****
0.9321 TO 0.9404      *****
0.9404 TO 0.9487      *****
0.9487 TO 0.9569      *****
0.9569 TO 0.9652      **
0.9652 TO 0.9735      ***
0.9735 TO 0.9817      **
0.9817 TO 0.9900      **
```

_TRIGA - PREF. FLOOD CANISTER - 2 ROD FILLING CANISTER + TOLERANCE

```
                                FREQUENCY FOR GENERATIONS   304 TO 403
0.8577 TO 0.8660      *
0.8660 TO 0.8743      *****
0.8743 TO 0.8825      *****
0.8825 TO 0.8908      *****
0.8908 TO 0.8991      *****
0.8991 TO 0.9073      *****
0.9073 TO 0.9156      *****
0.9156 TO 0.9239      *****
0.9239 TO 0.9321      *****
0.9321 TO 0.9404      *****
0.9404 TO 0.9487      ***
0.9487 TO 0.9569      ***
0.9569 TO 0.9652      ***
0.9652 TO 0.9735      ***
0.9735 TO 0.9817      **
0.9817 TO 0.9900      **
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 11.96183 MINUTES
.....

Figure 6.6.5-2 Summary of CSAS25 Input/Output for NAC-LWT with TRIGA Fuel Elements - Most Reactive Poisoned Basket Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - '95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
TRIGA - PREF. FLOOD CANISTER
27GROUPNDF4 LATTICECELL
'FUEL
U-235 1 0.0 9.052980E-4 END
U-238 1 0.0 3.849480E-4 END
ZR 1 0.0 3.446510E-2 END
H 1 0.0 5.514420E-2 END
'CLAD, BASKET, AND CASK
SS304 2 1.0 293.0 END
'CANISTER INTERNAL MODERATOR
H2O 3 1.0 293.0 END
'ZIRCONIUM ROD
ZR 4 1.0 293.0 END
'GRAPHITE REFLECTOR
C 5 1.0 293.0 END
'LEAD SHIELD
PB 6 1.0 293.0 END
'NEUTRON SHIELD
H2O 7 1.0 293.0 END
'CASK EXTERNAL MATERIAL
H2O 8 1E-20 293.0 END
'END FITTING FOR FUEL ELEMENT
SS304 9 0.337137 293.0 END
H2O 9 0.662863 293.0 END
'SECOND FUEL MATERIAL FOR UN-CANISTERED
U-235 10 0.0 9.052980E-4 END
U-238 10 0.0 3.849480E-4 END
ZR 10 0.0 3.446510E-2 END
H 10 0.0 5.514420E-2 END
'SECOND END-FITTING MATERIAL FOR UN-CANISTERED FUEL
SS304 11 0.337137 293.0 END
H2O 11 1.0E-20 293.0 END
'CASK INTERIOR MODERATOR MATERIAL
H2O 12 1.0E-20 293.0 END
'NEUTRON ABSORBER PLATE WITH BORON
FE 13 DEN=7.76 0.6717 293.0 END
C 13 DEN=7.76 0.0001 293.0 END
SI 13 DEN=7.76 0.0033 293.0 END
MN 13 DEN=7.76 0.0060 293.0 END
P 13 DEN=7.75 0.0001 293.0 END
CR 13 DEN=7.76 0.1849 293.0 END
NI 13 DEN=7.76 0.1233 293.0 END
B-10 13 DEN=7.76 0.0073 293.0 END
B-11 13 DEN=7.76 0.3007 293.0 END
N 13 DEN=7.76 0.0017 293.0 END
'NEUTRON ABSORBER PLATE WITHOUT BORON
FE 14 DEN=7.76 0.6717 293.0 END
C 14 DEN=7.76 0.0001 293.0 END
SI 14 DEN=7.76 0.0033 293.0 END
MN 14 DEN=7.76 0.0060 293.0 END
P 14 DEN=7.75 0.0001 293.0 END
CR 14 DEN=7.76 0.1849 293.0 END
NI 14 DEN=7.76 0.1233 293.0 END
N 14 DEN=7.76 0.0017 293.0 END
END COMP
SQUAREPITCH 4.2992 3.6449 1 3 3.7541 2 END
MORE DATA
RES=10 CYLINDER 1.8224 DAN(10)=8.52196E-01
END MORE
TRIGA - PREF. FLOOD CANISTER
READ PARAM TME=170.0 GEN=403 NPG=1000 RUN=YES PLT=NO
TBA=2.0 END PARAM
READ GEOM
UNIT 1
COM='TRIGA FUEL ELEMENT (SCREENED)'
CYLINDER 4 1 0.2858 2P19.05
CYLINDER 1 1 1.8224 2P19.05
CYLINDER 5 1 1.8224 2P27.7368
CYLINDER 2 1 1.8771 2P27.7368
CYLINDER 9 1 1.8771 2P36.703
UNIT 5
COM='3.38 in Width / 0.28 in Thickness DIVIDER CENTER STACK (SCREENED)'
CUBOID 2 1 2P4.2926 0.7112 0.0 2P36.703
UNIT 6
COM='3.38 in Width / 0.24 in Thickness DIVIDER OUTSIDE STACK (SCREENED)'
CUBOID 2 1 2P4.2926 0.6096 0.0 2P36.703
UNIT 10
COM='TRIGA ELEMENTS IN Top of 3.38 in x 3.38 in OPENING (SCREENED)'
CUBOID 3 1 2P4.0267 +4.1029 -3.9505 2P36.703
HOLE 1 +2.1495 +2.2257 0.0
HOLE 1 -2.1495 +2.2257 0.0
HOLE 1 -2.1495 -2.0733 0.0
HOLE 1 +2.1495 -2.0733 0.0
CUBOID 2 1 2P4.2164 +4.2926 -4.1402 2P36.703
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
UNIT 11
COM='TRIGA ELEMENTS IN Bottom of 3.38 in x 3.38 in OPENING (SCREENED)'
CUBOID 3 1 2P4.0267 +3.9505 -4.1029 2P36.703
HOLE 1 +2.1495 -2.2257 0.0
HOLE 1 -2.1495 -2.2257 0.0
HOLE 1 -2.1495 +2.0733 0.0
HOLE 1 +2.1495 +2.0733 0.0

```

```
CUBOID 2 1 2P4.2164 +4.1402 -4.2926 2P36.703
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
UNIT 12
COM='TRIGA ELEMENTS IN Bottom Right of 3.38 in x 3.38 in OPENING (SCREENED)'
```

CUBOID	3 1	+4.1029	-3.9505	+3.9505	-4.1029	2P36.703
HOLE	1	+2.2257	-2.2257	0.0		
HOLE	1	+2.2257	+2.0733	0.0		
HOLE	1	-2.0733	-2.2257	0.0		
HOLE	1	-2.0733	+2.0733	0.0		

```
CUBOID 2 1 +4.2926 -4.1402 +4.1402 -4.2926 2P36.703
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
UNIT 13
COM='TRIGA ELEMENTS IN Top Right of 3.38 in x 3.38 in OPENING (SCREENED)'
```

CUBOID	3 1	+4.1029	-3.9505	+4.1029	-3.9505	2P36.703
HOLE	1	+2.2257	+2.2257	0.0		
HOLE	1	+2.2257	-2.0733	0.0		
HOLE	1	-2.0733	+2.2257	0.0		
HOLE	1	-2.0733	-2.0733	0.0		

```
CUBOID 2 1 +4.2926 -4.1402 +4.2926 -4.1402 2P36.703
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
UNIT 14
COM='TRIGA ELEMENTS IN Bottom Left of 3.38 in x 3.38 in OPENING (SCREENED)'
```

CUBOID	3 1	+3.9505	-4.1029	+3.9505	-4.1029	2P36.703
HOLE	1	-2.2257	-2.2257	0.0		
HOLE	1	-2.2257	+2.0733	0.0		
HOLE	1	+2.0733	-2.2257	0.0		
HOLE	1	+2.0733	+2.0733	0.0		

```
CUBOID 2 1 +4.1402 -4.2926 +4.1402 -4.2926 2P36.703
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
UNIT 15
COM='TRIGA ELEMENTS IN Top Left of 3.38 in x 3.38 in OPENING (SCREENED)'
```

CUBOID	3 1	+3.9505	-4.1029	+4.1029	-3.9505	2P36.703
HOLE	1	-2.2257	+2.2257	0.0		
HOLE	1	-2.2257	-2.0733	0.0		
HOLE	1	+2.0733	+2.2257	0.0		
HOLE	1	+2.0733	-2.0733	0.0		

```
CUBOID 2 1 +4.1402 -4.2926 +4.2926 -4.1402 2P36.703
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
UNIT 16
COM='TRIGA BASKET 3.38 in x 3.38 in CENTER OPENING (SCREENED)'
```

CUBOID	3 1	2P4.0267	2P4.0267	2P36.703		
HOLE	1	-2.1495	+2.1495	0.0		
HOLE	1	-2.1495	-2.1495	0.0		
HOLE	1	+2.1495	+2.1495	0.0		
HOLE	1	+2.1495	-2.1495	0.0		

```
CUBOID 2 1 2P4.2164 2P4.2164 2P36.703
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
UNIT 17
COM='HORIZONTAL X-X POISON SHEET + WATER'
```

CUBOID	13 1	2P3.8227	0.3175	0.0	2P34.163
CUBOID	14 1	2P4.1402	0.3175	0.0	2P34.163
CUBOID	12 1	2P4.2926	0.3175	0.0	2P36.703

```
UNIT 20
COM='CENTER COLUMN OF THREE OPENINGS w/ 0.28 in plate (SCREENED)'
```

ARRAY	1	-4.2926	-13.9065	-36.703
REPLICATE	2 1	4R0.7112	2R0.0	1

```
UNIT 21
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate (SCREENED)'
```

ARRAY	2	-4.2926	-9.0488	-36.703
REPLICATE	2 1	0.0	0.3048	2R0.3048 2R0.0 1

```
UNIT 22
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate (SCREENED)'
```

ARRAY	3	-4.2926	-9.0488	-36.703
REPLICATE	2 1	0.3048	0.0	2R0.3048 2R0.0 1

```
UNIT 30
COM='NAC-LWT TRIGA BASKET (SCREENED)'
```

CYLINDER	12 1	17.1500	2P36.703
HOLE	20	0.0	0.0 0.0
HOLE	21	-9.2974	0.0 0.0
HOLE	22	+9.2974	0.0 0.0
CYLINDER	2 1	18.9103	2P37.338
CYLINDER	6 1	33.4645	2P37.338
CYLINDER	2 1	36.5188	2P37.338
CYLINDER	8 1	49.2227	2P37.338
CYLINDER	2 1	49.8221	2P37.338
CUBOID	8 1	4P49.8221	2P37.338

```
UNIT 41
COM='TRIGA FUEL ELEMENT'
```

CYLINDER	4 1	0.2850	2P19.05
CYLINDER	10 1	1.8224	2P19.05
CYLINDER	5 1	1.8224	2P27.7368
CYLINDER	2 1	1.8771	2P27.7368
CYLINDER	11 1	1.8771	2P36.703

```
UNIT 45
COM='3.38 in Width / 0.28 in Thickness DIVIDER CENTER STACK'
```

CUBOID	2 1	2P4.2926	0.7112	0.0	2P36.703
--------	-----	----------	--------	-----	----------

```
UNIT 46
COM='3.38 in Width / 0.24 in Thickness DIVIDER OUTSIDE STACK'
```

CUBOID	2 1	2P4.2926	0.6096	0.0	2P36.703
--------	-----	----------	--------	-----	----------

```
UNIT 50
COM='TRIGA FUEL ELEMENTS IN Top of 3.38 in x 3.38 in OPENING'
```

CUBOID	12 1	2P4.2926	2P4.2926	2P36.703
HOLE	41	+2.1495	+2.4154	0.0
HOLE	41	-2.1495	+2.4154	0.0
HOLE	41	-2.1495	-1.3389	0.0
HOLE	41	+2.1495	-1.3389	0.0

```
UNIT 51
COM='TRIGA FUEL ELEMENTS IN Bottom of 3.38 in x 3.38 in OPENING'
```

CUBOID	12 1	2P4.2926	2P4.2926	2P36.703
HOLE	41	+2.1495	-2.4154	0.0
HOLE	41	-2.1495	-2.4154	0.0

```
HOLE 41 -2.1495 +1.3389 0.0
HOLE 41 +2.1495 +1.3389 0.0
UNIT 52
COM='TRIGA FUEL ELEMENTS IN Bottom Right of 3.38 in x 3.38 in OPENING'
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 +2.4154 -2.4154 0.0
HOLE 41 +2.4154 +1.3389 0.0
HOLE 41 -1.3389 -2.4154 0.0
HOLE 41 -1.3389 +1.3389 0.0
UNIT 53
COM='TRIGA FUEL ELEMENTS IN Top Right of 3.38 in x 3.38 in OPENING'
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 +2.4154 +2.4154 0.0
HOLE 41 +2.4154 -1.3389 0.0
HOLE 41 -1.3389 +2.4154 0.0
HOLE 41 -1.3389 -1.3389 0.0
UNIT 54
COM='TRIGA FUEL ELEMENTS IN Bottom Left of 3.38 in x 3.38 in OPENING'
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 -2.4154 -2.4154 0.0
HOLE 41 -2.4154 +1.3389 0.0
HOLE 41 +1.3389 -2.4154 0.0
HOLE 41 +1.3389 +1.3389 0.0
UNIT 55
COM='TRIGA FUEL ELEMENTS IN Top Left of 3.38 in x 3.38 in OPENING'
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 -2.4154 +2.4154 0.0
HOLE 41 -2.4154 -1.3389 0.0
HOLE 41 +1.3389 +2.4154 0.0
HOLE 41 +1.3389 -1.3389 0.0
UNIT 56
COM='TRIGA BASKET 3.38 in x 3.38 in CENTER OPENING'
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
HOLE 41 +2.1495 -2.1495 0.0
HOLE 41 -2.1495 +2.1495 0.0
HOLE 41 -2.1495 -2.1495 0.0
HOLE 41 +2.1495 +2.1495 0.0
CUBOID 12 1 2P4.2926 2P4.2926 2P36.703
UNIT 60
COM='CENTER COLUMN OF THREE OPENINGS w/ 0.28 in plate'
ARRAY 11 -4.2926 -13.9065 -36.703
REPLICATE 2 1 4R0.7112 2R0.0 1
UNIT 61
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate'
ARRAY 12 -4.2926 -9.0488 -36.703
REPLICATE 2 1 0.0 0.3048 2R0.3048 2R0.0 1
UNIT 62
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate'
ARRAY 13 -4.2926 -9.0488 -36.703
REPLICATE 2 1 0.3048 0.0 2R0.3048 2R0.0 1
UNIT 70
COM='NAC-LWT TRIGA BASKET'
CYLINDER 12 1 17.1500 2P36.703
HOLE 60 0.0 0.0 0.0
HOLE 61 -9.2974 0.0 0.0
HOLE 62 +9.2974 0.0 0.0
CYLINDER 2 1 18.9103 2P37.338
CYLINDER 6 1 33.4645 2P37.338
CYLINDER 2 1 36.5188 2P37.338
CYLINDER 8 1 49.8221 2P37.338
CYLINDER 2 1 49.8221 2P37.338
CUBOID 8 1 4P49.8221 2P37.338
UNIT 80
COM='SIMPLIFIED LID STRUCTURE NAC-LWT'
CYLINDER 2 1 36.5188 2P14.1351
CYLINDER 8 1 49.8221 2P14.1351
CUBOID 8 1 4P49.8221 2P14.1351
UNIT 81
COM='SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT'
CYLINDER 6 1 26.3525 2P3.81
CYLINDER 2 1 36.6188 +13.97 -12.7
CYLINDER 8 1 49.8221 +13.97 -12.7
CUBOID 8 1 4P49.8221 +13.97 -12.7
GLOBAL UNIT 82
COM='STACK OF 5 BASKETS IN CASK'
ARRAY 20 -49.8221 -49.8221 -213.36
END GEOM
READ ARRAY
ARA=1 NUX=1 NUY=7 NUZ=1 FILL 10 5 17 16 17 5 11 END FILL
ARA=2 NUX=1 NUY=4 NUZ=1 FILL 13 17 6 12 END FILL
ARA=3 NUX=1 NUY=4 NUZ=1 FILL 15 17 6 14 END FILL
ARA=11 NUX=1 NUY=7 NUZ=1 FILL 50 45 17 56 17 45 51 END FILL
ARA=12 NUX=1 NUY=4 NUZ=1 FILL 53 17 46 52 END FILL
ARA=13 NUX=1 NUY=4 NUZ=1 FILL 55 17 46 54 END FILL
ARA=20 NUX=1 NUY=1 NUZ=7 FILL 81 30 3R70 30 80 END FILL
END ARRAY
READ BOUNDS ALL=MIR END BOUNDS
END DATA
```

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1.87 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 20.60 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1087.30 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1112.90 (SECONDS).

CCCCCCCC	SSSSSSSS	AAAAAAAA	SSSSSSSS	22222222	55555555
CCCCCCCC	SSSSSSSS	AAAAAAAA	SSSSSSSS	22222222	55555555
CC CC	SS SS	AA AA	SS SS	22 22	55 55
CC	SS	AA	SS	22	55
CC	SS	AA	SS	22	55
CC	SSSSSSSS	AAAAAAAA	SSSSSSSS	22	55555555
CC	SSSSSSSS	AAAAAAAA	SSSSSSSS	22	55555555
CC	SS	AA	SS	22	55
CC	SS	AA	SS	22	55
CC	SS	AA	SS	22	55
CC	SS	AA	SS	22	55
CCCCCCCC	SSSSSSSS	AA AA	SSSSSSSS	22222222	55555555
CCCCCCCC	SSSSSSSS	AA AA	SSSSSSSS	22222222	55555555

SSSSSSSS	CCCCCCCC	AAAAAAAA	LL	EEEEEEEE	PPPPPPPP	CCCCCCCC
SSSSSSSS	CCCCCCCC	AAAAAAAA	LL	EEEEEEEE	PPPPPPPP	CCCCCCCC
SS SS	CC CC	AA AA	LL	EE	PP PP	CC CC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SSSSSSSS	CC	AAAAAAAA	LL	EEEEEEEE	PPPPPPPP	CC
SSSSSSSS	CC	AAAAAAAA	LL	EEEEEEEE	PPPPPPPP	CC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SSSSSSSS	CCCCCCCC	AA AA	LLLLLLLL	EEEEEEEE	PP	CCCCCCCC
SSSSSSSS	CCCCCCCC	AA AA	LLLLLLLL	EEEEEEEE	PP	CCCCCCCC

11	22222222	//	11	55555555	//	99999999	88888888
111	22222222		111	55555555		99999999	88888888
1111	22		1111	55		99 99	88 88
11	22		11	55		99 99	88 88
11	22		11	55		99 99	88 88
11	22		11	55555555		99999999	88888888
11	22		11	55555555		99999999	88888888
11	22		11	55		99	88
11	22		11	55		99	88
11	22		11	55		99	88
11111111	22222222		11111111	55555555		99999999	88888888
11111111	22222222		11111111	55555555		99999999	88888888

0000000	66666666		22222222	66666666		0000000	77777777
00000000	66666666		22222222	66666666		00000000	77777777
00 00	66	:::	22 22	66	:::	00 00	77
00 00	66	:::	22 22	66	:::	00 00	77
00 00	66	:::	22 22	66	:::	00 00	77
00 00	66666666		22	66666666		00 00	77
00 00	66666666		22	66666666		00 00	77
00 00	66 66	:::	22	66 66	:::	00 00	77
00 00	66 66	:::	22	66 66	:::	00 00	77
00 00	66 66	:::	22	66 66	:::	00 00	77
00000000	66666666		22222222	66666666		00000000	77
0000000	66666666		22222222	66666666		0000000	77

```

SSSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  FFFFFFFFFEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SS  SS  CC  CC  AA  AA  LL  EE  PP  PP  CC  CC
SS  SS  CC  CC  AA  AA  LL  EE  PP  PP  CC  CC
SS  SS  CC  CC  AA  AA  LL  EE  PP  PP  CC  CC
SSSSSSSSSSS  CC  AAAAAAAAAA  LL  EEEEEEEE  PPPPPPPPPPP  CC
SSSSSSSSSSS  CC  AAAAAAAAAA  LL  EEEEEEEE  PPPPPPPPPPP  CC
SS  SS  CC  AA  AA  LL  EE  PP  CC  CC
SS  SS  CC  AA  AA  LL  EE  PP  CC  CC
SS  SS  CC  CC  AA  AA  LL  EE  PP  CC  CC
SSSSSSSSSSSS  CCCCCCCCCC  AA  AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP  CCCCCCCCCC
SSSSSSSSSSS  CCCCCCCCCC  AA  AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP  CCCCCCCCCC

```

```

.....
*****
*****          PROGRAM VERIFICATION INFORMATION          *****
*****
*****          CODE SYSTEM:  SCALE-PC VERSION:  4.3          *****
*****
*****
*****          PROGRAM:  CSAS          *****
*****
*****          CREATION DATE:  03/08/96          *****
*****
*****          VOLUME:  ENG          *****
*****
*****          LIBRARY:  G:\SCALE43\WIN_NT\EXE          *****
*****
*****          PRODUCTION CODE:  CSAS          *****
*****
*****          VERSION:  3.1          *****
*****
*****          JOBNAME:  SCALE-PC          *****
*****
*****          DATE OF EXECUTION:  12/15/98          *****
*****
*****          TIME OF EXECUTION:  06:26:07          *****
*****
.....

```

**** PROBLEM PARAMETERS ****

```

LIB 27GROUPNDF4  LIBRARY
MX  14 MIXTURES
MSC  38 COMPOSITION SPECIFICATIONS
IZM  3 MATERIAL ZONES
GE LATTICECELL  GEOMETRY
MORE  1 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN  0 FUEL SOLUTIONS

```

**** PROBLEM GEOMETRY ****

```

CTP SQUAREPITCH  CELL TYPE
PITCH  4.2992 CM CENTER TO CENTER SPACING
FUELOD  3.6449 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL  1 MIXTURE NO. OF FUEL
MMOD  3 MIXTURE NO. OF MODERATOR
CLADOD  3.7541 CM CLAD OUTER DIAMETER
MCLAD  2 MIXTURE NO. OF CLAD

```

**** SPECIAL PARAMETERS ****

```

ISN  8 ORDER OF ANGULAR QUADRATURE
IIM  20 INNER ITERATION MAXIMUM
ICM  25 OUTER ITERATION MAXIMUM
SZF  1.00000E+00 SIZE FACTOR FOR SPATIAL MESH
EPS  1.00000E-04 OVERALL PROBLEM CONVERGENCE
PTC  1.00000E-04 SCALAR FLUX CONVERGENCE
BKL  1.42089E+00 BUCKLING FACTOR
IUS  0 THERMAL UPSCATTER SCALING
BAL  FINE BALANCE TABLE PRINT FLAG
DY  0.00000E+00 BUCKLING HEIGHT
DZ  0.00000E+00 BUCKLING DEPTH
IPN  0 DIFFUSION COEFFICIENT OPTION
FRD  0 LOGICAL UNIT NUMBER TO READ FLUX GUESS
FWR  -1 LOGICAL UNIT NUMBER TO WRITE FLUX GUESS
MSH  2001 NUMBER OF INTERVALS FOR RES. INTGRNTS
MLV  2 MAX LVALUE FOR RES. INTGRNTS
AXS  0 LOGICAL UNIT NUMBER TO WRITE ANISN LIB
RES  10 MIXTURE WITH SPECIAL RESONANCE CORRECTION
*  CYLINDER GEOMETRY FOR SPECIAL RESONANCE CORRECTION
*  1.82240E+00 DIMENSION (LBAR) FOR SPECIAL RESONANCE CORRECTION

```

DANCOFF FACTOR SPECIFICATION

```

MIXTURE  FACTOR
10  0.85220

```

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

```

ZONE 1 IS FUEL
ZONE 2 IS CLAD
ZONE 3 IS MOD

```

```

KK        KK EEEEEEEEEEE NN        NN 0000000000 VV        VV
KK        KK EEEEEEEEEEE NNN       NN 0000000000 VV        VV
KK        KK EE           NNNN      NN 00         00 VV        VV
KK        KK EE           NN NN     NN 00         00 VV        VV
KK        KK EE           NN NN     NN 00         00 VV        VV
KKKKKKKK EEEEEEEEEEE NN NN     NN 00         00 ----- VV        VV
KKKKKKKK EEEEEEEEEEE NN NN     NN 00         00 ----- VV        VV
KK        KK EE           NN NN     NN 00         00 VV        VV
KK        KK EE           NN NN     NN 00         00 VV        VV
KK        KK EE           NN NNN    00         00 VV        VV
KK        KK EEEEEEEEEEE NN       NNN 0000000000 VVV       VV
KK        KK EEEEEEEEEEE NN       NN  0000000000 V

```

```

SSSSSSSSSS CCCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCCC
SSSSSSSSSSSS CCCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCCC
SE        SS CC        CC AA        AA LL EE           PP        PP CC        CC
SS        SS CC        CC AA        AA LL EE           PP        PP CC        CC
SS        SS CC        CC AA        AA LL EE           PP        PP CC        CC
SSSSSSSSSSSS CCCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCCC
SSSSSSSSSSSS CCCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCCC
SS        SS CC        CC AA        AA LL EE           PP        PP CC        CC
SS        SS CC        CC AA        AA LL EE           PP        PP CC        CC
SSSSSSSSSSSS CCCCCCCCCCC AAAAAAAA LL LLLLLLLLLLLL EEEEEEEEEEE P        P CC        CC
SSSSSSSSSSSS CCCCCCCCCCC AA        AA LLLLLLLLLLLL EEEEEEEEEEE P        P CCCCCCCCCCC

```

```

 11        2222222222 //        11        5555555555 //        9999999999 8888888888
 111      2222222222 //        111      5555555555 //        9999999999 8888888888
 1111     22         22 //        1111     55          55 //        99        99 88        88
 11        22         22 //        11        55          55 //        99        99 88        88
 11        22         22 //        11        55          55 //        99        99 88        88
 11        22         22 //        11        55          55 //        99        99 88        88
 11        22         22 //        11        55          55 //        99        99 88        88
 11        22         22 //        11        55          55 //        99        99 88        88
 11        22         22 //        11        55          55 //        99        99 88        88
11111111 2222222222 //        11111111 5555555555 //        9999999999 8888888888
11111111 2222222222 //        11111111 5555555555 //        9999999999 8888888888

```

```

00000000    6666666666        2222222222    6666666666        3333333333    2222222222
0000000000 66666666666666   222222222222 66666666666666   333333333333 222222222222
00         00 66             ::: 22         22 66             ::: 33         33 22         22
00         00 66             ::: 22         22 66             ::: 33         33 22         22
00         00 66             ::: 22         22 66             ::: 33         33 22         22
00         00 666666666666   22             666666666666   333     22             22
00         00 666666666666   22             666666666666   333     22             22
00         00 66             66 66             66             66             66             66
00         00 66             66 66             66             66             66             66
00         00 66             66 66             66             66             66             66
00         00 66             66 66             66             66             66             66
0000000000 66666666666666   222222222222 66666666666666   333333333333 222222222222
00000000    6666666666        2222222222    6666666666        3333333333    2222222222

```



```
.....
***
***          TRIGA - PREF. FLOOD CANISTER          ***
***
*****          NUMERIC PARAMETERS          *****
***
***          TME          MAXIMUM PROBLEM TIME (MIN)          170.00          ***
***          TBA          TIME PER GENERATION (MIN)          2.00          ***
***          GEN          NUMBER OF GENERATIONS          403          ***
***          NPG          NUMBER PER GENERATION          1000          ***
***          NSK          NUMBER OF GENERATIONS TO BE SKIPPED          3          ***
***          BEG          BEGINNING GENERATION NUMBER          1          ***
***          RES          GENERATIONS BETWEEN CHECKPOINTS          0          ***
***          X1D          NUMBER OF EXTRA 1-D CROSS SECTIONS          1          ***
***          NBK          NEUTRON BANK SIZE          1025          ***
***          XNB          EXTRA POSITIONS IN NEUTRON BANK          0          ***
***          NFB          FISSION BANK SIZE          1000          ***
***          XFB          EXTRA POSITIONS IN FISSION BANK          0          ***
***          WTA          DEFAULT VALUE OF WEIGHT AVERAGE          0.5000          ***
***          WTH          WEIGHT HIGH FOR SPLITTING          3.0000          ***
***          WTL          WEIGHT LOW FOR RUSSIAN ROULETTE          0.3333          ***
***          RND          STARTING RANDOM NUMBER          BB827100001          ***
***          NBB          NUMBER OF D.A. BLOCKS ON UNIT 8          200          ***
***          NL8          LENGTH OF D.A. BLOCKS ON UNIT 8          512          ***
***          ADJ          MODE OF CALCULATION          FORWARD          ***
***          INPUT DATA WRITTEN ON RESTART UNIT          NO          ***
***          BINARY DATA INTERFACE          YES          ***
***
.....
```

```
*****  
*****  
***** TRIGA - PREF. FLOOD CANISTER *****  
*****  
***** LOGICAL PARAMETERS *****  
*****  
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES FLT PLOT PICTURE MAP(S) NO ***  
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***  
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***  
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***  
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***  
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***  
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***  
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***  
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***  
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***  
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***  
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***  
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***  
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***  
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***  
*** PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***  
*** TRK PRINT TRACKING INFORMATION NO ***  
*****  
*****
```

PARAMETER INPUT COMPLETED

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

*****
TRIGA - PREF. FLOOD CANISTER
*****
***** ADDITIONAL INFORMATION *****
NUMBER OF ENERGY GROUPS          27      USE LATTICE GEOMETRY          YES
NO. OF FISSION SPECTRUM SOURCE GROUP 1      GLOBAL ARRAY NUMBER          20
NO. OF SCATTERING ANGLES IN XSECS  2      NUMBER OF UNITS IN THE GLOBAL X DIR.  1
ENTRIES/NEUTRON IN THE NEUTRON BANK 24     NUMBER OF UNITS IN THE GLOBAL Y DIR.  1
ENTRIES/NEUTRON IN THE FISSION BANK 17     NUMBER OF UNITS IN THE GLOBAL Z DIR.  7
NUMBER OF MIXTURES USED            13     USE A GLOBAL REFLECTOR        YES
NUMBER OF BIAS ID'S USED           1      USE NESTED HOLES              YES
NUMBER OF DIFFERENTIAL ALBEDOS USED 0      NUMBER OF HOLES               62
TOTAL INPUT GEOMETRY REGIONS       80     MAXIMUM HOLE NESTING LEVEL    2
NUMBER OF GEOMETRY REGIONS USED    80     USE NESTED ARRAYS            YES
LARGEST GEOMETRY UNIT NUMBER       82     NUMBER OF ARRAYS USED         7
LARGEST ARRAY NUMBER               20     MAXIMUM ARRAY NESTING LEVEL   2
+X BOUNDARY CONDITION              MIR    -X BOUNDARY CONDITION        MIR
+Y BOUNDARY CONDITION              MIR    -Y BOUNDARY CONDITION        MIR
+Z BOUNDARY CONDITION              MIR    -Z BOUNDARY CONDITION        MIR
*****

```

```

*****
** ARRAY NUMBER   UNITS IN X DIR.  UNITS IN Y DIR.  UNITS IN Z DIR.  NESTING LEVEL **
** 1              1              7              1              2 **
** 2              1              4              1              2 **
** 3              1              4              1              2 **
** 11             1              7              1              2 **
** 12             1              4              1              2 **
** 13             1              4              1              2 **
** 20 GLOBAL     1              1              7              1 **
*****

```

..... 0 IO'S WERE USED LOADING THE DATA
TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 1 -----

TRIGA FUEL ELEMENT (SCREENED)

1	CYLINDER	4	1	RADIUS = 0.28580	+Z = 19.050	-Z = -19.050	CENTERLINE IS AT X = 0.00000	Y = 0.00000
2	CYLINDER	1	1	RADIUS = 1.8224	+Z = 19.050	-Z = -19.050	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3	CYLINDER	5	1	RADIUS = 1.8224	+Z = 27.737	-Z = -27.737	CENTERLINE IS AT X = 0.00000	Y = 0.00000
4	CYLINDER	2	1	RADIUS = 1.8771	+Z = 27.737	-Z = -27.737	CENTERLINE IS AT X = 0.00000	Y = 0.00000
5	CYLINDER	9	1	RADIUS = 1.8771	+Z = 36.703	-Z = -36.703	CENTERLINE IS AT X = 0.00000	Y = 0.00000

----- UNIT 5 -----

3.38 IN WIDTH / 0.28 IN THICKNESS DIVIDER CENTER STACK (SCREENED)

1	CUBOID	2	1	+X = 4.2926	-X = -4.2926	+Y = 0.71120	-Y = 0.00000	+Z = 36.703	-Z = -36.703
---	--------	---	---	-------------	--------------	--------------	--------------	-------------	--------------

----- UNIT 6 -----

3.38 IN WIDTH / 0.24 IN THICKNESS DIVIDER OUTSIDE STACK (SCREENED)

1	CUBOID	2	1	+X = 4.2926	-X = -4.2926	+Y = 0.60960	-Y = 0.00000	+Z = 36.703	-Z = -36.703
---	--------	---	---	-------------	--------------	--------------	--------------	-------------	--------------

----- UNIT 10 -----

TRIGA ELEMENTS IN TOP OF 3.38 IN X 3.38 IN OPENING (SCREENED)

1 CUBOID	3	1	+X = 4.0267	-X = -4.0267	+Y = 4.1029	-Y = -3.9505	+Z = 36.703	-Z = -36.703
HOLE NUMBER	1		AT X = 2.1495	Y = 2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	2		AT X = -2.1495	Y = 2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	3		AT X = -2.1495	Y = -2.0733	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	4		AT X = 2.1495	Y = -2.0733	Z = 0.00000	IS UNIT NUMBER	1	
2 CUBOID	2	1	+X = 4.2164	-X = -4.2164	+Y = 4.2926	-Y = -4.1402	+Z = 36.703	-Z = -36.703
3 CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 11 -----

TRIGA ELEMENTS IN BOTTOM OF 3.38 IN X 3.38 IN OPENING (SCREENED)

1 CUBOID	3	1	+X = 4.0267	-X = -4.0267	+Y = 3.9505	-Y = -4.1029	+Z = 36.703	-Z = -36.703
HOLE NUMBER	5		AT X = 2.1495	Y = -2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	6		AT X = -2.1495	Y = -2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	7		AT X = -2.1495	Y = 2.0733	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	8		AT X = 2.1495	Y = 2.0733	Z = 0.00000	IS UNIT NUMBER	1	
2 CUBOID	2	1	+X = 4.2164	-X = -4.2164	+Y = 4.1402	-Y = -4.2926	+Z = 36.703	-Z = -36.703
3 CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703

----- UNIT 12 -----

TRIGA ELEMENTS IN BOTTOM RIGHT OF 3.38 IN X 3.38 IN OPENING (SCREENED)

1 CUBOID	3	1	+X = 4.1029	-X = -3.9505	+Y = 3.9505	-Y = -4.1029	+Z = 36.703	-Z = -36.703
HOLE NUMBER	9		AT X = 2.2257	Y = -2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	10		AT X = 2.2257	Y = 2.0733	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	11		AT X = -2.0733	Y = -2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	12		AT X = -2.0733	Y = 2.0733	Z = 0.00000	IS UNIT NUMBER	1	
2 CUBOID	2	1	+X = 4.2926	-X = -4.1402	+Y = 4.1402	-Y = -4.2926	+Z = 36.703	-Z = -36.703
3 CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703

----- UNIT 13 -----

TRIGA ELEMENTS IN TOP RIGHT OF 3.38 IN X 3.38 IN OPENING (SCREENED)

1 CUBOID	3	1	+X = 4.1029	-X = -3.9505	+Y = 4.1029	-Y = -3.9505	+Z = 36.703	-Z = -36.703
HOLE NUMBER	13		AT X = 2.2257	Y = 2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	14		AT X = 2.2257	Y = -2.0733	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	15		AT X = -2.0733	Y = 2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	16		AT X = -2.0733	Y = -2.0733	Z = 0.00000	IS UNIT NUMBER	1	
2 CUBOID	2	1	+X = 4.2926	-X = -4.1402	+Y = 4.2926	-Y = -4.1402	+Z = 36.703	-Z = -36.703
3 CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 14 -----

TRIGA ELEMENTS IN BOTTOM LEFT OF 3.38 IN X 3.38 IN OPENING (SCREENED)

1 CUBOID	3	1	+X = 3.9505	-X = -4.1029	+Y = 3.9505	-Y = -4.1029	+Z = 36.703	-Z = -36.703
HOLE NUMBER	17		AT X = -2.2257	Y = -2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	18		AT X = -2.2257	Y = 2.0733	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	19		AT X = 2.0733	Y = -2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	20		AT X = 2.0733	Y = 2.0733	Z = 0.00000	IS UNIT NUMBER	1	
2 CUBOID	2	1	+X = 4.1402	-X = -4.2926	+Y = 4.1402	-Y = -4.2926	+Z = 36.703	-Z = -36.703
3 CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703

----- UNIT 15 -----

TRIGA ELEMENTS IN TOP LEFT OF 3.38 IN X 3.38 IN OPENING (SCREENED)

1 CUBOID	3	1	+X = 3.9505	-X = -4.1029	+Y = 4.1029	-Y = -3.9505	+Z = 36.703	-Z = -36.703
HOLE NUMBER	21		AT X = -2.2257	Y = 2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	22		AT X = -2.2257	Y = -2.0733	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	23		AT X = 2.0733	Y = 2.2257	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	24		AT X = 2.0733	Y = -2.0733	Z = 0.00000	IS UNIT NUMBER	1	
2 CUBOID	2	1	+X = 4.1402	-X = -4.2926	+Y = 4.2926	-Y = -4.1402	+Z = 36.703	-Z = -36.703
3 CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703

----- UNIT 16 -----

TRIGA BASKET 3.38 IN X 3.38 IN CENTER OPENING (SCREENED)

1 CUBOID	3	1	+X = 4.0267	-X = -4.0267	+Y = 4.0267	-Y = -4.0267	+Z = 36.703	-Z = -36.703
HOLE NUMBER	25		AT X = -2.1495	Y = 2.1495	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	26		AT X = -2.1495	Y = -2.1495	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	27		AT X = 2.1495	Y = 2.1495	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	28		AT X = 2.1495	Y = -2.1495	Z = 0.00000	IS UNIT NUMBER	1	
2 CUBOID	2	1	+X = 4.2164	-X = -4.2164	+Y = 4.2164	-Y = -4.2164	+Z = 36.703	-Z = -36.703
3 CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703

TRIGA - PREF. FLOOD CANISTER
MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM

REGION

MEDIA BIAS
NUM ID

----- UNIT 17 -----

HORIZONTAL X-X POISON SHEET + WATER

1 CUBOID	13	1	+X = 3.8227	-X = -3.8227	+Y = 0.31750	-Y = 0.00000	+Z = 34.163	-Z = -34.163
2 CUBOID	14	1	+X = 4.1402	-X = -4.1402	+Y = 0.31750	-Y = 0.00000	+Z = 34.163	-Z = -34.163
3 CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 0.31750	-Y = 0.00000	+Z = 36.703	-Z = -36.703

----- UNIT 20 EXTERNAL TO LATTICE 1 -----

CENTER COLUMN OF THREE OPENINGS W/ 0.26 IN PLATE (SCREENED)

1 ARRAY NUMBER	1		+X = 4.2926	-X = -4.2926	+Y = 13.907	-Y = -13.906	+Z = 36.703	-Z = -36.703
2 CUBOID	2	1	+X = 5.0038	-X = -5.0038	+Y = 14.618	-Y = -14.618	+Z = 36.703	-Z = -36.703

----- UNIT 21 EXTERNAL TO LATTICE 2 -----

LEFT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE (SCREENED)

1 ARRAY NUMBER	2		+X = 4.2926	-X = -4.2926	+Y = 9.0487	-Y = -9.0488	+Z = 36.703	-Z = -36.703
2 CUBOID	2	1	+X = 4.2926	-X = -4.5974	+Y = 9.3535	-Y = -9.3536	+Z = 36.703	-Z = -36.703

----- UNIT 22 EXTERNAL TO LATTICE 3 -----

RIGHT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE (SCREENED)

1 ARRAY NUMBER	3		+X = 4.2926	-X = -4.2926	+Y = 9.0487	-Y = -9.0488	+Z = 36.703	-Z = -36.703
2 CUBOID	2	1	+X = 4.5974	-X = -4.2926	+Y = 9.3535	-Y = -9.3536	+Z = 36.703	-Z = -36.703

TRIGA - PREF. FLOOD CANISTER
MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM

REGION

MEDIA BIAS
NUM ID

----- UNIT 30 -----

NAC-LWT TRIGA BASKET (SCREENED)

1 CYLINDER	12	1	RADIUS = 17.150	+Z = 36.703	-Z = -36.703	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	29		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	20
HOLE NUMBER	30		AT X = -9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	21
HOLE NUMBER	31		AT X = 9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	22
2 CYLINDER	2	1	RADIUS = 18.910	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3 CYLINDER	6	1	RADIUS = 33.465	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT X = 0.00000	Y = 0.00000

4	CYLINDER	2	1	RADIUS = 36.519	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
5	CYLINDER	8	1	RADIUS = 49.223	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
6	CYLINDER	2	1	RADIUS = 49.822	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
7	CUBOID	8	1	+X = 49.822	-X = -49.822	+Y = 49.822	-Y = -49.822	+Z = 37.338	-Z = -37.338

----- UNIT 41 -----

TRIGA FUEL ELEMENT

1	CYLINDER	4	1	RADIUS = 0.28580	+Z = 19.050	-Z = -19.050	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
2	CYLINDER	10	1	RADIUS = 1.8224	+Z = 19.050	-Z = -19.050	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
3	CYLINDER	5	1	RADIUS = 1.8224	+Z = 27.737	-Z = -27.737	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
4	CYLINDER	2	1	RADIUS = 1.8771	+Z = 27.737	-Z = -27.737	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
5	CYLINDER	11	1	RADIUS = 1.8771	+Z = 36.703	-Z = -36.703	CENTERLINE IS AT	X = 0.00000	Y = 0.00000

----- UNIT 45 -----

3.38 IN WIDTH / 0.28 IN THICKNESS DIVIDER CENTER STACK

1	CUBOID	2	1	+X = 4.2926	-X = -4.2926	+Y = 0.71120	-Y = 0.00000	+Z = 36.703	-Z = -36.703
---	--------	---	---	-------------	--------------	--------------	--------------	-------------	--------------

----- UNIT 46 -----

3.38 IN WIDTH / 0.24 IN THICKNESS DIVIDER OUTSIDE STACK

1	CUBOID	2	1	+X = 4.2926	-X = -4.2926	+Y = 0.60960	-Y = 0.00000	+Z = 36.703	-Z = -36.703
---	--------	---	---	-------------	--------------	--------------	--------------	-------------	--------------

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 50 -----

TRIGA FUEL ELEMENTS IN TOP OF 3.38 IN X 3.38 IN OPENING

1	CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
	HOLE NUMBER	32		AT X = 2.1495	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	33		AT X = -2.1495	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	34		AT X = -2.1495	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	35		AT X = 2.1495	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41	

----- UNIT 51 -----

TRIGA FUEL ELEMENTS IN BOTTOM OF 3.38 IN X 3.38 IN OPENING

1	CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
	HOLE NUMBER	36		AT X = 2.1495	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	37		AT X = -2.1495	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	38		AT X = -2.1495	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	39		AT X = 2.1495	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41	

----- UNIT 52 -----

TRIGA FUEL ELEMENTS IN BOTTOM RIGHT OF 3.38 IN X 3.38 IN OPENING

1	CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
	HOLE NUMBER	40		AT X = 2.4154	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	41		AT X = 2.4154	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	42		AT X = -1.3389	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	43		AT X = -1.3389	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41	

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 53 -----

TRIGA FUEL ELEMENTS IN TOP RIGHT OF 3.38 IN X 3.38 IN OPENING

1	CUBOID	12	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
	HOLE NUMBER	44		AT X = 2.4154	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41	
	HOLE NUMBER	45		AT X = 2.4154	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41	

HOLE NUMBER	46	AT X = -1.3389	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41
HOLE NUMBER	47	AT X = -1.3389	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41

----- UNIT 54 -----

TRIGA FUEL ELEMENTS IN BOTTOM LEFT OF 3.38 IN X 3.38 IN OPENING

1 CUBOID	12 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
HOLE NUMBER	48	AT X = -2.4154	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	
HOLE NUMBER	49	AT X = -2.4154	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41	
HOLE NUMBER	50	AT X = 1.3389	Y = -2.4154	Z = 0.00000	IS UNIT NUMBER	41	
HOLE NUMBER	51	AT X = 1.3389	Y = 1.3389	Z = 0.00000	IS UNIT NUMBER	41	

----- UNIT 55 -----

TRIGA FUEL ELEMENTS IN TOP LEFT OF 3.38 IN X 3.38 IN OPENING

1 CUBOID	12 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
HOLE NUMBER	52	AT X = -2.4154	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41	
HOLE NUMBER	53	AT X = -2.4154	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41	
HOLE NUMBER	54	AT X = 1.3389	Y = 2.4154	Z = 0.00000	IS UNIT NUMBER	41	
HOLE NUMBER	55	AT X = 1.3389	Y = -1.3389	Z = 0.00000	IS UNIT NUMBER	41	

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 56 -----

TRIGA BASKET 3.38 IN X 3.38 IN CENTER OPENING

1 CUBOID	12 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703
HOLE NUMBER	56	AT X = 2.1495	Y = -2.1495	Z = 0.00000	IS UNIT NUMBER	41	
HOLE NUMBER	57	AT X = -2.1495	Y = 2.1495	Z = 0.00000	IS UNIT NUMBER	41	
HOLE NUMBER	58	AT X = -2.1495	Y = -2.1495	Z = 0.00000	IS UNIT NUMBER	41	
HOLE NUMBER	59	AT X = 2.1495	Y = 2.1495	Z = 0.00000	IS UNIT NUMBER	41	
2 CUBOID	12 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 36.703	-Z = -36.703

----- UNIT 60 EXTERNAL TO LATTICE 11 -----

CENTER COLUMN OF THREE OPENINGS W/ 0.28 IN PLATE

1 ARRAY NUMBER	11	+X = 4.2926	-X = -4.2926	+Y = 13.907	-Y = -13.906	+Z = 36.703	-Z = -36.703
2 CUBOID	2 1	+X = 5.0038	-X = -5.0038	+Y = 14.618	-Y = -14.618	+Z = 36.703	-Z = -36.703

----- UNIT 61 EXTERNAL TO LATTICE 12 -----

LEFT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE

1 ARRAY NUMBER	12	+X = 4.2926	-X = -4.2926	+Y = 9.0487	-Y = -9.0488	+Z = 36.703	-Z = -36.703
2 CUBOID	2 1	+X = 4.2926	-X = -4.5974	+Y = 9.3535	-Y = -9.3536	+Z = 36.703	-Z = -36.703

----- UNIT 62 EXTERNAL TO LATTICE 13 -----

RIGHT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE

1 ARRAY NUMBER	13	+X = 4.2926	-X = -4.2926	+Y = 9.0487	-Y = -9.0488	+Z = 36.703	-Z = -36.703
2 CUBOID	2 1	+X = 4.5974	-X = -4.2926	+Y = 9.3535	-Y = -9.3536	+Z = 36.703	-Z = -36.703

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 70 -----

NAC-LWT TRIGA BASKET

1 CYLINDER	12 1	RADIUS = 17.150	+Z = 36.703	-Z = -36.703	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	60	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	60
HOLE NUMBER	61	AT X = -9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	61
HOLE NUMBER	62	AT X = 9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	62
2 CYLINDER	2 1	RADIUS = 18.910	+Z = 37.338	-Z = -37.338	CENTERLINE IS AT X = 0.00000	Y = 0.00000

```

3 CYLINDER      6 1 RADIUS = 33.465  +Z = 37.338  -Z = -37.338  CENTERLINE IS AT X = 0.00000  Y = 0.00000
4 CYLINDER      2 1 RADIUS = 36.519  +Z = 37.338  -Z = -37.338  CENTERLINE IS AT X = 0.00000  Y = 0.00000
5 CYLINDER      8 1 RADIUS = 49.223  +Z = 37.338  -Z = -37.338  CENTERLINE IS AT X = 0.00000  Y = 0.00000
6 CYLINDER      2 1 RADIUS = 49.822  +Z = 37.338  -Z = -37.338  CENTERLINE IS AT X = 0.00000  Y = 0.00000
7 CUBOID        8 1  +X = 49.822  -X = -49.822  +Y = 49.822  -Y = -49.822  +Z = 37.338  -Z = -37.338
    
```

----- UNIT 80 -----

SIMPLIFIED LID STRUCTURE NAC-LWT

```

1 CYLINDER      2 1 RADIUS = 36.519  +Z = 14.135  -Z = -14.135  CENTERLINE IS AT X = 0.00000  Y = 0.00000
2 CYLINDER      8 1 RADIUS = 49.822  +Z = 14.135  -Z = -14.135  CENTERLINE IS AT X = 0.00000  Y = 0.00000
3 CUBOID        8 1  +X = 49.822  -X = -49.822  +Y = 49.822  -Y = -49.822  +Z = 14.135  -Z = -14.135
    
```

----- UNIT 81 -----

SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT

```

1 CYLINDER      6 1 RADIUS = 26.353  +Z = 3.8100  -Z = -3.8100  CENTERLINE IS AT X = 0.00000  Y = 0.00000
2 CYLINDER      2 1 RADIUS = 36.619  +Z = 13.970  -Z = -12.700  CENTERLINE IS AT X = 0.00000  Y = 0.00000
3 CYLINDER      8 1 RADIUS = 49.822  +Z = 13.970  -Z = -12.700  CENTERLINE IS AT X = 0.00000  Y = 0.00000
4 CUBOID        8 1  +X = 49.822  -X = -49.822  +Y = 49.822  -Y = -49.822  +Z = 13.970  -Z = -12.700
    TRIGA - PREF. FLOOD CANISTER
    
```

----- GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM -----

REGION MEDIA BIAS NUM ID

***** GLOBAL *****
----- UNIT 82 EXTERNAL TO LATTICE 20 -----

STACK OF 5 BASKETS IN CASK

```

1 ARRAY NUMBER  20  +X = 49.822  -X = -49.822  +Y = 49.822  -Y = -49.822  +Z = 214.96  -Z = -213.36
    TRIGA - PREF. FLOOD CANISTER
    
```

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 7 BOTTOM TO TOP

11
5
17
16
17
5
10

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 2 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 4 BOTTOM TO TOP

12
6
17
13

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 3 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 4 BOTTOM TO TOP

14
6
17
15

TRIGA - PREF. FLOOD CANISTER

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 11 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 7 BOTTOM TO TOP

51
45
17

56
17
45
50

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 12 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 4 BOTTOM TO TOP

52
46
17
53

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 13 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 4 BOTTOM TO TOP

54
46
17
55

TRIGA - PREF. FLOOD CANISTER

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 20 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

81
Z LAYER 2, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
30
Z LAYER 3, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
70
Z LAYER 4, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
70
Z LAYER 5, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
70
Z LAYER 6, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
30
Z LAYER 7, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
80

TRIGA - PREF. FLOOD CANISTER
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME	
1	1	1	9.77686E+00 CM**3	9.77686E+00 CM**3	
		2	3.87746E+02 CM**3	3.97523E+02 CM**3	
		3	1.81270E+02 CM**3	5.78793E+02 CM**3	
		4	3.52668E+01 CM**3	6.14060E+02 CM**3	
		5	1.98501E+02 CM**3	8.12561E+02 CM**3	
5	1	6	4.48202E+02 CM**3	4.48202E+02 CM**3	
6	1	7	3.84173E+02 CM**3	3.84173E+02 CM**3	
			8	1.51067E+03 CM**3	4.76091E+03 CM**3
			9	4.59145E+02 CM**3	5.22006E+03 CM**3
10	1	10	1.90382E+02 CM**3	5.41044E+03 CM**3	
		11	1.51067E+03 CM**3	4.76091E+03 CM**3	
		12	4.59145E+02 CM**3	5.22006E+03 CM**3	
11	1	13	1.90382E+02 CM**3	5.41044E+03 CM**3	
		14	1.51067E+03 CM**3	4.76091E+03 CM**3	
		15	4.59145E+02 CM**3	5.22006E+03 CM**3	
12	1	16	1.90382E+02 CM**3	5.41044E+03 CM**3	
		17	1.51067E+03 CM**3	4.76091E+03 CM**3	
		18	4.59145E+02 CM**3	5.22006E+03 CM**3	
13	1	19	1.90382E+02 CM**3	5.41044E+03 CM**3	
		20	1.51067E+03 CM**3	4.76091E+03 CM**3	
		21	4.59145E+02 CM**3	5.22006E+03 CM**3	
14	1	22	1.90382E+02 CM**3	5.41044E+03 CM**3	
		23	1.51067E+03 CM**3	4.76091E+03 CM**3	
		24	4.59145E+02 CM**3	5.22006E+03 CM**3	
15	1	25	1.90382E+02 CM**3	5.41044E+03 CM**3	
		26	1.51067E+03 CM**3	4.76091E+03 CM**3	
		27	4.59145E+02 CM**3	5.22006E+03 CM**3	
16	1	28	1.90382E+02 CM**3	5.41044E+03 CM**3	
		29	1.51067E+03 CM**3	4.76091E+03 CM**3	
		30	4.59145E+02 CM**3	5.22006E+03 CM**3	
17	1	29	1.65856E+02 CM**3	1.65856E+02 CM**3	

	2	30	1.37754E+01 CM**3	1.79E31E+02 CM**3
	3	31	2.04593E+01 CM**3	2.00090E+02 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 32 IS AN ARRAY PLACEMENT BOUNDARY REGION				
20	1	32	1.75279E+04 CM**3	1.75279E+04 CM**3
	2	33	3.94895E+03 CM**3	2.14768E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 34 IS AN ARRAY PLACEMENT BOUNDARY REGION				
21	1	34	1.14051E+04 CM**3	1.14051E+04 CM**3
	2	35	8.02729E+02 CM**3	1.22079E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 36 IS AN ARRAY PLACEMENT BOUNDARY REGION				
22	1	36	1.14051E+04 CM**3	1.14051E+04 CM**3
	2	37	8.02729E+02 CM**3	1.22079E+04 CM**3
30	1	38	2.19355E+04 CM**3	6.78281E+04 CM**3
	2	39	1.60653E+04 CM**3	8.38934E+04 CM**3
	3	40	1.78831E+05 CM**3	2.62724E+05 CM**3
	4	41	5.01461E+04 CM**3	3.12870E+05 CM**3
	5	42	2.55540E+05 CM**3	5.68410E+05 CM**3
	6	43	1.39278E+04 CM**3	5.82338E+05 CM**3
	7	44	1.59118E+05 CM**3	7.41456E+05 CM**3
41	1	45	9.77686E+00 CM**3	9.77686E+00 CM**3
	2	46	3.87746E+02 CM**3	3.97523E+02 CM**3
	3	47	1.81270E+02 CM**3	5.78793E+02 CM**3
	4	48	3.52668E+01 CM**3	6.14060E+02 CM**3
	5	49	1.96501E+02 CM**3	8.12561E+02 CM**3
45	1	50	4.48202E+02 CM**3	4.48202E+02 CM**3
46	1	51	3.84173E+02 CM**3	3.84173E+02 CM**3
50	1	52	2.16019E+03 CM**3	5.41044E+03 CM**3
51	1	53	2.16019E+03 CM**3	5.41044E+03 CM**3
52	1	54	2.16019E+03 CM**3	5.41044E+03 CM**3
53	1	55	2.16019E+03 CM**3	5.41044E+03 CM**3
54	1	56	2.16019E+03 CM**3	5.41044E+03 CM**3
55	1	57	2.16019E+03 CM**3	5.41044E+03 CM**3
56	1	58	2.16019E+03 CM**3	5.41044E+03 CM**3
	2	59	0.00000E+00 CM**3	5.41044E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 60 IS AN ARRAY PLACEMENT BOUNDARY REGION				
60	1	60	1.75279E+04 CM**3	1.75279E+04 CM**3
	2	61	3.94895E+03 CM**3	2.14768E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 62 IS AN ARRAY PLACEMENT BOUNDARY REGION				
61	1	62	1.14051E+04 CM**3	1.14051E+04 CM**3
	2	63	8.02729E+02 CM**3	1.22079E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 64 IS AN ARRAY PLACEMENT BOUNDARY REGION				
62	1	64	1.14051E+04 CM**3	1.14051E+04 CM**3
	2	65	8.02729E+02 CM**3	1.22079E+04 CM**3
70	1	66	2.19355E+04 CM**3	6.78281E+04 CM**3
	2	67	1.60653E+04 CM**3	8.38934E+04 CM**3
	3	68	1.78831E+05 CM**3	2.62724E+05 CM**3
	4	69	5.01461E+04 CM**3	3.12870E+05 CM**3
	5	70	2.55540E+05 CM**3	5.68410E+05 CM**3
	6	71	1.39278E+04 CM**3	5.82338E+05 CM**3
	7	72	1.59118E+05 CM**3	7.41456E+05 CM**3
80	1	73	1.18444E+05 CM**3	1.18444E+05 CM**3
	2	74	1.02013E+05 CM**3	2.20456E+05 CM**3
	3	75	6.02374E+04 CM**3	2.80694E+05 CM**3
81	1	76	1.66245E+04 CM**3	1.66245E+04 CM**3
	2	77	9.57276E+04 CM**3	1.12352E+05 CM**3
	3	78	9.56257E+04 CM**3	2.07978E+05 CM**3
	4	79	5.68278E+04 CM**3	2.64806E+05 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 80 IS AN ARRAY PLACEMENT BOUNDARY REGION				
82	1	80	4.25278E+06 CM**3	4.25278E+06 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	56	1	4	5.47504E+02 CM**3
		2	1	2.17138E+04 CM**3
		3	5	1.01511E+04 CM**3
		4	2	1.97494E+03 CM**3
		5	9	1.11161E+04 CM**3
5	4	1	2	1.79281E+03 CM**3
6	4	1	2	1.53669E+03 CM**3

10	2	1 2 3	3 12	3.02133E+03 CM**3 9.18290E+02 CM**3 3.80764E+02 CM**3
11	2	1 2 3	3 2 12	3.02133E+03 CM**3 9.18290E+02 CM**3 3.80764E+02 CM**3
12	2	1 2 3	3 2 12	3.02133E+03 CM**3 9.18290E+02 CM**3 3.80764E+02 CM**3
13	2	1 2 3	3 2 12	3.02133E+03 CM**3 9.18290E+02 CM**3 3.80764E+02 CM**3
14	2	1 2 3	3 2 12	3.02133E+03 CM**3 9.18290E+02 CM**3 3.80764E+02 CM**3
15	2	1 2 3	3 2 12	3.02133E+03 CM**3 9.18290E+02 CM**3 3.80764E+02 CM**3
16	2	1 2 3	3 2 12	3.02133E+03 CM**3 9.18290E+02 CM**3 3.80764E+02 CM**3
17	20	1 2 3	13 14 12	3.31711E+03 CM**3 2.75508E+02 CM**3 4.09185E+02 CM**3
20	2	1 2	2	3.50558E+04 CM**3 7.89790E+03 CM**3
21	2	1 2	2	2.28103E+04 CM**3 1.60546E+03 CM**3
22	2	1 2	2	2.28103E+04 CM**3 1.60546E+03 CM**3
30	2	1 2 3 4 5 6 7	12 2 6 2 8 2 8	4.38710E+04 CM**3 3.21306E+04 CM**3 3.57661E+05 CM**3 1.00292E+05 CM**3 5.11080E+05 CM**3 2.78555E+04 CM**3 3.18236E+05 CM**3
41	84	1 2 3 4 5	4 10 5 2 11	8.21256E+02 CM**3 3.25707E+04 CM**3 1.52267E+04 CM**3 2.96242E+03 CM**3 1.66741E+04 CM**3
45	6	1	2	2.68921E+03 CM**3
46	6	1	2	2.30504E+03 CM**3
50	3	1	12	6.48058E+03 CM**3
51	3	1	12	6.48058E+03 CM**3
52	3	1	12	6.48058E+03 CM**3
53	3	1	12	6.48058E+03 CM**3
54	3	1	12	6.48058E+03 CM**3
55	3	1	12	6.48058E+03 CM**3
56	3	1 2	12 12	6.48058E+03 CM**3 0.00000E+00 CM**3
60	3	1 2	2	5.25837E+04 CM**3 1.18469E-04 CM**3
61	3	1 2	2	3.42154E+04 CM**3 2.40819E+03 CM**3
62	3	1 2	2	3.42154E+04 CM**3 2.40819E+03 CM**3
70	3	1 2 3 4 5 6 7	12 2 6 2 8 2 8	6.58065E+04 CM**3 4.81959E+04 CM**3 5.36492E+05 CM**3 1.50438E+05 CM**3 7.66620E+05 CM**3 4.17833E+04 CM**3 4.77353E+05 CM**3
80	1	1 2 3	2 8 8	1.18444E+05 CM**3 1.02013E+05 CM**3 6.02374E+04 CM**3
81	1	1 2 3 4	6 2 8 8	1.66245E+04 CM**3 9.57276E+04 CM**3 9.56257E+04 CM**3 5.68278E+04 CM**3
82	1	1	1	4.25278E+06 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	2.17138E+04 CM**3	1.26538E+05
2	6.62328E+05 CM**3	5.24564E+06
3	2.11493E+04 CM**3	2.11106E+04
4	1.36876E+03 CM**3	8.80226E+03
5	2.53779E+04 CM**3	5.32839E+04
6	9.10777E+05 CM**3	1.03219E+07
8	2.38799E+06 CM**3	2.38263E-14
9	1.11161E+04 CM**3	3.70362E+04
10	3.25707E+04 CM**3	1.89507E+05
11	1.66741E+04 CM**3	4.45219E+04
12	1.58116E+05 CM**3	1.57827E-15
13	3.31711E+03 CM**3	2.57176E+04
14	2.75508E+02 CM**3	2.11891E+03

```
.....  
***  
***                               BIASING INFORMATION                               ***  
***  
***  A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S.  ***  
***  
.....
```

```
..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING .....  
..... 0.03200 MINUTES WERE USED PROCESSING DATA. ....
```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 1.27645E-02

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 4.98221E+01 -X=-4.98221E+01 +Y= 4.98221E+01 -Y=-4.98221E+01 +Z= 2.14960E+02 -Z=-2.13360E+02
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 777 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

223 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

1.79800 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 1.83467 MINUTES.

96	9.16325E-01	5.70217E+00	9.03795E-01	2.54688E-02	0.00000E+00	0.00000E+00
97	8.97809E-01	5.74200E+00	9.03732E-01	2.52072E-02	0.00000E+00	0.00000E+00
98	9.07023E-01	5.76267E+00	9.03766E-01	2.45456E-02	0.00000E+00	0.00000E+00
99	9.06865E-01	5.82217E+00	9.03747E-01	2.40678E-02	0.00000E+00	0.00000E+00
100	9.06907E-01	5.86110E+00	9.03749E-01	2.44256E-02	0.00000E+00	0.00000E+00
101	8.99187E-01	5.90003E+00	9.03723E-01	2.41820E-02	0.00000E+00	0.00000E+00
102	9.06295E-01	5.93933E+00	9.04046E-01	2.41693E-02	0.00000E+00	0.00000E+00
103	9.04602E-01	5.97767E+00	9.04484E-01	2.43217E-02	0.00000E+00	0.00000E+00
104	8.99524E-01	6.01600E+00	9.04435E-01	2.40870E-02	0.00000E+00	0.00000E+00
105	9.20266E-01	6.05533E+00	9.04589E-01	2.39015E-02	0.00000E+00	0.00000E+00
106	9.20011E-01	6.09467E+00	9.04737E-01	2.37170E-02	0.00000E+00	0.00000E+00
107	9.18232E-01	6.13317E+00	9.04860E-01	2.35251E-02	0.00000E+00	0.00000E+00
108	9.29776E-01	6.17150E+00	9.05101E-01	2.34204E-02	0.00000E+00	0.00000E+00
109	8.60972E-01	6.21007E+00	9.04888E-01	2.35641E-02	0.00000E+00	0.00000E+00
110	8.61153E-01	6.25863E+00	9.04321E-01	2.36160E-02	0.00000E+00	0.00000E+00
111	8.62195E-01	6.28900E+00	9.04133E-01	2.34824E-02	0.00000E+00	0.00000E+00
112	8.96746E-01	6.33633E+00	9.04066E-01	2.32777E-02	0.00000E+00	0.00000E+00
113	9.15506E-01	6.37967E+00	9.04169E-01	2.30900E-02	0.00000E+00	0.00000E+00
114	8.74150E-01	6.41993E+00	9.03901E-01	2.30393E-02	0.00000E+00	0.00000E+00
115	8.57220E-01	6.46363E+00	9.03486E-01	2.32052E-02	0.00000E+00	0.00000E+00
116	8.94201E-01	6.50417E+00	9.03407E-01	2.30150E-02	0.00000E+00	0.00000E+00
117	9.12638E-01	6.54107E+00	9.03489E-01	2.28267E-02	0.00000E+00	0.00000E+00
118	8.82770E-01	6.58163E+00	9.03330E-01	2.27014E-02	0.00000E+00	0.00000E+00
119	9.12993E-01	6.62217E+00	9.03393E-01	2.25217E-02	0.00000E+00	0.00000E+00
120	8.95400E-01	6.66150E+00	9.03325E-01	2.23435E-02	0.00000E+00	0.00000E+00
121	8.37777E-01	6.70267E+00	9.02774E-01	2.26264E-02	0.00000E+00	0.00000E+00
122	9.12525E-01	6.74300E+00	9.02856E-01	2.26499E-02	0.00000E+00	0.00000E+00
123	8.57572E-01	6.78417E+00	9.02941E-01	2.27716E-02	0.00000E+00	0.00000E+00
124	8.84956E-01	6.82717E+00	9.02338E-01	2.26298E-02	0.00000E+00	0.00000E+00
125	8.87165E-01	6.86933E+00	9.02214E-01	2.24790E-02	0.00000E+00	0.00000E+00
126	9.30566E-01	6.91050E+00	9.02443E-01	2.24139E-02	0.00000E+00	0.00000E+00
127	9.09475E-01	6.94955E+00	9.02499E-01	2.22410E-02	0.00000E+00	0.00000E+00
128	9.20301E-01	6.98633E+00	9.02641E-01	2.21089E-02	0.00000E+00	0.00000E+00
129	9.26321E-01	7.02867E+00	9.02843E-01	2.20272E-02	0.00000E+00	0.00000E+00
130	9.31353E-01	7.06600E+00	9.03081E-01	2.19840E-02	0.00000E+00	0.00000E+00
131	9.31192E-01	7.10617E+00	9.02989E-01	2.18374E-02	0.00000E+00	0.00000E+00
132	9.13478E-01	7.15033E+00	9.02670E-01	2.16788E-02	0.00000E+00	0.00000E+00
133	8.89571E-01	7.18907E+00	9.02867E-01	2.15373E-02	0.00000E+00	0.00000E+00
134	9.64476E-01	7.23000E+00	9.02976E-01	2.13739E-02	0.00000E+00	0.00000E+00
135	9.39960E-01	7.27217E+00	9.03234E-01	2.13659E-02	0.00000E+00	0.00000E+00
136	9.11964E-01	7.31233E+00	9.03298E-01	2.12157E-02	0.00000E+00	0.00000E+00
137	9.24856E-01	7.35267E+00	9.03458E-01	2.11184E-02	0.00000E+00	0.00000E+00
138	9.33027E-01	7.39200E+00	9.03766E-01	2.10756E-02	0.00000E+00	0.00000E+00
139	8.96111E-01	7.43233E+00	9.03621E-01	2.09255E-02	0.00000E+00	0.00000E+00
140	8.78600E-01	7.47267E+00	9.03440E-01	2.08522E-02	0.00000E+00	0.00000E+00
141	8.82909E-01	7.51467E+00	9.03292E-01	2.07573E-02	0.00000E+00	0.00000E+00
142	8.85458E-01	7.55566E+00	9.03164E-01	2.06478E-02	0.00000E+00	0.00000E+00
143	8.82360E-01	7.59600E+00	9.03017E-01	2.05539E-02	0.00000E+00	0.00000E+00
144	8.84666E-01	7.63650E+00	9.02988E-01	2.04494E-02	0.00000E+00	0.00000E+00
145	8.92455E-01	7.67585E+00	9.02815E-01	2.03210E-02	0.00000E+00	0.00000E+00
146	8.69940E-01	7.71700E+00	9.02864E-01	2.01825E-02	0.00000E+00	0.00000E+00
147	8.78237E-01	7.75733E+00	9.02694E-01	2.01157E-02	0.00000E+00	0.00000E+00
148	8.81826E-01	7.79800E+00	9.02522E-01	2.00200E-02	0.00000E+00	0.00000E+00
149	9.21255E-01	7.83882E+00	9.02679E-01	1.99339E-02	0.00000E+00	0.00000E+00
150	8.79030E-01	7.87871E+00	9.02523E-01	1.98581E-02	0.00000E+00	0.00000E+00
151	9.06244E-01	7.91933E+00	9.02546E-01	1.97759E-02	0.00000E+00	0.00000E+00
152	8.61998E-01	7.96000E+00	9.02278E-01	1.97799E-02	0.00000E+00	0.00000E+00
153	8.99099E-01	8.00063E+00	9.02256E-01	1.96494E-02	0.00000E+00	0.00000E+00
154	9.16344E-01	8.04363E+00	9.02349E-01	1.95417E-02	0.00000E+00	0.00000E+00
155	9.16766E-01	8.08417E+00	9.02444E-01	1.94367E-02	0.00000E+00	0.00000E+00
156	9.04255E-01	8.12533E+00	9.02456E-01	1.93106E-02	0.00000E+00	0.00000E+00
157	8.60196E-01	8.16500E+00	9.02185E-01	1.92784E-02	0.00000E+00	0.00000E+00
158	8.74514E-01	8.20583E+00	9.02006E-01	1.92325E-02	0.00000E+00	0.00000E+00
159	8.54413E-01	8.24517E+00	9.01704E-01	1.94454E-02	0.00000E+00	0.00000E+00
160	8.67244E-01	8.28917E+00	9.01486E-01	1.94486E-02	0.00000E+00	0.00000E+00
161	8.78436E-01	8.33033E+00	9.01341E-01	1.93802E-02	0.00000E+00	0.00000E+00
162	8.86132E-01	8.37433E+00	9.01249E-01	1.92804E-02	0.00000E+00	0.00000E+00
163	9.49903E-01	8.41450E+00	9.01552E-01	1.92973E-02	0.00000E+00	0.00000E+00
164	8.96499E-01	8.45667E+00	9.01533E-01	1.92782E-02	0.00000E+00	0.00000E+00
165	8.89727E-01	8.49517E+00	9.01466E-01	1.91732E-02	0.00000E+00	0.00000E+00
166	8.67233E-01	8.53533E+00	9.01252E-01	1.91699E-02	0.00000E+00	0.00000E+00
167	8.77722E-01	8.57750E+00	9.01109E-01	1.91064E-02	0.00000E+00	0.00000E+00
168	8.76176E-01	8.61867E+00	9.00959E-01	1.90502E-02	0.00000E+00	0.00000E+00
169	8.58492E-01	8.66083E+00	9.00705E-01	1.91035E-02	0.00000E+00	0.00000E+00
170	9.16818E-01	8.70017E+00	9.00801E-01	1.90160E-02	0.00000E+00	0.00000E+00
171	8.91225E-01	8.74133E+00	9.00744E-01	1.89116E-02	0.00000E+00	0.00000E+00
172	8.88805E-01	8.78167E+00	9.00674E-01	1.88131E-02	0.00000E+00	0.00000E+00
173	9.07403E-01	8.82100E+00	9.00713E-01	1.87069E-02	0.00000E+00	0.00000E+00
174	9.09396E-01	8.86500E+00	9.00764E-01	1.86047E-02	0.00000E+00	0.00000E+00
175	9.37712E-01	8.89683E+00	9.00977E-01	1.86198E-02	0.00000E+00	0.00000E+00
176	9.37022E-01	8.93917E+00	9.01184E-01	1.86280E-02	0.00000E+00	0.00000E+00
177	8.90419E-01	8.97833E+00	9.01123E-01	1.85314E-02	0.00000E+00	0.00000E+00
178	9.48373E-01	9.01783E+00	9.01391E-01	1.86204E-02	0.00000E+00	0.00000E+00
179	9.81307E-01	9.05533E+00	9.01843E-01	1.90575E-02	0.00000E+00	0.00000E+00
180	9.23410E-01	9.09467E+00	9.01964E-01	1.89686E-02	0.00000E+00	0.00000E+00
181	8.69850E-01	9.13683E+00	9.01779E-01	1.89728E-02	0.00000E+00	0.00000E+00
182	9.32866E-01	9.17983E+00	9.01952E-01	1.89461E-02	0.00000E+00	0.00000E+00
183	8.48086E-01	9.22200E+00	9.01654E-01	1.90748E-02	0.00000E+00	0.00000E+00
184	9.23443E-01	9.26050E+00	9.01774E-01	1.90074E-02	0.00000E+00	0.00000E+00
185	8.79917E-01	9.30067E+00	9.01654E-01	1.89410E-02	0.00000E+00	0.00000E+00
186	9.41142E-01	9.34100E+00	9.01869E-01	1.89596E-02	0.00000E+00	0.00000E+00
187	8.74246E-01	9.38217E+00	9.01720E-01	1.89159E-02	0.00000E+00	0.00000E+00
188	8.97478E-01	9.42250E+00	9.01697E-01	1.88152E-02	0.00000E+00	0.00000E+00
189	9.45809E-01	9.46193E+00	9.01933E-01	1.88624E-02	0.00000E+00	0.00000E+00
190	8.97201E-01	9.50300E+00	9.01908E-01	1.87635E-02	0.00000E+00	0.00000E+00
191	8.72023E-01	9.54417E+00	9.01750E-01	1.87309E-02	0.00000E+00	0.00000E+00
192	9.11518E-01	9.58350E+00	9.01801E-01	1.86391E-02	0.00000E+00	0.00000E+00
193	9.17843E-01	9.62483E+00	9.01884E-01	1.85398E-02	0.00000E+00	0.00000E+00
194	8.98645E-01	9.66500E+00	9.01867E-01	1.84637E-02	0.00000E+00	0.00000E+00
195	9.12174E-01	9.70617E+00	9.01920E-01	1.83755E-02	0.00000E+00	0.00000E+00
196	9.17972E-01	9.74650E+00	9.02003E-01	1.82992E-02	0.00000E+00	0.00000E+00

258	9.25237E-01	1.36446E+01	9.01910E-01	1.42719E-03	0.00000E+00	0.00000E+00
259	9.26910E-01	1.36842E+01	9.01574E-01	1.45377E-03	0.00000E+00	0.00000E+00
260	9.56677E-01	1.39255E+01	9.02157E-01	1.44070E-03	0.00000E+00	0.00000E+00
301	8.73738E-01	1.39675E+01	9.02062E-01	1.42901E-03	0.00000E+00	0.00000E+00
302	9.09099E-01	1.40606E+01	9.02086E-01	1.42440E-03	0.00000E+00	0.00000E+00
303	9.33937E-01	1.40433E+01	9.02209E-01	1.45496E-03	0.00000E+00	0.00000E+00
304	9.32934E-01	1.40857E+01	9.02311E-01	1.43363E-03	0.00000E+00	0.00000E+00
305	6.48078E-01	1.41260E+01	9.02132E-01	1.44027E-03	0.00000E+00	0.00000E+00
306	6.96296E-01	1.41690E+01	9.02113E-01	1.43564E-03	0.00000E+00	0.00000E+00
307	9.16037E-01	1.42073E+01	9.02159E-01	1.43166E-03	0.00000E+00	0.00000E+00
308	8.97034E-01	1.42466E+01	9.02142E-01	1.42707E-03	0.00000E+00	0.00000E+00
309	8.40122E-01	1.42868E+01	9.02266E-01	1.42779E-03	0.00000E+00	0.00000E+00
310	8.89183E-01	1.43262E+01	9.02223E-01	1.42378E-03	0.00000E+00	0.00000E+00
311	8.97302E-01	1.43695E+01	9.02207E-01	1.41926E-03	0.00000E+00	0.00000E+00
312	9.31583E-01	1.44088E+01	9.02302E-01	1.41784E-03	0.00000E+00	0.00000E+00
313	9.06911E-01	1.44496E+01	9.02323E-01	1.41344E-03	0.00000E+00	0.00000E+00
314	8.64113E-01	1.44922E+01	9.02265E-01	1.41011E-03	0.00000E+00	0.00000E+00
315	8.77123E-01	1.45323E+01	9.02185E-01	1.40769E-03	0.00000E+00	0.00000E+00
316	8.66591E-01	1.45745E+01	9.02071E-01	1.40797E-03	0.00000E+00	0.00000E+00
317	9.04364E-01	1.46138E+01	9.02079E-01	1.40351E-03	0.00000E+00	0.00000E+00
318	9.05676E-01	1.46550E+01	9.02090E-01	1.39911E-03	0.00000E+00	0.00000E+00
319	9.12467E-01	1.46962E+01	9.02123E-01	1.39507E-03	0.00000E+00	0.00000E+00
320	8.99628E-01	1.47357E+01	9.02115E-01	1.39070E-03	0.00000E+00	0.00000E+00
321	9.33467E-01	1.47758E+01	9.02213E-01	1.38981E-03	0.00000E+00	0.00000E+00
322	9.09438E-01	1.48152E+01	9.02233E-01	1.38560E-03	0.00000E+00	0.00000E+00
323	9.03057E-01	1.48547E+01	9.02235E-01	1.38128E-03	0.00000E+00	0.00000E+00
324	9.38277E-01	1.48930E+01	9.02347E-01	1.38155E-03	0.00000E+00	0.00000E+00
325	8.81011E-01	1.49360E+01	9.02281E-01	1.37885E-03	0.00000E+00	0.00000E+00
326	9.22067E-01	1.49755E+01	9.02343E-01	1.37595E-03	0.00000E+00	0.00000E+00
327	9.07395E-01	1.50147E+01	9.02258E-01	1.37175E-03	0.00000E+00	0.00000E+00
328	9.16482E-01	1.50577E+01	9.02401E-01	1.36827E-03	0.00000E+00	0.00000E+00
329	9.17257E-01	1.50992E+01	9.02447E-01	1.36483E-03	0.00000E+00	0.00000E+00
330	8.62294E-01	1.51395E+01	9.02324E-01	1.36616E-03	0.00000E+00	0.00000E+00
331	8.74569E-01	1.51832E+01	9.02241E-01	1.36453E-03	0.00000E+00	0.00000E+00
332	8.43565E-01	1.52262E+01	9.02064E-01	1.37196E-03	0.00000E+00	0.00000E+00
333	9.46064E-01	1.52758E+01	9.02196E-01	1.37454E-03	0.00000E+00	0.00000E+00
334	8.56627E-01	1.53095E+01	9.02059E-01	1.37654E-03	0.00000E+00	0.00000E+00
335	8.65279E-01	1.53568E+01	9.01949E-01	1.37725E-03	0.00000E+00	0.00000E+00
336	9.19088E-01	1.53928E+01	9.02000E-01	1.37406E-03	0.00000E+00	0.00000E+00
337	9.03546E-01	1.54332E+01	9.02005E-01	1.36996E-03	0.00000E+00	0.00000E+00
338	8.79069E-01	1.54745E+01	9.01936E-01	1.36760E-03	0.00000E+00	0.00000E+00
339	9.18345E-01	1.55137E+01	9.01985E-01	1.36440E-03	0.00000E+00	0.00000E+00
340	9.14703E-01	1.55500E+01	9.02023E-01	1.36088E-03	0.00000E+00	0.00000E+00
341	8.97884E-01	1.55892E+01	9.02010E-01	1.35691E-03	0.00000E+00	0.00000E+00
342	9.05251E-01	1.56355E+01	9.02020E-01	1.35295E-03	0.00000E+00	0.00000E+00
343	8.85792E-01	1.56757E+01	9.01972E-01	1.34982E-03	0.00000E+00	0.00000E+00
344	8.99654E-01	1.57152E+01	9.01966E-01	1.34588E-03	0.00000E+00	0.00000E+00
345	8.89862E-01	1.57563E+01	9.01930E-01	1.34241E-03	0.00000E+00	0.00000E+00
346	9.40461E-01	1.57995E+01	9.02042E-01	1.34318E-03	0.00000E+00	0.00000E+00
347	8.69895E-01	1.58442E+01	9.01949E-01	1.34252E-03	0.00000E+00	0.00000E+00
348	8.42478E-01	1.58835E+01	9.02066E-01	1.34375E-03	0.00000E+00	0.00000E+00
349	8.88682E-01	1.59247E+01	9.02028E-01	1.34043E-03	0.00000E+00	0.00000E+00
350	9.15809E-01	1.59632E+01	9.02067E-01	1.33716E-03	0.00000E+00	0.00000E+00
351	9.45735E-01	1.60035E+01	9.02192E-01	1.33991E-03	0.00000E+00	0.00000E+00
352	9.06980E-01	1.60428E+01	9.02206E-01	1.33542E-03	0.00000E+00	0.00000E+00
353	8.82981E-01	1.60813E+01	9.02154E-01	1.33262E-03	0.00000E+00	0.00000E+00
354	9.45833E-01	1.61233E+01	9.02278E-01	1.33461E-03	0.00000E+00	0.00000E+00
355	8.06550E-01	1.61637E+01	9.02290E-01	1.33088E-03	0.00000E+00	0.00000E+00
356	8.55788E-01	1.62040E+01	9.02159E-01	1.33360E-03	0.00000E+00	0.00000E+00
357	8.62284E-01	1.62442E+01	9.02047E-01	1.33457E-03	0.00000E+00	0.00000E+00
358	9.15215E-01	1.62835E+01	9.02078E-01	1.33119E-03	0.00000E+00	0.00000E+00
359	9.16733E-01	1.63220E+01	9.02119E-01	1.32809E-03	0.00000E+00	0.00000E+00
360	9.34686E-01	1.63613E+01	9.02210E-01	1.32750E-03	0.00000E+00	0.00000E+00
361	9.04736E-01	1.64035E+01	9.02217E-01	1.32381E-03	0.00000E+00	0.00000E+00
362	9.54986E-01	1.64410E+01	9.02364E-01	1.32824E-03	0.00000E+00	0.00000E+00
363	8.83360E-01	1.64822E+01	9.02311E-01	1.32561E-03	0.00000E+00	0.00000E+00
364	9.04672E-01	1.65233E+01	9.02318E-01	1.32195E-03	0.00000E+00	0.00000E+00
365	8.88081E-01	1.65618E+01	9.02279E-01	1.31889E-03	0.00000E+00	0.00000E+00
366	8.65611E-01	1.66040E+01	9.02233E-01	1.31606E-03	0.00000E+00	0.00000E+00
367	9.29325E-01	1.66433E+01	9.02307E-01	1.31455E-03	0.00000E+00	0.00000E+00
368	8.68192E-01	1.66845E+01	9.02214E-01	1.31426E-03	0.00000E+00	0.00000E+00
369	9.28952E-01	1.67267E+01	9.02287E-01	1.31270E-03	0.00000E+00	0.00000E+00
370	8.92545E-01	1.67668E+01	9.02260E-01	1.30939E-03	0.00000E+00	0.00000E+00
371	9.59783E-01	1.68072E+01	9.02416E-01	1.31511E-03	0.00000E+00	0.00000E+00
372	9.17828E-01	1.68465E+01	9.02459E-01	1.31221E-03	0.00000E+00	0.00000E+00
373	9.11716E-01	1.68850E+01	9.02483E-01	1.30891E-03	0.00000E+00	0.00000E+00
374	8.58140E-01	1.69235E+01	9.02363E-01	1.31082E-03	0.00000E+00	0.00000E+00
375	9.07467E-01	1.69673E+01	9.02377E-01	1.30737E-03	0.00000E+00	0.00000E+00
376	9.07179E-01	1.70077E+01	9.02390E-01	1.30393E-03	0.00000E+00	0.00000E+00
377	8.93386E-01	1.70498E+01	9.02366E-01	1.30067E-03	0.00000E+00	0.00000E+00
378	8.78099E-01	1.70900E+01	9.02301E-01	1.29881E-03	0.00000E+00	0.00000E+00
379	8.96291E-01	1.71313E+01	9.02285E-01	1.29546E-03	0.00000E+00	0.00000E+00
380	8.9682E-01	1.71715E+01	9.02271E-01	1.29211E-03	0.00000E+00	0.00000E+00
381	8.96383E-01	1.72118E+01	9.02256E-01	1.28879E-03	0.00000E+00	0.00000E+00
382	8.83649E-01	1.72512E+01	9.02207E-01	1.28632E-03	0.00000E+00	0.00000E+00
383	8.60988E-01	1.72952E+01	9.02099E-01	1.28745E-03	0.00000E+00	0.00000E+00
384	9.19223E-01	1.73372E+01	9.02144E-01	1.28490E-03	0.00000E+00	0.00000E+00
385	9.26637E-01	1.73803E+01	9.02208E-01	1.28314E-03	0.00000E+00	0.00000E+00
386	9.09613E-01	1.74197E+01	9.02227E-01	1.27994E-03	0.00000E+00	0.00000E+00
387	9.04452E-01	1.74596E+01	9.02233E-01	1.27662E-03	0.00000E+00	0.00000E+00
388	8.78504E-01	1.74993E+01	9.02171E-01	1.27479E-03	0.00000E+00	0.00000E+00
389	8.86236E-01	1.75405E+01	9.02130E-01	1.27216E-03	0.00000E+00	0.00000E+00
390	8.85948E-01	1.75817E+01	9.02088E-01	1.26956E-03	0.00000E+00	0.00000E+00
391	8.79488E-01	1.76238E+01	9.02030E-01	1.26763E-03	0.00000E+00	0.00000E+00
392	8.81400E-01	1.76632E+01	9.01977E-01	1.26547E-03	0.00000E+00	0.00000E+00
393	8.79957E-01	1.77025E+01	9.01921E-01	1.26349E-03	0.00000E+00	0.00000E+00
394	9.56408E-01	1.77418E+01	9.02060E-01	1.26790E-03	0.00000E+00	0.00000E+00
395	8.58242E-01	1.77840E+01	9.01949E-01	1.26958E-03	0.00000E+00	0.00000E+00
396	8.88563E-01	1.78242E+01	9.01915E-01	1.26680E-03	0.00000E+00	0.00000E+00
397	8.52183E-01	1.78655E+01	9.01789E-01	1.26985E-03	0.00000E+00	0.00000E+00
398	9.47417E-01	1.79057E+01	9.01904E-01	1.27187E-03	0.00000E+00	0.00000E+00

399	9.14630E-01	1.79468E+01	9.01936E-01	1.26907E-03	0.00000E+00	0.00000E+00
400	9.09073E-01	1.79882E+01	9.01954E-01	1.26100E-03	0.00000E+00	0.00000E+00
401	9.52264E-01	1.80312E+01	9.02080E-01	1.26910E-03	0.00000E+00	0.00000E+00
402	8.98030E-01	1.80713E+01	9.02070E-01	1.26197E-03	0.00000E+00	0.00000E+00
403	9.12665E-01	1.81106E+01	9.02096E-01	1.26308E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.


TRIGA - PREF. FLOOD CANISTER


LIFETIME = 4.68411E-05 + OR - 1.44136E-07 GENERATION TIME = 1.71707E-05 + OR - 5.28871E-08
NU BAR = 2.42239E+00 + OR - 1.20609E-05 AVERAGE FISSION GROUP = 2.15384E+01 + OR - 5.20178E-03
ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 2.49898E-01 + OR - 9.08878E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.90216	+ OR - 0.00126	0.90089 TO 0.90342	0.89963 TO 0.90469	0.89836 TO 0.90595	400000
4	0.90217	+ OR - 0.00127	0.90091 TO 0.90344	0.89964 TO 0.90471	0.89837 TO 0.90598	399000
5	0.90220	+ OR - 0.00127	0.90093 TO 0.90347	0.89965 TO 0.90474	0.89838 TO 0.90601	398000
6	0.90226	+ OR - 0.00127	0.90099 TO 0.90354	0.89972 TO 0.90481	0.89845 TO 0.90608	397000
7	0.90224	+ OR - 0.00128	0.90096 TO 0.90351	0.89969 TO 0.90479	0.89841 TO 0.90606	396000
8	0.90223	+ OR - 0.00128	0.90095 TO 0.90350	0.89967 TO 0.90478	0.89839 TO 0.90606	395000
9	0.90226	+ OR - 0.00129	0.90097 TO 0.90354	0.89969 TO 0.90482	0.89841 TO 0.90610	394000
10	0.90224	+ OR - 0.00128	0.90095 TO 0.90352	0.89967 TO 0.90481	0.89838 TO 0.90609	393000
11	0.90222	+ OR - 0.00129	0.90093 TO 0.90351	0.89965 TO 0.90480	0.89836 TO 0.90608	392000
12	0.90225	+ OR - 0.00129	0.90096 TO 0.90354	0.89967 TO 0.90483	0.89837 TO 0.90612	391000
17	0.90241	+ OR - 0.00130	0.90111 TO 0.90371	0.89980 TO 0.90501	0.89850 TO 0.90632	386000
22	0.90224	+ OR - 0.00130	0.90094 TO 0.90354	0.89964 TO 0.90484	0.89834 TO 0.90614	381000
27	0.90239	+ OR - 0.00131	0.90108 TO 0.90371	0.89977 TO 0.90502	0.89846 TO 0.90633	376000
32	0.90224	+ OR - 0.00132	0.90092 TO 0.90353	0.89961 TO 0.90488	0.89829 TO 0.90620	371000
37	0.90240	+ OR - 0.00133	0.90107 TO 0.90373	0.89973 TO 0.90506	0.89840 TO 0.90640	366000
42	0.90234	+ OR - 0.00135	0.90100 TO 0.90369	0.89965 TO 0.90504	0.89830 TO 0.90639	361000
47	0.90256	+ OR - 0.00136	0.90120 TO 0.90391	0.89984 TO 0.90527	0.89848 TO 0.90663	356000
52	0.90266	+ OR - 0.00137	0.90129 TO 0.90403	0.89992 TO 0.90540	0.89855 TO 0.90677	351000
57	0.90289	+ OR - 0.00138	0.90151 TO 0.90427	0.90013 TO 0.90564	0.89876 TO 0.90702	346000
62	0.90248	+ OR - 0.00138	0.90111 TO 0.90386	0.89973 TO 0.90524	0.89835 TO 0.90661	341000
67	0.90261	+ OR - 0.00139	0.90122 TO 0.90401	0.89983 TO 0.90540	0.89843 TO 0.90680	336000
72	0.90237	+ OR - 0.00140	0.90097 TO 0.90377	0.89957 TO 0.90517	0.89817 TO 0.90658	331000
77	0.90221	+ OR - 0.00141	0.90080 TO 0.90362	0.89939 TO 0.90504	0.89757 TO 0.90645	326000
82	0.90195	+ OR - 0.00142	0.90053 TO 0.90337	0.89910 TO 0.90480	0.89768 TO 0.90622	321000
87	0.90201	+ OR - 0.00144	0.90057 TO 0.90345	0.89913 TO 0.90489	0.89769 TO 0.90633	316000
92	0.90179	+ OR - 0.00144	0.90035 TO 0.90324	0.89891 TO 0.90468	0.89747 TO 0.90612	311000
97	0.90159	+ OR - 0.00146	0.90013 TO 0.90305	0.89867 TO 0.90451	0.89721 TO 0.90597	306000
102	0.90145	+ OR - 0.00148	0.89997 TO 0.90293	0.89845 TO 0.90441	0.89701 TO 0.90589	301000
107	0.90111	+ OR - 0.00149	0.89962 TO 0.90261	0.89813 TO 0.90410	0.89664 TO 0.90569	296000
112	0.90135	+ OR - 0.00150	0.89985 TO 0.90285	0.89835 TO 0.90436	0.89685 TO 0.90586	291000
117	0.90154	+ OR - 0.00152	0.90002 TO 0.90305	0.89850 TO 0.90457	0.89699 TO 0.90608	286000
122	0.90177	+ OR - 0.00152	0.90025 TO 0.90330	0.89873 TO 0.90482	0.89720 TO 0.90634	281000
127	0.90191	+ OR - 0.00154	0.90038 TO 0.90345	0.89884 TO 0.90499	0.89730 TO 0.90652	276000
132	0.90163	+ OR - 0.00155	0.90007 TO 0.90318	0.89852 TO 0.90474	0.89696 TO 0.90629	271000
137	0.90141	+ OR - 0.00157	0.89983 TO 0.90298	0.89826 TO 0.90456	0.89668 TO 0.90613	266000
142	0.90152	+ OR - 0.00160	0.89993 TO 0.90312	0.89833 TO 0.90471	0.89674 TO 0.90631	261000
147	0.90176	+ OR - 0.00162	0.90014 TO 0.90338	0.89852 TO 0.90500	0.89690 TO 0.90662	256000
152	0.90199	+ OR - 0.00164	0.90035 TO 0.90363	0.89871 TO 0.90526	0.89707 TO 0.90690	251000
157	0.90204	+ OR - 0.00166	0.90038 TO 0.90370	0.89872 TO 0.90536	0.89706 TO 0.90702	246000
162	0.90266	+ OR - 0.00167	0.90099 TO 0.90433	0.89932 TO 0.90600	0.89765 TO 0.90767	241000
167	0.90279	+ OR - 0.00168	0.90110 TO 0.90447	0.89942 TO 0.90615	0.89774 TO 0.90783	236000
172	0.90314	+ OR - 0.00170	0.90144 TO 0.90484	0.89974 TO 0.90654	0.89804 TO 0.90824	231000
177	0.90285	+ OR - 0.00172	0.90113 TO 0.90457	0.89940 TO 0.90630	0.89768 TO 0.90802	226000
182	0.90221	+ OR - 0.00170	0.90052 TO 0.90391	0.89882 TO 0.90561	0.89712 TO 0.90731	221000
187	0.90242	+ OR - 0.00170	0.90072 TO 0.90412	0.89902 TO 0.90582	0.89732 TO 0.90752	216000
192	0.90236	+ OR - 0.00172	0.90064 TO 0.90408	0.89892 TO 0.90580	0.89720 TO 0.90752	211000
197	0.90217	+ OR - 0.00176	0.90041 TO 0.90393	0.89866 TO 0.90569	0.89690 TO 0.90745	206000
202	0.90184	+ OR - 0.00179	0.90005 TO 0.90363	0.89826 TO 0.90541	0.89648 TO 0.90720	201000
207	0.90156	+ OR - 0.00182	0.89974 TO 0.90338	0.89793 TO 0.90520	0.89611 TO 0.90701	196000
212	0.90162	+ OR - 0.00186	0.89977 TO 0.90348	0.89791 TO 0.90533	0.89605 TO 0.90719	191000
217	0.90152	+ OR - 0.00189	0.89963 TO 0.90342	0.89774 TO 0.90531	0.89584 TO 0.90721	186000
222	0.90215	+ OR - 0.00192	0.90023 TO 0.90407	0.89832 TO 0.90598	0.89640 TO 0.90790	181000
227	0.90255	+ OR - 0.00194	0.90061 TO 0.90449	0.89868 TO 0.90643	0.89674 TO 0.90837	176000
232	0.90262	+ OR - 0.00196	0.90066 TO 0.90458	0.89870 TO 0.90654	0.89674 TO 0.90850	171000
237	0.90250	+ OR - 0.00201	0.90049 TO 0.90452	0.89848 TO 0.90653	0.89646 TO 0.90854	166000
242	0.90281	+ OR - 0.00207	0.90074 TO 0.90487	0.89867 TO 0.90694	0.89660 TO 0.90901	161000
247	0.90256	+ OR - 0.00211	0.90045 TO 0.90468	0.89834 TO 0.90679	0.89623 TO 0.90890	156000
252	0.90247	+ OR - 0.00214	0.90034 TO 0.90461	0.89820 TO 0.90675	0.89606 TO 0.90888	151000
257	0.90330	+ OR - 0.00214	0.90116 TO 0.90544	0.89902 TO 0.90758	0.89687 TO 0.90972	146000
262	0.90381	+ OR - 0.00220	0.90161 TO 0.90601	0.89941 TO 0.90821	0.89721 TO 0.91041	141000
267	0.90333	+ OR - 0.00225	0.90108 TO 0.90559	0.89882 TO 0.90784	0.89657 TO 0.91010	136000
272	0.90326	+ OR - 0.00228	0.90097 TO 0.90554	0.89869 TO 0.90782	0.89643 TO 0.91010	131000
277	0.90265	+ OR - 0.00234	0.90031 TO 0.90498	0.89797 TO 0.90732	0.89563 TO 0.90966	126000
282	0.90326	+ OR - 0.00241	0.90085 TO 0.90567	0.89844 TO 0.90808	0.89603 TO 0.91049	121000
287	0.90318	+ OR - 0.00246	0.90073 TO 0.90564	0.89827 TO 0.90809	0.89582 TO 0.91055	116000
292	0.90319	+ OR - 0.00252	0.90067 TO 0.90571	0.89814 TO 0.90824	0.89562 TO 0.91076	111000
297	0.90284	+ OR - 0.00261	0.90022 TO 0.90545	0.89761 TO 0.90806	0.89500 TO 0.91068	106000
302	0.90213	+ OR - 0.00266	0.89947 TO 0.90479	0.89681 TO 0.90744	0.89416 TO 0.91010	101000
307	0.90190	+ OR - 0.00269	0.89921 TO 0.90459	0.89652 TO 0.90727	0.89384 TO 0.90996	96000
312	0.90140	+ OR - 0.00278	0.89862 TO 0.90418	0.89584 TO 0.90695	0.89306 TO 0.90973	91000
317	0.90216	+ OR - 0.00289	0.89927 TO 0.90505	0.89638 TO 0.90794	0.89349 TO 0.91083	86000
322	0.90156	+ OR - 0.00304	0.89852 TO 0.90460	0.89548 TO 0.90764	0.89244 TO 0.91068	81000
327	0.90098	+ OR - 0.00318	0.89780 TO 0.90416	0.89462 TO 0.90734	0.89144 TO 0.91052	76000
332	0.90225	+ OR - 0.00322	0.89903 TO 0.90547	0.89581 TO 0.90869	0.89259 TO 0.91191	71000
337	0.90256	+ OR - 0.00327	0.89929 TO 0.90583	0.89602 TO 0.90910	0.89275 TO 0.91237	66000
342	0.90252	+ OR - 0.00350	0.89902 TO 0.90603	0.89552 TO 0.90953	0.89201 TO 0.91303	61000
347	0.90300	+ OR - 0.00369	0.89931 TO 0.90669	0.89562 TO 0.91038	0.89193 TO 0.91407	56000
352	0.90134	+ OR - 0.00386	0.89748 TO 0.90520	0.89362 TO 0.90907	0.88976 TO 0.91293	51000
357	0.90248	+ OR - 0.00394	0.89854 TO 0.90641	0.89461 TO 0.91035	0.89067 TO 0.91429	46000
362	0.89975	+ OR - 0.00411	0.89564 TO 0.90385	0.89154 TO 0.90796	0.88743 TO 0.91206	41000
367	0.89996	+ OR - 0.00455	0.89541 TO 0.90452	0.89085 TO 0.90907	0.88630 TO 0.91362	36000
372	0.89778	+ OR - 0.00466	0.89313 TO 0.90244	0.88847 TO 0.90710	0.88381 TO 0.91176	31000
377	0.89821	+ OR - 0.00529	0.89292 TO 0.90350	0.88762 TO 0.90879	0.88233 TO 0.91409	26000
382	0.90010	+ OR - 0.00646	0.89364 TO 0.90655	0.88718 TO 0.91301	0.88072 TO 0.91947	21000
387	0.89882	+ OR - 0.00785	0.89097 TO 0.90666	0.88313 TO 0.91451	0.87528 TO 0.92236	16000
392	0.90631	+ OR - 0.01076	0.89555 TO 0.91708	0.88478 TO 0.92784	0.87402 TO 0.93861	11000
397	0.92235	+ OR - 0.00903	0.91332 TO 0.93137	0.90429 TO 0.94040	0.89527 TO 0.94943	6000

TRIGA - PREF. FLOOD CANISTER

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS K-EFF = 0.9022 ± OR - 0.0013 WHICH OCCURS FOR 403 GENERATIONS RUN.







I * I
I * I
I * I

TRIGA - PREF. FLOOD CANISTER

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION SKIPPED.
THE LINE REPRESENTS K-EFF = 0.9022 + OR - 0.0013 WHICH OCCURS FOR 3 GENERATIONS SKIPPED.





TRIGA - PREF. FLOOD CANISTER									
SKIPPING 3 GENERATIONS									
GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0006			5.25117E-04	1.6403	1.09426E-03	1.6064	0.00000E+00	0.0000
2	0.0027			2.44675E-03	0.4783	3.09180E-03	0.4792	0.00000E+00	0.0000
3	0.0035			3.19630E-03	0.4015	2.24915E-03	0.3565	0.00000E+00	0.0000
4	0.0021			1.92481E-03	0.4747	1.29146E-03	0.4038	0.00000E+00	0.0000
5	0.0030			2.69630E-03	0.3626	2.48810E-03	0.3219	0.00000E+00	0.0000
6	0.0043			3.83930E-03	0.2702	7.50637E-03	0.3222	0.00000E+00	0.0000
7	0.0050			4.47319E-03	0.2301	1.51095E-02	0.3541	0.00000E+00	0.0000
8	0.0051			4.63561E-03	0.2304	1.37660E-02	0.3414	0.00000E+00	0.0000
9	0.0071			6.41831E-03	0.2365	1.66960E-02	0.2673	0.00000E+00	0.0000
10	0.0151			1.35898E-02	0.2296	4.04688E-02	0.2976	0.00000E+00	0.0000
11	0.0319			2.87714E-02	0.2356	7.29025E-02	0.2655	0.00000E+00	0.0000
12	0.0418			3.77037E-02	0.2483	4.99995E-02	0.2607	0.00000E+00	0.0000
13	0.0374			3.37502E-02	0.2645	5.75641E-02	0.2679	0.00000E+00	0.0000
14	0.0302			2.72559E-02	0.2485	6.73208E-02	0.2565	0.00000E+00	0.0000
15	0.0060			5.41042E-03	0.3577	2.80413E-02	0.4811	0.00000E+00	0.0000
16	0.0041			3.66578E-03	0.4459	1.58181E-02	0.5886	0.00000E+00	0.0000
17	0.0061			5.52764E-03	0.6393	9.31682E-03	0.6235	0.00000E+00	0.0000
18	0.0082			7.42696E-03	0.6274	9.20261E-03	0.6153	0.00000E+00	0.0000
19	0.0100			8.99048E-03	0.4909	1.44742E-02	0.6135	0.00000E+00	0.0000
20	0.0399			3.59549E-02	0.3201	4.76949E-02	0.3671	0.00000E+00	0.0000
21	0.0206			1.86152E-02	0.4835	1.85951E-02	0.4952	0.00000E+00	0.0000
22	0.0468			4.22116E-02	0.4027	3.79346E-02	0.4197	0.00000E+00	0.0000
23	0.1284			1.15860E-01	0.2645	9.92098E-02	0.2428	0.00000E+00	0.0000
24	0.1877			1.69342E-01	0.2533	1.33525E-01	0.2296	0.00000E+00	0.0000
25	0.1396			1.25961E-01	0.2961	9.58818E-02	0.2492	0.00000E+00	0.0000
26	0.1566			1.41266E-01	0.3219	1.04837E-01	0.2740	0.00000E+00	0.0000
27	0.0562			5.06990E-02	0.5058	3.50944E-02	0.4716	0.00000E+00	0.0000
SYSTEM TOTAL =				9.02158E-01	0.1402	1.00117E+00	0.0449	0.00000E+00	0.0000
ELAPSED TIME: 18.11267 MINUTES									
RANDOM NUMBER= 676267006D12									

_TRIGA - PREF. FLOOD CANISTER

```
FREQUENCY FOR GENERATIONS 4 TO 403
**
0.8363 TO 0.8444 *****
0.8444 TO 0.8525 *****
0.8525 TO 0.8607 *****
0.8607 TO 0.8688 *****
0.8688 TO 0.8769 *****
0.8769 TO 0.8850 *****
0.8850 TO 0.8932 *****
0.8932 TO 0.9013 *****
0.9013 TO 0.9094 *****
0.9094 TO 0.9175 *****
0.9175 TO 0.9257 *****
0.9257 TO 0.9338 *****
0.9338 TO 0.9419 *****
0.9419 TO 0.9500 *****
0.9500 TO 0.9582 *****
0.9582 TO 0.9663 *****
0.9663 TO 0.9744 *****
0.9744 TO 0.9825 *****
```

```
FREQUENCY FOR GENERATIONS 104 TO 403
**
0.8363 TO 0.8444 *****
0.8444 TO 0.8525 *****
0.8525 TO 0.8607 *****
0.8607 TO 0.8688 *****
0.8688 TO 0.8769 *****
0.8769 TO 0.8850 *****
0.8850 TO 0.8932 *****
0.8932 TO 0.9013 *****
0.9013 TO 0.9094 *****
0.9094 TO 0.9175 *****
0.9175 TO 0.9257 *****
0.9257 TO 0.9338 *****
0.9338 TO 0.9419 *****
0.9419 TO 0.9500 *****
0.9500 TO 0.9582 *****
0.9582 TO 0.9663 *****
0.9663 TO 0.9744 *****
0.9744 TO 0.9825 *****
```

```
FREQUENCY FOR GENERATIONS 204 TO 403
*
0.8363 TO 0.8444 *****
0.8444 TO 0.8525 *****
0.8525 TO 0.8607 *****
0.8607 TO 0.8688 *****
0.8688 TO 0.8769 *****
0.8769 TO 0.8850 *****
0.8850 TO 0.8932 *****
0.8932 TO 0.9013 *****
0.9013 TO 0.9094 *****
0.9094 TO 0.9175 *****
0.9175 TO 0.9257 *****
0.9257 TO 0.9338 *****
0.9338 TO 0.9419 *****
0.9419 TO 0.9500 *****
0.9500 TO 0.9582 *****
0.9582 TO 0.9663 *****
0.9663 TO 0.9744 *****
0.9744 TO 0.9825 *****
```

_TRIGA - PREF. FLOOD CANISTER

```
FREQUENCY FOR GENERATIONS 304 TO 403
*
0.8363 TO 0.8444 *****
0.8444 TO 0.8525 *****
0.8525 TO 0.8607 *****
0.8607 TO 0.8688 *****
0.8688 TO 0.8769 *****
0.8769 TO 0.8850 *****
0.8850 TO 0.8932 *****
0.8932 TO 0.9013 *****
0.9013 TO 0.9094 *****
0.9094 TO 0.9175 *****
0.9175 TO 0.9257 *****
0.9257 TO 0.9338 *****
0.9338 TO 0.9419 *****
0.9419 TO 0.9500 *****
0.9500 TO 0.9582 *****
0.9582 TO 0.9663 *****
0.9663 TO 0.9744 *****
0.9744 TO 0.9825 *****
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 18.11350 MINUTES
.....

Figure 6.6.5-3 Summary of CSAS Input/Output for TRIGA Benchmark Core 132

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
TRIGA BENCHMARK CORE 132
27GROUPNDF4 LATTICECELL
'FUEL ELEMENT - FUEL
U-235 1 0.0 3.682E-4 297. END
U-238 1 0.0 1.463E-3 297. END
ZR 1 0.0 3.502E-2 297. END
H 1 0.0 5.778E-2 297. END
'FUEL ELEMENT / FOLLOWER - CLAD, FUEL FOLLOWER SEPERATOR
SS304 2 1.0 297.0 END
'MODERATOR
H2O 3 1.0 297.0 END
'CORE REFLECTOR GRAPHITE SHELL, GRID PLATES, TRANSIENT TUBE, SOURCE CLAD
AL 4 1.0 297.0 END
'CENTER ROD
ZR 5 1.0 297.0 END
'GRAPHITE CORE REFLECTOR, FUEL ELEMENT REFLECTORS
C 6 DEN=1.6 1.0 297.0 END
'FUEL FOLLOWER - FUEL
U-235 7 0.0 3.758E-4 297. END
U-238 7 0.0 1.494E-3 297. END
ZR 7 0.0 3.492E-2 297. END
H 7 0.0 5.762E-2 297. END
'POISON IN FUEL FOLLOWER AND AIR FOLLOWER
B4C 8 DEN=2.48 1.0 297. END
'MATERIAL FOR PELLETT - CLAD GAP, VOID AND TRANSIENT AIR ROD
H2O 9 DEN=1.0E-20 1.0 297. END
'MATERIAL FOR TIPS OF STEEL FUEL ELEMENT
H2O 10 1.0 297. END
'MATERIAL FOR TIPS OF SOURCE ELEMENT
H2O 11 1.0 297. END
END COMP
'LATTICE CELL CARD IGNORES ZIRC ROD IN MIDDLE - SUBSTITUTES FUEL MATRIX
TRIANGPITCH 3.9775 3.6449 1 3 3.75412 2 3.65252 9 END
MORE DATA
RES=7 CYLINDER 1.69545 DAN(7)=5.57216E-01
END MORE
TRIGA BENCHMARK CORE 132
READ PARAM TME=170.0 GEN=403 NPG=1000 RUN=YES PLT=NO
END PARAM
READ GEOM
UNIT 1
COM='TRIGA FUEL ELEMENT'
CYLINDER 5 1 0.3175 2P19.05
CYLINDER 1 1 1.8225 2P19.05
CYLINDER 6 1 1.8225 +27.888 -27.864
CYLINDER 9 1 1.8263 +27.888 -27.864
CYLINDER 2 1 1.8771 2P30.64
CYLINDER 10 1 1.8771 2P36.03
UNIT 2
COM='TRIGA FUEL FOLLOWER'
CYLINDER 5 1 0.3175 2P19.05
CYLINDER 7 1 1.6650 2P19.05
CYLINDER 9 1 1.6650 +19.6850 -19.0500
CYLINDER 2 1 1.6650 +20.9550 -21.5900
CYLINDER 8 1 1.6650 +59.0550 -21.5900
CYLINDER 9 1 1.6650 +59.3725 -21.5900
CYLINDER 2 1 1.6650 +60.6424 -21.5900
CYLINDER 9 1 1.6955 +69.1250 -36.8300
CYLINDER 2 1 1.7463 +73.0250 -38.1000
UNIT 3
COM='TRIGA TRANSIENT AIR ROD + TUBE'
CYLINDER 9 1 1.5164 2P19.05
CYLINDER 9 1 1.5164 +19.6850 -19.0500
CYLINDER 4 1 1.5164 +20.9550 -21.5900
CYLINDER 8 1 1.5164 +59.0550 -21.5900
CYLINDER 9 1 1.5164 +59.3725 -21.5900
CYLINDER 4 1 1.5164 +60.6424 -21.5900
CYLINDER 9 1 1.5164 +69.1250 -36.8300
CYLINDER 4 1 1.5875 +73.0250 -38.1000
CYLINDER 3 1 1.6000 +73.0250 -38.1000
CYLINDER 4 1 1.9000 +73.0250 -38.1000
UNIT 4
COM='SOURCE ROD'
CYLINDER 9 1 1.8263 +27.888 -27.864
CYLINDER 4 1 1.8771 2P30.64
CYLINDER 11 1 1.8771 2P36.03
UNIT 5
COM='WATER FOR EMPTY LOCATIONS'
CYLINDER 3 1 1.8771 2P36.03
GLOBAL UNIT 10
COM='ACTIVE CORE CONFIGURATION'
CYLINDER 3 1 22.06 73.025 -38.10
'RING A
HOLE 1 0.0000 0.0000 0.0000
'RING B
HOLE 1 3.5109 2.0270 0.0000
HOLE 1 0.0000 4.0540 0.0000
HOLE 2 -3.5109 2.0270 0.0000
HOLE 1 -3.5109 -2.0270 0.0000
HOLE 1 0.0000 -4.0540 0.0000
HOLE 1 3.5109 -2.0270 0.0000
'RING C
HOLE 2 7.9810 0.0000 0.0000
HOLE 1 6.9117 3.9905 0.0000
HOLE 1 3.9905 6.9117 0.0000

```

```

HOLE 1 0.0000 7.9810 0.0000
HOLE 1 -3.9905 6.9117 0.0000
HOLE 1 -6.9117 3.9905 0.0000
HOLE 2 -7.9810 0.0000 0.0000
HOLE 1 -6.9117 -3.9905 0.0000
HOLE 1 -3.9905 -6.9117 0.0000
HOLE 1 0.0000 -7.9810 0.0000
HOLE 1 3.9905 -6.9117 0.0000
HOLE 1 6.9117 -3.9905 0.0000
' RING D
HOLE 1 11.7566 2.0730 0.0000
HOLE 1 10.3386 5.9690 0.0000
HOLE 1 7.6736 9.1450 0.0000
HOLE 1 4.0830 11.2181 0.0000
HOLE 2 0.0000 11.9380 0.0000
HOLE 1 -4.0830 11.2181 0.0000
HOLE 1 -7.6736 9.1450 0.0000
HOLE 1 -10.3386 5.9690 0.0000
HOLE 1 -11.7566 2.0730 0.0000
HOLE 1 -11.7566 -2.0730 0.0000
HOLE 1 -10.3386 -5.9690 0.0000
HOLE 1 -7.6736 -9.1450 0.0000
HOLE 1 -4.0830 -11.2181 0.0000
HOLE 2 0.0000 -11.9380 0.0000
HOLE 1 4.0830 -11.2181 0.0000
HOLE 1 7.6736 -9.1450 0.0000
HOLE 1 10.3386 -5.9690 0.0000
HOLE 1 11.7566 -2.0730 0.0000
' RING E
HOLE 5 15.9160 0.0000 0.0000
HOLE 5 15.3737 4.1194 0.0000
HOLE 5 13.7837 7.9580 0.0000
HOLE 5 11.2543 11.2543 0.0000
HOLE 5 7.9580 13.7837 0.0000
HOLE 5 4.1194 15.3737 0.0000
HOLE 5 0.0000 15.9160 0.0000
HOLE 4 -4.1194 15.3737 0.0000
HOLE 5 -7.9580 13.7837 0.0000
HOLE 1 -11.2543 11.2543 0.0000
HOLE 1 -13.7837 7.9580 0.0000
HOLE 1 -15.3737 4.1194 0.0000
HOLE 1 -15.9160 0.0000 0.0000
HOLE 1 -15.3737 -4.1194 0.0000
HOLE 1 -13.7837 -7.9580 0.0000
HOLE 1 -11.2543 -11.2543 0.0000
HOLE 5 -7.9580 -13.7837 0.0000
HOLE 5 -4.1194 -15.3737 0.0000
HOLE 5 0.0000 -15.9160 0.0000
HOLE 5 4.1194 -15.3737 0.0000
HOLE 5 7.9580 -13.7837 0.0000
HOLE 5 11.2543 -11.2543 0.0000
HOLE 5 13.7837 -7.9580 0.0000
HOLE 5 15.3737 -4.1194 0.0000
' RADIAL REFLECTORS EXTENDED BEYOND FUEL FOLLOWER HEIGHT
CYLINDER 4 1 22.66 73.025 -38.10
CYLINDER 6 1 53.23 73.025 -38.10
CYLINDER 4 1 54.50 73.025 -38.10
CUBOID 3 1 4P100.0 +200.00 -100.00
END GEOM
READ BOUNDS ALL=VOID END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CORE CENTER'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=300
XUL=-5.0 YUL=5.0 ZUL=0.0
XLR=5.0 YLR=-5.0 ZLR=0.0 END
TTL='X-Y PLOT OF ACTIVE CORE'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=300
XUL=-20.0 YUL=20.0 ZUL=0.0
XLR=20.0 YLR=-20.0 ZLR=0.0 END
TTL='X-Y PLOT OF CORE'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=300
XUL=-55.0 YUL=55.0 ZUL=0.0
XLR=55.0 YLR=-55.0 ZLR=0.0 END
TTL='Y-Z PLOT OF CORE'
SCR=YES PIC=MAT LPI=10
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-20.0 ZUL=30.0
XLR=0.0 YLR=+20.0 ZLR=-30.0 END
TTL='Y-Z PLOT OF CORE (INCLUDING FOLLOWER)'
SCR=YES PIC=MAT LPI=10
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-30.0 ZUL=80.0
XLR=0.0 YLR=+30.0 ZLR=-40.0 END
TTL='X-Z PLOT OF CORE'
SCR=YES PIC=MAT LPI=10
UAX=1.0 WDN=-1.0
XUL=-20.0 YUL=0.0 ZUL=30.0
XLR=+20.0 YLR=0.0 ZLR=-30.0
END PLOT
END DATA

```

SECONDARY MODULE 000008 HAS BEEN CALLED.

MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1.59 (SECONDS).

SECONDARY MODULE 000002 HAS BEEN CALLED.

MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 18.62 (SECONDS).

SECONDARY MODULE 000009 HAS BEEN CALLED.

MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 4709.75 (SECONDS).

MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 4732.60 (SECONDS).

```

CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  55555555555
CCCCCCCCC  SSSSSSSSS  AAAAAAAAAA  SSSSSSSSS  22222222222  55555555555
CC          SS        SS        AA        AA        SS        SS        22        22        55
CC          SS        AA        AA        AA        SS        SS        22        22        55
CC          SS        AA        AA        AA        SS        SS        22        22        55
CC          SSSSSSSSS  AAAAAAAAAA  SSSSSSSSS  22        22        55555555555
CC          SSSSSSSSS  AAAAAAAAAA  SSSSSSSSS  22        22        55555555555
CC          SS        AA        AA        AA        SS        SS        22        22        55
CC          SS        AA        AA        AA        SS        SS        22        22        55
CC          SS        SS        AA        AA        SS        SS        22        22        55
CCCCCCCCC  SSSSSSSSS  AA          AA        SSSSSSSSS  22222222222  55555555555
CCCCCCCCC  SSSSSSSSS  AA          AA        SSSSSSSSS  22222222222  55555555555
    
```

```

SSSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SSSSSSSSSS  CCCCCCCCC  AAAAAAAAAA LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SS          SS        CC          CC        AA          AA        LL          LL          EE          EE          PP          PP          CC          CC
SS          SS        CC          CC        AA          AA        LL          LL          EE          EE          PP          PP          CC          CC
SS          SS        CC          CC        AA          AA        LL          LL          EE          EE          PP          PP          CC          CC
SSSSSSSSSS  CC          AA          AA        LL          LL          EEEEEEEEE  PPPPPPPPP  CC          CC
SSSSSSSSSS  CC          AA          AA        LL          LL          EEEEEEEEE  PPPPPPPPP  CC          CC
SS          SS        CC          CC        AA          AA        LL          LL          EE          EE          PP          PP          CC          CC
SS          SS        CC          CC        AA          AA        LL          LL          EE          EE          PP          PP          CC          CC
SSSSSSSSSS  CCCCCCCCC  AA          AA        LLLLLLLLL  EEEEEEEEE  PP          PP          CCCCCCCCC
SSSSSSSSSS  CCCCCCCCC  AA          AA        LLLLLLLLL  EEEEEEEEE  PP          PP          CCCCCCCCC
    
```

```

11          11          //          0000000  44          //          99999999999  77777777777
111         111         //          000000000  444         //          9999999999999  77777777777
1111        1111       //          00          00        4444        //          99          99        77          77
11          11          //          00          00        44 44        //          99          99        77          77
11          11          //          00          00        44 44        //          99          99        77          77
11          11          //          00          00        44 44        //          9999999999999  77          77
11          11          //          00          00        44 44        //          9999999999999  77          77
11          11          //          00          00        44444444444  //          99          99        77          77
11          11          //          00          00        4444444444444  //          99          99        77          77
11          11          //          00          00        444444444444444  //          99          99        77          77
11          11          //          00          00        444444444444444  //          99          99        77          77
11          11          //          00          00        44          44        //          99          99        77          77
11          11          //          00          00        44          44        //          99          99        77          77
11111111   11111111  //          000000000  44          //          9999999999999  77          77
11111111   11111111  //          00000000  44          //          9999999999999  77          77
    
```

```

11          77777777777  //          22222222222  99999999999  //          00000000  11
111         777777777  //          2222222222222  9999999999999  //          0000000000  111
1111        77          //          22          22        99          99        //          00          00        1111
11          77          //          22          22        99          99        //          00          00        11
11          77          //          22          22        99          99        //          00          00        11
11          77          //          22          22        99          99        //          00          00        11
11          77          //          22          22        99          99        //          00          00        11
11          77          //          22          22        99          99        //          00          00        11
11          77          //          22          22        99          99        //          00          00        11
11          77          //          22          22        99          99        //          00          00        11
11          77          //          22          22        99          99        //          00          00        11
11111111   77          //          2222222222222  9999999999999  //          000000000  11111111
11111111   77          //          2222222222222  9999999999999  //          00000000  11111111
    
```

SSSSSSSSSS	CCCCCCCCC	AAAAAAA	LL	EEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCC
SSSSSSSSSS	CCCCCCCCC	AAAAAAA	LL	EEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCC
SS SS	CC CC	AA AA	LL	EE	PP PP	CC CC
SS	CC	AA AA	LL	EF	PP PP	CC CC
SS	CC	AA AA	LL	EE	PP PP	CC CC
SSSSSSSSSS	CC	AAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SSSSSSSSSS	CC	AAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SS SS	CC CC	AA AA	LL	EE	PP PP	CC CC
SS SS	CC CC	AA AA	LL	EE	PP PP	CC CC
SS SS	CC CC	AA AA	LL	EE	PP PP	CC CC
SSSSSSSSSS	CCCCCCCCC	AA AA	LLLLLLLLLLL	EEEEEEEEEEE	PP	CCCCCCCCC
SSSSSSSSSS	CCCCCCCCC	AA AA	LLLLLLLLLLL	EEEEEEEEEEE	PP	CCCCCCCCC

```

.....
PROGRAM VERIFICATION INFORMATION
CODE SYSTEM: SCALE-PC VERSION: 4.3
.....
PROGRAM: CSAS
CREATION DATE: 03-08-96
VOLUME: ENG
LIBRARY: G:\SCALE43\EXE
.....
PRODUCTION CODE: CSAS
VERSION: 3.1
JOBNAME: SCALE-PC
DATE OF EXECUTION: 11/04/97
TIME OF EXECUTION: 17:29:01
.....

```

'FUEL ELEMENT - FUEL
'FUEL ELEMENT / FOLLOWER - CLAD, FUEL FOLLOWER SEPERATOR
'MODERATOR
'CORE REFLECTOR GRAPHITE SHELL, GRID PLATES, TRANSIENT TUBE, SOURCE CLAD
'CENTER ROD
'GRAPHITE CORE REFLECTOR, FUEL ELEMENT REFLECTORS
'FUEL FOLLOWER - FUEL
'POISON IN FUEL FOLLOWER AND AIR FOLLOWER
'MATERIAL FOR PELLET - CLAD GAP, VOID AND TRANSIENT AIR ROD
'MATERIAL FOR TIPS OF STEEL FUEL ELEMENT
'MATERIAL FOR TIPS OF SOURCE ELEMENT
'LATTICE CELL CARD IGNORES ZIRC ROD IN MIDDLE - SUBSTITUTES FUEL MATRIX
'FUEL ELEMENT - FUEL
TRIGA BENCHMARK CORE 132

**** PROBLEM PARAMETERS ****

LJB 27GROUPNDF4 LIBRARY
MXX 11 MIXTURES
MSC 17 COMPOSITION SPECIFICATIONS
IZM 4 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 1 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC U-235 STANDARD COMPOSITION
MX 1 MIXTURE NO.
DEN 3.6820E-04 ATOMIC DENSITY
ROTH 1.0000 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
92235 1.00 ATOM/MOLECULE
END

SC U-238 STANDARD COMPOSITION
MX 1 MIXTURE NO.
DEN 1.4630E-03 ATOMIC DENSITY
ROTH 1.0000 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
92238 1.00 ATOM/MOLECULE
END

SC ZR STANDARD COMPOSITION
MX 1 MIXTURE NO.
DEN 3.5020E-02 ATOMIC DENSITY
ROTH 6.4900 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
40000 1.00 ATOM/MOLECULE
END

SC H STANDARD COMPOSITION
MX 1 MIXTURE NO.
DEN 5.7780E-02 ATOMIC DENSITY
ROTH 1.0000 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
1001 1.00 ATOM/MOLECULE

'FUEL ELEMENT / FOLLOWER - CLAD, FUEL FOLLOWER SEPERATOR
END

SC SS304 STANDARD COMPOSITION
MX 2 MIXTURE NG.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

'MODERATOR
END

SC H2O STANDARD COMPOSITION

MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
6016 1.00 ATOM/MOLECULE

'CORE REFLECTOR GRAPHITE SHELL, GRID PLATES, TRANSIENT TUBE, SOURCE CLAD
END

SC AL STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

'CENTER ROD
END

SC ZR STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 6.4900 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
40000 1.00 ATOM/MOLECULE

'GRAPHITE CORE REFLECTOR, FUEL ELEMENT REFLECTORS
END

SC C STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 1.6000 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
6012 1.00 ATOM/MOLECULE

'FUEL FOLLOWER - FUEL
END

SC U-235 STANDARD COMPOSITION
MX 7 MIXTURE NO.
DEN 3.7580E-04 ATOMIC DENSITY
ROTH 1.0000 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
92235 1.00 ATOM/MOLECULE
END

SC U-238 STANDARD COMPOSITION
MX 7 MIXTURE NO.
DEN 1.4940E-03 ATOMIC DENSITY
ROTH 1.0000 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
92238 1.00 ATOM/MOLECULE
END

SC ZR STANDARD COMPOSITION
MX 7 MIXTURE NO.
DEN 3.4920E-02 ATOMIC DENSITY
ROTH 6.4900 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
40000 1.00 ATOM/MOLECULE
END

SC H STANDARD COMPOSITION
MX 7 MIXTURE NO.
DEN 5.7620E-02 ATOMIC DENSITY
ROTH 1.0000 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
1001 1.00 ATOM/MOLECULE

'POISON IN FUEL FOLLOWER AND AIR FOLLOWER
END

SC B4C STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.4800 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
5000 4.00 ATOMS/MOLECULE
5010 18.431 WT%
5011 81.569 WT%
6012 1.00 ATOM/MOLECULE

'MATERIAL FOR PELLETT - CLAD GAP, VOID AND TRANSIENT AIR ROD
END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.0000 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

'MATERIAL FOR TIPS OF STEEL FUEL ELEMENT
END

SC H2O STANDARD COMPOSITION
MX 10 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

'MATERIAL FOR TIPS OF SOURCE ELEMENT
END

SC H2O STANDARD COMPOSITION
MX 11 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 297.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

**** PROBLEM GEOMETRY ****

'LATTICE CELL CARD IGNORES ZIRC ROD IN MIDDLE - SUBSTITUTES FUEL MATRIX

CTP TRIANGPITCH CELL TYPE
PITCH 3.9775 CM CENTER TO CENTER SPACING
FUELOD 3.6449 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 3.7541 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD
GAPOD 3.6525 CM GAP OUTER DIAMETER
MGAP 9 MIXTURE NO. OF GAP

**** SPECIAL PARAMETERS ****

ISN 8 ORDER OF ANGULAR QUADRATURE
IIM 20 INNER ITERATION MAXIMUM
ICM 25 OUTER ITERATION MAXIMUM
SZF 1.00000E+00 SIZE FACTOR FOR SPATIAL MESH
EPS 1.00000E-04 OVERALL PROBLEM CONVERGENCE
PTC 1.00000E-04 SCALAR FLUX CONVERGENCE
BKL 1.42089E+00 BUCKLING FACTOR
IUS 0 THERMAL UPSCATTER SCALING
BAL FINE BALANCE TABLE PRINT FLAG
DY 0.00000E+00 BUCKLING HEIGHT
DZ 0.00000E+00 BUCKLING DEPTH
IPN 0 DIFFUSION COEFFICIENT OPTION
FRD 0 LOGICAL UNIT NUMBER TO READ FLUX GUESS
FWR -1 LOGICAL UNIT NUMBER TO WRITE FLUX GUESS
MSH 2001 NUMBER OF INTERVALS FOR RES. INTGRINS
MLV 2 MAX LVALUE FOR RES. INTGRINS
AXS 0 LOGICAL UNIT NUMBER TO WRITE ANISN LIB
RES 7 MIXTURE WITH SPECIAL RESONANCE CORRECTION
* CYLINDER GEOMETRY FOR SPECIAL RESONANCE CORRECTION
* 1.69545E+00 DIMENSION (LBAR) FOR SPECIAL RESONANCE CORRECTION

DANCOFF FACTOR SPECIFICATION
MIXTURE FACTOR
7 0.55722

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD

KK	KK	EEEEEEEEEEEE	NN	NN	0000000000	VV	VV
KK	KK	EEEEEEEEEEEE	NNN	NN	000000000000	VV	VV
KK	KK	EE	NNNN	NN	00 00	VV	VV
KK	KK	EE	NN NN	NN	00 00	VV	VV
KK	KK	EE	NN NN	NN	00 00	VV	VV
KKKKKKKK		EEEEEEEE	NN NN	NN	00 00	VV	VV
KKKKKKKK		EEEEEEEE	NN NN	NN	00 00	VV	VV
KK	KK	EE	NN	NN NR	00 00	VV	VV
KK	KK	EE	NN	NN NN	00 00	VV	VV
KK	KK	EE	NN	NNNN	00 00	VV	VV
KK	KK	EEEEEEEEEEEE	NN	NNN	000000000000	VVV	V
KK	KK	EEEEEEEEEEEE	NN	NN	0000000000	V	

SSSSSSSSSS	CCCCCCCCCC	AAAAAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AAAAAAAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SS	SS	CC	AA	AA	PP	PP
SS	SS	CC	AA	AA	PP	PP
SS	SS	CC	AA	AA	PP	PP
SSSSSSSSSS	CC	AAAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SSSSSSSSSS	CC	AAAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SS	SS	CC	AA	AA	PP	CC
SS	SS	CC	AA	AA	PP	CC
SS	SS	CC	AA	AA	PP	CC
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LLLLLLLLLL	PP	CCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LLLLLLLLLLLL	PP	CCCCCCCCCC

11	11	///	000000	44	///	9999999999	7777777777
111	111	///	00000000	444	///	9999999999	7777777777
1111	1111	///	00 00	4444	///	99 99	77 77
11	11	///	00 00	44 44	///	99 99	77 77
11	11	///	00 00	44 44	///	99 99	77 77
11	11	///	00 00	44 44	///	9999999999	77 77
11	11	///	00 00	44 44	///	9999999999	77 77
11	11	///	00 00	4444444444	///	99 99	77 77
11	11	///	00 00	4444444444	///	99 99	77 77
11111111	11111111	///	00000000	44	///	9999999999	77 77
11111111	11111111	///	00000000	44	///	9999999999	77 77

11	7777777777	///	2222222222	9999999999	///	2222222222	3333333333
111	7777777777	///	2222222222	9999999999	///	2222222222	3333333333
1111	77 77	///	22 22	99 99	///	22 22	33 33
11	77	///	22 22	99 99	///	22 22	33 33
11	77	///	22 22	99 99	///	22 22	33 33
11	77	///	22 22	9999999999	///	22 22	333 333
11	77	///	22 22	9999999999	///	22 22	333 333
11	77	///	22 22	99 99	///	22 22	33 33
11	77	///	22 22	99 99	///	22 22	33 33
11	77	///	22 22	99 99	///	22 22	33 33
11111111	77 77	///	2222222222	9999999999	///	2222222222	3333333333
11111111	77 77	///	2222222222	9999999999	///	2222222222	3333333333


```
*****  
***  
*** TRIGA BENCHMARK CORE 132 ***  
***  
***** NUMERIC PARAMETERS *****  
***  
*** TME MAXIMUM PROBLEM TIME (MIN) 170.00 ***  
*** TBA TIME PER GENERATION (MIN) 0.50 ***  
*** GEN NUMBER OF GENERATIONS 403 ***  
*** NPG NUMBER PER GENERATION 1000 ***  
*** NSK NUMBER OF GENERATIONS TO BE SKIPPED 3 ***  
*** BEG BEGINNING GENERATION NUMBER 1 ***  
*** RES GENERATIONS BETWEEN CHECKPOINTS 0 ***  
*** X1D NUMBER OF EXTRA 1-D CROSS SECTIONS 1 ***  
*** NBK NEUTRON BANK SIZE 1025 ***  
*** XNB EXTRA POSITIONS IN NEUTRON BANK 0 ***  
*** NFB FISSION BANK SIZE 1000 ***  
*** XFB EXTRA POSITIONS IN FISSION BANK 0 ***  
*** WTA DEFAULT VALUE OF WEIGHT AVERAGE 0.5000 ***  
*** WTH WEIGHT HIGH FOR SPLITTING 3.0000 ***  
*** WTL WEIGHT LOW FOR RUSSIAN ROULETTE 0.3333 ***  
*** RND STARTING RANDOM NUMBER BB827100001 ***  
*** NBB NUMBER OF D.A. BLOCKS ON UNIT 8 200 ***  
*** NL8 LENGTH OF D.A. BLOCKS ON UNIT 8 512 ***  
*** ADJ MODE OF CALCULATION FORWARD ***  
*** INPUT DATA WRITTEN ON RESTART UNIT NO ***  
*** BINARY DATA INTERFACE YES ***  
***  
*****
```

```
*****  
*****  
***** TRIGA BENCHMARK CORE 132 *****  
*****  
***** LOGICAL PARAMETERS *****  
*****  
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***  
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***  
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***  
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***  
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***  
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***  
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***  
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***  
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***  
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***  
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***  
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***  
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***  
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***  
*** PK1 PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***  
*** P1D PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***  
*** TRK PRINT TRACKING INFORMATION NO ***  
*****  
*****
```

PARAMETER INPUT COMPLETED

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```
*****
*****
***** TRIGA BENCHMARK CORE 132 *****
*****
*****
*****
UNIT      DATA SET NAME      VOLUME      UNIT FUNCTION
NUMBER    NAME                NAME
-----    -
XSC 14    C:\PROJECTS\triga\sg61102.13.5.2\core132b\FT  MIXED CROSS SECTIONS
ALB 79    G:\scale43\DATALIB\FT79F001                INPUT ALBEDOS
WTS 80    G:\scale43\DATALIB\FT80F001                INPUT WEIGHTS
SKT 16    UNKNOWN                                     WRITE SCRATCH DATA
BIN 95    C:\PROJECTS\triga\sg61102.13.5.2\core132b\FT  BINARY INPUT DATA
RST 95    C:\PROJECTS\triga\sg61102.13.5.2\core132b\FT  READ RESTART DATA
LIB 4     C:\PROJECTS\triga\sg61102.13.5.2\core132b\FT  INPUT AMPX WORKING LIBRARY
      8     C:\PROJECTS\triga\sg61102.13.5.2\core132b\FT  INPUT DATA DIRECT ACCESS
      9     UNKNOWN                                     SUPER GROUPED DIRECT ACCESS
      10    UNKNOWN                                     XSEC MIXING DIRECT ACCESS
*****
*****
```

..... 0 IO'S WERE USED PREPARING INPUT DATA

CROSS SECTIONS READ FROM THE AMPX WORKING LIBRARY ON UNIT 4

TRIGA BENCHMARK CORE 132

MIXING TABLE

NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD = 3.0E-05

MIXTURE =	1	DENSITY(G/CC) =	6.1233							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
1001001	5.77800E-02	1.57889E-02	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED
08/12/94										
1046000	3.50200E-02	8.66297E-01	40000	91.2196	ZIRCONIUM	ENDF/B-IV MAT 7141				UPDATED
08/12/94										
1092235	3.68200E-04	2.34691E-02	92235	235.0441	URANIUM-235	ENDF/B-IV MAT 1261				UPDATED
08/12/94										
1092238	1.46300E-03	9.44446E-02	92238	238.0510	URANIUM-238	ENDF/B-IV MAT 1262				UPDATED
08/12/94										
MIXTURE =	2	DENSITY(G/CC) =	7.9200							
2024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304 (1/EST) P-3 293K SP=5+4(42375)'					UPDATED
08/12/94										
2025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55	ENDF/B-IV MAT 1197				UPDATED
08/12/94										
2026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304 (1/EST) P-3 293K SP=5+4(42375)'					UPDATED
08/12/94										
2028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304 (1/EST) P-3 293K SP=5+4(42375)'					UPDATED
08/12/94										
MIXTURE =	3	DENSITY(G/CC) =	0.99817							
3001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED
08/12/94										
3008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276				UPDATED
08/12/94										
MIXTURE =	4	DENSITY(G/CC) =	2.7020							
4013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)					UPDATED
08/12/94										
MIXTURE =	5	DENSITY(G/CC) =	6.4900							
5040000	4.28457E-02	1.00000E+00	40000	91.2196	ZIRCONIUM	ENDF/B-IV MAT 7141				UPDATED
08/12/94										
MIXTURE =	6	DENSITY(G/CC) =	1.6000							
6006012	8.02952E-02	1.00000E+00	6000	12.0001	CARBON-12	ENDF/B-IV MAT 1274/THRM1065				UPDATED
08/12/94										
MIXTURE =	7	DENSITY(G/CC) =	6.1231							
7001001	5.76200E-02	1.57457E-02	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED
08/12/94										
7040000	3.49200E-02	8.63851E-01	40000	91.2196	ZIRCONIUM	ENDF/B-IV MAT 7141				UPDATED
08/12/94										
7092235	3.75800E-04	2.39543E-02	92235	235.0441	URANIUM-235	ENDF/B-IV MAT 1261				UPDATED
08/12/94										
7092238	1.49409E-03	9.64488E-02	92238	238.0510	URANIUM-238	ENDF/B-IV MAT 1262				UPDATED
08/12/94										
MIXTURE =	8	DENSITY(G/CC) =	2.4800							
8005010	2.15194E-02	1.44273E-01	5010	10.0130	B-10 1273 218NGP 042375 P-3 293K					UPDATED
08/12/94										
8005011	8.66182E-02	6.38512E-01	5011	11.0096	BORON-11	ENDF/B-IV MAT 1160				UPDATED
08/12/94										
8006012	2.70344E-02	2.17215E-01	6000	12.0001	CARBON-12	ENDF/B-IV MAT 1274/THRM1065				UPDATED
08/12/94										
MIXTURE =	9	DENSITY(G/CC) =	0.99997E-20							
9001001	6.68896E-22	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED
08/12/94										
9008016	3.34448E-22	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276				UPDATED
08/12/94										
MIXTURE =	10	DENSITY(G/CC) =	0.99817							
10001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED
08/12/94										
10008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276				UPDATED
08/12/94										
MIXTURE =	11	DENSITY(G/CC) =	0.99817							
11001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED
08/12/94										
11008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276				UPDATED
08/12/94										
			1001001		HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED 08/12/94
			3001001		HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED 08/12/94
			7001001		HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED 08/12/94
			9001001		HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED 08/12/94
			10001001		HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED 08/12/94
			11001001		HYDROGEN	ENDF/B-IV MAT 1269/THRM1002				UPDATED 08/12/94

8005010	B-10 1273 218NGP 042375 P-3 293K	UPDATED 08/12/94
8005011	BORON-11 ENDF/B-IV MAT 1160	UPDATED 08/12/94
8006012	CARBON-12 ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94
8006012	CARBON-12 ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94
8008016	OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED 08/12/94
8008016	OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED 08/12/94
10008016	OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED 08/12/94
11008016	OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED 08/12/94
4013027	AL-27 1193 218 G1 040375 (5)	UPDATED 08/12/94
2024304	CR 1191 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)'	UPDATED 08/12/94
2025055	MANGANESE-55 ENDF/B-IV MAT 1197	UPDATED 08/12/94
2026304	FE 1192 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)'	UPDATED 08/12/94
2028304	NI 1190 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)'	UPDATED 08/12/94
1040000	ZIRCONIUM ENDF/B-IV MAT 7141	UPDATED 08/12/94
5040000	ZIRCONIUM ENDF/B-IV MAT 7141	UPDATED 08/12/94
7040000	ZIRCONIUM ENDF/B-IV MAT 7141	UPDATED 08/12/94
1092235	URANIUM-235 ENDF/B-IV MAT 1261	UPDATED 08/12/94
7092235	URANIUM-235 ENDF/B-IV MAT 1261	UPDATED 08/12/94
1092238	URANIUM-238 ENDF/B-IV MAT 1262	UPDATED 08/12/94
7092238	URANIUM-238 ENDF/B-IV MAT 1262	UPDATED 08/12/94

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 1 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 7 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 3 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 9 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 10 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 11 WERE CORRECTED FOR BAD MOMENTS.

..... 0 IO'S WERE USED MIXING CROSS-SECTIONS

1-D CROSS SECTION ARRAY ID NUMBERS
1 2002 1452 27 18 1018

..... 0 IO'S WERE USED PREPARING THE CROSS SECTIONS

```
.....  
***  
*** TRIGA BENCHMARK CORE 132  
***  
.....  
***  
***          ***** ADDITIONAL INFORMATION *****  
***  
*** NUMBER OF ENERGY GROUPS          27          USE LATTICE GEOMETRY          NO ***  
*** NO. OF FISSION SPECTRUM SOURCE GROUP 1          GLOBAL ARRAY NUMBER          0 ***  
*** NO. OF SCATTERING ANGLES IN XSECS   2          NUMBER OF UNITS IN THE GLOBAL X DIR.  0 ***  
*** ENTRIES/NEUTRON IN THE NEUTRON BANK 17          NUMBER OF UNITS IN THE GLOBAL Y DIR.  0 ***  
*** ENTRIES/NEUTRON IN THE FISSION BANK 10          NUMBER OF UNITS IN THE GLOBAL Z DIR.  0 ***  
*** NUMBER OF MIXTURES USED              11          USE A GLOBAL REFLECTOR          YES ***  
*** NUMBER OF BIAS ID'S USED             1          USE NESTED HOLES                NO ***  
*** NUMBER OF DIFFERENTIAL ALBEDOS USED  0          NUMBER OF HOLES                 61 ***  
*** TOTAL INPUT GEOMETRY REGIONS         34          MAXIMUM HOLE NESTING LEVEL       1 ***  
*** NUMBER OF GEOMETRY REGIONS USED      34          USE NESTED ARRAYS               NO ***  
*** LARGEST GEOMETRY UNIT NUMBER         10          NUMBER OF ARRAYS USED           0 ***  
*** LARGEST ARRAY NUMBER                  1          MAXIMUM ARRAY NESTING LEVEL     0 ***  
***  
*** +X BOUNDARY CONDITION                 VOID          -X BOUNDARY CONDITION           VOID ***  
*** +Y BOUNDARY CONDITION                 VOID          -Y BOUNDARY CONDITION           VOID ***  
*** +Z BOUNDARY CONDITION                 VOID          -Z BOUNDARY CONDITION           VOID ***  
***  
.....
```

```
*****  
*** TRIGA BENCHMARK CORE 132 ***  
*****  
***** SPACE AND SUPERGROUP INFORMATION *****  
***  
100000 WORDS IS THE TOTAL SPACE AVAILABLE. ***  
*** 30933 WORDS WERE USED FOR NON-SUPERGROUP STORAGE. ***  
*** 69067 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA. ***  
*** 99710 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS. ***  
*** 69007 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP. ***  
*** 1330 WORDS ARE NEEDED FOR THE LARGEST GROUP. ***  
*** 32479 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM. ***  
*** 48281 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP. ***  
*** 48288 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM. ***  
*****  
***  
*** SUPERGROUP STARTING ENDING XSEC ALBEDO TOTAL ***  
*** SUPERGROUP GROUP GROUP LENGTH LENGTH LENGTH ***  
*** 1 1 27 3512 0 17288 ***  
*****  
..... 0 IO'S WERE USED IN SUPERGROUPING .....  
..... 0 IO'S WERE USED LOADING THE DATA .....
```

TRIGA BENCHMARK CORE 132

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 1 -----

TRIGA FUEL ELEMENT

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION	+Z	-Z	CENTERLINE IS AT X	Y
1	CYLINDER	5 1	RADIUS = 0.31750	+Z = 19.050	-Z = -19.050	0.00000	0.00000
2	CYLINDER	1 1	RADIUS = 1.8225	+Z = 19.050	-Z = -19.050	0.00000	0.00000
3	CYLINDER	6 1	RADIUS = 1.8225	+Z = 27.888	-Z = -27.864	0.00000	0.00000
4	CYLINDER	9 1	RADIUS = 1.8263	+Z = 27.888	-Z = -27.864	0.00000	0.00000
5	CYLINDER	2 1	RADIUS = 1.8771	+Z = 30.640	-Z = -30.640	0.00000	0.00000
6	CYLINDER	10 1	RADIUS = 1.8771	+Z = 36.030	-Z = -36.030	0.00000	0.00000

----- UNIT 2 -----

TRIGA FUEL FOLLOWER

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION	+Z	-Z	CENTERLINE IS AT X	Y
1	CYLINDER	5 1	RADIUS = 0.31750	+Z = 19.050	-Z = -19.050	0.00000	0.00000
2	CYLINDER	7 1	RADIUS = 1.6650	+Z = 19.050	-Z = -19.050	0.00000	0.00000
3	CYLINDER	9 1	RADIUS = 1.6650	+Z = 19.685	-Z = -19.050	0.00000	0.00000
4	CYLINDER	2 1	RADIUS = 1.6650	+Z = 20.955	-Z = -21.590	0.00000	0.00000
5	CYLINDER	8 1	RADIUS = 1.6650	+Z = 59.055	-Z = -21.590	0.00000	0.00000
6	CYLINDER	9 1	RADIUS = 1.6650	+Z = 59.373	-Z = -21.590	0.00000	0.00000
7	CYLINDER	2 1	RADIUS = 1.6650	+Z = 60.642	-Z = -21.590	0.00000	0.00000
8	CYLINDER	9 1	RADIUS = 1.6955	+Z = 69.125	-Z = -36.830	0.00000	0.00000
9	CYLINDER	2 1	RADIUS = 1.7463	+Z = 73.025	-Z = -38.100	0.00000	0.00000

TRIGA BENCHMARK CORE 132

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
----- UNIT 3 -----							
TRIGA TRANSIENT AIR ROD + TUBE							
1	CYLINDER	9 1	RADIUS = 1.5164	+Z = 19.050	-Z = -19.050	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	9 1	RADIUS = 1.5164	+Z = 19.685	-Z = -19.050	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	4 1	RADIUS = 1.5164	+Z = 20.955	-Z = -21.590	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4	CYLINDER	8 1	RADIUS = 1.5164	+Z = 59.055	-Z = -21.590	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
5	CYLINDER	9 1	RADIUS = 1.5164	+Z = 59.373	-Z = -21.590	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
6	CYLINDER	4 1	RADIUS = 1.5164	+Z = 60.642	-Z = -21.590	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
7	CYLINDER	9 1	RADIUS = 1.5164	+Z = 69.125	-Z = -36.830	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
8	CYLINDER	4 1	RADIUS = 1.5875	+Z = 73.025	-Z = -38.100	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
9	CYLINDER	3 1	RADIUS = 1.6000	+Z = 73.025	-Z = -38.100	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
10	CYLINDER	4 1	RADIUS = 1.9000	+Z = 73.025	-Z = -38.100	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
----- UNIT 4 -----							
SOURCE ROD							
1	CYLINDER	9 1	RADIUS = 1.8263	+Z = 27.888	-Z = -27.864	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	4 1	RADIUS = 1.8771	+Z = 30.640	-Z = -30.640	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	11 1	RADIUS = 1.8771	+Z = 36.030	-Z = -36.030	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
----- UNIT 5 -----							
WATER FOR EMPTY LOCATIONS							
1	CYLINDER	3 1	RADIUS = 1.8771	+Z = 36.030	-Z = -36.030	CENTERLINE IS AT X = 0.00000 Y = 0.00000	

TRIGA BENCHMARK CORE 132

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

***** GLOBAL *****
----- UNIT 10 -----

ACTIVE CORE CONFIGURATION

1 CYLINDER	3 1	RADIUS =	22.060	+Z =	73.025	-Z =	-38.100	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
HOLE NUMBER	1	AT X =	0.00000	Y =	0.00000	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	2	AT X =	3.5109	Y =	2.0270	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	3	AT X =	0.00000	Y =	4.0540	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	4	AT X =	-3.5109	Y =	2.0270	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	5	AT X =	-3.5109	Y =	-2.0270	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	6	AT X =	0.00000	Y =	-4.0540	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	7	AT X =	3.5109	Y =	-2.0270	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	8	AT X =	7.9810	Y =	0.00000	Z =	0.00000	IS UNIT NUMBER	2	
HOLE NUMBER	9	AT X =	6.9117	Y =	3.9905	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	10	AT X =	3.9905	Y =	6.9117	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	11	AT X =	0.00000	Y =	7.9810	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	12	AT X =	-3.9905	Y =	6.9117	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	13	AT X =	-6.9117	Y =	3.9905	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	14	AT X =	-7.9810	Y =	0.00000	Z =	0.00000	IS UNIT NUMBER	3	
HOLE NUMBER	15	AT X =	-6.9117	Y =	-3.9905	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	16	AT X =	-3.9905	Y =	-6.9117	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	17	AT X =	0.00000	Y =	-7.9810	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	18	AT X =	3.9905	Y =	-6.9117	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	19	AT X =	6.9117	Y =	-3.9905	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	20	AT X =	11.757	Y =	2.0730	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	21	AT X =	10.339	Y =	5.9690	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	22	AT X =	7.6736	Y =	9.1450	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	23	AT X =	4.0830	Y =	11.218	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	24	AT X =	0.00000	Y =	11.938	Z =	0.00000	IS UNIT NUMBER	2	
HOLE NUMBER	25	AT X =	-4.0830	Y =	11.218	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	26	AT X =	-7.6736	Y =	9.1450	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	27	AT X =	-10.339	Y =	5.9690	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	28	AT X =	-11.757	Y =	2.0730	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	29	AT X =	-11.757	Y =	-2.0730	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	30	AT X =	-10.339	Y =	-5.9690	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	31	AT X =	-7.6736	Y =	-9.1450	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	32	AT X =	-4.0830	Y =	-11.218	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	33	AT X =	0.00000	Y =	-11.938	Z =	0.00000	IS UNIT NUMBER	2	
HOLE NUMBER	34	AT X =	4.0830	Y =	-11.218	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	35	AT X =	7.6736	Y =	-9.1450	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	36	AT X =	10.339	Y =	-5.9690	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	37	AT X =	11.757	Y =	-2.0730	Z =	0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	38	AT X =	15.916	Y =	0.00000	Z =	0.00000	IS UNIT NUMBER	5	
HOLE NUMBER	39	AT X =	15.374	Y =	4.1194	Z =	0.00000	IS UNIT NUMBER	5	
HOLE NUMBER	40	AT X =	13.784	Y =	7.9580	Z =	0.00000	IS UNIT NUMBER	5	
HOLE NUMBER	41	AT X =	11.254	Y =	11.254	Z =	0.00000	IS UNIT NUMBER	5	
HOLE NUMBER	42	AT X =	7.9580	Y =	13.784	Z =	0.00000	IS UNIT NUMBER	5	
HOLE NUMBER	43	AT X =	4.1194	Y =	15.374	Z =	0.00000	IS UNIT NUMBER	5	
HOLE NUMBER	44	AT X =	0.00000	Y =	15.916	Z =	0.00000	IS UNIT NUMBER	5	

HOLE NUMBER	45	AT X = -4.1194	Y = 15.374	Z = 0.00000	IS UNIT NUMBER	4
HOLE NUMBER	46	AT X = -7.9580	Y = 13.784	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	47	AT X = -11.254	Y = 11.254	Z = 0.00000	IS UNIT NUMBER	1
HOLE NUMBER	48	AT X = -13.784	Y = 7.9580	Z = 0.00000	IS UNIT NUMBER	1
HOLE NUMBER	49	AT X = -15.374	Y = 4.1194	Z = 0.00000	IS UNIT NUMBER	1
HOLE NUMBER	50	AT X = -15.916	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	1
HOLE NUMBER	51	AT X = -15.374	Y = -4.1194	Z = 0.00000	IS UNIT NUMBER	1
HOLE NUMBER	52	AT X = -13.784	Y = -7.9580	Z = 0.00000	IS UNIT NUMBER	1
HOLE NUMBER	53	AT X = -11.254	Y = -11.254	Z = 0.00000	IS UNIT NUMBER	1
HOLE NUMBER	54	AT X = -7.9580	Y = -13.784	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	55	AT X = -4.1194	Y = -15.374	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	56	AT X = 0.00000	Y = -15.916	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	57	AT X = 4.1194	Y = -15.374	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	58	AT X = 7.9580	Y = -13.784	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	59	AT X = 11.254	Y = -11.254	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	60	AT X = 13.784	Y = -7.9580	Z = 0.00000	IS UNIT NUMBER	5
HOLE NUMBER	61	AT X = 15.374	Y = -4.1194	Z = 0.00000	IS UNIT NUMBER	5
2 CYLINDER	4 1	RADIUS = 22.660	+Z = 73.025	-Z = -38.100	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3 CYLINDER	6 1	RADIUS = 53.230	+Z = 73.025	-Z = -38.100	CENTERLINE IS AT X = 0.00000	Y = 0.00000
4 CYLINDER	4 1	RADIUS = 54.500	+Z = 73.025	-Z = -38.100	CENTERLINE IS AT X = 0.00000	Y = 0.00000
5 CUBOID	3 1	+X = 100.00	-X = -100.00	+Y = 100.00	-Y = -100.00	+Z = 200.00 -Z = -100.00

TRIGA BENCHMARK CORE 132
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	1.20660E+01 CM**3	1.20660E+01 CM**3
		2	3.85501E+02 CM**3	2.97567E+02 CM**3
		3	1.84195E+02 CM**3	5.81762E+02 CM**3
		4	2.42853E+00 CM**3	5.84191E+02 CM**3
		5	9.41431E+01 CM**3	6.78334E+02 CM**3
		6	1.19328E+02 CM**3	7.97662E+02 CM**3
2	1	7	1.20660E+01 CM**3	1.20660E+01 CM**3
		8	3.19755E+02 CM**3	2.31821E+02 CM**3
		9	5.53033E+00 CM**3	2.37351E+02 CM**3
		10	3.31821E+01 CM**3	2.70535E+02 CM**3
		11	3.31821E+02 CM**3	7.02354E+02 CM**3
		12	2.76514E+00 CM**3	7.05119E+02 CM**3
		13	1.10598E+01 CM**3	7.16179E+02 CM**3
		14	2.40722E+02 CM**3	9.56901E+02 CM**3
		15	1.07731E+02 CM**3	1.06463E+03 CM**3
3	1	16	2.75234E+02 CM**3	2.75234E+02 CM**3
		17	4.58725E+00 CM**3	2.79821E+02 CM**3
		18	2.75234E+01 CM**3	3.07545E+02 CM**3
		19	2.75234E+02 CM**3	5.82579E+02 CM**3
		20	2.29358E+00 CM**3	5.84875E+02 CM**3
		21	9.17377E+00 CM**3	5.94046E+02 CM**3
		22	1.71372E+02 CM**3	7.65418E+02 CM**3
		23	1.14392E+02 CM**3	8.79810E+02 CM**3
		24	1.39099E+01 CM**3	8.93720E+02 CM**3
		25	3.66565E+02 CM**3	1.26029E+03 CM**3
		4	1	26
27	9.41431E+01 CM**3			6.78334E+02 CM**3
28	1.19328E+02 CM**3			7.97662E+02 CM**3
5	1	29	7.97662E+02 CM**3	7.97662E+02 CM**3
10	1	30	1.19971E+05 CM**3	1.65892E+05 CM**3
		31	9.36731E+03 CM**3	1.75259E+05 CM**3
		32	8.09919E+05 CM**3	9.89178E+05 CM**3
		33	4.77641E+04 CM**3	1.03694E+06 CM**3
		34	1.09631E+07 CM**3	1.20000E+07 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	40	1	5	4.82639E+02 CM**3
		2	1	1.54200E+04 CM**3
		3	6	7.36782E+03 CM**3
		4	9	9.71411E+01 CM**3
		5	2	3.76573E+03 CM**3
		6	10	4.77313E+03 CM**3
2	3	1	5	3.61979E+01 CM**3
		2	7	9.59264E+02 CM**3
		3	9	1.65910E+01 CM**3
		4	2	9.95462E+01 CM**3
		5	8	9.95462E+02 CM**3
		6	9	8.29541E+00 CM**3
		7	2	3.31794E+01 CM**3
		8	9	7.22167E+02 CM**3
		9	2	3.23192E+02 CM**3
3	1	1	9	2.75234E+02 CM**3
		2	9	4.58725E+00 CM**3
		3	4	2.75234E+01 CM**3
		4	8	2.75234E+02 CM**3
		5	9	2.29358E+00 CM**3
		6	4	9.17377E+00 CM**3
		7	9	1.71372E+02 CM**3
		8	4	1.14392E+02 CM**3
		9	3	1.39099E+01 CM**3
		10	4	3.66565E+02 CM**3
4	1	1	9	5.84191E+02 CM**3
		2	4	9.41431E+01 CM**3
		3	11	1.19328E+02 CM**3
5	16	1	3	1.27626E+04 CM**3
10	1	1	3	1.19971E+05 CM**3
		2	4	9.36731E+03 CM**3
		3	6	8.09919E+05 CM**3
		4	4	4.77641E+04 CM**3
		5	3	1.09631E+07 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	1.54200E+04 CM**3	9.44217E+04
2	4.22164E+03 CM**3	3.34354E+04
3	1.10958E+07 CM**3	1.10755E+07
4	5.77432E+04 CM**3	1.56022E+05
5	5.18837E+02 CM**3	3.36725E+03
6	8.17287E+05 CM**3	1.30767E+06
7	9.59264E+02 CM**3	5.87369E+03

8	1.27070E+03 CM**3	3.15139E+03
9	1.88187E+03 CM**3	1.88182E-17
10	4.77313E+03 CM**3	4.76440E+03
11	1.19328E+02 CM**3	1.19110E-02

```
.....  
***  
***                               BIASING INFORMATION                               ***  
***  
*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***  
***  
.....
```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING

..... 0.01917 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 1.36494E-03

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED UNIFORMLY THROUGHOUT THE ENTIRE VOLUME DEFINED BY THE OUTERMOST GEOMETRY CARD.
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 286 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

714 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

0.45383 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.48000 MINUTES.

NAC-LWT Cask SAR
Revision 38

November 2007

TRIGA BENCHMARK CORE 132

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-BFF DEVIATION	MATRIX K-EFFECTIVE	MATRIX K-EFF DEVIATION
1	8.90066E-01	8.69167E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
2	8.54729E-01	8.73333E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	1.01636E+00	1.06100E+00	1.01630E+00	0.00000E+00	0.00000E+00	0.00000E+00
4	1.02972E+00	1.25133E+00	1.02501E+00	6.71005E-03	0.00000E+00	0.00000E+00
5	1.06278E+00	1.42900E+00	1.01627E+00	7.77803E-03	0.00000E+00	0.00000E+00
6	1.01937E+00	1.66600E+00	1.01764E+00	5.55454E-03	0.00000E+00	0.00000E+00
7	1.03377E+00	1.87667E+00	1.02039E+00	5.44954E-03	0.00000E+00	0.00000E+00
8	1.00198E+00	2.09817E+00	1.01732E+00	5.40470E-03	0.00000E+00	0.00000E+00
9	1.01694E+00	2.31863E+00	1.01726E+00	4.56813E-03	0.00000E+00	0.00000E+00
10	1.01818E+00	2.57600E+00	1.01738E+00	3.95778E-03	0.00000E+00	0.00000E+00
11	1.00697E+00	2.77367E+00	1.01622E+00	3.67718E-03	0.00000E+00	0.00000E+00
12	9.96509E-01	2.97533E+00	1.01425E+00	3.83451E-03	0.00000E+00	0.00000E+00
13	1.00581E+00	3.17100E+00	1.01331E+00	3.59514E-03	0.00000E+00	0.00000E+00
14	9.81735E-01	3.38517E+00	1.01067E+00	4.20624E-03	0.00000E+00	0.00000E+00
15	1.00748E+00	3.56650E+00	1.01643E+00	3.87695E-03	0.00000E+00	0.00000E+00
16	1.03674E+00	3.75050E+00	1.01231E+00	4.05174E-03	0.00000E+00	0.00000E+00
17	1.03622E+00	3.93633E+00	1.01390E+00	4.09493E-03	0.00000E+00	0.00000E+00
18	1.03617E+00	4.15150E+00	1.01529E+00	4.07554E-03	0.00000E+00	0.00000E+00
19	1.06124E+00	4.36833E+00	1.01800E+00	4.68619E-03	0.00000E+00	0.00000E+00
20	1.05429E+00	4.57250E+00	1.02001E+00	4.85647E-03	0.00000E+00	0.00000E+00
21	1.04755E+00	4.77033E+00	1.02146E+00	4.81638E-03	0.00000E+00	0.00000E+00
22	1.01609E+00	4.98817E+00	1.02119E+00	4.57711E-03	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	WARNING... ONLY	998 INDEPENDENT FISSION POINTS WERE GENERATED				
23	9.92966E-01	5.20050E+00	1.01955E+00	4.55660E-03	0.00000E+00	0.00000E+00
24	1.00697E+00	5.42200E+00	1.01935E+00	4.37258E-03	0.00000E+00	0.00000E+00
25	1.00615E+00	5.64183E+00	1.01878E+00	4.21733E-03	0.00000E+00	0.00000E+00
26	1.01045E+00	5.86050E+00	1.01843E+00	4.05272E-03	0.00000E+00	0.00000E+00
27	1.03570E+00	6.07017E+00	1.01912E+00	3.94811E-03	0.00000E+00	0.00000E+00
28	1.07171E+00	6.34667E+00	1.01945E+00	3.80563E-03	0.00000E+00	0.00000E+00
29	1.06232E+00	6.53800E+00	1.01865E+00	3.71080E-03	0.00000E+00	0.00000E+00
30	1.01266E+00	6.72100E+00	1.01866E+00	3.58295E-03	0.00000E+00	0.00000E+00
31	1.03571E+00	6.93800E+00	1.01933E+00	3.53295E-03	0.00000E+00	0.00000E+00
32	1.05112E+00	7.13933E+00	1.02039E+00	3.57380E-03	0.00000E+00	0.00000E+00
33	1.05016E+00	7.34167E+00	1.02125E+00	3.58770E-03	0.00000E+00	0.00000E+00
34	1.03767E+00	7.58800E+00	1.02166E+00	3.51056E-03	0.00000E+00	0.00000E+00
35	1.03970E+00	7.77833E+00	1.02240E+00	3.44521E-03	0.00000E+00	0.00000E+00
36	1.02003E+00	7.96517E+00	1.02232E+00	3.34305E-03	0.00000E+00	0.00000E+00
37	9.95559E-01	8.16650E+00	1.02165E+00	3.31645E-03	0.00000E+00	0.00000E+00
38	1.04307E+00	8.35517E+00	1.02215E+00	3.26760E-03	0.00000E+00	0.00000E+00
39	9.90666E-01	8.54633E+00	1.02134E+00	3.28887E-03	0.00000E+00	0.00000E+00
40	1.02556E+00	8.73400E+00	1.02145E+00	3.20302E-03	0.00000E+00	0.00000E+00
41	1.02549E+00	8.94733E+00	1.02156E+00	3.12152E-03	0.00000E+00	0.00000E+00
42	1.06222E+00	9.14967E+00	1.02257E+00	3.20781E-03	0.00000E+00	0.00000E+00
43	1.04356E+00	9.34550E+00	1.02308E+00	3.16942E-03	0.00000E+00	0.00000E+00
44	1.04717E+00	9.55617E+00	1.02365E+00	3.14577E-03	0.00000E+00	0.00000E+00
45	1.00760E+00	9.80050E+00	1.02328E+00	3.09379E-03	0.00000E+00	0.00000E+00
46	9.73152E-01	1.00128E+01	1.02214E+00	3.23026E-03	0.00000E+00	0.00000E+00
47	1.04362E+00	1.01942E+01	1.02263E+00	3.19419E-03	0.00000E+00	0.00000E+00
48	1.00242E+00	1.03955E+01	1.02219E+00	3.15471E-03	0.00000E+00	0.00000E+00
49	1.00848E+00	1.06143E+01	1.02190E+00	3.10061E-03	0.00000E+00	0.00000E+00
50	1.05426E+00	1.07983E+01	1.02257E+00	3.10931E-03	0.00000E+00	0.00000E+00
...						
375	1.04806E+00	7.31462E+01	1.01963E+00	1.31507E-03	0.00000E+00	0.00000E+00
376	1.02214E+00	7.33393E+01	1.01963E+00	1.31555E-03	0.00000E+00	0.00000E+00
377	1.03756E+00	7.35197E+01	1.01968E+00	1.31291E-03	0.00000E+00	0.00000E+00
378	1.01067E+00	7.37118E+01	1.01966E+00	1.30963E-03	0.00000E+00	0.00000E+00
379	1.01200E+00	7.38940E+01	1.01964E+00	1.30631E-03	0.00000E+00	0.00000E+00
380	9.67656E-01	7.40917E+01	1.01950E+00	1.31009E-03	0.00000E+00	0.00000E+00
381	9.71851E-01	7.43490E+01	1.01937E+00	1.31266E-03	0.00000E+00	0.00000E+00
382	1.01611E+00	7.45367E+01	1.01936E+00	1.30923E-03	0.00000E+00	0.00000E+00
383	1.04389E+00	7.47280E+01	1.01943E+00	1.30738E-03	0.00000E+00	0.00000E+00
384	1.04429E+00	7.49065E+01	1.01949E+00	1.30557E-03	0.00000E+00	0.00000E+00
385	1.02223E+00	7.50905E+01	1.01950E+00	1.30218E-03	0.00000E+00	0.00000E+00
386	1.01190E+00	7.52808E+01	1.01948E+00	1.29893E-03	0.00000E+00	0.00000E+00
387	9.76853E-01	7.54722E+01	1.01937E+00	1.30028E-03	0.00000E+00	0.00000E+00
388	9.80079E-01	7.56598E+01	1.01927E+00	1.30089E-03	0.00000E+00	0.00000E+00
389	9.99331E-01	7.58558E+01	1.01922E+00	1.29855E-03	0.00000E+00	0.00000E+00
390	1.01031E+00	7.60362E+01	1.01919E+00	1.29540E-03	0.00000E+00	0.00000E+00
391	1.00446E+00	7.62275E+01	1.01916E+00	1.29262E-03	0.00000E+00	0.00000E+00
392	1.01847E+00	7.64097E+01	1.01915E+00	1.28931E-03	0.00000E+00	0.00000E+00
393	1.02785E+00	7.66055E+01	1.01918E+00	1.28620E-03	0.00000E+00	0.00000E+00
394	1.00712E+00	7.67867E+01	1.01915E+00	1.28328E-03	0.00000E+00	0.00000E+00
395	1.00600E+00	7.69817E+01	1.01915E+00	1.28045E-03	0.00000E+00	0.00000E+00
396	1.00266E+00	7.71675E+01	1.01907E+00	1.27788E-03	0.00000E+00	0.00000E+00
397	1.03346E+00	7.73497E+01	1.01911E+00	1.27516E-03	0.00000E+00	0.00000E+00
398	9.94492E-01	7.75383E+01	1.01904E+00	1.27345E-03	0.00000E+00	0.00000E+00
399	1.00279E+00	7.77268E+01	1.01900E+00	1.27090E-03	0.00000E+00	0.00000E+00
400	9.85518E-01	7.79228E+01	1.01895E+00	1.26907E-03	0.00000E+00	0.00000E+00
401	1.00146E+00	7.81105E+01	1.01890E+00	1.26665E-03	0.00000E+00	0.00000E+00
402	1.01212E+00	7.83008E+01	1.01888E+00	1.26359E-03	0.00000E+00	0.00000E+00
403	1.03095E+00	7.84848E+01	1.01891E+00	1.26080E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.


TRIGA BENCHMARK CORE 132

LIFETIME = 3.94638E-04 - OR - 1.93196E-06 GENERATION TIME = 5.91769E-05 + OR - 2.84702E-07
 NU BAR = 2.42133E+00 - OR - 1.07360E-05 AVERAGE FISSION GROUP = 2.39237E+01 + OR - 1.86297E-03
 ENERGY(EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 4.92227E-02 + OR - 8.38504E-05

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	1.01892	+ OR - 0.00126	1.01766 TO 1.02018	1.01639 TO 1.02145	1.01513 TO 1.02271	400000
4	1.01889	+ OR - 0.00127	1.01763 TO 1.02016	1.01636 TO 1.02143	1.01509 TO 1.02269	399000
5	1.01893	+ OR - 0.00127	1.01766 TO 1.02020	1.01640 TO 1.02147	1.01513 TO 1.02274	398000
6	1.01893	+ OR - 0.00127	1.01766 TO 1.02021	1.01639 TO 1.02148	1.01512 TO 1.02275	397000
7	1.01890	+ OR - 0.00128	1.01762 TO 1.02017	1.01635 TO 1.02145	1.01507 TO 1.02272	396000
8	1.01894	+ OR - 0.00128	1.01766 TO 1.02022	1.01638 TO 1.02149	1.01511 TO 1.02277	395000
9	1.01894	+ OR - 0.00128	1.01766 TO 1.02022	1.01638 TO 1.02151	1.01510 TO 1.02279	394000
10	1.01895	+ OR - 0.00128	1.01766 TO 1.02023	1.01638 TO 1.02151	1.01509 TO 1.02280	393000
11	1.01898	+ OR - 0.00129	1.01769 TO 1.02026	1.01640 TO 1.02155	1.01511 TO 1.02284	392000
12	1.01903	+ OR - 0.00129	1.01774 TO 1.02032	1.01646 TO 1.02161	1.01517 TO 1.02290	391000
17	1.01911	+ OR - 0.00130	1.01781 TO 1.02041	1.01651 TO 1.02171	1.01521 TO 1.02301	386000
22	1.01879	+ OR - 0.00131	1.01749 TO 1.02010	1.01618 TO 1.02141	1.01488 TO 1.02271	381000
27	1.01890	+ OR - 0.00132	1.01758 TO 1.02022	1.01626 TO 1.02154	1.01494 TO 1.02286	376000
32	1.01879	+ OR - 0.00133	1.01746 TO 1.02013	1.01613 TO 1.02146	1.01480 TO 1.02279	371000
37	1.01865	+ OR - 0.00134	1.01731 TO 1.02000	1.01596 TO 1.02134	1.01462 TO 1.02269	366000
42	1.01851	+ OR - 0.00135	1.01715 TO 1.01986	1.01580 TO 1.02122	1.01445 TO 1.02257	361000
47	1.01845	+ OR - 0.00136	1.01708 TO 1.01981	1.01572 TO 1.02117	1.01436 TO 1.02253	356000
52	1.01826	+ OR - 0.00137	1.01689 TO 1.01962	1.01552 TO 1.02099	1.01415 TO 1.02236	351000
57	1.01844	+ OR - 0.00138	1.01706 TO 1.01981	1.01568 TO 1.02119	1.01430 TO 1.02257	346000
62	1.01859	+ OR - 0.00139	1.01720 TO 1.01998	1.01582 TO 1.02136	1.01443 TO 1.02275	341000
67	1.01838	+ OR - 0.00139	1.01699 TO 1.01977	1.01559 TO 1.02117	1.01420 TO 1.02256	336000
72	1.01831	+ OR - 0.00138	1.01692 TO 1.01969	1.01554 TO 1.02108	1.01415 TO 1.02246	331000
77	1.01810	+ OR - 0.00139	1.01671 TO 1.01949	1.01531 TO 1.02089	1.01392 TO 1.02228	326000
82	1.01786	+ OR - 0.00141	1.01645 TO 1.01927	1.01504 TO 1.02068	1.01363 TO 1.02209	321000
87	1.01782	+ OR - 0.00142	1.01639 TO 1.01924	1.01497 TO 1.02066	1.01355 TO 1.02209	316000
92	1.01811	+ OR - 0.00142	1.01669 TO 1.01952	1.01528 TO 1.02094	1.01386 TO 1.02235	311000

TRIGA BENCHMARK CORE 132

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K\text{-EFF} = 1.0189 \pm 0.0013$ WHICH OCCURS FOR 403 GENERATIONS RUN.



TRIGA BENCHMARK CORE 132

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION	SKIPPING 3 GENERATIONS
1	0.0007			6.81725E-04	1.4853	1.04545E-03	1.4928	1.99488E-06	100.0000	
2	0.0026			2.67107E-03	0.4956	2.13243E-03	0.4103	0.00000E+00	0.0000	
3	0.0029			2.98939E-03	0.3705	1.42941E-03	0.3850	4.14554E-06	70.9381	
4	0.0014			1.43671E-03	0.4812	7.46236E-04	0.4800	0.00000E+00	0.0000	
5	0.0011			1.08995E-03	0.3473	7.63441E-04	0.3447	0.00000E+00	0.0000	
6	0.0013			1.31336E-03	0.2603	1.14364E-03	0.3140	4.51767E-06	70.8510	
7	0.0014			1.37623E-03	0.2504	1.31768E-03	0.5203	2.16748E-06	100.0000	
8	0.0014			1.42902E-03	0.2662	2.03957E-03	0.5155	0.00000E+00	0.0000	
9	0.0020			1.99323E-03	0.2647	4.33175E-03	0.4412	0.00000E+00	0.0000	
10	0.0042			4.23199E-03	0.2603	7.67783E-03	0.4133	0.00000E+00	0.0000	
11	0.0089			9.10698E-03	0.2651	1.78049E-02	0.3152	0.00000E+00	0.0000	
12	0.0125			1.27480E-02	0.3194	1.62040E-02	0.3492	0.00000E+00	0.0000	
13	0.0123			1.24965E-02	0.3095	1.77071E-02	0.3515	0.00000E+00	0.0000	
14	0.0103			1.04777E-02	0.2955	2.39434E-02	0.2961	0.00000E+00	0.0000	
15	0.0020			1.99127E-03	0.3974	2.93190E-03	0.7563	0.00000E+00	0.0000	
16	0.0013			1.36728E-03	0.4905	1.80865E-03	0.8180	0.00000E+00	0.0000	
17	0.0021			2.15716E-03	0.7060	1.76437E-03	0.8976	0.00000E+00	0.0000	
18	0.0029			2.93392E-03	0.7810	1.98813E-03	0.8501	0.00000E+00	0.0000	
19	0.0035			3.57281E-03	0.5512	2.71908E-03	0.7157	0.00000E+00	0.0000	
20	0.0150			1.52983E-02	0.3606	1.14311E-02	0.3683	0.00000E+00	0.0000	
21	0.0084			8.59775E-03	0.5722	5.91742E-03	0.5320	0.00000E+00	0.0000	
22	0.0218			2.21960E-02	0.4063	1.56538E-02	0.3761	0.00000E+00	0.0000	
23	0.0934			9.51206E-02	0.2289	8.12793E-02	0.1547	0.00000E+00	0.0000	
24	0.2190			2.23163E-01	0.1811	2.08073E-01	0.1064	1.08861E-06	100.0000	
25	0.1994			2.03202E-01	0.1732	1.94962E-01	0.0978	1.34462E-06	100.0000	
26	0.2626			2.67571E-01	0.1754	2.64169E-01	0.0991	0.00000E+00	0.0000	
27	0.1057			1.07708E-01	0.2645	1.09243E-01	0.1501	0.00000E+00	0.0000	
SYSTEM TOTAL =				1.01892E+00	0.1240	1.00023E+00	0.0424	1.52588E-05	35.9576	

ELAPSED TIME 78.48766 MINUTES

RANDOM NUMBER= 88142D71A0C

TRIGA BENCHMARK CORE 132

FREQUENCY FOR GENERATIONS 4 TO 403

0.9284 TO 0.9365	*
0.9365 TO 0.9446	*
0.9446 TO 0.9527	*
0.9527 TO 0.9608	****
0.9608 TO 0.9689	*****
0.9689 TO 0.9770	*****
0.9770 TO 0.9851	*****
0.9851 TO 0.9932	*****
0.9932 TO 1.0013	*****
1.0013 TO 1.0094	*****
1.0094 TO 1.0175	*****
1.0175 TO 1.0256	*****
1.0256 TO 1.0337	*****
1.0337 TO 1.0418	*****
1.0418 TO 1.0499	*****
1.0499 TO 1.0580	*****
1.0580 TO 1.0661	*****
1.0661 TO 1.0742	*****
1.0742 TO 1.0823	****
1.0823 TO 1.0904	*
1.0904 TO 1.0985	*
1.0985 TO 1.1066	*

FREQUENCY FOR GENERATIONS 104 TO 403

0.9284 TO 0.9365	*
0.9365 TO 0.9446	*
0.9446 TO 0.9527	*
0.9527 TO 0.9608	****
0.9608 TO 0.9689	*****
0.9689 TO 0.9770	*****
0.9770 TO 0.9851	*****
0.9851 TO 0.9932	*****
0.9932 TO 1.0013	*****
1.0013 TO 1.0094	*****
1.0094 TO 1.0175	*****
1.0175 TO 1.0256	*****
1.0256 TO 1.0337	*****
1.0337 TO 1.0418	*****
1.0418 TO 1.0499	*****
1.0499 TO 1.0580	*****
1.0580 TO 1.0661	*****
1.0661 TO 1.0742	*****
1.0742 TO 1.0823	****
1.0823 TO 1.0904	*
1.0904 TO 1.0985	*
1.0985 TO 1.1066	*

FREQUENCY FOR GENERATIONS 204 TO 403

0.9284 TO 0.9365	*
0.9365 TO 0.9446	*
0.9446 TO 0.9527	*
0.9527 TO 0.9608	***
0.9608 TO 0.9689	****
0.9689 TO 0.9770	****
0.9770 TO 0.9851	*****
0.9851 TO 0.9932	*****
0.9932 TO 1.0013	*****
1.0013 TO 1.0094	*****
1.0094 TO 1.0175	*****
1.0175 TO 1.0256	*****
1.0256 TO 1.0337	*****
1.0337 TO 1.0418	*****
1.0418 TO 1.0499	*****
1.0499 TO 1.0580	*****
1.0580 TO 1.0661	**
1.0661 TO 1.0742	**
1.0742 TO 1.0823	**
1.0823 TO 1.0904	*
1.0904 TO 1.0985	*
1.0985 TO 1.1066	*

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 78.48766 MINUTES
.....

6.6.6 **TRIGA Fuel Cluster Rods**

This section contains abbreviated output files from the most reactive nonpoisoned and poisoned basket configurations for TRIGA fuel cluster rods as determined in Section 6.4.6.

Figure 6.6.6-1 TRIGA Fuel Cluster Rods – Most Reactive Nonpoisoned Basket Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
TRIGA - PREF. FLOOD CANISTER
27GROUPNDF4 JNFHOMMEDIUM
'FUEL
U-235 1 0.0 2.3348E-04 END
U-238 1 0.0 1.6469E-05 END
ZR 1 0.0 5.4438E-03 END
H 1 0.0 8.5589E-03 END
H2O 1 0.8402 293.0 END
'CLAD, BASKET, AND CASK
SS304 2 1.0 293.0 END
'CANISTER INTERNAL MODERATOR
H2O 3 1.0 293.0 END
'ZIRCONIUM ROD
ZR 4 1.0 293.0 END
'GRAPHITE REFLECTOR
C 5 1.0 293.0 END
'LEAD SHIELD
PB 6 1.0 293.0 END
'NEUTRON SHIELD
H2O 7 1E-20 293.0 END
'CASK EXTERNAL MATERIAL
H2O 8 1E-20 293.0 END
'END FITTING FOR FUEL ELEMENT
SS304 9 0.337137 293.0 END
H2O 9 1E-20 293.0 END
'SECOND FUEL MATERIAL FOR UN-CANISTERED
U-235 10 0.0 9.052980E-4 END
U-238 10 0.0 3.849480E-4 END
ZR 10 0.0 3.446510E-2 END
H 10 0.0 5.514420E-2 END
'SECOND END-FITTING MATERIAL FOR UN-CANISTERED FUEL
SS304 11 0.337137 293.0 END
H2O 11 1E-20 293.0 END
'CASK INTERIOR MODERATOR MATERIAL
H2O 12 1.0E-20 293.0 END
'NEUTRON ABSORBER PLATE WITH BORON
FE 13 DEN=7.76 0.6717 293.0 END
C 13 DEN=7.76 0.0001 293.0 END
SI 13 DEN=7.76 0.0033 293.0 END
MN 13 DEN=7.76 0.0060 293.0 END
P 13 DEN=7.75 0.0001 293.0 END
CR 13 DEN=7.76 0.1849 293.0 END
NI 13 DEN=7.76 0.1233 293.0 END
B-10 13 DEN=7.76 0.0073 293.0 END
B-11 13 DEN=7.76 0.0007 293.0 END
N 13 DEN=7.76 0.0017 293.0 END
'NEUTRON ABSORBER PLATE WITHOUT BORON
FE 14 DEN=7.76 0.6717 293.0 END
C 14 DEN=7.76 0.0001 293.0 END
SI 14 DEN=7.76 0.0033 293.0 END
MN 14 DEN=7.76 0.0060 293.0 END
P 14 DEN=7.75 0.0001 293.0 END
CR 14 DEN=7.76 0.1849 293.0 END
NI 14 DEN=7.76 0.1233 293.0 END
N 14 DEN=7.76 0.0017 293.0 END
'FUEL FOR RODS
U-235 21 0.0 1.46137E-03 END
U-238 21 0.0 1.03065E-04 END
ZR 21 0.0 3.40686E-02 END
H 21 0.0 5.35638E-02 END
'CLAD INCOLOY
NI 22 0 0.028516 END
FE 22 0 0.033820 END
CR 22 0 0.021151 END
C 22 0 0.000399 END
MN 22 0 0.001306 END
S 22 0 0.000022 END
SI 22 0 0.001703 END
CU 22 0 0.000560 END
AL 22 0 0.000266 END
TI 22 0 0.000150 END
'CASK INTERNAL MODERATOR
H2O 23 1.0E-20 293.0 END
'LEAD SHIELD
PB 26 1.0 293.0 END
'NEUTRON SHIELD
H2O 27 1E-20 293.0 END
'CASK EXTERNAL MATERIAL
H2O 28 1E-20 293.0 END
'END FITTING FOR FUEL ELEMENT
SS304 29 .4968 293.0 END
H2O 29 DEN=.5031 1.0E-20 293.0 END
' BASKET, AND CASK NEED TO LOOK AT HOW THIS IS USED
'AL FUEL HOLDER
AL 30 1.0 293.0 END
END COMP
MORE DATA
RES=21 CYLINDER 0.6477 DAN(21)=.38879
END MORE
TRIGA - PREF. FLOOD CANISTER
READ PARAM TME=170.0 GEN=203 NPC=500 RUN=YES PLT=NO

```



```

TBA=2.0 END PARAM
READ GEOM
UNIT 1
COM='TRIGA FUEL (SMEARED)'
CYLINDER 1 1 3.9623 60.959 0.001
UNIT 5
COM='3.38 in Width / 0.28 in Thickness DIVIDER CENTER STACK (SEALED)'
CUBOID 2 1 2P4.2672 0.7112 0.0 +74.29 -8.255
UNIT 6
COM='3.38 in Width / 0.24 in Thickness DIVIDER OUTSIDE STACK (SEALED)'
CUBOID 2 1 2P4.2672 0.6096 0.0 +74.29 -8.255
UNIT 7
COM='SEALED CANISTER'
CYLINDER 3 1 3.9624 +60.96 0.0
HOLE 1 0.0 0.0 0.0
CYLINDER 2 1 4.1275 +63.50 -1.27
CYLINDER 12 1 4.1275 +74.29 -8.255
UNIT 10
COM='TRIGA ELEMENTS IN Top of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 0.0 0.1397 0.0
UNIT 11
COM='TRIGA ELEMENTS IN Bottom of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 0.0 -0.1397 0.0
UNIT 12
COM='TRIGA ELEMENTS IN Bottom Right of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 +0.1397 -0.1397 0.0
UNIT 13
COM='TRIGA ELEMENTS IN Top Right of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 +0.1397 +0.1397 0.0
UNIT 14
COM='TRIGA ELEMENTS IN Bottom Left of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 -0.1397 -0.1397 0.0
UNIT 15
COM='TRIGA ELEMENTS IN Top Left of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 -0.1397 +0.1397 0.0
UNIT 16
COM='TRIGA BASKET 3.38 in x 3.38 in CENTER OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
UNIT 17
COM='HORIZONTAL X-X POISON SHEET + WATER'
CUBOID 13 1 2P3.8227 0.3175 0.0 +73.02 -6.985
CUBOID 14 1 2P4.1402 0.3175 0.0 +73.02 -6.985
CUBOID 12 1 2P4.2672 0.3175 0.0 +74.29 -8.255
UNIT 18
COM='HORIZONTAL X-X POISON SHEET + WATER'
CUBOID 13 1 2P3.8227 0.3175 0.0 2P34.163
CUBOID 14 1 2P4.1402 0.3175 0.0 2P34.163
CUBOID 12 1 2P4.2672 0.3175 0.0 2P36.703
UNIT 20
COM='CENTER COLUMN OF THREE OPENINGS w/ 0.28 in plate (SEALED)'
ARRAY 1 -4.2672 -13.5128 -8.255
REPLICATE 2 1 4R0.7112 2R0.0 1
UNIT 21
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate (SEALED)'
ARRAY 2 -4.2672 -8.8392 -8.255
REPLICATE 2 1 0.0 0.3048 2R0.3048 2R0.0 1
UNIT 22
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate (SEALED)'
ARRAY 3 -4.2672 -8.8392 -8.255
REPLICATE 2 1 0.3048 0.0 2R0.3048 2R0.0 1
UNIT 30
COM='NAC-LWT TRIGA BASKET (SEALED)'
CYLINDER 12 1 17.1 +74.29 -8.255
HOLE 20 0.0 0.0 0.0
HOLE 21 -9.2457 0.0 0.0
HOLE 22 +9.2457 0.0 0.0
CYLINDER 2 1 18.9103 +74.93 -8.890
CYLINDER 6 1 33.4645 +74.93 -8.890
CYLINDER 2 1 36.5188 +74.93 -8.890
CYLINDER 7 1 49.2227 +74.93 -8.890
CYLINDER 2 1 49.8221 +74.93 -8.890
CUBOID 8 1 4P121.92 +74.93 -8.890
UNIT 41
COM='TRIGA FUEL ELEMENT'
CYLINDER 21 1 0.6477 2P27.94
CYLINDER 22 1 0.68834 2P27.94
CYLINDER 29 1 0.68834 43.48 -33.04
UNIT 42
COM='HORIZONTAL X-X POISON SHEET - WATER'
CUBOID 13 1 2P3.8227 0.3175 0.0 39.38 -28.94
CUBOID 14 1 2P4.1402 0.3175 0.0 39.38 -28.94
CUBOID 23 1 2P4.2672 0.3175 0.0 43.48 -33.04
UNIT 45
COM='DIVIDER CENTER STACK'
CUBOID 2 1 2P4.2672 0.7112 0.0 43.48 -33.04
UNIT 46
COM='DIVIDER OUTSIDE STACK'
CUBOID 2 1 2P4.2672 0.6096 0.0 43.48 -33.04
UNIT 410
COM='TRIGA FUEL ELEMENTS IN AL TUBE, CENTERED'
CYLINDER 23 1 0.80518 43.48 -33.04
HOLE 41 0.0 0.0 0.0
CYLINDER 30 1 0.9525 43.48 -33.04
UNIT 411
COM='TRIGA FUEL ELEMENTS IN AL TUBE, RIGHT'

```

```
CYLINDER 23 1 0.80518 43.48 -33.04
HOLE 41 0.1167 0.0 0.0
CYLINDER 30 1 0.9525 43.48 -33.04
UNIT 412
COM='TRIGA FUEL ELEMENTS IN AL TUBE, LEFT'
CYLINDER 23 1 0.80518 43.48 -33.04
HOLE 41 -0.1167 0.0 0.0
CYLINDER 30 1 0.9525 43.48 -33.04
UNIT 413
COM='TRIGA FUEL ELEMENTS IN AL TUBE, TOP'
CYLINDER 23 1 0.80518 43.48 -33.04
HOLE 41 0.0 0.1167 0.0
CYLINDER 30 1 0.9525 43.48 -33.04
UNIT 414
COM='TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM'
CYLINDER 23 1 0.80518 43.48 -33.04
HOLE 41 0.0 -0.1167 0.0
CYLINDER 30 1 0.9525 43.48 -33.04
UNIT 415
COM='TRIGA FUEL ELEMENTS IN AL TUBE, TOP RIGHT'
CYLINDER 23 1 0.80518 43.48 -33.04
HOLE 41 0.0826 0.0826 0.0
CYLINDER 30 1 0.9525 43.48 -33.04
UNIT 416
COM='TRIGA FUEL ELEMENTS IN AL TUBE, TOP LEFT'
CYLINDER 23 1 0.80518 43.48 -33.04
HOLE 41 -0.0826 0.0826 0.0
CYLINDER 30 1 0.9525 43.48 -33.04
UNIT 417
COM='TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM RIGHT'
CYLINDER 23 1 0.80518 43.48 -33.04
HOLE 41 0.0826 -0.0826 0.0
CYLINDER 30 1 0.9525 43.48 -33.04
UNIT 418
COM='TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM LEFT'
CYLINDER 23 1 0.80518 43.48 -33.04
HOLE 41 -0.0826 -0.0826 0.0
CYLINDER 30 1 0.9525 43.48 -33.04

UNIT 420
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, CENTER OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8576 -2.8576 0
HOLE 413 -0.9525 -2.8576 0
HOLE 413 0.9525 -2.8576 0
HOLE 416 2.8576 -2.8576 0
HOLE 411 -2.8576 -0.9525 0
HOLE 415 -0.9525 -0.9525 0
HOLE 416 0.9525 -0.9525 0
HOLE 412 2.8576 -0.9525 0
HOLE 411 -2.8576 0.9525 0
HOLE 417 -0.9525 0.9525 0
HOLE 418 0.9525 0.9525 0
HOLE 412 2.8576 0.9525 0
HOLE 417 -2.8576 2.8576 0
HOLE 414 -0.9525 2.8576 0
HOLE 414 0.9525 2.8576 0
HOLE 418 2.8576 2.8576 0
CUBOID 23 1 4P4.1529 43.48 -33.04
' CHECK 4.1 CM ABOVE'*****
UNIT 421
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8576 -2.8576 0
HOLE 413 -0.9525 -2.8576 0
HOLE 413 0.9525 -2.8576 0
HOLE 416 2.8576 -2.8576 0
HOLE 411 -2.8576 -0.9525 0
HOLE 415 -0.9525 -0.9525 0
HOLE 416 0.9525 -0.9525 0
HOLE 412 2.8576 -0.9525 0
HOLE 411 -2.8576 0.9525 0
HOLE 417 -0.9525 0.9525 0
HOLE 418 0.9525 0.9525 0
HOLE 412 2.8576 0.9525 0
HOLE 417 -2.8576 2.8576 0
HOLE 414 -0.9525 2.8576 0
HOLE 414 0.9525 2.8576 0
HOLE 418 2.8576 2.8576 0
CUBOID 23 1 4P4.1529 43.48 -33.04
' CHECK 4.1 CM ABOVE'*****
UNIT 422
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8576 -2.8576 0
HOLE 413 -0.9525 -2.8576 0
HOLE 413 0.9525 -2.8576 0
HOLE 416 2.8576 -2.8576 0
HOLE 411 -2.8576 -0.9525 0
HOLE 415 -0.9525 -0.9525 0
HOLE 416 0.9525 -0.9525 0
HOLE 412 2.8576 -0.9525 0
HOLE 411 -2.8576 0.9525 0
HOLE 417 -0.9525 0.9525 0
HOLE 418 0.9525 0.9525 0
HOLE 412 2.8576 0.9525 0
HOLE 417 -2.8576 2.8576 0
HOLE 414 -0.9525 2.8576 0
HOLE 414 0.9525 2.8576 0
HOLE 418 2.8576 2.8576 0
CUBOID 23 1 4P4.1529 43.48 -33.04
```

```

' CHECK 4.1 CM ABOVE*****
UNIT 423
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM LEFT OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8576 -2.8576 0
HOLE 413 -0.9525 -2.8576 0
HOLE 413 0.9525 -2.8576 0
HOLE 416 2.8576 -2.8576 0
HOLE 411 -2.8576 -0.9525 0
HOLE 415 -0.9525 -0.9525 0
HOLE 416 0.9525 -0.9525 0
HOLE 412 2.8576 -0.9525 0
HOLE 411 -2.8576 0.9525 0
HOLE 417 -0.9525 0.9525 0
HOLE 418 0.9525 0.9525 0
HOLE 412 2.8576 0.9525 0
HOLE 417 -2.8576 2.8576 0
HOLE 414 -0.9525 2.8576 0
HOLE 414 0.9525 2.8576 0
HOLE 418 2.8576 2.8576 0
CUBOID 23 1 4P4.1529 43.48 -33.04
' CHECK 4.1 CM ABOVE*****
UNIT 424
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP LEFT OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8576 -2.8576 0
HOLE 413 -0.9525 -2.8576 0
HOLE 413 0.9525 -2.8576 0
HOLE 416 2.8576 -2.8576 0
HOLE 411 -2.8576 -0.9525 0
HOLE 415 -0.9525 -0.9525 0
HOLE 416 0.9525 -0.9525 0
HOLE 412 2.8576 -0.9525 0
HOLE 411 -2.8576 0.9525 0
HOLE 417 -0.9525 0.9525 0
HOLE 418 0.9525 0.9525 0
HOLE 412 2.8576 0.9525 0
HOLE 417 -2.8576 2.8576 0
HOLE 414 -0.9525 2.8576 0
HOLE 414 0.9525 2.8576 0
HOLE 418 2.8576 2.8576 0
CUBOID 23 1 4P4.1529 43.48 -33.04
' CHECK 4.1 CM ABOVE*****
UNIT 425
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM RIGHT OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8576 -2.8576 0
HOLE 413 -0.9525 -2.8576 0
HOLE 413 0.9525 -2.8576 0
HOLE 416 2.8576 -2.8576 0
HOLE 411 -2.8576 -0.9525 0
HOLE 415 -0.9525 -0.9525 0
HOLE 416 0.9525 -0.9525 0
HOLE 412 2.8576 -0.9525 0
HOLE 411 -2.8576 0.9525 0
HOLE 417 -0.9525 0.9525 0
HOLE 418 0.9525 0.9525 0
HOLE 412 2.8576 0.9525 0
HOLE 417 -2.8576 2.8576 0
HOLE 414 -0.9525 2.8576 0
HOLE 414 0.9525 2.8576 0
HOLE 418 2.8576 2.8576 0
CUBOID 23 1 4P4.1529 43.48 -33.04
' CHECK 4.1 CM ABOVE*****
UNIT 426
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP RIGHT OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8576 -2.8576 0
HOLE 413 -0.9525 -2.8576 0
HOLE 413 0.9525 -2.8576 0
HOLE 416 2.8576 -2.8576 0
HOLE 411 -2.8576 -0.9525 0
HOLE 415 -0.9525 -0.9525 0
HOLE 416 0.9525 -0.9525 0
HOLE 412 2.8576 -0.9525 0
HOLE 411 -2.8576 0.9525 0
HOLE 417 -0.9525 0.9525 0
HOLE 418 0.9525 0.9525 0
HOLE 412 2.8576 0.9525 0
HOLE 417 -2.8576 2.8576 0
HOLE 414 -0.9525 2.8576 0
HOLE 414 0.9525 2.8576 0
HOLE 418 2.8576 2.8576 0
CUBOID 23 1 4P4.1529 43.48 -33.04
UNIT 430
COM='FUEL INSERT IN, CENTER OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
UNIT 431
COM='FUEL INSERT IN, BOTTOM OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 421 0.0 -0.1143 0.0
UNIT 432
COM='FUEL INSERT IN, TOP OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 422 0.0 0.1143 0.0
UNIT 433
COM='FUEL INSERT IN, BOTTOM LEFT OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 423 -0.1143 -0.1143 0.0
UNIT 434
COM='FUEL INSERT IN, TOP LEFT OPENING'

```

```
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 424 -0.1143 0.1143 0.0
UNIT 435
COM='FUEL INSERT IN, BOTOM RIGHT OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 425 0.1143 -0.1143 0.0
UNIT 436
COM='FUEL INSERT IN, TOP RIGHT OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 426 0.1143 0.1143 0.0
UNIT 440
COM='CENTER COLUMN OF THREE OPENINGS'
ARRAY 41 -4.2672 -13.5128 -33.04
REPLICATE 2 1 4R0.7112 2R0.0 1
UNIT 441
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS'
ARRAY 42 -4.2672 -8.8392 -33.04
REPLICATE 2 1 0.0 0.3408 2R0.3408 2R0.0 1
UNIT 442
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS'
ARRAY 43 -4.2672 -8.8392 -33.04
REPLICATE 2 1 0.3408 0.0 2R0.3408 2R0.0 1
UNIT 450
COM='28 TRIGA FUEL ELEMENTS IN EACH LWT BASKET'
CYLINDER 23 1 17.1500 43.485 -33.045
HOLE 440 0.0 0.0 0.0
HOLE 441 -9.2457 0.0 0.0
HOLE 442 9.2457 0.0 0.0
CYLINDER 2 1 18.9103 43.485 -33.045
CYLINDER 26 1 33.4645 43.485 -33.045
CYLINDER 2 1 36.5188 43.485 -33.045
CYLINDER 27 1 49.2227 43.485 -33.045
CYLINDER 2 1 49.8221 43.485 -33.045
CUBOID 28 1 4P121.92 43.485 -33.045
UNIT 80
COM='SIMPLIFIED LID STRUCTURE NAC-LWT'
CYLINDER 2 1 36.5188 2P14.1351
CYLINDER 8 1 49.8221 2P14.1351
CUBOID 8 1 4P121.92 2P14.1351
UNIT 81
COM='SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT'
CYLINDER 6 1 26.3525 2P3.81
CYLINDER 2 1 36.6188 +13.97 -12.7
CYLINDER 8 1 49.8221 +13.97 -12.7
CUBOID 8 1 4P121.92 +13.97 -12.7
GLOBAL UNIT 82
COM='STACK OF 5 BASKETS IN CASK'
ARRAY 20 -121.92 -121.92 -221.3
END GEOM
READ ARRAY
ARA=1 NUX=1 NUY=5 NUZ=1 FILL 10 5 16 5 11 END FILL
ARA=2 NUX=1 NUY=3 NUZ=1 FILL 13 6 12 END FILL
ARA=3 NUX=1 NUY=3 NUZ=1 FILL 15 6 14 END FILL
ARA=41 NUX=1 NUY=5 NUZ=1 FILL 43 45 430 45 431 END FILL
ARA=42 NUX=1 NUY=3 NUZ=1 FILL 43 46 435 END FILL
ARA=43 NUX=1 NUY=3 NUZ=1 FILL 434 46 433 END FILL
ARA=20 NUX=1 NUY=1 NUZ=7 FILL 81 30 3R450 30 80 END FILL
END ARRAY
READ BOUNDS ALL=MIR END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CASK (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-50.0 YUL=50.0 ZUL=149.352
XLR=50.0 YLR=-50.0 ZLR=149.352 END
TTL='X-Y PLOT OF BASKET (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-17.2 YUL=17.2 ZUL=149.352
XLR=17.2 YLR=-17.2 ZLR=149.352 END
TTL='X-Y PLOT OF BASKET (CAVITY MID PLANE)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-17.2 YUL=17.2 ZUL=0.0
XLR=17.2 YLR=-17.2 ZLR=0.0 END
TTL='X-Y PLOT OF CENTER OPENING (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-7.0 YUL=7.0 ZUL=149.352
XLR=7.0 YLR=-7.0 ZLR=149.352 END
TTL='X-Y PLOT OF PERIPHERAL OPENING (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-7.0 YUL=16.0 ZUL=149.352
XLR=7.0 YLR=4.0 ZLR=149.352 END
TTL='Y-Z PLOT OF BASKET (CENTER OF FUEL ELEMENTS,CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
VAX=1.0 WDN=-1.0 NAX=800
XUL=2.12 YUL=-14.0 ZUL=186.69
XLR=2.12 YLR=-4.5 ZLR=112.014 END
TTL='Y-Z PLOT OF BASKET (CASK)'
SCR=YES PIC=MAT LPI=10
VAX=1.0 WDN=-1.0 NAX=800
XUL=2.12 YUL=-51 ZUL=220.0
XLR=2.12 YLR=51 ZLR=-220.0
END PLOT
END DATA
```

SECONDARY MODULE 000008 HAS BEEN CALLED.

MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1.38 (SECONDS).

SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 15.38 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 309.67 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 327.58 (SECONDS).

```

CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  2222222222  5555555555
CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  2222222222  5555555555
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55      55
CC          CS  AA      AA  AA      AA  SS      SS  22      22  55      55
CC          CS  AA      AA  AA      AA  SS      SS  22      22  55      55
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22      22  5555555555
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22      22  5555555555
CC          SS      SS  AA      AA  SS      SS  22      22  55      55
CC          SS      SS  AA      AA  SS      SS  22      22  55      55
CC          CC  SS      SS  AA      AA  SS      SS  22      22  55      55
CCCCCCCCC  SSSSSSSSS  AA      AA  SSSSSSSSS  2222222222  5555555555
CCCCCCCCC  SSSSSSSSS  AA      AA  SSSSSSSSS  2222222222  5555555555

```

```

SSSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SSSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SS      SS  CC          CC  AA      AA  LL          EE          PP      PP  CC          CC
SS          CC          CC  AA      AA  LL          EE          PP      PP  CC          CC
SS          CC          CC  AA      AA  LL          EE          PP      PP  CC          CC
SSSSSSSSSE  CC          AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CC
SSSSSSSSSS  CC          AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CC
SS          SS  CC          CC  AA      AA  LL          EE          PP      PP  CC          CC
SS          SS  CC          CC  AA      AA  LL          EE          PP      PP  CC          CC
SSSSSSSSSS  CCCCCCCCC  AA      AA  LLLLLLLLL  EEEEEEEEE  PP          CCCCCCCCC
SSSSSSSSSS  CCCCCCCCC  AA      AA  LLLLLLLLL  EEEEEEEEE  PP          CCCCCCCCC

```

```

0000000  11          //          0000000  44          //          9999999999  9999999999
000000000  111        //          000000000  444        //          999999999999  999999999999
00 00 00  1111  //          00 00 00  4444  //          99 99 99 99 99  9999999999
00 00 00  11  11  //          00 00 00  44 44  //          99 99 99 99 99  9999999999
00 00 00  11  11  //          00 00 00  44 44  //          99 99 99 99 99  9999999999
00 00 00  11  11  //          00 00 00  44 44  //          999999999999  999999999999
00 00 00  11  11  //          00 00 00  4444444444  //          9999999999  9999999999
00 00 00  11  11  //          00 00 00  444444444444  //          99 99 99 99 99  9999999999
00 00 00  11  11  //          00 00 00  44444444444444  //          99 99 99 99 99  9999999999
000000000  1111111  //          000000000  44          //          999999999999  999999999999
0000000  1111111  //          0000000  44          //          999999999999  999999999999

```

```

11          666666666666  3333333333  7777777777  0000000  3333333333
111        666666666666  3333333333  7777777777  000000000  3333333333
1111      66          33  77          00 00  33  33
11        66          33  77          00 00  33  33
11        66          33  77          00 00  33  33
11        66          33  77          00 00  33  33
11        666666666666  333  77          00 00  333  333
11        666666666666  333  77          00 00  333  333
11        66 66          33  77          00 00  33  33
11        66 66          33  77          00 00  33  33
11        66 66          33  77          00 00  33  33
11111111  666666666666  3333333333  77          00000000  3333333333
11111111  666666666666  3333333333  77          0000000  3333333333

```

```
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSSSS  CCCCCCCCCCCC  AAAAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPPPP  CCCCCCCCCCCC
SS  SS  CC  CC  AA  AA  LL  EE  PP  PP  CC  CC
SS  CC  AA  AA  LL  EE  PP  PP  CC  CC
SS  CC  AA  AA  LL  EE  PP  PP  CC  CC
SSSSSSSSSSSS  CC  AAAAAAAAAAAA  LL  EEEEEEEE  PPPPPPPPPPPP  CC
SSSSSSSSSSSS  CC  AAAAAAAAAAAA  LL  EEEEEEEE  PPPPPPPPPPPP  CC
SS  SS  CC  AA  AA  LL  EE  PP  PP  CC  CC
SS  SS  CC  AA  AA  LL  EE  PP  PP  CC  CC
SSSSSSSSSSSS  CCCCCCCCCCCC  AA  AA  LLLLLLLLLLLL  EEEEEEEEEEEE  PP  CCCCCCCCCCCC
SSSSSSSSSSSS  CCCCCCCCCC  AA  AA  LLLLLLLLLLLL  EEEEEEEEEEEE  PP  CCCCCCCCCC
```

```
.....
.....
.....
PROGRAM VERIFICATION INFORMATION
.....
CODE SYSTEM: SCALE-PC VERSION: 4.3
.....
.....
PROGRAM: CSAS
.....
CREATION DATE: 03/08/96
.....
VOLUME: ENG
.....
LIBRARY: G:\SCALE43\WIN_NT\EXE
.....
PRODUCTION CODE: CSAS
.....
VERSION: 3.1
.....
JOBNAME: SCALE-PC
.....
DATE OF EXECUTION: 01/04/99
.....
TIME OF EXECUTION: 16:37:03
.....
.....
.....
```

**** PROBLEM GEOMETRY ****

**** INFINITE HOMOGENEOUS MEDIUM ****

MFUEL 1 MIXTURE NO. OF THE INFINITE HOMOGENEOUS MEDIUM

**** SPECIAL PARAMETERS ****

ISN 8 ORDER OF ANGULAR QUADRATURE
IIM 20 INNER ITERATION MAXIMUM
ICM 25 OUTER ITERATION MAXIMUM
SZF 1.00000E+00 SIZE FACTOR FOR SPATIAL MESH
EPS 1.00000E-04 OVERALL PROBLEM CONVERGENCE
PTC 1.00000E-04 SCALAR FLUX CONVERGENCE
BKL 1.42089E+00 BUCKLING FACTOR
IUS 0 THERMAL UPSCATTER SCALING
BAL FINE BALANCE TABLE PRINT FLAG
DY 0.00000E+00 BUCKLING HEIGHT
DZ 0.00000E+00 BUCKLING DEPTH
IPN 0 DIFFUSION COEFFICIENT OPTION
FRD 0 LOGICAL UNIT NUMBER TO READ FLUX GUESS
FWR -1 LOGICAL UNIT NUMBER TO WRITE FLUX GUESS
MSH 2001 NUMBER OF INTERVALS FOR RES. INTEGRALS
MLV 2 MAX LVALUE FOR RES. INTEGRALS
AXS 0 LOGICAL UNIT NUMBER TO WRITE ANISN LIB
RES 21 MIXTURE WITH SPECIAL RESONANCE CORRECTION
* CYLINDER GEOMETRY FOR SPECIAL RESONANCE CORRECTION
* 6.47700E-01 DIMENSION (LBAR) FOR SPECIAL RESONANCE CORRECTION

DANCOFF FACTOR SPECIFICATION

MIXTURE FACTOR
21 0.38879


```
*****
***** TRIGA - PREF. FLOOD CANISTER *****
*****
***** DATA LIBRARY INFORMATION *****
*****
UNIT  VOLUME  UNIT FUNCTION
NUMBER DATA SET NAME NAME
-----
89  G:\scale43\DATALIB\FT89F001  STANDARD COMPOSITION LIBRARY
82  G:\scale43\DATALIB\FT82F001  CROSS SECTION LIBRARY
11  D:\projects\triga\mev\moddensk\fixu_8_ala\FT  SHORT CROSS SECTION LIBRARY
90  D:\projects\triga\mev\moddensk\fixu_8_ala\FT  INPUT DATA DIRECT ACCESS
*****
*****
***** STANDARD COMPOSITION LIBRARY DATA *****
*****
UNIT NUMBER : 89
DATASET NAME : G:\scale43\DATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
                637 STANDARD COMPOSITIONS, 490 NUCLIDES
                90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95
*****
***** CROSS SECTION LIBRARY DATA *****
*****
UNIT NUMBER : 82
DATASET NAME : G:\scale43\DATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
                BASED ON ENDF-B VERSION 4 DATA
                COMPILED FOR NRC 1/27/89
                LAST UPDATED
                L.M.PETRIE - ORNL
*****
***** 08/12/94 *****
*****
*****
*****
*****
```

```
..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....
***** DATA READING COMPLETED *****
..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....
```

```
KK      KK  EEEEEEEEEEE  NN      NN  OOOOOOOOOO  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  OOOOOOOOOOOO  VV      VV
KK      KK  EE          NNNN    NN  OO      OO  VV      VV
KK      KK  EE          NN NN   NN  OO      OO  VV      VV
KK      KK  EE          NN  NN  NK  OO      OO  VV      VV
KKKKKKKK EEEEEEEEE  NN  NN  NN  OO      OO  VV      VV
KKKKKKKK EEEEEEEEE  NN  NN  NN  OO      OO  VV      VV
KK      KK  EE          NN  NN  NN  OO      OO  VV      VV
KK      KK  EE          NN  NN  NN  OO      OO  VV      VV
KK      KK  EE          NN  NNN  OO      OO  VV      VV
KK      KK  EEEEEEEEEEE  NN      NNN  OOOOOOOOOOOO  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  OOOOOOOOOO  V
```

```
SSSSSSSSSS  CCCCCCCCCCC  AAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCCC
SSSSSSSSSSS CCCCCCCCCCC  AAAAAAAAAAA LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCCC
SS      SS   CC      CC   AA      AA  LL      EE      PP      PP  CC      CC
SS      SS   CC      AA  AA      AA  LL      EE      PP      PP  CC      CC
SS      SS   CC      AA  AA      AA  LL      EE      PP      PP  CC      CC
SSSSSSSSSSS CC      AA      AA      AA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SSSSSSSSSSS CC      AA      AA      AA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SS      SS   CC      AA      AA  LL      EE      PP      PP  CC      CC
SS      SS   CC      AA      AA  LL      EE      PP      PP  CC      CC
SSSSSSSSSSS CCCCCCCCCCC  AA      AA  LLLLLLLLLLLL EEEEEEEEEEE  PP      CC      CC
SSSSSSSSSSS CCCCCCCCCCC  AA      AA  LLLLLLLLLLLL EEEEEEEEEEE  PP      CC      CC
```

```
0000000  11  //  0000000  44  //  999999999 999999999
00000000 111  //  00000000 444  //  99999999999 99999999999
00      00 1111 //  00      00 4444 //  99      99 99      99
00      00 11   //  00      00 44 44 //  99      99 99 99
00      00 11   //  00      00 44 44 //  99 99 99 99
00      00 11   //  00      00 44 44 //  99999999999 99999999999
00      00 11   //  00      00 44 44 //  99999999999 99999999999
00      00 11   //  00      00 44444444444 99      99 99
00      00 11   //  00      00 4444444444444 99      99 99
00      00 11   //  00      00 444444444444444 99      99 99
00000000 1111111 //  00000000 44 //  99999999999 99999999999
0000000 1111111 //  0000000 44 //  99999999999 99999999999
```

```
11      66666666666  33333333333  77777777777  22222222222  11
111     66666666666  33333333333  77777777777  22222222222  111
1111    66           ::: 33           77           ::: 22           1111
11      66           ::: 33           77           ::: 22           11
11      66           ::: 33           77           ::: 22           11
11      66666666666  33           77           22           11
11      66666666666  33           77           22           11
11      66 66       ::: 33           77           22           11
11      66 66       ::: 33           77           22           11
11      66 66       ::: 33           77           22           11
11111111 66666666666  33333333333  77           22222222222 11111111
11111111 66666666666  33333333333  77           22222222222 11111111
```

SSSSSSSSSS	CCCCCCCCC	AAAAAAA	LL	EEEEEEEEEE		PPPPPPPPP	CCCCCCCCC
SSSSSSSSSS	CCCCCCCCC	AAAAAAAAA	LL	EEEEEEEEEE		PPPPPPPPP	CCCCCCCCC
SS SS	CC CC	AA AA	LL	EE		PP PP	CC CC
SS	CC	AA AA	LL	EE		PP PP	CC CC
SS	CC	AA AA	LL	EE		PP PP	CC CC
SSSSSSSSSS	CC	AAAAAAAAA	LL	EEEEEEEE	-----	PPPPPPPPP	CC
SSSSSSSSSS	CC	AAAAAAAAA	LL	EEEEEEEE	-----	PPPPPPPPP	CC
SS	CC	AA AA	LL	EE		PP	CC
SS	CC	AA AA	LL	EE		PP	CC
SS SS	CC CC	AA AA	LL	EE		PP	CC CC
SSSSSSSSSS	CCCCCCCCC	AA AA	LLLLLLLLLLL	EEEEEEEEEE		PP	CCCCCCCCC
SSSSSSSSSS	CCCCCCCCC	AA AA	LLLLLLLLLLL	EEEEEEEEEE		PP	CCCCCCCCC

```

.....
.....
*****
*****
*****      PROGRAM VERIFICATION INFORMATION      *****
*****
*****      CODE SYSTEM:  SCALE-PC VERSION:  4.3      *****
*****
*****
*****
*****      PROGRAM:  00009      *****
*****
*****      CREATION DATE:  03/08/96      *****
*****
*****      VOLUME:  ENG      *****
*****
*****      LIBRARY:  G:\SCALE43\WIN_NT\EXE      *****
*****
*****
*****      PRODUCTION CODE:  KENOVA      *****
*****
*****      VERSION:  3.1      *****
*****
*****      JOBNAME:  SCALE-PC      *****
*****
*****      DATE OF EXECUTION:  01/04/99      *****
*****
*****      TIME OF EXECUTION:  16:37:21      *****
*****
*****
.....
.....

```

TRIGA - PREF. FLOOD CANISTER			
***** NUMERIC PARAMETERS *****			
TME	MAXIMUM PROBLEM TIME (MIN)	170.00	
TBA	TIME PER GENERATION (MIN)	2.00	
GEN	NUMBER OF GENERATIONS	203	
NPG	NUMBER PER GENERATION	500	
NSK	NUMBER OF GENERATIONS TO BE SKIPPED	3	
BEG	BEGINNING GENERATION NUMBER	1	
RES	GENERATIONS BETWEEN CHECKPOINTS	0	
X1D	NUMBER OF EXTRA 1-D CROSS SECTIONS	1	
NBK	NEUTRON BANK SIZE	525	
XNB	EXTRA POSITIONS IN NEUTRON BANK	0	
NFB	FISSION BANK SIZE	500	
XFB	EXTRA POSITIONS IN FISSION BANK	0	
WTA	DEFAULT VALUE OF WEIGHT AVERAGE	0.5000	
WTH	WEIGHT HIGH FOR SPLITTING	3.0000	
WTL	WEIGHT LOW FOR RUSSIAN ROULETTE	0.3333	
RND	STARTING RANDOM NUMBER	BBB27100001	
NBB	NUMBER OF D.A. BLOCKS ON UNIT 8	200	
NLB	LENGTH OF D.A. BLOCKS ON UNIT 8	512	
ADJ	MODE OF CALCULATION	FORWARD	
	INPUT DATA WRITTEN ON RESTART UNIT	NO	
	BINARY DATA INTERFACE	YES	

```
.....  
***  
*** TRIGA - PREF. FLOOD CANISTER ***  
***  
***** LOGICAL PARAMETERS *****  
***  
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***  
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***  
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-DAR & AVG FISSION GROUP YES ***  
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***  
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***  
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***  
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***  
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***  
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***  
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***  
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***  
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***  
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***  
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***  
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***  
*** P1D PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***  
*** TRK PRINT TRACKING INFORMATION NO ***  
***  
.....
```

PARAMETER INPUT COMPLETED

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

*****
***** TRIGA - PREF. FLOOD CANISTER *****
*****
***** ADDITIONAL INFORMATION *****
*****
NUMBER OF ENERGY GROUPS      27      USE LATTICE GEOMETRY      YES
NO. OF FISSION SPECTRUM SOURCE GROUP  1      GLOBAL ARRAY NUMBER      20
NO. OF SCATTERING ANGLES IN XSECS    2      NUMBER OF UNITS IN THE GLOBAL X DIR.    1
ENTRIES/NEUTRON IN THE NEUTRON BANK  26      NUMBER OF UNITS IN THE GLOBAL Y DIR.    1
ENTRIES/NEUTRON IN THE FISSION BANK  19      NUMBER OF UNITS IN THE GLOBAL Z DIR.    7
NUMBER OF MIXTURES USED            15      USE A GLOBAL REFLECTOR      YES
NUMBER OF BIAS ID'S USED            1      USE NESTED HOLES            YES
NUMBER OF DIFFERENTIAL ALBEDOS USED  0      NUMBER OF HOLES            140
TOTAL INPUT GEOMETRY REGIONS        100     MAXIMUM HOLE NESTING LEVEL    4
NUMBER OF GEOMETRY REGIONS USED      87      USE NESTED ARRAYS            YES
LARGEST GEOMETRY UNIT NUMBER         450     NUMBER OF ARRAYS USED        7
LARGEST ARRAY NUMBER                 43      MAXIMUM ARRAY NESTING LEVEL  2
*****
+X BOUNDARY CONDITION              MIR      -X BOUNDARY CONDITION              MIR
+Y BOUNDARY CONDITION              MIR      -Y BOUNDARY CONDITION              MIR
+Z BOUNDARY CONDITION              MIR      -Z BOUNDARY CONDITION              MIR
*****

```

ARRAY NUMBER	UNITS IN X DIR.	UNITS IN Y DIR.	UNITS IN Z DIR.	NESTING LEVEL
1	1	5	1	2
2	1	3	1	2
3	1	3	1	2
20 GLOBAL	1	1	7	1
41	1	5	1	2
42	1	3	1	2
43	1	3	1	2

..... 0 IO'S WERE USED LOADING THE DATA

TRIGA - PREF. FLOOD CANISTER

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 1 -----							
TRIGA FUEL (SMEARED)							
1	1	RADIUS = 3.9623	+Z = 60.959	-Z = 1.00000E-03	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
----- UNIT 5 -----							
3.38 IN WIDTH / 0.28 IN THICKNESS DIVIDER CENTER STACK (SEALED)							
1	1	+X = 4.2672	-X = -4.2672	+Y = 0.71120	-Y = 0.00000	+Z = 74.290 -Z = -8.2550	
----- UNIT 6 -----							
3.38 IN WIDTH / 0.24 IN THICKNESS DIVIDER OUTSIDE STACK (SEALED)							
1	1	+X = 4.2672	-X = -4.2672	+Y = 0.60960	-Y = 0.00000	+Z = 74.290 -Z = -8.2550	
----- UNIT 7 -----							
SEALED CANISTER							
1	1	RADIUS = 3.9624	+Z = 60.960	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
HOLE NUMBER	1	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	1	
2	1	RADIUS = 4.1275	+Z = 63.500	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	1	RADIUS = 4.1275	+Z = 74.290	-Z = -8.2550	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
----- UNIT 10 -----							
TRIGA ELEMENTS IN TOP OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290 -Z = -8.2550	
HOLE NUMBER	2	AT X = 0.00000	Y = 0.13970	Z = 0.00000	IS UNIT NUMBER	7	
----- UNIT 11 -----							
TRIGA ELEMENTS IN BOTTOM OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290 -Z = -8.2550	
HOLE NUMBER	3	AT X = 0.00000	Y = -0.13970	Z = 0.00000	IS UNIT NUMBER	7	
TRIGA - PREF. FLOOD CANISTER							
REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 12 -----							
TRIGA ELEMENTS IN BOTTOM RIGHT OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290 -Z = -8.2550	
HOLE NUMBER	4	AT X = 0.13970	Y = -0.13970	Z = 0.00000	IS UNIT NUMBER	7	
----- UNIT 13 -----							
TRIGA ELEMENTS IN TOP RIGHT OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290 -Z = -8.2550	
HOLE NUMBER	5	AT X = 0.13970	Y = 0.13970	Z = 0.00000	IS UNIT NUMBER	7	
----- UNIT 14 -----							
TRIGA ELEMENTS IN BOTTOM LEFT OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290 -Z = -8.2550	
HOLE NUMBER	6	AT X = -0.13970	Y = -0.13970	Z = 0.00000	IS UNIT NUMBER	7	
----- UNIT 15 -----							
TRIGA ELEMENTS IN TOP LEFT OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290 -Z = -8.2550	
HOLE NUMBER	7	AT X = -0.13970	Y = 0.13970	Z = 0.00000	IS UNIT NUMBER	7	
----- UNIT 16 -----							
TRIGA BASKET 3.38 IN X 3.38 IN CENTER OPENING (SEALED)							

1 CUBOID	12 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290	-Z = -8.2550
----- UNIT 20 EXTERNAL TO LATTICE 1 -----							
CENTER COLUMN OF THREE OPENINGS W/ 0.28 IN PLATE (SEALED)							
1 ARRAY NUMBER	1	+X = 4.2672	-X = -4.2672	+Y = 13.513	-Y = -13.513	+Z = 74.290	-Z = -8.2550
2 CUBOID	2 1	+X = 4.9784	-X = -4.9784	+Y = 14.224	-Y = -14.224	+Z = 74.290	-Z = -8.2550
TRIGA - PREF. FLOOD CANISTER							
REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 21 EXTERNAL TO LATTICE 2 -----							
LEFT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE (SEALED)							
1 ARRAY NUMBER	2	+X = 4.2672	-X = -4.2672	+Y = 8.8392	-Y = -8.8392	+Z = 74.290	-Z = -8.2550
2 CUBOID	2 1	+X = 4.2672	-X = -4.5720	+Y = 9.1440	-Y = -9.1440	+Z = 74.290	-Z = -8.2550
----- UNIT 22 EXTERNAL TO LATTICE 3 -----							
RIGHT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE (SEALED)							
1 ARRAY NUMBER	3	+X = 4.2672	-X = -4.2672	+Y = 8.8392	-Y = -8.8392	+Z = 74.290	-Z = -8.2550
2 CUBOID	2 1	+X = 4.5720	-X = -4.2672	+Y = 9.1440	-Y = -9.1440	+Z = 74.290	-Z = -8.2550
----- UNIT 30 -----							
NAC-LWT TRIGA BASKET (SEALED)							
1 CYLINDER	12 1	RADIUS = 17.100	+Z = 74.290	-Z = -8.2550	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
HOLE NUMBER	8	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	20	
HOLE NUMBER	9	AT X = -9.2457	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	21	
HOLE NUMBER	10	AT X = 9.2457	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	22	
2 CYLINDER	2 1	RADIUS = 18.910	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3 CYLINDER	6 1	RADIUS = 33.465	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4 CYLINDER	2 1	RADIUS = 36.519	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5 CYLINDER	7 1	RADIUS = 49.223	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6 CYLINDER	2 1	RADIUS = 49.822	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7 CUBOID	8 1	+X = 121.92	-X = -121.92	+Y = 121.92	-Y = -121.92	+Z = 74.930	-Z = -8.8900
----- UNIT 41 -----							
TRIGA FUEL ELEMENT							
1 CYLINDER	21 1	RADIUS = 0.64770	+Z = 27.940	-Z = -27.940	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2 CYLINDER	22 1	RADIUS = 0.68834	+Z = 27.940	-Z = -27.940	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3 CYLINDER	29 1	RADIUS = 0.68834	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
TRIGA - PREF. FLOOD CANISTER							
REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 45 -----							
DIVIDER CENTER STACK							
1 CUBOID	2 1	+X = 4.2672	-X = -4.2672	+Y = 0.71120	-Y = 0.00000	+Z = 43.480	-Z = -33.040
----- UNIT 46 -----							
DIVIDER OUTSIDE STACK							
1 CUBOID	2 1	+X = 4.2672	-X = -4.2672	+Y = 0.60960	-Y = 0.00000	+Z = 43.480	-Z = -33.040
----- UNIT 80 -----							
SIMPLIFIED LID STRUCTURE NAC-LWT							
1 CYLINDER	2 1	RADIUS = 36.519	+Z = 14.135	-Z = -14.135	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2 CYLINDER	8 1	RADIUS = 49.822	+Z = 14.135	-Z = -14.135	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3 CUBOID	8 1	+X = 121.92	-X = -121.92	+Y = 121.92	-Y = -121.92	+Z = 14.135	-Z = -14.135
----- UNIT 81 -----							

SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT

1 CYLINDER	6	1	RADIUS = 26.353	+Z = 3.8100	-Z = -3.8100	CENTERLINE IS AT X = 0.00000	Y = 0.00000
2 CYLINDER	2	1	RADIUS = 36.619	+Z = 13.970	-Z = -12.700	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3 CYLINDER	8	1	RADIUS = 49.822	+Z = 13.970	-Z = -12.700	CENTERLINE IS AT X = 0.00000	Y = 0.00000
4 CUBOID	8	1	+X = 121.92	-X = -121.92	+Y = 121.92	-Y = -121.92	+Z = 13.970 -Z = -12.700

----- GLOBAL -----
UNIT 82 EXTERNAL TO LATTICE 20 -----

STACK OF 5 BASKETS IN CASK

1 ARRAY NUMBER	20		+X = 121.92	-X = -121.92	+Y = 121.92	-Y = -121.92	+Z = 230.87	-Z = -221.30
----------------	----	--	-------------	--------------	-------------	--------------	-------------	--------------

----- UNIT 411 -----

TRIGA FUEL ELEMENTS IN AL TUBE, RIGHT

1 CYLINDER	23	1	RADIUS = 0.80518	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	12		AT X = 0.11670	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	41
2 CYLINDER	30	1	RADIUS = 0.95250	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 412 -----

TRIGA FUEL ELEMENTS IN AL TUBE, LEFT

1 CYLINDER	23	1	RADIUS = 0.80518	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	13		AT X = -0.11670	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	41
2 CYLINDER	30	1	RADIUS = 0.95250	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000

----- UNIT 413 -----

TRIGA FUEL ELEMENTS IN AL TUBE, TOP

1 CYLINDER	23	1	RADIUS = 0.80518	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	14		AT X = 0.00000	Y = 0.11670	Z = 0.00000	IS UNIT NUMBER	41
2 CYLINDER	30	1	RADIUS = 0.95250	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000

----- UNIT 414 -----

TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM

1 CYLINDER	23	1	RADIUS = 0.80518	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	15		AT X = 0.00000	Y = -0.11670	Z = 0.00000	IS UNIT NUMBER	41
2 CYLINDER	30	1	RADIUS = 0.95250	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000

----- UNIT 415 -----

TRIGA FUEL ELEMENTS IN AL TUBE, TOP RIGHT

1 CYLINDER	23	1	RADIUS = 0.80518	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	16		AT X = 8.26000E-02	Y = 8.26000E-02	Z = 0.00000	IS UNIT NUMBER	41
2 CYLINDER	30	1	RADIUS = 0.95250	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000

----- UNIT 416 -----

TRIGA FUEL ELEMENTS IN AL TUBE, TOP LEFT

1 CYLINDER	23	1	RADIUS = 0.80518	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	17		AT X = -8.26000E-02	Y = 8.26000E-02	Z = 0.00000	IS UNIT NUMBER	41
2 CYLINDER	30	1	RADIUS = 0.95250	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 417 -----

TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM RIGHT

1 CYLINDER	23	1	RADIUS = 0.80518	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000
HOLE NUMBER	18		AT X = 8.26000E-02	Y = -8.26000E-02	Z = 0.00000	IS UNIT NUMBER	41

2 CYLINDER 30 1 RADIUS = 0.95250 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 ----- UNIT 418 -----
 TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM LEFT
 1 CYLINDER 23 1 RADIUS = 0.80518 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 HOLE NUMBER 19 AT X = -8.26000E-02 Y = -8.26000E-02 Z = 0.00000 IS UNIT NUMBER 41
 2 CYLINDER 30 1 RADIUS = 0.95250 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 421 -----
 AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM OPENING
 1 CUBOID 23 1 +X = 4.1529 -X = -4.1529 +Y = 4.1529 -Y = -4.1529 +Z = 43.480 -Z = -33.040
 HOLE NUMBER 36 AT X = -2.8576 Y = -2.8576 Z = 0.00000 IS UNIT NUMBER 415
 HOLE NUMBER 37 AT X = -0.95250 Y = -2.8576 Z = 0.00000 IS UNIT NUMBER 413
 HOLE NUMBER 38 AT X = 0.95250 Y = -2.8576 Z = 0.00000 IS UNIT NUMBER 413
 HOLE NUMBER 39 AT X = 2.8576 Y = -2.8576 Z = 0.00000 IS UNIT NUMBER 416
 HOLE NUMBER 40 AT X = -2.8576 Y = -0.95250 Z = 0.00000 IS UNIT NUMBER 411
 HOLE NUMBER 41 AT X = -0.95250 Y = -0.95250 Z = 0.00000 IS UNIT NUMBER 415
 HOLE NUMBER 42 AT X = 0.95250 Y = -0.95250 Z = 0.00000 IS UNIT NUMBER 416
 HOLE NUMBER 43 AT X = 2.8576 Y = -0.95250 Z = 0.00000 IS UNIT NUMBER 412
 HOLE NUMBER 44 AT X = -2.8576 Y = 0.95250 Z = 0.00000 IS UNIT NUMBER 411
 HOLE NUMBER 45 AT X = -0.95250 Y = 0.95250 Z = 0.00000 IS UNIT NUMBER 417
 HOLE NUMBER 46 AT X = 0.95250 Y = 0.95250 Z = 0.00000 IS UNIT NUMBER 418
 HOLE NUMBER 47 AT X = 2.8576 Y = 0.95250 Z = 0.00000 IS UNIT NUMBER 412
 HOLE NUMBER 48 AT X = -2.8576 Y = 2.8576 Z = 0.00000 IS UNIT NUMBER 417
 HOLE NUMBER 49 AT X = -0.95250 Y = 2.8576 Z = 0.00000 IS UNIT NUMBER 414
 HOLE NUMBER 50 AT X = 0.95250 Y = 2.8576 Z = 0.00000 IS UNIT NUMBER 414
 HOLE NUMBER 51 AT X = 2.8576 Y = 2.8576 Z = 0.00000 IS UNIT NUMBER 418
 2 CUBOID 23 1 +X = 4.1529 -X = -4.1529 +Y = 4.1529 -Y = -4.1529 +Z = 43.480 -Z = -33.040
 TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 422 -----
 AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP OPENING
 1 CUBOID 23 1 +X = 4.1529 -X = -4.1529 +Y = 4.1529 -Y = -4.1529 +Z = 43.480 -Z = -33.040
 HOLE NUMBER 52 AT X = -2.8576 Y = -2.8576 Z = 0.00000 IS UNIT NUMBER 415
 HOLE NUMBER 53 AT X = -0.95250 Y = -2.8576 Z = 0.00000 IS UNIT NUMBER 413
 HOLE NUMBER 54 AT X = 0.95250 Y = -2.8576 Z = 0.00000 IS UNIT NUMBER 413
 HOLE NUMBER 55 AT X = 2.8576 Y = -2.8576 Z = 0.00000 IS UNIT NUMBER 416
 HOLE NUMBER 56 AT X = -2.8576 Y = -0.95250 Z = 0.00000 IS UNIT NUMBER 411
 HOLE NUMBER 57 AT X = -0.95250 Y = -0.95250 Z = 0.00000 IS UNIT NUMBER 415
 HOLE NUMBER 58 AT X = 0.95250 Y = -0.95250 Z = 0.00000 IS UNIT NUMBER 416
 HOLE NUMBER 59 AT X = 2.8576 Y = -0.95250 Z = 0.00000 IS UNIT NUMBER 412
 HOLE NUMBER 60 AT X = -2.8576 Y = 0.95250 Z = 0.00000 IS UNIT NUMBER 411
 HOLE NUMBER 61 AT X = -0.95250 Y = 0.95250 Z = 0.00000 IS UNIT NUMBER 417
 HOLE NUMBER 62 AT X = 0.95250 Y = 0.95250 Z = 0.00000 IS UNIT NUMBER 418
 HOLE NUMBER 63 AT X = 2.8576 Y = 0.95250 Z = 0.00000 IS UNIT NUMBER 412
 HOLE NUMBER 64 AT X = -2.8576 Y = 2.8576 Z = 0.00000 IS UNIT NUMBER 417
 HOLE NUMBER 65 AT X = -0.95250 Y = 2.8576 Z = 0.00000 IS UNIT NUMBER 414
 HOLE NUMBER 66 AT X = 0.95250 Y = 2.8576 Z = 0.00000 IS UNIT NUMBER 414
 HOLE NUMBER 67 AT X = 2.8576 Y = 2.8576 Z = 0.00000 IS UNIT NUMBER 418

2 CUBOID 23 1 +X = 4.1529 -X = -4.1529 +Y = 4.1529 -Y = -4.1529 +Z = 43.480 -Z = -33.040
TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 423 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM LEFT OPENING

1 CUBOID	23	1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480	-Z = -33.040
HOLE NUMBER	68		AT X = -2.8576	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	415	
HOLE NUMBER	69		AT X = -0.95250	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	413	
HOLE NUMBER	70		AT X = 0.95250	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	413	
HOLE NUMBER	71		AT X = 2.8576	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	416	
HOLE NUMBER	72		AT X = -2.8576	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	411	
HOLE NUMBER	73		AT X = -0.95250	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	415	
HOLE NUMBER	74		AT X = 0.95250	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	416	
HOLE NUMBER	75		AT X = 2.8576	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	412	
HOLE NUMBER	76		AT X = -2.8576	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	411	
HOLE NUMBER	77		AT X = -0.95250	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	417	
HOLE NUMBER	78		AT X = 0.95250	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	418	
HOLE NUMBER	79		AT X = 2.8576	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	412	
HOLE NUMBER	80		AT X = -2.8576	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	417	
HOLE NUMBER	81		AT X = -0.95250	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	414	
HOLE NUMBER	82		AT X = 0.95250	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	414	
HOLE NUMBER	83		AT X = 2.8576	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	418	

2 CUBOID 23 1 +X = 4.1529 -X = -4.1529 +Y = 4.1529 -Y = -4.1529 +Z = 43.480 -Z = -33.040
TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 424 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP LEFT OPENING

1 CUBOID	23	1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480	-Z = -33.040
HOLE NUMBER	84		AT X = -2.8576	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	415	
HOLE NUMBER	85		AT X = -0.95250	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	413	
HOLE NUMBER	86		AT X = 0.95250	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	413	
HOLE NUMBER	87		AT X = 2.8576	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	416	
HOLE NUMBER	88		AT X = -2.8576	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	411	
HOLE NUMBER	89		AT X = -0.95250	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	415	
HOLE NUMBER	90		AT X = 0.95250	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	416	
HOLE NUMBER	91		AT X = 2.8576	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	412	
HOLE NUMBER	92		AT X = -2.8576	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	411	
HOLE NUMBER	93		AT X = -0.95250	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	417	
HOLE NUMBER	94		AT X = 0.95250	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	418	
HOLE NUMBER	95		AT X = 2.8576	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	412	
HOLE NUMBER	96		AT X = -2.8576	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	417	
HOLE NUMBER	97		AT X = -0.95250	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	414	
HOLE NUMBER	98		AT X = 0.95250	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	414	
HOLE NUMBER	99		AT X = 2.8576	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	418	

2 CUBOID 23 1 +X = 4.1529 -X = -4.1529 +Y = 4.1529 -Y = -4.1529 +Z = 43.480 -Z = -33.040
TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 425 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM RIGHT OPENING

1 CUBOID	23	1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480	-Z = -33.040
HOLE NUMBER	100		AT X = -2.8576	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	415	
HOLE NUMBER	101		AT X = -0.95250	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	413	
HOLE NUMBER	102		AT X = 0.95250	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	413	
HOLE NUMBER	103		AT X = 2.8576	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	416	
HOLE NUMBER	104		AT X = -2.8576	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	411	
HOLE NUMBER	105		AT X = -0.95250	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	415	
HOLE NUMBER	106		AT X = 0.95250	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	416	
HOLE NUMBER	107		AT X = 2.8576	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	412	
HOLE NUMBER	108		AT X = -2.8576	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	411	
HOLE NUMBER	109		AT X = -0.95250	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	417	
HOLE NUMBER	110		AT X = 0.95250	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	416	
HOLE NUMBER	111		AT X = 2.8576	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	412	
HOLE NUMBER	112		AT X = -2.8576	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	417	
HOLE NUMBER	113		AT X = -0.95250	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	414	
HOLE NUMBER	114		AT X = 0.95250	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	414	
HOLE NUMBER	115		AT X = 2.8576	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	418	
2 CUBOID	23	1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480	-Z = -33.040
TRIGA - PREF. FLOOD CANISTER								

REGION MEDIA BIAS NUM ID GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM

----- UNIT 426 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP RIGHT OPENING

1 CUBOID	23	1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480	-Z = -33.040
HOLE NUMBER	116		AT X = -2.8576	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	415	
HOLE NUMBER	117		AT X = -0.95250	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	413	
HOLE NUMBER	118		AT X = 0.95250	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	413	
HOLE NUMBER	119		AT X = 2.8576	Y = -2.8576	Z = 0.00000	IS UNIT NUMBER	416	
HOLE NUMBER	120		AT X = -2.8576	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	411	
HOLE NUMBER	121		AT X = -0.95250	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	415	
HOLE NUMBER	122		AT X = 0.95250	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	416	
HOLE NUMBER	123		AT X = 2.8576	Y = -0.95250	Z = 0.00000	IS UNIT NUMBER	412	
HOLE NUMBER	124		AT X = -2.8576	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	411	
HOLE NUMBER	125		AT X = -0.95250	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	417	
HOLE NUMBER	126		AT X = 0.95250	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	418	
HOLE NUMBER	127		AT X = 2.8576	Y = 0.95250	Z = 0.00000	IS UNIT NUMBER	412	
HOLE NUMBER	128		AT X = -2.8576	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	417	
HOLE NUMBER	129		AT X = -0.95250	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	414	
HOLE NUMBER	130		AT X = 0.95250	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	414	
HOLE NUMBER	131		AT X = 2.8576	Y = 2.8576	Z = 0.00000	IS UNIT NUMBER	418	
2 CUBOID	23	1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480	-Z = -33.040

----- UNIT 430 -----

FUEL INSERT IN, CENTER OPENING

1 CUBOID	23	1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 43.480	-Z = -33.040
----------	----	---	-------------	--------------	-------------	--------------	-------------	--------------

----- UNIT 431 -----

FUEL INSERT IN, BOTTOM OPENING

1 CUBOID	23	1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 43.480	-Z = -33.040
HOLE NUMBER	132		AT X = 0.00000	Y = -0.11430	Z = 0.00000	IS UNIT NUMBER	421	
TRIGA - PREF. FLOOD CANISTER								

REGION MEDIA BIAS NUM ID GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM

```

----- UNIT 432 -----
FUEL INSERT IN, TOP OPENING
1 CUBOID      23 1  +X = 4.2672  -X = -4.2672  +Y = 4.2672  -Y = -4.2672  +Z = 43.480  -Z = -33.040
HOLE NUMBER  133  AT X = 0.00000  Y = 0.11430  Z = 0.00000  IS UNIT NUMBER  422

----- UNIT 433 -----
FUEL INSERT IN, BOTTOM LEFT OPENING
1 CUBOID      23 1  +X = 4.2672  -X = -4.2672  +Y = 4.2672  -Y = -4.2672  +Z = 43.480  -Z = -33.040
HOLE NUMBER  134  AT X = -0.11430  Y = -0.11430  Z = 0.00000  IS UNIT NUMBER  423

----- UNIT 434 -----
FUEL INSERT IN, TOP LEFT OPENING
1 CUBOID      23 1  +X = 4.2672  -X = -4.2672  +Y = 4.2672  -Y = -4.2672  +Z = 43.480  -Z = -33.040
HOLE NUMBER  135  AT X = -0.11430  Y = 0.11430  Z = 0.00000  IS UNIT NUMBER  424

----- UNIT 435 -----
FUEL INSERT IN, BOTTOM RIGHT OPENING
1 CUBOID      23 1  +X = 4.2672  -X = -4.2672  +Y = 4.2672  -Y = -4.2672  +Z = 43.480  -Z = -33.040
HOLE NUMBER  136  AT X = 0.11430  Y = -0.11430  Z = 0.00000  IS UNIT NUMBER  425

----- UNIT 436 -----
FUEL INSERT IN, TOP RIGHT OPENING
1 CUBOID      23 1  +X = 4.2672  -X = -4.2672  +Y = 4.2672  -Y = -4.2672  +Z = 43.480  -Z = -33.040
HOLE NUMBER  137  AT X = 0.11430  Y = 0.11430  Z = 0.00000  IS UNIT NUMBER  426

----- UNIT 440 EXTERNAL TO LATTICE 41 -----
CENTER COLUMN OF THREE OPENINGS
1 ARRAY NUMBER  41  +X = 4.2672  -X = -4.2672  +Y = 13.513  -Y = -13.513  +Z = 43.480  -Z = -33.040
2 CUBOID      2 1  +X = 4.9784  -X = -4.9784  +Y = 14.224  -Y = -14.224  +Z = 43.480  -Z = -33.040
TRIGA - PREF. FLOOD CANISTER

REGION      MEDIA BIAS  GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
            NUM   ID

----- UNIT 441 EXTERNAL TO LATTICE 42 -----
LEFT OUTSIDE COLUMN OF TWO OPENINGS
1 ARRAY NUMBER  42  +X = 4.2672  -X = -4.2672  +Y = 8.8392  -Y = -8.8392  +Z = 43.480  -Z = -33.040
2 CUBOID      2 1  +X = 4.2672  -X = -4.6080  +Y = 9.1800  -Y = -9.1800  +Z = 43.480  -Z = -33.040

----- UNIT 442 EXTERNAL TO LATTICE 43 -----
RIGHT OUTSIDE COLUMN OF TWO OPENINGS
1 ARRAY NUMBER  43  +X = 4.2672  -X = -4.2672  +Y = 8.8392  -Y = -8.8392  +Z = 43.480  -Z = -33.040
2 CUBOID      2 1  +X = 4.6080  -X = -4.2672  +Y = 9.1800  -Y = -9.1800  +Z = 43.480  -Z = -33.040

----- UNIT 450 -----
28 TRIGA FUEL ELEMENTS IN EACH LWT BASKET
1 CYLINDER     23 1  RADIUS = 17.150  +Z = 43.485  -Z = -33.045  CENTERLINE IS AT X = 0.00000  Y = 0.00000
HOLE NUMBER  138  AT X = 0.00000  Y = 0.00000  Z = 0.00000  IS UNIT NUMBER  440
HOLE NUMBER  139  AT X = -9.2457  Y = 0.00000  Z = 0.00000  IS UNIT NUMBER  441
HOLE NUMBER  140  AT X = 9.2457  Y = 0.00000  Z = 0.00000  IS UNIT NUMBER  442
2 CYLINDER     2 1  RADIUS = 18.910  +Z = 43.485  -Z = -33.045  CENTERLINE IS AT X = 0.00000  Y = 0.00000
3 CYLINDER     26 1  RADIUS = 33.465  +Z = 43.485  -Z = -33.045  CENTERLINE IS AT X = 0.00000  Y = 0.00000
4 CYLINDER     2 1  RADIUS = 36.519  +Z = 43.485  -Z = -33.045  CENTERLINE IS AT X = 0.00000  Y = 0.00000
5 CYLINDER     27 1  RADIUS = 49.223  +Z = 43.485  -Z = -33.045  CENTERLINE IS AT X = 0.00000  Y = 0.00000
6 CYLINDER     2 1  RADIUS = 49.822  +Z = 43.485  -Z = -33.045  CENTERLINE IS AT X = 0.00000  Y = 0.00000
7 CUBOID      28 1  +X = 121.92  -X = -121.92  +Y = 121.92  -Y = -121.92  +Z = 43.485  -Z = -33.045

```

TRIGA - PREF. FLOOD CANISTER
----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 5 BOTTOM TO TOP
11
5
16
5
10

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 2 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP
12
6
13

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 3 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP
14
6
15

TRIGA - PREF. FLOOD CANISTER
----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 20 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
81
Z LAYER 2, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
30
Z LAYER 3, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
450
Z LAYER 4, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
450
Z LAYER 5, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
450
Z LAYER 6, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
30
Z LAYER 7, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
80

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 41 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 5 BOTTOM TO TOP
431
45
430
45
432

TRIGA - PREF. FLOOD CANISTER
----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 42 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP
435
46
436

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 43 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP
433
46
434

TRIGA - PREF. FLOOD CANISTER
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
------	--------	-----------------	--------	-------------------

1	1	1	3.00660E+03 CM**3	3.00660E+03 CM**3
5	1	2	5.01021E+02 CM**3	5.01021E+02 CM**3
6	1	3	4.29446E+02 CM**3	4.29446E+02 CM**3
7	1	4	2.50244E-01 CM**3	3.00685E+03 CM**3
	2	5	4.59706E+02 CM**3	3.46655E+03 CM**3
	3	6	9.51335E+02 CM**3	4.41789E+03 CM**3
10	1	7	1.59436E+03 CM**3	6.01225E+03 CM**3
11	1	8	1.59436E+03 CM**3	6.01225E+03 CM**3
12	1	9	1.59436E+03 CM**3	6.01225E+03 CM**3
13	1	10	1.59436E+03 CM**3	6.01225E+03 CM**3
14	1	11	1.59436E+03 CM**3	6.01225E+03 CM**3
15	1	12	1.59436E+03 CM**3	6.01225E+03 CM**3
16	1	13	6.01225E+03 CM**3	6.01225E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 20 IS AN ARRAY PLACEMENT BOUNDARY REGION				
20	1	20	1.90388E+04 CM**3	1.90388E+04 CM**3
	2	21	4.34218E+03 CM**3	2.33810E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 22 IS AN ARRAY PLACEMENT BOUNDARY REGION				
21	1	22	1.24539E+04 CM**3	1.24539E+04 CM**3
	2	23	8.89567E+02 CM**3	1.33435E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 24 IS AN ARRAY PLACEMENT BOUNDARY REGION				
22	1	24	1.24539E+04 CM**3	1.24539E+04 CM**3
	2	25	8.89567E+02 CM**3	1.33435E+04 CM**3
30	1	26	2.57606E+04 CM**3	7.58286E+04 CM**3
	2	27	1.83375E+04 CM**3	9.41660E+04 CM**3
	3	28	2.00726E+05 CM**3	2.94894E+05 CM**3
	4	29	5.62864E+04 CM**3	3.51181E+05 CM**3
	5	30	2.86831E+05 CM**3	6.38011E+05 CM**3
	6	31	1.56332E+04 CM**3	6.53645E+05 CM**3
	7	32	4.33012E+06 CM**3	4.98377E+06 CM**3
41	1	33	7.36468E+01 CM**3	7.36468E+01 CM**3
	2	34	9.53190E+00 CM**3	8.31787E+01 CM**3
	3	35	3.07231E+01 CM**3	1.13902E+02 CM**3
45	1	39	4.64451E+02 CM**3	4.64451E+02 CM**3
46	1	40	3.98101E+02 CM**3	3.98101E+02 CM**3
80	1	93	1.18444E+05 CM**3	1.18444E+05 CM**3
	2	94	1.02013E+05 CM**3	2.20456E+05 CM**3
	3	95	1.46043E+06 CM**3	1.68089E+06 CM**3
81	1	96	1.66245E+04 CM**3	1.66245E+04 CM**3
	2	97	9.37276E+04 CM**3	1.12352E+05 CM**3
	3	98	9.56257E+04 CM**3	2.07978E+05 CM**3
	4	99	1.37777E+06 CM**3	1.58574E+06 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 100 IS AN ARRAY PLACEMENT BOUNDARY REGION				
82	1	100	2.68851E+07 CM**3	2.68851E+07 CM**3
411	1	43	4.19496E+01 CM**3	1.55851E+02 CM**3
	2	44	6.22481E+01 CM**3	2.18100E+02 CM**3
412	1	45	4.19496E+01 CM**3	1.55851E+02 CM**3
	2	46	6.22481E+01 CM**3	2.18100E+02 CM**3
413	1	47	4.19496E+01 CM**3	1.55851E+02 CM**3
	2	48	6.22481E+01 CM**3	2.18100E+02 CM**3
414	1	49	4.19496E+01 CM**3	1.55851E+02 CM**3
	2	50	6.22481E+01 CM**3	2.18100E+02 CM**3
415	1	51	4.19496E+01 CM**3	1.55851E+02 CM**3
	2	52	6.22481E+01 CM**3	2.18100E+02 CM**3
416	1	53	4.19496E+01 CM**3	1.55851E+02 CM**3
	2	54	6.22481E+01 CM**3	2.18100E+02 CM**3
417	1	55	4.19496E+01 CM**3	1.55851E+02 CM**3
	2	56	6.22481E+01 CM**3	2.18100E+02 CM**3
418	1	57	4.19496E+01 CM**3	1.55851E+02 CM**3
	2	58	6.22481E+01 CM**3	2.18100E+02 CM**3
421	1	61	1.78924E+03 CM**3	5.27883E+03 CM**3
	2	62	0.00000E+00 CM**3	5.27883E+03 CM**3
422	1	63	1.78924E+03 CM**3	5.27883E+03 CM**3
	2	64	0.00000E+00 CM**3	5.27883E+03 CM**3
423	1	65	1.78924E+03 CM**3	5.27883E+03 CM**3
	2	66	0.00000E+00 CM**3	5.27883E+03 CM**3

424	1	67	1.78924E+03 CM**3	5.27883E+03 CM**3
	2	68	0.00000E+00 CM**3	5.27883E+03 CM**3
425	1	69	1.78924E+03 CM**3	5.27883E+03 CM**3
	2	70	0.00000E+00 CM**3	5.27883E+03 CM**3
426	1	71	1.78924E+03 CM**3	5.27883E+03 CM**3
	2	72	0.00000E+00 CM**3	5.27883E+03 CM**3
430	1	73	5.57341E+03 CM**3	5.57341E+03 CM**3
431	1	74	2.94576E+02 CM**3	5.57341E+03 CM**3
432	1	75	2.94576E+02 CM**3	5.57341E+03 CM**3
433	1	76	2.94576E+02 CM**3	5.57341E+03 CM**3
434	1	77	2.94576E+02 CM**3	5.57341E+03 CM**3
435	1	78	2.94576E+02 CM**3	5.57341E+03 CM**3
436	1	79	2.94576E+02 CM**3	5.57341E+03 CM**3
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	80 IS AN ARRAY PLACEMENT BOUNDARY REGION
440	1	80	1.76491E+04 CM**3	1.76491E+04 CM**3
	2	81	4.02524E+03 CM**3	2.16744E+04 CM**3
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	82 IS AN ARRAY PLACEMENT BOUNDARY REGION
441	1	82	1.15449E+04 CM**3	1.15449E+04 CM**3
	2	83	9.23913E+02 CM**3	1.24688E+04 CM**3
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	84 IS AN ARRAY PLACEMENT BOUNDARY REGION
442	1	84	1.15449E+04 CM**3	1.15449E+04 CM**3
	2	85	9.23913E+02 CM**3	1.24688E+04 CM**3
450	1	86	2.41027E+04 CM**3	7.07147E+04 CM**3
	2	87	1.52615E+04 CM**3	8.59762E+04 CM**3
	3	88	1.83270E+05 CM**3	2.69247E+05 CM**3
	4	89	5.13911E+04 CM**3	3.20638E+05 CM**3
	5	90	2.61884E+05 CM**3	5.62522E+05 CM**3
	6	91	1.42735E+04 CM**3	5.96796E+05 CM**3
	7	92	3.95352E+06 CM**3	4.55032E+06 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	12	1	1	3.60792E+04 CM**3
5	4	1	2	2.00408E+03 CM**3
6	4	1	2	1.71778E+03 CM**3
7	12	1	3	3.00293E+00 CM**3
		2	2	5.51647E+03 CM**3
		3	12	1.14160E+04 CM**3
10	2	1	12	3.18871E+03 CM**3
11	2	1	12	3.18871E+03 CM**3
12	2	1	12	3.18871E+03 CM**3
13	2	1	12	3.18871E+03 CM**3
14	2	1	12	3.18871E+03 CM**3
15	2	1	12	3.18871E+03 CM**3
16	2	1	12	1.20245E+04 CM**3
20	2	1		3.80776E+04 CM**3
		2	2	8.68436E+03 CM**3
21	2	1		2.49079E+04 CM**3
		2	2	1.77913E+03 CM**3
22	2	1		2.49079E+04 CM**3
		2	2	1.77913E+03 CM**3
30	2	1	12	5.15212E+04 CM**3
		2	2	3.66750E+04 CM**3
		3	6	4.01456E+05 CM**3
		4	2	1.12573E+05 CM**3
		5	7	5.73661E+05 CM**3
		6	2	3.12644E+04 CM**3
		7	8	8.66024E+06 CM**3
41	288	1	21	2.12103E+04 CM**3
		2	22	2.74519E+03 CM**3
		3	29	8.84826E+03 CM**3
45	6	1	2	2.78670E+03 CM**3
46	6	1	2	2.38860E+03 CM**3
80	1	1	2	1.18444E+05 CM**3

		2	8	1.02013E+05	CM**3
		3	8	1.46043E+06	CM**3
81	1	1	6	1.66245E+04	CM**3
		2	2	9.5727E+04	CM**3
		3	8	9.56257E+04	CM**3
		4	8	1.37777E+06	CM**3
82	1	1		2.68851E+07	CM**3
411	36	1	23	1.51018E+03	CM**3
		2	30	2.24093E+03	CM**3
412	36	1	23	1.51018E+03	CM**3
		2	30	2.24093E+03	CM**3
413	36	1	23	1.51018E+03	CM**3
		2	30	2.24093E+03	CM**3
414	36	1	23	1.51018E+03	CM**3
		2	30	2.24093E+03	CM**3
415	36	1	23	1.51018E+03	CM**3
		2	30	2.24093E+03	CM**3
416	36	1	23	1.51018E+03	CM**3
		2	30	2.24093E+03	CM**3
417	36	1	23	1.51018E+03	CM**3
		2	30	2.24093E+03	CM**3
418	36	1	23	1.51018E+03	CM**3
		2	30	2.24093E+03	CM**3
421	3	1	23	5.36772E+03	CM**3
		2	23	0.00000E+00	CM**3
422	3	1	23	5.36772E+03	CM**3
		2	23	0.00000E+00	CM**3
423	3	1	23	5.36772E+03	CM**3
		2	23	0.00000E+00	CM**3
424	3	1	23	5.36772E+03	CM**3
		2	23	0.00000E+00	CM**3
425	3	1	23	5.36772E+03	CM**3
		2	23	0.00000E+00	CM**3
426	3	1	23	5.36772E+03	CM**3
		2	23	0.00000E+00	CM**3
430	3	1	23	1.67202E+04	CM**3
431	3	1	23	8.83729E+02	CM**3
432	3	1	23	8.83729E+02	CM**3
433	3	1	23	8.83729E+02	CM**3
434	3	1	23	8.83729E+02	CM**3
435	3	1	23	8.83729E+02	CM**3
436	3	1	23	8.83729E+02	CM**3
440	3	1		5.29474E+04	CM**3
		2	2	1.20757E+04	CM**3
441	3	1		3.46348E+04	CM**3
		2	2	2.77174E+03	CM**3
442	3	1		3.46348E+04	CM**3
		2	2	2.77174E+03	CM**3
450	3	1	23	7.23080E+04	CM**3
		2	2	4.57845E+04	CM**3
		3	26	5.49811E+05	CM**3
		4	2	1.54173E+05	CM**3
		5	27	7.85653E+05	CM**3
		6	2	4.28205E+04	CM**3
		7	28	1.18606E+07	CM**3

MIXTURE	TOTAL MIXTURE VOLUMES		MASS (G)
		TOTAL VOLUME	
1		3.60792E+04	6.40483E+04
2		6.81739E+05	5.39938E+06
3		3.00293E+00	2.99744E+00
6		4.18081E+05	4.74271E+06
7		5.73661E+05	5.72612E-15
8		1.16961E+07	1.16747E-13
12		9.40940E+04	9.39219E-16
21		2.12103E+04	1.24319E+05
22		2.74519E+03	2.20507E+04
23		1.38618E+05	1.38365E-15
26		5.49811E+05	6.23706E+06
27		7.85653E+05	7.84216E-15
28		1.18606E+07	1.18389E-13
29		8.84826E+03	3.48149E+04

30 1.79275E+04 CM**3 4.84400E+04

```
.....  
* * * * *  
* * * * * BIASING INFORMATION * * * * *  
* * * * * A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. * * * * *  
* * * * *  
.....
```

```
..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING .....  
..... 0.02367 MINUTES WERE USED PROCESSING DATA. ....
```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 2.13090E-03

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:
+X= 1.21920E+02 -X=-1.21920E+02 +Y= 1.21920E+02 -Y=-1.21920E+02 +Z= 2.30870E+02 -Z=-2.21300E+02
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 218 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

282 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

1.79750 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 1.82400 MINUTES.

95	9.14119E-01	3.38600E+00	8.77451E-01	3.29497E-03	0.00000E+00	0.00000E+00
96	9.23095E-01	3.40250E+00	8.77368E-01	3.29554E-03	0.00000E+00	0.00000E+00
97	8.93169E-01	3.42000E+00	8.77991E-01	3.24113E-03	0.00000E+00	0.00000E+00
98	9.13895E-01	3.43550E+00	8.78344E-01	3.24853E-03	0.00000E+00	0.00000E+00
99	8.92378E-01	3.45100E+00	8.78549E-01	3.21905E-03	0.00000E+00	0.00000E+00
100	9.08195E-01	3.46677E+00	8.78943E-01	3.20096E-03	0.00000E+00	0.00000E+00
101	8.96026E-01	3.48217E+00	8.79036E-01	3.17221E-03	0.00000E+00	0.00000E+00
102	8.34000E-01	3.49877E+00	8.78566E-01	3.15741E-03	0.00000E+00	0.00000E+00
103	8.47904E-01	3.51517E+00	8.78222E-01	3.15667E-03	0.00000E+00	0.00000E+00
104	7.96186E-01	3.53250E+00	8.77450E-01	3.22729E-03	0.00000E+00	0.00000E+00
105	8.78224E-01	3.55000E+00	8.77415E-01	3.15561E-03	0.00000E+00	0.00000E+00
106	8.66661E-01	3.56633E+00	8.77304E-01	3.16905E-03	0.00000E+00	0.00000E+00
107	9.01617E-01	3.58100E+00	8.77530E-01	3.14663E-03	0.00000E+00	0.00000E+00
108	8.32266E-01	3.59550E+00	8.77183E-01	3.14822E-03	0.00000E+00	0.00000E+00
109	8.84434E-01	3.61500E+00	8.77171E-01	3.11733E-03	0.00000E+00	0.00000E+00
110	8.87295E-01	3.63050E+00	8.77245E-01	3.08976E-03	0.00000E+00	0.00000E+00
111	8.71837E-01	3.64885E+00	8.77215E-01	3.06166E-03	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132 WARNING... ONLY 479 INDEPENDENT FISSION POINTS WERE GENERATED						
112	8.13694E-01	3.66617E+00	8.76636E-01	3.08619E-03	0.00000E+00	0.00000E+00
113	8.78232E-01	3.68207E+00	8.76652E-01	3.00228E-03	0.00000E+00	0.00000E+00
114	9.43146E-01	3.69917E+00	8.77246E-01	3.09039E-03	0.00000E+00	0.00000E+00
115	9.10904E-01	3.71567E+00	8.77544E-01	3.07736E-03	0.00000E+00	0.00000E+00
116	8.57323E-01	3.73217E+00	8.77307E-01	3.05540E-03	0.00000E+00	0.00000E+00
117	9.55281E-01	3.74767E+00	8.76844E-01	3.16357E-03	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132 WARNING... ONLY 495 INDEPENDENT FISSION POINTS WERE GENERATED						
118	8.45785E-01	3.76417E+00	8.77766E-01	3.08926E-03	0.00000E+00	0.00000E+00
119	9.02391E-01	3.78067E+00	8.77877E-01	3.06597E-03	0.00000E+00	0.00000E+00
120	8.45014E-01	3.79890E+00	8.77697E-01	3.05663E-03	0.00000E+00	0.00000E+00
121	8.56319E-01	3.81533E+00	8.77518E-01	3.03616E-03	0.00000E+00	0.00000E+00
122	8.19795E-01	3.83467E+00	8.77036E-01	3.04696E-03	0.00000E+00	0.00000E+00
123	8.31122E-01	3.85117E+00	8.76657E-01	3.04739E-03	0.00000E+00	0.00000E+00
124	8.42923E-01	3.86850E+00	8.76380E-01	3.03493E-03	0.00000E+00	0.00000E+00
125	8.39454E-01	3.88583E+00	8.76466E-01	3.03505E-03	0.00000E+00	0.00000E+00
126	8.45606E-01	3.90233E+00	8.75818E-01	3.01200E-03	0.00000E+00	0.00000E+00
127	8.52193E-01	3.91883E+00	8.75629E-01	2.99378E-03	0.00000E+00	0.00000E+00
128	8.68966E-01	3.93533E+00	8.75576E-01	2.97640E-03	0.00000E+00	0.00000E+00
129	8.54054E-01	3.95063E+00	8.75407E-01	2.95178E-03	0.00000E+00	0.00000E+00
130	8.49799E-01	3.96733E+00	8.75207E-01	2.93546E-03	0.00000E+00	0.00000E+00
131	8.41246E-01	3.98507E+00	8.74844E-01	2.92449E-03	0.00000E+00	0.00000E+00
132	8.61364E-01	4.00217E+00	8.74953E-01	2.90233E-03	0.00000E+00	0.00000E+00
133	8.72153E-01	4.01767E+00	8.74971E-01	2.88617E-03	0.00000E+00	0.00000E+00
134	8.74714E-01	4.03417E+00	8.74969E-01	2.85827E-03	0.00000E+00	0.00000E+00
135	8.81135E-01	4.05067E+00	8.75016E-01	2.83707E-03	0.00000E+00	0.00000E+00
136	9.26320E-01	4.06617E+00	8.75339E-01	2.84173E-03	0.00000E+00	0.00000E+00
137	8.59209E-01	4.08163E+00	8.75279E-01	2.82322E-03	0.00000E+00	0.00000E+00
138	8.96454E-01	4.09733E+00	8.75391E-01	2.80451E-03	0.00000E+00	0.00000E+00
139	8.37620E-01	4.11383E+00	8.75115E-01	2.78758E-03	0.00000E+00	0.00000E+00
140	8.97867E-01	4.12933E+00	8.75280E-01	2.78212E-03	0.00000E+00	0.00000E+00
141	9.24712E-01	4.14583E+00	8.75636E-01	2.78483E-03	0.00000E+00	0.00000E+00
142	8.98602E-01	4.16233E+00	8.75601E-01	2.76982E-03	0.00000E+00	0.00000E+00
143	9.30663E-01	4.17700E+00	8.76190E-01	2.77743E-03	0.00000E+00	0.00000E+00
144	8.13329E-01	4.19250E+00	8.75747E-01	2.79311E-03	0.00000E+00	0.00000E+00
145	8.85161E-01	4.21083E+00	8.75799E-01	2.77299E-03	0.00000E+00	0.00000E+00
146	8.00666E-01	4.22733E+00	8.75776E-01	2.80389E-03	0.00000E+00	0.00000E+00
147	8.75394E-01	4.24383E+00	8.75277E-01	2.78449E-03	0.00000E+00	0.00000E+00
148	8.69677E-01	4.26033E+00	8.75238E-01	2.76562E-03	0.00000E+00	0.00000E+00
149	8.85246E-01	4.27777E+00	8.75295E-01	2.74733E-03	0.00000E+00	0.00000E+00
150	8.40267E-01	4.29417E+00	8.75298E-01	2.73572E-03	0.00000E+00	0.00000E+00
151	8.92387E-01	4.31150E+00	8.75215E-01	2.71978E-03	0.00000E+00	0.00000E+00
152	8.48212E-01	4.32800E+00	8.75035E-01	2.70758E-03	0.00000E+00	0.00000E+00
153	9.22760E-01	4.34267E+00	8.75174E-01	2.70778E-03	0.00000E+00	0.00000E+00
154	9.11416E-01	4.35917E+00	8.75589E-01	2.70043E-03	0.00000E+00	0.00000E+00
155	9.15952E-01	4.37467E+00	8.75850E-01	2.69565E-03	0.00000E+00	0.00000E+00
156	8.97890E-01	4.39117E+00	8.75993E-01	2.68191E-03	0.00000E+00	0.00000E+00
157	8.44449E-01	4.40767E+00	8.75791E-01	2.67221E-03	0.00000E+00	0.00000E+00
158	8.64426E-01	4.42333E+00	8.75731E-01	2.65571E-03	0.00000E+00	0.00000E+00
159	8.25915E-01	4.43983E+00	8.75414E-01	2.65774E-03	0.00000E+00	0.00000E+00
160	9.05299E-01	4.45617E+00	8.75603E-01	2.64765E-03	0.00000E+00	0.00000E+00
161	8.78218E-01	4.47267E+00	8.75619E-01	2.63098E-03	0.00000E+00	0.00000E+00
162	9.11280E-01	4.48917E+00	8.75842E-01	2.62397E-03	0.00000E+00	0.00000E+00
163	9.09611E-01	4.50567E+00	8.76052E-01	2.61604E-03	0.00000E+00	0.00000E+00
164	8.85771E-01	4.52117E+00	8.76095E-01	2.60028E-03	0.00000E+00	0.00000E+00
165	8.53787E-01	4.53667E+00	8.75943E-01	2.58790E-03	0.00000E+00	0.00000E+00
166	8.73195E-01	4.55200E+00	8.75945E-01	2.57211E-03	0.00000E+00	0.00000E+00
167	9.13407E-01	4.56767E+00	8.76176E-01	2.56653E-03	0.00000E+00	0.00000E+00
168	9.40557E-01	4.58333E+00	8.76544E-03	2.56653E-03	0.00000E+00	0.00000E+00
169	8.76389E-01	4.60183E+00	8.76563E-01	2.56484E-03	0.00000E+00	0.00000E+00
170	8.93145E-01	4.61733E+00	8.76422E-01	2.55143E-03	0.00000E+00	0.00000E+00
171	8.67750E-01	4.63283E+00	8.76726E-01	2.53714E-03	0.00000E+00	0.00000E+00
172	8.90461E-01	4.64833E+00	8.76806E-01	2.52347E-03	0.00000E+00	0.00000E+00
173	9.18830E-01	4.66383E+00	8.77054E-01	2.52007E-03	0.00000E+00	0.00000E+00
174	9.09051E-01	4.68000E+00	8.77240E-01	2.51267E-03	0.00000E+00	0.00000E+00
175	8.86933E-01	4.69700E+00	8.77297E-01	2.49894E-03	0.00000E+00	0.00000E+00
176	8.60604E-01	4.71367E+00	8.77197E-01	2.48652E-03	0.00000E+00	0.00000E+00
177	8.62551E-01	4.72717E+00	8.77113E-01	2.47369E-03	0.00000E+00	0.00000E+00
178	8.22695E-01	4.74267E+00	8.76805E-01	2.47661E-03	0.00000E+00	0.00000E+00
179	8.87612E-01	4.75917E+00	8.76866E-01	2.46512E-03	0.00000E+00	0.00000E+00
180	8.77614E-01	4.77483E+00	8.76871E-01	2.45163E-03	0.00000E+00	0.00000E+00
181	9.00075E-01	4.79133E+00	8.77000E-01	2.44134E-03	0.00000E+00	0.00000E+00
182	9.02042E-01	4.80683E+00	8.77139E-01	2.43173E-03	0.00000E+00	0.00000E+00
183	8.18851E-01	4.82417E+00	8.76817E-01	2.43960E-03	0.00000E+00	0.00000E+00
184	8.92567E-01	4.84067E+00	8.76909E-01	2.42791E-03	0.00000E+00	0.00000E+00
185	8.64956E-01	4.85617E+00	8.76844E-01	2.41548E-03	0.00000E+00	0.00000E+00
186	8.82922E-01	4.87267E+00	8.76877E-01	2.40255E-03	0.00000E+00	0.00000E+00
187	9.09855E-01	4.88833E+00	8.77056E-01	2.39617E-03	0.00000E+00	0.00000E+00
188	8.59406E-01	4.90403E+00	8.76961E-01	2.38514E-03	0.00000E+00	0.00000E+00
189	8.93490E-01	4.92117E+00	8.77049E-01	2.37399E-03	0.00000E+00	0.00000E+00
190	9.06273E-01	4.93867E+00	8.77205E-01	2.36644E-03	0.00000E+00	0.00000E+00
191	8.69597E-01	4.95417E+00	8.77164E-01	2.35423E-03	0.00000E+00	0.00000E+00
192	8.66903E-01	4.97167E+00	8.77110E-01	2.34243E-03	0.00000E+00	0.00000E+00
193	8.32013E-01	4.98983E+00	8.76874E-01	2.34207E-03	0.00000E+00	0.00000E+00

194	6.05299E-01	5.00733E+00	6.76501E-01	2.35947E-03	0.00000E+00	0.00000E+00
195	6.87950E-01	5.02383E+00	6.76561E-01	2.34797E-03	0.00000E+00	0.00000E+00
196	6.62069E-01	5.04033E+00	6.76466E-01	2.33703E-03	0.00000E+00	0.00000E+00
197	6.19291E-01	5.05667E+00	6.76193E-01	2.34344E-03	0.00000E+00	0.00000E+00
198	6.54419E-01	5.07417E+00	6.76082E-01	2.33410E-03	0.00000E+00	0.00000E+00
199	6.75956E-01	5.09067E+00	6.76081E-01	2.32222E-03	0.00000E+00	0.00000E+00
200	6.45077E-01	5.10700E+00	6.75924E-01	2.31576E-03	0.00000E+00	0.00000E+00
201	6.59187E-01	5.12350E+00	6.75840E-01	2.30563E-03	0.00000E+00	0.00000E+00
202	6.66802E-01	5.14100E+00	6.75795E-01	2.29452E-03	0.00000E+00	0.00000E+00
203	9.14057E-01	5.15750E+00	6.75986E-01	2.29098E-03	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.


TRIGA - PREF. FLOOD CANISTER

LIFETIME = 2.48937E-04 + OR - 2.49939E-06 GENERATION TIME = 4.88200E-05 + OR - 4.78127E-07
NU BAR = 2.42071E+00 + OR - 1.83810E-05 AVERAGE FISSION GROUP = 2.23328E+01 + OR - 1.33962E-02
ENERGY(EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 1.36279E-01 + OR - 1.30059E-03

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.87590	+ OR - 0.00230	0.87360 TO 0.87820	0.87130 TO 0.88050	0.86900 TO 0.88260	100000
4	0.87602	+ OR - 0.00231	0.87371 TO 0.87823	0.87140 TO 0.88064	0.86909 TO 0.88265	99500
5	0.87611	+ OR - 0.00228	0.87353 TO 0.87790	0.87104 TO 0.88018	0.86870 TO 0.88247	99000
6	0.87671	+ OR - 0.00229	0.87341 TO 0.87800	0.87112 TO 0.88030	0.86883 TO 0.88259	98500
7	0.87559	+ OR - 0.00230	0.87329 TO 0.87769	0.87098 TO 0.88019	0.86866 TO 0.88250	98000
8	0.87569	+ OR - 0.00231	0.87328 TO 0.87801	0.87107 TO 0.88032	0.86876 TO 0.88253	97500
9	0.87600	+ OR - 0.00230	0.87369 TO 0.87830	0.87139 TO 0.88061	0.86909 TO 0.88281	97000
10	0.87593	+ OR - 0.00231	0.87361 TO 0.87824	0.87150 TO 0.88056	0.86898 TO 0.88287	96500
11	0.87591	+ OR - 0.00233	0.87358 TO 0.87824	0.87126 TO 0.88056	0.86893 TO 0.88289	96000
12	0.87601	+ OR - 0.00234	0.87367 TO 0.87834	0.87133 TO 0.88068	0.86899 TO 0.88302	95500
17	0.87593	+ OR - 0.00239	0.87355 TO 0.87822	0.87116 TO 0.88070	0.86878 TO 0.88309	93000
22	0.87579	+ OR - 0.00244	0.87335 TO 0.87824	0.87090 TO 0.88068	0.86846 TO 0.88313	90500
27	0.87629	+ OR - 0.00250	0.87360 TO 0.87879	0.87130 TO 0.88129	0.86880 TO 0.88378	88000
32	0.87647	+ OR - 0.00253	0.87394 TO 0.87900	0.87141 TO 0.88153	0.86888 TO 0.88406	85500
37	0.87651	+ OR - 0.00254	0.87397 TO 0.87904	0.87143 TO 0.88156	0.86889 TO 0.88412	83000
42	0.87700	+ OR - 0.00259	0.87441 TO 0.87959	0.87182 TO 0.88218	0.86923 TO 0.88477	80500
47	0.87756	+ OR - 0.00263	0.87453 TO 0.88019	0.87231 TO 0.88282	0.86968 TO 0.88544	78000
52	0.87774	+ OR - 0.00268	0.87506 TO 0.88042	0.87238 TO 0.88311	0.86970 TO 0.88579	75500
57	0.87706	+ OR - 0.00274	0.87432 TO 0.87981	0.87158 TO 0.88255	0.86883 TO 0.88529	73000
62	0.87701	+ OR - 0.00282	0.87419 TO 0.87982	0.87137 TO 0.88264	0.86856 TO 0.88546	70500
67	0.87725	+ OR - 0.00290	0.87435 TO 0.88014	0.87145 TO 0.88304	0.86856 TO 0.88593	68000
72	0.87648	+ OR - 0.00295	0.87353 TO 0.87944	0.87056 TO 0.88239	0.86762 TO 0.88534	65500
77	0.87637	+ OR - 0.00304	0.87333 TO 0.87941	0.87030 TO 0.88244	0.86726 TO 0.88548	63000
82	0.87630	+ OR - 0.00304	0.87327 TO 0.87934	0.87023 TO 0.88238	0.86719 TO 0.88542	60500
87	0.87599	+ OR - 0.00311	0.87268 TO 0.87909	0.86977 TO 0.88220	0.86667 TO 0.88531	58000
92	0.87471	+ OR - 0.00315	0.87156 TO 0.87786	0.86841 TO 0.88161	0.86526 TO 0.88417	55500
97	0.87419	+ OR - 0.00322	0.87057 TO 0.87741	0.86775 TO 0.88063	0.86451 TO 0.88364	53000
102	0.87343	+ OR - 0.00330	0.87013 TO 0.87673	0.86683 TO 0.88003	0.86353 TO 0.88333	50500
107	0.87430	+ OR - 0.00335	0.87095 TO 0.87765	0.86760 TO 0.88100	0.86425 TO 0.88425	48000
112	0.87520	+ OR - 0.00343	0.87176 TO 0.87863	0.86833 TO 0.88206	0.86490 TO 0.88550	45500
117	0.87323	+ OR - 0.00338	0.86985 TO 0.87661	0.86647 TO 0.87999	0.86309 TO 0.88338	43000
122	0.87443	+ OR - 0.00347	0.87096 TO 0.87790	0.86749 TO 0.88136	0.86403 TO 0.88483	40500
127	0.87657	+ OR - 0.00355	0.87302 TO 0.88013	0.86946 TO 0.88368	0.86591 TO 0.88724	38000
132	0.87780	+ OR - 0.00374	0.87407 TO 0.88154	0.87033 TO 0.88528	0.86659 TO 0.89001	35500
137	0.87743	+ OR - 0.00394	0.87349 TO 0.88137	0.86955 TO 0.88531	0.86561 TO 0.89252	33000
142	0.87641	+ OR - 0.00411	0.87230 TO 0.88051	0.86820 TO 0.88462	0.86409 TO 0.88872	30500
147	0.87782	+ OR - 0.00398	0.87384 TO 0.88180	0.86986 TO 0.88579	0.86587 TO 0.88977	28000
152	0.87878	+ OR - 0.00428	0.87451 TO 0.88306	0.87023 TO 0.88733	0.86596 TO 0.89161	25500
157	0.87664	+ OR - 0.00442	0.87222 TO 0.88107	0.86779 TO 0.88549	0.86337 TO 0.88991	23000
162	0.87655	+ OR - 0.00467	0.87167 TO 0.88122	0.86720 TO 0.88589	0.86253 TO 0.89057	20500
167	0.87511	+ OR - 0.00510	0.87001 TO 0.88021	0.86492 TO 0.88530	0.85982 TO 0.89040	18000
172	0.87147	+ OR - 0.00542	0.86606 TO 0.87689	0.86064 TO 0.88231	0.85522 TO 0.88773	15500
177	0.86839	+ OR - 0.00594	0.86245 TO 0.87434	0.85651 TO 0.88028	0.85057 TO 0.88622	13000
182	0.86610	+ OR - 0.00658	0.85912 TO 0.87267	0.85294 TO 0.87925	0.84636 TO 0.88583	10500
187	0.86361	+ OR - 0.00733	0.85628 TO 0.87094	0.84895 TO 0.87827	0.84163 TO 0.88560	8000
192	0.85656	+ OR - 0.00933	0.84723 TO 0.86588	0.83791 TO 0.87521	0.82858 TO 0.88453	5500
197	0.86925	+ OR - 0.00994	0.85931 TO 0.87919	0.84937 TO 0.88913	0.83943 TO 0.89907	3000

TRIGA - PREF. FLOOD CANISTER

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS K-EFF = 0.8759 + OR - 0.0023 WHICH OCCURS FOR 203 GENERATIONS RUN.




100	I * I I * I I * I I * I I * I I * I
105	I * I I * I I * I I * I I * I I * I
110	I * I I * I I * I I * I I * I I * I
115	I * I I * I I * I I * I I * I I * I
120	I * I I * I I * I I * I I * I I * I
125	I * I I * I I * I I * I I * I I * I
130	I * I I * I I * I I * I I * I I * I
135	I * I I * I I * I I * I I * I I * I
140	I * I I * I I * I I * I I * I I * I
145	I * I I * I I * I I * I I * I I * I
150	I * I I * I I * I I * I I * I I * I
155	I * I I * I I * I I * I I * I I * I
160	I * I I * I I * I I * I I * I I * I
165	I * I I * I I * I I * I I * I I * I
170	I * I I * I I * I I * I I * I I * I
175	I * I I * I I * I I * I I * I I * I
180	I * I I * I I * I I * I I * I I * I
185	I * I I * I I * I I * I I * I I * I
190	I * I I * I I * I I * I I * I I * I
195	I * I I * I I * I I * I I * I I * I


200

I I * I
I * I
I * I
I * I
I * I

TRIGA - PREF. FLOOD CANISTER

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION SKIPPED.
THE LINE REPRESENTS K-EFF = 0.8756 + OR - 0.0023 WHICH OCCURS FOR 5 GENERATIONS SKIPPED.





200

TRIGA - PREF. FLOOD CANISTER

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0003			2.56018E-04	3.8496	1.25699E-03	3.1723	0.00000E+00	0.0000
2	0.0014			1.22398E-03	1.4507	3.43821E-03	0.9921	0.00000E+00	0.0000
3	0.0018			1.61485E-03	1.0573	1.72678E-03	0.7770	0.00000E+00	0.0000
4	0.0012			1.06025E-03	1.3116	9.63316E-04	0.9001	0.00000E+00	0.0000
5	0.0020			1.71122E-03	1.1056	2.36902E-03	0.7948	0.00000E+00	0.0000
6	0.0032			2.76174E-03	0.7774	9.11862E-03	0.7192	0.00000E+00	0.0000
7	0.0043			3.77211E-03	0.6579	2.04285E-02	0.6548	0.00000E+00	0.0000
8	0.0044			3.87077E-03	0.6914	1.71484E-02	0.6295	0.00000E+00	0.0000
9	0.0059			5.16781E-03	0.6946	1.76786E-02	0.5515	0.00000E+00	0.0000
10	0.0129			1.13315E-02	0.7029	4.47269E-02	0.5519	0.00000E+00	0.0000
11	0.0270			2.36314E-02	0.6591	5.84033E-02	0.5306	0.00000E+00	0.0000
12	0.0351			3.07643E-02	0.6089	4.62759E-02	0.5061	0.00000E+00	0.0000
13	0.0313			2.73796E-02	0.6250	5.51179E-02	0.4853	0.00000E+00	0.0000
14	0.0251			2.20157E-02	0.5789	6.43131E-02	0.5476	0.00000E+00	0.0000
15	0.0049			4.26451E-03	0.7710	3.08925E-02	0.8220	0.00000E+00	0.0000
16	0.0032			2.80705E-03	1.0406	1.72502E-02	0.8815	0.00000E+00	0.0000
17	0.0049			4.27848E-03	1.3408	9.67304E-03	0.8741	0.00000E+00	0.0000
18	0.0065			5.67280E-03	1.2992	8.93018E-03	0.8323	0.00000E+00	0.0000
19	0.0077			6.75195E-03	1.1157	1.43218E-02	0.7983	0.00000E+00	0.0000
20	0.0306			2.68092E-02	0.6428	4.39716E-02	0.6909	0.00000E+00	0.0000
21	0.0157			1.37874E-02	1.0465	1.62441E-02	0.8753	0.00000E+00	0.0000
22	0.0358			3.13575E-02	0.7425	3.18522E-02	0.7699	0.00000E+00	0.0000
23	0.1040			9.10929E-02	0.4225	8.49914E-02	0.4693	0.00000E+00	0.0000
24	0.1842			1.61359E-01	0.4232	1.29973E-01	0.4082	0.00000E+00	0.0000
25	0.1569			1.37437E-01	0.4836	1.02516E-01	0.4616	0.00000E+00	0.0000
26	0.2046			1.79249E-01	0.4884	1.23471E-01	0.5002	0.00000E+00	0.0000
27	0.0850			7.44517E-02	0.7552	4.55169E-02	0.7639	0.00000E+00	0.0000
SYSTEM TOTAL =				8.75900E-01	0.2627	1.00257E+00	0.0915	0.00000E+00	0.0000

ELAPSED TIME 5.15750 MINUTES

RANDOM NUMBER= 464866E647B1

TRIGA - PREF. FLOOD CANISTER

FREQUENCY FOR GENERATIONS 4 TO 203
0.7920 TO 0.8099 *****
0.8099 TO 0.8278 *****
0.8278 TO 0.8457 *****
0.8457 TO 0.8636 *****
0.8636 TO 0.8815 *****
0.8815 TO 0.8994 *****
0.8994 TO 0.9173 *****
0.9173 TO 0.9352 *****
0.9352 TO 0.9530 *****
0.9530 TO 0.9709 *****

FREQUENCY FOR GENERATIONS 54 TO 203
0.7920 TO 0.8099 ***
0.8099 TO 0.8278 *****
0.8278 TO 0.8457 *****
0.8457 TO 0.8636 *****
0.8636 TO 0.8815 *****
0.8815 TO 0.8994 *****
0.8994 TO 0.9173 *****
0.9173 TO 0.9352 *****
0.9352 TO 0.9530 *****
0.9530 TO 0.9709 ***

FREQUENCY FOR GENERATIONS 104 TO 203
0.7920 TO 0.8099 ***
0.8099 TO 0.8278 *****
0.8278 TO 0.8457 *****
0.8457 TO 0.8636 *****
0.8636 TO 0.8815 *****
0.8815 TO 0.8994 *****
0.8994 TO 0.9173 *****
0.9173 TO 0.9352 *****
0.9352 TO 0.9530 **
0.9530 TO 0.9709 *

FREQUENCY FOR GENERATIONS 154 TO 203
0.7920 TO 0.8099 *
0.8099 TO 0.8278 ****
0.8278 TO 0.8457 ***
0.8457 TO 0.8636 *****
0.8636 TO 0.8815 *****
0.8815 TO 0.8994 *****
0.8994 TO 0.9173 *****
0.9173 TO 0.9352 *
0.9352 TO 0.9530 *
0.9530 TO 0.9709 *

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 5.15750 MINUTES
.....

Figure 6.6.6-2 TRIGA Fuel Cluster Rods – Most Reactive Poisoned Basket Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
TRIGA - PREF. FLOOD CANISTER
27GROUPNDF4 INFHOMMEDIUM
'FUEL
U-235 1 0.0 2.30596E-04 END
U-238 1 0.0 1.12631E-05 END
ZR 1 0.0 5.37586E-03 END
H 1 0.0 8.45211E-03 END
H2O 1 0.84220 293.0 END
'CLAD, BASKET, AND CASK
SS304 2 1.0 293.0 END
'CANISTER INTERNAL MODERATOR
H2O 3 1.0 293.0 END
'ZIRCONIUM ROD
ZR 4 1.0 293.0 END
'GRAPHITE REFLECTOR
C 5 1.0 293.0 END
'LEAD SHIELD
PE 6 1.0 293.0 END
'NEUTRON SHIELD
H2O 7 1E-20 293.0 END
'CASK EXTERNAL MATERIAL
H2O 8 1E-20 293.0 END
'END FITTING FOR FUEL ELEMENT
SS304 9 0.337137 293.0 END
H2O 9 1E-20 293.0 END
'SECOND FUEL MATERIAL FOR UN-CANISTERED
U-235 10 0.0 9.052980E-4 END
U-238 10 0.0 3.849480E-4 END
ZR 10 0.0 3.446510E-2 END
H 10 0.0 5.514420E-2 END
'SECOND END-FITTING MATERIAL FOR UN-CANISTERED FUEL
SS304 11 0.337137 293.0 END
H2O 11 DEN=0.662863 1.00E-3 293.0 END
'CASK INTERIOR MODERATOR MATERIAL
H2O 12 1.00E-3 293.0 END
'NEUTRON ABSORBER PLATE WITH BORON
FE 13 DEN=7.76 0.6717 293.0 END
C 13 DEN=7.76 0.0001 293.0 END
SI 13 DEN=7.76 0.0033 293.0 END
MN 13 DEN=7.76 0.0060 293.0 END
P 13 DEN=7.75 0.0001 293.0 END
CR 13 DEN=7.76 0.1849 293.0 END
NI 13 DEN=7.76 0.1233 293.0 END
B-10 13 DEN=7.76 0.0073 293.0 END
B-11 13 DEN=7.76 0.0007 293.0 END
N 13 DEN=7.76 0.0017 293.0 END
'NEUTRON ABSORBER PLATE WITHOUT BORON
FE 14 DEN=7.76 0.6717 293.0 END
C 14 DEN=7.76 0.0001 293.0 END
SI 14 DEN=7.76 0.0033 293.0 END
MN 14 DEN=7.76 0.0060 293.0 END
P 14 DEN=7.75 0.0001 293.0 END
CR 14 DEN=7.76 0.1849 293.0 END
NI 14 DEN=7.76 0.1233 293.0 END
N 14 DEN=7.76 0.0017 293.0 END
'FUEL FOR RODS
U-235 21 0.0 1.46137E-03 END
U-238 21 0.0 1.03065E-04 END
ZR 21 0.0 3.40686E-02 END
H 21 0.0 5.35638E-02 END
'CLAD INCOLOY
NI 22 0 0.028516 END
FE 22 0 0.033820 END
CR 22 0 0.021151 END
C 22 0 0.000399 END
MN 22 0 0.001306 END
S 22 0 0.000022 END
SI 22 0 0.001703 END
CU 22 0 0.000560 END
AL 22 0 0.000266 END
TI 22 0 0.000150 END
'CASK INTERNAL MODERATOR
H2O 23 1.00E-3 293.0 END
'LEAD SHIELD
PB 26 1.0 293.0 END
'NEUTRON SHIELD
H2O 27 1E-20 293.0 END
'CASK EXTERNAL MATERIAL
H2O 28 1E-20 293.0 END
'END FITTING FOR FUEL ELEMENT
SS304 29 .4968 293.0 END
H2O 29 DEN=.5031 1.00E-3 293.0 END
' BASKET, AND CASK NEED TO LOOK AT HOW THIS IS USED
SS304 212 1.0 293.0 END
'NEUTRON ABSORBER PLATE WITH BORON
FE 210 DEN=7.76 0.6717 293.0 END
C 210 DEN=7.76 0.0001 293.0 END
SI 210 DEN=7.76 0.0033 293.0 END
MN 210 DEN=7.76 0.0060 293.0 END
P 210 DEN=7.75 0.0001 293.0 END
CR 210 DEN=7.76 0.1849 293.0 END

```

```

NI      210 DEN=7.76 0.1233 293.0 END
B-10   210 DEN=7.76 0.0073 293.0 END
B-11   210 DEN=7.76 0.0007 293.0 END
N       210 DEN=7.76 0.0017 293.0 END
'NEUTRON ABSORBER PLATE WITHOUT BORON
FE      211 DEN=7.76 0.6717 293.0 END
C       211 DEN=7.76 0.0001 293.0 END
SI      211 DEN=7.76 0.0033 293.0 END
MN      211 DEN=7.76 0.0060 293.0 END
P       211 DEN=7.75 0.0001 293.0 END
CR      211 DEN=7.76 0.1849 293.0 END
NI      211 DEN=7.76 0.1233 293.0 END
N       211 DEN=7.76 0.0017 293.0 END
'AL FUEL HOLDER
AL 215 1.0 293.0 END
END COMP
MORE DATA
RES=21 CYLINDER 0.6477 DAN(21)=-.38879
END MORE
TRIGA ~ PREF. FLOOD CANISTER
READ PARAM TME=170.0 GEN=203 NPG=500 RUN=YES PLT=NO
TBA=2.0 END PARAM
READ GEOM
UNIT 1
COM='TRIGA FUEL (SMEARED)'
CYLINDER 1 1 3.9877 60.959 0.001
UNIT 5
COM='3.38 in Width / 0.28 in Thickness DIVIDER CENTER STACK (SEALED)'
CUBOID 2 1 2P4.2672 0.7112 0.0 +74.29 -8.255
UNIT 6
COM='3.38 in Width / 0.24 in Thickness DIVIDER OUTSIDE STACK (SEALED)'
CUBOID 2 1 2P4.2672 0.6096 0.0 +74.29 -8.255
UNIT 7
COM='SEALED CANISTER'
CYLINDER 3 1 3.9878 +60.96 0.0
HOLE 1 0.0 0.0 0.0
CYLINDER 2 1 4.1529 +63.50 -1.27
CYLINDER 12 1 4.1529 +74.29 -8.255
UNIT 10
COM='TRIGA ELEMENTS IN Top of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 0.0 0.1142 0.0
UNIT 11
COM='TRIGA ELEMENTS IN Bottom of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 0.0 -0.1142 0.0
UNIT 12
COM='TRIGA ELEMENTS IN Bottom Right of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 +0.1142 -0.1142 0.0
UNIT 13
COM='TRIGA ELEMENTS IN Top Right of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 +0.1142 +0.1142 0.0
UNIT 14
COM='TRIGA ELEMENTS IN Bottom Left of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 -0.1142 -0.1142 0.0
UNIT 15
COM='TRIGA ELEMENTS IN Top left of 3.38 in x 3.38 in OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 -0.1142 +0.1142 0.0
UNIT 16
COM='TRIGA BASKET 3.38 in x 3.38 in CENTER OPENING (SEALED)'
CUBOID 12 1 2P4.2672 2P4.2672 +74.29 -8.255
HOLE 7 0.0 0.0 0.0
UNIT 17
COM='HORIZONTAL X-X POISON SHEET + WATER'
CUBOID 13 1 2P3.8227 0.3175 0.0 +73.02 -6.985
CUBOID 14 1 2P4.1402 0.3175 0.0 +73.02 -6.985
CUBOID 12 1 2P4.2672 0.3175 0.0 +74.29 -8.255
UNIT 18
COM='HORIZONTAL X-X POISON SHEET + WATER'
CUBOID 13 1 2P3.8227 0.3175 0.0 2P34.163
CUBOID 14 1 2P4.1402 0.3175 0.0 2P34.163
CUBOID 12 1 2P4.2672 0.3175 0.0 2P36.703
UNIT 20
COM='CENTER COLUMN OF THREE OPENINGS w/ 0.28 in plate (SEALED)'
ARRAY 1 -4.2672 -13.8303 -8.255
REPLICATE 2 1 4R0.7112 2R0.0 1
UNIT 21
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate (SEALED)'
ARRAY 2 -4.2672 -8.9979 -8.255
REPLICATE 2 1 0.0 0.3048 2R0.3048 2R0.0 1
UNIT 22
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS w/ 0.12 in plate (SEALED)'
ARRAY 3 -4.2672 -8.9979 -8.255
REPLICATE 2 1 0.3048 0.0 2R0.3048 2R0.0 1
UNIT 30
COM='NAC-LWT TRIGA BASKET (SEALED)'
CYLINDER 12 1 17.1 +74.29 -8.255
HOLE 20 0.0 0.0 0.0
HOLE 21 -9.2457 0.0 0.0
HOLE 22 +9.2457 0.0 0.0
CYLINDER 2 1 18.9103 +74.93 -8.890
CYLINDER 6 1 33.4645 +74.93 -8.890
CYLINDER 2 1 36.5188 +74.93 -8.890
CYLINDER 7 1 49.2227 +74.93 -8.890
CYLINDER 2 1 49.8221 +74.93 -8.890
CUBOID 8 1 4P49.8221 +74.93 -8.890
UNIT 41

```

```

COM='TRIGA FUEL ELEMENT'
CYLINDER 21 1 0.6477 2P27.94
CYLINDER 22 1 0.68834 2P27.94
CYLINDER 29 1 0.68834 43.48 -33.04
UNIT 42
COM='HORIZONTAL X-X POISON SHEET + WATER'
CUBOID 210 1 2P3.8227 0.3175 0.0 39.38 -28.94
CUBOID 211 1 2P4.1402 0.3175 0.0 39.38 -28.94
CUBOID 23 1 2P4.2672 0.3175 0.0 43.48 -33.04
UNIT 45
COM='DIVIDER CENTER STACK'
CUBOID 212 1 2P4.2672 0.7112 0.0 43.48 -33.04
UNIT 46
COM='DIVIDER OUTSIDE STACK'
CUBOID 212 1 2P4.2672 0.6096 0.0 43.48 -33.04
UNIT 410
COM='TRIGA FUEL ELEMENTS IN AL TUBE, CENTERED'
CYLINDER 23 1 0.809625 43.48 -33.04
HOLE 41 0.0 0.0 0.0
CYLINDER 215 1 0.94805 43.48 -33.04
UNIT 411
COM='TRIGA FUEL ELEMENTS IN AL TUBE, RIGHT'
CYLINDER 23 1 0.809625 43.48 -33.04
HOLE 41 0.12127 0.0 0.0
CYLINDER 215 1 0.94805 43.48 -33.04
UNIT 412
COM='TRIGA FUEL ELEMENTS IN AL TUBE, LEFT'
CYLINDER 23 1 0.809625 43.48 -33.04
HOLE 41 -0.12127 0.0 0.0
CYLINDER 215 1 0.94805 43.48 -33.04
UNIT 413
COM='TRIGA FUEL ELEMENTS IN AL TUBE, TOP'
CYLINDER 23 1 0.809625 43.48 -33.04
HOLE 41 0.0 0.12127 0.0
CYLINDER 215 1 0.94805 43.48 -33.04
UNIT 414
COM='TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM'
CYLINDER 23 1 0.809625 43.48 -33.04
HOLE 41 0.0 -0.12127 0.0
CYLINDER 215 1 0.94805 43.48 -33.04
UNIT 415
COM='TRIGA FUEL ELEMENTS IN AL TUBE, TOP RIGHT'
CYLINDER 23 1 0.809625 43.48 -33.04
HOLE 41 0.08574 0.08574 0.0
CYLINDER 215 1 0.94805 43.48 -33.04
UNIT 416
COM='TRIGA FUEL ELEMENTS IN AL TUBE, TOP LEFT'
CYLINDER 23 1 0.809625 43.48 -33.04
HOLE 41 -0.08574 0.08574 0.0
CYLINDER 215 1 0.94805 43.48 -33.04
UNIT 417
COM='TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM RIGHT'
CYLINDER 23 1 0.809625 43.48 -33.04
HOLE 41 0.08574 -0.08574 0.0
CYLINDER 215 1 0.94805 43.48 -33.04
UNIT 418
COM='TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM LEFT'
CYLINDER 23 1 0.809625 43.48 -33.04
HOLE 41 -0.08574 -0.08574 0.0
CYLINDER 215 1 0.94805 43.48 -33.04
UNIT 420
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, CENTER OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8443 -2.8443 0
HOLE 413 -0.94810 -2.8443 0
HOLE 413 0.94810 -2.8443 0
HOLE 416 2.8443 -2.8443 0
HOLE 411 -2.8443 -0.94810 0
HOLE 415 -0.94810 -0.94810 0
HOLE 416 0.94810 -0.94810 0
HOLE 412 2.8443 -0.94810 0
HOLE 411 -2.8443 0.94810 0
HOLE 417 -0.94810 0.94810 0
HOLE 418 0.94810 0.94810 0
HOLE 412 2.8443 0.94810 0
HOLE 417 -2.8443 2.8443 0
HOLE 414 -0.94810 2.8443 0
HOLE 414 0.94810 2.8443 0
HOLE 416 2.8443 2.8443 0
CUBOID 23 1 4P4.1529 43.48 -33.04
CHECK 4.1 CM ABOVE*****
UNIT 421
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8443 -2.8443 0
HOLE 413 -0.94810 -2.8443 0
HOLE 413 0.94810 -2.8443 0
HOLE 416 2.8443 -2.8443 0
HOLE 411 -2.8443 -0.94810 0
HOLE 415 -0.94810 -0.94810 0
HOLE 416 0.94810 -0.94810 0
HOLE 412 2.8443 -0.94810 0
HOLE 411 -2.8443 0.94810 0
HOLE 417 -0.94810 0.94810 0
HOLE 418 0.94810 0.94810 0
HOLE 412 2.8443 0.94810 0
HOLE 417 -2.8443 2.8443 0
HOLE 414 -0.94810 2.8443 0
HOLE 414 0.94810 2.8443 0
HOLE 418 2.8443 2.8443 0
CUBOID 23 1 4P4.1529 43.48 -33.04

```



```

* CHECK 4.1 CM ABOVE*****
UNIT 422
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8443 -2.8443 0
HOLE 413 -0.94810 -2.8443 0
HOLE 413 0.94810 -2.8443 0
HOLE 416 2.8443 -2.8443 0
HOLE 411 -2.8443 -0.94810 0
HOLE 415 -0.94810 -0.94810 0
HOLE 416 0.94810 -0.94810 0
HOLE 412 2.8443 -0.94810 0
HOLE 411 -2.8443 0.94810 0
HOLE 417 -0.94810 0.94810 0
HOLE 418 0.94810 0.94810 0
HOLE 412 2.8443 0.94810 0
HOLE 417 -2.8443 2.8443 0
HOLE 414 -0.94810 2.8443 0
HOLE 414 0.94810 2.8443 0
HOLE 418 2.8443 2.8443 0
CUBOID 23 1 4P4.1529 43.48 -33.04
* CHECK 4.1 CM ABOVE*****
UNIT 423
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM LEFT OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8443 -2.8443 0
HOLE 413 -0.94810 -2.8443 0
HOLE 413 0.94810 -2.8443 0
HOLE 416 2.8443 -2.8443 0
HOLE 411 -2.8443 -0.94810 0
HOLE 415 -0.94810 -0.94810 0
HOLE 416 0.94810 -0.94810 0
HOLE 412 2.8443 -0.94810 0
HOLE 411 -2.8443 0.94810 0
HOLE 417 -0.94810 0.94810 0
HOLE 418 0.94810 0.94810 0
HOLE 412 2.8443 0.94810 0
HOLE 417 -2.8443 2.8443 0
HOLE 414 -0.94810 2.8443 0
HOLE 414 0.94810 2.8443 0
HOLE 418 2.8443 2.8443 0
CUBOID 23 1 4P4.1529 43.48 -33.04
* CHECK 4.1 CM ABOVE*****
UNIT 424
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP LEFT OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8443 -2.8443 0
HOLE 413 -0.94810 -2.8443 0
HOLE 413 0.94810 -2.8443 0
HOLE 416 2.8443 -2.8443 0
HOLE 411 -2.8443 -0.94810 0
HOLE 415 -0.94810 -0.94810 0
HOLE 416 0.94810 -0.94810 0
HOLE 412 2.8443 -0.94810 0
HOLE 411 -2.8443 0.94810 0
HOLE 417 -0.94810 0.94810 0
HOLE 418 0.94810 0.94810 0
HOLE 412 2.8443 0.94810 0
HOLE 417 -2.8443 2.8443 0
HOLE 414 -0.94810 2.8443 0
HOLE 414 0.94810 2.8443 0
HOLE 418 2.8443 2.8443 0
CUBOID 23 1 4P4.1529 43.48 -33.04
* CHECK 4.1 CM ABOVE*****
UNIT 425
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM RIGHT OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8443 -2.8443 0
HOLE 413 -0.94810 -2.8443 0
HOLE 413 0.94810 -2.8443 0
HOLE 416 2.8443 -2.8443 0
HOLE 411 -2.8443 -0.94810 0
HOLE 415 -0.94810 -0.94810 0
HOLE 416 0.94810 -0.94810 0
HOLE 412 2.8443 -0.94810 0
HOLE 411 -2.8443 0.94810 0
HOLE 417 -0.94810 0.94810 0
HOLE 418 0.94810 0.94810 0
HOLE 412 2.8443 0.94810 0
HOLE 417 -2.8443 2.8443 0
HOLE 414 -0.94810 2.8443 0
HOLE 414 0.94810 2.8443 0
HOLE 418 2.8443 2.8443 0
CUBOID 23 1 4P4.1529 43.48 -33.04
* CHECK 4.1 CM ABOVE*****
UNIT 426
COM='AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP RIGHT OPENING'
CUBOID 23 1 4P4.1529 43.48 -33.04
HOLE 415 -2.8443 -2.8443 0
HOLE 413 -0.94810 -2.8443 0
HOLE 413 0.94810 -2.8443 0
HOLE 416 2.8443 -2.8443 0
HOLE 411 -2.8443 -0.94810 0
HOLE 415 -0.94810 -0.94810 0
HOLE 416 0.94810 -0.94810 0
HOLE 412 2.8443 -0.94810 0
HOLE 411 -2.8443 0.94810 0
HOLE 417 -0.94810 0.94810 0
HOLE 418 0.94810 0.94810 0
HOLE 412 2.8443 0.94810 0
HOLE 417 -2.8443 2.8443 0

```

```
HOLE 414 -0.94810 2.8443 0
HOLE 414 0.94810 2.8443 0
HOLE 418 2.8443 2.8443 0
CUBOID 23 1 4P4.1529 43.48 -33.04
UNIT 430
COM='FUEL INSERT IN, CENTER OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 420 0.0 0.0 0.0
UNIT 431
COM='FUEL INSERT IN, BOTTOM OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 421 0.0 -0.1143 0.0
UNIT 432
COM='FUEL INSERT IN, TOP OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 422 0.0 0.1143 0.0
UNIT 433
COM='FUEL INSERT IN, BOTTOM LEFT OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 423 -0.1143 -0.1143 0.0
UNIT 434
COM='FUEL INSERT IN, TOP LEFT OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 424 -0.1143 0.1143 0.0
UNIT 435
COM='FUEL INSERT IN, BOTOM RIGHT OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 425 0.1143 -0.1143 0.0
UNIT 436
COM='FUEL INSERT IN, TOP RIGHT OPENING'
CUBOID 23 1 4P4.2672 43.48 -33.04
HOLE 426 0.1143 0.1143 0.0
UNIT 440
COM='CENTER COLUMN OF THREE OPENINGS'
ARRAY 41 -4.2672 -13.8303 -33.04
REPLICATE 212 1 4R0.7112 2R0.0 1
UNIT 441
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS'
ARRAY 42 -4.2672 -8.9979 -33.04
REPLICATE 212 1 0.0 0.3408 2R0.3408 2R0.0 1
UNIT 442
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS'
ARRAY 43 -4.2672 -8.9979 -33.04
REPLICATE 212 1 0.3408 0.0 2R0.3408 2R0.0 1
UNIT 450
COM='28 TRIGA FUEL ELEMENTS IN EACH LWT BASKET'
CYLINDER 23 1 17.1500 43.485 -33.045
HOLE 440 0.0 0.0 0.0
HOLE 441 -9.2457 0.0 0.0
HOLE 442 +9.2457 0.0 0.0
CYLINDER 212 1 18.9103 43.485 -33.045
CYLINDER 26 1 33.4645 43.485 -33.045
CYLINDER 212 1 36.5188 43.485 -33.045
CYLINDER 27 1 49.2227 43.485 -33.045
CYLINDER 212 1 49.8221 43.485 -33.045
CUBOID 28 1 4P49.8221 43.485 -33.045
UNIT 80
COM='SIMPLIFIED LID STRUCTURE NAC-LWT'
CYLINDER 2 1 36.5188 2P14.1351
CYLINDER 8 1 49.8221 2P14.1351
CUBOID 8 1 4P49.8221 2P14.1351
UNIT 81
COM='SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT'
CYLINDER 6 1 26.3525 2P3.81
CYLINDER 2 1 36.6188 +13.97 -12.7
CYLINDER 8 1 49.8221 +13.97 -12.7
CUBOID 8 1 4P49.8221 +13.97 -12.7
GLOBAL UNIT 82
COM='STACK OF 5 BASKETS IN CASK'
ARRAY 20 -49.8221 -49.8221 -221.3
END GEOM
READ ARRAY
ARA=1 NUX=1 NUY=7 NUZ=1 FILL 10 5 17 16 17 5 11 END FILL
ARA=2 NUX=1 NUY=4 NUZ=1 FILL 13 17 6 12 END FILL
ARA=3 NUX=1 NUY=4 NUZ=1 FILL 15 17 6 14 END FILL
ARA=41 NUX=1 NUY=7 NUZ=1 FILL 432 45 42 430 42 45 431 END FILL
ARA=42 NUX=1 NUY=4 NUZ=1 FILL 436 46 42 435 END FILL
ARA=43 NUX=1 NUY=4 NUZ=1 FILL 434 46 42 433 END FILL
ARA=20 NUX=1 NUY=1 NUZ=7 FILL 81 30 3R450 30 80 END FILL
END ARRAY
READ BOUNDS ALL=MIR END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CASK (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-50.0 YUL=50.0 ZUL=149.352
XLR=50.0 YLR=-50.0 ZLR=149.352 END
TTL='X-Y PLOT OF BASKET (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-17.2 YUL=17.2 ZUL=149.352
XLR=17.2 YLR=-17.2 ZLR=149.352 END
TTL='X-Y PLOT OF BASKET (CAVITY MID PLANE)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-17.2 YUL=17.2 ZUL=0.0
XLR=17.2 YLR=-17.2 ZLR=0.0 END
TTL='X-Y PLOT OF CENTER OPENING (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-7.0 YUL=7.0 ZUL=149.352
```

```
XLR=7.0 YLR=-7.0 ZLR=149.352 END
TTL='X-Y PLOT OF PERIPHERAL OPENING (CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=800
XUL=-7.0 YUL=16.0 ZUL=149.352
XLR=7.0 YLR=4.0 ZLR=149.352 END
TTL='Y-Z PLOT OF BASKET (CENTER OF FUEL ELEMENTS,CANISTER ELEVATION)'
SCR=YES PIC=MAT LPI=10
VAX=1.0 WDN=-1.0 NAX=800
XUL=2.12 YUL=-14.0 ZUL=186.69
XLR=2.12 YLR=-4.5 ZLR=112.014 END
TTL='Y-Z PLOT OF BASKET (CASK)'
SCR=YES PIC=MAT LPI=10
VAX=1.0 WDN=-1.0 NAX=800
XUL=2.12 YUL=-51 ZUL=220.0
XLR=2.12 YLR=+51 ZLR=-220.0
END PLOT
END DATA
```

SECONDARY MODULE 000008 HAS BEEN CALLED.

MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1.59 (SECONDS).

SECONDARY MODULE 000002 HAS BEEN CALLED.

MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 15.55 (SECONDS).

SECONDARY MODULE 000009 HAS BEEN CALLED.

MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 202.62 (SECONDS).

MODULE CSA525 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 220.91 (SECONDS).

```
CCCCCCCCC SSSSSSSSS AAAAAAAA SSSSSSSSS 222222222 5555555555555
CCCCCCCCC SSSSSSSSSSSS AAAAAAAA SSSSSSSSSSSS 22222222222 5555555555555
CC CC SS SS AA AA SS SS 22 22 55
CC SS AA AA SS 22 55
CC SS AA AA SS 22 55
CC SSSSSSSSSSSS AAAAAAAA SSSSSSSSSSSS 22 55555555555
CC SSSSSSSSSSSS AAAAAAAA SSSSSSSSSSSS 22 5555555555555
CC SS SS AA AA SS SS 22 55
CC SS AA AA SS 22 55
CC SS AA AA SS 22 55
CCCCCCCCC SSSSSSSSSSSS AA AA SSSSSSSSSSSS 22222222222 5555555555555
CCCCCCCCC SSSSSSSSSSSS AA AA SSSSSSSSSSSS 22222222222 55555555555
```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SS SS CC CC AA AA LL EE EEEEEEEEEEE PP PP CC CC
SS CC AA AA LL EE EEEEEEEEEEE PP PP CC CC
SS CC AA AA LL EE EEEEEEEEEEE PP PP CC CC
SSSSSSSSSS CC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CC
SSSSSSSSSS CC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CC
SS CC AA AA LL EE EEEEEEEEEEE PP CC
SS SS CC AA AA LL EE EEEEEEEEEEE PP CC CC
SS SS CC AA AA LL EE EEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
```

```
11 222222222 // 222222222 11 // 999999999 888888888
111 222222222222 22222222222 111 // 99999999999 88888888888
1111 22 22 22 1111 22 // 99 99 88 88
11 22 22 11 22 // 99 99 88 88
11 22 22 11 22 // 99 99 88 88
11 22 22 11 22 // 99999999999 88888888888
11 22 22 11 22 // 99999999999 88888888888
11 22 22 11 22 // 99 88 88 88
11 22 22 11 22 // 99 88 88 88
11 22 22 11 22 // 99 88 88 88
11111111 222222222222 // 222222222222 11111111 // 999999999999 888888888888
11111111 222222222222 // 222222222222 11111111 // 99999999999 88888888888
```

```
0000000 333333333 0000000 0000000 55555555555 0000000
000000000 33333333333 000000000 000000000 5555555555555 000000000
00 00 33 33 ::: 00 00 00 00 00 00 55 00 00
00 00 33 33 ::: 00 00 00 00 00 00 55 00 00
00 00 33 33 ::: 00 00 00 00 00 00 55 00 00
00 00 33 33 ::: 00 00 00 00 00 00 55 00 00
00 00 33 33 ::: 00 00 00 00 00 00 55 00 00
00 00 33 33 ::: 00 00 00 00 00 00 55 00 00
00 00 33 33 ::: 00 00 00 00 00 00 55 00 00
000000000 33333333333 000000000 000000000 5555555555555 000000000
0000000 33333333333 0000000 0000000 55555555555 0000000
```



```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000    VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  000000000000    VV      VV
KK      KK  E!         E!  NNNN     NN  00         00    VV      VV
KK      KK  EE         EE  NN  NN     NN  00         00    VV      VV
KK      KK  EE         EE  NN  NN     NN  00         00    VV      VV
KK      KK  EE         EE  NN  NN     NN  00         00    VV      VV
KK      KK  EE         EE  NN  NN     NN  00         00    VV      VV
KK      KK  EE         EE  NN  NN     NN  00         00    VV      VV
KK      KK  EE         EE  NN  NN     NN  00         00    VV      VV
KK      KK  EE         EE  NN  NN     NN  00         00    VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  000000000000    VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  0000000000    VV      VV

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      LL  EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      LL  EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
S$      SS  CC      CC  AA      AA  LL      LL  EE         EE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      LL  EE         EE  PP      PP  CC      CC
S$      SS  CC      CC  AA      AA  LL      LL  EE         EE  PP      PP  CC      CC
SSSSSSSSSS  CC      AA      AA  LL      LL  EEEEEEEEE  PPPPPPPPPP  CC
SSSSSSSSSS  CC      AA      AA  LL      LL  EEEEEEEEE  PPPPPPPPPP  CC
SS      SS  CC      AA      AA  LL      LL  EE         PP      CC
SS      SS  CC      AA      AA  LL      LL  EE         PP      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC

```

```

11      222222222  //  222222222  11      //  999999999  888888888
111     222222222  //  222222222  111     //  999999999  888888888
1111    22      22  //  22      22  1111    //  99      99  88      88
11      22      22  //  22      22  11      //  99      99  88      88
11      22      22  //  22      22  11      //  99      99  88      88
11      22      22  //  22      22  11      //  999999999  888888888
11      22      22  //  22      22  11      //  999999999  888888888
11      22      22  //  22      22  11      //  999999999  888888888
11      22      22  //  22      22  11      //  999999999  888888888
11111111 222222222  //  222222222  11111111 //  999999999  888888888
11111111 222222222  //  222222222  11111111 //  999999999  888888888

```

```

0000000  333333333  0000000  11      0000000  888888888
00000000 333333333 00000000 111     00000000 888888888
00      00  33      33  :::  00      00  1111    :::  00      00  88      88
00      00  33      33  :::  00      00  11      :::  00      00  88      88
00      00  33      33  :::  00      00  11      :::  00      00  88      88
00      00  33      33  :::  00      00  11      :::  00      00  888888888
00      00  33      33  :::  00      00  11      :::  00      00  888888888
00      00  33      33  :::  00      00  11      :::  00      00  88      88
00      00  33      33  :::  00      00  11      :::  00      00  88      88
00000000 333333333 00000000 11111111 00000000 888888888
0000000  333333333 0000000  11111111 0000000  888888888

```



```
*****  
***** TRIGA - PREF. FLOOD CANISTER *****  
*****  
***** NUMERIC PARAMETERS *****  
*****  
TME      MAXIMUM PROBLEM TIME (MIN)      170.00  
TBA      TIME PER GENERATION (MIN)       2.00  
GEN      NUMBER OF GENERATIONS           203  
NPG      NUMBER PER GENERATION           500  
NSK      NUMBER OF GENERATIONS TO BE SKIPPED 3  
BEG      BEGINNING GENERATION NUMBER     1  
RES      GENERATIONS BETWEEN CHECKPOINTS 0  
X1D      NUMBER OF EXTRA 1-D CROSS SECTIONS 1  
NBK      NEUTRON BANK SIZE                525  
XNB      EXTRA POSITIONS IN NEUTRON BANK  0  
NFB      FISSION BANK SIZE                500  
XFB      EXTRA POSITIONS IN FISSION BANK  0  
WTA      DEFAULT VALUE OF WEIGHT AVERAGE 0.5000  
WTH      WEIGHT HIGH FOR SPLITTING        3.0000  
WTL      WEIGHT LOW FOR RUSSIAN ROULETTE  0.3333  
RND      STARTING RANDOM NUMBER           BBB27100001  
NBB      NUMBER OF D.A. BLOCKS ON UNIT  8  200  
NL8      LENGTH OF D.A. BLOCKS ON UNIT  8  512  
ADJ      MODE OF CALCULATION              FORWARD  
          INPUT DATA WRITTEN ON RESTART UNIT  NO  
          BINARY DATA INTERFACE            YES  
*****  
*****
```



```
.....  
***  
*** TRIGA - PREF. FLOOD CANISTER ***  
***  
***** LOGICAL PARAMETERS *****  
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***  
*** FLX COMPUTE FLUX NO FDM COMPUTE FISSION DENSITIES NO ***  
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***  
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***  
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***  
*** FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO ***  
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***  
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***  
*** FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO ***  
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***  
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***  
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***  
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***  
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***  
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***  
*** PID PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***  
*** TRK PRINT TRACKING INFORMATION NO ***  
.....  
PARAMETER INPUT COMPLETED
```

..... 0 10'S WERE USED READING THE PARAMETER DATA

```

*****
***          TRIGA - PREF. FLOOD CANISTER          ***
*****
*****
*****          ***** ADDITIONAL INFORMATION *****          *****
*****
*** NUMBER OF ENERGY GROUPS          27          USE LATTICE GEOMETRY          YES ***
*** NO. OF FISSION SPECTRUM SOURCE GROUP 1          GLOBAL ARRAY NUMBER          20 ***
*** NO. OF SCATTERING ANGLES IN XSECS    2          NUMBER OF UNITS IN THE GLOBAL X DIR.    1 ***
*** ENTRIES/NEUTRON IN THE NEUTRON BANK 26          NUMBER OF UNITS IN THE GLOBAL Y DIR.    1 ***
*** ENTRIES/NEUTRON IN THE FISSION BANK 19          NUMBER OF UNITS IN THE GLOBAL Z DIR.    7 ***
*** NUMBER OF MIXTURES USED              20          USE A GLOBAL REFLECTOR          YES ***
*** NUMBER OF BIAS ID'S USED              1          USE NESTED HOLES          YES ***
*** NUMBER OF DIFFERENTIAL ALBEDOS USED    0          NUMBER OF HOLES          142 ***
*** TOTAL INPUT GEOMETRY REGIONS          100          MAXIMUM HOLE NESTING LEVEL          4 ***
*** NUMBER OF GEOMETRY REGIONS USED        95          USE NESTED ARRAYS          YES ***
*** LARGEST GEOMETRY UNIT NUMBER          450          NUMBER OF ARRAYS USED          7 ***
*** LARGEST ARRAY NUMBER                  43          MAXIMUM ARRAY NESTING LEVEL          2 ***
***
*** +X BOUNDARY CONDITION          MIR          -X BOUNDARY CONDITION          MIR ***
*** +Y BOUNDARY CONDITION          MIR          -Y BOUNDARY CONDITION          MIR ***
*** +Z BOUNDARY CONDITION          MIR          -Z BOUNDARY CONDITION          MIR ***
*****

```

TRIGA - PREF. FLOOD CANISTER

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 1 -----							
TRIGA FUEL (SMEARED)							
1	CYLINDER 1 1	RADIUS = 3.9877	+Z = 60.959	-Z = 1.00000E-03	CENTERLINE IS AT X = 0.00000		Y = 0.00000
----- UNIT 5 -----							
3.38 IN WIDTH / 0.28 IN THICKNESS DIVIDER CENTER STACK (SEALED)							
1	CUBOID 2 1	+X = 4.2672	-X = -4.2672	+Y = 0.71120	-Y = 0.00000	+Z = 74.290	-Z = -8.2550
----- UNIT 6 -----							
3.38 IN WIDTH / 0.24 IN THICKNESS DIVIDER OUTSIDE STACK (SEALED)							
1	CUBOID 2 1	+X = 4.2672	-X = -4.2672	+Y = 0.60960	-Y = 0.00000	+Z = 74.290	-Z = -8.2550
----- UNIT 7 -----							
SEALED CANISTER							
1	CYLINDER 3 1	RADIUS = 3.9878	+Z = 60.960	-Z = 0.00000	CENTERLINE IS AT X = 0.00000		Y = 0.00000
	HOLE NUMBER 1	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 1		
2	CYLINDER 2 1	RADIUS = 4.1529	+Z = 63.500	-Z = -1.2700	CENTERLINE IS AT X = 0.00000		Y = 0.00000
3	CYLINDER 12 1	RADIUS = 4.1529	+Z = 74.290	-Z = -8.2550	CENTERLINE IS AT X = 0.00000		Y = 0.00000
----- UNIT 10 -----							
TRIGA ELEMENTS IN TOP OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	CUBOID 12 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290	-Z = -8.2550
	HOLE NUMBER 2	AT X = 0.00000	Y = 0.11420	Z = 0.00000	IS UNIT NUMBER 7		
----- UNIT 11 -----							
TRIGA ELEMENTS IN BOTTOM OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	CUBOID 12 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290	-Z = -8.2550
	HOLE NUMBER 3	AT X = 0.00000	Y = -0.11420	Z = 0.00000	IS UNIT NUMBER 7		
----- UNIT 12 -----							
TRIGA ELEMENTS IN BOTTOM RIGHT OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	CUBOID 12 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290	-Z = -8.2550
	HOLE NUMBER 4	AT X = 0.11420	Y = -0.11420	Z = 0.00000	IS UNIT NUMBER 7		
----- UNIT 13 -----							
TRIGA ELEMENTS IN TOP RIGHT OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	CUBOID 12 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290	-Z = -8.2550
	HOLE NUMBER 5	AT X = 0.11420	Y = 0.11420	Z = 0.00000	IS UNIT NUMBER 7		
----- UNIT 14 -----							
TRIGA ELEMENTS IN BOTTOM LEFT OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	CUBOID 12 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290	-Z = -8.2550
	HOLE NUMBER 6	AT X = -0.11420	Y = -0.11420	Z = 0.00000	IS UNIT NUMBER 7		
----- UNIT 15 -----							
TRIGA ELEMENTS IN TOP LEFT OF 3.38 IN X 3.38 IN OPENING (SEALED)							
1	CUBOID 12 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290	-Z = -8.2550
	HOLE NUMBER 7	AT X = -0.11420	Y = 0.11420	Z = 0.00000	IS UNIT NUMBER 7		
----- UNIT 16 -----							
TRIGA BASKET 3.38 IN X 3.38 IN CENTER OPENING (SEALED)							

1 CUBOID	12	1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 74.290	-Z = -8.2550
HOLE NUMBER	8		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	7	

----- UNIT 17 -----

HORIZONTAL X-X POISON SHEET + WATER

1 CUBOID	13	1	+X = 3.8227	-X = -3.8227	+Y = 0.31750	-Y = 0.00000	+Z = 73.020	-Z = -6.9850
2 CUBOID	14	1	+X = 4.1402	-X = -4.1402	+Y = 0.31750	-Y = 0.00000	+Z = 73.020	-Z = -6.9850
3 CUBOID	12	1	+X = 4.2672	-X = -4.2672	+Y = 0.31750	-Y = 0.00000	+Z = 74.290	-Z = -6.2550

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 20 EXTERNAL TO LATTICE 1 -----

CENTER COLUMN OF THREE OPENINGS W/ 0.28 IN PLATE (SEALED)

1 ARRAY NUMBER	1		+X = 4.2672	-X = -4.2672	+Y = 13.830	-Y = -13.830	+Z = 74.290	-Z = -8.2550
2 CUBOID	2	1	+X = 4.9784	-X = -4.9784	+Y = 14.542	-Y = -14.542	+Z = 74.290	-Z = -8.2550

----- UNIT 21 EXTERNAL TO LATTICE 2 -----

LEFT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE (SEALED)

1 ARRAY NUMBER	2		+X = 4.2672	-X = -4.2672	+Y = 8.9980	-Y = -8.9979	+Z = 74.290	-Z = -8.2550
2 CUBOID	2	1	+X = 4.2672	-X = -4.5720	+Y = 9.3028	-Y = -9.3027	+Z = 74.290	-Z = -8.2550

----- UNIT 22 EXTERNAL TO LATTICE 3 -----

RIGHT OUTSIDE COLUMN OF TWO OPENINGS W/ 0.12 IN PLATE (SEALED)

1 ARRAY NUMBER	3		+X = 4.2672	-X = -4.2672	+Y = 8.9980	-Y = -8.9979	+Z = 74.290	-Z = -8.2550
2 CUBOID	2	1	+X = 4.5720	-X = -4.2672	+Y = 9.3028	-Y = -9.3027	+Z = 74.290	-Z = -8.2550

----- UNIT 30 -----

NAC-LWT TRIGA BASKET (SEALED)

1 CYLINDER	12	1	RADIUS = 17.100	+Z = 74.290	-Z = -8.2550	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
HOLE NUMBER	9		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	20	
HOLE NUMBER	10		AT X = -9.2457	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	21	
HOLE NUMBER	11		AT X = 9.2457	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	22	
2 CYLINDER	2	1	RADIUS = 18.910	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3 CYLINDER	6	1	RADIUS = 33.465	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4 CYLINDER	2	1	RADIUS = 36.519	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5 CYLINDER	7	1	RADIUS = 49.223	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6 CYLINDER	2	1	RADIUS = 49.822	+Z = 74.930	-Z = -8.8900	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7 CUBOID	8	1	+X = 49.822	-X = -49.822	+Y = 49.822	-Y = -49.822	+Z = 74.930	-Z = -8.8900

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 41 -----

TRIGA FUEL ELEMENT

1 CYLINDER	21	1	RADIUS = 0.64770	+Z = 27.940	-Z = -27.940	CENTERLINE IS AT X = 0.00000	Y = 0.00000
2 CYLINDER	22	1	RADIUS = 0.68834	+Z = 27.940	-Z = -27.940	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3 CYLINDER	29	1	RADIUS = 0.68834	+Z = 43.480	-Z = -33.040	CENTERLINE IS AT X = 0.00000	Y = 0.00000

----- UNIT 42 -----

HORIZONTAL X-X POISON SHEET + WATER

1 CUBOID	210	1	+X = 3.8227	-X = -3.8227	+Y = 0.31750	-Y = 0.00000	+Z = 39.380	-Z = -28.940
2 CUBOID	211	1	+X = 4.1402	-X = -4.1402	+Y = 0.31750	-Y = 0.00000	+Z = 39.380	-Z = -28.940
3 CUBOID	23	1	+X = 4.2672	-X = -4.2672	+Y = 0.31750	-Y = 0.00000	+Z = 43.480	-Z = -33.040

----- UNIT 45 -----

DIVIDER CENTER STACK

1 CUBOID 212 1 +X = 4.2672 -X = -4.2672 +Y = 0.71120 -Y = 0.00000 +Z = 43.480 -Z = -33.040

----- UNIT 46 -----

DIVIDER OUTSIDE STACK

1 CUBOID 212 1 +X = 4.2672 -X = -4.2672 +Y = 0.60960 -Y = 0.00000 +Z = 43.480 -Z = -33.040

----- UNIT 80 -----

SIMPLIFIED LID STRUCTURE NAC-LWT

1 CYLINDER 2 1 RADIUS = 36.519 +Z = 14.135 -Z = -14.135 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 2 CYLINDER 8 1 RADIUS = 49.822 +Z = 14.135 -Z = -14.135 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 3 CUBOID 8 1 +X = 49.822 -X = -49.822 +Y = 49.822 -Y = -49.822 +Z = 14.135 -Z = -14.135
 TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 81 -----

SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT

1 CYLINDER 6 1 RADIUS = 26.353 +Z = 3.8100 -Z = -3.8100 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 2 CYLINDER 2 1 RADIUS = 36.619 +Z = 13.970 -Z = -12.700 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 3 CYLINDER 8 1 RADIUS = 49.822 +Z = 13.970 -Z = -12.700 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 4 CUBOID 8 1 +X = 49.822 -X = -49.822 +Y = 49.822 -Y = -49.822 +Z = 13.970 -Z = -12.700

***** GLOBAL *****
 ----- UNIT 82 EXTERNAL TO LATTICE 20 -----

STACK OF 5 BASKETS IN CASK

1 ARRAY NUMBER 20 +X = 49.822 -X = -49.822 +Y = 49.822 -Y = -49.822 +Z = 230.87 -Z = -221.30

----- UNIT 411 -----

TRIGA FUEL ELEMENTS IN AL TUBE, RIGHT

1 CYLINDER 23 1 RADIUS = 0.80963 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 HOLE NUMBER 13 AT X = 0.12127 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 41
 2 CYLINDER 215 1 RADIUS = 0.94805 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000

----- UNIT 412 -----

TRIGA FUEL ELEMENTS IN AL TUBE, LEFT

1 CYLINDER 23 1 RADIUS = 0.80963 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 HOLE NUMBER 14 AT X = -0.12127 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 41
 2 CYLINDER 215 1 RADIUS = 0.94805 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000

----- UNIT 413 -----

TRIGA FUEL ELEMENTS IN AL TUBE, TOP

1 CYLINDER 23 1 RADIUS = 0.80963 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 HOLE NUMBER 15 AT X = 0.00000 Y = 0.12127 Z = 0.00000 IS UNIT NUMBER 41
 2 CYLINDER 215 1 RADIUS = 0.94805 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 414 -----

TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM

1 CYLINDER 23 1 RADIUS = 0.80963 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 HOLE NUMBER 16 AT X = 0.00000 Y = -0.12127 Z = 0.00000 IS UNIT NUMBER 41
 2 CYLINDER 215 1 RADIUS = 0.94805 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000

----- UNIT 415 -----

TRIGA FUEL ELEMENTS IN AL TUBE, TOP RIGHT

1 CYLINDER 23 1 RADIUS = 0.80963 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000

HOLE NUMBER 17 AT X = 8.57400E-02 Y = 8.57400E-02 Z = 0.00000 IS UNIT NUMBER 41
 2 CYLINDER 215 1 RADIUS = 0.94805 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000

----- UNIT 416 -----

TRIGA FUEL ELEMENTS IN AL TUBE, TOP LEFT

1 CYLINDER 23 1 RADIUS = 0.80963 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 HOLE NUMBER 18 AT X = -8.57400E-02 Y = 8.57400E-02 Z = 0.00000 IS UNIT NUMBER 41
 2 CYLINDER 215 1 RADIUS = 0.94805 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000

----- UNIT 417 -----

TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM RIGHT

1 CYLINDER 23 1 RADIUS = 0.80963 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 HOLE NUMBER 19 AT X = 8.57400E-02 Y = -8.57400E-02 Z = 0.00000 IS UNIT NUMBER 41
 2 CYLINDER 215 1 RADIUS = 0.94805 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000

----- UNIT 418 -----

TRIGA FUEL ELEMENTS IN AL TUBE, BOTTOM LEFT

1 CYLINDER 23 1 RADIUS = 0.80963 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 HOLE NUMBER 20 AT X = -8.57400E-02 Y = -8.57400E-02 Z = 0.00000 IS UNIT NUMBER 41
 2 CYLINDER 215 1 RADIUS = 0.94805 +Z = 43.480 -Z = -33.040 CENTERLINE IS AT X = 0.00000 Y = 0.00000
 TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 420 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, CENTER OPENING

1 CUBOID 23 1 +X = 4.1529 -X = -4.1529 +Y = 4.1529 -Y = -4.1529 +Z = 43.480 -Z = -33.040
 HOLE NUMBER 21 AT X = -2.8443 Y = -2.8443 Z = 0.00000 IS UNIT NUMBER 415
 HOLE NUMBER 22 AT X = -0.94810 Y = -2.8443 Z = 0.00000 IS UNIT NUMBER 413
 HOLE NUMBER 23 AT X = 0.94810 Y = -2.8443 Z = 0.00000 IS UNIT NUMBER 413
 HOLE NUMBER 24 AT X = 2.8443 Y = -2.8443 Z = 0.00000 IS UNIT NUMBER 416
 HOLE NUMBER 25 AT X = -2.8443 Y = -0.94810 Z = 0.00000 IS UNIT NUMBER 411
 HOLE NUMBER 26 AT X = -0.94810 Y = -0.94810 Z = 0.00000 IS UNIT NUMBER 415
 HOLE NUMBER 27 AT X = 0.94810 Y = -0.94810 Z = 0.00000 IS UNIT NUMBER 416
 HOLE NUMBER 28 AT X = 2.8443 Y = -0.94810 Z = 0.00000 IS UNIT NUMBER 412
 HOLE NUMBER 29 AT X = -2.8443 Y = 0.94810 Z = 0.00000 IS UNIT NUMBER 411
 HOLE NUMBER 30 AT X = -0.94810 Y = 0.94810 Z = 0.00000 IS UNIT NUMBER 417
 HOLE NUMBER 31 AT X = 0.94810 Y = 0.94810 Z = 0.00000 IS UNIT NUMBER 418
 HOLE NUMBER 32 AT X = 2.8443 Y = 0.94810 Z = 0.00000 IS UNIT NUMBER 412
 HOLE NUMBER 33 AT X = -2.8443 Y = 2.8443 Z = 0.00000 IS UNIT NUMBER 417
 HOLE NUMBER 34 AT X = -0.94810 Y = 2.8443 Z = 0.00000 IS UNIT NUMBER 414
 HOLE NUMBER 35 AT X = 0.94810 Y = 2.8443 Z = 0.00000 IS UNIT NUMBER 414
 HOLE NUMBER 36 AT X = 2.8443 Y = 2.8443 Z = 0.00000 IS UNIT NUMBER 418
 2 CUBOID 23 1 +X = 4.1529 -X = -4.1529 +Y = 4.1529 -Y = -4.1529 +Z = 43.480 -Z = -33.040
 TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 421 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM OPENING

1 CUBOID 23 1 +X = 4.1529 -X = -4.1529 +Y = 4.1529 -Y = -4.1529 +Z = 43.480 -Z = -33.040
 HOLE NUMBER 37 AT X = -2.8443 Y = -2.8443 Z = 0.00000 IS UNIT NUMBER 415
 HOLE NUMBER 38 AT X = -0.94810 Y = -2.8443 Z = 0.00000 IS UNIT NUMBER 413
 HOLE NUMBER 39 AT X = 0.94810 Y = -2.8443 Z = 0.00000 IS UNIT NUMBER 413
 HOLE NUMBER 40 AT X = 2.8443 Y = -2.8443 Z = 0.00000 IS UNIT NUMBER 416

HOLE NUMBER	41	AT X = -2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	411
HOLE NUMBER	42	AT X = -0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	415
HOLE NUMBER	43	AT X = 0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	416
HOLE NUMBER	44	AT X = 2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	45	AT X = -2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	411
HOLE NUMBER	46	AT X = -0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	47	AT X = 0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	418
HOLE NUMBER	48	AT X = 2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	49	AT X = -2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	50	AT X = -0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414
HOLE NUMBER	51	AT X = 0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414
HOLE NUMBER	52	AT X = 2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	418
2 CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480 -Z = -33.040
TRIGA - PREF. FLOOD CANISTER						

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 422 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP OPENING

1 CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480 -Z = -33.040
HOLE NUMBER	53	AT X = -2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	415
HOLE NUMBER	54	AT X = -0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413
HOLE NUMBER	55	AT X = 0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413
HOLE NUMBER	56	AT X = 2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	416
HOLE NUMBER	57	AT X = -2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	411
HOLE NUMBER	58	AT X = -0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	415
HOLE NUMBER	59	AT X = 0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	416
HOLE NUMBER	60	AT X = 2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	61	AT X = -2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	411
HOLE NUMBER	62	AT X = -0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	63	AT X = 0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	418
HOLE NUMBER	64	AT X = 2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	65	AT X = -2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	66	AT X = -0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414
HOLE NUMBER	67	AT X = 0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414
HOLE NUMBER	68	AT X = 2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	418
2 CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480 -Z = -33.040
TRIGA - PREF. FLOOD CANISTER						

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 423 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM LEFT OPENING

1 CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480 -Z = -33.040
HOLE NUMBER	69	AT X = -2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	415
HOLE NUMBER	70	AT X = -0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413
HOLE NUMBER	71	AT X = 0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413
HOLE NUMBER	72	AT X = 2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	416
HOLE NUMBER	73	AT X = -2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	411
HOLE NUMBER	74	AT X = -0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	415
HOLE NUMBER	75	AT X = 0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	416
HOLE NUMBER	76	AT X = 2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	77	AT X = -2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	411

HOLE NUMBER	78	AT X = -0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	79	AT X = 0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	418
HOLE NUMBER	80	AT X = 2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	81	AT X = -2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	82	AT X = -0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414
HOLE NUMBER	83	AT X = 0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414
HOLE NUMBER	84	AT X = 2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	418
2 CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480 -Z = -33.040

TRIGA - PREF. FLOOD CANISTER
 MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 424 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP LEFT OPENING

1 CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480 -Z = -33.040
HOLE NUMBER	85	AT X = -2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	415
HOLE NUMBER	86	AT X = -0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413
HOLE NUMBER	87	AT X = 0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413
HOLE NUMBER	88	AT X = 2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	416
HOLE NUMBER	89	AT X = -2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	411
HOLE NUMBER	90	AT X = -0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	415
HOLE NUMBER	91	AT X = 0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	416
HOLE NUMBER	92	AT X = 2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	93	AT X = -2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	411
HOLE NUMBER	94	AT X = -0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	95	AT X = 0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	418
HOLE NUMBER	96	AT X = 2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	97	AT X = -2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	98	AT X = -0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414
HOLE NUMBER	99	AT X = 0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414
HOLE NUMBER	100	AT X = 2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	418
2 CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480 -Z = -33.040

TRIGA - PREF. FLOOD CANISTER
 MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 425 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, BOTTOM RIGHT OPENING

1 CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480 -Z = -33.040
HOLE NUMBER	101	AT X = -2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	415
HOLE NUMBER	102	AT X = -0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413
HOLE NUMBER	103	AT X = 0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413
HOLE NUMBER	104	AT X = 2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	416
HOLE NUMBER	105	AT X = -2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	411
HOLE NUMBER	106	AT X = -0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	415
HOLE NUMBER	107	AT X = 0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	416
HOLE NUMBER	108	AT X = 2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	109	AT X = -2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	411
HOLE NUMBER	110	AT X = -0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	111	AT X = 0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	418
HOLE NUMBER	112	AT X = 2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	412
HOLE NUMBER	113	AT X = -2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	417
HOLE NUMBER	114	AT X = -0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414
HOLE NUMBER	115	AT X = 0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414

1	HOLE NUMBER	116	AT X = 2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	416		
2	CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480	-Z = -33.040	

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 426 -----

AL TUBES WITH TRIGA FUEL, IN FUEL INSERT, TOP RIGHT OPENING

1	CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480	-Z = -33.040	
	HOLE NUMBER	117	AT X = -2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	415		
	HOLE NUMBER	118	AT X = -0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413		
	HOLE NUMBER	119	AT X = 0.94810	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	413		
	HOLE NUMBER	120	AT X = 2.8443	Y = -2.8443	Z = 0.00000	IS UNIT NUMBER	416		
	HOLE NUMBER	121	AT X = -2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	411		
	HOLE NUMBER	122	AT X = -0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	415		
	HOLE NUMBER	123	AT X = 0.94810	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	416		
	HOLE NUMBER	124	AT X = 2.8443	Y = -0.94810	Z = 0.00000	IS UNIT NUMBER	412		
	HOLE NUMBER	125	AT X = -2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	411		
	HOLE NUMBER	126	AT X = -0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	417		
	HOLE NUMBER	127	AT X = 0.94810	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	418		
	HOLE NUMBER	128	AT X = 2.8443	Y = 0.94810	Z = 0.00000	IS UNIT NUMBER	412		
	HOLE NUMBER	129	AT X = -2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	417		
	HOLE NUMBER	130	AT X = -0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414		
	HOLE NUMBER	131	AT X = 0.94810	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	414		
	HOLE NUMBER	132	AT X = 2.8443	Y = 2.8443	Z = 0.00000	IS UNIT NUMBER	418		
2	CUBOID	23 1	+X = 4.1529	-X = -4.1529	+Y = 4.1529	-Y = -4.1529	+Z = 43.480	-Z = -33.040	

----- UNIT 430 -----

FUEL INSERT IN, CENTER OPENING

1	CUBOID	23 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 43.480	-Z = -33.040	
	HOLE NUMBER	133	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	420		

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 431 -----

FUEL INSERT IN, BOTTOM OPENING

1	CUBOID	23 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 43.480	-Z = -33.040	
	HOLE NUMBER	134	AT X = 0.00000	Y = -0.11430	Z = 0.00000	IS UNIT NUMBER	421		

----- UNIT 432 -----

FUEL INSERT IN, TOP OPENING

1	CUBOID	23 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 43.480	-Z = -33.040	
	HOLE NUMBER	135	AT X = 0.00000	Y = 0.11430	Z = 0.00000	IS UNIT NUMBER	422		

----- UNIT 433 -----

FUEL INSERT IN, BOTTOM LEFT OPENING

1	CUBOID	23 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 43.480	-Z = -33.040	
	HOLE NUMBER	136	AT X = -0.11430	Y = -0.11430	Z = 0.00000	IS UNIT NUMBER	423		

----- UNIT 434 -----

FUEL INSERT IN, TOP LEFT OPENING

1	CUBOID	23 1	+X = 4.2672	-X = -4.2672	+Y = 4.2672	-Y = -4.2672	+Z = 43.480	-Z = -33.040	
	HOLE NUMBER	137	AT X = -0.11430	Y = 0.11430	Z = 0.00000	IS UNIT NUMBER	424		

----- UNIT 435 -----

FUEL INSERT IN, BOTOM RIGHT OPENING

1 CUBOID 23 1 +X = 4.2672 -X = -4.2672 +Y = 4.2672 -Y = -4.2672 +Z = 43.480 -Z = -33.040
HOLE NUMBER 138 AT X = 0.11430 Y = -0.11430 Z = 0.00000 IS UNIT NUMBER 425

----- UNIT 436 -----

FUEL INSERT IN, TOP RIGHT OPENING

1 CUBOID 23 1 +X = 4.2672 -X = -4.2672 +Y = 4.2672 -Y = -4.2672 +Z = 43.480 -Z = -33.040
HOLE NUMBER 139 AT X = 0.11430 Y = 0.11430 Z = 0.00000 IS UNIT NUMBER 426

TRIGA - PREF. FLOOD CANISTER

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 440 EXTERNAL TO LATTICE 41 -----

CENTER COLUMN OF THREE OPENINGS

1 ARRAY NUMBER 41 +X = 4.2672 -X = -4.2672 +Y = 13.830 -Y = -13.830 +Z = 43.480 -Z = -33.040
2 CUBOID 212 1 +X = 4.9784 -X = -4.9784 +Y = 14.542 -Y = -14.542 +Z = 43.480 -Z = -33.040

----- UNIT 441 EXTERNAL TO LATTICE 42 -----

LEFT OUTSIDE COLUMN OF TWO OPENINGS

1 ARRAY NUMBER 42 +X = 4.2672 -X = -4.2672 +Y = 8.9980 -Y = -8.9979 +Z = 43.480 -Z = -33.040
2 CUBOID 212 1 +X = 4.2672 -X = -4.6080 +Y = 9.3388 -Y = -9.3387 +Z = 43.480 -Z = -33.040

----- UNIT 442 EXTERNAL TO LATTICE 43 -----

RIGHT OUTSIDE COLUMN OF TWO OPENINGS

1 ARRAY NUMBER 43 +X = 4.2672 -X = -4.2672 +Y = 8.9980 -Y = -8.9979 +Z = 43.480 -Z = -33.040
2 CUBOID 212 1 +X = 4.6080 -X = -4.2672 +Y = 9.3388 -Y = -9.3387 +Z = 43.480 -Z = -33.040

----- UNIT 450 -----

28 TRIGA FUEL ELEMENTS IN EACH LWT BASKET

1 CYLINDER 23 1 RADIUS = 17.150 -Z = 43.485 -Z = -33.045 CENTERLINE IS AT X = 0.00000 Y = 0.00000
HOLE NUMBER 140 AT X = 0.00000 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 440
HOLE NUMBER 141 AT X = -9.2457 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 441
HOLE NUMBER 142 AT X = 9.2457 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 442
2 CYLINDER 212 1 RADIUS = 18.910 +Z = 43.485 -Z = -33.045 CENTERLINE IS AT X = 0.00000 Y = 0.00000
3 CYLINDER 26 1 RADIUS = 33.465 +Z = 43.485 -Z = -33.045 CENTERLINE IS AT X = 0.00000 Y = 0.00000
4 CYLINDER 212 1 RADIUS = 36.519 +Z = 43.485 -Z = -33.045 CENTERLINE IS AT X = 0.00000 Y = 0.00000
5 CYLINDER 27 1 RADIUS = 49.223 +Z = 43.485 -Z = -33.045 CENTERLINE IS AT X = 0.00000 Y = 0.00000
6 CYLINDER 212 1 RADIUS = 49.822 +Z = 43.485 -Z = -33.045 CENTERLINE IS AT X = 0.00000 Y = 0.00000
7 CUBOID 28 1 +X = 49.822 -X = -49.822 +Y = 49.822 -Y = -49.822 +Z = 43.485 -Z = -33.045
TRIGA - PREF. FLOOD CANISTER

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 7 BOTTOM TO TOP

11
5
17
16
17
5
10

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 2 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 4 BOTTOM TO TOP

12
6
17

13

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 3 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 4 BOTTOM TO TOP

14

6

17

15

TRIGA - PREF. FLOOD CANISTER

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 20 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

81

Z LAYER 2, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

30

Z LAYER 3, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

450

Z LAYER 4, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

450

Z LAYER 5, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

450

Z LAYER 6, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

30

Z LAYER 7, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

80

TRIGA - PREF. FLOOD CANISTER

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 41 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 7 BOTTOM TO TOP

431

45

42

430

42

45

432

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 42 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 4 BOTTOM TO TOP

435

42

46

436

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 43 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 4 BOTTOM TO TOP

433

42

46

434

TRIGA - PREF. FLOOD CANISTER
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	3.04527E+03 CM**3	3.04527E+03 CM**3
5	1	2	5.01021E+02 CM**3	5.01021E+02 CM**3
6	1	3	4.29446E+02 CM**3	4.29446E+02 CM**3
7	1	4	2.52441E-01 CM**3	3.04552E+03 CM**3
	2	5	4.63830E+02 CM**3	3.50935E+03 CM**3
	3	6	9.63081E+02 CM**3	4.47243E+03 CM**3
10	1	7	1.53981E+03 CM**3	6.01225E+03 CM**3
11	1	8	1.53981E+03 CM**3	6.01225E+03 CM**3
12	1	9	1.53981E+03 CM**3	6.01225E+03 CM**3
13	1	10	1.53981E+03 CM**3	6.01225E+03 CM**3
14	1	11	1.53981E+03 CM**3	6.01225E+03 CM**3
15	1	12	1.53981E+03 CM**3	6.01225E+03 CM**3
16	1	13	1.53981E+03 CM**3	6.01225E+03 CM**3
17	1	14	1.94205E-02 CM**3	1.94205E+02 CM**3
	2	15	1.61300E+01 CM**3	2.10335E+02 CM**3
	3	16	1.33346E+01 CM**3	2.23670E+02 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 20 IS AN ARRAY PLACEMENT BOUNDARY REGION				
20	1	20	1.94861E+04 CM**3	1.94861E+04 CM**3
	2	21	4.41673E+03 CM**3	2.39029E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 22 IS AN ARRAY PLACEMENT BOUNDARY REGION				
21	1	22	1.26776E+04 CM**3	1.26776E+04 CM**3
	2	23	8.97555E+02 CM**3	1.35752E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 24 IS AN ARRAY PLACEMENT BOUNDARY REGION				
22	1	24	1.26776E+04 CM**3	1.26776E+04 CM**3
	2	25	8.97555E+02 CM**3	1.35752E+04 CM**3
30	1	26	2.47754E+04 CM**3	7.58286E+04 CM**3
	2	27	1.83375E+04 CM**3	9.41660E+04 CM**3
	3	28	2.00728E+05 CM**3	2.94894E+05 CM**3
	4	29	5.62864E+04 CM**3	3.51181E+05 CM**3
	5	30	2.86831E+05 CM**3	6.38011E+05 CM**3
	6	31	1.56332E+04 CM**3	6.53645E+05 CM**3
	7	32	1.78602E+05 CM**3	8.32246E+05 CM**3
41	1	33	7.36468E+01 CM**3	7.36468E+01 CM**3
	2	34	9.53190E+00 CM**3	8.31787E+01 CM**3
	3	35	3.07231E+01 CM**3	1.13902E+02 CM**3
42	1	36	1.65841E+02 CM**3	1.65841E+02 CM**3
	2	37	1.37742E+01 CM**3	1.79615E+02 CM**3
	3	38	2.77290E+01 CM**3	2.07344E+02 CM**3
45	1	39	4.64451E+02 CM**3	4.64451E+02 CM**3
46	1	40	3.98101E+02 CM**3	3.98101E+02 CM**3
80	1	93	1.18444E+05 CM**3	1.18444E+05 CM**3
	2	94	1.02013E+05 CM**3	2.20456E+05 CM**3
	3	95	6.02374E+04 CM**3	2.80694E+05 CM**3
81	1	96	1.66245E+04 CM**3	1.66245E+04 CM**3
	2	97	9.57276E+04 CM**3	1.12352E+05 CM**3
	3	98	9.56257E+04 CM**3	2.07978E+05 CM**3
	4	99	5.68278E+04 CM**3	2.64806E+05 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 100 IS AN ARRAY PLACEMENT BOUNDARY REGION				
82	1	100	4.48958E+06 CM**3	4.48958E+06 CM**3
411	1	43	4.36751E+01 CM**3	1.57577E+02 CM**3
	2	44	5.84895E+01 CM**3	2.16066E+02 CM**3
412	1	45	4.36751E+01 CM**3	1.57577E+02 CM**3
	2	46	5.84895E+01 CM**3	2.16066E+02 CM**3
413	1	47	4.36751E+01 CM**3	1.57577E+02 CM**3
	2	48	5.84895E+01 CM**3	2.16066E+02 CM**3
414	1	49	4.36751E+01 CM**3	1.57577E+02 CM**3
	2	50	5.84895E+01 CM**3	2.16066E+02 CM**3
415	1	51	4.36751E+01 CM**3	1.57577E+02 CM**3
	2	52	5.84895E+01 CM**3	2.16066E+02 CM**3
416	1	53	4.36751E+01 CM**3	1.57577E+02 CM**3
	2	54	5.84895E+01 CM**3	2.16066E+02 CM**3
417	1	55	4.36751E+01 CM**3	1.57577E+02 CM**3

	2	56	5.84895E+01 CM**3	2.16066E+02 CM**3
418	1	57	4.36751E+01 CM**3	1.57577E+02 CM**3
	2	58	5.84895E+01 CM**3	2.16066E+02 CM**3
420	1	59	1.82177E+03 CM**3	5.27883E+03 CM**3
	2	60	0.00000E+00 CM**3	5.27883E+03 CM**3
421	1	61	1.82177E+03 CM**3	5.27883E+03 CM**3
	2	62	0.00000E+00 CM**3	5.27883E+03 CM**3
422	1	63	1.82177E+03 CM**3	5.27883E+03 CM**3
	2	64	0.00000E+00 CM**3	5.27883E+03 CM**3
423	1	65	1.82177E+03 CM**3	5.27883E+03 CM**3
	2	66	0.00000E+00 CM**3	5.27883E+03 CM**3
424	1	67	1.82177E+03 CM**3	5.27883E+03 CM**3
	2	68	0.00000E+00 CM**3	5.27883E+03 CM**3
425	1	69	1.82177E+03 CM**3	5.27883E+03 CM**3
	2	70	0.00000E+00 CM**3	5.27883E+03 CM**3
426	1	71	1.82177E+03 CM**3	5.27883E+03 CM**3
	2	72	0.00000E+00 CM**3	5.27883E+03 CM**3
430	1	73	2.94576E+02 CM**3	5.57341E+03 CM**3
431	1	74	2.94576E+02 CM**3	5.57341E+03 CM**3
432	1	75	2.94576E+02 CM**3	5.57341E+03 CM**3
433	1	76	2.94576E+02 CM**3	5.57341E+03 CM**3
434	1	77	2.94576E+02 CM**3	5.57341E+03 CM**3
435	1	78	2.94576E+02 CM**3	5.57341E+03 CM**3
436	1	79	2.94576E+02 CM**3	5.57341E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 80 IS AN ARRAY PLACEMENT BOUNDARY REGION				
440	1	80	1.80638E+04 CM**3	1.80638E+04 CM**3
	2	81	4.09436E+03 CM**3	2.21582E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 82 IS AN ARRAY PLACEMENT BOUNDARY REGION				
441	1	82	1.17523E+04 CM**3	1.17523E+04 CM**3
	2	83	9.32192E+02 CM**3	1.26845E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 84 IS AN ARRAY PLACEMENT BOUNDARY REGION				
442	1	84	1.17523E+04 CM**3	1.17523E+04 CM**3
	2	85	9.32192E+02 CM**3	1.26845E+04 CM**3
450	1	86	2.31876E+04 CM**3	7.07147E+04 CM**3
	2	87	1.52615E+04 CM**3	8.59762E+04 CM**3
	3	88	1.83270E+05 CM**3	2.69247E+05 CM**3
	4	89	5.13911E+04 CM**3	3.20638E+05 CM**3
	5	90	2.61884E+05 CM**3	5.82522E+05 CM**3
	6	91	1.42735E+04 CM**3	5.96796E+05 CM**3
	7	92	1.63066E+05 CM**3	7.59864E+05 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	14	1	1	4.26338E+04 CM**3
5	4	1	2	2.00408E+03 CM**3
6	4	1	2	1.71778E+03 CM**3
7	14	1	3	3.53418E+00 CM**3
		2	2	6.49362E+03 CM**3
		3	12	1.34831E+04 CM**3
10	2	1	12	3.07963E+03 CM**3
11	2	1	12	3.07963E+03 CM**3
12	2	1	12	3.07963E+03 CM**3
13	2	1	12	3.07963E+03 CM**3
14	2	1	12	3.07963E+03 CM**3
15	2	1	12	3.07963E+03 CM**3
16	2	1	12	3.07963E+03 CM**3
17	8	1	13	1.55364E+03 CM**3
		2	14	1.29040E+02 CM**3
		3	12	1.06677E+02 CM**3
20	2	1		3.89722E+04 CM**3
		2	2	8.83347E+03 CM**3
21	2	1		2.53552E+04 CM**3
		2	2	1.79511E+03 CM**3

22	2	1		2.53552E+04 CM**3
		2	2	1.79511E+03 CM**3
30	2	1	12	4.95508E+04 CM**3
		2	2	3.66750E+04 CM**3
		3	6	4.01456E+05 CM**3
		4	2	1.12573E+05 CM**3
		5	7	5.73661E+05 CM**3
		6	2	3.12664E+04 CM**3
		7	8	3.57203E+05 CM**3
41	336	1	21	2.47453E+04 CM**3
		2	22	3.20272E+03 CM**3
		3	29	1.03230E+04 CM**3
42	12	1	210	1.99909E+03 CM**3
		2	211	1.65290E+02 CM**3
		3	23	3.32748E+02 CM**3
45	6	1	212	2.78670E+03 CM**3
46	6	1	212	2.38860E+03 CM**3
80	1	1	2	1.18444E+05 CM**3
		2	8	1.02013E+05 CM**3
		3	8	6.02374E+04 CM**3
81	1	1	6	1.66245E+04 CM**3
		2	2	9.57276E+04 CM**3
		3	8	9.56257E+04 CM**3
		4	8	5.68278E+04 CM**3
82	1	1		4.48958E+06 CM**3
411	42	1	23	1.83435E+03 CM**3
		2	215	2.45656E+03 CM**3
412	42	1	23	1.83435E+03 CM**3
		2	215	2.45656E+03 CM**3
413	42	1	23	1.83435E+03 CM**3
		2	215	2.45656E+03 CM**3
414	42	1	23	1.83435E+03 CM**3
		2	215	2.45656E+03 CM**3
415	42	1	23	1.83435E+03 CM**3
		2	215	2.45656E+03 CM**3
416	42	1	23	1.83435E+03 CM**3
		2	215	2.45656E+03 CM**3
417	42	1	23	1.83435E+03 CM**3
		2	215	2.45656E+03 CM**3
418	42	1	23	1.83435E+03 CM**3
		2	215	2.45656E+03 CM**3
420	3	1	23	5.46531E+03 CM**3
		2	23	0.00000E+00 CM**3
421	3	1	23	5.46531E+03 CM**3
		2	23	0.00000E+00 CM**3
422	3	1	23	5.46531E+03 CM**3
		2	23	0.00000E+00 CM**3
423	3	1	23	5.46531E+03 CM**3
		2	23	0.00000E+00 CM**3
424	3	1	23	5.46531E+03 CM**3
		2	23	0.00000E+00 CM**3
425	3	1	23	5.46531E+03 CM**3
		2	23	0.00000E+00 CM**3
426	3	1	23	5.46531E+03 CM**3
		2	23	0.00000E+00 CM**3
430	3	1	23	8.83729E+02 CM**3
431	3	1	23	8.83729E+02 CM**3
432	3	1	23	8.83729E+02 CM**3
433	3	1	23	8.83729E+02 CM**3
434	3	1	23	8.83729E+02 CM**3
435	3	1	23	8.83729E+02 CM**3
436	3	1	23	8.83729E+02 CM**3
440	3	1		5.41915E+04 CM**3
		2	212	1.22831E+04 CM**3
441	3	1		3.52568E+04 CM**3
		2	212	2.79658E+03 CM**3
442	3	1		3.52568E+04 CM**3

		2	212	2.79658E+03 CM**3
450	3	1	23	6.95629E+04 CM**3
		2	212	4.57845E+04 CM**3
		3	26	5.49811E+05 CM**3
		4	212	1.54173E+05 CM**3
		5	27	7.85653E+05 CM**3
		6	212	4.28205E+04 CM**3
		7	28	4.89205E+05 CM**3

TOTAL MIXTURE VOLUMES		TOTAL VOLUME		MASS (G)
MIXTURE				
1	4.26338E+04 CM**3			7.52714E+04
2	4.17325E+05 CM**3			3.30521E+06
3	3.53418E+05 CM**3			3.52772E+00
4	4.1E081E+05 CM**3			4.74271E+06
7	5.75661E+05 CM**3			5.7212E-15
6	6.71907E+05 CM**3			6.70676E-15
12	8.46980E+04 CM**3			8.45431E+01
13	1.55364E+05 CM**3			1.26456E+04
14	1.29404E+02 CM**3			9.92446E+02
21	2.47453E+04 CM**3			1.45038E+05
22	3.20272E+03 CM**3			2.57256E+04
23	1.29014E+05 CM**3			1.26778E+02
26	5.49811E+05 CM**3			6.23706E+06
27	7.85653E+05 CM**3			7.64216E-15
28	4.89205E+05 CM**3			4.88210E-15
29	1.03230E+04 CM**3			4.06226E+04
210	1.99009E+03 CM**3			1.54292E+04
211	1.65290E+02 CM**3			1.27124E+03
212	2.65830E+05 CM**3			2.10537E+06
215	1.96525E+04 CM**3			5.31009E+04

```

*****
***                                     ***
***                               BIASING INFORMATION                               ***
***                                     ***
*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S.                 ***
***                                     ***
*****

```

```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING .....
..... 0.02467 MINUTES WERE USED PROCESSING DATA. ....

```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 1.50079E-02

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 4.98221E+01 -X=-4.98221E+01 +Y= 4.98221E+01 -Y=-4.98221E+01 +Z= 2.30870E+02 -Z=-2.21300E+02
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.66433 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.68267 MINUTES.

NAC-LWT Cask SAR
Revision 38

November 2007

TRIGA - PREF. FLOOD CANISTER

GENERATION KENO MESSAGE NUMBER K5-132	GENERATION K-EFFECTIVE K5-132	ELAPSED TIME MINUTES WARNING...ONLY	AVERAGE K-EFFECTIVE 442 INDEPENDENT	AVG K-EFF DEVIATION FISSION POINTS WERE	MATRIX K-EFFECTIVE GENERATED	MATRIX K-EFF DEVIATION GENERATED
1	8.37539E-01	6.95333E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
2	8.52774E-01	7.14000E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	8.40241E-01	7.26633E-01	8.40221E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	8.80175E-01	7.40500E-01	8.60200E-01	1.89790E-02	0.00000E+00	0.00000E+00
5	8.77375E-01	7.52500E-01	8.45925E-01	1.28775E-02	0.00000E+00	0.00000E+00
6	8.52329E-01	7.6517E-01	8.42526E-01	9.71942E-03	0.00000E+00	0.00000E+00
7	8.44157E-01	7.75000E-01	8.42525E-01	7.53565E-03	0.00000E+00	0.00000E+00
8	8.52553E-01	7.81633E-01	8.41134E-01	6.38786E-03	0.00000E+00	0.00000E+00
9	8.56606E-01	8.05500E-01	8.60488E-01	5.45728E-03	0.00000E+00	0.00000E+00
10	8.10802E-01	8.1517E-01	8.54278E-01	7.79410E-03	0.00000E+00	0.00000E+00
11	8.41126E-01	8.33833E-01	8.52817E-01	7.02732E-03	0.00000E+00	0.00000E+00
12	8.19244E-01	8.46500E-01	8.49459E-01	7.12595E-03	0.00000E+00	0.00000E+00
13	8.4587E-01	8.6317E-01	8.49144E-01	6.45333E-03	0.00000E+00	0.00000E+00
14	8.71762E-01	8.76000E-01	8.51030E-01	6.18574E-03	0.00000E+00	0.00000E+00
15	8.45444E-01	8.8967E-01	8.50601E-01	5.70626E-03	0.00000E+00	0.00000E+00
16	7.71454E-01	9.03500E-01	8.44947E-01	7.73757E-03	0.00000E+00	0.00000E+00
17	8.59058E-01	9.16333E-01	8.45886E-01	7.2644E-03	0.00000E+00	0.00000E+00
18	8.37710E-01	9.2917E-01	8.4534E-01	6.81689E-03	0.00000E+00	0.00000E+00
19	8.47800E-01	9.41633E-01	8.45493E-01	6.40506E-03	0.00000E+00	0.00000E+00
20	8.54889E-01	9.53633E-01	8.46015E-01	6.04126E-03	0.00000E+00	0.00000E+00
21	8.3609E-01	9.6667E-01	8.4492E-01	5.75723E-03	0.00000E+00	0.00000E+00
22	8.28513E-01	9.79500E-01	8.44643E-01	5.52736E-03	0.00000E+00	0.00000E+00
23	8.43649E-01	9.91333E-01	8.4459E-01	5.25760E-03	0.00000E+00	0.00000E+00
24	8.9969E-01	1.00417E+00	8.47099E-01	5.00339E-03	0.00000E+00	0.00000E+00
25	8.14114E-01	1.01763E+00	8.4566E-01	5.5429E-03	0.00000E+00	0.00000E+00
26	8.57507E-01	1.03067E+00	8.46158E-01	5.32987E-03	0.00000E+00	0.00000E+00
27	8.0587E-01	1.04450E+00	8.44547E-01	5.36001E-03	0.00000E+00	0.00000E+00
28	8.60365E-01	1.05733E+00	8.45925E-01	5.3081E-03	0.00000E+00	0.00000E+00
29	8.56343E-01	1.07100E+00	8.46311E-01	5.1640E-03	0.00000E+00	0.00000E+00
30	9.0831E-01	1.0847E+00	8.4852E-01	5.42931E-03	0.00000E+00	0.00000E+00
31	8.66762E-01	1.09850E+00	8.49155E-01	5.27644E-03	0.00000E+00	0.00000E+00
32	8.4002E-01	1.11133E+00	8.48851E-01	5.10649E-03	0.00000E+00	0.00000E+00
33	8.96029E-01	1.12317E+00	8.50373E-01	5.16627E-03	0.00000E+00	0.00000E+00
34	8.15825E-01	1.13783E+00	8.49293E-01	5.11931E-03	0.00000E+00	0.00000E+00
35	7.67288E-01	1.15067E+00	8.4808E-01	5.5492E-03	0.00000E+00	0.00000E+00
36	8.3084E-01	1.16350E+00	8.46339E-01	5.40299E-03	0.00000E+00	0.00000E+00
37	8.23067E-01	1.17717E+00	8.45672E-01	5.28950E-03	0.00000E+00	0.00000E+00
38	8.26256E-01	1.19000E+00	8.45133E-01	5.1668E-03	0.00000E+00	0.00000E+00
39	8.42836E-01	1.20283E+00	8.45071E-01	5.02745E-03	0.00000E+00	0.00000E+00
40	8.29217E-01	1.21567E+00	8.44654E-01	4.91105E-03	0.00000E+00	0.00000E+00
41	8.12012E-01	1.22933E+00	8.45817E-01	4.85618E-03	0.00000E+00	0.00000E+00
42	7.9177E-01	1.24217E+00	8.42516E-01	4.90679E-03	0.00000E+00	0.00000E+00
43	7.68831E-01	1.25500E+00	8.46718E-01	5.11378E-03	0.00000E+00	0.00000E+00
44	8.31359E-01	1.26867E+00	8.40496E-01	4.99551E-03	0.00000E+00	0.00000E+00
45	8.77040E-01	1.28150E+00	8.41345E-01	4.95145E-03	0.00000E+00	0.00000E+00
46	8.86491E-01	1.29433E+00	8.42371E-01	4.94520E-03	0.00000E+00	0.00000E+00
47	8.58182E-01	1.30717E+00	8.42723E-01	4.84681E-03	0.00000E+00	0.00000E+00
48	8.53866E-01	1.32000E+00	8.42965E-01	4.7464E-03	0.00000E+00	0.00000E+00
49	8.26021E-01	1.33367E+00	8.42605E-01	4.65834E-03	0.00000E+00	0.00000E+00
50	8.31624E-01	1.34650E+00	8.42376E-01	4.56599E-03	0.00000E+00	0.00000E+00
51	8.30762E-01	1.35933E+00	8.42138E-01	4.4781E-03	0.00000E+00	0.00000E+00
52	8.43633E-01	1.3717E+00	8.42168E-01	4.38780E-03	0.00000E+00	0.00000E+00
53	8.41469E-01	1.38583E+00	8.42154E-01	4.30093E-03	0.00000E+00	0.00000E+00
54	8.06610E-01	1.39867E+00	8.41470E-01	4.27244E-03	0.00000E+00	0.00000E+00
55	8.57939E-01	1.41150E+00	8.41779E-01	4.20242E-03	0.00000E+00	0.00000E+00
56	8.56385E-01	1.42433E+00	8.42050E-01	4.13272E-03	0.00000E+00	0.00000E+00
57	8.56692E-01	1.43800E+00	8.42316E-01	4.06561E-03	0.00000E+00	0.00000E+00
58	8.08883E-01	1.45183E+00	8.41719E-01	4.03674E-03	0.00000E+00	0.00000E+00
59	8.56866E-01	1.46467E+00	8.41985E-01	3.97419E-03	0.00000E+00	0.00000E+00
60	8.14106E-01	1.47833E+00	8.41504E-01	3.93454E-03	0.00000E+00	0.00000E+00
61	7.76144E-01	1.49117E+00	8.40396E-01	4.02281E-03	0.00000E+00	0.00000E+00
62	8.09639E-01	1.50483E+00	8.39884E-01	3.98828E-03	0.00000E+00	0.00000E+00
63	8.17719E-01	1.51950E+00	8.39520E-01	3.93915E-03	0.00000E+00	0.00000E+00
64	8.20194E-01	1.53333E+00	8.39208E-01	3.88761E-03	0.00000E+00	0.00000E+00
65	8.51247E-01	1.54700E+00	8.39400E-01	3.83017E-03	0.00000E+00	0.00000E+00
66	8.74295E-01	1.56067E+00	8.39945E-01	3.80908E-03	0.00000E+00	0.00000E+00
67	8.51067E-01	1.57450E+00	8.40116E-01	3.75392E-03	0.00000E+00	0.00000E+00
68	8.13783E-01	1.58817E+00	8.39717E-01	3.71807E-03	0.00000E+00	0.00000E+00
69	8.42532E-01	1.60100E+00	8.39759E-01	3.66240E-03	0.00000E+00	0.00000E+00
70	8.28592E-01	1.61383E+00	8.39595E-01	3.61187E-03	0.00000E+00	0.00000E+00
71	8.03059E-01	1.62850E+00	8.39065E-01	3.59832E-03	0.00000E+00	0.00000E+00
72	8.25102E-01	1.64217E+00	8.38866E-01	3.55214E-03	0.00000E+00	0.00000E+00
73	8.28186E-01	1.65600E+00	8.38715E-01	3.50499E-03	0.00000E+00	0.00000E+00
74	8.50376E-01	1.66967E+00	8.38877E-01	3.45976E-03	0.00000E+00	0.00000E+00
75	8.36810E-01	1.68333E+00	8.38849E-01	3.41215E-03	0.00000E+00	0.00000E+00
76	8.55302E-01	1.69800E+00	8.39071E-01	3.37306E-03	0.00000E+00	0.00000E+00
77	8.44892E-01	1.71267E+00	8.39149E-01	3.32869E-03	0.00000E+00	0.00000E+00
78	9.18109E-01	1.72467E+00	8.40188E-01	3.44500E-03	0.00000E+00	0.00000E+00
79	8.45898E-01	1.73733E+00	8.40262E-01	3.40077E-03	0.00000E+00	0.00000E+00
80	8.66703E-01	1.75117E+00	8.40601E-01	3.37396E-03	0.00000E+00	0.00000E+00
81	9.18055E-01	1.76400E+00	8.41581E-01	3.47209E-03	0.00000E+00	0.00000E+00
82	8.75745E-01	1.77683E+00	8.42008E-01	3.45491E-03	0.00000E+00	0.00000E+00
83	7.87991E-01	1.79050E+00	8.41341E-01	3.47655E-03	0.00000E+00	0.00000E+00
84	8.46407E-01	1.80333E+00	8.41403E-01	3.43444E-03	0.00000E+00	0.00000E+00
85	8.41778E-01	1.81617E+00	8.41407E-01	3.39282E-03	0.00000E+00	0.00000E+00
86	8.30200E-01	1.82983E+00	8.41274E-01	3.35484E-03	0.00000E+00	0.00000E+00
87	8.08188E-01	1.84267E+00	8.40885E-01	3.33791E-03	0.00000E+00	0.00000E+00
88	8.08280E-01	1.85550E+00	8.40505E-01	3.32058E-03	0.00000E+00	0.00000E+00
89	8.60229E-01	1.86917E+00	8.40732E-01	3.29001E-03	0.00000E+00	0.00000E+00
90	8.58676E-01	1.88200E+00	8.40936E-01	3.25879E-03	0.00000E+00	0.00000E+00
91	8.94174E-01	1.89483E+00	8.41534E-01	3.27703E-03	0.00000E+00	0.00000E+00
92	8.29862E-01	1.90767E+00	8.41405E-01	3.24301E-03	0.00000E+00	0.00000E+00
93	8.02677E-01	1.92050E+00	8.41858E-01	3.23908E-03	0.00000E+00	0.00000E+00
94	8.51230E-01	1.93333E+00	8.41960E-01	3.20530E-03	0.00000E+00	0.00000E+00
95	8.93158E-01	1.94700E+00	8.42511E-01	3.21808E-03	0.00000E+00	0.00000E+00

96	7.98054E-01	1.56063E+00	8.41952E-01	3.23220E-03	0.00000E+00	0.00000E+00
97	8.91577E-01	1.97267E+00	8.42475E-01	3.24038E-03	0.00000E+00	0.00000E+00
98	7.91407E-01	1.96733E+00	8.41943E-01	3.25017E-03	0.00000E+00	0.00000E+00
99	8.29596E-01	2.06017E+00	8.41616E-01	3.21902E-03	0.00000E+00	0.00000E+00
100	8.49937E-01	2.01200E+00	8.42001E-01	3.19136E-03	0.00000E+00	0.00000E+00
101	8.23664E-01	2.02833E+00	8.41616E-01	3.16439E-03	0.00000E+00	0.00000E+00
102	8.40669E-01	2.03950E+00	8.41795E-01	3.13628E-03	0.00000E+00	0.00000E+00
103	7.54061E-01	2.05317E+00	8.40936E-01	3.22062E-03	0.00000E+00	0.00000E+00
104	7.79450E-01	2.06600E+00	8.40327E-01	3.24555E-03	0.00000E+00	0.00000E+00
105	8.05919E-01	2.07400E+00	8.39973E-01	3.23246E-03	0.00000E+00	0.00000E+00
106	8.19695E-01	2.08963E+00	8.39776E-01	3.20785E-03	0.00000E+00	0.00000E+00
107	8.05942E-01	2.10267E+00	8.39456E-01	3.19354E-03	0.00000E+00	0.00000E+00
108	8.62979E-01	2.11550E+00	8.39676E-01	3.17106E-03	0.00000E+00	0.00000E+00
109	8.85571E-01	2.12833E+00	8.40107E-01	3.17043E-03	0.00000E+00	0.00000E+00
110	8.48686E-01	2.14117E+00	8.40170E-01	3.14156E-03	0.00000E+00	0.00000E+00
111	8.42051E-01	2.15563E+00	8.40194E-01	3.11272E-03	0.00000E+00	0.00000E+00
112	8.60166E-01	2.16850E+00	8.40278E-01	3.08942E-03	0.00000E+00	0.00000E+00
113	8.19775E-01	2.18133E+00	8.40192E-01	3.06729E-03	0.00000E+00	0.00000E+00
114	8.06791E-01	2.19517E+00	8.39846E-01	3.06007E-03	0.00000E+00	0.00000E+00
115	8.07366E-01	2.20963E+00	8.39532E-01	3.04644E-03	0.00000E+00	0.00000E+00
116	8.06710E-01	2.22350E+00	8.39262E-01	3.03331E-03	0.00000E+00	0.00000E+00
117	8.00538E-01	2.23833E+00	8.39798E-01	3.05366E-03	0.00000E+00	0.00000E+00
118	7.96570E-01	2.25100E+00	8.39425E-01	3.05007E-03	0.00000E+00	0.00000E+00
119	8.44206E-01	2.26487E+00	8.39466E-01	3.02417E-03	0.00000E+00	0.00000E+00
120	7.89636E-01	2.27750E+00	8.39044E-01	3.02003E-03	0.00000E+00	0.00000E+00
121	8.44206E-01	2.29117E+00	8.39087E-01	3.06278E-03	0.00000E+00	0.00000E+00
122	8.46066E-01	2.30400E+00	8.39145E-01	2.97822E-03	0.00000E+00	0.00000E+00
123	8.76785E-01	2.31683E+00	8.39456E-01	2.96964E-03	0.00000E+00	0.00000E+00
124	8.09004E-01	2.33067E+00	8.39207E-01	2.95946E-03	0.00000E+00	0.00000E+00
125	8.32096E-01	2.34350E+00	8.39145E-01	2.93240E-03	0.00000E+00	0.00000E+00
126	8.05555E-01	2.35717E+00	8.38876E-01	2.92124E-03	0.00000E+00	0.00000E+00
127	8.38056E-01	2.37083E+00	8.38671E-01	2.89777E-03	0.00000E+00	0.00000E+00
128	8.21166E-01	2.38367E+00	8.38731E-01	2.87613E-03	0.00000E+00	0.00000E+00
129	8.34422E-01	2.39650E+00	8.38697E-01	2.85558E-03	0.00000E+00	0.00000E+00
130	8.47021E-01	2.41033E+00	8.38772E-01	2.83393E-03	0.00000E+00	0.00000E+00
131	7.95247E-01	2.42400E+00	8.38425E-01	2.83194E-03	0.00000E+00	0.00000E+00
132	8.65566E-01	2.43583E+00	8.38634E-01	2.81783E-03	0.00000E+00	0.00000E+00
133	8.32313E-01	2.45050E+00	8.38586E-01	2.79665E-03	0.00000E+00	0.00000E+00
134	8.32251E-01	2.46333E+00	8.38538E-01	2.77560E-03	0.00000E+00	0.00000E+00
135	8.43492E-01	2.47700E+00	8.38575E-01	2.75105E-03	0.00000E+00	0.00000E+00
136	8.67256E-01	2.48983E+00	8.38789E-01	2.74283E-03	0.00000E+00	0.00000E+00
137	8.18395E-01	2.50367E+00	8.38636E-01	2.72662E-03	0.00000E+00	0.00000E+00
138	8.72622E-01	2.51733E+00	8.38864E-01	2.71763E-03	0.00000E+00	0.00000E+00
139	8.72688E-01	2.53017E+00	8.39164E-01	2.71223E-03	0.00000E+00	0.00000E+00
140	8.21243E-01	2.54300E+00	8.39054E-01	2.69563E-03	0.00000E+00	0.00000E+00
141	8.24518E-01	2.55687E+00	8.38930E-01	2.67821E-03	0.00000E+00	0.00000E+00
142	8.42363E-01	2.57050E+00	8.38954E-01	2.65912E-03	0.00000E+00	0.00000E+00
143	7.97553E-01	2.58333E+00	8.38661E-01	2.65647E-03	0.00000E+00	0.00000E+00
144	8.76677E-01	2.59617E+00	8.38929E-01	2.65125E-03	0.00000E+00	0.00000E+00
145	8.32020E-01	2.60893E+00	8.38880E-01	2.63309E-03	0.00000E+00	0.00000E+00
146	8.17946E-01	2.62267E+00	8.38725E-01	2.61878E-03	0.00000E+00	0.00000E+00
147	8.19262E-01	2.63633E+00	8.38661E-01	2.60412E-03	0.00000E+00	0.00000E+00
148	8.22026E-01	2.64833E+00	8.38487E-01	2.58871E-03	0.00000E+00	0.00000E+00
149	8.37377E-01	2.66200E+00	8.38479E-01	2.57105E-03	0.00000E+00	0.00000E+00
150	8.46566E-01	2.67483E+00	8.38534E-01	2.55421E-03	0.00000E+00	0.00000E+00
151	7.74147E-01	2.68850E+00	8.38102E-01	2.57354E-03	0.00000E+00	0.00000E+00
152	9.01631E-01	2.70233E+00	8.38526E-01	2.59118E-03	0.00000E+00	0.00000E+00
153	8.60081E-01	2.71417E+00	8.38668E-01	2.57791E-03	0.00000E+00	0.00000E+00
154	8.95309E-01	2.72763E+00	8.39041E-01	2.58077E-03	0.00000E+00	0.00000E+00
155	8.64145E-01	2.73963E+00	8.39205E-01	2.57613E-03	0.00000E+00	0.00000E+00
156	8.24519E-01	2.75350E+00	8.39110E-01	2.56112E-03	0.00000E+00	0.00000E+00
157	8.42927E-01	2.76550E+00	8.39134E-01	2.54466E-03	0.00000E+00	0.00000E+00
158	8.07941E-01	2.77833E+00	8.38934E-01	2.53619E-03	0.00000E+00	0.00000E+00
159	8.91356E-01	2.79100E+00	8.39266E-01	2.54201E-03	0.00000E+00	0.00000E+00
160	8.78411E-01	2.80383E+00	8.39516E-01	2.53799E-03	0.00000E+00	0.00000E+00
161	8.64680E-01	2.81667E+00	8.39674E-01	2.52694E-03	0.00000E+00	0.00000E+00
162	8.41269E-01	2.82950E+00	8.39604E-01	2.51112E-03	0.00000E+00	0.00000E+00
163	8.53442E-01	2.84233E+00	8.39770E-01	2.49694E-03	0.00000E+00	0.00000E+00
164	8.29559E-01	2.85517E+00	8.39707E-01	2.48228E-03	0.00000E+00	0.00000E+00
165	8.19224E-01	2.86800E+00	8.39581E-01	2.47019E-03	0.00000E+00	0.00000E+00
166	8.46759E-01	2.88267E+00	8.39625E-01	2.45547E-03	0.00000E+00	0.00000E+00
167	8.46334E-01	2.89633E+00	8.39666E-01	2.44088E-03	0.00000E+00	0.00000E+00
168	8.42378E-01	2.91000E+00	8.39682E-01	2.42619E-03	0.00000E+00	0.00000E+00
169	8.60966E-01	2.92283E+00	8.39809E-01	2.41498E-03	0.00000E+00	0.00000E+00
170	7.61102E-01	2.93667E+00	8.39341E-01	2.44586E-03	0.00000E+00	0.00000E+00
171	8.09061E-01	2.95133E+00	8.39162E-01	2.43793E-03	0.00000E+00	0.00000E+00
172	8.40616E-01	2.96417E+00	8.39170E-01	2.42356E-03	0.00000E+00	0.00000E+00
173	8.10715E-01	2.97783E+00	8.39004E-01	2.41509E-03	0.00000E+00	0.00000E+00
174	7.81922E-01	2.99250E+00	8.38672E-01	2.42383E-03	0.00000E+00	0.00000E+00
175	8.18771E-01	3.00533E+00	8.38557E-01	2.41253E-03	0.00000E+00	0.00000E+00
176	8.25260E-01	3.01817E+00	8.38481E-01	2.39984E-03	0.00000E+00	0.00000E+00
177	8.09004E-01	3.03083E+00	8.38312E-01	2.39202E-03	0.00000E+00	0.00000E+00
178	8.47468E-01	3.04367E+00	8.38364E-01	2.37896E-03	0.00000E+00	0.00000E+00
179	8.70548E-01	3.05750E+00	8.38546E-01	2.37246E-03	0.00000E+00	0.00000E+00
180	8.77468E-01	3.07217E+00	8.38765E-01	2.36921E-03	0.00000E+00	0.00000E+00
181	7.97178E-01	3.08583E+00	8.38532E-01	2.36736E-03	0.00000E+00	0.00000E+00
182	8.25331E-01	3.09950E+00	8.38459E-01	2.35532E-03	0.00000E+00	0.00000E+00
183	8.62611E-01	3.11333E+00	8.38592E-01	2.34607E-03	0.00000E+00	0.00000E+00
184	8.46947E-01	3.12617E+00	8.38638E-01	2.33359E-03	0.00000E+00	0.00000E+00
185	8.81490E-01	3.13900E+00	8.38872E-01	2.33259E-03	0.00000E+00	0.00000E+00
186	8.06054E-01	3.15267E+00	8.38694E-01	2.32672E-03	0.00000E+00	0.00000E+00
187	8.31300E-01	3.16550E+00	8.38654E-01	2.31445E-03	0.00000E+00	0.00000E+00
188	8.50572E-01	3.17833E+00	8.38718E-01	2.30287E-03	0.00000E+00	0.00000E+00
189	8.47532E-01	3.19117E+00	8.38766E-01	2.29101E-03	0.00000E+00	0.00000E+00
190	8.18631E-01	3.20583E+00	8.38658E-01	2.28130E-03	0.00000E+00	0.00000E+00
191	8.44059E-01	3.21767E+00	8.38687E-01	2.26938E-03	0.00000E+00	0.00000E+00
192	9.00406E-01	3.23133E+00	8.39012E-01	2.28066E-03	0.00000E+00	0.00000E+00
193	8.55718E-01	3.24417E+00	8.39099E-01	2.27037E-03	0.00000E+00	0.00000E+00
194	8.18828E-01	3.25800E+00	8.38994E-01	2.26098E-03	0.00000E+00	0.00000E+00
195	8.39110E-01	3.27083E+00	8.38994E-01	2.24923E-03	0.00000E+00	0.00000E+00
196	8.78157E-01	3.28267E+00	8.39196E-01	2.24670E-03	0.00000E+00	0.00000E+00

197	8.45548E-01	3.29550E+00	8.29229E-01	2.23538E-03	0.00000E+00	0.00000E+00
198	8.57079E-01	3.30823E+00	8.39270E-01	2.22581E-03	0.00000E+00	0.00000E+00
199	8.34812E-01	3.32117E+00	8.39257E-01	2.21460E-03	0.00000E+00	0.00000E+00
200	8.44811E-01	3.33400E+00	8.39255E-01	2.20357E-03	0.00000E+00	0.00000E+00
201	8.40696E-01	3.34667E+00	8.39252E-01	2.19248E-03	0.00000E+00	0.00000E+00
202	8.72283E-01	3.35950E+00	8.39457E-01	2.18771E-03	0.00000E+00	0.00000E+00
203	8.29380E-01	3.37233E+00	8.39447E-01	2.17738E-03	0.00000E+00	0.00000E+00

XENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

NAC-LWT Cask SAR
Revision 38


November 2007


TRIGA - PREF. FLOOD CANISTER


LIFETIME = 5.96130E-05 + OR - 3.37432E-07 GENERATION TIME = 2.84400E-05 + OR - 1.23388E-07
 NU BAR = 2.42081E+00 + OR - 1.76618E-05 AVERAGE FISSION GROUP = 2.23764E+01 + OR - 1.22941E-02
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 1.31694E-01 + OR - 1.11900E-03

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
3	0.83944	+ OR - 0.00219	0.83725	TO 0.84163	0.83507	TO 0.84382	0.83288	TO 0.84601	100000
4	0.83824	+ OR - 0.00219	0.83705	TO 0.84143	0.83486	TO 0.84362	0.83267	TO 0.84581	99500
5	0.83865	+ OR - 0.00219	0.83685	TO 0.84124	0.83466	TO 0.84343	0.83247	TO 0.84562	99000
6	0.83896	+ OR - 0.00220	0.83676	TO 0.84118	0.83457	TO 0.84338	0.83237	TO 0.84559	98500
7	0.83885	+ OR - 0.00221	0.83664	TO 0.84106	0.83443	TO 0.84327	0.83222	TO 0.84548	98000
8	0.83875	+ OR - 0.00222	0.83656	TO 0.84100	0.83434	TO 0.84322	0.83217	TO 0.84544	97500
9	0.83869	+ OR - 0.00223	0.83646	TO 0.84092	0.83423	TO 0.84315	0.83206	TO 0.84538	97000
10	0.83863	+ OR - 0.00224	0.83636	TO 0.84107	0.83436	TO 0.84330	0.83212	TO 0.84554	96500
11	0.83862	+ OR - 0.00225	0.83637	TO 0.84107	0.83432	TO 0.84332	0.83208	TO 0.84556	96000
12	0.83862	+ OR - 0.00226	0.83666	TO 0.84118	0.83441	TO 0.84344	0.83215	TO 0.84570	95500
17	0.83863	+ OR - 0.00228	0.83665	TO 0.84121	0.83437	TO 0.84349	0.83209	TO 0.84577	92000
22	0.83867	+ OR - 0.00234	0.83652	TO 0.84121	0.83419	TO 0.84355	0.83185	TO 0.84589	90500
27	0.83872	+ OR - 0.00237	0.83638	TO 0.84109	0.83399	TO 0.84346	0.83162	TO 0.84562	89000
32	0.83880	+ OR - 0.00238	0.83642	TO 0.84108	0.83364	TO 0.84356	0.83165	TO 0.84454	85500
37	0.83813	+ OR - 0.00238	0.83575	TO 0.84052	0.83337	TO 0.84390	0.83096	TO 0.84529	83000
42	0.83868	+ OR - 0.00243	0.83622	TO 0.84112	0.83362	TO 0.84355	0.83138	TO 0.84598	80500
47	0.83850	+ OR - 0.00244	0.83607	TO 0.84094	0.83303	TO 0.84337	0.83119	TO 0.84561	78000
52	0.83855	+ OR - 0.00251	0.83603	TO 0.84106	0.83352	TO 0.84357	0.83101	TO 0.84668	75500
57	0.83837	+ OR - 0.00258	0.83579	TO 0.84095	0.83321	TO 0.84352	0.83063	TO 0.84610	73000
62	0.83826	+ OR - 0.00261	0.83605	TO 0.84187	0.83304	TO 0.84448	0.83144	TO 0.84708	70500
67	0.83913	+ OR - 0.00268	0.83645	TO 0.84181	0.83377	TO 0.84449	0.83109	TO 0.84717	68000
72	0.83976	+ OR - 0.00276	0.83700	TO 0.84252	0.83424	TO 0.84527	0.83148	TO 0.84803	65500
77	0.83962	+ OR - 0.00286	0.83676	TO 0.84249	0.83390	TO 0.84535	0.83104	TO 0.84821	63000
82	0.83775	+ OR - 0.00281	0.83495	TO 0.84056	0.83214	TO 0.84336	0.82934	TO 0.84617	60500
87	0.83839	+ OR - 0.00288	0.83551	TO 0.84127	0.83263	TO 0.84416	0.82975	TO 0.84704	58000
92	0.83786	+ OR - 0.00294	0.83482	TO 0.84080	0.83157	TO 0.84374	0.82901	TO 0.84669	55500
97	0.83473	+ OR - 0.00292	0.83381	TO 0.83966	0.83088	TO 0.84258	0.82796	TO 0.84551	53000
102	0.83712	+ OR - 0.00302	0.83404	TO 0.84014	0.83107	TO 0.84317	0.82805	TO 0.84619	50500
107	0.83944	+ OR - 0.00295	0.83649	TO 0.84238	0.83354	TO 0.84533	0.83059	TO 0.84828	48000
112	0.83832	+ OR - 0.00304	0.83528	TO 0.84137	0.83223	TO 0.84441	0.82919	TO 0.84746	45500
117	0.83896	+ OR - 0.00306	0.83592	TO 0.84203	0.83286	TO 0.84509	0.82981	TO 0.84815	43000
122	0.83988	+ OR - 0.00314	0.83675	TO 0.84303	0.83361	TO 0.84617	0.83047	TO 0.84931	40500
127	0.84039	+ OR - 0.00325	0.83714	TO 0.84365	0.83389	TO 0.84690	0.83062	TO 0.85015	38000
132	0.84093	+ OR - 0.00339	0.83754	TO 0.84433	0.83415	TO 0.84772	0.83076	TO 0.85111	35500
137	0.84110	+ OR - 0.00361	0.83749	TO 0.84471	0.83389	TO 0.84831	0.83028	TO 0.85192	33000
142	0.84058	+ OR - 0.00360	0.83678	TO 0.84438	0.83297	TO 0.84818	0.82917	TO 0.85198	30500
147	0.84164	+ OR - 0.00397	0.83766	TO 0.84561	0.83369	TO 0.84958	0.82972	TO 0.85356	28000
152	0.84216	+ OR - 0.00396	0.83819	TO 0.84612	0.83423	TO 0.85008	0.83027	TO 0.85404	25500
157	0.84050	+ OR - 0.00417	0.83633	TO 0.84467	0.83216	TO 0.84883	0.82800	TO 0.85300	23000
162	0.83852	+ OR - 0.00429	0.83423	TO 0.84281	0.82995	TO 0.84709	0.82566	TO 0.85138	20500
167	0.83844	+ OR - 0.00482	0.83362	TO 0.84327	0.82879	TO 0.84809	0.82397	TO 0.85281	18000
172	0.84096	+ OR - 0.00484	0.83613	TO 0.84580	0.83129	TO 0.85063	0.82645	TO 0.85547	15500
177	0.84708	+ OR - 0.00474	0.84234	TO 0.85182	0.83760	TO 0.85657	0.83286	TO 0.86131	13000
182	0.84791	+ OR - 0.00492	0.84299	TO 0.85283	0.83807	TO 0.85775	0.83315	TO 0.86267	10500
187	0.84861	+ OR - 0.00532	0.84329	TO 0.85393	0.83797	TO 0.85924	0.83266	TO 0.86456	8000
192	0.84696	+ OR - 0.00535	0.84161	TO 0.85231	0.83626	TO 0.85766	0.83091	TO 0.86301	5500
197	0.84653	+ OR - 0.00644	0.84009	TO 0.85296	0.83366	TO 0.85940	0.82722	TO 0.86583	3000

TRIGA - PREF. FLOOD CANISTER
PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K-EFF = 0.8394 \pm 0.0022$ WHICH OCCURS FOR 203 GENERATIONS RUN.







200

TRIGA - PREF. FLOOD CANISTER

SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0003			2.73895E-04	4.0673	1.33450E-03	2.7746	0.00000E+00	0.0000
2	0.0014			1.19806E-03	1.2584	3.36609E-03	0.8709	0.00000E+00	0.0000
3	0.0020			1.68688E-03	1.1356	1.74259E-03	0.8807	0.00000E+00	0.0000
4	0.0012			1.03640E-03	1.3855	9.49928E-04	0.9596	0.00000E+00	0.0000
5	0.0020			1.67448E-03	0.9764	2.20159E-03	0.7697	0.00000E+00	0.0000
6	0.0032			2.70608E-03	0.8466	8.32387E-03	0.6833	0.00000E+00	0.0000
7	0.0043			3.59833E-03	0.7624	1.82469E-02	0.6440	0.00000E+00	0.0000
8	0.0045			3.73819E-03	0.6936	1.56090E-02	0.6187	0.00000E+00	0.0000
9	0.0060			5.06579E-03	0.6812	1.68395E-02	0.5936	0.00000E+00	0.0000
10	0.0130			1.09527E-02	0.7204	4.19924E-02	0.6180	0.00000E+00	0.0000
11	0.0272			2.28163E-02	0.7072	5.68060E-02	0.5808	0.00000E+00	0.0000
12	0.0348			2.92515E-02	0.6059	4.76650E-02	0.5639	0.00000E+00	0.0000
13	0.0312			2.61532E-02	0.5835	5.60739E-02	0.5881	0.00000E+00	0.0000
14	0.0247			2.07663E-02	0.6049	6.75119E-02	0.5850	0.00000E+00	0.0000
15	0.0046			3.89927E-03	0.8558	3.23231E-02	0.9958	0.00000E+00	0.0000
16	0.0031			2.58234E-03	1.0355	1.77169E-02	1.1768	0.00000E+00	0.0000
17	0.0047			3.93622E-03	1.4643	9.80442E-03	1.4171	0.00000E+00	0.0000
18	0.0061			5.16029E-03	1.3830	9.06051E-03	1.2102	0.00000E+00	0.0000
19	0.0072			6.04149E-03	1.1357	1.45015E-02	1.2141	0.00000E+00	0.0000
20	0.0286			2.40046E-02	0.7267	4.57621E-02	0.8699	0.00000E+00	0.0000
21	0.0149			1.24996E-02	1.1105	1.65394E-02	1.2351	0.00000E+00	0.0000
22	0.0333			2.79547E-02	0.7799	3.18266E-02	0.9733	0.00000E+00	0.0000
23	0.0999			8.38267E-02	0.4921	8.59767E-02	0.5467	0.00000E+00	0.0000
24	0.1837			1.54208E-01	0.4465	1.30478E-01	0.4240	0.00000E+00	0.0000
25	0.1591			1.33568E-01	0.4544	1.01666E-01	0.4660	0.00000E+00	0.0000
26	0.2107			1.76904E-01	0.4336	1.21586E-01	0.4318	0.00000E+00	0.0000
27	0.0881			7.39396E-02	0.6454	4.53166E-02	0.6511	0.00000E+00	0.0000
SYSTEM TOTAL =				8.39443E-01	0.2607	1.00122E+00	0.0876	0.00000E+00	0.0000

ELAPSED TIME 3.37233 MINUTES

RANDOM NUMBER= 1A4E60BC74A8

TRIGA - PREF. FLOOD CANISTER

```
FREQUENCY FOR GENERATIONS 4 TO 203
0.7524 TO 0.7703 ****
0.7703 TO 0.7882 *****
0.7882 TO 0.8061 *****
0.8061 TO 0.8240 *****
0.8240 TO 0.8419 *****
0.8419 TO 0.8598 *****
0.8598 TO 0.8777 *****
0.8777 TO 0.8956 *****
0.8956 TO 0.9134 *****
0.9134 TO 0.9313 **
```

```
FREQUENCY FOR GENERATIONS 54 TO 203
0.7524 TO 0.7703 **
0.7703 TO 0.7882 *****
0.7882 TO 0.8061 *****
0.8061 TO 0.8240 *****
0.8240 TO 0.8419 *****
0.8419 TO 0.8598 *****
0.8598 TO 0.8777 *****
0.8777 TO 0.8956 *****
0.8956 TO 0.9134 *****
0.9134 TO 0.9313 **
```

```
FREQUENCY FOR GENERATIONS 104 TO 203
0.7524 TO 0.7703 *
0.7703 TO 0.7882 ***
0.7882 TO 0.8061 *****
0.8061 TO 0.8240 *****
0.8240 TO 0.8419 *****
0.8419 TO 0.8598 *****
0.8598 TO 0.8777 *****
0.8777 TO 0.8956 *****
0.8956 TO 0.9134 *****
0.9134 TO 0.9313 **
```

```
FREQUENCY FOR GENERATIONS 154 TO 203
0.7524 TO 0.7703 *
0.7703 TO 0.7882 *
0.7882 TO 0.8061 **
0.8061 TO 0.8240 *****
0.8240 TO 0.8419 *****
0.8419 TO 0.8598 *****
0.8598 TO 0.8777 *****
0.8777 TO 0.8956 *****
0.8956 TO 0.9134 *
0.9134 TO 0.9313 *
```

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 3.37233 MINUTES
.....

6.6.7 MTR Fuel Bounding Configuration

An evaluation was performed to extend limits of enrichment for MTR fuel elements. This section provides the summarized input/output data for the MTR fuel finite cask model in the accident condition. This case represents HEU fuel at 94 wt % enrichment with 414 g ^{235}U in 23 fuel plates. Also included is the bounding HEU case for the 460 g ^{235}U with 23 plates of 20 g ^{235}U per plate.

Figure 6.6.7-1 MTR Finite Cask Model

PRIMARY MODULE ACCESS AND INPUT RECORD (SCALE DRIVER - 95/03/29 - 09:06:37)

MODULE CSAS25 WILL BE CALLED
LWT MTR INPUT FOR CASK MODEL - PLATES IN CLOSE & PLATES @ FULL PITCH .
'MIN BASKET PLATE - COMMENT CARD REFERS TO NOMINAL PLATE SIZE

'23 PLATES - 18 GRAM 235U PER PLATE
'FUEL SHIFT AXIAL ALTERNATING
'56 CM ACTIVE FUEL HEIGHT
27GROUPNDF4 LATTICECELL
URANIUM 1 DEN=19.05 0.03626 293 92235 94. 92238 6. END
AL 1 DEN=2.702 0.25566 293 END
AL 2 1.0 293.0 END
H2O 3 1.0 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.E-20 293.0 END
H2O 8 1.E-20 293.0 END
END COMP
SYMMSLABELL 0.3919 0.075 1 3 0.115 2 END

READ PARAM TBA=5 RUN=YES PLT=NO GEN=803 NPG=1000 END PARAM
READ GEOM

' FUEL PLATE CELL UNITS

UNIT 1
COM='MIDDLE FUEL PLATE CELL'
CUBOID 1 1 2P3.3000 2P0.0375 56.7 0.7
CUBOID 2 1 2P3.3000 2P0.0575 57.4 0.0
CUBOID 3 1 2P3.3000 2P0.1959 57.4 0.0
UNIT 2
COM='TOP FUEL PLATE CELL'
CUBOID 1 1 2P3.3000 2P0.0375 56.7 0.7
CUBOID 2 1 2P3.3000 2P0.0575 57.4 0.0
CUBOID 3 1 2P3.3000 0.0575 -0.1959 57.4 0.0
UNIT 3
COM='BOTTOM FUEL PLATE CELL'
CUBOID 1 1 2P3.3000 2P0.0375 56.7 0.7
CUBOID 2 1 2P3.3000 2P0.0575 57.4 0.0
CUBOID 3 1 2P3.3000 0.1959 -0.0575 57.4 0.0

UNIT 4
COM='SIDE PLATE'
CUBOID 2 1 2P0.2 2P3.75 57.4 0.0

' PLATES AT BOTTOM OF BASKET OPENING
' BASKET CENTER ROW ARRAY ELEMENTS

UNIT 10
COM='FUEL PATE ARRAY - PLATES IN 5/16 IN. WEB CENTER'
ARRAY 1 -3.3000 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1

UNIT 11
COM='FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT'
ARRAY 1 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1

UNIT 12
COM='FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT'
ARRAY 1 -2.6314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1

' BASKET TOP ROW ARRAY ELEMENTS

UNIT 20
COM='FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK'
ARRAY 1 -2.6314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0 1

UNIT 21
COM='FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK'
ARRAY 1 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1

' BASKET BOTTOM ROW ARRAY ELEMENTS

UNIT 30
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 1 -2.6314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0

```
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 31
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'
ARRAY 1 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
' CONSTRUCTION BASKET ROWS
'
UNIT 40
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES'
ARRAY 2 -9.0428 -4.3688 0.0
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1
UNIT 41
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'
ARRAY 3 -14.1738 -4.3688 0.0
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1
UNIT 42
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES'
ARRAY 4 -9.0428 -4.3688 0.0
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1
'
' BASKET UNIT
'
UNIT 50
COM='7 MTR ELEMENTS IN THE LWT'
CYLINDER 3 1 17.0500 73.152 0.0
HOLE 40 0.0 +9.4489 0.0
HOLE 41 0.0 0.0 0.0
HOLE 42 0.0 -9.4489 0.0
CYLINDER 5 1 18.8913 73.152 -1.27
CYLINDER 6 1 33.4963 73.152 -1.27
CYLINDER 5 1 36.5443 73.152 -1.27
CYLINDER 7 1 49.2443 73.152 -1.27
CYLINDER 5 1 49.8539 73.152 -1.27
CUBOID 8 1 4P49.8539 73.152 -1.27
'
' PLATES AT TOP OF BASKET OPENING
'
' BASKET CENTER ROW ARRAY ELEMENTS
'
UNIT 110
COM='FUEL PATE ARRAY - PLATES IN 5/16 IN. WEB CENTER'
ARRAY 1 -3.3000 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 15.752
HOLE 4 4.1687 0.0 15.752
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 111
COM='FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT'
ARRAY 1 -3.9686 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 15.752
HOLE 4 4.1687 0.0 15.752
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 112
COM='FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT'
ARRAY 1 -2.6314 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 15.752
HOLE 4 4.1687 0.0 15.752
REPLICATE 5 1 2R0.3556 4R0.0 1
'
' BASKET TOP ROW ARRAY ELEMENTS
'
UNIT 120
COM='FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK'
ARRAY 1 -2.6314 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 15.752
HOLE 4 4.1687 0.0 15.752
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 121
COM='FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK'
ARRAY 1 -3.9686 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 15.752
HOLE 4 4.1687 0.0 15.752
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
' BASKET BOTTOM ROW ARRAY ELEMENTS
'
UNIT 130
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 1 -2.6314 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 15.752
HOLE 4 4.1687 0.0 15.752
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 131
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'
ARRAY 1 -3.9686 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 15.752
HOLE 4 4.1687 0.0 15.752
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
' CONSTRUCTION BASKET ROWS
'
```

```

UNIT 140
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES'
ARRAY 12 -9.0428 -4.3688 0.0
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1
UNIT 141
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'
ARRAY 13 -14.1738 -4.3688 0.0
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1
UNIT 142
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES'
ARRAY 14 -9.0428 -4.3688 0.0
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1
' BASKET UNIT
UNIT 150
COM='7 MTR ELEMENTS IN THE LWT'
CYLINDER 3 1 17.0500 73.152 0.0
HOLE 140 0.0 +9.4489 0.0
HOLE 141 0.0 0.0 0.0
HOLE 142 0.0 -9.4489 0.0
CYLINDER 5 1 18.8913 73.152 -1.27
CYLINDER 6 1 33.4963 73.152 -1.27
CYLINDER 5 1 36.5443 73.152 -1.27
CYLINDER 7 1 49.2443 73.152 -1.27
CYLINDER 5 1 49.8539 73.152 -1.27
CUBOID 8 1 4P49.8539 73.152 -1.27
' CASK LID AND BOTTOM STRUCTURE
UNIT 60
COM='SIMPLIFIED LID STRUCTURE NAC-LWT'
CYLINDER 5 1 36.5188 13.6775 -14.1351
CYLINDER 8 1 49.8539 13.6775 -14.1351
CUBOID 8 1 4P49.8539 13.6775 -14.1351
UNIT 61
COM='SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT'
CYLINDER 6 1 26.3525 2P3.81
CYLINDER 5 1 36.6188 +13.36 -12.7
CYLINDER 8 1 49.8539 +13.36 -12.7
CUBOID 8 1 4P49.8539 +13.36 -12.7
UNIT 62
COM='THIN TOP AND BOTTOM SHELL OF NEUTRON SHIELD - SUBTRACTED FROM LID MODEL'
CYLINDER 5 1 49.8539 0.61 0.0
CUBOID 8 1 4P49.8539 0.61 0.0
' STACK OF BASKETS WITH CASK LID AND BOTTOM
GLOBAL UNIT 70
COM='STACK OF 6 BASKETS IN CASK WITH LID AND BOTTOM'
ARRAY 10 -49.8539 -49.8539 0.0
END GEOM
READ ARRAY
' FUEL ELEMENT PLATE ARRAY
ARA=1 NUX=1 NUY=23 NUZ=1 FILL 3 21R1 2 END FILL
' ARRAYS OF BASKET OPENINGS (TOP, MIDDLE, BOTTOM)
' PLATES AT BOTTOM OF OPENING
ARA=2 NUX=2 NUY=1 NUZ=1 FILL 20 21 END FILL
ARA=3 NUX=3 NUY=1 NUZ=1 FILL 12 10 11 END FILL
ARA=4 NUX=2 NUY=1 NUZ=1 FILL 30 31 END FILL
' ARRAYS OF BASKET OPENINGS (TOP, MIDDLE, BOTTOM)
' PLATES AT TOP OF OPENING
ARA=12 NUX=2 NUY=1 NUZ=1 FILL 120 121 END FILL
ARA=13 NUX=3 NUY=1 NUZ=1 FILL 112 110 111 END FILL
ARA=14 NUX=2 NUY=1 NUZ=1 FILL 130 131 END FILL
' ARRAY OF BASKETS WITH LID AND BOTTOM
ARA=10 NUX=1 NUY=1 NUZ=10 FILL 61 62 150 50 150 50 150 50 62 60 END FILL
END ARRAY
READ BOUNDS ALL=MIR END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CENTER ELEMENT - FUEL ELEVATION'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-5.0 YUL=5.0 ZUL=50.0
XLR=5.0 YLR=-5.0 ZLR=50.0 END
TTL='X-Y PLOT OF BASKET - FUEL ELEVATION'
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-17.0 YUL=17.0 ZUL=50.0
XLR=17.0 YLR=-17.0 ZLR=50.0 END
TTL='X-Y PLOT OF CASK - FUEL ELEVATION'
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-65.0 YUL=65.0 ZUL=50.0
XLR=65.0 YLR=-65.0 ZLR=50.0 END
TTL='Y-Z (X=0) PLOT OF BOTTOM BASKET - CENTER SECTION'
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-5.0 ZUL=55.0
XLR=0.0 YLR=5.0 ZLR=50.0 END
TTL='Y-Z (X=0) PLOT OF BOTTOM BASKET - CENTER FUEL ELEMENT'
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-5.0 ZUL=101.1
XLR=0.0 YLR=5.0 ZLR=26.6 END
TTL='Y-Z (X=-2) PLOT OF BOTTOM BASKET'

```

```
VAX=1.0 WDN=-1.0  
XUL=-2.0 YUL=-15.0 ZUL=101.1  
XLR=-2.0 YLR=15.0 ZLR=26.6 END  
TTL='Y-Z (X=-2) PLOT OF CASK - R=17.0'  
LPI=5 NAX=1000  
VAX=1.0 WDN=-1.0  
XUL=-2.0 YUL=-17.0 ZUL=502.0  
XLR=-2.0 YLR=17.0 ZLR=-1.0 END  
TTL='Y-Z (X=-2) PLOT OF CASK - R=51.0'  
VAX=1.0 WDN=-1.0  
XUL=-2.0 YUL=-51.0 ZUL=502.0  
XLR=-2.0 YLR=51.0 ZLR=-1.0 END  
END PLOT  
END DATA
```

```
SECONDARY MODULE 000008 HAS BEEN CALLED.  
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.61 (SECONDS).  
SECONDARY MODULE 000002 HAS BEEN CALLED.  
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 4.83 (SECONDS).  
SECONDARY MODULE 000009 HAS BEEN CALLED.  
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 742.04 (SECONDS).  
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 749.95 (SECONDS).
```

```

CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  55555555555
CCCCCCCCC  SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  222222222  55555555555
CC          SS      SS  AA      AA  SS      SS  22      22  55
CC          SS      SS  AA      AA  SS      SS  22      22  55
CC          SS      SS  AA      AA  SS      SS  22      22  55
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22      22  55555555555
CC          SSSSSSSSS  AAAAAAAAA  SSSSSSSSS  22      22  55555555555
CC          SS      SS  AA      AA  SS      SS  22      22  55
CC          SS      SS  AA      AA  SS      SS  22      22  55
CC          SS      SS  AA      AA  SS      SS  22      22  55
CC          CC      SS      SS  AA      AA  SS      SS  22      55  55
CCCCCCCCC  SSSSSSSSS  AA      AA  SSSSSSSSS  222222222  55555555555
CCCCCCCCC  SSSSSSSSS  AA      AA  SSSSSSSSS  222222222  55555555555
    
```

```

SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SSSSSSSSS  CCCCCCCCC  AAAAAAAAA  LL          EEEEEEEEE  PPPPPPPPP  CCCCCCCCC
SS          SS      CC          CC  AA      AA  LL          EE          PP          PP  CC          CC
SS          SS      CC          CC  AA      AA  LL          EE          PP          PP  CC          CC
SS          SS      CC          CC  AA      AA  LL          EE          PP          PP  CC          CC
SSSSSSSSS  CC          AA      AA  LL          EEEEEEE  -----  PPPPPPPPP  CC
SSSSSSSSS  CC          AA      AA  LL          EEEEEEE  -----  PPPPPPPPP  CC
SS          SS      CC          CC  AA      AA  LL          EE          PP          PP  CC          CC
SS          SS      CC          CC  AA      AA  LL          EE          PP          PP  CC          CC
SSSSSSSSS  CCCCCCCCC  AA      AA  LLLLLLLLL  EEEEEEEEE  PP          CC          CC
SSSSSSSSS  CCCCCCCCC  AA      AA  LLLLLLLLL  EEEEEEEEE  PP          CC          CC
    
```

```

11          0000000  //          11          222222222  //          0000000  0000000
111         000000000 //          111         22222222222 //          000000000  000000000
1111        00      00 //          1111       22      22 //          00      00  00      00
11          00      00 //          11          11      22 //          00      00  00      00
11          00      00 //          11          11      22 //          00      00  00      00
11          00      00 //          11          11      22 //          00      00  00      00
11          00      00 //          11          11      22 //          00      00  00      00
11          00      00 //          11          11      22 //          00      00  00      00
11          00      00 //          11          11      22 //          00      00  00      00
11111111   000000000 //          11111111  22222222222 //          000000000  000000000
11111111   0000000   //          11111111  22222222222 //          0000000   0000000
    
```

```

11          44          11          77777777777  33333333333  22222222222
111         444         111         77777777777  33333333333  22222222222
1111        4444        1111       77      77      33      33      22      22
11          44 44        11          77      77      33      33      22      22
11          44 44        11          77      77      33      33      22      22
11          44 44        11          77      77      33      33      22      22
11          44 44        11          77      77      33      33      22      22
11          44444444444  11          77      77      33      33      22      22
11          44444444444  11          77      77      33      33      22      22
11          44          11          77      77      33      33      22      22
11111111   44          11111111  77      77      33333333333  22222222222
11111111   44          11111111  77          33333333333  22222222222
    
```


'MIN BASKET PLATE - COMMENT CARD REFERS TO NOMINAL PLATE SIZE
'23 PLATES - 18 GRAM 235U PER PLATE
'FUEL SHIFT AXIAL ALTERNATING
'56 CM ACTIVE FUEL HEIGHT
'MIN BASKET PLATE - COMMENT CARD REFERS TO NOMINAL PLATE SIZE
'23 PLATES - 18 GRAM 235U PER PLATE
'FUEL SHIFT AXIAL ALTERNATING
'56 CM ACTIVE FUEL HEIGHT
LWT MTR INPUT FOR CASK MODEL - PLATES IN CLOSE & PLATES @ FULL PITCH

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MX 8 MIXTURES
MSC 9 COMPOSITION SPECIFICATIONS
IZM 3 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC URANIUM STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.0363 VOLUME FRACTION
ROTH 19.0500 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 94.000 WT%
92238 6.000 WT%

END

SC AL STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.2557 VOLUME FRACTION
ROTH 2.7020 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

END

SC PB STANDARD COMPOSITION
MX 6 MIXTURE NO.

VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 0.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 0.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

**** PROBLEM GEOMETRY ****

CTP SYMMSLABCELL CELL TYPE
PITCH 0.3919 CM CENTER TO CENTER SPACING
FUELOD 0.0750 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 0.1150 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS CLAD
ZONE 3 IS MOD

```

*****
***
***              LWT MTR INPUT FOR CASK MODEL - PLATES IN CLOSE & PLATES @ FULL PITCH
***
*****
***              ***** DATA LIBRARY INFORMATION *****
***
***              UNIT          DATA SET NAME          VOLUME          UNIT FUNCTION
***              NUMBER        -----          NAME            -----
***              -----          -----          -----
***              89          G:\scale43\DATALIB\FT89F001          STANDARD COMPOSITION LIBRARY
***              82          G:\scale43\DATALIB\FT82F001          CROSS SECTION LIBRARY
***              11          D:\hjp\23p-18g-as-56h\FT11F001          SHORT CROSS SECTION LIBRARY
***              90          D:\hjp\23p-18g-as-56h\FT90F001          INPUT DATA DIRECT ACCESS
***
*****
***
***              STANDARD COMPOSITION LIBRARY DATA
***              -----
***
***              UNIT NUMBER : 89
***
***              DATASET NAME : G:\scale43\DATALIB\FT89F001
***
***              LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
***              637 STANDARD COMPOSITIONS, 490 NUCLIDES
***              90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
***
***              CREATION DATE: 6/30/95
***
***
***              CROSS SECTION LIBRARY DATA
***              -----
***
***              UNIT NUMBER : 82
***
***              DATASET NAME : G:\scale43\DATALIB\FT82F001
***
***              LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
***              BASED ON ENDF-B VERSION 4 DATA
***              COMPILED FOR NRC      1/27/89
***              LAST UPDATED
***              L.M.PETRIE - ORNL
***
***              08/12/94
***
*****

```

```

BBBBBBBBBBB 000000000 NN NN AAAAAAAA MM MM IIIIIIIIIII 2222222222
BBBBBBBBBBB 0000000000 NNN NN AAAAAAAAAA MMM MMM IIIIIIIIIII 222222222222
BB BB 00 00 NNNN NN AA AA MMMM MMMM II 22 22
BB BB 00 00 NN NN NN NN AA AA MM MM MM MM II 22 22
BB BB 00 00 NN NN NN NN AA AA MM MM MM MM II 22 22
BBBBBBBBBBB 00 00 NN NN NN NN ----- AAAAAAAAAA MM MM MM MM II 22
BBBBBBBBBBB 00 00 NN NN NN NN ----- AAAAAAAAAA MM M MM MM II 22
BB BB 00 00 NN NN NN NN AA AA MM MM MM II 22
BB BB 00 00 NN NN NN NN AA AA MM MM MM II 22
BB BB 00 00 NN NN NN NN AA AA MM MM MM II 22
BBBBBBBBBBB 0000000000 NN NNN AA AA MM MM IIIIIIIIIII 222222222222
BBBBBBBBBBB 0000000000 NN NN AA AA MM MM IIIIIIIIIII 222222222222

```

```

SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SS SS CC CC AA AA LL EE PP PP CC CC
SS CC CC AA AA LL EE PP PP CC CC
SS CC CC AA AA LL EE PP PP CC CC
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPPP CC
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPPP CC
SS SS CC AA AA LL EE PP PP CC CC
SS SS CC CC AA AA LL EE PP PP CC CC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC

```

```

11 0000000 11 2222222222 0000000 0000000
111 000000000 111 222222222222 000000000 000000000
1111 00 00 1111 22 22 00 00 00 00
11 00 00 11 22 00 00 00 00
11 00 00 11 22 00 00 00 00
11 00 00 11 22 00 00 00 00
11 00 00 11 22 00 00 00 00
11 00 00 11 22 00 00 00 00
11 00 00 11 22 00 00 00 00
11111111 000000000 11111111 222222222222 000000000 000000000
11111111 0000000 11111111 222222222222 0000000 0000000

```

```

11 44 11 7777777777 3333333333 44
111 444 111 7777777777 333333333333 444
1111 4444 1111 77 77 33 33 4444
11 44 44 11 77 77 33 33 44 44
11 44 44 11 77 77 333 33 44 44
11 44 44 11 77 77 333 33 44 44
11 444444444444 11 77 77 33 444444444444
11 444444444444 11 77 77 33 444444444444
11 44 11 77 77 33 33 44
11111111 44 11111111 77 77 333333333333 44
11111111 44 11111111 77 77 333333333333 44

```


-1Q ARRAY HAS	1 ENTRIES.
0Q ARRAY HAS	4 ENTRIES.
1Q ARRAY HAS	6 ENTRIES.
2Q ARRAY HAS	2 ENTRIES.

LOGICAL ASSIGNMENTS

MASTER LIBRARY 11
WORKING LIBRARY 0
SCRATCH FILE 18
NEW LIBRARY 1

PROBLEM DESCRIPTION

IGR--GEOMETRY (0/1/2/3--INF MED/SLAB/CYL/SPHERE) 1
I2M--NUMBER OF ZONES OR MATERIAL REGIONS 8
MS--MIXING TABLE LENGTH 16
IBL--SHIELDED CROSS SECTION EDIT OPTION (0/1--NO/YES) 0
IBR--BONDARENKO FACTOR EDIT OPTION (0/1--NO/YES) 0
ISSOPT--DANCOFF FACTOR OPTION 0
CONVERGENCE CRITERION 1.00000E-03
GEOMETRY CORRECTION FACTOR FOR WIGNER RATIONAL APPROXIMATION 1.000E+00

3Q ARRAY HAS 16 ENTRIES.
4Q ARRAY HAS 16 ENTRIES.
5Q ARRAY HAS 16 ENTRIES.
6Q ARRAY HAS 8 ENTRIES.
7Q ARRAY HAS 8 ENTRIES.
8Q ARRAY HAS 8 ENTRIES.
9Q ARRAY HAS 8 ENTRIES.
10Q ARRAY HAS 16 ENTRIES.
11Q ARRAY HAS 8 ENTRIES.

MIXING TABLE

ENTRY	MIXTURE	ISOTOPE	NUMBER DENSITY	NEW IDENTIFIER
1	1	92235	1.66361E-03	1092235
2	1	92238	1.04847E-04	1092238
3	1	13027	1.54180E-02	1013027
4	2	13027	6.03066E-02	2013027
5	4	13027	6.03066E-02	4013027
6	3	1001	6.67692E-02	3001001
7	7	1001	6.67692E-22	7001001
8	8	1001	6.67692E-22	8001001
9	3	8016	3.33846E-02	3008016
10	7	8016	3.33846E-22	7008016
11	8	8016	3.33846E-22	8008016
12	5	24304	1.74286E-02	5024304
13	5	25055	1.73633E-03	5025055
14	5	26304	5.93579E-02	5026304
15	5	28304	7.72070E-03	5028304
16	6	82000	3.29690E-02	6082000

GEOMETRY AND MATERIAL DESCRIPTION

ZONE	MIXTURE	OUTER DIMENSION	TEMPERATURE	EXTRA XS	TYPE (0/1--FUEL/MOD)
1	1	3.75000E-02	2.93000E+02	2.62093E+00	0
2	2	5.75000E-02	2.93000E+02	0.00000E+00	0
3	3	1.95950E-01	2.93000E+02	0.00000E+00	0
4	4	5.19595E+00	2.93000E+02	0.00000E+00	0
5	5	1.01959E+01	2.93000E+02	0.00000E+00	0
6	6	1.51959E+01	2.93000E+02	0.00000E+00	0
7	7	2.01959E+01	2.93000E+02	0.00000E+00	0
8	8	2.51959E+01	2.93000E+02	0.00000E+00	0

3609 LOCATIONS OF 100000 AVAILABLE ARE REQUIRED TO MAKE A NEW MASTER CONTAINING THE SELF-SHIELDED VALUES

NO NUCLIDES IN YOUR PROBLEM HAVE BONDARENKO FACTOR DATA**BONAMI WILL COPY FROM LOGICAL 11 TO LOGICAL 1

COPY 1001 HYDROGEN FROM LOG 11 TO LOG 18 BONDARENKO TRIGGER 0
 COPY 1001 HYDROGEN FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 1001 HYDROGEN FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 1001 HYDROGEN FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 11 TO LOG 18 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 11 TO LOG 18 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0

COPY	24304	CR 1191 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	25055	MANGANESE-55	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	26304	FE 1192 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	28304	NI 1190 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	82000	PB 1288 218NGP	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92235	URANIUM-235	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92238	URANIUM-238	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

TAPE ID	4321	NUMBER OF NUCLIDES	16
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	1

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 7001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 8001001
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 7008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 8008016
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 1013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 2013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 4013027
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)		UPDATED 08/12/94	ID 5024304
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 5025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)		UPDATED 08/12/94	ID 5026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)		UPDATED 08/12/94	ID 5028304
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 6082000
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 1092235
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 1092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.17 SECONDS

```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  000000000000  VV      VV
KK      KK  EE           NNNN    NN  00      00  VV      VV
KK      KK  EE           NN  NN   NN  00      00  VV      VV
KK      KK  EE           NN  NN   NN  00      00  VV      VV
KKKKKKKK  EEEEEEEEEEE  NN  NN   NN  00      00  -----  VV      VV
KKKKKKKK  EEEEEEEEEEE  NN  NN   NN  00      00  -----  VV      VV
KK      KK  EE           NN  NN   NN  00      00  VV      VV
KK      KK  EE           NN  NN   NN  00      00  VV      VV
KK      KK  EE           NN  NN   NN  00      00  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  000000000000  VV      VV
KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VV      VV

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EE  EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EE  EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE  EEEEEEEEEEE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE  EEEEEEEEEEE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE  EEEEEEEEEEE  PP      PP  CC      CC
SSSSSSSSSS  CC      CC  AAAAAAAAAA  LL      EE  EEEEEEEEEEE  PPPPPPPPPP  CC
SSSSSSSSSS  CC      CC  AAAAAAAAAA  LL      EE  EEEEEEEEEEE  PPPPPPPPPP  CC
SS      SS  CC      CC  AA      AA  LL      EE  EEEEEEEEEEE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE  EEEEEEEEEEE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE  EEEEEEEEEEE  PP      PP  CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC

```

```

11      0000000  //
111     000000000 //
1111    00      00 //
11      00      00 //
11      00      00 //
11      00      00 //
11      00      00 //
11      00      00 //
11      00      00 //
11      00      00 //
11111111 000000000 //
11111111 0000000  //

11      222222222 //
111     222222222 //
1111    22      22 //
11      11      22 //
11      11      22 //
11      11      22 //
11      11      22 //
11      11      22 //
11      11      22 //
11      11      22 //
11111111 222222222 //
11111111 222222222 //

0000000  0000000
000000000 000000000
00      00  00      00
00      00  00      00
00      00  00      00
00      00  00      00
00      00  00      00
00      00  00      00
00      00  00      00
00      00  00      00
000000000 000000000
0000000  0000000

```

```

11      44
111     444
1111    4444
11      44 44
11      44 44
11      44 44
11      44 44
11      44 44
11      444444444444
11      444444444444
11111111 44
11111111 44

11      777777777777
111     777777777777
1111    77      77
11      11      77
11      11      77
11      11      77
11      11      77
11      11      77
11      11      77
11      11      77
11111111 77
11111111 77

44      0000000
444     000000000
4444    00      00
44 44  00      00
44 44  00      00
44 44  00      00
44 44  00      00
44 44  00      00
444444444444 00
444444444444 00
44      00      00
44      000000000
44      0000000

```



```

*****
***
***
***** LOGICAL PARAMETERS *****
***
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO ***
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***
*** FMU PRINT FISS PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISS PROD MATRIX BY UNIT LOCATION NO ***
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***
*** FMH PRINT FISS PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISS PROD MATRIX BY ARRAY NUMBER NO ***
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***
*** P1D PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***
*** TRK PRINT TRACKING INFORMATION NO ***
*****
*****
PARAMETER INPUT COMPLETED

```

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```
*****
***
***
*****
***
UNIT          DATA SET NAME          VOLUME          UNIT FUNCTION          ***
NUMBER        -----          NAME            -----          ***
-----          -----          -----          -----          ***
***
XSC  14      D:\hjp\23p-18g-as-56h\FT14F001      MIXED CROSS SECTIONS      ***
***
ALB  79      G:\scale43\DATA LIB\FT79F001          INPUT ALBEDOS              ***
***
WTS  80      G:\scale43\DATA LIB\FT80F001          INPUT WEIGHTS              ***
***
SKT  16      UNKNOWN                                WRITE SCRATCH DATA        ***
***
BIN  95      D:\hjp\23p-18g-as-56h\FT95F001      BINARY INPUT DATA        ***
***
RST  95      D:\hjp\23p-18g-as-56h\FT95F001      READ RESTART DATA        ***
***
LIB  4       D:\hjp\23p-18g-as-56h\FT04F001      INPUT AMPX WORKING LIBRARY ***
***
      8       D:\hjp\23p-18g-as-56h\FT08F001      INPUT DATA DIRECT ACCESS  ***
***
      9       UNKNOWN                                SUPER GROUPED DIRECT ACCESS ***
***
      10      UNKNOWN                                XSEC MIXING DIRECT ACCESS  ***
***
*****
```

..... 0 IO'S WERE USED PREPARING INPUT DATA

CROSS SECTIONS READ FROM THE AMPX WORKING LIBRARY ON UNIT 4

MIXING TABLE

NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD =3.0E-05

MIXTURE =	1	DENSITY (G/CC) =	1.3815			NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
1013027	1.54180E-02	5.00014E-01	13027	26.9818	AL-27 1193 218 GP 040375(5)		UPDATED
08/12/94							
1092235	1.66361E-03	4.69986E-01	92235	235.0441	URANIUM-235 ENDF/B-IV MAT 1261		UPDATED
08/12/94							
1092238	1.04847E-04	2.99991E-02	92238	238.0510	URANIUM-238 ENDF/B-IV MAT 1262		UPDATED
08/12/94							
MIXTURE =	2	DENSITY (G/CC) =	2.7020			NUCLIDE TITLE	
2013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)		UPDATED
08/12/94							
MIXTURE =	3	DENSITY (G/CC) =	0.99817			NUCLIDE TITLE	
3001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN ENDF/B-IV MAT 1269/THRM1002		UPDATED
08/12/94							
3008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16 ENDF/B-IV MAT 1276		UPDATED
08/12/94							
MIXTURE =	4	DENSITY (G/CC) =	2.7020			NUCLIDE TITLE	
4013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)		UPDATED
08/12/94							
MIXTURE =	5	DENSITY (G/CC) =	7.9200			NUCLIDE TITLE	
5024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED
08/12/94							
5025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED
08/12/94							
5026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED
08/12/94							
5028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED
08/12/94							
MIXTURE =	6	DENSITY (G/CC) =	11.344			NUCLIDE TITLE	
6082000	3.29690E-02	1.00000E+00	82000	207.2100	PB 1288 218NGP 042375 P-3 293K		UPDATED
08/12/94							
MIXTURE =	7	DENSITY (G/CC) =	0.99817E-20			NUCLIDE TITLE	
7001001	6.67692E-22	1.11927E-01	1001	1.0077	HYDROGEN ENDF/B-IV MAT 1269/THRM1002		UPDATED
08/12/94							
7008016	3.33846E-22	8.88073E-01	8016	15.9904	OXYGEN-16 ENDF/B-IV MAT 1276		UPDATED
08/12/94							
MIXTURE =	8	DENSITY (G/CC) =	0.99817E-20			NUCLIDE TITLE	
8001001	6.67692E-22	1.11927E-01	1001	1.0077	HYDROGEN ENDF/B-IV MAT 1269/THRM1002		UPDATED
08/12/94							
8008016	3.33846E-22	8.88073E-01	8016	15.9904	OXYGEN-16 ENDF/B-IV MAT 1276		UPDATED
08/12/94							

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 3 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 7 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 8 WERE CORRECTED FOR BAD MOMENTS.

..... 0 IO'S WERE USED MIXING CROSS-SECTIONS

1-D CROSS SECTION ARRAY ID NUMBERS
 1 2002 1452 27 18 1018

..... 0 IO'S WERE USED PREPARING THE CROSS SECTIONS


```
***** ADDITIONAL INFORMATION *****
NUMBER OF ENERGY GROUPS      27      USE LATTICE GEOMETRY          YES
NO. OF FISSION SPECTRUM SOURCE GROUP  1      GLOBAL ARRAY NUMBER          10
NO. OF SCATTERING ANGLES IN XSECS    2      NUMBER OF UNITS IN THE GLOBAL X DIR.  1
ENTRIES/NEUTRON IN THE NEUTRON BANK  28      NUMBER OF UNITS IN THE GLOBAL Y DIR.  1
ENTRIES/NEUTRON IN THE FISSION BANK  21      NUMBER OF UNITS IN THE GLOBAL Z DIR.  10
NUMBER OF MIXTURES USED            7      USE A GLOBAL REFLECTOR        YES
NUMBER OF BIAS ID'S USED           1      USE NESTED HOLES              YES
NUMBER OF DIFFERENTIAL ALBEDOS USED  0      NUMBER OF HOLES                34
TOTAL INPUT GEOMETRY REGIONS        88      MAXIMUM HOLE NESTING LEVEL      2
NUMBER OF GEOMETRY REGIONS USED      88      USE NESTED ARRAYS              YES
LARGEST GEOMETRY UNIT NUMBER        150     NUMBER OF ARRAYS USED           8
LARGEST ARRAY NUMBER                14      MAXIMUM ARRAY NESTING LEVEL     3
+X BOUNDARY CONDITION                MIR     -X BOUNDARY CONDITION          MIR
+Y BOUNDARY CONDITION                MIR     -Y BOUNDARY CONDITION          MIR
+Z BOUNDARY CONDITION                MIR     -Z BOUNDARY CONDITION          MIR
```

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			----- UNIT 1 -----					
MIDDLE FUEL PLATE CELL								
1	CUBOID	1 1	+X = 3.3000	-X = -3.3000	+Y = 3.75000E-02	-Y = -3.75000E-02	+Z = 56.700	-Z = 0.70000
2	CUBOID	2 1	+X = 3.3000	-X = -3.3000	+Y = 5.75000E-02	-Y = -5.75000E-02	+Z = 57.400	-Z = 0.00000
3	CUBOID	3 1	+X = 3.3000	-X = -3.3000	+Y = 0.19590	-Y = -0.19590	+Z = 57.400	-Z = 0.00000
			----- UNIT 2 -----					
TOP FUEL PLATE CELL								
1	CUBOID	1 1	+X = 3.3000	-X = -3.3000	+Y = 3.75000E-02	-Y = -3.75000E-02	+Z = 56.700	-Z = 0.70000
2	CUBOID	2 1	+X = 3.3000	-X = -3.3000	+Y = 5.75000E-02	-Y = -5.75000E-02	+Z = 57.400	-Z = 0.00000
3	CUBOID	3 1	+X = 3.3000	-X = -3.3000	+Y = 5.75000E-02	-Y = -0.19590	+Z = 57.400	-Z = 0.00000
			----- UNIT 3 -----					
BOTTOM FUEL PLATE CELL								
1	CUBOID	1 1	+X = 3.3000	-X = -3.3000	+Y = 3.75000E-02	-Y = -3.75000E-02	+Z = 56.700	-Z = 0.70000
2	CUBOID	2 1	+X = 3.3000	-X = -3.3000	+Y = 5.75000E-02	-Y = -5.75000E-02	+Z = 57.400	-Z = 0.00000
3	CUBOID	3 1	+X = 3.3000	-X = -3.3000	+Y = 0.19590	-Y = -5.75000E-02	+Z = 57.400	-Z = 0.00000
			----- UNIT 4 -----					
SIDE PLATE								
1	CUBOID	2 1	+X = 0.20000	-X = -0.20000	+Y = 3.7500	-Y = -3.7500	+Z = 57.400	-Z = 0.00000
			----- UNIT 10 EXTERNAL TO LATTICE 1 -----					
FUEL PATE ARRAY - PLATES IN 5/16 IN. WEB CENTER								
1	ARRAY NUMBER	1	+X = 3.3000	-X = -3.3000	+Y = 4.3658	-Y = -4.3688	+Z = 57.400	-Z = 0.00000
2	CUBOID	3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
	HOLE NUMBER	1	AT X = -4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	2	AT X = 4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
3	CUBOID	5 1	+X = 4.7244	-X = -4.7244	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			-----	UNIT	11	EXTERNAL TO LATTICE	1	-----
FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT								
1	ARRAY NUMBER	1	+X = 2.6314	-X = -3.9686	+Y = 4.3658	-Y = -4.3688	+Z = 57.400	-Z = 0.00000
2	CUBOID	3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
	HOLE NUMBER	3	AT X = -4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	4	AT X = 4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
3	CUBOID	5 1	+X = 4.7244	-X = -4.7244	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
			-----	UNIT	12	EXTERNAL TO LATTICE	1	-----
FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT								
1	ARRAY NUMBER	1	+X = 3.9686	-X = -2.6314	+Y = 4.3658	-Y = -4.3688	+Z = 57.400	-Z = 0.00000
2	CUBOID	3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
	HOLE NUMBER	5	AT X = -4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	6	AT X = 4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
3	CUBOID	5 1	+X = 4.7244	-X = -4.7244	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
			-----	UNIT	20	EXTERNAL TO LATTICE	1	-----
FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK								
1	ARRAY NUMBER	1	+X = 3.9686	-X = -2.6314	+Y = 4.3658	-Y = -4.3688	+Z = 57.400	-Z = 0.00000
2	CUBOID	3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
	HOLE NUMBER	7	AT X = -4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	8	AT X = 4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
3	CUBOID	5 1	+X = 4.6736	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			----	UNIT	21	EXTERNAL TO LATTICE	1	----
FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK								
1	ARRAY NUMBER	1	+X = 2.6314	-X = -3.9686	+Y = 4.3658	-Y = -4.3688	+Z = 57.400	-Z = 0.00000
2	CUBOID	3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
	HOLE NUMBER	9	AT X = -4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	10	AT X = 4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
3	CUBOID	5 1	+X = 4.3688	-X = -4.6736	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
			----	UNIT	30	EXTERNAL TO LATTICE	1	----
FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK								
1	ARRAY NUMBER	1	+X = 3.9686	-X = -2.6314	+Y = 4.3658	-Y = -4.3688	+Z = 57.400	-Z = 0.00000
2	CUBOID	3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
	HOLE NUMBER	11	AT X = -4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	12	AT X = 4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
3	CUBOID	5 1	+X = 4.6736	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
			----	UNIT	31	EXTERNAL TO LATTICE	1	----
FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK								
1	ARRAY NUMBER	1	+X = 2.6314	-X = -3.9686	+Y = 4.3658	-Y = -4.3688	+Z = 57.400	-Z = 0.00000
2	CUBOID	3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
	HOLE NUMBER	13	AT X = -4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	14	AT X = 4.1687	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
3	CUBOID	5 1	+X = 4.3688	-X = -4.6736	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
			----	UNIT	40	EXTERNAL TO LATTICE	2	----
2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES								
1	ARRAY NUMBER	2	+X = 9.0420	-X = -9.0428	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000
2	CUBOID	5 1	+X = 9.3468	-X = -9.3476	+Y = 4.6736	-Y = -4.3688	+Z = 73.152	-Z = 0.00000

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM						
----- UNIT 41 EXTERNAL TO LATTICE 3 -----								
3 UNIT ARRAY WITH REST OF 5/16 WEB								
1	ARRAY NUMBER 3	+X = 14.173	-X = -14.174	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
2	CUBOID 5 1	+X = 14.528	-X = -14.529	+Y = 5.0800	-Y = -5.0800	+Z = 73.152	-Z = 0.00000	
----- UNIT 42 EXTERNAL TO LATTICE 4 -----								
2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES								
1	ARRAY NUMBER 4	+X = 9.0420	-X = -9.0428	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
2	CUBOID 5 1	+X = 9.3468	-X = -9.3476	+Y = 4.3688	-Y = -4.6736	+Z = 73.152	-Z = 0.00000	
----- UNIT 50 -----								
7 MTR ELEMENTS IN THE LWT								
1	CYLINDER 3 1	RADIUS = 17.050	+Z = 73.152	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
	HOLE NUMBER 15	AT X = 0.00000	Y = 9.4489	Z = 0.00000	IS UNIT NUMBER 40			
	HOLE NUMBER 16	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 41			
	HOLE NUMBER 17	AT X = 0.00000	Y = -9.4489	Z = 0.00000	IS UNIT NUMBER 42			
2	CYLINDER 5 1	RADIUS = 18.891	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
3	CYLINDER 6 1	RADIUS = 33.496	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
4	CYLINDER 5 1	RADIUS = 36.544	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
5	CYLINDER 7 1	RADIUS = 49.244	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
6	CYLINDER 5 1	RADIUS = 49.854	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
7	CUBOID 8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 73.152	-Z = -1.2700	
----- UNIT 60 -----								
SIMPLIFIED LID STRUCTURE NAC-LWT								
1	CYLINDER 5 1	RADIUS = 36.519	+Z = 13.677	-Z = -14.135	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
2	CYLINDER 8 1	RADIUS = 49.854	+Z = 13.677	-Z = -14.135	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
3	CUBOID 8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 13.677	-Z = -14.135	

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			----- UNIT 61 -----					
SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT								
1	CYLINDER	6 1	RADIUS = 26.353	+Z = 3.8100	-Z = -3.8100	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	CYLINDER	5 1	RADIUS = 36.619	+Z = 13.360	-Z = -12.700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CYLINDER	8 1	RADIUS = 49.854	+Z = 13.360	-Z = -12.700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	CUBOID	8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 13.360 -Z = -12.700	
			----- UNIT 62 -----					
THIN TOP AND BOTTOM SHELL OF NEUTRON SHIELD - SUBTRACTED FROM LID MODEL								
1	CYLINDER	5 1	RADIUS = 49.854	+Z = 0.61000	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	CUBOID	8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 0.61000 -Z = 0.00000	
			***** GLOBAL *****					
			----- UNIT 70 EXTERNAL TO LATTICE 10 -----					
STACK OF 6 BASKETS IN CASK WITH LID AND BOTTOM								
1	ARRAY NUMBER	10	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 501.62 -Z = 0.00000	
			----- UNIT 110 EXTERNAL TO LATTICE 1 -----					
FUEL PATE ARRAY - PLATES IN 5/16 IN. WEB CENTER								
1	ARRAY NUMBER	1	+X = 3.3000	-X = -3.3000	+Y = 4.3658	-Y = -4.3688	+Z = 73.152 -Z = 15.752	
2	CUBOID	3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152 -Z = 0.00000	
	HOLE NUMBER	18	AT X = -4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER	4	
	HOLE NUMBER	19	AT X = 4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER	4	
3	CUBOID	5 1	+X = 4.7244	-X = -4.7244	+Y = 4.3688	-Y = -4.3688	+Z = 73.152 -Z = 0.00000	

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM						
----- UNIT 111 EXTERNAL TO LATTICE 1 -----								
FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT								
1	ARRAY NUMBER 1	+X = 2.6314	-X = -3.9686	+Y = 4.3658	-Y = -4.3688	+Z = 73.152	-Z = 15.752	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
	HOLE NUMBER 20	AT X = -4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
	HOLE NUMBER 21	AT X = 4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
3	CUBOID 5 1	+X = 4.7244	-X = -4.7244	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
----- UNIT 112 EXTERNAL TO LATTICE 1 -----								
FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT								
1	ARRAY NUMBER 1	+X = 3.9686	-X = -2.6314	+Y = 4.3658	-Y = -4.3688	+Z = 73.152	-Z = 15.752	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
	HOLE NUMBER 22	AT X = -4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
	HOLE NUMBER 23	AT X = 4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
3	CUBOID 5 1	+X = 4.7244	-X = -4.7244	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
----- UNIT 120 EXTERNAL TO LATTICE 1 -----								
FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK								
1	ARRAY NUMBER 1	+X = 3.9686	-X = -2.6314	+Y = 4.3658	-Y = -4.3688	+Z = 73.152	-Z = 15.752	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
	HOLE NUMBER 24	AT X = -4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
	HOLE NUMBER 25	AT X = 4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
3	CUBOID 5 1	+X = 4.6736	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM						
		----- UNIT 121 EXTERNAL TO LATTICE 1 -----						
FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK								
1	ARRAY NUMBER 1	+X = 2.6314	-X = -3.9686	+Y = 4.3658	-Y = -4.3688	+Z = 73.152	-Z = 15.752	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
	HOLE NUMBER 26	AT X = -4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
	HOLE NUMBER 27	AT X = 4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
3	CUBOID 5 1	+X = 4.3688	-X = -4.6736	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
		----- UNIT 130 EXTERNAL TO LATTICE 1 -----						
FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK								
1	ARRAY NUMBER 1	+X = 3.9686	-X = -2.6314	+Y = 4.3658	-Y = -4.3688	+Z = 73.152	-Z = 15.752	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
	HOLE NUMBER 28	AT X = -4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
	HOLE NUMBER 29	AT X = 4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
3	CUBOID 5 1	+X = 4.6736	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
		----- UNIT 131 EXTERNAL TO LATTICE 1 -----						
FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK								
1	ARRAY NUMBER 1	+X = 2.6314	-X = -3.9686	+Y = 4.3658	-Y = -4.3688	+Z = 73.152	-Z = 15.752	
2	CUBOID 3 1	+X = 4.3688	-X = -4.3688	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
	HOLE NUMBER 30	AT X = -4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
	HOLE NUMBER 31	AT X = 4.1687	Y = 0.00000	Z = 15.752	IS UNIT NUMBER 4			
3	CUBOID 5 1	+X = 4.3688	-X = -4.6736	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
		----- UNIT 140 EXTERNAL TO LATTICE 12 -----						
2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES								
1	ARRAY NUMBER 12	+X = 9.0420	-X = -9.0428	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
2	CUBOID 5 1	+X = 9.3468	-X = -9.3476	+Y = 4.6736	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	

REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM						
----- UNIT 141 EXTERNAL TO LATTICE 13 -----								
3 UNIT ARRAY WITH REST OF 5/16 WEB								
1	ARRAY NUMBER 13	+X = 14.173	-X = -14.174	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
2	CUBOID 5 1	+X = 14.528	-X = -14.529	+Y = 5.0800	-Y = -5.0800	+Z = 73.152	-Z = 0.00000	
----- UNIT 142 EXTERNAL TO LATTICE 14 -----								
2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES								
1	ARRAY NUMBER 14	+X = 9.0420	-X = -9.0428	+Y = 4.3688	-Y = -4.3688	+Z = 73.152	-Z = 0.00000	
2	CUBOID 5 1	+X = 9.3468	-X = -9.3476	+Y = 4.3688	-Y = -4.6736	+Z = 73.152	-Z = 0.00000	
----- UNIT 150 -----								
7 MTR ELEMENTS IN THE LWT								
1	CYLINDER 3 1	RADIUS = 17.050	+Z = 73.152	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
	HOLE NUMBER 32	AT X = 0.00000	Y = 9.4489	Z = 0.00000	IS UNIT NUMBER 140			
	HOLE NUMBER 33	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 141			
	HOLE NUMBER 34	AT X = 0.00000	Y = -9.4489	Z = 0.00000	IS UNIT NUMBER 142			
2	CYLINDER 5 1	RADIUS = 18.891	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
3	CYLINDER 6 1	RADIUS = 33.496	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
4	CYLINDER 5 1	RADIUS = 36.544	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
5	CYLINDER 7 1	RADIUS = 49.244	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
6	CYLINDER 5 1	RADIUS = 49.854	+Z = 73.152	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000		
7	CUBOID 8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 73.152	-Z = -1.2700	

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 3 -----
Z LAYER 1, X COLUMN 1 TO 3 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
12 10 11

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 4 -----
Z LAYER 1, X COLUMN 1 TO 2 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
30 31

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 10 -----

Z LAYER	1, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
61							
Z LAYER	2, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
62							
Z LAYER	3, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
150							
Z LAYER	4, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
50							
Z LAYER	5, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
150							
Z LAYER	6, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
50							
Z LAYER	7, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
150							
Z LAYER	8, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
50							
Z LAYER	9, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
62							
Z LAYER	10, X COLUMN	1 TO	1 LEFT TO RIGHT	Y ROW	1 TO	1	BOTTOM TO TOP
60							

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 12 -----
Z LAYER 1, X COLUMN 1 TO 2 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
120 121

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 13 -----
Z LAYER 1, X COLUMN 1 TO 3 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
112 110 111

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 14 -----
Z LAYER 1, X COLUMN 1 TO 2 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
130 131

VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	2.77200E+01 CM**3	2.77200E+01 CM**3
	2	2	1.58466E+01 CM**3	4.35666E+01 CM**3
	3	3	1.04863E+02 CM**3	1.48430E+02 CM**3
2	1	4	2.77200E+01 CM**3	2.77200E+01 CM**3
	2	5	1.58466E+01 CM**3	4.35666E+01 CM**3
	3	6	5.24315E+01 CM**3	9.59981E+01 CM**3
3	1	7	2.77200E+01 CM**3	2.77200E+01 CM**3
	2	8	1.58466E+01 CM**3	4.35666E+01 CM**3
	3	9	5.24315E+01 CM**3	9.59981E+01 CM**3
4	1	10	1.72200E+02 CM**3	1.72200E+02 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 11 IS AN ARRAY PLACEMENT BOUNDARY REGION				
10	1	11	3.30902E+03 CM**3	3.30902E+03 CM**3
	2	12	1.93142E+03 CM**3	5.58484E+03 CM**3
	3	13	4.54580E+02 CM**3	6.03942E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 14 IS AN ARRAY PLACEMENT BOUNDARY REGION				
11	1	14	3.30902E+03 CM**3	3.30902E+03 CM**3
	2	15	1.93142E+03 CM**3	5.58484E+03 CM**3
	3	16	4.54580E+02 CM**3	6.03942E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 17 IS AN ARRAY PLACEMENT BOUNDARY REGION				
12	1	17	3.30902E+03 CM**3	3.30902E+03 CM**3
	2	18	1.93142E+03 CM**3	5.58484E+03 CM**3
	3	19	4.54580E+02 CM**3	6.03942E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 20 IS AN ARRAY PLACEMENT BOUNDARY REGION				
20	1	20	3.30902E+03 CM**3	3.30902E+03 CM**3
	2	21	1.93142E+03 CM**3	5.58484E+03 CM**3
	3	22	1.94820E+02 CM**3	5.77966E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 23 IS AN ARRAY PLACEMENT BOUNDARY REGION				
21	1	23	3.30902E+03 CM**3	3.30902E+03 CM**3
	2	24	1.93142E+03 CM**3	5.58484E+03 CM**3
	3	25	1.94820E+02 CM**3	5.77966E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 26 IS AN ARRAY PLACEMENT BOUNDARY REGION				
30	1	26	3.30902E+03 CM**3	3.30902E+03 CM**3
	2	27	1.93142E+03 CM**3	5.58484E+03 CM**3
	3	28	1.94820E+02 CM**3	5.77966E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 29 IS AN ARRAY PLACEMENT BOUNDARY REGION				
31	1	29	3.30902E+03 CM**3	3.30902E+03 CM**3
	2	30	1.93142E+03 CM**3	5.58484E+03 CM**3
	3	31	1.94820E+02 CM**3	5.77966E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 32 IS AN ARRAY PLACEMENT BOUNDARY REGION				
40	1	32	1.15593E+04 CM**3	1.15593E+04 CM**3
	2	33	8.06464E+02 CM**3	1.23658E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 34 IS AN ARRAY PLACEMENT BOUNDARY REGION				
41	1	34	1.81183E+04 CM**3	1.81183E+04 CM**3
	2	35	3.47806E+03 CM**3	2.15963E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 36 IS AN ARRAY PLACEMENT BOUNDARY REGION				
42	1	36	1.15593E+04 CM**3	1.15593E+04 CM**3
	2	37	8.06464E+02 CM**3	1.23658E+04 CM**3
50	1	38	2.04796E+04 CM**3	6.68074E+04 CM**3
	2	39	1.66327E+04 CM**3	8.34401E+04 CM**3
	3	40	1.78888E+05 CM**3	2.62328E+05 CM**3
	4	41	4.99133E+04 CM**3	3.12241E+05 CM**3
	5	42	2.54733E+05 CM**3	5.66974E+05 CM**3
	6	43	1.41241E+04 CM**3	5.81098E+05 CM**3
	7	44	1.58779E+05 CM**3	7.39877E+05 CM**3
60	1	79	1.16526E+05 CM**3	1.16526E+05 CM**3
	2	80	1.00639E+05 CM**3	2.17165E+05 CM**3
	3	81	5.93381E+04 CM**3	2.76503E+05 CM**3
61	1	82	1.66245E+04 CM**3	1.66245E+04 CM**3
	2	83	9.31579E+04 CM**3	1.09782E+05 CM**3
	3	84	9.36980E+04 CM**3	2.03480E+05 CM**3
	4	85	5.55989E+04 CM**3	2.59079E+05 CM**3
62	1	86	4.76297E+03 CM**3	4.76297E+03 CM**3
	2	87	1.30143E+03 CM**3	6.06440E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 88 IS AN ARRAY PLACEMENT BOUNDARY REGION				
70	1	88	4.98697E+06 CM**3	4.98697E+06 CM**3

SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	45 IS AN ARRAY PLACEMENT BOUNDARY REGION	
110	1	45	3.30902E+03 CM**3	3.30902E+03 CM**3	
	2	46	1.93142E+03 CM**3	5.58484E+03 CM**3	
	3	47	4.54580E+02 CM**3	6.03942E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	48 IS AN ARRAY PLACEMENT BOUNDARY REGION	
111	1	48	3.30902E+03 CM**3	3.30902E+03 CM**3	
	2	49	1.93142E+03 CM**3	5.58484E+03 CM**3	
	3	50	4.54580E+02 CM**3	6.03942E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	51 IS AN ARRAY PLACEMENT BOUNDARY REGION	
112	1	51	3.30902E+03 CM**3	3.30902E+03 CM**3	
	2	52	1.93142E+03 CM**3	5.58484E+03 CM**3	
	3	53	4.54580E+02 CM**3	6.03942E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	54 IS AN ARRAY PLACEMENT BOUNDARY REGION	
120	1	54	3.30902E+03 CM**3	3.30902E+03 CM**3	
	2	55	1.93142E+03 CM**3	5.58484E+03 CM**3	
	3	56	1.94820E+02 CM**3	5.77966E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	57 IS AN ARRAY PLACEMENT BOUNDARY REGION	
121	1	57	3.30902E+03 CM**3	3.30902E+03 CM**3	
	2	58	1.93142E+03 CM**3	5.58484E+03 CM**3	
	3	59	1.94820E+02 CM**3	5.77966E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	60 IS AN ARRAY PLACEMENT BOUNDARY REGION	
130	1	60	3.30902E+03 CM**3	3.30902E+03 CM**3	
	2	61	1.93142E+03 CM**3	5.58484E+03 CM**3	
	3	62	1.94820E+02 CM**3	5.77966E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	63 IS AN ARRAY PLACEMENT BOUNDARY REGION	
131	1	63	3.30902E+03 CM**3	3.30902E+03 CM**3	
	2	64	1.93142E+03 CM**3	5.58484E+03 CM**3	
	3	65	1.94820E+02 CM**3	5.77966E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	66 IS AN ARRAY PLACEMENT BOUNDARY REGION	
140	1	66	1.15593E+04 CM**3	1.15593E+04 CM**3	
	2	67	8.06464E+02 CM**3	1.23658E+04 CM**3	
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	68 IS AN ARRAY PLACEMENT BOUNDARY REGION	
141	1	68	1.81183E+04 CM**3	1.81183E+04 CM**3	
	2	69	3.47806E+03 CM**3	2.15963E+04 CM**3	
SURROUNDING GEOMETRY VOLUMES -			GEOMETRY REGION	70 IS AN ARRAY PLACEMENT BOUNDARY REGION	
142	1	70	1.15593E+04 CM**3	1.15593E+04 CM**3	
	2	71	8.06464E+02 CM**3	1.23658E+04 CM**3	
150	1	72	2.04796E+04 CM**3	6.68074E+04 CM**3	
	2	73	1.66327E+04 CM**3	8.34401E+04 CM**3	
	3	74	1.78888E+05 CM**3	2.62328E+05 CM**3	
	4	75	4.99133E+04 CM**3	3.12241E+05 CM**3	
	5	76	2.54733E+05 CM**3	5.66974E+05 CM**3	
	6	77	1.41241E+04 CM**3	5.81098E+05 CM**3	
	7	78	1.58779E+05 CM**3	7.39877E+05 CM**3	

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	882	1	1	2.44490E+04 CM**3
		2	2	1.39767E+04 CM**3
		3	3	9.24891E+04 CM**3
2	42	1	1	1.16424E+03 CM**3
		2	2	6.65557E+02 CM**3
		3	3	2.20212E+03 CM**3
3	42	1	1	1.16424E+03 CM**3
		2	2	6.65557E+02 CM**3
		3	3	2.20212E+03 CM**3
4	84	1	2	1.44648E+04 CM**3
10	3	1		9.92705E+03 CM**3
		2	3	5.79427E+03 CM**3
		3	5	1.36374E+03 CM**3
11	3	1		9.92705E+03 CM**3
		2	3	5.79427E+03 CM**3
		3	5	1.36374E+03 CM**3
12	3	1		9.92705E+03 CM**3
		2	3	5.79427E+03 CM**3
		3	5	1.36374E+03 CM**3
20	3	1		9.92705E+03 CM**3
		2	3	5.79427E+03 CM**3
		3	5	5.84459E+02 CM**3
21	3	1		9.92705E+03 CM**3
		2	3	5.79427E+03 CM**3

			3	5	5.84459E+02	CM**3
30	3	1			9.92705E+03	CM**3
		2		3	5.79427E+03	CM**3
		3		5	5.84459E+02	CM**3
31	3	1			9.92705E+03	CM**3
		2		3	5.79427E+03	CM**3
		3		5	5.84459E+02	CM**3
40	3	1			3.46779E+04	CM**3
		2		5	2.41939E+03	CM**3
41	3	1			5.43548E+04	CM**3
		2		5	1.04342E+04	CM**3
42	3	1			3.46779E+04	CM**3
		2		5	2.41939E+03	CM**3
50	3	1		3	6.14387E+04	CM**3
		2		5	4.98980E+04	CM**3
		3		6	5.36664E+05	CM**3
		4		5	1.49740E+05	CM**3
		5		7	7.64198E+05	CM**3
		6		5	4.23722E+04	CM**3
		7		8	4.76337E+05	CM**3
60	1	1		5	1.16526E+05	CM**3
		2		8	1.00639E+05	CM**3
		3		8	5.93381E+04	CM**3
61	1	1		6	1.66245E+04	CM**3
		2		5	9.31579E+04	CM**3
		3		8	9.36980E+04	CM**3
		4		8	5.55989E+04	CM**3
62	2	1		5	9.52594E+03	CM**3
		2		8	2.60286E+03	CM**3
70	1	1			4.98697E+06	CM**3
110	3	1			9.92705E+03	CM**3
		2		3	5.79427E+03	CM**3
		3		5	1.36374E+03	CM**3
111	3	1			9.92705E+03	CM**3
		2		3	5.79427E+03	CM**3
		3		5	1.36374E+03	CM**3
112	3	1			9.92705E+03	CM**3
		2		3	5.79427E+03	CM**3
		3		5	1.36374E+03	CM**3
120	3	1			9.92705E+03	CM**3
		2		3	5.79427E+03	CM**3
		3		5	5.84459E+02	CM**3
121	3	1			9.92705E+03	CM**3
		2		3	5.79427E+03	CM**3
		3		5	5.84459E+02	CM**3
130	3	1			9.92705E+03	CM**3
		2		3	5.79427E+03	CM**3
		3		5	5.84459E+02	CM**3
131	3	1			9.92705E+03	CM**3
		2		3	5.79427E+03	CM**3
		3		5	5.84459E+02	CM**3
140	3	1			3.46779E+04	CM**3
		2		5	2.41939E+03	CM**3
141	3	1			5.43548E+04	CM**3
		2		5	1.04342E+04	CM**3
142	3	1			3.46779E+04	CM**3
		2		5	2.41939E+03	CM**3
150	3	1		3	6.14387E+04	CM**3
		2		5	4.98980E+04	CM**3
		3		6	5.36664E+05	CM**3
		4		5	1.49740E+05	CM**3
		5		7	7.64198E+05	CM**3
		6		5	4.23722E+04	CM**3
		7		8	4.76337E+05	CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	2.67775E+04 CM**3	3.69944E+04
2	2.97726E+04 CM**3	8.04456E+04
3	3.00890E+05 CM**3	3.00340E+05
5	7.46635E+05 CM**3	5.91335E+06
6	1.08995E+06 CM**3	1.23644E+07
7	1.52840E+06 CM**3	1.52560E-14
8	1.26455E+06 CM**3	1.26224E-14

*** BIASING INFORMATION ***
*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING
..... 0.00733 MINUTES WERE USED PROCESSING DATA.
VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 5.36949E-03
START TYPE 0 WAS USED.
THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:
+X= 4.98539E+01 -X=-4.98539E+01 +Y= 4.98539E+01 -Y=-4.98539E+01 +Z= 5.01625E+02 -Z= 0.00000E+00
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF
KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 745 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****
255 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.
4.49700 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 4.51200 MINUTES.

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE	MATRIX K-EFF DEVIATION	
KENO MESSAGE NUMBER K5-132	1	9.05782E-01	4.51683E+00	WARNING... ONLY	999 INDEPENDENT	FISSION POINTS WERE GENERATED	0.00000E+00
KENO MESSAGE NUMBER K5-132	2	9.10251E-01	4.52683E+00	WARNING... ONLY	998 INDEPENDENT	FISSION POINTS WERE GENERATED	0.00000E+00
	3	8.90695E-01	4.53683E+00				0.00000E+00
	4	9.19914E-01	4.54700E+00				0.00000E+00
	5	9.19734E-01	4.55700E+00				0.00000E+00
	6	9.21886E-01	4.56617E+00				0.00000E+00
	7	9.53605E-01	4.57633E+00				0.00000E+00
	8	9.08830E-01	4.58550E+00				0.00000E+00
	9	8.89421E-01	4.59633E+00				0.00000E+00
	10	9.25939E-01	4.60550E+00				0.00000E+00
	11	9.27039E-01	4.61567E+00				0.00000E+00
	12	9.70198E-01	4.62483E+00				0.00000E+00
	13	9.40410E-01	4.63483E+00				0.00000E+00
	14	9.66821E-01	4.64400E+00				0.00000E+00
	15	9.03005E-01	4.65400E+00				0.00000E+00
	16	9.21764E-01	4.66417E+00				0.00000E+00
	17	9.31197E-01	4.67417E+00				0.00000E+00
	18	9.35219E-01	4.68333E+00				0.00000E+00
	19	8.98210E-01	4.69350E+00				0.00000E+00
	20	9.19709E-01	4.70350E+00				0.00000E+00
	21	9.81539E-01	4.71267E+00				0.00000E+00
	22	8.89901E-01	4.72267E+00				0.00000E+00
	23	9.08486E-01	4.73283E+00				0.00000E+00
	24	9.24379E-01	4.74283E+00				0.00000E+00
	25	9.22234E-01	4.75200E+00				0.00000E+00
	26	9.44589E-01	4.76117E+00				0.00000E+00
	27	9.35349E-01	4.77133E+00				0.00000E+00
	28	9.10675E-01	4.78133E+00				0.00000E+00
	29	9.48476E-01	4.79133E+00				0.00000E+00
	30	9.44440E-01	4.80050E+00				0.00000E+00
	31	9.54902E-01	4.81067E+00				0.00000E+00
	32	8.96797E-01	4.82067E+00				0.00000E+00
	33	9.50450E-01	4.82983E+00				0.00000E+00
	34	9.13527E-01	4.83983E+00				0.00000E+00
	35	9.14272E-01	4.85000E+00				0.00000E+00
	36	9.52428E-01	4.85917E+00				0.00000E+00


761	9.21736E-01	1.19400E+01	9.26718E-01	9.64740E-04	0.00000E+00	0.00000E+00
762	9.02916E-01	1.19500E+01	9.26687E-01	9.63979E-04	0.00000E+00	0.00000E+00
763	9.20364E-01	1.19600E+01	9.26679E-01	9.62747E-04	0.00000E+00	0.00000E+00
764	9.33754E-01	1.19692E+01	9.26688E-01	9.61528E-04	0.00000E+00	0.00000E+00
765	9.07859E-01	1.19793E+01	9.26663E-01	9.60584E-04	0.00000E+00	0.00000E+00
766	9.41903E-01	1.19893E+01	9.26683E-01	9.59533E-04	0.00000E+00	0.00000E+00
767	9.23249E-01	1.19995E+01	9.26679E-01	9.58289E-04	0.00000E+00	0.00000E+00
768	8.95873E-01	1.20095E+01	9.26638E-01	9.57881E-04	0.00000E+00	0.00000E+00
769	9.44687E-01	1.20197E+01	9.26662E-01	9.56921E-04	0.00000E+00	0.00000E+00
770	8.95803E-01	1.20287E+01	9.26622E-01	9.56519E-04	0.00000E+00	0.00000E+00
771	9.40899E-01	1.20388E+01	9.26640E-01	9.55454E-04	0.00000E+00	0.00000E+00
772	9.03765E-01	1.20480E+01	9.26611E-01	9.54675E-04	0.00000E+00	0.00000E+00
773	8.97725E-01	1.20580E+01	9.26573E-01	9.54172E-04	0.00000E+00	0.00000E+00
774	9.07220E-01	1.20672E+01	9.26548E-01	9.53265E-04	0.00000E+00	0.00000E+00
775	9.50358E-01	1.20773E+01	9.26579E-01	9.52529E-04	0.00000E+00	0.00000E+00
776	9.05261E-01	1.20873E+01	9.26551E-01	9.51696E-04	0.00000E+00	0.00000E+00
777	9.27807E-01	1.20965E+01	9.26553E-01	9.50469E-04	0.00000E+00	0.00000E+00
778	9.42900E-01	1.21065E+01	9.26574E-01	9.49477E-04	0.00000E+00	0.00000E+00
779	9.41042E-01	1.21167E+01	9.26593E-01	9.48437E-04	0.00000E+00	0.00000E+00
780	9.23276E-01	1.21267E+01	9.26588E-01	9.47227E-04	0.00000E+00	0.00000E+00
781	8.90843E-01	1.21368E+01	9.26543E-01	9.47122E-04	0.00000E+00	0.00000E+00
782	9.24456E-01	1.21458E+01	9.26540E-01	9.45911E-04	0.00000E+00	0.00000E+00
783	9.37806E-01	1.21560E+01	9.26554E-01	9.44809E-04	0.00000E+00	0.00000E+00
784	9.00231E-01	1.21660E+01	9.26521E-01	9.44200E-04	0.00000E+00	0.00000E+00
785	9.60546E-01	1.21762E+01	9.26564E-01	9.43994E-04	0.00000E+00	0.00000E+00
786	9.24507E-01	1.21853E+01	9.26561E-01	9.42793E-04	0.00000E+00	0.00000E+00
787	9.09256E-01	1.21953E+01	9.26539E-01	9.41849E-04	0.00000E+00	0.00000E+00
788	9.19815E-01	1.22053E+01	9.26531E-01	9.40689E-04	0.00000E+00	0.00000E+00
789	9.16692E-01	1.22155E+01	9.26518E-01	9.39576E-04	0.00000E+00	0.00000E+00
790	9.34050E-01	1.22255E+01	9.26528E-01	9.38432E-04	0.00000E+00	0.00000E+00
791	9.28294E-01	1.22347E+01	9.26530E-01	9.37244E-04	0.00000E+00	0.00000E+00
792	9.51657E-01	1.22448E+01	9.26562E-01	9.36597E-04	0.00000E+00	0.00000E+00
793	9.43198E-01	1.22548E+01	9.26583E-01	9.35649E-04	0.00000E+00	0.00000E+00
794	9.30817E-01	1.22640E+01	9.26588E-01	9.34482E-04	0.00000E+00	0.00000E+00
795	8.90619E-01	1.22740E+01	9.26543E-01	9.34405E-04	0.00000E+00	0.00000E+00
796	9.10460E-01	1.22832E+01	9.26523E-01	9.33447E-04	0.00000E+00	0.00000E+00
797	8.97591E-01	1.22933E+01	9.26486E-01	9.32982E-04	0.00000E+00	0.00000E+00
798	9.08117E-01	1.23033E+01	9.26463E-01	9.32095E-04	0.00000E+00	0.00000E+00
799	9.07942E-01	1.23135E+01	9.26440E-01	9.31215E-04	0.00000E+00	0.00000E+00
800	9.21666E-01	1.23227E+01	9.26434E-01	9.30066E-04	0.00000E+00	0.00000E+00
801	9.31197E-01	1.23327E+01	9.26440E-01	9.28921E-04	0.00000E+00	0.00000E+00
802	9.30922E-01	1.23427E+01	9.26446E-01	9.27776E-04	0.00000E+00	0.00000E+00
803	8.88743E-01	1.23528E+01	9.26399E-01	9.27811E-04	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123 EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LIFETIME = 7.96468E-05 + OR - 1.28891E-07 GENERATION TIME = 3.85994E-05 + OR - 6.32864E-08
 NU BAR = 2.42036E+00 + OR - 1.14075E-05 AVERAGE FISSION GROUP = 2.34826E+01 + OR - 4.40629E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 6.75831E-02 + OR - 2.21596E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.92644	+ OR - 0.00093	0.92552 TO 0.92737	0.92459 TO 0.92830	0.92366 TO 0.92923	800000
4	0.92645	+ OR - 0.00093	0.92552 TO 0.92738	0.92459 TO 0.92831	0.92366 TO 0.92924	799000
5	0.92646	+ OR - 0.00093	0.92553 TO 0.92739	0.92460 TO 0.92832	0.92367 TO 0.92925	798000
6	0.92647	+ OR - 0.00093	0.92553 TO 0.92740	0.92460 TO 0.92833	0.92367 TO 0.92926	797000
7	0.92643	+ OR - 0.00093	0.92550 TO 0.92736	0.92457 TO 0.92830	0.92364 TO 0.92923	796000
8	0.92645	+ OR - 0.00093	0.92552 TO 0.92739	0.92459 TO 0.92832	0.92366 TO 0.92925	795000
9	0.92650	+ OR - 0.00093	0.92557 TO 0.92743	0.92463 TO 0.92837	0.92370 TO 0.92930	794000
10	0.92650	+ OR - 0.00093	0.92557 TO 0.92743	0.92463 TO 0.92837	0.92370 TO 0.92930	793000
11	0.92650	+ OR - 0.00094	0.92557 TO 0.92744	0.92463 TO 0.92837	0.92369 TO 0.92931	792000
12	0.92644	+ OR - 0.00093	0.92551 TO 0.92738	0.92458 TO 0.92831	0.92364 TO 0.92925	791000
17	0.92641	+ OR - 0.00094	0.92547 TO 0.92734	0.92453 TO 0.92828	0.92359 TO 0.92922	786000
22	0.92642	+ OR - 0.00094	0.92548 TO 0.92735	0.92454 TO 0.92829	0.92360 TO 0.92923	781000
27	0.92641	+ OR - 0.00095	0.92547 TO 0.92736	0.92452 TO 0.92830	0.92358 TO 0.92925	776000
32	0.92638	+ OR - 0.00095	0.92543 TO 0.92733	0.92448 TO 0.92828	0.92353 TO 0.92923	771000
37	0.92631	+ OR - 0.00095	0.92535 TO 0.92726	0.92440 TO 0.92821	0.92345 TO 0.92916	766000
42	0.92620	+ OR - 0.00095	0.92524 TO 0.92715	0.92429 TO 0.92811	0.92333 TO 0.92906	761000
702	0.92470	+ OR - 0.00219	0.92251 TO 0.92689	0.92032 TO 0.92908	0.91813 TO 0.93127	101000
707	0.92432	+ OR - 0.00223	0.92209 TO 0.92655	0.91987 TO 0.92877	0.91764 TO 0.93100	96000
712	0.92431	+ OR - 0.00229	0.92202 TO 0.92660	0.91973 TO 0.92889	0.91744 TO 0.93118	91000
717	0.92428	+ OR - 0.00233	0.92195 TO 0.92661	0.91962 TO 0.92894	0.91729 TO 0.93127	86000
722	0.92525	+ OR - 0.00238	0.92288 TO 0.92763	0.92050 TO 0.93001	0.91812 TO 0.93239	81000
727	0.92385	+ OR - 0.00240	0.92145 TO 0.92625	0.91905 TO 0.92865	0.91665 TO 0.93105	76000
732	0.92456	+ OR - 0.00252	0.92204 TO 0.92708	0.91952 TO 0.92960	0.91700 TO 0.93212	71000
737	0.92459	+ OR - 0.00268	0.92191 TO 0.92727	0.91924 TO 0.92995	0.91656 TO 0.93263	66000
742	0.92491	+ OR - 0.00280	0.92211 TO 0.92772	0.91930 TO 0.93052	0.91650 TO 0.93332	61000
747	0.92537	+ OR - 0.00300	0.92237 TO 0.92837	0.91936 TO 0.93138	0.91636 TO 0.93438	56000
752	0.92380	+ OR - 0.00316	0.92064 TO 0.92697	0.91747 TO 0.93013	0.91431 TO 0.93329	51000
757	0.92301	+ OR - 0.00305	0.91996 TO 0.92605	0.91691 TO 0.92910	0.91387 TO 0.93214	46000
762	0.92105	+ OR - 0.00296	0.91809 TO 0.92401	0.91514 TO 0.92697	0.91218 TO 0.92993	41000
767	0.92045	+ OR - 0.00328	0.91716 TO 0.92373	0.91388 TO 0.92701	0.91060 TO 0.93029	36000
772	0.92113	+ OR - 0.00345	0.91768 TO 0.92458	0.91423 TO 0.92803	0.91079 TO 0.93147	31000
777	0.92179	+ OR - 0.00375	0.91804 TO 0.92555	0.91429 TO 0.92930	0.91054 TO 0.93305	26000
782	0.92115	+ OR - 0.00419	0.91696 TO 0.92534	0.91278 TO 0.92952	0.90859 TO 0.93371	21000
787	0.91949	+ OR - 0.00452	0.91497 TO 0.92400	0.91045 TO 0.92852	0.90593 TO 0.93304	16000
792	0.91466	+ OR - 0.00548	0.90918 TO 0.92015	0.90369 TO 0.92563	0.89821 TO 0.93112	11000
797	0.91476	+ OR - 0.00670	0.90806 TO 0.92146	0.90137 TO 0.92816	0.89467 TO 0.93486	6000

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K\text{-EFF} = 0.9264 + \text{OR} - 0.0009$ WHICH OCCURS FOR 803 GENERATIONS RUN.



									SKIPPING 3 GENERATIONS
GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0003			2.76261E-04	3.3995	1.43894E-03	0.9898	0.00000E+00	0.0000
2	0.0014			1.33374E-03	1.0362	3.28433E-03	0.3305	0.00000E+00	0.0000
3	0.0018			1.64813E-03	0.8673	1.11443E-03	0.5432	0.00000E+00	0.0000
4	0.0010			9.43052E-04	1.1806	5.85020E-04	0.8038	0.00000E+00	0.0000
5	0.0014			1.30958E-03	0.9350	1.06813E-03	0.5493	0.00000E+00	0.0000
6	0.0019			1.76704E-03	0.6925	2.84069E-03	0.3908	0.00000E+00	0.0000
7	0.0019			1.78654E-03	0.7230	4.80578E-03	0.4113	0.00000E+00	0.0000
8	0.0020			1.85710E-03	1.0723	4.17631E-03	0.4801	0.00000E+00	0.0000
9	0.0028			2.60413E-03	1.1712	4.65358E-03	0.4959	0.00000E+00	0.0000
10	0.0059			5.50223E-03	1.1171	1.10633E-02	0.4949	0.00000E+00	0.0000
11	0.0131			1.21635E-02	0.9260	1.68813E-02	0.4983	0.00000E+00	0.0000
12	0.0178			1.65352E-02	0.8811	1.73134E-02	0.5908	0.00000E+00	0.0000
13	0.0170			1.57646E-02	0.8717	2.10273E-02	0.5340	0.00000E+00	0.0000
14	0.0146			1.35151E-02	0.9027	2.44601E-02	0.4544	0.00000E+00	0.0000
15	0.0029			2.67349E-03	1.8035	1.08525E-02	0.5227	0.00000E+00	0.0000
16	0.0019			1.74669E-03	2.6311	6.41294E-03	0.6061	0.00000E+00	0.0000
17	0.0032			2.93053E-03	2.3384	4.27639E-03	0.9743	0.00000E+00	0.0000
18	0.0041			3.80840E-03	2.4299	4.25856E-03	1.1451	0.00000E+00	0.0000
19	0.0051			4.75188E-03	2.0026	6.74256E-03	0.7563	0.00000E+00	0.0000
20	0.0209			1.93777E-02	0.9376	2.47722E-02	0.4593	0.00000E+00	0.0000
21	0.0119			1.10034E-02	1.3987	1.10177E-02	0.7502	0.00000E+00	0.0000
22	0.0286			2.65082E-02	0.8958	2.53200E-02	0.5355	0.00000E+00	0.0000
23	0.1058			9.80401E-02	0.4254	1.01658E-01	0.2336	0.00000E+00	0.0000
24	0.2177			2.01695E-01	0.2852	2.10402E-01	0.1515	0.00000E+00	0.0000
25	0.1894			1.75473E-01	0.3129	1.80973E-01	0.1588	0.00000E+00	0.0000
26	0.2376			2.20153E-01	0.2780	2.23276E-01	0.1535	0.00000E+00	0.0000
27	0.0877			8.12749E-02	0.4616	7.72601E-02	0.2863	0.00000E+00	0.0000
SYSTEM TOTAL =				9.26443E-01	0.1002	1.00194E+00	0.0216	0.00000E+00	0.0000
ELAPSED TIME 12.35367 MINUTES									
RANDOM NUMBER= 653C16DB7132									

```
FREQUENCY FOR GENERATIONS 4 TO 803
0.8243 TO 0.8292 *
0.8292 TO 0.8341 *
0.8341 TO 0.8390 *
0.8390 TO 0.8439 *
0.8439 TO 0.8487 *
0.8487 TO 0.8536 **
0.8536 TO 0.8585 ****
0.8585 TO 0.8634 *
0.8634 TO 0.8683 *****
0.8683 TO 0.8732 *****
0.8732 TO 0.8781 *****
0.8781 TO 0.8830 *****
0.8830 TO 0.8878 *****
0.8878 TO 0.8927 *****
0.8927 TO 0.8976 *****
0.8976 TO 0.9025 *****
0.9025 TO 0.9074 *****
0.9074 TO 0.9123 *****
0.9123 TO 0.9172 *****
0.9172 TO 0.9220 *****
0.9220 TO 0.9269 *****
0.9269 TO 0.9318 *****
0.9318 TO 0.9367 *****
0.9367 TO 0.9416 *****
0.9416 TO 0.9465 *****
0.9465 TO 0.9514 *****
0.9514 TO 0.9563 *****
0.9563 TO 0.9611 *****
0.9611 TO 0.9660 *****
0.9660 TO 0.9709 *****
0.9709 TO 0.9758 *****
0.9758 TO 0.9807 *****
0.9807 TO 0.9856 ***
0.9856 TO 0.9905 *****
0.9905 TO 0.9954 ***
0.9954 TO 1.0002 *
1.0002 TO 1.0051 *
1.0051 TO 1.0100 *
```

```
                                FREQUENCY FOR GENERATIONS 204 TO 803
0.8243 TO 0.8292      *
0.8292 TO 0.8341      *
0.8341 TO 0.8390      *
0.8390 TO 0.8439      *
0.8439 TO 0.8487      *
0.8487 TO 0.8536      **
0.8536 TO 0.8585      ***
0.8585 TO 0.8634      *
0.8634 TO 0.8683      ****
0.8683 TO 0.8732      *****
0.8732 TO 0.8781      *****
0.8781 TO 0.8830      *****
0.8830 TO 0.8878      *****
0.8878 TO 0.8927      *****
0.8927 TO 0.8976      *****
0.8976 TO 0.9025      *****
0.9025 TO 0.9074      *****
0.9074 TO 0.9123      *****
0.9123 TO 0.9172      *****
0.9172 TO 0.9220      *****
0.9220 TO 0.9269      *****
0.9269 TO 0.9318      *****
0.9318 TO 0.9367      *****
0.9367 TO 0.9416      *****
0.9416 TO 0.9465      *****
0.9465 TO 0.9514      *****
0.9514 TO 0.9563      *****
0.9563 TO 0.9611      *****
0.9611 TO 0.9660      *****
0.9660 TO 0.9709      *****
0.9709 TO 0.9758      *****
0.9758 TO 0.9807      *****
0.9807 TO 0.9856      *
0.9856 TO 0.9905      ***
0.9905 TO 0.9954      **
0.9954 TO 1.0002      *
1.0002 TO 1.0051      *
1.0051 TO 1.0100      *
```


FREQUENCY FOR GENERATIONS 404 TO 803

0.8243 TO 0.8292 *
0.8292 TO 0.8341 *
0.8341 TO 0.8390 *
0.8390 TO 0.8439 *
0.8439 TO 0.8487 *
0.8487 TO 0.8536 *
0.8536 TO 0.8585 **
0.8585 TO 0.8634 *
0.8634 TO 0.8683 **
0.8683 TO 0.8732 ***
0.8732 TO 0.8781 ***
0.8781 TO 0.8830 *****
0.8830 TO 0.8878 *****
0.8878 TO 0.8927 *****
0.8927 TO 0.8976 *****
0.8976 TO 0.9025 *****
0.9025 TO 0.9074 *****
0.9074 TO 0.9123 *****
0.9123 TO 0.9172 *****
0.9172 TO 0.9220 *****
0.9220 TO 0.9269 *****
0.9269 TO 0.9318 *****
0.9318 TO 0.9367 *****
0.9367 TO 0.9416 *****
0.9416 TO 0.9465 *****
0.9465 TO 0.9514 *****
0.9514 TO 0.9563 *****
0.9563 TO 0.9611 *****
0.9611 TO 0.9660 *****
0.9660 TO 0.9709 *****
0.9709 TO 0.9758 *****
0.9758 TO 0.9807 *****
0.9807 TO 0.9856 *
0.9856 TO 0.9905 ***
0.9905 TO 0.9954 **
0.9954 TO 1.0002 *
1.0002 TO 1.0051 *
1.0051 TO 1.0100 *

FREQUENCY FOR GENERATIONS 604 TO 803

```
0.8243 TO 0.8292
0.8292 TO 0.8341
0.8341 TO 0.8390
0.8390 TO 0.8439
0.8439 TO 0.8487
0.8487 TO 0.8536
0.8536 TO 0.8585 *
0.8585 TO 0.8634
0.8634 TO 0.8683
0.8683 TO 0.8732
0.8732 TO 0.8781 *
0.8781 TO 0.8830 ****
0.8830 TO 0.8878 ****
0.8878 TO 0.8927 *****
0.8927 TO 0.8976 *****
0.8976 TO 0.9025 *****
0.9025 TO 0.9074 *****
0.9074 TO 0.9123 *****
0.9123 TO 0.9172 *****
0.9172 TO 0.9220 *****
0.9220 TO 0.9269 *****
0.9269 TO 0.9318 *****
0.9318 TO 0.9367 *****
0.9367 TO 0.9416 *****
0.9416 TO 0.9465 *****
0.9465 TO 0.9514 *****
0.9514 TO 0.9563 *****
0.9563 TO 0.9611 ***
0.9611 TO 0.9660 *****
0.9660 TO 0.9709 *****
0.9709 TO 0.9758 *
0.9758 TO 0.9807 ***
0.9807 TO 0.9856 *
0.9856 TO 0.9905 *
0.9905 TO 0.9954
0.9954 TO 1.0002 *
1.0002 TO 1.0051 *
1.0051 TO 1.0100 *
```

Figure 6.6.7-2 HEU MTR Finite Cask Model (460 g ²³⁵U)

PRIMARY MODULE ACCESS AND INPUT RECORD (SCALE DRIVER - 95/03/29 - 09:06:37)

MODULE CSAS25 WILL BE CALLED
LWT MTR INPUT FOR CASK MODEL - PLATES IN CLOSE & PLATES @ FULL PITCH
'MIN BASKET PLATE - COMMENT CARD REFERS TO NOMINAL PLATE SIZE
'23 PLATES - 20 GRAM 235U PER PLATE
'FUEL SHIFT AXIAL ALTERNATING
'56 CM ACTIVE FUEL HEIGHT
'MODIFIED TO 1.23 CM PLATE THICKNESS / 2 CM OFFSET
27GROUPNDF4 LATTICECELL
URANIUM 1 DEN=19.05 0.03650 293 92235 94. 92238 6. END
AL 1 DEN=2.702 0.25666 293 END
AL 2 1.0 293.0 END
H2O 3 1.0 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.E-20 293.0 END
H2O 8 1.E-20 293.0 END
END COMP
SYMSLABCELL 0.3915 0.083 1 3 0.123 2 END

READ PARAM TBA=5 RUN=YES PLT=NO GEN=803 NPG=1000 END PARAM
READ GEOM

' FUEL PLATE CELL UNITS

UNIT 1

COM='MIDDLE FUEL PLATE CELL'
CUBOID 1 1 2P3.3000 2P0.0415 58.0 2.0
CUBOID 2 1 2P3.3000 2P0.0615 60.0 0.0
CUBOID 3 1 2P3.3000 2P0.1957 60.0 0.0

UNIT 2

COM='TOP FUEL PLATE CELL'
CUBOID 1 1 2P3.3000 2P0.0415 58.0 2.0
CUBOID 2 1 2P3.3000 2P0.0615 60.0 0.0
CUBOID 3 1 2P3.3000 0.0615 -0.1957 60.0 0.0

UNIT 3

COM='BOTTOM FUEL PLATE CELL'
CUBOID 1 1 2P3.3000 2P0.0415 58.0 2.0
CUBOID 2 1 2P3.3000 2P0.0615 60.0 0.0
CUBOID 3 1 2P3.3000 0.1957 -0.0615 60.0 0.0

UNIT 4

COM='SIDE PLATE'
CUBOID 2 1 2P0.2 2P3.75 60.0 0.0

' PLATES AT BOTTOM OF BASKET OPENING

' BASKET CENTER ROW ARRAY ELEMENTS

UNIT 10

COM='FUEL PATE ARRAY - PLATES IN 5/16 IN. WEB CENTER'
ARRAY 1 -3.3000 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1

UNIT 11

COM='FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT'
ARRAY 1 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1

UNIT 12

COM='FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT'
ARRAY 1 -2.6314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1

' BASKET TOP ROW ARRAY ELEMENTS

UNIT 20

COM='FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK'
ARRAY 1 -2.6314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0 1

UNIT 21

COM='FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK'
ARRAY 1 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1

' BASKET BOTTOM ROW ARRAY ELEMENTS

UNIT 30

COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 1 -2.6314 -4.3688 0.0

```
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 31
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'
ARRAY 1 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
CONSTRUCTION BASKET ROWS
UNIT 40
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES'
ARRAY 2 -9.0428 -4.3688 0.0
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1
UNIT 41
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'
ARRAY 3 -14.1738 -4.3688 0.0
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1
UNIT 42
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES'
ARRAY 4 -9.0428 -4.3688 0.0
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1
'
BASKET UNIT
UNIT 50
COM='7 MTR ELEMENTS IN THE LWT'
CYLINDER 3 1 17.0500 73.152 0.0
HOLE 40 0.0 +9.4489 0.0
HOLE 41 0.0 0.0 0.0
HOLE 42 0.0 -9.4489 0.0
CYLINDER 5 1 18.8913 73.152 -1.27
CYLINDER 6 1 33.4963 73.152 -1.27
CYLINDER 5 1 36.5443 73.152 -1.27
CYLINDER 7 1 49.2443 73.152 -1.27
CYLINDER 5 1 49.8539 73.152 -1.27
CUBOID 8 1 4P49.8539 73.152 -1.27
'
PLATES AT TOP OF BASKET OPENING
'
BASKET CENTER ROW ARRAY ELEMENTS
UNIT 110
COM='FUEL PATE ARRAY - PLATES IN 5/16 IN. WEB CENTER'
ARRAY 1 -3.3000 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 111
COM='FUEL ARRAY 20 PLATES IN 5/16 IN. WEB RIGHT'
ARRAY 1 -3.9686 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 112
COM='FUEL ARRAY 20 PLATES IN 5/16 IN. WEB LEFT'
ARRAY 1 -2.6314 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 2R0.3556 4R0.0 1
'
BASKET TOP ROW ARRAY ELEMENTS
UNIT 120
COM='FUEL ARRAY WITH HALF OF 1/4 PLATE ON RIGHT - TOP STACK'
ARRAY 1 -2.6314 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 121
COM='FUEL WITH HALF OF 1/4 IN. PLATE ON LEFT TOP STACK'
ARRAY 1 -3.9686 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
BASKET BOTTOM ROW ARRAY ELEMENTS
UNIT 130
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 1 -2.6314 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 131
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'
ARRAY 1 -3.9686 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 0.0 0.3048 4R0.0 1
```

```

: CONSTRUCTION BASKET ROWS
:
UNIT 140
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES'
ARRAY 12 -9.0428 -4.3688 0.0
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1
UNIT 141
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'
ARRAY 13 -14.1738 -4.3688 0.0
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1
UNIT 142
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES'
ARRAY 14 -9.0428 -4.3688 0.0
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1
:
: BASKET UNIT
:
UNIT 150
COM='7 MTR ELEMENTS IN THE LWT'
CYLINDER 3 1 17.0500 73.152 0.0
HOLE 140 0.0 +9.4489 0.0
HOLE 141 0.0 0.0 0.0
HOLE 142 0.0 -9.4489 0.0
CYLINDER 5 1 18.8913 73.152 -1.27
CYLINDER 6 1 33.4963 73.152 -1.27
CYLINDER 5 1 36.5443 73.152 -1.27
CYLINDER 7 1 49.2443 73.152 -1.27
CYLINDER 5 1 49.8539 73.152 -1.27
CUBOID 8 1 4P49.8539 73.152 -1.27
:
: CASK LID AND BOTTOM STRUCTURE
:
UNIT 60
COM='SIMPLIFIED LID STRUCTURE NAC-LWT'
CYLINDER 5 1 36.5188 13.6775 -14.1351
CYLINDER 8 1 49.8539 13.6775 -14.1351
CUBOID 8 1 4P49.8539 13.6775 -14.1351
UNIT 61
COM='SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT'
CYLINDER 6 1 26.3525 2P3.81
CYLINDER 5 1 36.6188 +13.36 -12.7
CYLINDER 8 1 49.8539 +13.36 -12.7
CUBOID 8 1 4P49.8539 +13.36 -12.7
UNIT 62
COM='THIN TOP AND BOTTOM SHELL OF NEUTRON SHIELD - SUBTRACTED FROM LID MODEL'
CYLINDER 5 1 49.8539 0.61 0.0
CUBOID 8 1 4P49.8539 0.61 0.0
:
: STACK OF BASKETS WITH CASK LID AND BOTTOM
:
GLOBAL UNIT 70
COM='STACK OF 6 BASKETS IN CASK WITH LID AND BOTTOM'
ARRAY 10 -49.8539 -49.8539 0.0
END GEOM
READ ARRAY
:
: FUEL ELEMENT PLATE ARRAY
:
ARA=1 NUX=1 NUY=23 NUZ=1 FILL 3 21R1 2 END FILL
:
: ARRAYS OF BASKET OPENINGS (TOP, MIDDLE, BOTTOM)
: PLATES AT BOTTOM OF OPENING
:
ARA=2 NUX=2 NUY=1 NUZ=1 FILL 20 21 END FILL
ARA=3 NUX=3 NUY=1 NUZ=1 FILL 12 10 11 END FILL
ARA=4 NUX=2 NUY=1 NUZ=1 FILL 30 31 END FILL
:
: ARRAYS OF BASKET OPENINGS (TOP, MIDDLE, BOTTOM)
: PLATES AT TOP OF OPENING
:
ARA=12 NUX=2 NUY=1 NUZ=1 FILL 120 121 END FILL
ARA=13 NUX=3 NUY=1 NUZ=1 FILL 112 110 111 END FILL
ARA=14 NUX=2 NUY=1 NUZ=1 FILL 130 131 END FILL
:
: ARRAY OF BASKETS WITH LID AND BOTTOM
:
ARA=10 NUX=1 NUY=1 NUZ=10 FILL 61 62 150 50 150 50 150 50 62 60 END FILL
END ARRAY
READ BOUNDS ALL=MIR END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CENTER ELEMENT - FUEL ELEVATION'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-5.0 YUL=5.0 ZUL=50.0
XLR=5.0 YLR=-5.0 ZLR=50.0 END
TTL='X-Y PLOT OF BASKET - FUEL ELEVATION'
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-17.0 YUL=17.0 ZUL=50.0
XLR=17.0 YLR=-17.0 ZLR=50.0 END
TTL='X-Y PLOT OF CASK - FUEL ELEVATION'
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-65.0 YUL=65.0 ZUL=50.0
XLR=65.0 YLR=-65.0 ZLR=50.0 END
TTL='Y-Z (X=0) PLOT OF BOTTOM BASKET - CENTER SECTION'
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-5.0 ZUL=55.0
XLR=0.0 YLR=5.0 ZLR=50.0 END
TTL='Y-Z (X=0) PLOT OF BOTTOM BASKET - CENTER FUEL ELEMENT'
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-5.0 ZUL=101.1

```

```
XLR=0.0 YLR=5.0 ZLR=26.6 END
TTL='Y-Z (X=-2) PLOT OF BOTTOM BASKET'
VAX=1.0 WDN=-1.0
XUL=-2.0 YUL=-15.0 ZUL=101.1
XLR=-2.0 YLR=15.0 ZLR=26.6 END
TTL='Y-Z (X=-2) PLOT OF CASK - R=17.0'
LPI=5 NAX=1000
VAX=1.0 WDN=-1.0
XUL=-2.0 YUL=-17.0 ZUL=502.0
XLR=-2.0 YLR=17.0 ZLR=-1.0 END
TTL='Y-Z (X=-2) PLOT OF CASK - R=51.0'
VAX=1.0 WDN=-1.0
XUL=-2.0 YUL=-51.0 ZUL=502.0
XLR=-2.0 YLR=51.0 ZLR=-1.0 END
END PLOT
END DATA
```

SECONDARY MODULE 000008 HAS BEEN CALLED.

MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.55 (SECONDS).

SECONDARY MODULE 000002 HAS BEEN CALLED.

MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 3.29 (SECONDS).

SECONDARY MODULE 000009 HAS BEEN CALLED.

MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 745.01 (SECONDS).

MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 751.44 (SECONDS).

```
CCCCCCCCCC SSSSSSSSSS AAAAAAAA SSSSSSSSSS 2222222222 555555555555
CCCCCCCCCC SSSSSSSSSS AAAAAAAA SSSSSSSSSS 2222222222 555555555555
CC          CC SS      SS AA      AA SS      SS 22      22 55
CC          SS      AA      AA SS      SS 22      22 55
CC          SS      AA      AA SS      SS 22      22 55
CC          SSSSSSSSSS AAAAAAAA SSSSSSSSSS 22      22 555555555555
CC          SSSSSSSSSS AAAAAAAA SSSSSSSSSS 22      22 555555555555
CC          SS      AA      AA SS      SS 22      22 55
CC          SS      AA      AA SS      SS 22      22 55
CC          CC SS      SS AA      AA SS      SS 22      22 55
CCCCCCCCCC SSSSSSSSSS AA      AA SSSSSSSSSS 2222222222 555555555555
CCCCCCCCCC SSSSSSSSSS AA      AA SSSSSSSSSS 2222222222 555555555555
```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SS          CC          AA      LL EE EEEEEEEEEEE PP          CC          CC
SS          CC          AA      LL EE EEEEEEEEEEE PP          CC          CC
SS          CC          AA      LL EE EEEEEEEEEEE PP          CC          CC
SSSSSSSSSS CC          AAAAAAAA LL EEEEEEEEEEE ----- PPPPPPPPPP CC
SSSSSSSSSS CC          AAAAAAAA LL EEEEEEEEEEE ----- PPPPPPPPPP CC
SS          SS      AA      LL EE EEEEEEEEEEE PP          CC          CC
SS          SS      AA      LL EE EEEEEEEEEEE PP          CC          CC
SS          CC          AA      LL EE EEEEEEEEEEE PP          CC          CC
SSSSSSSSSS CCCCCCCCCC AA      AA LLLLLLLLLLL EEEEEEEEEEE PP          CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA      AA LLLLLLLLLLL EEEEEEEEEEE PP          CCCCCCCCCC
```

```
0000000 2222222222 // 2222222222 6666666666 // 0000000 11
00000000 2222222222 // 2222222222 6666666666 // 00000000 111
00          00 22      22 // 22      22 66      66 // 00          00 1111
00          00 22      22 // 22      22 66      66 // 00          00 11
00          00 22      22 // 22      22 66      66 // 00          00 11
00          00 22      22 // 22      22 66      66 // 00          00 11
00          00 22      22 // 22      22 66      66 // 00          00 11
00          00 22      22 // 22      22 66      66 // 00          00 11
00          00 22      22 // 22      22 66      66 // 00          00 11
00          00 22      22 // 22      22 66      66 // 00          00 11
00000000 2222222222 // 2222222222 6666666666 // 00000000 11111111
0000000 2222222222 // 2222222222 6666666666 // 0000000 11111111
```

```
0000000 9999999999 11 8888888888 44 44
00000000 9999999999 111 888888888888 444 444
00          00 99      99 ::: 1111 88      88 ::: 4444 4444
00          00 99      99 ::: 11 88      88 ::: 44 44 44 44
00          00 99      99 ::: 11 88      88 ::: 44 44 44 44
00          00 9999999999 11 8888888888 44 44 44 44
00          00 9999999999 11 8888888888 44 44 44 44
00          00 99      99 ::: 11 88      88 ::: 4444444444 4444444444
00          00 99      99 ::: 11 88      88 ::: 444444444444 444444444444
00          00 99      99 ::: 11 88      88 ::: 44 44
00000000 9999999999 11111111 888888888888 44 44
0000000 9999999999 11111111 8888888888 44 44
```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC  
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC  
SS SS CC CC AA AA LL EE EEEEEEEEEEEE PP PP CC CC  
SS CC CC AA AA LL EE EEEEEEEEEEEE PP PP CC CC  
SS CC CC AA AA LL EE EEEEEEEEEEEE PP PP CC CC  
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE EEEEEEEEE PPPPPPPPPPP CC  
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE EEEEEEEEE PPPPPPPPPPP CC  
SS CC AA AA LL EE EEEEEEEEE PP CC  
SS CC AA AA LL EE EEEEEEEEE PP CC  
SS SS CC CC AA AA LL EE EEEEEEEEE PP CC CC  
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEEE PP CCCCCCCCCC  
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEEE PP CCCCCCCCCC
```

```
*****  
*****  
***** PROGRAM VERIFICATION INFORMATION *****  
*****  
***** CODE SYSTEM: SCALE-PC VERSION: 4.3 *****  
*****  
*****  
*****  
***** PROGRAM: CSAS *****  
*****  
***** CREATION DATE: 03/08/96 *****  
*****  
***** VOLUME: ENG *****  
*****  
***** LIBRARY: G:\SCALE43\WIN_NT\EXE *****  
*****  
***** THIS IS NOT A SCALE-PC CONFIGURATION CONTROLLED CODE *****  
*****  
***** JOBNAME: SCALE-PC *****  
*****  
***** DATE OF EXECUTION: 02/26/01 *****  
*****  
***** TIME OF EXECUTION: 09:18:44 *****  
*****  
*****  
*****
```


'MIN BASKET PLATE - COMMENT CARD REFERS TO NOMINAL PLATE SIZE
'23 PLATES - 20 GRAM 235U PER PLATE
'FUEL SHIFT AXIAL ALTERNATING
'56 CM ACTIVE FUEL HEIGHT
'MODIFIED TO 1.23 CM PLATE THICKNESS / 2 CM OFFSET
'MIN BASKET PLATE - COMMENT CARD REFERS TO NOMINAL PLATE SIZE
'23 PLATES - 20 GRAM 235U PER PLATE
'FUEL SHIFT AXIAL ALTERNATING
'56 CM ACTIVE FUEL HEIGHT
'MODIFIED TO 1.23 CM PLATE THICKNESS / 2 CM OFFSET
LWT MTR INPUT FOR CASK MODEL - PLATES IN CLOSE & PLATES @ FULL PITCH

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MXX 8 MIXTURES
MSC 9 COMPOSITION SPECIFICATIONS
IZM 3 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC URANIUM STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.0365 VOLUME FRACTION
ROTH 19.0500 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 94.000 WT%
92238 6.000 WT%

END

SC AL STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.2567 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

END

SC PB STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 0.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 0.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

**** PROBLEM GEOMETRY ****

CTP SYMMLABELL CELL TYPE
PITCH 0.3915 CM CENTER TO CENTER SPACING
FUELOD 0.0830 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 0.1230 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS CLAD
ZONE 3 IS MOD

```
*****  
***  
***          LWT MTR INPUT FOR CASK MODEL - PLATES IN CLOSE & PLATES @ FULL PITCH          ***  
***  
*****  
***          ***** DATA LIBRARY INFORMATION *****          ***  
***  
***          UNIT          DATA SET NAME          VOLUME          UNIT FUNCTION          ***  
***          NUMBER          NAME          NAME          ***  
***          -----          -----          -----          ***  
***          89          G:\scale43\DATALIB\FT89F001          STANDARD COMPOSITION LIBRARY          ***  
***          82          G:\scale43\DATALIB\FT82F001          CROSS SECTION LIBRARY          ***  
***          11          I:\PROJECTS\sts-proj\mtr\141000-1.2\HIGH-U-1          SHORT CROSS SECTION LIBRARY          ***  
***          90          I:\PROJECTS\sts-proj\mtr\141000-1.2\HIGH-U-1          INPUT DATA DIRECT ACCESS          ***  
***  
*****  
***  
***          STANDARD COMPOSITION LIBRARY DATA          ***  
***          -----          ***  
***          UNIT NUMBER : 89          ***  
***          DATASET NAME : G:\scale43\DATALIB\FT89F001          ***  
***          LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY          ***  
***          637 STANDARD COMPOSITIONS, 490 NUCLIDES          ***  
***          90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.          ***  
***          CREATION DATE: 6/30/95          ***  
***  
***          CROSS SECTION LIBRARY DATA          ***  
***          -----          ***  
***          UNIT NUMBER : 82          ***  
***          DATASET NAME : G:\scale43\DATALIB\FT82F001          ***  
***          LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY          ***  
***          BASED ON ENDF-B VERSION 4 DATA          ***  
***          COMPILED FOR NRC 1/27/89          ***  
***          LAST UPDATED 08/12/94          ***  
***          L.M.PETRIE - ORNL          ***  
***  
*****
```

```
..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
```

```
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....
```

CONTROL MODULE CSAS25 IS COMPLETE.

BBBBBBBBBB	0000000000	NN	NN	AAAAAAAA	MM	MM	IIIIIIIIII	2222222222					
BBBBBBBBBB	0000000000	NNN	NN	AAAAAAAAAA	MMM	MMM	IIIIIIIIII	2222222222					
BB	BB	00	00	NNNN	NN	AA	AA	22	22				
BB	BB	00	00	NN NN	NN	AA	AA	MM MM	MM MM	II	II	22	
BB	BB	00	00	NN NN	NN	AA	AA	MM	MM MM	MM	II	II	22
BBBBBBBBBB	00	00	NN	NN NN	NN	-----	AAAAAAAAAAAA	MM	MM	MM	II	II	22
BBBBBBBBBB	00	00	NN	NN NN	NN	-----	AAAAAAAAAAAA	MM	M	MM	II	II	22
BB	BB	00	00	NN	NN NN	AA	AA	MM	MM	MM	II	II	22
BB	BB	00	00	NN	NN NN	AA	AA	MM	MM	MM	II	II	22
BB	BB	00	00	NN	NNNN	AA	AA	MM	MM	MM	II	II	22
BBBBBBBBBB	0000000000	NN	NNN	AA	AA	MM	MM	MM	MM	IIIIIIIIII	2222222222		
BBBBBBBBBB	0000000000	NN	NN	AA	AA	MM	MM	MM	MM	IIIIIIIIII	2222222222		

SSSSSSSSSS	CCCCCCCCCC	AAAAAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC							
SSSSSSSSSS	CCCCCCCCCC	AAAAAAAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC							
SS	SS	CC	CC	AA	AA	LL	LL	EE	EE	PP	PP	CC	CC
SS	SS	CC	CC	AA	AA	LL	LL	EE	EE	PP	PP	CC	CC
SS	SS	CC	CC	AA	AA	LL	LL	EE	EE	PP	PP	CC	CC
SSSSSSSSSS	CC	AAAAAAAAAAAA	LL	EEEEEEEE	-----	PPPPPPPPPP	PPPPPPPPPP	CC	CC				
SSSSSSSSSS	CC	AAAAAAAAAAAA	LL	EEEEEEEE	-----	PPPPPPPPPP	PPPPPPPPPP	CC	CC				
SS	SS	CC	CC	AA	AA	LL	LL	EE	EE	PP	PP	CC	CC
SS	SS	CC	CC	AA	AA	LL	LL	EE	EE	PP	PP	CC	CC
SS	SS	CC	CC	AA	AA	LL	LL	EE	EE	PP	PP	CC	CC
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LL	LL	LLLLLLLLLL	LLLLLLLLLL	EEEEEEEEEEEE	EEEEEEEEEEEE	PP	PP	CC	CC
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LL	LL	LLLLLLLLLL	LLLLLLLLLL	EEEEEEEEEEEE	EEEEEEEEEEEE	PP	PP	CC	CC

0000000	2222222222	//	2222222222	6666666666	//	0000000	11	
000000000	22222222222222		22222222222222	66666666666666		000000000	111	
00	00		22	66		00	00	1111
00	00		22	66		00	00	11
00	00		22	66		00	00	11
00	00		22	66		00	00	11
00	00		22	66666666666666		00	00	11
00	00		22	66666666666666		00	00	11
00	00		22	66	66	00	00	11
00	00		22	66	66	00	00	11
00	00		22	66	66	00	00	11
00	00		22	66	66	00	00	11
000000000	22222222222222		22222222222222	66666666666666		000000000	11111111	
0000000	22222222222222	//	22222222222222	66666666666666	//	0000000	11111111	

0000000	9999999999		11	8888888888		44	5555555555
000000000	99999999999999		111	88888888888888		444	555555555555
00	00	99	99	88	88	4444	55
00	00	99	99	88	88	44 44	55
00	00	99	99	88	88	44 44	55
00	00	99999999999999	11	88888888888888		44 44	555555555555
00	00	99999999999999	11	88888888888888		44 44	555555555555
00	00	99	99	88	88	44444444444444	55
00	00	99	99	88	88	44444444444444	55
00	00	99	99	88	88	44	55
000000000	99999999999999		11111111	88888888888888		44	555555555555
0000000	99999999999999		11111111	88888888888888		44	555555555555

-1Q ARRAY HAS	1 ENTRIES.
0Q ARRAY HAS	4 ENTRIES.
1Q ARRAY HAS	6 ENTRIES.
2Q ARRAY HAS	2 ENTRIES.

LOGICAL ASSIGNMENTS

MASTER LIBRARY 11
WORKING LIBRARY 0
SCRATCH FILE 18
NEW LIBRARY 1

PROBLEM DESCRIPTION

IGR--GEOMETRY (0/1/2/3--INF MED/SLAB/CYL/SPHERE) 1
IZM--NUMBER OF ZONES OR MATERIAL REGIONS 8
MS--MIXING TABLE LENGTH 16
IBL--SHIELDED CROSS SECTION EDIT OPTION (0/1--NO/YES) 0
IBR--BONDARENKO FACTOR EDIT OPTION (0/1--NO/YES) 0
ISSOPT--DANCOFF FACTOR OPTION 0
CONVERGENCE CRITERION 1.00000E-03
GEOMETRY CORRECTION FACTOR FOR WIGNER RATIONAL APPROXIMATION 1.000E+00
3Q ARRAY HAS 16 ENTRIES.
4Q ARRAY HAS 16 ENTRIES.
5Q ARRAY HAS 16 ENTRIES.
6Q ARRAY HAS 8 ENTRIES.
7Q ARRAY HAS 8 ENTRIES.
8Q ARRAY HAS 8 ENTRIES.
9Q ARRAY HAS 8 ENTRIES.
10Q ARRAY HAS 16 ENTRIES.
11Q ARRAY HAS 8 ENTRIES.

MIXING TABLE

ENTRY	MIXTURE	ISOTOPE	NUMBER DENSITY	NEW IDENTIFIER
1	1	92235	1.67462E-03	1092235
2	1	92238	1.05541E-04	1092238
3	1	13027	1.54783E-02	1013027
4	2	13027	6.03066E-02	2013027
5	4	13027	6.03066E-02	4013027
6	3	1001	6.67692E-02	3001001
7	7	1001	6.67692E-22	7001001
8	8	1001	6.67692E-22	8001001
9	3	8016	3.33846E-02	3008016
10	7	8016	3.33846E-22	7008016
11	8	8016	3.33846E-22	8008016
12	5	24304	1.74286E-02	5024304
13	5	25055	1.73633E-03	5025055
14	5	26304	5.93579E-02	5026304
15	5	28304	7.72070E-03	5028304
16	6	82000	3.29690E-02	6082000

GEOMETRY AND MATERIAL DESCRIPTION

ZONE	MIXTURE	OUTER DIMENSION	TEMPERATURE	EXTRA XS	TYPE (0/1--FUEL/MOD)
1	1	4.15000E-02	2.93000E+02	2.35465E+00	0
2	2	6.15000E-02	2.93000E+02	0.00000E+00	0
3	3	1.95750E-01	2.93000E+02	0.00000E+00	0
4	4	5.19575E+00	2.93000E+02	0.00000E+00	0
5	5	1.01958E+01	2.93000E+02	0.00000E+00	0
6	6	1.51958E+01	2.93000E+02	0.00000E+00	0
7	7	2.01958E+01	2.93000E+02	0.00000E+00	0
8	8	2.51958E+01	2.93000E+02	0.00000E+00	0

3609 LOCATIONS OF 100000 AVAILABLE ARE REQUIRED TO MAKE A NEW MASTER CONTAINING THE SELF-SHIELDED VALUES

NO NUCLIDES IN YOUR PROBLEM HAVE BONDARENKO FACTOR DATA**BONAMI WILL COPY FROM LOGICAL 11 TO LOGICAL 1

COPY	1001	HYDROGEN	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	13027	AL-27 1193 218 G	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	13027	AL-27 1193 218 G	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	13027	AL-27 1193 218 G	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	13027	AL-27 1193 218 G	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0

COPY	24304	CR 1191 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	25055	MANGANESE-55	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	26304	FE 1192 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	28304	NI 1190 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	82000	PB 1288 218NGP	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92235	URANIUM-235	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92238	URANIUM-238	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
 BASED ON ENDF-B VERSION 4 DATA
 COMPILED FOR NRC 1/27/89
 LAST UPDATED
 L.M.PETRIE - ORNL

08/12/94

TAPE ID	4321	NUMBER OF NUCLIDES	16
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	1

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 7001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 8001001
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 7008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 8008016
AL-27	1193 218 GP 040375(5)	UPDATED 08/12/94	ID 1013027
AL-27	1193 218 GP 040375(5)	UPDATED 08/12/94	ID 2013027
AL-27	1193 218 GP 040375(5)	UPDATED 08/12/94	ID 4013027
CR	1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	ID 5024304
MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	ID 5025055
FE	1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	ID 5026304
NI	1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	ID 5028304
PB	1288 218NGP 042375 P-3 293K	UPDATED 08/12/94	ID 6082000
URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	ID 1092235
URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	ID 1092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.11 SECONDS

NN	NN	IIIIIIIIII	TTTTTTTTTT	AAAAAAAA	WW	WW	LL
NNN	NN	IIIIIIIIII	TTTTTTTTTT	AAAAAAAAAA	WW	WW	LL
NNNN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AAAAAAAAAAAA	WW	W	WW
NN NN	NN	II	TT	AAAAAAAAAAAA	WW	WWW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WWW	WWW
NN NN	NNN	IIIIIIIIII	TT	AA	AA	WWW	WWW
NN NN	NN	IIIIIIIIII	TT	AA	AA	WW	WWW

SSSSSSSSSS	CCCCCCCCCC	AAAAAAAA	LL	EEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AAAAAAAAAA	LL	EEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SSSSSSSSSS	CC	AAAAAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SSSSSSSSSS	CC	AAAAAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SSSSSSSSSS	CCCCCCCCCC	AA	LL	EEEEEEEEEE	PP	CCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AA	LL	EEEEEEEEEE	PP	CCCCCCCCCC

0000000	2222222222	//	2222222222	6666666666	//	0000000	11
00000000	2222222222		2222222222	6666666666		00000000	111
00	22		22	66		00	1111
00	22		22	66		00	11
00	22		22	66		00	11
00	22		22	6666666666		00	11
00	22		22	6666666666		00	11
00	22		22	66		00	11
00	22		22	66		00	11
00	22		22	66		00	11
00000000	2222222222		2222222222	6666666666		00000000	1111111
0000000	2222222222		2222222222	6666666666		0000000	1111111

0000000	9999999999		11	8888888888		44	6666666666
00000000	9999999999		111	8888888888		444	6666666666
00	99	:::	1111	88	:::	4444	66
00	99	:::	11	88	:::	44	66
00	99	:::	11	88	:::	44	66
00	9999999999		11	8888888888		44	6666666666
00	9999999999		11	8888888888		44	6666666666
00	99	:::	11	88	:::	4444444444	66
00	99	:::	11	88	:::	4444444444	66
00	99	:::	11	88	:::	44	66
00000000	9999999999		11111111	8888888888		44	6666666666
0000000	9999999999		11111111	8888888888		44	6666666666

-1Q ARRAY HAS 1 ENTRIES.
0Q ARRAY HAS 9 ENTRIES.
1Q ARRAY HAS 12 ENTRIES.

SELECT 16 NUCLIDES FROM THE MASTER LIBRARY ON LOGICAL 1
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 2
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 3
TO CREATE THE NEW WORKING LIBRARY ON LOGICAL 4

3 RESONANCE CALCULATIONS HAVE BEEN REQUESTED
-1 OUTPUT OPTION FOR AMPX FORMATTED CROSS SECTION DATA
2001 MAXIMUM NUMBER OF RESONANCE MESH INTERVALS
2 ORDER OF RESONANCE LEVEL PROCESSING .

THE STORAGE ALLOCATED FOR THIS CASE IS 100000 WORDS

2Q ARRAY HAS 16 ENTRIES.
3Q ARRAY HAS 45 ENTRIES.
4Q ARRAY HAS 16 ENTRIES.

GENERAL INFORMATION CONCERNING CROSS SECTION LIBRARY
TAPE IDENTIFICATION NUMBER 4321
NUMBER OF NUCLIDES ON TAPE 16
NUMBER OF NEUTRON ENERGY GROUPS 27
FIRST THERMAL NEUTRON ENERGY GROUP 15
NUMBER OF GAMMA ENERGY GROUPS 0

DIRECT ACCESS UNIT NUMBER 9 REQUIRES 117 BLOCKS OF LENGTH 1680 WORDS
XSDRN TAPE 4321

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

NUCLIDES FROM XSDRN TAPE					
1	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	3001001	
2	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	7001001	
3	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	8001001	
4	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	3008016	
5	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	7008016	
6	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	8008016	
7	AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	1013027	
8	AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	2013027	
9	AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	4013027	
10	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)		UPDATED 08/12/94	5024304	
11	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	5025055	
12	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)		UPDATED 08/12/94	5026304	
13	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)		UPDATED 08/12/94	5028304	
14	PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	6082000	
15	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	1092235	
16	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	1092238	
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	3001001	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	7001001	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	8001001	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94	3008016	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94	7008016	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94	8008016	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
AL-27 1193 218 GP 040375(5)			UPDATED 08/12/94	1013027	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
AL-27 1193 218 GP 040375(5)			UPDATED 08/12/94	2013027	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
AL-27 1193 218 GP 040375(5)			UPDATED 08/12/94	4013027	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)			UPDATED 08/12/94	5024304	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
MANGANESE-55	ENDF/B-IV MAT 1197		UPDATED 08/12/94	5025055	TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A)	=	54.466	TEMPERATURE(KELVIN)	=	293.000
POTENTIAL SCATTER SIGMA	=	2.590	LUMPED NUCLEAR DENSITY	=	1.7363295E-03
SPIN FACTOR (G)	=	14.448	LUMP DIMENSION (A-BAR)	=	0.0000000E+00

INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 55.845 SIGMA(PER ABSORBER ATOM)= 3.4663022E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 55.925 SIGMA(PER ABSORBER ATOM)= 1.2557598E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-5.518788E-04	0.000000E+00	-3.944190E-01
9	-2.797993E-03	0.000000E+00	-2.293471E+00
10	-3.291452E-01	0.000000E+00	-3.820862E+01
11	-2.680562E+00	0.000000E+00	-1.159996E+02

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 3.33719E+00
FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)' UPDATED 08/12/94 5026304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)' UPDATED 08/12/94 5028304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

PB 1288 218NGP 042375 P-3 293K UPDATED 08/12/94 6082000 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-235 ENDF/B-IV MAT 1261 UPDATED 08/12/94 1092235 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 233.025 TEMPERATURE(KELVIN) = 293.000

POTENTIAL SCATTER SIGMA = 11.500 LUMPED NUCLEAR DENSITY = 1.6746225E-03

SPIN FACTOR (G) = 15171.100 LUMP DIMENSION (A-BAR) = 8.2999997E-02

INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 5.1177365E-01

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 26.982 SIGMA(PER ABSORBER ATOM)= 1.2445693E+01

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 238.051 SIGMA(PER ABSORBER ATOM)= 7.7685076E-01

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 1-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
12	-3.991273E+00	-2.455652E+00	-1.020250E-01
13	-1.148550E+01	-5.609972E+00	-2.579727E-01
14	-8.385537E+00	-4.924647E+00	-6.251335E-02
15	-4.888190E-04	-3.721843E-04	4.008032E-06

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.00383E+02
FISSION 1.20157E+02

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-238 ENDF/B-IV MAT 1262 UPDATED 08/12/94 1092238 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 236.006 TEMPERATURE(KELVIN) = 293.000

POTENTIAL SCATTER SIGMA = 10.599 LUMPED NUCLEAR DENSITY = 1.0554063E-04

SPIN FACTOR (G) = 656.527 LUMP DIMENSION (A-BAR) = 8.2999997E-02

INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 5.1177365E-01

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 26.982 SIGMA(PER ABSORBER ATOM)= 1.9747691E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 235.044 SIGMA(PER ABSORBER ATOM)= 1.8885785E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 1-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
9	-3.221209E-04	0.000000E+00	-3.615814E-03
10	-1.701700E-02	-9.645751E-08	-1.233430E-01
11	-7.790445E-01	0.000000E+00	-2.481573E+00
12	-7.111002E+00	0.000000E+00	-8.512491E+00
13	-8.282583E+00	0.000000E+00	-2.746092E+00
14	-1.524248E+01	0.000000E+00	-8.966302E-01
15	-5.454276E-09	0.000000E+00	6.277273E-09

EXCESS RESONANCE INTEGRALS

	RESOLVED
ABSORPTION	2.35741E+02
FISSION	5.33533E-04

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

THIS XSDRN WORKING TAPE WAS CREATED 02/26/01 AT 09:18:46
 THE TITLE OF THE PARENT CASE IS AS FOLLOWS
 SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
 BASED ON ENDF-B VERSION 4 DATA
 COMPILED FOR NRC 1/27/89

TAPE ID	4321	NUMBER OF NUCLIDES	16
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	4

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 7001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 8001001
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 7008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 8008016
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 1013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 2013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 4013027
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 5024304
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 5025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 5026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 5028304
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 6082000
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 1092235
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 1092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.11 SECONDS

KK	KK	EEEEEEEEEEEE	NN	NN	0000000000	VV	VV
KK	KK	EEEEEEEEEEEE	NNN	NN	000000000000	VV	VV
KK	KK	EE	NNNN	NN	00	VV	VV
KK	KK	EE	NN NN	NN	00	VV	VV
KK	KK	EE	NN NN	NN	00	VV	VV
KKKKKKKK		EEEEEEEE	NN NN	NN	00	VV	VV
KKKKKKKK		EEEEEEEE	NN NN	NN	00	VV	VV
KK	KK	EE	NN NN	NN	00	VV	VV
KK	KK	EE	NN NN	NN	00	VV	VV
KK	KK	EE	NN NNNN	NN	00	VV	VV
KK	KK	EEEEEEEEEEEE	NN	NNN	000000000000	VVV	VVV
KK	KK	EEEEEEEEEEEE	NN	NN	0000000000	V	V

SSSSSSSSSS	CCCCCCCCCC	AAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SSSSSSSSSS	CC	AAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SSSSSSSSSS	CC	AAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SS	CC	AA	LL	EE	PP	CC
SSSSSSSSSS	CCCCCCCCCC	AA	LLLLLLLLLL	EEEEEEEEEEEE	PP	CCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AA	LLLLLLLLLL	EEEEEEEEEEEE	PP	CCCCCCCCCC

0000000	2222222222	//	2222222222	6666666666	//	0000000	11
00000000	222222222222		222222222222	666666666666		00000000	111
00	22		22	66		00	1111
00	22		22	66		00	11
00	22		22	66		00	11
00	22		22	66		00	11
00	22		22	66		00	11
00	22		22	66		00	11
00	22		22	66		00	11
00	22		22	66		00	11
00000000	222222222222		222222222222	666666666666		00000000	1111111
0000000	222222222222	//	222222222222	666666666666	//	0000000	1111111

0000000	9999999999		11	8888888888		44	9999999999
00000000	999999999999		111	888888888888		444	999999999999
00	99	:::	1111	88	:::	4444	99
00	99	:::	11	88	:::	44 44	99
00	99	:::	11	88	:::	44 44	99
00	999999999999		11	888888888888		44 44	999999999999
00	999999999999		11	888888888888		44 44	999999999999
00	99	:::	11	88	:::	444444444444	99
00	99	:::	11	88	:::	44444444444444	99
00	99	:::	11	88	:::	44	99
00000000	999999999999		11111111	88888888888888		44	999999999999
0000000	999999999999		11111111	888888888888		44	999999999999


```

SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCCCC AAAAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCCCC
SS SS CC CC AA AA LL EE EE PP PP CC CC
SS CC CC AA AA LL EE EE PP PP CC CC
SS CC CC AA AA LL EE EE PP PP CC CC
SSSSSSSSSS CC AAAAAAAAAAAA LL EEEEEEEEE --- PPPPPPPPPPP CC
SSSSSSSSSS CC AAAAAAAAAAAA LL EEEEEEEEE --- PPPPPPPPPPP CC
SS SS CC AA AA LL EE EE PP PP CC CC
SS SS CC AA AA LL EE EE PP PP CC CC
SSSSSSSSSS CCCCCCCCCCCC AA AA LLLLLLLLLLL EEEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCCCC AA AA LLLLLLLLLLL EEEEEEEEEEEE PP CCCCCCCCCC

```

```

*****
*****
***** PROGRAM VERIFICATION INFORMATION *****
***** CODE SYSTEM: SCALE-PC VERSION: 4.3 *****
*****
*****
***** PROGRAM: 000009 *****
*****
***** CREATION DATE: 03/08/96 *****
*****
***** VOLUME: ENG *****
*****
***** LIBRARY: G:\SCALE43\WIN_NT\EXE *****
*****
***** THIS IS NOT A SCALE-PC CONFIGURATION CONTROLLED CODE *****
*****
***** JOBNAME: SCALE-PC *****
*****
***** DATE OF EXECUTION: 02/26/01 *****
*****
***** TIME OF EXECUTION: 09:18:49 *****
*****
*****
*****
*****

```


GENERATION KENO MESSAGE NUMBER K5-132	GENERATION K-EFFECTIVE K5-132	ELAPSED TIME MINUTES WARNING... ONLY	AVERAGE K-EFFECTIVE 937 INDEPENDENT	AVG K-EFF FISSION POINTS WERE	MATRIX K-EFFECTIVE GENERATED	MATRIX K-EFF DEVIATION
1	8.55343E-01	4.51767E+00	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
2	9.52762E-01	4.52683E+00	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	9.43276E-01	4.53600E+00	9.43276E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	9.15340E-01	4.54600E+00	9.29308E-01	1.39679E-02	0.00000E+00	0.00000E+00
5	9.20312E-01	4.55517E+00	9.26310E-01	8.60381E-03	0.00000E+00	0.00000E+00
6	9.35103E-01	4.56533E+00	9.28508E-01	6.46878E-03	0.00000E+00	0.00000E+00
7	9.57650E-01	4.57533E+00	9.34336E-01	7.68620E-03	0.00000E+00	0.00000E+00
8	9.12494E-01	4.58450E+00	9.30696E-01	7.25517E-03	0.00000E+00	0.00000E+00
9	9.43531E-01	4.59450E+00	9.32529E-01	6.40001E-03	0.00000E+00	0.00000E+00
10	9.24840E-01	4.60467E+00	9.31568E-01	5.62531E-03	0.00000E+00	0.00000E+00
11	9.10585E-01	4.61383E+00	9.29237E-01	5.48160E-03	0.00000E+00	0.00000E+00
12	9.43642E-01	4.62383E+00	9.30677E-01	5.11014E-03	0.00000E+00	0.00000E+00
13	9.20175E-01	4.63383E+00	9.29722E-01	4.71987E-03	0.00000E+00	0.00000E+00
14	9.75696E-01	4.64400E+00	9.33554E-01	5.76559E-03	0.00000E+00	0.00000E+00
15	9.16658E-01	4.65317E+00	9.32254E-01	5.46050E-03	0.00000E+00	0.00000E+00
16	9.12942E-01	4.66417E+00	9.30875E-01	5.24025E-03	0.00000E+00	0.00000E+00
17	9.19028E-01	4.67417E+00	9.30085E-01	4.94192E-03	0.00000E+00	0.00000E+00
18	9.46357E-01	4.68333E+00	9.31102E-01	4.73330E-03	0.00000E+00	0.00000E+00
19	9.01398E-01	4.69333E+00	9.29354E-01	4.77717E-03	0.00000E+00	0.00000E+00
20	9.20218E-01	4.70250E+00	9.28847E-01	4.53247E-03	0.00000E+00	0.00000E+00
21	9.47900E-01	4.71267E+00	9.29850E-01	4.40301E-03	0.00000E+00	0.00000E+00
22	9.26415E-01	4.72267E+00	9.29678E-01	4.18059E-03	0.00000E+00	0.00000E+00
23	9.54758E-01	4.73283E+00	9.30872E-01	4.15200E-03	0.00000E+00	0.00000E+00
24	9.15572E-01	4.74200E+00	9.30177E-01	4.01940E-03	0.00000E+00	0.00000E+00
25	9.51173E-01	4.75200E+00	9.31090E-01	3.94767E-03	0.00000E+00	0.00000E+00
26	9.68620E-01	4.76200E+00	9.32653E-01	4.09033E-03	0.00000E+00	0.00000E+00
27	9.63570E-01	4.77117E+00	9.33890E-01	4.11359E-03	0.00000E+00	0.00000E+00
28	9.63525E-01	4.78133E+00	9.35030E-01	4.11329E-03	0.00000E+00	0.00000E+00
29	9.73742E-01	4.79133E+00	9.36464E-01	4.20971E-03	0.00000E+00	0.00000E+00
30	1.00936E+00	4.80050E+00	9.39067E-01	4.82014E-03	0.00000E+00	0.00000E+00
31	8.97393E-01	4.81067E+00	9.37630E-01	4.86791E-03	0.00000E+00	0.00000E+00
32	9.42504E-01	4.82067E+00	9.37793E-01	4.70565E-03	0.00000E+00	0.00000E+00
33	9.12839E-01	4.82983E+00	9.36988E-01	4.62196E-03	0.00000E+00	0.00000E+00
34	9.49503E-01	4.83983E+00	9.37379E-01	4.49225E-03	0.00000E+00	0.00000E+00
35	9.22407E-01	4.85000E+00	9.36925E-01	4.37757E-03	0.00000E+00	0.00000E+00
36	9.26712E-01	4.85917E+00	9.36625E-01	4.25747E-03	0.00000E+00	0.00000E+00
37	9.28231E-01	4.86917E+00	9.36385E-01	4.14099E-03	0.00000E+00	0.00000E+00
38	9.15251E-01	4.87833E+00	9.35798E-01	4.06691E-03	0.00000E+00	0.00000E+00
39	9.56362E-01	4.88833E+00	9.36354E-01	3.99433E-03	0.00000E+00	0.00000E+00
40	9.39974E-01	4.89750E+00	9.36449E-01	3.88896E-03	0.00000E+00	0.00000E+00
41	9.49166E-01	4.90767E+00	9.36775E-01	3.80194E-03	0.00000E+00	0.00000E+00
42	9.50192E-01	4.91767E+00	9.37110E-01	3.72082E-03	0.00000E+00	0.00000E+00
43	9.28187E-01	4.92783E+00	9.36893E-01	3.63546E-03	0.00000E+00	0.00000E+00
44	9.10787E-01	4.93783E+00	9.36271E-01	3.60188E-03	0.00000E+00	0.00000E+00
45	9.02307E-01	4.94783E+00	9.35481E-01	3.60472E-03	0.00000E+00	0.00000E+00
46	9.24200E-01	4.95800E+00	9.35225E-01	3.53116E-03	0.00000E+00	0.00000E+00
47	9.56755E-01	4.96717E+00	9.35703E-01	3.48480E-03	0.00000E+00	0.00000E+00
48	8.98639E-01	4.97717E+00	9.34898E-01	3.50215E-03	0.00000E+00	0.00000E+00
49	9.12026E-01	4.98733E+00	9.34411E-01	3.46121E-03	0.00000E+00	0.00000E+00
50	9.09649E-01	4.99733E+00	9.33895E-01	3.42738E-03	0.00000E+00	0.00000E+00
784	8.94491E-01	1.22155E+01	9.28832E-01	9.01006E-04	0.00000E+00	0.00000E+00
785	9.08315E-01	1.22255E+01	9.28806E-01	9.00236E-04	0.00000E+00	0.00000E+00
786	8.88725E-01	1.22357E+01	9.28755E-01	9.00539E-04	0.00000E+00	0.00000E+00
787	9.49059E-01	1.22465E+01	9.28781E-01	8.99763E-04	0.00000E+00	0.00000E+00
788	9.75643E-01	1.22557E+01	9.28841E-01	9.00593E-04	0.00000E+00	0.00000E+00
789	9.74076E-01	1.22658E+01	9.28898E-01	9.01283E-04	0.00000E+00	0.00000E+00
790	8.89811E-01	1.22768E+01	9.28848E-01	9.01504E-04	0.00000E+00	0.00000E+00
791	9.17117E-01	1.22860E+01	9.28834E-01	9.00484E-04	0.00000E+00	0.00000E+00
792	9.30645E-01	1.22960E+01	9.28836E-01	8.99346E-04	0.00000E+00	0.00000E+00
793	9.19421E-01	1.23052E+01	9.28824E-01	8.98287E-04	0.00000E+00	0.00000E+00
794	9.41785E-01	1.23152E+01	9.28840E-01	8.97301E-04	0.00000E+00	0.00000E+00
795	9.60725E-01	1.23253E+01	9.28881E-01	8.97071E-04	0.00000E+00	0.00000E+00
796	8.98373E-01	1.23345E+01	9.28842E-01	8.96764E-04	0.00000E+00	0.00000E+00
797	9.13509E-01	1.23445E+01	9.28823E-01	8.95843E-04	0.00000E+00	0.00000E+00
798	8.86803E-01	1.23547E+01	9.28770E-01	8.96272E-04	0.00000E+00	0.00000E+00
799	9.61447E-01	1.23647E+01	9.28811E-01	8.96086E-04	0.00000E+00	0.00000E+00
800	9.72897E-01	1.23747E+01	9.28866E-01	8.96665E-04	0.00000E+00	0.00000E+00
801	9.47415E-01	1.23857E+01	9.28890E-01	8.95843E-04	0.00000E+00	0.00000E+00
802	9.51550E-01	1.23958E+01	9.28918E-01	8.95171E-04	0.00000E+00	0.00000E+00
803	9.57784E-01	1.24050E+01	9.28954E-01	8.94779E-04	0.00000E+00	0.00000E+00


KENO MESSAGE NUMBER K5-123



EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.


LIFETIME = 7.89581E-05 + OR - 1.41168E-07 GENERATION TIME = 3.69606E-05 + OR - 6.24488E-08
 NU BAR = 2.42056E+00 + OR - 1.23157E-05 AVERAGE FISSION GROUP = 2.33314E+01 + OR - 4.51865E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 7.56224E-02 + OR - 2.51308E-04


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.92894	+ OR - 0.00090	0.92804 TO 0.92983	0.92714 TO 0.93073	0.92625 TO 0.93162	800000
4	0.92895	+ OR - 0.00090	0.92806 TO 0.92985	0.92716 TO 0.93075	0.92626 TO 0.93164	799000
5	0.92896	+ OR - 0.00090	0.92807 TO 0.92986	0.92717 TO 0.93076	0.92627 TO 0.93166	798000
6	0.92896	+ OR - 0.00090	0.92806 TO 0.92985	0.92716 TO 0.93075	0.92626 TO 0.93165	797000
7	0.92892	+ OR - 0.00090	0.92802 TO 0.92982	0.92712 TO 0.93072	0.92622 TO 0.93162	796000
8	0.92894	+ OR - 0.00090	0.92804 TO 0.92984	0.92714 TO 0.93074	0.92624 TO 0.93164	795000
9	0.92892	+ OR - 0.00090	0.92802 TO 0.92982	0.92712 TO 0.93072	0.92622 TO 0.93163	794000
10	0.92893	+ OR - 0.00090	0.92803 TO 0.92983	0.92712 TO 0.93073	0.92622 TO 0.93163	793000
11	0.92895	+ OR - 0.00090	0.92805 TO 0.92985	0.92714 TO 0.93076	0.92624 TO 0.93166	792000
12	0.92893	+ OR - 0.00090	0.92803 TO 0.92984	0.92712 TO 0.93074	0.92622 TO 0.93164	791000
17	0.92893	+ OR - 0.00091	0.92803 TO 0.92984	0.92712 TO 0.93075	0.92621 TO 0.93165	786000
22	0.92894	+ OR - 0.00091	0.92802 TO 0.92985	0.92711 TO 0.93076	0.92620 TO 0.93167	781000
27	0.92879	+ OR - 0.00091	0.92788 TO 0.92971	0.92697 TO 0.93062	0.92605 TO 0.93154	776000
32	0.92861	+ OR - 0.00091	0.92770 TO 0.92952	0.92679 TO 0.93043	0.92588 TO 0.93134	771000
37	0.92861	+ OR - 0.00092	0.92770 TO 0.92953	0.92678 TO 0.93044	0.92587 TO 0.93136	766000
42	0.92853	+ OR - 0.00092	0.92761 TO 0.92944	0.92669 TO 0.93036	0.92577 TO 0.93128	761000
47	0.92855	+ OR - 0.00092	0.92763 TO 0.92948	0.92671 TO 0.93040	0.92578 TO 0.93132	756000
52	0.92864	+ OR - 0.00093	0.92771 TO 0.92957	0.92679 TO 0.93050	0.92586 TO 0.93142	751000
57	0.92862	+ OR - 0.00093	0.92769 TO 0.92956	0.92676 TO 0.93049	0.92583 TO 0.93142	746000
772	0.93019	+ OR - 0.00534	0.92485 TO 0.93552	0.91951 TO 0.94086	0.91417 TO 0.94620	31000
777	0.93071	+ OR - 0.00572	0.92499 TO 0.93643	0.91926 TO 0.94216	0.91354 TO 0.94788	26000
782	0.93322	+ OR - 0.00670	0.92652 TO 0.93993	0.91982 TO 0.94663	0.91311 TO 0.95334	21000
787	0.93744	+ OR - 0.00753	0.92990 TO 0.94497	0.92237 TO 0.95251	0.91483 TO 0.96004	16000
792	0.93743	+ OR - 0.00858	0.92885 TO 0.94601	0.92027 TO 0.95458	0.91169 TO 0.96316	11000
797	0.94632	+ OR - 0.01243	0.93388 TO 0.95875	0.92145 TO 0.97118	0.90902 TO 0.98362	6000

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS $K\text{-EFF} = 0.9289 \pm 0.0009$ WHICH OCCURS FOR 803 GENERATIONS RUN.









GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	SKIPPING 3 GENERATIONS
									PERCENT DEVIATION
1	0.0003			3.08599E-04	3.2806	1.45027E-03	1.0089	0.00000E+00	0.0000
2	0.0016			1.46285E-03	1.0429	3.34241E-03	0.3409	0.00000E+00	0.0000
3	0.0020			1.82688E-03	0.8427	1.18930E-03	0.5459	0.00000E+00	0.0000
4	0.0011			1.05761E-03	1.1461	6.32283E-04	0.8050	0.00000E+00	0.0000
5	0.0016			1.45380E-03	0.9568	1.13056E-03	0.5669	0.00000E+00	0.0000
6	0.0021			1.94135E-03	0.7005	2.95458E-03	0.3781	0.00000E+00	0.0000
7	0.0021			1.98165E-03	0.7377	5.02578E-03	0.3877	0.00000E+00	0.0000
8	0.0023			2.10841E-03	0.9509	4.39348E-03	0.4452	0.00000E+00	0.0000
9	0.0031			2.83491E-03	1.1509	4.85365E-03	0.5306	0.00000E+00	0.0000
10	0.0067			6.19361E-03	1.0243	1.16847E-02	0.4715	0.00000E+00	0.0000
11	0.0142			1.31987E-02	0.8508	1.77136E-02	0.4712	0.00000E+00	0.0000
12	0.0190			1.76164E-02	0.8312	1.81847E-02	0.5562	0.00000E+00	0.0000
13	0.0182			1.69247E-02	0.8974	2.19290E-02	0.5596	0.00000E+00	0.0000
14	0.0157			1.45530E-02	0.8694	2.55460E-02	0.4510	0.00000E+00	0.0000
15	0.0030			2.79913E-03	1.6979	1.10108E-02	0.5184	0.00000E+00	0.0000
16	0.0021			1.94710E-03	2.2898	6.54953E-03	0.5876	0.00000E+00	0.0000
17	0.0033			3.02592E-03	2.2997	4.35406E-03	0.9772	0.00000E+00	0.0000
18	0.0046			4.28783E-03	2.1737	4.51204E-03	1.0749	0.00000E+00	0.0000
19	0.0056			5.21682E-03	1.8496	7.03214E-03	0.7471	0.00000E+00	0.0000
20	0.0234			2.17310E-02	0.9062	2.60732E-02	0.4375	0.00000E+00	0.0000
21	0.0127			1.17969E-02	1.2310	1.13868E-02	0.6969	0.00000E+00	0.0000
22	0.0307			2.85500E-02	0.8799	2.63312E-02	0.5384	0.00000E+00	0.0000
23	0.1087			1.00964E-01	0.4455	1.02819E-01	0.2386	0.00000E+00	0.0000
24	0.2182			2.02681E-01	0.2924	2.10037E-01	0.1542	0.00000E+00	0.0000
25	0.1858			1.72586E-01	0.3061	1.78378E-01	0.1595	0.00000E+00	0.0000
26	0.2292			2.12900E-01	0.2855	2.18767E-01	0.1605	0.00000E+00	0.0000
27	0.0829			7.69878E-02	0.4909	7.46563E-02	0.2891	0.00000E+00	0.0000
SYSTEM TOTAL =				9.28936E-01	0.0964	1.00194E+00	0.0244	0.00000E+00	0.0000
ELAPSED TIME 12.40683 MINUTES									
RANDOM NUMBER= 1BC744B1029D									

```
                                FREQUENCY FOR GENERATIONS    4 TO 803
0.8495 TO 0.8552      *
0.8552 TO 0.8609    ***
0.8609 TO 0.8666    **
0.8666 TO 0.8723    **
0.8723 TO 0.8780    *****
0.8780 TO 0.8836    *****
0.8836 TO 0.8893    *****
0.8893 TO 0.8950    *****
0.8950 TO 0.9007    *****
0.9007 TO 0.9064    *****
0.9064 TO 0.9120    *****
0.9120 TO 0.9177    *****
0.9177 TO 0.9234    *****
0.9234 TO 0.9291    *****
0.9291 TO 0.9348    *****
0.9348 TO 0.9405    *****
0.9405 TO 0.9461    *****
0.9461 TO 0.9518    *****
0.9518 TO 0.9575    *****
0.9575 TO 0.9632    *****
0.9632 TO 0.9689    *****
0.9689 TO 0.9746    *****
0.9746 TO 0.9802    *****
0.9802 TO 0.9859    *****
0.9859 TO 0.9916    ***
0.9916 TO 0.9973    *
0.9973 TO 1.0030    *
1.0030 TO 1.0086    *
1.0086 TO 1.0143    ***
```

```
                                FREQUENCY FOR GENERATIONS 204 TO 803
0.8495 TO 0.8552      *
0.8552 TO 0.8609     **
0.8609 TO 0.8666     **
0.8666 TO 0.8723     *
0.8723 TO 0.8780     *****
0.8780 TO 0.8836     *****
0.8836 TO 0.8893     *****
0.8893 TO 0.8950     *****
0.8950 TO 0.9007     *****
0.9007 TO 0.9064     *****
0.9064 TO 0.9120     *****
0.9120 TO 0.9177     *****
0.9177 TO 0.9234     *****
0.9234 TO 0.9291     *****
0.9291 TO 0.9348     *****
0.9348 TO 0.9405     *****
0.9405 TO 0.9461     *****
0.9461 TO 0.9518     *****
0.9518 TO 0.9575     *****
0.9575 TO 0.9632     *****
0.9632 TO 0.9689     *****
0.9689 TO 0.9746     *****
0.9746 TO 0.9802     *****
0.9802 TO 0.9859     *****
0.9859 TO 0.9916     ***
0.9916 TO 0.9973     *
0.9973 TO 1.0030     *
1.0030 TO 1.0086     *
1.0086 TO 1.0143     **
```

FREQUENCY FOR GENERATIONS 404 TO 803

0.8495 TO 0.8552 *
0.8552 TO 0.8609 **
0.8609 TO 0.8666 *
0.8666 TO 0.8723 *
0.8723 TO 0.8780 ***
0.8780 TO 0.8836 *****
0.8836 TO 0.8893 *****
0.8893 TO 0.8950 *****
0.8950 TO 0.9007 *****
0.9007 TO 0.9064 *****
0.9064 TO 0.9120 *****
0.9120 TO 0.9177 *****
0.9177 TO 0.9234 *****
0.9234 TO 0.9291 *****
0.9291 TO 0.9348 *****
0.9348 TO 0.9405 *****
0.9405 TO 0.9461 *****
0.9461 TO 0.9518 *****
0.9518 TO 0.9575 *****
0.9575 TO 0.9632 *****
0.9632 TO 0.9689 *****
0.9689 TO 0.9746 *****
0.9746 TO 0.9802 *****
0.9802 TO 0.9859 *****
0.9859 TO 0.9916 **
0.9916 TO 0.9973 *
0.9973 TO 1.0030 *
1.0030 TO 1.0086 *
1.0086 TO 1.0143 *

FREQUENCY FOR GENERATIONS 604 TO 803

0.8495 TO 0.8552
0.8552 TO 0.8609 *
0.8609 TO 0.8666
0.8666 TO 0.8723
0.8723 TO 0.8780 ***
0.8780 TO 0.8836 ***
0.8836 TO 0.8893 *****
0.8893 TO 0.8950 *****
0.8950 TO 0.9007 *****
0.9007 TO 0.9064 *****
0.9064 TO 0.9120 *****
0.9120 TO 0.9177 *****
0.9177 TO 0.9234 *****
0.9234 TO 0.9291 *****
0.9291 TO 0.9348 *****
0.9348 TO 0.9405 *****
0.9405 TO 0.9461 *****
0.9461 TO 0.9518 *****
0.9518 TO 0.9575 *****
0.9575 TO 0.9632 *****
0.9632 TO 0.9689 ****
0.9689 TO 0.9746 ***
0.9746 TO 0.9802 *****
0.9802 TO 0.9859 *
0.9859 TO 0.9916
0.9916 TO 0.9973
0.9973 TO 1.0030
1.0030 TO 1.0086
1.0086 TO 1.0143

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 12.40683 MINUTES
.....

□

6.6.8 **DIDO Fuel Assemblies**

This section contains abbreviated output files from the most reactive normal condition and accident condition moderator density variation cases.

Figure 6.6.8-1 Maximum Reactivity DIDO Configuration – Eight Cask Array

```
NAC International
QSCALENT Banner Generation Utility v3.6 (20010221)
-----+
I JOB INFORMATION I
-----+
Output File Name:      eight-cask-void_ext.out
Start Date:           February 21, 2001
Start Time:           18:17:21
.
-----+
I SOFTWARE INFORMATION I
-----+
Program Name:         Scale 4.3 for Windows NT 4.0
Version:              4.3.1
Installation Date:    June 10, 1998
Code Verification Package #: EA913-1010-94, Rev. 0
Code Verification Date: June 10, 1998
Program Location:     G:\scale43\win_nt\exe
.
-----+
I SYSTEM INFORMATION I
-----+
Computer Type:        Dell Precision 410
Operating System:     Windows NT Version 4.0
Computer ID:          57NTY (MAC# 00C04F600P94)
Serial Number:        57NTY
Login ID:             zjr
System Verification Date: July 3, 2000
```

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT with Loose DIDO HEU Fuel, Accident Condition, Radial Shift Pattern - Centere
'Fuel Tube Thick - Nominal Fuel Tube OD - Nominal Fuel Tube Height - Nominal
'Fuel Base Plate - Nominal Fuel Plate Diameter - Nominal Fuel Plate Thickness
'Fuel Plate Clad Thickness - Min Active Fuel Length - Min Fuel Element Height
'U235 Fuel Mass - Max Uranium Weight Fraction - Max Cylinder Pitch - Outer_Fix
27GROUPNDP4 LATTICECELL
'Material Description for LWT Analysis - DIDO HEU Fuel
URANIUM 1 DEN=0.5477 1.0 293.0 92235 94.0 92238 06.0 END
AL 1 DEN=1.7930 1.0 293.0 END
AL 2 1.00 293.0 END
H2O 3 DEN=0.9998 1.00 293.0 END
AREMGLC 0.9437 3 0 1 0
6012 2 1001 6 8016 2
4 0.5840 END
H2O 4 0.4160 293.0 END
PB 5 1.00 293.0 END
SS304 6 1.00 293.0 END
AL 7 1.00 293.0 END
SS304 8 1.00 293.0 END
H2O 9 DEN=0.0001 1.00 293.0 END
END COMP
SYMMSLABCELL 0.9800 0.0650 1 3 0.1300 2 END

READ PARAM TBA=5 TME=90 RUN=YES PLT=NO
GEN=1203 NPG=1000 END PARAM
READ START XSM=-16.85 XSP=16.85 YSM=16.85 YSP=-16.85
ZSM=26.67 ZSP=473.35 END START
READ GEOM
UNIT 1
COM='Fueled Annular Sections Tube 1 Loose
'Fuel Annulus 1
CYLINDER 3 1 3.0300 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.0625 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 1 1 3.1275 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.1600 58.7500 0.0000 ORIGIN 0.0000 0.0000
'Fuel Annulus 2
CYLINDER 3 1 3.5300 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.5625 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 1 1 3.6275 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.6600 58.7500 0.0000 ORIGIN 0.0000 0.0000
'Fuel Annulus 3
CYLINDER 3 1 4.0300 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 4.0625 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 1 1 4.1275 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 4.1600 58.7500 0.0000 ORIGIN 0.0000 0.0000
'Fuel Annulus 4
CYLINDER 3 1 4.5300 58.7500 0.0000
CYLINDER 2 1 4.5625 58.7500 0.0000
CYLINDER 1 1 4.6275 58.7500 0.0000
CYLINDER 2 1 4.6599 58.7500 0.0000
UNIT 2
COM='Axial Clad Sections Tube 1 Loose
'Clad Axial End Piece 1
CYLINDER 3 1 3.0300 1.3750 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.1600 1.3750 0.0000 ORIGIN 0.0000 0.0000
'Clad Axial End Piece 2
CYLINDER 3 1 3.5300 1.3750 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.6600 1.3750 0.0000 ORIGIN 0.0000 0.0000
'Clad Axial End Piece 3
CYLINDER 3 1 4.0300 1.3750 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 4.1600 1.3750 0.0000 ORIGIN 0.0000 0.0000
'Clad Axial End Piece 4
CYLINDER 3 1 4.5300 1.3750 0.0000
CYLINDER 2 1 4.6599 1.3750 0.0000
UNIT 3
COM='Fuel Element Tube 1
CYLINDER 3 1 4.6600 61.5000 0.0000
HOLE 2 0.0000 0.0000 0.0000
HOLE 1 0.0000 0.0000 1.3750
HOLE 2 0.0000 0.0000 60.1250
UNIT 4
COM='Basket Fuel Tube - Fuel Down Radial Centered'
CYLINDER 3 1 5.0927 73.1773 0.0000
HOLE 3 0.0000 0.0000 0.0000
CYLINDER 2 1 5.3974 73.1773 0.0000
UNIT 5
COM='Basket Fuel Tube - Fuel Up Radial Centered'
CYLINDER 3 1 5.0927 73.1773 0.0000
HOLE 3 0.0000 0.0000 11.6772
CYLINDER 2 1 5.3974 73.1773 0.0000
UNIT 6
COM='Basket Bottom Plate Hole
CYLINDER 3 1 1.27 1.2698 0.0000
UNIT 7
COM='Basket Bottom Plate
CYLINDER 6 1 16.8466 1.2698 0.0000
HOLE 6 0.0000 0.0000 0.0000
HOLE 6 10.7950 0.0000 0.0000
HOLE 6 5.3975 9.3487 0.0000
HOLE 6 -5.3975 9.3487 0.0000
HOLE 6 -10.7950 0.0000 0.0000
HOLE 6 -5.3975 -9.3487 0.0000
HOLE 6 5.3975 -9.3487 0.0000
UNIT 8
COM='Heat Transfer Bar / Rod
CYLINDER 7 1 0.3165 73.1773 0.0000
UNIT 9
COM='Basket Fuel Down'
CYLINDER 3 1 16.1926 73.1773 0.0000
HOLE 4 0.0000 0.0000 0.0000
HOLE 4 10.7950 0.0000 0.0000
HOLE 8 4.9493 2.8575 0.0000
HOLE 8 4.6024 3.3881 0.0000
HOLE 8 5.2354 2.2917 0.0000
HOLE 4 5.3975 9.3487 0.0000
HOLE 8 0.0000 5.7150 0.0000

```

```

HOLE 8 -0.6330 5.6798 0.0000
HOLE 8 0.6330 5.6798 0.0000
HOLE 4 -5.3975 9.3487 0.0000
HOLE 8 -4.9493 2.8575 0.0000
HOLE 8 -5.2354 2.2917 0.0000
HOLE 8 -4.6024 3.3881 0.0000
HOLE 4 -10.7950 0.0000 0.0000
HOLE 8 -4.9493 -2.8575 0.0000
HOLE 8 -4.6024 -3.3881 0.0000
HOLE 8 -5.2354 -2.2917 0.0000
HOLE 4 -5.3975 -9.3487 0.0000
HOLE 8 0.0000 -5.7150 0.0000
HOLE 8 0.6330 -5.6798 0.0000
HOLE 8 -0.6330 -5.6798 0.0000
HOLE 4 5.3975 -9.3487 0.0000
HOLE 8 4.9493 -2.8575 0.0000
HOLE 8 5.2354 -2.2917 0.0000
HOLE 8 4.6024 -3.3881 0.0000
CYLINDER 7 1 16.6688 73.1773 0.0000
CYLINDER 3 1 16.8466 73.1773 0.0000
UNIT 10
COM='Basket Fuel Up'
CYLINDER 3 1 16.1926 73.1773 0.0000
HOLE 5 0.0000 0.0000 0.0000
HOLE 5 10.7950 0.0000 0.0000
HOLE 8 4.9493 2.8575 0.0000
HOLE 8 4.6024 3.3881 0.0000
HOLE 8 5.2354 2.2917 0.0000
HOLE 5 5.3975 9.3487 0.0000
HOLE 8 0.0000 5.7150 0.0000
HOLE 8 -0.6330 5.6798 0.0000
HOLE 8 0.6330 5.6798 0.0000
HOLE 5 -5.3975 9.3487 0.0000
HOLE 8 -4.9493 2.8575 0.0000
HOLE 8 -5.2354 2.2917 0.0000
HOLE 8 -4.6024 3.3881 0.0000
HOLE 5 -10.7950 0.0000 0.0000
HOLE 8 -4.9493 -2.8575 0.0000
HOLE 8 -4.6024 -3.3881 0.0000
HOLE 8 -5.2354 -2.2917 0.0000
HOLE 5 -5.3975 -9.3487 0.0000
HOLE 8 0.0000 -5.7150 0.0000
HOLE 8 0.6330 -5.6798 0.0000
HOLE 8 -0.6330 -5.6798 0.0000
HOLE 5 5.3975 -9.3487 0.0000
HOLE 8 4.9493 -2.8575 0.0000
HOLE 8 5.2354 -2.2917 0.0000
HOLE 8 4.6024 -3.3881 0.0000
CYLINDER 7 1 16.6688 73.1773 0.0000
CYLINDER 3 1 16.8466 73.1773 0.0000
UNIT 11
COM='Cask Cavity'
CYLINDER 3 1 16.9863 446.6844 0.0000
HOLE 7 0.0000 0.0000 0.0001
HOLE 10 0.0000 0.0000 1.2700
HOLE 7 0.0000 0.0000 74.4475
HOLE 9 0.0000 0.0000 75.7174
HOLE 7 0.0000 0.0000 148.8949
HOLE 10 0.0000 0.0000 150.1648
HOLE 7 0.0000 0.0000 223.3423
HOLE 9 0.0000 0.0000 224.6122
HOLE 7 0.0000 0.0000 297.7897
HOLE 10 0.0000 0.0000 299.0596
HOLE 7 0.0000 0.0000 372.2371
HOLE 9 0.0000 0.0000 373.5070
UNIT 12
COM='Cask Shield Radial Configuration'
CYLINDER 3 1 16.9863 446.6844 0.0000
HOLE 11 0.0000 0.0000 0.0000
CYLINDER 8 1 18.9103 446.6844 0.0000
CYLINDER 5 1 33.4645 446.6844 0.0000
CYLINDER 8 1 36.5189 446.6844 0.0000
CYLINDER 9 1 49.2189 446.6844 0.0000
CYLINDER 8 1 49.8183 446.6844 0.0000
UNIT 13
COM='LWT Lid'
CYLINDER 8 1 36.5189 28.5750 0.5994
CYLINDER 9 1 49.8183 28.5750 0.5994
CYLINDER 8 1 49.8183 28.5750 0.0000
UNIT 14
COM='LWT Bottom Weldment'
CYLINDER 5 1 26.3525 16.5100 8.8900
CYLINDER 8 1 36.5189 26.0706 0.0000
CYLINDER 9 1 49.8183 26.0706 0.0000
CYLINDER 8 1 49.8183 26.6700 0.0000
UNIT 15
COM='LWT Cask'
CYLINDER 9 1 49.8183 501.9297 0.0000
HOLE 14 0.0000 0.0000 0.0000
HOLE 12 0.0000 0.0000 26.6701
HOLE 13 0.0000 0.0000 473.3546
Global UNIT 16
COM='Finite Cask Array 8 Casks'
CUBOID 3 1 199.2744 -149.4558 2P136.1066 501.9297 0.0000
HOLE 15 0.0000 0.0000 0.0000
HOLE 15 99.6368 0.0000 0.0000
HOLE 15 49.8184 86.2880 0.0000
HOLE 15 -49.8184 86.2880 0.0000
HOLE 15 -99.6368 0.0000 0.0000
HOLE 15 -49.8184 -86.2880 0.0000
HOLE 15 49.8184 -86.2880 0.0000
HOLE 15 149.4552 -86.2880 0.0000
END GEOM
READ BOUNDS ALL=H2O END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CASK ARRAY'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=1500

```

XUL=-200 YUL=200 ZUL=57.4
XLR=200 YLR=-200 ZLR=57.4 END
END PLOT
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.77 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 4.67 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1727.35 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1735.75 (SECONDS).

'Fuel Tube Thick - Nominal Fuel Tube OD - Nominal Fuel Tube Height - Nominal
'Fuel Base Plate - Nominal Fuel Plate Diameter - Nominal Fuel Plate Thickness
'Fuel Plate Clad Thickness - Min Active Fuel Length - Min Fuel Element Height
'U235 Fuel Mass - Max Uranium Weight Fraction - Max Cylinder Pitch - Outer_Fix
'Material Description for LWT Analysis - DIDO HEU Fuel
'Fuel Tube Thick - Nominal Fuel Tube OD - Nominal Fuel Tube Height - Nominal
'Fuel Base Plate - Nominal Fuel Plate Diameter - Nominal Fuel Plate Thickness
'Fuel Plate Clad Thickness - Min Active Fuel Length - Min Fuel Element Height
'U235 Fuel Mass - Max Uranium Weight Fraction - Max Cylinder Pitch - Outer_Fix
'Material Description for LWT Analysis - DIDO HEU Fuel
LWT WITH LOOSE DIDO HEU FUEL, ACCIDENT CONDITION, RADIAL SHIFT PATTERN - CENTERE

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MX 9 MIXTURES
MSC 11 COMPOSITION SPECIFICATIONS
IZM 3 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC URANIUM STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.5477 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 94.000 WT%
92238 6.000 WT%

END

SC AL STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 1.7930 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9998 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC ARBMLC STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 0.5840 VOLUME FRACTION
ROTH 0.9437 SPECIFIED DENSITY
NEL 3 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
6012 2.00 ATOMS/MOLECULE
1001 6.00 ATOMS/MOLECULE
8016 2.00 ATOMS/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 0.4160 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC PB STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND

TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

END

SC AL STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.0001 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

**** PROBLEM GEOMETRY ****

CTP SYMMSLABCELL CELL TYPE
PITCH 0.9800 CM CENTER TO CENTER SPACING
FUELOD 0.0650 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 0.1300 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS CLAD
ZONE 3 IS MOD

```

*****
***
***                               LWT WITH LOOSE DIDO HEU FUEL, ACCIDENT CONDITION, RADIAL SHIFT PATTERN - CENTERE***
***
*****
***                               ***** DATA LIBRARY INFORMATION *****
***
***                               UNIT          DATA SET NAME          VOLUME          UNIT FUNCTION
***                               NUMBER          NAME              NAME              -----
***                               -----
***                               89          G:\scale43\DATALIB\FT89F001          STANDARD COMPOSITION LIBRARY
***                               82          G:\scale43\DATALIB\FT82F001          CROSS SECTION LIBRARY
***                               11          T:\PROJECTS\sts-proj\DIDO\14110--1\v1.8\HEU\          SHORT CROSS SECTION LIBRARY
***                               90          T:\PROJECTS\sts-proj\DIDO\14110--1\v1.8\HEU\          INPUT DATA DIRECT ACCESS
***
*****
***
***                               STANDARD COMPOSITION LIBRARY DATA
***                               -----
***
***                               UNIT NUMBER : 89
***                               DATASET NAME : G:\scale43\DATALIB\FT89F001
***                               LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
***                               637 STANDARD COMPOSITIONS, 490 NUCLIDES
***                               90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
***                               CREATION DATE: 6/30/95
***
***                               CROSS SECTION LIBRARY DATA
***                               -----
***
***                               UNIT NUMBER : 82
***                               DATASET NAME : G:\scale43\DATALIB\FT82F001
***                               LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
***                               BASED ON ENDF-B VERSION 4 DATA
***                               COMPILED FOR NRC 1/27/89
***                               LAST UPDATED 08/12/94
***                               L.M.PETRIE - ORNL
***
*****

```

```

..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....

```

- 'Fuel Annulus 1
- 'Fuel Annulus 2
- 'Fuel Annulus 3
- 'Fuel Annulus 4
- 'Clad Axial End Piece 1
- 'Clad Axial End Piece 2
- 'Clad Axial End Piece 3
- 'Clad Axial End Piece 4

```

***** DATA READING COMPLETED *****
..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....

```

CONTROL MODULE CSAS25 IS COMPLETE.


```
BBBBBBBBBBB 0000000000 NN NN AAAAAAAA MM MM IIIIIIIIIII 2222222222
BBBBBBBBBBB 0000000000 NNN NN AAAAAAAAAA MMM MMM IIIIIIIIIII 2222222222
BB BB 00 00 NNNN NN AA AA MMMM MM III 22 22
BB BB 00 00 NN NN NN AA AA MM MM MM III 22 22
BB BB 00 00 NN NN NN AA AA MM MM MM III 22 22
BBBBBBBBBBB 00 00 NN NN NN ----- AAAAAAAAAA MM MM MM III 22
BBBBBBBBBBB 00 00 NN NN NN ----- AAAAAAAAAA MM M MM III 22
BB BB 00 00 NN NN NN AA AA MM MM III 22
BB BB 00 00 NN NN NN AA AA MM MM III 22
BB BB 00 00 NN NN NN AA AA MM MM III 22
BBBBBBBBBBB 0000000000 NN NNN IIIIIIIIIII 2222222222
BBBBBBBBBBB 0000000000 NN NN AA AA MM MM IIIIIIIIIII 2222222222
```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SS SS CC AA AA LL EE PP PP CC CC
SS CC AA AA LL EE PP PP CC CC
SS CC AA AA LL EE PP PP CC CC
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPPP CC
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPPP CC
SS CC AA AA LL EE PP PP CC
SS CC AA AA LL EE PP PP CC
SS SS CC AA AA LL EE PP PP CC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
```

```
0000000 2222222222 // 2222222222 11 0000000 11
00000000 222222222222 222222222222 111 00000000 111
00 00 22 22 22 22 1111 00 00 1111
00 00 22 22 22 22 11 00 00 11
00 00 22 22 22 22 11 00 00 11
00 00 22 22 22 22 11 00 00 11
00 00 22 22 22 22 11 00 00 11
00 00 22 22 22 22 11 00 00 11
00 00 22 22 22 22 11 00 00 11
00 00 22 22 22 22 11 00 00 11
00000000 222222222222 // 222222222222 11111111 00000000 11111111
0000000 222222222222 222222222222 11111111 0000000 11111111
```

```
11 8888888888 11 777777777777 2222222222 666666666666
111 888888888888 111 77777777777 222222222222 666666666666
1111 88 88 1111 77 77 22 66
11 88 88 11 77 77 22 66
11 88 88 11 77 77 22 66
11 8888888888 11 77 77 22 666666666666
11 888888888888 11 77 77 22 666666666666
11 88 88 11 77 77 22 66 66
11 88 88 11 77 77 22 66 66
11 88 88 11 77 77 22 66 66
11111111 888888888888 11111111 77 77 222222222222 666666666666
11111111 888888888888 11111111 77 77 222222222222 666666666666
```


-1Q ARRAY HAS	1 ENTRIES.
0Q ARRAY HAS	4 ENTRIES.
1Q ARRAY HAS	6 ENTRIES.
2Q ARRAY HAS	2 ENTRIES.

LOGICAL ASSIGNMENTS

MASTER LIBRARY 11
WORKING LIBRARY 0
SCRATCH FILE 18
NEW LIBRARY 1

PROBLEM DESCRIPTION

IGR--GEOMETRY (0/1/2/3--INF MED/SLAB/CYL/SPHERE) 1
IZM--NUMBER OF ZONES OR MATERIAL REGIONS 9
MS--MIXING TABLE LENGTH 21
IBL--SHIELDED CROSS SECTION EDIT OPTION (0/1--NO/YES) 0
IBR--BONDARENKO FACTOR EDIT OPTION (0/1--NO/YES) 0
ISSOPT--DANCOFF FACTOR OPTION 0
CONVERGENCE CRITERION 1.00000E-03
GEOMETRY CORRECTION FACTOR FOR WIGNER RATIONAL APPROXIMATION 1.000E+00

3Q ARRAY HAS 21 ENTRIES.
4Q ARRAY HAS 21 ENTRIES.
5Q ARRAY HAS 21 ENTRIES.
6Q ARRAY HAS 9 ENTRIES.
7Q ARRAY HAS 9 ENTRIES.
8Q ARRAY HAS 9 ENTRIES.
9Q ARRAY HAS 9 ENTRIES.
10Q ARRAY HAS 21 ENTRIES.
11Q ARRAY HAS 9 ENTRIES.

MIXING TABLE

ENTRY	MIXTURE	ISOTOPE	NUMBER DENSITY	NEW IDENTIFIER
1	1	92235	1.31908E-03	1092235
2	1	92238	8.31332E-05	1092238
3	1	13027	4.00184E-02	1013027
4	2	13027	6.03066E-02	2013027
5	7	13027	6.03066E-02	7013027
6	3	1001	6.68762E-02	3001001
7	4	1001	5.98801E-02	4001001
8	9	1001	6.68896E-06	9001001
9	3	8016	3.34381E-02	3008016
10	4	8016	2.45894E-02	4008016
11	9	8016	3.34448E-06	9008016
12	4	6012	1.07014E-02	4006012
13	5	82000	3.29690E-02	5082000
14	6	24304	1.74286E-02	6024304
15	8	24304	1.74286E-02	8024304
16	6	25055	1.73633E-03	6025055
17	8	25055	1.73633E-03	8025055
18	6	26304	5.93579E-02	6026304
19	8	26304	5.93579E-02	8026304
20	6	28304	7.72070E-03	6028304
21	8	28304	7.72070E-03	8028304

GEOMETRY AND MATERIAL DESCRIPTION

ZONE	MIXTURE	OUTER DIMENSION	TEMPERATURE	EXTRA XS	TYPE (0/1--FUEL/MOD)
1	1	3.25000E-02	2.93000E+02	4.53946E+00	0
2	2	6.50000E-02	2.93000E+02	0.00000E+00	0
3	3	4.90000E-01	2.93000E+02	0.00000E+00	0
4	4	5.49000E+00	2.93000E+02	0.00000E+00	0
5	5	1.04900E+01	2.93000E+02	0.00000E+00	0
6	6	1.54900E+01	2.93000E+02	0.00000E+00	0
7	7	2.04900E+01	2.93000E+02	0.00000E+00	0
8	8	2.54900E+01	2.93000E+02	0.00000E+00	0
9	9	3.04900E+01	2.93000E+02	0.00000E+00	0

4087 LOCATIONS OF 100000 AVAILABLE ARE REQUIRED TO MAKE A NEW MASTER CONTAINING THE SELF-SHIELDED VALUES

NO NUCLIDES IN YOUR PROBLEM HAVE BONDARENKO FACTOR DATA**BONAMI WILL COPY FROM LOGICAL 11 TO LOGICAL 1

COPY 1001 HYDROGEN FROM LOG 11 TO LOG 18 BONDARENKO TRIGGER 0
 COPY 1001 HYDROGEN FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 1001 HYDROGEN FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 1001 HYDROGEN FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 6012 CARBON-12 FROM LOG 11 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 11 TO LOG 18 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 11 TO LOG 18 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0

COPY	13027	AL-27 1193 218 G	FROM LOG 18 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	24304	CR 1191 WT SS-30	FROM LOG 11 TO LOG 18	BONDARENKO	TRIGGER 0
COPY	24304	CR 1191 WT SS-30	FROM LOG 18 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	24304	CR 1191 WT SS-30	FROM LOG 18 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	25055	MANGANESE-55	FROM LOG 11 TO LOG 18	BONDARENKO	TRIGGER 0
COPY	25055	MANGANESE-55	FROM LOG 18 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	25055	MANGANESE-55	FROM LOG 18 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	26304	FE 1192 WT SS-30	FROM LOG 11 TO LOG 18	BONDARENKO	TRIGGER 0
COPY	26304	FE 1192 WT SS-30	FROM LOG 18 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	26304	FE 1192 WT SS-30	FROM LOG 18 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	28304	NI 1190 WT SS-30	FROM LOG 11 TO LOG 18	BONDARENKO	TRIGGER 0
COPY	28304	NI 1190 WT SS-30	FROM LOG 18 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	28304	NI 1190 WT SS-30	FROM LOG 18 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	82000	PB 1288 218NGP	FROM LOG 11 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	92235	URANIUM-235	FROM LOG 11 TO LOG 1	BONDARENKO	TRIGGER 0
COPY	92238	URANIUM-238	FROM LOG 11 TO LOG 1	BONDARENKO	TRIGGER 0

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

TAPE ID		4321	NUMBER OF NUCLIDES	21
NUMBER OF NEUTRON GROUPS		27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP		15	LOGICAL UNIT	1

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT	1269/THRM1002	UPDATED 08/12/94	ID	3001001
HYDROGEN	ENDF/B-IV MAT	1269/THRM1002	UPDATED 08/12/94	ID	4001001
HYDROGEN	ENDF/B-IV MAT	1269/THRM1002	UPDATED 08/12/94	ID	9001001
CARBON-12	ENDF/B-IV MAT	1274/THRM1065	UPDATED 08/12/94	ID	4006012
OXYGEN-16	ENDF/B-IV MAT	1276	UPDATED 08/12/94	ID	3008016
OXYGEN-16	ENDF/B-IV MAT	1276	UPDATED 08/12/94	ID	4008016
OXYGEN-16	ENDF/B-IV MAT	1276	UPDATED 08/12/94	ID	9008016
AL-27	1193 218 GP	040375(5)	UPDATED 08/12/94	ID	1013027
AL-27	1193 218 GP	040375(5)	UPDATED 08/12/94	ID	2013027
AL-27	1193 218 GP	040375(5)	UPDATED 08/12/94	ID	7013027
CR	1191 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	ID	6024304
CR	1191 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	ID	8024304
MANGANESE-55	ENDF/B-IV MAT	1197	UPDATED 08/12/94	ID	6025055
MANGANESE-55	ENDF/B-IV MAT	1197	UPDATED 08/12/94	ID	8025055
FE	1192 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	ID	6026304
FE	1192 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	ID	8026304
NI	1190 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	ID	6028304
NI	1190 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	ID	8028304
PB	1288 218NGP	042375 P-3 293K	UPDATED 08/12/94	ID	5082000
URANIUM-235	ENDF/B-IV MAT	1261	UPDATED 08/12/94	ID	1092235
URANIUM-238	ENDF/B-IV MAT	1262	UPDATED 08/12/94	ID	1092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.17 SECONDS

NN	NN	IIIIIIIIII	TTTTTTTTTT	AAAAAAA	WW	WW	LL
NNN	NN	IIIIIIIIII	TTTTTTTTTT	AAAAAAA	WW	WW	LL
NNNN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AAAAAAA	WW	W	WW
NN NN	NN	II	TT	AAAAAAA	WW	WWW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WWW	WWW
NN NN	NN	II	TT	AA	AA	WWW	WWW
NN NN	NN	IIIIIIIIII	TTTTTTTTTT	AA	AA	WWW	WWW
NN NN	NN	IIIIIIIIII	TTTTTTTTTT	AA	AA	WWW	WWW

SSSSSSSSSS	CCCCCCCC	AAAAAAA	LL	EEEEEEEE	PPPPPPPP	CCCCCCCC
SSSSSSSSSS	CCCCCCCC	AAAAAAA	LL	EEEEEEEE	PPPPPPPP	CCCCCCCC
SS SS	CC CC	AA AA	LL LL	EE EE	PP PP	CC CC
SS	CC	AA AA	LL LL	EE EE	PP PP	CC CC
SS	CC	AA AA	LL LL	EE EE	PP PP	CC CC
SSSSSSSSSS	CC	AAAAAAA	LL	EEEEEEEE	PPPPPPPP	CC
SSSSSSSSSS	CC	AAAAAAA	LL	EEEEEEEE	PPPPPPPP	CC
SS	CC	AA AA	LL LL	EE EE	PP PP	CC CC
SS	CC	AA AA	LL LL	EE EE	PP PP	CC CC
SS	CC	AA AA	LL LL	EE EE	PP PP	CC CC
SSSSSSSSSS	CCCCCCCC	AA AA	LLLLLLLL	EEEEEEEE	PP PP	CCCCCCCC
SSSSSSSSSS	CCCCCCCC	AA AA	LLLLLLLL	EEEEEEEE	PP PP	CCCCCCCC

0000000	222222222	222222222	11	0000000	11
00000000	2222222222	2222222222	111	00000000	111
00 00	22 22	22 22	1111	00 00	1111
00 00	22 22	22 22	11 11	00 00	11 11
00 00	22 22	22 22	11 11	00 00	11 11
00 00	22 22	22 22	11 11	00 00	11 11
00 00	22 22	22 22	11 11	00 00	11 11
00 00	22 22	22 22	11 11	00 00	11 11
00 00	22 22	22 22	11 11	00 00	11 11
00000000	2222222222	2222222222	11111111	00000000	11111111
0000000	2222222222	2222222222	11111111	0000000	11111111

11	8888888888	11	7777777777	2222222222	7777777777
111	888888888888	111	777777777777	222222222222	777777777777
1111	88 88	1111	77 77	22 22	77 77
11	88 88	11	77 77	22 22	77 77
11	88 88	11	77 77	22 22	77 77
11	8888888888	11	77 77	22 22	77 77
11	8888888888	11	77 77	22 22	77 77
11	88 88	11	77 77	22 22	77 77
11	88 88	11	77 77	22 22	77 77
11	88 88	11	77 77	22 22	77 77
11111111	888888888888	11111111	77 77	222222222222	77 77
11111111	888888888888	11111111	77 77	222222222222	77 77

-1Q ARRAY HAS 1 ENTRIES.
0Q ARRAY HAS 9 ENTRIES.
1Q ARRAY HAS 12 ENTRIES.

SELECT 21 NUCLIDES FROM THE MASTER LIBRARY ON LOGICAL 1
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 2
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 3
TO CREATE THE NEW WORKING LIBRARY ON LOGICAL 4

4 RESONANCE CALCULATIONS HAVE BEEN REQUESTED
-1 OUTPUT OPTION FOR AMPX FORMATTED CROSS SECTION DATA
2001 MAXIMUM NUMBER OF RESONANCE MESH INTERVALS
2 ORDER OF RESONANCE LEVEL PROCESSING

THE STORAGE ALLOCATED FOR THIS CASE IS 100000 WORDS

2Q ARRAY HAS 21 ENTRIES.
3Q ARRAY HAS 60 ENTRIES.
4Q ARRAY HAS 21 ENTRIES.

GENERAL INFORMATION CONCERNING CROSS SECTION LIBRARY
TAPE IDENTIFICATION NUMBER 4321
NUMBER OF NUCLIDES ON TAPE 21
NUMBER OF NEUTRON ENERGY GROUPS 27
FIRST THERMAL NEUTRON ENERGY GROUP 15
NUMBER OF GAMMA ENERGY GROUPS 0

DIRECT ACCESS UNIT NUMBER 9 REQUIRES 117 BLOCKS OF LENGTH 1680 WORDS
XSDRN TAPE 4321

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

NUCLIDES FROM XSDRN TAPE

1	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	3001001	
2	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	4001001	
3	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	9001001	
4	CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	4006012	
5	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	3008016	
6	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	4008016	
7	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	9008016	
8	AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	1013027	
9	AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	2013027	
10	AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	7013027	
11	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	6024304	
12	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8024304	
13	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	6025055	
14	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	8025055	
15	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	6026304	
16	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8026304	
17	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	6028304	
18	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8028304	
19	PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	5082000	
20	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	1092235	
21	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	1092238	
	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	3001001	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	4001001	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	9001001	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	4006012	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	3008016	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	4008016	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	9008016	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	1013027	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	2013027	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	7013027	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	6024304	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8024304	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	6025055	TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 54.466 TEMPERATURE(KELVIN) = 293.000

POTENTIAL SCATTER SIGMA = 2.590 LUMPED NUCLEAR DENSITY = 1.7363295E-03
 SPIN FACTOR (G) = 14.448 LUMP DIMENSION (A-BAR) = 0.0000000E+00
 INNER RADIUS = 0.0000000E+00 DANCORFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 55.845 SIGMA(PER ABSORBER ATOM)= 3.4663022E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 55.925 SIGMA(PER ABSORBER ATOM)= 1.2557598E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-5.518788E-04	0.000000E+00	-3.944190E-01
9	-2.797993E-03	0.000000E+00	-2.293471E+00
10	-3.291452E-01	0.000000E+00	-3.820862E+01
11	-2.680562E+00	0.000000E+00	-1.159996E+02

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 3.33719E+00
 FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

MANGANESE-55 ENDF/B-IV MAT 1197

UPDATED 08/12/94 8025055 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 54.466 TEMPERATURE(KELVIN) = 293.000
 POTENTIAL SCATTER SIGMA = 2.590 LUMPED NUCLEAR DENSITY = 1.7363295E-03
 SPIN FACTOR (G) = 14.448 LUMP DIMENSION (A-BAR) = 0.0000000E+00
 INNER RADIUS = 0.0000000E+00 DANCORFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 55.845 SIGMA(PER ABSORBER ATOM)= 3.4663022E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 55.925 SIGMA(PER ABSORBER ATOM)= 1.2557598E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-5.518788E-04	0.000000E+00	-3.944190E-01
9	-2.797993E-03	0.000000E+00	-2.293471E+00
10	-3.291452E-01	0.000000E+00	-3.820862E+01
11	-2.680562E+00	0.000000E+00	-1.159996E+02

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 3.33719E+00
 FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)

UPDATED 08/12/94 6026304 TEMPERATURE= 293.00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)

UPDATED 08/12/94 8026304 TEMPERATURE= 293.00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)

UPDATED 08/12/94 6028304 TEMPERATURE= 293.00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)

UPDATED 08/12/94 8028304 TEMPERATURE= 293.00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

PB 1288 218NGP 042375 P-3 293K

UPDATED 08/12/94 5082000 TEMPERATURE= 293.00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-235 ENDF/B-IV MAT 1261

UPDATED 08/12/94 1092235 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 233.025 TEMPERATURE(KELVIN) = 293.000
 POTENTIAL SCATTER SIGMA = 11.500 LUMPED NUCLEAR DENSITY = 1.3190822E-03
 SPIN FACTOR (G) = 15171.100 LUMP DIMENSION (A-BAR) = 6.4999998E-02
 INNER RADIUS = 0.0000000E+00 DANCORFF CORRECTION (C) = 1.5211706E-01

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 26.982 SIGMA(PER ABSORBER ATOM)= 4.0850834E+01

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 238.051 SIGMA(PER ABSORBER ATOM)= 7.7685082E-01

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 1-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
12	-1.712865E+00	-1.053512E+00	-4.421081E-02
13	-5.191924E+00	-2.544281E+00	-1.184106E-01
14	-3.743466E+00	-2.214335E+00	-2.824813E-02
15	-2.253279E-04	-1.715397E-04	1.537884E-06

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.15925E+02
FISSION 1.28649E+02

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-238 ENDF/B-IV MAT 1262

UPDATED 08/12/94 1092238 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A)	=	236.006	TEMPERATURE(KELVIN)	=	293.000
POTENTIAL SCATTER SIGMA	=	10.599	LUMPED NUCLEAR DENSITY	=	8.3133229E-05
SPIN FACTOR (G)	=	656.527	LUMP DIMENSION (A-BAR)	=	6.4999998E-02
INNER RADIUS	=	0.0000000E+00	DANCOFF CORRECTION (C)	=	1.5211706E-01

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 26.982 SIGMA(PER ABSORBER ATOM)= 6.4818372E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 235.044 SIGMA(PER ABSORBER ATOM)= 1.8885785E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 1-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
9	-1.309125E-04	0.000000E+00	-1.475272E-03
10	-7.025824E-03	-3.903629E-08	-5.099698E-02
11	-3.303697E-01	0.000000E+00	-1.054719E+00
12	-3.107242E+00	0.000000E+00	-3.725560E+00
13	-3.585465E+00	0.000000E+00	-1.189779E+00
14	-6.584399E+00	0.000000E+00	-3.875874E-01
15	-4.155954E-09	0.000000E+00	3.752471E-09

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.57082E+02
FISSION 5.33631E-04

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

THIS XSDRN WORKING TAPE WAS CREATED 02/21/01 AT 18:17:27
THE TITLE OF THE PARENT CASE IS AS FOLLOWS
SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89

TAPE ID	4321	NUMBER OF NUCLIDES	21
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	4

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 4001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 9001001
CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	ID 4006012
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 4008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 9008016
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 1013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 2013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 7013027
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 6024304
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8024304
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 6025055
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 8025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 6026304
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 6028304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8028304
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 5082000
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 1092235
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 1092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.16 SECONDS

```
KK      KK  EEEEEEEEEEE  NN      NN  OOOOOOOOOO  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  OOOOOOOOOOO  VV      VV
KK      KK  EE           NNNN    NN  OO      OO  VV      VV
KK      KK  EE           NN NN   NN  OO      OO  VV      VV
KK      KK  EE           NN NN   NN  OO      OO  VV      VV
KKKKKKKK  EEEEEEEEE  NN NN   NN  OO      OO  VV      VV
KKKKKKKK  EEEEEEEEE  NN NN   NN  OO      OO  VV      VV
KK      KK  EE           NN NN   NN  OO      OO  VV      VV
KK      KK  EE           NN NN   NN  OO      OO  VV      VV
KK      KK  EE           NN NN   NN  OO      OO  VV      VV
KK      KK  EEEEEEEEEEE  NN     NNN  OOOOOOOOOOO  VV      VV
KK      KK  EEEEEEEEEEE  NN     NN  OOOOOOOOOO  V

```

```
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CC      CC  AAAAAAAAAA  LL      EEEEEEEEE  PPPPPPPPPP  CC
SSSSSSSSSS  CC      CC  AAAAAAAAAA  LL      EEEEEEEEE  PPPPPPPPPP  CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLL  EEEEEEEEEEE  PP      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC

```

```
0000000  2222222222  //  2222222222  11  0000000  11
00000000  222222222222  //  222222222222  111  000000000  111
00      00  22      22  //  22      22  1111  00      00  1111
00      00  22      22  //  22      22  11      00      00  11
00      00  22      22  //  22      22  11      00      00  11
00      00  22      22  //  22      22  11      00      00  11
00      00  22      22  //  22      22  11      00      00  11
00      00  22      22  //  22      22  11      00      00  11
00      00  22      22  //  22      22  11      00      00  11
00      00  22      22  //  22      22  11      00      00  11
00000000  222222222222  //  222222222222  11111111  000000000  11111111
0000000  222222222222  //  222222222222  11111111  0000000  11111111

```

```
11      8888888888  //  11      777777777777  3333333333  22222222222
111     888888888888  //  111     777777777777  333333333333  2222222222222
1111    88      88  //  1111    77      77  //  33      33  22
11      88      88  //  11      77      77  //  33      33  22
11      88      88  //  11      77      77  //  33      33  22
11      888888888888  //  11      77      77  //  333     33  22
11      888888888888  //  11      77      77  //  333     33  22
11      88      88  //  11      77      77  //  33      33  22
11      88      88  //  11      77      77  //  33      33  22
11      88      88  //  11      77      77  //  33      33  22
11111111  88888888888888  //  11111111  77      77  //  33333333333333  2222222222222
11111111  888888888888  //  11111111  77      77  //  333333333333  2222222222222

```



```
*****
UNIT          DATA SET NAME          VOLUME      UNIT FUNCTION
NUMBER
-----
XSC 14      T:\PROJECTS\sts-proj\DIDO\14110--1\v1.8\HEU\  MIXED CROSS SECTIONS
ALB 79      G:\scale43\DATALIB\FT79F001                INPUT ALBEDOS
WTS 80      G:\scale43\DATALIB\FT80F001                INPUT WEIGHTS
SKT 16      UNKNOWN                                     WRITE SCRATCH DATA
BIN 95      T:\PROJECTS\sts-proj\DIDO\14110--1\v1.8\HEU\  BINARY INPUT DATA
RST 95      T:\PROJECTS\sts-proj\DIDO\14110--1\v1.8\HEU\  READ RESTART DATA
LIB 4       T:\PROJECTS\sts-proj\DIDO\14110--1\v1.8\HEU\  INPUT AMPX WORKING LIBRARY
      8       T:\PROJECTS\sts-proj\DIDO\14110--1\v1.8\HEU\  INPUT DATA DIRECT ACCESS
      9       UNKNOWN                                     SUPER GROUPED DIRECT ACCESS
      10      UNKNOWN                                     XSEC MIXING DIRECT ACCESS
*****
```

..... 0 IO'S WERE USED PREPARING INPUT DATA

CROSS SECTIONS READ FROM THE AMPX WORKING LIBRARY ON UNIT 4

MIXING TABLE
NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD =3.0E-05

MIXTURE =	1	DENSITY (G/CC) =	2.3407							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
1013027	4.00184E-02	7.66010E-01	13027	26.9818	AL-27 1193 218 GP 040375(5)					UPDATED
08/12/94										
1092235	1.31908E-03	2.19951E-01	92235	235.0441	URANIUM-235 ENDF/B-IV MAT 1261					UPDATED
08/12/94										
1092238	8.31332E-05	1.40394E-02	92238	238.0510	URANIUM-238 ENDF/B-IV MAT 1262					UPDATED
08/12/94										
MIXTURE =	2	DENSITY (G/CC) =	2.7020							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
2013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)					UPDATED
08/12/94										
MIXTURE =	3	DENSITY (G/CC) =	0.99977							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
3001001	6.68762E-02	1.11927E-01	1001	1.0077	HYDROGEN ENDF/B-IV MAT 1269/THRM1002					UPDATED
08/12/94										
3008016	3.34381E-02	8.88074E-01	8016	15.9904	OXYGEN-16 ENDF/B-IV MAT 1276					UPDATED
08/12/94										
MIXTURE =	4	DENSITY (G/CC) =	0.96635							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
4001001	5.98801E-02	1.03684E-01	1001	1.0077	HYDROGEN ENDF/B-IV MAT 1269/THRM1002					UPDATED
08/12/94										
4006012	1.07014E-02	2.20668E-01	6000	12.0001	CARBON-12 ENDF/B-IV MAT 1274/THRM1065					UPDATED
08/12/94										
4008016	2.45894E-02	6.75649E-01	8016	15.9904	OXYGEN-16 ENDF/B-IV MAT 1276					UPDATED
08/12/94										
MIXTURE =	5	DENSITY (G/CC) =	11.344							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
5082000	3.29690E-02	1.00000E+00	82000	207.2100	PB 1288 218NGP 042375 P-3 293K					UPDATED
08/12/94										
MIXTURE =	6	DENSITY (G/CC) =	7.9200							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
6024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'					UPDATED
08/12/94										
6025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55 ENDF/B-IV MAT 1197					UPDATED
08/12/94										
6026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'					UPDATED
08/12/94										
6028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'					UPDATED
08/12/94										
MIXTURE =	7	DENSITY (G/CC) =	2.7020							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
7013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)					UPDATED
08/12/94										
MIXTURE =	8	DENSITY (G/CC) =	7.9200							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
8024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'					UPDATED
08/12/94										
8025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55 ENDF/B-IV MAT 1197					UPDATED
08/12/94										
8026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'					UPDATED
08/12/94										
8028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'					UPDATED
08/12/94										
MIXTURE =	9	DENSITY (G/CC) =	0.99997E-04							
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE					
9001001	6.68896E-06	1.11927E-01	1001	1.0077	HYDROGEN ENDF/B-IV MAT 1269/THRM1002					UPDATED
08/12/94										
9008016	3.34448E-06	8.88074E-01	8016	15.9904	OXYGEN-16 ENDF/B-IV MAT 1276					UPDATED
08/12/94										

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 3 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 4 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 9 WERE CORRECTED FOR BAD MOMENTS.
 0 IO'S WERE USED MIXING CROSS-SECTIONS

1-D CROSS SECTION ARRAY ID NUMBERS
1 2002 1452 27 18 1018

..... 0 IO'S WERE USED PREPARING THE CROSS SECTIONS

```

*****
***
***
***
*****
***** ADDITIONAL INFORMATION *****
***
*** NUMBER OF ENERGY GROUPS          27      USE LATTICE GEOMETRY          NO ***
*** NO. OF FISSION SPECTRUM SOURCE GROUP 1      GLOBAL ARRAY NUMBER          0 ***
*** NO. OF SCATTERING ANGLES IN XSECS   2      NUMBER OF UNITS IN THE GLOBAL X DIR.  0 ***
*** ENTRIES/NEUTRON IN THE NEUTRON BANK 24      NUMBER OF UNITS IN THE GLOBAL Y DIR.  0 ***
*** ENTRIES/NEUTRON IN THE FISSION BANK 17      NUMBER OF UNITS IN THE GLOBAL Z DIR.  0 ***
*** NUMBER OF MIXTURES USED              8      USE A GLOBAL REFLECTOR        YES ***
*** NUMBER OF BIAS ID'S USED              1      USE NESTED HOLES              YES ***
*** NUMBER OF DIFFERENTIAL ALBEDOS USED  1      NUMBER OF HOLES                86 ***
*** TOTAL INPUT GEOMETRY REGIONS         54      MAXIMUM HOLE NESTING LEVEL      7 ***
*** NUMBER OF GEOMETRY REGIONS USED      54      USE NESTED ARRAYS              NO ***
*** LARGEST GEOMETRY UNIT NUMBER         16      NUMBER OF ARRAYS USED          0 ***
*** LARGEST ARRAY NUMBER                  1      MAXIMUM ARRAY NESTING LEVEL     0 ***
***
*** +X BOUNDARY CONDITION                 H2O    -X BOUNDARY CONDITION          H2O ***
*** +Y BOUNDARY CONDITION                 H2O    -Y BOUNDARY CONDITION          H2O ***
*** +Z BOUNDARY CONDITION                 H2O    -Z BOUNDARY CONDITION          H2O ***
*****

```

```
***** SPACE AND SUPERGROUP INFORMATION *****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
46861 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
53139 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99444 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
53078 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.
1369 WORDS ARE NEEDED FOR THE LARGEST GROUP.
48473 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
60385 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
60576 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.

SUPERGROUP      STARTING      ENDING      XSEC      ALBEDO      TOTAL
GROUP           GROUP         GROUP       LENGTH     LENGTH     LENGTH
-----
1                1             27         2010      544        13595

..... 0 IO'S WERE USED IN SUPERGROUPING .....
..... 0 IO'S WERE USED LOADING THE DATA .....
```

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM						
					UNIT	1			
FUELED ANNULAR SECTIONS			TUBE	1	LOOSE				
1	CYLINDER	3 1	RADIUS =	3.0300	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
2	CYLINDER	2 1	RADIUS =	3.0625	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3	CYLINDER	1 1	RADIUS =	3.1275	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
4	CYLINDER	2 1	RADIUS =	3.1600	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
5	CYLINDER	3 1	RADIUS =	3.5300	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
6	CYLINDER	2 1	RADIUS =	3.5625	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
7	CYLINDER	1 1	RADIUS =	3.6275	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
8	CYLINDER	2 1	RADIUS =	3.6600	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
9	CYLINDER	3 1	RADIUS =	4.0300	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
10	CYLINDER	2 1	RADIUS =	4.0625	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
11	CYLINDER	1 1	RADIUS =	4.1275	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
12	CYLINDER	2 1	RADIUS =	4.1600	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
13	CYLINDER	3 1	RADIUS =	4.5300	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
14	CYLINDER	2 1	RADIUS =	4.5625	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
15	CYLINDER	1 1	RADIUS =	4.6275	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
16	CYLINDER	2 1	RADIUS =	4.6599	+Z =	58.750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			----- UNIT 2 -----					
AXIAL CLAD SECTIONS			TUBE 1 LOOSE					
1	CYLINDER	3 1	RADIUS = 3.0300	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
2	CYLINDER	2 1	RADIUS = 3.1600	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
3	CYLINDER	3 1	RADIUS = 3.5300	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
4	CYLINDER	2 1	RADIUS = 3.6600	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
5	CYLINDER	3 1	RADIUS = 4.0300	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
6	CYLINDER	2 1	RADIUS = 4.1600	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
7	CYLINDER	3 1	RADIUS = 4.5300	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
8	CYLINDER	2 1	RADIUS = 4.6599	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
			----- UNIT 3 -----					
FUEL ELEMENT			TUBE 1					
1	CYLINDER	3 1	RADIUS = 4.6600	+Z = 61.500	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
	HOLE NUMBER	1	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	2	
	HOLE NUMBER	2	AT X = 0.00000	Y = 0.00000	Z = 1.3750	IS UNIT NUMBER	1	
	HOLE NUMBER	3	AT X = 0.00000	Y = 0.00000	Z = 60.125	IS UNIT NUMBER	2	
			----- UNIT 4 -----					
BASKET FUEL TUBE - FUEL DOWN			RADIAL CENTERED					
1	CYLINDER	3 1	RADIUS = 5.0927	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
	HOLE NUMBER	4	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	3	
2	CYLINDER	2 1	RADIUS = 5.3974	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
			----- UNIT 5 -----					
BASKET FUEL TUBE - FUEL UP			RADIAL CENTERED					
1	CYLINDER	3 1	RADIUS = 5.0927	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
	HOLE NUMBER	5	AT X = 0.00000	Y = 0.00000	Z = 11.677	IS UNIT NUMBER	3	
2	CYLINDER	2 1	RADIUS = 5.3974	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 6 -----

BASKET BOTTOM PLATE HOLE

1 CYLINDER 3 1 RADIUS = 1.2700 +Z = 1.2698 -Z = 0.00000 CENTERLINE IS AT X = 0.00000 Y = 0.00000

----- UNIT 7 -----

BASKET BOTTOM PLATE

1 CYLINDER 6 1 RADIUS = 16.847 +Z = 1.2698 -Z = 0.00000 CENTERLINE IS AT X = 0.00000 Y = 0.00000

HOLE NUMBER 6 AT X = 0.00000 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 6

HOLE NUMBER 7 AT X = 10.795 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 6

HOLE NUMBER 8 AT X = 5.3975 Y = 9.3487 Z = 0.00000 IS UNIT NUMBER 6

HOLE NUMBER 9 AT X = -5.3975 Y = 9.3487 Z = 0.00000 IS UNIT NUMBER 6

HOLE NUMBER 10 AT X = -10.795 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 6

HOLE NUMBER 11 AT X = -5.3975 Y = -9.3487 Z = 0.00000 IS UNIT NUMBER 6

HOLE NUMBER 12 AT X = 5.3975 Y = -9.3487 Z = 0.00000 IS UNIT NUMBER 6

----- UNIT 8 -----

HEAT TRANSFER BAR / ROD

1 CYLINDER 7 1 RADIUS = 0.31650 +Z = 73.177 -Z = 0.00000 CENTERLINE IS AT X = 0.00000 Y = 0.00000

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
				UNIT	9			
BASKET FUEL DOWN								
1	CYLINDER	3 1	RADIUS = 16.193	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
	HOLE NUMBER	13	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	14	AT X = 10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	15	AT X = 4.9493	Y = 2.8575	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	16	AT X = 4.6024	Y = 3.3881	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	17	AT X = 5.2354	Y = 2.2917	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	18	AT X = 5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	19	AT X = 0.00000	Y = 5.7150	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	20	AT X = -0.63300	Y = 5.6798	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	21	AT X = 0.63300	Y = 5.6798	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	22	AT X = -5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	23	AT X = -4.9493	Y = 2.8575	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	24	AT X = -5.2354	Y = 2.2917	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	25	AT X = -4.6024	Y = 3.3881	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	26	AT X = -10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	27	AT X = -4.9493	Y = -2.8575	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	28	AT X = -4.6024	Y = -3.3881	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	29	AT X = -5.2354	Y = -2.2917	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	30	AT X = -5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	31	AT X = 0.00000	Y = -5.7150	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	32	AT X = 0.63300	Y = -5.6798	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	33	AT X = -0.63300	Y = -5.6798	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	34	AT X = 5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	4	
	HOLE NUMBER	35	AT X = 4.9493	Y = -2.8575	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	36	AT X = 5.2354	Y = -2.2917	Z = 0.00000	IS UNIT NUMBER	8	
	HOLE NUMBER	37	AT X = 4.6024	Y = -3.3881	Z = 0.00000	IS UNIT NUMBER	8	
2	CYLINDER	7 1	RADIUS = 16.669	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CYLINDER	3 1	RADIUS = 16.847	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
			----- UNIT 10 -----				
BASKET FUEL UP							
1	CYLINDER	3 1	RADIUS = 16.193	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
	HOLE NUMBER	38	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	39	AT X = 10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	40	AT X = 4.9493	Y = 2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	41	AT X = 4.6024	Y = 3.3881	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	42	AT X = 5.2354	Y = 2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	43	AT X = 5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	44	AT X = 0.00000	Y = 5.7150	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	45	AT X = -0.63300	Y = 5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	46	AT X = 0.63300	Y = 5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	47	AT X = -5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	48	AT X = -4.9493	Y = 2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	49	AT X = -5.2354	Y = 2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	50	AT X = -4.6024	Y = 3.3881	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	51	AT X = -10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	52	AT X = -4.9493	Y = -2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	53	AT X = -4.6024	Y = -3.3881	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	54	AT X = -5.2354	Y = -2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	55	AT X = -5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	56	AT X = 0.00000	Y = -5.7150	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	57	AT X = 0.63300	Y = -5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	58	AT X = -0.63300	Y = -5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	59	AT X = 5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	60	AT X = 4.9493	Y = -2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	61	AT X = 5.2354	Y = -2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	62	AT X = 4.6024	Y = -3.3881	Z = 0.00000	IS UNIT NUMBER	8
2	CYLINDER	7 1	RADIUS = 16.669	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3	CYLINDER	3 1	RADIUS = 16.847	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 11 -----

CASK CAVITY

1 CYLINDER	3	1	RADIUS = 16.986	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
HOLE NUMBER	63		AT X = 0.00000	Y = 0.00000	Z = 1.00000E-04	IS UNIT NUMBER	7	
HOLE NUMBER	64		AT X = 0.00000	Y = 0.00000	Z = 1.2700	IS UNIT NUMBER	10	
HOLE NUMBER	65		AT X = 0.00000	Y = 0.00000	Z = 74.448	IS UNIT NUMBER	7	
HOLE NUMBER	66		AT X = 0.00000	Y = 0.00000	Z = 75.717	IS UNIT NUMBER	9	
HOLE NUMBER	67		AT X = 0.00000	Y = 0.00000	Z = 148.89	IS UNIT NUMBER	7	
HOLE NUMBER	68		AT X = 0.00000	Y = 0.00000	Z = 150.16	IS UNIT NUMBER	10	
HOLE NUMBER	69		AT X = 0.00000	Y = 0.00000	Z = 223.34	IS UNIT NUMBER	7	
HOLE NUMBER	70		AT X = 0.00000	Y = 0.00000	Z = 224.61	IS UNIT NUMBER	9	
HOLE NUMBER	71		AT X = 0.00000	Y = 0.00000	Z = 297.79	IS UNIT NUMBER	7	
HOLE NUMBER	72		AT X = 0.00000	Y = 0.00000	Z = 299.06	IS UNIT NUMBER	10	
HOLE NUMBER	73		AT X = 0.00000	Y = 0.00000	Z = 372.24	IS UNIT NUMBER	7	
HOLE NUMBER	74		AT X = 0.00000	Y = 0.00000	Z = 373.51	IS UNIT NUMBER	9	

----- UNIT 12 -----

CASK SHIELD RADIAL CONFIGURATION

1 CYLINDER	3	1	RADIUS = 16.986	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
HOLE NUMBER	75		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	11	
2 CYLINDER	8	1	RADIUS = 18.910	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
3 CYLINDER	5	1	RADIUS = 33.465	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
4 CYLINDER	8	1	RADIUS = 36.519	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
5 CYLINDER	9	1	RADIUS = 49.219	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
6 CYLINDER	8	1	RADIUS = 49.818	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
----- UNIT 13 -----							
LWT LID							
1	CYLINDER	8 1	RADIUS = 36.519	+Z = 28.575	-Z = 0.59940	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	9 1	RADIUS = 49.818	+Z = 28.575	-Z = 0.59940	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	8 1	RADIUS = 49.818	+Z = 28.575	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
----- UNIT 14 -----							
LWT BOTTOM WELDMENT							
1	CYLINDER	5 1	RADIUS = 26.353	+Z = 16.510	-Z = 8.8900	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2	CYLINDER	8 1	RADIUS = 36.519	+Z = 26.071	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3	CYLINDER	9 1	RADIUS = 49.818	+Z = 26.071	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4	CYLINDER	8 1	RADIUS = 49.818	+Z = 26.670	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
----- UNIT 15 -----							
LWT CASK							
1	CYLINDER	9 1	RADIUS = 49.818	+Z = 501.93	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
	HOLE NUMBER	76	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 14	
	HOLE NUMBER	77	AT X = 0.00000	Y = 0.00000	Z = 26.670	IS UNIT NUMBER 12	
	HOLE NUMBER	78	AT X = 0.00000	Y = 0.00000	Z = 473.35	IS UNIT NUMBER 13	

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

***** GLOBAL *****
----- UNIT 16 -----

FINITE CASK ARRAY 8 CASKS

1 CUBOID	3 1	+X = 199.27	-X = -149.46	+Y = 136.11	-Y = -136.11	+Z = 501.93	-Z = 0.00000
HOLE NUMBER	79	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	15	
HOLE NUMBER	80	AT X = 99.637	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	15	
HOLE NUMBER	81	AT X = 49.818	Y = 86.288	Z = 0.00000	IS UNIT NUMBER	15	
HOLE NUMBER	82	AT X = -49.818	Y = 86.288	Z = 0.00000	IS UNIT NUMBER	15	
HOLE NUMBER	83	AT X = -99.637	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	15	
HOLE NUMBER	84	AT X = -49.818	Y = -86.288	Z = 0.00000	IS UNIT NUMBER	15	
HOLE NUMBER	85	AT X = 49.818	Y = -86.288	Z = 0.00000	IS UNIT NUMBER	15	
HOLE NUMBER	86	AT X = 149.46	Y = -86.288	Z = 0.00000	IS UNIT NUMBER	15	

VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	1.69451E+03 CM**3	1.69451E+03 CM**3
	2	2	3.65458E+01 CM**3	1.73105E+03 CM**3
	3	3	7.42612E+01 CM**3	1.80531E+03 CM**3
	4	4	3.77155E+01 CM**3	1.84303E+03 CM**3
	5	5	4.56862E+02 CM**3	2.29989E+03 CM**3
	6	6	4.25442E+01 CM**3	2.34243E+03 CM**3
	7	7	8.62583E+01 CM**3	2.42869E+03 CM**3
	8	8	4.37139E+01 CM**3	2.47241E+03 CM**3
	9	9	5.25153E+02 CM**3	2.99756E+03 CM**3
	10	10	4.85422E+01 CM**3	3.04610E+03 CM**3
	11	11	9.82551E+01 CM**3	3.14436E+03 CM**3
	12	12	4.97122E+01 CM**3	3.19407E+03 CM**3
	13	13	5.93444E+02 CM**3	3.78751E+03 CM**3
	14	14	5.45405E+01 CM**3	3.84205E+03 CM**3
	15	15	1.10252E+02 CM**3	3.95231E+03 CM**3
	16	16	5.55391E+01 CM**3	4.00785E+03 CM**3
2	1	17	3.96586E+01 CM**3	3.96586E+01 CM**3
	2	18	3.47606E+00 CM**3	4.31347E+01 CM**3
	3	19	1.06925E+02 CM**3	5.38272E+01 CM**3
	4	20	4.03762E+00 CM**3	5.78648E+01 CM**3
	5	21	1.22908E+01 CM**3	7.01557E+01 CM**3
	6	22	4.59916E+00 CM**3	7.47548E+01 CM**3
	7	23	1.38891E+01 CM**3	8.86439E+01 CM**3
	8	24	5.15671E+00 CM**3	9.38006E+01 CM**3
3	1	25	1.79337E-01 CM**3	4.19563E+03 CM**3
4	1	26	1.76679E+03 CM**3	5.96242E+03 CM**3
	2	27	7.34815E+02 CM**3	6.69723E+03 CM**3
5	1	28	1.76679E+03 CM**3	5.96242E+03 CM**3
	2	29	7.34815E+02 CM**3	6.69723E+03 CM**3
6	1	30	6.43417E+00 CM**3	6.43417E+00 CM**3
7	1	31	1.08713E+03 CM**3	1.13216E+03 CM**3
8	1	32	2.30289E+01 CM**3	2.30289E+01 CM**3
9	1	33	1.29829E+04 CM**3	6.02781E+04 CM**3
	2	34	3.59751E+03 CM**3	6.38756E+04 CM**3
	3	35	1.36994E+03 CM**3	6.52455E+04 CM**3
10	1	36	1.29829E+04 CM**3	6.02781E+04 CM**3
	2	37	3.59751E+03 CM**3	6.38756E+04 CM**3
	3	38	1.36994E+03 CM**3	6.52455E+04 CM**3
11	1	39	6.63421E+03 CM**3	4.04900E+05 CM**3
12	1	40	0.00000E+00 CM**3	4.04900E+05 CM**3
	2	41	9.69190E+04 CM**3	5.01819E+05 CM**3
	3	42	1.06970E+06 CM**3	1.57152E+06 CM**3
	4	43	2.99966E+05 CM**3	1.87148E+06 CM**3
	5	44	1.52801E+06 CM**3	3.39950E+06 CM**3
	6	45	8.33038E+04 CM**3	3.48280E+06 CM**3
13	1	46	1.17210E+05 CM**3	1.17210E+05 CM**3
	2	47	1.00916E+05 CM**3	2.18126E+05 CM**3
	3	48	4.67352E+03 CM**3	2.22799E+05 CM**3
14	1	49	1.66245E+04 CM**3	1.66245E+04 CM**3
	2	50	9.26041E+04 CM**3	1.09229E+05 CM**3
	3	51	9.40439E+04 CM**3	2.03273E+05 CM**3
	4	52	4.67353E+03 CM**3	2.07946E+05 CM**3
15	1	53	2.42188E+00 CM**3	3.91355E+06 CM**3
16	1	54	1.63393E+07 CM**3	4.76477E+07 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	336	1	3	5.69354E+05 CM**3
		2	2	1.22794E+04 CM**3
		3	1	2.49518E+04 CM**3
		4	2	1.26724E+04 CM**3
		5	3	1.53506E+05 CM**3
		6	2	1.42948E+04 CM**3
		7	1	2.89828E+04 CM**3
		8	2	1.46879E+04 CM**3
		9	3	1.76452E+05 CM**3
		10	2	1.63102E+04 CM**3
		11	1	3.30137E+04 CM**3
		12	2	1.67033E+04 CM**3
		13	3	1.99397E+05 CM**3
		14	2	1.83256E+04 CM**3
		15	1	3.70448E+04 CM**3
		16	2	1.86611E+04 CM**3
2	672	1	3	2.66506E+04 CM**3
		2	2	2.33591E+03 CM**3
		3	3	7.18538E+03 CM**3
		4	2	2.71328E+03 CM**3
		5	3	8.25943E+03 CM**3
		6	2	3.09064E+03 CM**3
		7	3	9.33348E+03 CM**3
		8	2	3.46531E+03 CM**3
3	336	1	3	6.02571E+01 CM**3

4	168	1	3	2.96821E+05 CM**3
		2	2	1.23449E+05 CM**3
5	168	1	3	2.96821E+05 CM**3
		2	2	1.23449E+05 CM**3
6	336	1	3	2.16188E+03 CM**3
7	48	1	6	5.21820E+04 CM**3
8	864	1	7	1.98970E+04 CM**3
9	24	1	3	3.11591E+05 CM**3
		2	7	8.63402E+04 CM**3
		3	3	3.28785E+04 CM**3
10	24	1	3	3.11591E+05 CM**3
		2	7	8.63402E+04 CM**3
		3	3	3.28785E+04 CM**3
11	8	1	3	5.30737E+04 CM**3
12	8	1	3	0.00000E+00 CM**3
		2	8	7.75352E+05 CM**3
		3	5	8.55759E+06 CM**3
		4	8	2.39973E+06 CM**3
		5	9	1.22241E+07 CM**3
		6	8	6.66430E+05 CM**3
13	8	1	8	9.37680E+05 CM**3
		2	9	8.07326E+05 CM**3
		3	8	3.73881E+04 CM**3
14	8	1	5	1.32996E+05 CM**3
		2	8	7.40833E+05 CM**3
		3	9	7.52351E+05 CM**3
		4	8	3.73883E+04 CM**3
15	8	1	9	1.93750E+01 CM**3
16	1	1	3	1.63393E+07 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	1.23993E+05 CM**3	2.90231E+05
2	3.82438E+05 CM**3	1.03335E+06
3	1.88273E+07 CM**3	1.88230E+07
5	8.69059E+06 CM**3	9.85860E+07
6	5.21820E+04 CM**3	4.13282E+05
7	1.92577E+05 CM**3	5.20344E+05
8	5.59480E+06 CM**3	4.43108E+07
9	1.37838E+07 CM**3	1.37834E+03

```

*****
***
***          BIASING INFORMATION          ***
***
***  A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S.  ***
***
*****

```

```

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING .....
..... 0.01267 MINUTES WERE USED PROCESSING DATA. ....

```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 2.60229E-03

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:
 +X= 1.68500E+01 -X=-1.68500E+01 +Y=-1.68500E+01 -Y= 1.68500E+01 +Z= 4.73350E+02 -Z= 2.66700E+01
 THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.11100 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.11733 MINUTES.

GENERATION K-EFFECTIVE KENO MESSAGE NUMBER	GENERATION K-EFFECTIVE KENO MESSAGE NUMBER	ELAPSED TIME MINUTES WARNING . . . ONLY	AVERAGE K-EFFECTIVE KENO MESSAGE NUMBER	AVG K-EFF DEVIATION FISSION POINTS WERE	MATRIX K-EFFECTIVE KENO MESSAGE NUMBER	MATRIX K-EFF DEVIATION FISSION POINTS WERE
1	8.58773E-01	1.46333E-01	961	0.00000E+00	0.00000E+00	0.00000E+00
2	9.33771E-01	1.68333E-01	957	0.00000E+00	0.00000E+00	0.00000E+00
3	8.63486E-01	1.93000E-01	8.63486E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	8.78581E-01	2.16000E-01	8.71034E-01	7.54768E-01	0.00000E+00	0.00000E+00
5	9.04679E-01	2.39833E-01	8.82249E-01	1.20320E-02	0.00000E+00	0.00000E+00
6	9.24609E-01	2.62667E-01	8.92839E-01	1.35843E-02	0.00000E+00	0.00000E+00
7	9.17145E-01	2.84667E-01	8.97700E-01	1.15910E-02	0.00000E+00	0.00000E+00
8	9.05527E-01	3.08500E-01	8.99005E-01	9.55350E-03	0.00000E+00	0.00000E+00
9	9.23056E-01	3.32167E-01	9.02441E-01	8.77483E-03	0.00000E+00	0.00000E+00
10	9.21692E-01	3.56000E-01	9.04847E-01	7.97116E-03	0.00000E+00	0.00000E+00
11	9.00007E-01	3.79833E-01	9.04309E-01	7.05044E-03	0.00000E+00	0.00000E+00
12	8.57565E-01	4.04500E-01	8.99635E-01	7.84969E-03	0.00000E+00	0.00000E+00
13	8.57721E-01	4.28333E-01	8.95824E-01	8.05812E-03	0.00000E+00	0.00000E+00
14	9.43923E-01	4.51167E-01	8.99833E-01	8.37718E-03	0.00000E+00	0.00000E+00
15	9.09837E-01	4.74167E-01	9.00602E-01	7.74422E-03	0.00000E+00	0.00000E+00
16	9.19908E-01	4.97000E-01	9.01981E-01	7.30116E-03	0.00000E+00	0.00000E+00
17	9.33907E-01	5.21667E-01	9.04110E-01	7.12246E-03	0.00000E+00	0.00000E+00
18	8.70579E-01	5.44667E-01	9.02014E-01	6.98426E-03	0.00000E+00	0.00000E+00
19	9.15282E-01	5.68333E-01	9.02794E-01	6.60683E-03	0.00000E+00	0.00000E+00
20	8.77815E-01	5.93167E-01	9.01407E-01	6.38169E-03	0.00000E+00	0.00000E+00
21	9.26908E-01	6.16000E-01	9.02749E-01	6.18389E-03	0.00000E+00	0.00000E+00
22	8.79347E-01	6.41667E-01	9.01579E-01	5.98210E-03	0.00000E+00	0.00000E+00
23	9.13359E-01	6.65500E-01	9.02140E-01	5.71770E-03	0.00000E+00	0.00000E+00
24	8.82892E-01	6.89167E-01	9.01265E-01	5.52137E-03	0.00000E+00	0.00000E+00
25	9.10070E-01	7.13000E-01	9.01648E-01	5.28972E-03	0.00000E+00	0.00000E+00
26	8.56690E-01	7.37833E-01	8.99774E-01	5.39986E-03	0.00000E+00	0.00000E+00
27	8.64557E-01	7.62500E-01	8.98366E-01	5.36752E-03	0.00000E+00	0.00000E+00
28	9.22162E-01	7.85333E-01	8.99281E-01	5.23753E-03	0.00000E+00	0.00000E+00
29	8.95370E-01	8.08167E-01	8.99136E-01	5.04190E-03	0.00000E+00	0.00000E+00
30	8.96834E-01	8.33833E-01	8.99054E-01	4.85919E-03	0.00000E+00	0.00000E+00
31	8.81740E-01	8.57667E-01	8.98457E-01	4.72650E-03	0.00000E+00	0.00000E+00
32	8.88292E-01	8.81500E-01	8.98118E-01	4.57879E-03	0.00000E+00	0.00000E+00
33	8.98466E-01	9.06167E-01	8.98129E-01	4.42863E-03	0.00000E+00	0.00000E+00
34	9.31577E-01	9.29000E-01	8.99175E-01	4.41356E-03	0.00000E+00	0.00000E+00
35	8.80767E-01	9.52833E-01	8.98617E-01	4.31394E-03	0.00000E+00	0.00000E+00
36	9.21118E-01	9.76667E-01	8.99278E-01	4.23714E-03	0.00000E+00	0.00000E+00
37	8.52259E-01	1.00050E+00	8.97935E-01	4.32807E-03	0.00000E+00	0.00000E+00
38	8.69525E-01	1.02433E+00	8.97146E-01	4.27953E-03	0.00000E+00	0.00000E+00
39	9.03040E-01	1.04817E+00	8.97305E-01	4.16530E-03	0.00000E+00	0.00000E+00
40	8.81602E-01	1.07183E+00	8.96892E-01	4.07522E-03	0.00000E+00	0.00000E+00
41	8.62374E-01	1.09667E+00	8.96007E-01	4.06682E-03	0.00000E+00	0.00000E+00
42	9.02090E-01	1.12133E+00	8.96159E-01	3.96677E-03	0.00000E+00	0.00000E+00
43	8.94155E-01	1.14517E+00	8.96110E-01	3.86911E-03	0.00000E+00	0.00000E+00
44	9.02857E-01	1.16900E+00	8.96271E-01	3.77929E-03	0.00000E+00	0.00000E+00
45	9.40155E-01	1.19083E+00	8.97291E-01	3.82887E-03	0.00000E+00	0.00000E+00
46	8.79557E-01	1.21467E+00	8.96888E-01	3.76249E-03	0.00000E+00	0.00000E+00
47	9.17170E-01	1.23850E+00	8.97339E-01	3.70544E-03	0.00000E+00	0.00000E+00
48	9.17262E-01	1.26233E+00	8.97772E-01	3.64978E-03	0.00000E+00	0.00000E+00
49	9.12876E-01	1.28617E+00	8.98093E-01	3.58571E-03	0.00000E+00	0.00000E+00
50	8.99770E-01	1.31083E+00	8.98128E-01	3.51039E-03	0.00000E+00	0.00000E+00
51	8.66263E-01	1.33467E+00	8.97478E-01	3.49896E-03	0.00000E+00	0.00000E+00
52	8.75319E-01	1.35933E+00	8.97035E-01	3.45680E-03	0.00000E+00	0.00000E+00
53	8.80759E-01	1.38317E+00	8.96716E-01	3.40333E-03	0.00000E+00	0.00000E+00
54	8.67570E-01	1.40783E+00	8.96155E-01	3.38398E-03	0.00000E+00	0.00000E+00
55	9.51958E-01	1.43250E+00	8.97208E-01	3.48250E-03	0.00000E+00	0.00000E+00
56	9.09210E-01	1.45550E+00	8.97430E-01	3.42462E-03	0.00000E+00	0.00000E+00
57	9.07998E-01	1.47933E+00	8.97623E-01	3.36726E-03	0.00000E+00	0.00000E+00
58	8.73204E-01	1.50400E+00	8.97186E-01	3.3521E-03	0.00000E+00	0.00000E+00
59	9.10378E-01	1.52783E+00	8.97418E-01	3.28434E-03	0.00000E+00	0.00000E+00
60	8.92000E-01	1.55150E+00	8.97325E-01	3.22857E-03	0.00000E+00	0.00000E+00
61	8.89776E-01	1.57633E+00	8.97197E-01	3.17596E-03	0.00000E+00	0.00000E+00
62	8.55916E-01	1.60100E+00	8.96509E-01	3.19747E-03	0.00000E+00	0.00000E+00
63	9.32555E-01	1.62300E+00	8.97099E-01	3.19966E-03	0.00000E+00	0.00000E+00
64	9.25066E-01	1.64583E+00	8.97551E-01	3.17978E-03	0.00000E+00	0.00000E+00
65	8.77079E-01	1.67050E+00	8.97226E-01	3.14573E-03	0.00000E+00	0.00000E+00
66	9.09881E-01	1.69433E+00	8.97423E-01	3.10250E-03	0.00000E+00	0.00000E+00
67	8.76992E-01	1.71817E+00	8.97109E-01	3.07052E-03	0.00000E+00	0.00000E+00
68	9.21783E-01	1.74100E+00	8.97483E-01	3.04667E-03	0.00000E+00	0.00000E+00
69	9.05453E-01	1.76483E+00	8.97602E-01	3.00321E-03	0.00000E+00	0.00000E+00
70	9.24480E-01	1.78783E+00	8.97997E-01	2.98500E-03	0.00000E+00	0.00000E+00
71	8.63590E-01	1.81250E+00	8.97498E-01	2.98339E-03	0.00000E+00	0.00000E+00
72	9.37983E-01	1.83533E+00	8.98077E-01	2.99680E-03	0.00000E+00	0.00000E+00
73	8.79989E-01	1.85917E+00	8.97822E-01	2.96525E-03	0.00000E+00	0.00000E+00
74	8.83123E-01	1.88300E+00	8.97618E-01	2.93090E-03	0.00000E+00	0.00000E+00
75	9.15389E-01	1.90683E+00	8.97861E-01	2.90070E-03	0.00000E+00	0.00000E+00
76	8.74826E-01	1.93233E+00	8.97550E-01	2.87812E-03	0.00000E+00	0.00000E+00
77	8.80442E-01	1.95533E+00	8.97322E-01	2.84863E-03	0.00000E+00	0.00000E+00
78	8.80627E-01	1.97817E+00	8.97102E-01	2.81947E-03	0.00000E+00	0.00000E+00
79	9.12211E-01	2.00200E+00	8.97298E-01	2.78952E-03	0.00000E+00	0.00000E+00
80	8.44802E-01	2.02667E+00	8.96625E-01	2.83459E-03	0.00000E+00	0.00000E+00
81	8.98826E-01	2.05050E+00	8.96653E-01	2.79862E-03	0.00000E+00	0.00000E+00
82	8.72723E-01	2.07433E+00	8.96354E-01	2.77955E-03	0.00000E+00	0.00000E+00
83	8.83782E-01	2.09717E+00	8.96199E-01	2.74941E-03	0.00000E+00	0.00000E+00
84	8.99513E-01	2.12183E+00	8.96239E-01	2.71597E-03	0.00000E+00	0.00000E+00
85	9.24791E-01	2.14567E+00	8.96583E-01	2.70501E-03	0.00000E+00	0.00000E+00
86	8.74108E-01	2.16850E+00	8.96316E-01	2.68598E-03	0.00000E+00	0.00000E+00
87	9.23002E-01	2.19233E+00	8.96630E-01	2.67269E-03	0.00000E+00	0.00000E+00
88	9.00543E-01	2.21717E+00	8.96675E-01	2.64182E-03	0.00000E+00	0.00000E+00
89	8.82276E-01	2.24083E+00	8.96510E-01	2.61652E-03	0.00000E+00	0.00000E+00
90	8.56795E-01	2.26467E+00	8.96058E-01	2.62569E-03	0.00000E+00	0.00000E+00
91	8.99466E-01	2.28850E+00	8.96097E-01	2.59631E-03	0.00000E+00	0.00000E+00
92	8.66877E-01	2.31317E+00	8.95772E-01	2.58774E-03	0.00000E+00	0.00000E+00
93	8.74085E-01	2.33700E+00	8.95534E-01	2.57022E-03	0.00000E+00	0.00000E+00
94	9.21830E-01	2.36083E+00	8.95820E-01	2.55815E-03	0.00000E+00	0.00000E+00
95	9.10253E-01	2.38367E+00	8.95975E-01	2.53525E-03	0.00000E+00	0.00000E+00
96	9.00694E-01	2.40750E+00	8.96025E-01	2.50863E-03	0.00000E+00	0.00000E+00
97	9.26241E-01	2.43133E+00	8.96343E-01	2.50238E-03	0.00000E+00	0.00000E+00
98	8.86651E-01	2.45417E+00	8.96242E-01	2.47824E-03	0.00000E+00	0.00000E+00
99	8.99097E-01	2.47883E+00	8.96272E-01	2.45273E-03	0.00000E+00	0.00000E+00
100	9.44858E-01	2.50183E+00	8.96767E-01	2.47768E-03	0.00000E+00	0.00000E+00
101	8.97823E-01	2.52550E+00	8.96778E-01	2.45255E-03	0.00000E+00	0.00000E+00
102	9.16019E-01	2.54850E+00	8.96970E-01	2.43551E-03	0.00000E+00	0.00000E+00

103	9.08980E-01	2.57233E+00	8.97089E-01	2.41421E-03	0.00000E+00	0.00000E+00
104	8.86222E-01	2.59600E+00	8.96983E-01	2.39280E-03	0.00000E+00	0.00000E+00
105	9.21146E-01	2.61983E+00	8.97217E-01	2.38104E-03	0.00000E+00	0.00000E+00
106	8.86269E-01	2.64283E+00	8.97112E-01	2.36038E-03	0.00000E+00	0.00000E+00
107	9.49570E-01	2.66650E+00	8.97612E-01	2.39058E-03	0.00000E+00	0.00000E+00
108	8.80226E-01	2.69033E+00	8.97448E-01	2.37359E-03	0.00000E+00	0.00000E+00
109	8.79681E-01	2.71317E+00	8.97282E-01	2.35716E-03	0.00000E+00	0.00000E+00
110	8.90503E-01	2.73617E+00	8.97219E-01	2.33608E-03	0.00000E+00	0.00000E+00
111	9.24128E-01	2.76000E+00	8.97466E-01	2.32768E-03	0.00000E+00	0.00000E+00
112	9.04722E-01	2.78367E+00	8.97532E-01	2.30736E-03	0.00000E+00	0.00000E+00
113	8.95747E-01	2.80850E+00	8.97516E-01	2.28654E-03	0.00000E+00	0.00000E+00
114	8.68503E-01	2.83233E+00	8.97257E-01	2.28079E-03	0.00000E+00	0.00000E+00
115	9.27085E-01	2.85600E+00	8.97521E-01	2.27587E-03	0.00000E+00	0.00000E+00
116	8.80557E-01	2.87900E+00	8.97372E-01	2.26072E-03	0.00000E+00	0.00000E+00
117	8.99169E-01	2.90267E+00	8.97387E-01	2.24103E-03	0.00000E+00	0.00000E+00
118	9.34573E-01	2.92567E+00	8.97708E-01	2.24464E-03	0.00000E+00	0.00000E+00
119	9.18461E-01	2.94850E+00	8.97885E-01	2.23243E-03	0.00000E+00	0.00000E+00
120	8.64606E-01	2.97233E+00	8.97603E-01	2.23132E-03	0.00000E+00	0.00000E+00
121	9.13743E-01	2.99617E+00	8.97739E-01	2.21665E-03	0.00000E+00	0.00000E+00
122	9.13687E-01	3.01983E+00	8.97872E-01	2.20211E-03	0.00000E+00	0.00000E+00
123	8.71706E-01	3.04283E+00	8.97656E-01	2.19452E-03	0.00000E+00	0.00000E+00
124	8.73371E-01	3.06750E+00	8.97457E-01	2.18554E-03	0.00000E+00	0.00000E+00
125	8.61744E-01	3.09133E+00	8.97166E-01	2.18705E-03	0.00000E+00	0.00000E+00
126	8.87808E-01	3.11417E+00	8.97091E-01	2.17066E-03	0.00000E+00	0.00000E+00
127	8.46442E-01	3.13900E+00	8.96686E-01	2.19101E-03	0.00000E+00	0.00000E+00
128	8.63348E-01	3.16367E+00	8.96421E-01	2.18960E-03	0.00000E+00	0.00000E+00
129	8.53674E-01	3.18833E+00	8.96084E-01	2.19821E-03	0.00000E+00	0.00000E+00
130	9.09836E-01	3.21217E+00	8.96192E-01	2.18362E-03	0.00000E+00	0.00000E+00
131	8.96024E-01	3.23600E+00	8.96190E-01	2.16662E-03	0.00000E+00	0.00000E+00
132	8.98081E-01	3.25983E+00	8.96205E-01	2.14994E-03	0.00000E+00	0.00000E+00
133	8.88058E-01	3.28350E+00	8.96143E-01	2.13437E-03	0.00000E+00	0.00000E+00
134	9.16562E-01	3.30833E+00	8.96298E-01	2.12378E-03	0.00000E+00	0.00000E+00
135	8.81358E-01	3.33200E+00	8.96185E-01	2.11075E-03	0.00000E+00	0.00000E+00
136	8.88469E-01	3.35583E+00	8.96128E-01	2.09573E-03	0.00000E+00	0.00000E+00
137	8.84176E-01	3.37967E+00	8.96039E-01	2.08203E-03	0.00000E+00	0.00000E+00
138	9.08892E-01	3.40350E+00	8.96134E-01	2.06882E-03	0.00000E+00	0.00000E+00
139	9.07285E-01	3.42817E+00	8.96215E-01	2.05528E-03	0.00000E+00	0.00000E+00
140	8.79684E-01	3.45200E+00	8.96095E-01	2.04384E-03	0.00000E+00	0.00000E+00
141	8.87105E-01	3.47583E+00	8.96031E-01	2.03012E-03	0.00000E+00	0.00000E+00
142	8.94803E-01	3.49867E+00	8.96022E-01	2.01558E-03	0.00000E+00	0.00000E+00
143	9.08305E-01	3.52150E+00	8.96109E-01	2.00313E-03	0.00000E+00	0.00000E+00
144	8.55544E-01	3.54533E+00	8.95823E-01	2.00939E-03	0.00000E+00	0.00000E+00
145	8.85286E-01	3.56833E+00	8.95749E-01	1.99664E-03	0.00000E+00	0.00000E+00
146	8.92547E-01	3.59200E+00	8.95727E-01	1.98285E-03	0.00000E+00	0.00000E+00
147	8.52651E-01	3.61683E+00	8.95430E-01	1.99142E-03	0.00000E+00	0.00000E+00
148	9.24393E-01	3.64050E+00	8.95629E-01	1.98765E-03	0.00000E+00	0.00000E+00
149	9.03056E-01	3.66533E+00	8.95679E-01	1.97473E-03	0.00000E+00	0.00000E+00
150	9.16130E-01	3.68817E+00	8.95817E-01	1.96621E-03	0.00000E+00	0.00000E+00
151	9.09824E-01	3.71200E+00	8.95911E-01	1.95523E-03	0.00000E+00	0.00000E+00
152	8.96596E-01	3.73483E+00	8.95916E-01	1.94215E-03	0.00000E+00	0.00000E+00
153	8.98241E-01	3.75767E+00	8.95931E-01	1.92931E-03	0.00000E+00	0.00000E+00
154	9.12544E-01	3.78150E+00	8.96041E-01	1.91969E-03	0.00000E+00	0.00000E+00
155	9.37176E-01	3.80450E+00	8.96309E-01	1.92596E-03	0.00000E+00	0.00000E+00
156	9.42169E-01	3.82817E+00	8.96607E-01	1.93645E-03	0.00000E+00	0.00000E+00
157	8.91191E-01	3.85300E+00	8.96572E-01	1.92423E-03	0.00000E+00	0.00000E+00
158	9.08956E-01	3.87583E+00	8.96652E-01	1.91350E-03	0.00000E+00	0.00000E+00
159	8.95884E-01	3.89967E+00	8.96647E-01	1.90128E-03	0.00000E+00	0.00000E+00
160	8.98953E-01	3.92350E+00	8.96661E-01	1.88927E-03	0.00000E+00	0.00000E+00
161	8.96101E-01	3.94717E+00	8.96658E-01	1.87735E-03	0.00000E+00	0.00000E+00
162	8.83021E-01	3.97100E+00	8.96573E-01	1.86753E-03	0.00000E+00	0.00000E+00
163	9.16210E-01	3.99583E+00	8.96695E-01	1.85989E-03	0.00000E+00	0.00000E+00
164	8.58566E-01	4.01950E+00	8.96459E-01	1.86330E-03	0.00000E+00	0.00000E+00
165	9.21076E-01	4.04333E+00	8.96610E-01	1.85798E-03	0.00000E+00	0.00000E+00
166	8.95743E-01	4.06533E+00	8.96605E-01	1.84663E-03	0.00000E+00	0.00000E+00
167	8.88705E-01	4.09000E+00	8.96557E-01	1.83602E-03	0.00000E+00	0.00000E+00
168	8.83226E-01	4.11383E+00	8.96477E-01	1.82670E-03	0.00000E+00	0.00000E+00
169	8.78492E-01	4.13767E+00	8.96369E-01	1.81892E-03	0.00000E+00	0.00000E+00
170	8.94948E-01	4.16150E+00	8.96361E-01	1.80808E-03	0.00000E+00	0.00000E+00
171	8.81945E-01	4.18517E+00	8.96275E-01	1.79937E-03	0.00000E+00	0.00000E+00
172	9.10233E-01	4.20817E+00	8.96357E-01	1.79064E-03	0.00000E+00	0.00000E+00
173	9.23181E-01	4.23283E+00	8.96514E-01	1.78703E-03	0.00000E+00	0.00000E+00
174	9.22740E-01	4.25483E+00	8.96667E-01	1.78314E-03	0.00000E+00	0.00000E+00
175	9.10878E-01	4.27950E+00	8.96749E-01	1.77471E-03	0.00000E+00	0.00000E+00
176	9.17149E-01	4.30333E+00	8.96866E-01	1.76837E-03	0.00000E+00	0.00000E+00
177	8.88689E-01	4.32617E+00	8.96819E-01	1.75886E-03	0.00000E+00	0.00000E+00
178	8.99471E-01	4.35100E+00	8.96834E-01	1.74890E-03	0.00000E+00	0.00000E+00
179	9.09166E-01	4.37383E+00	8.96904E-01	1.74039E-03	0.00000E+00	0.00000E+00
180	8.35989E-01	4.39850E+00	8.96562E-01	1.76409E-03	0.00000E+00	0.00000E+00
181	8.69753E-01	4.42233E+00	8.96412E-01	1.76059E-03	0.00000E+00	0.00000E+00
182	9.01969E-01	4.44700E+00	8.96443E-01	1.75106E-03	0.00000E+00	0.00000E+00
183	8.91836E-01	4.47083E+00	8.96418E-01	1.74154E-03	0.00000E+00	0.00000E+00
184	9.17951E-01	4.49550E+00	8.96536E-01	1.73598E-03	0.00000E+00	0.00000E+00
185	8.99231E-01	4.51933E+00	8.96551E-01	1.72653E-03	0.00000E+00	0.00000E+00
186	8.84331E-01	4.54233E+00	8.96484E-01	1.71841E-03	0.00000E+00	0.00000E+00
187	9.16742E-01	4.56700E+00	8.96594E-01	1.71260E-03	0.00000E+00	0.00000E+00
188	8.71679E-01	4.59167E+00	8.96460E-01	1.70862E-03	0.00000E+00	0.00000E+00
189	8.58782E-01	4.61550E+00	8.96258E-01	1.71136E-03	0.00000E+00	0.00000E+00
190	8.96294E-01	4.63933E+00	8.96258E-01	1.70224E-03	0.00000E+00	0.00000E+00
191	8.59250E-01	4.66217E+00	8.96063E-01	1.70449E-03	0.00000E+00	0.00000E+00
192	8.84561E-01	4.68500E+00	8.96002E-01	1.69658E-03	0.00000E+00	0.00000E+00
193	9.31881E-01	4.70883E+00	8.96190E-01	1.69809E-03	0.00000E+00	0.00000E+00
194	8.75438E-01	4.73450E+00	8.96082E-01	1.69268E-03	0.00000E+00	0.00000E+00
195	9.27613E-01	4.75733E+00	8.96245E-01	1.69179E-03	0.00000E+00	0.00000E+00
196	8.86960E-01	4.78117E+00	8.96197E-01	1.68373E-03	0.00000E+00	0.00000E+00
197	8.78513E-01	4.80500E+00	8.96107E-01	1.67753E-03	0.00000E+00	0.00000E+00
198	8.43970E-01	4.83150E+00	8.95841E-01	1.69001E-03	0.00000E+00	0.00000E+00
199	8.93770E-01	4.85633E+00	8.95830E-01	1.68145E-03	0.00000E+00	0.00000E+00
200	8.99111E-01	4.87917E+00	8.95847E-01	1.67301E-03	0.00000E+00	0.00000E+00
201	9.19939E-01	4.90200E+00	8.95968E-01	1.66898E-03	0.00000E+00	0.00000E+00
202	9.30312E-01	4.92483E+00	8.96140E-01	1.66947E-03	0.00000E+00	0.00000E+00
203	8.90682E-01	4.94967E+00	8.96112E-01	1.66137E-03	0.00000E+00	0.00000E+00
204	8.33278E-01	4.97533E+00	8.95801E-01	1.68213E-03	0.00000E+00	0.00000E+00
205	8.94063E-01	4.99900E+00	8.95793E-01	1.67385E-03	0.00000E+00	0.00000E+00
206	8.93316E-01	5.02200E+00	8.95781E-01	1.66567E-03	0.00000E+00	0.00000E+00
207	9.06016E-01	5.04667E+00	8.95831E-01	1.65827E-03	0.00000E+00	0.00000E+00
208	9.00892E-01	5.06950E+00	8.95855E-01	1.65039E-03	0.00000E+00	0.00000E+00
209	9.42164E-01	5.09250E+00	8.96079E-01	1.65756E-03	0.00000E+00	0.00000E+00
210	8.75255E-01	5.11800E+00	8.95979E-01	1.65261E-03	0.00000E+00	0.00000E+00

211	8.89688E-01	5.14183E+00	8.95949E-01	1.64496E-03	0.00000E+00	0.00000E+00
212	8.90783E-01	5.16483E+00	8.95924E-01	1.63729E-03	0.00000E+00	0.00000E+00
213	8.93693E-01	5.18850E+00	8.95913E-01	1.62955E-03	0.00000E+00	0.00000E+00
214	8.65067E-01	5.21333E+00	8.95768E-01	1.62836E-03	0.00000E+00	0.00000E+00
215	8.67362E-01	5.23617E+00	8.95635E-01	1.62617E-03	0.00000E+00	0.00000E+00
216	8.88983E-01	5.26000E+00	8.95603E-01	1.61885E-03	0.00000E+00	0.00000E+00
217	9.22045E-01	5.28383E+00	8.95726E-01	1.61599E-03	0.00000E+00	0.00000E+00
218	9.43618E-01	5.30750E+00	8.95948E-01	1.62370E-03	0.00000E+00	0.00000E+00
219	8.66742E-01	5.33133E+00	8.95814E-01	1.62180E-03	0.00000E+00	0.00000E+00
220	8.71369E-01	5.35517E+00	8.95701E-01	1.61823E-03	0.00000E+00	0.00000E+00
221	8.55960E-01	5.37983E+00	8.95520E-01	1.62101E-03	0.00000E+00	0.00000E+00
222	9.12158E-01	5.40283E+00	8.95596E-01	1.61540E-03	0.00000E+00	0.00000E+00
223	8.95254E-01	5.42650E+00	8.95594E-01	1.60807E-03	0.00000E+00	0.00000E+00
224	8.60585E-01	5.45033E+00	8.95436E-01	1.60856E-03	0.00000E+00	0.00000E+00
225	8.74524E-01	5.47417E+00	8.95343E-01	1.60408E-03	0.00000E+00	0.00000E+00
226	9.14818E-01	5.49700E+00	8.95430E-01	1.59926E-03	0.00000E+00	0.00000E+00
227	9.31760E-01	5.52083E+00	8.95591E-01	1.60031E-03	0.00000E+00	0.00000E+00
228	8.65724E-01	5.54550E+00	8.95459E-01	1.59868E-03	0.00000E+00	0.00000E+00
229	9.18458E-01	5.56850E+00	8.95560E-01	1.59485E-03	0.00000E+00	0.00000E+00
230	9.06092E-01	5.59317E+00	8.95606E-01	1.58851E-03	0.00000E+00	0.00000E+00
231	9.21820E-01	5.61600E+00	8.95721E-01	1.58569E-03	0.00000E+00	0.00000E+00
232	8.93586E-01	5.64167E+00	8.95712E-01	1.57881E-03	0.00000E+00	0.00000E+00
233	9.10990E-01	5.66450E+00	8.95778E-01	1.57335E-03	0.00000E+00	0.00000E+00
234	9.12836E-01	5.68833E+00	8.95851E-01	1.56828E-03	0.00000E+00	0.00000E+00
235	9.13126E-01	5.71033E+00	8.95925E-01	1.56329E-03	0.00000E+00	0.00000E+00
236	9.25522E-01	5.73417E+00	8.96052E-01	1.56173E-03	0.00000E+00	0.00000E+00
237	8.87379E-01	5.75883E+00	8.96015E-01	1.55551E-03	0.00000E+00	0.00000E+00
238	8.68187E-01	5.78350E+00	8.95897E-01	1.55338E-03	0.00000E+00	0.00000E+00
239	8.60217E-01	5.80917E+00	8.95746E-01	1.55412E-03	0.00000E+00	0.00000E+00
240	8.69248E-01	5.83217E+00	8.95635E-01	1.55158E-03	0.00000E+00	0.00000E+00
241	8.98512E-01	5.85583E+00	8.95647E-01	1.54512E-03	0.00000E+00	0.00000E+00
242	9.11914E-01	5.87883E+00	8.95715E-01	1.54016E-03	0.00000E+00	0.00000E+00
243	8.77626E-01	5.90167E+00	8.95640E-01	1.53559E-03	0.00000E+00	0.00000E+00
244	8.84961E-01	5.92550E+00	8.95596E-01	1.52987E-03	0.00000E+00	0.00000E+00
245	9.15886E-01	5.94933E+00	8.95679E-01	1.52585E-03	0.00000E+00	0.00000E+00
246	8.46228E-01	5.97400E+00	8.95477E-01	1.53304E-03	0.00000E+00	0.00000E+00
247	9.17179E-01	5.99783E+00	8.95565E-01	1.52934E-03	0.00000E+00	0.00000E+00
248	8.59401E-01	6.02167E+00	8.95418E-01	1.53018E-03	0.00000E+00	0.00000E+00
249	8.95811E-01	6.04533E+00	8.95420E-01	1.52398E-03	0.00000E+00	0.00000E+00
250	8.92145E-01	6.06917E+00	8.95407E-01	1.51788E-03	0.00000E+00	0.00000E+00
251	9.48130E-01	6.09200E+00	8.95618E-01	1.52653E-03	0.00000E+00	0.00000E+00
252	8.78052E-01	6.11583E+00	8.95548E-01	1.52203E-03	0.00000E+00	0.00000E+00
253	9.35664E-01	6.13967E+00	8.95708E-01	1.52436E-03	0.00000E+00	0.00000E+00
254	8.93427E-01	6.16533E+00	8.95699E-01	1.51832E-03	0.00000E+00	0.00000E+00
255	8.96659E-01	6.18817E+00	8.95703E-01	1.51231E-03	0.00000E+00	0.00000E+00
256	9.01249E-01	6.21200E+00	8.95724E-01	1.50651E-03	0.00000E+00	0.00000E+00
257	9.24391E-01	6.23483E+00	8.95837E-01	1.50479E-03	0.00000E+00	0.00000E+00
258	8.77010E-01	6.25783E+00	8.95763E-01	1.50070E-03	0.00000E+00	0.00000E+00
259	9.03217E-01	6.28067E+00	8.95792E-01	1.49513E-03	0.00000E+00	0.00000E+00
260	8.79833E-01	6.30633E+00	8.95730E-01	1.49061E-03	0.00000E+00	0.00000E+00
261	9.02200E-01	6.33017E+00	8.95755E-01	1.48506E-03	0.00000E+00	0.00000E+00
262	8.80712E-01	6.35383E+00	8.95698E-01	1.48046E-03	0.00000E+00	0.00000E+00
263	9.17152E-01	6.37683E+00	8.95780E-01	1.47707E-03	0.00000E+00	0.00000E+00
264	8.63141E-01	6.40150E+00	8.95655E-01	1.47669E-03	0.00000E+00	0.00000E+00
265	8.95414E-01	6.42533E+00	8.95654E-01	1.47106E-03	0.00000E+00	0.00000E+00
266	9.00271E-01	6.44817E+00	8.95672E-01	1.46558E-03	0.00000E+00	0.00000E+00
267	8.75753E-01	6.47383E+00	8.95597E-01	1.46197E-03	0.00000E+00	0.00000E+00
268	9.23365E-01	6.49767E+00	8.95701E-01	1.46200E-03	0.00000E+00	0.00000E+00
269	8.88812E-01	6.52317E+00	8.95675E-01	1.45495E-03	0.00000E+00	0.00000E+00
270	9.20117E-01	6.54617E+00	8.95766E-01	1.45238E-03	0.00000E+00	0.00000E+00
271	9.11885E-01	6.57000E+00	8.95826E-01	1.44821E-03	0.00000E+00	0.00000E+00
272	9.21993E-01	6.59367E+00	8.95923E-01	1.44609E-03	0.00000E+00	0.00000E+00
273	8.49401E-01	6.61850E+00	8.95752E-01	1.45093E-03	0.00000E+00	0.00000E+00
274	8.95063E-01	6.64217E+00	8.95749E-01	1.44559E-03	0.00000E+00	0.00000E+00
275	8.66475E-01	6.66700E+00	8.95642E-01	1.44427E-03	0.00000E+00	0.00000E+00
276	8.65963E-01	6.69267E+00	8.95533E-01	1.44306E-03	0.00000E+00	0.00000E+00
277	8.87114E-01	6.71550E+00	8.95503E-01	1.43813E-03	0.00000E+00	0.00000E+00
278	8.90469E-01	6.73933E+00	8.95485E-01	1.43303E-03	0.00000E+00	0.00000E+00
279	9.05177E-01	6.76317E+00	8.95520E-01	1.42827E-03	0.00000E+00	0.00000E+00
280	9.07149E-01	6.78783E+00	8.95561E-01	1.42374E-03	0.00000E+00	0.00000E+00
281	8.55320E-01	6.81167E+00	8.95417E-01	1.42594E-03	0.00000E+00	0.00000E+00
282	8.62157E-01	6.83450E+00	8.95298E-01	1.42580E-03	0.00000E+00	0.00000E+00
283	9.01137E-01	6.85917E+00	8.95319E-01	1.42087E-03	0.00000E+00	0.00000E+00
284	8.77530E-01	6.88300E+00	8.95256E-01	1.41722E-03	0.00000E+00	0.00000E+00
285	8.60813E-01	6.90683E+00	8.95134E-01	1.41744E-03	0.00000E+00	0.00000E+00
286	8.66350E-01	6.93150E+00	8.95033E-01	1.41607E-03	0.00000E+00	0.00000E+00
287	8.76397E-01	6.95533E+00	8.94968E-01	1.41261E-03	0.00000E+00	0.00000E+00
288	8.82161E-01	6.97817E+00	8.94923E-01	1.40838E-03	0.00000E+00	0.00000E+00
289	8.65790E-01	7.00200E+00	8.94821E-01	1.40713E-03	0.00000E+00	0.00000E+00
290	9.37929E-01	7.02483E+00	8.94971E-01	1.41020E-03	0.00000E+00	0.00000E+00
291	9.29246E-01	7.04867E+00	8.95090E-01	1.41031E-03	0.00000E+00	0.00000E+00
292	9.10414E-01	7.07150E+00	8.95143E-01	1.40643E-03	0.00000E+00	0.00000E+00
293	8.82829E-01	7.09533E+00	8.95100E-01	1.40222E-03	0.00000E+00	0.00000E+00
294	8.63260E-01	7.12100E+00	8.94991E-01	1.40166E-03	0.00000E+00	0.00000E+00
295	9.20586E-01	7.14383E+00	8.95079E-01	1.39960E-03	0.00000E+00	0.00000E+00
296	9.41261E-01	7.16683E+00	8.95236E-01	1.40365E-03	0.00000E+00	0.00000E+00
297	8.84594E-01	7.19150E+00	8.95200E-01	1.39935E-03	0.00000E+00	0.00000E+00
298	9.17430E-01	7.21533E+00	8.95275E-01	1.39663E-03	0.00000E+00	0.00000E+00
299	8.83992E-01	7.23917E+00	8.95237E-01	1.39244E-03	0.00000E+00	0.00000E+00
300	8.89306E-01	7.26200E+00	8.95217E-01	1.38790E-03	0.00000E+00	0.00000E+00
301	9.06865E-01	7.28667E+00	8.95256E-01	1.38380E-03	0.00000E+00	0.00000E+00
302	9.43762E-01	7.31050E+00	8.95417E-01	1.38862E-03	0.00000E+00	0.00000E+00
303	9.18035E-01	7.33433E+00	8.95493E-01	1.38604E-03	0.00000E+00	0.00000E+00
304	8.98479E-01	7.35717E+00	8.95502E-01	1.38148E-03	0.00000E+00	0.00000E+00
305	9.04385E-01	7.38000E+00	8.95532E-01	1.37723E-03	0.00000E+00	0.00000E+00
306	9.10615E-01	7.40383E+00	8.95581E-01	1.37358E-03	0.00000E+00	0.00000E+00
307	9.18945E-01	7.42767E+00	8.95658E-01	1.37121E-03	0.00000E+00	0.00000E+00
308	8.87790E-01	7.45150E+00	8.95632E-01	1.36697E-03	0.00000E+00	0.00000E+00
309	8.94523E-01	7.47433E+00	8.95629E-01	1.36251E-03	0.00000E+00	0.00000E+00
310	8.91631E-01	7.49917E+00	8.95616E-01	1.35814E-03	0.00000E+00	0.00000E+00
311	8.99515E-01	7.52283E+00	8.95628E-01	1.35380E-03	0.00000E+00	0.00000E+00
312	9.39045E-01	7.54483E+00	8.95768E-01	1.35667E-03	0.00000E+00	0.00000E+00
313	8.85895E-01	7.56867E+00	8.95737E-01	1.35268E-03	0.00000E+00	0.00000E+00
314	8.78723E-01	7.59250E+00	8.95682E-01	1.34944E-03	0.00000E+00	0.00000E+00
315	8.64668E-01	7.61717E+00	8.95583E-01	1.34876E-03	0.00000E+00	0.00000E+00
316	9.02749E-01	7.64100E+00	8.95606E-01	1.34466E-03	0.00000E+00	0.00000E+00
317	8.67690E-01	7.66667E+00	8.95517E-01	1.34331E-03	0.00000E+00	0.00000E+00
318	8.97839E-01	7.69033E+00	8.95524E-01	1.33907E-03	0.00000E+00	0.00000E+00

319	9.31740E-01	7.71417E+00	8.95639E-01	1.33972E-03	0.00000E+00	0.00000E+00
320	9.15333E-01	7.73800E+00	8.95701E-01	1.33693E-03	0.00000E+00	0.00000E+00
321	8.97757E-01	7.76267E+00	8.95707E-01	1.33275E-03	0.00000E+00	0.00000E+00
322	9.07318E-01	7.78650E+00	8.95743E-01	1.32908E-03	0.00000E+00	0.00000E+00
323	9.00348E-01	7.81033E+00	8.95758E-01	1.32501E-03	0.00000E+00	0.00000E+00
324	8.93546E-01	7.83317E+00	8.95751E-01	1.32090E-03	0.00000E+00	0.00000E+00
325	9.13417E-01	7.85700E+00	8.95806E-01	1.31794E-03	0.00000E+00	0.00000E+00
326	8.67137E-01	7.88167E+00	8.95717E-01	1.31684E-03	0.00000E+00	0.00000E+00
327	9.11058E-01	7.90733E+00	8.95764E-01	1.31363E-03	0.00000E+00	0.00000E+00
328	8.93492E-01	7.93117E+00	8.95757E-01	1.30962E-03	0.00000E+00	0.00000E+00
329	8.58242E-01	7.95400E+00	8.95643E-01	1.31064E-03	0.00000E+00	0.00000E+00
330	8.87510E-01	7.97883E+00	8.95618E-01	1.30687E-03	0.00000E+00	0.00000E+00
331	8.84861E-01	8.00167E+00	8.95585E-01	1.30330E-03	0.00000E+00	0.00000E+00
332	9.20879E-01	8.02550E+00	8.95662E-01	1.30161E-03	0.00000E+00	0.00000E+00
333	8.92014E-01	8.04933E+00	8.95651E-01	1.29771E-03	0.00000E+00	0.00000E+00
334	8.98793E-01	8.07483E+00	8.95660E-01	1.29383E-03	0.00000E+00	0.00000E+00
335	9.05699E-01	8.09867E+00	8.95690E-01	1.29029E-03	0.00000E+00	0.00000E+00
336	8.77431E-01	8.12250E+00	8.95636E-01	1.28759E-03	0.00000E+00	0.00000E+00
337	9.39878E-01	8.14533E+00	8.95768E-01	1.29051E-03	0.00000E+00	0.00000E+00
338	8.97092E-01	8.16917E+00	8.95772E-01	1.28667E-03	0.00000E+00	0.00000E+00
339	8.92360E-01	8.19117E+00	8.95762E-01	1.28289E-03	0.00000E+00	0.00000E+00
340	8.63111E-01	8.21583E+00	8.95665E-01	1.28273E-03	0.00000E+00	0.00000E+00
341	8.56991E-01	8.24050E+00	8.95551E-01	1.28402E-03	0.00000E+00	0.00000E+00
342	8.54876E-01	8.26433E+00	8.95431E-01	1.28581E-03	0.00000E+00	0.00000E+00
343	9.22585E-01	8.28817E+00	8.95511E-01	1.28451E-03	0.00000E+00	0.00000E+00
344	9.04882E-01	8.31100E+00	8.95538E-01	1.28104E-03	0.00000E+00	0.00000E+00
345	8.62203E-01	8.33483E+00	8.95441E-01	1.28099E-03	0.00000E+00	0.00000E+00
346	8.91068E-01	8.35867E+00	8.95428E-01	1.27733E-03	0.00000E+00	0.00000E+00
347	8.77276E-01	8.38333E+00	8.95376E-01	1.27470E-03	0.00000E+00	0.00000E+00
348	8.80922E-01	8.40717E+00	8.95334E-01	1.27170E-03	0.00000E+00	0.00000E+00
349	8.87942E-01	8.43000E+00	8.95313E-01	1.26821E-03	0.00000E+00	0.00000E+00
350	9.08687E-01	8.45483E+00	8.95351E-01	1.26514E-03	0.00000E+00	0.00000E+00
351	8.55023E-01	8.47950E+00	8.95236E-01	1.26680E-03	0.00000E+00	0.00000E+00
352	9.10473E-01	8.50333E+00	8.95279E-01	1.26392E-03	0.00000E+00	0.00000E+00
353	9.23391E-01	8.52617E+00	8.95359E-01	1.26286E-03	0.00000E+00	0.00000E+00
354	8.92780E-01	8.55000E+00	8.95352E-01	1.25929E-03	0.00000E+00	0.00000E+00
355	8.80755E-01	8.57283E+00	8.95311E-01	1.25639E-03	0.00000E+00	0.00000E+00
356	8.95925E-01	8.59767E+00	8.95312E-01	1.25284E-03	0.00000E+00	0.00000E+00
357	9.49281E-01	8.62050E+00	8.95464E-01	1.25852E-03	0.00000E+00	0.00000E+00
358	8.91730E-01	8.64433E+00	8.95454E-01	1.25503E-03	0.00000E+00	0.00000E+00
359	8.82525E-01	8.66817E+00	8.95418E-01	1.25203E-03	0.00000E+00	0.00000E+00
360	9.10724E-01	8.69183E+00	8.95460E-01	1.24926E-03	0.00000E+00	0.00000E+00
361	9.29336E-01	8.71383E+00	8.95555E-01	1.24934E-03	0.00000E+00	0.00000E+00
362	9.19163E-01	8.73667E+00	8.95620E-01	1.24759E-03	0.00000E+00	0.00000E+00
363	8.90057E-01	8.75967E+00	8.95605E-01	1.24423E-03	0.00000E+00	0.00000E+00
364	8.68297E-01	8.78350E+00	8.95529E-01	1.24308E-03	0.00000E+00	0.00000E+00
365	8.95902E-01	8.80817E+00	8.95530E-01	1.23965E-03	0.00000E+00	0.00000E+00
366	8.53996E-01	8.83283E+00	8.95416E-01	1.24149E-03	0.00000E+00	0.00000E+00
367	8.95485E-01	8.85750E+00	8.95417E-01	1.23809E-03	0.00000E+00	0.00000E+00
368	8.70299E-01	8.88233E+00	8.95348E-01	1.23660E-03	0.00000E+00	0.00000E+00
369	9.39315E-01	8.90517E+00	8.95468E-01	1.23904E-03	0.00000E+00	0.00000E+00
370	8.42743E-01	8.92983E+00	8.95324E-01	1.24394E-03	0.00000E+00	0.00000E+00
371	9.00029E-01	8.95367E+00	8.95337E-01	1.24063E-03	0.00000E+00	0.00000E+00
372	8.88064E-01	8.97650E+00	8.95318E-01	1.23743E-03	0.00000E+00	0.00000E+00
373	8.96316E-01	8.99950E+00	8.95320E-01	1.23409E-03	0.00000E+00	0.00000E+00
374	8.80433E-01	9.02333E+00	8.95280E-01	1.23142E-03	0.00000E+00	0.00000E+00
375	9.32961E-01	9.04617E+00	8.95381E-01	1.23226E-03	0.00000E+00	0.00000E+00
376	8.60609E-01	9.07083E+00	8.95288E-01	1.23248E-03	0.00000E+00	0.00000E+00
377	8.89423E-01	9.09567E+00	8.95273E-01	1.22929E-03	0.00000E+00	0.00000E+00
378	9.17431E-01	9.11750E+00	8.95332E-01	1.22743E-03	0.00000E+00	0.00000E+00
379	8.90763E-01	9.14133E+00	8.95319E-01	1.22423E-03	0.00000E+00	0.00000E+00
380	9.05093E-01	9.16517E+00	8.95345E-01	1.22126E-03	0.00000E+00	0.00000E+00
381	9.02580E-01	9.18983E+00	8.95364E-01	1.21818E-03	0.00000E+00	0.00000E+00
382	9.12075E-01	9.21367E+00	8.95408E-01	1.21577E-03	0.00000E+00	0.00000E+00
383	8.65641E-01	9.23750E+00	8.95330E-01	1.21509E-03	0.00000E+00	0.00000E+00
384	8.66290E-01	9.26217E+00	8.95254E-01	1.21428E-03	0.00000E+00	0.00000E+00
385	8.89759E-01	9.28683E+00	8.95240E-01	1.21119E-03	0.00000E+00	0.00000E+00
386	9.14192E-01	9.31067E+00	8.95289E-01	1.20904E-03	0.00000E+00	0.00000E+00
387	9.17638E-01	9.33367E+00	8.95347E-01	1.20729E-03	0.00000E+00	0.00000E+00
388	9.25979E-01	9.35733E+00	8.95427E-01	1.20677E-03	0.00000E+00	0.00000E+00
389	9.32704E-01	9.38033E+00	8.95523E-01	1.20750E-03	0.00000E+00	0.00000E+00
390	9.03165E-01	9.40417E+00	8.95543E-01	1.20455E-03	0.00000E+00	0.00000E+00
391	9.46238E-01	9.42783E+00	8.95673E-01	1.20849E-03	0.00000E+00	0.00000E+00
392	9.08953E-01	9.45267E+00	8.95707E-01	1.20587E-03	0.00000E+00	0.00000E+00
393	9.64028E-01	9.47550E+00	8.95882E-01	1.21541E-03	0.00000E+00	0.00000E+00
394	9.09928E-01	9.50017E+00	8.95918E-01	1.21283E-03	0.00000E+00	0.00000E+00
395	8.59672E-01	9.52500E+00	8.95825E-01	1.21325E-03	0.00000E+00	0.00000E+00
396	8.69255E-01	9.54867E+00	8.95758E-01	1.21205E-03	0.00000E+00	0.00000E+00
397	8.91838E-01	9.57250E+00	8.95748E-01	1.20902E-03	0.00000E+00	0.00000E+00
398	9.24188E-01	9.59533E+00	8.95820E-01	1.20810E-03	0.00000E+00	0.00000E+00
399	9.94896E-01	9.61917E+00	8.95817E-01	1.20505E-03	0.00000E+00	0.00000E+00
400	9.11581E-01	9.64400E+00	8.95857E-01	1.20267E-03	0.00000E+00	0.00000E+00
401	8.91078E-01	9.66767E+00	8.95845E-01	1.19971E-03	0.00000E+00	0.00000E+00
402	8.95141E-01	9.69150E+00	8.95843E-01	1.19671E-03	0.00000E+00	0.00000E+00
403	9.06940E-01	9.71533E+00	8.95871E-01	1.19405E-03	0.00000E+00	0.00000E+00
404	8.85631E-01	9.73917E+00	8.95846E-01	1.19134E-03	0.00000E+00	0.00000E+00
405	9.18539E-01	9.76300E+00	8.95902E-01	1.18972E-03	0.00000E+00	0.00000E+00
406	9.11942E-01	9.78583E+00	8.95942E-01	1.18743E-03	0.00000E+00	0.00000E+00
407	9.70086E-01	9.80967E+00	8.96125E-01	1.19856E-03	0.00000E+00	0.00000E+00
408	9.04730E-01	9.83350E+00	8.96146E-01	1.19579E-03	0.00000E+00	0.00000E+00
409	8.94946E-01	9.85717E+00	8.96143E-01	1.19286E-03	0.00000E+00	0.00000E+00
410	9.05643E-01	9.88200E+00	8.96166E-01	1.19016E-03	0.00000E+00	0.00000E+00
411	9.16808E-01	9.90567E+00	8.96217E-01	1.18831E-03	0.00000E+00	0.00000E+00
412	8.86415E-01	9.92950E+00	8.96193E-01	1.18565E-03	0.00000E+00	0.00000E+00
413	9.08300E-01	9.95333E+00	8.96222E-01	1.18313E-03	0.00000E+00	0.00000E+00
414	8.38968E-01	9.97717E+00	8.96083E-01	1.18841E-03	0.00000E+00	0.00000E+00
415	9.04074E-01	9.99917E+00	8.96103E-01	1.18569E-03	0.00000E+00	0.00000E+00
416	9.34861E-01	1.00220E+01	8.96196E-01	1.18652E-03	0.00000E+00	0.00000E+00
417	9.10037E-01	1.00458E+01	8.96230E-01	1.18413E-03	0.00000E+00	0.00000E+00
418	9.15567E-01	1.00697E+01	8.96276E-01	1.18219E-03	0.00000E+00	0.00000E+00
419	9.55204E-01	1.00925E+01	8.96417E-01	1.18779E-03	0.00000E+00	0.00000E+00
420	8.82081E-01	1.01163E+01	8.96383E-01	1.18544E-03	0.00000E+00	0.00000E+00
421	9.08086E-01	1.01402E+01	8.96411E-01	1.18294E-03	0.00000E+00	0.00000E+00
422	9.12650E-01	1.01648E+01	8.96450E-01	1.18075E-03	0.00000E+00	0.00000E+00
423	8.54102E-01	1.01895E+01	8.96349E-01	1.18223E-03	0.00000E+00	0.00000E+00
424	9.08926E-01	1.02123E+01	8.96379E-01	1.17980E-03	0.00000E+00	0.00000E+00
425	9.35580E-01	1.02343E+01	8.96472E-01	1.18065E-03	0.00000E+00	0.00000E+00
426	8.81976E-01	1.02582E+01	8.96437E-01	1.17836E-03	0.00000E+00	0.00000E+00

427	8.94689E-01	1.02820E+01	8.96433E-01	1.17559E-03	0.00000E+00	0.00000E+00
428	9.27000E-01	1.03058E+01	8.96505E-01	1.17502E-03	0.00000E+00	0.00000E+00
429	8.87504E-01	1.03295E+01	8.96484E-01	1.17246E-03	0.00000E+00	0.00000E+00
430	9.34985E-01	1.03525E+01	8.96574E-01	1.17317E-03	0.00000E+00	0.00000E+00
431	9.17721E-01	1.03753E+01	8.96623E-01	1.17147E-03	0.00000E+00	0.00000E+00
432	9.03182E-01	1.03992E+01	8.96638E-01	1.16884E-03	0.00000E+00	0.00000E+00
433	9.94514E-01	1.04212E+01	8.96865E-01	1.18803E-03	0.00000E+00	0.00000E+00
434	8.97109E-01	1.04450E+01	8.96866E-01	1.18528E-03	0.00000E+00	0.00000E+00
435	8.68383E-01	1.04697E+01	8.96800E-01	1.18436E-03	0.00000E+00	0.00000E+00
436	9.04481E-01	1.04935E+01	8.96818E-01	1.18176E-03	0.00000E+00	0.00000E+00
437	9.18522E-01	1.05153E+01	8.96868E-01	1.18010E-03	0.00000E+00	0.00000E+00
438	9.03273E-01	1.05392E+01	8.96883E-01	1.17748E-03	0.00000E+00	0.00000E+00
439	9.03496E-01	1.05622E+01	8.96898E-01	1.17488E-03	0.00000E+00	0.00000E+00
440	8.87313E-01	1.05868E+01	8.96876E-01	1.17240E-03	0.00000E+00	0.00000E+00
441	8.70212E-01	1.06115E+01	8.96815E-01	1.17130E-03	0.00000E+00	0.00000E+00
442	8.58089E-01	1.06353E+01	8.96727E-01	1.17195E-03	0.00000E+00	0.00000E+00
443	8.91367E-01	1.06582E+01	8.96715E-01	1.16935E-03	0.00000E+00	0.00000E+00
444	9.07255E-01	1.06820E+01	8.96739E-01	1.16694E-03	0.00000E+00	0.00000E+00
445	8.76624E-01	1.07058E+01	8.96693E-01	1.16519E-03	0.00000E+00	0.00000E+00
446	8.79254E-01	1.07297E+01	8.96654E-01	1.16323E-03	0.00000E+00	0.00000E+00
447	8.80421E-01	1.07535E+01	8.96618E-01	1.16118E-03	0.00000E+00	0.00000E+00
448	8.92619E-01	1.07772E+01	8.96609E-01	1.15861E-03	0.00000E+00	0.00000E+00
449	8.87123E-01	1.08010E+01	8.96587E-01	1.15621E-03	0.00000E+00	0.00000E+00
450	8.93978E-01	1.08238E+01	8.96582E-01	1.15364E-03	0.00000E+00	0.00000E+00
451	8.74146E-01	1.08477E+01	8.96532E-01	1.15216E-03	0.00000E+00	0.00000E+00
452	9.10700E-01	1.08707E+01	8.96563E-01	1.15002E-03	0.00000E+00	0.00000E+00
453	9.24132E-01	1.08935E+01	8.96624E-01	1.14910E-03	0.00000E+00	0.00000E+00
454	9.01100E-01	1.09173E+01	8.96634E-01	1.14660E-03	0.00000E+00	0.00000E+00
455	9.23492E-01	1.09402E+01	8.96693E-01	1.14560E-03	0.00000E+00	0.00000E+00
456	9.05902E-01	1.09640E+01	8.96714E-01	1.14325E-03	0.00000E+00	0.00000E+00
457	9.00037E-01	1.09878E+01	8.96721E-01	1.14076E-03	0.00000E+00	0.00000E+00
458	8.78071E-01	1.10125E+01	8.96680E-01	1.13899E-03	0.00000E+00	0.00000E+00
459	8.78601E-01	1.10363E+01	8.96641E-01	1.13718E-03	0.00000E+00	0.00000E+00
460	8.74789E-01	1.10602E+01	8.96593E-01	1.13570E-03	0.00000E+00	0.00000E+00
461	9.11807E-01	1.10838E+01	8.96626E-01	1.13371E-03	0.00000E+00	0.00000E+00
462	9.08229E-01	1.11077E+01	8.96651E-01	1.13152E-03	0.00000E+00	0.00000E+00
463	8.95114E-01	1.11315E+01	8.96648E-01	1.12907E-03	0.00000E+00	0.00000E+00
464	8.93458E-01	1.11562E+01	8.96641E-01	1.12664E-03	0.00000E+00	0.00000E+00
465	8.78004E-01	1.11800E+01	8.96601E-01	1.12493E-03	0.00000E+00	0.00000E+00
466	8.81664E-01	1.12028E+01	8.96569E-01	1.12296E-03	0.00000E+00	0.00000E+00
467	9.22024E-01	1.12267E+01	8.96623E-01	1.12188E-03	0.00000E+00	0.00000E+00
468	8.74849E-01	1.12505E+01	8.96577E-01	1.12044E-03	0.00000E+00	0.00000E+00
469	9.07953E-01	1.12743E+01	8.96601E-01	1.11831E-03	0.00000E+00	0.00000E+00
470	9.00350E-01	1.12990E+01	8.96609E-01	1.11595E-03	0.00000E+00	0.00000E+00
471	8.92630E-01	1.13237E+01	8.96600E-01	1.11360E-03	0.00000E+00	0.00000E+00
472	8.84763E-01	1.13475E+01	8.96575E-01	1.11151E-03	0.00000E+00	0.00000E+00
473	8.92004E-01	1.13713E+01	8.96566E-01	1.10919E-03	0.00000E+00	0.00000E+00
474	8.78063E-01	1.13960E+01	8.96528E-01	1.10746E-03	0.00000E+00	0.00000E+00
475	8.93526E-01	1.14198E+01	8.96522E-01	1.10513E-03	0.00000E+00	0.00000E+00
476	8.97703E-01	1.14437E+01	8.96525E-01	1.10280E-03	0.00000E+00	0.00000E+00
477	8.82148E-01	1.14665E+01	8.96494E-01	1.10089E-03	0.00000E+00	0.00000E+00
478	8.80307E-01	1.14895E+01	8.96460E-01	1.09910E-03	0.00000E+00	0.00000E+00
479	9.40191E-01	1.15123E+01	8.96552E-01	1.10062E-03	0.00000E+00	0.00000E+00
480	8.67054E-01	1.15370E+01	8.96490E-01	1.10005E-03	0.00000E+00	0.00000E+00
481	8.84586E-01	1.15598E+01	8.96465E-01	1.09803E-03	0.00000E+00	0.00000E+00
482	8.77404E-01	1.15837E+01	8.96426E-01	1.09646E-03	0.00000E+00	0.00000E+00
483	9.26403E-01	1.16075E+01	8.96488E-01	1.09595E-03	0.00000E+00	0.00000E+00
484	9.10083E-01	1.16313E+01	8.96516E-01	1.09404E-03	0.00000E+00	0.00000E+00
485	9.16693E-01	1.16542E+01	8.96558E-01	1.09257E-03	0.00000E+00	0.00000E+00
486	8.49247E-01	1.16788E+01	8.96460E-01	1.09469E-03	0.00000E+00	0.00000E+00
487	8.83473E-01	1.17027E+01	8.96433E-01	1.09275E-03	0.00000E+00	0.00000E+00
488	9.26183E-01	1.17265E+01	8.96495E-01	1.09222E-03	0.00000E+00	0.00000E+00
489	8.57221E-01	1.17512E+01	8.96414E-01	1.09295E-03	0.00000E+00	0.00000E+00
490	9.06872E-01	1.17750E+01	8.96435E-01	1.09092E-03	0.00000E+00	0.00000E+00
491	9.17416E-01	1.17988E+01	8.96478E-01	1.08953E-03	0.00000E+00	0.00000E+00
492	8.94006E-01	1.18227E+01	8.96473E-01	1.08732E-03	0.00000E+00	0.00000E+00
493	9.14281E-01	1.18465E+01	8.96510E-01	1.08571E-03	0.00000E+00	0.00000E+00
494	9.52789E-01	1.18693E+01	8.96624E-01	1.08952E-03	0.00000E+00	0.00000E+00
495	8.69660E-01	1.18940E+01	8.96569E-01	1.08868E-03	0.00000E+00	0.00000E+00
496	9.11134E-01	1.19170E+01	8.96599E-01	1.08688E-03	0.00000E+00	0.00000E+00
497	9.20718E-01	1.19398E+01	8.96648E-01	1.08577E-03	0.00000E+00	0.00000E+00
498	8.96202E-01	1.19645E+01	8.96647E-01	1.08358E-03	0.00000E+00	0.00000E+00
499	9.02916E-01	1.19873E+01	8.96659E-01	1.08147E-03	0.00000E+00	0.00000E+00
500	8.85633E-01	1.20122E+01	8.96637E-01	1.07953E-03	0.00000E+00	0.00000E+00
501	9.25873E-01	1.20360E+01	8.96696E-01	1.07895E-03	0.00000E+00	0.00000E+00
502	8.97125E-01	1.20597E+01	8.96697E-01	1.07679E-03	0.00000E+00	0.00000E+00
503	8.73163E-01	1.20835E+01	8.96650E-01	1.07567E-03	0.00000E+00	0.00000E+00
504	8.86625E-01	1.21083E+01	8.96630E-01	1.07371E-03	0.00000E+00	0.00000E+00
505	9.03667E-01	1.21320E+01	8.96644E-01	1.07166E-03	0.00000E+00	0.00000E+00
506	8.93322E-01	1.21568E+01	8.96637E-01	1.06956E-03	0.00000E+00	0.00000E+00
507	9.20239E-01	1.21805E+01	8.96684E-01	1.06846E-03	0.00000E+00	0.00000E+00
508	8.97849E-01	1.22035E+01	8.96686E-01	1.06635E-03	0.00000E+00	0.00000E+00
509	9.03579E-01	1.22273E+01	8.96700E-01	1.06433E-03	0.00000E+00	0.00000E+00
510	9.41743E-01	1.22510E+01	8.96788E-01	1.06593E-03	0.00000E+00	0.00000E+00
511	9.09846E-01	1.22748E+01	8.96814E-01	1.06414E-03	0.00000E+00	0.00000E+00
512	9.02922E-01	1.22977E+01	8.96826E-01	1.06212E-03	0.00000E+00	0.00000E+00
513	8.83000E-01	1.23215E+01	8.96799E-01	1.06038E-03	0.00000E+00	0.00000E+00
514	8.94430E-01	1.23453E+01	8.96794E-01	1.05832E-03	0.00000E+00	0.00000E+00
515	8.46309E-01	1.23710E+01	8.96696E-01	1.06083E-03	0.00000E+00	0.00000E+00
516	9.29154E-01	1.23930E+01	8.96759E-01	1.06065E-03	0.00000E+00	0.00000E+00
517	8.75636E-01	1.24177E+01	8.96718E-01	1.05938E-03	0.00000E+00	0.00000E+00
518	9.25388E-01	1.24415E+01	8.96774E-01	1.05878E-03	0.00000E+00	0.00000E+00
519	9.01574E-01	1.24643E+01	8.96783E-01	1.05677E-03	0.00000E+00	0.00000E+00
520	8.93721E-01	1.24872E+01	8.96777E-01	1.05475E-03	0.00000E+00	0.00000E+00
521	8.85690E-01	1.25110E+01	8.96756E-01	1.05293E-03	0.00000E+00	0.00000E+00
522	8.43889E-01	1.25358E+01	8.96654E-01	1.05581E-03	0.00000E+00	0.00000E+00
523	8.99307E-01	1.25595E+01	8.96659E-01	1.05379E-03	0.00000E+00	0.00000E+00
524	9.39461E-01	1.25833E+01	8.96741E-01	1.05496E-03	0.00000E+00	0.00000E+00
525	9.13382E-01	1.26080E+01	8.96773E-01	1.05343E-03	0.00000E+00	0.00000E+00
526	9.20663E-01	1.26310E+01	8.96818E-01	1.05240E-03	0.00000E+00	0.00000E+00
527	9.11607E-01	1.26548E+01	8.96847E-01	1.05077E-03	0.00000E+00	0.00000E+00
528	8.89681E-01	1.26785E+01	8.96833E-01	1.04886E-03	0.00000E+00	0.00000E+00
529	9.28580E-01	1.27015E+01	8.96893E-01	1.04860E-03	0.00000E+00	0.00000E+00
530	8.65511E-01	1.27262E+01	8.96834E-01	1.04830E-03	0.00000E+00	0.00000E+00
531	9.11819E-01	1.27508E+01	8.96862E-01	1.04670E-03	0.00000E+00	0.00000E+00
532	8.78168E-01	1.27747E+01	8.96827E-01	1.04532E-03	0.00000E+00	0.00000E+00
533	8.34391E-01	1.27985E+01	8.96709E-01	1.04995E-03	0.00000E+00	0.00000E+00
534	9.08869E-01	1.28223E+01	8.96732E-01	1.04823E-03	0.00000E+00	0.00000E+00

535	8.64387E-01	1.28460E+01	8.96671E-01	1.04802E-03	0.00000E+00	0.00000E+00
536	8.99302E-01	1.28698E+01	8.96676E-01	1.04606E-03	0.00000E+00	0.00000E+00
537	9.32684E-01	1.28937E+01	8.96744E-01	1.04627E-03	0.00000E+00	0.00000E+00
538	8.79891E-01	1.29183E+01	8.96712E-01	1.04479E-03	0.00000E+00	0.00000E+00
539	9.14136E-01	1.29413E+01	8.96745E-01	1.04335E-03	0.00000E+00	0.00000E+00
540	9.01656E-01	1.29642E+01	8.96754E-01	1.04145E-03	0.00000E+00	0.00000E+00
541	8.75015E-01	1.29898E+01	8.96713E-01	1.04030E-03	0.00000E+00	0.00000E+00
542	8.68825E-01	1.30127E+01	8.96662E-01	1.03965E-03	0.00000E+00	0.00000E+00
543	8.82160E-01	1.30373E+01	8.96635E-01	1.03807E-03	0.00000E+00	0.00000E+00
544	8.95750E-01	1.30622E+01	8.96633E-01	1.03616E-03	0.00000E+00	0.00000E+00
545	9.08330E-01	1.30842E+01	8.96655E-01	1.03447E-03	0.00000E+00	0.00000E+00
546	9.23595E-01	1.31078E+01	8.96704E-01	1.03376E-03	0.00000E+00	0.00000E+00
547	8.70013E-01	1.31327E+01	8.96655E-01	1.03302E-03	0.00000E+00	0.00000E+00
548	8.93271E-01	1.31563E+01	8.96649E-01	1.03114E-03	0.00000E+00	0.00000E+00
549	8.97267E-01	1.31802E+01	8.96650E-01	1.02926E-03	0.00000E+00	0.00000E+00
550	8.46308E-01	1.32040E+01	8.96558E-01	1.03148E-03	0.00000E+00	0.00000E+00
551	8.93473E-01	1.32278E+01	8.96553E-01	1.02961E-03	0.00000E+00	0.00000E+00
552	8.52139E-01	1.32525E+01	8.96472E-01	1.03091E-03	0.00000E+00	0.00000E+00
553	8.77510E-01	1.32772E+01	8.96438E-01	1.02961E-03	0.00000E+00	0.00000E+00
554	9.29491E-01	1.33002E+01	8.96498E-01	1.02948E-03	0.00000E+00	0.00000E+00
555	8.98625E-01	1.33240E+01	8.96501E-01	1.02763E-03	0.00000E+00	0.00000E+00
556	9.12137E-01	1.33477E+01	8.96530E-01	1.02616E-03	0.00000E+00	0.00000E+00
557	8.86835E-01	1.33707E+01	8.96512E-01	1.02446E-03	0.00000E+00	0.00000E+00
558	8.75002E-01	1.33935E+01	8.96473E-01	1.02335E-03	0.00000E+00	0.00000E+00
559	8.99338E-02	1.34163E+01	8.96479E-01	1.02152E-03	0.00000E+00	0.00000E+00
560	8.55454E-01	1.34412E+01	8.96405E-01	1.02233E-03	0.00000E+00	0.00000E+00
561	8.86954E-01	1.34648E+01	8.96388E-01	1.02064E-03	0.00000E+00	0.00000E+00
562	8.93705E-01	1.34887E+01	8.96383E-01	1.01883E-03	0.00000E+00	0.00000E+00
563	9.00043E-01	1.35125E+01	8.96390E-01	1.01703E-03	0.00000E+00	0.00000E+00
564	9.35165E-01	1.35363E+01	8.96459E-01	1.01756E-03	0.00000E+00	0.00000E+00
565	9.18707E-01	1.35602E+01	8.96498E-01	1.01652E-03	0.00000E+00	0.00000E+00
566	9.02933E-01	1.35838E+01	8.96510E-01	1.01478E-03	0.00000E+00	0.00000E+00
567	9.02138E-01	1.36077E+01	8.96520E-01	1.01304E-03	0.00000E+00	0.00000E+00
568	8.84605E-01	1.36315E+01	8.96499E-01	1.01146E-03	0.00000E+00	0.00000E+00
569	8.65252E-01	1.36562E+01	8.96444E-01	1.01118E-03	0.00000E+00	0.00000E+00
570	8.59762E-01	1.36800E+01	8.96379E-01	1.01146E-03	0.00000E+00	0.00000E+00
571	8.85772E-01	1.37038E+01	8.96360E-01	1.00986E-03	0.00000E+00	0.00000E+00
572	9.05816E-01	1.37267E+01	8.96377E-01	1.00822E-03	0.00000E+00	0.00000E+00
573	9.24165E-01	1.37505E+01	8.96426E-01	1.00763E-03	0.00000E+00	0.00000E+00
574	9.12854E-01	1.37733E+01	8.96454E-01	1.00627E-03	0.00000E+00	0.00000E+00
575	9.04969E-01	1.37972E+01	8.96469E-01	1.00463E-03	0.00000E+00	0.00000E+00
576	9.22231E-01	1.38202E+01	8.96514E-01	1.00388E-03	0.00000E+00	0.00000E+00
577	9.18564E-01	1.38430E+01	8.96552E-01	1.00286E-03	0.00000E+00	0.00000E+00
578	9.22708E-01	1.38668E+01	8.96598E-01	1.00215E-03	0.00000E+00	0.00000E+00
579	9.49538E-01	1.38915E+01	8.96690E-01	1.00461E-03	0.00000E+00	0.00000E+00
580	9.11573E-01	1.39135E+01	8.96715E-01	1.00320E-03	0.00000E+00	0.00000E+00
581	9.09612E-01	1.39373E+01	8.96738E-01	1.00172E-03	0.00000E+00	0.00000E+00
582	8.74688E-01	1.39610E+01	8.96700E-01	1.00071E-03	0.00000E+00	0.00000E+00
583	9.06132E-01	1.39848E+01	8.96716E-01	9.99118E-04	0.00000E+00	0.00000E+00
584	9.00629E-01	1.40078E+01	8.96723E-01	9.97422E-04	0.00000E+00	0.00000E+00
585	9.05499E-01	1.40315E+01	8.96738E-01	9.95824E-04	0.00000E+00	0.00000E+00
586	9.03479E-01	1.40545E+01	8.96749E-01	9.94184E-04	0.00000E+00	0.00000E+00
587	9.06552E-01	1.40782E+01	8.96766E-01	9.92624E-04	0.00000E+00	0.00000E+00
588	8.59516E-01	1.41012E+01	8.96702E-01	9.92966E-04	0.00000E+00	0.00000E+00
589	9.16276E-01	1.41240E+01	8.96736E-01	9.91834E-04	0.00000E+00	0.00000E+00
590	8.65798E-01	1.41487E+01	8.96683E-01	9.91542E-04	0.00000E+00	0.00000E+00
591	9.13283E-01	1.41717E+01	8.96711E-01	9.90259E-04	0.00000E+00	0.00000E+00
592	8.79095E-01	1.41963E+01	8.96681E-01	9.89030E-04	0.00000E+00	0.00000E+00
593	8.85133E-01	1.42202E+01	8.96662E-01	9.87548E-04	0.00000E+00	0.00000E+00
594	8.80839E-01	1.42440E+01	8.96635E-01	9.86241E-04	0.00000E+00	0.00000E+00
595	8.86666E-01	1.42677E+01	8.96618E-01	9.84720E-04	0.00000E+00	0.00000E+00
596	8.84925E-01	1.42933E+01	8.96599E-01	9.83258E-04	0.00000E+00	0.00000E+00
597	8.77997E-01	1.43182E+01	8.96567E-01	9.82101E-04	0.00000E+00	0.00000E+00
598	9.12672E-01	1.43428E+01	8.96594E-01	9.80824E-04	0.00000E+00	0.00000E+00
599	8.74607E-01	1.43667E+01	8.96558E-01	9.79873E-04	0.00000E+00	0.00000E+00
600	8.75190E-01	1.43913E+01	8.96522E-01	9.78885E-04	0.00000E+00	0.00000E+00
601	9.26165E-01	1.44142E+01	8.96571E-01	9.78502E-04	0.00000E+00	0.00000E+00
602	8.63866E-01	1.44390E+01	8.96517E-01	9.78389E-04	0.00000E+00	0.00000E+00
603	9.43383E-01	1.44627E+01	8.96595E-01	9.79868E-04	0.00000E+00	0.00000E+00
604	9.09885E-01	1.44857E+01	8.96617E-01	9.78488E-04	0.00000E+00	0.00000E+00
605	9.12432E-01	1.45103E+01	8.96643E-01	9.77216E-04	0.00000E+00	0.00000E+00
606	8.77274E-01	1.45342E+01	8.96611E-01	9.76123E-04	0.00000E+00	0.00000E+00
607	9.14951E-01	1.45570E+01	8.96641E-01	9.74980E-04	0.00000E+00	0.00000E+00
608	9.17347E-01	1.45808E+01	8.96676E-01	9.73969E-04	0.00000E+00	0.00000E+00
609	9.24481E-01	1.46037E+01	8.96721E-01	9.73442E-04	0.00000E+00	0.00000E+00
610	9.21725E-01	1.46267E+01	8.96762E-01	9.72709E-04	0.00000E+00	0.00000E+00
611	8.77816E-01	1.46503E+01	8.96731E-01	9.71609E-04	0.00000E+00	0.00000E+00
612	9.16235E-01	1.46752E+01	8.96763E-01	9.70541E-04	0.00000E+00	0.00000E+00
613	8.83370E-01	1.46988E+01	8.96741E-01	9.69199E-04	0.00000E+00	0.00000E+00
614	8.99418E-01	1.47227E+01	8.96746E-01	9.67624E-04	0.00000E+00	0.00000E+00
615	8.86865E-01	1.47465E+01	8.96730E-01	9.66179E-04	0.00000E+00	0.00000E+00
616	8.66860E-01	1.47693E+01	8.96681E-01	9.65830E-04	0.00000E+00	0.00000E+00
617	9.38340E-01	1.47932E+01	8.96749E-01	9.66635E-04	0.00000E+00	0.00000E+00
618	8.96360E-01	1.48170E+01	8.96748E-01	9.65065E-04	0.00000E+00	0.00000E+00
619	8.64843E-01	1.48408E+01	8.96696E-01	9.64886E-04	0.00000E+00	0.00000E+00
620	9.07567E-01	1.48647E+01	8.96714E-01	9.63484E-04	0.00000E+00	0.00000E+00
621	8.85979E-01	1.48887E+01	8.96697E-01	9.62082E-04	0.00000E+00	0.00000E+00
622	8.92642E-01	1.49113E+01	8.96690E-01	9.60552E-04	0.00000E+00	0.00000E+00
623	8.90951E-01	1.49342E+01	8.96681E-01	9.59048E-04	0.00000E+00	0.00000E+00
624	9.12984E-01	1.49570E+01	8.96707E-01	9.57864E-04	0.00000E+00	0.00000E+00
625	9.03836E-01	1.49808E+01	8.96719E-01	9.56393E-04	0.00000E+00	0.00000E+00
626	8.87053E-01	1.50047E+01	8.96703E-01	9.54985E-04	0.00000E+00	0.00000E+00
627	9.01798E-01	1.50275E+01	8.96711E-01	9.53491E-04	0.00000E+00	0.00000E+00
628	8.71258E-01	1.50513E+01	8.96671E-01	9.52834E-04	0.00000E+00	0.00000E+00
629	8.80493E-01	1.50742E+01	8.96645E-01	9.51663E-04	0.00000E+00	0.00000E+00
630	9.01947E-01	1.50980E+01	8.96653E-01	9.50184E-04	0.00000E+00	0.00000E+00
631	8.69068E-01	1.51227E+01	8.96609E-01	9.49685E-04	0.00000E+00	0.00000E+00
632	9.03954E-01	1.51465E+01	8.96621E-01	9.48248E-04	0.00000E+00	0.00000E+00
633	8.90630E-01	1.51703E+01	8.96612E-01	9.46792E-04	0.00000E+00	0.00000E+00
634	8.87538E-01	1.51950E+01	8.96597E-01	9.45402E-04	0.00000E+00	0.00000E+00
635	8.79876E-01	1.52188E+01	8.96571E-01	9.44277E-04	0.00000E+00	0.00000E+00
636	8.34785E-01	1.52435E+01	8.96473E-01	9.47809E-04	0.00000E+00	0.00000E+00
637	8.28974E-01	1.52683E+01	8.96367E-01	9.52267E-04	0.00000E+00	0.00000E+00
638	9.04197E-01	1.52922E+01	8.96379E-01	9.50848E-04	0.00000E+00	0.00000E+00
639	8.53858E-01	1.53158E+01	8.96313E-01	9.51699E-04	0.00000E+00	0.00000E+00
640	8.76145E-01	1.53407E+01	8.96281E-01	9.50731E-04	0.00000E+00	0.00000E+00
641	8.65992E-01	1.53645E+01	8.96234E-01	9.50425E-04	0.00000E+00	0.00000E+00
642	8.94271E-01	1.53892E+01	8.96230E-01	9.48944E-04	0.00000E+00	0.00000E+00

643	8.87355E-01	1.54130E+01	8.96217E-01	9.47563E-04	0.00000E+00	0.00000E+00
644	9.05501E-01	1.54367E+01	8.96231E-01	9.46197E-04	0.00000E+00	0.00000E+00
645	9.02579E-01	1.54605E+01	8.96241E-01	9.44776E-04	0.00000E+00	0.00000E+00
646	8.95672E-01	1.54843E+01	8.96240E-01	9.43308E-04	0.00000E+00	0.00000E+00
647	8.79846E-01	1.55072E+01	8.96215E-01	9.42187E-04	0.00000E+00	0.00000E+00
648	9.08793E-01	1.55302E+01	8.96234E-01	9.40929E-04	0.00000E+00	0.00000E+00
649	9.13886E-01	1.55538E+01	8.96261E-01	9.39870E-04	0.00000E+00	0.00000E+00
650	8.74276E-01	1.55777E+01	8.96227E-01	9.39031E-04	0.00000E+00	0.00000E+00
651	8.80085E-01	1.56015E+01	8.96203E-01	9.37913E-04	0.00000E+00	0.00000E+00
652	9.01869E-01	1.56243E+01	8.96211E-01	9.36510E-04	0.00000E+00	0.00000E+00
653	8.84645E-01	1.56482E+01	8.96194E-01	9.35239E-04	0.00000E+00	0.00000E+00
654	8.47322E-01	1.56728E+01	8.96119E-01	9.36807E-04	0.00000E+00	0.00000E+00
655	8.66875E-01	1.56967E+01	8.96074E-01	9.36443E-04	0.00000E+00	0.00000E+00
656	9.05990E-01	1.57197E+01	8.96089E-01	9.35132E-04	0.00000E+00	0.00000E+00
657	8.75003E-01	1.57433E+01	8.96057E-01	9.34259E-04	0.00000E+00	0.00000E+00
658	8.78428E-01	1.57672E+01	8.96030E-01	9.33220E-04	0.00000E+00	0.00000E+00
659	8.82439E-01	1.57920E+01	8.96009E-01	9.32028E-04	0.00000E+00	0.00000E+00
660	8.75620E-01	1.58157E+01	8.95978E-01	9.31127E-04	0.00000E+00	0.00000E+00
661	9.00068E-01	1.58405E+01	8.95984E-01	9.29733E-04	0.00000E+00	0.00000E+00
662	8.88360E-01	1.58642E+01	8.95973E-01	9.28395E-04	0.00000E+00	0.00000E+00
663	8.80138E-01	1.58890E+01	8.95949E-01	9.27299E-04	0.00000E+00	0.00000E+00
664	9.30244E-01	1.59118E+01	8.96001E-01	9.27346E-04	0.00000E+00	0.00000E+00
665	8.98375E-01	1.59347E+01	8.96004E-01	9.25953E-04	0.00000E+00	0.00000E+00
666	8.78347E-01	1.59585E+01	8.95978E-01	9.24940E-04	0.00000E+00	0.00000E+00
667	9.29099E-01	1.59813E+01	8.96028E-01	9.24890E-04	0.00000E+00	0.00000E+00
668	9.13020E-01	1.60052E+01	8.96052E-01	9.23812E-04	0.00000E+00	0.00000E+00
669	8.53710E-01	1.60300E+01	8.95988E-01	9.24608E-04	0.00000E+00	0.00000E+00
670	9.10854E-01	1.60537E+01	8.96010E-01	9.23491E-04	0.00000E+00	0.00000E+00
671	9.15832E-01	1.60775E+01	8.96040E-01	9.22585E-04	0.00000E+00	0.00000E+00
672	9.03861E-01	1.61013E+01	8.96052E-01	9.21281E-04	0.00000E+00	0.00000E+00
673	9.01234E-01	1.61260E+01	8.96059E-01	9.19940E-04	0.00000E+00	0.00000E+00
674	8.86334E-01	1.61498E+01	8.96048E-01	9.18642E-04	0.00000E+00	0.00000E+00
675	9.03907E-01	1.61745E+01	8.96060E-01	9.17350E-04	0.00000E+00	0.00000E+00
676	8.77962E-01	1.61983E+01	8.96033E-01	9.16381E-04	0.00000E+00	0.00000E+00
677	8.38561E-01	1.62240E+01	8.95948E-01	9.18975E-04	0.00000E+00	0.00000E+00
678	8.39554E-01	1.62478E+01	8.95944E-01	9.17622E-04	0.00000E+00	0.00000E+00
679	9.01517E-01	1.62707E+01	8.95952E-01	9.16302E-04	0.00000E+00	0.00000E+00
680	8.86653E-01	1.62953E+01	8.95939E-01	9.15053E-04	0.00000E+00	0.00000E+00
681	8.89348E-01	1.63192E+01	8.95929E-01	9.13756E-04	0.00000E+00	0.00000E+00
682	8.86747E-01	1.63430E+01	8.95918E-01	9.12472E-04	0.00000E+00	0.00000E+00
683	9.01776E-01	1.63668E+01	8.95927E-01	9.11172E-04	0.00000E+00	0.00000E+00
684	9.01454E-01	1.63907E+01	8.95935E-01	9.09871E-04	0.00000E+00	0.00000E+00
685	9.32153E-01	1.64143E+01	8.95988E-01	9.10084E-04	0.00000E+00	0.00000E+00
686	9.12537E-01	1.64373E+01	8.96012E-01	9.09074E-04	0.00000E+00	0.00000E+00
687	8.72577E-01	1.64620E+01	8.95978E-01	9.08391E-04	0.00000E+00	0.00000E+00
688	9.01912E-01	1.64848E+01	8.95987E-01	9.07107E-04	0.00000E+00	0.00000E+00
689	8.75728E-01	1.65097E+01	8.95957E-01	9.06265E-04	0.00000E+00	0.00000E+00
690	8.56792E-01	1.65343E+01	8.95900E-01	9.06736E-04	0.00000E+00	0.00000E+00
691	9.18720E-01	1.65582E+01	8.95933E-01	9.06024E-04	0.00000E+00	0.00000E+00
692	9.40426E-01	1.65810E+01	8.95998E-01	9.07005E-04	0.00000E+00	0.00000E+00
693	9.41321E-01	1.66038E+01	8.96063E-01	9.08064E-04	0.00000E+00	0.00000E+00
694	8.95081E-01	1.66287E+01	8.96062E-01	9.06752E-04	0.00000E+00	0.00000E+00
695	9.36425E-01	1.66515E+01	8.96120E-01	9.07314E-04	0.00000E+00	0.00000E+00
696	9.24387E-01	1.66743E+01	8.96161E-01	9.06921E-04	0.00000E+00	0.00000E+00
697	8.90040E-01	1.66973E+01	8.96152E-01	9.05657E-04	0.00000E+00	0.00000E+00
698	8.92430E-01	1.67210E+01	8.96147E-01	9.04371E-04	0.00000E+00	0.00000E+00
699	9.44390E-01	1.67430E+01	8.96216E-01	9.05721E-04	0.00000E+00	0.00000E+00
700	8.87635E-01	1.67678E+01	8.96204E-01	9.04506E-04	0.00000E+00	0.00000E+00
701	8.85004E-01	1.67915E+01	8.96188E-01	9.03354E-04	0.00000E+00	0.00000E+00
702	9.32628E-01	1.68145E+01	8.96240E-01	9.03563E-04	0.00000E+00	0.00000E+00
703	9.11362E-01	1.68365E+01	8.96261E-01	9.02531E-04	0.00000E+00	0.00000E+00
704	9.09693E-01	1.68602E+01	8.96280E-01	9.01447E-04	0.00000E+00	0.00000E+00
705	9.00177E-01	1.68832E+01	8.96286E-01	9.00181E-04	0.00000E+00	0.00000E+00
706	9.22326E-01	1.69068E+01	8.96323E-01	8.99662E-04	0.00000E+00	0.00000E+00
707	8.86457E-01	1.69317E+01	8.96309E-01	8.98494E-04	0.00000E+00	0.00000E+00
708	8.87745E-01	1.69555E+01	8.96297E-01	8.97303E-04	0.00000E+00	0.00000E+00
709	9.06482E-01	1.69792E+01	8.96311E-01	8.96148E-04	0.00000E+00	0.00000E+00
710	8.94310E-01	1.70030E+01	8.96308E-01	8.94886E-04	0.00000E+00	0.00000E+00
711	8.83331E-01	1.70277E+01	8.96290E-01	8.93811E-04	0.00000E+00	0.00000E+00
712	9.23554E-01	1.70525E+01	8.96329E-01	8.93376E-04	0.00000E+00	0.00000E+00
713	9.40958E-01	1.70753E+01	8.96391E-01	8.94325E-04	0.00000E+00	0.00000E+00
714	8.73210E-01	1.70992E+01	8.96359E-01	8.93661E-04	0.00000E+00	0.00000E+00
715	9.02008E-01	1.71230E+01	8.96367E-01	8.92442E-04	0.00000E+00	0.00000E+00
716	8.89512E-01	1.71458E+01	8.96357E-01	8.91243E-04	0.00000E+00	0.00000E+00
717	9.28326E-01	1.71697E+01	8.96402E-01	8.91118E-04	0.00000E+00	0.00000E+00
718	9.11495E-01	1.71925E+01	8.96423E-01	8.90122E-04	0.00000E+00	0.00000E+00
719	9.22444E-01	1.72172E+01	8.96459E-01	8.89620E-04	0.00000E+00	0.00000E+00
720	8.98003E-01	1.72410E+01	8.96461E-01	8.88383E-04	0.00000E+00	0.00000E+00
721	8.83291E-01	1.72648E+01	8.96443E-01	8.87336E-04	0.00000E+00	0.00000E+00
722	8.58316E-01	1.72895E+01	8.96390E-01	8.87683E-04	0.00000E+00	0.00000E+00
723	9.11684E-01	1.73143E+01	8.96411E-01	8.86705E-04	0.00000E+00	0.00000E+00
724	8.89329E-01	1.73380E+01	8.96401E-01	8.85530E-04	0.00000E+00	0.00000E+00
725	9.22263E-01	1.73618E+01	8.96437E-01	8.85028E-04	0.00000E+00	0.00000E+00
726	9.06097E-01	1.73867E+01	8.96451E-01	8.83905E-04	0.00000E+00	0.00000E+00
727	8.88787E-01	1.74095E+01	8.96440E-01	8.82749E-04	0.00000E+00	0.00000E+00
728	9.12740E-01	1.74333E+01	8.96462E-01	8.81818E-04	0.00000E+00	0.00000E+00
729	9.21494E-01	1.74570E+01	8.96497E-01	8.81277E-04	0.00000E+00	0.00000E+00
730	9.06084E-01	1.74818E+01	8.96510E-01	8.80164E-04	0.00000E+00	0.00000E+00
731	8.44856E-01	1.75075E+01	8.96439E-01	8.81807E-04	0.00000E+00	0.00000E+00
732	9.13042E-01	1.75312E+01	8.96462E-01	8.80892E-04	0.00000E+00	0.00000E+00
733	9.27032E-01	1.75550E+01	8.96504E-01	8.80680E-04	0.00000E+00	0.00000E+00
734	8.87729E-01	1.75788E+01	8.96492E-01	8.79557E-04	0.00000E+00	0.00000E+00
735	8.87608E-01	1.76027E+01	8.96480E-01	8.78440E-04	0.00000E+00	0.00000E+00
736	8.87589E-01	1.76265E+01	8.96468E-01	8.77326E-04	0.00000E+00	0.00000E+00
737	9.40468E-01	1.76502E+01	8.96527E-01	8.78175E-04	0.00000E+00	0.00000E+00
738	8.80430E-01	1.76750E+01	8.96506E-01	8.77253E-04	0.00000E+00	0.00000E+00
739	9.27698E-01	1.76988E+01	8.96548E-01	8.77084E-04	0.00000E+00	0.00000E+00
740	9.19151E-01	1.77217E+01	8.96578E-01	8.76430E-04	0.00000E+00	0.00000E+00
741	8.92995E-01	1.77455E+01	8.96574E-01	8.75257E-04	0.00000E+00	0.00000E+00
742	9.21454E-01	1.77692E+01	8.96607E-01	8.74719E-04	0.00000E+00	0.00000E+00
743	9.21646E-01	1.77930E+01	8.96641E-01	8.74192E-04	0.00000E+00	0.00000E+00
744	8.62474E-01	1.78178E+01	8.96595E-01	8.74226E-04	0.00000E+00	0.00000E+00
745	8.78658E-01	1.78415E+01	8.96571E-01	8.73382E-04	0.00000E+00	0.00000E+00
746	8.95708E-01	1.78653E+01	8.96570E-01	8.72209E-04	0.00000E+00	0.00000E+00
747	9.28713E-01	1.78892E+01	8.96613E-01	8.72105E-04	0.00000E+00	0.00000E+00
748	9.44537E-01	1.79130E+01	8.96677E-01	8.73301E-04	0.00000E+00	0.00000E+00
749	9.25454E-01	1.79368E+01	8.96716E-01	8.72982E-04	0.00000E+00	0.00000E+00
750	9.07206E-01	1.79597E+01	8.96730E-01	8.71927E-04	0.00000E+00	0.00000E+00

751	9.24168E-01	1.79835E+01	8.96766E-01	8.71532E-04	0.00000E+00	0.00000E+00
752	8.69112E-01	1.80082E+01	8.96729E-01	8.71150E-04	0.00000E+00	0.00000E+00
753	9.19546E-01	1.80310E+01	8.96760E-01	8.70519E-04	0.00000E+00	0.00000E+00
754	9.11653E-01	1.80548E+01	8.96780E-01	8.69587E-04	0.00000E+00	0.00000E+00
755	8.89243E-01	1.80795E+01	8.96770E-01	8.68489E-04	0.00000E+00	0.00000E+00
756	8.91823E-01	1.81025E+01	8.96763E-01	8.67361E-04	0.00000E+00	0.00000E+00
757	8.33849E-01	1.81272E+01	8.96680E-01	8.70210E-04	0.00000E+00	0.00000E+00
758	9.41370E-01	1.81500E+01	8.96739E-01	8.71067E-04	0.00000E+00	0.00000E+00
759	8.49148E-01	1.81738E+01	8.96676E-01	8.72184E-04	0.00000E+00	0.00000E+00
760	9.24990E-01	1.81977E+01	8.96713E-01	8.71833E-04	0.00000E+00	0.00000E+00
761	9.23285E-01	1.82205E+01	8.96748E-01	8.71387E-04	0.00000E+00	0.00000E+00
762	9.10927E-01	1.82443E+01	8.96767E-01	8.70440E-04	0.00000E+00	0.00000E+00
763	9.42739E-01	1.82672E+01	8.96827E-01	8.71392E-04	0.00000E+00	0.00000E+00
764	9.13939E-01	1.82902E+01	8.96850E-01	8.70537E-04	0.00000E+00	0.00000E+00
765	9.01541E-01	1.83148E+01	8.96856E-01	8.69417E-04	0.00000E+00	0.00000E+00
766	8.89058E-01	1.83377E+01	8.96846E-01	8.68338E-04	0.00000E+00	0.00000E+00
767	9.43874E-01	1.83615E+01	8.96907E-01	8.69379E-04	0.00000E+00	0.00000E+00
768	8.99420E-01	1.83853E+01	8.96911E-01	8.68249E-04	0.00000E+00	0.00000E+00
769	8.78321E-01	1.84092E+01	8.96886E-01	8.67455E-04	0.00000E+00	0.00000E+00
770	8.93033E-01	1.84320E+01	8.96881E-01	8.66340E-04	0.00000E+00	0.00000E+00
771	8.60661E-01	1.84577E+01	8.96834E-01	8.66493E-04	0.00000E+00	0.00000E+00
772	8.41810E-01	1.84823E+01	8.96763E-01	8.68313E-04	0.00000E+00	0.00000E+00
773	9.00824E-01	1.85052E+01	8.96768E-01	8.67202E-04	0.00000E+00	0.00000E+00
774	8.52743E-01	1.85300E+01	8.96711E-01	8.67953E-04	0.00000E+00	0.00000E+00
775	9.13975E-01	1.85547E+01	8.96733E-01	8.67117E-04	0.00000E+00	0.00000E+00
776	8.84565E-01	1.85793E+01	8.96718E-01	8.66139E-04	0.00000E+00	0.00000E+00
777	8.97693E-01	1.86042E+01	8.96719E-01	8.65022E-04	0.00000E+00	0.00000E+00
778	9.14455E-01	1.86278E+01	8.96742E-01	8.64208E-04	0.00000E+00	0.00000E+00
779	9.20641E-01	1.86508E+01	8.96772E-01	8.63643E-04	0.00000E+00	0.00000E+00
780	8.92296E-01	1.86737E+01	8.96767E-01	8.62552E-04	0.00000E+00	0.00000E+00
781	8.77353E-01	1.86983E+01	8.96742E-01	8.61804E-04	0.00000E+00	0.00000E+00
782	8.83960E-01	1.87232E+01	8.96725E-01	8.60855E-04	0.00000E+00	0.00000E+00
783	8.86227E-01	1.87468E+01	8.96712E-01	8.59857E-04	0.00000E+00	0.00000E+00
784	8.98030E-01	1.87717E+01	8.96714E-01	8.58758E-04	0.00000E+00	0.00000E+00
785	9.14458E-01	1.87945E+01	8.96736E-01	8.57960E-04	0.00000E+00	0.00000E+00
786	9.54414E-01	1.88183E+01	8.96810E-01	8.60017E-04	0.00000E+00	0.00000E+00
787	9.06428E-01	1.88422E+01	8.96822E-01	8.59009E-04	0.00000E+00	0.00000E+00
788	8.68680E-01	1.88660E+01	8.96786E-01	8.58662E-04	0.00000E+00	0.00000E+00
789	8.95655E-01	1.88897E+01	8.96785E-01	8.57571E-04	0.00000E+00	0.00000E+00
790	9.21673E-01	1.89127E+01	8.96816E-01	8.57064E-04	0.00000E+00	0.00000E+00
791	8.98787E-01	1.89373E+01	8.96819E-01	8.55981E-04	0.00000E+00	0.00000E+00
792	9.21291E-01	1.89612E+01	8.96850E-01	8.55458E-04	0.00000E+00	0.00000E+00
793	9.00681E-01	1.89850E+01	8.96855E-01	8.54390E-04	0.00000E+00	0.00000E+00
794	9.07533E-01	1.90087E+01	8.96868E-01	8.53417E-04	0.00000E+00	0.00000E+00
795	9.26335E-01	1.90325E+01	8.96905E-01	8.53149E-04	0.00000E+00	0.00000E+00
796	9.22731E-01	1.90553E+01	8.96938E-01	8.52695E-04	0.00000E+00	0.00000E+00
797	8.68620E-01	1.90802E+01	8.96902E-01	8.52366E-04	0.00000E+00	0.00000E+00
798	8.60341E-01	1.91040E+01	8.96856E-01	8.52533E-04	0.00000E+00	0.00000E+00
799	9.05900E-01	1.91268E+01	8.96868E-01	8.51538E-04	0.00000E+00	0.00000E+00
800	8.50813E-01	1.91507E+01	8.96810E-01	8.52426E-04	0.00000E+00	0.00000E+00
801	8.84755E-01	1.91743E+01	8.96795E-01	8.51492E-04	0.00000E+00	0.00000E+00
802	9.60932E-01	1.91973E+01	8.96875E-01	8.54198E-04	0.00000E+00	0.00000E+00
803	8.76828E-01	1.92212E+01	8.96850E-01	8.53498E-04	0.00000E+00	0.00000E+00
804	8.62301E-01	1.92458E+01	8.96807E-01	8.53521E-04	0.00000E+00	0.00000E+00
805	8.76213E-01	1.92705E+01	8.96781E-01	8.52843E-04	0.00000E+00	0.00000E+00
806	8.74276E-01	1.92943E+01	8.96753E-01	8.52241E-04	0.00000E+00	0.00000E+00
807	8.93648E-01	1.93182E+01	8.96749E-01	8.51191E-04	0.00000E+00	0.00000E+00
808	8.65924E-01	1.93420E+01	8.96711E-01	8.50994E-04	0.00000E+00	0.00000E+00
809	9.52415E-01	1.93648E+01	8.96780E-01	8.52737E-04	0.00000E+00	0.00000E+00
810	9.08650E-01	1.93895E+01	8.96795E-01	8.51808E-04	0.00000E+00	0.00000E+00
811	9.41810E-01	1.94115E+01	8.96851E-01	8.52572E-04	0.00000E+00	0.00000E+00
812	9.06418E-01	1.94343E+01	8.96862E-01	8.51601E-04	0.00000E+00	0.00000E+00
813	8.92819E-01	1.94582E+01	8.96857E-01	8.50564E-04	0.00000E+00	0.00000E+00
814	8.98339E-01	1.94820E+01	8.96859E-01	8.49518E-04	0.00000E+00	0.00000E+00
815	8.77347E-01	1.95058E+01	8.96835E-01	8.48812E-04	0.00000E+00	0.00000E+00
816	8.87159E-01	1.95297E+01	8.96823E-01	8.47852E-04	0.00000E+00	0.00000E+00
817	9.42640E-01	1.95525E+01	8.96880E-01	8.48675E-04	0.00000E+00	0.00000E+00
818	8.70783E-01	1.95782E+01	8.96848E-01	8.48237E-04	0.00000E+00	0.00000E+00
819	9.40829E-01	1.96010E+01	8.96901E-01	8.48907E-04	0.00000E+00	0.00000E+00
820	9.16201E-01	1.96238E+01	8.96925E-01	8.48197E-04	0.00000E+00	0.00000E+00
821	8.66118E-01	1.96487E+01	8.96887E-01	8.47995E-04	0.00000E+00	0.00000E+00
822	9.34448E-01	1.96723E+01	8.96933E-01	8.48198E-04	0.00000E+00	0.00000E+00
823	9.11216E-01	1.96962E+01	8.96951E-01	8.47343E-04	0.00000E+00	0.00000E+00
824	9.02826E-01	1.97192E+01	8.96958E-01	8.46342E-04	0.00000E+00	0.00000E+00
825	9.08861E-01	1.97420E+01	8.96972E-01	8.45437E-04	0.00000E+00	0.00000E+00
826	9.03117E-01	1.97667E+01	8.96980E-01	8.44443E-04	0.00000E+00	0.00000E+00
827	8.83126E-01	1.97905E+01	8.96963E-01	8.43586E-04	0.00000E+00	0.00000E+00
828	8.81592E-01	1.98143E+01	8.96944E-01	8.42769E-04	0.00000E+00	0.00000E+00
829	8.73749E-01	1.98363E+01	8.96916E-01	8.42217E-04	0.00000E+00	0.00000E+00
830	8.87441E-01	1.98610E+01	8.96905E-01	8.41277E-04	0.00000E+00	0.00000E+00
831	9.38631E-01	1.98848E+01	8.96955E-01	8.41768E-04	0.00000E+00	0.00000E+00
832	9.11097E-01	1.99095E+01	8.96972E-01	8.40926E-04	0.00000E+00	0.00000E+00
833	9.35022E-01	1.99323E+01	8.97018E-01	8.41160E-04	0.00000E+00	0.00000E+00
834	9.17385E-01	1.99553E+01	8.97042E-01	8.40505E-04	0.00000E+00	0.00000E+00
835	9.02165E-01	1.99790E+01	8.97049E-01	8.39518E-04	0.00000E+00	0.00000E+00
836	9.05111E-01	2.00028E+01	8.97058E-01	8.38567E-04	0.00000E+00	0.00000E+00
837	9.03150E-01	2.00277E+01	8.97066E-01	8.37593E-04	0.00000E+00	0.00000E+00
838	9.14907E-01	2.00505E+01	8.97087E-01	8.36863E-04	0.00000E+00	0.00000E+00
839	9.11821E-01	2.00733E+01	8.97104E-01	8.36048E-04	0.00000E+00	0.00000E+00
840	8.32084E-01	2.00980E+01	8.97027E-01	8.38647E-04	0.00000E+00	0.00000E+00
841	8.96703E-01	2.01228E+01	8.97026E-01	8.37647E-04	0.00000E+00	0.00000E+00
842	8.86132E-01	2.01467E+01	8.97014E-01	8.36749E-04	0.00000E+00	0.00000E+00
843	9.30081E-01	2.01703E+01	8.97053E-01	8.36678E-04	0.00000E+00	0.00000E+00
844	8.79857E-01	2.01942E+01	8.97032E-01	8.35933E-04	0.00000E+00	0.00000E+00
845	9.24139E-01	2.02180E+01	8.97065E-01	8.35560E-04	0.00000E+00	0.00000E+00
846	8.89679E-01	2.02418E+01	8.97056E-01	8.34615E-04	0.00000E+00	0.00000E+00
847	8.78686E-01	2.02657E+01	8.97034E-01	8.33911E-04	0.00000E+00	0.00000E+00
848	9.00913E-01	2.02885E+01	8.97039E-01	8.32937E-04	0.00000E+00	0.00000E+00
849	9.03616E-01	2.03123E+01	8.97046E-01	8.31989E-04	0.00000E+00	0.00000E+00
850	8.87309E-01	2.03362E+01	8.97035E-01	8.31087E-04	0.00000E+00	0.00000E+00
851	8.86621E-01	2.03608E+01	8.97023E-01	8.30198E-04	0.00000E+00	0.00000E+00
852	9.28976E-01	2.03855E+01	8.97060E-01	8.30072E-04	0.00000E+00	0.00000E+00
853	9.17824E-01	2.04093E+01	8.97085E-01	8.29455E-04	0.00000E+00	0.00000E+00
854	8.91841E-01	2.04332E+01	8.97079E-01	8.28504E-04	0.00000E+00	0.00000E+00
855	8.97408E-01	2.04570E+01	8.97079E-01	8.27532E-04	0.00000E+00	0.00000E+00
856	9.00859E-01	2.04825E+01	8.97083E-01	8.26575E-04	0.00000E+00	0.00000E+00
857	8.89706E-01	2.05055E+01	8.97075E-01	8.25652E-04	0.00000E+00	0.00000E+00
858	9.27852E-01	2.05302E+01	8.97111E-01	8.25471E-04	0.00000E+00	0.00000E+00

859	9.12221E-01	2.05540E+01	8.97128E-01	8.24695E-04	0.00000E+00	0.00000E+00
860	8.77890E-01	2.05787E+01	8.97106E-01	8.24039E-04	0.00000E+00	0.00000E+00
861	9.06913E-01	2.06025E+01	8.97117E-01	8.23158E-04	0.00000E+00	0.00000E+00
862	9.07860E-01	2.06263E+01	8.97130E-01	8.22295E-04	0.00000E+00	0.00000E+00
863	9.02653E-01	2.06500E+01	8.97136E-01	8.21365E-04	0.00000E+00	0.00000E+00
864	9.23429E-01	2.06730E+01	8.97167E-01	8.20978E-04	0.00000E+00	0.00000E+00
865	9.04582E-01	2.06958E+01	8.97175E-01	8.20071E-04	0.00000E+00	0.00000E+00
866	8.95726E-01	2.07205E+01	8.97174E-01	8.19123E-04	0.00000E+00	0.00000E+00
867	9.08764E-01	2.07443E+01	8.97187E-01	8.18285E-04	0.00000E+00	0.00000E+00
868	8.87258E-01	2.07682E+01	8.97176E-01	8.17420E-04	0.00000E+00	0.00000E+00
869	8.66767E-01	2.07920E+01	8.97140E-01	8.17230E-04	0.00000E+00	0.00000E+00
870	9.38072E-01	2.08140E+01	8.97188E-01	8.17649E-04	0.00000E+00	0.00000E+00
871	8.62568E-01	2.08377E+01	8.97148E-01	8.17679E-04	0.00000E+00	0.00000E+00
872	9.20281E-01	2.08615E+01	8.97174E-01	8.17171E-04	0.00000E+00	0.00000E+00
873	9.34936E-01	2.08853E+01	8.97218E-01	8.17383E-04	0.00000E+00	0.00000E+00
874	9.13250E-01	2.09092E+01	8.97236E-01	8.16652E-04	0.00000E+00	0.00000E+00
875	8.47220E-01	2.09338E+01	8.97179E-01	8.17725E-04	0.00000E+00	0.00000E+00
876	8.80179E-01	2.09585E+01	8.97159E-01	8.17021E-04	0.00000E+00	0.00000E+00
877	8.80312E-01	2.09833E+01	8.97140E-01	8.16313E-04	0.00000E+00	0.00000E+00
878	9.40622E-01	2.10062E+01	8.97190E-01	8.16891E-04	0.00000E+00	0.00000E+00
879	8.53699E-01	2.10308E+01	8.97140E-01	8.17464E-04	0.00000E+00	0.00000E+00
880	8.85290E-01	2.10557E+01	8.97127E-01	8.16644E-04	0.00000E+00	0.00000E+00
881	8.62659E-01	2.10803E+01	8.97087E-01	8.16657E-04	0.00000E+00	0.00000E+00
882	8.77399E-01	2.11050E+01	8.97065E-01	8.16035E-04	0.00000E+00	0.00000E+00
883	8.96399E-01	2.11298E+01	8.97064E-01	8.15108E-04	0.00000E+00	0.00000E+00
884	8.85206E-01	2.11545E+01	8.97051E-01	8.14295E-04	0.00000E+00	0.00000E+00
885	9.08646E-01	2.11783E+01	8.97064E-01	8.13478E-04	0.00000E+00	0.00000E+00
886	9.08222E-01	2.12012E+01	8.97077E-01	8.12655E-04	0.00000E+00	0.00000E+00
887	9.04370E-01	2.12258E+01	8.97085E-01	8.11778E-04	0.00000E+00	0.00000E+00
888	8.91415E-01	2.12507E+01	8.97078E-01	8.10887E-04	0.00000E+00	0.00000E+00
889	8.79315E-01	2.12753E+01	8.97058E-01	8.10220E-04	0.00000E+00	0.00000E+00
890	9.09294E-01	2.12992E+01	8.97072E-01	8.09424E-04	0.00000E+00	0.00000E+00
891	9.35346E-01	2.13220E+01	8.97115E-01	8.09658E-04	0.00000E+00	0.00000E+00
892	8.63768E-01	2.13467E+01	8.97078E-01	8.09616E-04	0.00000E+00	0.00000E+00
893	8.79302E-01	2.13715E+01	8.97058E-01	8.08952E-04	0.00000E+00	0.00000E+00
894	8.56139E-01	2.13952E+01	8.97012E-01	8.09346E-04	0.00000E+00	0.00000E+00
895	8.47150E-01	2.14200E+01	8.96957E-01	8.10319E-04	0.00000E+00	0.00000E+00
896	8.89862E-01	2.14438E+01	8.96949E-01	8.09451E-04	0.00000E+00	0.00000E+00
897	8.66465E-01	2.14685E+01	8.96908E-01	8.09573E-04	0.00000E+00	0.00000E+00
898	9.24712E-01	2.14923E+01	8.96939E-01	8.09264E-04	0.00000E+00	0.00000E+00
899	8.65832E-01	2.15160E+01	8.96904E-01	8.09105E-04	0.00000E+00	0.00000E+00
900	8.92025E-01	2.15398E+01	8.96899E-01	8.08222E-04	0.00000E+00	0.00000E+00
901	8.90804E-01	2.15647E+01	8.96892E-01	8.07351E-04	0.00000E+00	0.00000E+00
902	9.21082E-01	2.15875E+01	8.96919E-01	8.06901E-04	0.00000E+00	0.00000E+00
903	8.89179E-01	2.16113E+01	8.96911E-01	8.06051E-04	0.00000E+00	0.00000E+00
904	9.00549E-01	2.16360E+01	8.96915E-01	8.05167E-04	0.00000E+00	0.00000E+00
905	8.83174E-01	2.16598E+01	8.96899E-01	8.04419E-04	0.00000E+00	0.00000E+00
906	8.83253E-01	2.16837E+01	8.96884E-01	8.03670E-04	0.00000E+00	0.00000E+00
907	8.29947E-01	2.17083E+01	8.96810E-01	8.06182E-04	0.00000E+00	0.00000E+00
908	8.53567E-01	2.17322E+01	8.96763E-01	8.06705E-04	0.00000E+00	0.00000E+00
909	9.33725E-01	2.17558E+01	8.96803E-01	8.06844E-04	0.00000E+00	0.00000E+00
910	9.07859E-01	2.17797E+01	8.96816E-01	8.06047E-04	0.00000E+00	0.00000E+00
911	8.69146E-01	2.18045E+01	8.96785E-01	8.05735E-04	0.00000E+00	0.00000E+00
912	9.33907E-01	2.18282E+01	8.96826E-01	8.05883E-04	0.00000E+00	0.00000E+00
913	8.68292E-01	2.18512E+01	8.96795E-01	8.05607E-04	0.00000E+00	0.00000E+00
914	8.88328E-01	2.18758E+01	8.96785E-01	8.04776E-04	0.00000E+00	0.00000E+00
915	9.14710E-01	2.18997E+01	8.96805E-01	8.04134E-04	0.00000E+00	0.00000E+00
916	8.92708E-01	2.19225E+01	8.96800E-01	8.03266E-04	0.00000E+00	0.00000E+00
917	8.72728E-01	2.19472E+01	8.96774E-01	8.02819E-04	0.00000E+00	0.00000E+00
918	9.03811E-01	2.19702E+01	8.96782E-01	8.01979E-04	0.00000E+00	0.00000E+00
919	8.74917E-01	2.19948E+01	8.96758E-01	8.01459E-04	0.00000E+00	0.00000E+00
920	8.66324E-01	2.20195E+01	8.96725E-01	8.01271E-04	0.00000E+00	0.00000E+00
921	8.83617E-01	2.20443E+01	8.96711E-01	8.00526E-04	0.00000E+00	0.00000E+00
922	9.22406E-01	2.20672E+01	8.96738E-01	8.00143E-04	0.00000E+00	0.00000E+00
923	8.66842E-01	2.20918E+01	8.96705E-01	7.99933E-04	0.00000E+00	0.00000E+00
924	8.89395E-01	2.21157E+01	8.96698E-01	7.99104E-04	0.00000E+00	0.00000E+00
925	8.36655E-01	2.21395E+01	8.96633E-01	8.00884E-04	0.00000E+00	0.00000E+00
926	8.95882E-01	2.21652E+01	8.96632E-01	8.00017E-04	0.00000E+00	0.00000E+00
927	8.56521E-01	2.21898E+01	8.96589E-01	8.00327E-04	0.00000E+00	0.00000E+00
928	8.76121E-01	2.22145E+01	8.96567E-01	7.99768E-04	0.00000E+00	0.00000E+00
929	8.49620E-01	2.22383E+01	8.96516E-01	8.00509E-04	0.00000E+00	0.00000E+00
930	8.52140E-01	2.22630E+01	8.96468E-01	8.01074E-04	0.00000E+00	0.00000E+00
931	9.00874E-01	2.22878E+01	8.96473E-01	8.00225E-04	0.00000E+00	0.00000E+00
932	9.05055E-01	2.23115E+01	8.96482E-01	7.99418E-04	0.00000E+00	0.00000E+00
933	9.16334E-01	2.23353E+01	8.96504E-01	7.98843E-04	0.00000E+00	0.00000E+00
934	8.26662E-01	2.23602E+01	8.96429E-01	8.01496E-04	0.00000E+00	0.00000E+00
935	8.64593E-01	2.23848E+01	8.96395E-01	8.01364E-04	0.00000E+00	0.00000E+00
936	8.73175E-01	2.24095E+01	8.96370E-01	8.00891E-04	0.00000E+00	0.00000E+00
937	8.66541E-01	2.24342E+01	8.96338E-01	8.00670E-04	0.00000E+00	0.00000E+00
938	8.98576E-01	2.24572E+01	8.96340E-01	7.99818E-04	0.00000E+00	0.00000E+00
939	8.94220E-01	2.24810E+01	8.96338E-01	7.98967E-04	0.00000E+00	0.00000E+00
940	9.23132E-01	2.25047E+01	8.96366E-01	7.98626E-04	0.00000E+00	0.00000E+00
941	8.92493E-01	2.25285E+01	8.96362E-01	7.97785E-04	0.00000E+00	0.00000E+00
942	8.71159E-01	2.25523E+01	8.96335E-01	7.97387E-04	0.00000E+00	0.00000E+00
943	9.16876E-01	2.25762E+01	8.96357E-01	7.96838E-04	0.00000E+00	0.00000E+00
944	8.93818E-01	2.26000E+01	8.96355E-01	7.95996E-04	0.00000E+00	0.00000E+00
945	9.11905E-01	2.26237E+01	8.96371E-01	7.95323E-04	0.00000E+00	0.00000E+00
946	8.74771E-01	2.26485E+01	8.96348E-01	7.94809E-04	0.00000E+00	0.00000E+00
947	9.16302E-01	2.26713E+01	8.96369E-01	7.94249E-04	0.00000E+00	0.00000E+00
948	8.71349E-01	2.26952E+01	8.96343E-01	7.93849E-04	0.00000E+00	0.00000E+00
949	8.56971E-01	2.27180E+01	8.96301E-01	7.94100E-04	0.00000E+00	0.00000E+00
950	8.88669E-01	2.27418E+01	8.96293E-01	7.93302E-04	0.00000E+00	0.00000E+00
951	8.90950E-01	2.27657E+01	8.96288E-01	7.92486E-04	0.00000E+00	0.00000E+00
952	9.28767E-01	2.27895E+01	8.96322E-01	7.92389E-04	0.00000E+00	0.00000E+00
953	8.58953E-01	2.28132E+01	8.96283E-01	7.92530E-04	0.00000E+00	0.00000E+00
954	9.59375E-01	2.28370E+01	8.96349E-01	7.94466E-04	0.00000E+00	0.00000E+00
955	8.57345E-01	2.28608E+01	8.96308E-01	7.94687E-04	0.00000E+00	0.00000E+00
956	9.13339E-01	2.28837E+01	8.96326E-01	7.94054E-04	0.00000E+00	0.00000E+00
957	9.04645E-01	2.29075E+01	8.96334E-01	7.93270E-04	0.00000E+00	0.00000E+00
958	9.21641E-01	2.29313E+01	8.96361E-01	7.92882E-04	0.00000E+00	0.00000E+00
959	8.77621E-01	2.29552E+01	8.96341E-01	7.92295E-04	0.00000E+00	0.00000E+00
960	9.04417E-01	2.29798E+01	8.96350E-01	7.91512E-04	0.00000E+00	0.00000E+00
961	8.91568E-01	2.30045E+01	8.96345E-01	7.90702E-04	0.00000E+00	0.00000E+00
962	9.21566E-01	2.30283E+01	8.96371E-01	7.90315E-04	0.00000E+00	0.00000E+00
963	8.82102E-01	2.30530E+01	8.96356E-01	7.89632E-04	0.00000E+00	0.00000E+00
964	8.66841E-01	2.30778E+01	8.96326E-01	7.89407E-04	0.00000E+00	0.00000E+00
965	9.07051E-01	2.31025E+01	8.96337E-01	7.88666E-04	0.00000E+00	0.00000E+00
966	9.17604E-01	2.31272E+01	8.96359E-01	7.88156E-04	0.00000E+00	0.00000E+00

1075	8.84275E-01	2.57280E+01	8.96078E-01	7.39146E-04	0.00000E+00	0.00000E+00
1076	8.82604E-01	2.57527E+01	8.96066E-01	7.38564E-04	0.00000E+00	0.00000E+00
1077	9.01255E-01	2.57755E+01	8.96070E-01	7.37892E-04	0.00000E+00	0.00000E+00
1078	9.15737E-01	2.57993E+01	8.96089E-01	7.37433E-04	0.00000E+00	0.00000E+00
1079	8.98836E-01	2.58232E+01	8.96091E-01	7.36752E-04	0.00000E+00	0.00000E+00
1080	8.66644E-01	2.58478E+01	8.96064E-01	7.36575E-04	0.00000E+00	0.00000E+00
1081	8.58190E-01	2.58725E+01	8.96029E-01	7.36729E-04	0.00000E+00	0.00000E+00
1082	8.92714E-01	2.58973E+01	8.96026E-01	7.36053E-04	0.00000E+00	0.00000E+00
1083	8.54882E-01	2.59212E+01	8.95988E-01	7.36356E-04	0.00000E+00	0.00000E+00
1084	9.02746E-01	2.59448E+01	8.95994E-01	7.35702E-04	0.00000E+00	0.00000E+00
1085	9.08642E-01	2.59678E+01	8.96006E-01	7.35115E-04	0.00000E+00	0.00000E+00
1086	8.88831E-01	2.59917E+01	8.95999E-01	7.34466E-04	0.00000E+00	0.00000E+00
1087	9.28360E-01	2.60145E+01	8.96029E-01	7.34395E-04	0.00000E+00	0.00000E+00
1088	8.89307E-01	2.60392E+01	8.96023E-01	7.33744E-04	0.00000E+00	0.00000E+00
1089	9.13454E-01	2.60630E+01	8.96039E-01	7.33244E-04	0.00000E+00	0.00000E+00
1090	9.16673E-01	2.60868E+01	8.96058E-01	7.32816E-04	0.00000E+00	0.00000E+00
1091	8.74491E-01	2.61097E+01	8.96038E-01	7.32410E-04	0.00000E+00	0.00000E+00
1092	9.01690E-01	2.61335E+01	8.96043E-01	7.31756E-04	0.00000E+00	0.00000E+00
1093	8.46123E-01	2.61582E+01	8.95997E-01	7.32516E-04	0.00000E+00	0.00000E+00
1094	9.08212E-01	2.61820E+01	8.96008E-01	7.31930E-04	0.00000E+00	0.00000E+00
1095	8.98488E-01	2.62058E+01	8.96011E-01	7.31264E-04	0.00000E+00	0.00000E+00
1096	9.09170E-01	2.62287E+01	8.96023E-01	7.30694E-04	0.00000E+00	0.00000E+00
1097	8.90699E-01	2.62533E+01	8.96018E-01	7.30042E-04	0.00000E+00	0.00000E+00
1098	8.81684E-01	2.62763E+01	8.96005E-01	7.29493E-04	0.00000E+00	0.00000E+00
1099	8.94330E-01	2.63010E+01	8.96003E-01	7.28830E-04	0.00000E+00	0.00000E+00
1100	8.61453E-01	2.63257E+01	8.95972E-01	7.28845E-04	0.00000E+00	0.00000E+00
1101	8.77511E-01	2.63495E+01	8.95955E-01	7.28375E-04	0.00000E+00	0.00000E+00
1102	8.96574E-01	2.63733E+01	8.95956E-01	7.27713E-04	0.00000E+00	0.00000E+00
1103	8.74184E-01	2.63980E+01	8.95936E-01	7.27321E-04	0.00000E+00	0.00000E+00
1104	8.78485E-01	2.64218E+01	8.95920E-01	7.26833E-04	0.00000E+00	0.00000E+00
1105	9.01330E-01	2.64465E+01	8.95925E-01	7.26190E-04	0.00000E+00	0.00000E+00
1106	9.34887E-01	2.64703E+01	8.95960E-01	7.26390E-04	0.00000E+00	0.00000E+00
1107	8.93618E-01	2.64942E+01	8.95958E-01	7.25735E-04	0.00000E+00	0.00000E+00
1108	9.02750E-01	2.65170E+01	8.95964E-01	7.25105E-04	0.00000E+00	0.00000E+00
1109	9.18999E-01	2.65408E+01	8.95985E-01	7.24748E-04	0.00000E+00	0.00000E+00
1110	8.98118E-01	2.65637E+01	8.95987E-01	7.24097E-04	0.00000E+00	0.00000E+00
1111	8.98897E-01	2.65875E+01	8.95989E-01	7.23448E-04	0.00000E+00	0.00000E+00
1112	9.08947E-01	2.66113E+01	8.96001E-01	7.22890E-04	0.00000E+00	0.00000E+00
1113	9.26974E-01	2.66352E+01	8.96029E-01	7.22777E-04	0.00000E+00	0.00000E+00
1114	8.71905E-01	2.66590E+01	8.96007E-01	7.22453E-04	0.00000E+00	0.00000E+00
1115	8.96963E-01	2.66827E+01	8.96008E-01	7.21804E-04	0.00000E+00	0.00000E+00
1116	8.71165E-01	2.67057E+01	8.95986E-01	7.21500E-04	0.00000E+00	0.00000E+00
1117	8.90311E-01	2.67295E+01	8.95981E-01	7.20871E-04	0.00000E+00	0.00000E+00
1118	8.99519E-01	2.67542E+01	8.95984E-01	7.20232E-04	0.00000E+00	0.00000E+00
1119	8.91354E-01	2.67780E+01	8.95980E-01	7.19599E-04	0.00000E+00	0.00000E+00
1120	9.17347E-01	2.68017E+01	8.95999E-01	7.19209E-04	0.00000E+00	0.00000E+00
1121	8.77721E-01	2.68255E+01	8.95983E-01	7.18751E-04	0.00000E+00	0.00000E+00
1122	9.00307E-01	2.68485E+01	8.95986E-01	7.18220E-04	0.00000E+00	0.00000E+00
1123	8.69085E-01	2.68713E+01	8.95962E-01	7.17880E-04	0.00000E+00	0.00000E+00
1124	8.69200E-01	2.68952E+01	8.95939E-01	7.17636E-04	0.00000E+00	0.00000E+00
1125	9.31893E-01	2.69180E+01	8.95971E-01	7.17711E-04	0.00000E+00	0.00000E+00
1126	9.03385E-01	2.69427E+01	8.95977E-01	7.17103E-04	0.00000E+00	0.00000E+00
1127	8.59036E-01	2.69665E+01	8.95944E-01	7.17217E-04	0.00000E+00	0.00000E+00
1128	9.04152E-01	2.69903E+01	8.95952E-01	7.16617E-04	0.00000E+00	0.00000E+00
1129	9.12474E-01	2.70132E+01	8.95966E-01	7.16131E-04	0.00000E+00	0.00000E+00
1130	8.60995E-01	2.70378E+01	8.95935E-01	7.16167E-04	0.00000E+00	0.00000E+00
1131	8.71672E-01	2.70627E+01	8.95944E-01	7.15855E-04	0.00000E+00	0.00000E+00
1132	9.26681E-01	2.70865E+01	8.95941E-01	7.15740E-04	0.00000E+00	0.00000E+00
1133	8.94016E-01	2.71102E+01	8.95939E-01	7.15109E-04	0.00000E+00	0.00000E+00
1134	8.93460E-01	2.71350E+01	8.95937E-01	7.14480E-04	0.00000E+00	0.00000E+00
1135	9.08239E-01	2.71578E+01	8.95948E-01	7.13932E-04	0.00000E+00	0.00000E+00
1136	8.62599E-01	2.71825E+01	8.95919E-01	7.13902E-04	0.00000E+00	0.00000E+00
1137	8.77150E-01	2.72063E+01	8.95902E-01	7.13464E-04	0.00000E+00	0.00000E+00
1138	9.16201E-01	2.72302E+01	8.95920E-01	7.13060E-04	0.00000E+00	0.00000E+00
1139	9.28077E-01	2.72522E+01	8.95948E-01	7.12994E-04	0.00000E+00	0.00000E+00
1140	9.15754E-01	2.72768E+01	8.95966E-01	7.12579E-04	0.00000E+00	0.00000E+00
1141	8.83411E-01	2.72997E+01	8.95955E-01	7.12039E-04	0.00000E+00	0.00000E+00
1142	8.69228E-01	2.73263E+01	8.95931E-01	7.11800E-04	0.00000E+00	0.00000E+00
1143	8.85366E-01	2.73492E+01	8.95922E-01	7.11236E-04	0.00000E+00	0.00000E+00
1144	8.86207E-01	2.73738E+01	8.95914E-01	7.10664E-04	0.00000E+00	0.00000E+00
1145	9.06083E-01	2.73968E+01	8.95922E-01	7.10098E-04	0.00000E+00	0.00000E+00
1146	8.85198E-01	2.74215E+01	8.95913E-01	7.09539E-04	0.00000E+00	0.00000E+00
1147	9.09287E-01	2.74443E+01	8.95925E-01	7.09015E-04	0.00000E+00	0.00000E+00
1148	9.23632E-01	2.74682E+01	8.95949E-01	7.08809E-04	0.00000E+00	0.00000E+00
1149	9.00286E-01	2.74920E+01	8.95953E-01	7.08200E-04	0.00000E+00	0.00000E+00
1150	8.69474E-01	2.75167E+01	8.95930E-01	7.07959E-04	0.00000E+00	0.00000E+00
1151	8.50941E-01	2.75395E+01	8.95891E-01	7.08426E-04	0.00000E+00	0.00000E+00
1152	8.59734E-01	2.75652E+01	8.95859E-01	7.08507E-04	0.00000E+00	0.00000E+00
1153	8.87615E-01	2.75890E+01	8.95852E-01	7.07928E-04	0.00000E+00	0.00000E+00
1154	8.40925E-01	2.76128E+01	8.95804E-01	7.08918E-04	0.00000E+00	0.00000E+00
1155	8.68554E-01	2.76367E+01	8.95781E-01	7.08697E-04	0.00000E+00	0.00000E+00
1156	9.28105E-01	2.76595E+01	8.95809E-01	7.08637E-04	0.00000E+00	0.00000E+00
1157	8.83594E-01	2.76833E+01	8.95798E-01	7.08102E-04	0.00000E+00	0.00000E+00
1158	9.12399E-01	2.77062E+01	8.95812E-01	7.07635E-04	0.00000E+00	0.00000E+00
1159	9.17283E-01	2.77290E+01	8.95831E-01	7.07266E-04	0.00000E+00	0.00000E+00
1160	8.97163E-01	2.77520E+01	8.95832E-01	7.06656E-04	0.00000E+00	0.00000E+00
1161	9.02969E-01	2.77757E+01	8.95838E-01	7.06073E-04	0.00000E+00	0.00000E+00
1162	8.64871E-01	2.77995E+01	8.95812E-01	7.05969E-04	0.00000E+00	0.00000E+00
1163	8.51225E-01	2.78243E+01	8.95773E-01	7.06405E-04	0.00000E+00	0.00000E+00
1164	9.14045E-01	2.78480E+01	8.95789E-01	7.05972E-04	0.00000E+00	0.00000E+00
1165	9.02196E-01	2.78710E+01	8.95794E-01	7.05386E-04	0.00000E+00	0.00000E+00
1166	8.64393E-01	2.78948E+01	8.95767E-01	7.05296E-04	0.00000E+00	0.00000E+00
1167	8.72484E-01	2.79185E+01	8.95747E-01	7.04974E-04	0.00000E+00	0.00000E+00
1168	9.08082E-01	2.79415E+01	8.95758E-01	7.04449E-04	0.00000E+00	0.00000E+00
1169	8.61882E-01	2.79662E+01	8.95729E-01	7.04443E-04	0.00000E+00	0.00000E+00
1170	8.85325E-01	2.79900E+01	8.95720E-01	7.03896E-04	0.00000E+00	0.00000E+00
1171	8.91575E-01	2.80128E+01	8.95717E-01	7.03303E-04	0.00000E+00	0.00000E+00
1172	8.73048E-01	2.80367E+01	8.95697E-01	7.02968E-04	0.00000E+00	0.00000E+00
1173	8.62656E-01	2.80595E+01	8.95669E-01	7.02934E-04	0.00000E+00	0.00000E+00
1174	8.58240E-01	2.80852E+01	8.95637E-01	7.03060E-04	0.00000E+00	0.00000E+00
1175	9.06722E-01	2.81090E+01	8.95646E-01	7.02524E-04	0.00000E+00	0.00000E+00
1176	9.05635E-01	2.81328E+01	8.95655E-01	7.01977E-04	0.00000E+00	0.00000E+00
1177	9.41449E-01	2.81557E+01	8.95694E-01	7.02461E-04	0.00000E+00	0.00000E+00
1178	8.96015E-01	2.81785E+01	8.95694E-01	7.01863E-04	0.00000E+00	0.00000E+00
1179	9.18680E-01	2.82033E+01	8.95714E-01	7.01539E-04	0.00000E+00	0.00000E+00
1180	9.09530E-01	2.82270E+01	8.95725E-01	7.01041E-04	0.00000E+00	0.00000E+00
1181	9.22157E-01	2.82518E+01	8.95748E-01	7.00805E-04	0.00000E+00	0.00000E+00
1182	9.17719E-01	2.82755E+01	8.95767E-01	7.00458E-04	0.00000E+00	0.00000E+00

1183	8.68359E-01	2.82993E+01	8.95743E-01	7.00250E-04	0.00000E+00	0.00000E+00
1184	9.04160E-01	2.83232E+01	8.95750E-01	6.99693E-04	0.00000E+00	0.00000E+00
1185	9.23835E-01	2.83470E+01	8.95774E-01	6.99504E-04	0.00000E+00	0.00000E+00
1186	9.16994E-01	2.83708E+01	8.95792E-01	6.99143E-04	0.00000E+00	0.00000E+00
1187	9.20446E-01	2.83955E+01	8.95813E-01	6.98863E-04	0.00000E+00	0.00000E+00
1188	9.08031E-01	2.84183E+01	8.95823E-01	6.98349E-04	0.00000E+00	0.00000E+00
1189	9.27445E-01	2.84422E+01	8.95850E-01	6.98269E-04	0.00000E+00	0.00000E+00
1190	8.84641E-01	2.84668E+01	8.95840E-01	6.97745E-04	0.00000E+00	0.00000E+00
1191	9.12230E-01	2.84917E+01	8.95854E-01	6.97294E-04	0.00000E+00	0.00000E+00
1192	9.27426E-01	2.85145E+01	8.95881E-01	6.97213E-04	0.00000E+00	0.00000E+00
1193	8.89833E-01	2.85373E+01	8.95876E-01	6.96645E-04	0.00000E+00	0.00000E+00
1194	9.27713E-01	2.85603E+01	8.95902E-01	6.96573E-04	0.00000E+00	0.00000E+00
1195	9.52418E-01	2.85840E+01	8.95950E-01	6.97599E-04	0.00000E+00	0.00000E+00
1196	8.74577E-01	2.86078E+01	8.95932E-01	6.97245E-04	0.00000E+00	0.00000E+00
1197	8.51631E-01	2.86317E+01	8.95895E-01	6.97647E-04	0.00000E+00	0.00000E+00
1198	8.98460E-01	2.86555E+01	8.95897E-01	6.97066E-04	0.00000E+00	0.00000E+00
1199	8.77306E-01	2.86802E+01	8.95881E-01	6.96657E-04	0.00000E+00	0.00000E+00
1200	9.21877E-01	2.87040E+01	8.95903E-01	6.96413E-04	0.00000E+00	0.00000E+00
1201	8.84406E-01	2.87287E+01	8.95893E-01	6.95898E-04	0.00000E+00	0.00000E+00
1202	9.26636E-01	2.87517E+01	8.95919E-01	6.95790E-04	0.00000E+00	0.00000E+00
1203	9.09364E-01	2.87753E+01	8.95930E-01	6.95300E-04	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LIFETIME = 1.45824E-04 + OR - 1.69663E-07 GENERATION TIME = 9.91010E-05 + OR - 1.05326E-07
 NU BAR = 2.41915E+00 + OR - 3.80479E-06 AVERAGE FISSION GROUP = 2.45928E+01 + OR - 2.26697E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 3.06273E-02 + OR - 6.87042E-05

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.89596	+ OR - 0.00070	0.89526 TO 0.89665	0.89457 TO 0.89735	0.89387 TO 0.89804	1200000
4	0.89597	+ OR - 0.00070	0.89528 TO 0.89667	0.89458 TO 0.89736	0.89388 TO 0.89806	1199000
5	0.89596	+ OR - 0.00070	0.89527 TO 0.89666	0.89457 TO 0.89736	0.89388 TO 0.89805	1198000
6	0.89594	+ OR - 0.00070	0.89524 TO 0.89664	0.89455 TO 0.89733	0.89385 TO 0.89803	1197000
7	0.89592	+ OR - 0.00070	0.89523 TO 0.89662	0.89453 TO 0.89732	0.89383 TO 0.89801	1196000
8	0.89591	+ OR - 0.00070	0.89522 TO 0.89661	0.89452 TO 0.89731	0.89382 TO 0.89801	1195000
9	0.89589	+ OR - 0.00070	0.89519 TO 0.89659	0.89450 TO 0.89729	0.89380 TO 0.89798	1194000
10	0.89587	+ OR - 0.00070	0.89517 TO 0.89657	0.89447 TO 0.89727	0.89378 TO 0.89796	1193000
11	0.89587	+ OR - 0.00070	0.89517 TO 0.89657	0.89447 TO 0.89726	0.89377 TO 0.89796	1192000
12	0.89590	+ OR - 0.00070	0.89520 TO 0.89660	0.89450 TO 0.89730	0.89380 TO 0.89799	1191000
17	0.89583	+ OR - 0.00070	0.89513 TO 0.89653	0.89443 TO 0.89722	0.89373 TO 0.89792	1186000
22	0.89583	+ OR - 0.00070	0.89513 TO 0.89653	0.89443 TO 0.89723	0.89374 TO 0.89793	1181000
27	0.89588	+ OR - 0.00070	0.89518 TO 0.89658	0.89448 TO 0.89728	0.89378 TO 0.89798	1176000
32	0.89587	+ OR - 0.00070	0.89517 TO 0.89658	0.89447 TO 0.89728	0.89376 TO 0.89799	1171000
37	0.89587	+ OR - 0.00070	0.89517 TO 0.89657	0.89446 TO 0.89728	0.89376 TO 0.89798	1166000
42	0.89592	+ OR - 0.00071	0.89522 TO 0.89663	0.89451 TO 0.89734	0.89380 TO 0.89804	1161000
47	0.89588	+ OR - 0.00071	0.89517 TO 0.89658	0.89446 TO 0.89729	0.89375 TO 0.89800	1156000
52	0.89588	+ OR - 0.00071	0.89517 TO 0.89659	0.89446 TO 0.89730	0.89375 TO 0.89801	1151000
57	0.89585	+ OR - 0.00071	0.89514 TO 0.89656	0.89443 TO 0.89727	0.89372 TO 0.89798	1146000
62	0.89590	+ OR - 0.00071	0.89519 TO 0.89661	0.89447 TO 0.89733	0.89376 TO 0.89804	1141000
67	0.89586	+ OR - 0.00071	0.89515 TO 0.89658	0.89443 TO 0.89729	0.89372 TO 0.89801	1136000
72	0.89580	+ OR - 0.00071	0.89508 TO 0.89651	0.89437 TO 0.89723	0.89365 TO 0.89794	1131000
77	0.89584	+ OR - 0.00072	0.89512 TO 0.89655	0.89440 TO 0.89727	0.89369 TO 0.89799	1126000
82	0.89590	+ OR - 0.00072	0.89518 TO 0.89662	0.89446 TO 0.89734	0.89374 TO 0.89806	1121000
87	0.89588	+ OR - 0.00072	0.89516 TO 0.89660	0.89444 TO 0.89732	0.89372 TO 0.89804	1116000
92	0.89594	+ OR - 0.00072	0.89522 TO 0.89667	0.89450 TO 0.89739	0.89378 TO 0.89811	1111000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
97	0.89589	+ OR - 0.00072	0.89517	TO 0.89662	0.89445	TO 0.89734	0.89372	TO 0.89807	1106000
102	0.89584	+ OR - 0.00073	0.89511	TO 0.89656	0.89438	TO 0.89729	0.89366	TO 0.89801	1101000
107	0.89577	+ OR - 0.00073	0.89504	TO 0.89650	0.89432	TO 0.89722	0.89359	TO 0.89795	1096000
112	0.89577	+ OR - 0.00073	0.89504	TO 0.89650	0.89431	TO 0.89723	0.89358	TO 0.89796	1091000
117	0.89578	+ OR - 0.00073	0.89504	TO 0.89651	0.89431	TO 0.89724	0.89358	TO 0.89797	1086000
122	0.89571	+ OR - 0.00073	0.89498	TO 0.89645	0.89425	TO 0.89718	0.89352	TO 0.89791	1081000
127	0.89584	+ OR - 0.00073	0.89511	TO 0.89658	0.89438	TO 0.89731	0.89364	TO 0.89804	1076000
132	0.89590	+ OR - 0.00074	0.89516	TO 0.89663	0.89443	TO 0.89737	0.89369	TO 0.89810	1071000
137	0.89592	+ OR - 0.00074	0.89518	TO 0.89665	0.89444	TO 0.89739	0.89370	TO 0.89813	1066000
142	0.89592	+ OR - 0.00074	0.89518	TO 0.89666	0.89444	TO 0.89740	0.89369	TO 0.89814	1061000
147	0.89600	+ OR - 0.00074	0.89526	TO 0.89674	0.89451	TO 0.89748	0.89377	TO 0.89823	1056000
152	0.89593	+ OR - 0.00074	0.89519	TO 0.89668	0.89444	TO 0.89742	0.89370	TO 0.89817	1051000
157	0.89584	+ OR - 0.00075	0.89509	TO 0.89658	0.89434	TO 0.89733	0.89360	TO 0.89807	1046000
162	0.89583	+ OR - 0.00075	0.89508	TO 0.89658	0.89433	TO 0.89733	0.89358	TO 0.89808	1041000
167	0.89583	+ OR - 0.00075	0.89508	TO 0.89658	0.89433	TO 0.89733	0.89358	TO 0.89808	1036000
172	0.89586	+ OR - 0.00075	0.89511	TO 0.89661	0.89435	TO 0.89737	0.89360	TO 0.89812	1031000
177	0.89578	+ OR - 0.00076	0.89502	TO 0.89654	0.89426	TO 0.89729	0.89351	TO 0.89805	1026000
182	0.89584	+ OR - 0.00076	0.89508	TO 0.89660	0.89432	TO 0.89736	0.89357	TO 0.89811	1021000
187	0.89581	+ OR - 0.00076	0.89505	TO 0.89657	0.89429	TO 0.89733	0.89353	TO 0.89809	1016000
192	0.89592	+ OR - 0.00076	0.89515	TO 0.89668	0.89439	TO 0.89744	0.89363	TO 0.89820	1011000
197	0.89590	+ OR - 0.00076	0.89513	TO 0.89666	0.89437	TO 0.89742	0.89360	TO 0.89819	1006000
202	0.89589	+ OR - 0.00076	0.89512	TO 0.89665	0.89436	TO 0.89742	0.89359	TO 0.89818	1001000
207	0.89595	+ OR - 0.00077	0.89518	TO 0.89672	0.89442	TO 0.89748	0.89365	TO 0.89825	996000
212	0.89593	+ OR - 0.00077	0.89516	TO 0.89670	0.89440	TO 0.89747	0.89363	TO 0.89824	991000
217	0.89597	+ OR - 0.00077	0.89520	TO 0.89675	0.89443	TO 0.89752	0.89366	TO 0.89829	986000
222	0.89601	+ OR - 0.00077	0.89523	TO 0.89678	0.89446	TO 0.89755	0.89369	TO 0.89832	981000
227	0.89601	+ OR - 0.00077	0.89524	TO 0.89678	0.89446	TO 0.89755	0.89369	TO 0.89833	976000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
232	0.89598	+ OR - 0.00077	0.89521	TO 0.89676	0.89443	TO 0.89753	0.89366	TO 0.89831	971000
237	0.89591	+ OR - 0.00078	0.89513	TO 0.89669	0.89435	TO 0.89746	0.89358	TO 0.89824	966000
242	0.89598	+ OR - 0.00078	0.89520	TO 0.89676	0.89442	TO 0.89754	0.89365	TO 0.89832	961000
247	0.89602	+ OR - 0.00078	0.89524	TO 0.89680	0.89446	TO 0.89759	0.89368	TO 0.89837	956000
252	0.89603	+ OR - 0.00078	0.89525	TO 0.89681	0.89447	TO 0.89759	0.89368	TO 0.89838	951000
257	0.89596	+ OR - 0.00078	0.89517	TO 0.89674	0.89439	TO 0.89752	0.89360	TO 0.89831	946000
262	0.89599	+ OR - 0.00079	0.89521	TO 0.89678	0.89442	TO 0.89757	0.89363	TO 0.89836	941000
267	0.89602	+ OR - 0.00079	0.89523	TO 0.89682	0.89444	TO 0.89761	0.89365	TO 0.89840	936000
272	0.89593	+ OR - 0.00079	0.89514	TO 0.89673	0.89435	TO 0.89752	0.89355	TO 0.89831	931000
277	0.89606	+ OR - 0.00079	0.89526	TO 0.89685	0.89447	TO 0.89765	0.89367	TO 0.89844	926000
282	0.89612	+ OR - 0.00080	0.89533	TO 0.89692	0.89453	TO 0.89772	0.89373	TO 0.89851	921000
287	0.89623	+ OR - 0.00080	0.89543	TO 0.89703	0.89463	TO 0.89783	0.89383	TO 0.89863	916000
292	0.89618	+ OR - 0.00080	0.89538	TO 0.89698	0.89458	TO 0.89778	0.89378	TO 0.89858	911000
297	0.89617	+ OR - 0.00080	0.89537	TO 0.89697	0.89457	TO 0.89777	0.89376	TO 0.89857	906000
302	0.89610	+ OR - 0.00080	0.89530	TO 0.89690	0.89449	TO 0.89771	0.89369	TO 0.89851	901000
307	0.89602	+ OR - 0.00081	0.89522	TO 0.89683	0.89441	TO 0.89764	0.89360	TO 0.89844	896000
312	0.89599	+ OR - 0.00081	0.89518	TO 0.89680	0.89437	TO 0.89761	0.89356	TO 0.89842	891000
317	0.89608	+ OR - 0.00081	0.89526	TO 0.89689	0.89445	TO 0.89770	0.89364	TO 0.89852	886000
322	0.89600	+ OR - 0.00082	0.89518	TO 0.89681	0.89437	TO 0.89763	0.89355	TO 0.89845	881000
327	0.89599	+ OR - 0.00082	0.89517	TO 0.89681	0.89435	TO 0.89763	0.89353	TO 0.89845	876000
332	0.89603	+ OR - 0.00082	0.89521	TO 0.89685	0.89439	TO 0.89768	0.89356	TO 0.89850	871000
337	0.89599	+ OR - 0.00083	0.89517	TO 0.89682	0.89434	TO 0.89764	0.89352	TO 0.89847	866000
342	0.89613	+ OR - 0.00083	0.89530	TO 0.89695	0.89447	TO 0.89778	0.89365	TO 0.89861	861000
347	0.89615	+ OR - 0.00083	0.89532	TO 0.89698	0.89449	TO 0.89781	0.89366	TO 0.89864	856000
352	0.89620	+ OR - 0.00083	0.89537	TO 0.89703	0.89453	TO 0.89786	0.89370	TO 0.89870	851000
357	0.89613	+ OR - 0.00083	0.89529	TO 0.89696	0.89446	TO 0.89779	0.89362	TO 0.89863	846000
362	0.89606	+ OR - 0.00084	0.89523	TO 0.89690	0.89439	TO 0.89774	0.89355	TO 0.89858	841000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
367	0.89615	+ OR - 0.00084	0.89531	TO 0.89699	0.89447	TO 0.89784	0.89363	TO 0.89868	836000
372	0.89620	+ OR - 0.00084	0.89536	TO 0.89704	0.89452	TO 0.89788	0.89368	TO 0.89873	831000
377	0.89623	+ OR - 0.00084	0.89539	TO 0.89707	0.89454	TO 0.89792	0.89370	TO 0.89876	826000
382	0.89617	+ OR - 0.00085	0.89532	TO 0.89702	0.89448	TO 0.89787	0.89363	TO 0.89871	821000
387	0.89621	+ OR - 0.00085	0.89535	TO 0.89706	0.89450	TO 0.89791	0.89365	TO 0.89876	816000
392	0.89604	+ OR - 0.00085	0.89519	TO 0.89689	0.89433	TO 0.89774	0.89348	TO 0.89859	811000
397	0.89602	+ OR - 0.00085	0.89517	TO 0.89687	0.89432	TO 0.89772	0.89347	TO 0.89857	806000
402	0.89597	+ OR - 0.00085	0.89512	TO 0.89683	0.89426	TO 0.89768	0.89341	TO 0.89854	801000
407	0.89583	+ OR - 0.00085	0.89498	TO 0.89669	0.89412	TO 0.89754	0.89327	TO 0.89839	796000
412	0.89579	+ OR - 0.00086	0.89494	TO 0.89665	0.89408	TO 0.89751	0.89322	TO 0.89837	791000
417	0.89577	+ OR - 0.00086	0.89491	TO 0.89663	0.89405	TO 0.89749	0.89319	TO 0.89835	786000
422	0.89565	+ OR - 0.00086	0.89479	TO 0.89651	0.89393	TO 0.89737	0.89307	TO 0.89823	781000
427	0.89565	+ OR - 0.00086	0.89479	TO 0.89652	0.89393	TO 0.89738	0.89307	TO 0.89824	776000
432	0.89554	+ OR - 0.00087	0.89467	TO 0.89640	0.89380	TO 0.89727	0.89294	TO 0.89813	771000
437	0.89540	+ OR - 0.00086	0.89454	TO 0.89626	0.89368	TO 0.89712	0.89282	TO 0.89798	766000
442	0.89547	+ OR - 0.00086	0.89461	TO 0.89633	0.89374	TO 0.89720	0.89288	TO 0.89806	761000
447	0.89553	+ OR - 0.00087	0.89466	TO 0.89639	0.89379	TO 0.89726	0.89292	TO 0.89813	756000
452	0.89555	+ OR - 0.00087	0.89468	TO 0.89642	0.89381	TO 0.89730	0.89293	TO 0.89817	751000
457	0.89545	+ OR - 0.00088	0.89457	TO 0.89632	0.89369	TO 0.89720	0.89282	TO 0.89808	746000
462	0.89548	+ OR - 0.00088	0.89460	TO 0.89636	0.89372	TO 0.89725	0.89284	TO 0.89813	741000
467	0.89549	+ OR - 0.00089	0.89461	TO 0.89638	0.89372	TO 0.89726	0.89283	TO 0.89815	736000
472	0.89552	+ OR - 0.00089	0.89462	TO 0.89641	0.89373	TO 0.89730	0.89284	TO 0.89819	731000
477	0.89556	+ OR - 0.00090	0.89466	TO 0.89646	0.89377	TO 0.89736	0.89287	TO 0.89825	726000
482	0.89560	+ OR - 0.00090	0.89470	TO 0.89650	0.89380	TO 0.89740	0.89290	TO 0.89830	721000
487	0.89559	+ OR - 0.00090	0.89469	TO 0.89649	0.89379	TO 0.89739	0.89288	TO 0.89829	716000
492	0.89556	+ OR - 0.00090	0.89465	TO 0.89646	0.89375	TO 0.89737	0.89284	TO 0.89827	711000
497	0.89543	+ OR - 0.00091	0.89452	TO 0.89633	0.89362	TO 0.89724	0.89271	TO 0.89814	706000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
502	0.89538	+ OR - 0.00091	0.89447 TO 0.89629	0.89356 TO 0.89721	0.89265 TO 0.89812	701000
507	0.89538	+ OR - 0.00092	0.89447 TO 0.89630	0.89355 TO 0.89722	0.89264 TO 0.89813	696000
512	0.89527	+ OR - 0.00092	0.89435 TO 0.89619	0.89343 TO 0.89711	0.89251 TO 0.89803	691000
517	0.89534	+ OR - 0.00092	0.89442 TO 0.89626	0.89350 TO 0.89718	0.89257 TO 0.89810	686000
522	0.89538	+ OR - 0.00092	0.89445 TO 0.89630	0.89353 TO 0.89723	0.89261 TO 0.89815	681000
527	0.89522	+ OR - 0.00093	0.89429 TO 0.89615	0.89336 TO 0.89707	0.89244 TO 0.89800	676000
532	0.89522	+ OR - 0.00093	0.89429 TO 0.89615	0.89336 TO 0.89708	0.89243 TO 0.89801	671000
537	0.89528	+ OR - 0.00093	0.89435 TO 0.89621	0.89342 TO 0.89714	0.89249 TO 0.89807	666000
542	0.89533	+ OR - 0.00094	0.89440 TO 0.89627	0.89346 TO 0.89720	0.89253 TO 0.89814	661000
547	0.89533	+ OR - 0.00094	0.89439 TO 0.89627	0.89345 TO 0.89721	0.89251 TO 0.89815	656000
552	0.89547	+ OR - 0.00094	0.89453 TO 0.89641	0.89359 TO 0.89736	0.89265 TO 0.89830	651000
557	0.89543	+ OR - 0.00095	0.89448 TO 0.89638	0.89354 TO 0.89732	0.89259 TO 0.89827	646000
562	0.89553	+ OR - 0.00095	0.89458 TO 0.89649	0.89363 TO 0.89744	0.89268 TO 0.89839	641000
567	0.89541	+ OR - 0.00096	0.89445 TO 0.89636	0.89349 TO 0.89732	0.89254 TO 0.89828	636000
572	0.89553	+ OR - 0.00096	0.89457 TO 0.89649	0.89361 TO 0.89745	0.89264 TO 0.89841	631000
577	0.89536	+ OR - 0.00097	0.89439 TO 0.89632	0.89343 TO 0.89729	0.89246 TO 0.89825	626000
582	0.89521	+ OR - 0.00097	0.89425 TO 0.89618	0.89328 TO 0.89715	0.89231 TO 0.89811	621000
587	0.89514	+ OR - 0.00097	0.89416 TO 0.89611	0.89319 TO 0.89708	0.89221 TO 0.89806	616000
592	0.89520	+ OR - 0.00098	0.89423 TO 0.89618	0.89325 TO 0.89716	0.89227 TO 0.89814	611000
597	0.89530	+ OR - 0.00098	0.89432 TO 0.89629	0.89334 TO 0.89727	0.89235 TO 0.89826	606000
602	0.89534	+ OR - 0.00099	0.89436 TO 0.89633	0.89337 TO 0.89732	0.89238 TO 0.89831	601000
607	0.89521	+ OR - 0.00099	0.89422 TO 0.89620	0.89323 TO 0.89719	0.89223 TO 0.89818	596000
612	0.89507	+ OR - 0.00100	0.89407 TO 0.89607	0.89308 TO 0.89706	0.89208 TO 0.89806	591000
617	0.89507	+ OR - 0.00100	0.89407 TO 0.89607	0.89307 TO 0.89707	0.89207 TO 0.89807	586000
622	0.89512	+ OR - 0.00101	0.89411 TO 0.89613	0.89310 TO 0.89713	0.89210 TO 0.89814	581000
627	0.89508	+ OR - 0.00102	0.89407 TO 0.89610	0.89305 TO 0.89711	0.89204 TO 0.89813	576000
632	0.89517	+ OR - 0.00102	0.89415 TO 0.89619	0.89312 TO 0.89721	0.89210 TO 0.89823	571000


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
.637	0.89544	+ OR - 0.00102	0.89442 TO 0.89646	0.89340 TO 0.89748	0.89239 TO 0.89849	566000
642	0.89559	+ OR - 0.00102	0.89457 TO 0.89661	0.89354 TO 0.89763	0.89252 TO 0.89865	561000
647	0.89560	+ OR - 0.00103	0.89457 TO 0.89663	0.89354 TO 0.89766	0.89251 TO 0.89869	556000
652	0.89560	+ OR - 0.00104	0.89456 TO 0.89664	0.89352 TO 0.89768	0.89248 TO 0.89871	551000
.657	0.89578	+ OR - 0.00104	0.89474 TO 0.89682	0.89370 TO 0.89786	0.89265 TO 0.89890	546000
662	0.89588	+ OR - 0.00105	0.89483 TO 0.89693	0.89378 TO 0.89798	0.89273 TO 0.89903	541000
667	0.89581	+ OR - 0.00105	0.89475 TO 0.89686	0.89370 TO 0.89792	0.89265 TO 0.89897	536000
672	0.89578	+ OR - 0.00106	0.89472 TO 0.89684	0.89366 TO 0.89790	0.89260 TO 0.89896	531000
677	0.89591	+ OR - 0.00106	0.89484 TO 0.89697	0.89378 TO 0.89804	0.89272 TO 0.89910	526000
682	0.89595	+ OR - 0.00107	0.89487 TO 0.89702	0.89380 TO 0.89809	0.89272 TO 0.89917	521000
687	0.89587	+ OR - 0.00108	0.89479 TO 0.89695	0.89371 TO 0.89803	0.89263 TO 0.89911	516000
692	0.89584	+ OR - 0.00108	0.89476 TO 0.89692	0.89367 TO 0.89800	0.89259 TO 0.89909	511000
697	0.89563	+ OR - 0.00109	0.89454 TO 0.89671	0.89345 TO 0.89780	0.89237 TO 0.89888	506000
702	0.89550	+ OR - 0.00109	0.89441 TO 0.89659	0.89332 TO 0.89768	0.89223 TO 0.89877	501000
707	0.89539	+ OR - 0.00110	0.89429 TO 0.89649	0.89320 TO 0.89759	0.89210 TO 0.89868	496000
712	0.89535	+ OR - 0.00111	0.89425 TO 0.89646	0.89314 TO 0.89757	0.89203 TO 0.89867	491000
717	0.89524	+ OR - 0.00111	0.89413 TO 0.89635	0.89301 TO 0.89746	0.89190 TO 0.89857	486000
722	0.89524	+ OR - 0.00112	0.89412 TO 0.89636	0.89301 TO 0.89748	0.89189 TO 0.89860	481000
727	0.89515	+ OR - 0.00113	0.89403 TO 0.89628	0.89290 TO 0.89741	0.89177 TO 0.89854	476000
732	0.89511	+ OR - 0.00113	0.89398 TO 0.89624	0.89284 TO 0.89737	0.89171 TO 0.89850	471000
737	0.89499	+ OR - 0.00114	0.89385 TO 0.89613	0.89271 TO 0.89726	0.89158 TO 0.89840	466000
742	0.89484	+ OR - 0.00114	0.89370 TO 0.89599	0.89256 TO 0.89713	0.89141 TO 0.89828	461000
747	0.89482	+ OR - 0.00115	0.89367 TO 0.89596	0.89252 TO 0.89711	0.89137 TO 0.89826	456000
752	0.89460	+ OR - 0.00115	0.89345 TO 0.89575	0.89230 TO 0.89690	0.89115 TO 0.89806	451000
757	0.89466	+ OR - 0.00115	0.89351 TO 0.89582	0.89235 TO 0.89697	0.89120 TO 0.89812	446000
762	0.89449	+ OR - 0.00115	0.89333 TO 0.89564	0.89218 TO 0.89680	0.89103 TO 0.89795	441000
767	0.89422	+ OR - 0.00115	0.89306 TO 0.89537	0.89191 TO 0.89653	0.89075 TO 0.89768	436000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
772	0.89444	+ OR - 0.00116	0.89328	TO 0.89560	0.89213	TO 0.89676	0.89097	TO 0.89792	431000
777	0.89450	+ OR - 0.00117	0.89333	TO 0.89566	0.89216	TO 0.89683	0.89100	TO 0.89800	426000
782	0.89446	+ OR - 0.00118	0.89328	TO 0.89563	0.89210	TO 0.89681	0.89093	TO 0.89799	421000
787	0.89425	+ OR - 0.00118	0.89307	TO 0.89543	0.89189	TO 0.89661	0.89070	TO 0.89779	416000
792	0.89416	+ OR - 0.00119	0.89297	TO 0.89535	0.89178	TO 0.89654	0.89059	TO 0.89773	411000
797	0.89403	+ OR - 0.00120	0.89283	TO 0.89522	0.89163	TO 0.89642	0.89043	TO 0.89762	406000
802	0.89405	+ OR - 0.00119	0.89285	TO 0.89524	0.89166	TO 0.89643	0.89047	TO 0.89762	401000
807	0.89426	+ OR - 0.00120	0.89306	TO 0.89547	0.89186	TO 0.89667	0.89066	TO 0.89787	396000
812	0.89400	+ OR - 0.00120	0.89280	TO 0.89520	0.89160	TO 0.89640	0.89040	TO 0.89760	391000
817	0.89393	+ OR - 0.00121	0.89272	TO 0.89513	0.89151	TO 0.89634	0.89030	TO 0.89755	386000
822	0.89377	+ OR - 0.00121	0.89256	TO 0.89498	0.89136	TO 0.89619	0.89015	TO 0.89739	381000
827	0.89366	+ OR - 0.00122	0.89244	TO 0.89489	0.89122	TO 0.89611	0.89000	TO 0.89733	376000
832	0.89360	+ OR - 0.00123	0.89237	TO 0.89483	0.89114	TO 0.89606	0.88991	TO 0.89729	371000
837	0.89334	+ OR - 0.00124	0.89210	TO 0.89458	0.89086	TO 0.89582	0.88963	TO 0.89705	366000
842	0.89341	+ OR - 0.00124	0.89217	TO 0.89465	0.89093	TO 0.89589	0.88969	TO 0.89713	361000
847	0.89331	+ OR - 0.00125	0.89206	TO 0.89456	0.89081	TO 0.89581	0.88956	TO 0.89706	356000
852	0.89319	+ OR - 0.00126	0.89193	TO 0.89446	0.89067	TO 0.89572	0.88941	TO 0.89698	351000
857	0.89310	+ OR - 0.00128	0.89182	TO 0.89438	0.89055	TO 0.89566	0.88927	TO 0.89694	346000
862	0.89291	+ OR - 0.00129	0.89162	TO 0.89419	0.89033	TO 0.89548	0.88904	TO 0.89677	341000
867	0.89269	+ OR - 0.00130	0.89139	TO 0.89400	0.89009	TO 0.89530	0.88878	TO 0.89661	336000
872	0.89266	+ OR - 0.00131	0.89135	TO 0.89397	0.89004	TO 0.89528	0.88873	TO 0.89659	331000
877	0.89268	+ OR - 0.00131	0.89137	TO 0.89400	0.89006	TO 0.89531	0.88875	TO 0.89662	326000
882	0.89282	+ OR - 0.00131	0.89151	TO 0.89413	0.89019	TO 0.89545	0.88888	TO 0.89676	321000
887	0.89270	+ OR - 0.00133	0.89136	TO 0.89403	0.89003	TO 0.89536	0.88870	TO 0.89669	316000
892	0.89265	+ OR - 0.00134	0.89130	TO 0.89399	0.88996	TO 0.89533	0.88862	TO 0.89667	311000
897	0.89307	+ OR - 0.00135	0.89172	TO 0.89442	0.89038	TO 0.89576	0.88903	TO 0.89711	306000
902	0.89297	+ OR - 0.00136	0.89162	TO 0.89433	0.89026	TO 0.89569	0.88890	TO 0.89705	301000


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
907	0.89324	+ OR - 0.00136	0.89188 TO 0.89460	0.89051 TO 0.89597	0.88915 TO 0.89733	296000
912	0.89313	+ OR - 0.00136	0.89177 TO 0.89449	0.89041 TO 0.89585	0.88904 TO 0.89722	291000
917	0.89323	+ OR - 0.00138	0.89185 TO 0.89461	0.89047 TO 0.89599	0.88909 TO 0.89737	286000
922	0.89328	+ OR - 0.00139	0.89189 TO 0.89468	0.89050 TO 0.89607	0.88910 TO 0.89747	281000
927	0.89372	+ OR - 0.00139	0.89233 TO 0.89512	0.89093 TO 0.89651	0.88954 TO 0.89791	276000
932	0.89404	+ OR - 0.00140	0.89264 TO 0.89544	0.89124 TO 0.89684	0.88984 TO 0.89824	271000
937	0.89450	+ OR - 0.00139	0.89311 TO 0.89589	0.89172 TO 0.89728	0.89033 TO 0.89867	266000
942	0.89447	+ OR - 0.00141	0.89306 TO 0.89588	0.89165 TO 0.89729	0.89024 TO 0.89870	261000
947	0.89431	+ OR - 0.00143	0.89288 TO 0.89574	0.89145 TO 0.89717	0.89003 TO 0.89859	256000
952	0.89445	+ OR - 0.00144	0.89301 TO 0.89589	0.89157 TO 0.89733	0.89013 TO 0.89877	251000
957	0.89436	+ OR - 0.00143	0.89293 TO 0.89579	0.89151 TO 0.89721	0.89008 TO 0.89864	246000
962	0.89417	+ OR - 0.00145	0.89273 TO 0.89562	0.89128 TO 0.89706	0.88984 TO 0.89851	241000
967	0.89435	+ OR - 0.00146	0.89290 TO 0.89581	0.89144 TO 0.89727	0.88998 TO 0.89872	236000
972	0.89429	+ OR - 0.00148	0.89281 TO 0.89577	0.89133 TO 0.89725	0.88985 TO 0.89873	231000
977	0.89456	+ OR - 0.00148	0.89308 TO 0.89604	0.89160 TO 0.89752	0.89012 TO 0.89900	226000
982	0.89417	+ OR - 0.00149	0.89267 TO 0.89566	0.89118 TO 0.89716	0.88968 TO 0.89865	221000
987	0.89406	+ OR - 0.00152	0.89254 TO 0.89559	0.89102 TO 0.89711	0.88950 TO 0.89863	216000
992	0.89413	+ OR - 0.00154	0.89259 TO 0.89568	0.89105 TO 0.89722	0.88951 TO 0.89876	211000
997	0.89395	+ OR - 0.00156	0.89239 TO 0.89551	0.89082 TO 0.89707	0.88926 TO 0.89863	206000
1002	0.89395	+ OR - 0.00157	0.89238 TO 0.89552	0.89081 TO 0.89709	0.88924 TO 0.89866	201000
1007	0.89419	+ OR - 0.00160	0.89259 TO 0.89579	0.89098 TO 0.89739	0.88938 TO 0.89899	196000
1012	0.89408	+ OR - 0.00164	0.89244 TO 0.89573	0.89080 TO 0.89737	0.88916 TO 0.89901	191000
1017	0.89387	+ OR - 0.00167	0.89219 TO 0.89554	0.89052 TO 0.89722	0.88884 TO 0.89889	186000
1022	0.89355	+ OR - 0.00171	0.89184 TO 0.89527	0.89013 TO 0.89698	0.88842 TO 0.89869	181000
1027	0.89344	+ OR - 0.00176	0.89168 TO 0.89520	0.88993 TO 0.89695	0.88817 TO 0.89871	176000
1032	0.89359	+ OR - 0.00180	0.89179 TO 0.89540	0.88999 TO 0.89720	0.88818 TO 0.89901	171000
1037	0.89390	+ OR - 0.00185	0.89205 TO 0.89574	0.89020 TO 0.89759	0.88835 TO 0.89944	166000


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
1042	0.89388	+ OR - 0.00188	0.89200	TO 0.89575	0.89012	TO 0.89763	0.88824	TO 0.89951	161000
1047	0.89434	+ OR - 0.00190	0.89244	TO 0.89624	0.89054	TO 0.89813	0.88864	TO 0.90003	156000
1052	0.89453	+ OR - 0.00195	0.89258	TO 0.89648	0.89063	TO 0.89843	0.88868	TO 0.90038	151000
1057	0.89422	+ OR - 0.00200	0.89222	TO 0.89622	0.89022	TO 0.89822	0.88822	TO 0.90022	146000
1062	0.89360	+ OR - 0.00202	0.89159	TO 0.89562	0.88957	TO 0.89764	0.88755	TO 0.89966	141000
1067	0.89339	+ OR - 0.00203	0.89136	TO 0.89542	0.88934	TO 0.89745	0.88731	TO 0.89948	136000
1072	0.89415	+ OR - 0.00204	0.89211	TO 0.89619	0.89007	TO 0.89823	0.88803	TO 0.90027	131000
1077	0.89474	+ OR - 0.00208	0.89266	TO 0.89681	0.89058	TO 0.89889	0.88851	TO 0.90096	126000
1082	0.89508	+ OR - 0.00212	0.89296	TO 0.89720	0.89084	TO 0.89932	0.88872	TO 0.90144	121000
1087	0.89501	+ OR - 0.00216	0.89285	TO 0.89717	0.89069	TO 0.89933	0.88853	TO 0.90149	116000
1092	0.89482	+ OR - 0.00223	0.89259	TO 0.89706	0.89035	TO 0.89929	0.88812	TO 0.90153	111000
1097	0.89503	+ OR - 0.00229	0.89274	TO 0.89731	0.89045	TO 0.89960	0.88817	TO 0.90189	106000
1102	0.89566	+ OR - 0.00237	0.89329	TO 0.89802	0.89092	TO 0.90039	0.88856	TO 0.90275	101000
1107	0.89561	+ OR - 0.00244	0.89317	TO 0.89805	0.89074	TO 0.90049	0.88830	TO 0.90293	96000
1112	0.89507	+ OR - 0.00255	0.89251	TO 0.89762	0.88996	TO 0.90017	0.88741	TO 0.90272	91000
1117	0.89527	+ OR - 0.00265	0.89263	TO 0.89792	0.88998	TO 0.90057	0.88733	TO 0.90322	86000
1122	0.89515	+ OR - 0.00279	0.89236	TO 0.89794	0.88958	TO 0.90073	0.88679	TO 0.90352	81000
1127	0.89572	+ OR - 0.00285	0.89287	TO 0.89857	0.89002	TO 0.90142	0.88717	TO 0.90427	76000
1132	0.89576	+ OR - 0.00295	0.89281	TO 0.89871	0.88986	TO 0.90165	0.88692	TO 0.90460	71000
1137	0.89641	+ OR - 0.00311	0.89330	TO 0.89952	0.89019	TO 0.90264	0.88708	TO 0.90575	66000
1142	0.89591	+ OR - 0.00326	0.89265	TO 0.89917	0.88939	TO 0.90243	0.88613	TO 0.90569	61000
1147	0.89604	+ OR - 0.00352	0.89252	TO 0.89957	0.88899	TO 0.90309	0.88547	TO 0.90662	56000
1152	0.89754	+ OR - 0.00361	0.89392	TO 0.90115	0.89031	TO 0.90476	0.88669	TO 0.90838	51000
1157	0.89925	+ OR - 0.00367	0.89558	TO 0.90292	0.89191	TO 0.90659	0.88824	TO 0.91026	46000
1162	0.89929	+ OR - 0.00400	0.89529	TO 0.90329	0.89129	TO 0.90728	0.88730	TO 0.91128	41000
1167	0.90185	+ OR - 0.00413	0.89772	TO 0.90598	0.89359	TO 0.91011	0.88946	TO 0.91424	36000
1172	0.90473	+ OR - 0.00445	0.90028	TO 0.90918	0.89583	TO 0.91362	0.89139	TO 0.91807	31000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
1177	0.90661	+ OR - 0.00447	0.90214 TO 0.91109	0.89766 TO 0.91556	0.89319 TO 0.92003	26000
1182	0.90513	+ OR - 0.00542	0.89971 TO 0.91055	0.89429 TO 0.91597	0.88887 TO 0.92139	21000
1187	0.90462	+ OR - 0.00654	0.89809 TO 0.91116	0.89155 TO 0.91770	0.88501 TO 0.92423	16000
1192	0.90129	+ OR - 0.00885	0.89244 TO 0.91015	0.88359 TO 0.91900	0.87473 TO 0.92785	11000
1197	0.90301	+ OR - 0.00813	0.89488 TO 0.91114	0.88675 TO 0.91926	0.87862 TO 0.92739	6000




105	I	*	I
	I	*	I
	I	*	I
	I	*	I
110	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
115	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
120	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
125	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
130	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
135	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
140	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
145	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
150	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
155	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
160	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
165	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
170	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
175	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
180	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
185	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
190	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
195	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
200	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
205	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
210	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I





645 +	I*I
	I*I
	I*I
	I*I
	I*I
	I* I
650 +	I*I
	I*I
	I*I
655 +	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
660 +	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
665 +	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
670 +	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
675 +	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
680 +	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
685 +	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
690 +	I*I
	I *I
	I *I
	I *I
	I *I
	I *I
695 +	I *I
	I *I
	I *I
	I *I
	I *I
700 +	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
705 +	I*I
	I* I
	I* I
	I* I
	I* I
	I* I
710 +	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
715 +	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
720 +	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
725 +	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
730 +	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
735 +	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
740 +	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
745 +	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
750 +	I *I
	I *I
	I *I
	I *I
	I *I

1080	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
	I *I
	I *I
1085	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1090	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1095	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1100	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1105	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1110	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1115	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1120	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1125	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1130	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1135	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1140	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1145	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1150	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1155	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1160	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1165	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1170	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1175	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
1180	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I
	I *I




105 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
110 + I* I
I* I
I* I
I* I
I* I
I* I
115 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
120 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
125 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
130 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
135 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
140 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
145 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
150 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
155 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
160 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
165 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
170 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
175 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
180 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
185 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
190 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
195 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
200 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
205 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
210 + I* I
I* I
I* I
I* I


320	I* I
	I* I
	I* I
	I* I
	I* I
325	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
330	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
335	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
340	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
345	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
350	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
355	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
360	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
365	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
370	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
375	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
380	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
385	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
390	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
395	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
400	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
405	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
410	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
415	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
420	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
	I* I
425	I* I
	I* I
	I* I
	I* I
	I* I
	I* I


430 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
435 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
440 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
445 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
450 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
455 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
460 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
465 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
470 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
475 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
480 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
485 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
490 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
495 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
500 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
505 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
510 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
515 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
520 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
525 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
530 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
535 + I * I
I * I


```
645 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
650 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
655 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
660 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
665 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
670 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
675 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
680 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
685 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
690 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
695 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
700 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
705 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
710 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
715 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
720 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
725 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
730 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
735 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
740 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
745 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
750 + I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I  
      I * I
```

970	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
975	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
980	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
985	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
990	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
995	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1000	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1005	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1010	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1015	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1020	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1025	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1030	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1035	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1040	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1045	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1050	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1055	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1060	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1065	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1070	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
	I	*	I
1075	I	*	I





GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	SKIPPING 3 GENERATIONS	
									PERCENT DEVIATION	PERCENT DEVIATION
1	0.0001			1.15906E-04	2.6399	1.24682E-03	0.8113	0.00000E+00	0.0000	
2	0.0006			5.30927E-04	0.8489	2.58406E-03	0.2550	0.00000E+00	0.0000	
3	0.0007			6.37244E-04	0.7231	5.16051E-04	0.4371	0.00000E+00	0.0000	
4	0.0004			3.61739E-04	0.9316	2.75979E-04	0.5533	0.00000E+00	0.0000	
5	0.0006			4.95953E-04	0.7663	5.19655E-04	0.4174	0.00000E+00	0.0000	
6	0.0007			6.30678E-04	0.5838	1.17802E-03	0.3372	0.00000E+00	0.0000	
7	0.0007			6.17082E-04	0.6394	1.33636E-03	0.3352	0.00000E+00	0.0000	
8	0.0007			6.51906E-04	1.0317	1.32331E-03	0.4530	0.00000E+00	0.0000	
9	0.0010			8.76805E-04	1.2629	1.70744E-03	0.5290	0.00000E+00	0.0000	
10	0.0020			1.82750E-03	1.2042	3.48738E-03	0.5153	0.00000E+00	0.0000	
11	0.0046			4.13279E-03	1.0065	5.82339E-03	0.5354	0.00000E+00	0.0000	
12	0.0065			5.83378E-03	1.0512	6.36455E-03	0.6660	0.00000E+00	0.0000	
13	0.0067			5.97500E-03	1.0600	8.36976E-03	0.6245	0.00000E+00	0.0000	
14	0.0057			5.07462E-03	1.0934	1.06577E-02	0.5148	0.00000E+00	0.0000	
15	0.0011			9.72058E-04	1.9130	5.36482E-03	0.5775	0.00000E+00	0.0000	
16	0.0008			6.81455E-04	2.5720	3.37848E-03	0.6513	0.00000E+00	0.0000	
17	0.0012			1.04935E-03	2.8709	2.08826E-03	0.9768	0.00000E+00	0.0000	
18	0.0016			1.43756E-03	2.7740	2.11158E-03	1.0450	0.00000E+00	0.0000	
19	0.0019			1.72396E-03	2.3100	3.60815E-03	0.7272	0.00000E+00	0.0000	
20	0.0085			7.58284E-03	1.2034	1.42955E-02	0.4725	0.00000E+00	0.0000	
21	0.0048			4.27904E-03	1.7006	5.99441E-03	0.7166	0.00000E+00	0.0000	
22	0.0128			1.15042E-02	0.9810	1.47838E-02	0.4785	0.00000E+00	0.0000	
23	0.0757			6.78354E-02	0.4004	8.37234E-02	0.1931	0.00000E+00	0.0000	
24	0.2228			1.99619E-01	0.2243	2.20541E-01	0.1080	0.00000E+00	0.0000	
25	0.2184			1.95709E-01	0.2293	2.06575E-01	0.1129	0.00000E+00	0.0000	
26	0.3012			2.69875E-01	0.1764	2.75820E-01	0.0920	0.00000E+00	0.0000	
27	0.1182			1.05926E-01	0.3261	1.05296E-01	0.1776	0.00000E+00	0.0000	
SYSTEM TOTAL =				8.95957E-01	0.0776	9.88970E-01	0.0233	0.00000E+00	0.0000	

THE WEIGHT LOST IN THE ALBEDO PORTION OF THE PROBLEM = 1.2370E-02 + OR - 0.0001

ELAPSED TIME 28.77900 MINUTES
RANDOM NUMBER= 415C58355882

```
FREQUENCY FOR GENERATIONS 4 TO 1203
0.8240 TO 0.8274 *
0.8274 TO 0.8309 **
0.8309 TO 0.8343 ***
0.8343 TO 0.8377 ****
0.8377 TO 0.8411 ****
0.8411 TO 0.8445 *****
0.8445 TO 0.8480 *****
0.8480 TO 0.8514 *****
0.8514 TO 0.8548 *****
0.8548 TO 0.8582 *****
0.8582 TO 0.8616 *****
0.8616 TO 0.8650 *****
0.8650 TO 0.8685 *****
0.8685 TO 0.8719 *****
0.8719 TO 0.8753 *****
0.8753 TO 0.8787 *****
0.8787 TO 0.8821 *****
0.8821 TO 0.8855 *****
0.8855 TO 0.8890 *****
0.8890 TO 0.8924 *****
0.8924 TO 0.8958 *****
0.8958 TO 0.8992 *****
0.8992 TO 0.9026 *****
0.9026 TO 0.9060 *****
0.9060 TO 0.9095 *****
0.9095 TO 0.9129 *****
0.9129 TO 0.9163 *****
0.9163 TO 0.9197 *****
0.9197 TO 0.9231 *****
0.9231 TO 0.9265 *****
0.9265 TO 0.9300 *****
0.9300 TO 0.9334 *****
0.9334 TO 0.9368 *****
0.9368 TO 0.9402 *****
0.9402 TO 0.9436 *****
0.9436 TO 0.9470 *****
0.9470 TO 0.9505 *****
0.9505 TO 0.9539 *****
0.9539 TO 0.9573 **
0.9573 TO 0.9607 *
0.9607 TO 0.9641 **
0.9641 TO 0.9675 *
0.9675 TO 0.9710 *
0.9710 TO 0.9744 *
0.9744 TO 0.9778 *
0.9778 TO 0.9812 *
0.9812 TO 0.9846 *
0.9846 TO 0.9880 *
0.9880 TO 0.9915 *
0.9915 TO 0.9949 *
```

```
                                FREQUENCY FOR GENERATIONS 304 TO 1203
0.8240 TO 0.8274      *
0.8274 TO 0.8309      **
0.8309 TO 0.8343      **
0.8343 TO 0.8377      ***
0.8377 TO 0.8411      ***
0.8411 TO 0.8445      ****
0.8445 TO 0.8480      *****
0.8480 TO 0.8514      *****
0.8514 TO 0.8548      *****
0.8548 TO 0.8582      *****
0.8582 TO 0.8616      *****
0.8616 TO 0.8650      *****
0.8650 TO 0.8685      *****
0.8685 TO 0.8719      *****
0.8719 TO 0.8753      *****
0.8753 TO 0.8787      *****
0.8787 TO 0.8821      *****
0.8821 TO 0.8855      *****
0.8855 TO 0.8890      *****
0.8890 TO 0.8924      *****
0.8924 TO 0.8958      *****
0.8958 TO 0.8992      *****
0.8992 TO 0.9026      *****
0.9026 TO 0.9060      *****
0.9060 TO 0.9095      *****
0.9095 TO 0.9129      *****
0.9129 TO 0.9163      *****
0.9163 TO 0.9197      *****
0.9197 TO 0.9231      *****
0.9231 TO 0.9265      *****
0.9265 TO 0.9300      *****
0.9300 TO 0.9334      *****
0.9334 TO 0.9368      *****
0.9368 TO 0.9402      *****
0.9402 TO 0.9436      *****
0.9436 TO 0.9470      ****
0.9470 TO 0.9505      **
0.9505 TO 0.9539      **
0.9539 TO 0.9573      *
0.9573 TO 0.9607      *
0.9607 TO 0.9641      **
0.9641 TO 0.9675      *
0.9675 TO 0.9710      *
0.9710 TO 0.9744      *
0.9744 TO 0.9778      *
0.9778 TO 0.9812      *
0.9812 TO 0.9846      *
0.9846 TO 0.9880      *
0.9880 TO 0.9915      *
0.9915 TO 0.9949      *
```


FREQUENCY FOR GENERATIONS 604 TO 1203

0.8240 TO 0.8274 *
0.8274 TO 0.8309 **
0.8309 TO 0.8343 **
0.8343 TO 0.8377 **
0.8377 TO 0.8411 **
0.8411 TO 0.8445 ***
0.8445 TO 0.8480 *****
0.8480 TO 0.8514 *****
0.8514 TO 0.8548 *****
0.8548 TO 0.8582 *****
0.8582 TO 0.8616 *****
0.8616 TO 0.8650 *****
0.8650 TO 0.8685 *****
0.8685 TO 0.8719 *****
0.8719 TO 0.8753 *****
0.8753 TO 0.8787 *****
0.8787 TO 0.8821 *****
0.8821 TO 0.8855 *****
0.8855 TO 0.8890 *****
0.8890 TO 0.8924 *****
0.8924 TO 0.8958 *****
0.8958 TO 0.8992 *****
0.8992 TO 0.9026 *****
0.9026 TO 0.9060 *****
0.9060 TO 0.9095 *****
0.9095 TO 0.9129 *****
0.9129 TO 0.9163 *****
0.9163 TO 0.9197 *****
0.9197 TO 0.9231 *****
0.9231 TO 0.9265 *****
0.9265 TO 0.9300 *****
0.9300 TO 0.9334 *****
0.9334 TO 0.9368 *****
0.9368 TO 0.9402 *****
0.9402 TO 0.9436 *****
0.9436 TO 0.9470 *****
0.9470 TO 0.9505 *****
0.9505 TO 0.9539 **
0.9539 TO 0.9573 *
0.9573 TO 0.9607 *
0.9607 TO 0.9641 *
0.9641 TO 0.9675 *
0.9675 TO 0.9710 *
0.9710 TO 0.9744 *
0.9744 TO 0.9778 *
0.9778 TO 0.9812 *
0.9812 TO 0.9846 *
0.9846 TO 0.9880 *
0.9880 TO 0.9915 *
0.9915 TO 0.9949 *

FREQUENCY FOR GENERATIONS 904 TO 1203

0.8240 TO 0.8274 *
0.8274 TO 0.8309 *
0.8309 TO 0.8343 *
0.8343 TO 0.8377 *
0.8377 TO 0.8411 *
0.8411 TO 0.8445 **
0.8445 TO 0.8480 **
0.8480 TO 0.8514 *****
0.8514 TO 0.8548 ****
0.8548 TO 0.8582 *****
0.8582 TO 0.8616 *****
0.8616 TO 0.8650 *****
0.8650 TO 0.8685 *****
0.8685 TO 0.8719 *****
0.8719 TO 0.8753 *****
0.8753 TO 0.8787 *****
0.8787 TO 0.8821 *****
0.8821 TO 0.8855 *****
0.8855 TO 0.8890 *****
0.8890 TO 0.8924 *****
0.8924 TO 0.8958 *****
0.8958 TO 0.8992 *****
0.8992 TO 0.9026 *****
0.9026 TO 0.9060 *****
0.9060 TO 0.9095 *****
0.9095 TO 0.9129 *****
0.9129 TO 0.9163 *****
0.9163 TO 0.9197 *****
0.9197 TO 0.9231 *****
0.9231 TO 0.9265 *****
0.9265 TO 0.9300 *****
0.9300 TO 0.9334 **
0.9334 TO 0.9368 *****
0.9368 TO 0.9402 ***
0.9402 TO 0.9436 ***
0.9436 TO 0.9470 *
0.9470 TO 0.9505 *
0.9505 TO 0.9539 *
0.9539 TO 0.9573 *
0.9573 TO 0.9607 *
0.9607 TO 0.9641 *
0.9641 TO 0.9675 *
0.9675 TO 0.9710 *
0.9710 TO 0.9744 *
0.9744 TO 0.9778 *
0.9778 TO 0.9812 *
0.9812 TO 0.9846 *
0.9846 TO 0.9880 *
0.9880 TO 0.9915 *
0.9915 TO 0.9949 *

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 28.77900 MINUTES
.....

Figure 6.6.8-2 Maximum Reactivity DIDO Configuration – Infinite Array

```
NAC International
QSCALENT Banner Generation Utility v3.6 (20010221)
-----+
I JOB INFORMATION I
-----+
Working Directory:      D:\HJF\PLATEMIN_THCLAMIN_FUELLMIN_HTELEMIN_UM-MAX_UWMAX_OCFMAX\
Output File Name:      plateMin_thclamin_fuellMin_hteleMin_um-Max_uwMax_OCFMax.out
Start Date:            February 21, 2001
Start Time:            17:18:06
-----+
I SOFTWARE INFORMATION I
-----+
Program Name:          Scale 4.3 for Windows NT 4.0
Version:               4.3.1
Installation Date:     June 10, 1998
Code Verification Package #: EA913-1010-94, Rev. 0
Code Verification Date: June 10, 1998
Program Location:      G:\scale43\win_nt\exe
-----+
I SYSTEM INFORMATION I
-----+
Computer Type:         Dell Precision 410
Operating System:     Windows NT Version 4.0
Computer ID:           57NTY (MAC# 00C04F600F94)
Serial Number:        57NTY
Login ID:              zjr
System Verification Date: July 3, 2000
```

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT with Loose DIDO HEU Fuel, Accident Condition, Radial Shift Pattern - Centere
'Fuel Tube Thick - Nominal Fuel Tube OD - Nominal Fuel Tube Height - Nominal
'Fuel Base Plate - Nominal Fuel Plate Diameter - Nominal Fuel Plate Thickness
'Fuel Plate Clad Thickness - Min Active Fuel Length - Min Fuel Element Height
'U235 Fuel Mass - Max Uranium Weight Fraction - Max Cylinder Pitch - Outer_Fix
27GROUPNDF4 LATTICECELL
'Material Description for LWT Analysis - DIDO HEU Fuel
URANIUM 1 DEN=0.5477 1.0 293.0 92235 94.0 92238 06.0 END
AL 1 DEN=1.7930 1.0 293.0 END
AL 2 1.00 293.0 END
H2O 3 DEN=0.9998 1.00 293.0 END
ARBMGLC 0.9437 3 0 1 0
6012 2 1001 6 8016 2
4 0.5840 END
H2O 4 0.4160 293.0 END
PB 5 1.00 293.0 END
SS304 6 1.00 293.0 END
AL 7 1.00 293.0 END
SS304 8 1.00 293.0 END
H2O 9 DEN=0.0001 1.00 293.0 END
END COMP
SYMSLABCELL 0.9800 0.0650 1 3 0.1300 2 END

READ PARAM TR=5 TME=90 RUN=YES PLT=NO
GEN=1203 NPG=1000 END PARAM
READ START XSM=-16.85 XSP=16.85 YSM=16.85 YSP=-16.85
ZSM=26.67 ZSP=473.35 END START

READ GEOM
UNIT 1
COM='Fuelled Annular Sections Tube 1 Loose
'Fuel Annulus 1
CYLINDER 3 1 3.0300 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.0625 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 1 1 3.1275 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.1600 58.7500 0.0000 ORIGIN 0.0000 0.0000
'Fuel Annulus 2
CYLINDER 3 1 3.5300 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.5625 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 1 1 3.6275 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.6600 58.7500 0.0000 ORIGIN 0.0000 0.0000
'Fuel Annulus 3
CYLINDER 3 1 4.0300 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 4.0625 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 1 1 4.1275 58.7500 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 4.1600 58.7500 0.0000 ORIGIN 0.0000 0.0000
'Fuel Annulus 4
CYLINDER 3 1 4.5300 58.7500 0.0000
CYLINDER 2 1 4.5625 58.7500 0.0000
CYLINDER 1 1 4.6275 58.7500 0.0000
CYLINDER 2 1 4.6599 58.7500 0.0000
UNIT 2
COM='Axial Clad Sections Tube 1 Loose
'Clad Axial End Piece 1
CYLINDER 3 1 3.0300 1.3750 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.1600 1.3750 0.0000 ORIGIN 0.0000 0.0000
'Clad Axial End Piece 2
CYLINDER 3 1 3.5300 1.3750 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 3.6600 1.3750 0.0000 ORIGIN 0.0000 0.0000
'Clad Axial End Piece 3
CYLINDER 3 1 4.0300 1.3750 0.0000 ORIGIN 0.0000 0.0000
CYLINDER 2 1 4.1600 1.3750 0.0000 ORIGIN 0.0000 0.0000
'Clad Axial End Piece 4
CYLINDER 3 1 4.5300 1.3750 0.0000
CYLINDER 2 1 4.6599 1.3750 0.0000
UNIT 3
COM='Fuel Element Tube 1'
CYLINDER 3 1 4.6600 61.5000 0.0000
HOLE 2 0.0000 0.0000 0.0000
HOLE 1 0.0000 0.0000 1.3750
HOLE 2 0.0000 0.0000 60.1250
UNIT 4
COM='Basket Fuel Tube - Fuel Down Radial Centered'
CYLINDER 3 1 5.0927 73.1773 0.0000
HOLE 3 0.0000 0.0000 0.0000
CYLINDER 2 1 5.3974 73.1773 0.0000
UNIT 5
COM='Basket Fuel Tube - Fuel Up Radial Centered'
CYLINDER 3 1 5.0927 73.1773 0.0000
HOLE 3 0.0000 0.0000 11.6772
CYLINDER 2 1 5.3974 73.1773 0.0000
UNIT 6
COM='Basket Bottom Plate Hole '
CYLINDER 3 1 1.27 1.2698 0.0000
UNIT 7
COM='Basket Bottom Plate '
CYLINDER 6 1 16.8466 1.2698 0.0000
HOLE 6 0.0000 0.0000 0.0000
HOLE 6 10.7950 0.0000 0.0000
HOLE 6 5.3975 9.3487 0.0000
HOLE 6 -5.3975 9.3487 0.0000
HOLE 6 -10.7950 0.0000 0.0000
HOLE 6 -5.3975 -9.3487 0.0000
HOLE 6 5.3975 -9.3487 0.0000
UNIT 8
COM='Heat Transfer Bar / Rod '
CYLINDER 7 1 0.3165 73.1773 0.0000
UNIT 9
COM='Basket Fuel Down'
CYLINDER 3 1 16.1926 73.1773 0.0000
HOLE 4 0.0000 0.0000 0.0000
HOLE 4 10.7950 0.0000 0.0000
HOLE 8 4.9493 2.8575 0.0000
HOLE 8 4.6024 3.3881 0.0000
HOLE 8 5.2354 2.2917 0.0000
HOLE 4 5.3975 9.3487 0.0000
HOLE 8 0.0000 5.7150 0.0000

```

```

HOLE 8 -0.6330 5.6798 0.0000
HOLE 8 0.6330 5.6798 0.0000
HOLE 4 -5.3975 9.3487 0.0000
HOLE 8 -4.9493 2.8575 0.0000
HOLE 8 -5.2354 2.2917 0.0000
HOLE 8 -4.6024 3.3881 0.0000
HOLE 4 -10.7950 0.0000 0.0000
HOLE 8 -4.9493 -2.8575 0.0000
HOLE 8 -4.6024 -3.3881 0.0000
HOLE 8 -5.2354 -2.2917 0.0000
HOLE 4 -5.3975 -9.3487 0.0000
HOLE 8 0.0000 -5.7150 0.0000
HOLE 8 0.6330 -5.6798 0.0000
HOLE 8 -0.6330 -5.6798 0.0000
HOLE 4 5.3975 -9.3487 0.0000
HOLE 8 4.9493 -2.8575 0.0000
HOLE 8 5.2354 -2.2917 0.0000
HOLE 8 4.6024 -3.3881 0.0000
CYLINDER 7 1 16.6688 73.1773 0.0000
CYLINDER 3 1 16.8466 73.1773 0.0000
UNIT 10
COM='Basket Fuel Up'
CYLINDER 3 1 16.1926 73.1773 0.0000
HOLE 5 0.0000 0.0000 0.0000
HOLE 5 10.7950 0.0000 0.0000
HOLE 8 4.9493 2.8575 0.0000
HOLE 8 4.6024 3.3881 0.0000
HOLE 8 5.2354 2.2917 0.0000
HOLE 5 5.3975 9.3487 0.0000
HOLE 8 0.0000 5.7150 0.0000
HOLE 8 -0.6330 5.6798 0.0000
HOLE 8 0.6330 5.6798 0.0000
HOLE 5 -5.3975 9.3487 0.0000
HOLE 8 -4.9493 2.8575 0.0000
HOLE 8 -5.2354 2.2917 0.0000
HOLE 8 -4.6024 3.3881 0.0000
HOLE 5 -10.7950 0.0000 0.0000
HOLE 8 -4.9493 -2.8575 0.0000
HOLE 8 -4.6024 -3.3881 0.0000
HOLE 8 -5.2354 -2.2917 0.0000
HOLE 5 -5.3975 -9.3487 0.0000
HOLE 8 0.0000 -5.7150 0.0000
HOLE 8 0.6330 -5.6798 0.0000
HOLE 8 -0.6330 -5.6798 0.0000
HOLE 5 5.3975 -9.3487 0.0000
HOLE 8 4.9493 -2.8575 0.0000
HOLE 8 5.2354 -2.2917 0.0000
HOLE 8 4.6024 -3.3881 0.0000
CYLINDER 7 1 16.6688 73.1773 0.0000
CYLINDER 3 1 16.8466 73.1773 0.0000
UNIT 11
COM='Cask Cavity'
CYLINDER 3 1 16.9863 446.6844 0.0000
HOLE 7 0.0000 0.0000 0.0001
HOLE 10 0.0000 0.0000 1.2700
HOLE 7 0.0000 0.0000 74.4475
HOLE 9 0.0000 0.0000 75.7174
HOLE 7 0.0000 0.0000 148.8949
HOLE 10 0.0000 0.0000 150.1648
HOLE 7 0.0000 0.0000 223.3423
HOLE 9 0.0000 0.0000 224.6122
HOLE 7 0.0000 0.0000 297.7897
HOLE 10 0.0000 0.0000 299.0596
HOLE 7 0.0000 0.0000 372.2371
HOLE 9 0.0000 0.0000 373.5070
UNIT 12
COM='Cask Shield Radial Configuration'
CYLINDER 3 1 16.9863 446.6844 0.0000
HOLE 11 0.0000 0.0000 0.0000
CYLINDER 8 1 18.9103 446.6844 0.0000
CYLINDER 5 1 33.4645 446.6844 0.0000
CYLINDER 8 1 36.5189 446.6844 0.0000
CYLINDER 9 1 49.2189 446.6844 0.0000
CYLINDER 8 1 49.8183 446.6844 0.0000
CUBOID 9 1 4P49.8183 446.6844 0.0000
UNIT 13
COM='LWT Lid'
CYLINDER 8 1 36.5189 28.5750 0.5994
CYLINDER 9 1 49.8183 28.5750 0.5994
CYLINDER 8 1 49.8183 28.5750 0.0000
CUBOID 9 1 4P49.8183 28.5750 0.0000
UNIT 14
COM='LWT Bottom Weldment'
CYLINDER 5 1 26.3525 16.5100 8.8900
CYLINDER 8 1 36.5189 26.0706 0.0000
CYLINDER 9 1 49.8183 26.0706 0.0000
CYLINDER 8 1 49.8183 26.6700 0.0000
CUBOID 9 1 4P49.8183 26.6700 0.0000
GLOBAL UNIT 15
COM='LWT Cask'
ARRAY 1 -49.8183 -49.8183 0.0000
END GEOM
READ ARRAY
ARA=1 NUX=1 NUZ=3 FILL 14 12 13 END FILL
END ARRAY
READ BOUNDS ALL=MIRROR END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CENTER ELEMENT - FUEL ELEVATION'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-5.4 YUL=5.4 ZUL=57.4
XLR=5.4 YLR=-5.4 ZLR=57.4 END
TTL='X-Y PLOT OF BASKET - FUEL ELEVATION'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-17.0 YUL=17.0 ZUL=57.4
XLR=17.0 YLR=-17.0 ZLR=57.4 END
TTL='X-Y PLOT OF CASK - FUEL ELEVATION'

```

```
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-49.8 YUL=-49.8 ZUL=57.4
XLR=49.8 YLR=-49.8 ZLR=57.4 END
TTL='X-Z PLOT OF BOTTOM BASKET - CENTER FUEL ELEMENT CROSS SECTION '
SCR=YES PIC=MAT LPI=10
UAX=1.0 WDN=-1.0 NAX=1500
XUL=-5.4 YUL=0.0 ZUL=77.4
XLR=5.4 YLR=0.0 ZLR=57.4 END
TTL='X-Z PLOT OF BOTTOM BASKET - CENTER FUEL ELEMENT ROW '
SCR=YES PIC=MAT LPI=10
UAX=1.0 WDN=-1.0 NAX=1500
XUL=-17.0 YUL=0.0 ZUL=101.1
XLR=17.0 YLR=0.0 ZLR=26.7 END
TTL='Y-Z (X=0) PLOT OF BOTTOM BASKET '
SCR=YES PIC=MAT LPI=10
VAX=1.0 WDN=-1.0 NAX=1500
XUL=0.0 YUL=-17.0 ZUL=101.1
XLR=0.0 YLR=17.0 ZLR=26.7 END
TTL='X-Z PLOT OF BOTTOM BASKET - TOP FUEL ELEMENT ROW '
SCR=YES PIC=MAT LPI=10
UAX=1.0 WDN=-1.0 NAX=1500
XUL=-17.0 YUL=9.3 ZUL=101.1
XLR=17.0 YLR=9.3 ZLR=26.7 END
TTL='X-Z PLOT OF CASK CAVITY '
SCR=YES PIC=MAT LPI=5
UAX=1.0 WDN=-1.0 NAX=1500
XUL=-17.0 YUL=0.0 ZUL=474.4
XLR=17.0 YLR=0.0 ZLR=25.7 END
TTL='X-Z PLOT OF CASK '
SCR=YES PIC=MAT LPI=5
UAX=1.0 WDN=-1.0 NAX=1500
XUL=-49.8 YUL=0.0 ZUL=502.9
XLR=49.8 YLR=0.0 ZLR=0.0 END
END PLOT
END DATA
```

```
SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.88 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 4.28 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1748.06 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1755.97 (SECONDS).
```

```
CCCCCCCCCC SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS 2222222222 555555555555
CCCCCCCCCC SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS 2222222222 555555555555
CC          CC SS      SS AA      AA SS      SS 22      22 55
CC          SS      SS AA      AA SS      SS 22      22 55
CC          SS      SS AA      AA SS      SS 22      22 55
CC          SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS          22 555555555555
CC          SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS          22 555555555555
CC          SS      SS AA      AA SS      SS 22      22 55
CC          SS      SS AA      AA SS      SS 22      22 55
CC          CC SS      SS AA      AA SS      SS 22      22 55
CCCCCCCCCC SSSSSSSSSS AA      AA SSSSSSSSSS 2222222222 555555555555
CCCCCCCCCC SSSSSSSSSS AA      AA SSSSSSSSSS 2222222222 555555555555
```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SS          SS CC          CC AA      AA LL EE EEEEEEEEEEE PP PP PP CC CC
SS          CC          CC AA      AA LL EE EEEEEEEEEEE PP PP PP CC CC
SS          CC          CC AA      AA LL EE EEEEEEEEEEE PP PP PP CC CC
SSSSSSSSSS CC          CC AAAAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CC
SSSSSSSSSS CC          CC AAAAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CC
SS          SS CC          CC AA      AA LL EE EEEEEEEEEEE PP PP PP CC CC
SS          SS CC          CC AA      AA LL EE EEEEEEEEEEE PP PP PP CC CC
SSSSSSSSSS CC          CC AA      AA LLLLLLLLLLLL EEEEEEEEEEE PP PP CC CC
SSSSSSSSSS CCCCCCCCCC AA      AA LLLLLLLLLLLL EEEEEEEEEEE PP PP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA      AA LLLLLLLLLLLL EEEEEEEEEEE PP PP CCCCCCCCCC
```

```
00000000 2222222222 2222222222 11 00000000 11
00000000 22222222222222 22222222222222 111 00000000 111
00          00 22      22 22          1111 00          00 1111
00          00 22      22 22          11 00          00 11
00          00 22      22 22          11 00          00 11
00          00 22      22 22          11 00          00 11
00          00 22      22 22          11 00          00 11
00          00 22      22 22          11 00          00 11
00          00 22      22 22          11 00          00 11
00          00 22      22 22          11 00          00 11
00          00 22      22 22          11 00          00 11
00          00 22      22 22          11 00          00 11
00000000 22222222222222 22222222222222 11111111 00000000 11111111
00000000 22222222222222 22222222222222 11111111 00000000 11111111
```

```
11 777777777777 11 8888888888 11 00000000
111 777777777777 111 888888888888 111 0000000000
1111 77 77 1111 88 88 1111 00 00
11 77 11 88 88 11 00 00
11 77 11 88 88 11 00 00
11 77 11 8888888888 11 00 00
11 77 11 8888888888 11 00 00
11 77 11 88 88 11 00 00
11 77 11 88 88 11 00 00
11 77 11 88 88 11 00 00
11111111 77 11111111 888888888888 11111111 00000000
11111111 77 11111111 888888888888 11111111 00000000
```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAA  LL  EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SS        SS  CC        CC  AA      AA  LL  EE  EEEEEEEEEEE  PP  PP  CC        CC
SS        CC  CC        CC  AA      AA  LL  EE  EEEEEEEEEEE  PP  PP  CC        CC
SS        CC  CC        CC  AA      AA  LL  EE  EEEEEEEEEEE  PP  PP  CC        CC
SSSSSSSSSS  CC  AAAAAAAAAA  LL  EEEEEEEEE  -----  PPPPPPPPPPP  CC
SSSSSSSSSS  CC  AAAAAAAAAA  LL  EEEEEEEEE  -----  PPPPPPPPPPP  CC
          SS  CC  AA      AA  LL  EE  EEEEEEEEE  PP  CC
          SS  CC  AA      AA  LL  EE  EEEEEEEEE  PP  CC
SS        SS  CC  AA      AA  LL  EE  EEEEEEEEE  PP  CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLL  EEEEEEEEEEE  PP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLL  EEEEEEEEEEE  PP  CCCCCCCCCC
    
```

```

*****
*****
***** PROGRAM VERIFICATION INFORMATION *****
***** CODE SYSTEM: SCALE-PC VERSION: 4.3 *****
*****
***** PROGRAM: CSAS *****
***** CREATION DATE: 03/08/96 *****
***** VOLUME: ENG *****
***** LIBRARY: G:\SCALE43\WIN_NT\EXE *****
***** THIS IS NOT A SCALE-PC CONFIGURATION CONTROLLED CODE *****
***** JOBNAME: SCALE-PC *****
***** DATE OF EXECUTION: 02/21/01 *****
***** TIME OF EXECUTION: 17:18:10 *****
*****
*****
*****
    
```


'Fuel Tube Thick - Nominal Fuel Tube OD - Nominal Fuel Tube Height - Nominal
'Fuel Base Plate - Nominal Fuel Plate Diameter - Nominal Fuel Plate Thickness
'Fuel Plate Clad Thickness - Min Active Fuel Length - Min Fuel Element Height
'U235 Fuel Mass - Max Uranium Weight Fraction - Max Cylinder Pitch - Outer_Fix
'Material Description for LWT Analysis - DIDO HEU Fuel
'Fuel Tube Thick - Nominal Fuel Tube OD - Nominal Fuel Tube Height - Nominal
'Fuel Base Plate - Nominal Fuel Plate Diameter - Nominal Fuel Plate Thickness
'Fuel Plate Clad Thickness - Min Active Fuel Length - Min Fuel Element Height
'U235 Fuel Mass - Max Uranium Weight Fraction - Max Cylinder Pitch - Outer_Fix
'Material Description for LWT Analysis - DIDO HEU Fuel
LWT WITH LOOSE DIDO HEU FUEL, ACCIDENT CONDITION, RADIAL SHIFT PATTERN - CENTERE

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MX 9 MIXTURES
MSC 11 COMPOSITION SPECIFICATIONS
IZM 3 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC URANIUM STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.5477 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 94.000 WT%
92238 6.000 WT%

END

SC AL STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 1.7930 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC AL STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9998 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC ARBMGLC STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 0.5840 VOLUME FRACTION
ROTH 0.9437 SPECIFIED DENSITY
NEL 3 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
6012 2.00 ATOMS/MOLECULE
1001 5.00 ATOMS/MOLECULE
8016 2.00 ATOMS/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 0.4160 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC PB STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS

ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE
END

SC SS304 STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%
END

SC AL STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE
END

SC SS304 STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%
END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.0001 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

**** PROBLEM GEOMETRY ****

CTP SYMMSLABCELL CELL TYPE
PITCH 0.9800 CM CENTER TO CENTER SPACING
FUELOD 0.0650 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 0.1300 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS CLAD
ZONE 3 IS MOD

```

*****
***
***          LWT WITH LOOSE DIDO HEU FUEL, ACCIDENT CONDITION, RADIAL SHIFT PATTERN - CENTERE
***
*****
***          ***** DATA LIBRARY INFORMATION *****
***
***          UNIT          DATA SET NAME          VOLUME          UNIT FUNCTION
***          NUMBER        -----          NAME            -----
***
***          89          G:\scale43\DATA LIB\FT89F001          STANDARD COMPOSITION LIBRARY
***          82          G:\scale43\DATA LIB\FT82F001          CROSS SECTION LIBRARY
***          11          D:\hjp\plateMin_thclamin_fuellMin_hteleMin_u          SHORT CROSS SECTION LIBRARY
***          90          D:\hjp\plateMin_thclamin_fuellMin_hteleMin_u          INPUT DATA DIRECT ACCESS
***
*****
***
***          STANDARD COMPOSITION LIBRARY DATA
***          -----
***
***          UNIT NUMBER : 89
***          DATASET NAME : G:\scale43\DATA LIB\FT89F001
***          LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
***          637 STANDARD COMPOSITIONS, 490 NUCLIDES
***          90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
***          CREATION DATE: 6/30/95
***
***
***          CROSS SECTION LIBRARY DATA
***          -----
***
***          UNIT NUMBER : 82
***          DATASET NAME : G:\scale43\DATA LIB\FT82F001
***          LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
***          BASED ON ENDF-B VERSION 4 DATA
***          COMPILED FOR NRC 1/27/89
***          LAST UPDATED
***          L.M.PETRIE - ORNL
***          08/12/94
***
*****

```

```

..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....

'Fuel Annulus 1
'Fuel Annulus 2
'Fuel Annulus 3
'Fuel Annulus 4
'Clad Axial End Piece 1
'Clad Axial End Piece 2
'Clad Axial End Piece 3
'Clad Axial End Piece 4

```

```

***** DATA READING COMPLETED *****
..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....

```

CONTROL MODULE CSAS25 IS COMPLETE.

```

BBBBBBBBBBB      OOOOOOOOOO    NN      NN      AAAAAAAAAA    MM      MM      IIIIIIIIIII    2222222222
BBBBBBBBBBB      OOOOOOOOOOOO    NNN      NN      AAAAAAAAAAAA    MMM      MMM      IIIIIIIIIII    222222222222
BB      BB      OO      OO      NNNN      NN      AA      AA      MMMM      MMM      II      22
BB      BB      OO      OO      NN NN      NN      AA      AA      MM MM      MM MM      II      22
BB      BB      OO      OO      NN      NN      AA      AA      MM      MM MM      MM      II      22
BBBBBBBBBBB      OO      OO      NN      NN      AAAAAAAAAAAAAA    MM      MM      MM      II      22
BBBBBBBBBBB      OO      OO      NN      NN      AAAAAAAAAAAAAA    MM      M      MM      II      22
BB      BB      OO      OO      NN      NN      AA      AA      MM      MM      II      22
BB      BB      OO      OO      NN      NN      AA      AA      MM      MM      II      22
BB      BB      OO      OO      NN      NN      AA      AA      MM      MM      II      22
BBBBBBBBBBB      OOOOOOOOOOOO    NN      NN      AAAAAAAAAAAAAA    MM      MM      IIIIIIIIIII    222222222222
BBBBBBBBBBB      OOOOOOOOOOOO    NN      NN      AA      AA      MM      MM      IIIIIIIIIII    222222222222
    
```

```

SSSSSSSSSS      CCCCCCCCCC    AAAAAAAA    LL      EEEEEEEEEEEE    PPPPPPPPPPP    CCCCCCCCCC
SSSSSSSSSS      CCCCCCCCCCCC    AAAAAAAAAAAA    LL      EEEEEEEEEEEE    PPPPPPPPPPP    CCCCCCCCCCCC
SS      SS      CC      CC      AA      AA      LL      EE      EE      PP      PP      CC      CC
SS      SS      CC      CC      AA      AA      LL      EE      EE      PP      PP      CC      CC
SS      SS      CC      CC      AA      AA      LL      EE      EE      PP      PP      CC      CC
SSSSSSSSSS      CC      CC      AAAAAAAAAAAAAA    LL      EEEEEEEEE     PPPPPPPPPPP    CC
SSSSSSSSSS      CC      CC      AAAAAAAAAAAAAA    LL      EEEEEEEEE     PPPPPPPPPPP    CC
SS      SS      CC      CC      AA      AA      LL      EE      EE      PP      PP      CC      CC
SS      SS      CC      CC      AA      AA      LL      EE      EE      PP      PP      CC      CC
SSSSSSSSSS      CCCCCCCCCCCC    AA      AA      LLLLLLLLLLLLLL    EEEEEEEEEEEE    PP      PP      CCCCCCCCCC
SSSSSSSSSS      CCCCCCCCCC    AA      AA      LLLLLLLLLLLLLL    EEEEEEEEEEEE    PP      PP      CCCCCCCCCC
    
```

```

0000000    2222222222    //      2222222222    11      //      0000000    11
000000000  222222222222  //      222222222222  111     //      000000000  111
00      00      22      22      1111    //      00      00      1111
00      00      22      22      1111    //      00      00      1111
00      00      22      22      1111    //      00      00      1111
00      00      22      22      1111    //      00      00      1111
00      00      22      22      1111    //      00      00      1111
00      00      22      22      1111    //      00      00      1111
00      00      22      22      1111    //      00      00      1111
00      00      22      22      1111    //      00      00      1111
000000000  222222222222  //      222222222222  11111111 //      000000000  11111111
0000000    2222222222  //      222222222222  11111111 //      0000000    11111111
    
```

```

11      777777777777    11      888888888888    11      22222222222
111     777777777777    111     888888888888    111     222222222222
1111    77      77      :::      1111    88      88      :::      1111    22      22
11      77      77      :::      11      88      88      :::      11      22      22
11      77      77      :::      11      88      88      :::      11      22      22
11      77      77      :::      11      888888888888  11      22      22
11      77      77      :::      11      888888888888  11      22      22
11      77      77      :::      11      88      88      :::      11      22      22
11      77      77      :::      11      88      88      :::      11      22      22
11111111  77      77      :::      11111111  88888888888888  11111111  222222222222
11111111  77      77      :::      11111111  88888888888888  11111111  222222222222
    
```


-1Q ARRAY HAS	1 ENTRIES.
0Q ARRAY HAS	4 ENTRIES.
1Q ARRAY HAS	6 ENTRIES.
2Q ARRAY HAS	2 ENTRIES.

LOGICAL ASSIGNMENTS

MASTER LIBRARY 11
WORKING LIBRARY 0
SCRATCH FILE 18
NEW LIBRARY 1

PROBLEM DESCRIPTION

IGR--GEOMETRY (0/1/2/3--INF MED/SLAB/CYL/SPHERE) 1
IZM--NUMBER OF ZONES OR MATERIAL REGIONS 9
MS--MIXING TABLE LENGTH 21
IBL--SHIELDED CROSS SECTION EDIT OPTION (0/1--NO/YES) 0
IBR--BONDARENKO FACTOR EDIT OPTION (0/1--NO/YES) 0
ISSOPT--DANCOFF FACTOR OPTION 0
CONVERGENCE CRITERION 1.00000E-03
GEOMETRY CORRECTION FACTOR FOR WIGNER RATIONAL APPROXIMATION 1.000E+00

3Q ARRAY HAS 21 ENTRIES.
4Q ARRAY HAS 21 ENTRIES.
5Q ARRAY HAS 21 ENTRIES.
6Q ARRAY HAS 9 ENTRIES.
7Q ARRAY HAS 9 ENTRIES.
8Q ARRAY HAS 9 ENTRIES.
9Q ARRAY HAS 9 ENTRIES.
10Q ARRAY HAS 21 ENTRIES.
11Q ARRAY HAS 9 ENTRIES.

MIXING TABLE

ENTRY	MIXTURE	ISOTOPE	NUMBER DENSITY	NEW IDENTIFIER
1	1	92235	1.31908E-03	1092235
2	1	92238	8.31332E-05	1092238
3	1	13027	4.00184E-02	1013027
4	2	13027	6.03066E-02	2013027
5	7	13027	6.03066E-02	7013027
6	3	1001	6.68762E-02	3001001
7	4	1001	5.98801E-02	4001001
8	9	1001	6.68896E-06	9001001
9	3	8016	3.34381E-02	3008016
10	4	8016	2.45894E-02	4008016
11	9	8016	3.34448E-06	9008016
12	4	6012	1.07014E-02	4006012
13	5	82000	3.29690E-02	5082000
14	6	24304	1.74286E-02	6024304
15	8	24304	1.74286E-02	8024304
16	6	25055	1.73633E-03	6025055
17	8	25055	1.73633E-03	8025055
18	6	26304	5.93579E-02	6026304
19	8	26304	5.93579E-02	8026304
20	6	28304	7.72070E-03	6028304
21	8	28304	7.72070E-03	8028304

GEOMETRY AND MATERIAL DESCRIPTION

ZONE	MIXTURE	OUTER DIMENSION	TEMPERATURE	EXTRA XS	TYPE (0/1--FUEL/MOD)
1	1	3.25000E-02	2.93000E+02	4.53946E+00	0
2	2	6.50000E-02	2.93000E+02	0.00000E+00	0
3	3	4.90000E-01	2.93000E+02	0.00000E+00	0
4	4	5.49000E+00	2.93000E+02	0.00000E+00	0
5	5	1.04900E+01	2.93000E+02	0.00000E+00	0
6	6	1.54900E+01	2.93000E+02	0.00000E+00	0
7	7	2.04900E+01	2.93000E+02	0.00000E+00	0
8	8	2.54900E+01	2.93000E+02	0.00000E+00	0
9	9	3.04900E+01	2.93000E+02	0.00000E+00	0

4087 LOCATIONS OF 100000 AVAILABLE ARE REQUIRED TO MAKE A NEW MASTER CONTAINING THE SELF-SHIELDED VALUES

NO NUCLIDES IN YOUR PROBLEM HAVE BONDARENKO FACTOR DATA**BONAMI WILL COPY FROM LOGICAL 11 TO LOGICAL 1

COPY 1001 HYDROGEN FROM LOG 11 TO LOG 18 BONDARENKO TRIGGER 0
 COPY 1001 HYDROGEN FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 1001 HYDROGEN FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 1001 HYDROGEN FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 6012 CARBON-12 FROM LOG 11 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 11 TO LOG 18 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 8016 OXYGEN-16 FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 11 TO LOG 18 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0
 COPY 13027 AL-27 1193 218 G FROM LOG 18 TO LOG 1 BONDARENKO TRIGGER 0

COPY	13027	AL-27	1193	218	G	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	24304	CR	1191	WT	SS-30	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	24304	CR	1191	WT	SS-30	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	24304	CR	1191	WT	SS-30	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	25055		MANGANESE-55			FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	25055		MANGANESE-55			FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	25055		MANGANESE-55			FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	26304	FE	1192	WT	SS-30	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	26304	FE	1192	WT	SS-30	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	26304	FE	1192	WT	SS-30	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	28304	NI	1190	WT	SS-30	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	28304	NI	1190	WT	SS-30	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	28304	NI	1190	WT	SS-30	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	82000	PB	1288	218	NGP	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92235		URANIUM-235			FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92238		URANIUM-238			FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

TAPE ID	4321	NUMBER OF NUCLIDES	21
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	1

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 4001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 9001001
CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	ID 4006012
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 4008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 9008016
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 1013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 2013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 7013027
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 6024304
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8024304
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 6025055
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 8025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 6026304
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 6028304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8028304
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 5082000
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 1092235
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 1092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.27 SECONDS

```

NN      NN      IIIIIIIIIIII  TTTTTTTTTTTT  AAAAAAAAAA  WW      WW  LL
NNN     NN     IIIIIIIIIIII  TTTTTTTTTTTT  AAAAAAAAAA  WW      WW  LL
NNNN    NN     II           TT           AA      AA  WW      WW  LL
NN NN   NN     II           TT           AA      AA  WW      WW  LL
NN      NN     II           TT           AA      AA  WW      WW  LL
NN      NN     II           TT           AAAAAAAAAA  WW      WW  LL
NN      NN     II           TT           AAAAAAAAAA  WW      WW  LL
NN      NN     II           TT           AA      AA  WW      WW  LL
NN      NN     II           TT           AA      AA  WW      WW  LL
NN      NN     II           TT           AA      AA  WW      WW  LL
NN      NN     II           TT           AA      AA  WWW     WWW  LL
NN      NN     II           TT           AA      AA  WWW     WWW  LL
NN      NN     IIIIIIIIIIII  TTTT           AA      AA  WWW     WWW  LLLLLLLLLLLL
NN      NN     IIIIIIIIIIII  TT            AA      AA  WW      WW  LLLLLLLLLLLL

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL  EE  EEEEEEEEEEEE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL  EE  EEEEEEEEEEEE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL  EE  EEEEEEEEEEEE  PP      PP  CC      CC
SSSSSSSSSS  CC      CC  AAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPPP  CC      CC
SSSSSSSSSS  CC      CC  AAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPPP  CC      CC
SS      SS  CC      CC  AA      AA  LL  EE  EEEEEEEEEEEE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL  EE  EEEEEEEEEEEE  PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL  EE  EEEEEEEEEEEE  PP      PP  CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEEE  PP      PP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEEE  PP      PP  CCCCCCCCCC

```

```

0000000  2222222222  //  2222222222  11  //  0000000  11
00000000  2222222222  //  2222222222  111  //  00000000  111
00      00  22  //  22  //  00      00  1111
00      00  22  //  22  //  00      00  1111
00      00  22  //  22  //  00      00  1111
00      00  22  //  22  //  00      00  1111
00      00  22  //  22  //  00      00  1111
00      00  22  //  22  //  00      00  1111
00      00  22  //  22  //  00      00  1111
00      00  22  //  22  //  00      00  1111
00      00  22  //  22  //  00      00  1111
00000000  2222222222  //  2222222222  11111111  //  00000000  11111111
0000000  2222222222  //  2222222222  11111111  //  0000000  11111111

```

```

11      7777777777  //  11  8888888888  //  11  2222222222
111     7777777777  //  111 88888888888888  //  111 22222222222222
1111    77      77  //  1111 88      88  //  1111 22      22
11      77      77  //  11      88      88  //  11      22      22
11      77      77  //  11      88      88  //  11      22      22
11      77      77  //  11      8888888888  //  11      22      22
11      77      77  //  11      8888888888  //  11      22      22
11      77      77  //  11      88      88  //  11      22      22
11      77      77  //  11      88      88  //  11      22      22
11      77      77  //  11      88      88  //  11      22      22
11111111  77      77  //  11111111 88888888888888  //  11111111 22222222222222
11111111  77      77  //  11111111 88888888888888  //  11111111 22222222222222

```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE      EE      PP      PP  CC      CC
SS      CC  CC      CC  AA      AA  LL      EE      EE      PP      PP  CC      CC
SS      CC  CC      CC  AA      AA  LL      EE      EE      PP      PP  CC      CC
SSSSSSSSSS CC  AAAAAAAAAA LL      EEEEEEEE  ----- PPPPPPPPPP CC
SSSSSSSSSS CC  AAAAAAAAAA LL      EEEEEEEE  ----- PPPPPPPPPP CC
      SS      CC      CC  AA      AA  LL      EE      EE      PP      PP  CC      CC
      SS      CC      CC  AA      AA  LL      EE      EE      PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE      EE      PP      PP  CC      CC
SSSSSSSSSS CCCCCCCCCC AA      AA  LLLLLLLLLL EEEEEEEEEEEE PP      CC      CC
SSSSSSSSSS CCCCCCCCCC AA      AA  LLLLLLLLLL EEEEEEEEEEEE PP      CC      CC
```

```
*****
*****
*****          PROGRAM VERIFICATION INFORMATION          *****
*****          CODE SYSTEM: SCALE-PC VERSION: 4.3          *****
*****
*****
*****          PROGRAM: 00002          *****
*****          CREATION DATE: 09/28/95          *****
*****          VOLUME: ENG          *****
*****          LIBRARY: G:\SCALE43\WIN_NT\EXE          *****
*****
***** THIS IS NOT A SCALE-PC CONFIGURATION CONTROLLED CODE *****
*****          JOBNAM: SCALE-PC          *****
*****          DATE OF EXECUTION: 02/21/01          *****
*****          TIME OF EXECUTION: 17:18:12          *****
*****
*****
*****
*****
*****
```

-1Q ARRAY HAS 1 ENTRIES.
0Q ARRAY HAS 9 ENTRIES.
1Q ARRAY HAS 12 ENTRIES.

SELECT 21 NUCLIDES FROM THE MASTER LIBRARY ON LOGICAL 1
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 2
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 3
TO CREATE THE NEW WORKING LIBRARY ON LOGICAL 4

4 RESONANCE CALCULATIONS HAVE BEEN REQUESTED
-1 OUTPUT OPTION FOR AMPX FORMATTED CROSS SECTION DATA
2001 MAXIMUM NUMBER OF RESONANCE MESH INTERVALS
2 ORDER OF RESONANCE LEVEL PROCESSING

THE STORAGE ALLOCATED FOR THIS CASE IS 100000 WORDS

2Q ARRAY HAS 21 ENTRIES.
3Q ARRAY HAS 60 ENTRIES.
4Q ARRAY HAS 21 ENTRIES.

GENERAL INFORMATION CONCERNING CROSS SECTION LIBRARY

TAPE IDENTIFICATION NUMBER 4321
NUMBER OF NUCLIDES ON TAPE 21
NUMBER OF NEUTRON ENERGY GROUPS 27
FIRST THERMAL NEUTRON ENERGY GROUP 15
NUMBER OF GAMMA ENERGY GROUPS 0

DIRECT ACCESS UNIT NUMBER 9 REQUIRES 117 BLOCKS OF LENGTH 1680 WORDS
XSDRN TAPE 4321

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

NUCLIDES FROM XSDRN TAPE

1	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	3001001	
2	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	4001001	
3	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	9001001	
4	CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	4006012	
5	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	3008016	
6	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	4008016	
7	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	9008016	
8	AL-27 1193 218 GP	040375(5)	UPDATED 08/12/94	1013027	
9	AL-27 1193 218 GP	040375(5)	UPDATED 08/12/94	2013027	
10	AL-27 1193 218 GP	040375(5)	UPDATED 08/12/94	7013027	
11	CR 1191 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	6024304	
12	CR 1191 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	8024304	
13	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	6025055	
14	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	8025055	
15	FE 1192 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	6026304	
16	FE 1192 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	8026304	
17	NI 1190 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	6028304	
18	NI 1190 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'	UPDATED 08/12/94	8028304	
19	PB 1288 218NGP	042375 P-3 293K	UPDATED 08/12/94	5082000	
20	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	1092235	
21	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	1092238	
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	3001001	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	4001001	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	9001001	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
CARBON-12	ENDF/B-IV MAT 1274/THRM1065		UPDATED 08/12/94	4006012	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94	3008016	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94	4008016	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94	9008016	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
AL-27 1193 218 GP	040375(5)		UPDATED 08/12/94	1013027	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
AL-27 1193 218 GP	040375(5)		UPDATED 08/12/94	2013027	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
AL-27 1193 218 GP	040375(5)		UPDATED 08/12/94	7013027	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
CR 1191 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	6024304	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
CR 1191 WT SS-304(1/EST)	P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8024304	TEMPERATURE= 293.00
			PROCESS NUMBER 1007 IS AT		TEMPERATURE= 293.00
MANGANESE-55	ENDF/B-IV MAT 1197		UPDATED 08/12/94	6025055	TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 54.466 TEMPERATURE(KELVIN) = 293.000

POTENTIAL SCATTER SIGMA = 2.590 LUMPED NUCLEAR DENSITY = 1.7363295E-03
SPIN FACTOR (G) = 14.448 LUMP DIMENSION (A-BAR) = 0.0000000E+00
INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 55.845 SIGMA(PER ABSORBER ATOM) = 3.4663022E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 55.925 SIGMA(PER ABSORBER ATOM) = 1.2557598E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-5.518788E-04	0.000000E+00	-3.944190E-01
9	-2.797993E-03	0.000000E+00	-2.293471E+00
10	-3.291452E-01	0.000000E+00	-3.820862E+01
11	-2.680562E+00	0.000000E+00	-1.159996E+02

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 3.33719E+00
FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

MANGANESE-55 ENDF/B-IV MAT 1197

UPDATED 08/12/94 8025055 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 54.466 TEMPERATURE(KELVIN) = 293.000
POTENTIAL SCATTER SIGMA = 2.590 LUMPED NUCLEAR DENSITY = 1.7363295E-03
SPIN FACTOR (G) = 14.448 LUMP DIMENSION (A-BAR) = 0.0000000E+00
INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 55.845 SIGMA(PER ABSORBER ATOM) = 3.4663022E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 55.925 SIGMA(PER ABSORBER ATOM) = 1.2557598E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-5.518788E-04	0.000000E+00	-3.944190E-01
9	-2.797993E-03	0.000000E+00	-2.293471E+00
10	-3.291452E-01	0.000000E+00	-3.820862E+01
11	-2.680562E+00	0.000000E+00	-1.159996E+02

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 3.33719E+00
FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)

UPDATED 08/12/94 6026304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)

UPDATED 08/12/94 8026304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)

UPDATED 08/12/94 6028304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)

UPDATED 08/12/94 8028304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

PB 1288 218NGP 042375 P-3 293K

UPDATED 08/12/94 5082000 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-235 ENDF/B-IV MAT 1261

UPDATED 08/12/94 1092235 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 233.025 TEMPERATURE(KELVIN) = 293.000
POTENTIAL SCATTER SIGMA = 11.500 LUMPED NUCLEAR DENSITY = 1.3190822E-03
SPIN FACTOR (G) = 15171.100 LUMP DIMENSION (A-BAR) = 6.4999998E-02
INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 1.5211706E-01

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 26.982 SIGMA(PER ABSORBER ATOM) = 4.0850834E+01

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 238.051 SIGMA(PER ABSORBER ATOM) = 7.7685082E-01

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 1-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
12	-1.712865E+00	-1.053512E+00	-4.421081E-02
13	-5.191924E+00	-2.544281E+00	-1.184106E-01
14	-3.743466E+00	-2.214335E+00	-2.824813E-02
15	-2.253279E-04	-1.715397E-04	1.537884E-06

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.15925E+02
FISSION 1.28649E+02

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-238 ENDF/B-IV MAT 1262

UPDATED 08/12/94 1092238 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A)	=	236.006	TEMPERATURE (KELVIN)	=	293.000
POTENTIAL SCATTER SIGMA	=	10.599	LUMPED NUCLEAR DENSITY	=	8.3133229E-05
SPIN FACTOR (G)	=	656.527	LUMP DIMENSION (A-BAR)	=	6.4999998E-02
INNER RADIUS	=	0.0000000E+00	DANCOFF CORRECTION (C)	=	1.5211706E-01

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 26.982 SIGMA(PER ABSORBER ATOM) = 6.4818372E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 235.044 SIGMA(PER ABSORBER ATOM) = 1.8885785E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 1-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
9	-1.309125E-04	0.000000E+00	-1.475272E-03
10	-7.025824E-03	-3.903629E-08	-5.099698E-02
11	-3.303697E-01	0.000000E+00	-1.054719E+00
12	-3.107242E+00	0.000000E+00	-3.725560E+00
13	-3.585465E+00	0.000000E+00	-1.189779E+00
14	-6.584399E+00	0.000000E+00	-3.875874E-01
15	-4.155954E-09	0.000000E+00	3.752471E-09

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.57082E+02
FISSION 5.33631E-04

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

THIS XSDRN WORKING TAPE WAS CREATED 02/21/01 AT 17:18:13
THE TITLE OF THE PARENT CASE IS AS FOLLOWS
SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89

TAPE ID		4321	NUMBER OF NUCLIDES	21
NUMBER OF NEUTRON GROUPS		27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP		15	LOGICAL UNIT	4

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 4001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 9001001
CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	ID 4006012
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 4008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 9008016
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 1013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 2013027
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 7013027
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 6024304
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8024304
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 6025055
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 8025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 6026304
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 6028304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8028304
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 5082000
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 1092235
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 1092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.11 SECONDS

```
KK      KK  EEEEEEEEEEE NN      NN  OOOOOOOOOO VV      VV
KK      KK  EEEEEEEEEEE NNN     NN  OOOOOOOOOOOO VV      VV
KK      KK  EE           NNNN    NN  OO           VV      VV
KK      KK  EE           NN NN   NN  OO           VV      VV
KK      KK  EE           NN NN   NN  OO           VV      VV
KKKKKKKK EEEEEEEEE   NN NN   NN  OO           VV      VV
KKKKKKKK EEEEEEEEE   NN NN   NN  OO           VV      VV
KK      KK  EE           NN NN   NN  OO           VV      VV
KK      KK  EE           NN NN   NN  OO           VV      VV
KK      KK  EE           NN NN   NN  OO           VV      VV
KK      KK  EEEEEEEEEEE NN NN   NN  OOOOOOOOOOOO VV      VV
KK      KK  EEEEEEEEEEE NN NN   NN  OOOOOOOOOOOO VV      VV

```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL      EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL      EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SS      SS  CC           CC  AA      AA  LL      EE           PP           CC           CC
SS      SS  CC           CC  AA      AA  LL      EE           PP           PP           CC           CC
SS      SS  CC           CC  AA      AA  LL      EE           PP           PP           PP           CC           CC
SSSSSSSSSS CC           AA      AA  LL      EEEEEEEEE   PPPPPPPPPPP CC           CC
SSSSSSSSSS CC           AA      AA  LL      EEEEEEEEE   PPPPPPPPPPP CC           CC
SS      SS  CC           CC  AA      AA  LL      EE           PP           CC           CC
SS      SS  CC           CC  AA      AA  LL      EE           PP           CC           CC
SS      SS  CC           CC  AA      AA  LL      EE           PP           CC           CC
SSSSSSSSSS CCCCCCCCCC AA      AA  LLLLLLLLLLLL EEEEEEEEEEE PP           CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA      AA  LLLLLLLLLLLL EEEEEEEEEEE PP           CCCCCCCCCC

```

```
0000000 2222222222 // 2222222222 11 // 0000000 11
00000000 2222222222 2222222222 111 // 000000000 111
00      00 22      22 22      22 1111 // 00      00 1111
00      00 22      22 22      22 11      11 // 00      00 11
00      00 22      22 22      22 11      11 // 00      00 11
00      00 22      22 22      22 11      11 // 00      00 11
00      00 22      22 22      22 11      11 // 00      00 11
00      00 22      22 22      22 11      11 // 00      00 11
00      00 22      22 22      22 11      11 // 00      00 11
00      00 22      22 22      22 11      11 // 00      00 11
00000000 2222222222 2222222222 11111111 // 000000000 11111111
0000000 2222222222 2222222222 11111111 // 0000000 11111111

```

```
11      7777777777 // 11      8888888888 // 11      7777777777
111     7777777777 111     88888888888888 // 111     7777777777
1111    77      77 // 1111   88      88 // 1111   77      77
11      77      77 // 11      88      88 // 11      77      77
11      77      77 // 11      8888888888 // 11      77      77
11      77      77 // 11      888888888888 // 11      77      77
11      77      77 // 11      88      88 // 11      77      77
11      77      77 // 11      88      88 // 11      77      77
11      77      77 // 11      88      88 // 11      77      77
11111111 77      77 // 11111111 88888888888888 // 11111111 77      77
11111111 77      77 // 11111111 88888888888888 // 11111111 77      77

```



```
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL  EEEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS          SS  CC          CC  AA          AA  LL  EE          EE          PP          PP  CC          CC
SS          SS  CC          CC  AA          AA  LL  EE          EE          PP          PP  CC          CC
SS          SS  CC          CC  AA          AA  LL  EE          EE          PP          PP  CC          CC
SSSSSSSSSS  CC          AAAAAAAAAA  LL  EEEEEEEEE  -----  PPPPPPPPPP  CC
SSSSSSSSSS  CC          AAAAAAAAAA  LL  EEEEEEEEE  -----  PPPPPPPPPP  CC
SS          SS  CC          AA          AA  LL  EE          EE          PP          CC
SS          SS  CC          AA          AA  LL  EE          EE          PP          CC
SS          SS  CC          AA          AA  LL  EE          EE          PP          CC
SSSSSSSSSS  CCCCCCCCCC  AA          AA  LLLLLLLLLLLL  EEEEEEEEEEEE  PP          CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA          AA  LLLLLLLLLLLL  EEEEEEEEEEEE  PP          CCCCCCCCCC
```

```
*****
*****
*****
*****          PROGRAM VERIFICATION INFORMATION          *****
*****          CODE SYSTEM:  SCALE-PC VERSION:  4.3          *****
*****
*****
*****          PROGRAM:  000009          *****
*****          CREATION DATE:  03/08/96          *****
*****          VOLUME:  ENG          *****
*****          LIBRARY:  G:\SCALE43\WIN_NT\EXE          *****
*****
*****          THIS IS NOT A SCALE-PC CONFIGURATION CONTROLLED CODE          *****
*****          JOBNAME:  SCALE-PC          *****
*****          DATE OF EXECUTION:  02/21/01          *****
*****          TIME OF EXECUTION:  17:18:17          *****
*****
*****
*****
*****
```

```
*****  
***  
***  
*****  
***          *****          NUMERIC PARAMETERS          *****  
***  
***          TME          MAXIMUM PROBLEM TIME (MIN)          90.00          ***  
***          TBA          TIME PER GENERATION (MIN)          5.00          ***  
***          GEN          NUMBER OF GENERATIONS          1203          ***  
***          NPG          NUMBER PER GENERATION          1000          ***  
***          NSK          NUMBER OF GENERATIONS TO BE SKIPPED          3          ***  
***          BEG          BEGINNING GENERATION NUMBER          1          ***  
***          RES          GENERATIONS BETWEEN CHECKPOINTS          0          ***  
***          X1D          NUMBER OF EXTRA 1-D CROSS SECTIONS          1          ***  
***          NBK          NEUTRON BANK SIZE          1025          ***  
***          XNB          EXTRA POSITIONS IN NEUTRON BANK          0          ***  
***          NFB          FISSION BANK SIZE          1000          ***  
***          XFB          EXTRA POSITIONS IN FISSION BANK          0          ***  
***          WTA          DEFAULT VALUE OF WEIGHT AVERAGE          0.5000          ***  
***          WTH          WEIGHT HIGH FOR SPLITTING          3.0000          ***  
***          WTL          WEIGHT LOW FOR RUSSIAN ROULETTE          0.3333          ***  
***          RND          STARTING RANDOM NUMBER          BB827100001          ***  
***          NB8          NUMBER OF D.A. BLOCKS ON UNIT 8          200          ***  
***          NL8          LENGTH OF D.A. BLOCKS ON UNIT 8          512          ***  
***          ADJ          MODE OF CALCULATION          FORWARD          ***  
***          INPUT DATA WRITTEN ON RESTART UNIT          NO          ***  
***          BINARY DATA INTERFACE          YES          ***  
*****
```

```
*****  
*****  
***** LOGICAL PARAMETERS *****  
*****  
RUN EXECUTE PROBLEM AFTER CHECKING DATA YES PLT PLOT PICTURE MAP(S) NO  
FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO  
SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES  
MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO  
CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO  
FMU PRINT FISSION PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISSION PROD MATRIX BY UNIT LOCATION NO  
MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO  
CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO  
FMH PRINT FISSION PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISSION PROD MATRIX BY ARRAY NUMBER NO  
HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO  
AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO  
XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO  
XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO  
XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO  
PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO  
P1D PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO  
TRK PRINT TRACKING INFORMATION NO  
*****
```

PARAMETER INPUT COMPLETED

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

*****
*****
*****
*****
UNIT          DATA SET NAME          VOLUME      UNIT FUNCTION
NUMBER        NAME                               NAME
-----
XSC  14      D:\hjp\plateMin_thclamin_fuellMin_hteleMin_u    MIXED CROSS SECTIONS
ALB  79      G:\scale43\DATALIB\FT79F001                     INPUT ALBEDOS
WTS  80      G:\scale43\DATALIB\FT80F001                     INPUT WEIGHTS
SKT  16      UNKNOWN                                          WRITE SCRATCH DATA
BIN  95      D:\hjp\plateMin_thclamin_fuellMin_hteleMin_u    BINARY INPUT DATA
RST  95      D:\hjp\plateMin_thclamin_fuellMin_hteleMin_u    READ RESTART DATA
LIB  4        D:\hjp\plateMin_thclamin_fuellMin_hteleMin_u    INPUT AMPX WORKING LIBRARY
      8        D:\hjp\plateMin_thclamin_fuellMin_hteleMin_u    INPUT DATA DIRECT ACCESS
      9        UNKNOWN                                          SUPER GROUPED DIRECT ACCESS
      10       UNKNOWN                                          XSEC MIXING DIRECT ACCESS
*****

```

..... 0 IO'S WERE USED PREPARING INPUT DATA

CROSS SECTIONS READ FROM THE AMPX WORKING LIBRARY ON UNIT 4

MIXING TABLE

NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD =3.0E-05

MIXTURE =	1	DENSITY(G/CC) =	2.3407			NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
08/12/94	1013027	4.00184E-02	7.66010E-01	13027	26.9818	AL-27 1193 218 GP 040375(5)	UPDATED
08/12/94	1092235	1.31908E-03	2.19951E-01	92235	235.0441	URANIUM-235 ENDF/B-IV MAT 1261	UPDATED
08/12/94	1092238	8.31332E-05	1.40394E-02	92238	238.0510	URANIUM-238 ENDF/B-IV MAT 1262	UPDATED
MIXTURE =	2	DENSITY(G/CC) =	2.7020			NUCLIDE TITLE	
08/12/94	2013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)	UPDATED
MIXTURE =	3	DENSITY(G/CC) =	0.99977			NUCLIDE TITLE	
08/12/94	3001001	6.68762E-02	1.11927E-01	1001	1.0077	HYDROGEN ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94	3008016	3.34381E-02	8.88074E-01	8016	15.9904	OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED
MIXTURE =	4	DENSITY(G/CC) =	0.96635			NUCLIDE TITLE	
08/12/94	4001001	5.98801E-02	1.03684E-01	1001	1.0077	HYDROGEN ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94	4006012	1.07014E-02	2.20668E-01	6000	12.0001	CARBON-12 ENDF/B-IV MAT 1274/THRM1065	UPDATED
08/12/94	4008016	2.45894E-02	6.75649E-01	8016	15.9904	OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED
MIXTURE =	5	DENSITY(G/CC) =	11.344			NUCLIDE TITLE	
08/12/94	5082000	3.29690E-02	1.00000E+00	82000	207.2100	PB 1288 218NGP 042375 P-3 293K	UPDATED
MIXTURE =	6	DENSITY(G/CC) =	7.9200			NUCLIDE TITLE	
08/12/94	6024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED
08/12/94	6025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55 ENDF/B-IV MAT 1197	UPDATED
08/12/94	6026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED
08/12/94	6028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED
MIXTURE =	7	DENSITY(G/CC) =	2.7020			NUCLIDE TITLE	
08/12/94	7013027	6.03066E-02	1.00000E+00	13027	26.9818	AL-27 1193 218 GP 040375(5)	UPDATED
MIXTURE =	8	DENSITY(G/CC) =	7.9200			NUCLIDE TITLE	
08/12/94	8024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED
08/12/94	8025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55 ENDF/B-IV MAT 1197	UPDATED
08/12/94	8026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED
08/12/94	8028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED
MIXTURE =	9	DENSITY(G/CC) =	0.99997E-04			NUCLIDE TITLE	
08/12/94	9001001	6.68896E-06	1.11927E-01	1001	1.0077	HYDROGEN ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94	9008016	3.34448E-06	8.88074E-01	8016	15.9904	OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED
08/12/94	3001001					HYDROGEN ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
	4001001					HYDROGEN ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
	9001001					HYDROGEN ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
	4006012					CARBON-12 ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94
	3008016					OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED 08/12/94
	4008016					OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED 08/12/94
	9008016					OXYGEN-16 ENDF/B-IV MAT 1276	UPDATED 08/12/94
	1013027					AL-27 1193 218 GP 040375(5)	UPDATED 08/12/94
	2013027					AL-27 1193 218 GP 040375(5)	UPDATED 08/12/94
	7013027					AL-27 1193 218 GP 040375(5)	UPDATED 08/12/94
	6024304					CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED 08/12/94
	8024304					CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED 08/12/94
	6025055					MANGANESE-55 ENDF/B-IV MAT 1197	UPDATED 08/12/94
	8025055					MANGANESE-55 ENDF/B-IV MAT 1197	UPDATED 08/12/94
	6026304					FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED 08/12/94
	8026304					FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED 08/12/94
	6028304					NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED 08/12/94
	8028304					NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)	UPDATED 08/12/94
	5082000					PB 1288 218NGP 042375 P-3 293K	UPDATED 08/12/94
	1092235					URANIUM-235 ENDF/B-IV MAT 1261	UPDATED 08/12/94
	1092238					URANIUM-238 ENDF/B-IV MAT 1262	UPDATED 08/12/94

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 3 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 4 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 9 WERE CORRECTED FOR BAD MOMENTS.

..... 0 IO'S WERE USED MIXING CROSS-SECTIONS

1-D CROSS SECTION ARRAY ID NUMBERS
1 2002 1452 27 18 1018

..... 0 IO'S WERE USED PREPARING THE CROSS SECTIONS


```
*****  
***  
***  
*****  
***** SPACE AND SUPERGROUP INFORMATION *****  
***  
100000 WORDS IS THE TOTAL SPACE AVAILABLE.  
***  
42609 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.  
***  
57391 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.  
***  
99738 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.  
***  
57331 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.  
***  
1037 WORDS ARE NEEDED FOR THE LARGEST GROUP.  
***  
43862 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.  
***  
53220 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.  
***  
53408 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.  
*****  
***  
***  
*** SUPERGROUP            STARTING            ENDING            XSEC            ALBEDO            TOTAL  
***                            GROUP            GROUP            LENGTH            LENGTH            LENGTH  
***  
***                            1                    27                2010                0                10551  
***  
*****  
..... 0 IO'S WERE USED IN SUPERGROUPING .....
```


REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
FUELED ANNULAR SECTIONS			TUBE 1	LOOSE	UNIT	1		
1	CYLINDER	3 1	RADIUS = 3.0300	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
2	CYLINDER	2 1	RADIUS = 3.0625	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
3	CYLINDER	1 1	RADIUS = 3.1275	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
4	CYLINDER	2 1	RADIUS = 3.1600	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
5	CYLINDER	3 1	RADIUS = 3.5300	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
6	CYLINDER	2 1	RADIUS = 3.5625	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
7	CYLINDER	1 1	RADIUS = 3.6275	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
8	CYLINDER	2 1	RADIUS = 3.6600	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
9	CYLINDER	3 1	RADIUS = 4.0300	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
10	CYLINDER	2 1	RADIUS = 4.0625	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
11	CYLINDER	1 1	RADIUS = 4.1275	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
12	CYLINDER	2 1	RADIUS = 4.1600	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
13	CYLINDER	3 1	RADIUS = 4.5300	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
14	CYLINDER	2 1	RADIUS = 4.5625	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
15	CYLINDER	1 1	RADIUS = 4.6275	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	
16	CYLINDER	2 1	RADIUS = 4.6599	+Z = 58.750	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000	

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
----- UNIT 2 -----							
AXIAL CLAD SECTIONS	TUBE 1		LOOSE				
1 CYLINDER	3	1	RADIUS = 3.0300	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
2 CYLINDER	2	1	RADIUS = 3.1600	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
3 CYLINDER	3	1	RADIUS = 3.5300	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
4 CYLINDER	2	1	RADIUS = 3.6600	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
5 CYLINDER	3	1	RADIUS = 4.0300	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
6 CYLINDER	2	1	RADIUS = 4.1600	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
7 CYLINDER	3	1	RADIUS = 4.5300	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
8 CYLINDER	2	1	RADIUS = 4.6599	+Z = 1.3750	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
----- UNIT 3 -----							
FUEL ELEMENT	TUBE 1						
1 CYLINDER	3	1	RADIUS = 4.6600	+Z = 61.500	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
HOLE NUMBER	1		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 2	
HOLE NUMBER	2		AT X = 0.00000	Y = 0.00000	Z = 1.3750	IS UNIT NUMBER 1	
HOLE NUMBER	3		AT X = 0.00000	Y = 0.00000	Z = 60.125	IS UNIT NUMBER 2	
----- UNIT 4 -----							
BASKET FUEL TUBE - FUEL DOWN			RADIAL CENTERED				
1 CYLINDER	3	1	RADIUS = 5.0927	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
HOLE NUMBER	4		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER 3	
2 CYLINDER	2	1	RADIUS = 5.3974	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
----- UNIT 5 -----							
BASKET FUEL TUBE - FUEL UP			RADIAL CENTERED				
1 CYLINDER	3	1	RADIUS = 5.0927	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	
HOLE NUMBER	5		AT X = 0.00000	Y = 0.00000	Z = 11.677	IS UNIT NUMBER 3	
2 CYLINDER	2	1	RADIUS = 5.3974	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000 Y = 0.00000	

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 6 -----

BASKET BOTTOM PLATE HOLE

1	CYLINDER	3	1	RADIUS = 1.2700	+Z = 1.2698	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
---	----------	---	---	-----------------	-------------	--------------	------------------	-------------	-------------

----- UNIT 7 -----

BASKET BOTTOM PLATE

1	CYLINDER	6	1	RADIUS = 16.847	+Z = 1.2698	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
	HOLE NUMBER	6		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	6	
	HOLE NUMBER	7		AT X = 10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	6	
	HOLE NUMBER	8		AT X = 5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	6	
	HOLE NUMBER	9		AT X = -5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	6	
	HOLE NUMBER	10		AT X = -10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	6	
	HOLE NUMBER	11		AT X = -5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	6	
	HOLE NUMBER	12		AT X = 5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	6	

----- UNIT 8 -----

HEAT TRANSFER BAR / ROD

1	CYLINDER	7	1	RADIUS = 0.31650	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
---	----------	---	---	------------------	-------------	--------------	------------------	-------------	-------------

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
			----- UNIT 9 -----				
BASKET FUEL DOWN							
1	CYLINDER	3 1	RADIUS = 16.193	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
	HOLE NUMBER	13	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4
	HOLE NUMBER	14	AT X = 10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4
	HOLE NUMBER	15	AT X = 4.9493	Y = 2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	16	AT X = 4.6024	Y = 3.3881	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	17	AT X = 5.2354	Y = 2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	18	AT X = 5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	4
	HOLE NUMBER	19	AT X = 0.00000	Y = 5.7150	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	20	AT X = -0.63300	Y = 5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	21	AT X = 0.63300	Y = 5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	22	AT X = -5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	4
	HOLE NUMBER	23	AT X = -4.9493	Y = 2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	24	AT X = -5.2354	Y = 2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	25	AT X = -4.6024	Y = 3.3881	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	26	AT X = -10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	4
	HOLE NUMBER	27	AT X = -4.9493	Y = -2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	28	AT X = -4.6024	Y = -3.3881	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	29	AT X = -5.2354	Y = -2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	30	AT X = -5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	4
	HOLE NUMBER	31	AT X = 0.00000	Y = -5.7150	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	32	AT X = 0.63300	Y = -5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	33	AT X = -0.63300	Y = -5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	34	AT X = 5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	4
	HOLE NUMBER	35	AT X = 4.9493	Y = -2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	36	AT X = 5.2354	Y = -2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	37	AT X = 4.6024	Y = -3.3881	Z = 0.00000	IS UNIT NUMBER	8
2	CYLINDER	7 1	RADIUS = 16.669	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3	CYLINDER	3 1	RADIUS = 16.847	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			----- UNIT 10 -----					
BASKET FUEL UP								
1	CYLINDER	3	1	RADIUS = 16.193	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000
	HOLE NUMBER	38		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	39		AT X = 10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	40		AT X = 4.9493	Y = 2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	41		AT X = 4.6024	Y = 3.3881	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	42		AT X = 5.2354	Y = 2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	43		AT X = 5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	44		AT X = 0.00000	Y = 5.7150	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	45		AT X = -0.63300	Y = 5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	46		AT X = 0.63300	Y = 5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	47		AT X = -5.3975	Y = 9.3487	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	48		AT X = -4.9493	Y = 2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	49		AT X = -5.2354	Y = 2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	50		AT X = -4.6024	Y = 3.3881	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	51		AT X = -10.795	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	52		AT X = -4.9493	Y = -2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	53		AT X = -4.6024	Y = -3.3881	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	54		AT X = -5.2354	Y = -2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	55		AT X = -5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	56		AT X = 0.00000	Y = -5.7150	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	57		AT X = 0.63300	Y = -5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	58		AT X = -0.63300	Y = -5.6798	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	59		AT X = 5.3975	Y = -9.3487	Z = 0.00000	IS UNIT NUMBER	5
	HOLE NUMBER	60		AT X = 4.9493	Y = -2.8575	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	61		AT X = 5.2354	Y = -2.2917	Z = 0.00000	IS UNIT NUMBER	8
	HOLE NUMBER	62		AT X = 4.6024	Y = -3.3881	Z = 0.00000	IS UNIT NUMBER	8
2	CYLINDER	7	1	RADIUS = 16.669	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000
3	CYLINDER	3	1	RADIUS = 16.847	+Z = 73.177	-Z = 0.00000	CENTERLINE IS AT	X = 0.00000 Y = 0.00000

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			----- UNIT 11 -----					
CASK CAVITY								
1	CYLINDER	3 1	RADIUS = 16.986	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
	HOLE NUMBER	63	AT X = 0.00000	Y = 0.00000	Z = 1.00000E-04	IS UNIT NUMBER	7	
	HOLE NUMBER	64	AT X = 0.00000	Y = 0.00000	Z = 1.2700	IS UNIT NUMBER	10	
	HOLE NUMBER	65	AT X = 0.00000	Y = 0.00000	Z = 74.448	IS UNIT NUMBER	7	
	HOLE NUMBER	66	AT X = 0.00000	Y = 0.00000	Z = 75.717	IS UNIT NUMBER	9	
	HOLE NUMBER	67	AT X = 0.00000	Y = 0.00000	Z = 148.89	IS UNIT NUMBER	7	
	HOLE NUMBER	68	AT X = 0.00000	Y = 0.00000	Z = 150.16	IS UNIT NUMBER	10	
	HOLE NUMBER	69	AT X = 0.00000	Y = 0.00000	Z = 223.34	IS UNIT NUMBER	7	
	HOLE NUMBER	70	AT X = 0.00000	Y = 0.00000	Z = 224.61	IS UNIT NUMBER	9	
	HOLE NUMBER	71	AT X = 0.00000	Y = 0.00000	Z = 297.79	IS UNIT NUMBER	7	
	HOLE NUMBER	72	AT X = 0.00000	Y = 0.00000	Z = 299.06	IS UNIT NUMBER	10	
	HOLE NUMBER	73	AT X = 0.00000	Y = 0.00000	Z = 372.24	IS UNIT NUMBER	7	
	HOLE NUMBER	74	AT X = 0.00000	Y = 0.00000	Z = 373.51	IS UNIT NUMBER	9	

			----- UNIT 12 -----					
CASK SHIELD RADIAL CONFIGURATION								
1	CYLINDER	3 1	RADIUS = 16.986	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
	HOLE NUMBER	75	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	11	
2	CYLINDER	8 1	RADIUS = 18.910	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CYLINDER	5 1	RADIUS = 33.465	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	CYLINDER	8 1	RADIUS = 36.519	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5	CYLINDER	9 1	RADIUS = 49.219	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6	CYLINDER	8 1	RADIUS = 49.818	+Z = 446.68	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7	CUBOID	9 1	+X = 49.818	-X = -49.818	+Y = 49.818	-Y = -49.818	+Z = 446.68 -Z = 0.00000	

```

REGION          MEDIA BIAS          GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
                NUM   ID

                ----- UNIT   13 -----

LWT LID
  1 CYLINDER      8 1 RADIUS = 36.519  +Z = 28.575  -Z = 0.59940  CENTERLINE IS AT X = 0.00000  Y = 0.00000
  2 CYLINDER      9 1 RADIUS = 49.818  +Z = 28.575  -Z = 0.59940  CENTERLINE IS AT X = 0.00000  Y = 0.00000
  3 CYLINDER      8 1 RADIUS = 49.818  +Z = 28.575  -Z = 0.00000  CENTERLINE IS AT X = 0.00000  Y = 0.00000
  4 CUBOID        9 1   +X = 49.818  -X = -49.818  +Y = 49.818  -Y = -49.818  +Z = 28.575  -Z = 0.00000

                ----- UNIT   14 -----

LWT BOTTOM WELDMENT
  1 CYLINDER      5 1 RADIUS = 26.353  +Z = 16.510  -Z = 8.8900  CENTERLINE IS AT X = 0.00000  Y = 0.00000
  2 CYLINDER      8 1 RADIUS = 36.519  +Z = 26.071  -Z = 0.00000  CENTERLINE IS AT X = 0.00000  Y = 0.00000
  3 CYLINDER      9 1 RADIUS = 49.818  +Z = 26.071  -Z = 0.00000  CENTERLINE IS AT X = 0.00000  Y = 0.00000
  4 CYLINDER      8 1 RADIUS = 49.818  +Z = 26.670  -Z = 0.00000  CENTERLINE IS AT X = 0.00000  Y = 0.00000
  5 CUBOID        9 1   +X = 49.818  -X = -49.818  +Y = 49.818  -Y = -49.818  +Z = 26.670  -Z = 0.00000

                ***** GLOBAL *****
                ----- UNIT   15  EXTERNAL TO LATTICE 1 -----

LWT CASK
  1 ARRAY NUMBER  1   +X = 49.818  -X = -49.818  +Y = 49.818  -Y = -49.818  +Z = 501.93  -Z = 0.00000
    
```

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
14
Z LAYER 2, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
12
Z LAYER 3, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP
13

VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	1.69451E+03 CM**3	1.69451E+03 CM**3
	2	2	3.65458E+01 CM**3	1.73105E+03 CM**3
	3	3	7.42612E+01 CM**3	1.80531E+03 CM**3
	4	4	3.77155E+01 CM**3	1.84303E+03 CM**3
	5	5	4.56862E+02 CM**3	2.29989E+03 CM**3
	6	6	4.25442E+01 CM**3	2.34243E+03 CM**3
	7	7	8.62583E+01 CM**3	2.42869E+03 CM**3
	8	8	4.37139E+01 CM**3	2.47241E+03 CM**3
	9	9	5.25153E+02 CM**3	2.99756E+03 CM**3
	10	10	4.85422E+01 CM**3	3.04610E+03 CM**3
	11	11	9.82551E+01 CM**3	3.14436E+03 CM**3
	12	12	4.97122E+01 CM**3	3.19407E+03 CM**3
	13	13	5.93444E+02 CM**3	3.78751E+03 CM**3
	14	14	5.45405E+01 CM**3	3.84205E+03 CM**3
	15	15	1.10252E+02 CM**3	3.95231E+03 CM**3
	16	16	5.55391E+01 CM**3	4.00785E+03 CM**3
2	1	17	3.96586E+01 CM**3	3.96586E+01 CM**3
	2	18	3.47606E+00 CM**3	4.31347E+01 CM**3
	3	19	1.06925E+01 CM**3	5.38272E+01 CM**3
	4	20	4.03762E+00 CM**3	5.78648E+01 CM**3
	5	21	1.22908E+01 CM**3	7.01557E+01 CM**3
	6	22	4.59916E+00 CM**3	7.47548E+01 CM**3
	7	23	1.38891E+01 CM**3	8.86439E+01 CM**3
	8	24	5.15671E+00 CM**3	9.38006E+01 CM**3
3	1	25	1.79337E-01 CM**3	4.19563E+03 CM**3
4	1	26	1.76679E+03 CM**3	5.96242E+03 CM**3
	2	27	7.34815E+02 CM**3	6.69723E+03 CM**3
5	1	28	1.76679E+03 CM**3	5.96242E+03 CM**3
	2	29	7.34815E+02 CM**3	6.69723E+03 CM**3
6	1	30	6.43417E+00 CM**3	6.43417E+00 CM**3
7	1	31	1.08713E+03 CM**3	1.13216E+03 CM**3
8	1	32	2.30289E+01 CM**3	2.30289E+01 CM**3
9	1	33	1.29829E+04 CM**3	6.02781E+04 CM**3
	2	34	3.59751E+03 CM**3	6.38756E+04 CM**3
	3	35	1.36994E+03 CM**3	6.52455E+04 CM**3
10	1	36	1.29829E+04 CM**3	6.02781E+04 CM**3
	2	37	3.59751E+03 CM**3	6.38756E+04 CM**3
	3	38	1.36994E+03 CM**3	6.52455E+04 CM**3
11	1	39	6.63421E+03 CM**3	4.04900E+05 CM**3
12	1	40	0.00000E+00 CM**3	4.04900E+05 CM**3
	2	41	9.69190E+04 CM**3	5.01819E+05 CM**3
	3	42	1.06970E+06 CM**3	1.57152E+06 CM**3
	4	43	2.99966E+05 CM**3	1.87148E+06 CM**3
	5	44	1.52801E+06 CM**3	3.39950E+06 CM**3
	6	45	8.33038E+04 CM**3	3.48280E+06 CM**3
	7	46	9.51639E+05 CM**3	4.43444E+06 CM**3
13	1	47	1.17210E+05 CM**3	1.17210E+05 CM**3
	2	48	1.00916E+05 CM**3	2.18126E+05 CM**3
	3	49	4.67352E+03 CM**3	2.22799E+05 CM**3
	4	50	6.08776E+04 CM**3	2.83677E+05 CM**3
14	1	51	1.66245E+04 CM**3	1.66245E+04 CM**3
	2	52	9.26041E+04 CM**3	1.09229E+05 CM**3
	3	53	9.40439E+04 CM**3	2.03273E+05 CM**3
	4	54	4.67353E+03 CM**3	2.07946E+05 CM**3
	5	55	5.68191E+04 CM**3	2.64765E+05 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 56 IS AN ARRAY PLACEMENT BOUNDARY REGION				
15	1	56	4.98288E+06 CM**3	4.98288E+06 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	42	1	3	7.11692E+04 CM**3
		2	2	1.53492E+03 CM**3
		3	1	3.11897E+03 CM**3
		4	2	1.58405E+03 CM**3
		5	3	1.91882E+04 CM**3
		6	2	1.78686E+03 CM**3
		7	1	3.62285E+03 CM**3
		8	2	1.83598E+03 CM**3
		9	3	2.20564E+04 CM**3
		10	2	2.03877E+03 CM**3
		11	1	4.12672E+03 CM**3
		12	2	2.08791E+03 CM**3
		13	3	2.49247E+04 CM**3
		14	2	2.29070E+03 CM**3
		15	1	4.63060E+03 CM**3
		16	2	2.33264E+03 CM**3
2	84	1	3	3.33133E+03 CM**3
		2	2	2.91989E+02 CM**3
		3	3	8.98172E+02 CM**3
		4	2	3.39160E+02 CM**3
		5	3	1.03243E+03 CM**3
		6	2	3.86329E+02 CM**3
		7	3	1.16669E+03 CM**3
		8	2	4.33163E+02 CM**3

3	42	1	3	7.53214E+00	CM**3
4	21	1	3	3.71026E+04	CM**3
		2	2	1.54311E+04	CM**3
5	21	1	3	3.71026E+04	CM**3
		2	2	1.54311E+04	CM**3
6	42	1	3	2.70235E+02	CM**3
7	6	1	6	6.52275E+03	CM**3
8	108	1	7	2.48712E+03	CM**3
9	3	1	3	3.89488E+04	CM**3
		2	7	1.07925E+04	CM**3
		3	3	4.10981E+03	CM**3
10	3	1	3	3.89488E+04	CM**3
		2	7	1.07925E+04	CM**3
		3	3	4.10981E+03	CM**3
11	1	1	3	6.63421E+03	CM**3
12	1	1	3	0.00000E+00	CM**3
		2	8	9.69190E+04	CM**3
		3	5	1.06970E+06	CM**3
		4	8	2.99966E+05	CM**3
		5	9	1.52801E+06	CM**3
		6	8	8.33038E+04	CM**3
		7	9	9.51639E+05	CM**3
13	1	1	8	1.17210E+05	CM**3
		2	9	1.00916E+05	CM**3
		3	8	4.67352E+03	CM**3
		4	9	6.08776E+04	CM**3
14	1	1	5	1.66245E+04	CM**3
		2	8	9.26041E+04	CM**3
		3	9	9.40439E+04	CM**3
		4	8	4.67353E+03	CM**3
		5	9	5.68191E+04	CM**3
15	1	1		4.98288E+06	CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	1.54991E+04 CM**3	3.62788E+04
2	4.78047E+04 CM**3	1.29168E+05
3	3.11002E+05 CM**3	3.10931E+05
5	1.08632E+06 CM**3	1.23233E+07
6	6.52275E+03 CM**3	5.16602E+04
7	2.40722E+04 CM**3	6.50430E+04
8	6.99350E+05 CM**3	5.53885E+06
9	2.79231E+06 CM**3	2.79223E+02

```

*****
***
***          BIASING INFORMATION          ***
***
***  A DEFAULT WEIGHT OF  0.500 WILL BE USED FOR ALL BIAS ID'S.  ***
***
*****

```

```

.....  0 IO'S WERE USED IN KENO-V BEFORE TRACKING  .....
.....  0.01100 MINUTES WERE USED PROCESSING DATA.  .....

```

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 3.11048E-03

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 1.68500E+01 -X=-1.68500E+01 +Y=-1.68500E+01 -Y= 1.68500E+01 +Z= 4.73350E+02 -Z= 2.66700E+01
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.93233 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.93867 MINUTES.

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE	MATRIX K-EFF DEVIATION
1	9.49538E-01	9.6667E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
2	9.17465E-01	9.90500E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
3	9.25396E-01	1.01433E+00	9.25396E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	9.74601E-01	1.03717E+00	9.49998E-01	2.46028E-02	0.00000E+00	0.00000E+00
5	9.07974E-01	1.06100E+00	9.35990E-01	1.99497E-02	0.00000E+00	0.00000E+00
6	9.58538E-01	1.08383E+00	9.41627E-01	1.51911E-02	0.00000E+00	0.00000E+00
7	9.45317E-01	1.10683E+00	9.42365E-01	1.17901E-02	0.00000E+00	0.00000E+00
8	9.27517E-01	1.13067E+00	9.39890E-01	9.93954E-03	0.00000E+00	0.00000E+00
9	9.71780E-01	1.15250E+00	9.44446E-01	9.55624E-03	0.00000E+00	0.00000E+00
10	9.06022E-01	1.17633E+00	9.39643E-01	9.56871E-03	0.00000E+00	0.00000E+00
11	9.35873E-01	1.20117E+00	9.39224E-01	8.44920E-03	0.00000E+00	0.00000E+00
12	9.12748E-01	1.22400E+00	9.36577E-01	8.00758E-03	0.00000E+00	0.00000E+00
13	9.34845E-01	1.24783E+00	9.36419E-01	7.24484E-03	0.00000E+00	0.00000E+00
14	9.15009E-01	1.27067E+00	9.34635E-01	6.85004E-03	0.00000E+00	0.00000E+00
15	9.62264E-01	1.29450E+00	9.36760E-01	6.64988E-03	0.00000E+00	0.00000E+00
16	9.41319E-01	1.31733E+00	9.37086E-01	6.16520E-03	0.00000E+00	0.00000E+00
17	9.05721E-01	1.34117E+00	9.34995E-01	6.10851E-03	0.00000E+00	0.00000E+00
18	9.35457E-01	1.36583E+00	9.35024E-01	5.71406E-03	0.00000E+00	0.00000E+00
19	9.73335E-01	1.38883E+00	9.37277E-01	5.82133E-03	0.00000E+00	0.00000E+00
20	9.36168E-01	1.41250E+00	9.37216E-01	5.48875E-03	0.00000E+00	0.00000E+00
21	9.18860E-01	1.43733E+00	9.36250E-01	5.28096E-03	0.00000E+00	0.00000E+00
22	9.40510E-01	1.46100E+00	9.36463E-01	5.01448E-03	0.00000E+00	0.00000E+00
23	9.45995E-01	1.48400E+00	9.36917E-01	4.79127E-03	0.00000E+00	0.00000E+00
24	9.49764E-01	1.50783E+00	9.37501E-01	4.60547E-03	0.00000E+00	0.00000E+00
25	9.13888E-01	1.53067E+00	9.36474E-01	4.51885E-03	0.00000E+00	0.00000E+00
26	9.37879E-01	1.55450E+00	9.36532E-01	4.32687E-03	0.00000E+00	0.00000E+00
27	9.80078E-01	1.57633E+00	9.38274E-01	4.50088E-03	0.00000E+00	0.00000E+00
28	8.93904E-01	1.60117E+00	9.36568E-01	4.64886E-03	0.00000E+00	0.00000E+00
29	9.35162E-01	1.62400E+00	9.36516E-01	4.47367E-03	0.00000E+00	0.00000E+00
30	9.07047E-01	1.64683E+00	9.35463E-01	4.43755E-03	0.00000E+00	0.00000E+00
31	9.15548E-01	1.67067E+00	9.34776E-01	4.33652E-03	0.00000E+00	0.00000E+00
32	9.11447E-01	1.69450E+00	9.33999E-01	4.26104E-03	0.00000E+00	0.00000E+00
33	9.42132E-01	1.71833E+00	9.34261E-01	4.12963E-03	0.00000E+00	0.00000E+00
34	9.73521E-01	1.74033E+00	9.35488E-01	4.18249E-03	0.00000E+00	0.00000E+00
35	9.12017E-01	1.76400E+00	9.34777E-01	4.11569E-03	0.00000E+00	0.00000E+00
36	9.48197E-01	1.78783E+00	9.35171E-01	4.01226E-03	0.00000E+00	0.00000E+00
37	9.47007E-01	1.81167E+00	9.35510E-01	3.91059E-03	0.00000E+00	0.00000E+00
38	9.50145E-01	1.83450E+00	9.35916E-01	3.82209E-03	0.00000E+00	0.00000E+00
39	9.31024E-01	1.85833E+00	9.35784E-01	3.71971E-03	0.00000E+00	0.00000E+00
40	8.87928E-01	1.88300E+00	9.34525E-01	3.83328E-03	0.00000E+00	0.00000E+00
41	9.50054E-01	1.90683E+00	9.34923E-01	3.75487E-03	0.00000E+00	0.00000E+00
42	9.24555E-01	1.92983E+00	9.34664E-01	3.66896E-03	0.00000E+00	0.00000E+00
43	9.51347E-01	1.95267E+00	9.35071E-01	3.60142E-03	0.00000E+00	0.00000E+00
44	9.12795E-01	1.97733E+00	9.34540E-01	3.55442E-03	0.00000E+00	0.00000E+00
45	9.30073E-01	2.00117E+00	9.34436E-01	3.47233E-03	0.00000E+00	0.00000E+00
46	9.45772E-01	2.02500E+00	9.34694E-01	3.40226E-03	0.00000E+00	0.00000E+00
47	9.21591E-01	2.04783E+00	9.34403E-01	3.33852E-03	0.00000E+00	0.00000E+00
48	9.44161E-01	2.07067E+00	9.34615E-01	3.27202E-03	0.00000E+00	0.00000E+00
49	9.44982E-01	2.09367E+00	9.34835E-01	3.20923E-03	0.00000E+00	0.00000E+00
50	9.45684E-01	2.11750E+00	9.35061E-01	3.14978E-03	0.00000E+00	0.00000E+00
51	9.57844E-01	2.14033E+00	9.35526E-01	3.11967E-03	0.00000E+00	0.00000E+00
52	9.32145E-01	2.16317E+00	9.35459E-01	3.05739E-03	0.00000E+00	0.00000E+00
53	1.00046E+00	2.18517E+00	9.36733E-01	3.25659E-03	0.00000E+00	0.00000E+00
54	9.76345E-01	2.20900E+00	9.37495E-01	3.28295E-03	0.00000E+00	0.00000E+00
55	9.33856E-01	2.23183E+00	9.37426E-01	3.22114E-03	0.00000E+00	0.00000E+00
56	9.18827E-01	2.25383E+00	9.37082E-01	3.17964E-03	0.00000E+00	0.00000E+00
57	9.33764E-01	2.27667E+00	9.37022E-01	3.12187E-03	0.00000E+00	0.00000E+00
58	9.50672E-01	2.30050E+00	9.37265E-01	3.07529E-03	0.00000E+00	0.00000E+00
59	9.34552E-01	2.32433E+00	9.37218E-01	3.02123E-03	0.00000E+00	0.00000E+00
60	9.62475E-01	2.34817E+00	9.37653E-01	3.00046E-03	0.00000E+00	0.00000E+00
61	9.76074E-01	2.37200E+00	9.38304E-01	3.02020E-03	0.00000E+00	0.00000E+00
62	9.37632E-01	2.39383E+00	9.38293E-01	2.96946E-03	0.00000E+00	0.00000E+00
63	9.41751E-01	2.41683E+00	9.38350E-01	2.92092E-03	0.00000E+00	0.00000E+00
64	9.59089E-01	2.43867E+00	9.38684E-01	2.89283E-03	0.00000E+00	0.00000E+00
65	9.70014E-01	2.46250E+00	9.39182E-01	2.88965E-03	0.00000E+00	0.00000E+00
66	9.45509E-01	2.48550E+00	9.39281E-01	2.84586E-03	0.00000E+00	0.00000E+00
67	8.79076E-01	2.50917E+00	9.38354E-01	2.95087E-03	0.00000E+00	0.00000E+00
68	9.18401E-01	2.53217E+00	9.38052E-01	2.92150E-03	0.00000E+00	0.00000E+00
69	9.40542E-01	2.55600E+00	9.38089E-01	2.87781E-03	0.00000E+00	0.00000E+00
70	9.83618E-01	2.57783E+00	9.38759E-01	2.91316E-03	0.00000E+00	0.00000E+00
71	9.30024E-01	2.60167E+00	9.38632E-01	2.87342E-03	0.00000E+00	0.00000E+00
72	9.66689E-01	2.62450E+00	9.39033E-01	2.86029E-03	0.00000E+00	0.00000E+00
73	9.07280E-01	2.64933E+00	9.38586E-01	2.85496E-03	0.00000E+00	0.00000E+00
74	9.27001E-01	2.67400E+00	9.38425E-01	2.81963E-03	0.00000E+00	0.00000E+00
75	9.21773E-01	2.69683E+00	9.38197E-01	2.79007E-03	0.00000E+00	0.00000E+00
76	9.45134E-01	2.71983E+00	9.38290E-01	2.75371E-03	0.00000E+00	0.00000E+00
77	9.50359E-01	2.74350E+00	9.38451E-01	2.72151E-03	0.00000E+00	0.00000E+00
78	9.26346E-01	2.76550E+00	9.38292E-01	2.69018E-03	0.00000E+00	0.00000E+00
79	9.65130E-01	2.78933E+00	9.38641E-01	2.67779E-03	0.00000E+00	0.00000E+00
80	9.06211E-01	2.81317E+00	9.38225E-01	2.67574E-03	0.00000E+00	0.00000E+00
81	9.64141E-01	2.83517E+00	9.38553E-01	2.66194E-03	0.00000E+00	0.00000E+00
82	9.59074E-01	2.85900E+00	9.38809E-01	2.64094E-03	0.00000E+00	0.00000E+00
83	9.28865E-01	2.88183E+00	9.38687E-01	2.61102E-03	0.00000E+00	0.00000E+00
84	9.42305E-01	2.90567E+00	9.38731E-01	2.57936E-03	0.00000E+00	0.00000E+00
85	9.54830E-01	2.92933E+00	9.38925E-01	2.55547E-03	0.00000E+00	0.00000E+00
86	9.07779E-01	2.95233E+00	9.38554E-01	2.55194E-03	0.00000E+00	0.00000E+00
87	9.23838E-01	2.97700E+00	9.38381E-01	2.52767E-03	0.00000E+00	0.00000E+00
88	9.22466E-01	2.99900E+00	9.38196E-01	2.50496E-03	0.00000E+00	0.00000E+00
89	9.51520E-01	3.02283E+00	9.38349E-01	2.48073E-03	0.00000E+00	0.00000E+00
90	9.20859E-01	3.04567E+00	9.38150E-01	2.46042E-03	0.00000E+00	0.00000E+00
91	9.30163E-01	3.07033E+00	9.38060E-01	2.43427E-03	0.00000E+00	0.00000E+00
92	9.03638E-01	3.09417E+00	9.37678E-01	2.43727E-03	0.00000E+00	0.00000E+00
93	9.63904E-01	3.11700E+00	9.37966E-01	2.42750E-03	0.00000E+00	0.00000E+00
94	9.40290E-01	3.14000E+00	9.37991E-01	2.40110E-03	0.00000E+00	0.00000E+00
95	9.67088E-01	3.16200E+00	9.38304E-01	2.39566E-03	0.00000E+00	0.00000E+00
96	9.28079E-01	3.18567E+00	9.38195E-01	2.37254E-03	0.00000E+00	0.00000E+00
97	9.16710E-01	3.20950E+00	9.37969E-01	2.35830E-03	0.00000E+00	0.00000E+00
98	9.04349E-01	3.23333E+00	9.37619E-01	2.35974E-03	0.00000E+00	0.00000E+00
99	9.45791E-01	3.25717E+00	9.37703E-01	2.33680E-03	0.00000E+00	0.00000E+00
100	9.22640E-01	3.28100E+00	9.37550E-01	2.31793E-03	0.00000E+00	0.00000E+00
101	9.47696E-01	3.30383E+00	9.37652E-01	2.29669E-03	0.00000E+00	0.00000E+00
102	9.21694E-01	3.32667E+00	9.37493E-01	2.27920E-03	0.00000E+00	0.00000E+00
103	9.27957E-01	3.34967E+00	9.37398E-01	2.25850E-03	0.00000E+00	0.00000E+00
104	9.61926E-01	3.37333E+00	9.37639E-01	2.24914E-03	0.00000E+00	0.00000E+00

105	9.38029E-01	3.39717E+00	9.37642E-01	2.22720E-03	0.00000E+00	0.00000E+00
106	9.61417E-01	3.42100E+00	9.37871E-01	2.21749E-03	0.00000E+00	0.00000E+00
107	9.17091E-01	3.44483E+00	9.37673E-01	2.20517E-03	0.00000E+00	0.00000E+00
108	9.09695E-01	3.46950E+00	9.37409E-01	2.20016E-03	0.00000E+00	0.00000E+00
109	9.09150E-01	3.49333E+00	9.37145E-01	2.19544E-03	0.00000E+00	0.00000E+00
110	8.82745E-01	3.51617E+00	9.36641E-01	2.23258E-03	0.00000E+00	0.00000E+00
111	9.72105E-01	3.54000E+00	9.36967E-01	2.23580E-03	0.00000E+00	0.00000E+00
112	9.43321E-01	3.56283E+00	9.37024E-01	2.21614E-03	0.00000E+00	0.00000E+00
113	9.39161E-01	3.58767E+00	9.37044E-01	2.19617E-03	0.00000E+00	0.00000E+00
114	9.82694E-01	3.60950E+00	9.37451E-01	2.21431E-03	0.00000E+00	0.00000E+00
115	9.44917E-01	3.63333E+00	9.37517E-01	2.19562E-03	0.00000E+00	0.00000E+00
116	9.35272E-01	3.65633E+00	9.37498E-01	2.17636E-03	0.00000E+00	0.00000E+00
117	9.58157E-01	3.68000E+00	9.37677E-01	2.16482E-03	0.00000E+00	0.00000E+00
118	9.67329E-01	3.70300E+00	9.37933E-01	2.16125E-03	0.00000E+00	0.00000E+00
119	9.56101E-01	3.72667E+00	9.38088E-01	2.14831E-03	0.00000E+00	0.00000E+00
120	9.25867E-01	3.75050E+00	9.37985E-01	2.13255E-03	0.00000E+00	0.00000E+00
121	9.54698E-01	3.77433E+00	9.38125E-01	2.11921E-03	0.00000E+00	0.00000E+00
122	9.52020E-01	3.79717E+00	9.38241E-01	2.10466E-03	0.00000E+00	0.00000E+00
123	9.57472E-01	3.82017E+00	9.38400E-01	2.09324E-03	0.00000E+00	0.00000E+00
124	9.01513E-01	3.84400E+00	9.38097E-01	2.09791E-03	0.00000E+00	0.00000E+00
125	9.23868E-01	3.86683E+00	9.37982E-01	2.08400E-03	0.00000E+00	0.00000E+00
126	9.42828E-01	3.88967E+00	9.38021E-01	2.06749E-03	0.00000E+00	0.00000E+00
127	9.25702E-01	3.91250E+00	9.37922E-01	2.05325E-03	0.00000E+00	0.00000E+00
128	9.27309E-01	3.93550E+00	9.37838E-01	2.03863E-03	0.00000E+00	0.00000E+00
129	9.37097E-01	3.95933E+00	9.37832E-01	2.02253E-03	0.00000E+00	0.00000E+00
130	9.27498E-01	3.98400E+00	9.37752E-01	2.00829E-03	0.00000E+00	0.00000E+00
131	9.58525E-01	4.00683E+00	9.37913E-01	1.99915E-03	0.00000E+00	0.00000E+00
132	9.68885E-01	4.02983E+00	9.38151E-01	1.99797E-03	0.00000E+00	0.00000E+00
133	9.52461E-01	4.05450E+00	9.38260E-01	1.98567E-03	0.00000E+00	0.00000E+00
134	9.24990E-01	4.07917E+00	9.38160E-01	1.97313E-03	0.00000E+00	0.00000E+00
135	9.10651E-01	4.10300E+00	9.37953E-01	1.96913E-03	0.00000E+00	0.00000E+00
136	9.25992E-01	4.12583E+00	9.37863E-01	1.95642E-03	0.00000E+00	0.00000E+00
137	9.20223E-01	4.15067E+00	9.37733E-01	1.94626E-03	0.00000E+00	0.00000E+00
138	9.41400E-01	4.17433E+00	9.37760E-01	1.93209E-03	0.00000E+00	0.00000E+00
139	9.15200E-01	4.19733E+00	9.37595E-01	1.92499E-03	0.00000E+00	0.00000E+00
140	9.17256E-01	4.22100E+00	9.37448E-01	1.91667E-03	0.00000E+00	0.00000E+00
141	9.58561E-01	4.24400E+00	9.37600E-01	1.90888E-03	0.00000E+00	0.00000E+00
142	9.54807E-01	4.26683E+00	9.37722E-01	1.89918E-03	0.00000E+00	0.00000E+00
143	9.37850E-01	4.29067E+00	9.37723E-01	1.88566E-03	0.00000E+00	0.00000E+00
144	9.51011E-01	4.31350E+00	9.37817E-01	1.87467E-03	0.00000E+00	0.00000E+00
145	9.08446E-01	4.33733E+00	9.37612E-01	1.87281E-03	0.00000E+00	0.00000E+00
146	9.33168E-01	4.36117E+00	9.37581E-01	1.86002E-03	0.00000E+00	0.00000E+00
147	9.39235E-01	4.38400E+00	9.37592E-01	1.84718E-03	0.00000E+00	0.00000E+00
148	9.44775E-01	4.40683E+00	9.37641E-01	1.83514E-03	0.00000E+00	0.00000E+00
149	9.33997E-01	4.42983E+00	9.37617E-01	1.82278E-03	0.00000E+00	0.00000E+00
150	9.29083E-01	4.45367E+00	9.37559E-01	1.81134E-03	0.00000E+00	0.00000E+00
151	9.53913E-01	4.47650E+00	9.37669E-01	1.80249E-03	0.00000E+00	0.00000E+00
152	9.15940E-01	4.50033E+00	9.37524E-01	1.79628E-03	0.00000E+00	0.00000E+00
153	9.32896E-01	4.52400E+00	9.37493E-01	1.78461E-03	0.00000E+00	0.00000E+00
154	9.22501E-01	4.54700E+00	9.37394E-01	1.77557E-03	0.00000E+00	0.00000E+00
155	9.45032E-01	4.56900E+00	9.37444E-01	1.76464E-03	0.00000E+00	0.00000E+00
156	9.63012E-01	4.59267E+00	9.37610E-01	1.76099E-03	0.00000E+00	0.00000E+00
157	9.65988E-01	4.61567E+00	9.37794E-01	1.75914E-03	0.00000E+00	0.00000E+00
158	9.11861E-01	4.63950E+00	9.37627E-01	1.75571E-03	0.00000E+00	0.00000E+00
159	9.48924E-01	4.66233E+00	9.37699E-01	1.74598E-03	0.00000E+00	0.00000E+00
160	9.37244E-01	4.68517E+00	9.37696E-01	1.73490E-03	0.00000E+00	0.00000E+00
161	9.26593E-01	4.70983E+00	9.37627E-01	1.72536E-03	0.00000E+00	0.00000E+00
162	9.49352E-01	4.73367E+00	9.37700E-01	1.71611E-03	0.00000E+00	0.00000E+00
163	9.53957E-01	4.75667E+00	9.37801E-01	1.70841E-03	0.00000E+00	0.00000E+00
164	9.49314E-01	4.77950E+00	9.37872E-01	1.69931E-03	0.00000E+00	0.00000E+00
165	9.46746E-01	4.80333E+00	9.37926E-01	1.68973E-03	0.00000E+00	0.00000E+00
166	9.76021E-01	4.82617E+00	9.38159E-01	1.69539E-03	0.00000E+00	0.00000E+00
167	9.42887E-01	4.84900E+00	9.38187E-01	1.68533E-03	0.00000E+00	0.00000E+00
168	9.19916E-01	4.87100E+00	9.38077E-01	1.67875E-03	0.00000E+00	0.00000E+00
169	9.42499E-01	4.89483E+00	9.38104E-01	1.66888E-03	0.00000E+00	0.00000E+00
170	9.67871E-01	4.91767E+00	9.38281E-01	1.66835E-03	0.00000E+00	0.00000E+00
171	9.31285E-01	4.94067E+00	9.38239E-01	1.65897E-03	0.00000E+00	0.00000E+00
172	9.23169E-01	4.96433E+00	9.38151E-01	1.65156E-03	0.00000E+00	0.00000E+00
173	1.00631E+00	4.98633E+00	9.38549E-01	1.68956E-03	0.00000E+00	0.00000E+00
174	9.56174E-01	5.00933E+00	9.38652E-01	1.68283E-03	0.00000E+00	0.00000E+00
175	9.44454E-01	5.03300E+00	9.38685E-01	1.67341E-03	0.00000E+00	0.00000E+00
176	9.28782E-01	5.05683E+00	9.38628E-01	1.66474E-03	0.00000E+00	0.00000E+00
177	9.53540E-01	5.07967E+00	9.38714E-01	1.65739E-03	0.00000E+00	0.00000E+00
178	9.69673E-01	5.10350E+00	9.38890E-01	1.65731E-03	0.00000E+00	0.00000E+00
179	9.65518E-01	5.12650E+00	9.39040E-01	1.65477E-03	0.00000E+00	0.00000E+00
180	9.45176E-01	5.14933E+00	9.39074E-01	1.64581E-03	0.00000E+00	0.00000E+00
181	9.16883E-01	5.17217E+00	9.38950E-01	1.64128E-03	0.00000E+00	0.00000E+00
182	9.24655E-01	5.19600E+00	9.38871E-01	1.63407E-03	0.00000E+00	0.00000E+00
183	9.76833E-01	5.21883E+00	9.39081E-01	1.63849E-03	0.00000E+00	0.00000E+00
184	9.41853E-01	5.24083E+00	9.39096E-01	1.62954E-03	0.00000E+00	0.00000E+00
185	9.45393E-01	5.26467E+00	9.39130E-01	1.62097E-03	0.00000E+00	0.00000E+00
186	9.31129E-01	5.28750E+00	9.39087E-01	1.61272E-03	0.00000E+00	0.00000E+00
187	9.40526E-01	5.31233E+00	9.39095E-01	1.60400E-03	0.00000E+00	0.00000E+00
188	9.19446E-01	5.33600E+00	9.38989E-01	1.59885E-03	0.00000E+00	0.00000E+00
189	9.51800E-01	5.35900E+00	9.39058E-01	1.59175E-03	0.00000E+00	0.00000E+00
190	9.22636E-01	5.38183E+00	9.38970E-01	1.58567E-03	0.00000E+00	0.00000E+00
191	9.66691E-01	5.40467E+00	9.39117E-01	1.58406E-03	0.00000E+00	0.00000E+00
192	9.62568E-01	5.42850E+00	9.39240E-01	1.58053E-03	0.00000E+00	0.00000E+00
193	9.36855E-01	5.45233E+00	9.39228E-01	1.57228E-03	0.00000E+00	0.00000E+00
194	8.67588E-01	5.47700E+00	9.38855E-01	1.60796E-03	0.00000E+00	0.00000E+00
195	9.37215E-01	5.50000E+00	9.38846E-01	1.59963E-03	0.00000E+00	0.00000E+00
196	8.97593E-01	5.52367E+00	9.38634E-01	1.60551E-03	0.00000E+00	0.00000E+00
197	9.06624E-01	5.54667E+00	9.38469E-01	1.60567E-03	0.00000E+00	0.00000E+00
198	9.76595E-01	5.56950E+00	9.38664E-01	1.60925E-03	0.00000E+00	0.00000E+00
199	9.11062E-01	5.59233E+00	9.38524E-01	1.60718E-03	0.00000E+00	0.00000E+00
200	8.97753E-01	5.61617E+00	9.38318E-01	1.61225E-03	0.00000E+00	0.00000E+00
201	9.37698E-01	5.64000E+00	9.38315E-01	1.60413E-03	0.00000E+00	0.00000E+00
202	9.92385E-01	5.66200E+00	9.38585E-01	1.61882E-03	0.00000E+00	0.00000E+00
203	9.69492E-01	5.68583E+00	9.38739E-01	1.61807E-03	0.00000E+00	0.00000E+00
204	9.46732E-01	5.70867E+00	9.38779E-01	1.61053E-03	0.00000E+00	0.00000E+00
205	9.24176E-01	5.73250E+00	9.38707E-01	1.60419E-03	0.00000E+00	0.00000E+00
206	9.67610E-01	5.75533E+00	9.38848E-01	1.60258E-03	0.00000E+00	0.00000E+00
207	9.27192E-01	5.77817E+00	9.38791E-01	1.59576E-03	0.00000E+00	0.00000E+00
208	9.96263E-01	5.80117E+00	9.39070E-01	1.61231E-03	0.00000E+00	0.00000E+00
209	9.44437E-01	5.82483E+00	9.39096E-01	1.60472E-03	0.00000E+00	0.00000E+00
210	9.42144E-01	5.84783E+00	9.39111E-01	1.59705E-03	0.00000E+00	0.00000E+00
211	9.84103E-01	5.87167E+00	9.39326E-01	1.60390E-03	0.00000E+00	0.00000E+00
212	9.27594E-01	5.89533E+00	9.39270E-01	1.59722E-03	0.00000E+00	0.00000E+00

213	9.47447E-01	5.91917E+00	9.39309E-01	1.59011E-03	0.00000E+00	0.00000E+00
214	9.50908E-01	5.94383E+00	9.39364E-01	1.58353E-03	0.00000E+00	0.00000E+00
215	9.58715E-01	5.96683E+00	9.39455E-01	1.57870E-03	0.00000E+00	0.00000E+00
216	9.24961E-01	5.99150E+00	9.39387E-01	1.57276E-03	0.00000E+00	0.00000E+00
217	9.19465E-01	6.01433E+00	9.39294E-01	1.56817E-03	0.00000E+00	0.00000E+00
218	9.71157E-01	6.03817E+00	9.39442E-01	1.56785E-03	0.00000E+00	0.00000E+00
219	9.76932E-01	6.06100E+00	9.39615E-01	1.57014E-03	0.00000E+00	0.00000E+00
220	9.13037E-01	6.08483E+00	9.39493E-01	1.56767E-03	0.00000E+00	0.00000E+00
221	9.41447E-01	6.10867E+00	9.39502E-01	1.56052E-03	0.00000E+00	0.00000E+00
222	9.23828E-01	6.13250E+00	9.39430E-01	1.55504E-03	0.00000E+00	0.00000E+00
223	8.88887E-01	6.15633E+00	9.39202E-01	1.56480E-03	0.00000E+00	0.00000E+00
224	9.14007E-01	6.18100E+00	9.39088E-01	1.56186E-03	0.00000E+00	0.00000E+00
225	9.32980E-01	6.20483E+00	9.39061E-01	1.55508E-03	0.00000E+00	0.00000E+00
226	9.81846E-01	6.22683E+00	9.39252E-01	1.55986E-03	0.00000E+00	0.00000E+00
227	9.68973E-01	6.24867E+00	9.39384E-01	1.55852E-03	0.00000E+00	0.00000E+00
228	8.94740E-01	6.27433E+00	9.39186E-01	1.56413E-03	0.00000E+00	0.00000E+00
229	9.18278E-01	6.29733E+00	9.39094E-01	1.55995E-03	0.00000E+00	0.00000E+00
230	9.44474E-01	6.32017E+00	9.39118E-01	1.55327E-03	0.00000E+00	0.00000E+00
231	9.73623E-01	6.34400E+00	9.39268E-01	1.55380E-03	0.00000E+00	0.00000E+00
232	9.32279E-01	6.36600E+00	9.39238E-01	1.54733E-03	0.00000E+00	0.00000E+00
233	9.49064E-01	6.38967E+00	9.39281E-01	1.54120E-03	0.00000E+00	0.00000E+00
234	9.92940E-01	6.41267E+00	9.39512E-01	1.55187E-03	0.00000E+00	0.00000E+00
235	9.29619E-01	6.43550E+00	9.39469E-01	1.54578E-03	0.00000E+00	0.00000E+00
236	9.30159E-01	6.45933E+00	9.39430E-01	1.53968E-03	0.00000E+00	0.00000E+00
237	8.90670E-01	6.48400E+00	9.39222E-01	1.54709E-03	0.00000E+00	0.00000E+00
238	9.61941E-01	6.50683E+00	9.39318E-01	1.54352E-03	0.00000E+00	0.00000E+00
239	9.84050E-01	6.52983E+00	9.39507E-01	1.54854E-03	0.00000E+00	0.00000E+00
240	9.18877E-01	6.55267E+00	9.39421E-01	1.54446E-03	0.00000E+00	0.00000E+00
241	9.90503E-01	6.57650E+00	9.39634E-01	1.55276E-03	0.00000E+00	0.00000E+00
242	9.16239E-01	6.59933E+00	9.39537E-01	1.54935E-03	0.00000E+00	0.00000E+00
243	9.17816E-01	6.62317E+00	9.39447E-01	1.54554E-03	0.00000E+00	0.00000E+00
244	9.08668E-01	6.64600E+00	9.39319E-01	1.54438E-03	0.00000E+00	0.00000E+00
245	9.68599E-01	6.66983E+00	9.39440E-01	1.54271E-03	0.00000E+00	0.00000E+00
246	9.51985E-01	6.69267E+00	9.39491E-01	1.53724E-03	0.00000E+00	0.00000E+00
247	9.54398E-01	6.71467E+00	9.39552E-01	1.53216E-03	0.00000E+00	0.00000E+00
248	9.23769E-01	6.73850E+00	9.39488E-01	1.52727E-03	0.00000E+00	0.00000E+00
249	9.75270E-01	6.76050E+00	9.39633E-01	1.52795E-03	0.00000E+00	0.00000E+00
250	8.94501E-01	6.78433E+00	9.39451E-01	1.53262E-03	0.00000E+00	0.00000E+00
251	9.48733E-01	6.80800E+00	9.39488E-01	1.52691E-03	0.00000E+00	0.00000E+00
252	9.35980E-01	6.83100E+00	9.39474E-01	1.52085E-03	0.00000E+00	0.00000E+00
253	9.79347E-01	6.85483E+00	9.39633E-01	1.52309E-03	0.00000E+00	0.00000E+00
254	9.10337E-01	6.87850E+00	9.39517E-01	1.52148E-03	0.00000E+00	0.00000E+00
255	9.55501E-01	6.90150E+00	9.39580E-01	1.51677E-03	0.00000E+00	0.00000E+00
256	9.31794E-01	6.92517E+00	9.39549E-01	1.51110E-03	0.00000E+00	0.00000E+00
257	9.50651E-01	6.94817E+00	9.39593E-01	1.50579E-03	0.00000E+00	0.00000E+00
258	9.65015E-01	6.97200E+00	9.39692E-01	1.50318E-03	0.00000E+00	0.00000E+00
259	9.34965E-01	6.99483E+00	9.39674E-01	1.49744E-03	0.00000E+00	0.00000E+00
260	9.30063E-01	7.01867E+00	9.39636E-01	1.49208E-03	0.00000E+00	0.00000E+00
261	9.63928E-01	7.04150E+00	9.39730E-01	1.48927E-03	0.00000E+00	0.00000E+00
262	9.10698E-01	7.06533E+00	9.39618E-01	1.48773E-03	0.00000E+00	0.00000E+00
263	9.58887E-01	7.08917E+00	9.39681E-01	1.48333E-03	0.00000E+00	0.00000E+00
264	9.53464E-01	7.11200E+00	9.39733E-01	1.47859E-03	0.00000E+00	0.00000E+00
265	8.97046E-01	7.13583E+00	9.39571E-01	1.48187E-03	0.00000E+00	0.00000E+00
266	9.28045E-01	7.16050E+00	9.39527E-01	1.47689E-03	0.00000E+00	0.00000E+00
267	9.09391E-01	7.18433E+00	9.39414E-01	1.47570E-03	0.00000E+00	0.00000E+00
268	9.85255E-01	7.20717E+00	9.39586E-01	1.48021E-03	0.00000E+00	0.00000E+00
269	9.32915E-01	7.23100E+00	9.39561E-01	1.47486E-03	0.00000E+00	0.00000E+00
270	9.41335E-01	7.25383E+00	9.39568E-01	1.46937E-03	0.00000E+00	0.00000E+00
271	9.18650E-01	7.27867E+00	9.39490E-01	1.46596E-03	0.00000E+00	0.00000E+00
272	9.50063E-01	7.30233E+00	9.39529E-01	1.46104E-03	0.00000E+00	0.00000E+00
273	9.43201E-01	7.32617E+00	9.39543E-01	1.45570E-03	0.00000E+00	0.00000E+00
274	9.06694E-01	7.34917E+00	9.39422E-01	1.45536E-03	0.00000E+00	0.00000E+00
275	9.51824E-01	7.37200E+00	9.39467E-01	1.45073E-03	0.00000E+00	0.00000E+00
276	9.17806E-01	7.39667E+00	9.39388E-01	1.44759E-03	0.00000E+00	0.00000E+00
277	9.10898E-01	7.42050E+00	9.39285E-01	1.44603E-03	0.00000E+00	0.00000E+00
278	9.52998E-01	7.44333E+00	9.39334E-01	1.44164E-03	0.00000E+00	0.00000E+00
279	9.62492E-01	7.46633E+00	9.39418E-01	1.43886E-03	0.00000E+00	0.00000E+00
280	9.57823E-01	7.49000E+00	9.39484E-01	1.43520E-03	0.00000E+00	0.00000E+00
281	9.39945E-01	7.51383E+00	9.39486E-01	1.43005E-03	0.00000E+00	0.00000E+00
282	9.52223E-01	7.53667E+00	9.39531E-01	1.42566E-03	0.00000E+00	0.00000E+00
283	9.64879E-01	7.55967E+00	9.39621E-01	1.42343E-03	0.00000E+00	0.00000E+00
284	9.70561E-01	7.58350E+00	9.39731E-01	1.42261E-03	0.00000E+00	0.00000E+00
285	9.78155E-01	7.60633E+00	9.39867E-01	1.42407E-03	0.00000E+00	0.00000E+00
286	9.64362E-01	7.62917E+00	9.39953E-01	1.42166E-03	0.00000E+00	0.00000E+00
287	9.11106E-01	7.65300E+00	9.39852E-01	1.42028E-03	0.00000E+00	0.00000E+00
288	8.89182E-01	7.67683E+00	9.39675E-01	1.42635E-03	0.00000E+00	0.00000E+00
289	9.95390E-01	7.69967E+00	9.39869E-01	1.43456E-03	0.00000E+00	0.00000E+00
290	8.88753E-01	7.72350E+00	9.39691E-01	1.44055E-03	0.00000E+00	0.00000E+00
291	9.34134E-01	7.74733E+00	9.39672E-01	1.43569E-03	0.00000E+00	0.00000E+00
292	9.33624E-01	7.77017E+00	9.39651E-01	1.43088E-03	0.00000E+00	0.00000E+00
293	9.16708E-01	7.79400E+00	9.39573E-01	1.42813E-03	0.00000E+00	0.00000E+00
294	8.90530E-01	7.81783E+00	9.39405E-01	1.43311E-03	0.00000E+00	0.00000E+00
295	9.48421E-01	7.84067E+00	9.39435E-01	1.42854E-03	0.00000E+00	0.00000E+00
296	9.39398E-01	7.86450E+00	9.39435E-01	1.42367E-03	0.00000E+00	0.00000E+00
297	9.47277E-01	7.88833E+00	9.39462E-01	1.41909E-03	0.00000E+00	0.00000E+00
298	9.41025E-01	7.91200E+00	9.39467E-01	1.41429E-03	0.00000E+00	0.00000E+00
299	9.29999E-01	7.93500E+00	9.39435E-01	1.40988E-03	0.00000E+00	0.00000E+00
300	9.39157E-01	7.95883E+00	9.39434E-01	1.40515E-03	0.00000E+00	0.00000E+00
301	9.42934E-01	7.98167E+00	9.39446E-01	1.40049E-03	0.00000E+00	0.00000E+00
302	9.39666E-01	8.00450E+00	9.39447E-01	1.39581E-03	0.00000E+00	0.00000E+00
303	9.31815E-01	8.02733E+00	9.39421E-01	1.39140E-03	0.00000E+00	0.00000E+00
304	9.46213E-01	8.05117E+00	9.39444E-01	1.38697E-03	0.00000E+00	0.00000E+00
305	9.14904E-01	8.07600E+00	9.39363E-01	1.38475E-03	0.00000E+00	0.00000E+00
306	9.23716E-01	8.09967E+00	9.39311E-01	1.38115E-03	0.00000E+00	0.00000E+00
307	9.45717E-01	8.12267E+00	9.39332E-01	1.37677E-03	0.00000E+00	0.00000E+00
308	9.63413E-01	8.14467E+00	9.39411E-01	1.37452E-03	0.00000E+00	0.00000E+00
309	9.18006E-01	8.16833E+00	9.39341E-01	1.37181E-03	0.00000E+00	0.00000E+00
310	8.92698E-01	8.19217E+00	9.39190E-01	1.37571E-03	0.00000E+00	0.00000E+00
311	9.67557E-01	8.21500E+00	9.39282E-01	1.37432E-03	0.00000E+00	0.00000E+00
312	9.57126E-01	8.23800E+00	9.39339E-01	1.37109E-03	0.00000E+00	0.00000E+00
313	9.31290E-01	8.26083E+00	9.39313E-01	1.36692E-03	0.00000E+00	0.00000E+00
314	9.44222E-01	8.28467E+00	9.39329E-01	1.36262E-03	0.00000E+00	0.00000E+00
315	9.41217E-01	8.30750E+00	9.39335E-01	1.35827E-03	0.00000E+00	0.00000E+00
316	9.53593E-01	8.33133E+00	9.39381E-01	1.35470E-03	0.00000E+00	0.00000E+00
317	9.31452E-01	8.35417E+00	9.39355E-01	1.35063E-03	0.00000E+00	0.00000E+00
318	9.08266E-01	8.37717E+00	9.39257E-01	1.34994E-03	0.00000E+00	0.00000E+00
319	9.37460E-01	8.40083E+00	9.39251E-01	1.34568E-03	0.00000E+00	0.00000E+00

320	9.38285E-01	8.42467E+00	9.39248E-01	1.34145E-03	0.00000E+00	0.00000E+00
321	9.13572E-01	8.44767E+00	9.13916E-01	1.33966E-03	0.00000E+00	0.00000E+00
322	9.49265E-01	8.47133E+00	9.39199E-01	1.33584E-03	0.00000E+00	0.00000E+00
323	9.39618E-01	8.49517E+00	9.39201E-01	1.33167E-03	0.00000E+00	0.00000E+00
324	9.11437E-01	8.51983E+00	9.39114E-01	1.33032E-03	0.00000E+00	0.00000E+00
325	9.97960E-01	8.54283E+00	9.39297E-01	1.33865E-03	0.00000E+00	0.00000E+00
326	9.52573E-01	8.56567E+00	9.39338E-01	1.33515E-03	0.00000E+00	0.00000E+00
327	9.20705E-01	8.58950E+00	9.39280E-01	1.33226E-03	0.00000E+00	0.00000E+00
328	9.07825E-01	8.61333E+00	9.39184E-01	1.33167E-03	0.00000E+00	0.00000E+00
329	9.31026E-01	8.63717E+00	9.39159E-01	1.32783E-03	0.00000E+00	0.00000E+00
330	9.70184E-01	8.66000E+00	9.39253E-01	1.32715E-03	0.00000E+00	0.00000E+00
331	9.42351E-01	8.68283E+00	9.39263E-01	1.32314E-03	0.00000E+00	0.00000E+00
332	9.50763E-01	8.70667E+00	9.39298E-01	1.31959E-03	0.00000E+00	0.00000E+00
333	9.82450E-01	8.72867E+00	9.39428E-01	1.32204E-03	0.00000E+00	0.00000E+00
334	9.18881E-01	8.75250E+00	9.39366E-01	1.31950E-03	0.00000E+00	0.00000E+00
335	9.38450E-01	8.77533E+00	9.39363E-01	1.31554E-03	0.00000E+00	0.00000E+00
336	9.21143E-01	8.79917E+00	9.39309E-01	1.31273E-03	0.00000E+00	0.00000E+00
337	9.14949E-01	8.82383E+00	9.39236E-01	1.31082E-03	0.00000E+00	0.00000E+00
338	9.36758E-01	8.84667E+00	9.39229E-01	1.30693E-03	0.00000E+00	0.00000E+00
339	9.45463E-01	8.87050E+00	9.39247E-01	1.30318E-03	0.00000E+00	0.00000E+00
340	9.28761E-01	8.89333E+00	9.39216E-01	1.29969E-03	0.00000E+00	0.00000E+00
341	9.07910E-01	8.91717E+00	9.39124E-01	1.29914E-03	0.00000E+00	0.00000E+00
342	9.27775E-01	8.94100E+00	9.39091E-01	1.29574E-03	0.00000E+00	0.00000E+00
343	9.24335E-01	8.96483E+00	9.39047E-01	1.29266E-03	0.00000E+00	0.00000E+00
344	9.34777E-01	8.98867E+00	9.39035E-01	1.28993E-03	0.00000E+00	0.00000E+00
345	9.43687E-01	9.00967E+00	9.39048E-01	1.28524E-03	0.00000E+00	0.00000E+00
346	9.11846E-01	9.03433E+00	9.38969E-01	1.28394E-03	0.00000E+00	0.00000E+00
347	9.10129E-01	9.05817E+00	9.38886E-01	1.28294E-03	0.00000E+00	0.00000E+00
348	9.22555E-01	9.08283E+00	9.38838E-01	1.28009E-03	0.00000E+00	0.00000E+00
349	9.21278E-01	9.10667E+00	9.38788E-01	1.27740E-03	0.00000E+00	0.00000E+00
350	9.46399E-01	9.12967E+00	9.38810E-01	1.27392E-03	0.00000E+00	0.00000E+00
351	9.41957E-01	9.15250E+00	9.38832E-01	1.27029E-03	0.00000E+00	0.00000E+00
352	9.43312E-01	9.17533E+00	9.38848E-01	1.26672E-03	0.00000E+00	0.00000E+00
353	9.44722E-01	9.19917E+00	9.38799E-01	1.26322E-03	0.00000E+00	0.00000E+00
354	9.21439E-01	9.22383E+00	9.38785E-01	1.26066E-03	0.00000E+00	0.00000E+00
355	9.33778E-01	9.24867E+00	9.38794E-01	1.25710E-03	0.00000E+00	0.00000E+00
356	9.41920E-01	9.27150E+00	9.38776E-01	1.25358E-03	0.00000E+00	0.00000E+00
357	9.32474E-01	9.29433E+00	9.38890E-01	1.25017E-03	0.00000E+00	0.00000E+00
358	9.79291E-01	9.31717E+00	9.38937E-01	1.24518E-03	0.00000E+00	0.00000E+00
359	9.55704E-01	9.34100E+00	9.38988E-01	1.24211E-03	0.00000E+00	0.00000E+00
360	9.57182E-01	9.36400E+00	9.39027E-01	1.24389E-03	0.00000E+00	0.00000E+00
361	9.53013E-01	9.38683E+00	9.38940E-01	1.24348E-03	0.00000E+00	0.00000E+00
362	9.07709E-01	9.41067E+00	9.39001E-01	1.24157E-03	0.00000E+00	0.00000E+00
363	9.61226E-01	9.43350E+00	9.38913E-01	1.24132E-03	0.00000E+00	0.00000E+00
364	9.06823E-01	9.45733E+00	9.38870E-01	1.23862E-03	0.00000E+00	0.00000E+00
365	9.23508E-01	9.48117E+00	9.38926E-01	1.23648E-03	0.00000E+00	0.00000E+00
366	9.59195E-01	9.50400E+00	9.38914E-01	1.23315E-03	0.00000E+00	0.00000E+00
367	9.34420E-01	9.52783E+00	9.38996E-01	1.23251E-03	0.00000E+00	0.00000E+00
368	9.68963E-01	9.55067E+00	9.39027E-01	1.22956E-03	0.00000E+00	0.00000E+00
369	9.50643E-01	9.57450E+00	9.39071E-01	1.22697E-03	0.00000E+00	0.00000E+00
370	9.54914E-01	9.59733E+00	9.39090E-01	1.22379E-03	0.00000E+00	0.00000E+00
371	9.46119E-01	9.62033E+00	9.39077E-01	1.22054E-03	0.00000E+00	0.00000E+00
372	9.34350E-01	9.64317E+00	9.38960E-01	1.22284E-03	0.00000E+00	0.00000E+00
373	8.95746E-01	9.66783E+00	9.38896E-01	1.22125E-03	0.00000E+00	0.00000E+00
374	9.14995E-01	9.69067E+00	9.38858E-01	1.21854E-03	0.00000E+00	0.00000E+00
375	9.25020E-01	9.71367E+00	9.38896E-01	1.21585E-03	0.00000E+00	0.00000E+00
376	9.52837E-01	9.73750E+00	9.38810E-01	1.21563E-03	0.00000E+00	0.00000E+00
377	9.06733E-01	9.76033E+00	9.38778E-01	1.21281E-03	0.00000E+00	0.00000E+00
378	9.26923E-01	9.78417E+00	9.38805E-01	1.20988E-03	0.00000E+00	0.00000E+00
379	9.48775E-01	9.80700E+00	9.38712E-01	1.21026E-03	0.00000E+00	0.00000E+00
380	9.03598E-01	9.83083E+00	9.38635E-01	1.20950E-03	0.00000E+00	0.00000E+00
381	9.09665E-01	9.85467E+00	9.38639E-01	1.20631E-03	0.00000E+00	0.00000E+00
382	9.40097E-01	9.87833E+00	9.38714E-01	1.20546E-03	0.00000E+00	0.00000E+00
383	9.67118E-01	9.90033E+00	9.38634E-01	1.20492E-03	0.00000E+00	0.00000E+00
384	9.08400E-01	9.92417E+00	9.38627E-01	1.20180E-03	0.00000E+00	0.00000E+00
385	9.35608E-01	9.94700E+00	9.38620E-01	1.19868E-03	0.00000E+00	0.00000E+00
386	9.36297E-01	9.97083E+00	9.38629E-01	1.19559E-03	0.00000E+00	0.00000E+00
387	9.42066E-01	9.99367E+00	9.38621E-01	1.19253E-03	0.00000E+00	0.00000E+00
388	9.35191E-01	1.00175E+01	9.38514E-01	1.19424E-03	0.00000E+00	0.00000E+00
389	8.97222E-01	1.00413E+01	9.38493E-01	1.19133E-03	0.00000E+00	0.00000E+00
390	9.30595E-01	1.00642E+01	9.38460E-01	1.18872E-03	0.00000E+00	0.00000E+00
391	9.25689E-01	1.00880E+01	9.38521E-01	1.18724E-03	0.00000E+00	0.00000E+00
392	9.62236E-01	1.01128E+01	9.38591E-01	1.18628E-03	0.00000E+00	0.00000E+00
393	9.65988E-01	1.01365E+01	9.38632E-01	1.18394E-03	0.00000E+00	0.00000E+00
394	9.54448E-01	1.01585E+01	9.38718E-01	1.18405E-03	0.00000E+00	0.00000E+00
395	9.72413E-01	1.01813E+01	9.38745E-01	1.18135E-03	0.00000E+00	0.00000E+00
396	9.49476E-01	1.02043E+01	9.38718E-01	1.17866E-03	0.00000E+00	0.00000E+00
397	9.28210E-01	1.02282E+01	9.38841E-01	1.18209E-03	0.00000E+00	0.00000E+00
398	9.87399E-01	1.02518E+01	9.38836E-01	1.17912E-03	0.00000E+00	0.00000E+00
399	9.36637E-01	1.02757E+01	9.38826E-01	1.17620E-03	0.00000E+00	0.00000E+00
400	9.34826E-01	1.02985E+01	9.38686E-01	1.18155E-03	0.00000E+00	0.00000E+00
401	8.83044E-01	1.03233E+01	9.38735E-01	1.17961E-03	0.00000E+00	0.00000E+00
402	9.58315E-01	1.03462E+01	9.38756E-01	1.17685E-03	0.00000E+00	0.00000E+00
403	9.47168E-01	1.03690E+01	9.38761E-01	1.17393E-03	0.00000E+00	0.00000E+00
404	9.40690E-01	1.03928E+01	9.38725E-01	1.17157E-03	0.00000E+00	0.00000E+00
405	9.24255E-01	1.04167E+01	9.38694E-01	1.16908E-03	0.00000E+00	0.00000E+00
406	9.26128E-01	1.04395E+01	9.38609E-01	1.16930E-03	0.00000E+00	0.00000E+00
407	9.04208E-01	1.04643E+01	9.38570E-01	1.16706E-03	0.00000E+00	0.00000E+00
408	9.22815E-01	1.04880E+01	9.38640E-01	1.16631E-03	0.00000E+00	0.00000E+00
409	9.67198E-01	1.05110E+01	9.38613E-01	1.16377E-03	0.00000E+00	0.00000E+00
410	9.27545E-01	1.05348E+01	9.38561E-01	1.16208E-03	0.00000E+00	0.00000E+00
411	9.17396E-01	1.05577E+01	9.38569E-01	1.15927E-03	0.00000E+00	0.00000E+00
412	9.41994E-01	1.05805E+01	9.38552E-01	1.15658E-03	0.00000E+00	0.00000E+00
413	9.31300E-01	1.06043E+01	9.38563E-01	1.15382E-03	0.00000E+00	0.00000E+00
414	9.43036E-01	1.06282E+01	9.38716E-01	1.16123E-03	0.00000E+00	0.00000E+00
415	1.00201E+00	1.06510E+01	9.38675E-01	1.15917E-03	0.00000E+00	0.00000E+00
416	9.21520E-01	1.06748E+01	9.38665E-01	1.15641E-03	0.00000E+00	0.00000E+00
417	9.34770E-01	1.06987E+01	9.38590E-01	1.15604E-03	0.00000E+00	0.00000E+00
418	9.07589E-01	1.07225E+01	9.38518E-01	1.15556E-03	0.00000E+00	0.00000E+00
419	9.08249E-01	1.07462E+01	9.38536E-01	1.15294E-03	0.00000E+00	0.00000E+00
420	9.46312E-01	1.07710E+01	9.38585E-01	1.15120E-03	0.00000E+00	0.00000E+00
421	9.58714E-01	1.07938E+01	9.38495E-01	1.15197E-03	0.00000E+00	0.00000E+00
422	9.00820E-01	1.08185E+01	9.38491E-01	1.14923E-03	0.00000E+00	0.00000E+00
423	9.37089E-01	1.08415E+01	9.38604E-01	1.15206E-03	0.00000E+00	0.00000E+00
424	9.86161E-01	1.08633E+01	9.38697E-01	1.15307E-03	0.00000E+00	0.00000E+00
425	9.77884E-01	1.08863E+01	9.38762E-01	1.15216E-03	0.00000E+00	0.00000E+00
426	9.66077E-01	1.09092E+01	9.38785E-01	1.14969E-03	0.00000E+00	0.00000E+00
427	9.48712E-01	1.09320E+01				

428	9.68704E-01	1.09558E+01	9.38855E-01	1.14913E-03	0.00000E+00	0.00000E+00
429	9.55306E-01	1.09787E+01	9.38894E-01	1.14709E-03	0.00000E+00	0.00000E+00
430	9.19911E-01	1.10035E+01	9.38849E-01	1.14526E-03	0.00000E+00	0.00000E+00
431	9.27123E-01	1.10263E+01	9.38822E-01	1.14292E-03	0.00000E+00	0.00000E+00
432	9.99755E-01	1.10492E+01	9.38964E-01	1.14903E-03	0.00000E+00	0.00000E+00
433	9.60097E-01	1.10730E+01	9.39013E-01	1.14741E-03	0.00000E+00	0.00000E+00
434	9.31431E-01	1.10977E+01	9.38995E-01	1.14488E-03	0.00000E+00	0.00000E+00
435	9.24593E-01	1.11215E+01	9.38962E-01	1.14272E-03	0.00000E+00	0.00000E+00
436	9.46137E-01	1.11445E+01	9.38979E-01	1.14020E-03	0.00000E+00	0.00000E+00
437	9.50072E-01	1.11673E+01	9.39004E-01	1.13786E-03	0.00000E+00	0.00000E+00
438	9.50420E-01	1.11902E+01	9.39030E-01	1.13555E-03	0.00000E+00	0.00000E+00
439	9.15100E-01	1.12150E+01	9.38976E-01	1.13427E-03	0.00000E+00	0.00000E+00
440	9.56027E-01	1.12387E+01	9.39014E-01	1.13235E-03	0.00000E+00	0.00000E+00
441	9.57646E-01	1.12625E+01	9.39057E-01	1.13057E-03	0.00000E+00	0.00000E+00
442	9.46629E-01	1.12863E+01	9.39074E-01	1.12812E-03	0.00000E+00	0.00000E+00
443	9.42689E-01	1.13102E+01	9.39082E-01	1.12559E-03	0.00000E+00	0.00000E+00
444	9.06844E-01	1.13340E+01	9.39099E-01	1.12541E-03	0.00000E+00	0.00000E+00
445	8.90291E-01	1.13587E+01	9.38899E-01	1.12824E-03	0.00000E+00	0.00000E+00
446	9.33697E-01	1.13825E+01	9.38888E-01	1.12576E-03	0.00000E+00	0.00000E+00
447	9.54983E-01	1.14053E+01	9.38924E-01	1.12381E-03	0.00000E+00	0.00000E+00
448	9.69413E-01	1.14292E+01	9.38992E-01	1.12337E-03	0.00000E+00	0.00000E+00
449	9.71913E-01	1.14520E+01	9.39066E-01	1.12327E-03	0.00000E+00	0.00000E+00
450	9.31640E-01	1.14767E+01	9.39049E-01	1.12088E-03	0.00000E+00	0.00000E+00
451	9.08462E-01	1.14997E+01	9.38981E-01	1.12045E-03	0.00000E+00	0.00000E+00
452	9.55838E-01	1.15235E+01	9.39019E-01	1.11859E-03	0.00000E+00	0.00000E+00
453	8.95889E-01	1.15463E+01	9.38923E-01	1.12019E-03	0.00000E+00	0.00000E+00
454	9.18999E-01	1.15702E+01	9.38879E-01	1.11858E-03	0.00000E+00	0.00000E+00
455	8.80548E-01	1.15938E+01	9.38750E-01	1.12351E-03	0.00000E+00	0.00000E+00
456	9.27797E-01	1.16177E+01	9.38726E-01	1.12129E-03	0.00000E+00	0.00000E+00
457	9.22671E-01	1.16415E+01	9.38691E-01	1.11938E-03	0.00000E+00	0.00000E+00
458	9.66367E-01	1.16653E+01	9.38751E-01	1.11857E-03	0.00000E+00	0.00000E+00
459	9.26899E-01	1.16900E+01	9.38725E-01	1.11643E-03	0.00000E+00	0.00000E+00
460	8.95283E-01	1.17138E+01	9.38631E-01	1.11802E-03	0.00000E+00	0.00000E+00
461	9.08385E-01	1.17377E+01	9.38565E-01	1.11752E-03	0.00000E+00	0.00000E+00
462	9.46708E-01	1.17605E+01	9.38582E-01	1.11523E-03	0.00000E+00	0.00000E+00
463	9.07869E-01	1.17852E+01	9.38516E-01	1.11480E-03	0.00000E+00	0.00000E+00
464	8.98300E-01	1.18082E+01	9.38429E-01	1.11579E-03	0.00000E+00	0.00000E+00
465	9.45685E-01	1.18320E+01	9.38444E-01	1.11348E-03	0.00000E+00	0.00000E+00
466	9.61955E-01	1.18567E+01	9.38495E-01	1.11224E-03	0.00000E+00	0.00000E+00
467	8.89168E-01	1.18805E+01	9.38389E-01	1.11490E-03	0.00000E+00	0.00000E+00
468	9.54388E-01	1.19033E+01	9.38423E-01	1.11303E-03	0.00000E+00	0.00000E+00
469	9.26787E-01	1.19272E+01	9.38398E-01	1.11093E-03	0.00000E+00	0.00000E+00
470	9.01678E-01	1.19510E+01	9.38320E-01	1.11133E-03	0.00000E+00	0.00000E+00
471	9.50547E-01	1.19738E+01	9.38346E-01	1.10926E-03	0.00000E+00	0.00000E+00
472	9.52515E-01	1.19967E+01	9.38376E-01	1.10731E-03	0.00000E+00	0.00000E+00
473	9.44461E-01	1.20195E+01	9.38389E-01	1.10503E-03	0.00000E+00	0.00000E+00
474	9.10779E-01	1.20443E+01	9.38331E-01	1.10424E-03	0.00000E+00	0.00000E+00
475	8.98324E-01	1.20682E+01	9.38246E-01	1.10514E-03	0.00000E+00	0.00000E+00
476	9.83666E-01	1.20910E+01	9.38342E-01	1.10696E-03	0.00000E+00	0.00000E+00
477	9.23606E-01	1.21148E+01	9.38311E-01	1.10506E-03	0.00000E+00	0.00000E+00
478	9.53784E-01	1.21377E+01	9.38343E-01	1.10322E-03	0.00000E+00	0.00000E+00
479	9.16858E-01	1.21623E+01	9.38298E-01	1.10183E-03	0.00000E+00	0.00000E+00
480	9.49425E-01	1.21853E+01	9.38322E-01	1.09976E-03	0.00000E+00	0.00000E+00
481	8.95088E-01	1.22090E+01	9.38231E-01	1.10117E-03	0.00000E+00	0.00000E+00
482	9.06154E-01	1.22328E+01	9.38165E-01	1.10090E-03	0.00000E+00	0.00000E+00
483	9.79822E-01	1.22548E+01	9.38251E-01	1.10202E-03	0.00000E+00	0.00000E+00
484	9.26159E-01	1.22787E+01	9.38226E-01	1.10002E-03	0.00000E+00	0.00000E+00
485	9.45075E-01	1.23007E+01	9.38240E-01	1.09783E-03	0.00000E+00	0.00000E+00
486	9.68298E-01	1.23235E+01	9.38302E-01	1.09732E-03	0.00000E+00	0.00000E+00
487	9.34389E-01	1.23473E+01	9.38294E-01	1.09508E-03	0.00000E+00	0.00000E+00
488	9.55932E-01	1.23702E+01	9.38331E-01	1.09343E-03	0.00000E+00	0.00000E+00
489	9.07645E-01	1.23948E+01	9.38268E-01	1.09300E-03	0.00000E+00	0.00000E+00
490	9.57325E-01	1.24178E+01	9.38307E-01	1.09146E-03	0.00000E+00	0.00000E+00
491	9.02099E-01	1.24425E+01	9.38233E-01	1.09174E-03	0.00000E+00	0.00000E+00
492	9.82575E-01	1.24645E+01	9.38323E-01	1.09326E-03	0.00000E+00	0.00000E+00
493	9.51446E-01	1.24873E+01	9.38350E-01	1.09136E-03	0.00000E+00	0.00000E+00
494	9.53624E-01	1.25120E+01	9.38381E-01	1.08958E-03	0.00000E+00	0.00000E+00
495	9.79774E-01	1.25340E+01	9.38465E-01	1.09060E-03	0.00000E+00	0.00000E+00
496	9.54342E-01	1.25570E+01	9.38497E-01	1.08887E-03	0.00000E+00	0.00000E+00
497	9.28966E-01	1.25807E+01	9.38478E-01	1.08684E-03	0.00000E+00	0.00000E+00
498	9.59628E-01	1.26037E+01	9.38520E-01	1.08548E-03	0.00000E+00	0.00000E+00
499	9.19447E-01	1.26275E+01	9.38482E-01	1.08397E-03	0.00000E+00	0.00000E+00
500	9.11680E-01	1.26512E+01	9.38428E-01	1.08313E-03	0.00000E+00	0.00000E+00
501	9.70748E-01	1.26750E+01	9.38493E-01	1.08290E-03	0.00000E+00	0.00000E+00
502	9.27489E-01	1.26988E+01	9.38471E-01	1.08096E-03	0.00000E+00	0.00000E+00
503	9.69445E-01	1.27217E+01	9.38533E-01	1.08057E-03	0.00000E+00	0.00000E+00
504	9.34773E-01	1.27465E+01	9.38525E-01	1.07844E-03	0.00000E+00	0.00000E+00
505	9.15393E-01	1.27693E+01	9.38479E-01	1.07727E-03	0.00000E+00	0.00000E+00
506	9.31199E-01	1.27932E+01	9.38465E-01	1.07523E-03	0.00000E+00	0.00000E+00
507	9.25936E-01	1.28160E+01	9.38440E-01	1.07339E-03	0.00000E+00	0.00000E+00
508	9.49934E-01	1.28388E+01	9.38463E-01	1.07150E-03	0.00000E+00	0.00000E+00
509	9.35312E-01	1.28627E+01	9.38456E-01	1.06941E-03	0.00000E+00	0.00000E+00
510	9.42506E-01	1.28855E+01	9.38464E-01	1.06733E-03	0.00000E+00	0.00000E+00
511	8.88290E-01	1.29103E+01	9.38366E-01	1.06978E-03	0.00000E+00	0.00000E+00
512	9.33835E-01	1.29332E+01	9.38357E-01	1.06772E-03	0.00000E+00	0.00000E+00
513	9.12717E-01	1.29570E+01	9.38307E-01	1.06681E-03	0.00000E+00	0.00000E+00
514	9.74707E-01	1.29790E+01	9.38378E-01	1.06709E-03	0.00000E+00	0.00000E+00
515	9.28346E-01	1.30027E+01	9.38358E-01	1.06519E-03	0.00000E+00	0.00000E+00
516	9.28062E-01	1.30257E+01	9.38338E-01	1.06330E-03	0.00000E+00	0.00000E+00
517	9.40332E-01	1.30495E+01	9.38342E-01	1.06124E-03	0.00000E+00	0.00000E+00
518	9.43171E-01	1.30732E+01	9.38352E-01	1.05923E-03	0.00000E+00	0.00000E+00
519	9.33438E-01	1.30962E+01	9.38342E-01	1.05722E-03	0.00000E+00	0.00000E+00
520	9.40989E-01	1.31190E+01	9.38347E-01	1.05519E-03	0.00000E+00	0.00000E+00
521	9.27610E-01	1.31428E+01	9.38326E-01	1.05336E-03	0.00000E+00	0.00000E+00
522	9.55027E-01	1.31657E+01	9.38359E-01	1.05182E-03	0.00000E+00	0.00000E+00
523	9.49024E-01	1.31885E+01	9.38379E-01	1.05000E-03	0.00000E+00	0.00000E+00
524	9.45034E-01	1.32123E+01	9.38392E-01	1.04806E-03	0.00000E+00	0.00000E+00
525	9.57488E-01	1.32343E+01	9.38428E-01	1.04669E-03	0.00000E+00	0.00000E+00
526	8.88605E-01	1.32582E+01	9.38333E-01	1.04901E-03	0.00000E+00	0.00000E+00
527	9.01363E-01	1.32820E+01	9.38263E-01	1.04938E-03	0.00000E+00	0.00000E+00
528	9.01442E-01	1.33058E+01	9.38193E-01	1.04972E-03	0.00000E+00	0.00000E+00
529	9.02342E-01	1.33295E+01	9.38125E-01	1.04993E-03	0.00000E+00	0.00000E+00
530	9.69731E-01	1.33525E+01	9.38185E-01	1.04965E-03	0.00000E+00	0.00000E+00
531	9.54672E-01	1.33753E+01	9.38216E-01	1.04813E-03	0.00000E+00	0.00000E+00
532	9.20068E-01	1.33982E+01	9.38182E-01	1.04671E-03	0.00000E+00	0.00000E+00
533	9.40693E-01	1.34220E+01	9.38186E-01	1.04474E-03	0.00000E+00	0.00000E+00
534	9.40306E-01	1.34458E+01	9.38190E-01	1.04279E-03	0.00000E+00	0.00000E+00
535	9.13337E-01	1.34705E+01	9.38144E-01	1.04187E-03	0.00000E+00	0.00000E+00

536	9.35768E-01	1.34943E+01	9.381139E-01	1.03993E-03	0.00000E+00	0.00000E+00
537	9.27914E-01	1.35182E+01	9.38120E-01	1.03816E-03	0.00000E+00	0.00000E+00
538	9.12905E-01	1.35428E+01	9.38073E-01	1.03729E-03	0.00000E+00	0.00000E+00
539	9.57329E-01	1.35657E+01	9.38109E-01	1.03597E-03	0.00000E+00	0.00000E+00
540	9.42952E-01	1.35887E+01	9.38118E-01	1.03409E-03	0.00000E+00	0.00000E+00
541	9.01678E-01	1.36133E+01	9.38050E-01	1.03438E-03	0.00000E+00	0.00000E+00
542	9.52520E-01	1.36362E+01	9.38077E-01	1.03281E-03	0.00000E+00	0.00000E+00
543	9.40350E-01	1.36592E+01	9.38081E-01	1.03091E-03	0.00000E+00	0.00000E+00
544	9.69920E-01	1.36820E+01	9.38140E-01	1.03068E-03	0.00000E+00	0.00000E+00
545	9.72675E-01	1.37048E+01	9.38204E-01	1.03074E-03	0.00000E+00	0.00000E+00
546	9.82117E-01	1.37287E+01	9.38284E-01	1.03201E-03	0.00000E+00	0.00000E+00
547	9.36257E-01	1.37515E+01	9.38281E-01	1.03102E-03	0.00000E+00	0.00000E+00
548	9.29249E-01	1.37753E+01	9.38264E-01	1.02836E-03	0.00000E+00	0.00000E+00
549	9.15145E-01	1.37983E+01	9.38222E-01	1.02735E-03	0.00000E+00	0.00000E+00
550	9.28437E-01	1.38220E+01	9.38204E-01	1.02563E-03	0.00000E+00	0.00000E+00
551	9.42862E-01	1.38458E+01	9.38212E-01	1.02380E-03	0.00000E+00	0.00000E+00
552	9.34042E-01	1.38697E+01	9.38205E-01	1.02196E-03	0.00000E+00	0.00000E+00
553	9.14296E-01	1.38935E+01	9.38161E-01	1.02103E-03	0.00000E+00	0.00000E+00
554	9.69382E-01	1.39163E+01	9.38218E-01	1.02074E-03	0.00000E+00	0.00000E+00
555	9.13431E-01	1.39392E+01	9.38173E-01	1.01988E-03	0.00000E+00	0.00000E+00
556	9.45486E-01	1.39612E+01	9.38186E-01	1.01812E-03	0.00000E+00	0.00000E+00
557	9.59166E-01	1.39850E+01	9.38224E-01	1.01699E-03	0.00000E+00	0.00000E+00
558	9.87518E-01	1.40070E+01	9.38313E-01	1.01902E-03	0.00000E+00	0.00000E+00
559	9.28154E-01	1.40308E+01	9.38295E-01	1.01736E-03	0.00000E+00	0.00000E+00
560	9.29636E-01	1.40545E+01	9.38279E-01	1.01565E-03	0.00000E+00	0.00000E+00
561	9.68078E-01	1.40775E+01	9.38332E-01	1.01523E-03	0.00000E+00	0.00000E+00
562	9.30675E-01	1.41013E+01	9.38319E-01	1.01351E-03	0.00000E+00	0.00000E+00
563	9.13440E-01	1.41250E+01	9.38274E-01	1.01267E-03	0.00000E+00	0.00000E+00
564	9.45130E-01	1.41470E+01	9.38287E-01	1.01094E-03	0.00000E+00	0.00000E+00
565	9.26970E-01	1.41708E+01	9.38266E-01	1.00935E-03	0.00000E+00	0.00000E+00
566	9.29468E-01	1.41947E+01	9.38251E-01	1.00768E-03	0.00000E+00	0.00000E+00
567	9.07029E-01	1.42193E+01	9.38196E-01	1.00741E-03	0.00000E+00	0.00000E+00
568	9.11395E-01	1.42432E+01	9.38148E-01	1.00674E-03	0.00000E+00	0.00000E+00
569	9.36097E-01	1.42660E+01	9.38145E-01	1.00497E-03	0.00000E+00	0.00000E+00
570	9.77811E-01	1.42898E+01	9.38214E-01	1.00563E-03	0.00000E+00	0.00000E+00
571	9.54758E-01	1.43127E+01	9.38244E-01	1.00428E-03	0.00000E+00	0.00000E+00
572	9.47146E-01	1.43357E+01	9.38259E-01	1.00264E-03	0.00000E+00	0.00000E+00
573	9.28991E-01	1.43585E+01	9.38243E-01	1.00101E-03	0.00000E+00	0.00000E+00
574	8.87358E-01	1.43823E+01	9.38154E-01	1.00321E-03	0.00000E+00	0.00000E+00
575	9.75028E-01	1.44052E+01	9.38218E-01	1.00352E-03	0.00000E+00	0.00000E+00
576	9.77525E-01	1.44272E+01	9.38287E-01	1.00411E-03	0.00000E+00	0.00000E+00
577	9.18977E-01	1.44518E+01	9.38253E-01	1.00293E-03	0.00000E+00	0.00000E+00
578	9.32075E-01	1.44748E+01	9.38243E-01	1.00124E-03	0.00000E+00	0.00000E+00
579	9.25098E-01	1.44977E+01	9.38220E-01	9.99764E-04	0.00000E+00	0.00000E+00
580	9.21433E-01	1.45223E+01	9.38191E-01	9.98456E-04	0.00000E+00	0.00000E+00
581	9.40642E-01	1.45452E+01	9.38195E-01	9.96739E-04	0.00000E+00	0.00000E+00
582	9.79132E-01	1.45682E+01	9.38266E-01	9.97519E-04	0.00000E+00	0.00000E+00
583	9.82711E-01	1.45910E+01	9.38342E-01	9.98734E-04	0.00000E+00	0.00000E+00
584	9.41636E-01	1.46138E+01	9.38348E-01	9.97033E-04	0.00000E+00	0.00000E+00
585	9.32929E-01	1.46377E+01	9.38338E-01	9.95365E-04	0.00000E+00	0.00000E+00
586	9.42901E-01	1.46615E+01	9.38346E-01	9.93690E-04	0.00000E+00	0.00000E+00
587	9.11376E-01	1.46853E+01	9.38300E-01	9.93060E-04	0.00000E+00	0.00000E+00
588	9.65887E-01	1.47073E+01	9.38347E-01	9.92481E-04	0.00000E+00	0.00000E+00
589	9.68138E-01	1.47310E+01	9.38398E-01	9.92088E-04	0.00000E+00	0.00000E+00
590	9.36696E-01	1.47548E+01	9.38395E-01	9.90404E-04	0.00000E+00	0.00000E+00
591	8.92257E-01	1.47797E+01	9.38317E-01	9.91819E-04	0.00000E+00	0.00000E+00
592	9.52667E-01	1.48033E+01	9.38341E-01	9.90435E-04	0.00000E+00	0.00000E+00
593	1.01253E+00	1.48263E+01	9.38467E-01	9.96694E-04	0.00000E+00	0.00000E+00
594	9.72563E-01	1.48492E+01	9.38524E-01	9.96674E-04	0.00000E+00	0.00000E+00
595	9.46801E-01	1.48712E+01	9.38538E-01	9.95090E-04	0.00000E+00	0.00000E+00
596	9.15585E-01	1.48950E+01	9.38499E-01	9.94164E-04	0.00000E+00	0.00000E+00
597	9.18616E-01	1.49187E+01	9.38466E-01	9.93055E-04	0.00000E+00	0.00000E+00
598	9.29666E-01	1.49425E+01	9.38451E-01	9.91497E-04	0.00000E+00	0.00000E+00
599	8.82997E-01	1.49663E+01	9.38358E-01	9.94184E-04	0.00000E+00	0.00000E+00
600	9.96421E-01	1.49892E+01	9.38455E-01	9.97258E-04	0.00000E+00	0.00000E+00
601	9.49348E-01	1.50122E+01	9.38474E-01	9.95757E-04	0.00000E+00	0.00000E+00
602	9.30217E-01	1.50358E+01	9.38460E-01	9.94192E-04	0.00000E+00	0.00000E+00
603	9.20505E-01	1.50588E+01	9.38430E-01	9.92986E-04	0.00000E+00	0.00000E+00
604	9.56219E-01	1.50817E+01	9.38460E-01	9.91775E-04	0.00000E+00	0.00000E+00
605	9.85087E-01	1.51045E+01	9.38537E-01	9.93144E-04	0.00000E+00	0.00000E+00
606	9.23140E-01	1.51283E+01	9.38511E-01	9.91826E-04	0.00000E+00	0.00000E+00
607	9.39363E-01	1.51512E+01	9.38513E-01	9.90186E-04	0.00000E+00	0.00000E+00
608	9.45778E-01	1.51742E+01	9.38525E-01	9.88623E-04	0.00000E+00	0.00000E+00
609	9.19351E-01	1.51980E+01	9.38493E-01	9.87499E-04	0.00000E+00	0.00000E+00
610	9.52071E-01	1.52208E+01	9.38516E-01	9.86126E-04	0.00000E+00	0.00000E+00
611	9.79187E-01	1.52437E+01	9.38582E-01	9.86768E-04	0.00000E+00	0.00000E+00
612	9.50653E-01	1.52675E+01	9.38602E-01	9.85348E-04	0.00000E+00	0.00000E+00
613	9.44038E-01	1.52913E+01	9.38611E-01	9.83774E-04	0.00000E+00	0.00000E+00
614	9.44213E-01	1.53142E+01	9.38620E-01	9.82208E-04	0.00000E+00	0.00000E+00
615	9.33929E-01	1.53380E+01	9.38613E-01	9.80634E-04	0.00000E+00	0.00000E+00
616	9.31973E-01	1.53618E+01	9.38602E-01	9.79095E-04	0.00000E+00	0.00000E+00
617	9.07024E-01	1.53857E+01	9.38550E-01	9.78850E-04	0.00000E+00	0.00000E+00
618	9.98090E-01	1.54085E+01	9.38647E-01	9.82028E-04	0.00000E+00	0.00000E+00
619	9.62230E-01	1.54305E+01	9.38685E-01	9.81179E-04	0.00000E+00	0.00000E+00
620	9.21974E-01	1.54543E+01	9.38658E-01	9.79964E-04	0.00000E+00	0.00000E+00
621	9.16871E-01	1.54780E+01	9.38623E-01	9.79012E-04	0.00000E+00	0.00000E+00
622	9.23423E-01	1.55018E+01	9.38598E-01	9.77739E-04	0.00000E+00	0.00000E+00
623	8.95480E-01	1.55257E+01	9.38529E-01	9.78630E-04	0.00000E+00	0.00000E+00
624	9.71361E-01	1.55485E+01	9.38582E-01	9.78480E-04	0.00000E+00	0.00000E+00
625	9.53844E-01	1.55723E+01	9.38606E-01	9.77215E-04	0.00000E+00	0.00000E+00
626	9.30552E-01	1.55962E+01	9.38593E-01	9.75733E-04	0.00000E+00	0.00000E+00
627	9.35378E-01	1.56200E+01	9.38588E-01	9.74184E-04	0.00000E+00	0.00000E+00
628	9.44078E-01	1.56420E+01	9.38597E-01	9.72666E-04	0.00000E+00	0.00000E+00
629	9.54964E-01	1.56657E+01	9.38623E-01	9.71465E-04	0.00000E+00	0.00000E+00
630	9.27703E-01	1.56887E+01	9.38606E-01	9.70072E-04	0.00000E+00	0.00000E+00
631	1.00296E+00	1.57123E+01	9.38708E-01	9.73917E-04	0.00000E+00	0.00000E+00
632	9.31571E-01	1.57362E+01	9.38697E-01	9.72436E-04	0.00000E+00	0.00000E+00
633	9.69320E-01	1.57600E+01	9.38745E-01	9.72106E-04	0.00000E+00	0.00000E+00
634	9.89042E-01	1.57828E+01	9.38825E-01	9.73824E-04	0.00000E+00	0.00000E+00
635	9.32962E-01	1.58058E+01	9.38816E-01	9.72329E-04	0.00000E+00	0.00000E+00
636	9.40863E-01	1.58295E+01	9.38819E-01	9.70799E-04	0.00000E+00	0.00000E+00
637	8.92825E-01	1.58543E+01	9.38746E-01	9.71972E-04	0.00000E+00	0.00000E+00
638	9.20157E-01	1.58782E+01	9.38717E-01	9.70882E-04	0.00000E+00	0.00000E+00
639	9.96603E-01	1.59000E+01	9.38808E-01	9.73607E-04	0.00000E+00	0.00000E+00
640	9.60582E-01	1.59230E+01	9.38842E-01	9.72679E-04	0.00000E+00	0.00000E+00
641	9.70939E-01	1.59468E+01	9.38892E-01	9.72453E-04	0.00000E+00	0.00000E+00
642	9.42895E-01	1.59705E+01	9.38899E-01	9.70953E-04	0.00000E+00	0.00000E+00
643	9.51506E-01	1.59935E+01	9.38918E-01	9.69637E-04	0.00000E+00	0.00000E+00

644	9.27407E-01	1.60172E+01	9.38900E-01	9.68291E-04	0.00000E+00	0.00000E+00
645	9.29923E-01	1.60410E+01	9.38886E-01	9.66885E-04	0.00000E+00	0.00000E+00
646	9.30328E-01	1.60640E+01	9.38873E-01	9.65474E-04	0.00000E+00	0.00000E+00
647	9.44038E-01	1.60877E+01	9.38881E-01	9.64009E-04	0.00000E+00	0.00000E+00
648	9.21504E-01	1.61115E+01	9.38854E-01	9.62891E-04	0.00000E+00	0.00000E+00
649	9.43148E-01	1.61343E+01	9.38861E-01	9.61425E-04	0.00000E+00	0.00000E+00
650	9.64703E-01	1.61582E+01	9.38901E-01	9.60768E-04	0.00000E+00	0.00000E+00
651	9.08608E-01	1.61812E+01	9.38854E-01	9.60421E-04	0.00000E+00	0.00000E+00
652	9.23426E-01	1.62048E+01	9.38830E-01	9.59236E-04	0.00000E+00	0.00000E+00
653	9.53679E-01	1.62287E+01	9.38853E-01	9.58033E-04	0.00000E+00	0.00000E+00
654	9.56435E-01	1.62517E+01	9.38880E-01	9.56943E-04	0.00000E+00	0.00000E+00
655	9.40723E-01	1.62745E+01	9.38883E-01	9.55480E-04	0.00000E+00	0.00000E+00
656	9.25284E-01	1.62973E+01	9.38862E-01	9.54245E-04	0.00000E+00	0.00000E+00
657	9.08590E-01	1.63212E+01	9.38816E-01	9.53907E-04	0.00000E+00	0.00000E+00
658	9.26671E-01	1.63440E+01	9.38797E-01	9.52632E-04	0.00000E+00	0.00000E+00
659	9.01560E-01	1.63688E+01	9.38741E-01	9.52868E-04	0.00000E+00	0.00000E+00
660	9.77940E-01	1.63917E+01	9.38800E-01	9.53282E-04	0.00000E+00	0.00000E+00
661	9.58119E-01	1.64155E+01	9.38830E-01	9.52286E-04	0.00000E+00	0.00000E+00
662	9.42903E-01	1.64383E+01	9.38836E-01	9.50862E-04	0.00000E+00	0.00000E+00
663	9.34902E-01	1.64622E+01	9.38830E-01	9.49441E-04	0.00000E+00	0.00000E+00
664	9.29915E-01	1.64850E+01	9.38816E-01	9.48101E-04	0.00000E+00	0.00000E+00
665	9.24465E-01	1.65078E+01	9.38795E-01	9.46917E-04	0.00000E+00	0.00000E+00
666	9.34045E-01	1.65317E+01	9.38788E-01	9.45517E-04	0.00000E+00	0.00000E+00
667	9.49178E-01	1.65555E+01	9.38803E-01	9.44224E-04	0.00000E+00	0.00000E+00
668	9.39517E-01	1.65775E+01	9.38804E-01	9.42805E-04	0.00000E+00	0.00000E+00
669	9.40568E-01	1.66013E+01	9.38807E-01	9.41395E-04	0.00000E+00	0.00000E+00
670	9.65484E-01	1.66242E+01	9.38847E-01	9.40832E-04	0.00000E+00	0.00000E+00
671	9.38007E-01	1.66480E+01	9.38846E-01	9.39426E-04	0.00000E+00	0.00000E+00
672	9.41043E-01	1.66718E+01	9.38849E-01	9.38028E-04	0.00000E+00	0.00000E+00
673	9.48740E-01	1.66947E+01	9.38864E-01	9.36745E-04	0.00000E+00	0.00000E+00
674	9.22209E-01	1.67185E+01	9.38839E-01	9.35679E-04	0.00000E+00	0.00000E+00
675	9.64288E-01	1.67423E+01	9.38877E-01	9.35052E-04	0.00000E+00	0.00000E+00
676	9.29147E-01	1.67642E+01	9.38862E-01	9.33775E-04	0.00000E+00	0.00000E+00
677	9.75030E-01	1.67880E+01	9.38916E-01	9.33929E-04	0.00000E+00	0.00000E+00
678	9.36713E-01	1.68118E+01	9.38913E-01	9.32552E-04	0.00000E+00	0.00000E+00
679	9.47822E-01	1.68347E+01	9.38926E-01	9.31267E-04	0.00000E+00	0.00000E+00
680	9.67767E-01	1.68585E+01	9.38968E-01	9.30865E-04	0.00000E+00	0.00000E+00
681	9.78379E-01	1.68813E+01	9.39026E-01	9.31303E-04	0.00000E+00	0.00000E+00
682	9.30224E-01	1.69052E+01	9.39013E-01	9.30023E-04	0.00000E+00	0.00000E+00
683	9.52216E-01	1.69290E+01	9.39033E-01	9.28859E-04	0.00000E+00	0.00000E+00
684	9.07414E-01	1.69518E+01	9.38986E-01	9.28654E-04	0.00000E+00	0.00000E+00
685	9.76482E-01	1.69748E+01	9.39041E-01	9.28917E-04	0.00000E+00	0.00000E+00
686	9.61002E-01	1.69967E+01	9.39073E-01	9.28113E-04	0.00000E+00	0.00000E+00
687	9.48217E-01	1.70205E+01	9.39087E-01	9.26853E-04	0.00000E+00	0.00000E+00
688	9.19925E-01	1.70443E+01	9.39059E-01	9.25923E-04	0.00000E+00	0.00000E+00
689	9.18225E-01	1.70672E+01	9.39028E-01	9.25071E-04	0.00000E+00	0.00000E+00
690	9.29547E-01	1.70920E+01	9.39015E-01	9.23828E-04	0.00000E+00	0.00000E+00
691	9.74512E-01	1.71148E+01	9.39066E-01	9.23924E-04	0.00000E+00	0.00000E+00
692	9.23995E-01	1.71387E+01	9.39044E-01	9.22843E-04	0.00000E+00	0.00000E+00
693	9.44968E-01	1.71625E+01	9.39053E-01	9.21546E-04	0.00000E+00	0.00000E+00
694	9.37986E-01	1.71862E+01	9.39051E-01	9.20215E-04	0.00000E+00	0.00000E+00
695	8.71771E-01	1.72110E+01	9.38954E-01	9.24000E-04	0.00000E+00	0.00000E+00
696	9.57521E-01	1.72338E+01	9.38981E-01	9.23056E-04	0.00000E+00	0.00000E+00
697	9.11858E-01	1.72577E+01	9.38942E-01	9.22553E-04	0.00000E+00	0.00000E+00
698	9.74981E-01	1.72805E+01	9.38994E-01	9.22680E-04	0.00000E+00	0.00000E+00
699	9.47938E-01	1.73043E+01	9.39007E-01	9.21445E-04	0.00000E+00	0.00000E+00
700	9.30839E-01	1.73282E+01	9.38995E-01	9.20198E-04	0.00000E+00	0.00000E+00
701	9.56392E-01	1.73520E+01	9.39020E-01	9.19218E-04	0.00000E+00	0.00000E+00
702	9.04129E-01	1.73748E+01	9.38970E-01	9.19256E-04	0.00000E+00	0.00000E+00
703	9.04947E-01	1.73987E+01	9.38921E-01	9.19226E-04	0.00000E+00	0.00000E+00
704	9.35171E-01	1.74225E+01	9.38916E-01	9.17931E-04	0.00000E+00	0.00000E+00
705	9.61477E-01	1.74453E+01	9.38948E-01	9.17186E-04	0.00000E+00	0.00000E+00
706	9.14978E-01	1.74700E+01	9.38914E-01	9.16515E-04	0.00000E+00	0.00000E+00
707	9.25121E-01	1.74938E+01	9.38895E-01	9.15423E-04	0.00000E+00	0.00000E+00
708	9.46967E-01	1.75167E+01	9.38906E-01	9.14197E-04	0.00000E+00	0.00000E+00
709	9.40055E-01	1.75405E+01	9.38908E-01	9.12904E-04	0.00000E+00	0.00000E+00
710	9.35305E-01	1.75633E+01	9.38903E-01	9.11628E-04	0.00000E+00	0.00000E+00
711	9.73473E-01	1.75872E+01	9.38951E-01	9.11647E-04	0.00000E+00	0.00000E+00
712	9.70251E-01	1.76100E+01	9.38995E-01	9.11428E-04	0.00000E+00	0.00000E+00
713	9.19442E-01	1.76330E+01	9.38968E-01	9.10561E-04	0.00000E+00	0.00000E+00
714	9.04699E-01	1.76568E+01	9.38920E-01	9.10554E-04	0.00000E+00	0.00000E+00
715	9.45347E-01	1.76805E+01	9.38929E-01	9.09321E-04	0.00000E+00	0.00000E+00
716	9.01123E-01	1.77035E+01	9.38876E-01	9.09589E-04	0.00000E+00	0.00000E+00
717	9.61063E-01	1.77273E+01	9.38907E-01	9.08846E-04	0.00000E+00	0.00000E+00
718	9.36848E-01	1.77502E+01	9.38904E-01	9.07580E-04	0.00000E+00	0.00000E+00
719	9.01023E-01	1.77740E+01	9.38851E-01	9.07852E-04	0.00000E+00	0.00000E+00
720	9.34268E-01	1.77987E+01	9.38845E-01	9.06609E-04	0.00000E+00	0.00000E+00
721	9.08481E-01	1.78215E+01	9.38803E-01	9.06332E-04	0.00000E+00	0.00000E+00
722	9.29685E-01	1.78453E+01	9.38790E-01	9.05161E-04	0.00000E+00	0.00000E+00
723	9.11574E-01	1.78692E+01	9.38752E-01	9.04692E-04	0.00000E+00	0.00000E+00
724	9.83318E-01	1.78920E+01	9.38814E-01	9.05444E-04	0.00000E+00	0.00000E+00
725	9.66869E-01	1.79150E+01	9.38853E-01	9.05123E-04	0.00000E+00	0.00000E+00
726	9.18746E-01	1.79378E+01	9.38825E-01	9.04299E-04	0.00000E+00	0.00000E+00
727	9.17843E-01	1.79625E+01	9.38796E-01	9.03514E-04	0.00000E+00	0.00000E+00
728	9.60154E-01	1.79863E+01	9.38825E-01	9.02748E-04	0.00000E+00	0.00000E+00
729	9.68030E-01	1.80092E+01	9.38866E-01	9.02400E-04	0.00000E+00	0.00000E+00
730	9.64705E-01	1.80330E+01	9.38901E-01	9.01859E-04	0.00000E+00	0.00000E+00
731	9.46238E-01	1.80558E+01	9.38911E-01	9.00677E-04	0.00000E+00	0.00000E+00
732	9.50756E-01	1.80788E+01	9.38927E-01	8.99589E-04	0.00000E+00	0.00000E+00
733	9.17882E-01	1.81017E+01	9.38899E-01	8.98818E-04	0.00000E+00	0.00000E+00
734	9.20579E-01	1.81255E+01	9.38874E-01	8.97938E-04	0.00000E+00	0.00000E+00
735	9.46260E-01	1.81483E+01	9.38884E-01	8.96769E-04	0.00000E+00	0.00000E+00
736	9.64619E-01	1.81722E+01	9.38919E-01	8.96233E-04	0.00000E+00	0.00000E+00
737	9.51975E-01	1.81950E+01	9.38936E-01	8.95189E-04	0.00000E+00	0.00000E+00
738	9.41043E-01	1.82180E+01	9.38939E-01	8.93976E-04	0.00000E+00	0.00000E+00
739	9.45898E-01	1.82417E+01	9.38949E-01	8.92812E-04	0.00000E+00	0.00000E+00
740	9.65496E-01	1.82655E+01	9.38985E-01	8.92327E-04	0.00000E+00	0.00000E+00
741	9.13476E-01	1.82893E+01	9.38950E-01	8.91787E-04	0.00000E+00	0.00000E+00
742	9.18150E-01	1.83132E+01	9.38922E-01	8.91025E-04	0.00000E+00	0.00000E+00
743	9.26568E-01	1.83370E+01	9.38905E-01	8.89978E-04	0.00000E+00	0.00000E+00
744	9.18823E-01	1.83607E+01	9.38878E-01	8.89189E-04	0.00000E+00	0.00000E+00
745	9.49542E-01	1.83845E+01	9.38893E-01	8.88108E-04	0.00000E+00	0.00000E+00
746	9.54471E-01	1.84083E+01	9.38914E-01	8.87160E-04	0.00000E+00	0.00000E+00
747	9.36317E-01	1.84322E+01	9.38910E-01	8.85976E-04	0.00000E+00	0.00000E+00
748	9.31862E-01	1.84550E+01	9.38901E-01	8.84838E-04	0.00000E+00	0.00000E+00
749	9.36146E-01	1.84778E+01	9.38897E-01	8.83660E-04	0.00000E+00	0.00000E+00
750	9.62301E-01	1.85017E+01	9.38928E-01	8.83032E-04	0.00000E+00	0.00000E+00
751	9.90744E-01	1.85247E+01	9.38997E-01	8.84562E-04	0.00000E+00	0.00000E+00

752	9.38020E-01	1.85475E+01	9.38996E-01	8.83383E-04	0.00000E+00	0.00000E+00
753	9.26880E-01	1.85713E+01	9.38980E-01	8.82353E-04	0.00000E+00	0.00000E+00
754	9.26182E-01	1.85950E+01	9.38963E-01	8.81343E-04	0.00000E+00	0.00000E+00
755	9.36353E-01	1.86180E+01	9.38960E-01	8.80179E-04	0.00000E+00	0.00000E+00
756	9.03621E-01	1.86418E+01	9.38913E-01	8.80259E-04	0.00000E+00	0.00000E+00
757	9.57084E-01	1.86637E+01	9.38937E-01	8.79422E-04	0.00000E+00	0.00000E+00
758	9.31246E-01	1.86875E+01	9.38927E-01	8.78317E-04	0.00000E+00	0.00000E+00
759	9.35875E-01	1.87113E+01	9.38923E-01	8.77165E-04	0.00000E+00	0.00000E+00
760	9.86561E-01	1.87352E+01	9.38985E-01	8.78259E-04	0.00000E+00	0.00000E+00
761	9.25748E-01	1.87580E+01	9.38968E-01	8.77274E-04	0.00000E+00	0.00000E+00
762	9.39688E-01	1.87818E+01	9.38969E-01	8.76120E-04	0.00000E+00	0.00000E+00
763	9.55200E-01	1.88057E+01	9.38990E-01	8.75228E-04	0.00000E+00	0.00000E+00
764	9.67303E-01	1.88295E+01	9.39027E-01	8.74868E-04	0.00000E+00	0.00000E+00
765	9.60331E-01	1.88523E+01	9.39055E-01	8.74166E-04	0.00000E+00	0.00000E+00
766	9.58079E-01	1.88762E+01	9.39080E-01	8.73376E-04	0.00000E+00	0.00000E+00
767	9.92942E-01	1.88990E+01	9.39151E-01	8.75077E-04	0.00000E+00	0.00000E+00
768	9.36634E-01	1.89218E+01	9.39147E-01	8.73934E-04	0.00000E+00	0.00000E+00
769	9.69284E-01	1.89448E+01	9.39187E-01	8.73678E-04	0.00000E+00	0.00000E+00
770	9.02905E-01	1.89685E+01	9.39139E-01	8.73818E-04	0.00000E+00	0.00000E+00
771	9.31800E-01	1.89923E+01	9.39130E-01	8.72733E-04	0.00000E+00	0.00000E+00
772	9.20422E-01	1.90153E+01	9.39106E-01	8.71937E-04	0.00000E+00	0.00000E+00
773	9.70387E-01	1.90382E+01	9.39146E-01	8.71750E-04	0.00000E+00	0.00000E+00
774	9.01684E-01	1.90620E+01	9.39098E-01	8.71972E-04	0.00000E+00	0.00000E+00
775	9.38387E-01	1.90848E+01	9.39097E-01	8.70843E-04	0.00000E+00	0.00000E+00
776	9.01963E-01	1.91077E+01	9.39049E-01	8.71040E-04	0.00000E+00	0.00000E+00
777	9.48430E-01	1.91325E+01	9.39061E-01	8.69999E-04	0.00000E+00	0.00000E+00
778	9.19217E-01	1.91562E+01	9.39035E-01	8.69254E-04	0.00000E+00	0.00000E+00
779	9.26475E-01	1.91792E+01	9.39019E-01	8.68285E-04	0.00000E+00	0.00000E+00
780	9.92574E-01	1.92020E+01	9.39088E-01	8.69896E-04	0.00000E+00	0.00000E+00
781	9.34852E-01	1.92248E+01	9.39082E-01	8.68795E-04	0.00000E+00	0.00000E+00
782	9.24003E-01	1.92487E+01	9.39063E-01	8.67896E-04	0.00000E+00	0.00000E+00
783	9.25178E-01	1.92733E+01	9.39045E-01	8.66966E-04	0.00000E+00	0.00000E+00
784	9.45854E-01	1.92963E+01	9.39054E-01	8.65901E-04	0.00000E+00	0.00000E+00
785	9.53401E-01	1.93192E+01	9.39072E-01	8.64988E-04	0.00000E+00	0.00000E+00
786	9.93710E-01	1.93430E+01	9.39142E-01	8.66691E-04	0.00000E+00	0.00000E+00
787	9.39756E-01	1.93658E+01	9.39143E-01	8.65586E-04	0.00000E+00	0.00000E+00
788	9.40221E-01	1.93888E+01	9.39144E-01	8.64486E-04	0.00000E+00	0.00000E+00
789	9.26972E-01	1.94117E+01	9.39129E-01	8.63525E-04	0.00000E+00	0.00000E+00
790	9.19882E-01	1.94355E+01	9.39104E-01	8.62774E-04	0.00000E+00	0.00000E+00
791	9.36054E-01	1.94583E+01	9.39100E-01	8.61689E-04	0.00000E+00	0.00000E+00
792	9.57824E-01	1.94822E+01	9.39124E-01	8.60923E-04	0.00000E+00	0.00000E+00
793	9.56740E-01	1.95060E+01	9.39146E-01	8.60123E-04	0.00000E+00	0.00000E+00
794	9.60888E-01	1.95288E+01	9.39174E-01	8.59475E-04	0.00000E+00	0.00000E+00
795	9.37800E-01	1.95517E+01	9.39172E-01	8.58392E-04	0.00000E+00	0.00000E+00
796	9.25421E-01	1.95755E+01	9.39155E-01	8.57485E-04	0.00000E+00	0.00000E+00
797	9.09263E-01	1.95983E+01	9.39117E-01	8.57231E-04	0.00000E+00	0.00000E+00
798	9.52050E-01	1.96213E+01	9.39133E-01	8.56307E-04	0.00000E+00	0.00000E+00
799	9.12904E-01	1.96460E+01	9.39101E-01	8.55865E-04	0.00000E+00	0.00000E+00
800	9.36917E-01	1.96698E+01	9.39098E-01	8.54796E-04	0.00000E+00	0.00000E+00
801	9.70928E-01	1.96927E+01	9.39138E-01	8.54655E-04	0.00000E+00	0.00000E+00
802	9.10008E-01	1.97165E+01	9.39101E-01	8.54362E-04	0.00000E+00	0.00000E+00
803	9.26777E-01	1.97403E+01	9.39086E-01	8.53433E-04	0.00000E+00	0.00000E+00
804	9.24964E-01	1.97640E+01	9.39068E-01	8.52550E-04	0.00000E+00	0.00000E+00
805	9.37624E-01	1.97870E+01	9.39066E-01	8.51490E-04	0.00000E+00	0.00000E+00
806	9.05660E-01	1.98108E+01	9.39025E-01	8.51445E-04	0.00000E+00	0.00000E+00
807	9.06057E-01	1.98355E+01	9.38984E-01	8.51372E-04	0.00000E+00	0.00000E+00
808	9.19422E-01	1.98583E+01	9.38960E-01	8.50661E-04	0.00000E+00	0.00000E+00
809	9.18639E-01	1.98822E+01	9.38934E-01	8.49980E-04	0.00000E+00	0.00000E+00
810	9.19503E-01	1.99068E+01	9.38910E-01	8.49268E-04	0.00000E+00	0.00000E+00
811	9.26878E-01	1.99298E+01	9.38896E-01	8.48348E-04	0.00000E+00	0.00000E+00
812	9.43545E-01	1.99527E+01	9.38901E-01	8.47319E-04	0.00000E+00	0.00000E+00
813	9.55380E-01	1.99755E+01	9.38922E-01	8.46517E-04	0.00000E+00	0.00000E+00
814	9.11339E-01	2.00003E+01	9.38888E-01	8.46156E-04	0.00000E+00	0.00000E+00
815	9.09312E-01	2.00240E+01	9.38851E-01	8.45898E-04	0.00000E+00	0.00000E+00
816	9.37536E-01	2.00470E+01	9.38850E-01	8.44859E-04	0.00000E+00	0.00000E+00
817	9.70622E-01	2.00688E+01	9.38889E-01	8.44722E-04	0.00000E+00	0.00000E+00
818	9.57916E-01	2.00918E+01	9.38912E-01	8.44008E-04	0.00000E+00	0.00000E+00
819	9.27445E-01	2.01157E+01	9.38898E-01	8.43092E-04	0.00000E+00	0.00000E+00
820	9.44088E-01	2.01385E+01	9.38904E-01	8.42084E-04	0.00000E+00	0.00000E+00
821	9.30320E-01	2.01623E+01	9.38894E-01	8.41121E-04	0.00000E+00	0.00000E+00
822	9.32914E-01	2.01862E+01	9.38887E-01	8.40126E-04	0.00000E+00	0.00000E+00
823	9.30894E-01	2.02090E+01	9.38877E-01	8.39159E-04	0.00000E+00	0.00000E+00
824	9.30168E-01	2.02337E+01	9.38866E-01	8.38204E-04	0.00000E+00	0.00000E+00
825	9.22243E-01	2.02575E+01	9.38846E-01	8.37428E-04	0.00000E+00	0.00000E+00
826	9.66003E-01	2.02803E+01	9.38879E-01	8.37061E-04	0.00000E+00	0.00000E+00
827	9.29377E-01	2.03042E+01	9.38867E-01	8.36125E-04	0.00000E+00	0.00000E+00
828	9.55647E-01	2.03262E+01	9.38888E-01	8.35359E-04	0.00000E+00	0.00000E+00
829	9.13633E-01	2.03500E+01	9.38857E-01	8.34907E-04	0.00000E+00	0.00000E+00
830	9.50101E-01	2.03737E+01	9.38871E-01	8.34009E-04	0.00000E+00	0.00000E+00
831	9.48961E-01	2.03967E+01	9.38883E-01	8.33091E-04	0.00000E+00	0.00000E+00
832	9.48862E-01	2.04205E+01	9.38895E-01	8.32173E-04	0.00000E+00	0.00000E+00
833	9.41736E-01	2.04433E+01	9.38898E-01	8.31178E-04	0.00000E+00	0.00000E+00
834	9.37363E-01	2.04680E+01	9.38897E-01	8.30181E-04	0.00000E+00	0.00000E+00
835	9.66748E-01	2.04910E+01	9.38930E-01	8.29857E-04	0.00000E+00	0.00000E+00
836	1.01260E+00	2.05138E+01	9.39018E-01	8.33555E-04	0.00000E+00	0.00000E+00
837	9.00539E-01	2.05367E+01	9.38972E-01	8.33830E-04	0.00000E+00	0.00000E+00
838	9.62066E-01	2.05605E+01	9.39000E-01	8.33290E-04	0.00000E+00	0.00000E+00
839	9.10203E-01	2.05833E+01	9.38965E-01	8.33005E-04	0.00000E+00	0.00000E+00
840	9.38133E-01	2.06072E+01	9.38964E-01	8.32011E-04	0.00000E+00	0.00000E+00
841	9.02632E-01	2.06300E+01	9.38921E-01	8.32146E-04	0.00000E+00	0.00000E+00
842	9.67458E-01	2.06530E+01	9.38955E-01	8.31849E-04	0.00000E+00	0.00000E+00
843	9.28494E-01	2.06758E+01	9.38943E-01	8.30952E-04	0.00000E+00	0.00000E+00
844	9.21864E-01	2.07005E+01	9.38922E-01	8.30213E-04	0.00000E+00	0.00000E+00
845	9.43201E-01	2.07235E+01	9.38927E-01	8.29243E-04	0.00000E+00	0.00000E+00
846	9.35636E-01	2.07463E+01	9.38924E-01	8.28269E-04	0.00000E+00	0.00000E+00
847	9.09182E-01	2.07710E+01	9.38888E-01	8.28037E-04	0.00000E+00	0.00000E+00
848	9.36806E-01	2.07940E+01	9.38886E-01	8.27061E-04	0.00000E+00	0.00000E+00
849	8.90424E-01	2.08177E+01	9.38829E-01	8.28063E-04	0.00000E+00	0.00000E+00
850	9.36661E-01	2.08425E+01	9.38826E-01	8.27090E-04	0.00000E+00	0.00000E+00
851	9.57491E-01	2.08653E+01	9.38848E-01	8.26407E-04	0.00000E+00	0.00000E+00
852	9.41807E-01	2.08873E+01	9.38852E-01	8.25442E-04	0.00000E+00	0.00000E+00
853	9.48774E-01	2.09102E+01	9.38863E-01	8.24554E-04	0.00000E+00	0.00000E+00
854	9.42531E-01	2.09330E+01	9.38868E-01	8.23597E-04	0.00000E+00	0.00000E+00
855	9.02756E-01	2.09568E+01	9.38825E-01	8.23719E-04	0.00000E+00	0.00000E+00
856	9.06990E-01	2.09798E+01	9.38788E-01	8.23598E-04	0.00000E+00	0.00000E+00
857	9.91736E-01	2.10027E+01	9.38850E-01	8.24962E-04	0.00000E+00	0.00000E+00
858	9.72841E-01	2.10273E+01	9.38890E-01	8.24954E-04	0.00000E+00	0.00000E+00
859	9.29756E-01	2.10512E+01	9.38879E-01	8.24060E-04	0.00000E+00	0.00000E+00

860	9.35268E-01	2.10740E+01	9.38875E-01	8.23109E-04	0.00000E+00	0.00000E+00
861	9.34254E-01	2.10970E+01	9.38869E-01	8.22168E-04	0.00000E+00	0.00000E+00
862	9.33841E-01	2.11207E+01	9.38863E-01	8.21233E-04	0.00000E+00	0.00000E+00
863	9.20073E-01	2.11437E+01	9.38842E-01	8.20568E-04	0.00000E+00	0.00000E+00
864	9.22744E-01	2.11665E+01	9.38823E-01	8.19829E-04	0.00000E+00	0.00000E+00
865	9.26794E-01	2.11903E+01	9.38809E-01	8.18997E-04	0.00000E+00	0.00000E+00
866	9.08680E-01	2.12142E+01	9.38774E-01	8.18791E-04	0.00000E+00	0.00000E+00
867	9.27036E-01	2.12370E+01	9.38761E-01	8.17957E-04	0.00000E+00	0.00000E+00
868	1.00571E+00	2.12580E+01	9.38838E-01	8.20661E-04	0.00000E+00	0.00000E+00
869	9.37281E-01	2.12810E+01	9.38836E-01	8.19715E-04	0.00000E+00	0.00000E+00
870	9.50696E-01	2.13047E+01	9.38850E-01	8.18885E-04	0.00000E+00	0.00000E+00
871	9.35703E-01	2.13285E+01	9.38846E-01	8.17950E-04	0.00000E+00	0.00000E+00
872	9.30543E-01	2.13523E+01	9.38837E-01	8.17065E-04	0.00000E+00	0.00000E+00
873	9.11515E-01	2.13762E+01	9.38805E-01	8.16729E-04	0.00000E+00	0.00000E+00
874	9.64393E-01	2.13990E+01	9.38835E-01	8.16319E-04	0.00000E+00	0.00000E+00
875	9.15660E-01	2.14237E+01	9.38808E-01	8.15816E-04	0.00000E+00	0.00000E+00
876	9.69804E-01	2.14467E+01	9.38844E-01	8.15653E-04	0.00000E+00	0.00000E+00
877	9.24031E-01	2.14705E+01	9.38827E-01	8.14896E-04	0.00000E+00	0.00000E+00
878	9.13524E-01	2.14942E+01	9.38798E-01	8.14478E-04	0.00000E+00	0.00000E+00
879	9.21083E-01	2.15172E+01	9.38778E-01	8.13799E-04	0.00000E+00	0.00000E+00
880	8.98358E-01	2.15418E+01	9.38731E-01	8.14174E-04	0.00000E+00	0.00000E+00
881	9.44424E-01	2.15647E+01	9.38738E-01	8.13273E-04	0.00000E+00	0.00000E+00
882	9.32353E-01	2.15885E+01	9.38731E-01	8.12381E-04	0.00000E+00	0.00000E+00
883	9.86574E-01	2.16123E+01	9.38785E-01	8.13273E-04	0.00000E+00	0.00000E+00
884	8.83376E-01	2.16352E+01	9.38722E-01	8.14776E-04	0.00000E+00	0.00000E+00
885	9.04659E-01	2.16590E+01	9.38684E-01	8.14767E-04	0.00000E+00	0.00000E+00
886	9.26387E-01	2.16828E+01	9.38670E-01	8.13964E-04	0.00000E+00	0.00000E+00
887	9.05810E-01	2.17067E+01	9.38633E-01	8.13891E-04	0.00000E+00	0.00000E+00
888	9.09202E-01	2.17303E+01	9.38599E-01	8.13650E-04	0.00000E+00	0.00000E+00
889	9.47268E-01	2.17542E+01	9.38609E-01	8.12791E-04	0.00000E+00	0.00000E+00
890	9.51634E-01	2.17772E+01	9.38624E-01	8.12007E-04	0.00000E+00	0.00000E+00
891	9.47755E-01	2.18008E+01	9.38634E-01	8.11159E-04	0.00000E+00	0.00000E+00
892	9.63209E-01	2.18247E+01	9.38662E-01	8.10717E-04	0.00000E+00	0.00000E+00
893	9.34602E-01	2.18467E+01	9.38657E-01	8.09819E-04	0.00000E+00	0.00000E+00
894	9.24959E-01	2.18695E+01	9.38642E-01	8.09057E-04	0.00000E+00	0.00000E+00
895	9.20309E-01	2.18933E+01	9.38621E-01	8.08411E-04	0.00000E+00	0.00000E+00
896	9.12534E-01	2.19172E+01	9.38592E-01	8.08033E-04	0.00000E+00	0.00000E+00
897	9.60613E-01	2.19410E+01	9.38617E-01	8.07505E-04	0.00000E+00	0.00000E+00
898	9.07657E-01	2.19648E+01	9.38582E-01	8.07343E-04	0.00000E+00	0.00000E+00
899	9.47533E-01	2.19885E+01	9.38592E-01	8.06504E-04	0.00000E+00	0.00000E+00
900	8.98525E-01	2.20123E+01	9.38547E-01	8.06840E-04	0.00000E+00	0.00000E+00
901	9.36608E-01	2.20352E+01	9.38545E-01	8.05945E-04	0.00000E+00	0.00000E+00
902	9.48771E-01	2.20582E+01	9.38557E-01	8.05129E-04	0.00000E+00	0.00000E+00
903	9.61735E-01	2.20828E+01	9.38582E-01	8.04646E-04	0.00000E+00	0.00000E+00
904	9.57278E-01	2.21057E+01	9.38603E-01	8.04021E-04	0.00000E+00	0.00000E+00
905	9.42837E-01	2.21295E+01	9.38608E-01	8.03144E-04	0.00000E+00	0.00000E+00
906	9.06335E-01	2.21533E+01	9.38572E-01	8.03049E-04	0.00000E+00	0.00000E+00
907	9.27818E-01	2.21772E+01	9.38560E-01	8.02249E-04	0.00000E+00	0.00000E+00
908	9.33947E-01	2.22000E+01	9.38555E-01	8.01379E-04	0.00000E+00	0.00000E+00
909	9.72791E-01	2.22228E+01	9.38533E-01	8.01385E-04	0.00000E+00	0.00000E+00
910	9.22613E-01	2.22458E+01	9.38575E-01	8.00695E-04	0.00000E+00	0.00000E+00
911	9.27260E-01	2.22697E+01	9.38563E-01	7.99911E-04	0.00000E+00	0.00000E+00
912	9.40504E-01	2.22933E+01	9.38565E-01	7.99034E-04	0.00000E+00	0.00000E+00
913	9.27604E-01	2.23163E+01	9.38553E-01	7.98247E-04	0.00000E+00	0.00000E+00
914	9.32108E-01	2.23400E+01	9.38546E-01	7.97403E-04	0.00000E+00	0.00000E+00
915	9.39948E-01	2.23638E+01	9.38547E-01	7.96530E-04	0.00000E+00	0.00000E+00
916	9.07274E-01	2.23887E+01	9.38513E-01	7.96394E-04	0.00000E+00	0.00000E+00
917	9.60385E-01	2.24115E+01	9.38537E-01	7.95882E-04	0.00000E+00	0.00000E+00
918	9.38172E-01	2.24353E+01	9.38537E-01	7.95013E-04	0.00000E+00	0.00000E+00
919	9.27022E-01	2.24582E+01	9.38524E-01	7.94244E-04	0.00000E+00	0.00000E+00
920	9.34728E-01	2.24820E+01	9.38520E-01	7.93390E-04	0.00000E+00	0.00000E+00
921	9.46692E-01	2.25058E+01	9.38529E-01	7.92576E-04	0.00000E+00	0.00000E+00
922	9.23109E-01	2.25287E+01	9.38512E-01	7.91891E-04	0.00000E+00	0.00000E+00
923	8.87189E-01	2.25525E+01	9.38456E-01	7.92991E-04	0.00000E+00	0.00000E+00
924	9.61856E-01	2.25753E+01	9.38482E-01	7.92537E-04	0.00000E+00	0.00000E+00
925	9.20343E-01	2.26000E+01	9.38462E-01	7.91922E-04	0.00000E+00	0.00000E+00
926	9.84631E-01	2.26230E+01	9.38512E-01	7.92641E-04	0.00000E+00	0.00000E+00
927	9.28523E-01	2.26450E+01	9.38501E-01	7.91857E-04	0.00000E+00	0.00000E+00
928	9.23518E-01	2.26697E+01	9.38495E-01	7.91167E-04	0.00000E+00	0.00000E+00
929	9.56012E-01	2.26925E+01	9.38504E-01	7.90539E-04	0.00000E+00	0.00000E+00
930	9.47862E-01	2.27163E+01	9.38514E-01	7.89751E-04	0.00000E+00	0.00000E+00
931	1.00085E+00	2.27383E+01	9.38581E-01	7.91749E-04	0.00000E+00	0.00000E+00
932	9.32273E-01	2.27622E+01	9.38574E-01	7.90926E-04	0.00000E+00	0.00000E+00
933	9.59697E-01	2.27850E+01	9.38597E-01	7.90402E-04	0.00000E+00	0.00000E+00
934	9.74502E-01	2.28088E+01	9.38636E-01	7.90492E-04	0.00000E+00	0.00000E+00
935	9.19740E-01	2.28325E+01	9.38615E-01	7.89904E-04	0.00000E+00	0.00000E+00
936	9.30225E-01	2.28563E+01	9.38606E-01	7.89109E-04	0.00000E+00	0.00000E+00
937	9.02700E-01	2.28812E+01	9.38568E-01	7.89200E-04	0.00000E+00	0.00000E+00
938	9.81155E-01	2.29040E+01	9.38613E-01	7.89668E-04	0.00000E+00	0.00000E+00
939	9.71866E-01	2.29268E+01	9.38648E-01	7.89590E-04	0.00000E+00	0.00000E+00
940	9.17643E-01	2.29488E+01	9.38626E-01	7.89066E-04	0.00000E+00	0.00000E+00
941	9.70050E-01	2.29708E+01	9.38659E-01	7.88935E-04	0.00000E+00	0.00000E+00
942	8.94729E-01	2.29947E+01	9.38613E-01	7.89480E-04	0.00000E+00	0.00000E+00
943	9.46672E-01	2.30183E+01	9.38621E-01	7.88687E-04	0.00000E+00	0.00000E+00
944	9.37264E-01	2.30422E+01	9.38620E-01	7.87851E-04	0.00000E+00	0.00000E+00
945	9.42056E-01	2.30660E+01	9.38623E-01	7.87023E-04	0.00000E+00	0.00000E+00
946	9.09905E-01	2.30898E+01	9.38593E-01	7.86777E-04	0.00000E+00	0.00000E+00
947	9.44193E-01	2.31137E+01	9.38599E-01	7.85967E-04	0.00000E+00	0.00000E+00
948	9.35474E-01	2.31373E+01	9.38596E-01	7.85142E-04	0.00000E+00	0.00000E+00
949	9.61784E-01	2.31612E+01	9.38620E-01	7.84695E-04	0.00000E+00	0.00000E+00
950	9.39951E-01	2.31842E+01	9.38621E-01	7.83868E-04	0.00000E+00	0.00000E+00
951	9.60090E-01	2.32070E+01	9.38644E-01	7.83368E-04	0.00000E+00	0.00000E+00
952	9.40739E-01	2.32298E+01	9.38646E-01	7.82547E-04	0.00000E+00	0.00000E+00
953	9.60578E-01	2.32528E+01	9.38669E-01	7.82063E-04	0.00000E+00	0.00000E+00
954	9.25059E-01	2.32757E+01	9.38655E-01	7.81372E-04	0.00000E+00	0.00000E+00
955	9.35311E-01	2.32995E+01	9.38652E-01	7.80560E-04	0.00000E+00	0.00000E+00
956	9.60339E-01	2.33215E+01	9.38674E-01	7.80072E-04	0.00000E+00	0.00000E+00
957	9.10698E-01	2.33462E+01	9.38645E-01	7.79806E-04	0.00000E+00	0.00000E+00
958	9.43670E-01	2.33690E+01	9.38650E-01	7.79007E-04	0.00000E+00	0.00000E+00
959	9.20223E-01	2.33928E+01	9.38631E-01	7.78431E-04	0.00000E+00	0.00000E+00
960	9.60063E-01	2.34157E+01	9.38653E-01	7.77940E-04	0.00000E+00	0.00000E+00
961	9.27028E-01	2.34395E+01	9.38641E-01	7.77223E-04	0.00000E+00	0.00000E+00
962	9.13701E-01	2.34633E+01	9.38615E-01	7.76847E-04	0.00000E+00	0.00000E+00
963	9.78438E-01	2.34853E+01	9.38657E-01	7.77144E-04	0.00000E+00	0.00000E+00
964	9.62132E-01	2.35090E+01	9.38681E-01	7.76719E-04	0.00000E+00	0.00000E+00
965	9.22775E-01	2.35338E+01	9.38665E-01	7.76088E-04	0.00000E+00	0.00000E+00
966	9.08247E-01	2.35567E+01	9.38633E-01	7.75924E-04	0.00000E+00	0.00000E+00
967	9.01881E-01	2.35813E+01	9.38595E-01	7.76055E-04	0.00000E+00	0.00000E+00

968	9.35932E-01	2.36052E+01	9.38592E-01	7.75256E-04	0.00000E+00	0.00000E+00
969	9.31346E-01	2.36290E+01	9.38585E-01	7.74490E-04	0.00000E+00	0.00000E+00
970	9.59867E-01	2.36518E+01	9.38607E-01	7.74002E-04	0.00000E+00	0.00000E+00
971	9.30092E-01	2.36757E+01	9.38598E-01	7.73253E-04	0.00000E+00	0.00000E+00
972	9.25621E-01	2.36985E+01	9.38584E-01	7.72571E-04	0.00000E+00	0.00000E+00
973	8.99646E-01	2.37223E+01	9.38544E-01	7.72816E-04	0.00000E+00	0.00000E+00
974	9.13953E-01	2.37462E+01	9.38519E-01	7.72435E-04	0.00000E+00	0.00000E+00
975	9.71791E-01	2.37700E+01	9.38553E-01	7.72398E-04	0.00000E+00	0.00000E+00
976	9.52036E-01	2.37928E+01	9.38567E-01	7.71729E-04	0.00000E+00	0.00000E+00
977	9.03184E-01	2.38167E+01	9.38531E-01	7.71790E-04	0.00000E+00	0.00000E+00
978	9.51272E-01	2.38405E+01	9.38544E-01	7.71110E-04	0.00000E+00	0.00000E+00
979	9.86197E-01	2.38625E+01	9.38593E-01	7.71863E-04	0.00000E+00	0.00000E+00
980	9.35043E-01	2.38862E+01	9.38589E-01	7.71082E-04	0.00000E+00	0.00000E+00
981	9.29248E-01	2.39092E+01	9.38580E-01	7.70353E-04	0.00000E+00	0.00000E+00
982	9.33718E-01	2.39338E+01	9.38575E-01	7.69582E-04	0.00000E+00	0.00000E+00
983	9.42042E-01	2.39567E+01	9.38578E-01	7.68805E-04	0.00000E+00	0.00000E+00
984	8.88027E-01	2.39805E+01	9.38527E-01	7.69745E-04	0.00000E+00	0.00000E+00
985	9.14078E-01	2.40043E+01	9.38502E-01	7.69364E-04	0.00000E+00	0.00000E+00
986	9.70847E-01	2.40282E+01	9.38535E-01	7.69284E-04	0.00000E+00	0.00000E+00
987	9.29961E-01	2.40510E+01	9.38526E-01	7.68552E-04	0.00000E+00	0.00000E+00
988	9.53439E-01	2.40748E+01	9.38541E-01	7.67921E-04	0.00000E+00	0.00000E+00
989	9.33792E-01	2.40987E+01	9.38536E-01	7.67158E-04	0.00000E+00	0.00000E+00
990	9.49253E-01	2.41223E+01	9.38547E-01	7.66458E-04	0.00000E+00	0.00000E+00
991	9.62434E-01	2.41472E+01	9.38571E-01	7.66063E-04	0.00000E+00	0.00000E+00
992	8.98207E-01	2.41710E+01	9.38530E-01	7.66374E-04	0.00000E+00	0.00000E+00
993	9.59347E-01	2.41938E+01	9.38551E-01	7.65889E-04	0.00000E+00	0.00000E+00
994	9.10898E-01	2.42167E+01	9.38524E-01	7.65624E-04	0.00000E+00	0.00000E+00
995	9.39084E-01	2.42405E+01	9.38524E-01	7.64853E-04	0.00000E+00	0.00000E+00
996	9.33349E-01	2.42643E+01	9.38519E-01	7.64101E-04	0.00000E+00	0.00000E+00
997	9.87495E-01	2.42872E+01	9.38568E-01	7.64918E-04	0.00000E+00	0.00000E+00
998	9.25661E-01	2.43100E+01	9.38555E-01	7.64259E-04	0.00000E+00	0.00000E+00
999	9.34588E-01	2.43338E+01	9.38551E-01	7.63503E-04	0.00000E+00	0.00000E+00
1000	9.45410E-01	2.43568E+01	9.38558E-01	7.62768E-04	0.00000E+00	0.00000E+00
1001	9.39255E-01	2.43805E+01	9.38559E-01	7.62005E-04	0.00000E+00	0.00000E+00
1002	9.32947E-01	2.44043E+01	9.38553E-01	7.61263E-04	0.00000E+00	0.00000E+00
1003	9.12819E-01	2.44282E+01	9.38527E-01	7.60936E-04	0.00000E+00	0.00000E+00
1004	9.73663E-01	2.44510E+01	9.38563E-01	7.60985E-04	0.00000E+00	0.00000E+00
1005	9.47157E-01	2.44758E+01	9.38571E-01	7.60274E-04	0.00000E+00	0.00000E+00
1006	9.54433E-01	2.44987E+01	9.38587E-01	7.59681E-04	0.00000E+00	0.00000E+00
1007	9.36710E-01	2.45225E+01	9.38585E-01	7.58927E-04	0.00000E+00	0.00000E+00
1008	9.69821E-01	2.45453E+01	9.38616E-01	7.58808E-04	0.00000E+00	0.00000E+00
1009	9.67534E-01	2.45682E+01	9.38645E-01	7.58597E-04	0.00000E+00	0.00000E+00
1010	9.60390E-01	2.45920E+01	9.38666E-01	7.58151E-04	0.00000E+00	0.00000E+00
1011	9.39272E-01	2.46148E+01	9.38667E-01	7.57400E-04	0.00000E+00	0.00000E+00
1012	9.50145E-01	2.46387E+01	9.38678E-01	7.56735E-04	0.00000E+00	0.00000E+00
1013	9.53153E-01	2.46617E+01	9.38693E-01	7.56122E-04	0.00000E+00	0.00000E+00
1014	9.23548E-01	2.46863E+01	9.38678E-01	7.55522E-04	0.00000E+00	0.00000E+00
1015	9.16007E-01	2.47092E+01	9.38655E-01	7.55108E-04	0.00000E+00	0.00000E+00
1016	9.35179E-01	2.47330E+01	9.38652E-01	7.54371E-04	0.00000E+00	0.00000E+00
1017	9.56556E-01	2.47558E+01	9.38670E-01	7.53833E-04	0.00000E+00	0.00000E+00
1018	9.18734E-01	2.47807E+01	9.38650E-01	7.53347E-04	0.00000E+00	0.00000E+00
1019	9.16668E-01	2.48035E+01	9.38628E-01	7.52916E-04	0.00000E+00	0.00000E+00
1020	9.25423E-01	2.48273E+01	9.38615E-01	7.52288E-04	0.00000E+00	0.00000E+00
1021	9.14754E-01	2.48502E+01	9.38592E-01	7.51914E-04	0.00000E+00	0.00000E+00
1022	9.07734E-01	2.48748E+01	9.38562E-01	7.51785E-04	0.00000E+00	0.00000E+00
1023	9.56991E-01	2.48968E+01	9.38580E-01	7.51265E-04	0.00000E+00	0.00000E+00
1024	8.95227E-01	2.49207E+01	9.38537E-01	7.51728E-04	0.00000E+00	0.00000E+00
1025	9.12037E-01	2.49453E+01	9.38511E-01	7.51439E-04	0.00000E+00	0.00000E+00
1026	8.98296E-01	2.49683E+01	9.38472E-01	7.51732E-04	0.00000E+00	0.00000E+00
1027	9.21735E-01	2.49920E+01	9.38456E-01	7.51175E-04	0.00000E+00	0.00000E+00
1028	9.64811E-01	2.50150E+01	9.38481E-01	7.50882E-04	0.00000E+00	0.00000E+00
1029	9.36293E-01	2.50388E+01	9.38479E-01	7.50154E-04	0.00000E+00	0.00000E+00
1030	9.53964E-01	2.50625E+01	9.38494E-01	7.49575E-04	0.00000E+00	0.00000E+00
1031	9.18974E-01	2.50855E+01	9.38475E-01	7.49087E-04	0.00000E+00	0.00000E+00
1032	1.00510E+00	2.51083E+01	9.38540E-01	7.51150E-04	0.00000E+00	0.00000E+00
1033	8.88793E-01	2.51312E+01	9.38492E-01	7.51970E-04	0.00000E+00	0.00000E+00
1034	9.14311E-01	2.51560E+01	9.38468E-01	7.51607E-04	0.00000E+00	0.00000E+00
1035	9.29491E-01	2.51788E+01	9.38460E-01	7.50929E-04	0.00000E+00	0.00000E+00
1036	9.04914E-01	2.52017E+01	9.38427E-01	7.50904E-04	0.00000E+00	0.00000E+00
1037	9.42794E-01	2.52255E+01	9.38432E-01	7.50190E-04	0.00000E+00	0.00000E+00
1038	9.38853E-01	2.52483E+01	9.38432E-01	7.49465E-04	0.00000E+00	0.00000E+00
1039	9.30046E-01	2.52722E+01	9.38424E-01	7.48786E-04	0.00000E+00	0.00000E+00
1040	9.86186E-01	2.52960E+01	9.38470E-01	7.49478E-04	0.00000E+00	0.00000E+00
1041	9.20355E-01	2.53188E+01	9.38452E-01	7.48959E-04	0.00000E+00	0.00000E+00
1042	9.61868E-01	2.53427E+01	9.38475E-01	7.48577E-04	0.00000E+00	0.00000E+00
1043	9.53092E-01	2.53655E+01	9.38489E-01	7.47990E-04	0.00000E+00	0.00000E+00
1044	9.07531E-01	2.53893E+01	9.38459E-01	7.47862E-04	0.00000E+00	0.00000E+00
1045	9.15629E-01	2.54132E+01	9.38437E-01	7.47465E-04	0.00000E+00	0.00000E+00
1046	1.02357E+00	2.54360E+01	9.38519E-01	7.51188E-04	0.00000E+00	0.00000E+00
1047	8.82422E-01	2.54608E+01	9.38465E-01	7.52386E-04	0.00000E+00	0.00000E+00
1048	9.25004E-01	2.54837E+01	9.38452E-01	7.51777E-04	0.00000E+00	0.00000E+00
1049	9.45780E-01	2.55075E+01	9.38459E-01	7.51091E-04	0.00000E+00	0.00000E+00
1050	8.74873E-01	2.55322E+01	9.38399E-01	7.52823E-04	0.00000E+00	0.00000E+00
1051	9.35099E-01	2.55560E+01	9.38396E-01	7.52111E-04	0.00000E+00	0.00000E+00
1052	9.23574E-01	2.55798E+01	9.38381E-01	7.51527E-04	0.00000E+00	0.00000E+00
1053	8.74252E-01	2.56045E+01	9.38320E-01	7.53287E-04	0.00000E+00	0.00000E+00
1054	9.85759E-01	2.56265E+01	9.38365E-01	7.53921E-04	0.00000E+00	0.00000E+00
1055	9.45428E-01	2.56493E+01	9.38372E-01	7.53234E-04	0.00000E+00	0.00000E+00
1056	9.43343E-01	2.56722E+01	9.38377E-01	7.52534E-04	0.00000E+00	0.00000E+00
1057	9.64986E-01	2.56952E+01	9.38402E-01	7.52243E-04	0.00000E+00	0.00000E+00
1058	9.30655E-01	2.57188E+01	9.38395E-01	7.51567E-04	0.00000E+00	0.00000E+00
1059	9.61544E-01	2.57418E+01	9.38417E-01	7.51175E-04	0.00000E+00	0.00000E+00
1060	9.57602E-01	2.57657E+01	9.38435E-01	7.50683E-04	0.00000E+00	0.00000E+00
1061	9.25422E-01	2.57885E+01	9.38423E-01	7.50075E-04	0.00000E+00	0.00000E+00
1062	9.67254E-01	2.58123E+01	9.38450E-01	7.49860E-04	0.00000E+00	0.00000E+00
1063	9.89360E-01	2.58352E+01	9.38498E-01	7.50688E-04	0.00000E+00	0.00000E+00
1064	8.97188E-01	2.58590E+01	9.38459E-01	7.50989E-04	0.00000E+00	0.00000E+00
1065	9.55907E-01	2.58818E+01	9.38475E-01	7.50462E-04	0.00000E+00	0.00000E+00
1066	8.90272E-01	2.59065E+01	9.38430E-01	7.51124E-04	0.00000E+00	0.00000E+00
1067	9.24183E-01	2.59295E+01	9.38417E-01	7.50537E-04	0.00000E+00	0.00000E+00
1068	8.95895E-01	2.59533E+01	9.38377E-01	7.50893E-04	0.00000E+00	0.00000E+00
1069	9.38783E-01	2.59762E+01	9.38377E-01	7.50189E-04	0.00000E+00	0.00000E+00
1070	9.51304E-01	2.59990E+01	9.38389E-01	7.49584E-04	0.00000E+00	0.00000E+00
1071	9.36803E-01	2.60238E+01	9.38388E-01	7.48884E-04	0.00000E+00	0.00000E+00
1072	9.04873E-01	2.60475E+01	9.38356E-01	7.48839E-04	0.00000E+00	0.00000E+00
1073	9.17795E-01	2.60705E+01	9.38337E-01	7.48386E-04	0.00000E+00	0.00000E+00
1074	9.50613E-01	2.60942E+01	9.38349E-01	7.47775E-04	0.00000E+00	0.00000E+00
1075	9.30687E-01	2.61180E+01	9.38341E-01	7.47112E-04	0.00000E+00	0.00000E+00

1076	9.32428E-01	2.61410E+01	9.38336E-01	7.46436E-04	0.00000E+00	0.00000E+00
1077	9.48388E-01	2.61638E+01	9.38345E-01	7.45800E-04	0.00000E+00	0.00000E+00
1078	9.21246E-01	2.61877E+01	9.38329E-01	7.45276E-04	0.00000E+00	0.00000E+00
1079	9.22593E-01	2.62123E+01	9.38315E-01	7.44727E-04	0.00000E+00	0.00000E+00
1080	9.16644E-01	2.62352E+01	9.38295E-01	7.44308E-04	0.00000E+00	0.00000E+00
1081	9.18269E-01	2.62590E+01	9.38276E-01	7.43849E-04	0.00000E+00	0.00000E+00
1082	9.55646E-01	2.62828E+01	9.38292E-01	7.43334E-04	0.00000E+00	0.00000E+00
1083	9.44325E-01	2.63057E+01	9.38298E-01	7.42667E-04	0.00000E+00	0.00000E+00
1084	9.25116E-01	2.63295E+01	9.38286E-01	7.42080E-04	0.00000E+00	0.00000E+00
1085	9.03483E-01	2.63533E+01	9.38253E-01	7.42091E-04	0.00000E+00	0.00000E+00
1086	9.44617E-01	2.63772E+01	9.38259E-01	7.41429E-04	0.00000E+00	0.00000E+00
1087	9.16163E-01	2.64008E+01	9.38239E-01	7.41026E-04	0.00000E+00	0.00000E+00
1088	9.07352E-01	2.64247E+01	9.38211E-01	7.40889E-04	0.00000E+00	0.00000E+00
1089	9.43691E-01	2.64485E+01	9.38216E-01	7.40224E-04	0.00000E+00	0.00000E+00
1090	9.03327E-01	2.64723E+01	9.38184E-01	7.40238E-04	0.00000E+00	0.00000E+00
1091	8.88026E-01	2.64980E+01	9.38137E-01	7.40991E-04	0.00000E+00	0.00000E+00
1092	9.54301E-01	2.65208E+01	9.38152E-01	7.40460E-04	0.00000E+00	0.00000E+00
1093	9.83354E-01	2.65455E+01	9.38194E-01	7.40940E-04	0.00000E+00	0.00000E+00
1094	9.30533E-01	2.65693E+01	9.38187E-01	7.40294E-04	0.00000E+00	0.00000E+00
1095	8.99736E-01	2.65932E+01	9.38152E-01	7.40453E-04	0.00000E+00	0.00000E+00
1096	9.45797E-01	2.66170E+01	9.38159E-01	7.39809E-04	0.00000E+00	0.00000E+00
1097	9.46175E-01	2.66388E+01	9.38166E-01	7.39169E-04	0.00000E+00	0.00000E+00
1098	9.66585E-01	2.66618E+01	9.38192E-01	7.38949E-04	0.00000E+00	0.00000E+00
1099	8.97523E-01	2.66857E+01	9.38155E-01	7.39206E-04	0.00000E+00	0.00000E+00
1100	9.75841E-01	2.67093E+01	9.38189E-01	7.39329E-04	0.00000E+00	0.00000E+00
1101	9.90322E-01	2.67323E+01	9.38236E-01	7.40178E-04	0.00000E+00	0.00000E+00
1102	9.22798E-01	2.67552E+01	9.38222E-01	7.39638E-04	0.00000E+00	0.00000E+00
1103	9.27561E-01	2.67772E+01	9.38213E-01	7.39029E-04	0.00000E+00	0.00000E+00
1104	9.31462E-01	2.68010E+01	9.38207E-01	7.38384E-04	0.00000E+00	0.00000E+00
1105	9.63463E-01	2.68238E+01	9.38230E-01	7.38069E-04	0.00000E+00	0.00000E+00
1106	9.54171E-01	2.68467E+01	9.38244E-01	7.37542E-04	0.00000E+00	0.00000E+00
1107	9.37351E-01	2.68697E+01	9.38243E-01	7.36874E-04	0.00000E+00	0.00000E+00
1108	9.05554E-01	2.68933E+01	9.38214E-01	7.36801E-04	0.00000E+00	0.00000E+00
1109	9.05221E-01	2.69182E+01	9.38184E-01	7.36738E-04	0.00000E+00	0.00000E+00
1110	9.85107E-01	2.69402E+01	9.38226E-01	7.37290E-04	0.00000E+00	0.00000E+00
1111	9.12616E-01	2.69648E+01	9.38203E-01	7.36987E-04	0.00000E+00	0.00000E+00
1112	9.67415E-01	2.69877E+01	9.38229E-01	7.36793E-04	0.00000E+00	0.00000E+00
1113	9.12251E-01	2.70115E+01	9.38206E-01	7.36501E-04	0.00000E+00	0.00000E+00
1114	9.62824E-01	2.70362E+01	9.38228E-01	7.36171E-04	0.00000E+00	0.00000E+00
1115	9.18163E-01	2.70592E+01	9.38210E-01	7.35730E-04	0.00000E+00	0.00000E+00
1116	9.22717E-01	2.70828E+01	9.38196E-01	7.35201E-04	0.00000E+00	0.00000E+00
1117	9.57151E-01	2.71058E+01	9.38213E-01	7.34738E-04	0.00000E+00	0.00000E+00
1118	9.74900E-01	2.71297E+01	9.38246E-01	7.34815E-04	0.00000E+00	0.00000E+00
1119	9.64975E-01	2.71525E+01	9.38270E-01	7.34547E-04	0.00000E+00	0.00000E+00
1120	9.47854E-01	2.71753E+01	9.38279E-01	7.33940E-04	0.00000E+00	0.00000E+00
1121	8.98628E-01	2.72000E+01	9.38243E-01	7.34139E-04	0.00000E+00	0.00000E+00
1122	9.10932E-01	2.72248E+01	9.38219E-01	7.33888E-04	0.00000E+00	0.00000E+00
1123	9.24210E-01	2.72487E+01	9.38206E-01	7.33340E-04	0.00000E+00	0.00000E+00
1124	9.16405E-01	2.72723E+01	9.38187E-01	7.32944E-04	0.00000E+00	0.00000E+00
1125	9.38150E-01	2.72962E+01	9.38187E-01	7.32294E-04	0.00000E+00	0.00000E+00
1126	9.58066E-01	2.73190E+01	9.38204E-01	7.31853E-04	0.00000E+00	0.00000E+00
1127	9.10032E-01	2.73428E+01	9.38179E-01	7.31631E-04	0.00000E+00	0.00000E+00
1128	9.10568E-01	2.73677E+01	9.38155E-01	7.31392E-04	0.00000E+00	0.00000E+00
1129	9.11948E-01	2.73913E+01	9.38132E-01	7.31112E-04	0.00000E+00	0.00000E+00
1130	9.35171E-01	2.74143E+01	9.38129E-01	7.30469E-04	0.00000E+00	0.00000E+00
1131	9.33174E-01	2.74380E+01	9.38125E-01	7.29834E-04	0.00000E+00	0.00000E+00
1132	9.55790E-01	2.74610E+01	9.38140E-01	7.29350E-04	0.00000E+00	0.00000E+00
1133	9.43953E-01	2.74848E+01	9.38145E-01	7.28729E-04	0.00000E+00	0.00000E+00
1134	9.17241E-01	2.75085E+01	9.38127E-01	7.28319E-04	0.00000E+00	0.00000E+00
1135	9.29098E-01	2.75323E+01	9.38119E-01	7.27720E-04	0.00000E+00	0.00000E+00
1136	9.31610E-01	2.75553E+01	9.38113E-01	7.27100E-04	0.00000E+00	0.00000E+00
1137	9.31269E-01	2.75782E+01	9.38107E-01	7.26484E-04	0.00000E+00	0.00000E+00
1138	9.69908E-01	2.76010E+01	9.38135E-01	7.26384E-04	0.00000E+00	0.00000E+00
1139	9.45357E-01	2.76238E+01	9.38142E-01	7.25774E-04	0.00000E+00	0.00000E+00
1140	8.99880E-01	2.76468E+01	9.38108E-01	7.25913E-04	0.00000E+00	0.00000E+00
1141	9.18903E-01	2.76707E+01	9.38091E-01	7.25472E-04	0.00000E+00	0.00000E+00
1142	9.57568E-01	2.76935E+01	9.38108E-01	7.25032E-04	0.00000E+00	0.00000E+00
1143	9.66128E-01	2.77163E+01	9.38133E-01	7.24817E-04	0.00000E+00	0.00000E+00
1144	9.84791E-01	2.77393E+01	9.38174E-01	7.25334E-04	0.00000E+00	0.00000E+00
1145	9.45275E-01	2.77630E+01	9.38180E-01	7.24726E-04	0.00000E+00	0.00000E+00
1146	9.25944E-01	2.77860E+01	9.38169E-01	7.24171E-04	0.00000E+00	0.00000E+00
1147	9.37324E-01	2.78097E+01	9.38168E-01	7.23538E-04	0.00000E+00	0.00000E+00
1148	9.13569E-01	2.78345E+01	9.38147E-01	7.23225E-04	0.00000E+00	0.00000E+00
1149	9.56348E-01	2.78573E+01	9.38163E-01	7.22769E-04	0.00000E+00	0.00000E+00
1150	9.30874E-01	2.78802E+01	9.38156E-01	7.22167E-04	0.00000E+00	0.00000E+00
1151	9.42039E-01	2.79032E+01	9.38160E-01	7.21546E-04	0.00000E+00	0.00000E+00
1152	9.08727E-01	2.79278E+01	9.38134E-01	7.21372E-04	0.00000E+00	0.00000E+00
1153	9.44263E-01	2.79517E+01	9.38140E-01	7.20765E-04	0.00000E+00	0.00000E+00
1154	9.56480E-01	2.79745E+01	9.38155E-01	7.20315E-04	0.00000E+00	0.00000E+00
1155	9.50713E-01	2.79973E+01	9.38166E-01	7.19773E-04	0.00000E+00	0.00000E+00
1156	9.14870E-01	2.80203E+01	9.38146E-01	7.19432E-04	0.00000E+00	0.00000E+00
1157	9.40514E-01	2.80442E+01	9.38148E-01	7.18812E-04	0.00000E+00	0.00000E+00
1158	9.67724E-01	2.80670E+01	9.38174E-01	7.18645E-04	0.00000E+00	0.00000E+00
1159	9.04789E-01	2.80908E+01	9.38145E-01	7.18603E-04	0.00000E+00	0.00000E+00
1160	9.67256E-01	2.81137E+01	9.38170E-01	7.18422E-04	0.00000E+00	0.00000E+00
1161	9.71579E-01	2.81375E+01	9.38199E-01	7.18381E-04	0.00000E+00	0.00000E+00
1162	9.04867E-01	2.81622E+01	9.38170E-01	7.18336E-04	0.00000E+00	0.00000E+00
1163	9.36354E-01	2.81860E+01	9.38169E-01	7.17719E-04	0.00000E+00	0.00000E+00
1164	9.26787E-01	2.82098E+01	9.38159E-01	7.17168E-04	0.00000E+00	0.00000E+00
1165	9.48700E-01	2.82337E+01	9.38168E-01	7.16608E-04	0.00000E+00	0.00000E+00
1166	9.28933E-01	2.82573E+01	9.38160E-01	7.16036E-04	0.00000E+00	0.00000E+00
1167	9.48152E-01	2.82803E+01	9.38168E-01	7.15473E-04	0.00000E+00	0.00000E+00
1168	9.48642E-01	2.83032E+01	9.38177E-01	7.14915E-04	0.00000E+00	0.00000E+00
1169	9.45000E-01	2.83260E+01	9.38183E-01	7.14326E-04	0.00000E+00	0.00000E+00
1170	8.99952E-01	2.83498E+01	9.38151E-01	7.14465E-04	0.00000E+00	0.00000E+00
1171	9.35812E-01	2.83727E+01	9.38149E-01	7.13856E-04	0.00000E+00	0.00000E+00
1172	9.25186E-01	2.83965E+01	9.38138E-01	7.13332E-04	0.00000E+00	0.00000E+00
1173	9.19110E-01	2.84203E+01	9.38121E-01	7.12908E-04	0.00000E+00	0.00000E+00
1174	9.42315E-01	2.84432E+01	9.38125E-01	7.12308E-04	0.00000E+00	0.00000E+00
1175	9.04755E-01	2.84670E+01	9.38096E-01	7.12269E-04	0.00000E+00	0.00000E+00
1176	9.66406E-01	2.84998E+01	9.38121E-01	7.12070E-04	0.00000E+00	0.00000E+00
1177	9.58223E-01	2.85337E+01	9.38136E-01	7.11624E-04	0.00000E+00	0.00000E+00
1178	9.47044E-01	2.85375E+01	9.38143E-01	7.11058E-04	0.00000E+00	0.00000E+00
1179	9.15941E-01	2.85603E+01	9.38124E-01	7.10705E-04	0.00000E+00	0.00000E+00
1180	9.59063E-01	2.85833E+01	9.38142E-01	7.10323E-04	0.00000E+00	0.00000E+00
1181	9.03423E-01	2.86070E+01	9.38113E-01	7.10331E-04	0.00000E+00	0.00000E+00
1182	9.16915E-01	2.86308E+01	9.38095E-01	7.09956E-04	0.00000E+00	0.00000E+00
1183	9.05548E-01	2.86547E+01	9.38067E-01	7.09890E-04	0.00000E+00	0.00000E+00

1184	9.47179E-01	2.86785E+01	9.38075E-01	7.09331E-04	0.00000E+00	0.00000E+00
1185	9.60084E-01	2.87013E+01	9.38093E-01	7.08975E-04	0.00000E+00	0.00000E+00
1186	9.56989E-01	2.87243E+01	9.38109E-01	7.08556E-04	0.00000E+00	0.00000E+00
1187	9.08298E-01	2.87472E+01	9.38084E-01	7.08405E-04	0.00000E+00	0.00000E+00
1188	9.48080E-01	2.87710E+01	9.38093E-01	7.07857E-04	0.00000E+00	0.00000E+00
1189	9.44883E-01	2.87957E+01	9.38098E-01	7.07284E-04	0.00000E+00	0.00000E+00
1190	9.18628E-01	2.88203E+01	9.38082E-01	7.06878E-04	0.00000E+00	0.00000E+00
1191	9.34015E-01	2.88433E+01	9.38079E-01	7.06292E-04	0.00000E+00	0.00000E+00
1192	9.63594E-01	2.88670E+01	9.38100E-01	7.06024E-04	0.00000E+00	0.00000E+00
1193	9.68365E-01	2.88908E+01	9.38125E-01	7.05888E-04	0.00000E+00	0.00000E+00
1194	9.39015E-01	2.89137E+01	9.38126E-01	7.05296E-04	0.00000E+00	0.00000E+00
1195	9.56916E-01	2.89375E+01	9.38142E-01	7.04881E-04	0.00000E+00	0.00000E+00
1196	9.53049E-01	2.89605E+01	9.38154E-01	7.04401E-04	0.00000E+00	0.00000E+00
1197	9.20751E-01	2.89842E+01	9.38140E-01	7.03962E-04	0.00000E+00	0.00000E+00
1198	9.36968E-01	2.90072E+01	9.38139E-01	7.03374E-04	0.00000E+00	0.00000E+00
1199	9.03918E-01	2.90310E+01	9.38110E-01	7.03367E-04	0.00000E+00	0.00000E+00
1200	9.39716E-01	2.90538E+01	9.38112E-01	7.02781E-04	0.00000E+00	0.00000E+00
1201	9.27605E-01	2.90777E+01	9.38103E-01	7.02249E-04	0.00000E+00	0.00000E+00
1202	9.20185E-01	2.91005E+01	9.38088E-01	7.01823E-04	0.00000E+00	0.00000E+00
1203	9.79878E-01	2.91225E+01	9.38123E-01	7.02101E-04	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LIFETIME = 1.29025E-04 + OR - 1.25620E-07 GENERATION TIME = 1.00056E-04 + OR - 1.07505E-07
 NU BAR = 2.41912E+00 + OR - 3.78543E-06 AVERAGE FISSION GROUP = 2.46004E+01 + OR - 2.21850E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 3.04781E-02 + OR - 6.68436E-05

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.93813	+ OR - 0.00070	0.93743 TO 0.93884	0.93673 TO 0.93954	0.93603 TO 0.94024	1200000
4	0.93810	+ OR - 0.00070	0.93740 TO 0.93881	0.93670 TO 0.93951	0.93600 TO 0.94021	1199000
5	0.93813	+ OR - 0.00070	0.93743 TO 0.93883	0.93672 TO 0.93953	0.93602 TO 0.94024	1198000
6	0.93811	+ OR - 0.00070	0.93741 TO 0.93881	0.93670 TO 0.93952	0.93600 TO 0.94022	1197000
7	0.93810	+ OR - 0.00070	0.93740 TO 0.93881	0.93670 TO 0.93951	0.93599 TO 0.94022	1196000
8	0.93811	+ OR - 0.00070	0.93741 TO 0.93882	0.93671 TO 0.93952	0.93600 TO 0.94023	1195000
9	0.93809	+ OR - 0.00070	0.93738 TO 0.93879	0.93668 TO 0.93949	0.93597 TO 0.94020	1194000
10	0.93811	+ OR - 0.00070	0.93741 TO 0.93882	0.93670 TO 0.93952	0.93600 TO 0.94023	1193000
11	0.93811	+ OR - 0.00070	0.93741 TO 0.93882	0.93670 TO 0.93952	0.93600 TO 0.94023	1192000
12	0.93814	+ OR - 0.00071	0.93743 TO 0.93884	0.93673 TO 0.93955	0.93602 TO 0.94025	1191000
17	0.93816	+ OR - 0.00071	0.93746 TO 0.93887	0.93675 TO 0.93958	0.93604 TO 0.94028	1186000
22	0.93815	+ OR - 0.00071	0.93744 TO 0.93886	0.93673 TO 0.93957	0.93602 TO 0.94028	1181000
27	0.93812	+ OR - 0.00071	0.93741 TO 0.93883	0.93670 TO 0.93954	0.93599 TO 0.94025	1176000
32	0.93823	+ OR - 0.00071	0.93752 TO 0.93894	0.93680 TO 0.93965	0.93609 TO 0.94036	1171000
37	0.93820	+ OR - 0.00071	0.93749 TO 0.93891	0.93677 TO 0.93963	0.93606 TO 0.94034	1166000
42	0.93824	+ OR - 0.00072	0.93753 TO 0.93896	0.93681 TO 0.93967	0.93610 TO 0.94039	1161000
47	0.93827	+ OR - 0.00072	0.93755 TO 0.93899	0.93683 TO 0.93970	0.93611 TO 0.94042	1156000
52	0.93824	+ OR - 0.00072	0.93752 TO 0.93896	0.93680 TO 0.93968	0.93608 TO 0.94040	1151000
57	0.93818	+ OR - 0.00072	0.93745 TO 0.93890	0.93673 TO 0.93962	0.93601 TO 0.94034	1146000
62	0.93811	+ OR - 0.00072	0.93739 TO 0.93884	0.93667 TO 0.93956	0.93595 TO 0.94028	1141000
67	0.93811	+ OR - 0.00072	0.93739 TO 0.93883	0.93666 TO 0.93956	0.93594 TO 0.94028	1136000
72	0.93807	+ OR - 0.00072	0.93734 TO 0.93879	0.93662 TO 0.93952	0.93589 TO 0.94024	1131000
77	0.93810	+ OR - 0.00073	0.93737 TO 0.93883	0.93665 TO 0.93955	0.93592 TO 0.94028	1126000
82	0.93807	+ OR - 0.00073	0.93735 TO 0.93880	0.93662 TO 0.93953	0.93589 TO 0.94026	1121000
87	0.93810	+ OR - 0.00073	0.93737 TO 0.93883	0.93664 TO 0.93956	0.93591 TO 0.94030	1116000
92	0.93816	+ OR - 0.00073	0.93743 TO 0.93889	0.93669 TO 0.93962	0.93596 TO 0.94036	1111000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.93814	+ OR - 0.00074	0.93740 TO 0.93887	0.93667 TO 0.93961	0.93593 TO 0.94034	1106000
102	0.93818	+ OR - 0.00074	0.93744 TO 0.93892	0.93670 TO 0.93966	0.93597 TO 0.94039	1101000
107	0.93817	+ OR - 0.00074	0.93743 TO 0.93891	0.93669 TO 0.93965	0.93595 TO 0.94039	1096000
112	0.93823	+ OR - 0.00074	0.93749 TO 0.93897	0.93675 TO 0.93971	0.93601 TO 0.94045	1091000
117	0.93817	+ OR - 0.00074	0.93743 TO 0.93891	0.93669 TO 0.93965	0.93594 TO 0.94040	1086000
122	0.93811	+ OR - 0.00074	0.93736 TO 0.93885	0.93662 TO 0.93960	0.93588 TO 0.94034	1081000
127	0.93815	+ OR - 0.00075	0.93740 TO 0.93889	0.93665 TO 0.93964	0.93591 TO 0.94039	1076000
132	0.93812	+ OR - 0.00075	0.93737 TO 0.93887	0.93662 TO 0.93962	0.93587 TO 0.94037	1071000
137	0.93817	+ OR - 0.00075	0.93742 TO 0.93892	0.93667 TO 0.93968	0.93592 TO 0.94043	1066000
142	0.93818	+ OR - 0.00075	0.93742 TO 0.93893	0.93667 TO 0.93968	0.93591 TO 0.94044	1061000
147	0.93820	+ OR - 0.00076	0.93744 TO 0.93895	0.93668 TO 0.93971	0.93592 TO 0.94047	1056000
152	0.93821	+ OR - 0.00076	0.93745 TO 0.93897	0.93669 TO 0.93973	0.93593 TO 0.94049	1051000
157	0.93817	+ OR - 0.00076	0.93741 TO 0.93893	0.93665 TO 0.93970	0.93588 TO 0.94046	1046000
162	0.93819	+ OR - 0.00077	0.93742 TO 0.93895	0.93666 TO 0.93972	0.93589 TO 0.94049	1041000
167	0.93811	+ OR - 0.00077	0.93734 TO 0.93888	0.93658 TO 0.93965	0.93581 TO 0.94042	1036000
172	0.93812	+ OR - 0.00077	0.93735 TO 0.93889	0.93658 TO 0.93966	0.93580 TO 0.94043	1031000
177	0.93802	+ OR - 0.00077	0.93725 TO 0.93879	0.93648 TO 0.93957	0.93571 TO 0.94034	1026000
182	0.93799	+ OR - 0.00077	0.93722 TO 0.93876	0.93644 TO 0.93954	0.93567 TO 0.94031	1021000
187	0.93795	+ OR - 0.00078	0.93717 TO 0.93872	0.93639 TO 0.93950	0.93561 TO 0.94028	1016000
192	0.93791	+ OR - 0.00078	0.93713 TO 0.93869	0.93635 TO 0.93947	0.93557 TO 0.94025	1011000
197	0.93806	+ OR - 0.00078	0.93728 TO 0.93883	0.93650 TO 0.93961	0.93572 TO 0.94039	1006000
202	0.93803	+ OR - 0.00078	0.93725 TO 0.93881	0.93647 TO 0.93959	0.93570 TO 0.94036	1001000
207	0.93799	+ OR - 0.00078	0.93720 TO 0.93877	0.93642 TO 0.93955	0.93564 TO 0.94033	996000
212	0.93788	+ OR - 0.00078	0.93710 TO 0.93866	0.93632 TO 0.93944	0.93554 TO 0.94022	991000
217	0.93787	+ OR - 0.00078	0.93708 TO 0.93865	0.93630 TO 0.93944	0.93552 TO 0.94022	986000
222	0.93783	+ OR - 0.00079	0.93704 TO 0.93862	0.93626 TO 0.93940	0.93547 TO 0.94019	981000
227	0.93783	+ OR - 0.00079	0.93705 TO 0.93862	0.93626 TO 0.93940	0.93547 TO 0.94019	976000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
232	0.93786	+ OR - 0.00079	0.93707	TO 0.93865	0.93628	TO 0.93943	0.93550	TO 0.94022	971000
237	0.93786	+ OR - 0.00079	0.93707	TO 0.93864	0.93628	TO 0.93943	0.93549	TO 0.94022	966000
242	0.93777	+ OR - 0.00079	0.93698	TO 0.93856	0.93619	TO 0.93934	0.93541	TO 0.94013	961000
247	0.93776	+ OR - 0.00079	0.93697	TO 0.93855	0.93618	TO 0.93934	0.93539	TO 0.94013	956000
252	0.93777	+ OR - 0.00079	0.93698	TO 0.93856	0.93618	TO 0.93935	0.93539	TO 0.94014	951000
257	0.93773	+ OR - 0.00079	0.93693	TO 0.93852	0.93614	TO 0.93931	0.93535	TO 0.94011	946000
262	0.93771	+ OR - 0.00080	0.93691	TO 0.93851	0.93612	TO 0.93930	0.93532	TO 0.94010	941000
267	0.93776	+ OR - 0.00080	0.93696	TO 0.93856	0.93616	TO 0.93935	0.93536	TO 0.94015	936000
272	0.93771	+ OR - 0.00080	0.93691	TO 0.93852	0.93611	TO 0.93932	0.93531	TO 0.94012	931000
277	0.93778	+ OR - 0.00080	0.93697	TO 0.93858	0.93617	TO 0.93938	0.93537	TO 0.94019	926000
282	0.93769	+ OR - 0.00081	0.93689	TO 0.93850	0.93608	TO 0.93931	0.93528	TO 0.94011	921000
287	0.93758	+ OR - 0.00081	0.93678	TO 0.93839	0.93597	TO 0.93920	0.93516	TO 0.94001	916000
292	0.93764	+ OR - 0.00081	0.93683	TO 0.93844	0.93602	TO 0.93925	0.93522	TO 0.94005	911000
297	0.93769	+ OR - 0.00081	0.93688	TO 0.93849	0.93607	TO 0.93930	0.93526	TO 0.94011	906000
302	0.93768	+ OR - 0.00081	0.93687	TO 0.93849	0.93606	TO 0.93931	0.93525	TO 0.94012	901000
307	0.93771	+ OR - 0.00082	0.93689	TO 0.93853	0.93608	TO 0.93934	0.93526	TO 0.94016	896000
312	0.93770	+ OR - 0.00082	0.93688	TO 0.93852	0.93606	TO 0.93933	0.93525	TO 0.94015	891000
317	0.93768	+ OR - 0.00082	0.93686	TO 0.93851	0.93604	TO 0.93933	0.93522	TO 0.94015	886000
322	0.93773	+ OR - 0.00083	0.93691	TO 0.93856	0.93608	TO 0.93938	0.93526	TO 0.94021	881000
327	0.93769	+ OR - 0.00083	0.93687	TO 0.93852	0.93604	TO 0.93935	0.93522	TO 0.94017	876000
332	0.93768	+ OR - 0.00083	0.93685	TO 0.93851	0.93602	TO 0.93934	0.93519	TO 0.94016	871000
337	0.93769	+ OR - 0.00083	0.93686	TO 0.93852	0.93603	TO 0.93935	0.93520	TO 0.94019	866000
342	0.93774	+ OR - 0.00084	0.93691	TO 0.93858	0.93607	TO 0.93941	0.93523	TO 0.94025	861000
347	0.93782	+ OR - 0.00084	0.93698	TO 0.93865	0.93614	TO 0.93949	0.93530	TO 0.94033	856000
352	0.93783	+ OR - 0.00084	0.93699	TO 0.93867	0.93614	TO 0.93952	0.93530	TO 0.94036	851000
357	0.93785	+ OR - 0.00085	0.93700	TO 0.93870	0.93615	TO 0.93954	0.93531	TO 0.94039	846000
362	0.93777	+ OR - 0.00085	0.93692	TO 0.93862	0.93607	TO 0.93947	0.93522	TO 0.94032	841000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
367	0.93778	+ OR - 0.00085	0.93692 TO 0.93863	0.93607 TO 0.93948	0.93522 TO 0.94034	836000
372	0.93770	+ OR - 0.00086	0.93684 TO 0.93855	0.93598 TO 0.93941	0.93513 TO 0.94027	831000
377	0.93781	+ OR - 0.00086	0.93695 TO 0.93867	0.93609 TO 0.93953	0.93523 TO 0.94039	826000
382	0.93788	+ OR - 0.00086	0.93702 TO 0.93875	0.93616 TO 0.93961	0.93530 TO 0.94047	821000
387	0.93788	+ OR - 0.00087	0.93702 TO 0.93875	0.93615 TO 0.93962	0.93529 TO 0.94048	816000
392	0.93793	+ OR - 0.00087	0.93706 TO 0.93880	0.93619 TO 0.93967	0.93532 TO 0.94054	811000
397	0.93783	+ OR - 0.00087	0.93696 TO 0.93870	0.93609 TO 0.93958	0.93521 TO 0.94045	806000
402	0.93782	+ OR - 0.00087	0.93694 TO 0.93869	0.93607 TO 0.93956	0.93520 TO 0.94044	801000
407	0.93788	+ OR - 0.00088	0.93700 TO 0.93875	0.93612 TO 0.93963	0.93524 TO 0.94051	796000
412	0.93789	+ OR - 0.00088	0.93701 TO 0.93877	0.93613 TO 0.93965	0.93525 TO 0.94053	791000
417	0.93784	+ OR - 0.00088	0.93695 TO 0.93872	0.93607 TO 0.93960	0.93519 TO 0.94048	786000
422	0.93792	+ OR - 0.00088	0.93704 TO 0.93881	0.93615 TO 0.93969	0.93527 TO 0.94058	781000
427	0.93776	+ OR - 0.00089	0.93687 TO 0.93865	0.93599 TO 0.93953	0.93510 TO 0.94042	776000
432	0.93765	+ OR - 0.00089	0.93677 TO 0.93854	0.93588 TO 0.93943	0.93499 TO 0.94031	771000
437	0.93762	+ OR - 0.00089	0.93673 TO 0.93851	0.93584 TO 0.93940	0.93495 TO 0.94030	766000
442	0.93757	+ OR - 0.00090	0.93668 TO 0.93847	0.93578 TO 0.93936	0.93489 TO 0.94026	761000
447	0.93765	+ OR - 0.00090	0.93675 TO 0.93855	0.93585 TO 0.93945	0.93496 TO 0.94035	756000
452	0.93759	+ OR - 0.00090	0.93669 TO 0.93849	0.93578 TO 0.93939	0.93488 TO 0.94029	751000
457	0.93778	+ OR - 0.00090	0.93688 TO 0.93868	0.93597 TO 0.93958	0.93507 TO 0.94048	746000
462	0.93784	+ OR - 0.00090	0.93693 TO 0.93874	0.93603 TO 0.93964	0.93513 TO 0.94055	741000
467	0.93795	+ OR - 0.00090	0.93705 TO 0.93886	0.93615 TO 0.93976	0.93524 TO 0.94067	736000
472	0.93796	+ OR - 0.00091	0.93705 TO 0.93887	0.93614 TO 0.93978	0.93524 TO 0.94068	731000
477	0.93800	+ OR - 0.00091	0.93709 TO 0.93891	0.93618 TO 0.93982	0.93527 TO 0.94073	726000
482	0.93809	+ OR - 0.00091	0.93718 TO 0.93901	0.93627 TO 0.93992	0.93536 TO 0.94083	721000
487	0.93801	+ OR - 0.00092	0.93709 TO 0.93892	0.93618 TO 0.93984	0.93526 TO 0.94075	716000
492	0.93798	+ OR - 0.00092	0.93707 TO 0.93890	0.93615 TO 0.93982	0.93524 TO 0.94073	711000
497	0.93787	+ OR - 0.00092	0.93695 TO 0.93879	0.93603 TO 0.93971	0.93511 TO 0.94063	706000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
502	0.93787	+ OR - 0.00092	0.93695 TO 0.93880	0.93603 TO 0.93972	0.93510 TO 0.94065	701000
507	0.93789	+ OR - 0.00093	0.93696 TO 0.93882	0.93604 TO 0.93975	0.93511 TO 0.94068	696000
512	0.93795	+ OR - 0.00093	0.93702 TO 0.93888	0.93609 TO 0.93981	0.93515 TO 0.94075	691000
517	0.93796	+ OR - 0.00094	0.93702 TO 0.93889	0.93608 TO 0.93983	0.93515 TO 0.94077	686000
522	0.93794	+ OR - 0.00094	0.93700 TO 0.93889	0.93606 TO 0.93983	0.93511 TO 0.94077	681000
527	0.93801	+ OR - 0.00094	0.93707 TO 0.93896	0.93612 TO 0.93990	0.93518 TO 0.94085	676000
532	0.93808	+ OR - 0.00095	0.93713 TO 0.93902	0.93618 TO 0.93997	0.93523 TO 0.94092	671000
537	0.93812	+ OR - 0.00095	0.93717 TO 0.93908	0.93622 TO 0.94003	0.93526 TO 0.94098	666000
542	0.93816	+ OR - 0.00096	0.93720 TO 0.93912	0.93624 TO 0.94007	0.93529 TO 0.94103	661000
547	0.93799	+ OR - 0.00096	0.93703 TO 0.93895	0.93607 TO 0.93991	0.93511 TO 0.94087	656000
552	0.93805	+ OR - 0.00097	0.93709 TO 0.93902	0.93612 TO 0.93999	0.93515 TO 0.94095	651000
557	0.93804	+ OR - 0.00097	0.93707 TO 0.93901	0.93609 TO 0.93998	0.93512 TO 0.94095	646000
562	0.93795	+ OR - 0.00097	0.93698 TO 0.93892	0.93600 TO 0.93990	0.93503 TO 0.94087	641000
567	0.93806	+ OR - 0.00098	0.93708 TO 0.93904	0.93610 TO 0.94002	0.93512 TO 0.94099	636000
572	0.93800	+ OR - 0.00098	0.93702 TO 0.93898	0.93603 TO 0.93997	0.93505 TO 0.94095	631000
577	0.93800	+ OR - 0.00098	0.93702 TO 0.93899	0.93604 TO 0.93997	0.93505 TO 0.94095	626000
582	0.93799	+ OR - 0.00099	0.93700 TO 0.93898	0.93601 TO 0.93997	0.93502 TO 0.94095	621000
587	0.93795	+ OR - 0.00099	0.93696 TO 0.93895	0.93597 TO 0.93994	0.93498 TO 0.94093	616000
592	0.93791	+ OR - 0.00100	0.93692 TO 0.93891	0.93592 TO 0.93990	0.93492 TO 0.94090	611000
597	0.93779	+ OR - 0.00099	0.93679 TO 0.93878	0.93580 TO 0.93977	0.93481 TO 0.94077	606000
602	0.93779	+ OR - 0.00099	0.93679 TO 0.93878	0.93580 TO 0.93977	0.93481 TO 0.94076	601000
607	0.93773	+ OR - 0.00100	0.93673 TO 0.93872	0.93573 TO 0.93972	0.93474 TO 0.94072	596000
612	0.93763	+ OR - 0.00100	0.93663 TO 0.93863	0.93563 TO 0.93963	0.93462 TO 0.94063	591000
617	0.93767	+ OR - 0.00101	0.93667 TO 0.93868	0.93566 TO 0.93969	0.93465 TO 0.94070	586000
622	0.93761	+ OR - 0.00101	0.93661 TO 0.93862	0.93560 TO 0.93963	0.93459 TO 0.94064	581000
627	0.93762	+ OR - 0.00101	0.93660 TO 0.93863	0.93559 TO 0.93964	0.93458 TO 0.94066	576000
632	0.93749	+ OR - 0.00101	0.93647 TO 0.93850	0.93546 TO 0.93952	0.93444 TO 0.94053	571000


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
637	0.93742	+ OR - 0.00102	0.93641 TO 0.93844	0.93539 TO 0.93945	0.93438 TO 0.94047	566000
642	0.93724	+ OR - 0.00102	0.93622 TO 0.93825	0.93521 TO 0.93927	0.93419 TO 0.94028	561000
647	0.93724	+ OR - 0.00102	0.93622 TO 0.93827	0.93519 TO 0.93929	0.93417 TO 0.94032	556000
652	0.93729	+ OR - 0.00103	0.93626 TO 0.93832	0.93523 TO 0.93935	0.93420 TO 0.94038	551000
657	0.93729	+ OR - 0.00104	0.93625 TO 0.93833	0.93522 TO 0.93936	0.93418 TO 0.94040	546000
662	0.93725	+ OR - 0.00104	0.93621 TO 0.93829	0.93517 TO 0.93933	0.93413 TO 0.94037	541000
667	0.93728	+ OR - 0.00105	0.93623 TO 0.93833	0.93518 TO 0.93938	0.93413 TO 0.94043	536000
672	0.93721	+ OR - 0.00106	0.93615 TO 0.93826	0.93509 TO 0.93932	0.93403 TO 0.94038	531000
677	0.93710	+ OR - 0.00106	0.93604 TO 0.93817	0.93498 TO 0.93923	0.93391 TO 0.94030	526000
682	0.93696	+ OR - 0.00107	0.93589 TO 0.93803	0.93482 TO 0.93910	0.93375 TO 0.94017	521000
687	0.93684	+ OR - 0.00107	0.93577 TO 0.93792	0.93470 TO 0.93899	0.93362 TO 0.94006	516000
692	0.93688	+ OR - 0.00108	0.93580 TO 0.93796	0.93472 TO 0.93904	0.93364 TO 0.94012	511000
697	0.93700	+ OR - 0.00108	0.93592 TO 0.93808	0.93483 TO 0.93916	0.93375 TO 0.94024	506000
702	0.93694	+ OR - 0.00109	0.93585 TO 0.93803	0.93477 TO 0.93911	0.93368 TO 0.94020	501000
707	0.93703	+ OR - 0.00109	0.93593 TO 0.93812	0.93484 TO 0.93921	0.93375 TO 0.94031	496000
712	0.93686	+ OR - 0.00110	0.93576 TO 0.93796	0.93466 TO 0.93906	0.93356 TO 0.94016	491000
717	0.93697	+ OR - 0.00110	0.93586 TO 0.93807	0.93476 TO 0.93918	0.93365 TO 0.94028	486000
722	0.93712	+ OR - 0.00111	0.93601 TO 0.93824	0.93490 TO 0.93935	0.93379 TO 0.94046	481000
727	0.93710	+ OR - 0.00112	0.93598 TO 0.93821	0.93487 TO 0.93933	0.93375 TO 0.94044	476000
732	0.93688	+ OR - 0.00112	0.93575 TO 0.93800	0.93463 TO 0.93912	0.93351 TO 0.94024	471000
737	0.93684	+ OR - 0.00113	0.93571 TO 0.93797	0.93458 TO 0.93910	0.93345 TO 0.94023	466000
742	0.93684	+ OR - 0.00114	0.93570 TO 0.93798	0.93456 TO 0.93912	0.93342 TO 0.94026	461000
747	0.93684	+ OR - 0.00115	0.93569 TO 0.93799	0.93454 TO 0.93914	0.93339 TO 0.94028	456000
752	0.93667	+ OR - 0.00115	0.93552 TO 0.93782	0.93436 TO 0.93898	0.93321 TO 0.94013	451000
757	0.93674	+ OR - 0.00116	0.93558 TO 0.93791	0.93442 TO 0.93907	0.93325 TO 0.94024	446000
762	0.93666	+ OR - 0.00117	0.93549 TO 0.93784	0.93432 TO 0.93901	0.93315 TO 0.94018	441000
767	0.93632	+ OR - 0.00117	0.93515 TO 0.93749	0.93397 TO 0.93866	0.93280 TO 0.93984	436000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
772	0.93637	+ OR - 0.00118	0.93519 TO 0.93755	0.93401 TO 0.93873	0.93283 TO 0.93991	431000
777	0.93642	+ OR - 0.00119	0.93523 TO 0.93760	0.93404 TO 0.93879	0.93286 TO 0.93997	426000
782	0.93638	+ OR - 0.00119	0.93519 TO 0.93757	0.93400 TO 0.93876	0.93281 TO 0.93995	421000
787	0.93620	+ OR - 0.00120	0.93500 TO 0.93739	0.93381 TO 0.93859	0.93261 TO 0.93979	416000
792	0.93620	+ OR - 0.00121	0.93499 TO 0.93741	0.93378 TO 0.93861	0.93257 TO 0.93982	411000
797	0.93618	+ OR - 0.00122	0.93496 TO 0.93739	0.93374 TO 0.93861	0.93252 TO 0.93983	406000
802	0.93617	+ OR - 0.00123	0.93494 TO 0.93740	0.93372 TO 0.93862	0.93249 TO 0.93985	401000
807	0.93637	+ OR - 0.00124	0.93513 TO 0.93761	0.93390 TO 0.93885	0.93266 TO 0.94008	396000
812	0.93651	+ OR - 0.00125	0.93526 TO 0.93776	0.93401 TO 0.93901	0.93276 TO 0.94026	391000
817	0.93651	+ OR - 0.00126	0.93525 TO 0.93776	0.93399 TO 0.93902	0.93273 TO 0.94028	386000
822	0.93648	+ OR - 0.00127	0.93520 TO 0.93775	0.93393 TO 0.93903	0.93266 TO 0.94030	381000
827	0.93649	+ OR - 0.00129	0.93520 TO 0.93778	0.93391 TO 0.93906	0.93263 TO 0.94035	376000
832	0.93639	+ OR - 0.00130	0.93509 TO 0.93770	0.93379 TO 0.93900	0.93249 TO 0.94030	371000
837	0.93618	+ OR - 0.00130	0.93489 TO 0.93748	0.93359 TO 0.93878	0.93230 TO 0.94007	366000
842	0.93619	+ OR - 0.00130	0.93488 TO 0.93749	0.93358 TO 0.93879	0.93228 TO 0.94010	361000
847	0.93631	+ OR - 0.00132	0.93499 TO 0.93762	0.93367 TO 0.93894	0.93235 TO 0.94026	356000
852	0.93636	+ OR - 0.00133	0.93503 TO 0.93769	0.93370 TO 0.93902	0.93237 TO 0.94035	351000
857	0.93633	+ OR - 0.00133	0.93499 TO 0.93766	0.93366 TO 0.93899	0.93233 TO 0.94032	346000
862	0.93625	+ OR - 0.00135	0.93491 TO 0.93760	0.93356 TO 0.93895	0.93221 TO 0.94030	341000
867	0.93648	+ OR - 0.00136	0.93512 TO 0.93784	0.93375 TO 0.93921	0.93239 TO 0.94057	336000
872	0.93625	+ OR - 0.00137	0.93488 TO 0.93761	0.93351 TO 0.93898	0.93215 TO 0.94035	331000
877	0.93623	+ OR - 0.00138	0.93486 TO 0.93761	0.93348 TO 0.93899	0.93210 TO 0.94037	326000
882	0.93646	+ OR - 0.00139	0.93506 TO 0.93785	0.93367 TO 0.93924	0.93228 TO 0.94063	321000
887	0.93669	+ OR - 0.00139	0.93531 TO 0.93808	0.93392 TO 0.93947	0.93254 TO 0.94085	316000
892	0.93658	+ OR - 0.00140	0.93518 TO 0.93798	0.93378 TO 0.93938	0.93238 TO 0.94079	311000
897	0.93668	+ OR - 0.00142	0.93526 TO 0.93810	0.93384 TO 0.93952	0.93242 TO 0.94093	306000
902	0.93683	+ OR - 0.00143	0.93539 TO 0.93826	0.93396 TO 0.93969	0.93253 TO 0.94112	301000


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
907	0.93678	+ OR - 0.00145	0.93534 TO 0.93823	0.93389 TO 0.93968	0.93244 TO 0.94113	296000
912	0.93674	+ OR - 0.00147	0.93527 TO 0.93821	0.93381 TO 0.93967	0.93234 TO 0.94114	291000
917	0.93680	+ OR - 0.00149	0.93531 TO 0.93828	0.93382 TO 0.93977	0.93234 TO 0.94126	286000
922	0.93685	+ OR - 0.00151	0.93534 TO 0.93836	0.93383 TO 0.93987	0.93231 TO 0.94138	281000
927	0.93685	+ OR - 0.00151	0.93534 TO 0.93837	0.93383 TO 0.93988	0.93231 TO 0.94140	276000
932	0.93657	+ OR - 0.00152	0.93505 TO 0.93809	0.93353 TO 0.93961	0.93201 TO 0.94113	271000
937	0.93656	+ OR - 0.00153	0.93502 TO 0.93809	0.93349 TO 0.93962	0.93196 TO 0.94116	266000
942	0.93636	+ OR - 0.00153	0.93483 TO 0.93789	0.93329 TO 0.93942	0.93176 TO 0.94095	261000
947	0.93636	+ OR - 0.00156	0.93481 TO 0.93792	0.93325 TO 0.93948	0.93169 TO 0.94104	256000
952	0.93614	+ OR - 0.00158	0.93456 TO 0.93772	0.93298 TO 0.93931	0.93139 TO 0.94089	251000
957	0.93610	+ OR - 0.00160	0.93449 TO 0.93770	0.93289 TO 0.93930	0.93128 TO 0.94091	246000
962	0.93616	+ OR - 0.00163	0.93453 TO 0.93779	0.93290 TO 0.93942	0.93127 TO 0.94105	241000
967	0.93619	+ OR - 0.00164	0.93455 TO 0.93783	0.93291 TO 0.93947	0.93127 TO 0.94111	236000
972	0.93618	+ OR - 0.00167	0.93451 TO 0.93785	0.93284 TO 0.93953	0.93117 TO 0.94120	231000
977	0.93636	+ OR - 0.00168	0.93468 TO 0.93804	0.93300 TO 0.93973	0.93132 TO 0.94141	226000
982	0.93612	+ OR - 0.00170	0.93442 TO 0.93782	0.93271 TO 0.93953	0.93101 TO 0.94123	221000
987	0.93628	+ OR - 0.00172	0.93457 TO 0.93800	0.93285 TO 0.93972	0.93113 TO 0.94144	216000
992	0.93621	+ OR - 0.00174	0.93447 TO 0.93795	0.93273 TO 0.93969	0.93098 TO 0.94144	211000
997	0.93597	+ OR - 0.00176	0.93421 TO 0.93773	0.93245 TO 0.93949	0.93070 TO 0.94125	206000
1002	0.93598	+ OR - 0.00180	0.93418 TO 0.93778	0.93238 TO 0.93958	0.93058 TO 0.94138	201000
1007	0.93575	+ OR - 0.00183	0.93392 TO 0.93758	0.93209 TO 0.93941	0.93026 TO 0.94124	196000
1012	0.93518	+ OR - 0.00186	0.93333 TO 0.93704	0.93147 TO 0.93889	0.92962 TO 0.94075	191000
1017	0.93514	+ OR - 0.00190	0.93324 TO 0.93703	0.93135 TO 0.93893	0.92945 TO 0.94082	186000
1022	0.93565	+ OR - 0.00193	0.93372 TO 0.93758	0.93178 TO 0.93951	0.92985 TO 0.94145	181000
1027	0.93618	+ OR - 0.00195	0.93423 TO 0.93814	0.93228 TO 0.94009	0.93033 TO 0.94204	176000
1032	0.93561	+ OR - 0.00196	0.93365 TO 0.93756	0.93170 TO 0.93952	0.92974 TO 0.94148	171000
1037	0.93620	+ OR - 0.00198	0.93422 TO 0.93818	0.93224 TO 0.94016	0.93026 TO 0.94214	166000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
1042	0.93585	+ OR - 0.00201	0.93384	TO 0.93786	0.93183	TO 0.93987	0.92982	TO 0.94187	161000
1047	0.93583	+ OR - 0.00195	0.93388	TO 0.93778	0.93193	TO 0.93973	0.92998	TO 0.94168	156000
1052	0.93632	+ OR - 0.00197	0.93435	TO 0.93829	0.93239	TO 0.94026	0.93042	TO 0.94223	151000
1057	0.93610	+ OR - 0.00195	0.93415	TO 0.93805	0.93220	TO 0.94000	0.93025	TO 0.94195	146000
1062	0.93566	+ OR - 0.00199	0.93367	TO 0.93766	0.93168	TO 0.93965	0.92969	TO 0.94164	141000
1067	0.93582	+ OR - 0.00197	0.93385	TO 0.93779	0.93188	TO 0.93976	0.92991	TO 0.94173	136000
1072	0.93621	+ OR - 0.00201	0.93421	TO 0.93822	0.93220	TO 0.94022	0.93020	TO 0.94223	131000
1077	0.93622	+ OR - 0.00207	0.93415	TO 0.93830	0.93208	TO 0.94037	0.93000	TO 0.94245	126000
1082	0.93661	+ OR - 0.00214	0.93447	TO 0.93875	0.93234	TO 0.94088	0.93020	TO 0.94302	121000
1087	0.93703	+ OR - 0.00220	0.93484	TO 0.93923	0.93264	TO 0.94143	0.93044	TO 0.94363	116000
1092	0.93783	+ OR - 0.00221	0.93562	TO 0.94004	0.93341	TO 0.94225	0.93120	TO 0.94446	111000
1097	0.93768	+ OR - 0.00224	0.93544	TO 0.93992	0.93319	TO 0.94216	0.93095	TO 0.94440	106000
1102	0.93704	+ OR - 0.00220	0.93483	TO 0.93924	0.93263	TO 0.94144	0.93043	TO 0.94364	101000
1107	0.93674	+ OR - 0.00229	0.93445	TO 0.93903	0.93216	TO 0.94132	0.92987	TO 0.94361	96000
1112	0.93682	+ OR - 0.00226	0.93456	TO 0.93909	0.93229	TO 0.94135	0.93003	TO 0.94362	91000
1117	0.93695	+ OR - 0.00233	0.93462	TO 0.93928	0.93228	TO 0.94161	0.92995	TO 0.94395	86000
1122	0.93679	+ OR - 0.00233	0.93446	TO 0.93913	0.93213	TO 0.94146	0.92980	TO 0.94379	81000
1127	0.93728	+ OR - 0.00242	0.93486	TO 0.93971	0.93243	TO 0.94213	0.93001	TO 0.94456	76000
1132	0.93784	+ OR - 0.00253	0.93531	TO 0.94037	0.93279	TO 0.94290	0.93026	TO 0.94543	71000
1137	0.93839	+ OR - 0.00269	0.93570	TO 0.94108	0.93300	TO 0.94378	0.93031	TO 0.94647	66000
1142	0.93839	+ OR - 0.00276	0.93564	TO 0.94115	0.93288	TO 0.94391	0.93012	TO 0.94667	61000
1147	0.93719	+ OR - 0.00283	0.93436	TO 0.94002	0.93153	TO 0.94285	0.92870	TO 0.94568	56000
1152	0.93786	+ OR - 0.00299	0.93487	TO 0.94086	0.93188	TO 0.94385	0.92889	TO 0.94684	51000
1157	0.93748	+ OR - 0.00324	0.93424	TO 0.94072	0.93100	TO 0.94396	0.92776	TO 0.94720	46000
1162	0.93678	+ OR - 0.00318	0.93360	TO 0.93996	0.93041	TO 0.94315	0.92723	TO 0.94633	41000
1167	0.93664	+ OR - 0.00358	0.93306	TO 0.94022	0.92947	TO 0.94381	0.92589	TO 0.94739	36000
1172	0.93756	+ OR - 0.00394	0.93362	TO 0.94151	0.92968	TO 0.94545	0.92573	TO 0.94939	31000

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
1177	0.93754	+ OR - 0.00427	0.93327 TO 0.94181	0.92900 TO 0.94608	0.92473 TO 0.95035	26000
1182	0.93970	+ OR - 0.00467	0.93503 TO 0.94437	0.93036 TO 0.94903	0.92569 TO 0.95370	21000
1187	0.94097	+ OR - 0.00508	0.93589 TO 0.94606	0.93080 TO 0.95114	0.92572 TO 0.95623	16000
1192	0.94058	+ OR - 0.00679	0.93379 TO 0.94737	0.92699 TO 0.95417	0.92020 TO 0.96096	11000
1197	0.93471	+ OR - 0.01046	0.92426 TO 0.94517	0.91380 TO 0.95562	0.90334 TO 0.96608	6000



105 I * I
I I I
I I I
I I I
I I I
110 I * I
I I I
I I I
I I I
I I I
115 I * I
I I I
I I I
I I I
I I I
120 I * I
I I I
I I I
I I I
I I I
125 I * I
I I I
I I I
I I I
I I I
130 I * I
I I I
I I I
I I I
I I I
135 I * I
I I I
I I I
I I I
I I I
140 I * I
I I I
I I I
I I I
I I I
145 I * I
I I I
I I I
I I I
I I I
150 I * I
I I I
I I I
I I I
I I I
155 I * I
I I I
I I I
I I I
I I I
160 I * I
I I I
I I I
I I I
I I I
165 I * I
I I I
I I I
I I I
I I I
170 I * I
I I I
I I I
I I I
I I I
175 I * I
I I I
I I I
I I I
I I I
180 I * I
I I I
I I I
I I I
I I I
185 I * I
I I I
I I I
I I I
I I I
190 I * I
I I I
I I I
I I I
I I I
195 I * I
I I I
I I I
I I I
I I I
200 I * I
I I I
I I I
I I I
I I I
205 I * I
I I I
I I I
I I I
I I I
210 I * I
I I I
I I I




430 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
435 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
440 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
445 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
450 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
455 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
460 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
465 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
470 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
475 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
480 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
485 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
490 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
495 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
500 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
505 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
510 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
515 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
520 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
525 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
530 + I* I
I* I
I* I
I* I
I* I
I* I
I* I
535 + I* I
I* I

645	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
650	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
655	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
660	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
665	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
670	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
675	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
680	I*I
	I* I
	I* I
	I* I
	I*I
685	I* I
	I* I
	I* I
	I* I
	I* I
690	I* I
	I* I
	I* I
	I* I
	I* I
695	I* I
	I*I
	I*I
	I*I
	I*I
	I*I
700	I* I
	I* I
	I*I
	I*I
	I*I
	I*I
705	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
710	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
715	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
720	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
725	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
730	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
735	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
740	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
745	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
750	I*I
	I*I
	I*I


860	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
865	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
870	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
875	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
880	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
885	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
890	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
895	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
900	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
905	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
910	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
915	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
920	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
925	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
930	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
935	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
940	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
945	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
950	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
955	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
960	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
965	I*I
	I*I
	I*I
	I*I


1080	I*
	I*
	I*
	I*
	*I
	*I
	*I
	*I
	*I
1085	*I
	*I
	I*I
	I*I
	I*I
1090	I*I
	I*I
	I*I
	I*I
	I*I
1095	I*I
	I*I
	I*I
	I*I
	I*I
1100	I*I
	I*I
	I*I
	I*I
	I*I
1105	I*I
	I*I
	I*I
	I*I
	I*I
1110	I*I
	I*I
	I*I
	I*I
	I*I
1115	I*I
	I*I
	I*I
	I*I
	*I
	*I
1120	*I
	*I
	I*I
	I*I
	I*I
	I*I
1125	I*I
	I*I
	I*I
	I*I
	I*I
1130	I*I
	I*I
	I*I
	I*I
	I*I
1135	I*I
	I*I
	I*I
	I*I
	I*I
1140	I*I
	I*I
	I*I
	I*I
	I*I
1145	I*I
	I*I
	I*I
	I*I
	I*I
1150	I*I
	I*I
	I*I
	I*I
	I*I
1155	I*I
	I*I
	I*I
	I*I
	I*I
1160	I*I
	I*I
	I*I
	I*I
	I*I
1165	I*I
	I*I
	I*I
	I*I
	I*I
1170	I*I
	I*I
	I*I
	I*I
	I*I
1175	I*I
	I*I
	I*I
	I*I
	I*I
1180	I*I
	I*I
	I*I
	I*I
	I*I


1185	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
1190	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
1195	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
	I*I
1200	I*I
	I*I
	I*I
	I*I
	I*I




320 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
325 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
330 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
335 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
340 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
345 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
350 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
355 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
360 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
365 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
370 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
375 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
380 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
385 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
390 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
395 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
400 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
405 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
410 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
415 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
420 + I * I
I * I
I * I
I * I
I * I
I * I
I * I
425 + I * I
I * I
I * I
I * I









SKIPPING 3 GENERATIONS									
GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0001			1.16021E-04	2.7239	1.28235E-03	0.8058	0.00000E+00	0.0000
2	0.0006			5.37105E-04	0.8501	2.61916E-03	0.2615	0.00000E+00	0.0000
3	0.0007			6.36084E-04	0.7171	5.64053E-04	0.4240	0.00000E+00	0.0000
4	0.0004			3.65024E-04	0.9455	3.10795E-04	0.5413	0.00000E+00	0.0000
5	0.0005			4.85982E-04	0.7449	6.75654E-04	0.3927	0.00000E+00	0.0000
6	0.0007			6.37578E-04	0.5699	2.36923E-03	0.3594	0.00000E+00	0.0000
7	0.0007			6.46534E-04	0.6280	4.51992E-03	0.3858	0.00000E+00	0.0000
8	0.0007			6.55531E-04	0.9764	3.63595E-03	0.4314	0.00000E+00	0.0000
9	0.0010			8.92779E-04	1.2147	3.58812E-03	0.4163	0.00000E+00	0.0000
10	0.0021			1.93895E-03	1.1809	9.08369E-03	0.4190	0.00000E+00	0.0000
11	0.0045			4.25875E-03	1.0450	1.16783E-02	0.4192	0.00000E+00	0.0000
12	0.0065			6.08684E-03	1.0529	1.03751E-02	0.4893	0.00000E+00	0.0000
13	0.0065			6.06546E-03	1.0763	1.32515E-02	0.4720	0.00000E+00	0.0000
14	0.0058			5.39501E-03	1.0500	1.70211E-02	0.3958	0.00000E+00	0.0000
15	0.0011			1.02704E-03	1.8212	8.80660E-03	0.4769	0.00000E+00	0.0000
16	0.0007			6.78870E-04	2.4958	5.05885E-03	0.5069	0.00000E+00	0.0000
17	0.0011			1.05328E-03	2.8411	2.85075E-03	0.7361	0.00000E+00	0.0000
18	0.0016			1.50301E-03	2.6453	2.74035E-03	0.8076	0.00000E+00	0.0000
19	0.0019			1.78180E-03	2.2783	4.58632E-03	0.6086	0.00000E+00	0.0000
20	0.0085			7.96153E-03	1.1565	1.62386E-02	0.4304	0.00000E+00	0.0000
21	0.0048			4.51121E-03	1.6031	6.50981E-03	0.6547	0.00000E+00	0.0000
22	0.0131			1.22697E-02	1.0000	1.52535E-02	0.4896	0.00000E+00	0.0000
23	0.0755			7.08406E-02	0.3751	8.10936E-02	0.1957	0.00000E+00	0.0000
24	0.2215			2.07785E-01	0.2114	2.11288E-01	0.1123	0.00000E+00	0.0000
25	0.2199			2.06269E-01	0.2137	1.99371E-01	0.1168	0.00000E+00	0.0000
26	0.3015			2.82848E-01	0.1849	2.65750E-01	0.1040	0.00000E+00	0.0000
27	0.1182			1.10886E-01	0.3190	1.00796E-01	0.1880	0.00000E+00	0.0000
SYSTEM TOTAL =				9.38133E-01	0.0749	1.00132E+00	0.0184	0.00000E+00	0.0000

ELAPSED TIME 29.12517 MINUTES

RANDOM NUMBER= 3BD444363COD

```
FREQUENCY FOR GENERATIONS      4 TO 1203
0.8664 TO 0.8692      *
0.8692 TO 0.8721      *
0.8721 TO 0.8749      **
0.8749 TO 0.8777      **
0.8777 TO 0.8806      **
0.8806 TO 0.8834      *****
0.8834 TO 0.8862      *****
0.8862 TO 0.8891      *****
0.8891 TO 0.8919      *****
0.8919 TO 0.8948      *****
0.8948 TO 0.8976      *****
0.8976 TO 0.9004      *****
0.9004 TO 0.9033      *****
0.9033 TO 0.9061      *****
0.9061 TO 0.9089      *****
0.9089 TO 0.9118      *****
0.9118 TO 0.9146      *****
0.9146 TO 0.9174      *****
0.9174 TO 0.9203      *****
0.9203 TO 0.9231      *****
0.9231 TO 0.9259      *****
0.9259 TO 0.9288      *****
0.9288 TO 0.9316      *****
0.9316 TO 0.9344      *****
0.9344 TO 0.9373      *****
0.9373 TO 0.9401      *****
0.9401 TO 0.9429      *****
0.9429 TO 0.9458      *****
0.9458 TO 0.9486      *****
0.9486 TO 0.9514      *****
0.9514 TO 0.9543      *****
0.9543 TO 0.9571      *****
0.9571 TO 0.9600      *****
0.9600 TO 0.9628      *****
0.9628 TO 0.9656      *****
0.9656 TO 0.9685      *****
0.9685 TO 0.9713      *****
0.9713 TO 0.9741      *****
0.9741 TO 0.9770      *****
0.9770 TO 0.9798      *****
0.9798 TO 0.9826      *****
0.9826 TO 0.9855      *****
0.9855 TO 0.9883      *****
0.9883 TO 0.9911      *****
0.9911 TO 0.9940      *****
0.9940 TO 0.9968      *****
0.9968 TO 0.9996      *****
0.9996 TO 1.0025      *****
1.0025 TO 1.0053      *****
1.0053 TO 1.0081      *****
1.0081 TO 1.0110      *****
1.0110 TO 1.0138      *****
1.0138 TO 1.0167      *****
1.0167 TO 1.0195      *****
1.0195 TO 1.0223      *****
1.0223 TO 1.0252      *
```

FREQUENCY FOR GENERATIONS 304 TO 1203

0.8664 TO 0.8692 *
0.8692 TO 0.8721 **
0.8721 TO 0.8749 **
0.8749 TO 0.8777 *
0.8777 TO 0.8806 *
0.8806 TO 0.8834 ****
0.8834 TO 0.8862 *****
0.8862 TO 0.8891 *****
0.8891 TO 0.8919 *****
0.8919 TO 0.8948 *****
0.8948 TO 0.8976 *****
0.8976 TO 0.9004 *****
0.9004 TO 0.9033 *****
0.9033 TO 0.9061 *****
0.9061 TO 0.9089 *****
0.9089 TO 0.9118 *****
0.9118 TO 0.9146 *****
0.9146 TO 0.9174 *****
0.9174 TO 0.9203 *****
0.9203 TO 0.9231 *****
0.9231 TO 0.9259 *****
0.9259 TO 0.9288 *****
0.9288 TO 0.9316 *****
0.9316 TO 0.9344 *****
0.9344 TO 0.9373 *****
0.9373 TO 0.9401 *****
0.9401 TO 0.9429 *****
0.9429 TO 0.9458 *****
0.9458 TO 0.9486 *****
0.9486 TO 0.9514 *****
0.9514 TO 0.9543 *****
0.9543 TO 0.9571 *****
0.9571 TO 0.9600 *****
0.9600 TO 0.9628 *****
0.9628 TO 0.9656 *****
0.9656 TO 0.9685 *****
0.9685 TO 0.9713 *****
0.9713 TO 0.9741 *****
0.9741 TO 0.9770 *****
0.9770 TO 0.9798 *****
0.9798 TO 0.9826 *****
0.9826 TO 0.9855 *****
0.9855 TO 0.9883 *****
0.9883 TO 0.9911 *****
0.9911 TO 0.9940 *****
0.9940 TO 0.9968 **
0.9968 TO 0.9996 **
0.9996 TO 1.0025 **
1.0025 TO 1.0053 **
1.0053 TO 1.0081 *
1.0081 TO 1.0110 **
1.0110 TO 1.0138 **
1.0138 TO 1.0167 **
1.0167 TO 1.0195 **
1.0195 TO 1.0223 **
1.0223 TO 1.0252 *

FREQUENCY FOR GENERATIONS 604 TO 1203

0.8664 TO 0.8692 *
0.8692 TO 0.8721 **
0.8721 TO 0.8749 **
0.8749 TO 0.8777 *
0.8777 TO 0.8806 *
0.8806 TO 0.8834 **
0.8834 TO 0.8862 *
0.8862 TO 0.8891 ****
0.8891 TO 0.8919 **
0.8919 TO 0.8948 **
0.8948 TO 0.8976 *****
0.8976 TO 0.9004 *****
0.9004 TO 0.9033 *****
0.9033 TO 0.9061 *****
0.9061 TO 0.9089 *****
0.9089 TO 0.9118 *****
0.9118 TO 0.9146 *****
0.9146 TO 0.9174 *****
0.9174 TO 0.9203 *****
0.9203 TO 0.9231 *****
0.9231 TO 0.9259 *****
0.9259 TO 0.9288 *****
0.9288 TO 0.9316 *****
0.9316 TO 0.9344 *****
0.9344 TO 0.9373 *****
0.9373 TO 0.9401 *****
0.9401 TO 0.9429 *****
0.9429 TO 0.9458 *****
0.9458 TO 0.9486 *****
0.9486 TO 0.9514 *****
0.9514 TO 0.9543 *****
0.9543 TO 0.9571 *****
0.9571 TO 0.9600 *****
0.9600 TO 0.9628 *****
0.9628 TO 0.9656 *****
0.9656 TO 0.9685 *****
0.9685 TO 0.9713 *****
0.9713 TO 0.9741 *****
0.9741 TO 0.9770 *****
0.9770 TO 0.9798 ****
0.9798 TO 0.9826 **
0.9826 TO 0.9855 *****
0.9855 TO 0.9883 *****
0.9883 TO 0.9911 *****
0.9911 TO 0.9940 *****
0.9940 TO 0.9968 *
0.9968 TO 0.9996 *
0.9996 TO 1.0025 **
1.0025 TO 1.0053 *
1.0053 TO 1.0081 *
1.0081 TO 1.0110 *
1.0110 TO 1.0138 *
1.0138 TO 1.0167 *
1.0167 TO 1.0195 *
1.0195 TO 1.0223 *
1.0223 TO 1.0252 *

FREQUENCY FOR GENERATIONS 904 TO 1203

0.8664 TO 0.8692
0.8692 TO 0.8721
0.8721 TO 0.8749 **
0.8749 TO 0.8777
0.8777 TO 0.8806
0.8806 TO 0.8834 *
0.8834 TO 0.8862
0.8862 TO 0.8891 ****
0.8891 TO 0.8919 *
0.8919 TO 0.8948 *
0.8948 TO 0.8976 ****
0.8976 TO 0.9004 ****
0.9004 TO 0.9033 ***
0.9033 TO 0.9061 *****
0.9061 TO 0.9089 *****
0.9089 TO 0.9118 *****
0.9118 TO 0.9146 *****
0.9146 TO 0.9174 *****
0.9174 TO 0.9203 *****
0.9203 TO 0.9231 *****
0.9231 TO 0.9259 *****
0.9259 TO 0.9288 *****
0.9288 TO 0.9316 *****
0.9316 TO 0.9344 *****
0.9344 TO 0.9373 *****
0.9373 TO 0.9401 *****
0.9401 TO 0.9429 *****
0.9429 TO 0.9458 *****
0.9458 TO 0.9486 *****
0.9486 TO 0.9514 *****
0.9514 TO 0.9543 *****
0.9543 TO 0.9571 *****
0.9571 TO 0.9600 *****
0.9600 TO 0.9628 *****
0.9628 TO 0.9656 *****
0.9656 TO 0.9685 *****
0.9685 TO 0.9713 *****
0.9713 TO 0.9741 *****
0.9741 TO 0.9770 ***
0.9770 TO 0.9798 *
0.9798 TO 0.9826 **
0.9826 TO 0.9855 ****
0.9855 TO 0.9883 ****
0.9883 TO 0.9911 **
0.9911 TO 0.9940
0.9940 TO 0.9968
0.9968 TO 0.9996
0.9996 TO 1.0025 *
1.0025 TO 1.0053 *
1.0053 TO 1.0081
1.0081 TO 1.0110
1.0110 TO 1.0138
1.0138 TO 1.0167
1.0167 TO 1.0195
1.0195 TO 1.0223
1.0223 TO 1.0252 *

.....
CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 29.12517 MINUTES
.....

6.6.9 General Atomics Irradiated Fuel Material

This section contains the output file for the most reactive configuration of GA IFM in the NAC-LWT cask.

Figure 6.6.9-1 Maximum Reactivity GA IFM Configuration

```
NAC International
QSCALENT Banner Generation Utility v5.1 (20020221)
+-----+
I JOB INFORMATION I
+-----+

Working Directory:      gaifm_173ps_000i_100h_000e_068t
Output File Name:      gaifm_173ps_000i_100h_000e_068t.out
Start Date:
Fri 05/16/2003
Start Time:
11:02a

+-----+
I SOFTWARE INFORMATION I
+-----+

Program Name:          Scale 4.3 for Windows NT 4.0/2000
Installation Date:     June 10, 1998
Code Verification Package #: EA9131010-127, Rev. 0
Code Verification Date: June 10, 1998
Program Location:      G:\SCALE4.3\WIN_NT\EXE

+-----+
I SYSTEM INFORMATION I
+-----+

Computer Type:         Dell Precision 530
Operating System:      Windows 2000
Computer ID:           ROSEZ1-IT1215
Serial Number:         3VTCR01
Login ID:              rosez1
System Verification Date: January 10, 2002
```

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT WITH GA IFM
27GROUPNDF4 INFHOMMEDIUM
' RERTR TRIGA FUEL - HOMOGENIZED (NO CLAD)
H2O 1 0.6816 293.0 END
U-235 1 DEN=0.10624 1.0 END
U-238 1 DEN=0.43306 1.0 END
ZR 1 DEN=0.94133 1.0 END
H 1 DEN=0.01625 1.0 END
C 1 DEN=0.00216 1.0 END
' HTGR FUEL MATRIX
H2O 3 1.0000 293.0 END
C 3 DEN=0.74050 1.0 END
TH 3 DEN=0.20480 1.0 END
SI 3 DEN=0.14739 1.0 END
O 3 DEN=0.00234 1.0 END
U-235 3 DEN=0.01997 1.0 END
U-238 3 DEN=0.00147 1.0 END
' CASK INTERIOR MODERATOR
H2O 4 0.0001 293.0 END
' CASK EXTERIOR MODERATOR
H2O 5 0.0001 293.0 END
' LEAD SHIELD
PB 6 1.0000 293.0 END
' NEUTRON SHIELD
H2O 7 0.0001 293.0 END
' STAINLESS STEEL
SS304 8 1.0000 293.0 END
' WATER
H2O 9 1.0000 293.0 END
END COMP
LWT WITH GA IFM
READ PARAM RUN=YES PLT=NO TME=5000 GEN=803 NPG=1000 TBA=5 END PARAM
READ GEOM
UNIT 1
COM='TRIGA/RERTR FHU - NO BASKET'
CYLINDER 1 1 5.0927 2P28.0000
CYLINDER 8 1 5.3975 2P28.0000
CYLINDER 4 1 5.7277 2P28.0000
CYLINDER 8 1 6.0325 2P28.0000
UNIT 2
COM='HTGR FHU - NO BASKET'
CYLINDER 3 1 5.7277 2P28.0000
CYLINDER 8 1 6.0325 2P28.0000
CYLINDER 4 1 6.3627 2P28.0000
CYLINDER 8 1 6.6675 2P28.0000
GLOBAL UNIT 5
COM='ASSEMBLED LWT'
CYLINDER 4 1 17.1500 2P28.0000
HOLE 1 0.0000 6.0325 0.0000
HOLE 2 0.0000 -6.6675 0.0000
CYLINDER 8 1 18.9103 2P28.0000
CYLINDER 6 1 33.4645 2P28.0000
CYLINDER 8 1 36.5188 2P28.0000
CYLINDER 7 1 49.2227 2P28.0000
CYLINDER 8 1 49.8221 2P28.0000
CUBOID 5 1 4P49.8221 2P28.0000
END GEOM
READ BOUNDS ALL=MIR END BOUNDS
READ PLOT
TTL='XY SLICE OF CASK'
SCR=YES PIC=MAT LPI=10
XUL=-50.0 YUL=50.0 ZUL=0.0 XLR=50.0 YLR=-50.0 ZLR=0.0
UAX=1.0 VDN=-1.0 NAX=1500 END
END PLOT
END DATA

```

```

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.44 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 4.45 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 538.87 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 544.75 (SECONDS).

```

THE FOLLOWING DATA CARDS PRECEDE AN = CARD


```
CCCCCCCCCC SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS 2222222222 555555555555
CCCCCCCCCC SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS 2222222222 555555555555
CC          SS          SS AA AA SS          SS 22          55
CC          SS          AA AA SS          SS 22          55
CC          SS          AA AA SS          SS 22          55
CC          SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS 22          555555555555
CC          SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS 22          555555555555
CC          SS          AA AA SS          SS 22          55
CC          SS          AA AA SS          SS 22          55
CC          SS          AA AA SS          SS 22          55
CC          SS          AA AA SS          SS 22          55
CCCCCCCCCC SSSSSSSSSS AA AA SSSSSSSSSS 2222222222 555555555555
CCCCCCCCCC SSSSSSSSSS AA AA SSSSSSSSSS 2222222222 5555555555
```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEE PFFFFFFFFF CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEE PFFFFFFFFF CCCCCCCCCC
SS          SS CC          CC AA AA LL          EE EEEEEEEEEEE CC          CC
SS          SS CC          AA AA LL          EE EEEEEEEEEEE CC          CC
SS          SS CC          AA AA LL          EE EEEEEEEEEEE CC          CC
SS          SS CC          AA AA LL          EE EEEEEEEEEEE CC          CC
SSSSSSSSSS CC          AA AA LL          EE EEEEEEEEEEE PFFFFFFFFF CC          CC
SSSSSSSSSS CC          AA AA LL          EE EEEEEEEEEEE PFFFFFFFFF CC          CC
SS          SS CC          AA AA LL          EE EEEEEEEEEEE PP          CC
SS          SS CC          AA AA LL          EE EEEEEEEEEEE PP          CC
SS          SS CC          AA AA LL          EE EEEEEEEEEEE PP          CC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLL EEEEEEEEEEE PP          CC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLL EEEEEEEEEEE PP          CC
```

```
0000000 555555555555 // 11 666666666666 // 0000000 3333333333
00000000 555555555555 // 111 666666666666 // 000000000 333333333333
00 00 55 // 1111 66 // 00 00 33
00 00 55 // 11 66 // 00 00 33
00 00 55 // 11 66 // 00 00 33
00 00 555555555555 // 11 666666666666 // 00 00 333
00 00 555555555555 // 11 666666666666 // 00 00 333
00 00 55 // 11 66 66 // 00 00 33
00 00 55 // 11 66 66 // 00 00 33
00 00 55 // 11 66 66 // 00 00 33
000000000 555555555555 // 11111111 666666666666 // 000000000 333333333333
0000000 5555555555 // 11111111 6666666666 // 0000000 3333333333
```

```
11 11 0000000 2222222222 3333333333 2222222222
111 111 000000000 222222222222 333333333333 222222222222
1111 1111 ::: 00 00 22 22 ::: 33 33 22 22
11 11 ::: 00 00 22 22 ::: 33 33 22 22
11 11 ::: 00 00 22 22 ::: 333 333 22 22
11 11 ::: 00 00 22 22 ::: 333 333 22 22
11 11 ::: 00 00 22 22 ::: 33 33 22 22
11 11 ::: 00 00 22 22 ::: 33 33 22 22
11111111 11111111 000000000 222222222222 333333333333 222222222222
11111111 11111111 0000000 222222222222 3333333333 222222222222
```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SS SS CC CC AA AA LL EE EE PP PP CC CC
SS CC CC AA AA LL EE EE PP PP CC CC
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEE ----- PPPPPPPPPP CC
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEE ----- PPPPPPPPPP CC
SS CC AA AA LL EE PP CC
SS CC AA AA LL EE PP CC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
```

```
*****
*****
***** PROGRAM VERIFICATION INFORMATION *****
***** CODE SYSTEM: SCALE-PC VERSION: 4.3 *****
*****
*****
***** PROGRAM: CSAS *****
***** CREATION DATE: 03/08/96 *****
***** VOLUME: Eng *****
***** LIBRARY: M:\SCALE43\WIN_NT\EXE *****
***** PRODUCTION CODE: CSAS *****
***** VERSION: 3.1 *****
***** JOBNAME: SCALE-PC *****
***** DATE OF EXECUTION: 05/16/03 *****
***** TIME OF EXECUTION: 11:02:32 *****
*****
*****
*****
```

' RERTR TRIGA FUEL - HOMOGENIZED (NO CLAD)
' HTGR FUEL MATRIX
' CASK INTERIOR MODERATOR
' CASK EXTERIOR MODERATOR
' LEAD SHIELD
' NEUTRON SHIELD
' STAINLESS STEEL
' WATER
' RERTR TRIGA FUEL - HOMOGENIZED (NO CLAD)
LWT WITH GA IFM

**** PROBLEM PARAMETERS ****

LIB 27GROUPNDF4 LIBRARY
MX 9 MIXTURES
MSC 19 COMPOSITION SPECIFICATIONS
IZM 1 MATERIAL ZONES
GE INFHOMMEDIUM GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

**** PROBLEM COMPOSITION DESCRIPTION ****

SC H2O STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 0.6816 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC U-235 STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.1062 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
92235 1.00 ATOM/MOLECULE
END

SC U-238 STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.4331 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
92238 1.00 ATOM/MOLECULE
END

SC ZR STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9413 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
40000 1.00 ATOM/MOLECULE
END

SC H STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.0162 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
1001 1.00 ATOM/MOLECULE
END

SC C STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.0022 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
6012 1.00 ATOM/MOLECULE

' HTGR FUEL MATRIX
END

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE

```

      8016      1.00 ATOM/MOLECULE
END

SC C          STANDARD COMPOSITION
MX           3 MIXTURE NO.
VF          1.0000 VOLUME FRACTION
ROTH        0.7405 SPECIFIED DENSITY
NEL          1 NO. ELEMENTS
ICP          1 0/1 MIXTURE/COMPOUND
      6012      1.00 ATOM/MOLECULE
END

SC TH         STANDARD COMPOSITION
MX           3 MIXTURE NO.
VF          1.0000 VOLUME FRACTION
ROTH        0.2048 SPECIFIED DENSITY
NEL          1 NO. ELEMENTS
ICP          1 0/1 MIXTURE/COMPOUND
      90000     1.00 ATOM/MOLECULE
      90232     100.000 WT%
END

SC SI         STANDARD COMPOSITION
MX           3 MIXTURE NO.
VF          1.0000 VOLUME FRACTION
ROTH        0.1474 SPECIFIED DENSITY
NEL          1 NO. ELEMENTS
ICP          1 0/1 MIXTURE/COMPOUND
      14000     1.00 ATOM/MOLECULE
END

SC O          STANDARD COMPOSITION
MX           3 MIXTURE NO.
VF          1.0000 VOLUME FRACTION
ROTH        0.0023 SPECIFIED DENSITY
NEL          1 NO. ELEMENTS
ICP          1 0/1 MIXTURE/COMPOUND
      8016      1.00 ATOM/MOLECULE
END

SC U-235      STANDARD COMPOSITION
MX           3 MIXTURE NO.
VF          1.0000 VOLUME FRACTION
ROTH        0.0200 SPECIFIED DENSITY
NEL          1 NO. ELEMENTS
ICP          1 0/1 MIXTURE/COMPOUND
      92235     1.00 ATOM/MOLECULE
END

SC U-238      STANDARD COMPOSITION
MX           3 MIXTURE NO.
VF          1.0000 VOLUME FRACTION
ROTH        0.0015 SPECIFIED DENSITY
NEL          1 NO. ELEMENTS
ICP          1 0/1 MIXTURE/COMPOUND
      92238     1.00 ATOM/MOLECULE
END

* CASK INTERIOR MODERATOR
END

SC H2O        STANDARD COMPOSITION
MX           4 MIXTURE NO.
VF          0.0001 VOLUME FRACTION
ROTH        0.9982 THEORETICAL DENSITY
NEL          2 NO. ELEMENTS
ICP          1 0/1 MIXTURE/COMPOUND
TEMP        293.0 DEG KELVIN
      1001     2.00 ATOMS/MOLECULE
      8016     1.00 ATOM/MOLECULE
END

* CASK EXTERIOR MODERATOR
END

SC H2O        STANDARD COMPOSITION
MX           5 MIXTURE NO.
VF          0.0001 VOLUME FRACTION
ROTH        0.9982 THEORETICAL DENSITY
NEL          2 NO. ELEMENTS
ICP          1 0/1 MIXTURE/COMPOUND
TEMP        293.0 DEG KELVIN
      1001     2.00 ATOMS/MOLECULE
      8016     1.00 ATOM/MOLECULE
END

* LEAD SHIELD
END

SC PB         STANDARD COMPOSITION
MX           6 MIXTURE NO.
VF          1.0000 VOLUME FRACTION
ROTH        11.3440 THEORETICAL DENSITY
NEL          1 NO. ELEMENTS
ICP          1 0/1 MIXTURE/COMPOUND
TEMP        293.0 DEG KELVIN
      82000     1.00 ATOM/MOLECULE
END

* NEUTRON SHIELD
END

SC H2O        STANDARD COMPOSITION
MX           7 MIXTURE NO.
VF          0.0001 VOLUME FRACTION

```

ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

STAINLESS STEEL
END

SC SS304 STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

WATER
END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

**** PROBLEM GEOMETRY ****

**** INFINITE HOMOGENEOUS MEDIUM ****

MFUEL 1 MIXTURE NO. OF THE INFINITE HOMOGENEOUS MEDIUM

MIP MESSAGE NUMBER MP-22 FOLLOWS:

WARNING STANDARD COMPOSITION SPECIFICATION CARD(S) MISSING
FOR MIXTURE NUMBER 2

```

*****
***
***          LWT WITH GA IFM
***
*****
***          ***** DATA LIBRARY INFORMATION *****
***
***          UNIT          DATA SET NAME          VOLUME          UNIT FUNCTION
***          NUMBER        DATA SET NAME          NAME            -----
***          -----
***          89           M:\scale43\DATALIB\FT89F001          STANDARD COMPOSITION LIBRARY
***          82           M:\scale43\DATALIB\FT82F001          CROSS SECTION LIBRARY
***          11           D:\zjr\Lwt\GAIFM\Crit\DAMAGED\gaifm_173ps_00          SHORT CROSS SECTION LIBRARY
***          90           D:\zjr\Lwt\GAIFM\Crit\DAMAGED\gaifm_173ps_00          INPUT DATA DIRECT ACCESS
***
*****
***
***          STANDARD COMPOSITION LIBRARY DATA
***          -----
***
***          UNIT NUMBER : 89
***          DATASET NAME : M:\scale43\DATALIB\FT89F001
***          LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
***          637 STANDARD COMPOSITIONS, 490 NUCLIDES
***          90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRBUTIONS.
***          CREATION DATE: 6/30/95
***
***          CROSS SECTION LIBRARY DATA
***          -----
***
***          UNIT NUMBER : 82
***          DATASET NAME : M:\scale43\DATALIB\FT82F001
***          LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
***          BASED ON ENDF-B VERSION 4 DATA
***          COMPILED FOR NRC 1/27/89
***          LAST UPDATED 08/12/94
***          L.M.PETRIE - ORNL
***
*****

```

```

..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....

***** DATA READING COMPLETED *****
..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....

```

CONTROL MODULE CSAS25 IS COMPLETE.

```

BBBBBBBBBBB 0000000000 NN NN AAAAAAAAAA MM MM IIIIIIIIIII 2222222222
BBBBBBBBBBB 000000000000 NNN NN AAAAAAAAAAAA MMM MMM IIIIIIIIIII 222222222222
BB BB 00 00 NNNN NN AA AA MMMM MMMM II 22 22
BB BB 00 00 NN NN AA AA MM MM MM MM II 22 22
BB BB 00 00 NN NN NN AA AA MM MM MM MM II 22 22
BBBBBBBBBBB 00 00 NN NN NN ----- AAAAAAAAAAAAAA MM MM MM II 22 22
BBBBBBBBBBB 00 00 NN NN NN ----- AAAAAAAAAAAAAA MM M MM II 22 22
BB BB 00 00 NN NN NN AA AA MM MM MM II 22 22
BB BB 00 00 NN NN NN AA AA MM MM MM II 22 22
BB BB 00 00 NN NN NN AA AA MM MM MM II 22 22
BBBBBBBBBBB 000000000000 NN NNN IIIIIIIIIII 22222222222222
BBBBBBBBBBB 0000000000 NN NN AAAAAAAAAA MM MM IIIIIIIIIII 222222222222

```

```

SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SS SS CC CC AA AA LL EE EE PP PP CC CC
SS CC CC AA AA LL EE EE PP PP CC CC
SS CC CC AA AA LL EE EE PP PP CC CC
SSSSSSSSSS CC AAAAAAAAAAAAAA LL EEEEEEEEEEEE ----- PPPPPPPPPPP CC
SSSSSSSSSS CC AAAAAAAAAAAAAA LL EEEEEEEEEEEE ----- PPPPPPPPPPP CC
SS CC AA AA LL EE PP CC
SS CC AA AA LL EE PP CC
SS SS CC CC AA AA LL EE PP CC CC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEEE PP CCCCCCCCCC

```

```

0000000 555555555555 // 11 6666666666 0000000 3333333333
000000000 555555555555 111 666666666666 // 0000000000 333333333333
00 00 55 1111 66 00 00 33
00 00 55 11 66 00 00 33
00 00 55 11 66 00 00 33
00 00 5555555555 11 6666666666 00 00 333
00 00 555555555555 11 666666666666 00 00 333
00 00 55 11 66 66 00 00 33
00 00 55 11 66 66 00 00 33
00 00 55 11 66 66 00 00 33
000000000 555555555555 11111111 666666666666 // 0000000000 333333333333
0000000 5555555555 11111111 6666666666 // 0000000 3333333333

```

```

11 11 0000000 2222222222 3333333333 2222222222
111 111 000000000 222222222222 333333333333 222222222222
1111 1111 ::: 00 00 22 22 ::: 33 33 22 22
11 11 ::: 00 00 22 22 ::: 33 33 22 22
11 11 ::: 00 00 22 22 ::: 33 33 22 22
11 11 ::: 00 00 22 22 ::: 333 333 22 22
11 11 ::: 00 00 22 22 ::: 33 33 22 22
11 11 ::: 00 00 22 22 ::: 33 33 22 22
11111111 11111111 ::: 00000000 222222222222 333333333333 222222222222
11111111 11111111 00000000 222222222222 333333333333 222222222222

```


-1Q ARRAY HAS	1 ENTRIES.
0Q ARRAY HAS	4 ENTRIES.
1Q ARRAY HAS	6 ENTRIES.
2Q ARRAY HAS	2 ENTRIES.

LOGICAL ASSIGNMENTS

MASTER LIBRARY 11
WORKING LIBRARY 0
SCRATCH FILE 18
NEW LIBRARY 1

PROBLEM DESCRIPTION

IGR--GEOMETRY (0/1/2/3--INF MED/SLAB/CYL/SPHERE) 1
IZM--NUMBER OF ZONES OR MATERIAL REGIONS 9
MS--MIXING TABLE LENGTH 26
IBL--SHIELDED CROSS SECTION EDIT OPTION (0/1--NO/YES) 0
IBR--BONDARENKO FACTOR EDIT OPTION (0/1--NO/YES) 0
ISSOPT--DANCOFF FACTOR OPTION 0
CONVERGENCE CRITERION 1.00000E-03
GEOMETRY CORRECTION FACTOR FOR WIGNER RATIONAL APPROXIMATION 1.000E+00
3Q ARRAY HAS 26 ENTRIES.
4Q ARRAY HAS 26 ENTRIES.
5Q ARRAY HAS 26 ENTRIES.
6Q ARRAY HAS 9 ENTRIES.
7Q ARRAY HAS 9 ENTRIES.
8Q ARRAY HAS 9 ENTRIES.
9Q ARRAY HAS 9 ENTRIES.
10Q ARRAY HAS 26 ENTRIES.
11Q ARRAY HAS 9 ENTRIES.

MIXING TABLE

ENTRY	MIXTURE	ISOTOPE	NUMBER DENSITY	NEW IDENTIFIER
1	1	1001	5.52201E-02	1001001
2	3	1001	6.67692E-02	3001001
3	4	1001	6.67692E-06	4001001
4	5	1001	6.67692E-06	5001001
5	7	1001	6.67692E-06	7001001
6	9	1001	6.67692E-02	9001001
7	1	8016	2.27549E-02	1008016
8	3	8016	3.34727E-02	3008016
9	4	8016	3.33846E-06	4008016
10	5	8016	3.33846E-06	5008016
11	7	8016	3.33846E-06	7008016
12	9	8016	3.33846E-02	9008016
13	1	92235	2.72201E-04	1092235
14	3	92235	5.11657E-05	3092235
15	1	92238	1.09554E-03	1092238
16	3	92238	3.71876E-06	3092238
17	1	40000	6.21447E-03	1040000
18	1	6012	1.08398E-04	1006012
19	3	6012	3.71616E-02	3006012
20	3	90232	5.31533E-04	3090232
21	3	14000	3.16038E-03	3014000
22	6	82000	3.29690E-02	6082000
23	8	24304	1.74286E-02	8024304
24	8	25055	1.73633E-03	8025055
25	8	26304	5.93579E-02	8026304
26	8	28304	7.72070E-03	8028304

GEOMETRY AND MATERIAL DESCRIPTION

ZONE	MIXTURE	OUTER DIMENSION	TEMPERATURE	EXTRA XS	TYPE (0/1--FUEL/MOD)
1	1	1.00000E+00	2.93000E+02	0.00000E+00	0
2	2	6.00000E+00	-2.93000E+02	0.00000E+00	0
3	3	1.10000E+01	2.93000E+02	0.00000E+00	0
4	4	1.60000E+01	2.93000E+02	0.00000E+00	0
5	5	2.10000E+01	2.93000E+02	0.00000E+00	0
6	6	2.60000E+01	2.93000E+02	0.00000E+00	0
7	7	3.10000E+01	2.93000E+02	0.00000E+00	0
8	8	3.60000E+01	2.93000E+02	0.00000E+00	0
9	9	4.10000E+01	2.93000E+02	0.00000E+00	0

4532 LOCATIONS OF 100000 AVAILABLE ARE REQUIRED TO MAKE A NEW MASTER CONTAINING THE SELF-SHIELDED VALUES

NO NUCLIDES IN YOUR PROBLEM HAVE BONDARENKO FACTOR DATA**BONAMI WILL COPY FROM LOGICAL 11 TO LOGICAL 1

COPY	1001	HYDROGEN	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0

COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	6012	CARBON-12	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	6012	CARBON-12	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	6012	CARBON-12	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	14000	SILICON	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	24304	CR 1191 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	25055	MANGANESE-55	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	26304	FE 1192 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	28304	NI 1190 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	40000	ZIRCONIUM	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	82000	PB 1288 218NGP	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	90232	THORIUM-232	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92235	URANIUM-235	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	92235	URANIUM-235	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92235	URANIUM-235	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92238	URANIUM-238	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	92238	URANIUM-238	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92238	URANIUM-238	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

TAPE ID	4321	NUMBER OF NUCLIDES	26
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	1

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 1001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 4001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 5001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 7001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 9001001
CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	ID 1006012
CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	ID 3006012
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 1008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 4008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 5008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 7008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 9008016
SILICON	ENDF/B-IV MAT 1194	UPDATED 08/12/94	ID 3014000
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8024304
MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	ID 8025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8028304
ZIRCONIUM	ENDF/B-IV MAT 7141	UPDATED 08/12/94	ID 1040000
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 6082000
THORIUM-232	ENDF/B-IV MAT 1296	UPDATED 08/12/94	ID 3090232
URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	ID 1092235
URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	ID 3092235
URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	ID 1092238
URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	ID 3092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.17 SECONDS

NN	NN	IIIIIIIIII	TTTTTTTTTT	AAAAAAAA	WW	WW	LL
NNN	NN	IIIIIIIIII	TTTTTTTTTT	AAAAAAAAAA	WW	WW	LL
NNNN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AAAAAAAAAAAA	WW	W	WW
NN NN	NN	II	TT	AAAAAAAAAAAA	WW	WWW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WWW	WWW
NN NN	NN	IIIIIIIIII	TTTTTTTTTT	AA	AA	WWW	WWW
NN NN	NN	IIIIIIIIII	TTTTTTTTTT	AA	AA	WW	WW

SSSSSSSSSS	CCCCCCCCCC	AAAAAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AAAAAAAAAA	LL	EEEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SS	CC	AA	AA	EE	PP	CC
SS	CC	AA	AA	EE	PP	CC
SS	CC	AA	AA	EE	PP	CC
SSSSSSSSSS	CC	AAAAAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SSSSSSSSSS	CC	AAAAAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SS	CC	AA	AA	EE	PP	CC
SS	CC	AA	AA	EE	PP	CC
SS	CC	AA	AA	EE	PP	CC
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LLLLLLLLLLLL	PP	CCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LLLLLLLLLLLL	PP	CCCCCCCCCC

0000000	5555555555	//	11	6666666666	//	0000000	3333333333
00000000	5555555555	//	111	6666666666	//	00000000	3333333333
00	55	//	1111	66	//	00	33
00	55	//	11	66	//	00	33
00	55	//	11	66	//	00	33
00	5555555555	//	11	6666666666	//	00	333
00	5555555555	//	11	6666666666	//	00	333
00	55	//	11	66	//	00	33
00	55	//	11	66	//	00	33
00	55	//	11	66	//	00	33
00000000	5555555555	//	11111111	6666666666	//	00000000	3333333333
0000000	5555555555	//	11111111	6666666666	//	0000000	3333333333

11	11		0000000	2222222222		3333333333	3333333333
111	111		00000000	2222222222		3333333333	3333333333
1111	1111	:::	00	22	:::	33	33
11	11	:::	00	22	:::	33	33
11	11	:::	00	22	:::	33	33
11	11	:::	00	22	:::	33	33
11	11	:::	00	22	:::	33	33
11	11	:::	00	22	:::	33	33
11	11	:::	00	22	:::	33	33
11	11	:::	00	22	:::	33	33
11111111	11111111		00000000	2222222222		3333333333	3333333333
11111111	11111111		0000000	2222222222		3333333333	3333333333

-1Q ARRAY HAS 1 ENTRIES.
0Q ARRAY HAS 9 ENTRIES.
1Q ARRAY HAS 12 ENTRIES.

SELECT 26 NUCLIDES FROM THE MASTER LIBRARY ON LOGICAL 1
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 2
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 3
TO CREATE THE NEW WORKING LIBRARY ON LOGICAL 4

6 RESONANCE CALCULATIONS HAVE BEEN REQUESTED
-1 OUTPUT OPTION FOR AMPX FORMATTED CROSS SECTION DATA
2001 MAXIMUM NUMBER OF RESONANCE MESH INTERVALS
2 ORDER OF RESONANCE LEVEL PROCESSING

THE STORAGE ALLOCATED FOR THIS CASE IS 100000 WORDS

2Q ARRAY HAS 26 ENTRIES.
3Q ARRAY HAS 90 ENTRIES.
4Q ARRAY HAS 26 ENTRIES.

GENERAL INFORMATION CONCERNING CROSS SECTION LIBRARY
TAPE IDENTIFICATION NUMBER 4321
NUMBER OF NUCLIDES ON TAPE 26
NUMBER OF NEUTRON ENERGY GROUPS 27
FIRST THERMAL NEUTRON ENERGY GROUP 15
NUMBER OF GAMMA ENERGY GROUPS 0

DIRECT ACCESS UNIT NUMBER 9 REQUIRES 117 BLOCKS OF LENGTH 1680 WORDS
XSDRN TAPE 4321

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

NUCLIDES FROM XSDRN TAPE

1	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	1001001	
2	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	3001001	
3	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	4001001	
4	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	5001001	
5	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	7001001	
6	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	9001001	
7	CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	1006012	
8	CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	3006012	
9	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	1008016	
10	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	3008016	
11	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	4008016	
12	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	5008016	
13	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	7008016	
14	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	9008016	
15	SILICON	ENDF/B-IV MAT 1194	UPDATED 08/12/94	3014000	
16	CR 1191 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)		UPDATED 08/12/94	8024304	
17	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	8025055	
18	FE 1192 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)		UPDATED 08/12/94	8026304	
19	NI 1190 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)		UPDATED 08/12/94	8028304	
20	ZIRCONIUM	ENDF/B-IV MAT 7141	UPDATED 08/12/94	1040000	
21	PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	6082000	
22	THORIUM-232	ENDF/B-IV MAT 1296	UPDATED 08/12/94	3090232	
23	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	1092235	
24	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	3092235	
25	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	1092238	
26	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	3092238	
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	1001001	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	3001001	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	4001001	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	5001001	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	7001001	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94	9001001	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
CARBON-12	ENDF/B-IV MAT 1274/THRM1065		UPDATED 08/12/94	1006012	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
CARBON-12	ENDF/B-IV MAT 1274/THRM1065		UPDATED 08/12/94	3006012	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94	1008016	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94	3008016	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94	4008016	TEMPERATURE= 293.00
				PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00

OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 5008016 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 7008016 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 9008016 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

SILICON ENDF/B-IV MAT 1194 UPDATED 08/12/94 3014000 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 0.00

CR 1191 WT SS-304 (1/EST) P-3 293K SP=5+4(42375) UPDATED 08/12/94 8024304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

MANGANESE-55 ENDF/B-IV MAT 1197 UPDATED 08/12/94 8025055 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 54.466 TEMPERATURE (KELVIN) = 293.000

POTENTIAL SCATTER SIGMA = 2.590 LUMPED NUCLEAR DENSITY = 1.7363295E-03

SPIN FACTOR (G) = 14.448 LUMP DIMENSION (A-BAR) = 0.0000000E+00

INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 55.845 SIGMA (PER ABSORBER ATOM) = 3.4663022E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 55.925 SIGMA (PER ABSORBER ATOM) = 1.2557598E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-5.518788E-04	0.000000E+00	-3.944190E-01
9	-2.797993E-03	0.000000E+00	-2.293471E+00
10	-3.291452E-01	0.000000E+00	-3.820862E+01
11	-2.680562E+00	0.000000E+00	-1.159996E+02

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 3.33719E+00

FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

FE 1192 WT SS-304 (1/EST) P-3 293K SP=5+4(42375) UPDATED 08/12/94 8026304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

NI 1190 WT SS-304 (1/EST) P-3 293K SP=5+4(42375) UPDATED 08/12/94 8028304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

ZIRCONIUM ENDF/B-IV MAT 7141 UPDATED 08/12/94 1040000 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

PB 1288 218NGP 042375 P-3 293K UPDATED 08/12/94 6082000 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

THORIUM-232 ENDF/B-IV MAT 1296 UPDATED 08/12/94 3090232 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 230.040 TEMPERATURE (KELVIN) = 293.000

POTENTIAL SCATTER SIGMA = 10.150 LUMPED NUCLEAR DENSITY = 5.3153303E-04

SPIN FACTOR (G) = 666.678 LUMP DIMENSION (A-BAR) = 0.0000000E+00

INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 1.008 SIGMA (PER ABSORBER ATOM) = 2.5601689E+03

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 13.617 SIGMA (PER ABSORBER ATOM) = 5.8951794E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
9	-1.537706E-03	0.000000E+00	-1.274133E-02
10	-9.518421E-02	0.000000E+00	-5.100160E-01

11	-1.724563E+00	0.000000E+00	-2.284316E+00
12	-5.948936E+00	0.000000E+00	-9.034661E+00
13	-1.168305E+01	0.000000E+00	-1.439534E+00

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 5.75991E+01
FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-235 ENDF/B-IV MAT 1261

UPDATED 08/12/94 1092235 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A)	=	233.025	TEMPERATURE(KELVIN)	=	293.000
POTENTIAL SCATTER SIGMA	=	11.500	LUMPED NUCLEAR DENSITY	=	2.7220073E-04
SPIN FACTOR (G)	=	15171.100	LUMP DIMENSION (A-BAR)	=	0.0000000E+00
INNER RADIUS	=	0.0000000E+00	DANCOFF CORRECTION (C)	=	0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 1.008 SIGMA(PER ABSORBER ATOM)= 4.1345737E+03

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 23.697 SIGMA(PER ABSORBER ATOM)= 5.2259918E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
12	-1.562050E+00	-9.584369E-01	-4.085827E-02
13	-5.262661E+00	-2.581354E+00	-1.213858E-01
14	-3.765349E+00	-2.255217E+00	-2.806130E-02
15	-1.919643E-04	-1.459400E-04	1.329683E-06

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.15993E+02
FISSION 1.28668E+02

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-235 ENDF/B-IV MAT 1261

UPDATED 08/12/94 3092235 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A)	=	233.025	TEMPERATURE(KELVIN)	=	293.000
POTENTIAL SCATTER SIGMA	=	11.500	LUMPED NUCLEAR DENSITY	=	5.1165749E-05
SPIN FACTOR (G)	=	15171.100	LUMP DIMENSION (A-BAR)	=	0.0000000E+00
INNER RADIUS	=	0.0000000E+00	DANCOFF CORRECTION (C)	=	0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 1.008 SIGMA(PER ABSORBER ATOM)= 2.6596197E+04

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 13.920 SIGMA(PER ABSORBER ATOM)= 6.2625801E+03

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
12	-2.344056E-01	-1.438800E-01	-6.240554E-03
13	-8.441902E-01	-4.162556E-01	-1.976475E-02
14	-5.930282E-01	-3.583517E-01	-4.437619E-03
15	-6.245016E-05	-4.746152E-05	3.750866E-08

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.26514E+02
FISSION 1.34455E+02

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-238 ENDF/B-IV MAT 1262

UPDATED 08/12/94 1092238 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 236.006 TEMPERATURE(KELVIN) = 293.000
 POTENTIAL SCATTER SIGMA = 10.599 LUMPED NUCLEAR DENSITY = 1.0955411E-03
 SPIN FACTOR (G) = 656.527 LUMP DIMENSION (A-BAR) = 0.0000000E+00
 INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 1.008 SIGMA(PER ABSORBER ATOM)= 1.0272860E+03

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 22.105 SIGMA(PER ABSORBER ATOM)= 1.2047719E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
9	-5.670995E-03	0.000000E+00	-6.271562E-02
10	-2.582614E-01	-1.776290E-06	-1.805436E+00
11	-5.712295E+00	0.000000E+00	-1.704868E+01
12	-3.260907E+01	0.000000E+00	-3.853433E+01
13	-4.122983E+01	0.000000E+00	-1.360831E+01
14	-7.892720E+01	0.000000E+00	-4.614881E+00
15	-5.014865E-08	0.000000E+00	9.319286E-08

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 8.34181E+01
 FISSION 5.30689E-04

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-238 ENDF/B-IV MAT 1262

UPDATED 08/12/94 3092238 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 236.006 TEMPERATURE(KELVIN) = 293.000
 POTENTIAL SCATTER SIGMA = 10.599 LUMPED NUCLEAR DENSITY = 3.7187583E-06
 SPIN FACTOR (G) = 656.527 LUMP DIMENSION (A-BAR) = 0.0000000E+00
 INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 1.008 SIGMA(PER ABSORBER ATOM)= 3.6593247E+05

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 13.944 SIGMA(PER ABSORBER ATOM)= 8.6317188E+04

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
9	-1.458856E-05	0.000000E+00	-1.704482E-04
10	-8.678175E-04	-4.383982E-09	-6.304161E-03
11	-5.092458E-02	0.000000E+00	-1.643915E-01
12	-5.565513E-01	0.000000E+00	-6.664960E-01
13	-6.091141E-01	0.000000E+00	-2.016093E-01
14	-1.094999E+00	0.000000E+00	-6.417535E-02
15	-3.734067E-09	0.000000E+00	2.932041E-09

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.70632E+02
 FISSION 5.33689E-04

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

THIS XSDRN WORKING TAPE WAS CREATED 05/16/03 AT 11:02:33
THE TITLE OF THE PARENT CASE IS AS FOLLOWS
SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89

TAPE ID	4321	NUMBER OF NUCLIDES	26
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	4
TABLE OF CONTENTS			
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 1001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 4001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 5001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 7001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 9001001
CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	ID 1006012
CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94	ID 3006012
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 1008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 4008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 5008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 7008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 9008016
SILICON	ENDF/B-IV MAT 1194	UPDATED 08/12/94	ID 3014000
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8024304
MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	ID 8025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8028304
ZIRCONIUM	ENDF/B-IV MAT 7141	UPDATED 08/12/94	ID 1040000
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 6082000
THORIUM-232	ENDF/B-IV MAT 1296	UPDATED 08/12/94	ID 3090232
URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	ID 1092235
URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	ID 3092235
URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	ID 1092238
URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	ID 3092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.11 SECONDS

```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  000000000000  VV      VV
KK      KK  EE           NNNN    NN  00      00  VV      VV
KK      KK  EE           NN NN    NN  00      00  VV      VV
KK      KK  EE           NN NN    NN  00      00  VV      VV
KKKKKKK  EEEEEEEEEEE  NN     NN  00      00  -----  VV      VV
KKKKKKK  EEEEEEEEEEE  NN     NN  00      00  -----  VV      VV
KK      KK  EE           NN     NN  00      00  VV      VV
KK      KK  EE           NN     NN  00      00  VV      VV
KK      KK  EE           NN     NN  00      00  VV      VV
KK      KK  EE           NN     NN  00      00  VV      VV
KK      KK  EEEEEEEEEEE  NN     NN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NN     NN  0000000000  VV      V
    
```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CC           AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CC
SSSSSSSSSS  CC           AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLL  EEEEEEEEEEE  PP      PP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLL  EEEEEEEEEEE  PP      PP  CCCCCCCCCC
    
```

```

0000000  55555555555  //      11      66666666666  //      0000000  3333333333
00000000 55555555555  //      111     6666666666666  //      000000000 333333333333
00      00 55      1111    66      33      00      00 33      33
00      00 55      11      66      66      00      00 33      33
00      00 55      11      66      66      00      00 33      33
00      00 55555555555 11      6666666666666 00      00 333
00      00 55555555555 11      6666666666666 00      00 333
00      00 55      66      11      66      66      00      00 33
00      00 55      66      11      66      66      00      00 33
00      00 55      66      11      66      66      00      00 33
00      00 55      66      11      66      66      00      00 33
00000000 55555555555 11111111 6666666666666 00000000 333333333333
0000000  55555555555 11111111 6666666666666 0000000  3333333333
    
```

```

11      11      0000000  2222222222  33333333333  77777777777
111     111     000000000 22222222222 33333333333 77777777777
1111    1111    00      00  22      22      33      33  77      77
11      11      00      00  22      22      33      33  77      77
11      11      00      00  22      22      33      33  77      77
11      11      00      00  22      22      33      33  77      77
11      11      00      00  22      22      33      33  77      77
11      11      00      00  22      22      33      33  77      77
11      11      00      00  22      22      33      33  77      77
11111111 11111111 00000000 22222222222 33333333333 77777777777
11111111 11111111 00000000 22222222222 33333333333 77777777777
    
```



```

*****
***                                     ***
***                               LWT WITH GA IFM                               ***
***                                     ***
*****
***                                     ***
***                               UNIT          VOLUME          UNIT FUNCTION          ***
***                               NUMBER       NAME                -----          ***
***                                     ***
*** XSC 14   D:\zjr\Lwt\GAIFM\Crit\DAMAGED\gaifm_173ps_00   MIXED CROSS SECTIONS ***
*** ALB 79   M:\scale43\DATA LIB\FT79F001                   INPUT ALBEDOS         ***
*** WTS 80   M:\scale43\DATA LIB\FT80F001                   INPUT WEIGHTS         ***
*** SKT 16   UNKNOWN                                         WRITE SCRATCH DATA  ***
*** BIN 95   D:\zjr\Lwt\GAIFM\Crit\DAMAGED\gaifm_173ps_00   BINARY INPUT DATA   ***
*** RST 95   D:\zjr\Lwt\GAIFM\Crit\DAMAGED\gaifm_173ps_00   READ RESTART DATA   ***
*** LIB 4    D:\zjr\Lwt\GAIFM\Crit\DAMAGED\gaifm_173ps_00   INPUT AMPX WORKING LIBRARY ***
***          8    D:\zjr\Lwt\GAIFM\Crit\DAMAGED\gaifm_173ps_00   INPUT DATA DIRECT ACCESS ***
***          9    UNKNOWN                                         SUPER GROUPED DIRECT ACCESS ***
***          10   UNKNOWN                                         XSEC MIXING DIRECT ACCESS ***
***                                     ***
*****

```

..... 0 IO'S WERE USED PREPARING INPUT DATA

CROSS SECTIONS READ FROM THE AMPX WORKING LIBRARY ON UNIT 4

LWT WITH GA IFM
MIXING TABLE
NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD =3.0E-05

MIXTURE =	1	DENSITY (G/CC) =	2.1794				
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT	NUCLIDE TITLE		
1001001	5.52201E-02	4.23959E-02	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
1006012	1.08398E-04	9.91110E-04	6000	12.0001	CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED
08/12/94							
1008016	2.27549E-02	2.77235E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
1040000	6.21447E-03	4.31923E-01	40000	91.2196	ZIRCONIUM	ENDF/B-IV MAT 7141	UPDATED
08/12/94							
1092235	2.72201E-04	4.87476E-02	92235	235.0441	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED
08/12/94							
1092238	1.09554E-03	1.98707E-01	92238	238.0510	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED
08/12/94							
MIXTURE =	3	DENSITY (G/CC) =	2.1146				
3001001	6.67692E-02	5.28324E-02	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
3006012	3.71616E-02	3.50179E-01	6000	12.0001	CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED
08/12/94							
3008016	3.34727E-02	4.20302E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
3014000	3.16038E-03	6.96995E-02	14000	28.0853	SILICON	ENDF/B-IV MAT 1194	UPDATED
08/12/94							
3090232	5.31533E-04	9.68483E-02	90232	232.0333	THORIUM-232	ENDF/B-IV MAT 1296	UPDATED
08/12/94							
3092235	5.11657E-05	9.44366E-03	92235	235.0441	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED
08/12/94							
3092238	3.71876E-06	6.95152E-04	92238	238.0510	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED
08/12/94							
MIXTURE =	4	DENSITY (G/CC) =	0.99817E-04				
4001001	6.67692E-06	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
4008016	3.33846E-06	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
MIXTURE =	5	DENSITY (G/CC) =	0.99817E-04				
5001001	6.67692E-06	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
5008016	3.33846E-06	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
MIXTURE =	6	DENSITY (G/CC) =	11.344				
6082000	3.29690E-02	1.00000E+00	82000	207.2100	PB 1288 218NGP 042375 P-3 293K		UPDATED
08/12/94							
MIXTURE =	7	DENSITY (G/CC) =	0.99817E-04				
7001001	6.67692E-06	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
7008016	3.33846E-06	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
MIXTURE =	8	DENSITY (G/CC) =	7.9200				
8024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)		UPDATED
08/12/94							
8025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED
08/12/94							
8026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)		UPDATED
08/12/94							
8028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)		UPDATED
08/12/94							
MIXTURE =	9	DENSITY (G/CC) =	0.99817				
9001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
9008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
1001001					HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
3001001					HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
4001001					HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
5001001					HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
7001001					HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
9001001					HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
1006012					CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94
3006012					CARBON-12	ENDF/B-IV MAT 1274/THRM1065	UPDATED 08/12/94
1008016					OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
3008016					OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
4008016					OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
5008016					OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
7008016					OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
9008016					OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
3014000					SILICON	ENDF/B-IV MAT 1194	UPDATED 08/12/94

8024304	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED 08/12/94
8025055	MANGANESE-55 ENDF/B-IV MAT 1197	UPDATED 08/12/94
8026304	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED 08/12/94
8028304	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'	UPDATED 08/12/94
1040000	ZIRCONIUM ENDF/B-IV MAT 7141	UPDATED 08/12/94
6082000	PB 1288 218NGP 042375 P-3 293K	UPDATED 08/12/94
3090232	THORIUM-232 ENDF/B-IV MAT 1296	UPDATED 08/12/94
1092235	URANIUM-235 ENDF/B-IV MAT 1261	UPDATED 08/12/94
3092235	URANIUM-235 ENDF/B-IV MAT 1261	UPDATED 08/12/94
1092238	URANIUM-238 ENDF/B-IV MAT 1262	UPDATED 08/12/94
3092238	URANIUM-238 ENDF/B-IV MAT 1262	UPDATED 08/12/94

KENO MESSAGE NUMBER K5-222 2 TRANSFERS FOR MIXTURE 1 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 2 TRANSFERS FOR MIXTURE 3 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 2 TRANSFERS FOR MIXTURE 4 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 2 TRANSFERS FOR MIXTURE 5 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 2 TRANSFERS FOR MIXTURE 7 WERE CORRECTED FOR BAD MOMENTS.

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 9 WERE CORRECTED FOR BAD MOMENTS.

..... 0 IO'S WERE USED MIXING CROSS-SECTIONS

1-D CROSS SECTION ARRAY ID NUMBERS

1 2002 1452 27 18 1018

..... 0 IO'S WERE USED PREPARING THE CROSS SECTIONS

```
*****  
*** LWT WITH GA IFM ***  
*****  
***** ADDITIONAL INFORMATION *****  
***  
*** NUMBER OF ENERGY GROUPS 27 USE LATTICE GEOMETRY NO ***  
*** NO. OF FISSION SPECTRUM SOURCE GROUP 1 GLOBAL ARRAY NUMBER 0 ***  
*** NO. OF SCATTERING ANGLES IN XSECS 2 NUMBER OF UNITS IN THE GLOBAL X DIR. 0 ***  
*** ENTRIES/NEUTRON IN THE NEUTRON BANK 17 NUMBER OF UNITS IN THE GLOBAL Y DIR. 0 ***  
*** ENTRIES/NEUTRON IN THE FISSION BANK 10 NUMBER OF UNITS IN THE GLOBAL Z DIR. 0 ***  
*** NUMBER OF MIXTURES USED 7 USE A GLOBAL REFLECTOR YES ***  
*** NUMBER OF BIAS ID'S USED 1 USE NESTED HOLES NO ***  
*** NUMBER OF DIFFERENTIAL ALBEDOS USED 0 NUMBER OF HOLES 2 ***  
*** TOTAL INPUT GEOMETRY REGIONS 15 MAXIMUM HOLE NESTING LEVEL 1 ***  
*** NUMBER OF GEOMETRY REGIONS USED 15 USE NESTED ARRAYS NO ***  
*** LARGEST GEOMETRY UNIT NUMBER 5 NUMBER OF ARRAYS USED 0 ***  
*** LARGEST ARRAY NUMBER 1 MAXIMUM ARRAY NESTING LEVEL 0 ***  
***  
*** +X BOUNDARY CONDITION MIR -X BOUNDARY CONDITION MIR ***  
*** +Y BOUNDARY CONDITION MIR -Y BOUNDARY CONDITION MIR ***  
*** +Z BOUNDARY CONDITION MIR -Z BOUNDARY CONDITION MIR ***  
*****
```

```
*****  
*** LWT WITH GA IFM ***  
*****  
***          ***** SPACE AND SUPERGROUP INFORMATION *****          ***  
*** 100000 WORDS IS THE TOTAL SPACE AVAILABLE. ***  
*** 30617 WORDS WERE USED FOR NON-SUPERGROUP STORAGE. ***  
*** 69383 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA. ***  
*** 99796 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS. ***  
*** 69323 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP. ***  
*** 1022 WORDS ARE NEEDED FOR THE LARGEST GROUP. ***  
*** 31855 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM. ***  
*** 43309 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP. ***  
*** 43680 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM. ***  
*****  
***  
*** SUPERGROUP      STARTING      ENDING      XSEC      ALBEDO      TOTAL ***  
***                GROUP          GROUP      LENGTH    LENGTH      LENGTH ***  
***                ***                ***          ***          ***          *** ***  
***                1                27         2591       0           12632 ***  
*****  
***  
***          0 IO'S WERE USED IN SUPERGROUPING          ***  
***          0 IO'S WERE USED LOADING THE DATA          ***
```

LWT WITH GA IFM

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
----- UNIT 1 -----								
TRIGA/RERTR FHU - NO BASKET								
1	1	1	RADIUS = 5.0927	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	1	8	RADIUS = 5.3975	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	1	4	RADIUS = 5.7277	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	1	8	RADIUS = 6.0325	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
----- UNIT 2 -----								
HTGR FHU - NO BASKET								
1	1	3	RADIUS = 5.7277	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2	1	8	RADIUS = 6.0325	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	1	4	RADIUS = 6.3627	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	1	8	RADIUS = 6.6675	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
***** GLOBAL *****								
----- UNIT 5 -----								
ASSEMBLED LWT								
1	1	4	RADIUS = 17.150	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
HOLE NUMBER	1		AT X = 0.00000	Y = 6.0325	Z = 0.00000	IS UNIT NUMBER	1	
HOLE NUMBER	2		AT X = 0.00000	Y = -6.6675	Z = 0.00000	IS UNIT NUMBER	2	
2	1	8	RADIUS = 18.910	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	1	6	RADIUS = 33.465	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	1	8	RADIUS = 36.519	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5	1	7	RADIUS = 49.223	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6	1	8	RADIUS = 49.822	+Z = 28.000	-Z = -28.000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7	1	5	+X = 49.822	-X = -49.822	+Y = 49.822	-Y = -49.822	+Z = 28.000 -Z = -28.000	

LWT WITH GA IFM
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	4.56283E+03 CM**3	4.56283E+03 CM**3
	2	2	5.62519E+02 CM**3	5.12535E+03 CM**3
	3	3	6.46283E+02 CM**3	5.77163E+03 CM**3
	4	4	6.30619E+02 CM**3	6.40225E+03 CM**3
2	1	5	5.77163E+03 CM**3	5.77163E+03 CM**3
	2	6	6.30619E+02 CM**3	6.40225E+03 CM**3
	3	7	7.20060E+02 CM**3	7.12231E+03 CM**3
	4	8	6.98721E+02 CM**3	7.82103E+03 CM**3
5	1	9	3.75214E+04 CM**3	5.17447E+04 CM**3
	2	10	1.11674E+04 CM**3	6.29122E+04 CM**3
	3	11	1.34106E+05 CM**3	1.97018E+05 CM**3
	4	12	3.76048E+04 CM**3	2.34623E+05 CM**3
	5	13	1.91631E+05 CM**3	4.26254E+05 CM**3
	6	14	1.04445E+04 CM**3	4.36699E+05 CM**3
	7	15	1.19323E+05 CM**3	5.56022E+05 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	1	1	1	4.56283E+03 CM**3
		2	8	5.62519E+02 CM**3
		3	4	6.46283E+02 CM**3
		4	8	6.30619E+02 CM**3
2	1	1	3	5.77163E+03 CM**3
		2	8	6.30619E+02 CM**3
		3	4	7.20060E+02 CM**3
		4	8	6.98721E+02 CM**3
5	1	1	4	3.75214E+04 CM**3
		2	8	1.11674E+04 CM**3
		3	6	1.34106E+05 CM**3
		4	8	3.76048E+04 CM**3
		5	7	1.91631E+05 CM**3
		6	8	1.04445E+04 CM**3
		7	5	1.19323E+05 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS(G)
1	4.56283E+03 CM**3	9.94419E+03
3	5.77163E+03 CM**3	1.22050E+04
4	3.88878E+04 CM**3	3.88167E+00
5	1.19323E+05 CM**3	1.19105E+01
6	1.34106E+05 CM**3	1.52130E+06
7	1.91631E+05 CM**3	1.91281E+01
8	6.17393E+04 CM**3	4.88975E+05

 *** BIASING INFORMATION ***
 *** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING

..... 0.00550 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 1.85864E-02

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED UNIFORMLY THROUGHOUT THE ENTIRE VOLUME DEFINED BY THE OUTERMOST GEOMETRY CARD.
 THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

1.49067 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 1.50400 MINUTES.

LWT WITH GA IFM

GENERATION KENO MESSAGE NUMBER	GENERATION K-EFFECTIVE NUMBER	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE GENERATED	MATRIX K-EFF DEVIATION
1	6.83685E-01	WARNING... ONLY 1.51050E+00	752 INDEPENDENT 1.00000E+00	FISSION POINTS WERE 0.00000E+00	0.00000E+00	0.00000E+00
2	6.90002E-01	WARNING... ONLY 1.52050E+00	773 INDEPENDENT 1.00000E+00	FISSION POINTS WERE 0.00000E+00	0.00000E+00	0.00000E+00
3	7.23529E-01	WARNING... ONLY 1.52967E+00	809 INDEPENDENT 7.23529E-01	FISSION POINTS WERE 0.00000E+00	0.00000E+00	0.00000E+00
4	7.41132E-01	1.53783E+00	7.32331E-01	8.80119E-03	0.00000E+00	0.00000E+00
5	7.14495E-01	1.54800E+00	7.26385E-01	7.82097E-03	0.00000E+00	0.00000E+00
6	7.14133E-01	1.55717E+00	7.23322E-01	6.32186E-03	0.00000E+00	0.00000E+00
7	7.15718E-01	1.56633E+00	7.21801E-01	5.12763E-03	0.00000E+00	0.00000E+00
8	7.35289E-01	1.57550E+00	7.24049E-01	4.75198E-03	0.00000E+00	0.00000E+00
9	7.25221E-01	1.58450E+00	7.24217E-01	4.01964E-03	0.00000E+00	0.00000E+00
10	7.27787E-01	1.59367E+00	7.24663E-01	3.50960E-03	0.00000E+00	0.00000E+00
11	7.22119E-01	1.60383E+00	7.24380E-01	3.10806E-03	0.00000E+00	0.00000E+00
12	7.48817E-01	1.61300E+00	7.26824E-01	3.70127E-03	0.00000E+00	0.00000E+00
13	7.24320E-01	1.62217E+00	7.26596E-01	3.35565E-03	0.00000E+00	0.00000E+00
14	7.45940E-01	1.63133E+00	7.28208E-01	3.46152E-03	0.00000E+00	0.00000E+00
15	7.16945E-01	1.64033E+00	7.27342E-01	3.29990E-03	0.00000E+00	0.00000E+00
16	7.30916E-01	1.64950E+00	7.27597E-01	3.06576E-03	0.00000E+00	0.00000E+00
17	6.88560E-01	1.65867E+00	7.24995E-01	3.86247E-03	0.00000E+00	0.00000E+00
18	7.26335E-01	1.66783E+00	7.25078E-01	3.61398E-03	0.00000E+00	0.00000E+00
19	7.12447E-01	1.67700E+00	7.24335E-01	3.47510E-03	0.00000E+00	0.00000E+00
20	7.32608E-01	1.68717E+00	7.24795E-01	3.30843E-03	0.00000E+00	0.00000E+00
21	7.24642E-01	1.69633E+00	7.24787E-01	3.12947E-03	0.00000E+00	0.00000E+00
22	7.04239E-01	1.70533E+00	7.23760E-01	3.14162E-03	0.00000E+00	0.00000E+00
23	7.38077E-01	1.71450E+00	7.24441E-01	3.06506E-03	0.00000E+00	0.00000E+00
24	7.03708E-01	1.72367E+00	7.23499E-01	3.07062E-03	0.00000E+00	0.00000E+00
25	7.20492E-01	1.73283E+00	7.23368E-01	2.93699E-03	0.00000E+00	0.00000E+00
26	7.47220E-01	1.74300E+00	7.24362E-01	2.98241E-03	0.00000E+00	0.00000E+00
27	6.86648E-01	1.75217E+00	7.22853E-01	3.23403E-03	0.00000E+00	0.00000E+00
28	7.29513E-01	1.76117E+00	7.23110E-01	3.11770E-03	0.00000E+00	0.00000E+00
29	7.28965E-01	1.77033E+00	7.23326E-01	3.00784E-03	0.00000E+00	0.00000E+00
30	7.22443E-01	1.77950E+00	7.23295E-01	2.89860E-03	0.00000E+00	0.00000E+00
31	7.34518E-01	1.78867E+00	7.23682E-01	2.82351E-03	0.00000E+00	0.00000E+00
32	7.42341E-01	1.79783E+00	7.24304E-01	2.79778E-03	0.00000E+00	0.00000E+00
33	7.25865E-01	1.80700E+00	7.24354E-01	2.70649E-03	0.00000E+00	0.00000E+00
34	7.38222E-01	1.81617E+00	7.24788E-01	2.65614E-03	0.00000E+00	0.00000E+00
35	7.32307E-01	1.82533E+00	7.25015E-01	2.58445E-03	0.00000E+00	0.00000E+00
36	7.06762E-01	1.83450E+00	7.24479E-01	2.56412E-03	0.00000E+00	0.00000E+00
37	7.40806E-01	1.84367E+00	7.24945E-01	2.53311E-03	0.00000E+00	0.00000E+00
38	7.45111E-01	1.85283E+00	7.25505E-01	2.52467E-03	0.00000E+00	0.00000E+00
39	7.24951E-01	1.86200E+00	7.25490E-01	2.45553E-03	0.00000E+00	0.00000E+00
40	7.23367E-01	1.87200E+00	7.25434E-01	2.39069E-03	0.00000E+00	0.00000E+00
41	7.62480E-01	1.88033E+00	7.26384E-01	2.51487E-03	0.00000E+00	0.00000E+00
42	7.19762E-01	1.88933E+00	7.26219E-01	2.45678E-03	0.00000E+00	0.00000E+00
43	6.95096E-01	1.89850E+00	7.25460E-01	2.51348E-03	0.00000E+00	0.00000E+00
44	7.06250E-01	1.90867E+00	7.25002E-01	2.49518E-03	0.00000E+00	0.00000E+00
45	7.21876E-01	1.91783E+00	7.24929E-01	2.43755E-03	0.00000E+00	0.00000E+00
46	7.25800E-01	1.92700E+00	7.24949E-01	2.38159E-03	0.00000E+00	0.00000E+00
47	7.10344E-01	1.93617E+00	7.24625E-01	2.35058E-03	0.00000E+00	0.00000E+00
48	7.45183E-01	1.94533E+00	7.25072E-01	2.34195E-03	0.00000E+00	0.00000E+00
49	7.19422E-01	1.95433E+00	7.24951E-01	2.29473E-03	0.00000E+00	0.00000E+00
50	7.31561E-01	1.96350E+00	7.25089E-01	2.25063E-03	0.00000E+00	0.00000E+00
51	7.13145E-01	1.97367E+00	7.24845E-01	2.21766E-03	0.00000E+00	0.00000E+00
52	7.12367E-01	1.98283E+00	7.24596E-01	2.18714E-03	0.00000E+00	0.00000E+00
53	7.25705E-01	1.99200E+00	7.24618E-01	2.14393E-03	0.00000E+00	0.00000E+00
54	7.28151E-01	2.00117E+00	7.24686E-01	2.10340E-03	0.00000E+00	0.00000E+00
55	7.32886E-01	2.01017E+00	7.24840E-01	2.06912E-03	0.00000E+00	0.00000E+00
56	7.27373E-01	2.01933E+00	7.24887E-01	2.03098E-03	0.00000E+00	0.00000E+00
57	7.30672E-01	2.02850E+00	7.24992E-01	1.99649E-03	0.00000E+00	0.00000E+00
58	7.64964E-01	2.03767E+00	7.25706E-01	2.08640E-03	0.00000E+00	0.00000E+00
59	7.10690E-01	2.04683E+00	7.25443E-01	2.06634E-03	0.00000E+00	0.00000E+00
60	7.16296E-01	2.05517E+00	7.25285E-01	2.03651E-03	0.00000E+00	0.00000E+00
61	7.06627E-01	2.06517E+00	7.24969E-01	2.02652E-03	0.00000E+00	0.00000E+00
62	7.37613E-01	2.07433E+00	7.25179E-01	2.00357E-03	0.00000E+00	0.00000E+00
63	6.94466E-01	2.08433E+00	7.24676E-01	2.03377E-03	0.00000E+00	0.00000E+00
64	7.18753E-01	2.09350E+00	7.24580E-01	2.00298E-03	0.00000E+00	0.00000E+00
65	7.30344E-01	2.10267E+00	7.24672E-01	1.97305E-03	0.00000E+00	0.00000E+00
66	7.25085E-01	2.11183E+00	7.24678E-01	1.94199E-03	0.00000E+00	0.00000E+00
67	7.05691E-01	2.12100E+00	7.24386E-01	1.93406E-03	0.00000E+00	0.00000E+00
68	6.95387E-01	2.13017E+00	7.23947E-01	1.95456E-03	0.00000E+00	0.00000E+00
69	7.35146E-01	2.13933E+00	7.24114E-01	1.93241E-03	0.00000E+00	0.00000E+00
70	6.96014E-01	2.14850E+00	7.23701E-01	1.94811E-03	0.00000E+00	0.00000E+00
721	7.57513E-01	8.21767E+00	7.22303E-01	7.13515E-04	0.00000E+00	0.00000E+00
722	7.42350E-01	8.22683E+00	7.22331E-01	7.13067E-04	0.00000E+00	0.00000E+00
723	7.12217E-01	8.23600E+00	7.22316E-01	7.12216E-04	0.00000E+00	0.00000E+00
724	7.12637E-01	8.24517E+00	7.22303E-01	7.11355E-04	0.00000E+00	0.00000E+00
725	6.93314E-01	8.25433E+00	7.22263E-01	7.11501E-04	0.00000E+00	0.00000E+00
726	7.18909E-01	8.26350E+00	7.22258E-01	7.10533E-04	0.00000E+00	0.00000E+00
727	7.17417E-01	8.27350E+00	7.22252E-01	7.09583E-04	0.00000E+00	0.00000E+00
728	7.39636E-01	8.28267E+00	7.22276E-01	7.09010E-04	0.00000E+00	0.00000E+00
729	7.28333E-01	8.29183E+00	7.22284E-01	7.08083E-04	0.00000E+00	0.00000E+00
730	7.37924E-01	8.30100E+00	7.22305E-01	7.07436E-04	0.00000E+00	0.00000E+00
731	6.88150E-01	8.31017E+00	7.22259E-01	7.08017E-04	0.00000E+00	0.00000E+00
732	6.96444E-01	8.32033E+00	7.22223E-01	7.07930E-04	0.00000E+00	0.00000E+00
733	6.94301E-01	8.32950E+00	7.22185E-01	7.07992E-04	0.00000E+00	0.00000E+00
734	7.42358E-01	8.33850E+00	7.22213E-01	7.07561E-04	0.00000E+00	0.00000E+00
735	7.14699E-01	8.34867E+00	7.22202E-01	7.06669E-04	0.00000E+00	0.00000E+00
736	7.08865E-01	8.35683E+00	7.22184E-01	7.05940E-04	0.00000E+00	0.00000E+00
737	6.97861E-01	8.36600E+00	7.22151E-01	7.05755E-04	0.00000E+00	0.00000E+00
738	7.14015E-01	8.37517E+00	7.22140E-01	7.04882E-04	0.00000E+00	0.00000E+00
739	7.48313E-01	8.38433E+00	7.22176E-01	7.04820E-04	0.00000E+00	0.00000E+00
740	7.16405E-01	8.39350E+00	7.22168E-01	7.03908E-04	0.00000E+00	0.00000E+00
741	7.17382E-01	8.40350E+00	7.22161E-01	7.02985E-04	0.00000E+00	0.00000E+00

742	7.08630E-01	8.41267E+00	7.22143E-01	7.02272E-04	0.00000E+00	0.00000E+00
743	7.48760E-01	8.42183E+00	7.22179E-01	7.02243E-04	0.00000E+00	0.00000E+00
744	7.05792E-01	8.43100E+00	7.22157E-01	7.01644E-04	0.00000E+00	0.00000E+00
745	6.88416E-01	8.44017E+00	7.22111E-01	7.02169E-04	0.00000E+00	0.00000E+00
746	7.47754E-01	8.44933E+00	7.22146E-01	7.02071E-04	0.00000E+00	0.00000E+00
747	7.47333E-01	8.45850E+00	7.22180E-01	7.01943E-04	0.00000E+00	0.00000E+00
748	7.45001E-01	8.46667E+00	7.22210E-01	7.01668E-04	0.00000E+00	0.00000E+00
749	7.06693E-01	8.47583E+00	7.22189E-01	7.01036E-04	0.00000E+00	0.00000E+00
750	7.28547E-01	8.48500E+00	7.22198E-01	7.00150E-04	0.00000E+00	0.00000E+00
751	7.44589E-01	8.49417E+00	7.22228E-01	6.99853E-04	0.00000E+00	0.00000E+00
752	7.34765E-01	8.50333E+00	7.22245E-01	6.99119E-04	0.00000E+00	0.00000E+00
753	7.24710E-01	8.51250E+00	7.22248E-01	6.98195E-04	0.00000E+00	0.00000E+00
754	7.06538E-01	8.52167E+00	7.22227E-01	6.97579E-04	0.00000E+00	0.00000E+00
755	7.08145E-01	8.53083E+00	7.22208E-01	6.96903E-04	0.00000E+00	0.00000E+00
756	7.10409E-01	8.54083E+00	7.22193E-01	6.96154E-04	0.00000E+00	0.00000E+00
757	7.22536E-01	8.54917E+00	7.22193E-01	6.95232E-04	0.00000E+00	0.00000E+00
758	7.46064E-01	8.55917E+00	7.22225E-01	6.95029E-04	0.00000E+00	0.00000E+00
759	7.32577E-01	8.56833E+00	7.22238E-01	6.94245E-04	0.00000E+00	0.00000E+00
760	7.62131E-01	8.57750E+00	7.22291E-01	6.95323E-04	0.00000E+00	0.00000E+00
761	7.14714E-01	8.58567E+00	7.22281E-01	6.94478E-04	0.00000E+00	0.00000E+00
762	6.93322E-01	8.59483E+00	7.22243E-01	6.94610E-04	0.00000E+00	0.00000E+00
763	6.90859E-01	8.60400E+00	7.22202E-01	6.94921E-04	0.00000E+00	0.00000E+00
764	6.89029E-01	8.61417E+00	7.22158E-01	6.95373E-04	0.00000E+00	0.00000E+00
765	7.40473E-01	8.62333E+00	7.22182E-01	6.94875E-04	0.00000E+00	0.00000E+00
766	6.97511E-01	8.63150E+00	7.22150E-01	6.94716E-04	0.00000E+00	0.00000E+00
767	7.08889E-01	8.64067E+00	7.22132E-01	6.94024E-04	0.00000E+00	0.00000E+00
768	7.29606E-01	8.64983E+00	7.22142E-01	6.93186E-04	0.00000E+00	0.00000E+00
769	7.04155E-01	8.65983E+00	7.22119E-01	6.92679E-04	0.00000E+00	0.00000E+00
770	7.19046E-01	8.66817E+00	7.22115E-01	6.91788E-04	0.00000E+00	0.00000E+00
771	6.99645E-01	8.67817E+00	7.22086E-01	6.91505E-04	0.00000E+00	0.00000E+00
772	7.20975E-01	8.68733E+00	7.22084E-01	6.90608E-04	0.00000E+00	0.00000E+00
773	7.34212E-01	8.69650E+00	7.22100E-01	6.89891E-04	0.00000E+00	0.00000E+00
774	7.23828E-01	8.70567E+00	7.22102E-01	6.89000E-04	0.00000E+00	0.00000E+00
775	7.08155E-01	8.71483E+00	7.22084E-01	6.88345E-04	0.00000E+00	0.00000E+00
776	7.58171E-01	8.72400E+00	7.22131E-01	6.89034E-04	0.00000E+00	0.00000E+00
777	7.23155E-01	8.73317E+00	7.22132E-01	6.88146E-04	0.00000E+00	0.00000E+00
778	7.22573E-01	8.74233E+00	7.22133E-01	6.87259E-04	0.00000E+00	0.00000E+00
779	7.50599E-01	8.75150E+00	7.22169E-01	6.87351E-04	0.00000E+00	0.00000E+00
780	6.86529E-01	8.76067E+00	7.22123E-01	6.87994E-04	0.00000E+00	0.00000E+00
781	7.09853E-01	8.76967E+00	7.22108E-01	6.87290E-04	0.00000E+00	0.00000E+00
782	7.15874E-01	8.77983E+00	7.22100E-01	6.86455E-04	0.00000E+00	0.00000E+00
783	7.24166E-01	8.78900E+00	7.22102E-01	6.85581E-04	0.00000E+00	0.00000E+00
784	7.21670E-01	8.79817E+00	7.22102E-01	6.84704E-04	0.00000E+00	0.00000E+00
785	6.92098E-01	8.80733E+00	7.22063E-01	6.84902E-04	0.00000E+00	0.00000E+00
786	7.49026E-01	8.81650E+00	7.22098E-01	6.84891E-04	0.00000E+00	0.00000E+00
787	7.03746E-01	8.82567E+00	7.22074E-01	6.84418E-04	0.00000E+00	0.00000E+00
788	6.94186E-01	8.83467E+00	7.22039E-01	6.84467E-04	0.00000E+00	0.00000E+00
789	7.23685E-01	8.84483E+00	7.22041E-01	6.83600E-04	0.00000E+00	0.00000E+00
790	6.97640E-01	8.85300E+00	7.22010E-01	6.83433E-04	0.00000E+00	0.00000E+00
791	7.19260E-01	8.86317E+00	7.22007E-01	6.82576E-04	0.00000E+00	0.00000E+00
792	7.02020E-01	8.87233E+00	7.21981E-01	6.82180E-04	0.00000E+00	0.00000E+00
793	7.24258E-01	8.88150E+00	7.21984E-01	6.81323E-04	0.00000E+00	0.00000E+00
794	6.97537E-01	8.89050E+00	7.21953E-01	6.81162E-04	0.00000E+00	0.00000E+00
795	7.59961E-01	8.89967E+00	7.22001E-01	6.81989E-04	0.00000E+00	0.00000E+00
796	7.00746E-01	8.90800E+00	7.21974E-01	6.81655E-04	0.00000E+00	0.00000E+00
797	7.19767E-01	8.91800E+00	7.21972E-01	6.80803E-04	0.00000E+00	0.00000E+00
798	7.00395E-01	8.92817E+00	7.21945E-01	6.80487E-04	0.00000E+00	0.00000E+00
799	7.55817E-01	8.93817E+00	7.21987E-01	6.80961E-04	0.00000E+00	0.00000E+00
800	7.35244E-01	8.94833E+00	7.22004E-01	6.80310E-04	0.00000E+00	0.00000E+00
801	7.11048E-01	8.95733E+00	7.21990E-01	6.79596E-04	0.00000E+00	0.00000E+00
802	6.96909E-01	8.96650E+00	7.21959E-01	6.79470E-04	0.00000E+00	0.00000E+00
803	7.46393E-01	8.97667E+00	7.21989E-01	6.79306E-04	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LWT WITH GA IFM

LIFETIME = 1.17843E-04 + OR - 1.60373E-07 GENERATION TIME = 5.55083E-05 + OR - 8.38097E-08
 NU BAR = 2.42082E+00 + OR - 7.82673E-06 AVERAGE FISSION GROUP = 2.38836E+01 + OR - 1.52648E-03
 ENERGY(EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 4.80629E-02 + OR - 6.19113E-05

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
3	0.72199	+ OR - 0.00068	0.72131 TO 0.72267	0.72063 TO 0.72335	0.71995 TO 0.72403	800000
4	0.72196	+ OR - 0.00068	0.72128 TO 0.72264	0.72060 TO 0.72332	0.71992 TO 0.72400	799000
5	0.72197	+ OR - 0.00068	0.72129 TO 0.72265	0.72061 TO 0.72334	0.71993 TO 0.72402	798000
6	0.72198	+ OR - 0.00068	0.72130 TO 0.72266	0.72062 TO 0.72335	0.71994 TO 0.72403	797000
7	0.72199	+ OR - 0.00068	0.72131 TO 0.72267	0.72062 TO 0.72336	0.71994 TO 0.72404	796000
8	0.72197	+ OR - 0.00068	0.72129 TO 0.72266	0.72061 TO 0.72334	0.71992 TO 0.72402	795000
9	0.72197	+ OR - 0.00068	0.72129 TO 0.72265	0.72060 TO 0.72334	0.71992 TO 0.72402	794000
10	0.72196	+ OR - 0.00069	0.72128 TO 0.72265	0.72059 TO 0.72333	0.71991 TO 0.72402	793000
11	0.72196	+ OR - 0.00069	0.72128 TO 0.72265	0.72059 TO 0.72333	0.71990 TO 0.72402	792000
12	0.72193	+ OR - 0.00069	0.72124 TO 0.72261	0.72056 TO 0.72330	0.71987 TO 0.72399	791000
17	0.72193	+ OR - 0.00069	0.72124 TO 0.72262	0.72055 TO 0.72331	0.71987 TO 0.72400	786000
22	0.72194	+ OR - 0.00069	0.72125 TO 0.72264	0.72056 TO 0.72333	0.71987 TO 0.72402	781000
27	0.72196	+ OR - 0.00069	0.72127 TO 0.72265	0.72057 TO 0.72335	0.71988 TO 0.72404	776000
32	0.72190	+ OR - 0.00070	0.72120 TO 0.72260	0.72050 TO 0.72329	0.71981 TO 0.72399	771000
37	0.72185	+ OR - 0.00070	0.72115 TO 0.72255	0.72045 TO 0.72326	0.71975 TO 0.72396	766000
42	0.72177	+ OR - 0.00070	0.72106 TO 0.72247	0.72036 TO 0.72317	0.71966 TO 0.72387	761000
47	0.72183	+ OR - 0.00071	0.72113 TO 0.72254	0.72042 TO 0.72324	0.71971 TO 0.72395	756000
52	0.72182	+ OR - 0.00071	0.72111 TO 0.72253	0.72040 TO 0.72323	0.71969 TO 0.72394	751000
57	0.72177	+ OR - 0.00071	0.72105 TO 0.72248	0.72034 TO 0.72320	0.71963 TO 0.72391	746000
62	0.72173	+ OR - 0.00072	0.72102 TO 0.72245	0.72030 TO 0.72316	0.71958 TO 0.72388	741000
67	0.72178	+ OR - 0.00072	0.72106 TO 0.72250	0.72034 TO 0.72322	0.71962 TO 0.72393	736000
72	0.72187	+ OR - 0.00072	0.72115 TO 0.72259	0.72043 TO 0.72331	0.71971 TO 0.72403	731000
77	0.72177	+ OR - 0.00072	0.72105 TO 0.72250	0.72033 TO 0.72322	0.71961 TO 0.72394	726000
82	0.72182	+ OR - 0.00073	0.72110 TO 0.72255	0.72037 TO 0.72328	0.71964 TO 0.72400	721000
87	0.72187	+ OR - 0.00073	0.72114 TO 0.72260	0.72041 TO 0.72333	0.71968 TO 0.72406	716000
92	0.72181	+ OR - 0.00073	0.72108 TO 0.72254	0.72035 TO 0.72328	0.71961 TO 0.72401	711000

LWT WITH GA IFM


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
97	0.72181	+ OR - 0.00074	0.72108	TO 0.72255	0.72034	TO 0.72329	0.71960	TO 0.72402	706000
102	0.72184	+ OR - 0.00074	0.72110	TO 0.72258	0.72036	TO 0.72332	0.71962	TO 0.72406	701000
107	0.72190	+ OR - 0.00074	0.72116	TO 0.72264	0.72042	TO 0.72338	0.71968	TO 0.72413	696000
112	0.72200	+ OR - 0.00074	0.72125	TO 0.72274	0.72051	TO 0.72348	0.71977	TO 0.72422	691000
117	0.72196	+ OR - 0.00075	0.72121	TO 0.72270	0.72046	TO 0.72345	0.71971	TO 0.72420	686000
122	0.72196	+ OR - 0.00075	0.72121	TO 0.72271	0.72046	TO 0.72346	0.71970	TO 0.72421	681000
127	0.72197	+ OR - 0.00076	0.72122	TO 0.72273	0.72046	TO 0.72349	0.71971	TO 0.72424	676000
132	0.72198	+ OR - 0.00076	0.72122	TO 0.72274	0.72046	TO 0.72350	0.71970	TO 0.72426	671000
137	0.72192	+ OR - 0.00076	0.72116	TO 0.72268	0.72040	TO 0.72345	0.71964	TO 0.72421	666000
142	0.72191	+ OR - 0.00077	0.72115	TO 0.72268	0.72038	TO 0.72344	0.71962	TO 0.72421	661000
147	0.72185	+ OR - 0.00077	0.72108	TO 0.72261	0.72031	TO 0.72338	0.71955	TO 0.72415	656000
152	0.72198	+ OR - 0.00077	0.72122	TO 0.72275	0.72045	TO 0.72352	0.71968	TO 0.72429	651000
157	0.72199	+ OR - 0.00077	0.72122	TO 0.72276	0.72045	TO 0.72354	0.71967	TO 0.72431	646000
162	0.72195	+ OR - 0.00078	0.72118	TO 0.72273	0.72040	TO 0.72351	0.71962	TO 0.72428	641000
167	0.72203	+ OR - 0.00078	0.72125	TO 0.72281	0.72047	TO 0.72359	0.71969	TO 0.72437	636000
172	0.72218	+ OR - 0.00078	0.72140	TO 0.72296	0.72062	TO 0.72375	0.71983	TO 0.72453	631000
177	0.72225	+ OR - 0.00079	0.72146	TO 0.72303	0.72067	TO 0.72382	0.71988	TO 0.72461	626000
182	0.72227	+ OR - 0.00079	0.72148	TO 0.72306	0.72069	TO 0.72385	0.71990	TO 0.72464	621000
187	0.72226	+ OR - 0.00080	0.72146	TO 0.72305	0.72067	TO 0.72385	0.71987	TO 0.72464	616000
192	0.72234	+ OR - 0.00080	0.72154	TO 0.72314	0.72074	TO 0.72394	0.71994	TO 0.72474	611000
197	0.72243	+ OR - 0.00080	0.72163	TO 0.72323	0.72082	TO 0.72403	0.72002	TO 0.72484	606000
202	0.72239	+ OR - 0.00081	0.72158	TO 0.72320	0.72077	TO 0.72400	0.71997	TO 0.72481	601000
207	0.72246	+ OR - 0.00081	0.72165	TO 0.72327	0.72084	TO 0.72409	0.72003	TO 0.72490	596000
212	0.72236	+ OR - 0.00081	0.72155	TO 0.72317	0.72074	TO 0.72399	0.71992	TO 0.72480	591000
217	0.72246	+ OR - 0.00081	0.72164	TO 0.72327	0.72083	TO 0.72408	0.72001	TO 0.72490	586000
222	0.72248	+ OR - 0.00082	0.72166	TO 0.72330	0.72084	TO 0.72412	0.72002	TO 0.72494	581000
227	0.72243	+ OR - 0.00083	0.72161	TO 0.72326	0.72078	TO 0.72409	0.71996	TO 0.72491	576000

LWT WITH GA IFM

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
637	0.72076	+ OR - 0.00156	0.71920 TO 0.72231	0.71764 TO 0.72387	0.71609 TO 0.72543	166000
642	0.72062	+ OR - 0.00159	0.71903 TO 0.72221	0.71744 TO 0.72380	0.71585 TO 0.72539	161000
647	0.72102	+ OR - 0.00160	0.71942 TO 0.72262	0.71782 TO 0.72422	0.71622 TO 0.72582	156000
652	0.72100	+ OR - 0.00163	0.71937 TO 0.72262	0.71774 TO 0.72425	0.71612 TO 0.72588	151000
657	0.72156	+ OR - 0.00163	0.71993 TO 0.72318	0.71830 TO 0.72481	0.71668 TO 0.72644	146000
662	0.72127	+ OR - 0.00167	0.71960 TO 0.72295	0.71793 TO 0.72462	0.71626 TO 0.72629	141000
667	0.72109	+ OR - 0.00172	0.71938 TO 0.72281	0.71766 TO 0.72453	0.71595 TO 0.72624	136000
672	0.72085	+ OR - 0.00176	0.71909 TO 0.72261	0.71733 TO 0.72438	0.71557 TO 0.72614	131000
677	0.72067	+ OR - 0.00182	0.71885 TO 0.72249	0.71702 TO 0.72432	0.71520 TO 0.72614	126000
682	0.72036	+ OR - 0.00189	0.71848 TO 0.72225	0.71659 TO 0.72414	0.71470 TO 0.72603	121000
687	0.72069	+ OR - 0.00189	0.71880 TO 0.72258	0.71691 TO 0.72447	0.71502 TO 0.72636	116000
692	0.72086	+ OR - 0.00197	0.71890 TO 0.72283	0.71693 TO 0.72480	0.71496 TO 0.72677	111000
697	0.72029	+ OR - 0.00203	0.71826 TO 0.72232	0.71623 TO 0.72436	0.71420 TO 0.72639	106000
702	0.72032	+ OR - 0.00208	0.71824 TO 0.72240	0.71616 TO 0.72448	0.71408 TO 0.72656	101000
707	0.72002	+ OR - 0.00217	0.71785 TO 0.72218	0.71569 TO 0.72435	0.71352 TO 0.72652	96000
712	0.71981	+ OR - 0.00224	0.71758 TO 0.72205	0.71534 TO 0.72428	0.71310 TO 0.72652	91000
717	0.71915	+ OR - 0.00225	0.71691 TO 0.72140	0.71466 TO 0.72364	0.71242 TO 0.72589	86000
722	0.71895	+ OR - 0.00221	0.71674 TO 0.72116	0.71453 TO 0.72337	0.71232 TO 0.72558	81000
727	0.71948	+ OR - 0.00233	0.71716 TO 0.72181	0.71483 TO 0.72414	0.71250 TO 0.72647	76000
732	0.71958	+ OR - 0.00240	0.71719 TO 0.72198	0.71479 TO 0.72438	0.71239 TO 0.72677	71000
737	0.72019	+ OR - 0.00250	0.71769 TO 0.72268	0.71519 TO 0.72518	0.71269 TO 0.72768	66000
742	0.72012	+ OR - 0.00265	0.71747 TO 0.72278	0.71482 TO 0.72543	0.71216 TO 0.72808	61000
747	0.71945	+ OR - 0.00269	0.71677 TO 0.72214	0.71408 TO 0.72482	0.71140 TO 0.72751	56000
752	0.71823	+ OR - 0.00283	0.71541 TO 0.72106	0.71258 TO 0.72388	0.70975 TO 0.72671	51000
757	0.71864	+ OR - 0.00311	0.71553 TO 0.72175	0.71243 TO 0.72486	0.70932 TO 0.72797	46000
762	0.71729	+ OR - 0.00317	0.71412 TO 0.72045	0.71096 TO 0.72362	0.70779 TO 0.72678	41000
767	0.71894	+ OR - 0.00331	0.71563 TO 0.72226	0.71232 TO 0.72557	0.70900 TO 0.72888	36000


LWT WITH GA IFM

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
772	0.71963	+ OR - 0.00375	0.71587 TO 0.72338	0.71212 TO 0.72714	0.70837 TO 0.73089	31000
777	0.71773	+ OR - 0.00414	0.71359 TO 0.72187	0.70944 TO 0.72602	0.70530 TO 0.73016	26000
782	0.71788	+ OR - 0.00463	0.71325 TO 0.72252	0.70862 TO 0.72715	0.70399 TO 0.73178	21000
787	0.71780	+ OR - 0.00545	0.71235 TO 0.72325	0.70691 TO 0.72870	0.70146 TO 0.73415	16000
792	0.72255	+ OR - 0.00715	0.71540 TO 0.72971	0.70825 TO 0.73686	0.70109 TO 0.74401	11000
797	0.72430	+ OR - 0.01016	0.71414 TO 0.73446	0.70398 TO 0.74463	0.69381 TO 0.75479	6000





LWT WITH GA IFM

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION SKIPPED.
THE LINE REPRESENTS $K\text{-EFF} = 0.7220 \pm 0.0007$ WHICH OCCURS FOR 3 GENERATIONS SKIPPED.



	I	*	I
600	I	*	I
605	I	*	I
610	I	*	I
615	I	*	I
620	I	*	I
625	I	*	I
630	I	*	I
635	I	*	I
640	I	*	I
645	I	*	I
650	I	*	I
655	I	*	I
660	I	*	I
665	I	*	I
670	I	*	I
675	I	*	I
680	I	*	I
685	I	*	I
690	I	*	I





LWT WITH GA IFM								SKIPPING 3 GENERATIONS	
GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0006			4.00192E-04	1.2672	1.27462E-03	0.9486	0.00000E+00	0.0000
2	0.0022			1.59620E-03	0.4160	3.02760E-03	0.3251	0.00000E+00	0.0000
3	0.0025			1.82061E-03	0.3354	1.55179E-03	0.2726	0.00000E+00	0.0000
4	0.0012			8.62742E-04	0.3730	8.32470E-04	0.2807	0.00000E+00	0.0000
5	0.0009			6.76402E-04	0.2862	1.74872E-03	0.2795	0.00000E+00	0.0000
6	0.0013			9.13395E-04	0.2168	7.38533E-03	0.2572	0.00000E+00	0.0000
7	0.0015			1.08146E-03	0.1791	1.48384E-02	0.2389	0.00000E+00	0.0000
8	0.0016			1.14697E-03	0.1791	1.20744E-02	0.2599	0.00000E+00	0.0000
9	0.0022			1.58067E-03	0.1807	1.21250E-02	0.2548	0.00000E+00	0.0000
10	0.0047			3.42751E-03	0.1860	3.03179E-02	0.2487	0.00000E+00	0.0000
11	0.0104			7.47447E-03	0.1748	4.07010E-02	0.2030	0.00000E+00	0.0000
12	0.0146			1.05204E-02	0.1891	3.32275E-02	0.1821	0.00000E+00	0.0000
13	0.0142			1.02616E-02	0.1907	4.31473E-02	0.1706	0.00000E+00	0.0000
14	0.0117			8.45094E-03	0.1787	5.28353E-02	0.2124	0.00000E+00	0.0000
15	0.0022			1.56657E-03	0.2617	2.40140E-02	0.3384	0.00000E+00	0.0000
16	0.0015			1.05366E-03	0.3224	1.32672E-02	0.3664	0.00000E+00	0.0000
17	0.0023			1.64657E-03	0.4663	6.76399E-03	0.3719	0.00000E+00	0.0000
18	0.0031			2.25149E-03	0.4738	6.20648E-03	0.3773	0.00000E+00	0.0000
19	0.0038			2.70772E-03	0.3751	1.06971E-02	0.3856	0.00000E+00	0.0000
20	0.0158			1.13935E-02	0.2345	3.32724E-02	0.3217	0.00000E+00	0.0000
21	0.0089			6.40846E-03	0.3567	1.18196E-02	0.3676	0.00000E+00	0.0000
22	0.0221			1.59248E-02	0.2701	2.38316E-02	0.3046	0.00000E+00	0.0000
23	0.0871			6.28856E-02	0.1617	8.17318E-02	0.1725	0.00000E+00	0.0000
24	0.2046			1.47719E-01	0.1240	1.59106E-01	0.1190	0.00000E+00	0.0000
25	0.1939			1.40005E-01	0.1273	1.37342E-01	0.1176	0.00000E+00	0.0000
26	0.2695			1.94597E-01	0.1268	1.74117E-01	0.1224	0.00000E+00	0.0000
27	0.1158			8.36149E-02	0.1690	6.46415E-02	0.1785	0.00000E+00	0.0000
SYSTEM TOTAL =				7.21987E-01	0.0942	1.00190E+00	0.0315	0.00000E+00	0.0000
ELAPSED TIME		8.97750 MINUTES							
RANDOM NUMBER=		23A12AE52FEC							

LWT WITH GA IFM

FREQUENCY FOR GENERATIONS 4 TO 803

```
0.6657 TO 0.6687 **
0.6687 TO 0.6717
0.6717 TO 0.6747 ****
0.6747 TO 0.6778 *
0.6778 TO 0.6808
0.6808 TO 0.6838 *****
0.6838 TO 0.6868 *****
0.6868 TO 0.6899 *****
0.6899 TO 0.6929 *****
0.6929 TO 0.6959 *****
0.6959 TO 0.6990 *****
0.6990 TO 0.7020 *****
0.7020 TO 0.7050 *****
0.7050 TO 0.7080 *****
0.7080 TO 0.7111 *****
0.7111 TO 0.7141 *****
0.7141 TO 0.7171 *****
0.7171 TO 0.7201 *****
0.7201 TO 0.7232 *****
0.7232 TO 0.7262 *****
0.7262 TO 0.7292 *****
0.7292 TO 0.7322 *****
0.7322 TO 0.7353 *****
0.7353 TO 0.7383 *****
0.7383 TO 0.7413 *****
0.7413 TO 0.7444 *****
0.7444 TO 0.7474 *****
0.7474 TO 0.7504 *****
0.7504 TO 0.7534 *****
0.7534 TO 0.7565 *****
0.7565 TO 0.7595 *****
0.7595 TO 0.7625 ***
0.7625 TO 0.7655 *****
0.7655 TO 0.7686 *****
0.7686 TO 0.7716 *****
0.7716 TO 0.7746 *
0.7746 TO 0.7776 *
```

LWT WITH GA IPM

FREQUENCY FOR GENERATIONS 204 TO 803

```
0.6657 TO 0.6687 **
0.6687 TO 0.6717 ****
0.6717 TO 0.6747 ****
0.6747 TO 0.6778 *
0.6778 TO 0.6808
0.6808 TO 0.6838 *****
0.6838 TO 0.6868 *****
0.6868 TO 0.6899 *****
0.6899 TO 0.6929 *****
0.6929 TO 0.6959 *****
0.6959 TO 0.6990 *****
0.6990 TO 0.7020 *****
0.7020 TO 0.7050 *****
0.7050 TO 0.7080 *****
0.7080 TO 0.7111 *****
0.7111 TO 0.7141 *****
0.7141 TO 0.7171 *****
0.7171 TO 0.7201 *****
0.7201 TO 0.7232 *****
0.7232 TO 0.7262 *****
0.7262 TO 0.7292 *****
0.7292 TO 0.7322 *****
0.7322 TO 0.7353 *****
0.7353 TO 0.7383 *****
0.7383 TO 0.7413 *****
0.7413 TO 0.7444 *****
0.7444 TO 0.7474 *****
0.7474 TO 0.7504 *****
0.7504 TO 0.7534 *****
0.7534 TO 0.7565 *****
0.7565 TO 0.7595 *****
0.7595 TO 0.7625 **
0.7625 TO 0.7655 **
0.7655 TO 0.7686 *****
0.7686 TO 0.7716 *****
0.7716 TO 0.7746 *
0.7746 TO 0.7776 *
```

LWT WITH GA IPM

FREQUENCY FOR GENERATIONS 404 TO 803

```
0.6657 TO 0.6687 **
0.6687 TO 0.6717
0.6717 TO 0.6747 **
0.6747 TO 0.6778
0.6778 TO 0.6808
0.6808 TO 0.6838 **
0.6838 TO 0.6868 *****
0.6868 TO 0.6899 *****
0.6899 TO 0.6929 *****
0.6929 TO 0.6959 *****
0.6959 TO 0.6990 *****
0.6990 TO 0.7020 *****
0.7020 TO 0.7050 *****
0.7050 TO 0.7080 *****
0.7080 TO 0.7111 *****
0.7111 TO 0.7141 *****
0.7141 TO 0.7171 *****
0.7171 TO 0.7201 *****
0.7201 TO 0.7232 *****
0.7232 TO 0.7262 *****
0.7262 TO 0.7292 *****
0.7292 TO 0.7322 *****
0.7322 TO 0.7353 *****
0.7353 TO 0.7383 *****
0.7383 TO 0.7413 *****
0.7413 TO 0.7444 *****
0.7444 TO 0.7474 *****
0.7474 TO 0.7504 *****
0.7504 TO 0.7534 *****
0.7534 TO 0.7565 ***
0.7565 TO 0.7595 *****
0.7595 TO 0.7625 **
0.7625 TO 0.7655 **
0.7655 TO 0.7686 ***
0.7686 TO 0.7716 **
0.7716 TO 0.7746 *
0.7746 TO 0.7776 *
```


LWT WITH GA IFM

FREQUENCY FOR GENERATIONS 604 TO 803

```
0.6657 TO 0.6687 **
0.6687 TO 0.6717
0.6717 TO 0.6747
0.6747 TO 0.6778
0.6778 TO 0.6808
0.6808 TO 0.6838 *
0.6838 TO 0.6868 *****
0.6868 TO 0.6899 ***
0.6899 TO 0.6929 ****
0.6929 TO 0.6959 *****
0.6959 TO 0.6990 *****
0.6990 TO 0.7020 ****
0.7020 TO 0.7050 *****
0.7050 TO 0.7080 *****
0.7080 TO 0.7111 *****
0.7111 TO 0.7141 *****
0.7141 TO 0.7171 *****
0.7171 TO 0.7201 *****
0.7201 TO 0.7232 *****
0.7232 TO 0.7262 *****
0.7262 TO 0.7292 *****
0.7292 TO 0.7322 *****
0.7322 TO 0.7353 *****
0.7353 TO 0.7383 *****
0.7383 TO 0.7413 *****
0.7413 TO 0.7444 *****
0.7444 TO 0.7474 *****
0.7474 TO 0.7504 *****
0.7504 TO 0.7534 *****
0.7534 TO 0.7565 **
0.7565 TO 0.7595 ***
0.7595 TO 0.7625 **
0.7625 TO 0.7655
0.7655 TO 0.7686
0.7686 TO 0.7716
0.7716 TO 0.7746 *
0.7746 TO 0.7776
```

CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 8.97750 MINUTES

□

6.6.10 **Damaged Fuel Rods in a Rod Holder**

This section contains a sample output file from the evaluation of 25 fuel rods in a rod holder in which up to 14 of the fuel rods are classified as damaged. The output file is shown in Figure 6.6.10-1.

Figure 6.6.10-1 Damaged BWR Rods in a Rod Holder

```
PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET
27GROUPE4 LATTICECELL
UO2      1 0.95 293.0 92235 5.0 92238 95.0 END
H2O      2 1.0000 293.0 END
ZIRCALLOY 3 1.0000 293.0 END
H2O      4 1.0000 293.0 END
H2O      5 0.0001 293.0 END
PB       6 1.0000 293.0 END
H2O      7 0.0001 293.0 END
SS304    8 1.0000 293.0 END
END COMP
TRIANGPITCH 2.15289 0.7968 1 4 END
NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET
READ PARAM RUN=YES ELT=NO TME=5000 GEN=803 NPG=1000 TBA=5 END PARAM
READ GEOM
UNIT 1
COM='LWR FUEL ROD-NO CLAD'
CYLINDER 1 1 0.3984 2P10.0000
CYLINDER 4 1 0.4049 2P10.0000
GLOBAL UNIT 2
CYLINDER 4 1 9.0166 2P10.0000
HOLE 1 0.0000 0.0000 0.0000
HOLE 1 2.1529 0.0000 0.0000
HOLE 1 1.0764 1.8645 0.0000
HOLE 1 -1.0764 1.8645 0.0000
HOLE 1 -2.1529 0.0000 0.0000
HOLE 1 -1.0764 -1.8645 0.0000
HOLE 1 1.0764 -1.8645 0.0000
HOLE 1 3.2293 -1.8645 0.0000
HOLE 1 4.3058 0.0000 0.0000
HOLE 1 3.2293 1.8645 0.0000
HOLE 1 2.1529 3.7289 0.0000
HOLE 1 0.0000 3.7289 0.0000
HOLE 1 -2.1529 3.7289 0.0000
HOLE 1 -3.2293 1.8645 0.0000
HOLE 1 -4.3058 0.0000 0.0000
HOLE 1 -3.2293 -1.8645 0.0000
HOLE 1 -2.1529 -3.7289 0.0000
HOLE 1 0.0000 -3.7289 0.0000
HOLE 1 2.1529 -3.7289 0.0000
HOLE 1 4.3058 -3.7289 0.0000
HOLE 1 5.3822 1.8645 0.0000
HOLE 1 1.0764 5.5934 0.0000
HOLE 1 -4.3058 3.7289 0.0000
HOLE 1 -5.3822 -1.8645 0.0000
HOLE 1 -1.0764 -5.5934 0.0000
HOLE 1 1.0764 -5.5934 0.0000
HOLE 1 4.3058 3.7289 0.0000
HOLE 1 3.2293 5.5934 0.0000
HOLE 1 -1.0764 5.5934 0.0000
HOLE 1 -4.3058 -3.7289 0.0000
HOLE 1 -3.2293 -5.5934 0.0000
HOLE 1 3.2293 -5.5934 0.0000
HOLE 1 5.3822 -1.8645 0.0000
HOLE 1 -3.2293 5.5934 0.0000
HOLE 1 -5.3822 1.8645 0.0000
HOLE 1 6.4587 0.0000 0.0000
HOLE 1 -6.4587 0.0000 0.0000
HOLE 1 0.0000 -7.4578 0.0000
HOLE 1 2.1529 -7.4578 0.0000
HOLE 1 4.3058 -7.4578 0.0000
HOLE 1 5.3822 -5.5934 0.0000
HOLE 1 6.4587 -3.7289 0.0000
HOLE 1 7.5351 -1.8645 0.0000
HOLE 1 8.6116 0.0000 0.0000
HOLE 1 7.5351 1.8645 0.0000
HOLE 1 6.4587 3.7289 0.0000
HOLE 1 5.3822 5.5934 0.0000
HOLE 1 4.3058 7.4578 0.0000
HOLE 1 2.1529 7.4578 0.0000
HOLE 1 0.0000 7.4578 0.0000
HOLE 1 -2.1529 7.4578 0.0000
HOLE 1 -4.3058 7.4578 0.0000
HOLE 1 -5.3822 5.5934 0.0000
HOLE 1 -6.4587 3.7289 0.0000
HOLE 1 -7.5351 1.8645 0.0000
HOLE 1 -8.6116 0.0000 0.0000
HOLE 1 -7.5351 -1.8645 0.0000
HOLE 1 -6.4587 -3.7289 0.0000
HOLE 1 -5.3822 -5.5934 0.0000
HOLE 1 -4.3058 -7.4578 0.0000
HOLE 1 -2.1529 -7.4578 0.0000
CYLINDER 5 1 16.9863 2P10.0000
CYLINDER 8 1 18.8976 2P10.0000
CYLINDER 6 1 33.5026 2P10.0000
CYLINDER 8 1 36.5506 2P10.0000
CYLINDER 7 1 49.2443 2P10.0000
CYLINDER 8 1 49.8221 2P10.0000
CUBOID 5 1 4P49.8221 2P10.0000
END GEOM
READ BOUNDS ALL=MIR END BOUNDS
READ PLOT
TTL='XY SLICE OF CASK'
SCR=YES PIC=MAT LPI=10
```

XUL=-50.0 YUL=50.0 ZUL=0.0 XLR=50.0 YLR=-50.0 ZLR=0.0
UAX=1.0 VDN=-1.0 NAX=1500 END
END PLOT
END DATA

SECONDARY MODULE 000008 HAS BEEN CALLED.
MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.33 (SECONDS).
SECONDARY MODULE 000002 HAS BEEN CALLED.
MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 2.30 (SECONDS).
SECONDARY MODULE 000009 HAS BEEN CALLED.
MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1721.70 (SECONDS).
MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 1725.59 (SECONDS).

THE FOLLOWING DATA CARDS PRECEDE AN = CARD

EXECUTION TERMINATED DUE TO ERRORS

```
CCCCCCCCCC SSSSSSSSSS AAAAAAAAAA SSSSSSSSSS 2222222222 555555555555
CCCCCCCCCC SSSSSSSSSSSS AAAAAAAAAAAA SSSSSSSSSSSS 222222222222 555555555555
CC          CC SS      SS AA      AA SS      SS      22      22      55
CC          SS      AA      AA SS      SS      22      22      55
CC          SS      AA      AA SS      SS      22      22      55
CC          SSSSSSSSSS AAAAAAAAAAAAAA SSSSSSSSSSSS      22      555555555555
CC          SSSSSSSSSSSS AAAAAAAAAAAAAA SSSSSSSSSSSS      22      555555555555
CC          SS      AA      AA      SS      SS      22      22      55
CC          SS      AA      AA      SS      SS      22      22      55
CC          CC      SS      SS      AA      AA      SS      SS      22      55      55
CCCCCCCCCC SSSSSSSSSSSS AA      AA      SSSSSSSSSSSS 222222222222 555555555555
CCCCCCCCCC SSSSSSSSSSSS AA      AA      SSSSSSSSSSSS 222222222222 555555555555
```

```
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL      EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAAAAAA LL      EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SS          SS      CC      CC      AA      AA      LL      EE      PP      PP      CC      CC
SS          CC      AA      AA      LL      EE      PP      PP      PP      CC
SS          CC      AA      AA      LL      EE      PP      PP      PP      CC
SSSSSSSSSS CC      AAAAAAAAAAAAAA LL      EEEEEEEEEEE PPPPPPPPPPP CC
SSSSSSSSSS CC      AAAAAAAAAAAAAA LL      EEEEEEEEEEE PPPPPPPPPPP CC
SS          SS      CC      AA      AA      LL      EE      PP      CC
SS          SS      CC      AA      AA      LL      EE      PP      CC      CC
SSSSSSSSSS CCCCCCCCCC AA      AA      LLLLLLLLLLLL EEEEEEEEEEE PP      CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA      AA      LLLLLLLLLLLL EEEEEEEEEEE PP      CCCCCCCCCC
```

```
00000000 11 // 2222222222 9999999999 // 00000000 3333333333
00000000 111 222222222222 999999999999 // 000000000 333333333333
00 00 1111 // 22 22 99 99 // 00 00 33
00 00 11 // 22 22 99 99 // 00 00 33
00 00 11 // 22 22 99 99 // 00 00 33
00 00 11 // 22 22 999999999999 // 00 00 333
00 00 11 // 22 22 999999999999 // 00 00 333
00 00 11 // 22 22 99 99 // 00 00 33
00 00 11 // 22 22 99 99 // 00 00 33
00 00 11 // 22 22 99 99 // 00 00 33
00000000 11111111 // 222222222222 999999999999 // 000000000 333333333333
00000000 11111111 // 222222222222 999999999999 // 00000000 3333333333
```

```
11 11 00000000 2222222222 2222222222 3333333333
111 111 000000000 222222222222 222222222222 333333333333
1111 1111 // 00 00 22 22 // 22 22 33
11 11 // 00 00 22 22 // 22 22 33
11 11 // 00 00 22 22 // 22 22 33
11 11 // 00 00 22 22 // 22 22 33
11 11 // 00 00 22 22 // 22 22 33
11 11 // 00 00 22 22 // 22 22 33
11111111 11111111 // 000000000 222222222222 222222222222 333333333333
11111111 11111111 // 00000000 222222222222 222222222222 333333333333
```


TEMP 293.0 DEG KELVIN
40302 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 0.0001 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC PB STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 0.0001 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

END

**** PROBLEM GEOMETRY ****

CTP TRIANGPITCH CELL TYPE
PITCH 2.1529 CM CENTER TO CENTER SPACING
FUELOD 0.7968 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 4 MIXTURE NO. OF MODERATOR

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS MOD

```

*****
***                                     NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET
***
*****
***                                     ***** DATA LIBRARY INFORMATION *****
***
***                                     UNIT          VOLUME          UNIT FUNCTION
***                                     NUMBER         NAME
***                                     -----         -
***
***      89      M:\scale43\DALIB\FT89F001          STANDARD COMPOSITION LIBRARY
***
***      82      M:\scale43\DALIB\FT82F001          CROSS SECTION LIBRARY
***
***      11      D:\zjr\Lwt\Rods\Crit\DPSZ61\bwr_dpsz_100i_00  SHORT CROSS SECTION LIBRARY
***
***      90      D:\zjr\Lwt\Rods\Crit\DPSZ61\bwr_dpsz_100i_00  INPUT DATA DIRECT ACCESS
***
*****
***
***                                     STANDARD COMPOSITION LIBRARY DATA
***                                     -----
***
***      UNIT NUMBER      :      89
***
***      DATASET NAME     :      M:\scale43\DALIB\FT89F001
***
***      LIBRARY TITLE:   SCALE-4 STANDARD COMPOSITION LIBRARY
***                       637 STANDARD COMPOSITIONS, 490 NUCLIDES
***                       90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
***
***      CREATION DATE:   6/30/95
***
***
***                                     CROSS SECTION LIBRARY DATA
***                                     -----
***
***      UNIT NUMBER      :      82
***
***      DATASET NAME     :      M:\scale43\DALIB\FT82F001
***
***      LIBRARY TITLE:   SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
***                       BASED ON ENDF-B VERSION 4 DATA
***                       COMPILED FOR NRC      1/27/89
***                       LAST UPDATED
***                       L.M.PETRIE - ORNL
***
***                                     08/12/94
***
*****

```

```

..... 0 IO'S WERE USED BEFORE READING KENO V DATA .....
..... 0 IO'S WERE USED READING THE KENO V PARAMETER DATA .....

***** DATA READING COMPLETED *****

..... 0 IO'S WERE USED PREPARING THE KENO V INPUT DATA .....
..... 0 IO'S WERE USED LOADING THE KENO V DATA .....
..... 0 IO'S WERE USED LOADING THE DATA .....
..... 0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA .....
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
..... 0 IO'S WERE USED WRITING THE KENO V - CSAS DATA .....
..... 0 IO'S WERE USED PROCESSING CSAS INPUT DATA .....

```

CONTROL MODULE CSAS25 IS COMPLETE.

```

BBBBBBBBBBB 000000000 NN NN AAAAAAAA MM MM IIIIIIIIIII 222222222
BBBBBBBBBBB 00000000000 NNN NN AAAAAAAA MMM MMM IIIIIIIIIII 22222222222
BB BB OO OO NNNN NN AA AA MMMM MMMM II 22 22
BB BB OO OO NN NN NN AA AA MM MM MM MM II 22 22
BB BB OO OO NN NN NN AA AA MM MM MM MM II 22 22
BBBBBBBBBBB OO OO NN NN NN ----- AAAAAAAAAAAAA MM MM MM MM II 22
BBBBBBBBBBB OO OO NN NN NN ----- AAAAAAAAAAAAA MM M MM MM II 22
BB BB OO OO NN NN NN AA AA MM MM MM II 22
BB BB OO OO NN NN NN AA AA MM MM MM II 22
BB BB OO OO NN NN NN AA AA MM MM MM II 22
BBBBBBBBBBB 00000000000 NN NN NNNN AA AA MM MM MM IIIIIIIIIII 22222222222
BBBBBBBBBBB 0000000000 NN NN NN AA AA MM MM MM IIIIIIIIIII 22222222222

```

```

SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SSSSSSSSSSSS CCCCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPPPP CCCCCCCCCCCC
SS SS CC CC AA AA LL EE EE PP PP CC CC
SS SS CC CC AA AA LL EE EE PP PP CC CC
SS SS CC CC AA AA LL EE EE PP PP CC CC
SSSSSSSSSS CC AAAAAAAAAAAAA LL EEEEEEEE ----- PPPPPPPPPPPP CC
SSSSSSSSSS CC AAAAAAAAAAAAA LL EEEEEEEE ----- PPPPPPPPPPPP CC
SS SS CC CC AA AA LL EE EE PP PP CC CC
SS SS CC CC AA AA LL EE EE PP PP CC CC
SSSSSSSSSS CCCCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEEE PP CCCCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEEE PP CCCCCCCCCC

```

```

0000000 11 222222222 999999999 0000000 333333333
000000000 111 22222222222 99999999999 000000000 33333333333
00 00 1111 22 22 99 99 00 00 33 33
00 00 11 22 22 99 99 00 00 33 33
00 00 11 22 22 99 99 00 00 33 33
00 00 11 22 22 99 99 00 00 33 33
00 00 11 22 22 99 99 00 00 33 33
00 00 11 22 22 99 99 00 00 33 33
00 00 11 22 22 99 99 00 00 33 33
00000000 1111111 22222222222 99999999999 000000000 33333333333
0000000 1111111 22222222222 99999999999 0000000 33333333333

```

```

11 11 0000000 222222222 222222222 44
111 111 000000000 22222222222 22222222222 444
1111 1111 00 00 22 22 22 4444
11 11 00 00 22 22 22 44 44
11 11 00 00 22 22 22 44 44
11 11 00 00 22 22 22 44 44
11 11 00 00 22 22 22 44 44
11 11 00 00 22 22 22 44 44
11 11 00 00 22 22 22 44 44
1111111 1111111 00000000 22222222222 22222222222 44
1111111 1111111 0000000 22222222222 22222222222 44

```


1	1	92235	1.17578E-03	1092235
2	1	92238	2.20577E-02	1092238
3	1	8016	4.64669E-02	1008016
4	2	8016	3.33846E-02	2008016
5	4	8016	3.33846E-02	4008016
6	5	8016	3.33846E-06	5008016
7	7	8016	3.33846E-06	7008016
8	2	1001	6.67692E-02	2001001
9	4	1001	6.67692E-02	4001001
10	5	1001	6.67692E-06	5001001
11	7	1001	6.67692E-06	7001001
12	3	40302	4.33078E-02	3040302
13	6	82000	3.29690E-02	6082000
14	8	24304	1.74286E-02	8024304
15	8	25055	1.73633E-03	8025055
16	8	26304	5.93579E-02	8026304
17	8	28304	7.72070E-03	8028304

GEOMETRY AND MATERIAL DESCRIPTION

ZONE	MIXTURE	OUTER DIMENSION	TEMPERATURE	EXTRA XS	TYPE (0/1--FUEL/MOD)
1	1	3.98400E-01	2.93000E+02	1.83118E+00	0
2	4	1.13035E+00	2.93000E+02	0.00000E+00	0
3	2	6.13035E+00	2.93000E+02	0.00000E+00	0
4	3	1.11303E+01	2.93000E+02	0.00000E+00	0
5	5	1.61303E+01	2.93000E+02	0.00000E+00	0
6	6	2.11303E+01	2.93000E+02	0.00000E+00	0
7	7	2.61303E+01	2.93000E+02	0.00000E+00	0
8	8	3.11303E+01	2.93000E+02	0.00000E+00	0

3698 LOCATIONS OF 100000 AVAILABLE ARE REQUIRED TO MAKE A NEW MASTER CONTAINING THE SELF-SHIELDED VALUES

NO NUCLIDES IN YOUR PROBLEM HAVE BONDARENKO FACTOR DATA**BONAMI WILL COPY FROM LOGICAL 11 TO LOGICAL 1

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY

BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89

LAST UPDATED

08/12/94

L.M.PETRIE - ORNL

TAPE ID	4321	NUMBER OF NUCLIDES	17
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	1

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 2001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 4001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 5001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 7001001
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 1008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 2008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 4008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 5008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 7008016
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8024304
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 8025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8028304
ZIRCALLOY ENDF/B-IV MAT 1284		UPDATED 08/12/94	ID 3040302
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 6082000
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 1092235
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 1092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.11 SECONDS

NN	NN	IIIIIIIIII	TTTTTTTTTT	AAAAAAAAA	WW	WW	LL
NNN	NN	IIIIIIIIII	TTTTTTTTTT	AAAAAAAAA	WW	WW	LL
NNNN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AAAAAAAAA	WW	W	WW
NN NN	NN	II	TT	AAAAAAAAA	WW	WWW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WWW	WWW
NN NN	NN	II	TT	AA	AA	WWW	WWW
NN NN	NN	IIIIIIIIII	TTTTTTTTTT	AA	AA	WW	WW
NN NN	NN	IIIIIIIIII	TTTTTTTTTT	AA	AA	WW	WW

SSSSSSSSSS	CCCCCCCCCC	AAAAAAAAA	LL	EEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SSSSSSSSSSSS	CCCCCCCCCCCC	AAAAAAAAA	LL	EEEEEEEEEEE	PPPPPPPPPPPP	CCCCCCCCCCCC
SS SS	CC CC	AA AA	LL	EE	PP PP	CC CC
SS	CC	AA AA	LL	EE	PP PP	CC CC
SS	CC	AA AA	LL	EE	PP PP	CC CC
SSSSSSSSSS	CC	AAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPPPP	CC
SSSSSSSSSS	CC	AAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPPPP	CC
SS	CC	AA AA	LL	EE	PP	CC
SS	CC	AA AA	LL	EE	PP	CC
SS SS	CC CC	AA AA	LL	EE	PP	CC
SSSSSSSSSS	CCCCCCCCCCCC	AA AA	LL	EEEEEEEEEEE	PP	CCCCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AA AA	LL	EEEEEEEEEEE	PP	CCCCCCCCCC

0000000	11	//	2222222222	9999999999	//	0000000	3333333333
000000000	111	//	222222222222	999999999999	//	000000000	333333333333
00 00	1111	//	22 22	99 99	//	00 00	33 33
00 00	11	//	22 22	99 99	//	00 00	33 33
00 00	11	//	22 22	99 99	//	00 00	33 33
00 00	11	//	22 22	999999999999	//	00 00	333 333
00 00	11	//	22 22	999999999999	//	00 00	333 333
00 00	11	//	22 22	99 99	//	00 00	33 33
00 00	11	//	22 22	99 99	//	00 00	33 33
00 00	11	//	22 22	99 99	//	00 00	33 33
000000000	11111111	//	22222222222222	99999999999999	//	000000000	33333333333333
0000000	11111111	//	22222222222222	99999999999999	//	0000000	33333333333333

11	11		0000000	2222222222		2222222222	555555555555
111	111		000000000	222222222222		222222222222	55555555555555
1111	1111	:::	00 00	22 22	:::	22 22	55 55
11	11	:::	00 00	22 22	:::	22 22	55 55
11	11	:::	00 00	22 22	:::	22 22	55 55
11	11	:::	00 00	22 22	:::	22 22	55 55
11	11	:::	00 00	22 22	:::	22 22	55 55
11	11	:::	00 00	22 22	:::	22 22	55 55
11	11	:::	00 00	22 22	:::	22 22	55 55
11111111	11111111	:::	000000000	22222222222222	:::	22222222222222	55555555555555
11111111	11111111	:::	0000000	22222222222222	:::	22222222222222	55555555555555

```
SSSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC  
SSSSSSSSSSS CCCCCCCCCC AAAAAAAAAA LL EEEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC  
SS SS CC CC AA AA LL EE EE PP PP CC CC  
SS CC CC AA AA LL EE EE PP PP CC CC  
SS CC CC AA AA LL EE EE PP PP CC CC  
SSSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEE ----- PPPPPPPPPP CC  
SSSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEE ----- PPPPPPPPPP CC  
SS CC AA AA LL EE EE PP PP CC CC  
SS CC CC AA AA LL EE EE PP PP CC CC  
SS SS CC CC AA AA LL EE EE PP PP CC CC  
SSSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC  
SSSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEEE PP CC CCCCCCCCCC
```

```
*****  
*****  
*****  
*****  
***** PROGRAM VERIFICATION INFORMATION *****  
***** CODE SYSTEM: SCALE-PC VERSION: 4.3 *****  
*****  
*****  
***** PROGRAM: 000002 *****  
***** CREATION DATE: 09/28/95 *****  
***** VOLUME: Eng *****  
***** LIBRARY: M:\SCALE43\WIN_NT\EXE *****  
*****  
***** PRODUCTION CODE: NITAWL *****  
***** VERSION: 3.0 *****  
***** JOBNAME: SCALE-PC *****  
***** DATE OF EXECUTION: 01/29/03 *****  
***** TIME OF EXECUTION: 11:02:25 *****  
*****  
*****  
*****  
*****
```

-1Q ARRAY HAS 1 ENTRIES.
0Q ARRAY HAS 9 ENTRIES.
1Q ARRAY HAS 12 ENTRIES.

SELECT 17 NUCLIDES FROM THE MASTER LIBRARY ON LOGICAL 1
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 2
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 3
TO CREATE THE NEW WORKING LIBRARY ON LOGICAL 4

4 RESONANCE CALCULATIONS HAVE BEEN REQUESTED
-1 OUTPUT OPTION FOR AMPX FORMATTED CROSS SECTION DATA
2001 MAXIMUM NUMBER OF RESONANCE MESH INTERVALS
2 ORDER OF RESONANCE LEVEL PROCESSING

THE STORAGE ALLOCATED FOR THIS CASE IS 100000 WORDS

2Q ARRAY HAS 17 ENTRIES.
3Q ARRAY HAS 60 ENTRIES.
4Q ARRAY HAS 17 ENTRIES.

GENERAL INFORMATION CONCERNING CROSS SECTION LIBRARY
TAPE IDENTIFICATION NUMBER 4321
NUMBER OF NUCLIDES ON TAPE 17
NUMBER OF NEUTRON ENERGY GROUPS 27
FIRST THERMAL NEUTRON ENERGY GROUP 15
NUMBER OF GAMMA ENERGY GROUPS 0

DIRECT ACCESS UNIT NUMBER 9 REQUIRES 117 BLOCKS OF LENGTH 1680 WORDS
XSDRN TAPE 4321

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

NUCLIDES FROM XSDRN TAPE

1	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	2001001
2	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	4001001
3	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	5001001
4	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	7001001
5	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	1008016
6	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	2008016

7	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	4008016	TEMPERATURE=	293.00
8	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	5008016	TEMPERATURE=	293.00
9	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	7008016	TEMPERATURE=	293.00
10	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8024304	TEMPERATURE=	293.00
11	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	8025055	TEMPERATURE=	293.00
12	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8026304	TEMPERATURE=	293.00
13	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8028304	TEMPERATURE=	293.00
14	ZIRCALLOY	ENDF/B-IV MAT 1284	UPDATED 08/12/94	3040302	TEMPERATURE=	293.00
15	PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	6082000	TEMPERATURE=	293.00
16	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	1092235	TEMPERATURE=	293.00
17	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	1092238	TEMPERATURE=	293.00

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	2001001	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	4001001	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	5001001	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	7001001	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	1008016	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	2008016	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	4008016	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	5008016	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	7008016	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8024304	TEMPERATURE=	293.00
		PROCESS NUMBER 1007 IS AT		TEMPERATURE=	293.00
MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	8025055	TEMPERATURE=	293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A)	=	54.466	TEMPERATURE(KELVIN)	=	293.000
POTENTIAL SCATTER SIGMA	=	2.590	LUMPED NUCLEAR DENSITY	=	1.7363295E-03
SPIN FACTOR (G)	=	14.448	LUMP DIMENSION (A-BAR)	=	0.0000000E+00
INNER RADIUS	=	0.0000000E+00	DANCOFF CORRECTION (C)	=	0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 55.845 SIGMA(PER ABSORBER ATOM)= 3.4663022E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 55.925 SIGMA(PER ABSORBER ATOM)= 1.2557598E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-5.518788E-04	0.000000E+00	-3.944190E-01
9	-2.797993E-03	0.000000E+00	-2.293471E+00
10	-3.291452E-01	0.000000E+00	-3.820862E+01
11	-2.680562E+00	0.000000E+00	-1.159996E+02

EXCESS RESONANCE INTEGRALS

RESOLVED			
ABSORPTION	3.33719E+00		
FISSION	0.00000E+00		
		PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8026304
		PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	8028304
		PROCESS NUMBER 1007 IS AT	TEMPERATURE= 293.00
ZIRCALLOY	ENDF/B-IV MAT 1284	UPDATED 08/12/94	3040302
		TEMPERATURE=	293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A)	=	90.436	TEMPERATURE(KELVIN)	=	293.000
POTENTIAL SCATTER SIGMA	=	6.385	LUMPED NUCLEAR DENSITY	=	4.3307818E-02
SPIN FACTOR (G)	=	1.079	LUMP DIMENSION (A-BAR)	=	0.0000000E+00

INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-2.531564E-03	0.000000E+00	-2.069429E+00
9	-7.143981E-02	0.000000E+00	-3.266492E+00
10	-7.703653E-02	0.000000E+00	-1.746459E+00
11	-1.954898E-01	0.000000E+00	-8.103043E-01

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 1.75363E-01
FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

PB 1288 218NGP 042375 P-3 293K

UPDATED 08/12/94 6082000 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-235 ENDF/B-IV MAT 1261

UPDATED 08/12/94 1092235 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 233.025 TEMPERATURE (KELVIN) = 293.000
POTENTIAL SCATTER SIGMA = 11.500 LUMPED NUCLEAR DENSITY = 1.1757837E-03
SPIN FACTOR (G) = 15171.100 LUMP DIMENSION (A-BAR) = 3.9840001E-01
INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 2.8592249E-02

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 15.991 SIGMA (PER ABSORBER ATOM) = 1.5361255E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 238.051 SIGMA (PER ABSORBER ATOM) = 2.3124234E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 2-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
12	-3.622922E+00	-2.226327E+00	-8.895820E-02
13	-1.149924E+01	-5.618038E+00	-2.515855E-01
14	-8.514027E+00	-5.049669E+00	-5.936050E-02
15	-4.509439E-04	-3.428886E-04	3.897996E-06

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.00620E+02
FISSION 1.20254E+02

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-238 ENDF/B-IV MAT 1262

UPDATED 08/12/94 1092238 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 236.006 TEMPERATURE (KELVIN) = 293.000
POTENTIAL SCATTER SIGMA = 10.599 LUMPED NUCLEAR DENSITY = 2.2057686E-02
SPIN FACTOR (G) = 656.527 LUMP DIMENSION (A-BAR) = 3.9840001E-01
INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 2.8592249E-02

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 15.991 SIGMA (PER ABSORBER ATOM) = 8.1883087E+00

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 235.044 SIGMA (PER ABSORBER ATOM) = 6.3446152E-01

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 2-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
9	-4.049280E-02	0.000000E+00	-4.083463E-01
10	-1.062502E+00	-1.845288E-05	-6.511882E+00
11	-9.720816E+00	0.000000E+00	-2.674516E+01
12	-4.265190E+01	0.000000E+00	-4.960673E+01
13	-5.341822E+01	0.000000E+00	-1.754942E+01
14	-1.033681E+02	0.000000E+00	-6.023543E+00
15	-5.894847E-07	0.000000E+00	1.142021E-06

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 2.10256E+01
FISSION 5.02353E-04

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

THIS XSDRN WORKING TAPE WAS CREATED 01/29/03 AT 11:02:25
THE TITLE OF THE PARENT CASE IS AS FOLLOWS
SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89

TAPE ID	4321	NUMBER OF NUCLIDES	17
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	4

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 2001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 4001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 5001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 7001001
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 1008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 2008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 4008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 5008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 7008016
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8024304
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 8025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 8028304
ZIRCALLOY ENDF/B-IV MAT 1284		UPDATED 08/12/94	ID 3040302
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 6082000
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 1092235
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 1092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.05 SECONDS

```

KK      KK  EEEEEEEEEEE  NN      NN  0000000000  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  000000000000  VV      VV
KK      KK  EE           NNNN    NN  00      00  VV      VV
KK      KK  EE           NN NN   NN  00      00  VV      VV
KK      KK  EE           NN  NN  NN  00      00  VV      VV
KKKKKKK  EEEEEEEEE  NN  NN  NN  00      00  -----  VV      VV
KKKKKKK  EEEEEEEEE  NN  NN  NN  00      00  -----  VV      VV
KK      KK  EE           NN  NN  NN  00      00  VV      VV
KK      KK  EE           NN  NN  NN  00      00  VV      VV
KK      KK  EE           NN  NNN  NN  00      00  VV      VV
KK      KK  EEEEEEEEEEE  NN     NNN  00000000000  VV      VV
KK      KK  EEEEEEEEEEE  NN     NN  00000000000  V

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA LL      EEEEEEEEEEE  PPPPPPPPPP  CCCCCCCCCC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  -----  PPPPPPPPPP  CC
SSSSSSSSSS  CC      AA      AA  LL      EEEEEEEEE  -----  PPPPPPPPPP  CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      CC      CC
SS      SS  CC      CC  AA      AA  LL      EE           PP      CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLL  EEEEEEEEEEE  PP      CCCCCCCCCC

```

```

0000000  11
00000000  111
00      00  1111
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
00      00  11
00000000  11111111
0000000  1111111

//
222222222  999999999
22222222222  99999999999
22      22  99      99
22      22  99      99
22      22  99      99
22      22  99999999999
22      22  99999999999
22      22  99      99
22      22  99      99
22      22  99999999999
22222222222  99999999999
22222222222  99999999999

//
0000000  3333333333
000000000  333333333333
00      00  33      33
00      00  33      33
00      00  33      33
00      00  333     333
00      00  333     333
00      00  33      33
00      00  33      33
00      00  33      33
000000000  333333333333
0000000  3333333333

```

```

11      11
111     111
1111    1111
11      11
11      11
11      11
11      11
11      11
11      11
11      11
1111111  11111111
1111111  1111111

...
0000000  2222222222
000000000  222222222222
00      00  22      22
00      00  22      22
00      00  22      22
00      00  22      22
00      00  22      22
00      00  22      22
00      00  22      22
00      00  22      22
000000000  222222222222
0000000  222222222222

...
2222222222  77777777777
222222222222  777777777777
22      22  77      77
22      22  77      77
22      22  77      77
22      22  77      77
22      22  77      77
22      22  77      77
22      22  77      77
22      22  77      77
22      22  77      77
222222222222  777777777777
222222222222  777777777777

```



```

SSSSSSSSSS   CCCCCCCCCC   AAAAAAAAAA   LL   EEEEEEEEEEEE   PPPPPPPPPPPP   CCCCCCCCCC
SSSSSSSSSSSS   CCCCCCCCCCCC   AAAAAAAAAAAA   LL   EEEEEEEEEEEE   PPPPPPPPPPPPPP   CCCCCCCCCCCC
SS   SS   CC   CC   AA   AA   LL   EE   EE   PP   PP   CC   CC
SS   CC   AA   AA   LL   EE   EE   PP   PP   CC   CC
SS   CC   AA   AA   LL   EE   EE   PP   PP   CC   CC
SSSSSSSSSSSS   CC   AAAAAAAAAAAAAA   LL   EEEEEEEEE   -----   PPPPPPPPPPPPPP   CC
SSSSSSSSSSSS   CC   AAAAAAAAAAAAAA   LL   EEEEEEEEE   -----   PPPPPPPPPPPPPP   CC
SS   SS   CC   AA   AA   LL   EE   EE   PP   PP   CC   CC
SS   SS   CC   AA   AA   LL   EE   EE   PP   PP   CC   CC
SS   SS   CC   CC   AA   AA   LL   EE   EE   PP   PP   CC   CC
SSSSSSSSSSSS   CCCCCCCCCCCC   AA   AA   LLLLLLLLLLLL   EEEEEEEEEEEE   PP   P   CCCCCCCCCCCC
SSSSSSSSSSSS   CCCCCCCCCCCC   AA   AA   LLLLLLLLLLLL   EEEEEEEEEEEE   PP   P   CCCCCCCCCCCC
    
```

```

*****
*****
*****          PROGRAM VERIFICATION INFORMATION          *****
*****          CODE SYSTEM:  SCALE-PC VERSION:  4.3          *****
*****
*****
*****          PROGRAM:  000009          *****
*****          CREATION DATE:  03/08/96          *****
*****          VOLUME:  Eng          *****
*****          LIBRARY:  M:\SCALE43\WIN_NT\EXE          *****
*****
*****          PRODUCTION CODE:  KENOVA          *****
*****          VERSION:  3.1          *****
*****          JOBNAME:  SCALE-PC          *****
*****          DATE OF EXECUTION:  01/29/03          *****
*****          TIME OF EXECUTION:  11:02:27          *****
*****
*****
*****
    
```

```

*****
***          NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET          ***
*****
*****          NUMERIC PARAMETERS          *****
*****
***          TME          MAXIMUM PROBLEM TIME (MIN)          *****
***          TBA          TIME PER GENERATION (MIN)          5.00          ***
***          GEN          NUMBER OF GENERATIONS          803          ***
***          NPG          NUMBER PER GENERATION          1000          ***
***          NSK          NUMBER OF GENERATIONS TO BE SKIPPED          3          ***
***          BEG          BEGINNING GENERATION NUMBER          1          ***
***          RES          GENERATIONS BETWEEN CHECKPOINTS          0          ***
***          X1D          NUMBER OF EXTRA 1-D CROSS SECTIONS          1          ***
***          NBK          NEUTRON BANK SIZE          1025          ***
***          XNB          EXTRA POSITIONS IN NEUTRON BANK          0          ***
***          NFB          FISSION BANK SIZE          1000          ***
***          XFB          EXTRA POSITIONS IN FISSION BANK          0          ***
***          WTA          DEFAULT VALUE OF WEIGHT AVERAGE          0.5000          ***
***          WTH          WEIGHT HIGH FOR SPLITTING          3.0000          ***
***          WTL          WEIGHT LOW FOR RUSSIAN ROULETTE          0.3333          ***
***          RND          STARTING RANDOM NUMBER          BB827100001          ***
***          NB8          NUMBER OF D.A. BLOCKS ON UNIT 8          200          ***
***          NL8          LENGTH OF D.A. BLOCKS ON UNIT 8          512          ***
***          ADJ          MODE OF CALCULATION          FORWARD          ***
***          INPUT DATA WRITTEN ON RESTART UNIT          NO          ***
***          BINARY DATA INTERFACE          YES          ***
*****
    
```

```

*****
*****
***          NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET          ***
*****
*****          LOGICAL PARAMETERS          *****
*****
*** RUN  EXECUTE PROBLEM AFTER CHECKING DATA  YES          PLT  PLOT PICTURE MAP(S)          NO ***
*** FLX  COMPUTE FLUX                          NO          FDN  COMPUTE FISSION DENSITIES          NO ***
*** SMU  COMPUTE AVG UNIT SELF-MULTIPLICATION  NO          NUB  COMPUTE NU-BAR & AVG FISSION GROUP  YES ***
*** MKU  COMPUTE MATRIX K-EFF BY UNIT NUMBER   NO          MKP  COMPUTE MATRIX K-EFF BY UNIT LOCATION  NO ***
*** CKU  COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO          CKP  COMPUTE COFACTOR K-EFF BY UNIT LOCATION  NO ***
*** FMU  PRINT FISS PROD MATRIX BY UNIT NUMBER NO          FMP  PRINT FISS PROD MATRIX BY UNIT LOCATION  NO ***
*** MKH  COMPUTE MATRIX K-EFF BY HOLE NUMBER   NO          MKA  COMPUTE MATRIX K-EFF BY ARRAY NUMBER   NO ***
*** CKH  COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO          CKA  COMPUTE COFACTOR K-EFF BY ARRAY NUMBER   NO ***
*** FMH  PRINT FISS PROD MATRIX BY HOLE NUMBER NO          FMA  PRINT FISS PROD MATRIX BY ARRAY NUMBER   NO ***
*** HHL  COLLECT MATRIX BY HIGHEST HOLE LEVEL  NO          HAL  COLLECT MATRIX BY HIGHEST ARRAY LEVEL  NO ***
*** AMX  PRINT ALL MIXED CROSS SECTIONS        NO          FAR  PRINT FIS. AND ABS. BY REGION          NO ***
*** XS1  PRINT 1-D MIXTURE X-SECTIONS          NO          GAS  PRINT FAR BY GROUP                    NO ***
*** XS2  PRINT 2-D MIXTURE X-SECTIONS          NO          PAX  PRINT XSEC-ALBEDO CORRELATION TABLES  NO ***
*** XAP  PRINT MIXTURE ANGLES & PROBABILITIES  NO          PWT  PRINT WEIGHT AVERAGE ARRAY          NO ***
*** PKI  PRINT FISSION SPECTRUM                NO          PGM  PRINT INPUT GEOMETRY                NO ***
*** P1D  PRINT EXTRA 1-D CROSS SECTIONS        NO          BUG  PRINT DEBUG INFORMATION              NO ***
***                                     TRK  PRINT TRACKING INFORMATION              NO ***
*****
*****
*****          PARAMETER INPUT COMPLETED          *****
*****

```

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****
NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

MIXING TABLE

NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD =3.0E-05

MIXTURE =	1	DENSITY(G/CC) =	10.412			NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
1008016	4.64669E-02	1.18500E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
1092235	1.17578E-03	4.40750E-02	92235	235.0441	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED
08/12/94							
1092238	2.20577E-02	8.37425E-01	92238	238.0510	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED
08/12/94							
MIXTURE =	2	DENSITY(G/CC) =	0.99817			NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
2001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
2008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
MIXTURE =	3	DENSITY(G/CC) =	6.5600			NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
3040302	4.33078E-02	1.00000E+00	40000	91.2196	ZIRCALLOY	ENDF/B-IV MAT 1284	UPDATED
08/12/94							
MIXTURE =	4	DENSITY(G/CC) =	0.99817			NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
4001001	6.67692E-02	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
4008016	3.33846E-02	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
MIXTURE =	5	DENSITY(G/CC) =	0.99817E-04			NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
5001001	6.67692E-06	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
5008016	3.33846E-06	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
MIXTURE =	6	DENSITY(G/CC) =	11.344			NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
6082000	3.29690E-02	1.00000E+00	82000	207.2100	PB 1288 218NGP 042375 P-3 293K		UPDATED
08/12/94							

MIXTURE =	7	DENSITY (G/CC) = 0.99817E-04				NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
7001001	6.67692E-06	1.11927E-01	1001	1.0077	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED
08/12/94							
7008016	3.33846E-06	8.88074E-01	8016	15.9904	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED
08/12/94							
MIXTURE =	8	DENSITY (G/CC) = 7.9200				NUCLIDE TITLE	
NUCLIDE	ATOM-DENS.	WGT. FRAC.	ZA	AWT			
8024304	1.74286E-02	1.90000E-01	24000	51.9957	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED
08/12/94							
8025055	1.73633E-03	1.99999E-02	25055	54.9379	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED
08/12/94							
8026304	5.93579E-02	6.95000E-01	26000	55.8447	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED
08/12/94							
8028304	7.72070E-03	9.50001E-02	28000	58.6872	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED
08/12/94							

2001001	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
4001001	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
5001001	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
7001001	HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94
1008016	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
2008016	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
4008016	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
5008016	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
7008016	OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94
8024304	CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94
8025055	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94
8026304	FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94
8028304	NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94
3040302	ZIRCALLOY	ENDF/B-IV MAT 1284	UPDATED 08/12/94
6082000	PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94
1092235	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94
1092238	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 2 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 4 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 2 TRANSFERS FOR MIXTURE 5 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 2 TRANSFERS FOR MIXTURE 7 WERE CORRECTED FOR BAD MOMENTS.

..... 0 IO'S WERE USED MIXING CROSS-SECTIONS

1-D CROSS SECTION ARRAY ID NUMBERS
 1 2002 1452 27 18 1018

..... 0 IO'S WERE USED PREPARING THE CROSS SECTIONS

```

*****
***
*** NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET ***
***
***** ADDITIONAL INFORMATION *****
***
*** NUMBER OF ENERGY GROUPS            27      USE LATTICE GEOMETRY                    NO ***
*** NO. OF FISSION SPECTRUM SOURCE GROUP   1      GLOBAL ARRAY NUMBER                    0 ***
*** NO. OF SCATTERING ANGLES IN XSECS    2      NUMBER OF UNITS IN THE GLOBAL X DIR.   0 ***
*** ENTRIES/NEUTRON IN THE NEUTRON BANK   17     NUMBER OF UNITS IN THE GLOBAL Y DIR.   0 ***
*** ENTRIES/NEUTRON IN THE FISSION BANK   10     NUMBER OF UNITS IN THE GLOBAL Z DIR.   0 ***
*** NUMBER OF MIXTURES USED               6      USE A GLOBAL REFLECTOR                YES ***
*** NUMBER OF BIAS ID'S USED             1      USE NESTED HOLES                       NO ***
*** NUMBER OF DIFFERENTIAL ALBEDOS USED   0      NUMBER OF HOLES                        61 ***
*** TOTAL INPUT GEOMETRY REGIONS        10     MAXIMUM HOLE NESTING LEVEL            1 ***
*** NUMBER OF GEOMETRY REGIONS USED     10     USE NESTED ARRAYS                      NO ***
*** LARGEST GEOMETRY UNIT NUMBER        2      NUMBER OF ARRAYS USED                 0 ***
*** LARGEST ARRAY NUMBER                 1      MAXIMUM ARRAY NESTING LEVEL           0 ***
***
*** +X BOUNDARY CONDITION                MIR     -X BOUNDARY CONDITION                MIR ***
*** +Y BOUNDARY CONDITION                MIR     -Y BOUNDARY CONDITION                MIR ***
*** +Z BOUNDARY CONDITION                MIR     -Z BOUNDARY CONDITION                MIR ***
*****

```

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 1 -----

LWR FUEL ROD-NO CLAD

1	CYLINDER	1	1	RADIUS = 0.39840	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
2	CYLINDER	4	1	RADIUS = 0.40490	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

***** GLOBAL *****
 ----- UNIT 2 -----

1	CYLINDER	4	1	RADIUS = 9.0166	+Z = 10.000	-Z = -10.000	CENTERLINE IS AT	X = 0.00000	Y = 0.00000
	HOLE NUMBER	1		AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	2		AT X = 2.1529	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	3		AT X = 1.0764	Y = 1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	4		AT X = -1.0764	Y = 1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	5		AT X = -2.1529	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	6		AT X = -1.0764	Y = -1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	7		AT X = 1.0764	Y = -1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	8		AT X = 3.2293	Y = -1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	9		AT X = 4.3058	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	10		AT X = 3.2293	Y = 1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	11		AT X = 2.1529	Y = 3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	12		AT X = 0.00000	Y = 3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	13		AT X = -2.1529	Y = 3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	14		AT X = -3.2293	Y = 1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	15		AT X = -4.3058	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	16		AT X = -3.2293	Y = -1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	17		AT X = -2.1529	Y = -3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	18		AT X = 0.00000	Y = -3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	19		AT X = 2.1529	Y = -3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	20		AT X = 4.3058	Y = -3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	21		AT X = 5.3822	Y = 1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	22		AT X = 1.0764	Y = 5.5934	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	23		AT X = -4.3058	Y = 3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	24		AT X = -5.3822	Y = -1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	25		AT X = -1.0764	Y = -5.5934	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	26		AT X = 1.0764	Y = -5.5934	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	27		AT X = 4.3058	Y = 3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	28		AT X = 3.2293	Y = 5.5934	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	29		AT X = -1.0764	Y = 5.5934	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	30		AT X = -4.3058	Y = -3.7289	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	31		AT X = -3.2293	Y = -5.5934	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	32		AT X = 3.2293	Y = -5.5934	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	33		AT X = 5.3822	Y = -1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	34		AT X = -3.2293	Y = 5.5934	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	35		AT X = -5.3822	Y = 1.8645	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	36		AT X = 6.4587	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	37		AT X = -6.4587	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	38		AT X = 0.00000	Y = -7.4578	Z = 0.00000	IS UNIT NUMBER		1
	HOLE NUMBER	39		AT X = 2.1529	Y = -7.4578	Z = 0.00000	IS UNIT NUMBER		1

HOLE NUMBER	40	AT X =	4.3058	Y =	-7.4578	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	41	AT X =	5.3822	Y =	-5.5934	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	42	AT X =	6.4587	Y =	-3.7289	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	43	AT X =	7.5351	Y =	-1.8645	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	44	AT X =	8.6116	Y =	0.00000	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	45	AT X =	7.5351	Y =	1.8645	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	46	AT X =	6.4587	Y =	3.7289	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	47	AT X =	5.3822	Y =	5.5934	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	48	AT X =	4.3058	Y =	7.4578	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	49	AT X =	2.1529	Y =	7.4578	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	50	AT X =	0.00000	Y =	7.4578	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	51	AT X =	-2.1529	Y =	7.4578	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	52	AT X =	-4.3058	Y =	7.4578	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	53	AT X =	-5.3822	Y =	5.5934	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	54	AT X =	-6.4587	Y =	3.7289	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	55	AT X =	-7.5351	Y =	1.8645	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	56	AT X =	-8.6116	Y =	0.00000	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	57	AT X =	-7.5351	Y =	-1.8645	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	58	AT X =	-6.4587	Y =	-3.7289	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	59	AT X =	-5.3822	Y =	-5.5934	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	60	AT X =	-4.3058	Y =	-7.4578	Z =	0.00000	IS UNIT NUMBER	1				
HOLE NUMBER	61	AT X =	-2.1529	Y =	-7.4578	Z =	0.00000	IS UNIT NUMBER	1				
2 CYLINDER	5 1	RADIUS =	16.986	+Z =	10.000	-Z =	-10.000	CENTERLINE IS AT X =	0.00000	Y =	0.00000		
3 CYLINDER	8 1	RADIUS =	18.898	+Z =	10.000	-Z =	-10.000	CENTERLINE IS AT X =	0.00000	Y =	0.00000		
4 CYLINDER	6 1	RADIUS =	33.503	+Z =	10.000	-Z =	-10.000	CENTERLINE IS AT X =	0.00000	Y =	0.00000		
5 CYLINDER	8 1	RADIUS =	36.551	+Z =	10.000	-Z =	-10.000	CENTERLINE IS AT X =	0.00000	Y =	0.00000		
6 CYLINDER	7 1	RADIUS =	49.244	+Z =	10.000	-Z =	-10.000	CENTERLINE IS AT X =	0.00000	Y =	0.00000		
7 CYLINDER	8 1	RADIUS =	49.822	+Z =	10.000	-Z =	-10.000	CENTERLINE IS AT X =	0.00000	Y =	0.00000		
8 CUBOID	5 1	+X =	49.822	-X =	-49.822	+Y =	49.822	-Y =	-49.822	+Z =	10.000	-Z =	-10.000

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET
VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM

UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	9.97283E+00 CM**3	9.97283E+00 CM**3
		2	3.28074E-01 CM**3	1.03009E+01 CM**3
2	1	3	4.47982E+03 CM**3	5.10817E+03 CM**3
		4	1.30210E+04 CM**3	1.81291E+04 CM**3
		5	4.30932E+03 CM**3	2.24385E+04 CM**3
		6	4.80855E+04 CM**3	7.05240E+04 CM**3
		7	1.34160E+04 CM**3	8.39400E+04 CM**3
		8	6.84274E+04 CM**3	1.52367E+05 CM**3
		9	3.59652E+03 CM**3	1.55964E+05 CM**3
		10	4.26155E+04 CM**3	1.98579E+05 CM**3

UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
1	61	1	1	6.08343E+02 CM**3
		2	4	2.00125E+01 CM**3
2	1	1	4	4.47982E+03 CM**3
		2	5	1.30210E+04 CM**3
		3	8	4.30932E+03 CM**3
		4	6	4.80855E+04 CM**3
		5	8	1.34160E+04 CM**3
		6	7	6.84274E+04 CM**3
		7	8	3.59652E+03 CM**3
		8	5	4.26155E+04 CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	6.08343E+02 CM**3	6.33405E+03
4	4.49984E+03 CM**3	4.49161E+03
5	5.56365E+04 CM**3	5.55347E+00
6	4.80855E+04 CM**3	5.45482E+05
7	6.84274E+04 CM**3	6.83022E+00

*** BIASING INFORMATION ***

*** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***

..... 0 IO'S WERE USED IN KENO-V BEFORE TRACKING
..... 0.00450 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSIONABLE MATERIAL IN THE CORE= 3.06347E-03

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED UNIFORMLY THROUGHOUT THE ENTIRE VOLUME DEFINED BY THE OUTERMOST GEOMETRY CARD.
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

KENO MESSAGE NUMBER K5-105 ***** WARNING, ONLY 481 INDEPENDENT STARTING POSITIONS WERE GENERATED. *****

519 ADDITIONAL STARTING POINTS WERE PICKED FROM THE INITIAL DISTRIBUTION.

4.49650 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 4.50133 MINUTES.

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE	MATRIX K-EFF DEVIATION
KENO MESSAGE NUMBER K5-132	1	WARNING... ONLY	908 INDEPENDENT	FISSION POINTS WERE	GENERATED	0.00000E+00
	8.45376E-01	4.52667E+00	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	2	WARNING... ONLY	897 INDEPENDENT	FISSION POINTS WERE	GENERATED	0.00000E+00
	8.37583E-01	4.55700E+00	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	3	WARNING... ONLY	955 INDEPENDENT	FISSION POINTS WERE	GENERATED	0.00000E+00
	8.80673E-01	4.58617E+00	8.80673E-01	0.00000E+00	0.00000E+00	0.00000E+00
	8.86922E-01	4.61650E+00	8.83798E-01	3.12465E-03	0.00000E+00	0.00000E+00
	8.45497E-01	4.64667E+00	8.71031E-01	1.28937E-02	0.00000E+00	0.00000E+00
	8.83555E-01	4.67683E+00	8.74162E-01	9.63994E-03	0.00000E+00	0.00000E+00
	9.28339E-01	4.70800E+00	8.84997E-01	1.31591E-02	0.00000E+00	0.00000E+00
	8.58053E-01	4.73817E+00	8.80507E-01	1.16450E-02	0.00000E+00	0.00000E+00
	8.74480E-01	4.76833E+00	8.79646E-01	9.87945E-03	0.00000E+00	0.00000E+00
	8.70549E-01	4.79767E+00	8.78509E-01	8.63108E-03	0.00000E+00	0.00000E+00
	8.33818E-01	4.82883E+00	8.73543E-01	9.08838E-03	0.00000E+00	0.00000E+00
	9.03332E-01	4.85817E+00	8.76522E-01	8.65753E-03	0.00000E+00	0.00000E+00
	9.06360E-01	4.88733E+00	8.79234E-01	8.28752E-03	0.00000E+00	0.00000E+00
	8.74883E-01	4.91767E+00	8.78872E-01	7.57412E-03	0.00000E+00	0.00000E+00
	8.60739E-01	4.94783E+00	8.77477E-01	7.10543E-03	0.00000E+00	0.00000E+00
	8.56786E-01	4.97800E+00	8.75999E-01	6.74233E-03	0.00000E+00	0.00000E+00
	8.46416E-01	5.00817E+00	8.74027E-01	6.57931E-03	0.00000E+00	0.00000E+00
	8.79714E-01	5.03750E+00	8.74382E-01	6.16463E-03	0.00000E+00	0.00000E+00
	8.77155E-01	5.06867E+00	8.74545E-01	5.79296E-03	0.00000E+00	0.00000E+00
	8.90755E-01	5.09883E+00	8.75446E-01	5.53540E-03	0.00000E+00	0.00000E+00
	8.41781E-01	5.12900E+00	8.73674E-01	5.52762E-03	0.00000E+00	0.00000E+00
	8.74472E-01	5.15833E+00	8.73714E-01	5.24411E-03	0.00000E+00	0.00000E+00
	8.71497E-01	5.18850E+00	8.73608E-01	4.98926E-03	0.00000E+00	0.00000E+00
	8.52134E-01	5.21883E+00	8.72632E-01	4.85619E-03	0.00000E+00	0.00000E+00
	8.74281E-01	5.24983E+00	8.72704E-01	4.64080E-03	0.00000E+00	0.00000E+00
	8.85942E-01	5.28017E+00	8.73256E-01	4.47733E-03	0.00000E+00	0.00000E+00
	8.85020E-01	5.30933E+00	8.73726E-01	4.32021E-03	0.00000E+00	0.00000E+00
	8.79802E-01	5.34600E+00	8.73960E-01	4.15730E-03	0.00000E+00	0.00000E+00
	9.00154E-01	5.37433E+00	8.74930E-01	4.11632E-03	0.00000E+00	0.00000E+00
	8.77230E-01	5.40467E+00	8.75012E-01	3.96744E-03	0.00000E+00	0.00000E+00
	8.74788E-01	5.43483E+00	8.75004E-01	3.82820E-03	0.00000E+00	0.00000E+00
	8.66097E-01	5.46500E+00	8.74707E-01	3.71029E-03	0.00000E+00	0.00000E+00
	9.01664E-01	5.49617E+00	8.75577E-01	3.69246E-03	0.00000E+00	0.00000E+00
	8.85437E-01	5.52633E+00	8.75885E-01	3.58846E-03	0.00000E+00	0.00000E+00
	9.13722E-01	5.55750E+00	8.77032E-01	3.66213E-03	0.00000E+00	0.00000E+00
	8.81820E-01	5.58950E+00	8.77173E-01	3.55588E-03	0.00000E+00	0.00000E+00
	8.77272E-01	5.62067E+00	8.77175E-01	3.45250E-03	0.00000E+00	0.00000E+00
	8.67048E-01	5.65083E+00	8.76894E-01	3.36700E-03	0.00000E+00	0.00000E+00
	8.51994E-01	5.68200E+00	8.76221E-01	3.34317E-03	0.00000E+00	0.00000E+00
	9.11647E-01	5.71133E+00	8.77153E-01	3.38492E-03	0.00000E+00	0.00000E+00
	8.45714E-01	5.74233E+00	8.76347E-01	3.39410E-03	0.00000E+00	0.00000E+00
	9.01285E-01	5.77350E+00	8.76971E-01	3.36640E-03	0.00000E+00	0.00000E+00
	8.62713E-01	5.80367E+00	8.76623E-01	3.30163E-03	0.00000E+00	0.00000E+00
	8.57230E-01	5.83483E+00	8.76161E-01	3.25498E-03	0.00000E+00	0.00000E+00
	9.20496E-01	5.86500E+00	8.77192E-01	3.34143E-03	0.00000E+00	0.00000E+00
	9.16825E-01	5.89533E+00	8.78093E-01	3.38659E-03	0.00000E+00	0.00000E+00
	8.94214E-01	5.92550E+00	8.78451E-01	3.32981E-03	0.00000E+00	0.00000E+00
	8.80536E-01	5.95567E+00	8.78497E-01	3.25693E-03	0.00000E+00	0.00000E+00
	9.20884E-01	5.98583E+00	8.79398E-01	3.31203E-03	0.00000E+00	0.00000E+00
	8.65345E-01	6.01700E+00	8.79106E-01	3.25549E-03	0.00000E+00	0.00000E+00
	8.61374E-01	6.04717E+00	8.78744E-01	3.20883E-03	0.00000E+00	0.00000E+00
	9.03797E-01	6.07750E+00	8.79245E-01	3.18367E-03	0.00000E+00	0.00000E+00
	8.88499E-01	6.10767E+00	8.79426E-01	3.12590E-03	0.00000E+00	0.00000E+00
	8.80169E-01	6.13783E+00	8.79441E-01	3.06523E-03	0.00000E+00	0.00000E+00
	8.39095E-01	6.16817E+00	8.78679E-01	3.10170E-03	0.00000E+00	0.00000E+00
	9.04921E-01	6.19733E+00	8.79165E-01	3.08227E-03	0.00000E+00	0.00000E+00
	8.69452E-01	6.22767E+00	8.78989E-01	3.03086E-03	0.00000E+00	0.00000E+00
	8.66438E-01	6.25783E+00	8.78765E-01	2.98467E-03	0.00000E+00	0.00000E+00
	8.71472E-01	6.28800E+00	8.78637E-01	2.93463E-03	0.00000E+00	0.00000E+00
	8.70936E-01	6.31817E+00	8.78504E-01	2.88665E-03	0.00000E+00	0.00000E+00
	8.59501E-01	6.35300E+00	8.78182E-01	2.85552E-03	0.00000E+00	0.00000E+00
	8.79164E-01	6.38233E+00	8.78198E-01	2.80757E-03	0.00000E+00	0.00000E+00
	8.97505E-01	6.41350E+00	8.78515E-01	2.77924E-03	0.00000E+00	0.00000E+00
	8.66248E-01	6.44367E+00	8.78317E-01	2.74120E-03	0.00000E+00	0.00000E+00
	8.85619E-01	6.47383E+00	8.78433E-01	2.69983E-03	0.00000E+00	0.00000E+00
	8.67912E-01	6.50400E+00	8.78268E-01	2.66239E-03	0.00000E+00	0.00000E+00

67	9.00522E-01	6.53433E+00	8.78611E-01	2.64337E-03	0.00000E+00	0.00000E+00
68	9.17615E-01	6.56350E+00	8.79202E-01	2.66926E-03	0.00000E+00	0.00000E+00
69	8.36897E-01	6.59383E+00	8.78570E-01	2.70387E-03	0.00000E+00	0.00000E+00
70	8.83156E-01	6.62400E+00	8.78638E-01	2.66467E-03	0.00000E+00	0.00000E+00
71	8.40439E-01	6.65333E+00	8.78084E-01	2.68349E-03	0.00000E+00	0.00000E+00
72	8.57176E-01	6.68350E+00	8.77785E-01	2.66169E-03	0.00000E+00	0.00000E+00
73	9.00485E-01	6.71367E+00	8.78105E-01	2.64334E-03	0.00000E+00	0.00000E+00

761	8.95618E-01	2.74152E+01	8.84167E-01	8.22052E-04	0.00000E+00	0.00000E+00
762	9.04177E-01	2.74443E+01	8.84194E-01	8.21392E-04	0.00000E+00	0.00000E+00
763	8.59740E-01	2.74747E+01	8.84161E-01	8.20941E-04	0.00000E+00	0.00000E+00
764	8.96777E-01	2.75048E+01	8.84178E-01	8.20030E-04	0.00000E+00	0.00000E+00
765	8.62650E-01	2.75350E+01	8.84150E-01	8.19441E-04	0.00000E+00	0.00000E+00
766	8.74845E-01	2.75662E+01	8.84138E-01	8.18458E-04	0.00000E+00	0.00000E+00
767	9.18491E-01	2.75955E+01	8.84183E-01	8.18620E-04	0.00000E+00	0.00000E+00
768	8.79583E-01	2.76265E+01	8.84177E-01	8.17573E-04	0.00000E+00	0.00000E+00
769	8.77626E-01	2.76568E+01	8.84168E-01	8.16551E-04	0.00000E+00	0.00000E+00
770	8.90662E-01	2.76870E+01	8.84176E-01	8.15531E-04	0.00000E+00	0.00000E+00
771	8.44109E-01	2.77163E+01	8.84124E-01	8.16134E-04	0.00000E+00	0.00000E+00
772	9.07444E-01	2.77465E+01	8.84155E-01	8.15636E-04	0.00000E+00	0.00000E+00
773	8.93137E-01	2.77767E+01	8.84166E-01	8.14661E-04	0.00000E+00	0.00000E+00
774	8.72167E-01	2.78060E+01	8.84151E-01	8.13754E-04	0.00000E+00	0.00000E+00
775	8.45577E-01	2.78362E+01	8.84101E-01	8.14231E-04	0.00000E+00	0.00000E+00
776	8.58480E-01	2.78655E+01	8.84068E-01	8.13851E-04	0.00000E+00	0.00000E+00
777	8.88107E-01	2.78967E+01	8.84073E-01	8.12817E-04	0.00000E+00	0.00000E+00
778	8.34017E-01	2.79268E+01	8.84008E-01	8.14328E-04	0.00000E+00	0.00000E+00
779	8.79187E-01	2.79570E+01	8.84002E-01	8.13303E-04	0.00000E+00	0.00000E+00
780	8.97408E-01	2.79863E+01	8.84019E-01	8.12440E-04	0.00000E+00	0.00000E+00
781	8.97252E-01	2.80165E+01	8.84036E-01	8.11574E-04	0.00000E+00	0.00000E+00
782	8.57075E-01	2.80467E+01	8.84002E-01	8.11270E-04	0.00000E+00	0.00000E+00
783	8.38060E-01	2.80760E+01	8.83943E-01	8.12363E-04	0.00000E+00	0.00000E+00
784	8.60428E-01	2.81053E+01	8.83913E-01	8.11880E-04	0.00000E+00	0.00000E+00
785	8.86224E-01	2.81365E+01	8.83916E-01	8.10848E-04	0.00000E+00	0.00000E+00
786	8.86131E-01	2.81657E+01	8.83919E-01	8.09818E-04	0.00000E+00	0.00000E+00
787	9.04482E-01	2.81950E+01	8.83945E-01	8.09210E-04	0.00000E+00	0.00000E+00
788	8.67352E-01	2.82262E+01	8.83924E-01	8.08456E-04	0.00000E+00	0.00000E+00
789	8.77743E-01	2.82555E+01	8.83916E-01	8.07466E-04	0.00000E+00	0.00000E+00
790	8.79401E-01	2.82857E+01	8.83910E-01	8.06461E-04	0.00000E+00	0.00000E+00
791	8.92073E-01	2.83150E+01	8.83921E-01	8.05504E-04	0.00000E+00	0.00000E+00
792	8.42610E-01	2.83533E+01	8.83868E-01	8.06182E-04	0.00000E+00	0.00000E+00
793	9.08908E-01	2.83845E+01	8.83900E-01	8.05784E-04	0.00000E+00	0.00000E+00
794	9.13945E-01	2.84147E+01	8.83938E-01	8.05660E-04	0.00000E+00	0.00000E+00
795	8.71704E-01	2.84450E+01	8.83922E-01	8.04791E-04	0.00000E+00	0.00000E+00
796	8.87139E-01	2.84752E+01	8.83927E-01	8.03787E-04	0.00000E+00	0.00000E+00
797	9.24523E-01	2.85063E+01	8.83978E-01	8.04398E-04	0.00000E+00	0.00000E+00
798	9.03145E-01	2.85365E+01	8.84002E-01	8.03747E-04	0.00000E+00	0.00000E+00
799	8.61744E-01	2.85667E+01	8.83974E-01	8.03224E-04	0.00000E+00	0.00000E+00
800	8.82639E-01	2.85978E+01	8.83972E-01	8.02218E-04	0.00000E+00	0.00000E+00
801	8.97474E-01	2.86280E+01	8.83989E-01	8.01392E-04	0.00000E+00	0.00000E+00
802	9.02853E-01	2.86582E+01	8.84013E-01	8.00737E-04	0.00000E+00	0.00000E+00
803	8.68867E-01	2.86893E+01	8.83994E-01	7.99960E-04	0.00000E+00	0.00000E+00

KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

LIFETIME = 1.15441E+04 + OR - 1.79468E-07 GENERATION TIME = 6.46672E-05 + OR - 9.48936E-08
 NU BAR = 2.42733E+00 + OR - 3.91487E-05 AVERAGE FISSION GROUP = 2.36688E+01 + OR - 2.79417E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 6.78645E-02 + OR - 1.70118E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT		95 PER CENT		99 PER CENT		NUMBER OF HISTORIES
			CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
3	0.88400	+ OR - 0.00080	0.88320	TO 0.88480	0.88240	TO 0.88560	0.88159	TO 0.88640	800000
4	0.88399	+ OR - 0.00080	0.88319	TO 0.88480	0.88239	TO 0.88560	0.88159	TO 0.88640	799000
5	0.88404	+ OR - 0.00080	0.88324	TO 0.88484	0.88244	TO 0.88565	0.88164	TO 0.88645	798000
6	0.88404	+ OR - 0.00080	0.88324	TO 0.88485	0.88244	TO 0.88565	0.88164	TO 0.88645	797000
7	0.88399	+ OR - 0.00080	0.88319	TO 0.88479	0.88238	TO 0.88559	0.88158	TO 0.88639	796000
8	0.88402	+ OR - 0.00080	0.88322	TO 0.88482	0.88242	TO 0.88562	0.88161	TO 0.88643	795000
9	0.88403	+ OR - 0.00080	0.88323	TO 0.88483	0.88243	TO 0.88564	0.88162	TO 0.88644	794000
10	0.88405	+ OR - 0.00080	0.88325	TO 0.88485	0.88244	TO 0.88566	0.88164	TO 0.88646	793000
11	0.88411	+ OR - 0.00080	0.88331	TO 0.88491	0.88251	TO 0.88572	0.88171	TO 0.88652	792000
12	0.88409	+ OR - 0.00080	0.88329	TO 0.88489	0.88248	TO 0.88569	0.88168	TO 0.88650	791000
17	0.88418	+ OR - 0.00080	0.88338	TO 0.88499	0.88257	TO 0.88579	0.88177	TO 0.88660	786000
22	0.88426	+ OR - 0.00081	0.88345	TO 0.88506	0.88264	TO 0.88587	0.88183	TO 0.88668	781000
27	0.88432	+ OR - 0.00081	0.88351	TO 0.88514	0.88270	TO 0.88595	0.88189	TO 0.88676	776000
32	0.88435	+ OR - 0.00082	0.88354	TO 0.88517	0.88272	TO 0.88599	0.88191	TO 0.88680	771000
37	0.88431	+ OR - 0.00082	0.88349	TO 0.88513	0.88266	TO 0.88595	0.88184	TO 0.88677	766000
42	0.88436	+ OR - 0.00082	0.88354	TO 0.88518	0.88272	TO 0.88601	0.88190	TO 0.88683	761000
47	0.88432	+ OR - 0.00082	0.88350	TO 0.88515	0.88268	TO 0.88597	0.88185	TO 0.88679	756000

52	0.88431	+ OR - 0.00083	0.88348 TO 0.88514	0.88266 TO 0.88596	0.88183 TO 0.88679	751000
57	0.88436	+ OR - 0.00083	0.88353 TO 0.88519	0.88271 TO 0.88602	0.88188 TO 0.88685	746000
62	0.88446	+ OR - 0.00083	0.88363 TO 0.88530	0.88280 TO 0.88613	0.88197 TO 0.88696	741000
67	0.88447	+ OR - 0.00084	0.88363 TO 0.88531	0.88280 TO 0.88614	0.88196 TO 0.88698	736000
72	0.88459	+ OR - 0.00084	0.88375 TO 0.88542	0.88292 TO 0.88626	0.88208 TO 0.88710	731000
77	0.88456	+ OR - 0.00084	0.88372 TO 0.88540	0.88289 TO 0.88624	0.88205 TO 0.88707	726000
82	0.88454	+ OR - 0.00084	0.88370 TO 0.88538	0.88286 TO 0.88622	0.88202 TO 0.88706	721000
87	0.88460	+ OR - 0.00085	0.88375 TO 0.88545	0.88291 TO 0.88629	0.88206 TO 0.88714	716000
92	0.88455	+ OR - 0.00085	0.88370 TO 0.88539	0.88285 TO 0.88624	0.88201 TO 0.88708	711000

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL	95 PER CENT CONFIDENCE INTERVAL	99 PER CENT CONFIDENCE INTERVAL	NUMBER OF HISTORIES
97	0.88453	+ OR - 0.00085	0.88368 TO 0.88538	0.88283 TO 0.88623	0.88198 TO 0.88707	706000
102	0.88458	+ OR - 0.00085	0.88373 TO 0.88544	0.88288 TO 0.88629	0.88202 TO 0.88714	701000
107	0.88454	+ OR - 0.00086	0.88368 TO 0.88539	0.88282 TO 0.88625	0.88196 TO 0.88711	696000
112	0.88448	+ OR - 0.00086	0.88362 TO 0.88534	0.88276 TO 0.88620	0.88190 TO 0.88706	691000
117	0.88453	+ OR - 0.00086	0.88367 TO 0.88539	0.88280 TO 0.88626	0.88194 TO 0.88712	686000
122	0.88440	+ OR - 0.00087	0.88354 TO 0.88527	0.88267 TO 0.88613	0.88180 TO 0.88700	681000
127	0.88446	+ OR - 0.00087	0.88359 TO 0.88533	0.88272 TO 0.88620	0.88185 TO 0.88707	676000
132	0.88446	+ OR - 0.00087	0.88359 TO 0.88534	0.88271 TO 0.88621	0.88184 TO 0.88708	671000
137	0.88452	+ OR - 0.00088	0.88364 TO 0.88540	0.88277 TO 0.88628	0.88189 TO 0.88716	666000
142	0.88450	+ OR - 0.00088	0.88362 TO 0.88538	0.88274 TO 0.88626	0.88186 TO 0.88714	661000
147	0.88442	+ OR - 0.00088	0.88354 TO 0.88531	0.88265 TO 0.88619	0.88177 TO 0.88708	656000
642	0.88538	+ OR - 0.00178	0.88360 TO 0.88716	0.88182 TO 0.88894	0.88004 TO 0.89072	161000
647	0.88504	+ OR - 0.00181	0.88323 TO 0.88685	0.88143 TO 0.88866	0.87962 TO 0.89047	156000
652	0.88545	+ OR - 0.00182	0.88363 TO 0.88727	0.88180 TO 0.88909	0.87998 TO 0.89092	151000
657	0.88593	+ OR - 0.00185	0.88408 TO 0.88778	0.88223 TO 0.88963	0.88038 TO 0.89149	146000
662	0.88551	+ OR - 0.00187	0.88364 TO 0.88737	0.88178 TO 0.88924	0.87991 TO 0.89110	141000
667	0.88551	+ OR - 0.00192	0.88358 TO 0.88743	0.88166 TO 0.88936	0.87974 TO 0.89128	136000
672	0.88579	+ OR - 0.00197	0.88382 TO 0.88777	0.88185 TO 0.88974	0.87988 TO 0.89171	131000
677	0.88515	+ OR - 0.00200	0.88316 TO 0.88715	0.88116 TO 0.88914	0.87916 TO 0.89114	126000
682	0.88487	+ OR - 0.00206	0.88281 TO 0.88693	0.88075 TO 0.88898	0.87870 TO 0.89104	121000
687	0.88419	+ OR - 0.00212	0.88207 TO 0.88631	0.87995 TO 0.88842	0.87783 TO 0.89054	116000
692	0.88499	+ OR - 0.00217	0.88282 TO 0.88717	0.88065 TO 0.88934	0.87847 TO 0.89152	111000
697	0.88424	+ OR - 0.00225	0.88199 TO 0.88649	0.87974 TO 0.88874	0.87749 TO 0.89099	106000
702	0.88430	+ OR - 0.00231	0.88199 TO 0.88660	0.87968 TO 0.88891	0.87738 TO 0.89121	101000
707	0.88423	+ OR - 0.00240	0.88183 TO 0.88663	0.87943 TO 0.88902	0.87704 TO 0.89142	96000
712	0.88351	+ OR - 0.00246	0.88105 TO 0.88597	0.87860 TO 0.88843	0.87614 TO 0.89088	91000
717	0.88344	+ OR - 0.00255	0.88089 TO 0.88600	0.87833 TO 0.88855	0.87578 TO 0.89110	86000
722	0.88327	+ OR - 0.00255	0.88072 TO 0.88583	0.87817 TO 0.88838	0.87561 TO 0.89094	81000
727	0.88329	+ OR - 0.00256	0.88073 TO 0.88585	0.87816 TO 0.88841	0.87560 TO 0.89098	76000
732	0.88370	+ OR - 0.00265	0.88104 TO 0.88635	0.87839 TO 0.88901	0.87573 TO 0.89166	71000
737	0.88308	+ OR - 0.00272	0.88036 TO 0.88580	0.87764 TO 0.88852	0.87492 TO 0.89125	66000
742	0.88201	+ OR - 0.00276	0.87925 TO 0.88477	0.87649 TO 0.88752	0.87373 TO 0.89028	61000
747	0.88043	+ OR - 0.00289	0.87754 TO 0.88333	0.87464 TO 0.88622	0.87175 TO 0.88912	56000
752	0.87991	+ OR - 0.00314	0.87677 TO 0.88305	0.87363 TO 0.88619	0.87050 TO 0.88932	51000
757	0.88013	+ OR - 0.00333	0.87680 TO 0.88346	0.87348 TO 0.88678	0.87015 TO 0.89011	46000
762	0.88029	+ OR - 0.00352	0.87677 TO 0.88380	0.87325 TO 0.88732	0.86973 TO 0.89084	41000
767	0.87998	+ OR - 0.00376	0.87622 TO 0.88374	0.87246 TO 0.88750	0.86871 TO 0.89125	36000


NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET


NO. OF INITIAL GENERATIONS	AVERAGE	67 PER CENT	95 PER CENT	99 PER CENT	NUMBER OF
----------------------------	---------	-------------	-------------	-------------	-----------

SKIPPED	K-EFFECTIVE	DEVIATION	CONFIDENCE INTERVAL	CONFIDENCE INTERVAL	CONFIDENCE INTERVAL	HISTORIES
772	0.88000	+ OR - 0.00410	0.87590 TO 0.88410	0.87180 TO 0.88820	0.86770 TO 0.89230	31000
777	0.88163	+ OR - 0.00458	0.87705 TO 0.88621	0.87248 TO 0.89078	0.86790 TO 0.89536	26000
782	0.88369	+ OR - 0.00492	0.87877 TO 0.88861	0.87385 TO 0.89352	0.86893 TO 0.89844	21000
787	0.88638	+ OR - 0.00539	0.88099 TO 0.89177	0.87560 TO 0.89716	0.87021 TO 0.90256	16000
792	0.89299	+ OR - 0.00608	0.88692 TO 0.89907	0.88084 TO 0.90515	0.87477 TO 0.91122	11000
797	0.88612	+ OR - 0.00731	0.87881 TO 0.89343	0.87150 TO 0.90074	0.86419 TO 0.90805	6000

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET


PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS K-EFF = 0.8840 + OR - 0.0008 WHICH OCCURS FOR 803 GENERATIONS RUN.








NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

PLOT OF AVERAGE K-EFFECTIVE BY GENERATION SKIPPED.
THE LINE REPRESENTS K-EFF = 0.8840 + OR - 0.0008 WHICH OCCURS FOR 3 GENERATIONS SKIPPED.









GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0022			1.96658E-03	1.7589	1.58278E-03	1.0608	0.00000E+00	0.0000
2	0.0090			7.96142E-03	0.5398	5.30037E-03	0.3750	0.00000E+00	0.0000
3	0.0096			8.52892E-03	0.5386	3.98226E-03	0.4683	0.00000E+00	0.0000
4	0.0040			3.49285E-03	0.6101	1.92198E-03	0.5162	0.00000E+00	0.0000
5	0.0014			1.21726E-03	0.4944	2.01274E-03	0.3204	0.00000E+00	0.0000
6	0.0013			1.12736E-03	0.4022	6.53290E-03	0.2624	0.00000E+00	0.0000
7	0.0013			1.11593E-03	0.3686	1.20121E-02	0.2564	0.00000E+00	0.0000
8	0.0012			1.06475E-03	0.4426	1.03186E-02	0.2874	0.00000E+00	0.0000
9	0.0016			1.45123E-03	0.4863	1.10415E-02	0.2762	0.00000E+00	0.0000
10	0.0036			3.18924E-03	0.4918	2.52182E-02	0.2730	0.00000E+00	0.0000
11	0.0078			6.85543E-03	0.5029	3.20578E-02	0.2575	0.00000E+00	0.0000
12	0.0104			9.21294E-03	0.5644	2.77887E-02	0.3086	0.00000E+00	0.0000
13	0.0100			8.87556E-03	0.5948	3.26728E-02	0.2939	0.00000E+00	0.0000
14	0.0082			7.23419E-03	0.5289	4.57709E-02	0.2864	0.00000E+00	0.0000
15	0.0018			1.57602E-03	0.9421	1.92787E-02	0.3773	0.00000E+00	0.0000
16	0.0012			1.08857E-03	1.2149	1.07028E-02	0.4169	0.00000E+00	0.0000
17	0.0019			1.64785E-03	1.5877	5.63296E-03	0.4683	0.00000E+00	0.0000
18	0.0025			2.21153E-03	1.6749	5.19957E-03	0.5349	0.00000E+00	0.0000
19	0.0032			2.80070E-03	1.3072	8.96525E-03	0.4679	0.00000E+00	0.0000
20	0.0131			1.15860E-02	0.7014	2.84619E-02	0.3722	0.00000E+00	0.0000
21	0.0072			6.40408E-03	1.1817	1.04813E-02	0.5451	0.00000E+00	0.0000
22	0.0185			1.63857E-02	0.7540	2.17849E-02	0.4255	0.00000E+00	0.0000
23	0.0909			8.03774E-02	0.3495	8.51048E-02	0.2295	0.00000E+00	0.0000
24	0.2335			2.06453E-01	0.2134	1.82086E-01	0.1451	0.00000E+00	0.0000
25	0.2127			1.88054E-01	0.2450	1.57630E-01	0.1659	0.00000E+00	0.0000
26	0.2613			2.30964E-01	0.2164	1.90054E-01	0.1541	0.00000E+00	0.0000
27	0.0805			7.11557E-02	0.4296	5.86644E-02	0.3103	0.00000E+00	0.0000
SYSTEM TOTAL =				8.83998E-01	0.0906	1.00226E+00	0.0275	0.00000E+00	0.0000
ELAPSED TIME 28.69033 MINUTES									
RANDOM NUMBER=				5C3FF945F3					

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

FREQUENCY FOR GENERATIONS 4 TO 803

0.8018 TO 0.8054 *
0.8054 TO 0.8090 *
0.8090 TO 0.8126 *
0.8126 TO 0.8161 *
0.8161 TO 0.8197 *
0.8197 TO 0.8233 **
0.8233 TO 0.8269 *
0.8269 TO 0.8304 *
0.8304 TO 0.8340 ****
0.8340 TO 0.8376 *****
0.8376 TO 0.8412 *****
0.8412 TO 0.8447 *****
0.8447 TO 0.8483 *****
0.8483 TO 0.8519 *****
0.8519 TO 0.8555 *****
0.8555 TO 0.8590 *****
0.8590 TO 0.8626 *****
0.8626 TO 0.8662 *****
0.8662 TO 0.8698 *****
0.8698 TO 0.8733 *****
0.8733 TO 0.8769 *****
0.8769 TO 0.8805 *****
0.8805 TO 0.8841 *****
0.8841 TO 0.8876 *****
0.8876 TO 0.8912 *****
0.8912 TO 0.8948 *****
0.8948 TO 0.8984 *****
0.8984 TO 0.9020 *****
0.9020 TO 0.9055 *****
0.9055 TO 0.9091 *****
0.9091 TO 0.9127 *****
0.9127 TO 0.9163 *****
0.9163 TO 0.9198 *****
0.9198 TO 0.9234 *****
0.9234 TO 0.9270 *****
0.9270 TO 0.9306 *****
0.9306 TO 0.9341 ****
0.9341 TO 0.9377 **
0.9377 TO 0.9413 *
0.9413 TO 0.9449 **
0.9449 TO 0.9484 *
0.9484 TO 0.9520 *

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

FREQUENCY FOR GENERATIONS 204 TO 803

0.8018 TO 0.8054	*
0.8054 TO 0.8090	*
0.8090 TO 0.8126	
0.8126 TO 0.8161	*
0.8161 TO 0.8197	*
0.8197 TO 0.8233	**
0.8233 TO 0.8269	
0.8269 TO 0.8304	*
0.8304 TO 0.8340	***
0.8340 TO 0.8376	*****
0.8376 TO 0.8412	*****
0.8412 TO 0.8447	*****
0.8447 TO 0.8483	*****
0.8483 TO 0.8519	*****
0.8519 TO 0.8555	*****
0.8555 TO 0.8590	*****
0.8590 TO 0.8626	*****
0.8626 TO 0.8662	*****
0.8662 TO 0.8698	*****
0.8698 TO 0.8733	*****
0.8733 TO 0.8769	*****
0.8769 TO 0.8805	*****
0.8805 TO 0.8841	*****
0.8841 TO 0.8876	*****
0.8876 TO 0.8912	*****
0.8912 TO 0.8948	*****
0.8948 TO 0.8984	*****
0.8984 TO 0.9020	*****
0.9020 TO 0.9055	*****
0.9055 TO 0.9091	*****
0.9091 TO 0.9127	*****
0.9127 TO 0.9163	*****
0.9163 TO 0.9198	*****
0.9198 TO 0.9234	*****
0.9234 TO 0.9270	*****
0.9270 TO 0.9306	*****
0.9306 TO 0.9341	***
0.9341 TO 0.9377	*
0.9377 TO 0.9413	*
0.9413 TO 0.9449	**
0.9449 TO 0.9484	*
0.9484 TO 0.9520	*

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

FREQUENCY FOR GENERATIONS 404 TO 803

0.8018 TO 0.8054
0.8054 TO 0.8090 *
0.8090 TO 0.8126
0.8126 TO 0.8161
0.8161 TO 0.8197
0.8197 TO 0.8233 **
0.8233 TO 0.8269 *
0.8269 TO 0.8304 **
0.8304 TO 0.8340 ***
0.8340 TO 0.8376 ****
0.8376 TO 0.8412 *****
0.8412 TO 0.8447 *****
0.8447 TO 0.8483 ****
0.8483 TO 0.8519 ****
0.8519 TO 0.8555 *****
0.8555 TO 0.8590 *****
0.8590 TO 0.8626 *****
0.8626 TO 0.8662 *****
0.8662 TO 0.8698 *****
0.8698 TO 0.8733 *****
0.8733 TO 0.8769 *****
0.8769 TO 0.8805 *****
0.8805 TO 0.8841 *****
0.8841 TO 0.8876 *****
0.8876 TO 0.8912 *****
0.8912 TO 0.8948 *****
0.8948 TO 0.8984 *****
0.8984 TO 0.9020 *****
0.9020 TO 0.9055 *****
0.9055 TO 0.9091 *****
0.9091 TO 0.9127 *****
0.9127 TO 0.9163 *****
0.9163 TO 0.9198 *****
0.9198 TO 0.9234 ****
0.9234 TO 0.9270 ****
0.9270 TO 0.9306 ****
0.9306 TO 0.9341 **
0.9341 TO 0.9377 *
0.9377 TO 0.9413 *
0.9413 TO 0.9449 **
0.9449 TO 0.9484
0.9484 TO 0.9520

NAC-LWT, BWR, DAMAGED-SMALLER PIN SIZE, NO BASKET

FREQUENCY FOR GENERATIONS 604 TO 803

0.8018 TO 0.8054
0.8054 TO 0.8090
0.8090 TO 0.8126
0.8126 TO 0.8161
0.8161 TO 0.8197
0.8197 TO 0.8233 *
0.8233 TO 0.8269 *
0.8269 TO 0.8304 *
0.8304 TO 0.8340 *
0.8340 TO 0.8376 **
0.8376 TO 0.8412 ***
0.8412 TO 0.8447 ***
0.8447 TO 0.8483 **
0.8483 TO 0.8519 ****
0.8519 TO 0.8555 ****
0.8555 TO 0.8590 *****
0.8590 TO 0.8626 *****
0.8626 TO 0.8662 *****
0.8662 TO 0.8698 *****
0.8698 TO 0.8733 *****
0.8733 TO 0.8769 *****
0.8769 TO 0.8805 *****
0.8805 TO 0.8841 *****
0.8841 TO 0.8876 *****
0.8876 TO 0.8912 *****
0.8912 TO 0.8948 *****
0.8948 TO 0.8984 *****
0.8984 TO 0.9020 *****
0.9020 TO 0.9055 *****
0.9055 TO 0.9091 *****
0.9091 TO 0.9127 **
0.9127 TO 0.9163 *****
0.9163 TO 0.9198 ***
0.9198 TO 0.9234 ***
0.9234 TO 0.9270 **
0.9270 TO 0.9306 **
0.9306 TO 0.9341 **
0.9341 TO 0.9377
0.9377 TO 0.9413 *
0.9413 TO 0.9449
0.9449 TO 0.9484
0.9484 TO 0.9520

CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 28.69033 MINUTES

6.6.11 PULSTAR Fuel Elements in the LWT Cask

This section contains a sample output file from the evaluation of PULSTAR fuel elements in the LWT cask. The output file is shown in Figure 6.6.11-1.

Figure 6.6.11-1 Maximum Reactivity PULSTAR Configuration

```
PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
NAC-LWT INPUT FOR HOMOGENIZED PULSTAR ELEMENTS IN CAN & INTACT ASSEMBLIES
'MIN BASKET PLATE THICKNESS & OPENING
'33 GRAMS U-235 PER ELEMENT
'AXIAL ALTERNATING SHIFT
'24.1-INCH ACTIVE FUEL HEIGHT
27GROUPNDF4 LATTICECELL
UO2 1 DEN=10.38 1.0 293.0 92235 6.5 92238 93.5 END
ZIRCALLOY 2 1.0 293.0 END
H2O 3 1.E-20 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.E-20 293.0 END
H2O 8 1.E-20 293.0 END
H2O 9 1.0 293.0 END
H2O 10 1.0 293.0 END
UO2 11 DEN=10.38 0.2592 293.0 92235 6.5 92238 93.5 END
ZIRCALLOY 11 0.0484 293.0 END
H2O 11 0.6924 293.0 END
END COMP
SQUAREPITCH 1.54178 1.07442 1 3 1.1938 2 1.09982 9 END
READ PARAM TBA=5 RUN=YES PLT=NO GEN=803 NPG=1000 END PARAM
READ GEOM
UNIT 1
COM='PULSTAR FUEL ELEMENT'
CYLINDER 1 1 0.5372 63.8810 2.6670
CYLINDER 9 1 0.5499 63.8810 2.6670
CYLINDER 2 1 0.5969 66.5480 0.0000
CUBOID 3 1 2P0.7709 2P0.6668 66.5480 0.0000
UNIT 5
COM='DIVIDER CENTER STACK'
CUBOID 5 1 2P4.2926 0.7112 0.0000 110.49 0
UNIT 6
COM='DIVIDER OUTSIDE STACK'
CUBOID 5 1 2P4.2926 0.6096 0.0000 110.49 0
'TOP BASKET (CANNED ELEMENTS)
UNIT 10
COM='HOMOGENIZED PULSTAR FUEL - TOP OPENING'
CUBOID 11 1 2P4.1910 2P4.1910 76.2000 0.0000
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 11
COM='HOMOGENIZED PULSTAR FUEL - BOTTOM OPENING'
CUBOID 11 1 2P4.1910 2P4.1910 76.2000 0.0000
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 12
COM='HOMOGENIZED PULSTAR FUEL - BOTTOM RIGHT'
CUBOID 11 1 2P4.1910 2P4.1910 76.2000 0.0000
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 13
COM='HOMOGENIZED PULSTAR FUEL - TOP RIGHT'
CUBOID 11 1 2P4.1910 2P4.1910 76.2000 0.0000
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 14
COM='HOMOGENIZED PULSTAR FUEL - BOTTOM LEFT'
CUBOID 11 1 2P4.1910 2P4.1910 76.2000 0.0000
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 15
COM='HOMOGENIZED PULSTAR FUEL - TOP LEFT'
CUBOID 11 1 2P4.1910 2P4.1910 76.2000 0.0000
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 16
COM='HOMOGENIZED PULSTAR FUEL - CENTER OPENING'
CUBOID 11 1 2P4.1910 2P4.1910 76.2000 0.0000
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 20
COM='CENTER COLUMN OF THREE OPENINGS'
ARRAY 2 -4.2926 -13.5890 0.0000
REPLICATE 5 1 4R0.7112 2R0.0 1
UNIT 21
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS'
ARRAY 4 -4.2926 -8.8900 0.0000
REPLICATE 5 1 0.0000 0.3048 2R0.3048 2R0.0 1
UNIT 22
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS'
ARRAY 3 -4.2926 -8.8900 0.0000
REPLICATE 5 1 0.3048 0.0000 2R0.3048 2R0.0 1
UNIT 30
COM='MTR 7-ASSY BASKET'
CYLINDER 3 1 17.0500 110.4900 0.0000
HOLE 20 0.0000 0.0000 0.0000
HOLE 21 -9.2974 0.0000 0.0000
HOLE 22 9.2974 0.0000 0.0000
CYLINDER 5 1 18.8913 110.4900 -1.2700
CYLINDER 6 1 33.4963 110.4900 -1.2700
CYLINDER 5 1 36.5443 110.4900 -1.2700
CYLINDER 7 1 49.2443 110.4900 -1.2700
CYLINDER 5 1 49.8539 110.4900 -1.2700
CUBOID 8 1 4P49.8539 110.4900 -1.2700
'TOP MIDDLE BASKET (INTACT ASSEMBLIES)
UNIT 110
COM='PULSTAR ASSEMBLY - TOP OPENING'
ARRAY 1 -3.8545 -3.3338 43.9420
CUBOID 2 1 2P4.0069 2P3.4862 110.4900 43.9420
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 111
```

```
COM='PULSTAR ASSEMBLY - BOTTOM OPENING'  
ARRAY 1 -3.8545 -3.3338 43.9420  
CUBOID 2 1 2P4.0069 2P3.4862 110.4900 43.9420  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 112  
COM='PULSTAR ASSEMBLY - BOTTOM RIGHT'  
ARRAY 1 -3.8545 -3.3338 43.9420  
CUBOID 2 1 2P4.0069 2P3.4862 110.4900 43.9420  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 113  
COM='PULSTAR ASSEMBLY - TOP RIGHT'  
ARRAY 1 -3.8545 -3.3338 43.9420  
CUBOID 2 1 2P4.0069 2P3.4862 110.4900 43.9420  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 114  
COM='PULSTAR ASSEMBLY - BOTTOM LEFT'  
ARRAY 1 -3.8545 -3.3338 43.9420  
CUBOID 2 1 2P4.0069 2P3.4862 110.4900 43.9420  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 115  
COM='PULSTAR ASSEMBLY - TOP LEFT'  
ARRAY 1 -3.8545 -3.3338 43.9420  
CUBOID 2 1 2P4.0069 2P3.4862 110.4900 43.9420  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 116  
COM='PULSTAR ASSEMBLY - CENTER OPENING'  
ARRAY 1 -3.8545 -3.3338 43.9420  
CUBOID 2 1 2P4.0069 2P3.4862 110.4900 43.9420  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 120  
COM='CENTER COLUMN OF THREE OPENINGS'  
ARRAY 12 -4.2926 -13.5890 0.0000  
REPLICATE 5 1 4R0.7112 2R0.0 1  
UNIT 121  
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS'  
ARRAY 14 -4.2926 -8.8900 0.0000  
REPLICATE 5 1 0.0000 0.3048 2R0.3048 2R0.0 1  
UNIT 122  
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS'  
ARRAY 13 -4.2926 -8.8900 0.0000  
REPLICATE 5 1 0.3048 0.0000 2R0.3048 2R0.0 1  
UNIT 130  
COM='MTR 7-ASSY BASKET'  
CYLINDER 3 1 17.0500 110.4900 0.0000  
HOLE 120 0.0000 0.0000 0.0000  
HOLE 121 -9.2974 0.0000 0.0000  
HOLE 122 9.2974 0.0000 0.0000  
CYLINDER 5 1 18.8913 110.4900 -1.2700  
CYLINDER 6 1 33.4963 110.4900 -1.2700  
CYLINDER 5 1 36.5443 110.4900 -1.2700  
CYLINDER 7 1 49.2443 110.4900 -1.2700  
CYLINDER 5 1 49.8539 110.4900 -1.2700  
CUBOID 8 1 4P4.8539 110.4900 -1.2700  
'BOTTOM MIDDLE BASKET (INTACT ASSEMBLIES)  
UNIT 210  
COM='PULSTAR ASSEMBLY - TOP OPENING'  
ARRAY 1 -3.8545 -3.3338 0.0000  
CUBOID 2 1 2P4.0069 2P3.4862 66.5480 0.0000  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 211  
COM='PULSTAR ASSEMBLY - BOTTOM OPENING'  
ARRAY 1 -3.8545 -3.3338 0.0000  
CUBOID 2 1 2P4.0069 2P3.4862 66.5480 0.0000  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 212  
COM='PULSTAR ASSEMBLY - BOTTOM RIGHT'  
ARRAY 1 -3.8545 -3.3338 0.0000  
CUBOID 2 1 2P4.0069 2P3.4862 66.5480 0.0000  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 213  
COM='PULSTAR ASSEMBLY - TOP RIGHT'  
ARRAY 1 -3.8545 -3.3338 0.0000  
CUBOID 2 1 2P4.0069 2P3.4862 66.5480 0.0000  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 214  
COM='PULSTAR ASSEMBLY - BOTTOM LEFT'  
ARRAY 1 -3.8545 -3.3338 0.0000  
CUBOID 2 1 2P4.0069 2P3.4862 66.5480 0.0000  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 215  
COM='PULSTAR ASSEMBLY - TOP LEFT'  
ARRAY 1 -3.8545 -3.3338 0.0000  
CUBOID 2 1 2P4.0069 2P3.4862 66.5480 0.0000  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 216  
COM='PULSTAR ASSEMBLY - CENTER OPENING'  
ARRAY 1 -3.8545 -3.3338 0.0000  
CUBOID 2 1 2P4.0069 2P3.4862 66.5480 0.0000  
CUBOID 3 1 4P4.2926 110.4900 0.0000  
UNIT 220  
COM='CENTER COLUMN OF THREE OPENINGS'  
ARRAY 22 -4.2926 -13.5890 0.0000  
REPLICATE 5 1 4R0.7112 2R0.0 1  
UNIT 221  
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS'  
ARRAY 24 -4.2926 -8.8900 0.0000  
REPLICATE 5 1 0.0000 0.3048 2R0.3048 2R0.0 1  
UNIT 222  
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS'  
ARRAY 23 -4.2926 -8.8900 0.0000  
REPLICATE 5 1 0.3048 0.0000 2R0.3048 2R0.0 1
```

```
UNIT 230
COM='MTR 7-ASSY BASKET'
CYLINDER 3 1 17.0500 110.4900 0.0000
HOLE 220 0.0000 0.0000 0.0000
HOLE 221 -9.2974 0.0000 0.0000
HOLE 222 9.2974 0.0000 0.0000
CYLINDER 5 1 18.8913 110.4900 -1.2700
CYLINDER 6 1 33.4963 110.4900 -1.2700
CYLINDER 5 1 36.5443 110.4900 -1.2700
CYLINDER 7 1 49.2443 110.4900 -1.2700
CYLINDER 5 1 49.8539 110.4900 -1.2700
CUBOID 8 1 4P49.8539 110.4900 -1.2700
'BOTTOM BASKET' (CANNED ELEMENTS)
UNIT 310
COM='HOMOGENIZED PULSTAR FUEL - TOP OPENING'
CUBOID 11 1 2P4.1910 2P4.1910 110.4900 34.2900
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 311
COM='HOMOGENIZED PULSTAR FUEL - BOTTOM OPENING'
CUBOID 11 1 2P4.1910 2P4.1910 110.4900 34.2900
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 312
COM='HOMOGENIZED PULSTAR FUEL - BOTTOM RIGHT'
CUBOID 11 1 2P4.1910 2P4.1910 110.4900 34.2900
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 313
COM='HOMOGENIZED PULSTAR FUEL - TOP RIGHT'
CUBOID 11 1 2P4.1910 2P4.1910 110.4900 34.2900
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 314
COM='HOMOGENIZED PULSTAR FUEL - BOTTOM LEFT'
CUBOID 11 1 2P4.1910 2P4.1910 110.4900 34.2900
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 315
COM='HOMOGENIZED PULSTAR FUEL - TOP LEFT'
CUBOID 11 1 2P4.1910 2P4.1910 110.4900 34.2900
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 316
COM='HOMOGENIZED PULSTAR FUEL - CENTER OPENING'
CUBOID 11 1 2P4.1910 2P4.1910 110.4900 34.2900
CUBOID 3 1 4P4.2926 110.4900 0.0000
UNIT 320
COM='CENTER COLUMN OF THREE OPENINGS'
ARRAY 32 -4.2926 -13.5890 0.0000
REPLICATE 5 1 4R0.7112 2R0.0 1
UNIT 321
COM='LEFT OUTSIDE COLUMN OF TWO OPENINGS'
ARRAY 34 -4.2926 -8.8900 0.0000
REPLICATE 5 1 0.0000 0.3048 2R0.3048 2R0.0 1
UNIT 322
COM='RIGHT OUTSIDE COLUMN OF TWO OPENINGS'
ARRAY 33 -4.2926 -8.8900 0.0000
REPLICATE 5 1 0.3048 0.0000 2R0.3048 2R0.0 1
UNIT 330
COM='MTR 7-ASSY BASKET'
CYLINDER 3 1 17.0500 110.4900 0.0000
HOLE 320 0.0000 0.0000 0.0000
HOLE 321 -9.2974 0.0000 0.0000
HOLE 322 9.2974 0.0000 0.0000
CYLINDER 5 1 18.8913 110.4900 -1.2700
CYLINDER 6 1 33.4963 110.4900 -1.2700
CYLINDER 5 1 36.5443 110.4900 -1.2700
CYLINDER 7 1 49.2443 110.4900 -1.2700
CYLINDER 5 1 49.8539 110.4900 -1.2700
CUBOID 8 1 4P49.8539 110.4900 -1.2700
UNIT 40
COM='SIMPLIFIED LID STRUCTURE NAC-LWT'
CYLINDER 5 1 36.5188 13.6775 -14.1351
CYLINDER 8 1 49.8539 13.6775 -14.1351
CUBOID 8 1 4P49.8539 13.6775 -14.1351
UNIT 41
COM='SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT'
CYLINDER 6 1 26.3525 2P3.81
CYLINDER 5 1 36.6188 +13.36 -12.7
CYLINDER 8 1 49.8539 +13.36 -12.7
CUBOID 8 1 4P49.8539 +13.36 -12.7
UNIT 42
COM='THIN TOP AND BOTTOM SHELL OF NEUTRON SHIELD - SUBTRACTED FROM LID MODEL'
CYLINDER 5 1 49.8539 0.61 0.0
CUBOID 8 1 4P49.8539 0.61 0.0
UNIT 70
COM='STACK OF 4 BASKETS IN CASK WITH LID AND BOTTOM'
ARRAY 10 -49.8539 -49.8539 0.0
GLOBAL UNIT 80
COM='3 CASKS IN TRIANGULAR PITCH'
CUBOID 8 1 4P101.0 502.2 0.0
HOLE 70 0.0 50.0 0.0
HOLE 70 -50.0 -50.0 0.0
HOLE 70 50.0 -50.0 0.0
END GEOM
READ ARRAY
ARA=1 NUX=5 NUY=5 NUZ=1 FILL 25R1 END FILL
ARA=2 NUX=1 NUY=5 NUZ=1 FILL 11 5 16 5 10 END FILL
ARA=3 NUX=1 NUY=3 NUZ=1 FILL 12 6 13 END FILL
ARA=4 NUX=1 NUY=3 NUZ=1 FILL 14 6 15 END FILL
ARA=12 NUX=1 NUY=5 NUZ=1 FILL 111 5 116 5 110 END FILL
ARA=13 NUX=1 NUY=3 NUZ=1 FILL 112 6 113 END FILL
ARA=14 NUX=1 NUY=3 NUZ=1 FILL 114 6 115 END FILL
ARA=22 NUX=1 NUY=5 NUZ=1 FILL 211 5 216 5 210 END FILL
ARA=23 NUX=1 NUY=3 NUZ=1 FILL 212 6 213 END FILL
ARA=24 NUX=1 NUY=3 NUZ=1 FILL 214 6 215 END FILL
```

```
ARA=32 NUX=1 NUY=5 NUZ=1 FILL 311 5 316 5 310 END FILL
ARA=33 NUX=1 NUY=3 NUZ=1 FILL 312 6 313 END FILL
ARA=34 NUX=1 NUY=3 NUZ=1 FILL 314 6 315 END FILL
ARA=10 NUX=1 NUY=1 NUZ=8 FILL 41 42 330 230 130 30 42 40 END FILL
END ARRAY
READ BOUNDS ALL=H20 END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CENTER ELEMENT - FUEL ELEVATION'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-5.0 YUL=5.0 ZUL=100.0
XLR=5.0 YLR=-5.0 ZLR=100.0 END
TTL='X-Y PLOT OF BASKET - FUEL ELEVATION'
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-17.0 YUL=17.0 ZUL=100.0
XLR=17.0 YLR=-17.0 ZLR=100.0 END
TTL='X-Y PLOT OF CASK - FUEL ELEVATION'
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-65.0 YUL=65.0 ZUL=100.0
XLR=65.0 YLR=-65.0 ZLR=100.0 END
TTL='Y-Z (X=0) PLOT OF BOTTOM BASKET - CENTER SECTION'
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-5.0 ZUL=55.0
XLR=0.0 YLR=5.0 ZLR=50.0 END
TTL='Y-Z (X=0) PLOT OF BOTTOM BASKET - CENTER FUEL ELEMENT'
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-5.0 ZUL=176.1
XLR=0.0 YLR=5.0 ZLR=26.6 END
TTL='Y-Z (X=-2) PLOT OF BOTTOM BASKET'
VAX=1.0 WDN=-1.0
XUL=-2.0 YUL=-15.0 ZUL=176.1
XLR=-2.0 YLR=15.0 ZLR=26.6 END
TTL='Y-Z (X=-2) PLOT OF CASK - R=17.0'
LPI=5 NAX=1000
VAX=1.0 WDN=-1.0
XUL=-2.0 YUL=-17.0 ZUL=502.0
XLR=-2.0 YLR=17.0 ZLR=-1.0 END
TTL='Y-Z (X=-2) PLOT OF CASK - R=51.0'
VAX=1.0 WDN=-1.0
XUL=-2.0 YUL=-51.0 ZUL=502.0
XLR=-2.0 YLR=51.0 ZLR=-1.0 END
END PLOT
END DATA
```

SECONDARY MODULE 000008 HAS BEEN CALLED.

MODULE 000008 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 0.77 (SECONDS).

SECONDARY MODULE 000002 HAS BEEN CALLED.

MODULE 000002 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 4.77 (SECONDS).

SECONDARY MODULE 000009 HAS BEEN CALLED.

MODULE 000009 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 307.04 (SECONDS).

MODULE CSAS25 IS FINISHED. COMPLETION CODE 0. CPU TIME USED 314.94 (SECONDS).


```
***** TIME OF EXECUTION: 15:51:54 *****  
*****  
*****  
*****  
*****  
*****
```

```
'MIN BASKET PLATE THICKNESS & OPENING  
'33 GRAMS U-235 PER ELEMENT  
'AXIAL ALTERNATING SHIFT  
'24.1-INCH ACTIVE FUEL HEIGHT  
'MIN BASKET PLATE THICKNESS & OPENING  
'33 GRAMS U-235 PER ELEMENT  
'AXIAL ALTERNATING SHIFT  
'24.1-INCH ACTIVE FUEL HEIGHT  
NAC-LWT INPUT FOR HOMOGENIZED PULSTAR ELEMENTS IN CAN & INTACT ASSEMBLIES
```

**** PROBLEM PARAMETERS ****

```
LIB 27GROUPNDF4 LIBRARY  
MXX 11 MIXTURES  
MSC 13 COMPOSITION SPECIFICATIONS  
IZM 4 MATERIAL ZONES  
GE LATTICECELL GEOMETRY  
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA  
MSLN 0 FUEL SOLUTIONS
```

**** PROBLEM COMPOSITION DESCRIPTION ****

```
SC UO2 STANDARD COMPOSITION  
MX 1 MIXTURE NO.  
VF 1.0000 VOLUME FRACTION  
ROTH 10.3800 SPECIFIED DENSITY  
NEL 2 NO. ELEMENTS  
ICP 1 0/1 MIXTURE/COMPOUND  
TEMP 293.0 DEG KELVIN  
92000 1.00 ATOM/MOLECULE  
92235 6.500 WT%  
92238 93.500 WT%  
8016 2.00 ATOMS/MOLECULE  
END
```

```
SC ZIRCALLOY STANDARD COMPOSITION  
MX 2 MIXTURE NO.  
VF 1.0000 VOLUME FRACTION  
ROTH 6.5600 THEORETICAL DENSITY  
NEL 1 NO. ELEMENTS  
ICP 1 0/1 MIXTURE/COMPOUND  
TEMP 293.0 DEG KELVIN  
40302 1.00 ATOM/MOLECULE  
END
```

```
SC H2O STANDARD COMPOSITION  
MX 3 MIXTURE NO.  
VF 0.0000 VOLUME FRACTION  
ROTH 0.9982 THEORETICAL DENSITY  
NEL 2 NO. ELEMENTS  
ICP 1 0/1 MIXTURE/COMPOUND  
TEMP 293.0 DEG KELVIN  
1001 2.00 ATOMS/MOLECULE  
8016 1.00 ATOM/MOLECULE  
END
```

```
SC AL STANDARD COMPOSITION  
MX 4 MIXTURE NO.  
VF 1.0000 VOLUME FRACTION  
ROTH 2.7020 THEORETICAL DENSITY  
NEL 1 NO. ELEMENTS  
ICP 1 0/1 MIXTURE/COMPOUND  
TEMP 293.0 DEG KELVIN  
13027 1.00 ATOM/MOLECULE  
END
```

```
SC SS304 STANDARD COMPOSITION  
MX 5 MIXTURE NO.  
VF 1.0000 VOLUME FRACTION  
ROTH 7.9200 THEORETICAL DENSITY  
NEL 4 NO. ELEMENTS  
ICP 0 0/1 MIXTURE/COMPOUND  
TEMP 293.0 DEG KELVIN  
24304 19.000 WT%  
25055 2.000 WT%  
26304 69.500 WT%  
28304 9.500 WT%
```

```
END  
SC PB STANDARD COMPOSITION  
MX 6 MIXTURE NO.  
VF 1.0000 VOLUME FRACTION  
ROTH 11.3440 THEORETICAL DENSITY  
NEL 1 NO. ELEMENTS  
ICP 1 0/1 MIXTURE/COMPOUND  
TEMP 293.0 DEG KELVIN  
82000 1.00 ATOM/MOLECULE
```

END

SC H2O STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 0.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 0.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 10 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC UO2 STANDARD COMPOSITION
MX 11 MIXTURE NO.
VF 0.2592 VOLUME FRACTION
ROTH 10.3800 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
92000 1.00 ATOM/MOLECULE
92235 6.500 WT%
92238 93.500 WT%
8016 2.00 ATOMS/MOLECULE

END

SC ZIRCALLOY STANDARD COMPOSITION
MX 11 MIXTURE NO.
VF 0.0484 VOLUME FRACTION
ROTH 6.5600 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
40302 1.00 ATOM/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 11 MIXTURE NO.
VF 0.6924 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

**** PROBLEM GEOMETRY ****

CTP SQUAREPITCH CELL TYPE
PITCH 1.5418 CM CENTER TO CENTER SPACING
FUELOD 1.0744 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 1.1938 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD
GAPOD 1.0998 CM GAP OUTER DIAMETER
MGAP 9 MIXTURE NO. OF GAP
ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS GAP
ZONE 3 IS CLAD
ZONE 4 IS MOD

*** NAC-LWT INPUT FOR HOMOGENIZED PULSTAR ELEMENTS IN CAN & INTACT ASSEMBLIES ***


```
***** DATA LIBRARY INFORMATION *****
UNIT          DATA SET NAME          VOLUME      UNIT FUNCTION
NUMBER        -----          NAME        -----
-----
89  M:\scale43\DATALIB\FT89F001          STANDARD COMPOSITION LIBRARY
82  M:\scale43\DATALIB\FT82F001          CROSS SECTION LIBRARY
11  W:\Zjr\Lwt\Pulstar\KENOVA\Aych\lwtAych2_x1_r  SHORT CROSS SECTION LIBRARY
90  W:\Zjr\Lwt\Pulstar\KENOVA\Aych\lwtAych2_x1_r  INPUT DATA DIRECT ACCESS
```

```
*****
*****
***** STANDARD COMPOSITION LIBRARY DATA *****
*****
UNIT NUMBER : 89
DATASET NAME : M:\scale43\DATALIB\FT89F001
LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
                637 STANDARD COMPOSITIONS, 490 NUCLIDES
                90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
CREATION DATE: 6/30/95

*****
*****
***** CROSS SECTION LIBRARY DATA *****
*****
UNIT NUMBER : 82
DATASET NAME : M:\scale43\DATALIB\FT82F001
LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
                BASED ON ENDF-B VERSION 4 DATA
                COMPILED FOR NRC    1/27/89
                LAST UPDATED
                L.M.PETRIE - ORNL
                08/12/94
```

```
*****
*****
***** DATA READING COMPLETED *****
*****
0 IO'S WERE USED BEFORE READING KENO V DATA
0 IO'S WERE USED READING THE KENO V PARAMETER DATA

'TOP BASKET (CANNED ELEMENTS)
'TOP MIDDLE BASKET (INTACT ASSEMBLIES)
'BOTTOM MIDDLE BASKET (INTACT ASSEMBLIES)
'BOTTOM BASKET (CANNED ELEMENTS)

0 IO'S WERE USED PREPARING THE KENO V INPUT DATA
0 IO'S WERE USED LOADING THE KENO V DATA
0 IO'S WERE USED LOADING THE DATA
0 IO'S WERE USED CHECKING THE KENO V GEOMETRY DATA
***** RESTART DATA HAS BEEN WRITTEN ON UNIT 95 *****
0 IO'S WERE USED WRITING THE KENO V - CSAS DATA
0 IO'S WERE USED PROCESSING CSAS INPUT DATA

CONTROL MODULE CSAS25 IS COMPLETE.
```

```

BBBBBBBBBBBB 0000000000 NN NN AAAAAAAAAA MM MM IIIIIIIIIIII 2222222222
BBBBBBBBBBBB 000000000000 NNN NN AAAAAAAAAA MMM MMM IIIIIIIIIIII 222222222222
BB BB 00 00 NNNN NN AA AA MMMM MMM III 22 22
BB BB 00 00 NN NN NN AA AA MM MM MM MM III 22 22
BB BB 00 00 NN NN NN AA AA MM MM MM III 22 22
BBBBBBBBBBBB 00 00 NN NN NN ----- AAAAAAAAAA MM M MM III 22
BBBBBBBBBBBB 00 00 NN NN NN ----- AAAAAAAAAA MM M MM III 22
BB BB 00 00 NN NN NN AA AA MM MM III 22
BB BB 00 00 NN NN NN AA AA MM MM III 22
BB BB 00 00 NN NN NN AA AA MM MM III 22
BBBBBBBBBBBB 000000000000 NN NNN AA AA MM MM IIIIIIIIIIII 222222222222
BBBBBBBBBBBB 0000000000 NN NN AA AA MM MM IIIIIIIIIIII 222222222222
    
```

```

SSSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SS SS CC CC AA AA LL EE PP PP CC CC
SS CC CC AA AA LL EE PP PP CC CC
SS CC CC AA AA LL EE PP PP CC CC
SSSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPPP CC
SSSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPPP CC
SS CC AA LL EE PP CC
SS CC AA LL EE PP CC
SS CC AA LL EE PP CC
SSSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
    
```

```

0000000 9999999999 // 11 44
000000000 999999999999 111 444
00 00 99 99 1111 4444
00 00 99 99 11 44 44
00 00 99 99 11 44 44
00 00 999999999999 11 44 44
00 00 999999999999 11 444444444444
00 00 99 99 11 444444444444
00 00 99 99 11 44
00 00 99 99 1111111 44
000000000 999999999999 // 1111111 44
0000000 999999999999 1111111 44
    
```

```

11 555555555555 555555555555 11 555555555555 666666666666
111 555555555555 555555555555 111 555555555555 666666666666
1111 55 55 ::: 55 1111 ::: 55 66
11 55 55 ::: 55 11 ::: 55 66
11 555555555555 555555555555 11 555555555555 666666666666
11 555555555555 555555555555 11 555555555555 666666666666
11 55 55 ::: 55 11 ::: 55 66
11 55 55 ::: 55 11 ::: 55 66
11111111 555555555555 555555555555 11111111 555555555555 666666666666
11111111 555555555555 555555555555 11111111 555555555555 666666666666
    
```

```

SSSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SSSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPPP CCCCCCCCCC
SS SS CC CC AA AA LL EE PP PP CC CC
SS CC CC AA AA LL EE PP PP CC CC
SS CC CC AA AA LL EE PP PP CC CC
SSSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPPP CC
SSSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPPP CC
SS CC AA LL EE PP CC
SS CC AA LL EE PP CC
SS CC AA LL EE PP CC
SSSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
    
```


15	7	1001	6.67692E-22	7001001
16	8	1001	6.67692E-22	8001001
17	9	1001	6.67692E-02	9001001
18	10	1001	6.67692E-02	10001001
19	11	1001	4.62310E-02	11001001
20	4	13027	6.03066E-02	4013027
21	5	24304	1.74286E-02	5024304
22	5	25055	1.73633E-03	5025055
23	5	26304	5.93579E-02	5026304
24	5	28304	7.72070E-03	5028304
25	6	82000	3.29690E-02	6082000

GEOMETRY AND MATERIAL DESCRIPTION

ZONE	MIXTURE	OUTER DIMENSION	TEMPERATURE	EXTRA XS	TYPE (0/1--FUEL/MOD)
1	1	5.37210E-01	2.93000E+02	3.24169E-02	0
2	9	5.49910E-01	2.93000E+02	0.00000E+00	0
3	2	5.96900E-01	2.93000E+02	2.51346E+00	0
4	3	8.69856E-01	2.93000E+02	0.00000E+00	0
5	4	5.86986E+00	2.93000E+02	0.00000E+00	0
6	5	1.08699E+01	2.93000E+02	0.00000E+00	0
7	6	1.58699E+01	2.93000E+02	0.00000E+00	0
8	7	2.08699E+01	2.93000E+02	0.00000E+00	0
9	8	2.58699E+01	2.93000E+02	0.00000E+00	0
10	10	3.08699E+01	2.93000E+02	0.00000E+00	0
11	11	3.58699E+01	2.93000E+02	0.00000E+00	0

4509 LOCATIONS OF 100000 AVAILABLE ARE REQUIRED TO MAKE A NEW MASTER CONTAINING THE SELF-SHIELDED VALUES

NO NUCLIDES IN YOUR PROBLEM HAVE BONDARENKO FACTOR DATA**BONAMI WILL COPY FROM LOGICAL 11 TO LOGICAL 1

COPY	1001	HYDROGEN	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	1001	HYDROGEN	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	8016	OXYGEN-16	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	13027	AL-27 1193 218 G	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	24304	CR 1191 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	25055	MANGANESE-55	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	26304	FE 1192 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	28304	NI 1190 WT SS-30	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	40302	ZIRCALLOY	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	40302	ZIRCALLOY	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	40302	ZIRCALLOY	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	82000	PB 1288 218NGP	FROM LOG 11 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92235	URANIUM-235	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	92235	URANIUM-235	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92235	URANIUM-235	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92238	URANIUM-238	FROM LOG 11 TO LOG 18	BONDARENKO TRIGGER 0
COPY	92238	URANIUM-238	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0
COPY	92238	URANIUM-238	FROM LOG 18 TO LOG 1	BONDARENKO TRIGGER 0

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED
L.M.PETRIE - ORNL

08/12/94

TAPE ID	4321	NUMBER OF NUCLIDES	25
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	1
TABLE OF CONTENTS			
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 7001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 8001001

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 9001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 10001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 11001001
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 1008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 7008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 8008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 9008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 1008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 11008016
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 4013027
CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 5024304
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 5025055
FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 5026304
NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'		UPDATED 08/12/94	ID 5028304
ZIRCALLOY ENDF/B-IV MAT 1284		UPDATED 08/12/94	ID 2040302
ZIRCALLOY ENDF/B-IV MAT 1284		UPDATED 08/12/94	ID 11040302
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 6082000
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 1092235
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 11092235
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 1092238
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 11092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.17 SECONDS

NN	NN	IIIIIIIIIII	TTTTTTTTTTT	AAAAAAAAA	WW	WW	LL
NNN	NN	IIIIIIIIIII	TTTTTTTTTTT	AAAAAAAAAAAA	WW	WW	LL
NNNN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AA	AA	WW	LL
NN NN	NN	II	TT	AAAAAAAAAAAA	WW	W	WW
NN NN	NN	II	TT	AAAAAAAAAAAA	WW	WWW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WW	WW
NN NN	NN	II	TT	AA	AA	WWW	WWW
NN NN	NN	IIIIIIIIIII	TT	AA	AA	WWW	LLLLLLLLLLLLL
NN NN	NN	IIIIIIIIIII	TT	AA	AA	WW	LLLLLLLLLLLLL

SSSSSSSSSS	CCCCCCCCCC	AAAAAAAAA	LL	EEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SSSSSSSSSS	CCCCCCCCCC	AAAAAAAAAAAA	LL	EEEEEEEEEEE	PPPPPPPPPP	CCCCCCCCCC
SS	SS	AA	AA	EE	PP	CC
SS	CC	AA	AA	EE	PP	CC
SS	CC	AA	AA	EE	PP	CC
SSSSSSSSSS	CC	AAAAAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SSSSSSSSSS	CC	AAAAAAAAAAAA	LL	EEEEEEEE	PPPPPPPPPP	CC
SS	SS	AA	AA	EE	PP	CC
SS	CC	AA	AA	EE	PP	CC
SS	CC	AA	AA	EE	PP	CC
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LLLLLLLLLLLL	EEEEEEEEEEE	PP
SSSSSSSSSS	CCCCCCCCCC	AA	AA	LLLLLLLLLLLL	EEEEEEEEEEE	PP

0000000	9999999999	//	11	44	0000000	44
000000000	999999999999	//	111	444	000000000	444
00	99	//	1111	4444	00	4444
00	99	//	11	44 44	00	44 44
00	99	//	11	44 44	00	44 44
00	999999999999	//	11	44 44	00	44 44
00	999999999999	//	11	44 44	00	44 44
00	99	//	11	444444444444	00	444444444444
00	99	//	11	444444444444	00	444444444444
00	99	//	11	44	00	44
00	99	//	11111111	44	000000000	44
000000000	999999999999	//	11111111	44	0000000	44

11	555555555555		555555555555	11	555555555555	666666666666
111	555555555555		555555555555	111	555555555555	666666666666
1111	55	:::	55	1111	55	66
11	55	:::	55	11	55	66
11	55	:::	55	11	55	66
11	555555555555		555555555555	11	555555555555	666666666666
11	555555555555		555555555555	11	555555555555	666666666666
11	55	:::	55	11	55	66
11	55	:::	55	11	55	66
11	55	:::	55	11	55	66
11111111	555555555555		555555555555	11111111	555555555555	666666666666
11111111	555555555555		555555555555	11111111	555555555555	666666666666

```

SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AAAAAAAA LL EEEEEEEEEEE PPPPPPPPPP CCCCCCCCCC
SS SS CC CC AA AA LL EE PP PP CC CC
SS CC CC AA AA LL EE PP PP CC CC
SS CC CC AA AA LL EE PP PP CC CC
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPP CC
SSSSSSSSSS CC AAAAAAAAAA LL EEEEEEEEE PPPPPPPPPP CC
SS CC AA AA LL EE PP CC
SS CC AA AA LL EE PP CC
SS SS CC CC AA AA LL EE PP CC CC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC
SSSSSSSSSS CCCCCCCCCC AA AA LLLLLLLLLLL EEEEEEEEEEE PP CCCCCCCCCC

```

```

*****
*****
***** PROGRAM VERIFICATION INFORMATION *****
*****
***** CODE SYSTEM: SCALE-PC VERSION: 4.3 *****
*****
*****
***** PROGRAM: 000002 *****
*****
***** CREATION DATE: 09/28/95 *****
*****
***** VOLUME: Eng *****
*****
***** LIBRARY: M:\SCALE43\WIN_NT\EXE *****
*****
***** PRODUCTION CODE: NITAWL *****
*****
***** VERSION: 3.0 *****
*****
***** JOBNAME: SCALE-PC *****
*****
***** DATE OF EXECUTION: 09/14/04 *****
*****
***** TIME OF EXECUTION: 15:51:56 *****
*****
*****
*****

```

```

-1Q ARRAY HAS 1 ENTRIES.
0Q ARRAY HAS 9 ENTRIES.
1Q ARRAY HAS 12 ENTRIES.

SELECT 25 NUCLIDES FROM THE MASTER LIBRARY ON LOGICAL 1
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 2
0 NUCLIDES FROM THE WORKING LIBRARY ON LOGICAL 3
TO CREATE THE NEW WORKING LIBRARY ON LOGICAL 4

7 RESONANCE CALCULATIONS HAVE BEEN REQUESTED
-1 OUTPUT OPTION FOR AMPX FORMATTED CROSS SECTION DATA
2001 MAXIMUM NUMBER OF RESONANCE MESH INTERVALS
2 ORDER OF RESONANCE LEVEL PROCESSING

THE STORAGE ALLOCATED FOR THIS CASE IS 100000 WORDS

2Q ARRAY HAS 25 ENTRIES.
3Q ARRAY HAS 105 ENTRIES.
4Q ARRAY HAS 25 ENTRIES.

GENERAL INFORMATION CONCERNING CROSS SECTION LIBRARY
TAPE IDENTIFICATION NUMBER 4321
NUMBER OF NUCLIDES ON TAPE 25
NUMBER OF NEUTRON ENERGY GROUPS 27
FIRST THERMAL NEUTRON ENERGY GROUP 15
NUMBER OF GAMMA ENERGY GROUPS 0

DIRECT ACCESS UNIT NUMBER 9 REQUIRES 117 BLOCKS OF LENGTH 1680 WORDS
XSDRN TAPE 4321

SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
BASED ON ENDF-B VERSION 4 DATA
COMPILED FOR NRC 1/27/89
LAST UPDATED 08/12/94
L.M.PETRIE - ORNL

```

```

NUCLIDES FROM XSDRN TAPE
1 HYDROGEN ENDF/B-IV MAT 1269/THRM1002 UPDATED 08/12/94 3001001
2 HYDROGEN ENDF/B-IV MAT 1269/THRM1002 UPDATED 08/12/94 7001001
3 HYDROGEN ENDF/B-IV MAT 1269/THRM1002 UPDATED 08/12/94 8001001
4 HYDROGEN ENDF/B-IV MAT 1269/THRM1002 UPDATED 08/12/94 9001001
5 HYDROGEN ENDF/B-IV MAT 1269/THRM1002 UPDATED 08/12/94 10001001
6 HYDROGEN ENDF/B-IV MAT 1269/THRM1002 UPDATED 08/12/94 11001001
7 OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 1008016
8 OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 3008016
9 OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 7008016
10 OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 8008016
11 OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 9008016
12 OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 1008016
13 OXYGEN-16 ENDF/B-IV MAT 1276 UPDATED 08/12/94 11008016
14 AL-27 1193 218 GP 040375(5) UPDATED 08/12/94 4013027
15 CR 1191 WT SS-304(1/EST) P-3 293K SP=5+4(42375) UPDATED 08/12/94 5024304

```


16	MANGANESE-55	ENDF/B-IV MAT 1197	UPDATED 08/12/94	5025055
17	FE 1192 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)'		UPDATED 08/12/94	5026304
18	NI 1190 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)'		UPDATED 08/12/94	5028304
19	ZIRCALLOY	ENDF/B-IV MAT 1284	UPDATED 08/12/94	2040302
20	ZIRCALLOY	ENDF/B-IV MAT 1284	UPDATED 08/12/94	11040302
21	PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	6082000
22	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	1092235
23	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94	11092235
24	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	1092238
25	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94	11092238
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94 3001001	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94 7001001	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94 8001001	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94 9001001	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94 10001001	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002		UPDATED 08/12/94 11001001	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94 1008016	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94 3008016	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94 7008016	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94 8008016	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94 9008016	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94 10008016	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
OXYGEN-16	ENDF/B-IV MAT 1276		UPDATED 08/12/94 11008016	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
AL-27	1193 218 GP 040375(5)		UPDATED 08/12/94 4013027	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
CR	1191 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)'		UPDATED 08/12/94 5024304	TEMPERATURE= 293.00 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
MANGANESE-55	ENDF/B-IV MAT 1197		UPDATED 08/12/94 5025055	TEMPERATURE= 293.00
GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00				
RESONANCE DATA FOR THIS NUCLIDE				
MASS NUMBER (A)	=	54.466	TEMPERATURE (KELVIN)	= 293.000
POTENTIAL SCATTER SIGMA	=	2.590	LUMPED NUCLEAR DENSITY	= 1.7363295E-03
SPIN FACTOR (G)	=	14.448	LUMP DIMENSION (A-BAR)	= 0.0000000E+00
INNER RADIUS	=	0.0000000E+00	DANCOFF CORRECTION (C)	= 0.0000000E+00
THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.				
MASS OF MODERATOR-1	=	55.845	SIGMA (PER ABSORBER ATOM)	= 3.4663022E+02
MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.				
MASS OF MODERATOR-2	=	55.925	SIGMA (PER ABSORBER ATOM)	= 1.2557598E+02
MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.				
THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.				
VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000				
GROUP	RES ABS	RES FISS	RES SCAT	
8	-5.518788E-04	0.000000E+00	-3.944190E-01	
9	-2.797993E-03	0.000000E+00	-2.293471E+00	
10	-3.291452E-01	0.000000E+00	-3.820862E+01	
11	-2.680562E+00	0.000000E+00	-1.159996E+02	
EXCESS RESONANCE INTEGRALS				

RESOLVED
ABSORPTION 3.33719E+00
FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

FE 1192 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'

UPDATED 08/12/94 5026304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

NI 1190 WT SS-304(1/EST) P-3 293K SP=5+4(42375)'

UPDATED 08/12/94 5028304 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

ZIRCALLOY ENDF/B-IV MAT 1284

UPDATED 08/12/94 2040302 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 90.436 TEMPERATURE(KELVIN) = 293.000
POTENTIAL SCATTER SIGMA = 6.385 LUMPED NUCLEAR DENSITY = 4.3307818E-02
SPIN FACTOR (G) = 1.079 LUMP DIMENSION (A-BAR) = 5.9689999E-01
INNER RADIUS = 5.4991001E-01 DANCOFF CORRECTION (C) = 7.8146917E-01

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 2-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-5.981358E-04	0.000000E+00	-4.731437E-01
9	-3.409349E-02	0.000000E+00	-1.425288E+00
10	-3.610238E-02	0.000000E+00	-8.147648E-01
11	-1.129208E-01	0.000000E+00	-5.208245E-01

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 4.65199E-01
FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

ZIRCALLOY ENDF/B-IV MAT 1284

UPDATED 08/12/94 11040302 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 90.436 TEMPERATURE(KELVIN) = 293.000
POTENTIAL SCATTER SIGMA = 6.385 LUMPED NUCLEAR DENSITY = 2.0960984E-03
SPIN FACTOR (G) = 1.079 LUMP DIMENSION (A-BAR) = 0.0000000E+00
INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 1.008 SIGMA(PER ABSORBER ATOM) = 4.4951505E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 24.072 SIGMA(PER ABSORBER ATOM) = 1.0036559E+02

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
8	-8.728580E-05	0.000000E+00	-6.961700E-02
9	-8.536950E-03	0.000000E+00	-3.447169E-01
10	-7.519929E-03	0.000000E+00	-1.797771E-01
11	-3.148421E-02	0.000000E+00	-1.579333E-01

EXCESS RESONANCE INTEGRALS

RESOLVED

ABSORPTION 6.97865E-01
FISSION 0.00000E+00

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

PB 1288 218NGP 042375 P-3 293K

UPDATED 08/12/94 6082000 TEMPERATURE= 293.00
PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-235 ENDF/B-IV MAT 1261

UPDATED 08/12/94 1092235 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 233.025 TEMPERATURE(KELVIN) = 293.000
POTENTIAL SCATTER SIGMA = 11.500 LUMPED NUCLEAR DENSITY = 1.5237845E-03
SPIN FACTOR (G) = 15171.100 LUMP DIMENSION (A-BAR) = 5.3720999E-01
INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 9.6557754E-01

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 15.991 SIGMA(PER ABSORBER ATOM) = 1.1818631E+02
 MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.
 MASS OF MODERATOR-2 = 238.051 SIGMA(PER ABSORBER ATOM) = 1.7507033E+02
 MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.
 THIS RESONANCE MATERIAL WILL BE TREATED AS A 2-DIMENSIONAL OBJECT.
 VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
12	-1.555963E+01	-9.675939E+00	-2.151408E-01
13	-3.600886E+01	-1.766607E+01	-4.584523E-01
14	-2.840306E+01	-1.602412E+01	-2.987270E-02
15	-4.645758E-03	-3.516320E-03	5.461928E-05

EXCESS RESONANCE INTEGRALS

RESOLVED
 ABSORPTION 1.28067E+02
 FISSION 8.02641E+01
 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
 URANIUM-235 ENDF/B-IV MAT 1261 UPDATED 08/12/94 11092235 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 233.025 TEMPERATURE(KELVIN) = 293.000
 POTENTIAL SCATTER SIGMA = 11.500 LUMPED NUCLEAR DENSITY = 3.9496494E-04
 SPIN FACTOR (G) = 15171.100 LUMP DIMENSION (A-BAR) = 0.0000000E+00
 INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 1.008 SIGMA(PER ABSORBER ATOM) = 2.3855984E+03
 MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.
 MASS OF MODERATOR-2 = 24.751 SIGMA(PER ABSORBER ATOM) = 5.5561206E+02
 MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
12	-2.393958E+00	-1.469064E+00	-6.167160E-02
13	-7.766139E+00	-3.800209E+00	-1.755016E-01
14	-5.629828E+00	-3.356100E+00	-4.021226E-02
15	-2.967298E-04	-2.254224E-04	2.470951E-06

EXCESS RESONANCE INTEGRALS

RESOLVED
 ABSORPTION 2.09811E+02
 FISSION 1.25281E+02
 PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00
 URANIUM-238 ENDF/B-IV MAT 1262 UPDATED 08/12/94 1092238 TEMPERATURE= 293.00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 236.006 TEMPERATURE(KELVIN) = 293.000
 POTENTIAL SCATTER SIGMA = 10.599 LUMPED NUCLEAR DENSITY = 2.1642193E-02
 SPIN FACTOR (G) = 656.527 LUMP DIMENSION (A-BAR) = 5.3720999E-01
 INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 9.6557754E-01

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 15.991 SIGMA(PER ABSORBER ATOM) = 8.3212671E+00
 MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.
 MASS OF MODERATOR-2 = 235.044 SIGMA(PER ABSORBER ATOM) = 8.3803099E-01
 MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 2-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
9	-8.077708E-02	0.000000E+00	-7.508340E-01
10	-1.511387E+00	-6.826579E-05	-8.800206E+00
11	-1.072418E+01	0.000000E+00	-2.896896E+01
12	-4.483370E+01	0.000000E+00	-5.115822E+01
13	-5.540449E+01	0.000000E+00	-1.743188E+01
14	-1.076379E+02	0.000000E+00	-5.433709E+00
15	-8.253445E-05	0.000000E+00	1.604975E-04

EXCESS RESONANCE INTEGRALS
RESOLVED

ABSORPTION 6.64320E+00
FISSION 4.16267E-04

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

URANIUM-238 ENDF/B-IV MAT 1262

UPDATED 08/12/94 11092238 TEMPERATURE= 293.00

GEOMETRY HAS BEEN SET TO HOMOGENEOUS AS LBAR IS 0.0000E+00

RESONANCE DATA FOR THIS NUCLIDE

MASS NUMBER (A) = 236.006 TEMPERATURE(KELVIN) = 293.000
 POTENTIAL SCATTER SIGMA = 10.599 LUMPED NUCLEAR DENSITY = 5.6096567E-03
 SPIN FACTOR (G) = 656.527 LUMP DIMENSION (A-BAR) = 0.0000000E+00
 INNER RADIUS = 0.0000000E+00 DANCOFF CORRECTION (C) = 0.0000000E+00

THE ABSORBER WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-1 = 1.008 SIGMA(PER ABSORBER ATOM)= 1.6796532E+02

MODERATOR-1 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

MASS OF MODERATOR-2 = 17.862 SIGMA(PER ABSORBER ATOM)= 2.7631227E+01

MODERATOR-2 WILL BE TREATED BY THE NORDHEIM INTEGRAL METHOD.

THIS RESONANCE MATERIAL WILL BE TREATED AS A 0-DIMENSIONAL OBJECT.

VOLUME FRACTION OF LUMP IN CELL USED TO ACCOUNT FOR SPATIAL SELF-SHIELDING=1.00000

GROUP	RES ABS	RES FISS	RES SCAT
9	-2.448317E-02	0.000000E+00	-2.558519E-01
10	-7.653835E-01	-9.584553E-06	-4.906636E+00
11	-8.693248E+00	0.000000E+00	-2.447922E+01
12	-4.042473E+01	0.000000E+00	-4.730249E+01
13	-5.096339E+01	0.000000E+00	-1.676821E+01
14	-9.847737E+01	0.000000E+00	-5.734400E+00
15	-3.066651E-07	0.000000E+00	5.920313E-07

EXCESS RESONANCE INTEGRALS
RESOLVED

ABSORPTION 3.42804E+01
FISSION 5.17445E-04

PROCESS NUMBER 1007 IS AT TEMPERATURE= 293.00

THIS XSDRN WORKING TAPE WAS CREATED 09/14/04 AT 15:51:57
 THE TITLE OF THE PARENT CASE IS AS FOLLOWS
 SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY
 BASED ON ENDF-B VERSION 4 DATA
 COMPILED FOR NRC 1/27/89

TAPE ID	4321	NUMBER OF NUCLIDES	25
NUMBER OF NEUTRON GROUPS	27	NUMBER OF GAMMA GROUPS	0
FIRST THERMAL GROUP	15	LOGICAL UNIT	4

TABLE OF CONTENTS

HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 3001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 7001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 8001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 9001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 10001001
HYDROGEN	ENDF/B-IV MAT 1269/THRM1002	UPDATED 08/12/94	ID 11001001
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 1008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 3008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 7008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 8008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 9008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 10008016
OXYGEN-16	ENDF/B-IV MAT 1276	UPDATED 08/12/94	ID 11008016
AL-27 1193 218 GP 040375(5)		UPDATED 08/12/94	ID 4013027
CR 1191 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)		UPDATED 08/12/94	ID 5024304
MANGANESE-55 ENDF/B-IV MAT 1197		UPDATED 08/12/94	ID 5025055
FE 1192 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)		UPDATED 08/12/94	ID 5026304
NI 1190 WT SS-304 (1/EST) P-3 293K SP=5+4 (42375)		UPDATED 08/12/94	ID 5028304
ZIRCALLOY ENDF/B-IV MAT 1284		UPDATED 08/12/94	ID 2040302
ZIRCALLOY ENDF/B-IV MAT 1284		UPDATED 08/12/94	ID 11040302
PB 1288 218NGP 042375 P-3 293K		UPDATED 08/12/94	ID 6082000
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 1092235
URANIUM-235 ENDF/B-IV MAT 1261		UPDATED 08/12/94	ID 11092235
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 1092238
URANIUM-238 ENDF/B-IV MAT 1262		UPDATED 08/12/94	ID 11092238

TAPE COPY USED 0 I/O'S, AND TOOK 0.11 SECONDS

```

KK      KK  EEEEEEEEEEE  NN      NN  OOOOOOOOOO  VV      VV
KK      KK  EEEEEEEEEEE  NNN     NN  OOOOOOOOOOOO  VV      VV
KK      KK  EE           NNNN    NN  OO           VV      VV
KK      KK  EE           NN  NN   NN  OO           VV      VV
KK      KK  EE           NN  NN   NN  OO           VV      VV
KKKKKKK  EEEEEEEEE  NN     NN  NN  OO           VV      VV
KKKKKKK  EEEEEEEEE  NN     NN  NN  OO           VV      VV
KK      KK  EE           NN     NN  NN  OO           VV      VV
KK      KK  EE           NN     NN  NN  OO           VV      VV
KK      KK  EE           NN     NN  NN  OO           VV      VV
KK      KK  EE           NN     NN  NN  OO           VV      VV
KK      KK  EEEEEEEEEEE  NN     NN  OOOOOOOOOOOO  VVV     VV
KK      KK  EEEEEEEEEEE  NN     NN  OOOOOOOOOOOO  V

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SS      SS  CC           CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CC           AA      AA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SSSSSSSSSS  CC           AA      AA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SS      SS  CC           AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC           AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      PP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      PP  CCCCCCCCCC

```

```

0000000  9999999999  //      11      44      0000000  44
00000000 99999999999  //      111     444     000000000 444
00      00 99      99      1111    4444    00      00 4444
00      00 99      99      11      44 44    00      00 44 44
00      00 99      99      11      44 44    00      00 44 44
00      00 9999999999999 11      44 44    00      00 44 44
00      00 9999999999999 11      44 44    00      00 44 44
00      00 99      99      11      44444444444 00      00 44444444444
00      00 99      99      11      4444444444444 00      00 4444444444444
00      00 99      99      11      44      00      00 44
00      00 99      99      11      44      00      00 44
00000000 9999999999999 //      11111111 44
0000000 9999999999999 //      11111111 44

```

```

11      55555555555 55555555555 2222222222 0000000 11
111     55555555555 55555555555 22222222222 000000000 111
1111    55      55 22      22      00      00 1111
11      55      55 22      22      00      00 11
11      55      55 22      22      00      00 11
11      55555555555 55555555555 22      22      00      00 11
11      55555555555 55555555555 22      22      00      00 11
11      55      55 22      22      00      00 11
11      55      55 22      22      00      00 11
1111111 55555555555 55555555555 22222222222 000000000 1111111
1111111 55555555555 55555555555 22222222222 0000000 1111111

```

```

SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AAAAAAAAAA  LL      EEEEEEEEEEE  PPPPPPPPPPP  CCCCCCCCCC
SS      SS  CC           CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      CC  AA      AA  LL      EE           PP      PP  CC      CC
SS      CC  AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CC           AA      AA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SSSSSSSSSS  CC           AA      AA  LL      EEEEEEEEE  PPPPPPPPPPP  CC
SS      SS  CC           AA      AA  LL      EE           PP      PP  CC      CC
SS      SS  CC           AA      AA  LL      EE           PP      PP  CC      CC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      PP  CCCCCCCCCC
SSSSSSSSSS  CCCCCCCCCC  AA      AA  LLLLLLLLLLLL  EEEEEEEEEEE  PP      PP  CCCCCCCCCC

```

```
*****  
*****  
***** PROGRAM VERIFICATION INFORMATION *****  
***** CODE SYSTEM: SCALE-PC VERSION: 4.3 *****  
*****  
*****  
***** PROGRAM: 000009 *****  
***** CREATION DATE: 03/08/96 *****  
***** VOLUME: Eng *****  
***** LIBRARY: M:\SCALE43\WIN_NT\EXE *****  
*****  
***** PRODUCTION CODE: KENOVA *****  
***** VERSION: 3.1 *****  
***** JOBNAME: SCALE-PC *****  
***** DATE OF EXECUTION: 09/14/04 *****  
***** TIME OF EXECUTION: 15:52:01 *****  
*****  
*****  
*****
```

```
*****  
***** NUMERIC PARAMETERS *****  
*****  
TME MAXIMUM PROBLEM TIME (MIN) 30.00  
TBA TIME PER GENERATION (MIN) 5.00  
GEN NUMBER OF GENERATIONS 803  
NPG NUMBER PER GENERATION 1000  
NSK NUMBER OF GENERATIONS TO BE SKIPPED 3  
BEG BEGINNING GENERATION NUMBER 1  
RES GENERATIONS BETWEEN CHECKPOINTS 0  
X1D NUMBER OF EXTRA 1-D CROSS SECTIONS 1  
NBK NEUTRON BANK SIZE 1025  
XNB EXTRA POSITIONS IN NEUTRON BANK 0  
NFB FISSION BANK SIZE 1000  
XFB EXTRA POSITIONS IN FISSION BANK 0  
WTA DEFAULT VALUE OF WEIGHT AVERAGE 0.5000  
WTH WEIGHT HIGH FOR SPLITTING 3.0000  
WTL WEIGHT LOW FOR RUSSIAN ROULETTE 0.3333  
RND STARTING RANDOM NUMBER BB827100001  
NB8 NUMBER OF D.A. BLOCKS ON UNIT 8 200  
NL8 LENGTH OF D.A. BLOCKS ON UNIT 8 512  
ADJ MODE OF CALCULATION FORWARD  
INPUT DATA WRITTEN ON RESTART UNIT NO  
BINARY DATA INTERFACE YES  
*****
```

```

*****
***** LOGICAL PARAMETERS *****
*****
*** RUN EXECUTE PROBLEM AFTER CHECKING DATA YES FLT PLOT PICTURE MAP(S) NO ***
*** FLX COMPUTE FLUX NO FDN COMPUTE FISSION DENSITIES NO ***
*** SMU COMPUTE AVG UNIT SELF-MULTIPLICATION NO NUB COMPUTE NU-BAR & AVG FISSION GROUP YES ***
*** MKU COMPUTE MATRIX K-EFF BY UNIT NUMBER NO MKP COMPUTE MATRIX K-EFF BY UNIT LOCATION NO ***
*** CKU COMPUTE COFACTOR K-EFF BY UNIT NUMBER NO CKP COMPUTE COFACTOR K-EFF BY UNIT LOCATION NO ***
*** FMU PRINT FISS PROD MATRIX BY UNIT NUMBER NO FMP PRINT FISS PROD MATRIX BY UNIT LOCATION NO ***
*** MKH COMPUTE MATRIX K-EFF BY HOLE NUMBER NO MKA COMPUTE MATRIX K-EFF BY ARRAY NUMBER NO ***
*** CKH COMPUTE COFACTOR K-EFF BY HOLE NUMBER NO CKA COMPUTE COFACTOR K-EFF BY ARRAY NUMBER NO ***
*** FMH PRINT FISS PROD MATRIX BY HOLE NUMBER NO FMA PRINT FISS PROD MATRIX BY ARRAY NUMBER NO ***
*** HHL COLLECT MATRIX BY HIGHEST HOLE LEVEL NO HAL COLLECT MATRIX BY HIGHEST ARRAY LEVEL NO ***
*** AMX PRINT ALL MIXED CROSS SECTIONS NO FAR PRINT FIS. AND ABS. BY REGION NO ***
*** XS1 PRINT 1-D MIXTURE X-SECTIONS NO GAS PRINT FAR BY GROUP NO ***
*** XS2 PRINT 2-D MIXTURE X-SECTIONS NO PAX PRINT XSEC-ALBEDO CORRELATION TABLES NO ***
*** XAP PRINT MIXTURE ANGLES & PROBABILITIES NO PWT PRINT WEIGHT AVERAGE ARRAY NO ***
*** PKI PRINT FISSION SPECTRUM NO PGM PRINT INPUT GEOMETRY NO ***
*** P1D PRINT EXTRA 1-D CROSS SECTIONS NO BUG PRINT DEBUG INFORMATION NO ***
*** TRK PRINT TRACKING INFORMATION NO ***
*****

```

PARAMETER INPUT COMPLETED

..... 0 IO'S WERE USED READING THE PARAMETER DATA

***** DATA READING COMPLETED *****

```

*****
UNIT          DATA SET NAME          VOLUME          UNIT FUNCTION
NUMBER        -----          NAME            -----
-----
*** XSC 14 W:\Zjr\Lwt\Pulstar\KENOVA\Aych\lwtAych2_x1_r MIXED CROSS SECTIONS ***
*** ALB 79 M:\scale43\DATA LIB\FT79F001 INPUT ALBEDOS ***
*** WTS 80 M:\scale43\DATA LIB\FT80F001 INPUT WEIGHTS ***
*** SKT 16 UNKNOWN WRITE SCRATCH DATA ***
*** BIN 95 W:\Zjr\Lwt\Pulstar\KENOVA\Aych\lwtAych2_x1_r BINARY INPUT DATA ***
*** RST 95 W:\Zjr\Lwt\Pulstar\KENOVA\Aych\lwtAych2_x1_r READ RESTART DATA ***
*** LIB 4 W:\Zjr\Lwt\Pulstar\KENOVA\Aych\lwtAych2_x1_r INPUT AMPX WORKING LIBRARY ***
***      8 W:\Zjr\Lwt\Pulstar\KENOVA\Aych\lwtAych2_x1_r INPUT DATA DIRECT ACCESS ***
***      9 UNKNOWN SUPER GROUPED DIRECT ACCESS ***
***     10 UNKNOWN XSEC MIXING DIRECT ACCESS ***
*****

```

..... 0 IO'S WERE USED PREPARING INPUT DATA

CROSS SECTIONS READ FROM THE AMPX WORKING LIBRARY ON UNIT 4

MIXING TABLE

NUMBER OF SCATTERING ANGLES = 2
CROSS SECTION MESSAGE THRESHOLD = 3.0E-05

```

MIXTURE = 1 DENSITY (G/CC) = 10.380
NUCLIDE ATOM-DENS. WGT. FRAC. ZA AWT NUCLIDE TITLE
1008016 4.63320E-02 1.18520E-01 8016 15.9904 OXYGEN-16 ENDF/B-IV MAT 1276
08/12/94

```

UPDATED

11092235	URANIUM-235	ENDF/B-IV MAT 1261	UPDATED 08/12/94
1092238	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94
11092238	URANIUM-238	ENDF/B-IV MAT 1262	UPDATED 08/12/94

KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 11 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 3 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 7 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 8 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 9 WERE CORRECTED FOR BAD MOMENTS.
 KENO MESSAGE NUMBER K5-222 1 TRANSFERS FOR MIXTURE 10 WERE CORRECTED FOR BAD MOMENTS.

..... 0 IO'S WERE USED MIXING CROSS-SECTIONS

1-D CROSS SECTION ARRAY ID NUMBERS
 1 2002 1452 27 18 1018

..... 0 IO'S WERE USED PREPARING THE CROSS SECTIONS

```

***** ADDITIONAL INFORMATION *****
NUMBER OF ENERGY GROUPS            27      USE LATTICE GEOMETRY                    YES
NO. OF FISSION SPECTRUM SOURCE GROUP 1      GLOBAL ARRAY NUMBER                    0
NO. OF SCATTERING ANGLES IN XSECS   2      NUMBER OF UNITS IN THE GLOBAL X DIR.   0
ENTRIES/NEUTRON IN THE NEUTRON BANK 28      NUMBER OF UNITS IN THE GLOBAL Y DIR.   0
ENTRIES/NEUTRON IN THE FISSION BANK 21      NUMBER OF UNITS IN THE GLOBAL Z DIR.   0
NUMBER OF MIXTURES USED              9      USE A GLOBAL REFLECTOR                YES
NUMBER OF BIAS ID'S USED              1      USE NESTED HOLES                        YES
NUMBER OF DIFFERENTIAL ALBEDOS USED   1      NUMBER OF HOLES                        15
TOTAL INPUT GEOMETRY REGIONS        139      MAXIMUM HOLE NESTING LEVEL            2
NUMBER OF GEOMETRY REGIONS USED     139      USE NESTED ARRAYS                      YES
LARGEST GEOMETRY UNIT NUMBER        330      NUMBER OF ARRAYS USED                 14
LARGEST ARRAY NUMBER                 34      MAXIMUM ARRAY NESTING LEVEL           3
+X BOUNDARY CONDITION                H20      -X BOUNDARY CONDITION                 H20
+Y BOUNDARY CONDITION                H20      -Y BOUNDARY CONDITION                 H20
+Z BOUNDARY CONDITION                H20      -Z BOUNDARY CONDITION                 H20

***** SPACE AND SUPERGROUP INFORMATION *****
100000 WORDS IS THE TOTAL SPACE AVAILABLE.
58243 WORDS WERE USED FOR NON-SUPERGROUP STORAGE.
41757 WORDS OF STORAGE ARE AVAILABLE FOR SUPERGROUPED DATA.
99308 WORDS OF STORAGE ARE AVAILABLE FOR CONSTRUCTING THE SUPERGROUPS.
41696 WORDS OF STORAGE ARE AVAILABLE TO EACH SUPERGROUP.
1640 WORDS ARE NEEDED FOR THE LARGEST GROUP.
60126 WORDS OF STORAGE IS SUFFICIENT TO RUN THIS PROBLEM.
76294 WORDS OF STORAGE WILL ALLOW THE PROBLEM TO RUN WITH ONE SUPERGROUP.
76448 WORDS OF STORAGE WILL BE USED TO RUN THIS PROBLEM.
    
```

```

***          STARTING          ENDING          XSEC          ALBEDO          TOTAL          ***
*** SUPERGROUP          GROUP          GROUP          LENGTH          LENGTH          LENGTH          ***
***          1              1              27             3081             544             18122          ***

```

..... 0 IO'S WERE USED IN SUPERGROUPING

** **	ARRAY NUMBER	UNITS IN X DIR.	UNITS IN Y DIR.	UNITS IN Z DIR.	NESTING LEVEL	** **
**	1	5	5	1	3	**
**	2	1	5	1	2	**
**	3	1	3	1	2	**
**	4	1	3	1	2	**
**	10	1	1	8	1	**
**	12	1	5	1	2	**
**	13	1	3	1	2	**
**	14	1	3	1	2	**
**	22	1	5	1	2	**
**	23	1	3	1	2	**
**	24	1	3	1	2	**
**	32	1	5	1	2	**
**	33	1	3	1	2	**
**	34	1	3	1	2	**

..... 0 IO'S WERE USED LOADING THE DATA

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 1 -----

PULSTAR FUEL ELEMENT

1	CYLINDER	1	1	RADIUS = 0.53720	+Z = 63.881	-Z = 2.6670	CENTERLINE IS AT X = 0.00000	Y = 0.00000
2	CYLINDER	9	1	RADIUS = 0.54990	+Z = 63.881	-Z = 2.6670	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3	CYLINDER	2	1	RADIUS = 0.59690	+Z = 66.548	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
4	CUBOID	3	1	+X = 0.77090	-X = -0.77090	+Y = 0.66680	-Y = -0.66680	+Z = 66.548 -Z = 0.00000

----- UNIT 5 -----

DIVIDER CENTER STACK

1	CUBOID	5	1	+X = 4.2926	-X = -4.2926	+Y = 0.71120	-Y = 0.00000	+Z = 110.49 -Z = 0.00000
---	--------	---	---	-------------	--------------	--------------	--------------	-----------------------------

----- UNIT 6 -----

DIVIDER OUTSIDE STACK

1	CUBOID	5	1	+X = 4.2926	-X = -4.2926	+Y = 0.60960	-Y = 0.00000	+Z = 110.49 -Z = 0.00000
---	--------	---	---	-------------	--------------	--------------	--------------	-----------------------------

----- UNIT 10 -----

HOMOGENIZED PULSTAR FUEL - TOP OPENING

1	CUBOID	11	1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 76.200 -Z = 0.00000
2	CUBOID	3	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49 -Z = 0.00000

----- UNIT 11 -----

HOMOGENIZED PULSTAR FUEL - BOTTOM OPENING

1	CUBOID	11	1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 76.200 -Z = 0.00000
2	CUBOID	3	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49 -Z = 0.00000

----- UNIT 12 -----

HOMOGENIZED PULSTAR FUEL - BOTTOM RIGHT

1	CUBOID	11	1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 76.200 -Z = 0.00000
2	CUBOID	3	1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49 -Z = 0.00000

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
 NUM ID

----- UNIT 13 -----

HOMOGENIZED PULSTAR FUEL - TOP RIGHT

1 CUBOID	11 1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 76.200	-Z = 0.00000
2 CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000

----- UNIT 14 -----

HOMOGENIZED PULSTAR FUEL - BOTTOM LEFT

1 CUBOID	11 1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 76.200	-Z = 0.00000
2 CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000

----- UNIT 15 -----

HOMOGENIZED PULSTAR FUEL - TOP LEFT

1 CUBOID	11 1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 76.200	-Z = 0.00000
2 CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000

----- UNIT 16 -----

HOMOGENIZED PULSTAR FUEL - CENTER OPENING

1 CUBOID	11 1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 76.200	-Z = 0.00000
2 CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000

----- UNIT 20 EXTERNAL TO LATTICE 2 -----

CENTER COLUMN OF THREE OPENINGS

1 ARRAY NUMBER	2	+X = 4.2926	-X = -4.2926	+Y = 13.589	-Y = -13.589	+Z = 110.49	-Z = 0.00000
2 CUBOID	5 1	+X = 5.0038	-X = -5.0038	+Y = 14.300	-Y = -14.300	+Z = 110.49	-Z = 0.00000

----- UNIT 21 EXTERNAL TO LATTICE 4 -----

LEFT OUTSIDE COLUMN OF TWO OPENINGS

1 ARRAY NUMBER	4	+X = 4.2926	-X = -4.2926	+Y = 8.8900	-Y = -8.8900	+Z = 110.49	-Z = 0.00000
2 CUBOID	5 1	+X = 4.2926	-X = -4.5974	+Y = 9.1948	-Y = -9.1948	+Z = 110.49	-Z = 0.00000

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 22 EXTERNAL TO LATTICE 3 -----

RIGHT OUTSIDE COLUMN OF TWO OPENINGS

1 ARRAY NUMBER	3	+X = 4.2926	-X = -4.2926	+Y = 8.8900	-Y = -8.8900	+Z = 110.49	-Z = 0.00000
2 CUBOID	5 1	+X = 4.5974	-X = -4.2926	+Y = 9.1948	-Y = -9.1948	+Z = 110.49	-Z = 0.00000

----- UNIT 30 -----

MTR 7-ASSY BASKET

1 CYLINDER	3 1	RADIUS = 17.050	+Z = 110.49	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
HOLE NUMBER	1	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	20	
HOLE NUMBER	2	AT X = -9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	21	
HOLE NUMBER	3	AT X = 9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	22	
2 CYLINDER	5 1	RADIUS = 18.891	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3 CYLINDER	6 1	RADIUS = 33.496	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4 CYLINDER	5 1	RADIUS = 36.544	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5 CYLINDER	7 1	RADIUS = 49.244	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6 CYLINDER	5 1	RADIUS = 49.854	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7 CUBOID	8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 110.49	-Z = -1.2700

----- UNIT 40 -----

SIMPLIFIED LID STRUCTURE NAC-LWT

1 CYLINDER	5 1	RADIUS = 36.519	+Z = 13.677	-Z = -14.135	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
2 CYLINDER	8 1	RADIUS = 49.854	+Z = 13.677	-Z = -14.135	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3 CUBOID	8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 13.677	-Z = -14.135

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
			-----	UNIT 41	-----		
SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT							
1	CYLINDER	6 1	RADIUS = 26.353	+Z = 3.8100	-Z = -3.8100	CENTERLINE IS AT X = 0.00000	Y = 0.00000
2	CYLINDER	5 1	RADIUS = 36.619	+Z = 13.360	-Z = -12.700	CENTERLINE IS AT X = 0.00000	Y = 0.00000
3	CYLINDER	8 1	RADIUS = 49.854	+Z = 13.360	-Z = -12.700	CENTERLINE IS AT X = 0.00000	Y = 0.00000
4	CUBOID	8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 13.360 -Z = -12.700
			-----	UNIT 42	-----		
THIN TOP AND BOTTOM SHELL OF NEUTRON SHIELD - SUBTRACTED FROM LID MODEL							
1	CYLINDER	5 1	RADIUS = 49.854	+Z = 0.61000	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000
2	CUBOID	8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 0.61000 -Z = 0.00000
			-----	UNIT 70	EXTERNAL TO LATTICE 10	-----	
STACK OF 4 BASKETS IN CASK WITH LID AND BOTTOM							
1	ARRAY NUMBER	10	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 502.13 -Z = 0.00000
			*****	GLOBAL	*****		
			-----	UNIT 80	-----		
3 CASKS IN TRIANGULAR PITCH							
1	CUBOID	8 1	+X = 101.00	-X = -101.00	+Y = 101.00	-Y = -101.00	+Z = 502.20 -Z = 0.00000
	HOLE NUMBER	13	AT X = 0.00000	Y = 50.000	Z = 0.00000	IS UNIT NUMBER	70
	HOLE NUMBER	14	AT X = -50.000	Y = -50.000	Z = 0.00000	IS UNIT NUMBER	70
	HOLE NUMBER	15	AT X = 50.000	Y = -50.000	Z = 0.00000	IS UNIT NUMBER	70
			-----	UNIT 110	EXTERNAL TO LATTICE 1	-----	
PULSTAR ASSEMBLY - TOP OPENING							
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 110.49 -Z = 43.942
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 110.49 -Z = 43.942
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49 -Z = 0.00000
			-----	UNIT 111	EXTERNAL TO LATTICE 1	-----	
PULSTAR ASSEMBLY - BOTTOM OPENING							
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 110.49 -Z = 43.942
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 110.49 -Z = 43.942
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49 -Z = 0.00000
			-----	UNIT 112	EXTERNAL TO LATTICE 1	-----	
PULSTAR ASSEMBLY - BOTTOM RIGHT							
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 110.49 -Z = 43.942
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 110.49 -Z = 43.942
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49 -Z = 0.00000
			-----	UNIT 113	EXTERNAL TO LATTICE 1	-----	
PULSTAR ASSEMBLY - TOP RIGHT							
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 110.49 -Z = 43.942
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 110.49 -Z = 43.942
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49 -Z = 0.00000
			-----	UNIT 114	EXTERNAL TO LATTICE 1	-----	
PULSTAR ASSEMBLY - BOTTOM LEFT							
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 110.49 -Z = 43.942
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 110.49 -Z = 43.942
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49 -Z = 0.00000
			-----	UNIT 115	EXTERNAL TO LATTICE 1	-----	

PULSTAR ASSEMBLY - TOP LEFT

1 ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 110.49	-Z = 43.942
2 CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 110.49	-Z = 43.942
3 CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 116 EXTERNAL TO LATTICE 1 -----

PULSTAR ASSEMBLY - CENTER OPENING

1 ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 110.49	-Z = 43.942
2 CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 110.49	-Z = 43.942
3 CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000

----- UNIT 120 EXTERNAL TO LATTICE 12 -----

CENTER COLUMN OF THREE OPENINGS

1 ARRAY NUMBER	12	+X = 4.2926	-X = -4.2926	+Y = 13.589	-Y = -13.589	+Z = 110.49	-Z = 0.00000
2 CUBOID	5 1	+X = 5.0038	-X = -5.0038	+Y = 14.300	-Y = -14.300	+Z = 110.49	-Z = 0.00000

----- UNIT 121 EXTERNAL TO LATTICE 14 -----

LEFT OUTSIDE COLUMN OF TWO OPENINGS

1 ARRAY NUMBER	14	+X = 4.2926	-X = -4.2926	+Y = 8.8900	-Y = -8.8900	+Z = 110.49	-Z = 0.00000
2 CUBOID	5 1	+X = 4.2926	-X = -4.5974	+Y = 9.1948	-Y = -9.1948	+Z = 110.49	-Z = 0.00000

----- UNIT 122 EXTERNAL TO LATTICE 13 -----

RIGHT OUTSIDE COLUMN OF TWO OPENINGS

1 ARRAY NUMBER	13	+X = 4.2926	-X = -4.2926	+Y = 8.8900	-Y = -8.8900	+Z = 110.49	-Z = 0.00000
2 CUBOID	5 1	+X = 4.5974	-X = -4.2926	+Y = 9.1948	-Y = -9.1948	+Z = 110.49	-Z = 0.00000

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 130 -----

MTR 7-ASSY BASKET

1 CYLINDER	3 1	RADIUS = 17.050	+Z = 110.49	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
HOLE NUMBER	4	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	120	
HOLE NUMBER	5	AT X = -9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	121	
HOLE NUMBER	6	AT X = 9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	122	
2 CYLINDER	5 1	RADIUS = 18.891	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3 CYLINDER	6 1	RADIUS = 33.496	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4 CYLINDER	5 1	RADIUS = 36.544	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5 CYLINDER	7 1	RADIUS = 49.244	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6 CYLINDER	5 1	RADIUS = 49.854	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7 CUBOID	8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 110.49	-Z = -1.2700

		----- UNIT 210 EXTERNAL TO LATTICE 1 -----						
PULSTAR ASSEMBLY - TOP OPENING								
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 66.548	-Z = 0.00000
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 66.548	-Z = 0.00000
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
		----- UNIT 211 EXTERNAL TO LATTICE 1 -----						
PULSTAR ASSEMBLY - BOTTOM OPENING								
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 66.548	-Z = 0.00000
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 66.548	-Z = 0.00000
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
REGION	MEDIA BIAS NUM ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM						
		----- UNIT 212 EXTERNAL TO LATTICE 1 -----						
PULSTAR ASSEMBLY - BOTTOM RIGHT								
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 66.548	-Z = 0.00000
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 66.548	-Z = 0.00000
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
		----- UNIT 213 EXTERNAL TO LATTICE 1 -----						
PULSTAR ASSEMBLY - TOP RIGHT								
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 66.548	-Z = 0.00000
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 66.548	-Z = 0.00000
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
		----- UNIT 214 EXTERNAL TO LATTICE 1 -----						
PULSTAR ASSEMBLY - BOTTOM LEFT								
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 66.548	-Z = 0.00000
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 66.548	-Z = 0.00000
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
		----- UNIT 215 EXTERNAL TO LATTICE 1 -----						
PULSTAR ASSEMBLY - TOP LEFT								
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 66.548	-Z = 0.00000
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 66.548	-Z = 0.00000
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
		----- UNIT 216 EXTERNAL TO LATTICE 1 -----						
PULSTAR ASSEMBLY - CENTER OPENING								
1	ARRAY NUMBER	1	+X = 3.8545	-X = -3.8545	+Y = 3.3342	-Y = -3.3338	+Z = 66.548	-Z = 0.00000
2	CUBOID	2 1	+X = 4.0069	-X = -4.0069	+Y = 3.4862	-Y = -3.4862	+Z = 66.548	-Z = 0.00000
3	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000

REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			-----	UNIT	220	EXTERNAL TO LATTICE 22	-----	
CENTER COLUMN OF THREE OPENINGS								
1	ARRAY NUMBER	22	+X = 4.2926	-X = -4.2926	+Y = 13.589	-Y = -13.589	+Z = 110.49	-Z = 0.00000
2	CUBOID	5 1	+X = 5.0038	-X = -5.0038	+Y = 14.300	-Y = -14.300	+Z = 110.49	-Z = 0.00000
			-----	UNIT	221	EXTERNAL TO LATTICE 24	-----	
LEFT OUTSIDE COLUMN OF TWO OPENINGS								
1	ARRAY NUMBER	24	+X = 4.2926	-X = -4.2926	+Y = 8.8900	-Y = -8.8900	+Z = 110.49	-Z = 0.00000
2	CUBOID	5 1	+X = 4.2926	-X = -4.5974	+Y = 9.1948	-Y = -9.1948	+Z = 110.49	-Z = 0.00000
			-----	UNIT	222	EXTERNAL TO LATTICE 23	-----	
RIGHT OUTSIDE COLUMN OF TWO OPENINGS								
1	ARRAY NUMBER	23	+X = 4.2926	-X = -4.2926	+Y = 8.8900	-Y = -8.8900	+Z = 110.49	-Z = 0.00000
2	CUBOID	5 1	+X = 4.5974	-X = -4.2926	+Y = 9.1948	-Y = -9.1948	+Z = 110.49	-Z = 0.00000
			-----	UNIT	230	-----		
MTR 7-ASSY BASKET								
1	CYLINDER	3 1	RADIUS = 17.050	+Z = 110.49	-Z = 0.00000	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
	HOLE NUMBER	7	AT X = 0.00000	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	220	
	HOLE NUMBER	8	AT X = -9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	221	
	HOLE NUMBER	9	AT X = 9.2974	Y = 0.00000	Z = 0.00000	IS UNIT NUMBER	222	
2	CYLINDER	5 1	RADIUS = 18.891	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
3	CYLINDER	6 1	RADIUS = 33.496	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
4	CYLINDER	5 1	RADIUS = 36.544	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
5	CYLINDER	7 1	RADIUS = 49.244	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
6	CYLINDER	5 1	RADIUS = 49.854	+Z = 110.49	-Z = -1.2700	CENTERLINE IS AT X = 0.00000	Y = 0.00000	
7	CUBOID	8 1	+X = 49.854	-X = -49.854	+Y = 49.854	-Y = -49.854	+Z = 110.49	-Z = -1.2700
REGION	MEDIA NUM	BIAS ID	GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM					
			-----	UNIT	310	-----		
HOMOGENIZED PULSTAR FUEL - TOP OPENING								
1	CUBOID	11 1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 110.49	-Z = 34.290
2	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
			-----	UNIT	311	-----		
HOMOGENIZED PULSTAR FUEL - BOTTOM OPENING								
1	CUBOID	11 1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 110.49	-Z = 34.290
2	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
			-----	UNIT	312	-----		
HOMOGENIZED PULSTAR FUEL - BOTTOM RIGHT								
1	CUBOID	11 1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 110.49	-Z = 34.290
2	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
			-----	UNIT	313	-----		
HOMOGENIZED PULSTAR FUEL - TOP RIGHT								
1	CUBOID	11 1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 110.49	-Z = 34.290
2	CUBOID	3 1	+X = 4.2926	-X = -4.2926	+Y = 4.2926	-Y = -4.2926	+Z = 110.49	-Z = 0.00000
			-----	UNIT	314	-----		
HOMOGENIZED PULSTAR FUEL - BOTTOM LEFT								
1	CUBOID	11 1	+X = 4.1910	-X = -4.1910	+Y = 4.1910	-Y = -4.1910	+Z = 110.49	-Z = 34.290

2 CUBOID 3 1 +X = 4.2926 -X = -4.2926 +Y = 4.2926 -Y = -4.2926 +Z = 110.49 -Z = 0.00000
----- UNIT 315 -----

HOMOGENIZED PULSTAR FUEL - TOP LEFT

1 CUBOID 11 1 +X = 4.1910 -X = -4.1910 +Y = 4.1910 -Y = -4.1910 +Z = 110.49 -Z = 34.290
2 CUBOID 3 1 +X = 4.2926 -X = -4.2926 +Y = 4.2926 -Y = -4.2926 +Z = 110.49 -Z = 0.00000

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 316 -----

HOMOGENIZED PULSTAR FUEL - CENTER OPENING

1 CUBOID 11 1 +X = 4.1910 -X = -4.1910 +Y = 4.1910 -Y = -4.1910 +Z = 110.49 -Z = 34.290
2 CUBOID 3 1 +X = 4.2926 -X = -4.2926 +Y = 4.2926 -Y = -4.2926 +Z = 110.49 -Z = 0.00000

----- UNIT 320 EXTERNAL TO LATTICE 32 -----

CENTER COLUMN OF THREE OPENINGS

1 ARRAY NUMBER 32 +X = 4.2926 -X = -4.2926 +Y = 13.589 -Y = -13.589 +Z = 110.49 -Z = 0.00000
2 CUBOID 5 1 +X = 5.0038 -X = -5.0038 +Y = 14.300 -Y = -14.300 +Z = 110.49 -Z = 0.00000

----- UNIT 321 EXTERNAL TO LATTICE 34 -----

LEFT OUTSIDE COLUMN OF TWO OPENINGS

1 ARRAY NUMBER 34 +X = 4.2926 -X = -4.2926 +Y = 8.8900 -Y = -8.8900 +Z = 110.49 -Z = 0.00000
2 CUBOID 5 1 +X = 4.2926 -X = -4.5974 +Y = 9.1948 -Y = -9.1948 +Z = 110.49 -Z = 0.00000

----- UNIT 322 EXTERNAL TO LATTICE 33 -----

RIGHT OUTSIDE COLUMN OF TWO OPENINGS

1 ARRAY NUMBER 33 +X = 4.2926 -X = -4.2926 +Y = 8.8900 -Y = -8.8900 +Z = 110.49 -Z = 0.00000
2 CUBOID 5 1 +X = 4.5974 -X = -4.2926 +Y = 9.1948 -Y = -9.1948 +Z = 110.49 -Z = 0.00000

REGION MEDIA BIAS GEOMETRY DESCRIPTION FOR THOSE UNITS UTILIZED IN THIS PROBLEM
NUM ID

----- UNIT 330 -----

MTR 7-ASSY BASKET

1 CYLINDER 3 1 RADIUS = 17.050 +Z = 110.49 -Z = 0.00000 CENTERLINE IS AT X = 0.00000 Y = 0.00000
HOLE NUMBER 10 AT X = 0.00000 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 320
HOLE NUMBER 11 AT X = -9.2974 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 321
HOLE NUMBER 12 AT X = 9.2974 Y = 0.00000 Z = 0.00000 IS UNIT NUMBER 322
2 CYLINDER 5 1 RADIUS = 18.891 +Z = 110.49 -Z = -1.2700 CENTERLINE IS AT X = 0.00000 Y = 0.00000
3 CYLINDER 6 1 RADIUS = 33.496 +Z = 110.49 -Z = -1.2700 CENTERLINE IS AT X = 0.00000 Y = 0.00000
4 CYLINDER 5 1 RADIUS = 36.544 +Z = 110.49 -Z = -1.2700 CENTERLINE IS AT X = 0.00000 Y = 0.00000
5 CYLINDER 7 1 RADIUS = 49.244 +Z = 110.49 -Z = -1.2700 CENTERLINE IS AT X = 0.00000 Y = 0.00000
6 CYLINDER 5 1 RADIUS = 49.854 +Z = 110.49 -Z = -1.2700 CENTERLINE IS AT X = 0.00000 Y = 0.00000
7 CUBOID 8 1 +X = 49.854 -X = -49.854 +Y = 49.854 -Y = -49.854 +Z = 110.49 -Z = -1.2700

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 1 -----

Z LAYER 1, X COLUMN 1 TO 5 LEFT TO RIGHT Y ROW 1 TO 5 BOTTOM TO TOP

1 1 1 1 1
1 1 1 1 1
1 1 1 1 1
1 1 1 1 1
1 1 1 1 1

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 2 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 5 BOTTOM TO TOP

10
5

16

5

11

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 3 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

13

6

12

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 4 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

15

6

14

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 10 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

41

Z LAYER 2, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

42

Z LAYER 3, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

330

Z LAYER 4, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

230

Z LAYER 5, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

130

Z LAYER 6, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

30

Z LAYER 7, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

42

Z LAYER 8, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 1 BOTTOM TO TOP

40

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 12 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 5 BOTTOM TO TOP

110

5

116

5

111

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 13 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

113

6

112

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 14 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

115

6

114

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 22 -----

Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 5 BOTTOM TO TOP

210

5

216

5

211 ----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 23 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

213
6
212

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 24 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

215
6
214

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 32 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 5 BOTTOM TO TOP

310
5
316
5
311

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 33 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

313
6
312

----- UNIT ORIENTATION DESCRIPTION FOR ARRAY 34 -----
Z LAYER 1, X COLUMN 1 TO 1 LEFT TO RIGHT Y ROW 1 TO 3 BOTTOM TO TOP

315
6
314

VOLUMES FOR THOSE UNITS UTILIZED IN THIS PROBLEM				
UNIT	REGION	GEOMETRY REGION	VOLUME	CUMULATIVE VOLUME
1	1	1	5.54974E+01 CM**3	5.54974E+01 CM**3
	2	2	2.65506E+00 CM**3	5.81525E+01 CM**3
	3	3	1.63358E+01 CM**3	7.44883E+01 CM**3
	4	4	6.23440E+01 CM**3	1.36832E+02 CM**3
5	1	5	6.74629E+02 CM**3	6.74629E+02 CM**3
6	1	6	5.78254E+02 CM**3	5.78254E+02 CM**3
10	1	7	5.35365E+03 CM**3	5.35365E+03 CM**3
	2	8	2.79009E+03 CM**3	8.14374E+03 CM**3
11	1	9	5.35365E+03 CM**3	5.35365E+03 CM**3
	2	10	2.79009E+03 CM**3	8.14374E+03 CM**3
12	1	11	5.35365E+03 CM**3	5.35365E+03 CM**3
	2	12	2.79009E+03 CM**3	8.14374E+03 CM**3
13	1	13	5.35365E+03 CM**3	5.35365E+03 CM**3
	2	14	2.79009E+03 CM**3	8.14374E+03 CM**3
14	1	15	5.35365E+03 CM**3	5.35365E+03 CM**3
	2	16	2.79009E+03 CM**3	8.14374E+03 CM**3
15	1	17	5.35365E+03 CM**3	5.35365E+03 CM**3
	2	18	2.79009E+03 CM**3	8.14374E+03 CM**3
16	1	19	5.35365E+03 CM**3	5.35365E+03 CM**3
	2	20	2.79009E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 21 IS AN ARRAY PLACEMENT BOUNDARY REGION				
20	1	21	2.57805E+04 CM**3	2.57805E+04 CM**3
	2	22	5.84413E+03 CM**3	3.16246E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 23 IS AN ARRAY PLACEMENT BOUNDARY REGION				
21	1	23	1.68657E+04 CM**3	1.68657E+04 CM**3
	2	24	1.19757E+03 CM**3	1.80633E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 25 IS AN ARRAY PLACEMENT BOUNDARY REGION				
22	1	25	1.68657E+04 CM**3	1.68657E+04 CM**3
	2	26	1.19757E+03 CM**3	1.80633E+04 CM**3
30	1	27	3.31559E+04 CM**3	1.00907E+05 CM**3

	2	28	2.43955E+04 CM**3	1.25303E+05 CM**3
	3	29	2.68637E+05 CM**3	3.93940E+05 CM**3
	4	30	7.49551E+04 CM**3	4.68895E+05 CM**3
	5	31	3.82534E+05 CM**3	8.51429E+05 CM**3
	6	32	2.12103E+04 CM**3	8.72639E+05 CM**3
	7	33	2.38439E+05 CM**3	1.11108E+06 CM**3
40	1	129	1.16526E+05 CM**3	1.16526E+05 CM**3
	2	130	1.00639E+05 CM**3	2.17165E+05 CM**3
	3	131	5.93381E+04 CM**3	2.76503E+05 CM**3
41	1	132	1.66245E+04 CM**3	1.66245E+04 CM**3
	2	133	9.31579E+04 CM**3	1.09782E+05 CM**3
	3	134	9.36980E+04 CM**3	2.03480E+05 CM**3
	4	135	5.55989E+04 CM**3	2.59079E+05 CM**3
42	1	136	4.76297E+03 CM**3	4.76297E+03 CM**3
	2	137	1.30143E+03 CM**3	6.06440E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 138 IS AN ARRAY PLACEMENT BOUNDARY REGION				
70	1	138	4.99202E+06 CM**3	4.99202E+06 CM**3
80	1	139	5.51570E+06 CM**3	2.04918E+07 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 34 IS AN ARRAY PLACEMENT BOUNDARY REGION				
110	1	34	3.42081E+03 CM**3	3.42081E+03 CM**3
	2	35	2.97590E+02 CM**3	3.71840E+03 CM**3
	3	36	4.42534E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 37 IS AN ARRAY PLACEMENT BOUNDARY REGION				
111	1	37	3.42081E+03 CM**3	3.42081E+03 CM**3
	2	38	2.97590E+02 CM**3	3.71840E+03 CM**3
	3	39	4.42534E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 40 IS AN ARRAY PLACEMENT BOUNDARY REGION				
112	1	40	3.42081E+03 CM**3	3.42081E+03 CM**3
	2	41	2.97590E+02 CM**3	3.71840E+03 CM**3
	3	42	4.42534E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 43 IS AN ARRAY PLACEMENT BOUNDARY REGION				
113	1	43	3.42081E+03 CM**3	3.42081E+03 CM**3
	2	44	2.97590E+02 CM**3	3.71840E+03 CM**3
	3	45	4.42534E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 46 IS AN ARRAY PLACEMENT BOUNDARY REGION				
114	1	46	3.42081E+03 CM**3	3.42081E+03 CM**3
	2	47	2.97590E+02 CM**3	3.71840E+03 CM**3
	3	48	4.42534E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 49 IS AN ARRAY PLACEMENT BOUNDARY REGION				
115	1	49	3.42081E+03 CM**3	3.42081E+03 CM**3
	2	50	2.97590E+02 CM**3	3.71840E+03 CM**3
	3	51	4.42534E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 52 IS AN ARRAY PLACEMENT BOUNDARY REGION				
116	1	52	3.42081E+03 CM**3	3.42081E+03 CM**3
	2	53	2.97590E+02 CM**3	3.71840E+03 CM**3
	3	54	4.42534E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 55 IS AN ARRAY PLACEMENT BOUNDARY REGION				
120	1	55	2.57805E+04 CM**3	2.57805E+04 CM**3
	2	56	5.84413E+03 CM**3	3.16246E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 57 IS AN ARRAY PLACEMENT BOUNDARY REGION				
121	1	57	1.68657E+04 CM**3	1.68657E+04 CM**3
	2	58	1.19757E+03 CM**3	1.80633E+04 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 59 IS AN ARRAY PLACEMENT BOUNDARY REGION				
122	1	59	1.68657E+04 CM**3	1.68657E+04 CM**3
	2	60	1.19757E+03 CM**3	1.80633E+04 CM**3
130	1	61	3.31559E+04 CM**3	1.00907E+05 CM**3
	2	62	2.43955E+04 CM**3	1.25303E+05 CM**3
	3	63	2.68637E+05 CM**3	3.93940E+05 CM**3
	4	64	7.49551E+04 CM**3	4.68895E+05 CM**3
	5	65	3.82534E+05 CM**3	8.51429E+05 CM**3
	6	66	2.12103E+04 CM**3	8.72639E+05 CM**3
	7	67	2.38439E+05 CM**3	1.11108E+06 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 68 IS AN ARRAY PLACEMENT BOUNDARY REGION				
210	1	68	3.42081E+03 CM**3	3.42081E+03 CM**3
	2	69	2.97590E+02 CM**3	3.71840E+03 CM**3
	3	70	4.42534E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 71 IS AN ARRAY PLACEMENT BOUNDARY REGION				
211	1	71	3.42081E+03 CM**3	3.42081E+03 CM**3
	2	72	2.97590E+02 CM**3	3.71840E+03 CM**3
	3	73	4.42534E+03 CM**3	8.14374E+03 CM**3
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 74 IS AN ARRAY PLACEMENT BOUNDARY REGION				

212	1	74	3.42081E+03 CM**3	3.42081E+03 CM**3	
	2	75	2.97590E+02 CM**3	3.71840E+03 CM**3	
	3	76	4.42534E+03 CM**3	8.14374E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 77 IS AN ARRAY PLACEMENT BOUNDARY REGION					
213	1	77	3.42081E+03 CM**3	3.42081E+03 CM**3	
	2	78	2.97590E+02 CM**3	3.71840E+03 CM**3	
	3	79	4.42534E+03 CM**3	8.14374E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 80 IS AN ARRAY PLACEMENT BOUNDARY REGION					
214	1	80	3.42081E+03 CM**3	3.42081E+03 CM**3	
	2	81	2.97590E+02 CM**3	3.71840E+03 CM**3	
	3	82	4.42534E+03 CM**3	8.14374E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 83 IS AN ARRAY PLACEMENT BOUNDARY REGION					
215	1	83	3.42081E+03 CM**3	3.42081E+03 CM**3	
	2	84	2.97590E+02 CM**3	3.71840E+03 CM**3	
	3	85	4.42534E+03 CM**3	8.14374E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 86 IS AN ARRAY PLACEMENT BOUNDARY REGION					
216	1	86	3.42081E+03 CM**3	3.42081E+03 CM**3	
	2	87	2.97590E+02 CM**3	3.71840E+03 CM**3	
	3	88	4.42534E+03 CM**3	8.14374E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 89 IS AN ARRAY PLACEMENT BOUNDARY REGION					
220	1	89	2.57805E+04 CM**3	2.57805E+04 CM**3	
	2	90	5.84413E+03 CM**3	3.16246E+04 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 91 IS AN ARRAY PLACEMENT BOUNDARY REGION					
221	1	91	1.68657E+04 CM**3	1.68657E+04 CM**3	
	2	92	1.19757E+03 CM**3	1.80633E+04 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 93 IS AN ARRAY PLACEMENT BOUNDARY REGION					
222	1	93	1.68657E+04 CM**3	1.68657E+04 CM**3	
	2	94	1.19757E+03 CM**3	1.80633E+04 CM**3	
230	1	95	3.31559E+04 CM**3	1.00907E+05 CM**3	
	2	96	2.43955E+04 CM**3	1.25303E+05 CM**3	
	3	97	2.68637E+05 CM**3	3.93940E+05 CM**3	
	4	98	7.49551E+04 CM**3	4.68895E+05 CM**3	
	5	99	3.82534E+05 CM**3	8.51429E+05 CM**3	
	6	100	2.12103E+04 CM**3	8.72639E+05 CM**3	
	7	101	2.38439E+05 CM**3	1.11108E+06 CM**3	
310	1	102	5.35365E+03 CM**3	5.35365E+03 CM**3	
	2	103	2.79009E+03 CM**3	8.14374E+03 CM**3	
311	1	104	5.35365E+03 CM**3	5.35365E+03 CM**3	
	2	105	2.79009E+03 CM**3	8.14374E+03 CM**3	
312	1	106	5.35365E+03 CM**3	5.35365E+03 CM**3	
	2	107	2.79009E+03 CM**3	8.14374E+03 CM**3	
313	1	108	5.35365E+03 CM**3	5.35365E+03 CM**3	
	2	109	2.79009E+03 CM**3	8.14374E+03 CM**3	
314	1	110	5.35365E+03 CM**3	5.35365E+03 CM**3	
	2	111	2.79009E+03 CM**3	8.14374E+03 CM**3	
315	1	112	5.35365E+03 CM**3	5.35365E+03 CM**3	
	2	113	2.79009E+03 CM**3	8.14374E+03 CM**3	
316	1	114	5.35365E+03 CM**3	5.35365E+03 CM**3	
	2	115	2.79009E+03 CM**3	8.14374E+03 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 116 IS AN ARRAY PLACEMENT BOUNDARY REGION					
320	1	116	2.57805E+04 CM**3	2.57805E+04 CM**3	
	2	117	5.84413E+03 CM**3	3.16246E+04 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 118 IS AN ARRAY PLACEMENT BOUNDARY REGION					
321	1	118	1.68657E+04 CM**3	1.68657E+04 CM**3	
	2	119	1.19757E+03 CM**3	1.80633E+04 CM**3	
SURROUNDING GEOMETRY VOLUMES - GEOMETRY REGION 120 IS AN ARRAY PLACEMENT BOUNDARY REGION					
322	1	120	1.68657E+04 CM**3	1.68657E+04 CM**3	
	2	121	1.19757E+03 CM**3	1.80633E+04 CM**3	
330	1	122	3.31559E+04 CM**3	1.00907E+05 CM**3	
	2	123	2.43955E+04 CM**3	1.25303E+05 CM**3	
	3	124	2.68637E+05 CM**3	3.93940E+05 CM**3	
	4	125	7.49551E+04 CM**3	4.68895E+05 CM**3	
	5	126	3.82534E+05 CM**3	8.51429E+05 CM**3	
	6	127	2.12103E+04 CM**3	8.72639E+05 CM**3	
	7	128	2.38439E+05 CM**3	1.11108E+06 CM**3	
	UNIT	USES	REGION	MIXTURE	TOTAL VOLUME
	1	1050	1	1	5.82723E+04 CM**3
			2	9	2.78782E+03 CM**3
			3	2	1.71526E+04 CM**3
			4	3	6.54612E+04 CM**3
	5	24	1	5	1.61911E+04 CM**3

6	24	1	5	1.38781E+04	CM**3
10	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
11	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
12	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
13	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
14	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
15	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
16	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
20	3	1		7.73414E+04	CM**3
		2	5	1.75324E+04	CM**3
21	3	1		5.05972E+04	CM**3
		2	5	3.59271E+03	CM**3
22	3	1		5.05972E+04	CM**3
		2	5	3.59271E+03	CM**3
30	3	1	3	9.94676E+04	CM**3
		2	5	7.31865E+04	CM**3
		3	6	8.05912E+05	CM**3
		4	5	2.24865E+05	CM**3
		5	7	1.14760E+06	CM**3
		6	5	6.36308E+04	CM**3
		7	8	7.15318E+05	CM**3
40	3	1	5	3.49579E+05	CM**3
		2	8	3.01916E+05	CM**3
		3	8	1.78014E+05	CM**3
41	3	1	6	4.98735E+04	CM**3
		2	5	2.79474E+05	CM**3
		3	8	2.81094E+05	CM**3
		4	8	1.66797E+05	CM**3
42	6	1	5	2.85778E+04	CM**3
		2	8	7.80859E+03	CM**3
70	3	1		1.49761E+07	CM**3
80	1	1	8	5.51570E+06	CM**3
110	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
111	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
112	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
113	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
114	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
115	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
116	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
120	3	1		7.73414E+04	CM**3
		2	5	1.75324E+04	CM**3
121	3	1		5.05972E+04	CM**3
		2	5	3.59271E+03	CM**3
122	3	1		5.05972E+04	CM**3
		2	5	3.59271E+03	CM**3
130	3	1	3	9.94676E+04	CM**3
		2	5	7.31865E+04	CM**3
		3	6	8.05912E+05	CM**3
		4	5	2.24865E+05	CM**3
		5	7	1.14760E+06	CM**3
		6	5	6.36308E+04	CM**3
		7	8	7.15318E+05	CM**3

210	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
211	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
212	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
213	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
214	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
215	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
216	3	1		1.02624E+04	CM**3
		2	2	8.92769E+02	CM**3
		3	3	1.32760E+04	CM**3
220	3	1		7.73414E+04	CM**3
		2	5	1.75324E+04	CM**3
221	3	1		5.05972E+04	CM**3
		2	5	3.59271E+03	CM**3
222	3	1		5.05972E+04	CM**3
		2	5	3.59271E+03	CM**3
230	3	1	3	9.94676E+04	CM**3
		2	5	7.31865E+04	CM**3
		3	6	8.05912E+05	CM**3
		4	5	2.24865E+05	CM**3
		5	7	1.14760E+06	CM**3
		6	5	6.36308E+04	CM**3
		7	8	7.15318E+05	CM**3
310	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
311	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
312	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
313	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
314	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
315	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
316	3	1	11	1.60610E+04	CM**3
		2	3	8.37026E+03	CM**3
320	3	1		7.73414E+04	CM**3
		2	5	1.75324E+04	CM**3
321	3	1		5.05972E+04	CM**3
		2	5	3.59271E+03	CM**3
322	3	1		5.05972E+04	CM**3
		2	5	3.59271E+03	CM**3
330	3	1	3	9.94676E+04	CM**3
		2	5	7.31865E+04	CM**3
		3	6	8.05912E+05	CM**3
		4	5	2.24865E+05	CM**3
		5	7	1.14760E+06	CM**3
		6	5	6.36308E+04	CM**3
		7	8	7.15318E+05	CM**3

TOTAL MIXTURE VOLUMES		
MIXTURE	TOTAL VOLUME	MASS (G)
1	5.82723E+04	6.04865E+05
2	2.96514E+04	1.94513E+05
3	7.66380E+05	7.64978E-15
5	2.23330E+06	1.76878E+07
6	3.27352E+06	3.71348E+07
7	4.59040E+06	4.58201E-14
8	9.31260E+06	9.29557E-14
9	2.78782E+03	2.78272E+03
11	2.24853E+05	8.31762E+05

BIASING INFORMATION

 *** A DEFAULT WEIGHT OF 0.500 WILL BE USED FOR ALL BIAS ID'S. ***

 0 IO'S WERE USED IN KENO-V BEFORE TRACKING
 0.01283 MINUTES WERE USED PROCESSING DATA.

VOLUME FRACTION OF FISSIONABLE MATERIAL IN THE CORE= 1.89052E-02
START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 1.01000E+02 -X=-1.01000E+02 +Y= 1.01000E+02 -Y=-1.01000E+02 +Z= 5.02200E+02 -Z= 0.00000E+00
THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

2.18000 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 2.18667 MINUTES.

GENERATION	K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE	MATRIX K-EFF DEVIATION
KENO MESSAGE NUMBER K5-132		WARNING... ONLY	809 INDEPENDENT	FISSION POINTS WERE	GENERATED	
1	7.20764E-01	2.19533E+00	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132		WARNING... ONLY	942 INDEPENDENT	FISSION POINTS WERE	GENERATED	
2	8.23482E-01	2.19883E+00	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132		WARNING... ONLY	951 INDEPENDENT	FISSION POINTS WERE	GENERATED	
3	8.55166E-01	2.20250E+00	8.55166E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	8.75370E-01	2.20617E+00	8.65268E-01	1.01020E-02	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132		WARNING... ONLY	983 INDEPENDENT	FISSION POINTS WERE	GENERATED	
5	8.34339E-01	2.21083E+00	8.54959E-01	1.18453E-02	0.00000E+00	0.00000E+00
6	8.47771E-01	2.21450E+00	8.53162E-01	8.56641E-03	0.00000E+00	0.00000E+00
7	8.45447E-01	2.21717E+00	8.51619E-01	6.81253E-03	0.00000E+00	0.00000E+00
8	8.70304E-01	2.22183E+00	8.54733E-01	6.37486E-03	0.00000E+00	0.00000E+00
9	8.45910E-01	2.22550E+00	8.53473E-01	5.5321E-03	0.00000E+00	0.00000E+00
10	8.40482E-01	2.22817E+00	8.51849E-01	5.05958E-03	0.00000E+00	0.00000E+00
11	8.87736E-01	2.23183E+00	8.55836E-01	5.98416E-03	0.00000E+00	0.00000E+00
12	8.51713E-01	2.23550E+00	8.55424E-01	5.36825E-03	0.00000E+00	0.00000E+00
13	9.21948E-01	2.23917E+00	8.61472E-01	7.75578E-03	0.00000E+00	0.00000E+00
14	8.45112E-01	2.24283E+00	8.60108E-01	7.21009E-03	0.00000E+00	0.00000E+00
15	8.62149E-01	2.24650E+00	8.60265E-01	6.63417E-03	0.00000E+00	0.00000E+00
16	8.53052E-01	2.24933E+00	8.59750E-01	6.16362E-03	0.00000E+00	0.00000E+00
17	8.67530E-01	2.25300E+00	8.60269E-01	5.76141E-03	0.00000E+00	0.00000E+00
18	8.56833E-01	2.25750E+00	8.60054E-01	5.39358E-03	0.00000E+00	0.00000E+00
19	8.87107E-01	2.26117E+00	8.61645E-01	5.31043E-03	0.00000E+00	0.00000E+00
20	8.84104E-01	2.26483E+00	8.62893E-01	5.15985E-03	0.00000E+00	0.00000E+00
21	9.03339E-01	2.26750E+00	8.65022E-01	5.32477E-03	0.00000E+00	0.00000E+00
22	8.55583E-01	2.27117E+00	8.64550E-01	5.07352E-03	0.00000E+00	0.00000E+00
23	8.45629E-01	2.27483E+00	8.63649E-01	4.90926E-03	0.00000E+00	0.00000E+00
24	8.56385E-01	2.27850E+00	8.63319E-01	4.69243E-03	0.00000E+00	0.00000E+00
25	8.71259E-01	2.28217E+00	8.63664E-01	4.49704E-03	0.00000E+00	0.00000E+00
26	9.12685E-01	2.28583E+00	8.65706E-01	4.76551E-03	0.00000E+00	0.00000E+00
27	8.43542E-01	2.28950E+00	8.64820E-01	4.65610E-03	0.00000E+00	0.00000E+00
28	8.84859E-01	2.29317E+00	8.65591E-01	4.53935E-03	0.00000E+00	0.00000E+00
29	8.96228E-01	2.29600E+00	8.66725E-01	4.51297E-03	0.00000E+00	0.00000E+00
30	8.47332E-01	2.29967E+00	8.66033E-01	4.40362E-03	0.00000E+00	0.00000E+00
31	8.89415E-01	2.30417E+00	8.66839E-01	4.32488E-03	0.00000E+00	0.00000E+00
32	8.36875E-01	2.30700E+00	8.65840E-01	4.29595E-03	0.00000E+00	0.00000E+00
33	8.53170E-01	2.31150E+00	8.65431E-01	4.17512E-03	0.00000E+00	0.00000E+00
34	8.40621E-01	2.31433E+00	8.64656E-01	4.11622E-03	0.00000E+00	0.00000E+00
35	8.82549E-01	2.31800E+00	8.65198E-01	4.02621E-03	0.00000E+00	0.00000E+00
36	8.36297E-01	2.32150E+00	8.64348E-01	3.99742E-03	0.00000E+00	0.00000E+00
37	9.41271E-01	2.32517E+00	8.66546E-01	4.46056E-03	0.00000E+00	0.00000E+00
38	8.54531E-01	2.32883E+00	8.66212E-01	4.34772E-03	0.00000E+00	0.00000E+00
39	8.79939E-01	2.33250E+00	8.66583E-01	4.24482E-03	0.00000E+00	0.00000E+00
40	8.51472E-01	2.33617E+00	8.66186E-01	4.15070E-03	0.00000E+00	0.00000E+00
41	8.91896E-01	2.33983E+00	8.66845E-01	4.09627E-03	0.00000E+00	0.00000E+00
42	9.07719E-01	2.34350E+00	8.67867E-01	4.12124E-03	0.00000E+00	0.00000E+00
43	8.88803E-01	2.34717E+00	8.68377E-01	4.05177E-03	0.00000E+00	0.00000E+00
44	8.97750E-01	2.35083E+00	8.69077E-01	4.01549E-03	0.00000E+00	0.00000E+00
45	8.85392E-01	2.35450E+00	8.69456E-01	3.93931E-03	0.00000E+00	0.00000E+00
46	8.68511E-01	2.35733E+00	8.69435E-01	3.84880E-03	0.00000E+00	0.00000E+00
47	8.36269E-01	2.36100E+00	8.68698E-01	3.83381E-03	0.00000E+00	0.00000E+00
48	8.64056E-01	2.36467E+00	8.68597E-01	3.75090E-03	0.00000E+00	0.00000E+00
49	8.78176E-01	2.36833E+00	8.68801E-01	3.67588E-03	0.00000E+00	0.00000E+00
50	8.51390E-01	2.37200E+00	8.68438E-01	3.61672E-03	0.00000E+00	0.00000E+00
51	8.93813E-01	2.37650E+00	8.68956E-01	3.57979E-03	0.00000E+00	0.00000E+00
52	8.59953E-01	2.38117E+00	8.68776E-01	3.51209E-03	0.00000E+00	0.00000E+00
53	8.79682E-01	2.38467E+00	8.68990E-01	3.44917E-03	0.00000E+00	0.00000E+00
54	8.78173E-01	2.38933E+00	8.69166E-01	3.38680E-03	0.00000E+00	0.00000E+00
55	8.79294E-01	2.39300E+00	8.69357E-01	3.32777E-03	0.00000E+00	0.00000E+00
56	8.87232E-01	2.39750E+00	8.69688E-01	3.28230E-03	0.00000E+00	0.00000E+00
57	8.98351E-01	2.40217E+00	8.70209E-01	3.26394E-03	0.00000E+00	0.00000E+00
58	9.00600E-01	2.40667E+00	8.70752E-01	3.25074E-03	0.00000E+00	0.00000E+00
59	8.46073E-01	2.41033E+00	8.70319E-01	3.22242E-03	0.00000E+00	0.00000E+00
60	8.74956E-01	2.41400E+00	8.70399E-01	3.16739E-03	0.00000E+00	0.00000E+00
61	8.72670E-01	2.41767E+00	8.70438E-01	3.11348E-03	0.00000E+00	0.00000E+00
62	8.67262E-01	2.42133E+00	8.70385E-01	3.06160E-03	0.00000E+00	0.00000E+00
63	9.12934E-01	2.42500E+00	8.71082E-01	3.09074E-03	0.00000E+00	0.00000E+00
64	8.30858E-01	2.42867E+00	8.70433E-01	3.10892E-03	0.00000E+00	0.00000E+00
65	8.70281E-01	2.43233E+00	8.70431E-01	3.05918E-03	0.00000E+00	0.00000E+00
66	8.64499E-01	2.43600E+00	8.70338E-01	3.01243E-03	0.00000E+00	0.00000E+00
67	8.83555E-01	2.43967E+00	8.70542E-01	2.97268E-03	0.00000E+00	0.00000E+00
68	8.73341E-01	2.44333E+00	8.70584E-01	2.92760E-03	0.00000E+00	0.00000E+00
69	8.56942E-01	2.44700E+00	8.70380E-01	2.89075E-03	0.00000E+00	0.00000E+00
70	8.51362E-01	2.44967E+00	8.70101E-01	2.86163E-03	0.00000E+00	0.00000E+00
71	8.44781E-01	2.45433E+00	8.69734E-01	2.84362E-03	0.00000E+00	0.00000E+00
72	8.59084E-01	2.45800E+00	8.69582E-01	2.80683E-03	0.00000E+00	0.00000E+00
73	9.18005E-01	2.46167E+00	8.70264E-01	2.84983E-03	0.00000E+00	0.00000E+00
761	8.61197E-01	4.95717E+00	8.69380E-01	8.25227E-04	0.00000E+00	0.00000E+00
762	8.92065E-01	4.96083E+00	8.69410E-01	8.24681E-04	0.00000E+00	0.00000E+00
763	8.50692E-01	4.96433E+00	8.69385E-01	8.23964E-04	0.00000E+00	0.00000E+00
764	8.85868E-01	4.96717E+00	8.69407E-01	8.23166E-04	0.00000E+00	0.00000E+00
765	8.42081E-01	4.97083E+00	8.69371E-01	8.22866E-04	0.00000E+00	0.00000E+00
766	8.58689E-01	4.97450E+00	8.69357E-01	8.21907E-04	0.00000E+00	0.00000E+00
767	9.05490E-01	4.97817E+00	8.69404E-01	8.22190E-04	0.00000E+00	0.00000E+00
768	8.64580E-01	4.98267E+00	8.69398E-01	8.21140E-04	0.00000E+00	0.00000E+00
769	8.68360E-01	4.98550E+00	8.69396E-01	8.20070E-04	0.00000E+00	0.00000E+00
770	8.65633E-01	4.98917E+00	8.69392E-01	8.19016E-04	0.00000E+00	0.00000E+00


771	8.65426E-01	4.99283E+00	8.69386E-01	8.17967E-04	0.00000E+00	0.00000E+00
772	8.73557E-01	4.99650E+00	8.69392E-01	8.16922E-04	0.00000E+00	0.00000E+00
773	8.85453E-01	4.99917E+00	8.69413E-01	8.16127E-04	0.00000E+00	0.00000E+00
774	8.40495E-01	5.00283E+00	8.69375E-01	8.15930E-04	0.00000E+00	0.00000E+00
775	9.19942E-01	5.00650E+00	8.69441E-01	8.17495E-04	0.00000E+00	0.00000E+00
776	8.19185E-01	5.01017E+00	8.69376E-01	8.19016E-04	0.00000E+00	0.00000E+00
777	8.72182E-01	5.01383E+00	8.69379E-01	8.17966E-04	0.00000E+00	0.00000E+00
778	8.94099E-01	5.01667E+00	8.69411E-01	8.17532E-04	0.00000E+00	0.00000E+00
779	8.76642E-01	5.02033E+00	8.69420E-01	8.16533E-04	0.00000E+00	0.00000E+00
780	8.80966E-01	5.02483E+00	8.69435E-01	8.15617E-04	0.00000E+00	0.00000E+00
781	8.74986E-01	5.02850E+00	8.69442E-01	8.14601E-04	0.00000E+00	0.00000E+00
782	9.05142E-01	5.03217E+00	8.69488E-01	8.14842E-04	0.00000E+00	0.00000E+00
783	8.82577E-01	5.03583E+00	8.69505E-01	8.13971E-04	0.00000E+00	0.00000E+00
784	9.01262E-01	5.03950E+00	8.69546E-01	8.13943E-04	0.00000E+00	0.00000E+00
785	8.39892E-01	5.04217E+00	8.69508E-01	8.13784E-04	0.00000E+00	0.00000E+00
786	8.25676E-01	5.04583E+00	8.69452E-01	8.14666E-04	0.00000E+00	0.00000E+00
787	8.74663E-01	5.04950E+00	8.69458E-01	8.13655E-04	0.00000E+00	0.00000E+00
788	8.53603E-01	5.05317E+00	8.69438E-01	8.12870E-04	0.00000E+00	0.00000E+00
789	8.95869E-01	5.05683E+00	8.69472E-01	8.12530E-04	0.00000E+00	0.00000E+00
790	8.54885E-01	5.06050E+00	8.69453E-01	8.11710E-04	0.00000E+00	0.00000E+00
791	9.17470E-01	5.06417E+00	8.69514E-01	8.12961E-04	0.00000E+00	0.00000E+00
792	9.05597E-01	5.06783E+00	8.69560E-01	8.13215E-04	0.00000E+00	0.00000E+00
793	8.71160E-01	5.07150E+00	8.69562E-01	8.12189E-04	0.00000E+00	0.00000E+00
794	8.92208E-01	5.07517E+00	8.69591E-01	8.11667E-04	0.00000E+00	0.00000E+00
795	8.83034E-01	5.07883E+00	8.69607E-01	8.10820E-04	0.00000E+00	0.00000E+00
796	8.68376E-01	5.08250E+00	8.69606E-01	8.09800E-04	0.00000E+00	0.00000E+00
797	8.56340E-01	5.08617E+00	8.69589E-01	8.08952E-04	0.00000E+00	0.00000E+00
798	8.99654E-01	5.08983E+00	8.69627E-01	8.08818E-04	0.00000E+00	0.00000E+00
799	8.46349E-01	5.09350E+00	8.69598E-01	8.08330E-04	0.00000E+00	0.00000E+00
800	9.03032E-01	5.09717E+00	8.69640E-01	8.08403E-04	0.00000E+00	0.00000E+00
801	8.43871E-01	5.10083E+00	8.69607E-01	8.08035E-04	0.00000E+00	0.00000E+00
802	8.52464E-01	5.10450E+00	8.69586E-01	8.07308E-04	0.00000E+00	0.00000E+00
803	8.76863E-01	5.10817E+00	8.69595E-01	8.06351E-04	0.00000E+00	0.00000E+00


KENO MESSAGE NUMBER K5-123 EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.


LIFETIME = 2.24743E+04 + OR - 9.75418E-07 GENERATION TIME = 1.91383E-05 + OR - 3.66801E-08
 NU BAR = 2.43406E+00 + OR - 4.19565E-05 AVERAGE FISSION GROUP = 2.16647E+01 + OR - 3.35227E-03
 ENERGY(EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 2.57117E-01 + OR - 6.83592E-04

NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL		95 PER CENT CONFIDENCE INTERVAL		99 PER CENT CONFIDENCE INTERVAL		NUMBER OF HISTORIES
3	0.86961	+ OR - 0.00081	0.86881	TO 0.87042	0.86800	TO 0.87123	0.86719	TO 0.87203	800000
4	0.86961	+ OR - 0.00081	0.86880	TO 0.87041	0.86799	TO 0.87122	0.86718	TO 0.87203	799000
5	0.86965	+ OR - 0.00081	0.86884	TO 0.87046	0.86803	TO 0.87127	0.86723	TO 0.87207	798000
6	0.86968	+ OR - 0.00081	0.86887	TO 0.87049	0.86806	TO 0.87129	0.86725	TO 0.87210	797000
7	0.86971	+ OR - 0.00081	0.86890	TO 0.87052	0.86809	TO 0.87133	0.86728	TO 0.87213	796000
8	0.86971	+ OR - 0.00081	0.86890	TO 0.87052	0.86809	TO 0.87133	0.86728	TO 0.87214	795000
9	0.86974	+ OR - 0.00081	0.86893	TO 0.87055	0.86812	TO 0.87136	0.86731	TO 0.87217	794000
10	0.86977	+ OR - 0.00081	0.86896	TO 0.87058	0.86815	TO 0.87140	0.86734	TO 0.87221	793000
11	0.86975	+ OR - 0.00081	0.86894	TO 0.87056	0.86813	TO 0.87137	0.86732	TO 0.87219	792000
12	0.86977	+ OR - 0.00081	0.86896	TO 0.87059	0.86815	TO 0.87140	0.86734	TO 0.87221	791000
17	0.86977	+ OR - 0.00081	0.86896	TO 0.87059	0.86815	TO 0.87140	0.86733	TO 0.87221	786000
22	0.86972	+ OR - 0.00082	0.86891	TO 0.87054	0.86809	TO 0.87136	0.86727	TO 0.87217	781000
27	0.86975	+ OR - 0.00082	0.86893	TO 0.87057	0.86811	TO 0.87139	0.86729	TO 0.87220	776000
32	0.86974	+ OR - 0.00082	0.86892	TO 0.87056	0.86810	TO 0.87138	0.86728	TO 0.87220	771000
37	0.86973	+ OR - 0.00082	0.86892	TO 0.87055	0.86810	TO 0.87137	0.86728	TO 0.87219	766000
42	0.86969	+ OR - 0.00082	0.86886	TO 0.87051	0.86804	TO 0.87133	0.86722	TO 0.87215	761000
47	0.86965	+ OR - 0.00082	0.86882	TO 0.87047	0.86800	TO 0.87130	0.86718	TO 0.87212	756000
52	0.86965	+ OR - 0.00083	0.86882	TO 0.87048	0.86799	TO 0.87131	0.86716	TO 0.87213	751000
57	0.86955	+ OR - 0.00083	0.86872	TO 0.87038	0.86789	TO 0.87121	0.86705	TO 0.87205	746000
62	0.86953	+ OR - 0.00084	0.86869	TO 0.87037	0.86786	TO 0.87120	0.86702	TO 0.87204	741000
67	0.86951	+ OR - 0.00084	0.86867	TO 0.87035	0.86784	TO 0.87119	0.86700	TO 0.87203	736000
72	0.86960	+ OR - 0.00084	0.86875	TO 0.87044	0.86791	TO 0.87128	0.86707	TO 0.87212	731000
77	0.86949	+ OR - 0.00084	0.86865	TO 0.87034	0.86781	TO 0.87118	0.86696	TO 0.87203	726000
82	0.86956	+ OR - 0.00085	0.86872	TO 0.87041	0.86787	TO 0.87126	0.86702	TO 0.87211	721000
87	0.86943	+ OR - 0.00085	0.86858	TO 0.87028	0.86773	TO 0.87113	0.86688	TO 0.87198	716000
92	0.86950	+ OR - 0.00085	0.86864	TO 0.87035	0.86779	TO 0.87120	0.86694	TO 0.87206	711000


NO. OF INITIAL GENERATIONS SKIPPED	AVERAGE K-EFFECTIVE	DEVIATION	67 PER CENT CONFIDENCE INTERVAL		95 PER CENT CONFIDENCE INTERVAL		99 PER CENT CONFIDENCE INTERVAL		NUMBER OF HISTORIES
97	0.86934	+ OR - 0.00085	0.86849	TO 0.87020	0.86764	TO 0.87105	0.86678	TO 0.87190	706000








PLOT OF AVERAGE K-EFFECTIVE BY GENERATION SKIPPED.
THE LINE REPRESENTS $K\text{-EFF} = 0.8696 \pm 0.0008$ WHICH OCCURS FOR 3 GENERATIONS SKIPPED.
0.8577 0.8680 0.8782





SKIPPING 3 GENERATIONS

GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION
1	0.0036			3.16101E-03	1.0708	2.07689E-03	0.9611	0.00000E+00	0.0000
2	0.0149			1.29140E-02	0.3253	7.41767E-03	0.2988	0.00000E+00	0.0000
3	0.0171			1.48700E-02	0.2519	6.55451E-03	0.2380	0.00000E+00	0.0000
4	0.0075			6.50931E-03	0.2913	3.24606E-03	0.2726	0.00000E+00	0.0000
5	0.0032			2.79252E-03	0.2354	2.80208E-03	0.2136	0.00000E+00	0.0000
6	0.0037			3.25030E-03	0.2309	5.61286E-03	0.2124	0.00000E+00	0.0000
7	0.0042			3.63493E-03	0.2597	6.91825E-03	0.2376	0.00000E+00	0.0000
8	0.0042			3.67098E-03	0.2411	8.70636E-03	0.2327	0.00000E+00	0.0000
9	0.0056			4.87620E-03	0.2244	1.27518E-02	0.2084	0.00000E+00	0.0000
10	0.0121			1.04961E-02	0.2204	2.37704E-02	0.1808	0.00000E+00	0.0000
11	0.0243			2.10948E-02	0.1815	4.05073E-02	0.1513	0.00000E+00	0.0000
12	0.0311			2.70160E-02	0.1737	4.56024E-02	0.1538	0.00000E+00	0.0000
13	0.0284			2.46836E-02	0.1721	4.52290E-02	0.1578	0.00000E+00	0.0000
14	0.0218			1.89165E-02	0.1629	6.16347E-02	0.1515	0.00000E+00	0.0000
15	0.0043			3.76369E-03	0.2554	1.01315E-02	0.3870	0.00000E+00	0.0000
16	0.0029			2.53896E-03	0.3287	5.95737E-03	0.4673	0.00000E+00	0.0000
17	0.0045			3.89405E-03	0.4239	4.40758E-03	0.4139	0.00000E+00	0.0000
18	0.0061			5.28540E-03	0.4146	4.62657E-03	0.3853	0.00000E+00	0.0000
19	0.0073			6.35321E-03	0.3296	6.83232E-03	0.3807	0.00000E+00	0.0000
20	0.0304			2.64104E-02	0.2043	2.61778E-02	0.2538	0.00000E+00	0.0000
21	0.0165			1.43336E-02	0.3200	1.19840E-02	0.3077	0.00000E+00	0.0000
22	0.0386			3.35259E-02	0.2289	2.66332E-02	0.2288	0.00000E+00	0.0000
23	0.1140			9.91690E-02	0.1555	7.58196E-02	0.1542	0.00000E+00	0.0000
24	0.1886			1.63996E-01	0.1480	1.15808E-01	0.1356	0.00000E+00	0.0000
25	0.1514			1.31646E-01	0.1596	9.03125E-02	0.1474	0.00000E+00	0.0000
26	0.1832			1.59314E-01	0.1740	1.11489E-01	0.1635	0.00000E+00	0.0000
27	0.0707			6.14960E-02	0.2729	6.97655E-02	0.2298	0.00000E+00	0.0000
SYSTEM TOTAL =				8.69613E-01	0.0928	8.32776E-01	0.0524	0.00000E+00	0.0000

THE WEIGHT LOST IN THE ALBEDO PORTION OF THE PROBLEM = 1.6990E-01 + OR - 0.0003

ELAPSED TIME 5.10900 MINUTES
RANDOM NUMBER= 74DA6F94404

FREQUENCY FOR GENERATIONS 4 TO 803

0.7930 TO 0.7967 *
0.7967 TO 0.8004 *
0.8004 TO 0.8040 *
0.8040 TO 0.8077 *
0.8077 TO 0.8114 *
0.8114 TO 0.8151 ***
0.8151 TO 0.8187 **
0.8187 TO 0.8224 *****
0.8224 TO 0.8261 *****
0.8261 TO 0.8298 *****
0.8298 TO 0.8334 *****
0.8334 TO 0.8371 *****
0.8371 TO 0.8408 *****
0.8408 TO 0.8445 *****
0.8445 TO 0.8481 *****
0.8481 TO 0.8518 *****
0.8518 TO 0.8555 *****
0.8555 TO 0.8592 *****
0.8592 TO 0.8628 *****
0.8628 TO 0.8665 *****
0.8665 TO 0.8702 *****
0.8702 TO 0.8739 *****
0.8739 TO 0.8775 *****
0.8775 TO 0.8812 *****
0.8812 TO 0.8849 *****
0.8849 TO 0.8886 *****
0.8886 TO 0.8922 *****
0.8922 TO 0.8959 *****
0.8959 TO 0.8996 *****
0.8996 TO 0.9033 *****
0.9033 TO 0.9069 *****
0.9069 TO 0.9106 *****
0.9106 TO 0.9143 *****
0.9143 TO 0.9179 *****
0.9179 TO 0.9216 *****
0.9216 TO 0.9253 *
0.9253 TO 0.9290 **
0.9290 TO 0.9326 *
0.9326 TO 0.9363 **
0.9363 TO 0.9400 **
0.9400 TO 0.9437 *

FREQUENCY FOR GENERATIONS 204 TO 803

0.7930 TO 0.7967 *
0.7967 TO 0.8004 *
0.8004 TO 0.8040 *
0.8040 TO 0.8077 *
0.8077 TO 0.8114 *
0.8114 TO 0.8151 ***
0.8151 TO 0.8187 **
0.8187 TO 0.8224 *****
0.8224 TO 0.8261 *****
0.8261 TO 0.8298 *****
0.8298 TO 0.8334 *****
0.8334 TO 0.8371 *****
0.8371 TO 0.8408 *****

0.8408 TO 0.8445 *****
0.8445 TO 0.8481 *****
0.8481 TO 0.8518 *****
0.8518 TO 0.8555 *****
0.8555 TO 0.8592 *****
0.8592 TO 0.8628 *****
0.8628 TO 0.8665 *****
0.8665 TO 0.8702 *****
0.8702 TO 0.8739 *****
0.8739 TO 0.8775 *****
0.8775 TO 0.8812 *****
0.8812 TO 0.8849 *****
0.8849 TO 0.8886 *****
0.8886 TO 0.8922 *****
0.8922 TO 0.8959 *****
0.8959 TO 0.8996 *****
0.8996 TO 0.9033 *****
0.9033 TO 0.9069 *****
0.9069 TO 0.9106 *****
0.9106 TO 0.9143 *****
0.9143 TO 0.9179 *****
0.9179 TO 0.9216 *
0.9216 TO 0.9253 *
0.9253 TO 0.9290 *
0.9290 TO 0.9326 *
0.9326 TO 0.9363 **
0.9363 TO 0.9400 **
0.9400 TO 0.9437 **

FREQUENCY FOR GENERATIONS 404 TO 803

0.7930 TO 0.7967 *****
0.7967 TO 0.8004 *****
0.8004 TO 0.8040 *****
0.8040 TO 0.8077 *****
0.8077 TO 0.8114 *****
0.8114 TO 0.8151 *****
0.8151 TO 0.8187 *****
0.8187 TO 0.8224 *****
0.8224 TO 0.8261 *****
0.8261 TO 0.8298 *****
0.8298 TO 0.8334 *****
0.8334 TO 0.8371 *****
0.8371 TO 0.8408 *****
0.8408 TO 0.8445 *****
0.8445 TO 0.8481 *****
0.8481 TO 0.8518 *****
0.8518 TO 0.8555 *****
0.8555 TO 0.8592 *****
0.8592 TO 0.8628 *****
0.8628 TO 0.8665 *****
0.8665 TO 0.8702 *****
0.8702 TO 0.8739 *****
0.8739 TO 0.8775 *****
0.8775 TO 0.8812 *****
0.8812 TO 0.8849 *****
0.8849 TO 0.8886 *****
0.8886 TO 0.8922 *****
0.8922 TO 0.8959 *****
0.8959 TO 0.8996 *****
0.8996 TO 0.9033 *****
0.9033 TO 0.9069 *****
0.9069 TO 0.9106 *****
0.9106 TO 0.9143 *****
0.9143 TO 0.9179 *****
0.9179 TO 0.9216 *
0.9216 TO 0.9253 *
0.9253 TO 0.9290 *
0.9290 TO 0.9326 *
0.9326 TO 0.9363 **
0.9363 TO 0.9400 **
0.9400 TO 0.9437 **

FREQUENCY FOR GENERATIONS 604 TO 803

0.7930 TO 0.7967 *****
0.7967 TO 0.8004 *****
0.8004 TO 0.8040 *****
0.8040 TO 0.8077 *****
0.8077 TO 0.8114 *****
0.8114 TO 0.8151 *****
0.8151 TO 0.8187 *****
0.8187 TO 0.8224 *****
0.8224 TO 0.8261 *****
0.8261 TO 0.8298 *****
0.8298 TO 0.8334 *****
0.8334 TO 0.8371 *****
0.8371 TO 0.8408 *****
0.8408 TO 0.8445 *****
0.8445 TO 0.8481 *****
0.8481 TO 0.8518 *****
0.8518 TO 0.8555 *****
0.8555 TO 0.8592 *****
0.8592 TO 0.8628 *****
0.8628 TO 0.8665 *****
0.8665 TO 0.8702 *****
0.8702 TO 0.8739 *****
0.8739 TO 0.8775 *****
0.8775 TO 0.8812 *****
0.8812 TO 0.8849 *****
0.8849 TO 0.8886 *****
0.8886 TO 0.8922 *****
0.8922 TO 0.8959 *****

0.8959 TO 0.8996 ***
0.8996 TO 0.9033 *****
0.9033 TO 0.9069 *****
0.9069 TO 0.9106 ***
0.9106 TO 0.9143 ***
0.9143 TO 0.9179 ***
0.9179 TO 0.9216 *
0.9216 TO 0.9253 *
0.9253 TO 0.9290 *
0.9290 TO 0.9326 *
0.9326 TO 0.9363 *
0.9363 TO 0.9400 *
0.9400 TO 0.9437

CONGRATULATIONS! YOU HAVE SUCCESSFULLY TRAVERSED THE PERILOUS PATH THROUGH KENO V IN 5.10900 MINUTES

6.6.12 Spiral Fuel Assemblies in the LWT Cask

This section contains a truncated sample output file from the evaluation of spiral fuel assemblies in the LWT cask. The output file is shown in Figure 6.6.12-1.

Figure 6.6.12-1 Maximum Reactivity Spiral Fuel Assembly Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT w/ HIFAR Mark III Fuel, Accident, Radial - In, Axial - Alternating
' Basket Configuration
' Fuel Tube Thick - Min Fuel Tube OD - Max
' Fuel Tube Height - Min Fuel Base Plate - Min
' Fuel Plate Configuration Fuel Plate Thickness - Min Fuel Plate Clad Thicknes
' Active Fuel Length - Min Fuel Element Height - Nominal
' Plate Location - H/U Ratio - Max
' Material Description
' U235 Fuel Mass - Max Uranium Weight Fraction - Max
27GROUPNDF4 LATTICECELL
'Material Description for LWT Analysis - DIDO HIFAR Mark III Fuel
URANIUM 1 DEN=0.4084 1.0 293.0 92235 85.0 92238 15.0 END
AL 1 DEN=0.2957 1.0 293.0 END
AL 2 1.00 293.0 END
H2O 3 DEN=0.9998 1.00 293.0 END
AREMGLC 0.9437 3 0 1 0
6012 2 1001 6 #016 2
4 0.5840 END
H2O 4 0.4160 293.0 END
PB 5 1.00 293.0 END
SS304 6 1.00 293.0 END
AL 7 1.00 293.0 END
SS304 8 1.00 293.0 END
H2O 9 DEN=0.0001 1.00 293.0 END
END COMP
SYMSLABCELL 0.6342 0.1039 1 3 0.1239 2 END

READ PARAM TBA=5 TME=90 RUN=YES PLT=NO
GEN=1203 NPG=1000 END PARAM
READ START XSM=-16.85 XSP=16.85 YSM=16.85 YSP=-16.85
ZSM=26.67 ZSP=472.14 END START
READ GEOM
UNIT 1
COM='Fueled Annular Sections Tube 1
'Aluminum Inner
CYLINDER 3 1 2.9100 59.0750 0.0000
CYLINDER 2 1 2.911 59.0750 0.0000
'Fuel Annulus 1
CYLINDER 3 1 3.0994 59.0750 0.0000
CYLINDER 2 1 3.1094 59.0750 0.0000
CYLINDER 1 1 3.2133 59.0750 0.0000
CYLINDER 2 1 3.2233 59.0750 0.0000
'Fuel Annulus 2
CYLINDER 3 1 3.9218 59.0750 0.0000
CYLINDER 2 1 3.9318 59.0750 0.0000
CYLINDER 1 1 4.0357 59.0750 0.0000
CYLINDER 2 1 4.0457 59.0750 0.0000
'Fuel Annulus 3
CYLINDER 3 1 4.7442 59.0750 0.0000
CYLINDER 2 1 4.7542 59.0750 0.0000
CYLINDER 1 1 4.8581 59.0750 0.0000
CYLINDER 2 1 4.8681 59.0750 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 59.0750 0.0000
CYLINDER 2 1 5.0799 59.0750 0.0000
UNIT 2
COM='Axial Clad Sections Tube 1
'Aluminum Inner
CYLINDER 3 1 2.9100 0.0005 0.0000
CYLINDER 2 1 2.911 0.0005 0.0000
'Clad Axial End Piece 1
CYLINDER 3 1 3.0994 0.0005 0.0000
CYLINDER 2 1 3.2233 0.0005 0.0000
'Clad Axial End Piece 2
CYLINDER 3 1 3.9218 0.0005 0.0000
CYLINDER 2 1 4.0457 0.0005 0.0000
'Clad Axial End Piece 3
CYLINDER 3 1 4.7442 0.0005 0.0000
CYLINDER 2 1 4.8681 0.0005 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 0.0005 0.0000
CYLINDER 2 1 5.0799 0.0005 0.0000
UNIT 3
COM='Fuel Element Tube 1
CYLINDER 3 1 5.0800 59.0763 0.0000
HOLE 2 0.0000 0.0000 0.0000
HOLE 1 0.0000 0.0000 0.0006
HOLE 2 0.0000 0.0000 59.0757
UNIT 4
COM='Basket Fuel Tube - Fuel Down Radial Shifted toward 0 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 3 0.0000 0.0000 0.0000
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 5
COM='Basket Fuel Tube - Fuel Up Radial Shifted toward 0 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 3 0.0000 0.0000 13.9484
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 6
COM='Fueled Annular Sections Tube 2

```

```

'Aluminum Inner
CYLINDER 3 1 2.9100 59.0750 0.0000
CYLINDER 2 1 2.911 59.0750 0.0000
'Fuel Annulus 1
CYLINDER 3 1 3.0994 59.0750 0.0000
CYLINDER 2 1 3.1094 59.0750 0.0000
CYLINDER 1 1 3.2133 59.0750 0.0000
CYLINDER 2 1 3.2233 59.0750 0.0000
'Fuel Annulus 2
CYLINDER 3 1 3.9218 59.0750 0.0000
CYLINDER 2 1 3.9318 59.0750 0.0000
CYLINDER 1 1 4.0357 59.0750 0.0000
CYLINDER 2 1 4.0457 59.0750 0.0000
'Fuel Annulus 3
CYLINDER 3 1 4.7442 59.0750 0.0000
CYLINDER 2 1 4.7542 59.0750 0.0000
CYLINDER 1 1 4.8581 59.0750 0.0000
CYLINDER 2 1 4.8681 59.0750 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 59.0750 0.0000
CYLINDER 2 1 5.0799 59.0750 0.0000
UNIT 7
COM='Axial Clad Sections Tube 2
'Aluminum Inner
CYLINDER 3 1 2.9100 0.0005 0.0000
CYLINDER 2 1 2.911 0.0005 0.0000
'Clad Axial End Piece 1
CYLINDER 3 1 3.0994 0.0005 0.0000
CYLINDER 2 1 3.2233 0.0005 0.0000
'Clad Axial End Piece 2
CYLINDER 3 1 3.9218 0.0005 0.0000
CYLINDER 2 1 4.0457 0.0005 0.0000
'Clad Axial End Piece 3
CYLINDER 3 1 4.7442 0.0005 0.0000
CYLINDER 2 1 4.8681 0.0005 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 0.0005 0.0000
CYLINDER 2 1 5.0799 0.0005 0.0000
UNIT 8
COM='Fuel Element Tube 2
CYLINDER 3 1 5.0800 59.0763 0.0000
HOLE 7 0.0000 0.0000 0.0000
HOLE 6 0.0000 0.0000 0.0006
HOLE 7 0.0000 0.0000 59.0757
UNIT 9
COM='Basket Fuel Tube - Fuel Down Radial Shifted toward 180 Degrees
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 8 -0.1777 0.0000 0.0000
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 10
COM='Basket Fuel Tube - Fuel Up Radial Shifted toward 180 Degrees
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 8 -0.1777 0.0000 13.9484
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 11
COM='Fueled Annular Sections Tube 3
'Aluminum Inner
CYLINDER 3 1 2.9100 59.0750 0.0000
CYLINDER 2 1 2.911 59.0750 0.0000
'Fuel Annulus 1
CYLINDER 3 1 3.0994 59.0750 0.0000
CYLINDER 2 1 3.1094 59.0750 0.0000
CYLINDER 1 1 3.2133 59.0750 0.0000
CYLINDER 2 1 3.2233 59.0750 0.0000
'Fuel Annulus 2
CYLINDER 3 1 3.9218 59.0750 0.0000
CYLINDER 2 1 3.9318 59.0750 0.0000
CYLINDER 1 1 4.0357 59.0750 0.0000
CYLINDER 2 1 4.0457 59.0750 0.0000
'Fuel Annulus 3
CYLINDER 3 1 4.7442 59.0750 0.0000
CYLINDER 2 1 4.7542 59.0750 0.0000
CYLINDER 1 1 4.8581 59.0750 0.0000
CYLINDER 2 1 4.8681 59.0750 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 59.0750 0.0000
CYLINDER 2 1 5.0799 59.0750 0.0000
UNIT 12
COM='Axial Clad Sections Tube 3
'Aluminum Inner
CYLINDER 3 1 2.9100 0.0005 0.0000
CYLINDER 2 1 2.911 0.0005 0.0000
'Clad Axial End Piece 1
CYLINDER 3 1 3.0994 0.0005 0.0000
CYLINDER 2 1 3.2233 0.0005 0.0000
'Clad Axial End Piece 2
CYLINDER 3 1 3.9218 0.0005 0.0000
CYLINDER 2 1 4.0457 0.0005 0.0000
'Clad Axial End Piece 3
CYLINDER 3 1 4.7442 0.0005 0.0000
CYLINDER 2 1 4.8681 0.0005 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 0.0005 0.0000
CYLINDER 2 1 5.0799 0.0005 0.0000
UNIT 13
COM='Fuel Element Tube 3

```

```
CYLINDER 3 1 5.0800 59.0763 0.0000
HOLE 12 0.0000 0.0000 0.0000
HOLE 11 0.0000 0.0000 0.0006
HOLE 12 0.0000 0.0000 59.0757
UNIT 14
COM='Basket Fuel Tube - Fuel Down Radial Shifted toward 240 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 13 -0.0889 -0.1539 0.0000
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 15
COM='Basket Fuel Tube - Fuel Up Radial Shifted toward 240 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 13 -0.0889 -0.1539 13.9484
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 16
COM='Fueled Annular Sections Tube 4'
'Aluminum Inner
CYLINDER 3 1 2.9100 59.0750 0.0000
CYLINDER 2 1 2.911 59.0750 0.0000
'Fuel Annulus 1
CYLINDER 3 1 3.0994 59.0750 0.0000
CYLINDER 2 1 3.1094 59.0750 0.0000
CYLINDER 1 1 3.2133 59.0750 0.0000
CYLINDER 2 1 3.2233 59.0750 0.0000
'Fuel Annulus 2
CYLINDER 3 1 3.9218 59.0750 0.0000
CYLINDER 2 1 3.9318 59.0750 0.0000
CYLINDER 1 1 4.0357 59.0750 0.0000
CYLINDER 2 1 4.0457 59.0750 0.0000
'Fuel Annulus 3
CYLINDER 3 1 4.7442 59.0750 0.0000
CYLINDER 2 1 4.7542 59.0750 0.0000
CYLINDER 1 1 4.8581 59.0750 0.0000
CYLINDER 2 1 4.8681 59.0750 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 59.0750 0.0000
CYLINDER 2 1 5.0799 59.0750 0.0000
UNIT 17
COM='Axial Clad Sections Tube 4'
'Aluminum Inner
CYLINDER 3 1 2.9100 0.0005 0.0000
CYLINDER 2 1 2.911 0.0005 0.0000
'Clad Axial End Piece 1
CYLINDER 3 1 3.0994 0.0005 0.0000
CYLINDER 2 1 3.2233 0.0005 0.0000
'Clad Axial End Piece 2
CYLINDER 3 1 3.9218 0.0005 0.0000
CYLINDER 2 1 4.0457 0.0005 0.0000
'Clad Axial End Piece 3
CYLINDER 3 1 4.7442 0.0005 0.0000
CYLINDER 2 1 4.8681 0.0005 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 0.0005 0.0000
CYLINDER 2 1 5.0799 0.0005 0.0000
UNIT 18
COM='Fuel Element Tube 4'
CYLINDER 3 1 5.0800 59.0763 0.0000
HOLE 17 0.0000 0.0000 0.0000
HOLE 16 0.0000 0.0000 0.0006
HOLE 17 0.0000 0.0000 59.0757
UNIT 19
COM='Basket Fuel Tube - Fuel Down Radial Shifted toward 300 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 18 0.0889 -0.1539 0.0000
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 20
COM='Basket Fuel Tube - Fuel Up Radial Shifted toward 300 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 18 0.0889 -0.1539 13.9484
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 21
COM='Fueled Annular Sections Tube 5'
'Aluminum Inner
CYLINDER 3 1 2.9100 59.0750 0.0000
CYLINDER 2 1 2.911 59.0750 0.0000
'Fuel Annulus 1
CYLINDER 3 1 3.0994 59.0750 0.0000
CYLINDER 2 1 3.1094 59.0750 0.0000
CYLINDER 1 1 3.2133 59.0750 0.0000
CYLINDER 2 1 3.2233 59.0750 0.0000
'Fuel Annulus 2
CYLINDER 3 1 3.9218 59.0750 0.0000
CYLINDER 2 1 3.9318 59.0750 0.0000
CYLINDER 1 1 4.0357 59.0750 0.0000
CYLINDER 2 1 4.0457 59.0750 0.0000
'Fuel Annulus 3
CYLINDER 3 1 4.7442 59.0750 0.0000
CYLINDER 2 1 4.7542 59.0750 0.0000
CYLINDER 1 1 4.8581 59.0750 0.0000
CYLINDER 2 1 4.8681 59.0750 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 59.0750 0.0000
CYLINDER 2 1 5.0799 59.0750 0.0000
UNIT 22
COM='Axial Clad Sections Tube 5'
'Aluminum Inner
```

```
CYLINDER 3 1 2.9100 0.0005 0.0000
CYLINDER 2 1 2.911 0.0005 0.0000
'Clad Axial End Piece 1
CYLINDER 3 1 3.0994 0.0005 0.0000
CYLINDER 2 1 3.2233 0.0005 0.0000
'Clad Axial End Piece 2
CYLINDER 3 1 3.9218 0.0005 0.0000
CYLINDER 2 1 4.0457 0.0005 0.0000
'Clad Axial End Piece 3
CYLINDER 3 1 4.7442 0.0005 0.0000
CYLINDER 2 1 4.8681 0.0005 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 0.0005 0.0000
CYLINDER 2 1 5.0799 0.0005 0.0000
UNIT 23
COM='Fuel Element Tube 5'
CYLINDER 3 1 5.0800 59.0763 0.0000
HOLE 22 0.0000 0.0000 0.0000
HOLE 21 0.0000 0.0000 0.0006
HOLE 22 0.0000 0.0000 59.0757
UNIT 24
COM='Basket Fuel Tube - Fuel Down Radial Shifted toward 0 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 23 0.1777 0.0000 0.0000
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 25
COM='Basket Fuel Tube - Fuel Up Radial Shifted toward 0 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 23 0.1777 0.0000 13.9484
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 26
COM='Fueled Annular Sections Tube 6'
'Aluminum Inner
CYLINDER 3 1 2.9100 59.0750 0.0000
CYLINDER 2 1 2.911 59.0750 0.0000
'Fuel Annulus 1
CYLINDER 3 1 3.0994 59.0750 0.0000
CYLINDER 2 1 3.1094 59.0750 0.0000
CYLINDER 1 1 3.2133 59.0750 0.0000
CYLINDER 2 1 3.2233 59.0750 0.0000
'Fuel Annulus 2
CYLINDER 3 1 3.9218 59.0750 0.0000
CYLINDER 2 1 3.9318 59.0750 0.0000
CYLINDER 1 1 4.0357 59.0750 0.0000
CYLINDER 2 1 4.0457 59.0750 0.0000
'Fuel Annulus 3
CYLINDER 3 1 4.7442 59.0750 0.0000
CYLINDER 2 1 4.7542 59.0750 0.0000
CYLINDER 1 1 4.8581 59.0750 0.0000
CYLINDER 2 1 4.8681 59.0750 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 59.0750 0.0000
CYLINDER 2 1 5.0799 59.0750 0.0000
UNIT 27
COM='Axial Clad Sections Tube 6'
'Aluminum Inner
CYLINDER 3 1 2.9100 0.0005 0.0000
CYLINDER 2 1 2.911 0.0005 0.0000
'Clad Axial End Piece 1
CYLINDER 3 1 3.0994 0.0005 0.0000
CYLINDER 2 1 3.2233 0.0005 0.0000
'Clad Axial End Piece 2
CYLINDER 3 1 3.9218 0.0005 0.0000
CYLINDER 2 1 4.0457 0.0005 0.0000
'Clad Axial End Piece 3
CYLINDER 3 1 4.7442 0.0005 0.0000
CYLINDER 2 1 4.8681 0.0005 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 0.0005 0.0000
CYLINDER 2 1 5.0799 0.0005 0.0000
UNIT 28
COM='Fuel Element Tube 6'
CYLINDER 3 1 5.0800 59.0763 0.0000
HOLE 27 0.0000 0.0000 0.0000
HOLE 26 0.0000 0.0000 0.0006
HOLE 27 0.0000 0.0000 59.0757
UNIT 29
COM='Basket Fuel Tube - Fuel Down Radial Shifted toward 60 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 28 0.0889 0.1539 0.0000
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 30
COM='Basket Fuel Tube - Fuel Up Radial Shifted toward 60 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 28 0.0889 0.1539 13.9484
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 31
COM='Fueled Annular Sections Tube 7'
'Aluminum Inner
CYLINDER 3 1 2.9100 59.0750 0.0000
CYLINDER 2 1 2.911 59.0750 0.0000
'Fuel Annulus 1
CYLINDER 3 1 3.0994 59.0750 0.0000
CYLINDER 2 1 3.1094 59.0750 0.0000
CYLINDER 1 1 3.2133 59.0750 0.0000
CYLINDER 2 1 3.2233 59.0750 0.0000
```

```

'Fuel Annulus      2
CYLINDER 3 1 3.9218 59.0750 0.0000
CYLINDER 2 1 3.9318 59.0750 0.0000
CYLINDER 1 1 4.0357 59.0750 0.0000
CYLINDER 2 1 4.0457 59.0750 0.0000
'Fuel Annulus      3
CYLINDER 3 1 4.7442 59.0750 0.0000
CYLINDER 2 1 4.7542 59.0750 0.0000
CYLINDER 1 1 4.8581 59.0750 0.0000
CYLINDER 2 1 4.8681 59.0750 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 59.0750 0.0000
CYLINDER 2 1 5.0799 59.0750 0.0000
UNIT 32
COM='Axial Clad Sections      Tube 7'
'Aluminum Inner
CYLINDER 3 1 2.9100 0.0005 0.0000
CYLINDER 2 1 2.911 0.0005 0.0000
'Clad Axial End Piece 1
CYLINDER 3 1 3.0994 0.0005 0.0000
CYLINDER 2 1 3.2233 0.0005 0.0000
'Clad Axial End Piece 2
CYLINDER 3 1 3.9218 0.0005 0.0000
CYLINDER 2 1 4.0457 0.0005 0.0000
'Clad Axial End Piece 3
CYLINDER 3 1 4.7442 0.0005 0.0000
CYLINDER 2 1 4.8681 0.0005 0.0000
'Aluminum Outer
CYLINDER 3 1 5.0700 0.0005 0.0000
CYLINDER 2 1 5.0799 0.0005 0.0000
UNIT 33
COM='Fuel Element      Tube 7'
CYLINDER 3 1 5.0800 59.0763 0.0000
HOLE 32 0.0000 0.0000 0.0000
HOLE 31 0.0000 0.0000 0.0006
HOLE 32 0.0000 0.0000 59.0757
UNIT 34
COM='Basket Fuel Tube - Fuel Down      Radial Shifted toward 120 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 33 -0.0889 0.1539 0.0000
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 35
COM='Basket Fuel Tube - Fuel Up      Radial Shifted toward 120 Degrees'
CYLINDER 3 1 5.2578 73.0249 0.0000
HOLE 33 -0.0889 0.1539 13.9484
CYLINDER 6 1 5.57510 73.0249 0.0000
UNIT 36
COM='Basket Bottom Plate Hole '
CYLINDER 3 1 1.27 1.2190 0.0000
UNIT 37
COM='Basket Bottom Plate '
CYLINDER 6 1 16.8466 1.2190 0.0000
HOLE 36 0.0000 0.0000 0.0000
HOLE 36 11.1506 0.0000 0.0000
HOLE 36 5.5753 9.6567 0.0000
HOLE 36 -5.5753 9.6567 0.0000
HOLE 36 -11.1506 0.0000 0.0000
HOLE 36 -5.5753 -9.6567 0.0000
HOLE 36 5.5753 -9.6567 0.0000
UNIT 38
COM='Basket Fuel Down'
CYLINDER 3 1 16.7260 73.0249 0.0000
HOLE 4 0.0000 0.0000 0.0000
HOLE 9 11.1506 0.0000 0.0000
HOLE 14 5.5753 9.6567 0.0000
HOLE 19 -5.5753 9.6567 0.0000
HOLE 24 -11.1506 0.0000 0.0000
HOLE 29 -5.5753 -9.6567 0.0000
HOLE 34 5.5753 -9.6567 0.0000
CYLINDER 3 1 16.8466 73.0249 0.0000
UNIT 39
COM='Basket Fuel Up'
CYLINDER 3 1 16.7260 73.0249 0.0000
HOLE 5 0.0000 0.0000 0.0000
HOLE 10 11.1506 0.0000 0.0000
HOLE 15 5.5753 9.6567 0.0000
HOLE 20 -5.5753 9.6567 0.0000
HOLE 25 -11.1506 0.0000 0.0000
HOLE 30 -5.5753 -9.6567 0.0000
HOLE 35 5.5753 -9.6567 0.0000
CYLINDER 3 1 16.8466 73.0249 0.0000
UNIT 40
COM='Cask Cavity '
CYLINDER 3 1 16.9863 445.4652 0.0000
HOLE 37 0.0000 0.0000 0.0001
HOLE 39 0.0000 0.0000 1.2192
HOLE 37 0.0000 0.0000 74.2443
HOLE 38 0.0000 0.0000 75.4634
HOLE 37 0.0000 0.0000 148.4885
HOLE 39 0.0000 0.0000 149.7076
HOLE 37 0.0000 0.0000 222.7327
HOLE 38 0.0000 0.0000 223.9518
HOLE 37 0.0000 0.0000 296.9769
HOLE 39 0.0000 0.0000 298.1960
HOLE 37 0.0000 0.0000 371.2211
HOLE 38 0.0000 0.0000 372.4402

```

```

UNIT 41
COM='Cask Shield Radial Configuration '
CYLINDER 3 1 16.9863 445.4652 0.0000
HOLE 40 0.0000 0.0000 0.0000
CYLINDER 8 1 18.9103 445.4652 0.0000
CYLINDER 5 1 33.4645 445.4652 0.0000
CYLINDER 8 1 36.5189 445.4652 0.0000
CYLINDER 9 1 49.2189 445.4652 0.0000
CYLINDER 8 1 49.8183 445.4652 0.0000
CUBOID 9 1 4P49.8183 445.4652 0.0000
UNIT 42
COM='LWT Lid '
CYLINDER 8 1 36.5189 28.5750 0.5994
CYLINDER 9 1 49.8183 28.5750 0.5994
CYLINDER 8 1 49.8183 28.5750 0.0000
CUBOID 9 1 4P49.8183 28.5750 0.0000
UNIT 43
COM='LWT Bottom Weldment '
CYLINDER 5 1 26.3525 16.5100 8.8900
CYLINDER 8 1 36.5189 26.0706 0.0000
CYLINDER 9 1 49.8183 26.0706 0.0000
CYLINDER 8 1 49.8183 26.6700 0.0000
CUBOID 9 1 4P49.8183 26.6700 0.0000
GLOBAL UNIT 44
COM='LWT Cask '
ARRAY 1 -49.8183 -49.8183 0.0000
END GEOM
READ ARRAY
ARA=1 NUX=1 NUY=1 NUZ=3 FILL 43 41 42 END FILL
END ARRAY
READ BOUNDS ALL=MIRROR END BOUNDS
END DATA

```

**** PROBLEM PARAMETERS ****

```

LIB 27GROUPNDF4 LIBRARY
MX 9 MIXTURES
MSC 11 COMPOSITION SPECIFICATIONS
IZM 3 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

```

**** PROBLEM COMPOSITION DESCRIPTION ****

```

SC URANIUM STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.4084 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
          92000 1.00 ATOM/MOLECULE
                92235 85.000 WT%
                92238 15.000 WT%

```

END

```

SC AL STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.2957 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
          13027 1.00 ATOM/MOLECULE

```

END

```

SC AL STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
          13027 1.00 ATOM/MOLECULE

```

END

```

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9998 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
          1001 2.00 ATOMS/MOLECULE
          8016 1.00 ATOM/MOLECULE

```

END

```

SC ARBMGLC STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 0.5840 VOLUME FRACTION
ROTH 0.9437 SPECIFIED DENSITY
NEL 3 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
          6012 2.00 ATOMS/MOLECULE

```


1001 6.00 ATOMS/MOLECULE
8016 2.00 ATOMS/MOLECULE
END

SC H2O STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 0.4160 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

SC PB STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE
END

SC SS304 STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%
END

SC AL STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE
END

SC SS304 STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%
END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.0001 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE
END

**** PROBLEM GEOMETRY ****

CTP SYMMSLABCELL CELL TYPE
PITCH 0.6342 CM CENTER TO CENTER SPACING
FUELOD 0.1039 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 0.1239 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS CLAD
ZONE 3 IS MOD

```

*****
***
***
***          LWT W/ HIFAR MARK III FUEL, ACCIDENT, RADIAL - IN, AXIAL - ALTERNATING
***
***
***

```

```

*****
***
***          ***** DATA LIBRARY INFORMATION *****
***
***

```

UNIT NUMBER	DATA SET NAME	VOLUME NAME	UNIT FUNCTION
89	M:\scale43\DATALIB\FT89F001		STANDARD COMPOSITION LIBRARY
82	M:\scale43\DATALIB\FT82F001		CROSS SECTION LIBRARY
11	K:\HJP\LWT\ANSTO\Crit\HIFAR Mark III_v1.1\Ac		SHORT CROSS SECTION LIBRARY
90	K:\HJP\LWT\ANSTO\Crit\HIFAR Mark III_v1.1\Ac		INPUT DATA DIRECT ACCESS

```

*****
***
***          STANDARD COMPOSITION LIBRARY DATA
***
***          -----

```

```

***
***          UNIT NUMBER : 89
***
***          DATASET NAME : M:\scale43\DATALIB\FT89F001
***
***          LIBRARY TITLE: SCALE-4 STANDARD COMPOSITION LIBRARY
***          637 STANDARD COMPOSITIONS, 490 NUCLIDES
***          90 ELEMENTS WITH VARIABLE ISOTOPIC DISTRIBUTIONS.
***
***          CREATION DATE: 6/30/95

```

```

***
***          CROSS SECTION LIBRARY DATA
***
***          -----

```

```

***
***          UNIT NUMBER : 82
***
***          DATASET NAME : M:\scale43\DATALIB\FT82F001
***
***          LIBRARY TITLE: SCALE 4.2 - 27 GROUP NEUTRON GROUP LIBRARY

```

```
***
***      BASED ON ENDF-B VERSION 4 DATA
***      COMPILED FOR NRC      1/27/89
***      LAST UPDATED
***      L.M.PETRIE - ORNL
***
***
***
***
***
***
***
***
***
***
```

MIXING TABLE

ENTRY	MIXTURE	ISOTOPE	NUMBER DENSITY	NEW IDENTIFIER
1	1	92235	8.89418E-04	1092235
2	1	92238	1.54974E-04	1092238
3	1	13027	6.59980E-03	1013027
4	2	13027	6.03066E-02	2013027
5	7	13027	6.03066E-02	7013027
6	3	1001	6.68762E-02	3001001
7	4	1001	5.98801E-02	4001001
8	9	1001	6.68896E-06	9001001
9	3	8016	3.34381E-02	3008016
10	4	8016	2.45894E-02	4008016
11	9	8016	3.34448E-06	9008016
12	4	6012	1.07014E-02	4006012
13	5	82000	3.29690E-02	5082000
14	6	24304	1.74286E-02	6024304
15	8	24304	1.74286E-02	8024304
16	6	25055	1.73633E-03	6025055
17	8	25055	1.73633E-03	8025055
18	6	26304	5.93579E-02	6026304
19	8	26304	5.93579E-02	8026304
20	6	28304	7.72070E-03	6028304
21	8	28304	7.72070E-03	8028304

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 3.89437E-03

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 1.68500E+01 -X=-1.68500E+01 +Y=-1.68500E+01 -Y= 1.68500E+01 +Z= 4.72140E+02 -Z= 2.66700E+01

THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.72350 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.80000 MINUTES.

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE	MATRIX K-EFF DEVIATION
KENO MESSAGE NUMBER K5-132	WARNING... ONLY	791 INDEPENDENT	FISSION POINTS WERE GENERATED			
1	7.09889E-01	8.01833E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	WARNING... ONLY	791 INDEPENDENT	FISSION POINTS WERE GENERATED			
2	7.07974E-01	8.05500E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	WARNING... ONLY	818 INDEPENDENT	FISSION POINTS WERE GENERATED			
3	7.28123E-01	8.09167E-01	7.28123E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	6.99889E-01	8.12833E-01	7.14006E-01	1.41169E-02	0.00000E+00	0.00000E+00
5	7.45916E-01	8.16500E-01	7.24642E-01	1.34002E-02	0.00000E+00	0.00000E+00
6	7.24359E-01	8.20167E-01	7.24572E-01	9.47566E-03	0.00000E+00	0.00000E+00
7	7.18195E-01	8.23833E-01	7.23296E-01	7.44978E-03	0.00000E+00	0.00000E+00
8	7.14250E-01	8.27500E-01	7.21789E-01	6.26678E-03	0.00000E+00	0.00000E+00
9	7.20630E-01	8.31167E-01	7.21623E-01	5.29899E-03	0.00000E+00	0.00000E+00
10	7.14943E-01	8.34833E-01	7.20788E-01	4.66441E-03	0.00000E+00	0.00000E+00
11	7.40037E-01	8.38500E-01	7.22927E-01	4.63641E-03	0.00000E+00	0.00000E+00
12	7.51910E-01	8.42167E-01	7.25825E-01	5.05936E-03	0.00000E+00	0.00000E+00
13	7.06498E-01	8.45833E-01	7.24068E-01	4.90206E-03	0.00000E+00	0.00000E+00
14	7.52900E-01	8.49500E-01	7.26471E-01	5.07915E-03	0.00000E+00	0.00000E+00
15	6.88658E-01	8.53167E-01	7.23562E-01	5.50359E-03	0.00000E+00	0.00000E+00
16	7.37354E-01	8.56833E-01	7.24547E-01	5.18969E-03	0.00000E+00	0.00000E+00
17	7.21124E-01	8.60500E-01	7.24319E-01	4.83673E-03	0.00000E+00	0.00000E+00
18	7.52855E-01	8.63167E-01	7.26102E-01	4.86318E-03	0.00000E+00	0.00000E+00
19	7.21886E-01	8.66833E-01	7.25854E-01	4.57489E-03	0.00000E+00	0.00000E+00
20	7.15449E-01	8.70500E-01	7.25276E-01	4.35182E-03	0.00000E+00	0.00000E+00
21	7.45817E-01	8.74167E-01	7.26357E-01	4.25600E-03	0.00000E+00	0.00000E+00
22	6.99200E-01	8.77833E-01	7.25000E-01	4.25981E-03	0.00000E+00	0.00000E+00
23	7.23050E-01	8.81500E-01	7.24907E-01	4.05295E-03	0.00000E+00	0.00000E+00
24	7.03529E-01	8.85167E-01	7.23935E-01	3.98463E-03	0.00000E+00	0.00000E+00
25	7.51812E-01	8.88833E-01	7.25147E-01	3.99570E-03	0.00000E+00	0.00000E+00
26	6.72410E-01	8.92500E-01	7.22950E-01	4.41175E-03	0.00000E+00	0.00000E+00
27	7.41152E-01	8.96167E-01	7.23678E-01	4.29379E-03	0.00000E+00	0.00000E+00
28	6.84907E-01	8.99833E-01	7.22187E-01	4.38657E-03	0.00000E+00	0.00000E+00
29	7.62803E-01	9.03500E-01	7.23691E-01	4.48103E-03	0.00000E+00	0.00000E+00
30	7.34032E-01	9.07167E-01	7.24060E-01	4.33379E-03	0.00000E+00	0.00000E+00
31	7.44923E-01	9.10833E-01	7.24780E-01	4.24311E-03	0.00000E+00	0.00000E+00
32	7.49358E-01	9.13500E-01	7.25599E-01	4.18031E-03	0.00000E+00	0.00000E+00
33	7.39990E-01	9.17167E-01	7.26063E-01	4.06978E-03	0.00000E+00	0.00000E+00
34	7.15728E-01	9.20833E-01	7.25740E-01	3.95376E-03	0.00000E+00	0.00000E+00
35	7.13413E-01	9.25500E-01	7.25367E-01	3.85024E-03	0.00000E+00	0.00000E+00
36	7.58703E-01	9.28167E-01	7.26347E-01	3.86182E-03	0.00000E+00	0.00000E+00
37	7.34892E-01	9.31833E-01	7.26591E-01	3.75780E-03	0.00000E+00	0.00000E+00
38	7.94697E-01	9.35500E-01	7.28483E-01	4.11285E-03	0.00000E+00	0.00000E+00
39	7.23480E-01	9.39167E-01	7.28348E-01	4.00243E-03	0.00000E+00	0.00000E+00
40	7.30759E-01	9.42833E-01	7.28411E-01	3.89620E-03	0.00000E+00	0.00000E+00
41	7.34901E-01	9.46500E-01	7.28578E-01	3.79863E-03	0.00000E+00	0.00000E+00
42	7.39935E-01	9.49167E-01	7.28862E-01	3.71331E-03	0.00000E+00	0.00000E+00
43	7.48304E-01	9.52833E-01	7.29336E-01	3.65253E-03	0.00000E+00	0.00000E+00
44	7.17041E-01	9.56500E-01	7.29043E-01	3.57650E-03	0.00000E+00	0.00000E+00
45	7.17662E-01	9.60167E-01	7.28778E-01	3.50235E-03	0.00000E+00	0.00000E+00
46	7.25939E-01	9.63833E-01	7.28714E-01	3.42244E-03	0.00000E+00	0.00000E+00
47	7.47779E-01	9.68500E-01	7.29138E-01	3.37224E-03	0.00000E+00	0.00000E+00
48	7.16671E-01	9.71167E-01	7.28867E-01	3.30923E-03	0.00000E+00	0.00000E+00
49	7.05373E-01	9.74833E-01	7.28367E-01	3.27641E-03	0.00000E+00	0.00000E+00
50	6.93529E-01	9.78500E-01	7.27641E-01	3.28852E-03	0.00000E+00	0.00000E+00
51	7.34499E-01	9.82167E-01	7.27781E-01	3.22375E-03	0.00000E+00	0.00000E+00
52	7.09665E-01	9.85833E-01	7.27419E-01	3.17932E-03	0.00000E+00	0.00000E+00
53	7.51152E-01	9.89500E-01	7.27884E-01	3.15091E-03	0.00000E+00	0.00000E+00
54	7.31311E-01	9.93167E-01	7.27950E-01	3.09043E-03	0.00000E+00	0.00000E+00
55	7.07805E-01	9.96833E-01	7.27570E-01	3.05529E-03	0.00000E+00	0.00000E+00
1185	7.39458E-01	5.71767E+00	7.26398E-01	6.71494E-04	0.00000E+00	0.00000E+00
1186	7.76993E-01	5.72233E+00	7.26441E-01	6.72286E-04	0.00000E+00	0.00000E+00
1187	7.42277E-01	5.72683E+00	7.26455E-01	6.71852E-04	0.00000E+00	0.00000E+00
1188	7.23662E-01	5.73233E+00	7.26452E-01	6.71289E-04	0.00000E+00	0.00000E+00
1189	6.93317E-01	5.73600E+00	7.26424E-01	6.71304E-04	0.00000E+00	0.00000E+00
1190	7.45434E-01	5.73967E+00	7.26440E-01	6.70929E-04	0.00000E+00	0.00000E+00
1191	7.33420E-01	5.74600E+00	7.26446E-01	6.70391E-04	0.00000E+00	0.00000E+00
1192	7.00802E-01	5.75067E+00	7.26425E-01	6.70174E-04	0.00000E+00	0.00000E+00
1193	7.01500E-01	5.75800E+00	7.26404E-01	6.69938E-04	0.00000E+00	0.00000E+00
1194	7.14325E-01	5.76167E+00	7.26394E-01	6.69452E-04	0.00000E+00	0.00000E+00
1195	7.37661E-01	5.76617E+00	7.26403E-01	6.68957E-04	0.00000E+00	0.00000E+00
1196	7.54176E-01	5.77167E+00	7.26426E-01	6.68802E-04	0.00000E+00	0.00000E+00
1197	7.13691E-01	5.77533E+00	7.26416E-01	6.68327E-04	0.00000E+00	0.00000E+00
1198	7.17434E-01	5.78000E+00	7.26408E-01	6.67810E-04	0.00000E+00	0.00000E+00
1199	7.49003E-01	5.78633E+00	7.26427E-01	6.67519E-04	0.00000E+00	0.00000E+00
1200	7.16163E-01	5.79000E+00	7.26418E-01	6.67016E-04	0.00000E+00	0.00000E+00
1201	7.40547E-01	5.79467E+00	7.26430E-01	6.66564E-04	0.00000E+00	0.00000E+00
1202	6.80678E-01	5.80017E+00	7.26392E-01	6.67099E-04	0.00000E+00	0.00000E+00
1203	7.42750E-01	5.80550E+00	7.26406E-01	6.66682E-04	0.00000E+00	0.00000E+00


KENO MESSAGE NUMBER K5-123

EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.


LIFETIME = 1.12919E-04 + OR - 1.14508E-07 GENERATION TIME = 8.97425E-05 + OR - 1.08694E-07
 NU BAR = 2.41917E+00 + OR - 7.72772E-06 AVERAGE FISSION GROUP = 2.45962E+01 + OR - 2.74778E-03
 ENERGY(EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 3.03848E-02 + OR - 7.72864E-05


NO. OF INITIAL GENERATIONS OF SKIPPED HISTORIES	AVERAGE		67 PER CENT	95 PER CENT	99 PER CENT	NUMBER
	K-EFFECTIVE	DEVIATION	CONFIDENCE INTERVAL	CONFIDENCE INTERVAL	CONFIDENCE INTERVAL	
3	0.72640	+ OR - 0.00067	0.72574 TO 0.72707	0.72507 TO 0.72774	0.72440 TO 0.72841	1200000
4	0.72643	+ OR - 0.00067	0.72576 TO 0.72709	0.72509 TO 0.72776	0.72442 TO 0.72843	1199000
5	0.72641	+ OR - 0.00067	0.72574 TO 0.72708	0.72507 TO 0.72775	0.72441 TO 0.72841	1198000
6	0.72641	+ OR - 0.00067	0.72574 TO 0.72708	0.72508 TO 0.72775	0.72441 TO 0.72842	1197000
7	0.72642	+ OR - 0.00067	0.72575 TO 0.72709	0.72508 TO 0.72776	0.72441 TO 0.72843	1196000
8	0.72643	+ OR - 0.00067	0.72576 TO 0.72710	0.72509 TO 0.72777	0.72442 TO 0.72844	1195000
9	0.72643	+ OR - 0.00067	0.72576 TO 0.72710	0.72509 TO 0.72777	0.72442 TO 0.72844	1194000
10	0.72644	+ OR - 0.00067	0.72577 TO 0.72711	0.72510 TO 0.72778	0.72443 TO 0.72845	1193000
11	0.72643	+ OR - 0.00067	0.72576 TO 0.72710	0.72509 TO 0.72777	0.72442 TO 0.72844	1192000
12	0.72641	+ OR - 0.00067	0.72574 TO 0.72708	0.72507 TO 0.72775	0.72440 TO 0.72842	1191000
17	0.72643	+ OR - 0.00067	0.72576 TO 0.72710	0.72509 TO 0.72778	0.72441 TO 0.72845	1186000
22	0.72643	+ OR - 0.00067	0.72576 TO 0.72710	0.72508 TO 0.72778	0.72441 TO 0.72845	1181000
27	0.72646	+ OR - 0.00067	0.72579 TO 0.72714	0.72511 TO 0.72781	0.72444 TO 0.72849	1176000
32	0.72643	+ OR - 0.00068	0.72575 TO 0.72710	0.72508 TO 0.72778	0.72440 TO 0.72845	1171000
37	0.72640	+ OR - 0.00068	0.72572 TO 0.72708	0.72504 TO 0.72776	0.72437 TO 0.72843	1166000
42	0.72632	+ OR - 0.00068	0.72564 TO 0.72700	0.72497 TO 0.72768	0.72429 TO 0.72835	1161000
47	0.72630	+ OR - 0.00068	0.72562 TO 0.72698	0.72494 TO 0.72766	0.72426 TO 0.72834	1156000
52	0.72636	+ OR - 0.00068	0.72568 TO 0.72704	0.72500 TO 0.72773	0.72432 TO 0.72841	1151000
57	0.72637	+ OR - 0.00068	0.72569 TO 0.72705	0.72500 TO 0.72774	0.72432 TO 0.72842	1146000
1127	0.72607	+ OR - 0.00255	0.72352 TO 0.72862	0.72097 TO 0.73117	0.71842 TO 0.73372	76000
1132	0.72554	+ OR - 0.00252	0.72302 TO 0.72807	0.72050 TO 0.73059	0.71798 TO 0.73311	71000
1137	0.72634	+ OR - 0.00267	0.72368 TO 0.72901	0.72101 TO 0.73168	0.71834 TO 0.73434	66000
1142	0.72825	+ OR - 0.00270	0.72556 TO 0.73095	0.72286 TO 0.73364	0.72017 TO 0.73634	61000
1147	0.72781	+ OR - 0.00288	0.72493 TO 0.73069	0.72205 TO 0.73356	0.71917 TO 0.73644	56000
1152	0.72812	+ OR - 0.00281	0.72531 TO 0.73093	0.72250 TO 0.73374	0.71969 TO 0.73656	51000
1157	0.72726	+ OR - 0.00306	0.72420 TO 0.73033	0.72114 TO 0.73339	0.71807 TO 0.73645	46000
1162	0.72760	+ OR - 0.00327	0.72433 TO 0.73087	0.72106 TO 0.73415	0.71778 TO 0.73742	41000
1167	0.72818	+ OR - 0.00344	0.72473 TO 0.73162	0.72129 TO 0.73506	0.71784 TO 0.73851	36000
1172	0.72670	+ OR - 0.00377	0.72293 TO 0.73047	0.71917 TO 0.73423	0.71540 TO 0.73800	31000

NO. OF INITIAL GENERATIONS OF SKIPPED HISTORIES	AVERAGE		67 PER CENT	95 PER CENT	99 PER CENT	NUMBER
	K-EFFECTIVE	DEVIATION	CONFIDENCE INTERVAL	CONFIDENCE INTERVAL	CONFIDENCE INTERVAL	
1177	0.72557	+ OR - 0.00416	0.72142 TO 0.72973	0.71726 TO 0.73389	0.71310 TO 0.73805	26000
1182	0.72724	+ OR - 0.00502	0.72222 TO 0.73227	0.71719 TO 0.73729	0.71217 TO 0.74232	21000
1187	0.72279	+ OR - 0.00542	0.71737 TO 0.72820	0.71195 TO 0.73362	0.70654 TO 0.73903	16000
1192	0.72436	+ OR - 0.00676	0.71759 TO 0.73112	0.71083 TO 0.73789	0.70406 TO 0.74465	11000
1197	0.72443	+ OR - 0.01038	0.71405 TO 0.73481	0.70367 TO 0.74518	0.69330 TO 0.75556	6000



95	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
100	I * I
	I * I
	I * I
	I * I
	I * I
105	I * I
	I * I
	I * I
	I * I
	I * I
110	I * I
	I * I
	I * I
	I * I
	I * I
115	I * I
	I * I
	I * I
	I * I
	I * I
120	I * I
	I * I
	I * I
	I * I
	I * I
125	I * I
	I * I
	I * I
	I * I
	I * I
1150	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1155	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1160	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1165	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1170	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1175	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1180	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1185	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1190	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1195	I * I
	I * I
	I * I
	I * I
	I * I
	I * I
1200	I * I
	I * I
	I * I
	I * I
	I * I





FREQUENCY FOR GENERATIONS 4 TO 1203

0.6386 TO 0.6415 *
0.6415 TO 0.6444 *
0.6444 TO 0.6472 *
0.6472 TO 0.6501 *
0.6501 TO 0.6530 *
0.6530 TO 0.6558 **
0.6558 TO 0.6587 **
0.6587 TO 0.6616 *
0.6616 TO 0.6644 *
0.6644 TO 0.6673 ***
0.6673 TO 0.6702 ****
0.6702 TO 0.6730 ****
0.6730 TO 0.6759 *
0.6759 TO 0.6788 *****
0.6788 TO 0.6816 *****
0.6816 TO 0.6845 *****
0.6845 TO 0.6874 *****
0.6874 TO 0.6902 *****
0.6902 TO 0.6931 *****
0.6931 TO 0.6960 *****
0.6960 TO 0.6988 *****
0.6988 TO 0.7017 *****
0.7017 TO 0.7045 *****
0.7045 TO 0.7074 *****
0.7074 TO 0.7103 *****
0.7103 TO 0.7131 *****
0.7131 TO 0.7160 *****
0.7160 TO 0.7189 *****
0.7189 TO 0.7217 *****
0.7217 TO 0.7246 *****
0.7246 TO 0.7275 *****
0.7275 TO 0.7303 *****
0.7303 TO 0.7332 *****
0.7332 TO 0.7361 *****
0.7361 TO 0.7389 *****
0.7389 TO 0.7418 *****
0.7418 TO 0.7447 *****
0.7447 TO 0.7475 *****
0.7475 TO 0.7504 *****
0.7504 TO 0.7533 *****
0.7533 TO 0.7561 *****
0.7561 TO 0.7590 *****
0.7590 TO 0.7619 *****
0.7619 TO 0.7647 *****
0.7647 TO 0.7676 *****
0.7676 TO 0.7705 *****
0.7705 TO 0.7733 *****
0.7733 TO 0.7762 *****
0.7762 TO 0.7791 *****
0.7791 TO 0.7819 *****
0.7819 TO 0.7848 *
0.7848 TO 0.7877 ***
0.7877 TO 0.7905 ***
0.7905 TO 0.7934 *
0.7934 TO 0.7963 *

FREQUENCY FOR GENERATIONS 304 TO 1203

0.6386 TO 0.6415 *
0.6415 TO 0.6444 *
0.6444 TO 0.6472 *
0.6472 TO 0.6501 *
0.6501 TO 0.6530 **
0.6530 TO 0.6558 **
0.6558 TO 0.6587 **
0.6587 TO 0.6616 *
0.6616 TO 0.6644 **
0.6644 TO 0.6673 ***
0.6673 TO 0.6702 **
0.6702 TO 0.6730 *
0.6730 TO 0.6759 *****
0.6759 TO 0.6788 *****
0.6788 TO 0.6816 *****
0.6816 TO 0.6845 *****
0.6845 TO 0.6874 *****
0.6874 TO 0.6902 *****
0.6902 TO 0.6931 *****
0.6931 TO 0.6960 *****
0.6960 TO 0.6988 *****
0.6988 TO 0.7017 *****
0.7017 TO 0.7045 *****
0.7045 TO 0.7074 *****
0.7074 TO 0.7103 *****
0.7103 TO 0.7131 *****
0.7131 TO 0.7160 *****
0.7160 TO 0.7189 *****
0.7189 TO 0.7217 *****
0.7217 TO 0.7246 *****
0.7246 TO 0.7275 *****
0.7275 TO 0.7303 *****
0.7303 TO 0.7332 *****
0.7332 TO 0.7361 *****
0.7361 TO 0.7389 *****
0.7389 TO 0.7418 *****
0.7418 TO 0.7447 *****
0.7447 TO 0.7475 *****
0.7475 TO 0.7504 *****
0.7504 TO 0.7533 *****
0.7533 TO 0.7561 *****
0.7561 TO 0.7590 *****
0.7590 TO 0.7619 *****
0.7619 TO 0.7647 *****
0.7647 TO 0.7676 *****
0.7676 TO 0.7705 *****
0.7705 TO 0.7733 *****
0.7733 TO 0.7762 *****
0.7762 TO 0.7791 *****
0.7791 TO 0.7819 **
0.7819 TO 0.7848 *
0.7848 TO 0.7877 ***
0.7877 TO 0.7905 **
0.7905 TO 0.7934 *
0.7934 TO 0.7963 *

FREQUENCY FOR GENERATIONS 604 TO 1203

0.6386 TO 0.6415 *
0.6415 TO 0.6444 *
0.6444 TO 0.6472 *
0.6472 TO 0.6501 *
0.6501 TO 0.6530 *
0.6530 TO 0.6558 *
0.6558 TO 0.6587 **
0.6587 TO 0.6616 *
0.6616 TO 0.6644 **
0.6644 TO 0.6673 **
0.6673 TO 0.6702 *
0.6702 TO 0.6730 *
0.6730 TO 0.6759 ****
0.6759 TO 0.6788 ****
0.6788 TO 0.6816 *
0.6816 TO 0.6845 *****
0.6845 TO 0.6874 *****
0.6874 TO 0.6902 *****
0.6902 TO 0.6931 *****
0.6931 TO 0.6960 *****
0.6960 TO 0.6988 *****
0.6988 TO 0.7017 *****
0.7017 TO 0.7045 *****
0.7045 TO 0.7074 *****
0.7074 TO 0.7103 *****
0.7103 TO 0.7131 *****
0.7131 TO 0.7160 *****
0.7160 TO 0.7189 *****
0.7189 TO 0.7217 *****
0.7217 TO 0.7246 *****
0.7246 TO 0.7275 *****
0.7275 TO 0.7303 *****
0.7303 TO 0.7332 *****
0.7332 TO 0.7361 *****
0.7361 TO 0.7389 *****
0.7389 TO 0.7418 *****
0.7418 TO 0.7447 *****
0.7447 TO 0.7475 *****
0.7475 TO 0.7504 *****
0.7504 TO 0.7533 *****
0.7533 TO 0.7561 *****
0.7561 TO 0.7590 *****
0.7590 TO 0.7619 *****
0.7619 TO 0.7647 *****
0.7647 TO 0.7676 *****
0.7676 TO 0.7705 ***
0.7705 TO 0.7733 *****
0.7733 TO 0.7762 *****
0.7762 TO 0.7791 *****
0.7791 TO 0.7819 *
0.7819 TO 0.7848 *
0.7848 TO 0.7877 ***
0.7877 TO 0.7905 **
0.7905 TO 0.7934 *
0.7934 TO 0.7963

FREQUENCY FOR GENERATIONS 904 TO 1203.

0.6386	TO	0.6415	*
0.6415	TO	0.6444	
0.6444	TO	0.6472	
0.6472	TO	0.6501	
0.6501	TO	0.6530	
0.6530	TO	0.6558	
0.6558	TO	0.6587	**
0.6587	TO	0.6616	
0.6616	TO	0.6644	
0.6644	TO	0.6673	*
0.6673	TO	0.6702	**
0.6702	TO	0.6730	*
0.6730	TO	0.6759	
0.6759	TO	0.6788	***
0.6788	TO	0.6816	***
0.6816	TO	0.6845	*
0.6845	TO	0.6874	***
0.6874	TO	0.6902	****
0.6902	TO	0.6931	***
0.6931	TO	0.6960	*****
0.6960	TO	0.6988	****
0.6988	TO	0.7017	*****
0.7017	TO	0.7045	*****
0.7045	TO	0.7074	*****
0.7074	TO	0.7103	*****
0.7103	TO	0.7131	*****
0.7131	TO	0.7160	*****
0.7160	TO	0.7189	*****
0.7189	TO	0.7217	*****
0.7217	TO	0.7246	*****
0.7246	TO	0.7275	*****
0.7275	TO	0.7303	*****
0.7303	TO	0.7332	*****
0.7332	TO	0.7361	*****
0.7361	TO	0.7389	*****
0.7389	TO	0.7418	*****
0.7418	TO	0.7447	*****
0.7447	TO	0.7475	*****
0.7475	TO	0.7504	*****
0.7504	TO	0.7533	*****
0.7533	TO	0.7561	*****
0.7561	TO	0.7590	***
0.7590	TO	0.7619	*****
0.7619	TO	0.7647	***
0.7647	TO	0.7676	****
0.7676	TO	0.7705	*
0.7705	TO	0.7733	***
0.7733	TO	0.7762	***
0.7762	TO	0.7791	***
0.7791	TO	0.7819	
0.7819	TO	0.7848	
0.7848	TO	0.7877	*
0.7877	TO	0.7905	*
0.7905	TO	0.7934	
0.7934	TO	0.7963	

6.6.13 **MOATA Plate Bundles in the LWT Cask**

This section contains a truncated sample output file from the evaluation of MOATA plate bundles in the LWT cask. The output file is shown in Figure 6.6.13-1.

Figure 6.6.13-1 Maximum Reactivity MOATA Plate Bundle Configuration

```

PRIMARY MODULE ACCESS AND INPUT RECORD ( SCALE DRIVER - 95/03/29 - 09:06:37 )
MODULE CSAS25 WILL BE CALLED
LWT w/ MOATA Mark II Fuel, Accident, Radial - In, Axial - Alternating
' Basket Configuration
'   Fuel Tube OD - Nominal Fuel Tube Height - Min
'   Fuel Tube Thick - Min Fuel Base Plate - Min
' Fuel Plate Configuration
'   Fuel Plate Width - Max Fuel Plate Thickness - Nominal
'   Clad Thickness - Min
'   Active Fuel Width - Max Active Fuel Length - Nominal
'   Fuel Element Height - Min
' Spacer/Assembly
'   Plate Spacer Thickness- Max
'   Side Plate Thickness - Nominal Side Plate Width - Nominal
' Material Description
'   U-235 Fuel Mass - Max Uranium Weight Fraction - Max
27GROUPNDF4 LATTICECELL
'Material Description for LWT Analysis - MOATA Mark II Fuel
URANIUM 1 DEN=0.3093 1.0 293.0 92235 92.0 92238 08.0 END
AL 1 DEN=0.7718 1.0 293.0 END
AL 2 1.00 293.0 END
H2O 3 DEN=0.9998 1.00 293.0 END
ARBMGLC 0.9437 3 0 1 0
6012 2 1001 6 8016 2
4 0.5840 END
H2O 4 0.4160 293.0 END
PB 5 1.00 293.0 END
SS304 6 1.00 293.0 END
AL 7 1.00 293.0 END
SS304 8 1.00 293.0 END
H2O 9 DEN=0.0001 1.00 293.0 END
END COMP
SYMMSLABCELL 0.3832 0.1832 1 3 0.2032 2 END

READ PARAM TBA=5 TME=90 RUN=YES PLT=NO
GEN=1023 NPG=1000 END PARAM
READ START XSM=-16.85 XSP=16.85 YSM=16.85 YSP=-16.85
ZSM=26.67 ZSP=472.14 END START

READ GEOM
UNIT 1
COM='Fuel Plate'
CUBOID 1 1 2P0.0916 2P3.6608 58.4200 0.0000
CUBOID 2 1 2P0.1016 2P3.8291 58.4200 0.0000
CUBOID 3 1 2P0.1916 2P3.9334 58.4200 0.0000
UNIT 2
COM='Cavity Material Replacement - Side Plate'
CUBOID 3 1 2P0.3175 2P3.9334 58.4200 0.0000
UNIT 3
COM='Water Gap to Side Plate'
CUBOID 3 1 2P0.0450 2P3.9334 58.4200 0.0000
UNIT 4
COM='Plate Bundle'
ARRAY 11 -3.4074 -3.9334 0.0000
UNIT 5
COM='Fuel Plate'
CUBOID 1 1 2P3.6608 2P0.0916 58.4200 0.0000
CUBOID 2 1 2P3.8291 2P0.1016 58.4200 0.0000
CUBOID 3 1 2P3.9334 2P0.1916 58.4200 0.0000
UNIT 6
COM='Cavity Material Replacement - Side Plate'
CUBOID 3 1 2P3.9334 2P0.3175 58.4200 0.0000
UNIT 7
COM='Water Gap to Side Plate'
CUBOID 3 1 2P3.9334 2P0.0450 58.4200 0.0000
UNIT 8
COM='Plate Bundle'
ARRAY 12 -3.9334 -3.4074 0.0000
UNIT 9
COM='Tube 1 - Fuel Down Radial Shifted toward 0'
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 4 0.0000 0.0000 0.0000
CYLINDER 6 1 5.55525 73.0240 0.0000
UNIT 10
COM='Tube 1 - Fuel Up Radial Shifted toward 0'
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 4 0.0000 0.0000 14.6030
CYLINDER 6 1 5.55525 73.0240 0.0000
UNIT 11
COM='Tube 2 - Fuel Down Radial Shifted toward 180'
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 4 -0.0508 0.0000 0.0000
CYLINDER 6 1 5.55525 73.0240 0.0000
UNIT 12
COM='Tube 2 - Fuel Up Radial Shifted toward 180'
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 4 -0.0508 0.0000 14.6030
CYLINDER 6 1 5.55525 73.0240 0.0000
UNIT 13
COM='Tube 3 - Fuel Down Radial Shifted toward 240'
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 8 -0.0164 -0.0298 0.0000
CYLINDER 6 1 5.55525 73.0240 0.0000
UNIT 14

```

```

COM='Tube 3 - Fuel Up           Radial Shifted toward   240
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 8 -0.0164 -0.0298 14.6030
CYLINDER 6 1 5.5525 73.0240 0.0000
UNIT 15
COM='Tube 4 - Fuel Down         Radial Shifted toward   300
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 8 0.0164 -0.0298 0.0000
CYLINDER 6 1 5.5525 73.0240 0.0000
UNIT 16
COM='Tube 4 - Fuel Up           Radial Shifted toward   300
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 8 0.0164 -0.0298 14.6030
CYLINDER 6 1 5.5525 73.0240 0.0000
UNIT 17
COM='Tube 5 - Fuel Down         Radial Shifted toward    0
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 4 0.0508 0.0000 0.0000
CYLINDER 6 1 5.5525 73.0240 0.0000
UNIT 18
COM='Tube 5 - Fuel Up           Radial Shifted toward    0
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 4 0.0508 0.0000 14.6030
CYLINDER 6 1 5.5525 73.0240 0.0000
UNIT 19
COM='Tube 6 - Fuel Down         Radial Shifted toward   60
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 8 0.0164 0.0298 0.0000
CYLINDER 6 1 5.5525 73.0240 0.0000
UNIT 20
COM='Tube 6 - Fuel Up           Radial Shifted toward   60
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 8 0.0164 0.0298 14.6030
CYLINDER 6 1 5.5525 73.0240 0.0000
UNIT 21
COM='Tube 7 - Fuel Down         Radial Shifted toward  120
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 8 -0.0164 0.0298 0.0000
CYLINDER 6 1 5.5525 73.0240 0.0000
UNIT 22
COM='Tube 7 - Fuel Up           Radial Shifted toward  120
CYLINDER 3 1 5.2388 73.0240 0.0000
HOLE 8 -0.0164 0.0298 14.6030
CYLINDER 6 1 5.5525 73.0240 0.0000
UNIT 23
COM='Basket Bottom Plate Hole
CYLINDER 3 1 1.27 1.2172 0.0000
UNIT 24
COM='Basket Bottom Plate
CYLINDER 6 1 16.8466 1.2172 0.0000
HOLE 23 0.0000 0.0000 0.0000
HOLE 23 11.1125 0.0000 0.0000
HOLE 23 5.5563 9.6237 0.0000
HOLE 23 -5.5563 9.6237 0.0000
HOLE 23 -11.1125 0.0000 0.0000
HOLE 23 -5.5563 -9.6237 0.0000
HOLE 23 5.5562 -9.6237 0.0000
UNIT 25
COM='Basket Fuel Down'
CYLINDER 3 1 16.6698 73.0240 0.0000
HOLE 9 0.0000 0.0000 0.0000
HOLE 11 11.1125 0.0000 0.0000
HOLE 13 5.5563 9.6237 0.0000
HOLE 15 -5.5563 9.6237 0.0000
HOLE 17 -11.1125 0.0000 0.0000
HOLE 19 -5.5563 -9.6237 0.0000
HOLE 21 5.5562 -9.6237 0.0000
CYLINDER 3 1 16.8466 73.0240 0.0000
UNIT 26
COM='Basket Fuel Up'
CYLINDER 3 1 16.6698 73.0240 0.0000
HOLE 10 0.0000 0.0000 0.0000
HOLE 12 11.1125 0.0000 0.0000
HOLE 14 5.5563 9.6237 0.0000
HOLE 16 -5.5563 9.6237 0.0000
HOLE 18 -11.1125 0.0000 0.0000
HOLE 20 -5.5563 -9.6237 0.0000
HOLE 22 5.5562 -9.6237 0.0000
CYLINDER 3 1 16.8466 73.0240 0.0000
UNIT 27
COM='Cask Cavity
CYLINDER 3 1 16.9863 445.4652 0.0000
HOLE 24 0.0000 0.0000 0.0010
HOLE 26 0.0000 0.0000 1.2192
HOLE 24 0.0000 0.0000 74.2452
HOLE 25 0.0000 0.0000 75.4634
HOLE 24 0.0000 0.0000 148.4894
HOLE 26 0.0000 0.0000 149.7076
HOLE 24 0.0000 0.0000 222.7336
HOLE 25 0.0000 0.0000 223.9518
HOLE 24 0.0000 0.0000 296.9778
HOLE 26 0.0000 0.0000 298.1960
HOLE 24 0.0000 0.0000 371.2220
HOLE 25 0.0000 0.0000 372.4402
UNIT 28
COM='Cask Shield Radial Configuration
CYLINDER 3 1 16.9863 445.4652 0.0000

```



```

HOLE 27 0.0000 0.0000 0.0000
CYLINDER 8 1 18.9103 445.4652 0.0000
CYLINDER 5 1 33.4645 445.4652 0.0000
CYLINDER 8 1 36.5189 445.4652 0.0000
CYLINDER 9 1 49.2189 445.4652 0.0000
CYLINDER 8 1 49.8183 445.4652 0.0000
CUBOID 9 1 4P49.8183 445.4652 0.0000
UNIT 29
COM='LWT Lid '
CYLINDER 8 1 36.5189 28.5750 0.5994
CYLINDER 9 1 49.8183 28.5750 0.5994
CYLINDER 8 1 49.8183 28.5750 0.0000
CUBOID 9 1 4P49.8183 28.5750 0.0000
UNIT 30
COM='LWT Bottom Weldment '
CYLINDER 5 1 26.3525 16.5100 8.8900
CYLINDER 8 1 36.5189 26.0706 0.0000
CYLINDER 9 1 49.8183 26.0706 0.0000
CYLINDER 8 1 49.8183 26.6700 0.0000
CUBOID 9 1 4P49.8183 26.6700 0.0000
GLOBAL UNIT 31
COM='LWT Cask '
ARRAY 1 -49.8183 -49.8183 0.0000
END GEOM
READ ARRAY
ARA=1 NUX=1 NUY=1 NUZ=3 FILL 30 28 29 END FILL
ARA=11 NUX=18 NUY=1 NUZ=1 FILL 2 3 14R1 3 2 END FILL
ARA=12 NUX=1 NUY=18 NUZ=1 FILL 6 7 14R5 7 6 END FILL
END ARRAY
READ BOUNDS ALL=MIRROR END BOUNDS
END DATA

```

U-235 Fuel Mass - Max Uranium Weight Fraction - Max

Material Description for LWT Analysis - MOATA Mark II Fuel
LWT W/ MOATA MARK II FUEL, ACCIDENT, RADIAL - IN, AXIAL - ALTERNATING

**** PROBLEM PARAMETERS ****

```

LIB 27GROUPNDF4 LIBRARY
MXX 9 MIXTURES
MSC 11 COMPOSITION SPECIFICATIONS
IZM 3 MATERIAL ZONES
GE LATTICECELL GEOMETRY
MORE 0 0/1 DO NOT READ/READ OPTIONAL PARAMETER DATA
MSLN 0 FUEL SOLUTIONS

```

**** PROBLEM COMPOSITION DESCRIPTION ****

```

SC URANIUM STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.3093 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
          92000 1.00 ATOM/MOLECULE
                92235 92.000 WT%
                92238 8.000 WT%
END

```

```

SC AL STANDARD COMPOSITION
MX 1 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.7718 SPECIFIED DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
          13027 1.00 ATOM/MOLECULE
END

```

```

SC AL STANDARD COMPOSITION
MX 2 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
          13027 1.00 ATOM/MOLECULE
END

```

```

SC H2O STANDARD COMPOSITION
MX 3 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.9998 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
          1001 2.00 ATOMS/MOLECULE
          8016 1.00 ATOM/MOLECULE
END

```

```

SC ARBMGLC STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 0.5840 VOLUME FRACTION

```

ROTH 0.9437 SPECIFIED DENSITY
NEL 3 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
6012 2.00 ATOMS/MOLECULE
1001 6.00 ATOMS/MOLECULE
8016 2.00 ATOMS/MOLECULE

END

SC H2O STANDARD COMPOSITION
MX 4 MIXTURE NO.
VF 0.4160 VOLUME FRACTION
ROTH 0.9982 THEORETICAL DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

SC PB STANDARD COMPOSITION
MX 5 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 11.3440 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
82000 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
MX 6 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

END

SC AL STANDARD COMPOSITION
MX 7 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 2.7020 THEORETICAL DENSITY
NEL 1 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
13027 1.00 ATOM/MOLECULE

END

SC SS304 STANDARD COMPOSITION
MX 8 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 7.9200 THEORETICAL DENSITY
NEL 4 NO. ELEMENTS
ICP 0 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
24304 19.000 WT%
25055 2.000 WT%
26304 69.500 WT%
28304 9.500 WT%

END

SC H2O STANDARD COMPOSITION
MX 9 MIXTURE NO.
VF 1.0000 VOLUME FRACTION
ROTH 0.0001 SPECIFIED DENSITY
NEL 2 NO. ELEMENTS
ICP 1 0/1 MIXTURE/COMPOUND
TEMP 293.0 DEG KELVIN
1001 2.00 ATOMS/MOLECULE
8016 1.00 ATOM/MOLECULE

END

**** PROBLEM GEOMETRY ****

CTP SYMMSLABCELL CELL TYPE
PITCH 0.3832 CM CENTER TO CENTER SPACING
FUELOD 0.1832 CM FUEL DIAMETER OR SLAB THICKNESS
MFUEL 1 MIXTURE NO. OF FUEL
MMOD 3 MIXTURE NO. OF MODERATOR
CLADOD 0.2032 CM CLAD OUTER DIAMETER
MCLAD 2 MIXTURE NO. OF CLAD

ZONE SPECIFICATIONS FOR LATTICECELL GEOMETRY

ZONE 1 IS FUEL
ZONE 2 IS CLAD
ZONE 3 IS MOD

MIXING TABLE

ENTRY	MIXTURE	ISOTOPE	NUMBER DENSITY	NEW IDENTIFIER
1	1	92235	7.29070E-04	1092235
2	1	92238	6.25966E-05	1092238
3	1	13027	1.72260E-02	1013027
4	2	13027	6.03066E-02	2013027
5	7	13027	6.03066E-02	7013027
6	3	1001	6.68762E-02	3001001
7	4	1001	5.98801E-02	4001001
8	9	1001	6.68896E-06	9001001
9	3	8016	3.34381E-02	3008016
10	4	8016	2.45894E-02	4008016
11	9	8016	3.34448E-06	9008016
12	4	6012	1.07014E-02	4006012
13	5	82000	3.29690E-02	5082000
14	6	24304	1.74286E-02	6024304
15	8	24304	1.74286E-02	8024304
16	6	25055	1.73633E-03	6025055
17	8	25055	1.73633E-03	8025055
18	6	26304	5.93579E-02	6026304
19	8	26304	5.93579E-02	8026304
20	6	28304	7.72070E-03	6028304
21	8	28304	7.72070E-03	8028304

VOLUME FRACTION OF FISSILE MATERIAL IN THE CORE= 9.26928E-03

START TYPE 0 WAS USED.

THE NEUTRONS WERE STARTED WITH A FLAT DISTRIBUTION IN A CUBOID DEFINED BY:

+X= 1.68500E+01 -X=-1.68500E+01 +Y=-1.68500E+01 -Y= 1.68500E+01 +Z= 4.72140E+02 -Z= 2.66700E+01

THE FLAG TO START NEUTRONS IN THE REFLECTOR WAS TURNED OFF

0.31133 MINUTES WERE REQUIRED FOR STARTING. TOTAL ELAPSED TIME IS 0.37333 MINUTES.

GENERATION	GENERATION K-EFFECTIVE	ELAPSED TIME MINUTES	AVERAGE K-EFFECTIVE	AVG K-EFF DEVIATION	MATRIX K-EFFECTIVE GENERATED	MATRIX K-EFF DEVIATION
KENO MESSAGE NUMBER K5-132	WARNING... ONLY	806 INDEPENDENT	FISSION POINTS WERE	GENERATED		
1	7.31623E-01	3.79000E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	WARNING... ONLY	740 INDEPENDENT	FISSION POINTS WERE	GENERATED		
2	6.87897E-01	3.82667E-01	1.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00
KENO MESSAGE NUMBER K5-132	WARNING... ONLY	861 INDEPENDENT	FISSION POINTS WERE	GENERATED		
3	7.62074E-01	3.85500E-01	7.62074E-01	0.00000E+00	0.00000E+00	0.00000E+00
4	7.55989E-01	3.89167E-01	7.59032E-01	3.04273E-03	0.00000E+00	0.00000E+00
5	7.68824E-01	3.92833E-01	7.62296E-01	3.70674E-03	0.00000E+00	0.00000E+00
6	7.66991E-01	3.96500E-01	7.63469E-01	2.87188E-03	0.00000E+00	0.00000E+00
7	7.59518E-01	4.00167E-01	7.62679E-01	2.36076E-03	0.00000E+00	0.00000E+00
8	7.90893E-01	4.02833E-01	7.67381E-01	5.08200E-03	0.00000E+00	0.00000E+00
9	7.29438E-01	4.06500E-01	7.61961E-01	6.91587E-03	0.00000E+00	0.00000E+00
10	7.25050E-01	4.10167E-01	7.57347E-01	7.56037E-03	0.00000E+00	0.00000E+00
11	7.08347E-01	4.13833E-01	7.51903E-01	8.60810E-03	0.00000E+00	0.00000E+00
12	7.33306E-01	4.17500E-01	7.50043E-01	7.92073E-03	0.00000E+00	0.00000E+00
13	7.41343E-01	4.21167E-01	7.49252E-01	7.20809E-03	0.00000E+00	0.00000E+00
14	7.64793E-01	4.24833E-01	7.50547E-01	6.70629E-03	0.00000E+00	0.00000E+00
15	7.94944E-01	4.27500E-01	7.53962E-01	7.05111E-03	0.00000E+00	0.00000E+00
16	7.52601E-01	4.31167E-01	7.53865E-01	6.52879E-03	0.00000E+00	0.00000E+00
17	7.48314E-01	4.34833E-01	7.53495E-01	6.08923E-03	0.00000E+00	0.00000E+00
18	7.30448E-01	4.38500E-01	7.52054E-01	5.87526E-03	0.00000E+00	0.00000E+00
19	7.60018E-01	4.42167E-01	7.52523E-01	5.53869E-03	0.00000E+00	0.00000E+00
20	7.76509E-01	4.45000E-01	7.53856E-01	5.38927E-03	0.00000E+00	0.00000E+00
21	7.56157E-01	4.48667E-01	7.53977E-01	5.09918E-03	0.00000E+00	0.00000E+00
22	7.48444E-01	4.52333E-01	7.53700E-01	4.84541E-03	0.00000E+00	0.00000E+00
23	7.54437E-01	4.56000E-01	7.53735E-01	4.60904E-03	0.00000E+00	0.00000E+00
24	7.45199E-01	4.59667E-01	7.53347E-01	4.41164E-03	0.00000E+00	0.00000E+00
25	7.03146E-01	4.62333E-01	7.51164E-01	4.74701E-03	0.00000E+00	0.00000E+00
26	7.75307E-01	4.66000E-01	7.52170E-01	4.65492E-03	0.00000E+00	0.00000E+00
27	6.97750E-01	4.69667E-01	7.49994E-01	4.96722E-03	0.00000E+00	0.00000E+00
28	7.50911E-01	4.73333E-01	7.50029E-01	4.77248E-03	0.00000E+00	0.00000E+00
29	7.58368E-01	4.76000E-01	7.50338E-01	4.60270E-03	0.00000E+00	0.00000E+00
30	7.75055E-01	4.79667E-01	7.51220E-01	4.52227E-03	0.00000E+00	0.00000E+00
31	7.59545E-01	4.83333E-01	7.51508E-01	4.37298E-03	0.00000E+00	0.00000E+00
32	7.87068E-01	4.87000E-01	7.52693E-01	4.38783E-03	0.00000E+00	0.00000E+00
33	7.59780E-01	4.90667E-01	7.52921E-01	4.25008E-03	0.00000E+00	0.00000E+00
34	7.30985E-01	4.94333E-01	7.52236E-01	4.17183E-03	0.00000E+00	0.00000E+00
35	7.86816E-01	4.97167E-01	7.53284E-01	4.17701E-03	0.00000E+00	0.00000E+00
36	6.89861E-01	5.00833E-01	7.51418E-01	4.46103E-03	0.00000E+00	0.00000E+00
37	7.51420E-01	5.04500E-01	7.51418E-01	4.33169E-03	0.00000E+00	0.00000E+00
38	7.41461E-01	5.08167E-01	7.51142E-01	4.21873E-03	0.00000E+00	0.00000E+00
39	7.52616E-01	5.11833E-01	7.51182E-01	4.10332E-03	0.00000E+00	0.00000E+00
40	7.87241E-01	5.15500E-01	7.52131E-01	4.10506E-03	0.00000E+00	0.00000E+00
41	7.44746E-01	5.19167E-01	7.51941E-01	4.00290E-03	0.00000E+00	0.00000E+00
42	7.71586E-01	5.21833E-01	7.52432E-01	3.93233E-03	0.00000E+00	0.00000E+00
43	7.13124E-01	5.25500E-01	7.51474E-01	3.95324E-03	0.00000E+00	0.00000E+00
44	7.45383E-01	5.29167E-01	7.51329E-01	3.86069E-03	0.00000E+00	0.00000E+00
45	7.63992E-01	5.32833E-01	7.51623E-01	3.78132E-03	0.00000E+00	0.00000E+00
46	7.50626E-01	5.35667E-01	7.51600E-01	3.69446E-03	0.00000E+00	0.00000E+00
47	7.07328E-01	5.39167E-01	7.50617E-01	3.74304E-03	0.00000E+00	0.00000E+00
48	7.26958E-01	5.42833E-01	7.50102E-01	3.69671E-03	0.00000E+00	0.00000E+00
49	7.42864E-01	5.46500E-01	7.49948E-01	3.62048E-03	0.00000E+00	0.00000E+00
50	7.79316E-01	5.50167E-01	7.50560E-01	3.59668E-03	0.00000E+00	0.00000E+00
51	7.38988E-01	5.53000E-01	7.50324E-01	3.53042E-03	0.00000E+00	0.00000E+00
52	7.57247E-01	5.56667E-01	7.50462E-01	3.46186E-03	0.00000E+00	0.00000E+00
53	7.73838E-01	5.60333E-01	7.50921E-01	3.42411E-03	0.00000E+00	0.00000E+00
54	7.65306E-01	5.64000E-01	7.51197E-01	3.36900E-03	0.00000E+00	0.00000E+00
55	6.97184E-01	5.67667E-01	7.50178E-01	3.45839E-03	0.00000E+00	0.00000E+00
56	7.39188E-01	5.70333E-01	7.49975E-01	3.39984E-03	0.00000E+00	0.00000E+00
57	7.70477E-01	5.74000E-01	7.50348E-01	3.35820E-03	0.00000E+00	0.00000E+00
58	7.52446E-01	5.77667E-01	7.50385E-01	3.29790E-03	0.00000E+00	0.00000E+00
59	7.33142E-01	5.81333E-01	7.50082E-01	3.25362E-03	0.00000E+00	0.00000E+00
60	7.68338E-01	5.84167E-01	7.50397E-01	3.21249E-03	0.00000E+00	0.00000E+00
61	7.65693E-01	5.87833E-01	7.50656E-01	3.16819E-03	0.00000E+00	0.00000E+00
62	7.31627E-01	5.91500E-01	7.50339E-01	3.13105E-03	0.00000E+00	0.00000E+00
977	6.79375E-01	3.81467E+00	7.42792E-01	8.31736E-04	0.00000E+00	0.00000E+00
978	7.04463E-01	3.81833E+00	7.42753E-01	8.31811E-04	0.00000E+00	0.00000E+00
979	7.13813E-01	3.82200E+00	7.42723E-01	8.31486E-04	0.00000E+00	0.00000E+00
980	7.52117E-01	3.82567E+00	7.42733E-01	8.30691E-04	0.00000E+00	0.00000E+00
981	7.98334E-01	3.82933E+00	7.42789E-01	8.31784E-04	0.00000E+00	0.00000E+00
982	7.37944E-01	3.83200E+00	7.42784E-01	8.30949E-04	0.00000E+00	0.00000E+00
983	7.18047E-01	3.83567E+00	7.42759E-01	8.30485E-04	0.00000E+00	0.00000E+00
984	7.10727E-01	3.83933E+00	7.42727E-01	8.30279E-04	0.00000E+00	0.00000E+00
985	7.38439E-01	3.84217E+00	7.42722E-01	8.29446E-04	0.00000E+00	0.00000E+00
986	7.17007E-01	3.84583E+00	7.42696E-01	8.29015E-04	0.00000E+00	0.00000E+00
987	7.68514E-01	3.84950E+00	7.42722E-01	8.28587E-04	0.00000E+00	0.00000E+00
988	7.91476E-01	3.85317E+00	7.42772E-01	8.29222E-04	0.00000E+00	0.00000E+00
989	7.01679E-01	3.85667E+00	7.42730E-01	8.29427E-04	0.00000E+00	0.00000E+00
990	7.59538E-01	3.85950E+00	7.42747E-01	8.28762E-04	0.00000E+00	0.00000E+00
991	7.52235E-01	3.86317E+00	7.42757E-01	8.27979E-04	0.00000E+00	0.00000E+00
992	7.52038E-01	3.86683E+00	7.42766E-01	8.27195E-04	0.00000E+00	0.00000E+00
993	7.53727E-01	3.87050E+00	7.42777E-01	8.26434E-04	0.00000E+00	0.00000E+00
994	7.83910E-01	3.87417E+00	7.42819E-01	8.26641E-04	0.00000E+00	0.00000E+00
995	7.18682E-01	3.87783E+00	7.42794E-01	8.26166E-04	0.00000E+00	0.00000E+00
996	7.48482E-01	3.88050E+00	7.42800E-01	8.25354E-04	0.00000E+00	0.00000E+00
997	7.30613E-01	3.88417E+00	7.42788E-01	8.24615E-04	0.00000E+00	0.00000E+00
998	7.71883E-01	3.88783E+00	7.42817E-01	8.24305E-04	0.00000E+00	0.00000E+00
999	7.54841E-01	3.89150E+00	7.42829E-01	8.23566E-04	0.00000E+00	0.00000E+00

1000	7.30416E-01	3.89433E+00	7.42817E-01	8.22834E-04	0.00000E+00	0.00000E+00
1001	7.37220E-01	3.89800E+00	7.42811E-01	8.22029E-04	0.00000E+00	0.00000E+00
1002	7.71580E-01	3.90167E+00	7.42840E-01	8.21711E-04	0.00000E+00	0.00000E+00
1003	7.45144E-01	3.90533E+00	7.42842E-01	8.20892E-04	0.00000E+00	0.00000E+00
1004	7.55448E-01	3.90900E+00	7.42855E-01	8.20169E-04	0.00000E+00	0.00000E+00
1005	7.41935E-01	3.91167E+00	7.42854E-01	8.19352E-04	0.00000E+00	0.00000E+00
1006	7.23444E-01	3.91533E+00	7.42834E-01	8.18763E-04	0.00000E+00	0.00000E+00
1007	7.76276E-01	3.91900E+00	7.42868E-01	8.18625E-04	0.00000E+00	0.00000E+00
1008	7.75243E-01	3.92267E+00	7.42900E-01	8.18444E-04	0.00000E+00	0.00000E+00
1009	7.63803E-01	3.92533E+00	7.42921E-01	8.17894E-04	0.00000E+00	0.00000E+00
1010	7.56903E-01	3.92900E+00	7.42934E-01	8.17200E-04	0.00000E+00	0.00000E+00
1011	7.09754E-01	3.93267E+00	7.42902E-01	8.17052E-04	0.00000E+00	0.00000E+00
1012	7.80382E-01	3.93633E+00	7.42939E-01	8.17085E-04	0.00000E+00	0.00000E+00
1013	7.59572E-01	3.94000E+00	7.42955E-01	8.16443E-04	0.00000E+00	0.00000E+00
1014	7.02572E-01	3.94367E+00	7.42915E-01	8.16611E-04	0.00000E+00	0.00000E+00
1015	7.05531E-01	3.94733E+00	7.42878E-01	8.16639E-04	0.00000E+00	0.00000E+00
1016	7.59689E-01	3.95017E+00	7.42895E-01	8.16001E-04	0.00000E+00	0.00000E+00
1017	7.54767E-01	3.95383E+00	7.42907E-01	8.15281E-04	0.00000E+00	0.00000E+00
1018	7.52696E-01	3.95750E+00	7.42916E-01	8.14535E-04	0.00000E+00	0.00000E+00
1019	7.33079E-01	3.96117E+00	7.42907E-01	8.13791E-04	0.00000E+00	0.00000E+00
1020	7.23735E-01	3.96483E+00	7.42888E-01	8.13210E-04	0.00000E+00	0.00000E+00
1021	6.93952E-01	3.96850E+00	7.42840E-01	8.13829E-04	0.00000E+00	0.00000E+00
1022	7.26085E-01	3.97217E+00	7.42823E-01	8.13197E-04	0.00000E+00	0.00000E+00
1023	7.84354E-01	3.97583E+00	7.42864E-01	8.13418E-04	0.00000E+00	0.00000E+00


KENO MESSAGE NUMBER K5-123


EXECUTION TERMINATED DUE TO COMPLETION OF THE SPECIFIED NUMBER OF GENERATIONS.

LIFETIME = 9.69309E-05 + OR - 1.11719E-07 GENERATION TIME = 6.01750E-05 + OR - 8.80249E-08
 NU BAR = 2.42029E+00 + OR - 8.55604E-06 AVERAGE FISSION GROUP = 2.38131E+01 + OR - 3.65186E-03
 ENERGY (EV) OF THE AVERAGE LETHARGY CAUSING FISSION = 5.55885E-02 + OR - 1.61291E-04

NO. OF INITIAL GENERATIONS OF SKIPPED HISTORIES	AVERAGE		67 PER CENT		95 PER CENT		99 PER CENT		NUMBER
	K-EFFECTIVE	DEVIATION	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	CONFIDENCE	INTERVAL	
3	0.74285	+ OR - 0.00081	0.74203	TO 0.74366	0.74122	TO 0.74447	0.74040	TO 0.74529	1020000
4	0.74283	+ OR - 0.00081	0.74202	TO 0.74365	0.74120	TO 0.74446	0.74039	TO 0.74528	1019000
5	0.74281	+ OR - 0.00082	0.74199	TO 0.74362	0.74118	TO 0.74444	0.74036	TO 0.74525	1018000
6	0.74278	+ OR - 0.00082	0.74197	TO 0.74360	0.74115	TO 0.74441	0.74034	TO 0.74523	1017000
7	0.74277	+ OR - 0.00082	0.74195	TO 0.74358	0.74113	TO 0.74440	0.74032	TO 0.74521	1016000
8	0.74272	+ OR - 0.00082	0.74190	TO 0.74353	0.74109	TO 0.74435	0.74027	TO 0.74517	1015000
9	0.74273	+ OR - 0.00082	0.74192	TO 0.74355	0.74110	TO 0.74436	0.74028	TO 0.74518	1014000
10	0.74275	+ OR - 0.00082	0.74193	TO 0.74357	0.74112	TO 0.74438	0.74030	TO 0.74520	1013000
11	0.74278	+ OR - 0.00082	0.74197	TO 0.74360	0.74115	TO 0.74442	0.74033	TO 0.74523	1012000
12	0.74279	+ OR - 0.00082	0.74198	TO 0.74361	0.74116	TO 0.74443	0.74034	TO 0.74525	1011000
17	0.74271	+ OR - 0.00082	0.74189	TO 0.74353	0.74107	TO 0.74435	0.74025	TO 0.74516	1006000
22	0.74265	+ OR - 0.00082	0.74182	TO 0.74347	0.74100	TO 0.74429	0.74018	TO 0.74512	1001000
27	0.74269	+ OR - 0.00082	0.74186	TO 0.74351	0.74104	TO 0.74433	0.74021	TO 0.74516	996000
32	0.74257	+ OR - 0.00083	0.74174	TO 0.74339	0.74091	TO 0.74422	0.74009	TO 0.74504	991000
37	0.74256	+ OR - 0.00083	0.74173	TO 0.74339	0.74091	TO 0.74421	0.74008	TO 0.74504	986000
42	0.74247	+ OR - 0.00083	0.74164	TO 0.74330	0.74082	TO 0.74413	0.73999	TO 0.74496	981000
47	0.74251	+ OR - 0.00083	0.74167	TO 0.74334	0.74084	TO 0.74417	0.74001	TO 0.74500	976000
52	0.74247	+ OR - 0.00083	0.74164	TO 0.74331	0.74080	TO 0.74414	0.73997	TO 0.74498	971000
57	0.74244	+ OR - 0.00084	0.74160	TO 0.74327	0.74076	TO 0.74411	0.73993	TO 0.74495	966000
62	0.74240	+ OR - 0.00084	0.74156	TO 0.74324	0.74072	TO 0.74408	0.73988	TO 0.74492	961000
67	0.74238	+ OR - 0.00084	0.74153	TO 0.74322	0.74069	TO 0.74406	0.73984	TO 0.74491	956000
72	0.74250	+ OR - 0.00084	0.74166	TO 0.74334	0.74081	TO 0.74419	0.73997	TO 0.74503	951000
77	0.74252	+ OR - 0.00085	0.74168	TO 0.74337	0.74083	TO 0.74422	0.73999	TO 0.74506	946000
82	0.74249	+ OR - 0.00085	0.74165	TO 0.74334	0.74080	TO 0.74419	0.73995	TO 0.74503	941000
932	0.74135	+ OR - 0.00275	0.73860	TO 0.74410	0.73585	TO 0.74685	0.73310	TO 0.74960	91000
937	0.74132	+ OR - 0.00282	0.73850	TO 0.74414	0.73569	TO 0.74695	0.73287	TO 0.74977	86000
942	0.74064	+ OR - 0.00285	0.73778	TO 0.74349	0.73493	TO 0.74634	0.73208	TO 0.74920	81000
947	0.74235	+ OR - 0.00293	0.73942	TO 0.74528	0.73650	TO 0.74821	0.73357	TO 0.75113	76000
952	0.74183	+ OR - 0.00307	0.73876	TO 0.74490	0.73569	TO 0.74797	0.73262	TO 0.75103	71000
957	0.74267	+ OR - 0.00325	0.73942	TO 0.74592	0.73617	TO 0.74917	0.73291	TO 0.75243	66000
962	0.74310	+ OR - 0.00348	0.73963	TO 0.74658	0.73615	TO 0.75006	0.73267	TO 0.75354	61000
967	0.74237	+ OR - 0.00373	0.73864	TO 0.74610	0.73491	TO 0.74983	0.73118	TO 0.75356	56000
972	0.74114	+ OR - 0.00389	0.73725	TO 0.74503	0.73336	TO 0.74892	0.72947	TO 0.75281	51000
977	0.74439	+ OR - 0.00393	0.74046	TO 0.74832	0.73653	TO 0.75226	0.73260	TO 0.75619	46000
982	0.74477	+ OR - 0.00402	0.74075	TO 0.74878	0.73674	TO 0.75280	0.73272	TO 0.75681	41000
987	0.74674	+ OR - 0.00428	0.74246	TO 0.75102	0.73819	TO 0.75530	0.73391	TO 0.75957	36000
992	0.74599	+ OR - 0.00449	0.74150	TO 0.75049	0.73700	TO 0.75498	0.73251	TO 0.75947	31000
997	0.74578	+ OR - 0.00501	0.74077	TO 0.75079	0.73577	TO 0.75580	0.73076	TO 0.76080	26000
1002	0.74402	+ OR - 0.00587	0.73814	TO 0.74989	0.73227	TO 0.75577	0.72639	TO 0.76164	21000
1007	0.74263	+ OR - 0.00732	0.73531	TO 0.74995	0.72799	TO 0.75727	0.72067	TO 0.76459	16000
1012	0.73600	+ OR - 0.00861	0.72739	TO 0.74461	0.71878	TO 0.75323	0.71017	TO 0.76184	11000
1017	0.73565	+ OR - 0.01244	0.72321	TO 0.74809	0.71077	TO 0.76053	0.69833	TO 0.77297	6000


PLOT OF AVERAGE K-EFFECTIVE BY GENERATION RUN.
THE LINE REPRESENTS K-EFF = 0.7428 + OR - 0.0008 WHICH OCCURS FOR 1023 GENERATIONS RUN.





190 + I * I
I * I
I * I
I * I
I * I
195 + I * I
I * I
I * I
I * I
I * I
I * I
200 + I * I
I * I
I * I
I * I
I * I
I * I
205 + I * I
I * I
I * I
I * I
I * I
I * I
210 + I * I
I * I
I * I
I * I
I * I
I * I
215 + I * I
I * I
I * I
I * I
I * I
I * I
220 + I * I
I * I
I * I
I * I
I * I
I * I
225 + I * I
I * I
I * I
I * I
I * I
I * I
230 + I * I
I * I
I * I
I * I
I * I
I * I
235 + I * I
I * I
I * I
I * I
I * I

I * I
I * I
I * I
880 + I * I
I * I
I * I
I * I
I * I
I * I
885 + I * I
I * I
I * I
I * I
I * I
I * I
890 + I * I
I * I
I * I
I * I
I * I
I * I
895 + I * I
I * I
I * I
I * I
I * I
I * I
900 + I * I
I * I
I * I
I * I
I * I
I * I
905 + I * I
I * I
I * I
I * I
I * I
I * I
910 + I * I
I * I
I * I
I * I
I * I
I * I
915 + I * I
I * I
I * I
I * I
I * I



1020 | I | * | * | | I | I | I | * | I

GENERATIONS										SKIPPING 3
GROUP	FISSION FRACTION	UNIT	REGION	FISSIONS	PERCENT DEVIATION	ABSORPTIONS	PERCENT DEVIATION	LEAKAGE	PERCENT DEVIATION	
1	0.0003			2.19740E-04	2.4717	1.31432E-03	0.8817	0.00000E+00	0.0000	
2	0.0015			1.09341E-03	0.7322	3.04811E-03	0.2835	0.00000E+00	0.0000	
3	0.0017			1.27237E-03	0.6133	9.33984E-04	0.3950	0.00000E+00	0.0000	
4	0.0010			7.40677E-04	0.7926	4.99404E-04	0.5404	0.00000E+00	0.0000	
5	0.0013			1.00055E-03	0.6716	9.52746E-04	0.3953	0.00000E+00	0.0000	
6	0.0017			1.26781E-03	0.5040	2.77494E-03	0.3459	0.00000E+00	0.0000	
7	0.0016			1.21258E-03	0.5687	4.91185E-03	0.3810	0.00000E+00	0.0000	
8	0.0016			1.19645E-03	0.8956	4.05080E-03	0.4096	0.00000E+00	0.0000	
9	0.0022			1.60512E-03	1.0841	4.23075E-03	0.4270	0.00000E+00	0.0000	
10	0.0046			3.40837E-03	0.9865	1.04716E-02	0.4109	0.00000E+00	0.0000	
11	0.0100			7.45951E-03	0.8650	1.44686E-02	0.4018	0.00000E+00	0.0000	
12	0.0133			9.91099E-03	0.9117	1.33269E-02	0.5005	0.00000E+00	0.0000	
13	0.0125			9.27553E-03	0.9477	1.64557E-02	0.4665	0.00000E+00	0.0000	
14	0.0109			8.08484E-03	0.9065	2.07470E-02	0.3954	0.00000E+00	0.0000	
15	0.0022			1.64837E-03	1.7851	1.03632E-02	0.4465	0.00000E+00	0.0000	
16	0.0016			1.15611E-03	2.3160	6.16176E-03	0.5040	0.00000E+00	0.0000	
17	0.0024			1.77984E-03	2.5360	3.63968E-03	0.8226	0.00000E+00	0.0000	
18	0.0032			2.38678E-03	2.3920	3.54809E-03	0.8982	0.00000E+00	0.0000	
19	0.0040			2.97879E-03	1.9978	5.90096E-03	0.6187	0.00000E+00	0.0000	
20	0.0173			1.28169E-02	1.0271	2.15421E-02	0.3959	0.00000E+00	0.0000	
21	0.0095			7.05344E-03	1.4434	8.85516E-03	0.6566	0.00000E+00	0.0000	
22	0.0236			1.75389E-02	0.9264	2.03161E-02	0.4664	0.00000E+00	0.0000	
23	0.0997			7.40734E-02	0.4269	9.33826E-02	0.2008	0.00000E+00	0.0000	
24	0.2310			1.71624E-01	0.2731	2.15314E-01	0.1242	0.00000E+00	0.0000	
25	0.2024			1.50360E-01	0.2927	1.90295E-01	0.1263	0.00000E+00	0.0000	
26	0.2502			1.85851E-01	0.2641	2.39684E-01	0.1202	0.00000E+00	0.0000	
27	0.0886			6.58290E-02	0.4449	8.46067E-02	0.2090	0.00000E+00	0.0000	
SYSTEM TOTAL =				7.42845E-01	0.1096	1.00179E+00	0.0220	0.00000E+00	0.0000	
ELAPSED TIME		3.98033 MINUTES								
RANDOM NUMBER=		2DAD49504B4B								

```
                                FREQUENCY FOR GENERATIONS    4 TO 1023
0.6577 TO 0.6612      *
0.6612 TO 0.6648
0.6648 TO 0.6683
0.6683 TO 0.6719      **
0.6719 TO 0.6754
0.6754 TO 0.6790      **
0.6790 TO 0.6825      **
0.6825 TO 0.6861      ****
0.6861 TO 0.6896      *****
0.6896 TO 0.6931      *****
0.6931 TO 0.6967      *****
0.6967 TO 0.7002      *****
0.7002 TO 0.7038      *****
0.7038 TO 0.7073      *****
0.7073 TO 0.7109      *****
0.7109 TO 0.7144      *****
0.7144 TO 0.7180      *****
0.7180 TO 0.7215      *****
0.7215 TO 0.7251      *****
0.7251 TO 0.7286      *****
0.7286 TO 0.7322      *****
0.7322 TO 0.7357      *****
0.7357 TO 0.7393      *****
0.7393 TO 0.7428      *****
0.7428 TO 0.7464      *****
0.7464 TO 0.7499      *****
0.7499 TO 0.7534      *****
0.7534 TO 0.7570      *****
0.7570 TO 0.7605      *****
0.7605 TO 0.7641      *****
0.7641 TO 0.7676      *****
0.7676 TO 0.7712      *****
0.7712 TO 0.7747      *****
0.7747 TO 0.7783      *****
0.7783 TO 0.7818      *****
0.7818 TO 0.7854      *****
0.7854 TO 0.7889      *****
0.7889 TO 0.7925      *****
0.7925 TO 0.7960      *****
0.7960 TO 0.7996      *****
0.7996 TO 0.8031      *****
0.8031 TO 0.8067      *
0.8067 TO 0.8102      ****
0.8102 TO 0.8137      *
0.8137 TO 0.8173      *
0.8173 TO 0.8208
0.8208 TO 0.8244
0.8244 TO 0.8279      *
```


FREQUENCY FOR GENERATIONS 259 TO 1023

0.6577 TO 0.6612	*
0.6612 TO 0.6648	
0.6648 TO 0.6683	
0.6683 TO 0.6719	**
0.6719 TO 0.6754	
0.6754 TO 0.6790	**
0.6790 TO 0.6825	**
0.6825 TO 0.6861	****
0.6861 TO 0.6896	*****
0.6896 TO 0.6931	***
0.6931 TO 0.6967	*****
0.6967 TO 0.7002	*****
0.7002 TO 0.7038	*****
0.7038 TO 0.7073	*****
0.7073 TO 0.7109	*****
0.7109 TO 0.7144	*****
0.7144 TO 0.7180	*****
0.7180 TO 0.7215	*****
0.7215 TO 0.7251	*****
0.7251 TO 0.7286	*****
0.7286 TO 0.7322	*****
0.7322 TO 0.7357	*****
0.7357 TO 0.7393	*****
0.7393 TO 0.7428	*****
0.7428 TO 0.7464	*****
0.7464 TO 0.7499	*****
0.7499 TO 0.7534	*****
0.7534 TO 0.7570	*****
0.7570 TO 0.7605	*****
0.7605 TO 0.7641	*****
0.7641 TO 0.7676	*****
0.7676 TO 0.7712	*****
0.7712 TO 0.7747	*****
0.7747 TO 0.7783	*****
0.7783 TO 0.7818	*****
0.7818 TO 0.7854	*****
0.7854 TO 0.7889	*****
0.7889 TO 0.7925	*****
0.7925 TO 0.7960	*****
0.7960 TO 0.7996	*****
0.7996 TO 0.8031	*****
0.8031 TO 0.8067	*
0.8067 TO 0.8102	**
0.8102 TO 0.8137	
0.8137 TO 0.8173	*
0.8173 TO 0.8208	
0.8208 TO 0.8244	
0.8244 TO 0.8279	

FREQUENCY FOR GENERATIONS 514 TO 1023

0.6577 TO 0.6612
0.6612 TO 0.6648
0.6648 TO 0.6683
0.6683 TO 0.6719 **
0.6719 TO 0.6754
0.6754 TO 0.6790 *
0.6790 TO 0.6825 *
0.6825 TO 0.6861 ***
0.6861 TO 0.6896 ***
0.6896 TO 0.6931 ***
0.6931 TO 0.6967 *****
0.6967 TO 0.7002 *****
0.7002 TO 0.7038 *****
0.7038 TO 0.7073 *****
0.7073 TO 0.7109 *****
0.7109 TO 0.7144 *****
0.7144 TO 0.7180 *****
0.7180 TO 0.7215 *****
0.7215 TO 0.7251 *****
0.7251 TO 0.7286 *****
0.7286 TO 0.7322 *****
0.7322 TO 0.7357 *****
0.7357 TO 0.7393 *****
0.7393 TO 0.7428 *****
0.7428 TO 0.7464 *****
0.7464 TO 0.7499 *****
0.7499 TO 0.7534 *****
0.7534 TO 0.7570 *****
0.7570 TO 0.7605 *****
0.7605 TO 0.7641 *****
0.7641 TO 0.7676 *****
0.7676 TO 0.7712 *****
0.7712 TO 0.7747 *****
0.7747 TO 0.7783 *****
0.7783 TO 0.7818 *****
0.7818 TO 0.7854 *****
0.7854 TO 0.7889 ****
0.7889 TO 0.7925 **
0.7925 TO 0.7960 **
0.7960 TO 0.7996 *****
0.7996 TO 0.8031 *****
0.8031 TO 0.8067 *
0.8067 TO 0.8102 *
0.8102 TO 0.8137
0.8137 TO 0.8173
0.8173 TO 0.8208
0.8208 TO 0.8244
0.8244 TO 0.8279

FREQUENCY FOR GENERATIONS 769 TO 1023

0.6577 TO 0.6612
0.6612 TO 0.6648
0.6648 TO 0.6683
0.6683 TO 0.6719
0.6719 TO 0.6754
0.6754 TO 0.6790 *
0.6790 TO 0.6825 *
0.6825 TO 0.6861 *
0.6861 TO 0.6896 ***
0.6896 TO 0.6931 *
0.6931 TO 0.6967 **
0.6967 TO 0.7002 **
0.7002 TO 0.7038 ***
0.7038 TO 0.7073 *****
0.7073 TO 0.7109 *****
0.7109 TO 0.7144 ***
0.7144 TO 0.7180 *****
0.7180 TO 0.7215 *****
0.7215 TO 0.7251 *****
0.7251 TO 0.7286 *****
0.7286 TO 0.7322 *****
0.7322 TO 0.7357 *****
0.7357 TO 0.7393 *****
0.7393 TO 0.7428 *****
0.7428 TO 0.7464 *****
0.7464 TO 0.7499 *****
0.7499 TO 0.7534 *****
0.7534 TO 0.7570 *****
0.7570 TO 0.7605 *****
0.7605 TO 0.7641 *****
0.7641 TO 0.7676 *****
0.7676 TO 0.7712 *****
0.7712 TO 0.7747 *****
0.7747 TO 0.7783 *****
0.7783 TO 0.7818 *****
0.7818 TO 0.7854 *****
0.7854 TO 0.7889 ***
0.7889 TO 0.7925 *
0.7925 TO 0.7960 *
0.7960 TO 0.7996 ***
0.7996 TO 0.8031 *****
0.8031 TO 0.8067 *
0.8067 TO 0.8102 *
0.8102 TO 0.8137 *
0.8137 TO 0.8173 *
0.8173 TO 0.8208 *
0.8208 TO 0.8244 *
0.8244 TO 0.8279 *

6.6.14 High Fissile Mass LEU (32 g ²³⁵U per Plate) MTR Fuel Elements

This section contains a sample input file for the evaluation of high fissile mass LEU MTR fuel elements. The file contains partially loaded top and bottom baskets containing the high fissile mass LEU MTR fuel elements and filled (seven elements) intermediate baskets containing maximum reactivity HEU MTR fuel elements.

Figure 6.6.14-1 High Fissile Mass LEU MTR Sample Input

```
=CSAS25
LWT MTR INPUT FOR CASK MODEL - PLATES IN CLOSE & PLATES @ FULL PITCH
'MIN BASKET PLATE - COMMENT CARD REFERS TO NOMINAL PLATE SIZE
' TYPE A FUEL - FULL BASKETS
' 23 PLATES - 20 GRAM U-235 PER PLATE
' 0.123 CM PLATE THICKNESS; 6.6 CM FUEL WIDTH; 56 CM FUEL HEIGHT
' HEU FUEL COMPOSITION 30 WT%U - 94 WT%235U
' TYPE B FUEL - FULL/PARTIAL BASKETS
' 23 PLATES - 32 GRAM U-235 PER PLATE
' 0.115 CM PLATE THICKNESS; 7.3 CM FUEL WIDTH; 56 CM FUEL HEIGHT
' LEU FUEL COMPOSITION 75 WT%U - 25 WT%235U
'FUEL SHIFT AXIAL ALTERNATING
27GROUPNDF4 LATTICECELL
' TYPE B FUEL - FULL/PARTIAL BASKET FUEL MATERIAL
URANIUM 1 DEN=19.05 0.21915 293 92235 25 92238 75 END
AL 1 DEN=2.702 0.51503 293 END
' CLAD, MODERATOR, AND CASK MATERIALS
AL 2 1.0 293.0 END
H2O 3 1 293.0 END
AL 4 1.0 293.0 END
SS304 5 1.0 293.0 END
PB 6 1.0 293.0 END
H2O 7 1.E-20 293.0 END
H2O 8 1.E-20 293.0 END
H2O 9 1.0 293.0 END
' TYPE A FUEL - FULL BASKET FUEL MATERIAL
URANIUM 10 DEN=19.05 0.0364 293 92235 94 92238 6 END
AL 10 DEN=2.702 0.59889 293 END
' SPACER MATERIAL
AL 11 1.0 293.0 END
END COMP
SYMMSLABCELL 0.3917 0.075 1 3 0.115 2 END
' DANCOPF CORRECTION FACTOR FOR TYPE A FUEL- FULL BASKET FUEL DEFINITION
MORE DATA DAN(10)=0.5119 RES=10 SLAB 0.083 END MORE

READ PARAM TBA=10 RUN=YES PLT=NO GEN=803 NPG=1000 RND=ABCD1234 END PARAM
READ GEOM
'
' FUEL PLATE CELL UNITS - FULL BASKETS - TYPE A FUEL
'
UNIT 1
COM='MIDDLE FUEL PLATE CELL'
CUBOID 10 1 2P3.3000 2P0.0415 58 2
CUBOID 2 1 2P3.3000 2P0.0615 60 0.0
CUBOID 3 1 2P3.3000 2P0.1957 60 0.0
UNIT 2
COM='TOP FUEL PLATE CELL'
CUBOID 10 1 2P3.3000 2P0.0415 58 2
CUBOID 2 1 2P3.3000 2P0.0615 60 0.0
CUBOID 3 1 2P3.3000 0.0615 -0.1957 60 0.0
UNIT 3
COM='BOTTOM FUEL PLATE CELL'
CUBOID 10 1 2P3.3000 2P0.0415 58 2
CUBOID 2 1 2P3.3000 2P0.0615 60 0.0
CUBOID 3 1 2P3.3000 0.1957 -0.0615 60 0.0
'
UNIT 4
COM='SIDE PLATE'
CUBOID 2 1 2P0.2 2P3.75 60 0.0
'
' FUEL PLATE CELL UNITS - FULL/PARTIAL BASKET - TYPE B FUEL
'
UNIT 5
COM='MIDDLE FUEL PLATE CELL'
CUBOID 1 1 2P3.6500 2P0.0375 56.7 0.7
CUBOID 2 1 2P3.6500 2P0.0575 57.4 0.0
CUBOID 3 1 2P3.6500 2P0.19585 57.4 0.0
UNIT 6
COM='TOP FUEL PLATE CELL'
CUBOID 1 1 2P3.6500 2P0.0375 56.7 0.7
CUBOID 2 1 2P3.6500 2P0.0575 57.4 0.0
CUBOID 3 1 2P3.6500 0.0575 -0.19585 57.4 0.0
UNIT 7
COM='BOTTOM FUEL PLATE CELL'
CUBOID 1 1 2P3.6500 2P0.0375 56.7 0.7
CUBOID 2 1 2P3.6500 2P0.0575 57.4 0.0
CUBOID 3 1 2P3.6500 0.19585 -0.0575 57.4 0.0
'
UNIT 8
COM='SIDE PLATE'
CUBOID 2 1 2P0.2 2P3.75 57.4 0.0
'
' UNITS 10 TO 100 ELEMENTS SHIFTED DOWN IN BASKET
'
' BASKET CENTER ROW ARRAY ELEMENTS
'
UNIT 10
COM='FUEL PLATE ARRAY - PLATES IN 5/16 IN. WEB CENTER'
ARRAY 1 -3.3000 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
```

```
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 11
COM='FUEL ARRAY PLATES IN 5/16 IN. WEB RIGHT'
ARRAY 1 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 12
COM='FUEL ARRAY PLATES IN 5/16 IN. WEB LEFT'
ARRAY 1 -2.6314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
'
' BASKET TOP ROW ARRAY ELEMENTS
'
UNIT 20
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - TOP STACK'
ARRAY 1 -2.6314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 21
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - TOP STACK'
ARRAY 1 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
' BASKET BOTTOM ROW ARRAY ELEMENTS
'
UNIT 30
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 1 -2.6314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 31
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'
ARRAY 1 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 0.0
HOLE 4 4.1687 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
' CONSTRUCTION OF BASKET ROWS
'
UNIT 40
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES'
ARRAY 2 -9.0428 -4.3688 0.0
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1
UNIT 41
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'
ARRAY 3 -14.1738 -4.3688 0.0
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1
UNIT 42
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES'
ARRAY 4 -9.0428 -4.3688 0.0
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1
'
' BASKET UNIT
'
UNIT 50
COM='7 MTR ELEMENTS IN THE LWT'
CYLINDER 3 1 17.0500 73.152 0.0
HOLE 40 0.0 +9.4489 0.0
HOLE 41 0.0 0.0 0.0
HOLE 42 0.0 -9.4489 0.0
CYLINDER 5 1 18.8913 73.152 -1.27
CYLINDER 6 1 33.4963 73.152 -1.27
CYLINDER 5 1 36.5443 73.152 -1.27
CYLINDER 7 1 49.2443 73.152 -1.27
CYLINDER 5 1 49.8539 73.152 -1.27
CUBOID 8 1 4P49.8539 73.152 -1.27
'
' UNITS 110 TO 150 ELEMENTS SHIFTED UP IN BASKET
'
' BASKET CENTER ROW ARRAY ELEMENTS
'
UNIT 110
COM='FUEL PLATE ARRAY - PLATES IN 5/16 IN. WEB CENTER'
ARRAY 1 -3.3000 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 111
COM='FUEL ARRAY PLATES IN 5/16 IN. WEB RIGHT'
ARRAY 1 -3.9686 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
```

```
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 112
COM='FUEL ARRAY PLATES IN 5/16 IN. WEB LEFT'
ARRAY 1 -2.6314 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 2R0.3556 4R0.0 1
'
' BASKET TOP ROW ARRAY ELEMENTS
'
UNIT 120
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - TOP STACK'
ARRAY 1 -2.6314 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 121
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - TOP STACK'
ARRAY 1 -3.9686 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
' BASKET BOTTOM ROW ARRAY ELEMENTS
'
UNIT 130
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 1 -2.6314 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 131
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'
ARRAY 1 -3.9686 -4.3688 13.152
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 4 -4.1687 0.0 13.152
HOLE 4 4.1687 0.0 13.152
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
' CONSTRUCTION OF BASKET ROWS
'
UNIT 140
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES'
ARRAY 5 -9.0428 -4.3688 0.0
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1
UNIT 141
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'
ARRAY 6 -14.1738 -4.3688 0.0
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1
UNIT 142
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES'
ARRAY 7 -9.0428 -4.3688 0.0
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1
'
' BASKET UNIT
'
UNIT 150
COM='7 MTR ELEMENTS IN THE LWT'
CYLINDER 3 1 17.0500 73.152 0.0
HOLE 140 0.0 +9.4489 0.0
HOLE 141 0.0 0.0 0.0
HOLE 142 0.0 -9.4489 0.0
CYLINDER 5 1 18.8913 73.152 -1.27
CYLINDER 6 1 33.4963 73.152 -1.27
CYLINDER 5 1 36.5443 73.152 -1.27
CYLINDER 7 1 49.2443 73.152 -1.27
CYLINDER 5 1 49.8539 73.152 -1.27
CUBOID 8 1 4P49.8539 73.152 -1.27
'
' UNITS 210 TO 250 ELEMENTS SHIFTED DOWN IN BASKET - NO FUEL IN CENTER ROW
'
' BASKET CENTER ROW ARRAY ELEMENTS
'
UNIT 210
COM='FUEL PLATE ARRAY - PLATES IN 5/16 IN. WEB CENTER'
CYLINDER 3 1 3.81 73.152 0.0
CYLINDER 11 1 4.1275 73.152 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 211
COM='FUEL ARRAY PLATES IN 5/16 IN. WEB RIGHT'
CYLINDER 3 1 3.81 73.152 0.0
CYLINDER 11 1 4.1275 73.152 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 212
COM='FUEL ARRAY PLATES IN 5/16 IN. WEB LEFT'
CYLINDER 3 1 3.81 73.152 0.0
CYLINDER 11 1 4.1275 73.152 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
'
' BASKET TOP ROW ARRAY ELEMENTS
```

UNIT 220
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - TOP STACK'
ARRAY 11 -3.3314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 8 -4.1687 0.0 0.0
HOLE 8 4.1687 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 221
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - TOP STACK'
ARRAY 11 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 8 -4.1687 0.0 0.0
HOLE 8 4.1687 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1
' BASKET BOTTOM ROW ARRAY ELEMENTS
UNIT 230
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 11 -3.3314 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 8 -4.1687 0.0 0.0
HOLE 8 4.1687 0.0 0.0
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 231
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'
ARRAY 11 -3.9686 -4.3688 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 8 -4.1687 0.0 0.0
HOLE 8 4.1687 0.0 0.0
REPLICATE 5 1 0.0 0.3048 4R0.0 1
' CONSTRUCTION OF BASKET ROWS
UNIT 240
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES'
ARRAY 12 -9.0428 -4.3688 0.0
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1
UNIT 241
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'
ARRAY 13 -14.1738 -4.3688 0.0
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1
UNIT 242
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES'
ARRAY 14 -9.0428 -4.3688 0.0
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1
' BASKET UNIT
UNIT 250
COM='7 MTR ELEMENTS IN THE LWT'
CYLINDER 3 1 17.0500 73.152 0.0
HOLE 240 0.0 +9.4489 0.0
HOLE 241 0.0 0.0 0.0
HOLE 242 0.0 -9.4489 0.0
CYLINDER 5 1 18.8913 73.152 -1.27
CYLINDER 6 1 33.4963 73.152 -1.27
CYLINDER 5 1 36.5443 73.152 -1.27
CYLINDER 7 1 49.2443 73.152 -1.27
CYLINDER 5 1 49.8539 73.152 -1.27
CUBOID 8 1 4P49.8539 73.152 -1.27
' UNITS 310 TO 350 ELEMENTS SHIFTED UP IN BASKET - NO FUEL IN CENTER ROW
' BASKET CENTER ROW ARRAY ELEMENTS
UNIT 310
COM='FUEL PLATE ARRAY - PLATES IN 5/16 IN. WEB CENTER'
CYLINDER 3 1 3.81 73.152 0.0
CYLINDER 11 1 4.1275 73.152 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 311
COM='FUEL ARRAY PLATES IN 5/16 IN. WEB RIGHT'
CYLINDER 3 1 3.81 73.152 0.0
CYLINDER 11 1 4.1275 73.152 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
UNIT 312
COM='FUEL ARRAY PLATES IN 5/16 IN. WEB LEFT'
CYLINDER 3 1 3.81 73.152 0.0
CYLINDER 11 1 4.1275 73.152 0.0
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
REPLICATE 5 1 2R0.3556 4R0.0 1
' BASKET TOP ROW ARRAY ELEMENTS
UNIT 320
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - TOP STACK'
ARRAY 11 -3.3314 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 8 -4.1687 0.0 15.752
HOLE 8 4.1687 0.0 15.752
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 321
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - TOP STACK'


```
ARRAY 11 -3.9686 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 8 -4.1687 0.0 15.752
HOLE 8 4.1687 0.0 15.752
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
' BASKET BOTTOM ROW ARRAY ELEMENTS
'
UNIT 330
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON RIGHT - BOTTOM STACK'
ARRAY 11 -3.3314 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 8 -4.1687 0.0 15.752
HOLE 8 4.1687 0.0 15.752
REPLICATE 5 1 0.3048 5R0.0 1
UNIT 331
COM='FUEL ARRAY WITH HALF OF 1/4 IN. PLATE ON LEFT - BOTTOM STACK'
ARRAY 11 -3.9686 -4.3688 15.752
CUBOID 3 1 2P4.3688 2P4.3688 73.152 0.0
HOLE 8 -4.1687 0.0 15.752
HOLE 8 4.1687 0.0 15.752
REPLICATE 5 1 0.0 0.3048 4R0.0 1
'
' CONSTRUCTION OF BASKET ROWS
'
UNIT 340
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON TOP AND SIDES'
ARRAY 15 -9.0428 -4.3688 0.0
REPLICATE 5 1 3R0.3048 0.0 2R0.0 1
UNIT 341
COM='3 UNIT ARRAY WITH REST OF 5/16 WEB'
ARRAY 16 -14.1738 -4.3688 0.0
REPLICATE 5 1 2R0.3556 2R0.7112 2R0.0 1
UNIT 342
COM='2 UNIT ARRAY WITH 1/4 IN. PLATE ON BOTTOM AND SIDES'
ARRAY 17 -9.0428 -4.3688 0.0
REPLICATE 5 1 2R0.3048 0.0 0.3048 2R0.0 1
'
' BASKET UNIT
'
UNIT 350
COM='7 MTR ELEMENTS IN THE LWT'
CYLINDER 3 1 17.0500 73.152 0.0
HOLE 340 0.0 +9.4489 0.0
HOLE 341 0.0 0.0 0.0
HOLE 342 0.0 -9.4489 0.0
CYLINDER 5 1 18.8913 73.152 -1.27
CYLINDER 6 1 33.4963 73.152 -1.27
CYLINDER 5 1 36.5443 73.152 -1.27
CYLINDER 7 1 49.2443 73.152 -1.27
CYLINDER 5 1 49.8539 73.152 -1.27
CUBOID 8 1 4P49.8539 73.152 -1.27
'
' CASK LID AND BOTTOM STRUCTURE
'
UNIT 460
COM='SIMPLIFIED LID STRUCTURE NAC-LWT'
CYLINDER 5 1 36.5188 13.6775 -14.1351
CYLINDER 8 1 49.8539 13.6775 -14.1351
CUBOID 8 1 4P49.8539 13.6775 -14.1351
UNIT 461
COM='SIMPLIFIED CASK BOTTOM STRUCTURE NAC-LWT'
CYLINDER 6 1 26.3525 2P3.81
CYLINDER 5 1 36.6188 +13.36 -12.7
CYLINDER 8 1 49.8539 +13.36 -12.7
CUBOID 8 1 4P49.8539 +13.36 -12.7
UNIT 462
COM='THIN TOP AND BOTTOM SHELL OF NEUTRON SHIELD - SUBTRACTED FROM LID MODEL'
CYLINDER 5 1 49.8539 0.61 0.0
CUBOID 8 1 4P49.8539 0.61 0.0
'
' STACK OF BASKETS WITH CASK LID AND BOTTOM
'
GLOBAL UNIT 470
COM='STACK OF 6 BASKETS IN CASK WITH LID AND BOTTOM'
ARRAY 40 -49.8539 -49.8539 0.0
END GEOM
READ ARRAY
'
' ARRAYS FOR TYPE A BASKETS
'
' FUEL ELEMENT PLATE ARRAY
'
ARA=1 NUX=1 NUY=23 NUZ=1 FILL 3 21R1 2 END FILL
'
' ARRAYS OF BASKET OPENINGS (TOP, MIDDLE, BOTTOM)
' PLATES AT BOTTOM OF OPENING
'
ARA=2 NUX=2 NUY=1 NUZ=1 FILL 20 21 END FILL
ARA=3 NUX=3 NUY=1 NUZ=1 FILL 12 10 11 END FILL
ARA=4 NUX=2 NUY=1 NUZ=1 FILL 30 31 END FILL
'
' ARRAYS OF BASKET OPENINGS (TOP, MIDDLE, BOTTOM)
' PLATES AT TOP OF OPENING
'
ARA=5 NUX=2 NUY=1 NUZ=1 FILL 120 121 END FILL
ARA=6 NUX=3 NUY=1 NUZ=1 FILL 112 110 111 END FILL
```

```
ARA=7 NUX=2 NUY=1 NUZ=1 FILL 130 131 END FILL
'
' ARRAYS FOR TYPE B BASKETS
'
ARA=11 NUX=1 NUY=23 NUZ=1 FILL 7 21R5 6 END FILL
'
' ARRAYS OF BASKET OPENINGS (TOP, MIDDLE, BOTTOM)
' PLATES AT BOTTOM OF OPENING
'
ARA=12 NUX=2 NUY=1 NUZ=1 FILL 220 221 END FILL
ARA=13 NUX=3 NUY=1 NUZ=1 FILL 212 210 211 END FILL
ARA=14 NUX=2 NUY=1 NUZ=1 FILL 230 231 END FILL
'
' ARRAYS OF BASKET OPENINGS (TOP, MIDDLE, BOTTOM)
' PLATES AT TOP OF OPENING
'
ARA=15 NUX=2 NUY=1 NUZ=1 FILL 320 321 END FILL
ARA=16 NUX=3 NUY=1 NUZ=1 FILL 312 310 311 END FILL
ARA=17 NUX=2 NUY=1 NUZ=1 FILL 330 331 END FILL
'
' ARRAY OF BASKETS WITH LID AND BOTTOM
'
ARA=40 NUX=1 NUY=1 NUZ=10 FILL 461 462 350 50 150 50 150 250 462 460 END FILL
END ARRAY
READ BOUNDS ALL=MIR END BOUNDS
READ START NST=0 XSM=-17 XSP=17 YSM=-17 YSP=17 ZSM=25 ZSP=475 END BOUNDS
READ PLOT
TTL='X-Y PLOT OF CENTER ELEMENT - FUEL ELEVATION'
SCR=YES PIC=MAT LPI=10
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-5.0 YUL=5.0 ZUL=150.0
XLR=5.0 YLR=-5.0 ZLR=150.0 END
TTL='X-Y PLOT OF BASKET - FUEL ELEVATION'
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-17.0 YUL=17.0 ZUL=50.0
XLR=17.0 YLR=-17.0 ZLR=50.0 END
TTL='X-Y PLOT OF BASKET - FUEL ELEVATION - MIDDLE BASKET'
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-17.0 YUL=17.0 ZUL=150.0
XLR=17.0 YLR=-17.0 ZLR=150.0 END
TTL='X-Y PLOT OF CASK - FUEL ELEVATION'
UAX=1.0 VDN=-1.0 NAX=1500
XUL=-65.0 YUL=65.0 ZUL=150.0
XLR=65.0 YLR=-65.0 ZLR=150.0 END
TTL='Y-Z (X=0) PLOT OF MIDDLE BASKET - CENTER SECTION'
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-5.0 ZUL=155.0
XLR=0.0 YLR=5.0 ZLR=150.0 END
TTL='Y-Z (X=0) PLOT OF MIDDLE BASKET - CENTER FUEL ELEMENT'
VAX=1.0 WDN=-1.0
XUL=0.0 YUL=-5.0 ZUL=180.0
XLR=0.0 YLR=5.0 ZLR=100.00 END
TTL='Y-Z (X=-2) PLOT OF MIDDLE BASKET'
VAX=1.0 WDN=-1.0
XUL=-2.0 YUL=-15.0 ZUL=180
XLR=-2.0 YLR=15.0 ZLR=100.00 END
TTL='Y-Z (X=-2) PLOT OF CASK - R=17.0'
LPI=5 NAX=1000
VAX=1.0 WDN=-1.0
XUL=-2.0 YUL=-17.0 ZUL=502.0
XLR=-2.0 YLR=17.0 ZLR=-1.0 END
TTL='Y-Z (X=-2) PLOT OF CASK - R=51.0'
VAX=1.0 WDN=-1.0
XUL=-2.0 YUL=-51.0 ZUL=502.0
XLR=-2.0 YLR=51.0 ZLR=-1.0 END
END PLOT
END DATA
END
```

Table of Contents

7	OPERATING PROCEDURES	7.1-1
7.1	Procedures for Loading Packages	7.1-2
7.1.1	Procedures for Wet Loading of LWR Fuel Assemblies and Canistered LWR Fuel Rods	7.1-3
7.1.2	Procedures for Dry Loading of Metallic Fuel	7.1-7
7.1.3	Procedures for Loading Metallic Fuel and Filters Containing Severely Damaged Metallic Fuel into Damaged Fuel Canisters.....	7.1-10
7.1.4	Procedures for Dry Loading of DIDO, Spiral, MOATA and MTR Fuel Elements in Basket Modules into the NAC-LWT Cask	7.1-13
7.1.5	MTR General and Preferential Loading Procedures	7.1-18
7.1.6	Procedure for Dry Loading of TRIGA Fuel Basket Modules and GA IFM Modules into the NAC-LWT Cask	7.1-33
7.1.7	Procedure for Loading TRIGA Damaged Fuel or Fuel Debris into TRIGA Sealed Failed Fuel Cans.....	7.1-38
7.1.8	Procedure for Wet Loading of PWR/BWR Fuel Rods into the PWR/BWR Transport Canister.....	7.1-39
7.1.9	Procedure for Wet Loading of TPBAR Consolidation Canister into the NAC-LWT Cask	7.1-41
7.1.10	Procedure for the Dry Loading of PULSTAR Fuel Into the NAC-LWT Cask.....	7.1-44
7.1.11	Procedure for Dry Loading of TPBAR Waste Container.....	7.1-49
7.2	Procedures for Unloading Package	7.2-1
7.2.1	Procedures for Wet Unloading of LWR Fuel	7.2-1
7.2.2	Procedures for Wet Unloading of Metallic Fuel.....	7.2-3
7.2.3	Procedure for Wet Unloading of MTR, TRIGA, DIDO, ANSTO or PULSTAR Fuel Basket Contents.....	7.2-5
7.2.4	Procedure for Dry Unloading of MTR, TRIGA, DIDO, ANSTO or PULSTAR Fuel Contents.....	7.2-8
7.2.5	Procedure for Dry Unloading of TPBAR Contents	7.2-10
7.3	Procedures for Preparation of the Empty Package for Transport.....	7.3-1

List of Figures

Figure 7.1-1	MTR Fuel Basket Module Loading Pattern (Top View)	7.1-22
Figure 7.1-2	LEU MTR Fuel Basket Loading Guidelines for 30 W Uniform Loading	7.1-23
Figure 7.1-3	MEU MTR Fuel Basket Loading Guidelines for 30 W Uniform Loading	7.1-24
Figure 7.1-4	HEU MTR Fuel Basket Loading Guidelines for 30 W Uniform Loading – Maximum 380 grams ²³⁵ U	7.1-25
Figure 7.1-5	HEU MTR Fuel Basket Loading Guidelines for 30 W Uniform Loading – Maximum 460 grams ²³⁵ U	7.1-26
Figure 7.1-6	HEU MTR Fuel Basket Loading Guidelines for Preferential Loading – Maximum 380 grams ²³⁵ U	7.1-27
Figure 7.1-7	HEU MTR Fuel Basket Loading Guidelines for Preferential Loading – Maximum 460 grams ²³⁵ U	7.1-28
Figure 7.1-8	DIDO LEU Cooling Time vs. Fuel Burnup Basket Module Loading Guidelines for Uniform Loading	7.1-29
Figure 7.1-9	DIDO MEU Cooling Time vs. Fuel Burnup Basket Module Loading Guidelines for Uniform Loading	7.1-30
Figure 7.1-10	DIDO HEU Cooling Time vs. Fuel Burnup Basket Module Loading Guidelines for Uniform Loading	7.1-31
Figure 7.1-11	Bounding DIDO Element Minimum Cool Time vs. % ²³⁵ U Depletion	7.1-32

List of Tables

Table 7.3-1	Bolt and Torque Table	7.3-2
-------------	-----------------------------	-------

7 **OPERATING PROCEDURES**

This chapter describes the generic operating procedures for loading, unloading and preparing the NAC-LWT package for transport. These procedures shall be implemented to ensure the package is used in accordance with Certificate of Compliance (CoC) No. 9225 for the NAC-LWT packaging.

These procedures are based on generic site conditions and assume that the package arrives at the handling site with the appropriate internals installed in the cask. Additional operations and/or modifications (i.e., sequence of operations, use of parallel operations, etc.) to these procedures to address site-specific conditions may be required for each user's facility. These additional operations and/or modifications will be documented in site-specific procedures.

In addition, site-specific procedures may incorporate signoffs for activities or operational sequences as they are performed. Oversight organizations, such as Quality Assurance or Quality Control, may participate in certain package handling operations. The use of signoffs can assist the user in assuring that critical steps are not overlooked, that the package is handled in accordance with the CoC and Safety Analysis Report (SAR), and that appropriate records are retained as required by 10 CFR 71.91.

The NAC-LWT package is designed and certified to transport numerous fissile and radioactive contents, as described in the CoC, as a Type B(U)F-96 package.

The NAC-LWT is also certified for the transport of Tritium Producing Burnable Absorber Rod (TPBAR) contents, as described in the CoC, as a Type B(M)-96 package. NAC-LWT cask units designated for the transport of TPBAR contents shall be configured with Alternate B vent and drain port covers in accordance with the license drawings, and subjected to the additional hydrostatic test per the requirements of Section 8.1.2. TPBAR transports shall be performed with a leaktight containment boundary.

Loaded shipments received at U.S. Department of Energy (DOE) facilities shall be receipt surveyed and monitored in accordance with DOE regulations. As required, the shipper will be notified of any survey or shipping discrepancy and the shipper will ensure appropriate regulatory notifications are completed.

When the package is handled in accordance with the procedures provided herein, and is loaded within the conditions of the CoC and the SAR, the resulting occupational exposures will be maintained as low as reasonably achievable (ALARA), as required by 10 CFR 20.

7.1 Procedures for Loading Packages

For the shipment of loaded packages, the cavity shall be dry, the contents and nameplate package identification, corresponding to the contents, shall be verified as correct, and the other applicable conditions of the Certificate of Compliance (CoC) shall be verified as met. Site-specific procedures for dry handling and loading of fuel assemblies and other authorized contents will be prepared to incorporate the dry transfer system components required to safely and efficiently load the NAC-LWT at each loading facility. Dry loading and transfer procedures are not specifically described in the individual loading procedures due to these facility and required equipment variations. Content configurations may require spacers, baskets, basket inserts, canisters, etc., to support and/or control the content geometry during transport. The transport configurations identifying the specific contents and components required are specified in the license drawings. Solid, irradiated and contaminated hardware will generally be loaded wet utilizing the procedure guidance of Section 7.1.1. Alternatively, the solid, irradiated and contaminated hardware can be loaded dry utilizing dry loading procedures (i.e., per Section 7.1.2 or 7.1.1) modified to the requirements of the dry loading facilities.

Two port cover designs are available for use. The alternate port cover has an O-ring along the barrel and an O-ring on the inner end of the port cover. The alternate port cover was developed to facilitate ease of installation and removal in the field. The second port cover design is the Alternate B port cover that has two face seals on the inner end of the port cover. The Alternate B port cover was developed to provide a leaktight and high-pressure containment boundary seal per the requirements of ANSI N14.5-1997. The Alternate B port cover is required to be installed for the transport of TPBAR contents and other authorized contents requiring a leaktight containment capability. The two port cover designs can be used interchangeably for authorized contents not requiring a leaktight or high-pressure containment boundary capability.

The alternate port cover bolts are torqued to 100 ± 10 inch-pounds. The Alternate B port cover bolts are torqued to 285 ± 15 inch-pounds to ensure compression of the metallic containment O-ring seal.

As required for the specific contents, specific procedures will specify the use of the Alternate B port covers. In these loading procedures, the more restrictive Alternate B port cover helium leakage rate testing is described. For other content loading procedures, either port cover design can be used. However, if the Alternate B port covers are used, the metallic O-ring seal will be replaced for each transport and the helium maintenance leakage rate test is required to be performed.

For cask loading operations performed under water or when water is introduced into the cask cavity, the cask cavity is required to be blown down to remove the cavity water, vacuum dried and verified as dry, and helium backfilled prior to final closure and leakage testing. The cavity is vacuum dried by attaching a vacuum pump to the vent and/or drain port and evacuating the cavity to a pressure of less than 10 torr (13 mbar), and continuing to vacuum pump for an additional 15 minutes. If the cavity pressure rise is less than 5 torr (6.7 mbar) during a 10-minute isolation and hold period, there is no free water in the cavity and the cask cavity is verified as dry. Final containment closure and leakage testing operations in preparation for transport can proceed. If the pressure rise is >5 torr (6.7 mbar), the vacuum drying will be continued until the dryness verification criteria are met. The successful performance of the dryness verification and backfilling the cavity with helium ensures that there is no free water in the cavity and oxidation of the cask's contents is precluded. When the cask is loaded in a dry cell or under other conditions where no water is introduced into the cask cavity, the procedure sequences for cavity blow down, vacuum drying and dryness verification can be eliminated and the loading sequence can proceed directly to final closure, containment boundary leakage testing and helium backfill operations.

7.1.1 Procedures for Wet Loading of LWR Fuel Assemblies and Canistered LWR Fuel Rods

The procedures for wet loading the NAC-LWT with LWR fuel are as follows:

1. Perform a receipt inspection of the empty cask and trailer/ISO container, inspecting for transport damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release brakes and remove the chocks when required to complete uprighting operations. If an ISO container is used, it may be removed from the trailer and secured in the unloading area.
3. Remove the personnel barrier or the roof and roof cross-members from the ISO container.

Note: Verify that the package nameplate displays the correct package identification number in accordance with the CoC.

4. Perform a Health Physics survey of the cask and adjacent surfaces of the trailer.

Note: A receiving survey of the cask and transporter must be performed as soon as practicable after arrival at the site to assure compliance with 10 CFR 20, 10 CFR 71.87(i) and 10 CFR 71.47, and to assure timely reporting of any reportable noncompliance.

5. Remove the top and bottom impact limiters.

6. Remove the cask tie-down strap.
7. Using the lifting yoke with the guides removed, engage the lifting trunnions. Raise the cask to vertical by rotating the cask rotation sockets on the rear cask supports, moving the crane and/or trailer as required to keep the lift yoke engaged to the trunnions and the cask engaged in the rear supports. When the cask is fully vertical, lift the cask from the supports and remove it from the trailer/container.
8. Place the cask in the cask preparation area or other designated location. Disengage the lifting yoke. Clean cask surfaces of road dirt as required for entry into the spent fuel pool.
9. Visually inspect the neutron shield tank fill, drain and level inspection plugs for signs of neutron shield fluid leakage. If leakage is detected or suspected, verify shield tank fluid level and correct, as required.
10. Remove the vent and drain valve port covers. Prior to reinstallation of the port covers, carefully inspect the valve port cover O-ring seals and, if the O-rings show any damage, replace them with approved spares. Ensure that the replacement O-rings are properly installed and seated. Visually inspect the valved quick-disconnect nipples and replace them, if necessary.

Note: For Alternate B port covers, replace the metallic O-ring with an approved spare prior to reinstallation.

11. Remove closure lid bolts. Attach the lid lift slings to the closure lid. Remove the closure lid and set it on a support that is suitable for radiological control and for maintaining the cleanliness of the closure lid. Prior to reinstallation of the lid, carefully inspect the Teflon O-ring seal in the underside of the closure lid and, if it shows any damage, replace it. Remove the metallic O-ring and replace it with an approved spare. Ensure that the replacement O-rings are properly installed and seated. Inspect the lid bolts and replace any that are damaged.
12. Visually inspect the inner cavity for foreign material or damage. Install or verify the presence of the proper drain tube and basket assembly.
13. Fill the cask cavity with clean water.
14. Install lift yoke arm guides and remote actuation component on the cask lifting yoke.
15. Engage the cask lifting yoke with the cask lifting trunnions and pick up the cask. Carefully lower the cask to the bottom of the cask loading area. Rinse the cask surfaces with clean water to minimize cask surface contamination.
16. Disengage the lifting yoke from the cask and remove the yoke from the pool, if necessary, to provide fuel loading clearance.
17. Identify the fuel assembly(ies) or canistered LWR fuel rods to be loaded. Verify the identified materials comply with the content conditions and authorized quantities as specified in the CoC.
18. Pick up the fuel assembly or transport canister containing individual fuel rods, using the required grapple system.

Note: See Section 7.1.8 procedures for instructions for loading and preparing PWR or BWR rods in a transport canister.

19. Position the fuel contents over the cask and carefully lower them into the cask to avoid damage to the cask sealing surfaces. Confirm that the fuel assembly (or transport canister and insert, or material container) is fully seated, then release the grapple from the fuel assembly (or transport canister and insert) and raise the grapple to the full up position. Repeat this step as necessary to load multiple assemblies or containers (if required).
20. Position the cask lifting yoke over the cask closure lid. Attach the slings to the closure lid and cask lifting yoke. Lower the yoke over the cask.
21. Position the closure lid over the cask and slowly lower it into place using the cask and lid match marks as guides. Visually confirm that the closure lid is seated.
22. Lower the cask handling yoke to slack the closure lid cables. Engage the cask lifting trunnions with the yoke and begin lifting.

Note: Visually verify the yoke engagement before lifting the cask.
23. Raise the cask until the lid is slightly above the surface of the pool. At the option of the licensee/user, a number of closure lid bolts (i.e., 4 to 12) may be installed hand tight.
24. Raise the cask clear of the pool, rinsing the yoke and cask with clean water.
25. Transfer the cask to the decontamination pit or other work area. Remove the yoke and lid lift slings.
26. Install and tighten the 12 closure lid bolts to 260 ± 20 ft-lb in three passes, using the torque sequence stamped on the closure lid.
27. At the option of the licensee/user, a 25 to 50 gallon clean water flush of the cask cavity may be performed by connecting a valved, clean water line to the drain valve and a valved drain line to the vent valve. After the cavity flushing is completed, if performed, disconnect the water supply and drain lines.
28. Connect a gas supply line to the vent valve and the drain line to the drain valve.
29. Open the nitrogen or helium gas supply valve and pressurize the cask cavity (< 30 psig) to force any residual water out the drain line. Continue to supply pressurized gas to the cask for a minimum of five minutes after the last residual free water discharges from the drain. Remove the drain and gas supply lines and attach a vacuum drying system (VDS) to the vent.
30. Evacuate the cask cavity to less than or equal to 10 torr (13 mbar) and continue vacuum pumping for a minimum of 15 minutes.
31. At the end of the vacuum pumping period, isolate the cask cavity from the vacuum pump and stop the vacuum pump. Monitor the cask cavity pressure for a minimum of 10 minutes. If the pressure rise is less than 5 torr (6.7 mbar), the cavity is verified as dry of free water. If the pressure rise is >5 torr (6.7 mbar), repeat vacuum drying until the dryness verification results are satisfactory.

32. Backfill the cask cavity with helium to 0 psig (1 atmosphere, absolute), +1, -0 psi and disconnect the VDS from the vent valve.
33. Perform a helium leakage test of the closure lid containment O-ring using a Helium Mass Spectrometer Leak Detector (He MSLD) in accordance with the procedural requirements of Section 8.1.3.1, Steps 3 through 10.
34. Install the vent and drain alternate port covers and torque the bolts to 100 ± 10 inch-pounds.
35. If an alternate port cover containment O-ring seal was replaced, perform a helium leakage test on the affected port cover using a He MSLD in accordance with the requirements of Section 8.1.3.2.2.
36. If the alternate port cover containment seal was inspected and accepted for reuse, perform a gas pressure drop leakage test on the affected port cover as follows.
 - a. Install a pressure test fixture to the port cover test port, including a calibrated pressure gauge with a minimum sensitivity of 0.25 psi.
 - b. Pressurize the port cover seal annulus to 15 psig, +1, -0 psi.
 - c. Isolate the gas supply and observe the pressure gauge for a minimum of five minutes.
 - d. The acceptance criterion for the test is no measurable drop in pressure during the minimum test time. An acceptable test assures that the minimum assembly verification leakage test sensitivity is achieved.

Note: Alternate B port covers, if used, require the satisfactory completion of a helium maintenance leakage rate test to confirm a leaktight seal condition for each loaded transport. Install the Alternate B port cover, torque the high-strength bolts to 285 ± 15 inch-pounds, and perform the maintenance leakage rate test per the requirements of Section 8.1.3.3.
37. Decontaminate the cask surfaces. Survey the cask for surface contamination and radiation dose rates.

Note: Ensure compliance with 10 CFR 71.87(i) and 10 CFR 71.47.
38. Remove lift yoke arm guides. Engage the cask lifting yoke to the lifting trunnions.
39. Lift the cask and position the cask rotation sockets in the rear rotation trunnions of the rear support structure. Carefully lower the cask to the horizontal transport orientation resting on the front saddle by moving the crane and/or the trailer as required to maintain cask engagement to the rear supports.
40. Disengage the lifting yoke from the lifting trunnions and remove it from the area.
41. Install the cask tie-down strap. Install the top and bottom impact limiters.
42. Install tamper seal wire and number seal on the top attachment point on the top impact limiter.
43. Install ISO container bracing and lid or personnel barrier.

44. Complete radiation and contamination surveys of the external surfaces of the package and record the data. Ensure removable contamination and radiation dose rate survey results comply with the limits specified in 10 CFR 71.87(i) and (j).
45. Measure the dose rate in millirems per hour at one meter from the package surface to determine the Transport Index (TI). Indicate the TI on the Radioactive Material labels applied to the package in accordance with 49 CFR 172, Subpart E.
46. Determine the appropriate Criticality Safety Index (CSI) assigned to the package contents in accordance with the CoC, and indicate the correct CSI on the Fissile Material label applied to the package per 49 CFR 172, Subpart E.
47. Apply appropriate placards to the transport vehicle in accordance with 49 CFR 172, Subpart F.
48. Complete the shipping documents and provide the carrier with instructions regarding the requirements for maintaining an exclusive use shipment.

7.1.2 Procedures for Dry Loading of Metallic Fuel

The procedures for dry loading the package with metallic fuel are as follows:

1. Perform a receipt inspection of the empty cask and trailer/ISO container, inspecting for transport damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release brakes and remove the chocks when required to complete uprighting operations. If an ISO container is used, it may be removed from the trailer and secured in the unloading area.
3. Remove the roof from the ISO container and open the front and rear ISO doors. Remove roof cross-members, if installed.
Note: Verify that the package nameplate displays the correct package identification number in accordance with the CoC.
4. Perform a Health Physics survey of the cask and adjacent surfaces of the container.
Note: A receiving survey of the cask and transporter must be performed as soon as practicable after arrival at the site to ensure compliance with 10 CFR 20, 10 CFR 71.87(i) and 10 CFR 71.47, and to ensure timely reporting of any reportable noncompliance.
5. Remove the top and bottom impact limiters.
6. Remove the cask tie-down strap.
7. Using the lifting yoke with the guides removed, engage the lifting trunnions. Raise the cask to vertical by rotating the cask rotation sockets on the rear cask supports, moving the crane and/or trailer as required to keep the lift yoke engaged to the

trunnions and the cask engaged in the rear supports. When the cask is fully vertical, lift the cask from the supports and remove it from the trailer/container.

8. Place the cask in the dry loading stand. Disengage the lifting yoke.
9. Remove the vent and drain valve port covers. Prior to reinstallation of the port covers, carefully inspect the O-rings and, if the O-rings show any damage, replace them with approved spares. Ensure that the replacement O-rings are properly installed and seated. Visually inspect the valved quick-disconnect nipples and replace them, if necessary.

Note: For Alternate B port covers, replace the metallic O-ring with an approved spare prior to reinstallation.

10. Remove closure lid bolts. Attach the lid lift slings to the closure lid. Remove the closure lid and set it on a support that is suitable for radiological control and for maintaining the cleanliness of the closure lid. Prior to reinstallation of the lid, carefully inspect the Teflon O-ring seal in the underside of the closure lid and, if it shows any damage, replace it. Remove the metallic O-ring and replace it with an approved spare. Ensure that the replacement O-rings are properly installed and seated. Inspect the lid bolts and replace any that are damaged.
11. Visually inspect the inner cavity for foreign material or damage. Install, or verify the presence of the proper drain tube assembly and basket, as required.
12. Install the required dry transfer system components to the top of the cask.
13. Position the shielded transfer cask system components for fuel loading, as appropriate.
14. Identify the fuel to be loaded and verify that the fuel contents comply with the content conditions and authorized quantities as specified in the CoC. Up to five sound metallic fuel rods may be placed in an unsealed canister. Damaged rods may be placed in a sealed 2.75-inch or 4.0-inch failed fuel canister (FFC). Up to 10 filters containing oxide powder from severely damaged metallic fuel rods may be placed in one FFC. The FFC(s) containing filters may be loaded with up to two FFCs containing failed fuel rods to fill the three-element basket. The FFCs must be vacuum dried and sealed as described in Section 7.1.3.
15. Load the shielded transfer cask with the selected fuel contents.
16. Place the shielded transfer cask, containing a fuel canister, onto the dry transfer system components positioned on the top of the cask.
17. Lower the fuel canister from the transfer cask into the shipping cask.
18. Repeat the loading and transfer of fuel canisters until the approved cask loading plan is completed.
19. Install the closure lid onto the cask. Visually verify that the lid is properly seated.
20. Remove the dry transfer system components from the top of the cask.

21. Install and tighten the 12 closure lid bolts to 260 ± 20 ft-lb in three passes, using the torque sequence stamped on the closure lid.
 22. This step applies only if the cask contains damaged metallic fuel or severely damaged metallic fuel.
 - a. Attach the vacuum pump to the cask vent valve.
 - b. Evacuate the cask cavity to ≤ 10 torr (13 mbar) and maintain for a minimum of 15 minutes.
 - c. Stop the vacuum pump and monitor pressure for a minimum of 10 minutes. If the pressure rise is less than 5 torr (6.5 mbar), the cask is adequately dried for shipment. If not, repeat vacuum drying and pressure rise verification.
 - d. Remove the vacuum pump and backfill the cask cavity with helium to 1 atmosphere (absolute) +1, -0 psi.
 - e. Remove the gas supply line.
 23. Perform the helium mass spectrometer leakage rate test on the cask lid in accordance with the requirements of Section 8.1.3.1, Steps 3 through 10.
 24. Install the vent and drain alternate port covers and torque the bolts to 100 ± 10 inch-pounds.
 25. If an alternate port cover containment O-ring seal was replaced, perform a helium leakage test on the affected port cover using a He MSLD in accordance with the requirements of Section 8.1.3.2.2.
 26. If the alternate port cover containment seal was inspected and accepted for reuse, perform a gas pressure drop leakage test on the affected port cover as follows.
 - a. Install a pressure test fixture to the port cover test port, including a calibrated pressure gauge with a minimum sensitivity of 0.25 psi.
 - b. Pressurize the port cover seal annulus to 15 psig, +1, -0 psi.
 - c. Isolate the gas supply and observe the pressure gauge for a minimum of five minutes.
 - d. The acceptance criterion for the test is no measurable drop in pressure during the minimum test time. An acceptable test assures that the minimum assembly verification leakage test sensitivity is achieved.
- Note: Alternate B port covers, if used, require the satisfactory completion of a helium maintenance leakage rate test to confirm a leaktight seal condition for each loaded transport. Install the Alternate B port cover, torque the high-strength bolts to 285 ± 15 inch-pounds, and perform the maintenance leakage rate test per the requirements of Section 8.1.3.3.
27. Decontaminate the cask. Survey the cask for surface contamination and radiation dose rates.

Note: Ensure compliance with 10 CFR 71.87(i) and 10 CFR 71.47.

28. Remove lift yoke arm guides. Engage the cask lifting yoke to the lifting trunnions.
29. Lift the cask and position the cask rotation sockets in the rear rotation trunnions of the rear support structure. Carefully lower the cask to the horizontal transport orientation resting on the front saddle by moving the crane and/or the trailer as required to maintain cask engagement to the rear supports.
30. Disengage the lifting yoke from the lifting trunnions and remove it from the area.
31. Install the cask tie-down strap. Install the top and bottom impact limiters.
32. Install tamper seal wire and number seal on the top attachment point on the top impact limiter.
33. Install ISO container bracing and lid or personnel barrier.
34. Complete radiation and contamination surveys of the external surfaces of the package and record the data. Ensure removable contamination and radiation dose rate survey results comply with the limits specified in 10 CFR 71.87(i) and (j).
35. Measure the dose rate in millirems per hour at one meter from the package surface to determine the Transport Index (TI). Indicate the TI on the Radioactive Material labels applied to the package in accordance with 49 CFR 172, Subpart E.
36. Determine the appropriate Criticality Safety Index (CSI) assigned to the package contents in accordance with the CoC, and indicate the correct CSI on the Fissile Material label applied to the package per 49 CFR 172, Subpart E.
37. Apply appropriate placards to the transport vehicle in accordance with 49 CFR 172, Subpart F.
38. Complete the shipping documents and provide the carrier with instructions regarding the requirements for maintaining an exclusive use shipment.

7.1.3 Procedures for Loading Metallic Fuel and Filters Containing Severely Damaged Metallic Fuel into Damaged Fuel Canisters

7.1.3.1 Small Diameter Canisters (Damaged Metallic Fuel)

1. Examine the small diameter failed fuel canister (FFC) and check it for damage.
2. Place the FFC inside the containment barrier portion of the pool. Position the FFC in the failed rod loading station.
3. After verifying the accountability records, place the designated failed fuel rod into the FFC. If the rod is broken into two or more pieces, verify that the lid thread and seal area is not fouled during rod insertion.
4. When the can is loaded, install the lid using the FFC Lid Installation Tool.

5. Using the FFC handling tool, move the loaded FFC through the containment barrier door and place the FFC horizontally into the upender.
6. Operate the hand winch to move the FFC to the vertical position.
7. Torque the FFC lid to 100 ± 10 ft-lb for the small canister.
8. Connect the nitrogen supply line to the vent valve.
9. Open nitrogen supply valve and pressurize the FFC to force out the water. Blow gas through the FFC for at least 5 minutes after the first visible bubbles appear. Remove the gas supply line.
10. Invert the FFC in the upender and install the pipe plug.
11. Re-invert the FFC in the upender.
12. Attach the vacuum pump to the FFC vent valve. Evacuate the FFC to a pressure below 25 torr (33 mbar) for a minimum of 15 minutes. Remove the vacuum pump and backfill with nitrogen.
13. Remove the FFC from the upender and place it into temporary storage.

7.1.3.2 Large Diameter Canisters (Damaged Metallic Fuel)

1. Examine the large diameter FFC and check it for damage.
2. Place the FFC inside the containment barrier portion of the pool. Position the FFC in the failed rod loading station.
3. This step is to be used when loading up to three uncanned or canned fuel rods into the large diameter canister. After verifying the accountability records, remove the ceramic filter from the top of the original failed rod can. Position the can plug with aluminum screen onto the open can. Install the plug.
4. Verify the accountability records for the fuel to be loaded.
5. Place the designated fuel into the FFC. If the rod is broken into two or more pieces, verify that the lid thread and seal area is not fouled during rod or can insertion. If more than one failed rod is to be installed, repeat steps 3 through 5.
6. After the canister is loaded with fuel, install the lid using the FFC Lid Installation Tool.
7. Using the FFC handling tool, move the loaded FFC through the containment barrier door and place the FFC horizontally into the upender.
8. Operate the hand winch to move the FFC to the vertical position.
9. Torque the FFC lid to 130 ± 10 ft-lb for the large canister.
10. Connect the nitrogen supply line to the vent valve.

11. Open the nitrogen supply valve and pressurize the FFC to force out the water. Blow gas through the FFC for at least 5 minutes after the first visible traces of bubbles appear. Remove the gas supply line.
12. Invert the FFC in the upender and install the pipe plug.
13. Reinvert the FFC in the upender.
14. Attach the vacuum pump to the FFC vent valve. Evacuate the FFC to a pressure below 25 torr (33 mbar) for a minimum of 15 minutes. Remove the vacuum pump and backfill with nitrogen.
15. Remove the FFC from the upender and place it into temporary storage.

7.1.3.3 Large Diameter Canisters (Severely Damaged Metallic Fuel)

1. Examine the large diameter FFC and check it for damage.
2. Place the FFC inside the containment barrier portion of the pool. Position the FFC in the failed rod loading station.
3. Verify the accountability records for the fuel in the filter set (up to 10 filters) to be loaded into the FFC.
4. After verifying the accountability records, load the filter set into the FFC and place aluminum wool on top of the last filter.
5. Verify that the lid thread and seal area is not fouled during insertion of the filter set.
6. After the canister is loaded with fuel, insert the lid using the FFC Lid Installation Tool.
7. Using the FFC handling tool, move the loaded FFC through the containment barrier door and place the FFC horizontally into the upender.
8. Operate the hand winch to move the FFC to the vertical position.
9. Torque the FFC lid to 130 ± 10 ft-lb for the large canister.
10. Connect the nitrogen supply line to the vent valve.
11. Open the nitrogen supply valve and pressurize the FFC to force out the water. Continue to blow gas through the FFC for at least 5 minutes after the first visible traces of bubbles appear. Remove the gas supply line.
12. Invert the FFC in the upender and install the pipe plug.
13. Re-invert the FFC in the upender.
14. Attach the vacuum pump to the FFC vent valve. Evacuate the FFC to a pressure below 25 torr (33 mbar) for a minimum of 15 minutes. Remove the vacuum pump and backfill with nitrogen.
15. Remove the FFC from the upender and place it into temporary storage.

7.1.4 Procedures for Dry Loading of DIDO, Spiral, MOATA and MTR Fuel Elements in Basket Modules into the NAC-LWT Cask

This procedure presents the steps for dry loading of fuel basket modules into the NAC-LWT cask using a transfer cask, which can contain various types of reactor fuel elements such as MTR, DIDO, spiral and plate assemblies (i.e., MOATA elements). The design, materials, use and function of the various modular fuel basket assemblies such as MTR, DIDO and ANSTO are similar, and all can be loaded into the NAC-LWT utilizing these procedures.

The modular fuel basket assemblies all consist of three types of modules: a base module, intermediate modules, and a top module. Each basket module contains seven fuel element locations, consisting of a center cell and six peripheral cells. The top basket module interfaces with the cask lid to limit the axial movement of the basket assembly. The base module interfaces with the bottom of the cask cavity. The base and intermediate modules are provided with guide pins to provide for and maintain the proper alignment between basket modules. Each of the basket module types is provided with a guide bar assembly to provide for the proper interface of the basket assembly with the drain tube assembly.

Depending on the fuel type, the basket assembly may consist of 4, 5 or 6 modules, with a varying number of intermediate modules. For the DIDO, MOATA and spiral fuel types, the DIDO and ANSTO (the basket assembly identification for MOATA and spiral fuel types) basket assemblies consist of a top module, four intermediate modules and a base module. In the case of MTR fuel elements, the basket assembly can include 2, 3 or 4 intermediate modules, depending on the length and conditions of the fuel contents. Axial fuel spacers and plates may be used as dunnage to axially position the MTR fuel elements in the basket module to facilitate fuel unloading operations.

The fuel content condition (i.e., heat load, fissile mass, minimum cool time, etc.) limits for the various fuel types are discussed or referenced in the following paragraphs.

MTR fuel elements shall be selected and loaded in accordance with the MTR General and Preferential Loading Procedures in Section 7.1.5. The MTR plate canister, if required, shall be loaded in accordance with Section 7.1.4.1.

DIDO fuel elements shall meet the following loading conditions:

- The maximum decay heat per DIDO fuel element shall not exceed 25 W.
- The maximum decay heat load for a loaded DIDO fuel basket assembly shall not exceed 1.05 kW.
- The heat load for each DIDO fuel element shall be verified by use of cool time versus burnup (MWd/MTU) curves in Figure 7.1-8 (LEU fuel), Figure 7.1-9 (MEU fuel), and Figure 7.1-10

(HEU fuel), or by use of minimum cool time versus ^{235}U depletion curves in Figure 7.1-11 (generic for LEU, MEU and HEU fuels). Note that significantly lower uranium content for a loaded assembly compared to the design basis assembly may result in a loaded assembly calculated burnup higher than that included in Figure 7.1-8 through Figure 7.1-10. Use of Figure 7.1-11's ^{235}U depletion curves is required for fuel assemblies in this category.

- An additional requirement for fuel element loading of the top module limits the heat load to 18 W per element, unless there is a spacer bolted to the underside of the closure lid, or there is sufficient fuel element hardware to ensure that axial movement of the fuel element is limited, to ensure that the active fuel region is radially shielded by the gamma shield lead layer. A lid spacer, if required, shall be as shown on NAC Drawing No. 315-40-113.

Spiral and MOATA fuel elements shall meet the content conditions specified in the Certificate of Compliance for loading into the ANSTO fuel basket assembly. Full spiral fuel loads or mixed spiral and MOATA fuel loads are authorized with separate basket modules containing the two fuel types.

The procedures for loading the NAC-LWT cask with MTR, DIDO or ANSTO fuel baskets in a dry configuration or using a dry transfer system are as follows:

1. Perform a receipt inspection of the empty cask and trailer/ISO container, inspecting for transport damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release brakes and remove the chocks when required to complete uprighting operations. If an ISO container is used, it may be removed from the trailer and secured in the unloading area.
3. Remove the personnel barrier or the roof and roof cross-members from the ISO container.

Note: Verify that the package nameplate displays the correct package identification number in accordance with the CoC.

4. Perform a Health Physics survey of the cask and adjacent surfaces of the trailer.

Note: A receiving survey of the cask and transporter must be performed as soon as practicable after arrival at the site to assure compliance with 10 CFR 20, 10 CFR 71.87(i) and 10 CFR 71.47, and to assure timely reporting of any reportable noncompliance.

5. Remove the top and bottom impact limiters.
6. Remove the cask tie-down strap.
7. Using the lifting yoke with the guides removed, engage the lifting trunnions. Raise the cask to vertical by rotating the cask rotation sockets on the rear cask supports, moving the crane and/or trailer as required to keep the lift yoke engaged to the trunnions and the

cask engaged in the rear supports. When the cask is fully vertical, lift the cask from the supports and remove it from the trailer/container.

8. Place the cask onto the dry loading station/stand. Disengage the lifting yoke and move clear.
9. Visually inspect the neutron shield tank fill, drain and level inspection plugs for signs of neutron shield fluid leakage. If leakage is detected or suspected, verify shield tank fluid level and correct, as required.
10. Remove the vent and drain valve port covers. Prior to reinstallation of the port covers, carefully inspect the O-ring seals and, if the O-rings show any damage, replace them with approved spares. Ensure that the replacement O-rings are properly installed and seated. Visually inspect the valved quick-disconnect nipples and replace them, if necessary.

Note: For Alternate B port covers, replace the metallic O-ring with an approved spare prior to reinstallation.
11. Remove closure lid bolts. Attach the lid lift slings to the closure lid. Remove the closure lid and set it on a support that is suitable for radiological control and for maintaining the cleanliness of the closure lid. Prior to reinstallation of the lid, carefully inspect the Teflon O-ring seal in the underside of the closure lid and, if it shows any damage, replace it. Remove the metallic O-ring and replace it with an approved spare. Ensure that the replacement O-rings are properly installed and seated. Inspect the lid bolts and replace any that are damaged.
12. Visually inspect the inner cavity for foreign material or damage. Install or verify presence of a proper drain tube including drain tube alignment ring, as required.
13. Install the required dry transfer system components on the top of the cask.
14. Position the shielded transfer cask system components for fuel loading, as appropriate.
15. Identify the fuel to be loaded into each fuel basket module. Fuel elements loaded into each basket and/or module shall comply with the approved content conditions specified in Condition 5.(b)(1) and 5.(b)(2) of CoC No. 9225. Specific guidance on fuel selection, use of loading diagrams and preferential loading procedures is provided in Section 7.1.5. Perform an independent verification of the loading diagrams and fuel loading operations per Section 7.1.5.3.

Note: If a basket module is to be loaded with a LEU MTR fuel element having ^{235}U content $>470\text{ g}$ ($>22\text{ g }^{235}\text{U}$ per plate), cell black spacers, as shown on Drawing 315-40-085, shall be installed in basket module cell positions 1, 2 and 3 to prevent inadvertent loading of more than four LEU MTR fuel elements.

Note: For the loading of HEU MTR fuel elements having ^{235}U content $>380\text{ g}$, a minimum of 2.0 cm of nonfuel hardware and /or spacer plates shall be provided at both ends of the fuel element to meet criticality control analysis requirements.

16. Load the shielded transfer cask and basket module with the selected fuel contents.
17. Place the shielded transfer cask containing a loaded fuel basket module onto the dry transfer system components positioned on the top of the cask.

18. Lower the loaded basket module from the transfer cask into the shipping cask.
19. Repeat the loading and transfer of loaded basket modules until the approved cask loading plan is completed.
20. Install the closure lid onto the cask using the dry transfer system. Visually verify that the lid is properly seated.
21. Remove the dry transfer system components from the top of the cask.
22. Install and tighten the 12 closure bolts to 260 ± 20 ft-lb in three passes, using the sequence stamped on the lid.
23. Connect a gas supply line to the vent valve and the drain line to the drain valve.
24. Open the air, nitrogen or helium gas supply valve and pressurize the cask cavity (< 30 psig) to force any residual water out the drain line. Continue to supply pressurized gas to the cask for a minimum of five minutes after the last residual free water discharges from the drain. Remove the drain and gas supply lines and attach a vacuum drying system (VDS) to the vent.
25. Evacuate the cask cavity to less than or equal to 10 torr (13 mbar) and continue vacuum pumping for a minimum of 15 minutes.
26. At the end of the vacuum pumping period, isolate the cask cavity from the vacuum pump and stop the vacuum pump. Monitor the cask cavity pressure for a minimum of 10 minutes. If the pressure rise is less than 5 torr (6.7 mbar), the cavity is verified as dry of free water. If pressure rise is >5 torr (6.7 mbar), repeat vacuum drying until the dryness verification results are satisfactory.
27. Backfill the cask cavity with helium to 0 psig (1 atmosphere, absolute), +1, -0 psi and disconnect the VDS from the vent valve.
28. Perform a helium leakage test of the closure lid containment O-ring using a Helium Mass Spectrometer Leak Detector (He MSLD) in accordance with the procedural requirements of Section 8.1.3.1, Steps 3 through 10.
29. Install the vent and drain alternate port covers and torque the bolts to 100 ± 10 inch-pounds.
30. If an alternate port cover containment O-ring seal was replaced, perform a helium leakage test on the affected port cover using a He MSLD in accordance with the requirements of 8.1.3.2.2.
31. If the alternate port cover containment seal was inspected and accepted for reuse, perform a gas pressure drop leakage test on the affected port cover as follows.
 - a. Install a pressure test fixture to the port cover test port including a calibrated pressure gauge with a minimum sensitivity of 0.25 psi.
 - b. Pressurize the port cover seal annulus to 15 psig, +1, -0 psi.
 - c. Isolate the gas supply and observe the pressure gauge for a minimum of five minutes.

- d. The acceptance criterion for the test is no measurable drop in pressure during the minimum test time. An acceptable test assures that the minimum assembly verification leakage test sensitivity is achieved.

Note: Alternate B port covers, if used, require the satisfactory completion of a helium maintenance leakage rate test to confirm a leaktight seal condition for each loaded transport. Install the Alternate B port cover, torque the high-strength bolts to 285 ± 15 inch-pounds, and perform the maintenance leakage rate test per the requirements of Section 8.1.3.3.

32. Decontaminate the cask surfaces. Survey the cask for surface contamination and radiation dose rates.

Note: Ensure compliance with 10 CFR 71.87(i) and 10 CFR 71.47

33. Remove lift yoke arm guides. Engage the cask lifting yoke to the lifting trunnions.
34. Lift the cask and position the cask rotation sockets in the rear rotation trunnions of the rear support structure. Carefully lower the cask to the horizontal transport orientation resting on the front saddle by moving the crane and/or the trailer as required to maintain cask engagement to the rear supports.
35. Disengage the lifting yoke from the lifting trunnions and remove it from the area.
36. Install the cask tie-down strap. Install the top and bottom impact limiters.
37. Install tamper seal wire and number seal on the top attachment point on the top impact limiter.
38. Install ISO container bracing and lid, or personnel barrier.
39. Complete radiation and contamination surveys of the external surfaces of the package and record the data. Ensure removable contamination and radiation dose rate survey results comply with the limits specified in 10 CFR 71.87(i) and (j).
40. Measure the dose rate in millirems per hour at one meter from the package surface to determine the Transport Index (TI). Indicate the TI on the Radioactive Material labels applied to the package in accordance with 49 CFR 172, Subpart E.
41. Determine the appropriate Criticality Safety Index (CSI) assigned to the package contents in accordance with the CoC, and indicate the correct CSI on the Fissile Material label applied to the package per 49 CFR 172, Subpart E.
42. Apply appropriate placards to the transport vehicle in accordance with 49 CFR 172, Subpart F.
43. Complete the shipping documents and provide the carrier with instructions regarding the requirements for maintaining an exclusive use shipment.

7.1.4.1 Procedure for Loading MTR Fuel Plates into MTR Plate Canister

1. Examine the MTR plate canister and inspect for damage. Visually verify that one end of the canister is installed, the six associated bolts are installed and the other end is removed.
2. Place the can in the loading fixture.
3. Load the fuel plates into the canister. Verify that the number of fuel plates in the canister is no more than the maximum number of plates in an intact MTR fuel element of its type.
4. Install the lid and lid bolts.

7.1.5 MTR General and Preferential Loading Procedures

Up to 42 LEU, MEU, and HEU MTR fuel elements may be loaded into the NAC-LWT MTR Fuel Basket, i.e., 7 fuel elements per basket module \times 6 basket modules per fuel basket, except for LEU MTR fuel elements with greater than 470 g ^{235}U , which are limited to 4 elements per basket module as detailed in the following paragraphs. Each MTR basket module has 7 fuel element positions. The MTR basket module loading diagram presented in Figure 7.1-1 has a center position (Position 1), two exterior positions (Positions 2 and 3) that are in line with the center position, and four exterior positions (Positions 4, 5, 6, and 7) that are adjacent to the center row positions. The basket module's fuel element locations are specifically identified to ensure loading of each location with the appropriate fuel element. Ensuring MTR fuel loadings are performed in strict accordance with the procedures presented herein will ensure that the MTR fuel content conditions of the Certificate of Compliance (CoC) are met and that the analyses presented in this SAR are bounded.

MTR fuel elements are selected for loading into specific fuel element locations based on the decay heat of each individual fuel element at the time of loading. Figure 7.1-2 through Figure 7.1-5 are provided to assist in determining the acceptability of a MTR fuel element for loading in a 30 W uniform loading pattern depending on enrichment (i.e., LEU, MEU or HEU) or ^{235}U content (i.e. 380 or 460 grams). For determining the acceptability of higher heat load HEU fuel elements, Figure 7.1-6 and Figure 7.1-7 are provided for 380 and 460 grams of ^{235}U , respectively. The use of the fuel element cool time versus fuel burnup figures are described in Section 7.1.5.4. LEU MTR fuel elements with a ^{235}U content greater than 470 grams, but not exceeding 640 grams, are restricted to baskets containing a maximum of four fuel elements (or an equivalent number of fuel plates per opening). The four element per basket module is in effect even if only one LEU MTR assembly exceeds 470 g per element. Specific basket locations and restrictions for the high load LEU elements are described in Section 7.1.5.1.

The procedural steps and sequence to ensure the MTR fuel loading and content condition limits are met are: 1) determine ^{235}U content weight per element; 2) determine fuel element decay heat load per Section 7.1.5.4; 3) determine basket module loading position for each element and overall basket loading pattern; and 4) individual basket module loading and assembly of the fuel basket in the NAC-LWT. Each of these steps is independently verified.

Attention to the overall cask loading pattern allows the decay heat load of the cask to be maintained as uniform, as is practical and within CoC total heat load limits. Loading diagrams for each individual module and the complete cask assembly shall be developed and used during the basket module and cask loading operations. After the decay heat load of each of the MTR fuel elements to be loaded and transported is calculated or determined and verified, the loading and content considerations of Sections 7.1.5.1 through 7.1.5.3 shall be met or complied with to establish the final acceptable loading pattern and sequence.

7.1.5.1 General Loading Requirements

1. The maximum decay heat load per MTR fuel basket module shall not exceed 210 W and the maximum decay heat load per cask (package) shall not exceed 1.26 kW. A MTR fuel element with a decay heat greater than 120 W shall not be loaded.
2. LEU, MEU and HEU MTR fuel elements with decay heat not exceeding 30 W per element may be loaded in any basket module fuel element location in any combination.
3. HEU MTR fuel elements with decay heats exceeding 30 W shall be preferentially loaded in a basket module in decreasing decay heat order according to the loading diagram in Figure 7.1-1, with the highest heat load element loaded in fuel location one. Fuel elements with heat loads of up to 120 W shall only be loaded in the center fuel element location of any MTR fuel basket module. The decay heat of the fuel element in either of the two fuel element locations (i.e., number 2 or 3), in line with the center fuel element location of a MTR fuel basket module, shall not exceed 70 W.
4. LEU MTR fuel elements (or canistered fuel plates) with a ^{235}U content greater than 470 g, and not exceeding 640 g, shall only be loaded into basket positions 4, 5, 6 and 7 shown in Figure 7.1-1. In order to ensure that baskets containing the high fissile mass LEU MTR elements ($>470\text{ g }^{235}\text{U}$) will not be loaded with fuel elements (or fuel plates) in basket opening positions 1, 2 and 3, a cell block spacer shall be installed in each of these three basket openings. The cell block spacer, as shown on Drawing 315-40-085, is of sufficient height and diameter to ensure that LEU MTR fuel elements are prevented from being placed in these openings. The capacity limitation of a maximum of four MTR fuel elements per module is in effect even if a single LEU MTR fuel elements (or canistered fuel plates) having $>470\text{ g }^{235}\text{U}$ is to be loaded.
5. An MTR plate canister may be loaded into any fuel basket module fuel element location. The contents of each plate canister shall be limited to the number of fuel plates, dimensions and masses of an equivalent intact MTR fuel element.

6. MTR fuel elements with corrosion and/or mechanically damaged cladding may be loaded, provided that the total surface area of through-clad corrosion and/or mechanical damage does not exceed 2,775 cm² per package.

7.1.5.2 Determination of Basket Module Loading Pattern

1. Perform an evaluation of the full inventory of fuel elements to be loaded into the NAC-LWT cask(s) and develop an overall loading plan that minimizes overall dose rates to minimize general population dose and operator dose. The loading of LEU MTR fuel elements with greater than 470 g ²³⁵U shall be governed by the loading restrictions in item 4 of Section 7.1.5.1, and cell block spacers shall be placed in basket loading positions 1, 2 and 3 to prevent inadvertent loading of more than four high fissile mass LEU MTR elements.
2. Select up to seven MTR fuel elements to be loaded in a basket module meeting the general loading requirements of Section 7.1.5.1. Identify if spacers or spacer plates are required to properly position the MTR elements axially in the basket module.
3. Rank the fuel elements in order of decreasing decay heat load from 1 to 7. (i.e., the assembly with the highest decay heat is designated number 1.)
4. Generate loading diagrams for each basket module based on Figure 7.1-1, by placing the numbered assemblies in the matching numbered basket module positions, except that fuel elements ranked 4,5,6 or 7 may be loaded in any of the outer (i.e., 4-7) basket module positions.
5. Repeat steps 1 through 4 for all of the basket modules to be loaded.
6. Independently verify the basket module loading diagrams.
7. The loading diagrams shall be used to direct the loading of the basket modules per Section 7.1.5.3.

Once the basket module loading charts are complete, they are used to direct the loading of the basket modules.

7.1.5.3 Basket Loading Procedure

1. Locate the MTR fuel element to be loaded into the basket module per the loading diagram prepared for that module type (i.e., base, intermediate or top).
2. Independently verify the element identification.
3. Load the element into the predetermined fuel basket module fuel element location using the loading diagram. Ensure spacers are installed in positions 1, 2 and 3 of any basket module containing a high fissile mass LEU MTR element.
4. Independently verify that the fuel element and spacer loading in the basket module complies with the loading diagram.
5. Repeat steps 1 through 4 until all identified fuel elements have been loaded into basket modules in compliance with the loading diagrams.


7.1.5.4 Estimating Assembly Decay Heat

When the decay heat of a fuel element is not known, the assembly burnup (MWd/MTU) and cooling time (years) can be used to define the allowable basket module positions using Figure 7.1-2 through Figure 7.1-7, depending on fuel enrichment (i.e., LEU, MEU or HEU) or ^{235}U content.

HEU MTR fuel elements may be loaded with heat loads greater than 30 W. HEU elements exceeding 30 W shall be preferentially loaded, and Figure 7.1-6 and Figure 7.1-7 identify the appropriate cooling times and burnup limits for 120 W, 70 W and 20 W HEU elements, having a ^{235}U mass of up to 380 grams and a ^{235}U mass of up to 460 grams, respectively. The following steps are used to develop the appropriate loading patterns.

1. Locate the point on Figure 7.1-6 or Figure 7.1-7 for the fuel element burnup and cooling time, and ^{235}U content.
2. If the located point is above the 20 W line, there are no restrictions on fuel element placement in the basket module.
3. If the located point is between the 20 W and 70 W lines, the element is loaded as a 70 W element.
4. If the located point is between the 70 W and 120 W lines, the element is loaded as a 120 W element.
5. If the located point is below the 120 W line, the element shall not be loaded in the NAC-LWT cask.
6. The maximum total decay heat load for a preferentially loaded basket module shall not exceed 210 W and 1.26 kW for a loaded NAC-LWT cask.
7. Each shipper shall ensure that the Certificate of Compliance maximum decay heat load limits of 210 W per basket module and 1.26 kW per cask are not exceeded.

Figure 7.1-1 MTR Fuel Basket Module Loading Pattern (Top View)



Loading Diagram

Figure 7.1-2 LEU MTR Fuel Basket Loading Guidelines for 30 W Uniform Loading





Figure 7.1-3 MEU MTR Fuel Basket Loading Guidelines for 30 W Uniform Loading



**Figure 7.1-4 HEU MTR Fuel Basket Loading Guidelines for 30 W Uniform Loading –
Maximum 380 grams ²³⁵U**




Figure 7.1-5 HEU MTR Fuel Basket Loading Guidelines for 30 W Uniform Loading –
Maximum 460 grams ²³⁵U




Figure 7.1-6 HEU MTR Fuel Basket Loading Guidelines for Preferential Loading – Maximum 380 grams ²³⁵U




Figure 7.1-7 HEU MTR Fuel Basket Loading Guidelines for Preferential Loading – Maximum 460 grams ²³⁵U




Figure 7.1-8 DIDO LEU Cooling Time vs. Fuel Burnup Basket Module Loading Guidelines for Uniform Loading




Figure 7.1-9 DIDO MEU Cooling Time vs. Fuel Burnup Basket Module Loading Guidelines for Uniform Loading




Figure 7.1-10 DIDO HEU Cooling Time vs. Fuel Burnup Basket Module Loading Guidelines for Uniform Loading





Figure 7.1-11 Bounding DIDO Element Minimum Cool Time vs. % ²³⁵U Depletion



7.1.6 Procedure for Dry Loading of TRIGA Fuel Basket Modules and GA IFM Modules into the NAC-LWT Cask

This procedure presents the steps for dry loading, using a transfer cask, of the non-poisoned or poisoned TRIGA fuel basket modules into the NAC-LWT. For transport, five TRIGA fuel basket modules, consisting of a top module, a base module, and three intermediate modules must be loaded into the NAC-LWT. An alternative loading option is available for the poisoned TRIGA basket modules. This configuration, Configuration 2, consists of 1 base module and 4 intermediate modules. A spacer attached to the underside of the NAC-LWT lid is used with Configuration 2. Each basket module consists of seven cells, a center cell, and six peripheral cells. The center cell of the nonpoisoned basket design is blocked and cannot be loaded. Each unblocked cell may contain up to four TRIGA fuel elements, or up to 16 TRIGA fuel cluster rods within a fuel rod insert placed into the cell prior to loading. Each nonpoisoned basket module may contain up to 24 TRIGA fuel elements, for a total of 120 elements, or up to 96 TRIGA fuel cluster rods, for a total of 480 rods. Each poisoned basket module may contain up to 28 TRIGA fuel elements, for a total of 140 elements, or up to 112 TRIGA fuel cluster rods, for a total of 560 rods. The maximum decay heat load of any TRIGA fuel element is 7.5 watts, while the maximum decay heat load of a TRIGA fuel cluster rod is 1.875 watts. An alternative loading option is available for the General Atomics (GA) Irradiated Fuel Material (IFM) Fuel Handling Units (FHU). This configuration consists of one GA IFM top module and one GA IFM spacer. The GA IFM top module, based on the TRIGA basket design, has two canister storage tubes that hold the GA IFM FHU.

TRIGA fuel elements may be transported directly in the basket module cell, in a screened failed fuel can, or in a sealed failed fuel can. TRIGA fuel cluster rods may be transported within the fuel rod insert in a basket cell, or in a sealed failed fuel can. The screened and sealed failed fuel cans fit in a module cell. The screened failed fuel can holds up to four damaged TRIGA fuel elements or two TRIGA fuel elements as fuel debris. The sealed failed fuel can holds up to two damaged TRIGA fuel elements, two equivalent TRIGA elements as fuel debris, or up to six damaged TRIGA fuel cluster rods.

When loading TRIGA fuel elements directly into the basket cells of a TRIGA basket module, the fuel elements may be loaded with either 4 elements per cell, or one element per cell, without shoring. If a basket cell is loaded with 2 or 3 intact elements, dummy rods will be inserted as necessary to fill the remaining space in the cell.

Screened failed fuel cans are provided in two lengths. The short can is intended for TRIGA fuel elements having a nominal length of about 30 inches, which includes all of the TRIGA fuel

elements except fuel follower control rod elements. The long can accommodates the fuel follower control elements, which have a nominal length of 45 inches. The short can may be used in the top or base basket module. The long can may only be installed in the top module. The cans have a screened bottom that permits water draining but retains gross particulate material. TRIGA fuel cluster rods may not be loaded into screened failed fuel cans.

TRIGA fuel debris or damaged fuel cluster rods are required to be loaded into sealed failed fuel cans. The cans are provided in two lengths. The short can may be used in the base or top basket modules. The long can may only be used in the top module. The sealed cans are vacuum dried prior to loading into a TRIGA fuel basket.

There are two separate GA IFM FHU designs. One FHU is designed to hold research reactor fuel and the other is designed to hold High-Temperature Gas-Cooled Reactor fuel pellets. Each FHU consists of a sealed inner canister within a sealed outer canister. Each FHU contains irradiated fuel materials as described in Chapter 1. When loading the GA IFM FHUs, each individual sealed FHU will be loaded separately into a single GA IFM basket. This single basket containing two GA IFM FHUs and a spacer will comprise the entire cask load. Loading of the GA IFM basket into the NAC-LWT cask will utilize the TRIGA dry configuration loading procedure that is described in the following paragraphs.

TRIGA fuel elements that can be loaded into the cask are limited to a maximum decay heat of 7.5 watts per element, as discussed in Section 1.2.3. The decay heat load of the element must be calculated, and verified to be equal to or less than 7.5 watts per element prior to loading. TRIGA fuel cluster rods that can be loaded into the cask are limited to a maximum decay heat of 1.875 watts per element, as discussed in Section 1.2.3 (by reference to Table 5.1.1). The decay heat load of the fuel cluster rod must be calculated, and verified to be equal to or less than 1.875 watts per element prior to loading.

The procedure for loading the package with TRIGA fuel in a dry configuration is as follows:

1. Perform a receipt inspection of the empty cask and trailer/ISO container, inspecting for transport damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release brakes and remove the chocks when required to complete uprighting operations. If an ISO container is used, it may be removed from the trailer and secured in the unloading area.
3. Remove the personnel barrier or the roof and roof cross-members from the ISO container.

Note: Verify that the package nameplate displays the correct package identification number in accordance with the CoC.

4. Perform a Health Physics survey of the cask and adjacent surfaces of the trailer.

Note: A receiving survey of the cask and transporter must be performed as soon as practicable after arrival at the site to assure compliance with 10 CFR 20, 10 CFR 71.87(i) and 10 CFR 71.47, and to assure timely reporting of any reportable noncompliance.

5. Remove the top and bottom impact limiters.
6. Remove the cask tie-down strap.
7. Using the lifting yoke with the guides removed, engage the lifting trunnions. Raise the cask to vertical by rotating the cask rotation sockets on the rear cask supports, moving the crane and/or trailer as required to keep the lift yoke engaged to the trunnions and the cask engaged in the rear supports. When the cask is fully vertical, lift the cask from the supports and remove it from the trailer/container.
8. Place the cask onto the dry loading station. Disengage the lifting yoke and move clear.
9. Visually inspect the neutron shield tank fill, drain and level inspection plugs for signs of neutron shield fluid leakage. If leakage is detected or suspected, verify shield tank fluid level and correct, as required.
10. Remove the vent and drain valve port covers. Prior to reinstallation of the port covers, carefully inspect the O-rings and, if the O-rings show any damage, replace them with approved spares. Ensure that the replacement O-rings are properly installed and seated. Visually inspect the valve quick-disconnect nipples and replace them, if necessary.

Note: For Alternate B port covers, replace the metallic O-ring with an approved spare prior to reinstallation.

11. Remove closure lid bolts. Attach the lid lift slings to the closure lid. Remove the closure lid and set it on a support that is suitable for radiological control and for maintaining the cleanliness of the closure lid. Prior to reinstallation of the lid, carefully inspect the Teflon O-ring seal in the underside of the closure lid and, if it shows any damage, replace it. Remove the metallic O-ring and replace it with an approved spare. Ensure that the replacement O-rings are properly installed and seated. Inspect the lid bolts and replace any that are damaged.
12. Visually inspect the inner cavity for foreign material or damage. Install, or verify the presence of the proper drain tube and drain alignment ring.
13. Install the required dry transfer system components on the top of the cask.
14. Position the shielded transfer cask system components for fuel loading, as appropriate.

15. Identify the TRIGA fuel basket modules to be loaded. Modular baskets consisting of one base unit, three intermediate units, and one top unit, may be loaded into the cask cavity. The base unit must be the first unit loaded and the top unit must be the last unit loaded. The intermediate modules may be loaded in any of the other loading operations. If the poisoned basket Configuration 2 is used, ensure that the TRIGA fuel spacer is attached to the NAC-LWT lid. To install the fuel spacer, orient the bolt in the hole positioned immediately below the center arc shaped clearance on the edge of the spacer and place the bolt in the hole marked "top of cask" adjacent to the hole. Install the remaining three bolts and torque bolts to 40 foot-pounds. If TRIGA fuel cluster rods are to be transported, ensure that fuel rod inserts are placed into each cell location that will contain fuel cluster rods. For the GA IFM basket load, install the GA IFM spacer, shown on NAC drawing 315-40-123, prior to inserting the loaded GA IFM top module.

- Notes:
- a. When utilizing nonpoisoned TRIGA baskets, visually verify that the center blocking plate is welded in place on each basket module.
 - b. When utilizing poisoned TRIGA baskets, visually inspect each cell of each basket module for foreign material or damage and verify the presence of the neutron poison material (borated stainless steel plates) as shown on NAC Drawings 315-40-080, -081, and -082.
 - c. When utilizing the GA IFM top module, follow the TRIGA loading procedure below, noting that this is a single basket load.

16. Identify the TRIGA fuel contents to be loaded and verify that the fuel contents comply with the content, heat load and quantity conditions as specified in the CoC.
17. Load a TRIGA fuel basket module into the shielded transfer cask.
18. Place the shielded transfer cask containing the loaded basket module onto the dry transfer system components positioned on the top of the cask.
19. Lower the fuel basket from the shielded transfer cask into the shipping cask.
20. Repeat the loading and transfer of loaded basket modules until the approved cask loading plan is completed.
21. Install the closure lid onto the cask. Visually verify that the lid is properly seated.
22. Remove the dry transfer system components from the top of the cask.
23. Install and tighten the 12 closure bolts to 260 ± 20 ft-lbs in three passes, using the torque sequence stamped on the closure lid.
24. Connect a gas supply line to the vent valve and the drain line to the drain valve.
25. Open the air, nitrogen or helium gas supply valve and pressurize the cask cavity (< 30 psig) to force any residual water out the drain line. Continue to supply pressurized gas to the cask for a minimum of five minutes after the last residual free water discharges from the drain. Remove the drain and gas supply lines and attach a vacuum drying system (VDS) to the vent.

26. Evacuate the cask cavity to less than or equal to 10 torr (13 mbar) and continue vacuum pumping for a minimum of 15 minutes.
 27. At the end of the vacuum pumping period, isolate the cask cavity from the vacuum pump and stop the vacuum pump. Monitor the cask cavity pressure for a minimum of ten minutes. If the pressure rise is less than 5 torr (6.7 mbar), the cavity is verified as dry of free water. If pressure rise is >5 torr (6.7 mbar), repeat vacuum drying until the dryness verification results are satisfactory.
 28. Backfill the cask cavity with helium to 0 psig (1 atmosphere, absolute), +1, -0 psi and disconnect the VDS from the vent valve.
 29. Perform a helium leakage test of the closure lid containment O-ring using a Helium Mass Spectrometer Leak Detector (He MSLD) in accordance with the procedural requirements of Section 8.1.3.1, Steps 3 through 10.
 30. Install the vent and drain alternate port covers and torque the bolts to 100 ±10 inch-pounds.
 31. If an alternate port cover containment O-ring seal was replaced, perform a helium leakage test on the affected port cover using a He MSLD in accordance with the requirements of 8.1.3.2.2.
 32. If the alternate port cover containment seal was inspected and accepted for reuse, perform a gas pressure drop leakage test on the affected port cover as follows.
 - a. Install a pressure test fixture to the port cover test port including a calibrated pressure gauge with a minimum sensitivity of 0.25 psi.
 - b. Pressurize the port cover seal annulus to 15 psig, +1, -0 psi.
 - c. Isolate the gas supply and observe the pressure gauge for a minimum of five minutes.
 - d. The acceptance criterion for the test is no measurable drop in pressure during the minimum test time. An acceptable test assures that the minimum assembly verification leakage test sensitivity is achieved.
- Note: Alternate B port covers, if used, require the satisfactory completion of a helium maintenance leakage rate test to confirm a leaktight seal condition for each loaded transport. Install the Alternate B port cover, torque the high-strength bolts to 285 ± 15 inch-pounds, and perform the maintenance leakage rate test per the requirements of Section 8.1.3.3.
33. Decontaminate the cask surfaces. Survey the cask for surface contamination and radiation dose rates.

Note: Ensure compliance with 10 CFR 71.87(i) and 10 CFR 71.47.
 34. Engage the cask lifting yoke to the lifting trunnions.
 35. Lift the cask and position the cask rotation sockets in the rear rotation trunnions of the rear support structure. Carefully lower the cask to the horizontal transport orientation

- resting on the front saddle by moving the crane and/or the trailer as required to maintain cask engagement to the rear supports.
36. Disengage the lifting yoke from the lifting trunnions and remove it from the area. Install the cask tie-down strap. Install the top and bottom impact limiters. Install tamper seal wire and number seal on the top attachment point on the top impact limiter.
 37. Install ISO container bracing and lid, or personnel barrier.
 38. Complete radiation and contamination surveys of the external surfaces of the package and record the data. Ensure removable contamination and radiation dose rate survey results comply with the limits specified in 10 CFR 71.87(i) and (j).
 39. Measure the dose rate in millirems per hour at one meter from the package surface to determine the Transport Index (TI). Indicate the TI on the Radioactive Material labels applied to the package in accordance with 49 CFR 172, Subpart E.
 40. Determine the appropriate Criticality Safety Index (CSI) assigned to the package contents in accordance with the CoC, and indicate the correct CSI on the Fissile Material label applied to the package per 49 CFR 172, Subpart E.
 41. Apply appropriate placards to the transport vehicle in accordance with 49 CFR 172, Subpart F.
 42. Complete the shipping documents and provide the carrier with instructions regarding the requirements for maintaining an exclusive use shipment.

7.1.7 Procedure for Loading TRIGA Damaged Fuel or Fuel Debris into TRIGA Sealed Failed Fuel Cans

1. Examine the sealed failed fuel can (can) body and inspect for damage. Verify that the lid sealing surface is clean and free of defects. Visually verify that the drain plug seal is installed and the drain plug is partially threaded into the drain plug adapter to allow for draining.
2. Lower the can into the pool and position it for fuel loading.
3. Load the damaged TRIGA fuel or fuel debris into the can. Verify that no more than the equivalent of 2 fuel elements or 6 fuel cluster rods are loaded into the can. Visually verify that there is no debris in the lid sealing surface and thread areas.
4. Examine the can lid and inspect for damage. Visually verify that the sealing surface is clean and free of defects. Lubricate the lid bolts, install the lid seal and verify that the lid valve is in the open position and the valve lock set screw is retracted.
5. Attach the testing hose to the lid test connection and ensure that the fitting is properly seated.
6. Install the lid and torque the lid bolts to 150 ± 10 inch-pound.

Note: Torque any two diametrically opposed bolts first, then torque the remaining two bolts. Complete the torque sequence by verifying the torque of all four bolts in a clockwise direction.

7. Pressurize the can with air or helium to remove the water. Continue the purge for at least 5 minutes after bubbles appear from the base of the can.
8. Access and torque the drain plug to 50 ± 10 inch-pound.
9. Evacuate the can to a pressure below 10 torr (13 mbar) and continue vacuum pumping for 10 minutes.
10. Stop and isolate the vacuum pump and monitor the cask cavity vacuum pressure for a minimum of 10 minutes. If the pressure rise is less than 5 torr (6.7 mbar), the cavity is verified as dry of free water. If the pressure rise is >5 torr (6.7 mbar), repeat vacuum drying until the dryness verification results are satisfactory.
11. Backfill the can with helium to a pressure of 1 atmosphere (0 psig), +1, -0 psi.
12. Shut and lock the lid valve.
13. Disconnect the testing hose from the lid test connection.
14. The sealed failed fuel can is now ready for loading into a TRIGA basket module.

7.1.8 Procedure for Wet Loading of PWR/BWR Fuel Rods into the PWR/BWR Transport Canister

The PWR/BWR transport canister has three configurations: sealed canister, screened canister, and free-flow canister. All three canister configurations may be used to contain either intact or damaged fuel rods, or a combination of both damaged and intact fuel rods. The loaded transport canisters are loaded into the NAC-LWT cask containing a LWT PWR basket assembly with an appropriate bottom weldment spacer. For transport canisters containing any damaged fuel rod contents, a can and an insert spacer are required to be installed and bolted to the underside of the closure lid to limit the axial movement of the canister. The use of the can and insert spacer requires the use of the PWR basket assembly fitted with the Alternate B spacer. Transport canisters containing intact rods may be placed in any of the three types of PWR basket assemblies. Upon completion of loading the transport canister, the canister and the insert spacer are loaded, either together or individually, into the basket assembly in a manner similar to loading a PWR assembly.

1. If the transport canister is to be shipped in a sealed configuration, verify the five drain plugs are installed and torqued to 50 ± 2 foot-pound. If the transport canister is to be shipped in the free flow configuration, verify the five drain plugs are not installed. If the transport canister is to be shipped in the screened configuration, verify the screened plugs are installed and torqued to 50 ± 2 foot-pound in the bottom of the canister.

2. Lower the transport canister (and insert) into the fuel pool for loading.
3. Load the spent fuel rods into the transport canister in accordance with site-specific procedures. Separate failed fuel rod capsules may be used to contain either intact or damaged fuel rods within the canister. The capsules are intended to limit dispersal of radioactive material to the canister internals. Visually upon completion of loading, verify that there is no debris on the lid sealing surface and threaded areas.
4. Using the appropriate lid (sealed, screened or free-flow), examine and inspect for damage. Visually verify that the sealing surface is clean and free of defects. Lubricate the lid bolts.
5. Install the lid and torque the lid bolts to 35 ± 5 inch-pound.

Note: Torque any two diametrically opposed bolts first, then torque the remaining six bolts. Complete the torque sequence by verifying the torque of all eight bolts in a clockwise direction.

6. If the transport canister is being shipped in either the screened or free-flow configuration, it is now ready for shipment and shall be loaded into the NAC-LWT cask in accordance with Section 7.1.1, Procedures for Wet Loading of LWR Fuel. If the transport canister is being shipped in the sealed configuration, complete steps 7-13 of this section.
7. Connect vent and drain lines to the respective quick-disconnect fittings on the sealed transport canister lid. The drain hose discharge should be directed to the plant drain system for radiological wastewater or another appropriate collection point.
8. Pressurize and purge the transport canister using helium. (Caution do not exceed 25 psig. while dewatering the transport canister.) Secure the purge once no fluid is observed exiting the discharge for at least 10 minutes.
9. Connect the vent line to a suitable vacuum pump. Maintain connection of drain line to the can, but isolate the line to allow vacuum drying of the sealed failed fuel can.
10. Evacuate the can to a pressure below 10 torr (13 mbar) and continue vacuum pumping for 10 minutes.
11. Stop and isolate the vacuum pump and monitor the cask cavity vacuum pressure for a minimum of 10 minutes. If the pressure rise is less than 5 torr (6.7 mbar), the cavity is verified as dry of free water. If the pressure rise is >5 torr (6.7 mbar), repeat vacuum drying until the dryness verification results are satisfactory.
12. Backfill the transport canister cavity with helium to 1 atmosphere (absolute), +1, -0 psi.
13. Disconnect the vent and drain lines from the transport canister.
14. The sealed transport canister is now ready for shipment and may be loaded into the NAC-LWT cask in accordance with Section 7.1.1.

7.1.9 Procedure for Wet Loading of TPBAR Consolidation Canister into the NAC-LWT Cask

This section describes the procedures for loading the NAC-LWT with a TPBAR consolidation canister. The consolidation canister can contain up to 300 TPBARs, two of which may be prefailed. Dunnage (i.e., spacer grids, stainless steel tubes, etc.) may be used in consolidation canisters containing fewer than 300 TPBARs. The total weight and volume of the contents (i.e., dunnage and reduced number of TPBARs) must be less than, or equal to, the weight and volume of the full load of 300 TPBARs.

Appropriate radiological controls and procedures addressing tritium shall be utilized by the licensee, including appropriate personnel monitoring for tritium exposure.

NAC-LWT casks to be used for the transport TPBARs shall be configured as shown on Drawing No. 315-40-128, including Alternate B port covers.

1. Perform a receiving survey of the empty cask and inspect for damage. Verify, by cask serial number, that the cask is approved for TPBAR shipment.
2. Position a trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release brakes and remove the chocks when required to complete uprighting operations. If an ISO is used, it may be removed from the trailer and secured in the unloading area.
3. Remove the roof from the ISO container and open the front and rear ISO doors. Remove roof cross-members, if installed.

Note: Verify that the package nameplate displays the package identification number, USA/9225/B(M)-96, as required by the CoC for TPBAR contents.

4. Perform a Health Physics survey of the cask and adjacent surfaces of the trailer.
Note: A receiving survey of the cask and transporter must be performed as soon as practical after arrival at the site to assure compliance with 10 CFR 71.87(i) and 10 CFR 71.47, and to assure timely reporting of any reportable noncompliance.
5. Remove the top and bottom impact limiters.
6. Remove the cask tie-down strap.
7. Using the lifting yoke with the guides removed, engage the lifting trunnions. Raise the cask to vertical by rotating the cask rotation sockets on the rear cask supports, moving the crane and/or trailer as required to keep the lift yoke engaged to the trunnions and the cask engaged in the rear supports. When the cask is fully vertical, lift the cask from the supports and remove it from the trailer/container.

8. Place the cask in the decontamination pit or other designated area. Disengage the lifting yoke. Clean cask surfaces of road dirt as required for entry into the spent fuel pool.
9. Visually inspect the neutron shield tank fill, drain and level inspection plugs for signs of neutron shield fluid leakage. If leakage is detected, verify shield tank fluid level and correct, as required.
10. Remove the Alternate B vent and drain valve port covers. Prior to reinstallation of the port covers, replace the metallic O-ring seal with an approved spare and inspect the Viton® O-ring seal for each port cover. If the Viton® O-ring shows any damage, replace it. Ensure that the replacement O-rings are properly installed and seated. Store the port covers to protect the seal surfaces. Visually inspect the valved quick-disconnect nipples and replace them, if necessary.
11. Remove closure lid bolts. Attach the lid lift slings to the closure lid. Remove the closure lid and set it on a support that is suitable for radiological control and for maintaining the cleanliness of the closure lid. Prior to reinstallation of the lid, carefully inspect the Teflon O-ring seal in the underside of the closure lid. If the O-ring shows any damage, replace it. Remove the metallic O-ring and replace it with an approved spare. Ensure that the replacement O-rings are properly installed and seated. Inspect the lid bolts and replace any that are damaged. Ensure that the TPBAR spacer is installed on the bottom of the cask lid and not damaged when the lid is set down.
12. Visually inspect the inner cavity for foreign material or damage. Install or verify the presence of the standard drain tube and the TPBAR basket assembly.
13. Fill the cask cavity with clean water. Install lift yoke arm guides and remote actuation components on the cask lifting yoke.
14. Engage the cask lifting yoke with the cask lifting trunnions and pick up the cask. Carefully lower the cask to the bottom of the cask loading area while spraying the cask down with clean water.
15. Disengage the lifting yoke from the cask and remove the yoke from the pool.
16. Identify the TPBAR consolidation canister to be loaded.
17. Pick up the consolidation canister using the required grapple system.
18. Position the container over the cask and then carefully lower it into the cask to avoid damage to the cask sealing surfaces. Orient the canister bail so that it is aligned with the drain tube location. Confirm that the container is fully seated, then release and raise the grapple to the full up position.
19. Position the cask lifting yoke over the cask closure lid. Attach the slings to the closure lid and cask lifting yoke. Lower the yoke over the cask.
20. Position the closure lid over the cask and slowly lower it into place allowing the consolidation canister bail to engage with the TPBAR spacer on the bottom of the lid.

Use the cask and lid match marks as guides to properly align the lid. Visually confirm that the closure lid is seated.

21. Lower the cask handling yoke to slack the closure lid cables. Engage the lift yoke to the lifting trunnions and begin lifting.
Note: Visually verify the yoke engagement before lifting the cask.
22. Raise the cask until the lid is slightly above the surface of the pool. At the option of the licensee/user, a number of closure lid bolts (4 to 12) may be installed hand tight.
23. Raise the cask clear of the pool, rinsing the yoke and cask with clean water.
24. Transfer the cask to the decontamination pit or other work area. Remove the yoke and lid lift slings.
25. Install and tighten the 12 closure lid bolts to 260 ± 20 ft-lb in three passes, using the torque sequence stamped on the closure lid.
26. At the option of the licensee/user, a 25 to 50 gallon clean water flush of the cask cavity may be performed by connecting a valved clean water line to the drain valve and a valved drain line to the vent valve. After the cavity flushing is completed, if performed, disconnect the water supply and drain lines.
27. Connect a gas supply line to the vent valve and the drain line to the drain valve.
28. Open the air, nitrogen or helium gas supply valve and pressurize the cask cavity (<30 psig) to force out the water. Continue to supply pressurized gas to the cask for a minimum of five minutes after the last residual free water discharges from the drain line. Remove the drain and gas supply lines and attach a vacuum drying system (VDS) to the cask vent valve.
29. Evacuate the cask cavity to a vacuum pressure of less than 10 torr (13 mbar) and continue vacuum pumping for a minimum of 15 minutes.
30. At the end of the vacuum pumping period, isolate the cask cavity from the vacuum pump and stop the pump. Monitor the cask cavity pressure for a minimum of ten (10) minutes. If the pressure rise is less than 5 torr (6.7 mbar), the cavity is verified as dry of free water. If the pressure rise >5 torr (6.7 mbar), repeat vacuum drying until the dryness verification results are satisfactory.
31. Backfill the cask cavity with helium to 0 psig (1 atmosphere, absolute), +1, -0 psi. Disconnect the VDS.
32. Perform the helium leakage test of the closure lid containment O-ring using a Helium Mass Spectrometer Leak Detector (He MSLD) in accordance with the requirements of Section 8.1.3.1, Steps 3 through 10.
33. Install, torque the high-strength bolts to 285 ± 15 inch-pounds, and helium leakage test the Alternate B vent and drain port covers to leaktight criteria in accordance with Section 8.1.3.3.
34. Decontaminate the cask. Survey the cask for surface contamination and radiation dose rates.

Note: Ensure compliance with 10 CFR 71.87(i) and 10 CFR 71.47.

35. Remove lift yoke arm guides. Engage the cask lifting yoke to the lifting trunnions.
36. Lift the cask and position the cask rotation sockets in the rear rotation trunnions of the rear support structure. Carefully lower the cask to the horizontal transport orientation resting on the front saddle by moving the crane and/or trailer, as required, to maintain cask engagement to the rear supports.
37. Disengage the cask lifting yoke from the cask lifting trunnions and remove it from the area.
38. Install the cask tie-down strap. Install the top and bottom impact limiters.
39. Install tamper seal wire and number seal on the top attachment point of the top impact limiter.
40. Install roof cross-members, close ISO container doors, and replace ISO container roof.
41. Complete radiation and contamination surveys of the external surfaces of the package and record the data. Ensure removable contamination and radiation dose rate survey results comply with the limits specified in 10 CFR 71.87(i) and (j).
42. Measure the dose rate in millirems per hour at one meter from the package surface to determine the Transport Index (TI). Indicate the TI on the Radioactive Material labels applied to the package in accordance with 49 CFR 172, Subpart E.
43. Determine the appropriate Criticality Safety Index (CSI) assigned to the package contents in accordance with the CoC, and indicate the correct CSI on the Fissile Material label applied to the package per 49 CFR 172, Subpart E.
44. Apply appropriate placards to the transport vehicle in accordance with 49 CFR 172, Subpart F.
45. Complete the shipping documents and provide the carrier with instructions regarding the requirements for maintaining an exclusive use shipment.

7.1.10 Procedure for the Dry Loading of PULSTAR Fuel Into the NAC-LWT Cask

This section describes the procedures for loading the NAC-LWT cask with intact PULSTAR fuel assemblies, intact PULSTAR fuel rods in fuel rod inserts, and intact or damaged PULSTAR fuel assemblies, fuel rods, fuel debris, and nonfuel components of PULSTAR fuel assemblies in either sealed or screened PULSTAR cans. Up to 28 PULSTAR fuel assemblies, rod inserts, and sealed or screened cans can be loaded in the 28 MTR (four module × seven cells/module) basket assembly. The 28 MTR basket assembly consists of a base module, two intermediate modules, and a top module.

Damaged PULSTAR fuel assemblies, damaged fuel rods, fuel debris, and nonfuel components of fuel assemblies are required to be loaded in either a sealed failed fuel or screened PULSTAR can. Intact PULSTAR fuel rods may be loaded into either one of the cans at the option of the licensee. The PULSTAR cans are limited to being loaded in any cell in either the top or the base module. The top and base basket modules can also contain intact PULSTAR fuel assemblies and fuel rod inserts containing intact PULSTAR fuel rods.

The NAC-LWT cask will be loaded dry, utilizing a transfer cask for loading each of the four basket modules. The basket modules will be preloaded with the PULSTAR fuel contents. The damaged fuel cans will be preloaded, closed, drained and dried, if applicable, prior to loading in either the top or base basket module. The PULSTAR cans shall be loaded and prepared for transport in accordance with the applicable steps of Section 7.1.7.

The NAC-LWT dry PULSTAR fuel loading and preparation for transport procedures are as follows.

1. Perform a receipt inspection of the empty cask and trailer/ISO container, inspecting for transport damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release brakes and remove the chocks when required to complete uprighting operations. If an ISO container is used, it may be removed from the trailer and secured in the unloading area.
3. Remove the lid/top of the ISO container and remove any bracing.
Note: Verify that the package nameplate displays the correct package identification number in accordance with the CoC.
4. Perform a Health Physics survey of the cask and adjacent surfaces of the trailer.
Note: A receiving survey of the cask and transporter must be performed as soon as practical after arrival at the site to assure compliance with 10 CFR 71.87(i) and 10 CFR 71.47, and to assure timely reporting of any reportable noncompliance.
5. Remove the top and bottom impact limiters.
6. Remove the cask tie-down strap.
7. Using the lifting yoke with the guides removed, engage the lifting trunnions. Raise the cask to vertical by rotating the cask rotation sockets on the rear cask supports, moving the crane and/or trailer as required to keep the lift yoke engaged to the trunnions and the cask engaged in the rear supports. When the cask is fully vertical, lift the cask from the supports and remove it from the trailer/container.
8. Place the cask into the dry loading station.

9. Disengage the lift yoke.
10. Visually inspect the neutron shield tank fill, drain and level inspection plugs for signs of neutron shield fluid leakage. If leakage is detected or suspected, verify shield tank fluid level and correct, as required.
11. Remove the vent and drain port covers. Prior to reinstallation of the port covers, carefully inspect the port cover O-ring seals and, if the O-rings show any damage, replace them with approved spares. Ensure that the replacement O-rings are properly installed and seated. Visually inspect the vent and drain quick-disconnect nipples and replace them, if necessary.

Note: For Alternate B port covers, replace the metallic O-ring with an approved spare prior to reinstallation.
12. Remove closure lid bolts. Attach the lid lift slings to the closure lid. Remove the closure lid and set it on a support that is suitable for radiological control and for maintaining the cleanliness of the closure lid. Prior to reinstallation of the lid, carefully inspect the Teflon O-ring seal in the underside of the closure lid. If the O-ring shows any damage, replace it. Remove the metallic O-ring and replace it with an approved spare. Ensure that the replacement O-rings are properly installed and seated. Inspect the lid bolts and replace any that are damaged.
13. Visually inspect the cask cavity for foreign material or damage. Clean as necessary. Install or verify the presence of a correct drain tube assembly including alignment ring.
14. Install the required dry transfer system components to the top of the cask.
15. Position the shielded transfer cask components for basket module loading, as appropriate.
16. Identify the PULSTAR fuel assemblies, fuel rod holders, and fuel cans to be loaded, and verify that the PULSTAR fuel contents comply with the authorized content, heat load and quantity conditions of the CoC. Four basket modules (e.g., one base module, two intermediate modules, and a top module) constitute the 28 MTR basket assembly. Spacers will be used as provided to position the PULSTAR fuel contents, as required.
17. Each module is capable of containing up to seven intact fuel assemblies, fuel rod inserts or a PULSTAR fuel can. Fuel cans are restricted to being loaded into the top and base modules, where the cans may be loaded with intact fuel assemblies or fuel rod holders without loading preference. There are no limitations on loading location for intact fuel assemblies or fuel rod holders in any of the four basket modules.

The base module is loaded into the cask first, followed by the two intermediate modules and the top module is loaded last.
18. Load the shielded transfer cask with the loaded base basket module.
19. Place the shielded transfer cask containing the base module unit onto the dry transfer system components positioned on the top of the cask.
20. Lower the fuel basket from the transfer cask into the NAC-LWT cask cavity.

21. Repeat the loading and transfer of loaded basket modules until the approved cask loading plan is completed.
22. Install the closure lid onto the cask using the dry transfer system. Visually verify that the lid is properly seated.
23. Remove the dry transfer cask system components from the top of the cask.
24. Install and torque the 12 closure lid bolts to 260 ± 20 ft-lb in three passes using the torquing sequence stamped on the lid.
25. Connect a gas supply line to the vent valve and a drain line to the drain valve.
26. Open the nitrogen or helium gas supply valve and pressurize the cask cavity (< 30 psig) to force any residual water out the drain line. Continue to supply pressurized gas to the cask for a minimum of five minutes after the last residual free water discharges from the drain. Remove the drain and gas supply lines and attach a vacuum drying system (VDS) to the vent.
27. Evacuate the cask cavity to less than or equal to 10 torr (13 mbar) and continue vacuum pumping for a minimum of 15 minutes.
28. At the end of the vacuum pumping period, isolate the cask cavity from the vacuum pump and stop the vacuum pump, and monitor the cask cavity pressure for a minimum of 10 minutes. If the pressure rise is less than 5 torr (6.7 torr), the cavity is verified dry of free water. If the pressure rise is >5 torr (6.7 mbar), continue vacuum drying until the dryness verification is completed satisfactorily.
29. Backfill the cask cavity with helium to 0 psig (1 atmosphere, absolute), +1, -0 psi. Disconnect the VDS from the vent valve.
30. Perform the helium leakage test of the closure lid containment O-ring using a Helium Mass Spectrometer Leak Detector (He MSLD) in accordance with the requirements of Section 8.1.3.1, Steps 3 through 10.
31. Install the vent and drain alternate port covers and torque the bolts to 100 ± 10 inch-pounds.
32. If an alternate port cover containment O-ring seal was replaced, perform a helium leakage test on the affected port cover using a He MSLD in accordance with the requirements of Section 8.1.3.2.2.
33. If the alternate port cover containment seal was inspected and accepted for reuse, perform an air pressure drop leakage test on the affected port cover as follows.
 - a. Install a pressure test fixture to the port cover test port, including a calibrated pressure gauge with a minimum sensitivity of 0.25 psi.
 - b. Pressurize the port cover seal annulus to 15 psig, +1, -0 psi.
 - c. Isolate the gas supply and observe the pressure gauge for a minimum of five minutes.

- d. The acceptance criterion for the test is no measurable drop in pressure during the minimum test time. An acceptable test assures that the minimum assembly verification leakage test sensitivity is achieved.

Note: Alternate B port covers, if used, require the satisfactory completion of a helium maintenance leakage rate test to confirm the leaktight seal condition for each loaded transport. Install the Alternate B port cover, torque the high-strength bolts to 285 ± 15 inch-pounds, and perform the maintenance leakage rate test per the requirements of 8.1.3.3.

34. Decontaminate the cask. Survey the cask for surface contamination and radiation dose rates.
Note: Ensure compliance with 10 CFR 71.87(i) and 10 CFR 71.47.
35. Engage the cask lifting yoke to the lifting trunnions.
36. Lift the cask and position the cask rotation sockets in the rear rotation trunnions of the rear support structure. Carefully lower the cask to the horizontal transport orientation resting on the front saddle by moving the crane and/or the trailer as required to maintain cask engagement to the rear supports.
37. Disengage the lifting yoke from the lifting trunnions and remove it from the area.
38. Install the cask tie-down strap. Install the top and bottom impact limiters.
39. Install tamper seal wire and number seal on the top attachment point on the top impact limiter.
40. Install ISO container bracing and lid.
41. Complete radiation and contamination surveys of the external surfaces of the package and record the data. Ensure removable contamination and radiation dose rate survey results comply with the limits specified in 10 CFR 71.87(i) and (j).
42. Measure the dose rate in millirems per hour at one meter from the package surface to determine the Transport Index (TI). Indicate the TI on the Radioactive Material labels applied to the package in accordance with 49 CFR 172, Subpart E.
43. Determine the appropriate Criticality Safety Index (CSI) assigned to the package contents in accordance with the Certificate of Compliance, and indicate the correct CSI on the Fissile Material label applied to the package per 49 CFR 172, Subpart E.
44. Apply appropriate placards to the transport vehicle in accordance with 49 CFR 172, Subpart F.
45. Complete the shipping documents and provide the carrier with instructions regarding the requirements for maintaining an exclusive use shipment.

7.1.11 Procedure for Dry Loading of TPBAR Waste Container

This section describes the procedure for the loading of a TPBAR Waste Container into a NAC-LWT cask in a dry loading facility. Appropriate radiological controls and procedures addressing tritium shall be utilized by the licensee, including appropriate monitoring for tritium exposure.

NAC-LWT casks to be used for the transport of TPBARs shall be configured as shown on Drawing No. 315-40-128, including Alternate B port covers.

1. Perform a receiving survey of the ISO and trailer, and inspect for damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release the brakes and remove the chocks when required to complete the uprighting operations. If necessary, the ISO container may be removed from the trailer and secured in the unloading area.
3. Licensees shall receive and survey the package for radiation and removable contamination (for both gross beta-gamma and tritium) per 10 CFR 20 and 49 CFR 173. Record the survey results. If radiation or contamination levels exceed the limits of 49 CFR 173.441 or 173.443, respectively, the licensee shall notify the shipper and ensure the appropriate notifications are completed.
4. Remove the roof from the ISO container and open the front and rear ISO doors. Remove the ISO roof cross members, if installed.
5. Remove the top and bottom impact limiters.
6. Remove the cask tie-down strap. Complete the radiation and contamination surveys of the package as additional surfaces become accessible. Clean the cask surfaces as required for entry into the dry loading facility.
7. Using the cask lifting yoke with lift yoke arm guides removed, engage the lifting trunnions of the front end of the cask. Raise the cask to a vertical position on the rear cask supports, moving the crane and/or trailer, as required, to keep the cask engaged in the rear cask supports and the crane cable vertical. When the cask is vertical, block the trailer wheels and lift the cask from the container.
8. Place the cask in a transfer cart or a loading fixture. Disengage the lifting yoke.
9. Remove the weather seal from the cask lid.
10. Remove the Alternate B vent and drain valve port covers. Replace the metallic seal with an approved spare and inspect the Viton[®] O-ring seal on each cover. If the Viton[®] O-ring shows any damage, replace it. Ensure the replacement O-rings are properly installed and seated. Store the port cover to protect the seal surfaces. Visually inspect the vent and drain valved quick-disconnect nipples and replace, if necessary.
11. Loosen and remove all closure lid bolts.
12. Attach the lid removal fixture to the closure lid.

13. Use a transfer cart or loading fixture and move the cask into the loading position.
14. Remove the closure lid and set it on a support that is suitable for radiological control and for maintaining the cleanliness of the closure lid. Carefully inspect the Teflon O-ring seal in the underside of the closure lid. If the O-ring shows any damage, replace it. Remove the metallic O-ring and replace it with an approved spare. Ensure the replacement O-rings are properly installed and seated. Inspect the lid bolts and replace any that are damaged. Verify that the TPBAR spacer is installed on the bottom of the cask lid and not damaged when the lid is set down.
15. Install the seal surface protector in the lid cavity, if required.
16. Load the TPBAR Waste Container into the TPBAR basket positioned in the cask cavity using the required grapple or handling system. Verify the contents of the Waste Container comply with the CoC content conditions.
17. Remove the cask seal surface protector, if used, and install the cask closure lid.
18. Use the transfer cart or loading fixture and remove the cask from the loading area.
19. Inspect, install and tighten all 12 closure lid bolts to 260 ± 20 ft-lbs in three passes using the torque sequence indicated on the closure lid.
20. Connect a vacuum pump to the cask vent valve.
21. Install the drain port cover, if drain valve is not required for operations, and torque the port cover bolts to 285 ± 15 in-lbs.
22. Perform the helium mass spectrometer maintenance leakage rate test on the cask lid to leaktight criteria in accordance with the requirements of Section 8.1.3.1, Steps 3 through 10.
23. Following successful completion of the helium backfill and helium leak testing of the lid seal, monitor the cavity volume for tritium and record the results.

Note: Tritium monitoring system shall have a minimum sensitivity of 5×10^{-3} micro curies/cc.
24. Install Alternate B port covers on the vent and drain openings and torque each port cover bolt to 285 ± 15 in-lbs. Perform a helium leakage rate test on each port cover to leaktight criteria in accordance with Section 8.1.3.3.
25. Decontaminate the cask. Survey the cask surface for gross beta-gamma and tritium removable contamination levels, and radiation dose rates.

Note: Removable contamination levels and radiation levels shall comply with 49 CFR 173.443 and 173.441, respectively.
26. Using the cask lifting yoke with the guide arms removed, lift and position the cask in the rear cask supports on the ISO/trailer. Engage the trunnion pockets in the bottom end of the cask with the rotation trunnions. Lower the cask to rest on the front tiedown

saddle, moving the crane, and/or trailer, as required, to keep the crane cables vertical. Disengage the cask lifting yoke from the cask lifting trunnions and set it aside.

27. Install and attach the cask tiedown strap. Install the cask top and bottom impact limiters.
28. Install a tamper-indicating seal to one of the top impact limiter ball lock pins.
29. Install roof cross members, close ISO container doors, and replace ISO container roof.
30. Complete a Health Physics survey on the external surface of the package and record the results. Complete dose rate measurements at the cask surface, at 1 meter from the cask surface, and at 2 meters from the vertical plane of the side of the transport vehicle. The maximum dose rate at 1 meter from the cask is the transport index (TI). Ensure compliance with 10 CFR 71.87(i) and observe the following criteria.
 - If the dose rate is less than 2 mSv/h (200 mrem/hr) at all accessible points on the external surface of the cask, and the TI is less than 10, the package must meet the requirements of 10 CFR 71.47 (a).
 - If the dose rate is greater than 2 mSv/h (200 mrem/hr), but is less than 10 mSv/h (1000 mrem/hr) at any point on the external surface of the package, or the TI is greater than 10, the package must be shipped as "exclusive use" and meet the requirements of 10 CFR 71.47 (b), (c) and (d). If the dose rate and shipping requirements of 10 CFR 71.47 (b), (1), (2), (3) and (4) cannot be met, the package cannot be shipped.

Note: 10 CFR 71.47 (c) and (d) require the shipper to provide the carrier with written instructions for maintenance of the exclusive use shipment. The instructions must be included with the shipping paper information. The instructions must be sufficient so that, when followed, they cause the carrier to avoid actions that unnecessarily delay delivery or unnecessarily result in increased radiation levels or radiation exposures to transport workers or members of the general public.

- If the dose rate is > 10 mSv/h (1000 mrem/hr) at any point on the external surface of the cask, the cask exceeds the limits of 10 CFR 71.47 and cannot be shipped.
31. Complete the shipping document, carrier instructions (if required), and apply appropriate placards and labels.

7.2 Procedures for Unloading Package

In general, the procedure for unloading the package is the reverse of that presented for loading the package (Section 7.1). Modifications shall be incorporated into site-specific procedures for the dry handling and loading of fuel, shipment of waste, shipment of sound metallic fuel rods, and shipment of failed metallic fuel rods.

7.2.1 Procedures for Wet Unloading of LWR Fuel

The procedures for unloading the package are as follows:

1. Perform a receipt inspection of the cask and trailer/ISO container, inspecting for transport damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release brakes and remove the chocks when required to complete uprighting operations. If an ISO container is used, it may be removed from the trailer and secured in the unloading area.
3. Remove the lid/top of the ISO container and remove any bracing, or the personnel barrier.

Note: Verify that the package nameplate displays the correct package identification number in accordance with the CoC.
4. Licensees shall monitor the package for radioactive contamination and radiation levels in accordance with 10 CFR 20.1906. If contamination levels exceed 10 CFR 71.87(i) or radiation levels exceed the limits of 10 CFR 71.47, the licensee shall notify the NRC Operations Center.
5. Inspect the security seal and wire on the top impact limiter and confirm the seal number is correct per the shipper's documentation.
6. Remove the top and bottom impact limiters.
7. Remove the cask tie-down strap.
8. Using the lifting yoke with the guides removed, engage the lifting trunnions. Raise the cask to vertical by rotating the cask rotation sockets on the rear cask supports, moving the crane and/or trailer as required to keep the lift yoke engaged to the trunnions and the cask engaged in the rear supports. When the cask is fully vertical, lift the cask from the supports and remove it from the trailer/container.
9. Place the cask in the decontamination pit or other designated area. Disengage the lifting yoke. Clean cask surfaces of road dirt as required for entry into the spent fuel pool.
10. Remove the vent and fill/drain valve port covers. Connect a pressure gauge and isolation valve assembly to the cask vent valve.

11. Connect vent and clean water fill lines to the vent and drain valves.
12. Open the water supply valve to allow water to slowly enter the cask cavity.

Note: The hot gases exiting from the vent valve could be highly radioactive. The exhaust gases must, therefore, be routed to an off-gas process system. The cask cavity does not contain a relief valve; therefore, any system for cooling down the package must be provided with a pressure relief device set so that the maximum pressure in the cask cavity does not exceed 100 psig. Coolant flow rates should be controlled to avoid thermal shock to the cask internals.
13. Continue the filling procedure until the cask cavity is filled with water. Remove fill and vent lines.
14. Loosen and remove the closure lid bolts. At the option of licensee/user, some bolts (i.e., 4-12) may be left installed hand tight for the cask movement to the spent fuel pool.
15. Engage the cask lifting yoke (with slings, yoke arm guides and remote actuation system components attached) with the cask lifting trunnions and connect the closure lid to the lifting yoke slings.
16. Position the cask over the spent fuel pool and lower the cask until the top of the cask is at an elevation that permits access to the closure lid bolts.
17. Remove any remaining closure lid bolts.
18. Carefully lower the cask to rest on the bottom of the cask unloading area while spraying the cask's exterior surfaces with clean water to minimize contamination.
19. Disengage the lifting yoke from the cask and slowly raise the yoke until the closure lid is raised clear of the cask. Remove the yoke from the vicinity of the cask to provide clearance for unloading the cask.
20. Unload the contents of the cask cavity using the required grapple system.
21. Position the cask lifting yoke with the cask closure lid over the cask cavity and slowly lower it into place using the cask and closure lid match marks as guides. Visually confirm that the closure lid is seated.
22. Engage the cask lifting yoke with the cask trunnions and raise the cask.

Note: Verify yoke engagement before lifting the cask.
23. Raise the cask until the lid is slightly above the surface of the pool. At the option of the licensee/user, several of the closure lid bolts (i.e., 4-12) may be installed hand tight.
24. Raise the cask clear of the pool, rinsing the yoke and cask with clean water.
25. Transfer the cask to the decontamination pit or other work area. Remove the yoke and lid lift slings.
26. Install and tighten all 12 closure lid bolts to 260 ± 20 ft-lb in three passes, using the torque sequence stamped on the closure lid.

27. At the option of the licensee/user, a 25 to 50 gallon clean water flush of the cask cavity may be performed by connecting a valved, clean water line to the drain valve and a valved drain line to the vent valve. After the cavity flushing is completed, if performed, disconnect the water supply and drain lines.
28. Connect a gas (air, nitrogen or helium) supply line to the vent valve and the drain line to the drain valve.
29. Open the gas supply valve and pressurize the cask cavity (<30 psig) to force out the water. Continue to supply gas to the cask cavity for a minimum of five minutes after the last residual free water discharges from the drain line.
30. Remove the gas supply and drain lines.
31. Install the alternate port covers over the vent and drain valves and tighten the port cover bolts to 100 ± 10 inch-pounds. For Alternate B port covers, install and torque the high-strength bolts to 285 ± 15 inch-pounds.

Note: It is not necessary to inspect or replace the port cover seals. Seal inspection and replacement, if required, will be performed prior to the next loaded transport.

7.2.2 Procedures for Wet Unloading of Metallic Fuel

The procedure for unloading the metallic fuel from the package in a spent fuel pool is as follows.

1. Perform a receipt inspection of the cask and trailer/ISO container, inspecting for transport damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release brakes and remove the chocks when required to complete uprighting operations. If an ISO container is used, it may be removed from the trailer and secured in the unloading area.
3. Remove the lid/top of the ISO container and remove any bracing, or the personnel barrier.

Note: Verify that the package nameplate displays the correct package identification number in accordance with the CoC.

4. Licensees shall monitor the package for radioactive contamination and radiation levels in accordance with 10 CFR 20.1906. If contamination levels exceed 10 CFR 71.87(i) or radiation levels exceed the limits of 10 CFR 71.47, the licensee shall notify the NRC Operations Center.
5. Inspect the security seal and wire on the top impact limiter and confirm the seal number is correct per the shipper's documentation.
6. Remove the top and bottom impact limiters.

7. Remove the cask tie-down strap.
8. Using the lifting yoke with the guides removed, engage the lifting trunnions. Raise the cask to vertical by rotating the cask rotation sockets on the rear cask supports, moving the crane and/or trailer as required to keep the lift yoke engaged to the trunnions and the cask engaged in the rear supports. When the cask is fully vertical, lift the cask from the supports and remove it from the trailer/container.
9. Place the cask in the decontamination pit or other designated area. Disengage the lifting yoke. Clean cask surfaces of road dirt as required for entry into the spent fuel pool.
10. Remove the vent valve and drain valve port covers. Connect a pressure gauge and isolation valve assembly to the cask vent valve. Open the isolation valve and record the internal pressure reading (if any). Using a suitable air line and the gauge/valve assembly, vent the cask cavity to an off-gas handling unit.
11. Connect vent and clean water fill lines to the vent and drain valves.
12. Open the water supply valve to allow water to slowly enter the cask cavity.

Note: The hot gases exiting from the vent valve could be highly radioactive. The exhaust gases must, therefore, be routed to an off-gas process system. The cask cavity does not contain a relief valve; therefore, any system for cooling down the package must be provided with a pressure relief device set so that the maximum pressure in the cask cavity does not exceed 100 psig. Coolant flow rates should be controlled to avoid thermal shock to the cask internals.
13. Continue the filling procedure until the cask cavity is filled with water. Remove fill and vent lines.
14. Loosen and remove the 12 closure lid bolts. At the option of licensee/user, some bolts (i.e., 4-12) may be left installed hand tight for the cask movement to the spent fuel pool.
15. Engage the cask lifting yoke (with slings, lift yoke arm guides and remote actuation system components attached) with the cask lifting trunnions and connect the closure lid to the lifting yoke slings.
16. Position the cask over the spent fuel pool and lower the cask until the top of the cask is at an elevation, which permits access to the closure lid bolts.
17. Remove any remaining closure lid bolts, inspect and store.
18. Carefully lower the cask to rest on the bottom of the cask unloading area while spraying the exterior surfaces of the cask with clean water to minimize contamination. Disengage the lifting yoke from the cask and slowly raise the yoke until the closure lid is raised clear of the cask. Remove the yoke from the vicinity of the cask to provide clearance for unloading the cask.

Note: Closure lid may be brought out of the pool and later assembled to the empty cask.

19. Unload the contents of the cask cavity using the required grapple system.
20. Position the cask lifting yoke with the cask closure lid over the cask cavity and slowly lower it into place using the cask and closure lid match marks as guides. Visually confirm that the closure lid is seated.
21. Engage the cask lifting yoke with the cask trunnions and raise the cask.
22. Raise the cask until the lid is slightly above the surface of the pool. At the option of the licensee/user, several of the closure lid bolts (i.e., 4-12) may be installed hand tight.
23. Raise the cask clear of the pool, rinsing the yoke and cask with clean water.
24. Transfer the cask to the decontamination pit or other work area. Remove the yoke and lid lift slings.
25. Install and tighten the 12 closure lid bolts to 260 ± 20 ft-lb in three passes, using the torque sequence stamped on the closure lid.
26. At the option of the licensee/user, a 25 to 50 gallon clean water flush of the cask cavity may be performed by connecting a valved, clean water line to the drain valve and a valved drain line to the vent valve. After the cavity flushing is completed, if performed, disconnect the water supply and drain lines.
27. Connect a gas (air, nitrogen or helium) supply line to the vent valve and the drain line to the drain valve.
28. Open the gas supply valve and pressurize the cask cavity (<30 psig) to force out the water. Continue to supply gas to the cask cavity for a minimum of five minutes after the last residual free water discharges from the drain line.
29. Remove the gas supply and drain lines.
30. Install the alternate port covers over the vent and drain valves and tighten the port cover bolts to 100 ± 10 in-lb. For Alternate B port covers, install and torque the high-strength bolts to 285 ± 15 inch-pound.

Note: It is not necessary to inspect or replace the port cover seals. Seal inspection and replacement, if required, will be performed prior to the next loaded transport.

7.2.3 Procedure for Wet Unloading of MTR, TRIGA, DIDO, ANSTO or PULSTAR Fuel Basket Contents

The procedure for the unloading of MTR, TRIGA, DIDO, ANSTO or PULSTAR fuel basket contents from the package in a spent fuel pool is as follows:

1. Perform a receiving survey of the cask and inspect for transport damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation

trunnions, release the brakes and remove the chocks when required to complete the uprighting operations. If an ISO container is used, it may be removed from the trailer and secured in the loading area.

3. Remove the roof from the ISO container, and open the front and rear ISO doors. Remove roof cross-members, if installed.

Note: Verify that the package nameplate displays the correct package identification number in accordance with the CoC.

4. Licensees shall monitor the package for radioactive contamination and radiation levels in accordance with 10 CFR 20.1906. If contamination levels exceed 10 CFR 71.87(i) or radiation levels exceed the limits of 10 CFR 71.47, the licensee shall notify the NRC Operations Center.
5. Inspect the security seal and wire on the top impact limiter and confirm the seal number is correct per the shipper's documentation.
6. Remove the top and bottom impact limiters.
7. Remove the cask tie-down strap.
8. Using the cask lifting yoke with left yoke arm guides removed, engage the lifting trunnions of the front end of the cask. Raise the cask to a vertical position on the rear cask support, moving the crane as necessary to keep the cask engaged in the rear rotation supports and the crane cable vertical. When the cask is vertical, lift the cask from the container supports.
9. Place the cask in the decontamination pit or other site designated area. Disengage the lifting yoke. Clean cask surfaces of road dirt as required for entry into the spent fuel pool.
10. Remove the vent valve and drain valve port covers. Connect a pressure gauge and isolation valve assembly to the cask vent valve. Open the isolation valve and record the internal pressure reading (if any). Using a suitable air line and the gauge/valve assembly, vent the cask cavity to an off-gas handling unit.
11. Connect vent and clean water fill lines to the vent and drain valves.
12. Open the water supply valve to allow water to slowly enter the cask cavity.

Note: Gases or steam exiting the vent may be radioactive. The vent line should be routed to an off-gas process system or a HEPA filter. The system for cooling down the package shall contain a pressure relief device set to ensure that the cask internal pressure is maintained below 100 psig. Coolant flow rates are to be controlled to avoid thermal shock to the fuel contents.
13. Continue the filling procedure until the cask cavity is filled with water. Remove fill and vent lines.
14. Loosen and remove the 12 closure lid bolts. At the option of licensee/user, some bolts (i.e., 4-12) may be left installed hand tight for the cask movement to the spent fuel pool.

15. Engage the cask lifting yoke (with slings, yoke arm guides and remote actuation system components attached) with the cask lifting trunnions and connect the closure lid to the lifting yoke slings.
16. Position the cask over the spent fuel storage pool and lower the cask until the top of the cask is at an elevation which allows access for the removal of the closure lid bolts.
17. Remove any remaining closure lid bolts, inspect and store.
18. Carefully lower the cask to rest on the bottom of the cask unloading area while spraying the exterior surfaces of the cask with clean water to minimize contamination. Disengage the lifting yoke from the lifting trunnions and slowly raise the yoke until the closure lid is raised clear of the cask. Remove the yoke from the vicinity of the cask to provide for clearance for unloading the cask.

Note: The closure lid may be brought out of the pool and later assembled to the empty cask.

19. Unload the MTR, TRIGA, DIDO, spiral, MOATA plate or PULSTAR fuel assemblies or fuel cans from the top basket module using the appropriate grapple or handling system. As required, remove empty basket modules from the cask cavity to allow access to the next basket module. Continue fuel unloading operations until all fuel assemblies, fuel cans, and empty basket modules are removed from the cavity. Alternatively, each basket module containing fuel assemblies or damaged fuel cans may be unloaded from the cask cavity and stored in the spent fuel pool. Continue unloading until all basket modules have been removed.
20. Position the cask lifting yoke with guide arms and remote actuation components installed over the cask closure lid. Attach the slings to the cask closure lid and cask lifting yoke.
21. Position the cask lifting yoke and closure lid over the cask cavity and slowly lower it into place using the cask and closure lid match marks as guides. Visually confirm that the closure lid is seated.

Note: The closure lid may be installed separately after the empty cask is removed from the spent fuel pool.

22. Engage the cask lifting yoke with the cask trunnions and raise the cask.
23. Raise the cask until the lid is slightly above the surface of the pool. At the option of the licensee/user, several of the closure lid bolts (i.e., 4-12) may be installed hand tight.
24. Raise the cask clear of the pool, rinsing the yoke and cask with clean water.

25. Transfer the cask to the decontamination pit or other work area. Remove the yoke and lid lift slings.
26. Install and tighten four closure lid bolts to 100 ± 10 ft-lb using the torque sequence stamped on the closure lid.
27. At the option of the licensee/user, a 25 to 50 gallon clean water flush of the cask cavity may be performed by connecting a valved, clean water line to the drain valve and a valved drain line to the vent valve. After the cavity flushing is completed, if performed, disconnect the water supply and drain lines.
28. Connect a gas (air, nitrogen or helium) supply line to the vent valve and the drain line to the drain valve.
29. Open the gas supply valve and pressurize the cask cavity (<30 psig) to force out the water. Continue to supply gas to the cask cavity for a minimum of five minutes after the last residual free water discharges from the drain line.
30. Remove the gas supply and water drain lines.
31. Remove the four closure lid bolts and lift the lid clear of the cask.

Note: It is not necessary to inspect or replace the closure lid metallic seal. A new metallic seal will be installed and tested prior to the next loaded transport.

32. Remove the drain tube assembly and drain tube alignment ring from the cask cavity.
33. Reinstall the closure lid and install the 12 closure lid bolts. Torque the bolts to 260 ± 20 ft-lbs in three passes using the torque sequence indicated in the closure lid.
34. Install the alternate port covers over the vent and drain valves and tighten the port cover bolts to 100 ± 10 in-lb. For Alternate B port covers, install and torque the high-strength bolts to 285 ± 15 inch-pound.

Note: It is not necessary to inspect or replace the port cover seals. Seal inspection and replacement, if required, will be performed prior to the next loaded transport.

7.2.4 Procedure for Dry Unloading of MTR, TRIGA, DIDO, ANSTO or PULSTAR Fuel Contents

This section describes the procedure for unloading of MTR, TRIGA, DIDO, ANSTO or PULSTAR fuel basket contents from the NAC-LWT in a cell or a dry unloading fixture.

1. Perform a receiving survey of the cask and inspect for transport damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that

require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release the brakes and remove the chocks when required to complete the uprighting operations. If an ISO container is used, the ISO container may be removed from the trailer and secured in the unloading area.

3. Remove the roof from the ISO container and open the front and rear ISO doors. Remove roof cross members, if installed.

Note: Verify that the package nameplate displays the correct package identification number in accordance with the CoC.

4. Licensees shall monitor the package for radioactive contamination and radiation levels in accordance with 10 CFR 20.1906. If contamination levels exceed 10 CFR 71.87(i) or radiation levels exceed the limits of 10 CFR 71.47, the licensee shall notify the NRC Operations Center.
5. Inspect the security seal and wire on the top impact limiter and confirm the seal number is correct per the shipper's documentation.
6. Remove the top and bottom impact limiters.
7. Remove the cask tie-down strap. Clean the cask surfaces as required for entry into the hot cell.
8. Using the cask lifting yoke with lift yoke arm guides removed, engage the lifting trunnions of the front end of the cask. Raise the cask to a vertical position on the rear cask support, moving the crane and/or trailer, as required, to keep the cask engaged in the rear rotation supports and the crane cable vertical. When the cask is vertical, block the trailer wheels and lift the cask from the container.
9. Place the cask in the cell transfer cart or unloading fixture. Disengage the lifting yoke.
10. Remove the vent valve port cover.
11. Connect vent line to the vent valve.

Note: The hot gases exiting from the vent may be highly radioactive and the exhaust gas should be routed to an off-gas process system or to a HEPA filter.

12. Allow the cask to vent. Remove vent line.
13. Loosen and remove the 12 closure lid bolts. Visually inspect and store the bolts.
14. Attach the lid removal fixture.
15. Using the hot cell transfer cart or unloading fixture, move the cask into the unloading position.
16. Remove the cask lid.

Note: It is not necessary to inspect or replace the closure lid metallic seal. A new metallic seal will be installed and tested prior to the next loaded shipment.

17. Install the seal surface protector in the lid cavity, if required.
18. Unload the MTR, TRIGA, DIDO, ANSTO or PULSTAR fuel basket modules or TPBAR consolidation canister from the cask cavity using the required grapple or handling system.
19. Remove the cask seal surface protector, if installed, and replace the cask lid.
20. Using the cell transfer cart or unloading fixture, remove the cask.
21. Remove the lid from the cask and remove the drain tube and drain tube alignment ring (not required for TPBAR configuration).
22. Replace the cask lid and remove the lid removal fixture.
23. Install and tighten all 12 closure lid bolts to 260 ± 20 ft-lbs in three passes using the torque sequence indicated on the closure lid.
24. Install the port covers over the vent and drain valves and tighten the port cover bolts to 100 ± 10 inch-pounds. For Alternate B port covers, install and torque the high-strength bolts to 285 ± 10 inch-pounds.

Note: It is not necessary to inspect or replace the port cover seals. Seal inspection replacement and leak testing will be performed prior to the next loaded transport.

7.2.5 Procedure for Dry Unloading of TPBAR Contents

This section describes the procedure for the unloading of a TPBAR Consolidation Canister or Waste Container from the NAC-LWT in a dry unloading facility.

1. Perform a receiving survey of the ISO container and trailer, and inspect for damage.
2. Position the trailer in the designated cask unloading area. Set the trailer brakes and chock the wheels to prevent unintended movement. If site-specific conditions exist that require the trailer to move to allow the cask to be uprighted on its rotation trunnions, release the brakes and remove the chocks when required to complete the uprighting operations. If necessary, the ISO container may be removed from the trailer and secured in the unloading area.
3. Licensees shall receive and survey the package for radiation and removable contamination (for both gross beta-gamma and tritium) per 10 CFR 20 and 49 CFR 173. Record the survey results. If radiation or contamination levels exceed the limits of 49 CFR 173.441 or 173.443, respectively, the licensee shall notify the shipper and ensure the appropriate notifications are completed.
4. Remove the roof from the ISO container and open the front and rear ISO doors. Remove the ISO roof cross members, if installed.
5. Remove the top and bottom impact limiters.

6. Remove the cask tie-down strap. Complete the radiation and contamination surveys of the package as additional surfaces become accessible. Clean the cask surfaces as required for entry into the dry unloading facility.
7. Using the cask lifting yoke with lift yoke arm guides removed; engage the lifting trunnions of the front end of the cask. Raise the cask to a vertical position on the rear cask support, moving the crane and/or trailer, as required, to keep the cask engaged in the rear rotation supports and the crane cable vertical. When the cask is vertical, block the trailer wheels and lift the cask from the container.
8. Place the cask in a transfer cart or an unloading fixture. Disengage the lifting yoke.
9. Remove the weather seal from the cask lid.
10. Remove the vent valve port cover.
11. Remove the drain valve port cover
12. Connect a tritium monitoring system to the vent and drain quick-disconnect valves, and operate the device in accordance with the manufacturer's instructions. The tritium monitoring system shall have a minimum sensitivity of 5×10^{-3} micro curie/cc.
13. Monitor the cavity gas for tritium. If the gas sample measurement indicates a tritium gas concentration greater than 1×10^{-2} micro curie/cc, the cask internals must be decontaminated after unloading is completed and prior to subsequent use in transporting non-TPBAR contents.

Note: The gases exiting from the cavity may be radioactive and contaminated with tritium, and at an elevated temperature. Cavity gases should be controlled per the site requirements.

14. Vent the cask cavity. Remove the gas lines and monitoring system from the vent and drain valves.
15. Loosen and remove all closure lid bolts.
16. Attach the lid removal fixture.
17. Use a transfer cart or unloading fixture and move the cask into the unloading position.
18. Remove the cask lid.

Note: Replacement of the closure lid metallic seal is not required. A new metallic seal will be installed and leak tested prior to the next loaded shipment.

19. Install the seal surface protector in the lid cavity, if required.
20. Unload the TPBAR contents from the cask cavity using the required grapple or handling system.
21. Using the transfer cart or unloading fixture, remove the cask from the unloading area.

22. Collect an ambient air sample near the cask cavity opening. If the measured tritium gas concentration exceeds 1×10^{-2} micro curie/cc, the cask cavity must be decontaminated after unloading and prior to subsequent use in transporting non-TPBAR contents.
23. Survey the accessible inside surfaces of the cask cavity and internal components (i.e., upper 2 feet) for tritium contamination. If measured tritium removable contamination is greater than $2.2 \times 10^{+4}$ dpm/100 cm², the cask must be decontaminated after unloading is completed and prior to subsequent use in transporting non-TPBAR contents.

Note: If significantly higher tritium contamination levels and the need for repeated decontamination become indicative of residual tritium contamination in the crystalline structure of the cask interior with potential for weeping, NAC will notify the NRC of the condition and its action.

24. Remove the cask seal surface protector, if used, and install the cask lid.
25. Inspect, install and tighten all 12 closure lid bolts to 260 ± 20 ft-lbs in three passes using the torque sequence indicated on the closure lid.

Note: Replacement of the vent and drain port cover metallic seals is not required. New metallic seals will be installed and leak tested prior to the next loaded shipment.

26. Install the port covers on the vent and drain ports and torque the port cover bolts to 285 ± 15 inch-pounds.

7.3 Procedures for Preparation of the Empty Package for Transport

The procedures for the preparation of the empty package for transport are as follows.

1. Verify that the closure lid bolts and the valve port cover bolts are torqued to the proper values as given in Table 7.3-1.
2. Verify that the cask cavity has been drained and is empty as directed in Section 7.2.
3. Decontaminate the cask and survey the cask for surface contamination and radiation dose rates.

Note: Ensure compliance with 10 CFR 71.87(i) and 10 CFR 71.47.

4. Remove lift yoke arm guides, if installed. Engage the cask lifting yoke to the lifting trunnions.
5. Lift the cask and position the cask rotation sockets in the rear rotation trunnions of the rear support structure. Carefully lower the cask to the horizontal transport orientation resting on the front saddle by moving the crane and/or the trailer as required to maintain cask engagement to the rear supports.
6. Install the cask tie-down strap. Install the cask top and bottom impact limiters.
7. Install the personnel barrier on the trailer or close doors and install roof cross members (if provided) and roof on the ISO container.
8. Complete a Health Physics survey and record vehicle radiological compliance data. Ensure compliance with 10 CFR 71.87(i) and 10 CFR 71.47.
9. Complete the shipping documents and apply appropriate placards and labels.

Table 7.3-1 Bolt and Torque Table

Bolts¹	No. Used	Fastener	Torque Value
Tiedown Bolts	8	1/2 - 13 UNC-2A Hex Head Bolt	410 ± 20 in-lb
Closure Lid Bolts	12	1 - 8 UNC-2A - Socket Head Cap Screw	260 ± 20 ft-lb
Closure Lid Test Port Plug	1	N/A	60 ± 5 in-lb
Alternate Port Cover Bolts	6	3/8 - 16 UNC-2A - Socket Head Cap Screws	100 ± 10 in-lb
Alternate B Port Cover Bolts	6	3/8 - 16 UNC - 2A - Socket Head Cap Screws	285 ± 15 in-lb
Port Cover Test Port Plug	2	N/A	60 ± 5 in-lb
Trunnion Plate Bolts	12	1/2 - 13 UNC-2A - Flat Socket Head Cap Screw	100 ± 5 in-lb

¹ All bolts shall be lightly lubricated using Nuclear Grade Pure Nickel NEVER-SEEZ or equivalent.

Table of Contents

8	ACCEPTANCE TESTS AND MAINTENANCE PROGRAM.....	8.1-1
8.1	Acceptance Tests.....	8.1-1
8.1.1	Visual Inspection	8.1-1
8.1.2	Structural and Pressure Tests	8.1-2
8.1.3	Leak Tests	8.1-3
8.1.4	Component Tests	8.1-7
8.1.5	Tests for Shielding Integrity	8.1-9
8.1.6	Thermal Acceptance Tests.....	8.1-9
8.1.7	Neutron Absorber Tests	8.1-10
8.2	Maintenance Program	8.2-1
8.3	Appendix.....	8.3-1
8.3.1	General Description	8.3-1
8.3.2	Preparation	8.3-1
8.3.3	Pouring Procedure.....	8.3-2
8.3.4	Cooling Process	8.3-2

List of Figures

Figure 8.3-1	Lead Pour Configuration.....	8.3-3
Figure 8.3-2	Allowable Height Difference.....	8.3-4

List of Tables

Table 8.2-1	Maintenance Program Schedule.....	8.2-3
-------------	-----------------------------------	-------

8 **ACCEPTANCE TESTS AND MAINTENANCE PROGRAM**

This chapter discusses the acceptance test and maintenance program to be used for the NAC-LWT cask, in compliance with 10 CFR 71, Subpart G.

Where required, specific procedures for testing will be developed in conjunction with the cask fabrication, in accordance with an approved Quality Assurance program.

8.1 **Acceptance Tests**

This section discusses the tests to be performed prior to first use of the cask.

Two port cover designs are available for use. The alternate port cover has a face seal containment boundary Viton[®] O-ring and a secondary test boundary O-ring seal along the barrel of the port cover. The alternate port cover was developed to facilitate ease in installation and removal in the field. The Alternate B port cover has two face seals on the inner end of the port cover, one metallic containment boundary seal and one Viton[®] test boundary seal. The Alternate B port cover was developed to provide a leaktight configuration for content conditions requiring a leaktight and/or high pressure containment boundary. The Alternate B port covers utilize higher strength bolts and a higher installed torque value.

To simplify the testing procedures below, when "port cover" or "port cover O-ring" is mentioned, it is intended to mean the port cover which has been chosen for that specific fabrication or cask configuration, either the alternate or the Alternate B and their respective O-rings. The different testing procedures are described in the applicable sections.

8.1.1 **Visual Inspection**

All components making up the cask lid, body, and baskets are to be visually inspected. This inspection verifies that all items are properly cleaned, free of nicks, gouges and damage, and are assembled in accordance with the license drawings. Each item is compared to the appropriate drawing to verify that it is in the correct orientation, position, and location.

All dirt, oil residue, metal chips or other forms of debris are removed by appropriate cleaning methods. Any entrapped water is removed. Any component found to deviate from its drawing is re-installed, replaced, or otherwise reworked as necessary in order to bring it into conformance.

Acceptance criteria require complete cask cleanliness, that foreign objects are removed, and that nicks or gouges that might preclude sealing or cask closure are not permitted. Valve and system components are visually inspected for leaks during pressure checks. Leaks are not permitted. Any case of noncompliance shall be corrected prior to final acceptance. All welds are visually inspected in accordance with the methods of Article 9, Section V of the "ASME Boiler and

Pressure Vessel Code.” The acceptance criteria are in accordance with part NB-4424, Section III, and parts UW-35 or UW-36, Section VIII, of the “ASME Boiler and Pressure Vessel Code.”

8.1.2 Structural and Pressure Tests

Following completion of fabrication, a hydrostatic test is performed on the cask cavity in accordance with the “ASME Boiler and Pressure Vessel Code,” Section III, Subsection NB, Article NB-6000, to 209 (+5/-0) psig. This test is performed in accordance with a procedure prepared by the fabricator and approved by NAC International (NAC). For casks intended for transport of TPBARs, an additional post-fabrication hydrostatic test is performed to 450 +15/-0 psig ($1.5 \times \text{MNOP of } 289 \text{ psig} = 434 \text{ psig}$). Alternate B port covers are installed for the 450 +15/-0 psig test. The test requirements and acceptance criteria for both tests are described below.

The cask cavity is hydrostatically tested using demineralized water. The test is conducted with the closure lid and valve port covers installed in accordance with the cask handling procedure for loaded casks, but with the quick-disconnect valves removed. During these two 30-minute pressure tests (conducted alternately with one port cover installed and the other removed for access to the cavity), an inspection is made to detect any visual or other evidence of leakage. Any evidence of leakage, including drop of gauge pressure, is cause for rejection.

Following the hydrostatic test, the cask cavity, lid, and port covers are dried and made ready for visual and dye penetrant testing (PT) inspections.

The cask cavity (containment boundary including lid and port covers) is visually inspected. All accessible welds within the cask cavity are examined by PT in accordance with ASME Code, Section V, Article 6, with acceptance criteria in accordance with ASME Code, Section III, Subsection NB, Article NB-5350. Any evidence of cracking, permanent deformation, or exceeding of material yield strength is cause for rejection.

Following completion of the fabrication pressure test or the postfabrication TPBAR-required pressure test, the cask containment boundary is leakage tested in accordance with the requirements of Section 8.1.3.

The neutron shield tank and the expansion tank are hydrostatically tested simultaneously, since they are joined by a siphon tube. The test is in accordance with the “ASME Boiler and Pressure Vessel Code,” Section VIII, Division 1, to 248 (+5/-0) psig (165 psig maximum hypothetical accident pressure $\times 1.5$). The neutron shield relief valve is replaced by a plug during the test. All tank seams and joints are inspected for evidence of leakage. The pressure is monitored by use of a pressure gauge. Any evidence of leakage or drop in pressure is cause for rejection. All accessible welds on the neutron shield structure are PT examined following the hydrostatic test.

Each of the two pairs of the cask lift trunnions is load tested. The load test is performed for one pair and, then, repeated for the other pair.

The test consists of applying a vertical load of 159,375 lbs + 3,000 lbs, -0 lbs (300 % of the maximum service load), to each trunnion pair. The load is applied in a vertical direction and equally distributed between the two trunnions.

This test may be carried out by the use of calibrated hydraulic rams combined with a beam, or the cask lifting yoke, and appropriate dead weight attached to the trunnion pair. The load is held for a minimum of 10 minutes.

Following the load test, all welds and material are visually inspected for plastic deformation and cracking and liquid penetrant inspected in accordance with the "ASME Boiler and Pressure Vessel Code," Section V, Article 6, and Section III, Division I, Subsection NF, Article NF-5350, as called for in ANSI N14.6-1993.

Any evidence of permanent deformation or any evidence of cracking, galling, or exceeding of yield strength is cause for rejection of that item.

The rotation sockets at the lower end of the cask are not load tested, being monolithic steel block with a suitably machined opening. Prior to first use, each socket is visually inspected for cleanliness and signs of deformation or other unsuitability. Accessible welds are inspected in accordance with the standards for the cask trunnions.

8.1.3 Leak Tests

The cask containment boundary is subjected to a fabrication leakage rate test, as described in the sections below, to verify containment following fabrication. The test is performed using helium inside the cask cavity and a helium mass spectrometer connected to the test port of the lid or one of the port covers. The mass spectrometer has a minimum sensitivity such that it is capable of detecting a leak rate of at least 1×10^{-9} ref cm^3/sec and is calibrated before and after the test with a standard having a known leak rate between 4×10^{-7} and 1×10^{-9} ref cm^3/sec . The procedure is performed between 40°F and 125°F and is temperature corrected. New O-rings are to be used. The basic procedures for the cask lid and for the vent and drain port covers are provided in the following sections.

A required maintenance leakage rate test adheres to the criteria listed above and follows the replacement of any containment component or seal. Containment components having single-use metallic containment seals (i.e., closure lid and Alternate B port covers) require a maintenance leakage rate test prior to each loaded transport. All containment components shall be subjected to a periodic leakage rate test annually while the cask is in service, or prior to returning the cask

to service if the period since the last leakage rate test exceeds 12 months. The acceptance criteria for the fabrication, maintenance, and periodic leakage rate tests appear in the following sections.

8.1.3.1 Closure Lid Leakage Rate Test

The following procedure shall be used to perform the fabrication, maintenance, periodic and pre-shipment leakage rate tests on the closure lid. Steps 1 and 2 are not performed for the pre-shipment leakage rate test performed during cask loading operations as described in Chapter 7.

1. Remove the vent and drain port covers and install the closure lid fitted with a new metallic seal on the cask body.
2. Install the 12 lid bolts and torque them to 260 ± 20 ft-lb in three passes, using the torque sequence stamped on the lid.
3. Connect the vacuum pump to the vent valve and evacuate the cask cavity to a pressure ≤ 100 torr (130 mbar).
4. Backfill the cask cavity with 99.9% (minimum) pure helium to atmospheric pressure.
5. Repeat Steps 3 and 4 to ensure that the cask cavity helium concentration is approximately 98%.
6. Remove the test port plug from the lid.
7. Connect a helium mass spectrometer leak detector (MSLD) to the cask lid test port. Start the helium MSLD.

Note: The specific test procedure depends on the helium MSLD used. The test commences when a vacuum is pulled on the test port by the MSLD and the MSLD is placed in the "test" mode.

8. Monitor the test leakage rate until the leakage rate is stable or a minimum of 30 seconds.
9. The acceptance criteria for the helium leakage test for the various NAC-LWT contents are as follows:
 - a. For all contents other than the authorized TPBAR contents, the measured leakage rate shall be $\leq 5.5 \times 10^{-7}$ cm³/s, helium.
 - b. For TPBAR contents, the measured leakage rate shall be $\leq 2 \times 10^{-7}$ cm³/s, helium (i.e., leaktight per ANSI N14.5-1997 under the test conditions).
10. Remove helium MSLD from test port plug and reinstall port plug and torque to 60 ± 5 inch-pounds.

8.1.3.2 Alternate Port Cover Leakage Rate Tests

8.1.3.2.1 Fabrication and Periodic Leakage Rate Tests

The following procedure shall be used to perform the fabrication and periodic leakage rate tests on the alternate port covers.

1. If the port cover leakage rate tests are not performed immediately following the closure lid leakage rate test of Section 8.1.3.1, evacuate the cask cavity to ≤ 100 torr (130 mbar) and backfill to atmospheric pressure with 99.9% (minimum) pure helium. Reevacuate to ≤ 100 torr (130 mbar) and perform the final helium backfill to atmospheric pressure.
2. Install new O-rings on the port cover.
3. Remove the port valve (either vent or drain valve) and install the port cover.
4. Install and torque the port cover bolts to 100 ± 10 inch-pounds.
5. Remove the test port plug from the port cover.
6. Connect a helium MSLD to the test port. Start the helium MSLD.
7. Monitor the test leakage rate until the leakage rate is stable or for a minimum of 30 seconds.
8. The acceptance criteria for the helium leakage rate test is that the measured leakage rate shall be $\leq 5.5 \times 10^{-7}$ cm³/s, helium.
9. Remove helium MSLD from the test port and reinstall port plug and torque to 60 ± 5 inch-pounds.
10. Repeat Steps 1 through 9 for the second port cover.

8.1.3.2.2 Maintenance Leakage Rate Test

The following procedure shall be used to perform the maintenance leakage rate test on the alternate port covers following the field replacement of a port cover containment face seal during cask loading operations.

1. Replace the affected seal(s).
2. Insert port cover in a plastic test bag and seal the bag to the cask body around the port opening using suitable tape.
3. Evacuate test bag and backfill with 99.9% (minimum) pure helium to one atmosphere absolute.
4. Reevacuate test bag and perform final helium backfill to one atmosphere absolute.
5. Without breaking the seal of the plastic bag to the cask body, insert the port cover into the port opening and hand tighten the bolts.
6. Torque the bolts to 100 ± 10 inch-pounds. Remove the plastic bag.
7. Remove the test port plug from the port plug.

8. Attach helium MSLD to the port cover test port and evacuate the volume between the seals.
9. Monitor the test leakage rate until stable or for a minimum of 30 seconds.
10. The test is acceptable if the measured leakage rate is $\leq 5.5 \times 10^{-7} \text{ cm}^3/\text{s}$, helium.
11. Remove helium MSLD from test port and reinstall the test port plug and torque to 60 ± 5 inch-pounds.

8.1.3.3 Alternate B Port Cover Leakage Rate Tests

8.1.3.3.1 Fabrication and Periodic Leakage Rate Tests

The following test procedure shall be used to perform the fabrication and periodic leakage rate tests for the Alternate B port cover. The fabrication leakage rate test shall be performed immediately following the post-fabrication hydrostatic test to 450 +15/-0 psig required to be performed on casks intended for transport of TPBAR contents. The Alternate B port covers shall be installed for the 450 +15/-0 psig hydrostatic test. The periodic leakage rate test will be performed as part of a cask's annual maintenance and certification program.

1. If the Alternate B port cover leakage rate tests are not performed immediately after the closure lid leakage rate test in Section 8.1.3.1, evacuate the cask cavity to ≤ 100 torr (130 mbar) and perform the final helium backfill to atmospheric pressure with 99.9% (minimum) pure helium. Reevacuate to ≤ 100 torr (130 mbar) and perform final helium backfill to atmospheric pressure.
2. Install the new metallic O-ring on the Alternate B port cover.
3. Remove the port nipple (either vent or drain valve) and install the Alternate B port cover.
4. Install and torque the port cover bolts to 285 ± 15 inch-pounds.
5. Remove the test port plug from the port cover.
6. Connect a helium MSLD to the test port. Start the helium MSLD.
7. Monitor the test leakage rate until the leakage rate is stable or for a minimum of 30 seconds.
8. The acceptance criteria for the Alternate B port cover is that the measured leakage rate shall be $\leq 2 \times 10^{-7} \text{ cm}^3/\text{s}$, helium.
9. Remove helium MSLD from the test port and reinstall the test port plug and torque to 60 ± 5 inch-pounds.
10. Repeat Steps 1 through 9 for the second Alternate B port cover.

8.1.3.3.2 Maintenance and Preshipment Leakage Rate Tests

The following maintenance leakage rate test procedure for the Alternate B port cover is used after metallic O-ring replacement during each cask loading operation, or if another containment component of an Alternate B port cover is replaced.

1. Replace metallic seal.
2. Insert Alternate B port cover in plastic test bag and seal to cask body around port opening with suitable tape.
3. Evacuate test bag and backfill with 99.9% (minimum) pure helium to one atmosphere absolute.
4. Reevacuate test bag and perform final helium backfill to one atmosphere absolute.
5. Without breaking seal of plastic bag to the cask body, insert the Alternate B port cover into the port opening and tighten bolts hand tight.
6. Remove plastic bag and torque bolts to 285 ± 15 inch-pounds.
7. Remove test port plug from the Alternate B port cover.
8. Attach helium mass spectrometer to the Alternate B port cover test port and evacuate the volume between the seals.
9. Monitor the leakage rate test until stable or a minimum of 30 seconds.
10. The test is acceptable if the indicated leakage rate is $\leq 2 \times 10^{-7}$ cm³/s (helium), i.e., leaktight per ANSI N14.5-1997.
11. Repeat Steps 1 through 10 for the second Alternate B port cover.

8.1.4 Component Tests

Tests performed on individual components are designed to ensure that the components meet the design requirements for correct operation of the cask system.

Acceptance criteria are functions of the purpose of the component being tested.

8.1.4.1 Valves, Pressure Relief Device, and Fluid Transport Devices

Overpressurization protection is afforded the neutron shield tank in the form of a relief valve that is designed to open at 165 psig (plus or minus 10 percent), and reseal. The relief valve is removed from the cask and hydraulically pressure tested using a calibrated system to verify relief valve opening and closing pressures. Failure to operate within tolerance is cause for rejection. Rejected valves are rebuilt or replaced and retested prior to use.

The cask cavity does not contain overpressurization protection because the maximum pressures developed in the worst case (fuel or TPBAR rupture) are well below the structural capability of the cask structure, lid, port covers, and seals.

The cask ports for vent/drain operations (two ports) contain valved quick disconnect fittings. These valves do not require testing to verify valved operation, because no credit is taken for these valves in the cask analyses. The valves provide a convenient method of attaching lines and fixtures, but serve no safety-related function.

The NAC-LWT cask package does not use rupture disks.

A siphon tube is used to connect the neutron shield tank to the neutron shield expansion tank. The tube is a passive device and allows expanding fluid to enter the expansion tank and returns the fluid as the liquid cools. It contains no moving parts and cannot be inspected after installation. The tube will be inspected for cleanliness and to verify that its passage is free of debris and clear prior to installation.

8.1.4.2 Gaskets

Cask closure lid and port cover O-rings will be hydrostatically pressure tested to verify suitability for use and for operation in the Maximum Normal Operating Pressure (MNOP) condition. The O-rings are arranged in pairs with an annulus between them. The annulus is connected by a drilled passageway to a test port. In the acceptance test, each of the three O-ring sets (one closure lid set, one vent port cover set, and one drain port cover set) is pressurized to 209 (+5/-0) psig for 30 minutes. Casks having TPBARs as approved contents are subjected to additional hydrostatic tests at 450 +15/-0 psig (one with the vent cover installed and one with the drain port cover installed). Loss of pressure or any other sign of leakage is cause for rejection.

A seal is installed at the outer edge of the lid, between the lid and the top cask forging, during transport. This seal is a weather seal and is not a pressure boundary. It is not pressure tested.

8.1.4.3 Sealed Canisters

Prior to underwater application of sealed canisters, each design shall be qualified by testing to demonstrate the ability of the canister to be vacuum dried and to stay sealed during subsequent underwater handling and storage. The qualification tests performed will simulate underwater vacuum drying and subsequent handling/storage. Acceptance criteria include no residual water in, or water ingress to, the sealed canister.

8.1.4.4 Miscellaneous

The cask impact limiter structures contain a two-part, aluminum honeycomb that is fabricated to have dynamic crush strengths of 3,500 psi. (plus 5 percent, minus 10 percent) and 250 psi (plus 10 percent, minus 10 percent), respectively. Sample lots of honeycomb material are subjected to dynamic crush testing to verify the crush strength of the impact limiter material. A dynamic crush strength of a sample outside of the allowable variation is cause for rejection of the batch lot of honeycomb material.

8.1.5 Tests for Shielding Integrity

A gamma scan inspection of all steel and lead shielding is conducted in order to verify shielding integrity. This inspection is performed on the cask body, including the cask bottom.

The test is conducted by continuous scanning or probing over 100 percent of all accessible surfaces, using a 3-inch detector and a ^{60}Co source of sufficient strength to produce a count rate that equals or exceeds three times the background count rate.

Scan path spacing is 2.5 inches. Scan speed is 4.5 feet-per-minute or less. All probing is on a 2-inch grid pattern (when using a 3-inch detector) and the count time is a minimum of one minute.

Acceptance is based on a lead and steel mock-up, where the material thicknesses are equivalent to the minimum thicknesses specified by the drawings. The lead and steel mock-up is produced using the same pouring technique as that approved for the cask.

Any area that produces a count rate over that established by the mock-up is considered rejected and must be corrected and retested prior to use.

Test equipment is checked before and after each use to ensure that shield test results are accurate.

8.1.6 Thermal Acceptance Tests

8.1.6.1 Thermal Test

A heat transfer acceptance test is conducted to test the integrity of the lead/stainless steel interface and to establish the heat rejection capability of the cask. The test is conducted with the neutron shield tank full¹ and the pressurized water reactor (PWR) basket located in the dry cask cavity.

¹ The neutron shield tank is filled with a liquid consisting of 58 weight percent ethylene glycol, 39 weight percent demineralized water and 3 weight percent potassium tetraborate ($\text{K}_2\text{B}_4\text{O}_7$).

The cask is internally heated at a rate of 8,500 BTU per hour ($\pm 1,000$ BTU per hour). A minimum of 12 internal and 12 external temperatures on the cask are measured with thermocouples. A test closure lid is used to allow penetrations for electric heaters and thermocouples. The steady state heat rate, transient cask temperatures, and ambient temperature are recorded. The test is conducted with the cask 3 feet (approximately) above the ground, horizontal and in still air.

8.1.6.2 Retest

If any equipment should fail during the test, such that the test must be aborted, the test is repeated.

8.1.6.3 Heat Source

The heat source for the thermal test is an electrical heater (cal-rod type) with an active length of 144 to 150 inches and is capable of generating at least 2.5 kilowatts.

8.1.7 Neutron Absorber Tests

8.1.7.1 General

Neutron absorber material in the form of borated stainless steel sheets is used in the TRIGA poison basket modules. After manufacturing, test samples from each batch of neutron absorber (poison) sheets shall be tested using neutron absorption techniques to verify the presence, proper distribution, and minimum weight percent of enriched boron. The tests shall be performed in accordance with approved written procedures.

8.1.7.2 Preparation of Samples for Spectroscopic Examination

Detailed written procedures to perform neutron absorption tests of each batch of neutron absorber sheets shall be established by the manufacturer and approved by NAC. For each batch of neutron absorber sheets, a sample shall be taken from each sheet. The samples shall be indelibly marked and recorded for identification.

At least 2 percent of the sheets in a batch shall be tested using a grid pattern of locations covering the entire surface of the sheet. Each of the remaining sheets in a batch shall be tested at one random location to ensure the presence of boron.

8.1.7.3 Neutron Absorption Test Performance

An approved facility with a neutron source and neutron detection capability shall be selected to perform the described tests. The tests will assure that the neutron absorption capacity of the material tested is equal to, or higher than, the given reference value and will verify the uniformity of boron distribution of a batch of neutron absorber sheets. The principle of measurement of neutron absorption is that the presence of boron results in a slowing down of neutron flux between the neutron sources, the reflector, and the neutron detector – depending on the material thickness and boron content.

Typical test equipment will consist of a neutron source/neutron detector, a reflector, and a counting instrument. The test equipment is calibrated using approved reference sheet(s), whose ^{10}B content has been checked and verified by an independent method such as chemical analysis. The highest permissible counting rate is determined from the neutron counting rates of the reference sheet(s), which should be ground to the minimum allowable plate thickness. This calibration process shall be repeated daily (at least once every 24 hours) while tests are being performed.

8.1.7.4 Acceptance Criteria

The neutron absorption test shall be considered acceptable if the neutron count determined for each test specimen is less than or equal to the highest permissible neutron count rate determined from the reference sheet(s). The poison sheets shall have a minimum of 1.04 weight-percent enriched boron content, with ^{10}B being a minimum of 93.88 atom percent. Any specimen not meeting the acceptance criteria for maximum neutron count shall be rejected and all of the sheets from that lot shall be similarly rejected.

8.2 Maintenance Program

Each NAC-LWT cask is subjected to a series of tests and inspections prior to each loaded shipment and annually, as shown in the Maintenance Program Schedule (Table 8.2-1).

Prior to each loaded transport, the metallic O-rings of the closure lid and Alternate B port covers, if used, are replaced. The O-ring seals of the alternate port covers are inspected and replaced as necessary. The cask cavity, trunnions, and all removable components (i.e., closure lid, port covers, attachment bolts, impact limiters, etc.) are visually inspected for damage. Following loading, the closure lid and port covers are installed and the bolting torqued. Leakage rate tests are performed on the closure lid and port covers as detailed in the cask loading procedures of Chapter 7.1. Depending on the port cover design and content conditions, helium leakage rate tests and air pressure drop tests verify the pre-shipment integrity of the containment boundary.

The completion of the annual maintenance and test program is required for each NAC-LWT cask while it is in service. The completion of the annual maintenance is documented on an annual inspection certification document. Each NAC-LWT cask must have a current annual certification before it can be used. The required annual cask maintenance test program is performed during or before the calendar month in which the annual program is due, but it is required to be performed no later than 30 days following the due date. During periods when the cask is not in use, the annual maintenance program may be deferred provided that the annual maintenance is completed and documented prior to the cask's next use.

When NAC-LWT casks are used to transport TPBAR contents, a 450 +15/-0 psig hydrostatic test and helium leakage rate test to the leaktight criteria of ANSI N14.5-1997 are performed instead of the normal and periodic leakage rate tests. The Alternate B port covers are used for these tests. The annual maintenance program certification documentation shall specifically identify that a NAC-LWT packaging has been qualified by testing for TPBAR contents.

Engineering approval is required prior to making any repairs of damaged areas or areas that need refurbishing as a result of normal wear and tear. All such repairs shall be fully documented in accordance with NAC's approved Quality Assurance program. The replacement of valves, fittings, seals, thread fasteners, or use of calibrated pressure gauges are considered normal maintenance and do not require engineering approval.

Testing of the cask shielding and heat rejection capabilities is conducted during original packaging acceptance testing. The structures that provide shielding and heat rejection are passive and do not require verification during routine use of the package. Consequently, the efficiency of these systems is not tested during the annual maintenance program. Radiation

surveys conducted at the time of cask loading provide verification of continued shielding effectiveness.

Testing of the neutron absorber material utilized in TRIGA poisoned basket modules are conducted prior to fabrication of the basket modules. The neutron absorber material is in the form of borated stainless steel sheets that are visually inspected for wear or damage prior to each use, and do not require routine maintenance.

Table 8.2-1 Maintenance Program Schedule

Cask Cavity (Including Port Cover and Lid Seals Annulus)

Annually	Visual Inspection Lid and Port Cover Seal Replacement Helium Leak Tests (per Section 8.1.3)
Valve Port Covers	
Each Loaded Shipment	Visual Inspection Air Pressure Drop Test at 15 +1/-0 psig (Alternate port covers) Helium Leakage Testing (Alternate B port covers) Seal Replacement as Necessary ¹
Drain Line Gasket	
Each Shipment	Seal Replacement as Necessary
Annually	Seal Replacement
Water Jacket and Expansion Tank	
Annually	Visual Inspection Check Fluid Level, Specific Gravity, and Boron Concentration ²
Each Shipment	Visually Inspect Fill, Drain and Inspection Port Plugs for Leakage
Cask Lid Bolts	
Each Shipment	Visually Inspect for Damage and Replace, as required.
Long Term Maintenance	Bolt replacement upon reaching 20-year life or 550 operational cycles.

¹ Helium leak testing (per Section 8.1.3.2.2) is required following replacement of alternate port cover seals. For Alternate B port covers, seal replacement and leak testing are required for each shipment per the requirements specified in the Operating Procedures in Chapter 7 and Section 8.1.3.2.2.

² The neutron shield fluid must be verified to contain greater than 1.0 wt % boron and the specific gravity must be such that the solution does not freeze at temperatures above -40°F.

Table 8.2-1 Maintenance Program Schedule (continued)

Water Jacket Relief Valve	
Annually	Replace With New Pre-set Valve, or Verify Opening and Reseating Pressure (Allowable variation is ± 10 psig of Nominal Valve Opening Pressure, 165 psig)
Fasteners, Valved Nipples, Washers, Reusable O-rings, and Helicoils	
Each Shipment	Inspect and Replace as necessary
Lid and Alternate B Port Cover Metallic O-rings	
Each Loaded Shipment	Replace and perform helium leakage rate testing to the criteria specified in Section 8.1.3, as applicable.

8.3 **Appendix**

This appendix describes the lead pour procedure used to create the lead wall between the inner and outer shells of the LWT cask. This lead wall provides the gamma shielding in the cask and is subject to tests verifying its shielding integrity.

8.3.1 **General Description**

Basically, this procedure consists of pouring molten lead in the annular space between the inner and outer shells followed by the controlled cooling of the lead. Electrical heaters and gas burners are used to heat the cask body prior to and during the lead pour. To cool the lead in a controlled manner, water is sprayed on the cask surfaces while simultaneously switching off the electrical heaters and gas burners.

The lead used in this procedure complies with the ASTM Standard B29, chemical copper grade.

8.3.2 **Preparation**

The cask must be placed in the vertical position (Figure 8.3-1) for the lead pour. It must also be perfectly level and stable.

Stiffening bars are placed inside the cask to prevent distortion of the cask body assembly as a result of the expansion and/or shrinkage expected during the pouring and cooling of the lead. An auxiliary ring is welded on the upper edge of the outer shell to be used as a guide in reaching the required level of lead. This ring is later removed by machining.

The cask body is checked for cleanliness, especially inside the annular space, but also on all outer surfaces. It is important to remove any foreign matter that when heated might be harmful to the surface material.

A Dimensional Verification of the cask body is performed, especially checking the tolerances of the annular space between the inner and outer shells.

The cask body is heated by using a combination of electrical resistances arranged inside the cask and gas burners as rings located at spaced levels surrounding the outer surface of the cask. Prior to the lead pour, the top flange area of the cask is heated with hand burners to approximately 572°F (300°C).

The actual temperatures of the cask walls are measured by thermocouples attached to the inner and outer surfaces of the cask. In addition, the temperature is also measured at random by

contact thermocouples. The temperatures are monitored during the complete operation and recorded on charts.

8.3.3 Pouring Procedure

Approximately 27,533 pounds of lead per cask is melted in the appropriate kettles and kept at a temperature in the range of 698°F (370°C) to 790°F (421°C).

The cask body is heated in a steady and uniform manner at a rate not exceeding 90°F per hour (50°C/hour). Once the cask body reaches the holding temperature of 550°F to 650°F (288°C – 343°C) and this temperature appears stabilized, the lead pouring can begin. Note that particular attention must be given to the method and procedure of heating to ensure that the cask surface does not reach 800°F (427°C) maximum during heating or pouring.

The lead pour should not be interrupted and should take as short a time as possible. The pouring is carried out by using filling tubes of different lengths that are changed in the course of the pouring as the level of molten lead rises in the cask. The open end of the filling tubes is kept below the surface of the lead pool during pouring.

The lead is checked during pouring using steel rods to ensure no solidification occurs.

8.3.4 Cooling Process

Once the required level of lead is reached, it is again checked using steel rods to ensure that no solidification has started anywhere in the molten lead volume.

The cooling is controlled by simultaneously turning off the inside electrical heaters and the gas burners outside the cask. This process begins by switching off the heating band at the lowest end of the cask (while keeping the rest of the heaters and burners on) and continues progressively upwards as the solidification of the lead progresses. Water is injected into the gas burners (rings) and then sprayed on the outside surface of the cask to regulate and accelerate the cooling.

During the solidification, the lead is checked using steel rods to ensure that the difference in height in any part of the solid surface of the annular space is not greater than 2 inches (Figure 8.3-2). To meet this requirement, the heaters and burners (sprayers) must be regulated as necessary. The top surface should be kept molten until the rest of the cask has solidified.

Figure 8.3-1 Lead Pour Configuration




Figure 8.3-2 Allowable Height Difference




Table of Contents

9.0 REFERENCES.....9-1

9 REFERENCES

“AISC Manual of Steel Construction,” 8th Edition, The American Institute of Steel Construction, Inc., 1990.

Alcoa Aluminum Handbook, Pittsburgh, PA, Aluminum Company of America, 1959.

“Aluminum Construction Manual,” 2nd Edition, Section 3, The Aluminum Association, Washington, D.C., 1972.

“Annual Book of ASTM Standards,” Section 3, Volume 03.01, American Society for Testing and Materials, 1986.

“ANSYS’ Computer Code for Large-Scale General Purpose Engineering Analysis,” Swanson Analysis Systems, Inc., Houston, PA.

“ASME Boiler and Pressure Vessel Code,” Section III, Subsection NG – Core Support Structures and Subsection NH – Class 1 – Components in Elevated Temperature Service, The American Society of Mechanical Engineers, 1995 with Addenda through 1997.

Baker, E.H., L. Kovalevsky, and F.L. Rish, Structural Analysis of Shells, New York, McGraw-Hill Book Co., December 1966.

Bates, O.K., “Thermal Conductivities of Aqueous Ethylene Glycol Solutions,” St. Lawrence University, Canton, NY.

Baumeister, T. and L.S. Marks, Standard Handbook for Mechanical Engineers, 7th Edition, New York, McGraw-Hill Book Co., December 1966.

BAW-246, “NULIF – A Neutron Spectrum Generator, Few-Group Constant Calculator, and Depletion Code,” Babcock & Wilcox, August 1976.

Bevington, P.R., Data Reduction and Error Analysis for the Physical Sciences, New York, McGraw-Hill Book Company.

Biggs, J.M., Introduction to Structural Dynamics, New York, McGraw-Hill Book Co., 1964.

Blake, A., “Charts Simplify Calculations for Moments and Deflections of Circular Arches,” Machine Design, Cleveland, Penton Publishing Co., December 25, 1958.

Blodgett, O.W., Design of Welded Structures, Cleveland, James F. Lincoln Arc Welding Foundation, 1972.

Book of Standards, Part 7, American Society for Testing and Materials, 1970.

Bruhn, E.F., Analysis and Design of Flight Vehicle Structures, 1st Edition, Cincinnati, Tri-State Offset, Co., 1965.

Bucholz, J.A., "Scoping Design Analyses for Optimized Shipping Casks Containing 1-, 2-, 3-, 5-, 7-, or 10-year old PWR Spent Fuel," Oak Ridge National Laboratory, ORNL/CSD/TM-149, January 1983.

Bucholz, J.A., "XSDOSE: A Module for Calculating Fluxes and Dose Rates at Points Outside A Shield," Vol. 2, Sect. F4 of SCALE-4, August 1981.

Bucholz, J.A., et. Al., "SAS1: A One-Dimensional Shielding Analysis Module."

Cain, V.R. and R.E. Malenfant, "QAD-CG, The Combinatorial Geometry Version of the QAD-P5A Point Kernam Shielding Code," Bechtel Power Corporation, July 1977.

CCC-545, "SCALE-4, A Modular Code System for Performing Standardized Computer Analysis of Licensing Evaluation," ORNL, June 1990.

Chun, R., M. Witte, and M. Schwartz, "Dynamic Impact Effects on Spent Fuel Assemblies," UCID-21246, Lawrence Livermore National Laboratory, October 1987.

"Coefficient of Cubical Expansion for Glycol, Water, and Glycol-Water Solutions," E.I. du Pont de Nemours & Co., Inc., Wilmington, DE, 1963.

Cook, I. And R.S. Peckover, "Effective Thermal Conductivity of Debris Beds," Post Accident Debris Cooling, Proceedings of the Fifth Post Accident Heat Removal Information Exchange Meeting, 40-45, 1982.

Cragoe, C.S., "Properties of Ethylene Glycol and Its Aqueous Solutions," National Bureau of Standards.

DOE/ET/34014-10, "Extended Fuel Burnup Demonstration Program," U.S. Department of Energy, September 1983.

Gallagher, C., "NL Industries Internal Test Report on Tensile Properties of Chemical Lead at Elevated Temperatures," Central Research Laboratory, Highstown, NJ, February 1976.

Gerard, G. and H. Becker, "Handbook of Structural Stability," Part III, TN3783, National Advisory Committee for Aeronautics, 1957.

Greene, N.M., J.L. Lucius, L.M. Petrie, W.E. Ford III, J.E. White, and R.Q. Wright, "AMPX - A Modular Code System for Generating Multigroup Neutron-Gamma Libraries from ENDF/B," ORNL/TM-3706, Oak Ridge National Laboratory, March 1976.

Greene, N.M. and L.M. Petrie, "XSDRNPM-S: A One-Dimensional Discrete Ordinates Code for Transport Analysis," Vol. 2, Sect. F3 of SCALE-4, January 1983.

Handbook of Chemistry and Physics, 49th Edition, Cleveland, OH, The Chemical Rubber Company, 1968.

Hermann, O.W. and R.M. Westfall, "ORIGEN-S: SCALE System Module to Calculate Fuel Depletion, Actinide Transmutation, Fission Product Buildup and Decay and Associated Radiation Source Terms," Vol. 2, Sect. F7 of SCALE-4, February 1989.

Hermann, O.W., "SAS2(H): A Coupled One-Dimensional Depletion and Shielding Analysis Code," Vol. 1, Sect. S2 of SCALE-4, June 1990.

IAEA Transportation Safety Standards (TS-R-1), "Regulations for the Safe Transport of Radioactive Material," June 2000.

Johnson, E.B. and R.K. Reedy, "Critical Experiments with SPERT-D Fuel Elements," ORNL-TM-1207, July 14, 1965.

Jordan, W.C., N.F. Landers, and L.M. Petrie, "Validation of KENO-Va Comparison with Critical Experiments," ORNL/CSD/TM-238, December 1986.

Juvinall, R.C., Stress, Strain, and Strength, New York, McGraw-Hill Book Co., 1967.

Kinsey, R., "Data Formats and Procedures for the Evaluated Nuclear Data File, ENDF," ENDF-102, Second Edition, Brookhaven National Laboratory, 1979.

Kreith, F., Principles of Heat Transfer, 2nd Edition, Scranton, PA, International Textbook Company, 1965.

Manual of Steel Construction, 8th Edition, New York, American Institute of Steel Construction, Inc., 1990.

Mark's Standard Handbook for Mechanical Engineers, 9th Edition, McGraw-Hill Book Company, New York.

Merritt, F.S., Standard Handbook for Civil Engineers, McGraw-Hill Book Company, New York, 1968.

Metals Handbook, 9th Edition, American Society of Metals.

MIL-HDBK-5A, "Metallic Materials and Elements for Aerospace Vehicle Structures," Department of Defense, February 1966.

MIL-HDBK-5C, "Metallic Materials and Elements for Aerospace Vehicle Structures," Department of Defense, December 1978.

MIL-HDBK-5E, "Metallic Materials and Elements for Aerospace Vehicle Structures," Department of Defense, May 1989.

Nelms, H.A., "Effects of Jacket Physical Properties and Curvature on Puncture Resistance," Structural Analysis of Shipping Casks, Volume 3, ORNL/TM-1312, Oak Ridge National Laboratory, June 1968.

"Nuclear Systems Materials Handbook," Volume 1, Revision 1, Hanford Engineering Development Laboratories, Richland, WA, March 10, 1976.

NUREG-0612, "Control of Heavy Loads at Nuclear Power Plants," U.S. Nuclear Regulatory Commission, July 1980.

NUREG/CR-0733, "Critical Separation Between Sub-Critical Clusters of 4.29 w/o U²³⁵ Enriched UO₂ Rods in Water with Fixed Neutron Poisons," S.R. Bierman, B.M. Durst, E.D. Clayton, Battelle Pacific Northwest Laboratories, May 1978.

NUREG/CR-0200, Volume 2, Section F2, "SCALE-2 NITAWL-S, Resonance Self-Shielding by the Nordheim Method," N. M. Green and L. M. Petrie, Oak Ridge National Laboratory, October 1981.

NUREG/CR-6487, Anderson, B.L., Carlson, R.W., and Fisher, L.E., "Containment Analysis for Type B Packages Used to Transport Various Contents," Lawrence Livermore Laboratory, 1996.

NUREG/CR-0200, Volume 2, Section F3, "SCALE-2 XSDRNMP-S, A One Dimensional Discrete Ordinates Program for Transport Analysis," R.M. Westfall, L.M. Petrie, N.M. Greene, J.L. Lucius, Oak Ridge National Laboratory, June 1983.

NUREG/CR-0481, "An Assessment of Stress-Strain Data Suitable for Finite-Element Elastic-Plastic Analysis of Shipping Containers," H.J. Rack and G.A. Knorovsky, Sandia Laboratories, SAND77-1872, September 1978.

NUREG/CR-0796 PNL-2827, "Criticality Experiments with Sub-Critical Clusters of 2.35 and 4.29 w/o U²³⁵ Enriched UO₂ Rods in Water with Uranium or Lead Reflecting Walls," S.R. Bierman, B.M. Durst, E.D. Clayton, Battelle Pacific Northwest Laboratories, April 1979.

Paxton, H.C., Critical Dimensions of Systems Containing U²³⁵, Pu²³⁹, and U²³³," TID-7028, June 1964.

Peery, D.J., Aircraft Structures, New York, McGraw-Hill Book Company, 1950.

Petrie, L.M. and N.F. Cross, "KENO-IV: An Improved Monte Carlo Criticality Program," ORNL-4938, Oak Ridge National Laboratory, November 1975.

PNL-2438, "Critical Separation Between Sub-Critical Clusters of 2.35 w/o U²³⁵ Enriched UO₂, Rods in Water with Fixed Neutron Poisons," S.R. Bierman, E.D. Clayton, B.M. Durst, Battelle Pacific Northwest Laboratories, October 1977.

Radiological Health Handbook, U.S. Department of Health, Education and Welfare, Rockville, MD, January 1970.

"Regulations for the Safe Transport of Radioactive Materials," Safety Series No. 6, Revised Edition, International Atomic Energy Agency, 1973.

"Research and Advanced Development Applied Mechanics," Volume 1, Engineering Data Sheets, Avco Corporation, 1962.

Resnick, R. and D. Halliday, Physics, 3rd Edition, Part 1, New York, John Wiley & Sons, 1977.

Roark, R.J., Formulas for Stress and Strain, 4th Edition, New York, McGraw-Hill, Inc., 1965.

Roark, R.J., and W.C. Young, Formulas for Stress and Strain, 5th Edition, New York, McGraw-Hill, Inc., 1975; 6th Edition, 1989.

Roddy, J.W., H.C. Claiborne, R.C. Ashline, P.J. Johnson, B.T. Rhyne, "Physical and Decay Characteristics of Commercial LWR Spent Fuel," ORNL/TM-9591/VI-R1, Oak Ridge National Laboratory, January 1986.

"Safety Analysis Report for the NLI-1/2 Spent Fuel Shipping Cask," Nuclear Assurance Corporation, USA/9010/BQF, December 12, 1985.

Schaeffer, N.M., Reactor Engineering for Nuclear Engineers, Springfield, VA, 1984.

“Screw-Thread Standards for Federal Services,” U.S. Department of Commerce, 1957.

Shamban TFE O-Ring Seals, Spec. 22-53, Part No. S11214-460, W.S. Shamban & Co., Fort Wayne, IN, 1966.

Shappert, L.B., “Cask Designer’s Guide: A Guide for the Design, Fabrication, and Operation of Shipping Casks for Nuclear Applications,” ORNL-NSIC-68, Oak Ridge National Laboratories, February 1970.

Shappert, L.B., and W.D. Box, “The Drop Test Facility at the Oak Ridge National Laboratory: A Facility Available to Private Industry,” Oak Ridge National Laboratory, Oak Ridge, TN.

Shigley, J.E., Mechanical Engineering Design, 3rd Edition, New York, McGraw-Hill, Inc., 1977.

Shigley, J.E., and C.R. Mischke, Standard Handbook of Machine Design, New York, 1986.

Singer, F.L., Strength of Materials, New York, Harper & Brothers, 1951.

“Table Speeds Calculation of Strength of Threads,” Product Engineering, November 27, 1961.

Tang, J.S. “SAS4: A Monte Carlo Cask Shielding Analysis Module Using An Automated Biasing Procedure,” March 1989.

“Test Plan: LWT Quarter-Scale Model Drop Tests,” Document No. 315-P-01. Nuclear Assurance Corporation, May 31, 1988.

Tietz, T.E., “Determination of the Mechanical Properties of High Purity Lead and a 0.058% Copper-Lead Alloy,” Stanford Research Institute, Menlo Park, CA, WADC Technical Report 57-695, ASTIA Document No. 151165, April 1958.

Timoshenko, S., Strength of Materials, 3rd Edition, New York, R. E. Krieger Publishing Co., 1976.

Timoshenko, S., Theory of Plates and Shells, 1st Edition, New York, McGraw-Hill Book Co., 1940.

Timoshenko and Gere, Theory of Elastic Stability, 2nd Edition, New York, McGraw-Hill, Inc., 1961.

Timoshenko, S. and Young, Theory of Structures, New York, McGraw-Hill Book Co., 1965.

Turner, W.D., D.C. Elrod, and I.I. Simon-Tov, "HEATING 5 - An IBM 360 Heat Conduction Program," Oak Ridge National Laboratory, ORNL/CSD/TM-15, March 1977.

Williamson, R.A. and R.R. Alvy, "Impact Effect of Fragments Striking Structural Elements," Holmes and Harver, Inc., 1973.

Childs, K.W., HEATING 7.2 User's Manual, Oak Ridge National Laboratory, ORNL/NUREG/CSD-2/V2/R5, September 1995.

Avallone, E. and T. Baumeister, Marks' Standard Handbook for Mechanical Engineers, 9th Edition, New York, McGraw-Hill Book Company, 1987.

"SCALE 4.3 Modular Code System for Performing Standardized Computer Analyses for Licensing Evaluation for Workstations and Personal Computers," CCC-545, September 1995.

Herman, O.W., "SAS2H: A Coupled One-Dimensional Depletion and Shielding Analysis Module," and C.V. Parks, ORNL/NUREG/CSD-2/V1/R5, Volume 1, Section S2, September 1995.

Tang, S., "SAS4: A Monte Carlo Cask Shielding Analysis Module Using an Automated Biasing Procedure," ORNL/NUREG/CSD-2/V1/R5, Volume 1, Section S4, September, 1995.

Bucholz, J.A., Landers, N.F., and Petrie, L.M., ORNL/NUREG/CSD-2/V3/R5, Section M7, "The Material Information Processor For Scale," September 1995.

Greene, M., Westfall, R.M., and L.M. Petrie, ORNL/NUREG/CSD-2/V2/R5, "NITAWL-II: Scale System Module For Performing Resonance Shielding And Working Library Production" September 1995.

Jordan, W.C., ORNL/NUREG/CSD-2/V3/R5, Section M4, "Scale Cross-Section Libraries," September 1995.

Landers, N. F., and Petrie L.M., ORNL/NUREG/CSD-2/V1/R5, Section C4, "CSAS: Control Module For Enhanced Criticality Safety Analysis Sequences," September 1995.

Mele, Ravink and Trkov, "TRIGA Mark II Benchmark Experiment, Part I Steady State Operation," Jozef Stefan Institute, Nuclear Technology, Vol. 105, January 1994.

Petrie L.M., and Landers, N.F., ORNL/NUREG/CSD-2/V2/R5, Section F11, "KENO-Va: An Improved Monte Carlo Criticality Program with Supergrouping," September 1995.

Tomsio, M., "Characterization of Triga Fuel," ORNL/Sub/86-22047/3, GA-C18542, Oak Ridge National Laboratory, Oak Ridge, Tennessee, October 1986.

Krieth, F., and Bohn, M.S., "Principals of Heat Transfer," 5th Edition, West Publishing Company, 1993.

Incropera, F.P., and DeWitt, D.P., "Fundamentals of Heat and Mass Transfer," 4th Edition, John Wiley and Sons, 1996.

Owen, D.B., "Factors for One-Sided Tolerance Limits and for Variables Sampling Plans," SCR-607, 1963.

ANSI N14.5-1987, "American National Standard for Radioactive Materials - Leakage Tests on Packages for Shipment," American National Standards Institute, 1987.

ANSI/ANS - 8.1-1983, "Nuclear Criticality Safety in Operations with Fissionable Materials Outside Reactors."

ANSI/ANS - 8.17-1984, "Criticality Safety Criteria for the Handling, Storage, and Transportation of LWR Fuel Outside Reactors."

Bierman, S.R., Clayton, E.D., "Criticality Experiments with Subcritical Clusters of 2.35 w/o and 4.31 w/o ²³⁵U Enriched UO₂ Rods in Water at a Water-to-Fuel Volume Ratio of 1.6," NUREG/CR-1547, July 1980.

Baldwin, N.M., Hoovler, G.S., Eng, R.L., and Welfare, F.G., "Critical Experiments Supporting Close Proximity Water Storage of Power Reactor Fuel," B&W-1484-7, July 1979.

Bierman, S.R., and E.D. Clayton, "Criticality Experiments with Subcritical Clusters of 2.35 w/o and 4.31 w/o ²³⁵U Enriched UO₂ Rods in Water with Steel Reflecting Walls," Nuclear Technology, Volume 54, pp. 131-144, August 1981.

Bierman, S.R., Durst, B.M., and Clayton, E.D., "Criticality Experiments with Subcritical Clusters of 2.35 and 4.31 w/o ²³⁵U Enriched UO₂ Rods in Water with Uranium or Lead Reflecting Walls," NUREG/CR-0796, April 1979.

Bierman, S.R., "Criticality Experiments to Provide Benchmark Data on Neutron Flux Traps," PNL-6205/UC-714, June 1988.

Manaranche, J.C. et al, "Dissolution and Storage Experiment with 4.75 w/o ²³⁵U Enriched UO₂ Rods," Nuclear Technology, Volume 50, September 1980.

Machinery's Handbook, 25th Edition, Industrial Press, Inc., New York, NY, 1996.

BISCO Products Data, "FPC Fireblock Silicone Foam," BISCO Products, Inc., Park Ridge, IL, February 1988.

Letter from Rogers Corporation, Bisco Materials Unit, dated February 2, 1999, from Daniel J. Kubrick.

Interim Staff Guidance-11 (ISG-11), Revision 1, "Transportation and Storage of Spent Fuel Having Burnups in Excess of 45 GWd/MTU," Nuclear Regulatory Commission, May 2000.

Holometrix Micromet test report NCN-2, dated May 2000.

Ugural, A.C. and Fenster, S.K., "Advanced Strength and Applied Elasticity," Second Edition, Elsevier Science Publishing Company, New York, New York, 1987.

NAC Specification 315-S-09, "O-Ring Temperature Testing for the LWT Alternate Port Cover," Revision 0, February 2000.

"HTGR/RERTR Fuel Materials Characterization and Packaging Report," PC-00384/1, General Atomics, San Diego, CA, April 2002.

UNIFRAX Product Specifications, Fiberfrax[®] Ceramic Fiber Paper, C-1423, Unifrax Corporation, Niagara Falls, NY, June 1996.

LLNL Report UCRL-53441, "Review of Hydrogen Isotope Permeability Through Materials"

RSIC Computer Code Collection, *ORIGEN2.1; Isotope Generation and Depletion Code – Matrix Exponential Method*, CCC-371, Oak Ridge National Laboratory, Oak Ridge TN, 1996.

Y.K. Sakamoto and M. Sugisaki, "Fusion Science and Technology," Vol. 41, pp 912-914, May 2002.

"Aluminum Standards and Data," Table 2.2, The Aluminum Association, Washington, DC, 1997.

Blake, Alexander, "Practical Stress Analysis in Engineering Design," 2nd Edition, Marcel Dekker Inc., New York, 1990.