

THIS DOCUMENT WAS PRODUCED BY THE
U.S. NUCLEAR REGULATORY COMMISSION'S
DOCUMENT CONTROL SYSTEM

OPERATED BY
TERA CORPORATION
UNDER CONTRACT NO. NRC-10-78-580
FOR THE
DIVISION OF TECHNICAL INFORMATION AND DOCUMENT CONTROL
OFFICE OF ADMINISTRATION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

7910310519 Submits schedule of reporting dates for DOI comments on nuclear generating stations per requirements of NEPA, GLASGOW, L.I. Interior, Dept. of. 70/08/27. 2pp.

DTC AA1 DIN P R RA1 SN

CLOTN EUSDOI 700827 NRCXAE 07
 A 7008277910310519*

--7910310536 Ack receipt of ltr forwarding govt documents on AEC policy statement re environ quality. MCCORMICK, R.C. Pennsylvania, State of. 70/07/29. 1p.

CLSTN ESGPA 700729-01 NRCXAE 02
 A 7008277910310519A

7904240145 Forwards ltrs dtd 700720 & 701028 to Governor Shefer & environ rept, CP stage, w/o encl. MORRIS, P.A. Atomic Energy Commission. 70/12/09. 1p. 00069:143.

CLNTS NRCXAE 701209 ESGPA
 A 7012097904240145
 00069 143 00069 144

7910170728 Summary of 701216-17 site visit re wind & temp measurements at facilities. MARKEE, E.H. Atomic Energy Commission, Directorate of Licensing. 71/02/04. 2pp.

CMEMONRCDRL 710204 NRCXDRL 02
 A 7102047910170728

7904180312 AEC has adopted enclosed revision of App B to 10CFR50 pertaining to implementation of Natl Environ Policy Act of 1969, w/o encl. PRICE, H.L. Atomic Energy Commission. 71/09/03. 2pp. 00049:145.

CLNTU NRCXAE 710903 EUTMEFD 20
 A 7109037904180312
 00049 145 00049 146

7904180074 Status rept re progress of various sites as of 711124. OESTMANN, M.J. Atomic Energy Commission. 71/11/26. 2pp. 00049:127.

CM4FMONRCAEC 711126 NRCXAE 01
 A 7111267904180074
 00049 127 00049 128

8005010882 Forwards stretch reactor thermal power level tabulation of plants assigned to ORNL for environ impact evaluation. Power level represents highest anticipated steady state power level during plant lifetime. MULLER, D.R. Atomic Energy Commission - Deputy Director for Reactor Projects. 72/04/12. 2pp.

CLNTX NRCXRP 720412 EXIORNL 09
 A 7204128005010882

7905160484 Verifies adequacy of flood design bases in view of June 1972 Tropical Storm Agnes impact on Susquehanna & Schuylkill Rivers. DENTON, H.R. Atomic Energy Commission, Directorate of Licensing. 72/08/23. 6pp.

CMEMONRCDRL 720823 NRCXTR 03
 A 7208237905160484

00/00/00 - 99/99/99 PAGE 2
 MONTHLY TITLE LIST
 U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIW P H RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

<p>7911130534 Responds to 750629 ltr requesting review of planned usage of nuclear power plant simulator for PWR & BWR to be used in operator training programs. Policy stated will be reconsidered per demonstrated performance of trainees. GIAMBUSSU, A. Atomic Energy Commission, Directorate of Licensing. 73/07/31. 2pp. 01647:343.</p>	<p>CLNTU NRCXDRL 730731 A 7307317911130534 01647 343 01647 344</p>	<p>EUTPECO</p>
<p>8002110662 Forwards Category 2 & 3 matters through 780101, facility reviews proposed to be conducted by Div of Operating Reactors, Div of Project Mgt program for receipt of info & NPC draft ltr to PSC of UK. BOYD, R.S. Division of Project Management. 78/02/10. 16pp.</p>	<p>CMMEMONDRM 780210 A 7802108002 10662</p>	<p>NORE 01</p>
<p>8002100084 Forwards list of facilities that Div of Operating Reactors will include in scope of responsibility re implementation of new regulatory requirements. Also forwards list of replies due by 780615, 0815, 1015 & 1215, & sample ltr. BOYD, R.S. Division of Project Management. 78/03/28. 10pp.</p>	<p>CMMEMONDRP 780328 A 7803288002 00084</p>	<p>NORD 01</p>
<p>8003280983 Discusses GE generic seismic re-evaluation program. Lists BWR projects subj to review. SHERWOOD, G.G. General Electric Co. 78/04/07. 10pp.</p>	<p>CLVTN EMVGENE 780407 A 7804078003280983</p>	<p>NORS 02</p>
<p>7809050068 Forwards final rept describing corrective action re welding deficiencies found in UNISIRUT cold formed composite channel P1004. Includes drawings illustrating typical use & configuration of UNISIRUT P1004A. * Philadelphia Electric Co. 78/08/23. 7pp.</p>	<p>CLUTN EUTPECO 780823 A 7808237809050068</p>	<p>NOIR1</p>
<p>7809050101 Notice of meeting on 780831 w/representatives from the Mark II Owners Group (SEB:1117) to discuss fluid structure interaction effects. HAFIZ, A. Structural Engineering Branch. 78/08/29. 2pp.</p>	<p>CM4EMONORSESE 780829 A 7808297809050101</p>	<p>NORSE</p>

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC A# DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

7809150450 Requests delay to 790401 in submitting response to NRC staff position in NUREG-0313 in order to consider GE recommendation on piping & welding matl & techniques for use in sensitive lines. BRADLEY,E.J. Philadelphia Electric Co. 78/09/08. 1p.	CLUTN EUTPECO 780908 A 7809087809150450	NORPLW2
7809220164 Summary of 780815 meeting re Mark II Owners Group to discuss Mark II containment pool dynamics prog w/attendees,agenda & slides encl.Topic for meeting was tech update for tasks of Long Term Prog & Lead Plant Prog of Mark II Owners. PELTIER,I.A. Light water reactors Branch 1. 78/09/13. 79pp.	CNMINSNORPLW1 780913 A 7809137809220164	NORPLW1
7810020214 Notice of meeting on 781019 to discuss Mark II acceptance criteria w/representatives from owners group. PELTIER,I.A. Light water reactors Branch 1. 78/09/26. 9pp.	CMMEMONORPLW1 780926 A 7809267810020214	NORPLW1
7811130360 Summarizes 781019 meeting w/Mark 2 Owners Group to discuss Staff's Mark 2 Containment Acceptance Criteria,w/attendees list,meeting handouts,summary of owner's position & final disposition of criteria for adtl review by staff. PELTIER,I.A. Light water reactors Branch 1. 78/11/01. 37pp.	CMMEMONORPLW1 781101 A 7811017811130360	NORPLW1 01
7811130258 Notifies DSs of forthcoming meeting w/representatives from Mark 2 Owner's Group on 781115 at Bethesda,MD,to discuss LOCA/SRV submerged structure drag loads for lead plants. ANDERSON,C.J. Containment Systems Branch (Pre 790101). 78/11/02. 1p.	CMMEMONORSPCS 781102 A 7811027811130258	NOROSPS 04
7812050099 Lists staff review Categories #2,3 & 4 for consideration in preparation of SAR & lic review,w/encl descriptions of Categories #2,3 & 4. BOYD,R.S. Division of Project Management. 78/11/20. 41pp. 94335:246.	CLNTU NORP 781121-01 A 7811207812050099 94335 246 94335 284	EUTPECO

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-552 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

7811270262 Summarizes results of 781019 meeting re Mark II generic acceptance criteria for pool dynamics. Mark II owners are urged to utilize generic Intermediate Prog to expedite licensing activities. BOYD, R.S. Division of Project Management. 78/11/21. 7pp. 94223:330.	CLNTU NORP 781121 A 7811217811270262 94223 330 94223 343	EUTPECO
7812070149 Notice of seminar on 781208 on new Model Radiological Effluent Tech Specs for nuc pwr plants. Requests advance submission of seminar specific questions. W/encl Seminar Info Sheet, Proposed Agenda & maps. GRIFER, B.H. Region 1, Philadelphia, Office of the Director. 78/11/21. 8pp. 94375:240.	CLNTU NOIR1 781121 A 7811217812070149 94375 240 94375 247	EUTPECO
7812130011 Notice of 781213 meeting to discuss staff policies on review of pending OL appls & criteria for establishing priorities for review. VASSALLO, D.R. Assistant Director for Light Water Reactors. 78/12/06. 3pp.	CMMEMONORPL 781206 A 7812067812130011	NORD 07
7812280035 Emphasizes importance of submitting accurate & complete info to NRC by licensees & applicants. Info submitted must be substantiated by data & calculations. Licensee must notify NRC of any inaccuracies or enforcement action will result. DAVIS, J.G. Office of Inspection & Enforcement, Office of the Director. 78/12/06. 2pp.	CLNTU NOID 781206 A 7812067812280035	EUTPECO 01
7812290005 Summary of Meeting on 781213 w/Mark 2 Owners Group to discuss Staff's Mark 2 containment acceptance criteria. w/attendance list & meeting handouts encl. ANDERSON, C.J. Containment Systems Branch (Pre 790101). 78/12/20. 95pp. 94207:239.	CMMINSHORSPCS 781220 A 7812207812290005 94207 239 94207 320	NORSPCS
7901080249 Provides summary of 781114 meeting with owners of lead Mark II facilities to discuss NRC Mark II containment acceptance criteria. Info requested by NRC & criteria encl. ANDERSON, C. Containment Systems Branch (Pre 790101). 78/12/20. 33pp. 02772:284.	CMMEMONORSPCS 781220 A 7812207901080249 02772 284 02772 315	NORSPCS

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SM

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

<p>79010903/A Forwards notes of 781115 meeting w/Mark II owners group to discuss NRC Mark II containment acceptance criteria related to submerged structure drag load. w/encl attendance list & meeting handouts. ANDERSON, C. Containment Systems Branch (Pre 790101). 78/12/28. 39pp. 02783:195.</p>	<p>CNMINSNORSPCS 78122/ A 78122 010R033B 02783 195 02783 2nd</p>	<p>EUTCSEC</p>
<p>7901090103 Summary of 781117 meeting w/Mark II owners group re NRC comments & questions on intermediate program tasks: NEDE-21851-P, NEDE-24100-P, NEDE-23697, NEDC-21659-P. Test facility was toured. w/encl NRC comments & questions. ANDERSON, C. Containment Systems Branch (Pre 790101). 78/12/28. 18pp. 02713:017.</p>	<p>CNMINSNORSPCS 781228 A 7812287901090103 02713 017 02713 135</p>	<p>NORSPCS</p>
<p>7901310157 Summarizes 781213 meeting in Bethesda, MD w/representatives of utilities w/post-CP applications to discuss pending OL review matters, including staff policies & review priority criteria. Discussion areas & attendees list encl. LICHTA, E. Light Water Reactors Branch 3. 79/01/12. 8pp.</p>	<p>CNMINSNORPLW3 790112-09 A 7901127901310157</p>	<p>NORD</p>
<p>7902080290 Notification of 790213-14 meeting w/Mark II owners group to discuss LOLA & safety relief valve pool dynamic loads. ANDERSON, C. J. Containment Systems Branch (Pre 790101). 79/01/24. 2pp. 03027:195.</p>	<p>CMMEMONORSPCS 790124 A 7901247902080290 03027 195 03027 196</p>	<p>NORSS</p>
<p>7902090343 Forwards GE topical rept NED0-24010-2, Suppl 2, "Bases for Criteria for Combination of Earthquake & Other Transient Responses by the Square-Root-Sum-Of-The-Squares Method." Rept is provided on behalf of Mark 2 owner's group. SOBON, E. J. General Electric Co., Nuclear Energy Products Div. 79/02/05. 1p. 02962:310.</p>	<p>CLVTN EMVGENEN790205 A 7902057902090343* 02962 310 02962 343</p>	<p>NORPLW1</p>
<p>7903190139 Responds to 790123 ltr requesting info on environ forecasting & monitoring. Environ impacts were accurately predicted in all cases & monitoring continues. MOORE, V. A. Assistant Director for Environmental Projects. 79/03/02. 3pp.</p>	<p>CLNTE NOREP 790302 A 7903027903190139</p>	<p>EEICOLU 01</p>

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

7903230009 Notification of 790321 meeting in Los Gatos, CA w/
representatives from Mark II owners group to discuss Mark II
LOCA & safety relief valve pool dynamic loads.
ANDERSON, C.J., Containment Systems Branch (Pre 790101), 79/03/12.
12pp. 03157:210.

CMMEMONORSPCS 790312 NORSS
A 7903127903230009
03157 210 03157 221

7903210046 Forwards "Asymmetric LOCA Pool Boundary Load for Mark II."
SOBON, L.J., General Electric Co., Nuclear Energy Products Div.
79/03/16. 1p. 03213:347.

CLVTN EMVGENEN790316 NORPLW1
A 7903167903210046*
03213 347 03213 359

--7903210057 "Asymmetric LOCA Bubble Pool Boundary Load For Mark II."
UPPAL, I.S., General Electric Co., Nuclear Energy Products Div.
79/03/16. 12pp. 03213:348.

TRZAR EMVGENENZAR-790316
A 79031679032100462
03213 348 03213 359

7903280288 Forwards "Vent Cleaning Pool Boundary Loads for Mark II
Plants," presenting alternative load spec based on
conservative application of 4T test data, replacing spec
identified in NUREG-0467.
SOBON, L.J., General Electric Co. 79/03/20. 6pp. 03205:201.

CLVTN EMVGENE 790720 NORPLW1
A 7907207903280288
03205 201 03205 206

7903290085 Forwards proprietary copies of alternate load spec info
document applicable to wetwell walls, to replace info in
NUREG-0467, Encl withheld (ref 10CFR2.790), w/affidavit.
SOBON, L.J., General Electric Co., Nuclear Energy Products Div.
79/03/20. 5pp.

CLVTN EMVGENEN790320 NORPLW1
A 7903207903290085*

7903290130 Review of intergranular stress corrosion cracking completed.
Changed piping matl or design to have no nonconforming or
svc-sensitive piping. Replacing sections of piping w/316L
stainless steel w/max carbon content of .02%.
BOYER, V.S., Philadelphia Electric Co. 79/03/26. 5pp. 03235:043.

CLVTN EUTPECO 790326 NORPLW2
A 7903267903290130
03235 043 03235 047

7904110252 Forwards NED-23697A, "Scaled Multivalent Test Program
Plan - Phase I," dtd Jan 1979.
SOBON, L.J., General Electric Co., Nuclear Energy Products Div.
79/04/04. 1p. 03437:340.

CLVTN EMVGENEN790404 NORPLW3
A 7904047904110252*
03437 340 03437 340

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

7908030 24 Notification of 790717-18 meeting w/representatives from Mark II owners group in Lebanon,NH to discuss Mark II pool dynamic programs.
ANDERSON,C.J. Containment Systems Branch. 79/07/03. 12pp.
00464:188.

CMMEMONORSSCS 790703 NORSP
A 7907037908030124
00464 188 00464 199

7908100292 Notification of 790806-07 meeting w/util in Limerick,PA to asses status of const.Proposed agenda encl.
TIBBITTS,D.C. Light Water Reactors Branch 2. 79/07/03. 4pp.
00611:015.

CMMEMONORPLW2 790703 NORPLW2
A 7907037908100292
00611 015 00611 018

7907190150 Responds to FOIA request for info re environ impact of facility.Info requested can be found in DES,FES & SER,on file in LPDR,Pottstown Public Library,Pottstown,PA.
FELTON,J.M. Division of Rules and Records. 79/07/10. 1p.
00336:305.

CLNTZ NEARR 790710-01 ECI*****
A 7907107907190150
00336 305 00336 305

7907250476 Responds to 790409 FOIA request for info re facility.Info requested is available from LPDR & found in facility SER,DES & FES,Projected opening date info can be found in Yellow Book.
FELTON,J.M. Division of Rules and Records. 79/07/10. 1p.
00403:324.

CLNTL NEARR 790710 ELGMAY
A 7907107907250476
00403 324 00403 324

7909070248 Summary of 790724-25 meeting w/Mark II owners group re Mark II generic pool long-term dynamic program,Load Case 10, extended 41 oscillation tests & world test monitoring program,Attendance list & meeting handouts encl.
ANDERSON,C.J. Containment Systems Branch. 79/08/21. 92pp.
00924:005.

CNMINSWORSSCS 790821 NTFTMLL
A 7908217909070248
00924 005 00924 096

7909170040 Summary of 790726 meeting w/Mark II lead plant owners re lead plant program closure.
ANDERSON,C.J. Containment Systems Branch. 79/08/21. 59pp.

CMMEMONORSSCS 790821 NTFTMUI 01
A 7908217909170040

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 3N

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

7909190006 Forwards NUREG-0397 which describes program to assign NRC inspectors to specific reactor sites. Pending NRC approval, util may be required to supply off space to NRC inspectors. w/o encl. GRIEK, B.H. Region 1, Philadelphia, Office of the Director. 79/08/21. 1p. 0096a:137.	CLNTU NOIR1 790821 A 7908217909190006 00966 137 00966 137	EUTPECU
7910090483 Summary of 790806-07 meeting w/util at const site re case load forecast. TIBBITTS, D.L. Light Water Reactors Branch 2. 79/09/25. 8pp. 01112:097.	CNMINSNORPLW2 790925 A 7909257910090483 01112 097 01112 103	NORPLW2
7910300572 Summary of 790806-07 meeting w/util in Montgomery County, PA to assess when Unit 1 will be ready for fuel loading. TIBBITTS, D.L. Light Water Reactors Branch 1. 79/09/25. 14pp. 01237:149.	CNMINSNORPLW1 790925 A 7909257910300572 01237 149 01237 155	NORPLW1
7910240231 Requests Mark II pool dynamic load task description, rationale for plant-unique program, task schedule & documentation. VARGA, S.A. Assistant Director for Light Water Reactors. 79/10/08. 3pp. 01204:012.	CLNTU NORPL 791008 A 7910087910240231 01204 012 01204 014	EUTPECU
7911280153 Discusses mods to NRC position re status & applicability of TMI-2 accident review & NUREG-0578 to facilities under const. Forwards addl info to be considered in development of final plant design & procedures. VASSALLO, D.R. Division of Project Management. 79/10/10. 4pp. 01404:001.	CLNTU NORP 791010 A 7910107911280153 01404 001 01404 012	EUTAZPS
7910230528 Forwards response to NRC 790913 request for implementation of actions contained in NUREG-0578 re TMI-2 Lessons Learned Task Force short-term recommendations. Response is consistent w/BWR owners group recommendations. DALTROFF, S.L. Philadelphia Electric Co. 79/10/17. 21pp. 01203:252.	CLNTU EUTPECU 791017 A 7910177910230528 01203 252 01203 272	NORP

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

A. Application/construction stage documents & correspondence							

7912110264 Discusses NRC plans to use generic analyses to develop early verification program to resolve ATWS issue for PWRs & BWRs. Success of program depends on industry response. Supports formation of owners groups to provide necessary info. DENTON, H.R. Office of Nuclear Reactor Regulation, Director. 79/10/17. 3pp.	CLNTU	NORD	791017			EUTPGE	49
	A		7910177912110264				
7910290344 Responds to NRC 791002 ltr re addl tests to confirm conservatism in condensation oscillation loads. Technical evaluation of need for more testing must be considered. LOGUE, R.M. Philadelphia Electric Co. 79/10/22. 1p. 01223:335.	CLUTN	EUTPECO	791022			NORD	
	A		7910227910290344				
	01223	335	01223	335			
7911070233 Notification of 791114 meeting w/Mark II owners group to discuss generic program status. ANDERSON, C.J. Containment Systems Branch. 79/10/25. 2pp. 01288:240.	CMMEMO	NORSSCS	791025			NORSS	
	A		7910257911070233*				
	01288	240	01288	240			
7911270174 Forwards "Discussion of TMI Lessons Learned Short-Term Requirements." VASSALLO, D.R. Division of Project Management. 79/11/09. 4pp.	CLNTU	NORP	791109			EUTGAP	13
	A		7911097911270174*				
--7911270199 "Discussion of TMI Lessons Learned Short-Term Requirements." * Division of Project Management. 79/11/09. 70pp.	TRPP	NORP	PP-791109				13
	A		7911097911270174A				
7911200497 Responds to NRC 791008 ltr requesting description of proposed dynamic loads. Tables describing closure plan encl. BOYER, V.S. Philadelphia Electric Co. 79/11/14. 12pp. 01367:160.	CLUTN	EUTPECO	791114			NORPL	
	A		7911147911200497				
	01367	160	01367	171			
7912280312 Advises of recently amended NRC regulations implementing existing authority to require onsite ofc space & immediate facility access. FR notice utd 790816 encl. STELLO, V. Office of Inspection & Enforcement, Office of the Director. 79/11/28. 3pp. 01650:359.	CLNTU	NOID	791128			EUTPECO	
	A		7911287912280312				
	01650	359	01650	361			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

7912190779 Notification of 791218 site visit to discuss effects of nearby blasting on facility. TIRBITIS, D.L. Light Water Reactors Branch 2. 79/12/04. 3pp. 01627:340.	CMMEMONORPLW2 791204 A 7912047912190779 01627 340 01627 342	NORPLW2
8001040341 Responds to 791130 request for schedule of NRC review for items identified in director's decision under 2.206, SECY-A-79-83. Technical review re geology is in progress. Response to IE Bulletin 79-14 is under review by Region 1. DENTON, H.R. Office of Nuclear Reactor Regulation, Director. 79/12/14. 2pp. 01685:343.	CMMEMONORD 791214 A 7912148001040341* 01685 343 01685 346	NRCSEY
--8001040345 Requests schedule for NRC review of seismic design, action under IE Bulletin 79-14 & correction actions for separation gaps. CHILK, S.J. Office of the Secretary of the Commission. 79/11/30. 1p. 01685:345.	CMMEMONRCSEY 791130 A 7912148001040341A 01685 345 01685 345	NE ED
--8001040349 Notifies that Commissioners concur re SECY-A-79-83, director's partial denial of 2.206 relief. No need to review decision. HOYLE, J.C. Office of the Secretary of the Commission. 79/12/03. 1p. 01685:346.	CMMEMONRCSEY 791203 A 7912148001040341B 01685 346 01685 346	NRCGC
8001110330 Summary of 791114 meeting w/Mark II owners re discussion & identification of task programs prior to final documentation of tasks in Mark II long-term program. ANDERSON, C.J. Containment Systems Branch. 79/12/20. 4pp. 01735:350.	CNMINSNORSSCS 791220 A 7912208001110330 01735 350 01735 353	NORS
8001250121 Summary of meeting w/Mark II owners group in Bethesda, MD re status of several long-term program tasks in advance of final documentation. Agenda, list of attendees & viewgraphs encl. ANDERSON, C.J. Containment Systems Branch. 79/12/20. 100pp.	CNMINSNORSSCS 791220 A 7912208001250121	NTFTMUI 04

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

8001210270 Forwards data re effects on plant of blasting at Trap Rock quarry. Comparison of blast response spectre w/OBE response will be submitted Mar 1980. velocity recorder operating manual & vibration study available in Central Files.
BRADLEY, E. J. Philadelphia Electric Co. 80/01/15. 11pp. 90037:031.

CLUTN EUTPECO 800115 NOROGOR2
A 8001158001210270*
90037 031 90037 072

--8001210279 "velocity Recorder Model C Operating Manual."
* Vibration Measurement Engineers, Inc. 80/01/15. 8pp.
90037:050.

TSROCEECVIRMEPROC-800115
A 8001158001210270A
90037 050 90037 050

--8001210283 "vibration Study: Primary Blast - West Face Pottstown Trap Rock, Santagona Quarry, 700624." Prepared for Dames & Moore.
* Vibra Tech Engineers, Inc. 70/06/30. 14pp. 90037:059.

TRZAR EECVIBRAZAR-700630
A 8001158001210270B
90037 059 90037 071

--8001210288 "Distances from Critical Structure to Property Line Adjacent to Quarry."
* Rechtel Corp. 80/01/14. 1p. 90037:072.

DDAOTHEECRECH SK-C-679 C
A 8001158001210270C
90037 072 90037 072

8001290360 Updates 790412 & 0510 ltrs re recall of 4-inch elbows & 2-inch tees from Lot No 719. Lists nuclear power plants at which fittings have been located. Lists facilities from which fittings have been removed.
HAYDEN, L. E. Chemtron Corp., Tube Turns Div. 80/01/15. 2pp.

CLVTN EMVCHETT800115 NOID 05
A 8001158001290360

8003130168 Notification of 800227 meeting w/GE & Mark II owners group in Bethesda, MD to discuss Mark II long-term program & plans to evaluate JAERI & UKAS data. Proposed agenda encl.
ELTAWILA, F. Containment Systems Branch. 80/02/01. 12pp.
04186:279.

CMMEMOND 800201 NTFTMUI
A 8002018003130168
04186 279 04186 290

8004040031 Advises of issuance of NUREG-0588, "Interim Staff Position on Environ Qualification of Safety-Related Electrical Equipment," providing guidance re methods for compliance.
ROSS, D. F. Division of Project Management. 80/02/05. 7pp.

CLNTU NORP 800205 EUTPGE 31
A 8002058004040031

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AAI DIN P R RAI SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

8003120471 Informs NRC that 1976 aerial photograph of plant site will be forwarded under separate cover. Photograph shows property & adjacent quarry on same scale as map sent in 800115 ltr. BRADLEY, E.J. Philadelphia Electric Co. 80/02/14. 1p. 04178:147.

CLUTN EUTPECO 800214 NORPLW2
A 8002148003120471
04178 147 04178 147

8003200214 Summary of 7/9/218 meeting w/Pottstown Trap- & Quarries Inc, Perkins Run Blasting, Inc, Leet Associates, CVW Industries, USGS & NRC re evaluation of effects of blasting at Sanatoga quarry on facility. KANE, J.D. Geosciences Branch. 80/02/27. 4pp. 02504:176.

CNMINSNORSEGS 800227 NORSEGS
A 8002278003200214
02504 176 02504 176

8004020466 Notification of 800326 & 27 meeting w/representatives from Mark II owners group in San Jose, CA to discuss Mark II Crease Test Program, 4T c/o tests & foreign tests. ELTAWILA, F. Containment Systems Branch. 80/03/10. 12pp.

CMMEMNORSSCS 800310 NORSP 01
A 8003108004020466

8004030122 Notification of 800326-27 meeting w/Mark II owners group, NRC consultants & GE in San Jose, CA to discuss Mark II Crease test program, 4T C/O & foreign tests. Topics are proprietary. Agenda encl. ELTAWILA, F. Containment Systems Branch. 80/03/10. 12pp. 04436:348.

CMMEMNORSSCS 800310 NORPS
A 8003108004030122
04436 348 04436 360

8004020441 Forwards NRC 800128 & 0211 ltrs to GE re mods to BWR control rod drive sys & adnl analyses of boiloff rates, respectively. Further info & guidance to be issued in NUREG-0619. BAER, R.L. Light Water Reactors Branch 2. 80/03/13. 2pp. 04622:337.

CLNTU NORPLW2 800313 EUTPECO
A 8003138004020441
04622 337 04622 340

8004040474 Summary of 3/0/227 meeting w/Mark II owners group re status of several long-term program tasks, including Tasks A.17, A.16 & task related to utilization of foreign test data. ELTAWILA, F. Containment Systems Branch. 80/03/18. 104pp. 04493:001.

CNMINSNORSSCS 800318 NORSSCS
A 8003188004040474
04493 001 04493 104

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

8004140069 Summary of /91218 meeting w/Util,Bechtel Power Corp,Dames & Moore,USGS & local residents re effects of blasting at Pottstown Trap-Rock quarry on safety-related structures at facility.Change in blasting methods could affect facility
TIBBITTS,D.L. Light Water Reactors Branch 2. 80/03/20. pp. 04576:138.

DTC AA1 DIN P R RA1 SN

CNMINSNORPLW2 800320 NORPLW2
A 8003208004140069
04576 138 04576 141

8004080543 Discusses implementation of ATWS mitigation Alternati e 3A. Prefers prevention of event rather than mitigation.Util will install Alternative 3A in facilities if ACRS subcommittee believes ATWS is not extremely remote event.
BOYER,V.S. Philadelphia Electric Co. 80/03/31. 2pp. 04537:156.

CLUTN EUTPECO 800331 NORP
A 8003318004080543
04537 156 04537 157

8005090137 Responds to 800310 request for info re responsibilities of township when plant becomes operational.Guidance on ordinances re emergency planning can be obtained from FEMA.
VARGA,S.A. Assistant Director for Light Water Reactors. 80/04/03. 4pp. 04876:302.

CLNTS NORPL 800403 ELLOPOT
A 8004038005090137*
04876 302 04876 306

--8005090142 Requests info re responsibilities of township when plant becomes operational.Areas of emergency planning,radiation detection,local ordinance considerations & environ protection are of particular concern.
CHIBBLER,K.W. Lower Pottsgrove Township Sanatogo,PA. 80/03/10. 1p. 04876:306.

CLSTN ELLOPOT800310 NRCC
A 8004038005090137A
04876 306 04876 306

8004300064 Summary of 800326-27 meetings w/Mark II owners group in San Jose,CA re discussion of NRC concerns on data from Creare tests & foreign full-scale test programs & relationships w/ Mark II designs.
EITANILA,F. Containment Systems Branch. 80/04/14. 22pp.

CNMINSNORSSCS 800414 NORSSCS 04
A 8004148004300064

8005290016 Discusses Portland General Electric Co LEH-79-15 re piping supports attached to masonry walls not designed to carry loads.Forwards request for info re acceptance criteria for analysis,design & QC of Category I masonry walls.
VARGA,S.A. Assistant Director for Light Water Reactors. 80/04/21. 3pp.

CLNTU NORPL 800421 EUTPGE 04
A 8004218005290016

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DTN	P	R	RA	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

A. Application/construction stage documents & correspondence							

8005280011 Discusses apparent risk facility presents based on reactor safety study (WASH-1400). Requests that facility perform study to evaluate relative risk. Evaluation should be completed within 120 days of receipt of ltr. EISENHUT, D.G. Division of Licensing. 80/05/06. 3pp. 05085:060.	CLNTU	NRRL	800506			EUTPECO	
	A		8005068005280011				
	05085	060	05085	062			
8005300555 Notification of 800513 site visit to provide orientation & briefing for H Denton in preparation for 800527 subcommittee hearings in Newton, PA. SELLS, D. Licensing branch 2. 80/05/06. 2pp. 05145:361.	CMMEMO	NRRLB2	800506			NRRLB2	
	A		8005068005300555				
	05145	361	05145	362			
8005270003 Notification of 800521 meeting w/util in Bethesda, Md to discuss plans for conducting risk evaluation study. SELLS, D. Licensing branch 2. 80/05/15. 2pp. 05071:143.	CMMEMO	NRRLB2	800515-01			NRRLB2	
	A		8005158005270003				
	05071	143	05071	144			
8006020330 Notifies of delay, until late June or early Jul 1980, for response to NRC 791218 request for comparison of blast response spectra w/08F response. BRADLEY, C.J. Philadelphia Electric Co. 80/05/20. 1p. 05158:266.	CLUTN	EUTPECO	800520			NRRLB2	
	A		8005208006020330				
	05158	266	05158	266			
8006230110 Advises B&R & P&R applicants of NRC decision to modify implementation plan presented in Section 4 of NUPEG-0577 re adequacy of applicable support structures. General operating reactor review procedure & acceptance criteria encl. EISENHUT, D.G. Division of Licensing. 80/05/20. 13pp.	CLNTU	NRRL	800520			EUTPGE 25	
	A		8005208006230110				
8006120121 Summary of 800521 meeting w/util in Bethesda, MD re risk evaluation study per encl NRC 800506 ltr. SELLS, D. Licensing branch 2. 80/05/23. 4pp. 05308:192.	CNMINS	NRRLB2	800523			NRRLB2	
	A		8005238006120121*				
	05308	192	05308	206			
--8006120127 Slide presentation entitled, "Limerick Preliminary Risk Assessment, Technical Program Description." MCCANDLESS, P. General Electric Co. 80/05/21. 13pp. 05308:197.	VAFOTO	EMVGE	FOTO-800521				
	A		8005238006120121A				
	05308	197	05308	206			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

8006230001 Summary of 800410 meeting w/Mark II owners group re suppression pool temp response to safety/relief actuations. Study concluded that limit on temp not needed. Requests that applicants submit detailed info for evaluation.
SU,T.M. Containment Systems Branch. 80/05/30. 4pp. 05413:172.

CNMINSNRRIPCS 800530 NRRIPCS
A 8005308006230001*
05413 172 05413 204

--8006230007 Slide presentation entitled, "Safety/Relief Valve Discharge Into Suppression Pool."
* Stone & Webster, Inc. 80/04/10. 28pp. 05413:177.

VAFOTOEECSW FOTO-800410
A 8005308006230001A
05413 177 05413 204

8006190330 Notification of 800616 meeting w/Util & General Physics in Silver Spring, MD to observe & receive orientation on simulator.
SELLS, D. Licensing branch 2. 80/06/03. 2pp. 05383:132.

CMMEMDNRRLLR2 800603 NRLLR2
A 8006038006190330
05383 132 05383 133

3007020257 Forwards NRC ofc of Nuclear Reactor Regulation 800428 reorganization chart. Necessary period of transition made w/min disruption to ongoing activities.
TEDESCO, H.L. Assistant Director for Licensing. 80/06/13. 2pp. 05594:125.

CLNTU NRLL 800613 EUTPECO
A 8006138007020257
05594 125 05594 127

8007210176 Forwards NRC evaluation of GE rept, NEDE-24010-P & Suppls 1-3, "Technical Basis for Use of Square-Root-of-Sum-of-Squares (SRSS) Method for Combining Dynamic Loads for Mark II Plants." Rept acceptable subj to certain constraints.
MATSON, R.J. Division of Safety Technology. 80/06/25. 3pp.

CLNTU NRRT 800625 EUTPGGE 01
A 8006258007210176*

8007230001 Forwards statement of policy re requirements to be met for current UL applications, as derived from NUREG-0660 & found in NUREG-0694.
EISENHUT, D.G. Division of Licensing. 80/06/26. 2pp.

CLNTU NRRL 800626 EUTPGF 04
A 8006268007230001

8007160451 Responds to ltr re facility. Replacement power cost reported in NRC 800130 ltr is for fuel to operate plant. Large part of replacement power would come from oil. Intensity of recent earthquake was only fraction of DRE.
SCHWENCKER, A. Licensing branch 2. 80/06/27. 11pp. 05862:297.

CLNTZ NRLLR2 800627 ECI*****
A 8006278007160451
05862 297 05862 310

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							
----- A. Application/construction stage documents & correspondence -----							
8008060024 Forwards FR notice re 800714-17 regional meetings to address portion of Commission 800523 memorandum & order describing requirements of environ qualification of electrical equipment installed in safety sys. EISENHUT,D.G. Division of Licensing, 80/06/30. 1p.	CLNTU	NRRL	800630				EUTMEED 62
	A		8006308007060024*				
--8008060189 Notice of 800714-17 regional meetings to address portion of Commission 800523 memorandum & order describing requirements of environ qualification of electrical equipment installed in safety sys. Svc lists encl. EISENHUT,D.G. Division of Licensing, 80/06/27. 117pp.	TFERN	NRRL	FRN-800627				62
	A		8006308008060024A				
8007230621 Summary of 800612 meeting w/Mark II owners group in Bethesda,MD re lead plant closure & long-term program. Mods should be made to generic lead plant condensation oscillation & chugging pool boundary loads. Viewgraphs encl. ANDERSON,C.J. Generic Issues Branch, 80/07/03. 57pp. 05980:056.	CNMINS	NRRTGGI	800703				NRRTGGI
	A		8007038007230621				
			05980 056 05980 113				
8007180285 Notification of 800711 meeting w/util in Bethesda,MD to discuss certain problems w/facility review. SELLS,D. Licensing branch 2, 80/07/11. 3pp. 05892:163.	CMMEMO	NRLLR2	800711				NRLLR2
	A		8007118007180285				
			05892 163 05892 165				
8008080010 Requests that all applicants for DLs and CP holders provide up-to-date completion schedules & fuel load target dates so that NRC may establish licensing priorities. Forwards list of target schedules for plants to be completed within 3 yrs. EISENHUT,D.G. Division of Licensing, 80/07/11. 10pp.	CLNTU	NRRL	800711-01				EUTPGE 28
	A		8007118008080010				
8007250471 Suggests 800904 meeting for presentation of info responding to NRC 800506 ltr re preliminary risk analysis. Lists info to be presented. ROYER,V.S. Philadelphia Electric Co. 80/07/21. 1p. 05965:354.	CLUTN	EUTPECO	800721				NRRO
	A		8007218007250471				
			05965 354 05965 354				
8007250175 Notification of 800805 meeting w/representatives from Mark II owners group in Chicago,IL to discuss lead mark II plants chugging & C/O load specs. ANDERSON,C. Generic Issues Branch, 80/07/23. 2pp. 05959:040.	CMMEMO	NRRTGGI	800723				NRRTGGI
	A		8007238007250175				
			05959 040 05959 041				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

8008040082 Forwards response to NRC 790809,0918 & 1018 ltrs requesting review of mail relevant to determining facility response to nearby quarry blasting. Blasting will not cause damage to any Class 1 structures.
DEVINE, J.F. Interior, Dept. of Geological Survey. 80/07/25. 4pp.
06111:115.

CLUTN EUSDOIGS800725 NRRECGS
A 8007258008040082
06111 115 06111 118

8008040004 Forwards "Comparison of Near-Site Quarry Blast Characteristics to Seismic Design of Limerick Generating Station." Submittal of rept completes all commitments made at 791218 meeting.
BRADLEY, E.J. Philadelphia Electric Co. 80/07/29. 1p. 06111:269.

CLUTN EUTPECO 800729 NRRLB2
A 8007298008040004*
06111 269 06111 289

--8008040007 "Comparison of Near-Site Quarry Blast Characteristics to Seismic Design at Limerick Generating Station."
* Philadelphia Electric Co. 80/07/31. 19pp. 06111:270.

TRZAR EUTPECO ZAR=800731
A 8007298008040004A
06111 270 06111 289

8008150060 Submits interim criteria for shift staffing to all UL & CP licensees & applicants, per NRC 800507 ltr. Discusses administrative provisions for emergency & overtime work. Development & implementation to be reviewed within 90 days.
EISENHUT, D.G. Division of Licensing. 80/07/31. 10pp.

CLNTU NRRL 800731 EUTPGF 30
A 8007318008150060

8009080080 Forwards draft NUREG-0696, "Functional Criteria for Emergency Response Facilities." Comments requested within 30 days. Proposed implementation schedule for meeting criteria of NUREG-0696 encl. w/o NUREG.
EISENHUT, D.G. Division of Licensing. 80/08/01. 119pp.

CLNTU NRRL 800801 EUTCENY 41
A 8008018009080080

8008150369 Informs that JF Devine 800725 ltr re distances from future blasting & Class 1 structures should have substituted word "max" for "min".
DEVINE, J.F. Interior, Dept. of Geological Survey. 80/08/11. 1p.
06355:343.

CLUTN EUSDOIGS800811 NRRECGS
A 8008118008150369
06355 343 06355 343

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DTN	P	R	RA1	SN
DOCKET 50-552 LIMERICK GENERATING STATION, UNIT 1							

A. Application/construction stage documents & correspondence							

8008150406 Responds to NRC 800711 request for OL application & const completion dates. Commercial operation scheduled for 1985 & 1987, Unit 1 fuel loading for Oct 1983 & OL application to be filed fourth quarter of 1980. BRADLEY, E. J. Philadelphia Electric Co. 80/08/11. 1p. 06355:357.	CLUTN	EUTPECO	800811				NRRL
	A		8008118008150406				
	06355	357	06355	357			
8008260392 Clarifies work items which have had input on preliminary risk assessment schedule. Suggests that meeting be held on 800918 or 800824 to present interim rept on risk assessment program. BOYER, V. S. Philadelphia Electric Co. 80/08/20. 2pp. 06411:097.	CLUTN	EUTPECO	800820				NRRL
	A		8008208008260392				
	06411	097	06411	098			
8009110742 Notification of 800904-05 meeting w/Mark II owners group to discuss plants chugging C/u & lateral load specs. ANDERSON, C. Generic Issues Branch. 80/08/29. 14pp. 06536:097.	CMMEMON	NRRTGG1	800829				NRRTGG1
	A		8008298009110742				
	06536	097	06536	110			
8010090495 Summary of 800805 meeting w/Mark II owners to discuss lead plant interim condensation oscillation & chugging loads. Discussion topics, attendance & meeting handouts encl. ANDERSON, C. J. Generic Issues Branch. 80/08/29. 98pp. 06694:334.	CNMINS	NRRTGGI	800829				NRRTGGI
	A		8008298010090495				
	06694	334	06695	069			
8010220658 Creare, Inc, Sargent & Lundy & other presentations from 800805 meeting re lead plant CO/chugging loads. * Creare, Inc. 80/08/05. 90pp.	VAFOTO	ECCRE	FOTO-800805				04
	A		8008298010220658				
8011050354 Ltr to all licensees of operating plants, applicants for OLs & holders of CPs re preliminary clarification of TMI action plan requirements. Provides summary listing of all approved TMI-2 related requirements. EISENHUT, D. G. Division of Licensing. 80/09/05. 209pp.	CLNTU	NRRL	800905				EUTCENY 62
	A		8009058011050354				
8010170247 Notification of 801002 meeting w/Util in Bethesda, MD to discuss status of risk evaluation status. SELLS, D. Licensing Branch 2. 80/09/09. 2pp. 06730:001.	CMMEMON	NRLLR2	800909				NRLLR2
	A		8009098010170247				
	06730	001	06730	003			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-552 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

8010060102 Summary of 800904-05 meeting w/Mark II owners in Bethesda, MD re long-term program chugging & lateral loads. Attendance list & handouts encl.
ANDERSON, C.J. Generic Issues Branch. 80/09/12. 65pp. 06657:337.

CNMINSNRRTGGI 800912 NRRTGGI
A 8009128010060102
06657 337 06658 039

8010220099 Forwards errata sheets amending 800905 ltr which provided preliminary clarification of TMI action plan requirements. Corrected table of implementation schedule also encl.
EISENHUT, D.G. Division of Licensing. 80/09/19. 28pp.

CLNTU NRRL 800919 EUTCENY 62
A 8009198010220099

8010270238 Notification of 801008 meeting w/representatives from Mark II owners group in Bethesda, MD to discuss Mark II plants chugging load spec.
ANDERSON, C. Generic Issues Branch. 80/09/22. 1p. 06746:001.

CMMEMONRRTGGI 800922 NRRTGGI
A 8009228010270238
06746 001 06746 001

8009290378 Forwards Amend 24 to application for OL & revised Pages to PSAR. Summary description of amend revision encl.
BRADLEY, E.J. Philadelphia Electric Co. 80/09/24. 4pp. 06623:154.

CLUTN EUTPECO 800924 NRRL 01
A 8009248009290378A
06623 154 06623 164

--8009290380 Amend 24 to application for OL. Revises PSAR Pages 5.12-13 & 5.2-16. Certificate of svc encl.
BOYER, V.S. Philadelphia Electric Co. 80/09/24. 4pp. 07582:127.

TLADLLEUTPECO AOLL-800924
A 8009248009290378A
07582 127 07582 127

8011100486 Ltr to all licensees of operating plants & applicants for OLs & holders of CPS requesting info re environ qualification tests to be conducted on safety-related equipment within next two yrs. Info needed by 801101.
EISENHUT, D.G. Division of Licensing. 80/10/01. 5pp.

CLNTU NRRL 801001 EUTCENY 63
A 8010018011100486

8010070339 Responds to NRC request for info re implementation of TMI-2 action plan requirements. Initiation levels of HPCI & RCIC sys should be separated so that RCIC sys will initiate higher water level than HPCI sys.
GALLAGHER, J.W. Philadelphia Electric Co. 80/10/02. 5pp. 03507:001.

CLUTN EUTPECO 801002 NRRL
A 8010028010070339
03507 001 03507 001

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

A. Application/construction stage documents & correspondence							

8011100537 Ltr to all power reactor licensees & applicants forwarding summary of 800827 meeting re guidance from Unresolved Safety Issue A-12, "Potential for Low Fracture Toughness & Lamellar Tearing on Component Supports," w/o encl. EISENHUT, D.G. Division of Licensing. 80/10/06. 6pp.	CLNTU	NRRL	801006				EUTCENY 62
	A		8010068011100537				
8010090333 Forwards meteorological data tape used for probabilistic risk assessment for 1972-76, in response to NRC request at 801002 meeting re preliminary risk assessment, w/o encl. BOYER, V.S. Philadelphia Electric Co. 80/10/07. 2pp. 06697:095.	CLUTN	EUTPECO	801007				NRRL
	A		8010078010090333				
			06697 095 06697 096				
8010300443 Forwards NRC position re application of cladding swelling & rupture models for LuCA analysis. Requests util provide supplemental calculations. TEDESCO, R.L. Assistant Director for Licensing. 80/10/09. 3pp. 06832:171.	CLNTU	NRRL	801009				EUTPECO
	A		8010098010300443				
			06832 171 06832 175				
8010150388 Responds to NRC 801002 request for outline of final rept re preliminary risk assessment. Rept available by Apr 1981. Supporting info used in analysis, including fault & event trees & GE & Bechtel plant drawings, available Nov 1980. BOYER, V.S. Philadelphia Electric Co. 80/10/10. 4pp. 06717:026.	CLUTN	EUTPECO	801010				NRRL
	A		8010108010150388				
			06717 026 06717 029				
8011030525 Requests that encl preservice insp & testing requirements to ensure snother operability be included in licensing process & be implemented at facility. TEDESCO, R.L. Assistant Director for Licensing. 80/10/17. 4pp. 06873:002.	CLNTU	NRRL	801017				EUTPECO
	A		8010178011030525				
			06873 002 06873 005				
8010310521 Trip rept of 800513 visit to tour const site & containment & control room. Discussions held re emergency planning & preparedness. Significant design difference included use of sixth row of rebar. SFLLS, D. Operating Reactors Branch 2. 80/10/20. 4pp. 06852:102.	CNTRIPNRRL	LUR2	801020				NRRLUR2
	A		8010208010310521				
			06852 102 06852 106				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

A. Application/construction stage documents & correspondence							

8011190527 Summary of 801002 meeting w/util in Bethesda, MD re interim status rept on risk evaluation study. SELLS, D. Licensing branch 2. 80/10/20. 5pp. 06998:133.	CNMINSNRLLB2		801020				NRLLB2
	A		801208011190527*				
			06998 133 06998 15				
--8011190532 Slide presentation entitled "Limerick Generating Station Preliminary Risk Assessment." * General Electric Co. 80/10/02. 20pp. 06998:138.	VAFOTOEMVGENE		FOTO-801002				
	A		8010208011190527A				
			06998 138 06998 157				
8010310103 Notification of 801030 meeting w/GE in San Jose, CA to discuss info requirements needed to conduct review of risk evaluation study. SELLS, D. Licensing branch 2. 80/10/22. 3pp. 06851:352.	CMMEMONRLLB2		801022				NRLLB2
	A		8010228010310103				
			06851 352 06851 354				
8010280372 Forwards GE evaluation of proposed mod to HPCI & reactor core isolation cooling sys on behalf of BWR owners group. Concurs w/owners group assessment that setpoint changes will yield minimal reduction in thermal cycle history. GALLAGHER, J.W. Philadelphia Electric Co. 80/10/24. 7pp. 06824:025.	CLUTN EUTPECO		801024				NRRL
	A		8010248010280372				
			06824 025 06824 030				
8012160050 Ltr to operating plant licensees, OL applicants & CP holders. Forwards NUREG-0737 re IMI action plan requirements. Requests operating reactor licensee confirmation in 45 days that Encl 1 implementation dates will be met. EISENHUT, D.G. Division of Licensing. 80/10/31. 7pp.	CLNTU NRRL		801031				EUTCEIL 39
	A		8010318012160050*				
8012220358 Ltr to all CP & OL holders for BWRs re requirement for implementation of OPYV code for licensing basis calculations performed by GE. Applicable to all license applications & proposed amends, including core reloads. EISENHUT, D.G. Division of Licensing. 80/11/04. 4pp.	CLNTU NRRL		801104				EUTCEIL 21
	A		8011048012220358				
8011180497 Submits info re environ qualification of safety-related equipment, in response to NRC 801001 ltr. Une environ qualification test planned for Peach Bottom, w/pertinent info encl. Info for Limerick will be provided 80112R. KEMPER, J.S. Philadelphia Electric Co. 80/11/12. 2pp. 06988:250.	CLUTN EUTPECO		801112				NRRL
	A		8011128011180497				
			06988 254 06988 255				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AAI	DIN	P	R	RAI	SN
DOCKET 50-352 LIMENICK GENERATING STATION, UNIT 1							

A. Application/construction stage documents & correspondence							

8012020165 Notification of 801209 meeting w/applicant in Pottstown, PA to receive verbal presentation of results of util risk evaluation study. Agenda encl. SELLS, D. Licensing branch 2. 80/11/14. 4pp. 07148:197.	CMMEMONRRLLR2		801114-01				NRRLB2
	A		8011148012020165				
			07148 197 07148 197				
8011240005 Requests announcement of NRC 801209 meeting at Pottstown, PA be transmitted for publication in newspapers. Announcement & newspapers list encl. SCHWENCER, A. Licensing branch 2. 80/11/17. 3pp. 02227:001.	CMMEMONRRLLR2		801117				NEACOAC
	A		8011178011240005				
			02227 001 02227 001				
8012010006 Forwards Suppl 1 to NUREG-0487, "Mark II Containment Lead Plant Program Load Evaluation & Acceptance Criteria..." Deviations, along w/bases for deviations, are to be documented in design assessment rept during FSAR review. YOUNGALOU, R.J. Licensing Branch 1. 80/11/17. 2pp. 07098:009.	CLNTU NRRLB1		801117				EUTPECU
	A		8011178012010006				
			07098 009 07098 011				
8012020471 Notifies of plan to perform tests on 801213-14 to quantify assumptions re determination of loads on adjacent structures due to hydrodynamic loads in containment. VOLLNER, H.V. Philadelphia Electric Co. 80/11/25. 1p. 07142:088.	CLUTN EUTPECU		801125				NRRTGGI
	A		8011258012020471				
			07142 088 07142 088				
801220466 Ltr to all power reactor licensees & applicants forwarding summary of 801112 meeting re implementation of guidance for Unresolved Safety Issue #12, "Potential for Low Fracture Toughness & Lamellar Tearing on Component Supports." EISENHUT, D.G. Division of Licensing. 80/11/26. 8pp.	CLNTU NRRL		801126-06				EUTCENY 44
	A		8011268101220466*				
8012050552 Ltr to all licensees of operating plants, OL applicants & CP holders providing generic clarification of NRC 801024 orders on environ qualification of safety-related electrical equipment. EISENHUT, D.G. Division of Licensing. 80/11/26. 6pp.	CLNTU NRRL		801126				EUTCENY 45
	A		80 1268102050552				
8012080424 Forwards info re scheduled environ qualification testing, in response to 801001 ltr. KEMPER, J.S. Philadelphia Electric Co. 80/12/01. 3pp. 07183:055.	CLUTN EUTPECU		801201				NRRL
	A		8012018012080424				
			07183 055 07183 057				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC A41 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

8012160150 Notification of 801210 meeting w/Mark II owners group in Bethesda, MD to discuss status of improved chugging load program.
ANDERSON, C. Generic Issues Branch. 80/12/02. 1p. 07263:029.

CMMEMONRRTGGI 801202 NRRTGGI
A 8012028012160150
07263 029 07263 029

8012100493 Advises that ECCS analysis can not be firmly established since GE has not been required under NRC direction to develop model changes suggested by NUREG-0630.
KEMPER, J.S. Philadelphia Electric Co. 80/12/04. 2pp. 07220:041.

CLUTN EUTPECO 801204 NRRL
A 8012048012100493
07220 041 07220 042

8012160032 Notification of 801212 meeting w/Mark II owners group in Bethesda, MD to discuss suppression pool temp limit.
SU, T.M. Generic Issues Branch. 80/12/05. 1p. 07263:021.

CMMEMONRRTGGI 801205 NRRTGGI
A 8012058012160032
07263 021 07263 021

8012300549 Forwards into supporting preliminary risk assessment & viewgraphs from 801209 presentation. Supporting info not encl.
LOGUE, R.H. Philadelphia Electric Co. 80/12/11. 1p. 07346:261.

CLZXT EUTPECO 801211 EXISANL
A 8012118012300549*
07346 261 07346 267

--8012300554 Viewgraphs from 801209 presentation re preliminary risk assessment.
* Philadelphia Electric Co. 80/12/11. 6pp.

VAFOTOEUTPECO FOTO-801211
A 8012118012300549A

8101190505 Ltr to all BWR applicants for GL re BWR scram discharge sys safety evaluation & requirements. Rept specifying acceptable basis for continued BWR plant operation & design criteria for scram discharge vol encl.
TEDESCO, R.L. Assistant Director for Licensing. 80/12/22. 2pp.

CLNTU NRRL 801222 EUTLIL 01
A 8012228101190505*

--8101190514 Forwards generic safety evaluation re BWR scram discharge sys. Review identified two addl requirements to those proposed by owners group re scram discharge vol designs. Rept should be transmitted to license applicants.
CHECK, P.S. Assistant Director for Plant Systems. 80/12/01. 2pp. 07183:001.

CMMEMONRRIP 801201 NRRLS 01
A 8012228101190505A
07183 001 07183 001

00/00/00 - 99/99/99 PAGE 25
 MONTHLY TITLE LIST
 U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

A. Application/construction stage documents & correspondence							

8101200157 Summary of 801210 meeting w/Mark II owners re status of generic improved chugging load model. Owners requested to justify delay in program & investigate alternatives. ANDERSON, F.J. Generic Issues Branch. 80/12/22. 4pp. 07486:143.	CNMINSNRRTGGI		801222				NRRTGGI
	A		8012228101200157				
			07486 143 07486 146				
8101140955 Summary of Dec 1980 meeting w/Mark II owners group, GE, RNL, MIT, SRW, Bechtel & Ebasco Svcs, Inc re suppression pool temp limits. List of attendees & handouts encl. SU, T.M. Generic Issues Branch. 80/12/30. 41pp. 07457:063.	CNMINSNRRTGGI		801230				NRRTGGI
	A		8012308101140955				
			07457 063 07457 103				
8101160537 Requests submittal of risk assessment study final rept for NRC to commence review of FSAR. Areas for discussion should include emergency preparedness re special institutions & cooling water supply. TEDESCO, R.L. Assistant Director for Licensing. 81/01/05. 2pp. 07471:161.	CLNTU NRRL		810105				EUTPECO
	A		8101058101160537				
			07471 161 07471 167				
8101300037 Summary of 801209 meeting w/util in Pottstown, PA re risk evaluation study for facility. SELLS, D. Licensing branch 2. 81/01/14. 4pp. 07583:001.	CNMINSNRLLB2		810114-03				NRLLB2
	A		8101148101300037				
			07583 001 07583 004				
8101300144 Requests review of Amend 24 to PSAR. SELLS, D. Licensing branch 2. 81/01/14. 1p. 07582:122.	CMMEMONRLLB2		810114				NRFCSE
	A		8101148101300144				
			07582 122 07582 122				
8102040508 Requests commitments to special low power test program for facility & augmented operator training for compliance w/TMI task action item I.G.1. TEDESCO, R.L. Assistant Director for Licensing. 81/01/14. 3pp. 07627:235.	CLNTU NRRL		810114				EUTPECO
	A		8101148102040508				
			07627 233 07627 235				
8102270688 Requests add into re risk study final rept, per NRC 801209 meeting. Response to encl eight items should not delay completion of final rept by Apr 1981. TEDESCO, R.L. Assistant Director for Licensing. 81/01/26. 4pp.	CLNTU NRRL		810126				EUTPECO
	A		8101268102270688				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

A. Application/construction stage documents & correspondence							

8102260268 Generic Ltr 81-08 to all holders of CPs & OLs for BWRs, forwarding safety evaluation & supplemental safety evaluation re NEDO-24154 & NEDE-24154-P, "Qualification of One-Dimensional Core Transient Model for BWRs," EISENHUT,D.G. Division of Licensing, 81/01/29. 3pp.	CLNTU	NRRL	810129			EUTCEIL	21
	A		8101298102260268*				
--8102260368 Safety evaluation re NEDO-24154 & NEDE-24154-P, "Qualification of one-dimensional Core Transient Model for BWRs," Vols 1-3, Scram speed data must be proved applicable to plant-specific cases. * Reactor Systems Branch, 80/06/30. 104pp.	TRTOPENRRISRS		TOPE-800630				21
	A		8101298102260268A				
--8102260455 Supplemental safety evaluation re NEDO-24154 & NEDE-24154-P, "Qualification of one-dimensional Core Transient Model for BWRs," Vol 1-3. Items discussed include ODYN model temp limits & input variables. * Reactor Systems Branch, 81/01/31. 16pp.	TRTOPENRRISRS		TOPE-810131				21
	A		8101298102260268B				
8102120142 Notifies that info supporting environ qualification of facility electrical equipment will be submitted four months in advance of expected date of issuance of full power license, in response to NRC 801125 ltr. KEMPER,J.S. Philadelphia Electric Co. 81/02/06. 1p. 07663:307.	CLUTN	EUTPECO	810206			NRRL	
	A		8102068102120142*				
			07663 307 07663 309				
--8102120146 Provides guidance to OL applicants & CP holders re submittal dates for info supporting environ qualification of electrical equipment, per Commission 800523 memorandum & order. TEDESCO,R.L. Assistant Director for Licensing, 80/11/25. 2pp. 07663:502.	CMMEMONRRLL		801125			NRRL	
	A		8102068102120142A				
			07663 308 07663 309				
8102180496 Responds to NRC 810126 ltr re items to be addressed in final preliminary risk assessment rept. Status provided re emergency procedures, sys interdependencies, decontamination factors & containment failure modes. KEMPER,J.S. Philadelphia Electric Co. 81/02/09. 3pp. 07703:210.	CLUTN	EUTPECO	810209			NRRL	
	A		8102098102180496				
			07703 210 07703 212				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AAI DTN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A. Application/construction stage documents & correspondence

8102250271 Ack receipt of 801031 ltr & confirms that licensee will meet implementation dates for post-LMI requirements for applicants for DL identified in NUREG-0737.FSAR will address compliance w/each requirement.
KEMPER,J.S. Philadelphia Electric Co. 81/02/17. 1p.

CLUTN EUTPECO 810217-01 NRRL
A 8102178102250271

8102250537 Forwards application for extension of const completion dates for CPs.
BRADLEY,E.J. Philadelphia Electric Co. 81/02/23. 1p.

CLUTN EUTPECO 810223 NRRL
A 8102238102250537*

--8102250548 Application for extension of const completion dates for CPs. Dates should be extended to 831001-851001 for CPPR-106 & 851001-871001 for CPPR-107.Certificate of Svc encl.
BOYER,V.S., BRADLEY,E.J., MAUER,E.G. Philadelphia Electric Co. 81/02/23. 6pp.

TTOTHR EUTPECO OTHR-810223
A 8102238102250537A

7908130054 Notification of 790730-31 meeting w/util at site to discuss const status.
TIBBITTS,D.L. Light Water Reactors Branch 2. 79/07/03. 4pp. 00626:345.

CMMEMONORPLW2 790703-01 NORPLW2
A 790703 7908130054
00626 345 00626 348

B. Utility Preliminary Safety Analysis Report, amends

8009290378 Forwards Amend 24 to application for DL & revised Pages to PSAR,Summary description of amend revision encl.
BRADLEY,E.J. Philadelphia Electric Co. 80/09/24. 4pp. 075A2:123.

CLUTN EUTPECO 800924 NRRL
B 8009248009290378A
075A2 123 075A2 130

--8009290380 Amend 24 to application for DL,Revises PSAR Pages 5.12-13 & 5.2-16.Certificate of svc encl.
BOYER,V.S. Philadelphia Electric Co. 80/09/24. 4pp. 075A2:127.

TLADLLEUTPECO ADL1-800924
B 8009248009290378A
075A2 127 075A2 127

--8009290382 Amend 24 to PSAR, revising Pages 5.2-13 & 5.2-16.
* Philadelphia Electric Co. 80/09/24. 3pp. 06623:162.

TRPSAMEUTPECO PSAM-800924 01
B 8009248009290378B
06623 162 06623 164

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SA

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----C. Utility Environmental Report (ER), amendments & correspondence

7904210478 Requests copies of AEC 700R20 ltr forwarding environ rept so state may respond.
GERUSKY, I.M. Pennsylvania, State of. 70/12/02. 1p. 00062:059.

CLSTN ESGPA 701202 NRCXAE
C 7012027904210478
00062 059 00062 059

7910310478 Responds to 701026 request & forwards comments on environ impact of IMI-1 & environ rept from PA state agencies affected by const & operation of facility, CH McConnell 710104 & AA Socolow 701222 correspondence encl.
GILBERTSON, W.E. Pennsylvania, State of. 71/01/12. 10pp. 01490:131.

CLSTN ESGPA 710112 NRCXDRL
C 7101127910310478
01490 131 01490 145

D. NRC Draft/Final Environmental Statements, suppl's & correspondence

8012220395 Requests confirmation that NRC plans to prepare EIS on UL aspect of facility as soon as possible, DE River basin Commission intends to act on Point Pleasant pumping station project within near future.
HANSLER, G.M. New Jersey, State of. 80/12/15. 1p. 07304:141.

CLSTN ESGNJ 801215 NRRL
D 8012158012220395
07304 141 07304 141

8102230615 Advises of desire to participate in project scoping meetings to address past concerns & provide timely resolution during EIS preparation.
PFENCE, G.U. Environmental Protection Agency. 81/02/17. 1p. 07740:274.

CLOT EUSEPA 810217 NRRL
D 8102178102230615
07740 274 07740 274

E. Security, medical, emergency & fire protection plans

7902230061 Informs that IRADUC Pamphlet 350-30, "Interservice Procedures for Instructional Sys Development" referenced in NUREG-0219 is available in microfiche form from NRC.
BESAR, W.J. Division of Technical Information & Document Control. 78/11/20. 3pp. 00009:232.

CLNTU NEADC 781120 EUTNMP 07
F 7811207902230061
00009 232 00009 234

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMEHICK GENERATING STATION, UNIT 1							

F. Security, medical, emergency & fire protection plans							

7904180292 Notification of 790611-12 meeting in Albuquerque, NM to discuss physical security issues. MILLER, J.R. Assistant Director for Site & Safeguards (Pre 791030). 79/03/22. 6pp.	CLNTU	NDROR	790322			EUTLIL	01
	F		7903227904180292				
7908290612 Responds to request re participation of NRC during radiation emergency. NRC conducts investigations, verifies implementation of emergency plans, assists DOE & provides advisory assistance to state & local agencies. GRIER, B.M. Region 1, Philadelphia, Office of the Director. 79/07/23. 1p. 020081186.	CLNTU	NDIR1	790723			EUTPECO	
	F		7907237908290612				
			02008 186 02008 186				
7912040471 Forwards info re upgraded emergency plans to plants under const & UL review. Applicants required to make certain emergency arrangements w/state & local organizations & submit emergency plans per Reg Guide 1.101. VASSALLO, D.R. Division of Project Management. 79/11/21. 6pp.	CLNTU	NORP	791121			EUTPGE	11
	F		7911217912040471				
8002040007 Announces regional workshops to discuss feasibility of proposed change to regulation on radiological emergency response plans for facilities. Requests designation of one representative per util by 791231. Forwards FR notice. GRIMES, B.K. Emergency Preparedness Task Force. 79/12/21. 7pp.	CLNTU	NRGEMGP	791221			EUTMED	61
	F		7912218002040007				
8002070079 Forwards request for evacuation time estimates for areas near nuclear power plants. Info should be submitted by 800331. GRIMES, B.K. Emergency Preparedness Task Force. 79/12/26. 4pp.	CLNTU	NRGEMGP	791226			EUTPGE	41
	F		7912268002070079				
8004100006 Comments on proposed rule 10CFR50; no exemptions to license should be given until emergency response plans are deemed adequate. NRC should reconsider issuance of CP to facility. SEIDIS, A.G. Affiliation Unknown. 80/03/03. 1p. 04546:277.	CLZTN	ECI*****	800303			NRCSEYD	
	F		8003038004100006				
			04546 277 04546 277				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AAI DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8004080077 Advises that submittal date for evacuation time estimates, requested by NRC 791226 ltr, has been postponed pending RAD clearance under Federal Kepts Act.
GRIMES, B.K. Emergency Preparedness Task Force. 80/03/11. 4pp.

CLNTU NRGEMGP 800311 EUTPGE 04
F 8003118004080077

8012040145 Public version of "Independent Assessment of Evacuation Times for Limerick Nuclear Power Plant," Vol 5, prepared for FEMA.
COSBY, J.C., SHEPPARD, W.V., COULTER, G.S. Wilbur Smith & Associates. 80/06/30. 68pp. 07161:070.

TEETE EECSMITAETE-800630-16
F 8006308012040145
07161 070 07161 137

8008050102 Requests all applicants for CPs & OLs submit info re proposed nuclear power plant vicinity evacuation estimates. Info requested by 800801 for NRC to identify evacuation constraints, special planning measures & possible mods.
EISENHUT, D.G. Division of Licensing. 80/07/02. 1p.

CLNTU NRRL 800702 EUTPGE 04
F 8007028008050102

8008050158 Forwards Limerick Nuclear Generating Station, "Preliminary Evacuation Time Estimates" in response to NRC 791226 & 800702 ltrs re evacuation of 10-mile radius around plant. Comments on rept encl.
CONNER, T.H. Conner, Macie & Corber. 80/07/31. 8pp. 06150:075.

CLLTN ELGCHC 800731 NRRL
F 8007318008050158*
06150 075 06150 152

--8008050167 Limerick Nuclear Generating Station, "Preliminary Evacuation Time Estimates."
NAFT, H.N., BERKLEY, J.H., LI, C.Y. NUS Corp. NUS-3552. 80/07/31. 70pp. 06150:083.

TFETE EECNUS NUS-3552
F 8007318008050158A
06150 083 06150 152

8008280077 Notification of 800819, 20 & 22 workshops in Valley Forge, PA, Chicago, IL & Atlanta, GA, respectively, to solicit public comment re NUREG-0690, "Functional Criteria for Emergency Response Facilities."
GRIER, B.M. Region 1, Philadelphia, Office of the Director. 80/08/11. 2pp. 06434:310.

CLNTU NOIR1 800811-01 EUTPECO
F 8008118008280077
06434 310 06434 311

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							
----- F. Security, medical, emergency & fire protection plans -----							
8009170332 Forwards "Limerick Nuclear Generating Station Preliminary Evacuation Time Estimates." Rept withheld (ref 10CFR2.790). BERKLEY, J. NUS Corp. 80/08/22. 1p. 06586:015.	CLGTN	EECNUS	800822			NRRL	
	F		8008228009170332*				
			06586 015 06586 015				
8010160316 Requests encl facility emergency planning info be made available to public in LPDR room, w/o encl. SOUDER, J.L. Division of Rules and Records. 80/10/02. 1p. 06747:001.	CMMEMONEARR		801002			ELOPOTT	
	F		8010028010160316				
			06747 001 06747 001				
8011170001 Forwards facility emergency planning info for placement in LPDR, w/o encl. SOUDER, J.L. Division of Rules and Records. 80/11/04. 1p. 06978:263.	CLNTS	WFARR	801104			ELOPOTT	
	F		8011048011170001				
			06978 263 06978 263				
801090387 Ltr to all licensees of operating reactor plants, CP holders & CP applicants. Revised radiological emergency response plans must be submitted by licensees within 60 days of 810102 & by applicants as part of FSAR. EISENHUT, D.G. Division of Licensing. 80/11/13. 2pp.	CLNTU	NRRL	801113-01			EHTCENY 48	
	F		8011138101090387				
8012040065 Forwards public version of "Evacuation Time Assessment of Nine Nuclear Power Plants Emergency Planning Zones," executive summary. FELTON, J.M. Division of Rules and Records. 80/12/03. 1p.	CMMEMONEARR		801203			NEADC 02	
	F		8012038012040065*				
--8012040088 Public version of "Evacuation Time Assessment of Nine Nuclear Power Plants Emergency Planning Zones," executive summary, prepared for FEMA. * Wilbur Smith & Associates. 80/06/30. 17pp.	TEETE	EECSMITAETE	800630				02
	F		8012038012040065A				
--8012040155 Public version of program rept, "Evacuation Time Assessment of Nine Nuclear Power Plants Emergency Planning Zones," vol 1, prepared for FEMA. COSBY, J.C. Wilbur Smith & Associates. 80/06/30. 43pp.	TEETE	EECSMITAETE	800630-12				02
	F		8012038012040065B				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

F. Security, medical, emergency & fire protection plans							

8102270005 Ltr to all licensees of operating reactor plants, holders of CPs & applicants for CPs. Forwards Revision 1 of NUREG-06547 FEMA-REP-1 & summary of evacuation time estimate ratings. W/o encl rept. EISENHUT, D.G. Division of Licensing. 80/12/09. 7pp.	CLNTU	NRRL		801209			EUTCENY 62
	F			8012098102270005			

G. Adjudicatory correspondence							

8001100760 Forwards revision to 10CFR50, App D, re implementation of NEPA per 710723 court decision & 710827 conference on nuclear power. Requests comments within 60 days. Also forwards rept re applicants' environ repts. w/o encl. PRICE, H.L. Atomic Energy Commission. 71/09/03. 2pp.	CLNTU	NRXAE		710903			EUTDPC 21
	G			7109038001100760			

7905150591 Philadelphia Electric Co & Public Svc Electric & Gas request for addl time to respond to eight intervention petitions is premature. Certificate of Svc encl. MURRAY, J.P. Rulemaking & Enforcement Division. 76/03/03. 4pp.	CMMEMO	NELRE		760303			NRCSEY 03
	G			7609037905150591			

7910220595 Notifies that petitions to intervene to be handled as orders to show cause per 10CFR2.206 as enforcement action requesting suspension of license or permit. Forwards ltr of ack & notice of receipt of request for FR. W/o encls. MURRAY, J.P. Rulemaking & Enforcement Division. 76/09/03. 1p.	CMMEMO	NELRE		760903			NORD 02
	G			7609037910220595			

7910220587 Draft ltr listing petitions for intervention handled as petitions for order to show cause & per 10CFR2.714. Forwards five notices being filed w/0/c of FR for publication. Draft BC Busche ltr to Met Eo & draft notice encl. RUSCHE, B.C. Office of Nuclear Reactor Regulation, Director. 76/09/05. 4pp.	CMMEMO	NORD		760905			ECIECNP 02
	G			7609057910220587			

7904230050 Petitions for intervention filed 760823 were docketed 760825. Because not all facilities are involved in ongoing proceedings, petitions for listed facilities will be handled as request for order to show cause. RUSCHE, B.C. Office of Nuclear Reactor Regulation, Director. 76/09/08. 3pp. 00065:249.	CLNTZ	NORD		760908			ECIECNP 01
	G			7609087904230050*			
	00065	249	00065	255			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RAI SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----G. Adjudicatory correspondence

--7904230064 Notifies that Environ Coalition on Nuclear Power filed 760823 request for order to show cause why CPPR-106 & CPPR-107 should not be suspended. RUSCHE, R.C. Office of Nuclear Reactor Regulation, Director. 76/09/08. 1p. 00065:255.

TFFRN NORD FRN=760908-03
G 7609087904230050D
00065 255 00065 255

7910220576 Forwards FR notice requesting order to show cause why facility OLS should not be suspended. VASSALLO, D.H. Assistant Director for Light Water Reactors. 76/09/08. 1p.

CMMEMONORPL 760908 NRCSEYD 01
G 7609087910220576

7905020054 Indicates that notice has been issued re proposed rulemaking re adoption of rule setting revised values for waste mgt & LWR fuel cycle. May consider suspending all pending show cause proceedings re fuel cycle issue. CHILK, S.J. Office of the Secretary of the Commission. 76/10/13. 1p.

CMMEMONRCSEY 761013 NRCSEY 05
G 7610137905020054

8007310589 Forwards VT Yankee 760927 motion for recall of orders in light of changed circumstances & requests reply by 761022. Suspension of all pending show cause proceedings re fuel cycle issues is being considered. CHILK, S.J. Office of the Secretary of the Commission. 76/10/13. 1p.

CLNTLPNRCSEY 761013 NASLP 05
G 7610138007310589*

7911110148 Certificate of svc of proceeding. NRC response to 761013 Commission directive. ENGELHARDT, T.F. Office of the Executive Legal Director. 76/10/22. 8pp.

ITCERTNFD CERT=761022 04
G 7610227911110148

7911110150 NRC response to Commission directive of 761013. ENGELHARDT, T.F. Office of the Executive Legal Director. 76/10/22. 10pp.

ITPLEDNFD PLED=761022 NRC 04
G 7610227911110150

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

G. Adjudicatory correspondence							

8008050562 Responds to NRC 761013 directive re suspension of show cause proceedings on fuel cycle issues. Supports suspension in view of court staying mandate, notice of proposed rulemaking issuance & environ survey suppl. Certificate of Svc encl. ENGELHARDT, T.F. Deputy Executive Legal Director. 76/10/22. 17pp.	TTPLEDNELDD G		PLED-761022 7610228008050562			NRCC	05
7911110101 Order suspending pending proceedings in light of changed circumstances. CHILK, S.J. Office of the Secretary of the Commission. 76/11/05. 5pp.	TTORDRNRCSEY G		ORDR-761105 7611057911110101			NRCC	03
7905160463 Memo & order remanding cases to ASLAR in light of recently promulgated interim rule on environ impacts of U fuel cycle. Certificate of Svc encl. CHILK, S.J. Office of the Secretary of the Commission. 77/04/01. 7pp.	TTORDRNRCSEY G		ORDR-770401 7704017905160463				04
7911110207 Memorandum & order ALAR-392 inviting submissions within 30 days re U fuel cycle environ effects consideration in NEPA cost/benefit analyses. Certificate of Svc encl. DU FLO, M.E. Atomic Safety and Licensing Appeal Panel. 77/04/21. 17pp.	TTORDRNASLAP G		ORDP-770421 7704217911110207			EUTVYNP	03
7911110139 NRC views on consideration of uncertainties in use of values set forth in table S-3 of 10CFR51. SCINTO, J.F. Office of the Executive Legal Director. 77/05/20. App.	TTOTHRNELD G		OTHR-770520 7705207911110139				03
7911110208 Certificate of Svc on ASLAR members of proceeding of NRC views on consideration of uncertainties in use of values set forth in table S-3 of 10CFR51. SCINTO, J.F. Office of the Executive Legal Director. 77/05/23. 10pp.	TTCFRTNELD G		CENT-770523 7705237911110208				03
7911110206 Memorandum & order ALAR-426 affirming decisions over last yr re U fuel cycle rule. Certificate of Svc encl. DU FLO, M.E. Atomic Safety and Licensing Appeal Panel. 77/05/08. 10pp.	TTORDRNASLAP G		ORDR-770808 7708087911110206			EUTPSEG	02

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

G. Adjudicatory correspondence							

7811220198 H Hetzel requests w/drawal as counsel for Upper Frederick Township, PA in proceedings re subj facils. HETZEL, W.C. Hetzel, W.C. 78/11/15. 1p. 94074:191.	CLL	TN	ELGHETZ	781115			NRCC
	G			781115	7811220198		
				94074	191	94074	191
7905210058 Requests plant shutdown because of threat of accident as severe as rupture to reactor vessel. ROMANO, F.P. Affiliation Unknown. 79/04/12. 5pp. 06911:001.	CLZ	TN	ECI*****	790412			NOIR1
	G			790412	7905210058		
				06911	001	06911	001
7906140479 Requests NRC position on nuclear plant const in Limerick Township, PA. REYNIER, R.H. Reynier, Crocker, Allebach & Reber, P.C. 79/04/13. 2pp. 02279:220.	CLL	TN	ELGRCAR	790413			NRCC
	G			790413	7906140479		
				02279	220	02279	221
7906080085 Opposes const of facilities in close proximity to populated areas. Plants should be built at least 50 miles from densely populated areas. GOODSTEIN, S.J. Affiliation Unknown. 79/04/27. 1p. 02430:338.	CLZ	TN	ECI*****	790427-01			NRCC
	G			790427	7906080085		
				02430	338	02430	338
7907130002 Notice of receipt of F Romano 790412 ltr requesting NRC investigate seismic effects of blasting at quarry near plants. Ltr being treated as request for action per 10CFR2.206. DEYTON, H.R. Office of Nuclear Reactor Regulation, Director. 79/05/31. 1p. 00564:185.	TF	FRN	NORD	FRN=790531			
	G			790531	7907130002*		
				00564	185	00564	199
--7907130007 Notices of concern that seismic stresses could cause accident resulting in reactor meltdown. Investigation is needed of vibratory motion & deleterious effects of ongoing blasting. ROMANO, F. Affiliation Unknown. 79/04/12. App. 00564:185.	CLZ	TN	ECI*****	790412-02			NOIR1
	G			790531	7907130002A		
				00564	185	00564	193
--7907130010 Forwards activities for NRC investigation of seismic stresses around plants in response to F Romano 790412 ltr. DENISE, R.P. Assistant Director for Site Technology. 79/05/30. 2pp. 00564:194.	CM	MEMO	NORES	790530			NORESGS
	G			790531	7907130002B		
				00564	194	00564	195

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AAI DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----G. Adjudicatory correspondence

--7907130014 Notifies of receipt of 790412 ltr requesting investigation of seismic stresses near plants. Ltr will be treated as request for action per 10CFR2.206. Forwards FR notice, w/o encl.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director.
79/06/05, 2pp. 00564:196.

CLNTX NORD 790605 ECI*****
G 79053179071300028A
00564 196 00564 197

--7907130020 Forwards F. Romano 790412 ltr requesting investigation of seismic stresses at plants. Ltr will be treated as request for action per 10CFR2.206. Forwards FR notice, w/o encl.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director.
79/06/05, 2pp. 00564:198.

CLNTU NORD 790605 EUIPECG
G 7905317907130002C
00564 198 00564 199

790904053 Opposes diversion of water from DE River across county to cool facilities.
BRAITHWAITE, R. Affiliation Unknown. 79/08/28, 1p. 00903:053.

CLZTN ECI*****790828 NORD
G 7908287909040553
00903 053 00903 053

7909050366 Objects to licensing of facility & use of DE River for cooling purposes.
ZASLON, S., ZASLON, J. Affiliation Unknown. 79/08/30, 2pp.
00721:168.

CLZTN ECI*****790830 NORD
G 7908307909050366
00721 168 00721 168

7911090210 Order granting extension until 791109 for Commission to determine whether to review 791009 director's decision re F Romano requests for action under 10CFR2.206.
CHILK, S.J. Office of the Secretary of the Commission. 79/10/24.
1p. 01300:012.

TTORDRNRCEY ORDR-791024 NRCC
G 7910247911090210
01300 012 01300 012

7911130249 Responds to ltr opposing facilities due to problem w/nuclear waste, population density & uncertainty of water supply. ASLAW ruled that environ costs & benefits weighed in favor of facilities.
VARGA, S.A. Assistant Director for Light Water Reactors. 79/10/26.
6pp. 01320:059.

CLNTZ NORPL 791026 ECI*****
G 7910267911130249
01320 059 01320 064

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----G. Adjudicatory correspondence

791120026 Order granting extension until 791123 for Commission to determine whether to review 791009 director's decision re facility.
CHILK, S.J. Office of the Secretary of the Commission. 79/11/08. 1p. 01371:264.

TTORDRNRCEY 0RDR-791108-01
G 791108791120026
01371 264 01371 264

7911230152 Forwards corrections & clarifications to 791009 director's decision under 10CFR2.206. Conclusions not changed by corrections.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director. 79/11/09. 3pp. 01387:168.

CLNTZ NORD 791109 ECI*****
G 7911097911230152*
01387 168 01387 172

--7911230155 Corrections & clarifications to 791009 director's decision under 10CFR2.206. Plant should not go into operation before design of plant deemed acceptable.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director. 79/11/09. 2pp. 01387:171.

TTDEC NORD DEC-791109
G 7911097911230152A
01387 171 01387 172

8002190060 Ack receipt of 791208 ltr re nuclear power plant safety.
GRIMES, R.K. Emergency Preparedness Task Force. 80/01/09. 1p. 04027:230.

CLNTZ NRGEMGP 800109-06 ECI*****
G 8001098002190060*
04027 230 04027 231

--8002190063 Urges halt in const of nuclear reactors located near large population ctrs.
PERLMA, L. Affiliation unknown. 79/12/08. 1p. 04027:231.

CLZTN ECI*****791208-01 NRGEMGP
G 8001098002190060A
04027 231 04027 231

8002190082 Ack receipt of 791214 postcard re nuclear power plant safety.
GRIMES, R.K. Emergency Preparedness Task Force. 80/01/09. 1p. 04012:114.

CLNTZ NRGEMGP 800109-08 ECI*****
G 8001098002190082*
04012 114 04012 115

--8002190085 Opposes const of nuclear reactors at Limerick, PA.
MILLER, C.C. Affiliation Unknown. 79/12/14. 1p. 04012:115.

CLZTN ECI*****791214-01 NRGEMGP
G 8001098002190082A
04012 115 04012 115

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----G. Adjudicatory correspondence

8002150439 Ack receipt of 791212 ltr re nuclear power plant safety. GRIMES, H.K. Emergency Preparedness Task Force. 80/01/10. 1p. 01973:340.	CLNTZ NRGEMGP 800110-01 G 8001108002150439* 01973 340 01973 341	ECI*****
--8002150450 Expresses concern re use of nuclear power. Urges closing of nuclear power plants. DEPASQUALE, L.M. Affiliation Unknown. 79/12/12. 1p. 01973:341.	CLZTN ECI*****791212 G 8001108002150439A 01973 341 01973 341	NRGEMGP
8002080654 Requests that facility be cancelled or converted to coal. Coal-fired plants are safe & economical. MICHAUD, N. Affiliation Unknown. 80/02/03. 1p. 90068:343.	CLZTN ECI*****800203 G 8002038002080654 90068 343 90068 343	NORO
8002080684 Requests that facility const be discontinued. Conservation of existing power & solar energy will solve natl energy problem. KALE, W. Affiliation Unknown. 80/02/04. 1p. 90068:341.	CLZTN ECI*****800204 G 8002048002080684 90068 341 90068 341	NORO
8003110520 Supports halt to plant const. Excess electrical capacity already exists & new reactors not needed. CRATER, J. Affiliation Unknown. 80/03/06. 1p. 04172:360.	CLZTN ECI*****800306 G 8003068003110520 04172 360 04172 360	NORO
8007310243 Forwards Commission 800527 memorandum & order containing decisions on UCS 780502 petition for reconsideration of 780413 memorandum & order, UCS 771104 petition sought action re fire protection for electrical cables. EISENHUT, D.G. Division of Licensing. 80/06/25. 89pp.	CLNTU NRRL 800625 G 8006258007310243	EUTMED 72
8012160144 Forwards SEC Form 10-Q, Quarterly Financial Rept & supporting mat comments, in response to NRC 790921, 1109 & 800811 requests for info re significant financial developments affecting utils in restart proceeding. CONDON, V.H. General Public Utilities. 80/11/26. 3pp.	CLUTN EUTGENP 801126 G 8011268012160144*	NRRE 02

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AAI	DIN	P	R	RAI	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

G. Adjudicatory correspondence							

--8012160154 Quarterly Financial Rept Sept 1980 & supporting mgt comments. * General Public Utilities, 80/11/14, 44pp.	IRANLREUTGENP		ANLR-800930				02
	G		8011268012160144A				
8012290444 Submits questions arising from preliminary risk analysis hearing in Pottstown, PA, util should incorporate possible lowered concrete strength into probabilistic risk analysis. LEWIS, M.I. Affiliation Unknown, 80/12/19, 3pp, 07308:001.	CLZTN	ECI*****	801219			NRRL	
	G		8012198012290444				
	07308	001	07308	001			
8101160211 Forwards City Council of Philadelphia 800529 Resolution 169 demanding const on facility be halted, OLS should be refused due to water shortage & lack of safety guarantee. COHEN, D. Philadelphia, PA, 81/01/08, 5pp, 07470:063.	CLSTN	ELOPHIL	810108			NRCC	
	G		101088101160211				
	07470	063	074	067			
8102120026 Forwards petition opposing facility operation, Emergency planning hearing should be held in Philadelphia PA, Encl available in Central Files. FISCHMAN, R., ROSENBERG, A. Citizen Action in the Northeast, 81/02/05, 2pp, 07663:154.	CLZTN	ECICANE	810205			NRRL	
	G		8102058102120026*				
	07663	154	07663	156			
H. General correspondence							

7912180709 Advises of firm name change from Conner, Hadlock & Knotts to Conner & Knotts, Requests change to NRC svc list for cases listed in encl. HICKMAN, G.L. Conner & Knotts, 75/11/03, 3pp.	CLLTN	ELGCK	751103			NORD	11
	H		7511037912180709				
7812110214 Responds to 70115 request & removes respondent's name from svc list for correspondence on radiological safety. BAER, R.L. Light Water Reactors Branch 2, 78/11/29, 1p, 94337:339.	CLNTL	NORPLW2	781129			ELGHETZ	
	H		7811297812110214				
	94337	339	94337	339			
7905230711 Requests const review of facility, Expresses concern re insufficient supply of water near plant for cooling reactor. BUONANNI, N.A. Affiliation Unknown, 79/04/02, 1p.	CLZXT	ECI*****	790402			EUSPFS	
	H		7904027905230711				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

H. General correspondence							

7906070379 Ack receipt of 790413 ltr commenting on financial responsibility of nuclear facility owners re TMI-2 incident. SNYDER, G.L. Region 1, Philadelphia, Office of the Director. 79/04/20. 1p. 00245:278.	CLNTZ	NOIR1	790420				ECI*****
	H		7904207906070379*				
	00245	278	00245	278			
--7906070380 Requests financial responsibility for TMI-2 incident be placed on Metropolitan Edison & stockholders. ZEITLIN, H. Affiliation unknown. 79/04/13. 2pp. 00245:279.	CLZTN	ECI*****	790413				NOIR1
	H		7904207906070379A				
	00245	279	00245	280			
7906130089 Acks receipt of 790416 ltr commenting on inadequate supply of water. SNYDER, G.L. Region 1, Philadelphia, Office of the Director. 79/04/20. 1p. 00174:045.	CLNTZ	NOIR1	790420-01				ECI*****
	H		7904207906130089*				
	00174	043	00174	045			
--7906130095 Comments on plant licensing & inadequate water supply. BALDASSARI, J.A. Affiliation Unknown. 79/04/16. 2pp. 00174:044.	CLZTN	ECI*****	790416-02				NRCC
	H		7904207906130089A				
	00174	044	00174	045			
7906180595 Ack receipt of 790413 ltr. Board of Supervisors will be placed on distribution list for repts re results of TMI investigation. No current plans to cease const of nuclear power plants. Facility will be formally reviewed. DENTON, H.R. Office of Nuclear Reactor Regulation, Director. 79/05/14. 3pp. 02353:241.	CLNTS	NORD	790514				ELOPOTT
	H		7905147906180595*				
	02353	241	02353	245			
--7906180602 Expresses concern of Board of Supervisors of Limerick Township, PA re continued const of facility, in light of TMI accident. Requests NRC to investigate safety of facility. REYNIER, R.H. Pottstown, PA. 79/04/13. 2pp. 02353:244.	CLSTN	ELOPOTT	790413				NRCC
	H		7905147906180595A				
	02353	244	02353	245			
7907190229 Responds to 790412 request for investigation of blasting at quarry near facility site. FR notice encl. DENTON, H.R. Office of Nuclear Reactor Regulation, Director. 79/06/05. 2pp. 00324:014.	CLNTZ	NORD	790605-02				ECI*****
	H		7906057907190229				
	00324	014	00324	016			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----H. General correspondence

7910290089 Responds to 790416 ltr sent to Region 1 re risk posed from DE River water diverted to plant. Describes technicalities re cooling water required for safe shutdown & makeup water to generate electricity.
VARGA, S.A. Assistant Director for Light Water Reactors. 79/10/09. 2pp. 01221:283.

CLNTZ NORPL 791009 ECI*****
H 7910097910290089
01221 283 01221 284

7911910545 Responds to encl 790402 ltr to President Carter re risks from facility dependence on DE River for cooling water. During most of yr, water will be obtained from Schuylkill River, frequency regulated by DE River Basin Commission.
VARGA, S.A. Assistant Director for Light Water Reactors. 79/10/17. 4pp. 01283:174.

CLNTZ NORPL 791017 ECI*****
H 7910177911010545
01283 174 01283 177

7912180643 Discusses NRC 791012 ltr to Senator Schweiker, NUREG-0625 siting guidelines, Reg guide 4.7 & facility FES. Requests that facility be converted to coal because of proximity to densely populated area.
SFIDTS, M.G. Affiliation Unknown. 79/12/10. 2pp. 02151:301.

CLZTN ECI*****791210-01 NORD
H 7912107912180643*
02151 301 02151 306

7912280488 Requests all available info re emergency planning at facility including NUREGs, meeting minutes & committee scope.
LEWIS, M.J. Affiliation Unknown. 79/12/21. 1p. 90002:356.

CLZTN ECI*****791221 NORDL
H 7912217912280488
90002 356 90002 356

8001080508 Supports plans to modify facilities near densely populated areas. Urges that guidelines for plid, operating & evacuating plants be stiffened.
WOLF, B. Affiliation Unknown. 80/01/02. 1p. 02427:182.

CLZTN ECI*****800102 NORD
H 8001028001080508
02427 182 02427 182

8002070397 Responds to 791214 ltr questioning necessity of NRC review of effects on facility of blasting in Pottstown trap rock quarry. Discusses current status of investigation. Ltr available in Central Files only.
ROSS, D.F. Division of Project Management. 80/01/16. 2pp. 01937:259.

CLNTZ NORP 800116 ECI*****
H 8001168002070397*
01937 250 01937 251

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	H	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

H. General correspondence							

8002140264 Responds to 791217 ltr re allegations that sites will be affected by blasting at Pottstown trap rock quarry. Advises that notification of meeting w/uttl was adequate for participation. Full investigation of problem underway. DENTON, H.R., Office of Nuclear Reactor Regulation, Director. 80/01/28. 3pp. 01944:356.	CLNTZ	NORD	800128			ECIAIR	
	H		8001288002140264*				
	01944	356	01944	360			
--8002140271 Responds to invitation to 791219 meeting between NRC & uttl. Suggests improvements for notifying participants & calls for independent geological team to investigate consequences of blasting near plant. ROMANO, F.R., Air and Water Pollution Patrol. 79/12/17. 2pp. 01944:359.	CLZTN	ECIAIR	791217			NORD	
	H		8001288002140264A				
	01944	359	01944	360			
8002130272 Responds to 791210 ltr questioning smaller low population zone for facility than for TMI where power level is lower. Low population zone selected by applicant, must meet radiologic dose requirements & be within population zone. BALLARD, K.L., Environmental Projects Section. 80/01/30. 11pp. 01971:240.	CLNTZ	NOREPB1	800130			ECI*****	
	H		8001308002130272				
	01971	240	01971	260			
8002140417 Responds to 800107 ltr re need for evacuation plans & adequacy of water supply. Emphasis placed on emergency planning within low population zone surrounding facility. Schuylkill River is not facility water supply source. VARGA, S.A., Assistant Director for Light Water Reactors. 80/02/06. 2pp. 01978:301.	CLNTZ	NORPL	800206			ECI*****	
	H		8002068002140417*				
	01978	301	01978	303			
--8002140422 Requests that NRC consider need for facility evacuation plan & adequacy of water supply before operation. ANGSTADT, K., Affiliation Unknown. 80/01/07. 1p. 01978:303.	CLZTN	ECI*****	800107-01			NORD	
	H		8002068002140417A				
	01978	303	01978	303			
8004070030 Urges NRC to take into consideration that 3.8 million people reside within 30-mile radius of plant. Considering population density, area could not be evacuated easily. STODD, T., Affiliation Unknown. 80/02/13. 1p. 90142:166.	CLZTN	ECI*****	800213-04			NRCC	
	H		8002138004070030				
	90142	166	90142	166			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

H. General correspondence							

8004040224 Expresses concerns re util request for use of Delaware River water for facility, w/3.8 million people in area & many obstacles, util continues to build plant. Charges NRC w/responsibility to protect public from util. POLLITT, A. Affiliation Unknown. 80/02/22. 1p. 90142:225.	CLZTN	ECI*****800222					NRCC
	H	8002228004040224					
	90142	225	90142	226			
8004040244 Approves favorable stand on public hearing request re evacuation plans at facility. Power plant was mistake & const should be stopped before more money is wasted. KEIL, J. Affiliation Unknown. 80/02/22. 1p. 90142:219.	CLZTN	ECI*****800222-01					NRCC
	H	8002228004040244					
	90142	219	90142	219			
8004040251 Approves favorable stand on public hearing request re evacuation plans at facility. Const should be stopped. Plant should not be built in populated area. KEIL, J. Affiliation Unknown. 80/02/22. 1p. 90142:218.	CLZTN	ECI*****800222-02					NRCC
	H	8002228004040251					
	90142	218	90142	218			
8004040119 Urges that all reactors come under new NRC regulations that do not allow reactors to operate in densely populated areas. Facility is classified as second most dangerous location re population proximity. Const should stop immediately. LONGSHORE, M. L. Affiliation Unknown. 80/02/23. 1p. 04443:079.	CLZTN	ECI*****800223-01					NRCC
	H	8002238004040119					
	04443	079	04443	079			
8004040216 Requests that NRC stop power plant const. Area surrounding facility is densely populated. Questions whether NRC would reimburse people for property losses & health damage if another TMI accident occurred. FRIEDMAN, C. Affiliation Unknown. 80/03/05. 1p. 04443:362.	CLZTN	ECI*****800305					NRCC
	H	8003058004040216					
	04443	362	04443	362			
8004070024 Suggests const of facility should be halted immediately. Cites earthquake fault & lack of adequate water supply as problems. Facility is not needed by util now or in future. CRATER, J. Affiliation Unknown. 80/03/06. 1p. 04524:042.	CLZTN	ECI*****800306-04					NRCC
	H	8003068004070024					
	04524	042	04524	042			
8003170433 Requests clarification of response to previous ltr. Impact of nuclear catastrophe unknown. Potential for catastrophe does not exist w/coal. util shareholders rept encl. SEIDIS, M. G. Affiliation Unknown. 80/03/10. 4pp. 04214:352.	CLZTN	ECI*****800310					NOHEPBI
	H	8003108003170433					
	04214	352	04214	355			

MONTHLY TITLE LIST

U. S. NUCLEAR REGULATORY COMMISSION

DTC AAI DIN P R RAI SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

H. General correspondence

8005070055 Responds to 800102 ltr re nuclear plants located near densely populated areas. RL is considering special measures & has ordered interim measures at facilities confirming commitment to public health & safety. DENTON, H.R., Office of Nuclear Reactor Regulation, Director. 80/03/11. 2pp. 04846:183.

CLNTZ NRRD 800311
H 8003118005070055
04846 183 04846 185 ECI*****

8005280963 Requests public debate re issues involved in excavating large populations near nuclear plants. Hopes NRC will reflect strong public concern. Commissioners Bradford & Gilinsky are attempting to address issue. MURRAY, K. Affiliation Unknown. 80/03/19. 1p.

CLZTN ECI*****800319-02
H 8003198005280963 WOND 02

8006020014 Requests public debate re evacuating large populations near power plants. Opposes plants located in densely populated areas. HAMM, K. Affiliation Unknown. 80/03/19. 1p.

CLZTN ECI*****800319-03
H 8003198006020014 WOND 02

8004020117 Responds to 800303 ltr requesting info re application of TMI-2 Lessons Learned Task Force to facility & certain other plants under const. WLB should be contacted for SER info. ASLB proceedings announced in FR. VARGA, S.A. Assistant Director for Light Water Reactors. 80/03/27. 2pp. 04379:355.

CLNTZ NORPL 800322
H 8003228004020117 ECI*****
04379 355 04379 356

8004180146 Responds to 800306 ltr re substituting coal plants for nuclear plants under const at site. Since Unit 1 is 60% complete & Unit 2 40% complete, little capital cost could be saved by stopping const. YOUNG, G.L., J. Cost Benefit Analysis Branch. 80/04/02. 2pp. 04612:078.

CLNTZ NORETCH 800402
H 8004028004180146 ECI*****
04612 078 04612 080

8004100471 Expresses concern re faulting at site. Job interview in 1974 w/Gilbert Associates in Pottstown, PA revealed that proposed site ranked third or fourth of six site studies. Also learned that site chosen due to ability in control public opinion. ORLANDO, E. Murchy & Parish. 80/04/03. 2pp. 04556:132.

CLLTN ELGMURP 800403
H 8004038004100471 NPCC
04556 132 04556 133

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

H. General correspondence

8004250283 Responds to 800317 congressional referral of ltr re util failure to accept loan of cryogenic processing sys from Limerick facility rather than purging to atmosphere. Purging chosen for expedience.
 DENTON, H.R. Office of Nuclear Reactor Regulation, Director.
 80/04/07. 2pp. 04718:242.

CLNTZ NORD 800407 ECI*****
 H 8004078004250283
 04718 242 04718 243

8005149176 Responds to 800304 ltr re building two coal units & halting const on power plants. Cost of converting power plant to coal operation would be significant.
 DENTON, H.R. Office of Nuclear Reactor Regulation, Director.
 80/04/14. 2pp. 04951:307.

CLNTS NORD 800414 ESGPA
 H 8004148005140176*
 04951 307 04951 309

--8005170186 Submits concerns re high cost of operating nuclear power plants. Consumer Advocate of PA has stated that building two smaller coal units & stopping const on nuclear plant would be less expensive.
 LYNCH, E.W. Pennsylvania, State of, 80/03/04. 1p. 04951:309.

CLSTN ESGPA 800304 NRCC
 H 8004148005140176A
 04951 309 04951 309

8009180448 Responds to 800319 ltr requesting public debate re issues appropriate to evacuation of large population ctrs near plants.
 DENTON, H.R. Office of Nuclear Reactor Regulation, Director.
 80/04/21. 3pp.

CLNTZ NRRD 800421 ECI*****02
 H 8004218009180448*

--8009180462 Requests public debate re issues appropriate to evacuation of large population ctrs near plants. Expresses confidence in attempts by Commissioners to represent public concerns.
 EMURY, A. Affiliation Unknown. 80/03/19. 1p.

CLZTN ECI*****800319 NRRD 02
 H 8004218009180448A

8005220165 Responds to 800403 ltr re site selection process for facilities & possible geologic & seismic problems. Intensities of recent earthquakes are small fraction of DRE & fall within approved station design criteria.
 DENTON, H.R. Office of Nuclear Reactor Regulation, Director.
 80/05/01. 4pp. 05035:356.

CLNTL NRRD 800501 ELGMURP
 H 8005018005220165
 05035 336 05035 359

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AAI	DIN	P	R	RAI	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1 -----							
H. General correspondence -----							
8006020336 Comments on evacuation plan for facility area:Philadelphia Electric Co should not be granted license. Human safety should come before economic consideration. MORRIS, S.W. Affiliation Unknown. 80/05/28. 1p. 05158:268.	CLL	ELG	*****800528				NRRD
	H		8005288006020336				
	05158	268	05158 268				
8006120089 Responds to ltr to DOE re constituent inquiry about relationship of Merrill Creek Project to facilities. NRC has no info re relationship. Facilities use water from DE River Basin. DIRCKS, W.J. Office of the Executive Director for Operations. 80/05/30. 6pp. 05308:080.	CLN	TCG	NE ED 800530				EUSSEN
	H		8005308006120089				
	05308	080	05308 081				
8006230469 Forwards Philadelphia City Council 800529 resolution that all const at facilities should cease, to protect health & safety of area residents & ratepayers. SCH, TIZ, G.X. Philadelphia, PA. 80/06/10. 5pp. 05431:001.	CLSTN	ELOPHIL	800610				NRCC
	H		8006108006230469				
	05431	001	05431 005				
8008270025 Requests protection against environ pollution by radioactive gas release & unnecessary facility const. GLASSMUYER, B. Affiliation Unknown. 80/06/12. 2pp. 06433:322.	CLZTN	ECI	*****800612-02				NRCC
	H		8006128008270025				
	06433	322	06433 322				
8007100272 Ack receipt of ltr re const of facility. Station is not presently under active review. Ltr will be kept on file & returned when util application for OL review is initiated. SCHWENCKER, A. Licensing branch 2. 80/06/23. 1p. 05732:360.	CLNTZ	NRRLR2	800623				ECI*****
	H		8006238007100272*				
	05732	360	05732 362				
--8007100269 Requests that NRC reconsider opening facility. PA has not improved radiation monitoring or emergency response since TMI. Serious nuclear accidents can & will happen. Homeowner insurance does not cover loss of life or damages. CLARK, C. Affiliation Unknown. 80/06/23. 2pp. 05732:361.	CLZTN	ECI	*****800623				NRRD
	H		8006238007100272A				
	05732	361	05732 362				
8007110510 Responds to 800409 ltr re const of facility. Environ & safety reviews will begin when util submits application for OL. Ltr will be kept on file & referred to again when review initiated. SCHWENCKER, A. Licensing branch 2. 80/06/23. 2pp. 05806:317.	CLNTZ	NRRLR2	80 623-01				ECI*****
	H		8006238007110510				
	05806	317	05806 319				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

H. General correspondence

8007140025 Ack receipt of 800610 ltr & resolution re const of facility. Resolution will be considered along w/other correspondence in future reviews relative to facility licensing.
SCHWENCER, A. Licensing branch 2. 80/06/26. 1p. 05841:328.

CLNTS NRRLLR2 800626
H 8006268007140025
05841 328 05841 329

ELUPHIL

8007160644 Forwards 800628 correspondence to President Carter, Governor Thornburan, Senators Schweiker & Heinz, Representative Lederer, State Senator Fumo, State Representative Rappaport & NRC re halting facility const.
HAWKINS, K.L. Pennsylvania, State of. 80/06/28. 7pp. 05863:254.

CLSTN ESGPA 800628
H 8006288007160644
05863 254 05863 260

NRRD

8007180345 Responds to ltr re const of facility. Ltr will be kept on file & referred to when NRC initiates OL review. Facility will not be under active review until util submits OL application in late 1980 or early 1981.
SCHWENCER, A. Licensing branch 2. 80/07/01. 1p. 05893:250.

CLNTZ NRRLLR2 800701
H 8007018007180345
05893 250 05893 250

ECI*****

8007250004 Ack receipt of ltr re const of plant. Plant not under active review. Public comments will be considered during review.
SCHWENCER, A. Licensing branch 2. 80/07/14. 1p. 05958:036.

CLNTZ NRRLLR2 800714
H 8007148007250004
05958 036 05958 036

ECI*****

8007250475 Responds to 800630 ltr to NRC re const & operation of facility. NRC welcomes citizen ltrs & takes them into consideration during environ & safety reviews. Facility will not be reviewed until OL application is received.
SCHWENCER, A. Licensing branch 1. 80/07/15. 2pp. 05965:355.

CLNTZ NRRLLR1 800715-01
H 8007158007250475
05965 355 05965 359

ECI*****

8008260170 Responds to encl 800331 ltr to President Carter expressing concern re safety of nuclear power & opening of Limerick. Nuclear power plants are designed to prevent accidents. Chances of more serious accident than TMI are very small.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director. 80/07/30. 5pp. 06411:242.

CLNTZ NRRD 800730
H 8007308008260170
06411 242 06411 245

ECI*****

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMENICK GENERATING STATION, UNIT 1
-----H. General correspondence

8009220078 Responds to 800009 ltr expressing opposition to const of facilities. Util application for OLS will be subjected to detailed safety & environ reviews by NRC & may be subj of public hearing if application is contested.
INGRAM, F. Office of Public Affairs. 80/08/13. 1p. 06591:108.

CLNTZ NRCPA 800813-01 ECI*****
H 8008138009220078*
06591 108 06591 110

--8009220081 Expresses concern re const of facilities. Forwards newspaper article re dangers of nuclear plants.
MAYER, P. Affiliation Unknown. 80/08/09. 2pp. 06591:109.

CLZTN ECI*****800809 NRCC
H 8008138009220078*
06591 109 06591 110

8009150316 Responds to 800718 ltr to President Carter transmitting Borough of Phoenixville, PA resolution opposing const of nuclear reactors. Facility is not undergoing review. Util studies re evacuation time estimates have been submitted.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director. 80/08/25. 2pp. 06549:072.

CLNTS NRND 800825 ELOPHOEP
H 8008258009150316*
06549 072 06549 079

--8009150318 Forwards borough of Phoenixville, PA 800718 ltr to President Carter, transmitting resolution 80-10 opposing const of nuclear reactors. Requests response.
SEAL, M.M. President of US & Executive Offices. 80/07/25. 6pp. 06549:074.

CLUTN EUSPRES 801725 NRCC
H 8008258009150316*
06549 074 06549 079

8010220304 Responds to 800903 ltr re const of nuclear plant near populated areas. NRC decision to license facility will be based on environ review, emergency planning & lessons learned from TMI-2 accident.
INGRAM, F.L. Office of Public Affairs. 80/09/17. 1p. 06779:217.

CLNTZ NRCPA 800917 ECI*****
H 8009178010220304*
06779 217 06779 218

--8010220309 Opposes issuance of CP to nuclear plants near populated areas. Expresses safety concerns re operation of facility & suggests alternative forms of energy.
DANIELS, J.A. Affiliation Unknown. 80/09/03. 1p. 06779:218.

CLZTN ECI*****800903 NEAOPND
H 8009178010220304*
06779 218 06779 218

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DTN P R RA1 SN

DOCKET 50-352 LINERICK GENERATING STATION, UNIT 1
-----H. General correspondence

8010280063 Responds to 800801 ltr re quarry blasting at site. NRC plans to investigate as-built structures to determine any detrimental effects. Applicant will conduct survey to establish existence of excessive cracks, w/o relevant info. EISENHUT, D.G., Division of Licensing, 80/10/09, 2pp, 017561001.	CLNTZ NRRL 801009 H 8010098010280063* 01756 001 01756 001	ECIAIR
--8010280070 Responds to NRC 791009 promise to forward info re effect of quarry blasting at site. NRC should not rely on util for info. Requests supportive info to determine if foundation under reactor bldg is adequate. ROMANO, F.R., Air and Water Pollution Patrol, 80/08/01, 4pp, 017561001.	CLZTN ECIAIR 800801 H 8010098010280063A 01756 001 01756 001	NRRL
8011120328 Trip rept of 801016 visit to Philadelphia, PA to meet w/Association of Community Organizations for Reform Now re licensing process. Organization demands that const be stopped at facility. SELLS, D.E., Licensing branch 2, 80/10/27, 3pp, 069561254.	CNIRIPNRLLR2 801027 H 8010278011120328 06956 254 06956 256	NRLLR2
8101060909 Responds to 801215 ltr re preparation of EIS for facility. Applicants for PL must submit environ rept prior to OL issuance. HANSLER, G.M., Assistant Director for Licensing, 80/12/16, 2pp, 074011086.	CLNTS NRLL 801216 H 8012168101060909 07401 086 07401 088	ESG*****
8101050059 Expresses gratitude for hearing arranged onsite & urges Div of Licensing not to grant license as plant constitutes health & safety hazard. Editorials encl. ANTHONY, R.L., Friends of the Earth, 80/12/23, 6pp, 073761282.	CLZTN ECIFOTE 801223 H 8012238101050059 07376 282 07376 287	NRRL
8101070621 Responds to 801029 ltr re leakage of river water into unit containment. Long-term generic actions described in encl IF Bulletin 80-24 will be taken to preclude recurrence at other plants. EISENHUT, D.G., Division of Licensing, 80/12/23, 1p, 074141157.	CLNTZ NRRL 801223 H 8012238101070621 07414 157 07414 169	ECI*****

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSIONDOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----H. General correspondence

	DTC	AAI	DTN	P	R	RAI	SN
8101070372 Requests that DL be denied. WEILER, J. Affiliation Unknown. 81/01/01. 1p. 07309:001.	CLZTN	ECI*****	810101				NRRL
	H		8101018101070372				
			07309 001 07309 001				
8101300021 Responds to 8/11/21 ltr forwarding R Irvine & J Williams 800528 ltr opposing Point Pleasant Diversion Project pumping station & operation of facilities. Responsibility for DE River water matters is vested in DE River Basin Commission. DIRCKS, R. J. Office of the Executive Director for Operations. 81/01/06. 5pp. 07579:318.	CLNTGNE	ED	810106				EUSSEN
	H		8101068101300021*				
			07579 318 07579 327				
--8101300033 Forwards J Williams & R Irvine 800528 ltr opposing operation of facilities, originally forwarded by 800707 ltr. Requests response. WILLIAMS, H. A. Senate. 80/11/21. 2pp. 07579:323.	CLCGTNEUSSEN		801121				NRCCA
	H		8101068101300021A				
			07579 323 07579 327				
8102030550 Comments by ACOHN that alternative means to nuclear power exist to reduce imported oil use. Nuclear reactors should not be built in areas w/high population. Util is building facility only to justify enormous rate increases. SMITH, H. E., MCGOWAN, J., CLARSON, L. Affiliation Unknown. 81/01/20. 3pp. 07605:053.	CLZTN	ECI*****	810120				NRRL
	H		8101208102030550				
			07605 053 07605 054				
8102190392 Summary of 8/11/19 meeting w/Association of Community Organizations for Reform Now, Philadelphia chapter, re const & licensing of facility. List of attendees encl. SELLS, D. Licensing branch 2. 81/02/03. 5pp. 07724:027.	CNMINSNRLLH2		810203				NRLLB2
	H		8102038102190392				
			07724 027 07724 031				
8102270552 Responds to ltr re risk assessment study for facility. Discusses NRC licensing & citing policies. Util must include final rept on risk assessment study w/application. TEDESCO, R. L. Assistant Director for Licensing. 81/02/04. 2pp.	CLNTZ	NRLL	810204				ECI*****
	H		8102048102270552				
--8102270559 Discusses questions raised by facility risk assessment study. LEWIS, J. I. Affiliation unknown. 81/02/04. 3pp.	CLZTN	ECI*****	810204				NRRL
	H		8102048102270552A				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AAI	DTN	P	R	RAI	SN
<u>DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1</u>							
<u>H. General correspondence</u>							
8102170070 Opposes facility const. Sample page of circulated petition encl. ROSENBERG, A., BENSON, E. Citizen Action in the Northeast. 81/02/05. 3pp. 07685:119.	CLZTN	ECICANE	810205-01 8102058102170070				NRRD
			07685 119 07685 121				
<u>I. Financial information</u>							
7904180229 Forwards "Annual Financial Rept 1978." BRADLEY, E.J. Philadelphia Electric Co. 79/04/17. 1p.	CLUTN	EUTPECO	790417 7904177904180229*				NORD
--7904180232 "Annual Financial Rept 1978." * Philadelphia Electric Co. 79/02/26. 32pp.	TRANLREUTPECO	ANLR-781231-01	7904177904180229A				
8004140317 Forwards Annual Financial Rept 1979. BRADLEY, E.J. Philadelphia Electric Co. 80/04/08. 1p. 04579:329.	CLUTN	EUTPECO	800408 8004088004140317*				NORD
			04579 329 04579 361				
--8004140319 Annual Financial Rept 1979. * Philadelphia Electric Co. 80/02/25. 36pp. 04579:330.	TRANLREUTPECO	ANLR-791231	8004088004140317A				
			04579 330 04579 361				
8007010138 Responds to 800605 ltr to G Cunningham transmitting util 5-7 registration statement. No inaccurate statements or financial inconsistency identified. CHRISTENBURY, E. Hearings division. 80/06/19. 1p. 05591:185.	CLNTS	NELHG	800619 8006198007010138				EUSSEC
			05591 185 05591 185				
8012160144 Forwards SEC Form 10-Q, Quarterly Financial Rept & supporting mgt comments, in response to NRC 790921, 1109 & 800811 requests for info re significant financial developments affecting util in restart proceeding. CONDON, V.H. General Public Utilities. 80/11/26. 3pp.	CLUTN	EUTGENP	801126 8011268012160144*				NRRD 07
--8012160154 Quarterly Financial Rept Sept 1980 & supporting mgt comments. * General Public Utilities. 80/11/14. 44pp.	TRANLREUTGENP	ANLR-800930	8011268012160144A				07

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

J. Insurance & indemnity information

7905070497 Confirms increased liability limit to \$124,000,000 for policies NF-1,25,43,76,83,100,111,140,146,151,161,164,170,173,174,178,179,180,182,185,186,187,188,189,192,193,194,195,197,198,200,201,204,206,207,208,210,212,214,215, & others. QUATTROCHHI, J. American Nuclear Insurers. 79/05/01. 1p.

CXLTN ELGANI 790501 NORDAI 10
J 7905017905070497

7905070582 Confirms increase in liability limit to \$36,000,000 for policies MF-22,26,29,38,39,44,46,47,49,50,51,52,53,54,55,56,57,58,60,61,64,66,67,68,69,70,71,72,74,76,77,78,79,80,86,87,88,90,91,92,93,94,95 & 96. ROBERTS, D.M. Mutual Atomic Energy Liability Underwriters. 79/05/01. 1p.

CXLTN ELGMAELU790501 NORDAI 38
J 7905017905070582

O. Advisory Committee on Reactor Safeguards reports & correspondence

7811240157 Notice of 781128-30 meeting in San Francisco w/ACRS Fluid Dynamic Subcommittee re Mark II LOCA & SRV pool dynamic loads & load combinations. ANDERSON, C.J. Containment Systems Branch (Pre 790101). 78/11/13. 3pp.

CMMEMONORSPCS 781113 NORSS 03
0 7811137811240157*

--7811240161 Agenda for 781128-30 ACRS meeting in San Francisco of Fluid Hydraulic Dynamic Effects Subcomm re Mark II LOCA & SRV pool dynamic loads & load combinations. ANDERSON, C.J. Containment Systems Branch (Pre 790101). 78/11/13. 3pp.

CNMAGDNORSPCS 781113 NOSS 03
0 7811137811240157A

7904120321 Rept on Zimmer Unit 1, Requests to be informed of NRC acceptance criteria & vaporization rate test results. Considers NRC methodology of load combination acceptable. CARRON, M.W. ACRS - Advisory Committee on Reactor Safeguards. 79/03/13. 3pp. 03247:351.

CMMEMONACRS 790313 NRCC
0 7903137904120321
03247 351 03247 353

Q. Inspection reports, IC bulletins & correspondence

7809150442 Forwards Combined Inspec repts 50-352/78-06 & 050-353/78-03 on 780710-14 & 25 during which no items of noncompliance were identified. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 78/08/10. 2pp.

CLNTU NOIRIC 780810 EUTPECO
0 7808107809150442*

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKEY 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

--7809150449 IE Inspc rept #50-352/78-06 & 50-353/78-03 on 780710-14 & 25 during which no items of noncompliance were found. Major areas inspec included work activities & records for reactor press vessel, supp.hangers, snub. MATTIA, J. Region 1, Philadelphia, Reactor Construction & Engineering Support branch, 78/09/09, 15pp.	IIUTINNOIR1C		50-352/78-06				
	Q		7809107809150442A				
7810160232 Forwards IE Bulletin#78-12:"Atypical Weld Material in Reactor Pressure Vessel welds" requesting action w/in 60 days, & 1-st of IE Bulletins issued in 1978. (See AND:7810040253) GRIER, D.H. Region 1, Philadelphia, Office of the Director, 78/09/29, 6pp, 94003:296.	CLNTU NOIR1		780929				EUTPECO
	Q		7809297810160232				
			94003 296 94003 301				
7812130071 Ack receipt of 780918 ltr informing NRC of steps taken to correct violations noted during inspec#50-352/78-03 & #50-352/78-04. GRIER, D.H. Region 1, Philadelphia, Office of the Director, 78/10/16, 1p, 94336:060.	CLNTU NOIR1		781016				EUTPECO
	Q		7810167812130071*				
			94336 060 94336 069				
--7812130083 Responds to 78024 NRC ltr re violations noted in Inspc Repts#50-352/78-03 & #50-352/78-04. Corrective actions: ascertained quality of weld at issue & assured that code requirements met in performance of questioned mods. BOYER, V.S. Philadelphia Electric Co, 78/09/18, 6pp, 94336:061.	CLUTN EUTPECO		80918				NOIR1
	Q		7810167812130071A				
			94336 061 94336 066				
--7812130092 Ack ltr of 780612 in response to NRC ltr of 780510 & ltr of 780720 in response to NRC ltr of 780616 re IE Inspc Repts 50-352/78-03 & 50-352/78-04. Advises that info presented in ltrg does not meet standards of NRC Rules of Practice. GRIER, D.H. Region 1, Philadelphia, Office of the Director, 78/08/24, 3pp, 94336:067.	CLNTU NOIR1		780824				EUTPECO
	Q		7810167812130071B				
			94336 067 94336 069				
--7812130102 Forwards IE Inspc Repts#50-352/78-04 & #50-353/78-02 on 780516-23 & notice of violation. CARLSO, H.T. Region 1, Philadelphia, Office of the Director, 78/06/16, 2pp, 94336:073.	CLNTU NOIR1		780616				EUTPECO
	Q		7810167812130071D				
			94336 073 94336 097				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--7812130105 Notice of Violation from inspec on 780516-23.
* Region 1, Philadelphia, Office of the Director. 78/06/16. 1p.
94336:075.

TINVIDNOIR1 50-352/78-04
Q 78101678121300710A
94336 075 94336 075

--7812130112 IE Inspec Repts 50-352/78-04 & 50-353/78-02 on 780516-23
du. ind which 1 item of noncompliance was noted: failure to
follow code requirement for qualification of weld joint &
use of filler plates.
MATTIA, J.C., SANDERS, W., MCGAUGHY, R.W. Region 1, Philadelphia,
Office of the Director. 78/06/15. 12pp. 94336:076.

TIUTINNOIR1 50-352/78-04
Q 78101678121300710A
94336 076 94336 076

7812130098 Re ltr of 780616 concerning infractions identified in IE
Inspec Repts 50-352/78-04 & 50-353/78-02, forwards response
to NRC Notice of Violation. Questioned drawings have been
revised.
BOYER, V.S. Philadelphia Electric Co. 78/07/20. 3pp. 94336:070.

CLUTN EUTPECO 80720
Q 78101678121300710A
94336 070 94336 072

NOIR1

7812210392 Forwards IE Insp Rept 50-352/78-08 on 781004-05 & Notice of
Violation.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch. 78/10/24. 2pp. 94015:100.

CLNTU NOIR1C 781024
Q 7810247812210392A
94015 100 94015 107

EUTPECO

--7812210394 Notice of Violation from insp on 781004-05.
* Region 1, Philadelphia, Reactor Construction & Engineering
Support Branch. 78/10/24. 1p. 94015:102.

TINVIDNOIR1C 50-352/78-08
Q 7810247812210392A
94015 102 94015 102

--7812210400 IE Insp Rept 50-352/78-08 on 781004-05. Noncompliance noted:
failure to perform welding per drawings.
DUKOR, J.P. Region 1, Philadelphia, Reactor Construction &
Engineering Support Branch. 78/10/16. 4pp. 94015:103.

TIUTINNOIR1C 50-352/78-08
Q 7810247812210392B
94015 103 94015 107

7812110300 Forwards IE Insp Repts 50-352/78-07 & 50-353/78-04 on
780925-24 & Notice of violation.
GRIFF, R.H. Region 1, Philadelphia, Office of the Director.
78/10/31. 3pp. 94204:065.

CLNTU NOIR1 781031
Q 7810317812110300A
94204 065 94204 078

EUTPECO

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

--7812110302 Notice of Violation from insp on 780925-29.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
78/10/31. 1p. 94204:068.

DTC AAJ DIN P R RA1 SN

TINVIDNOIR1 50-352/78-07
Q 7810317812110300A
94204 068 94204 068

--7812110304 IE Insp Repts 50-352/78-07 & 50-353/78-04 on 780925-29.
Noncompliance noted: failure to perform liquid penetrant
test.
MCHAUGHY, R.W., MATIJA, J.C., BURR, J.P. Region 1, Philadelphia,
Reactor Construction & Engineering Support Branch. 78/10/17.
10pp. 94204:069.

TIUTINNOIR1C 50-352/78-07
Q 7810317812110300B
94204 069 94204 078

781290183 Forwards IE Circular #78-18, "UL Fire Test." w/encl AND:
7811150002.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
78/11/06. 1p. 94239:269.

CLNTU NOIR1 781106-01 EUTPECO
Q 7811067811290183
94239 269 94239 274

7812110213 Responds to IE Bulletin #78-12. GE has proposed that
info re reactor vessel welds be supplied on a generic basis
by supplier, rather than plant by plant. Sched for supply of
info depends on resolution of the GE proposal.
BOYER, V.S. Philadelphia Electric Co. 7/1/22. 2pp. 94337:337.

CLUTN EUTPECO 781122-01 NOIR1
Q 7811227812110213
94337 337 94337 338

7812150041 Forwards IE Bulletin #78-12A, Suppl to IE Bulletin 78-12.
w/encl AND: 7811300055.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
78/11/24. 1p. 94210:220.

CLNTU NOIR1 781124 EUTPECO
Q 7811247812150041
94210 220 94210 224

7901030042 Forwards IE Bulletin 78-14, "Deterioration of Buna-N
Components in ASCO Solenoids."
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
78/12/19. 1p.

CLNTU NOIR1 781219 EUTPECO
Q 7812197901030042

7901110014 Ack receipt of 781204 ltr informing NRC of steps taken to
correct violations noted in Insp Rept 50-352/78-07 &
50-353/78-04.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
78/12/26. 1p.

CLNTU NOIR1 781226 EUTPECO
Q 7812267901110014*

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DTN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

--7901110017 Responds to NRC 781031 ltr re violations noted in Insp Repts 50-352/78-07 & 50-353/78-04. Corrective actions: re-qualification of technician; re-examination of weld & re-examination of liquid penetration test. BOYER, V.S. Philadelphia Electric Co. 78/12/04. 4pp.	CLUTN	EUTPECO	781204				NOIR1
	Q		7812267901110014A				
7901100005 Forwards IE Circular 78-19, "Manual Override (Bypass) of Safety Sys Actuation Signals." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 78/12/29. 1p. 02861:229.	CLNTU	NOIR1	781229				EUTPECO
	Q		7812297901100005				
	02861	228	02861	233			
7901180288 Ack receipt of 781122 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-352/78-08 on 781004-05. CARLSON, K.L. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/01/05. 1p. 02920:128.	CLNTU	NOIR1C	790105				EUTPECO
	Q		7901057901180288*				
	02920	128	02920	128			
--7901180296 Responds to NRC 781024 ltr re violation noted in IE Insp Rept 50-352/78-08 on 781004-05. Corrective actions: weld fillet size increased to meet required specifications for certain box girder joints. BOYER, V.S. Philadelphia Electric Co. 78/11/22. 2pp. 02920:129.	CLUTN	EUTPECO	781122-03				NOIR1
	Q		7901057901180288A				
	02920	129	02920	130			
7902230163 Forwards IE Insp Repts 50-352/78-10 & 50-353/78-06 on 781127-1201 & 1206. No noncompliance noted. CARLSON, K.L. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/01/09. 2pp. 02895:118.	CLNTU	NOIR1C	790109				EUTPECO
	Q		7901097902230163*				
	02895	118	02895	134			
--7902230170 IE Insp Repts 50-352/78-10 & 50-353/78-06 on 781127-1201 & 1206. No noncompliance noted. Areas inspected: work activities & records for safety-related pipe supports & restraints, fuel pool girder, preservice insp & plant tour insp. MATIJA, J., FASANO, A., MCGAUGHY, R. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/01/08. 15pp. 02895:120.	TIUTINNOIR1C		50-352/78-10				
	Q		7901097902230163A				
	02895	120	02895	134			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

7902050075 Ack receipt of 781227 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/78-09 & 50-353/78-05.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/01/12. 1p. 03040:131.

CLNTU NOIR1C 790112 EUTPECO
Q 7901127902050075*
03040 131 03040 151

--7902050078 Responds to NRC 781121 ltr re violations noted in IE Insp Repts 50-352/78-09 & 50-353/78-05. Corrective actions: protection & storage of equipment; QC documentation implemented re verification of concrete strengths.
BOYER, V.S. Philadelphia Electric Co. 78/12/27. 5pp. 03040:132.

CLUTN EUTPECO 781227 NOIR1
Q 7901127902050075A
03040 132 03040 136

--7902050080 Forwards IE Insp Repts 50-352/78-09 & 50-353/78-05 on 781017-19 & notice of violation.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 78/11/21. 2pp. 03040:137.

CLNTU NOIR1C 781321 EUTPECO
Q 7901127902050075B
03040 137 03040 138

--7902050082 Notice of violation from insp on 781017-19.
* Region 1, Philadelphia, Office of the Director. 78/11/16. 3pp. 03040:139.

TINVIDNOIR1 50-352/78-09
Q 7901127902050075BA
03040 139 03040 141

--7902050085 IE Insp Repts 50-352/78-09 & 50-353/78-05 on 781017-19. Noncompliance noted: failure to follow procedures for storage & maint of HPCI & core isolation cooling turbines, or to verify concrete strength prior to support removal.
MALTIA, J., CERNE, A., MCGAUGHY, R. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 78/11/16. 10pp. 03040:142.

TIUTINNOIR1C 50-352/78-09
Q 7901127902050075BB
03040 142 03040 151

7902010269 Forwards IE Circular 79-02, "Failure of 120 Volt Vital AC Power Supplies."
GPIER, B.H. Region 1, Philadelphia, Office of the Director. 79/01/16. 8pp. 03040:145.

CLNTU NOIR1 790116 EUTPECO
Q 7901167902010269
03040 325 03040 332

MONTHLY TITLE LIST
 U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

7902130035 Forwards IE Info notice 79-01, "Bergen-Paterson Hydraulic Shock & Sway Arrestors (HSSA)."
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/02/02. 1p. 03077:32v.

DTC	AA1	DIN	P	R	RA1	SN
CLNTU	NOIR1	790202-01				EUTPECO
Q		7902027902130035				
03077	320	03077	320			

7902280495 Forwards IE Bulletin 79-01, "Environ Qualification of Class IE Equipment." w/list of 11 systematic evaluation program plants for which no action is required.
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/02/08. 1P. 03237:35b.

CLNTU	NOIR1	790208				EUTPECO
Q		7902087902280495				
03237	358	03237	359			

7903060629 Forwards IE Info notice 79-03, "Limitorque Valve Geared Limit Switch Lubricant."
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/02/09. 1p. 03392:109.

CLNTU	NOIR1	790209				EUTPECO
Q		7902097903060629				
03392	109	03392	111			

7903080448 Forwards IE Info notice 79-04, "Degradation of Engineered Safety Features."
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/02/16. 1p. 03428:35a.

CLNTU	NOIR1	790216				EUTPECO
Q		7902167903080448				
03428	358	03428	359			

7903080518 Informs recipients of IE Bulletin 79-01, "Environ Qualification of Class IE Equipment," dtd 790208, that valve limit switch identified as NAMCO Model 93CML should read SL3CML.
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/02/27. 1p. 03306:282.

CLNTU	NOIR1	790227-01				EUTPECO
Q		7902277903080518				
03306	282	03306	282			

7903200197 Ack receipt of 790216 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/78-11 & 50-353/78-07.
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/03/02. 1p. 03145:29v.

CLNTU	NOIR1	790302				EUTPECO
Q		7903027903200197*				
03145	290	03145	304			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

--7903200200 Responds to NRC 790125 ltr re violation noted in IE Insp Repts 50-352/78-11 & 50-353/78-07. Corrective actions: contractor superintendent instructed that all dewatering shall be into approved siltation basins. BOYER, V.S., Philadelphia Electric Co. 79/02/16. 2pp. 03145:291.	CLUTN	EUTPECO	790216				NOIR1
	Q		7903027903200197A				
	03145	291	03145	292			
--7903200206 Forwards IE Insp Rept 50-352/78-11 & 50-353/78-07 on 781211-14 & notice of violation. SMITH, G.F., Region 1, Philadelphia, Fuel Facility & Materials Safety Branch. 79/01/25. 2pp. 03145:293.	CLNTU	NOIR1F	790125				EUTPECO
	Q		7903027903200197B				
	03145	293	03145	304			
--7903200209 Notice of violation from insp on 781211-14. * Region 1, Philadelphia, Fuel Facility & Materials Safety Branch. 79/01/23. 1p. 03145:295.	TINVIDNOIR1F		50-352/78-11				
	Q		7903027903200197BA				
	03145	295	03145	295			
--7903200214 IE Insp Rept 50-352/78-11 & 50-353/78-07 on 781211-14. Noncompliance noted: failure to control untreated wastewater discharge from site. SHANAHAKY, M.M., JACKSON, J.J., STOHR, J.P., Region 1, Philadelphia, Fuel Facility & Materials Safety Branch. 79/01/23. 9pp. 03145:296.	TIUTINNOIR1F		50-352/78-11				
	Q		7903027903200197BB				
	03145	296	03145	304			
7904200280 Forwards IE Insp Repts 50-352/79-01 & 50-353/79-01 on 790112, 15, 18, 29-31 & 790201. No noncompliance noted. CARLSON, R.T., Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/03/05. 2pp.	CLNTU	NOIR1C	790305				EUTPECO
	Q		7903057904200280*				
--7904200285 IE Insp Repts 50-352/79-01 & 50-353/79-01 on 790115-18, 29-31 & 0201. No noncompliance noted. Major areas inspected: work activities & records for storage & maint of safety-related mechanical, electrical & equipment. MAITIA, M.J., VARELA, A., MCGAUGHY, R.W., Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/03/02. 10pp.	TIUTINNOIR1C		50-352/79-01				
	Q		7903057904200280A				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

A. Inspection reports, IE bulletins & correspondence							

7904040370 Forwards IE Bulletin 79-02, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/03/08. 1p. 03129:355.	CLNTU	NOIR1	790308-01				EUTPECO
	Q		7903087904040370				
	03129	353	03129	354			
7904040326 Forwards IE Bulletin 79-03, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Manufactured by Youngstown Welding & Engineering Co." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/03/12. 1p.	CLNTU	NOIR1	790312				EUTPECO
	Q		7903127904040326				
7904050084 Forwards IE Circular 79-04, "Loose Locking Nut on Limitorque Valve Operators." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/03/16. 1p.	CLNTU	NOIR1	790316				EUTPECO
	Q		7903167904050084				
7904040283 Forwards IE Bulletin 78-12B, "Atypical Weld Matl in Reactor Pressure Vessel Welds." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/03/19. 1p.	CLNTU	NOIR1	790319				EUTPECO
	Q		7903197904040283				
7904050031 Forwards IE Circular 79-05, "Moisture Leakage in Stranded Wire Conductors." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/03/20. 1p.	CLNTU	NOIR1	790320				EUTPECO
	Q		7903207904050031				
7904040247 Forwards IE Info notice 79-05, "Use of Improper Matls in Safety-Related Components." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/03/21. 1p.	CLNTU	NOIR1	790321				EUTPECO
	Q		7903217904040247				
7905010134 Forwards IE Info notice 79-06, "Stress Analysis of Safety-Related Pipinj." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/03/23. 1p.	CLNTU	NOIR1	790323-01				EUTPECO
	Q		7903237905010134				

MONTHLY TITLE LIST
 U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IC bulletins & correspondence

7904200454 Forwards IE Info notice 79-07, "Rupture of Radwaste Tanks."
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/03/26. 1p.

DTC AA1 DIN P R RA1 SN

CLNTU NOIR1 790326 EUTPECO
 Q 7903267904200454

7904270470 Forwards IE Bulletin 79-04, "Incorrect Weights for Swing
 Check Valves Manufactured by Velan Engineering Corp."
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/03/30. 1p.

CLNTU NOIR1 790330 EUTPECO
 Q 7903307904270470

7904120216 Forwards IE Bulletin 79-05, "Nuclear Incident at TMI" &
 PNU-79-67, 79-67A, B, C, D, E, F & G. No response required.
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/04/01. 1p.

CLNTU NOIR1 790401 EUTPECO
 Q 7904017904120216

7904190136 Forwards IE Bulletin 79-05A, "Nuclear Incident at
 TMI - Suscol," & preliminary chronology of TMI-2 790328
 accident until core cooling restored.
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/04/05. 1p.

CLNTU NOIR1 790405 EUTPECO
 Q 7904057904190136

7905020077 Forwards IE Bulletin 79-06, "Review of Operational Errors &
 Sys Misalignments Identified During TMI Incident."
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/04/11. 1p.

CLNTU NOIR1 790411 EUTPECO
 Q 7904117905020077

7904270517 Forwards IE Bulletin 79-06A, "Review of Operational Errors &
 Sys Misalignments Identified During TMI Incident."
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/04/14. 1p.

CLNTU NOIR1 790414-01 EUTPECO
 Q 7904147904270517

7905020372 Forwards IE Bulletin 79-07, "Seismic Stress Analysis of
 Safety-Related Piping." Licensee action required.
 GRIER, B.H. Region 1, Philadelphia, Office of the Director.
 79/04/14. 1p.

CLNTU NOIR1 790414-03 EUTPECO
 Q 7904147905020372

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							
----- Q. Inspection reports, IE bulletins & correspondence -----							
7905040083 Forwards IE Bulletin 79-06R, "Review of Operational Errors & Sys Misalignments Identified During TMI Incident." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/04/14. 1p.	CLNTU	NOIR1	790414-04 7904147905040083			EUTPECO	
7905040264 Forwards IE Bulletin 79-08, "Events Relevant to Boiling Water Power Reactors Identified During TMI Incident." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/04/14. 1p.	CLNTU	NOIR1	790414-07 7904147905040259			EUTPECO	
7906180405 Forwards IE Info notice 79-10, "Nonconforming Pipe Support Struts." No written response necessary. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/04/16. 1p. 02354:297.	CLNTU	NOIR1	790416 7904167906180405	02354	297	02354	300
7905030086 Forwards IE Bulletin 79-09, "Failures of GE Type AK-2 Circuit Breaker in Safety-related Sys." Licensee action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/04/17. 1p.	CLNTU	NOIR1	790417 7904177905030086			EUTPECO	
7905020305 Forwards IE Bulletin 79-06A, Revision 1, "Review of Operational Errors & Sys Misalignments Identified During TMI Incident." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/04/18. 1p.	CLNTU	NOIR1	790418 7904187905020305			EUTPECO	
7906050193 Ack receipt of 790302 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/78-12 & 50-353/78-08. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/04/23. 1p. 02415:300.	CLNTU	NOIR1C	790423 7904237906050193*	02415	300	02415	318
--7906050197 Responds to NRC 790131 ltr re violations noted in IE Insp Repts 50-352/78-12 & 50-353/78-08. Corrective actions: required insp performed & documented, open insp plans reviewed & field staff re-instructed. BOYER, V.S. Philadelphia Electric Co. 79/03/02. 2pp. 02415:301.	CLNTU	EUTPECO	790302 7904237906050193A	02415	301	02415	302

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMEHICK GENERATING STATION, UNIT 1

G. Inspection reports, IE bulletins & correspondence

--7906050201 Forwards IE Insp Repts 50-352/78-12 & 50-353/78-08 on 781226-29 & 790102 & notice of violation, CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/01/31. 2pp. 02415:303.

CLNTU NOIR1 790131 EUTPECO
Q 7904237906050193B
02415 303 02415 318

--7906050206 Notice of violation from insp on 781226-29 & 790102.
* Region 1, Philadelphia, Office of the Director. 79/01/30. 1p. 02415:305.

TINVIDNOIR1 50-352/78-12
Q 7904237906050193BA
02415 305 02415 305

--7906050212 IE insp Repts 50-352/78-12 & 50-353/78-08 on 781226-129 & 790102. Noncompliance noted: failure to perform insp for piping installation activities. MATTIA, M.J., MCHEARNEY, R. Region 1, Philadelphia, Office of the Director. MCGAUGHY, K.W. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/01/30. 13pp. 02415:306.

TIUTINNOIR1 50-352/78-12
Q 7904237906050193BB
02415 306 02415 318

7906110031 Forwards IE Bulletin 79-05R, "Nuclear Incident at IMI-Suppl." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/04/23. 1p. 02550:025.

CLNTU NOIR1 790423-01 EUTPECO
Q 7904237906110031
02550 025 02550 026

7906130172 Forwards IE Circular 79-07, "Unexpected Speed Increase of Reactor Motor Generator Set Resulted in Reactor Power Increase." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/05/02. 1p. 02540:160.

CLNTU NOIR1 790502-01 EUTPECO
Q 7905027906130172
02546 160 02546 161

7906020206 Responds to IE bulletin 79-03, "Longitudinal weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe Spools Mfd by Youngstown Welding & Engineering Co." Some pipes present, but not installed. BOYER, V.S. Philadelphia Electric Co. 79/05/07. 1p. 02268:297.

CLUTN EUTPECO 790507 NOIR1
Q 7905077906020206
02268 297 02268 297

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

7906120189 Forwards IE Info Notice 79-11, "Lower Reactor Vessel Head Insulation Support Problem." No action required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
79/05/07. 2pp. 02349:161.

DTC AA1 DTN P R RA1 SN

CLNTU NOIR1 790507-01 EUTPECO
Q 7905077906120189
02349 161 02349 163

7907050446 Supplements response to IE Bulletin 79-08. Review under way. No Tech Spec changes anticipated.
DALTROFF, S.L. Philadelphia Electric Co. 79/05/14. 1p. 00281:236.

CLUTN EUTPECO 790514-02 NOIR1
Q 7905147907050446
00281 236 00281 236

7907060422 Forwards IE Bulletin 79-11, "Faulty Overcurrent Trip Device in Circuit Breakers for Engineered Safety Sys." Licensee action required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
79/05/22. 1p. 00293:170.

CLNTU NOIR1 790522-01 EUTPECO
Q 7905227907060422
00293 176 00293 177

7907050468 Responds to IE bulletin 79-07 re computer codes used for seismic analysis of safety-related piping.
BOYER, V.S. Philadelphia Electric Co. 79/05/25. 2pp. 00292:083.

CLUTN EUTPECO 790525-01 NOIR1
Q 7905257907050468
00292 083 00292 084

7907060244 Supplements response to IE Bulletin 78-12. Manufacturer has verified that no deviations in weld matl in reactor pressure vessel welds.
BOYER, V.S. Philadelphia Electric Co. 79/05/25. 1p. 00298:322.

CLUTN EUTPECO 790525-02 NOIR1
Q 7905257907060244
00298 322 00298 322

7907130516 Responds to IE bulletin 79-04. Submits info re swing check valves supplied by Velan Engineering Corp & in use at facility.
BOYER, V.S. Philadelphia Electric Co. 79/05/25. 2pp. 00360:237.

CLUTN EUTPECO 790525-03 NOIR1
Q 7905257907130516
00360 237 00360 238

7907030055 Forwards IE Info notice 79-13, "Indication of Low Water Level in Oyster Creek Reactor." w/o encl.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
79/05/29. 1p. 00273:001.

CLNTU NOIR1 790529-01 EUTPECO
Q 7905297907030055
00273 001 00273 002

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DTN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

0. Inspection reports, IE bulletins & correspondence							

7907200134 Forwards IE Bulletin 79-12, "Short Period Scrams at B&W Facilities." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/05/31. 1p. 00675:148.	CLNTU	NOIR1	790531-01				EUTPECO
	Q		7905317907200134				
	00675	148	00675	149			
7907190074 Responds to IE bulletin 79-09, No GE Type AK-2 circuit breakers used or planned for use in safety-related sys. BOYER, V.S. Philadelphia Electric Co. 79/06/06. 1p. 00564:318.	CLUTN	EUTPECO	790606				NOIR1
	Q		7906067907190074				
	00564	318	00564	318			
7907190098 Forwards suppl IE Bulletin 79-01A, "Environ Qualification of Class IE Equipment (Deficiencies in Environ Qualification of ASCO Solenoid Valves)." Action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/06/06. 1p. 00335:103.	CLNTU	NOIR1	790606-01				EUTPECO
	Q		7906067907190098				
	00335	103	00335	104			
7907060118 Forwards IE Info notice 79-15, "Deficient Procedures." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/06/07. 1p. 00297:159.	CLNTU	NOIR1	790607				EUTPECO
	Q		7906077907060118				
	00297	159	00297	160			
7907020050 Forwards IE Info notice 79-14, "Safety Classification of Electrical Cable Support Sys." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/06/11. 1p. 00267:044.	CLNTU	NOIR1	790611				EUTPECO
	Q		7906117907020050				
	00267	044	00267	045			
7907230342 Ack receipt of 790503 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/79-02 & 50-353/79-02. CARLSON, H.L. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/06/18. 1p. 00413:059.	CLNTU	NOIR1C	790618				EUTPECO
	Q		7906187907230342*				
	00413	059	00413	087			
--790723034A Responds to NRC 790406 ltr re violations noted in IE Insp Repts 50-352/79-02 & 50-353/79-02. Corrective actions: abandoned & replacement holes filled w/dry mortar & replaced by another hole. BOYER, V.S. Philadelphia Electric Co. 79/05/15. 3pp. 00413:060.	CLUTN	EUTPECO	790503				NOIR1
	Q		7906187907230342A				
	00413	060	00413	062			

MONTHLY TITLE LIST
U. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

B. Inspection reports, IE bulletins & correspondence

--7907230440 Forwards IE Insp Repts 50-352/79-02 & 50-353/79-02 on 790220-23 & notice of violation.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/07/06. 2pp. 00413:063.

CLNTU NOIRIC 790406 EUTPECO
Q 7906187907230342B
00413 063 00413 064

--7907230442 Notice of violation from insp on 790220-23.
* Region 1, Philadelphia, Office of the Director. 79/04/06. 2pp. 00413:065.

TINVIDNOIR1 50-352/79-02
Q 7906187907230342BA
00413 065 00413 066

--7907230444 IE Insp Repts 50-352/79-02 & 50-353/79-02 on 790220-23. Noncompliance noted: failure to follow procedure for drilling anchor bolt holes & for storage of stainless steel pipe in laydown area.
MATTIA, J., DURR, J.P., MCGAUGHY, R. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/04/05. 2pp. 00413:067.

TIUTINNOIRIC 50-352/79-02
Q 7906187907230342BA
00413 067 00413 067

7907110379 Forwards IE Info Notice 79-17, "Source Holder Assembly Damage from Misfit Between Assembly & Reactor Upper Grid Plate."
GRIER, B.M. Region 1, Philadelphia, Office of the Director. 79/06/20. 1p. 00836:103.

CLNTU NOIR1 790620 EUTPECO
Q 7906207907110379
00836 103 00836 104

7907230695 Forwards IE Bulletin 79-02, Revision 1, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts."
Action required.
GRIER, B.M. Region 1, Philadelphia, Office of the Director. 79/06/21. 1p. 00359:197.

CLNTU NOIR1 790621-01 EUTPECO
Q 7906217907230695
00359 197 00359 198

7908130492 Forwards IE Insp Repts 50-352/79-03 & 50-353/79-03 on 790326-30. No noncompliance noted.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/06/21. 2pp. 00618:047.

CLNTU NOIRIC 790621 EUTPECO
Q 7906217908130492*
00618 047 00618 063

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC A41 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--7908130495 IE Insp Repts 50-352/79-03 & 50-353/79-03 on 790326-30, No noncompliance noted. Major areas inspected: activities & records for safety-related equipment structures & supports & util action on previous insp findings. MATTIA, J.C., CERNE, A., MCGAUGHY, R.W. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/06/20. 15pp. 00618:049.

TIUTINNOIRIC 50-352/79-03
Q 7906217908130492A
00618 049 00618 063

7907120522 Forwards IE Bulletin 79-13, "Cracking in Feedwater Sys Piping." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/06/25. 1p. 00355:259.

CLNTU NOIR1 790625 EUTPECO
Q 7906257907120522
00355 259 00355 260

7907100353 Forwards IE Circular 79-10, "Pipefittings Mfg from Unacceptable Matl." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/06/26. 1p. 00318:005.

CLNTU NOIR1 790626-01 EUTPECO
Q 7906267907100353
00318 005 00318 006

7907100424 Forwards IE Circular 79-11, "Design/Const Interface Problem." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/06/27. 1p.

CLNTU NOIR1 790627 EUTPECO
Q 7906277907100424

7907100507 Forwards IE Circular 79-12, "Potential Diesel Generator Turbocharger Problem." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/06/28. 1p.

CLNTU NOIR1 790628 EUTPECO
Q 7906287907100507

7907180802 Forwards IE Bulletin 79-14, "Seismic Analysis for As-Built Safety-Related Piping Sys." Action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/07/02. 1p. 00675:092.

CLNTU NOIR1 790702-01 EUTPECO
Q 7907027907180802
00675 092 00675 093

7908160576 Submits response to IE Bulletins 79-02 & 02, Revision 1. All nonconforming bolts will be replaced. Verification of bolts to be completed prior to 790731. BOYER, V.S. Philadelphia Electric Co. 79/07/06. 6pp. 00692:349.

CLNTU EUTPECO 790706-03 NOIR1
Q 7907067908160576
00692 349 00692 354

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

7907270353 Forwards IE Bulletin 79-15, "Deep Draft Pump Deficiencies." Action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/07/11. 1p. 00427:020.	CLNTU	NOIR1	790711				EUTPECO
	Q		7907117907270353				
	00427	028	00427	029			
7907310530 Forwards IE Circular 79-13, "Replacement of Diesel Fire Pump Starting Contactors." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/07/16. 1p. 00675:182.	CLNTU	NOIR1	790716-01				EUTPECO
	Q		7907167907310530				
	00675	182	00675	183			
7908010521 Forwards IE Info Notice 79-19, "Pipe Cracks in Stagnant Borated Water Sys at PWR Plants." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/07/17. 1p. 00675:272.	CLNTU	NOIR1	790717-01				EUTPECO
	Q		7907177908010521				
	00675	272	00675	273			
7908060489 Forwards IE Bulletin 79-14, Revision 1, "Seismic Analysis for As-Built Safety-Related Piping Sys." Action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/07/18. 1p. 02107:357.	CLNTU	NOIR1	790718-01				EUTPECO
	Q		7907187908060489				
	02107	357	02107	358			
7908030268 Notifies that written responses to IE Bulletin 79-15, Suppl 1, should be directed to IE Div of Reactor Const Insp. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/07/19. 1p. 00510:110.	CLNTU	NOIR1	790719				EUTPECO
	Q		7907197908030268				
	00510	118	00510	118			
7908200005 Responds to IE bulletin 79-11, "Faulty Overcurrent Trip Device in Circuit Breakers for Engineered Safety Sys." No Westinghouse Type DB-50 & DB-7 cut breakers in use or planned for use. BAYER, V.S. Philadelphia Electric Co. 79/07/19. 1p. 00771:350.	CLNTU	EUTPECO	790719				NOIR1
	Q		7907197908200005				
	00771	350	00771	350			
7908200297 Ack receipt of 790531 ltr forwarding fuel pool girder post- tensioning repts in response to NRC 790509 ltr. Addl info may be requested after review. CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/07/20. 1p.	CLNTU	NOIR1C	790720				EUTPECO
	Q		7907207908200297*				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AAI	DIN	P	R	RAI	SN
DOCKET 50-352 LIMEHICK GENERATING STATION, UNIT 1							

a. Inspection reports, IE bulletins & correspondence							

--7908200301 Forwards two repts re fuel pool girder post-tensioning in response to NRC 790509 ltr forwarding IE Insp Rept 50-352/79-01. BOYER, V.S. Philadelphia Electric Co. 79/05/31. 120pp.	CLUTN	EUTPECO	790531-01				NOIR1
	Q		7907207908200297A				
--7908200364 Requests two repts re fuel pool girder post-tensioning for review of unresolved item in IE Insp Rept 50-352/79-01. CARLSON, R.C. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/07/09. 2pp.	CLNTU	NOIRIC	790709				EUTPECO
	Q		7907207908200297B				
7908100259 Forwards IE Bulletin 79-17, "Pipe Cracks in Stagnant Borated Water Sys at PWR Plants." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/07/26. 1p.	CLNTU	NOIR1	790726				EUTPECO
	Q		7907267908100259				
7908280167 Forwards IE Bulletin 79-18, "Audibility Problems Encountered on Evacuation of Personnel from High Noise Areas." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/08/07. 1p. 02546:326.	CLNTU	NOIR1	790807-01				EUTPECO
	Q		7908077908280167				
			02546 328 02546 329				
7908280318 Forwards IE Bulletin 79-21, "Temp Effects on Level Measurements." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/08/13. 1p. 02546:266.	CLNTU	NOIR1	790813				EUTPECO
	Q		7908137908280318				
			02546 266 02546 267				
7908310294 Forwards IE Info notice 79-20, "NRC Enforcement Policy - NRC Licensed Individuals." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/08/14. 1p. 02033:240.	CLNTU	NOIR1	790814-01				EUTPECO
	Q		7908147908310294				
			02033 240 02033 241				
7909070123 Forwards IE Circular 79-17, "Contact Problem in SB-12 Switches on GE Metalclad Circuit Breakers." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/08/14. 1p. 00926:265.	CLNTU	NOIR1	790814-03				EUTPECO
	Q		7908147909070123				
			00926 265 00926 268				

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R R 41 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

G. Inspection reports, IE bulletins & correspondence

7908300168 Forwards IE Bulletin 79-14, Suppl 1, "Seismic Analysis for As-Built Safety-Related Piping Sys." Action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/08/15. 1p. 02107:204.	CLNTU NOJ21 790815 Q 7908157908300168 02107 204 02107 205	EUTPECO
7909070511 Forwards IE Bulletin 79-02, Revision 1, Suppl 1, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/08/20. 1p. 00921:351.	CLNTU NOIR1 790820-01 Q 7908207909070511 00921 351 00921 352	EUTPECO
7909210251 Forwards IE Bulletin 79-14, Suppl 2, "Seismic Analysis for As-Built Safety-Related Piping Sys." Action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/09/07. 1p. 00979:004.	CLNTU NOIR1 790907 Q 7909077909210251 00979 004 00979 005	EUTPECO
7909240199 Forwards IE Info notice 79-20, Revision 1, "NRC Enforcement Policy - NRC Licensed Individuals." Notice reissued to correct word omission & punctuation error which changed intent of statement. Changed statement underlined in text. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/09/07. 1p. 00983:323.	CLNTU NOIR1 790907-02 Q 7909077909240199 00983 323 00983 324	EUTPECO
7909190409 Forwards IE Circular 79-18, "Proper Installation of Target Rock Safety Relief Valves." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/09/10. 1p. 00968:278.	CLNTU NOIR1 790910 Q 7909107909190409 00968 278 00968 279	EUTPECO
7909270076 Forwards IE Bulletin 79-23, "Potential Failure of Emergency Diesel Generator Field Exciter Transformer." Action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/09/12. 1p. 01046:001.	CLNTU NOIR1 790912 Q 7909127909270076 01046 001 01046 009	EUTPECO

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

7910020539 Forwards IE Circular 79-19, "Loose Locking Devices on Ingersoll-Rand Pump Impellers." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/09/13. 1p. 01068:131.	CLNTU	NOIR1	790913				EUTPECO
	Q		7909137910020539				
	01068	131	01068	132			
7909270433 Forwards IE Info notice 79-22, "Qualification of Control Sys." GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/09/14. 1p. 01049:323.	CLNTU	NOIR1	790914-01				EUTPECO
	Q		7909147909270433				
	01049	323	01049	326			
7910120266 Ack receipt of 790912 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/79-04 & 50-353/79-04. CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/09/20. 1p. 01139:314.	CLNTU	NOIR1C	790920				EUTPECO
	Q		7909207910120266*				
	01139	314	01139	324			
--7910120271 Responds to NRC 790816 ltr re violations noted in IE Insp Repts 50-352/79-04 & 50-353/79-04. Corrective actions: valve cleaned & inspected & QC engineers trained in job rule requirements. BOYER, V.S. Philadelphia Electric Co. 79/09/12. 2pp. 01139:315.	CLUTN	EUTPECO	790912				NOIR1
	Q		7909207910120266A				
	01139	315	01139	316			
--7910120275 Forwards IE Insp Repts 50-352/79-04 & 50-353/79-04 re 790410-12 & notice of violation. CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/08/16. 2pp. 01139:317.	CLNTU	NOIR1C	790816				EUTPECO
	Q		7909207910120266B				
	01139	317	01139	318			
--7910120278 Notice of violation from insp on 790410-12. * Region 1, Philadelphia, Office of the Director. 79/08/10. 1p. 01139:319.	TINVID	NOIR1	50-352/79-04				
	Q		7909207910120266BA				
	01139	319	01139	319			
--7910120284 IE Insp Repts 50-352/79-04 & 50-353/79-04 on 790410-12. Noncompliance noted: failure to adequately cover primary steam isolation valve. valve was subjected to weld slag, weld grinding, dust & dirt. MATTIA, J., SANDERS, R. Region 1, Philadelphia, Office of the Director. MCGAUGHY, K. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/08/10. 5pp. 01139:320.	TITUTIN	NOIR1	50-352/79-04				
	Q		7909207910120266BB				
	01139	320	01139	324			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

7910090601 Forwards IE Circular 79-20, "Failure of GTE Sylvania Relay, Type PM Bulletin 7305 Catalog 5U12-11-AC w/120 Volt ac Cktl." No action required.
GRIFFIN, H. Region 1, Philadelphia, Office of the Director, 79/09/24. 1p. 01116:224.

DTC AA1 DIN P R RA1 SN

CLNTU NOIR1 790924 EUTPECO
Q 7909247910090601
01116 224 01116 227

7911020360 Responds to suppl to IE Bulletin 79-02, Oversize bolt holes for concrete expansion bolts found. Shear washers were installed to transfer shear loads on nine supports. Remaining 23 temporarily modified. Insp continuing.
COUNEY, M.J. Philadelphia Electric Co. 79/09/24. 2pp. 01249:187.

CLUTN EUTPECO 790924 NOIR1
Q 7909247911020360
01249 187 01249 188

7910090706 Ack receipt of 790917 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/79-05 & 50-353/79-05.
CARLSON, K.L. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/09/25. 1p. 01117:008.

CLNTU NOIR1C 790925 EUTPECO
Q 7909257910090706*
01117 008 01117 027

--7910090709 Responds to NRC 790822 ltr re violations noted in IE Insp Repts 50-352/79-05 & 50-353/79-05. Corrective actions: procedure revised for documentation of elongation & of force of reworked strands & subcontractor procedure reviewed.
BOZER, V.S. Philadelphia Electric Co. 79/09/17. 2pp. 01117:009.

CLUTN EUTPECO 790917 NOIR1
Q 7909257910090706A
01117 009 01117 010

--7910090711 Forwards IE Insp Repts 50-352/79-05 & 50-353/79-05 on 790507-11 & 17-21 & notice of violation.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/08/22. 2pp. 01117:011.

CLNTU NOIR1C 790822 EUTPECO
Q 7909257910090706B
01117 011 01117 012

--7910090714 Notice of violation from insp on 790507-11 & 17-21.
* Region 1, Philadelphia, Office of the Director. 79/08/20. 1p. 01117:013.

TINVIDNOIR1 50-352/79-05
W 7909257910090706BA
01117 013 01117 013

--7910090717 IE Insp Repts 50-352/79-05 & 50-353/79-05 on 790507-11 & 17-21. Noncompliance noted: failure to follow documentation procedures for elongation & force when reworking slipped strands.
MATTIA, J., VARELA, A. Region 1, Philadelphia, Office of the Director. MCGAUGHY, K. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/08/20. 14pp. 01117:014.

TJUTINNOIR1 50-352/79-05
W 7909257910090706BB
01117 014 01117 027

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

B. Inspection reports, IE bulletins & correspondence							

79100401-0 Forwards IE Info Notice 79-23, "Emergency Diesel Generator Lube Oil Coolers." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/09/26. 4pp. 01100:000.	CLNTU	NOIR1	790926-01			EUTPECO	
	Q		7909267910040140				
	01100	009	01100	010			
7910180167 Forwards IE Bulletin 79-24, "Frozen Lines." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/09/27. 1p. 01166:140.	CLNTU	NOIR1	790927			EUTPECO	
	Q		7909277910180167				
	01166	140	01166	141			
7911210412 Forwards IE Insp Repts 50-352/79-07 & 50-353/79-07 on 790705-06 & 09 & notice of violation. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/09/27. 2pp. 01381:316.	CLNTU	NOIR1C	790927			EUTPECO	
	Q		7909277911210412*				
	01381	316	01381	325			
--7911210416 Notice of violation from insp on 790705-06 & 09. * Region 1, Philadelphia, Office of the Director. 79/09/20. 2pp. 01381:318.	TINVIDNOIR1		50-352/79-07				
	Q		7909277911210412A				
	01381	318	01381	319			
--7911210420 IE Insp Repts 50-352/79-07 & 50-353/79-07 on 790705-06 & 09. Noncompliance note: failure to follow design requirement for welding of safety-related pipe restraint. MATTIA, J.C., MCGAUGHY, K. Region 1, Philadelphia, Office of the Director. 79/09/20. 6pp. 01381:320.	TIUTINNOIR1		50-352/79-07				
	Q		7909277911210412B				
	01381	320	01381	325			
7910160554 Forwards IE Info Notice 79-25, "Reactor Trips at Turkey Point Units 3 & 4." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/10/01. 1p. 01152:211.	CLNTU	NOIR1	791001-01			EUTPECO	
	Q		7910017910160554				
	01152	211	01152	212			
7910170630 Forwards IE Info Notice 79-24, "Overpressurization of Containment of PWR Plant After Main Steam Line Break." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/10/01. 1p. 01160:140.	CLNTU	NOIR1	791001-02			EUTPECO	
	Q		7910017910170630				
	01160	140	01160	143			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

7910260454 Ack receipt of /90927 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/79-06 & 50-353/79-06.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/10/04. 1p. 01217:261.

--7910260456 Responds to NRC 790828 ltr re violations noted in IE Insp Repts 50-352/79-06 & 50-353/79-06. Corrective actions: review of piping sys requiring approved erection sequences was submitted to Bechtel & approved.
BOYER, V.S. Philadelphia Electric Co. 79/09/27. 2pp. 01217:262.

--7910260458 Forwards IE Insp Repts 50-352/79-06 & 50-353/79-06 on 790618-20 & notice of violation.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/08/28. 2pp. 01217:264.

--7910260459 Notice of violation from insp on 790618-20.
* Region 1, Philadelphia, Office of the Director. 79/08/27. 2pp. 01217:266.

--7910260467 IE Insp Repts 50-352/79-06 & 50-353/79-06 on 790618-20. Noncompliance noted: procedures when erecting RHR piping inside containment were not followed.
MATTIA, J.C., CERNE, A. Region 1, Philadelphia, Office of the Director. MCGAUGHY, K. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/08/27. 11pp. 01217:267.

7910220134 Director's decision under 10CFR2.206. Investigation will be conducted re effect of quarry blasting. Investigation of concrete void/honeycomb not warranted. Computer analysis used in seismic design under investigation.
CASE, E.G. Office of Nuclear Reactor Regulation, Director. 79/10/09. 8pp. 02428:095.

CLNTU NOIR1C 791004 EUTPECO
Q 7910047910260454*
01217 261 01217 277

CLUTN EUTPECO 790927 NOIR1
Q 7910047910260454A
01217 262 01217 263

CLNTU NOIR1C 790828 EUTPECO
Q 7910047910260454B
01217 264 01217 265

TIINVIDNOIR1 50-352/79-06
Q 7910047910260454BA
01217 266 01217 266

TIUTINNOIR1 50-352/79-06
Q 7910047910260454BB
01217 267 01217 277

ITDEC NORD DEC-791009
Q 7910097910310059
02428 095 02428 189

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----Q. Inspection reports, IE bulletins & correspondence

--7910220138 Forwards IE Insp Rept 50-352/76-08 on 760816-19,22 & 25.
No noncompliance noted.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction &
Engineering Support branch. 79/09/07. 2pp. 02428:103.

CLNTU NOIRIC 760907 EUTPECO
Q 7910097910310059A
02428 103 02428 120

--7910220144 IE Insp Rept 50-352/76-08 on 760816-19,22 & 25.No
noncompliance noted.Major areas inspected:reactor vessel
transporter chain drive & containment drywell walls.
TOTH,A.D., SANDERS,W.F. Region 1, Philadelphia, Office of the
Director. HEISHMAN,R.F. Region 1, Philadelphia, Reactor
Construction & Engineering Support Branch. 76/09/07. 16pp.
02428:105.

TIUTINNOIR1 50-352/76-08
Q 7910097910310059AA
02428 105 02428 120

--7910220147 Forwards IE Insp Rept 50-352/76-09 on 760911,14-17 & 27 &
notice of violation.
CARLSON,R.T. Region 1, Philadelphia, Reactor Construction &
Engineering Support branch. 76/10/15. 2pp. 02428:121.

CLNTU NOIRIC 761015 EUTPECO
Q 7910097910310059B
02428 121 02428 144

--7910220150 Notice of violation from insp on 760911,14-17 & 27.
* Region 1, Philadelphia, Office of the Director. 76/10/13. 1p.
02428:123.

TINVIDNOIR1 50-352/76-09
Q 7910097910310059BA
02428 123 02428 123

--7910220158 IE Insp Rept 50-352/76-09 on 760911,14-17 & 27.Noncompliance
noticed:failure to implement spec P-303 cleanliness
control requirements & failure to maintain reinforcing steel
clearances in drywell wall.
TOTH,A.D., ELGASSEK,I.C. Region 1, Philadelphia, Office of the
Director. HEISHMAN,R.F. Region 1, Philadelphia, Reactor
Construction & Engineering Support Branch. 76/10/13. 21pp.
02428:124.

TIUTINNOIR1 50-352/76-09
Q 7910097910310059BB
02428 124 02428 144

--7910220163 Forwards IE Insp Rept 50-352/77-01 on 770124-25.No
noncompliance noted.
CARLSON,R.T. Region 1, Philadelphia, Reactor Construction &
Engineering Support branch. 77/03/04. 2pp. 02428:145.

CLNTU NOIRIC 770304 EUTPECO
Q 7910097910310059C
02428 145 02428 153

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--7910220170 IE Insp Rept 50-352/77-01 on 770124-25. No noncompliance noted. Major areas inspected: concrete containment drywell wall.

VORELA, A.A. Region 1, Philadelphia, Office of the Director.
HAYNES, P.C. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 77/02/28. 7pp. 02428:147.

TIUTINNOIR1 50-352/77-01
Q 7910097910310059CA
02428 147 02428 153

--7910220173 Forwards IE Insp Rept 50-352/77-15 on 771207-09. No noncompliance noted.

CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 78/01/11. 2pp. 02428:154.

CLNTU NOIR1C 780111 EUTPECO
Q 7910097910310059D
02428 154 02428 178

--7910220161 IE Insp Rept 50-352/77-15 on 771207-09. No noncompliance noted. Major areas inspected: QA procedures & work activities re safety-related piping.

MATTIA, J., FASANO, W. Region 1, Philadelphia, Office of the Director.
MCGAUGHY, K.W. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 78/01/10. 12pp. 02428:156.

TIUTINNOIR1 50-352/77-15
Q 7910097910310059DA
02428 156 02428 178

--7910220190 Forwards final deficiency rept re separation gaps between containment & reactor enclosure.

BOYER, V.S. Philadelphia Electric Co. 78/06/13. 1p. 02428:179.

CLUTN EUTPECO 780613 NOIR1
Q 7910097910310059E
02428 179 02428 184

--7910220196 Final deficiency rept re adequacy of separation gaps between containment & reactor enclosure. As-built separation gaps adequate to meet design requirements.

* Philadelphia Electric Co. 78/06/30. 5pp. 02428:180.

TRDEFREUTPECO DFFP-780630
Q 7910097910310059EA
02428 180 02428 184

--7910220206 Notice of issuance of director's decision under 10CFR2.206. Investigation will be conducted re effects of quarry blasting. Investigation of concrete void/honeycomb not warranted.

CASE, E.G. Office of Nuclear Reactor Regulation, Director.
79/10/09. 2pp. 02428:185.

IFFRN NORD FRN-791009
Q 7910097910310059F
02428 185 02428 186

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--7910220208 Responds to 790617 ltr. Copies of correspondence w/util re quarry blasting effects investigation will be forwarded.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director.
79/10/09. 1p. 02428:187.

DTC AA1 DIN R RA1 SN

CLNTZ NORD 791009-01 EC1*****
Q 7910097910310059G
02428 187 02428 187

--7910220212 Responds to 790622 ltr re effects of quarry blasting.
Investigation will be conducted.
DENTON, H.R. Office of Nuclear Reactor Regulation, Director.
79/10/09. 2pp. 02428:188.

CLNTL NORD 791009 ELGCMC
Q 7910097910310059H
02428 188 02428 189

7911070324 Forwards IE Bulletin 79-13, Revision 2, "Cracking in Feedwater Sys Piping." No action required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
79/10/17. 1p. 01289:251.

CLNTU NOIR1 791017 EUTPECO
Q 7910177911070324
01289 251 01289 252

7911230216 Forwards IE Circular 79-21, "Prevention of Unplanned Releases of Radioactivity." No response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
79/10/19. 1p. 01388:102.

CLNTU NOIR1 791019-01 EUTPECO
Q 7910197911230216
01388 102 01388 103

7912120511 Responds to IE bulletin 79-23, Exciter power transformer neutral is not connected to generator neutral. Generator failure described in bulletin will not occur.
BOYER, V.S. Philadelphia Electric Co. 79/10/22. 1p. 01540:288.

CLUTN EUTPECO 791022-01 NOIR1
Q 7910227912120511
01540 288 01540 288

7911150067 Forwards IE Bulletin 79-17, Revision 1, "Pipe Cracks in Stagnant Horated Water Sys at PWR Plants." No response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
79/10/29. 1p. 01332:339.

CLNTU NOIR1 791029 EUTPECO
Q 7910297911150067
01332 339 01332 340

7911230345 Responds to IE bulletin 79-24 re freeze protection of specific lines. ECCS win flow lines are inside facility & not subj to freezing. Freeze protection provided to process, instrument & sampling lines.
BOYER, V.S. Philadelphia Electric Co. 79/10/29. 1p. 01389:021.

CLUTN EUTPECO 791029 NOIR1
Q 7910297911230345
01389 021 01389 021

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

7911210020 Responds to IE bulletin 79-14, Revision 1, Suppls 1 & 2, re seismic analyses for as-built safety-related piping sys. Impractical to inspect pipes being designed & constructed w/new tolerance specs. Current procedures adequate. BOYER, V.S. Philadelphia Electric Co. 79/10/30. 2pp. 01375:223.

CLUTN EUTPECO 791030 NOIR1
Q 7910307911210020
01375 223 01375 224

7911280098 Forwards IE Bulletin 79-25, "Failure of Westinghouse BFD Relays in Safety-Related Sys." Action required. GRIER, B.M. Region 1, Philadelphia, Office of the Director. 79/11/02. 11pp. 01435:274.

CLNTU NOIR1 791102-01 EUTPECO
Q 7911027911280098
01435 274 01435 275

7911160056 Forwards IE Info notice 79-26, "Breach of Containment Integrity." No action required. GRIER, B.M. Region 1, Philadelphia, Office of the Director. 79/11/05. 1p. 01347:290.

CLNTU NOIR1 791105 EUTPECO
Q 7911057911160056
01347 290 01347 291

7912260296 Forwards IE Insp Repts 50-352/79-10 & 50-353/79-09 on 790924-25. No noncompliance noted. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/11/06. 2pp. 01618:263.

CLNTU NOIR1C 791106 EUTPECO
Q 7911067912260296*
01618 263 01618 268

--7912260298 IE Insp Repts 50-352/79-10 & 50-353/79-09 on 790924-25. No noncompliance noted. Major areas inspected: work activities & records re concreting & ASME code programs. MCGAUGHY, R.W. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. MATTIA, J. Region 1, Philadelphia, Office of the Director. 79/11/09. 4pp. 01618:265.

TIUTINNOIR1C 50-352/79-10
Q 7911067912260296A
01618 265 01618 268

7911260078 Forwards IE Bulletin 79-02, Revision 2, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts." Action required. GRIER, B.M. Region 1, Philadelphia, Office of the Director. 79/11/08. 1p. 01394:182.

CLNTU NOIR1 791108-01 EUTPECO
Q 7911087911260078
01394 182 01394 183

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DTN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

7911270195 Forwards IE Info notice 79-12A, "Attempted Damage to New Fuel Assemblies." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/11/09. 1p. 01395:281.	CLNTU	NOIR1	791109				EUTPECO
	Q		7911097911270195				
	01395	281	01395	284			
7912070144 Ack receipt of 791031 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/79-07 & 50-353/79-07. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/11/15. 1p. 01517:212.	CLNTU	NOIR1C	791115				EUTPECO
	Q		7911157912070144*				
	01517	212	01517	220			
--7912070151 Responds to NRC 790927 ltr re violations noted in IE Insp Repts 50-352/79-07 & 50-353/79-07. Corrective actions: specified repair procedure to meet pipe restraint spec & structural design requirements. BOYER, V.S. Philadelphia Electric Co. 79/10/31. 3pp. 01517:213.	CLUTN	EUTPECO	791031				NOIR1
	Q		7911157912070144A				
	01517	213	01517	220			
7912050289 Forwards IE Info notice 79-27, "Steam Generator Tube Ruptures at Two PWR Plants." No response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/11/16. 1p. 01503:144.	CLNTU	NOIR1	791116-03				EUTPECO
	Q		7911167912050289				
	01503	144	01503	145			
7912100140 Forwards IE Info notice 79-28, "Overloading of Structural Elements Due to Pipe Support Loads." No response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/11/16. 1p. 01518:002.	CLNTU	NOIR1	791116-04				EUTPECO
	Q		7911167912100140				
	01518	002	01518	004			
7912100405 Forwards IE Circular 79-22, "Stroke Times for Power Operated Relief Valves." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/11/16. 1p. 01519:353.	CLNTU	NOIR1	791116-01				EUTPECO
	Q		7911167912100405				
	01519	353	01519	355			
7912110456 Forwards IE Info notice 79-29, "Loss of Nonsafety-Related Reactor Coolant Sys Instrumentation during Operation." No specific action or response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/11/19. 1p. 01530:339.	CLNTU	NOIR1	791119				EUTPECO
	Q		7911197912110456				
	01530	339	01530	342			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----Q. Inspection reports, IE bulletins & correspondence

8001240114 Forwards IE Insp Repts 50-352/79-09 & 50-353/79-08 on 790918-20 & 1003-05, no noncompliance noted. CARLSON, H. I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 79/11/19. 2pp. 01797:349.	CLNTU NOIR1 791119 Q 7911198001240114* 01797 349 01797 355	EUTPECO
--8001240118 IE Insp Repts 50-352/79-09 & 50-353/79-08 on 790918-20 & 1003-05, No noncompliance noted. Major areas inspected: work activities & records re procurement of equipment, procurement employee training & review of QA program plan changes. ERNETER, S. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. GAGE, L. Region 1, Philadelphia, Office of the Director. 79/11/15. 5pp. 01797:351.	TIUTINNOIR1 50-352/79-09 Q 7911198001240114A 01797 351 01797 355	
7912050273 Forwards IE Bulletin 79-26, "Boron Loss From BWR Control Blades." No response required. GRIER, B. H. Region 1, Philadelphia, Office of the Director. 79/11/20. 1p. 01500:150.	CLNTU NOIR1 791120 Q 7911207912050273 01500 158 01500 159	EUTPECO
7912060584 Forwards IE Circular 79-24, "Proper Installation & Calibration of Core Spray Pipe Break Detection Equipment on BWRs." No response required. GRIER, B. H. Region 1, Philadelphia, Office of the Director. 79/11/26. 1p. 01529:308.	CLNTU NOIR1 791126 Q 7911267912060584 01529 308 01529 309	EUTPECO
7912110075 Forwards IE Circular 79-23, "Motor Starters & Contactors Failed to Operate." No response required. GRIER, B. H. Region 1, Philadelphia, Office of the Director. 79/11/26. 1p. 01533:049.	CLNTU NOIR1 791126-02 Q 7911267912110075 01535 049 01535 050	EUTPECO
8003060685 Notifies that NRC intends to routinely forward to appropriate state public util regulatory groups & state atty general offices, copies of escalated enforcement correspondence sent by NRC to licensees. GRIER, B. H. Region 1, Philadelphia, Office of the Director. 79/11/29. 1p.	CLNTU NOIR1 791129 Q 7911298003060685	EUTPECO 01

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AAI	DIN	P	R	RAI	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

7912190059 Forwards IE Bulletin 79-27, "Loss of Non-Class IE Instrumentation & Control Power Sys Bus During Operation." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/11/30. 1p. 01857:252.	CLNTU	NOIR1	791130				EUTPECO
	Q		7911307912190059				
	01857	252	01857	253			
7912310241 Forwards IE Info notice 79-30, "Reporting of Defects & Noncompliances, 10CFR21." No action required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/06. 4pp. 01658:009.	CLNTU	NOIR1	791206-01				EUTPECO
	Q		7912067912310241				
	01658	009	01658	012			
7912190762 Forwards IE Bulletin 79-28, "Possible Malfunction of Namco Model EA180 Limit Switches at Elevated Temps." Written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/07. 1p. 01731:281.	CLNTU	NOIR1	791207-01				EUTPECO
	Q		7912077912190762				
	01731	281	01731	282			
7912280224 Forwards IE Info notice 79-31, "Use of Incorrect Amplified Response Spectra." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/13. 1p. 01649:180.	CLNTU	NOIR1	791213				EUTPECO
	Q		7912137912280224				
	01649	186	01649	188			
8001080188 Forwards IE Circular 79-25, "Shock Arrestor Strut Assembly Interference." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/20. 1p. 01702:142.	CLNTU	NOIR1	791220				EUTPECO
	Q		7912208001080188				
	01702	142	01702	144			
8001070146 Forwards IE Info notice 79-32, "Separation of Electrical Cables for HPCI & Automatic Depressurization Sys." No specific action or response requested. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/21. 1p. 01692:237.	CLNTU	NOIR1	791221-01				EUTPECO
	Q		7912218001070146				
	01692	237	01692	240			
800110200 Forwards IE Info notice 79-33, "Improper Closure of Primary Containment Equipment Access Hatches." No specific action or response requested. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/21. 1p. 01737:275.	CLNTU	NOIR1	791221-03				EUTPECO
	Q		791221800110200				
	01737	275	01737	277			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

U. Inspection reports, IE bulletins & correspondence							

8001240177 Responds to IE bulletin 79-25, "Failures of Westinghouse BFD Relays in Safety-Related Sys," westinghouse Model BFD relay neither being used nor planned for use on any safety-related sys at facility. BOYER, V.S. Philadelphia Electric Co. 79/12/26. 1p. 01795:013.	CLUTN	EUTPECO	791226				NOIR1
	Q		7912268001240177				
	01795	013	01795	013			
8001080660 Forwards IE Info notice 79-34, "Inadequate Design of Safety-Related Heat Exchangers." No action or response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/27. 1p. 01705:086.	CLNTU	NOIR1	791227				EUTPECO
	Q		7912278001080660				
	01705	086	01705	088			
8001140543 Forwards IE Info notice 79-37, "Cracking in Low Pressure Turbine discs." No response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/31. 1p. 01745:320.	CLNTU	NOIR1	791228-01				EUTPECO
	Q		791228001140543				
	01745	326	01745	327			
8001150100 Forwards IE Info notice 79-36, "Computer Code Defect in Stress Analysis of Piping Elbow." No specific action or response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/31. 1p. 01745:030.	CLNTU	NOIR1	791231				EUTPECO
	Q		7912318001150100				
	01745	038	01745	040			
8001150214 Forwards IF Info notice 79-35, "Control of Maint & Essential Equipment." No response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 79/12/31. 1p. 01746:333.	CLNTU	NOIR1	791231-03				EUTPECO
	Q		7912318001150214				
	01746	333	01746	343			
8001150215 Forwards IE Info notice 80-01, "Fuel Handling Events." No specific action or response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/01/04. 1p. 01746:344.	CLNTU	NOIR1	800104				EUTPECO
	Q		8001048001150215				
	01746	344	01746	347			
8002040271 Responds to IE bulletin 79-02, Revision 2, "Pipe Support Base Plate Designs Using Concrete Expansion Anchor Bolts." All expansion anchor bolts conform to acceptable safety factors. BOYER, V.S. Philadelphia Electric Co. 80/01/07. 5pp. 01863:195.	CLUTN	EUTPECO	800107				NOIR1
	Q		8001078002040271				
	01863	195	01863	200			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-342 LIMERICK GENERATING STATION, UNIT 1							

U. Inspection reports, IE bulletins & correspondence							

8001290204 Forwards IE Circular 80-01, "Svc Advice for GE Induction Disc Relays." No response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/01/17. 1p. 01840:064.	CLNTU	NOIR1	800117-01				EUTPECO
	Q		8001178001290204				
	01840	064	01840	065			
8002060131 Forwards IE Bulletin 80-02, "Inadequate QA for Nuclear Supplied Equipment." Response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/01/21. 1p. 01920:331.	CLNTU	NOIR1	800121				EUTPECO
	Q		8001218002060131				
	01920	331	01920	334			
8002060285 Forwards IE Info notice 80-02, "BWR water Rod Lower End Plug wear." No specific action or response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/01/25. 1p. 01933:152.	CLNTU	NOIR1	800125				EUTPECO
	Q		8001258002060285				
	01933	152	01933	155			
8002250124 Forwards IE Info notice 80-03, "Main Turbine Electrohydraulic Control Sys." No specific action required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/01/31. 1p. 04079:250.	CLNTU	NOIR1	800131-01				EUTPECO
	Q		8001318002250124				
	04079	250	04079	252			
8002260058 Forwards IE Circular 79-25, Suppl A, "Shock Arrestor Strut Assembly Interference." No written response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/01/31. 1p. 04101:322.	CLNTU	NOIR1	800131-03				EUTPECO
	Q		8001318002260058				
	04101	322	04101	324			
8002250463 Forwards IE Circular 80-02, "Nuclear Power Plant Staff work hours." No written response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/02/01. 1p. 04082:352.	CLNTU	NOIR1	800201				EUTPECO
	Q		8002018002250463				
	04082	352	04082	355			
8002220036 Forwards IE Info Notice 80-04, "BWR Fuel Exposure in Excess of Limits." No action or response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/02/04. 1p. 04065:025.	CLNTU	NOIR1	800204-01				EUTPECO
	Q		8002048002220036				
	04065	025	04065	026			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

G. Inspection reports, IE bulletins & correspondence

8002210277 Forwards IE Bulletin 80-03, "Loss of Charcoal From Std Type II, Two-Inch, Inray Adsorber Cells." Action required.
GRIER, B.M. Region 1, Philadelphia, Office of the Director.
80/02/06. 1p. 04066:25v.

CLNTU NOIR1 800206 EUTPECO
Q 8002068002210277
04066 250 04066 253

8003140141 Responds to IE bulletin 79-28, No NAMCO Model EA180 limit switches used or planned for use in safety-related equipment inside or outside containment.
KEMPER, J.S. Philadelphia Electric Co. 80/02/07. 1p. 04191:112.

CLUTN EUTPECO 800207-01 NOIR1
Q 8002078003140141
04191 112 04191 112

8002250137 Forwards IE Info notice 80-05, "Chloride Contamination of Safety-Related Piping & Components." No written response required.
GRIER, B.M. Region 1, Philadelphia, Office of the Director.
80/02/08. 1p. 04079:29v.

CLNTU NOIR1 800208 EUTPECO
Q 8002088002250137
04079 295 04079 297

8002250589 Forwards IE Bulletin 80-04, "Analysis of PWR Main Steam Line Break w/Continued Feedwater Addition." No written response required.
GRIER, B.M. Region 1, Philadelphia, Office of the Director.
80/02/08. 1p. 04083:32v.

CLNTU NOIR1 800208-02 EUTPECO
Q 8002088002250589
04083 320 04083 321

8004150139 Forwards IE Insp Repts 50-352/80-01 & 50-353/80-01 on 800109-11 & 16, No noncompliance noted.
CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/02/12. 2pp. 04586:042.

CLNTU NOIR1C 800212 EUTPECO
Q 8002128004150139*
04586 042 04586 047

--8004150143 IE Insp Repts 50-352/80-01 & 50-353/80-01 on 800109-11 & 16. No noncompliance noted. Major areas inspected: QA program for task of installing reactor pressure vessel internals & control rod drive hydraulic & neutron monitoring sys.
GAGE, L., WALTUN, G., LHAUER, S. Region 1, Philadelphia, Office of the Director. 80/02/07. 4pp. 04586:044.

TIUTINNOIR1 50-352/80-01
Q 8002128004150139A
04586 044 04586 047

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

8004090435 Forwards IE Insp Repts 50-352/79-14 & 50-353/79-13 on 791220,21,27 & 28. No noncompliance noted.
CARLSON, R. I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/02/13. 2pp. 04545:287.

CLNTU NOIR1C 800213 EUTPECU
Q 8002138004090435*
04545 287 04545 294

--8004090438 IE Insp Repts 50-352/79-14 & 50-353/79-13 on 791220,21,27 & 28. No noncompliance noted. Major areas inspected: QA program work activities & records & QC records of nonconformance reporting sys.
GAGE, L., CHAUDHARY, S. Region 1, Philadelphia, Office of the Director. EBNETER, S. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/02/07. 6pp. 04545:289.

TIUTINNOIR1 50-352/79-14
Q 8002138004090435A
04545 289 04545 294

8004100099 Forwards IE Insp Repts 50-352/79-13 & 50-353/79-12 on 791212-13 & 17-21. No noncompliance noted.
CARLSON, R. I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/02/13. 2pp. 04548:070.

CLNTU NOIR1C 800213-01 EUTPECU
Q 8002138004100099*
04548 070 04548 077

--8004100112 IE Insp Repts 50-352/79-13 & 50-353/79-12 on 791212-13 & 17-21. No noncompliance noted. Major areas inspected: QA procedures, documentation & work activities pertaining to storage, handling & surveillance of safety-related cables.
ERNEITER, S. D. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. PAVLINO, R. T., VARELA, A. A. Region 1, Philadelphia, Office of the Director. 80/02/07. 6pp. 04548:072.

TIUTINNOIR1C 50-352/79-13
Q 8002138004100099A
04548 072 04548 077

8003120546 Forwards IE Info Notice 80-07, "Pump Shaft Fatigue Cracking." No response required.
GRIER, B. M. Region 1, Philadelphia, Office of the Director. 80/02/29. 1p. 04174:277.

CLNTU NOIR1 800229-01 EUTPECU
Q 8002298003120546
04179 277 04179 280

8003190274 Forwards IE Info notice 80-08 "States Co Sliding Link Electrical Terminal block." No specific action or response requested.
GRIER, B. M. Region 1, Philadelphia, Office of the Director. 80/03/07. 1p. 04258:114.

CLNTU NOIR1 800307-01 EUTPECU
Q 8003078003190274
04258 112 04258 115

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IC bulletins & correspondence

8003260335 Forwards IE Info notice 80-10, "Partial Loss of Non-Nuclear Instrument Sys Power Supply During Operation." No specific action or response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/03/07. 1p. 04322:125.

CLNTU NOIR1 800307-03 EUTPECO
Q 8003078003260335
04322 125 04322 127

8003260444 Forwards IE Bulletin 80-05, "Vacuum Condition Resulting in Damage to Chemical Vol Control Sys (CVCS) Holdup Tanks." Action & written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/03/10. 1p. 04318:346.

CLNTU NOIR1 800310 EUTPECO
Q 8003108003260444
04318 346 04318 349

8003260159 Forwards IE Bulletin 80-06, "Engineered Safety Feature (ESF) Reset Controls." No written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/03/13. 1p. 04320:311.

CLNTU NOIR1 800313-01 EUTPECO
Q 8003138003260159
04320 311 04320 315

8003250356 Forwards IE Info notice 80-11, "Generic Problems w/ASLD Valves in Nuclear Applications Including Fire Protection Sys." No action or written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/03/14. 1p. 04309:063.

CLNTU NOIR1 800314-01 EUTPECO
Q 8003148003250356
04309 063 04309 064

8003260059 Forwards IE Circular 80-04, "Securing of Threaded Locking Devices on Safety-Related Equipment." No written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/03/14. 1p. 04316:314.

CLNTU NOIR1 800314-2 EUTPECO
Q 8003148003260059
04316 314 04316 315

8004090397 Advises that IE Bulletin 80-05, "vacuum Condition Resulting in Damage to Chemical vol Control Sys (CVCS) Holdup Tanks," was incorrectly sent for action. No response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/03/17. 1p. 04545:214.

CLNTU NOIR1 800317 EUTPECO
Q 8003178004090397
04545 214 04545 214

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

4. Inspection reports, IE bulletins & correspondence

8004100421 Responds to IE bulletin 80-03. Charcoal filters used will not be susceptible to charcoal leakage problems. Filters from American Air have not been delivered to job site, but when received will verify screen attachment spacing.
KEMPER, J.S., Philadelphia Electric Co. 80/03/17. 1p. 04552:099.

DTC AA1 DIN P R RA1 SN

CLUTN EUTPECO 800317 NOIR1
Q 8003178004100421
04552 099 04552 099

8004230059 Ack receipt of 80u214 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/79-11 & 50-353/79-10.
CARLSON, R.L., Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/03/20. 1p. 04663:280.

CLNTU NOIR1C 800320 EUTPECO
Q 8003208004230059*
04663 280 04663 301

--8004230071 Responds to NRC 800111 ltr re violations noted in IE Insp Repts 50-352/79-11 & 50-353/79-10. Corrective actions: superintendents have been instructed to keep equipment covered.
KEMPER, J.S., Philadelphia Electric Co. 80/02/14. 3pp. 04663:281.

CLUTN EUTPECO 800214 NOIR1
Q 8003208004230059A
04663 281 04663 283

--8004230079 Forwards IE Insp Repts 50-352/79-11 & 50-353/79-10 on 791015-31 & 1101-15 & notice of violation.
CARLSON, R.L., Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/01/11. 2pp. 04663:284.

CLNTU NOIR1C 800111 EUTPECO
Q 8003208004230059B
04663 284 04663 301

--8004230089 Notice of violation from insp on 791015-31 & 1101-15.
* Region 1, Philadelphia, Office of the Director. 79/12/27. 2pp. 04663:286.

TINVIDNOIR1 50-352/79-11
Q 8003208004230059bA
04663 286 04663 287

--8004230114 IE Insp Repts 50-352/79-11 & 50-353/79-11 on 791015-31 & 1101-15. Noncompliance noted: failure to protect safety-related item from const activities when stored & to follow weld procedures requirements to prevent undercutting.
MATTIGA, J.C., Region 1, Philadelphia, Office of the Director.
MCGAUGHY, R.W., Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/12/27. 14pp. 04663:288.

TIUTINNOIR1 50-352/79-11
Q 8003208004230059BB
04663 288 04663 301

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q, Inspection reports, IE bulletins & correspondence

8004150293 Forwards IE Info notice 80-12, "Instrument Failure Causes Opening of PORV & Block valve." No specific action or response necessary.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/03/31. 1p. 04587:280.

DTC AA1 DIN P R RA1 SN

CLNTU NOIR1 800331-01 EUTPECO
Q 8003318004150293
04587 280 04587 282

8004090093 Forwards IE Circular 80-05, "Emergency Diesel Generator Lubricating Oil Addition & Onsite Supply." No written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/04/01. 1p. 04540:294.

CLNTU NOIR1 800401 EUTPECO
Q 8004018004090093
04540 294 04540 298

8004110502 Forwards IE Info notice 80-13, "GE Type S8M Control Switches Defective CAM Followers." No written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/04/02. 1p. 04570:171.

CLNTU NOIR1 800402-01 EUTPECO
Q 8004028004110502
04570 171 04570 173

8004240337 Forwards IE Info notice 80-14, "Safety Suggestions From Employees." No action required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/04/02. 1p. 04670:111.

CLNTU NOIR1 800402-02 EUTPECO
Q 8004028004240337
04670 111 04670 114

8004180184 Forwards IE Circular 80-07, "Problems w/HPCI Turbine Oil Sys." No written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/04/03. 1p. 04612:034.

CLNTU NOIR1 800403 EUTPECO
Q 8004038004180184
04612 034 04612 038

8004110063 Forwards IE Bulletin 80-07, "BWR Jet Pump Assembly Failure." No written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/04/04. 1p. 04616:361.

CLNTU NOIR1 800404 EUTPECO
Q 8004048004110063
04616 361 04616 362

8004230399 Forwards IE Bulletin 79-03A, "Longitudinal Weld Defects in ASME SA-312, Type 304 Stainless Steel Pipe." Action required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director.
80/04/04. 1p. 04666:287.

CLNTU NOIR1 800404-02 EUTPECO
Q 8004048004230399
04666 287 04666 291

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

4. Inspection reports, IE bulletins & correspondence							

8004180267 Forwards IE Bulletin 80-08, "Exam of Containment Liner Penetration welds," written response required. GRIEK, B.N. Region 1, Philadelphia, Office of the Director. 80/04/07. 1p. 04613:148.	CLNTU	NOIR1	800467-01			EUTPECU	
	Q		8004078004180267				
	04613	148	04613	151			
8005220627 Forwards IE Investigation Repts 50-320/79-175, 50-289/79-175, 50-352/79-175, 50-412/79-175, 50-352/79-175 & 50-353/79-175 on 791210-13, 800108-09 & 14-16. CARLSON, R.L. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/04/09. 2pp.	CLNTU	NOIR1C	800469			EUTMED 01	
	Q		8004098005220627*				
--8005220643 IE Investigation Repts 50-320/79-175, 50-289/79-175, 50-334/79-175, 50-412/79-175, 50-352/79-175 & 50-353/79-175 on 791210-13, 800108-09 & 14-16. No noncompliance noted. Major areas inspected: four allegations re welder qualifications. TRIPP, L. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/04/08. 11pp.	TIIEIRNOIR1C		50-320/79-175				01
	Q		8004098005220627A				
--8005220649 Summary of 791120 meeting w/G & W Boring. Reiterates four allegations re facility welder qualifications. Requests confirmation of allegations prior to NRC investigation. ALLAN, J.H. Region 1, Philadelphia, Office of the Director. 79/12/12. 2pp.	CLNTZ	NOIR1	791212			ECI*****01	
	Q		8004098005220627B				
--8005220659 Notifies that first two items in NRC 791212 ltr are correct. Union "books" are being sold at Beaver Valley. Reaffirms four allegations re facility welder qualifications. BORING, G.W. Affiliation Unknown. 79/12/29. 12pp.	CLZTN	ECI*****	791229			NOIR1	01
	Q		8004098005220627C				
8005270193 Forwards IE Investigation Repts 50-352/79-175 & 50-353/79-175 on 800114-16. No noncompliance noted. CARLSON, R.L. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/04/09. 2pp. 05075:344.	CLNTU	NOIR1C	800409			EUTPECU	
	Q		8004098005270193				
	05075	344	05075	349			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET SU-352 LIMERICK GENERATING STATION, UNIT 1							

U. Inspection reports, IE bulletins & correspondence							

8005080025 Forwards IE Bulletin 80-09, "Hydramotor Actuator Deficiencies." written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/04/17. 1p. 04865:234.	CLNTU	NOIR1	800417				EUTPECO
	Q		8004178005080025				
	04865	234	04865	234			
8005220026 Forwards IE Info notice 80-15, "Axial (Longitudinal) Oriented Cracking in Piping." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/04/21. 1p. 05034:034.	CLNTU	NOIR1	800421-01				EUTPECO
	Q		8004218005220026				
	05034	034	05034	034			
8005210337 Forwards IE Circular 80-09, "Problems w/Plant Internal Communications Sys." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/04/28. 1p. 05006:009.	CLNTU	NOIR1	800428				EUTPECO
	Q		8004288005210337				
	05006	009	05006	012			
8005190272 Forwards IE Circular 80-10, "Failure to Maintain Environ Qualification of Equipment." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/04/29. 1p. 04977:244.	CLNTU	NOIR1	800429-01				EUTPECO
	Q		8004298005190272				
	04977	244	04977	244			
8005220160 Forwards IE Info notice 80-16, "Shaft Seal Packing Causes Hindering in Main Steam Swing Disc Check & Isolation Valves." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/04/29. 1p. 05035:315.	CLNTU	NOIR1	800429-02				EUTPECO
	Q		8004298005220160				
	05035	315	05035	317			
8005230159 Forwards IE Bulletin 80-10, "Contamination of Nonradioactive Sys & Resulting Potential for Unmonitored, Uncontrolled Release to Environ." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/05/06. 1p. 05029:228.	CLNTU	NOIR1	800506-01				EUTPECO
	Q		8005068005230159				
	05029	228	05029	231			
8005190663 Forwards IE Info notice 80-20, "Loss of Decay Heat Removal Capability at Davis-Besse Unit 1 While in Refueling Mode." No response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/05/08. 1p. 04999:252.	CLNTU	NOIR1	800508-01				EUTPECO
	Q		8005088005190663				
	04999	252	04999	253			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

8005210166 Forwards IE Bulletin 80-11, "Masonry Wall Design." No written response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/05/08. 1p. 05004:251.	CLNTU	NOIR1	800508-03				EUTPECO
	Q		800508005210166				
	05004	251	05004	254			
8005200024 Forwards IE Bulletin 80-12, "Decay Heat Removal Sys Operability." No written response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/05/09. 1p. 04981:057.	CLNTU	NOIR1	800509				EUTPECO
	Q		8005098005200024				
	04981	057	04981	061			
8007140469 Forwards IE Bulletin 80-13, "Cracking in Core Spray Spargers." No written response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/05/12. 1p. 05849:200.	CLNTU	NOIR1	800512-02				EUTPECO
	Q		8005128007140469				
	05849	200	05849	204			
8005280140 Forwards IE Circular 80-11, "Emergency Diesel Generator Lube Oil Cooler Failures." No written response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/05/13. 1p. 05088:350.	CLNTU	NOIR1	800513-01				EUTPECO
	Q		8005138005280140				
	05088	356	05088	358			
8009090089 Forwards IE Bulletin 80-07, Suppl 1, "BWR Jet Pump Assembly Failure." No response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/05/13. 1p. 06499:174.	CLNTU	NOIR1	800513-02				EUTPECO
	Q		8005138009090089				
	06499	174	06499	176			
8005290297 Forwards IE Circular 80-12, "Valve-Shaft-to-Actuator Key May Fall Out of Place when Mounted Below Horizontal Axis." No written response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/05/14. 1p. 05136:114.	CLNTU	NOIR1	800514-01				EUTPECO
	Q		8005148005290297				
	05136	114	05136	115			
8005290398 Forwards IE Info Notice 80-21, "Anchorage & Support of Safety-Related Electrical Equipment." No written response required. GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/05/16. 1p. 05136:324.	CLNTU	NOIR1	800516-01				EUTPECO
	Q		8005168005290398				
	05136	329	05136	332			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

8006120348 Responds to IE bulletin 80-02, Util feedwater spargers & thermal sleeves not mfg by Marvin Engineering Co. Equipment not Q-listed, nor part of or welded to NCRP.
KEMPER, J.S., Philadelphia Electric Co. 80/05/20. 2pp. 05310:354.

DTC AA1 DTN P R RA1 SN

CLUTN EUTPECO 800520 NOIR1
Q 8005208006120348
05310 354 05310 355

8006240091 Forwards Mgt Meeting Repts 50-352/80-06 & 50-353/80-06 on 800321.
CARLSON, H.T., Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/05/29. 1p. 05431:352.

CLNTU NOIR1C 800529 EUTPECO
Q 8005298006240091*
05431 352 05431 354

--8006240098 Mgt Meeting Repts 50-352/80-06 & 50-353/80-06 on 800321. Areas covered: status of FSAR, resident insp program, QA program, recent NRC insps, current organization of licensee & NRC & project status.
CARLSON, H.T., Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. MATTIA, J.C., MCGAUGHY, R.W., Region 1, Philadelphia, Office of the Director. 80/05/20. 2pp. 05431:353.

TIUTINNOIR1C 50-352/80-06
Q 8005298006240091A
05431 353 05431 354

8007010258 Forwards IE Info Notice 80-23, "Loss of Suction to Emergency Feedwater Pumps." No written response required.
GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/05/29. 1p. 05557:077.

CLNTU NOIR1 800529-01 EUTPECO
Q 8005298007010258
05557 077 05557 079

8007210604 Forwards IE Info Notice 80-26, "Evaluation of Contractor QA Programs." No written response required.
GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/06/10. 1p. 05920:321.

CLNTU NOIR1 800610-01 EUTPECO
Q 8006108007210604
05920 321 05920 323

8007140280 Forwards IE Bulletin 80-14, "Degradation of BWR Scram Discharge Vol Capability." No written response required.
GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/06/12. 1p. 05844:330.

CLNTU NOIR1 800612-01 EUTPECO
Q 8006128007140280
05844 330 05844 341

8007280608 Forwards IE Info Notice 80-28, "Prompt Reporting of Info in Accordance w/10CFR50.53(e)." No written response required.
GRIER, B.H., Region 1, Philadelphia, Office of the Director. 80/06/13. 1p. 06015:350.

CLNTU NOIR1 800613 EUTPECO
Q 8006138007280608
06015 350 06015 360

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

8007020516 Forwards IE Circular 80-15, "Loss of Reactor Coolant Pump Cooling & Natural Circulation Cooldown." No written response required.
GRIER, B.H., Region 1, Philadelphia, Office of the Director.
80/06/20. 1p. 05601:185.

DTC AA1 DTN P R RA1 SN

CLNTU NOIR1 800620-01 EUTPECU
Q 800620A007020516
05601 185 05601 192

8008080437 Forwards IE Insp Rept 50-352/80-11 on 790731,0927,1130 & 800604-05. No noncompliance noted.
CARLSON, R.T., Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/06/23. 2pp. 06253:338.

CLNTU NOIR1C 800623 EUTPECU
Q 8006238008080437*
06253 338 06253 346

--8008080443 IE Insp Rept 50-352/80-11 on 790731,0927,1130 & 800604-05. No noncompliance noted. Major areas inspected: allegation re out-of-roundness of 24-inch diameter main steam piping.
DURR, J.P., JERNIGAN, E., Region 1, Philadelphia, Office of the Director. TRIPP, L.E., Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/06/18. 7pp. 06253:340.

TIUTINNOIR1 50-352/80-11
Q 8006238008080437A
06253 340 06253 346

8007160728 Forwards IE Circular 80-1x, "Radioactive Contamination of Plant Demineralized Water Sys & Resultant Internal Contamination of Personnel." No written response required.
GRIER, B.H., Region 1, Philadelphia, Office of the Director.
80/06/24. 1p. 05864:120.

CLNTU NOIR1 800624 EUTPECU
Q 8006248007160728
05864 120 05864 123

8007210225 Forwards IE Info notice 80-24, "Low Level Radwaste Burial Criteria." No written response required.
GRIER, B.H., Region 1, Philadelphia, Office of the Director.
80/06/25. 1p. 05914:104.

CLNTU NOIR1 800625 EUTPECU
Q 8006258007210225
05914 104 05914 105

8007210312 Ack receipt of 800410 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/79-12 & 50-353/79-11.
GRIER, B.H., Region 1, Philadelphia, Office of the Director.
80/06/26. 2pp. 05916:175.

CLNTU NOIR1 800626 EUTPECU
Q 8006268007210312-
05916 175 05916 200

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--8007210321 Responds to NRC 800312 ltr re violations noted in IE Insp Repts 50-352/79-12 & 50-353/79-11. Corrective actions: uncontrolled copies of pipe support drawing removed from field.
KEMPER, J.S., Philadelphia Electric Co., 80/04/10, 5pp, 05916:177.

CLUTN EUTPECO 800410 NOIR1
Q 8006268007210312A
05916 177 05916 181

--8007210326 Forwards IE Insp Repts 50-352/79-12 & 50-353/79-11 on 791120-30 & 1203-21 & notice of violation.
CARLSON, R.T., Region 1, Philadelphia, Reactor Construction & Engineering Support Branch, 80/03/12, 2pp, 05916:182.

CLNTU NOIR1C 800312 EUTPECO
Q 8006268007210312B
05916 182 05916 200

--8007210330 Notice of violation from insp on 791120-30 & 1203-21.
* Region 1, Philadelphia, Office of the Director, 80/03/05, 2pp, 05916:184.

TINVIDNOIR1 50-352/79-12
Q 8006268007210312BA
05916 184 05916 185

--8007210338 IE Insp Repts 50-352/79-12 & 50-353/79-11 on 791120-30 & 1203-21. Noncompliance noted: failure to control design documents for masonry walls & failure to provide QA program for masonry wall subcontractors.
MATTIA, J.C., Region 1, Philadelphia, Office of the Director.
MCGAUGHY, R.W., Region 1, Philadelphia, Reactor Construction & Engineering Support Branch, 80/03/05, 15pp, 05916:186.

TIUTINNOIR1 50-352/79-12
Q 8006268007210312BB
05916 186 05916 200

8007230159 Forwards IE Bulletin 80-16, "Potential Misapplication of Rosemount Inc Models 1151 & 1152 Pressure Transmitters w/Either A or D Output Codes." Written response required. IE Circular 80-16 also encl. no written response required.
GRIER, B.H., Region 1, Philadelphia, Office of the Director, 80/06/27, 2pp, 05953:185.

CLNTU NOIR1 800627 EUTPECO
Q 8006278007230159
05953 185 05953 196

8007210567 Responds to IE bulletin 80-08, Flued heads which are butt welded to containment penetration sleeves used in both units, ASME Code, Section III, 1974 through winter 1974 addenda, applied.
KEMPER, J.S., Philadelphia Electric Co., 80/07/02, 7pp, 05920:225.

CLUTN EUTPECO 800702-01 NOIR1
Q 8007028007210567
05920 225 05920 231

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1
-----G. Inspection reports, IE bulletins & correspondence

8007210206 Ack receipt of 800623 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-03 & 50-353/80-03.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/07/03. 1p. 05914:001.

CLNTU NOIR1C 800703 EUTPECO
Q 8007038007210206*
05914 001 05914 021

--8007210214 Responds to NRC 800526 ltr re violations noted in IE Insp Repts 50-352/80-03 & 50-353/80-03. Corrective actions: QA issued stop work order on pipe restraint PR-239.
KEMPER, J.S. Philadelp: Electric Co. 80/06/23. 2pp. 05914:002.

CLUTN EUTPECO 800623 NOIR1
Q 8007038007210206A
05914 002 05914 003

--8007210221 Forwards IE Insp Repts 50-352/80-03 & 50-353/80-03 on 800225-0325 & notice of violation.
CARLSON, R.T. Region 1, Philadelphia, Reactor Operations Nuclear Support Branch. 80/05/26. 2pp. 05914:004.

CLNTU NOIR1D 800526 EUTPECO
Q 8007038007210206B
05914 004 05914 021

--8007210230 Notice of violation from insp on 800225-0325.
* Region 1, Philadelphia, Office of the Director. 80/05/21. 1p. 05914:006.

TINVIDNOIR1 50-352/80-03
Q 8007038007210206BA
05914 006 05914 006

--8007210240 IE Insp Repts 50-352/80-03 & 50-353/80-03 on 800225-0325. Noncompliance noted: failure to preheat weld joint prior to welding.
MATTIA, J.C., FINKEL, A. Region 1, Philadelphia, Office of the Director. MCGAUGHY, K.W. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/05/21. 15pp. 05914:007.

TITINNOIR1 50-352/80-03
Q 8007038007210206BR
05914 007 05914 021

8008060484 Forwards IE Bulletin 80-17, "Failure of 76 of 185 Control Rods to fully Insert During Scram at SWP." No written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/07/03. 1p. 06171:286.

CLNTU NOIR1 800703-02 EUTPECO
Q 8007038008060484
06171 286 06171 289

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

8008080063 Responds to IE bulletin 79-03A, "Longitudinal Weld Defects in ASME SA-312 Type 304 Stainless Steel Pipe." All facility pipe in safety-related sys subj to stresses less than 85% of code allowable stress. KEMPER, J.S. Philadelphia Electric Co. 80/07/16. 1p. 06253:237.	CLUTN	EUTPECO	800716				NOIR1
	Q		8007168008080063				
	06253	237	06253	237			
8008070120 Forwards Suppl 1 to IE Bulletin 80-17, "Failure of 76 of 185 Control Rods to Fully Insert During Scram at BWR." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/07/18. 1p. 06193:250.	CLNTU	NOIR1	800718-01				EUTPECO
	Q		8007188008070120				
	06193	258	06193	262			
8009100881 Forwards IE Insp Repts 50-352/80-13 & 50-353/80-11 on 800602-13. No noncompliance noted. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/21. 2pp. 06519:160.	CLNTU	NOIR1C	800721				EUTPECO
	Q		8007218009100881*				
	06519	160	06519	167			
--8009100884 IE Insp Repts 50-352/80-13 & 50-353/80-11 on 800602-13. No noncompliance noted. Major areas inspected: Unit 1, installation & welding of safety-related piping & supports; Unit 2, tour of facility conducted. MATTIA, J.C. Region 1, Philadelphia, Office of the Director. MCGAUGHY, R.W. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/16. 6pp. 06519:162.	TIUTINNOIR1		50-352/80-13				
	Q		8007218009100881A				
	06519	162	06519	167			
8008070236 Forwards Suppl 2 to IE Bulletin 80-17, "Failure of 76 of 185 Control Rods to Fully Insert During Scram at BWR." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/07/22. 2pp. 06193:032.	CLNTU	NOIR1	800722-01				EUTPECO
	Q		8007228008070236				
	06193	032	06193	035			
8008120624 Ack receipt of 800703 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-02 & 50-353/80-02. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/24. 1p. 06304:250	CLNTU	NOIR1C	800724				EUTPECO
	Q		8007248008120624*				
	06304	250	06304	272			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--8008120628 Responds to NRC 800604 ltr re violations noted in IE Insp Repts 50-352/80-02 & 50-353/80-02. Corrective actions: obsolete drawings were discarded, Hanger 680-112-H-10 will be reworked & base plate replaced.
KEMPER, J.S. Philadelphia Electric Co. 80/07/03. 3pp. 06304:251.

DTC AA1 DIN P R RA1 SN

CLUTN EUTPECO 800703 NOIR1
Q 8007248008120624A
06304 251 06304 253

--8008120634 Forwards IE Insp Repts 50-352/80-02 & 50-353/80-02 on 800122-0222 & notice of violation.
CARLSON, R.L. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/06/04. 2pp. 06304:254.

CLNTU NOIR1C 80060 EUTPECU
Q 8007248008120624B
06304 254 06304 272

--8008120645 Notice of violation from insp on 800122-0222.
* Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/06/03. 2pp. 06304:256.

TINVIDNOIR1C 50-352/80-02
Q 8007248008120624BA
06304 256 06304 257

--8008120652 IE Insp Repts 50-352/80-02 & 50-353/80-02 on 800122-0222. Noncompliance noted: failure to comply w/procedures re drawing control & failure to comply w/procedure re pipe supports.
MATTIA, J.C. Region 1, Philadelphia, Office of the Director.
MCGAUGHY, R.W. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/06/03. 15pp. 06304:258.

TIUTINNOIR1 50-352/80-02
Q 8007248008120624BB
06304 258 06304 272

8008130263 Ack receipt of 800703 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-352/80-07.
CARLSON, R.L. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/25. 1p. 06326:180.

CLNTU NOIR1C 800725 EUTPECU
Q 8007258008130263A
06326 180 06326 190

--8008130267 Responds to NRC 800604 ltr re violation noted in IE Insp Rept 50-352/80-07. Corrective actions: crevices involved have been thoroughly flushed w/cleaner until no further penetrant seeped from open crevices.
KEMPER, J.S. Philadelphia Electric Co. 80/07/03. 3pp. 06326:181.

CLUTN EUTPECO 800703-01 NOIR1
Q 8007258008130263A
06326 181 06326 183

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--8008130270 Forwards IE Insp Rept 50-352/80-07 on 800429-30 & notice of violation.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/06/04. 2pp. 06326:184.

CLNTU NOIR1C 800604-01 EUTPECU
Q 80072580081302638
06326 184 06326 190

--8008130273 Notice of violation from insp on 800429-30.
* Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/05/25. 1p. 06326:186.

TINVIDNOIR1C 50-352/80-07
Q 80072580081302538A
06326 186 06326 186

--8008130277 IE Insp Rept 50-352/80-07 on 800429-30. Noncompliance noted: failure to provide adequate QA procedures to prevent penetrant entrapment.
WALTON, G.A. Region 1, Philadelphia, Office of the Director.
TRIPP, L. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/05/23. 4pp. 06326:187.

TIUTINNOIR1 50-352/80-07
Q 80072580081302638B
06326 187 06326 190

8010010625 Forwards IE Insp Repts 50-352/80-10 & 50-353/80-09 on 800317-20. No noncompliance noted.
CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/07/28. 2pp. 06637:226.

CLNTU NOIR1C 800728-02 EUTPECU
Q 8007288010010625A
06637 226 06637 234

--8010010632 IE Insp Repts 50-352/80-10 & 50-353/80-09 on 800317-20. No noncompliance noted. Major areas inspected: allegation that personnel were instructed to deviate from Bechtel procedures in primary containment.
MATTIA, J.C., REMAKUS, L. Region 1, Philadelphia, Office of the Director.
MCGAUGHY, R.W. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/07/24. 7pp. 06637:228.

TIUTINNOIR1 50-352/80-10
Q 8007288010010625A
06637 228 06637 234

8008140513 Forwards IE Bulletin 80-20, "Failures of Westinghouse Type W-2 Spring Return to Neutral Control Switches." Requests info re estimate of manpower associated w/corrective actions needed after identifying problem.
GRIER, S.H. Region 1, Philadelphia, Office of the Director. 80/07/31. 1p. 06346:158.

CLNTU NOIR1 800731 EUTPECU
Q 8007318008140513
06346 158 06346 162

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

8008180005 Forwards IE Bulletin 80-19, "Failures of Mercury-wetted Matrix Relays in Reactor Protective Sys of Operating Nuclear Power Plants Designed by Combustion Engineering." Action required by facilities w/DLs or CPs.
GRIER, R.H. Region 1, Philadelphia, Office of the Director. 80/07/31. 1p. 06361:119.

DTC AA1 DIN P R RA1 SN

CLNTU NOIR1 800731-02 EUTPECU
Q 8007318008180005
06361 119 06361 122

8009090222 Ack receipt of 800710 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-04 & 50-353/80-04.
CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/08/05. 1p. 06499:244.

CLNTU NOIR1C 800805 EUTPECU
Q 8008058009090222*
06499 244 06499 257

--8009090226 Responds to NRC 800610 ltr re violations noted in IE Insp Repts 50-352/80-04 & 50-353/80-04. Corrective actions: concrete strength will be based on 90-day compressive strength tests.
KEMPER, J.S. Philadelphia Electric Co. 80/07/10. 4pp. 06499:245.

CLNTU EUTPECU 800710-01 NOIR1
Q 8008058009090222A
06499 245 06499 248

--8009090229 Forwards IE Insp Repts 50-352/80-04 & 50-353/80-04 on 800319-21 & 0402-04, no noncompliance noted.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/06/10. 2pp. 06499:249.

CLNTU NOIR1C 800610 EUTPECU
Q 8008058009090222B
06499 249 06499 257

--8009090232 IE Insp Repts 50-352/80-04 & 50-353/80-04 on 800319-21 & 0402-04, no noncompliance noted. One deviation noted: failure to meet PSAR commitment for concrete strength in 28-day compression tests.
ERNETER, S.D. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. CHAUDHARY, S.K. Region 1, Philadelphia, Office of the Director. 80/06/06. 7pp. 06499:251.

TIUTINNOIR1C 50-352/80-04
Q 8008058009090222BA
06499 251 06499 257

8009100022 Ack receipt of 000717 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-05 & 50-353/80-05.
CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/08/05. 1p. 06517:201.

CLNTU NOIR1C 800805-01 EUTPECU
Q 8008058009100022*
06517 201 06517 226

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC 441 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q, Inspection reports, IE bulletins & correspondence

- 8009100026 Responds to NRC 800619 ltr re violations noted in IE Insp Repts 50-352/80-05 & 50-353/80-05. Corrective actions: weld cavity repaired for pipe restraint.
KEMPER, J.S., Philadelphia Electric Co., 80/07/17, 3pp, 06517:202.
- 8009100025 Forwards IE Insp Repts 50-352/80-05 & 50-353/80-05 on 800326-0430 & notice of violation.
CARLSON, K.T., Region 1, Philadelphia, Reactor Construction & Engineering Support branch, 80/06/19, 2pp, 06517:205.
- 8009100028 Notice of violation from insp on 800326-0430.
* Region 1, Philadelphia, Office of the Director, 80/06/13, 1p, 06517:207.
- 8009100030 IE Insp Repts 50-352/80-05 & 50-353/80-05 on 800326-0430. Noncompliance noted: failure to repair weld cavity properly for pipe restraint.
MCGAUGHY, P.W., Region 1, Philadelphia, Reactor Construction & Engineering Support branch, MATTIA, J.C., Region 1, Philadelphia, Office of the Director, 80/06/13, 19pp, 06517:208.
- 8008250096 Forwards IE Info Notice 80-29, "Broken Studs on Terry Turbine Steam Inlet Flange." No specific action or response requested.
GRIFER, B.H., Region 1, Philadelphia, Office of the Director, 80/08/07, 1p, 06402:325.
- 8009190044 Ack receipt of 800804 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-09 & 50-353/80-09.
SMITH, G.D., Region 1, Philadelphia, Fuel Facility & Materials Safety Branch, 80/08/14, 1p, 06578:165.
- 8009190048 Responds to NRC 800714 ltr re violations noted in IE Insp Repts 50-352/80-09 & 50-353/80-09. Corrective actions: sewage pumped on continuous batch basis from holding tanks to treatment plant.
KEMPER, J.S., Philadelphia Electric Co., 80/08/04, 3pp, 06578:166.

CLUTN EUTPECO 800717-01 NOIR1
Q 8008058009100022A
06517 202 06517 204CLNTU NOIR1C 800619 EUTPECO
Q 8008058009100022B
06517 205 06517 226TINVIDNOIR1 50-352/80-05
Q 8008058009100022BA
06517 207 06517 207TIUTINNOIR1C 50-352/80-05
Q 8008058009100022B
06517 208 06517 226CLNTU NOIR1 800807-01 EUTPECO
Q 8008078008250096
06402 325 06402 327CLNTU NOIR1F 800814 EUTPECO
Q 8008148009190044*
06578 165 06578 160CLUTN EUTPECO 800804-02 NOIR1
Q 8008148009190044A
06578 166 06578 168

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--8009190049 Forwards IE Insp Repts 50-352/80-09 & 50-353/80-08 on 800522-27 & notice of violation. SMITH, G.H. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch. 80/07/14. 2pp. 06578:169.

CLNTU NOIR1F 800714 EUTPECU
Q 8008148009190044B
06578 169 06578 180

--8009190053 Notice of violation from insp on 800522-27. * Region 1, Philadelphia, Fuel Facility & Materials Safety Branch. 80/07/07. 1p. 06578:171.

TINVIDNOIR1F 50-352/80-09
Q 8008148009190044B
06578 171 06578 171

--8009190056 IE Insp Repts 50-352/80-09 & 50-353/80-08 on 800522-27. Noncompliance noted: failure to control untreated wastewater & discharge from site. BORES, R.J. Region 1, Philadelphia, Fuel Facility & Materials Safety Branch. JACKSON, J.J. Region 1, Philadelphia, Office of the Director. 80/07/07. 4pp. 06578:172.

TIUTINNOIR1F 50-352/80-09
Q 8008148009190044B
06578 172 06578 180

8009030083 Forwards Revision 1 to IE Bulletin 80-19, "Failure of Mercury-netted Matrix relays in Reactor Protective Sys of Operating Nuclear Power Plants Designed by C-E." Written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/08/15. 1p. 06462:096.

CLNTU NOIR1 800815-01 EUTPECU
Q 8008158009030083
06462 098 06462 101

8008280526 Forwards IE Info notice 80-30, "Potential for Unacceptable Interaction Between Control Rod Drive Scram Function & Nonessential Control Air at Certain GE BWR Facilities." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/08/19. 1p. 06437:301.

CLNTU NOIR1 800819-01 EUTPECU
Q 8008198008280526
06437 301 06437 302

8010020239 Ack receipt of 800730 ltr informing NRC of steps taken to correct violation noted in IE Insp Repts 50-352/79-12 & 50-353/79-11. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/08/21. 1p. 06652:301.

CLNTU NOIR1 800821 EUTPECU
Q 8008218010020239
06652 301 06652 303

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--8010020253 Responds to NRC 800628 ltr re violation noted in IE Insp Repts 50-352/79-12 & 50-353/79-11. Corrective actions: future subcontractors will establish, in writing, QA program responsibility, effective 810410.
KEMPER, J.S. Philadelphia Electric Co. 80/07/30. 2pp. 03507:001.

CLUTN EUTPECU 800730-01 NOIR1
Q 8008218010020239A
03507 001 03507 001

8010100062 Forwards IE Insp Repts 50-352/80-15 & 50-353/80-13 on 800805 & 07-08. No noncompliance noted.
CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/08/21. 2pp. 06698:160.

CLNTU NOIR1C 800821 EUTPECU
Q 8008218010100062A
06698 160 06698 166

--8010100074 IE Insp Repts 50-352/80-15 & 50-353/80-13 on 800805 & 07-08. No noncompliance noted. Major areas inspected: safety-related pipe welding in process, completed safety-related pipe welding & filler metal control sys.
REYNOLDS, S.D. Region 1, Philadelphia, Office of the Director.
TRIPP, L.E. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/08/28. 5pp. 06698:162.

TIUTINNOIR1 50-352/80-15
Q 8008218010100062A
06698 162 06698 166

8009120106 Forwards Suppl 3 to IE Bulletin 80-17, "Failure of Control Rods to Insert During Scram at BAR." No written response required.
GRIER, H.H. Region 1, Philadelphia, Office of the Director. 80/08/22. 1p. 06543:204.

CLNTU NOIR1 800822-01 EUTPECU
Q 8008228009120106
06543 204 06545 207

8009180035 Forwards IE Circular 80-18, "10CFR50.59 Safety Evaluations for Changes to Radwaste Treatment Sys." No written response required.
GRIER, H.H. Region 1, Philadelphia, Office of the Director. 80/08/22. 1p. 06570:220.

CLNTU NOIR1 800822-03 EUTPECU
Q 8008228009180035
06570 228 06570 232

8010020117 Responds to IE bulletin 80-19. Mercury-wetted relays are not used or planned for use in reactor protection sys.
KEMPER, J.S. Philadelphia Electric Co. 80/08/26. 1p. 06652:205.

CLUTN EUTPECU 800826 NOIR1
Q 8008268010020117
06652 205 06652 205

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

8010020197 Responds to IE bulletin 80-16 re Rosemount Models 1151 & 1152 pressure transmitters. Transmitters have been installed in safety related applications. Extension of time requested for complete response to bulletin. KEMPER, J.S. Philadelphia Electric Co. 80/08/26. 1p. 06652:252.	CLUTN	EUTPECO	800826-01				NOIR1
	Q		8008268010020197				
	06652	252	06652	252			
8009120200 Forwards IE Info Notice 80-31, "Maloperation of Gould-Brown Boveri 400 Volt Type K-600S & K-00N 600S Circuit Breakers." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/08/27. 1p. 06536:284.	CLNTU	NOIR1	800827				EUTPECO
	Q		8008278009120200				
	06536	284	06536	284			
8009230794 Forwards IE Circular 80-21, "Regulation of Refueling Crews." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/09/10. 1p. 06595:206.	CLNTU	NOIR1	800910				EUTPECO
	Q		8009108009230794				
	06595	206	06595	210			
8010010840 Responds to IE bulletin 80-20. No Westinghouse Type A-2 control switches are used or planned for use in safety-related applications. KEMPER, J.S. Philadelphia Electric Co. 80/09/10. 1p. 06650:023.	CLUTN	EUTPECO	800910-01				NOIR1
	Q		8009108010010840				
	06650	023	06650	023			
8010010848 Responds to IE bulletin 80-16 re Rosemount Model 1151 & 1152 pressure transmitters. Requests change for submittal of response to 801001. KEMPER, J.S. Philadelphia Electric Co. 80/09/10. 1p. 06650:024.	CLUTN	EUTPECO	800910-02				NOIR1
	Q		8009108010010848				
	06650	024	06650	024			
8009240353 Forwards IE Info Notice 80-32, "Clarification of Certain Requirements for Exclusive-Use Shipments of Radioactive Materials." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/09/12. 1p. 06604:349.	CLNTU	NOIR1	800912-01				EUTPECO
	Q		8009128009240353				
	06604	349	06604	353			
8010100024 Forwards Page 11 to IE Insp Repts 50-352/80-12 & 50-353/80-10 which may have been inadvertently omitted. CARLSON, R.L. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/09/15. 2pp. 06697:312.	CLNTU	NOIR1C	800915				EUTPECO
	Q		8009158010100024				
	06697	312	06697	313			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

U. Inspection reports, IE bulletins & correspondence

8010100092 Ack receipt of 800825 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-04 & 50-353/80-04. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/09/15. 1p. 06698:241.	CLNTU NOIR1C 800915-01 Q 8009158010100092* 06698 241 06698 242	EUTPECO
--8010100094 Responds to NRC 800610 ltr re violations noted in IE Insp Repts 50-352/80-04 & 50-353/80-04. Util unable to submit amend to facility PSAR per 800710 commitment until 800924. KEMPER, J.S. Philadelphia Electric Co. 80/08/25. 1p. 06698:242.	CLUTN EUTPECO 800825 Q 8009158010100092A 06698 242 06698 242	NOIR1
8010140048 Ack receipt of 800826 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-08 & 50-353/80-07. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/09/15. 1p. 06707:322.	CLNTU NOIR1C 800915-02 Q 8009158010140048* 06707 322 06707 329	EUTPECO
--8010140054 Responds to NRC 800724 ltr re violations noted in IE Insp Repts 50-352/80-08 & 50-353/80-07. Corrective actions: training class was held 800612 for all discipline QC engineers stressing proper review of insp criteria. KEMPER, J.S. Philadelphia Electric Co. 80/08/26. 4pp. 06707:323.	CLUTN EUTPECO 800826-01 Q 8009158010140048A 06707 323 06707 327	NOIR1
--8010140056 Forwards IE Insp Repts 50-352/80-08 & 50-353/80-07 on 800501-30 & notice of violation. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/24. 2pp. 06707:327.	CLNTU NOIR1C 800724-01 Q 8009158010140048B 06707 327 06707 329	EUTPECO
--8010140059 Notice of violation from insp on 800501-30. * Region 1, Philadelphia, Office of the Director. 80/07/18. 2pp. 06707:329.	TIINVIDNOIR1 50-352/80-08 Q 8009158010140048BA 06707 329 06707 330	
--8010140063 IE Insp Repts 50-352/80-08 & 50-353/80-07 on 800501-30. Noncompliance noted: failure to perform insp of welds in process, failure to provide document control & failure to inspect latest design documents. MATHIA, J.C. Region 1, Philadelphia, Office of the Director. MCCAUGHY, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/18. 9pp. 06707:331.	TIUTINNOIR1 50-352/80-08 Q 8009158010140048BB 06707 331 06707 339	

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P H RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

8011100321 Forwards IE Insp Repts 50-352/80-14 & 50-353/80-12 on 800701-18 & 28-31. No noncompliance noted. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/09/16. 2pp. 06929:186.	CLNTU NOIR1C 800916 Q 8009168011100321* 06929 186 06929 196	EUTPECO
--8011100352 IE Insp Repts 50-352/80-14 & 50-353/80-12 on 800701-18 & 28-31. No noncompliance noted. Major areas inspected: safety-related piping & supports, equipment storage & const electrical activities. MATIJA, J.C. Region 1, Philadelphia, Office of the Director. MCGAUGHY, R.W. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/09/15. 9pp. 06929:188.	TIUTINNOIR1 50-352/80-14 Q 8009168011100321A 06929 188 06929 196	
8011170622 Forwards IE Insp Repts 50-352/80-16 & 50-353/80-14 on 800804-24. No noncompliance noted. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/09/17. 2pp. 06981:251.	CLNTU NOIR1C 800917 Q 8009178011170622* 06981 251 06981 257	EUTPECO
--8011170634 IE Insp Repts 50-352/80-16 & 50-353/80-14 on 800804-29. No noncompliance noted. Major areas inspected: electrical activities, pipe hanger installation, document control & rework activities. MATIJA, J.C., MCGAUGHY, R.W. Region 1, Philadelphia, Office of the Director. 80/08/17. 3pp. 06981:253.	TIUTINNOIR1 50-352/80-16 Q 8009178011170622A 06981 253 06981 257	
8010230710 Ack receipt of 800610 & 0903 ltrs informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-12 & 50-353/80-11. CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/09/26. 1p. 06791:165.	CLUTN NOIR1C 800926 Q 8009268010230710* 06791 165 06791 170	EUTPECO
--8010230711 Responds to NRC 800312 ltr re violations noted in IE Insp Repts 50-352/80-12 & 50-353/80-11. Corrective actions: memorandum issued directing that no mail substitutions be made to permanent plant hangers w/o prior approval. KEMPER, J.S. Philadelphia Electric Co. 80/09/03. 1p. 06791:166.	CLUTN EUTPECO 800903 Q 8009268010230710A 06791 166 06791 166	NOIR1

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

--8010230713 Responds to NRC 800312 ltr re violations noted in IE Insp Repts 50-352/80-12 & 50-353/80-11. Corrective actions: visual insp of installed pipe support pins will be extended to areas containing Q-listed pipe supports.
KEMPER, J.S. Philadelphia Electric Co. 80/06/10. 4pp. 06791:167.

CLUTN EUTPECO 800610 NOIR1
Q 8009268010230710B
06791 167 06791 170

8011060535 Forwards Suppl 2 to IE Bulletin 79-01B, "Environ Qualification of Class II Equipment." IEB 79-01B & suppl dtd 800229, not previously transmitted, also encl. No written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/09/30. 1p. 06911:355.

CLNTU NOIR1 800930 EUTPECO
Q 8009308011060535
06911 355 06911 357

8010230191 Responds to IE bulletin 80-16, "Potential Misapplication of Rosemount, Inc Models 1151 & 1152 Pressure Transmitters w/ Either A or D Output Codes." GE analysis will be delayed approx 6 wks. Status rept will be sent by 810130.
KEMPER, J.S. Philadelphia Electric Co. 80/10/01. 1p. 06785:289.

CLUTN EUTPECO 801001 NOIR1
Q 8010018010230191
06785 289 06785 289

8010240158 Forwards IE Circular 80-22, "Confirmation of Employee Qualifications." No written response required.
GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/10/02. 1p. 06801:292.

CLNTU NOIR1 801002-01 EUTPECO
Q 8010028010240158
06801 292 06801 294

8010280168 Forwards IE Info notice 80-36, "Failure of Steam Generator Support Bolting." No specific action or response requested.
GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/10/10. 1p. 06821:126.

CLNTU NOIR1 801010 EUTPECO
Q 8010108010280168
06821 126 06821 128

8011190286 Ack receipt of 800926 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-12 & 50-353/80-10.
CARLSON, R.L. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/10/10. 1p. 06996:133.

CLNTU NOIR1C 801010 EUTPECO
Q 8010108011190286*
06996 133 06996 167

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

U. Inspection reports, IE bulletins & correspondence

--8011190307 Responds to 4nC 800827 ltr re violations noted in IE Insp Repts 50-352/80-12 & 50-353/80-10. Corrective actions halted Insp by unqualified inspector, replaced defective thermometer & removed unauthorized weld tacks.
KEMPLE, J.S. Philadelphia Electric Co. 80/09/26. 6pp. 06996:134.

--8011190319 Forwards IE Insp Repts 50-352/80-12 & 50-353/80-10 on 800616-27 & notice of violation.
CARLSON, K.L. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/08/27. 2pp. 06996:140.

--8011190324 Notice of violation from Insp on 800616-27.
Region 1, Philadelphia, Office of the Director. 80/08/26. 4pp. 06996:142.

--8011190329 IE Insp Repts 50-352/80-12 & 50-353/80-10 on 800616-27. Noncompliance noted: failure to properly qualify inspector, use of inaccurate thermometers & failure to follow field const drawing procedures & design drawing requirements.
MATTIA, J.C., WALTHAM, MA. Region 1, Philadelphia, Office of the Director. 80/08/26. 22pp. 06996:146.

8012230034 Forwards IE Insp Repts 50-352/80-1R & 50-353/80-16 on 800918, 19, 22-24. No noncompliance noted.
CARLSON, K.L. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/10/15. 2pp. 07311:223.

--8012230041 IE Insp Repts 50-352/80-1R & 50-353/80-16 on 800918, 19, 22-24. No noncompliance noted. Major areas inspected: work activities & records associated w/CF DA program.
GABE, L. Region 1, Philadelphia, Office of the Director.
EPHEMER, S.B. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/10/07. 6pp. 07311:225.

DTC AAI DIN P H RAI SN

CLUTN EUIPECU 800926 NOIRI
Q 8010108011190286A
06996 134 06996 139

CLMTH NOIRIC 800827 EUIPECU
Q 8010108011190286B
06996 140 06996 167

TIUVIDNOIRI 50-352/80-12
Q 8010108011190286BA
06996 142 06996 145

TIUTINNOIRI 50-352/80-12
Q 8010108011190286BB
06996 146 06996 167

CLMTU NOIRIC 801015 EUIPECU
Q 801015801230030A
07311 223 07311 230

TIUTINNOIRI 50-352/80-1R
Q 801015801230030A
07311 225 07311 230

MONTHLY TITLE LIST
 U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							
----- Q. Inspection reports, IE bulletins & correspondence -----							
8011030525 Requests that encl preservice insp & testing requirements to ensure snubber operability be included in licensing process & be implemented at facility. TEDFSCU, R.L. Assistant Director for Licensing. 80/10/17. 4pp. 06873:002.	CLNTU	NRRL	801017				EUTPECO
	Q		8010178011030525				
	06873	002	06873	005			
8011060642 Forwards IE Info notice 80-37, "Containment Cooler Leaks & Reactor Cavity Flooding At Indian Point Unit 2." No written response required. GRIER, B.M. Region 1, Philadelphia, Office of the Director. 80/10/24. 1p. 06909:325.	CLNTU	NOIR1	801024-01				EUTPECO
	Q		8010248011060642				
	06909	325	06909	328			
8011070308 Forwards Suppl 3 to IE Bulletin 79-018, "Environ Qualification of Class IE Equipment." No written response required. GRIER, B.M. Region 1, Philadelphia, Office of the Director. 80/10/24. 1p. 06921:340.	CLNTU	NOIR1	801024-02				EUTPECO
	Q		8010248011070308				
	06921	348	06921	351			
8011140235 Forwards IE Circular 80-23, "Potential Defects in Beloit Power Sys Emergency generators." No written response required. GRIER, B.M. Region 1, Philadelphia, Office of the Director. 80/10/31. 1p. 06968:233.	CLNTU	NOIR1	801031				EUTPECO
	Q		8010318011140235				
	06968	233	06968	234			
8011140598 Forwards IE Info notice 80-39, "Malfunction of Solenoid Valves Mfg by Valcor Engineering Corp." No written response required. GRIER, B.M. Region 1, Philadelphia, Office of the Director. 80/10/31. 1p. 06963:239.	CLNTU	NOIR1	801031-03				EUTPECO
	Q		8010318011140598				
	06963	239	06963	240			
8012120184 Forwards IE Bulletin 80-21, "Valve Yokes Supplied by Malcolm Foundry Co, Inc." written response required. GRIER, B.M. Region 1, Philadelphia, Office of the Director. 80/11/06. 1p. 07228:312.	CLNTU	NOIR1	801106				EUTPECO
	Q		8011068012120184				
	07228	312	07228	316			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET SU-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

8012030805 Forwards IE Info notice 80-40, "Excessive Nitrogen Supply Pressure Actuates Safety Relief Valve Operation to Cause Reactor Depressurization." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/11/07. 1p. 07150:246.	CLNTU	NOIR1	801107-01				EUTPECU
	Q		8011078012030805				
	07150	248	07150	251			
8012080493 Forwards IE Info notice 80-41, "Failure of Swing Check Valve in Decay Heat Removal Sys at Davis Besse Unit 1." No response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/11/10. 1p. 07182:346.	CLNTU	NOIR1	801110-01				EUTPECU
	Q		8011108012080493				
	07182	348	07182	350			
8012040035 Forwards IE Bulletin 80-23, "Failures of Solenoid Valves Mfg by Valcor Engineering Corp." Requires estimate of manpower associated w/ corrective actions. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/11/14. 1p. 07169:332.	CLNTU	NOIR1	801114				EUTPECU
	Q		8011148012040035				
	07169	332	07169	336			
8012080581 Requests addl info re piping & instrumentation diagrams for review of application re inservice insp of pressure isolation valves. Conformance to encl Mechanical Engineering Branch position should be discussed. TEDESCO, H.L. Assistant Director for Licensing. 80/11/17. 4pp. 07188:200.	CLNTU	NRRL	801117				EUTPECU
	Q		8011178012080581				
	07188	200	07188	202			
8012220660 Advises that written response is required to IE Bulletin 80-23, "Failures of Solenoid Valves Mfg by Valcor Engineering Corp." First paragraph erroneously stated no written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/11/19. 1p. 07294:223.	CLNTU	NOIR1	801119-01				EUTPECU
	Q		8011198012220660				
	07294	223	07294	223			
8012040625 Forwards IE Bulletin 80-24, "Prevention of Damage Due to Water Leakage Inside Containment." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/11/21. 2pp. 07165:312.	CLNTU	NOIR1	801121-01				EUTPECU
	Q		8011218012040625				
	07165	312	07165	317			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

Q. Inspection reports, IE bulletins & correspondence

8102050585 Forwards Into Notice 80-42, "Effect of Radiation on Hydraulic Snubber Fluid." no written response required. GRIER, B.N. Region 1, Philadelphia, Office of the Director. 80/11/24. 1p. 07174:089.	CLNTU NOIR1 801124 Q 8011248012050585 07174 089 07174 091	EUTPECU
8101070398 Forwards Suppl 1 to IE Info Notice 80-29, "Broken Studs on Jerry Turbine Steam Inlet Flange." No written response required. GRIER, B.N. Region 1, Philadelphia, Office of the Director. 80/11/26. 1p. 07414:080.	CLNTU NOIR1 801126 Q 8011268101070398 07414 080 07414 082	EUTPECU
8102050786 Ack receipt of 801117 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-17 & 50-353/80-15. CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/12/02. 1p. 07624:053.	CLNTU NOIR1C 801202 Q 8012028102050786* 07624 053 07624 069	EUTPECU
--8102050793 Responds to NRC 801020 ltr re violations noted in IE Insp Repts 50-352/80-17 & 50-353/80-15, corrective actions: Recheck identified cutting of rebar as nonconformance w/drawing & re-instructed personnel. KEMPER, J.S. Philadelphia Electric Co. 80/11/17. 3pp. 07624:054.	CLUTN EUTPECU 801117 Q 8012028102050786A 07624 054 07624 056	NOIR1
--8102050795 Forwards IE Insp Repts 50-352/80-17 & 50-353/80-15 on 800902-05 & 15-30 & notice of violation. CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/10/20. 2pp. 07624:057.	CLNTU NOIR1C 801020 Q 8012028102050786B 07624 057 07624 069	EUTPECU
--8102050798 Notice of violation from insp on 800902-05 & 15-30. * Region 1, Philadelphia, Office of the Director. 80/10/17. 2pp. 07624:059.	TIINVIDNOIR1 50-352/80-17 Q 8012028102050786BA 07624 059 07624 060	
--8102050808 IE Insp Repts 50-352/80-17 & 50-353/80-15 on 800902-05 & 15-30, noncompliance noted: crafts drilling into Class 1 Block wall 62 w/o written approval of lead area engineer & cables on trays not protected from edges of trays. MATTIA, J.C. Region 1, Philadelphia, Office of the Director. TRIPP, L.E. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/10/17. 9pp. 07624:061.	TIUTINNOIR1 50-352/80-17 Q 8012028102050786BB 07624 061 07624 069	

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AAI	DIN	P	R	RAI	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

Q. Inspection reports, IE bulletins & correspondence							

8101050118 Forwards IE Info Notice 80-43, "Failures of Continuous water Level Monitor for Steam Discharge Vol at Dresden Unit 2." No response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/12/05. 1p. 07376:335.	CLNTU	NOIR1	801205			EUTPECO	
	Q		8012058101050118				
	07376	335	07376	335			
8101060123 Forwards IE Info Notice 80-45, "Potential Failure of BWR Backup Manoe. Scram Capability." No response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/12/17. 1p. 07397:332.	CLNTU	NOIR1	801217			EUTPECO	
	Q		8012178101060123				
	07397	332	07397	332			
8101070055 Forwards Suppl 4 to IE Bulletin 80-17, "Failure of 76 of 185 Control Rods to Fully Insert During Scram at BWR." No written response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/12/18. 1p. 07414:025.	CLNTU	NOIR1	801218			EUTPECO	
	Q		8012188101070055				
	07414	025	07414	025			
8101150800 Forwards IE Bulletin 80-25, "Operating Problems w/Target Rock Safety-Relief Valves at BWRs." No response required. GRIER, B.H. Region 1, Philadelphia, Office of the Director. 80/12/19. 1p. 07465:317.	CLNTU	NOIR1	801219-01			EUTPECO	
	Q		8012198101150800				
	07465	317	07465	321			
8101210210 Responds to IE bulletin 80-23, "Failures of Solenoid Valves Mfg by Valcor Engineering Corp." No Valcor valves used in safety-related function. GE review of NSSS sys has not been completed. Response will be delayed until 810228. KEMPER, J.S. Philadelphia Electric Co. 80/12/26. 1p. 07488:329.	CLUTN	EUTPECO	801226			NOIR1	
	Q		8012268101210210				
	07488	329	07488	329			
8102060050 Submits partial response to IE Bulletin 80-21, "Valve Yokes Supplied by Malcolm Foundry Co, Inc." Suppliers of active valves are submitting into re use of castings by Malcolm Foundry. KEMPER, J.S. Philadelphia Electric Co. 80/12/30. 2pp. 07641:204.	CLUTN	EUTPECO	801230			NOIR1	
	Q		8012308102060050				
	07641	204	07641	205			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

U. Inspection reports, IE bulletins & correspondence

8102230173 Ack receipt of 801217 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/80-19 & 50-353/80-17.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 81/01/12. 1p. 07740:003.

CLNTU NOIRIC 810112 EUTPECU
Q 8101128102230173*
07740 003 07740 016

--8102230193 Responds to NRC 801118 ltr re violations noted in IE Insp Repts 50-352/80-19 & 50-353/80-17. Corrective actions: plugged weld & deleted bolt hole from design of barrier plate 39P-1 after field alignment & trimming.
KEMPER, J.S. Philadelphia Electric Co. 80/12/17. 2pp. 07740:004.

CLUTN EUTPECO 801217-01 NOIR1
Q 8101128102230173A
07740 004 07740 005

--8102230203 Forwards IE Insp Repts 50-352/80-19 & 50-353/80-17 on 801007-30 & notice of violation.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/11/18. 2pp. 07740:006.

CLNTU NOIRIC 801118 EUTPECO
Q 8101128102230173B
07740 006 07740 016

--8102230213 Notice of violation from insp on 801007-30.
* Region 1, Philadelphia, Office of the Director. 80/11/12. 1p. 07740:008.

TINVIONOIR1 50-352/80-19
Q 8101128102230173BA
07740 008 07740 008

--8102230226 IE Insp Repts 50-352/80-19 & 50-353/80-17 on 801007-30. Noncompliance notes: control rod drive jet barrier plate, 39P-1 on drawing A031-C45EE-54-2, trimmed such that bolt hole did not meet American Inst of Steel const stds.
DUHR, J.P., CHAUDHARY, S. Region 1, Philadelphia, Office of the Director. MATTHEW, J.C. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/11/12. 8pp. 07740:009.

TIUTINN01R1 50-352/80-19
Q 8101128102230173BB
07740 009 07740 016

8102190419 Forwards IE Circular 81-01, "Design Problems Involving Indicating Pushbutton Switches Mfg by Honeywell Inc." No written response required.
GRIER, B.M. Region 1, Philadelphia, Office of the Director. 81/01/23. 1p. 07724:306.

CLNYU NOIR1 810123 EUTPECO
Q 8101238102190419
07724 308 07724 309

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

4. Inspection reports, IE bulletins & correspondence

8102180115 Forwards IE Bulletin 81-01, "Surveillance of Mechanical Snubbers." No response required.
GRIEK, R.N. Region 1, Philadelphia, Office of the Director.
81/01/27. 1p. 07702:094.

CLNTU NOIR1 810127 EUTPECO
W 8101278102180115
07702 094 07702 094

5. Reportable occurrences, LERs & related correspondence

7809280141 Ack receipt of ltr of 780823 which forwarded final rept per 10CFR50.55(e). Ltr & final rept encl
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 78/09/08. 1p.

CLNTU NOIR1C 780908 EUTPECO
S 7809087809280141

7811280254 "Final Rept. Deficient 312 Stainless Steel Buttering on Flued Head Fittings for Primary Component Penetrations" at subj facil. Circumferential linear indications present in all 12 fittings prior to shipment to site. Fittings will be removed.
* Philadelphia Electric Co. 78/11/22. App. 94012:167.

TRDEFREUTPECO DEFR=781122
S 7811227811270248A
94012 167 94012 174

7811280248 Forwards complete Significant Deficiency Rept re Flued Head Fitting in subj facil.
BOYER, V.S. Philadelphia Electric Co. 78/11/22. 1p. 94012:166.

CLUTN EUTPECO 781122 NOIR1
S 7811227811280248*
94012 166 94012 166

7812290039 Ack receipt of 781122 ltr forwarding final rept on significant deficiency of flued head fittings, which will be reviewed & eval.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 78/12/04. 1p. 03669:317.

CLNTU NOIR1C 781204 EUTPECO
S 7812047812290039*
03669 317 03669 319

7906020208 Ack receipt of 790420 ltr forwarding limit torque locknut installation deficiency.
CARLSON, R.T. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 79/05/02. 1p. 02268:300.

CLNTU NOIR1C 790502 EUTPECO
S 7905027906020208*
02268 300 02268 305

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

S. Reportable occurrences, LERs & related correspondence

--7906020211 Forwards Significant Deficiency Rept 8 re limiter torque locknut installation deficiency.
BOYER, V.S. Philadelphia Electric Co. 79/04/20. 1p. 02268:301.

CLUTV EUTPECC 790420 NOIR1
S 7905027906020208A
02268 301 02268 301

--7906020213 Significant Deficiency Rept 8: limiter torque locknut installation deficiency.
* Philadelphia Electric Co. 79/04/30. 4pp. 02268:302.

TRDEFREUTPECC DEFR-790430
S 7905027906020208AA
02268 302 02268 305

8001040337 Part 21 Rept 79-159-000; on 790924, defective crimps found on pins used in 72C insert for panel H12-PR53. Caused by mfg personnel error & crimping tool malfunction resulting from inadequate QA. Utils to be advised of insp & repair program.
SHERWOOD, G.G. General Electric Co., Nuclear Energy Products Div. 79/09/28. 3pp. 01685:359.

TRDEFREMVGENENDEFR-790928
S 7909288001040337
01685 339 01685 342

8001310149 Part 21 Rept 80-190-000; spring used in some NH91-96 & 98 milliampere hydramotor actuators discovered mfg from incorrect matl. Notifications to affected customers encl.
SLOAN, D.E. American Farming & Ventilating, Inc. 80/01/08. 20pp. 01844:305.

TRDEFREMVAMERWDEFR-800108
S 8001088001310149
01844 306 01844 326

8003040304 Discusses seismic separation gaps at facility. Evaluation of deficiency concludes that design requirement to provide adequate rattle space has been met. Forwards final deficiency rept & supporting data.
REINHOLD, G.W. Division of Reactor Construction Inspection. 80/02/07. 2pp. 04125:299.

CMMEMONNOC1 800207 NORPLW2
S 8002078003040304
04125 299 04125 302

8005020010 Supplementary deficiency rept re AH90 & NH90 series actuators supplied by IIT General Controls. IIT General Control will supply actuator force values & torque & damper torque values will be compared. Customer list encl.
SLOAN, D.E. American Farming & Ventilating, Inc. 80/04/08. 3pp. 04762:350.

TRDEFREMVAMERWDEFR-800408
S 8004088005020010
04762 350 04762 353

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

S. Reportable occurrences, LERs & related correspondence

8004300368 Forwards final deficiency rept re electrical raceway separation.
KEMPER, J.S. Philadelphia Electric Co. 80/04/24. 1p. 04721:140.

CLUTN EUTPECU 800424 NOIR1
S 8004248004300368*
04721 140 04721 144

--8004300376 Final deficiency rept re electrical raceway separation.
Project GC Insp E-2.0 has been revised to include final acceptance insp to verify that separation requirements have been maintained & training classes held.
* Philadelphia Electric Co. 80/04/30. 4pp. 04721:141.

TRDEFREUTPECU DEFV-800430
S 8004248004300368A
04721 141 04721 144

8005210316 Part 21 rept re workmanship & design defects of some wiring connections supplied by American Warming & Ventilating, Inc (AWV). Crimping tools under evaluation. AWV will institute 100% insp.
SLOAN, D.L. American Warming & Ventilating, Inc. 80/05/06. 6pp. 05005:322.

TRDEFREMVAMERWDEFV-800506
S 8005068005210316
05005 322 05005 327

8006090053 Ack receipt of 800424 ltr forwarding final deficiency rept re electrical raceway separation. Rept will be reviewed & evaluated.
CARLSON, K.I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/05/14. 1p. 05257:186.

CLNTU NOIR1C 800514 EUTPECU
S 8005148006090053*
05257 186 05257 191

--8006090062 Final deficiency rept re electrical raceway separation. Field const identified exposed seismic Class 1 raceway, conduit & junction box. Caused by GC error. GC procedure revised by indoctrination of GC engineers conducted.
* Philadelphia Electric Co. 80/04/30. 4pp. 05257:188.

TRDEFREUTPECU SDR-9-1
S 8005148006090053A
05257 188 05257 191

8007020155 Forwards summary of 800227 meeting w/util to discuss reporting requirements of significant design & const deficiencies. No reply requested.
CARLSON, K.I. Region 1, Philadelphia, Reactor Construction & Engineering Support Branch. 80/05/27. 1p. 05593:212.

CLNTU NOIR1C 800527 EUTPECU
S 8005278007020155*
05593 212 05593 214

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	UIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							
----- S. Reportable occurrences, LERs & related correspondence -----							
--8007020104 Summary of 800227 meeting w/util in Region 1 ofc to discuss reporting requirements of significant design & const deficiencies. * Region 1, Philadelphia, Office of the Director, 80/02/27, 2pp, 05593:213.	CNMIN	NOIR1	800227				NOIR1
	S		8005278007020155A				
	05593	213	05593	214			
8006110329 Forwards final deficiency rept re electrical connections on back pressure steam isolation dampers. KEMPER, J.S., Philadelphia Electric Co., 80/06/06, 1p, 05305:354.	CLUTN	EUTPECO	800606				NOIR1
	S		8006068006110329*				
	05305	354	05305	358			
--8006110332 Final deficiency rept re electrical connections on back pressure steam isolation dampers mfg by American Warfina & Ventilating, Inc. Mfg has agreed to 100% insp & replacement program, to be completed by 801231. * Philadelphia Electric Co., 80/06/06, 4pp, 05305:355.	TRDEFRE	EUTPECO	DEFR-800606				
	S		8006068006110329A				
	05305	355	05305	358			
8006200024 Final Part 21 rept re mixed heat of steel supplied by US Steel from which 4-inch elbows & 2-inch tees were mfg to A234WPB requirement, investigations conducted & closed at 46 listed facilities. SEAY, J.L., Chemtron Corp., Tube Turns Div., 80/06/06, 3pp.	TRDEFRE	MVCHETT	DEFR-800606				12
	S		8006068006200024				
8006270217 Forwards final deficiency rept re defect in 4 kV switchgear circuit breaker auxiliary switch crank assembly. KEMPER, J.S., Philadelphia Electric Co., 80/06/20, 1p, 05503:315.	CLUTN	EUTPECO	800620				NOIR1
	S		8006208006270217*				
	05503	315	05503	319			
--8006270224 Final deficiency rept re defect in 4 kV switchgear circuit breaker auxiliary switch crank assembly. Insp will be conducted on switchgear & nuts will be secured on assembly studs to prevent loosening, by 801231. * Philadelphia Electric Co., 80/06/20, 4pp, 05503:316.	TRDEFRE	EUTPECO	DEFR-800620				
	S		8006208006270217A				
	05503	316	05503	319			
8007210015 Ack receipt of 800606 final deficiency rept re heating, ventilation & air conditioning damper. Rept will be reviewed & evaluated. CARLSON, R.I., Region 1, Philadelphia, Reactor Operations Nuclear Support Branch, 80/06/25, 1p, 05911:275.	CLNTU	NOIR10	800625				EUTPECO
	S		8006258007210015				
	05911	275	05911	280			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

S. Reportable occurrences, LRs & related correspondence

8007240226 Part 21 rept re defective Rosemount trip/calibr units & transmitters supplied by GE. Caused by failure of essential switch that determines trip output logic. Output of defective units will be corrected per GE instructions.
KEMPER, J.S. Philadelphia Electric Co. 80/07/01. 5pp. 05986:345.

TRDEFREUTPECO DEFR-800701
S 8007018007240226
05986 345 05986 349

8007250152 Part 21 rept re defective GE crimp pins in electrical connectors. Cause not stated. Encl GE rept states that QA procedures have been modified to preclude defective crimping in future.
KEMPER, J.S. Philadelphia Electric Co. 80/07/01. 9pp. 05959:008.

TRDEFREUTPECO DEFR-800701-01
S 8007018007250152
05959 008 05959 016

8007090265 Deficiency rept re Colt Industries emergency diesel generator heat exchangers. Deviation between configuration of high heat exchanger stack on generator skid & configuration analyzed in seismic rept detected.
KEMPER, J.S. Philadelphia Electric Co. 80/07/02. 2pp. 05708:309.

TRDEFREUTPECO DEFR-800702
S 8007028007090265*
05708 309 05708 312

--8007090270 Part 21 rept re Colt emergency diesel generator heat exchangers. Deviation between configuration of high heat exchanger stack on generator skid & configuration analyzed in seismic rept detected.
MORJARIY, J.M. Colt Industries, Inc. 80/01/16. 1p. 05708:311.

TRDEFREMVCOLT DEFR-800116
S 8007028007090265A
05708 311 05708 311

--8007090275 Part 21 rept re Colt emergency diesel generator heat exchangers. Units 6 & 7 have been corrected by fitting shims at bolted interface between generator skid & heat exchanger mounting feet.
MORJARIY, J.M. Colt Industries, Inc. 80/06/13. 1p. 05708:312.

TRDEFREMVCOLT DEFR-800613
S 8007028007090265B
05708 312 05708 312

8007250287 Ack receipt of 000620 final deficiency rept re 4 kV switchgear circuit breaker auxiliary switch crank assembly defect.
CARLSON, K.T. Region 1, Philadelphia, Office of the Director. 80/07/03. 1p. 05963:352.

CLNTU NOIR1 800703 EUTPECU
S 8007038007250287
05963 352 05963 357

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AAI	DIN	F	R	RAI	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

S. Reportable occurrences, LERs & related correspondence							

8007240353 Interim Part 21 rept re defective IIT actuators in dampers. Customer notification encl. Jobs classified nonnuclear safety-related are not reportable. Actuators supplied for other jobs are considered purchaser responsibility. SLOAN, D.E. American Warming & Ventilating, Inc. 80/07/08. 5pp. 05991:309.	TRDEFRE						04
	S						8007088007240353
							05991 309 05991 352
8007310281 Ack receipt of 800701 final deficiency rept re defective crimps in electrical connectors. CARLSON, K.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/11. 1p. 06049:193.	CLNTU						EUTPECO
	S						8007118007310281*
							06049 193 06049 196
--8007310286 Significant Deficiency Rept 14 re defective crimps in electrical connectors. GE rept submitted per 10CFR21 provides detailed site insp info. Rept encl. KEMPER, J.S. Philadelphia Electric Co. 80/07/01. 2pp. 06049:194.	TRDEFRE						EUTPECO
	S						DEFR-800701-02
							8007118007310281A
							06049 194 06049 196
8008150248 Ack receipt of 800701 ltr forwarding final deficiency rept re Rosemount Model 510 Dv trip/calibr units & Model 1152 transmitters. CARLSON, K.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/23. 1p. 06355:319.	CLNTU						EUTPECO
	S						8007238008150248
							06355 319 06355 323
8008220311 Ack receipt of 800701 final deficiency rept re Rosemount trip/calibr units & transmitters. CARLSON, K.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/23. 1p. 06393:354.	CLNTU						EUTPECO
	S						8007238008220311*
							06393 354 06393 358
--8008220321 Final deficiency rept re Rosemount trip/calibr units & transmitters. Caused by mode failure in capacitor when transmitter operating temp increases. Defective capacitors & switches will be replaced. KEMPER, J.S. Philadelphia Electric Co. 80/07/01. 4pp. 06393:355.	TRDEFRE						EUTPECO
	S						DEFR-800701-04
							8007238008220311A
							06393 355 06393 358

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							
----- S. Reportable occurrences, LERs & related correspondence -----							
8008180189 Ack receipt of 800701 final Significant Deficiency Rept 13 re GE Type SBM control switches. CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/28. 1p. 06357:170.	CLNTU	NOIR1C	800728				EUTPECO
	S		800728800R180189*				
	06357	170	06357	173			
--8008180193 Final Significant Deficiency Rept 13 & Part 21 rept re defective cam followers in SBM control switches. Switches discussed in IE Info Notice 80-13. KEMPER, J.S. Philadelphia Electric Co. 80/07/01. 3pp. 06357:171.	TRDEFRE	EUTPECO	DEFR-800701-03				
	S		800728800R180189A				
	06357	171	06357	173			
8008270182 Ack receipt of 800702 ltr forwarding final rept re Colt Industries emergency diesel generator heat exchangers, per 10CFR50.55(e). CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/07/28. 1p. 06426:224.	CLNTU	NOIR1C	800728-01				EUTPECO
	S		800728800R270182				
	06426	224	06426	228			
8009040425 Advises of completion of investigation of engineering documents re Fairbanks Morse Model 38TUA-1/8 powered generator sets w/stacked heat exchangers. Potential for situation similar to Limerick does not exist. MORJARTY, J.M. Colt Industries, Inc., Fairbanks Morse Engine Div. 80/08/27. 1p. 06456:001.	TRDEFRE	MVCOLT	DEFR-800827				
	S		8008278009040425				
	06456	001	06456	001			
8010010623 Interim rept for potential Significant Deficiency 16 re ASME bolts, nuts & studs obtained from unapproved sources. Bolting mats procured from manufacturers w/o Bechtel approved QA program. Will submit further rept. KEMPER, J.S. Philadelphia Electric Co. 80/09/25. 2pp. 03506:001.	TRDEFRE	EUTPECO	DEFR-800925				NOIR1
	S		8009258010010623				
	03506	001	03506	001			
8011050040 Ack receipt of 800925 interim deficiency rept re ASME bolts, nuts & studs obtained from unapproved sources. Matter will be reviewed following receipt of final rept. CARLSON, R.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 80/10/01. 1p. 06896:290.	CLNTU	NOIR1C	801001				EUTPECO
	S		8010018011050040				
	06896	290	06896	292			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

S. Reportable occurrences, LERs & related correspondence

8011140396 Final deficiency rept (Significant Deficiency Rept 17) re
Colt Industries emergency diesel generator possible field
insulation damage. All info provided in vendor 800922 Part 21
rept.
KEMPER, J.S. Philadelphia Electric Co. 80/11/06. 2pp. 06962:342.

TRDEFREUTPECO DEFR-801106 NOIR1
S 8011068011140396
06962 342 06962 345

8012510454 Part 21 rept re emergency diesel generators Model 38TD8-1/8,
first reported 80011b.insp & mod completed. Units now free of
potential defect.
MORIARIY, J.M. Colt Industries, Inc. 80/12/04. 2pp. 07308:001.

TRDEFREMVCOLT DEFR-801204 NOIR3
S 8012048012310454
07308 001 07308 001

8012240089 Part 21 rept re reactor protection sys flexible conduit
defect causing hot shorts if improperly grounded. Caused by
paint on panel surfaces or high resistance connection to
panel surfaces where termination modules are mounted.
SHERWOOD, G.G. General Electric Co. 80/12/08. 3pp. 07324:291.

TRDEFREMGVGENE DEFR-801208 NOID
S 8012088012240089
07324 291 07324 293

8012300527 Final deficiency rept, originally reported by 801119 telcon.
re violations of separation criteria in power generation
control complex. Final separation insp will be documented for
each panel containing safety-related components.
KEMPER, J.S. Philadelphia Electric Co. 80/12/17. 5pp. 07357:338.

TRDEFREUTPECO DEFR-801217 NOIR1
S 8012178012300527
07357 338 07357 342

8101070369 Final deficiency rept, originally reported on 800826, re ASME
bolts, nuts & studs obtained from unapproved sources. Caused
by lack of proper QA review. Unacceptable bolting matl to be
replaced.
KEMPER, J.S. Philadelphia Electric Co. 80/12/30. 5pp. 07414:127.

TRDEFREUTPECO DEFR-801230 NOIR1
S 8012308101070369
07414 127 07414 131

8101230434 Deficiency Rept 29 re metal potential loss of solid metallic
grounding of flexible metal conduit, preventing reactor
protection sys proper operation. GE rept encl. Flexible
conduit to be properly grounded per GE instructions.
KEMPER, J.S. Philadelphia Electric Co. 81/01/13. 3pp. 07308:001.

TRDEFREUTPECO DEFR-810113 NOIR1
S 8101138101230434
07308 001 07308 001

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AAI DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

S. Reportable occurrences, LERs & related correspondence

8102200038 Ack receipt of 801106 deficiency rept re possible field insulation damage.
CARLSON, K.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 81/01/15. 1p. 07726:294.

CLNTU NOIR1C 810115 EUTPECO
S 8101158102200038
07726 294 07726 298

8101260500 Interim deficiency rept re Deficiency 27, improper welding of reactor pressure vessel safe ends, initially reported 801218. GE evaluating weld acceptability. Final rept will be submitted by 810415.
KEMPER, T.S. Philadelphia Electric Co. 81/01/15. 2pp. 07308:001.

TRDEFREUTPECO DEFR-810116 NOIR1
S 8101168101260500
07308 001 07308 001

8102100792 Ack receipt of 801226 ltr forwarding final rept re HVAC damper deficiency.
CARLSON, K.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 81/01/20. 1p. 07662:220.

CLNTU NOIR1C 810120 EUTPECO
S 8101208102100792*
07662 220 07662 222

--8102100798 Notifies NRC of delayed corrective actions due to commercial aspects of work involved & resolution of environ qualification documentation deficiencies.
KEMPER, J.S. Philadelphia Electric Co. 80/12/26. 2pp. 07662:221.

CLUTN EUTPECO 801226-01 NOIR1
S 8101208102100792A
07662 221 07662 222

8102170079 Ack receipt of deficiency rept re 4 kV switchgear circuit breaker auxiliary switch crank assembly defect. Requests results of addl evaluations & tests in determining cause of loosening nut.
CARLSON, K.I. Region 1, Philadelphia, Reactor Construction & Engineering Support branch. 81/01/20. 1p. 07694:306.

CLNTU NOIR1C 810120-01 EUTPECO
S 8101208102170079*
07694 306 07694 307

--8102170067 Followup to final deficiency rept re 4 kV switchgear circuit breaker auxiliary switch crank assembly defect. Completion of corrective actions delayed from 801231 to 810630. Vendor performing addl tests & evaluation to determine cause.
KEMPER, J.S. Philadelphia Electric Co. 80/12/30. 1p. 07694:307.

TRDEFREUTPECO DEFR-801230-01 NOIR1
S 8101208102170079A
07694 307 07694 307

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

S. Reportable occurrences, LERs & related correspondence

8102030405 Final deficiency rept re wiring defects in Limitorque valve motor operators, initially reported during 801230 telcon. Insp of all valve motor operator wiring & connections will be performed & documented.
KEMPER, J.S. Philadelphia Electric Co. 81/01/28. 4pp. 07585:001.

TRDEFREUTPECO DEFR=810128 NOIR1
S 8101288107030405
07585 001 07585 001

8102100383 Significant Deficiency 33 re defective pressure switches supplied by MDA Scientific Inc as part of facility chlorine monitor sys. Apparently caused by diaphragm matl problem. Switches to be replaced or corrected by vendor.
KEMPER, J.S. Philadelphia Electric Co. 81/02/03. 7pp. 07587:001.

TRDEFREUTPECO DEFR=810203 NOIR1
S 8102038102100383
07587 001 07587 001

8102250665 Deficiency rept re implementation of corrective action re defective grounding of flexible conduit in power generation control complex equipment, originally reported 801208. Schedule for implementation submitted.
SHERWOOD, G.G. General Electric Co. 81/02/06. 1p.

TRDEFREMVGENE DEFR=810206 NIED
S 8102068102250665

I. Hearing transcripts on non-antitrust matters

8101070324 Forwards 801209 transcripts of public meeting & util technical presentation of facility risk assessment. Also forwards 801209 viewgraphs re technical presentation.
SELLS, D.C. Operating Reactors Branch 2. 81/01/05. 3pp. 07411:187.

CMMEMONRRLOP2 810105 NRRL
T 8101058101070324*
07411 187 07412 182

--8101070327 Transcript of 801209 afternoon technical presentation in Pottstown, PA. Presents facility risk assessment study by util. Pp 1-125.
* Commissioners. 8u/12/09. 127pp. 07411:190.

TTTRANRCC TRAN=801209-01
T 8101058101070324A
07411 190 07412 019

--8101070328 Slide presentation entitled "Preliminary Risk Assessment, Presentation of Results."
* Commissioners. 8u/12/09. 66pp. 07411:316.

VAFOTONRCC FOTO=801209
T 8101058101070324AA
07411 316 07412 019

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

I. Hearing transcripts on non-antitrust matters

--8101070332 Transcript of 801209 evening public meeting in Pottstown, PA.
Pp 1-122.
* Commissioners, 80/12/09, 124pp, 07412:020,

TTIRANNRCC TRAN=801209-02
T 81010581010703248
07412 020 07412 142

U. Congressional/Executive Correspondence

7909120349 Discusses effect of TMT on NRC regulations & practice.
Accident will impact power plants under const. Plant design
will be reevaluated & mods may be required. New safety
regulations may be forthcoming.
HENDRIE, J.M. Commissioners, 79/07/16, 2pp, 00937:193.

CLNTCGNRCC 790716-01 EUSHOP
U 7907167909120349*
00937 193 00937 197

7910090539 Requests review of constituent 790810 ltr expressing
concern about nuclear power in PA. Response should be in
duplicate along w/return of memo.
SCHWEIKER, R.S. Senate, 79/08/17, 4pp, 02503:009.

CLCGTNEUSSEN 790817 NRCC
U 7908177910090539
02503 009 02503 012

7912210095 Responds to 790617 ltr re MC Seidts 790810 concern about
siting of facility. NRC encourages power reactor siting in
low population areas. Second NRC review of reactor before OL
is granted to address safety & environ concerns.
GOSSICK, L.V. Office of the Executive Director for Operations,
79/10/12, 3pp, 04369:002.

CLNTCGNE ED 791012 EUSSEN
U 7910127912210095
04369 002 04369 004

7912210253 Responds to 790607 ltr re FR Romano 790723 concern about
blasting at rock quarry near facilities. Request being
treated per 10LFR2.206. Effects of blasting at nearby quarry
must be carefully evaluated.
GOSSICK, L.V. Office of the Executive Director for Operations,
79/10/12, 1p, 90129:351.

CLNTCGNE ED 791012-02 EUSSEN
U 7910127912210253A
90129 351 90129 354

--7912210266 Forwards FR Romano 790723 ltr re blasting operation at rock
quarry near facilities. Requests comments.
SCHWEIKER, R.S. Senate, 79/08/07, 2pp, 90129:352.

CLCGTNEUSSEN 790807 NRCC
U 7910127912210253A
90129 352 90129 354

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

	DTC	AA1	DIN	P	R	RA1	SN
DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1							

U. Congressional/Executive Correspondence							

8001300275 Discusses possible weakening of foundation rock at facility due to extended period of blasting. Util study finds no adverse effects. Requests NRC investigate effects of blasting.	CLCGTNEUSHOR		791231				NRCCA
COUGHLIN, L. House of Rep. 79/12/31. 1p. v1836:030.	U		7912318001300275				
	01836	030	01836	030			
8002050091 Requests response to encl citizen ltrs re proposed plant site.	CLGTN EUSSEN		800108				NRCC
SCHWEIKER, R.S. Senate. 80/01/08. 2pp. 04232:169.	U		8001088002050091				
	04232	169	04232	173			
8002210057 Requests NRC response to 791228 ltr re 791218 meeting re blasting near site.	CLCGTNEUSSEN		800109				NRCC
SCHWEIKER, R.S. Senate. 80/01/09. 6pp.	U		8001098002210057				
8003060409 Forwards NRC 800130 response to M Seidts 791210 ltr re size of facility low population zone.	CLNTCGNE ED		800207				EUSSEN
DIREKS, W.J. Office of the Executive Director for Operations. 80/02/07. 1p. 90086:090.	U		8002078003060409*				
	90086	090	90086	099			
--8003060418 Responds to 791210 ltr re size of facility low population zone. Zone size determined by applicant, not NRC. Radiological doses to individual on outer boundary from postulated accident must be within guideline values of 10LFH100.	CLNTZ N0REPB:		800130-01				EC1*****
BALLARD, R.L. Environmental Projects Branch 1. 80/01/30. 3pp. 90086:091.	U		8002078003060409A				
	90086	091	90086	099			
8003060441 Responds to 791231 request for info re constituent concern that quarry blasting will adversely effect facility due to cracks in reactor plug foundation rocks. Investigation in progress. NRC 800128 ltr to FR Romano encl.	CLNTCGNE ED		800214				EUSHOR
DIREKS, W.J. Office of the Executive Director for Operations. 80/02/14. 3pp. 04152:275.	U		8002148003060441*				
	04152	275	04152	281			
--8003060453 Responds to 791211, 12 & 17 ltrs re NRC 791218 meeting w/util & investigation into allegation that facility will be adversely affected by quarry blasting. Public may attend meetings between applicants & NRC as observers. w/FR excerpt.	CLNTZ NORD		800128-01				EC1A1R
DENTON, H.W. Office of Nuclear Reactor Regulation, Director. 80/01/28. 3pp. 04152:278.	U		8002148003060441A				
	04152	278	04152	280			

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

U. Congressional/Executive Correspondence

--8003060459 Requests into re investigation into quarry blasting effects
in cracks in reactor bldg foundation rocks.
COUGHLIN, L. House of Rep., Appropriations. 79/12/31. 1p.
04152:281.

CLCGTNEUSHORAP791231 NRCCA
U 8002148003060441B
04152 281 04152 281

8003060426 Responds to 800109 request concerning F Romano comments re
conduct of NRC investigation into quarry blasting adjacent
to facility. Quarry monitoring records & util seismograph
blast records indicate peak velocities not damaging.
DIRCKS, W.J. Office of the Executive Director for Operations.
80/02/21. 4pp. 04152:170.

CLNTEGNE ED 800221 EUSSEN
U 8002218003060426*
04152 170 04152 178

--8003060435 Forwards r Romano, of Air & Water Pollution Patrol, 791228 ltr
re conduct of NRC investigation into quarry blasting near
facility. Requests comments.
SCHAEIKER, R.S. Senate. 80/01/09. 5pp. 04152:174.

CLCGTNEUSSEN 800109-01 NRCC
U 8002218003060426A
04152 174 04152 178

8004280239 Requests appearance on behalf of subcommittee to testify
on issues re emergency planning procedures & preparedness
along w/implications of lessons learned from accident at
TMI. Hearing scheduled for 800527.
UDALL, M.K. House of Rep., Interior & Insular Affairs. 80/04/16.
1p. 02566:169.

CLCGTNEUSHOR11800416 NRDD
U 8004168004280239
02566 169 02566 169

8007110338 Responds to 800604 ltr expressing concerns about testimony
of V Boyer, util Senior Vice President. HR Denton will meet w/
Boyer on 800630 to discuss matter in greater detail.
DIRCKS, W.J. Office of the Executive Director for Operations.
80/06/30. 1p. 05801:300.

CLNTEGNE ED 800630 EUSHOR
U 8006308007110338*
05801 300 05801 305

--8007110343 Requests that NRC seriously consider attitudes expressed by
util during 800527 testimony & determine whether or not CP
is consistent w/public health & safety.
KOSTMAYER, P.H., MAKKLY, E.J. House of Rep. 80/06/04. 3pp.
05801:305.

CLCGTNEUSHOR 800604 NRCC
U 8006308007110338A
05801 303 05801 305

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P R RA1 SN

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

U. Congressional/Executive Correspondence

8008210054 Responds to 800220 ltr re possible effect of blasting on "green" concrete at site. NRC has requested util to look into potential effect of quarry operations on const. Investigation nearing completion. Rept will be provided when available. DIRCKS, W.J., Office of the Executive Director for Operations. 80/08/05. 2pp. 06381:175.

CLNTCGNE ED 800805 EUSHOR
U 8008058008210054*
06381 175 06381 205

--8008210052 Requests response to questions re M Lewis allegation that blasting at quarry next to site could cause problem w/concrete const. KOSTMAYEK, P.H., House of Rep. 80/06/20. 1p. 06381:205.

CLCGTNEUSHOR 800620 NRCCA
U 8008058008210054A
06381 205 06381 205

8009100073 Discusses 800527 testimony by V Boyer, util senior vice president, re emergency planning. NRC met w/Boyer on 800630. Boyer has committed to assuring that all util mgt levels have sincere commitment to effective emergency measures. AHEARNE, J.F., Commissioners. 80/08/20. 1p. 06517:004.

CLNTCGNRCC 800820 EUSHOR
U 8008208009100073*
06517 004 06517 011

--800910007A Discusses 800527 testimony by V Boyer, util senior vice president, re emergency planning. NRC met w/Boyer on 800630. Boyer has committed to assuring that all util mgt levels have sincere commitment to effective emergency measures. AHEARNE, J.F., Commissioners. 80/08/20. 1p. 06517:005.

CLNTCGNRCC 800820-01 EUSHOR
U 8008208009100073A
06517 005 06517 011

8010290141 Forwards US&S 800725 rept & util Jul 1980 rept re effects of quarry blasting on facility. DIRCKS, W.J., Office of the Executive Director for Operations. 80/10/21. 2pp. 06829:044.

CLNTCGNE ED 801021 EUSHOR
U 8010218010290141
06829 044 06829 049

V. Operator Examinations

8006200058 Notification of 800618 meeting w/util in Bethesda, MD to discuss current requirements for operator qualification & licensing. SELLS, D.E., Licensing Branch 2. 80/06/02. 3pp. 05389:327.

CMMEMONRRLLB2 800602-04 NRRLB2
V 8006028006200058
05389 327 05389 328

MONTHLY TITLE LIST
U. S. NUCLEAR REGULATORY COMMISSION

DTC AA1 DIN P K RA1 SN

DOCKET SU-352 LIMERICK GENERATING STATION, UNIT 1
-----V. Operator Examinations

8102040508 Requests commitments to special low power test program for facility & augmented operator training for compliance w/TMI task action item I.G.1.
FEDESCO, R.L. Assistant Director for Licensing. 81/01/14. 3pp.
07627:235.

CLNTU NRRL 810114 EUTPECO
V 8101148102040508
07627 233 07627 235

8102250190 Responds to NRC 800731 ltr re interim criteria for shift staffing. Criteria will be considered in developing staffing plans & related administrative procedures completed prior to fuel loading.
KEMPER, J.S. Philadelphia Electric Co. 81/02/17. 1p.

CLUTN EUTPECO 810217 NRRL
V 8102178102250190

001057 RECORDS SCANNED 814 RECORDS PRINTED
ENDING CODE- 1001 LAST KEY- PDK ADUCK05000353A

700827791031051