

* 1 3/8" - RESIDENTIAL GATES

Welded Construction ~ 11 Ga Chain Link
Includes Residential Pin Hinges, Fork Latch

Opening Between Gate Post	Fence Height				
	3' High	3-1/2' High	4' High	5' High	6' High
3'	23-00336 23 lbs	23-00342 24 lbs	23-00348 26 lbs	23-00360 33 lbs	23-00372 41 lbs
3-1/2'	23-04236 24 lbs	23-04242 25 lbs	23-04248 28 lbs	23-04260 37 lbs	23-04272 41 lbs
4'	23-00436 27 lbs	23-00442 28 lbs	23-00448 30 lbs	23-00460 41 lbs	23-00472 44 lbs
5'	23-00536 31 lbs	23-00542 34 lbs	23-00548 38 lbs	23-00560 44 lbs	23-00572 47 lbs
6'	24-00636 40 lbs	24-00642 42 lbs	24-00648 46 lbs	24-00660 52 lbs	24-00672 56 lbs
8'	24-00836 58 lbs	24-00842 64 lbs	24-00848 66 lbs	24-00860 86 lbs	24-00872 92 lbs
10'	24-01036 66 lbs	24-01042 72 lbs	24-01048 80 lbs	24-01060 92 lbs	24-01072 98 lbs
12'	24-01236 74 lbs	24-01242 78 lbs	24-01248 82 lbs	24-01260 94 lbs	24-01272 102 lbs
* Double Swing					
8'	25-00836 59 lbs	25-00842 67 lbs	25-00848 69 lbs	25-00860 85 lbs	25-00872 91 lbs
10'	25-01036 67 lbs	25-01042 70 lbs	25-01048 72 lbs	25-01060 90 lbs	25-01072 98 lbs
12'	25-01236 70 lbs	25-01242 73 lbs	25-01248 76 lbs	25-01260 104 lbs	25-01272 109 lbs
14'	25-01436 100 lbs	25-01442 105 lbs	25-01448 114 lbs	25-01460 120 lbs	25-01472 123 lbs
16'	25-01636 110 lbs	25-01642 115 lbs	25-01648 123 lbs	25-01660 129 lbs	25-01672 132 lbs
18'	25-01836 120 lbs	25-01842 125 lbs	25-01848 131 lbs	25-01860 137 lbs	25-01872 141 lbs
20'	25-02036 144 lbs	25-02042 150 lbs	25-02048 157 lbs	25-02060 164 lbs	25-02072 169 lbs

Customer Opening: Nearest Size Plus	Set-up
Add For PVC Or #9 Ga Chain Link	p/sq. ft.
Add For Slat Fence	p/sq. ft.

*** 1 5/8" - RESIDENTIAL GATES**

Welded Construction ~ 11 Ga Chain Link
Includes Residential Pin Hinges, Fork Latch

Opening Between Gate Post	Fence Height				
	3' High	3-1/2' High	4' High	5' High	6' High
4'	27-00403	27-00442	27-00404	27-00405	27-00406
5'	27-00503	27-00542	27-00504	27-00505	27-00506
6'	27-00603	27-00642	27-00604	27-00605	27-00606
8'	27-00803	27-00842	27-00804	27-00805	27-00806
10'	27-01003	27-01042	27-01004	27-01005	27-01006
12'	27-01203	27-01242	27-01204	27-01205	27-01206
* Double Swing					
10'	29-01003	29-01042	29-01004	29-01005	29-01006
12'	29-01203	29-01242	29-01204	29-01205	29-01206
14'	29-01403	29-01442	29-01404	29-01405	29-01406
16'	29-01603	29-01642	29-01604	29-01605	29-01606
18'	29-01803	29-01842	29-01804	29-01805	29-01806
20'	29-02003	29-02042	29-02004	29-02005	29-02006
24'	29-02403	29-02442	29-02404	29-02405	29-02406
1 5/8" Frame ~ Single Slide Gate					
<i>* Includes Ground Wheels, Slide Track & Hardware.</i>					
10'	26-01036	26-01042	26-01048	26-01060	26-01072
12'	26-01236	26-01242	26-01248	26-01260	26-01272
14'	26-01436	26-01442	26-01448	26-01460	26-01472
16'	26-01636	26-01642	26-01648	26-01660	26-01672
18'	26-01836	26-01842	26-01848	26-01860	26-01872

Customer Opening: Nearest Size Plus	Set-up
Add For PVC Or #9 Ga Chain Link	p/sq. ft.
Add For Slat Fence	p/sq. ft.

* 1 3/8" - **BLACK** Residential Gates

Welded Construction ~ 9 Ga "Black" Chain Link
Includes Residential Pin Hinges, Fork Latch

Opening Between Gate Post	Fence Height				
	3' High	3-1/2' High	4' High	5' High	6' High
3'	23-BK303 23 lbs	23-BK342 24 lbs	23-BK304 26 lbs	23-BK305 33 lbs	23-BK306 41 lbs
3-1/2'	23-BK423 24 lbs	23-BK242 25 lbs	23-BK424 28 lbs	23-BK425 37 lbs	23-BK426 41 lbs
4'	23-BK403 27 lbs	23-BK442 28 lbs	23-BK404 30 lbs	23-BK405 41 lbs	23-BK406 44 lbs
5'	23-BK503 31 lbs	23-BK542 34 lbs	23-BK504 38 lbs	23-BK505 44 lbs	23-BK506 47 lbs
6'	24-BK603 40 lbs	24-BK642 42 lbs	24-BK604 46 lbs	24-BK605 52 lbs	24-BK606 56 lbs
8'	24-BK803 58 lbs	24-BK842 64 lbs	24-BK804 66 lbs	24-BK805 86 lbs	24-BK806 92 lbs
10'	24-BK103 66 lbs	24-BK142 72 lbs	24-BK104 80 lbs	24-BK105 92 lbs	24-BK106 98 lbs
12'	24-BK122 74 lbs	24-BK123 78 lbs	24-BK124 82 lbs	24-BK125 94 lbs	24-BK126 102 lbs
* Double Swing					
8'	25-BK803 59 lbs	25-BK842 67 lbs	25-BK804 69 lbs	25-BK805 85 lbs	25-BK806 91 lbs
10'	25-BK103 67 lbs	25-BK10X 70 lbs	25-BK104 72 lbs	25-BK105 90 lbs	25-BK106 98 lbs
12'	25-BK123 70 lbs	25-BK12X 73 lbs	25-BK124 76 lbs	25-BK125 104 lbs	25-BK126 109 lbs
14'	25-BK143 100 lbs	25-BK14X 105 lbs	25-BK144 114 lbs	25-BK145 120 lbs	25-BK146 123 lbs
16'	25-BK163 110 lbs	25-BK16X 115 lbs	25-BK164 123 lbs	25-BK165 129 lbs	25-BK166 132 lbs
18'	25-BK183 120 lbs	25-BK18X 125 lbs	25-BK184 131 lbs	25-BK185 137 lbs	25-BK186 141 lbs
20'	25-BK203 144 lbs	25-BK20X 150 lbs	25-BK204 157 lbs	25-BK205 164 lbs	25-BK206 169 lbs

Customer Opening: Nearest Size Plus Add For PVC Or #9 Ga Chain Link Add For Slat Fence	Set-up p/sq. ft. p/sq. ft.
---	----------------------------------

*** 1 5/8" - BLACK Residential Gates**

Welded Construction ~ 9 Ga "Black" Chain Link
Includes Residential Pin Hinges, Fork Latch


Opening Between Gate Post	3' High	3-1/2' High	4' High	5' High	6' High
4'	27-BK403	27-BK442	27-BK404	27-BK405	27-BK406
5'	27-BK503	27-BK542	27-BK504	27-BK505	27-BK506
6'	27-BK603	27-BK642	27-BK604	27-BK605	27-BK606
8'	27-BK803	27-BK842	27-BK804	27-BK805	27-BK806
10'	27-BK103	27-BK10X	27-BK104	27-BK105	27-BK106
12'	27-BK122	27-BK12X	27-BK124	27-BK125	27-BK126
Double Swing					
10'	29-BK103	29-BK10X	29-BK104	29-BK105	29-BK106
12'	29-BK123	29-BK12X	29-BK124	29-BK125	29-BK126
14'	29-BK143	29-BK14X	29-BK144	29-BK145	29-BK146
16'	29-BK163	29-BK16X	29-BK164	29-BK165	29-BK166
18'	29-BK183	29-BK18X	29-BK184	29-BK185	29-BK186
20'	29-BK203	29-BK20X	29-BK204	29-BK205	29-BK206

Customer Opening: Nearest Size Plus Add For PVC Or #9 Ga Chain Link Add For Slat Fence	Set-up p/sq. ft. p/sq. ft.
---	----------------------------------

PORTABLE DOG RUNS ~ Complete

1-3/8" O.D. Frame (16 ga.) - 2" Mesh 11 ga. Filler

Size	Price Ea	Part #	Weight
7' W x 6' H x 7' Long		45-CDR52	304 lbs
7' W x 6' H x 14' Long		45-CDR56	452 lbs.
6' W x 6' H x 6' Long		45-CDR31	285 lbs.
6' W x 6' H x 12' Long		45-CDR34	355 lbs.



DOG RUN PANELS ONLY

1-3/8" O.D. Frame (16 ga.) - 2" Mesh 11 ga. Filler

Size	Price Each	Part #	Weight
3' X 6'		45-D0306	45 lbs.
4' X 6'		45-D0406	50 lbs.
5' X 6'		45-D0506	55 lbs.
6' X 6'		45-D0606	60 lbs.
7' X 6'		45-D0706	70 lbs.
8' X 6'		45-D0806	75 lbs.
10' X 6'		45-D1006	85 lbs.
12' X 6'		45-D1206	95 lbs.
14' X 6'		45-D1406	110 lbs.
16' X 6'		45-D1606	120 lbs.


DOG RUN GATE UNIT

(Includes Gate And Outer Frame)

1-3/8" O.D. Frame (16 ga.) - 2" Mesh 11 ga. Filler

Size	Price Each	Part #	Weight
4' X 6'		45-GU406	55 lbs.
6' X 6' Combination		45-CGU03	105 lbs.
7' X 6' Combination		45-CGU06	110 lbs.

Metal Frame For Wood Gate



1-3/8" Galv. Tube Frame
Includes: Gate Frame Hinge, Post Hinge (Specify), Gate Latch.

Opening (Clear Distance Between Post)	Height	Galvanized Finish		Powder Coat Finish (1)	
		10+	1 - 9	10+	1 - 9
3'	5'	23-WG305		23-WB305	
4'	5'	23-WG405		23-WB405	
5'	5'	23-WG505		23-WB505	
6'	5'	23-WG605		23-WB605	
* Double Swing					
8' Dbl Swing	5'	25-WG805		25-WB805	
10' Dbl Swing	5'	25-WG105		25-WB105	
12' Dbl Swing	5'	25-WG125		25-WB125	


*** Note: Net Width Of Gate Frame = Opening Minus 2-1/2"**

ADJUST-A-GATE KIT
Square Steel Frames For Wood Gates
1 1/2" x .16 Ga. Galvanized Steel Frame ~ Powder Coated Finish

Single gate kit includes everything necessary (except wood) to install the gate; steel frame, frame sleeve, truss cable, turnbuckle, hinges & latch. For double swing gates use two frames and one drop rod kit.



**3 Rail
Single Gate**




Adjustable Width




Adjustable Truss Cable

PN	Description	Price Each	Wt.
AG 36/3	3 Rail 36" - 60" Opening x 60" H.		25 lbs
AG 60/3	3 Rail 60" - 96" Opening x 60" H.		30 lbs
UL 301	Drop Rod Kit		3 lbs.

**CONSTRUCTION
 TEMPORARY FENCE PANELS
 10' Wide X 6' High**



Standard Panel







Economy Panel

* TEMPORARY FENCE PANELS		Includes "2" Panel Clamps	
		PN	Price
Standard	Frame: 1 5/8" Galvanized Tubing Filler: 11-1/2 Ga Galvanized Chain Link Construction: Gate Rods & Clips	28-T1006 118 lbs	
Economy	Frame: 1 3/8" Galvanized Tubing Filler: 11-1/2 Ga Galvanized Chain Link Construction: Wire Wrap	24-T1006 75 lbs	
* Add For Base Stands ~ Below			

Standard "H" Stand With Two 8" Extensions		28-HBASE 13 lbs.	
Economy "H" Stand With Two 8" Extensions		24-HBASE 13 lbs.	
"T" Stand With 8" Extension		28-TBASE 4 lbs	#REF!

RESIDENTIAL GATES

Constructed of 1-3/8" O.D. galvanized tubular frame, galvanized chain link filler, vinyl coated chain link filler, or slat fence filler, steel post fittings up to 2-7/8" O.D., specify size when ordering. Width of gates are for actual opening between post, allowance has been made for fittings. Gates are trussed and braced as required. Double swing gates include drop rod assembly locking device. Slide gates include double ground wheels, locking device and slide track with brackets.



	Recommended Minimum Gate Post					
	4' Width Or Less		4' - 6' Width		7- 12' Width	
	Chain Link	Slat Fence	Chain Link	Slat Fence	Chain Link	Slat Fence
Fence Type	2-3/8"	2-3/8"	2-3/8"	2-3/8"	2-3/8"	2-7/8"
Post	PF-10	PF-40	PF-10	PF-40	PF-10	PF-40