



PHYD
HUB

TECHNICAL SHEETS



PHYD
YD
ONE STOP TO
NEVER
STOP


PHYD HUB | ARENA






PHYD
HUB

- 2 teli proiezione motorizzati
- 2 Epson Laser 9000AL
- 4 camere PTZ Full HD
- Audio BOSE
- Impianto AVL
- 8 radiomicrofoni (4 handheld/
4 headset)





130mq

MODE	BRAND	CODE	DESCRIPTION	QTY
VIDEO	Avonic	CM73IPB	Camera PTZ FULLHD SDI BLACK	4
-	Avonic	AV - MT200B	Camera Support	4
-	Avonic	AV - CON300IP	Camera Controller	1
-	Roland	V - 800HDMKII	Mixer Video	1
-	Aja	HI5 - 3G	SDI to HDMI converter	4
-	Crestron	DM - NVX350C	M NVXTM 4K60 4:4:4 HDR Network AV Encoder/Decoder CARD	4
-	Crestron	DM - NVX351C	M NVXTM 4K60 4:4:4 HDR Network AV Encoder/Decoder Downmixing CARD	2
-	Crestron	DM - NVX - D30C	DM NVXT 4K60 4:4:4 HDR Network AV Decoder Card	2
-	Crestron	DM - NVX - E30C	DM NVXTM 4K60 4:4:4 HDR Network AV Encoder Card	4
-	Crestron	DM - NVX - D30	DM NVXTM 4K60 4:4:4 HDR Network AV Decoder	4
-	Crestron	DM - NVX - E30	DM NVXTM 4K60 4:4:4 HDR Network AV Encoder	2
-	Crestron	AM - 200	Media Presentation System	2
ROOM	Crestron	DMF - CI - 8	DigitalMedia™ Card Chassis for DM - NVX - C & DMCF, 8 Slots	2
VISUAL	Epson	EB - L1495U	Laser Projector 9000 Lumen	2
-	Epson	ELPLU04	Lens	2
-	Screenint	MAJOR 400x250	Automatic Screen 400x250	1

MODE	BRAND	CODE	DESCRIPTION	QTY
VISUAL	Screenint	MAJOR 350X219	Automatic Screen 350X219	1
-	Screenint	Interfaccia	Interfaccia	2
-	LG	43UH5F - B	Confidence Monitor	2
-	Euromet	8300	Confidence Monitor Support	2
AUDIO	Shure	MX418D / N	Gooseneck Mic	4
-	Shure	R 184 B	Supercardioid Capsule Mic	4
-	Shure	MXWAPT4--Z11	Access Point 4 Ch.	2
-	Shure	MXW2 / SM58--Z11	Handled Mic	4
-	Shure	MXW1 / O--Z11	Bodypack	4
-	Shure	MXWNCS8 - E	Recare Point 8	1
-	Countryman	H6DW6TMO	Headset Mic	4
-	Countryman	COUH6CABLETSL	Headset Countryman H6 Connecting Cables	4
-	BOSE	DM8S	Passive Audio Monitor Black	4
-	BOSE	PS604D	Power Amplifier	1
-	Biamp	TESIRA FORTÈ DAN CI	Digital Processor	1
-	BOSE	EX - 4ML	Dante Interface	1
CONTROL	Crestron	AV3	Control Processor	1
-	Crestron	TSW - 1060 - B - S	Resistive Touch 10" Black	1

MODE	BRAND	CODE	DESCRIPTION	QTY
CONTROL	Crestron	TSW - 1060 - TTK	Table Top kit 10" NERO	1
-	Crestron	TSW - 760 - B - S	Touch Restistivo 7" a parete Nero	2
-	Extreme Net	SUMMITX440G2 - 24P - 100G	Switch Rete 24P Poe	1
-	Extreme Net	SUMMITX440G2 - 48P - 100G	Switch Rete 48P Poe	1
-	Extreme Net	10GB - SRSFP+	SFP + 10GBASE - SR Modules+LC-multimodal optic fiber 850 nm- 300m	4
CONFER	Extron	MEDIAPORT 200	Bridge	1
-	Extron	USB TX 60 - 1471 - 12	USB Transmitter	1
-	Extron	USB TX 60 - 1471 - 13	USB Receiver	1
ROOM	WP Europe	WPN - RNA - 42808 - B	43U Rack 800x800	1
-	Genelec	G3BMM	Active Audio Monito	2
-	Furman	PLPLUSCE	Net Conditioner	2
-	Extron	SMP351	Recorder Streamer 60 - 1324 - 01	1
-	Epiph	PEARL	-	1
-	An 3P	MINI	Control Room Wall	1
-	LG	RACK 32SM5KE - B	Rack Display 32"	1
-	LG	24BK550Y	Display 24"	2
-	Crestron	CGEIB - IP	Knx gateway	1
ROOM	Extron	IPL T PC1i	IPL T PC1i Controller Alimentazione	2

MODE	BRAND	CODE	DESCRIPTION	QTY
ROOM	Gude	Expert Power Control 8083	Power control	1
-	Crestron	DM - XIO - DIR - 80	DM XiO Director Virtual Switching Appliance 80 Endpoints	1
VIDEO	Chief	VCMU	Supporto Video Projector Suppor Black	2
-	Midas	M32R	Digital Console Live / Studio 40 Input Channels, 16 Midas Pro - Microphone Preamplifiers 25 Mix	1
-	Midas	DN32 - DANTE	Scheda DANTE per MIDAS	1
-	Aja 1	KUMO 1616	Compacti 16x16 3G - SDI Router	1
-	Aja	KUMO PWR	Power Supply	1
-	Kramer	FC - 69	4K60 4:2:0 HDMI Audio Embedder / Dembedder	1
VISUAL CONTROL	Screenint	MAJOR 400x250	Schermo Motorizzato	1
-	Crestron	AV3	Processore di controllo	1
-	Crestron	TSW - 1060 - B - S	Touch Resistivo 10" NERO	1
REGIA	LG	24 BK 550 Y	Display 24"	2
-	Crestron	CGEIB - IP	Knx Gateway	1
-	Liyama	TF2738MSC - B1	Touch 27"	2
-	Lenovo	Cod. 11AD000YIX	TS M80N NANO I7 - 8665U 16GB	1
-	Lenovo	Cod. 11AD000YIX	TS M80N NANO I7 - 8665U 16GB	1
-	Clearone	UNITE20	Webcam	2

MODE	BRAND	CODE	DESCRIPTION	QTY
	ITB	OM07054	Staffa	2
VISUAL	Epson	EB700U	Videoproiettore laser lente corta	3
-	Epson	ELPLMB53	Staffe Videoproiettori	3
-	Brightsign	XD234	Players DS + scheda SD	3
-	Crestron	HD - TX - 101 - C - E	HDMI over CATx Transmitter	3
-	Crestron	HD - TX - 101 - C - E	HDMI over CATx Receiver	3
-	Genelec	4010AM	Diffusori Attivi	2
REGIA	Bluesound	B100S BLK	Network Player Musicale stereo	1
VIDEO	Avonic	CM73IPB	Telecamera PTZ FullHD SDI_BLK	2
-	Avonic	AV - MT200B	Supporto Telecamere	2
-	Aja	HI5 - 3G	Convertitore SDI to HDMI	2
-	Crestron	AM - 200	Media Presentation System	1
-	Crestron	DM - NVX - 350	DM NVX 4K60 4:4:4 HDR Network AV Encoder / Decoder	3
-	Crestron	DM - NVX - D30	DM NVX 4K60 4:4:4 HDR Network AV Decoder	1
VISUAL	Crestron	DM - NVX - E30	DM NVX 4K60 4:4:4 HDR Network AV Encoder	1
-	Crestron	DM - NVX - 352	DM NVX 4K60 4:4:4 HDR Network AV Encoder/Decoder Dante Audio	1
-	LG	WP400	Player Supersign	1
-	LG	43UH5F - B	Monitor di cortesia	1
-	Euromet	8300	Monitor di cortesia	1

MODE	BRAND	CODE	DESCRIPTION	QTY
VISUAL	Screenint	MAJOR 350X219	Automatic Screen 350X219	1
-	Screenint	Interfaccia	Interfaccia	2
-	LG	43UH5F - B	Confidence Monitor	2
-	Euromet	8300	Confidence Monitor Support	2
AUDIO	Shure	MX418D / N	Gooseneck Mic	4
-	Shure	R 184 B	Supercardioid Capsule Mic	4
-	Shure	MXWAPT4=-Z11	Access Point 4 Ch.	2
-	Shure	MXW2 / SM58=-Z11	Handled Mic	4
-	Shure	MXW1 / O=-Z11	Bodypack	4
-	Shure	MXWNCS8 - E	Recare Point 8	1
-	Countryman	H6DW6TMO	Headset Mic	4
-	Countryman	COUH6CABLETSL	Headset Countryman H6 Connecting Cables	4
-	BOSE	DM8S	Passive Audio Monitor Black	4
-	BOSE	PS604D	Power Amplifier	1
-	Biamp	TESIRA FORTÈ DAN CI	Digital Processor	1
-	BOSE	EX - 4ML	Dante Interface	1
CONTROL	Crestron	AV3	Control Processor	1
-	Crestron	TSW - 1060 - B - S	Resistive Touch 10" Black	1

MODE	BRAND	CODE	DESCRIPTION	QTY
AUDIO	Shure	MXWAPT4=-Z11	Access Point 4 Canali	1
-	Shure	MXW2/SM58=-Z11	Microfono Handleld	2
-	Shure	MXW1/O=-Z11	Microfono Bodyback	2
-	Shure	MXWNCS4 - E	Base Rcarica 4 Posti	2
-	Countryman	H6DW6TMO	Microfono Headset	4
-	Countryman	COUH6CABLET SL	Cavetto di Collegamento	4
-	Biamp	TESIRA FORTÈ DAN VT4	Processore Audio	2
-	BOSE	DM8S	Diffusore Passivo Neri	4
-	BOSE	PS604D	Amplificatore	4
VISUAL	Samsung	LH025IFHBAS/E N	LEDWALL 480x270 2.5mm	1
-	Samsung	SBB - SNOWJAU/E	UHD S-BOX IF MAGICINFO CMS	4
-	Samsung	VG - LFH25FWA/E	Struttura	4
-	Samsung	CY - LJFNAS/EN	Magnetic Jig Modular Replacement	4
CONTROL	Exstreme Network	10GB - SRSFP+	SFP + 10GBASE - SR Modules+LC-multimodal optic fiber 850 nm- 300m	1
-	Crestron	TSW - 760	Touch Resistivo 7" BLK	1
-	Crestron	TSW - 760 - TTK - B	Table Top kit 7" BLK	1
-	Exstreme Network	SUMMITX440G2 - 24P - 10G	Switch Rete 24P Poe	1
-	Wp Europe	WPN - RNA - 27606 - B	Rack 27U 600x600	1

MODE	BRAND	CODE	DESCRIPTION	QTY
CONTROL	Furman	PL - 8C E	Condizionatore di Rete	1
-	Gude	Expert Power Control 1292 - 1	Ciabatta controllata	1
VISUAL	Sharp	PN65TH1	Collaboration Display 65"	1
REGIA	SiComputer	Y2.05.12.06	Inter Core i7 8650U (1.9/4.2) GHz 8MB VPRO HD 620 16GB SODIMM	1
VISUAL	Peerless	SF650P	Staffa Display	1
VIDEO	Crestron	UC - SB1	Soundbar Attiva	1
AUDIO	Huddly	Huddly IQ	Telecamera	1
CAVI	3P	Cablaggi	2 cavo USB 3.0 - 2 cavo USB 2.0 1 cavo HDMI	3
VISUAL	Crestron	DM - NVX - D30	DM NVX 4K60 4:4:4 HDR Network AV Decoder	1
REGIA	Apple	Apple TV 4K 32GB	Cod. MQD22QM / A	1
-	Crestron	DM - NVX350C	DM NVX 4K60 4:4:4 HDR Network AV Encoder/Decoder CARD	1
VIDEO	Chief	VCMU	Supporto Videoproiettori BLK	2
-	Chief	CMS0203	Palo regolabile fino a 90cm	2
-	Chief	CMA330	Piastra soffitto	2
-	Airtame	Airtame 2	Sistema di presentazione wireless	4
-	Aten	US234	Switch USB	3
-	Berco	CX - 30	Sistema di condivisione wireless	3




PHYD HUB | PATIO



- Ledwall 480cm x 270cm
- 2 camera PTZ Full HD
- Audio BOSE
- Impianto AVL
- 4 radiomicrofoni (2 handheld/
2 headset)
- Sistema conference Taurus





140mq


MODE	BRAND	CODE	DESCRIPTION	QTY
VIDEO	Avonic	CM73IPW	Camera PTZ FULLHD SDI	1
-	Avonic	CM73IPB	Camera PTZ FULLHD SDI BLACK	1
-	Avonic	CM CMW	Camera Support	1
-	Avonic	AV - MT200B	Camera Support	1
-	Aja	HI5 - 3G	SDI to HDMI converter	2
-	Crestron	AM - 200	Media Presentation System	3
-	Crestron	DM - NVX350	M NVXTM 4K60 4:4:4 HDR Network AV Encoder/Decoder	3
-	Crestron	USDM - NVX - D30	DM NVXTM 4K60 4:4:4 HDR Network AV Decoder	1
VISUAL	Crestron	DM - NVX - E30	DM NVXT 4K60 4:4:4 HDR Network AV Encoder	1
-	Crestron	DM - NVX352	DM NVXTM 4K60 4:4:4 HDR Network AV Encoder/Decoder with Dante® Audio	1
-	LG	WP400	Player SUPERSIGN	1
-	LG	43UH5F - B	Confidence Monitor	1
-	Euromet	8300	Confidence Monitor Hang	1
AUDIO	Shure	MXWAPT4=-Z11	Access Point 4 CH	1
-	Shure	MXW2/SM58=-Z11	Mic Handheld	2
-	Shure	MXW1/0=-Z11	Mic Bodypack	2
-	Shure	MXWNCS4-E	Recharge 4 Point	1

MODE	BRAND	CODE	DESCRIPTION	QTY
AUDIO	Countryman	H6DW6TMO	Mic Headset	2
-	Countryman	COUCH6CABLETSL	Cable	2
-	Biamp	TESIRA FORTÉ DAN	Audio Processor	1
-	Bose	DM8S	Passive Audio Monitor Black	8
-	Bose	PS604D	Power Amplifier	2
VISUAL	Samsung	LH025IFHBAS / EN	LEDWALL 480x270 - 2.5mm	52
-	Samsung	SBB - SNOWJAU / E	UHD S BOX per serie IF MAGICINFO	1
-	BMD	ATEMI MINI PRO	Switcher HDMI	1
-	Samsung	VG - LFH25FWA / E	Structure	1
-	Samsung	CY - LJNAS / EN	Magnetic JIG - modular replacement	1
CONTROL	Extreme Net.	10GB - SRSFP+	Sfp+10gbase-sr module multimodal opti fiber conn 850 nm / 300m	2
-	Crestron	TSW - 760	Tresistive Ouch 7" Black	1
-	Crestron	TSW - 760 - TTK - B	Table Top Kit 7" Black	1
-	Extreme Net.	SUMMITX440G224X	Switch Rete 24P POE	1
-	Wp Europe	WPN - RNA - 27606 - B	Rack 27U 600X600	1
-	Furman	PL - 8C E	Net Conditioner	1
-	Extron	IPL T PC1I	IPL T PC1i Power Supply Controller	1
-	Lightware	UCX 4x2	Switcher USB 4x2	1



PHYD HUB | FORGE





3 schermi touch 65"



Soundbar Polygon Studio




Barco CX30 Wireless Sharing System



3 computer con camera esterna

Full Forge 40 mq | Main Forge 25 mq | Light Forge 15 mq

Full Forge 12 pax | Main Forge 8 pax | Light Forge 6 pax




MODE	BRAND	CODE	DESCRIPTION	QTY
VISUAL	Sharp	PN65TH1	Collaboration Display 65"	3
CONTROL	SiComputer	Y2.05.12.06	Intel Core i7 8650 (1.9/4.2 GHz) 8MB VPRO HD 620 16 GB SODIMM SSD 2.5" SATA 256GB DDR-4 (2400 MHZ) x 8 GB SSD 500 GB SATA	3
VIDEO	Huddly	HUDDLY IQ	Camera	3
AUDIO	Creston	UC-SB1	Soundbar Active	3
VISUAL	Peerless	SF650P	Display support	3
CABLES	3P	CABLAGGI	2 USB 3.0 - 2USB 2.0 - 1 HDMI	3
VARIOUS	RS Component	765-8757	USB 3.0 Femmina TypeA	3
-	Aten	US234	Switch USB	3
-	BARCO	CX-30	Wireless Sharing System	3
-	GUDE	Expert Power Control 8316-1	Spare	1
-	CRESTRON	HD - TX - 101 - C - E	Transmitter Cat 6	1
-	CRESTRON	HD - TX - 101 - C - E	HDMI® Over Catx Receiver	1

PHYD HUB | CAPSULE




CAPSULE 1



- Schermo touch 40"
- Visore virtual reality Oculus
- Speakerphone
- Computer con camera esterna

1pax per Capsule



MODE	BRAND	CODE	DESCRIPTION	QTY
VISUAL	Sharp	PN40TC1	Touch Display 40"	4
CONTROL	Sicomputer	Y2.05.12.06	Intel Core i7 8650 (1.9/4.2 GHz) 8MB VPRO HD 620 16 GB SODIMM SSD 2.5" SATA 256GB DDR-4 (2400 MHZ) x 8 GB SSD 500 GB SATA	4
VIDEO	Huddly	HUDDL Y GO		4
AUDIO	Clerone	CHAT 150USB	Speakerphone	4
VISUAL	Peerless	SF650P	Display hang	4
CABLES	3P	CABLAGGI	2 USB 3.0 2USB 2.0 1 HDMI	4
VARIOUS	Airtame	AIRTAME 2	Wireless presentation system	4
VARIOUS	RS Component	765-8757	USB 3.0 con FemaleTypeA	4



PHYD HUB

SPAZI PER CONNETTERE

Via Tortona 31 | Milano
[phyd.com](https://www.phyd.com)

Elisabetta Torda
hub@phyd.com
+39 324 0019953