Click on Cover for Table of Contents





Providing precision tools, equipment and supplies for the Metalworking Industries – Jewelry Making, Mold & Die Polishing, Deburring, Micro-Welding, Inspecting, Polishing, Cleaning and more.

ow we came to be here, over 100 years after incorporating, is truly an American success story. The founder of our company, Paul H. Gesswein, came to America with his parents when he was in his early teens. His arrival in this country typified the struggle that many immigrants faced in becoming self-sufficient. As a teenager, Paul took a job working in a hardware store and soon found that he had many requests from nearby craftsmen for high quality small size precision tools. Recognizing a unique opportunity, in 1914 he decided to start his own business. He began by importing European tools and initially concentrated on local customers, who visited the store to make purchases. The original

focus of the business was to supply tools and equipment to the thriving jewelry and silversmith industries in New York and Boston. After more people heard about his precision tools, requests from other parts of the country came in.

That's when Paul decided to produce a book of tools and supplies that he could mail to those who couldn't visit the store—and our first catalog was born. By the 1930s, the Paul H. Gesswein Company, Inc.

occupied one room in a building on Maiden Lane in lower Manhattan. Paul made the sales calls while one employee manned the phones.

Some of the larger factories had a tool room and needed many other specialized products. Our 1943 Tool and Die Makers catalog illustrated mounted stones, India stones, files, saws, burs, brushes, etc. Items sold then were predecessors to the ones we offer in this very catalog.

The Paul H. Gesswein Company, Inc. began to grow, expanding as quickly as space became available in the Maiden Lane building. By 1950, the Paul H. Gesswein Company carried over 1,000 items.

In our General Catalog of 1952 we first see our Moldmakers Finishing Stones (Silicon Carbide), which were used by the fledgling Bakelite moldmaking industry. During the 1950's plastic injection molding came about and grew very quickly. It became apparent that different types of finishing stones were needed — harder, softer, Aluminum Oxide, etc. In the next decade EDM required new solutions, which we were able to provide. Today Ceramic and our traditional stones are used with mechanical and Ultrasonic finishers. These measurably increase productivity and overall mold finish quality.

In 1963, the company finally outgrew its available space. We moved uptown a couple of miles to lower Park Avenue, beginning with 5,000 square feet of space. As the decade progressed, so did we. Within three years, another generation of Gesswein family members had entered the business. We were still on Park Avenue, but we were renting another floor and part of a third to store equipment. Even with the extra space, we had at least two employees sharing the same desk, alternating their workdays in the office. Another move was clearly in the offing. Ultimately, we decided on Connecticut, designing and constructing our own home office here, later acquiring first one adjacent building and then another.



Paul H. Gesswein & Company Inc., Home Office, Bridgeport, Connecticut, USA

Until roughly 50 years ago, we focused primarily on domestic sales. Paul's son, Roger H. Gesswein then visited Europe to call on suppliers and recognized a vast untapped market. He soon established numerous relationships which continue to this day with European customers who realized, like their American counterparts, the advantages of using our unique, high-quality products beginning a new era of international sales.

The Paul H. Gesswein Company, Inc. has come a long way from that one-room walk-in store on Maiden Lane. Today, we offer over 16,000 items to a large community of jewelry manufacturers and mold and die polishers around the globe. Even with this growth, however, we are still loyal to the vision Paul had a century ago. We are constantly adding new and innovative products to help the metal (precious as well as tool steel) and wood working industries, and these can instantly be seen on our interactive website 24/7.

As simply set forth in our guiding policy: "Our customers are the most important part of our business. Without them we would not be here. We are dedicated to giving them the ultimate in service and to making them think the best thing they ever did was to buy from Gesswein. Gesswein means quality and value. Our products include those of highest quality and precision as well as those of high value at lower costs. Service means giving the customers more than they expect, responding to their needs immediately and shipping orders the same day."

In closing, it seems appropriate to us that we present this catalog with a passage from our very first: "It is with justifiable pride that we contemplate its completion, and in presenting it to you we do so with the firm conviction that it will bring us into closer relations of mutual advantage".

Paul H. Gesswein & Company Inc., is a Proud Member of:



-125 -135 -153 -179 269

click links to go to pages. Neturn wil	in Home	Rey
ABRASIVES. BRUSHES. BUFFS. BURS.	126–135 136–153	
CAD/CAM	184–234 235–247	
DRILLS & TAPS	257–269 270–274	
FILES	318–329 330–331	
LIGHTING	340–349 350–367	
POLISHING & RECOVERY	408–411 412–419	
SAFETY PRODUCTS	476–479 480–483	
SOLDERING	512–521 522–531	
VISES	547–554 555–566	
WORK PROCESSING & PACKAGING MANDRELS & REFERENCE CHARTS ORDERING & INFORMATION INDEX	584–591 592–596	

Click links to go to pages. Return with Home Key

		000	
		Sec.	
			440
8			
	A CONTRACTOR		
2			
		No. No. No	

Gesswein' Finishing Stones For Mold & Die Polishing

For over 100 years, leading metalworkers have come to know and rely upon Gesswein for the best in abrasives.

We are proud Gesswein stones are the unquestionable choice of leading mold and die craftsmen worldwide. Their trust and confidence in us is due to:

- Demanding Standards: For each stone, careful grading eliminates oversized grains and special blending operations ensure absolute uniformity of finish, whatever your application.
- Exceptional Quality Control: Working closely with the best suppliers in the industry as well as making blocks and stones at our facility to ensure the highest standards are consistently met.
- Quality Ingredients: Our stones are composed of the purest ingredients.

Aluminum Oxide: An extremely tough abrasive; each grain holds its sharpness

Levigated Alumina: A very fine form of aluminum oxide (stones made of this formulation are softer).

Silicon Carbide: Extremely sharp and brittle (these man-made particles are designed to shatter and expose new, sharp edges).




As an industry pioneer, we have long known an important key to continued successprovide a complete range of products that allows polishers to choose the perfect stone for each task. We continue to develop new products to meet the changing needs of our customers.



Surface Type	Diemaker	EDM	EDM Blue	Oil Treated	Premium White	RA	General Purpose	Mold- maker	Mold- maker Plus	Super Fine	Ultra Soft	Rough Out	Ceramic Diamond Stones	Ceramic	Ruby
All Tool Steels	•	•	•	•	•	•	•	•	•			•	•	•	•
Heat Treated Tool Steel	•					•							•	•	•
EDM Surface		•	•	•		•	•						•	•	
Machined Surface	•			•	•		•						•	•	
Stainless Steel	•			•				•	•				•	•	
Aluminum								•	•	•	•	•	•	•	
Non-Ferrous								•	•	•	•	•	•	•	
High Polishing										•	•				
Rough Grinding												•			
Carbide													•		•

Blue diamond indicates the most commonly used for each application.



600

MADE N USA

ULTRASOFT

450-7102

Which Gesswein Stone is Right for Your Job?

Made in the USA

> The chart below contains helpful information to guide you in selecting the appropriate finishing stone based on your application. Stones are listed from hardest to softest.



Туре	Abrasive Material	Characteristics & Usage	Page (s)
RA	Aluminum oxide	Special breakdown-resistant resin bond. Can be used aggressively and be ground to a sharp edge or for use on hard-to-reach areas such as slots and ribs.	12
EDM Blue	Premium aluminum oxide	New harder formulation of our EDM stones especially designed to handle the high-speed back-and-forth motion of a profiler or ultrasonic machine. Superior for removing the hardest EDM scale. Designed for use on hard surfaces at high speed. Holds shape very well.	8
EDM	Premium aluminum oxide	Our best stones for fast removal of EDM scale. They have sharp points and edges to cut and dig into material to better remove it. Use EDM for more aggressive polishing.	6-7
General Purpose	White aluminum oxide	This soft stone acts harder due to a proprietary treatment. Experienced polishers will find this formula cuts fast, wears slowly and holds its shape well.	13
Premium White	Premium aluminum oxide	Semi-hard, good for general purpose mold polishing. Special treatment provides load resistance and a lubricating effect.	14
Oil-Treated	White aluminum oxide	Soaked in oil solution to prevent loading. Fast-cutting with moderate breakdown. Popular general purpose stones often used for EDM scale removal. Can be used without stoning oil.	9
Diemaker	Aluminum oxide	Extremely popular. For general purpose stoning on all types of steel. Fast-cutting, wears at an average rate and gives a good surface finish.	4-5
Moldmaker Plus	Premium silicon carbide	Green silicon carbide. Medium stone with slower breakdown characteristics than our standard Moldmaker stones.	11
Moldmaker	Silicon carbide	Easy to shape stone for contour polishing. Medium-soft, nonloading and fast-cutting with rapid breakdown.	10
Rough Out	Aluminum oxide	Coarse, fast-cutting with rapid breakdown. For deep machining marks. Also good for rust removal.	15
Super Fine	Levigated alumina	Our softest and finest stones for steel surfaces. They don't scratch and are nonloading. For final finish before using diamond compound.	16
Ultra-Soft	White aluminum oxide	Formulated for polishing aluminum, stainless steel, beryllium, kirksite and other soft metals. Very soft, fast-cutting and nonloading with very rapid breakdown.	16

IMPORTANT: Abrasive stones break down during mold and die polishing, grinding, tool sharpening, and dressing of cutting & grinding wheels. The resulting dust is classified by OSHA as inert or nuisance dust. Please consult the Material Safety Data Sheet for each stone; data provided therein pertains primarily to the dust produced during and after use. Please note that hazards may change when abrasive stones are used in conjunction with solvents, cutting fluids or other chemicals. For more complete information, consult the Material Safety Data Sheets of chemical products used with abrasive stone products.

Gesswein Diemaker Stones

 Medium-hard aluminum oxide stones combine the characteristics of fast cutting and moderate breakdown.

 Ideal for general purpose stoning on hard and soft tool steels such as H-13, P-21, SS420 and pre-finishing.

- · One of our most popular finishing stones.
- New 100 grit stones in most sizes.
- Sold in full box quantities of 6 or 12 each as indicated.

IMPORTANT: See dust warning on page 3.

⁵ / ₃₂ " x ⁵ / ₃₂ " x 4"			12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
01	100	415-0001	\$1.61	\$1.45	\$1.29
1	150	415-0010	1.61	1.45	1.29
2	220	415-0020	1.61	1.45	1.29
3	320	415-0030	1.61	1.45	1.29
4	400	415-0040	1.61	1.45	1.29
6	600	415-0060	1.82	1.64	1.46
8	800	415-0080	1.82	1.64	1.46
9	900	415-0090	1.82	1.64	1.46
1200	1200	415-4080	2.00	1.80	1.61

1/4" x	¹∕16" x 4	II	12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
2210	220	405-2210	\$1.58	\$1.42	\$1.27
2310	320	405-2310	1.77	1.59	1.42
2410	400	405-2410	1.77	1.59	1.42
2610	600	405-2610	2.05	1.85	1.65
2910	900	405-2910	2.12	1.91	1.70
4010	1200	405-4010	2.33	2.10	1.87

¹⁄₄" x	½" x 6"		12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
1801	100	405-1801	\$2.31	\$2.08	\$1.86
2101	150	405-2101	2.31	2.08	1.86
2201	220	405-2201	2.31	2.08	1.86
2301	320	405-2301	2.58	2.32	2.07
2401	400	405-2401	2.58	2.32	2.07
2601	600	405-2601	2.92	2.63	2.35
2801	800	405-2801	2.92	2.63	2.35
2901	900	405-2901	3.05	2.75	2.45
4001	1200	405-4001	3.35	3.02	2.69

1⁄4" x	½" x 6"		12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
1802	100	405-1802	\$2.40	\$2.16	\$1.93
2102	150	405-2102	2.40	2.16	1.93
2202	220	405-2202	2.40	2.16	1.93
2302	320	405-2302	2.67	2.40	2.15
2402	400	405-2402	2.67	2.40	2.15
2602	600	405-2602	3.05	2.75	2.45
2802	800	405-2802	3.05	2.75	2.45
2902	900	405-2902	3.65	3.29	2.93
4002	1200	405-4002	4.00	3.60	3.21

Sold in full box quantities of 6 or 12 each as indicated by please order in these multiples.



7.22

6.50

5.80

405-4008

DIEMAKER

DIEMAKER

400

4008

1200

buv

900

See Our Sampler Sets on pages 19-21

1/2" X	¹ ⁄16" x 6	II	12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
1800	100	405-1800	\$2.61	\$2.35	\$2.10
2100	150	405-2100	2.61	2.35	2.10
2200	220	405-2200	2.61	2.35	2.10
2300	320	405-2300	2.91	2.62	2.34
2400	400	405-2400	2.91	2.62	2.34
2600	600	405-2600	3.33	3.00	2.68
2900	900	405-2900	3.72	3.35	2.99
4000	1200	405-4000	4.08	3.67	3.28

				ces
Style Grit	Item#	12-60	72-132	144+
1803 100	405-1803	\$2.74	\$2.47	\$2.20
2103 150	405-2103	2.74	2.47	2.20
2203 220	405-2203	2.74	2.47	2.20
2303 320	405-2303	2.97	2.67	2.39
2403 400	405-2403	2.97	2.67	2.39
2603 600	405-2603	3.49	3.14	2.80
2803 800	405-2803	3.49	3.14	2.80
2903 900	405-2903	3.91	3.52	3.14
4003 1200	405-4003	4.30	3.87	3.46

1/2" X	½" x 6"	ı	12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
1804	100	405-1804	\$3.16	\$2.84	\$2.54
2104	150	405-2104	3.16	2.84	2.54
2204	220	405-2204	3.16	2.84	2.54
2304	320	405-2304	3.66	3.29	2.94
2404	400	405-2404	3.66	3.29	2.94
2604	600	405-2604	4.61	4.15	3.70
2804	800	405-2804	4.61	4.15	3.70
2904	900	405-2904	5.47	4.92	4.40
4004	1200	405-4004	6.02	5.42	4.84

1805 100 405-1805 \$4.20 \$3.78 \$3.3 2105 150 405-2105 4.20 3.78 3.3	¹ /2" x ¹ /2" x 6"	x 6"	600 EACH Price		
2105 150 405-2105 4.20 3.78 3.3	Style Grit	rit Item#	6-66	72-138	144+
100 2100 1120 0110 010	1805 100	405-1805	\$4.20	\$3.78	\$3.37
2205 220 405-2205 4.20 3.78 3.3	2105 150	405-2105	4.20	3.78	3.37
	2205 220	405-2205	4.20	3.78	3.37
2305 320 405-2305 6.08 5.47 4.8	2305 320	405-2305	6.08	5.47	4.89
2405 400 405-2405 6.08 5.47 4.8	2405 400	405-2405	6.08	5.47	4.89
2605 600 405-2605 7.89 7.10 6.3	2605 600	405-2605	7.89	7.10	6.34
2805 800 405-2805 7.89 7.10 6.3	2805 800	405-2805	7.89	7.10	6.34
2905 900 405-2905 8.21 7.39 6.6	2905 900	405-2905	8.21	7.39	6.60
4005 1200 405-4005 9.08 8.17 7.3	4005 1200	00 405-4005	9.08	8.17	7.30

Hybrid	Hybrid, ½" x ½" x 6"			EACH Pri	H Prices		
Style	Grit	Item#	12-60	72-132	144+		
1823H	100	405-1823	\$3.12	\$2.81	\$2.51		
2123H	150	405-2123	3.12	2.81	2.51		
2223H	220	405-2223	3.12	2.81	2.51		
2323H	320	405-2323	3.47	3.12	2.79		
2423H	400	405-2423	3.47	3.12	2.79		
2623H	600	405-2623	3.97	3.57	3.19		
2823H	800	405-2823	3.97	3.57	3.19		
2923H	900	405-2923	4.75	4.28	3.82		
4023H	1200	405-4023	5.23	4.71	4.20		

1" x ½	8" x 6"		брс	EACH Pric	ces
Style	Grit	Item#	6-66	72-138	144+
1811	100	405-1811	\$4.50	\$4.05	\$3.62
2111	150	405-2111	4.50	4.05	3.62
2211	220	405-2211	4.50	4.05	3.62
2311	320	405-2311	5.07	4.56	4.07
2411	400	405-2411	5.07	4.56	4.07
2611	600	405-2611	6.79	6.11	5.46

Round,	½" x 6	II	EACH Prices		
Style	Grit	Item#	6-66	72-138	144+
3102	150	405-3102	\$4.60	\$4.14	\$3.70
3202	220	405-3202	4.60	4.14	3.70
3302	320	405-3302	5.00	4.50	4.02
3402	400	405-3402	5.00	4.50	4.02
3602	600	405-3602	5.21	4.69	4.19
3902	900	405-3902	6.42	5.78	5.16

1" x ½	⁄4" x 6"		брс	EACH Pri	ces
Style	Grit	Item#	6-66	72-138	144+
1812	100	405-1812	\$4.72	\$4.25	\$3.79
2112	150	405-2112	4.72	4.25	3.79
2212	220	405-2212	4.72	4.25	3.79
2312	320	405-2312	6.04	5.44	4.85
2412	400	405-2412	6.04	5.44	4.85
2612	600	405-2612	8.07	7.26	6.48

	Round	, ³ /8" x (6"	600 EACH Prices			
D	Style	Grit	Item#	6-66	72-138	144+	
	3108	150	405-3108	\$5.66	\$5.09	\$4.55	
	3208	220	405-3208	5.66	5.09	4.55	
	3308	320	405-3308	7.56	6.80	6.07	
	3408	400	405-3408	7.56	6.80	6.07	
	3608	600	405-3608	8.94	8.05	7.18	

1" x ½"x 6"						
Style	Grit	Item#	6-66	72-138	144+	
1807	100	405-1807	\$5.82	\$5.24	\$4.68	
2107	150	405-2107	5.82	5.24	4.68	
2207	220	405-2207	5.82	5.24	4.68	
2307	320	405-2307	9.17	8.25	7.37	
2407	400	405-2407	9.17	8.25	7.37	
2607	600	405-2607	12.07	10.86	9.70	
2907	900	405-2907	14.00	12.60	11.25	

Round	I, ½" x	6"	EACH Prices			
Style	Grit	Item#	6-66	72-138	144+	
3105	150	405-3105	\$6.47	\$5.82	\$5.20	
3205	220	405-3205	6.47	5.82	5.20	
3305	320	405-3305	6.47	5.82	5.20	
3405	400	405-3405	8.55	7.70	6.87	
3605	600	405-3605	9.17	8.25	7.37	

1" x 1" x 6" EACH Prices						
Style	Grit	Item#	6-66	72-138	144+	
1806	100	405-1806	\$9.98	\$8.98	\$8.02	
2106	150	405-2106	9.98	8.98	8.02	
2206	220	405-2206	9.98	8.98	8.02	
2306	320	405-2306	13.65	12.29	10.97	
2406	400	405-2406	13.65	12.29	10.97	
2606	600	405-2606	20.20	18.18	16.23	

Triang	ular, 1/4'	' x 6"	EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
21T2	150	405-2192	\$2.69	\$2.42	\$2.16	
22T2	220	405-2292	2.69	2.42	2.16	
23T2	320	405-2392	3.11	2.80	2.50	
24T2	400	405-2492	3.11	2.80	2.50	

Triangular, 3/8" x 6"			EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
21T8	150	405-2198	\$3.81	\$3.43	\$3.06	
22T8	220	405-2298	3.81	3.43	3.06	
23T8	320	405-2398	4.01	3.61	3.22	
24T8	400	405-2498	4.01	3.61	3.22	

Sold in full box quantities of 6 or 12 each as indicated by fig. please order in these multiples.

IMPORTANT: See dust warning on page 3.

Gesswein EDM Stones

- Remove the tough, hard scale left by the EDM process much faster than any of our other finishing stones.
- Contains extra-sharp premium-grade aluminum oxide for fast cutting action.
- Special clay bond enables the EDM stones to hold their shape well for working small details and sharp corners.
- Breaks down slowly, cuts fast and resists loading.
- Sold in full box quantities of 6 or 12 each as indicated.

IMPORTANT: See dust warning on page 3.

400 Gesswein 425-9405 EDM 255 400 See Our Sampler Sets on pages 19-21

Gesswein

320

120

6	⁵ / ₃₂ " x ⁵ / ₃₂ " x 4 "			EACH Prices			
	Style	Grit	Item#	12-60	72-132	144+	
	61	120	415-0610	\$1.69	\$1.52	\$1.36	
	62	180	415-0620	1.69	1.52	1.36	
	622	220	415-0622	1.69	1.52	1.36	
	63	320	415-0630	1.69	1.52	1.36	
	64	400	415-0640	1.69	1.52	1.36	
	66	600	415-0660	1.91	1.72	1.53	

	3/8" x 3/8" x 6"			EACH Prices			
	Style	Grit	Item#	12-60	72-132	144+	
۲,	6128	120	425-6128	\$3.47	\$3.12	\$2.79	
	6188	180	425-6188	3.47	3.12	2.79	
	6208	220	425-6208	3.47	3.12	2.79	
	6308	320	425-6308	3.82	3.44	3.07	

120

¹ ⁄4" x ¹ ⁄16" x 4"			EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
6110	180	425-6110	\$1.25	\$1.13	\$1.00	
6210	220	425-6210	1.32	1.19	1.06	
6310	320	425-6310	1.47	1.32	1.18	
6410	400	425-6410	1.47	1.32	1.18	
6610	600	425-6610	1.68	1.51	1.35	

½" x	¹ /16" x 6	6"	EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
6120	120	425-6120	\$2.62	\$2.36	\$2.11	
6180	180	425-6180	2.62	2.36	2.11	
6200	220	425-6200	2.62	2.36	2.11	
6300	320	425-6300	2.92	2.63	2.35	
6400	400	425-6400	2.92	2.63	2.35	
6600	600	425-6600	3.33	3.00	2.68	


½" x ½" x 6"			EACH Prices			
Style	Grit	Item#1	12-60	72-132	144+	
6121	120	425-6121	\$2.42	\$2.18	\$1.94	
6181	180	425-6181	2.42	2.18	1.94	
6201	220	425-6201	2.42	2.18	1.94	
6301	320	425-6301	2.58	2.32	2.07	
6401	400	425-6401	2.58	2.32	2.07	
6601	600	425-6601	2.99	2.69	2.40	

½" x	¹ ⁄8" x 6"		12pc	EACH Pri	ices
Style	Grit	Item#	12-60	72-132	144+
6123	120	425-6123	\$2.74	\$2.47	\$2.20
6183	180	425-6183	2.74	2.47	2.20
6203	220	425-6203	2.74	2.47	2.20
6303	320	425-6303	2.92	2.63	2.35
6403	400	425-6403	2.92	2.63	2.35
6603	600	425-6603	4.03	3.63	3.24

10 10	1/4" x 1	1⁄4" x 6"		EACH Prices		
100	Style	Grit	Item#	12-60	72-132	144+
	6122	120	425-6122	\$2.55	\$2.30	\$2.05
	6182	180	425-6182	2.55	2.30	2.05
	6202	220	425-6202	2.55	2.30	2.05
	6302	320	425-6302	2.72	2.45	2.19
	6402	400	425-6402	2.72	2.45	2.19
	6602	600	425-6602	3.28	2.95	2.64

5.00	1/2" X	¹ ⁄4" x 6'	ı	EACH Prices			
	Style	Grit	Item#	12-60	72-132	144+	
	6124	120	425-6124	\$3.32	\$2.99	\$2.67	
	6184	180	425-6184	3.32	2.99	2.67	
	6204	220	425-6204	3.32	2.99	2.67	
	6304	320	425-6304	3.68	3.31	2.96	
	6404	400	425-6404	3.68	3.31	2.96	
	6604	600	425-6604	5.32	4.79	4.27	

Sold in full box quantities of 12 each as indicated by please order in these multiples.



À	Round	l, ½" x (6"	6 EACH Prices				
	Style	Grit	Item#	6-66	72-138	144+		
	E122	120	425-0122	\$4.73	\$4.26	\$3.80		
	E182	180	425-0182	4.73	4.26	3.80		
	E222	220	425-0222	4.73	4.26	3.80		
	E302	320	425-0302	5.08	4.57	4.08		
	E402	400	425-0402	5.08	4.57	4.08		
	E602	600	425-0602	5.79	5.21	4.65		

1" x ½	2" x 6"		брс	EACH Pri	ices
Style	Grit	Item#	6-66	72-138	144+
6127	120	425-6127	\$5.82	\$5.24	\$4.68
6187	180	425-6187	5.82	5.24	4.68
6207	220	425-6207	5.82	5.24	4.68
6307	320	425-6307	9.17	8.25	7.37

Triang	ular, 1⁄4'	' x 6"	EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
61T2	120	425-6192	\$3.07	\$2.76	\$2.47	
62T2	180	425-6292	3.07	2.76	2.47	
63T2	320	425-6392	3.27	2.94	2.63	



	Triang	ular, ¾	" x 6"	12pc	EACH Pric	ces
4	Style	Grit	Item#	12-60	72-132	144+
	61T8	120	425-6198	\$4.10	\$3.69	\$3.29
	62T8	180	425-6298	4.10	3.69	3.29
	63T8	320	425-6398	4.59	4.13	3.69

123H 120 425-0123 \$3.32 \$2.99 \$2.6 183H 180 425-0183 3.32 2.99 2.6 223H 220 425-0223 3.32 2.99 2.6 323H 320 425-0323 3.53 3.18 3.1 423H 400 425-0423 3.53 3.18 2.6	0 70	Hybrid	, ½" x	¹ ⁄4" x 6"	EACH Prices			
183H 180 425-0183 3.32 2.99 2.6 223H 220 425-0223 3.32 2.99 2.6 323H 320 425-0323 3.53 3.18 3.1 423H 400 425-0423 3.53 3.18 2.6	200	Style	Grit	Item#	12-60	72-132	144+	
223H 220 425-0223 3.32 2.99 2.6 323H 320 425-0323 3.53 3.18 3.1 423H 400 425-0423 3.53 3.18 2.8		123H	120	425-0123	\$3.32	\$2.99	\$2.67	
323H 320 425-0323 3.53 3.18 3.1 423H 400 425-0423 3.53 3.18 2.8		183H	180	425-0183	3.32	2.99	2.67	
423H 400 425-0423 3.53 3.18 2.8		223H	220	425-0223	3.32	2.99	2.67	
120 0 120 0 000 0110 210		323H	320	425-0323	3.53	3.18	3.18	
623H 600 425-0623 4.27 3.84 3.4		423H	400	425-0423	3.53	3.18	2.84	
120 0020 4127 0104 014		623H	600	425-0623	4.27	3.84	3.43	





Sold in full box quantities of 6 or 12 each as indicated by n please order in these multiples.





Gesswein EDM Blue Stones

- Harder than our regular EDM Stones and designed to remove the tough, hard scale left by the EDM process.
- · Breaks down slowly and cuts fast.
- Maintains shape, saving you time.
- Contains extra-sharp premium-grade aluminum oxide for fast cutting action plus a small amount of cobalt blue for added hardness.
- Resists breakage and specifically designed for use in reciprocating profilers.
- · Sold in full box quantities of 6 or 12 each as indicated.

IMPORTANT: See dust warning on page 3.



EACH Prices

144 +

\$2.20

2.20

2.20

2.35

2.35

3.24

72-132

\$2.47

2.47

2.47

2.63

2.63

3.63

½" x ½" x 6"

Grit

120

Item#

424-6123

12-60

\$2.74

2.74

2.74

2.92

2.92

4.03

Style

6123B

	5/32" X	5⁄32" X	4"	EACH Prices			
200	Style	Grit	Item#	12-60	72-132	144+	
	61B	120	415-6010	\$1.69	\$1.52	\$1.36	
	62B	180	415-6020	1.69	1.52	1.36	
	622B	220	415-6022	1.69	1.52	1.36	
	63B	320	415-6030	1.69	1.52	1.36	
	64B	400	415-6040	1.69	1.52	1.36	
	66B	600	415-6060	1.91	1.72	1.53	

622B	000				1.36	6183B	180
	220	415-6022	1.69	1.52	1.36	6203B	220
63B	320	415-6030	1.69	1.52	1.36	6303B	320
64B	400	415-6040	1.69	1.52	1.36	6403B	400
66B	600	415-6060	1.91	1.72	1.53	6603B	600

½" x ½" x 6"			EACH Prices		
Style	Grit	Item#	12-60	72-132	144+
6121B	120	424-6121	\$2.42	\$2.18	\$1.94
6181B	180	424-6181	2.42	2.18	1.94
6201B	220	424-6201	2.42	2.18	1.94
6301B	320	424-6301	2.58	2.32	2.07
6401B	400	424-6401	2.58	2.32	2.07
6601B	600	424-6601	2.99	2.69	2.40

1/2" x 1	⁄4" x 6"		EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
6124B	120	424-6124	\$3.32	\$2.99	\$2.67	
6184B	180	424-6184	3.32	2.99	2.67	
6204B	220	424-6204	3.32	2.99	2.67	
6304B	320	424-6304	3.68	3.31	2.96	
6404B	400	424-6404	3.68	3.31	2.96	
6604B	600	424-6604	5.32	4.79	4.27	

1/4" x 1/	¹ /4" x ¹ /4" x 6"			EACH Prices			
Style	Grit	Item#	12-60	72-132	144+		
6122B	120	424-6122	\$2.55	\$2.30	\$2.05		
6182B	180	424-6182	2.55	2.30	2.05		
6202B	220	424-6202	2.55	2.30	2.05		
6302B	320	424-6302	2.72	2.45	2.19		
6402B	400	424-6402	2.72	2.45	2.19		
6602B	600	424-6602	3.28	2.95	2.64		

1" x ½	⁄2" x 6"		EACH Prices			
Style	Grit	Item#	6-66	72-138	144+	
6127	120	424-6127	\$5.82	\$5.24	\$4.68	
6187	180	424-6187	5.82	5.24	4.68	
6207	220	424-6207	5.82	5.24	4.68	
6307	320	424-6307	9.17	8.25	7.37	

½" x ½16" x 6"			EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
6120B	120	424-6120	\$2.62	\$2.36	\$2.11	
6180B	180	424-6180	2.62	2.36	2.11	
6200B	220	424-6200	2.62	2.36	2.11	
6300B	320	424-6300	2.92	2.63	2.35	
6400B	400	424-6400	2.92	2.63	2.35	
6600B	600	424-6600	3.33	3.00	2.68	

Round	, ¼" x	6"	EACH Prices			
Style	Grit	Item#	6-66	72-138	144+	
E122B	120	424-0122	\$4.73	\$4.26	\$3.80	
E182B	180	424-0182	4.73	4.26	3.80	
F302B	320	424-0302	5.08	4 57	4 N8	



Sold in full box quantities of 6 or 12 each as indicated by 😥 🟚 please order in these multiples.



Gesswein Oil-Treated Stones

- · Excellent for machined surfaces.
- · Fine cutting ability.
- · Medium-hard stone with white aluminum oxide soaked with oil. Can be used without additional lubrication.
- Holds shape well for finishing mold details.
- Moderate breakdown.
- · Often used for EDM removal. Special oil treatment prevents loading.
- Sold in full box quantities of 6 or 12 each as indicated.

IMPORTANT: See dust warning on page 3.

5/32" X	⁵ /32" x ⁵ /32" x 4"			EACH Prices		
Style	Grit	Item#	12-60	72-132	144+	
51	120	415-0510	\$1.69	\$1.52	\$1.36	
50	180	415-0518	1.69	1.52	1.36	
52	220	415-0520	1.69	1.52	1.36	
53	320	415-0530	1.69	1.52	1.36	
54	400	415-0540	1.69	1.52	1.36	
56	600	415-0560	1.91	1.72	1.53	
58	800	415-0580	1.91	1.72	1.53	
59	1200	415-0590	2.17	1.95	1.74	

320

1/4" x 1	½" x 6"		EACH Price		
Style	Grit	Item#	12-60	72-132	144+
5101	120	435-5101	\$2.62	\$2.36	\$2.11
5001	180	435-5001	2.62	2.36	2.11
5201	220	435-5201	2.62	2.36	2.11
5301	320	435-5301	2.72	2.45	2.19
5401	400	435-5401	2.72	2.45	2.19
5601	600	435-5601	3.14	2.83	2.52
5801	800	435-5801	3.30	2.97	2.65
5901	1200	435-5901	3.62	3.26	2.91

1/4" x 1	¹ ⁄4" x 6"		12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
5102	120	435-5102	\$2.74	\$2.47	\$2.20
5002	180	435-5002	2.74	2.47	2.20
5202	220	435-5202	2.74	2.47	2.20
5302	320	435-5302	2.86	2.57	2.30
5402	400	435-5402	2.86	2.57	2.30
5602	600	435-5602	3.57	3.21	2.87
5802	800	435-5802	3.75	3.38	3.01
5902	1200	435-5902	4.10	3.69	3.29

1/2" X	½" x 6"		12pc	EACH Prices	
Style	Grit	Item#	12-60	72-132	144+
5103	120	435-5103	\$2.86	\$2.57	\$2.30
5003	180	435-5003	2.86	2.57	2.30
5203	220	435-5203	2.86	2.57	2.30
5303	320	435-5303	3.04	2.74	2.44
5403	400	435-5403	3.04	2.74	2.44
5603	600	435-5603	3.77	3.39	3.03
5803	800	435-5803	3.97	3.57	3.19
5903	1200	435-5903	3.97	3.57	3.19



320

OIL TREATED

1200

MADE MADE

See Our Sampler Sets

on pages 19-21

Gesswein

600

600

ABRASIVES-FINISHING STONES

400

600

Hybrid	, ½" x	¹ ⁄4" x 6"	EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
5123H	120	435-5123	\$3.57	\$3.21	\$2.87	
5023H	180	435-5023	3.57	3.21	2.87	
5223H	220	435-5223	3.57	3.21	2.87	
5323H	320	435-5323	3.72	3.35	2.99	
5423H	400	435-5423	3.72	3.35	2.99	
5623H	600	435-5623	4.63	4.17	3.72	
5823H	800	435-5823	4.87	4.38	3.91	
5923H	1200	435-5923	5.33	4.80	4.28	

Round, 1/4" x 6"			EACH Prices		
Style	Grit	Item#	6-66	72-138	144+
E122B	120	435-0122	\$5.08	\$4.57	\$4.08
E182B	180	435-0182	5.08	4.57	4.08
E222B	220	435-0222	5.08	4.57	4.08
E302B	320	435-0302	5.28	4.75	4.24
E402B	400	435-0402	5.28	4.75	4.24
E602B	600	435-0602	6.60	5.94	5.30
E802B	800	435-0802	6.93	6.24	5.57
E902B	1200	435-0902	6.93	6.24	5.57



Sold in full box quantities of 12 each as indicated by please order in these multiples.

Web Site Orders 24/7: gesswein.com



Gesswein Moldmaker Stones

- Medium-soft stone with silicon carbide abrasive designed to break down rapidly and expose fresh edges.
- Suitable for working on all types of steels as well as roughing out nonferrous metals.
- Ideal for blending, detailing radii and following contours.
- · Resists loading.
- Sold in full box quantities of 6 or 12 each as indicated.

IMPORTANT: See dust warning on page 3.




5∕32" x 5∕32" x 4"			EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
10	100	415-1000	\$1.48	\$1.33	\$1.19	
15	150	415-1001	1.48	1.33	1.19	
20	220	415-1002	1.48	1.33	1.19	
30	320	415-1003	1.48	1.33	1.19	
40	400	415-1004	1.48	1.33	1.19	
60	600	415-1006	1.65	1.49	1.33	

¹⁄₄" x	½" x 6"		EACH Prices				
Style	Grit	Item#	12-60	72-132	144+		
1101	100	410-1101	\$2.30	\$2.07	\$1.85		
1151	150	410-1151	2.30	2.07	1.85		
1201	220	410-1201	2.30	2.07	1.85		
1301	320	410-1301	2.69	2.42	2.16		
1401	400	410-1401	2.69	2.42	2.16		
1601	600	410-1601	3.32	2.99	2.67		

1/4" x 1	⁄4" x 6"		12pc	EACH Pri	ices
Style	Grit	Item#	12-60	72-132	144+
1102	100	410-1102	\$2.33	\$2.10	\$1.87
1152	150	410-1152	2.33	2.10	1.87
1202	220	410-1202	2.33	2.10	1.87
1302	320	410-1302	2.76	2.48	2.22
1402	400	410-1402	2.76	2.48	2.22
1602	600	410-1602	3.40	3.06	2.73

1/2" x 1	¹ /8" x 6"		12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
1103	100	410-1103	\$2.61	\$2.35	\$2.10
1153	150	410-1153	2.61	2.35	2.10
1203	220	410-1203	2.61	2.35	2.10
1303	320	410-1303	3.09	2.78	2.48
1403	400	410-1403	3.09	2.78	2.48
1603	600	410-1603	3.89	3.50	3.13



See Our Sampler Sets on pages 19-21

1/2" X	½" x 6"		брс	EACH Pri	ces
Style	Grit	Item#	6-66	72-138	144+
1105	120	410-1105	\$5.02	\$4.52	\$4.03
1155	150	410-1155	5.02	4.52	4.03
1205	220	410-1205	5.02	4.52	4.03
1305	320	410-1305	5.94	5.35	4.77
1405	400	410-1405	5.94	5.35	4.77
1605	600	410-1605	9.65	8.69	7.75

1" x 1	" x 6"		EACH Prices			
Style	Grit	Item#	6-66	72-138	144+	
1106	100	410-1106	\$10.55	\$9.50	\$8.48	
1156	150	410-1156	10.55	9.50	8.48	
1206	220	410-1206	10.55	9.50	8.48	
1306	320	410-1306	14.09	12.68	11.32	
1406	400	410-1406	14.09	12.68	11.32	
1606	600	410-1606	20.94	18.85	16.83	

Hybrid	I, 1⁄4" x	½" x 6"	EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
023H	100	410-0023	\$3.03	\$2.73	\$2.43	
123H	150	410-0123	3.03	2.73	2.43	
223H	220	410-0223	3.03	2.73	2.43	
323H	320	410-0323	3.58	3.22	2.88	
423H	400	410-0423	3.58	3.22	2.88	
623H	600	410-0623	4.42	3.98	3.55	

h	Round, 1/4" x 6"			6pc EACH Prices			
7	Style	Grit	Item#	6-66	72-138	144+	
	102	100	410-0102	\$4.32	\$3.89	\$3.47	
	152	150	410-0152	4.32	3.89	3.47	
	222	220	410-0222	4.32	3.89	3.47	
	322	320	410-0322	5.10	4.59	4.10	
	422	400	410-0422	5.10	4.59	4.10	
	622	600	410-0622	6.30	5.67	5.06	

Sold in full box quantities of 6 or 12 each as indicated by 😡 please order in these multiples.

600


See Our Sampler Sets

on pages 19-21

- A premium complement to the Moldmaker Series.
- Produces a silky matte finish on all prehardened tool steels, from 28Rc SAE 4130 through 60Rc A2 and M2. Can also be used to rough out aluminum, beryllium copper and kirksite.
- · Medium stone with slower breakdown characteristics than our standard Moldmaker stones.
- General purpose, premium-grade green silicon carbide stones.
- A good choice for stoning contours and radii.
- Sold in full box quantities of 6 or 12 each as indicated.

IMPORTANT: See dust warning on page 3.

⁵ /32" X	⁵ / ₃₂ " x ⁵ / ₃₂ " x 4"			EACH Prices			
Style	Grit	Item#	12-60	72-132	144+		
15P	150	415-1015	\$1.57	\$1.41	\$1.26		
20P	220	415-1020	1.57	1.41	1.26		
30P	320	415-1030	1.57	1.41	1.26		
40P	400	415-1040	1.57	1.41	1.26		
60P	600	415-1060	1.78	1.60	1.43		
80P	800	415-1080	1.97	1.77	1.58		
200P	1200	415-1200	2.26	2.03	1.82		



1/4" x 1/	4" x 6"		12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
1102P	100	412-1102	\$2.57	\$2.31	\$2.06
1152P	150	412-1152	2.57	2.31	2.06
1202P	220	412-1202	2.57	2.31	2.06
1302P	320	412-1302	3.03	2.73	2.43
1402P	400	412-1402	3.03	2.73	2.43
1602P	600	412-1602	3.73	3.36	3.00
1802P	800	412-1802	4.12	3.71	3.31
2002P	1200	412-2002	4.94	4.45	3.97

1/2" x 1	/8" x 6"		12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
1103P	100	412-1103	\$2.87	\$2.58	\$2.31
1153P	150	412-1153	2.87	2.58	2.31
1203P	220	412-1203	2.87	2.58	2.31
1303P	320	412-1303	3.37	3.03	2.71
1403P	400	412-1403	3.37	3.03	2.71
1603P	600	412-1603	4.29	3.86	3.45
1803P	800	412-1803	4.73	4.26	3.80
2003P	1200	412-2003	5.67	5.10	4.56



400

400

1/2" x 1	4" x 6"		12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
1104P	100	412-1104	\$3.46	\$3.11	\$2.78
1154P	150	412-1154	3.46	3.11	2.78
1204P	220	412-1204	3.46	3.11	2.78
1304P	320	412-1304	4.12	3.71	3.31
1404P	400	412-1404	4.12	3.71	3.31
1604P	600	412-1604	5.37	4.83	4.31
1804P	800	412-1804	5.91	5.32	4.75
2004P	1200	412-2004	7.11	6.40	5.71

½" x ½" x 6"			6pc	EACH Pri	ices
Style	Grit	Item#	6-66	72-138	144+
1105P	100	412-1105	\$5.52	\$4.97	\$4.44
1155P	150	412-1155	5.52	4.97	4.44
1205P	220	412-1205	5.52	4.97	4.44
1305P	320	412-1305	6.54	5.89	5.25
1405P	400	412-1405	6.54	5.89	5.25
1605P	600	412-1605	10.62	9.56	8.53
1805P	800	412-1805	11.68	10.51	9.38
2005P	1200	412-2005	13.99	12.59	11.24

1" x 1"	x 6"		брс	EACH Pri	ices
Style	Grit	Item#	6-66	72-138	144+
1106P	100	412-1106	\$11.57	\$10.41	\$9.30
1156P	150	412-1156	11.57	10.41	9.30
1206P	220	412-1206	11.57	10.41	9.30
1306P	320	412-1306	15.43	13.89	12.40

Sold in full box quantities of 6 or 12 each as indicated by 😡 p please order in these multiples.



Gesswein RA Stones

 Aluminum oxide abrasive bonded together with a unique organic resin bond gives these stones great resiliency.

120 0

- Retain their shape well, and are resistant to breakage even during heavy use.
- Leave a finer finish with less stock removal than other stones of the same grit.
- Can be used by hand, in a profiler or in an ultrasonic polisher on all mold and die steels.
- Ideal for finishing slots, deep ribs and other hard-to-reach mold areas and can also be used to remove EDM scalel
- Sold in full box quantities of twelve each.

IMPORTANT: See dust warning on page 3.

Service Services	5∕32" x 5∕32" x 4"			EACH Prices		
	Style	Grit	Item#	12-60	72-132	144+
	RA41	180	415-0410	\$2.03	\$1.83	\$1.63
	RA42	220	415-0420	2.03	1.83	1.63
	RA43	320	415-0430	2.14	1.93	1.72
	RA44	400	415-0440	2.14	1.93	1.72
	RA46	600	415-0460	2.43	2.19	1.95

½" x ½" x 6"			EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
RA4091	90	420-4091	\$2.62	\$2.36	\$2.11	
RA4121	120	420-4121	2.62	2.36	2.11	
RA4181	180	420-4181	2.62	2.36	2.11	
RA4201	220	420-4201	2.62	2.36	2.11	
RA4301	320	420-4301	3.45	3.11	2.77	
RA4401	400	420-4401	3.45	3.11	2.77	
RA4601	600	420-4601	4.17	3.75	3.35	

1/4" x 1/4" x 6"		EACH Prices		
Style Grit	Item#	12-60	72-132	144+
RA4092 90	420-4092	\$2.72	\$2.45	\$2.19
RA4122 120	420-4122	2.72	2.45	2.19
RA4182 180	420-4182	2.72	2.45	2.19
RA4202 220	420-4202	2.72	2.45	2.19
RA4302 320	420-4302	3.91	3.52	3.14
RA4402 400	420-4402	3.91	3.52	3.14
RA4602 600	420-4602	4.45	4.01	3.58

1/2" x 1/16" x 6" EACH Prices				
Style Grit	Item#	12-60	72-132	144+
RA4120 120	420-4120	\$3.04	\$2.74	\$2.44
RA4180 180	420-4180	3.04	2.74	2.44
RA4200 220	420-4200	3.04	2.74	2.44
RA4300 320	420-4300	4.43	3.99	3.56
RA4400 400	420-4400	4.43	3.99	3.56
RA4600 600	420-4600	5.12	4.61	4.11



600

15	½" x ½" x 6"		12pc	EACH Pri	ices
	Style Grit	Item#	12-60	72-132	144+
The state of the s	RA4093 90	420-4093	\$3.04	\$2.74	\$2.44
	RA4123 120	420-4123	3.04	2.74	2.44
	RA4183 180	420-4183	3.04	2.74	2.44
	RA4203 220	420-4203	3.04	2.74	2.44
	RA4303 320	420-4303	4.43	3.99	3.56
	RA4403 400	420-4403	4.43	3.99	3.56
	RA4603 600	420-4603	5.12	4.61	4.11

100	1/2" x 1/2	4" x 6"		12pc	EACH Pri	ices
	Style	Grit	Item#	12-60	72-132	144+
	RA4094	90	420-4094	\$3.88	\$3.49	\$3.12
1 -1	RA4124	120	420-4124	3.88	3.49	3.12
	RA4184	180	420-4184	3.88	3.49	3.12
	RA4204	220	420-4204	3.88	3.49	3.12
	RA4304	320	420-4304	5.90	5.31	4.74
	RA4404	400	420-4404	5.90	5.31	4.74
	RA4604	600	420-4604	6.65	5.99	5.34

Round,	5/32" X	4"	12pc	EACH Pr	ices
Style	Grit	Item#	12-60	72-132	144+
RA33	320	420-0033	\$4.77	\$4.29	\$3.83

Sold in full box quantities 12 each as indicated by please order in these multiples.

See Our

Sampler Sets on päges 19-21

Gesswein[®] General Purpose Stones

220

- Excellent for P-20 steel polishing!
- Used with stoning oil, the General Purpose stone cuts well and lasts long. Resists loading of steel particles.
- · Made of extra-sharp pure white aluminum oxide grains in a specially formulated bond which provides a lubricating effect.
- · Sold in full box quantities of 6 or 12 each as indicated.

IMPORTANT: See dust warning on page 3.




	½" x ½	⁄8" x 6"		12pc	EACH Pri	ces
1	Style	Grit	Item#	12-60	72-132	144+
	6151G	150	406-6151	\$2.36	\$2.12	\$1.90
	6181G	180	406-6181	2.36	2.12	1.90
	6201G	220	406-6201	2.36	2.12	1.90
	6301G	320	406-6301	2.45	2.21	1.97
	6401G	400	406-6401	2.45	2.21	1.97
	6601G	600	406-6601	2.83	2.55	2.27
	6801G	800	406-6801	3.73	3.36	3.00
	6901G	1200	406-6901	4.28	3.85	3.44

1/4" x 1/	4" x ¹ / ₄ " x 6" EACH Prices					
Style	Grit	Item#	12-60	72-132	144+	
6152G	150	406-6152	\$2.47	\$2.22	\$1.98	
6182G	180	406-6182	2.47	2.22	1.98	
6202G	220	406-6202	2.47	2.22	1.98	
6302G	320	406-6302	2.57	2.31	2.06	
6402G	400	406-6402	2.57	2.31	2.06	
6602G	600	406-6602	3.21	2.89	2.58	
6802G	800	406-6802	3.73	3.36	3.00	
6902G	1200	406-6902	4.28	3.85	3.44	

1/2" x 1/	⁄8" x 6"		EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
6153G	150	406-6153	\$2.57	\$2.31	\$2.06	
6183G	180	406-6183	2.57	2.31	2.06	
6203G	220	406-6203	2.57	2.31	2.06	
6303G	320	406-6303	2.74	2.47	2.20	
6403G	400	406-6403	2.74	2.47	2.20	
6603G	600	406-6603	3.39	3.05	2.72	
6803G	800	406-6803	4.19	3.77	3.37	
6903G	1200	406-6903	4.61	4.15	3.70	

1" x ½" x 6" EACH Prices							
I A / 0	, , ,		6 pc	EACH Pr	ices		
Style	Grit	Item#	6-66	72-138	144+		
6011G	150	406-6011	\$3.36	\$3.36	\$2.70		
6111G	180	406-6111	3.36	3.02	2.70		
6211G	220	406-6211	3.36	3.02	2.70		
6311G	320	406-6311	4.06	3.65	3.26		
6411G	400	406-6411	4.20	3.78	3.37		
6611G	600	406-6611	4.99	4.49	4.01		
6811G	800	406-6811	6.79	6.11	5.46		
6911G	1200	406-6911	8.03	7.23	6.45		

Hybrid,	1/4" x 1/	⁄4" x 6"	EACH Prices		
Style	Grit	Item#	12-60	72-132	144+
1523H	150	406-1523	\$3.21	\$2.89	\$2.58
1823H	180	406-1823	3.21	2.89	2.58
1223H	220	406-1223	3.21	2.89	2.58
1323H	320	406-1323	3.35	3.02	2.69
1423H	400	406-1423	3.35	3.02	2.69
1623H	600	406-1623	4.17	3.75	3.35



	1" x 1/4" x 6" EACH Prices					ices
	Style	Grit	Item#	6-66	72-138	144+
	6012G	150	406-6012	\$4.77	\$4.29	\$3.83
	6112G	180	406-6112	4.77	4.29	3.83
	6212G	220	406-6212	4.77	4.29	3.83
	6312G	320	406-6312	5.48	4.93	4.40
ì	6412G	400	406-6412	5.65	5.09	4.54
	6612G	600	406-6612	7.20	6.48	5.79
	6812G	800	406-6812	9.90	8.91	7.95
	6912G	1200	406-6912	11.16	10.04	8.97

3194	1" x ½	" x 6"		бро	EACH Pr	ices
	Style	Grit	Item#	6-66	72-138	144+
	6157G	150	406-6157	\$6.89	\$6.20	\$5.54
	6187G	180	406-6187	6.89	6.20	5.54
	6207G	220	406-6207	6.89	6.20	5.54
	6307G	320	406-6307	8.15	7.34	7.34
	6407G	400	406-6407	8.41	7.57	6.76
	6607G	600	406-6607	9.83	8.85	7.90
	6807G	800	406-6807	15.75	14.18	12.66
	6907G	1200	406-6907	17.32	15.59	13.92

1000	1" x 1"	x 6"		бро	ices	
	Style	Grit	Item#	6-66	72-138	144+
	6011G	150	406-6156	\$10.34	\$9.31	\$8.31
	6111G	180	406-6186	10.34	9.31	8.31
	6211G	220	406-6206	10.34	9.31	8.31
	6311G	320	406-6306	12.23	11.01	9.83
THE HEALT	6411G	400	406-6406	12.23	11.01	9.83
	6611G	600	406-6606	14.31	12.88	11.50

Round	½" x 6"		EACH Prices			
Style	Grit	Item#	6-66	72-138	144+	
152	150	406-0152	\$4.47	\$4.02	\$3.59	
182	180	406-0182	4.47	4.02	3.59	
222	220	406-0222	4.47	4.02	3.59	
322	320	406-0322	4.80	4.32	3.86	
402	400	406-0402	4.80	4.32	3.86	
602	600	406-0602	5.55	5.00	5.55	
802	800	406-0802	6.35	5.72	6.35	
902	1200	406-0902	6.98	6.28	6.98	

Sold in full box quantities of 6 or 12 each as indicated by 😥 please order in these multiples.

All prices subject to change without notice.

Gesswein Premium White Stones

- Pure white premium-grade aluminum oxide stones.
- · Specially formulated to be load-resistant.
- . Can be used on all steels, from the hard A2, D2 and M2 to the softer P20, 420SS, M13 & S7.
- Moderate breakdown, retain their shape wells.
- · Can be used in a profiler or ultrasonic polisher.
- · Sold in full box quantities of twelve each.

IMPORTANT: See dust warning on page 3.

A07-5202 PREMIUM WHITE AOT-5151 REMIUM WHITE 407.5100 PREMIUM WHITE WAS TO THE WAS TO T Gesswein WOOL THE Gesswein PREMIUM WHITE 407-5353 415-500A 360

Gesswein

220

400

See Our Sampler Sets on pages 19-21

150

220

220

320

⁵ / ₃₂ " x ⁵ / ₃₂ " x 4"			12pc	EACH Pri	ices
Style	Grit	Item#	12-60	72-132	144+
2W	220	415-5002	\$1.87	\$1.68	\$1.50
3W	320	415-5003	1.87	1.68	1.50
4W	400	415-5004	1.87	1.68	1.50
6W	600	415-5006	2.10	1.89	1.69

1/4" x 1/	16" x 4 "		12pc	EACH Pri	ices
Style	Grit	Item#	12-60	72-132	144+
5210W	220	407-5210	\$1.84	\$1.66	\$1.48
5310W	320	407-5310	2.05	1.85	1.65
5410W	400	407-5410	2.05	1.85	1.65

1/4" x 1/	'8" x 6 "		12pc	EACH Pri	ices
Style	Grit	Item#	12-60	72-132	144+
5101W	100	407-5101	\$2.54	\$2.29	\$2.04
5151W	150	407-5151	2.54	2.29	2.04
5201W	220	407-5201	2.54	2.29	2.04
5301W	320	407-5301	2.72	2.45	2.19
5401W	400	407-5401	2.72	2.45	2.19
5601W	600	407-5601	3.13	2.82	2.51

1/4" x 1/4	" x 6"		EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
5102W	100	407-5102	\$2.80	\$2.52	\$2.25	
5152W	150	407-5152	2.80	2.52	2.25	
5202W	220	407-5202	2.80	2.52	2.25	
5302W	320	407-5302	2.99	2.69	2.40	
5402W	400	407-5402	2.99	2.69	2.40	
5602W	600	407-5602	3.60	3.24	2.89	

ices
144+
\$2.31
2.31
2.31
2.45
2.45
3.40

1/2" x 1/4	4" x 6"		EACH Prices		
Style	Grit	Item#	12-60	72-132	144+
5104W	100	407-5104	\$3.47	\$3.12	\$2.79
5154W	150	407-5154	3.47	3.12	2.79
5204W	220	407-5204	3.47	3.12	2.79
5304W	320	407-5304	3.85	3.47	3.09
5404W	400	407-5404	3.85	3.47	3.09
5604W	600	407-5604	5.57	5.01	4.48



A-C Double Enders

Will accommodate pencil stones as well as small round and square stones up to 1/4" x 1/4". Available in three colors (blue, black and red) that may be used to distinguish one grit or grade of stone from another. Set of three (#403-0120) contains one of each color. Measure 57/8" overall length.

			EACH	Prices
De	escription	Item#	1-2	3+
A.	Blue	403-0101	\$5.75	\$5.18
B.	Black	403-0102	5.75	5.18
C.	Red	403-0103	5.75	5.18
	Set of 3	403-0120	14.00	13.30


Sold in full box quantities 12 each as indicated by n please order in these multiples.

Gesswein Rough Out Stones

- Large, coarse, relatively soft stones containing aluminum oxide.
- · Cuts fast with rapid breakdown.
- · Quickly remove rough scratches and machine tool marks.
- · A good choice for roughing surfaces of larger molds and dies.
- Ideal for "hogging" out large amounts of material prior to finishing.
- · Sold in full box quantities of 6 or 12 each as indicated.

IMPORTANT: See dust warning on page 3.





1/4" x 1/	4" x 8"		EACH Prices		
Style		Item#	12-60	72-132	144+
X8002	100	430-8002	\$1.96	\$1.76	\$1.57

1" x ½	2" x 8"		брс	EACH Pri	ices
Style	Grit	Item#	6-66	72-138	144+
X8081	80	430-8081	\$5.48	\$4.93	\$4.40
X8101	100	430-8101	5.48	4.93	4.40
X8151	150	430-8151	5.48	4.93	4.40
X8201	220	430-8201	5.48	4.93	4.40

1/2" x 1	⁄4" x 6"		12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
X8004	100	430-8004	\$3.29	\$2.96	\$2.64

1" x ½	4" x 8"		12pc	EACH Pri	ices
Style	Grit	Item#	12-60	72-132	144+
X8080	80	430-8080	\$4.44	\$4.00	\$3.57
X8100	100	430-8100	4.44	4.00	3.57
X8150	150	430-8150	4.44	4.00	3.57
X8200	220	430-8200	4.44	4.00	3.57



1½" x ¾" x 8"			брс	EACH Pri	ices
Style	Grit	Item#	6-66	72-138	144+
X8082	80	430-8082	\$8.82	\$7.94	\$7.09
X8102	100	430-8102	8.82	7.94	7.09
X8152	150	430-8152	8.82	7.94	7.09
X8202	220	430-8202	8.82	7.94	7.09



Gesswein Supreme Green Stoning and Lubricating Oil

This stoning oil was developed for mold and die polishing. It is economical, practically odorless, and it's ecologically safer to use than alternative stoning oils. Use with finishing stones to prevent loading and keep the work surface clean. Lets stones cut better and more freely so they produce a bright, smooth surface. Eliminates the need for hazardous kerosene and other lubricating agents, which could be harmful to your health. Can also use with diamond tools where lubrication is suggested. Viscosity: 39.5/44.

Description	item#	E <u>acn</u>
A. 1 Pint (wide-mouth glass container)	800-0152	\$13.75
B. 1 Gallon	800-0151	44.95



Gesswein Ultra-Soft Stones

- Aluminum oxide abrasive with a special bonding agent designed for very rapid breakdown.
- · Cuts fast without loading; easily shaped for contours.
- Formulated for soft metals, stainless steel, aluminum, brass, beryllium and kirksite.
- · Sold in full box quantities of 6 or 12 each as indicated.

Gesswein Super Fine Stones

- Contain levigated (finely powdered) alumina.
- One of our "softest" stones for finishing P20 and 420SS steel surfaces. Breaks down very rapidly and does not scratch.
- · Good choice for finishing details.
- Not quite as soft as our Ultra-Soft stones.
- · Sold in full box quantities of 12 each.



1/4" x	¹ ⁄4" x 6"		EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
7102	120	450-7102	\$2.52	\$2.27	\$2.02	
7202	220	450-7202	2.52	2.27	2.02	
7302	320	450-7302	2.86	2.57	2.30	
7402	400	450-7402	2.86	2.57	2.30	
7602	600	450-7602	3.47	3.12	2.79	
7002	1200	450-7002	5.20	4.68	4.18	

1/2" X	½" x 6		EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
7103	120	450-7103	\$2.87	\$2.58	\$2.31	
7203	220	450-7203	2.87	2.58	2.31	
7303	320	450-7303	3.05	2.75	2.45	
7403	400	450-7403	3.05	2.75	2.45	
7603	600	450-7603	3.67	3.30	2.95	
7003	1200	450-7003	5.50	4.95	4.42	

1/2" X	½" x 6"		EACH Prices		
Style	Grit	Item#	12-60	72-132	144+
7104	120	450-7104	\$3.32	\$2.99	\$2.67
7204	220	450-7204	3.32	2.99	2.67
7304	320	450-7304	3.84	3.46	3.09
7404	400	450-7404	3.84	3.46	3.09
7604	600	450-7604	5.15	4.64	4.14
7004	1200	450-7004	7.73	6.96	6.21

1" x ½	⁄2" x 6"		брс	ices	
Style	Grit	Item#	6-66	72-138	144+
7107	120	450-7107	\$6.22	\$5.60	\$5.00
7307	320	450-7307	9.59	8.63	7.71
7607	600	450-7607	13.74	12.37	11.04
7007	1200	450-7007	20.62	18.56	16.57

1" x 1	" x 6"		брс	EACH Pri	ices
Style	Grit	Item#	6-66	72-138	144+
7106	120	450-7106	\$10.30	\$9.27	\$8.28
7306	320	450-7306	14.33	12.90	11.51
7606	600	450-7606	21.90	19.71	17.60
7006	1200	450-7006	32.00	28.80	25.71

		415-0120			
Style	Grit	Item#	12-60	72-132	144+
5/32" X	5∕32" x 4	."	12pc	EACH Pri	ces

1/4" X	¹ /8" x 6"		12pc	EACH Pr	ices
Style	Grit	Item#	12-60	72-132	144+
9001	1200	440-9001	\$3.01	\$2.71	\$2.42

½" x ½" x 6"			EACH Prices		
Style	Grit	Item#	12-60	72-132	144+
9002	1200	440-9002	\$3.47	\$3.12	\$2.79

1/2" X	½" x 6"	s" x 6" EACH Pric			
Style	Grit	Item#	12-60	72-132	144+
9003	1200	440-9003	\$3.97	\$3.57	\$3.19

1/2" X	½" x 6"		EACH Prices		
Style	Grit	Item#	12-60	72-132	144+
9004	1200	440-9004	\$4.78	\$4.30	\$3.84



Sold in full box quantities of 6 or 12 each as indicated by 😡 please order in these multiples.

Gesswein Pencil Stones, 5/32" x 5/32" x 4"

A selection of our most popular finishing stones in a 4" long x $\frac{5}{32}$ " square, making them convenient for stoning small or intricate areas. Shorter length helps prevent wasteful breakage. Use with Pencil Stone Holder #403-0050, shown on page 22.

Sold in full box quantities of 12 or in a money-saving set (see below).

IMPORTANT: See dust warning on page 3.

Diema	aker		EACH Prices			
Style	Grit	Item#	12-60	72-132	144+	
01	100	415-0001	\$1.61	\$1.45	\$1.29	
1	150	415-0010	1.61	1.45	1.29	
2	220	415-0020	1.61	1.45	1.29	
3	320	415-0030	1.61	1.45	1.29	
4	400	415-0040	1.61	1.45	1.29	
6	600	415-0060	1.82	1.64	1.46	
8	800	415-0080	1.82	1.64	1.46	
9	900	415-0090	1.82	1.64	1.46	
1200	1200	415-4080	2.00	1.80	1.61	

	s	EACH Price	12pc			EDM	
- 120 110 0010 \$1100 \$1102	144+	72-132	12-60	Item#	Grit	Style	
62 180 415-0620 1 69 1 52	1.36	\$1.52	\$1.69	415-0610	120	61	
52 410 3020 1.03 1.02	1.36	1.52	1.69	415-0620	180	62	
622 220 415-0622 1.69 1.52	1.36	1.52	1.69	415-0622	220	622	
63 320 415-0630 1.69 1.52	1.36	1.52	1.69	415-0630	320	63	
64 400 415-0640 1.69 1.52	1.36	1.52	1.69	415-0640	400	64	
66 600 415-0660 1.91 1.72	1.53	1.72	1.91	415-0660	600	66	

	EDM Blue			EACH Prices			
1364	Style	Grit	Item#	12-60	72-132	144+	
	61B	120	415-6010	\$1.69	\$1.52	\$1.36	
	62B	180	415-6020	1.69	1.52	1.36	
	622B	220	415-6022	1.69	1.52	1.36	
	63B	320	415-6030	1.69	1.52	1.36	
	64B	400	415-6040	1.69	1.52	1.36	
	66B	600	415-6060	1.91	1.72	1.53	

Oil-Treated			12pc	EACH Pri	ces
Style	Grit	Item#	12-60	72-132	144+
51	120	415-0510	\$1.69	\$1.52	\$1.36
50	180	415-0518	1.69	1.52	1.36
52	220	415-0520	1.69	1.52	1.36
53	320	415-0530	1.69	1.52	1.36
54	400	415-0540	1.69	1.52	1.36
56	600	415-0560	1.91	1.72	1.53
58	800	415-0580	1.91	1.72	1.53
59	1200	415-0590	2.17	1.95	1.74

12	1200	415-0120				
Style		Item#	12-60	72-132	144+	
Super	r Fine		EACH Prices			

Premi	um Wh	nite	EACH Prices		
Style	Grit	Item#	12-60	72-132	144+
2W	220	415-5002	\$1.87	\$1.68	\$1.50
3W	320	415-5003	1.87	1.68	1.50
4W	400	415-5004	1.87	1.68	1.50
6W	600	415-5006	2.10	1.89	1.69

	Moldn	naker		12pc	EACH Pri	ices
Mar-	Style	Grit	Item#	12-60	72-132	144+
	10	100	415-1000	\$1.48	\$1.33	\$1.19
	15	150	415-1001	1.48	1.33	1.19
	20	220	415-1002	1.48	1.33	1.19
	30	320	415-1003	1.48	1.33	1.19
	40	400	415-1004	1.48	1.33	1.19
	60	600	415-1006	1.65	1.49	1.33

Moldr	naker P	lus	12pc	EACH Pri	ices
Style	Grit	Item#	12-60	72-132	144+
15P	150	415-1015	\$1.57	\$1.41	\$1.26
20P	220	415-1020	1.57	1.41	1.26
30P	320	415-1030	1.57	1.41	1.26
40P	400	415-1040	1.57	1.41	1.26
60P	600	415-1060	1.78	1.60	1.43
80P	800	415-1080	1.97	1.77	1.58
200P	1200	415-1200	2.26	2.03	1.82

RA			12pc	EACH Pri	ices
Style	Grit	Item#	12-60	72-132	144+
RA41	180	415-0410	\$2.03	\$1.83	\$1.63
RA42	220	415-0420	2.03	1.83	1.63
RA43	320	415-0430	2.14	1.93	1.72
RA44	400	415-0440	2.14	1.93	1.72
RA46	600	415-0460	2.43	2.19	1.95

XXX	Gener	al Purpo	ose	12pc	EACH Pr	ices
1000	Style	Grit	Item#	12-60	72-132	144+
	15G	150	415-0315	\$1.69	\$1.52	\$1.36
	18G	180	415-0318	1.69	1.52	1.36
	22G	220	415-0320	1.69	1.52	1.36
	32G	320	415-0330	1.69	1.52	1.36
	42G	400	415-0340	1.69	1.52	1.36
	60G	600	415-0360	1.91	1.72	1.53
	80G	800	415-0380	2.42	2.18	1.94
	120G	1200	415-0390	2.96	2.66	2.38

2	Mediu	ım Indi	a	12pc	EACH Pri	ices
	Style	Grit	Item#	12-60	72-132	144+
	10	240	415-0100	\$2.00	\$1.80	\$1.61

Gesswein® Pencil Stone Set V

Includes one each of every pencil stone we make, in every grit, for a total of 61 stones, including RA, EDM, EDM Blue, General Purpose, Premium White, Oil-Treated, Diemaker, Moldmaker Plus, Moldmaker, Super Fine and Medium India. Complete with Pencil Stone Holder and a free sample of Gesswein Stoning Oil.

Description	Item#	Each
Pencil Stone Set V	415-1031	\$89.95
Acres de la companya		
	The state of the s	
100	THE RESERVE OF THE PARTY OF THE	<u>Lan</u>

Sold in full box quantities of 12 each as indicated by please order in these multiples.


Gesswein Hybrid Stones, 1/4" x 1/4" x 6"

Our Hybrid shape (half-round and half-square) combines all the advantages of round and flat stones without the higher costs normally associated with round stones. Use the round side on curved surfaces, the flat side on even surfaces and in 90° corners and slots.

Measures ¹/₄" x ¹/₄" x 6" long and are available in our most popular styles: Diemaker, EDM, General Purpose, Moldmaker and Oil-Treated. Sold in full box quantities of 12.

IMPORTANT: See dust warning on page 3.

Also available in a 20-piece set (see below)



A	EDM			12pc	EACH Pri	ices
	Style	Grit	Item#	12-60	72-132	144+
	123H	120	425-0123	\$3.32	\$2.99	\$2.67
	183H	180	425-0183	3.32	2.99	2.67
	223H	220	425-0223	3.32	2.99	2.67
	323H	320	425-0323	3.53	3.18	2.84
	423H	400	425-0423	3.53	3.18	2.84
	623H	600	425-0623	4.27	3.84	3.43



New Hybrid (half-round / half-square)



Oil-Tre	eated	EACH Prices					
Style	Grit	Item#	12-60	72-132	144+		
5123H	120	435-5123	\$3.57	\$3.21	\$2.87		
5023H	180	435-5023	3.57	3.21	2.87		
5223H	220	435-5223	3.57	3.21	2.87		
5323H	320	435-5323	3.72	3.35	2.99		
5423H	400	435-5423	3.72	3.35	2.99		
5623H	600	435-5623	4.63	4.17	3.72		
5823H	800	435-5823	4.87	4.38	3.91		
5923H	1200	435-5923	5.33	4.80	4.28		

Moldr	naker		12pc	EACH Pr	ices
Style	Grit	Item#	12-60	72-132	144+
023H	100	410-0023	\$3.03	\$2.73	\$2.43
123H	150	410-0123	3.03	2.73	2.43
223H	220	410-0223	3.03	2.73	2.43
323H	320	410-0323	3.58	3.22	2.88
423H	400	410-0423	3.58	3.22	2.88
623H	600	410-0623	4.42	3.98	3.55

General Purpose			EACH Prices		
Style	Grit	Item#	12-60	72-132	144+
1523H	150	406-1523	\$3.21	\$2.89	\$2.58
1823H	180	406-1823	3.21	2.89	2.58
1223H	220	406-1223	3.21	2.89	2.58
1323H	320	406-1323	3.35	3.02	2.69
1423H	400	406-1423	3.35	3.02	2.69
1623H	600	406-1623	4.17	3.75	3.35

Sold in full box quantities of 12 each as indicated by @ please order in these multiples.

Gesswein® 20-Piece Hybrid Stone Set

Our new Hybrid shape (half-round and half-square) combines all the advantages of round and flat stones without the higher costs normally associated with round stones.

Set contains 20 Hybrid stones.

Four each of the following in 220, 320, 400 and 600 grit:

Diemaker

Moldmaker

EDM

- · Oil-Treated
- General Purpose

Description		Item#	Each
Hybrid Stone Set	1/4" x 1/4" x 6"	405-2086	\$51.00

A-J Gesswein® Finishing Stone All-Grit Sets // x 1/8" x 6"

In order to try our most popular Gesswein stone types, we have created these sets ranging from 6 to 9 pieces covering all the grits available in the most popular ½" x ½" x 6" Size. Choose from Diemaker, EDM, EDM Blue, General Purpose, Moldmaker, Moldmaker Plus, Oil-Treated, Premium White Stone, Ultra-Soft and RA Sets. Or, select our 71-Piece Finishing Stone Sampler Set below.

IMPORTANT: See dust warning on	page 3.			220 General Micro Conducto = 55 220
Sets	Grits	Item#	Set	400 Genevoor esses persons collect 400 600 Genevoor esses collect and an annual 600
Diemaker All-Grit Set - 9 pcs.	100, 150, 220, 320, 400, 600, 800, 900, 1200	405-2062	\$25.95	800 Generated escale DEBASE EXIST 800 900 Generated ascale DEBASE EXIST 1200
EDM All-Grit Set - 6 pcs.	120, 180, 220, 320, 400, 600	405-2031	16.25	120 Generation ansatz and mailed 120 180 Generation ansatz and mailed 180 220 Generation assatz and mailed 320 320 Generation assatz and mailed 320 480 Generation assatz and mailed 400
EDM Blue All-Grit Set - 6 pcs.	120, 180, 220, 320, 400, 600	405-2041	13.25	120 Commencer carett eneman TES 120 180 Commencer carett timenum TES 180 220 Commencer carett timenum TES 180 220 Commencer carett timenum TES 180 400 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180 600 Commencer carett town TES 180 MIN TES 180
Oil-Treated All-Grit Set - 8 pcs.	120, 180, 220, 320, 400, 600, 800, 1200	405-2091	23.95	120 Generaturian Partici Disc Printation 120 180 Commenceurium SASSAND DISC PRINTATION TERMIN 180 220 Commenceurium SASSAND DISC PRINTATION TERMIN 320 320 Generaturium SASSAND DISC PRINTATION TERMIN 320 400 Generaturium SASSAND DISC PRINTATION TERMIN 400 600 Generaturium SASSAND DISC PRINTATION TERMIN 500 600 Generaturium TERMIN SASSAND TERMIN TERM
Moldmaker All-Grit Set - 6 pcs.	100, 150, 220, 320, 400, 600	405-2066	15.95	1200 Generowen 20100 100 Texture 1200 1200 1200 1200 1200 1200 1200 120
Moldmaker Plus All-Grit Set - 8 pcs.	100, 150, 220, 320, 400, 600, 800, 1200	405-2021	26.95	180 General 180
RA All-Grit Set - 7 pcs.	90, 120, 180, 220, 320, 400, 600 400, 600, 800, 1200	405-2001	23.50	800 Genseventr 42-122 MOZDANZER RUS 200 600 800 Genseventr 42-122 MOZDANZER RUS 200 800 1200 Genseventr 42-222 MOZDANZER RUS 200 800 90 200 Genseventr 42-223 MOZDANZER RUS 200 800 120 Genseventr 42-233 MOZDANZER RUS 200 800 150 Genseventr 42-443 MA 200 120 220 Genseventr 42-443 MA 200 120 320 Genseventr 42-453 MA 200 120 320 Genseventr
General Purpose All-Grit Set - 8 pcs.	150, 180, 220, 320, 400, 600, 800, 1200	405-2097	24.50	400 Generation contact RA 220 400 600 600 600 600 600 600 600 600 60
Promium White All Crit Cat. 6 no.	100 150 220 220 400 600	40E 0011	10.05	400 Gensowein educati official priorities 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Premium White All-Grit Set - 6 pcs.	100, 150, 220, 320, 400, 600	405-2011	16.95	100 Generower and Service Table 100 150 Generower and Service Table 150 220 Generower and Service Table 150 220 320 Generower Advisor Table 150 320 400 Generower Advisor Table 150 15
Ultra-Soft All-Grit Set - 6 pcs.	120, 220, 320,400, 600, 1200	405-2006	17.50	120 Generation and the Company and 120 220 Generation and the Company and the
K. Gesswein® 71-Piece Fini You never know when you need unexpected job. Keep this Finisl avoid such an occurrence. The s	that special stone for an hing Stone Set handy to et includes 11 Gesswein			320 Gesswein 48-792 ULTRACOT 20 320 400 400 600 Gesswein 60-792 ULTRACOT 20 30 600 1200 Gesswein 48-792 ULTRACOT 20 30 1200
stone styles as shown above, as Stone, in the most popular size: long. Also included are a 2 oz. bo Oil and a double-ended LT Stone Description	1/2" wide x 1/8" thick x 6" ottle of Gesswein Stoning	In the second se		

\$135.00

405-2056

71-piece Finishing Stone Set

IMPORTANT: See dust warning on page 3.

A-H Gesswein® 12-Piece Finishing Stone Sampler Sets 24" x 1/8" 24" x 1/8" 24" x 1/8" 24" x 1/8"

We offer eight 12-piece stone sets of our most popular stones. Choose from Diemaker, EDM, EDM Blue, General Purpose, Moldmaker, Moldmaker Plus, Oil-Treated and Premium White Stone Sets. Or, select our Discovery Stone Set below, which includes all eight sets. Each Finishing Stone Set serves as a perfect introduction to our popular stone lines, and includes four different grits of the three most popular sizes: $\frac{1}{4}$ " x $\frac{1}{8}$ ", $\frac{1}{2}$ " x $\frac{1}{8}$ ", $\frac{1}{2}$ " x $\frac{1}{4}$ "; all 6" in length.

800 Geneworth 40 zuit formatin lite 600	Sets	Grits	Item#	Set of 12
320 Gensaweln de 231 Gensavel da 320	Diemaker Stone Set	220, 320, 400, 600	405-2060	\$37.00
400 Genewolin 435.46% 556 VSA 400 320 Genewolin 85.65% 556 VSA 320				

-	320 Gesseworth diseast the BUR USA 320 180 Gesseworth diseast the BUR USA 190 120 Gesseworth diseast Burgus USA 120				
C		EDM Blue Stone Set	120, 180, 320, 400	405-2040	35.00

EDM Stone Set

40	O Gosswein 4355401 OILTREATED USA 400 320 Gosswein 4355301 OILTREATED USA 320				
D To	220 Gessewein 435-5701 OILTREATED USA 220	Oil-Treated Stone Set	220, 320, 400, 600	405-2090	41.00

400 Chaissment Albana Mordanes (IC) 400				
320 German Hard Actions Int 220	Moldmaker Stone Set	220, 320, 400, 600	405-2065	39.00

1200 Gesswein 172-181 MOLDMAKERPLUS UEA 800 400 Gesswein 172-181 MOLDMAKERPLUS UEA 400 400 Gesswein 172-181 MOLDMAKERPLUS UEA 400 220	Moldmaker Plus Stone Set	220, 400, 800, 1200	405-2020	49.00
220 Gesswein				

3	400 Gosewein wassi Central Pulipose IIEA 400				
	320 Genewein weenst central fundas USA 220	General Purpose Stone Set	220, 320, 400, 600	405-2095	33.00
C -	CONSWELL CONTRACTOR				

400 Gesswein ut an Predict Wat 184 320				
320 Gerswein 1817-59/1 PREMIUM WHITE USA 220	Premium White Stone Set	220, 320, 400, 600	405-2010	37.00





I. Gesswein® 96-Piece Discovery Stone Set

120, 180, 320, 400

405-2030

35.00

Includes all 8 of our 12-Piece Sets. This is our most comprehensive set with a total of 96 of our most popular stones. By purchasing all these sets at once, you save over the combined price of buying all the sets individually. Comes complete with a free sample of Gesswein Stoning Oil.

Description	Item#	EACH
96-piece Finishing Stone Set	405-2027	\$199.00

A. Gesswein® 20-Piece **General Purpose Sets**

Four 20-piece stone sets offered in our most popular stone sizes. Each set includes five different types of stones of the same size. All stones measure 6" long.

		grits and t	ypes of stor	ies.	
120 Grit	150 Grit	180 Grit	220 Grit	320 Grit	400 Grit
		•	•	•	•
•			•	•	•
	•		•	•	•
	•		•	•	•
	•		•	•	•
	120 Grit	ne size you require. 120 Grit 150 Grit	ne size you require. 120 Grit 150 Grit 180 Grit •	ne size you require. 120 Grit 150 Grit 180 Grit 220 Grit • • • • •	120 Grit 150 Grit 180 Grit 220 Grit 320 Grit

IMPORTANT: See dust warning on page 3.

Size	Item#	Set of 20
1/4" x 1/8" x 6" Stone Set	405-2035	\$45.00
1/4" x 1/4" x 6" Stone Set	405-2045	47.00
1/2" x 1/8" x 6" Stone Set	405-2055	51.00
1/2" x 1/4" x 6" Stone Set	405-2075	64.00



B. Gesswein® 20-Piece **Soft & Fine Set**

Includes 4 different types of stones in various sizes ideal for final finishing and for preparation prior to diamond polishing. Use Diemaker (800 and 900 grit) and Super Fine (1200 grit) for polishing steel surfaces, Moldmaker Plus (800 grit) for radiuspolishing stainless steel surfaces and Ultra-Soft (600 grit) for polishing

Set contains on	e each	of the follow	ing stones:			
	Grit	5/ ₃₂ " x 5/ ₃₂ "	1/4" x 1/8"	1/4" x 1/4"	1/2" x 1/8"	1/2" x 1/4"
Diemaker	800		•	•	•	•
Diemaker	900		•	•	•	•
Moldmaker Plus	800		•	•	•	•
Super Fine	1200	•	•	•	•	•
Ultra-Soft	600			•	•	•
						Market V

aluminum and other soft metal surfaces. All stones measure 6" long except 5/32" x 5/32" Super Fine, which measures 4" long.

IMPORTANT: See dust warning on page 3.

Description	Item#	Set of 20
Soft & Fine Set	405-2085	\$66.00

C. Rub-and-Rinse Stone Cleaner

Gesswein Rub-and-Rinse Stone Cleaner is a semiliquid material that sheds tiny metal particles from hard stones to keep them at their peak efficiency. Recommended for use on hard stones such as our Ruby, India and Hard Arkansas Stones. Contains 1/2 fl. oz.

Description	Item#	EACH
Rub-and-Rinse Stone Cleaner	813-1700	\$9.80

Stone not included

Gesswein^a Supreme Green Stoning and Lubricating Oil

This stoning oil was developed for mold and die polishing. It is economical, practically odorless, and it's ecologically safer to use than alternative stoning oils. Use with finishing stones to prevent loading and keep the work surface clean. Lets stones cut better and more freely so they produce a bright, smooth surface. Eliminates the need for hazardous kerosene and other lubricating agents, which could be harmful to your health. Can also use with diamond tools where lubrication is suggested. Viscosity: 39.5/44.

Description	Item#	E <u>ach</u>
D. 1 Pint (wide-mouth glass container)	800-0152	\$13.75
E. 1 Gallon	800-0151	44.95


F. Plastic Spray-Pump Bottle

Use to dispense stoning oil, cleaning solution and more. Spray gets into hard-to-reach areas. Capacity: 4 fl. oz.

		EACH	Prices
Description	Item#	1-2	3+
Plastic Spray-Pump Bottle	811-2460	\$2.15	\$1.94



Stone Holders & Accessories



A. LT Stone Holder

An economically priced, lightweight, double-ended stone holder made of durable plastic with a black nonglare finish. One end holds 1/8" x 1/4" stones, and the other holds 1/8" x 1/2" and 1/4" x 1/4" stones. Measures 5½" long.

Description	Item#	Each
LT Stone Holder	403-1020	\$4.80

B. Screw-Lock Stone Holder

Screw-type lock holds the stone securely. Designed for comfortable use. Holds 1/2" x 1/4" stones. Measures 57/8" long.

			EAUH PITO	es
Description	Item#	1-2	3-11	12+
Screw-Lock Stone Holder	403-0200	\$13.95	\$11.86	\$11.16

C. Handheld Stone Holder

Lightweight aluminum holder designed to hold stones firmly for roughing applications. Measures 71/2" long.

For Stone Sizes	Item#	Each
C. ½" x ½"	403-0350	24.75

D. Pencil Stone Holder

Push-button holder for easy loading. Holds 5/32" square stones. Measures $5^{1/4}$ " long. Made in Italy.

			EACH Pric	es
Description	Item#	1-2	3-11	12+
D. Pencil Stone Holder	403-0050	\$9.95	\$9.35	\$8.46
Replacement Collet	403-0085	3.25	-	-

E-G Double Enders

Will accommodate pencil stones as well as small round and square stones up to 1/4" x 1/4". Available in three colors (blue, black and red) that may be used to distinguish one grit or grade of stone from another. Set of three (#403-0120) contains one of each color. Measure 51/8" overall length.

			EAC	H Prices
	Description	Item#	1-2	3+
E.	Blue	403-0101	\$5.75	\$5.18
F.	Black	403-0102	5.75	5.18
G.	Red	403-0103	5.75	5.18
	Set of 3, one each	403-0120	14.00	13.30

H-N Ceramic Stone Holders – For offhand work

For handheld work with ceramic stones. Available in 1, 2, 4, 6 and 10mm flat sizes, 3mm round or 0.5mm and 0.9mm square sizes. Measures approximately 53/4" long.

	Description	Item#	Each
	Flat Holder, 1mm	351-0291	\$7.90
H.	Flat Holder, 2mm	351-0292	7.90
I.	Flat Holder, 4mm	351-0270	7.90
J.	Flat Holder, 6mm	351-0271	7.90
K.	Flat Holder, 10mm	351-0272	7.90
L.	Round Holder, 3mm	403-0011	12.75
M.	Square Holder, 0.5mm	351-0345	12.75
N.	Square Holder, 0.9mm	351-0350	12.75

A. Adjustable Stone Holder – 3mm Shank

Our finest quality. Made of nonmagnetic stainless steel with a 3mm shank. The surface has been tumble-polished to create a nonreflecting satin finish. Accommodates stones up to 1/4" in thickness.

Description	Item#	Each
Adjustable Stone Holder	403-1000	\$81.00

B. Economy Adjustable Stone Holder – 3mm Shank

The Economy Adjustable Stone Holder accommodates stones up to 9/16" thick. Plastic serrated jaw holds stones securely. Surface is black and nonreflecting. Made of steel (except serrated jaw and shank housing) with a 3mm shank.

Description	Item#	Each
Economy Adjustable Stone Holder	403-1015	\$39.95

C. ST-38 Stone Holder - 3mm Shank

Allows you to secure square, round, and rectangular stones in reciprocating handpieces, including our Power Hand 2X reciprocating handpieces, Di-Profilers and Super Hand Air Filers. Adjustable hinge lets you change the angle of the stone to fit your application. Made of durable plastic with serrated jaws and set screw for tightening stone into place. Accepts round stones up to $^{1}/_{2}$ " in diameter, rectangular stones up to $^{3}/_{8}$ "H x $^{1}/_{2}$ "W and square stones up to 3/8". 3mm steel shank. Complete with allen wrench. Color may vary.

Description	Item#	Each
ST-38 Stone Holder	403-1010	\$19.75

D. LT Recipro Stone Holder – 1/8" Shank

Economically priced holder for reciprocating handpieces. Made of durable plastic with black nonglare finish. Shank measures 1/8" dia. x 1/2"L (too short for use with FMH Di-Profiler; acceptable for use with FMC Di-Profiler).

			EAC	1 Prices
	Description	Item#	1-2	3+
D.	Small, for 1/8" x 1/4" stones	403-1025	\$6.25	\$5.63
	Large, for $\frac{1}{8}$ " x $\frac{1}{2}$ " and $\frac{1}{4}$ " x $\frac{1}{4}$ " stones	403-1030	6.25	5.63

E. DiProfiling Stone Holder – 3mm Shank

Expands the use of your mini-filer or other profilers. Accommodates both flat and round stones or tools up to $\frac{1}{4}$ ". Shank length $1\frac{3}{8}$ ", overall $2\frac{5}{8}$ ". Use for fine, more precise profiling jobs.

Description	ltem#	Each
Universal Tool Holder	403-1050	\$57.50

F. Ceramic Stone Holder – 3mm Shank

Holds up to 1mm thick and up to 8mm wide stones. Shank length \(^3/_4\)", overall length $1\frac{1}{4}$ ".

Description	Item#	Each
Ceramic Stone Holder	403-1045	\$34 95

Safety Recommendations – For Reciprocating Handpieces

Prolonged use of vibrating or reciprocating tools may result in vibration-induced circulation problems in the hands. Always follow safe operating procedures. Using hand protection (i.e., insulated gloves) and taking frequent breaks can help minimize but not guarantee against injury. Operating these types of tools in cold weather or with a tight grip will reduce the period of operation before risking potential injury. Individuals with a tendency to suffer from poor circulation, frequently cold fingers or itchy hands should closely monitor the condition of their hands. If symptoms appear, seek medical advice immediately.

>NEW Super Stone

Ceramic Stones *strong yet incredibly flexible!*

New Super Stone (NSS) offers an improved cutting ability, increased heat resistance, and longer life. Made of long ceramic fibers that will not break even under the most strenuous conditions, the NSS can be used in ultrasonic polishers, reciprocating profilers, or by hand (see Ceramic Stone Holders on p. 26).

These strong yet flexible stones are ideal for polishing small intricate areas on all types of metals producing consistent and uniform surface finishes. NSS is non-loading and can be shaped with the Super Dresser #351-0300 (see p. 26). Available in 9 easy to identify color coded grits from 80 to 1200. Made in Japan.

IMPORTANT: See dust warning on page 3.

FLAT Stones

rlai Stones											
Dimensions (mm)	Violet 80 Grit Item#	Emerald 120 Grit Item#	Gold 180 Grit Item#	Lt. Brown 300 Grit Item#	Orange 400 Grit Item#	Gray 600 Grit Item#	Blue 800 Grit Item#	White 1000 Grit Item#	Red 1200 Grit Item#	EACH 1-4	Prices* 5+
0.5 x 1 x 100	355-0001	355-0101	355-0201	355-0401	355-0501	355-0601	355-0701	355-0801	355-0901	\$9.95	\$8.96
0.5 x 2 x 100	355-0002	355-0102	355-0202	355-0402	355-0502	355-0602	355-0702	355-0802	355-0902	13.50	12.15
0.5 x 4 x 100	355-0003	355-0103	355-0203	355-0403	355-0503	355-0603	355-0703	355-0803	355-0903	20.90	18.81
0.5 x 6 x 100	355-0004	355-0104	355-0204	355-0404	355-0504	355-0604	355-0704	355-0804	355-0904	31.45	28.31
0.5 x 10 x 100	355-0005	355-0105	355-0205	355-0405	355-0505	355-0605	355-0705	355-0805	355-0905	41.25	37.13
0.8 x 4 x 100	355-0008	355-0108	355-0208	355-0408	355-0508	355-0608	355-0708	355-0808	355-0908	20.90	18.81
0.8 x 6 x 100	355-0009	355-0109	355-0209	355-0409	355-0509	355-0609	355-0709	355-0809	355-0909	31.45	28.31
0.8 x 10 x 100	355-0010	355-0110	355-0210	355-0410	355-0510	355-0610	355-0710	355-0810	355-0910	41.25	37.13
1 x 1 x 100	355-0011	355-0111	355-0211	355-0411	355-0511	355-0611	355-0711	355-0811	355-0911	9.95	8.96
1 x 2 x 100	355-0012	355-0112	355-0212	355-0412	355-0512	355-0612	355-0712	355-0812	355-0912	12.00	10.80
1 x 4 x 100	355-0013	355-0113ª	355-0213ª	355-0413ª	355-0513	355-0613	355-0713ª	355-0813	355-0913ª	20.90	18.81
1 x 6 x 100	355-0014	355-0114	355-0214	355-0414 ^a	355-0514ª	355-0614ª	355-0714ª	355-0814ª	355-0914	31.45	28.31
1 x 10 x 100	355-0015	355-0115	355-0215	355-0415	355-0515	355-0615	355-0715	355-0815	355-0915	41.25	37.13
1.5 x 4 x 100	355-0018	355-0118	355-0218	355-0418	355-0518	355-0618	355-0718	355-0818	355-0918	31.25	28.13
1.5 x 6 x 100	355-0019	355-0119	355-0219	355-0419	355-0519	355-0619	355-0719	355-0819	355-0919	47.30	42.57
1.5 x 10 x 100	355-0020	355-0120	355-0220	355-0420	355-0520	355-0620	355-0720	355-0820	355-0920	62.45	56.21
2 x 4 x 100	355-0023	355-0123	355-0223	355-0423	355-0523	355-0623	355-0723	355-0823	355-0923	41.25	37.13
2 x 6 x 100	355-0024	355-0124	355-0224	355-0424	355-0524	355-0624	355-0724	355-0824	355-0924	62.90	56.61
2 x 10 x 100	355-0025	355-0125	355-0225	355-0425	355-0525	355-0625	355-0725	355-0825	355-0925	82.50	74.25

^{*}Quantity discount for orders of one item number only; not assorted.

^aSee Stone & Holder Sets; next page



- Non-clogging—beautiful polishing results on all metals
- Available in any dimensions in flat/round profiles
- Incredible strength and flexibility
- Color coded—easy to identifyAvailable in grits 80 to 1200
- Improved heat resistance
- Great cutting power
- Very long life



ROUND Stones

Dimensions (mm)	Violet 80 Grit Item#	Emerald 120 Grit Item#	Gold 180 Grit Item#	Lt. Brown 300 Grit Item#	Orange 400 Grit Item#	Gray 600 Grit Item#	Blue 800 Grit Item#	White 1000 Grit Item#	Red 1200 Grit Item#	EACH P	rices* 5+
2.35 x 50mm	355-0031	355-0131	355-0231	355-0431	355-0531	355-0631	355-0731	355-0831	355-0931	\$18.50	\$16.65
2.35 x 100mm	355-0032	355-0132	355-0232	355-0432	355-0532	355-0632	355-0732	355-0832	355-0932	39.00	35.10
3 x 50mm	355-0034	355-0134	355-0234 ^b	355-0434 ^b	355-0534	355-0634 ^b	355-0734 ^b	355-0834	355-0934 ^b	20.45	18.41
3 x 100mm	355-0035	355-0135	355-0235	355-0435	355-0535	355-0635	355-0735	355-0835	355-0935	39.50	35.55
3.175 x 50mm	355-0037	355-0137	355-0237	355-0437	355-0537	355-0637	355-0737	355-0837	355-0937	23.50	21.15
3.175 x 100mm	355-0038	355-0138	355-0238	355-0438	355-0538	355-0638	355-0738	355-0838	355-0938	40.00	36.00

SQUARE Stones

Dimensions (mm)	Violet 80 Grit Item#	Emerald 120 Grit Item#	Gold 180 Grit Item#	Lt. Brown 300 Grit Item#	Orange 400 Grit Item#	Gray 600 Grit Item#	Blue 800 Grit Item#	White 1000 Grit Item#	Red 1200 Grit Item#	EACH P	rices* 5+
0.5 x 0.5 x 50mm	355-0041	355-0141	355-0241°	355-0441	355-0541°	355-0641	355-0741°	355-0841	355-0941°	\$7.00	\$6.30
0.9 x 0.9 x 50mm	355-0043	355-0143	355-0243 ^d	355-0443	355-0543 ^d	355-0643	355-0743 ^d	355-0843	355-0943 ^d	7.00	6.30

PRECUT Stones – For Ultrasonic Handpieces

Dimensions (mm)	Violet 80 Grit Item#	Emerald 120 Grit Item#	Gold 180 Grit Item#	Lt. Brown 300 Grit Item#	Orange 400 Grit Item#	Gray 600 Grit Item#	Blue 800 Grit Item#	White 1000 Grit Item#	Red 1200 Grit Item#	EACH P	rices* 5+
0.8 x 4 x 40	355-0060	355-0160	355-0260	355-0460	355-0560	355-0660	355-0760	355-0860	355-0960	\$9.95	\$8.96
0.8 x 6 x 40	355-0061	355-0161	355-0261	355-0461	355-0561	355-0661	355-0761	355-0861	355-0961	16.65	14.99
1 x 4 x 40	355-0065	355-0165	355-0265	355-0465	355-0565	355-0665	355-0765	355-0865	355-0965	9.95	8.96
1 x 6 x 40	355-0066	355-0166	355-0266	355-0466	355-0566	355-0666	355-0766	355-0866	355-0966	16.10	14.49

^{*}Quantity discount for orders of one item number only; not assorted. | b-dSee Stone & Holder Sets below

STONE & HOLDER Sets

Set	Contents	0.9mm x 0.9mm	Item#	Each
a Flat act 100mm	10 stones + 2 holders: 1 x 4 x 100 (120, 180, 300, 800, 1200 grit)		355-1100	¢100 00
a. Flat set, 100mm	1 x 6 x 100 (300, 400, 600, 800, 1000 grit)		333-1100	\$199.00
b. Round set	5 stones + holder: 3x50mm (180, 300, 600, 800, 1200 grit)		355-1103	89.00
c. Square set, .5mm	4 stones + holder: 0.5x0.5x50mm (180, 400, 800, 1200 grit)		355-1105	37.00
d. Square set, .9mm	4 stones + holder: 0.9x0.9x50mm (180, 400, 800, 1200 grit)		355-1109	37.00
e. Square set, 40mm	9 stones: 1 x 4 x 40mm (all 9 grits) or (80, 120,180, 300, 400, 600, 800, 1000, 1200 grit		355-0099	79.95



Black (200 Grit) shown

A-F SUPER Ceramic Diamond Stones

SUPER Ceramic Diamond (SCD) Stones combine ceramic fibers with multiple layers of evenly distributed diamond particles to ensure continuous cutting action. They're perfect for finishing hardened steel and carbide tools. SCD Stones don't load like plated diamond files, are more efficient than diamond compounds, and are easily shaped. SCD Stones will cut and polish flat to a surface, allowing fast and accurate polishing in open areas. SCD Stones are perfect for polishing ribs, hardto-reach slots and sidewalls, and milled or EDM flat surfaces. Their strong, durable ceramic fiber construction makes them ideal for use in ultrasonic polishers and mechanical profilers or by hand. Available in flat and round shapes in four color-coded grits.

Shap	e Size (mm)	Black 200 Grit Item#	Gray 400 Grit Item#	Green 600 Grit Item#	Aqua 800 Grit Item#	EAC 1-4	H Prices* 5+
A. Flat	1 x 2 x 100	351-0797	351-0798	351-0799	351-0815	\$16.50	\$14.85
B.	1 x 4 x 100	351-0800	351-0801	351-0802	351-0816	28.00	25.20
C.	1 x 6 x 100	351-0803	351-0804	351-0805	351-0817	42.00	37.80
D.	1 x 10 x 100	351-0806	351-0807	351-0808	351-0818	56.00	50.40
E. Round	d 3 x 50	351-0809	351-0810	351-0811	351-0819	40.00	36.00
F.	3 x 100	351-0812	351-0813	351-0814	351-0820	85.00	76.50

^{*}Quantity discount for orders of one item number only; not assorted.



G-M Ceramic Stone Holders – For offhand work

For handheld work with ceramic stones. Available in 1, 2, 4, 6 and 10mm flat sizes, 3mm round or 0.5mm and 0.9mm square sizes. Measures approximately 53/4" long.

Description	Item#	Each
Flat Holder, 1mm	351-0291	\$7.90
G. Flat Holder, 2mm	351-0292	7.90
H. Flat Holder, 4mm	351-0270	7.90
I. Flat Holder, 6mm	351-0271	7.90
J. Flat Holder, 10mm	351-0272	7.90
K. Round Holder, 3mm	403-0011	12.75
L. Square Holder, 0.5mm	351-0345	12.75
M. Square Holder, 0.9mm	351-0350	12.75



N. SUPER Dresser

Used to dress NSS and SUPER Ceramic Diamond Stones, as well as Cristone stones. Measures \(^{1}\%\)" x 1\" x 4\" (3 x 25 x 100mm).

Description	Item#	Each
SUPER Dresser	351-0300	\$17.75

Cristone ceramic stones are made with a unique crystal fiber and work best for fine polishing. The crystal fibers are round in shape and uniform in direction, thus allowing for an even and uniform surface finish free from deep scratches. Performs great on hardened and heat treated metals due to

its strong fiber and resin bond. Use by hand or with any Ultramax Ultrasonic Polisher for powered finishing. Has 180 Celsius heatproof temperature. Dress with Super Dresser (see p. 26).





Matrix Ceramic End Bristle Brush - 3mm All Grit Shown

Shape	Size (mm)	Lt. Green 150 Grit Item#	Lt. Red 200 Grit Item#	Lt. Purple 400 Grit Item#	Lt. Orange 600 Grit Item#	Lt. Blue 800 Grit Item#	White 1000 Grit Item#	Each
Flat	1 x 2 x 100	355-1301	355-1302	355-1303	355-1304	355-1305	355-1306	\$11.00
	1 x 4 x 100	355-1311	355-1312	355-1313	355-1314	355-1315	355-1316	18.00
	1 x 6 x 100	355-1321	355-1322	355-1323	355-1324	355-1325	355-1326	28.00
	1 x 10 x 100	355-1331	355-1332	355-1333	355-1334	355-1335	355-1336	36.00
Round	2.35 x 50	355-1341	355-1342	355-1343	355-1344	355-1345	355-1346	18.50
	2.35 x 100	355-1351	355-1352	355-1353	355-1354	355-1355	355-1356	36.00
	3 x 50	355-1361	355-1362	355-1363	355-1364	355-1365	355-1366	18.50
	3 x 100	355-1371	355-1372	355-1373	355-1374	355-1375	355-1376	36.00

Cristone Matrix Ceramic End Bristle Brushes

These brushes are a versatile tool for many finishing applications including: surface polishing, deburring, removing tool marks and EDM scale. The ceramic fiber bristles produce a uniform finish and are color coded for easy grit identification from 150 up to 1000 grit. Easily dress shapes and angles into the brushes by using a diamond abrasive file. For example, you can dress a 45 degree angle to match the form of your working surface. Can be used wet or dry. Use in a micromotor handpiece or in a CNC machine. 18,000 Max RPM. 3mm shank. Length: 115/6" Width: 3/6" (50mm x 5mm). Made in Japan.

Matrix Ceramic End	Size (mm)	Green 150 Grit Item#	Red 200 Grit Item#	Purple 400 Grit Item#	Orange 600 Grit Item#	Blue 800 Grit Item#	White 1000 Grit Item#	Each
Bristle Brush - 3mm	50 x 5	355-1510	355-1512	355-1514	355-1516	355-1518	355-1520	29.95

See the Multi-Function ULTRAMAX MF on page 463. Our most versatile polishing system!


All prices subject to change without notice.

DEGUSSIT® Ruby® Stones & Files For Use on Hardened Steel & Carbide

Gesswein Ruby Stones and Files are made from pure, sintered crystals of synthetic ruby. No bonding material is used, so these stones and files are extremely hard and resistant to changes in shape. This is particularly important for quality precision grinding and finishing. In addition, since Gesswein Ruby Stones and Files feature outstanding resistance to wear,

they are more economical to use than other comparable tools. Use dry or with Gesswein Stoning Oil to grind, touch up or debur steel and carbide parts. Also recommended for use on materials such as glass, quartz and porcelain. Made in Germany.

IMPORTANT: See dust warning on page 3.



A-J DEGUSSIT® Ruby® Stones

For general purpose work. Available in coarse, medium and fine grits.

		L x W x H*		arse		dium		ne
	Shape	(mm)	Item#	Each	Item#	Each	Item#	Each
A.	Triangular	100 x 4		_	350-2002	\$61.65	350-2003	\$65.35
		100 x 6	350-2011	\$70.45	350-2012	70.45	350-2013	82.95
		100 x 8	350-2021	82.95	350-2022	93.45	350-2023	107.75
		100 x 10	_	_	350-2032	94.10	350-2033	122.60
В.	Square	100 x 4	_	-	350-2102	76.65	350-2103	84.15
		100 x 6	350-2111	66.45	350-2112	72.80	350-2113	89.00
		100 x 8	350-2121	81.90	350-2122	93.70	350-2123	94.10
		100 x 10	350-2131	94.10	350-2132	105.55	350-2133	108.40
		120 x 13	_	_	350-2142	123.90	350-2143	135.55
C.	Round,							
	Pointed	100 x 5	_	_	_	_	350-2613	43.65
D.	Round	100 x 4	_	_	350-2702	72.20	350-2703	72.20
		100 x 6	350-2711	73.45	350-2712	73.50	350-2713	79.80
		100 x 8	350-2721	86.10	350-2722	87.15	350-2723	89.15
		100 x 10	350-2731	88.20	350-2732	93.45	350-2733	99.00
E.	Flat	100 x 6 x 3	_	_	350-2202	57.70	350-2203	58.80
		100 x 8 x 6	350-2211	72.90	350-2212	72.90	350-2213	83.10
F.	Half-Round	100 x 10	350-2311	75.60	350-2312	88.45	-	_
G.	Rhomboid	100 x 13 x 5	350-2401	95.55	_	_	_	_
Н.	Round, One							
	Tapered End	100 x 5 x 2	350-2551	65.10	_		350-2553	65.10
I.	Knife Edge	100 x 15 x 3/0.5	_	_	350-2912	136.75	350-2913	139.65
J.	Tapered,							
	Rounded Edge	100 x 30 x 7/2			350-1052	183.75	_	

^{*}All dimensions have tolerance of ± 0.1 mm.



K. DEGUSSIT® Ruby® Stone Set #700

This handy set contains one each of the Ruby Stones indicated. Save over \$115.00 off the combined price of buying the stones individually.

	Shape	L x W x H* (mm)	Grit
	Round	100 x 6	Medium
	Triangular	100 x 10	Medium
	Flat	100 x 8 x 6	Fine
	Half-Round	100 x 10	Coarse
	Square	100 x 10	Medium
	Description	Item#	Each
K.	Ruby Stone Set #700	350-3000	\$305.55

^{*}All dimensions have tolerance of ± 0.1 mm.

A-K DEGUSSIT® Ruby® Midget Files

Ruby Midget Files are invaluable for high detail and ultra-precision work. They may be broken off and cemented onto a holder or used with a pin vise. Available in fine grit. Made in Germany.

		Lx	W x H*		EAC	H Prices
Sh	ape	(r	nm)	Item#	1-19	20+
A.	Square		50 x 1	350-4000	\$8.25	\$6.87
В.	Round	•	50 x 1	350-4010	8.65	7.21
C.	Triangular	A	50 x 2	350-4020	10.45	8.71
D.	Flat	_	50 x 3 x 0.3	350-4060	10.35	8.62
					EAC	H Prices
					1-9	10+
E.	Square		100 x 2	350-4030	\$20.50	\$17.08
F.	Round		100 x 2	350-4040	20.50	17.08
G.	Round		100 x 3	350-4050	20.50	17.08
Н.	Half-Round		100 x 4 x 2	350-4070	31.00	25.83
Ī.	Barrette		100 x 5 x 1.5	350-4090	33.55	27.96
J.	Crossing	•	100 x 4 x 1.5	350-4110	31.00	25.83
K.	Triangular		100 x 3	350-4130	31.00	25.83

^{*}All dimensions have tolerance of ±0.1mm



This money-saving kit contains all 11 of our Ruby Midget Files (see above) plus one double-ended holder with two collets. (Holder is available only with this kit and not separately.) Screw machine operators will find this set particularly helpful for dressing cutters without removing them from the machine. Made in Germany.

	Description	Item#	Each
A-L	Ruby Set #420	350-4200	\$183.75

M-P DEGUSSIT® Ruby® Bench Stones

Ideal for sharpening and for flattening steel and carbide parts as well as sharpening tools and gravers—even carbide. The pure sintered crystals of synthetic ruby have an outstanding resistance to wear, which makes them more economical than other stones. They will not groove, even after years of use. May be used dry or with Gesswein Stoning Oil (see p. 21). Two sizes of stones indicated with an asterisk are finished on both sides. The others are finished on one side only and come neatly mounted in wooden boxes.


	Dimensions	Medium		Fii	ne	
	(inches)	Item#	Each	Item#	Each	
M.	4 x 1 x ³ / ₈ *	350-1002	\$113.95	350-1003	\$132.30	
N.	6 x 1 x 5/8*	350-1012	183.75	350-1013	183.75	
0.	4 x 1 x ³ /8**	350-1102	108.15	350-1103	130.20	
P.	4 ³ / ₄ x 2 x ³ / ₈ **	350-1112	278.25	350-1113	278.25	

^{*}Finished on both sides

Q. DEGUSSIT® Ruby® Combination Bench Stone

Finished on two sides and neatly packaged in a wooden box. One side of the stone is medium to cut fast while shaping tools and the other is fine which will impart a brilliant finish. Ideal for sharpening knives and gravers made of high speed steel or carbide. Measures 43/4"L x 2"W x 3/8"H. Made in Germany.

Description	Item#	Each
Ruby Combination Bench Stone	350-1114	\$357.00




^{**}Finished on one side & mounted in wooden box

NORTON Arkansas Stones


Natural Arkansas Stones have gained a reputation over the years as the finest all-purpose stones for deburring and polishing operations as well as for sharpening precision tools. Hard Arkansas Stones are dense and fine-grained for final honing where the sharpest precision edges possible are needed. Soft Arkansas, with its less dense and more open structure, is ideal for imparting a fine, smooth surface. Arkansas Stones are not oil-filled and should be used with Gesswein Stoning Oil (see p. 21). Made in USA.

IMPORTANT: See dust warning on page 3.













A-I Norton® Hard Arkansas Files - Ultra-Fine Grit

Dense, translucent stones in various shades of gray. All have precision edges.

					EAC	H Prices
	Shape	Dimensions	Style	Item#	1-9	10+
A.	Square	3" x ¹ / ₄ "	HF13	370-0130	\$24.50	\$16.42
		3" x ³ / ₈ "	HF33	370-0330	23.90	16.01
		3" x ½"	HF43	370-0430	32.90	22.04
В.	Triangular	3" x ¹ / ₄ "	HF113	370-1130	24.55	16.45
		3" x ³ / ₈ "	HF133	370-1330	24.90	16.68
		3" x ½"	HF143	370-1430	31.70	21.24
C.	Round	3" x ¹ / ₄ "	HF813	370-8130	33.95	22.75
D.	Flat	3" x ³ /8" x ¹ /8"	HF823	370-8230	36.10	24.19
E.	Bevel	3" x ³ /8" x ¹ /8"	HF833	370-8330	25.90	17.35
F.	Diamond	3" x ½" x ½16"	HF843	370-8430	46.90	31.42
G.	Oval	3" x ½" x ½16"	HF853	370-8530	36.65	24.56
Н.	Point	3" x 1/4" base	HF863	370-8630	45.15	30.25
Ī.	Knife Blade	3" x ³ / ₄ " x ¹ / ₈ "	HF873	370-8730	38.30	25.66

J. Norton® Soft Arkansas Engraver's Point AT11

Extra-Fine Grit

Small size for stoning and cleaning in recesses, corners and other tight areas. Used in Engraver's Chuck XT-1.

				EACH	Prices
Shape	Dimensions	Style	Item#	1-19	20+
Point	1" x ½" dia.	AT11	372-5110	\$9.85	\$6.60

K. Engraver's Chuck XT-1

For holding either India or Arkansas Engraver's Points. Made of knurled, nickel-plated steel. Rounded end fits comfortably in palm of hand. Measures 33/8" overall length.

			EAG	1 Prices
Dimensions	Style	Item#	1-9	10+
$3^{3}/8$ " x $1/4$ " dia.	XT-1	372-6000	\$32.95	\$22.08

L. Norton® Hard Arkansas Bench Stones - Ultra-Fine Grit

Extremely hard and fine unmounted stones for the final finish on gravers and cutting tools. Can be used on both sides.

Ü		E	ACH Prices
Dimensions	Style	Item# 1-	4 5+
L. 4" x 2" x ³ / ₈ "	HB24	371-1045 \$101.6	0 \$68.07
4" x 2" x ³ / ₄ "	HB4	371-1040 180.0	0 120.60

M. Norton® Arkansas Penknife Stones

Can be used on both sides. Hard are ultra-fine grit, soft is extra-fine grit.

					EAC	H Prices
	Type	Dimensions	Style	Item#	1-9	10+
M	. Hard	3" x 1" x ³ ⁄8"	HB13	371-1130	\$41.70	\$27.94
	Hard	4" x 1" x ³ / ₈ "	HB14	371-1140	45.05	30.18
	Soft	4" x 1" x ³ / ₈ "	SB14	371-4140	14.10	9.45

A. Quad-Hone Stone

Four different stones mounted on a rectangular block for a wide range of sharpening chores from rough shaping to producing a sharp final edge. Quad-Hone includes one each of coarse, medium, fine and ultra-fine Arkansas stones. Each stone measures approximately 6"L x 1"W x $\frac{1}{4}$ "H. Use with Gesswein Stoning Oil (see p. 21). Made in USA.

Description	Item#	Each
Quad-Hone Stone	380-1102	\$39.50

B-E Hard Black Arkansas Files – Fine Grit

For the machinist, woodworker or gunsmith who requires a smooth polished edge. These dense black stones are more aggressive than other Hard Arkansas Stones. The various shapes and sizes are ideal for deburring and polishing intricate tools and metal parts. All approximately 3" in length. Made in USA.

	· ·					EACH	Prices
		Shape	Size		Item#	1-9	10+
B.	Square		1/4"		375-0131	\$13.50	\$12.15
			3/8"		375-0331	14.90	13.41
			1/2"		375-0431	19.00	17.10
C.	Triangular	A	1/4"		375-1131	14.20	12.78
			3/8"		375-1331	14.50	13.05
			1/2"		375-1431	19.20	17.28
D.	Round	•	1/4"		375-8131	17.25	15.53
E.	Knife Edge		³ / ₄ " x ¹ / ₈ "				
		(tap	ers to a knife e	dge)	375-8731	21.85	19.67

F. Hard Black Arkansas Bench Stone - Fine Grit

For precision sharpening or for finishing a very sharp edge. Measures 6"L x 2"W x $^{1}\!\!/_{2}$ ""H. Packaged in an attractive cedar box. Made in USA.

Description	Item#	Each	
Fine Grit	374-2000	\$65.00	

G. Soft Arkansas Bench Stone - Medium Grit

A natural medium-grit bench stone. Recommended for relatively fast cutting. Excellent for shaping gravers, knives and precision tools prior to final finish with our Ruby or Hard Arkansas Stones. Use with Stoning Oil (see p. 21). Packaged in an attractive cedar box. Measures 6"L x 2"W x 1"H. Made in USA.

Description	Item#	Each
Medium Grit	374-1000	\$27.00



H, I Hard Arkansas Stones – Very Fine Grit

Genuine Hard Arkansas Stones, white to light gray. Each is glued into a hardwood storage box. Top surface of stone is finished and usable.

	Dimensions	Item#	Each
Н.	100 x 40mm (4" x 1 ⁵ / ₈ ")	374-0900	\$42.95
Ī.	150 x 50mm (6" x 2")	374-0910	109.00

NORTON India® Stones

These sharpening stones are made of synthetic aluminum oxide abrasive graded to a consistent particle size, blended with select bonding agents, molded to shape and finished to exacting surface configurations. Preferred for imparting durable, smooth cutting edges and finishing to close tolerances

Orange-brown in color. Prefilled with oil to make cutting easier and more effective, retard loading

first use. Note: Although prefilling minimizes the amount of oil needed, it does not eliminate the need for oil on the stone surface.

Apply Coopyrain Stoning and Lubricating Oil (see

and eliminate the need for presoaking prior to

Apply Gesswein Stoning and Lubricating Oil (see p. 21) on the stone's sharpening surface prior to each use. This will prevent the pores of the stone from filling with material removed from the object being stoned.

India Stones are available in coarse, medium and fine grits. Use coarse grit for restoring badly worn cutting edges and for all sharpening not requiring a keen edge; use medium grit for producing an average edge on a broad range of tools, such as carving tools, milling cutters, lathe tools and die chasers; and use fine grit for producing sharper-than-average edges on gouges, reamers, taps and twist drills. Made in Mexico.

IMPORTANT: See dust warning on page 3.

GESSWEIN USA MF 114

A. India® Abrasive Files

Hold their shape while producing a fine, uniform finish. Use to debur, chamfer, radius and fit delicate parts. Choose from square, triangular, round and half-round to match different surface contours. Triangular files are excellent for reaching tight corners without disturbing other surfaces. All stones measure 4" (except style 76 which measures 6").


		Coarse (100 grit)	Medium (240 grit)	Fine (320 grit)	EAC	H Prices
Style	Size	Item#	Item#	ltem#	1-19	20+
14	¹ /4" x 4"	360-0141	360-0142	360-0143	\$5.14	\$3.44
34	³ /8" x 4"	360-0341	360-0342	360-0343	6.50	4.36
44	¹ /2" x 4"	360-0441	360-0442	360-0443	6.50	4.36
76	1" x 6"	360-0761	360-0762	360-0763	15.85	10.62
114	¹ / ₄ " x 4"	360-1141	360-1142	360-1143	7.15	4.79
134	³ /8" x 4"	360-1341	360-1342	360-1343	7.50	5.03
144	¹ /2" x 4"	360-1441	360-1442	360-1443	7.50	5.03
214	¹ / ₄ " x 4"	360-2141	360-2142	360-2143	13.65	9.15
234	³ /8" x 4"	360-2341	360-2342	360-2343	14.35	9.61
244	¹ /2" x 4"	360-2441	360-2442	360-2443	15.70	10.52
314	¹ /4" x 4"	-	360-3142	360-3143	11.65	7.81
334	³ /8" x 4"	-	360-3342	360-3343	13.30	8.91
344	¹ /2" x 4"	360-3441	360-3442	360-3443	13.75	9.21
	Style 14 34 44 76 114 134 144 214 234 244 314 334	Style Size 14 ½" x 4" 34 ¾8" x 4" 44 ½" x 4" 76 1" x 6" 114 ½" x 4" 134 ¾8" x 4" 144 ½" x 4" 214 ¼" x 4" 234 ¾8" x 4" 244 ½" x 4" 314 ¼" x 4" 334 ¾8" x 4"	Style Size Coarse (100 grit) Item# 14 ½" x 4" 360-0141 34 ¾6" x 4" 360-0341 44 ½" x 4" 360-0441 76 1" x 6" 360-0761 114 ¼" x 4" 360-1141 134 ¾6" x 4" 360-1341 144 ½" x 4" 360-1441 214 ¼" x 4" 360-2141 234 ¾6" x 4" 360-2341 244 ½" x 4" 360-2441 314 ¼" x 4" - 38" x 4" - 38" x 4" -	Style Size Coarse (100 grit) Item# Medium (240 grit) Item# 14 ½" x 4" 360-0141 360-0142 34 ¾8" x 4" 360-0341 360-0342 44 ½" x 4" 360-0441 360-0442 76 1" x 6" 360-0761 360-0762 114 ½" x 4" 360-1141 360-1142 134 ¾8" x 4" 360-1341 360-1342 144 ½" x 4" 360-1441 360-1442 214 ¼" x 4" 360-2141 360-2142 234 ¾8" x 4" 360-2341 360-2342 244 ½" x 4" 360-2441 360-2442 314 ¼" x 4" — 360-3142 334 ¾8" x 4" — 360-3342	Style Size Coarse (100 grit) Item# Medium (240 grit) Item# Fine (320 grit) Item# 14 ½" x 4" 360-0141 360-0142 360-0143 34 ¾" x 4" 360-0341 360-0342 360-0343 44 ½" x 4" 360-0441 360-0442 360-0443 76 1" x 6" 360-0761 360-0762 360-0763 114 ½" x 4" 360-1141 360-1142 360-1143 134 ¾" x 4" 360-1341 360-1342 360-1343 144 ½" x 4" 360-1441 360-1442 360-1443 214 ½" x 4" 360-2141 360-2142 360-2143 234 ¾" x 4" 360-2341 360-2342 360-2343 244 ½" x 4" 360-2441 360-2442 360-2443 314 ½" x 4" - 360-3142 360-3143 334 ¾" x 4" - 360-3342 360-3343	Style Size Coarse (100 grit) Item# Medium (240 grit) Item# Fine (320 grit) Item# EAC Item# 14 ½"x 4" 360-0141 360-0142 360-0143 \$5.14 34 ¾8" x 4" 360-0341 360-0342 360-0343 6.50 44 ½"x 4" 360-0441 360-0442 360-0443 6.50 76 1" x 6" 360-0761 360-0762 360-0763 15.85 114 ½"x 4" 360-1141 360-1142 360-1143 7.15 134 ¾8"x 4" 360-1341 360-1342 360-1343 7.50 144 ½"x 4" 360-1441 360-1442 360-1443 7.50 214 ¼"x 4" 360-2141 360-2142 360-2143 13.65 234 ¾8"x 4" 360-2341 360-2342 360-2343 14.35 244 ½"x 4" 360-2441 360-2442 360-2443 15.70 314 ½"x 4" 360-2441 360-3142 360-3143 11.65

(Stones are made to an approximate $\pm \frac{1}{8}$ " length tolerance.)









B. Medium India® Pencil Stone

			EACH Prices			
Style	Grit	Size	Item#	12-60	72-132	144+
10	240	4" x ⁵ / ₃₂ " x ⁵ / ₃₂ "	415-0100	\$2.00	\$1.80	\$1.61

Twelve-piece minimum; please order in multiples of twelve.

C. Pencil Stone Holder

Push-button holder for easy loading. Holds $\frac{5}{32}$ " square stones. Measures $\frac{51}{4}$ " long. Made in Italy.

			L	LAUITITUUS			
Description		Item#	1-2	3-11	12+		
C.	Stone Holder	403-0050	\$9.95	\$9.35	\$8.46		
	Replacement Collet	403-0085	3.25	-	_		

D. Norton® India® Engraver's Point

For stoning and cleaning tight corners and recesses of dies where close tolerances and accuracy are important. Measures 1"L x $^1/8$ " dia. and tapers to a point. Fine (320 grit). Use in Engraver's Chuck XT-1 (below).

Dimensions	Style	Item#	1-49	50+
1" x ½" dia.	FT-11	362-5113	\$8.90	\$6.23


E. Engraver's Chuck XT-1

For holding either India or Arkansas Engraver's Points. Made of knurled, nickel-plated steel. Rounded end fits comfortably in palm of hand. Measures $3^3/8$ " overall length.

			EAU	H Prices
Dimensions	Style	Item#	1-9	10+
$3^{3}/8$ " x $^{1}/4$ " dia.	XT-1	372-6000	\$32.95	\$22.08

A-G Norton® India® Silversmith Stones

A variety of precision-shaped tapered stones used by silversmiths and mechanics for touching up instruments, lapping for close tolerances and cleaning tools and dies. Use round-edged stones to speed up the sharpening of curved tool steels and carbide tools. Use sharp-angled stones to get into hardto-reach corners. Available only in aluminum oxide in coarse, medium and fine grits.



		Tapered to	Coarse (100 grit)	Medium (240 grit)	Fine (320 grit)	EACH	Prices
Style	LxWxH	ЖхН	Item#	Item#	Item# ´´	1-19	20+*`
A. F-414	4" x ⁵ ⁄16" x ³ ⁄16"	⁵ /16" X ¹ /16"	-	360-4142	360-4143	\$19.95	\$13.37
B. F-424	4" x ³ /8" x ³ /16"	¹ /8" X ¹ /16"	-	360-4242	_	18.95	12.70
C. F-444	4" x ½" x 1/16"	_	360-4441	360-4442	360-4443	18.95	12.70
D. F-474	4v x ¹ /2" x ¹ /4"	⁵ /16" x ¹ /8"	-	360-4742	-	18.95	12.70
E. F-644	4" x ¹ /2" x ¹ /4"	_	-	360-6442	360-6443	18.95	12.70
F. F-723	3" x ⁵ /16" base	_	360-7231	360-7232	360-7233	21.10	14.14
G. F-724	4" x 1" x ½" base	_	360-7241	360-7242	360-7243	15.25	10.22

^{*}Quantity discount for orders of one item number only; not assorted.

H-J Norton® India® Reamer Stones

Durable fast-cutting stones designed for imparting a professional edge on reamers, taps and rough rounders on shoe machine tools. Available in aluminum oxide in medium and fine grits.

			Medium Grit	EACH	l Prices	Fine Grit	EACH	Prices
	Style	LxWxH	Item#	1-19	20+	Item#	1-19	20+
Н.	T124	4½" x 1" x 5/16"	360-1242	\$14.45	\$9.68	_	_	_
I.	T125	5" x 1" x ³ / ₁₆ "	360-1252	14.35	9.61	360-1253	\$14.35	\$9.61
J.	T126	6" x 1" x ¹ / ₄ "	360-1262	19.40	13.00	_	_	_

K. Norton® India® Bench Stones

Manufactured with the same aluminum oxide as our other India stones, Bench Stones are most popular for producing a strong, keen, long-lasting edge on high-quality tools. The frequent choice of artisans, craftsmen and mechanics. Use India Bench Stones to quickly restore the cutting edge on all straight edge tools, including chisels, plane blades, wood lathe cutters, draw knives, spoke shaves, precision tools and delicate instruments. Prefilled with oil to make cutting easier and more effective, eliminating the need to presoak prior to first use. Oil still should be supplied to the surface before each use.


			EACI	H Prices*
LxWxH	Style	Item#	1-9	10+
4" x 1" x ½"	14	361-0141	\$10.20	\$6.83
4" x 1" x ½"	24	361-0241	14.35	9.61
6" x 2" x 1"	6	361-0061	31.65	21.21
8" x 2" x 1"	8	361-0081	37.85	25.36
4" x 1" x ¹ / ₄ "	14	361-0142	9.60	6.43
4" x 1" x ½"	24	361-0242	13.50	9.05
6" x 2" x 1"	6	361-0062	31.65	21.21
8" x 2" x 1"	8	361-0082	37.85	25.36
4" x 1" x ¹ / ₄ "	14	361-0143	9.60	6.43
4" x 1" x ½"	24	361-0243	13.50	9.05
6" x 2" x 1"	6	361-0063	31.65	21.21
8" x 2" x 1"	8	361-0083	37.85	25.36
	4" x 1" x ¹ / ₄ " 4" x 1" x ¹ / ₂ " 6" x 2" x 1" 8" x 2" x 1" 4" x 1" x ¹ / ₂ " 6" x 2" x 1" 8" x 2" x 1" 8" x 2" x 1" 4" x 1" x ¹ / ₂ " 6" x 2" x 1" 4" x 1" x ¹ / ₂ " 6" x 2" x 1"	4" x 1" x ½" 4" x 1" x ½" 24 6" x 2" x 1" 8" x 2" x 1" 8 4" x 1" x ½" 14 4" x 1" x ½" 24 6" x 2" x 1" 6 8" x 2" x 1" 6 8" x 2" x 1" 8 4" x 1" x ½" 24 6" x 2" x 1" 8 4" x 1" x ½" 24 6" x 2" x 1" 6 8" x 2" x 1" 6 8" x 2" x 1" 6 6" x 2" x 1" 6 6" x 2" x 1" 6	4" x 1" x ½" 14 361-0141 4" x 1" x ½" 24 361-0241 6" x 2" x 1" 6 361-0061 8" x 2" x 1" 8 361-0081 4" x 1" x ½" 14 361-0142 4" x 1" x ½" 24 361-0242 6" x 2" x 1" 6 361-0062 8" x 2" x 1" 8 361-0082 4" x 1" x ½" 14 361-0143 4" x 1" x ½" 24 361-0243 6" x 2" x 1" 6 361-0063	L x W x H Style Item# 1-9 4" x 1" x ½" 14 361-0141 \$10.20 4" x 1" x ½" 24 361-0241 14.35 6" x 2" x 1" 6 361-0061 31.65 8" x 2" x 1" 8 361-0081 37.85 4" x 1" x ½" 14 361-0142 9.60 4" x 1" x ½" 24 361-0242 13.50 6" x 2" x 1" 6 361-0062 31.65 8" x 2" x 1" 8 361-0082 37.85 4" x 1" x ½" 14 361-0143 9.60 4" x 1" x ½" 24 361-0243 13.50 6" x 2" x 1" 6 361-0263 31.65

^{*}Please ask for quotes on larger quantities.

L. Norton[®] India[®] Combination Bench Stones

Fast cutting, man-made stones of tough aluminum oxide abrasive. Each Combination India Bench Stone has fine and coarse grit surfaces (one grit to each side), providing complete, economical sharpening.

				EACH Prices	
Style	LxWxH	Item#	1-9	10+	
IB-134	4" x 1 ³ / ₄ " x ⁵ / ₈ "	361-1344	\$21.10	\$14.14	
IB-6	6" x 2" x 1"	361-0064	31.60	21.17	
IB-8	8" x 2" x 1"	361-0084	39.90	26.73	







A. Mold Repair Kit

Can be carried directly to the mold for instant repair in the press. Helps you quickly put your molds back into production. Available in a money saving set with either the Dremel #3000 (850-8027 page 454) or the Marathon PH 2X (510-2946 page 433)

Includes:

- EDM & Diemaker All Grit Stone Set
- Moldmaker, RA, EDM & Ultra Soft Stones
- Supreme Green Stoning Oil
- End Brushes
- Blue and Red Mounted Stones
- Finishing Stone Holders
- Carbide burs
- G-Flex and GMX Abrasives
- Abrasive Belt Stick
- Lapping Sticks
- Felt Bobs, Sticks and Hand Buff
- 3 grades of Diamond Compounds
- Simichrome Polish

	Description	Item#	Each
A.	Mold Repair Kit only	382-1000	\$195.00
	Mold Repair Kit w/Dremel #3000	382-1010	275.00
	Mold Repair Kit w/Marathon PH 2X	382-1001	395.00

B. Aluminum Polishing Kit

This kit contains our best abrasives for getting the job done. Use the Moldmaker Plus and Ultra-soft stones for removing tooling marks. Champagne and 3M Wetordry paper for fine finishing. Also contains selection of GMX mounted points for aluminum deburring applications. If you need to diamond polish aluminum, try our Diamond Polishing Kit (# 216-0001).

Includes:

- GMX Mounted Points
- Ceramic stones
- Moldmaker Plus All Grit Set
- Ultrasoft All Grit Stone Set
- Supreme Green Stoning Oil Description
- 3MTM Wetordry Polishing Paper
- Norton Champagne A275 Paper
- Ceramic stone Holder
- LT Stone Holder
- Screw-Lock Stone Holder

	Description	Item#	Each
В.	Aluminum Polishing Kit	405-0001	\$199.00



В

C. Pocket-Size S.P.I.® Mold Finish Gauge

Take this handy guide anywhere. Flash chrome protectant ensures metal specimen surfaces will retain their exact finishes for years. Easy-to-read cross-reference table of S.P.I. and R.A. finishes makes for quick and accurate comparisons. Measures 57/8"L x 31/2"W.

Description	Item#	Each
Pocket-Size S.P.I. Mold Finish Gauge	811-0225	\$189.95



D. Diamond Polishing Kit - Everything you need for Diamond Polishing

Whether you carry it to the mold or have it under your workstation, our Diamond Polishing Kit has all the products you need, right at your fingertips! A convenient time saver and a money saver as well! Available alone or in a money saving kit with Marathon System (See 510-2946 on page 433).

Includes:

- Diamond Compounds
- Lube Thinner
- Poli-Felts · Wood Sticks
- Cup Brushes

- · Felt Bobs & Felt Sticks
- End Brushes
- Wheel Brushes

Description

Diamond Polishing Kit

Item# Each 216-0001 \$249.00 216-0002 449.00

IMPORTANT: See dust warning on page 3.

Gesswein

Orders 9am-5pm EST: 800-243-4466

Diamond Polishing Kit with Marathon

A. Rub-and-Rinse Stone Cleaner

Gesswein Rub-and-Rinse Stone Cleaner is a semiliquid material that sheds tiny metal particles from hard stones to keep them at their peak efficiency. Recommended for use on hard stones such as our Ruby, India and Hard Arkansas Stones. Contains 1/2" fl. oz.

Description	Item#	Each
Rub-and-Rinse Stone Cleaner	813-1700	\$9.80

B, C Gesswein Supreme Green Stoning & Lubricating Oil

This stoning oil was developed for mold and die polishing. It is economical, practically odorless, and it's ecologically safer to use than alternative stoning oils. Use with finishing stones to prevent loading and keep the work surface clean. Lets stones cut better and more freely so they produce a bright, smooth surface. Eliminates the need for hazardous kerosene and other lubricating agents, which could be harmful to your health. Can also use with diamond tools where lubrication is suggested. Viscosity: 39.5/44.

Description	Item#	Each
B. 1 Pint (wide-mouth glass container)	800-0152	\$13.75
C. 1 Gallon	800-0151	44.95

D. Norton® India Stone Oil

Specifically formulated for use with sharpening stones. Will not load or gum up. Meets U.S. pharmaceutical standards for mineral oil purity and can be used around food preparation operations.

Description	Item#	Each
4.5 oz.	800-0121	\$7.00

E. Dispenser Bottle with Pump

Plastic bottle holds flux, solvents or other liquids. Special stainless steel lid allows pumping of solution into shallow well on top of bottle. One-way valve keeps solution in well, prevents contamination and eliminates odors. Ideal for dispensing solutions that would otherwise evaporate. 4 oz. capacity.

Description	Item#	Each
Dispenser Bottle with Pump	830-4525	\$26.45

F, G Syringe Dispensers

Plastic syringes with 18-gauge stainless steel needles for pinpoint delivery of stoning oil to the exact place you want. Plunger works smoothly and slides evenly to prevent accidental flooding and sputtering. Constructed of polyethylene and polypropylene. Available in two sizes: 5 and 10cc. Each includes tip sheath and cover. Sold in packages of six.

			PKG	. of 6
	Description	Item#	1-3	4+
F.	5cc Syringe	811-2450	\$18.95	\$15.16
G.	10cc Syringe	811-2451	23.50	18.80

H. Pinpoint Dispenser

This handy plastic squeeze dispenser has a needle-point applicator for precise application of flux. No more mess—eliminates dried up flux brushes and dripping flux. An excellent applicator for applying flux to small areas where a flux brush will usually cause a mess; ideal for soldering earring posts, building up prongs, sizing rings and making many similar small repairs. 2 oz. capacity.

Description	Item#	Each
H. Pinpoint Dispenser	830-4520	\$4.79
Pinpoint Dispenser w/16 oz.		
Anti-Oxidizing Flux (see p. 501)	830-4515	20.00

I. Plastic Spray-Pump Bottle

Use to dispense stoning oil, cleaning solution and more. Spray gets into hard-to-reach areas. Capacity: 4 fl. oz.

		EACH	Prices
Description	Item#	1-2	3+
Plastic Spray-Pump Bottle	811-2460	\$2.15	\$1.94









Gesswein[®] Mounted Stones & Points

We have assembled an assortment of vitrified bonded mounted abrasives for most metal working applications. From general purpose grinding to specialty deburring, for fast cutting to smooth finishing—there is a stone for most every need. All are manufactured in the USA (except for the German Busch Pink Points, see p. 51) and only the finest materials and workmanship are employed. **See warnings on p. 50.**

Color	Page	Hardness	Grit	Bond	Abrasive	Recommended Metals	Benefit
Blue	44-47, 50	Hard	120	Porce- lain	Semi-Friable Aluminum Oxide	Hardened Steels	Holds its shape extremely well
Purple	42-43	Hard-Sharp Cut	80/100/120	Vitrified	Sol-Gel Ceramic Grain + Pink Aluminum Oxide	High Nickel and Exotic Alloys	Fast cutting, cool running even on high nickel and other alloys
Light Blue	48	Medium-Sharp Cut	120	Vitrified	Sol-Gel Ceramic Grain + White Aluminum Oxide	High-Carbon, Stainless Steel, Non-Ferrous Alloys	Long lasting and cuts well
Red	36-39, 49	Medium	60/80/120	Clay	Friable Aluminum Oxide	Medium and Hardened Steels	Fast cutting and non-loading properties
Pink	40-41	Medium	80/100/120	Fused Vitrified	Pink Aluminum Oxide Alloyed with Chrome	Tool Steel and High Speed Steels	Sharp, cool cutting action for harder steels
White	52	Soft	400	Vitrified	Fine White Aluminum Oxide	Glass, Porcelain, Metal or Stone	Produces a fine finish

Note: Busch Pink omitted from chart as it is not a Gesswein stone (see p. 51).



A. Gesswein® Mounted Stone Sample Set – 1/8" Shank

Order our sample set of stones available on $\frac{1}{8}$ " shanks to see which type best fits your application. Set consists of B52 and W163 shapes in Red, Purple, Pink, Blue and Light Blue.

Description	Item#	Each
10-Piece Intro Mounted Stone Set	300-0010	\$20.25

Gesswein Made in the USA Red Mounted Stones



Superior quality stones made of aluminum oxide bonded with porcelain-type clays, which provide the greatest strength and rigidity required for fast stock removal and longer life. The ceramic bond controls the release of the aluminum oxide abrasive grains. As each particle begins to dull, the bond discharges it, allowing new abrasive grain to surface with fresh, sharp cutting edges. Stones are securely bonded to their shanks and are guaranteed to run true.

These fast-cutting, nonloading stones are easily identified by their reddish-brown color. The grit varies between 60, 80 (medium), and 120 (fine). For fast grinding of medium and hard materials. Ideal for internal grinding of tools, dies and gauges. All have $1^{1}/2^{\circ}$ long plated steel shanks. Can be dressed with our Tru-Stone #380-1030 (see p. 51). For recommended speeds, consult the American National Standard Institute for full information on vitrified mounted wheels.

Available in plastic packages of 12 and boxes of 12, 36 or 72.

5/8 5/8 B41	5/ ₁₆ \ B43	3/ ₈ 7/ ₃₂ B44
³ / ₁₆ ⁵ / ₁₆ B45	3/ ₈ 3/ ₄ B52	5/8 1/4 B53

	Shape	dimensions	shown	in	inches.
--	-------	------------	-------	----	---------

						PKG./E	OX Prices	
Style	Grit	Shank	Qty.	Item#	1	2-3	4-9	10+
B41	80	1/8"	Pkg. of 12	309-0410	\$18.30	\$16.47	\$15.56	\$13.73
		1/8"	Box of 36	301-0410	46.00	41.40	39.10	34.50
B43	80	1/8"	Pkg. of 12	309-0430	16.15	14.54	13.73	12.11
		1/8"	Box of 72	301-0430	81.25	73.13	69.06	60.94
		3mm	Box of 72	313-0430	81.25	73.13	69.06	60.94
B44	80	1/8"	Pkg. of 12	309-0440	15.20	13.68	12.92	11.40
		1/8"	Box of 72	301-0440	81.25	73.13	69.06	60.94
		3mm	Box of 72	313-0440	81.25	73.13	69.06	60.94
B45	80	1/8"	Pkg. of 12	309-0450	16.15	14.54	13.73	12.11
		1/8"	Box of 72	301-0450	81.25	73.13	69.06	60.94
		3mm	Box of 72	313-0450	81.25	73.13	69.06	60.94
B52	80	1/8"	Pkg. of 12	309-0520	17.35	15.62	14.75	13.01
		1/8"	Box of 72	301-0520	88.75	79.88	75.44	66.56
		3mm	Box of 72	313-0520	88.75	79.88	75.44	66.56
B53	80	1/8"	Pkg. of 12	309-0530	17.35	15.62	14.75	13.01
		1/8"	Box of 72	301-0530	91.00	81.90	77.35	68.25

1/2

B91

B105


B123

Gesswein® Red Mounted Stones (continued)

ucs	WGIII	IIGu	Mounte	u Stolics	(COIICIII	-			47	
Ctylo	Grit	Shank	Otv	Item#	1		30X Prices	10+	1/8	1/2
Style B55	120	1/8"	Qty. Pkg. of 12	309-0550	\$14.25	\$12.83	\$12.11	\$10.69	1/4	1/8‡
		¹ / ₈ " 3mm	Box of 72 Box of 72	301-0550 313-0550	69.75 69.75	62.78 62.78	59.29 59.29	52.31 52.31		
B72	80	1/8" 1/8"	Pkg. of 12 Box of 36	309-0720 301-0720	15.20 39.50	13.68 35.55	12.92 33.58	11.40 29.63	B55	B72
B73	80	1/8" 1/8"	Pkg. of 12 Box of 36	309-0730 301-0730	17.35 42.00	15.62 37.80	14.75 35.70	13.01 31.50	3/4	1/2
		3mm	Box of 36	313-0730	45.00	40.50	38.25	33.75	3/16	1/4
B81	120	1/8"	Box of 12	301-0810	18.25	16.43	15.51	13.69		
B82	80	1/8" 1/8"	Pkg. of 12 Box of 36	309-0820 301-0820	14.25 35.25	12.83 31.73	12.11 29.96	10.69 26.44	B81	B82
B91	80	¹ / ₈ " 3mm	Box of 12 Box of 12	301-0910 313-0910	18.25 17.00	16.43 15.30	15.51 14.45	13.69 12.75	1/8	1/8
B96	120	1/8" 1/8"	Pkg. of 12 Box of 72	309-0960 301-0960	14.25 69.50	12.83 62.55	12.11 59.08	10.69 52.13	1/4	3/8
B97	120	1/8" 1/8"	Pkg. of 12 Box of 72	309-0970 301-0970	16.15 81.25	14.54 73.13	13.73 69.06	12.11 60.94	B96	B97
		3mm	Box of 72	313-0970	81.25	73.13	69.06	60.94	5/8	
B98	120	1/8" 1/8"	Pkg. of 12 Box of 72	309-0980 301-0980	15.20 69.50	13.68 62.55	12.92 59.08	11.40 52.13		5/ ₁₆
B101	60	1/8"	Box of 12	301-1010	19.00	17.10	16.15	14.25	11/16	3/8
B104	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1040 301-1040	16.15 81.25	14.54 73.13	13.73 69.06	12.11 60.94		
B105	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1050 301-1050	14.25 69.50	12.83 62.55	12.11 59.08	10.69 52.13	B101	B104
B121	80	1/8" 1/8"	Pkg. of 12 Box of 36	309-1210 301-1210	16.15 40.75	14.54 36.68	13.73 34.64	12.11 30.56	1/2	3/8
B122	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1220 301-1220	16.15 81.25	14.54 73.13	13.73 69.06	12.11 60.94	1/2	3/8
B123	120	1/8" 1/8"	Pkg. of 12	309-1230	14.25	12.83	12.11	10.69		
		¹ / ₈ " 3mm	Box of 72 Box of 72	301-1230 313-1230	69.50 69.50	62.55 62.55	59.08 59.08	52.13 52.13	B121	B122
B124	120	1/8" 1/8"	Pkg. of 12 Box of 72	309-1240 301-1240	16.15 75.00	14.54 67.50	13.73 63.75	12.11 56.25	1/0	1/4
		3mm	Box of 72	313-1240	75.00	67.50	63.75	56.25	1/8	1/4
B125	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1250 301-1250	16.15 83.50	14.54 75.15	13.73 70.98	12.11 62.63		
		3mm	Box of 72	313-1250	83.50	75.15	70.98	62.63	B124	B125
B132	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1320 301-1320	13.30 62.25	11.97 56.03	11.31 52.91	9.98 46.69	D124	DIZO
B133	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1330 301-1330	13.30 60.00	11.97 54.00	11.31 51.00	9.98 45.00	3/8	1/4
B135	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1350 301-1350	13.30 62.25	11.97 56.03	11.31 52.91	9.98 46.69	3/8	1/2
W140	120	1/8"	Pkg. of 12	309-1400	13.30	11.97	11.31	9.98	B133	B135
		¹ / ₈ " 3mm	Box of 72 Box of 72	301-1400 313-1400	64.25 64.25	57.83 57.83	54.61 54.61	48.19 48.19	різз	Shape dime

Web Site Orders 24/7: gesswein.com

Gesswein® Red Mounted Stones (continued)




						PKG./E	30X Price	es
Style	Grit	Shank	Qty.	Item#	1	2-3	4-9	10+
W141	120	1/8" 1/8"	Pkg. of 12 Box of 72	309-1410 301-1410	13.30 60.00	11.97 54.00	11.31 51.00	9.98 45.00
W142	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1420 301-1420 313-1420	13.30 64.25 64.25	11.97 57.83 57.83	11.31 54.61 54.61	9.98 48.19 48.19
W144	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1440 301-1440 313-1440	12.10 58.75 58.75	10.89 52.88 52.88	10.29 49.94 49.94	9.08 44.06 44.06
W145	120	1/8" 1/8"	Pkg. of 12 Box of 72	309-1450 301-1450	13.80 64.25	12.42 57.83	11.73 54.61	10.35 48.19
W146	120	1/8" 1/8"	Pkg. of 12 Box of 72	309-1460 301-1460	13.30 64.25	11.97 57.83	11.31 54.61	9.98 48.19
W148	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1480 301-1480 313-1480	14.25 69.50 69.50	12.83 62.55 62.55	12.11 59.08 59.08	10.69 52.13 52.13
W149	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1490 301-1490 313-1490	12.10 58.75 58.75	10.89 52.88 52.88	10.29 49.94 49.94	9.08 44.06 44.06
W152	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1520 301-1520 313-1520	12.10 58.75 58.75	10.89 52.88 52.88	10.29 49.94 49.94	9.08 44.06 44.06
W153	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1530 301-1530 313-1530	13.55 64.25 64.25	12.20 57.83 57.83	11.52 54.61 54.61	10.16 48.19 48.19
W154	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1540 301-1540 313-1540	13.30 64.25 64.25	11.97 57.83 57.83	11.31 54.61 54.61	9.98 48.19 48.19
W158	120	1/8" 1/8"	Pkg. of 12 Box of 72	309-1580 301-1580	12.10 58.75	10.89 52.88	10.29 49.94	9.08 44.06
W161	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1610 301-1610	13.30 64.25	11.97 57.83	11.31 54.61	9.98 48.19
W162	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1620 301-1620 313-1620	13.55 64.25 64.25	12.20 57.83 57.83	11.52 54.61 54.61	10.16 48.19 48.19
W163	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1630 301-1630 313-1630	13.30 64.25 64.25	11.97 57.83 57.83	11.31 54.61 54.61	9.98 48.19 48.19
W164	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1640 301-1640	14.25 68.50	12.83 61.65	12.11 58.23	10.69 51.38
W170	80	1/8" 1/8"	Pkg. of 12 Box of 72	309-1700 301-1700	12.10 64.25	10.89 57.83	10.29 54.61	9.08 48.19
W175	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 72 Box of 72	309-1750 301-1750 313-1750	13.30 64.25 64.25	11.97 57.83	11.31 54.61 -	9.98 48.19
		1/8"	Box of 72	301-1750	64.25	57.83	54.61	48.19
W176	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	309-1760 301-1760 313-1760	13.30 64.25 64.25	11.97 57.83 57.83	11.31 54.61 54.61	9.98 48.19 48.19

Orders 9am-5pm EST: 800-243-4466

Gesswein® Red Mounted Stones (continued)

						PKG./E	30X Price	S
Style	Grit	Shank	Qty.	Item#	1	2-3	4-9	10+
W178	60	1/8"	Pkg. of 12	309-1780	\$15.20	\$13.68	\$12.92	\$11.40
		1/8"	Box of 72	301-1780	71.75	64.58	60.99	53.81
W182	80	1/8"	Pkg. of 12	309-1820	13.30	11.97	11.31	9.98
		1/8"	Box of 36	301-1820	30.00	27.00	25.50	22.50
		3mm	Box of 36	313-1820	30.00	27.00	25.50	22.50
W183	80	1/8"	Pkg. of 12	309-1830	13.30	11.97	11.31	9.98
		1/8"	Box of 36	301-1830	28.00	28.00	28.00	28.00
		3mm	Box of 36	313-1830	28.00	-	-	
W185	80	1/8"	Pkg. of 12	309-1850	13.30	11.97	11.31	9.98
		1/8"	Box of 36	301-1850	32.00	28.80	27.20	24.00
		3mm	Box of 36	313-1850	32.00	28.80	27.20	24.00
W186	80	1/8"	Pkg. of 12	309-1860	14.25	12.83	12.11	10.69
		1/8"	Box of 36	301-1860	34.25	30.83	29.11	25.69
W187	80	1/8"	Pkg. of 12	309-1870	15.20	13.68	12.92	11.40
		1/8"	Box of 36	301-1870	36.50	32.85	31.03	27.38
W190	80	1/8"	Pkg. of 12	309-1900	13.30	11.97	11.31	9.98
		1/8"	Box of 36	301-1900	30.00	27.00	25.50	22.50
W200	80	1/8"	Box of 12	301-2000	11.75	10.58	9.99	8.81
W202	60	1/8"	Box of 12	301-2020	14.00	12.60	11.90	10.50
W204	60	1/8"	Box of 12	301-2040	16.00	14.40	13.60	12.00
W210	80	1/8"	Box of 12	301-2100	14.00	12.60	11.90	10.50
W211	80	1/8"	Box of 12	301-2110	14.00	12.60	11.90	10.50
W215	60	1/8"	Box of 12	301-2150	14.00	12.60	11.90	10.50
W216	60	1/8"	Box of 12	301-2160	14.00	12.60	11.90	10.50



Shape dimensions shown in inches.


A, B Gesswein® Red Mounted Stone Sets – 1/8" Shank

Gesswein Red Mounted Stones are available in money-saving sets of 48 and 100 pieces. These assortments are made from our most popular shapes and offer a stone for almost every application. These sets offer big savings from the one-piece prices.

The 100-Piece Set includes ten each of our ten most popular shapes, conveniently packaged in a box to hold all 100 stones. Ten each of the following shapes: B44, B52, B96, B123, W144, W152, W162, W170, W175, W200.

The 48-Piece Set includes six each of eight popular shapes, conveniently packaged in a box to hold all 48 stones. Six each of the following shapes: B44, B52, B123, W144, W152, W162, W176, W200.

	Description	Item#	Each
A.	100-Piece Red Mounted Stone Set	310-3000	\$108.50
B.	48-Piece Red Mounted Stone Set	310-3010	58.00



Gesswein[®] **Pink Mounted Stones**

These highly popular, high-quality mounted stones are made with a pure, fused aluminum oxide alloyed with chrome, with a medium vitrified bonding agent. This combination gives it a distinctive pink color. These stones have been popular in Europe for many years because of their versatility, on a variety of steels and alloys where a sharp cutting action is required. The attributes of using pink abrasive grain is that besides being friable and cool cutting, the stones exhibit markedly better


form holding characteristics, making them exceptionally durable, while giving the sharp cut that is needed. All are mounted on 1½" long plated steel shanks. Actual grit appears in the chart; varies from 80, 100 to 120.


Pink stones can be dressed with our Tru-Stone #380-1030 (see p.51). For recommended speeds, consult the American National Standards Institute for full information on vitrified mounted wheels. Other shapes also available. Please call to special order.


See warnings on p. 50.


Available in plastic packages of 12 and boxes of 12, 36 or 72.











Shape dimensions shown in inches.


Style	Grit	Shank	Qty.	Item#	1	2-3	PKG./B0 4-9	X Prices 10+
B42	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 36 Box of 36	331-1042 331-0042 332-0042	\$20.65 51.00 49.50	\$18.59 45.90 44.55	\$17.55 43.35 42.08	\$15.49 38.25 37.13
B44	100	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1044 331-0044 332-0044	17.60 86.50 84.00	15.84 77.85 75.60	14.96 73.53 71.40	13.20 64.88 63.00
B45	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1045 331-0045 332-0045	17.60 86.50 84.00	15.84 77.85 75.60	14.96 73.53 71.40	13.20 64.88 63.00
B52	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1052 331-0052 332-0052	18.60 94.75 92.00	16.74 85.28 82.80	15.81 80.54 78.20	13.95 71.06 69.00
B53	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1053 331-0053 332-0053	18.60 94.75 92.00	16.74 85.28 82.80	15.81 80.54 78.20	13.95 71.06 69.00
B54	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1054 331-0054 332-0054	18.60 94.75 92.00	16.74 85.28 82.80	15.81 80.54 78.20	13.95 71.06 69.00
B55	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1055 331-0055 332-0055	15.70 74.25 72.00	14.13 66.83 64.80	13.35 63.11 61.20	11.78 55.69 54.00
B96	120	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 72 Box of 72	331-1096 331-0096 332-0096	15.70 74.25 72.00	14.13 66.83 64.80	13.35 63.11 61.20	11.78 55.69 54.00
B97	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1097 331-0097 332-0097	17.60 86.50 84.00	15.84 77.85 75.60	14.96 73.53 71.40	13.20 64.88 63.00
B98	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1098 331-0098 332-0098	16.65 74.25 72.00	14.99 66.83 64.80	14.15 63.11 61.20	12.49 55.69 54.00
B121	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 36 Box of 36	331-1121 331-0121 332-0121	17.60 43.25 42.00	15.84 38.93 37.80	14.96 36.76 35.70	13.20 32.44 31.50
B122	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1122 331-0122 332-0122	17.60 86.50 84.00	15.84 77.85 75.60	14.96 73.53 71.40	13.20 64.88 63.00
B123	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1123 331-0123 332-0123	15.70 74.25 72.00	14.13 66.83 64.80	13.35 63.11 61.20	11.78 55.69 54.00


Gesswein® Pink Mounted Stones (continued)


				-		DI/ 0 //	00V D :	_
Style	Grit	Shank	Qty.	Item#	1	2-3	30X Price 4-9	es 10+
B131	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 36 Box of 36	331-1131 331-0131 332-0131	\$13.80 35.00 34.00		\$11.73 29.75 28.90	\$10.35 26.25 25.50
B132	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 72 Box of 72	331-1132 331-0132 332-0132	13.80 69.00 67.00	12.42 62.10 60.30	11.73 58.65 56.95	10.35 51.75 50.25
B135	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1135 331-0135 332-0135	13.80 69.00 67.00	12.42 62.10 60.30	11.73 58.65 56.95	10.35 51.75 50.25
W142	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1142 331-0142 332-0142	14.80 69.00 67.00	13.32 62.10 60.30	12.58 58.65 56.95	11.10 51.75 50.25
W144	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1144 331-0144 332-0144	14.80 62.75 61.00	13.32 56.48 54.90	12.58 53.34 51.85	11.10 47.06 45.75
W145	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1145 331-0145 332-0145	13.80 69.00 67.00	12.42 62.10 60.30	11.73 58.65 56.95	10.35 51.75 50.25
W146	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1146 331-0146 332-0146	13.80 69.00 67.00	12.42 62.10 60.30	11.73 58.65 56.95	10.35 51.75 50.25
W153	100	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1153 331-0153 332-0153	13.80 69.00 67.00	12.42 62.10 60.30	11.73 58.65 56.95	10.35 51.75 50.25
W154	100	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1154 331-0154 332-0154	13.80 69.00 67.00	12.42 62.10 60.30	11.73 58.65 56.95	10.35 51.75 50.25
W163	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1163 331-0163 332-0163	13.80 69.00 67.00	12.42 62.10 60.30	11.73 58.65 56.95	10.35 51.75 50.25
W164	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1164 331-0164 332-0164	14.75 73.25 71.00	13.28 65.93 63.90	12.54 62.26 60.35	11.06 54.94 53.25
W170	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1170 331-0170 332-0170	12.85 81.50 67.00	11.57 73.35 60.30	10.92 69.28 56.95	9.64 61.13 50.25
W171	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1171 331-0171 332-0171	15.60 73.25 71.00	14.04 65.93 63.90	13.26 62.26 60.35	11.70 54.94 53.25
W176	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	331-1176 331-0176 332-0176	13.80 69.00 67.00	12.42 62.10 60.30	11.73 58.65 56.95	10.35 51.75 50.25
W182	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 36 Box of 36	331-1182 331-0182 332-0182	13.80 32.00 31.00	12.42 28.80 27.90	11.73 27.20 26.35	10.35 24.00 23.25
W185	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 36 Box of 36	331-1185 331-0185 332-0185	13.80 35.00 34.00	12.42 31.50 30.60	11.73 29.75 28.90	10.35 26.25 25.50

1/2 | 3/8 | 1/2 | 1/2 | 1/2 | B135









Shape dimensions shown in inches.

A. Gesswein® Pink Mounted Stone Set – 1/8" Shank

Gesswein Pink Mounted Stones are available in a money-saving set of 48 pieces. This assortment is made from our most popular shapes and offers a stone for almost every application. Includes six each of eight popular shapes, conveniently packaged in a box to hold all 48 stones. Six each of the following shapes: B44, B52, B53, B122, B123, W145, W163, W176.

Description	Item#	Each
48-Piece Pink Mounted Stone Set	331-0010	\$65.00



Gesswein Purple Mounted Stones


These "top of the line" mounted stones are made with a unique combination of Sol Gel ceramic grain and our high quality Pink fused aluminum oxide to produce the sharpest cut, and most durable of the friable grain vitrified bond stones. This combination gives it a distinctive purple color. Ceramic grain is the most friable grain produced. Due to the sharp cutting action, this mixture is used on high nickel alloys for the aerospace


industry, as well as many common varieties of steels and alloys. All are mounted on $1^{1}/2^{11}$ long plated steel shanks. Actual grit appears in the chart; varies from 80, 100 to 120.


Purple stones can be dressed with our Tru-Stone #380-1030 (see p. 51). For recommended speeds, consult the American National Standards Institute for full information on vitrified mounted wheels. Other shapes also available. Please call to special order. **See warnings on p. 50.**


Available in plastic packages of 12 and boxes of 12, 36 or 72.












Shape dimensions shown in inches.


						PKG./	BOX Prices	3
Style	Grit	Shank	Qty.	Item#	1	2-3	4-9	10+
B42	80	1/8" 1/8"	Pkg. of 12	333-1042	\$21.85	\$19.67	\$18.57	\$16.39
		3mm	Box of 36 Box of 36	333-0042 334-0042	54.00 54.00	48.60 48.60	45.90 45.90	40.50 40.50
			DOX 01 00	004 0042	04.00	40.00	40.50	40.00
B44	100	1/8"	Pkg. of 12	333-1044	18.05	16.25	15.34	13.54
		¹ / ₈ " 3mm	Box of 72 Box of 72	333-0044 334-0044	90.00 90.00	81.00 81.00	76.50 76.50	67.50 67.50
			DOX 01 7 Z	334-0044	90.00	61.00	70.30	07.30
B45	100	1/8"	Pkg. of 12	333-1045	18.05	16.25	15.34	13.54
		1/8"	Box of 72	333-0045	90.00	81.00	76.50	67.50
		3mm	Box of 72	334-0045	90.00	81.00	76.50	67.50
B52	80	1/8"	Pkg. of 12	333-1052	19.95	17.96	16.96	14.96
		1/8"	Box of 72	333-0052	97.00	87.30	82.45	72.75
		3mm	Box of 72	334-0052	97.00	87.30	82.45	72.75
B53	120	1/8"	Pkg. of 12	333-1053	19.95	17.96	16.96	14.96
		1/8"	Box of 72	333-0053	97.00	87.30	82.45	72.75
		3mm	Box of 72	334-0053	97.00	87.30	82.45	72.75
B54	80	1/8"	Pkg. of 12	333-1054	21.00	18.90	17.85	15.75
DOT	00	1/8"	Box of 72	333-0054	97.00	87.30	82.45	72.75
		3mm	Box of 72	334-0054	97.00	87.30	82.45	72.75
B55	120	1/8"	Pkg. of 12	333-1055	16.15	14.54	13.73	12.11
БЭЭ	120	1/8"	Box of 72	333-0055	78.00	70.20	66.30	58.50
		3mm	Box of 72	334-0055	78.00	70.20	66.30	58.50
B96	120	1/8"	Pkg. of 12	222 1006	16 15	1454	12.72	10 11
D30	120	1/8"	Box of 72	333-1096 333-0096	16.15 78.00	14.54 70.20	13.73 66.30	12.11 58.50
		3mm	Box of 72	334-0096	78.00	70.20	66.30	58.50
D07	120	1/8"	Pkg. of 12	222 4007	10.15	1454	10.70	10.11
B97	120	/8 1/8"	Box of 72	333-1097 333-0097	16.15 91.00	14.54 81.90	13.73 77.35	12.11 68.25
		3mm	Box of 72	334-0097	91.00	81.90	77.35	68.25
D00	400	17.11	DI (40		4=40	4= 00		40.00
B98	120	1/8" 1/8"	Pkg. of 12 Box of 72	333-1098 333-0098	17.10 78.00	15.39 70.20	14.54 66.30	12.83 58.50
		3mm	Box of 72	334-0098	78.00 78.00	70.20	66.30	58.50
B121	80	1/8" 1/1"	Pkg. of 12	333-1121	18.05	16.25	15.34	13.54
		¹ / ₈ " 3mm	Box of 36 Box of 36	333-0121 334-0121	46.00 46.00	41.40 41.40	39.10 39.10	34.50 34.50
			DOV 01 00	334-0121	40.00	71.40	33.10	J4.JU
B122	80	1/8"	Pkg. of 12	333-1122	18.05	16.25	15.34	13.54
		1/8"	Box of 72	333-0122	90.00	81.00	76.50	67.50
		3mm	Box of 72	334-0122	90.00	81.00	76.50	67.50
B123	120	1/8"	Pkg. of 12	333-1123	18.05	16.25	15.34	13.54
		1/8"	Box of 72	333-0123	78.00	70.20	66.30	58.50
		3mm	Box of 72	334-0123	78.00	70.20	66.30	58.50


Gesswein® Purple Mounted Stones (continued)


			•		•	•		
Style	Grit	Shank	Qty.	Item#	1	PKG./I 2-3	BOX Prices 4-9	10+
B131	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 36 Box of 36	333-1131 333-0131 334-0131	\$15.20 36.00 36.00	\$13.68 32.40 32.40	\$12.92 30.60 30.60	\$11.40 27.00 27.00
B132	80	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 72 Box of 72	333-1132 333-0132 334-0132	15.20 74.00 74.00	13.68 66.60 66.60	12.92 62.90 62.90	11.40 55.50 55.50
B135	80	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 72 Box of 72	333-1135 333-0135 334-0135	15.20 74.00 74.00	13.68 66.60 66.60	12.92 62.90 62.90	11.40 55.50 55.50
W142	120	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 72 Box of 72	333-1142 333-0142 334-0142	15.20 74.00 74.00	13.68 66.60 66.60	12.92 62.90 62.90	11.40 55.50 55.50
W144	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	333-1144 333-0144 334-0144	14.25 65.00 65.00	12.83 58.50 58.50	12.11 55.25 55.25	10.69 48.75 48.75
W145	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	333-1145 333-0145 334-0145	15.20 74.00 74.00	13.68 66.60 66.60	12.92 62.90 62.90	11.40 55.50 55.50
W146	120	1/8" 1/8" 3mm	Pkg. of 12 Box of 72 Box of 72	333-1146 333-0146 334-0146	15.20 74.00 74.00	13.68 66.60 66.60	12.92 62.90 62.90	11.40 55.50 55.50
W153	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	333-1153 333-0153 334-0153	15.20 74.00 74.00	13.68 66.60 66.60	12.92 62.90 62.90	11.40 55.50 55.50
W154	80	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	333-1154 333-0154 334-0154	15.20 74.00 74.00	13.68 66.60 66.60	12.92 62.90 62.90	11.40 55.50 55.50
W163	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 72 Box of 72	333-1163 333-0163 334-0163	15.20 74.00 74.00	13.68 66.60 66.60	12.92 62.90 62.90	11.40 55.50 55.50
W164	100	1/8" 1/8" 3mm	Pkg. of 12 Box of 72 Box of 72	333-1164 333-0164 334-0164	16.15 78.00 78.00	14.54 70.20 70.20	13.73 66.30 66.30	12.11 58.50 58.50
W170	100	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	333-1170 333-0170 334-0170	14.25 74.00 74.00	12.83 66.60 66.60	12.11 62.90 62.90	10.69 55.50 55.50
W171	100	1/8" 1/8" 3mm	Pkg. of 12 Box of 72 Box of 72	333-1171 333-0171 334-0171	16.15 78.00 78.00	14.54 70.20 70.20	13.73 66.30 66.30	12.11 58.50 58.50
W176	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 72 Box of 72	333-1176 333-0176 334-0176	15.20 74.00 74.00	13.68 66.60 66.60	12.92 62.90 62.90	11.40 55.50 55.50
W182	100	1/8" 1/8" 3mm	Pkg. of 12 Box of 36 Box of 36	333-1182 333-0182 334-0182	15.20 34.00 34.00	13.68 30.60 30.60	12.92 28.90 28.90	11.40 25.50 25.50
W185	80	1/8" 1/8" 3mm	Pkg. of 12 Box of 36 Box of 36	333-1185 333-0185 334-0185	15.20 36.00 36.00	13.68 32.40 32.40	12.92 30.60 30.60	11.40 27.00 27.00

3/8 1/2 1/2 B135 B131 B132









Shape dimensions shown in inches.

A. Gesswein® Purple Mounted Stone Set - 1/8" Shank

Gesswein Purple Mounted Stones are available in a money-saving set of 48 pieces. This assortment is made from our most popular shapes and offers a stone for almost every application. Includes six each of eight popular shapes, conveniently packaged in a box to hold all 48 stones. Six each of the following shapes: B44, B52, B53, B122, B123, W145, W163, W176.

Description	Item#	Each
48-Piece Purple Mounted Stone Set	333-0010	\$69.00



Gesswein[®] **Blue Mounted Stones** Made in the USA


These superior quality stones are made of aluminum oxide bonded with porcelain-type bonds, which provide the greatest strength and rigidity required for fast stock removal and longer life. The ceramic bond controls the release of the aluminum oxide abrasive grains. As each particle begins to dull, the bond discharges it, allowing new abrasive grain to surface with fresh, sharp cutting edges. Stones are securely bonded to their shanks and are guaranteed to run true.

> These hard stones hold their shapes exceptionally well. Recommended for use on hardened steel. All are 120 (fine) grit aluminum oxide. They cut well and leave a smooth surface. All have 11/2" long plated steel shanks. Blue mounted stones can be dressed with our Tru-Stone #380-1030 (see p. 51). For recommended speeds, consult the American National Standard Institute for full information on vitrified mounted wheels.

> > **PKG./BOX Prices**

See warnings on p. 50.

Available in plastic packages of 12 and boxes of 12, 36 or 72.




Ctulo	Crit	Shank	Otu	ltom#	1		4-9	; 10+
Style	Grit		Qty.	Item#		2-3		
B41	120	1/8" 1/8"	Pkg. of 12	304-0410	\$18.30	\$16.47	\$15.56	\$13.73
		3mm	Box of 36 Box of 36	300-0410 308-0410	46.00 46.00	41.40 41.40	39.10 39.10	34.50 34.50
		JIIIII	DOX 01 30	300-0410	40.00	41.40	39.10	34.50
B42	120	1/8"	Pkg. of 12	304-0420	19.25	17.33	16.36	14.44
		1/8"	Box of 36	300-0420	48.25	43.43	41.01	36.19
		3mm	Box of 36	308-0420	48.25	43.43	41.01	36.19
B43	120	1/8"	Pkg. of 12	304-0430	16.15	14.54	13.73	12.11
DTO	120	1/8"	Box of 72	300-0430	81.25	73.13	69.06	60.94
		3mm	Box of 72	308-0430	81.25	73.13	69.06	60.94
				000 0 100	01.20	70.10		
B44	120	1/8"	Pkg. of 12	304-0440	16.15	14.54	13.73	12.11
		1/8"	Box of 72	300-0440	83.25	74.93	70.76	62.44
		3mm	Box of 72	308-0440	83.25	74.93	70.76	62.44
B45	120	1/8"	Pkg. of 12	304-0450	16.15	14.54	13.73	12.11
		1/8"	Box of 72	300-0450	81.25	73.13	69.06	60.94
		3mm	Box of 72	308-0450	81.25	73.13	69.06	60.94
DE1	100	1/8"	Dia of 10	004.0540	40.05	47.00	40.00	4444
B51	120	1/8"	Pkg. of 12 Box of 72	304-0510	19.25	17.33	16.36	14.44
		3mm	Box of 72	300-0510 308-0510	96.25 96.25	86.63 86.63	81.81 81.81	72.19 72.19
		JIIIII	DUX 01 7 Z	300-0310	90.23	00.03	01.01	72.19
B52	120	1/8"	Pkg. of 12	304-0520	17.35	15.62	14.75	13.01
		1/8"	Box of 72	300-0520	91.00	81.90	77.35	68.25
		3mm	Box of 72	308-0520	88.75	79.88	75.44	66.56
B53	120	1/8"	Pkg. of 12	304-0530	17.80	17.80	16.02	13.35
ВОО	120	1/8"	Box of 72	300-0530	91.00	81.90	77.35	68.25
		3mm	Box of 72	308-0530	88.75	79.88	75.44	66.56
		1 / 11						
B54	120	1/8"	Pkg. of 12	304-0540	17.35	17.35	15.62	13.01
		1/8"	Box of 72	300-0540	88.75	79.88	75.44	66.56
		3mm	Box of 72	308-0540	83.00	74.70	70.55	62.25
B55	120	1/8"	Pkg. of 12	304-0550	14.25	12.83	12.11	10.69
		1/8"	Box of 72	300-0550	69.50	62.55	59.08	52.13
		3mm	Box of 72	308-0550	69.50	62.55	59.08	52.13
B71	120	1/8"	Pkg. of 12	304-0710	16.15	14.54	13.73	12.11
ו זט	120	1/8"	Box of 36	300-0710	45.00	40.50	38.25	33.75
		3mm	Box of 36	308-0710	45.00 45.00	40.50	38.25	33.75
		Ollilli	DOX 01 00	300-0710	40.00	70.00	30.23	33.73
B72	120	1/8"	Pkg. of 12	304-0720	15.20	12.92	11.40	11.40
		1/8"	Box of 36	300-0720	39.50	35.55	33.58	29.63
		3mm	Box of 36	308-0720	39.50	35.55	33.58	29.63
B73	120	1/8"	Pkg. of 12	304-0730	17.35	15.62	14.75	13.01
0	. 20	1/8"	Box of 36	300-0730	42.00	37.80	35.70	31.50
		3mm	Box of 36	308-0730	45.00	40.50	38.25	33.75
						*		

Gesswein® Blue Mounted Stones (continued)

Style	Grit	Shank	Qty.	Item#	1	PKG./I 2-3	30X Prices 4-9	10+		1/2	
B84	120	1/8" 1/8" 3mm	Pkg. of 12 Box of 72 Box of 72	304-0840 300-0840 308-0840	\$14.25 69.50 69.50	\$12.83 62.55 62.55	\$12.11 59.08 59.08	\$10.69 52.13 52.13	3/16	5/8	1/4
B91	120	¹ / ₈ " 3mm	Box of 12 Box of 12	300-0910 308-0910	18.25 18.25	16.43 16.43	15.51 15.51	13.69 13.69	B84	B91	B92
B92	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-0920 300-0920 308-0920	14.25 71.75 71.75	14.25 64.58 64.58	12.11 60.99 60.99	10.69 53.81 53.81	504	551	552
B96	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-0960 300-0960 308-0960	14.25 69.50 69.50	12.83 62.55 62.55	12.11 59.08 59.08	10.69 52.13 52.13	1/ ₈ 1/ ₄ 1/ ₄	3/8	3/32
B97	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-0970 300-0970 308-0970	16.15 83.25 83.25	14.54 74.93 74.93	13.73 70.76 70.76	12.11 62.44 62.44	B96	B97	B98
B98	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-0980 300-0980 308-0980	15.20 69.50 69.50	13.68 62.55 62.55	12.92 59.08 59.08	11.40 52.13 52.13	D90	pai	B90
B103	120	¹ / ₈ " 3mm	Box of 12 Box of 12	300-1030 308-1030	18.25 18.25	16.43 16.43	15.51 15.51	13.69 13.69		1/4	1/2
B105	120	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 72 Box of 72	304-1050 300-1050 308-1050	14.25 65.00 69.50	12.83 58.50 62.55	12.11 55.25 59.08	10.69 48.75 52.13	3/16		1/2
B121	120	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 36 Box of 36	304-1210 300-1210 308-1210	16.65 40.75 40.75	14.99 36.68 36.68	14.15 34.64 34.64	12.49 30.56 30.56	B103	B105	B121
B122	120	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 72 Box of 72	304-1220 300-1220 308-1220	16.65 81.25 81.25	14.99 73.13 73.13	14.15 69.06 69.06	12.49 60.94 60.94			
B123	120	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 72 Box of 72	304-1230 300-1230 308-1230	14.25 71.25 71.25	12.83 64.13 64.13	12.11 60.56 60.56	10.69 53.44 53.44	3/8	3/16	1/8 1/8 1
B124	120	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 72 Box of 72	304-1240 300-1240 308-1240	16.65 76.75 75.00	14.99 69.08 67.50	14.15 65.24 63.75	12.49 57.56 56.25	Page	3/16	
B125	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-1250 300-1250 308-1250	16.65 83.50 85.50	14.99 75.15 76.95	14.15 70.98 72.68	12.49 62.63 64.13	B122	B123	B124
B131	120	¹ /8" ¹ /8" 3mm	Pkg. of 12 Box of 36 Box of 36	304-1310 300-1310 308-1310	13.30 30.00 32.00	11.97 27.00 28.80	11.31 25.50 27.20	9.98 22.50 24.00	1/4	1/2	1/4
B135	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-1350 300-1350 308-1350	13.55 64.25 64.25	12.20 57.83 57.83	11.52 54.61 54.61	10.16 48.19 48.19		1/2	1/2
W140	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-1400 300-1400 308-1400	13.55 64.25 65.75	12.20 57.83 59.18	11.52 54.61 55.89	10.16 48.19 49.31	B125	B131	B135
W142	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-1420 300-1420 308-1420	13.30 64.25 64.25	11.97 57.83 57.83	11.31 54.61 54.61	9.98 48.19 48.19	⁵ / ₆₄	³ / ₃₂ 1	/8
W144	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-1440 300-1440 308-1440	12.10 60.25 58.75	10.89 54.23 52.88	10.29 51.21 49.94	9.08 45.19 44.06	1/4	1/4	3/8
W145	120	¹ / ₈ " ¹ / ₈ " 3mm	Pkg. of 12 Box of 72 Box of 72	304-1450 300-1450 308-1450	13.30 65.75 65.75	11.97 59.18 59.18	11.31 55.89 55.89	9.98 49.31 49.31	W140		144 W145 ensions shown in inches.


Gesswein® Blue Mounted Stones (continued)



Ctula	C-:+	Chaule	04.	ltour#			30X Prices	
Style	Grit	Shank	Qty.	Item#	1	2-3	4-9	10+
W146	120	1/8" 17"	Pkg. of 12	304-1460	\$13.55	\$12.20	\$11.52	\$10.16
		1/8"	Box of 72 Box of 72	300-1460	65.75	59.18	55.89 54.61	49.31
		3mm	DUX 01 7 Z	308-1460	64.25	57.83	54.61	48.19
W149	120	1/8"	Pkg. of 12	304-1490	12.10	10.89	10.29	9.08
		1/8"	Box of 72	300-1490	58.75	52.88	49.94	44.06
		3mm	Box of 72	308-1490	58.75	52.88	49.94	44.06
W152	120	1/8"	Pkg. of 12	304-1520	12.10	10.89	10.29	9.08
WIJZ	120	1/8"	Box of 72	300-1520	58.75	52.88	49.94	44.06
		3mm	Box of 72	308-1520	58.75	52.88	49.94	44.06
W153	120	1/8"	Pkg. of 12	304-1530	13.55	12.20	11.52	10.16
		1/8"	Box of 72	300-1530	65.75	59.18	55.89	49.31
		3mm	Box of 72	308-1530	65.75	59.18	55.89	49.31
W154	120	1/8"	Pkg. of 12	304-1540	13.55	12.20	11.52	10.16
		1/8"	Box of 72	300-1540	64.25	57.83	54.61	48.19
		3mm	Box of 72	308-1540	64.25	57.83	54.61	48.19
W160	120	1/8"	Pkg. of 12	204 1600	10 10	10.00	10.20	0.00
WIOU	120	/8 1/8"	Box of 72	304-1600 300-1600	12.10 58.75	10.89 52.88	10.29 49.94	9.08 44.06
		3mm	Box of 72	308-1600	58.75	52.88	49.94	44.06
			20% 01.12	000 1000	00.70	02.00	10.01	
W161	120	1/8"	Pkg. of 12	304-1610	13.30	11.97	11.31	9.98
		1/8"	Box of 72	300-1610	64.25	57.83	54.61	48.19
		3mm	Box of 72	308-1610	64.25	57.83	54.61	48.19
W162	120	1/8"	Pkg. of 12	304-1620	13.55	12.20	11.52	10.16
	0	1/8"	Box of 72	300-1620	64.25	57.83	54.61	48.19
		3mm	Box of 72	308-1620	64.25	57.83	54.61	48.19
W4.00	100	1711	DI£ 10	204 4222	40.55	40.00	44.50	40.40
W163	120	1/8" 1/8"	Pkg. of 12 Box of 72	304-1630	13.55 64.25	12.20	11.52 54.61	10.16
		3mm	Box of 72	300-1630 308-1630	65.75	57.83 59.18	55.89	48.19 49.31
			DOX OF TE	000 1000	00.70	03.10	00.03	73.01
W165	120	1/8"	Pkg. of 12	304-1650	12.10	10.89	10.29	9.08
		1/8"	Box of 72	300-1650	60.00	54.00	51.00	45.00
		3mm	Box of 72	308-1650	58.75	52.88	49.94	44.06
W168	120	1/8"	Pkg. of 12	304-1680	13.30	11.97	11.31	9.98
		1/8"	Box of 72	300-1680	62.00	55.80	52.70	46.50
		3mm	Box of 72	308-1680	66.25	59.63	56.31	49.69
W4.00	100	1711	DI£ 10	004 4000	40.00	44.07	44.04	0.00
W169	120	1/8" 1/8"	Pkg. of 12 Box of 72	304-1690	13.30	11.97	11.31	9.98
		3mm	Box of 72	300-1690 308-1690	66.25 66.25	59.63 59.63	56.31 56.31	49.69 49.69
		OIIIIII	DOX 01 7 Z	300-1090	00.23	J9.U3	30.31	49.09
W170	120	1/8"	Pkg. of 12	304-1700	12.60	11.34	10.71	9.45
		1/8"	Box of 72	300-1700	64.25	57.83	54.61	48.19
		3mm	Box of 72	308-1700	64.25	57.83	54.61	48.19
W171	120	1/8"	Pkg. of 12	304-1710	14.25	12.83	12.11	10.69
	120	1/8"	Box of 72	300-1710	68.50	61.65	58.23	51.38
		3mm	Box of 72	308-1710	68.50	61.65	58.23	51.38
	400	17.0	DI (40	004 4550	40.00	44.0=	44.04	
W175	120	1/8" 16"	Pkg. of 12	304-1750	13.30	11.97	11.31	9.98
		¹ / ₈ " 3mm	Box of 72 Box of 72	300-1750 308-1750	64.25 64.25	57.83 57.83	54.61 54.61	48.19 48.19
			DOV OF LE	JUO-173U	U4.ZJ	J1.03	J4.01	40.19
W176	120	1/8"	Pkg. of 12	304-1760	13.30	11.97	11.31	9.98
		1/8"	Box of 72	300-1760	64.25	57.83	54.61	48.19
		3mm	Box of 72	308-1760	65.75	59.18	55.89	49.31
W178	120	1/8"	Pkg. of 12	304-1780	15.20	13.68	12.92	11.40
	. 20	1/8"	Box of 72	300-1780	71.75	64.58	60.99	53.81
		3mm	Box of 72	308-1780	68.75	61.88	58.44	51.56

Gesswein® Blue Mounted Stones (continued)

						PKG./I	30X Prices	
Style	Grit	Shank	Qty.	Item#	1	2-3	4-9	10+
W181	120	1/8"	Pkg. of 12	304-1810	\$13.30	\$11.97	\$11.31	\$9.98
		1/8"	Box of 36	300-1810	30.00	27.00	25.50	22.50
		3mm	Box of 36	308-1810	30.00	27.00	25.50	22.50
W182	120	1/8"	Pkg. of 12	304-1820	13.30	11.97	11.31	9.98
		1/8"	Box of 36	300-1820	30.00	27.00	25.50	22.50
		3mm	Box of 36	308-1820	30.00	27.00	25.50	22.50
W183	120	1/8"	Pkg. of 12	304-1830	13.30	11.97	11.31	9.98
		1/8"	Box of 36	300-1830	30.00	27.00	25.50	22.50
		3mm	Box of 36	308-1830	30.00	27.00	25.50	22.50
W185	120	1/8"	Pkg. of 12	304-1850	13.30	11.97	11.31	9.98
		1/8"	Box of 36	300-1850	32.00	28.80	27.20	24.00
		3mm	Box of 36	308-1850	32.00	28.80	27.20	24.00
W186	120	1/8"	Pkg. of 12	304-1860	14.25	12.83	12.11	10.69
		1/8"	Box of 36	300-1860	34.25	30.83	29.11	25.69
		3mm	Box of 36	308-1860	34.25	30.83	29.11	25.69
W187	120	1/8"	Pkg. of 12	304-1870	15.20	13.68	12.92	11.40
		1/8"	Box of 36	300-1870	36.50	32.85	31.03	27.38
		3mm	Box of 36	308-1870	36.50	32.85	31.03	27.38
W190	120	1/8"	Pkg. of 12	304-1900	13.30	11.97	11.31	9.98
		1/8"	Box of 36	300-1900	32.00	28.80	27.20	24.00
		3mm	Box of 36	308-1900	32.00	28.80	27.20	24.00
W200	120	1/8"	Box of 12	300-2000	11.75	10.58	9.99	8.81
		3mm	Box of 12	308-2000	11.75	10.58	9.99	8.81
W201	120	1/8"	Box of 12	300-2010	11.75	10.58	9.99	8.81
		3mm	Box of 12	308-2010	11.75	10.58	9.99	8.81
W210	120	1/8"	Box of 12	300-2100	14.00	12.60	11.90	10.50
		3mm	Box of 12	308-2100	13.00	11.70	11.05	9.75
W211	120	1/8"	Box of 12	300-2110	14.00	12.60	11.90	10.50
		3mm	Box of 12	308-2110	14.00	12.60	11.90	10.50
W215	120	1/8"	Box of 12	300-2150	14.25	12.83	12.11	10.69
		3mm	Box of 12	308-2150	14.25	12.83	12.11	10.69




A, B Gesswein® Blue Mounted Stone Sets - 1/8" Shank

Gesswein Blue Mounted Stones are available in money-saving sets of 48 and 100 pieces. These assortments are made from our most popular shapes and offer a stone for almost every application. These sets offer big savings from the one-piece prices.

The 100-Piece Set includes ten each of our ten most popular shapes, conveniently packaged in a box to hold all 100 stones. Ten each of the following shapes: B44, B52, B96, B123, W144, W152, W162, W170, W175, W200.

The 48-Piece Set includes six each of eight popular shapes, conveniently packaged in a box to hold all 48 stones. Six each of the following shapes: B44, B52, B123, W144, W152, W162, W176, W200.


	Description	Item#	Each
A.	100-Piece Blue Mounted Stone Set	305-3000	\$108.50
B.	48-Piece Blue Mounted Stone Set	305-3010	58.00



Light Blue Mounted Stones

These ceramic mix mounted stones incorporate a unique Sol Gel ceramic abrasive. The Sol Gel abrasive, produced by Sol Gel processing, is both hard and tough. It provides exceptional durability and cut rates in grinding mild, high-carbon and stainless steel as well as many nonferrous alloys. Under normal use, cut rate and wheel life are two to three times that of Red and Blue Mounted Stones. Particularly suited for precision grinding. Form and radius holding are greatly increased due to Sol Gel's durability. Light Blue Mounted Stones are extremely tough in all grades, chemically pure and of uniform quality. All are 120 grit. Can be dressed with our Tru-Stone #380-1030 (see p. 51). All have $1^1\!\!/_2$ " long plated steel shanks. For recommended speeds, consult the American National Standard Institute for full information.

See warnings on p. 50.



W144

Shape dimensions shown in inches.

				EACH Prices		
Style	Grit	Shank	Item#	1-11	12+	
B44	120	¹ / ₈ " 3mm	312-0440 312-3019	\$3.25 3.25	\$2.71 2.71	
B52	120	¹ / ₈ " 3mm	312-0520 312-3020	3.25 3.25	2.71 2.71	
B53	120	¹ / ₈ " 3mm	312-0530 312-3021	3.25 3.25	2.71 2.71	
B55	120	¹ / ₈ " 3mm	312-0550 312-3022	2.25 2.25	1.87 1.87	
B96	120	¹ / ₈ " 3mm	312-0960 312-3023	2.25 2.25	1.87 1.87	
B97	120	¹ / ₈ " 3mm	312-0970 312-3024	3.25 3.25	2.71 2.71	
B123	120	¹ / ₈ " 3mm	312-1230 312-3025	2.25 2.25	1.87 1.87	
B124	120	¹ / ₈ " 3mm	312-1240 312-3026	2.25 2.25	1.87 1.87	
B125	120	¹ / ₈ " 3mm	312-1250 312-3027	3.25 3.25	2.71 2.71	
W144	120	¹ / ₈ " 3mm	312-1440 312-3028	2.25 2.25	1.87 1.87	
W145	120	¹ / ₈ " 3mm	312-1450 312-3029	2.25 2.25	1.87 1.87	
W163	120	¹ / ₈ " 3mm	312-1630 312-3030	2.25 2.25	1.87 1.87	

A BOCK

W145

A. Light Blue Mounted Stone Set

Buy the 12-piece assortment of these stones and have one for every application. Includes one each of above shapes. Conveniently packaged in a durable plastic box. Select between $^1\!/\!\epsilon^{\rm u}$ or 3mm shanks.

Description	Item#	Each
Light Blue Mounted Stone Set, 1/8"	312-3000	\$26.75
Light Blue Mounted Stone Set, 3mm	312-3031	26.75

B. Handy Block - For 1/8" or 3/32" Shanks

An 88-hole block of cured hardwood for organizing burs, needle files, brushes and more. All holes are $\frac{1}{8}$ " in diameter to accommodate either $\frac{1}{8}$ " or $\frac{3}{32}$ " shanks. Block is slanted so user can see all tools at a glance. Stay-put rubber pads keep block from sliding. Weighs 1 lb., 2 oz. Measures $\frac{4}{2}$ " x 6".

Description	Item#	Each
Handy Block	814-1215	\$14.95

B125

W163

Gesswein[®]

Red Mounted Points 3/32" Shank

Very fast-cutting, nonloading aluminum oxide stones, easily identified by their reddish-brown color. For fast grinding of medium and hard materials. Ideal for internal grinding of tools, dies and gauges. For recommended speeds, consult the American National Standard Institute for full information on vitrified mounted wheels. Mounted on 3/32" dia. \times 1½" long plated steel shanks. All are 120 grit with the exception of shape #1 which is 80 Grit. Can be dressed with our Tru-Stone #380-1030 (see p. 51).

See warnings on p. 50.



Style	Grit	Shank	Qty.	Item#	Pkg./Box Price
1	80	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0010 319-0010	\$13.30 56.00
2	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0020 319-0020	13.30 56.00
6	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0060 319-0060	13.30 60.00
7	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0070 319-0070	13.30 60.00
9	120	3/32"	Box of 72	319-0090	60.00
10	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0100 319-0100	13.30 60.00
12	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0120 319-0120	13.30 60.00
13	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0130 319-0130	13.30 60.00
14	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0140 319-0140	12.85 60.00
15	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0150 319-0150	13.30 60.00
16	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0160 319-0160	13.30 60.00
20	120	3/32"	Pkg. of 12	321-0200	13.60
21	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	321-0210 319-0210	13.30 60.00


A, B Rotating Bur Holders - Choose between two styles

Rotating Bur and Tool Holder accepts up to 112 burs or tools. Features ball bearings for smooth action. Includes 92 holes for tools with 3/32" or 1/8" shanks, 13 holes for tools with \(^1/4\)" shanks, 7 holes for \(^1/16\)" to \(^5/32\)" drill bits and 23/4" dia. x 3"H center cup for hand tools such as files, screwdrivers and more. Measures 7" dia. x 4"H.


Rotating Bur Holder Universal has 45 holes for tools with 1/16" shanks, 69 two-step holes for tools with 3/32" or 1/8" shanks and 12 holes for tools with $\frac{1}{4}$ " shanks. Measure 7" dia. x 4"H.

	Description	Item#	Each
A.	Rotating Bur and Tool Holder	850-0006	\$16.55
B.	Rotating Bur Holder, Universal	850-0004	16.55

Web Site Orders 24/7: gesswein.com



Shape dimensions shown in inches.



Gesswein[®]

Made in the USA

Blue Mounted Points 3/32" Shank

Hard blue aluminum oxide stones which hold their shapes, cut well and leave a smooth surface. Recommended for use on hardened steel. For recommended speeds, consult the American National Standard Institute for full information on vitrified mounted wheels. Mounted on $\frac{3}{32}$ " dia. x $\frac{11}{2}$ " long plated steel shanks. All are 120 grit. Can be dressed with our Tru-Stone #380-1030 (see p. 51).

See warnings below.

Available in plastic packages of 12 and boxes of 72.



Pkq./Box

1/2	1/2	1/4 1 1/8
11/32	13/32	9/32
9/32	17/64	7/32
3/16	1/8 1	5/64
3/64	1/8 32	3/32 1/8

Style	Grit	Shank	Qty.	Item#	Price
1	120	³ /32" ³ /32"	Pkg. of 12 Box of 72	316-0010 314-0010	\$14.25 65.25
2	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0020 314-0020	14.25 65.25
6	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0060 314-0060	14.25 65.25
9	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0090 314-0090	14.25 65.25
10	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0100 314-0100	14.25 65.25
12	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0120 314-0120	14.25 65.25
13	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0130 314-0130	14.25 65.25
14	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0140 314-0140	14.25 65.25
15	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0150 314-0150	14.25 65.25
16	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0160 314-0160	14.25 65.25
20	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0200 314-0200	14.25 65.25
21	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0210 314-0210	17.35 79.25
22	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0220 314-0220	17.35 74.00
32	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0320 314-0320	17.35 79.25
34	120	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	316-0340 314-0340	17.35 79.25

Shape dimensions shown in inches.

Warning: For recommended speeds, consult the American National Standards Institute for full information on vitrified mounted wheels. Before using any abrasive product, follow all safe operating guidelines with respect to eye protection, hand protection, hearing protection and respiratory protection. Also read the Material Safety Data Sheet to be aware of any inherent hazards or cautions.


Important: Abrasive stones break down during mold and die polishing, grinding, tool sharpening, and dressing of cutting & grinding wheels. The resulting dust is classified by OSHA as inert or nuisance dust. Please consult the Material Safety Data Sheet for each stone; data provided therein pertains primarily to the dust produced during and after use. Please note that hazards may change when abrasive stones are used in conjunction with solvents, cutting fluids or other chemicals. For more complete information, consult the Material Safety Data Sheets of chemical products used with abrasive stone products.

Made of genuine corundum, these points are recommended for use on harder metals. For recommended speeds, consult the American National Standard Institute for full information on vitrified mounted wheels. Mounted on $^3\!/_{\!32}$ " dia. x $1^1\!/_{\!2}$ "L plated steel shanks. All are medium grit. Can be dressed with our Tru-Stone #380-1030 (see below). Made in Germany.

See warnings on p. 50.



				EACH Pric	es
Style	Grit	Item#	1-5	6-71	72+
601	Med.	330-1324	\$2.45	\$2.08	\$1.96
602	Med.	330-1325	2.85	2.42	2.28
603	Med.	330-1330	2.45	2.08	1.96
621	Med.	330-1340	2.45	2.08	1.96
624	Med.	330-1342	2.45	2.08	1.96
632	Med.	330-1345	2.45	2.08	1.96
633	Med.	330-1346	2.45	2.08	1.96
637	Med.	330-1350	2.45	2.08	1.96
639	Med.	330-1355	2.45	2.08	1.96
640	Med.	330-1360	2.45	2.08	1.96
648	Med.	330-1364	2.45	2.08	1.96
649	Med.	330-1365	2.45	2.08	1.96
652	Med.	330-1370	2.45	2.08	1.96
661	Med.	330-1375	2.45	2.08	1.96
662	Med.	330-1380	2.45	2.08	1.96
665	Med.	330-1382	2.45	2.08	1.96
716	Med.	330-1395	3.75	3.19	3.00



Shape dimensions shown in inches.

A. Rotating Bur Holder – 3/32" Shank

Handy tiered holder rotates to keep tools within easy reach. Holds 150 burs or tools. All holes are $\frac{3}{32}$ " in diameter to accommodate $\frac{3}{32}$ " shanks. Weighs 12 oz. Measures 4"H x 6" dia. at base.

Description	Item#	Each
Rotating Bur Holder	124-4720	\$12.75

B. Tru-Stone

For dressing and shaping mounted stones and abrasive wheels

A very hard and coarse grit silicon carbide stone with four different sized half-round grooves measuring $^{1}/_{16}$ ", $^{1}/_{8}$ ", $^{3}/_{16}$ " and $^{1}/_{4}$ " on one side. Quickly reshapes and resurfaces abrasive stones to like-new condition. Measures $3^{1}/_{2}$ "L x $1^{3}/_{8}$ "W x $^{9}/_{16}$ "H.

		EACH	l Prices
Description	Item#	1-9	10+
Tru-Stone	380-1030	\$5.95	\$4.76





Gesswein White Polishing Points 3/32" Shank

Formulated from 400 grit (extremely fine) white aluminum oxide in a soft vitrified bond, these points can be used on glass, porcelain, metal or stone. Produce a high finish. For recommended speeds, consult the American National Standard Institute for full information on vitrified mounted wheels. Mounted on 3/32" dia. x 11/2"L plated steel shanks. Can be dressed with our Tru-Stone #380-1030 (see p. 51).

Before using any abrasive product, follow all safe operating guidelines with respect to eye protection, hand protection, hearing protection and respiratory protection. Also read the Material Safety Data Sheet (SDS) to be aware of any inherent hazards or cautions.



Made in the USA

7/64	1/4	1/4
3P	12P	14P
1/8 — 1/8 ‡	3/32 3/32 ‡	13/ ₆₄ 11/ ₃₂ 12P
1/8		0.4
9/32	1/8 †	3/32 1/8 ;
26P	32P	34P
9/64 ————————————————————————————————————	1/4 \ 1/4 \ 44P	7/ ₆₄ 7/ ₃₂ 7/ ₃₂ 46P

Style	Grit	Shank	Qty.	Item#	Pkg./Box Price
3P	400	3/ ₃₂ " 3/ ₃₂ "	Pkg. of 12 Box of 72	326-0030 324-0030	\$20.45 93.00
12P	400	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	326-0120 324-0120	20.45 93.00
14P	400	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	326-0140 324-0140	20.45 93.00
18P	400	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	326-0180 324-0180	20.45 93.00
19P	400	³ /32" ³ /32"	Pkg. of 12 Box of 72	326-0190 324-0190	20.45 93.00
22P	400	3/ ₃₂ " 3/ ₃₂ "	Pkg. of 12 Box of 72	326-0220 324-0220	20.45 93.00
26P	400	3/ ₃₂ " 3/ ₃₂ "	Pkg. of 12 Box of 72	326-0260 324-0260	20.90 93.00
32P	400	3/32" 3/32"	Pkg. of 12 Box of 72	326-0320 324-0320	20.45 93.00
34P	400	3/32" 3/32"	Pkg. of 12 Box of 72	326-0340 324-0340	20.45 87.00
41P	400	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	326-0410 324-0410	20.45 49.00
44P	400	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	326-0440 324-0440	20.45 93.00
46P	400	³ / ₃₂ " ³ / ₃₂ "	Pkg. of 12 Box of 72	326-0460 324-0460	20.45 93.00

A. Plastic Bur Holder – For 3/32" Shanks

Accepts up to 100 burs or tools with 3/32" shanks. Supplied with tilt stand. Measures 5" x 3". Color may vary.

		EACH Prices		
Description	Item#	1-2	3+	
Plastic Bur Holder	840-0007	\$4.95	\$3.96	



A, B Type VS Dressing Stones for Diamond Wheels

Made of premium quality white aluminum oxide. Very soft stones used for cleaning diamond wheels. Stones are evenly bonded and have precise grits.

				EACH	Prices
	Grit	Dimensions	Item#	<i>6pc</i> 6-18	24+
A.	80	6" x ¹ /2" x ¹ /2"	381-0005	\$2.85	\$2.57
	120	6" x ¹ /2" x ¹ /2"	381-0105	2.85	2.57
	150	6" x ¹ /2" x ¹ /2"	381-0115	2.85	2.57
	220	6" x ¹ /2" x ¹ /2"	381-0205	2.85	2.57
	320	6" x ¹ /2" x ¹ /2"	381-0305	3.90	3.51
B.	80	6" x ³ / ₄ " x ³ / ₄ "	381-1007	4.50	4.05
	120	6" x ³ /4" x ³ /4"	381-1107	4.50	4.05
	150	6" x ³ /4" x ³ /4"	381-1117	4.50	4.05
	220	6" x ³ / ₄ " x ³ / ₄ "	381-1207	4.50	4.05
	320	6" x ³ / ₄ " x ³ / ₄ "	381-1307	6.90	6.21
	_				

(6pc) Six-piece minimum; please order in multiples of six.

C. Dressing Stone – Coarse grit

A very hard, 20 grit stone that will quickly smooth out and take off irregular edges from almost any grinding wheel or MX Lap. Also excellent for shaping Bear-Tex Wheels. Measures 6" x 1" square.

Description	Grit	Item#	Each
Coarse Dressing Stone	20	380-1010	\$14.60

D. Dressing Stone – Medium grit

A very hard, 150 grit stone in a convenient shape for dressing grinding wheels, G-Flex and GMX wheels (see pp. 96-99). Measures 21/2"L x 1½"W x ½"H.

Description	Grit	Item#	Each
Medium Dressing Stone	150	380-1020	\$4.05

E. Norton® Norbide® Dressing Stick

The Norbide Dressing Stick is used to economically dress, shape and true vitrified grinding wheels. It's also the choice for "roughing in" a shape prior to diamond trueing precision grinding wheels. Measures 3"L x 1/2"W x ¹/₄"H.

Description	Item#	Each
Norbide Dressing Stick	380-1035	\$72.20

F. Wet Stick Diamond Dresser

Use this dressing stone with water for cleaning diamond points. Measures 2"L $x \frac{3}{4}$ "W $x \frac{1}{2}$ " thick.

Description	Item#	Each
Wet Stick	380-1022	\$2.30

G. Diamond Impregnated Dressing Stone

Has a concave center hole for forming a point on polishing rods. Measures 3/4" dia. x 1/8" thick.

Description	Item#	Each
Dressing Stone	145-1240	\$5.40





A. Norton® 32A Aluminum Oxide Grinding Wheels

For medium to heavy stock removal

Sharp monocrystalline aluminum oxide grain. Outstanding form holding. For moderate to heavy grinding of tool steels, including tough alloys. Allow exceptionally fast, cool cutting. Requires minimum dressing. Cannot be used on a tapered spindle, must use on arbor (see p. 401).

Grit			EAC	H Prices
Dia. x Thick x AH	Hardness	Item#	1-9	10-29
7" x ¹ / ₄ " x 1 ¹ / ₄ "	80/I	245-3195	\$35.75	\$28.60
7" x ¹ / ₂ " x 1 ¹ / ₄ "	46/K	245-3200	54.85	43.88



B. Norton® White Aluminum Oxide Grinding Wheels For light grinding

For light grinding of all kinds. Particularly good on hard, heat-sensitive materials such as high-speed steel and cast-alloy tools. Available in two hardnesses, J (Softest) and K (Hardest). Cannot be used on a tapered spindle, must use on arbor (see p. 401).

	Grit		EAC	H Prices
Dia. x Thick x AH	Hardness	Item#	1-9	10+
4" x ¹ / ₂ " x ¹ / ₂ "	60/K	845-0054	\$25.90	\$15.54
	100/K	845-0100	24.75	14.85
7" x ¹ / ₄ " x 1 ¹ / ₄ "	60/J	245-3080	30.60	24.48
	80/J	245-3085	30.60	24.48
	100/J	245-3090	30.60	24.48
	120/K	245-3095	30.60	24.48
	150/K	245-3100	53.35	42.68
7" x ¹ / ₂ " x 1 ¹ / ₄ "	60/J	245-3120	46.30	37.04



C, D Norton® Bear-Tex® Wheels

For quick removal of marks, scratches and surface imperfections. Also great for producing a consistent satin finish. Made of a cushion-type nylon web impregnated with silicon carbide abrasive. Bear-Tex does not load or heat up. The 220 grit fine wheel is our most popular; the other grits are for faster finishing. **EACH Prices**

Dia. x Thick x AH	Grit	Max. RPM	Item#	1-19	20+
A. 3" x ³ / ₄ " x ¹ / ₄ "	150	8,000	845-0240	\$12.15	\$10.33
3" x ³ / ₄ " x ¹ / ₄ "	220	8,000	845-0250	12.20	10.37
				EACH	Prices
Dia. x Thick x AH	Grit	Max. RPM	Item#	1-2	3+
B. 6" x 1" x 1" *	180	6,000	845-0259	93.25	83.93

^{*}Comes with 1/2" bushing.

Before using any abrasive product, follow all safe operating guidelines with respect to eye protection, hand protection, hearing protection and respiratory protection. Also read the Material Safety Data Sheet (SDS) to be aware of any inherent hazards or cautions.

A. 3M™ Scrubber™ Light Deburring Wheel

Clean, safe and economical wheel for removing sprues, parting lines, firescale and oxidation. Produces a satin finish on gold, sterling silver, copper, brass and stainless steel. Silicon carbide. Use #145-1931 to mount on tapered spindles.

Description	Dia. x Thick x AH	Max. RPM	Item#	Each
Fine	6" x 1" x 1"	6,000	845-1089	\$77.25
Adapter for 1"AH		6,000	145-1931	5.80



B, C 3M™ Scotch-Brite™ EXL Wheel

Excellent choice for deburring and finishing. Medium grade aluminum oxide. Mount on an arbor (see p. 401) for use on polishing motor. Use #145-1921 to use with a tapered spindle.

				EAC	CH Prices
Description	Dia. x Thick x AH	Max. RPM	Item#	1-3	4+
D. Medium	6" x ½" x ½"	4,500	845-0305	\$39.95	\$35.96
					Each
E. Adapter for 1/	⁄2" AH		145-1921		2.30





D. GP Plus[™] and LDW Convolute Wheels

Ideal for a variety of deburring, blending, finishing and polishing applications. Consist of fine silicon carbide embedded in nonwoven material wound around a core producing a cushion effect for controlled, fast cutting and consistent, uniform finishing. Easy to shape and dress. Can be used with water or water-soluble oil if desired. Choose GP Plus (high-density wheels, aggressive) for the toughest jobs and LDW (low-density wheels) for finer, more delicate work. Combine with flanges (see below) and appropriate arbor (see p. 401) to mount on your polishing motor.

Туре	Grade*	6" x ¹ / ₂ " x 1" AH	Each	6" x 1" x 1" AH	Each
GP Plus	9SF	845-0069	\$58.55	845-0070	\$79.75
GP Plus	8SF	845-0067	56.35	845-0068	79.75
LDW	7SF	845-0065	55.85	845-0066	81.65
Description		1"AH to ½"AH	1"AH to 3/8"A	\H	Pkg. of 2
Flanges for c	onverting	277-0089	277-0091		\$5.50



E. Rub-Out Stick and Holder

For touch-ups and removal of light scratches on polished surfaces. Made of flexible rubber with silicon carbide abrasive. Holder gives support and gripping power. Stick can be exposed or withdrawn as desired and is easily dressed to the best shape for the job. Also removes rust, heat marks and stains while leaving a polished surface. Measures 6"L x 3/8" dia.

			SEI	Prices*
Description	Fine Grit	Extra-Fine Grit	1-4	5+
Stick and Holder	145-1300	145-1302	\$20.50	\$18.45
Refill Stick	145-1306	145-1308	7.55	6.80


^{*}Quantity discount for orders of one item number only; not assorted.



3M™ Roloc™ Discs

3M Roloc discs allow fast and efficient deburring, blending, polishing and finishing on all types of metal surfaces. They resist loading even under severe operating conditions. The Roloc design makes changing discs easy: the threaded male button on the back of each disc allows firm mounting to Roloc Disc Holder. Lock securely in place with a half-twist, or remove with half-twist in opposite direction. Discs are color-coded or have color-coded button for easy grit identification. Use with right-angle grinders.

Before using any abrasive product, follow all safe operating guidelines with respect to eye protection, hand protection, hearing protection and respiratory protection. Also read the Material Safety Data Sheet (MSDS) to be aware of any inherent hazards or cautions.







Made of 3M Cubitron and premium aluminum oxide grains resin-bonded onto heavy cloth backing. Mount on Roloc Disc Holders (see below).

	Max.	60 Grit	80 Grit	120 Grit	PKG	of 50*
Dia.	RPM	(Orange) Item#	(Yellow) Item#	(White) Item#	1-9	10+
2"	25,000**	105-3030	105-3035	105-3040	45.70	41.13

^{*}Quantity discount for orders of one item number only: not assorted.

^{**}Max. operating speed of 20,000rpm when used with the soft Roloc Disc Holder.




B. 3M™ Roloc™ Scotch-Brite™ Discs

These discs remove burs with ease, leaving metal surfaces ready for final finishing. Can also be used to remove light rust, oxides and coatings. Mount on Roloc Disc Holders (see below).

	Max.	Coarse Grit	Medium Grit	Very Fine Grit		PKG of 10)*
Dia.	RPM	(Brown) Item#	(Maroon) Item#	(Blue) Item#	1-4	5-19	20+
1"	30,000	845-1152	845-1151	845-1150	\$8.90	\$8.46	\$8.01
1 ¹ /2"	30,000	845-1155	845-1154	845-1153	8.90	8.46	8.01
2"	25,000**	845-1158	845-1157	845-1156	12.95	12.30	11.66

^{*}Quantity discount for orders of one item number only; not assorted.

^{**}Max. operating speed of 20,000rpm when used with the soft Roloc Disc Holder.



C. 3M™ Roloc™ Radial Bristle Discs

Use to remove surface contaminants, debur, blend and clean. Flexible bristles conform to surfaces and clean without damaging base material. Ideal for tight and awkward areas such as grooves and crevices. Use with 1" Roloc Disc Holder #105-3070 (see below).

	Trim	Max.	50 Grit	80 Grit	120 Grit	EACH	Prices*
Dia.	Length	RPM	(Green) Item#	(Yellow) Item#	(White) Item#	1-9	10+
3"	1"	25,000	145-1895	145-1900	145-1901	\$8.75	\$7.88

^{*}Quantity discount for orders of one item number only; not assorted.

D-G 3M™ Roloc™ Disc Holders

Rubber holders available in corresponding diameters and varying degrees of hardness for a variety of grinding and surface finishing applications. Harder holders cause discs to act more aggressively. Use soft pads for contour work. Holders are female threaded to receive any standard ½"-20 thread mandrel or our #105-3110. For use with Roloc discs (see above).

				EAU	" Prices
Dia.	Hardness	Max. RPM	Item#	1-4	5+
D. 1"	Medium	30,000	105-3070	\$12.90	\$12.26
E. 1 ¹ / ₂ "	Hard	30,000	105-3085	15.40	14.63
	Medium	30,000	105-3080	15.40	14.63
	Soft	30,000	105-3075	16.55	15.72
F. 2"	X-Hard	25,000	105-3105	19.65	18.67
	Hard	25,000	105-3100	16.45	15.63
	Medium	25,000	105-3095	16.45	15.63
	Soft	20,000	105-3090	17.60	16.72
G. Disc Holder Mandrel, ½"shanl	<		105-3110	2.80	2.66





Gesswein

F G

EACH Drices*

A-0 3M™ Scotch-Brite™ Small EXL Unitized Wheels

For deburring, blending parting lines, removing flash, cleaning and finishing on all metal alloys, as well as many plastics and composites. Great for cleanup prior to and after soldering and welding. Produce fine finishes on tooled pieces, aerospace, automotive and electronic components as well as medical instruments. Long-lasting to help reduce finishing operation costs. Synthetic fiber and resin construction makes a semi-resilient wheel that follows contours well and eliminates undercutting and gouging. All wheels are cool-running and resist heat buildup. Available in three color-coded grits: coarse (orange), medium (red) and fine (purple). See pp. 584- for mandrels.

3 11 11 11 (1 11 3 1),	(,	, , , , , , , , , , , , , , , , , , ,	EACH	H Prices
Dia. x W x AH	Max. RPM	Item#	1-9	10-49
Orange EXL – Coarse Grit	(hard density AIO)			
A. 1/2" x 1/8" x 1/8"	40,100	845-1056	\$1.75	\$1.66
B. ³ / ₄ " x ¹ / ₈ " x ¹ / ₈ "	40,100	845-1057	2.05	1.95
C. 1" x ½" x ½"	35,100	845-1060	3.00	2.85
D. 1½" x ½" x ½" x ½16"	30,100	845-1069	4.25	4.04
E. 2" x ¹ /8" x ³ /16"	22,100	845-1073	5.05	4.80
Red EXL - Medium Grit (m	edium density AIO)			
F. 1/2" X 1/8" X 1/8"	40,100	845-1055	\$1.65	\$1.57
G. ³ / ₄ " x ¹ / ₈ " x ¹ / ₈ "	40,100	845-1058	1.80	1.71
H. 1" x ¹ / ₈ " x ¹ / ₈ "	35,100	845-1059	2.80	2.66
I. 1 ¹ / ₂ " x ¹ / ₈ " x ³ / ₁₆ "	30,100	845-1068	3.85	3.66
J. 2" x ¹ / ₈ " x ³ / ₁₆ "	22,100	845-1072	4.45	4.23
Purple EXL - Fine (soft der	nsity SiC)			
K. ½" x ½" x ½"	35,100	845-1062	\$1.75	\$1.66
L. ³ / ₄ " x ¹ / ₄ " x ¹ / ₈ "	35,100	845-1063	2.15	2.04
M. 1" x ¹ / ₄ " x ¹ / ₈ "	30,100	845-1061*	2.60	2.47
N. 1 ¹ / ₂ " x ¹ / ₄ " x ³ / ₁₆ "	20,100	845-1070	3.85	3.66
0. 2" x ¹ / ₄ " x ³ / ₁₆ "	16,100	845-1074	4.60	4.37
Description		Item#		Each
Mandrel for 3/16"AH wheels, 1/4"	shank	840-3300		\$32.35
*Most popular				

^{&#}x27;Most populai



This 29-piece set includes 26 wheels from ½" to 2" in diameter (eight ½", six 1", six 1½" and six 2" wheels) and two 1/8" shank mandrels.

Description	Item#	Each
29-Piece Set	845-1054	\$70.05

Q. 3M™ Scotch-Brite™ Fiber Discs

Made of 3M Scotch-Brite nonwoven fiber material. Feature reinforced Velcro-type webbed backing for quick attachment to the unique, convenient Fiber Disc Holders (see below), which also have Velcro-type backing. Excellent for right-angle handpieces and grinders.

	0	, ,		0			
Dia.	Abrasive	Alum.	Microfinish R Steel	<u>ange Generat</u> Grit	<u>ed</u> Color	Item#	PKG of 10
11/2"	Aluminum oxide	56-68	16-22	Coarse	Brown	108-8015	\$7.10
	Aluminum oxide	28-37	10-16	Medium	Maroon	108-8010	6.30
	Aluminum oxide	22-28	9-12	Very fine	Blue	108-8005	6.30
	Silicon carbide	11-15	4-6	Super fine	Gray	108-8000	6.30
2"	Aluminum oxide	56-68	16-22	Coarse	Brown	108-8035	10.10
	Aluminum oxide	28-37	10-16	Medium	Maroon	108-8030	9.90
	Aluminum oxide	22-28	9-12	Very fine	Blue	108-8025	9.00
3"	Aluminum oxide	56-68	16-22	Coarse	Brown	108-8055	19.85
	Aluminum oxide	28-37	10-16	Medium	Maroon	108-8050	17.45
	Aluminum oxide	22-28	9-12	Very fine	Blue	108-8045	17.45
	Silicon carbide	11-15	4-6	Super fine	Gray	108-8040	19.00

R. 3M™ Scotch-Brite™ Fiber Disc Holders - 1/4" Shank

For use with 3M Scotch-Brite Fiber Discs only (see above). All have \(^1/4\)" shank.

Holder	Item#	Each
For 1½" Fiber Disc	108-8060	\$4.80
For 2" Fiber Disc	108-8065	5.45
For 3" Fiber Disc	108-8070	6.35










All prices subject to change without notice.











A. Fiber Flap Wheel - 1/4" Shank

Made of resilient aluminum oxide material. These wheels replace hand pads and reduce the need for finishing operations. For light deburring, polishing and satin finishing steel, nonferrous metal and wood. Ideal for surface contaminant removal. Maximum speed: 20,000rpm. Mounted on 1/4" shanks. Made in USA.

					EAU	H Prices*
Dia. x Thickness	Coarse	Medium	Fine	Very Fine	1-2	3+
2" x 1"	108-0040	108-0050	108-0060	108-0070	\$11.25	\$10.69
3" x 1"	108-0140	108-0150	108-0160	108-0170	13.60	12.92

^{*}Quantity discount for orders of one item number only; not assorted.

B. Mounted Hard FR Fiber Wheel - 3/32" Shank

Ideal for stock removal, this wheel has only slight resilience and cuts fast. Made of silicon carbide. Measures 1" dia. x $\frac{1}{4}$ " thick. $\frac{3}{32}$ " stainless steel shank. Imported.

			EACH	i Prices
Description	Dia. x Thickness	Item#	1-11	12+
FR Fiber Wheel	1" x ½"	288-2272	\$3.65	\$3.29

C. Mounted Flexible SLP Fiber Wheel - 3/32" Shank

A flexible yet firm unitized abrasive mounted wheel made of 180 grit pure alumina. Produces a fine, smooth finish. Measures $\frac{7}{8}$ dia. x $\frac{1}{8}$ thick. $\frac{3}{32}$ stainless steel shank. Imported.

			EACH	Prices
Description	Dia. x Thickness	Item#	1-11	12+
SLP Fiber Wheel	⁷ /8" x ¹ /8"	288-2276	\$1.70	\$1.53

D-F 3M[™] Scotch-Brite[™] Wheels – 2 Ply, ³/₃₂ Shank

Soft double ply Scotch-Brite easily conforms to surface contours. Removes a small amount of metal while producing a satin finish. Measure approximately \(^{7}\/8\)" dia. on \(^{3}\/32\)" stainless steel shank. Maximum speed: 10,000rpm. Made in Germany.

				EACH	l Prices
Description	Abrasive	Color	Item#	1-11	12+
D. Coarse	AIO	Brown	288-2280	\$1.55	\$1.40
E. Medium/Fine	AIO	Red	288-2282	1.55	1.40
F. Fine	AIO	Violet	288-2284	1.55	1.40

G-J Mounted Satin Finish Wheels – 3 Ply, 3/32" Shank

Use these extra-thick wheels to create the exact degree of satin finish you want, from the soft and subtle texture of Extra Cut to the lustrous glow of Ultra-Fine. Made of dense-weave fiber for a uniform, nondirectional finish. Last much longer than conventional satin finish buffs. Measure approx. $\frac{7}{8}$ " dia. x $\frac{5}{8}$ " thick with $\frac{3}{32}$ " shank. To try all four grits, purchase our money-saving eight-piece intro pack. Imported.

					EACH	l Prices
	Description	Abrasive	Color	Item#	1-11	12+
G.	Extra Cut	AIO	Brown	288-2260	\$1.35	\$1.22
Н.	Medium	AIO	Red	288-2262	1.35	1.22
l.	Very Fine	AIO	Dark Red	288-2264	1.35	1.22
J.	Ultra-Fine	SiC	Gray	288-2266	1.35	1.22
	8-Piece Pack (two	o of each grit)		288-2270	8.95	-

K Compressed Fiber Wheel - 3/32" Shank


Fibers are compressed and bonded with aluminum oxide to make a firm, dense long lasting wheel with some flexibility. Creates a beautiful distinct scratch finish that contrasts well with highly polished areas. Recommended working speed: 5,000rpm. Made in Germany.

			EAU	1 111062
Description	Dia. x Thickness	Item#	1-11	12+
K. Coarse	⁷ /8" x ³ /8"	288-2250	\$4.95	\$4.46

A, B Norton® Bear-Tex® Hand Pads

Made of loose nonwoven fiber with abrasive grain mixed throughout. Can be easily cut to desired size. For cleaning, scuffing, deburring or finishing surfaces by hand. Available in two grades. Measure approximately 6"L x 9"W x 3/8"H. Sold individually or in boxes of 20. Cut to fit pad holder 108-7462 below.

						B0	X of 20
	Color	Grit	Abrasive	Application	Item#	1-2	3+
A.	Maroon	Very Fine	AIO	General-purpose, deburring	108-7447	\$29.70	\$26.73
В.	Gray	Ultra-Fine	SiC	Light cleaning and finishing	108-7448	35.60	32.04
	Color	Grit	Abrasive	Application	Item#		Each
	00.0.	unt	ADIASIVE	Application	Itomin		Lacii
A.	Maroon	Very Fine	Allo	General-purpose, deburring	108-7445		\$1.70
_				- ' '			



C-E 3M™ Scotch-Brite™ Hand Pads

On surfaces that require cleaning, scuffing, deburring or finishing by hand, Scotch-Brite hand pads outperform steel wool, wire brushes and other nonwoven hand pads. They cut faster and leave a more consistent finish. And Scotch-Brite pads will never rust, so they can be used with water or solvents. Available in three color-coded grades for a variety of cleaning and finishing jobs. Measure 6" x 9". Can be cut to fit Pad Holder or Mini Mandrel (see below).

						BOX	01 10
	Color	Grit	Abrasive	Application	Item#	1-2	4+
C.	Tan	Coarse	AIO	Heavy-duty cleaning	108-7461	\$40.25	\$36.23
	Color	Grit	Abrasive	Application	Item#	B02 1-2	X of 20 4+
	00101	unt	ADIASIVO	Application	ποπ	1-2	71
D.	Maroon	Fine	AIO	Cleaning and finishing	108-7457	\$32.40	\$29.16
E.	Light Gray	Extra-Fine	SiC	Fine cleaning and finishing	108-7453	32.40	29.16

F. 3M™ Scotch-Brite™ Pad Holder

For use with Scotch-Brite hand pads (see above) cut to 4" x 6" size.

Description	Item#	Each
Pad Holder, 4" x 6"	108-7462	\$28.60

G. 3M™ Scotch-Brite™ Mini Mandrel – 1/4" Shank

For use with 1" x $1^{1}/_{2}$ " pieces of Scotch-Brite hand pads (see above). Use on contours or to reach tight areas. Acts like a flap wheel. Measures $2^{7}/_{8}$ " long. Has $^{1}/_{4}$ " shank.

Description	Max. RPM	Item#	Each
Mini Mandrel	14,000	108-7463	\$10.25

H. Satin Finish Buffs

Made of a stiff, nonwoven material, Satin Finish Buffs have abrasive embedded in a red synthetic fiber. They produce a beautiful satin finish and conform to a wide variety of surface contours. Available in either 2-ply or 3-ply with leather center. All measure 4" dia. $x \frac{3}{10}$ a. Made in USA.

	2-PLY	EACH Prices		3-PLY	EACH Prices	
Grit	Item#	1-11	12+	Item#	1-11	12+
Coarse	142-3030	\$8.20	\$6.83	142-3050	\$11.00	\$9.17
Medium	142-3020	6.80	5.67	142-3045	9.15	7.62
Fine	142-3010	5.00	4.17	142-3040	7.15	5.96
Extra-Fine	142-3005	4.60	3.83	142-3035	6.90	5.75


I, J Satin Flap Wheels

Densest satin flap wheels on the market. Made of aluminum oxide. As each is used, fiber on the surface softens to create a beautiful finish with no cross-hatching or overlap marks. Medium produces a subtle line effect similar to a brush finish. Very Fine produces a glowing, bright satin finish. Measures 4" dia. x 1" thick x $\frac{3}{8}$ " AH. Imported.

	Dia. x Thickness x AH	Grit	Item#	Each
Ī.	4" x 1" x 3⁄8"	Medium	142-3075	\$15.50
J.	4" x 1" x ³ / ₈ "	Very Fine	142-3070	12.85







A-F Resin Bond Cut-Off Discs

Both sides and edges of these thin discs can be used for slitting and finishing gold, silver, brass, steel, porcelain and acrylics. Available in either silicon carbide (SiC) or aluminum oxide (AlO). Maximum operating speed: 25,000rpm for discs up to 1"; 21,000rpm for discs over 1". See pp. 584-585 for mandrel selection.

Dia. x Thick	Arbor Hole	Abrasive	Item#	50pc Each
A. 1 ¹ / ₄ " x .025"	1/16"	AIO	845-1024	\$0.40
B. 1½" x .050"	1/16"	AIO	845-1025	0.40

Fifty-piece minimum; please order in multiples of fifty.

Dia. x Thick	Arbor Hole	Abrasive	Item#	Box of 100
C. ⁷ / ₈ " x .023"	1/16"	SiC	845-1017*	\$9.50
D. ⁷ / ₈ " x .023"	1/16"	SiC	845-1020	9.50
E. 1" x .023"	1/16"	SiC	845-1021	9.50
F. 1" x .025"	1/16"	AIO	845-1022	9.50

^{*}One side safe: abrasive on one side only.



G. Ultra-Thin Cut-Off Disc

This super thin silicon carbide disc will cut gates, sprues and rings in a second, leaving a very thin space. Recommended operating speed: 12,000 to 14,000rpm. See pp. 584-585 for mandrel selection.


				Box	k of 25
Description	Dia. x Thick	Arbor Hole	Item#	1-4	5+
Ultra-Thin Disc	⁷ /8" x .009"	1/16"	845-1050	\$10.50	\$9.98



H. Dedeco® Separating Disc

For fast, cool cutting. Use High-Speed disc on gold and all other metals. Cut on edges only. Maximum operating speed: 21,000rpm. See pp. 584-585 for mandrel selection.

Description	Dia. x Thick	Arbor Hole	Item#	Box of 100
High-Speed AIO Disc	⁷ ∕8" x .025"	¹ / ₁₆ "	845-1018	\$10.75



I-K Dedeco® Thin Separating Discs

Extremely thin discs coated with silicon carbide abrasive on both sides. Great for precision work on gold, silver and other jewelry metals. Allow fast, clean cutting. Available in three thicknesses: ultra-thin (UT), super-thin (ST) and very-thin (VT). Maximum operating speed: 21,000rpm. See pp. 584-585 for mandrel selection.

					BO:	X Prices
	Description	Dia. x Thick	Arbor Hole	Item#	1-4	5+
I.	UT Discs, box of 25	⁷ ∕8" x .005"	¹ / ₁₆ "	845-1051	\$18.95	\$18.00
J.	ST Discs, box of 25	⁷ ∕8" x .009"	¹ / ₁₆ "	845-1052	14.95	14.20
K.	VT Discs, box of 50	⁷ ∕8" x .015"	¹ / ₁₆ "	845-1032	15.95	15.15

Before using any abrasive product, follow all safe operating guidelines with respect to eye protection, hand protection, hearing protection and respiratory protection. Also read the Material Safety Data Sheet (MSDS) to be aware of any inherent hazards or cautions.

A. Nylon Cut-Off Discs

These resin-bonded discs are reinforced with interwoven nylon fibers to provide extra strength and durability for cut off operations. Two types are offered: One with durable Semi-Friable Aluminum Oxide (AIO), and the other with a combination of Aluminum Oxide and Premium Ceramic Abrasive (Cera) which produces the sharpest cut. See pp. 584-585 for mandrel selection. All 80 grit. Made in USA.

					EACH	Prices
Dia. x Thickness	Arbor Hole	Abrasive	Max. RPM	Item#	1-9	10+
1" x .045"	¹ /16"	AIO	60,000	845-1011	\$2.00	\$1.80
1" x .045"	¹ /16"	AIO+CERA	60,000	845-1040	2.10	1.89
1 ¹ / ₄ " x .045"	¹ /16"	AIO	50,000	845-1012	2.10	1.89
1 ¹ / ₄ " x .045"	¹ /16"	AIO+CERA	50,000	845-1041	2.20	1.98
1½" x .045"	¹ /16"	AIO	30,000	845-1028	2.15	1.94
1½" x .045"	¹ /16"	AIO+CERA	30,000	845-1042	2.30	2.07
2" x .045"	1/8"	AIO	30,000	845-1013	2.35	2.12
2" x .045"	1/8"	AIO+CERA	30,000	845-1043	2.40	2.16
2" x .0625"	1/8"	AIO	30,000	845-1014	2.45	2.21
2" x .0625"	1/8"	AIO+CERA	30,000	845-1044	2.50	2.25



B. Fast Cut Discs

Truly unique and versatile discs made from cotton fiber, aluminum oxide grain and resin bonded. They are long lasting and very durable and produce a relatively smooth surface finish. The 11/2" disc is reinforced with Fiberglass for extra strength. Thickness dimension will vary due to nature of materials. Both have ½" arbor holes and cut on the edge. Made in the USA. See pp. 584-585 for mandrels.


			_		EACH	l Prices
	Dia. x Thickness	Grit	Max. RPM	Item#	1-11	12+
В.	1½" x .0625"	80	36,000	845-3800	\$3.70	\$3.15
	1" x .045"	180	45,000	845-3700	3.70	3.15



C-H Fiber Discs

Fast cutting cut-off discs reinforced for strength and durability. They are available in various sizes, thicknesses and abrasives. Aluminum Oxide for metals, Silicon Carbide for ceramics and Diamond for special applications. All have 1/16" arbor holes. See pp. 584-585 for mandrel selection. Made in Germany.

	Dia. x Thickness	Abrasive	Max. RPM	Item#	PKG of 10
	7/8" x .009" (22mm x 0.2mm)	AIO	15,000	845-1037	\$21.75
C.	7/8" x .009" (22mm x 0.2mm)	SiC	15,000	845-1053	21.75
D.	⁷ / ₈ " x .012" (22mm x 0.3mm)	AIO	15,000	845-1038	20.95
E.	1" x .012" (25mm x 0.3mm)	AIO	10,000	845-1016	23.30
F.	1" x .012" (25mm x 0.3mm)	SiC	10,000	845-1039	23.30
G.	1 ⁷ / ₈ " x .039" (40mm x 1.0mm)	AIO	5,000	845-1049	32.00
	Dia. x Thickness	Abrasive	Max. RPM	Item#	Each
Н.	³ / ₄ " x .009" (20mm x 0.2mm)	Diamond	15,000	845-1082	\$7.85




I, J Sintered Diamond Cut-Off Discs

These discs easily cut carbon fiber, carbide, steels, acrylics and other hard-to-cut materials. The $\frac{7}{8}$ " disc is sintered diamond throughout; the $1\frac{1}{4}$ " disc is sintered diamond on outer edge only (approximately ½"). Each has ½16" arbor hole. Max. operating speed: 20,000rpm. See pp. 584-585 for mandrel selection.

	Dia. x Thickness*	Item#	Each
Ī.	⁷ /8" x .007"	845-1080	\$35.95
J.	1½" x .040"	845-1085	42.95

^{*}Thickness of each disc may vary slightly.





A-C Norton® Lightning Metalite Cloth

A long-lasting abrasive cloth used to clean or polish metal surfaces for a high-quality finish. Glue-bonded aluminum oxide on lightweight, flexible cloth backing. The 1" rolls can be used with our Polishing Stick 813-1950 or the Wolf Sanding Mandrel Set 840-2305, and 11/2" rolls can be used with our Cone-Loc Drum.

Description			180 Grit	240 Grit	320 Grit	400 Grit	5pc 5-45	50+
A. 9" x 11" Sheet			109-3650	109-3750	109-3850	109-3950	\$2.00	\$1.60
Description	80 Grit	120 Grit	180 Grit	240 Grit	320 Grit	400 Grit	600 Grit	Each
B. 1" x 50-yd Roll	109-5149	109-5200	109-5300	109-5350	109-5400	109-5450	109-5510	\$33.50
C. 1½" x 50-yd Roll	109-5525	109-5545	109-5550	109-5600	109-5650	_		45.75

^{*}Quantity discount for orders of one item number only; not assorted.

D. Cone-Loc Drum – 1½" Wide

Used with Lightning Metalite cloth 1/2" rolls (above), this is an excellent tool for deburring and sprue removal. By sanding or grinding with this wheel, hand filing can be practically eliminated. Made of heavy-gauge aluminum casting. Drum is covered by ½" thick rubber covering. Rubber covering allows surface to conform to work. Measures 6" dia. x 11/2"W x 1/2"AH. Weighs 2 lbs. Maximum operating speed: 4,000rpm. Refer to p. 400 for arbors.

Description	Item#	Each
Cone-Loc Drum	840-1256	\$209.00



Use Foam Wheel and sanding belts to quickly shape and smooth all metals, composites, and wood. Ideal for jewelers, knife makers, gunsmiths and woodworkers. Foam rubber wheel is 4" and has a 14" continuous rubber rim over a foam core, so sanding belts fit snugly. Made in USA.

Desci	ription				845-3010				Each
Fored	om Foam Wheel							845-3010	
Sand	ing Belts		EACH Price	ces	Sandii	ng Belts		EACH Pric	ces
Grit	Item#	1-2	3-5	6+	Grit	Item#	1-2	3-5	6+
80	845-3011	\$11.75	\$11.16	\$10.58	320	845-3014	\$11.75	\$11.16	\$10.58
120	845-3012	11.75	11.16	10.58	600	845-3015	11.75	11.16	10.58
240	845-3013	11.75	11.16	10.58	1,000	845-3016	11.75	11.16	10.58

F-H Split Mandrels - 3/32" Shank

For holding strips of abrasive paper and cloth. All \(^3\)/32" shank and measure approximately 2\(^1\/_4\)" long.

	Head	Diameter	Item# EACH	Prices 1-11	12+
F.	Straight	¹¹ / ₆₄ "	840-3405	\$2.45	\$2.04
G.	Straight	9/64"	840-3406	2.45	2.04
Н.	Tapered	³ / ₃₂ " to ³ / ₁₆ "	840-3407	2.45	2.04

I. Wolf™ Sanding Mandrel Set - 1/8" Shank

Large-diameter mandrels for sanding inside rings: 1/4" dia. x 13/4"L with 1/8" shank (holds 3/4" wide paper); $\frac{5}{16}$ " dia. x $\frac{17}{8}$ "L with $\frac{1}{8}$ " shank (holds 1" wide paper); $\frac{1}{2}$ " dia. x $\frac{17}{8}$ "L with $\frac{5}{32}$ " shank (holds 1" wide paper). Short, heavy shanks prevent wobble.

Description	Item#	Set of 3
Wolf Sanding Mandrel Set	840-2305	\$9.55

J. Parallel Split Ring Arbor – For Tapered Spindles

Wood arbors available with parallel or tapered shafts. Has slot to hold paper or cloth so it can be wound around to desired thickness. Both measure 4" long.

		€ EACH	H Prices	
Description	Item#	3pc 3-9	12+	
J. Parallel Split Ring Arbor	840-4650	\$1.95	\$1.66	
Tapered	840-4655	\$1.19	\$1.01	

K. Polishing Stick

Use this tool as you would a file to smooth, debur and polish metal. Holds abrasive cloth and paper in 11" strips. Strips are easy to insert and remove and are held securely. Sanding surfaces measure 5" long, tapering from 3/8" thick to 1/16" at the tip. Made of high-impact, solvent-resistant plastic.

Style	Width x Length	Item#	Each
Polishing Stick	1" x 10"	813-1950	14.95
















A. PSA Strips

These pressure-sensitive strips are made of aluminum oxide, glue-bonded on a cloth backing. Just press them onto a flat surface such as a wood stick. Strips measure 1" x 11".

Grit	Item#	Box of 100	Grit	Item#	Box of 100
80	107-2550	\$43.15	240	107-2250	\$43.15
120	107-2050	43.15	320	107-2300	43.15
180	107-2150	43.15	400	107-2350	43.15



B-F PSA Discs

These flexible discs are made of aluminum oxide resin-bonded on a cloth backing for greater durability. Pressure-sensitive adhesive backing withstands the high frictional heat generated when a disc is in use. PSA Discs will stay on until removed from the holder by hand. Each disc has a peel-off backing to ensure adhesive freshness.

Box of 100	Item#	Grit	Dia.
\$8.55	105-0508	80	1/2"
8.55	105-0512	120	
8.55	105-0518	180	
8.55	105-0524	240	
8.55	105-0532	320	
10.15	105-0708	80	3/4"
10.15	105-0712	120	
10.15	105-0718	180	
10.15	105-0724	240	
10.15	105-0732	320	
16.20	105-1006	60	1"
16.20	105-1008	80	
16.20	105-1012	120	
16.20	105-1018	180	
16.20	105-1024	240	
16.20	105-1032	320	
19.40	105-1508	80	1 ¹ /2"
19.40	105-1512	120	
19.40	105-1518	180	
19.40	105-1524	240	
19.40	105-1532	320	
32.05	105-2006	60	2"
32.05	105-2008	80	
30.25	105-2012	120	
30.25	105-2018	180	
18.78	105-2024	240	
30.25	105-2032	320	
30.25	105-2040	400	



Flexible rubber pads mounted on shanks to hold any PSA (Pressure Sensitive Adhesive) Discs. Rubber pads also provide cushioning for uniform finish. Actual pad diameters are slightly smaller than specified to ensure easy removal of discs and to prevent material from marring the work surface. Max. Operating speed: 22,000 rpm.

	¹ /8" Shank	¹ /4" Shank	EACH	l Prices*
d Dia.	Item#	Item#	1-2	3+
1/2"	840-0010	840-0020	\$5.05	\$4.21
3/4"	840-0030	840-0040	6.50	5.42
1"	840-0050	840-0060	7.50	6.25
1/2"	840-0070	840-0080	8.20	6.83
2"	_	840-0090	10.75	8.96
	/2" /2"	d Dia. Item# /2" 840-0010 34" 840-0030 1" 840-0050 1/2" 840-0070	Id Dia. Item# Item# Item# Item# Item# Item# 840-0020 840-0020 Item# 840-0030 840-0040 Item# 840-0050 840-0060 Item# 840-0070 840-0080	Id Dia. Item# Item# 1-2 1/2" 840-0010 840-0020 \$5.05 3/4" 840-0030 840-0040 6.50 1" 840-0050 840-0060 7.50 1/2" 840-0070 840-0080 8.20

^{*}Quantity discount for orders of one item number only; not assorted.

L. Paper Discs, Aluminum Oxide

Paper discs are coated with Aluminum Oxide abrasive on one side. All have ½16" arbor hole. See pp. 584-585 for mandrel selection.

			PKG	i of 100
Grit	Dia.	Item#	1-9	10+
80	11/2"	845-1006	\$17.10	\$15.39
150	1 ¹ /2"	845-1007	17.15	15.44
220	11/2"	845-1008	16.65	14.99



Shown actual size.





A-C Abrasive Bands - Aluminum Oxide

Long-lasting resin-bonded aluminum oxide bands with cloth backing. Provide chatter-free operation for grinding, blending, deburring, smoothing, finishing and polishing flat and contoured metal surfaces, including the insides of holes. Use on hard metals, class rings, etc. Use with Drum Arbors (see below). Max. operating speed: 30,000rpm. Made in USA.

Dia. x H	Grit	Item#	Box of 100
A. 1/4" x 1/2"	80	101-0208	\$8.50
	120	101-0212	8.50
	180	101-0218	8.50
	240	101-0224	8.50
B. 3/8" χ 1/2"	60	101-0306	9.50
	80	101-0308	9.50
	120	101-0312	9.50
	240	101-0324	9.50
	320	101-0332	9.50
C. 1/2" x 1/2"	60	101-0406	11.95
	80	101-0408	11.95
	120	101-0412	11.95
	240	101-0424	11.95
	320	101-0432	11.95





D-F Abrasive Band Drum Arbors

Made of steel with a solid rubber drum which expands when screw or nut is tightened to hold Abrasive Bands snugly. The rubber drum provides a cushioned backing so that Abrasive Bands cut smoothly and leave a uniform finish. Balanced for maximum performance at high speeds.

				EACH Pri	ces
Dia. x H	Shank	Item#	1-2	3-11	12+
D. 1/4" x 1/2"	3/32"	840-1045	\$4.50	\$4.28	\$3.83
	1/8"	840-1050	4.50	4.28	3.83
E. ³ /8" x ¹ /2"	3/32"	840-1035	4.50	4.28	3.83
	1/8"	840-1040	4.50	4.28	3.83
F. ½" x ½"	3/32"	840-1055	3.85	3.66	3.27
	1/8"	840-1060	3.85	3.66	3.27
	1/4"	840-1170	3.95	3.75	3.36

Shown actual size.



G. 3M™ Flex Diamond Bands


Incredibly durable, nonloading bands for cleaning, shaping and precision prefinishing. Ideal for dead end hole, tube and inside ring finishing. Coated with 220 grit micron-graded diamond abrasive in a honeycomb pattern for fast cutting. Can be used wet or dry on both soft and hard metals, including platinum, palladium and white gold, as well as soft stones. Produce optimal finishes with minimal metal removal. Won't gouge or catch. Use with drum arbor (see above). Max. operating speed: 20,000rpm.

			I	EACH Pric	es
Description	Grit	Item#	1-4	5-9	10+
G. 1/4" x 1/2"	220	101-1315	4.10	3.69	3.28

Straight Abrasive Cartridge Rolls Aluminum Oxide Cloth

Resin-bonded aluminum oxide cloth rolls for both lapping surfaces and finishing inside diameters of dead end holes, tubes and rings. Self-renewing: wearing through one layer uncovers fresh layer of abrasive cloth making them an excellent tool for blending where uniform finishes required. Balanced to eliminate wobble. Use with cartridge roll mandrels (see pp. 584-585). Max. operating speed: 16,000-22,000rpm.

	Dia. x L x AH	Use Mandrel	Grit	Item#	PKG 1-2	of 100 3+
A.	1/8" x 3/4" x 5/64"	A1	80	103-1208	\$35.10	\$33.35
	70 X 71 X 701		120	103-1212	35.10	33.35
			180	103-1218	35.10	33.35
_			240	103-1224	35.10	33.35
			320	103-1232	35.10	33.35
B.	1/8" x 1" x 5/64"	A1	80	103-1308	35.10	33.35
			120	103-1312	35.10	33.35
			180	103-1318	35.10	33.35
			240	103-1324	35.10	33.35
			320	103-1332	35.10	33.35
C.	³ / ₁₆ " x ³ / ₄ " x ³ / ₃₂ "	A2	120	103-2212	28.30	26.89
			180	103-2218	28.30	26.89
			240	103-2224	28.30	26.89
			320	103-2232	28.30	26.89
D.	³ / ₁₆ " x 1" x ³ / ₃₂ "	A2	80	103-2308	28.85	27.41
			120	103-2312	28.85	27.41
			180	103-2318	28.85	27.41
			240	103-2324	28.85	27.41
			320	103-2332	28.85	27.41
E.	1/4" x 3/4" x 1/8"	A4 or A8	80	103-3208	28.85	27.41
			120	103-3212	28.85	27.41
			180	103-3218	28.85	27.41
			240	103-3224	28.85	27.41
			320	103-3232	28.85	27.41
F.	1/4" x 1" x 1/8"	A5 or A9	80	103-3308	28.85	27.41
			120	103-3312	28.85	27.41
			180	103-3318	28.85	27.41
			240	103-3324	28.85	27.41
			320	103-3332	28.85	27.41
G.	³ /8" x ³ /4" x ¹ /8"	A4 or A8	80	103-5208	28.85	27.41
			120	103-5212	28.85	27.41
			180	103-5218	28.85	27.41
			240	103-5224	28.85	27.41
			320	103-5232	28.85	27.41
Н.	³ / ₈ " x 1" x ¹ / ₈ "	A5 or A9	80	103-5308	31.40	29.83
			120	103-5312	31.40	29.83
			180	103-5318	31.40	29.83
			240	103-5324	31.40	29.83
_			320	103-5332	31.40	29.83
I.	1/2" x 3/4" x 1/8"	A4 or A8	80	103-6208	31.40	29.83
			120	103-6212	31.40	29.83
			180	103-6218	31.40	29.83
			240	103-6224	31.40	29.83
_	1/11 411 1/11	45 40	320	103-6232	31.40	29.83
J.	½" x 1" x ½"	A5 or A9	80	103-6308	36.05	34.25
			120	103-6312	36.05	34.25
			180	103-6318	36.05	34.25
			240	103-6324	36.05	34.25
			320	103-6332	36.05	34.25



Web Site Orders 24/7: gesswein.com



A, B Abrasive Tapered Cartridge Rolls – Aluminum Oxide Cloth

Made of resin-bonded aluminum oxide cloth. Particularly useful on jobs with channels, fillets and irregular concave contours. Hold at a 45° angle to workpiece for reaching into angles and corners, or hold at a lower angle to apply greater abrasive surface for faster cutting action. Self-renewing: wearing through one layer uncovers fresh layer. Balanced to eliminate wobble. Use with cartridge roll mandrels (see below). Max. operating speed: 16,000–22,000rpm.


				BOX	of 100
Dia. x L x AH	Use Mandrel	Grit	Item#	1-2	3+
A. ³ / ₈ " x 1 ¹ / ₂ " x ¹ / ₈ "	A6 or A10	80	103-7001	\$64.85	\$61.61
		120	103-7002	64.85	61.61
		180	103-7003	67.45	64.08
		240	103-7004	67.45	64.08
B. ½" x 1½" x ½" x ½"	A6 or A10	80	103-7007	68.30	64.89
		120	103-7008	68.30	64.89

C. Cartridge Roll Mandrels - 1/8" and 1/4" Shanks

Hardened steel mandrels firmly secure straight or tapered abrasive cartridge rolls. Match pilot size of mandrel to arbor hole on cartridge roll. More flexibility may be obtained if pilot length is slightly shorter than the cartridge rolls. If necessary, mandrels may be ground down to needed length. Available on $\frac{1}{4}$ or $\frac{1}{8}$ shanks.

					EACH Price	es
Mandrel	Pilot Size	Shank	Item#	1-2	3-11	12+
A1	⁵ / ₆₄ " x 1"	1/8"	840-2040	\$4.35	\$4.13	\$3.92
A2	³ /32" x 1"	1/8"	840-2050	4.35	4.13	3.92
A3	1/8" x 1/2"	1/8"	840-2060	4.35	4.13	3.92
A4	1/8" x 3/4"	1/8"	840-2070	4.35	4.13	3.92
A5	½" x 1"	1/8"	840-2080	4.95	4.70	4.46
A6	1/8" x 11/2"	1/8"	840-2090	4.95	4.70	4.46
A7	1/8" x 1/2"	1/4"	840-2120	4.95	4.70	4.46
A8	1/8" x 3/4"	1/4"	840-2130	5.40	5.13	4.86
A9	½" x 1"	1/4"	840-2140	5.40	5.13	4.86
A10	¹ /8" x 1 ¹ /2"	1/4"	840-2150	5.40	5.13	4.86
Δ11	1/g" v 2"	1/4"	9/0_2160	5.40	5 12	1 26





D. Premounted Abrasive Rolls – 3/32" Shank

Each roll consists of aluminum oxide abrasive paper wrapped around a $\frac{3}{32}$ " shank mandrel, creating many layers. Since paper is secured only at the bottom, user can easily tear off worn portion to expose fresh cutting surface. Unlike regular unmounted rolls, these long-lasting rolls require no truing. Recommended operating speed 16,000-22,000rpm.

			EACH Prices		
Grit	Dia. x L	Item#	1-9	10-99	100+
240	¹ /2" x 1 ¹ /8"	103-7110	\$0.78	\$0.70	\$0.62
320	¹ /2" x 1 ¹ /8"	103-7112	0.78	0.70	0.62
400	¹ /2" x 1 ¹ /8"	103-7114	0.78	0.70	0.62
600	¹ /2" x 1 ¹ /8"	103-7116	0.78	0.70	0.62
800	½" x 1½"	103-7118	0.78	0.70	0.62

A-C Tapered Cone Points - Aluminum Oxide Cloth

Glue-bonded aluminum oxide points for finishing, deburring and polishing applications. All slightly longer than specified. Use with tapered cone point mandrels (below). Max. operating speed: 25,000rpm.

	Style	Dia. x L	Grit	Item#	BOX of 100
A.	K11 (2 ¹ / ₂ ° Taper)	³ / ₁₆ " x 1"	60	107-1100	\$33.65
			80	107-1150	33.65
			100	107-1200	33.65
			120	107-1250	33.65
			180	107-1350	33.65
			240	107-1400	33.65
			320	107-1450	33.65
B.	B2 (5° Taper)	⁵ / ₁₆ " x 1 ¹ / ₂ "	60	107-0100	33.65
			80	107-0150	33.65
			100	107-0200	33.65
			120	107-0250	33.65
			180	107-0350	33.65
			240	107-0400	33.65
			320	107-0450	33.65
C.	C3 (5° Taper)	³ /8" x 2"	80	107-0650	42.00
			120	107-0750	42.00
			320	107-0950	42.00

D-F Tapered Cone Point Mandrels – 1/8" and 1/4" Shanks

For use with Tapered Cone Points (see above).

For Point Style	Shank	Item#	Each
D. K11	1/8"	840-2030	\$6.10
E. B2	1/4"	840-2010	7.90
F. C3	1/4"	840-2020	8.75

G-I Paper Bullets and Cones

Economical paper bullets and cones for sanding, blending and fine finishing in hard-to-reach areas. Cones expose new grit as they wear. Recommended for use at low speeds for better control and longer life. Designed for fast, easy changing. Use bullets and small cones with threaded mandrel (see below), large cones with split mandrel (see below).

	Shape	Dia. x L	Color	Grit	Item#	PKG of 10
G.	Bullet	1/4" x 5/8"	Yellow	Coarse	107-1058	\$6.15
			Red	Medium	107-1057	6.15
			Green	Fine	107-1056	6.15
Н.	Small Cone	¹ /4" x ⁹ /16"	Yellow	Coarse	107-1055	6.15
			Red	Medium	107-1054	6.15
			Green	Fine	107-1053	6.15
Ī.	Large Cone	⁵ /8" X ¹⁵ /16"	Yellow	Coarse	107-1052	5.70
			Red	Medium	107-1051	5.70
			Green	Fine	107-1050	5.70

J. Paper Cone Set

Perfect for fine finishing in tight areas. Includes 10 yellow (coarse), 10 red (medium) and 10 green (fine) large cones; 10 yellow, 10 red and 10 green small cones; split mandrel for large cones, $\frac{3}{22}$ " shank; and threaded mandrel for small cones, $\frac{3}{22}$ " shank. Cones expose new grit as they wear. Recommended for use at low speeds for better control and longer life. Designed for fast, easy changing.


Description	Item#	Each
Paper Cone Set	107-1060	\$56.80

K, L Paper Bullet and Cone Mandrels - 3/32" Shanks

Use threaded with bullets and small cones (see above), split with large cones (see above).

				EACH Prices		
	Description	Shank	Item#	1-11	12+	
K.	Threaded Mandrel	3/32"	840-3040	\$1.25	\$1.04	
L.	Split Mandrel	3/32"	840-3407	2.45	2.04	













A. Grit Stick Sleeves

Sleeves made of aluminum oxide, glue-bonded on durable cloth. Slide over Grit Stick Sleeve Holder (see below) and work right up to corners. Measure $7^1\!/_4$ "L x $^7\!/_8$ "W.

Grit	120	180	240	320		10+*
Item#	107-3150	107-3350	107-3450	107-3550	\$9.90	\$8.42
*Quantity discount for orders of one item number only; not assorted.						

B. Grit Stick Sleeve Holder

Wooden stick for holding Grit Stick Sleeves (see above). Measures approximately 8"L x $\frac{7}{6}$ "W x $\frac{1}{4}$ " thick.

		EACH	3pc 3-9 12+*		
Description	Item#	<i>3pc</i> √3-9	12+*		
Grit Stick Sleeve Holder	840-4400	\$4.55	\$4.10		

C. Paper Ring Shells

Paper (Silicon Carbide with resin bond) ringshells for polishing inside of rings. Fit snugly on wooden Ring Shell Arbor (below). Measure 4" long. Packaged in boxes of 12 shells and supplied in different grits from 2(coarsest) to 3/0 (finest).

Grit	Item#	Box of 12
2	107-8600	18.50
1	107-8550	18.50
0	107-8500	16.65
2/0	107-8450	18.50
3/0	107-8400	18.50

D. Assorted Paper Ring Shell Set

Contain six ring shells of different grits and one wooden ring shell arbor.

Description	Item#	Each
Paper Ring Shell Set	107-8300	13.98

E. Ring Shell Arbor – For Tapered Spindles

Solid wood, for holding Paper Ring Shells. Measures $4^{1/4}$ " long. Fits on tapered spindle.

		EACH Prices		
Description	Item#	3pc 3-9	12+	
Ring Shell Arbor	840-4600	\$2.40	\$2.04	

F. Emery Hand Buffs

For removing scratches and file marks and for polishing. Fine-grade emery paper carefully mounted on seasoned wood. Corners are sharp and paper will not unravel. Measure 10"L x $\frac{3}{4}$ "W x $\frac{1}{4}$ " thick. Listed in order from coarsest (3 grit) to finest (4/0 grit).

Item#	107-9850	107-9800	107-9750	107-9700	\$1.31	\$1.11
Grit	3	2	1	0	3pc 3-9	12+*

Item#	107-9650	107-9600	107-9550	\$1.31	\$1.11
Grit	2/0	3/0	4/0	EACH 3pc 3-9	Prices 12+*

^{*}Quantity discount for orders of one item number only; not assorted.

Three-piece minimum; please order in multiples of three.

Flap Wheels 1/8" and 1/4" Shank

Flap Wheels are made of aluminum oxide resin-bonded to cloth and permanently attached to the hub. They are resilient and can be used on flat or contoured surfaces. Particularly useful in flexible shaft handpieces and other rotary tools. Excellent for blending on metal surfaces, deburring

and removing flash from machined parts and edge blending dies, molds and channels. Cutting action is slightly finer than normally expected from identical grit. Flap Wheels perform best when only slight pressure is applied.



35,000rpm



30,000rpm








A-E Small Wheels – 1/8" Shank

Dia. x	60 Grit	80 Grit	120 Grit	180 Grit	240 Grit	320 Grit	EACH	Prices*
Thickness	Item#	Item#	Item#	Item#	Item#	Item#	1-2	3+
A. 3/4" X 3/16"	107-5899	107-5900	107-5905	107-5908	107-5912	107-5915	\$3.95	\$3.75
B. 1 ³ / ₁₆ " x ³ / ₁₆ "	107-5939	107-5940	107-5945	107-5948	107-5951	107-5955	3.95	3.75
C. 3/8" x 3/8"	107-6001	107-6002	107-6003	107-6004	107-6005	107-6006	3.75	3.56
D. 3/4" x 3/8"	107-5919	107-5920	107-5925	107-5928	107-5932	107-5935	3.95	3.75
E. 1" x ³ / ₈ "	107-5964	107-5965	107-5970	107-5976	107-5978	107-5980	4.60	4.37



F, G Medium Wheels - 1/8" Shank

Dia. x	60 Grit	80 Grit	120 Grit	180 Grit	240 Grit	320 Grit	EACH	Prices*
Thickness	Item#	Item#	Item#	Item#	Item#	Item#	1-2	3+
F. ⁵ / ₈ " x ⁵ / ₈ "	107-6011	107-6012	107-6013	107-6014	107-6015	107-6016	\$4.00	\$3.80
G. ³ / ₄ " x ³ / ₄ "	107-6020	107-6021	107-6022	107-6023	107-6024	107-6025	4.10	3.90

^{*}Quantity discount for orders of one item number only; not assorted.


H, I Large Wheels - 1/4" Shank

Dia. x Thickness	Shank	Max. RPM	Grit	Item#	EACH 1-2	l Prices 3+
1½" x½"	1/4"	30,000	40	107-7880	\$4.58	\$4.35
			60	107-7885	4.58	4.35
			80	107-7890	4.58	4.35
			120	107-7895	4.58	4.35
			180	107-7900	4.58	4.35
			240	107-7905	4.58	4.35
2" x ³ / ₄ "	1/4"	25,000	60	107-6850	5.65	5.37
			80	107-6900	5.65	5.37
			120	107-6500	5.65	5.37
			240	107-6650	5.65	5.37
	Thickness 1½" x½"	Thickness Shank 1 1/2" x 1/2" 1/4"	Thickness Shank RPM 1½" x½" ½" 30,000	Thickness Shank RPM Grit 1½" x ½" ½" 30,000 40 60 80 120 180 2" x ¾" ½" 25,000 60 80 120 80 10 14" 25,000 60 80 120 80	Thickness Shank RPM Grit Item# 1½" x ½" ¼" 30,000 40 107-7880 60 107-7895 80 107-7890 120 107-7895 120 107-7905 2" x ¾" ¼" 25,000 60 107-6850 80 107-6900 120 107-6500	Thickness Shank RPM Grit Item# 1-2 1½" x ½" ½" 30,000 40 107-7880 \$4.58 60 107-7895 4.58 120 107-7895 4.58 180 107-7895 4.58 180 107-7900 4.58 2" x ¾" ½" 25,000 60 107-6850 5.65 80 107-6900 5.65 120 107-6500 5.65


J. Cloth 4" Flap Wheels

Abrasive wheels with closely spaced cloth flaps for fast cutting action with a smooth uniform finish. The 80 grit is used for grit for quick and aggressive metal removal. The 120 and 240 grits are ideal for quick metal removal such as sprue and gate removal. The 320 and 400 grits remove scratches and leave a much finer finish than expected. The 400 grit can also be used for blending after the previous grits are used. For use on tapered spindles. Made in Thailand.

		Max.	Max. EACH		
	Grit	RPM Item#	1-2	3+	
	80	3,000 108-0173	\$23.55	\$22.37	
	120	3,000 108-0174	23.55	22.37	
J.	240	3,000 108-0175	23.55	22.37	
	320	3,000 108-0176	23.55	22.37	
	400	3,000 108-0177	23.55	22.37	



40,000rpm





1.400 - 3000 rpm











A-C Seamless Abrasive Caps and Holders – 1/8" and 1/4" Shanks

Use for deburring and finishing hard-to-reach, recessed areas. Designed for easy mounting and removal. Caps fit holders easily yet are held firmly by centrifugal force while working. Holders have 1/8" or 1/4" shanks (3mm and 6mm shanks available by special order).

Cap		Max. RPM	Grit		PKG of 50	Holder	Item#	Ea
4. Flat	³ /16" x ³ /8"	40,000	80	104-1000	\$38.00	1/8" shank	104-1200	\$3.5
			150	104-1005	39.25		104-1200	3.5
			280	104-1010	39.25		104-1200	3.
	⁹ / ₃₂ " x ¹ / ₂ "	30,000	60	104-1015	39.25	1/8" shank	104-1205	3.
			150	104-1020	39.25		104-1205	3.
			280	104-1025	39.25		104-1205	3.
	³ /8" x ⁵ /8"	20,000	60	104-1030	45.00	1/8" shank	104-1210	3.
			150	104-1035	45.00		104-1210	3.
			280	104-1040	45.00		104-1210	3.
	¹ /2" X ¹¹ /16"	16,000	60	104-1260	54.00	1/4" shank	104-1350	5.
			150	104-1265	54.00		104-1350	5.
			280	104-1270	54.00		104-1350	5.
	⁵ /8" x 1"	12,000	60	104-1275	54.00	1/4" shank	104-1355	5.
			150	104-1280	54.00		104-1355	5.
			280	104-1285	54.00		104-1355	5.
B. Rd.	³ /16" x ⁷ /16"	40,000	80	104-1045	39.25	1/8" shank	104-1215	3.
			150	104-1050	39.25		104-1215	3.
			280	104-1055	39.25		104-1215	3.
	⁹ /32" x ¹ /2"	30,000	60	104-1060	39.25	1/8" shank	104-1220	3.
			150	104-1065	39.25		104-1220	3
			280	104-1070	39.25		104-1220	3
	³ /8" x ⁵ /8"	20,000	60	104-1075	45.00	1/8" shank	104-1225	3
			150	104-1080	45.00		104-1225	3.
			280	104-1085	45.00		104-1225	3
	¹ /2" X ¹¹ /16"	16,000	60	104-1290	54.00	1/4" shank	104-1360	5
			150	104-1295	54.00		104-1360	5
			280	104-1300	54.00		104-1360	5
	⁵ /8" x 1"	12,000	60	104-1305	54.00	1/4" shank	104-1365	5
			150	104-1310	54.00		104-1365	5
			280	104-1315	54.00		104-1365	5
C. Con	e ³ / ₁₆ " x ⁷ / ₁₆ "	40,000	80	104-1090	39.25	1/8" shank	104-1230	3.
			150	104-1095	39.25		104-1230	3.
			280	104-1100	39.25		104-1230	3.
	9/32" x 1/2"	30,000	60	104-1105	39.25	1/8" shank	104-1235	3.
			150	104-1110	39.25		104-1235	3.
			280	104-1115	39.25		104-1235	3.
	³ /8" x ⁵ /8"	20,000	60	104-1120	45.00	1/8" shank	104-1240	3.
			150	104-1125	45.00		104-1240	3.
			280	104-1130	45.00		104-1240	3.
	¹ /2" X ¹¹ /16"	16,000	60	104-1320	54.00	1/4" shank	104-1370	5.
			150	104-1325	54.00		104-1370	5.
			280	104-1330	54.00		104-1370	5.
	5∕8" x 1"	12,000	60	104-1335	54.00	1/4" shank	104-1375	5.
			150	104-1340	54.00		104-1375	5.
			280	104-1345	54.00		104-1375	5.

D. Seamless Abrasive Cap Set

This money-saving set includes 270 caps (six of each item# listed in chart above) and 15 corresponding holders (1/8" and 1/4" shanks). Supplied in a convenient 16-compartment plastic storage tray with lid.

Item#	Each
104-1245	\$345.00
	item#

A. Micro-Mesh® Abrasives - Silicon Carbide

Micro-Mesh features a unique cushion design that allows its abrasive crystals to recede into its resilient backing and "float" to an even cutting plane. Follows the contours of your work evenly—Perfect for refinishing steel tools and removing light scratches. Restores rolling mill rollers to brand-new condition.

Effective on gold, silver, platinum, even steel! Leaves a smoother, finer finish than expected: 400 grit Micro-Mesh cuts like a 400 grit but leaves an 800-1000 grit finish. Can be used dry or wet. Used dry, it lasts 5-7 times longer than common abrasives. Used with oil or water, it lasts 7–15 times longer.

			EACH	l Prices
Description	Grit	Item#	1-11	12+
File (1/2" x 53/4", two-sided)	100/150	107-3114	\$2.20	\$1.98
	180/240	107-3115	2.10	1.89
	400/600	107-3116	2.10	1.89



B. Micro-Mesh® Ultra-Flex Pad Set

Micro-Mesh Soft Touch pads are handy for doing small jobs and for spot repair projects. The 2" x 2" foam core provides additional flexibility and conformity, while being easy to hold and operate.

Each pad has the same Micro-Mesh grade on both sides. This material is made to be used wet or dry and is made with a flexible cotton backing with polymer emulsion cushioning layer and large micron graded silicon carbide or aluminum oxide crystals suspended in a flexible resin bond. The MX bond is less flexible than other Micro-Mesh products so you can achieve a higher finish on metals. Stated grit size, due to this unique material, produces a finer than expected finish, i.e., 60MX = 240 grit. Each pad is printed with its corresponding grade. The complete set includes the following 13 grades:

SiC Abrasive: 60MX, 80MX, 100MX, 120MX, 150MX, 180MX, 240MX, 320MX, 360MX, 400MX, 600MX

AIO Abrasive: 800MX, 1200MX

Description	Item#	PKG of 13
Ultra-Flex Pad Set	107-3120	\$16.30




C. G-Tac 3-in-1 Hand Finisher

The handy shape and flexibility of the G-Tac also makes it ideal for polishing flat and curved surfaces. Each G-Tac Finisher keeps three grits, (800 = Blue, 1500 = White and 4000 = Gray) at your fingertips making it ideal for final touch-ups when polishing jewelry. Switching between grits takes mere seconds because it is a simple as turning or flipping the tool. Sold in packages of 5. Measure 7" long x $1\frac{1}{4}$ " wide x $\frac{1}{2}$ " thick.

-3125 \$9.95
,

Before using any abrasive product, follow all safe operating guidelines with respect to eye protection, hand protection, hearing protection and respiratory protection. Also read the Safety Data Sheet (SDS) to be aware of any inherent hazards or cautions.









A-E Mitchell's Abrasive Cords and Tapes - USA

Flexible cords and tapes fully covered in abrasives for grinding, polishing and finishing small holes, narrow slots, curved surfaces and other areas standard tools can't reach. Used by jewelers for polishing wire settings and small heads, inaccessible to points and wheels. Aluminum oxide and silicon carbide are for cutting, and crocus (ultra-fine iron oxide) is for especially fine polishing. Can be used by hand and in saw frames, drills and other tools on hard and soft metals, ceramic, plastic and wood. Won't tear or fray. Supplied in 50' spools.

	Cord	Shape	Style	Dia.	Grit	Item#	50' Spool
A.	AIO		48	.092"	150	102-0999	\$28.88
		•	49	.082"	120	102-1000	18.70
		•	50	.070"	180	102-1005	18.15
		•	51	.055"	120	102-1010	10.75
			53	.040"	180	102-1020	10.75
		•	54	.030"	180	102-1025	10.75
B.	SiC	8	53-S	.040"	180	102-1021	16.80
		•	54-H	.025"	200	102-1030	12.00
		٠	55	.018"	200	102-1035	12.00
		*	60	.015"	200	102-1040	12.25
			66	.012"	280	102-1045	29.60
C.	Crocus	•	52-C	.055"	Ultra-fine	102-1060	13.70
		•	53-C	.040"	Ultra-fine	102-1065	12.80
		•	54-C	.030"	Ultra-fine	102-1070	12.80
		•	54-HC	.025"	Ultra-fine	102-1075	14.15
		٠	55-C	.018"	Ultra-fine	102-1080	14.15
		٠	60-C	.015"	Ultra-fine	102-1085	14.15
		•	66-C	.012"	Ultra-fine	102-1090	29.75
	Tape	Shape	Style	W x Thick	Grit	Item#	50' Spool
	AIO	_	56	.093" x .037"	180	102-1095	\$11.20
D.	AIO	_	57	.125" x .037"	180	102-1100	11.50
E.	Crocus	_	56-C	.093" x .030"	Ultra-fine	102-1115	13.00







Sanding Detailer™ – Multi-Functional Sanding Tool

The Sanding Detailer™ with Micro Finishing Film Belt, is an ergonomic shaped tool ideal for metal finishing, woodworking, welding cleanup, auto body finishing, mold finishing, jewelry making, gun repair and so much more. The tool features three unobstructed working areas, a tapered end, a flat bottom and a rounded end making it ideal when finishing any surface. An enclosed spring helps to maintain proper belt tension. Available with replaceable belts in 8 different grits. See chart below for grits and their corresponding colors.

Specifications:

- Dimensions: 6.25" (159mm) x .5" (12mm)
- Work Surface: 6.25" (159mm) x .25" (6mm)
- Micro Finishing Film, 8 Grits from 220 to 1200 (60 to 9 Microns)

Color	Grit/ Micron	Detailer Item#	Each	Belt Item#	PKG of 10
Black	220/60	107-3740	\$3.50	107-3770	\$12.95
Gray	270/50	107-3742	3.50	107-3772	12.95
Red	320/40	107-3744	3.50	107-3774	12.95
Green	400/30	107-3746	3.50	107-3776	12.95
Orange	600/15	107-3748	3.50	107-3778	12.95
Yellow	800/14	107-3750	3.50	107-3780	12.95
White	1000/12	107-3752	3.50	107-3782	12.95
Blue	1200/9	107-3754	3.50	107-3784	12.95

F-G Coarse and Fine Sets: Each set has 4 detailers (each with a belt installed) and 16 extra belts, 4 of each of the 4 grits. All Grit Set has all 8 detailers (each with one belt).

Sets	Grit	Item#	Each
F. Coarse Grit S	et 220, 270, 320, 400	107-3795	\$34.00
G. Fine Grit Set	600, 800, 1000, 1200	107-3797	34.00
All Grit Set	All (one each)	107-3799	26.95

Belt Sticks & Sets Aluminum Oxide

Economical, versatile tools that accommodate ½", ½" or ¾" wide abrasive belts, for sanding and smoothing hard-to-reach areas. Made of impact-resistant polypropylene. The tip can be easily reshaped to meet your exact needs. A spring-loaded tensioning device allows the abrasive belt to be rotated so that all areas of the belt can be used and permits quick belt changing. Belt Sticks may be used dry or with water, oil, or solvents. Sticks are supplied in 5 colors to help you quickly distinguish one grit from another. Abrasive belts are resin-bonded, cloth-backed aluminum oxide. Made in USA.

A. Belt Sticks

Ai Doit	a boil ollow							
Size	Color	Grit	Belt Stick Item#	w/Belt Each	Extra Belts Item#	PK0 1-9	of 10 10+	
¹ / ₄ " x 6"	Red	120	107-3610	\$1.85	107-3621	\$6.75	\$6.08	
	Blue	240	107-3612	1.85	107-3625	6.75	6.08	
	Green	320	107-3614	1.85	107-3627	6.75	6.08	
	Yellow	400	107-3616	1.85	107-3628	6.75	6.08	
	Black	600	107-3618	1.85	107-3629	6.75	6.08	
¹ / ₂ " x 8"	Red	120	107-3640	3.25	107-3651	10.45	9.41	
	Blue	240	107-3642	3.25	107-3655	10.45	9.41	
	Green	320	107-3644	3.25	107-3657	10.45	9.41	
	Yellow	400	107-3646	3.25	107-3658	10.45	9.41	
	Black	600	107-3648	3.25	107-3659	10.45	9.41	
³ / ₄ " x 10"	Red	120	107-3670	4.35	107-3681	13.85	12.47	
	Blue	240	107-3672	4.35	107-3685	13.85	12.47	
	Green	320	107-3674	4.35	107-3687	13.85	12.47	
	Yellow	400	107-3676	4.35	107-3688	13.85	12.47	
	Black	600	107-3678	4.35	107-3689	13.85	12.47	



B. 10-Piece Belt Stick Set - 1/4"

Supplied with 5 Belt Sticks: red, blue, green, yellow and black (each with one abrasive belt of each grit: 120, 240, 320, 400 and 600).

Description	Size	Item#	Each
10-Piece Set	1/4"	107-3602	\$9.80



C. 36-Piece Belt Stick Set - 1/4"

Supplied with 3 Belt Sticks: red, blue and green (each with one abrasive belt). 30 additional abrasive belts included (10 of each grit: 120, 240 and 320).


Description	Size	Item#	Each
36-Piece Set	1/4"	107-3605	\$27.55




D-F 60-Piece Belt Stick Sets

Supplied with 5 Belt Sticks: red, blue, green, yellow and black (each with one abrasive belt). 50 additional abrasive belts included (10 of each grit: 120, 240, 320, 400 and 600).

	Description	Size	Item#	Each
D.	60-Piece Set	1/4"	107-3606	\$44.85
E.	60-Piece Set	1/2"	107-3636	59.95
F.	60-Piece Set	3/4"	107-3666	71.95









A. 3M[™] Imperial[™] Micro-Finishing Film Aluminum Oxide

Precision micron-graded aluminum oxide resin-bonded to a polyester film backing. For close tolerance finishing on metals and plastic surfaces. Nonloading for longer life and greater efficiency. Measures $8\frac{1}{2}$ " x 11".

			EA	CH Prices
Color	Grit/Micron	Item#	5pc 5-95	100+
Brown	180/80	109-8100	\$3.00	\$2.55
Black	220/60	109-8105	3.10	2.64
Blue	320/40	109-8110	3.10	2.64
Green	400/30	109-8115	3.10	2.64
Red	500/20	109-8125	3.10	2.79
Orange	600/15	109-8120	3.20	2.88
Light Blue	1200/9	109-8130	3.00	2.70
7-Piece Se	t (one each)	109-8135	SET Price	20.80



B. 3M[™] Lapping Films – Aluminum Oxide

Popular prefinishing films for platinum. Feature precision micron-graded premium abrasive resin-bonded to film backing for reliable, repeatable performance. Impart fine, consistent finishes on both soft and hard metals. Resist water, oil and most solvents. Can be used wet or dry alone or cut and wrapped around a stick or file for fine work. Measure $8^{1/2}$ " x 11". Use from 12 micron (coarse) to 3 micron (fine) before compounds.

			EACH	Prices
Color	Grade/Grit	Item#	500 5-45	50+
Yellow	12 micron/C	109-8353	\$2.05	\$1.85
Brown	5 micron/M	109-8352	2.05	1.85
Pink	3 micron/F	109-8351	2.05	1.85



C. Norton® Durite Abrasive Paper - Silicon Carbide

Fast-cutting silicon carbide. Excellent wear, nonloading. For intermediate and final dry sanding. Lightweight paper backing easily conforms to all shapes and angles. Sheets measure 9" x 11".

		EACH Prices		
Grit	Item#	500 5-95	100+	
120	109-6051	\$0.98	\$0.69	
180	109-6101	0.98	0.69	
220	109-6151	0.98	0.69	
320	109-6301	0.98	0.69	



D. Norton® Lightning Metalite Cloth – Aluminum Oxide

A long-lasting abrasive cloth used to clean or polish metal surfaces for a high-quality finish. Glue-bonded aluminum oxide on lightweight, flexible cloth backing. Measure 9" x 11".

		EACH	Prices
Туре	Item#	<i>^(5pc)</i> 5-45	50+
Cloth	109-3650	\$2.00	\$1.60
Cloth	109-3750	2.00	1.60
Cloth	109-3850	2.00	1.60
Cloth	109-3950	2.00	1.60
	Cloth Cloth Cloth	Cloth 109-3650 Cloth 109-3750 Cloth 109-3850	Type Item# 5-45 Cloth 109-3650 \$2.00 Cloth 109-3750 2.00 Cloth 109-3850 2.00

5pc Five-piece minimum; Please order in multiples of five.

A. Norton, A275 Champagne Sandpaper – Great for Aluminum!

This load resistant paper is an excellent choice for aluminum polishing. The paper utilizes a No-Fil coating, which is a water-based stearate that provides maximum load resistance and extended life. Features a premium P-graded, heat-treated aluminum oxide abrasive yielding fast cut rates. Made with a fiber- reinforced latex-saturated backing, giving the paper exceptional flexibility and high tear strength. Sold in 9"x 11" sheets. Nine piece set includes one of each grit.

		5pc Each	Prices
Grit	Item#	5-95	100+
120	109-2001	\$0.90	\$0.81
220	109-2002	0.90	0.81
320	109-2003	0.90	0.81
400	109-2004	0.90	0.81
600	109-2006	0.90	0.81

		(5pc)	EACH Prices		
Grit	Item#		5-95	100+	
800	109-2008		\$0.90	\$0.81	
1000	109-2010		1.10	0.99	
1200	109-2012		1.10	0.99	
1500	109-2015		1.10	0.99	
9-Piece Set	109-2000		7.75	6.98	



B. 3M™ Wetordry™ Paper - Silicon Carbide

Provide finer finishes than traditional emery papers. Backing and coating offer enhanced cut rates, improved finishes and better durability. Coarser grits come on heavyweight paper (431Q), and finer grits come on lightweight and flexible papers (413Q and 401Q, respectively). All silicon carbide. Measure 9" x 11".

Grit	Paper Type	Item#	5pc EACH 5-95	Prices 100+
80	431Q	109-8185	\$1.95	\$1.76
120	431Q	109-8187	1.45	1.31
180	431Q	109-8189	1.30	1.17
220	413Q	109-8190	1.30	1.17
280	413Q	109-8197	1.30	1.17
320	413Q	109-8193	1.35	1.22

	Paper		EACH	Prices
Grit	Type	Item#	5pc 5-95	100+
400	431Q	109-8195	\$1.30	\$1.17
600	431Q	109-8196	1.30	1.17
1000	401Q	109-8200	2.30	2.07
1500	401Q	109-8202	2.30	2.07
2000	401Q	109-8203	2.30	2.07
2500	401Q	109-8204	2.30	2.07




B

C. Norton® Waterproof Paper BLUE-BAK - Silicon Carbide

Silicon carbide abrasive with improved resin bond for exceptional finishes in both wet and dry applications and improved waterproof paper backing for better flexibility and wet-curl resistance. 120 grit comes on heavy weight paper (T461), 220 to 600 on light weight paper and 1200P on slightly lighter weight. Yield long life in rough, wet applications. Measure 9" x 11".

	Paper		EACH	Prices
Grit	Type	Item#	5pc 5-45	50+
120	T461	109-7010	\$1.35	\$1.08
220	T414	109-7015	1.05	0.84
320	T414	109-7025	1.05	0.84

Grit	Paper Type	Item#	5pc)	EACH 5-45	Prices 50+
400	T414	109-7035	5 \$	1.05	\$0.84
600	T414	109-7045	5	1.05	0.84
1200	* T401	109-7055	5	1.50	1.20





D. 3M™ Wetordry™ Polishing Paper

Silicon Carbide + Aluminum Oxide


Super-flexible fibrous paper non-woven backing allows easy polishing of flat and contoured surfaces of softer materials. Precision micron-graded silicon carbide (481Q) and aluminum oxide (281Q) papers provide a uniform finish. Use wet or dry on precious metals, aluminum, plastic, polyurethane, solid surface composites, fiberglass and wood. Measure 8½" x 11".

			EACH P	rices
Grade/Grit	Paper Type	Item#	<i>⁵pc</i> 5-95	100+
30 micron/400	481Q	109-8001	\$1.60	\$1.44
15 micron/600	481Q	109-8005	1.60	1.44
9 micron/1200	281Q	109-8010	1.60	1.44
3 micron/4000	281Q	109-8015	1.60	1.44
2 micron/6000	281Q	109-8020	1.60	1.44
1 micron/8000	281Q	109-8025	1.60	1.44
et (one each)		109-8026	SET Price	8.25
	30 micron/400 15 micron/600 9 micron/1200 3 micron/4000 2 micron/6000 1 micron/8000	30 micron/400 481Q 15 micron/600 481Q 9 micron/1200 281Q 3 micron/4000 281Q 2 micron/6000 281Q 1 micron/8000 281Q	30 micron/400 481Q 109-8001 15 micron/600 481Q 109-8005 9 micron/1200 281Q 109-8010 3 micron/4000 281Q 109-8015 2 micron/6000 281Q 109-8020 1 micron/8000 281Q 109-8025	Grade/Grit Paper Type Item# 5-95 30 micron/400 481Q 109-8001 \$1.60 15 micron/600 481Q 109-8005 1.60 9 micron/1200 281Q 109-8010 1.60 3 micron/4000 281Q 109-8015 1.60 2 micron/6000 281Q 109-8020 1.60 1 micron/8000 281Q 109-8025 1.60



D

5pc Five-piece minimum; Please order in multiples of five.



A-J Moore's Snap-On Discs

Snap-On Discs feature quick-change, sure-lock brass centers with one cutting face on paper or plastic backing.

Three types of paper-backed discs are available: Emery contain black silicon carbide, a fast cutting abrasive; Adalox contain aluminum oxide, less aggressive than Emery and Garnet which is a natural mineral and is slightly less aggressive than Adalox.

Five types of plastic-backed discs are available: AlO contains evenly dispersed micron-grade aluminum oxide, which provides smooth, fast cutting action; **Garnet** is a natural mineral which is slightly less aggressive than AlO; **Sand** contains long-lasting white aluminum oxide, slightly less aggressive than Garnet and Water Proof **Silicon Carbide** which is Silicon Carbide on a paper backing that has a water proof front and is less aggressive than Sand and **Felt** which contain no abrasive and can be charged with compound or paste for quick and easy finishing. Max. operating speed: 30,000rpm. Use with Snap-On Mandrel (see below). Made in USA

	Type/		Extra Coarse	Coarse Grit	Med. Grit	Fine Grit	Extra Fine	BOX	of 50*
	Backing	Dia.	Item#	Item#	Item#	Item#	Item#	1-11	12+
A.	Emery/Paper	3/4"	_	845-2585	845-2590	845-2595	_	\$3.60	\$3.24
B.	Emery/Paper	7/8"	_	845-2596	845-2597	845-2598	-	3.60	3.24
C.	Adalox/Paper	3/4"	_	845-2600	845-2650	845-2700	-	4.40	3.96
D.	Adalox/Paper	⁷ /8"	_	845-2715	845-2710	845-2705	-	4.40	3.96
E.	Sand/Plastic	3/4"	-	845-2858	845-2857	845-2856	845-2855	5.95	5.36
F.	Sand/Plastic	⁷ /8"	-	845-2865	845-2863	845-2860	845-2859	5.95	5.36
	Garnet/Paper	3/4"	845-2821	845-2822	845-2823	_	_	5.95	5.36
	Garnet/Paper	⁷ /8"	845-2824	845-2825	845-2826	-	-	5.95	5.36
	Garnet/Plastic	3/4"	-	-	-	845-2827	845-2828	5.95	5.36
G.	Garnet/Plastic	7/8"	_	-	_	845-2829	845-2830	5.95	5.36
H.	WP SiC/Plastic	7/8"	-	845-2893	845-2894	845-2895	_	4.45	4.01



	Type/ Backing	Dia.	Coarse Grit Item#	Med. Grit Item#	Fine Grit Item#	No Grit Item#	B0X 1-11	of 100* 12+
Ī.	AIO/Plastic	7/8"	845-2900	845-2902	845-2899	-	\$14.50	\$12.33
	Felt/Plastic	3/4"	_	_	-	845-0971	28.80	24.48
J.	Felt/Plastic	7/8"	-	_	_	845-0970	28.80	24.48

^{*}Quantity discount for orders of one item number only; not assorted.



K. Snap-On Mandrel – 3/32" Shank

One-piece construction from high quality steel. Fits Snap-On Discs. Made in Germany.

Description		EACH	Prices*
Description	Item#	1-11	12+
Snap-On Mandrel, ³ / ₃₂ " shank	840-3200	\$1.85	\$1.54


^{*}Quantity discount for orders of one item number only; not assorted.



L. Snap-On 7/8" Disc Set

Includes 120 Snap-On Discs (10 of each Emery C/M/F, Adalox C/M/F, Sand C/M/F, AlO Plastic backed C/M and Felt $\frac{7}{8}$ " discs) plus two Snap-On Mandrels in a convenient storage box.

Description	Item#	Each
120-Piece Set, 7/8" dia.	845-2905	\$18.00



M, N Snap-on Blue Zirconia Discs


Blue Zirconia Alumina Sanding Discs are ideal for use with platinum, but will work well on gold and silver. These discs are resin-backed for superior durability and aggressively cut and grind metals with a uniform file-like finish. Last up to three times longer than conventional abrasives. Comes supplied in $\frac{3}{4}$ " and $\frac{7}{8}$ " diameters with snap-on centers. The brass-centered holes reduce vibration as they work. For snap-On Discs, use Gesswein's Snap-on Mandrel (Item#: 840-3200) Made in USA.

		Coarse Grit	Med. Grit	Fine Grit	BOX of 50			
Description	Dia.	Item#	Item#	Item#	1-2	3-5	6-11	12+
M. Blue Zirconia Discs	7/8"	845-2725	845-2730	845-2735	\$8.70	\$8.27	\$7.83	\$7.40
N. Blue Zirconia Discs	3/4"	845-2740	845-2745	845-2750	8.70	8.27	7.83	7.40

A-D Pin Hole Adalox Discs

Pin hole discs with Adalox (aluminum oxide) abrasive on paper backing. Available in 4 sizes all with pin hole center. See pages 584-585 for screw mandrels. Sold in boxes of 100 discs.


Type/ Backing	Dia.	Coarse Grit Item#	Med. Grit Item#	Fine Grit Item# B0	X of 100
A. Adalox/Paper	1/2"	845-0981	845-0982	845-0983	\$5.40
B. Adalox/Paper	5/8"	845-0984	845-0985	845-0986	5.40
C. Adalox/Paper	3/4"	845-0987	845-0988	845-0989	5.40
D. Adalox/Paper	7/8"	845-0997	845-0998	845-0999	5.40



E, F Pin Hole Blue Zirconia Discs

Blue Zirconia Alumina Sanding Discs are ideal for use with platinum, but will work well on gold and silver. These discs are resin-backed for superior durability and aggressively cut and grind metals with a uniform file-like finish. Last up to three times longer than conventional abrasives. Comes supplied in 3/4" and 7/8" diameters with pin-hole centers. Made in USA.

		Coarse Grit Item#	Grit Med. Grit Fine Grit # Item# Item#			B0X of 100 1-2 3-5 6-1 12+			
E. Blue Pin Hole Discs	7/8"	845-2755	845-2760	845-2765	\$8.70	\$8.27	\$7.83	\$7.40	
F. Blue Pin Hole Discs	3/4"	845-2770	845-2775	845-2780	8.70	8.27	7.83	7.40	



G. 3M[™] Sponge Sanding Pads

Flexible, palm-sized Sponge Sanding Pads from 3M conform to almost any surface contour. Made of long-lasting, closed-cell rubber with micron-graded aluminum oxide abrasive grains, these pads will not gouge the work surface.

3M Sponge Sanding Pads can be used wet or dry for a variety of applications as well as folded or trimmed to fit into detailed areas.

Each pad measures $4\frac{1}{2}$ " x $5\frac{1}{2}$ ". Available in Medium, Fine, Super-Fine, Ultra-Fine and Micro-Fine as well as a Set of all 5.

			EACH Price	ces
Description	Item#	1-4	5-19	20+
Medium Pad	108-7020	\$1.95	\$1.79	\$1.71
Fine Pad	108-7015	1.95	1.79	1.71
Super-Fine Pad	108-7010	1.95	1.79	1.71
Ultra-Fine Pad	108-7005	3.35	3.07	2.93
Micro-Fine Pad	108-7000	3.35	3.07	2.93
				SET Price
G. 5-Piece Set	108-7025			12.35



H, I Slurry Coated Strips and Cloths

Slurry coated polishing strips and cloths are strong and durable and a must for any bench jeweler. Made of Rayon and unique proprietary backing material that sets them apart from traditional polishing paper, and results in a consistent uniform finish. The blend of various types of micron particle minerals is applied to each strip in a slurry coating process along with the abrasive Silicone Carbide. The micron grading technique produces particles of the same size and shape to achieve a consistent finish every time. The Slurry Coated Strips are perfect for hard to reach places and provide consistent results. Use them by hand or in your favorite saw frame. The Slurry Coated Cloths are for larger items to be polished. Both are ideal for wet or dry applications. Available in 9 colors for easy identification of the grits (see below).

- The Strips come in a convenient assortment pack of all 9 colors/grits. Each pack includes 2 sheets per color/grit, overall size 1 1/8"W X 7"L and each sheet contains 12 pre-cut strips (1/22"W X 7"L).
- The Cloths come in a convenient assortment pack of 9 colors/grits. Each pack includes 18 cloths (4"W X 7 ½"L). 2 cloths per color/grit.
- 360 Grey, 400 Orange, 600 Brown, 800 White, 1000 Red, 1200 Green, 1500 Purple, 2000 Yellow and 4000 Blue

		SET Prices			
Description	Item#	1-2	3+		
H. Strips (216)	109-8510	\$17.50	\$15.75		
I. Cloths (18)	109-8511	17.50	15.75		



3M[™]Scotch-Brite[™] Radial Bristle Discs

For fast and easy cleaning and polishing without compound!

Use to clean, prepolish, blend and remove scratches and firescale. Excellent on gold, silver, platinum and most other metals. Require no compounds. Work fast and take the mess out of cleaning up small areas such as tiny findings, bracelet links, nugget rings and more. Long-lasting and nonloading. Color-coded for easy grit identification.

Use a single one for reaching tight areas, or stack several of them for covering large surface areas (for example, 2" and 3" discs can be stacked up to ten in a row). 6" discs consist of eight stacked discs mounted on a plastic hub. Includes adapters for 3/8", 1/2" and 5/8" and 3/4" arbors. Maximum operating speeds: 10,000rpm for 6" discs, 20,000rpm for 3" discs and 30,000rpm for all others (recommended operating speed for most applications: 15,000rpm). See pp. 584-585 for mandrels.





Color	Application
Brown	Removal of heaviest scratches
Green	Removal of heavy scratches
Yellow	Removal of scratches and firescale
White	Texturing, light cleaning
Red	Removal of light scratches and oxides
Blue	Blending, prepolishing
Pink	Very light cleaning, prepolishing
Peach	Polishing
Lt. Green	Final polishing




Mount one to six discs.

PKG of 48 with

A-D Small Discs – For use with rotary handpieces

The \(\gamma_{16}\)" and \(\frac{3}{4}\)" discs are sold in packages of 12 (see pp. 584-585 for mandrels) or in packages of 48 which includes one 3/32" mandrel. Maximum operating speed 30,000 rpm (although recommended for most applications will be 15,000 rpm).








						3/32" Shanl	k Mandrel
	Dia. x AH	Color	Grit	Item#	PKG of 12	Item#	Each
A.	⁹ /16" X ¹ /16"	White	120	145-1520	\$12.10	145-1620	\$44.55
		Red	220	145-1525	12.10	145-1625	44.55
		Blue	400	145-1530	12.10	145-1630	44.55
		Pink	Pumice	145-1535	12.10	145-1635	44.55
		Peach	6 Micron	145-1545	12.10	145-1645	44.55
		Lt. Green	1 Micron	145-1540	12.10	145-1640	44.55
B.	³ / ₄ " x ¹ / ₁₆ "	Yellow	80	145-1500	12.60	145-1600	45.10
		Red	220	145-1505	12.60	145-1605	45.10
		Blue	400	145-1510	12.60	145-1610	45.10
		Pink	Pumice	145-1515	12.60	145-1615	45.10
		Peach	6 Micron	145-1492	12.60	145-1590	45.10
		Lt. Green	1 Micron	145-1495	12.60	145-1595	45.10
						PK	G of 12
	Dia. x AH	Color	Grit	Item#		1-3	4+
C.	1" x ¹ /8"	Brown	36	145-1550		\$16.55	\$15.72
		Green	50	145-1555		16.55	15.72
		Yellow	80	145-1560		16.55	15.72
		White	120	145-1565		16.55	15.72
		Red	220	145-1570		15.75	14.96
		Blue	400	145-1575		15.75	14.96

Description	Item#	Each
D. 45-Piece Small Disc Set (includes three of each disc listed above (except for #145-1492, #145-1495, #145-1570 and 145-1575, one ³ / ₃₂ " shank mandrel and two ¹ / ₈ " shank mandrels)	145-1670	\$51.40
73-Piece ⁹ / ₁₆ " Set (includes 12 of each ⁹ / ₁₆ " disc listed above and one ³ / ₃₂ " shank mandrel in a plastic case)	145-1672	73.35
73-Piece $^{3}4''$ Set (includes 12 of each $^{3}4''$ disc listed above and one $^{3}3''$ shank mandrel in a plastic case)	145-1673	93.45





A-D 2-3" Discs – For use with polishing motors & Mini Max Combo

The 2" and 3" discs are sold with right hand (RH) tapered spindle adapters in packages of 10 or 40 discs and in sets of 4 of each disc and an adapter. Optional left hand (LH) adapter is also available. See below. Both have 1/4" arbor holes. Max. operating speed 30,000rpm for 2" and 20,000rpm for 3".

						PKG of 4	0 w/hub
	Dia. x AH	Color	Grit	Item#	Pkg. of 10	Item#	Each
A.	2" x 3/8"	Yellow	80	145-1745	\$26.20	145-1675	\$99.70
		White	120	145-1750	26.20	145-1680	99.70
		Red	220	145-1755	26.20	145-1685	99.70
		Blue	400	145-1760	26.20	145-1690	99.70
		Pink	Pumice	145-1765	26.20	145-1695	99.70
		Peach	6 Micron	145-1770	26.20	145-1700	99.70
		Lt. Green	1 Micron	145-1775	26.20	145-1705	99.70
	Description			Item#			Each
	29-Piece 2"	Disc Set		145-1813			\$65.25
				_			0 w/hub
	Dia. x AH	Color	Grit	Item#	Pkg. of 10	Item#	Each
В.	3" x ³ /8"	Yellow	80	145-1780	\$34.15	145-1710	\$132.85
		White	120	145-1785	34.15	145-1715	132.85
		Red	220	145-1790	34.15	145-1720	132.85
		Blue	400	145-1795	34.15	145-1725	132.85
		Pink	Pumice	145-1800	34.15	145-1730	132.85
		Peach	6 Micron	145-1805	34.15	145-1735	132.85
		Lt. Green	1 Micron	145-1810	34.05	145-1740	132.85
	Description					Item#	Each
Ξ	29-Piece 3"	Disc Set				145-1816	\$85.25
C.	RH Tapered S	Spindle Adapte	er Hub for 2"	and 3" discs		145-1921	2.30
D.	LH Tapered S	pindle Adapte	er for 2" and 3	3" discs		145-1922	2.30









E. 6" Discs – For use with polishing motors & Max 24

Each 6" disc consists of eight stacked discs mounted on a plastic hub. Includes adapters for 3/8", 1/2", 5/8" and $\frac{3}{4}$ " arbors. Approx. Thickness is $\frac{1}{2}$ " with a 1" Arbor Hole. Tapered spindle adapters sold separately. Max. operating speed 6,000rpm.


				EACH	l Prices	
	Dia. x Approx. Thickness x AH	Color	Grit	Item#	1-2	3+
E.	6"dia. x ½"T x 1"AH*	Yellow	80	145-1925	\$63.00	\$59.85
		White	120	145-1926	63.00	59.85
		Red	220	145-1927	63.00	59.85
		Blue	400	145-1928	63.00	59.85
		Peach	6 Micron	145-1929	63.00	59.85
		Lt. Green	1 Micron	145-1930	63.00	59.85

^{*}Complete with adapters for $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", and $\frac{3}{4}$ " arbors.



Web Site Orders 24/7: gesswein.com

Description	Item#	Each
Tapered Spindle Adapter for 6" discs	145-1931	\$5.80






SUNBURST Radial Disc Assortments & Midget Points

SUNBURST Products are designed with specially treated ceramic abrasive grain embedded throughout. This eliminates the need for polishing compound and produces minimal dust and heat. Ideal for finishing, smoothing and high-luster polishing of all precious, semi-precious and non-precious metals, acrylics and ceramics. See pages 404 and 405 for individual discs and larger sizes. Made in USA.





			Pack of 30)
Description (Pack of 30)	Item#	1-5	6-9	10+
80 Grit (yellow)	145-5003	\$29.95	\$28.45	\$26.96
120 Grit (white)	145-5004	29.95	28.45	26.96
220 Grit (red)	145-5005	29.95	28.45	26.96
400 Grit (blue)	145-5006	29.95	28.45	26.96
600 Grit Pumice (pink)	145-5007	29.95	28.45	26.96
6 Micron (peach)	145-5008	29.95	28.45	26.96
1 Micron (light green)	145-5009	29.95	28.45	26.96
Assortment		Ite	n# S	ET Price
A.(6 each of all 7 grits plus	145-	5000	\$44.95	

G. Midgets Shape 12 - 3/32" Shank

SUNBURST products.





	escription	Item#	SET Price	
B.	83 piece All-In-One-Assortment	145-5270	\$66.95	
	4 each of all grits in sizes 5/8", 7/8", and 1"	nlus 3 mandrels.		

H. Midgets Shape 15 - 3/32" Shank



35.95

35.95

35.95

145-0241

145-0243

145-0245

172.95

172.95

172.95

2011	2/1/11 -2/1/	11/1/10
Description	ltem#	SFT Price

Des	scription	Item#	SET Price
C.	%" Radial Discs Assortment (12 each of all 7 grits plus 2 mandrels)	145-5020	\$62.95

I. Midgets Shape 14 - 3/32" Shank

145-0240

145-0242

145-0244

400 Grit (blue)

6 Micron (peach)

1 Micron (It green)


Description	Item# Pk	of 12 Price	Item# Pl	of 72 Price
80 Grit (yellow)	145-0222	\$35.95	145-0223	\$172.95
120 Grit (white)	145-0224	35.95	145-0225	172.95
220 Grit (red)	145-0226	35.95	145-0227	172.95
400 Grit (blue)	145-0228	35.95	145-0229	172.95
6 Micron (peach)	145-0230	35.95	145-0231	172.95
1 Micron (It green)	145-0232	35.95	145-0233	172.95

D. 7/8" Radial Discs

C. 5/811 Radial Discs



E. 1" Radial Discs



J. All-In-One Midget
Assortment



Description	tem# SET Price	ì
J. 18 piece All-In-One-Assortment 145	5-0250 \$49.95	_ j
3 each of all 6 grits in shapes 12, 14 & 15	5. ³ / ₃₂ " shanks.	

(8 each of all 6 grits plus 2 mandrels)

Abrasive	Polishe	rs & 1	Nhee	ls Bra	and Comp	arison							
Brand >	Brightboy	GRX	PT	Dedeco	Airflex	Cratex	Poly	Edenta	Elite	SiC	Cera	SX	Diamond Abr.
Page	89	93	85	81, 94, 95	86, 95	90-92	84	82	86	83	88	85	115
Abrasive	AIO	AIO	AIO	SiC & AIO	SiC	SiC	SiC	SiC	SiC	SiC	Ceramic	SiC & AIO	Diamond
Bond	Rubber	Elastic	Rubber	Neoprene	Silicone Rubber	Rubber	Rubber	Rubber	Silicone Rubber	Silicone Rubber	Rubber	PVA	Rubber
Wheels	•	•	•	•	•	•	•	•	•	•	•		•
Mtd. Wheels			•				•	•					•
Cylinders [•		•	•	•	•	•			
Mtd. Cylinders							•				•	•	•
Points 🗅						•							
Mtd. Points			•				•	•					
Bullets 🗋						•							
Mtd. Bullets		•									•		
Rods		•	•			•		•					
Sticks	•	•				•							
Coarse	70	46, 80		100,120	С	С	С	Prepolish	180		80		
Medium		120, 150	М	180, 220	М	М	М	М	220	220, 240	120	220, 320	М
Fine			F	320	F	F	F	F			220, 320	400, 500, 600	F
Ultra-Fine				400		Extra-Fine	High Shine	High Shine	1000	280	500	800, 1000, 1500	Med, Fine, Ex-Fine

A. Gesswein® 50-Piece Polishing Set

A complete, compact set for every job from fast grinding to final finish. The set features a selection of our most popular rubberized abrasives in both straight- and knife-edged wheels, as well as rods which can be dressed to reach into the tiniest settings. Dressing stone included. The complete set includes:

- 5 Assorted Heatless Wheels: for fast grinding and brush finishing
- 10 Premium GK-10 Rubber Pumice Wheels: industry standard for scratch removal and shaping
- 10 Assorted Black Wheels: for light scratch and bur removal
- 10 Assorted Pink Silicone Polishing Wheels: for ultra-high polish
- 5 Brown Prepolisher Rods: for scratch removal in settings or recessed areas
- 5 Green High Shine Rods: for fine polishing of settings and recessed areas
- Dressing Stone for Rods: shapes rods to fine point
- 6 Mandrels: $\frac{3}{32}$ " + $\frac{1}{8}$ " for Wheels
- 1 Mandrel: 3/32" for Rods

Description	Item#	Each
Gesswein 50-Piece Polishing Set	145-0092	\$31.95



Soft, flexible rubber wheels compounded with pumice abrasive. The light action produces a smooth finish on gold, silver and soft metals. All with $\frac{1}{16}$ " arbor hole. See pp. 584-585 for mandrels. Maximum operating speed: 25,000rpm.

	Style	Dia. x Thick	Item#	Pkg.(10)	Item#	Box(100)
B.	822	5∕8" x 3∕32"	_	_	845-2102	\$54.29
C.	888	⁷ /8" x ¹ /8"	845-2151	\$8.85	845-2152	71.00
D.	999	5/8" tapered	845-2001	9.25	845-2002	73.08

E. Silipum Rubber Pumice Wheels

A combination of silicone and pumice make this an excellent product for removing scratches around bezel and prong set stones. Safe for most stones and are long lasting. Max. operating speed: 20,000rpm. See pp. 584-585 for mandrels.

Style	Dia.	Item#	Pkg.(10)	Item#	Box(100)
KE Wheel	5/8"	845-2059	\$4.50	845-2058	\$37.95

F, G Dedeco® White Universal - 100 Grit, Flexible

White (silicon carbide) with a neoprene bond.: Takes out scratches, parting lines and burs while leaving a very smooth finish with no flats or dusty residue. 1/16" arborhole. Max RPM 7,000. Made in USA.


	Shape	Style	Dimensions	Item#	Box(100)
F.	SE Wheel	7104	⁷ /8" x ¹ /8"	145-0115	\$45.50
G	KE Wheel	7110	7/8"	145-0117	45.50


H-K Dedeco® White Flexies - 400 Grit, Flexible

White (aluminum oxide) with a neoprene bond.: For ultra-fine polishing of gold and other precious metals. 1/16" arborhole. Max RPM 21,000.

0				,	
	Shape	Style	Dimensions	Item#	Box(100)
H.	SE Wheel	5029	5/8" x 1/16"	145-0064	\$32.50
Ī.	KE Wheel	4981	5/8"	145-0083	39.50
J.	SE Wheel	5009	7/8" x 1/8"	145-0065	32.50
K.	KE Wheel	4980	7/8"	145-0084	39.50







Edenta Polishers Natural Rubber – Silicon Carbide


lasting Rubberized abrasive products, all manufactured under the stringent ISO 9001 guidelines. The abrasive is precision graded and then uniformly distributed throughout the rubber. This Natural Rubber bond is a far superior product as the wheels last over TWICE as long as Silicone and can operate at higher, more efficient speeds. Higher speeds create a brighter, shinier surface and require less pressure.


This Swiss company is world famous for making the best quality and longest Brown TopStar Polishers remove light scratches and prepare surfaces for final polishing, max. operating speed: 20,000rpm. Pink Platinum Polishers work well as a prepolisher, max. operating speeds: 10,000rpm. The Gray Titanium Polisher is for removing scratches and flaws, max. operating speed: 20,000rpm, while Blue Titanium Polishers impart a final finish, max. operating speeds: 10,000rpm. Green TopStar Polishers impart a bright high shine, max. operating speed: 10,000rpm. Mounted shapes have 3/32" shanks, and unmounted shapes, except for rods have 1/16" arbor holes. See pp. 584-585 for mandrels. Made in Switzerland.













A-E Rubber Polishing Rods SiC - 3mm Dia. x 22mm L

	Color	Grit	Item#	Pkg.(10)	Item#	Box(100)
A.	Brown	Medium/Coarse	145-1425	\$7.90	145-1424	\$69.50
B.	Grey	Medium	145-3201	7.90	145-3200	69.50
C.	Blue	Fine	145-3211	7.90	145-3210	69.50
D.	Green	Extra-Fine	145-1445	7.90	145-1444	69.50
					EACH	l Prices
	Descript	ion	I	ltem#	1-2	3+
E.	Mandrel	for 3mm rod, 3⁄32" S	hank 14	5-1419	\$9.95	\$8.96

F-L Brown TopStar Polishers - Prepolish, Flexible

	Shape	Dia. x L (mm)	Item#	Pkg.(10)	Item#	Box(100)
F.	Mtd. Point	5.5 x 15.5	145-1427	\$18.00	145-1426	\$165.00
G.	Mtd. Bullet	5 x 16	145-1429	18.00	145-1428	165.00
Н.	SE Mtd. Whee	el 14.5 x 2	145-1433	18.00	145-1432	165.00
Ī.	KE Mtd. Whee	el 15	145-1431	18.00	145-1430	165.00
J.	Cylinder	6 x 22	145-1423	6.90	145-1422	63.00
K.	Rod	3 x 22	145-1425	7.90	145-1424	69.50
L.	SE Wheel	22 x 3	145-1421	6.90	145-1420	63.00

M, N Pink Platinum Polishers - Prepolish, Moderate Flex

Shape	Dia. x L (mm)	Item#	Pkg.(10)	Item#	Box(100)
M. SE Wheel	22 x 3	145-1487	\$6.90	145-1486	\$63.00
N. KE Wheel	22	145-1485	6.90	145-1484	63.00

O. Gray Titanium Polisher - Medium, Flexible

	Shape	Dia. x L (mm)	Item#	Pkg.(10)	Item#	Box(100)
0.	Bullet	6 x 23	145-3205	\$6.90	145-3204	\$63.00

P-T Blue Titanium Polishers - Fine, Flexible

	Shape	Dia. x L (mm)	Item#	Pkg.(10)	Item#	Box(100)
P.	SE Wheel	22 x 3	145-3219	\$7.90	145-3218	\$63.00
Q.	KE Wheel	22 x 3	145-3217	7.90	145-3216	63.00
R.	Bullet	6 x 23	145-3215	7.90	145-3214	63.00
S.	Cylinder	6 x 22	145-3213	7.90	145-3212	63.00
T.	Rod	3 x 22	145-3211	7.90	145-3210	69.50

U-AA Green TopStar Polishers – High Shine, Flexible

Dia. x L (r	nm) Item#	Pkg.(10)	Item#	Box(100)
nt 5.5 x 15	5.5 145-14 4	17 \$18.00	145-1446	\$165.00
llet 5 x 16	145-144	19 18.00	145-1448	165.00
Wheel 14.5 x	2 145-145	53 18.00	145-1452	165.00
Wheel 15	145-145	18.00	145-1450	165.00
6 x 22	2 145-144	13 6.90	145-1442	63.00
3 x 22	2 145-144	15 7.90	145-1444	69.50
el 22 x 3	3 145-14 4	11 6.90	145-1440	63.00
	nt 5.5 x 15 llet 5 x 16 Wheel 14.5 x Wheel 15 6 x 22 3 x 22	Int 5.5 x 15.5 145-144 Ilet 5 x 16 145-144 Wheel 14.5 x 2 145-145 Wheel 15 145-145 6 x 22 145-144 3 x 22 145-144	Int 5.5 x 15.5 145-1447 \$18.00 Ilet 5 x 16 145-1449 18.00 Wheel 14.5 x 2 145-1453 18.00 Wheel 15 145-1451 18.00 6 x 22 145-1443 6.90 3 x 22 145-1445 7.90	int 5.5 x 15.5 145-1447 \$18.00 145-1446 Ilet 5 x 16 145-1449 18.00 145-1448 Wheel 14.5 x 2 145-1453 18.00 145-1452 Wheel 15 145-1451 18.00 145-1450 6 x 22 145-1443 6.90 145-1442 3 x 22 145-1445 7.90 145-1444

Fast-cutting silicon carbide abrasive is uniformly dispersed throughout a silicone rubber bond for smooth finishing of precious metals. Ideal for intricate surfaces because of their high flexibility. Follow contours exceptionally well. Cut well and leave a smooth finish ready for polishing. Available in 3 grits: Green (220 grit) for cutting, Black (240 grit) for removal of light tool and file marks, and Blue (280 grit) for medium-fast cutting while leaving a smooth finish. All with ½16" arbor hole. Maximum operating speed: 10,000rpm. See pp. 584-585 for mandrels. Made in Germany.



A, B Green Silicone SiC - 220 Grit, Extremely Flexible

Shape	Dia. x Thick	Item#	Pkg.(10)	Item#	Box(100)
A. SE Wheel	⁷ /8" x ¹ /8"	145-1371	\$4.89	145-1370	\$39.15
B. KE Wheel	7/8"	145-1373	4.89	145-1372	39.15


C-E Black Silicone SiC - 240 Grit, Very Flexible

Shape	Dia. x Thick	Item#	Pkg.(10)	Item#	Box(100)
C. KE Wheel	5/8"	145-0972	\$3.87	145-0971	\$31.05
D. SE Wheel	⁷ /8" x ¹ /8"	145-0974	3.87	145-0973	31.00
E. KE Wheel	7/8"	145-0976	3.87	145-0975	31.05

E

F, G Blue Silicone SiC - 280 Grit, Flexible

Shape	Dimensions	Item#	Pkg.(10)	Item#	Box(100)
F. SE Wheel	⁷ /8" x ¹ /8"	145-0980	\$4.95	145-0999	\$40.35
G. KE Wheel	7/8"	145-0982	4.95	145-0998	40.35



Mandrel sold separately

H, I Rubber SiC- 240 Grit


All-purpose, hard rubberized bond, gray in color. Contains 240 grit silicon carbide and can be used for light grinding of parting lines and scratches on both hard and soft metals. Both with $\frac{1}{16}$ " arbor hole. See pp. 584-585 for mandrels. Maximum operating speed: 30,000rpm.


	Туре	Size	Item#	Box(100)
Н.	Wheel	⁷ /8" x ¹ /8"	845-2200	\$17.85
l.	Cylinder	1/4" x 7/8"	845-2400	17.85

J-s Heatless Wheels - SiC in a Resinoid Bond

Especially useful in preparing contrast finishes and texturing—much coarser than a brushed satin finish. Also used for fast grinding and metal removal, these very hard wheels are made of silicon carbide in a resinoid bond. They break down quickly, constantly exposing new grit to produce a uniform, coarse, brushed-look finish with tiny highlights. Easily shaped with a file. ¹/₁₆" metal arbor hole. Maximum operating speed: 25,000rpm. (See mandrels, pp. 460-461)

		EACH	Prices
Dia. x Thick	Item#	10-40	50+
J. ½" x ¾32"	845-0015	\$0.45	\$0.41
K. ³ / ₄ " x ³ / ₃₂ "	845-0009	0.45	0.41
L. ½" x ½"	845-0014	0.45	0.41
M. 5/8" x 1/8"	845-0011	0.45	0.41
N. ⁷ / ₈ " x ¹ / ₈ "	845-0005	0.45	0.41
0. 1" x ½"	845-0002	0.45	0.41
P. ½" x ¾16"	845-0013	0.45	0.41
Q. ³ / ₄ " x ³ / ₁₆ "	845-0007	0.45	0.41
R. ⁷ /8" x ³ /16"	845-0004	0.45	0.41
S. 1" x ³ ⁄ ₁₆ "	845-0001	0.45	0.41





Ten-piece minimum; please order in multiples of ten.

Poly Polishers Silicon Carbide

Superior results on all precious and nonprecious metals. Silicon carbide abrasive in a specially formulated polyurethane rubberized bond for long life—outlasts other types of rubber abrasives. Holds a crisp edge. Available in four color-coded grits (coarse blue, medium gray, fine prepolish brown, and high-shine green) to finish your castings and fabrications from rough to highly polished without getting up from the bench.

All our Polyurethane Polishers are available in a wide variety of shapes and sizes to finish any jewelry item from the largest ring shanks to the tiniest settings uniformly and without a lot of dressing to make them fit! Mounted abrasives are on 3/32" shanks. Unmounted wheels and cylinders have 1/16" holes and can be mounted on mandrels shown on pp. 460-461. Maximum operating speed: 12,000rpm. Made in Germany.



A-H Blue Poly Polishers - Coarse, Slightly Flexible

				J ,		
	Shape	Dia. x L	Item#	Pkg.(10)	Item# I	Pkg.(100)
A.	Mtd. Point	3 x 7mm	145-1401	\$12.50	145-1400	\$94.50
B.	Mtd. Point	4 x 12mm	145-1115	12.50	145-1114	94.50
C.	SE Mtd. Wheel	5∕8" x 3∕32"	145-1409	13.50	145-1408	106.50
D.	KE Mtd. Wheel	5/8"	145-1119	13.50	145-1118	106.50
Ē.	Mtd. Cylinder	10 x 12mm	145-1121	13.50	145-1120	106.50
F.	Mtd. Cylinder	14 x 12mm	145-1123	18.50	145-1122	149.50
G.	Cylinder	7 x 20mm	145-1113	5.50	145-1112	40.50
Н.	SE Wheel	⁷ /8" x ¹ /8"	145-1111	5.50	145-1110	40.50
Ī.	Mtd. Floppy Disc	19" x 0.5mm	145-1383	12.50	145-1382	106.50



J-R Gray Poly Polishers – Medium, Moderately Flexible

Þ		Shape	Dia. x L	Item#	Pkg.(10)	Item#	Pkg.(100)
	J.	Mtd. Point	3 x 7mm	145-1403	\$12.50	145-1402	\$94.50
	K.	Mtd. Point	4 x 12mm	145-1129	12.50	145-1128	94.50
	L.	SE Mtd. Wheel	⁵ /8" x ³ /32"	145-1411	13.50	145-1410	106.50
	M.	KE Mtd. Wheel	5/8"	145-1133	13.50	145-1132	106.50
	N.	Mtd. Cylinder	10 x 12mm	145-1135	13.50	145-1134	106.50
	0.	Mtd. Cylinder	14 x 12mm	145-1137	18.50	145-1136	149.50
	P.	Cylinder	7 x 20mm	145-1127	5.50	145-1126	40.50
	Q.	SE Wheel	⁷ /8" x ¹ /8"	145-1125	5.50	145-1124	40.50
	R.	Mtd. Floppy Disc	19" x 0.5mm	145-1385	12.50	145-1384	106.50




S-X Brown Poly Polishers – Fine, Moderately Flexible

	Shape	Dia. x L	Item#	Pkg.(10)	Item# I	Pkg.(100)
S.	Mtd. Point	3 x 7mm	145-1405	\$12.50	145-1404	\$94.50
T.	Mtd. Point	4 x 12mm	145-1143	12.50	145-1142	94.50
U.	SE Mtd. Wheel	⁵ /8" x ³ / ₃₂ "	145-1413	13.50	145-1412	106.50
V.	KE Mtd. Wheel	5/8"	145-1147	13.50	145-1146	106.50
W.	Mtd. Cylinder	14 x 12mm	145-1151	18.50	145-1150	149.50
Χ.	Mtd. Floppy Disc	19" x 0.5mm	145-1387	12.50	145-1386	106.50



Y-CC Green Poly Polishers – High Shine, Moderately Flexible

	Shape	Dia. x L	Item#	Pkg.(10)	Item# F	Pkg.(100)
Y.	Mtd. Point	3 x 7mm	145-1407	\$12.50	145-1406	\$94.50
Z.	Mtd. Point	4 x 12mm	145-1157	12.50	145-1156	94.50
AA	SE Mtd. Wheel	⁵ /8" x ³ / ₃₂ "	145-1415	13.50	145-1414	106.50
BB	. KE Mtd. Wheel	5/8"	145-1161	13.50	145-1160	106.50
CC	. Mtd. Floppy Disc	19" x 0.5mm	145-1389	12.50	145-1388	106.50



DD. Poly Polisher Point & Wheel Sets

These 24-piece sets contain three of each shape of mounted polishing points and wheels on $\frac{3}{2}$ " shanks.

Description	Item#	Each
Brown and Green Poly Polisher Set	145-1100	\$34.50
Blue and Gray Poly Polisher Set	145-1099	29.95

SX Mounted Polishers 3/32" Shank

Features large foam cell size constructed of resilient PVA (polyvinyl acetate) foam, for cool operation and long life. Firm enough to lap flat surfaces yet flexible enough to allow polishing of curved surfaces without gouging. Ideal for hard and soft metals such as platinum, palladium, stainless steel, gold, aluminum and brass. Gray polishers contain silicon carbide while the white polishers have aluminum oxide abrasive. Measure 15mm (5/8") dia. x 25mm (1") long with 3/32" shank. Max. operating speed: 15,000rpm. Made in Japan.

					EACH	Prices
	Description	Dimensions (mm)	Grit	Item#	1-11	12+
A.	Gray Polisher - SiC	15 x 25	220	145-3280	\$3.25	\$2.93
		15 x 25	320	145-3281	3.25	2.93
		15 x 25	400	145-3282	3.50	3.15
		15 x 25	500	145-3286	3.85	3.47
		15 x 25	600	145-3283	3.85	3.47
		15 x 25	800	145-3284	4.10	3.69
		15 x 25	1000	145-3285	4.10	3.69
B.	White Polisher - Ald	O 15 x 25	1500	145-3288	4.90	4.41
8-	Piece Set (one each	of above)		145-3279	27.00	-




PT Platinum/Titanium Polishers

These polishers work especially well on titanium and platinum. Even abrasive distribution allows them to produce smooth, uniform surface finishes. Moderately hard silicone rubber impregnated with aluminum oxide conforms slightly to surfaces. All shapes hold their edges due to slow breakdown rate. Applications include removing tool marks, smoothing parting lines and removing casting scale. Choose from a variety of unmounted and mounted 3/32" shank shapes. Available in two color-coded grits: medium (gray) and fine (lilac). See pp. 584-585 for mandrels. Maximum operating speed: 10,000rpm. Made in Germany.




C-G Gray PT Polishers – Medium for breakdown

	Shape	Dimensions	Item#	Pkg.(10)	Item#	Box(100)
C.	Mtd. Point	³ /16" x ⁵ /8"	145-1347	\$15.80	145-1346	\$135.00
D.	KE Mtd. Wheel	5/8"	145-1353	15.80	145-1352	135.00
E.	SE Wheel	⁷ /8" x ¹ /8"	145-1341	6.50	145-1340	55.00
F.	KE Wheel	7/8"	145-1343	6.50	145-1342	55.00
	Shape	Dimensions	Item#	Pkg.(25)	Item#	Box(100)
G.	Rod	3mm x 1"	145-1345	\$15.65	145-1344	\$55.00



H, I Lilac PT Polisher - Fine for prepolish

	Shape	Dimensions	Item#	Pkg.(10)	Item#	Box(100)
Н.	KE Wheel	7/8"	145-1359	\$6.50	145-1358	\$55.00
	Shape	Dimensions	Item#	Pkg.(25)	Item#	Box(100)



J. Diamond-Coated Dressing Block

Solid steel block with diamond coating for fast dressing and shaping of any of our rubberized abrasives. One side is grooved for shaping rods, points and knife-edged wheels. The other side is flat for dressing square-edged wheels. Measures $3\frac{1}{2}$ " overall length (including handle).

Description	Item#	Each
Diamond-Coated Dressing Block	145-1316	\$48.00



K, L Rod Mandrels - 3/32" Shank


Precision-machined mandrels for smooth-as-silk opening and closing. Holds 3mm rods securely with a twist-tightening grip. Nickel-plated tool steel.

		EACH	l Prices
Description	Item#	1-2	3+
K. Edenta TopStar Mandrel for 3mm rod	145-1419	\$9.95	\$8.96
L. Polishing Mandrel for 3mm rod	145-1218	4.10	3.69



Gesswein Elite Silicon Carbide


These popular wheels and cylinders contain silicon carbide grit for the most efficient cutting of nonferrous metals. Feature a more flexible silicone rubber bond that allows them to cut aggressively yet leave a smooth enough finish to go right to final polishing. Have $\frac{1}{16}$ arbor holes see pp. 584-585 for wheel mandrels, and see below for cylinder mandrels.



A-E Gray Elite Silicone – 180 Grit, Very Flexible

Use Gray Silicone to remove deep scratches and burs quickly, max. operating speed: 10,000rpm.


	Shape	Item#	Pkg.(10)	Item#	Box(100)
A.	SE 5/8" x 1/8"	145-0016	\$4.90	145-0017	\$39.95
B.	KE ⁵ /8"	145-0018	4.90	145-0019	39.95
C.	SE ⁷ /8" x ¹ /8"	145-0020	4.90	145-0021	39.95
D.	KE ⁷ /8"	145-0022	4.90	145-0023	39.95
E.	Cyl. ½" x 1"	145-0141	17.25	_	



F-J Green Elite Silicone – 220 Grit, Very Flexible

Use Green Silicone for removing light scratches, max. operating speed: 10.000rpm.

Sh	ape	Item#	Pkg.(10)	Item#	Box(100)
F. SE	5/8" x 1/8"	145-0108	\$4.90	145-0109	\$39.95
G. KE	5/8"	145-0010	4.90	145-0011	39.95
H. SE	⁷ /8" x ¹ /8"	145-0012	4.90	145-0013	39.95
I. KE	7/8"	145-0014	4.90	145-0015	39.95
J. Cv	l. ½" x 1"	145-0142	17.25	_	



K-O Pink Elite Silicone – 1000 Grit, Very Flexible

Use Pink Silicone to produce a high shine, max. operating speed: 10,000rpm.


Shape	Item#	Pkg.(10)	Item#	Box(100)
K. SE 5/8" x 1/8"	145-0988	\$5.75	145-0989	\$46.95
L. KE ⁵ / ₈ "	145-0990	5.75	145-0991	46.95
M. SE ⁷ /8" x ¹ /8"	145-0984	5.75	145-0985	46.95
N. KE ⁷ /8"	145-0986	5.75	145-0987	46.95
0. Cvl. ½" x 1"	145-0143	20 50	_	



P. Elite Inside Ring Cylinder Set

Includes one each of all three Elite $^{1}\!\!/_{2}$ " x 1" Cylinders listed above and Mandrel #145-0146. Mandrel also sold separately.

Description	Item#	Each
P. Cylinder Set	145-0150	\$7.85
1/8" Shank Mandrel	145-0146	3.50



Q-S AirFlex Silicone Wheels – Silicone Carbide

Tiny pockets of air are uniformly interspersed throughout our AirFlex wheels, so they grind and polish quickly without overheating the workpiece. AirFlex Blue (coarse) quickly removes rough surfaces, burs and tool marks. AirFlex Gray (medium) removes medium-grit file marks and leaves a matte finish. AirFlex Brown (fine) removes light scratches and leaves a bright surface. AirFlex wheels work equally well on all precious alloys, including stainless steel and titanium. Flexible AirFlex follows contours and leaves a smooth, uniform finish. Made of silicon carbide abrasive in a silicone rubber bond. The $\frac{7}{8}$ " square edge wheels are $\frac{1}{8}$ " thick with $\frac{1}{16}$ " arbor hole. See pp. 584-585 for mandrels. Max. operating speed: 10,000rpm.

		Pkg. of 10 Bo			Box o	of 100
AirFlex	Dia. x Thick	Grit	Item#	Each	Item#	Each
Q. Blue (coarse)	⁷ /8" x ¹ /8"	80	145-1106	\$5.40	145-1107	\$48.00
R. Gray (medium)	⁷ /8" x ¹/8"	240	145-1108	5.40	145-1109	48.00
S. Brown (fine)	⁷ /8" x ¹ /8"	800	145-1104	5.40	145-1105	48.00

A-I Polyurethane Polishing Rods - SiC

Very popular, long lasting rods are designed for cleaning and polishing castings and metal parts. All are silicone carbide in a polyurethane carrier and can be shaped using our Dressing Stone #145-1240 shown below. Available in three sizes and various grits for all applications.

Each 83-piece set includes both 2 and 3mm sizes, two mandrels (3/32" shank) and a dressing stone to sharpen rods to a fine point. Packaged in a convenient reusable plastic storage box with cover. Choose between Brown and Green or Blue and Gray sets. Maximum operating speed: 21,000rpm. Made in Germany.

	Color	Grit	Dia. x L	Item#	Pkg.(25)	Item#	Box(100)
A.	Dk. Brown	Extra-coarse	2 x 20mm	145-1270	\$10.50	145-1241	\$36.60
		Extra-coarse	3 x 23mm	145-1271	10.50	145-1242	36.60
		Extra-coarse	4 x 25mm	145-1272	12.95	145-1243	45.40
B.	Blue	Coarse	2 x 20mm	145-1273	10.50	145-1244	36.60
		Coarse	3 x 23mm	145-1274	10.50	145-1245	36.60
		Coarse	4 x 25mm	145-1275	12.95	145-1246	45.40
C.	Dk. Gray	Medium	2 x 20mm	145-1276	10.50	145-1247	36.60
		Medium	3 x 23mm	145-1277	10.50	145-1248	36.60
		Medium	4 x 25mm	145-1278	12.95	145-1249	45.40
D.	Gray	Medium	3mm x 1"	145-1345	15.65	145-1344	55.00
E.	Lilac	Fine	3mm x 1"	145-1361	15.65	145-1360	55.00
F.	Brown	Fine	2 x 20mm	145-1279	10.50	145-1250	36.60
		Fine	3 x 23mm	145-1280	10.50	145-1251	36.60
G.	Green	Extra Fine	2 x 20mm	145-1282	10.50	145-1253	36.60
		Extra Fine	3 x 23mm	145-1283	10.50	145-1254	36.60
	Description					Item#	Each
Н.		t (20 of each 2 and two mandrels and		145-1201	\$31.25		
l.	83-Piece Se	t (20 of each 2 and ds, two mandrels a		145-1202	31.25		



Shown actual size

J, K Edenta TopStar Rod Mandrels - 3/32" Shank

Precision-machined for smooth-as-silk opening and closing. 2mm or 3mm rods. Swiss made.

			EACH	l Prices
	Description	Item#	1-2	3+
J.	Mandrel for 2mm rod	145-1418	\$9.95	\$8.96
K.	Mandrel for 3mm rod	145-1419	9.95	8.96



L, M Polishing Rod Mandrels - 3/32" Shank

For use with rods. Holds securely with a twist-tightening grip. Nickel-plated tool steel. Made in Germany.

		EACH Prices		
Description	Item#	1-2	3+	
L. Mandrel for 2mm rod	145-1217	\$3.85	\$3.47	
M. Mandrel for 3mm rod	145-1218	4.10	3.69	
Mandrel for 4mm rod	145-1219	4.10	3.69	



N. Diamond Impregnated Dressing Stone


Has a concave center hole for forming a point on polishing rods. Measures ³/₄" dia. x ¹/₈" thick.

Description	J	Ċ		Ü	Item#	Each
Dressing Stone					145-1240	\$5.40



Durable, long-lasting ceramic in an epoxy resin. Ideal for smoothing and polishing inside holes and hard-to-reach areas. Easily shaped to a fine point. Can be mounted directly into any flex shaft handpiece. For gold, silver, platinum, steel, titanium, brass, etc. Max. operating speed: 60,000rpm. Imported from Japan.

Each	Item#	Dia. x L	Color	Grit	
\$22.50	145-0200	³ /32" x 2"	Brown	0. 600	0.
22.50	145-0205	³ / ₃₂ " x 2"	Green	P. 1000	P.




Shown actual size

All prices subject to change without notice.

Cera Wheels & Points Ceramic abrasive and synthetic rubber for a mirror-like shine

This revolutionary abrasive consists of ceramic particles mixed in a long-lasting synthetic rubber carrier. Its fast breakdown rate ensures ceramic particles are always exposed to the polishing surface. Resists clogging for high efficiency. Blends well and removes stoning scratches with ease, leaving a smooth finish with minimal wear. Cuts safely and smoothly. Great for cleaning, deburring, precision grinding, polishing and super finishing of molds, dies, small electrical components, sensitive equipment and more. Use dry or wet on steels, alloys and stainless steel. Work with light pressures. Choose from points, wheels and sticks. Refer to chart at right for grit designations. Made in Japan.

Color	Designation	Approx. Grit
Gray	Extra-Coarse	46
Red	Coarse	80
Blue	Medium	120
Green/Yellow	Fine	220
Purple	Extra-Fine	320
Orange	Ultra-Fine	500



A-D Cera Points - 3/32" Shank


Points mounted on $\frac{3}{32}$ " stainless steel shanks. Max. operating speed: 24,000rpm on the 10mm diameter sizes; 30,000rpm on the smaller sizes.

Dimensions (mm)	Red 80 Item#	Blue 120 Item#	Green 220 Item#	Purple 320 Item#	Orange 500 Item#	EACH 1-9	Prices 10+*
A. 10 x 22	351-0624	351-0625	351-0626	351-0627	351-0628	\$7.04	\$6.34
B. 5 x 15**	351-0600	351-0601	351-0603	351-0604	351-0605	5.89	5.30
C. 8 x 20**	351-0606	351-0607	351-0609	351-0610	351-0611	5.89	5.30
D. 10 x 20**	351-0612	351-0613	351-0615	351-0616	351-0617	5.89	5.30

^{*}Quantity discount for orders of one item number only; not assorted. **3mm shanks also available.

Wondering which grit of CERA will work for your application? Try our money-saving set of the most popular 5 x 15 shape. One of each grit (Red 80, Blue 120, Green 220, Purple 320 and Orange 500).

Description	Item#	Each
Cera Point Starter Set	351-0629	\$24.95



E-G Cera Wheels

Unmounted wheels with $\frac{1}{16}$ " arbor holes. Max. operating speed: 18,000rpm. See pp. 584-585 for mandrels.

Dimensions (mm)	Red 80 Item#	Blue 120 Item#	Green 220 Item#	Orange 500 Item#	PKG. of 10 1-4 5+*
E. 18 x 3	352-0101	352-0102	352-0103	352-0104	\$27.39 \$24.65
F. 18 x 2	_	352-0108	352-0109	352-0111	27.39 24.65
G. 18 x 1	_	352-0114	352-0115	352-0117	27.39 24.65

^{*}Quantity discount for orders of one item number only; not assorted.



H. Cera Sticks

Each stick consists of a block of Cera abrasive mounted on a plastic holder. Material and holder are both flexible, so they conform well to irregular surfaces and hard-to-reach areas. Three slots on back of holder serve as convenient hacksaw guides for removing tip of Cera material once worn. Blocks measure $2^3/4$ "L x $^3/8$ "W x $^1/4$ "T. Sticks measure 7" overall length. Available individually or in a set of all five grits.

			EAC	H Prices
	Color	Appox. Grit	Item# 1-4	5+
	Gray	46	352-0150 \$15.73	\$14.16
	Red	80	352-0151 15.73	14.16
	Blue	120	352-0152 15.73	14.16
	Yellow	220	352-0153 15.73	14.16
	Purple	320	352-0154 15.73	14.16
	Description		Item#	Each
Н.	5-Piece Set		352-0155	\$64.68



I. Diamond Dressing Block

Solid steel block with diamond coating for fast dressing and shaping of any of our rubberized abrasives. One side is grooved for shaping rods, points and knife edge wheels. Other side is flat for dressing square edge wheels. Measures $3\frac{1}{2}$ " overall length.

Description	Item#	Each
Diamond Dressing Block	145-1316	\$48.00

Brightboy® Aluminum Oxide

Brightboy is made of aluminum oxide with a resilient rubber bond, making it long-lasting. Its uniform cutting action makes it ideal for deburring and scratch removal on nonferrous metals. Also for light grinding of carbon steel. Permits cushioned action on flat and contoured surfaces. The texture and cutting action are always uniform. Brightboy is approximately 70 grit and requires no additives such as cutting compounds. Not for use on tapered spindles. See pp. 584-585 for mandrels, p. 400 for arbors.

EACH Drices

A. Brightboy® Wheels

				LAGI	1 111002
Dia. x Thick x AH	Max. RPM	Style	Item#	1-9	10+
1 ¹ / ₂ " x ³ / ₁₆ " x ¹ / ₄ "	10,125	5	275-0050	\$9.45	\$6.62
2" x ¹ / ₄ " x ¹ / ₄ "	7,625	17	275-0170	14.98	10.49
4" x ¹ / ₄ " x ¹ / ₂ "	3,800	38	275-0380	23.87	16.71

B Brightboy® Discs

	Dia. x Thick x AH	Max. RPM	Shape	Item#	Pkg. of 10
В.	⁵ /8" x ¹ /16" x ¹ /16"	25,000	KE	277-0031	\$31.00

C. Brightboy® Stick and Holder

Excellent for touch-ups and removal of light scratches. Used for cleaning otherwise unreachable deep cavities. Made of flexible rubber. Reusable clear plastic holder has screw-on collet that gives support and gripping power. Stick can be exposed or withdrawn as desired and is easily dressed to the best shape for the job. Also removes rust, heat marks and stains from soft and hard metals. Sticks measure 6"L x $\frac{5}{16}$ " diameter.

Description	Item#	Each
C. Brightboy Stick and Holder	277-0065	\$18.75
Brightboy Coarse Refill 5/16" dia.	277-0063	15.62

D. Brightboy® Tablet

Used for removing scratches or rust and for general surface cleaning and finishing.

Description	Dimensions	Item#	Each
Tablet	2 ¹ / ₄ "L x 1 ¹ / ₈ "W x ³ / ₈ "H	277-0066	\$11.45

E. Gem Shine Polishing Wheels – Polishing just got easier!


The Gem Shine Polishing Wheels are unique polishing wheels designed for removing light surface scratches from soft stones such as onyx, cabochons and opals. Impregnated with a polishing paste to provide scratch removal and a final polish. Simply apply a little pressure to these wheels to allow the paste to flow out onto the stone and then return to a light polishing application with the same wheel. The results are amazing! Comes supplied in a box with (5) Gem Shine Polishing Wheels and a reinforced $\frac{3}{2}$ mandrel.

Description	Item#	Set
Gem Shine Polishing Wheels	845-1105	\$22.95

F-H Elasto Wheels and Cylinders - 1/8" Shanks

Aluminum Oxide is combined with rubber to produce smooth running cushioned abrasive wheels and cylinders. They cut and polish very quickly, are load resistant and can easily be dressed. Use for polishing mold runners, deburring and descaling metal parts. Made in Germany.

				EACH	Prices
80 Grit	180 Grit	240 Grit	400 Grit	1-11	12+*
845-1110	845-1111	845-1112	845-1113	\$3.40	\$2.89
845-1120	845-1121	845-1122	845-1123	4.25	3.61
845-1130	845-1131	845-1132	845-1133	4.70	4.00
	845-1110 845-1120	845-1110 845-1111 845-1120 845-1121	845-1110 845-1111 845-1112 845-1120 845-1121 845-1122	845-1110 845-1111 845-1112 845-1113 845-1120 845-1121 845-1122 845-1123	80 Grit 180 Grit 240 Grit 400 Grit 1-11 845-1110 845-1111 845-1112 845-1113 \$3.40 845-1120 845-1121 845-1122 845-1123 4.25



Abrasive Wheel Operating Recommendations: Certain precautions should be observed when running any abrasive wheel. Be sure to wear proper eye protection, and never exceed the recommended operating speed stamped on the box or wheel. An improperly used wheel is dangerous. Be sure to comply with American National Standards Institute Safety Code B-7.1 and Occupational Safety and Health Act covering speed, safety guards, flanges, mounting procedures, general operating rules, handling, storage, inspection and general machine conditions.

Cratex® Small Wheels Tough, resilient, rubberized Silicon Carbide abrasive

Utilizes silicon carbide as the abrasive grain in a standard bond of premium grade, oil-resistant chemical rubber. Its unique cushioned action allows the abrasive grains to cut freely, smoothly and softly without gouging or digging into the work surface.

Some typical applications:

- · Cleaning and polishing to remove surface deposits.
- Polishing and smoothing to improve performance, appearance and cleanliness.
- Ideal for work on jewelry, plastic parts, small castings and models.

Color	Approx. Grit
Dark Green	Coarse 40
Brown	Medium 90
Red	Fine 120
Light Green	Extra-Fine 240

₫		, ,,,,,			
ABRA	V/////////////////////////////////////				
Z					
		4-0111	A Coarse		
		0			
			B Mediu	m	
	•	0			
			C Fine		
			D Extra-	Fine	

A-D Cratex® Small Wheels - Square and Knife Edge

All have $\frac{1}{16}$ arbor hole. Maximum operating speed: 25,000rpm. See facing page for Cratex mandrels.

	Grit	Shape	Dia. x Thick.	Style	Item#	Box(100)
A.	Coarse, 40	SE	5/8" x ³ /32"	53C	149-0053	\$52.50
		SE	⁵ /8" x ¹ /8"	54C	149-0054	63.20
		SE	⁵ /8" x ¹ /4"	59C	149-0059	78.40
		SE	⁷ /8" x ¹ /8"	74C	149-0074	66.70
		SE	1" x ¹ /8"	80C	149-0080	85.95
		SE	1" x ¹ /4"	88C	149-0088	131.95
		KE	5/8" x ³ /32"	2C	149-0002	52.90
		KE	1" x ¹ /8"	5C	149-0005	83.20
В.	Medium, 90	SE	5/8" x ³ /32"	53M	148-0053	52.50
		SE	5/8" x 1/8"	54M	148-0054	63.20
		SE	5/8" x 1/4"	59M	148-0059	78.40
		SE	⁷ /8" x ¹ /8"	74M	148-0074	66.70
		SE	1" x ¹ /8"	80M	148-0080	85.95
		SE	1" x ¹ /4"	88M	148-0088	85.95
		KE	⁵ /8" x ³ /32"	2M	148-0002	52.40
		KE	1" x ¹ /8"	5M	148-0005	83.20
C.	Fine, 120	SE	⁵ /8" x ³ /32"	53F	147-0053	40.00
		SE	⁵ /8" x ¹ /8"	54F	147-0054	63.20
		SE	⁵ /8" x ¹ /4"	59F	147-0059	78.40
		SE	⁷ /8" x ¹ /8"	74F	147-0074	66.70
		SE	1" x ¹ /8"	80F	147-0080	85.95
		SE	1" x ¹ /4"	88F	147-0088	131.95
		KE	⁵ /8" x ³ /32"	2F	147-0002	47.80
		KE	1" x ¹ /8"	5F	147-0005	83.20
D.	Extra-Fine, 240	SE	⁵ /8" x ³ /32"	53XF	146-0053	52.50
		SE	⁵ /8" x ¹ /8"	54XF	146-0054	63.20
		SE	5/8" x 1/4"	59XF	146-0059	78.40
		SE	⁷ /8" x ¹ /8"	74XF	146-0074	66.70
		SE	1" x ¹ /8"	80XF	146-0080	85.95
		SE	1" x ¹ /4"	88XF	146-0088	131.95
		KE	5/8" x ³ /32"	2XF	146-0002	47.80
_		KE	1" x ¹ /8"	5XF	146-0005	83.20

E. Cratex® Set #777

Contains 80 small wheels and points in popular sizes including coarse, medium, fine and extra-fine grits. Four mandrels with ½" shanks are in the set. Packaged in a clear divided box for easy selection.

Cratex Set #777	Consel Yeshri, Deer Goot - Signer (ed. 9) Medium Yeshri, Sovie - Diges Top - Lipes Top - Consel Lipe Tomas - Lipes Top - Lipes
	Country (WE) TYL Country (WE)
	A property of the control of the con
	Figure 1 to 1 from the formation of the first plants of the first

146-7770)	\$88	.65
		4	

Each

Item#

Cratex® **Large Wheels** Silicon Carbide Feature the same tough, resilient, rubberized silicon carbide abrasive in a stan-

dard bond of oil-resistant chemical rubber as the small wheels. Unique cushioned action allows the abrasive grains to cut freely, smoothly and softly without gouging or digging into the work surface.

These square-edge wheels have either 1/4" or 1/2" arbor holes. See chart for maximum operating speeds. Frequently, speeds between 30% and 80% slower than the maximum will yield optimal results

Diameter	Max. Operating Speed
2" with 1/4" arbor hole	10,500rpm
2½" with ½" arbor hole	8,300rpm
3" with 1/4" arbor hole	7,000rpm
4" with 1/2" arbor hole	5,250rpm
5" with ½" arbor hole	4,200rpm
6" with ½" arbor hole	3,500rpm


A-D Cratex® Large Wheels - Square Edge

A-	U Gratex [®] L	.arge wne	eeis – Square Ed	ige		
	Grit	Shape	Dia. x Thick x AH	Style	Item#	Each
A.	Coarse, 40	SE Wheel	2" x ¹ / ₄ " x ¹ / ₄ "	204C	149-0204	\$9.10
		SE Wheel	3" x ½" x ½"	302C	149-0302	13.00
		SE Wheel	3" x ½" x ½"	308C	149-0308	24.20
		SE Wheel	4" x ¹ / ₄ " x ¹ / ₂ "	404C	149-0404	22.85
		SE Wheel	4" x ½" x ½"	408C	149-0408	32.35
		SE Wheel	6" x ¹ / ₄ " x ¹ / ₂ "	604C	149-0604	49.15
		SE Wheel	6" x ½" x ½"	608C	149-0608	63.35
B.	Medium, 90	SE Wheel	2" x ¹ / ₄ " x ¹ / ₄ "	204M	148-0204	9.10
		SE Wheel	3" x ½" x ½"	302M	148-0302	13.00
		SE Wheel	3" x ½" x ¼"	308M	148-0308	24.20
		SE Wheel	4" x ¹ / ₄ " x ¹ / ₂ "	404M	148-0404	22.85
		SE Wheel	4" x ¹ /2" x ¹ /2"	408M	148-0408	32.35
		SE Wheel	6" x ¹ / ₄ " x ¹ / ₂ "	604M	148-0604	49.15
		SE Wheel	6" x ¹ / ₂ " x ¹ / ₂ "	608M	148-0608	63.35
		SE Wheel	6" x ³ / ₄ " x ¹ / ₂ "	612M	148-0612	85.40
C.	Fine, 120	SE Wheel	2" x ¹ / ₄ " x ¹ / ₄ "	204F	147-0204	9.10
		SE Wheel	3" x ½" x ½"	302F	147-0302	13.00
		SE Wheel	3" x ½" x ¼"	308F	147-0308	24.20
		SE Wheel	4" x ¹ / ₄ " x ¹ / ₂ "	404F	147-0404	22.85
		SE Wheel	4" x ½" x ½"	408F	147-0408	32.35
		SE Wheel	6" x ¹ / ₄ " x ¹ / ₂ "	604F	147-0604	49.15
		SE Wheel	6" x ½" x ½"	608F	147-0608	63.35
		SE Wheel	6" x ³ / ₄ " x ¹ / ₂ "	612F	147-0612	85.40
D.	Extra Fine, 240	SE Wheel	2" x ¹ / ₄ " x ¹ / ₄ "	204XF	146-0204	9.10
		SE Wheel	3" x ½" x ½"	302XF	146-0302	13.00
		SE Wheel	3" x ½" x ½"	308XF	146-0308	24.20
		SE Wheel	4" x ¹ / ₄ " x ¹ / ₂ "	404XF	146-0404	22.85
		SE Wheel	4" x ³ /8" x ¹ /2"	406XF	146-0406	30.05
		SE Wheel	4" x ½" x ½"	408XF	146-0408	28.65
		SE Wheel	6" x ¹ / ₄ " x ¹ / ₂ "	604XF	146-0604	49.10
		SE Wheel	6" x ¹ / ₂ " x ¹ / ₂ "	608XF	146-0608	63.35
_						



Web Site Orders 24/7: gesswein.com

	Grit	Shape	Dia. x Thick.	Style	Item#	Each
E.	Coarse, 40	Round	1/4" x 6"	046C	149-0046	\$6.75
		Round	3/8" x 6"	066C	149-0066	7.75
		Round	½" x 6"	086C	149-0090	10.80
		Square	½" x 6"	6404C	149-6404	13.00
F.	Medium, 90	Round	1/4" x 6"	046M	148-0046	6.75
		Round	3/8" x 6"	066M	148-0066	7.75
		Round	½" x 6"	086M	148-0090	10.80
		Square	½" x 6"	6404M	148-6404	13.00
G.	Fine, 120	Round	1/4" x 6"	046F	147-0046	6.75
		Round	3/8" x 6"	066F	147-0066	7.75
		Round	½" x 6"	086F	147-0090	10.80
		Square	½" x 6"	6404F	147-6404	13.00
H.	Extra Fine, 240	Round	1/4" x 6"	046XF	146-0046	6.80
		Round	3/8" x 6"	066XF	146-0066	7.75
		Round	½" x 6"	086XF	146-0090	10.80
		Square	1/2" x 6"	6404XF	146-6404	13.00



Cratex® Bullets, Cylinders & Points Silicon Carbide

Utilizes silicon carbide as the abrasive grain in a standard bond of premium grade, oil-resistant chemical rubber. Its unique cushioned action allows the abrasive grains to cut freely, smoothly and softly without gouging or digging into the work surface.

Some typical applications:

- · Cleaning and polishing to remove surface deposits.
- Polishing and smoothing to improve performance, appearance and cleanliness.
- Ideal for work on jewelry, plastic parts, small castings and models.

Color	Approx. Grit
Dark Green	Coarse 40
Brown	Medium 90
Red	Fine 120
Light Green	Extra-Fine 240







A-D Cratex® Bullets

All have $\frac{1}{4}$ " arbor hole and threaded insert. See below for Cratex mandrels. Maximum operating speed: 20,000rpm.

	Grit	Shape	Dia. x Length	Style	Item#	Each
A.	Coarse, 40	Bullet	⁷ /8" x 1 ³ /4"	4707C	149-4707	\$17.00
В.	Medium, 90	Bullet	⁷ /8" x 1 ³ /4"	4707M	148-4707	17.00
C.	Fine, 120	Bullet	⁷ /8" x 1 ³ /4"	4707F	147-4707	17.00
D.	Extra Fine, 240	Bullet	⁷ /8" x 1 ³ /4"	4707XF	146-4707	17.00

E-H Cratex® Cylinders and Points

All have $\frac{1}{16}$ " arbor hole. See below for Cratex mandrels. Maximum operating speed: 25,000rpm.

	Grit	Shape	Dia. x Length	Style	Item#	Box(100)
E.	Coarse, 40	Cylinder	1/4" x 1/2"	4C	149-0004	\$58.95
		Cylinder	1/4" x ⁷ /8"	6C	149-0006	69.00
		Point	⁹ / ₃₂ " x 1"	8C	149-0008	69.00
		Point	3/8" x 5/8"	10C	149-0010	73.15
F.	Medium, 90	Cylinder	1/4" x 1/2"	4M	148-0004	58.95
		Cylinder	1/4" x ⁷ /8"	6M	148-0006	69.00
		Point	⁹ / ₃₂ " x 1"	8M	148-0008	69.00
		Point	3/8" x 5/8"	10M	148-0010	73.15
G.	Fine, 120	Cylinder	1/4" x 1/2"	4F	147-0004	58.95
		Cylinder	1/4" x ⁷ /8"	6F	147-0006	69.00
		Point	⁹ / ₃₂ " x 1"	8F	147-0008	69.00
		Point	3/8" x 5/8"	10F	147-0010	73.15
Н.	Extra Fine,240	Cylinder	1/4" x 1/2"	4XF	146-0004	58.95
		Cylinder	1/4" x ⁷ /8"	6XF	146-0006	65.85
		Point	⁹ / ₃₂ " x 1"	8XF	146-0008	69.00
		Point	³ /8" x ⁵ /8"	10XF	146-0010	73.15

I. Cratex® Set #778

Contains 64 points in 4 different grits plus 4 mandrels with $\frac{1}{8}$ " shanks. Packaged in a clear divided box for easy selection.

Description	Item# Each
Cratex Set #778	146-7780 \$105.45

J-Q Cratex® Mandrels

Fit Cratex small wheels, cylinders points and bullets. Use light working pressure.

			For		EACH	Prices
	Style	Shank	Hole	Item#	1-11	12+
J.	#2	3/32"	¹ /16"	840-3183	\$4.85	\$4.04
K.	#3	1/8"	¹ /16"	840-3186	6.10	5.08
L.	#5	1/8"	1/8"	840-3187	7.05	5.87
M.	#1	3/32"	3/32"	840-3182	3.40	2.83
N.	#4	1/8"	3/32"	840-3185	4.60	3.83
0.	#6	1/8"	1/8"	840-3085	5.30	4.42
P.	1341	1/4"	1/4"	840-3180	7.90	6.58
Q.	1342	1/4"	1/4"	840-3184	12.35	10.29

GRX consists of aluminum oxide dispersed in a unique elastic bond. Cuts a bit slower than silicon carbide yet imparts a very smooth surface finish—each grit yields a much higher finish than expected. Grinds platinum, gold, silver, steel and aluminum without clogging. Prevents metal surfaces from becoming scorched during processing. Very long-lasting. Made in Japan.

A-C GRX Wheels

For grinding sprues or burs and removing surface roughness. Use on a polishing motor with arbor. Not for use on tapered spindles.

				EACH	l Prices
Dia. x Thick x AH	Grit	Max. RPM	Item#	1-9	10+
A. 2" x ¹ / ₄ " x ¹ / ₄ "	80	9,600	277-0180	\$4.25	\$3.61
	120	9,600	277-0185	4.25	3.61
B. 3" x ½" x ½"	46	6,300	277-0190	6.00	5.10
	80	6,300	277-0195	6.00	5.10
C. 4" x ½" x ½"	80	4,800	277-0100	34.95	29.71
	150	4,800	277-0105	34.95	29.71



D. GRX Disc

See pp. 584-585 for mandrels.

				EACH	Prices
Dia. x Thick x AH	Grit	Max. RPM	Item#	1-9	10+
1" x ¹ / ₁₆ " x ¹ / ₁₆ "	150	12,000	277-0125	\$1.95	\$1.66



					EACH	l Prices
Dia. x L	Shank	Grit	Max. RPM	Item#	1-9	10+
1/2" x 1"	3/32"	150	8 000	277-0116	\$3.95	\$3.36




F-H GRX Rods

				EACH	Prices
	Dimensions	Grit	Item#	1-9	10+
F.	6"L x ¹ / ₄ " dia.	80	277-0130	\$2.80	\$2.38
G.	6"L x 3/8" dia.	80	277-0140	4.75	4.04
		120	277-0145	4.75	4.04
Н.	6"L x ½" dia.	80	277-0150	5.50	4.68
		120	277-0155	5.50	4.68

I. GRX Sticks

			EACH	l Prices
Dimensions	Grit	Item#	1-9	10+
6"L x 1/2" square	80	277-0160	\$5.65	\$4.80
	120	277-0165	8.95	7.61





A-D Dedeco® Silicone Ring Buffs - Silicon Carbide

These silicone ring buffs are soft and flexible for use on precious metal alloys. Fits on a tapered spindle. Center hole is reinforced with a plastic tube.

White/Coarse: For removing deep scratches

Black/Medium: For smoothing and removing light scratches

Blue/Fine: For high-luster polishing

Pink/Extra-Fine: For super high-luster polishing and final finish

	Color	Size	Grit	For Ring Size	Item#	Each
A.	White	3" x 5/8"-3/8"	120 (C)	Small	145-0160	\$26.50
-	White	3" x 3/4"-5/8"	120 (C)	Medium	145-0161	30.50
B.	Black	3" x 3/4"-5/8"	180 (M)	Medium	145-0164	30.45
-	Black	4" x ¹⁵ / ₁₆ "-5/ ₈ "	180 (M)	Large	145-0165	34.25
C.	Blue	3" x 5/8"-3/8"	220 (F)	Small	145-0166	26.45
-	Blue	3" x 3/4"-5/8"	220 (F)	Medium	145-0167	30.45
-	Blue	4" x ¹⁵ / ₁₆ "-5/ ₈ "	220 (F)	Large	145-0168	34.25
D.	Pink	3" x 5/8"-3/8"	400 (XF)	Small	145-0169	26.45
	Pink	3" x 3/4"-5/8"	400 (XF)	Medium	145-0170	30.45
						-



E-J MAX Inside Ring Polishers – Perfect for polishing insides of rings!

Created due to popular demand, these polishers excel at polishing finger holes of rings. Made of MX material, which features foam cell construction for good flexibility, cool operation and long life. Choose from straight and tapered styles in five grits; RA240 grit is a specially formulated 240 grit that removes metal much more quickly than standard 240 grit. Mount directly to the Mini Max Combo 854-0120 (see p. 387) or screw into unique steel adapters (sold separately) and mount on the right hand side of your $\frac{5}{8}$ " or $\frac{1}{2}$ " shaft polishing motor. Measure $\frac{31}{8}$ " long. Max. operating speed: 3,600rpm.




	Description	Dia.	Ring Sizes	Grit	Item#	Each
	Straight Polisher	14mm	4–6	RA240	845-3020	\$5.25
E.				240	845-3021	5.25
				600	845-3022	5.25
				1500	845-3023	5.25
				3000	845-3024	5.25
		17mm	7–10	RA240	845-3025	5.25
F.				240	845-3026	5.25
				600	845-3027	5.25
				1500	845-3028	5.25
				3000	845-3029	5.25
		20mm	11+	RA240	845-3030	5.25
G.				240	845-3031	5.25
				600	845-3032	5.25
				1500	845-3033	5.25
				3000	845-3034	5.25
	Tapered Polisher	19-14mm	4–9	RA240	845-3035	5.25
H.				240	845-3036	5.25
				600	845-3037	5.25
				1500	845-3038	5.25
				3000	845-3039	5.25
		22-16mm	6–13	RA240	845-3040	5.25
I.				240	845-3041	5.25
				600	845-3042	5.25
				1500	845-3043	5.25
				3000	845-3044	5.25
J.	Steel Adapter for 5	√8" shaft			845-3045	7.30
	Steel Adapter for	1/2" shaft			845-3046	7.30

A. Dedeco® Jeweler's Lathe Wheel - Silicon Carbide

This rubberized wheel is coarse enough to make quick work of grinding jobs yet flexible enough to follow contours and leave a smooth finish. Contains 220 grit silicon carbide abrasive. Max. operating speed: 3,800rpm. 1/2" Arbor Hole.

Shape	Grit	Dia. x Thick x AH	Item#	Each
SE Wheel	220	4" x ½" x ½"	145-0085	\$26.95





B, C AirFlex Poly Wheels - Silicon Carbide

Tiny pockets of air are uniformly interspersed throughout our AirFlex wheels, so they grind and polish quickly without overheating the workpiece. AirFlex Gray (medium) removes medium-grit file marks and leaves a matte finish. AirFlex Brown (fine) removes light scratches and leaves a bright surface. AirFlex wheels work equally well on all precious alloys, including stainless steel and titanium. Flexible AirFlex follows contours and leaves a smooth, uniform finish. Made of silicon carbide abrasive in a silicone rubber bond. Max. operating speed: 3,000rpm. ¹/₄" Arbor Hole.

	AirFlex	Dia. x Thick x AH	Grit	Item#	Each
В.	Gray (medium)	4" x ¹⁹ / ₃₂ " x ¹ / ₄ "	240	145-1181	\$21.45
C.	Brown (fine)	4" x ¹⁹ / ₃₂ " x ¹ / ₄ "	800	145-1182	21.45

D. Unitized Mounted Points - 1/8" Shank

Ideal for a variety of deburring, blending, finishing and polishing applications. Consist of durable unitized material embedded with either silicon carbide for a fine finish or aluminum oxide for a medium or coarse finish. Mounted on $\frac{1}{8}$ " shanks. Conform to workpieces for consistent, uniform finishing without undercutting or gouging.

Style	Dia. x H	Max. RPM	Coarse	Medium	Fine	Each
B42	1/2" x 3/4"	33,750	845-0120	845-0110	845-0080	\$6.65
B52	3/8" x 3/4"	45,300	845-0121	845-0111	845-0081	5.60
B90	1/2" x 1/2"	34,500	845-0122	845-0112	845-0082	5.10
W160	1/4" x 1/4"	81,300	845-0123	845-0113	845-0083	3.60
W183	1/2" x 1/4"	51,700	845-0124	845-0114	845-0084	4.20
W185	1/2" x 1/2"	34,500	845-0125	845-0115	845-0085	4.90



Polishing Safety Measures

- Many polishing compounds contain respirable silica or other hazardous ingredients. Be sure to use a dust collector to pull all polishing dust away from your breathing zone, and wear a properly fitted NIOSH respirator rated for the specific dust or chemicals with which you are working.
- Any grinding operation will remove small amounts of metal from the workpiece. To protect your eyes from flying debris, always wear safety goggles or similar eye protection.
- Tie back loose hair and clothing to prevent entanglement in the polishing motor or spindle.
- Firmly twist the buff onto the tapered spindle before turning on the motor, and keep the buff centered and straight to ensure true running. With the spindle correctly installed, turning force of the motor will keep the buff safely mounted during grinding and polishing.
- Always use the lower guarter of the buff to control the action and to prevent the workpiece from being pulled from your grip. Never entwine your fingers with the workpiece; instead hold it in a manner that will prevent your fingers from being harmed should it be pulled from your grip.

GMX/G-FLEX Cotton Fiber & Abrasive Mounted Points

GMX: Soft Latex Bond

GMX cotton fiber products utilize a unique flexible bond with laminates of non-woven, aluminum oxide abrasive impregnated fabric, with laminations that run parallel to the shank to prevent the ends from chipping. The construction continually exposes new abrasive grain for cooler running, and the flexible bond allows for reduced vibration and chattering. Unlike bonded or coated abrasives, these do not load up when working on softer metals or alloys, such as aluminum. Cylinders and other shapes can be dressed to conform to unique contours. Excellent for breaking edges, deburring, and blending on aluminum, stainless steel, and exotic alloys. GMX is also ideal for polishing mold runners and mold & die components. Available on 1/4", 3mm and 6mm shanks via special order.

G-Flex: Firm Resin Bond

G-Flex cotton fiber products are similar to the GMX, but use a firm resin bond. It is also non-loading and can grind and finish in one operation. A special formulation keeps it from being too aggressive, and works well on aluminum, stainless steel, and exotic alloys. Another favorite for cleaning and polishing mold runners, as well as deburring and edge breaking on all metals. Also work great for deflashing of die castings, as well as deburring and finishing of turbine blade roots. 3mm shanks are in stock on some cylinders, others are available by special order.






See Grinding Wheel Institute publications for operating speeds of mounted products.

Use 80 grit for deburring and sprue removal, 120 grit to remove parting lines and small burs, 180 and 320 grit for removing light scratches.




A. B41 Cone – 5/8"L x 5/8" dia.

		SOFT GMX	HARD G-FLEX		EAC	H Prices	
Grit	Shank	Item#	Item#	1-11	12-71	72-143	144+
80	1/8"	205-1812	135-1812	\$9.40	\$7.99	\$7.05	\$6.30
120	1/8"	205-1814	135-1814	9.40	7.99	7.05	6.30
180	1/8"	205-1816	135-1816	9.40	7.99	7.05	6.30
320	1/8"	205-1818	135-1818	10.25	8.71	7.69	6.87



B. B52 Bullet – 3/4"L x 3/8" dia.

Grit	Shank	SOFT GMX Item#	HARD G-FLEX Item#	1-11	EAC 12-71	H Prices 72-143	144+
80	1/8"	205-1722	135-1722	\$7.45	\$6.33	\$5.59	\$4.99
120	1/8"	205-1724	135-1724	7.45	6.33	5.59	4.99
180	1/8"	205-1726	135-1726	7.45	6.33	5.59	4.99
320	1/8"	205-1728	135-1728	8.20	6.97	6.15	5.49



C. B121 Ball $-\frac{1}{2}$ " dia.

		SOFT GMX	HARD G-FLEX		EAC	H Prices	
Grit	Shank	Item#	Item#	1-11	12-71	72-143	144+
80	1/8"	205-1832	135-1832	\$6.15	\$5.23	\$4.61	\$4.12
120	1/8"	205-1834	135-1834	6.15	5.23	4.61	4.12
180	1/8"	205-1836	135-1836	6.15	5.23	4.61	4.12
320	1/8"	205-1838	135-1838	6.95	5.91	5.21	4.66

D. B122 Ball – 3/8" dia.

	SOFT GMX	HARD G-FLEX		EAC	H Prices	
Shank	Item#	Item#	1-11	12-71	72-143	144+
1/8"	205-1732	135-1732	\$6.15	\$5.23	\$4.61	\$4.12
1/8"	205-1734	135-1734	6.15	5.23	4.61	4.12
1/8"	205-1736	135-1736	6.15	5.23	4.61	4.12
1/8"	205-1738	135-1738	6.95	5.91	5.21	4.66
	1/8" 1/8" 1/8"	Shank Item# 1/8" 205-1732 1/8" 205-1734 1/8" 205-1736	GMX Item# G-FLEX Item# ½" 205-1732 135-1732 ½" 205-1734 135-1734 ½" 205-1736 135-1736	GMX G-FLEX Item# 1-11 ½" 205-1732 135-1732 \$6.15 ½" 205-1734 135-1734 6.15 ½" 205-1736 135-1736 6.15	GMX Item# G-FLEX Item# EAC 12-71 ½" 205-1732 135-1732 \$6.15 \$5.23 ½" 205-1734 135-1734 6.15 5.23 ½" 205-1736 135-1736 6.15 5.23 ½" 205-1736 135-1736 6.15 5.23	Shank Item# G-FLEX Item# EACH Prices 12-71 72-143 ½" 205-1732 135-1732 \$6.15 \$5.23 \$4.61 ½" 205-1734 135-1734 6.15 5.23 4.61 ½" 205-1736 135-1736 6.15 5.23 4.61



D

A. W154 Cylinder – ½"L x ½16" dia.

		SOFT GMX	HARD G-FLEX		EAC	H Prices	
Grit	Shank	Item#	Item#	1-11	12-71	72-143	144+
80	1/8"	205-1542	135-1542	\$5.10	\$4.34	\$3.83	\$3.42
120	1/8"	205-1544	135-1544	5.10	4.34	3.83	3.42
120	3mm	_	136-1544	5.10	4.34	3.83	3.42
180	1/8"	205-1546	135-1546	5.10	4.34	3.83	3.42
320	1/8"	205-1548	135-1548	5.65	4.80	4.24	3.79



B. W163 Cylinder – ½"L x ¼" dia.

		SOFT GMX	HARD G-FLEX		EAC	H Prices	
Grit	Shank	Item#	Item#	1-11	12-71	72-143	144+
80	1/8"	205-1632	135-1632	\$5.10	\$4.34	\$3.83	\$3.42
80	3mm	204-1632	136-1632	5.10	4.34	3.83	3.42
120	1/8"	205-1634	135-1634	5.10	4.34	3.83	3.42
120	3mm	204-1634	136-1634	5.10	4.34	3.83	3.42
180	1/8"	205-1636	135-1636	5.10	4.34	3.83	3.42
180	3mm	204-1636	136-1636	5.10	4.34	3.83	3.42
320	1/8"	205-1638	135-1638	5.95	5.06	4.46	3.99
320	3mm	204-1638	136-1638	5.95	5.06	4.46	3.99



C. W176 Cylinder – ½"L x ½" dia.

		SOFT GMX	HARD G-FLEX		EAC	H Prices	
Grit	Shank	Item#	Item#	1-11	12-71	72-143	144+
80	1/8"	205-1762	135-1762	\$5.40	\$4.59	\$4.05	\$3.62
120	1/8"	205-1764	135-1764	5.40	4.59	4.05	3.62
120	3mm	_	136-1764	5.25	4.46	3.94	3.52
180	1/8"	205-1766	135-1766	5.40	4.59	4.05	3.62
320	1/8"	205-1768	135-1768	6.35	5.40	4.76	4.25



C


D. W177 Cylinder – 3/4"L x 3/8" dia.

C:1	Chank	SOFT GMX	HARD G-FLEX	4 44		H Prices	444.
Grit	Shank	Item#	Item#	1-11	12-71	72-143	144+
80	1/8"	205-1772	135-1772	\$6.35	\$5.40	\$4.76	\$4.25
120	1/8"	205-1774	135-1774	6.35	5.40	4.76	4.25
180	1/8"	205-1776	135-1776	6.35	5.40	4.76	4.25
320	1/8"	205-1778	135-1778	7.15	6.08	5.36	4.79



E. W185 Cylinder – ½"L x ½" dia.

		SOFT GMX	HARD G-FLEX		EAC	H Prices	
Grit	Shank	Item#	Item#	1-11	12-71	72-143	144+
80	1/8"	205-1852	135-1852	\$5.40	\$4.59	\$4.05	\$3.62
120	1/8"	205-1854	135-1854	5.40	4.59	4.05	3.62
180	1/8"	205-1856	135-1856	5.40	4.59	4.05	3.62
320	1/8"	205-1858	135-1858	5.75	4.89	4.31	3.85



F. W186 Cylinder – 3/4"L x 1/2" dia.

		SOFT GMX	HARD G-FLEX		EAC	H Prices	
Grit	Shank	Item#	Item#	1-11	12-71	72-143	144+
80	1/8"	205-1862	_	\$6.35	\$5.40	\$4.76	\$4.25
120	1/8"	205-1864	-	6.35	5.40	4.76	4.25
180	1/8"	205-1866	-	6.35	5.40	4.76	4.25
320	1/8"	205-1868	-	7.30	6.21	5.48	4.89







A-C GMX & G-Flex Application-Specific Sets – 1/8" Shank

All 3 Gesswein cotton fiber sets offer an assortment of 12 points: 6 GMX and 6 G-Flex points in various shapes and grits targeted to working in specific applications: General purpose deburring and edge finishing, aluminum and non-ferrous finishing and deburring, stainless and exotic alloy finishing and deburring. All are mounted on ½" shanks. Each set includes 12 pieces: 6 shapes in both GMX (gray, soft latex bond) and G-Flex (brown, firmer resin bond).

Description	Item#	Set of 12
A. General Purpose	135-1510	\$60.75
B. Aluminum/Non-Ferrous	135-1520	60.75
C. Stainless & Exotic Metals	135-1530	60.75







D-J GMX Discs

A long-lasting aluminum oxide abrasive in a unique composite of laminated cotton fiber in a rubber bond. The cotton base also creates a cushioned feel and helps reduce chatter and loading. GMX cuts and smooths in one operation, leaving a smooth, even finish. Discs can be dressed to conform to shape of workpiece. Use 80 grit for deburring, 120 grit to remove parting lines and small burs, 180 and 320 grit for removing light scratches. Made in USA.

					EACH	Prices
	Dia. x Thick x AH	Grit	Max. RPM	Item#	1-11	12+
D.	1" x ¹ / ₁₆ " x ¹ / ₈ "	120	36,290	205-5204	\$4.90	\$4.17
E.		180	36,290	205-5206	5.00	4.25
F.		320	36,290	205-5208	5.50	4.68
G.	1" x ½" x ½"	80	36,290	205-5252	5.00	4.25
Η.		120	36,290	205-5254	5.00	4.25
Ī.		180	36,290	205-5256	5.00	4.25
J.		320	36,290	205-5258	5.50	4.68

GMX Long-lasting aluminum oxide abrasive

A unique composite of laminated cotton fiber in a rubber bond, GMX cuts and smooths in one operation, leaving a smooth, even finish. Can be dressed to conform to shape of workpiece. Use 80 grit for deburring and

sprue removal, 120 grit to remove parting lines and small burs, 180 and 320 grit for removing light scratches. See p. 401 for arbors. Additional GMX products are also available on pages 96-98. Made in USA.

A-E GMX Sticks and Rods

Used for polishing and touching up molds, dies and metal parts. Less aggressive than finishing stones, GMX sticks produce a surprisingly smooth surface.

			EACH Prices	
Dimensions	Grit	Item#	1-11	12+
A. 4"L x ¹ / ₄ " square	80	206-9250	\$4.05	\$3.44
	120	206-9260	4.05	3.44
	180	206-9270	4.05	3.44
	320	206-9280	5.75	4.89
B. 4"L x ¹ / ₄ " round	80	206-9320	7.45	6.33
	120	206-9325	7.55	6.42
	180	206-9330	7.55	6.42
	320	206-9335	8.60	7.31
C. $4"L \times \frac{1}{2}"$ round	80	206-9340	8.40	7.14
	120	206-9345	8.40	7.14
	180	206-9350	8.40	7.14
	320	206-9355	9.70	8.25
D. 6"L x ¹ / ₄ " round	80	206-9360	10.45	8.88
	120	206-9365	10.45	8.88
	180	206-9370	10.45	8.88
	320	206-9375	12.20	10.37
E. 6"L x ¹ / ₂ " round	80	206-9380	11.05	9.39
	120	206-9385	11.05	9.39
	180	206-9390	11.05	9.39
	320	206-9395	12.70	10.80



F, G GMX Wheels

					EACI	1 Prices
	Dia. x Thick x AH	Grit	Max. RPM	Item#	1-24	25+
	4" x ¹ / ₄ " x ¹ / ₄ "	80	9,075	206-1050	\$15.20	\$13.68
		120	9,075	206-1060	15.20	13.68
F.		180	9,075	206-1070	15.20	13.68
		320	9,075	206-1080	16.35	14.72
					EACH	l Prices
	Dia. x Thick x AH	Grit	Max. RPM	Item#	1-9	10+
	6" x ¹ / ₈ " x ¹ / ₂ "	120	6,050	206-1360	\$18.05	\$16.25
G.	6" x ¹ / ₄ " x ¹ / ₂ "	120	6,050	206-1660	28.35	25.52
	6" x ¹ / ₄ " x ¹ / ₂ "	180	6,050	206-1670	28.35	25.52
	6" x ¹ / ₂ " x ¹ / ₂ "	80	6,050	206-1750	53.40	48.06



H. GMX Split Laps

Split and beveled for see-through lapping. The embedded abrasive allows fast cutting while the rubber bond assures a very smooth finish. Max. operating speed: 6,050rpm. Made to use with the Gesswein Split Lapping Machine (see p. 406).

			EACH Prices	
Dia. x Thick x AH	Grit	Item#	1-9	10+
6" x ¹ / ₄ " x ¹ / ₂ "	80	206-3350	\$35.80	\$32.22
Н.	120	206-3360	35.80	32.22
	180	206-3370	35.80	32.22



Polishing Compounds & Rouges

Gesswein offers the finest products for all aspects of polishing. From removing deep scratches to cutting, to final finishing to a very high luster finish, we have what you need to work on brass, stainless steel, gold (yellow and white), silver, platinum, rhodium, chrome, nickel steel, aluminum, copper, and zinc. Almost any metal you use we can help you polish as well as acrylics, epoxies and hard plastics.

We are proud to offer:

- Traditional polishing compounds—a careful blend of abrasives and binders in bars and tubes.
- Dialux premium polishing compounds are very popular in Europe due to their ability to adhere well to the buff, reducing the amount used.
- Water-soluble compounds contain a special emulsifier to make clean up easy with just soap and water.
- Veggie Compounds clean up easily and because they are completely free of animal products, are kosher.





























A-N Polishing Compounds

Listed in approximate order from the most to least aggressive. All bar weights are approximate and may vary slightly from bar to bar.

	Туре	Description and Application	Approx. Weight	Item#	EACI 1-9	1 Prices 10+
Α.	Gray Star*	Aggressive, dry compound for removing deep scratches, yet leaves a uniform finish. Excellent for brass, gold, silver and stainless steel.	1 lb. 2.2 lbs.	215-0915* 215-0910*	\$4.15 8.40	\$3.74 7.56
В.	Chrome	Produces mirror finish on hard metals such as chrome, nickel steel and stainless steel. Medium cutting compound for soft metals.	1 ³ / ₄ lbs.	215-1550	11.50	9.20
C.	Bobbing Compound	A fast cutting compound that leaves jewelry dull in appearance but scratch free. This is the first step to remove deep scratches in jewelry (gold, silver and platinum) and other hard metalike stainless steel and chrome.		215-0428	4.50	3.83
D.	Manhattan Bobbing*	Specially formulated for use on sterling silver, but also works on gold and brass to remove scratches & pits and to prepare for buffing with tripoli and rouge.	1 ¹ / ₄ lbs.	215-0425*	6.95	5.91
E.	NYC Tripoli*	Fast cutting on soft metals such as brass, aluminum, gold and silver. Sticks well to laps and brushes. Used in place of Tripoli.	1 lb.	215-0475*	2.60	2.21
F.	Tripoli*	For cutting down and removing scratches from soft metals such as gold, silver, aluminum and brass. Leaves surface scratch-free for final polish.	1 lb.	215-1750*	2.30	1.84
G.	Gray 800*	Light cutting compound for removing surface roughness and scratches from platinum.	⁷ ∕8 lb.	215-0045*	19.50	16.58
Н.	ZAM®	For use on softer metals, epoxies and hard plastics. Cuts and polishes at the same time and leaves a high luster. Fast cleanup. Won't scratch softer stones like turquoise.	¹ / ₄ lb. 1 lb.	215-1603 215-1602	4.35 6.25	3.92 5.63
I.	White 1500*	Medium cutting compound for platinum. Removes light scratches and prepares surface for final polishing.	⁷ ∕8 lb.	215-0049*	33.99	28.89
J.	White 4000*	Fine cutting compound for platinum. Removes light haze and scratches.	¹∕2 lb.	215-0042*	32.50	27.63
K.	White 6000*	Fine cut-and-color compound for platinum. Removes faint scratches and leaves a soft, bright finish.	¹∕2 lb.	215-0043*	35.70	30.35
L.	4X White Diamond*	A medium cut-and-color compound for soft metals such as gold, silver, and brass.	³ / ₄ lb.	215-1710*	2.10	1.68
M.	White Rouge	High luster on platinum, white gold, chrome and stainless steel.	1/4 lb.	215-0250	2.45	2.08
N.	White 8000*	Polishing compound for ultra-white high shine on platinum.	½ lb.	215-0046*	37.99	32.29
0.	Orange Luster	Formulated with low oil content to increase polishing power. Works fast and delivers the whitest, brightest shine on platinum	5 oz.	215-0037	18.50	15.73
		and minimum, anguitation of plantam.		210 0001	10.00	10110

***CAUTION:** This compound contains silica. See warning on facing page.

D

Ε

G

Н

A·	-J Polisn Type	ing Compounds, continued Description and Application	Approx. Weight	Item#	EAC 1-9	H Prices 10+
Α.	Red Rouge	Imparts extremely high luster on soft metals: gold, silver, brass and all nonferrous metals. The industry standard for producing the final finish.	1/4 lb. 1/2 lb. 1 lb.	215-1151 215-1152 215-1153	\$2.10 3.75 6.75	\$1.68 3.00 5.40
B.	Blue Rouge	Clean working compound designed to produce high luster on gold, silver, brass, chrome and all nonferrous metals.	1 lb.	215-1702	3.50	2.80
C.	Green Rouge	Produces an extremely high luster on chrome, stainless steel, silver, platinum, white gold and rhodium.	1/4 lb.	215-0805	4.40	3.52
D.	Yellow Glow	For ultra-bright final finish on yellow gold and most metals except silver. Has a very light cutting action. Not greasy. Comes in peel-away tube.	14 oz.	215-0054	6.25	5.00
E.	Lustre Bar	Produces very high luster finish on all metals as well as plastics. Will remove light scratches yet leaves a bright mirror finish. Comes in peel-away tube.	, 1 lb.	215-1600	7.65	6.12
F.	Platinum Blue	This specially formulated compound imparts the highest possible finish on platinum and other precious metals.	5 oz.	215-1784	16.95	14.41
G.	Two-Step Platinum	Reduce the polishing steps associated with platinum. Adhere very well to buffs. Yellow bar (Step 1) removes scratches. Green bar (Step 2) imparts mirror finish.	13.4 oz. 13.4 oz.	215-0038 215-0039	19.95 19.95	16.96 16.96
Н.	Platinum Pink	Imparts a highly reflective surface on platinum as well as white gold, titanium and other hard metals.	5 oz.	215-1786	19.25	16.36
l.	C-Clear Watch Crystal	Restores plastic by removing scuffs and scratches. Used by jewelers to make old plastic watch crystals look new again.	¹∕₄ lb.	215-0041	6.50	_
J.	Platinum Sample Set*	Four different compounds for platinum: Gray 800, White 1500, White 8000 and Orange Luster.	³∕4 lb.	215-0036*	25.00	



Gray Star

Aggressive, dry compound for removing deep scratches, yet leaves a uniform finish. Excellent for brass, gold, silver and stainless steel. 1 lb. bar. 215-0915* \$4.15



Platinum Blue

This specially formulated compound imparts the highest possible finish on platinum and other precious metals. 215-1784 \$16.95



Two-Step

Yellow cuts and quickly removes scratches on stainless, titanium, aluminum, copper,

zinc, brass, gold, silver and platinum. 215-0038 **\$19.95** The green produces a mirror finish on precious and other metals. 215-0039 \$19.95



Green Rouge

All prices subject to change without notice.

Produces an extremely high luster on chrome, stainless steel, silver, platinum, white gold and rhodium. 215-0805 \$4.40



Lustre Bar

Produces very high luster finish on all metals as well as plastics. Will remove light scratches, yet leaves a bright mirror finish. Comes in peel-away tube. 215-1600 \$7.65

White 8000

For an ultra-white high shine on platinum and titanium. 215-0046* \$37.99

*CAUTION: This compound contains silica. Normal use may generate fine dust, which can irritate eyes, skin and nasal passages. Use ventilation and safety protection, and wash after use. Long term exposure to silica-containing compounds may cause silicosis, lung damage or lung cancer which may be prevented by use of appropriately rated respirator and air exhaust.

Many polishing compounds contain hazardous ingredients. Be sure to use a dust collector to pull polishing dust away from your breathing zone and a properly fitted respirator rated for the specific dust or chemicals with which you are working. Normal use may generate fine dust which can irritate eyes, skin and nasal passages. Use ventilation and safety protection, and wash after use. Long term exposure to silica-containing compounds may cause silicosis, lung damage or lung cancer which may be prevented by use of appropriately rated respirator and air exhaust.







A-B Veggie Compounds – Vegetable oil-based!

These vegetable oil-based compounds offer several advantages over standard compounds, including faster loading time, easier cleanup and less dust. Completely free of animal by-products and also kosher. Use Tripoli for cutting and Red Rouge for final finishing. Available in ½ lb. tubes and 1 lb. bars.

	Туре	Description and Application	Approx. Weight	Item#	EACH 1-9	l Prices 10+
A.	Premium Brown Tripoli	Fast cut and color compound. Removes scratches and leaves a matte surface ready for final polishing. Good on aluminum, brass, copper, nickel, silver gold and platinum.	1/4 lb. tube 1 lb.	215-1808 215-1809	\$2.40 3.10	\$2.04 2.64
В.	Premium Red Rouge	Imparts high color on soft metals. Ideal for final finishing of precious metals such as gold and silver, as well as brass and bronze.	1/4 lb. tube 1 lb.	215-1804 215-1805	4.10 8.70	3.49 7.40

Please ask for quotes on larger quantities.



C. Pumice Powder

A natural abrasive used for cleaning surfaces and for removing imperfections and firescale. Mix with water or oil and apply with a muslin buff to create a fine matte finish. Sold by the pound.

		LB. Prices		
Description	Item#	1-9	10+	
Pumice Powder	845-4000	\$4.25	\$3.61	

Please ask for quotes on larger quantities.



D. SUPRA Pumice Paste

For smoothing rapid prototype models as it produces a mild cutting action on acrylic and soft metals. Use with the Scotch-Brush for best results. 80 gram bar.

Description	Item#	Each	
SUPRA Pumice Paste	218-2045	\$7.20	



E. SUPRA Polishing Créme (50g Tube)

For ultra high finishing of Rapid Prototype models as well as precious metals. Works best with a soft white muslin buff. 50 gram tube.

Description	Item#	Each
SUPRA Polishing Créme	218-2240	\$9.50



F. Rapid Prototype Finishing Kit

Gesswein has developed a kit to make it easy as 1, 2, 3 to put a high polish on your acrylic models. With technology gravitating towards rapid prototyping, models being produced on 3D printers may come off these printers with a smooth surface, but they are not highly polished!

Why should models be highly polished? Very simple! By giving them a mirror finish before the casting stage, or mold making stage, the end product will require much less finishing. This important extra step allows for manufacturing consistency and the surface quality will be greatly improved.

Step 1: Use the Scotch-Brush with Supra Pumice Paste to remove the fine build lines.

Step 2: The Duratex White Buff used with Supra Polishing Crème produces a very smooth surface.

Step 3: A soft loose Muslin Buff used with Platinum Pink Compound leaves a mirror bright finish.

Description	Item#	Each
Rapid Prototype Finishing Kit	810-0035	\$59.00

A-H Dialux Polishing Compounds

Premium polishing compounds imported from Europe. Made from select abrasive grades, uniformly blended and manufactured under the strictest quality controls. Adhere exceptionally well to buffs, brushes and felts, so very little is needed, which helps reduce cleanup and save time. Individually packaged in cardboard boxes for cleaner handling. Each bar measures 35/8"L x 11/8"W x 1"H and weighs approx. 4 oz.

	Туре	Appr Type Description and Application Weig		Item#	EACH 1-9	Prices 10+	
A.	Dialux Bleu (Blue)	All-purpose compound for all types of metal	4 oz.	215-1771	\$4.95	\$4.46	
В.	Dialux Jaune (Yellow)*	For bright high polish of soft metals such as brass, bronze and copper.	4 oz.	215-1772*	4.95	4.46	
C.	Dialux Blanc (White)	For bright polishing of silver.	4 oz.	215-1773	4.95	4.46	
D.	Dialux Gris (Gray)	Recommended for fine polishing of stainless steel.	4 oz.	215-1774	4.95	4.46	
E.	Dialux Rouge (Red)	The brightest shine for yellow gold. Also produces a brilliant shine on silver.	4 oz.	215-1775	5.25	4.73	
F.	Dialux Vert (Green)	Recommended for bright polishing of hard alloys such as platinum, white gold, chrome, chrome cobalt and stainless steel.	4 oz.	215-1776	5.25	4.73	
G.	Dialux Noir (Black)	For final polishing of silver.	4 oz.	215-1777	5.25	4.73	
Н.	Vornex (Orange)	Pre-polish cutting compound for all ferrous metals.	4 oz.	215-1778	4.95	4.46	



Contains a special emulsifier so compounds rinse off easily with soap and water.

	Туре	Description and Application	Approx. Weight	Item#	EACH 1-9	Prices 10+
Ī.	Gray/ Green*	For fast metal removal; more aggressive than Gray Star. For cutting white metals, gold, silver and brass.	2 lbs.	215-1752*	\$4.35	\$3.48
J.	Gray Star	Aggressive dry compound for removing deep scratches, yet leaves a uniform finish. For brass, gold, silver and stainless steel.	1 lb.	215-1740	4.65	3.72
K.	Tripoli*	Standard tripoli in a water soluble form. For cutting down and removing scratches from soft metals such as gold, silver, aluminum and brass. Leaves surface scratch-free and ready for final polish.	1 lb.	215-1750*	2.30	1.84
L.	Yellow	Produces a very high, final finish on white metal, gold, silver and brass.	2 lbs.	215-1751	8.15	6.52
M.	Green Rouge	Produces an extremely high luster on chrome, stainless steel, silver, platinum, white gold and rhodium.	1 lb.	215-1730	4.50	3.60
N.	Premium Red Rouge	For the highest, brightest finish on yellow gold. Produces a premium grade finish on all precious metals, especially when teamed with our Chamois Buffs.	¹ / ₄ lb. 1 lb.	215-1715 215-1720	3.10 8.50	2.48 6.80
0.	Black Rouge	Produces a deep, dark luster on gold, pewter and other precious metals and is especially effective on silver.	1 lb.	215-1701	5.15	4.12
P.	Turquoise Rouge	For imparting the final finish on precious metals and soft, semiprecious stones. Ideal for buffing jewelry such as silver set with turquoise.	1 lb. 2 lb.	215-0152 215-0151	4.25 7.65	3.40 6.12
Q.	Sample Set*	Four 1 lb. bars of our most popular compounds Gray Star, Tripoli, Green Rouge and Red Rouge.	3:	215-1760*	18.50	-









*CAUTION: This compound contains silica. See warning on page 101.

J

K

M

N

0

Gesswein[®] Diamond Compounds

Feature evenly distributed 100% virgin synthetic diamond, more consistent in shape than natural diamond, for fast, consistent cutting action. We stock in medium (M) 75% and heavy (H) 100% concentrations. Standard Oil-Soluble Compounds hold together very well, even under high-speed conditions. Specifically formulated for the mold and die industry. Can be thinned with Oil-Soluble Lubricant/Thinner. Water-Soluble compounds have the same

concentrations as Oil-Soluble Compounds. Allow fast and easy cleanup. Can be thinned with Water-Soluble Lubricant/Thinner. Consider Budget Oil-Soluble Compounds when affordability is a factor (lower prices are due to variations in particle size and friability). Packaged in 1-gram, 6-gram and 18-gram disposable syringes.

		West and the						7	Gessmond Diamond	Compo color	
									On Soluble Co.	1	COUNC
										Gessal Com	2
								- Sales - Sale		Oldring of the	art
	um C	D F F	G			K	1000				
	13 18										
Y		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
u	1 1	7 9	7 T	VV	W.	V					
	Grit		•	_	Syringe Size	Standard Oil-Soluble	Water- Soluble		Budget		
	(Microns)	Application	Mesh	Color	(grams)	Item#	Item#	Each	Oil-Soluble	Each	
Α.	¹ / ₂ M	Supreme finish	60000	White	1	216-0045	216-9051	\$3.40	-	_	
					6	216-2045	216-9069	13.80	-	-	
					18	216-7005	216-9055	33.75	_	_	
В.	1 M	Super finish	14000	lvory	1	216-0050	216-9053	2.60		_	
					6	216-2050	216-9071	11.35	216-9100	\$9.10	
					18	216-7055	216-9095	29.45	216-9112	23.60	
C.	3 M	Very high finish	8000	Yellow	1	216-0100	216-9057	4.30			
					6	216-2100	216-9075	22.45	216-9102	17.95	
_	CM	Maine en finite	0000	0	18	216-7105	216-9083	62.20	216-9114	48.95	
D.	6 M	Mirror finish	3000	Orange	1	216-0150	216-9059	5.60	- 040 0404		
					6 18	216-2150 216-7155	216-9077 216-9085	30.45 86.25	216-9104	23.95 67.95	
E.	9 M	High finish	1800	Green	10	216-7155	216-9061	5.60	216-9115	07.95	
_ L.	3 101	riigii iiiiisii	1000	ureen	6	216-2200	216-9079	30.45	216-9106	23.95	
					18	216-7205	216-9087	86.25	216-9116	67.95	
F.	15 M	Fine finish	1200	Blue	1	216-0250	216-9063	5.60	_	_	
					6	216-2250	216-9073	30.45	216-9108	23.95	
					18	216-7255	216-9089	86.25	216-9118	67.95	
G.	30 H	Fast lapping	600	Red	1	216-0300	216-9067	8.25	-	_	
					6	216-2300	216-9081	47.20	216-9110	38.15	
					18	216-7305	216-9091	136.00	216-9120	108.00	
Н.	45 H	Medium cutting	325	Brown	1	216-0350	_	8.35	-	_	
					6	216-2350	_	48.75	_	_	
					18	216-7355	-	137.95	-	_	
I.	60 H	Fast cutting	230	Purple	1	216-0400	-	8.35	-	_	
					6	216-2400	_	48.75	_	_	
					18	216-7405	-	137.95	_	_	
J.	90 H	Coarse cutting	170	Gray	1	216-0450	-	8.35	-	_	
					6	216-2450		48.75			
	100		100		18	216-7455	_	135.95			
K.	120 H	Fast grinding	120	Black	1	216-0500		8.35			
					6	216-2500	_	48.75	-	_	
					18	216-7505		135.95			

A. SUPRA® Diamond Compounds

Oil-soluble compounds with very heavy concentration of 100% virgin synthetic diamond for sharp, even cutting action. Graded to closer tolerances than those dictated by nationally recognized standards. Provide much faster stock removal than traditional diamond compounds. Sold in 5-gram Precision Applicators, which afford finer control than ordinary syringes.

Grad	e End Use	Approx. Micron	Mesh	Color	Item#	Each
1-S	Super finish for aluminum	0-2	14000	lvory	217-0100	\$10.90
1-S	Super finish	0–2	14000	lvory	217-0010	\$13.50
3-S	Very high finish	2-4	8000	Yellow	217-0015	22.30
6-S	Mirror finish	4–8	3000	Orange	217-0020	25.30
9-S	High finish	6-12	1800	Green	217-0025	26.50
15-S	Fine finish	10-20	1200	Blue	217-0030	26.50
30-S	Fast lapping	20-40	600	Red	217-0035	35.40



See the NEW High Temp Diamond Compounds on our website

B. Diamond Polishing Kit – Everything you need for Diamond Polishing

Whether you carry it to the mold or have it under your workstation, our Diamond Polishing Kit has all the products you need, right at your fingertips! A convenient time saver and a money saver as well! Available alone or in a money saving kit with Marathon System (See 510-2946 on page 433).

Includes:

- Diamond Compounds
- Poli-Felts
- Cup Brushes

- Lube Thinner
- Wood Sticks
- Wheel Brushes

- Felt Bobs & Felt Sticks
- End Brushes

Description	Item#	Each
Diamond Polishing Kit	216-0001	\$249.00
Diamond Polishing Kit with Marathon	216-0002	449.00

C-D Gesswein® Diamond Compound Sets

Convenient sets providing the compounds needed for lapping, polishing and gemstone shaping. All sets include ¾ ounce bottle of appropriate Lubricant/Thinner (see below for details).

Sets	60H	45H	30H	15M	9M	3M	$^{1}/_{2}$ M	Lub.	Item#	Each
C. Oil Soluble	•		•		•	•		•	216-9501	\$24.95
D. Water Soluble			•	•	•	•		•	216-9201	25.35
E. Gemstone		•	•	•			•	•	216-9511	23.65

F-J Lubricant/Thinner and Spray Bottle

To use all brands of compounds most efficiently, we recommend adding a lubricant to allow the compound to cut at its peak performance and to prevent the felt bob from gumming up or chattering. When added to diamond compound on the workpiece, lubricant thins out the mixture, creating a slurry and extending the compound. Available in two formulations: Oil-soluble and water-soluble, and in spray or squeeze bottle for moistening felts prior to diamond compound application.

Fill empty 4 oz, spray bottle with cleaning solution, lubricants and more for easy dispensing. Spray gets into hard-to-reach areas.

Size	F. ¾ 0Z	G. 4 oz	H. 8 oz	I. 32 oz
Oil Lubricant/Thinner	825-1295	825-1303	825-1300	825-1305
Water Lubricant/Thinner	825-1290	825-1310	825-1315	825-1320
Each	\$2.50	4.95	6.85	19.60
				EACH Prices
Description			Item#	1-2 3+
J. Empty 4 oz. Spray Bottle			811-2460	\$2.15 \$1.94







Rockwood Sticks

Very hard, laminated sticks that retain their shape well. Use by hand, with reciprocating or rotary tools for initial finishing with diamond and other compounds. Can be dressed with a knife or file. Measure 6" long with blunt ends (except #825-0005, which has one pointed end, and #825-0045, which has one beveled end). Dark brown in color.

				EACH	Prices
	Shape	Size	Item#	1-11	12+
A.	Round Pointed	1/8"	825-0005	\$3.33	\$2.77
	Round	³ /16"	825-0010*	4.85	4.04
		1/4"	825-0020*	5.95	4.96
		3/8"	825-0030	9.79	8.16
		1/2"	825-0040*	14.29	11.91
B.	Square Beveled	1/8" x 1/8"	825-0045	2.98	2.48
	Square	1/4" 1/4"	825-0060	4.85	4.04
C.	Rectangular	1/8" X 1/4"	825-0050*	3.95	3.29
		1/4" x 3/8"	825-0070*	5.89	4.91
		1/4" X 1/2"	825-0080*	6.55	5.46
		⁵ / ₁₆ " x 1"	825-0110	11.45	9.54
	*Set 1R, 18 pieces (three of each	h asterisked number)	825-0300	59.50	-
	Set 2R, 27 pieces (three of each	ch size except			
	1/8" square and round)		825-0400	99.00	-

See The New Acrylic

D. Very Soft Sticks - Select balsa wood with one shaped end

Use by hand, with reciprocating or rotary tools for final finishing with diamond and other compounds. Can be dressed with a knife or file. Measure 6" long.

			PKG. 01 5	
Shape	Size	Item#	1-9	10+
Rectangular, beveled	³ /16" X ³ /16"	825-0532	\$9.95	\$7.96
	1/8" x 1/4"	825-0534	9.95	7.96
	1/4" x 1/4"	825-0536	9.95	7.96

E-G Soft Sticks - Select white birch or poplar with one shaped end

Use by hand, with reciprocating or rotary tools for intermediate to final finishing with diamond and other compounds. Measure 6" long.

			PKG. of 25	
Shape	Diameter	Item#	1-9	10+
Round, pointed	1/8"	825-0551	\$11.85	\$10.67
	1/4"	825-0557	11.85	10.67
Round, double-beveled	1/8"	825-0541	12.45	11.21
	1/4"	825-0547	11.85	10.67
				PKG. of 5
Shape	Size	Item#	1-9	10+
G. Rectangular, beveled	1/8" X 1/8"	825-0501	\$6.95	\$5.56
	³ /16" X ³ /16"	825-0503	6.95	5.56
	1/8" X 1/4"	825-0505	6.95	5.56
	1/4" X 1/4"	825-0507	6.95	5.56
	Round, pointed Round, double-beveled Shape	Round, pointed 1/8" Round, double-beveled 1/8" 1/4" Shape Size Rectangular, beveled 1/8" x 1/8" 3/16" x 3/16" 1/8" x 1/4"	Round, pointed ½8" 825-0551 1/4" 825-0557 Round, double-beveled ½8" 825-0541 ½4" 825-0547 Shape Size Item# Rectangular, beveled ½8" x ½8" 825-0501 ¾6" x ¾6" 825-0503 ½8" x ¼4" 825-0505	Round, pointed ½8" 825-0551 \$11.85 ½4" 825-0557 11.85 Round, double-beveled ½8" 825-0541 12.45 ½4" 825-0547 11.85 Shape Size Item# 1-9 Rectangular, beveled ½8" x ½8" 825-0501 \$6.95 ¾16" x ¾16" 825-0503 6.95 ½8" x ¼4" 825-0505 6.95

H. Pegwood Sticks

Flexible multipurpose sticks that maintain a fine point and resist breaking when pushed into a hole. Use by hand, with reciprocating or rotary tools for intermediate finishing with diamond and other compounds. Carefully chosen, round soft sticks can also be used when gluing or as a dop stick. Dress with a knife or file. Measure 6" long. Sold in bundles of 24.


			BUNDLE of 24	
Shape	Diameter	Item#	1-9	10+
Round	2mm	825-1201	\$10.00	\$8.50
	2.5mm	825-1202	10.25	8.71
	3mm	825-1203	10.50	8.93
	4mm	825-1204	10.75	9.14

I, J Wood Laps - For ULTRAMAX® units

For use with diamond compound. Can be shaped with a diamond file or stone. Excellent for polishing narrow slots.

Material	Size (mm)	Item#	Pkg. of 5
I. Extra-Hard Wood	3 x 30 round	508-3349	\$24.95
J. Extra-Hard Wood	3.2 x 6 x 30 flat	508-3351	20.00
O	(OF		

Supplied with ULTRAMAX DF/SF.



One of the finest all-metal paste polishes in the world! Simply rub on with a soft cloth and rub off to obtain a brilliant luster. Will not harm uncoated metal surfaces. Unlike chemical polishes, it will not remove a layer of the metal surface being cleaned. Recommended for use after diamond compound. Removes tarnish, dirt and oils, and generally renews polished metal surfaces. Leaves a protective film, which retards oxidation but does not prevent tarnishing. Works well on virtually any ferrous or non-ferrous metal surface such as brass, copper, silver, gold, pewter, magnesium, bronze, chromium, stainless steel, platinum, aluminum and countless other similar uncoated metals. Do not use on painted or lacquered surfaces. Excellent for removing shallow scratches from most any plastic and is also used to charge dry polishing medias (such as Dri-Shine III, Walnut Shells, or crushed cob) for tumbling. Polishing grit is 8 to 10 microns. Made in Germany.

A-C Simichrome Polish®

Description	Item#	Each
A. 50g Tube	218-2050	\$13.70
50g Tube, Box of 24	218-2100	252.30
B. 250g Tin	218-2150	40.75
C. 1,000g Tin	218-2200	99.90



D. Clover® Lapping Compound

Grease-based silicon carbide compound. Great for refining surface finishes and cutting without heat buildup. Most economical for tight areas where compound loss is excessive. Best for use on 50HRC and softer steels. Packaged in 1 lb. cans.

Grit	Item#	Each
180	218-3180	\$41.95
220	218-3220	41.95
320	218-3320	46.00

Grit	Item#	Each
400	218-3400	\$46.00
600	218-3600	67.00
1200	218-3620	92.00

E. Tetrabor® Compound

Boron carbide compound. Great for refining surface finishes and cutting without heat buildup. Best for use on carbide and hardened steel. Packaged in 100 gram tubes.

Grit	Item#	Each
60	218-1005	\$35.00
100	218-1010	35.00
220	218-1050	35.00
320	218-1080	39.00

Grit	Item#	Each
400	218-1090	\$39.00
600	218-1100	47.00
800	218-1110	47.00
1200	218-1130	56.00
1200	218-1130	50

F. Brilliant Luster Cream - For a high polish without the harsh odor

Produces a lustrous mirror sheen on mold and die surfaces. Quickly removes stains and oxidation, as well as the haze created by diamond polishing. Can be used on all steels, aluminum, chrome, brass and bronze. Goes on and comes off easily with a felt bob, soft cloth or tissue paper. Emits no harsh odors, unlike other brands. Nonhazardous and noncorrosive.

Description	Item#	Each
F. 50g Jar	218-2220	\$7.25
50g Jars, box of 24	218-2225	145.00
250g Jar	218-2230	22.95
1,000g Jar	218-2235	61.95

G. Wood Bobs – 1/8" Shank

Natural wood bobs for intermediate finishing with rotary tools. Can be shaped for contours. Use dark-colored hard bobs with 15 micron or coarser diamond compounds, light-colored soft bobs with 15 micron or finer. Sold in packages of 10 or in a 12-piece set.

	Description	Dia. x L (mm)	Hard Item#	Soft Item#	Pkg. of 10
	Ball	10	825-0618	825-0638	\$33.00
	Cylinder	6 x 15	825-0605	825-0625	31.95
		10 x 20	825-0607	825-0627	36.65
	Flame	9 x 15	825-0610	825-0630	33.00
		10 x 30	825-0612	825-0632	36.65
		13 x 20	825-0614	825-0634	36.65
	Description		Item#		Each
G.	12-Piece Set	(one of each)	825-0640		\$37.55








Spectra Diamond Files

High-quality diamond files at economical prices. Feature a combination of natural and synthetic diamonds firmly plated onto durable steel blanks. Cushioned color-coded ends. Made in Germany.

Spectra Grit	Chart	
Medium	D126	120/140
Fine	D91	170/200
Very Fine	D64	230/270



A-E Spectra Medium Diamond Needle Files

Diamond needle files with 3mm round handles. Measure $5\frac{1}{2}$ " (14cm) long. Plated ends measure $2\frac{3}{4}$ " long. Medium grit (D126, or U.S. standard 120/140).

					EACH Pri	ces
	Style	Shape	Item#	1-4	5-9	10+
A.	Equalling		241-0010	\$30.25	\$28.74	\$27.23
В.	Flat-Pointed		241-0020	30.25	28.74	27.23
C.	Half-Round	***************************************	241-0030	30.25	28.74	27.23
D.	Round	0	241-0040	30.25	28.74	27.23
E.	Knife	The same of the sa	241-0050	30.25	28.74	27.23
	Set of all five		241-0250	141.00	_	

F-J Spectra Fine Diamond Needle Files

Diamond needle files with 3mm round handles. Measure $5\frac{1}{2}$ " (14cm) long. Plated ends measure $2\frac{3}{4}$ " long. Fine grit (D91, or U.S. standard 170/200).

EACH Delega

					EACH Pri	ces
	Style	Shape	Item#	1-4	5-9	10+
F.	Equalling		241-0012	\$30.25	\$28.74	\$27.23
G.	Flat-Pointed		241-0022	30.25	28.74	27.23
Н.	Half-Round	A THE STATE OF THE	241-0032	30.25	28.74	27.23
l.	Round	0	241-0042	30.25	28.74	27.23
J.	Knife	The state of the s	241-0052	30.25	28.74	27.23
	Set of all five		241-0245	141.00	-	-

K. Spectra Very Fine Diamond Escapement File

Diamond escapement file with 3/32" square handle. Measures 51/2" (14cm) long. Plated end measures 13/4" long with 1/16"–1/32" taper. Very fine grit (D64, or U.S. standard 230/270).

			EACH Prices			
Style	Shape	Item#	1-4	5-9	10+	
Round (tapered)	Ö	241-0150	\$33.00	\$31.35	\$29.70	

L-P Spectra Very Fine Diamond Micro Files

Mini diamond files with $\frac{3}{2}$ " wide handles. Measure approx. 4" long except round, which measures approx. $3\frac{3}{4}$ " long. Plated ends measure approx. 2" long with $\frac{1}{16}$ "- $\frac{1}{32}$ " taper for round only. Very fine grit (D64, or U.S. standard 230/270).

		,		EACH Prices		
	Style	Shape	Item#	1-4	5-9	10+
L.	Round (tapered)	O	241-0500	\$26.00	\$24.70	\$23.40
M.	Half-Round	***************************************	241-0505	26.00	24.70	23.40
N.	Square		241-0510	26.00	24.70	23.40
0.	Three-Square	Δ	241-0515	26.00	24.70	23.40
P.	Flat Hand		241-0520	26.00	24.70	23.40
	Set of all five		241-0525	123.00	-	-

A-E Spectra Diamond Rifflers - Medium and Fine

Curved, double-ended diamond files with square handles. Measure 6" long. Plated ends measure 1" long. Medium grit (D126, or U.S. standard 120/140) and fine grit (D91, or U.S. standard 170/200).

			Medium			EACH Pr	rices	
	Style	Shape	Item#	Item#	1-4	5-9*	10+*	
A.	Flat		241-0195	241-0170	\$42.00	\$39.90	\$37.80	
В.	Three-Square	X.	241-0200	241-0175	42.00	39.90	37.80	
C.	Square		241-0205	241-0180	42.00	39.90	37.80	
D.	Round	0	241-0210	241-0185	42.00	39.90	37.80	
E.	Oval		241-0215	241-0190	42.00	39.90	37.80	
	Set of all five	е	241-0310	241-0305	195.00	_	_	
-1- 0								

^{*}Quantity discount for orders of one item number only; not assorted.

F-N Spectra Diamond Poli Files - Medium - 3mm Shanks

Parallel diamond machine files for use in reciprocating handpieces. Plated ends measure 15mm long and files measure 2" in length, except where noted. Medium grit (D126, or U.S. standard 120/140). Made in Germany.

			Plated Size		EACH Prices		
	Style	Shape	(mm)	Item#	1-4	5-9	10+
F.	Flat		2 x 1mm	241-0400	\$25.00	\$23.75	\$22.50
G.			3 x 1mm	241-0405	25.00	23.75	22.50
H.			4 x 1mm	241-0410	25.00	23.75	22.50
Ī.			5 x 2mm	241-0415	25.00	23.75	22.50
J.			5 x 2mm*	241-0420	25.00	23.75	22.50
K.	Flat		2 x 1mm	241-0425	25.00	23.75	22.50
L.			3 x 1mm	241-0430	25.00	23.75	22.50
M.			5 x 2mm*	241-0435	25.00	23.75	22.50
N.	Round	0	3mm*	241-0440	25.00	23.75	22.50
	Set of all nin	е		241-0445	160.00	152.00	144.00

0-Q 3M[®] Diamond Hand Files

For filing hard-to-cut materials, finishing delicate surfaces, beveling edges, removing burs and sharpening tools. Can be used wet or dry. Color-coded for easy grit identification. Overall length approximately 6½".


9.,	it idonanodaom o vordi	EACH	Prices			
	Cutting Face (L x W)	Color	Grit/Micron	Item#	1-9	10+
0.	1½" x ¾"	Black	120/M125	240-3010	\$9.65	\$8.69
		Red	200/M74	240-3011	9.20	8.28
		Yellow	400/M40	240-3012	8.15	7.34
		White	800/M20	240-3013	8.15	7.34
P.	1 ³ / ₄ " x ¹ / ₂ "	Black	120/M125	240-3014	9.25	8.33
		Red	200/M74	240-3015	8.60	7.74
		Yellow	400/M40	240-3016	8.50	7.65
		White	800/M20	240-3017	8.50	7.65
Q.	1 ³ / ₄ " x ¹ / ₂ " half-round	Black	120/M125	240-3018	9.25	8.33
		Red	200/M74	240-3019	8.80	7.92


R, S Mini-Filer Diamond Tips - 2mm Shank

Mini-filing tips coated on one side with synthetic diamonds, precisely bonded to obtain the best physical properties for added strength and wear. These tips can be used in our Mini-Filers (see pp. 420-421, 426) and other light-duty profiling handpieces. All measure .5mm thick x approx. 23mm long. 40mm long mini-filer tip holder also available.

Shape/ Grit	Coated Length	D181	D151	D107	D64	30 µm	15 µm			
Rectangle	9.5mm	241-0604	241-0603	-	241-0602	241-0601	-			
Spatula	9.5mm	241-0608	241-0607	-	241-0606	241-0605	-			
Bent Spatula	9mm	-	_	_	241-0609	-	-			
Knife	8mm	241-0620	241-0621	241-0622	241-0623	241-0624	241-0625			
Package of 3		\$51.45	\$51.45	\$51.45	\$51.45	\$51.45	\$51.45			

De	escription	Item#		
S.	Mini-Filer Tip Holder - 40mm	241-0612	\$30.45	





R

Gesswein Diamond Files

Premium diamond files for use on steels, carbides, ceramics, plastics and more. Features 100% synthetic diamonds—more consistent in shape than natural diamonds—plated onto high-strength steel blanks for consistent cutting and long life. See p. 312 for file handles.



A-D Gesswein® Tapered Diamond Poli Files - 200, 400 or 600 Grits

Tapered diamond machine files for use in reciprocating handpieces. All have 3mm shanks. Plated ends measure 15mm ($^{19}/_{32}$ ") long with 1.4–0.3mm taper.

	Style	Shape	WxL	200 Grit	400 Grit	600 Grit	Each
A.	Flat		3 x 56mm	241-0814	241-0815	241-0816	\$12.50
В.	Flat		6 x 56mm	241-0817	241-0818	241-0819	13.75
C.	Flat		3 x 72mm	241-0820	241-0821	241-0822	12.50
D.	Flat		6 x 72mm	241-0823	241-0824	241-0825	13.75
	12-Pie	ce Set (on	e of each)			241-0813	149.75









E-Q Gesswein® Diamond Poli Files - 150 Grit

Diamond parallel machine files for use in reciprocating handpieces. All have 3mm shanks. Measure approx. 2" long. Plated ends measure \(^{5}/8\)" long.

							EACH Pri	ces
_	Style	Shape	W x Thick	Grit	Item#	1-4	5-9	10+
E.	Flat		2 x 1mm	150	240-1120*	\$12.50	\$11.88	\$11.25
F.			3 x 1mm	150	240-1130	12.50	11.88	11.25
G.			4 x 1mm	150	240-1140	12.50	11.88	11.25
Н.			5 x 2mm	150	240-1150	12.50	11.88	11.25
Ī.	3-Square	A	2mm	150	240-1520*	12.50	11.88	11.25
J.			3mm	150	240-1535	12.50	11.88	11.25
K.			4.5mm	150	240-1545	12.50	11.88	11.25
L.	Crossing	**************************************	2 x 1mm	150	240-1410*	12.50	11.88	11.25
M.	Round	0	1mm	150	240-1310	12.50	11.88	11.25
N.			2mm	150	240-1320*	12.50	11.88	11.25
0.			3mm	150	240-1330	12.50	11.88	11.25
P.	Flat		4 x 1mm	150	240-1230*	12.50	11.88	11.25
Q.	Knife	The state of the s	4 x 1mm	150	240-1610*	12.50	11.88	11.25
	*6-Piece S	Set (one of e	ach asterisked	item)	240-1706			71.00
	12-Piece	Set (one of	each except #2	40-1150)	240-1712			142.00



R-AA Gesswein® Diamond Riffler Poli Files - 150 Grit

Parallel diamond machine files for use in reciprocating handpieces. All have 3mm shanks. Measure approx. 2.5" long. Plated ends measure \(^{5}\/8\)" long. Diamond coating measures approximately \(^{7}\/8\)".

	Style	Shape	W x Thick	Grit	Item#	Each
R.	Equalling		5.8 x 1.2mm	150	240-1001	\$12.50
S.	Equalling		3.2 x 1.4mm	150	240-1002	12.50
T.	Half-Round Bent	WILLIAM TO THE PARTY OF THE PAR	5 x 2mm	150	240-1003	12.50
U.	Equalling Bent		3.2 x 1.4mm	150	240-1004	12.50
V.	Round Hook	Ö	3mm	150	240-1005	12.50
W.	Round Curved	0	3mm	150	240-1006	12.50
Χ.	Three-Square	Δ	2.5mm	150	240-1007	12.50
Y.	Equalling Angle		3.2 x 1.4mm	150	240-1008	12.50
Z.	Equalling Curved		3.2 x 1.4mm	150	240-1009	12.50
AA	.Crossing Oval	***************************************	3.5 x 2mm	150	240-1010	12.50
	10-Piece Set (one of	each)			240-1000	112.50



A-F Gesswein® Diamond Needle Files - 51/2" 150 Grit

Diamond needle files with 3mm round handles. Plated ends measure 2³/₄" long (70mm). Can be used alone or with needle file handles (see p. 312).

							EACH Pr	Prices	
	Style	Shape	Grit	Length	Item#	1-4	5-9	10+	
A.	Round	0	150	51/2"	240-2162	\$22.00	\$20.90	\$19.80	
B.	Half-Round	***************************************	150	51/2"	240-2152	22.00	20.90	19.80	
C.	Square		150	51/2"	240-2142	22.00	20.90	19.80	
D.	Three-Squar	e 🛆	150	51/2"	240-2132	22.00	20.90	19.80	
E.	Equalling		150	51/2"	240-2112	22.00	20.90	19.80	
F.	Barrette		150	51/2"	240-2102	22.00	20.90	19.80	
	6-Piece Set	(one of ea	ach)		240-2200	SET Price		125.00	



G-K Gesswein® Diamond Needle Files - 73/4" 120 Grit

Diamond needle files with 3mm round handles. Plated ends measure 2\(^3/_4\)" long (70mm). Can be used alone or with needle file handles (see p. 312).


`	,					` .	EACH Pr	ices
	Style	Shape	Grit	Length	Item#	1-4	5-9	10+
G.	Equalling		120	73/4"	240-2211	\$30.00	\$28.50	\$27.00
Н.	Half-Round	**************************************	120	73/4"	240-2212	30.00	28.50	27.00
l.	Round	\Diamond	120	73/4"	240-2213	30.00	28.50	27.00
J.	Square		120	73/4"	240-2214	30.00	28.50	27.00
K.	Three-Square	е 🛆	120	73/4"	240-2215	30.00	28.50	27.00
	5-Piece Set (one of each)				240-2210	SET Pr	ice	135.00



L-O Gesswein® Tapered Diamond Hand Files - 150, 200 or 400 Grits

Tapered diamond hand files with slim handles for sure grip. Measure 180mm (7") long. Plated ends measure 40mm long on 2mm wide files, 50mm long on all others.


	Style	Shape	W x Thick	150 Grit	200 Grit	400 Grit
L.	Flat		2 x 1.5-0.4mm	241-0801	241-0802	241-0803
M.	Flat		4 x 2.0-0.5mm	241-0804	241-0805	241-0806
N.	Flat		6 x 2.0-0.5mm	241-0807	241-0808	241-0809
0.	Flat		8 x 2.5-0.5mm	241-0810	241-0811	241-0812
					EACH Price	\$22.00
	12-Piece S	Set (one c	of each)	241-0800	SET Price	250.00




P-T Gesswein® Diamond Hand Files - 100, 200 or 400 Grits

Heavy-duty diamond hand files with square shanks for use by hand or with handles. Measure 215mm (87/16") long. Plated ends measure a generous 80mm $(3^{5}/32")$ long.


	Style	Shape	W x Thick	100 Grit	200 Grit	400 Grit
P.	Equalling		11.0 x 3.5mm	241-0746	241-0747	241-0748
Q.	Square		6.3 x 6.3mm	241-0735	241-0736	241-0737
R.	Half-Round	**************************************	10.5 x 4.4mm	241-0749	241-0730	241-0731
S.	Round	0	5.0mm	241-0732	241-0733	241-0734
T.	3-Square	Δ	7.7mm	241-0738	241-0739	241-0740
					EACH Price	\$39.95
	5-Piece Se	ets (one c	of each style)	241-0741	241-0742	241-0743
					SET Price	\$169.95







Other Rifflers are in the File Section



A-E Gesswein® Diamond Rifflers - Double Ended, 150 Grit

Curved, double-ended diamond files with square handles. Measure 6" long. Plated ends measure 1" long.

						EACH Prices		
	Style	Shape	Grit	Item#	1-4	5-9	10+	
A.	16R	**************************************	150	240-3165	\$25.00	\$23.75	\$22.50	
B.	18R		150	240-3180	25.00	23.75	22.50	
C.	22R	A	150	240-3222	25.00	23.75	22.50	
D.	24R		150	240-3225	25.00	23.75	22.50	
E.	26R	0	150	240-3230	25.00	23.75	22.50	
	5-Piece Set (one of each)			240-3250	SET Pr	ice	115.00	

F-O Gesswein® Diamond Rifflers - 150 Grit

Gesswein Diamond Rifflers use 100% man-made diamonds. These synthetic diamonds are more consistent in shape than natural diamonds. This guarantees sharp and even cutting action, durability and long life. All blanks are precision-made of high-strength steel. High-density wear-resistant plating enables total usage of the full concentration of diamond. Available individually or in a money saving set of all 10 shapes.

Overall length: 5½" (140mm)

• Handle Diameter: 3.0mm

• Diamond Coated Length: 3/4" (20mm)

Grit	Item#	1-4	EACH Pri	ices
Grit	Item#	1 1		
		1-4	5-9	10+
mm 150	240-3301	\$18.00	\$17.10	\$16.20
are 150	240-3302	18.00	17.10	16.20
.5mm 150	240-3303	18.00	17.10	16.20
150	240-3304	18.00	17.10	16.20
150	240-3305	18.00	17.10	16.20
150	240-3306	18.00	17.10	16.20
150	240-3307	18.00	17.10	16.20
150	240-3308	18.00	17.10	16.20
150	240-3309	18.00	17.10	16.20
150	240-3310	18.00	17.10	16.20
et (one of each)	240-3300	162.00	153.90	145.80
	150 .5mm 150 150 150 150 150 150 150	mm 150 240-3301 lare 150 240-3302 l.5mm 150 240-3303 150 240-3304 150 240-3305 150 240-3306 150 240-3308 150 240-3308 150 240-3309 150 240-3310	mm 150 240-3301 \$18.00 lare 150 240-3302 18.00 .5mm 150 240-3303 18.00 150 240-3304 18.00 150 240-3305 18.00 150 240-3306 18.00 150 240-3307 18.00 150 240-3308 18.00 150 240-3309 18.00 150 240-3310 18.00	mm 150 240-3301 \$18.00 \$17.10 lare 150 240-3302 18.00 17.10 .5mm 150 240-3303 18.00 17.10 150 240-3304 18.00 17.10 150 240-3305 18.00 17.10 150 240-3306 18.00 17.10 150 240-3307 18.00 17.10 150 240-3308 18.00 17.10 150 240-3309 18.00 17.10 150 240-3310 18.00 17.10

P-Z Turbo Lap Diamond Files

These diamond files are perfect for finishing in tight areas. The high quality diamond abrasive performs well in high speed and short stroke applications. Each diamond file has maximum thickness of 1mm and tapers down to 0.5mm thick. Each style is available in three grits.


			Each Prices			
Description		escription Item#		1-4	5-9*	10+*
Lap Diamond Files	See	chart below	\$7.25	\$6.89	\$6.53	
Length x Abrasive (mm)	Size	120 Grit	200 Gr	it 4	00 Grit	
60 x 25	3~2	241-0640	241-06	41 24	1-0642	
70 x 40	4~2	241-0644	241-06	45 24	1-0646	
60 x 25	4~2	241-0648	241-06	49 24	1-0650	
60 x 25	4~3	241-0652	241-06	53 24	1-0654	
70 x 40	4~3	241-0656	241-06	57 24	1-0658	
60 x 25	4	241-0660	241-06	61 24	1-0662	
70 x 40	6	241-0664	241-06	65 24	1-0666	
70 x 40	8	241-0668	241-06	69 24	1-0670	
90 x 60	8	241-0672	241-06	73 24	1-0674	
70 x 40	10	241-0676	241-06	77 24	1-0678	
90 x 60	10	241-0680	241-06	81 24	1-0682	
	Lap Diamond Files Length x Abrasive (mm) 60 x 25 70 x 40 90 x 60 70 x 40	Lap Diamond Files See Length x Abrasive (mm) Size 60 x 25 3~2 70 x 40 4~2 60 x 25 4~2 60 x 25 4~3 70 x 40 4~3 60 x 25 4 70 x 40 6 70 x 40 8 90 x 60 8 70 x 40 10	Lap Diamond Files See chart below Length x Abrasive (mm) Size 120 Grit 60 x 25 3~2 241-0640 70 x 40 4~2 241-0644 60 x 25 4~2 241-0652 70 x 40 4~3 241-0656 60 x 25 4 241-0660 70 x 40 6 241-0664 70 x 40 8 241-0668 90 x 60 8 241-0672 70 x 40 10 241-0676	Interpretation Item# 1-4 Lap Diamond Files See chart below \$7.25 Length x Abrasive (mm) Size 120 Grit 200 Gr 60 x 25 3~2 241-0640 241-06 70 x 40 4~2 241-0644 241-06 60 x 25 4~2 241-0648 241-06 70 x 40 4~3 241-0652 241-06 60 x 25 4 241-0666 241-06 70 x 40 6 241-0660 241-06 70 x 40 8 241-0668 241-06 90 x 60 8 241-0672 241-06 70 x 40 10 241-0676 241-06	Interpretation Item# 1-4 5-9* Lap Diamond Files See chart below \$7.25 \$6.89 Length x Abrasive (mm) Size 120 Grit 200 Grit 4 60 x 25 3~2 241-0640 241-0641 24 70 x 40 4~2 241-0644 241-0645 24 60 x 25 4~2 241-0648 241-0649 24 60 x 25 4~3 241-0652 241-0653 24 70 x 40 4~3 241-0656 241-0667 24 60 x 25 4 241-0666 241-0661 24 70 x 40 6 241-0664 241-0665 24 70 x 40 8 241-0668 241-0669 24 90 x 60 8 241-0672 241-0673 24 70 x 40 10 241-0676 241-0677 24	

*Quantity discount for orders of one item# only, not assorted.

A-C Resinoid Diamond Lappers

For touching up and sharpening cutting tools, carbide and high-speed steels. The diamond stone will remove scratches and other surface imperfections. Leaves a good finish due to its resin bonding. Diamond is embedded throughout the stone ensuring consistent cutting action as the stone wears.

			Stone Size:			
	Style	Shape	Length x Width	Grit	Item#	Each
A.	Flat stone		40 x 10mm	400	240-3031	\$35.95
			40 x 10mm	800	240-3033	35.95
			40 x 10mm	1200	240-3035	35.95
В.	Half-Round stone	ALL LANGE	40 x 5mm	400	240-3041	40.95
		ATTURNE TO SERVICE TO	40 x 5mm	800	240-3043	40.95
		A STATE OF THE PARTY OF THE PAR	40 x 5mm	1200	240-3045	40.95
C.	Flat stone		30 x 10mm	400	240-3051	38.40
			30 x 10mm	800	240-3053	38.40
			30 x 10mm	1200	240-3055	38.40



D-H EZE-LAP® Diamond Hand Lappers

These lappers are ideally suited for honing edges of carbide cutting tools. They offer excellent abrasion resistance for superior finishing. Available in assorted grits to match your finishing requirements. Comfort-fit handgrips are designed for accurate control and color-coded for easy grit identification. Measure 6"L x 3/4"W (diamond face measures 2"L x 3/4"W).


	Hand Lappers	Color	Item#	Each
D.	Extra-Coarse	Green	349-6009	\$11.95
E.	Coarse (200)	Black	349-6010	9.30
F.	Medium (325)	Purple	349-6012	7.75
G.	Fine (600)	Red	349-6014	6.50
Н.	Super-Fine (1500)	Blue	349-6018	6.50



I, J EZE-LAP® Diamond Hand Sharpeners

These sharpeners are ideally suited for honing edges of carbide cutting tools. They offer excellent abrasion resistance for superior finishing. Folding sharpeners with butterfly knife-style handles are grit color-coded and measure 9"L x 1"W open, 5"L x 1"W closed (diamond face area measures 4"L x 3/4"W).

	Folding Sharpeners	Color	Item#	Each
I.	Fine/Medium	Silver	349-6020	\$35.10
J.	Fine (tapered cone)	Red	349-6022	23.40





A. Diamond PSA Cloth

Features precisely graded diamond grit on a flexible cloth backed by pressure-sensitive adhesive. The diamond grit is positioned on raised "islands" covering the cloth, thus allowing greater flexibility and more aggressive cutting action. Can be easily cut with scissors, shaped, punched and bent to almost any configuration. Use wet or dry for applications on steel, carbide, ceramic, glass, etc. All diamond cloths are color coded for easy identification of grit. Measures $50 \times 100 \text{mm}$ (2" x 4").

Color	Grit	Size	Item#	Each
Brown	120	50 x 100mm	107-4951	\$51.00
Red	200	50 x 100mm	107-4952	39.00
Yellow	400	50 x 100mm	107-4953	35.00
White	600	50 x 100mm	107-4954	35.00
Blue	1000	50 x 100mm	107-4955	44.00



B. Diamond PSA Foil

Consists of diamond abrasive particles electroplated onto very thin and flexible metal foil. Backed by pressure-sensitive adhesive. Can cut to any size and shape with scissors. Simply remove the paper backing and stick foil on to your own tools, creating a new "self-made" tool. Wide range of grit selection for fast aggressive cutting or fine polishing on steels and carbides. Measures $50 \times 100 \text{mm}$ (2" x 4").

Grit	Size	Item#	Each
120	50 x 100mm	107-5790	\$40.50
200	50 x 100mm	107-5792	30.95
400	50 x 100mm	107-5794	27.00
600	50 x 100mm	107-5795	23.50
1200	50 x 100mm	107-5797	23.50



C. Diamond PSA Poly Film


These highly flexible films are made of precisely graded diamond particles bonded to high strength polyester backing and provide a uniform, consistent finish. The films are waterproof, have good heat resistance and have a PSA (Pressure Sensitive Adhesive) backing. Can be used on a variety of materials including hardened steels, tungsten carbide, ceramic, glass, precious stones and epoxy. Measures $25 \times 150 \text{mm}$ (1" $\times 6$ ").

Micron	Size	Item#	Each
60	25 x 150mm	107-5786	\$20.00
45	25 x 150mm	107-5785	20.00
30	25 x 150mm	107-5784	20.00
15	25 x 150mm	107-5783	20.00
9	25 x 150mm	107-5782	20.00
6	25 x 150mm	107-5781	20.00

A-I Diamond-Impregnated Rubber Wheels and Points - 3/32" Shank

Diamond and rubber combined to give you fast finishes on platinum, precious alloys, titanium and stainless steel. Long-lasting, made in 3 versatile shapes to access the tightest areas. Color-coded for grit identification. Available in three color-coded grits: medium (green), fine (gray) and extra-fine (red). All ³/₃₂" shanks. Max. operating speeds: 10,000rpm. Made in Germany.

	Green Gem Polishers – Medium	Dimensions	Item#	Each
A.	Mtd. Point	13 x 4mm	145-1322	\$8.85
B.	SE Mtd. Wheel	11 x 2mm	145-1321	8.85
C.	SE Mtd. Wheel	11 x 4mm	145-1323	15.60
	Gray Gem Polishers – Fine	Dimensions	Item#	Each
D.	Mtd. Point	13 x 4mm	145-1325	\$8.85
E.	SE Mtd. Wheel	11 x 2mm	145-1324	8.85
F.	SE Mtd. Wheel	11 x 4mm	145-1326	15.60
	Red Gem Polishers – Extra-Fine	Dimensions	Item#	Each
G.	Mtd. Point	13 x 4mm	145-1328	\$8.85
H.	SE Mtd. Wheel	11 x 2mm	145-1327	8.85
Ī.	SE Mtd. Wheel	11 x 4mm	145-1329	15.60



J. Diamond Embedded Polisher - 3/32" Shank

Developed to polish very hard metals (like Platinum, Palladium, Titanium, Stainless Steel). This square edge, 7/8" polisher has microfine ground diamonds evenly embedded in a synthetic rubber bond. Ideal for trimming, reduction, smoothing parting lines, pre-polishing, high-shine polishing. Also an excellent choice for polishing super hard carbide gravers. Max. operating speeds: 10,000rpm. Made in Germany.

Description	· ·	·	Item#	Set Price
Diamond Embedded Polisher		145-1380	\$23.50	



Use for precision sharpening of all your blades and tools. Each pad has one cutting face that contains micron-graded diamonds. Open dot pattern provides aggressive cutting action and reduces loading. Flexible backing conforms to irregular surfaces. Pads are color-coded for easy grit identification. Cutting face measures 3\(^4\)"L x 2\(^4\)"W. Available individually or in a set of six.

Color	Grit	Micron	Item#	Each
Green	60	250	240-3060	\$37.45
Black	120	125	240-3061	28.90
Red	200	74	240-3062	23.55
Yellow	400	40	240-3063	18.70
White	800	20	240-3064	18.70
Blue	1800	10	240-3065	18.70
K. 6-Piece Set			240-3085	119.95





L. 3M™ Sponge Sanding Pads - Aluminium Oxide

Flexible, palm-sized Sponge Sanding Pads from 3M conform to almost any surface contour. Made of long-lasting, closed-cell rubber with micron-graded aluminum oxide abrasive grains, these pads will not gouge the work surface. 3M Sponge Sanding Pads can be used wet or dry for a variety of applications as well as folded or trimmed to fit into detailed areas.

Each pad measures 4½" x 5½". Available in Medium, Fine, Super-Fine, Ultra-Fine and Micro-Fine as well as a Set of all 5. EACH Driego

do tron do a out or an or			EAUR P	nces	
Description	Item#	1-4	5-19	20+	
Medium Pad	108-7020	\$1.95	\$1.79	\$1.71	
Fine Pad	108-7015	1.95	1.79	1.71	
Super-Fine Pad	108-7010	1.95	1.79	1.71	
Ultra-Fine Pad	108-7005	3.35	3.07	2.93	
Micro-Fine Pad	108-7000	3.35	3.07	2.93	
L. 5-Piece Set	108-7025	SET Pric	е	12.35	




Diamond and CBN Pins

Diamond and CBN (cubic boron nitride) are superior abrasives with material removal rates beyond those of conventional abrasives such as aluminum oxide or silicon carbide. Our diamond pins are ideal for use on carbides and extremely hard steels and ceramics. Our CBN pins are recommended for use on high-carbon, high-chrome, high-speed steels such as M2, M3, M7 and T15; die steels such as D2, D3, HB and A&O; alloy steels harder than 50 HRC; and nickel- and cobalt-based super alloys such as titanium and stainless steel. The cutting edges last longer, resist breakdown better, produce more ground parts per hour and improve the quality of the finished product, helping reduce overall costs. When heat distortion is an important factor, CBN is the wise choice because it runs cooler than diamond.

Diameter	Maximum RPM
.020"200"	60,000-120,000
.200"500"	45,000–60,000
.500"-1.00"	30,000-45,000

Maximum 1/2" overhang




A. BX and GX Series (BX = CBN, GX = Diamond) $-\frac{1}{4}$ " Shank

BX are all 80/100 grit. GX are as follows: coarse is 100/120 grit, fine is 140/170 grit. Measure 3" long.

	C	BN			Dia	ımond		
Dimensions A B	80/100 Coarse	80/100 BX Series Coarse Item#		100/120 GX Series Coarse Item#		140/170 Fine	GX Series Item#	Eacl
9/64" 1/4"	BX-141	247-1410		GX-141C	235-3601	GX-141F	235-3600	\$16.10
5/32" 1/4"	BX-156	247-1560		GX-156C	235-3651	GX-156F	235-3650	16.10
³ /16" ¹ /4"	BX-188	247-1880		GX-188C	235-3701	GX-188F	235-3700	16.10
7/32" 1/4"	BX-218	247-2180		GX-218C	235-3751	GX-218F	235-3750	16.10
1/4" 1/8"	BX-250/2	247-2502		GX-250/2C	235-3801	GX-250/2F	235-3800	17.90
1/4" 1/4"	BX-250/4	247-2504		GX-250/4C	235-3851	GX-250/4F	235-3850	17.90
⁵ /16" ¹ /4"	BX-312/4	247-3124		_	_	GX-312/4F	235-3950	17.90
⁵ /16" ³ /8"	BX-312/6	247-3126		GX-312/6C	235-4001	GX-312/6F	235-4000	17.90
3/8" 1/8"	BX-375/2	247-3752		GX-375/2C	235-4051	GX-375/2F	235-4050	23.4
3/8" 1/4"	BX-375/4	247-3754		GX-375/4C	235-4101	GX-375/4F	235-4100	23.45
3/8" 3/8"	BX-375/6	247-3756		GX-375/6C	235-4151	GX-375/6F	235-4150	23.45
1/2" 1/4"	BX-500/4	247-5004		_	_	_	_	27.15
1/2" 3/8"	BX-500/6	247-5006		GX-500/6C	235-4251	GX-500/6F	235-4250	27.00
1/2" 1/2"	BX-500/8	247-5008		GX-500/8C	235-4301	GX-500/8F	235-4300	27.00
3/4" 1/4"	BX-750/4	247-7504		GX-750/4C	235-4351	GX-750/4F	235-4350	40.45
3/4" 1/2"	BX-750/8	247-7508		GX-750/8C	235-4401	GX-750/8F	235-4400	40.45

B. B and G Series (B = CBN, G = Diamond) $-\frac{1}{8}$ " Shank

Coarse is 140/170 grit, fine is 200/230 grit. Measure 13/8" long.



	CBN				Diamond					
Dimensi	Dimensions 140/170 B Series		B Series		140/	140/170		0/230		
Α	В	С	Coarse	Item#	Each	Coarse	Item#	Fine	Item#	Each
0.02"	¹ /16"	1/8"	B-20	246-0200	\$10.20	G-20C	235-1451	G-20F	235-1450	\$10.50
0.025"	3/32"	1/4"	B-25	246-0250	10.20	G-25C	235-1501	G-25F	235-1500	10.50
0.03"	3/32"	1/4"	B-30	246-0300	8.85	G-30C	235-1551	G-30F	235-1550	8.85
0.035"	3/32"	1/4"	B-35	246-0350	8.60	G-35C	235-1601	G-35F	235-1600	8.85


Coarse is 100/120 grit, fine is 200/230 grit. Measure 13/8" long.

Dimensi	ons		100)/120	20	0/230	
Α	В	С	Coarse	Item#	Fine	Item#	Each
0.04"	1/8"	3/8"	G-40C	235-1651	G-40F	235-1650	\$8.85
0.045"	1/8"	3/8"	G-45C	235-1701	G-45F	_	8.85
0.05"	1/8"	3/8"	G-50C	235-1751	G-50F	235-1750	8.85
0.055"	1/8"	3/8"	G-55C	235-1801	G-55F	_	8.85
0.06"	1/8"	3/8"	G-60C	235-1851	G-60F	235-1850	8.85
0.07"	⁵ / ₃₂ "	1/2"	G-70C	235-1901	G-70F	235-1900	8.85
0.08"	5/32"	1/2"	G-80C	235-1951	G-80F	235-1950	8.85
0.09"	5/32"	1/2"	G-90C	235-2001	G-90F	235-2000	8.85
0.1"	5/32"	1/2"	G-100C	235-2051	G-100F	235-2050	8.85
0.11"	5/32"	1/2"	G-110C	235-2101	G-110F	235-2100	8.85
0.125"	5/32"	1/2"	G-125C	235-2151	G-125F	235-2150	8.85

A. BL and GL Series (BL = CBN, GL = Diamond) - 1/8" Shank

BL are all 80/100 grit. GL are as follows: coarse is 100/120 grit, fine is 200/230 grit. Measure $2^{1/2}$ " long.


BL are a	aii 80/ i	00 grit. Gl	_ are as tollo	ws: coarse is T	00/120 g	grit, fine is 20	0/230 grit. Mea	asure 2 1/2" Ion(g.	
				CBN			Dia	mond		
Dimens				BL Series			GL Series		0 GL Series	
Α	В	С	Coarse	Item#		Coarse	Item#	Fine	Item#	Each
0.04"	1/8"	3/8"	BL-40	246-0400		GL-40C	235-2351	GL-40F	235-2350	\$8.85
0.045"	1/8"	3/8"	BL-45	246-0450		-	_	_	_	8.60
0.05"	1/8"	1"	BL-50/1	246-0501		GL-50/1C	235-2501	_	_	8.60
0.05"	1/8"	3/8"	BL-50	246-0500		GL-50C	235-2451	GL-50F	235-2450	8.85
0.055"	1/8"	3/8"	BL-55	246-0550		_	_	_	_	8.85
0.06"	1/8"	3/8"	BL-60	246-0600		GL-60C	235-2601	GL-60F	235-2600	8.85
0.06"	1/8"	1"	BL-60/1	246-0601		-	-	_	_	10.20
0.07"	5/32"	1/2"	BL-70	246-0700		GL-70C	235-2701	GL-70F	235-2700	8.85
0.07"	5/32"	1"	BL-70/1	246-0701		GL-70/1C	235-2751	GL-70/1F	235-2750	10.40
0.08"	5/32"	1/2"	BL-80	246-0800		GL-80C	235-2801	GL-80F	235-2800	8.85
0.09"	5/32"	1/2"	BL-90	246-0900		GL-90C	235-2901	GL-90F	235-2900	8.85
0.09"	5/32"	1"	BL-90/1	246-0901		-	-	_	_	10.40
0.1"	5/32"	1/2"	BL-100	246-1000		GL-100C	235-3001	GL-100F	235-3000	8.85
0.1"	5/32"	1"	BL 100/1	246-1001		_	-	_	_	10.40
0.11"	5/32"	1/2"	BL-110	246-1100		_	-	_	_	8.85
0.11"	5/32"	1"	BL-110/1	246-1101		_	-	_	_	10.40
0.125"	5/32"	1/2"	BL-125	246-1250		GL-125C	235-3201	GL-125F	235-3200	8.85
0.125"	5/32"	1"	BL-125/1	246-1251		_	-	_	_	10.40
0.141"	1/4"	_	BL-141	246-1410		GL-141C	235-3301	GL-141F	235-3300	10.70
0.156"	1/4"	_	BL-156	246-1561		GL-156C	235-3351	GL-156F	235-3350	10.70
0.188"	1/4"	_	BL-188	246-1880		GL-188C	235-3401	GL-188F	235-3400	15.20
0.218"	1/4"	_	BL-218	246-2180		GL-218C	235-3451	GL-218F	235-3450	15.85
0.25"	1/8"	-	BL-250/2	246-2502		GL-250/2C	235-3501	GL-250/2F	235-3500	16.10
0.25"	1/4"	-	BL-250/4	246-2504		GL-250/4C	235-3551	GL-250/4F	235-3550	16.10



B. SUPER Dresser

Used to dress NSS and SUPER Ceramic Diamond Stones, as well as Cristone stones. Measures $\frac{1}{8}$ " x 1" x 4" (3 x 25 x 100mm).

Description	Item#	Each
SUPER Dresser	351-0300	\$17.75



B

C. Wet Stick Diamond Dresser

Use this dressing stone with water for cleaning diamond points. Measures 2"L x $\frac{3}{4}$ "W x $\frac{1}{2}$ " thick.

Description	Item#	Each
Wet Stick	380-1022	\$2.30



Mounted Diamond Points - 1/8" Shank

Inexpensive yet durable cutting tools with diamond particles nickel-electroplated onto medium carbon steel. Use on carbide, steel, ceramic and wood surfaces. Heads shown actual size. Measure 13/4" long with 1/8" shanks. Sold individually and in three sets (see below). Always use with

water or Lubricant/Thinner (see p. 105). All 1–1.5mm diameter points are fine (150 grit); all 2–5mm diameter points are medium (120 grit). Max. operating speeds: 80,000rpm for 1–3mm dia; 60,000rpm for 3.5–4mm dia; 50,000rpm for 5mm dia.

Heads shown actual size.								
Style	10A	15A	20A	25A	30A	35A	40A	50A
Dia. x L (mm)	1 x 8	1.5 x 8	2 x 8	2.5 x 8	3 x 10	3.5 x 10	4 x 10	5 x 10
Grit	150	150	120	120	120	120	120	120
Max. RPM	80,000	80,000	80,000	80,000	80,000	60,000	60,000	50,000
Item#	226-1250	226-1251	226-1252	226-1253	226-1254	226-1255	226-1256	226-1257
Each	\$3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75
	1	•	(20)		0		@	

Each	\$3.50	3.50	3.75	3.50	3.50	3.50	3.50	3.50
Item#	226-1258	226-1259	226-1260	226-1261	226-1262	226-1263	226-1264	226-1265
Max. RPM	80,000	80,000	50,000	80,000	80,000	80,000	80,000	60,000
Grit	120	120	120	150	120	120	120	120
Dia. x L (mm)	2	3	5	1.5 x 8	2 x 8	2.5 x 10	3 x 10	3.5 x 10
Style	20B	30B	50B	15C	20C	25C	30C	35C
	-		1	n	A	A	II.	

A

Each	\$3.75	3.75	3.50	3.50	3.75	3.50	3.50
Item#	226-1266	226-1267	226-1275	226-1276	226-1277	226-1268	226-1269
Max. RPM	60,000	50,000	80,000	80,000	50,000	80,000	80,000
Grit	120	120	120	120	120	120	120
Dia. x L (mm)	4 x 10	5 x 10	2 x 10	3 x 10	5 x 10	2 x 12	3 x 15
Style	40C	50C	20F	30F	50F	20P	30P

Style	15R	20R	30R	30S	20T	30T	30V
Dia. x L (mm)	1.5 x 10	2 x 12	3 x 14	3 x 6	2 x 10	3 x 10	3 x 10
Grit	150	120	120	120	120	120	120
Max. RPM	80,000	80,000	80,000	80,000	80,000	80,000	80,000
Item#	226-1270	226-1272	226-1273	226-1274	226-1278	226-1279	226-1280
Each	\$3.50	3.50	3.50	3.50	3.50	3.50	3.50

A

(B)

A. Diamond Mounted Point Sets – 1/8" Shank

Description	Item#	Each
A. 10-Piece Set (styles 10A, 20A, 30A, 30B, 15C, 25C, 20F, 20P, 30P, 20R)	226-1281	\$31.50
20-Piece Set (styles 10A, 15A, 20A, 25A, 30A, 35A, 20B, 30B, 15C, 20C, 25C, 30C, 20F, 30F, 20P, 30P, 15R, 20R, 30R, 20T)	226-1282	63.00
30-Piece Set (one of each style)	226-1283	94.50

Diamond Cutters - 3/32" Shank

Feature medium/fine grit diamond particles electroplated onto stainless steel for unmatched quality and durability. Great for stone carving and cleanup work on glass, ceramics and metals. Cutters shown actual size, although entire shank is not displayed. Measure 13/4" long with 3/32"

stainless steel shanks. Sold individually and in three sets (see below). Always use with water or Lubricant/Thinner (see p. 105). Max. operating speed: 30,000rpm.

Heads shown actual size.								
Dia. x L (mm)	2 x 1.5	2.7 x 1.5	4 x 1.5	6 x 2	1.5 x 4	2 x 8	3 x 4	7 x 12
Shape	Inverted Cone	Inverted Cone	Inverted Cone	Inverted Cone	Rounded Point	Rounded Point	Cylinder	Rounded Cylinder
Item#	226-1161*	226-1162*	226-1163*	226-1164*	226-1165	226-1166*	226-1167*	226-1168*
Each	\$4.25	4.25	4.50	5.50	4.25	4.25	5.25	12.25

^{*}Items available in 20-Piece Master Set below

Dia. x L (mm)	6 x 7	1.5 x 10	2 x 12	3 x 12	3.5 x 6	1.5 x 10	0.9 x 4	2 x 5
Shape	Cylinder	Point	Rounded Cylinder	Rounded Cylinder	Point	Point	Point	Inverted Cone
Item#	226-1169*	226-1170*	226-1171*	226-1172*	226-1181*	226-1182	226-1183*	226-1184*
Each	\$8.75	4.25	4.25	5.25	6.25	4.25	4.25	4.25


^{*}Items available in 20-Piece Master Set below

				Å				
Dia. x L (mm)	6 x 10	2.5 x 7	2 x 7	1 x 1	2 x 2	3 x 3	4 x 4	4 x 0.8
Shape	Cylinder	Cylinder	Cylinder	Round	Round	Round	Round	Wheel
Item#	226-1185*	226-1186*	226-1187	226-1188*	226-1189*	226-1190*	226-1191	226-1192*
Each	\$8.75	4.75	4.75	4.25	4.25	4.75	5.50	4.75

^{*}Items available in 20-Piece Master Set below

A, B Diamond Cutter Sets - 3/32" Shank

Desc	cription	Item#	Each
A. 1	2-Piece Set #1 (one each of 226-1161 through 226-1172)	226-1160	\$55.95
1	2-Piece Set #2 (one each of 226-1181 through 226-1192)	226-1180	49.95
B. 2	0-Piece Master Set (one each of asterisked above)	226-1159	86.95



C. Diamond Bit Sets

These economical and functional medium/fine diamond bit sets are a good value for the novice or hobbyist. Can be used on ceramic, glass, metal or stone. Include 20 bits in different shapes and sizes and a handy plastic organizer. Bits measure $1\frac{3}{4}$ " (44.5mm) long. Available with $\frac{3}{32}$ " or $\frac{1}{8}$ " shanks. Max. operating speed: 30,000rpm. Sold only in the set. Always use with water or Lubricant/ thinner (see p. 105).

Description	Shank	Item#	Each
20-Piece Set	3/32"	226-1220	\$8.45
	1/8"	226-1221	8.45



Diamond Wheels and Points - 3/32" Shank

A wide variety of shapes and sizes of diamond wheels convenient for cutting hard metals, ceramics, stones and more. A single layer of diamond is nickel-electroplated to each wheel, ensuring long life when used with only slight pressure. The diamonds are in an exposed position for fast cutting action. All are 140/170 grit with 3/32" shanks. Made in Sweden.

Diameter	Maximum RPM
.020"200"	60,000-120,000
.200"500"	45,000–60,000
.500"-1.00"	30,000-45,000


Maximum 1/2" overhang

	⊢— D —		Di	mensions (inc	hes)		
	t	A. Style	D	(t	Item#	Each
A		DT-109	0.366		0.051	230-2050	\$46.25
	t= -D-			mensions (inc	hes)		
		B. Style	D		t	Item#	Each
В		DT-129P	0.248		0.02	230-2850	\$37.75
<u> </u>	D						
t == =		C Ctulo	D D	mensions (inc d		ltom#	Fook
		C. Style			0.010	Item#	Each
C		DT-124P	0.602	0.512	0.018	230-2600	\$56.00
			Di	mensions (inc	hes)		
	D	D. Style	D	d	t	Item#	Each
		DT-56P	0.342	0.276	0.05	230-0350	\$46.25
D		DT-128P	0.354	0.276	0.02	230-2800	46.25
			Di	mensions (inc	hae)		
		E. Style	D	illoiloilo (illo	t	Item#	Eacl
	5	DB-902A	0.051		0.158	230-4050	\$15.00
	<u> </u>	DT-95	0.063		0.136	230-1450	17.80
	t 🔝	DT-117	0.094		0.295	230-2450	18.80
E		DT-510	0.094		0.394	230-3100	19.8
•	_						
	t	F. Style	D	Taper	t	Item#	Eacl
F		DT-236	0.287	60°	0.236	230-3000	\$45.00
			D		h		
		C Style	וט	mensions (inc	ines)	ltom#	Engl
		G. Style DB-2/0		D 0.032		Item#	Eacl
		DB-2/0 DB-102		0.032		230-3250	\$15.00
		DB-102 DB-104		0.051		230-3300	15.00
		DB-104 DB-105		0.067		230-3350	15.00
	- D -	DB-103 DB-108		0.071		230-3400 230-3450	15.49 15.99
		DT-101		0.098		230-3450	23.9
G	I	DT-101 DT-119		0.118		230-1650	29.9
	_ D	H. Style	Di D	mensions (inc	hes) t	Item#	Eacl
	<u> </u>	DT-86	0.055		0.276	230-1200	\$15.70
	<u>-</u>	DT-100	0.098		0.276	230-1200	18.80
H		יוט -וט	0.090		0.270	230-1000	10.80

A-I Diamond Cutters - 3/32" Shank

Feature premium-grade, high-impact-strength industrial diamonds electroplated onto ten different shapes. This process provides a super-abrasive grinding and cutting system. The diamonds protrude from the bond so that only the abrasive crystals are in contact with the workpiece. This greatly reduces frictional heat and thermal distortion of the work surface. The use of a coolant (we recommend Gesswein Stoning and Lubricating Oil-see p. 105) will maximize tool life and be a great aid where minimum heat distortion is required. Max. operating speed: 60,000rpm. All are 150 grit with ³/₃₂" shanks.

	Style	Style#	Item#	Each
A.	Countersink, 60°	101	226-1010	\$22.60
B.	Countersink, 90°	102	226-1020	22.90
C.	Ball, 3mm	103	226-1030	23.00
D.	Wheel, 6mm x 1mm	104	226-1040	22.90
E.	Reamer, 2mm x 1mm taper	105	226-1050	22.60
F.	Solid, 1.5mm	106	226-1060	22.60
G.	Solid, 2mm	107	226-1070	22.60
Н.	Core Drill, 2.5mm	109	226-1090	22.60
l.	Core Drill, 3mm	110	226-1100	22.60



J. Diamond Drilling Compound

Used with Diamond Lapp Drills (below) to drill holes in stones. Base in which diamond is suspended holds particles in place until they become embedded in face of drill.

Size	j	Item#	Each
1g Syringe		216-0450	\$8.35



K-N Diamond Lapp Drills

Hollow brass drills used with Diamond Drilling Compound (above) to make holes in stones without cracking them. Gently apply drill to surface on which diamond compound has been applied. Use slow speed and let up on drill frequently. Makes perfect holes in onyx, ruby, etc. Due to the 3.75mm shank, use with #30 handpiece. Must be used with Lubricant/Thinner.

Diameter	Item#	Each
K. 1.5mm	813-0100	\$4.75
L. 2mm	813-0200	4.75
M. 2.5mm	813-0300	4.75
N. 3mm	813-0400	4.75
Set of all 4	813-0500	18.25



O, P Sintered Diamond Cut-Off Discs

These discs easily cut carbon fiber, carbide, steels, acrylics and other hard-to-cut materials. The 7/8" disc is sintered diamond throughout; the $1\frac{1}{4}$ " disc is sintered diamond on outer edge only (approximately $\frac{1}{8}$ "). Each has $\frac{1}{16}$ " arbor hole. Max. operating speed: 20,000rpm.

Dia. x Thickness*	Item#	Each
0. ⁷ / ₈ " x .007"	845-1080	\$35.95
P. 1 ¹ / ₄ " x .040"	845-1085	42.95





Q. Diamond Disc Set - 1/8" Shank

Electroplated diamond discs, all medium grit for cutting or sanding stones and glass. Discs measure 13 /16" (20,25mm) dia, x 0,033" (.84mm) thick x 1 /8"AH and have diamond electroplated on both sides. Sold individually or in a 6-piece kit, five discs and a \(^{1}/8\) mandrel, Max, operating speed; 30,000rpm.

Description	Item#	Each
Diamond Disc 6 pc. Set	226-1225	\$13.95
Diamond Disc	226-1226	3.35





High-Speed Mini Diamond Points - 1/16" Shank

Premium points for use in high-speed, air-driven turbo handpieces with maximum operating speeds up to 80,000rpm. Feature diamond particles electroplated onto surgical-grade steel. Points shown at actual size, although entire shank is not displayed. Measure an average of 3/4" (20mm) long with 1/16" shanks. Sold individually and in sets of 12 and 24. Always use with water or Lubricant/Thinner (see p. 105). Choose from coarse (120 grit) and fine (260 grit). Mount in collet-type handpieces with one of our reducing collets (see below).

Shown a	actual size						
Grit							
120	Item#	226-1602*	226-1603	226-1604*	226-1605*	226-1606*	226-1607
260	Item#	226-1632*	226-1633	226-1634*	226-1635*	226-1636*	226-1637
Each	брс	\$2.95	2.95	2.95	2.95	2.95	2.95

^{*}Items available in 12-Piece Set below.




Grit							
120	Item#	226-1608*	226-1609	226-1610*	226-1611	226-1612	226-1613
260	Item#	226-1638*	226-1639	226-1640*	226-1641	226-1642	226-1643
Each	<i>брс</i>	\$2.95	2.95	2.95	2.95	2.95	2.95

^{*}Items available in 12-Piece Set below.

Grit							
120	Item#	226-1614	226-1615	226-1616*	226-1617	226-1618*	226-1619
260	Item#	226-1644	226-1645	226-1646*	226-1647	226-1648*	226-1649
Each	брс)	\$2.95	2.95	2.95	2.95	2.95	2.95

^{*}Items available in 12-Piece Set below.



^{*}Items available in 12-Piece Set below.



	Description	Coarse 120 Grit Item#	Fine 260 Grit Item#	Each
A.	12-Piece Set (asterisked above)	226-1601	226-1631	\$26.95
B.	24-Piece Set (one each of above)	226-1600	226-1630	53.95

C-E Reducing Collets

Instantly converts your $\frac{1}{8}$ ", 3mm or $\frac{3}{32}$ " collet to hold a $\frac{1}{16}$ " tool shank. Simply slip reducing collet into collet on your rotary handpiece to use ½16" shanked tools. Make sure both the reducing collet and the tool shank are fully inserted into the handpiece collet. Stainless steel.

Size	Item#	Each
C. ½" to ½16"	816-1502	\$14.90
D. 3mm to ½16"	816-1505	14.90
E. ³ / ₃₂ " to ¹ / ₁₆ "	816-1503	14.90

⁽⁶pc) Six-piece minimum; please order in multiples of six.






Diamond Grinding Wheels – 150 grit, 100 concentration

Feature man-made diamond, more consistent in shape than natural diamond, for sharp, even cutting action, durability and long life. Resin-bonded to produce a self-sharpening effect and even grit distribution. Can be used wet or dry on carbide, ceramic, glass, welds, quartz and other hard, brittle and short chipping materials.




Diameter (D)	Grinding Surface (U)	Diamond Depth (X)	Item#	Each
3.75"	3/8"	¹ / ₁₆ "	245-1020	\$98.05
3.75"	3/8"	1/8"	245-1050	117.60
5"	⁷ /16"	¹ / ₁₆ "	245-1120	130.20
5"	⁷ /16"	1/8"	245-1150	168.00





B. Shape 6A2C

Diameter	Grinding Surface	Diamond Depth	Item#	Each
6"	3/4"	¹ /16"	245-1200	\$147.00







C. Shape 11A2

Hole (H)	Grinding Surface (W)	Diamond Depth (X)	Item#	Each
11/4"	3/8"	¹ /16"	245-2150	\$120.75
11/4"	3/8"	1/8"	245-2160	128.10
20mm*	3/8"	¹ / ₁₆ "	245-2155	104.60
20mm*	3/8"	1/8"	245-2165	135.85


^{*20}mm hole size used for Deckel machines.





D. Shape 12A2


Diameter	Grinding Surface	Diamond Depth (X)	Item#	Each
6"	³ /16"	1/16"	245-1250	\$199.00
6"	³ /16"	1/8"	245-1255	143.85





E. Shape 1A1


	Grinding	Diamond		
Diameter	Surface	Depth	Item#	Each
6"	1/4"	1/8"	245-1450	\$110.25





F. Shape `

Diameter	Grinding Surface	Diamond Depth	Item#	Each
6"	0.035"	.028"	245-1620	\$93.75





Single Point Diamond Tools


For truing and dressing abrasive wheels where precision, close-tolerance, high-finish grinding is required. Straight face, radius and form wheel dressing operations can be performed with accuracy and economy. All natural diamond.



A. Diamond Cone Points

Used for accurate wheel forming.


Style	Dia. x L	Carat Size	Angle (A)	Item#	Each
CP1	3/8" x 2"	0.25	60°	220-2160	\$104.95
CP1	3/8" x 2"	0.25	75°	220-2175	72.30
CP1	3/8" x 2"	0.25	90°	220-2190	68.80
CP2	3/8" x 2"	0.3	60°	220-2260	106.05
CP2	3/8" x 2"	0.3	75°	220-2275	93.80
CP2	3/8" x 2"	0.3	90°	220-2290	77.35
CP3	3/8" x 2"	0.5	60°	220-2360	144.90
CP3	3/8" x 2"	0.5	75°	220-2375	122.85
CP3	3/8" x 2"	0.5	90°	220-2390	166.95



B. Diamond Chisel-Edge Points

Used for accurate wheel forming.

			9.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0000.00
Each	Item#	Angle (A)	Carat Size	Dia. x L	Style
\$82.70	220-3160	60°	0.25	³ /8" x 2"	CE1
77.60	220-3175	75°	0.25	³ /8" x 2"	CE1
75.20	220-3190	90°	0.25	³ /8" x 2"	CE1
121.40	220-3260	60°	0.3	³ /8" x 2"	CE2
106.05	220-3275	75°	0.3	³ /8" x 2"	CE2
96.60	220-3290	90°	0.3	³ /8" x 2"	CE2
172.20	220-3360	60°	0.5	³ /8" x 2"	CE3
153.30	220-3375	75°	0.5	³ /8" x 2"	CE3
134.40	220-3390	90°	0.5	³ /8" x 2"	CE3



Top View

C. Regular and Select Point Diamond Dressers


Two qualities of diamonds are offered: the select-style stones have four to six usable points, and the regular-style stones have two to three usable points. Both styles can be reset. REG = regular diamond, SEL = select diamond.

Style	Dia. x L	Carat Size	Item#	Each
1REG	³ /8" x 2"	0.25	220-1100	\$30.75
1SEL	³ /8" x 2"	0.25	220-1150	51.15
2REG	³ /8" x 2"	0.35	220-1200	45.85
2SEL	³ /8" x 2"	0.35	220-1250	62.50
3REG	³ /8" x 2"	0.5	220-1300	60.65
3SEL	³ /8" x 2"	0.5	220-1350	85.50
4REG	³ /8" x 2"	0.6	220-1400	80.75
4SEL	³ /8" x 2"	0.6	220-1450	111.90



D. Expendable Diamond Dressers

Throwaway economical dressing tools. Each has a natural diamond securely mounted so its sharpest point is exposed.






A. Cluster Diamond Dresser CL-18

A universal cluster tool for small surface and cylindrical grinders. Contains 18 diamonds. Six are exposed for immediate use; others appear as dresser wears down.


Style	Dia. x L	Item#	Each
CL-18	⁷ ∕16" x 2"	220-4150	\$55.45



B. Heavy-Duty Cluster Diamond Dresser HD-15

For roughing out or for commercial finish. Nib is loaded with 15 diamonds. Five are exposed for immediate use; others appear as dresser wears down.


Style	Dia. x L	Item#	Each
HD-15	⁷ ∕16" x 2"	220-4200	\$82.85



C. Cluster Diamond Dresser CB-24

A bullet-nose carbide bond impregnated dresser randomly set throughout with 24 small diamonds for rough dressing operations on 36 to 60 grit abrasive wheels.


Style	Dia. x L	Item#	Each
CB-24	⁷ / ₁₆ " x 2"	220-4100	\$53.50



D. Cluster Diamond Dresser PG-4R

A flat-faced nickel alloy matrix dresser containing many particles of diamond sand spaced precisely for dressing operations on 80 grit or finer abrasive wheels.


Style	Dia. x L	Item#	Each
PG-4R	⁷ ∕ ₁₆ " x 2"	220-4250	\$51.90



E. Diamond Phono Points

High-quality miniature points with full-size, long-lasting diamonds for accurate wheel forming and intricate, small radius dressing.

Size	Dia. x L	Angle (A)	Item#	Each
Large	½" x 1"	60°	220-0550	\$8.20
Large	½" x 1"	75°	220-0600	8.30
Large	¹ /8" x 1"	90°	220-0650	6.60



F. Offhand Wheel Dresser

Web Site Orders 24/7: gesswein.com

Has 35 to 40 exposed diamond points set in a carbide matrix. Sturdy construction with comfortable, sure-grip plastic handle. Measures 93/4" long.

Description	Item#	Each
Wheel Dresser	220-4050	\$77.70



SUPRA® "MM" and "MKM" Brushes

Gesswein miniature mandrel-mounted wheel and cup brushes are made with solid steel ring construction for durability. Brush filaments are permanently anchored in the solid steel ring and uniformly distributed for even wear. Great for flat, curved, small and hard-to-reach surfaces.


Hard and soft bristle types are made of animal hair. Wire brushes constructed of .003" crimped brass, .003" or .005" crimped steel or .005" crimped stainless steel. Maximum operating speed: 15,000rpm. Sold in full dozens; select bristles also available individually. Items with asterisk also available on 3mm shanks. Made in USA.





SUPRA® "MM" Bristle Wheel Brushes

Styles 701D, 711D, 702D and 712D each contain two rows of upright bristles. D = Double.









	75.		2.51		
Style, Bristle Type	701D, Soft	712D, Hard	702D, Soft	713, Hard	703, Soft
Shank	3/32"	1/8"	1/8"	1/8"*	1/8"*
Dia. (Trim Length)	3/4" (3/16")	3/4" (3/16")	3/4" (3/16")	3/4" (3/16")	3/4" (3/16")
Item#	112-7011	112-7120	112-7020	112-7130	112-7030
DOZEN 1-11	\$56.20	48.75	50.50	12.25	14.85
DOZEN 12+	\$46.83	40.62	42.08	10.21	12.37


111-7011 \$5.60/EACH

A, B SUPRA® "MKM" Mounted Wheel Brushes - 1/8" Shank

Feature hard, evenly distributed, converging animal hair bristles mounted on ½8" shanks. Available in two styles: 1" diameter standard thickness and heavy-duty 1¹/₄" diameter double thickness.

Style, Bristle Type	A. Hard	Soft	B. Hard, Double Thick
Shank	1/8"	1/8"	1/8"
Dia. (Trim Length)	1" (1/4")	1" (¹ / ₄ ")	11/4" (3/8")
Item#	112-5100	112-5090	112-5200
DOZEN 1-11	\$23.30	29.95	70.85
DOZEN 12+	\$19.42	24.96	59.04





^{*}Styles also available on 3mm shanks

SUPRA® "MM" Wire Wheel Brushes

All made of crimped wire. Styles 722 and 732 each contain two rows of upright wire. D = Double.



^{*}Styles also available on 3mm shanks

111-7315 \$4.00/EACH 111-7220 \$8.75/EACH 111-7320 \$8.10/EACH

Style, Bristle Type	734, Steel .005"	734, Stainless .005"
Shank	1/8"*	1/8"*
Dia. (Trim Length)	1" (⁵ /8")	1" (⁵ ⁄8")
Item#	112-7340	112-5115
DOZEN 1-11	\$32.45	40.75
DOZEN 12+	\$27.04	33.96









SUPRA® "MM" Bristle Cup Brushes

Hollow center cups will hold compounds when polishing vertically. This construction allows better control of brush movement.



^{*}Styles also available on 3mm shanks

SUPRA® "MM" Wire Cup Brushes

All made of .003" diameter crimped wire except 112-7825 which is made of .005" diameter crimped wire.



772, Brass .003"
112, Diass .000
1/8"*
⁹ /16" (¹ /4")
112-7720
32.65
27.21
_

^{*}Styles also available on 3mm shanks



A, B SUPRA® Brush Sets

Twelve of our most popular Supra brushes.

	Descript	ion Shank	Item#	Each		
A.	Set #1	3/32"	112-8000	\$16.50		
B.	Set #2	1/8"	112-8003	21.90		

Shown actual size

SUPRA® "ME" Brushes

SUPRA® "ME" Bristle and Nylon End Brushes

Gesswein miniature mandrel-mounted end brushes are available in a wide variety of sizes. One-piece ferrule construction ensures that the stem and ferrule will not become separated during use. Plastic ferrules are available to prevent scratching when used for interior polishing work. In the table below, please note that those brushes with a style number containing the letter "P" have plastic ferrules, which are slightly larger than stated diameter. All other ferrules are metal. Hard and soft bristle types are made of animal hair. Nylon end brushes consist of 0.018" strands of 500 grit silicon carbide. Our .003" wire end brushes are straight while .005" diameter wire end brushes are crimped. Maximum operating speed: 15,000rpm. Items with asterisk also available on 3mm shanks. Made in USA.



	1			1		131	100	13.	T	T
Style, Bristle Type	864, Hard	860, Hard	860 ³ / ₈ , Hard	860 ¹ / ₂ , Hard	850, Soft	861, Hard	851, Soft	859, Hard	859PSC, Hard	859P, Hard
Shank	3/32"	3/32"	3/32"	3/32"	3/32"	3/32"	3/32"	1/8"*	1/8"	1/8"
Trim Length.	1/4"	1/4"	3/8"	1/2"	1/4"	3/8"	3/8"	1/4"	³ /16"	1/4"
Ferrule Dia.	5/32"	³ /16"	³ /16"	³ /16"	³ /16"	1/4"	1/4"	³ /16"	³ /16"	³ /16"
Item#	110-8640	110-8600	110-8603	110-8605	110-8500	110-8610	110-8510	110-8590	111-8593	111-8590
DOZEN 1-11	\$16.10	9.70	10.75	11.00	28.90	26.65	32.95	10.40	12.00	12.00
DOZEN 12+	\$13.42	8.08	8.96	9.17	24.08	22.21	27.46	8.67	10.00	10.00

Shown actual size												
Style,	849,	849P,	862SC,	862PSC,	862,	862P,	862 ¹ /2,	862 ³ /4,	852,	852P,	962SC,	962,
Bristle Type	Soft	Soft	Hard	Hard	Hard	Hard	Hard	Hard	Soft	Soft	Hard	Hard
Shank	1/8"*	1/8"	1/8"	1/8"	1/8"*	1/8"	1/8"	1/8"	1/8"*	1/8"	1/8"	1/8"*
Trim Length.	1/4"	1/4"	³ /16"	³ /16"	3/8"	3/8"	1/2"	3/4"	3/8"	3/8"	3/16"	9/16"
Ferrule Dia.	³ /16"	³ /16"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	⁵ /16"	⁵ /16"
Item#	110-8490	111-8490	110-8622	111-8622	110-8620	111-8620	110-8625	110-8627	110-8520	111-8520	110-9623	110-9620
DOZEN 1-11	\$15.60	24.10	28.55	18.50	28.55	18.50	20.20	27.35	32.95	28.95	25.40	25.40
DOZEN 12+	\$13.00	20.08	23.79	15.42	23.79	15.42	16.83	22.79	27.46	24.12	21.17	21.17

SUPRA® "ME"	" Wire End	Brushes	Straigh					STORY!		
Shown actual size										
Style, Bristle Type	870, Brass	880, Steel	869, Brass	879, Steel	879, Stainless	872, Brass	882, Steel	882, Stainless	972, Brass	982, Steel
Shank	3/32"	3/32"	1/8"*	1/8"*	1/8"	1/8"*	1/8"*	1/8"*	1/8"	1/8"
Wire Diameter	.003"	.003"	.003"	.003"	.003"	.005"	.005"	.005"	.005"	.005"
Trim Length.	1/4"	1/4"	1/4"	1/4"	1/4"	⁷ /16"	⁷ /16"	⁷ /16"	⁹ /16"	⁹ /16"
Ferrule Dia.	³ /16"	1/4"	1/4"	1/4"	⁵ /16"	⁵ /16"				
Item#	110-8700	110-8800	110-8690	110-8790	110-8795	110-8720	110-8820	110-8823	110-9720	110-9820
DOZEN 1-11	\$18.55	17.45	18.55	18.65	38.05	47.25	44.45	58.35	48.90	51.35
DOZEN 12+	\$15.46	14.54	15.46	15.54	31.71	39.37	37.04	48.62	40.75	42.79

^{*}Styles also available on 3mm shanks

The World's Best Polishing Brushes!

Our most popular unmounted wheel brushes. Feature solid-ring construction for great durability. Contain soft white goat hair bristles, double thick, ideal for applying rouge and compounds. Designed to run true. Mount on our unbreakable SUPRA "MK" Plastic Spindles in seconds, helping speed up production. Can also be mounted on mandrels #20 and #22 (see pp. 584-585 for mandrel specifications). Have brass hubs with ½" arbor holes. Maximum operating speed: 15,000rpm. Made in USA.

A-	C SUPRA®	"WK"®	Bristle Wheel	Brushes -	¹ /8" Arbor Ho	ole		
	Bristle	Trim	Wheel			DOZEN	Prices	
	Туре	Length	Dia.	Item#	1-11	12-35	36-71	72+
A.	Hard	1/8"	5/8"	113-0100	\$6.45	\$5.37	\$5.10	\$4.84
	Medium	1/8"	5/8"	113-0150	6.45	5.37	5.10	4.84
	Soft	1/8"	5/8"	113-0250	7.35	6.12	5.81	5.51
B.	Hard	³ /16"	3/4"	113-0400	6.45	5.37	5.10	4.84
	Medium	³ /16"	3/4"	113-0500	6.45	5.37	5.10	4.84
	Soft	³ /16"	3/4"	113-0600	6.45	5.37	5.10	4.84
C.	Hard	1/4"	1"	113-0800	7.20	6.00	5.69	5.40
	Medium	1/4"	1"	113-0850	7.20	6.00	5.69	5.40
	Soft	1/4"	1"	113-0950	8.25	6.87	6.52	6.19



Threaded steel mandrels mounted in hard plastic spindle bases. Accommodate all SUPRA "MK" Brushes. Fit on tapered spindles. Allow easy mounting of brushes—require only slight pressure and a quarter-turn. Choose for right or left motor shaft.

Description	Item#	Each
D. White Spindle for Right Shaft	840-4950	\$10.30
E. Black Spindle for Left Shaft	840-4900	10.30



EL-192 Wheel Brush Aluminum Center - 1/4" Arbor Hole

An absolutely unique and extremely popular brush used in many industries. Made of black stiff horsehair (originally 9" long) with bristles converging, securely mounted to a steel hub. The aluminum center measures $^{1}/_{4}$ " diameter and the EL-192 can be used with a mandrel or with a tapered spindle. This brush is preferred by jewelers, mold polishers, sculptors and metal working factories. Maximum operating speed: 3,450rpm. Made in USA.

F. Wheel Brush, EL-192

	Bristle	Trim	Wheel			EACH Prices				
Style	Туре	Length	Dia.	Rows	Item#	1-11	12-143	144+		
EL-192	Hard Horsehair	⁹ ⁄16"	2"	2	114-5192	\$9.55	\$7.96	\$6.69		



G, H Tampico/Nylon End Brushes, 1/4" Shank

Heavy duty ¼" shank end brushes for high diamond polishing on larger jobs. 1" diameter helps the polishing get done faster. Available in Tampico for more aggressive polishing and Nylon for higher polishing such as 6 or 3 micron diamond. Brush length is trimmed to the perfect length of 0.75", which eliminates the need for self trimming and provides excellent stability. Plastic rings also provide additional support when applying pressure. Maximum Operating speed: 10,000rpm. Made in USA.

Description	Item#	Each
G. Tampico	114-5400	\$11.95
H. Nylon	114-5405	11.95

I. Bristle End Brush

Small diameter brush made of hard Chungking bristles. Use with or without polishing compounds to clean or polish. Has $\frac{3}{16}$ " arbor holes for use on tapered spindles. Maximum operating speed: 3,500rpm. Made in USA. Larger sizes also available, please see website.

				EACH	Prices
Bristle Type	Trim Length	Knots	Item#	1-11	12+
I. Hard	7/8"	7	115-3007	\$3.60	\$3.06



BRUSHES

Cocker-Weber Brushes

The Cocker-Weber company has been manufacturing brushes in the United States for over 100 years. They are the world's leader in quality and value, unmatched! The hard wood hubs are cured and resist breaking resulting in long life and strong bristle retention. The plastic unbreakable hubs are more narrow and impervious to water or other liquids.



A. Superior Quality Wood Hub Wheel Brushes

Our premium, highest quality wood hub brushes are clearly superior to all others. They are made with the very best hard Chungking (animal hair) bristles securely mounted in hardwood hubs. Those with two or more rows of bristles are the converging type for faster action. All have \(\frac{1}{4} \)" arbor holes. Recommended for use on tapered spindles. Maximum operating speed: 10,000 RPM. Made in USA.

Hub Dia.	Style	Туре	Trim Length	Rows of Bristles	Overall Dia.	Item#	1-11	EACH 12-71	l Prices 72-143	144+
11/4"	53	5A	5/8"	1	21/2"	115-1530	\$1.50	\$1.20	\$1.13	\$1.05
11/4"	54SC	6C	3/8"	2	2"	115-1540	1.90	1.52	1.43	1.33
11/4"	55	6A	5/8"	2	21/2"	115-1550	2.00	1.60	1.50	1.40
11/4"	56	7A	5/8"	3	21/2"	115-1560	2.55	2.04	1.91	1.79
11/4"	57	8A	5/8"	4	21/2"	115-1570	3.65	2.92	2.74	2.56
11/2"	62	10	3/4"	2	3"	115-1620	2.65	2.12	1.99	1.86
11/2"	63	11	3/4"	3	3"	115-1630	3.45	2.76	2.59	2.42
1 ¹ /2"	64	12	3/4"	4	3"	115-1640	4.95	3.96	3.71	3.47
1 ⁷ /8"	70SC	1C	3/8"	1	2 ⁵ /8"	115-1700	1.88	1.50	1.41	1.32
1 ⁷ /8"	71	1A	5/8"	1	31/8"	115-1710	1.88	1.50	1.41	1.32
1 ⁷ /8"	72SC	2C	3/8"	2	2 ⁵ /8"	115-1720	2.60	2.08	1.95	1.82
1 ⁷ /8"	73	2A	5/8"	2	31/8"	115-1730	2.45	1.96	1.84	1.72
17/8"	73SC	2B	1/2"	2	27/8"	115-1732	2.60	2.08	1.95	1.82

SC stands for short cut bristles, which give more aggressive brushing action.

B. Standard Quality Wood Hub Wheel Brushes

The Economy version of Cocker-Weber brushes are marked with a black imprint. They are made with very good quality Chungking bristles, securely mounted in the same high quality wood hubs and are almost as stiff as our Premium type. Those with two rows of bristles are the converging type for faster action. All have \(^{1}\/_4\)" arbor holes and are recommended for tapered spindles. Maximum operating speed: 10,000 RPM. Made in USA.

Hub Dia.	Style	Туре	Trim Length	Rows of Bristles	Overall Dia.	Item# 🕏	12-60	EACH Prices 72-132	144+
11/4"	54E SC	6C	3/8"	2	2"	115-1800	\$1.55	\$1.40	\$1.24
1 ⁷ /8"	70E SC	1C	3/8"	1	25/8"	115-1805	1.30	1.17	1.04
1 ⁷ /8"	72E SC	2C	3/8"	2	25/8"	115-1810	1.80	1.62	1.44
17/8"	73E	2A	5/8"	2	31/8"	115-1815	1.80	1.62	1.44
1 ⁷ /8"	73E SC	2B	1/2"	2	3"	115-1820	1.80	1.62	1.44

SC stands for short cut bristles, which give more aggressive brushing action.

Twelve-piece minimum; please order in multiples of 12.

C-F Plastic Hub Superior Quality Wheel Brushes

Consist of extra-hard, premium quality Chungking bristles and are made by Cocker-Weber. Mounted on narrow, unbreakable plastic hubs. Bristles converge especially well eliminating the need for burn-in. All have ½" thick hubs with ¼" arbor holes and recommended for use with tapered spindles. Maximum operating speed: 10,000 RPM.

	Hub			Trim	Rows of	Overall			EACH	Prices	
	Dia.	Style	Type	Length	Bristles	Dia.	Item#	1-11	12-71	72-143	144+
C.	1 ¹ /4"	54P SC	6PC	3/8"	2	2"	115-1541	\$2.75	\$2.20	\$2.06	\$1.93
D.	1 ¹ / ₄ "	55P	6PA	5/8"	2	21/2"	115-1551	2.75	2.20	2.06	1.93
E.	2"	72P SC	2PC	3/8"	2	25/8"	115-1721	3.15	2.52	2.36	2.21
F.	2"	73P	2PA	5/8"	2	31/8"	115-1731	3.05	2.44	2.29	2.14

SC stands for short cut bristles, which give more aggressive brushing action.

Safety Recommendations

For safe operation of motor-driven brushes, comply with the Safety Standards of the Industrial Division of the American Brush Manufacturers Association and of the American National Standards Institute: ANSI B165.1-1991, "Power-Driven Brushing Tools—Safety Requirements."

A-C Wire Scratch Wheel Brushes - .003" diameter crimped wire

This superior construction packs much more wire into each brush, which gives faster action, and longer life when compared to wood hub 'tufted' brushes. Synthetic polymer centers (2203B has an aluminum center), ensure secure retention on tapered spindles. Ideal for cleaning, light deburring and imparting a fine satin finish on nonferrous metals such as gold and silver. Use brass on yellow metals, others on white metals. All have $\frac{1}{4}$ " arbor holes. Maximum operating speed: 6,000rpm (4,000rpm for 4403B). Made in USA.

		.003"	Trim	Wheel			EAC	H Prices
	Style	Wire Type	Length	Dia.	Rows	Item#	1-11	12+
	2203B	Brass	3/4"	2"	2	116-2203	\$21.90	\$18.62
A.	3203B	Brass	1"	3"	2	116-3203	23.05	19.59
B.	3203S	Steel	1"	3"	2	117-3203	21.45	18.23
C.	3203NS	Nickel Silver	1"	3"	2	118-3203	22.00	18.70
	3403B	Brass	1"	3"	4	116-3403	50.50	42.93
	4403B	Brass	1 ¹ /4"	4"	4	116-4403	54.45	46.28



Two ply of 3M[™] Scotch-Brite[™] are supported by two rows of stiff white Chung King bristle secured onto a plastic hub. The bristles give support to the application of more pressure for faster results. Additionally, both brush and Scotch-Brite[™] accept compounds and pastes making this a versatile finishing tool. May be use on tapered spindle. Max operating speed 2,800rpm.

D. 1 ¹ / ₂ "	1/4"	3/4"	114-5199	\$7.85
Hub Dia.	Arbor Hole	Trim Length	Item#	EACH

E, F Wheel Brushes - Plastic Center, 17/8" Diameter

The black chungking bristle version is very stiff and converges to a $\frac{1}{8}$ " face. The white goat hair brush is very soft with a polishing face of $\frac{1}{4}$ ". Maximum operating speed: 3,450rpm. Made in Germany.

		Bristle	Trim	Wheel			E	EACH Pri	ces
	Style	Type	Length	Dia.	Arbor	Item#	1-11	12-143	144+
E.	48CK	Hard	1/2"	1 ⁷ /8"	1/4" Plastic	114-5195	\$2.48	\$2.23	\$1.74
F.	48SG	Soft Hair	1/2"	1 ⁷ /8"	1/4" Plastic	114-5197	2.80	2.52	1.96

G, H Mounted Wire Wheel Brushes - 3/32" Shank

Made of .003" diameter crimped wire. For cleaning and brush finishing with flex shafts. Use brass for yellow metals, steel for white metals. Both have 3/32" shanks. Maximum operating speed: 22,000rpm (recommended 17,000rpm). Imported.

	Wire	Trim	Wheel		DOZE	N Prices
	Type	Length	Dia.	Item#	1-11	12+
G.	Steel	³ /16"	3/4"	113-1000	\$17.85	\$14.87
H.	Brass	³ /16"	3/4"	113-1050	17.85	14.87

I, J Double Row Mounted Wheel Brushes - 3/32" Shank

Both are made of white goat hair bristles, double thick, ideal for applying rouge and compounds. Measure approximately $\frac{7}{8}$ " diameter x $\frac{1}{4}$ " thick, with $\frac{3}{32}$ " shanks. Available with very soft bristles converging to approximately $\frac{3}{32}$ " for concentrated action or soft straight bristles creating a wider contact area. Maximum operating speed: 8,000rpm. Made in Germany.


	Bristle	Trim	Wheel		EACH	l Prices
	Type	Length	Dia.	Item#	1-5	6+
Ī.	Very Soft, Converging	1/4"	7/8"	113-1515	\$4.80	\$4.32
J.	Soft, Straight	1/4"	7/8"	113-1520	6.60	5.94

K. Single Row Mounted Wheel Brush – 3/32" Shank

Features a single row of natural soft bristles mounted securely in a copperplated steel hub. Great for cleaning and polishing tight areas. Measures 1" dia. with $\frac{3}{32}$ " shank. Maximum operating speed: 25,000rpm. Imported.


Bristle	Trim	Wheel		DOZEI	N Prices
Туре	Length	Dia.	Item#	1-11	12+
Soft	1/4"	1"	113-1526	\$4.95	\$4.46





Gesswein

131





Great for removing EDM carbon buildup. One end has .005" dia. Straight stainless steel bristles, $\frac{1}{4}$ " trim, $\frac{3}{16}$ " dia. The other end has .003" dia. crimped stainless steel bristles, $\frac{7}{16}$ " trim, $\frac{1}{4}$ " dia. Wooden handle has finger grip at both ends. Measures 6" overall length.

Hand	lle			EACH	Prices
Material	Length	Style	Item#	1-11	12+
Wood	6"	7982	114-5310	\$10.25	\$8.54

B, C Wire Brushes - Plastic Handles

Use on metals for intermediate finishing, surface preparation or final finishing. Ideal for cleaning bur teeth and for scrubbing and removing carbon buildup found in EDM cavities. Can also be used for texturing. Available with .006" dia. x $\frac{7}{16}$ "L stainless steel or .004" dia. x $\frac{7}{16}$ "L brass wire bristles. Both have plastic handles. Measure $\frac{7}{4}$ " long.

		Face Size		EACH Prices		
	Description	(L x W)	Item#	1-11	12+	
B.	Stainless Steel	1 ³ /8" x ¹ /4"	114-5300	\$2.35	\$1.96	
C.	Brass	1 ³ /8" x ¹ /4"	114-5305	3.55	2.96	

D, E Hand-Laced Scratch Brushes - Wooden Handles

Feature three rows of soft, flexible $^7/_{16}$ "L x .003" dia. bristles. Ideal for producing a satin finish. Hand-laced with stainless steel wire to retain maximum bristles and allow handle expansion and contraction when exposed to wetness. Measure $7^3/_{4}$ " long.

	Face Size		EACH Prices		
Description	(L x W)	Item#	1-11	12+	
D. Stainless Steel	1 ³ /8" x ¹ /4"	114-5320	\$9.25	\$8.33	
E. Brass	1 ³ /8" x ¹ /4"	114-5315	7.25	6.53	

F. Brass Scratch Brush - Wooden Handle

Four rows of $\frac{3}{4}$ "L x approximately .0035" diameter anchored brass wire. Produces a fine satin finish on soft yellow metals. Measures approximately 8" long.

	Face Size		EACH	Prices
Description	(L x W)	Item#	1-11	12+
Brass	3½" x 5/8"	118-3400	\$9.70	\$8.25

G-J Scratch Brush Pens

Excellent for removing rust or corrosion and for reaching into narrow areas. Handy and comfortable to hold. Available in four color-coded types with metal ferrules for durability: steel, nylon, fiberglass and brass. Measure $4^1/2^{\circ}$ overall length. Made in Germany.

				EAGE	Prices
	Description	Color	Item#	1-2	3+
G.	Stainless Steel Pen	Orange	115-2310	\$9.45	\$8.98
Н.	Nylon Pen	Blue	115-2312	7.05	6.70
l.	Fiberglass Pen	Green	115-2314	7.15	6.79
J.	Brass Pen	Red	115-2316	8.20	7.79
				PK	G. of 6
	Description	Length	Item#	1-2	3+
	Stainless Steel Refills	1 ¹ /4"	115-2311	\$7.15	\$6.79
	Nylon Refills	1 ¹ /4"	115-2313	7.50	7.13
	Fiberglass Refills	1 ¹ /4"	115-2315	5.30	5.04
	Brass Refills	1 1/4"	115-2317	5.45	5.18



EACH Drices

A. Bench Duster – Wooden Handle

Contains four rows of 1½" long medium natural bristles, Ideal for cleaning dust from surfaces. Measures 9³/₄" long.

	Face Size		E/	ACH Pric	es
Description	(L x W)	Item#	1-2	3-11	12+
Bench Duster	4" x ³ /4"	115-2260 \$	10.25	\$9.23	\$8.20



B. Washout Brushes - Wooden Handles

Have four rows of 3/4" long natural bristles. Short-Face has extra-stiff bristles, and Regular has stiff bristles. Measure 81/4" long.

		Face Size		E/	ACH Price	es
	Description	(L x W)	Item#	1-2	3-11	12+
B.	Short-Face	2" x ¹ /2"	115-2100	\$5.85	\$5.27	\$4.68
	Regular	3½" x ¾4"	115-2200	6.25	5.63	5.00



C. Washout Brushes – Durable Plastic Handles

Have extra-stiff natural bristles in durable plastic handles. The 3-Row Brush has $\frac{5}{8}$ " long bristles, and the 4-Row Brush has $\frac{3}{4}$ " long bristles. Measure 71/4" long.

		Face Size		E	ACH Pric	ces
	Description	(L x W)	Item#	1-2	3-11	12+
C.	3-Row	3½" x ½"	115-2060	\$6.45	\$5.81	\$5.16
	4-Row	3 ¹ / ₄ " x ³ / ₄ "	115-2070	6.55	5.90	5.24



D. Small Washout Brush - Plastic Handle

Has four rows of ½" long extra-stiff nylon bristles in an angled handle. Ideal for cleaning small areas. Fits inside most rings. Measures 65/8" long.

Face Size EACH Pri				ACH Pric	es
Description	(L x W)	Item#	1-2	3-11	12+
Small Washout	1 ³ / ₄ " x ¹ / ₂ "	115-2250	\$2.80	\$2.52	\$2.24



E-H Watchmaker's Brush - Wooden Handle

Four uniform rows of 5/8" soft white natural bristles locked in a wood handle are great for cleaning fine jewelry, PC boards, cleaning dusting and other general purpose work. Simply the most popular washout brush available. Measure 10" overall length. Made in Germany.

	Face Size				EACH Pri	ces
	Description	(L x W)	Item#	1-2	3-11	12+
E.	Hard	4½" x ½"	115-2336	\$5.60	\$5.04	\$4.48
F.	Medium	4½" x ½"	115-2338	5.60	5.04	4.48
G.	Soft	4½" x ½"	115-2340	5.95	5.36	4.76
Н.	Extra Soft	4½" x ½"	115-2342	5.95	5.36	4.76





I. Hand Brush with Enclosed Handle

Features stiff nylon bristles set in a durable block with enclosed handle for keeping skin and fingernails clean. Ideal for removing investment and more. Measures 4"L x 1½"W.


		EACH P	rices
Description	Item#	1-2	3+
Hand Brush with Enclosed Handle	115-2255	\$3.90 \$	3.51













A-I Micro Spiral Brushes - Abrasive Bristle

Nylon bristle with aluminum oxide abrasive. This new brush concept is a perfect tool for cleaning or light bur removal in through holes or on hole edges. The 0.3mm diameter nylon bristle contains 500 grit AlO abrasive grain. Easy to hold and use by hand or can be carefully used in a rotary handpiece if run no faster than 1,500rpm* (3mm shank diameter). Each brush's wire mandrel top (except MSB 2.2 and MSB 2.7) is coated with epoxy resin to protect the work surface from damage.

	Brush Size (Dia. x L)	Overall Length	Shank Dia.	Item#	EACH Price
A.	2.2 x 20mm	65	3mm	115-2288	\$16.70
B.	2.7 x 20mm	65	3mm	115-2289	16.70
C.	3.3 x 25mm	70	3mm	115-2290	16.70
D.	3.8 x 25mm	70	3mm	115-2291	16.70
E.	4.3 x 25mm	70	3mm	115-2292	16.70
F.	4.8 x 25mm	70	3mm	115-2293	16.70
G.	5.3 x 25mm	70	3mm	115-2294	16.70
Н.	5.8 x 25mm	70	3mm	115-2295	16.70
Ī.	6.3 x 25mm	70	3mm	115-2296	16.70

^{*1,500}rpm max when used in a rotary handpiece.

J-M Nylon Tube Brushes

Single-stem, single-spiral nylon tube brushes for cleaning inside rings and grooves. Each has loop handle for sure grip.

	Brush Size	Overall		Е	ACH Pric	es
	(Dia. x L)	Length	Item#	1-2	3-11	12+
J.	1" x 4"	12 ¹ /4"	115-2285	\$3.65	\$3.29	\$2.92
K.	³ /4" x 3"	8 ¹ /2"	115-2280	2.20	1.98	1.76
L.	½" x 3"	8 ¹ /2"	115-2275	2.20	1.98	1.76
M	. ½" x 2"	6 ¹ /4"	115-2270	1.75	1.58	1.40

N. Econo Flux Brush

Disposable brush with tin ferrule. Use for fluxes and other liquids.

	Overall		EACI	1 Prices
Description	Length	Item#	3pc 3-9	12+
Econo Flux Brush	1 ³ / ₄ "	115-0100	\$0.60	\$0.51



(3pc) Three-piece minimum; please order in multiples of three.

0-T Quill Flux Brushes/Borax Brushes

Inexpensive disposable brushes made of camel hair mounted in hollow quill handles. Use for applying fluxes and other liquids.

		Overall		EACH Prices		
	Style	Length	Item#	<i>3pc</i> 3-9	12+	
0.	1	33/4"	115-0010	\$1.83	\$1.56	
P.	2	31/2"	115-0020	1.83	1.56	
Q.	3	3"	115-0030	1.83	1.56	
R.		21/4"	115-0050	1.50	1.28	
S.	7	13/4"	115-0070	1.50	1.28	
T.	9	1 ¹ /2"	115-0090	1.50	1.28	

3pc Three-piece minimum; please order in multiples of three.

U-W Wood Flux Brushes

Well-constructed, durable camel hair brushes with wooden handles.

	Overall		EACH	l Prices
Description	Length	Item#	1-11	12+
U. Large Brush	71/2"	115-0400	\$3.35	\$2.85
V. Medium Brush	71/2"	115-0500	3.35	2.85
W. Small Brush	71/2"	115-0600	2.85	2.42

Do not operate until fully inserted into the hole to be processed.

Texturing Wheels

Whether you want a fine satin finish, a coarse textured surface or something in between, Texturing Wheels have it covered. Choose from a wide variety of sizes and wire diameters to get the exact finish you're looking for. They produce a look similar to a sandblasted finish without the gritty mess or chore of changing sand in the blaster. You don't even have to get up from the bench. Mounted Texturing Wheels (3/32" shanks) can be used on a standard flex shaft handpiece. Unmounted Texturing Wheels can be used on a tapered spindle on your polishing motor. Consist of steel wires firmly attached to plastic hubs. Color-coded for easy selection. Benchtop dust collector or gold saving box strongly recommended to collect gold for refining. Safety goggles or face shield and finger protection required.




A-D Mounted Texturing Wheels - 3/32" Shank

Wheels in four different sizes and a variety of wire diameters for use on your flex shaft. Use with safety goggles (face shield and finger guards also recommended). Recommended operating speed: 5.000rnm

Dia.* x H	Wire Dia.	Finiah	Color	l a 0 ma #		l Prices
(mm)	(mm)	Finish	Color	Item#	1-2	3+
A. 13 x 5	0.2	X-Fine	Yellow	113-1052	\$34.00	\$32.30
	0.3	Fine	Red	113-1053	34.00	32.30
	0.4	M-Fine	Blue	113-1054	34.00	32.30
	0.5	Medium	Green	113-1055	34.00	32.30
B. 16 x 12	0.2	X-Fine	Yellow	113-1062	32.00	30.40
	0.3	Fine	Red	113-1063	32.00	30.40
	0.4	M-Fine	Blue	113-1064	32.00	30.40
C. 35 x 8	0.2	X-Fine	Yellow	113-1072	24.75	23.51
	0.3	Fine	Red	113-1073	22.80	21.66
	0.6	Medium	Green	113-1076	22.80	21.66
	0.7	Coarse	Gray	113-1077	22.80	21.66
	0.8	X-Coarse	Black	113-1078	22.80	21.66
D. 40 x 12	0.2	X-Fine	Yellow	113-1082	26.50	25.18
	0.3	Fine	Red	113-1083	26.50	25.18
	0.45	M-Fine	Blue	113-1084	26.50	25.18
	0.6	Medium	Green	113-1086	26.50	25.18
	0.7	Coarse	Gray	113-1087	26.50	25.18
	0.8	X-Coarse	Black	113-1088	26.50	25.18





E. Texturing Wheel Set with Stand

A convenient set of our six most popular Texturing Wheels. Includes all 40 x 12mm mounted wheels listed above. Comes complete with plastic stand (color may vary) that keeps wheels organized and at your fingertips. Use with safety goggles (face shield and finger guards also recommended).

Description	Item#	Each
Texturing Wheel Set with Stand	113-1099	\$149.95

F. Unmounted Texturing Wheels

Five different 4" diameter wheels for use with a tapered spindle on your polishing motor. Use with safety goggles (face shield and finger guards also recommended). Maximum operating speed: 5,000rpm.

Dia.* x H	Wire Dia.				EAC	H Prices
(mm)	(mm)	Finish	Color	Item#	1-2	3+
F. 100 x 25	0.2	X-Fine	Yellow	113-1092	\$41.95	\$39.85
	0.3	Fine	Red	113-1093	41.95	39.85
	0.45	M-Fine	Blue	113-1094	41.95	39.85
	0.6	Medium	Green	113-1096	41.95	39.85
	0.6	Coarse	Gray	113-1097	41.95	39.85

^{*}Overall diameter including hub and wire bristles.







Gesswein® Buff Selection Guide

Muslin, flannel, felt, and cotton materials create buffs with different polishing characteristics. Used with compounds, buffs can handle everything from removing deep scratches to imparting a high luster. Reserve just one buff for each compound to avoid mixtures, which can produce unpredictable finishes. Made in USA except where indicated. When selecting buffs, please consider the following information:

Stitched Buffs: Joined by several rows of stitching for firmer action. Use with cutting or polishing compounds. Loose Buffs: Joined only at arbor hole for softer action and following contours. Use with rouge for final

Razor-Edge Buffs: Perfect for reaching into tight

Chemical Treatments: Improve stiffness and provide better compound retention. Use with cutting compounds for fast action.

Combed Edges: Hold compounds well. Require no breakin period.

Centers: Choose from leather reinforced or shellachardened pinhole and lead for use on tapered spindles. Also available; 3/8" arbor holes for use on 3/8" arbor shafts.





A. Stitched White Muslin Buffs - Leather Pinhole Center

Made of fine-weave muslin with combed edges and leather centers. For cutting compounds such as Grey Star and Tripoli. For polishing of hard metals such as platinum. Made in USA.

	Rows of	Thread		EACH Prices			
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+
3" x 40	3	80/80	140-2300	\$2.35	\$2.12	\$1.88	\$1.65
4" x 40	3	80/80	140-2400	3.60	3.24	2.88	2.52
4" x 50	3	80/80	140-2450	4.05	3.65	3.24	2.84
4" x 60	3	80/80	140-2455	5.00	4.50	4.00	3.50
5" x 45	3	80/80	140-2500	5.25	4.73	4.20	3.68
5" x 50	3	80/80	140-2550	5.30	4.77	4.24	3.71
6" x 50	4	80/80	140-2650	7.45	6.71	5.96	5.22
6" x 60	4	80/80	140-2660	7.95	7.16	6.36	5.57
7" x 50	4	80/80	140-2700	10.50	9.45	8.40	7.35
8" x 55	4	80/80	140-2800	14.65	13.19	11.72	10.26

B. Stitched Coarse White Muslin Buffs - Shellac Pinhole Center

Made of coarse-weave muslin with uncombed edges and shellac-hardened centers. For cutting compounds such as Grey Star and Tripoli. For polishing of hard metals such as platinum. Made in USA.

	Rows of	Thread	EACH Prices				
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+
5" x 45	3	60/60	140-2010	\$3.45	\$3.11	\$2.76	\$2.42
6" x 50	4	60/60	140-2020	5.15	4.64	4.12	3.61

C. Loose White Muslin Buffs – Leather Pinhole Center

Made of fine-weave muslin with combed edges and leather centers. For polishing compounds such as rouge. Made in USA.

	Thread		EACH Prices				
Dia. x Ply	Count	Item#	1-11	12-35	36-143	144+	
3" x 40	80/80	140-4300	\$2.70	\$2.43	\$2.16	\$1.89	
4" x 40	80/80	140-4400	3.99	3.59	3.19	2.79	
4" x 50	80/80	140-4350	3.79	3.41	3.03	2.65	
5" x 45	80/80	140-4500	4.45	4.01	3.56	3.12	
6" x 50	80/80	140-4650	6.30	5.67	5.04	4.41	
6" x 60	80/80	140-4660	7.65	6.89	6.12	5.36	
7" x 50	80/80	140-4700	10.99	9.89	8.79	7.69	
8" x 55	80/80	140-4800	12.80	11.52	10.24	8.96	

D. Loose White Muslin Buffs - Lead Center

Made of fine-weave muslin with combed edges and lead centers. A tapered spindle will create threads in the lead, providing a positive seat. For polishing compounds such as rouge. Made in USA.

	Thread		EACH Prices				
Dia. x Ply	Count	Item#	1-11	12-35	36-143	144+	
4" x 54	80/80	140-6450	\$11.85	\$10.67	\$9.48	\$8.30	
5" x 54	80/80	140-6500	13.50	12.15	10.80	9.45	
6" x 54	80/80	140-6650	18.50	16.65	14.80	12.95	
6"x 63	80/80	140-6560	19.50	17.55	15.60	13.65	

Why Choose Gesswein® Buffs?

What makes our Made in USA buffs better than many competitors can be summarized as follows:

Premium quality 100% cotton carded cloth with 80/80 and 86/80 thread counts (the number of threads per square inch in each direction). The yarn size is 30/30. These consistent thread counts and tight weaves make our buffs more wear-resistant and longer lasting.

Our polymer plastic treated buffs give superior performance to starch treatments used by some others.

When processing we take extra care to relieve the folds and wrinkles inherent in a bolt of cloth and use a die cutter that prevents nicks and ensures cuts are not made from the salvage edge of the cloth. We turn every other ply so that it is offset by at least 45 degrees which prevents premature thread fraying, ensures

even and circular wear and improves compound retention. Well turned buffs will outlast unturned buffs by up to 50%.

We regulate tension, stitching, and sewing pattern parameters. Tension is such that when stitches are pulled up, they snap back to the buff. Stitching is kept to 4-6 stitches per inch on the buff, 9-16 on the leather center, and the sewing needle is lifted between each row of stitching to create a truly concentric sewing pattern. All these factors add up to longer lasting buffs.

We inject shellac into the center of each buff making the entire center hard which allows the buffs to be repeatedly taken on and off the spindle without becoming wobbly. Some manufacturers simply dab or stamp shellac onto the center.

For longer life, better cutting and polishing and superior value – use Gesswein Buffs.

A. Loose White Muslin Buffs – 3/8" Arbor Hole

Made of fine-weave muslin with combed edges. Have $\frac{3}{8}$ " diameter arbor holes for use on $\frac{3}{8}$ " arbor shafts. Not for use on tapered spindles. Made in USA.

	Thread	EACH Prices				
Dia. x Ply	Count	Item#	1-11	12-35	36-14	144+
3" x 20	80/80	140-4315	\$0.90	\$0.81	\$0.72	\$0.63
4" x 20	80/80	140-4320	1.25	1.13	1.00	0.88
5" x 20	80/80	140-4420	1.85	1.67	1.48	1.30
6" x 20	80/80	140-4520	2.40	2.16	1.92	1.68

B. Razor-Edge White Muslin Buffs - Leather Pinhole Center

Made of fine-weave muslin except for #140-8650, which is made of coarse-weave muslin. Can reach into areas where conventional buffs cannot, such as corners, channels and slots. Stitching provides firm edge and maintains buff shape. Buffs with 86/80 thread count are a bit stiffer and more aggressive than buffs with 80/80 thread count. Made in USA.

	Rows of	Thread			EACH		
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+
21/2"	3	86/80	140-8250	\$2.35	\$2.12	\$1.88	\$1.65
3"	4	86/80	140-8300	2.55	2.30	2.04	1.79
4"	6	86/80	140-8400	3.05	2.75	2.44	2.14
5"	8	80/80	140-8500	4.15	3.74	3.32	2.91
6"	10	80/80	140-8600	4.50	4.05	3.60	3.15
6"	10	86/80	140-8650	4.70	4.23	3.76	3.29

C. Stitched Yellow Muslin Buffs - Leather Pinhole Center

Made of chemically treated fine-weave muslin with combed edges and leather centers. Feature a degree of stiffness that serves particularly well for cutting with Tripoli. Last two to three times longer than white muslin buffs. Made in USA.


	Rows of	Thread		EACH Prices				
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+	
4" x 40	3	86/80	141-2400	\$5.20	\$4.68	\$4.16	\$3.64	
4" x 50	3	86/80	141-8700	4.35	3.92	3.48	3.05	
5" x 45	3	86/80	141-2500	5.85	5.27	4.68	4.10	
5" x 50	3	86/80	141-8710	6.99	6.29	5.59	4.89	
6" x 30	4	86/80	141-8720	5.85	5.27	4.68	4.10	
6" x 50	4	86/80	141-2600	9.00	8.10	7.20	6.30	
6" x 60	4	86/80	141-2650	10.25	9.23	8.20	7.18	
7" x 50	4	86/80	141-8730	12.75	11.48	10.20	8.93	

D. Loose Yellow Muslin Buffs – Leather Pinhole Center

Made of the same treated fine-weave muslin with combed edges and leather centers as our stitched yellow muslin buffs, without the stitching. Can be used with rouge. Works very well with cut-and-color compounds. Made in USA.

	Thread		EACH Prices				
Dia. x Ply	Count	Item#	1-11	12-35	36-143	144+	
4" x 50	86/80	141-1000	\$4.40	\$3.96	\$3.52	\$3.08	
5" x 50	86/80	141-1005	6.50	5.85	5.20	4.55	
6" x 50	86/80	141-1010	8.75	7.88	7.00	6.13	





A. Loose Yellow Muslin Buffs - 3/8" Arbor Hole

Made of the same treated fine-weave muslin with combed edges as our other yellow buffs. Have $\frac{3}{8}$ " diameter arbor holes for use on $\frac{3}{6}$ " arbor shafts. Not for use on tapered spindles. Made in USA.

	Thread	EACH Prices				
Dia. x Ply	Count	Item#	1-11	12-35	36-143	144+
4" x 20	86/80	141-0995	\$1.85	\$1.67	\$1.48	\$1.30
5" x 20	86/80	141-1002	2.20	1.98	1.76	1.54
6" x 20	86/80	141-1007	3.35	3.02	2.68	2.35
7" x 20	86/80	141-1009	4.60	4.14	3.68	3.22

B. Spiral Creso Sewed Buff

Unique in look, this "Spiral" buff or also known as the Creso Sewed Buff is a unidirectional buff. Run against the stitching as a cutting buff and run with for polishing action. The stitching creates pockets which increase compound retention. Color may vary. 86/80 thread count, combed edge. Made in USA. Measure 6" diameter by 20 ply with a 1/2" arbor hole.

	Each Price					
Description	Item#	1-11	12-35	36-143	144	
Spiral Creso Sewed Buff	142-0005	\$7.75	\$6.98	\$6.20	\$5.43	

C. Razor-Edge Yellow Muslin Buffs - Leather Pinhole Center

Made of the same treated fine-weave muslin with leather centers as our other yellow buffs. Can reach into areas where conventional buffs cannot, such as corners, channels and slots. Stitching provides firm edge and maintains buff shape. Made in USA.

	Rows of	Thread			EACH	Prices	
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+
4"	6	86/80	141-8495	\$3.45	\$3.11	\$2.76	\$2.42
5"	8	86/80	141-8500	4.00	3.60	3.20	2.80
6"	11	86/80	141-8600	5.50	4.95	4.40	3.85

D. Stitched Plum Muslin Buffs – Leather Pinhole Center

Made of chemically treated fine-weave muslin with combed edges and leather centers. Outlast yellow and white buffs by a wide margin. Cut fast and provide ultra-high polish when used with yellow glow or rouge. Retain compound extremely well, producing a brighter finish than other buffs. Impart an amazing finish on soft metals. Color variations are normal for this product. Made in USA.

'	Rows of	Thread	EACH Prices					
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+	
4" x 40	3	86/80	140-6660	\$4.25	\$3.83	\$3.40	\$2.98	
5" x 45	3	86/80	140-6661	5.80	5.22	4.64	4.06	
6" x 50	4	86/80	140-6662	8.95	8.06	7.16	6.27	

E. Loose Plum Muslin Buffs - Leather Pinhole Center


Made of the same treated fine-weave muslin with combed edges and leather centers as our stitched plum muslin buffs, without the stitching. Color variations are normal for this product. Made in USA.

	Thread		EACH Prices				
Dia. x Ply	Count	Item#	1-11	12-35	36-143	144+	
4" x 40	86/80	141-1020	\$4.10	\$3.69	\$3.28	\$2.87	
5" x 45	86/80	141-1021	5.65	5.09	4.52	3.96	
6" x 50	86/80	141-1022	8.99	8.09	7.19	6.29	


F. Loose Plum Muslin Buffs - 3/8" Arbor Hole


Made of the same treated fine-weave muslin with combed edges as our other plum buffs. Have $\frac{3}{8}$ " diameter arbor holes for use on $\frac{3}{6}$ " arbor shafts. Not for use on tapered spindles. Color variations are normal for this product. Made in USA.

Thread		EACH Prices			
Count	Item#	1-11	12-35	36-143	144+
86/80	141-1025	\$1.99	\$1.79	\$1.59	\$1.39
86/80	141-1030	2.30	2.07	1.84	1.61
	Count 86/80	Count Item# 86/80 141-1025	Count Item# 1-11 86/80 141-1025 \$1.99	Count Item# 1-11 12-35 86/80 141-1025 \$1.99 \$1.79	Count Item# 1-11 12-35 36-143 86/80 141-1025 \$1.99 \$1.79 \$1.59










A. Razor-Edge Plum Muslin Buff - Leather Pinhole Center

Made of the same treated fine-weave muslin with a leather center as our other plum buffs. Can reach into areas where conventional buffs cannot, such as corners, channels and slots. Stitching provides firm edge and maintains buff shape. Color variations are normal for this product. Made in USA.

	Rows of	Thread		Prices			
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+
6"	10	86/80	140-6670	\$5.25	\$4.73	\$4.20	\$3.68



B. Stitched Blue Platinum Muslin Buffs - Leather Pinhole Center

Made of chemically treated premium-weave muslin with combed edges and leather centers. More aggressive and durable than yellow and plum buffs. Optimize the effectiveness of all platinum compounds, providing a higher polish on platinum in less time than other buffs. Made in USA.


	Rows of	Thread			EACH	Prices	
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+
4 x 50	3	86/80	140-6701	\$5.60	\$5.04	\$4.48	\$3.92
5 x 50	3	86/80	140-6702	6.35	5.72	5.08	4.45
6 x 50	4	86/80	140-6703	8.95	8.06	7.16	6.27



C. Razor-Edge Blue Platinum Muslin Buff - Leather Pinhole Center

Made of the same treated fine-weave muslin with a leather center as our other blue buffs. Can reach into areas where conventional buffs cannot, such as corners, channels and slots. Stitching provides firm edge and maintains buff shape. Made in USA.

	Rows of	Thread	EACH Prices					
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+	
6"	10	86/80	140-6704	\$6.05	\$5.45	\$4.84	\$4.24	



D. Stitched Gray Battle Muslin Buffs - Leather Pinhole Center

Made of chemically treated premium-weave muslin with combed edges and leather centers. Aggressive, extremely durable buffs for the toughest polishing jobs. Ideal for production use. Speed up cutting and polishing of hard metals such as platinum and stainless steel. Made in USA.

	Rows of	Thread		Prices			
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+
4" x 50	3	86/80	140-6801	\$5.35	\$4.82	\$4.28	\$3.75
5" x 50	3	86/80	140-6802	6.40	5.76	5.12	4.48
6" x 50	4	86/80	140-6803	8.85	7.97	7.08	6.20



E. Razor-Edge Gray Battle Muslin Buff - Leather Pinhole Center

Web Site Orders 24/7: gesswein.com

Made of the same treated fine-weave muslin with a leather center as our other gray buffs. Can reach into areas where conventional buffs cannot, such as corners, channels and slots. Stitching provides firm edge and maintains buff shape. Made in USA.

	Rows of	Thread			EACH	Prices	
Dia. x Ply	Stitching	Count	Item#	1-11	12-35	36-143	144+
6"	10	86/80	140-6804	\$6.10	\$5.49	\$4.88	\$4.27





A-C Cylinder, Goblet & Tapered Buffs - Made in USA

Three different buffs for specialized jobs. Cylinder buffs polish inside tubular shapes. Tapered buffs polish inside tapered shapes. Goblet buffs polish inside goblets, chalices and other irregular shapes. Made of stitched fine-weave muslin. For use on tapered spindles.

EACH Drices

			EAU	1 PHCes
Description	Size	Item#	1-11	12+
A. Cylinder Buff	2" x 2"	143-5200	\$20.45	\$17.04
	3" x 3"	143-5300	26.50	22.08
B. Goblet Buff	2"	143-3200	14.75	12.29
	3"	143-3300	17.90	14.92
	4"	143-3400	25.25	21.04
C. Tapered Buff	2"	143-1200	20.45	17.04
	31/2"	143-1350	29.85	24.87



D. Canton Flannel Buffs – Shellac Pinhole Center

Made of soft, thick fabric with combed edges and shellac-hardened centers. Use with rouge to impart a high finish on precious metals. Excellent for high-karat gold and silver.

	Rows of		EACH	Prices
Dia. x Ply	Stitching	Item#	1-11	12+
4" x 30	3	142-8400	\$3.85	\$3.21
5" x 30	3	142-8500	5.20	4.33
6" x 30	4	142-8600	6.85	5.71



E. Felt Buffs - Leather Pinhole Center

These wool felt buffs combine the excellent compound retention and long life of a lap with the flexibility and conform ability of a buff. Soft is flexible for following surface contours and is perfect for rouge and other polishing compounds. Medium is semi-flexible and designed for use with tripoli on soft metals. Both have four rows of stitching.

Dia. x Thick	Туре	Item#	Each
6" x ³ / ₄ " (6 ply)	Soft	283-0001	\$14.75
6" x ³ / ₄ " (6 ply)	Medium	283-0002	18.65



F. Brilliant Buff – No rouge, no mess!

Made of soft, long-strand pure Egyptian cotton treated with an environmentally friendly polishing chemical that creates no mess. Yields a bright shine on platinum, gold and silver without additional compound. After using Tripoli, polish with this buff for a brilliant finish. Leaves behind an undetectable residue that inhibits tarnish. For use on tapered spindles.

4 ¹ / ₂ " x ³ / ₄ " (30 ply)	142-0010	\$12.95
Dia, x Thick	Item#	Each



G, **H** Duratex Buffs

Use for cutting and polishing all types of metal and acrylic. Silicon coated on one side, the cotton material does not give off lint and holds compound much longer than normal buffs $\frac{1}{2}$ " thick. Brown buffs are meant for use with harder metals: platinum, white gold, and stainless steel. White buffs are best for use with softer metals, like silver and yellow gold. Made in Germany.

			Ea	ch Price
Description	Dia. x Ply x Arbor Hole	Item#	1-11	12+
G. Brown Buff	4" x 15 Ply x 1/4"	142-5410	\$10.75	\$9.68
Brown Buff	5" x 15 Ply x 1/4"	142-5411	12.25	11.03
Brown Buff	5" x 30 Ply x 1/4"	142-5412	20.30	18.27
H. White Buff	4" x 20 Ply x 1/4"	142-5420	11.25	10.13
White Buff	5" x 20 Ply x 1/4"	142-5421	14.50	13.05
White Buff	5" x 30 Ply x 1/4"	142-5422	21.50	19.35



I. Cotton String Buff

This ultra-soft buff imparts a superb finish on gold, especially when used with our Premium Red Rouge. Made of soft cotton string tufts firmly anchored in hub for durability. Can be used with any polishing compound. Made in Italy.

	Max. Operating	Recommended		EACH Prices	
Dia. x Thick	Speed	Speed	Item#	1-11	12+
4" x 2"	3,000rpm	2,800rpm	142-0001	\$10.75	\$8.96

A-E Mandrel Buffs

Small unmounted stitched buffs for use with flex shaft handpieces. Made of fine-weave muslin with shellac pinhole centers. Mandrels not included (see pp. 149, 584-585 for mandrel selection). Made in USA.

Rows of Thread					E	ACH Price	es
	Dia. x Ply	Stitching	Count	Item#	<i>③pc</i> 3-9 ⊓	12-141	144+
A.	⁷ ∕8" x 16	1	80/80	142-0090	\$0.99	\$0.82	\$0.69
B.	1" x 16	2	80/80	142-0100	0.99	0.82	0.69
C.	1½" x 16	2	80/80	142-0125	1.00	0.83	0.70
D.	1½" x 16	3	80/80	142-0150	1.05	0.87	0.74
E.	2" x 16	4	80/80	142-0200	1.15	0.96	0.81





F. Cotton String Buff - 3/32" Shank

Our ultra-soft buff imparts a superb finish on gold, especially when used with our Premium Red Rouge (see p. 102). Made of soft cotton string tufts firmly anchored in hub for durability. Ideal for accessing tight or recessed areas. Can be used with any polishing compound. Made in Italy.

	Max. Operating	Recommended		E	ACH Price	es
Dia.	Speed	Speed	Item#	1-11	12-143	144+
1"	22,000rpm	17,000rpm	142-0300	\$2.40	\$2.00	\$1.68



Use for cutting and polishing all types of metal and acrylic. Silicon coated on one side, the cotton material does not give off lint and holds compound much longer than normal buffs ½" thick. Brown buffs are meant for use with harder metals: platinum, white gold, and stainless steel. White buffs are best for use with softer metals, like silver and yellow gold. Made in Germany.

			Each Price
Description	Dia. x Ply	Item#	1-11 12+
G. Brown, Mounted*	7/8" 8 ply	142-0026	\$2.80 \$2.38
H. White, Mounted*	7/8" 6 ply	142-0028	3.00 2.55

^{*3/32&}quot; Shank



Available in firm yellow for cutting and soft white for polishing, both loose or stitched, mounted on $\frac{3}{32}$ " shanks. Recommended operating speed 5,000 rpm. Made in Germany.

				EACH	1 Prices
	Description	Dia.	Item#	1-11	12+
I.	Yellow Stitched	1"	142-0340	\$1.59	\$1.43
J.	Yellow Loose	1"	142-0342	1.49	1.34
K	White Stitched	1"	142-0345	1.30	1.17
L.	White Loose	1"	142-0347	1.20	1.08

M. Mounted Muslin Buff – 3/32" Shank


Miniature muslin buff for use with flex shaft handpieces. Mounted on a 3/32" shank. Made in Germany.


	Recommended		EACH	Prices
Dia. x Thick	Speed	Item#	1-11	12+
⁷ /8" x ¹ /4"	5,000rpm	142-0325	\$6.15	\$5.54

N, O Faux Chamois Buffs – 3/32" Stainless Steel Shank

Durable artificial one inch diameter chamois buffs that hold compound very well. Choose from perforated yellow and smooth tan styles. Perforated yellow work with tripoli and other aggressive compounds; smooth tan produce a wonderful luster with rouge. Made in India.

Dia. x Thick				EACH	l Prices
	Material	Use With	Item#	1-11	12+
N. 1" x ³ / ₈ "	Perforated Yellow	Tripoli	142-0020	\$1.70	\$1.53
0. 1" x ³ / ₁₆ "	Smooth Tan	Rouge	142-0024	1.70	1.53






Felt Bobs

Made from the finest 100% wool for long life. Available mandrel-mounted or unmounted. May be used with various polishing compounds or rouges to produce a clean, high finish on molds, dies and models. Hard, medium and soft grades available in most shapes. All 1/8" shank unless otherwise indicated. All measurements in inches. Items with an asterisk also available on 3mm shanks. Made in USA.



















1/8"	5	Sha	ank	12pc

Hard (Item#)	286-1010*	286-1011	286-1020*	286-1022	286-1030	286-1031	286-1040	286-1051
Medium (Item#)	290-1010	290-1011	290-1020	290-1022	290-1030	290-1031	290-1040	290-1051
Soft (Item#)	289-1010	289-1011	289-1020	289-1022	289-1030	289-1031	289-1040	289-1051
12-24 (each)	\$2.01	\$2.14	\$1.90	\$1.98	\$1.87	\$2.08	\$1.87	\$1.87
36-60** (each)	1.91	2.03	1.81	1.88	1.78	1.98	1.78	1.78
72+**	1.81	1.93	1.71	1.78	1.68	1.87	1.68	1.68



78 Silalik (2007)		100	雅	<u>B</u>	181	PP		(9)
Hard (Item#)	286-1060	286-1100*	286-1101*	286-1102*	286-1103*	286-1104*	286-1105*	286-1106*
Medium (Item#)	290-1060	290-1100*	290-1101*	290-1102*	290-1103*	290-1104*	290-1105*	290-1106*
Soft (Item#)	289-1060	289-1100*	289-1101*	289-1102*	289-1103*	289-1104*	289-1105*	289-1106*
12-24 (each)	\$1.87	\$1.24	\$1.29	\$1.29	\$1.34	\$1.46	\$1.60	\$1.75
36-60** (each)	1.78	1.18	1.23	1.23	1.27	1.39	1.52	1.66
72+**	1.68	1.12	1.16	1.16	1.21	1.31	1.44	1.58
Rock Hard (Item#)	-	291-1100	-	291-1102	291-1103	291-1104	291-1105	291-1106
12-24 (each)	-	\$1.38	-	\$1.43	\$1.49	\$1.66	\$1.80	\$2.03
36-60** (each)	-	1.31	-	1.36	1.42	1.58	1.71	1.93
72+**	-	1.24	-	1.16	1.34	1.49	1.62	1.83



Hard (Item#)	286-1107	286-1108	286-1110*	286-1111	286-1113^	286-1114*
Medium (Item#)	290-1107	290-1108	290-1110*	290-1111*	290-1113	290-1114*
Soft (Item#)	289-1107	289-1108	289-1110*	289-1111	289-1113	289-1114*
12-24 (each)	\$1.54	\$2.12	\$2.24	\$2.43	\$3.00	\$3.00
36-60** (each)	1.46	2.01	2.13	2.31	2.85	2.85
72+**	1.39	1.91	2.02	2.19	2.70	2.70
Rock Hard (Item#)	-	-	291-1110	-	-	-
12-24 (each)	-	-	\$2.29	-	-	-
36-60** (each)	-	-	2.18	-	-	-
72+**	-	-	2.06	-	-	-

1/4" Shank (12pc)


Hard (Item#)	286-1097	286-1098	286-1099	286-1109	286-1112	286-1115
12-24 (each)	\$1.98	\$2.19	\$2.39	\$2.57	\$3.32	\$3.00
36-60** (each)	1.88	2.08	2.27	2.44	3.15	2.85
72+**	1.78	1.97	2.15	2.31	2.99	2.70
Rock Hard (Item#)	-	-	-	-	-	291-1115
12-24 (each)	-	-	-	-	-	\$3.36
36-60** (each)	-	-	-	-	-	3.19
72+**	-	-	-	-	-	3.02



(2pc) 12-piece minimum; please order in multiples of 12. *Also available on 3mm shanks. **Quantity discount for orders of one item number only; not assorted.

A-C Felt Bob Sets - 1/8" Shank

Choose from six different sets of mounted bobs listed on previous page. Trial Sets in our most popular shapes and sizes. Made in USA.



B. 7-Piece Fancy	1/2	> ¹ / ₄ ← 1/ ₄ ↑	1/2	3/8 >> 1/2	3/4	3/4	1/2
Hard	#1010	#1020	#1022	#1030	#1040	#1051	#1060
Description		Shapes	Con	nponents		Item#	EACH Set
B. 7-Piece Hard Set		Fancy	286-1010, 20	0, 22, 30, 40, 51, 6	60	286-1118	\$10.95

C. 7-Piece Cylinder	> ¹ /4 ← √ 1/4 ↑	> ¹ /4 <- 3/ ₈ \(\)	3/8	3/8 1/2 1/2	< ¹ / ₂ >	3/4	< 1/2 > 1
Soft, Medium or Hard	#1100	#1101	#1102	#1103	#1104	#1105	#1106
Description		Shapes	Cor	nponents		Item#	EACH Set
C. 7-Piece Soft Set		Cylinder	289-1100	0, 1, 2, 3, 4, 5, 6		289-1119	\$11.95
7-Piece Medium Set	İ	Cylinder	290-1100	0, 1, 2, 3, 4, 5, 6		290-1120	10.50
7-Piece Hard Set		Cylinder	286-1100	0, 1, 2, 3, 4, 5, 6		286-1121	11.90

D. Countersunk Felt Bob - 3mm Shank

Specially designed for polishing flat surfaces, utilizing the end of the bob. The center hole on the bob helps stabilize it while rotating so it is easy to control and won't "walk." In addition, the tapered sides allow you to polish to the side wall, without it inadvertently being polished. Measures 7/8" dia. x 1"H with a 3/8"D cavity. Mounted on 3mm shank. Made in USA.

			EACH Pric	es
Hardness	Size	Item#	1-5	6+
Rock-Hard	3mm shank	295-0012	\$5.10	\$4.85



Shown actual size


E-I Felt Bobs - 3/32" Shank

Made of pure wool. Sold individually and in a set of all five shapes, which comes in a wooden stand with plastic case to keep bobs free of dust and dirt. Mounted on $\frac{3}{32}$ " shanks. Max. operating speed: 15,000rpm. Made in USA.

			Medium	Hard	EACH	Prices
	Dia. x H	Shape	Item#	Item#	1-11	12+*
	1/4" x 3/4"	Point	288-2300	288-2200	\$1.87	\$1.55
	³ /8" x ³ /4"	Flame	288-2301	288-2201	1.87	1.55
	⁵ ∕16" x ³ ∕8"	Ball	288-2302	288-2202	1.87	1.55
	⁵ ∕16" x ⁵ ∕8"	Bullet	288-2303	288-2203	1.87	1.55
Ī.	³ /8" x ⁵ /8"	Cylinder	288-2305	288-2205	1.87	1.55
	5-Piece Set	_	288-2307	288-2207	7.80	-

^{*}Quantity discount for orders of one item number only; not assorted.
















All shown actual size

A, B Felt Flap Wheels - 1/8" Shank

Uniquely constructed soft pure felt wheels for use with polishing compounds. Made in Germany.

		EACH Prices		
Dia. x H	Item#	1-2	3+	
A. ³ / ₄ " x ³ / ₈ "	288-2213	\$8.65	\$8.22	
B. 1 ¹ / ₄ " x ³ / ₄ "	288-2214	9.85	9.36	

C, D Mounted Felt Wheels - 3/32" Shank

3 ply wheels ideal for cutting and polishing larger surfaces. Mounted on $\frac{3}{32}$ " shanks.

	Recommended			EACI	H Prices
Dia. x Thick	Speed	Type	Item#	1-11	12+
C. ⁷ /8" x ¹ /2"	5,000rpm	Very Soft	288-2210	\$3.40	\$3.06
D. ⁷ /8" x ⁵ /16"	5,000rpm	Soft	288-2211	2.20	1.98

E, F Mounted Felt Wheels - 3/32" or 1/8" Shanks

Both hard and soft in either ³/₃₂" or ¹/₈" shank sizes. Hard provides a more aggressive cutting action while soft produces a higher finish. Made in Germany.

			Recommended			EACI	H Prices
	Dia. x Thick	Shank size	Speed	Type	Item#	1-11	12+
E.	⁷ /8" x ³ /16" (5mm)	3/32"	5,000rpm	Hard	288-2221	\$2.50	\$2.00
	⁷ /8" x ³ /16" (5mm)	1/8"	5,000rpm	Hard	288-2222	2.50	2.00
F.	⁷ /8" x ³ /16" (5mm)	3/32"	5,000rpm	Soft	288-2223	1.35	1.08
	⁷ /8" x ³ /16" (5mm)	1/8"	5,000rpm	Soft	288-2224	1.35	1.08

G. Mounted Felt Wheel with Plastic Hub - 3/32" Shank

Soft felt wheel mounted on a nonscratching plastic hub with \(^3\)/₃₂" stainless steel shank. Works so well that it's patented. Use with compound for cutting and polishing. Made in India.

			EACH	l Prices
Dia. x Thick	Туре	Item#	1-11	12+
1" x ³ / ₁₆ "	Soft	288-2209	\$1.35	\$1.22

H. Compressed Fiber Wheel - 3/32" Shank

Fibers are compressed and bonded with aluminum oxide to make a firm, dense long lasting wheel with some flexibility. Creates a beautiful scratch finish that contrasts well with highly polished areas. Recommended working speed: 5,000rpm. Made in Germany.

			EACH	l Prices
Dia. x Thick	Туре	Item#	1-11	12+
⁷ /8" x ³ /8"	Coarse	288-2250	\$4.95	\$4.46

I. Diamond Impregnated Felt Bobs - 1/8" Shank

Diamond abrasive is loaded throughout the wool felt eliminating the need for additional compound. Ready to work immediately, they polish quickly, constantly introducing new diamond abrasive to the work surface. The diamond felts are also self-lubricating so no extra lubricant is required. Available in 4 grits from 1 micron to 15 micron in our 2 most popular shapes. All 1/8" shanks. Made in USA.

Diamond Micron	#1100	#1101
1	284-2100	284-2110
6	-	284-2112
9	284-2103	284-2113
15	-	284-2114
1-11 (each)	\$2.86	\$4.11
12+ (each)*	2.72	3.90

^{*}Quantity discount for orders of one item number only; not assorted.

A. Unitized Mounted Points - 1/8" Shank

Ideal for a variety of deburring, blending, finishing and polishing applications. Consist of durable unitized material embedded with either silicon carbide for a fine finish or aluminum oxide for a medium or coarse finish. Mounted on 1/8" shanks. Conform to workpieces for consistent, uniform finishing without undercutting or gouging.

Style	Dia. x H	Max. RPM	Coarse	Medium	Fine	Each
B42	1/2" x 3/4"	33,750	845-0120	845-0110	845-0080	\$6.65
B52	3/8" x 3/4"	45,300	845-0121	845-0111	845-0081	5.60
B90	1/2" x 1/2"	34,500	845-0122	845-0112	845-0082	5.10
W160	1/4" x 1/4"	81,300	845-0123	845-0113	845-0083	3.60
W183	1/2" x 1/4"	51,700	845-0124	845-0114	845-0084	4.20
W185	1/2" x 1/2"	34,500	845-0125	845-0115	845-0085	4.90



Made in

B. DUROTEX™ Abrasive Impregnated Composites – ½" Shank

DUROTEX composites are made out of a tough and resilient polyurethane type material. Available with Silicone Carbide or Aluminum Oxide grain, the composite bond and abrasive grain wear evenly to ensure consistent performance and surface finishes. DUROTEX is high temperature resistant and will not heat up or melt even under strenuous conditions. Can be used on many materials including all metals, (even brass and titanium), glass and more. Please consult ANSI for speed recommendations. All 1/8" shanks. Made in USA.

	$\frac{\sqrt{3}}{\sqrt{4}} \Rightarrow \sqrt{4}$	1/2 1/2	1/2 1/2 ↓	All shown actual size
Description	¹⁄₄" Cyl	½" Cyl	Cone	Bullet
Silicone Carbide Coarse	284-0012	284-0022	284-0032	284-0042
Silicone Carbide Medium	284-0014	284-0024	284-0034	284-0044
Silicone Carbide Fine	_	284-0026	284-0036	284-0046
Aluminum Oxide Coarse	284-0052	284-0062	284-0072	284-0082
Aluminum Oxide Medium	284-0054	284-0064	284-0074	284-0084
Aluminum Oxide Fine	284-0056	284-0066	284-0076	284-0086
1-11 (each)	\$2.60	\$3.07	\$4.11	\$4.11
12+ (each)*	2.08	2.46	3.29	3.29


^{*}Quantity discount for orders of one item number only; not assorted.

C-L Mounted Impregnated Felt Bobs - 1/8" Shank

Felt bobs evenly impregnated with 8000 grit silicon carbide abrasive for uniform removal of light scratches and brightening. Help shorten the final finishing process. Reduce messy compound cleanup. Suitable for all metals, including soft metals such as brass. Available in hard and medium grades. Mounted on ½" shanks. Max. operating speed: 10,000rpm. Made in USA.

	Medium	Hard		EACH Price	S
Dia. x H	Item#	Item#	1-35	36-71*	72+*
3/8" x 1/2"	284-2000	284-1030	\$1.98	\$1.88	\$1.78
1/4" x 1/4"	284-2002	284-1100	1.77	1.68	1.59
1/4" x 3/8"	-	284-1101	1.77	1.68	1.59
3/8" x 3/8"	284-2004	284-1102	1.77	1.68	1.59
³ /8" x ¹ /2"	284-2006	284-1103	1.77	1.68	1.59
1/2" x 1/2"	284-2008	284-1104	1.77	1.68	1.59
¹ / ₂ " x ³ / ₄ "	284-2010	284-1105	1.94	1.84	1.75
	-	284-1106	2.85	2.71	2.57
³ / ₄ " x ³ / ₄ "	284-2012	284-1110	3.02	2.87	2.72
1" x 1"	284-2014	284-1114	4.11	3.90	3.70
	Dia. x H 3/8" x 1/2" 1/4" x 1/4" 1/4" x 3/8" 3/8" x 3/8" 3/8" x 1/2" 1/2" x 1/2" 1/2" x 3/4" 1/2" x 3/4" 1" x 1"	Dia. x H Item# 3/8" x ½" 284-2000 ½" x ½" 284-2002 ½" x ¾" 284-2002 ½" x ¾8" — 3/8" x ¾8" 284-2004 3/8" x ½" 284-2006 ½" x ½" 284-2008 ½" x ¾" 284-2010 ½" x 1" — 3/4" x ¾" 284-2012	Dia. x H Item# Item# 3/8" x 1/2" 284-2000 284-1030 1/4" x 1/4" 284-2002 284-1100 1/4" x 3/8" — 284-1101 3/8" x 3/8" 284-2004 284-1102 3/8" x 1/2" 284-2006 284-1103 1/2" x 1/2" 284-2008 284-1104 1/2" x 3/4" 284-2010 284-1105 1/2" x 1" — 284-1106 3/4" x 3/4" 284-2012 284-1110	Dia. x H Item# Item# 1-35 3/8" x ½" 284-2000 284-1030 \$1.98 ½" x ¼" 284-2002 284-1100 1.77 ½" x ¾" 284-2002 284-1101 1.77 ¾8" x ¾8" - 284-1102 1.77 ¾8" x ½" 284-2004 284-1103 1.77 ½" x ½" 284-2006 284-1103 1.77 ½" x ½" 284-2008 284-1104 1.77 ½" x ¾" 284-2010 284-1105 1.94 ½" x 1" - 284-1106 2.85 ¾" x ¾" 284-2012 284-1110 3.02	Dia. x H Item# Item# 1-35 36-71* 3/8" x ½" 284-2000 284-1030 \$1.98 \$1.88 ½" x ½" 284-2002 284-1100 1.77 1.68 ½" x ¾" - 284-1101 1.77 1.68 ¾" x ¾" 284-2004 284-1102 1.77 1.68 ¾" x ½" 284-2006 284-1103 1.77 1.68 ½" x ½" 284-2008 284-1104 1.77 1.68 ½" x ¾" 284-2010 284-1105 1.94 1.84 ½" x ¾" - 284-1106 2.85 2.71 ¾" x ¾" 284-2012 284-1110 3.02 2.87

^{*}Quantity discount for orders of one item number only; not assorted.





A. Unmounted Hard Felt Cylinder Bobs - USA

Made of pure wool. Pinhole centers. Mandrels not included (see pp. 149, 584-585 for mandrel selection). Made in USA.

			EACH	Prices
Dia. x H	Mandrel	Item#	(12pc) 12-132	144+
1/4" x 3/8"	#3 or #13	288-0010	\$1.03	\$0.86
3/8" x 1/2"	#30	288-0020	1.24	1.03
1/2" x 1/2"	#30	288-0030	1.30	1.08
³ / ₄ " x ³ / ₄ "	#33	288-0040	1.80	1.50
1" x 1"	#33	288-0050	3.00	2.50

Twelve-piece minimum; Please order in multiples of twelve.

B-H Unmounted Hard Felt Cones

Made of the finest pure wool for long life. Great for polishing objects with rounded or curved surfaces. Pinhole centers. Mandrels not included (see pp. 584-585 for mandrel selection). Made in USA.

			EACH	Prices
Dia. x H	Shape	Item#	12-132	144+
B. ¹ / ₄ " x ¹ / ₂ "	Pointed	282-0480	\$1.36	\$1.13
C. 3/8" x 3/4"	Pointed	282-0490	1.30	1.08
D. ½" x 1"	Pointed	282-0500	1.92	1.60
E. ½" x 1"	Blunt	282-0501	1.88	1.57

12pc Twelve-piece minimum; Please order in multiples of twelve.

				EACH Price	es
Dia. x H	Shape	Item#	1-11	12-143	144+
F. ³ / ₄ " x 1 ¹ / ₂ "	Pointed	282-0510	\$2.10	\$1.75	\$1.47
G. ³ / ₄ " x 1 ¹ / ₂ "	Blunt	282-0511	2.35	1.96	1.65
H. 1" x 2"	Pointed	282-0520	4.35	3.62	3.05

I-K Poli-Felts - 1/8" Shank

Feature end cut at 45° angle for comfort. For use with reciprocating handpieces such as Power Hand PH3 SZX (see p. 429), Di-Profiler (see pp. 431, 448-449, 452) and others. Made in USA.

						EACH Pric	es
Ì	imensions	Style	Туре	Item#	1-11	12-143	144+
1	4" sq. x 1½"L	61	Hard	288-4610	\$3.74	\$3.12	\$2.62
3	3" sq. x 1 ½"L	62	Hard	288-4620	4.20	3.50	2.94
2	2" sq. x 1 ½"L	63	Hard	288-4630	4.52	3.77	3.16
1	4" sq. x 1½"L	61	Medium	288-4615	3.54	2.95	2.48
3	3" sq. x 1 ½"L	62	Medium	288-4625	3.95	3.29	2.77
2	2" sq. x 1 ½"L	63	Medium	288-4635	4.16	3.47	2.91
1	2" sq. x 1 ½"L 4" sq. x 1 ½"L 3" sq. x 1 ½"L	63 61 62	Hard Medium Medium	288-4630 288-4615 288-4625	4.52 3.54 3.95		3.77 2.95 3.29

L, M Soft Pure Wool Felt Hand Buffs

For high finish when used with rouge. Have wooden handles. 12" overall length. Made in India.

Felt Size				EACH Price	es
WxL	Type	Item#	1-11	12-143	144+
L. 3/8" x 6"	Soft	288-1015	\$4.15	\$3.46	\$2.91
M. ⁷ / ₈ " x 6"	Soft	288-1010	4.99	4.16	3.49

N. Acrylic Laps, Individual Sizes – For Diamond Polishing

An excellent alternative to wood and other materials for lapping applications. These acrylic laps can be used by hand or in a reciprocating profiler on flat surfaces, slots and ribs. Produces consistent finishes for mold polishing. Intended for use with diamond compounds, sold separately. Each size has a length of 150mm. Each size is sold in a package of 5. Set of 6 includes one of each size.

Description					Item#	SET
Acrylic Lap Se	et (one o	of each size)			825-0250	\$24.95
Dimensions		Item#	PKG (5)	Dimensions	Item#	PKG (5)
1/8" x 1/8"		825-0251	\$10.50	1/8" x 1/4"	825-0254	\$12.95
3/16" X 3/16"		825-0252	11.25	5/16" x 1/2"	825-0255	23.25
1/4" x 1/4"		825-0253	16.75	5/16" x 3/4"	825-0256	28.25
	Acrylic Lap Se Dimensions 1/8" x 1/8" 3/16" x 3/16"	Acrylic Lap Set (one of Dimensions 1/8" x 1/8" 3/16" x 3/16"	Acrylic Lap Set (one of each size) Dimensions	Acrylic Lap Set (one of each size) Dimensions	Acrylic Lap Set (one of each size) Dimensions Item# PKG (5) Dimensions ½8" x ½8" 825-0251 \$10.50 ½8" x ¼4" ¾16" x ¾16" 825-0252 11.25 5√16" x ½2"	Acrylic Lap Set (one of each size) 825-0250 Dimensions Item# PKG (5) Dimensions Item# ½8" x ½8" 825-0251 \$10.50 ½8" x ¼4" 825-0254 ¾6" x ¾16" 825-0252 11.25 5/16" x ½2" 825-0255

Felt Wheels

Manufactured from carefully selected wool without synthetic fibers or fillers, ensuring product reliability. Feature uniform density throughout for longer life. Yield high-quality finishes every time. Can be shaped.



A. Soft Felt Wheels – For High Finish

Can be used on irregular surfaces where fast metal removal is unnecessary. Very flexible. Pinhole centers. Mandrel not included (see pp. 149, 584-585 for mandrel selection). Made in USA.

		EACH	Prices
Dia. x Thick	Item#	12-132	144+
1" x ¹ / ₈ "	280-0005	\$0.45	\$0.37
1" x ¹ / ₄ "	280-0007	0.62	0.52
1 ¹ / ₄ " x ¹ / ₄ "	280-0006	1.05	0.87



B. Hard Felt Wheels

Felts in this series have been cut from sheet stock, hardened to appropriate finishing requirements and dressed to size. Pinhole centers. Mandrel not included (see pp. 149, 584-585 for mandrel selection). Use 2" diameter and larger on tapered spindle. Made in USA.


				EACH P	rices
Dia. x Thick	Item#	(^{2pc} 12-	132	144+
1/2" x 1/8"	280-0020		\$0	.50	\$0.42
5/8" x 1/8"	280-0041		C	.41	0.34
³ / ₄ " x ¹ / ₈ "	280-0060		C	.45	0.37
1" x ¹ / ₈ "	280-0101		C	.51	0.42
1" x ¹ / ₄ "	280-0110		1	.24	1.03
			EACH	Prices	
Dia. x Thick	Item#	1-2	3-11	12-143	144+
1 ¹ / ₄ " x ¹ / ₄ "	280-0120	\$1.34	\$1.21	\$1.12	\$0.94
1 ¹ / ₄ " x ³ / ₈ "	280-0130	1.98	1.78	1.65	1.39
2" x ¹ / ₄ "	280-0200	2.50	2.25	2.08	1.75
2" x ¹ / ₂ "	280-0220	4.06	3.65	3.38	2.84
2 ¹ / ₂ " x ³ / ₈ "	280-0260	3.64	3.28	3.03	2.55




C. Knife-Edge Felt Wheels

These felt wheels have tapered edges for polishing joints and crevices. Pinhole centers. Mandrel not included (see pp. 149, 584-585 for mandrel selection). Use 2" diameter and larger on tapered spindle. Made in USA.

				EACH	Prices
Dia.	Type	Item#	(12pc	12-132	144+
1/2"	Hard	281-0021		\$0.90	\$0.75
5/8"	Hard	281-0041		0.90	0.75
3/4"	Hard	281-0060		1.20	1.00
1"	Hard	281-0100		1.40	1.17
1"	Rock-Hard	281-0101		1.72	1.43
11/4"	Hard	281-0201		2.06	1.72
11/2"	Hard	281-0300		2.05	1.71
				EACH Price	es
Dia.	Type	Item#	1-11	12-143	144+
13/4"	Hard	281-0400	\$4.05	\$3.65	\$3.24
2"	Hard	281-0501	4.11	3.70	3.29
21/2"	Hard	281-0700	6.95	6.26	5.56
3"	Hard	281-0801	5.72	5.15	4.58
3"	Flint-Hard	281-1030	7.50	6.75	6.00
4"	Flint-Hard	281-1040	14.35	12.92	11.48







Gesswein® Felt Ring Buffs

For cutting and polishing insides of rings and curved surfaces. Made of pure wool felt mounted on reinforced wooden mandrels drilled for tapered spindles.

A. Felt Ring Buffs

Patented by F. W. Gesswein in 1872 and still the ring buffs of choice!

For cutting and polishing insides of rings and curved surfaces. Made of pure wool felt mounted on reinforced wooden mandrels drilled for tapered spindles.

Felt	Ring		For Ring			EACH	l Prices	
Length	Sizes	Taper	Types*	Item#	1-5	6-11	12-143	144+
3"	1-5	⁹ /16"- ⁵ /16"	С	283-0010	\$3.90	\$3.51	\$3.25	\$2.73
3"	5-8	³ /4"- ⁹ /16"	L	283-0700	3.90	3.51	3.25	2.73
4"	8–11	⁷ /8"- ⁵ /8"	L	283-0710	4.20	3.78	3.50	2.94
4"	10-17	1"-3/4"	В	283-0715	5.50	4.95	4.58	3.85
5"	8–17	1"- ¹¹ /16"	В	283-0721	6.80	6.12	5.67	4.76
6"	10-21	1 ¹ /16"- ³ /4"	M	283-0730	7.60	6.84	6.33	5.32
3"**	6–9	³ /4"- ⁹ /16"	L	283-1700	3.25	2.93	2.71	2.28
4"**	8–17	⁷ /8"– ⁵ /8"	M	283-1710	5.25	4.73	4.37	3.68

^{*}C = children's, L = ladies', M = men's, B = ladies' and men's **Hardened and treated

B. Soft Felt Ring Buffs

For direct mounting on tapered spindles. Made entirely of pure wool felt.

	Felt Lenath	Ring Sizes	Taper	Item#	1-5		l Prices 12-143	144+
	Lengin	31263	iapei	110111#	1-0	0-11	12-143	144+
В.	3"	5–8	3/4"-9/16"	283-2030	\$3.35	\$3.02	\$2.79	\$2.35
	4"	8–12	⁷ /8"– ⁵ /8"	283-2040	3.95	3.56	3.29	2.77

C. Combination Felt Ring Buffs

Each consists of pure wool felt square edge wheel buff and inside ring buff mounted on wooden mandrel drilled for tapered spindles. Lets user polish outsides and insides of rings and curved surfaces without changing buffs.

	Felt	Ring	Wheel		I	ACH Pric	ces
	Length	Sizes	Size	Item#	1-5	6-11	12+
C.	3"	5–8	2" x ¹ / ₂ "	283-4010	\$6.55	\$5.90	\$5.46
	4"	7–13	2" x ⁹ / ₁₆ "	283-4020	8.25	7.43	6.87



D, E Felt Sticks

Beveled ends of these solid felt sticks can be used with cutting or polishing compounds, including diamond compounds.

			EACI	1 Prices
Size	Туре	Item#	12-60	72+
4"L x ¹ / ₄ " sq.	Soft	288-3020	\$0.74	\$0.63
	Medium	288-3015	0.74	0.63
	Hard	288-3010	0.74	0.63

12pc) 12-piece					
Gana 12 ninga	minimum	nlagga	ardar in	multiplac	af 12
(1200) 12-DIEGE	minimini	UICASC	uruer III	IIIUIUIUIUS	UI IZ.

			EACI	H Prices
Size	Туре	Item#	1-11	12+
4"L x ½" sq.	Soft	288-3035	\$2.24	\$2.02
	Medium	288-3030	2.24	2.02
	Hard	288-3025	2.24	2.02

F. Outside Wooden Ring Holder

Safely hold rings while polishing with felt ring buffs (above).

Description	Item#	Each
Outside Ring Holder	812-0311	\$5.60

G. Felt Bangle Buff

Made of felt mounted on a wooden mandrel drilled for tapered spindles. Ideal for finishing insides of bangle bracelets and other large pieces. Measures $3\frac{1}{2}$ " long. For use on tapered spindles.

2"-1 ⁷ / ₈ " x 2"	Medium	283-0050	\$9.75
reit Dia. x H	iype	item#	Eacn

G

Mandrels

Use in handpieces and hand grinders for holding items such as felt wheels, brushes, rubberized abrasives, cut-off discs and more. Also see Cratex mandrels on p. 92.

A-I Screw Mandrels

For use with Pumice, Cratex and other wheels with a maximum thickness of ½". Right-handed threads. Made of steel except 321½, which is stainless steel (excellent for wet operations).

			For			1 Prices
	Style	Shank	Hole	Item#	<i>3pc</i> 3-9	12+
A.	321	3/32"	¹ /16"	840-3170	\$1.20	\$1.00
В.	321 ¹ / ₂	3/32"	¹ /16"	840-3160	2.35	1.96
C.	304	3/32"	¹ /16"	840-3175	2.45	2.04
D.	2	3/32"	1/8"	840-3060	2.10	1.75
E.	311	1/8"	¹ /16"	840-3150	1.40	1.17
F.	20	1/8"	1/8"	840-3100	2.15	1.79
G.	22	1/8"	1/8"	840-3110	3.15	2.62
Н.	24	1/8"	1/4"	840-3112	3.15	2.62
			For		EACI	1 Prices
	Style	Shank	Hole	Item#	1-11	12+
l.	25	1/4"	1/4"	840-3115	\$4.50	\$3.75



For use with felt bobs, cones and mandrel buffs. Right-handed threads.

K. 13				For	Length		EACH	l Prices
K. 13 ½" ½" ¾6" ¾6" 840-3090 1.25 1.04 L. 0 ¾32" ¼6" ¾8" 840-3040 1.25 1.04 M. 30 ½" ¼6" ¾8" 840-3120 1.25 1.04 Style Shank Hole of Taper Item# 1-11 12+ N. 33 ½" ¼" ¾4" 840-3130 \$3.85 \$3.21		Style	Shank	Hole	of Taper	Item#	<i>3pc</i> 3-9	12+
L. 0 3/32" 1/16" 3/8" 840-3040 1.25 1.04 M. 30 1/8" 1/16" 3/8" 840-3120 1.25 1.04 Style Shank Hole of Taper ltem# 1-11 12+ N. 33 1/8" 1/4" 3/4" 840-3130 \$3.85 \$3.21	J.	3	3/32"	¹ /16"	³ /16"	840-3070	\$1.25	\$1.04
M. 30	K.	13	1/8"	¹ /16"	³ /16"	840-3090	1.25	1.04
Style Shank For Hole of Taper Length Item# EACH Prices N. 33 ½8" ½4" ¾4" 840-3130 \$3.85 \$3.21	L.	0	3/32"	¹ /16"	3/8"	840-3040	1.25	1.04
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	M.	30	1/8"	¹ /16"	3/8"	840-3120	1.25	1.04
N. 33 1/8" 1/4" 3/4" 840-3130 \$3.85 \$3.21				For	Length		EACH	Prices
		Style	Shank	Hole	of Taper	Item#	1-11	12+
0. 43	N.	33	1/8"	1/4"	3/4"	840-3130	\$3.85	\$3.21
	0.	43	1/4"	3/8"	1"	840-3140	6.80	5.67

P-S Threaded Mandrels with Nuts

For use with rubberized points, cones, and cylinders such as Cratex. Righthanded threads.

			For	Length		EAC	H Prices
	Style	Shank	Hole	of Taper	Item#	<i>3pc</i> 3-9	12+
P.	1	3/32"	3/32"	1/2"	840-3050	\$1.60	\$1.33
Q.	4	1/8"	3/32"	1/2"	840-3080	1.20	1.00
				Length		EAC	H Prices
	Style	Shank	Hole	of Thread	Item#	1-11	12+
R.	6	1/8"	1/8"	1/2"	840-3085	\$5.30	\$4.42
S.	1341	1/4"	1/4"	1/2"	840-3180	7.90	6.58

Sun Snap Mandrel - Use with Sunburst Snap-On abrasive see page 80.

				EA(CH Prices
	Style	Shank	Item#	1-5	6+
T.	Single	3/32"	840-3411	11.99	-
	Pkg. of	3	840-3410	\$32.95	\$31.30

3pc) Three-piece minimum; please order in multiples of three.







Safety Recommendations

Mandrels and mounted accessories improperly used are dangerous. Comply with American National Standards Institute Safety Code B7.1 and Occupational Safety and Health Act covering speed, safety guards, flanges, mounting procedures, general operating rules, handling, storage and inspection. Speeds to use depend on the accessory.

Gesswein® Laps

Lapping maintains integrity of flat surfaces and keeps angles and corners from being rounded off during polishing. Unlike buffs, which are soft, laps are very firm and have a wider area to cover much more of the work surface. Can even be shaped to knife or beveled edges.

When selecting laps, please consider the following information:

Felt Laps: Pure wool felt laps hardened by a process of steaming and pounding. Free of artificial hardeners.


Diamond-Hard Laps: Pure wool felt laps excellent for lapping due to a treatment that results in extreme density.

Split Laps: Slotted in four places to allow user to see finish as work is held on lap. Use on split lapping machines.

Silicone: Superior finish on gold and other precious metals.

GMX: Unique bond of abrasive-impregnated cotton in flexible bond. Excellent for deburring and blending aluminum, stainless steel and exotic alloys.







A. Gesswein/Paramount® Felt Laps

Pure wool felt laps uniquely made to ensure proper hardness and performance. All have pinhole centers. Max. operating speed: 3,450rpm. Made in USA.

				EACH Price	es
Dia. x Thick	Туре	Item#	1-5	6-11	12-71
4" x ½"	Hard	284-4145	\$16.60	\$14.94	\$13.83
	Rock-Hard	284-4147	16.90	15.21	14.08
4" x ½"	Soft	284-4121	10.99	9.89	9.16
	Medium	284-4123	15.99	14.39	13.32
	Hard	284-4125	20.55	18.50	17.12
	Rock-Hard	284-4127	24.80	22.32	20.67
4" x 3/4"	Medium	284-4343	26.75	24.08	22.29
	Hard	284-4345	28.99	26.09	24.16
6" x ½"	Hard	284-6145	31.40	28.26	26.17
	Flint-Hard	284-6148	40.20	36.18	33.50
6" x ½"	Soft	284-6121	26.25	23.63	21.87
	Medium	284-6123	32.60	29.34	27.17
	Hard	284-6125	42.50	38.25	35.42
	Rock-Hard	284-6127	47.70	42.93	39.75
	Flint-Hard	284-6128	56.65	50.99	47.21
6" x 1"	Soft	284-6101	48.50	43.65	40.42
	Medium	284-6103	50.40	45.36	42.00
	Hard	284-6105	59.35	53.42	49.46

B. Diamond-Hard Felt Laps

Pure wool felt laps treated and pressed for exceptional durability. Face of lap can be dressed to a knife edge. Max. operating speed: 3,600rpm. Made in USA.

				EACH Price	es
Dia. x Thick x AH	Туре	Item#	1-5	6-11	12-71
4" x ¹ / ₄ " x ¹ / ₄ "	Diamond-Hard	284-4149	\$15.70	\$14.13	\$13.08
4" x ¹ / ₂ " x ¹ / ₄ "	Diamond-Hard	284-4129	20.75	18.68	17.29
6" x ¹ / ₄ " x ¹ / ₄ "	Diamond-Hard	284-6149	26.88	24.19	22.40
6" x ¹ / ₄ " x ¹ / ₂ "	Diamond-Hard	284-6249	26.88	24.19	22.40

C-F Dedeco® Silicone Split Laps, 6"

Designed to replace felt laps and rouge, these split laps provide a superior finish on gold and other metals. Each wheel is made of silicone rubber and impregnated with silicon-carbide abrasive. Available in 4 grits. Max operating speed: 3,500rpm. ½" Arbor Hole.

Coarse: For removing deep scratches

Medium: For smoothing and removing light scratches

Fine: For high-luster polishing

Extra-fine: For super high-luster polishing and final finish

Each	Item#	Grit	Size	Color	
\$63.50	145-0180	120 (C)	6" x ½"	C. White	C.
63.50	145-0181	180(M)	6" x ½"	D. Black	D.
63.50	145-0182	220 (F)	6" x ½"	E. Blue	E.
63.50	145-0183	400 (XF)	6" x ½"	F. Pink	F.

A. Gesswein®/Paramount® Felt Split Laps

Made of pure wool felt that has been steamed to shrink and thicken, then pounded into specific hardnesses. Feature consistent density throughout for identical polishing results from wheel to wheel, even wear and three to five times the life of conventional split laps. All have pinhole centers. Max. operating speed: 3,450rpm. Made in USA.

			EACH Prices		es
Dia. x Thick	Туре	Item#	1-5	6-11	12-71
4" x ¹ /2"	Medium	285-8130	\$38.65	\$34.79	\$32.21
	Hard	285-8131	41.00	36.90	34.17
	Rock-Hard	285-8132	49.05	44.15	40.87
6" x ¹ /2"	Medium	285-6123	42.25	38.03	35.21
	Hard	285-6125	45.30	40.77	37.75
	Rock-Hard	285-6127	57.25	51.53	47.71
	Flint-Hard	285-6128	65.15	58.64	54.29
7" x ¹ /2"	Medium	285-7120	57.00	51.30	47.50
	Hard	285-7121	66.70	60.03	55.58
	Rock-Hard	285-7122	74.70	67.23	62.25
	Flint-Hard	285-7123	92.70	83.43	77.25
8" x ¹ /2"	Medium	285-8123	70.00	63.00	58.33
	Hard	285-8125	82.25	74.03	68.54
	Rock-Hard	285-8127	94.00	84.60	78.33
	Flint-Hard	285-8128	102.50	92.25	85.41



B. Marathon Felt Split Laps

100% Australian wool steamed and pounded to form an evenly dense lap to provide consistent finishes from lap to lap. These are high quality felt split laps at an incredible price. Available in Medium and Hard grades. Measure 6" diameter x 1/2" thick with pinhole center. Maximum operating speed: 3,450rpm. Made in India.

			EAG	CH Prices
Dia. x Thick	Туре	Item#	1-11	12+
6" x ¹ /2"	Medium	285-6134	\$34.65	\$29.11
6" x ½"	Hard	285-6135	38.50	32.34



C. Diamond-Hard Felt Split Laps

Made of treated and pressed felt for increased durability. Max. operating speed: 3,450rpm. Made in USA.

			EACH Prices		
Dia. x Thick x AH	Туре	Item#	1-5	6-11	12-71
6" x ¹ / ₂ " x ¹ / ₄ "	Diamond-Hard	285-6129	\$58.95	\$53.06	\$49.12



D. GMX Split Laps

Contain aluminum oxide abrasive for fast cutting. Feature unique cotton fiber and rubber bond that imparts very smooth finishes. Maximum operating speed: 6,050rpm. Made in USA.

			EAG	H Prices
Dia. x Thick x AH	Grit	Item#	1-9	10+
6" x ¹ / ₄ " x ¹ / ₂ "	80	206-3350	\$35.80	\$32.22
	120	206-3360	35.80	32.22
	180	206-3370	35.80	32.22













A. Gesswein® Royal Gem Cloth

Our high-quality, lint-free gem cloth keeps your jewelry looking its best. Removes dust and fingerprints quickly and easily, bringing back the luster in your finest pieces. Completely free of abrasives and chemicals, so it's safe for all types of gemstones and metals. Leaves no residue behind, so it keeps your jewelry and your hands squeaky clean. Features durable construction with stitched edges that resist fraying even after repeated washing. Available in light blue and ivory.

			EACH	Prices
Size	Color	Item#	1-11	12+
10" x 10"	Light Blue	820-0419	\$5.65	\$4.71
	lvory	820-0415	5.65	4.71

B. Fabulustre® Rouge Cloth

Unique double-sided polishing cloth: inner cloth is impregnated with rouge for removing tarnish; outer cloth lets you apply final polish while keeping your hands clean. For dry use only. Made in USA.

0:	14 11	EACH Prices			
Size	Item#	1-5	6-11	12-143	144+
9" x 11"	820-0052	\$6.95	\$6.26	\$6.26	\$5.56

C. Luster Cloth

Cleaner than rouge cloth, this cloth is made of soft, felt-like material with special additives that remove tarnish and dirt—plus, it actually polishes. Works on precious metals, glass, mirrors, ceramic and faceted stones. Won't scratch or stain. Leaves your hands free of chemical and rouge residues. Ideal for cleaning and polishing your own finished jewelry. Economical enough to use as giveaways for your valued customers. For dry use only.

5" x 7 ¹ / ₂ "	820-0360	\$2.60 \$1.95
Size	Item#	1-11 12+
		EACH Prices

D. 3M™ High Performance Cloth

This amazing cloth has oil- and water-absorbing fibers that lift and trap both liquid and solid contaminants. Features a specially knitted design that does a better job of cleaning than conventional wipes. Can be used dry or damp. Removes grease, silicone, solvents, abrasive residues, polishes, waxes and fingerprints. Leaves no smears or streaks and is resistant to common cleaning chemicals. Can be washed in temperatures up to 200°F. Comes in two different colors for easy assignment to specific uses.

			EACH Prices		
Size	Color	Item#	1-4	5-9	10+
12 ³ / ₄ " x 14"	Blue	820-0505	\$6.95	\$5.56	\$4.17
	White	820-0500	6.95	5.56	4.17

E. Pads Ultra Polishing 2x2

Fast and easy, these convenient sized Ultra-Polish Pads are great for removing tarnish, highlighting when using liver of sulfur or silver black, or polishing to a high luster. Leaves no residue. They are made of thin, tight-bond foam with permanently bonded microabrasives. A handy, economical polisher that is truly amazing. Sold in packs of 20

Size	Item#	PKG. of 20
2" x 2"	820-0380	\$7.95

A, B SELVYT® Professional Cloth

This is the original cloth which made Selvyt famous. It is finely woven cotton and very flexible, allowing easy cleaning of contours and irregular surfaces. A noticeably better quality than other cloths, and has a beautiful smooth nap. Removes smudges, fingerprints and dirt from metals, plastics and glass (optical lenses). Stays lint-free after repeated machine washing and the stitched edges prevent fraying. Made in UK.

			EACH Pr	ices
Size	Item#	1-5	6-11	12+
A. 10" x 10"	820-0270	\$7.50	\$7.13	\$6.75
B. 14" x 14"	820-0275	9.95	9.45	8.96

C. SELVYT® Microfiber Cloth

Ideal for cleaning diamonds and gemstones. Made of ultra-soft heavy brushed microfiber. Retains softness after repeated washing. Stitched edges prevent fraying. Machine washable. Made in UK.

10" x 10"	820-0260	\$5.50	\$5.23	\$4.95
Size	Item#	1-5	6-11	12+
			EACH Pr	ices

D. SELVYT® SC Cloth for Silver

Contains an anti-tarnish agent, Selvyt SC removes light tarnish from silverware and silver jewelry. Leaves behind an invisible coating that eliminates oxidation. Stitched edges prevent fraying. Made in UK.

10" x 10"	820-0280	\$5.75	\$5.46	\$5.18
Size	Item#	1-5	6-11	12+
			EACH P	rices

E-G. SELVYT® SR Cloth

Made of pure unbleached cotton. Features no-lint texture that polishes without scratching. Use on precious jewelry, watches, silverware and crystal. Retains its suppleness even after repeated washing. Made in UK.

			EACH Prices			
Size	Item#	1-5	6-11	12+		
E. 5" x 5"	820-0100	\$1.50	\$1.43	\$1.35		
F. 10" x 10"	820-0155	5.65	5.37	5.09		
G. 14" x 14"	820-0205	7.50	7.13	6.75		

H. SELVYT® JC Cloth

The Selvyt JC (Jewelry Cleaning) cloth is ideal for cleaning gold and most other metals such as brass, copper, platinum and silver. Manufactured in a chemically impregnated red cotton fabric, Selvyt JC is a professional's cloth that can be used at home too. Non-scratching. Edges are bound to keep them soft. Measures 10" square. Made in UK.

		EACH Prices		
Size	Item#	1-11	12+	
10" x 10"	820-0287	\$5.75	\$5.18	

I. KIMTECH® Mold Polish Wipes


Use for cleaning the most extreme high polished surfaces. Can be used with diamond compound for the ultimate finishing touch. Engineered for excellent absorbency and low-lint wiping, these disposable wipes are solvent resistant and contain no binders or surfactants. Rayon/polyester spunlace material for cloth-like softness. Applications include mold polishing, aerospace, clean manufacturing areas, DVD manufacturing and printing. 1 roll = 225 sheets. Each sheet measures 7" x 7".

		EAC	H Prices
Description	Item#	1-5	6+
Kimtech Mold Polish Wipes	820-0515	\$33.50	\$30.15

J. Cape Cod Anti-Tarnish Polishing Cloth

With easy rubbing, this moist cotton cloth removes dirt and tarnish from sterling silver, gold, brass, bronze, copper, pewter, aluminum and stainless steel. Also leaves behind an invisible coating that protects against tarnish, water stains and corrosion. Keeps jewelry brighter longer. Sold in packages of two.

		PKG. 01 2		
Size	Item#	1-11	12+	
4" x 6"	820-0370	\$5.15	\$4.29	
















Busch® Burs 3/32" Shank






The ³/₃₂" shanks measure approximately 1³/₄" long. Maximum operating speed varies with bur size and is indicated on each individual box. Burs packaged six to a box and available only in multiples of six unless otherwise indicated. Please consult ANSI (American National Standards Institute) for speed recommendations. Made in Germany. Please ask for quotes on larger quantities.

Busch® Round Burs - Fig 1

Daoon no		J 41.0	9	•						
	\triangle	\bigwedge	A	A	\bigwedge	A	Å			Ā
Dia. (mm)	0.25	0.30	0.35	0.40	0.50	0.60	0.70	0.80	0.90	1.00
Item#	122- 2009	122- 2008	122- 2007	122- 2006	122- 2005	122- 2004	122- 2003	122- 2002	122- 2001	122- 2010
EACH 6-66	\$3.13	3.13	3.13	1.66	0.97	0.97	0.97	0.97	0.97	0.97
EACH 72-138	\$2.66	2.66	2.66	1.41	0.82	0.82	0.82	0.82	0.82	0.82
	Å	Å		Å	Å	Â				
(6pc)		1.1	IJ	1.1	IJ	111		J. U.	111	
Dia. (mm)	1.10	1.20	1.30	1.40	1.50	1.60	1.70	1.80	1.90	2.00
Item#	122-	122-	122-	122-	122-	122-	122-	122-	122-	122-

(6pc)	111	1.1	1.7	1.1	3.3	111	11	111	1.1	1.1
Dia. (mm)	1.10	1.20	1.30	1.40	1.50	1.60	1.70	1.80	1.90	2.00
Item#					122- 2040					
EACH 6-66	\$0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
EACH 72-138	\$0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82



брс	A								
Dia. (mm)	3.00	3.10	3.30	3.50	3.70	4.00	4.20	4.50	4.70
Item#	122- 2115	122- 2120	122- 2130	122- 2140	122- 2150	122- 2160	122- 2170	122- 2180	122- 2190
EACH 6-66	\$3.08	3.08	3.08	3.08	3.08	3.91	3.91	3.91	3.91
EACH 72-138	\$2.62	2.62	2.62	2.62	2.62	3.32	3.32	3.32	3.32

Sold Individually				Ĭ				
Dia. (mm)	5.00	5.50	6.00	6.50	7.00	7.50	8.00	8.50
Item#	122- 2200	122- 2220	122- 2240	122- 2260	122- 2280	122- 2300	122- 2320	122- 2340
EACH 1-71	\$3.91	6.62	6.62	6.62	6.62	8.23	8.23	8.23
EACH 72-143	\$3.32	5.63	5.63	5.63	5.63	7.00	7.00	7.00

Busch® 90° Hart Burs - Fig 156c

Duscii° 90	пагі	Dur5	- rig	1000				
900		Λ	A					
Dia. (mm)	0.70	0.80	0.90	1.00	1.10	1.20	1.30	1.40
Item#	121- 8997	121- 8999	121- 9001	121- 9010	121- 9315	121- 9020	121- 9325	121- 9030
EACH 6-66	\$3.22	3.22	2.71	2.71	2.71	2.71	2.71	2.71
EACH 72-138	\$2.74	2.74	2.30	2.30	2.30	2.30	2.30	2.30
(Gpc)	Â	Â						
Dia. (mm)	1.50	1.60	1.70	1.80	1.90	2.00	2.10	2.20
Item#	121- 9040	121- 9050	121- 9355	121- 9060	121- 9062	121- 9365	121- 9070	121- 9375
EACH 6-66	\$2.71	2.71	2.71	2.71	2.71	2.71	2.71	2.71
EACH 72-138	\$2.30	2.30	2.30	2.30	2.30	2.30	2.30	2.30
бро								
Dia. (mm)	2.30	2.40	2.50	2.60	2.70	2.80	2.90	3.00
Item#	121- 9080	121- 9085	121- 9090	121- 9095	121- 9100	121- 9105	121- 9110	121- 9115
EACH 6-66	\$2.71	4.05	4.05	4.05	4.05	4.05	4.05	4.92
EACH 72-138	\$2.30	3.44	3.44	3.44	3.44	3.44	3.44	4.18
	Î	Î		n	9	9		

(Spc)	A					Ĭ	H	H	Ī
Dia. (mm)	3.10	3.30	3.50	3.70	4.00	4.20	4.50	4.70	5.00
Item#	121- 9120	121- 9130	121- 9140	121- 9150	121- 9160	121- 9170	121- 9180	121- 9190	121- 9200
EACH 6-66	\$4.92	4.92	4.92	4.92	6.07	6.07	6.07	6.07	6.07
EACH 72-138	\$4.18	4.18	4.18	4.18	5.16	5.16	5.16	5.16	5.16

Busch® 90° Hart Bur Sets

Twelve-piece set includes 1.0, 1.2, 1.4, 1.5, 1.6, 1.8, 2.1, 2.3, 2.5, 2.7, 2.9 and 3.1mm sizes. Sixpiece set includes 3.3, 3.5, 3.7, 4.0, 4.2 and 4.5mm sizes.

Description	Item#	Each
12-Piece Set	121-9500	\$37.65
6-Piece Set	121-9550	32.15



6pc Six-piece minimum; Please order in multiples of six.



Busch® 70° Hart Burs - Fig 446

121-

8280


\$4.05

\$3.44

Item#

EACH 6-66

EACH 72-138



Busch® Square Cylinder Cross-Cut Burs - Fig 21

600								
Dia. (mm)	0.6	0.7	0.80	0.90	1.00	1.20	1.40	1.60
Item#	121- 4004	121- 4003	121- 4002	121- 4001	121- 4010	121- 4020	121- 4030	121- 4050
EACH 6-66	\$1.47	1.47	\$1.47	1.47	1.47	1.47	1.47	1.47
EACH 72-138	\$1.25	1.25	\$1.25	1.25	1.25	1.25	1.25	1.25
(6pc)								
Dia. (mm)	1.80	2.10	2.30	2.50	2.70	2.90	3.10	3.10
Item#	121- 4060	121- 4070	121- 4080	121- 4090	121- 4100	121- 4110	121- 4120	121- 4120
EACH 6-66	\$1.47	1.47	1.47	3.04	3.04	3.04	3.40	3.40
EACH 72-138	\$1.25	1.25	1.25	2.58	2.58	2.58	2.89	2.89

Busch® Square Cone Cross-Cut Burs - Fig 23

121-

8290

4.05

3.44

121-

8300

4.05

3.44

121-

8310

4.92

4.18

121-

8320

4.92

4.18

121-

8330

4.92

4.18

121-

8340

4.92

4.18

121-


8350 6.07

5.16

And Control	uui C		11033				
брс	A	\bigwedge		A		A	A
Dia. (mm)	0.50	0.60	0.70	0.80	0.90	1.00	1.20
Item#	121- 5005*	121- 5004*	121- 5003	121- 5002	121- 5001	121- 5010	121- 5020
EACH 6-66	\$2.02	1.47	1.47	1.47	1.47	1.47	1.47
EACH 72-138	\$1.72	1.25	1.25	1.25	1.25	1.25	1.25
(6pc)	A						
Dia. (mm)	1.40	1.60	1.80	2.10	2.30	2.70	3.10
	1.40 121- 5030	1.60 121- 5050	1.80 121- 5060	2.10 121- 5070	2.30 121- 5080	2.70 121- 5100	3.10 121- 5120
Dia. (mm)	121-	121-	121-	121-	121-	121-	121-
Dia. (mm)	121- 5030	121- 5050	121- 5060	121- 5070	121- 5080	121- 5100	121- 5120


^{*} Signifies reinforced neck

Busch® Square Cylinder Burs – Fig 15




^{*}This particular item is NOT manufactured by Busch, when required we are supplying a Panther Bur of similar quality and also made in Germany.

Busch® Square Cone Burs - Fig 17




Busch® Wax/Plastic Burs - Fig 260a







Busch® Bud Burs - Fig 6



Busch® Wheels - Fig 2



Busch® Setting Burs - Fig 413



Busch® Saws - Fig 45, Fig 231S

121-8541 \$79.00

\$6.66

Item#

Description

16-Piece Set


(one each)

6.66


Each

6.66


8.02



Busch® Knife-Edge Routers - Fig 161




Busch® Twin-Cut Cup Burs - Fig 411T




Busch® Fast-Cut Cup Burs - Fig 411C

Feature slim blade design for faster cutting, ensuring long bur life. Ideal when prongs are close together.




Busch® Fast-Cut Twin-Cut Cup Burs - Fig 411CT

Fantastic combination of slim blade design Fast-cut burs with twin-cut blade geometry. Two slits eliminate clogging to cut easier and maintain tooth edges longer.



Busch® Clean-Cut Cup Burs – Fig 411CCC

Feature four slits for allowing metal particles to fall out. Eliminate clogging to cut easier and maintain tooth edges longer.




Description	Item#	Each
10-Piece Set (one each)	121-1524	\$27.99






Busch® Cup Burs - Fig 77b

Uniformly spaced teeth for accurate and smooth cutting.





Description	Item#	Each	
12-Piece Set*			

*one each of above except 0.90, 1.10, 1.30, 1.70 121-1130 \$35.99



Busch® Pointed Burs - Fig 5

(GDC)	A	Å	\bigwedge				
Dia. (mm)	0.90	1.00	1.20	1.40	1.60	1.80	2.10
Item#	122- 1001	122- 1010	122- 1020	122- 1030	122- 1050	122- 1060	122- 1070
EACH 6-66	\$1.10	1.10	1.10	1.10	1.10	1.10	1.10
EACH 72-138	\$0.94	0.94	0.94	0.94	0.94	0.94	0.94


	П	T	T	T	1	1
	A	Н	A	H	Н	H
6pc)	Jul	1.1				1.1
Dia. (mm)	2.30	2.50	2.70	2.90	3.10	3.30
Item#	122- 1080	122- 1090	122- 1100	122- 1110	122- 1120	122- 1130
EACH 6-66	\$1.10	2.39	2.39	2.39	3.36	3.36
EACH 72-138	\$0.94	2.03	2.03	2.03	2.86	2.86
	\triangle	\wedge	\wedge	A	Λ	Λ

брс		Ħ				
Dia. (mm)	3.50	3.70	4.00	4.50	4.70	5.00
Item#	122- 1140	122- 1150	122- 1160	122- 1180	122- 1190	122- 1200
EACH 6-66	\$3.36	3.36	4.28	4.28	4.28	4.28
EACH 72-138	\$2.86	2.86	3.64	3.64	3.64	3.64







Busch® Inverted Cone Burs - Fig 3



Busch® High-Speed Twist Drills - Fig 203HSS



Busch® Twist Drills – Fig 77



брс								
Dia. (mm)	1.40	1.50	1.60	1.70	1.80	1.90	2.10	2.30
Item#	122- 7014	122- 7015	122- 7016	122- 7017	122- 7018	122- 7019	122- 7021	122- 7023
EACH 6-66	\$2.39	2.39	2.39	2.39	2.39	2.39	2.39	2.39
EACH 72-138	\$2.03	2.03	2.03	2.03	2.03	2.03	2.03	2.03

Busch® Twist Drill Set - Fig 77

Includes 0.6, 0.7, 0.8, 0.9, 1.0, 1.2, 1.4, 1.5, 1.6, 1.8, 2.1 and 2.3mm sizes. Have ³/₃₂" shanks.


Description	Item#	Each
12-Piece Set	122-7030	\$22.99

For Busch® Carbide Twist Drills (see Page 253)

Busch® Krause Burs - Fig 256



Busch® Reamers - Fig 115A



Busch® Carbide Burnishers - RR426

Exceptionally well made tools used to remove porosity and surface imperfections from cast pieces by moving metal over the defect. Burnisher tip is rounded for safety.



Busch® Carbide Starlight Burnishers

Made of the finest carbide. Impart a unique high gloss on precious metals such as gold and platinum. 3/32" shanks



EACH \$29.84 40.86 29.84 40.86

122-7137 \$153.00

Description Item# Each 4-Piece Set

Use at 25,000-35,000rpm for best results.

(one each)





6pc Six-piece minimum; Please order in multiples of six.



(2pc) Two-piece minimum; Please order in multiples of two


MAILLEFER Swiss Burs 3/32" Shank




Top quality precision burs manufactured in Switzerland Made of the best and long-lasting tungsten vanadium steel. Sold and priced in packages of six. Save money with these valued priced burs. Please consult ANSI (American National Standards Institute) for speed recommendations.

Please ask for quotes on larger quantities.

MAILLEFER Swiss 90° Hart Burs



MAILLEFER Swiss Round Burs




MAILLEFER Swiss Setting Burs 3/32" Shank

Ideal for Stone Setting Applications.

6pc	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Size	009	010	011	012	013	014	015	016	017	018	019	020	021	022	023
Dia. (mm)	.9	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0	2.1	2.2	2.3
Item#					122- 8164										
PKG of 6, 1-2	\$12.15	12.15	12.15	12.15	12.15	12.15	12.15	12.15	12.15	12.15	12.15	12.15	12.15	12.15	12.15
PKG of 6, 3-5	\$11.18	11.18	11.18	11.18	11.18	11.18	11.18	11.18	11.18	11.18	11.18	11.18	11.18	11.18	11.18

6pc)	•													
Size	024	025	027	028	029	030	031	033	035	037	040	042	045	047
Dia. (mm)	2.4	2.5	2.7	2.8	2.9	3.0	3.1	3.3	3.5	37	40	42	45	47
Item#													122- 8196	
PKG of 6, 1-2	\$17.55	17.55	17.55	17.55	17.55	17.55	17.55	17.55	17.55	26.55	26.55	26.55	26.55	26.55
PKG of 6, 3-5	#4C 4F	40 45	10 15	10 15	10 15	10 15	10 15	10 15	10 15	04.40	04.40	04.40	04.40	04.40

MAILLEFER KE Burs



MAILLEFER Swiss Krause Burs

Use these burs when setting to remove metal for seating the points of marquis, pear, heart and other fancy cut diamonds.

Dia. (mm)	1.00	1.20
Item#	122-8006	122-8007
PKG of Six 1-2	\$10.50	10.50
PKG of Six 3-5	\$9.66	9.66



MAILLEFER Swiss Deluxe Bur Set

Includes (13) Round sizes 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.2, 1.4, 1.5, 1.6, 1.8, 2.1 and 2.3. (9) 90° Hart sizes 0.9, 1.0, 1.2, 1.4, 1.5, 1.6, 1.8, 2.1, and all nine Cup and both Krause burs. Packaged in an attractive wooden box.

Description	Item#	Each
33-Piece Set	122-8005	\$48.95

Reducing Collets

Convert your 1/8" or 3mm handpiece collets to hold ³/₃₂" shank tools. Easy to use: slip the reducing collet into your handpiece collet, then slip the tool into the reducing collet. Make sure the reducing collet and the tool are fully inserted before operating.

Description	Item#	Each
1/8"-3/32" Collet	816-1501	\$14.90
3mm-3/32" Collet	816-1504	14.90

Swiss Cup Burs




Į.	•	•	•	•	•	•	•	•	•
Dia. (mm)	0.90	1.00	1.20	1.40	1.50	1.60	1.80	2.10	2.30
Item#	122- 8010	122- 8011						122- 8024	
PKG of Six 1-2	\$11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80
PKG of Six 3-5	\$10.86	10.86	10.86	10.86	10.86	10.86	10.86	10.86	10.86
9-Piece Set (one each)		1:	22-80	45 \$	19.50	1	11	1	1



Cup burs are used to quickly and easily remove burs and round off the ends of wires and prongs. Much easier than using a file. Measurements are taken from the outside of the head, so good rule of thumb is to select a bur 2 sizes larger than the wire or prong you are using. Please consult ANSI (American National Standards Institute) for speed recommendations.

Busch® Twin-Cut Cup Burs - Fig 411T




C. Busch® Fast-Cut Cup Burs - Fig 411C

Feature slim blade design for faster cutting, ensuring long bur life. Ideal when prongs are close together.

6pc)	Λ		Λ	Λ				
Dia. (mm)	1.00	1.20	1.40	1.50	1.60	1.80	2.10	2.30
Item#	121- 1410	121- 1420	121- 1430	121- 1440	121- 1450	121- 1460	121- 1470	121- 1480
EACH 6-66	\$2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82
EACH 72-138	\$2.40	2.40	2.40	2.40	2.40	2.40	2.40	2.40


Busch® Fast-Cut Twin-Cut Cup Burs - Fig 411CT

Fantastic combination of slim blade design Fast-cut burs with twin-cut blade geometry. Two slits eliminate clogging to cut easier and maintain tooth edges longer.



Busch® Clean-Cut Cup Burs – Fig 411CCC

Feature four slits for allowing metal particles to fall out. Eliminate clogging to cut easier and maintain tooth edges longer.




Description	Item#	Each
10-Piece Set		
(one each)	121-1524	\$27.99






Busch® Cup Burs - Fig 77b

Uniformly spaced teeth for accurate and smooth cutting.





Description	Item#	Each
12-Piece Set*		
*one each of above	except 0.90,	
1 10 1 30 1 70	121-1130	\$35 99



Fox® Champion Cup Burs - No teeth, two slits



Tooth-free cups that burnish rather than cut. Two slits allow metal particles to escape. To finish & polish prongs at the same time.

(6pc) ^y	•	•	•	•	•	•
Dia. (mm)	0.90	1.00	1.10	1.20	1.30	1.40
Item#	124-7039	124-7040	124-7041	124-7042	124-7043	124-7044
EACH 6-66	\$2.25	2.25	2.25	2.25	2.25	2.25
EACH 72-138	\$1.91	1.91	1.91	1.91	1.91	1.91
брс	•	•	•	•	•	•
Dia. (mm)	1.50	1.60	1.70	1.80	2.10	2.30
Item#	124-7045	124-7046	124-7047	124-7048	124-7050	124-7051
EACH 6-66	\$2.25	2.25	2.25	2.28	2.25	2.25
EACH 72-138	\$1.91	1.91	1.91	1.94	1.91	1.91
					11111	

Description	Item#	Each
6-Piece Set (1.0, 1.2, 1.4,		
1.6, 1.8, 2.1mm)	124-7052	\$13.50

MAILLEFER Swiss Cup Burs



Precision engineered and economically priced. Made in Switzerland.

	•	•	•	•	•	•	•		
Dia. (mm)	0.90	1.00	1.20	1.40	1.50	1.60	1.80	2.10	2.30
Item#	122- 8010	122- 8011	122- 8013	122- 8016	122- 8017	122- 8018	122- 8022	122- 8024	122- 8026
PKG of Six 1-2	\$11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80	11.80
PKG of Six 3-5	\$10.86	10.86	10.86	10.86	10.86	10.86	10.86	10.86	10.86
Description				Item#		Each	de	11	1


Description	Item#	Each
9-Piece Set		
(one each)	122_20/5	¢10 50



High Speed Burs 3/32" Shank

Made of extremely rugged high-speed steel to withstand heat buildup under the most extreme conditions. On average our High Speed burs have 20% more fluting than other brands which creates a fine surface finish. Cut faster and last longer than vanadium steel dental burs. Please consult ANSI (American National Standards Institute) for speed recommendations. Made in USA.

High-Speed Round Burs



Size	13	14	15	16	17	18	19	20	22	23	24
Dia. (mm)	3.30	3.50	3.80	4.00	4.30	4.50	4.70	5.00	5.20	5.40	5.60
Item#	123- 8130	123- 8140	123- 8150	123- 8160	123- 8170	123- 8180	123- 8190	123- 8200	123- 8220	123- 8230	123- 8240
EACH 1-5	\$4.95	4.95	4.95	4.95	4.95	4.95	5.95	5.95	5.95	5.95	5.95
EACH 6+	\$4.16	4.16	4.16	4.16	4.16	4.16	5.00	5.00	5.00	5.00	5.00

Size	25	26	27	28	29	30	31	32	33	34
Dia. (mm)	5.90	6.30	6.70	7.20	7.60	8.00	8.90	9.60	10.40	11.10
Item#	123- 8250	123- 8260	123- 8270	123- 8280	123- 8290	123- 8300	123- 8310	123- 8320	123- 8330	123- 8340
EACH 1-5	\$5.95	6.98	6.98	6.98	6.98	6.98	8.55	8.55	9.29	9.29
EACH 6+	\$5.00	5.86	5.86	5.86	5.86	5.86	7.18	7.18	7.80	7.80

High-Speed 45° Hart Burs



181	•	•	•	•					
Size	2	3	4	5	6	7	8	9	10
Dia. (mm)	1.10	1.30	1.50	1.70	1.90	2.10	2.30	2.50	2.70
Item#	123- 5020	123- 5030	123- 5040	123- 5050	123- 5060	123- 5070	123- 5080	123- 5090	123- 5100
EACH 1-5	\$3.80	3.80	3.80	3.80	3.80	3.80	3.80	4.89	4.89
EACH 6+	\$3.19	3.19	3.19	3.19	3.19	3.19	3.19	4.11	4.11

Size	11	12	13	14	15	16	17	18
Dia. (mm)	2.90	3.10	3.30	3.50	3.80	4.00	4.30	4.50
Item#	123- 5110	123- 5120	123- 5130	123- 5140	123- 5150	123- 5160	123- 5170	123- 5180
EACH 1-5	\$4.89	4.89	5.88	5.88	5.88	5.88	5.88	5.88
EACH 6+	\$4.11	4.11	4.94	4.94	4.94	4.94	4.94	4.94

Size	19	20	22	24	26	28	30	34
Dia. (mm)	4.70	5.00	5.20	5.60	6.30	7.20	8.00	11.10
Item#	123- 5190	123- 5200	123- 5220	123- 5240	123- 5260	123- 5280	123- 5300	123- 5340
EACH 1-5	\$6.65	6.65	6.65	6.65	6.98	6.98	6.98	9.29
EACH 6+	\$5.59	5.59	5.59	5.59	5.86	5.86	5.86	7.80



A. High-Speed Round Bur Sets

Five convenient sets all in wooden boxes.

Each	Item#	Sizes	Bur Qty.
\$76.35	124-4111	1–18	18
105.45	124-4112	1–26	25
128.39	124-4113	1-30	29
144.05	124-4114	1–34	33
124.85	124-4115	-12 (3 each)	36 1



B. High-Speed 45° Hart Bur Sets

Select between four convenient sets all in wooden boxes.

Bur Qty.	Sizes	Item#	Each
17	2–18	124-4551	\$77.60
14	2-28 (evens)	124-4552	76.39
24	2–30	124-4553	120.00
33	2-12 (3 each)	124-4554	129.68

C. Reducing Collets



Convert your ½8" or 3mm handpiece collet to hold ³/₃₂" shank tools. Easy to use: slip the reducing collet into your handpiece collet, then slip the tool into the reducing collet. Make sure the reducing collet and the tool are fully inserted before operating.

Description	Item#	Each
¹ /8"– ³ /32" Collet	816-1501	\$14.90
3mm- ³ / ₃₂ " Collet	816-1504	14.90

B

High Speed Burs continued.



A. High-Speed 90° Bearing Bur Sets

Select between five sets all in wooden boxes.

Bur Qty.	Sizes	Item#	Each
18	1–18	124-4441	\$84.85
25	1–26	124-4442	120.10
14	2-28 (evens)	124-4443	76.39
33	1-34	124-4444	166.80
36	1-12 (3 each)	124-4445	138.20



B. High-Speed Setting Bur Sets

Four convenient sets all in wooden boxes.

Bur Qty.	Sizes	Item#	Each
18	1–18	124-4661	\$85.25
25	1-26	124-4662	120.10
29	1-30	124-4663	146.15
33	1–34	124-4664	166.80

High-Speed 90° Bearing Burs



	•	•	•	•	•							
Size	1	2	3	4	5	6	7	8	9	10	11	12
Dia. (mm)	0.90	1.10	1.30	1.50	1.70	1.90	2.10	2.30	2.50	2.70	2.90	3.10
Item#	123- 0010	123- 0020	123- 0030	123- 0040	123- 0050	123- 0060	123- 0070	123- 0080	123- 0090	123- 0100	123- 0110	123- 0120
EACH 1-5	\$3.80	3.80	3.80	3.80	3.80	3.80	2.92	3.80	4.88	4.88	4.88	4.88
EACH 6+	\$3.19	3.19	3.19	3.19	3.19	3.19	2.45	3.19	4.10	4.10	4.10	4.10

Size	13	14	15	16	17	18	19	20	22	23	24
Dia. (mm)	3.30	3.50	3.80	4.00	4.30	4.50	4.70	5.00	5.20	5.40	5.60
Item#	123- 0130	123- 0140	123- 0150	123- 0160	123- 0170	123- 0180	123- 0190	123- 0200	123- 0220	123- 0230	123- 0240
EACH 1-5	\$5.88	5.88	5.88	4.48	5.88	5.88	4.06	6.65	6.65	6.65	6.65
EACH 6+	\$4.94	4.94	4.94	3.76	4.94	4.94	3.41	5.59	5.59	5.59	5.59

Size	25	26	27	28	29	30	31	32	33	34
Dia. (mm)	5.90	6.30	6.70	7.20	7.60	8.00	8.90	9.60	10.40	11.10
Item#	123- 0250	123- 0260	123- 0270	123- 0280	123- 0290	123- 0300	123- 0310	123- 0320	123- 0330	123- 0340
EACH 1-5	\$6.65	6.98	6.98	6.98	6.98	6.98	8.55	8.55	9.29	9.29
EACH 6+	\$5.59	5.86	5.86	5.86	5.86	5.86	7.18	7.18	7.80	7.80

High-Speed Setting Burs



	•	•	•	•	•	•	•	•	•	•	•	•
Size	1	2	3	4	5	6	7	8	9	10	11	12
Dia. (mm)	0.90	1.10	1.30	1.50	1.70	1.90	2.10	2.30	2.50	2.70	2.90	3.10
Item#	124- 0010	124- 0020	124- 0030	124- 0040	124- 0050	124- 0060	124- 0070	124- 0080	124- 0090	124- 0100	124- 0110	124- 0120
EACH 1-5	\$3.85	3.85	3.85	3.85	3.85	3.85	3.85	3.85	3.85	4.89	4.89	4.89
EACH 6+	\$3.23	3.23	3.23	3.23	3.23	3.23	3.23	3.23	3.23	4.11	4.11	4.11


Size	13	14	15	16	17	18	19	20	22	23	24
Dia. (mm)	3.30	3.50	3.80	4.00	4.30	4.50	4.70	5.00	5.20	5.40	5.60
Item#	124- 0130	124- 0140	124- 0150	124- 0160	124- 0170	124- 0180	124- 0190	124- 0200	124- 0220	124- 0230	124- 0240
EACH 1-5	\$5.88	5.88	5.88	5.88	5.88	5.88	5.88	6.65	6.65	6.65	6.65
EACH 6+											

Size	25	26	27	28	29	30	31	32	33	34
Dia. (mm)	5.90	6.30	6.70	7.20	7.60	8.00	8.90	9.60	10.40	11.10
Item#	124- 0250	124- 0260	124- 0270	124- 0280	124- 0290	124- 0300	124- 0310	124- 0320	124- 0330	124- 0340
EACH 1-5	\$6.65	6.98	6.98	6.98	6.98	6.98	8.55	8.55	9.29	9.29
EACH 6+	\$5.59	5.86	5.86	5.86	5.86	5.86	7.18	7.18	7.80	7.80

High-Speed Bud Burs



11	•	•	•	•	•	•	•	•				
Size	2	3	4	5	6	7	8	9	10	11	12	13
Dia. (mm)	1.10	1.30	1.50	1.70	1.90	2.10	2.30	2.50	2.70	2.90	3.10	3.30
Item#	123- 1020	123- 1030	123- 1040	123- 1050	123- 1060	123- 1070	123- 1080	123- 1090	123- 1100	123- 1110	123- 1120	123- 1130
EACH 1-5	\$3.50	3.50	3.50	3.68	3.68	3.68	3.68	4.15	4.15	4.15	4.15	4.95
EACH 6+	\$2.94	2.94	2.94	3.09	3.09	3.09	3.09	3.49	3.49	3.49	3.49	4.16







A. High-Speed Bud Bur Sets

Two convenient sets both in wooden boxes.

Bur Qty.	Sizes	Item#	Each
19	2-26	124-4221	\$92.10
23	2-34	124-4222	105.45

High-Speed Cone Burs







B. High-Speed Cone Bur Sets

Two convenient sets both in wooden boxes.

Bur Qty.	Sizes	Item#	Each
19	2-26*	124-4331	\$92.10
23	2-34*	124-4332	105.45

^{*}As available

C. High-Speed Grand Bur Set

Includes all the following 119 burs packaged in an attractive wooden box:


- 25 Round burs, sizes 1-26
- 33 Setting burs, sizes 1-34
- 25 Bearing burs, sizes 1–26
- 17 Hart burs, sizes 2-18
- 19 Bud burs, sizes 2-26.

Description	Item#	Each
119-Piece Set	124-4670	\$553.00




High Speed Burs continued.

High-Speed Flame Burs



Size	16	18	20	22	24	26	30
Dia. (mm)	4.00	4.50	5.00	5.20	5.60	6.30	8.00
Item#	123- 4160	123- 4180	123- 4200	123- 4220	123- 4240	123- 4260	123- 4300
EACH 1-5	\$5.88	5.88	6.65	6.65	6.65	6.98	6.98
EACH 6+	\$4.94	4.94	5.59	5.59	5.59	5.86	5.86

High-Speed Tree Burs



High-Speed 17° Bezel Cone Bur – 3/32" Shank

Use to drill an angled hole that matches the 17° angle on many settings, most notably bezel settings. Solves the problem of inserting a standard tapered prong or bezel setting into a standard shank.



Gesswein® Lube-Stik



Use on grinding, cutting, drilling, piercing or similar tools to speed up production and increase tool life. Reduces both friction and heat buildup so that tools stay sharper, work faster and cut smoother. Easy to use: just run your tools into the soft lubricant every so often. Can also be used to reduce the effort needed for drawing operations. Supplied in handy push-up dispenser tube.

			EACH	l Prices
	Description	Item#	1-9	10+
Lube-Stik		816-2461	\$5.55	\$5.00

High-Speed Square-Edge Wheels



	•	•						
Size	5	8	13	16	19	26	30	34
Dia. (mm)	1.70	2.30	3.30	4.00	4.70	6.30	8.00	11.10
Item#	124- 3050	124- 3080	124- 3130	124- 3160	124- 3190	124- 3260	124- 3300	124- 3340
EACH 1-5	\$3.80	3.80	5.88	5.88	6.65	6.98	6.98	9.29
EACH 6+	\$3.19	3.19	4.94	4.94	5.59	5.86	5.86	7.80

High-Speed Round-Edge Wheels



	•	•						
Size	5	8	13	16	19	26	30	34
Dia. (mm)	1.70	2.30	3.30	4.00	4.70	6.30	8.00	11.10
Item#	123- 9050	123- 9080	123- 9130	123- 9160	123- 9190	123- 9260	123- 9300	123- 9340
EACH 1-5	\$3.70	3.70	5.88	5.88	6.65	6.98	6.98	9.29
EACH 6+	\$3.11	3.11	4.94	4.94	5.59	5.86	5.86	7.80

High-Speed Cylinder Burs



	•	•						
Size	5	8	13	16	19	26	30	34
Dia. (mm)	1.70	2.30	3.30	4.00	4.70	6.30	8.00	11.10
Item#	123- 3050	123- 3080	123- 3130	123- 3160	123- 3190	123- 3260	123- 3300	123- 3340
EACH 1-5	\$3.85	3.85	5.88	5.88	6.65	6.98	6.98	9.29
EACH 6+	\$3.23	3.23	4.94	4.94	5.59	5.86	5.86	7.80

High-Speed Inverted Cone Burs



		•	•				
Siz	ze	5	8	13	19	26	30
Dia	a. (mm)	1.70	2.30	3.30	4.70	6.30	8.00
Ite	m#	123-6050	123-6080	123-6130	123-6190	123-6260	123-6300
EΑ	CH 1-5	\$3.80	3.80	5.88	6.65	6.98	6.98
EA	CH 6+	\$3.19	3.19	4.94	5.59	5.86	5.86


High-Speed Reamers





Size	26	30	34
Dia. (mm)	6.30	8.00	11.10
Item#	123-7260	123-7300	123-7340
EACH 1-5	\$6.98	6.98	9.29
EACH 6+	\$5.86	5.86	7.80
	Dia. (mm) Item# EACH 1-5	Dia. (mm) 6.30 Item# 123-7260 EACH 1-5 \$6.98	Dia. (mm) 6.30 8.00 Item# 123-7260 123-7300 EACH 1-5 \$6.98 6.98

High-Speed Slim Reamers



Dia. (mm)	2.50	3.30	4.70
Item#	124-1090	124-1130	124-1190
EACH 1-5	\$4.89	5.88	6.65
EACH 6+	\$4.11	4.94	5.59

TiN (Titanium Nitride) Burs 3/32" Shank

Made of high-speed steel, with a TiN (titanium nitride) coating that increases wear resistance to 10–20 times that of plain steel. Significantly improves corrosion resistance, reduces friction and allows freer chip flow for better workpiece finishes. Sold individually or in convenient, money saving sets,

so you always have the bur you need when you need it. Please consult ANSI (American National Standards Institute) for speed recommendations. Made in USA.

TiN Round Burs



1	2	3	4	5	6	7	8	9
0.90	1.10	1.30	1.50	1.70	1.90	2.10	2.30	2.50
124- 3701	124- 3702	124- 3703	124- 3704	124- 3705	124- 3706	124- 3707	124- 3708	124- 3709
\$7.15	7.15	7.15	7.15	7.15	7.15	7.15	7.15	7.65
\$6.01	6.01	6.01	6.01	6.01	6.01	6.01	6.01	6.43
	124- 3701 \$7.15	124- 124- 3701 3702 \$7.15 7.15	0.90 1.10 1.30 124- 124- 124- 3701 3702 3703 \$7.15 7.15	0.90 1.10 1.30 1.50 124- 124- 124- 124- 3701 3702 3703 3704 \$7.15 7.15 7.15	0.90 1.10 1.30 1.50 1.70 124- 124- 124- 124- 124- 3701 3702 3703 3704 3705 \$7.15 7.15 7.15 7.15	0.90 1.10 1.30 1.50 1.70 1.90 124- 124- 124- 124- 124- 124- 3705 3706 \$7.15 7.15 7.15 7.15 7.15 7.15	0.90 1.10 1.30 1.50 1.70 1.90 2.10 124- 124- 124- 124- 124- 124- 124- 124- 3705 3706 3707 \$7.15 7.15 7.15 7.15 7.15 7.15 7.15 7.15	0.90 1.10 1.30 1.50 1.70 1.90 2.10 2.30 124- 124- 124- 124- 124- 124- 124- 124- 124- 3706 3707 3708 \$7.15 7.15 7.15 7.15 7.15 7.15 7.15 7.15

Size	10	11	12	13	14	15	16	17	18
Dia. (mm)	2.70	2.90	3.10	3.30	3.50	3.80	4.00	4.30	4.50
Item#	124- 3710	124- 3711	124- 3712	124- 3713	124- 3714	124- 3715	124- 3716	124- 3717	124- 3718
EACH 1-5	\$7.65	7.65	10.80	11.60	11.60	11.60	11.60	11.60	11.60
EACH 6+	\$6.43	6.43	9.07	9.74	9.74	9.74	9.74	9.74	9.74

Description	Item#	Each
18-Piece Set		
(one each)	130-1006	\$146.85



TiN 45° Hart Burs



Size	2	3	4	5	6	7	8	9	10
Dia. (mm)	1.10	1.30	1.50	1.70	1.90	2.10	2.30	2.50	2.70
Item#	124- 3902	124- 3903	124- 3904	124- 3905	124- 3906	124- 3907	124- 3908	124- 3909	124- 3910
EACH 1-5	\$7.30	7.30	7.30	7.30	7.30	7.30	7.30	8.40	8.40
EACH 6+	\$6.13	6.13	6.13	6.13	6.13	6.13	6.13	7.06	7.06

Size	11	12	13	14	15	16	17	18
Dia. (mm)	2.90	3.10	3.30	3.50	3.80	4.00	4.30	4.50
Item#	124- 3911	124- 3912	124- 3913	124- 3914	124- 3915	124- 3916	124- 3917	124- 3918
EACH 1-5	\$8.40	11.55	12.65	12.65	12.65	12.65	12.65	12.65
EACH 6+	\$7.06	9.70	10.63	10.63	10.63	10.63	10.63	10.63

Description	Item#	Each
17-Piece Set		
(one each)	130-1012	\$149 50



TiN 90° Bearing Burs



Size	1	2	3	4	5	6	7	8	9
Dia. (mm)	0.90	1.10	1.30	1.50	1.70	1.90	2.10	2.30	2.50
Item#	124- 3919	124- 3920	124- 3921	124- 3923	124- 3924	124- 3925	124- 3926	124- 3927	124- 3928
EACH 1-5	\$7.30	7.30	7.30	7.30	7.30	7.30	7.30	7.30	8.40
EACH 6+	\$6.13	6.13	6.13	6.13	6.13	6.13	6.13	6.13	7.06

Size	10	11	12	13	14	15	16	17	18
Dia. (mm)	2.70	2.90	3.10	3.30	3.50	3.80	4.00	4.30	4.50
Item#	124- 3929	124- 3930	124- 3931	124- 3932	124- 3933	124- 3934	124- 3935	124- 3936	124- 3937
EACH 1-5	\$8.40	8.40	11.55	12.65	12.65	12.65	12.65	12.65	12.65
EACH 6+	\$7.06	7.06	9.70	10.63	10.63	10.63	10.63	10.63	10.63

Description	Item#	Each
18-Piece Set (one each)	130-1013	\$158.45

TiN Setting Burs



Size 1 2 3 4 5 6 7 8	
	9
Dia. (mm) 0.90 1.10 1.30 1.50 1.70 1.90 2.10 2.30	2.50
tem# 124- 124- 124- 124- 124- 124- 124- 124-	124- 3809
EACH 1-5 \$7.30 7.30 7.30 7.30 7.30 7.30 7.30	8.40
EACH 6+ \$6.13 6.13 6.13 6.13 6.13 6.13 6.13 6.13	7.06

Size	10	11	12	13	14	15	16	17	18
Dia. (mm)	2.70	2.90	3.10	3.30	3.50	3.80	4.00	4.30	4.50
Item#	124- 3810	124- 3811	124- 3812		124- 3814	124- 3815	124- 3816	124- 3817	124- 3818
EACH 1-5	\$8.40	8.40	11.55	12.65	12.65	12.65	12.65	12.65	12.65
EACH 6+	\$7.06	7.06	9.70	10.63	10.63	10.63	10.63	10.63	10.63

Description	Item#	Each
18-Piece Set		
(one each)	130-1000	\$158.45



A. TiN Deluxe Bur Set

Includes one of each bur listed above.

Description	Item#	Each
71-Piece Set	130-1014	\$610.50



EACH

Jeweler's Carbide Burs 3/32" Shank

Burs individually hand-cut with diamond wheels. All have fine teeth. Outlast and cut faster than any other burs. Sizes 4-8 feature one-piece construction; sizes 9 and larger are securely brazed onto 3/32" steel shanks. Must be run at maximum speed—will chip if started on work at

slow speed or if not removed from work at fast speed. Can be resharpened. Please consult ANSI (American National Standards Institute) for speed recommendations. Made in USA.

Jeweler's Carbide Round Burs 5 6 8 9 Size 4 Dia. (mm) 1.50 1.70 1.90 2.10 2.30 2.50 125-125-125-125-125-125-Item# 5040 5050 5060 5070 5080 5090 **EACH** \$20.95 20.95 20.95 20.95 20.95 22.25 Size 10 11 12 13 14 16 2.70 2.90 3.30 3.50 4.00 3.10 Dia. (mm) 125-125-125-125-125-125-Item# 5100 5110 5120 5130 5140 5160 **EACH** \$22.25 22.25 22.25 23.55 23.55 23.55 Size 18 20 24 26 28 30 Dia. (mm) 4.50 5.00 5.60 6.30 7.20 8.00 125-125-125-125-125-125-Item# 5180 5200 5240 5260 5280 5300

\$23.55 23.55

23.55


23.55

36.65

36.65

90°	Jew	veler's	Carbi	ide 90	° Bea	ring B	Bur -		
Size	9	4	5	6	7	8	9	10	11
Dia	. (mm)	1.50	1.70	1.90	2.10	2.30	2.50	2.70	2.90
Iten	n#	125- 0040	125- 0050	125- 0060	125- 0070	125- 0080	125- 0090	125- 0100	125- 0110
EAC	CH	\$20.89	20.89	20.89	20.89	20.89	22.25	22.25	22.25
Size		12	13	14	15	16	18	20	22
Dia	. (mm)	3.10	3.30	3.50	3.80	4.00	4.50	5.00	5.20
Iten	n#	125- 0120	125- 0130	125- 0140	125- 0150	125- 0160	125- 0180	125- 0200	125- 0220
EAC	CH	\$22.25	23.55	23.55	23.55	23.55	23.55	23.55	23.55
Size	е	23	24	25	26	27	28	29	30
Dia	. (mm)	5.40	5.60	5.90	6.30	6.70	7.20	7.60	8.00
Iten	n#	125- 0230	125- 0240	125- 0250	125- 0260	125- 0270	125- 0280	125- 0290	125- 0300
EAC	CH	\$23.55	23.55	23.55	23.55	36.65	36.65	36.65	36.65

Jeweler's Carbide 45° Hart Burs 4 5 6 8 9 10 Size 1.50 1.70 1.90 2.10 2.30 2.50 2.70 Dia. (mm) 125-125-125-125-125-125-125-Item# 4040 4050 4060 4070 4080 4090 4100 **EACH** \$20.95 20.95 20.95 20.95 20.95 22.25 22.25 Size 11 12 13 14 15 16 18 Dia. (mm) 2.90 3.10 3.30 3.50 3.80 4.00 4.50 125-125-125-125-125-125-125-Item# 4110 4120 4130 4140 4150 4160 4180 **EACH** \$22.25 22.25 23.55 23.55 23.55 23.55 23.55 20 22 24 26 28 30 Size 5.00 5.20 5.60 6.30 7.20 8.00 Dia. (mm) 125-125-125-125-125-125-Item# 4220 4240 4260 4300 4200 4280 EACH \$23.55 23.55 23.55 23.55 36.65 36.65



Jeweler's Carbide Burs continued.

Jeweler's Carbide Bud Burs

	•	•					
Size	4	6	8	10	12	14	16
Dia. (mm)	1.50	1.90	2.30	2.70	3.10	3.50	4.00
Item#	125- 1040	125- 1060	125- 1080	125- 1100	125- 1120	125- 1140	125- 1160
EACH	\$20.95	20.95	20.95	22.25	22.25	23.55	23.55

Size	18	20	24	26	28	30
Dia. (mm)	4.50	5.00	5.60	6.30	7.20	8.00
Item#	125- 1180	125- 1200	125- 1240	125- 1260	125- 1280	125- 1300
EACH	\$23.55	23.55	23.55	23.55	36.65	36.65


Jeweler's Carbide Cone Burs



	•	•					
Size	4	6	8	10	12	14	16
Dia. (mm)	1.50	1.90	2.30	2.70	3.10	3.50	4.00
Item#	125- 2040	125- 2060		125- 2100			125- 2160
EACH	\$20.95	20.95	20.95	22.25	22.25	23.55	23.55

Size	18	20	24	26	28	30
Dia. (mm)	4.50	5.00	5.60	6.30	7.20	8.00
Item#	125- 2180	125- 2200	125- 2240	125- 2260	125- 2280	125- 2300
EACH	\$23.55	23.55	23.55	23.55	36.65	36.65

Jeweler's Carbide Wheel Burs



Jeweler's Carbide Cylinder Burs



Size	26	30
Dia. (mm)	6.30	8.00
Item#	125- 3260	125- 3300
EACH	\$23.55	36.65

BUR SIZE CHART – For High-Speed, Titanium Nitrided and Jeweler's Carbide Burs only SI7F 0.90 1.10 1.30 1.50 1.70 1.90 2.10 2.30 2.50 2.70 2.90 3.10 inches .035 .043 .051 .059 .067 .075 .083 .091 .098 .106 .114 .122 SI7F 14 19 20 22 24 15 16 17 18 23 25 5.20 5.40 5.90 mm 3.50 3.80 4.00 4.30 4.50 4.70 5.00 5.60 inches 138 150 .169 177 .185 .197 205 .213 220 232 SIZE 26 34 6.30 6.70 7.20 7.60 8.00 8.90 9.60 10.40 11.10

.315

350


378

.409

.437


Carbide Cylinder Burs

For cutting and smoothing the inside of rings and cylinders as well as for edge breaking. Available in three styles for a fine, very fine or super fine finish. Are 'double cut' to produce a smooth surface and better operator control of the bur. Solid carbide heads are securely brazed onto steel shanks. Made in USA.



Primo[™] Carbide Burs – 3/32" Shank, 1/2" Head Diameter

Primo Carbide Burs are the right tool to get the job done! Ideal for cutting and smoothing the inside of rings and cylinders as well as for edge breaking. Available in four styles: Fine, Medium, Coarse and Extra Coarse as well as a money saving kit. Made in USA.



Finish	Fine	Medium	Coarse	Extra Coarse	4 Piece Set
Item#	129-0104	129-0103	129-0102	129-0101	129-0100
EACH	\$11.50	11.50	11.50	11.50	39.50

Busch® Carbide TiNitride Coated T426 SPEED - 3/32" Shank



Suitable for cutting and contouring all types of precious metal alloys. Titanium Nitride coating on Carbide produces a tool with an exceptionally long life. The 6mm diameter bur's end is rounded for safety. Made in Germany.

Head Dia. x L (mm)	6.0 x 13.0
Item#	124-3860
EACH	52.09

Wolf Wax High Speed Steel Cylinder Burs

Made of high-speed steel. Coarse cut for rapid removal of wax. Teeth on the end for milling. Longer cutting surface. Shorter shank (25mm) reduces centrifugal wobble.

Dia. (mm)	6.3	8.0	11.1
Shank	3/32"	1/8"	1/8"
Item#	260-2682	260-2683	260-2684
EACH	\$14.82	16.44	21.56

.299

.283

.248

.264

Burch®

Busch® High Tech Carbide Tools 3/32" Shank

Carbide burs and drills are known for their particular hardness and the resultant tool life, as well as their cutting capacity. These advantageous properties now also make it possible to economically

process materials, which are very hard and difficult to cut (such as platinum, white gold, titanium, and steel). Let yourself be captivated by reproducible results and smooth, shiny surfaces!


Busch AU style carbide burs cut more aggressively than standard carbides. Edges are more precise (making setting easier) and they produce a brighter finish. Available in Round as well as 90° and 70° Hart shaped burs. Round burs are packaged six to a box, available only in multiples of six. Both 90° and 70° Hart burs are packaged two to a box, available only in multiples of two. Shanks are marked with a gold band for easy identification.

Busch Carbide Twist Drills have a robust 2-blade construction and generously sized chip channels. Made of super-hard fine grain carbide these drills are designed to work both on the harder metals associated with carbide tools and on white gold as well. Numerous perfect drill holes can be replicated with the same tool when using a coolant such as our Lube-Stik #816-2461 (see p. 480). Twist drills are packaged two to a box, available only in multiples of two.


Please consult ANSI (American National Standards Institute) for speed recommendations. Made in Germany.

Please ask for quotes on larger quantities.


Busch® Round Carbide Burs - Fig 1AU




Busch® 90° Hart Carbide Burs - Fig 414AU



Busch® 70° Hart Carbide Burs - Fig 446AU




Busch® Cone Carbide Burs - Fig 38AU



(6pc) Six-piece minimum; Please order in multiples of six.

2pc Two-piece minimum; Please order in multiples of two.

Busch® Carbide Twist Drills - Fig 4203S





Super Carbide Burs 3/32" Shank

Made of the finest tungsten carbide, accurately fluted and honed to sharp cutting edges, end cut. Consist of heads brazed onto 3/32" steel Shanks. Have coarse tooth structure. Designed to operate at very high speeds. Cannot be resharpened. Please consult ANSI (American National Standards Institute) for speed recommendations. Made in Germany.



Busch® Round Burs - Fig 1

	•	•	•	•	•	•		
Dia. (mm)	0.70	0.80	1.00	1.20	1.40	1.60	1.80	2.30
Item#	126- 0005	126- 0010	126- 0020	126- 0030	126- 0040	126- 0050	126- 0060	126- 0080
EACH 1-9	\$3.31	3.31	3.31	3.31	3.31	3.31	3.31	3.31
EACH 10+	\$2.98	2.98	2.98	2.98	2.98	2.98	2.98	2.98



Busch® Square Cone Burs - Fig 17

	•	•	•	•
Dia. (mm)	0.80	0.90	1.00	1.40
Item#	126- 7037	126- 7038	126- 1700	126- 1710
EACH 1-9	\$3.31	3.31	3.31	3.31
FACH 10+	\$2.98	2.98	2.98	2.98



Busch® Square Cylinder Burs - Fig 15

Dia. (mm)	1.00	1.20
Item#	126-0570	126-0580
EACH 1-9	\$3.31	3.63
EACH 10+	\$2.98	3.27



Busch® Square Cone Cross-Cut Burs - Fig 23

	•	•	•	•
Dia. (mm)	1.00	1.40	1.60	1.80
Item#	126- 7000	126- 7010	126- 7020	126- 7030
EACH 1-9	\$3.31	3.31	3.31	3.31
EACH 10+	\$2.98	2.98	2.98	2.98



Busch® Square Cylinder Cross-Cut Burs - Fig 21

	•	•	•	•	•
Dia. (mm)	1.00	1.20	1.40	1.60	1.80
Item#	126- 5570	126- 5580	126- 5590	126- 5600	126- 5610
EACH 1-9	\$3.31	3.31	3.31	3.31	3.31
EACH 10+	\$2.98	2.98	2.98	2.98	2.98



Busch® Universal Cone Burs – Fig 17U

Dia. (mm)	1.00	1.40
Item#	126-1705	126-1715
EACH 1-9	\$3.63	3.63
EACH 10+	\$3.27	3.27




Busch® Universal Cylinder Burs - Fig 15U

	•	•
Dia. (mm)	1.00	1.20
Item#	126-0575	126-0585
EACH 1-9	\$3.63	3.63
EACH 10+	\$3.27	3.27



Busch® Universal Cone Cross-Cut Burs - Fig 23U

	•	•	•			
Dia. (mm)	1.00	1.20	1.40	1.60	1.80	2.10
Item#	126- 7005	126- 7007	126- 7015	126- 7025	126- 7035	126- 7045
EACH 1-9	\$3.63	3.63	3.63	3.63	3.63	3.63
FACH 10+	\$3.27	3.27	3.27	3.27	3.27	3.27





Busch® Inverted Cone Burs - Fig 3

	•	•	•	•	•	
Dia. (mm)	0.80	1.00	1.20	1.40	1.60	1.80
Item#	126- 0340	126- 0350	126- 0360	126- 0370	126- 0380	126- 0390
EACH 1-9	\$3.31	3.31	3.31	3.31	3.31	3.31
EACH 10+	\$2.98	2.98	2.98	2.98	2.98	2.98



Busch® Universal Cylinder Cross-Cut Burs - Fig 21U

	•	•	•	•	•
Dia. (mm)	1.00	1.20	1.40	1.60	1.80
Item#	126- 5575	126- 5585	126- 5595	126- 5605	126- 5615
EACH 1-9	\$3.63	3.63	3.63	3.63	3.63
EACH 10+	\$3.27	3.27	3.27	3.27	3.27

Web Site Orders 24/7: gesswein.com



Busch® Wheel Bur - Fig 2

	•
Dia. (mm)	1.20
Item#	126-0140
EACH 1-9	\$3.31
EACH 10+	\$2.98

Carbide Burs 3/32" Shank

High-quality tungsten carbide burs securely brazed on heat-treated 3/32" steel shanks and approximately 13/4" in length. Bur teeth are reinforced with extra carbide for elimination of premature chipping. Superior fluting improves cutting edges for pinpoint accuracy. All are end cut. Cannot

be resharpened. Please consult ANSI (American National Standards Institute) for speed recommendations. Available only in multiples of five. Made in USA.



Round Burs

5pc	•	•	•	•
Style	W1	W2	W3	W4
Dia. (mm)	0.79	0.99	1.19	1.40
Item#	128-0010	128-0020	128-0030	128-0040
EACH Prices				
5	\$3.20	3.20	3.20	3.20
10+	\$2.72	2.72	2.72	2.72
5pc	•	•	•	•
Style	W5	W6	W7	W8
Dia. (mm)	1.60	1.80	2.10	2.31
Item#	128-0050	128-0060	128-0070	128-0080
EACH Prices				
5	\$3.20	3.20	3.20	3.20
10+	\$2.72	2.72	2.72	2.72



Wheel Bur

5pc)	•
Style	W14
Dia. (mm)	1.19
Item#	128-0140
EACH Prices	
5	\$3.20
10+	\$2.72



5pc)	•	•
Style	W57	W59
Dia. (mm)	0.99	1.40
Item#	128-0570	128-0590
EACH Prices		
5	\$3.20	3.20
10+	\$2.72	2.72



End Bur – Cut on top only

5pc	•
Style	W957
Dia. (mm)	0.99
Item#	128-9570
EACH Prices	
5	\$3.20
10+	\$2.72



Square Cylinder Cross-Cut Burs

5pc	•	•	•	•
Style	W557	W558	W559	W560
Dia. (mm)	0.99	1.19	1.40	1.60
Item#	128-5570	128-5580	128-5590	128-5600
EACH Prices				
5	\$3.20	3.20	3.20	3.20



A. Reducing Collets

Convert your 1/8" or 3mm handpiece collets to hold 3/32" shank tools. Easy to use: slip the reducing collet into your handpiece collet, then slip the tool into the reducing collet. Make sure the reducing collet and the tool are fully inserted before operating.

Description	Item#	Each	
¹ /8"– ³ /32" Collet	816-1501	\$14.90	
3mm- ³ / ₃₂ " Collet	816-1504	14.90	



Square Cone Cross-Cut Burs

5pc		•	•	•
Style	W700	W701	W702	W703
Dia. (mm)	0.56	0.76	1.11	1.55
Item#	128-7000	128-7010	128-7020	128-7030
EACH Prices				
5	\$3.20	3.20	3.20	3.20
10+	\$2.72	2.72	2.72	2.72



R

B. Gesswein® Lube-Stik

Use on grinding, cutting, drilling, piercing or similar tools to speed up production and increase tool life. Reduces both friction and heat buildup so that tools stay sharper, work faster and cut smoother. Can also be used to reduce the effort needed for drawing operations. Supplied in handy push-up dispenser tube.

		EACH Prices		
Description	Item#	1-9	10+	
Lube-Stik	816-2461	\$5.55	\$5.00	

Inverted Cone Burs

5pc)	•	•	•	•	•
Style	W34	W35	W36	W37	W38
Dia. (mm)	0.79	0.99	1.19	1.40	1.60
Item#	128-0340	128-0350	128-0360	128-0370	128-0380
EACH Prices					
5	\$3.20	3.20	3.20	3.20	3.20
10+	\$2.72	2.72	2.72	2.72	2.72



(5pc) Five-piece minimum; Please order in multiples of Five.

Shown actual size

Made from super-hard carbide securely brazed onto 1/16" steel shanks. They withstand extremely high speeds up to 350,000rpm but please consult ANSI (American National Standards Institute) for speed recommendations. Designed to get into small spaces. All fit our NSK Presto Air Turbine 850-7235, (p. 451). See below for reducing collets from ½", 3mm or 3/32" to 1/16". Made in USA.

Your handpiece doesn't accept 1/16" shanks? Use a reducing collet. (see below)

Round

	•	•	•	•	•
Dia. (mm)	0.51	0.61	0.79	0.99	1.19
Dia. (inches)	.020	.024	.031	.039	.047
Item#	128-9700	128-9705	128-9710	128-9715	128-9720
EACH 1-4	\$3.60	3.60	3.60	3.60	3.60
EACH 5+	\$3.42	3.42	3.42	3.42	3.42

	•	•	•	•	•
Dia. (mm)	1.40	1.60	1.80	2.11	2.31
Dia. (inches)	.055	.063	.071	.083	.091
Item#	128-9725	128-9730	128-9735	128-9740	128-9745
EACH 1-4	\$3.60	3.60	3.60	3.60	3.60
EACH 5+	\$3.42	3.42	3.42	3.42	3.42



Cone Square

Dia. (mm)	0.46	0.56	0.76
Dia. (inches)	.018	.022	.030
Item#	128-9840	128-9845	128-9850
EACH 1-4	\$3.60	3.60	3.60
EACH 5+	\$3.42	3.42	3.42



Cone Square Cross Cut

	•	•	•	•	•
Dia. (mm)	0.46	0.56	0.76	1.12	1.55
Dia. (inches)	.018	.022	.030	.044	.061
Item#	128-9785	128-9790	128-9795	128-9800	128-9805
EACH 1-4	\$3.60	3.60	3.60	3.60	3.60
EACH 5+	\$3.42	3.42	3.42	3.42	3.42



Inverted Cone

	•	•	•	•	•	•
Dia. (mm)	0.79	0.99	1.19	1.40	1.60	1.80
Dia. (inches)	.031	.039	.047	.055	.063	.071
Item#	128-9755	128-9760	128-9765	128-9770	128-9775	128-9780
EACH 1-4	\$3.60	3.60	3.60	3.60	3.60	3.60
EACH 5+	\$3.42	3.42	3.42	3.42	3.42	3.42



Pear

•	•	•
0.79	0.99	1.19
.031	.039	.047
128-9855	128-9860	128-9865
\$3.60	3.60	3.60
\$3.42	3.42	3.42
	.031 128-9855 \$3.60	.031 .039 128-9855 128-9860 \$3.60 3.60



Cylinder Square

	•	•	•
Dia. (mm)	0.79	0.99	1.19
Dia. (inches)	.031	.039	.047
Item#	128-9810	128-9815	128-9820
EACH 1-4	\$3.60	3.60	3.60
EACH 5+	\$3.42	3.42	3.42



B. Face Shield

Instantly converts your 1/8", 3mm or 3/32" collet to hold a 1/16" tool shank. Simply slip reducing collet into collet on your rotary handpiece to use ¹/₁₆" shanked tools. Make sure both the reducing collet and the tool shank are fully inserted into the handpiece collet. Stainless steel.

Size	Item#	Each
¹ /8" to ¹ / ₁₆ "	816-1502	\$14.90
3mm to ¹ / ₁₆ "	816-1505	14.90
³ / ₃₂ " to ¹ / ₁₆ "	816-1503	14.90





Cylinder Square Cross Cut

	•	•	•
Dia. (mm)	0.79	0.99	1.19
Dia. (inches)	.031	.039	.047
Item#	128-9825	128-9830	128-9835
EACH 1-4	\$3.60	3.60	3.60
EACH 5+	\$3.42	3.42	3.42



1.19

.047

128-9880

3.60

Lightweight plastic shield for full face and neck protection while grinding, drilling or polishing. Can be worn over dust masks, respirators and glasses. Features pivoting visor for easy raising and lowering, molded visor edge for reinforcement, cushioned vinyl comfort band and adjustable head-

bands. Visor measures 8"L x 12"W x .040" thick. Does not eliminate need for safety glasses.

	Description	Item#	Each
B.	Face Shield	270-0210	\$21.00
	Replacement Visor	270-0212	6.95
	Replacement Vinyl Sweatband	270-0214	3.50



Dia. (mm)

EACH 1-4

EACH 5+

Item#

Dia. (inches)



Cylinder Dome Cross Cut

0.79

.031

128-9870

\$3.60

\$3.42

0.99

.039

128-9875

3.60

Double cut

Gesswein[®] Solid Carbide Burs

Gesswein Solid Carbide Burs are made from laboratory-certified raw material. Most are machine-ground by CNC, producing geometric uniformity in shape and depth of flute. Controlled material selection and CNC manufacturing ensure high product consistency from order to order for dependable cutting action and much longer bur life. All Gesswein Solid Carbide Burs feature one-piece construction (head and shank made of one piece of carbide) unless otherwise indicated. Supplied in two fluting styles: plain cut, which provides aggressive cutting action for fast stock removal, leaving a better finish than plain cut. Made in USA.

Maximum Speed Recommendations (rpm):

Bur Cutting Diameter	1/16"	3/32"	1/8"	³ /16"	1/4"
Stainless Steel	75,000	65,000	55,000	40,000	35,000
Other Common Materials	50,000	45,000	35,000	27,500	25,000

These are suggested speeds only. Faster and slower speeds may be used for different materials.

Please consult ANSI (American National Standards Institute) for speed recommendations.

Gesswein® Solid Carbide Burs 1/4" Shank; 2" Overall

One-piece construction. 1/4" and 3/16" cutting diameters on 1/4" shanks. Can be resharpened. 6mm shanks and double cut available on special order.

Cutting Diameter	1/4"	1/4"	1/4"	1/4"	³ /16"	1/4"
Head Length	3/4"	1/2"	5/8"	5/8"	5/8"	5/8"
Included Angle	14°	22°	-	_	-	-
Plain Cut Item#	129-2840	129-2140	129-2740	129-2640	129-2230	129-2240
1-4 (each)	\$17.05	15.35	15.95	15.95	14.85	14.85
5+	\$16.20	14.58	15.15	15.15	14.11	14.11
Cutting Diameter	1/4"	3/16"	1/4"	3/16"	1/4"	1/4"
Head Length	3/8"	1/8"	³ / ₁₆ "	5/8"	5/8"	⁵ /16"
Included Angle	_	_	_	_		10°
Plain Cut Item#	129-2440	129-2330	129-2340	129-2030	129-2040	129-2940
1-4 (each)	\$17.20	13.90	13.90	13.50	13.50	16.30
5+	\$16.34	13.21	13.21	12.83	12.83	15.49



A. Gesswein® Solid Carbide Bur Set - 1/4" Shank; 2" Overall

Includes one each of the twelve burs listed above. Packaged in a sturdy hardwood box.

Description	Item#	Each	
Plain Cut Set	129-2000	\$165.00	



B. Gesswein® Lube-Stik

Use on any grinding, cutting, drilling, piercing or similar tool to speed up production and increase tool life. Lube-Stik reduces friction and heat buildup so that tools stay sharper, work faster and cut smoother. Easy to use—just run your tool in the soft lubricant. Supplied in a handy push-up dispenser tube.

		EACH P	rices
Description	Item#	1-9	10+
Lube-Stik	816-2461	\$5.55	\$5.00





Gesswein® Solid Carbide Burs 1/8" Shank; 11/2" Overall

One-piece construction. $\frac{3}{16}$ " and $\frac{5}{32}$ " cutting diameters on $\frac{1}{8}$ " shanks. Available in plain and double cut. Can be resharpened. 3mm shanks available on special order. Made in USA.

Inox Carbide **Great for Stainless Steel** See p. 176













	100	100	- 10	(0)	100	100
Cutting Diameter	5/32"	³ /16"	5/32"	³ /16"	³ /16"	³ /16"
Head Length	1/2"	1/2"	1/2"	1/2"	⁵ / ₃₂ "	9/32"
Plain Cut Item#	129-1630	129-1640	129-1650	129-1660	129-1670	129-1680
1-4 (each)	\$18.35	18.35	18.35	18.35	18.35	18.35
5+	\$17.43	17.43	17.43	17.43	17.43	17.43
Double Cut Item#	129-1635	129-1645	129-1655	129-1665	129-1675	129-1685
1-4 (each)	\$20.40	20.40	20.40	20.40	20.40	20.40
5+	\$19.38	19.38	19.38	19.38	19.38	19.38













	100	100	100	100	100	
Cutting Diameter	³ /16"					
Head Length	1/2"	1/2"	3/8"	1/2"	1/2"	1/4"
Plain Cut Item#	129-1690	129-1706	129-1710	129-1720	129-1730	129-1740
Included Angle	_	_	_	4°	16°	10°
1-4 (each)	\$18.35	18.35	18.35	18.35	18.35	18.35
5+	\$17.43	17.43	17.43	17.43	17.43	17.43
Double Cut Item#	129-1695	129-1707	129-1715	129-1725	129-1735	129-1745
1-4 (each)	\$20.40	20.40	20.40	20.40	20.40	20.40
5+	\$19.38	19.38	19.38	19.38	19.38	19.38

A. Gesswein® Solid Carbide Bur Sets – 1/8" Shank; 11/2" Overall

Each set includes one each of the 12 respective burs listed above. Packaged in a sturdy hardwood box.

Description	Item#	Each
Plain Cut Set	129-0960	\$195.00
Double Cut Set	129-0965	210.00



Shown actual size

Gesswein® Solid Carbide Burs 1/8" Shank; 3" Overall

One-piece construction. 1/8" cutting diameter on 1/8" shanks. Available in plain and double cut. Can be resharpened. Made in USA.











	M			m	m
Cutting Diameter	1/8"	1/8"	1/8"	1/8"	1/8"
Head Length	⁹ /16"	1/8"	1/2"	1/2"	⁷ /16"
Plain Cut Item#	129-1210	129-1220	129-1230	129-1240	129-1250
1-4 (each)	\$10.20	10.20	10.20	10.20	10.20
5+	\$9.69	9.69	9.69	9.69	9.69
Double Cut Item#	129-1215	129-1225	129-1235	129-1245	129-1255
1-4 (each)	\$11.20	11.20	11.20	11.45	11.20
5+	\$10.64	10.64	10.64	10.88	10.64

Gesswein® Solid Carbide Burs 1/8" Shank; 11/2" Overall

Each features one-piece construction—head and shank are fashioned from a single piece of carbide. Available in two fluting styles: plain cut and double cut. Plain cut provides aggressive cutting action for fast stock removal, leaving a slightly rough finish. Double cut makes small chips for efficient stock removal, leaving a better finish than plain cut. Can be resharpened. Measure $1\frac{1}{2}$ long. Made in USA.






Cutting Diameter	¹ /16"	3/32"	1/8"	3/32"	1/8"	3/32"	1/8"
Head Length	1/4"	⁷ /16"	⁹ /16"	⁷ /16"	⁹ /16"	3/32"	1/8"
Plain Cut Item#	129-1010	129-1020*	129-1030*	129-1040	129-1050*	129-1060	129-1070*
1-4 (each)	\$6.50	6.50	6.50	6.50	6.50	6.50	6.50
5+	\$6.18	6.18	6.18	6.18	6.18	6.18	6.18
Double Cut Item#	129-1015	129-1025*	129-1035*	129-1045	129-1055*	129-1065	129-1075*
1-4 (each)	\$7.15	7.15	7.15	7.15	7.15	7.15	7.15
5+	\$6.79	6.79	6.79	6.79	6.79	6.79	6.79

^{*}Items available in 12-Piece Set below.

Cutting Diameter	1/8"	1/8"	1/8"	1/8"	1/8"	1/8"	1/8"
Head Length	7/32"	1/2"	1/4"	1/4"	1/4"	⁵ /16"	3/8"
Plain Cut Item#	129-1080*	129-1090*	129-1100*	129-1110*	129-1120*	129-1130	129-1140
1-4 (each)	\$6.50	6.50	6.50	6.50	6.50	6.50	6.50
5+	\$6.18	6.18	6.18	6.18	6.18	6.18	6.18
Double Cut Item#	129-1085*	129-1095*	129-1105*	129-1115*	129-1125*	129-1135	129-1145
1-4 (each)	\$7.15	7.15	7.15	7.15	7.15	7.15	7.15
5+	\$6.79	6.79	6.79	6.79	6.79	6.79	6.79

^{*}Items available in 12-Piece Set below.



Inox Carbide
Great for Stainless Steel
See p. 176

*Items available in 12-Piece Set below.



A, B Gesswein® Solid Carbide Bur Sets – 1/8" Shank; 11/2" Overall

Each set includes one each of the 12 respective burs marked with asterisks above. Packaged in a sturdy hardwood box.

Description	Item#	Each
A. Plain Cut Set	129-1000	\$65.00
B. Double Cut Set	129-1005	71.00





Gesswein® Solid Carbide Burs 3/32" Shank; 11/4" Overall

One-piece construction available in plain or double cut. 1/16" and 3/32" cutting diameters on 3/32" shanks. Can be resharpened. Made in USA.

Cutting Diameter	1/16"	3/32"	3/32"	3/32"	3/32"	3/32"	3/32"	3/32"	3/32"
Head Length	1/4"	3/8"	3/8"	3/32"	1/8"	1/4"	1/4"	1/4"	1/8"
Plain Cut Item#	129-1400	129-1410	129-1420	129-1430	129-1440	129-1450	129-1460	129-1470	129-1480
1-4 (each)	\$9.55	9.55	9.55	9.55	9.55	\$9.55	9.55	9.55	9.55
5+	\$9.07	9.07	9.07	9.07	9.07	\$9.07	9.07	9.07	9.07
Double Cut Item#	129-1405	129-1415	129-1425	129-1435	129-1445	129-1455	129-1465	129-1475	129-1485
1-4 (each)	\$10.55	10.55	10.55	10.55	10.55	\$10.55	10.55	10.55	10.55
5+	\$10.02	10.02	10.02	10.02	10.02	\$10.02	10.02	10.02	10.02

A. Gesswein® Solid Carbide Bur Sets – 3/32" Shank; 11/4" Overall

Each set includes one each of the nine respective burs above. Packaged in a sturdy hardwood box.

Each cot included one date of the time respective sails assert it dended an a start in the artists					
Description	Item#	Each			
Plain Cut Set	129-0940	\$69.00			
Plain Cut Set	129-0945	79.00			



Gesswein® Carbide Burs 1/8" Shank; 11/2" Overall

Carbide heads with 1/4" cutting diameter securely brazed on heat-treated 1/8" steel shanks. Can be resharpened. 3mm shanks available on special order. Available in plain or double cut. Made in USA.

Cutting Diameter	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
Head Length	1/2"	³ /16"	1/2"	1/2"	3/8"	1/4"	³ /16"	1/2"	1/4"
Included Angle	22°	_	_	_	_	_	_	_	10°
Plain Cut Item#	129-1820	129-1810	129-1800	129-1770	129-1790	129-1780	129-1750	129-1761	129-1830
1-4 (each)	\$11.75	11.75	11.75	11.75	11.75	11.75	11.75	11.75	11.75
5+	\$11.16	11.16	11.16	11.16	11.16	11.16	11.16	11.16	11.16
Double Cut Item#	129-1825	129-1815	129-1805	129-1775	129-1795	129-1785	129-1755	129-1766	129-1835
1-4 (each)	\$12.95	12.95	12.95	12.95	12.95	12.95	12.95	12.95	12.95
5+	\$12.30	12.30	12.30	12.30	12.30	12.30	12.30	12.30	12.30

B. Gesswein® Carbide Bur Sets – ½" Shank; 1½" Overall

Each set includes one each of the nine respective burs above. Packaged in a sturdy hardwood box.

Description	Item#	Each
Plain Cut Set	129-1700	\$98.00
Plain Cut Set	129-1705	108.00

C. Reducing Collets

Instantly converts your 1/8" or 3mm collet to hold a 3/32" tool shank. Simply slip reducing collet into collet on your rotary handpiece to use \(^{3}\)32" shanked tools. Make sure both the reducing collet and the tool shank are fully inserted into the handpiece collet. Stainless steel.

Size	Item#	Each	Size	Item#	Each
1/8" to 3/32"	816-1501	\$14.90	3mm to 3/32"	816-1504	\$14.90





Gesswein® Inox Carbide Burs – 1/8" or 1/4" Shanks

Gesswein Inox carbide burs are designed with a special geometry to suit growing market demands for stainless steel applications. This is a cost effective alternative to standard solutions due to the greater rate of stainless steel stock removal as well as on Ferritic, Austenitic & Martensitic based materials.. Made in USA.

Features & Benefits

- · Specifically developed cutting geometry-Generating high stock removal on Stainless Steel components
- · High performance grinding-Ensuring production savings
- · Specifically engineered Stainless Steel cutting geometry-Reduces heat build up at the cutting edge and workpiece
- Manufactured from high quality sintered tungsten carbide-Guaranteed high performance and durability
- CNC Machined—High consistent quality

SF-42

1/8"


1/2"

11/2"

13.20

· Manufactured to strict quality control standards-Incorporates 100% inspection of brazed joints on the 1/4" diameter cutting burs.





11/2"

129-3001





1/4"

1/2"



SD-42

1/8"

1/8"

11/2

13.20



SD-51

1/4"

7/32"

2"

21.70






1/2"

2"

129-3008

21.70







Overall Length (L1)

Item#



2"

21.70



SC-42

1/8"

9/16"


11/2"

13.20






129-3002 129-3003 129-3004 129-3005 129-3006 129-3007



Inox Bur Head Ø	Maximum Operating Speed	Recommended Speed Range
1/8"	100,000	60,000 - 80,000
1/4"	65,000	30,000 - 45,000
3/8"	55,000	19,000 - 30,000
1/2"	35,000	15,000 - 22,000










A, B Inox Carbide Bur Sets


1/8" set contains 2 of SC-42, 2 of SF-42 and 1 of all other 1/8" shank lnox burs. 1/4" set contains one of each of the above respective 1/4" Inox burs.


De	escription	Shank	Item#	Each
Ā.	Inox Carbide Bur 10 Piece Set	1/8"	129-3000	\$139.00
B.	Inox Carbide Bur 5 Piece Set	1/4"	129-3010	89.00














A. Wooden Bur Boxes - For 3/32" Shanks

Sturdy, attractive wooden boxes for holding burs or tools with ³/₃₂" shanks.

	Description	Item#	Each
A.	200-Hole Box	814-1200	\$25.75
	100-Hole Box	814-1205	14.95
	36-Hole Box	814-1210	7.95



Cured hardwood block with 88 holes for burs or tools with \(^3/\)32" or \(^1/\)8" shanks. Slanted design lets you see all items at a glance. Stay-put rubber pads prevent sliding. Measures 6" x 4½".

Description	Holes	Item#	Each
Handy Block	3/32", 1/8"	814-1215	\$14.95



Tiered plastic stands rotate on ball bearings for smooth action. Measure 7" dia. x 4"H.

Style 126 • 45 holes for burs with 1/16" shanks

- 69 two-step holes for burs with 3/32" or 1/8" shanks
- 12 holes for burs with ½" shanks

Style 112 • 92 holes for burs with $\frac{3}{32}$ " or $\frac{1}{8}$ " shanks

- 13 holes for burs with ½" shanks
- \bullet 7 holes for $\frac{1}{16}$ " to $\frac{5}{32}$ " drills
- 23/4" dia. x 3"H center cup for hand tools

	Description	Shank Size	Item#	Each
C.	Style 126	¹ / ₁₆ ", ³ / ₃₂ " or ¹ / ₈ ", ¹ / ₄ "	850-0004	\$16.55
D.	Style 112	1/16" to 5/32", 3/32" or 1/8", 1/4	850-0006	16.55

E. Econo Rotating Bur Holder - For 3/32" Shanks

Accepts up to 150 burs or tools with $\frac{3}{32}$ " shanks. Rotates to keep items within easy reach. Measures 6" dia. x 4"H.

Description	Holes	Item#	Each
Econo Rotating Bur Holder	3/32"	124-4720	\$12.75

F. Mini Bur Stand with Cover - For 3/32" or 1/8" Shanks

A compact tiered plastic stand for holding up to 24 tools with ³/₃₂" shanks and 24 tools with ¹/₈" shanks. Clear plastic cover keeps all items dust-free without hiding them from view.

Measures 21/8" dia. x 21/2"H.

Description	Holes	Item#	Each
Mini Bur Stand with Cover	³ / ₃₂ ", ¹ / ₈ "	850-0007	\$4.00

G. Plastic Bur Holder – For 3/32" Shanks

Accepts up to 100 burs or tools with $\frac{3}{32}$ " shanks. Supplied with tilt stand. Measures 5" x 3". Color may vary.

			EAC	H Prices
Description	Holes	Item#	1-2	3+
Plastic Bur Holder	3/32"	840-0007	\$4.95	\$3.96










D





A, B Gesswein® High-Speed Steel Blanks and Cutters

Use with CNC, pantograph or duplicating machines. Made of premium high-speed steel and heattreated to a hardness of 62–65 HRC in a process that retains toughness. Not as durable as carbide cutters but effective for tasks that require greater tip resiliency, such as making deep, fine cuts. We suggest they be ground by plunge-cut or cross-feed method with a soft grinding wheel. Centerless ground to a tolerance of +.0000"/-.0002", with flats that are within .001" above center. All have flat length of 0.565" except #151-9630 and #151-9660, which have flat length of 0.400".

			EACI	H Prices
Description	Dia. x L	Item#	1-5	6+
A. Single-Split Cutter	¹ /8" x 1 ¹ /2"	151-9630	\$7.20	\$6.12
	³ /16" x 2"	151-9635	8.25	7.01
	1/4" x 21/4"	151-9640	10.55	8.97
	⁵ /16" x 2 ³ /8"	151-9645	16.70	14.20
	³ /8" x 2 ¹ /2"	151-9650	24.20	20.57
	1/2" x 21/2"	151-9655	31.75	26.99
B. Double-Split Cutter	¹ /8" x 1 ¹ /2"	151-9660	7.20	6.12
	³ /16" x 2"	151-9665	10.90	9.27
	1/4" x 21/4"	151-9670	14.55	12.37
	⁵ /16" x 2 ³ /8"	151-9675	24.20	20.57
	³ /8" x 2 ¹ /2"	151-9680	31.10	26.44
	¹ / ₂ " x 2 ¹ / ₂ "	151-9685	42.50	36.13

C. Gesswein® Solid Carbide Drills **Jobbers Length, Fractional Inch Sizes**

Standard spiral, two-flute long-life drills with 118° drill points. Use on tool steels, cast steel, aluminum, bronze and nonmetallic materials. All drills are machine-ground (many by CNC). Gesswein Carbide Drills have consistent, uniform flute depths, so they produce dependable results order-to-order.

Tolerances:

Drill diameter: +.0000/-.0005" Shank diameter: +.000/-.001"

Size	Diameter (inches)	Head Length	Overall Length	Item#	Each
1/32"	.0312	1/2"	1 ¹ / ₄ "	155-2135	\$11.40
3/64"	.0468	3/4"	11/2"	155-2140	9.60
1/16"	.0625	3/4"	11/2"	155-2145	11.05
5/64"	.0781	7/8"	1 ³ / ₄ "	155-2150	12.55
3/32"	.0937	1"	2"	155-2155	11.65
1/8"	.1250	11/4"	21/4"	155-2165	13.95
5/32"	.1562	13/8"	21/2"	155-2175	19.99
3/16"	.1875	1 ⁵ /8"	23/4"	155-2185	21.69
1/4"	.2500	2"	31/4"	155-2205	31.35
C. 6-Piece Set	(one each of following	g popular sizes:			
¹ / ₁₆ ", ¹ / ₈ ", ³ / ₂	1/16", 1/4", 5/16", 3/8")			155-2207	180.00



D. Busch® Carbide Twist Drills - Fig 4203S - 3/32" Shank



2 grooves												
Dia. (mm)	0.50	0.60	0.70	0.80	0.90	1.00	1.10	1.20	1.30	1.40	1.50	1.60
Item#	125- 5485	125- 5486	125- 5487	125- 5488	125- 5489	125- 5490	125- 5491	125- 5492	125- 5493	125- 5494	125- 5495	125- 5496
EACH 2-22	\$14.45	14.45	13.25	13.25	13.25	13.25	13.25	13.25	13.25	13.25	13.25	13.25
EACH 24+	\$12.28	12.28	11.26	11.26	11.26	11.26	11.26	11.26	11.26	11.26	11.26	11.26

2pc Two-piece minimum; Please order in multiples of two.

A, B Solid Carbide Square-Nose End Mills

Made of premium micro-grain carbide for superior performance and greater wear resistance. Stay sharp longer than regular carbide end mills, with less chipping and breaking. Available in two-flute and four-flute styles. Right-hand, center cutting, 30° spiral.

Tolerances:

Cutting Diameter +.0000/-.0020" Shank Diameter -.0001/-.0004"

Cutting Diameter	Shank Diameter	Head Length	Overall Length	Two-Flute Item#	Four-Flute Item#	Each
¹ / ₁₆ "	1/8"	³ /16"	1 ¹ /2"	156-0070	156-0060	\$10.95
3/32"	1/8"	3/8"	11/2"	156-0150	156-0140	10.50
1/8"	1/8"	1/2"	11/2"	156-0220	156-0210	10.65
3/16"	³ /16"	5/8"	2"	156-0380	156-0370	14.20
1/4"	1/4"	3/4"	21/2"	156-0540	156-0530	16.85
9/32"	⁵ /16"	3/4"	21/2"	156-0620	156-0610	9.55
⁵ /16"	⁵ /16"	¹³ /16"	21/2"	156-0700	156-0690	23.15
3/8"	3/8"	1"	21/2"	156-0860	156-0850	27.80
1/2"	1/2"	1"	3"	156-1180	156-1170	43.75
		ollowing popul				
¹ / ₈ ", ³ / ₁₆ ", ¹ / ₄	4", ⁵ ⁄16", ³ ⁄8",	¹ /2" diameters)		156-1500	156-1510	151.95






C-F Gesswein® Super Carbide Blanks and Cutters

Stay sharper and last up to five times longer than standard carbide due to high cobalt content. Ideal for use on tool steel, stainless steel, Inconel and other high-temperature metals. Centerless ground. Overall tolerance: +.0000/-.0005". Split tolerance: +.000/-.001". Hardness: 91.8 HRC. Density: 14.74g/cc. Transverse rupture strength: 400,000 PSI. Use with pantograph or duplicating machines.

					CH Prices
	Description	Dia. x L	Item#	1-5	6+
C.	Round Blank	¹ /8" x 1 ¹ /2"	150-4000	\$3.70	\$ 3.15
		1/8" x 3"	150-4010	7.75	6.59
		1/8" x 6"	150-4016	17.35	14.75
		³ / ₁₆ " x 2"	150-4020	8.60	7.31
		³ /16" x 6"	150-4026	24.25	20.61
		1/4" x 2"	150-4030	12.80	10.88
		1/4" x 6"	150-4036	38.80	32.98
		³ /8" x 2"	150-4040	26.50	22.53
D.	Half-Round Blank	1/8" x 11/2"	150-5000	16.55	14.07
		³ /16" x 2"	150-5005	36.10	30.69
		1/4" x 2"	150-5010	44.10	37.49
		³ /8" x 2"	150-5015	72.00	61.20
E.	Single-Split Cutter	1/8" x 11/2"	150-3000	5.45	4.63
		³ / ₁₆ " x 1 ¹ / ₂ "	150-3010	10.60	9.01
		1/4" x 2"	150-3020	16.75	14.24
		³ /8" x 2"	150-3030	34.00	28.90
		1/2" x 3"	150-3100	63.10	53.64
F.	Double-Split Cutter	1/8" x 11/2"	150-5100	8.60	7.31
		³ /16" x 2"	150-5105	16.60	14.11
		1/4" x 2"	150-5110	24.50	20.83
		3/8" x 2"	150-5115	41.45	35.23



Interested in CAD/CAM but not sure if it is right for you?

If you're already using CAD (Computer Aided Design) you already know the main benefits:

- Easily create custom pieces for your select clients. Respond to local interests making you and your firm the first place customers think of when they want something truly special.
- · Quickly show the concept, get immediate customer input for revisions and close the sale while the excitement of the design plan is at its highest.
- Break away from the limitations of hand carving; saving time, effort and providing utmost perfection in your models.

Having both your own CAD and CAM (Computer Aided Manufacturing) also known as 3D Printing, is an extension of this immediacy:

- You control the production schedule: no waiting on your supplier's schedule and complete elimination of delivery time.
- By keeping production in-house, your unique designs are secure.

Gesswein is proud to be teamed up with FormLabs and EnvisionTec. This alliance allows us to offer the latest technologies with the latest capabilities for you and your firm, letting you compete with other designers on a level playing field.

Interested? Call in to speak with one of our specialists to explore how these different options can help you. Also, check out our website, these technologies change quickly and the most upto-date information will be found on-line.





"...I have worked with and have experience in ALL machines... milling machines, Roland, Solidscape, Perfactory. I gotta tell you honestly...I love my [Aureus] desktop. I would not trade it for anything else."

> - Hien Nguyen, Owner Trademark Jewellery





We offer the machinery and resins you need to save time and money while you keep total control over your intellectual property and unique designs.

Our software is easy to learn and easy to use. You'll quickly be producing intricate models.





A. 3-D Design Software


We have many different software packages available for you, our specialists can help you determine the right one for your needs. Please see our website, Gesswein.com for full details.

JewelCAD Pro (266-4009) known for its non-engineering approach and simple interface resulting in a fast learning curve.

Firestorm CAD (266-4015) a direct modeling program. Create your design and import it into the system. Training is included in the purchase price.

3DESIGN CAD 7 (262-0119) user friendly software for advanced 3D model creation.

Description	Item#	Each
JewelCAD Pro V5.1	266-4009	\$3,995.00
Firestorm CAD	266-4015	6,500.00
3DESIGN CAD 7	262-0119	6,600.00



B. UV Post Curing Chamber

Designed to cure (harden) 3D printed resin models after production prior to casting. Settings include run times in intervals of 5 and 10 minutes and continuous mode.

Description	Item#	Each
UV Post Curing Chamber 110V	262-0190	\$125.00
UV Post Curing Chamber 220V	262-0191	125.00



C. Gesswein UV Curing Chamber 110V

Designed to cure (harden) 3D printed resin models after production prior to casting. Specialty high intensity UV lamp cures models in 3-5 minutes, depending on the resin being cured. Recommended to operate at 2-3 minute intervals to prolong the life of the lamp. Comes installed with a "Cooling" Fan in order to keep the high strength lamp running at the optimal temperature. Replacement lamp sold separately, see related products below. Approximate life of the UV lamp is 800 hours.

Description	Item#	Each
Gesswein UV Curing Chamber 110V	262-0195	\$995.00



D. Formlabs Form Wash

Form Wash's impeller agitates isopropyl alcohol (IPA) to flow around every nook and cranny of your part, getting them perfectly clean every time. When washing completes, Form Wash automatically raises parts, making sure your designs never warp. Parts air dry and are ready when you are. BUILT TO FIT THE BUILD PLATFORM: Parts can stay right on the build platform protecting delicate prints, or be removed and placed in the basket. SIMPLE IPA MONITORING: Form Wash can hold up to 8.6 liters (approx. 9 quarts) of IPA, enough to wash approximately 70 prints. The wash bucket is removable. An included hydrometer lets you know when it's time to change out IPA. A siphon pump makes it easy to transfer IPA into and out of the wash bucket. Approximate wash time when using fresh IPA is 15 minutes. Made in China.

Description	WxDxH	Item#	Each
Formlabs Form Wash, 90~264V	10.3" x 11.5" x 13.4"	262-0164	\$499.00



E. Formlabs Form Cure

Once your parts are cleaned - see Form Wash above. The parts go to the Form Cure. FINELY TUNED FOR CONSISTENT CURING: An advanced heating system precisely controls curing temperatures up to 80° C. 13 multi-directional LEDs emit the optimal wavelength of light for curing Formlabs materials, 405 nanometers. A rotating turntable provides uniform exposure during post-curing. The heating system preheats the chamber to get parts ready for optimum post-curing. Made in China.

Description	WxDxH	Item#	Each
Formlabs Form Cure, 90~264V	10.3" x 10.3" x 13.4"	262-0165	\$699.00



F. EnvisionTEC LED Post Curing Chamber

The LED Post Curing Unit is a light polymerization chamber for the hardening/curing of light curing resins. This final step (curing the model/part) after 3D printing and cleaning a 3D printed model/part results in higher strength and stability as well as ensuring a thorough cure, especially important in parts slated for direct casting. The LED Post Curing Unit features an adjustable shelf, allowing for smaller items to be placed closer to the LED's for faster curing times. Made in India.

Description	Item#	Each
EnvisionTEC LED Post Curing Chamber	262-0108	\$995.00





EnvisionTEC

EnvisionTEC was founded on a deep understanding of additive manufacturing, a drive to succeed and a commitment to deliver real value. EnvisionTEC's first 3D printer was a hit in the jewelry market - largely because of its ability to deliver incredible precision and surface finish, quickly - and the technology spun out to other sectors from there. Customers who manufacture hearing aids, dental prosthetics and other small and smooth parts followed. For 15 years, EnvisionTEC has been delivering advanced 3D printers and materials to Aerospace Engineers, MCAD designers, Doctors, Dentists, Laboratories, Researchers, Jewelers, Animators and many more.

Today, as the 3D printing market continues to mature, many different processes are used around the world to 3D print objects from digital design files. In order to serve the professional market, you need professionals who get it. EnvisionTEC's leaders have been on the frontlines of the additive movement —and it shows.



A. Micro Plus Advantage and Micro Plus High-Res

This family of 3D printers provides the ideal desktop companion for a wide variety of 3D printing applications. Available in two configurations, the Micro Plus series is a professional grade 3D printing solution utilizing an industrial UV LED light source and an integrated, embedded PC with Wi-Fi. The touchscreen adds convenience to the user interface, allowing for the necessary files for print to quickly and easily be transferred from any network computer directly to the Micro Plus via Wi-Fi. The Micro Plus 3D printers can produce functional parts with exceptional surface quality without sacrificing speed. The materials available for the Micro Plus line cover a wide range of applications, including jewelry, toy, medical, industrial design and engineering, and more. Micro Plus Advantage (262-0146) and Micro Plus High-Res (262-0148)

B. Aureus Plus

An enhanced version of EnvisionTEC's best-selling machine for the low production of customized jewelry. With its unbeatable price to performance ratio the Aureus PLUS is the perfect choice for the small to medium sized company looking to fill their 3D printing production requirements. Round-theclock production is achievable due to the ability to run unattended, and with the significant speed increase in the Aureus PLUS model, production is greatly increased as well. Aureus Plus (262-0109)

C-H EnvisionTEC Resins – Visit our website for the most up-to-date information.

Developed for direct investment casting of products for the Jewelry market. It offers excellent burn out properties and build with the highest quality and crisp detail. The material is processed on all Perfactory® systems. EnvisionTEC PIC100 builds extremely smooth surfaces.

D. EC500

EnvisionTEC's innovative direct investment casting material, Easy-Cast EC500 has 30% faster build times and dramatically improved casting abilities, as well as zero ash content.

E. HTM140V2

Dramatically changing jewelry manufacturing by eliminating the need to make a silver/ metal master and then vulcanizing in rubber. The new HTM140V2 photopolymer (stands for High Temperature Mold Version 2) is designed to withstand the heat and pressure of vulcanizing the model in rubber with beautiful detail.

EnvisionTEC's innovative direct investment casting material, has 3 times more wax than any polymer based material, including EC500. It does not boil during burnout, a leading cause of porosity during casting among competitive products.

EPIC is a wax-based material which offers the crispness of EnvisionTEC's PIC materials with the castability of its EC-500 materials in a new formulation that delivers a desirable combination of price, performance, and reliability.

H. PHOTOSILVER

is an RP resin that can produce high detail models straight from the machine without the need for finishing. Can be used directly for molding using conventional techniques and materials. Ceramic filled photopolymer material which produces highly detailed parts with crisp features. High temperature resistance allows for the production of vulcanized rubber molds without breaking or melting the master pattern.





B











FORMLABS

Unlock your creativity one build at a time! Gesswein and FormLabs are committed to bringing innovative and sophisticated fabrication tools into the creative hands of designers, engineers, and artists around the world. An unprecedented convergence of design, performance, and accessibility, the Form 2 brings professional-quality 3D printing to a broader audience. We believe in what we do, and we're excited about creating powerful tools that change the way we work and live.

The Technology

Looks-Like: Test design iterations and communicate ideas to stakeholders affordability and quickly.

Works-Like: Reliably develop proofs of concept and test functional prototypes with materials closely matching common injection-molded plastics.

Feels-Like: Simulate a range of materials from rubber to rigid, and create prototypes with the smooth finish and feel of end products.

A. FORMLABS Form 2

From concept to design, the Form 2 is a powerful tool for jewelers, artists, and designers. Quickly prototype new designs and rapidly produce large batches of ready-to-cast parts. (262-0168)

Everything you need to start printing! Form 2 + Finish Kit includes the Form 2 3D printer, Resin Tank (1), Build Platform (1), Finish Kit, and PreForm Software. You also select the appropriate resin for your usage. Jewelers and designers can go directly to investment with their Form 2 Castable Resin. (262-0170)

Specifications:*

Dimensions: $35\text{cm} \times 33\text{cm} \times 52\text{cm} \ (13.5" \times 13" \times 20.5")$

Wt: 13kg (28.5 lbs)

Operating Temp. (Suggested): Auto-heats to 35° C (95° F) Temp. Control: Self-heating Resin Tank

Power Requirements: 100–240 V, 1.5 A 50/60 Hz 65 W
Laser Specifications EN 60825-1:2007 certified, Class 1 Laser
Product, 405nm violet laser, 250mW laser

Connectivity USB: Wi-Fi, Ethernet and USB

Optical Path: Protected

Printer control Interactive Touch-screen with Push-button

 Description
 Item#
 Each

 FORMLABS Form 2
 262-0168
 \$3,350.00*

B. FORMLABS Form 2 Resin Materials

Formlabs standard resins available in Black, Clear, Grey and White are formulated to deliver the highest-quality output, our resin captures astonishing detail without sacrificing durability and toughness. Castable Resin burns out cleanly without ash or residue and captures crisp, precise detail and smooth surfaces. Jewelers and designers can go straight from a 3D design to a model for direct investment.

Description	Item#	Each
Black Resin Cartridge	262-0260	\$149.00
Grey Resin Cartridge	262-0240	149.00
White Resin Cartridge	262-0181	149.00
Clear Resin Cartridge	262-0186	149.00
Castable Resin Cartridge	262-0170	299.00




*Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.



C, D FORMLABS Resin Tanks and Build Platform

Your Resin Tank should be replaced for every two-to-three liters of resin used. If you're planning on working with multiple colors, extra resin tanks allow you to switch quickly and easily between them. You can safely store your other tanks for as many as two months, which means you won't have any wasted material. Chose the Long Term Tank for long rigorous or high volume printing—lasts 20x longer than the standard resin tank. A spare Build Platform can speed up your workflow, whether you're changing resins or starting a new print.

Description	Item#	Each
C. FORMLABS Resin Tank for Form 2	262-0166	\$59.00
D. FORMLABS Build Platform for Form 2	262-0167	99.00
FORMLABS LT Resin Tank for Form 2	262-0163	99.00




^{*}Must chose resin of choice (not included)

"is" File-A-Wax" - Ring Tubes, Slices & Blocks

It's the accepted standard for making a wide variety of designs, especially detailed carvings. Easily turned on a lathe and burns out cleanly from flasks. Cannot be steam dewaxed, not recommended for wax injectors.

Blue: Less hard and more flexible than green, purple or turquoise. Melting temperature: 240°F (115.5°C). Purple: General purpose, hard with some flexibility. Melting temperature: 240°F (115.5°C). Green: A very hard wax, it can't be flexed. Ideal for sharp edges, intricate carvings and delicate engraving. Melting temperature: 243°F (117°C). Turquoise: Not as hard as greendisplays exception surface finish, especially in recessed areas. Maintains superior strength, toughness and extreme flexibility. Not brittle and thus making it very forgiving when milling prongs. When roughing out models, it does not clog the tools such as hand files. Melting temperature: 243°F (116.5°C).




A-I Ferris® File-A-Wax® Ring Tubes

All measure 6" long. Tubes have 5/8" diameter hole.

See pp. 185, 189 for more Wax Ring Tubes.

		Dimensions					Ea	ch Price	s*
	Description	(Inches WxH)	Blue	Purple	Green	Turquoise	1-2	3-5*	6+*
A.	Solid Round	₹ 0.D.	261-5400	261-5385	261-5380	261-5378	\$6.95	\$6.60	\$6.26
B.	Solid Round	1½16 O.D.	261-5500	261-5460	261-5450	261-5448	6.95	6.60	6.26
C.	Rnd, Centered	₹ 0.D.	261-5650	261-5660	261-5700	261-5548	6.95	6.60	6.26
D.	Rnd, Centered	1½16 O.D.	261-5820	261-5815	261-5810	261-5698	6.95	6.60	6.26
E.	Rnd, Off-Center	1½16 O.D.	261-5750	261-5805	261-5800	261-5798	6.95	6.60	6.26
F.	Flat-Top	1 x 1	261-5840	261-5836	261-5835	261-5808	6.95	6.60	6.26
G.	Flat-Top	1 x 11/8	261-5830	261-5826	261-5825	261-5823	6.95	6.60	6.26
Н.	Med. Flat-Top	11/8 x 11/8	261-5855	261-5846	261-5845	261-5833	6.95	6.60	6.26
I.	Lg. Flat-Top	13/16 x 15/16	261-5600	261-5555	261-5550	261-5843	6.95	6.60	6.26
O.D	. = approximate	outside diamet	er						






J, K Ferris® File-A-Wax® Slices

Each slice is 35/8"L x 11/2"W. Assorted thicknesses come in each box.

						E	Each Price	:S
Description	Thickness	Blue	Purple	Green	Turquoise	1-2	3-5*	6+*
1 lb. of slices (B.S.L.)	³ / ₁₆ " to 1"	261-5015	261-5010	261-5005	261-5003	\$14.75	\$14.01	\$13.28
½ lb. of slices (A.S.L.)	½" to ½"	261-5030	261-5025	261-5020	261-5018	12.75	12.11	11.48



L, M Ferris® File-A-Wax® Blocks

Blocks are available individually in 2 weights: ½ lb. and 1lb.

	Dimensions					Each Prices*		
Description	(Inches WxH)	Blue	Purple	Green	Turquoise	1-2	3-5*	6+*
1 lb. blocks	6 x 35/8 x 11/2	261-5300	261-5200	261-5100	261-5098	\$12.75	\$12.11	\$11.48
½ lb. blocks	3½ x 3½ x 1⅓8	261-5250	261-5150	261-5050	261-5048	10.50	9.98	9.45

*Quantity discount for orders of one item number only; not assorted.

Matt[®] Carving Wax

Formulated to meet the demanding specifications of professional wax carvers. Compounded with special care to avoid contamination, pitting and air bubbles. Accurately shaped to minimize preparation time. Choose from three color-coded grades of flexibility. Green: (rigid) cuts clean and crisp, excellent for detailed carving and milling. Melting temperature: 230°F. Purple: (all-purpose) easy to work, good for chip carving, Melting temperature: 225°F. Blue: (bendable) works for items that require flexibility. Melting temperature: 220°F.

A-H Matt[™] Ring Tubes

Measure 6" long except 6pc. assortment, precut to 1" lengths. All tubes have 5%" dia. finger hole.

						EACH	Prices*
	Description	Dimensions	Green	Purple	Blue	1-2	3+*
A.	Round, Centered	⁷ ∕8" O.D.	261-7700	261-7660	261-7650	\$9.95	\$8.96
B.	Round, Centered	1½16" O.D.	261-7810	261-7815	261-7820	8.20	7.38
C.	Round, Centered	15⁄16" O.D.	261-7860	261-7865	261-7880	8.20	7.38
D.	Round, Off-Center	1½16" O.D.	261-7800	261-7805	261-7750	8.20	7.38
E.	Flat-Top Tube	1"W x 1½"H	261-7825	261-7826	261-7830	8.20	7.38
F.	Med. Flat-Top Tube	1½"W x 1½"H	261-7845	261-7846	261-7855	8.20	7.38
G.	Lg. Flat-Top Tube	1½"W x 1½"H	261-7550	261-7555	261-7560	8.20	7.38
Н.	Pre-cut, 6-Piece	4 111 4 111					
	Assortment	1"W x 1"L			261-7500	8.95	8.06

^{0.}D. = approximate outside diameter

I. Matt™ Bracelet Wax Bars

From one blank style you can create round, oval or square bracelets in a variety of sizes. Simply cut 2 slices of the desired thickness to form the bracelet, then trim using the Matt Bracelet Shaper #265-2353 (see pp. 187).

					EACI	H Prices*
Description	Dimensions (LxWxH)	Green	Purple	Blue	1-2	3+*
Bracelet Wax Bar	6½" x 3½" x 1¾"	265-2339	265-2338	265-2341	\$19.95	\$17.96
*Quantity discount fo	or orders of one item num	ber only; not as	sorted.			

J. Matt™ Smooth Precision Wax Tablet Sets

Sets of rectangular wax tablets with large, flat, incredibly smooth surfaces for designing jewelry directly onto carving wax. Available two, 5mm thick, or two, 7mm thick both sets are 7½" x 6½" in size or a set which contains six 6" x 25/8" tablets: three 4.5mm thick tablets, one 6mm thick tablet, one 8mm thick tablet and one 10.5mm thick tablet.

					EAC	H Prices*
Description	Dimensions (LxWxH)	Green	Purple	Blue	1-2	3+*
5mm set of 2	7½"x 6½"	261-7940	261-7930	261-7920	\$19.45	\$18.48
7mm set of 2	7½"x 6½"	261-7941	261-7931	261-7921	\$19.45	\$18.48
4.5mm up to 10.5mm set of 6	6"x 2 ⁵ /8"	261-7900	261-7912	261-7910	\$26.85	\$25.51

^{*}Quantity discount for orders of one item number only; not assorted.

K-N Matt[™] Carving Waxes

Bars are available in ½ lb. and 1 lb. weights. Half-pound slices are ½" thick, while one pound slices are 1" thick.

					EAC	H Prices*
	Description	Color	Dimensions (LxWxH)	Item#	1-2	3+*
K.	Bar, ½ lb.	Green	3 ³ /8" x 3 ¹ /8" x 1 ⁷ /16"	261-7520	\$10.30	\$9.27
L.	Bar, 1 lb.		6½" x 3½" x 1½16"	261-7510	13.35	12.02
M.	Slices, box of ½ lb.		3½" x 1½16" x ½"	261-7540	10.95	9.86
N.	Slices, box of 1 lb.		3½" x 1½16" x ½"	261-7530	16.30	14.67
	Bar, ½ lb.	Purple	3 ³ /8" x 3 ¹ /8" x 1 ⁷ /16"	261-7522	10.30	9.27
	Bar, 1 lb.		6½" x 3½" x 1½16"	261-7512	13.35	12.02
	Slices, box of ½ lb.		3½" x 1½16" x ½"	261-7542	10.95	9.86
	Slices, box of 1 lb.		3½" x 1½16" x ½"	261-7532	16.30	14.67
	Bar, ½ lb.	Blue	3 ³ /8" x 3 ¹ /8" x 1 ⁷ /16"	261-7524	10.30	9.27
	Bar, 1 lb.		6½" x 3½" x 1½16"	261-7514	13.35	12.02
	Slices, box of ½ lb.		3½" x 1½16" x ½"	261-7544	10.95	9.86
	Slices, box of 1 lb.		3½" x 1½16" x ½1	261-7534	16.30	14.67

^{*}Quantity discount for orders of one item number only; not assorted.



^{*}Quantity discount for orders of one item number only; not assorted.


Secretary and the second of th

В











A. Jewelry Drawing Template

An easy-to-use, calibrated template for jewelry designers. Immediately improves your jewelry designs as well as simplify the task of determining the sizes of stones required for your jewelry. Contains stone shape profiles and sizes, as well as shank top and side views. Great for sketches and wax work. Measures $10\frac{1}{4}$ "L x $4\frac{3}{4}$ "W. Complete with instructions.

Description	Item#	Each
Jewelry Drawing Template	812-1660	\$25.00

B. Matt™ Ring Template

Now it's easy to get the precise ring outline you need on your wax blank. Template features 18 different cutouts of both men's and ladies' rings from the most popular styles to some of the more unusual designs. Unbreakable plastic with precision-milled cutouts.

Description	Item#	Each
Matt Ring Template	265-2333	\$12.30

C. Matt™ Wax Trimmer Kit

Trim wax blanks to the exact shape you need. Also use to mill out center of wax rings for sizing. The rotary file is specially designed for wax work. The platform locks at 90° to create a perfectly symmetrical wax pattern and can also be angled for taper cuts. Platform can be adjusted parallel to the handpiece for milling operations to create seats, perfect channels and decorative work. The Matt Trimmer requires a Flexible Shaft machine and 1" diameter handpiece (such as our #30). Comes complete with mounting bracket, adjustable platform, rotary file, ring template (with 18 profiles for men's and ladies' rings), assorted carving wax blanks and instruction book.

Description	Item#	Each
Matt Wax Trimmer Kit	265-2352	\$148.50
Replacement Rotary File (1/8" shank)	265-2357	30.65

D. Matt™ Reamer/Planer

Consists of a precision-ground steel rod with a holding knob and two specially designed carbide blanks. The wing blade is for planing the tube surface, and the boring bit is for boring the finger size. Turn the reamer clockwise and counterclockwise, and the wing blade cuts in both directions, sheering off a thin film of wax with every stroke, leaving a perfectly flat surface. After replacing the wing blade with the boring bit, turn the reamer clockwise to enlarge the finger hole to the precise size with smooth inner walls. Has engraved lines that indicate various finger sizes. Also lets you create bezels for round stones or coin holders.

Description	Item#	Each
Matt Reamer/Planer	261-7905	\$58.90

E. Wax-a-Sizer

Perfect for professional wax carvers. Features machined aluminum bits with sharp blades for cutting accurate finger hole sizes straight through wax ring blanks in one pass. A pilot head on each bit is sized to match the hole in standard wax tubes for stability and symmetry when cutting. You can even hold the whole wax tube in your hand while sizing, making it easier to handle, then simply cut off the desired width after sizing is complete. Wax-a-Sizer includes 20 individual bits in color-coded full-sizes and half-sizes from 5 to 141/2, a sturdy wooden handle and wooden storage box. Sizes are clearly marked on bits and box.

Description	Item#	Each
Wax-a-Sizer	265-2319	\$169.00

F. Multi Angle Wax Gauge

Perfect for measuring wax. Make 90°, 45° and 30° pieces. Easy to draw parallel lines or to get circular center. Measures approximately 4 $^{3}4$ " long. **Description Item# Each**

Description	Item#	Each
Multi Angle Wax Gauge	265-2317	\$39.95

A. Matt™ Miter Box and Saw Set

Includes extruded aluminum miter box with stop-lock and steel back saw. Slices wax bars, rods and ring tubes into tablets with perfectly straight and parallel walls or tapered sides. Miter box holds the ring tube firmly in place. Stop-lock lets you cut multiple tablets of the same thickness. Rugged steel sawblade cuts through tubes with very little effort, leaving a smooth finish. Miter box measures 6"L x 2"W. Sawblade measures 6½"L x 2"D.

Description	Item#	Each
A. Miter Box and Saw Set	265-2346	\$56.95
Replacement Sawblade	265-2348	17.00



B. Matt[™] Ring Tube Reamer

Enlarge the finger hole of wax ring models with speed and accuracy. Hardwood mandrel is specially machined to incorporate a steel cutting blade that extends from the handle to the tapered tip. Slide this reamer through the hole of a wax ring or ring tube and gently rotate clockwise. As the blade turns, it scrapes the inner wall, enlarging the ring to the size that is clearly marked on the mandrel and leaving a smooth, shiny, uniform finish on the ring in seconds.

Description	Item#	Each
Matt Ring Tube Reamer	265-2349	\$26.50



C, D Matt™ Wax Gun Set and Matt™ Supply Box

A wax extruder for creating unique and intricate jewelry designs. The lightweight gun has a thermostatic control for wax temperatures from 120-300°F. Convenient wax cartridges are used for fast loading. Flow is controlled with your thumb.

Endless design possibilities include macramé, twists, wax weaving and more. Set includes gun, 113-page instruction book, 2 brass nozzles (one small and one large round orifice), nozzle-changing wrench and 15 wax cartridges.

The Matt[™] Supply Box includes a highly polished rotating hardwood mandrel mounted on a sturdy steel base, an alcohol lamp, and 120 pieces of wax for the Matt Wax Gun (40 each of green, red and blue).

Description		Item#	Each
C. Matt™ Wax Gun Set, 110V		265-2355	\$150.00
	Matt™ Wax Gun Set, 220V	265-2354	150.00
D.	Matt [™] Supply Box	265-2345	57.95
	Blue Pellets, 1 lb.	265-2330	25.90
	Green Pellets, 1 lb.	265-2362	25.90
	Red Pellets, 1 lb.	265-2363	25.90





E. Matt™ Mini Lathe with Gauge – use with 1" diameter handpiece

For turning and milling hard carving wax. Ideal for wedding bands, bezels and special settings. Complete with lathe, three wax-holding collets, assorted wax blanks, three hand tools for cutting and shaping wax, cutting tool installed in lathe, two cutting tool blanks for custom shaping, Allen wrench and instruction booklet.

	Description	Item#		Each
E.	Mini Lathe with Gauge	265-2312		\$170.00
	Replacement Parts	Item#	1-11	12+
	Wax-Holding Collet	265-2347	\$6.95	\$6.05
	Cutting Tools, set of three	265-2344	18.25	15.88



F. Matt™ Bracelet Shaper – use with 1" diameter handpiece

Fast, precise carving of all kinds of bangle and hinged wax bracelets. Includes a Bracelet Template for round, square or oval bracelet profiles. The large platform can be easily angled for perfect bevel, channel or taper cuts. Two sample pieces of Matt Blue Bracelet Wax are included. You can also use standard wax blocks to make belt buckles, pendants and other large pieces.

Description	Item#	Each
F. Matt Bracelet Shaper	265-2353	\$142.50
Replacement Parts	Item#	Each
Template	265-2336	\$12.85
Rotary File (1/8" shank)	265-2357	30.65

Е











A. Electric Waxing Tray

This easy-to-clean, 3-well wax tray is digitally controlled for temperature adjustment up to approximately 260° F. Two compartments measure $1\frac{3}{4}$ " L x $1\frac{3}{8}$ "W x $\frac{3}{4}$ " deep, large compartment measures 3" L x 2" W x $\frac{3}{4}$ " deep.

Description	Item#	Each
Electric Waxing Tray	265-2358	\$183.00

B, C Transparent Sheet Wax

Pliable sheets of transparent wax with smooth surfaces. Trace designs directly on sheet, then cut with scissors or carving tool. Sheets measure 4" x 4". Sold in boxes of 15 assorted sheets.

	Description	B&S Gauge	Item#	Box
В.	Pink (soft) Sheet Wax	20, 22 & 24	261-9200	\$22.65
C.	Green (firm) Sheet Wax	20, 22 & 24	261-9150	24.25

D. Freeman Sol-U-Carv Wax – A Carvable Wax That is Water Soluble

Sol-U-Carv is both a carvable and soluble wax specifically formulated for the lost wax casting process. Ideal for making hollow beads, hollow pendants, dome rings, or any other configuration where a hollowed area in the finished pattern is desired. Can be carved using conventional carving tools to form cores. Melting temperature: 165° - 170° F. (73.8°-76.7° C.). The melted wax can be poured or injected into a prepared mold to form the desired shape. Other wax can be injected around the Sol-U-Carv wax placed in a metal or rubber mold to produce extremely intricate patterns.

Description	Item#	Each
Freeman Sol-U-Carv Wax (1 lb.)	263-1051	\$22.95

E. Ferris® Mold-A-Wax®

Works like clay when softened in hot water. Melts at 150°F. Sold in 1 lb. blocks. Black Mold-A-Wax is slightly pliable and can be softened in hot water and injected at 150°F. Red Mold-A-Wax is much softer than Black and is not injectable.

		EACH Prices			
Description	Item#	1-2	3-5	6+	
Black #5 (med.)	261-5850	\$20.75	\$19.71	\$18.68	
Red #6 (soft)	261-5849	19.95	18.95	17.96	

F, G Wolf™ Touch-Up and Relief Wax™

Use Touch-Up wax for correcting imperfections such as pits and cracks or filling bezel walls for a tighter fit. Flow temperature: $163^{\circ}F$ ($73^{\circ}C$). Easily scraped or trimmed for a smooth finish. Use for creating raised detail on carving waxes. Apply molten Relief Wax on wax model surface. Can be easily carved. Flow temperature: $165^{\circ}F$ ($74^{\circ}C$).

				EACH Pri	ices
	Description	Item#	1-2	3-5	6+
G.	Touch-Up Wax, 1.7 oz. tin	261-4940	\$17.15	\$16.29	\$15.44
H.	Relief Wax, 1.7 oz. tin	261-4945	17.15	16.29	15.44

A, B Precision Wolf Milling Wax™ By Ferris® – Ideal For Milling Machines!

Wolf Milling Wax withstands extremely high rotational speeds, possesses the toughness to be machined into thin sections and cleans up quickly and easily. Possessing high pliability and toughness, ultra-thin cross sections with the most intricate details and minimal tool path residue can be obtained. Wax models clean up easily and burn out completely. When finished, wax models exhibit a gold-like tone that is easy to read and helpful in visualizing how the finished pieces will look when cast. As a bonus, it has proven to be an excellent hand carving wax, as well. Available in ring tubes and slices. Ring tubes measure 6" long with 5/8" dia. finger hole. Slices measure 53mm square. Melting temperature: 240°F (115.6°C).

				EACH Pri	ces
Description		Item#	1-2	3-5	6+
A.	Tube B-1062, Solid $1\frac{1}{16}$ " O.D.	261-4901	\$10.15	\$9.64	\$9.14
	Tube T-1062, Center Hole 11/16" O.D.	261-4905	10.15	9.64	9.14
	Tube T-1062E, Off-Center Hole 1 ¹ / ₁₆ " O.D.	261-4909	10.15	9.64	9.14
	Tube T-100, Flat Top 1"W x 11/8"H	261-4913	10.15	9.64	9.14
	Tube T-200, High Flat Top 13/16"W x 15/16"H	261-4917	10.15	9.64	9.14
				EACH Pric	es

					EACH Pri	ces
De	escription		Item#	1-2	3-5	6+
В.	Slices, 1 lb.	5mm, 16 Slices	261-4937	\$21.50	\$20.43	\$19.35
	Slices, 1 lb.	10mm, 9 Slices	261-4938	21.50	20.43	19.35
	Slices, 1 lb.	5mm, 6 Slices	261-4939	21.50	20.43	19.35



Ideal for securing stones for accurate tracing. Just smear wax on stone, press stone onto wax or metal, and scribe around stone. Flow temperature: 173°F (78°C). Sold in 3 oz. boxes of sticks. Each stick measures ³/₁₆" sq. x 5"L.

		E/	AUH Pric	es
Description	Item#	1-2	3-5	6+
Wicked Sticky Positioning Wax, 3 oz. box	261-4936	\$11.90 \$	11.31 \$	10.71

D. Sticky Wax

Fast-setting wax for joining other waxes. Melting temperature: 160°F.

Description	Item#	Each
Sticks (3 oz 1/4" dia. x 5"L)	261-6305	\$8.50

E. Wax Wire Assortment

Contains 6 oz. of wax wire. Includes half-round (6-, 8-, 12- and 14-gauge), round (10-, 14- and 18-gauge) and half-pear shapes (6-gauge). Sticks measure 4" long.

Description	Item#	Each
Wax Wire Assortment	261-5900	\$13.95

F. Wax Wire - Round


Flexible 4½" long wires can be twisted or bent. Packaged in convenient storage box. Each box contains approximately 2 oz. of round wax wire. Thickest wire is 6-gauge.

Description	B&S Gauge	Item#	Each	B&S Gauge	Item#	Each
Wax Wire	6	261-5945	\$14.50	14	261-6100	\$14.50
	8	261-5950	14.50	16	261-6150	14.50
	10	261-6000	14.50	18	261-6200	14.50
	12	261-6050	14.50	20	261-6250	14.50

G. Wax Wire Spools - Round

Flexible round wax wire (1/4 lb.) spooled for less waste when different lengths of wire are needed. You only cut off the exact length you need. Can be used for decorative wax work such as braids, macramé, scroll work, etc. Thickest wire is 6-gauge.


Description	B&S Gauge	Item#	Each	B&S Gauge	Item#	Each
Wax Wire Spo	ols 6	261-6286	\$21.50	14	261-6290	\$21.50
	8	261-6287	21.50	16	261-6291	21.50
	10	261-6288	21.50	18	261-6292	21.50
	12	261-6289	21.50			















A-F Wax Heat Carver

This easy-to-use carver features a heavy-duty variable-power rheostat that enables precise, consistent temperature control from approx. 100-1,200°F. Includes comfortable handpiece with ultra-flexible 35" power cord, built-in handpiece holder and blue tip. Measures 4"W x 6"D x 3"H. Made in USA.

	Description	ltem#	Each
A.	Wax Heat Carver, 110V	265-1980	\$145.00
	Wax Heat Carver, 220V	265-1981	204.00
B.	Red Tip, Broad Spatula	265-1983	12.00
C.	Yellow Tip, Bent Needle Nose	265-1984	12.00
D.	Orange Tip, Straight Needle Nose	265-1986	12.50
E.	Green Tip, Straight Flat Sharp	265-1987	12.50
F.	Replacement Blue Tip, Bent Needle Nose Sharp	265-1985	12.00
	Replacement Handpiece	265-1982	44.85

G. Bunsen Burner

For heating wax and wax-carving tools. Can be used with artificial or natural gas. Has adjustable needle valve for gas control to produce a hot brush flame down to a needle flame with intense heat. Measures 4½"H, 3" base diameter.

Description	Item#	Each
Bunsen Burner	811-1600	\$49.55

H. Alcohol Lamps

Safety cap to prevent evaporation of fuel. Faceted bowl can be tipped on angle. Each bowl holds 4 oz. of fuel, measures 4" diameter. One wick is supplied. EACH Drices

		EAUTI FIICE	
Description	Item#	1-5	6+
Lamp w/ sleeve adjustment	813-1905	\$9.15	\$8.24
Lamp w/ screw adjustment	813-1900	6.99	6.29
Replacement Wicks	Item#	брс)	Each
1/4" for #813-1905	813-1906		\$0.55
³ / ₁₆ " for #813-1900	813-1901		0.55
	Lamp w/ sleeve adjustment Lamp w/ screw adjustment Replacement Wicks 1/4" for #813-1905	Lamp w/ sleeve adjustment 813-1905 Lamp w/ screw adjustment 813-1900 Replacement Wicks Item# 1/4" for #813-1905 813-1906	Description Item# 1-5 Lamp w/ sleeve adjustment 813-1905 \$9.15 Lamp w/ screw adjustment 813-1900 6.99 Replacement Wicks Item# 6pc 1/4" for #813-1905 813-1906

6pc Six-piece minimum; please order in multiples of 6.

I. Wax Ring Mandrel

Step-type aluminum mandrel for full sizes 4-13. Rotates a full 360° and can be detached from base. Measures 12½" long. Use Mold Release Spray (see 816-2915 p. 194) for lubricant.

Item#	Each	
260-4250	\$40.45	
	1.011111	

J. Handy Wax Pen

Whether you are a hobbyist, artisan or a jewelry manufacturer/retailer, the New Handy Wax Pen is the perfect tool for the bench or someone on the go. Small in size but mighty in power, the Handy Wax Pen is a must to have for the beginner to the advanced wax worker. Comfortable to hold and maneuver, the Handy Wax Pen is consistent in temperature (266-284°F/130-140°C) and preheats in just two minutes! Comes complete with one tapered tip that makes it ideal for wax carving, smoothing, shaping, creating textures and buildups and spruing wax pieces for casting. When not in use, wax pen can rest on a handy metal stand for optimal safety. 110V. Made in Taiwan.

Description	Item#	Each	
Handy Wax Pen	265-2320	\$19.95	
Replacement Tapered Tip	265-2323	6.00	

A-G Giles® Precision Waxer

An indispensable tool for wax model making. Great for carving, shaping, texturing and sizing. Graduated dial adjustment has nine settings for accurate temperature modulation. Slim, lightweight handpiece with flexible 26" cord provides fine control for intricate work. Measures 4" long without tip. Weighs 1 oz. Waxer features mounted handpiece holder, pilot light and on/off switch. Includes three tips. Electrical: 110V or 220V, 1A, 15W, 50/60Hz. Measures 4"L x 5"W x 3"H. Made in USA.

	Descrip	tion		Item#	Each
A.	Precisio	n Waxer, 110V		265-2300	\$165.00
	Precisio	n Waxer, 220V		265-2301	195.00
	Replace	ment Handpiece and Cord		265-2309	51.75
	Tips		Shape	Item#	Each
B.	Red*	(replacement)	Wide	265-2302	\$14.70
C.	Yellow*	(replacement)	Wide (grooved)	265-2303	12.90
D.	Blue*	(replacement)	Narrow (bent)	265-2304	12.90
E.	Orange		Flat	265-2305	12.90
F.	Green		Needle (fine)	265-2306	13.90
G.	Black		Sprue Burning	265-2307	14.99

^{*}Supplied with Precision Waxer.

H-Q Kerr Ultra Waxer 2

The ultimate electronic waxer comes complete with two handpieces and 2 tips (Small PKT and Large PKT) for increased productivity. Now you'll rarely have to stop to change tips; interrupting your creative flow. Handpiece cord measures 34". Features convenient tip holder for eight tips, easy-to-use all digital menu functions such as quick heat and programmable temperature presets.

Features:	Specifications:		
Dual Voltage	Electrical:	110/220V	
Quick heat up/constant temp	Dimensions:	13"L x 10 ¹ / ₄ "W	x 5"H
Sturdy construction	Weight:	3.8 / 6.0 lbs.	
Model		Item#	E

	Model	Item#	Each
H.	Kerr Ultra Waxer 2	265-2563	\$345.00
	Tips	Item#	Each
Ī.	Large Denture - Orange	265-2573	\$75.75
J.	Small Denture - Pink	265-2572	75.75
K.	Short #7 - Gray	265-2440	75.75
L.	Large #7 - Green	265-2441	75.75
M.	Short 1/2 Hollenback - Black	265-2442	75.75
N.	Short Needle - Red	265-2443	75.75
0.	Short Beavertail - Purple	265-2444	75.75
P.	Short Large PKT (replacement) - Teal	265-2445	75.75
Q.	Short Small PKT (replacement) - Blue	265-2446	75.75
	Replacement Handpiece and Cord	265-2564	66.95
_	Short Small PKT (replacement) - Blue	265-2446	75.75

R. PEPETOOLS TouchAmatic Digital Wax Pen

State-of-the-art digital wax pen that provides immediate heating response when you simply touch the contact point on the pen. Features variable control knob for precise temperature control. Low enough to do fine wax work and high enough to burn sprues into silicone molds. Two modes: "Continuous Mode" will output a constant temperature from the pen tip and "Touch Mode" will output heat only when the pen is activated. Immediate heating response. Takes up minimal space on the benchtop with its small footprint. Handpiece cord measures 31" providing necessary maneuverability. Includes four color-coded Nichrome tips.

Specifications:

Up to 800° F (420° C) Temperature Range: Dual Voltage: 110/230V, 50/60 Hz.

Max Power Consumption: 20 VA

3"W x 7"D x 51/4"H Dimensions:


	Description	Item#	Each
R.	Pepe TouchAmatic Digital Wax Pen	265-2891	\$295.00
	TouchAmatic Digital Replacement Pen	265-2892	56.65
_			







A. Wolf Precision Wax Carver Set Designed by Kate Wolf, master modelmaker and educator. Feature chromium manganese tool steel tips with precise, sharp, durable edges and color-coded, numbered beech handles. Ideal for carving wax, polymer clay and PMC. Set includes 18 tools with heavy-duty plastic canister and 24-page full-color instruction booklet. Description A. Wolf Precision Wax Carvers Full Set 260-2978 \$164.00 #1 Scribe #2 Detailing Knife #3 Small Rounding #5 Small Hollower #6 Medium Rounding #8 Small Rake Hollower #9 Undercutting #4 Small 90° #16 Medium #10 Diamond #14 Pavilion #12 Concave/ #13 Medium #11 Medium #15 Large Hollower #17 Tapered #18 Large Point 90° Safe-Edge Convex Hollower Safe-Edge Rake Hollower Triangle Rake Hollower



B. Sharp-Edge Wax Carver 6-Piece Set

Made of high-grade stainless steel, this set of 6 carvers feature heads with sharp edges that cut and scrape wax exceptionally well. All have nonroll octagonal handles with cross-grooves for comfortable yet secure grip. Measures approx. 5³/₄" long. See picture for shapes.

Description	Item#	Each
B. 6-Piece Set	260-2919	\$19.95

C-H Wax Carving Tools

Carve, form, shape and patch wax models. Stainless steel tools with hexagonal handles. Double-ended. Measure 6½" long. See picture for shapes.

Description	Item#	Each
C. #7	260-2700	\$6.25
D. #50	260-2900	6.25
E. #1	260-2650	6.25
F. #6	260-2850	6.25
G. #3	260-2800	6.25
H. #1/2	260-2750	6.25
6-Piece Set	260-2600	21.95

I. Busch® Wax Burs - 3/32" Shank

Made of tungsten vanadium steel. Very coarse cut for carving wax. Will not clog with wax like regular burs. Made in Germany.

			EACH Prices	
Shape	Diameter (mm)	Item#	1-71	72+
•	1.8	121-8170	\$3.65	\$3.10
•	2.3	121-8180	3.65	3.10
	3.1	121-8190	5.89	5.01
	5.0	121-8200	7.08	6.02

J, K Wax Bur Sets - 3/32" Shank


Each includes 12 different vanadium steel burs with teeth that are widely spaced to prevent clogging. Includes convenient wooden stand that keeps burs organized and accessible.

Description	Item#	Each
J. Small Bur Set of 12	122-7151	\$15.95
K. Large Bur Set of 12	122-7150	25.15

A, B Speedy Wax Pens

These lightweight wax-carving tools offer instant heat. Feature a pointed heating element that operates with fingertip control. Excellent for beads and details, removing flash and repairing mistakes. Tip is easy to replace. Standard Pen measures 6" long and runs on 1 AA battery (supplied). Super Pen measures 8" long and runs on 2 AA batteries (supplied). Made in USA.

				EAC	H Prices
	Description	Temperature	Item#	1-2	3+
A.	Super Pen	2,200°F	265-2881	\$31.39	\$28.25
B.	Pen	1,300°F	265-2880	22.95	20.66
	Replacement Tip		265-2885	7.15	6.44



C. Smoothy[™] Flameless Wax Finisher/Mini Torch

A flameless jet of heated air gives you a smooth, scratch-free surface when passed over wax patterns. Blends parting lines without actually touching the wax. Remove tip and you have a pencil-point torch producing temperatures up to 2,300°F. Great for light soldering or minor casting repairs. Uses standard Butane fuel. UL registered. $6\frac{3}{4}$ " overall.

Description	Temperature	Item#	Each
Smoothy	2,300°F	262-0500	\$174.50



These rasps feature extra-sharp teeth for a fast cut with no clogging. Open back allows wax shavings to fall away quickly. Available in square or round. Both measure 6" long.

Shape	Item#	Each
D. Square	260-3062	\$8.95
E. Round	260-3060	8.95

F. Wax Needle File Sets

High quality files for rough filing wax. Each file is $5^{1}/2$ " long. Coarse, nonclogging. Set of six: crochet, equalling, half-round, round, square and three-square.

	Shape	Item#	Each
F.	Wax Needle File Set (Italy)	265-2335	\$60.90
	Econo Set (India)	265-2315	9.95

G. Large Wax File Set

Five large sized wax files for shaping wax. Set includes round, half-round, square, pillar and 3-square. Coarse, nonclogging. Measures 8" long. Made in Italy.

Item#	Each
265-2337	\$96.50

H. Wax Carving File Set

Includes four files designed for precision wax carving. Their pen-like design provides optimal control. And their single-cut teeth never clog. Made of stainless steel. Measure $6\frac{3}{4}$ " overall length, 1" cut length.

Description	Item#	Each
Wax Carving File Set	260-2950	\$21.05



Gesswein



A-C Ceramic Plastic Deflashing Tools

Each holds edge indefinitely and provides complete user safety.

These tools feature space-age ceramics that debur hard plastics effortlessly while eliminating the fear of cutting your hands or fingers in the process. Ideal for curved and complicated shapes. Excellent on ultrahard resins that defy carbon steel tools. Can also be used on soft metals such as aluminum, copper and brass.

Available in 3 sizes: Large Disposable Deflasher (6 $\frac{7}{8}$ " long with $1\frac{1}{2}$ " long cutting edge) has matte cutter-type handles; Small Disposable Deflasher (5½" long with 1" long cutting edge) has a fluted, nonroll design; Micro Deflashing Pen ($5^{7/8}$ " long with 3/8" long cutting edge) has 2 jaw chuck for easy blade replacement.

Description	Blade	Item#	Each
A. Large Ceramic Deflasher	1 ¹ /2"	351-0295	\$32.95
B. Small Ceramic Deflasher	1"	351-0294	29.95
C. Micro Ceramic Deburring Pen	3/8"	351-0001	29.95
Replacement Micro Blades—5-pack	3/8"	351-0002	29.95

D. All-in-One Swiveling Deburrer – With five tips

Deburs holes as small as 3/32" and removes sharp or rough edges from steel, aluminum, brass or iron parts. Comes with five curved, sharpened, high-speed steel tips made from ½" stock for long wear and less chance of breakage. Each tip swivels 360° either way to follow curves and contours. Handle has an internal storage compartment and a quick-tiprelease feature. Measures 5" long.

Description	Item#	Each
All-in-One Swiveling Deburrer	846-2050	\$19.98

E. Swiveling Wax Carver/Deburrer

This handy tool is great for radiusing and rounding off corners and edges, especially on insides of rings. Replaceable tip swivels 360° (forward or backward). Comes with large and small hardened tool steel tips. Metal handle measures $\frac{1}{2}$ " diameter x $5^{7}/8$ " overall length.

Description	Item#	Each
Swiveling Wax Carver/Deburrer	846-2055	\$19.95



F. Castaldo® Mold Release Spray

Castaldo mold release spray is pure silicone oil in an aerosol can for use in releasing wax patterns from rubber or metal molds. Safe, non-toxic, colorless, odorless, greaseless. Will not damage molds made of natural mold rubber. Contains no CFCs nor VOCs.

			EACH	l Prices
Description		Item#	1-11	12+
Castaldo Mold Release Spray	Ĥ	816-2915	\$13.40	\$12.73

G. Sprits GF Mold Release Spray

Sprits all-purpose GF, gentle formula, mold release spray is a heavy-duty, food grade, non-paintable, silicone spray compatible with solvent-sensitive thermoplastics. Ultra-fine atomization for uniform coverage, fast drying. Contains no CFCs.

Description	Item#	Each
Sprits Mold Release Spray 12 oz. can	816-2925	\$10.95
Sprits Mold Release Spray (case of 12)	816-2938	104.00

H. Talc Powder

Brush or dust onto your rubber molds to permit easy removal of waxes and to open vents. Also used as a separating powder. 5 lb. bag.

Description	Item#	Each
Talc Powder	260-1375	\$16.50

H

A. Akrovest Wax Wash

Spray on wax pattern to reduce surface tension, allowing complete adherence of investment to wax. Nonhazardous. Sold in 8 oz. spray bottle.

Description	Item#	Each
8 oz. Spray Bottle	260-4520	\$13.30

B. Wax Kleen™

Rub this 100% organic solution on your wax patterns to polish them before casting. Removes scratches and leaves a clean, smooth surface. Pleasant citrus scent.

Description	scription Item#	
8 oz. Bottle	261-9004	\$16.50



Brush on or dip wax pattern into Wax Wash to reduce surface tension, allowing complete adherence of investment to wax. Can be used whether flask will be vibrated or vacuumed.

			EACH	1 Prices
Description		Item#	1-3	4+
1 pt. Bottle	\$	260-4555	\$8.45	-
1 qt. Bottle	<u>\$</u>	260-4550	12.75	\$10.20

D. Dispensing Bottle

Plastic bottle holds Wax wash or other solvents. Special stainless steel lid with one-way valve allows pumping of solution into shallow well on top of bottle. Ideal for dispensing solutions that would otherwise evaporate.

Description	Item#	Each
Dispensing Bottle	830-4525	\$26.45

E. Wax Injection Mold Plates

Thick, well-finished aluminum plates for uniform pressure on your rubber mold during wax injection. Each set contains 2 plates, 12-gauge thickness, 3"L x 1³/₄"W.

Description	Item#	Set of 2
Wax Injection Mold Plates	265-2340	\$2.95

F. Plating Thermometers

Stainless steel thermometer for measuring stripping and plating bath temperatures. Help eliminate guesswork to improve results. Include metal clip for easy attachment to edges of beakers. Dial reads from 50 to 400°F. Measures 8" long.

Description	Item#	Each
Stainless Steel Dial Thermometer	210-2255	\$15.95

Web Site Orders 24/7: gesswein.com















A. Kelly Green Injection Wax

Extremely fluid wax easily fills both thick and thin intricate designs. Low ash content produces a very clean burnout for "snow white" flasks resulting in maximum flow when vacuum casting and reducing porosity. Unique color of Kelly Green is very "readable" for fine detail. Injection temperature: 155° to 160°F (68° to 71°C).


	PKG. of 5 lbs.			BOX of 50 lbs.		
Color	Item#	1	2+	Item#	1-4	5+
Kelly Green	261-8149	\$30.95	\$29.40	261-8158	\$250.95	\$238.40



B. Ferris® Turquoise Injection Wax

Super tough, medium-hard wax with built-in release agents. General purpose for both large and small molds. Injection temperature: 150° to 160°F (66° to 71°C).


_	P	KG. of 5 lbs		BOX of 50 lbs.		
Color	Item#	1	2+	Item#	1-4	5+
Turquoise	261-8143	\$28.95	\$27.50	261-8152	\$235.95	\$224.15



C. Ferris® NYC Blue Injection Wax

Identical formulation as the Turquoise wax above, but in a bright readable blue made popular in the New York City area. Injection temperature: 150° to 160°F (66° to 71°C).

	F	PKG. of 5 lbs	S.		BOX of 50 lbs.		
Color	Item#	1	2+	Item#	1-4	5+	
NYC Blue	261-8145	\$28.95	\$27.50	261-8155	\$235.95	\$224.15	



D, E Ferris® Magnaject™ Pink and Blue Injection Waxes

Extremely fluid wax to fill the most intricate patterns—including filigree, even at low pressures. Minimal shrinkage. Durable, nonbrittle with long shelf life. Available in blue or pink. Injection temperature: 150° to 160°F (66° to 71°C).

		P	KG. of 5 lbs			BOX of 50 lb	s.
	Color	Item#	1	2+	Item#	1-4	5+
D.	Magnaject Pink	261-8144	\$32.95	\$31.30	261-8153	\$280.95	\$266.90
E.	Magnaject Blue	261-8146	32.95	31.30	261-8154	280.95	266.90



F. Ferris® Blue Injection Wax

Specially formulated for intricate, detailed molds. Hard wax with excellent memory. Cools quickly, pulls easily from mold. Injection temperature: 150° to 160°F (66° to 71°C).

	PKG. of 5 lbs.				BOX of 50 lbs.		
Color	Item#	1	2+	Item#	1-4	5+	
Blue	261-8142	\$29.95	\$28.45	261-8151	\$240.95	\$228.90	



G. Ferris® Plastic Injection Wax

This plastic-type wax combines the excellent flow characteristics of wax and the durability of plastic. Minimum shrinkage, excellent memory and flexibility. Long shelf life before and after injection. Releases easily from molds. Melting point: 155°-160°F. Injection temperature: 150° to 160°F (66° to 71°C).

Blue	261-8130	\$29.95	\$28.45	261-8132	\$240.95	\$228.90
Color	Item#	1	2+	Item#	1-4	5+
	P		BOX of 50 lbs.			



H. Injector Cleaning Wax

Quick and easy method of eliminating all traces of injection wax from wax pots and injectors. This soft, white, translucent wax removes even the most stubborn wax residues. Excellent purging wax for large injectors. Has a melting temperature of approximately 130°F. Supplied in 5 lb. box.

		PKG. of 5 lbs		
Description	Item#	1	2+	
Injector Cleaning Wax	261-9000	\$41.50	\$37.35	

A. Castaldo® Plast-0-Wax®

Castaldo Plast-O-Wax produces patterns that are very flexible, resilient and durable with great memory and does not become brittle over time. Fewer broken patterns equal greater productivity. A unique allpurpose injection wax that combines excellent flow and fill qualities with the stability of plastic while producing smooth glossy surfaces, crisp detail and minimal shrinkage. Great for stone-in-place casting. Injection temperature: 155° to 160°F (68° to 71°C).

Description	Item#	2kg Box	Item#	20kg Box
Plast-O-Wax	261-8137	\$25.75	261-8136	\$207.75



B. Freeman[®] General-Purpose Flakes[™]

This all-purpose injection wax is Freeman's most popular formulation as it provides the ideal balance of characteristics demanded by most designers and casters. Also recommended for stone in place casting. Low shrinkage with excellent flow and long pattern shelf life. Aqua is the most popular color while Turquoise and Ruby Red are for designers and casters who prefer darker colors for easier visual verification of fine detail. Injection temperature: 150°F (65°C).

					BOX of 50 II	bs.
Description	Item#	5 lb. Box	Item#	1	2-9	10+
Ruby Red	261-9321	\$29.79	261-9320	\$268.00	\$241.20	\$227.80
Turquoise	261-9325	29.79	261-9324	268.00	241.20	227.80
Aqua	261-9323	29.79	261-9322	268.00	241.20	227.80



C. Freeman® Flexible Blue Flakes™

Features the longest shelf life and the highest flexibility of the Freeman Flakes line so it will not break during removal from the mold. This unique mixture of wax and plastic is especially well-suited for metal molds and stone in place casting. Injection temperature: 155°F (68°C).

					BOX of 50 lb	S.
Description	Item#	5 lb. Box	Item#	1	2-9	10+
Flexible Blue	261-9327	\$31.50	261-9326	\$280.00	\$252.00	\$238.00



D. Freeman® Tuf Guy Green Flakes™

This is the toughest wax of the Freeman Flakes line. Its accuracy and durable, yet flexible characteristics make it ideal for large pieces. Excellent memory and high flexibility allow easy pattern removal from any mold. Low shrinkage, good flow. Injection temperature: 165°F (73°C).

Tuf Guv	261-9329	\$29.79	261-9328	\$268.00	\$241.20	\$227.80
Description	Item#	5 lb. Box	Item#	1	2-9	10+
					BOX of 50 lb	os.



E. Freeman® Super Pink Flakes™

Featuring the guickest solidification, this wax will not give, making it ideal for clasps, claws, and bezel settings. Also, the opacity makes this wax superior in readability. Superior flow and fast solidification. Injection temperature: 150°F (65°C).

					BOX of 50 lb	s.
Description	Item#	5 lb. Box	Item#	1	2-9	10+
Super Pink	261-9331	\$31.50	261-9330	\$280.00	\$252.00	\$238.00



F. Freeman® Filigree Pink Flakes™

This wax combines the flexibility of Tuf Guy Green with the excellent flow characteristics of Aqua General-Purpose flakes, producing very high detail while enabling easy pattern removal without breakage. Recommended for stone in place casting. Injection temperature: 155°F (68°C)

					30X of 50 lb:	S.
Description	Item#	5 lb. Box	Item#	1	2-9	10+
Filigree Pink	261-9333	\$29.79	261-9332	\$268.00	\$241.20	\$227.80



G. Freeman® Carvable Purple Flakes™

Developed for designers and casters who often rework wax patterns, this wax offers superior carvability with minimal filling or clogging of tools. Also, with the highest injection temperatures of the Freeman Flakes line, it will not break under stress and enables easier handling. Excellent flow and flexibility, low shrinkage and long pattern shelf life. Injection temperature: 170°F (77°C).

				BOX of 50 lbs.		
Description	Item#	5 lb. Box	Item#	1	2-9	10+
Carvable Purple	261-9335	\$31.50	261-9334	\$280.00	\$252.00	\$238.00





A. ARBE Hand Pump Wax Injector

A well-built hand pump wax injector with an air pressure gauge that reads up to 30 PSI and an ultrasensitive thermostat that ensures precise and consistent temperature control up to 250°F. Insert a thermometer in the port on the cover (not included; consider #210-2255 (see p. 195). Designed for great reliability with ceramic mica heating elements, heated sealed nozzle, fully insulated cast-aluminum pot and powder-coated steel outer drum. Also includes on/off switch, power indicator light and spigot drain. Made in USA.

Specifications:

Wax Capacity $2\sqrt[3]{4}$ qts. $(5\sqrt[1]{2}$ lbs.)

Electrical 110V, 6A, 660W, 50/60Hz or 220V, 3A, 660W, 50/60Hz

Dimensions $10^{1/2}$ " dia. by 14"H

Description	Electrical	Item#	Each
Hand Pump Wax Injector	110V	265-4950	\$545.00
Hand Pump Wax Injector	220V	265-4951	545.00



B, C ARBE Air Pressure Wax Injectors

Extremely well-built units designed for reliability and performance. The 2% Quart and 4 Quart models differ only in size and capacity. Both feature: Heated, sealed nozzle which won't leak or clog, large, easy-to-remove and tightly sealed top, fully insulated cast-aluminum chamber with durable stainless steel outer casing, convenient spigot drain for wax change and cleaning, adjustable pressure control with regulator and gauge (max. 15 PSI), automatic pressure release valve to ensure safety, dial-adjustable heater and thermometer well for temperature control up to 250°F (121°C), power indicator light, and an on/off switch. Require an air compressor such as #265-3100 (see p. 249) and a thermometer such as #210-2255 (see p. 195). Made in USA.

Specifications:	2 ³ / ₄ -Quart	4-Quart
Wax Capacity	2 3/4 qts. (6 lbs.)	4 qts. (8 lbs.)
Electrical	120V, 9A, 60Hz	120V, 7A, 60Hz
Dimensions	10 ¹ / ₂ " dia. x 14"H	12" dia. x 19 ¹ / ₂ "H

Description	Electrical	Item#	Each
B. 2 3/4-Quart Injector	120V	265-2267	\$475.00
C. 4-Quart Injector	120V	265-2295	625.00



D. ARBE Mini Air Pressure Wax Injector

For the small shop or for special waxes, our Mini Wax Injector has all the features of the larger ARBE injectors in a space-saving unit. Air pressure operation with a 2" diameter easy-to-read gauge, safety release valve, adjustable thermostat to 250°F, and thermometer well (use our #210-2255 Dial Thermometer). Machined aluminum pot, cover and base with durable steel ceramic-mica aluminum heating element. Double sealed, no leak nozzle. 220V unit is special order please allow extra time for delivery. Requires an air compressor that is capable of reaching a minimum of 30 PSI. Made in USA.

Specifications:

Wax Capacity $1\frac{1}{3}$ qts. (2.66 lbs.) Dimensions 8" dia. x 10"H

Description	Electrical	Item#	Each
D. Mini Injector	110V, 60 Hz, 1Ph	265-2270	\$355.00
Mini Injector	220V, 50/60 Hz, 1Ph	265-2720	375.00



E. Universal Debubbler Valve - For Wax Injectors

Are air bubbles ruining your waxes? Attach this valve to your wax injector, hook up to your vacuum pump and vacuum out all the bubbles for perfect wax patterns.

Description	Item#	Each
Universal Debubbler Valve	260-3375	\$64.95

A. MASTERIX Wax Injectors

Injected wax is free of bubbles, even micro bubbles, thus flawlessly and accurately replicating your designs. Especially designed to handle the extremely difficult very thin thicknesses associated with filigree. Both units can easily handle any pattern in a rubber mold measuring up to approximately 5"x4"x1.5"

Available either as the Standard Model (265-2129) or as the Auto Injection System (265-2130) which utilizes AutoStart. AutoStart, first in the world, allows the user to save on the average 2 to 3 seconds per injection cycle, thus ensuring a considerable increase in production. The operator's work becomes so simplified that even the novice operator can use the wax Injector without any issues! No buttons to press, even with molds of different sizes, simply load and the size is detected and centered prior to injection. Once the mold is read, it is automatically injected, thus reducing operator errors on choice of programs.

Both versions utilize RFID technology allowing the operator to quickly load the parameters by scanning the tag on the rubber mold. Made in Italy.

Features

- Automatically injects quickly, accurately and easily saving time
- Rejects are reduced considerably
- Consistent pattern weight

3	- Oursistorit pattorn weight		
Description		Item#	Each
Standard Wax Injector	<u></u>	265-2129	\$11,550.00
Auto Start Wax Injector	<u></u>	265-2130	12,550.00
RFID tags (10)		265-2133	28.50
REID tags (100)		265-2134	250.00



Specifications

Dimensions Machine: 22" x 12.5" x 17.5" (55 x 32 x 45cm)

Weight: Machine: 62lbs (28kg) Packaging: 92lbs (42kg)

Power: 110V, 6A, 60Hz System Pressure: 6 Bar

Tank / Capacity: Aluminum Tank - 10lbs/4.5k (4.75 Qt) Touch Screen/RFID - 4.3" (11cm) Removable (Std), Fixed (Auto) Clamp (Max Mold Size): 5.1"W x 4.75"D x 1.75/2.55"H

(130mmW x 120mmD x 45/65mmH)

B. Orange Wax Injector – Ideal for high production manufacturers

Precise, consistent pressure produces perfect repeatable patterns. You are in control of all the variables, temperature of wax in the reservoir and at the nozzle; air pressure, mold holding pressure and vacuum time so your patterns are perfect. Uses standard size rubber molds, approx. 2" x 1.2" and easily handles off-center molds with their patented process, decreasing operator training time. Rejects are reduced considerably.

- Injects quickly and easily saving process time
- Automatically injects the mold accurately producing perfect wax patterns
- Consistent pattern weight

Description	Item#	Each
Orange Wax Injector	265-4150	\$9,550.00



Max Air Pressure: 30PSI

Temp Range: 40° - 99°C (103° - 211°F)

Wax Capacity: 6 lbs (2.7kg)

Vacuum: High Vacuum 27 in HG or Higher Overall Dimensions (cm): 80W X 60D x 55H Net/Shipping Weight: 110/216 lbs. (50/98kg)

Rubber Molds: 2" x 1.2" x 0.3"



C. Digital Vacuum Wax Injection System

Increases production by eliminating wax pattern defects!

An advanced system delivering consistent, repeatable wax patterns with the best possible surface finish. Draws air out of the mold before injection, eliminating air bubbles that result in wax pattern defects. Injects wax immediately after vacuuming to ensure a complete fill. Performs two-stage injection to compensate for shrinkage.

Offers both manual and automatic modes with the ability to set the following parameters for different molds: wax and nozzle temperatures, vacuum and injection times, injection pressures, clamp holding time, clamp holding pressure and clamp forward pressure.

System consists of digital vacuum wax injector, digital pressure controller auto clamp and foot pedal. Accommodates up to $3^{1/8}$ " x $3^{7/8}$ " x $1^{1/4}$ " rubber molds. Requires air compressor such as SilentAire #265-3100 and vacuum pump such as Oil-less #265-2255 (see p. 250).

	Description	Electrical	Item#	Each
C.	Complete System	120V	265-4144	\$4,125.00
	Wax Injector only	120V	265-4140	2,200.00
	Controller/Clamp only	120V	265-4142	2,400.00



Specifications:

Wax Capacity: 3 qts. (6 lbs.)

Electrical: 120V, 10A, 60Hz (240V also available) Dimensions: Wax Injector: 21½"W x 15"D x 17½"H Controller: 81/4"W x 131/2"D x 71/2"H

Clamp: 61/4"W x 7"D x 81/4"H

Net Wt.: 72 lbs.













A. Castaldo® VLT™ - Silicone Rubber - For Resin Models

Castaldo VLT (Very Low Temperature) Silicone Mold Rubber vulcanizes at $160^{\circ}F$ ($71^{\circ}C$), allowing you to make long-lasting production molds directly from CAD/CAM and Rapid Proto type plastic resin models, without risk of model damage. Speeds your designs from computer concept to production in hours, not days. Easy to pack and cut. Shrinkage is only 0.1%. Produces highly detailed wax injections with extraordinarily shiny surfaces that require less finishing. Available in 2^{7} /8"W x 18"L x 3 /8" thick strips. Sold in boxes of 5 lbs.

			BOX of 5	lbs.
Description	Item#	1-2	3-5	6+
Strips (2 ⁷ / ₈ " x 18")	260-1487	\$46.25	\$43.94	\$41.63

B. Aluminum Mold Frames

Predrilled holes in sides allow excess rubber to escape during vulcanization, helping to prevent model deformation. Measurements denote mold sizes.

Description	L x W x Thickness	Item#	Each
B. Single Frame	2 ⁷ /8" x 1 ⁷ /8" x ³ /4"	260-2200	\$12.00
	2 ⁷ / ₈ " x 1 ⁷ / ₈ " x 1"	260-2300	14.00
	2 ⁷ /8" x 1 ⁷ /8" x 1 ¹ /4"	260-2400	17.50

C. Castaldo® Mold Locks

Insert one of these brass cones into each corner of your rubber mold. They will form locks to prevent mold shifting during injection. May be used alone or with powder for easier separation after vulcanizing. Each bag contains ½ cup (3 oz.) of Mold Locks, equalling approximately 150 pieces.

Description	Item#	1_2	EACH Pric	es
<u> </u>	ποπ	1-2		10+
Castaldo Mold Locks	260-1350	\$18.15	\$17.24	\$16.34

D. Sprue Formers and Rods

Machined from solid brass. Slight difference in size of sprue former allows you to select the size that more closely matches your wax injector nozzle making it easier to maintain contact between the mold and nozzle. #9 is 9mm (.35") high and tapers from 3.3mm (1/8") to 11.5mm (.45") while #10 is 10mm (.39") high and tapers from 3.3mm (1/8") to 14mm (.55"). Matching 3mm (.118") diameter by 50mm (approx 2") long rods are included. Sold in packages of 10.

Style	Sprue Former Taper x Height (mm)	Rod Dia x L (mm)	Item #	Pkg of 10
# 9	3.3 – 11.5 x 9	3 x 50	260-3092	\$14.50
#10	3.3 – 14 x 10	3 x 50	260-3093	14.50

E. Rubber Mold Locking Pins

This is the fastest, easiest way to automatically form locks in your rubber molds! Pack your mold normally, then push one of these solid stainless steel pins into each corner of the mold before vulcanizing. Use these 23mm pins for $1\frac{1}{8}$ " to $1\frac{1}{2}$ " thick molds. Sold in set of 4 pins.

			SET	Γ Prices
Description	Dia x L (mm)	Item#	1-2	3+
Rubber Mold Locking Pins	7 x 23mm	265-0856	\$13.50	\$10.80

F. Castaldo® Gelato Super High Strength™ - Silicone Rubber

This silicone-based rubber makes molds that cut like butter. Uncured, it has the consistency of soft putty, making it very easy to pack in undercuts and detailed areas. Produces a firm mold with excellent flexibility and tear strength. Strong enough to make complex multi-part molds. Gives waxes a smooth, shiny finish for easy release from molds. Vulcanize at 330° F for 15 minutes per layer of rubber. Strips measure $2^{7}/8^{\circ}$ x 18". Gelato sold individually or in set (yellow/tan not included in set).


Tubbol. C	mipo mododi	02/0 /	10 . 001	ato oola i
			BOX of 5	5 lbs
Descripti	on Item#	1-2	3-5	6+
Pistachio	260-1490	\$46.25	\$43.94	\$41.63
Lemon	260-1491	46.25	43.94	41.63
Peach	260-1492	46.25	41.63	37.00
Fuchsia	260-1493	46.25	43.94	41.63
Violet	260-1494	46.25	43.94	41.63

		BOX of 5		
Item#	1-2	3-5	6+	
260-1495	\$46.25	\$43.94	\$41.63	
260-1496	46.25	43.94	41.63	
260-1470	46.25	43.94	41.63	
	260-1495	260-1495 \$46.25 260-1496 46.25	Item# 1-2 3-5 260-1495 \$46.25 \$43.94 260-1496 46.25 43.94	

A, B Castaldo® Gold Label® - Natural Rubber

Contains more pure natural gum rubber than Castaldo White Label, making Castaldo Gold softer and more pliable. The superior qualities of Castaldo Gold make it the ideal rubber for difficult molds containing undercuts, filigree or multiple settings. Easy to pack and highly flexible so that wax patterns release smoothly. Vulcanize at 310°F for 15 minutes per ½" of mold frame thickness. Rubber is ½8" thick. Also available in rolls. Call for more info.

				IDS.
Description	Item#	1-2	3-5	6+
A. Strips (2 ⁷ / ₈ " x 18")	260-1460	\$46.25	\$43.94	\$41.63
B. Ready Cut (1 ⁷ / ₈ " x 2 ⁷ / ₈ ")	260-1480	49.25	46.79	44.33



C, D Castaldo® White Label® - Natural Rubber

A high concentration of pure natural gum rubber makes Castaldo White firm but flexible. A good all-purpose mold rubber that cuts well. Well-suited for thin molds. Vulcanize at 310°F for 15 minutes per 1/4" of mold frame thickness. Rubber is \(^1\/_8\)" thick. Also available in rolls. Call for more info.

			BOX of 5 lbs.		
	Description	Item#	1-2	3-5	6+
C.	Strips (2 ⁷ / ₈ " x 18")	260-1450	\$44.25	\$42.04	\$39.83
D.	Ready Cut (1 ⁷ / ₈ " x 2 ⁷ / ₈ ")	260-1475	46.50	44.18	41.85

E. Castaldo® No-Shrink Pink® - Natural Rubber

Specially formulated for less than 1% shrinkage! Can be used alone or combined with Castaldo Gold or White rubber to reduce shrinkage and save money. Use No-Shrink Pink around the model and Castaldo White or Gold for the outside of the mold. Vulcanize at 290°F for 12 minutes per layer of rubber. Note: This natural rubber must be vulcanized at precisely 290°F. Use a thermometer to check your vulcanizer accuracy.

		BOX of 5 lbs.		
Description	Item#	1-2	3-5	6+
E. Strips	260-1455	\$52.50	\$49.88	\$47.25
Ready Cut	260-1485	55.25	52.49	49.73

F. Castaldo® SuperStretch™ - Silicone Rubber


SuperStretch™ rubber's high shine finish means less polishing. Cuts like butter. Easy mold packing/easy mold cutting. Low rubber shrinkage-only 1.3%. Compatible with other Castaldo silicone molding rubbers; can be used alone or used as an insert for special projects. Vulcanize at 330°F for 15 minutes per layer.

Strips (2 ⁷ / ₈ " x 18")	260-1489	\$46.50	\$44.18	\$41.85
Description	Item#	1-2	3-5	6+
			BOX of 5	lbs.

G. Castaldo® Econosil® - Silicone Rubber

This putty-like material is a harder, firmer, more affordable version of Castaldo Super High Strength silicone mold rubber. Makes strong production rubber molds with 1.1% shrinkage. Gives waxes a high-shine finish for easy release from molds without messy sprays or powders. Brick-red in color. Vulcanize at 330°F for 15 minutes per layer of rubber.

			BOX of 5	lbs.
Description	Item#	1-2	3-5	6+
Strips (2 ⁷ / ₈ " x 18")	260-1660	\$49.00	\$46.55	\$44.10







Quick-Silver Manutes (Park Manutes







A two-part system consisting of Ready Made Molds with preformed locks and Moldmatic Mold Frames. Mold cutting time and effort are greatly reduced. The mold halves fit together perfectly in a precision-engineered mold frame for consistently perfect wax patterns. The same high quality natural Castaldo mold rubber known throughout the world, but now prefabricated and ready to use. Mold locks are preformed. Merely remove the protective cloth squares at the center of the mold and insert your model. After vulcanization, simply pull the edges of the mold apart to expose perfectly formed locks. The center of the mold is cut normally. Sold in boxes of 10 molds along with 10 extra pieces of rubber so that any thickness mold can be made. You must use Ready Made Molds with Moldmatic Frames.

				Box of 10			
	White Label	Dimensions	Item#	1-2	3-4	5-9	10+
A.	Small	1 ⁷ /8" x 2 ⁷ /8"	260-1430	\$64.25	\$61.04	\$57.83	\$51.40
	Medium	2 ³ /8" x 3"	260-1432	79.50	75.53	71.55	63.60
	Gold Label	Dimensions	Item#	1-2	3-4	5-9	10+
	Small	1 ⁷ /8" x 2 ⁷ /8"	260-1440	\$64.25	\$61.04	\$57.83	\$51.40
	Large	2 ⁷ /8" x 3 ³ /8"	260-1444	90.65	86.12	81.59	72.52
	No-Shrink Pink Label	Dimensions	Item#	1-2	3-4	5-9	10+
	Small	1 ⁷ /8" x 2 ⁷ /8"	260-1416	\$64.25	\$61.04	\$57.83	\$51.40

B, C Castaldo® Moldmatic® Ready Made Mold Frames

	Size	Mold Dimensions	Item#	Each
B.	Small	1 ⁷ /8" x 2 ⁷ /8"	260-1830	\$250.00
	Medium	2 ³ /8" x 3"	260-1835	195.00
	Large	2 ⁷ /8" x 3 ³ /8"	260-1840	216.00
C.	Double Small	Both 17/8" x 27/8"	260-1845	499.50

D. Castaldo® Quick-Sil™ RTV Jewelry Molding Rubber – Mold Putty

Two-part silicone mold rubber that cures in just 15 minutes—without heat! Quick-Sil is soft and pliable, so it's easy to mix and easy to pack even complicated models. Because no heat is used, there is absolutely no shrinkage. Tear resistance is equal to any standard silicone mold rubber. Molds require some pressure to make a good impression of the model. Safe, nonhazardous, nontoxic. Use standard mold frames. Available in 2 lb. kit (1 lb. each of Part A and Part B) to make 3-4 standard size molds.

			EACH Price	es
Description	Item#	1-2	3-4	5+
Quick-Sil RTV	260-1675	\$69.95	\$66.45	\$62.96

E. Castaldo® Mold Separation Cream - Eliminate or reduce mold cutting.

With Castaldo Mold Separation Cream, you may never have to handle a sharp mold knife again. Pack your model normally. When you have established a parting line between the 2 halves, spread a small amount of Mold Separation Cream on one surface with a fingertip or small brush. After the mold is vulcanized, insert a screwdriver into the parting line and peel the halves apart. Castaldo Mold Separation Cream can be used to separate the entire mold or just part of the mold, including locks. May be used with or without mold lock formers and on any type of mold rubber. Nontoxic, nonhazardous. Net Wt. 1 oz.

Description	Item#	Each
Castaldo Mold Separation Cream	260-1401	\$11.50

F. Castaldo® Resin Release™ Spray – Apply to models before packing

Although designed specifically for use on Castaldo VLT silicone mold rubber, Castaldo Resin Release Spray also acts as a protectant on Rapid Prototype models. RP and resin models should be tested before using liquid mold rubber. Some RP and resin model materials will react with the liquid rubber becoming gummy, distorted or bond destructively to their molds. To prevent this problem, spray Resin Release onto models shortly before vulcanizing, helping you make production-quality molds directly from CAD/CAM resin and wax models. Natural soy-based formula, nonflammable, biodegradable. Sold in 340g cans.

			LAU	II FIIUUS
Description		Item#	1-2	3+
Resin Release Spray	Ĥ	816-2917	\$14.70	\$14.70

Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.



EACH Drings

A. Castaldo® LiquaFast™ ICE RTV

New LiquaFast™ ICE from CASTALDO® is a transparent blue two-part 0% shrinkage RTV silicone molding rubber that cures very rapidly at normal room temperature (73°F) and cures even faster at 120°F. You can make a mold from your CAD CAM, RP and SLA models in the morning, inject waxes 30 minutes later and cast them that afternoon. No more waiting.

- New LiquaFast ICE makes strong, tough, tear-resistant permanent molds that do not decay with age.
- LiquaFast ICE's low viscosity makes it easy to measure, mix and pour.
- Normal cure time: Only 60 90 minutes.

Description	Item#	1kg Kit	Item#	4kg Kit
A. Castaldo LiquaFast ICE RTV	260-1682	\$57.50	260-1683	\$209.50



Working time at 73° F/23° C: 15 minutes Setting time at 73° F/23° C: 60 - 90 minutes Setting time at 120° F/50° C: 30 minutes

Mixing Ratio: 1:1 by weight

	ltem# 1kg Kit		4kg Kit	
260-1682	\$57.50	260-1683	\$209.50	



B. Castaldo® LiquaCast Long-Life – RTV

LiquaCast Long-Life makes molds that are extremely strong, tough and tear-resistant. Molds will not soften or liquefy over time and will last for decades!

Perfect for complex molds, difficult undercuts, spirals and cores. It is compatible with most computergenerated CAD-CAM resin and difficult to mold CAD-CAM wax patterns. Molds have a glossy, shiny surface that produces waxes with a glossy, shiny surface. Final castings require less polishing. Rubber shrinkage is 0%. Low viscosity makes it easy to measure, easy to mix, easy to vacuum and easy to pour. Mix ratio is 1:1 by weight or volume. Cure time is 24 hours. Rapid cure time @150°F (65°C) is just 90 minutes. Use with Castaldo Liquid Rubber Mold Frames (below).

Description	Item#	Each
B. 1kg Kit	260-1671	\$69.90
8kg Kit	260-1672	184.25
20kg Kit	260-1673	447.00



C. Castaldo® Original LiquaCast™ Liquid RTV Mold Rubber

A two-part liquid mold rubber that vulcanizes without pressure at room temperature. Use it to make molds of waxes, organics, plastics, and anything that cannot withstand the heat/pressure of normal vulcanization. Contains no silicone and makes a stronger, more durable mold than standard liquid mold rubbers. 0% Shrinkage. Cures in 16-24 hrs. Requires vacuuming. Use with Castaldo Liquid Rubber Mold Frames (below). Use Castaldo Resin Release Spray (816-2917) to protect Rapid Prototype models (see facing page).

Description	Item#	Each
C. 1 lb. Set	260-1662	\$43.00
10 lb. Set	260-1664	123.00



D. Freeman Jewel-Sil RTV Molding Rubber

A two-part clear silicone rubber for room temperature vulcanization of your jewelry molds. Reproduces intricate details with close tolerances. Features low viscosity for easy pouring, excellent clarity for precise cutting, high tear strength and ability to endure temperatures up to 350°F. Mix and use within an hour. Cures in 24 hours with less than 0.1% shrinkage.

Description	Item#	Each
D. 1kg Kit	261-9347	\$49.95
5kg Kit	261-9348	265.00



E. Castaldo® Liquid Rubber Mold Frames

Each consists of a solid aluminum U-frame with built-in sprue former, two pieces of heavy-duty clear plastic and industrial bands. Made extra-tall to allow expansion during vacuuming—no more spills. Eliminate need for paper collars. Available in four thicknesses: 3/4", 1", 11/4" and 11/2". All make molds up to $1^{7}/8$ "W x 6"H.

Item#	260-1661	260-1663	260-1665	260-1667	\$17.75
Thickness	3/4"	1"	1 ¹ /4"	1 ¹ /2"	Each





A-C Knife Handles

Hold Swann Morton Knife blades securely.

	Description	item#		Eacn
A.	B-P #5 USA Contoured Plastic	260-3050	\$27.00	
_			EACI	H Prices
	Description	Item#	1-5	6+
B.	Imported Contoured Plastic	260-3052	\$5.30	\$4.77
C.	Stainless Steel Knife Handle	260-3055	3.55	3.20



D-F Swann Morton® Knife Blades

High-carbon steel surgical blades (non-sterilized) for precise mold cutting. Last much longer and are sharper than stainless steel blades. Available in packages of 5 blades or in individually wrapped boxes of 100. Blades fit either Plastic or Stainless Steel Handles (above) Cannot be used with Contoured Heavy-Duty or Soft Grip Knives. Made in the United Kingdom.

					BOX OT 10	10
Blades	Item#	Pkg. of 5	Item#	1-4	5-9	10+
D. #11 Straight	260-2951	\$1.85	260-2952	\$19.15	\$18.19	\$17.24
E. #12 Curved	260-3001	1.85	260-3002	19.15	18.19	17.24
F. #10A Wide- Angle Straight	260-3006	1.85	260-3005	19.15	18.19	17.24



G, H Heavy-Duty Knife and Blades

Plastic knife handle contoured to fit your hand. The B-P #6 USA knife handle only accepts heavy-duty #25 steel blades. Exclusive "rib-back" design adds strength to these blades, making them the most durable mold cutting blades available.

				BOX of 150			
	Description	Item#	Pkg. of 6	Item#	1-4	5-14	15+
G.	#25 Blades	260-2999	\$6.00	260-3000	\$116.50	\$108.35	\$104.85
	Description			Item#			Each
Н.	B-P #6 USA Kn	ife Handle		260-3051			\$27.30



I-K Soft Grip Knife

Round with comfortable, nonslip, soft grip handle. Blades are held securely and locked or released by turning knurled knob at rear of handle. Comes with one #11 knife blade. Measures $4\frac{3}{4}$ " overall length without blade. Color: blue.

Description	Item#	Each
I. Soft Grip Knife with #11 Blade	260-3040	\$5.25
Blades for Soft Grip Knife Handle	Item#	Pkg. of 5
J. #11 Steel Blade	260-3045	\$2.10
K. #16 Steel Blade	260-3048	2.10



L. Mold Holder, A/C

A fast and simple way to learn rubber mold cutting. Cut a line about $\frac{1}{8}$ " to $\frac{1}{4}$ " deep around the perimeter of the mold. Then fasten the aluminum clamps onto the edges of the mold at the sprue end. The 2 clamps firmly grip each half of the mold, leaving both hands free to finish the cutting. As the cutting progresses, turn the knobs to spread the mold—you'll have no problem seeing or reaching where you want to cut.

Description	Item#	
Mold Holder	260-2576	\$109.95



M. Cuttlefish Bone

For casting small objects by pressing model directly into cuttlefish. Soft shell makes a smooth-walled mold. Cut sprues, gates and vents into the wall with a sharp knife. Supplied in random sizes. Package contains 4-6 pieces weighing approx. $\frac{1}{2}$ lb. total.

Description	Item#	Each
Cuttlefish Bone	265-3000	\$24.85

A. Dual-Control Deluxe Vulcanizer

No more over- or under-cooked molds! Two independent thermostats control each platen separately, so you get the exact temperature you need for the top and bottom of your mold. Ideal for the new 0% shrinkage rubbers (such as Castaldo No-Shrink Pink, p. 201) that demand precise temperature control. Heavy-duty cast-iron and aluminum construction with 1" diameter pressure screw and heavy guide posts to ensure uniform pressure on mold and perfect alignment of stainless steel platens. On/off toggle switch with pilot light and 2 separate thermostat pilot lights. Accepts both single and double mold frames. Made in USA.

Specifications:

Electrical 110V, 6A, 660W, 50/60Hz

220V, 3A, 660W, 50/60Hz

Dimensions 15¹/₂"W x 9¹/₂"D x 20¹/₂"H

Platens 8¹/₄" x 6" 500°F (260°C) Max. Temp.

43/4" Max. Opening Ship. Wt. 58 lbs.

Model Item# Each 110V \$950.00 265-1950 220V 265-1955 950.00

B. Junior Vulcanizer

Heavy-duty cast-iron and aluminum construction. Stainless steel heating platens. Large handle and sturdy 1" diameter pressure screw. Two large diameter guide rods keep platens in alignment. Thermostat with dial for accurate temperature control up to 500°F/260°C. Equipped with power and thermostat pilot lights and on/off switch. Predrilled holes in base for easy mounting. Made in USA.

Specifications:

Electrical 110V, 6A, 660W, 50/60Hz

220V, 3A, 660W, 50/60Hz

Dimensions 13"W x 7"D x 18"H

Platens 8" x 5"

500°F (260°C) Max. Temp.

Max. Opening 3" Ship. Wt. 37 lbs.

Model Item# Each 110V 265-2225 \$635.00 220V 265-2227 735.00

C. Polder Timer/Thermometer – For investing and vulcanizing

This handy countdown timer also measures temperature with a plug-in thermometer on a 48" long wire and independent alarms that can be used separately or together. Perfect for monitoring vulcanizer temperature, timing molds, investing and plating baths.

Shows countdown in hours, minutes and seconds. Reverts to last setting when shut off—great for investing multiple flasks. Displays set temperature, alarm sounds when reached, and actual temperature. Temperature range: 32-392°F (0-200°C).

Description	Item#	Each
Polder Timer/Thermometer	265-1915	\$27.00

D. Vulcanizer Mold Plates

Thin aluminum plates for covering aluminum mold frames and rubber when vulcanizing. Keeps platens clean and prevents rubber from sticking to the platens.

Size	Item#	
3 ⁷ /8" x 5 ³ /8"	260-1850	\$9.50
5" x 7 ¹ / ₈ "	260-1900	25.90
















A-E Sprue Bases

For setting up wax patterns before investing. Made of durable vulcanized rubber. Flexible enough to fit flasks that have been distorted from use. Creates a leakproof seal. In 3 styles for a wide range of sprue shapes.

			EAUTI Price	38
A. Button – For flask diameter	Item#	1-2	3-9	10+
21/2"	260-0600	\$3.25	\$3.09	\$2.76
3"	260-0750	3.65	3.47	3.10
31/2"	260-0900	4.15	3.94	3.53
4"	260-1050	5.25	4.99	4.46
B. Donut – For flask diameter				
31/2"	260-0950	4.30	4.09	3.66
C. Tree*, Round Center - For flask dian	neter			
21/2"	260-0700	3.25	3.09	2.76
3"	260-0850	4.75	4.51	4.04
3 ³ / ₈ "	260-1010	6.15	5.84	5.23
31/2"	260-1000	5.60	5.32	4.76
4"	260-1150	5.30	5.04	4.51
5"	260-1170	10.65	10.12	9.05
D. Tree*, Cone Center – For Vacuum Ca	sting Machines			
2"	260-0561	3.20	3.04	2.72
4"	260-1155	3.15	2.99	2.68
E. Universal				
2 ¹ / ₂ " or 3 ¹ / ₂ "	260-1175	3.60	3.42	3.06
*All enrue heles 3/6" diameter except as indic	natad			

^{*}All sprue holes 3/8" diameter except as indicated.

F. Mold Clay

Used for modeling or filling the centers of sprue bases to hold wax patterns. Sold in 2 lb. bars.

Description	Item#	Each
Mold Clay	260-3402	\$24.50

G-I Sprue Wax – 24" Length

Flexible and long, this sprue wax is custom-formulated to our strictest specifications for proper burnout, melts at 120°F. The injectable feature of our sprue wax is a time-saver. If you often use a complicated tree design, make a mold of it and inject multiples using our sprue wax. Your exact tree system is quickly created every time. Sold in 1 lb. boxes.

				EAUT	FILLES
	Diameter	Approx. Qty. per Box	Item#	1-49	50+
G.	1/4"	15	261-6260	\$10.65	\$9.59
Н.	3/8"	10	261-6265	10.05	9.05
I.	1/2"	8	261-6270	8.50	7.65

J, K Sprue Wax - 6" Length

Available in 2 grades, flexible is the same as our longer sprue wax (above), melts at 120°F. Hard is very rigid and stable, providing extra support for large trees or patterns, melts at 168°F. Packaged in 1 lb. boxes.

	1 10. 00.003.			Approx. Qty.		EAC	H Prices
	Description	Diameter	Color	per Box	Item#	1-49	50+
J.	Flexible	3/8"	Red	45	261-6272	\$14.50	\$13.05
K.	Hard	3/8"	Aqua	45	261-6273	14.50	13.05

L-N Sprue Wax Wire - 6" Length

These flexible sticks are for spruing and mounting wax patterns. Melts at 155°F.

B&S Gauge	Approx. Qty. per Box	Item#	Box
L. 6 Flexible	75	261-6256	\$19.95
M. 8 Flexible	135	261-6258	20.75
N. 10 Flexible	180	261-6259	20.75

O. Hexagonal Sprue Wax - 6" Length

Six-sided hexagon shape makes for easier spruing and permits more patterns to be sprued than conventional round sprue wax. This is a firm sprue wax with a melting temperature of 154°F. Packaged in 1 lb.

Diameter	Approx. Qty. per Box	Item#	Box
³ /8" - Hard	45	261-5890	\$9.50

A, B Perforated Flasks

Heavy-duty stainless steel for vacuum chamber casting.

ricavy-duty s	stalliless steel lui	vacuum ci	iaiiibei u
A. Flask with flange Dia.* x H Item#		EACH 1-2	I Prices 3+
3 ³ /8" x 4"	260-0020	\$42.25	\$40.14
3½" x 4"	260-0019	29.00	27.55
4" x 4"	260-0025	30.00	28.50
4" x 5 ³ / ₄ "	260-0032	43.75	41.56
4" x 8 ¹ / ₂ "	260-0035	53.90	51.21
5" x 7"	260-0037	53.90	51.21

B. Flask w Dia. x H	Itnout flange Item#	Each
4" x 6"	260-0012	\$35.00
5" x 8"	260-0014	50.00
6" x 8"	260-0016	55.00

^{*}Diameter not including flange.

C. Tivac Paper Flask Liner – Eliminates the need for perforated flasks

Vacuum channels formed by the liners increase the exposed surface area of the investment and create an unobstructed air flow. Provides over 40% more vacuum capacity than wax web, plastic web, or vacuum rods. Burns out cleanly. Completely nonhazardous. Built-in collar replaces flask sleeves. #4 fits 4" x 6", 4" x 7" and 4" x 8" and #5 fits 5" x 6", 5" x 7" and 5" x 8" solid-wall flasks.

		10-pc. Samp	ole Pack		50-pc		
	Description	ltem#	Each	Description	Item#	1-4	
C.	Tivac #4 for 4" dia. flasks	260-0047	\$8.25	Tivac #4 for 4" dia. flasks	260-0046	\$40.00	
	Tivac #5 for 5" dia. flasks	260-0049	8.95	Tivac #5 for 5" dia. flasks	260-0048	45.00	



Non-asbestos platinum liner papers are available in 5 width sizes; 2.5", 3", 4", 7.25" and 9" and is a 75 foot long roll. Liner papers are used to line the inside of the platinum flask where it helps to absorb the excess binder solution from all platinum investments. Made in the USA.

		EA	CH Prices
Width x Length	Item#	1-2	3+
2.5" x 75'	260-0061	\$55.95	\$53.15
3" x 75'	260-0062	58.95	56.00
4" x 75'	260-0063	74.95	71.00

		EA	CH Prices
Width x Length	Item#	1-2	3+
7.25" x 75'	260-0066*	\$123.95	\$117.75
9" x 75'	260-0067 *	169.95	161.45

*Non-stock special order only

E. Tape for Perforated Flasks

Wide tape to be applied around perforated flask while investing. Can be burned out.

	EACH Prices							
Width x Length	Item#	1-9	10+	Width x Length	Item#	1-9	10+	
4" x 60 yards	260-0036	\$13.95	\$12.56	7" x 60 yards	260-0045	\$25.95	\$23.36	
6" x 60 yards	260-0038	24.95	22.46	8" x 60 yards	260-0039	35.00	31.50	

F. Rubber Sleeves for Perforated Flasks

Reusable, flexible rubber sleeves for covering perforations when investing.

Dia. x H	Item#	Each	Dia. x H	Item#	Each
3 ³ /8" x 4"	260-0003	\$12.50	4" x 8 ¹ / ₂ "	260-0009	\$16.25
4" x 7"	260-0007	15.75	5" x 8"	260-0011	16.25

G. Rubber Flask Extenders – For solid-wall flasks.

Slide flexible sleeve over standard flasks to prevent overflow while vacuuming investment.


Dia. x H	Item#	Each	Dia. x H	Item#	Each
2 ¹ / ₂ " x 2 ¹ / ₂ "	260-0401	\$4.95	3 ¹ / ₂ " x 2 ¹ / ₂ "	260-0501	\$6.05
3" x 2 ¹ / ₂ "	260-0451	5.35	4" x 2 ¹ / ₂ "	260-0551	6.30

H. Casting Flasks - Heavy-duty 14 Gauge (2mm) Stainless Steel

Designed to withstand thermal shock of casting, quenching and numerous burnouts.

			EACH	Prices
Dia. x H	Item#	1-2	3-5	6+
2" x 2 ¹ / ₂ "	260-0040	\$4.65	\$4.42	\$4.42
2 ¹ / ₂ " x 2 ¹ / ₂ "	260-0050	5.20	4.94	4.68
2½" x 3"	260-0055	5.95	5.65	5.36
2 ¹ / ₂ " x 4"	260-0060	7.45	7.08	6.71
3" x 3"	260-0150	7.35	6.98	6.62
3" x 4"	260-0170	7.45	7.08	6.71

			EACH	Prices
Dia. x H	Item#	1-2	3-5	6+
3½" x 3"	260-0200	\$9.15	\$8.69	\$8.24
3½" x 4"	260-0210	10.25	9.74	9.23
3½" x 5"	260-0115	10.50	9.98	9.45
4" x 4"	260-0310	10.95	10.40	9.86
4" x 5"	260-0320	13.95	13.25	12.56
4" x 6"	260-0350	14.25	13.54	12.83









R&R® Investment

Select Ultra-Vest® when casting non-ferrous metals; Ultra-MAXX® when using white gold and palladium, as well as yellow gold. Plasticast is the ideal investment for plastic pattern materials. All three are available in traditional formulas or with new BANDUST™ Technology for measurable reduction in total respirable dust—up to 99% compared to other brands of jewelry investment. Casting quality is maintained with excellent final casting results and no process changes are required during the investing stage. Full pallet pricing also available.

See our website for pallet pricing



Bandust reduces airborne silica dust!

A, B R&R® Ultra-Vest® and Ultra-Vest with BANDUST™

Recognized worldwide as the premium investment for gold, silver, brass, and other non-ferrous jewelry castings. Provides easy quench and easy clean-up reducing your risk of losing valuable gold. Ultra-Vest investment produces smoother surfaces than other investments, resulting in less finishing.

Worldwide, Ultra-Vest is widely accepted as being the most process forgiving product available for your casting needs saving you time and money associated with application-related defects. Whether you are casting a simple piece or an intricate shape, Ultra-Vest investment is the investment of choice.

						EACI	H Prices
	Description	Size	F0B	Item#	1-2	3-5	6+
A.	Ultra-Vest	50 lb. box	CT	260-4012	\$44.95	\$42.70	\$41.58
	Ultra-Vest	50 lb. box	OH	260-4015	44.95	42.70	41.58
	Ultra-Vest	50 lb. box	CA	260-4017	46.95	44.60	43.43
B.	Ultra-Vest Bandust	50 lb. box	CT	260-4180	50.95	48.40	47.13
	Ultra-Vest Bandust	50 lb. box	OH	260-4181	50.95	48.40	47.13



C, D R&R® Ultra-Vest MAXX® and Ultra-Vest MAXX with BANDUST™

An excellent choice for casting white gold and plastic or resin pattern materials. maximum thermal stability for high metal melt temperatures, flask temperatures, burnout temperatures, and casting temperatures. Just want to use one investment? Ultra-Vest MAXX can be used with yellow gold too. Eliminates orange peel defects associated with metal/mold reactions. Eliminates flashing & spalling associated with investment breakdown during burnout of plastic & resin pattern materials.

						EACI	H Prices
	Description	Size	F0B	Item#	1-2	3-5	6+
C.	Ultra-Vest MAXX	50 lb. box	CT	260-4048	\$56.95	\$54.10	\$52.68
	Ultra-Vest MAXX	50 lb. box	ОН	260-4043	56.95	54.10	52.68
D.	Ultra-Vest MAXX Bandust	50 lb. box	CT	260-4183	63.95	60.75	59.15
	Ultra-Vest MAXX Bandust	50 lb. box	ОН	260-4184	63.95	60.75	59.15



E, F R&R® Plasticast and Plasticast with BANDUST™

Plasticast was developed for the investing and burnout of commonly used plastic or wax/plastic pattern materials. Ideal for resin models created in rapid prototype processes. The high expansion of all these pattern materials requires an equally high expanding, extra high strength investment. Plasticast provides a smoother, cleaner casting surface not obtainable with standard brands of investment. Plasticast is designed for easy removal in water. Plasticast also provides a superior casting surface when standard injection waxes are used.

	Description	Size	FOB	Item#	1-2	EACH 3-5	Prices 6+
E.	Plasticast	50 lb. box	CT	260-4097	\$52.95	\$50.30	\$48.98
	Plasticast	50 lb. box	ОН	260-4098	52.95	50.30	50.30
	Plasticast	50 lb. box	CA	260-4099	58.50	55.58	55.58
F.	Plasticast Bandust	50 lb. box	CT	260-4186	59.95	56.95	56.95
	Plasticast Bandust	50 lb. box	ОН	260-4187	59.55	56.57	56.57



G. R&R® Plasticast PT Investment

Plasticast PT two-part investment is developed for casting rapid prototype pattern materials. Based on 3rd party industrial hygienist air sampling test results, new BANDUST[™] technology significantly reduces total respirable dust — up to 99% compared to other brands of jewelry investment. See our gesswein.com for our complete R&R investment line.

	Description	Size	F0B	Item#	1-2	3-5	6+
G.	PlasticastPT	50 lb. box	CT	260-4088	\$309.00	\$293.55	\$285.83
	PlasticastPT	50 lb. box	ОН	260-4089	299.95	284.95	277.45


FAX Orders 24/7: 888-454-4377

G

A, B R&R® Platinum & Binder

PLATINUM by R&R is an acid-based binder mixed with investment for casting platinum alloys. This investment and binder provides platinum casters with a consistent, acid-based mixture that does not separate, resulting in smoother, more consistent casting surface finish than any other twopart platinum product. Investment comes in 50 lb. Box and must be ordered with a 900ml bottle of concentrated Binder 260-4076. Note, 900ml is enough for 100 lbs. of Platinum Investment. Carefully follow all instructions for optimum results and user safety. Made in the USA.

Description	Size	FOB Shipping Point	Item#	1-2	3-5	6+
A. Platinum	50 lb. box	CT	260-4075	\$89.95	\$85.45	\$83.20
B. Binder	900ml bottle	CT 🛳	260-4076	\$39.95	-	-





High-quality Ransom & Randolph investment that is formulated specially for stone-in-place casting, providing exceptional protection for gemstones that are ideal for casting in place. Solitaire burns out very clean and provides exceptional castings with a cleaner dewax while reducing the possibility of surface imperfections. Made in US

Description	Size	FOB Shipping Point	Item#	1-2	3-5	6+
Solitaire	50 lb. box	CT	260-3953	\$48.95	\$46.50	\$45.28

D. R&R® Rancast™

RANCAST investment is an economical, industrial-grade investment specifically designed for the production of non-ferrous artwork such as small sculptures and trophies and large style class rings. This calcium sulfate bonded investment contains cristobalite and which provides exceptional detail reproduction with superior mold strength. R&R RANCAST™ is idea for small to very large molds using standard methods of investing for conventional solid mold lost wax casting. Made in the USA.

Description	Size	FOB Shipping Point	Item#	1-2	3-5	6+
Rancast™	50 lb. box	CT	260-4072	\$52.95	\$50.30	\$48.98
Rancast™	50 lb. box	ОН	260-4073	\$52.95	\$50.30	\$48.98

E. ALL CAST® Investment

A micro-fine grain, "carbon-free" investment for producing ultra-smooth castings. Especially good for RP models. All Cast is a super-fine phosphate-bound, cristobalite investment ideal for use with precious, semi-precious and non-precious alloys (all gold karats in white and yellow, silver, platinum, cobalt, steel, palladium and palladium alloys). Meticulously formulated compound provides the caster with a wide range of burnout temperatures. Burnout Range: 1300°-1800°F (704°–982°C). Sets in just 20 minutes! Burns out in 2 to 4 hours, depending on flask size. Smooth, accurate, strong, and reliable. Available in kits of 25 lb. and 50 lb. boxes that include liquid binder. Not for use with titanium or titanium alloys. Made in USA.

	Description	Item#	Each
E.	ALL CAST 25 lb. Kit	265-4998	\$120.00
	ALL CAST 50 lb. Kit	265-4999	230.00

F, G ALL CAST® Paint-on Pre-Coat Green & White

Gesswein's All Cast Pre-Coat White and Pre-Coat Green are a fine grained liquid investment for the sole purpose of enhancing the sharpness and detail of your castings. Both come in convenient 8 oz. jars with instructions right on the jar label. Use White for Gesswein's All Cast Investment (see above) and Green for all other phosphate based investments.

				EAC	H Prices
	Description	Size	Item#	1-3	4+
F.	All Cast Pre-Coat White	8 oz.	265-4990	\$19.95	\$17.96
G.	All Cast Pre-Coat Green	8 oz.	265-4992	20.95	18.86

H. Quatro Ductless Fume Hoods – For those without access to outside ductwork.

Ideal for jewelers located in offices without access to outside ductwork. Features a two-stage filtration system that captures fumes and/or particles, then recirculates clean air back into the room to save on heating and AC costs. Investment Mixing Hood (854-1403) installs directly over your investment mixer. Backed by a two-year manufacturer's warranty. Made in Canada.

Specifications:

Electrical: 120V, 1.6A, 60Hz, Dimensions: 28"W x 18"D x 26"H, Net Wt.: 50 lbs.

Description	Item#	Each
Investment Fume Hood	854-1403	\$1,005.00

















A. Ti-Research Mix-It Investment Mixers

For mixing both standard investments and fast-setting investments by hand. Thick-wall construction and solid stainless steel handle and mixing blade. To remove bubbles while you mix attach to your vacuum pump or the Waterjet Vacuum Pump, connected to a faucet for Venturi effect: producing a vacuum in the Mix-It bowl. Made in Germany.

Description	Item#	Each
250ml (fills a 3" x 3" flask)	265-5030	\$265.00
500ml (fills a 4" x 4" flask)	265-5031	269.00
1,000ml (fills a 5" x 6" flask)	265-5032	284.00
Waterjet Vacuum Pump	265-5033	112.00

B, C Timers - Ideal for investing and vulcanizing

Select between our simple 60-minute windup with long ring or our programmable 10-hour timer. Simply key in hours and minutes, then hit start. Loud beeping alarm sounds after time expires. Features repeat timing: within two minutes after alarm, press start to repeat the previous countdown. Built-in magnet allows easy mounting on metal surfaces. Requires one AAA alkaline battery.

	Description	Item#	Each
B.	60-MinuteTimer	265-1910	\$14.25
C.	10-Hour Timer	265-1912	16.50

D-G Rubber Mixing Bowls & Spatula

Bowls are made of flexible rubber heavy enough to hold mixtures yet flexible enough for easy pouring. Spatula is made of thick, flexible stainless steel with hardwood walnut handle. Measures $10\frac{1}{2}$ " L.

	Description	Dia. x H	Capacity	Item#	Each
D.	Small Bowl	4" x 3"	³∕₄ pt.	260-3250	\$4.15
E.	Medium Bowl	6" x 6"	1½ qts.	260-3300	9.95
F.	Large Bowl	9" x 7"	1 gal.	260-3350	18.65
G.	Mixing Spatula	6" Blade Length		260-1710	17.95

H. Investment Vibrator

This well-built vibrator eliminates air bubbles and voids around wax models. Also adds density to the investment. Has three-speed control and on/off switch and 4" diameter table.

Description	Size	Item#	Each
Investment Vibrator- 110V	4"L x 4"W x 3 ³ / ₄ "H	265-1245	\$98.00

I. Investment Scale

This economical yet accurate scale weighs up to 10 lbs. in 2 oz. increments. Features 4" dial with large, easy-to-read numbers that indicate weights and water/investment ratios. Includes scoop.

Description	Item#	Each
Investment Scale	200-2020	\$27.80

J-M Graduated Cylinder, Investment Scoop and Measuring Beakers

Polypropylene graduated cylinder with 2ml graduations is used to calculate the amount of metal needed for casting by water displacement method. Investment scoop has high sides to prevent spilling and waste. Measures $8^{1/2}$ "L x $4^{3/4}$ "W x 3"H. Made of plastic. Measuring beakers have handles for easy pouring. Made of polypropylene. Small has 1ml graduations and Large has 100ml graduations.

	Description	Capacity	Item#	Each
J.	Graduated Cylinder	250ml (250cc)	265-1905	\$21.65
K.	Investment Scoop	Roughly 3 lbs.	260-1750	8.95
L.	Small Measuring Beaker	1,000ml (1,000cc)	210-2425	16.55
M.	Large Measuring Beaker	5,000ml (5,000cc)	210-2426	58.95

N-P Tripour Disposable Beakers

Polypropylene beakers are disposable and cost effective. Polypropylene plastic for use with acids, alkalis and solvents. Graduated easy-to-read markings. 3 Drip-less pouring spouts. Withstands temperatures up to 250 (121). Disposable. Available in 3 sizes 250 ml, 400 ml, 1000 ml. Sold in packages of 25.

Description	Capacity	Item#	Pkg of 25
N. Small Disposable Beaker	250ml	210-3001	\$15.75
0. Medium Disposable Beaker	400ml	210-3002	20.95
P. Large Disposable Beaker	1,000ml	210-3003	35.65

A. Auto-Vac Investing Machine

Take the worry out of investing with Auto-Vac. This timesaving machine mixes investment and fills flasks under full vacuum, eliminating the air bubbles that hurt casting quality and kill productivity down the line. Produces smooth, crisply detailed molds, which result in better castings. Also helps keep dust out of the air for a healthier workspace. Easy to use and clean: place flasks in vacuum chamber, swivel mixing unit over it, pour water and investment into mixing unit, seal lid and run machine; when done, swivel mixing unit over wash basin and clean out with water gun. Includes two all-metal stands for flexibility. Requires vacuum pump.

Features:

- Mixes and fills in a controlled environment to help reduce casting defects.
- Reduces exposure to harmful investment dust.
- Easy to use and clean.
- Includes 2 stands so you can choose a 471/4" or 55" working height.

Specifications:

Investment Capacity: up to 40 lbs., Max. Flask Height: 11"

Flask Diameter	3"	31/2"	3 3⁄8"	4"	41/2"	5"	6"
No. of Perforated Flasks with flange	6	5	4	4	3	2	1
No. of Flangeless or Solid wall flasks	8	7	7	6	5	4	1

Vacuum Requirement: 10 CFM, 29.5" Hg (300 liter/minute)

Electrical: 220V, 1 Ph, 50/60Hz

Dimensions: 27"W x 26"D x 47¹/₄"H or 55"H (height depends on stand used)

Net/Ship. Wt.: 269/364 lbs.

Description	Item#	Each
Auto-Vac Investing Machine - 220V	265-2181	\$6,495.00

B. Investment Vac Model HD – For vacuuming investment

Designed for vacuuming investment in a production environment. Large capacity unit for investing multiple flasks. Reliable, heavy-duty vacuum pump with in-line filter traps to prevent moisture from contaminating vacuum oil. Easy-to-read vacuum gauges. Incorporates a 150 liters/minute, singlestage pump (1/2 HP). Complete with a 12" dia. x 12"H bell jar, $14^{1}/2$ " x $14^{1}/2$ " rubber investing pad, 1 quart vacuum pump oil and instructions. Bell Jar (#260-4155) is included.

Specifications:

Electrical: 120V, 5A, 60Hz, Dimensions: 23"W x 14"D x 35"H, Ship. Wt.: 261 lbs.

	Description		Item#	Each
B.	Investment Vac Model HD		265-1550	\$2,195.00
	Replacements	Size	Item#	Each
	Bell Jar	12" dia. x 12"H	260-4156	\$109.95
	Rubber Pad	14½" dia. x 14½"H	265-1551	35.00
	Vacuum Pump Oil	1 qt.	265-1700	12.95

C. Vac-A-Mix Investment Mixer

With a built-in vacuum pump, Vac-A-Mix vacuums investment while it's mixing to eliminate all bubbles from your investment. A built-in timer and easy-to-use buttons control mixing time and vacuum. Investment is mixed in closed bowls to reduce airborne investment powder. After gently pouring the investment into your flask, place the flask on the built-in vibrating base for a minute to make sure investment is uniformly dispersed and bubble-free.

- Built-in timer
- Built-in vacuum pump
- Adjustable built-in vibrator
- Includes 5 mixing bowls (200, 300, 500, 800 and 1200ml) and mixing paddles
- High vacuum power for bubble-free results

Specifications:

Electrical: 110V, 1.3 Amps, 150 Watts, 60Hz

Vacuum Pump Capacity: <23.6~ 26.7" Hg (<800 ~ 900 mbar) Dimensions: 12.9" W x 11.8" D x 20.8" H (33 x 30 x 53 cm)

Shipping Weight: 65.8 lbs. (29.8kg)

Description	Item#	Each
C. Vac-A-Mix Investment Mixer	265-1820	\$1,550.00





VacuVest - Investment mixing and pouring all under vacuum!

Improve the quality of your casting and save time! VacuVest eliminates investing problems and easily increases your productivity. To operate, place flasks in lower chamber. Add premeasured water and investment into top. Operator controls exact mixing time, then fills each flask—all under full vacuum. Unit is cleaned using built-in automatic water wash and hand water gun. Waste empties into a tub for easy disposal. Backed by a one-year warranty against defects (except pouring taps, which may wear after extended use). Vacuum pump not included. Made in England.



Features:

- Mixes & pour investment under vacuum
- Improves quality for fewer rejects and speeds up production
- Speeds up production

•	Reduces	airborne	investment	powaer i	for a	neamner	environmen	[

Controls mixing, vacuum and pouring conditions

Specifications:	VacuVest #3	VacuVest #5-25	VacuVest #12	VacuVest #15	VacuVest #25
Investment (dry) Capacity:	3kg (6.6 lbs.)	5kg (11 lbs.)	12kg (26.5 lbs.)	15kg (33 lbs.)	25kg (55 lbs.)
Flask Chamber Diameter:	10" (250mm)	10.75" (270mm)	14" (350mm)	16.5" (419mm)	21" (533mm)
Max. Flask Height:	7" (177mm)	9" (228mm)	9" (228mm)	10" (254mm)	12" (300mm)
Vac. Requirement:	3-4 CFM	8 CFM	15 CFM	15 CFM	40 CFM
Dimensions:	15"W x 16"D x 20"H	24"W x 23"D x 30"H	28"W x 31"D x 56"H	28"W x 32"D x 60"H	42"W x 28"D x 62"H
Electrical:	220V, 1 Ph, 60Hz	220V, 3 Ph, 60Hz			
Net/Ship. Wt.:	55Kg/121 lbs. 🌄	150Kg/330 lbs. 🗔	255Kg/561 lbs. 🟳	280Kg/616lbs. 🟳	487Kg/1,070lbs.
Item#	265-2470	265-2472	265-2474	265-2476	265-2478
Price:	\$3,995.00	\$8,495.00	\$11,750.00	\$13,995.00	\$21,595.00



F. Quatro Investment Particle Containment Stations, Small & Large

Ideal for iewelers located in offices without access to outside ductwork. Features a filtration system that captures particles, then recirculates clean air back into the room to save on heating and A/C costs. Large Station installs directly over your investment mixer and has a metal-frame filter area containing dust filters and true HEPA filters, ensuring 99.97% efficiency, to capture investment particles. Backed by a one-year manufacturer's warranty. Media refills are available that contain enough mixture for four refills. Made in Canada.

Features:

- Easy filter access
- Whisper guiet operation
- LED bright illuminated interior
- Top opening doors
- Medical Grade HEPA Filters
- Contains the Following Filters:

HEPA Filters: 854-2093, Dust Filters: 854-1394

Can be ducted to outside with optional 4" diameter collar/hose exhaust kit. (Item is special order)

Description	Overall Dimensions	Item#	Each
F. Small Station	29" x 24" x 17.5"	854-1417	\$1,026.00
Large Station	38.5" x 29" x 20"	854-1418	1,125.00

Electric Burnout Furnaces Comparison								
Model	Item	Flask Solid	Capacity	Electrical	Outside Dim. WxDxH	Inside Dim. WxDxH	Maximum Temp.	
Heavy Duty Burnout Furnace (FOB CT)	265-1450 265-1451	4X6 / 3X3	8 ea. / 15 ea.	240V, 13A, 1 Ph, 50/60Hz 3.1KW	17.5"W x 17.5"D x 17.5"H	12"W x 12"D x 8"H	2000°F	
913 Furnace Programmable	265-1470	4X6 / 3X3	12 ea. / 28 ea.	220V, 13A, 50/60Hz, 3KW	18"W x 21.5"D x 21.5"H	13"W x 13" D x 9"H	1700°F	
914 Furnace Programmable	265-1431	4X6 / 3X3	18 ea. / 32 ea.	220V, 17A, 50/60Hz, 3.75KW	19"W x 22"D x 27"H	14"W x 14"D x 14" H	2000°F	
918 Furnace Programmable	265-1436	4X6 / 3X3	21 ea. / 42 ea.	220V, 25A, 50/60Hz, 4.84KW	24"W x 27"D x 31"H	18"W x 18"D x 18"H	1700°F	
SC3 Furnace Programmable	265-1421	4X6 / 3X3	1 ea. / 7 ea.	120V, 15A, 1 Ph, 60Hz, 1.8KW	13"W x 14"D x 17"H	7.75"W X 8"D X 7.75"H	2000°F	
Ney Fiber Furnace (also available in 240V)	265-1525	4X6 / 3X3	4 ea. / 8 ea.	120V, 12A, 1.32KW, 50/60Hz	15"W x 14.5"D x 16.5"H	9"W x 9"D x 6.5"H (tapers 5"H in back to 6"H in front)	2000°F	
Ney 3-550A Venturi Exhaust Furnace Programmable	265-1361	4X6 / 3X3	4 ea. / 8 ea.	220-240V, 10A, 1 Ph, 2.8KW, 50/60Hz	16"W x 17"D x 16"H	9"W x 9"D x 7"H	2012°F	
Ney Vulcan A-550 Furnace Manual (also available in 200-250V)	265-1350	4X6 / 3X3	4 ea. / 8 ea.	100-125V, 12A, 1.92KW, 50/60Hz	16"W x 17"D x 16"H	9"W x 9"D x 7"H	2012°F	
Ney Vulcan 3-550 Furnace Programmable (also available in 200-250V)	265-1362	4X6 / 3X3	4 ea. / 8 ea.	100-120V, 16A, 1.92KW, 50/60Hz	17"W x 16"D x 19"H	9"W x 9"D x 7"H	2012°F	

A. Heavy-Duty Electric Burnout Furnace

A compact electric burnout furnace built for heavy-duty use. Features inner chamber lined with $2^{1/2}$ " thick firebrick, swing-down door that can be used as a platform for loading and unloading flasks, counterweight for easy opening and closing and dial control with six temperature settings up to 2,000°F. Please see page 216 for our pyrometer and Type K thermocouple (#265-1920).

Electrical: 240V, 13A, 1 Ph, 3.1kW, 50/60Hz.

Measures $17^{1/2}$ "W x $17^{1/2}$ "D x $17^{1/2}$ "H with 12"W x 12"D x 8"H chamber.

Ship. Wt: 136 lbs.

Description	FOB Shipping Point	Item#	Each
C. Heavy-Duty Burnout Furnace	TX 🟳	265-1450	\$1,195.00
Heavy-Duty Burnout Furnace	CT 🟳	265-1451	1,195.00
Replacement Heating Element		265-1448	60.50
Replacement Thermocouple		265-1921	74.50







Rear view of exhaust/blower system



A. Ney® 3-550A Venturi Air Furnace – Excellent for use with platinum

The Ney 3-550A Venturi Air Furnace is engineered for the cleanest burnout possible in an electric oven. Gas porosity, also known as pinhole or micro porosity, can ruin platinum castings or require expensive rework such as laser welding later. The Ney 3-550A Venturi Air Furnace tackles gas porosity at its source.

The self-contained Venturi exhaust/blower system continuously introduces fresh air for more complete combustion of your waxes. It substantially reduces carbon residue and other by-products of incomplete combustion, virtually eliminating gas porosity in castings. Great for gold and silver too.

Features:

- Air intensity is user-controlled—increase airflow when you need to hold more flasks.
- Air is preheated before entering furnace to keep temperature constant.
- Flasks are uniformly heated—no hot or cold spots.
- Fully programmable digital temperature controller with LCD readout of temperature and countdown time, delay start and membrane keypad.
- Durable hybrid muffle material for more efficient heating.
- Slide-out heating elements for easy replacement.
- Space-saving vertical rise door with smooth roll-back action for maximum access.

Specifications:

Electrical: 220-240V, 1 Ph, 2800W, 50/60Hz

Dimensions:

Outside: 15.8"W x 17.0"D x 16.0"H (25.0"H with door open)

Chamber: 9.0"W x 9.0"D x 7.0"H

Max. Temp.: 2,012°F (1,100°C)

Net/Ship.Wt.: 45/60 lbs.

 Description
 Item#
 Each

 Ney 3-550A Venturi Air Furnace
 265-1361
 \$3,280.00

B. Ney® Vulcan Furnaces

Burnout furnaces designed by Ney to make your burnout more precise and your casting process more convenient. Vulcan's high-performance, hybrid muffle is more durable than fiber and allows faster heating and cooling than firebrick. Two slide-out side element plates make element replacement easy. Vulcan's door opens vertically with a smooth roll-back action to give maximum access to the chamber while using minimum vertical space. Available with your choice of manual or programmable temperature controls.

A-550 Manual Temperature Control:

Temperature is selected using a front panel control knob. Degrees are marked so you can dial the exact temperature you want, up to 2,012°F.

3-550 Programmable Temperature Control:

Features 9 three-stage programs and 1 single-temperature hold program. You can link programs together for a maximum burnout of 6 temperatures, 6 hold times and 6 rate settings. Temperature, countdown time and program number are digitally displayed at all times. Also features delay start. Membrane keypad and LED indicators make this controller easy to program and operate.

	Specifications: Temp. Control: Electrical:	A-550 Manual 100–125V, 50/60Hz or 200–250V, 50/60Hz		nable V, 50/60Hz or V, 50/60Hz
	Dimensions: Outside:	16"W x 17"D x 16"H (25"H with door open)	16"W x 1	7"D x 16"H h door open)
	Chamber: Max. Temp.:	9"W x 9"D x 7"H 2,012°F	9"W x 9" 2.012°F	D x 7"H
	Firing Time:	15 min. to 1000°F	15 min. t	o 1000°F
	Net/Ship.Wt.: Description	45/50 lbs.	45/50 lbs tem#	Each
	A-550 Furnace, 100-125V	26	5-1350	\$1,665.65
	A-550 Furnace, 200-250V	26	5-1355	1,768.15
В.	3-550 Furnace, 100-125V	26	5-1362	2,644.50
	3-550 Furnace, 200-250V	26	5-1364	2,665.00
	Replacement Heating Element	26	5-1351	194.75

A. Nev® Fiber Furnace

A compact, electric burnout furnace which uses 25% less energy than a standard firebrick design. The secret is a lightweight ceramic insulating fiber muffle throughout the furnace chamber. Heating elements are embedded into fiber muffle for quick heating and even heat distribution throughout chamber. One-piece-construction chamber is replaceable, lightweight, heats faster and uses less energy. Efficient design achieves 4-wall heating for even temperature distribution. Sturdy 20-gauge metal cabinet is coated inside and out with temperature-resistant enamel. Pilot light and temperature control knob included. Tapered chamber fits flasks up to 6"H in the front and 5"H in the back. Includes 8" x 8" ceramic burnout tray.

Specifications:

Electrical: 115V, 12A, 1320W, 50/60Hz or 230V, 6A, 1320W, 50/60Hz

Dimensions:

Outside: 15"W x 14¹/₂"D x 16¹/₂"H Chamber: 9"W x 9"D x 6¹/₂"H

Max. Temp.: 2.000°F

Firing Time: 15 minutes to 1,000°F

Ship. Wt.: 36 lbs.

	Description	Item#	Each
A.	Ney Fiber Furnace, 115V	265-1525	\$1,301.75
	Ney Fiber Furnace, 230V	265-1526	1,332.50
	Optional 4" x 4" x 3/8" Ceramic Burnout Tray*	265-1527	46.15
	Replacement 8" x 8" x 3/16" Ceramic Burnout Tray	265-1528	75.35
	Replacement Heating Element, 115V	265-1530	430.50
	Replacement Heating Element, 230V	265-1531	430.50

^{*}Four required, sold individually.

Specifications:



B. Programmable Burnout Furnaces, Models 913, 914 and 918

These furnaces feature a programmable controller with three built-in, easy-to-use programs plus the ability to be custom-programmed for your own burnout schedule up to 99 hours, with delay start capability. Controller allows you to preset up to six segments or "ramps." Each ramp consists of (1) rate of heating/cooling, (2) temperature setting in °F or °C, and (3) hold time for each temperature. The program you set stays in permanent memory until you reset it. Furnaces are enclosed in tough stainless steel cabinets with firebrick chambers. Easily replaceable heating elements are secured in grooves inside the chambers.

Model #914

Electrical:	220V, 13A, 50/60Hz	220V, 17A, 9	50/60Hz	220V, 25A	a, 50/60Hz
Outside Dim.: Chamber Dim.:	18"W x 21½"D x 21½"H 13" x 13" x 9"	19"W x 22"[14" x 14" x		24"W x 27 18" x 18"	
Ship. Wt.:	160 lbs.	209 lbs.		305 lbs.	
Description			Item#		Each
#913 Progran	mmable Burnout Furnace		265-147	0	\$2,100.00
#914 Progran	mmable Burnout Furnace		265-143	1	2,425.00
B. #918 Program	nmable Burnout Furnace		265-143	6	2.795.00



Model #913

Model #918



A. Paragon SC3 Fiber Oven with Controller

The digital SC3 oven from Paragon is used for lost-wax casting and also fires precious metal clay, enamels, and glass in minutes up to 2000°F. The SC3 is popular with seminar teachers because it fires so fast and plugs into a 120 volt outlet (240V also available).

The SC3 fires automatically at the rate and temperature you enter on the built-in controller. A large, brightly lit display prompts for firing rate, temperature and hold time. Use the hold feature to automatically soak any type of precious metal clay to its recommended time or to hold flasks at desired temperature for casting.

The ½" thick ceramic fiber firing chamber is wrapped in a steel inner case. The outer steel case remains cool due to the layer of air between it and the inner case. In addition, the case is slotted for air circulation. Electrical components, located in the base, stay cool even at extended hold times. The fast firing element is embedded in the firing chamber shell. The SC3 heats from the two sides and back. It includes a top vent for lost wax casting. Door opens 180 degrees for easy front loading. CE approved.

Specifications:

Electrical: 120V, 15 Amps, 1 Phase, 60Hz, 1800 Watts 240V, 8 Amps, 1 Phase, 60Hz, 2000 Watts

Overall Dimensions: 13.3"W x 14"D x 17"H Chamber Dimensions: 7.75"W x 8"D x 7.75"H

Max. Temperature: 2000°F/1093°C

Control Type: Sentry Digital 3-Key Glass Control

Shipping Weight: 40 lbs.



Description	FOB Shipping Point	Item#	Each
Paragon SC3 Fiber Oven - 120V	CT	265-1421	\$1,080.00
Paragon SC3 Fiber Oven - 120V	TX	265-1422	1,055.00
Paragon SC3 Fiber Oven - 240V	CT	265-1425	1,095.00

B. Analog Pyrometer and Type K Thermocouple

A high-quality analog pyrometer for exceptional accuracy. Features large needle indicator for easy reading. Measures temperatures from 100°F to 2,400°F. Accurate to within $\pm 2\%$ of total reading. Includes Type K chromel-alumel thermocouple, wall hanging bracket and drilled plug for quick mounting in peephole.

Description	Item#	Each
Analog Pyrometer	265-1920	\$215.00



C. Handheld Digital Pyrometer

Enjoy digital accuracy on a modest budget with this reliable handheld unit. Features large LCD for easy reading even in bright light, low battery indicator and on/off switch to save battery life. Measures temperatures up to 1,999°F. Accurate to within $\pm 2\%$ of total reading. Includes easily replaceable Type K thermocouple with 5' wire and wall hanging bracket. Requires 9V battery. Measures $2^3/4$ "W x 1"D x $4^1/4$ "H. Weighs 5 oz.

Description	Item#	Each
Digital Pyrometer	265-1914	\$99.95



D. Burnout Oven Wax Trays

Two-part steel trays with upper grid for holding flasks during burnout and lower tray for collecting melted wax. After wax has melted out of flasks, remove stainless steel tray to prevent release of wax fumes. Flasks remain undisturbed, heating elements last longer and the furnace floor stays clean.

Description	Fits	Item#	Each
D. 125/8" sq. Tray	#914 Furnace	265-1434	\$162.95
16 ¹ / ₂ " sq. Tray	#918 Furnace	265-1438	199.95



E. Brick Oven Cement

A permanent high-temperature refractory cement for all types of firebrick kilns. Simply mix with tap water and apply.

Description	Item#	Each
Brick Oven Cement, 1 lb. bag	265-1437	\$7.50

Ε

D

A. Gas Burnout Furnaces

Gesswein is proud to offer guillotine style gas burnout furnaces. Gas is more economical to run as well as providing a cleaner burn out due to the airflow. With no heating elements to burn out, you have less down time and with over 40 years of proven reliability; these furnaces are what you need!

These furnaces are carefully designed to provide many years of virtually trouble-free use and are constructed out of heavy-duty steel with the highest quality firebrick interiors along with a 3" ceramic fiber door and 1/4" thick door cable. All units are equipped with a triple port burner to reach the temperatures needed for the complete elimination of all wax necessary for a clean mold. Natural gas connections are standard but propane is also a special order option if desired.

These furnaces are made to order and are customized for your specific use. Contact us to discuss your specific needs and we will prepare an exact price quote for your specifications. Made in USA.


Model	Item#	Each
12 x 12	265-1402	\$10,000.00
14 x 14	265-1403	10,200.00
18 x 18	265-1404	10,700.00
21 x 20	265-1406	11,700.00
26 x 20	265-1407	12,200.00
26 x 26	265-1408	12,700.00



Model	Item #	Overall Dimensions (inches)							Door Opening W x D	Inner Chamber	Flue	Flask	Flask Size
		А	В	С	D	Е	F	G	(inches)	W x D x H (inches)		Quantity	(inches)
12 x 12	265-1402	23.5	19.25	57.25	38.25	4	2	75.75	10.25 x 12	14.5 x 12 x 12	4	16 9	3 x 3 4 x 6
14 x 14	265-1403	27.75	21.75	61.25	42	4	2	87	14.75 x 14	18 x 14 x 14	4.5	9	4 x 8.5
18 x 18	265-1404	31.75	26.25	61.25	42	4	2	87	18.75 x 14	20 x 18 x 14	4.5	16	4 x 8.5
21 x 20	265-1406	34.75	28.25	61.25	34.75	4	2	87	21.75 x 17.25	25 x 20 x 19	5.5	28 - 32	4 x 8.5
26 x 20	265-1407	39.75	28.25	60.25	30.25	4	3.25	89.25	26.5 x 20.5	29.5 x 20 x 22	6.5	36 - 40	4 x 8.5
26 x 26	265-1407	39.75	34.75	60.25	30.25	4	3.25	89.25	26.5 x 20.5	29.5 x 26 x 22	6.5	45 - 50	4 x 8.5

All dimensions are in inches. Note: All furnaces (ecluding the 26 x 26 model) can fit through a 28.5" door opening after you remove the furnace door and assembly. The model 26 x 26 requires a minimum door opening of 34.5".

Shipment by truck is required on these furnaces.



^{*}Arched rook allows better flow of exhaust gases and even heat distribution standard due to size of the furnace.



A. Paragon® Programmable Controller - For Electric Ovens

Offers ramp-type burnout program with 6 temperature settings, 6 time settings (runs from 0–99 hours) and delay start. Includes detailed instructions with a short form version on the front of the unit so you'll never forget. Made in USA.

Features:

- Digital temperature display in °F or °C
- · High-temperature safety shutoff
- Type K thermocouple

Specifications:

Electrical: 120V or 240V, 50/60Hz Dimensions: $6^{1}/_{2}$ "W x 4"D x $15^{1}/_{2}$ "H

Ship. Wt.: 10 lbs.

Description	Electrical	Item#	Each	
Paragon Controller	120V, 50/60Hz	265-1453	\$699.00	
	240V, 50/60Hz	265-1454	825.00	

B. Kilnminder 4.E Programmable Controller – For Electric and Gas Ovens

Offers standard and ramp-type burnout programs with ramp time and dwell time from 0–42 hours in 10-minute increments and delay start from 0–85 hours in 20-minute increments. Boasts 99-program memory (a program can consist of 1–20 stages, each of which controls kiln temperature, ramp time and dwell time). Includes detailed instructions. Made in USA.

Features:

- Digital temperature readout in °F or °C
- Temperature control precision of ±8°F (±5°C)
- Elapsed time display
- Security lock to prevent accidental program changes
- Electronic feedback to eliminate temperature overshoot
- High-temperature safety shutoff & Built-in surge protector
- Power outage return
- Secondary thermocouple accommodation for backup purposes

Specifications:

Electrical: 90-250V, 50/60HzDimensions: $6^{5}/8^{1}W \times 8^{1}/2^{1}D \times 4^{1}/2^{1}H$

Ship. Wt.: 6 lbs.

Description	Electrical	Item#	Each	
Kilnminder 4.E Controller	90-250V, 50/60Hz	265-1514	\$550.00	

C. Centrifugal or Lost Wax Jewelry Casting

By Murray Bovin, Revised by Peter M. Bovin

Entire casting process in step-by-step detail. An excellent reference source for any caster. Covers different methods of casting, describing all processes involved plus tools and equipment. Includes dozens of charts that detail burnout programs, investing procedures, metal and casting temperatures and much more. Photos show work in progress. Softcover, 143 pages.

Description	Item#	Each
Centrifugal or Lost Wax Jewelry Casting - Book	810-2800	\$24.50

D. Lost-Wax Casting: Old, New, and Inexpensive Methods

By Fred R. Sias Jr., Ph.D.

Designed to be used as both a textbook and a reference book, this work is directed primarily at beginners. Places heavy emphasis on understanding the processes involved. Includes chapters on spruing, investing, wax elimination, centrifugal casting, vacuum casting, alloys, finishing and more. Softcover, 201 pages.


Description	Item#	Each
Lost Wax Casting - Book	810-2956	\$22.95


E. Basic Wax Carving, Volume 1 - By Spike Cornelius

Learn the basic steps and skills necessary to carve your own wax project or design. Demonstrates proper setup of bench environment, proper use of tools, the act of squaring up a rough block of wax, and accurate design transfer (layout). Intended for the serious student who wants to learn professional wax carving. Color, 1 hour.

Description	Item#	Each
Basic Wax Carving - DVD	810-3000	\$39.95











A. Deluxe Vacuum Casting Kit For high-quality production casting.

With the Gesswein Deluxe Casting Kit, you can carve original designs in wax, pack, vulcanize and cut rubber molds, inject the rubber molds to make wax patterns, tree your patterns, mix and vacuum the investment, burn out the flasks and vacuum cast them. This kit offers the flexibility to cast both perforated flasks and standard solid-wall flasks. All you need is a melting torch (see pp. 517-518) or electric melter (see p. 225) to cast from one item to over 50 items per day depending on size. Add extra flasks and cast even more Electrical: 115V (220V available).

Ship. Wt: 246 lbs. (Can ship UPS Ground)

Description Each

Deluxe Vacuum

Casting Kit

265-1164 \$3,850.00

Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.

Includes:

- Deluxe Vacuum Casting Machine, Model T1.5
- SC3 Fiber Furnace
- Hand Pump Wax Injector (2³/4 qts.)
- Junior Vulcanizer
- Perforated Flask, 3¹/2"D x 4"H
- Sprue Base for above
- Perforated Flask Sleeve
- Perforated Flask Tongs
- Solid-Wall Flasks (2)
- Sprue Bases for above (2)
- Rubber Flask Sleeve
- Standard Flask Tongs
- Mold Release Spray
- Sprue Former and Rod (10)
- Dial Thermometer
- Knife Blades (10)
- Knife Handle
- Injection Wax (5 lbs.)
- Injection Mold Plates
- Investment (23kg/50#)

- Investment Scale & Scoop
- Spatula
- Rubber Mixing Bowl
- Graduated Cylinder
- Borax
- Handled Melting Borax
- Heat-Resistant Gloves
- · Carbon Stirring Rod
- Mold Rubber (5 lbs.)
- Mold Frames (2)
- Mold Frame Plates (4)
- Wax Wash
- File-A-Wax Set
- Sprue Wax (1 lb.)
- Sticky Wax
- Wax Carving Tools (set of 6)
- Alcohol Lamp
- · Jewelry Casting book, by Murray Bovin

B. Basic Vacuum Casting Kit

All you need is a melting torch and our Basic Vacuum Casting Kit to cast your own wax patterns one piece at a time or to make small trees to cast several items at once. An excellent casting reference book is included. Electrical: 115V (220V available).

Ship. Wt: 173 lbs. (Can ship UPS Ground)

Description Item# Each Basic Vacuum Casting Kit \$2,265.00 265-1167


Includes:

- Vacuum Casting Machine, Model T3
- SC3 Fiber Furnace
- Investment (23kg/ 50#)
- Investment Scale & Scoop
- Rubber Mixing Bowl & Spatula
- Graduated Cylinder
- Heat-Resistant Gloves
- Solid-Wall Flasks (2)
- Flask Tongs

- Sprue Bases (2)
- · Sticky & Sprue Waxes
- Wax Carving Tool
- Wax Wash
- Borax
- Alcohol Lamp
- · Carbon Stirring Rod
- Handled Melting Crucible
- Jewelry Casting book, by Murray Bovin




Substitutions: We will be happy to consider substitutions, at your request, of the major pieces of equipment in any of our Casting Kits. For example, if you substitute a larger furnace (which will accommodate more flasks) you can cast dozens or even hundreds of items per day using the same casting machine. Please call our Inside Sales Department for price quotations on kits with substitute items.









A. T1.5 Deluxe Vacuum Casting/Investing Machine

For both standard and perforated flasks

Our benchtop caster allows you to invest your flasks under vacuum on the left side of the machine and vacuum cast both perforated and standard flasks on the right side. Turn the control handle to "Investment Table," and the powerful 3 CFM vacuum pump pulls air bubbles from the investment under a 9" dia. x $8\frac{1}{2}$ "H bell jar. Turn the handle to "Casting Chamber," and vacuum is redirected to the casting side. Three adapters are included to cast small and large perforated flasks (up to 5" x 7") and standard solid-wall flasks. Use of perforated flasks in the casting chamber allows vacuum to be pulled from both the walls and bottom of the flask, ensuring a complete fill and denser casting. Made in USA.

Specifications:		
Electrical	110V, 6A, 60H; 220V, 3A, 50H;	
Construction	Steel, powder-c	oated finish
Motor	1/2 HP	
Vacuum Pump	3 CFM	
Ship. Wt.	90 lbs.	
	Item#	Each
2	265-1580	\$1,075.00
2	265-1585	1,075.00
2	265-1700	12.95
	Electrical Construction Motor Vacuum Pump Ship. Wt.	220V, 3A, 50H. Construction Steel, powder-or Motor 1/2 HP Vacuum Pump 3 CFM Ship. Wt. 90 lbs.

B. Vacuum Casting/Investing Machine, Model T3 – For standard flasks

An ideal system to use when space is at a minimum! The 1/2 HP, 3 CFM vacuum pump will create a negative pressure equal to 27-29" Hg at sea level to eliminate air bubbles from investment and for vacuum-assist casting. Includes vacuum pump, 6' hose and connections, built-in vacuum gauge, sturdy Plastic bell jar (9"D x 8"H inside), rubber investing pad and silicone casting pad. Recommended for flasks up to 4" x 4". Electrical 110V, 6A, 60Hz. Casting unit measures $12^{1}/2$ "L x $12^{1}/2$ "W.

	Description	Ship. Wt. (lbs.)	Item#	Each
В.	T3, complete	55.5	265-1755	\$820.00
	T3, without vacuum pump	21	265-1756	425.25
	Vacuum Pump only	34.5	265-1757	450.15
	Replacement Bell Jar	-	260-4175	68.40

C. Neycraft Centrifugal Casting Machine

Features built-in protective safety shield, an easy winding/locking and release mechanism, instant balance with counterbalance weight, universal flask carriage to accommodate flasks up to 4" x 4", and two-way mounting base for quick setup and storage. Complete with 9 troy oz. crucible, flask tongs, 2 flasks (2" x 2" and 4" x 4") and 2 sprue bases. Measures 20" dia. x 12"H.

Description	Item#	Each
C. Neycraft	265-1220	\$993.25
Replacement Main Spring	265-1222	138.40
Replacement Crucible, 9 oz.	260-9020	31.95

D-F Centrifugal Casting Unit #5

Extra-long arm with heavy-duty spring ensures denser, porosity-free casting. Will accept flasks up to $3^{1}/2^{11} \times 5^{11}$. Complete with 2 cradles and weights for balance, 3 stainless steel flasks ($2^{1}/2^{11} \times 2^{1}/2^{11} \times 3^{11}/2^{11} \times 3^{11}/2^{11} \times 3^{11}/2^$

Description	Item#	Each
D. Unit #5	265-1200	\$525.00
E. Optional #5 Drum	265-1170	115.75
F. Optional #5 Cover for Drum	265-1171	67.05
Replacement Small Cradle	265-1206	9.75
Replacement Large Cradle	265-1205	9.75

G. 15" Flask Tongs

Specially designed for holding small to large heated flasks. Made of spring-tempered steel.

Description	Item#	Each
15" Flask Tongs	195-0200	\$6.65

A, B Ti-Research Cast/T Centrifugal Casting Machine

Cast/T is an award-winning centrifugal casting device designed to make casting more efficient and versatile. The compact machine is designed for torch melting and can cast silver, gold, platinum and stainless steel. In fact, Cast/T can handle any metal or alloy that can be melted and cast under atmospheric conditions. Cast/T can even produce rings with stones in place. A maximum of 450 grams of gold can be cast in one cycle within its compact frame.

In contrast to conventional centrifugal machines, the flask does not sit at the end of a revolving arm. Instead it rotates in place along its own axis. Patterns are not treed but sprued radially onto a wax disk to effectively fill the mold during casting. Because no tree or center sprue is necessary, Cast/T cuts metal waste by about 50% over traditional casting methods.


Don't let Cast/T's small size fool you; it can handle up to 25 ladies' rings per flask. The unique flask design allows you to use less investment and to fit more flasks in your oven. Three different mold sizes are available to accommodate both large and small jewelry models and a wide variety of casting needs.

Cast/T spins the flask at a fast speed of 1,100rpm to ensure complete

fills of even high-temperature metals such as platinum and stainless steel. As a result, Cast/T requires a strong investment. Dental investments can be used, but for consistent, predictable results, we recommend All Cast (see p. 211). Both models include small mold ring (flask), large mold ring, 250g crucible, crucible holder, sprue base, five wax sprue disks, pair of tongs and comprehensive

Electrical: 115V, 40W, 60Hz or 230V, 30W, 50Hz. Measures 6.6" dia. x 10"H. Weighs 19 lbs. Meets stringent European safety standards, including CE and TUV. Backed by a two-year manufacturer's warranty (excludes consumables). Made in Germany.

	Description	Electrical	Item#	Each
A.	Cast/T Tabletop Machine	115V, 60Hz	265-5002	\$2,895.00
		230V, 50Hz	265-5003	3,450.00
B.	Cast/T Recessed Machine	115V, 60Hz	265-5000	3,395.00
		230V, 50Hz	265-5001	3,650.00
	Description	Size (mm)	Item#	Each
	Small Mold Ring	100mm dia. x 30mm H	265-5006	\$69.95
	Small Mold Ring Divider*	30mm H	265-5007	89.50
	Large Mold Ring	100mm dia. x 60mm H	265-5008	79.00
	Mold Base	100mm dia.	265-5009	83.50
	Wax Sprue Discs, pkg. of 25	-	265-5010	29.00
	150g Crucible, pkg. of 5	-	265-5011	125.00
	250g Crucible, pkg. of 5	_	265-5012	139.00
	450g Crucible, pkg. of 5	-	265-5013	169.00



C. Heat-Resistant Gloves with Aluminized Back

Gloves are manufactured from 22 oz. basket-weave fiber blended with fiberglass. Aluminized back protects against radiant heat while wool lining protects against contact heat. Specially designed for better cooling, comfort and safety. Gloves have been used in temperatures up to 800°F for brief contact. Wide cuff openings allow gloves to be dropped with the flick of the wrist in case of excess heat buildup. Measure 14" long.

Description	Item#	Each
Heat-Resistant Gloves, pair	816-1020	\$53.95

D-E Heat-Resistant Gloves

For safe, easy handling of hot objects, Gloves are fully lined with black felt and manufactured from 22 oz. basket-weave fiber blended with fiberglass. Ideal for use in temperatures up to 1,000°F for brief contact. Extra-wide cuff openings allow gloves to be dropped with a flick of the wrist in case of molten splash or excess heat buildup.

Description	Item#	Each
D. 14" Gloves, pair	816-1015	\$41.95
E. 23" Gloves, pair	816-1016	76.50











Long-lasting, quality crucibles. Clay crucibles can be used up to 2,500°F; Wesgo and PLAT (Wesgo style alternative) crucibles used for higher platinum temperatures. Crucibles A-F are designed for use in casting machines.

				EAC	H Prices
	Description	Capacity	Item#	1-5	6+
A.	Wesgo A	3 oz.	260-8700	\$24.50	\$23.28
B.	PLAT D	10 oz.	260-8751	55.45	-
C.	Ney	9 oz.	260-9020	31.95	30.35
D.	Style 1	7 oz.	260-8900	15.95	15.15
E.	Style 2	12 ¹ / ₂ oz.	260-8950	16.95	16.10
F.	Style 3	25 oz.	260-8955	30.25	28.74
G.	PLAT 8	8 oz.	260-8801	19.00	-
Н.	PLAT 10	10 oz.	260-8811	28.00	-
I.	Burno	100 dwt.	260-8550	18.55	17.62
	Burno	50 dwt.	260-8600	19.45	18.48
	Burno	25 dwt.	260-8650	15.50	14.73

J. Crucible with Handle

This melting dish has a removable heat-resistant wooden handle for ease in melting and pouring of metal. Made of fused silica with clay bond and is suitable for melting precious metals. 6 oz. capacity.

Description	Item#	Each
J. Crucible with Handle	260-8400	\$19.95
Crucible only, 6 oz.	260-8410	15.85
Handle only	260-9050	7.25

K. Stainless Steel Crucible Tongs

Sturdy stainless steel, with finger grips. Specially formed ends will hold crucibles and small flasks. Measure 18" long.

Description	Item#	Each
Stainless Steel Crucible Tongs	195-0150	\$26.95

L. Bent Crucible Tongs

For picking up and holding crucibles and other hot objects. Measure 19" long.

Description	Item#	Each
Bent Crucible Tongs	195-0225	\$16.95

M. Burno Tongs

Shaped to hold all Burno crucibles. Measure 10" long.

		EACH	1 Prices
Description	Item#	1-2	3+
Burno Tongs	195-0050	\$3.55	\$3.20

N, O Borax

Glaze your crucibles with borax to extend crucible life and to protect melting metal from oxidation.

	Description	Item#	Each
N.	8 oz. powder	811-0700	\$6.50
0.	5 lbs. powder	811-0701	23.95
	50 lbs. powder	811-0702	185.00



A Graphite Crucibles

Top-quality crucibles resistant to high heat and thermal shock. Consist of natural flake graphite and silicon carbide bonded with fire clay. Lined with mullite for long life. Include spouts for easy pouring. Dimensions and capacities may vary slightly from those listed.

Style	Dia. x H	(dwt/grams)	Item#	Each
4/0	2 ³ /8" x 3"	600/935	260-8140	\$26.00
1	3 ¹ /8" x 3 ⁵ /8"	1,500/2,330	260-8141	32.00
2	3 ¹¹ / ₁₆ " x 4 ¹ / ₂ "	2,400/3,730	260-8142	36.00
3	4 ¹ /8" x 5 ⁵ /8"	4,320/6,720	260-8143	47.00
4	4 ⁹ ⁄16" x 5 ³ ⁄4"	5,120/7,960	260-8144	46.00
6	5 ¹ /4" x 6 ¹ /2"	7,830/12,175	260-8146	55.00

B. Carbon Stirring Rod

Used to stir molten metal in crucibles while helping pick up impurities. Measures 12" long.

	Description	Diameter	Item#	Each
В.	Carbon Stirring Rods	1/4"	260-3152	\$3.95

C. Quartz Stirring Rod

Non-contaminating rod for stirring molten metal. Made of pure fused silica. Stays cool and cleaner and lasts longer than carbon. Electrically nonconductive, perfect for use with induction melters. Measures 3/8" diameter x 12" long.

				EACH	Prices
	Description	Diameter	Item#	1-9	10+
C.	Quartz Stirring Rod	3/8"	260-3161	\$11.65 \$	10.49

D. Ceramic Oval Stirring Rod

Very long-lasting. Does not contaminate metal while stirring. Electrically nonconductive—excellent for use with induction melting machines. Measures 12" long.

Description	Diameter	Item#	Each
Ceramic Oval Stirring Rod	3/4"	260-3155	\$8.95

E, F ZO Paint for Crucibles

Prevents platinum contamination during casting

ZO Paint is a calcia-stabilized zirconium oxide (ZrO₂) paint which shields platinum from harmful chemicals leached out of silica or quartz crucibles. Preventing platinum contamination and brittle, porous casting. Best applied in several thin coats with an airbrush (sold separately). Quick to dry. Because it allows you to use the same crucible for more melts without worrying about contamination, you get the most out of each crucible. Use Airbrush Set (includes 9 oz. Propel propellant) to apply in multiple thin layers.

	Description		Item#	Each
E.	ZO Paint, pint		260-9150	\$59.95
	ZO Paint, quart		260-9151	115.00
	ZO Paint, gallon		260-9152	399.00
F.	Air Brush Set	Ĥ	260-1780	49.99
	Replacement Propel can (9 oz.)	Ĥ	260-1781	12pc 10.40







H\ Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.



Add 24K gold to our high-purity alloys to create the karat and color that you desire (18K-75% fine gold, 25% alloy; 14K=58.33% fine gold, 41.67% alloy; 10K=41.67% fine gold, 58.33% alloy). Can also be used to lower karat. Sold in shot form and packaged in preweighed bags. White alloys contain nickel. Since the price of alloy will fluctuate with the price of silver, please consider prices below as approximate.

A	To	Alloy Liguidus	10K Liquidus	14K Liquidus	18K Liquidus			
Color	Make	Temp	Temp	Temp	Temp	Pkg. Wt.	Item#	PKG. Prices
White	10K, 14K	2,100°F	1,615°F	1,740°F	_	10 troy oz.	857-2020	\$44.70
White	18K	2,165°F	_	_	1,670°F	10 troy oz.	857-2030	59.40
Yellow	10K, 14K	1,715°F	1,555°F	1,545°F	_	5 troy oz.	857-2000	45.22
Hamilton Yellow	18K	1,555°F	_	_	1,585°F	5 troy oz.	857-2010	68.32

B

B. Re-Cast It

A. Gesswein[®] Alloys

A remarkable alloy additive that restores the fluidity, color and brightness of old or scrap yellow gold before you cast it. Use to eliminate the porosity associated with casting old gold. Add 5% to your gold, melt and stir. Flow temperature: 1,950°F. One jar casts up to 800 dwt of gold. Ship. Wt: 2 oz.

Description	Item#	Each
Re-Cast It	857-3010	\$59.95

C. Manganese Bronze Casting Grain

This nonprecious alloy resembles 14K gold. It can be oxidized, antiqued or plated. Great for sample lines to avoid theft and use of gold. Should only be torch melted. Casting temp: 1,700-2,100°F. Melting point: 1,620°F. Specific gravity: 8.3.

			LB	. Prices
Ą	Description	Item#	1-9	10+
,	Manganese Bronze Casting Grain	857-2995	\$23.75	\$20.19

D. Combination Sliding Ingot Mold

High-quality finished steel mold for converting clean scrap metal into convenient and usable shapes. Great versatility—round and different size flat shapes can easily be formed. Flat width adjustable up to 2". Simply melt metal, heat ingot and pour.

Ingot Sizes:

Round: 3, 4, 5 and 6mm Flat: 80 x 50 x 4mm

Description	Item#	Each
Combination Sliding Ingot Mold	268-1100	\$44.05

E. Sliding Ingot Mold

Used to convert clean scrap metal into flat stock for rolling. Molten metal is poured into the mold, which can be parted by removing the clamp. Each mold can be made smaller by adjusting the sides in a horizontal direction. Maximum capacity: 115 dwt. Maximum ingot size: $50 \times 45 \times 3.5 \text{mm}$.

Description	Item#	Each
Sliding Ingot Mold	268-1260	\$42.75



One-piece cast-iron mold with handle. Use for making wire ingots. Features three $9^{1}/_{4}$ " long depressions: two are approximately $^{1}/_{8}$ " wide, and the third is approximately $^{3}/_{8}$ " wide. Measures 15" long.

Econo Extra-Long Wire Ingot Mold	268-1201	\$29.95
Description	Item#	Each
Sions, two are approximately 76	wide, and the till a approximately 70 wie	ac. Mcasarcs 10 long.




G. Small Wire Ingot Mold

Makes strips in three sizes: $19mm \times 8mm \times 170mm$, $7mm \times 8mm \times 170mm$ and $9mm \times 9mm \times 170mm$. Measures $11\frac{1}{4}$ " long.

Description	Item#	Each
Small Wire Ingot Mold	268-1250	\$12.75

Made with the highest standards, the Electric Melting Furnaces are built with a solid steel construction as well as the finest components. Many years of experience combined with continuous technological updates and a constant search for innovative materials, places them in a quality level of excellence recognized worldwide. Available in 3 sizes/capacities; 0.5kg, 1kg, 3kg and 3kg with a tilt feature. CE certified. All 4 models have auto shut-off at the maximum temperature of 2012° and 110V/60Hz. Includes: Melting furnace complete with pyrometer, graphite crucible, crucible tongs and, graphite stirrer. Made In Italy.

	Fine Gold Capacity	Tilt Item#	Watts	Overall Size (WxDxH)	Weight	Item#	Each
A.	½ kg	No	650W	7" x 7" x 11½"	12 lbs.	265-1600	\$595.00
B.	1 kg	No	850W	8½" x 9" x 13½"	15 lbs.	265-1602	625.00
C.	3 kg	No	1700W	8½" x 9" x 15½"	20 lbs.	265-1604	895.00
D.	3 kg	Yes	1700W	11" x 9" x 16"	25 lbs.	265-1606	1,195.00
	Replacemen	nt Crucible i	for ½ kg (26	5-1600)		265-1610	15.95
	Replacemen	nt Crucible	for 1 kg (265	1-1602)		265-1611	17.95
	Replacemen	nt Crucible	for 3 kg (265	-1604)		265-1612	39.95
	Replacemen	nt Crucible	for 3 kg, Tilt	(265-1606)		265-1613	39.95



E. Accu-Melt Furnace

Electric melting furnace for melting gold, silver and other nonferrous alloys for casting, ingot or shot making. Graphite crucible has a capacity of 1kg pure gold. Groove in crucible lip makes it easy to remove crucible from melter with special tongs (included). A full 700W of power provides temperatures up to 2,012°F. Digital operation with digital temperature readout. Supplied with one crucible and tongs. Made in Italy.

Specifications:

110V, 700W, 60Hz or 220V, 1 Ph, 700W, 60Hz Electrical:

1kg fine gold (32.15 troy oz.) Capacity: 9"W x 9"D x 13¹/₂"H Dimensions:

Description	Item#	Each
E. Accu-Melt, 110V	265-2150	\$625.00
Accu-Melt, 220V	265-2149	745.00
Optional Carbon Stirring Rod, 12"L x 1/4" dia.	260-3152	3.95
Replacement Crucible	265-2152	42.90
Replacement Tongs	265-2154	48.00



F-I Kerr® Automatic Electro-Melt and Maxi-Melt

These self-contained furnaces offer the additional feature of an electronic controller that holds the temperature you set to within ±5°F! Most importantly, their electronics are designed to eliminate temperature overshoot. Each unit features a bright LCD for °F or °C readouts and a safety switch. CE and UL approved.

Sp	ecifications:	Auto Electro-Melt	Auto Maxi-Melt	
Εle	ectrical:	120V, 6.2A, 50/60Hz or	120V, 11.3A, 50/60Hz or	
		230V, 3.1A, 50/60Hz	230V, 5.6A, 50/60Hz	
Ca	pacity:	30 troy oz.	100 troy oz.	
Ma	ax. Temp.:	2,050°F	2,050°F	
Fir	ing Time:	21 min. to 1,800°F	31 min. to 1,800°F	
Dii	mensions:	8 ¹ / ₄ "W x 6 ¹ / ₄ "D x 13 ¹ / ₂ "H	8 ¹ / ₄ "W x 6 ¹ / ₄ "D x 15"H	
	110110101101	0/1 W X 0/1 B X 10/2 11	0/1 W M 0/1 B M 10 11	
٥.,	Description	Electrical	Item#	Each
_		-,		Each
_	Description	Electrical	Item#	
F.	Description	Electrical 120V	Item# 265-1283	\$885.00
F.	Description Auto Electro-Melt	Electrical 120V 230V	Item# 265-1283 265-1284	\$885.00 895.00
F. G.	Description Auto Electro-Melt Auto Maxi-Melt	Electrical 120V 230V 120V	Item# 265-1283 265-1284 265-1256	\$885.00 895.00 1,355.00





Induction Casting Machines

ASEG GALLONI Company, established in Italy in 1948, was the first in the world to produce electronic induction machines for melting and casting special metals, precious and non-precious alloys for the global jewelry


Using expertise and experience gained over many years, Galloni manufactures a wide and comprehensive range of electronic casting machines for gold, silver and platinum that are applicable to every type of lost-wax casting requirement.

Galloni Company manufactures its equipment in compliance with the CE standards and is certified according to ISO 9001, CISQ, IQNet.

*GALLONI Product Comparison	Pressovac MAX	Pressovac Optical	Pressovac Dual Pyrometer	G1 Ultimate	G3 Ultimate	Okay Plus
Item #	265-0869	265-0861	265-0890	265-0831	265-0833	265-1121
Platinum	30 to 350g	30 to 110g	30 to 110g	-	_	300g
18K Gold	800g	150g	250g	1.4kg	2.2kg	200g
Silver	500g	100g	220g	1.2kg	2.0kg	130g
Palladium	180g	110g	110g	-	_	_
Steel	400g	90g	90g	-	-	-
Max Flask Size	4" x 5"	3.5" x 3.5"	3.5" x 3.5"	5.9" x 9"	5.9" x 11.75"	3.5" x 3.5"
Page #	228	229	229	227	227	226

^{*}Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.







Galloni Okay Plus

Introducing Galloni's newest, high performance, fast action, medium-frequency centrifugal vacuum casting machine. Self-stirring for homogenous melts. Cast up to 300 grams of Platinum, 200 grams of 18K Gold and 130 grams of Silver in minutes using special ceramic crucibles.

The solid-state power generator is electronically controlled and the casting arm is easily balanced and accepts flasks up to 3.5" x 3.5" high.

Includes flask, ceramic crucible and cover for gold, ceramic crucible for platinum, melting coil and crucible carriage with holding plate for either gold or platinum, metal stirring rod, eye shield and flask tongs. Backed by a oneyear manufacturer's warranty.

Features:

•	Automatic movement of coil
	(pneumatic)

· Vacuum/Gas supply switch

 RPM regulator (adjustable arm acceleration)

· Optical pyrometer

Specifications:

Casting Cycle:

Water Cooling:

Max.Crucible 300g platinum 200g of 18K Gold Capacity:

130g of Silver

Max. Flask Size: 3.5"dia. x 3.5"H: solid wall

4 minutes

3,812°F (2,100°C) Max. Temp:

Vacuum Requirement: 20 CFM (Includes Pump)

Requirement: 100-120 PSI

Dimensions: 24"W x 27"D x 37"H

230V, 5kW, 1 Ph Full 220V required

2 liters/minute Net Wt.: 375 lbs.

Electrical:

Description Each Item# Galloni Okay Plus w/Vac Pump 265-1121 **Call for Pricing**

226 Gesswein

Orders 9am-5pm EST: 800-243-4466

FAX Orders 24/7: 888-454-4377





Galloni G1 and G3 Ultimate Casting Machines - Pressure Over Vacuum

The Galloni "G" Ultimate casting machines are the latest and most technically advanced induction heated vacuum "over pressure" machines currently available worldwide, featuring low frequency generators and fully proportional computer-controlled power output. The operator has simply to charge the crucible, place the casting flask in position and press one button! Both models are equipped with a touch-screen 3-color LED 3D. The machines lead the operator logically step-bystep through the casting sequence, irrespective of the type and quantity of the alloy. Frequency and power output are automatically and continuously adjusted and, just ahead of attaining the preset casting temperature, the computerized control starts modulation of the heating current by delivering low frequency impulses, thus inductively stirring the melt. Then, when all parameters are achieved and the temperature "spread" is no more that 4°C either side of the set point, pouring starts automatically followed by strong pressurization of the molten metal by inert gas. The complete cycle can be performed in 5 minutes.

Backed by a one-year manufacturer's warranty.

Specifications:	G1 Ultimate	G3 Ultimate
Max. Crucible Capacity	1400g 18K Au, 3000g 24K Au, 1200g Ag	2200g 18K Au, 3500g 24K Au, 1900g Ag
Max. Flask Size	5.9" dia. x 9"H	5.9" dia. x 11.75"H
Max. Temperature	2,552°F (1,400°C)	2,552°F (1,400°C)
Air Requirement	8 bar, 90 PSI	8 bar, 90 PSI
Water Requirement*	150 liters/hour	150 liters/hour
Vacuum Requirement	60m3/hr	External 60m3/hr.
Electrical	230/380/415 V - 50/60 Hz 5kW 3 Phase	230/380/415 V - 50/60 Hz 5kW 3 Phase
Dimensions	24"W x 26"D x 47"H	24"W x 26"D x 47"H
Net wt.	463 lbs.	490 lbs.
Item	#265-0831 Call for pricing	#265-0833 Call for pricing

^{*}Pipe directly to cold water line, or use a recirculating pump with tank or a chiller.



Crucible



Induction Casting Machines

(Continued)



Galloni Pressovac MAX - Pressure Over Vacuum

Incorporates state-of-the-art features for high-production casting of both platinum and gold with extremely fast cycle times: 2-3 minutes for gold and platinum.

- Full vacuum casting chamber to radically enhance crucible life and to remove gases from the flask, minimizing or eliminating gas porosity.
- After vacuuming, the casting chamber is flooded with inert gas to prevent oxidation of gold and platinum/cobalt alloys.
- · Medium-frequency induction melting with self-stirring effect for homogeneous melts.
- Produces extremely dense castings.

Includes one crucible kit and flask cradle. See page 230 for details. Backed by a one-year warranty. CE approved.

Specifications:

Power 5kW

Max. Crucible Capacity 350g Pt, 800g 18K Au,

500g Ag, 180g Pd, 400g Steel

Max. Flask Size 4" dia. x 5"H Max. Temperature 3,812°F (2,100°C) Air Requirement 100-120 PSI

Water Requirement 3 liters/minute @ 45 PSI

Vacuum Requirement 7 CFM

Inert Gas Requirement Nitrogen, helium or argon 230V, 400V, 415V, or 440V 3 Ph Electrical **Dimensions** 26.8"W x 19.7"D x 47.2"H

Net Weight 353 lbs. Description Item#

Each **Call for Pricing**

Galloni Pressovac MAX 265-0869 Vacuum Pump, 7 CFM, 110V 265-2404 \$610.00 Vacuum Pump, 7 CFM, 220V 265-2406 628.55

Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.

Pressovac MAX Crucibles



A. Au Kit - for Pressovac MAX

- Graphite crucible cemented with its container for gold and silver (60 cc)
- Lid cover for crucible
- Graphite thermocouple sheath
- Spare thermocouple type "S"
- Melting coil (3647.1)
- Crucible holding plate complete with crucible lid cover holder mechanism

Description	Item#	Each
Au Kit for Pressovac MAX	265-0891	\$1,710.00



- Ceramic crucible (20 cc)
- Melting coil (3650.1)
- Crucible holding plate complete with crucible lid cover holder mechanism

Description	Item#	Each	
Pit Kit for Pressovac MAX	265-0892	\$1,125.00	

C. Steel/Pd Kit – for Pressovac MAX

- Silicon carbide crucible (40 cc)
- Melting coil (3650.1)
- Crucible holding plate complete with crucible lid cover holder mechanism

Description	Item#	Each
Steel/Pd Kit for Pressovac MAX	265-0893	\$1.034.00

Gesswein

Orders 9am-5pm EST: 800-243-4466

Galloni Pressovac - Pressure Over Vacuum

Compact electronic induction vacuum/pressure casting machines scaled down to a smaller size. Pressovac is a perfect entry-level induction casters that will keep up with your production as your business grows. The melting/casting chamber and cover are made of thick anodized aluminum, and both cover and chamber floor are water-cooled so that chamber stays cool even after multiple castings—there's no downtime between casts!

Pressovac can cast gold, silver, platinum, palladium, titanium alloys and steel and handles all types of models. Melts via electronic induction for quick self-stirring homogeneous melt, then casts under vacuum with powerful over-pressure of inert gas to simultaneously pull and push the metal into the flask. Guaranteed dense castings without the brittleness, cracking or subsurface porosity that cause expensive rework or customer returns.

Pressovac Optical includes an optical pyrometer for accurate temperature measurement of platinum, palladium, titanium or steel. Supplied with 3 crucibles (1 each for gold/silver, platinum, and palladium/steel) and a flask adapter for a 3.5" x 3.5" flask along with a metal stirring rod and flask tongs. Can also cast gold and silver but if accurate temperature measurement is needed for these metals, we recommend the Pressovac Dual below.

Pressovac Dual includes both an optical pyrometer (for platinum, palladium, titanium alloys or steel) and an immersion thermocouple (for gold/silver) making it suitable for all metals. Supplied with 1 crucible kit (choose from these kits: gold/silver, or platinum/palladium/steel) and a flask adapter for a 3.5" x 3.5" flask along with a metal stirring rod and flask tongs.

See page 230. For crubible kits which you can choose when placing vour order.

Backed by a one-year manufacturer's warranty.

Specifications:	Pressovac (Optical)	Pressovac (Dual Pyrometer)
Power	3.0kW	3.0kW
Max. Crucible Capacity	110g Pt,150g 18K Au, 100g Ag, 110g Pd, 90g Steel	110g Pt, 250g 18K Au, 220g Ag, 110g Pd, 90g Steel
Max. Flask Size	3.5" dia. x 3.5"H	3.5" dia. x 3.5"H
Max. Temperature	3,812°F (2,100°C)	3,812°F (2,100°C))
Air Requirement	100-120 PSI	100-120 PSI
Water Requirement	3 liters/minute @ 45 PSI	3 liters/minute @ 45 PSI
* Vacuum Requirement	7 CFM	7 CFM
Inert Gas Requirement	Nitrogen, helium or argon	Nitrogen, helium or argon
Electrical	230V, 1 Ph, 50/60Hz	230V, 1 Ph, 50/60Hz
Dimensions	23.6"W x 19.7"D x 18.9"H	23.6"W x 19.7"D x 18.9"H
Net Weight	199 lbs.	199 lbs.
Item	#265-0861 Call for Pricing	#265-0890** Call for Pricing

^{**} Includes one crucible kit and flask cradle.

Description	Item#	Each
* Vacuum Pump, 7 CFM, 110V	265-2404	\$610.00
* Vacuum Pump, 7 CFM, 220V	265-2406	628.55





Control Panel



GALLENI

Induction Casting Machines

Pressovac Dual Pyrometer Crucibles



A. Au Kit – for Pressovac Dual Pyrometer

- Graphite crucible cemented with its container for gold and silver (20 cc)
- Lid cover for crucible
- · Graphite thermocouple sheath
- Spare thermocouple type "S"
- Melting coil (3648)
- Crucible holding plate complete with crucible lid cover holder mechanism

Description	Item#	Each
Au Kit for Pressovac Dual Pyrometer	265-0816	\$1,685.00



B. Pt/Pd/Steel Kit - for Pressovac Dual Pyrometer

- Ceramic crucible for platinum (10 cc)
- Silicon carbide crucible (20 cc)
- Melting coil (3645)
- Crucible holding plate complete with crucible lid cover holder mechanism

Description	Item	Each
Pt/Pd/Steel Kit for Pressovac Dual Pyrometer	265-0817	\$1,108.75

Pressovac MAX Crucibles



C. Au Kit - for Pressovac MAX

- Graphite crucible cemented with its container for gold and silver (60 cc)
- Lid cover for crucible
- Graphite thermocouple sheath
- Spare thermocouple type "S"
- Melting coil (3647.1)
- Crucible holding plate complete with crucible lid cover holder mechanism

Description	Item#	Each
Au Kit for Pressovac MAX	265-0891	\$1,710.00



D

D. Pt Kit - for Pressovac MAX

- Ceramic crucible (20 cc)
- Melting coil (3650.1)
- Crucible holding plate complete with crucible lid cover holder mechanism

Description	Item#	Each
Pit Kit for Pressovac MAX	265-0892	\$1,125.00



E. Steel/Pd Kit - for Pressovac MAX

- Silicon carbide crucible (40 cc)
- Melting coil (3650.1)
- Crucible holding plate complete with crucible lid cover holder mechanism

Description	Item#	Each
Steel/Pd Kit for Pressovac MAX	265-0893	\$1,034.00

Ceramic container for graphite liner (for Au) Interchangeable graphite liner (10 cc) (for Au) Ceramic crucible (10 cc) (for Pt) Silicon carbide crucible (20 cc) (for Steel/Pd)

230 Gesswein Orders 9am-5pm EST: 800-243-4466 FAX Orders 24/7: 888-454-4377

A. Devesting Machine

Use this high power, heavy-duty system to thoroughly clean investment from castings. Two-piece unit has a rollout catch chamber for removal of accumulated investment. Adjustable water spray nozzle is controlled by a foot pedal. Seam-welded steel frame construction with brushed stainless steel body. Internal work light. Front hinged door for optimal viewing. Heavy-duty replaceable rubber gloves.

Specifications:

Electrical: 240V, 15A, 1 PH, 60Hz

3 HP Motor:

Dimensions:

24³/₈"W x 28³/₈"D x 59"H Overall: 23³/₈"W x 13¹/₂"D x 12⁵/₈"H Workspace:

Max. Water Pressure: 1,700 PSI Water Flow: 10.5L/min. Net/Ship. Wt.: 293/440 lbs.

	Description	Item#	Each
A.	Devesting Machine	265-2183	\$6,425.00
	Replacement Gloves, pair	265-2185	32.95
	Replacement Nozzle	265-2187	45.00



B, C Hydro Air Wash Gun

Removes investment from castings by using compressed air and water. Made of chrome-plated zinc and brass. Includes heavy-duty, squeeze-trigger air valve, rubber nozzle and hand grips for protection against hot water. Reduces cleaning time and eliminates costly cleaning equipment. Operates on 50-200 PSI. Requires ³/₄" dia. x 4"L hose (sold separately) for connection to faucet. Net Wt: 3 lbs.

	Description	Item#	Each
B.	Hydro Air Wash Gun	260-1800	\$145.00
C.	Water Hose	260-1805	10.95



D. NevClean SP Investment Remover

Specially formulated NeyClean SP makes quick work of investment removal. The powerful powder formula strips investment from your castings and molds exceptionally fast. If you use it in a heated ultrasonic tank, NeyClean SP works even faster: heat enhances its cleaning power. Better still, the exclusive powder formula can be used over and over again, providing great savings over competitive products. All this and it's even biodegradable! Effective, easy to use, economical and safe for the environment—NeyClean SP is all of these. Supplied in a plastic container. Combined with hot tap water, one container makes $12^{1/2}$ liters (13 gts.) of solution.


Description	Item#	Each
NeyClean SP Investment Remover	260-4260	\$36.90



E. Vest Off

A mildly acidic water-based cleaner for removing investment plaster. Dilute with five parts water in ultrasonic cleaner (use auxiliary pan or beaker). Use cold and undiluted as dip. Rinse off with water. Gives off no fumes. Comes in 1-gallon bottle.

			EAC	H Prices
Description		Item#	1-4	5+
1-gallon bottle	(\$)	260-4300	\$35.60	\$26.70





F. Hand Brush with Enclosed Handle

Features stiff nylon bristles set in a durable block with enclosed handle for keeping skin and fingernails clean. Ideal for removing investment and more. Measures 4"L x 1½"W.

		EACI	H Prices
Description	Item#	1-2	3+
Hand Brush with Enclosed Handle	115-2255	\$3.90	\$3.51





instructions. ST-50 includes Carbide Tip only. ST-60 includes all 5 tips.





A, B SonoCraft Burnishers Ultrasonic Porosity Removers

SonoCraft units were designed especially for professional jewelers to remove porosity and other surface imperfections quickly and easily. But they are also amazing surface finishers with excellent reach into the tiniest areas: polishing under cathedral settings and cleaning up half round rails. You can polish and burnish areas that are almost impossible to reach by hand which traditionally had to be done with a magnetic tumbler. Both units include power pack, lightweight handpiece, on/off foot switch, wrenches and instructions. Made in Japan.

Select between two powerful units:

The ST-50 comes with one burnishing tip and works on softer metals such as gold and silver. It operates in a continuous mode with a constant fast impact governed by a Variable Rheostat dial. Used for burnishing and polishing.

Our ST-60 includes five tips and works on the softer metals as well as hard metals such as Platinum. A very versatile machine, the ST-60 has four ultrasonic modes:

Single Hit Mode: Tightens beads onto stones with minimal or no touch-up needed.

Intermittent Mode (Slow): Slowly repeating impacts for light engraving.

Intermittent Mode (Rapid): Rapidly repeating impacts for engraving.

Continuous Mode: Constant fast impact for burnishing and polishing.

- Advanced ultrasonic technology drastically reduces finishing time for increased productivity.
- Automatic frequency adjustment provides optimal efficiency for excellent finishing results.
- High output power handles all kinds of metals with ease.

Specifications:	ST-50	ST-60
Works on	Gold, Silver and other soft metals	Gold, Silver, Platinum and other hard metals
Max. Power Output	30 Watts	40 Watts
Operating Frequency	24kHz	25kHz
Power Consumption	120VA	120VA
Output Adjustment	Continuously variable	Continuously variable
Handpiece Weight	7 oz.	4.5 oz. (without cord)
Electrical	110V or 220V, 50/60Hz	110V or 220V, 50/60Hz
Power Pack Dimensions	6 ⁷ /8" W x 6 ⁷ /8" D x 3 ³ /16" H	5 ³ / ₄ " W x 7 ¹ / ₄ " D x 5" H
Ship. Weight	5.4 lbs.	6.25 lbs.

	Description	Item#	Each
A.	SonoCraft III Ultrasonic ST-50, 110V	510-0880	\$1,990.00
	SonoCraft III Ultrasonic ST-50, 220V	510-0881	1,990.00
В.	SonoCraft Ultrasonic ST-60, 110V	510-0885	3,950.00
	SonoCraft Ultrasonic ST-60, 220V	510-0886	3,950.00
	ST-60 Replacement Handpiece	510-0884	1,715.00
	ST-60 Tip, V-shape Chisel, 60 Deg	510-0887	130.00
	ST-60 V-shape chisel, 90 Deg	510-0888	130.00
	ST-60 Tip, Flat Graver	510-0889	93.00
	ST-60 Tip, Round Graver	510-0890	125.00
	ST-60 Tip, Burnishing Tool	510-0891	125.00
	ST-50 Replacement Handpiece	510-0879	1,215.00
	ST-50 Carbide Tip	510-0882	68.00

A-E Carbide Rotary Burnishers Faceted – For platinum, gold & silver

A fast way to remove porosity, firescale and scratches. Made of highly polished tungsten carbide on $\frac{3}{32}$ " shanks. Measure $\frac{11}{2}$ " long. Select between a 12, 18, or 36-facet sidewall.

- 12-facet burnisher leaves a coarse finish and covers large pinholes on gold and silver
- 18-facet burnishers leave a medium finish and cover moderate pinholes on all metals
- 36-facet burnishers leave a fine finish and cover small pinholes on all metals. Imported from South Korea.

						EACI	H Prices
	Facets	Dia. x H	Finish	Max. RPM	Item#	1-9	10+
A.	12	5 x 13mm	Coarse	10,000	811-2170	\$43.50	\$39.15
B.	18	5 x 13mm	Medium	10,000	811-2171	43.50	39.15
C.	36	5 x 13mm	Fine	10,000	811-2172	43.50	39.15
D.	18	10 x 7mm	Medium	8,000	811-2175	43.50	39.15
E.	36	10 x 7mm	Fine	8,000	811-2176	43.50	39.15

F. Margin Roller Burnisher 3/32" Shank

For burnishing over scratches in gold, making it possible to salvage many pieces without gold loss. Can also be used for burnishing over microporosity in castings. The $\frac{3}{16}$ " (5mm) head consists of five steel rollers that act as rotating mallets. Measures approximately $1\frac{3}{4}$ " long with $\frac{3}{32}$ " shank for use with handpiece.

		EAC	H Prices
Description	Item#	1-2	3+
Margin Roller Burnisher	811-2150	\$21.95	\$19.76

G. Porosity Killer 3/32" Shank

For burnishing over porosity in gold, making it possible to salvage highly porous pieces without gold loss. Similar in operation and effect to a margin roller but more aggressive. The 2mm thick head measures approximately $\frac{1}{2}$ " x $\frac{1}{2}$ " with rounded corners. $1\frac{3}{4}$ " overall length.

Description	Item#	Each
Porosity Killer	260-1775	\$17.50

H, I Busch® Carbide Burnishers 3/32" Shank

Fig. RR426 Carbide Burnishers from Busch. Exceptionally well made tools used to remove porosity and surface imperfections from cast pieces by moving metal over the defect. Burnisher tip is rounded. Dia: 6.0mm, Length 13.0 mm.


Description	Item# Ea	
H. Busch Carbide Burnisher, 22 Facet	811-2173	\$42.63
I. Busch Carbide Burnisher, 36 Facet	811-2174	45.34

J. ECO-Torque 280 Rotary Micromotor General Purpose

Our most affordable rotary micromotor system! The ECO-Torque 280 handles a wide range of rotary handpiece applications. Whether you need a system for grinding, drilling, polishing or bright cutting, ECO-Torque 280 will get the job done.

Includes a compact controller with 110/220V selector switch and forward/reverse switch, lightweight 35,000rpm rotary handpiece with 3/32" collet, on/off foot switch, handpiece cradle rest, replacement pair of carbon brushes and collet chuck wrenches. Controller measures 41/2"W x 53/4"D x 33/4"H and weighs 2.75 lbs. Handpiece measures 6" long x 1.1" diameter (tapers to 0.7" dia. at finger grips) and weighs 7.3 oz. An optional reducing collet is available (sold separately, see p. 434) to reduce collet size from 3/32" to 1/16" to run high-speed burs.

Description	Item#	
ECO-Torque 280	510-2980	\$199.95













A. Niles Pneumatic Sprue Cutters

Specifications:

Heavy-duty air-powered tools for cutting castings from sprues. Feature tapered blades that make it easy to get in between closely spaced castings. Eliminate hand and arm fatigue and increase production. Can be operated by hand when not on stand. Each includes one pair of blades, stand, foot pedal, air hose and hose connectors. Air compressor requirements: 60-85 PSI, 0.8 CFM. Made in Japan.

Model 35

Model 25

Blad	es:	P6, Hi	gh-Speed Ste	el Z8P, C	arbide
Cutti	ing Capacity at				
Mids	section of Blade:	3mm		4mm	
Size	without Blade:	1 ³ /4" c	lia. x 9 ¹ /2"L	2 ¹ /8" d	ia. x 11½"L
Leng	gth of Cutting Edge:	1/2"		1 ¹ /8"	
Ship	. Wt.:	5 lbs.,	4 oz.	6 lbs.,	4 oz.
D	escription (Item#	Each
D. N	Model 25 with P6 Blades			260-3107	\$550.00
N	Model 35 with Z8P Blades			260-3108	625.00
R	Replacement Stand			260-3118	120.00
R	Replacement Foot Pedal			260-3119	177.00
R	Replacement Hose with Cor	nectors		260-3114	36.60
В	Blades		For	Item#	Each
Z	61, H.S.S. pointed		Model 25	260-3112	\$183.00
S	7P, Tool Steel pointed		Model 35	260-3111	99.00
R	Replacement P6, H.S.S. blu	nt	Model 25	260-3116	74.00
R	Replacement Z8P, Carbide	blunt	Model 35	260-3117	195.00

B. Heavy-Duty Sprue Cutter

A space-saving manual cutter ideal for cutting heavy sprues or the center rod of a tree sprue system. Should be bolted to a bench.

Specifications:

3/8" (10mm) thick nonferrous sprues **Cutting Capacity:** 6"L x 3"W base with 21" long handle Dimensions:

Ship. Wt.: 10 lbs.

Description	Item#	
B. Heavy-Duty Sprue Cutter	260-3120	\$435.00
Replacement Blade	260-3122	129.95



C. Power Max Cutters – Cuts gold sprues up to 3mm

Feature leverage-enhancing design and induction-hardened, high-grade steel jaws for extra-close cutting. Have ergonomically shaped handles for preventing fatigue and injuries. Cuts gold and soft wire up to 3mm thick. Measures 6½" long. Made in Japan.

Flush Cutter	181-4066	\$36.95	\$35.10	\$33.26
Description	Item#	1-2	3-9	10+
			EACH Pric	es

FAX Orders 24/7: 888-454-4377

Ultrasonic Cleaners

Ultrasonic cleaning technology utilizes high frequency sound waves to agitate a water-based cleaning solution that in turn acts on contaminants adhering to metals, plastics, glass and ceramics. Ultrasonic cleaners remove dust, dirt, oil, pigments, grease, polishing compounds, mold release agents, and biologicals like blood, fingerprints and saliva, Gesswein Cleaning Solutions are formulated for light, medium or heavy-duty cleaning and all reduce surface tension in order to clean more effectively and enhance cavitation (formation of microscopic cleaning bubbles).



The Gesswein Sonic Wave IV is the latest in the family of small ultrasonic cleaners for the home. Powerful and modern looking, the Sonic Wave IV is a professional grade digital Ultrasonic Cleaner with a 1½ pint capacity half-wave PCB and high power transducers giving a large effective cleaning area—far superior to similar units on the market. Quickly cleans Jewelry, and DVDs, etc. Works well with our Ultrasonic Solution. The price point means it a great gift with purchase or add-on purchase for your customers.

Features:

- Large 2-color LED display.
- Powerful LED Blue Light inside
- Stainless Steel Tank.
- High impact plastic housing.

Specifications:

Capacity: $1\frac{1}{4}$ pints (600ml) Electrical: 100-120V 60Hz

Weight: 4 lbs.

Tank 6"W x 5"D x 13/4"H **FACH Prices**

7³/₄"W x 7³/₄"D x 7"H

See-through half-domed lid.

• Digital timer with 5 setting

· Auto shut-off. • Frequency=42,000Hz

Description Item# 3-5 Sonic Wave IV 851-4904 \$49.95 \$39.96 \$34.97

Size:

B. Digital Ultrasonic Cleaner – $2^{1/2}$ qts.

A moderately sized ultrasonic cleaner for removing dirt and compounds from jewelry. Provides 42kHz of cleaning power. Features integral heater with radiator fan; guiet solid-state circuitry; digital controls with 90, 180, 280, 380 and 480-second cleaning cycles; isolated electronics for protection against moisture; heavy-duty wipe-clean plastic housing; durable stainless steel tank; and auto-shutoff for safety. Includes lid with viewing window and a cleaning basket. CE, GS, NRTL and PSE approved.

Specifications:

Capacity: $2\frac{1}{2}$ ats.

Flectrical: 115V. 160W 50/60Hz

Dimensions: Overall 133/8"W x 10"D x 87/8"H

Tank 103/8"W x 61/2"D x 31/8"H

Weight: $5\frac{1}{2}$ lbs.

Description Item# Each Digital Ultrasonic 851-4906 \$119.95

C. Ultrasonic Ring Rack

Durable plastic-coated wire ring rack with hanging hooks that measure approximately 2" long.

Description	Hooks	Overall Width	WxD	Item#	Each
Ultrasonic Ring Rack	12	12"	5½" x 2"	851-4105	\$3.95

D-F Econo Ultrasonic Ring Racks – 3 sizes

Affordable racks that feature heavy PVC coating and double-sided arms.


	Description	Hooks	Overall Width	WxDxH	Item#	Each
D.	Sm. Hanging Rack	16	8"	6" x 4½" x 1½"	851-4107	\$3.95
E.	Med. Standing Rack	32	8"	5 ¹ / ₄ " x 4 ¹ / ₂ " x 4"	851-4108	5.95
F.	Lrg. Standing Rack	64	12"	9 ¹ / ₈ " x 4 ¹ / ₂ " x 3 ¹ / ₂ "	851-4106	5.95



13







235

	Ultrasonic Cleaner Brand Comparison								
Brand	BestBuilt	L&R Quantrex	Digital	Gem0ro	Elma "Easy" Series	Elma "P" Series			
Capacity	2 qts., 3½ qts., 6 qts., 10 qts., or 22 qts.	2 qts., 33/8 qts., 6 qts., 141/2 qts., or 26 qts.	2½ qts.	1½ pt., 2 qts., 3 qts.	1 qts., 2 qts., 3 qts., 4 qts., 6 qts., 10 qts., 14 qts., 20 qts. or 30 qts.	3 qts., 4 qts., 6 qts., 14 qts., 20 qts. or 30 qts.			
Frequency	40kHz	43kHz	42kHz	40kHz	37kHz	37/80kHz			
Workload	Medium to Heavy	Medium to Heavy	Light to Medium	Medium to Heavy	Medium to Heavy	Medium to Heavy			
Control	Analog	Analog	Digital	Analog	Analog	Analog & Digital			
Timer	0–30 min.	0–60 min.	5 Different Cycles	0–60 min.	0–30 min.	0–30 min.			
Timer Bypass	No	No	No	No	Yes	Yes			
Heater	Yes	Yes	Yes	Yes (except 1.5)	Yes	Yes			
Housing	Powder-Coated Steel	Vinyl-Clad Steel	ABS Plastic	Stainless Steel	Stainless Steel	Stainless Steel			
Tank	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel			
Lid	Yes	Yes	Yes	Yes	Yes	Sold Seperately			
Drain	Yes (except 2, 3.5 & 6 qt.)	Yes (except 90)	No	No	Yes (except E15H & E30H)	Yes			
Country of Origin	South Korea	USA	China	China	Germany	Germany			
Catalog page #	238	239	235	239	237	236			



Elma "P" Series Ultrasonics

These top-of-the-line heavy duty cleaners are the most advanced industrial strength tabletop units available. The "P" series are extremely versatile and have 8 special ultrasonic features plus an intuitive, user-friendly operations display. The 2 frequency control allows for either high energy density for deep cleaning applications (37kHz)—or for gentle, quiet cleaning of delicate items such as pearls or small diameter tubes and capillaries (80kHz). Lids sold separately. Two-year Manufacturer's Warranty. Made in Germany.

Features:

- Normal: for general cleaning, mixing, dissolving.
- Pulse Mode: gives additional power through increased peak performance.
- Sweep: distributes the ultrasonic power throughout the tank.
- Degas: quickly degases liquid when freshly added to the tank.
- Power control: optimizes output for special and laboratory applications.
- Pause: interrupts the operation.
- Auto Start: automatic start when temperature is reached.
- Heat control: adjustable.

Model	РЗОН	P60H	P120H	P180H*	P300H*
Capacity (qts.)	3 Quart	6 Quart	14 Quart	20 Quart	30 Quart
Power Consumption	320/300 watts	680/640 watts	1400 watts	1400 watts	1580 watts
Frequency	37/80 kHz	37/80 kHz	37/80 kHz	37/80 kHz	37/80 kHz
Tank Dimensions (W x D x H, inches)	9.45 x 5.39 x 3.94	11.81 x 5.94 x 5.91	11.81 x 9.45 x 7.87	12.87 x 11.81 x 7.87	19.88 x 11.81 x 7.87
Drain, Hose & Clip	NO	YES	YES	YES	YES
Overall Dimensions (W x D x H, inches)	11.81 x 7.05 x 8.70	14.37 x 7.32 x 10.67	14.37 x 10.94 x 12.64	15.35 x 13.38 x 12.64	22.36 x 13.38 x 12.64
Electrical	110V/60Hz	110V/60Hz	110V/60Hz 110V/60Hz		110V/60Hz)
Ship Wt.	8 lbs.	12 lbs.	17 lbs.	19 lbs.	25 lbs.
Manf. Warranty	2 years	2 years	2 years	2 years	2 years
Item#	851-1030	851-1032	851-1033	851-1034	851-1035
Price	\$850.00	1,150.00	2,250.00	2,450.00	2,950.00

*Models P180H and P300H are non-stock items. Please allow extra time for delivery.

Lids	P30H Lid	P60H Lid	P120H Lid	P180H Lid	P300H Lid
Item#	851-1036	851-1037	851-1038	851-1039	851-1040
Price	\$22.50	28.75	35.50	37.50	44.50

A. Elma "EASY" Series Ultrasonics

Superior Cleaning Power and Easy to Use!

The Elma EASY series includes 9 quality units of different sizes and is characterized by simple, user-friendly operation. With 100% ultrasonic power at a frequency of 37 kHz, the Pulse function and visual warning (bath temperature reaches the set limit), the Elmasonic EASY solves typical cleaning tasks in the processing of jewelry and industrial parts quickly and efficiently.

The "Pulse" function can be activated to remove tenacious, mineral soiling and polishing pastes, increasing the ultrasonic power by up to 20%, so that any soiling will be removed easily and quickly. The limit temperature can be adjusted according to individual requirements. When the set temperature limit is reached the unit gives out a visual warning that helps to protect sensitive items from damage due to high temperatures. Made in Germany, 2-Year Manufacturer's Warranty, 110V/60Hz.

Features:

- More power with Pulse function for removing dirt, polishing compound and hand cream.
- Visual limit temperature warning to protect sensitive parts.
- Easy handling with safety shutdown for more user safety.
- Pulse Function for 20% faster cleaning, removes caked on drift compounds.
- Electronic timer up to 30 minutes and also able to work continuously.
- Thermostatically controlled heating with safety shut off function.
- Programmable visual temperature limit warning protects sensitive parts.

Model	Easy 10H	Easy 20H	Easy 30H	Easy 40H
Capacity (qts.)	1	2	3	4
Frequency	37 kHz	37 kHz	37 kHz	37 kHz
Tank Dimensions (W x D x H, inches)	7.5 x 3.38 x 2.38	5.9 x 5.38 x 4	9.5 x 5.38 x 4	9.5 x 5.38 x 5.9
Drain, Hose & Clip	NO	NO	NO	NO
Overall Dimensions (W x D x H, inches)	8.13 x 4.50 x 7.50	6.88 x 7 x 8.63	11.75 x 7 x 8.63	11.75 x 7 x 10.63
Electrical	110V/60Hz	110V/60Hz	110V/60Hz	110V/60Hz
Ship Wt.	4.4 lbs.	4.63 lbs.	7.25 lbs.	8.8 lbs.
Manf. Warranty	2 years	2 years	2 years	2 years
Item#	851-1060	851-1061	851-1062	851-1063
Price	\$350.00	355.00	430.00	640.00

Model	Easy 60H	Easy 100H	Easy 120H	Easy 180H*	Easy 300H*
Capacity (qts.)	6	10	14	20	30
Frequency	37 kHz	37 kHz	37 kHz	37 kHz	37 kHz
Tank Dimensions (W x D x H, inches)	11.75 x 5.9 x 5.9	11.75 x 9.5 x 5.9	11.75 x 9.5 x 7	12.88 x 11.75 x 8	19.88 x 11.75 x 8
Drain, Hose & Clip	YES	YES	YES YES		YES
Overall Dimensions (W x D x H, inches)	14.38 x 11 x 10.63	14.38 x 11 x 10.38	14.38 x 11		22.38 x 13.38 x 12.63
Electrical	110V/60Hz)	110V/60Hz	110V/60Hz 110V/60Hz		110V/60Hz
Ship Wt.	11.25 lbs.	13 lbs.	16.5 lbs.	18.75 lbs.	24.25 lbs.
Manf. Warranty	2 years	2 years	2 years	2 years	2 years
Item#	851-1064	851-1065	851-1066	851-1067	851-1068
Price	690.00	\$840.00	1,160.00	1,275.00	1,595.00

^{*}Models E180H and E300H are non-stock items. Please allow extra time for delivery.











3 Quart



6 Quart



10 Quart



See page 541 for Long-Reach Steam Tweezers





30 Quart

18 187 Jewelry Equipment 6 Quart 10 Quart 13號

BESTBUILT Ultrasonic Cleaners

BestBuilt Ultrasonic Cleaners utilize industrial transducers to create powerful 40KHz ultrasonic wavelengths-short enough to clean the finest details of your jewelry and powerful enough to remove caked-on dirt as well as rouge and other compounds. All BestBuilt models have a 30-minute timer and cover. The 4 largest units feature variable temperature control. All ultrasonics come with a 1 year warranty; 2 year transducer warranty and a sample of Ultrasonic Cleaning Solution. Made in South Korea.

Model	2 Quart	3.5 Quart	6 Quart	10 Quart	22 Quart
Capacity	1.8 liters 0.48 gallon	3.3 liters 0.87 gallon	6 liters 1.58 gallons	10 liters 2.64 gallons	22 liters 5.8 gallons
Power	60 watts	100 watts	150 watts	200 watts	300 watts
Frequency	40KHz	40KHz	40KHz	40KHz	40KHz
Variable Temperature Control	NO	YES	YES	YES	YES
Tank Dimensions	5.9"L x 5.3"W x 3.9"D	9.4"L x 5.5"W x 3.9"D	11.4"L x 5.9"W x 5.9"D	11.4"L x 9.4"W x 5.9"D	19.5" W x 11.75" L x 5.9" H
Drain	NO	NO	NO YES		YES
Overall Dimensions	7"L x 6.4"W x 8.3"H	11.7"L x 6.4"W x 9.8"H	14.1"L x 6.9"W		23.5"L x 13.75"W x 12.35"H
Electrical	110V	110V	110V	110V	110V
Ship Wt.	8 lbs.	8 lbs.	13 lbs.	17 lbs.	31 lbs.
Item#	851-1000	851-1002	851-1004	851-1006	851-1008
Price	\$265.00	399.00	699.00	999.00	1,599.00

A. BestBuilt Deluxe Cleaning Kit

This cleaning kit includes everything you need to return your jewelry to its original spotless shine, at an incredible value! Includes one BestBuilt 3.5 qt. Ultrasonic Cleaner, 1 qt. of Ultrasonic Cleaning Solution, a mesh basket, small parts basket, ring rack, and gem cloth.

		EACI	H Prices
Description	Item#	1-2	3+
BestBuilt Deluxe Cleaning Kit	851-0998	\$485.00	\$436.50

B. Deluxe Ultrasonic Ring Racks

Easily assembled modular ring racks that can be easily customized to meet your needs. Steel rack with rubber feet rests on top of your ultrasonic, suspending hooks inside tank. Long-lasting solid plastic hooks adjust to hold both large and small items (each hook holds two rings).

	Description	Hooks	Length	Item#	Each
	8 Hook Rack	8 (holds 16 rings)	11 ³ /4"	851-2050	\$6.95
В.	12 Hook Rack	12 (holds 24 rings)	143/4"	851-2052	8.95
	Replacement Hook	(holds 2 rings)	_	851-2058	0.95

C-E Stainless Steel Mesh Baskets

High-quality stainless steel mesh baskets with convenient handles that let you move jewelry pieces into and out of your ultrasonic cleaner with ease. Designed to fit many brands.

0.11			
8"	5½" x 4¾" x 2"	851-5099	\$35.20
8"	5 ³ /8" x 5" x 3 ¹ /4"	851-5101	41.85
11 ¹ / ₂ "	9" x 5" x 3 ³ / ₈ "	851-5121	45.50
131/2"	11" x 5 ³ /8" x 5 ¹ /4"	851-5126	77.45
13 ¹ / ₂ "	11½" x 8¾" x 4½"	851-5131	85.00
	8" 11½" 13½"	8" 5 ³ / ₈ " x 5" x 3 ¹ / ₄ " 11 ¹ / ₂ " 9" x 5" x 3 ³ / ₈ " 13 ¹ / ₂ " 11" x 5 ³ / ₈ " x 5 ¹ / ₄ "	8" 5 ³ / ₈ " x 5" x 3 ¹ / ₄ " 851-5101 11 ¹ / ₂ " 9" x 5" x 3 ³ / ₈ " 851-5121 13 ¹ / ₂ " 11" x 5 ³ / ₈ " x 5 ¹ / ₄ " 851-5126



22 Quart





L&R Quantrex® Ultrasonic Cleaners

Made by L&R, a leader in ultrasonic cleaning technology, Quantrex ultrasonics feature durable stainless steel housing, stainless steel tank and plastic lid, 60-minute timer and a drain with hose & clip (except model 90, which has timer but no drain), EMI (electromagnetic interference) filter for worry-free operation around other electronic equipment, premium system components and contemporary design. Include integral heating elements at a preset temperature of approx. 160°F. Provide quiet yet powerful 43kHz cleaning action. Backed by a 2½-year manufacturer's warranty. 220V also available. Made in USA.

Model	90	140	210	360	650
Capacity (qts.)	2 Quart	3.4 Quart	6 Quart	14.4 Quart	26 Quart
Power	110 watts	150 watts	335 watts	440 watts	815 watts
Frequency	43KHz	43KHz	43KHz	43KHz	43KHz
Tank Dimensions (W x D x H)	5 ⁷ /8" x 5 ³ /8" x 4"	9 ³ / ₈ " x 5 ³ / ₈ " x 4"	11 ³ / ₄ " x 6" x 6"	11½" x 9¼" x 8"	19 ³ / ₄ " x 11 ³ / ₄ " x 6 ¹ / ₂ "
Drain, Hose & Clip	NO	YES	YES	YES	YES
Overall Dimensions (W x D x H)	7" x 6 ³ / ₈ " x 8 ³ / ₄ "	10 ¹ / ₄ " x 6 ¹ / ₂ " x 8 ¹ / ₄ "	12 ³ / ₄ " x 7" x 11"	12 ³ / ₄ " x 10 ¹ / ₂ " x 14"	21 ³ / ₄ " x 14" x 12 ¹ / ₂ "
Electrical	110V, 50/60 Hz (220V available)	110V, 50/60 Hz (220V available)	110V, 50/60 Hz (220V available) 110V, 50/60 Hz (220V available)		110V, 50/60 Hz (220V available)
Ship Wt.	8 lbs.	10 lbs.	14 lbs.	22 lbs.	33 lbs.
Manufacturer's Warranty	2.5 years	2.5 years	2.5 years	2.5 years	2.5 years
Item#	851-5230	851-5232	851-5234	851-5236	851-5238
Price	\$315.00	460.00	895.00	1,535.00	2,625.00





#90, 2 Quart

#140, 3.4 Quart



#360. 14.4 Quart



#650, 26 Quart

A-C. Gem0ro Ultrasonic Cleaners

The newest line of GemOro ultrasonics combine their proprietary POWER SWEEP with their TURBO SWEEP technologies providing you with the most powerful ultrasonics on the market today. Their rigorous attention to detail, along with their superior electronics, meet every demand for the jewelry industry! Comes supplied with stainless steel basket and steam tweezers. Backed by a 21/2-year manufacturer's warranty. (10-year warranty on the transducers). Made in China

	Unit Capacity	Unit L x W x H Dimensions (in)	Tank L x W x H Dimensions (in)	Freq. (kHz)	Time (min.)	Heat	Item#	Each
A.	1.5 Pint	6.89 x 4.33 x 7.28	5.9 x 3.35 x 2.56	40	0-60	No	851-1050	\$149.95
В.	2 Quart	7.48 x 6.69 x 8.66	5.9 x 5.51 x 3.94	40	0-60	Yes	851-1052	249.95
C.	3 Quart	10.63 x 6.69 x 7.87	9.45 x 5.51 x 3.94	40	0-60	Yes	851-1054	349.95



D. Universal Stainless Steel Mesh Basket

This fine mesh basket hangs on the side with $\frac{1}{2}$ " wide hooks.

Description	WxDxH	Item#	Each
Universal Basket	5" x 4" x 1½"	851-5105	\$14.95



E. Extra-Fine Stainless Steel Mesh Basket

Features stainless steel frame with extra-fine stainless steel mesh that prevents even the smallest items from dropping to the bottom of your ultrasonic. Has two extra-long handles for fitting on many 2, 3 and 6-quart units.

Α	ממ	rox.

Description	Overall Width	WxDxH	Item#	Each
Extra-Fine Basket	81/2"	4½" x 3" x 1½"	851-5097	\$14.95



F. Stainless Steel Basket

Prevent parts from touching bottoms of tanks. Ends fit over edges of tanks. Rubber feet on lips eliminate vibration, Screened bottom, Stainless steel.

Approx.

Description	Overall Width	WxDxH	Item#	Each
Basket #270	13 ¹ / ₂ "	10½" x 8½" x 4¾"	851-5130	\$129.00













A-F Speed Brite Ionic Cleaners

Speed Brite units use a revolutionary ionic cleaning process to clean precious metal and stones in less than a minute. Safe for emeralds, opals, pearls, turquoise and other soft stones.

Mini Speed Brite has a 6 oz. capacity and outside dimensions are 4" x 5". Fits easily on crowded countertops and can be resold to your customers for home use.

The two turbo units feature a vibrating motor to help circulate the dirt and tarnish away. Large Turbo 309SB has a 36 oz. capacity and outside dimensions of $10^3/4$ " x $6^3/4$ ", (Tank dimensions $8^1/2$ " x $4^3/4$ ") Features pushbutton to agitate solution for faster cleaning. Standard Turbo 200SB has 12 oz. capacity with outside dimensions $5^3/4$ " x $5^3/4$ " Cleans gold and silver in seconds and also softens dirt behind stones

Each unit comes with a generous supply of Gem Sparkle Concentrate, an environmentally safe cleaning solution formulated to gently remove dirt, grime and tarnish. Made In USA.

				EAC	H Prices
	Description	Electrical	Item#	1-5	6+
A.	Large Turbo 309SB	120V	851-4922	\$185.00	-
В.	Standard Turbo 200SB	120V	851-4921	125.00	-
C.	Mini Speed Brite 100SB (9V battery included or power adapter; see below)	9V/120V	851-4920	59.50	\$53.55
	Power Adapter for Mini	120V	851-4924	12.00	10.80
	Description	Dia. x H	Item#		Each
	Description Replacement Stainless Stee Mesh Basket for 200SB		851-4934		Each \$25.95
_	Replacement Stainless Stee	 			
_	Replacement Stainless Stee Mesh Basket for 200SB	 	851-4934		\$25.95
	Replacement Stainless Stee Mesh Basket for 200SB Description Gem-Sparkle Concentrate	 	851-4934		\$25.95
	Replacement Stainless Stee Mesh Basket for 200SB Description Gem-Sparkle Concentrate	 	851-4934 Item#		\$25.95 Each

F. Gem-Sparkle Dry Powder

Dry powder crystals with luster enhancers, Pour contents of both vials into dispensing bottle. Add water and mix.

Description	Item#	Each
Gem-Sparkle Powder		
F. Without bottle, 8 oz.	851-4938	\$10.50
Without bottle, 32 oz.	851-4940	14.50
With Bottle, 8 oz.	851-4939	12.50
With Bottle, 32 oz.	851-4941	16.50

G, H 600ml Beaker and Flexible Cover

Safely holds ammonia, acids and other strong chemicals that can ruin your ultrasonic tank.

Description	Item#	Each
G. Flexible Cover	210-2952	\$5.25
H. Beaker	210-2750	10.00

I. Screw-Type Parts Basket

Tiny wire mesh basket for fully securing the smallest parts during ultrasonic cleaning. Prevents costly loss.

Description	Dia. x L	Item#	Each
Screw-Type Basket	5/8" x ⁷ /8"	851-4115	\$10.30

J. UltraBasket™

This unique combo basket features 16 hooks and fine plastic mesh to keep both large and small items from falling to the bottom of your ultrasonic. Includes plastic legs that can be easily trimmed to the ideal height and convenient handle for easy removal. Designed so most ultrasonics can accommodate two. Color may vary.

Description	Dia. x H	Item#	Each
UltraBasket	4 ⁷ /8" x 3 ⁷ /8"	851-5127	\$25.75

Ultrasonic Cleaning Solutions

Gesswein Cleaning Solutions are formulated for light, medium or heavy-duty cleaning and all reduce surface tension in order to clean more effectively and enhance cavitation (formation of microscopic cleaning bubbles).

Ultrasonic cleaning technology utilizes high frequency sound waves to agitate the cleaning solution that in turn acts on contaminants adhering to metals, plastics, glass and ceramics. Ultrasonic cleaners remove dust, dirt, oil, pigments, grease, polishing compounds, mold release agents and biological residue such as blood, fingerprints and saliva.

A-D Gesswein® Classic Ultrasonic Solution

The classics always come back! Gesswein is happy to bring back its original "Classic" Ultrasonic Cleaning Solution. With a 35:1 mixing ratio, the Classic Solution will work hard to remove tough dirt, grease, hand cream and still powerful enough to remove the toughest polishing compounds. Let your jewelry shine as first impressions are important! Available in Pint, Quart, Gallon, and 5 Gallon Pail.

	Description	Yield at 40:1	Item#	Each
A.	1 pt. Bottle	4 <mark>1/2</mark> gals.	851-5378	\$16.00
B.	1 qt. Bottle	8 3/4 gals.	851-5376	25.50
C.	1 gal. Bottle	35 gals.	851-5374	78.50
D.	5 gal. Pail	175 gals.	851-5372	295.00
	55 gal. Drum	1,925 gals.	851-5370	2,800.00



E-H SUPRA® FC Ultrasonic Solution

The Gesswein SUPRA FC Ultrasonic Solution is a must for any jeweler or industrial user needing fast cleaning action. Formulated in the USA, FC Ultrasonic Solution is fast and cleans the heaviest of compounds and dirt quickly and effortlessly. Compared to other solutions, Gesswein FC Solution is industrial strength and has minimal odor. It is non-ammoniated, non-flammable, alcohol free, mildly alkaline, environmentally friendly and non-hazardous to ship. Concentrated: use 50:1 in regular tap water and 100:1 in distilled or deionized water. Available in Pint, Quart, Gallon, and 5 Gallon Pail.

	Description	Yield at 40:1	Item#	Each
E.	1 pt. Bottle	4 1/2 gals.	851-5388	\$17.50
F.	1 qt. Bottle	8 3/4 gals.	851-5386	28.50
G.	1 gal. Bottle	35 gals.	851-5384	86.50
Н.	5 gal. Pail	175 gals.	851-5382	299.00
	55 gal. Drum	1,925 gals.	851-5380	2,950.00



I. BCR Cleaner - Original buffing compound remover

A fast-acting alkaline cleaning solution developed especially for the removal of buffing compounds such as tripoli, white diamond and rouge. Works effectively on gold, platinum, silver, steel, stainless steel, zinc, magnesium, brass, copper and aluminum. Exceptional rinsability eliminates hand wiping and streaking.

	Description	Item#	Each
I.	1 gal. Bottle	812-0650	\$27.95
J.	5 gal. Pail	812-0655	129.95
	19 gal. Drum	812-0656	450.95
	51 gal. Drum	812-0659	1,075.95



J. BCR Plus – Extra-strong buffing compound remover

Ideal for your toughest cleaning jobs. Works effectively on gold, platinum, silver, steel, stainless steel, zinc, magnesium, brass, copper and aluminum. Concentrated: use 3–20% by volume depending on extent of compound buildup. Exceptional rinsability eliminates hand wiping, streaking and discoloration.

	Description	Item#	Each
K.	1 gal. Bottle	812-0670	\$29.95
L.	5 gal. Pail	812-0675	135.95
	19 gal. Drum	812-0682	470.95
	51 gal. Drum FOB CT	812-0685	1,095.95











A-B Gesswein® Brite and Ultra Brite Ultrasonic Cleaning Solutions

Pick the right solution for every cleaning application.

Concentrated solutions formulated for specific jewelry applications. Both work well for ultrasonic cleaning, hand brushing and immersion or soak cleaning. Contain no chelating agents. Can be used from room temperature up to 160°F. Use in concentration of 2–20% for best results. Available in 1-quart bottles, 5-gallon pails and 55-gallon drums.

Brite (blue) is a moderately alkaline solution best suited for cleaning plain or stone-set rings (excluding those with delicate stones). Ideal for gold, silver and platinum as well as copper and brass. Perfect for everyday use in the retail store or repair shop.

Ultra Brite (pink) is a heavy-duty cleaning solution designed to quickly remove the most stubborn polishing compound residue. We think Ultra Brite is the strongest cleaner on the market, and it's free of ammonia and other harmful chemicals that could hurt your fine jewelry. Ultra Brite is ideal for all precious metals and stainless steel as well as diamonds and other stones that can withstand normal ultrasonic cleaning. Ultra Brite is considered hazardous to ship.

	Description	Item# (1qt. Bottle)	Item# (5 gal. Pail)	ట⊸ు Item# (55 gal. Drum)
A.	Brite	851-5311 \$16.25	851-5312 \$199.95	851-5313 \$1,527.00
B.	Ultra Brite 👍	851-5317 18.25	\$ 851-5318 229.00	\$ 851-5319 2 ,199.00

- Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible.

 Cannot ship to Alaska, Hawaii or Puerto Rico.
- (\$\sqrt{y}\$ UPS® hazardous shipping surcharge applies. Ships via UPS® Ground only, no air, FedEx® or US Mail shipments. Cann't ship to Alaska, Hawaii or Puerto Rico.

C-D Magic Green – Powdered Ultrasonic Soap Concentrate

Magic Green is more economical and occupies much less space than liquid concentrates. Saves on shipping costs, too. And since it won't evaporate, it even keeps longer. Simply mix it to meet needs as product is adjustable for time of run and speed. Start with 1 ounce per gallon and up to 3 ounces per gallon. The stronger the mix, the faster it works and the longer it works. Perfect for gold and silver because it removes rouge and tripoli instantly. Ammonia-free and biodegradable.

		EAU	H Prices
Description	Item#	1-5	6+
C. 32 oz. Bottle	812-0701	\$21.50	\$19.35
D. 10 lb. Pail	812-0702	60.50	54.45
E. 50 lb. Pail	812-0703	375.50	337.95

F. Drum Pump - For 5, 15, 30 and 51-gallon drums

A reusable plastic pump that makes it easy to dispense ultrasonic cleaning solution from any standard-size drum. Saves you from having to lift or tilt heavy, awkward containers. Lets you take advantage of bulk pricing. Features raised spout that dispenses liquid at a convenient height. Includes adapters and extension tubing to fit standard 5, 15, 30 and 51-gallon drums. Adjusts to dispense exact quantities of 4, 8, 12 or 16 av. oz.

Description	Item#	Each
Drum Pump	852-0942	\$189.50

G-J Graduated Cylinder, Investment Scoop and Measuring Beakers

Graduated cylinder is made of polypropylene. Capacity: 250ml with 2ml graduations. Investment scoop has high sides to prevent spilling and waste. Holds about 3 lbs. standard investment. Measures $8^{1}/2^{n}$ L x $4^{3}/4^{n}$ W x 3"H. Made of plastic. Measuring beakers have handles for easy pouring. Made of polypropylene. Available in two sizes: 1,000ml with 1ml graduations and 5,000ml with 100ml graduations.

	Description	Capacity	Item#	Each
G.	Graduated Cylinder	250ml (250cc)	265-1905	\$21.65
Н.	Investment Scoop	Roughly 3 lbs.	260-1750	8.95
l.	Small Measuring Beaker	1,000ml (1,000cc)	210-2425	16.55
J.	Large Measuring Beaker	5,000ml (5,000cc)	210-2426	58.95

EACH Drices

A. All-in-One Jewelry Cleaning Kit

Everything you need for professional jewelry cleaning at home in a minimal amount of space.

Components:

- GemOro Diamond Steam Cleaner (853-0095) Light Blue 10" x 10" Royal Gem Cloth (820-0419)
- Sonic Wave IV Ultrasonic Cleaner (851-4904)

Description	Electrical	Item#	Each
All-in-One	110V	853-0091	\$145.00

B. Deluxe Professional Cleaning Kit

The Deluxe Professional Cleaning Kit is ideal for the home office or the front end of a retail store.

Components:

- GemOro Diamond Steam Cleaner (853-0095)
- 2.5 gt. Heated Ultrasonic (851-4906)
- Pint of Gesswein Ultrasonic Solution (851-5378)
- High-quality lint-free gem cloth (820-0415)

Description	Electrical	Item#	Each
Deluxe Professional	110V	853-0088	\$199.95

C. GemOro UltraSpa™ Ultimate Pro-Quality Jewelry Cleaning System

The world's only personal combination jewelry cleaning system; utilizing both an ultrasonic cleaner and steam cleaner in one specially designed appliance for the home or jewelry store.

The ingenious UltraSpa provides ultimate cleaning results for sparkling diamonds, gold, silver, platinum jewelry, metal watch bands and more. With a two-stage cleaning process, scrubs away dirt and grime with sound waves then blast away hidden dirt from hard to reach areas using steam power! ETL Listed. 1 Year limited replacement warranty. Electrical: 115V, 60Hz.

- Ultrasonic generates a powerful 42,000 scrubbing waves per second using regular tap water (1 pt. capacity)
- 6-minute timed ultrasonic cleaning cycle with auto shuts off
- Generates 50 PSI of pressurized steam using regular tap water (1 pt. capacity).
- · Compact size conveniently fits on counter and stores underneath.
- Includes: Ultrasonic Basket, Steam residue mat, measuring fill cup, jewelry holding tweezers, 2 sizes of handheld mesh baskets and a sample of cleaning solution.
- Designed in the USA, Made in Italy.

Description	Item#	Each
GemOro UltraSpa	853-0089	\$199.95

D. GemOro Diamond Personal Steam Cleaner The best just got better!

New larger capacity steamer with even greater steam pressure! The ultimate personal jewelry steam cleaner with its increased steam pressure will thoroughly amaze you by effortlessly blasting away filth from the dirtiest of jewelry in just seconds. Professionally cleans diamonds, gold, silver and platinum jewelry. Powerful steam cleaner safely generates a robust 50PSI of pressurized steam using regular tap water. Advanced LED indicator lights show when it is ready to steam. Bright blue LED light illuminates jewelry. Features an unrestricted cleaning zone, removable cleaning / drying basket and convenient on / off power switch and easy-lift handles for moving. Cabinet made of durable, long-life ABS. Includes jewelry holding tweezers, basket, steam residue mat and water funnel with measuring fill cup. Built for safety – ETL Listed. 2 Year limited replacement warranty.

Description	Electrical	Item#	Each
GemOro Diamond Steamer	120V	853-0095	\$99.95

E. Reliable Pronto 100CH Steamer

The Pronto 100CH is a powerful, 1200 watt and 58 PSI of pressure, hand-held personal steamer that hold 11/4 cups of water with a ready time of 2 minutes and continuous steam for up to 15 minutes! Other features include a patented comfort safety system, ergonomically designed handle, extra-long 19.5 foot long cord and a 15 piece accessory kit for tackling countless tasks in the home needing cleaning and sanitizing. Made in China.

Description	Electrical	Item#	Each
All-in-One	110V	853-0135	\$99.00













Stainless steel is the #1 choice for pressurized steam cleaners around the world. The elegant design and solid construction of Reliable Cleaners utilizes this unsurpassed material both inside and out. Unlike cast iron, these stainless steel models will not rust. One-year manufacturer's warranty on units, lifetime warranty on tanks. cETLus certified. Made in Italy.

Series Features All of these RELIABLE stainless steel steamers have:

- Pressure switch, probe safety thermostat on the heating element, safety cap with safety valve, automatic low water shut-off.
- Quick release fittings
- Carrying handle for portability
- 12-gauge heavy-duty wiring
- Steam temperature 221°F/105°C
- Adjustable nozzle and foot pedal

Model	5000CJ	6000CJ	7000CJ	8000CJ
Capacity (gals/liters)	0.66/2.5	1.25/4.7	2.37/9	1.3/5
Steam Time (hours)	2-3	4-5	8	Unlimited
Pressure (PSI/bar)	50/3.5	65/4.5	70/4.8	80/5.5
Heat Up (minutes)	10-15	15-20	30-40	20-30
Heating Element	Copper, 1000W	Incoloy, 1200W	1 Incoloy, 1200W (Plus 1 spare)	Incoloy, 1200W
Electrical	120V, 10 Amps	120V, 10 Amps	120V, 10 Amps	120V, 20 Amps
Blow Down Valve	No	Yes	Yes	Yes
Water Level	Stick	Stick	Indicator	Direct Connect**
Dimensions (WxDxH)	14"x8 ³ / ₄ "x11"	13"x8 ³ / ₄ "x15"	12½"x14¼"x20½"	12½"x14½"x20½"
Net Wt. (lb/kg)	13.25/6	16.7/7.5	30.35/13.75	26/11.7
Ship Wt. (lb/kg)	15.5/7	23/10.4	33.9/15.37	30/13.6
Drop Ship Item#	853-0127*	853-0128*	853-0129*	853-0130*
Item#	853-0107	853-0108	853-0109	853-0126
Price	\$599.00	899.00	1,199.00	1,899.00

^{*}Ships FOB Cheektowaga, NY

^{**} Water line or portable supply Auto Shut Off and Thermostat Reset Switch.



A. Reliable Steam Gun

Transform pedal/nozzle operation into hand held gun for flexibility.

Description	Item#	Each
Steam Gun	853-0115	\$199.00

B-C Small Parts Baskets

Stainless steel wire mesh baskets with plastic or metal handles. Perfect for holding small parts in your ultrasonic or steamer. Available in three sizes.

Description	Handles	Dia.	Item#	Each
B. Small	Plastic	1 ¹ /2"	851-4110	\$3.45
C. Large	Plastic	21/2"	851-4111	3.95

D. Steamostat

The perfect holder for steam cleaning. Features stainless steel box-joint construction with nonscratching PVC tips and lockable handles. Measures $7\frac{1}{2}$ ". EACH Prices

Description	Item#	1-2	3-9	10+
Steamostat	181-5010	\$6.25	\$5.94	\$5.31

A. Deluxe Junior Steamer – For moderate production

This compact tabletop unit boasts up to 40% greater effective capacity than similar units, so it provides more steam before needing a water refill. Features a high-limit pressure control switch that regulates heat and pressure automatically. An automatic cutoff shuts the unit down if the water level drops below the heating element. Made of the toughest heavy-duty materials to withstand constant use. Easy to install with no plumbing required. Includes fast-response heating element, foot-controlled solenoid switch, safety relief valve, low-water cutoff with reset switch, steam pressure gauge, lockable blowdown drain valve and water fill funnel and valve. Complies with ASME safety code. UL and CSA approved. Uses ordinary tap water. Optional Mobile Steam Jet Gun available. Fits easily onto the Deluxe Junior Steamer. Trigger-operated gun on 7 feet of sturdy flexible hose. Includes T-fitting for mounting into steam line of steamer. One-year manufacturer's warranty. Made in USA.

Specifications:

Max. Pressure: 60-85 PSI Electrical: 120V, 12.5A, 1500W, 60Hz Dimensions: 16¹/₂"W x 12"D x 19"H Capacity: 1.5 gals.

	Description	Electrical	FOB Point	Item#	Each
A.	Jr. Steamer	120V	CT	853-0059	\$1,665.00
	Jr. Steamer	120V	VA	853-0072	1,645.00
	Jr. Steamer for Texas	120V	VA	853-0067	1,645.00
	Mobile Steam Jet Gun			853-7070	270.50
B.	Stone saver tray (5" x 5" square)			853-0321	48.50

^{*}Not UL approved.



For removing rust and mineral deposits from boiler chamber of steam cleaner. The 4 oz. supply is sufficient for one cleaning, which should be done once a week.

			EA	CH Prices
Description	Item#	1-2	3-9	10+
Steam Cleaner Powder, 4 oz.	853-1000	\$5.95	\$4.76	\$4.17

D. E Automatic Water Feed Series Steamers – For high production

These steamers eliminate the need to manually fill and refill. Each model is equipped with an automatic water feeder that injects water as needed into the boiler under full pressure. Eliminates downtime, making steam readily available. Provides constant steam at approx. operating pressure of 50 PSI. Auto-6 is a compact version with one steam jet. Auto-8 has two steam jets. Electrical plugs not supplied. All models plumb to water line. Comply with ASME safety code. Use ordinary tap water.

Specifications:	D. Auto-6	E. Auto-8
Electrical*	208V, 1 Ph, 60Hz	240V, 1 Ph, 60Hz
Watts/Amps	6/8kW / 33 (1 Ph)	10kW / 48/42 (1 Ph)
Jets	1	2
Chamber Size	0.33 cu. ft.	0.92 cu. ft.
Max. Pressure	60-85 PSI	60–85 PSI per jet
Steam Generation	27 lbs./hour	34 lbs./hour
Dimensions	14 ¹ / ₄ "W x 14 ¹ / ₄ "D x 18"H	18"W x 30"D x 21"H
Ship. Wt.	76 lbs.	184 lbs.
Item#	853-0209	853-0217*
Each	\$2,895.00	5,495.00

^{*}Other voltages/phase/hertz available. Please call or visit our website.


F. Steam Dragon™ Steamer - Safe for malls, stores and offices

This space-saving unit produces steam on-demand rather than holding it under pressure like boilertype steamers, so it eliminates the risk of explosion. Performs comparably to much larger machines yet requires no boiler permits, so it is welcome in public locations. Simple to operate: just insert the supplied water feed hose into a bottle of water, step on the foot pedal to feed water into your unit, and watch as water instantly flashes into steam and exits the nozzle. Flow of steam stops when all the water has boiled to steam. Features foot switch, durable 20-gauge stainless steel construction and solid-state controls. UL Listed. Requires distilled water.

Specifications:

Electrical: 115V, 11A, 1300W, 60Hz, Max. Pressure: 90-125PSI, Dimensions: 9"W x 12"D x 10"H, Ship. Wt.: 26 lbs.

Description Electrical Item# Each Silver Dragon 115V 853-0042 \$725.00





See page 407 for Quatro Solder Pure Fume and Particulate Extractor


A. Quatro Fresh-Air Series HEPA Air Purifiers Ensure optimal gold recovery and air quality.

Polishing operations and bench work create a great deal of dust, some precious, some harmless and some toxic. Many dust collectors pick up much of the dust at the source, but jewelry polishing operations also allow a substantial amount of dust to become airborne and settle around the shop. Fresh-Air Series Air Purifiers capture airborne dust and other contaminants in an advanced three-stage filtration system, then recirculate clean air back into the room. All provide complete room air exchange approx. 15 times per hour. Each includes smooth casters for easy relocation to dusty areas. Electrical: 120V (240V available). Optional odor filter also available by special order. Backed by a one-year manufacturer's warranty. Made in Canada.

Filtration System Features:

- Stage-1 Prefilter Captures the biggest particles, prolonging the life of subsequent filters. Inexpensive and easy to change.
- Stage-2 HiCap Filter Provides high-capacity particle retention. (Most precious metal will be captured by stage-1 and 2 filters, which can be sent to your refiner for reclamation.)
- Stage-3 HEPA Filter Picks up 99.97% of 0.3 micron particulate, including soot and pollen. Recirculates clean air back into the room to help minimize heating and AC costs.

Fresh-Air Mode	el 400	600	1000	2000
Specifications:				
Max. Room Size	,			
(with 8' ceiling):	250 sq.ft.	400 sq.ft.	600 sq.ft.	1200 sq.ft.
Current Draw:	0.6A	1.0A	1.6A	5.4A
Net Wt.:	63 lbs.	119 lbs.	190 lbs.	350 lbs.
Dimensions,				
(WxDxH):	13"x16"x28½"	22"x16"x37"	22"x16"x52"	24"x26"x71"
EACH Price				
Model Item#	854-1523	854-1522	854-1521	854-1520
	\$948.00	\$1,689.00	\$2,062.00	\$3,755.00
Replacement F	ilters			
Dust Filter	854-1394	854-2103	854-2103	854-2104
Package Quantity	6 each \$48.00	8 each \$76.00	8 each \$76.00	8 each \$79.00
HICAP	854-2105	854-2106	854-2107	854-2108
Package Quantity	2 each	2 each	1 each	1 each
	\$97.00	\$116.00	\$84.00	\$111.00
HEPA	854-2109	854-2180	854-2181	854-2182
Package Quantity	1 each	1 each	1 each	1 each
	\$189.00	\$196.00	\$265.00	\$296.00



B, C Quatro Ductless Fume Hoods – For those without access to outside ductwork.

Units feature a two-stage filtration system that captures fumes, then recirculates clean air back into the room to save on heating and AC costs. Burnout fume hood installs right on wall behind burnout furnace. Rhodium fume hood installs directly over plating area. See Optional Stand. Each has a metal-frame filter container that holds an activated charcoal media mixture specifically formulated for the respective application. Backed by a one-year manufacturer's warranty. Made in Canada.

Specifications:

Electrical: 120V, 1.6A, 60Hz, Dimensions: 28"W x 18"D x 26"H, Net Wt.: 50 lbs.

	Description	Item#	Each
B.	Burnout Fume Hood	854-1525	\$1,164.00
	Rhodium Fume Hood	854-1526	1,164.00
	Replacement Dust Filters (8)	854-2103	76.00
	Stage-2 Media Refills (4) for both fumes	854-1409	122.00
	Stage-3 Media Refills (4) for burnout fumes	854-1527	213.00
	Stage-3 Media Refills (4) for rhodium fumes	854-1396	169.00
C.	Optional Stand	854-1524	299.00

A-C Sprits Mold Sprays

Citrus Mold Cleaner and Mold Cleaner Plus are general-purpose cleaners for removing release agents, greases, oils, fingerprints and other contaminants from molds, tools and machines. Cannot ship air, FedEx or US Mail.

	Description		Item#	Each
A.	Citrus Mold Cleaner, 12 fl. oz. can	Ĥ	816-2932	\$10.85
	Citrus Mold Cleaner, case of 12	ĹΉ	816-2939	120.00
B.	Mold Cleaner Plus, 12 fl. oz. can	Ĥ	816-2933	7.60
	Mold Cleaner Plus, case of 12	ĹΉ	816-2940	86.00
C.	Mold Protectant, 12 fl. oz. can	ĹΉ	816-2934	6.25
	Mold Protectant, case of 12	Ĥ	816-2941	70.00

D. JAX Silver Cleaner/Polisher

Cleans and polishes the blackest silver in just one application. Will not strip, streak or dull, making it safe for use on even the most delicate surfaces. Sold by the pint.

Description	Item#	Each
1 pt. Bottle	210-1433	\$14.65

E. KIMTECH® Mold Polish Wipes

Use for cleaning the most extreme high polished surfaces. Can be used with diamond compound for the ultimate finishing touch. Engineered for excellent absorbency and low-lint wiping, these disposable wipes are solvent resistant and contain no binders or surfactants. Rayon/polyester spunlace material for cloth-like softness. Applications include mold polishing, aerospace, clean manufacturing areas, DVD manufacturing and printing. 1 roll = 225 sheets. Each sheet measures 7" x 7".

		EACH	1 Prices
Description	Item#	1-5	6+
Kimtech Mold Polish Wipes	820-0515	\$33.50	\$30.15

F. SELVYT® SC Cloth for Silver

Contains an anti-tarnish agent, Selvyt SC removes light tarnish from silverware and silver jewelry. Leaves behind an invisible coating that eliminates oxidation. Stitched edges prevent fraying. Made in UK.

10" x 10"	820-0280	\$5.75	\$5.46	\$5.18
Size	Item#	1-5	6-11	12+
			EACH Prices	3

G. Cape Cod Anti-Tarnish Polishing Cloth

With easy rubbing, this moist cotton cloth removes dirt and tarnish from sterling silver, gold, brass, bronze, copper, pewter, aluminum and stainless steel. Also leaves behind an invisible coating that protects against tarnish, water stains and corrosion. Keeps jewelry brighter longer. Sold in packages of two.

	rnu	. 01 2	
Size	Item#	1-11	12+
4" x 6"	820-0370	\$5.15	\$4.29

H. Luster Cloth

Polishes jewelry to an amazing high shine! Cleaner than a rouge cloth, Luster Cloth is a soft, felt-like material with special additives and non-scratching micro-abrasives that remove tarnish and dirt. Polishes silver, gold and many other materials to a like-new high shine. It won't scratch or stain your jewelry or your hands. Perfect for cleaning and polishing your own finished jewelry and economical enough to use as "give-aways" for your valued customers. Packaged in re-sealable plastic bags. Measures 7-1/2" x 5". For dry use only. Made in Japan.

Size	Item#	EACH 1-11	Prices 12+
10" x 10"	820-0360	\$2.60	\$1.95

I. Tenaris Pro Anti-Tarnish Dip

Tenaris Pro represents the new borderline in the field of anti-tarnish solutions for silver, gold, brass and bronze. Tenaris Pro effectively protects items against tarnish due to a superior surface protection. Internal laboratory tests observed that silver pieces treated with Tenaris Pro do not tarnish when exposed to hydrogen sulfide vapors for more than 65 hours. Tenaris Pro is easy and fast to use since it doesn't require any specific equipment for plating. Possesses low resistance to wearing and scratching. It is therefore particularly recommended for the protection of finished pieces during storage in the display case, safe, and shop window. Sold in 1 liter bottles.

- Easy to use.
- Does not interact with the substrate.
- Works by dipping—no equipment required.
 Possesses low toxicity and is not dangerous to the environment (does not contain chromium.)
 - Can be easily removed from the surface.

(h) Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.

Description	item#	Eacn
Tenaris Pro Anti-Tarnish Dip	210-1361	\$28.50













D







SELVYT



Compressed Air Filters

Compressed air filters remove water, oil, dirt and dust from compressed air. These contaminants can cause rust or premature wear in air hand-pieces, clogged lines in sandblasters or wax contamination in injectors. Even if your air compressor has an outlet filter, a long air line allows water vapor to condense downstream. To prevent contamination problems, install filters in the air line as close as possible to the air-driven tool,

sandblaster or wax pot. Gesswein filters feature screw-on transparent polycarbonate bowls with automatic drains. Bowls are easily disassembled for cleaning without removal from the air line.



A, B Miniature Filter/Regulator/Lubricator Assembly

For air handpieces.

Combines functions of filter, regulator and lubricator. General-purpose filter removes solid and liquid particles down to 5 microns. Regulator allows outlet pressure adjustment from 5 to 100 PSI. Micro-fog lubricator provides oil mist to lubricate moving parts of air handpieces. Has 1 oz. reservoir. Use optional bracket to mount on wall or bench. Maximum inlet pressure: 150 psi. Ports: ½".

Description	Item#	Each
A. Filter Assembly	850-7349	\$215.00
B. Mounting Bracket	850-7335	9.30
Lube Oil, 8 oz.	850-0985	25.65
Replacement Filter	850-7369	14.50



C, D Miniature Prefilter/Coalescing Filter Assembly

Ideal for applications requiring dry and extremely clean air. Designed for air compressors rated up to 3.5 CFM. Prefilter removes liquid and solid particles down to 5 microns; coalescing filter removes particles down to 0.01 micron. Use optional bracket to mount on wall or bench. Maximum inlet pressure: 150 PSI. Ports: 1/4".

Description	Item#	Each
C. Filter Assembly	850-7353	\$109.00
D. Mounting Bracket	850-7359	15.60
Replacement Prefilter (white)	850-7337	19.95
Replacement Coalescing Filter (green)	850-7357	65.00



E, F Miniature Filter/Regulator

Combines the functions of filter and regulator. Filter removes solid and liquid particles in compressed air down to 5 microns. Regulator allows outlet pressure adjustment from 5 to 100 psi. Maintains nearly constant outlet pressure despite changes in inlet pressure. Use optional bracket to mount on wall or bench. Maximum inlet pressure: 150 psi. Ports: ½".

Description	Item#	Each
E. Filter Assembly	850-7333	\$85.00
F. Mounting Bracket	850-7335	9.30
Replacement Filter	850-7369	14.50

G. Large Prefilter/Coalescing Filter Assembly

Designed for large air compressors rated up to 15 CFM. Ideal for applications requiring greater airflow. Prefilter removes liquid and solid particles down to 5 microns; coalescing filter removes particles down to 0.01 microns. Requires regulator for use with most air tools. Maximum inlet pressure: 150 psi. Ports: ½".

	Description	Item#	Each
G	. Filter Assembly	850-7355	\$160.00
	Replacement Prefilter (white)	850-7337	19.95
	Replacement Coalescing Filter (green)	850-7365	145.00



H-J Barbed Fitting, Worm Drive Clamp and Reinforced Air Hose

Fitting works with most wax injectors and small vacuum pumps. Worm drive clamp fastens air hose securely to fitting.

Sturdy $\frac{1}{4}$ " I.D. rubber air hose reinforced to withstand air pressures up to 250 PSI. Use for compressed air and vacuum pumps. Works with barbed fittings. Sold by the foot.

Description	Item#	Each
H. Worm Drive Clamp	265-2274	\$3.95
I. Barbed Fitting, 1/4" NPT	265-2272	5.95
J. Reinforced Air Hose	265-2273	2.50

A. SilentAire Compressors – Quiet yet powerful!

The Val-Air is a premium value model with cast aluminum lid with cooling fins for improved ventilation and Filter-Regulator with auto-drain feature and condensate bottle. With a coalescent filter to 0.01 micron.

Sil-Air is the same without the aluminum lid with cooling fins or coalescent filter.

Both versions feature powerful 1/2 HP motors which provide over 2 CFM of air. They can handle up to 10 large Wax Injectors and are fully automatic. Both make about as much noise as a refrigerator, so you can work without distraction. Both measure 14" dia. x 22"H. Weigh 58 lbs. May require additional filter at the air tool to eliminate condensation that can form in very long airlines. Accepts 1/4" male fittings. 220V also available. Made in Italy.

•	atures: Tank and line pressure gauge Line pressure regulator Moisture trap and filter Safety valve Air-intake filter		Specifications: Motor Max. Pressure Tank Capacity Displacement Noise Level	1/2 HI 114 P 4 gals 2.15 (40 dB	SI CFM
	Description	F0B	Electrical	Item#	Each
A.	SilentAire Val-Air Compressor	CT	110V	265-3100	\$1,245.00
-	SilentAire Val-Air Compressor	TX	110V	265-3101	1,225.00
-	SilentAire Sil-Air Compressor	TX	110V	265-3095	1,045.00
-	SilentAire Sil-Air Compressor	CT	110V	265-3094	1,065.00
	Replacement Oil, 24 oz.			265-3103	27.00



Engineered and built with the latest technology to provide high quality clean air. The Oil-Free Dual Piston Pump System allows the air compressor to work more efficiently, creating less noise and less wear for a longer pump life. Oil-less operation makes it virtually maintenance free! Includes tank and line pressure gauge, line pressure regulator, moisture trap with filter, safety valve, and air intake filter. Made in China.

Specifications:

Motor:	3/4 HP		Noise level:	52 dB	
Max. Pressure:	116 PSI / 8 b	ar	Airflow:	118 liters per minu	ite
Tank Capacity:	6 gals.		Dimensions:	16"Dia. x 21H"	
Displacement:	4.2 CFM		Weight:	61lbs.	
Description		F0B	Electrical	Item#	Each
B. Oil-Free Air C	ompressor	CT	110V, 600 watts	265-3120	\$625.00
Oil-Free Air C	ompressor	NY	110V, 600 watts	265-3122	595.00

C. California Air Tools 4610AC - 1 HP & Oil-Free Air Compressor

Quiet, (60 dB) oil-free and lightweight. Designed to increase duty cycle and allow for longer continuous run times. Powerful 1.0 HP motor is engineered to dissipate heat, allowing for a cooler operation while reducing wear. The Oil-Free Dual Piston Pump System is engineered for high performance and durability. Complete with two pressure control gauges, air filter, two universal \(^{1}/_{4}\)" quick connectors, and thermal overload protector. 220V also available. Made in China.

Specifications:

California Air Tools 4610AC

Description		Electrical	Item#	Each
Tank Capacity:	4.6 gals. (Aluminum Tank)	Weight:	44 lbs.	
Max. Pressure:	120 PSI	Dimensions:	19 ¹ / ₈ "L x 16 ³ / ₄ "	W x 19 ³ / ₄ "H
Motor:	1 HP	Noise level:	60 dB	

D-0 Quick Disconnect Air Hose and Fittings

Sturdy 1/4" O.D. nylon air hose with .040" wall thickness and a collection of timesaving quickdisconnect fittings. To connect, just push air hose into fitting-it automatically locks in place. To disconnect, push back plastic ring on fitting and pull air hose out.

110V/60Hz

Item#	Per Foot
265-2286	\$0.94
Item#	Each
265-2276	\$6.85
265-2288	7.80
265-2291	5.96
265-2278	7.70
265-2277	3.75
	265-2286 Item# 265-2276 265-2288 265-2291 265-2278

Description	Item#	Per Foot
J. Nipple Reducer, ¹ / ₄ "– ¹ / ₈ "	265-2289	\$ 3.95
K. Plug for QD ¹ / ₄ " Connectors	265-2283	1.60
L. Coupling, Female, ¹ / ₄ " to ¹ / ₄ "	265-2284	2.75
M.QD Union (Straight), 1/4"	265-2282	4.65
N. QD Union T, 1/4"	265-2281	6.65
0. QD Union Elbow, ¹ / ₄ "	265-2279	5.50

265-3125











\$325.00













A. Vacuum Pump

A 1/3 HP unit provides 3 CFM for removing air bubbles from investment or pulling gases from flasks during casting so that molten metal can flow quickly into cavities. Electrical: 110V, 1 Ph, 60Hz. Measures $14\frac{1}{4}$ "L x $5\frac{1}{2}$ "W x $11\frac{1}{2}$ "H. Ship. wt: 31 lbs.

Description	Item#	Each
Vacuum Pump - 1/3 HP	265-1757	\$450.15
High Vacuum Pump Oil, 1qt.	265-1753	16.95

B. Thomas Oil-less Vacuum Pump

A quiet, efficient oil-less 1/4 HP unit provides 1.5 CFM designed for continuous use with your wax injector. Creates 29.9" Hg of vacuum. Recommended when maximum vacuum is the critical factor (i.e., when injecting large, complex or filigree molds). Runs cool and has few moving parts for minimal maintenance. Includes thermal overload protector with auto-reset. Measures 10"L x 6"W x 7"H. Ship. wt: 15.5 lbs. 230V 50Hz available by special order.

	Description	Electrical	Item#	Each
B.	Oil-less Vacuum Pump - 1/4 HP	115V, 4A, 60Hz	265-2255	\$825.00
	Repair Kit (two required)		265-2258	195.00

C. Busch[™] Rotary Vane Vacuum Pumps

Oil-sealed, air-cooled direct-drive pumps excellent for applications in which the vacuum source must be reliable and unobtrusive. Operate quietly with low vibration. Each includes inlet filter assembly.

The $1\frac{1}{4}$ HP Vacuum Pump #15 provides 15 CFM free air displacement. Ideal for use with Vacu-Vest #10. Measures 17"L x $10\frac{1}{2}$ "W x 9"H. Ship. wt: 60 lbs.

The 2 HP #28 versions provide 28 CFM free air displacement. Ideal for use with VacuVest #20. Measure 28"L x 15"W x 10^{1} /2"H. Ship. wt: 173 lbs.

	Description	Electrical		Item#	Each
C.	Vacuum Pump #15 - 1 1/4 HP	220V, 1 Ph, 50/60Hz		265-2386	\$2,499.00
	Vacuum Pump #28 - 2 HP	115/230V, 1 Ph, 60Hz	<u></u>	265-2381	3,995.00
	Vacuum Pump #28 - 2 HP	230V/460V, 3 Ph, 50/60Hz	<u></u>	265-2387	3,650.00
	Oil for #15, 1 qt.			265-1708	32.99
	Oil for #28, 1 qt.			265-1707	8.75

^{*}For export only.

D. Airtech[™] Rotary Vane Vacuum Pumps

Oil-flooded, air-cooled direct-drive vacuum pumps designed for reliability and longevity. Feature durable composite vanes, oil level sight glass, wire mesh inlet filter, exhaust filters and vibration isolators for quiet operation. Choose from 15 CFM and 28 CFM and 45 CFM models.

Specifications:	15 CFM	28 CFM	45 CFM	
Motor	1 HP	2 HP	3 HP	
Noise Level	62 dBA	67 dBA	70 dBA	
Dimensions (L x W x H)	16½" x 10¾" x 8½"	27" x 11 ¹ / ₂ " x 11"	28 ⁵ /8" x 17	¹ /4" x 12 ¹ /4"
Net/Ship. Wt.	42/70	116/140	175/220	
Description	Electrica	al	Item#	Each
15 CFM Vacuum Pump	- 1 HP 115/230V, 1 P	h, 60Hz 2	265-1690	\$2,445.00
28 CFM Vacuum Pump	- 2 HP 208-230/460V, 3 F	Ph, 50/60Hz 2	265-1691	3,365.00
45 CFM Vacuum Pump	- 3 HP 208-230/460V, 3 F	Ph, 50/60Hz 🔂 2	265-1692	4,295.00

E. Flushing Oil

For optimal service and long life from your vacuum pump, use flushing oil once a year. Just drain all the old oil, fill to normal level with flushing oil, run pump for 30 minutes, drain flushing oil, then fill with appropriate vacuum pump oil. Sold in 1 at. container.

Description	Item#	Each
Flushing Oil, 1 qt.	265-1706	\$34.00

F. Air Gun with Self-Coiling Hose

A high-quality blow gun with responsive spring-loaded trigger. Produces a very narrow air stream on-demand. Includes convenient self-coiling $\frac{1}{4}$ " hose and $\frac{1}{4}$ " NPT coupler. Gun tip extends roughly 4" out of molded plastic handle. Color may vary.

Description	Item#	Each
Air Gun with Self-Coiling Hose	265-2325	\$39.50

A. PEPETOOLS Professional Pearl & Bead Drilling Machine

Drilling holes in pearls and beads can present several challenges, mainly when it comes to fixing them in place. This drill press meets those challenges head-on to help save precious time. Features a unique adjustable holding jig for securing multiple sizes of pearls and stones, ensuring you get straight, properly sized holes each and every time. Works in combination with your #30 handpiece (see p. 438) and flex shaft.

- Double-loop holder for securing your #30 handpiece
- Brass cup jaws for easy and stable mounting of pearls and beads
- 180° rotating jaw table for preventing hole misalignment when drilling from the opposite side
- Water holding post for cooling items while drilling, allows use of diamond drill bits
- Advancing lever for moving items securely into drill

Description	Item#	Each
Drilling Machine	816-1445	\$215.00

B. Pearl Drills - 1/8" Shank

Used to drill setting holes for seed pearls as well as both round and half-round stones. Sold individually and in a set of 12 diameters with plastic stand and cover.

Dia. (mm)	Item#	Each
1.05	816-1425	\$8.45
1.20	816-1426	8.45
1.45	816-1427	8.45
1.65	816-1428	8.45
1.85	816-1429	8.45
2.05	816-1430	8.45
2.26	816-1431	8.45
2.40	816-1432	8.45
3.00	816-1435	8.45
12-Piece Set (1.05, 1.20, 1.35, 1.45, 1.65, 1.85,		
2.05, 2.26, 2.40, 2.65, 2.83, 3.00mm)	816-1420	103.95

C. Hand Drill


A sturdy, smooth-operating tool for easy control of drilling speed and pressure. Includes keyless chuck with 1/4" capacity. Measures approximately 9½" overall length. Color may vary.

Description	Item#	Each
Hand Drill	816-1410	\$23.95


D. Pearl Holding Vise

This steel vise secures all popular sizes of pearls for easy drilling. Has 13 holes for holding pearls or beads and knurled locknuts for fast clamping and releasing. Includes carrying pouch. Measures 13/8" in diameter. Imported.

Description	Item#	Each
Pearl Holding Vise	816-1440	\$9.05



All prices subject to change without notice.



A. Blue Ribbon™ High-Speed Twist Drills - Made in USA.

Jobbers length drills made of the finest high-speed steel, heat-treated to 63-65 HRC and precision-ground to a tolerance of +.0000 to -.0003" for a perfect hole every time. Great on all metals, even surgical steel. Checked under a 20X microscope before shipping. Sold by the dozen.

unuer a	under a 20x microscope before shipping. Sold by the dozen.				
٥.			Prices		
Size	(inches)	Item#	1-11	12+	
50	.070	155-0500	\$21.10	\$18.99	
51	.067	155-0510	21.10	18.99	
52	.0635	155-0520	21.10	18.99	
53	.0595	155-0530	21.10	18.99	
54	.055	155-0540	21.10	18.99	
55	.052	155-0550	21.10	18.99	
56	.0465	155-0560	21.10	18.99	
57	.043	155-0570	21.10	18.99	
58	.042	155-0580	21.10	18.99	
59	.041	155-0590	21.10	18.99	
60	.040	155-0600	21.10	18.99	
61	.039	155-0610	21.10	18.99	
62	.038	155-0620	21.10	18.99	
63	.037	155-0630	21.10	18.99	
64	.036	155-0640	21.10	18.99	
65	.035	155-0650	21.10	18.99	
66	.033	155-0660	21.10	18.99	
67	.032	155-0670	21.10	18.99	
68	.031	155-0680	21.10	18.99	
69	.0292	155-0690	23.70	21.33	
70	.028	155-0700	23.70	21.33	
71	.026	155-0710	28.85	25.97	
72	.025	155-0720	28.85	25.97	
73	.024	155-0730	28.85	25.97	
74	.0225	155-0740	28.85	25.97	
75	.021	155-0750	28.85	25.97	
76	.020	155-0760	28.85	25.97	
77	.018	155-0770	28.85	25.97	
78	.016	155-0780	28.85	25.97	
79	.0145	155-0790	35.15	31.64	
80	.0135	155-0800	35.15	31.64	

Shown actual size



B. Blue Ribbon™ High-Speed Twist Drill Sets

	Description	Item#	Each
В.	20-Piece Set (sizes 61–80)	155-2020	\$43.50
	12-Piece Set (sizes 55, 57, 60, 62, 64, 65, 66, 68, 70, 72, 73 and 75)	155-2010	23.50



C, D Adapter Chucks - 3/32" Shank

Allow you to use tools with small shanks in standard flex shaft handpieces. Threads are right-hand.

Description	Item#	Each
C. 0-1.00mm Chuck	840-3210	\$13.35
D. 0-2.62mm Chuck	840-3220	15.50

A. Busch® High-Speed Metric Twist Drills – Fig 203HSS, 3/32" Shank

Made of high-speed steel. More durable than tungsten vanadium steel on hard metals such as white gold, platinum, surgical steel and more. Made in Germany.

Diameter			EACH F	
(mm)	(inches)	Item#	(2pc) 2-22	24+
0.50	.0197	122-6992	\$5.95	\$5.06
0.60	.0236	122-6993	5.95	5.06
0.70	.0276	122-6994	5.95	5.06
0.80	.0315	122-6995	5.95	5.06
0.90	.0354	122-6996	5.95	5.06
1.00	.0393	122-6997	5.95	5.06
1.10	.0433	122-6998	5.95	5.06
1.20	.0472	122-6999	5.95	5.06
1.30	.0512	122-7000	5.95	5.06
1.40	.0551	122-7001	5.95	5.06
1.50	.0591	122-7002	5.95	5.06
1.60	.0630	122-7003	5.95	5.06



B. Busch® Metric Twist Drills - 3/32" Shank

Made of tungsten vanadium steel. For handpieces with 3/32" collets. Sold in

multiple	s of six or a	ı set of one	each, 12 as	sorted size	s. Made in	Germany.
Diam	eter				EACH Pric	es
(mm)	(inches)		Item#	<i>6pc</i> 6-66	72-138	144+
0.50	.0197		122-700	5 \$2.39	\$2.03	\$1.91
0.60	.0236		122-700	3 2.39	2.03	1.91
0.70	.0276		122-7007	7 2.39	2.03	1.91
0.80	.0315		122-700	3 2.39	2.03	1.91
0.90	.0354		122-7009	2.39	2.03	1.91
1.00	.0393		122-7010	2.39	2.03	1.91
1.10	.0433		122-701°	2.39	2.03	1.91
1.20	.0472		122-7012	2 2.39	2.03	1.91
1.30	.0512		122-7013	3 2.39	2.03	1.91
1.40	.0551		122-7014	4 2.39	2.03	1.91
1.50	.0591		122-701	5 2.39	2.03	1.91
1.60	.0630		122-7010	3 2.39	2.03	1.91
1.70	.0669		122-7017	7 2.39	2.03	1.91
1.80	.0709		122-7018	3 2.39	2.03	1.91
1.90	.0748		122-7019	2.39	2.03	1.91
2.10	.0827		122-702 ⁻	2.39	2.03	1.91
2.20	.0866		122-702	2 2.39	2.03	1.91
2.30	.0906		122-702	3 2.39	2.03	1.91



See Solid Carbide Drills on pages 178

C. Busch® Metric Twist Drill Set

Made of tungsten vanadium steel. Includes 0.60, 0.70, 0.80, 0.90, 1.00, 1.20, 1.40, 1.50, 1.60, 1.80, 2.10 and 2.30mm sizes. Made in Germany.


Description	Item#	Each
12-Piece Set	122-7030	\$22.99



D. Busch® Carbide Twist Drills - Fig 4203S - 3/32" Shank

Made of carbide for hardness and long life. Carbide Twist Drills are packaged two to a box: available only in multiples of two. Made in Germany,

	packaged two to a box, available only in multiples of two. Made in definiting.				
Diameter				Prices	
(mm)	(inches)	Item#	(2pc) 2-22	24+	
0.50	.0197	125-5485	\$14.45	\$12.28	
0.60	.0236	125-5486	14.45	12.28	
0.70	.0276	125-5487	13.25	11.26	
0.80	.0315	125-5488	13.25	11.26	
0.90	.0354	125-5489	13.25	11.26	
1.00	.0393	125-5490	13.25	11.26	
1.10	.0433	125-5491	13.25	11.26	
1.20	.0472	125-5492	13.25	11.26	
1.30	.0512	125-5493	13.25	11.26	
1.40	.0551	125-5494	13.25	11.26	
1.50	.0591	125-5495	13.25	11.26	
1.60	.0630	125-5496	13.25	11.26	





2pc Two-piece minimum; Please order in multiples of two.









A. High Speed Steel Metric Twist Drills

High-speed steel twist drills with matching tip and shank diameters. Feature bright finish, precision tips with the optimal cutting angle and sharp flutes with the proper spiral and finished outer edges. Made in Germany. Sold in packages of 10.

Dian	neter		PKG	. of 10
(mm)	(inches)	Item#	1-4	5+
0.50	.0197	155-0900	\$10.25	\$9.23
0.60	.0236	155-0902	10.25	9.23
0.70	.0276	155-0904	9.30	8.37
0.80	.0315	155-0906	8.85	7.97
0.90	.0354	155-0908	8.85	7.97
1.00	.0393	155-0910	8.85	7.97
1.10	.0433	155-0912	8.15	7.34
1.20	.0472	155-0914	8.15	7.34
1.30	.0512	155-0916	8.15	7.34
1.40	.0551	155-0918	8.15	7.34
1.50	.0591	155-0920	8.15	7.34
1.60	.0630	155-0922	8.15	7.34

B. High Speed Steel Metric Twist Drill Set

Includes one package of each size listed above.

Description	Item#	Each
120-Piece Set	155-0899	\$82.50

C. MAILLEFER Metric Twist Drills - 3/32" Shank

Made of tungsten vanadium steel. For handpieces with 3/32" collets. Sold in multiples of six or in a set of one each of selected sizes see below. Made in Switzerland.

Diameter Hole Depth		EACH Prices		S	
(inches)	(mm)	Item#	<i>6pc</i> 6-66	72-138	144+
.0197	5.4	155-2300	\$2.39	\$2.03	\$1.91
.0236	5.5	155-2301	2.39	2.03	1.91
.0276	5.6	155-2302	2.39	2.03	1.91
.0315	5.7	155-2303	2.39	2.03	1.91
.0354	9.25	155-2304	2.39	2.03	1.91
.0393	9.35	155-2305	2.39	2.03	1.91
.0433	9.4	155-2306	2.39	2.03	1.91
.0472	9.5	155-2307	2.39	2.03	1.91
.0551	9.7	155-2309	2.39	2.03	1.91
.0591	9.7	155-2310	2.39	2.03	1.91
.0630	9.8	155-2311	2.39	2.03	1.91
.0669	9.85	155-2312	2.99	2.54	2.39
.0709	9.95	155-2313	2.99	2.54	2.39
.0748	10.05	155-2314	2.99	2.54	2.39
.0827	10.3	155-2316	2.99	2.54	2.39
.0906	10.5	155-2318	2.99	2.54	2.39
	(inches) .0197 .0236 .0276 .0315 .0354 .0393 .0433 .0472 .0551 .0591 .0630 .0669 .0709 .0748	(inches) (mm) .0197 5.4 .0236 5.5 .0276 5.6 .0315 5.7 .0354 9.25 .0393 9.35 .0433 9.4 .0472 9.5 .0551 9.7 .0630 9.8 .0669 9.85 .0709 9.95 .0748 10.05 .0827 10.3	(inches) (mm) Item# .0197 5.4 155-2301 .0236 5.5 155-2301 .0276 5.6 155-2302 .0315 5.7 155-2303 .0354 9.25 155-2304 .0393 9.35 155-2305 .0433 9.4 155-2307 .0551 9.7 155-2305 .0591 9.7 155-2310 .0630 9.8 155-2310 .0709 9.95 155-2312 .0748 10.05 155-2314 .0827 10.3 155-2316	(inches) (mm) Item# 6-66 .0197 5.4 155-2300 \$2.39 .0236 5.5 155-2301 2.39 .0276 5.6 155-2302 2.39 .0315 5.7 155-2303 2.39 .0354 9.25 155-2304 2.39 .0393 9.35 155-2305 2.39 .0433 9.4 155-2306 2.39 .0472 9.5 155-2307 2.39 .0551 9.7 155-2309 2.39 .0591 9.7 155-2310 2.39 .0630 9.8 155-2311 2.39 .0669 9.85 155-2312 2.99 .0709 9.95 155-2313 2.99 .0748 10.05 155-2314 2.99 .0827 10.3 155-2316 2.99	(inches) (mm) Item# 6-66 72-138 .0197 5.4 155-2300 \$2.39 \$2.03 .0236 5.5 155-2301 2.39 2.03 .0276 5.6 155-2302 2.39 2.03 .0315 5.7 155-2303 2.39 2.03 .0354 9.25 155-2304 2.39 2.03 .0393 9.35 155-2305 2.39 2.03 .0433 9.4 155-2306 2.39 2.03 .0472 9.5 155-2307 2.39 2.03 .0551 9.7 155-2309 2.39 2.03 .0591 9.7 155-2310 2.39 2.03 .0630 9.8 155-2311 2.39 2.03 .0669 9.85 155-2312 2.99 2.54 .0709 9.95 155-2313 2.99 2.54 .0748 10.05 155-2314 2.99 2.54 .0827

6pc Six-piece minimum; Please order in multiples of six.

D. MAILLEFER Metric Twist Drill Set

Includes 0.60, 0.70, 0.80, 0.90, 1.00, 1.20, 1.40, 1.50, 1.60, 1.80, 2.10 and 2.30mm sizes. Made in Switzerland.

Description	Item#	Each
12-Piece Set	155-2319	\$33.65

E. Automatic Center Punch

Delivers a sharp blow when depressed. Lets you vary impressions by simply adjusting the knurled head. Measures 43/4" long.

Description	Item#	Each
Automatic Center Punch	814-1100	\$27.95
Replacement Tip	814-1102	7.40

A, B Diamond Twist Drills

High-speed steel twist drills coated at the tips with medium-fine diamond grit for drilling stones, ceramics, glass and other hard, nonmetallic materials. Use water as a lubricant. Available individually or in a set of all 12 sizes.

Diameter				
Size	(mm)	(inches)	Item#	Each
A. 65	0.90	.035	226-1365	\$6.95
61	0.99	.039	226-1361	6.95
56	1.18	.0465	226-1356	6.95
54	1.39	.055	226-1354	6.95
53	1.51	.0595	226-1353	6.95
52	1.61	.0635	226-1352	6.95
51	1.70	.067	226-1351	6.95
50	1.77	.070	226-1350	6.95
47	1.99	.078	226-1347	6.95
45	2.08	.082	226-1345	6.95
40	2.49	.098	226-1340	6.95
36	2.70	.106	226-1336	6.95
B. 12-P	iece Set (o	ne of each size)	226-1300	59.95

C, D Metric Diamond Twist Drills - 3/32" Shank

Twist drills electroplated with medium-fine diamond grit for drilling stones, pearls, glass and ceramics. Can be used with any standard flex shaft handpiece. Use water as lubricant. Available individually or in a set of all 6 sizes.

Diameter			
(mm)	(inches)	Item#	Each
C. 1.00	.0393	226-1241	\$4.95
1.30	.0512	226-1242	4.95
1.40	.0551	226-1243	4.95
1.60	.0630	226-1244	4.95
1.80	.0709	226-1245	4.95
2.10	.0827	226-1246	4.95
D. 6-Pied	ce Set (one of each size)	226-1240	26.95

E, F Diamond Drill Sticks

Hardened steel drills coated at the tips with diamond grit for fast drilling of stones and ceramics. Run at speeds between 5,000 and 20,000rpm. Use water or light oil as lubricant. Available individually or in a set of all 6 sizes.

Dia. (mm)	Item#	Each
E. 0.75	226-1455	\$2.95
1.0	226-1460	2.95
1.25	226-1465	2.95
1.5	226-1470	2.95
2.0	226-1475	2.95
2.5	226-1480	2.95
F. 6-Piece Set (one of each size)	226-1450	17.95

G-M Diamond Core Drills – 3mm Shank

Stainless steel drills electroplated with medium-fine diamond grit for cutting holes in stones, ceramics and glass without chipping or cracking. Must use water or light oil as lubricant.


Dia. (mm)	Item#	Each
1.5	226-1401	\$5.95
G. 2.0	226-1402	5.95
H. 2.5	226-1403	5.95
I. 3.0	226-1404	5.95
J. 5.0	226-1408	8.95
K. 6.5	226-1411	10.85
L. 9.5	226-1417	14.85
10.0	226-1418	15.95
M. 11.0	226-1420	18.50













Shown actual size











A. Colibri Tap Set with Die Plate

Includes eight replaceable steel taps (see below) for threading insides of holes and matching $4^3/8$ "L x $^7/8$ "W steel die plate with clearly marked sizes for threading wires. Lets you make your own screws and ear wire threads. Made in Germany.

Description	Item#	\$189.95	
Tap Set with Die Plate	816-2047		
Replacements			
0.6mm Tap	816-1997	7.95	
0.8mm Tap	816-2001	7.95	
1.0mm Tap	816-2003	7.95	
1.2mm Tap	816-2005	7.95	
1.4mm Tap	816-2007	8.40	
1.6mm Tap	816-2009	8.40	
1.8mm Tap	816-2011	9.90	
2.0mm Tap	816-2013	9.90	
Die Plate	816-2048	130.00	

B. WIRU Watchmakers Tap & Die Set

Precision tap and die set for watch, clock and jewelry repair. The 4EE model consists of 8 taps, one each of 0.70mm, 0.80mm, 0.90mm, 1.00mm, 1.10mm, 1.20mm, 1.30mm, 1.40mm, along with 8 screw dies of corresponding metric threads, die handle and an adjustable tap handle. Supplied in wooden case. Made in Germany.

Description	Item#	Each
Watchmakers Tap & Die Set	816-2050	\$525.00

C-G Reamers

Made of tempered steel, these five-sided cutting broaches are used for cleaning and reaming holes. Sizes are for diameters measured slightly below largest part of cutting edges.

	Stubbs Size	Diar (mm)	neter (inches)	Item#	Each
C.	30	3.226	.127	821-0300	\$5.55
D.	40	2.464	.097	821-0400	3.65
E.	50	1.753	.069	821-0500	2.80
F.	60	0.990	.039	821-0600	1.97
G.	70	0.685	.027	821-0700	1.97
	12-Piece 40, 45, 4	Set (15, 25 8, 51, 54, 5	, 30, 35, 6, 65, 70)	821-1157	39.85
		Set (30, 35 4, 55, 58, 6		821-1307	39.85

H. Reamer Set

Includes six five-sided cutting broaches in Stubbs sizes 46–72 (2.007-0.610mm in diameter). Comes complete with plastic case. Broaches feature regular taper with excellent finish and comfortable plastic handles. Made in Germany.

Description	Item#	Each
Reamer Set	821-1309	\$13.95

I. Brass Riveting Wire

Used to make pins or rivets in pin findings for jewelry. Sold in packages of 6" lengths in assorted B&S gauge diameters (14–21).

		PKG.	Prices
Description	Item#	1-11	12+
Brass Riveting Wire	816-2600	\$4.65	\$3.95

Н

Why Are Rectifiers Needed?

Rectifiers serve as sources of direct current for electroplating and electrostripping operations. A rectifier that operates on 115V AC and converts it to direct current can be easily regulated to produce the required voltage. When selecting a rectifier, be sure to choose one with sufficient amperage output, which determines the size of the bath as well as the surface area that can be plated. 10A output is recommended for smaller baths and can be used for electrostripping smaller items. For larger baths and electrostripping larger items, 25A output is recommended.



Available in either 10A or 25A, and choose between the (IPS Pro) or the (IPS Plus) which incorporates a solution coil heater to keep your solutions at a consistent temperature. The IPS - (Intelligent Plating System) - rectifiers from Pepetools are the most user friendly, intuitive and fully programmable systems available.

All versions are fully programmable and user friendly utilizing a "one button" plating system. Two (2) internal counters provide an important measuring function that allows user to properly maintain plating bath, regulate the thickness of the plating and also calculate the amount of material being used. Just set the values you require and press start. IPS also can handle when your work piece accidently touches the anode causing a short. That would normally shut down a plating system, but with IPS plating is bypassed until the short is eliminated and will self-restore and continue with the preset values entered.

These rectifiers utilize a sequential (staged) process providing an environment for a properly controlled crystal growth with the necessary density of the deposits. Both factors contribute to an exceptionally shiny, non-pitted finish.

Features:

- Ability to set plating voltage and amperage
- Ability to set plating time (1 second to 9 hours and 59 seconds)
- Reverse polarity time
- Integrated Amp hour counter
- Storage space for (5) individual programs (with defined plating time, reverse polarity time, current voltage, current amperage, and delayed start).
- Sequential Programming allows larger plating operations

Both the IPS Plus and the IPS Pro come with the IPS control unit and lead wires. The IPS Pro also includes a solution coil heater that fits a 1000ml beaker (not included) and is accurate up to +/- 1°C. This heater is fully programmable in either Fahrenheit or Celsius and maintains the set temperature perfectly! Made in USA.

Description	Item#	Each
A. IPS Pro 10A	212-0958	\$865.00
IPS Pro 25A	212-0959	865.00
B. IPS Plus 10A	212-0955	575.00
IPS Plus 25A	212-0956	575.00

C. PEPETOOLS Thermocontroller and Magnetic Mixer Set

Because hotplates and similar heating units for plating heat from underneath, and the glass commonly used for beakers is a very good insulator, these units take a long time to heat and fail to provide accurate, consistent temperature control. This revolutionary set solves these problems by heating your bath from within and constantly stirring it to maintain even temperature. Suitable for small and large baths. Heats a 2-liter bath to 125°F in 30 minutes.

Includes Thermocontroller with coil and sensor and Magnetic Mixer with stirring pellet. Thermocontroller turns blue when bath is not hot enough and green when at temperature, allowing you to see at a glance when solution is ready. Has a control dial and switch for displaying temperature in °F or °C. Measures 4.8"W x 5.9"D x1.4"H. Magnetic Mixer has a control dial that allows you to fine-tune stirring speed. For consistent even plating the PEPE Thermocontroller and Magnetic Mixer Set is a must! Measures 3.0"W x 6.9"D x 5.1"H. Both units also include 110/220V selector switch. Made in the USA.

Description	Item#	Each
Thermocontroller and Magnetic Mixer Set	212-0732	\$550.00










Easy-To-Use Innovative Plating Systems for Every Jeweler



Jentner products are used in more than 30 countries wherever quality and precision are required. With over 30 years of experience in the electroplating and surface finishing area they are know for providing innovative technologies. Gesswein is proud to offer a comprehensive range of Jentner electroplating products from the Digital II and Digital V galvanic bath platers to RMGO!, the revolutionary room temperature system (see facing page), to the Picco pen plater (see page 267). Made in Germany.



Digital II & V Compact Electroplating Systems - For pen and bath plating

The Plating Process just got even easier with the Digital II and Digital V Compact Plating Systems. The small, compact Digital II has a volume of (6) 1.5 liter tanks for cleaning and plating whereas the more robust/larger Digital V has a volume of (4) 5 liter and (4) 2 liter tanks for cleaning and plating. These galvanic units can be used for all current galvanic baths e.g. cold electro cleaning, and cold gold plating baths, bright silver and rhodium baths, palladium or ruthenium baths as well as non-precious metals like copper or nickel.

Both have preinstalled electroplating programs for several coating processes that defines a new dimension for easy and high quality plating. Pre-adjusted voltages make electroplating very easy. An integrated time countdown function and minute counter prevents overplating and guarantees energy efficient work. Plating solutions, anodes, heater, plating jigs, and other accessories sold separately.

Features:

Description

- Several flexible programs to adjust and store. Guarantees safe accurate processes for a constant high quality
- · Easy to handle and to adjust by digital display of voltage and temperature
- Ampere minute counter guarantees overview in precious metal accounting
- Safety by high quality, metal welded case and integrated splash-guard cap
- Two flexible heaters can be installed
- Efficient electroplating with convertible
- Dual voltage: 110V 60Hz / 220V 50Hz

ltom#

Fach

Description	iteiii#	Eacii
A. Digital II Compact Electroplating System	212-0960	\$4,395.00
B. Digital V Compact Electroplating System	212-0960	4,395.00
MOX Anode, 100X40mm, for Digital II	210-2510	79.95
MOX Anode, 150X40mm, for Digital V	210-2511	88.95
MOX Anode, for Beaker, for Digital II	210-2512	95.50
Plating Jig for Rings (12 Hooks, for 1/3L Tanks), for Digital II	210-2556	119.00
Plating Jig for Chains (12 Hooks, for 1/3L Tanks), for Digital II	210-2557	129.00
Plating Jig for Rings (24 Hooks, for 3L Tanks), for Digital V	210-2558	184.95
Plating Jig for Chains (16 Hooks, for 3L Tanks), for Digital V	210-2559	149.95
Plating Jig for Chains (32 Hooks, for 5L Tanks), for Digital V	210-2560	199.95
Plating Jig for Chains (16 Hooks, for 5L Tanks), for Digital V	210-2561	159.95
Plat Anode, for Digital II or Digital V	210-2613	145.95
SS Anode, for Digital II	210-2704	18.95
SS Anode, for Digital V	210-2706	29.95
Optional Heater, 115V	212-0963	399.00
Optional Thermocouple, for Digital II or V	212-0962	280.00
·		





Digital V







FAX Orders 24/7: 888-454-4377

A. RMGO! Plating Kits - (Plating As Easy As 1, 2, Go!)

Cold solutions • room temperature • no heat required

RMGO! is available for gold or rhodium plating or a deluxe set with all you need for both.

Pre-installed times and voltages allow an exact deposition of the metal. You can choose from 15 sec, 30 sec or 60 sec of plating. There is an automatic power shut-off after the elapsed time. This assures a perfect coating as no precious metal is wasted. Plating solutions sold separately. Made in Germany.

Advantages:

- A deposition time of 36 sec instead of 30 sec costs you 20% more of your expensive rhodium! That is a cost saving of 0.2 g rhodium at 1000 rings if you plate exactly 30 sec.
- Absolutely safe process as the voltage needs not to be set easy handling by only one GO! button.
- Errors are avoided as no voltage needs to be set.
- More than 1000 rings with 1 ltr. Rhodium solution JE88 and an ultra brilliant white shining surface.
- Select your own appropriate cold bath solutions.
- Return on invested capital within max. three months, depending on your output.

De	scription	Item#	Each
	RMGO! Rhodium Plating Kit (1)	210-0015	\$1,250.00
	RMGO! Gold Plating Kit (2)	210-0017	1,225.00
A.	RMGO! Deluxe Plating Kit (3)	210-0019	1,375.00

B. Cold Rhodium Bath JE88

2g Rh, makes 1 liter. JE88 deposits brilliant white shining glossy, hard and abrasionresistant rhodium layers.

Description	Item#	Each
*Cold Rhodium Bath JE88 🕸	210-0906	\$280.00

C. Cold Black Rhodium Bath JE23-1

2g Rh, makes 1 liter. Dark anthracite-grey, abrasion resistant Rhodium layers.

Description	Item#	Each
*Cold Black Rhodium Bath JE23-1 🕸	210-0909	\$280.00

D. Cold Color Gold Baths

Delivered ready to use and allows easy to handle operation at room temperature. 1g gold per liter.

Description	Item#	Each
D. 14K Yellow	210-0913	\$150.00
18K Yellow	210-0912	150.00
24K Yellow	210-0912	150.00
Red	210-0910	150.00

E. Electrocleaner JE610

Cyanide-free, anodic salt degreaser for galvanic degreasing of all conventional metallic objects. Available in 100g and 1kg sizes.

Description	Item#	Each
Cold Electrocleaner JE610, 100g 🕸	210-3301	\$19.95
E. Cold Electrocleaner JE610, 1kg 💲	210-3302	69.50

^{*}Due to fluctuations in rhodium, prices subject to change daily.



RM <i>GO!</i> Kits	Rhodium Plating 210-0015	Gold Plating 210-0017	
Rectifier	1	1	1
600/1000ml Beakers & Covers	2/2 (4)	2/2 (4)	3/3 (6)
Red Lead Wires	2	2	3
Black Lead Wire	1	1	1
Black Clip	1	1	1
4 Hook Holder	1	1	1
MOX Anode	1	_	1
SS Anode	1	2	2
Electrocleaner	1	1	1

Must purchase plating solution separately.







All prices subject to change without notice.



Gesswein® Plating Kits

If you've never plated before, we are here to help! These Plating Kits are a great introduction to the process and in just a few steps, you can begin plating. Our Plating Kits contain everything you need to get started and Gesswein's knowledgeable technical staff is always ready if you need any help.

The most important considerations when plating are:

- Use lead-free solder on jewelry repairs or you'll need to preplate with copper and nickel.
- Polish and thoroughly clean items before plating.
- Keep the bath covered when not in use to keep it clean.





A, B Rhodium Plating Kit - 25 Amp

Rhodium plating is used in electronics because of its low electrical resistance, low and stable contact resistance, and high corrosion resistance. Jewelers use rhodium for plating because it is extremely hard, highly resistant to scratching from everyday wear, hypoallergenic and will not tarnish. For these reasons, Rhodium is often plated over white gold, platinum, and palladium jewelry. Kit includes:

- PEPETOOLS[™] IPS PLUS 25A digital rectifier with lead wires (115/230V) (212-0956)
- 1 lb. EarthGold electrocleaner for removing fingerprints and dirt (non-hazardous) (210-0946)
- 1 lb. EarthGold Acid Activator (non-hazardous) (210-0939)
- Rhodium Bath Pre-Mixed 1 gram (210-1018)
- Stainless steel anode for electrocleaning (210-2701)
- Platinum-clad niobium anode for transmitting current to the rhodium plating bath (210-2600)
- Three 1,000ml graduated Pyrex beakers with flexible plastic covers for holding and storing electrocleaner and rhodium solutions - (210-2800) + (210-2953)
- 1/2 lb. spool of copper work wire for holding items while plating (210-2100)

	Description		Shipping Weight	Item#	Each
A.	Plating Kit - WIth Rodium	Ĥ	16 lbs. (7.25kg)	210-0006	\$885.00
B.	Plating Kit - Without Rodium		14 lbs. (6.35kg)	210-0007	795.00



C. EarthGold Plating Kit

A complete line of cleaners, degreasers, stripping and plating solutions. Plating solutions can be plated over nickel, sterling silver, gold, silver, rhodium and most other precious and nonprecious metals. Leave a bright durable deposit. Kit includes everything you need to plate in Nickel, Copper, & 14K Yellow Gold. Made in USA.

The EarthGold Kit includes:

- PEPETOOLS[™] IPS PIUS 25A Digital Rectifier with lead wires
- 4 qts of plating solution: 14K Gold, Bright Nickel, Copper Strike, and Bright Copper.
- 1 lb. Acid Activator—Cleans and activates surface of metals that are difficult to plate, such as stainless steel, chrome and metals containing lead or zinc.
- 6 Pyrex Beakers (600ml) with Covers.
- 2 Stainless Steel Anodes, 2 Copper Anodes, and 1 Nickel Anode.
- 1 lb. Electrocleaner—Removes finger marks and dirt.
- 1/2 lb. spool of Copper Work Wire (for making hooks to hold jewelry)
- Plastic Stirring Rod, Plating Thermometer, and Whatman pH Strips.
- Air Agitator (Air pump and Airline tubing 8 ft.)

Description	Shipping Weight	Item#	Each
EarthGold Plating Kit	27.25 lbs. (12.36kg)	210-0903	\$1,025.00



D, E Rhodium Fume Containment System, Small & Large

Quatro Rhodium Containment systems will significantly reduce rhodium odor and vapors migrating throughout your workplace because they utilize a 4 stage filtering process (prefilter, charcoal filter, media filter and HEPA filter). Designed for compact, quiet operation (50-55 dBA). Sizable dimensions allow you to leave your beakers inside the containment area, even running the systems overnight. Can be used as a stand-alone or ducted outside. Complete with acrylic doors, ample soft LED lighting and one year manufacturer's warranty. 120V, 60Hz. Made in Canada.

lawan Dinasaraiana (M., D., II)		00 075" v 10 075" v 14 75 "			,
l in	ner Dimensions (W x D x H):	23.8	375" x 16.875" x 14.75 "	29" x 2	U X 24
Overall Dimensions (W x D x H): 24'		24"	x 17.5" x 29"	29" x 2	0" x 39"
_	Description		Shipping Weight	Item#	Each
D.	Rhodium Fume Containment system	, Small	78 lbs / 35kg	854-1371	\$1,165.00
E.	Rhodium Fume Containment system	, Large	98 lbs / 45kg	854-1372	1,245.00

(H) Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.

A-J EarthGold Cyanide-Free Plating Solutions

Choose from 10 different cyanide-free plating solutions for leaving bright, durable deposits just as thick as those produced by standard cyanide plating solutions.

	Description	Qty.	Item#	Each
A.	14K Yellow	1 qt.	210-0930	\$130.00
		1 gal.	210-0931	475.00
B.	18K Yellow	1 qt.	210-0932	118.50
		1 gal.	210-0933	485.00
C.	24K Yellow	1 qt.	210-0934	118.00
		1 gal.	210-0935	485.00
D.	Silver Plating	1 qt.	210-0942	32.60
		1 gal.	210-0943	121.50
E.	Bright Nickel	1 qt.	210-0952	29.00
		1 gal.	210-0953	107.50
F.	Nickel-Free*	1 qt.	210-0944	31.45
		1 gal.	210-0945	116.80
G.	Copper Strike	1 qt.	210-0936	24.10
		1 gal.	210-0937	89.25
Н.	Bright Copper	1 qt.	210-0948	23.15
		1 gal.	210-0949	85.40
Ī.	Black Plus	1 qt.	210-0959	26.75
-		1 gal.	210-0958	99.00
*H	ypoallergenic		Prices change with curre	nt market value.



Strips gold deposits from rhodium, nickel, stainless steel and steel. Do not use on silver for an extended period of time.

	Description	Qty.	Item#	Each
J.	Stripper	1 qt.	210-0940	\$15.25
		1 gal.	210-0941	61.30

K. EarthGold Electrocleaner

Provides a completely clean, contaminant-free metal surface prior to electroplating.

	Description	Qty.	Item#	Each
K.	Electrocleaner	1 lb.	210-0946	\$9.80
		3 lbs.	210-0947	29.75

L. EarthGold Acid Activator

Provides excellent oxide removal and etching properties to help metals bond better when electroplating. Effective on white metals, brass, bronze, nickel, stainless steel, steel, silver and gold. Do not use on zinc.

	Description	Qty.	Item#	Each
L.	Acid Activator	1 lb.	210-0938	\$8.85
		3 lb.	210-0939	24.20

M. Whatman 0-14 pH Strips

Extra pH strips for checking your EarthGold plating baths. 6 x 80mm, 100/pkg. Description Item# Pkg. of 100 210-2401 Whatman 0-14 pH Strips











Rhodium Solutions

Gesswein offers our own Gesswein brand made in the USA, as well as Umicore J1 and Diamond Brite imported from Umicore in Germany. Both brands are bright, white and tarnish-resistant.

Gesswein brand is the traditional white rhodium popular in the American market and has the distinct advantage of being very easy to use.

Umicore is internationally known as the brightest whitest rhodium and is preferred by the international market. Due to volume purchases, we have extremely competitive prices on Umicore Rhodium. Rhodium can be directly plated on gold, copper and copper alloys, nickel and nickel alloys. When plating over non-precious metals, an intermediate nickel coating of many microns thickness is absolutely essential. Strike nickel or gold plating is advantageous with all substrates. **Rhodium prices fluctuate with metals market.**

No Hazardous shipping surcharges



Rhodium Solution

A-C Gesswein® White Rhodium Solution

This sulfate-type rhodium solution produces a whiter finish than phosphate-type solutions and has the distinct advantage of being very easy to use. Gesswein brand Rhodium requires no heating of the solution, no deionized water and minimal pre- and post-treatment. Made in USA.

It's available either as a ready-to-use Premix, or concentrated. Each produces the same great results but varies in convenience, versatility and shipping rates. Both concentrations use the same Gesswein Replenisher (below) which restores rhodium and acid to the bath as it depletes after use.

Premix is not concentrated so it's ready to use right out of the bottle. Just pour it in your beaker and start plating.

			Rh		EAC	H Prices
	Description		Content	Item#	1	2+
A.	Premix (Bath Plating, 1pt	Ĥ	1g	210-1018	\$89.50	\$85.03

Concentrate requires mixing with your own distilled water which can be purchased at most grocery stores. Concentrate is offered in 2 bottle sizes: 1 gram of Rhodium in 4 oz. liquid or 5 grams of Rhodium in $6\frac{1}{2}$ ounces of liquid.

	Kn		EACH Prices		
Description		Content	Item#	1	2+
B. Concentrate (Bath and Pen Plating)	Ĥ	1g	210-1000	\$79.50	\$75.53
C. Concentrate (Bath Plating)	Ĥ	5g	210-1016	371.00	352.45

Prices change with current market value.

See pp. 263, 268 for Pen Plating Solutions.

C



Rhodium is non-returnable.
Prices change with
current market value.



D. Gesswein® Rhodium Replenisher

Use to replenish rhodium and other chemicals to your Gesswein white rhodium bath as it depletes after use. Do not use rhodium solution to replenish; doing so will upset the bath's chemical balance. Use our Rhodium Test Kit below to determine correct amount of replenisher to use. Replenisher can also be used for pen plating.

		Rh			EACH Prices	
	Description		Content	Item#	1	2+
D.	Replenisher	Ĥ	1g	210-1010	\$79.50	\$75.53
	Replenisher	Æ	5g	210-1017	371.00	352.45

Prices change with current market value.



E. Gesswein® Rhodium Test Kit

As your rhodium bath is used, it depletes rhodium as well as other important chemicals. Our Rhodium Test Kit helps you determine when to add replenisher so you can restore the bath to its original condition. Saves money by ensuring you add just enough replenisher, not too much. Easy to use. Includes complete instructions, control and sample vials, pipette and test block. Designed for use only with our rhodium solutions (#210-1000, #210-1016 and #210-1018).

Description	Item#	Each
Rhodium Test Kit	210-2000	\$67.00

Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.





Umicore Plating Solutions

The world's brightest and whitest rhodium and black ruthenium too!

Rhodium suppliers all SAY their rhodium is the whitest and brightest, but only Umicore can PROVE it. Measured by spectrophotometer, only Umicore Diamond Bright is as bright as pure rhodium (89.5–90 on the lightness scale), while other brands fall short (86–90). Test results were independently verified by CIE-Lab. There is simply no whiter rhodium available on the market. Rhoduna Diamond Bright plates at a thickness of 5um for a quality thick plating, Consider using Umicore RH J1 which plates at 0.3um, if less thickness is acceptable. Umicore Diamond Bright features sulfate-based formula with high deposition capacity, good plating speed and exceptional throwing power. Packaged in shrink-sealed plastic bottles for protection and security. Choose from concentrated solution for rack and barrel plating or pen plating straight out of the bottle.

A. Umicore RHODUNA® Diamond Bright The world's brightest and whitest rhodium

Umicore RHODUNA Diamond Bright deposits brilliant-white, ultra-bright coatings of previously unattained lightness and brilliance. Characterized by high covering speed and excellent throwing power. Layer thicknesses of up to 5µm (micron) can be deposited crack-free with minor porosity. Results have high abrasion resistance. For rack and barrel plating.

Rhodium can be directly deposited on silver, gold, copper and copper alloys, nickel and nickel alloys. When plating tin, lead, zinc, aluminium and iron, intermediate nickel coatings of some thickness are absolutely essential. Strike nickel plating is advantageous with all substrates.

Umicore Diamond Bright Replenisher—To use as Diamond Brite becomes depleted. Do not use rhodium solution itself to replenish; doing so will upset the bath's chemical balance.

	Description		Rh Content	Item#	Each
A.	Umicore Diamond Bright Rhodium	\$	2g	210-1038	\$285.35
	Umicore Diamond Bright Rhodium Replenisher	\$	5g	210-1040	619.02

Rhodium is non-returnable. Prices change with current precious metals market.

B. Umicore J1 RHODUNA® Rhodium Concentrate

Umicore J1 Rhodium Concentrate A long time standard of Umicore, RHODUNA® J1 is an electrolyte slated for the deposition of Brilliant-white, very light, bright coatings. Umicore J1 is suitable for plating jewelry with layers up to 0.3µm thick. Minor porosity, good covering speed, excellent throwing power. Provides high abrasion resistance, good wear resistance, corrosion resistance, and tarnish resistance. J1 is advantageous for rack and barrel plating. Packaged in shrink-sealed plastic bottles for protection and security.

Use J1 replenisher as J1 bath becomes depleted. Do not use rhodium solution itself to replenish; doing so will upset the bath's chemical balance.

	Description		Rh Content	Item#	Each
В.	Umicore J1 RHODUNA® Rhodium	\$	2g	210-1041	\$280.10
	Umicore J1 RHODUNA® Replenisher	<u>\$</u>	5g	210-1042	619.02

Rhodium is non-returnable. Prices change with current precious metals market.



C. D Umicore Ruthuna Black Ruthenium Plating Solutions

Darker than black rhodium

Umicore Ruthuna plates darker than black rhodium because it contains ruthenium, another member of the platinum family. Plates a very dark gray (anthracite) color, almost black. Can be used alone or as a contrast color on both yellow and white metals. Available for bath plating or pen plating.

Ruthuna 475 comes in 4 oz. bottle which has 100ml of solution containing 2 grams of ruthenium. For proper adhesion it is strongly recommended to plate Ruthuna 475 over an undercoat of 18K gold. Specially formulated for pen plating, Ruthuna 279 contains 2 grams of ruthenium. Can be plated directly over gold, gold plate, silver, platinum and palladium. When pen plating over non-precious metals, plate the item with gold prior to using Ruthuna 279.

Description		Rh Content	Item#	Each
C. Ruthuna 475 Bath Plating Solution	(\$	2g	210-1036	\$82.90
D. Ruthuna 279 Pen Plating Solution	(\$)	2g	210-1037	89.95

Rhodium is non-returnable. Prices change with current precious metals market.



\$\text{UPS}^o hazardous shipping surcharge applies. Ships via UPS^o Ground only, no air, FedEx^o, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.

All prices subject to change without notice.



A-F Anodes

Used to introduce electrical current and to replenish metal ions into plating baths. Stems of all standard anodes can be bent to hang on edges of Pyrex beakers (dimensions given do not include stems).

Types:

- Soluble: Copper, nickel and silver anodes dissolve in the bath, replacing metal ions as they are deposited onto the workpiece during plating.
- Inert: Stainless steel and platinum-clad anodes do not dissolve in the plating bath. Serve to introduce electrical current into bath. Note: A stainless steel beaker can be used as an inert anode.

	Description	Size (L x W)	Item#	Each
A.	Copper Anode	6" x 1"	210-2500	\$6.99
B.	Nickel Anode (depolarized)	6" x 1"	210-2551	7.25
C.	Silver Anode (fine)	3 ⁷ /8" x 1"	210-2651	56.00
D.	Stainless Steel Anode	6" x 1"	210-2701	5.40
E.	Platinum-Clad Niobium Anode*	4" x 1"	210-2600	129.50
	Stainless Steel "T" Anode	4" x 12"	210-2710	15.00
F.	Platinum-Clad Titanium "T" Anode	4" x 12"	210-2610	79.00

^{*}Performs as well as solid platinum for rhodium and gold plating. Consists of niobium clad at heavy gauge with 99% pure platinum, cold-rolled to a uniform thickness and meshed to expose more surface area. Because of mesh form and high conductivity (3.5 times more than platinized titanium anodes), this platinum-clad anode provides better current distribution for more uniform plating. Costs less than solid platinum and lasts longer than electroplated anodes.

G. Umicore Platinum Anode Systems

Provides current from 2 directions giving a more even and uniform rhodium plate. Sets contain 2 mesh type platinum coated anodes and a titanium holder. Made in Germany.

	Description	For Beaker Size	Anode Size	Item#	Each
G.	Platinum Anode System 500	500/600ml	3½" x 1¾16" (2)	210-2612	\$157.75
	Platinum Anode System 1000	1000ml	4" x 1½" (2)	210-2617	162.00

Prices change with current precious metals market.

H, I Plating Thermometers

Two different types for measuring stripping and plating bath temperatures. Help eliminate guesswork to improve results. Include metal clip for easy attachment to edges of beakers. Glass type reads up to 220°F or 100°C (has both scales). Stainless steel dial type reads from 50 to 400°F. Measures 8" long.

	Description	Item#	Each
H.	Glass Thermometer	210-2310	\$7.25
Ī.	Stainless Steel Dial Thermometer	210-2255	15.95

J. Copper Work Wire

Soft 24-gauge copper wire for holding items to be stripped or plated. Sold in $\frac{1}{2}$ lb. spool.

Description	Item#	Each
Copper Work Wire	210-2100	\$12.95

K. Pre-Mixed Silver Bath-Cyanide Free

The Jentner Silver bath (JE60) is an innovative cyanide-free electrolyte for the deposition of very white silver layers. It is characterized by light weight handling and very high consistency and best of all, does not need to be heated (room temperature/cold). Does not contain cyanide and therefore offers environmental and safety benefits. However, it is a corrosive and proper care must be taken with use and disposal. Contains 31g of silver per liter and is pre-mixed (ready to use). The purity of the silver solution is nearly 100% and is suitable for both decorative and most jewelry applications. The electrolyte deposits a maximum thickness 25 µm. Can not be use in conjunction with the RMGO Plating Kits. Made In Germany.

This item cannot ship via Fed Ex or USPS and cannot be shipped outside the contiguous USA.

Silver content: 31q/L

Density: 1.13g / ml (1.12-1.20)

• Anode Material: Fine Silver (210-2650)

Optimal Voltage: 1.5 - 1.6V

Bath temperature:

68° F - 104° F (20° C - 40° C)

• Deposition Rate: Approx. 0.5 μm / min

FAX Orders 24/7: 888-454-4377

Description Item# Each Pre-Mixed Silver Bath-Cyanide Free 210-0905 **\$**\ \$129.95

Non-returnable. Prices change with current precious metals market.

\$\text{UPS}^o hazardous shipping surcharge applies. Ships via UPS^o Ground only, no air, FedEx^o, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.

A. Gesswein® Electrocleaner Powder

Removes fingerprints, grease and similar contaminants from the plating surface without removing metal. Promotes optimal adherence of electroplating deposits. Especially useful in place of electrostripping on jewelry parts that are too delicate to withstand metal removal. Sold in a 3 lb. jar, which makes 32 qts. of electrocleaning solution. Cyanide-free. Use with stainless steel beaker or with Pyrex beaker (see beakers on p. 266) and stainless steel anode (see pp. 264).

Description		Item#	Each
Electrocleaner Powder	<u>\$</u>	210-3300	\$22.80

UPS° hazardous shipping surcharge applies. Ships via UPS° Ground only, no air, FedEx°, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.

B. Carbon Treatment Sets for Rhodium Baths

It eventually happens to every plater: rhodium comes out looking gray instead of white. The usual culprits? Organic contaminants introduced to your plating bath from wax or other stop-offs, electrocleaner or soap, dust or dirt. Once dissolved, these contaminants can't be removed by sieving or straining.

Each money-saving Carbon Treatment Set uses activated charcoal to absorb contaminants so you can filter them out and restore the bath to like-new condition rather than discard it. Includes charcoal (3 oz. in standard set, enough for approx. 48 one-liter bath treatments; 11 oz. in large set, enough for approx. 176 one-liter bath treatments), funnel, treatment tank with cover, glass stirring rod, filtration tank, filter paper and instructions. Use for monthly preventive maintenance and emergency situations. Excellent for gold plating baths. *Note: Will not remove metal contamination, such as that from soft solder.*

Description	Item#	Each
B. Standard Set	210-2020	\$75.00
Large Set	210-2124	117.00

C. Rhodium Test Kit

As your rhodium bath is used, it depletes rhodium as well as other important chemicals. Our Rhodium Test Kit helps you determine when to add replenisher so you can restore the bath to its original condition. Saves money by ensuring you add just enough replenisher, not too much. Easy to use. Includes complete instructions, control and sample vials, pipette and test block. Designed for use only with our rhodium solutions.

Description	Item#	Each
Rhodium Test Kit	210-2000	\$67.00







D. PD2 Palladium Plating Solution

Ready-to-use palladium plating solution especially designed for flash plating. Features highly compact consistency and resistance of the galvanic layer, making it particularly suitable for pre-rhodium treatment on low-karat gold and silver articles. Also serves as a tough barrier against diffusion of gold deposits on copper and copper alloys. Ideal for use as an intermediate layer between rhodium and white gold, reducing the possibility that scratches and abrasions of the rhodium-plated layer will affect the alloy underneath — very important to prevent release onto skin of white gold alloys containing nickel. Sold by the liter.

Features:

- · Cyanide-free
- 2g/L concentration
- Room-temperature plating—no heater required
- Premixed solution—UPS shippable with no hazardous charges
- Nontoxic and noncorrosive
- Neutral pH

Description	Qty.	Item#	Each
PD2 Solution	1L	210-1350	\$247.00





A. Electric Hot Plates

Choose from single and double models. The double model saves precious plating time by heating two baths simultaneously (includes separate temperature controls). Feature durable chrome tops for resistance to scratching and marring and lift-out heating elements for fast, easy cleaning. Made in USA. Note: You must provide insulation such as a Solderite Pad (see pp. 507) between stainless steel beaker and hot plate during plating to prevent your rectifier from shorting out.

Specifications:	Single	Double	
Electrical	120V, 6A, 700W, 60Hz	120V, 12A, 1400W, 60Hz	
Dimensions	8 ¹ / ₂ "W x 8 ¹ / ₂ "D x 3 ¹ / ₄ "H	17"W x 9 ³ / ₄ "D x 3 ¹ / ₄ "H	
Description		Item#	Each
Single Electric	Hot Plate	212-2051	\$59.50
A. Double Electric	Hot Plate	212-2050	95.00



B. Stainless Steel Beakers and Covers

Stainless steel beakers act as anodes for electrostripping and electroplating—just attach your lead wire directly to the lip of the beaker. Stainless steel covers protect solutions. There is no cover available for 0.6 quart beaker.

Description	Size (I.D. x H)	Item#	Each
0.6 qt. Beaker	31/4" x 41/2"	210-2954	\$67.95
11/4 qt. Beaker	4" x 5 ¹ / ₂ "	210-2955	21.95
2 qt. Beaker	4 ³ / ₄ " x 6 ³ / ₄ "	210-3000	24.50
41/4 qt. Beaker	6½" x 75/8"	210-2957	32.65
8½ qt. Beaker	8" x 9 ¹ / ₂ "	210-2959	51.80
1½ qt. Cover		210-2969	12.40
2 qt. Cover		210-3150	13.30
4½ qt. Cover		210-2967	16.25
8½ qt. Cover		210-2965	18.90



C, D Pyrex Beakers and Covers

Pyrex beakers feature graduations for fast and accurate liquid measurement and spouts for easy pouring. Available in four sizes. Pyrex covers let you heat and store solutions in the same containers. Plastic covers provide tight seals to prevent solution evaporation.

Description	Item#	Each
250ml Beaker for small bath	210-2749	\$6.65
C. 600ml Beaker for half-pint bath	210-2750	10.00
1,000ml Beaker for pint bath	210-2800	22.95
1,500ml Beaker for quart bath	210-2850	20.25
600/1,000ml Pyrex Cover	210-2900	8.35
1,000/1,500ml Pyrex Cover	210-2950	10.35
D. 600ml Plastic Cover	210-2952	5.25
1,000ml Plastic Cover	210-2953	5.50



E, F Ribbed Glass Funnel and Filter Paper

Use together for filtering impurities from plating baths. Funnel features ribbed design for better flow of solution. Measures approx. ¹/₄" thick. Paper measures 13" in diameter.

Description	Item#		Each
E. Ribbed Glass Funnel	210-2450		\$38.95
		EACH	Prices
Description	10pc Item#	10-90	100+
F. Filter Paper	210-2400	\$1.75	\$1.40



10-piece minimum; please order in multiples of 10.

G. Plastic Stirring Rod

For mixing your electrocleaning, electrostripping and electroplating baths. Will not react with solutions. Measures 1/2" dia. x 12"L.

Description	Item#	Each
Plastic Stirring Rod	210-2460	\$4.15

A. Rhodinette Pen Plater

Create exciting two-tone effects and make touch-up repairs with our Rhodinette Pen Plater. Takes just minutes to learn how to use like an expert. Features highly absorbent, hard fiber electrode tips that can be easily shaped and will plate the most delicate details and contours with an even deposit of metal (masking may be unnecessary). Plating solutions and concentrates sold separately. Electrical: 110V, 1A, 50/60Hz. Made in Germany.


Includes:

· Compact rectifier base with recesses for holding up to three pens and three plating solutions (not included)

• Plating pen (anode) with six regular felt tips

- Smooth-jaw alligator clip with lead wire (cathode) • Glass jar with cover for holding plating solution
- Stand for supporting wires

Each
0 \$675.00
5 246.00
0 54.00
7 28.35
(



B. Picco Pen Plater

The Picco pen plating unit allows for a fast and spotless application of rhodium, gold and silver on small items. Designed for finishing of fancy shaped blanks, findings, settings, and all parts which are normally time-consuming to plate. The rectifier is built in a well designed stainless steel case. Voltages are easily adjusted with the LED display. Dual Voltage. Pen plating solutions sold separately. Made in Germany.

Description	Item#	Each
Picco Pen Plater	212-0715	\$650.00
Replacement Picco Pen Plater Handpiece + Red Cord	212-0716	159.00
Replacement Picco Pen Plater Tweezer + Black Cord	212-0717	59.00






C. PEPETOOLS Digital Pen Plating System

Compact system with precise voltage regulator and clear digital readout. Lets you dial in exact voltage needed from 1.2-17V for perfect results. Plating solutions and concentrates sold separately. Electrical: 110/220V. Made in Europe.

Includes:

- · Compact rectifier base with recesses for holding up to two pens and three different plating solutions (not included)
- · Alligator clip with lead wire
- Three plating jars with twist-off lids for avoiding spills.
- Plating pen with three felt tips

Description	Item#	Each
Digital Pen Plating System	212-0721	\$225.00
Replacement Plating Pen	212-0714	41.95




Wizard Disposable Pen Plater

Portable and easy to use, the Wizard disposable pen plater is a must for any anyone needing quick touch ups or portable repair work. The Wizard Disposable Pen Plater is sleek and ergonomic and has a stainless steel body for easy handling. Battery operated for up to one hour of continuous plating and has 6 volts of capacity with no knobs or adjustment needed. Tips can easily be replaced with a Standard Tip (210-2102). The Wizard is a must for portability and precision plating!

		EACH Prices		
Description	Item#	1-2	3+	
Wizard Disposable Pen Plater	212-0708	\$58.50	\$52.65	
Replacement Felt Tips (Package of 12)	210-2102	6.25	5.31	

















A-D Felt Tips for Plating Pens

Solid compact tips that can be custom-shaped for any pen plater.

		PKU	i. 01 12 .
Description	Item#	1-2	3+
A. Regular Tips	210-2102	\$6.25	\$5.31
B. Chisel Tips	210-2103	6.80	5.78
C. Double-Ended Regular Brown Tips	210-2115	4.25	3.61
D. Double-Ended Point/Bullet Tips	210-2112	6.95	5.91

E-G Cohler EARTHCOAT™ Gold Pen Plating Solutions

These cyanide-free solutions deposit a resilient flash plate of gold on nickel, sterling silver, rhodium, gold and most other similar metals. Allow very easy control of color due to their excellent combination of brighteners, which offer excellent coverage and leveling ability.

Description	Au Content	Item#	Each
E. 14K	1 dwt.	210-0926	\$79.00
F. 18K	1 dwt.	210-0927	82.00
G. 24K	1 dwt.	210-0928	82.00

Prices change with current market value.

H, I Cohler White + Black Rhodium Pen Plating Solutions

	Description		Rh Content	Item#	Each
Н	. Bright White	<u>\$</u>	¹ /4g	210-1021	\$39.00
Ī.	Deep Black	\$	¹ /4g	210-1022	46.00

Prices change with current market value.

J, K Gesswein White + Black Rhodium Pen Plating Solutions

Our USA made rhodium solution specially formulated for high-speed pen plating. Contains $\frac{1}{2}$ gram of rhodium in 33.3 ml of solution. Has less acid than regular concentrate for a thicker application while producing less fumes for operator. Do not dilute. For pen plating only.

	Description		Rh Content	Item#	Each
J.	White	Ĥ	¹ /2g	210-1002	\$65.80
	White	Ĥ	1g	210-1000	79.50
K.	Black	Ĥ	¹ /2g	210-0977	93.00

Prices change with current market value.

L, M Jentner Black + White Rhodium Pen Plating

For the partial deposition of black or brilliant white, abrasion resistant rhodium coatings.

The rhodium is especially suitable for partial plating, for multi-color processing and reparation or restoration. The deposited coatings have a brilliant color and they are hard and abrasion resistant. JE28-1 and JE29-1 deposit uniform rhodium layers and has a strong color consistency.

Features

Tension: 10-11 Volt
 Bath temperature: room temperature

Description	RI	n Content	Item#	Each
L. Jentner White Rhodium Pen Plating Bath JE28-1	\$	2g	210-1023	\$179.00
Jentner White Rhodium Pen Plating Bath JE28-1	\$	1g	210-1026	113.40
M. Jentner Black Rhodium Pen Plating Bath JE29-1	\$	2g	210-1024	192.00
Jentner Black Rhodium Pen Plating Bath JE29-1	\$	1g	210-1027	117.60

N. Earring Post Protectors

Silicone rubber sleeves protect posts when setting, tumbling or plating. Sold by the gross (144 each).

		GROS	S Prices
Description	Item#	1-49	50+
Earring Post Protectors	852-1155	\$8.10	\$6.08

than Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.

s UPS® hazardous shipping surcharge applies. Ships via UPS® Ground only, no air, FedEx®, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.

A. Liver of Sulphur XL Gel

Real liver of sulphur in premixed gel form, which is much easier to work with. Ready to use after a quick shake (heat up for 15 seconds in a microwave to lessen viscosity if too cold to stir), XL Gel can be brushed on and is thick enough not to run. Convenient dispensing bottle lets you squeeze out just the right amount. Or squeeze out a small drop directly onto a brush. Minimizes odor, reduces waste. Imparts a patina on silver, copper, bronze and more. Mix one teaspoon in 12 oz. of heated water to make dark patina solution, less to make light patina solution. Boasts 4–5 times longer shelf life than dry liver of sulphur. 4 oz. XL Gel makes 24 portions 12 oz. solution.

Description	Qty.	Item#	Each
Liver of Sulphur XL Gel	4 oz.	210-1451	\$16.45

B. Liver of Sulphur

Use this product to permanently antique silver and copper. Will not rub off or disappear during ultrasonic or steam cleaning. Just mix a small amount with ordinary tap water in a Pyrex beaker, immerse or paint your jewelry, and watch it turn from brown to blue/green to light gray then dark gray. Stop process when the appropriate color has been obtained by rinsing jewelry thoroughly. For antique effect, buff selected areas to bright shine and leave background dark. Requires no anode. Not suitable for antiquing gold because there is no noticeable effect. Sold in ½ lb. container.

Description	Qty.	Item#	Each
Liver of Sulphur	1/ ₂ lb.	210-1450	\$24.00



C. JAX Green Antique

Chemical darkener for producing an antique green patina on brass, bronze and copper. Apply to clean metal surface with a bristle brush or immerse entire object. The initial coat is critical: when a dull film appears, that indicates the patina has reacted to the metal. Additional coats can be applied if desired (allow complete air drying in between coats).

Description	Qty.	Item#	Each
Green Antique	1 pt.	210-1430	\$15.85
Green Antique	2 oz.	210-1434	6.75



Chemical darkener for producing an antique black patina on brass, bronze and copper. Apply to clean metal surface with a bristle brush or immerse entire object. Rinse well with water and dry. To achieve desired finish, highlight with steel wool or Scotch-Brite. You can also over-darken and then relieve with steel wool or polishing cloth.

Description		Qty.	Item#	Each
Black Antique	Ĥ	1 pt.	210-1431	\$15.85
Black Antique	Ĥ	2 oz.	210-1435	6.75



Chemical darkener for producing an antique black patina on silver and gold. Apply to clean metal surface with a bristle brush or immerse entire object. Rinse well with water and dry. To achieve desired finish, buff with rouge. When using on gold, preheat metal before applying solution.

Description		Qty.	Item#	Each
Black Antique for Silver	Ĥ	1 pt.	210-1432	\$16.25
Black Antique for Silver	Ĥ	2 oz.	210-1436	6.75





reen Patin

See pp. 472-474 for gloves and more Respirators


F. 3M™ Half-Facepiece Respirator

Protects you from dusts, mists and airborne contaminants. NIOSH rated N95 for protection from respirable silica (in investment, tripoli and more). Also suitable for rhodium plating. Features a soft, pliable silicone face seal for a secure, gap less fit on most every face shape. Extremely comfortable to wear, especially for extended periods of use. Features roomy nose chamber and special 3M Cool Flow valve to ensure easy natural breathing while reducing heat and condensation in the face piece. Complete respirator includes face piece, two deluxe cartridges, two deluxe pre filters and two retainer rings. NIOSH approved.

Item#	Each
805-1035	\$51.40
805-1036	15.80
805-1037	4.20
805-1038	5.50
	805-1035 805-1036 805-1037



🖒 Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.







A-N Ceramitation – Resin that cures at a low temperature!

This resin is mixed with a catalyst, then fired at a low temperature to make hard, ceramic-like surfaces similar to kiln-fired enamels in both appearance and physical properties. Simple enough to use for beginners to produce professional work in a short time.

Can be brushed on, sprayed on or applied with a spatula or a squeeze bottle. Apply a single coat, or build up in successive layers to obtain unusual and elegant finishes. Adheres to metal, wood, plastic and ceramic. Cures after being fired at 200°F for one hour by an electric kitchen oven, infrared lamp or forced air blower. Boasts hardness of 60–75 on Sward scale once cured—very close to kiln-fired enamels with hardness of 65–80, which must be fired up to 1,500°F. Can be stoned and polished after curing.

Choose from seven vivid opaque colors and six transparent colors that let the base metal shine through for brilliant jewel-tone effects. Mix colors to obtain an infinite variety of hues. Sold in 2 oz. bottles and in money-saving sets. Opaque set includes all seven colors listed below, transparent clear and a 1-pint bottle of catalyst. Transparent set includes all six colors listed below and a 1-pint bottle of catalyst.

	Opaque				Prices
	Ceramitation, 2 oz.		Item#	1-2	3+
Α.	Black		821-4204	\$6.90	\$5.52
В.	White		821-4205	6.90	5.52
C.	Red		821-4206	6.90	5.52
D.	Chinese Red		821-4207	6.90	5.52
E.	Blue		821-4208	6.90	5.52
F.	Israeli Blue		821-4209	6.90	5.52
G.	Yellow		821-4210	6.90	5.52
	Transparent			EACH	Prices
	Ceramitation, 2 oz.		Item#	1-2	3+
Н.	Red		821-4212	\$6.90	\$5.52
I.	Brown		821-4213	6.90	5.52
J.	Blue		821-4216	6.90	5.52
K.	Green		821-4215	6.90	5.52
L.	Yellow		821-4214	6.90	5.52
M.	Clear		821-4211	6.90	5.52
	Ceramitation				
	Catalyst		Item#		Each
	8 oz.	<u>\$</u>	821-4201	;	\$13.75
	1 pint	\$	821-4202		26.99
	1 quart	\$	821-4203		37.95
	Ceramitation				
	Thinner		Item#		Each
	1 pint	<u>\$</u>	821-4194		\$23.75
	1 quart	<u>\$</u>	821-4196		33.50
	Ceramitation		l k a !!		Foo!
	Set		Item#		Each
N.	-	<u>\$</u>	821-4200		\$69.99
$\overline{\Delta}$	Transparent	(\$)	821-4199		58.30
/ ₋ \					

^{\$\}UPS^\text{o}\ hazardous shipping surcharge applies. Ships via UPS^\text{o}\ foround only, no air, FedEx^\text{o}, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.



0-Q Enameling Stones


Can be used for a wide variety of operations, including imparting a matte finish on enameled objects, removing excess enamel, firescale or contamination between firings and leveling uneven enameled surfaces. Measure 6"L x $^{1}\!/_{2}$ "W x $^{1}\!/_{2}$ " thick.

Description	Grit	Item#	EACH
O. SiC Stone	320	380-0013	\$7.13
P. AIO Stone	400	380-0014	7.30
Q. AIO Stone	600	380-0016	9.47

A-F Thompson Enamel

High-quality lead-free 80 mesh enamel for gold, silver and copper. Medium fusion temperature: 1,450-1,500°F. Sold in 2 oz. bottles with mesh screen tops for sifting and in money-saving sets.

Opaque Enamel, 2 oz.	Item#	Each
Black	821-3001	\$11.85
Blue	821-3002	11.85
Green	821-3003	11.85
Red	821-3004	11.85
White	821-3005	11.85
Yellow	821-3006	11.85
Transparent Enamel, 2 oz.	Item#	Each
Black	821-3040	\$11.85
Blue	821-3038	11.85
Green	821-3037	11.85
Red	821-3039	11.85
White	821-3041	11.85
Yellow	821-3036	16.10
Enamel		
Set	Item#	Each
Opaque (one of each)	821-3000	\$57.95
Transparent (one of each)	821-3035	59.95
	Enamel, 2 oz. Black Blue Green Red White Yellow Transparent Enamel, 2 oz. Black Blue Green Red White Yellow Enamel Set Opaque (one of each)	Enamel, 2 oz. Item# Black 821-3001 Blue 821-3002 Green 821-3003 Red 821-3004 White 821-3005 Yellow 821-3006 Transparent Enamel, 2 oz. Item# Black 821-3040 Blue 821-3038 Green 821-3037 Red 821-3039 White 821-3041 Yellow 821-3036 Enamel Set Item# Opaque (one of each) 821-3000



G. Thompson Undercoat White Enamel

Opaque white 80 mesh enamel frequently used as an undercoat on jewelry metals before applying transparent enamels. Provides low acid resistance. Medium fusion temperature: 1,450–1,500°F. Sold in 2 oz. plastic jar with mesh screen top for sifting.


Description	Qty.	Item#	Each
Undercoat White Enamel	2 oz.	821-3310	\$11.85



H. Thompson Clear Flux Enamel

Clear 80 mesh flux for transparent enameling over gold, silver, copper and more. Medium fusion temperature: 1,450-1,500°F. Sold in 2 oz. plastic jar with a mesh screen top for sifting.

Description	Qty.	Item#	Each
Clear Flux Enamel	2 oz.	821-3007	\$11.85



I. Thompson Klyr-Fire

Nontoxic adhesive agent for enameling. Paint onto metal, then sift the enamel onto the wet surface, and the enamel adheres fully, even to domed surfaces. Dry thoroughly with heat lamp or air dryer before firing. Sold in 16 oz. bottles.

Description	Qty.	Item#	Each
Klyr-Fire	16 oz.	821-3072	\$9.50



A popular compact hot plate furnace that's great for beginners. Perfect for enameling jewelry items up to 3" in diameter. Made of stainless steel and cast aluminum with an asbestos-free heating plate. Ample lid opening allows a clear viewing of enamel, helping to prevent over- and underfiring. Requires one hour of preheating before use. Electrical: 120V, 900W. Measures 7¹/₄" dia. x 6"H including lid.

	Description	Item#	Each
J.	Hot Plate Furnace	265-1325	\$270.00
K.	Single-Piece Trivet	821-3070	14.30
L.	Stainless Steel Spatula	821-3071	21.65







The revolutionary way to add brilliant color to your jewelry!

Add COLORIT ceramic-reinforced composite material to a variety of jewelry and dazzle your customers with its brilliance. When dried with the included curing light, this material cures into a solid polymer network of exceptional strength and durability. Resists both chipping and cracking better than hard-fired enamels. Won't flake and peel like epoxies. Comes in liquid form, making it easy to apply on both flat and curved surfaces. Produces colorfast, nonshrinking design accents.

Use a single color, or mix colors to obtain any hue and shade. Adding White makes them more pastel and opaque, and adding Clear makes them more transparent. Pearl White and Pearl Blue are stunning by themselves, and they create an opalescent or marbleized look when added to any of the other colors. Swirl in some Neon for highlights that actually glow under an ultraviolet light. The possibilities are limited only by your imagination.

Features:

- COLORIT gives your jewelry the look and feel of enamel.
- COLORIT can be inlaid into any precious or nonprecious metal, including platinum, silver and stainless steel. Can even be inlaid into more COLORiT.
- COLORIT colors can be used right next to each other to create a cloisonné look. A few seconds of precuring eliminates color bleed. Colors can also be worked uncured to create artistic effects.
- COLORIT colors can be mixed to create any hue, opaque or transparent.
- COLORIT is colorfast—it won't fade over time.
- COLORIT can be carved, sanded, filed, machined, and lathe-turned at high speeds, sandblasted or polished to a high shine right along with the metal.
- COLORIT is highly resistant to scratching, shock and impact. Bright finishes can be restored with a simple re-polishing.
- COLORIT is so durable that it can withstand tumbling, plating and mild ultrasonic, steam and solvent cleaning.
- COLORIT application is easily mastered.
- COLORIT is so versatile, workable and durable, it opens up entirely



Images courtesy of Annika Bertilsdotter/Sweden.



A. COLORIT DP2 Starter Set

Add COLORiT to your jewelry and dazzle your customers with its brilliance. It doesn't chip or crack like glass-filled enamels, nor does it flake or peel like epoxies. This ceramic-reinforced composite material is resistant to shrinking, scratching and impact. By means of a special LED curing light, it dries into a solid 3-D polymer network with exceptional strength. Because it comes in a liquid form it's easily applied on both flat and curved surfaces. Gives your jewelry the look and feel of enamel.

Colors can be mixed to create any hue, opaque or transparent. Can be carved, sanded, filed, machined, and lathe-turned at high speeds, sandblasted or polished to a high shine right along with the metal. So durable that it can withstand tumbling, electroplating and mild ultrasonic, steam and solvent cleaning.

Use a single color, or mix colors to obtain any hue. Colors included with each set are of medium saturation, so they appear slightly translucent. White makes the colors more opaque. Clear makes them more transparent. Pearl White looks stunning by itself and creates a pearlescent, marbleized look when added to any of the other colors.

COLORIT Starter Set includes:

- 8 jars COLORiT (Deep Black, Deep Red, Deep Yellow, Deep Green, Deep Blue, Hi Clear, White & Neon Red)
- 4ml Premium Bond
- LED DP2 Curing Light
- Workplate with Heater

Description

COLORIT Starter Set

- Light-Protected Workstation, 133/4"W x 10"D x 91/2"H
- Micro Brush Regular (10)
- Micro Brush Super Fine (10)
- Applicator Tool
- Instrument Holder
- Ring Holder

Item#

Each \$2,995.00

821-3507

The COLORIT Process


Both a mechanical bond and a chemical bond are required to ensure COLORiT durability and colorfastness. Inlaid areas must be undercut, and proper application and curing instructions must be followed. COLORIT is easy to apply and dries in just minutes under the special curing light. From cleaning to curing, the complete process usually takes no longer than 30 minutes; curing comprises roughly half that time and requires only minor operator attention.



1. Apply Premium bond and let dry.



2. Apply color.



3. Cure with special light source.



FAX Orders 24/7: 888-454-4377

4. File, sand, sandblast or polish.



Images courtesy of Annika Bertilsdotter/Sweden.



COLORIT Accessory	Item#	Each
A. DP2 Desklight	821-3509	\$1,295.00
COLORIT Set Component	Item#	Each
Light-Protected Workstation	821-3575	\$218.00
Premium Bond, 4ml	821-3662	275.00
Bond, 5ml	821-3663	170.00
Glass Mixing Plate	821-3565	84.00
Regular Micro Brushes (pkg. of 10)	821-3558	10.75
Fine Micro Brushes (pkg. of 10)	821-3559	11.75
Applicator Tool	821-3570	69.95
Ring Holder	821-3576	60.50
Instrument Holder	821-3577	42.00

COLORIT Material,		EAC	H Prices
5-gram Jar	Item#	1-2	3+
Yellow	821-3525	\$65.95	\$59.36
White	821-3521	65.95	59.36
Clear	821-3520	65.95	59.36
Hi-Clear	821-3551	65.95	59.36
Deep Black	821-3584	65.95	59.36
Deep Red	821-3581	65.95	59.36
Deep Blue	821-3580	65.95	59.36
Deep Yellow	821-3582	65.95	59.36
Deep Green	821-3583	65.95	59.36
Night Fever/Neon Red	821-3592	65.95	59.36
Pearl White	821-3522	65.95	59.36



B. COLORIT Lite Cube 1

The latest advance in COLORiT technology, the Lite Cube is a compact UV curing chamber with adjustable UV levels and fully-lined metal interior to boost UV reflection and insure homogeneous curing of all COLORiT colors. With a 7" x 7" curing area, Lite Cube is ideal for curing small jewelry items such as rings, pendants and bracelets – one at a time or in multiples.

Lite Cube includes an industrial safety system which protects the user from UV radiation. Effective, efficient and user-friendly. Larger curing options also available; please call for details.

Specifications:

220V (Transformer included for use on 110V) Supply Voltage:

Power Input: 100 Watts

Overall Dimensions: 13.8"L x 10.2"W x 9.8"H

Curing Area: 7" x 7"

De	scription	Item#	Each
B.	COLORiT Lite Cube 1	821-3502	\$3,595.00
	COLORIT Replacement Bulb, for Lite Cube 1	821-3503	385.00



Image courtesy of Heimerle & Meule.

VivaColor by Jentner

Light-curing high-end acrylic resin

Immerse yourself in the fascinating world of color with VivaColor, powered by Jentner. This light-curing, high-end acrylic resin sets no boundaries to your creativity. The eight standard colors are bright and beautiful right out of the jar. VivaColor is fun and easy to use ...mix and blend colors to create endless effects... The hand-held Curing Light transforms VivaColor into a hard, durable material that can be sanded, carved and polished to a brilliant finish.

The VivaColor Basic Set (821-3402) includes everything that you need to get started. The Viva-Mini Curing Light is slim, powerful and perfect for one-of-a-kind pieces.

The VivaColor Deluxe Set (821-3400) upgrades your curing capabilities with the two-piece Curing Light offering you more flexibility. The addition of the Heater Unit offers you increased versatility for mixing your colors.

Shatter the boundaries to your creativity! Breathe life into your jewelry with VivaColor.



	Description		Item#	Each
A.	VivaColor Deluxe Set	Ĥ	821-3400	\$2,595.00
B.	VivaColor Basic Set	Ĥ	821-3402	1,495.00
	Mini-Flashlight		821-3403	795.00
	VivaPureColor 8 color Set*		821-3480	440.00
	3g Syringe of Bond	Ĥ	821-3414	125.00
	1ml Pen of Link	Ĥ	821-3410	99.95
	Micro Brush Regular (pkg of 10)		821-3420	8.75
	Micro Brush Fine (pkg of 10)		821-3422	8.75
	Micro Brush Superfine (pkg of 10)		821-3424	8.75

VivaColor	Basic Set 821-3402	DeluxeSet 821-3400
Deluxe Curing Light		•
Viva Mini-Flashlight	•	
Light Protection Box	•	•
Heating Plate		•
Applicator Bent Tool with Stand	•	•
Ring Holder	•	•
Micro Brushes (10 Ea) / Superfine, Fine and Regular	•	•
3g Syringe of Bond	•	•
1ml Pen of Link	•	•
*8 Standard Color Jars (10gm)	•	•

^{*}Includes 8 Standard Color Jars (10gm): Transparent (821-3481), White (821-3482), Red (821-3483), Orange (821-3484), Yellow (821-3485), Green (821-3486), Blue (821-3487), Black (821-3489)



Standard Colors (10g Jars): Provided with either Complete Set and in the Viva Pure Color 8 color set.

VivaColor

Pure Transparent	821-3481	\$58.00
Pure White	821-3482	58.00
Pure Red	821-3483	58.00
Pure Orange	821-3484	58.00
Pure Yellow	821-3485	58.00
Pure Green	821-3486	58.00
Pure Blue	821-3487	58.00
Pure Black	821-3489	58.00





Upgrade Colors (10g Jars):

Basic Yellow	821-3460	\$58.00
Signal Yellow	821-3461	58.00
Signal Red	821-3462	58.00
Spring Green	821-3463	58.00
Sky Blue	821-3464	58.00
Turquoise	821-3465	58.00
Pure Brown	821-3488	58.00



Effects Colors (5g Jars):

Pearl White	821-3479	\$40.00
Silver	821-3475	40.00
Gold	821-3476	40.00
Green	821-3478	40.00
Blue	821-3477	40.00

Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.





В





C

A-D Gravograph/New Hermes® RV-II Inside Ring Engraver

Point of purchase engraving makes it easy to close a sale, offers your customers instant gratification and turns each ring into a personalized

The RV-II is manufactured by Gravograph (New Hermes), a supplier of engraving machines and accessories used by jewelers worldwide for over 70 years. The RV-II's cast metal design and high precision components ensure that you will produce high quality engraving for generations to

With the RV-II you can engrave bright initials, dates or phrases on the inside of almost any shape or size ring easily and quickly. Requires no prior engraving experience - an unskilled operator can engrave up to 20 letters in a few minutes. Results are bright, highly readable and completely professional.

The RV-II will easily engrave on wedding bands or stone-set rings. It automatically centers the ring in the clamping jig. Uniform spacing between letters is easily accomplished by pushing a lever.

A replaceable diamond stylus creates bright lettering with a hand-engraved appearance.

The reversible type dial (included) has 2 different type styles. Gothic is simple but fully readable, while Tilted Block presents a more formal appearance. Also available are the Extra-Condensed and 2 Line Block Dials, as well as a Continuos Script Dial for a more romantic look. Made in France.

Description	Item#	Each
A. RV-II Inside Ring Engraver	821-6980	\$2,485.00
B. RV-II Extra-Condensed Block Dial	821-6985	167.50
C. RV-II 2 Line Block Dial	821-6986	167.50
D. RV-II Continuous Script Dial	821-6982	336.00
Replacement Ring Jig	821-6981	66.50
Replacement Diamond Stylus Point	821-6956	37.50





D







E-H Inside Ring Engraver

Our easy-to-use inside ring engraver allows you to personalize your customer's purchase on the spot.

Offers bright, legible markings to make every ring a memorable possession. Includes one reversible block type dial and complete instructions. Optional type dials are sold separately increasing the versatility and allowing you to close the sale for many different customers. Made in India.

Features:

Rugged construction

Automatic X and Y centering

• Reversible dials

Diamond tip

• Pressure and depth regulation

Auto indexina



	Description	Item#	Each
E.	Inside Ring Engraver with Block Dial	821-6210	\$495.75
	Diamond tip Stylus	821-6211	30.00
F.	Reversible Block Dial (included with the Engraver)	821-6215	125.00
G.	Optional Connecting Block Dial (not included with the Engraver)	821-6216	180.00
Н.	Optional Script Dial (not included with the Engraver)	821-6217	125.00
Ī.	Optional Connected Script (not included with the Engraver)	821-6218	180.00

BEST UILT Jewelry Equipment

BESTBUILT Engraving Systems – Engrave on Alternative Metals!

All machines are 100~240V 50\60 Hz. One-year manufacturer's Warranty. Made in South Korea.





















BB-70 - Flat/Ring/Cutter

BB-50 - Flat/Ring

BB-1S - Ring Only

BB-20 - Flat only

BB-5S - Flat/Ring

54 lbs.

821-5939

\$5,795.00*

Specifications:				
		Acceptable Workpieces		
Flat and curved items, flat and domed rings inside and outside.	Flat and domed rings inside and outside	Rings, inside and outside, Max. ID 30mm, Max. OD 40mm	Watches, dog tags, ID bracelets, bar necklaces and more	Flat objects as well as inside and outside rings
		Engraves on Flat Areas		
Max. Size: 41/2" x 4"	Max. Size: 41/2" x 4"	N/A	Max. Size: 41/2" x 4"	Max. Size: 41/2" x 4"
		Additional Features		
 Cut into soft metals such as gold, silver, copper, aluminum Single-line, double-line and hatching-style engraving Speed up or slow down the process Engrave JPEG images 	 Single-line, double-line and hatching-style engraving Speed up or slow down the process Engrave JPEG images 	 Create multiple lines of engraving inside the ring Engraves curved surfaces inside and outside of rings and bands Provides upgraded program Tablet controlled 	Engrave on gold, silver, copper, and stainless steel Features a laser guide for accuracy. Includes MagicArt Software to easily include logos, images and even photos.	Includes wireless tablet Features a laser guide for accuracy. Includes MagicArt Software to easily include logos, images and even photos.
		Electrical:		
100~240V 50/60 Hz	100~240V 50/60 Hz	100~240V 50/60 Hz	100~240V 50/60 Hz	100~240V 50/60 Hz
Dimensions:				
15½"W x 15½"D x 14¾"H	15½"W x 15½"D x 14¾"H	9¼"W x 11"D x 12¾"H	11 % "W x 14"D x 12"H	11%"W x 14"D x 12"H

Net Wt.:

28 lbs.

821-5937

\$3,495.00*

Please see our website for the most up-to-date information and current BESTBUILT offerings.

72 lbs.

Item# Price 821-5903

\$8,495.00*





Accessories

68 lbs.

821-5902

\$5,995.00*

	Description	Item#	Each
	Replacement 120° Tip (all models)	821-5914	\$35.00
	Optional 90° Tip for BB-50/70	821-5913	\$35.00
F.	Optional Vinyl Dust Cover: 10"H x 12"D X 15"W (all models)	821-5909	35.90
G.	Optional Mighty Bright LED Mini Task Light	821-5552	18.95
	Optional V-cut 25° Tip for BB-70	821-5931	49.95
	Optional V-cut 15° Tip for BB-70	821-5932	49.95
	Optional .3mm endmill for BB-70	821-5933	39.95
	Optional 1.0mm endmill for BB-70	821-5934	59.95
	Small Jig Assembly for BB-50/70	821-5918	90.00
	Large Jig Assembly for BB-50/70	821-5919	135.00

54 lbs.

821-5936

\$3,595.00*

^{*}NOTE: A \$35 packaging fee will be added to your order. This allows us to reduce shipping costs for you by shipping this item via UPS/FedEx instead of by truck.

5 SISMA Engravers, Markers, Cutters

Established in 1961, Sisma is known worldwide for the design and production of extremely high precision machinery. Innovative by vocation, Sisma combines an independent and cutting edge design and production organization, with a wealth of highly specialized experience and technical expertise, thus guaranteeing top product quality. ISO 9001 certified. Made in Italy.

For basic engraving we offer the LOGO Marker. Compact and affordable, without sacrificing quality or precision. This Nd: YAG laser engraver features an automated motor axis for inside and outside ring making, a variable Z axis for spot precision, and is air cooled for quiet, continuous use. View your work in progress with a large sight glass and internal LED illumination. Additional features include the ability for 900 DPI picture importing and marking, remote assistance for software upgrades and troubleshooting, and hookups for fume extraction and metal reclamation.

For production engraving and light cutting consider the Easy 200 or 300 fiber optic laser markers. Innovative "all-in-one" laser marking system, characterized by ease of use and equipped with a Z motorized axis, these machines operate at high precision and speed. View your work in progress with a large sight glass and LED interior lighting.

For cutting and engraving select between the robust Smarky 500 (50W) and 700 (70W) fiber optic Marker/Cutters use the same principles and fiber optic technology as the Easy 200 and 300 series but boast upgrades such increased speed, larger working chamber and higher working power. A must for any manufacturer looking to do trademarking or mass production, 2D cutting, and engraving on almost any shape or metal.

*Technical Data	LOG0	Easy 200 / Easy 300	Smarky 500 / Smarky 700		
Item #	821-5950	821-5955 / 821-5956	821-5958 / 821-5959		
Source Type	Nd: YAG Diode	Yb	Yb		
Wavelength	1064nm	1064nm	1064nm		
*Average Laser Power	6W	20W / 30W	50W / 70W		
Pulse Frequency	Fixed	1-500 kHz	1-500 kHz		
Pulse Duration	4 ns	40-260 ns	40-260 ns		
Max Pulse Energy	-	0.21-1 mJ	0.21-1 mJ		
Beam Quality	-	≤ 1.6 M2	≤ 1.6 M2		
Beam Spot Diameter	-	20 μm	20 μm		
Max Marking Speed	-	2000 mm/s	2000 mm/s		
Z Axis Stroke	-	290 mm	400 mm		
Power Supply	230V, 50/60 Hz	230V, +/- 15%, 50/60 Hz	230V, +/- 15%, 50/60 Hz		
Dimensions	19" x 17½" x 24" (480 x 445 x 610mm)	22" x 30" x 30 ⁵ / ₁₆ " (560 x 760 x 770mm)	21 ³ / ₄ " x 37 ¹ / ₄ " x 37 ¹ / ₂ " (555 x 945 x 955mm)		
Weight	78 lbs, 35 kg	187 lbs, 85 kg	330 lbs, 150 kg		
Warranty	1 Year	1 Year	1 Year		
	Please call for current pricing				

*Due to the technical nature of these products, details may change. Please see our website for the most up-to-date information.

Accessories

A. Varibench Table

Variable height bench custom made to fit all Sisma tabletop models. Can be raised or lowered (31" - 51") for an ergonomic and comfortable height. Made In USA.

Description	Item#	Each
Varibench Table	830-0788	\$1,295.00

B. Extra Large Saddle Stool

Seat measures 16" by 18" and is 3 inches thick to provide maximum comfort. Star base is 24" wide and provides extra stability. Foot-rest ring is 18" in diameter and height-adjustable 8" to 131/2". Seat height ranges from 19" to 26". Five smooth rolling casters allow for easy mobility. Made in China.

Description	Item#	Each
Extra Large Saddle Stool	810-1812	\$199.00



LOGO



Easy







GRS® Systems — For Engraving, Bright Cutting, Bead Raising and Setting.

Designed for beginners and professionals alike, GRS Power Engravers make clean, sharp cuts in precious metals, steels, crystal, glass, stone, wood and other materials. Transform compressed air into powerful impact action for engraving, texturing, carving and more. Backed by a two-year manufacturer's warranty. Made in USA.



A. GRS® GraverMax G8® - Revamped for better performance!

The venerable GraverMax tradition continues with this affordable, compact system. Features adjustable speed of 400–8,000 strokes per minute, adjustable throttle bias for tailoring response to different jobs and advanced valve pulse unit for quiet operation.

Requires air compressor for 1.4 CFM of oil-free air at 45 PSI. Includes foot pedal, dual-stage air regulator, air hoses and quick-disconnect handpiece fittings for all GraverMax handpieces. Measures $5\frac{1}{4}$ "W x 12"D x $8\frac{1}{4}$ "H. Electrical: 100-240V, 50/60Hz. UL approved. Made in USA.

	Description	Item#	Each
A.	GraverMax G8	856-0311	\$1,350.00
	GraverMax G8 w/ #710 QC Handpiece	855-9949	1,630.00
	GraverMax G8 w/ #901 QC Handpiece	855-9951	1,625.00
	GraverMax G8 w/ #940 QC Handpiece	855-9952	1,650.00



B. GRS® GraverMach® AT - All in One System

Never before has an all-in-one system given the user so much versatility and control. Features a selector knob for choice of hand or foot operation of your handpiece: the touch element offers pressure-sensitive hand control for precision work; the traditional foot pedal offers standard foot control when you prefer.

Requires air compressor for 1.4 CFM of oil-free air at 45 PSI. Includes foot pedal, dual-stage air regulator, air hoses and quick-disconnect handpiece fittings for all GraverMach handpieces. Measures 6"W x 13"D x $8^{1}/4$ "H. Electrical: 100–240V, 50/60Hz. UL approved. Made in USA.

	Description	Item#	Each
B.	GraverMach AT	856-0270	\$1,898.00
	GraverMach AT w/ #901 QC Handpiece	856-0102	2,138.00
	GraverMach AT w/ #940 QC Handpiece	856-0101	2,178.00



C. GRS[®] **GraverSmith**[®] **–** The budget-oriented choice!

Performs basic engraving and setting for less than its siblings, GraverMach and GraverMax SC. Features regulator with pressure gauge, combo filter and water trap, adjustable speed of 400–8,000 strokes/min. and quick-disconnect handpiece fitting.

Requires air compressor that yields at least 1.4 CFM of air at 45 PSI. Includes foot control, air tubing, and holes for storing accessories. Electrical: 110/220V. Measures $5\frac{3}{4}$ "W x 10"D x 9"H.

	Description	Item#	Each
C.	GraverSmith	855-9950	\$890.00



D. GRS[®] **GraverMeister**[®] **–** The original standalone machine!

This unit comes ready to use with its own oil-less air compressor, making it readily portable. Features adjustable speed of 1,600–2,400 strokes/min. (sliding lever on front controls stroke rate). Can be used for engraving on precious metals, steels and more, carving, stippling, bright-cutting and bead raising.

Sold alone or with GRS #509 handpiece (see p. 279 for details). Includes foot control, air tubing and four tools. Electrical: 115V, 7A, 60Hz. Measures $14\text{"W} \times 11\frac{1}{2}\text{"D} \times 8\frac{1}{2}\text{"H}$.

	Description	Item#	Each
D.	GraverMeister	856-0049	\$1,788.00
	GraverMeister with #509 QC HP	856-0302	2.037.00

A. GRS® #901 Quick-Change Handpiece - For Max/G8/SC, Mach/AT & Smith

Offers a wide power range and fine control. Excellent for stone setting, fine engraving, deep relief work, bead raising and hammer setting. Features heat-treated stainless steel construction, ergonomic handle and adjustable side hose connection. Available with six quick-change holders or in a complete set with quick-change handle, and tool tray. Measures 2.6" long. Weighs 2.6 oz.

Description	Item#	Each
A. #901 Quick-Change Handpiece	855-9991	\$299.00
#901 Quick-Change Handpiece Set	855-9992	349.00



B. GRS® #921 Monarch Quick-Change Handpiece - For Max/G8/SC, Mach/AT & Smith

The top-quality Monarch impact handpiece makes ultra-fine engraving easier than ever, including bulino and banknote styles. Features heat-treated stainless steel construction, graver-style handle and adjustable side hose connection. Includes six quick-change holders. Measures 2.4" long. Weighs 1.8 oz.

Description	Item#	Each
#921 Monarch Quick-Change Handpiece	855-9990	\$299.00



C. GRS® #940 Magnum Quick-Change Handpiece - For Max/G8/SC. Mach/AT & Smith

The compact handpiece with an unmatched combination of power and control-try it and you'll be more than impressed. Offers a better range of power than any other handpiece, from very fine to amazingly heavy. In fact, it exceeds the power of previous models that are twice as large. Also offers fine control with shading capability that's significantly better than any handpiece with this much topend power. Includes palm knob, head and six quick-change holders. Oval knob available as a special order. Measures 2.8" long. Weighs 6.4 oz.

Description	Item#	Each
#940 Magnum Quick-Change Handpiece	856-0303	\$339.00



D. GRS® #710 Quick-Change Handpiece - For Max/G8/SC, Mach/AT & Smith

Offers plenty of power for working on hard metals such as platinum and steel as well as good control for making smooth cuts in gold and other soft metals. Features stainless steel construction, ergonomic handle and quiet rear exhaust. Includes six quick-change holders. Measures 4.4" long. Weighs 6.4 oz.

Description	Item#	Each
#710 Quick-Change Handpiece	856-0015	\$315.00



E, F GRS® #610 Hammer Handpiece - For Max/G8/SC, Mach/AT & Smith

This exceptional impact tool offers the power for stone setting and control necessary for light jobs. Operates with tool directly on work rather than loosely above it for reduced stone damage. Built for all-day use. Produces the brightest stippling possible when used with Lazer Point #850-3590 (sold separately). Setscrew chuck holds round tools up to 0.13" (3.3mm) and square tools up to 0.10" (2.5mm). Measures 4.5" long. Weighs 5.5 oz.

	Description	Item#		Each
E.	#610 Hammer Handpiece	856-0280		\$319.00
	Description	Item#	1-2	3+
F.	Lazer Point	850-3590	\$24.95	\$22.46



G. GRS® #509 Large Quick-Change Handpiece – For GraverMeister only.

The most powerful GraverMeister handpiece available. Great for heavy metal engraving, hammering and wood carving. Includes six guick-change holders. Measures 6.0" long. Weighs 7.9 oz.

Description	Item#	Each
#509 Large Quick-Change Handpiece	856-0301	\$370.00



H. Handpiece Storage Strip

The Handpiece Storage Strip keeps handpieces within easy reach. Four holes provide storage for multiple handpieces of varying size. The storage strip includes clips that fit the side of some commercial benches. It can also be mounted to a flat surface with the included hardware.

Description	Item#	Each
Handpiece Storage Strip	850-0604	\$10.30
















A-D GRS® Airtact® Control System

Airtact replaces the foot control on your GRS machine to provide an incredibly tactile, precise way to control power to your impact handpiece using only the pressure of your palm, thumb/finger or foot, bringing higher precision to engraving work.

Consists of Control System and your choice of Touch Elements: Palm style installs on back of handpiece for those who hold it like a hand engraver, Thumb/Finger style installs on front of handpiece for those who hold it like a pencil and FootPod style is designed for those who prefer tried-and-true foot control.

Airtact works with GraverMax G8, GraverMach, GraverMax SC, GraverSmith, GraverMax or GraverMate, regardless of when it was made (GraverMax and GraverMate require proper Filter Hookup Set). Control System includes tubing and connections for up to two Touch Elements. Measures $3\frac{1}{2}$ "W x 7"D x 4½"H. Backed by a two-year manufacturer's warranty.

	Description	Item#	Each
A.	Control System	855-9957	\$432.00
В.	Palm Element Set for #901 HP	855-9961	111.00
	Palm Element Set for #921 HP	855-9962	116.00
C.	Thumb/Finger Element Set for #901 HP	855-9960	32.80
	Thumb/Finger Element Set for #921 HP	855-9959	32.80
D.	FootPod Element Set	855-9958	44.65
	Filter Hookup Set for GraverMax	855-9955	51.70
	Filter Hookup Set for GraverMate	855-9956	51.50

E. GRS® Quick-Change Handpiece System 3

The most affordable, least complicated air impact handpiece system from GRS. Unlike GRS systems which produce special air pulses to control impact handpieces, Handpiece System 3 uses normal compressed air to run a simpler self-oscillating piston-and-port quick-change impact handpiece.

Features a lightweight, cool-running handpiece that reduces fatigue so you can work faster. Delivers good power for engraving, texturing and carving a variety of materials. Includes air filter/regulator, foot control, three quickchange tool holders, air tubing and interchangeable springs for fine to heavy work. Requires air compressor that yields at least 1.2 CFM of air at 50 PSI.

Description	Item#	Each
Quick-Change Handpiece System 3	856-0020	\$552.00

F. Quick-Disconnect Kit - Saves time changing handpieces.

Allows guick changes from one handpiece to another without interrupting workflow. Cuts off airflow immediately when release button is pushed. Installs on vinyl tubing. Includes main body and two quick-disconnect handpiece fittings.

Description	Item#	Each
Quick-Disconnect Kit	856-0282	\$29.95

G-I Sam Alfano Engraving DVDs

Produced by master engraver Sam Alfano, this instructional video has something to offer the novice and professional alike. Teaches basic to advanced ring engraving techniques with close-up video, from a fundamental running leaf border to lumenesque scrollwork, relief engraving, sculpting and more. DVD format, 120 minutes.

	Description	Item#	Each
G.	Engraving Scrollwork Start to Finish	811-0075	\$49.99
Н.	Lettering Techniques for Hand Engravers	811-0077	49.99
Ī.	Successful Jewelry Engraving	811-0064	49.95

A. Foredom® Power Graver™ – For engraving and setting.

Power Graver is a flexible shaft system specially designed for engraving and hammering. Uses standard gravers to give you the feel of hand engraving with less effort and fatigue. Provides stone setters the power they need for bezel and channel setting, raising beads, turning prongs and chasing.

Includes motor, #9D hammer handpiece with duplex spring, manual speed controller, on/off foot switch, accessory kit, grease, handpiece oil and DVD. Permanently lubricated ball bearing motor provides high torque at low speed for tough jobs. Can be used with hammer handpieces other than #9D. The #9D handpiece comes with 1/16", 3/32", 1/8" and 3mm collets for gravers, beading tools and setting tools. Fits Power Graver motor only. Benchtop manual speed controller runs motor at 500-2,800 strokes/min., keeping selected speed constant. On/off foot switch lets you stop and start again without readjusting speed.

	Description	Item#	Each
A.	Power Graver, 110V	821-6725	\$552.50
	Power Graver, 220V	821-6730	552.50



B-D GRS® #850 Ultra-High-Speed Rotary Handpiece

Provides considerably more power and torque than other rotary handpieces. Operates at 300,000-400,000rpm for effortless engraving, decorating and grinding of metal, plastic, glass, stone, wood and many other materials. Runs with virtually no vibration or noise. Needs no lubrication. Accepts only 1/16" tools due to its high operating speed (see below for diamond/stone and carbide bur sets). Includes air tubing, connectors and carbide bur. Connects to auxiliary airport on all GRS systems (excluding GraverSmith and GraverMeister) or any regulated air supply. Requires 1.3 CFM of air at 30–35 PSI. Measures approx. $\frac{5}{8}$ " dia. x $5\frac{1}{8}$ " long. Weighs 2.5 oz.

Description	Item#	Each
B. #850 Ultra-High-Speed Rotary Handpiece	855-9989	\$470.00
C. Diamond/Stone Bur Set - 1/16" shank	856-0289	49.95
D. Carbide Bur Set - 1/16" shank	856-0288	24.95

E, F Magna-Graver® II Vari-Pact™

Vari-Pact is a powerful impact handpiece that attaches to any standard flex shaft except Power Graver. Allows you to do scrollwork, florentine, bead raise, texture and stipple on precious metals as well as brass and steel. Selector button lets the user choose from four impact power settings that range from light to heavy for better cutting control. To protect handpiece from undue wear and tear and improve control, use with a flex shaft that has gear reduction, such as Foredom LX (850-1220 see p. 436). Measures 5¹/₄" long. Made in USA. Graver set sold separately.

	Description	Item#	Each
E.	Magna-Graver II Vari-Pact	821-6042	\$325.00
F.	Graver Set for Magna-Gravers*	821-6045	36.35

^{*}Three gravers (square, flat and liner) and round high-speed steel tool blank, all with 1/8" shanks

G-I Dremel® Electric Engraver

An economical adjustable engraver for creating designs on metal, wood, plastic, ceramic, glass and leather. Features stroke adjustment dial and pencil-type grip. Includes hanger and carbide point. Measures 6" long. UL listed.

	Description	Item#	Each
G.	Electric Engraver, 110V	821-6010	\$31.95
Н.	Optional Diamond Point	821-6020	16.25
I.	Replacement Carbide Point	821-6015	5.30

J, K Brass Practice Rings

Use to practice engraving, bead setting and more. Size 6.

Description	Item#	Pkg. of 10
J. Thin (3mm) Rings	260-3070	\$19.95
K. Wide (8mm) Rings	260-3071	26.50

L. Brass Practice ID Tags

Practice engraving different ratio adjustments on these 30 x 50mm highly polished ID tag style brass plates. Use to make a master set of templates in a range of ratios so you can easily select the right ratio for every job. 15 gauge with \(^1/8\)" (3mm) hole. Sold in packages of 10.

Description	Item#	Pkg. of 10
L. Brass ID Tag	260-3072	\$24.00



Muller® Swedish Steel Gravers

Made of premium-grade Swedish steel pretempered for work on nonferrous metals such as gold, platinum, silver and copper. Can be retempered to suit individual requirements.

Muller Flat

			CH Prices
No.	Item#	1-2	3+
36	165-1360	\$6.65	\$5.99
37	165-1370	6.65	5.99
38	165-1380	6.65	5.99
39	165-1390	6.65	5.99
40	165-1400	6.65	5.99
41	165-1410	6.65	5.99
42	165-1420	6.65	5.99
43	165-1430	6.65	5.99
44	165-1440	6.65	5.99
45	165-1450	6.65	5.99
46	165-1460	6.90	6.21
47	165-1470	6.90	6.21
48	165-1480	6.90	6.21
49	165-1490	6.90	6.21

Muller Round

		EACI	H Prices
No.	Item#	1-2	3+
50	165-1500	\$6.65	\$5.99
51	165-1510	6.65	5.99
52	165-1520	6.65	5.99
53	165-1530	6.65	5.99
54	165-1540	6.65	5.99

Muller Point (Onglette)

		E/1011111000		
No.	Item#	1-2	3+	
000	165-6003	\$6.65	\$5.99	
00	165-6002	6.65	5.99	
0	165-6001	6.65	5.99	
1	165-6010	6.65	5.99	
2	165-6020	6.65	5.99	
3	165-6030	6.65	5.99	

Muller Half-Point Left

		EACH Prices		
No.	Item#	1-2	3+	
2	165-2020	\$3.33	\$3.00	

Muller Bevel Edge

No.	Item#	1-2	3+
0	165-0001	\$7.50	\$6.75
1	165-0010	7.50	6.75
2	165-0020	7.50	6.75
3	165-0030	7.50	6.75

EACH Prices

EACH Prices

Muller Oval

No.	Item#	1-2	3+
63	165-0630	\$6.90	\$6.21
64	165-0640	6.90	6.21
65	165-0650	6.90	6.21

Muller Knife

		EACH	Prices
No.	Item#	1-2	3+
0	165-4000	\$6.65	\$5.99
1	165-4010	6.65	5.99
2	165-4020	6.65	5.99
3	165-4030	6.65	5.99
4	165-4040	6.65	5.99

Muller Square

-		EACI	H Prices
No.	Item#	1-2	3+
2	165-7020	\$6.98	\$6.28
4	165-7040	6.98	6.28
6	165-7060	6.98	6.28
8	165-7080	6.98	6.28
10	165-7100	6.98	6.28
12	165-7120	7.25	6.53

Muller Tapered Square


	-	EAC	EACH Prices		
No.	Item#	1-2	3+		
1	165-8010	\$6.98	\$6.28		
2	165-8020	6.98	6.28		
3	165-8030	6.98	6.28		

EACH Prices

EACH Drices

Gesswein® High-Speed Red Tang Gravers

Made of high-speed steel. Generally preferred for use on gold, platinum, silver and steel. Hold cutting edges four to five times longer than Swedish tool steel gravers. Made in USA.



Gesswein no Point (onglette)		EACH Prices	
No.	Item#	1-2	3+
0	166-5001	\$7.85	\$7.07
1	166-5010	7.85	7.07
2	166-5020	7.85	7.07
3	166-5030	7.85	7.07
4	166-5040	7.85	7.07
Gesswein HS B	evel Edge	EACH	l Prices
No.	Item#	1-2	3+
1	166-0010	\$8.99	\$8.09
3	166-0030	8.99	8.09

Coccwain US Paint (Anglette)

Gesswein HS Knife		EACH	H Prices	
No.	Item#	1-2	3+	
0	166-4000	\$7.85	\$7.07	
1	166-4010	7.85	7.07	
2	166-4020	7.85	7.07	
3	166-4030	7.85	7.07	
4	166-4040	7.85	7.07	

Make your own custom grips and handles with JETT SETT-see p. 495

High-Speed Yellow Tang Gravers

Made of high-speed steel specially melted and rolled just for gravers. Suitable for use on precious metals, wood, bone, ivory and onyx. Made in Turkey.

Yellow Tang Flat				Yellow	Tang Point (0)	nglette)
No.	Item#	Each		No.	Item#	Each
36	166-7210	\$10.60		4/0	166-7198	\$10.60
37	166-7211	10.60		2/0	166-7200	10.60
38	166-7212	10.60		0	166-7201	10.60
39	166-7213	10.60		1	166-7202	10.60
40	166-7214	10.60		2	166-7203	10.60
41	166-7215	10.60		3	166-7204	10.60
42	166-7216	10.60		4	166-7205	10.60
43	166-7217	10.60		5	166-7206	10.60
				6	166-7207	10.60
	No. 36 37 38 39 40 41 42	No. Item# 36 166-7210 37 166-7211 38 166-7212 39 166-7213 40 166-7214 41 166-7215 42 166-7216	No. Item# Each 36 166-7210 \$10.60 37 166-7211 10.60 38 166-7212 10.60 39 166-7213 10.60 40 166-7214 10.60 41 166-7215 10.60 42 166-7216 10.60	No. Item# Each 36 166-7210 \$10.60 37 166-7211 10.60 38 166-7212 10.60 39 166-7213 10.60 40 166-7214 10.60 41 166-7215 10.60 42 166-7216 10.60	No. Item# Each No. 36 166-7210 \$10.60 4/0 37 166-7211 10.60 2/0 38 166-7212 10.60 0 39 166-7213 10.60 1 40 166-7214 10.60 2 41 166-7215 10.60 3 42 166-7216 10.60 4 43 166-7217 10.60 5	No. Item# Each No. Item# 36 166-7210 \$10.60 4/0 166-7198 37 166-7211 10.60 2/0 166-7200 38 166-7212 10.60 0 166-7201 39 166-7213 10.60 1 166-7202 40 166-7214 10.60 2 166-7203 41 166-7215 10.60 3 166-7204 42 166-7216 10.60 4 166-7205 43 166-7217 10.60 5 166-7206


Yellow Tang Round No. Item# Each 50 166-7220 \$10.60 166-7221 10.60 166-7222 10.60 53 166-7223 10.60 166-7224 10.60

A. GRS® Combination Tool Carousel – For gravers and small tools.

Spend more time engraving and less time searching for tools with this efficient organizer. Top tray holds up to 30 tools and gravers, and bottom tray has four removable QC (quick-change) tool trays that each hold 10 gravers with GRS QC Holders attached. All trays rotate for easy access. Small footprint occupies very little space on the workbench.

Description	Item#	Each
Combination Tool Carousel	856-0293	\$40.85





A, B Muller® Line Gravers (Liners)

Every industry knows the adage "time is money" and liners are a terrific time saving tool for engravers. Use to make multiple parallel lines with a single stroke for shading, backgrounds, achieving a Florentine finish and cross-hatch or checkering patterns. Made of premium-grade Swedish steel. Choose from straight and bent styles. Each has a size that represents the distance between lines (the first number) and the number of lines (the second number). The larger the first number, the greater the distance between lines. Size 18/10 creates a standard Florentine finish. Can be used on a variety of metals, woods, plastics etc. Made in USA.

Style	Size	Item#	Each
A. Straight	6/4	167-0604	\$17.00
	6/6	167-0606	17.00
	6/8	167-0608	17.00
	6/10	167-0610	17.00
	8/6	167-0806	17.00
	8/10	167-0810	17.00
	12/10	167-1210	17.85
	14/10	167-1410	17.40
	18/6	167-1806	18.60
	18/8	167-1808	20.00
	18/10	167-1810	20.00
	18/12	167-1812	20.00
	20/10	167-2010	19.70
	24/6	167-2406	19.89
	24/8	167-2408	23.20
	26/10	167-2610	20.00
	28/10	167-2810	23.35
	30/10	167-3010	23.35
	32/8	167-3208	23.35
	32/10	167-3210	23.35
B. Bent	6/4	168-0604	18.65
	6/6	168-0606	18.65
	6/8	168-0608	18.65
	6/10	168-0610	18.65
	8/6	168-0806	18.65
	14/10	168-1410	19.15
	18/10	168-1810	21.70
	18/12	168-1812	21.70

C-F GRS® GlenSteel™ Gravers

Made of GlenSteel, a high-speed tool steel forged exclusively by GRS for engraving, setting and other demanding work. Stay sharp longer and resist breakage better than other gravers and tools. Easier to grind and cobalt-free for increased safety. Measure 0.093" (2.35mm) square x 2.7" (70mm) long. Fit all GRS QC (quick-change) impact handpieces.

	Style	Item#	Each
C.	Square	856-0001	\$14.95
D.	Flat	856-0002	14.95
E.	120° Point	856-0003	18.85
F.	Blank	856-0004	13.95

G, H Carbide Gravers


Made of a special grade of extra-fine-grain carbide that withstands impact better than any other grade. Sharpen with Power Hone (see p. 292) and diamond wheel. Square has one end angled at 45°. Blank is unground and ready to be custom-shaped. Measure just under 3/32" square x 2" long.

	Style	Item#	Each
G.	Square	856-0292	\$9.95
Н.	Blank	856-0290	7.95

A-D GRS® QC Gravers — In convenient ready-to-go shapes.

Just sharpen and use. Eliminate the need for tedious shaping—think of the time they'll save. Fit all GRS QC (quick-change) impact handpieces when mounted in GRS QC Holders (see below). Also fit many other handpieces, including Power Graver, Magna-Graver and more. Precision-ground from high-speed chrome tool steel. Sold individually and in two kits.

						Setter's	Engraver's
	Style	No.	Width	Item#	Each	Kit	Kit
A.	Flat	37	0.4mm	855-9975	\$10.95	•	•
		38	0.6mm	855-9976	10.95		•
		39	0.8mm	855-9977	10.95		•
		40	1.0mm	855-9978	10.95	•	•
		42	1.4mm	855-9979	10.95	•	•
		44	1.8mm	855-9980	10.95		
B.	Round	50	0.2mm	855-9981	10.95	•	
		51	0.4mm	855-9982	10.95	•	•
		52	0.6mm	855-9983	10.95	•	•
		53	0.8mm	855-9984	10.95	•	
C.	Onglette (Point)	2/0	1.45mm	855-9969	10.95	•	•
		0	1.58mm	855-9970	10.95	•	
		1	1.78mm	855-9971	10.95	•	•
		3	1.94mm	855-9972	10.95		•
D.	Knife	1	2.0mm	855-9985	10.95	•	•
		2	2.2mm	855-9986	10.95	•	•



Kit Description	Item#	Each
Setter's Kit	855-9967	\$125.00
Engraver's Kit	855-9968	125.00

E. GRS® QC Holders – For fast tool changes.

Fit GRS QC (quick-change) impact handpieces, QC Handle and QC Sharpening Fixture. Allow fast tool changes. Accept square tools up to 0.10" (2.5mm) thick, round tools up to 0.13" (3.3mm) in diameter and most gravers, including GRS QC Gravers (see above).

Description	Item#	Each	Description	Item#	Each
QC Holders, pkg. of 3	855-9987	\$17.65	QC Holders, pkg. of 10	855-9988	58.20



F-I GRS® C-Max Gravers and Holders - Tungsten Carbide, 1/8" Shank, Length: 1.8"

Years of development have produced a tungsten carbide graver with the right blend of hardness and toughness for hand engraving and stone setting applications. C-Max achieves a metallurgical balance like no other carbide. For years, engravers and jewelers have used other carbide gravers that break easily or do not hold a fine edge. This frustration is gone forever, thanks to C-Max carbide. Try these tools and do better work in noticeably less time. Also available as a QC graver. See website for C-MAX QC Gravers.

F. Tapered Round: Tapered Round has angled sides that taper down to a rounded tool bottom (in three sizes).

Е	CWAX		
G.	Description	Item#	EACH
	Round #51	855-9910	\$18.95
	Round #52	855-9911	18.95
	Round #53	855-9912	18.95

G. Tapered Flat: Tapered Flat has angled sides that taper down to a flat tool bottom (in eight sizes).

CMAX			
G. Description		Item#	EACH
Tapered Flat #36	1	855-9932	\$16.95
Tapered Flat #37	1	855-9933	16.95
Tapered Flat #38	1	855-9934	16.95
Tapered Flat #39		855-9935	16.95
Tapered Flat #40		855-9936	16.95
Tapered Flat #41		855-9937	16.95
Tapered Flat #42		855-9938	16.95
Tapered Flat #44		855-9940	16.95

H. Onglette: For stone setting, and general engraving (in three sizes).

	165-10164	Name of		
Н.	Description		Item#	EACH
	C-Max Onglette #0	V	855-9915	\$16.95
	C-Max Onglette #2	W	855-9916	16.95
	C-Max Onglette #4	₩	855-9917	16.95

I. Parallel Flat: Parallel Flat has parallel sides with a flat tool bottom (in six sizes).

Е	CMAX		
I.	Description	Item#	EACH
	Parallel Flat #38	855-9922	\$17.95
	Parallel Flat #39	855-9923	17.95
	Parallel Flat #40	855-9924	16.95
	Parallel Flat #41	855-9925	16.95
	Parallel Flat #42	855-9926	16.95
	Parallel Flat #44	855-9928	16.95

J. Tool Holder for 1/8" Round Tools

Description	Item#	EACH
QC Tool Holder, Pack of 3	855-9947	\$15.45
QC Tool Holder, Pack of 10	855-9948	50.90









A. GRS® Low-Profile Vise Assembly

GRS quality along with extra working space. When a workpiece calls for a lower height, the Low-Profile Vise provides a comfortable 6" (150 mm) of space for a proper view and position. This vise has the same jaw size and capacity as the MagnaBlock, yet is 1.5" shorter. Top half of vise rotates while bottom half remains stationary. Gesswein offers a 30-piece attachment set (856-0277) that includes storage for the adapter plates and pins that come with the block. Block weight (26 lbs (12 kg)- Jaw height 1 $\frac{4}{5}$ " (46mm) - Ball diameter 6 $\frac{1}{8}$ " (147mm) - Max opening $\frac{3}{2}$ " (89mm) - Jaw width 3" (76mm). Includes upper jaw plates, 5 pins, base, 1 plastic hex key, and wrench. Made in USA

Description	Item#	Each
A. Low-Profile Vise	856-0315	\$658.00

B, C GRS® Engraver's Blocks

The Magnablock and the Small Block are extremely well-made devices used to hold objects firmly for engraving, stone setting and general-purpose work. Each holds both large and small items. Features heavy weight and adjustable drags for keeping the workpiece in the proper position. Uses two industrial ball bearings and a large roller thrust bearing to eliminate side play and wobble. Includes rubber ring pad with Nylon glides, upper jaw plates, five pins and wrench. Made in USA.

Features:

- Solid steel construction for exceptional durability
- Adjustable friction lock from zero to full lock for crown rotation control
- Nonglare satin finish on body, black oxide finish on jaws for protection
- Precision-machined parts for smooth, efficient operation
- · Easily adjustable working angles for comfort

Specifications:	Magnablock	Small I	Block
Spherical Diameter	53/4"	51/8"	
Jaw Size	3"W x 1¾"H	2½"W	x 1½"H
Max. Jaw Opening	31/2"	3"	
Net/Ship. Wt.	30/33 lbs.	19/22 lbs.	
Description		Item#	Each
B. Magnablock		856-0275	\$637.10
Magnablock with 30-Piece Attachment Set		856-0276	746.00
Small Block		821-6000	486.00
C. Small Block with 30-Piec	e Attachment Set	821-6005	580.00

D. GRS® 30-Piece Attachment Set

30 attachments for all GRS Engraver's Blocks in a wooden storage base. Includes Ring Holding Clamp, shown.

Description	Item#	Each
30-Piece Attachment Set	856-0277	\$109.00

E. GRS® Ring Holding Clamp

Uses leather lining to prevent objects from marring. Fits all GRS Engraver's Blocks (included in above set).

Description	Item#	Each
Ring Holding Clamp	856-0296	\$22.60

F. GRS® Microblock™ Ball Vise

Compact, low-profile design is perfect for microscope work and other jobs where a larger vise is an obstacle. Smooth, self-centering jaw system and adjustable internal brake system lets the user choose the amount of rotational resistance from totally free to fully locked. Machined from solid stainless steel and finished with low-glare treatment to reduce eyestrain. Includes positioning ring, four jaw pins, wrenches and Thermo-Loc Sample Kit (four bars). Measures 3.1" dia. with 1.8"W x .87"H jaws. Max. jaw opening: 2". Made in USA.

	Description	Item#	Each
	Microblock	856-0304	\$282.00
F.	Microblock with 30-Piece Attachment Set	856-0305	378.00

A. GRS® Inside Ring Holder for Vises

Holds rings from the inside for easy stone setting or engraving. Safely handles tapered and delicate designs that can be crushed by ordinary ring clamps. Fits in all GRS Engraver's Blocks and most vises. Includes seven different mandrels for holding ring sizes 4-13 without marring, expansion screw and wrench. Made of solid steel.

Description	Item#	Each
Inside Ring Holder	856-0209	\$67.95



B. GRS® Thermo-Loc®

Very tough work-holding plastic. Softens with heat to clay-like pliable consistency so you can form it around an endless variety of workpieces. Turns rock-hard once it cools to hold items securely. Economical and practical—can be reused again and again. Neutral gray in color to prevent eyestrain, even under bright work lights. Heat in a microwave oven on the pad included with the Starter Kit, in a conventional oven, in hot water or with a heat gun (be sure to follow proper heating instructions).

Description	Item#	Each
Thermo-Loc, ½ lb.	816-1592	\$23.70
Thermo-Loc, 1 lb.	816-1593	41.65
Thermo-Loc, 5 lbs.	816-1594	157.40
Thermo-Loc Starter Kit (includes 1 lb. Thermo-Loc and microwave-safe 6" x 6" pad)	816-1597	45.50



Also see JETT SETT page 495

C. GRS® Thermo-Loc® Jaw Sets

Hold irregularly shaped and fragile parts securely without damaging them. Choose from small and large jaw sets for respective GRS Engraving Blocks. Each includes two stainless steel master jaws and four aluminum bonding strips. Easy to use: just set jaws in your Engraving Block, bolt on aluminum bonding strips, apply Thermo-Loc to strips, and form them around your workpiece. Unbolt and save custom jaws for repeat jobs, or resoften the Thermo-Loc to hold another workpiece.

Description	Item#	Each
Thermo-Loc Small (Small Block) Jaw Set	816-1595	\$90.80
Thermo-Loc Large (Magnablock) Jaw Set	816-1596	92.85



D. GRS® Contoured Vise Jaw Set

Ideal for holding odd-shaped parts in GRS Megablock and Small Engraver's Blocks. Fits in top holes of blocks. Has rubber-lined jaws that automatically conform to a part's shape to grip it firmly with minimal clamping force. Provides a fast and safe way to hold shaped mold inserts and irregular items for polishing. Small jaw can be rotated 180° for greater versatility.

Description	Item#	Each
Contoured Vise Jaw Set	821-5997	\$69.00




E, F GRS® Super Pins

Made of heavy-duty plastic to hold large parts without marring. Fit in GRS Magnablock and Small Block. Available with $\frac{3}{8}$ " and $\frac{1}{4}$ " steel shanks.

	Description	ltem#	Each
E.	Super Pins with 3/8" shanks, pkg. of 2	821-5999	\$7.95
F.	Super Pins with 1/4" shanks, pkg. of 4	821-5998	10.90





A, B PEPETOOLS Engraver's Block and Attachments

High-quality nickel-plated block designed to hold workpieces firmly without side motion. Has ball bearings for freedom of movement and smooth swiveling. An adjustable drag keeps the work piece in its proper position. Tight tolerances and precision construction eliminates side shakes. Deep throated jaws slide smoothly on the center screw allowing you to set the most comfortable working angles.

Suggest 35-piece attachment set. Made in USA.

	Description	Item#	Each
A.	6" Engraving Block	821-6114	\$382.50
В.	35-Piece Attachment Set (includes Replacement Hex Key)	821-6112	103.20
	Long Rubber-Covered Pins, set of 4	821-6150	7.08
	Tapered Pins, set of 4	821-6300	8.75
	Replacement Hex Key	821-6800	8.50



C. GRS® Satellite Turntable & Stand Package

System provides unrestricted mobility, allowing work on larger pieces. It can also be easily stored when not in use. The tripod base provides incredible stability during the most calculated cuts. Height adjusts from 18" to 29". The package includes the Turntable (856-0322) and Stand (856-0323) which are also sold separately, see below. Comes with Brake kit (856-0326) and Low-Friction PTFE Pad (856-0327). Does not include a vise.

Description	Item#	Each
Satellite Turntable & Stand Package	856-0324	\$795.00

D. GRS® Satellite Turntable

Robust design provides a completely overhauled bearing system for minimum maintenance and a smooth, quiet glide. Sealed profile promotes a cleaner internal environment and limits contamination from metal chips. The top of the turntable has been marked with easy centering lines to accommodate any GRS vise. Comes with Brake Kit (856-0326) and Low-Friction PTFE Pad (856-0327). Does not include vise, Satellite Stand, or Centering Post

Description	Item#	Each
Satellite Turntable	856-0322	\$405.00

E. GRS® Satellite Turntable Stand

Provides unrestricted mobility, allowing work on larger pieces. The stand's height adjusts from 18" to 29", creating ideal work elevations. The gas spring mechanism and included collet wrench make adjustments quick and easy. The tripod base provides stability during the most calculated cuts. The Satellite Turntable Stand is compatible with the Satellite Turntable (856-0322). Turntable and Stand are sold in a money-saving set (856-0324) above.

Description	Item#	Each
Satellite Turntable Stand	856-0323	\$410.00

F. GRS® Satellite Fixed Top & Stand

Take control of your work and find freedom from your bench. The Satellite Fixed Top Package is the ultimate work surface for hand engravers that prefer a GRS Positioning Vise. This system provides unrestricted mobility, allowing the artist freedom from their bench to work on larger pieces. The tripod base provides incredible stability that will ease the mind of any engraver during the most calculated cuts. The stand's height adjusts from 18" to 29", accommodating most engravers. The gas spring mechanism and included collet wrench make adjustments quick, easy, and almost effortless. The 10-inch steel surface provides a large area for adjustability and stability of your vise (Not included).


Description	Item#	Each
Satellite Fixed Top & Stand	856-0325	\$499.00

288 Gesswein

A. Low Profile 5" Ball Vise, 21/2" Dia.

With $2\frac{1}{2}$ " dia. jaws that are $1\frac{1}{2}$ " tall. Need more working space under your microscope? Now you can with the RinGenie Low-Profile Ball Vise. Overall height is $4\frac{1}{8}$ ". Sturdy construction with jaws that are made of stainless steel with copper face inserts for many years of use. Most vise accessory kits in the market will also fit this model. Made in USA.

Description	Item#	Each
5" Ball Vise 21/2" Dia.	816-1507	\$632.50



With $3\frac{1}{2}$ " dia. jaws that are 1" tall. Need more working space under your microscope? Now you can with the RinGenie Low-Profile Ball Vise. Overall height is $3\frac{1}{2}$ ". Sturdy construction with jaws that are made of stainless steel with copper face inserts for many years of use. Most vise accessory kits in the market will also fit this model. Made in USA.

Description	Item#	Each
5" Ball Vise, 3½" Dia.	816-1508	\$632.50

C. 5" Positional Vise

With $2\frac{1}{2}$ " dia. jaws which are $1\frac{1}{2}$ " tall. Utilizing two stationary pins to easily adjust the working position. Overall height is $6\frac{1}{4}$ ". Jaws opening measures $1\frac{1}{2}$ ". Made in USA.

Description	Item#	Each
5" Positional Vise	816-1509	\$852.50

D. Positional Rotatory Table & Vise

With a mounted vise. Great for general work at the bench or any flat surface. Constructed of a Steel 8" work base with drag screw resistance, optional positioning and a 360° rotation. Jaws are 3" dia. and 1" tall. Jaws opening is 41/2". Overall height is 35/8". Made in USA.

Description	Item#	Each
Positional Rotatory Table and Mounted Vise	816-1511	\$984.50

E, F 3" Vise + Adapter

With 1.9" dia. jaws which are $\frac{3}{4}$ " tall. Made from stainless steel. Overall height 4". Jaw opening $\frac{1}{4}$ ". Vise Adapter, made from aircraft quality aluminum, allows bench mounting. Made in USA.

	Description	Item#	Each
E.	Vise	816-1498	\$742.50
F.	Vise Adapter	816-1499	192.50

G. The Expert's Guide to Graver Sharpening – By Sam Alfano

Created by Sam Alfano, master engraver with over 25 years of experience. Offers step-by-step instructions on how to use the GRS Sharpening System. Covers sharpening of square, 120°, flat, round, brightcut, script lettering, modified flat and Italian bulino engravers, as well as liners. Includes dozens of timesaving tips and tricks. DVD format, 60 minutes.

Description	Item#	Each
The Expert's Guide to Graver Sharpening	811-0051	\$49.00

H. Easy Step-by-Step Graver Sharpening DVD - By GRS

Graver and tool sharpening simplified. Using microscopic camera work and special visual aids, you'll see clear, step-by-step sharpening. Each tool is first sharpened and then demonstrated in proper use including metal engraving and stone setting. Everyone using gravers, chisels and similar tools will save time, end frustration and produce finer results with this training. DVD format, 120 minutes.

Description	Item#	Each
The Expert's Guide to Graver Sharpening	856-0059	\$46.00
























A, B Pitch Bowls

Made of cast iron. The 5" diameter bowl holds up to 2 lbs. of pitch, and the 8" diameter bowl holds up to 4 lbs. of pitch (not included). Use with ring pad (see below) for stability.

	Description	Diameter	Item#	Each
A.	Small Bowl	5"	811-1290	\$27.25
B.	Large Bowl	8"	811-1310	31.45

C, D Ring Pads

Use with pitch bowls to insulate the workbench surface from heat. Lets you tilt engraver's block or pitch bowl so you can find the best working angle.

	Description	Diameter	Item#	Each
C.	Small Rubber Pad	5"	811-1291	\$6.55
D.	Large Rubber Pad	8"	811-1311	12.95

E. GRS® Pitch Cup

Compact pitch cup for mounting in jaws of any vise or engraver's block. Each comes prefilled with black pitch, a special material that softens when heated and provides firm support for hard-to-hold, irregularly shaped and delicate items. Gently reheat pitch to remove workpiece.

Description	Dimensions	Item#	Each
Pitch Cup	2" diameter	856-0171	\$27.75

F. Black Pitch

Traditional, ready-to-mix pitch for holding and supporting jewelry during engraving and more. Especially useful for holding objects too delicate to hold in an engraver's block. Use in a pitch bowl and set into a ring pad for a handy engraving fixture. Mix with plaster or pumice and linseed oil to vary hardness. Includes instructions for mixing and use. Sold in 8 oz. containers.

Description	Item#	Each
Black Pitch, 8 oz.	811-1805	\$48.95

G. Peg Clamp

A mini handheld tool for holding odd-shaped items for engraving. Features 2" dia. half-round spring-loaded jaws that open and close on twin guides at the turn of a thumb screw. Includes four pegs that can be easily positioned in any of the 30 holes in each jaw. Has wooden handle. Measures 5" long. Max. jaw opening: $\frac{7}{8}$ ".

Description		Item#	Each	
G.	. Peg Clamp	812-0210	\$19.35	
	Replacement Pegs, pkg. of 4	812-0200	3.20	

H-J GRS® BenchMate™ Multipurpose Vise

Attaches to BenchMate or directly to your bench. Tilts left and right and rotates on vertical axis so you can find the best working angle. Features holes in top for holding pins or the padded ring clamp from GRS 30-Piece Attachment Set #856-0277 (see p. 286). Made of satin-finished steel. To mount, fit in Fixed Mounting Plate, secure to Benchtop Mounting Adapter, then screw into bench.


	Description	Item#	Each
Н.	Multipurpose Vise	856-0172	\$170.00
Ī.	Fixed Mounting Plate	856-0196	18.95
J.	Benchtop Mounting Adapter	856-0193	27.20

A-H Graver Handles

Six different hardwood handles with metal ferrules for firmly holding gravers.

				EACI	H Prices
	Description	Style	Item# (3p)	3-9	12-141
A.	Small 1/2-Head	4	170-2040	\$1.35	\$1.15
B.	Medium 1/2-Head	8	170-2080	1.55	1.32
C.	Medium 1/2-Head	8B	170-2082	1.21	-
D.	Medium 1/2-Head	8A	170-2081	1.21	-
E.	Large 1/2-Head	7	170-2070	1.55	1.32
F.	X-Large ½-Head	5	170-2050	1.55	1.32
G.	Mushroom	9	170-2090	1.55	1.32
Н.	Ball	11	170-2110	1.55	1.32
-	Bo.				

(3pc) Three-piece minimum; Please order in multiples of three.



I-L Rosewood Graver Handles

Four different rosewood handles with metal ferrules for firmly holding gravers.

	Description	Item#	Each
I.	Small ½-Head	170-2140	\$2.50
J.	Large ½-Head	170-2141	2.50
K.	Mushroom	170-2143	2.50
L.	Ball	170-2142	2.50



Wooden handle with two interchangeable tool chucks for holding gravers and other small tools up to 3mm. To swap tools, just unscrew knurled holder, remove chuck, replace with other chuck and screw holder back on. Graver not included.

Description	Item#	Each
Graver Handle w/ Tool Chucks	840-4210	\$8.95

N. GRS® Adjustable Graver Handle Set


Includes three adjustable aluminum handles color-coded for easy graver identification. To adjust, just loosen lock screw, slide graver to desired position and tighten.

Description	Item#	Each
Adjustable Graver Handle Set	170-2201	\$44.40

O. GRS® QC Handle

Rubber-covered handle with short reach and comfortable feel for engraving by hand. Includes three QC (quick-change) holders for fast tool changes. Accepts square tools up to 0.10" (2.5mm) thick, round tools up to 0.13" (3.3mm) in diameter and most gravers.

Description	Item#	Each
QC Handle	856-0264	\$29.95





A, B GRS® GraverHone VS Complete Sharpening Systems

Meet the next generation sharpening system from GRS Tools. These complete packages contain the high-torque, variable speed GraverHone VS with your choice of fixtures. Select the Dual Angle System for use with regular Gravers and select the Apex System for use with QC Gravers. Either package includes the GraverHone VS which features variable speed (400-900 RPM), dual direction and time-saving quick lock for diamond wheels (no threads). UL approved. Made in the USA.

Packages also include 3 diamond wheels, 260, 600, and 1200 grit, as well as the handy diamond wheel rack

	Description	Item#	Each
A.	GraverHone VS with Apex Sharpening System 110V, 60 Hz	856-0332	\$1,215.00
В.	GraverHone VS with Dual Angle Sharpening Fixture, Head and Post 110V, 60 Hz	856-0334	\$1,195.00

C. GRS® Apex Sharpening System - for QC Tool Holders only

The Apex Sharpening System is the perfect fixture for anyone from the novice learning to sharpen their first graver to the veteran seeking efficient repeatability. The new shorter fixture nose and longer fixture post easily accommodate longer gravers. Locking knobs have been updated with a quality knurled steel. A guarter-turn locking system works exclusively with GRS QC tool holders to promote ultimate efficiency for loading and locking tools. The post dial has been simplified to promote finding the correct angle setting quickly. Most notably, the fixture now features the ability to switch Apex dials in seconds without tools or screws to turn. A simple switch to the Dual Angle dial and you can make any graver geometry desired. Includes: Apex Sharpening Fixture, color coded 90° dial, 105° dial, 120° dial, Dual Angle dial for unlimited graver geometries, Apex fixture magnetic post, and storage rack. Made in USA.

Description	Item#	Each
Apex Sharpening System	856-0291	\$305.00

D, E GRS® Dual-Angle Sharpening Fixture

Holds gravers with or without handles and those in QC Holders for precise sharpening. Features two large, easy-to-read degree dials for setting both elevation and rotation angles. Available with or without post.

	Description	Item#	Each
D.	Dual-Angle Sharpening Fixture, head only	856-0299	\$261.00
E.	Dual-Angle Sharpening Fixture, head and post	856-0018	286.00

F. GRS® QC Sharpening Fixture

Holds gravers in QC holders for precise sharpening. Features two degree dials for setting both elevation and rotation angles and a post and magnetized base.

Description	Item#	Each
QC Sharpening Fixture, head and post	856-0262	\$222.00

G. GRS® Standard Sharpening Fixture

Holds standard gravers for sharpening. Features one degree dial for setting elevation angle and a post with a magnetized base.

Description	Item#	Each
Standard Sharpening Fixture, head and post	856-0200	\$155.00

FAX Orders 24/7: 888-454-4377

A-D GRS® Power Hone Wheels

The low-cost, high-quality Diamond Wheels eliminate heat buildup in gravers and tools, last for years and stay flat for accuracy. Produce a fine, dependable finish. Excellent for sharpening carbide, cobalt and standard steel tools. The solid Cast Iron and Ceramic Laps produce a mirror finish on tools, resulting in bright cuts on your workpieces. Must be periodically charged with Diamond Spray, or Diamond Powder. Can be used with Quick-Change Wheel Conversion Set (see below).

	Description	Dia. x AH	Grit	Item#	Each
A.	Diamond Wheel	5" x ¹ /2"	260	856-0259	\$103.00
			600	856-0256	94.00
-			1200	856-0032	122.00
-	Cast Iron	6" x ¹ /2"		856-0272	107.00
B.	Ceramic Lap	6" x ¹ /2"		856-0258	305.00
C.	Diamond Spray -	1 carat diamond		856-0260	29.90
	Diamond Powder	- 5 carats diamond		856-0271	19.95
D.	Wheel Storage Ra	ck		856-0035	22.10



Easily attaches to the Power Hone without tools. Lets you change wheels in seconds: simply lift wheel off and replace with another. Can be used with all GRS 5" and 6" wheels.

Description	Item#	Each
Quick-Change Wheel Conversion Set	856-0261	\$74.00

F. Crocker-Style Graver Sharpening Fixture

Keeps graver in a fixed position for sharpening on a bench stone. Holds graver at any angle: just set index as desired and lock in for repeated accuracy. Stone and graver not included.

Description	Item#	Each
Crocker-Style Graver Sharpening Fixture	816-1000	\$62.75

G. Graver Sharpening Holder

A small, inexpensive holder for sharpening. Holds gravers in either of two angled openings. Has roller on bottom for smooth action. Use with a bench stone (see p. 29 for our Ruby Bench Stones). Measures 13/8"W x 11/2"H.

Description	Item#	Each
Graver Sharpening Holder	816-1012	\$7.35

H-J Scribers

Double-ended steel scriber features one-piece steel construction and twisted center for good grip.

Carbide-tipped scriber can be used on hard metals, glass, stones, and diamond scriber can be used on all metals and most stones. Both have hexagonal aluminum handles that prevent rolling.

			EACH	l Prices
	Description	Item#	1-2	3+
Н.	Double-Ended Steel Scriber	816-0890	\$7.15	\$6.44
Ī.	Carbide-Tipped Scriber	816-0950	5.25	4.73
J.	Diamond Scriber	220-1900	10.85	9.77

K. Chinese White

A fast-drying, nontoxic, white watercolor for layout work. Forms a background so letters or designs can be drawn on the work surface prior to engraving. To use, simply moisten surface with water using fingertip or soft brush, then apply to workpiece. Sold in 0.175 oz. half-cake packaged in aluminum foil for protection from moisture.

Description	Item#	Each
Chinese White	812-0100	\$16.50











Grobet Swiss Pattern Precision Files

The world's standard for quality and performance!

Manufactured to precise production standards, using a combination of machine cutting and hand craftsmanship to produce the most accurate, best cutting and longest-lasting files in the world. They are made of the finest heat-tempered, chrome alloy steel and have the "right" feel, action and balance desired by all true craftsmen. Swiss Pattern Precision Files deliver superior performance on all metals. Simply the best you can buy. Files are measured in length from the point where the teeth begin to the end of the file. The handle section (tang) is not considered in the file length. Made in Italy.



Barrette

Tapered in width and thickness, coming to a point. Only flat side is double cut, providing safe edge and top.

Length	Width x			EACH	H Prices
of Cut	Thickness	Cut	Item#	1-11	12+
4"	¹⁵ /32" x ³ /32"	00	635-0402	\$19.95	\$17.96
		2	635-0420	22.79	20.51

_ength	Width x			EACH Prices		
of Cut	Thickness	Cut	Item#	1-11	12+	
3"	⁵ ∕8" x ⁵ ∕32"	00	635-0602	\$23.31	\$20.98	
		0	635-0601	24.78	22.30	
		1	635-0610	27.20	24.48	
		2	635-0620	27.93	25.14	
		4	635-0640	31.19	28.07	
8"	⁵³ / ₆₄ " x ¹³ / ₆₄ "	0	635-0801	34.13	30.72	
		2	635-0820	36.86	33.17	



Barrette - Hot Die

Same as regular Barrette files except with ground backs, widely used in making and repairing extrusion dies. Double cut.

Length	Width x			EAC	H Prices
of Cut	Thickness	Cut	Item#	1-11	12+
4"	⁵ /32" x ³ /32"	00	635-1402	\$31.09	\$27.98



Checkering Pillar

Parallel in width and gently tapered in thickness. Overcut is parallel to file edges, and upcut is 90° to overcut. Double cut on top and bottom; both edges are safe. Useful for putting serrations on knife edges or for obtaining a checkered design similar to that found on a gun handgrip. Frequently used to create a coarse florentine finish; after initial cut, angle the file 45° or 90° and cut again.

Length	Width x	Lines			EACH	l Prices	Length	Width x	Lines			EACH	Prices
of Cut	Thickness	per inch	Cut	Item#	1-11	12+	of Cut	Thickness	per inch	Cut	Item#	1-11	12+
6"	1/2" x 5/32"	20	00	646-0602	\$36.23	\$32.61	6"	1/2" x 5/32"	50	2	646-0620	\$38.43	\$34.59
		30	0	646-0601	35.91	32.32			75	4	646-0640	55.55	50.00



Crochet


Tapered in width and gradually tapered in thickness. Used for filing junctions between flat and curved surfaces and for developing slots with rounded edges. Double cut top and bottom - both edges are single cut.

Length	Width x			EACH	l Prices	Length	Width x			EACH	l Prices
of Cut	Thickness	Cut	Item#	1-11	12+	of Cut	Thickness	Cut	Item#	1-11	12+
4"	⁹ /32" x ⁵ /64"	2	648-0420	\$28.46	\$25.61	6"	²⁵ / ₆₄ " x ¹ / ₈ "	0	648-0601	\$31.08	\$27.97
								2	648-0620	33.60	30.24

Grobet Swiss Pattern Precision Files

Each Swiss Pattern Precision File is measured in length from the point where the teeth cross to the end of the file. The Handle section (tang) is not considered in file length.







American Cut – Second Swiss Cut – 0



American Cut – Smooth Swiss Cut – 2

Scale of Cuts for Swiss Pattern Precision Files*								
Teeth per Inch	Swiss F 10"+	Pattern Preci 4" to 8"	sion File 3"	Escapement 14cm	Needle 10 to 20cm	DS Rifflers 6" to 7"		
30	00	-	-	-	-			
<u>41</u>	0	00	-	-	-			
51	1	0	00	-	-	-		
64	2	1	0	0	0	0		
<u>79</u>	3	2	1	-	-	-		
97	4	3	2	2	2	2		
<u>117</u>	-	4	3	3	3	3		
142	6	-	4	4	4	4		
173	-	6	-	-	-			
213	-	-	6	6	6	6		
295	-	-	-	8	-	-		
*Except checkering pillar.								



Crossing

Half-round on two sides with one side having a slightly larger radius than the other. Tapered in width and thickness. Cut and usable to the point. Used primarily for filing interior curved surfaces. The double radius allows filing at the junction of two curved surfaces or of a straight and curved surface. Double cut on both sides.

Length	Width x			EACH	l Prices
of Cut	Thickness	Cut	Item#	1-11	12+
4"	¹⁵ / ₃₂ " x ⁹ / ₆₄ "	0	*742-0401	\$38.54	\$34.69
		2	*742-0420	41.69	37.52
		4	*742-0440	48.62	43.76

*Made	in	Cwitze	rland
iviaue	ш	3WII/F	211411101.

Length	Width x			EACH	Prices
of Cut	Thickness	Cut	Item#	1-11	12+
6"	⁵ /8" x ¹¹ / ₆₄ "	0	642-0601	\$45.57	\$41.01
	⁵ /8" x ¹¹ / ₆₄ "	2	642-0620	49.04	44.14
	¹⁹ / ₃₂ " x ³ / ₁₆ "	4	*742-0640	57.23	51.51

*Made in Switzerland.



Equalling

Parallel in width and thickness. Used primarily for filing slots and corners. Double cut top and bottom, both edges are single cut.

Length	Width x			EACH	Prices	Length	Width x		
of Cut	Thickness	Cut	Item#	1-11	12+	of Cut	Thickness	Cut	Item#
4"	²⁵ / ₆₄ " x ⁵ / ₆₄ "	0	641-0401	\$20.69	\$18.62	6"	⁵ /8" x ¹¹ / ₆₄ "	2	641-0620
		2	641-0420	22.37	20.13			4	641-0640
		4	641-0440	26.04	23.44	8"	1/2" x ³ /32"	00	641-0802
6"	¹ /2" X ³ /32"	00	641-0602	23.00	20.70			0	641-0801
		0	641-0601	24.36	21.92			2	641-0820

EACH Prices

12+

\$23.63

27.59

28.54

30.15

32.61

1-11

\$26.25

30.66

31.71

33.50

36.23





Half-Round

Tapered in width and thickness, coming to a point. Double cut on both sides.

Length	Width x			EACH Prices	
of Cut	Thickness	Cut	Item#	1-11	12+
4"	¹⁵ / ₃₂ " x ⁹ / ₆₄ "	00	630-0402	\$25.73	\$23.16
		0	630-0401	27.20	24.48
		2	630-0420	30.35	27.32
		4	630-0440	35.49	31.94
6"	5/8" x ¹¹ /64"	00	630-0602	31.19	28.07
		0	630-0601	33.08	29.77
		1	630-0610	34.55	31.10
		2	630-0620	35.70	32.13

Length	Width x			EACH	Prices
of Cut	Thickness	Cut	Item#	1-11	12+
6"	5/8" x ¹¹ /64"	3	630-0630	\$38.12	\$34.31
		4	630-0640	41.69	37.52
		6	630-0660	68.15	61.34
8"	⁵³ / ₆₄ " x ¹⁵ / ₆₄ "	00	630-0802	43.16	38.84
		0	630-0801	45.57	41.01
		1	630-0810	47.88	43.09
		2	630-0820	49.25	44.33



Half-Round Slim - Also known as Half-Round Ring

Tapered in width and thickness, coming to a point. Narrower than regular half-round so that it can be used for filing insides of holes and rings. Double cut on both sides.

Length	gth Width x			EACH Prices	
of Cut	Thickness	Cut	Item#	1-11	12+
6"	¹⁵ / ₃₂ " x ⁹ / ₆₄ "	00	636-0602	\$32.97	\$29.67
		0	636-0601	34.97	31.47
		1	636-0610	36.54	32.89

Length	Width x			EACH Prices	
of Cut	Thickness	Cut	Item#	1-11	12+
6"	¹⁵ / ₃₂ " x ⁹ / ₆₄ "	2	636-0620	\$37.70	\$33.93
		3	636-0630	40.01	36.01
		4	636-0640	44.00	39.60



Hand

Parallel in width and gently tapered in thickness for perfectly flat filing. Double cut top and bottom with one single-cut edge and one safe edge.

ngth Width x			EACH Prices	
Thickness	Cut	Item#	1-11	12+
¹⁷ / ₃₂ " x ¹ / ₈ "	0	631-0401	\$14.70	\$13.23
	2	631-0420	15.65	14.09
	4	631-0440	18.27	16.44
³ /4" x ⁵ /32"	00	631-0602	17.22	15.50
	0	631-0601	18.27	16.44
	1	631-0610	19.01	17.11
	2	631-0620	19.74	17.77
	3	631-0630	21.00	18.90
	Thickness 17/32" x 1/8"	Thickness Cut 17/32" x 1/8" 0 2 4 3/4" x 5/32" 00 0 1 2	Thickness Cut Item# 17/32" x 1/8" 0 631-0401 2 631-0420 4 631-0440 3/4" x 5/32" 00 631-0602 0 631-0601 1 631-0610 2 631-0620	Thickness Cut Item# 1-11 17/32" x 1/8" 0 631-0401 \$14.70 2 631-0420 15.65 4 631-0440 18.27 3/4" x 5/32" 00 631-0602 17.22 0 631-0601 18.27 1 631-0610 19.01 2 631-0620 19.74

Length	Width x			EACH	Prices
of Cut	Thickness	Cut	Item#	1-11	12+
6"	³ /4" x ⁵ /32"	4	631-0640	\$23.00	\$20.70
		6	631-0660	35.18	31.66
8"	²⁹ /32" X ³ /16"	00	631-0802	23.84	21.46
		0	631-0801	25.20	22.68
		2	631-0820	27.20	24.48
		4	631-0840	32.34	29.11
10"	1" x ½"	00	631-1002	34.44	31.00
		0	631-1001	34.44	31.00
		2	631-1020	37.38	33.64



Knife-Edge

Tapered in width and thickness. Knife edge has the same thickness from point to shoulder. The included angle of the sharp edge is approximately 10°. Generally used to file in a slot or wedge-shaped opening. Curved knife edge allows easy filing in restricted areas. Double cut on both sides; top edge is safe while knife edge is single cut.

Length	Width x			EACH	Prices
of Cut	Thickness	Cut	Item#	1-11	12+
4"	¹⁵ / ₃₂ " x ¹ / ₈ "	2	645-0420	\$24.99	\$22.49
6"	²³ / ₃₂ " x ⁵ / ₃₂ "	00	*745-0602	26.95	24.26
				*Made in	Switzerland.

Length	Width x			EACH	Prices
of Cut	Thickness	Cut	Item#	1-11	12+
6"	⁴⁵ /64" X ⁵ /32"	0	645-0601	\$27.20	\$24.48
	⁴⁵ /64" X ⁵ /32"	2	645-0620	29.51	26.56
	²³ / ₃₂ " x ⁵ / ₃₂ "	4	*745-0640	34.34	30.91

*Made in Switzerland.

FACH Prices



Pillar, Demi-Narrow

Pillar files are more narrow than hand files, yet also parallel in width and tapered in thickness to create perfectly flat filing. Double cut on the flat sides only, both edges are safe.

Length	Width x	Width x		EACH Prices	
of Cut	Thickness	Cut	Item#	1-11	12+
6"	²⁵ / ₆₄ " x ¹¹ / ₆₄ "	0	638-0601	\$64.05	\$57.65
		1	638-0610	36.23	32.61

Length	Width x			EACH	l Prices
of Cut	Thickness	Cut	Item#	1-11	12+
6"	²⁵ / ₆₄ " x ¹¹ / ₆₄ "	2	638-0620	\$39.27	\$35.34



Pillar, Extra-Narrow

These very narrow files are parallel in width and tapered in thickness to create perfectly flat filing. Double cut on the flat sides only, both edges are safe.

Longth

Width v

Length	Width x			EACH	1 Prices
of Cut	Thickness	Cut	Item#	1-11	12+
3"	1/8" x 5/64"	2	*740-0320	\$19.01	\$17.11
4"	⁹ /64" X ¹ /16"	00	640-0402	17.22	15.50
		0	640-0401	18.17	16.35
		2	640-0420	19.64	17.68
		4	640-0440	22.89	20.60
6"	¹⁵ / ₆₄ " x ¹ / ₈ "	00	640-0602	20.16	18.14
		0	640-0601	21.42	19.28

Lengui	WILLIA			LAGII	111000
of Cut	Thickness	Cut	Item#	1-11	12+
6"	¹⁵ / ₆₄ " x ¹ / ₈ "	1	640-0610	\$22.47	\$20.22
		2	640-0620	23.10	20.79
		4	640-0640	26.99	24.29
		6	640-0660	47.04	42.34
8"	⁵ /16" X ⁹ /64"	00	640-0802	27.93	25.14
		0	640-0801	29.40	26.46
		2	640-0820	31.82	28.64

*Made in Switzerland.



Pillar, Narrow

Parallel in width and tapered in thickness. Double cut on the flat sides only, both edges are safe.

Length	Width x			EACH Prices		
of Cut	Thickness	Cut	Item#	1-11	12+	
4"	¹¹ / ₆₄ " x ³ / ₃₂ "	0	639-0401	\$19.11	\$17.20	
		2	639-0420	20.69	18.62	
		4	639-0440	24.15	21.74	
6"	⁵ /16" X ⁹ /64"	00	639-0602	21.42	19.28	
		0	639-0601	22.58	20.32	

Length	Width x		EACH			
of Cut	Thickness	Cut	Item#	1-11	12+	
6"	5∕16" x 9∕64"	1	639-0610	\$23.63	\$21.27	
		2	639-0620	24.47	22.02	
		4	639-0640	28.56	25.70	
		6	639-0660	46.62	41.96	
8"	²⁵ / ₆₄ " x ¹¹ / ₆₄ "	0	639-0801	31.08	27.97	
		2	639-0820	26.25	23.63	





Pillar, Regular

A general-purpose file used primarily for working on flat surfaces. Because pillar files are available in various widths, they are adaptable to filing in slots, keyways, splines and similar areas. Parallel in width and tapered in thickness to provide perfectly flat filing. Double cut top and bottom, both edges are safe.

Length	Width x		EACH Prices		
of Cut	Thickness	Cut	Item#	1-11	12+
4"	3/8" x 3/32"	00	637-0402	\$15.23	\$13.71
		0	637-0401	16.07	14.46
		2	637-0420	17.54	15.79
		4	637-0440	20.37	18.33
6"	³³ / ₆₄ " x ⁵ / ₃₂ "	00	637-0602	18.06	16.25
		0	637-0601	19.01	17.11
		1	637-0610	19.95	17.96
		2	637-0620	16.49	14.84

Length	Width x			EACH Prices		
of Cut	Thickness	Cut	Item#	1-11	12+	
6"	³³ / ₆₄ " x ⁵ / ₃₂ "	3	*737-0630	\$21.95	\$19.76	
		4	637-0640	23.84	21.46	
8"	¹⁹ / ₃₂ " x ¹³ / ₆₄ "	0	637-0801	26.25	23.63	
		2	637-0820	28.46	25.61	
10"	⁴⁵ / ₆₄ " x ¹⁵ / ₆₄ "	00	637-1002	34.13	30.72	
	⁴⁵ / ₆₄ " x ¹⁵ / ₆₄ "	0	637-1001	36.12	32.51	
	²³ / ₃₂ " x ¹⁵ / ₆₄ "	2	*737-1020	38.85	34.97	
				*Mada in	Cuitzorland	

*Made in Switzerland.



Pippin

Tapered in width and thickness. Combines the cross sections of round and crossing files along with the edge of a knife file. For finishing the junction of two different curved surfaces and for opening slots when a "V" shape is required. Double cut on both sides; top and bottom edges are single cut.

Length	Width x			EACH Price	s:	Length	Width x		E	ACH Prices	
of Cut	Thickness	Cut	Item#	1-11	12+	of Cut	Thickness	Cut	Item#	1-11	12+
6"	3/8" x ¹¹ /64"	0	647-0601	\$59.01	\$53.11	6"	3/8" x ¹¹ /64"	2	647-0620	\$63.74	\$57.37



Round, Parallel

Double cut over the entire surface. The 4" length is available in $\frac{1}{16}$ " and $\frac{1}{8}$ " diameters. The 6" length is available in $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ " and $\frac{3}{16}$ " diameters.

Length				EACH	l Prices
of Cut	Diameter	Cut	Item#	1-11	12+
4"	¹ / ₁₆ "	0	633-4501	\$15.65	\$14.09
		2	633-4520	17.54	15.79
4"	7/64"	0	633-4401	18.27	16.44
6"	3/32"	0	633-3601	21.21	19.09
		2	633-3620	23.10	20.79

Length				EACH Prices	
of Cut	Diameter	Cut	Item#	1-11	12+
6"	1/8"	0	633-4601	\$21.21	\$19.09
		2	633-4620	23.10	20.79
6"	11/64"	0	633-6601	22.05	19.85
		2	633-6620	23.21	20.89



Round, Tapered

Gradually tapered. Cut and workable to the point. Used where it is necessary to enlarge a hole or round off a radius. Double cut.

Length				EACH Prices	
of Cut	Diameter	Cut	Item#	1-11	12+
4"	1/4"	1	*732-0410	\$15.23	\$13.71
	5/32"	2	632-0420	15.86	14.27
	5/32"	4	632-0440	18.48	16.63
6"	¹⁵ /64"	0	632-0601	15.12	13.61
		2	632-0620	18.59	16.73

Length				EACI	H Prices
of Cut	Diameter	Cut	Item#	1-11	12+
6"	15/64"	4	632-0640	\$21.63	\$19.47
8"	⁵ ⁄16"	1	632-0810	24.78	22.30
		2	632-0820	25.62	23.06

*Made in Switzerland.



Square

Gradually tapered and double cut on all four sides. Cut and usable to the point. A general-purpose file.

Length					CH Prices
of Cut	Diameter	Cut	Item#	1-11	12+
6"	13/64"	0	643-0601	\$19.85	\$17.87
	13/64"	2	643-0620	21.42	19.28
	15/64"	4	*743-0640	25.83	23.25

Length				EAC	CH Prices
of Cut	Diameter	Cut	Item#	1-11	12+
8"	⁵ ⁄16"	0	*743-0801	\$26.04	\$23.44
	9/32"	2	643-0820	29.72	26.75
				*Made in	Switzerland.

^{*}Made in Switzerland.



Three-Square

Triangular profile. Gradually tapered, and cut workable to the point. Double cut on all three sides.

Length				EAC	H Prices
of Cut	Size	Cut	Item#	1-11	12+
6"	23/64"	0	634-0601	\$21.74	\$19.57
		1	634-0610	22.79	20.51

Length				EAC	H Prices
of Cut	Size	Cut	Item#	1-11	12+
6"	23/64"	2	634-0620	\$23.63	\$21.27
		4	634-0640	27.51	24.76



Warding

Parallel in thickness and tapered in width. Good for deburring. Double cut top and bottom, both edges are single cut.

Length				EACH Price		
of Cut	Diameter	Cut	Item#	1-11	12+	
4"	³¹ / ₆₄ " x ³ / ₆₄ "	00	649-0402	\$18.80	\$16.92	
		0	649-0401	19.95	17.96	
		2	649-0420	21.42	19.28	

Length	Width x			EACH Price		
of Cut	Thickness	Cut	Item#	1-11	12+	
4"	³¹ / ₆₄ " x ³ / ₆₄ "	4	649-0440	\$24.99	\$22.49	
6"	5/8" X 5/64"	2	649-0620	25.31	22.78	
		4	649-0640	29.40	26.46	

A-E Grobet Plastic File Handles

Virtually unbreakable plastic handles shaped and textured to fit your hand comfortably and prevent slipping. Feature tempered metal tang-holding inserts that are threaded to ensure proper alignment and positive grip. Allow easy file changes: just unscrew the file in use and screw in another. Have holes at top for hanging near your workbench.

		EACH	l Prices
Description	Item#	1-11	12+
A. #2 Handle	170-6002	\$3.25	\$2.93
B. #3 Handle	170-6003	3.25	2.93
C. #4 Handle	170-6004	3.35	3.02
D. #5 Handle	170-6005	3.35	3.02
E. #6 Handle	170-6006	3.50	3.15



Handle Selection Guide:

		File	Lengt	h					File	Lengt	h		
File Shape	3"	4"	6"	8"	10"	12"	File Shape	3"	4"	6"	8"	10"	12"
Barrette	2	3	4	5	-	-	Pillar	2	3	4	5	6	6
Checkering	_	_	4	-	-	-	Pippin	-	3	4	5	-	_
Crochet	-	3	4	5	-	-	Round, Parallel	_	-	2	3	-	
Crossing	-	3	4	5		-	Round, Tapered	-	2	3	4	5	_
Equalling	-	3	4	5	-	-	Square	-	2	3	4	5	_
Half-Round	-	3	4	5	6	6	Three-Square	2	3	4	5	6	6
Hand	-	3	4	5	6	6	Warding	-	3	4	5	_	-
Knife-Edge	-	3	4	5	6	6							



Grobet American Pattern Files

They are uniform in cut to permit fast metal removal. Extremely durable and scientifically balanced, each file is the product of a long tradition of superior craftsmanship combined with the most advanced technology. Every file is heat-treated to exacting standards to provide top performance and long life. Files are unsurpassed in accuracy of shape and size. Handle section (tang) is not considered in file length. Made in China.



American Cut – Bastard Swiss Cut – 00



American Cut – Second Swiss Cut – 0



American Cut – Smooth Swiss Cut – 2



Flat (End Tapered)

Universally used by all machinists, this file is recommended for fast stock removal where a smooth finish is not required. Double cut top and bottom; edges are single cut. Differs from the mill file in that it has a thicker cross section.

Length of Cut	Width x Thickness	Cut	Item#	Each
6"	5∕8" x 5∕32"	Bastard	770-0627	\$3.00
		Second	770-0628	3.25
		Smooth	770-0629	3.75
8"	²⁵ / ₃₂ " x ⁷ / ₃₂ "	Bastard	770-0827	4.10
		Second	770-0828	4.45
		Smooth	770-0829	4.80

Length of Cut	Thickness	Cut	Item#	Each
10"	³¹ / ₃₂ " x ¹ / ₄ "	Bastard	770-1027	\$5.30
		Second	770-1028	5.70
		Smooth	770-1029	6.25
12"	1 ⁵ / ₃₂ " x ⁹ / ₃₂ "	Bastard	770-1227	8.10
		Second	770-1228	8.70
		Smooth	770-1229	9.30



Half-Round

In addition to being widely used by machinists, this file is also popular in foundries where castings must be finished by filing. Rounded to approximately a third of a round on one side and double cut flat on the other. Double cut on both sides.

Length of Cut	Width x Thickness	Cut	Item#	Each
6"	¹⁹ / ₃₂ " x ⁵ / ₃₂ "	Bastard	770-0667	\$4.80
		Second	770-0668	9.90
		Smooth	770-0669	5.45
8"	³ / ₄ " x ⁷ / ₃₂ "	Bastard	770-0867	6.10
		Second	770-0868	6.70
		Smooth	770-0869	7.20

Length of Cut	Width x Thickness	Cut	Item#	Each
10"	¹⁵ ⁄16" x ⁹ ⁄32"	Bastard	770-1067	\$8.05
		Second	770-1068	9.40
		Smooth	770-1069	9.60
12"	1½" x 11/32"	Bastard	770-1267	12.05
		Second	770-1268	12.90
		Smooth	770-1269	13.85



Hand

Similar to a flat file but tapered in thickness with one safe edge. This uncut edge allows filing of one surface without damaging an adjoining surface. Especially useful when filing up to a sharp corners. Double cut top and bottom. One edge single, the other is safe.

Length of Cut	Width x Thickness	Cut	Item#	Each
6"	⁵ /8" x ⁵ /32"	Smooth	770-0639	\$3.75
8"	²⁵ / ₃₂ " x ⁷ / ₃₂ "	Bastard	770-0837	4.10
		Second	770-0838	4.45
		Smooth	770-0839	4.80

Length of Cut	Width x Thickness	Cut	Item#	Each
10"	31/ ₃₂ " x 1/ ₄ "	Bastard	770-1037	\$5.25
		Second	770-1038	5.70
		Smooth	770-1039	6.25
•				



Mill

Used in machine shops as a general-purpose file and for draw filing, lathe work and finishing operations on hard materials. Often used in conjunction with a flat or hand file as a finishing file after the "hogging off" operation. Single cut.

Length of Cut	Width x Thickness	Cut	Item#	Each
6"	⁹ /32" X ⁷ /64"	Bastard	770-0617	\$2.70
-		Second	770-0618	2.95
-		Smooth	7 70-0619	3.50
8"	²⁵ / ₃₂ " x ⁹ / ₆₄ "	Bastard	770-0817	3.50
		Second	770-0818	3.85
		Smooth	770-0819	4.10

Length of Cut	Width x Thickness	Cut	Item#	Each
10"	³¹ / ₃₂ " x ¹¹ / ₆₄ "	Bastard	770-1017	\$4.55
		Second	770-1018	4.95
		Smooth	770-1019	5.55
12"	1 ⁵ / ₃₂ " x ⁷ / ₃₂ "	Bastard	770-1217	6.25
		Second	770-1218	6.70
		Smooth	770-1219	6.75



Round

Designed for filing concave surfaces that have a smaller radius than a half-round file, enlarging round holes and making a corner radius. Tapered file is double cut.

Length of Cut	Diameter	Cut	Item#	Each
6"	7/32"	Bastard	770-0677	\$3.00
		Second	770-0678	3.00
		Smooth	770-0679	3.30
8"	⁵ /16"	Bastard	770-0877	3.70
		Second	770-0878	3.70
		Smooth	770-0879	3.75

Length of Cut	Diameter	Cut	Item#	Each
10"	3/8"	Bastard	770-1077	\$4.80
		Second	770-1078	4.80
		Smooth	770-1079	5.20
12"	1/2"	Bastard	770-1277	7.15
		Second	770-1278	7.15
		Smooth	770-1279	7.50



Square

Perfectly square tapering toward the point. Used for enlarging slots, keyways, grooves and holes that have right angles and for filing flat surfaces. All four sides are double cut.

Length of Cut	Width	Cut	Item#	Each
6"	7/32"	Bastard	770-0647	\$3.50
		Second	770-0648	3.75
		Smooth	770-0649	3.85
8"	⁵ /16"	Bastard	770-0847	3.85
		Second	770-0848	4.15
		Smooth	770-0849	4.55

of Cut	Width	Cut	Item#	Each
10"	3/8"	Bastard	770-1047	\$5.30
		Second	770-1048	5.55
		Smooth	770-1049	5.85
12"	1/2"	Bastard	770-1247	7.60
		Second	770-1248	8.10
	<u> </u>	Smooth	770-1249	16.73



Three-Square

Triangular double cut file. Tapers toward the point and has sharp corners. Used to file acute internal angles that cannot be reached with rectangular files.

Length of Cut	Width	Cut	Item#	Each
6"	15/32"	Bastard	770-0657	\$3.85
		Second	770-0658	4.00
		Smooth	770-0659	4.20
8"	5/8"	Bastard	770-0857	4.95
		Second	770-0858	5.40

Length of Cut	Width	Cut	Item#	Each
8"	5/8"	Smooth	770-0859	\$5.55
10"	3/4"	Bastard	770-1057	6.75
		Second	770-1058	7.15
		Smooth	770-1059	7.60

Grobet Swiss Pattern Needle Files

Swiss Pattern needle files are used for precision work in small areas. Finest quality files made. Made of the highest quality steel, machined and finished for precision shape, accuracy and balance. Teeth are sharp and cross-cut, assuring even filing. Recommended for both soft and hard metals, including platinum. Also used for removing, smoothing and shaping plastic and wood. Round knurled handles to provide a sure grip. Length measurements include handle. Length 4" (10 cm) has cut portion of 13/4" (44 mm), Length 61/4" (16 cm) has cut portion, Length 51/2" (14 cm) has cut portion of 21/2" (64 mm), Length $7^{3}/4$ " (20 cm) has cut portion of $4^{1}/8$ " (105 mm). Made in Italy.



Barrette

Tapered in width and thickness, coming to a point. Only flat side is cut, providing safe edge and top.

	Cut Length	Overall L	ength		EAC	H Prices		Cut Length	Overall L	ength		EACI	H Prices
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+	Cut	(inches)	(inches)	(cm)	Item#	1-11	12+
00	3	61/4	16	615-1029	\$7.98	\$7.18	2	3	61/4	16	615-1022	\$7.98	\$7.18
0	13/4	4	10	605-1020	10.82	9.74		41/8	73/4	20	620-1022	10.29	9.26
	21/2	51/2	14	610-1020	9.03	8.13	4	11/2	4	10	*705-1024	11.97	10.77
	3	61/4	16	615-1020	7.98	7.18		21/2	$5^{1/2}$	14	610-1024	9.24	8.32
	41/8	73/4	20	620-1020	10.29	9.26		3	61/4	16	615-1024	8.40	7.56
2	13/4	4	10	605-1022	10.82	9.74		41/8	73/4	20	620-1024	11.55	10.40
	21/2	51/2	14	610-1022	9.03	8.13	6	3	61/4	16	615-1026	11.03	9.93





Crochet

Tapered in width and gradually tapered in thickness. Used for filing junctions between flat and curved surfaces and for developing slots with rounded edges.

	Cut Length	Overall	Length		EACI	H Prices		Cut Length	Overall L	ength		EAC	H Prices
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+	Cut	(inches)	(inches)	(cm)	Item#	1-11	12+
0	21/2	5 ¹ / ₂	14	*710-1080	\$9.35	\$8.42	2	21/2	5 ¹ / ₂	14	610-1082	\$9.35	\$8.42
	3	61/4	16	*715-1080	8.51	7.66		3	61/4	16	615-1082	8.51	7.66
*Made in Switzerland													





Half-round on two sides with one side having a larger radius than the other. Tapered in width and thickness. Cut and usable to the point. Used primarily for filing interior curved surfaces. The double radius allows filing at the junction of two curved surfaces or of a straight and curved surface.

	Cut Length	Overall L	ength		EACH Prices		EACH Prices			Cut Length	Overall Le	ngth		EACH	l Prices
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+	Cut	(inches)	(inches)	(cm)	Item#	1-11	12+		
0	21/2	$5^{1/2}$	14	610-1090	\$10.71	\$9.64	2	3	6 ¹ / ₄	16	615-1092	\$9.24	\$8.32		
	3	6 ¹ /4	16	615-1090	9.24	8.32		41/8	$7^{3}/_{4}$	20	620-1092	11.97	10.77		
	41/8	73/4	20	620-1090	11.97	10.77	4	21/2	5 ¹ / ₂	14	610-1094	11.34	10.21		
2	1 ¹ / ₂	4	10	*705-1092	13.76	12.38		3	61/4	16	615-1094	10.29	9.26		
	21/2	$5^{1/2}$	14	610-1092	10.71	9.64		41/8	$7^{3}/_{4}$	20	620-1094	13.44	12.10		
					*Made in Sv	vitzerland.	6	3	61/4	16	615-1096	12.71	11.44		



Equalling

Parallel in width and thickness. Used primarily for filing slots and corners.

	Cut Length	Overall L	ength		EACH Prices			
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+		
00	3	61/4	16	615-1109	\$7.14	\$6.43		
0	1 ³ / ₄	4	10	605-1100	9.66	8.69		
	21/2	51/2	14	610-1100	7.98	7.18		
	3	61/4	16	615-1100	7.14	6.43		
	41/8	73/4	20	620-1100	9.98	8.98		
2	13/4	4	10	605-1102	9.66	8.69		
	21/2	51/2	14	610-1102	7.98	7.18		

	Cut Length	Overall L	ength		EACH	l Prices
Cut	(inches)	(inches) (inches) (cm)		Item#	1-11	12+
2	3	61/4	16	615-1102	\$7.14	\$6.43
	41/8	73/4	20	620-1102	9.98	8.98
4	13/4	4	10	605-1104	10.61	9.55
	21/2	51/2	14	610-1104	8.40	7.56
	3	61/4	16	615-1104	7.46	6.71
	41/8	73/4	20	620-1104	10.40	9.36
6	3	61/4	16	615-1106	9.77	8.79

Grobet Swiss Pattern Needle Files, continued



Half-Round

Tapered in width and thickness, coming to a point. Cut on both sides.

	Cut Length	Overall L	ength		EACH Prices	
Cut	(inches)	(inches)		Item#	1-11	12+
00	3	61/4	16	615-1039	\$9.24	\$8.32
0	13/4	4	10	605-1030	13.02	11.72
	21/2	$5^{1/2}$	14	610-1030	10.50	9.45
	3	6 ¹ / ₄	16	615-1030	9.24	8.32
	41/8	73/4	20	620-1030	11.97	10.77
2	13/4	4	10	605-1032	13.02	11.72
	21/2	5 ¹ / ₂	14	610-1032	10.50	9.45

	Cut Length	Overall L	ength		EACH Prices	
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+
2	3	61/4	16	615-1032	\$9.24	\$8.32
	41/8	73/4	20	620-1032	11.97	10.77
4	11/2	4	10	705-1034	15.65	14.09
	21/2	51/2	14	610-1034	11.34	10.21
	3	61/4	16	615-1034	10.29	9.26
	41/8	73/4	20	620-1034	13.44	12.10
6	3	61/4	16	615-1036	12.71	11.44



Knife-Edge

Tapered in width and thickness. Knife edge has the same thickness from point to shoulder. The included angle of the sharp edge is approximately 10°. Generally used to file in a slot or wedge-shaped opening. Curved knife edge allows easy filing in restricted areas.

	Cut Length	Overall L	ength		EACH Price		
Cut				Item#	1-11	12+	
0	1 ³ / ₄	4	10	605-1110	\$12.81	\$11.53	
	21/2	5 ¹ / ₂	14	610-1110	10.08	9.07	
	3	6 ¹ / ₄	16	615-1110	8.93	8.04	
	41/8	7 ³ /4	20	620-1110	11.66	10.49	
2	1 ³ / ₄	4	10	605-1112	12.81	11.53	
	21/2	5 ¹ / ₂	14	610-1112	10.08	9.07	

	Cut Length	Overall L			EACH Prices	
Cut	(inches)	(inches) (cm)		Item#	1-11	12+
2	3	6 ¹ / ₄	16	615-1112	\$8.93	\$8.04
	41/8	$7^{3}/_{4}$	20	620-1112	11.66	10.49
4	21/2	5 ¹ / ₂	14	610-1114	11.13	10.02
	3	6 ¹ / ₄	16	615-1114	9.98	8.98
	41/8	$7^{3}/_{4}$	20	*720-1114	13.13	11.82
6	3	6 ¹ / ₄	16	615-1116	12.39	11.15

*Made in Switzerland.



Marking

Identical to half-round, but cut on round side only. Flat side is safe.

	Cut Length	Overall L	ength		EACH Prices	
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+
2	3	6 ¹ / ₄	16	615-1122	\$8.93	\$8.04
4	3	6 ¹ / ₄	16	615-1124	9.98	8.98



Oval

Oval shape, gradually tapered to tip. Cut and workable to the point. Used for filing interior curved surfaces.

	Cut Length	Overall Le	ngth		EACH Prices		
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+	
2	3	61/4	16	615-1142	\$8.72	\$7.85	
4	3	61/4	16	615-1144	9.77	8.79	

Grobet Swiss Pattern Needle Files, continued

Round

Gradually tapered. Cut and workable to the point. Used where it is necessary to enlarge a hole or round off a radius.

	Cut Length	Overall L	ength	EACH Pr		l Prices
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+
00	3	61/4	16	615-1059	\$7.14	\$6.43
0	13/4	4	10	605-1050	10.19	9.17
	21/2	51/2	14	610-1050	8.30	7.47
	3	6 ¹ / ₄	16	615-1050	7.14	6.43
	41/8	73/4	20	620-1050	9.14	8.23
2	13/4	4	10	605-1052	10.19	9.17
	21/2	5 ¹ / ₂	14	610-1052	8.40	7.56

	Cut Length	Overall L	ength		EACH Prices	
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+
2	3	6 ¹ / ₄	16	615-1052	\$7.14	\$6.43
	41/8	73/4	20	620-1052	9.14	8.23
4	13/4	4	10	605-1054	12.29	11.06
	21/2	5 ¹ / ₂	14	610-1054	8.82	7.94
	3	61/4	16	615-1054	7.88	7.09
	41/8	73/4	20	620-1054	10.19	9.17
6	3	6 ¹ /4	16	615-1056	9.77	8.79

*Made in Switzerland.

Square

Gradually tapered and cut on all four sides. Cut and usable to the point. A general-purpose file.

	Cut Length	Overall L	ength		EACH	EACH Prices	
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+	
00	3	6 ¹ / ₄	16	615-2069	\$7.98	\$7.18	
0	1 ³ / ₄	4	10	605-1060	11.13	10.02	
	21/2	5 ¹ / ₂	14	610-1060	9.24	8.32	
	3	61/4	16	615-2060	7.98	7.18	
	41/8	$7^{3}/_{4}$	20	620-1060	10.29	9.26	
2	1 ³ / ₄	4	10	605-1062	11.13	10.02	
	21/2	5 ¹ / ₂	14	610-1062	9.24	8.32	

	Cut Length	Overall Le	ength		EACH	EACH Prices	
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+	
2	3	6 ¹ / ₄	16	615-2062	\$7.98	\$7.18	
	41/8	73/4	20	620-1062	10.29	9.26	
4	11/2	4	10	*705-1064	11.13	10.02	
	21/2	$5^{1/2}$	14	610-1064	9.98	8.98	
	3	61/4	16	615-2064	8.82	7.94	
	41/8	73/4	20	620-1064	11.55	10.40	
6	3	6 ¹ / ₄	16	615-2066	11.03	9.93	

*Made in Switzerland.

Three-Square

Gradually tapered and cut to the point.

Cut (inches) (inches) (cm) Item# 1-11 12+ 00 3 $6^{1}/4$ 16 $615-1069$ \$7.98 \$7.18 0 $1^{3}/4$ 4 10 $605-1010$ 11.34 10.21 $2^{1}/2$ $5^{1}/2$ 14 $610-1010$ 9.24 8.32 3 $6^{1}/4$ 16 $615-1060$ 7.98 7.18 $4^{1}/8$ $7^{3}/4$ 20 $620-1010$ 10.29 9.26 2 $1^{3}/4$ 4 10 $605-1012$ 11.34 10.21		Cut Length	Overall Length			EACH Prices	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Cut		(inches)	(cm)	Item#	1-11	12+
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	00	3	61/4	16	615-1069	\$7.98	\$7.18
3 6½ 16 615-1060 7.98 7.18 4½ 7¾ 20 620-1010 10.29 9.26 2 1¾ 4 10 605-1012 11.34 10.21	0	13/4	4	10	605-1010	11.34	10.21
4½ 7¾ 20 620-1010 10.29 9.26 2 1¾ 4 10 605-1012 11.34 10.21		21/2	5 ¹ / ₂	14	610-1010	9.24	8.32
2 1 ³ / ₄ 4 10 605-1012 11.34 10.21		3	61/4	16	615-1060	7.98	7.18
		41/8	73/4	20	620-1010	10.29	9.26
2½ 5½ 14 610-1012 12.30 11.07	2	13/4	4	10	605-1012	11.34	10.21
		21/2	51/2	14	610-1012	12.30	11.07

Cut Length		Overall L	ength		EACH Prices	
Cut	(inches)	(inches)	(cm)	Item#	1-11	12+
2	3	61/4	16	615-1062	\$7.98	\$7.18
	41/8	73/4	20	620-1012	10.29	9.26
4	11/2	4	10	*705-1014	11.39	10.25
	21/2	51/2	14	610-1014	9.98	8.98
	3	61/4	16	615-1064	8.82	7.94
	41/8	73/4	20	620-1014	11.55	10.40
6	3	61/4	16	615-1066	11.03	9.93

*Made in Switzerland.

Parallel in thickness and tapered in width. Good for deburring.

Cut Length Overall Length		Cut Length Overall Length			EACH	l Prices
Cut	(inches)	(inches) (cm)	Item#	1-11	12+
0	21/2	51/2	14	610-1070	\$9.03	\$8.13
	3	61/4	16	615-1070	7.98	7.18
	41/8	73/4	20	620-1070	10.29	9.26
2	21/2	5 ¹ / ₂	14	610-1072	9.03	8.13
	3	61/4	16	615-1072	7.98	7.18

Cut Length Overall Length				EACH Prices		
Cut	(inches)	(inches)		Item#	1-11	12+
2	41/8	73/4	20	620-1072	\$10.29	\$9.26
4	21/2	5 ¹ / ₂	14	610-1074	9.24	8.32
	3	61/4	16	615-1074	8.40	7.56
	4	73/4	20	*720-1074	11.87	10.68
					*Made in Sv	vitzerland.

A. Grobet Swiss Pattern Needle File Sets

Each includes 12 of our most popular files in one cut. 14mm and 16mm come in a storage pouch. Made in Italy.

Cut	Cut Length (inches)	Overall L (inches)	ength (cm)	Item#	SET of 12
0	21/2	$5^{1/2}$	14	603-1400	\$107.00
	3	6 ¹ / ₄	16	603-1600	114.95
2	21/2	5 ¹ / ₂	14	603-1420	107.00
	3	6 ¹ / ₄	16	603-1620	113.95
4	21/2	5 ¹ / ₂	14	603-1440	114.50
	3	6 ¹ / ₄	16	603-1640	124.95
6	3	61/4	16	603-1660	157.45



B. Plastic Needle File Handle

Durable plastic handle for holding all needle files. Measures 31/4" long.

		EACH	l Prices
Description	Item#	1-11	12+
Plastic File Handle	170-4010	\$5.50	\$4.68



B

C. Wooden File Handle with Collet

Wooden handle with metal collet for needle and escapement files. Measures $4^{1}/2$ " long.

Description	Item#	Each	
Wooden File Handle with Collet	170-4013	\$4.80	



D. Wooden File Handles

Wooden handles with metal ferrules for needle and escapement files. Measure 4" long.

				EACH	Prices
	Description	Diameter	Item#	1-11	12+
D.	Wooden File Handle	3/8"	170-6010	\$1.10	\$0.99
		5/8"	170-6011	1.10	0.99



E. Contoured Wooden File Handles

Polished wooden handles with metal ferrules for needle, escapement and pattern files. FACH Prices

			1	EAUH Pric	es
Description	Length	Item#	1-2	3-9	10+
Needle/Escapement					
File Handle	31/2"	170-4011	\$1.10	\$1.05	\$0.99
	4"	170-4012	1.10	1.05	0.99



Ē

A-G Grobet Inox Needle Files – For hard metals.

Inox files provide excellent performance on hard-to-file surfaces and hard metals. Feature exceptional hardness of 72 HRC and corrosion resistance for long life. Best of all, they won't clog—one knock is enough to remove metal chips. Handles are yellow for quick identification. Measure approx. 18cm (7") long. Made in Italy. Inox hand files are also available (see p. 310).



G	

			Cut 0	Cut 2		EACH Price	ces
	Style	Shape	Item#	Item#	1-2	3-11*	12+*
A.	Equalling		602-0021	602-0022	\$13.02	\$12.37	\$11.72
B.	Half-Round	ATTITUTE TO STATE OF THE PARTY	602-0026	602-0027	15.38	14.61	13.84
C.	Three-Square	e 🛆	602-0031	602-0032	13.60	12.92	12.24
D.	Square		602-0036	602-0037	13.60	12.92	12.24
E.	Round	Ö	602-0041	602-0042	12.97	12.32	11.67
F.	Barrette		602-0046	602-0047	14.44	13.72	13.00
G.	6-Piece Set		602-0051	602-0052	81.06	-	-

^{*}Quantity discount for orders of one item number only; not assorted.



H-N Grobet Teborg Needle Files

Economical chrome alloy steel needle files. Measure 5½" (14cm) long. Can be used with file handles (see p. 312). Sold individually and a set of six shapes. Made in Italy.

					EACH	l Prices
	Description	Shape	Cut	Item#	1-11	12+
H.	Barrette		2	604-3012	\$4.48	\$3.73
			4	604-3014	4.66	3.88
Ī.	Equalling		2	604-3022	4.48	3.73
			4	604-3024	4.60	3.83
J.	Half-Round	American III	2	604-3032	5.37	4.47
			4	604-3034	5.43	4.52
K.	Round	0	2	604-3042	4.48	3.73
			4	604-3044	4.60	3.83
L.	Square		2	604-3052	4.48	3.73
M.	Three-Square	Δ	2	604-3062	4.48	3.73
			4	604-3064	4.71	3.92
N.	6-Piece Set		2	604-3002	29.77	-
			4	604-3004	31.97	_



O. Econo Mini Needle File Set

An inexpensive set of 12 miniature needle files in our most popular shapes. Excellent for getting into tight spots and tiny settings. Files measure 4" (10cm) long. Made in China.

Description	Cut	Item#	Each
12-Piece Set	2	705-1000	\$11.45

Swiss Pattern Escapement Files

Sometimes known as square-handled needle files, escapement files are used for filing even smaller items such as fine extrusion dies and making fine repairs. Measure 14cm ($5\frac{1}{2}$ ") long with $1\frac{1}{2}$ " to $2\frac{1}{2}$ " cut length.



Barrette

Tapered in width and thickness, coming to a point. Only flat side is cut, providing safe edge and top.

Overall Length		EAC	H Prices	
Cut	inches cm	Item#	1-11	12+
0	5½ 14	725-1100	\$16.17	\$14.55
2		725-1102	16.28	14.65
4		725-1104	17.64	15.88

Overall Length			EAC	H Prices
Cut	inches cm	Item#	1-11	12+
6	5½ 14	725-1106	\$20.58	\$18.52
8		725-1108	21.53	19.38



Barrette, Parallel

Same as Barrette (above) but with parallel sides.

4		725-1114	\$17.64	\$15.88
Cut	inches cm	Item#	1-11	12+
Overall Length			EACH	l Prices

Overall Length			EAC	H Prices
Cut	inches cm	Item#	1-11	12+
6	5½ 14	725-1116	\$20.58	\$18.52



Crossing

Half-round on two sides with one side having a slightly larger radius than the other. Tapered in width and thickness. Cut and usable to the point. Used primarily for filing interior curved surfaces. The double radius allows filing at the junction of two curved surfaces or of a straight and curved surface.

Overall Length			EAC	H Prices
Cut	inches cm	Item#	1-11	12+
2	5½ 14	725-1032	\$19.01	\$17.11
4		725-1034	20.69	18.62

Overall Length			EACH Prices	
Cut	inches cm	Item#	1-11	12+
6	5 ¹ / ₂ 14	725-1036	\$23.94	\$21.55



Equalling

Parallel in width and thickness. Used primarily for filing slots and corners.

Overall Length			EACH Prices	
Cut	inches cm	Item#	1-11	12+
2	5½ 14	725-1082	\$15.12	\$13.61
4		725-1084	16.91	15.22

Overall Length		EAC	H Prices		
Cut	inches	cm	Item#	1-11	12+
6	5 ¹ / ₂	14	725-1086	\$19.95	\$17.96



Half-Round

Tapered in width and thickness, coming to a point. Cut on both sides.

Overall Length		EACH	l Prices	
Cut	inches cm	Item#	1-11	12+
2	5½ 14	725-1022	\$19.01	\$17.11
4		725-1024	20.69	18.62

Overall Length			EAC	CH Prices
Cut	inches cm	Item#	1-11	12+
6	5½ 14	725-1026	\$23.94	\$21.55
8		725-1028	25.10	22.59

Swiss Pattern Escapement Files, continued



Knife-Edge

Tapered in width and thickness. Knife edge has the same thickness from point to shoulder. The included angle of the sharp edge is approximately 10°. Generally used to file in a slot or wedge-shaped opening. Curved knife edge allows easy filing in restricted areas.

Overall Length			EAC	CH Prices
Cut	inches cm	Item#	1-11	12+
2	5½ 14	725-1092	\$18.80	\$16.92
4		725-1094	20.58	18.52

Overall Length			EAC	CH Prices
Cut	inches cm	Item#	1-11	12+
6	5½ 14	725-1096	\$23.73	\$21.36



Round

Gradually tapered. Cut and workable to the point. Used where it is necessary to enlarge a hole or round off a radius.

	Overall Length		EACH Prices	
Cut	inches cm	Item#	1-11	12+
0	5 ¹ / ₂ 14	725-1010	\$13.44	\$12.10
2		725-1012	13.44	12.10
4		725-1014	14.49	13.04

Overall Length			EACH Prices	
Cut	inches cm	Item#	1-11	12+
6	5½ 14	725-1016	\$14.60	\$13.14
8		725-1018	17.01	15.31
8		725-1018	17.01	-



Rounding Off

Cut on flat side only.

	Overall Length		EAC	CH Prices
Cut	inches cm	Item#	1-11	12+
4	5½ 14	725-1124	\$19.01	\$17.11

	Overall Length		EAG	CH Prices
Cut	inches cm	Item#	1-11	12+
6	5½ 14	725-1126	\$21.95	\$19.76



Square

Gradually tapered and cut on all four sides. Cut and usable to the point. A general-purpose file.

Overall Length			EACH Prices	
Cut	inches cm	Item#	1-11	12+
0	5½ 14	725-1040	\$16.38	\$14.74
2		725-1042	16.49	14.84
4		725-1044	18.59	16.73

	Overall Length		EAC	H Prices
Cut	inches cm	Item#	1-11	12+
6	5½ 14	725-1046	\$20.79	\$18.71
8		725-1048	21.74	19.57



Three-Square

Gradually tapered and cut to the point.

Overall Length			EAG	CH Prices
Cut	inches cm	Item#	1-11	12+
0	5½ 14	725-1050	\$16.17	\$14.55
2		725-1052	16.28	14.65
4		725-1054	17.64	15.88

Overall Length			EAG	CH Prices
Cut	inches cm	Item#	1-11	12+
6	5½ 14	725-1056	\$20.58	\$18.52
8		725-1058	21.53	19.38



Three-Square, Short and Slim

Cut on all three sides, tapered to a point.

	Overall Length		EAC	H Prices
Cut	inches cm	Item#	1-11	12+
4	5½ 14	625-1064	\$17.64	\$15.88

Overall Length			EACH Prices		
Cut	inches	cm	Item#	1-11	12+
6	51/2	14	625-1066	\$20.58	\$18.52

Swiss Pattern Escapement Files, continued

A. Swiss Pattern Escapement File Sets

Includes 12 popular shapes. Available in cut 2, 4 or 6.

Description	Cut	Item#	Set of 12
Swiss Escapement File Set	2	725-2002	\$194.25
	4	725-2004	190.75
	6	725-2006	240.45

B. File Card - Clean files cut faster!

Features steel wire bristles mounted on a wood handle for cleaning particles caught in teeth of files. Measures 8" long.

		EACH	Prices
Description	Item#	1-5	6+
File Card	816-2800	\$7.60	\$6.08



C. Grobet American Pattern Utility File Set

Six files to match any job perfectly!

Includes six American Pattern Files with wooden handles: square, half-round, three-square, round, flat and warding, all smooth cut. Comes complete with hanging pouch. File including handle measures 7" long with approx. 4" cut length.

Description	Cut	Item#	Set of 6
Utility File Set	Smooth	705-1005	\$17.00

Guide to Selecting Grobet Swiss Pattern Precision Files

File selection cannot be reduced to a formula or table but is based to a great degree on experience. However, the chart below gives you a great starting point for file selection.

Basic Application Type of	File Recommended
Corners-holes-edges	Three-Square
Corners-holes	Square
Corners-slots	Equalling
Curved surfaces-corners-holes	Half-Round
Curved surfaces-junctures of curved and flat surfaces-corners-holes	Crossing
Flat surfaces	Hand
Flat surfaces-corners-keyways dovetail ways-gear teeth-deburring	Barrette
Flat surfaces-slots	Pillar
Roughening surfaces for hand grips	Checkering
Rounded corners-slots-flat surfaces-junctures between curved and flat surfaces	Crochet
Rounded corners-holes-"V" slots	Pippin
Rounded inside corners-holes	Round
Slots	Screwhead
Slots	Warding
Slots-wedge-shaped openings	Knife

Keep in mind, there is more to file selection than shape alone. Selecting the correct cut to use is determined by the type of the metal you're working on, as well as the amount of material to be removed and your desired finish. For example, rapid removal of stock often indicates a cut 00, while working on narrow surfaces would suggest a cut 2 and a fine cut such as cut 4 or cut 6 would be used for final finishing operations.

Types of Files

Swiss Pattern Precision Files - The original Swiss Pattern files made in hundreds of shapes and sizes.

Swiss Pattern Needle Files - A group of files of various cross-sections with a knurled, round handle. Knurling gives the file a positive, Non-Slip grip for precision filing.

Escapement Files - Also called small Square Handled Needle Files. A group of files of various cross-sectioned shapes with a length of cut varying from $\frac{3}{4}$ " to $\frac{2^{1}}{2}$ ", with square handles.

Rifflers - Originally used and hand forged by die sinkers, die makers, silversmiths, etc., in shapes and cross-sections appropriate to their work. Teeth are cut on small areas on each end and can have a variety of shapes. A long middle portion serves as the handle.

Grobet Inox Files

For platinum, stainless steel, exotic plastics, and other hard to file materials. The hardest surface known - Rockwell hardness 72HRc. Better performance on hard-to-file surfaces. Little or no clogging; a simple knock is enough to remove the chips. Highly resistant to corrosion. Longer life than standard files. Made in Italy.

Handles are yellow for quick identification. Inox needle files are also available (see p. 306).





	Length of cut			EACH Pri	ices		Length of cut			EACH Pri	ices
Cut	inches	Item#	1-2	3-5	6+	Cut	inches	Item#	1-2	3-5	6+
0	6	602-0070	\$31.33	\$30.39	\$28.82	2	6	602-0072	\$33.81	\$32.80	\$31.11



Tapered in width and thickness, coming to a point. Cut on both sides.

	Length of cut EACH Prices			es	Length of cut			EACH Prices			
Cut	inches	Item#	1-2	3-5	6+	Cut	inches	Item#	1-2	3-5	6+
0	6	602-0090	\$37.57 \$	36.44 \$	34.56	2	6	602-0092	\$40.54 \$	39.32 \$	37.30



Hand

Parallel in width and gently tapered in thickness for perfectly flat filing. Double cut top and bottom with one single-cut edge and one safe edge

Length of cut EACH Prices			Length of cut EA			EACH Price	ces				
Cut	inches	Item#	1-2	3-5	6+	Cut	inches	Item#	1-2	3-5	6+
00	6	602-0079	\$21.34 \$	20.70 \$	19.63	2	6	602-0082	\$24.17	\$23.44	\$22.24
0	6	602-0080	22.40	21.73	20.61						



Gradually tapered. Cut and workable to the point. Used where it is necessary to enlarge a hole or round off a radius.

	Length of cut		Е	ACH Pric	es		Length of cut		ſ	EACH Pri	ices
Cut	inches	Item#	1-2	3-5	6+	Cut	inches	Item#	1-2	3-5	6+
0	6	602-0060	\$39.48 \$	38.30 \$	36.32	2	6	602-0061	43.87	42.55	40.36





Round

Gradually tapered. Cut and workable to the point. Used where it is necessary to enlarge a hole or round off a radius.

Length of cut			EACH Prices			
Cut	inches	Item#	1-2	3-5	6+	
2	6	702-0102	\$19.92	\$19.32	\$18.33	





Three-Square

Triangular profile. Gradually tapered, and cut workable to the point. Double cut on all three sides.

	Length of cut	E/	ACH Price	es	
Cut	inches	Item#	1-2	3-5	6+
2	6	702-0112	\$27.57 \$	26.74 \$2	25.36

A-E Grobet Ergo Files

Ergo files are designed for those in-between jobs that are too big for needle files and require finer control than heavier files. Shaped for easy handling and balanced for efficient cutting. Feature strong, secure built-in handles. Available in five different shapes for practically every precision filing requirement. Measure 8½" long with 4" cut length. All double cut. Made in Italy.

		-		Cut 1	EACH Prices		
	Style	Shape	Item#	Item#	1-9	10+*	
A.	Hand		604-1000	604-1001	\$17.33	\$15.60	
В.	Half-Round	Amurik Marie	604-1010	604-1011	18.38	16.54	
C.	Round	0	604-1040	604-1041	13.81	12.43	
D.	Square		604-1030	604-1031	21.68	19.51	
E.	Three-Square	Δ	604-1020	604-1021	21.63	19.47	
	5-Piece Set (one of ea	nch)	604-2000	604-2001	82.53	-	
40			l				



^{*}Quantity discount for orders of one item number only; not assorted.



F-H Vulcrylic (also known as Vulcanite) Files

Select between high-quality half-round files with open teeth and an economical alternative. Used for filing and shaping plastic, wax, wood, and other soft materials. Double ended: one coarse cut, the other medium cut. Each end is \(\frac{1}{2} \) wide tapering to tip. Made in Italy or India.

Description	Length	Item#	Each
F. Italian	7"	604-0011	\$35.18
G. Italian	8"	604-0010	37.80

Description	Length	Item#	Each
H. Econo (India)	8"	704-0020	\$10.85

I. Screwhead File with Tang

High quality steel file with smooth sides to cut only on the edge. Will not widen the slot as it deepens. Used for cleaning up marred slots on hard to replace screws or for filling .022" slots in new small screws. Measures 41/4"L x 23/64"W, with 27/8" cut length. Select appropriate thickness for desired slot size.

Description	Thickness	Item#	1-11	12+
#2	0.028"	649-1002	\$36.28	\$30.84
I #4	0.022"	649-1000	36.28	30.84


Description	Thickness	Item#	1-11	12+
#6	0.018"	649-0999	\$36.28	\$30.84
#8	0.014"	649-0998	36.28	30.84

J-M Steel Files - For reciprocating handpieces.

High-quality steel files for reciprocating handpieces. All cut 0. Measure 80mm ($3^{3}/_{16}$ ") long with 3mm shanks.

	Style	Shape	Item#	Each
J.	Round	Ö	701-0500	\$11.24
K.	Equalling		701-0520	11.24
L.	Half-Round	Amurik Marine	701-0540	11.24
M.	Three-Square	Δ	701-0560	11.24



















A-E Grobet Plastic File Handles

Virtually unbreakable plastic handles shaped and textured to fit your hand comfortably and prevent slipping. Feature tempered metal tang-holding inserts that are threaded to ensure proper alignment and positive grip. Allow easy file changes: just unscrew the file in use and screw in another. Have holes at top for hanging near your workbench. Made in Italy.

Handle Selection Guide:

			File L	ength					F	ile Le	ngth		
File Shape	3"	4"	6"	8"	10"	12"	File Shape	3"	4"	6"	8"	10"	12"
Barrette	2	3	4	5	_	-	Pillar	2	3	4	5	6	6
Checkering	-	-	4	-	-		Pippin	_	3	4	5	-	-
Crochet	-	3	4	5	-	_	Round, Parallel	-	-	2	3	-	-
Crossing	-	3	4	5	-	-	Round, Tapered	-	2	3	4	5	-
Equalling	-	3	4	5	-	-	Square		2	3	4	5	-
Half-Round	-	3	4	5	6	6	Three-Square	2	3	4	5	6	6
Hand	-	3	4	5	6	6	Warding	-	3	4	5	-	-
Knife-Edge	-	3	4	5	6	6							

		EACH Prices			
Description	Item#	1-11	12+		
A. #2 Handle	170-6002	\$3.25	\$2.93		
B. #3 Handle	170-6003	3.25	2.93		
C. #4 Handle	170-6004	3.35	3.02		
D. #5 Handle	170-6005	3.35	3.02		
E. #6 Handle	170-6006	3.50	3.15		

F. Plastic Needle File Handle

Durable plastic handle for holding all needle files. Measures 31/4" long.

		EACH	Prices	
Description	Item#	1-11	12+	
Plastic File Handle	170-4010	\$5.50	\$4.68	

G. Wooden File Handle with Collet

Wooden handle with metal collet for needle and escapement files. Measures 4½" long.

Description	Item#	Each
Wooden File Handle with Collet	170-4013	\$4.80

H. Wooden File and Burnisher Handle

Hardwood handle with metal ferrule curved to fit in your hand. Measures 37/8"L x 7/8" dia.

Description	Item#	Each
Wooden File and Burnisher Handle	170-3005	\$2.80

I. Skroo-Zon® File Handle


A white birch handle with heavy-gauge steel ferrule. Features a hardened steel insert inside the handle that cuts a thread on the file tang to grip it firmly. Keeps strain off the handle to prevent it from breaking. Holds 6" files. Measures 4"L x 1½" dia.

		EACH	Prices
Description	Item#	1-11	12+
Skroo-Zon File Handle	170-6000	\$2.70	\$2.43

J. Wooden File Handles

Wooden handles with metal ferrules for needle and escapement files. Measure 4" long.

			EACH EACH	1 Prices
Description	Diameter	Item#	3pc 3-9	12+
J. Wooden File Handle	3/8"	170-6010	\$1.10	\$0.99
	5/8"	170-6011	1.10	0.99



K, L Contoured Wooden File Handles

Polished wooden handles with metal ferrules for needle, escapement and pattern files.

			E	EACH Pric	es
Description	Length	Item#	1-2	3-9	10+
K. Needle/Escapement File Handle	31/2"	170-4011	\$1.10	\$1.05	\$0.99
	4"	170-4012	1.10	1.05	0.99
L. Pattern File Handle	3"	170-6012	1.95	1.85	1.76
	4"	170-6013	1.95	1.85	1.76
	5"	170-6014	2.10	2.00	1.89

Swiss Pattern Diemaker's Rifflers

For removing metal and smoothing hard-to-reach surfaces. All are double-ended, both ends identical. Measure approx. 7" overall length. Made in Italy unless otherwise noted.

Swiss Pattern Diemaker's Rifflers Style Cut 0 Cut 2 **EACH Prices** All double-ended. Old/New Item# Item# 12+* 1-11 710/603 600-7100 600-7102 \$34.76 \$31.28 711/604 600-7110 600-7112 34.76 712/605 600-7120 600-7122 31.28 34.76 713/606 600-7130 600-7132 34.76 31.28 731/607 600-7310 600-7312 34.76 31.28 732/608 600-7320 600-7322 34.76 31.28 741/609 600-7410 600-7412 39.59 35.63 750/610 600-7500 600-7502 35.63 39.59 761/611 600-7610 600-7612 39.59 35.63 762/612 600-7620 600-7622 39.59 35.63 763/613 600-7630 600-7632 35.91 32.32 771/615 600-7710 600-7712 35.91 32.32 781/616 600-7810 600-7812 29.40 26.46 796 700-7962** 48.30 43.47 *Quantity discount for orders of one item number only; not assorted. ** Made in Switzerland.

Swiss Pattern Diemaker's Riffler Sets

Styles: 710/603, 711/604, 712/605, 713/606, 731/607, 732/608, 741/609, 750/610, 761/611, 762/612, 771/615, 781/616. Selection subject to change without notice.

603-0500	603-0520	\$413.00
Cut 0 Item#	Cut 2 Item#	Set of 12

Swiss Pattern Diesinker's Rifflers

All are double-ended files. Commonly used to shape and finish curved, unusual, or hard-to-reach surfaces. Illustrations feature one side (both sides are identical except for 905/503, which is straight and curved). All measure 6" long. Available individually or in a set of 12 (p. 316). Made in Italy unless otherwise stated.

						annanananan kara
Λ	Style Old/New	Cut 0 Item#	Cut 2 Item#	Cut 4 Item#	EACI 1-11	H Prices 12+*
- ADDITION OF	900	-	700-9002**	_	\$24.99	\$22.49
	901/502	600-9010	600-9012	_	24.26	21.83
	902	700-9020**	700-9022**	_	23.84	21.46
Both ends shown of style 905/503.	905/503	600-9050	600-9052	700-9054**	26.67	24.00
Both chas shown of style sociosos.	911/505	600-9110	600-9112	700-9114**	27.09	24.38
	912/506	600-9120	600-9122	700-9124**	25.20	22.68
	913/507	600-9130	600-9132	_	27.20	24.48
	914/508	600-9140	600-9142	700-9144**	25.31	22.78
□	915/509	600-9150**	600-9152	-	25.52	22.97
	917/511	600-9170	600-9172	_	25.52	22.97
THE STATE OF THE S	918/512	700-9180	600-9182	_	27.20	24.48
	919	700-9190**	700-9192**	_	32.66	29.39
	920	700-9200**		_	31.82	28.64
	930/515	600-9300	600-9302	_	25.20	22.68
Constitution of the Consti	940/517	600-9400	600-9402	_	29.72	26.75
	941/518	600-9410	600-9412	700-9414**	25.20	22.68
	942/519	700-9420**	600-9422	700-9424**	28.98	26.08
	950 *Quantity d	700-9500** liscount for orders Switzerland	– s of one item num	– ber only; not ass	29.30 orted.	26.37

^{**} Made in Switzerland.

Swiss Pattern Diesinker's Rifflers, continued

Style Old/New	Cut 0 Item#	Cut 2 Item#	Cut 4 Item#	EACH 1-11	Prices 12+*	All double-ended.	
951/522	600-9510	600-9512	_	\$34.55	\$31.10		Λ
952/523	600-9520	600-9522	_	34.44	31.00	30W SHMC	\bigvee
953	_	700-9532**	_	32.66	29.39		\bigvee
954	-	700-9542**	_	35.18	31.66		Ť.
955/525	600-9550	600-9552	_	37.28	33.55	SMISS MALLE	V
956/526	600-9560	600-9562	700-9564**	25.52	22.97	CHISS MADE	
957/527	_	600-9572	_	28.56	25.70		П
958	700-9580**	700-9582**	_	31.08	27.97		H
961/529	600-9610	600-9612	_	29.72	26.75	19632 X	Thomas of the same
962	700-9620**	700-9622**	_	26.15	23.54		Mondel
963/531	600-9630	600-9632	700-9634**	30.35	27.32		
964/532	600-9640	600-9642	_	22.68	20.41	VSEZU Z	
965/533	600-9650	600-9652	_	22.68	20.41		\bigcap
970/534	700-9700**	600-9702	600-9704	25.20	22.68		**************************************
971	700-9710**	_	700-9714**	25.20	22.68	RR (4AC):	
972/536	600-9720	600-9722	-	26.36	23.72	F4.1.8.1 Y	***************************************
973/537	600-9730	600-9732	700-9734**	25.20	22.68		0
975/539	600-9750	600-9752	_	25.20	22.68		Willey Washington
981/541	600-9810	600-9812	600-9814	22.68	20.41		O
982/542 *Quantity of	600-9820	600-9822 of one item numb	– ner only; not asso	22.68 orted.	20.41	SHEET HALL	0

^{*}Quantity discount for orders of one item number only; not assorted.

Swiss Pattern Diesinker's Rifflers, continued Style Cut 0 Cut 2 Cut 4 **EACH Prices** All double-ended. Old/New 12+* Item# Item# Item# 1-11 983/543 600-9830 600-9832 \$22.68 \$20.41 984/544 600-9840 600-9842 700-9844** 22.68 20.41 600-9850 985/545 600-9852 700-9854** 22.68 20.41 986/546 600-9860 600-9862 700-9864** 23.52 21.17 987 700-9874** 22.68 20.41 988 700-9882** 22.68 20.41 29.72 990 700-9902** 26.75 996/552 600-9962 600-9964 34.86 31.37 700-9970** 19.53 17.58



Swiss Pattern Diesinker's Riffler Sets

A. Set of 12

Styles: 955/525, 956/526, 957/527, 961/529, 963/531, 964/532, 965/533, 972/536, 973/537, 975/539, 981/541, 982/542. Subject to change without notice. Made in Italy.

	Cut 0	Cut 2
Item#	603-0100	603-0120
Set of 12	\$299.25	\$299.25

^{*}Quantity discount for orders of one item number only; not assorted.

^{**}Made in Switzerland.

Spectra Diamond Files

High-quality diamond files at economical prices. Feature a combination of natural and synthetic diamonds firmly plated onto durable steel blanks. Cushioned color-coded ends. Made in Germany.

Spectra Grit C	hart	
Medium	D126	120/140
Fine	D91	170/200
Very Fine	D64	230/270

A-E Spectra Medium Diamond Needle Files

Diamond needle files with 3mm round handles. Measure 5½" (14cm) long. Plated ends measure 23/4" long. Medium grit (D126, or U.S. standard 120/140).

					EACH Pri	ces
	Style	Shape	Item#	1-4	5-9	10+
A.	Equalling		241-0010	\$30.25	\$28.74	\$27.23
В.	Flat-Pointed		241-0020	30.25	28.74	27.23
C.	Half-Round	A STATE OF THE STA	241-0030	30.25	28.74	27.23
D.	Round	0	241-0040	30.25	28.74	27.23
E.	Knife	The same of the sa	241-0050	30.25	28.74	27.23
	Set of all five		241-0250	141.00	-	-

F-J Spectra Fine Diamond Needle Files

Diamond needle files with 3mm round handles. Measure 5½" (14cm) long. Plated ends measure 23/4" long. Fine grit (D91, or U.S. standard 170/200).

				EACH Prices		
	Style	Shape	Item#	1-4	5-9	10+
F.	Equalling		241-0012	\$30.25	\$28.74	\$27.23
G.	Flat-Pointed		241-0022	30.25	28.74	27.23
Н.	Half-Round	AMILIAN TO THE PARTY OF THE PAR	241-0032	30.25	28.74	27.23
I.	Round	0	241-0042	30.25	28.74	27.23
J.	Knife	The same of the sa	241-0052	30.25	28.74	27.23
	Set of all five		241-0245	141.00	-	-

K. Spectra Very Fine Diamond Escapement File


Diamond escapement file with \(^3/\)32" square handle. Measures 5\(^1/\)2" (14cm) long. Plated end measures $1\frac{3}{4}$ " long with $\frac{1}{16}$ "- $\frac{1}{32}$ " taper. Very fine grit (D64, or U.S. standard 230/270).

				EACH Pri	ces
Style	Shape	Item#	1-4	5-9	10+
Round (tapered)	0	241-0150	\$33.00	\$31.35	\$29.70

L-P Spectra Very Fine Diamond Micro Files

Mini diamond files with 3/32" wide handles. Measure approx. 4" long except round, which measures approx. 33/4" long. Plated ends measure approx. 2" long with 1/16"-1/32" taper for round only. Very fine grit (D64, or U.S. standard 230/270).

					EACH Pri	ces
	Style	Shape	Item#	1-4	5-9	10+
L.	Round (tapered)	0	241-0500	\$26.00	\$24.70	\$23.40
M.	Half-Round	***************************************	241-0505	26.00	24.70	23.40
N.	Square		241-0510	26.00	24.70	23.40
0.	Three-Square	A	241-0515	26.00	24.70	23.40
P.	Flat Hand		241-0520	26.00	24.70	23.40
	Set of all five		241-0525	123.00	-	-




See all our other DIAMOND FILES on pages 109-113.

They include 3M Diamond Hand files, Gesswein Diamond Poli files, Rifflers and Needle files, as well as Diamond Lappers and Hand Sharpeners.











A. Dead-Blow Mallets - With detachable faces

Feature cast-iron heads filled with iron shot. As each mallet is struck, shot moves forward behind the blow to dampen rebound and ensure efficient transmission of force. Includes two replaceable nonmarring polyurethane faces: medium (green) and hard (black). Impervious to oils and most solvents. Grooved hickory handles. Made in USA.

Head Dia. x L	Head Wt.	Length	Item#	Each
1" x 4 ¹ / ₄ "	³∕4 lbs.	11"	821-9070	\$38.70
1½" x 5½"	2 lbs.	131/8"	821-9080	49.50
2" x 6 ¹ / ₄ "	3 ¹ / ₂ lbs.	141/2"	821-9090	66.70
Replacement Face	Color	Hardness	Item#	Each
1" dia.	Green	Med.	821-9100	\$7.80
	Black	Hard	821-9110	10.50
1½" dia.	Green	Med.	821-9120	10.60
	Black	Hard	821-9130	13.90
2" dia.	Green	Med.	821-9140	15.25
	Black	Hard	821-9150	20.40

B. Weighted Rawhide Mallets

Feature heads made of lead strips surrounded by multiple layers of tough water buffalo hide with screw fastening for great longevity. Deliver extrastrong blows without scratching fine work surfaces. Hickory handles. Made in USA.

				EAC	H Prices
Head Dia. x L	Head Wt.	Length	Item#	1-2	3+
1 ¹ / ₄ " x 2 ¹ / ₂ "	8 oz.	91/4"	821-8000	\$35.00	\$33.25
1½" x 3"	12 oz.	10"	821-8001	39.00	37.05
1 ³ / ₄ " x 3 ³ / ₈ "	16 oz.	11 ¹ /2"	821-8002	45.00	42.75
2" x 3 ¹ / ₂ "	20 oz.	12"	821-8003	60.00	57.00

C. Rawhide Mallets

Compressed rawhide mallets for use when extra care must be taken not to mar the work surface. Hickory handles. Most popular size for general purpose work is $1^{1}/_{2}$ " x 3". Made in USA.

1" x 2" $2\frac{1}{2}$ oz. 8" 821-8800 \$17.00 \$15.3 $1\frac{1}{4}$ " x $2\frac{1}{2}$ " $4\frac{1}{2}$ oz. 9" 821-8850 19.00 17.3 $1\frac{1}{2}$ " x 3" 6 oz. 10" 821-8900 22.00 19.3 $1\frac{3}{4}$ " x $3\frac{1}{2}$ " 9\frac{1}{2} oz. 11" 821-8950 28.00 25.3 2" x $3\frac{1}{2}$ " 12 oz. 11\frac{3}{4}" 821-9000 34.00 30.0					EACI	H Prices
1½" x 2½" 4½ oz. 9" 821-8850 19.00 17. 1½" x 3" 6 oz. 10" 821-8900 22.00 19.0 1¾" x 3½" 9½ oz. 11" 821-8950 28.00 25.0 2" x 3½" 12 oz. 11¾" 821-9000 34.00 30.0	Head Dia. x L	Head Wt.	Length	Item#	1-2	3+
$1\frac{1}{2}$ " x 3" 6 oz. 10" 821-8900 22.00 19.0 $1\frac{3}{4}$ " x $3\frac{1}{2}$ " $9\frac{1}{2}$ oz. 11" 821-8950 28.00 25.0 2 " x $3\frac{1}{2}$ " 12 oz. $11\frac{3}{4}$ " 821-9000 34.00 30.0	1" x 2"	$2^{1/2}$ oz.	8"	821-8800	\$17.00	\$15.30
1 ³ 4" x 3 ¹ /2" 9 ¹ /2 oz. 11" 821-8950 28.00 25. : 2" x 3 ¹ /2" 12 oz. 11 ³ /4" 821-9000 34.00 30.	1½" x 2½"	$4^{1/2}$ oz.	9"	821-8850	19.00	17.10
2" x 3 ¹ / ₂ " 12 oz. 11 ³ / ₄ " 821-9000 34.00 30.	1 ¹ / ₂ " x 3"	6 oz.	10"	821-8900	22.00	19.80
	1 ³ / ₄ " x 3 ¹ / ₂ "	$9^{1/2}$ oz.	11"	821-8950	28.00	25.20
$2\frac{3}{4}$ " x $4\frac{1}{4}$ " $1\frac{1}{2}$ lbs. $13\frac{1}{2}$ " 821-9050 57.50 51.	2" x 3 ¹ / ₂ "	12 oz.	11 ³ /4"	821-9000	34.00	30.60
	2 ³ / ₄ " x 4 ¹ / ₄ "	1½ lbs.	13 ¹ /2"	821-9050	57.50	51.75

D. Polyurethane Dead-Blow Mallets

One-piece mallets with no exposed metal. Will not mushroom, split or pick up debris. Outlast rawhide, rubber, brass, lead, nylon and plastic mallets 10–20 times over. Made in USA.

				EAG	H Prices
Head Dia. x L	Head Wt.	Length	Item#	1-2	3+
⁷ /8" x 2 ⁷ /8"	8 oz.	93/8"	821-7060	\$28.95	\$26.06
1 ¹ / ₄ " x 4 ³ / ₁₆ "	18 oz.	10 ⁵ /8"	821-7061	31.95	28.76

E. Polyethylene Mallet

Made of dense, nonporous polyethylene, which is nonmarring and easy to clean. Hickory handle. Made in USA.

				EAC	H Prices
Head Dia. x L	Head Wt.	Length	Item#	1-2	3+
1 ³ / ₄ " x 3 ⁷ / ₈ "	8 oz.	11 ¹ / ₄ "	821-8790	\$16.00	\$14.40

A-C Brass and Nylon Mallets

Feature replaceable brass and nylon faces. Hardwood handles. Made in India.

Head Dia. x L	Head Wt.	Length	Item#	Each
A. 9/16" x 23/4"	2 ¹ / ₂ oz.	9"	822-0010	\$16.50
B. 5/8" x 23/8"	5 oz.	9"	822-0015	24.75
C. 5/8" x 4"	10 oz.	9"	822-0016	24.99
Replacement Face	!	Type	Item#	Each
⁹ ⁄16" dia.		Brass	822-0020	\$1.50
		Nylon	822-0025	1.50
⁵ ∕8" dia.		Brass	822-0030	1.50
		Nylon	822-0035	1.50



3pc) Three-piece minimum; please order in multiples of three.

D, E Brass Mallets with Wooden Handles

Feature small brass heads. Will not mar steel. Hardwood handles.

Head Dia. x L	Head Wt.	Length	Item#	Each
D. 11/16" x 2" USA	4 oz.	81/4"	822-0040	\$11.25
E. /2" x 2" Imported	2 oz.	91/2"	822-0042	\$4.50

F. Mini Brass Mallet

Features a high-quality solid brass head with flat and ball-peen end threaded onto an anodized aluminum handle. Hexagonal handle prevents slipping. Made in USA.

Head Dia. x L	Head Wt.	Length	Item#	Each
¹ / ₂ " x 1 ³ / ₄ "	2 oz.	8"	821-8170	\$14.95

G. Economy Ball-Peen Hammers

Steel hammers with flat and ball-peen faces. Wooden handles. Imported.

Head Dia. x L	Head Wt.	Length	Item#	Each
1/2" x 2"	2 oz.	10 ¹ / ₂ "	821-8050	\$4.40
³ / ₄ " x 2 ³ / ₄ "	4 oz.	101/2"	821-8100	5.65
⁷ ∕8" x 3"	8 oz.	10 ¹ /2"	821-8150	6.95

H. Plastic Mallet

Features nonmarring plastic head with flat faces. Hardwood handle. Made in Germany.

Head Dia. x L	Head Wt.	Length	Item#	Each
³ / ₄ " x 2 ³ / ₄ "	5½ oz.	10 ¹ / ₂ "	821-8795	\$12.50

I. Nylon Mallet with Wooden Handle

Shock-cushioned mallet with replaceable nonmarring nylon faces. Hickory handle. Made in UK.

Head Dia. x L	Head Wt.	Length	Item#	Each	
1" x 3 ⁷ / ₈ " 10 oz.		10"	821-7080	\$33.60	
Replacement Faces			Item#	Pair	
1" dia.			821-7008	\$10.00	

J. Nylon Mallets with Plastic Handles

Shock-cushioned mallets with replaceable nonmarring nylon faces. Plastic handles with rubber nonslip grips impervious to moisture and oil. Made in UK.

Head Dia. x L	Head Wt.	Length	Item#	Each
1 ¹ / ₄ " x 3 ⁷ / ₈ "	1 lb.	11 ¹ /2"	821-7100	\$40.50
1 ¹ / ₂ " x 4 ³ / ₄ "	1½ lbs.	12"	821-7120	46.20
Replacement Fac	ces		Item#	Pair
Replacement Factorial 11/4" dia.	ces		821-7010	\$12.00

K. Brass Mallets

Feature solid brass heads that deliver a hard blow. Ideal for work that requires a solid hit, including stamping, dapping and punching. Metal handles with nonslip grips. Made in USA.

Head Dia. x L	Head Wt.	Length	Item#	Each
1" x 2 ⁵ / ₈ "	1 lb.	93/4"	821-7050	\$46.15
1 ¹ / ₄ " x 2 ⁵ / ₈ "	2 lbs.	93/4"	821-7051	55.15



Peddinghaus Hammers

German made Peddinghaus hammers are crafted using the time-tested process of forging. These high-quality hammers are not cast. Finely balanced with curved ash handles, they are the choice of metal smiths for riveting, forming, embossing, grooving and raising. These hammers are manufactured in accordance with strict ISO and DIN standards. Made in Germany.





A. Peddinghaus Planishing Hammer

Fine steel hammer with highly polished flat (24mm dia.) and bowed (24mm dia.) faces, Solid ash handle, Meets strict ISO and DIN standards, Made in Germany.

				EA	CH Prices
Head Length	Head Wt.	Length	Item#	1-2	3+
80mm	6 oz.	10 ¹ /4"	821-7024	\$37.95	\$36.05

B. Peddinghaus Polishing Hammer

Fine steel hammer with highly polished lightly bowed (24mm dia.) and heavily bowed (24mm dia.) faces. Solid ash handle. Meets strict ISO and DIN standards. Made in Germany.

				EAU	H Prices
Head Length	Head Wt.	Length	Item#	1-2	3+
104mm	8 ³ /4 oz.	11 ³ / ₄ "	821-7026	\$37.95	\$36.05

C. Peddinghaus Chasing Hammer

Fine steel hammer with two satin-polished differently bowed (15 and 20mm thick) faces. Solid ash handle. Meets strict ISO and DIN standards. Made in Germany.

				EAC	H Prices
Head Length	Head Wt.	Length	Item#	1-2	3+
117mm	14 oz.	12 ¹ /4"	821-7025	\$37.95	\$36.05

D. Peddinghaus Goldsmith's Hammer

Fine chrome-plated steel hammer with highly polished flat and chisel faces. Solid ash handle. Meets strict ISO and DIN standards. Made in Germany.

				EACH	l Prices
Head Dia. x L	Head Wt.	Length	Item#	1-2	3+
16 x 90mm	2³/4 oz.	11 ¹ /2"	821-7020	\$37.95	\$36.05

E, F Peddinghaus Embossing Hammers

Fine steel HB hammer with two highly polished heavily bowed (18 and 21mm dia.) faces. Fine steel DB hammer with two highly polished differently bowed (11 and 14mm dia.) faces. Solid ash handle. Meets strict ISO and DIN standards. Made in Germany.

Head Length	Head Wt.	Length	Item#	1-2	+ 3+
E. 135mm	7 oz.	11"	821-7021	\$37.95	\$36.05
F. 105mm	3½ oz.	10 ¹ / ₄ "	821-7023	37.95	36.05

G. Peddinghaus Bordering Hammer

Fine steel hammer with two satin-polished straight pattern faces. Solid ash handle. Meets strict ISO and DIN standards. Made in Germany.

Toda II A Longton I Longto					EAU	H Prices
$72 \times 140 \text{mm}$ $10^{1}/2 \text{ oz.}$ $11^{3}/4$ " 821-7022 \$37.95 \$36.	Head H x L	Head Wt.	Length	Item#	1-2	3+
	72 x 140mm	10½ oz.	11 ³ / ₄ "	821-7022	\$37.95	\$36.05



A. Goldsmith's Hammer

Well-balanced, polished steel hammer with flat and chisel faces for riveting, shaping and forming. Wooden handle. Made in Germany.

Head Dia. x L	Head Wt.	Length	Item#	Each
5/8" x 3 ¹ /2"	5 oz.	12"	821-8235	\$29.95

B. Swiss-Style Riveting Hammer

Polished steel hammer with flat and chisel faces. Wooden handle. Imported.

Head Dia. x L	Head Wt.	Length	Item#	Each
⁷ / ₁₆ " x 3"	2 oz.	91/2"	821-8775	\$7.55

C. Premium Chasing Hammers

Feature hardened flat face for striking chisels and chasing tools and ballpeen face for forming rivet heads and more. Well-balanced hardwood handles with oval grip and narrow shaft provide spring when striking, reducing vibration in your hand. Made in Germany.

Head Dia.	Head Wt.	Length	Item#	Each
3/4"	3½ oz.	10"	821-8243	\$49.00
1"	4 oz.	10"	821-8245	49.00
11/8"	5 oz.	10"	821-8250	52.00
11/4"	6 oz.	10"	821-8255	54.00

D. Economy Chasing Hammer

Has flat face for striking chasing tools and polished ball-peen face for hammering directly on metal. Wooden handle. Imported.

Head Dia.	Head Wt.	Length	Item#	Each
11/8"	4 oz.	10½"	821-8253	\$12.75

E. Riveting Hammers

Polished steel hammers with flat and chisel faces. Wooden handles. Made in USA.

Head Dia. x L	Head Wt.	Length	Item#	Each
3/8" x 23/4"	2 ¹ / ₂ oz.	10"	821-8600	\$31.25
1/2" x 31/2"	4 oz.	10"	821-8650	31.25
⁹ / ₁₆ " x 4"	5 oz.	10"	821-8700	31.25
⁵ /8" x 4 ¹ / ₄ "	7 oz.	10"	821-8750	37.50

F. Riveting Hammer

Made of hardened steel for solid striking force. One end flat, other chisel-shaped. Wooden handle. Head length: 80mm long. Face dimensions: 15mm square. Made in Germany.

Head Dia. x L	Head Wt.	Length	Item#	Each
¹ /2" x 3 ⁵ /32"	3.5 oz.	10 ¹ /8"	821-8625	\$10.25

G. Planishing Hammer

Precision-ground and hardened steel domed hammer with polished face. Domed style has flat and slightly domed round faces. Solid ash handle. Made in Germany.

Head Dia. x L	Head Wt.	Length	Item#	Each
⁷ /8" x 3 ³ /4"	12 oz.	11 ¹ /2"	821-8242	\$44.95

Web Site Orders 24/7: gesswein.com



Fretz Hammers and Miniature Stakes

Fretz Hammers feature beautiful and strong Padauk wood handles, oil finished and tapering to a slender neck for flexibility. Head is cast from 420-grade stainless steel and hardened to 50HRC for maximum durability. Faces are polished to a mirror shine.

The size of the hammer will be dictated by the size of the workpiece. Small, light projects will require small hammers (HMR-1 or 5), and big, heavy projects will require large hammers (HMR-101). Made in Vietnam.





A. Planishing Hammers

For smoothing metal: round head smooths previous raising marks, and flat head smooths marks from round head to a nearly even finish. Can also be used for sizing rings, shaping bezels and forming metal against mandrels and stakes. Made in Vietnam.

Description	Faces	Length	Item#	Each
HMR-1	3/4"	9"	821-7030	\$52.00
HMR-101	7/8"	97/8"	821-7035	74.50

B. Chasing Hammer


A modern design chasing hammer of medium weight. The balance of this hammer makes each hammer blow effortless. Features $1\frac{1}{32}$ " (29mm) flat face for striking chasing tools and $\frac{1}{2}$ " (12mm) polished ball-peen face for hammering directly on metal. Made in Vietnam.

Description	Faces	Length	Item#	Each
HMR-17	11/8" & 1/2"	9"	821-8265	\$52.00

C. Small Embossing Hammer

For forming small raised areas by hammering from the inside in preparation for chasing or shaping. Imparts a very fine dimpled texture that can be varied by blow strength. Made in Vietnam.

Description	Faces	Length	Item#	Each
HMR-5	3/8" & 1/4"	9"	821-7034	\$52.00



D-I Fretz F-Series Mini Silversmithing Stakes

Give yourself more creative forming options!

F-series stakes to create complex shapes. Stakes are hardened to 38 HRC for easy reshaping. Holders are softer to ensure stakes fit securely. Purchase extra holders to progress from one task to the next without constantly changing stakes. Use with H-1 holder (sold separately, below). All measure approximately 3¾"W x 3"H. Made in Vietnam.

	Description	Item#	Each
D.	F-2 Double Convex, large end forms convex bracelets, smaller end forms domed rings. If you anneal in between hammering, F-2 can make some fairly dramatic curves.	814-1089	\$54.00
E.	F-6 An anticlastic shell stake scaled for bracelet-size shell-form, concave or convex shapes.	814-1091	54.00
F.	F-9 Has one convex side to make shallow dome. Other side is for making concave bracelets.	814-1090	54.00
G.	F-1 Beak stake for making bracelets with rolled edges and transitioning flat surfaces to curved.	814-1092	54.00
Н.	F-7 Thin shell stake for making spiral shapes and curves.	814-1093	54.00
I.	F-8 Horn stake for making beads from tubes and cones and for extreme curves in hollow rings.	814-1094	54.00

J, K Fretz Stake H-1 Holder and VB-1 Vise Block

Use the H-1 holder with the VB-1 cherry vise block for securing all F-series stakes. Vise block measures 3"L x 2"W x $1\frac{1}{2}$ "H. Purchase extras to improve workflow. Made in Vietnam.

	Description	Item#	Each
J. H	H-1 Holder	814-1060	\$52.75
K. V	/B-1 Cherry Vise Block	814-1081	19.95

A. Three-Face Triad Hammer

This clever hammer features rotating head with three different faces: brass, nylon and steel. To change faces, just pull on head and turn. Has ergonomic vibration-dampening handle for comfortable grip. Helps save drawer space. Made in Taiwan.

Description	Head Dia. x H	Head Wt.	Length	Item#	Each
A. Triad Hamn	ner ⁵ /8" x ³ /4"	8.5 oz.	9"	822-0046	\$43.90
Replacement Brass Face				822-0047	6.95
Replacement Nylon Face				822-0048	4.95
Replaceme	nt Steel Face			822-0049	4.95



One hammer that does work of three! This unique hammer features an egg-shaped head with three different removable faces: brass, nylon and steel. Has ergonomic vibration-dampening handle for comfortable grip. Made in Twiwan.

De	scription	Head Dia. x H	Head Wt.	Length	Item#	Each
B.	UFO Hamn	ner ⁷ /8" x ³ /8"	4.5 oz.	83/4"	822-0050	\$28.19
	Replaceme	ent Brass Face			822-0051	6.95
	Replaceme	ent Nylon Face			822-0052	4.95
	Replaceme	ent Steel Face			822-0053	4.95

C. Thirteen-In-One Texturing Hammer

Make your jewelry come alive by creating designs and textures with this easyto-use texturing hammer with 13 interchangeable faces. This great bench tool is simplistic and you can work with two designs at a time. Change the textured faces easily by loosening the nut holder and swapping out the texturing face. The 13 faces and head are tool hardened steel, nylon and brass. The head is mounted in a sturdy hardwood handle. The perfect combination to create endless custom designs with five smooth and eight textured faces. Made in India.

Description	Item#	Each
Thirteen-In-One Texturing Hammer	822-0055	\$26.95

D. Letter Stamp Set

Includes 27 steel stamps: one for each letter of the alphabet and one period. Makes 1/16" impressions. Packaged in hardwood storage case with cover.

Description	Item#	Each
Letter Stamp Set	190-0010	\$59.00

E. Number Stamp Set

Includes nine steel stamps: numbers 0-9 (use 9 upside-down to make 6). Makes 1/16" impressions. Packaged in hardwood storage case with cover.

Description	Item#	Each
Number Stamp Set	190-0030	\$20.50

F. Horn Anvil on Base

Made of hardened and tempered steel. Has round and flat horns for flattening and shaping. Measures $4^{3}/4$ "W x $3^{1}/4$ "H. Made in Italy.

Description	Item#	Each
Horn Anvil on Base	814-1025	\$56.00













A. Hexagon Anvil

Ideal for drilling, riveting and staking small parts. Case-hardened and ground flat and smooth. Has 16 holes ranging from 5/4" to 1/4" and five milled slots. Measures 15/8"W x 3/4"H.

Description	Item#	Each
Hexagon Anvil	814-1050	\$21.95

B. Machined Bending Block

Used for forming and shaping metal into ring shanks, bezels and much more. Has twelve semicircular grooves. Measures 120x80x30mm (4¾"L $x \frac{31}{8}$ "W x $\frac{11}{4}$ "H.) Made in Italy.

Description	Item#	Each
Machined Bending Block	810-2051	\$85.00

C. Lead Bench Block

Used as a stable base for cutting, stamping, forming and chasing. Measures $3^{1}/_{4}$ "L x $3^{1}/_{4}$ "W x 1"H.

Description	Item#	Each
Lead Bench Block	812-1640	\$18.65





D, E Steel Bench Blocks

Each provides a solid, stable base for workpiece when flattening or laying out designs. Made of high-quality tool steel hardened to 46-50 HRC and ground to a smooth, flat surface. Small block measures $2^{1/2}$ "L x $2^{1/2}$ "W x $\sqrt[3]{4}$ "H. Large block measures 4"L x 4"W x $\sqrt[3]{4}$ "H. Made in Europe.

item#	Each	
812-1650	\$16.95	
812-1655	29.95	



F. Bench Block Helper w/Steel & Nylon Blocks

This three piece set includes a thick vulcanized firm rubber base which absorbs shock plus a solid steel block which is $^{15}\!\!/_{16}$ " (24mm) thick and 3" (75mm) in diameter. The third piece is a sturdy nylon block the same size that fits into the rubber base for lighter more delicate work. This is a well made set and allows one to hammer without creating excess noise and vibration at the bench. Wt. 2.5 lbs.

Description	Item#	Each
Bench Block Helper Set	812-1645	\$28.95

A - C Durston Finger Gauge & Mandrels

Durston Steel Finger Gauge Set 1-16

Stamped and manufactured from high quality steel stock, the Durston ring gauge set is precisely machined and calibrated to match the Durston ring mandrels: Steel (841-1141) and Aluminum (841-1140) to provide excellent consistency at your bench during manufacturing and also the same consistency when sizing a ring in front of your customer in the retail showroom.

Durston Aluminum and Steel Mandrels

Both the aluminum and steel ring mandrels are machined and calibrated to the Durston steel finger gauge set (820-8059) providing excellent consistency from the showroom/retail counter to the bench for repair and then to the customer. Made of quality machined aluminum or hardened steel both are easy to read as each mandrel is laser engraved with sizes 1-16 US in guarter size increments.

Durston Sizing Kits

- Showroom Kit which includes an Aluminum Mandrel (841-1140) and a Ring Gauge (820-8059)
- Bench/Showroom Kit which includes a Steel Mandrel (841-1141), Aluminum Mandrel (841-1140) and a Ring Gauge Set (820-8059)

Made in the United Kingdom.

wado in the office ranguom.			EACH	l Prices
A.	Description Durston Steel Finger Gauge Set	Item# 820-8059	1-2 \$26.00	3+ \$24.70
B.	Durston Aluminum Mandrel	841-1140	42.00	39.90
C.	Durston Steel Mandrel	841-1141	42.00	39.90
	Showroom Sizing Kit	841-1144	60.00	57.00
	Bench/Showroom Sizing Kit	841-1146	114.00	108.30



D. PEPETOOLS Square Steel Ring Mandrel

Square steel ring mandrel with rounded corners for holding, shaping and straightening rings. Tapers from 24mm to 12mm square.

Description	Item#	Each
Square Steel Ring Mandrel	841-1109	\$33.50



E, F Steel Ring Mandrels

Round steel ring mandrels. Available in plain style or grooved style for stone-set rings. Graduated in sizes 1–16 by ¹/₄-size increments

	Description	Item#	Each
E.	Plain Style	841-1165	\$35.25
F.	Grooved Style	841-1170	36.35



G. Steel Mandrel for Large Rings

Round steel mandrel for holding large rings, bezels, hoop earrings and other items. Graduated in sizes 16–24 by ½-size increments. Features knurled handle for solid grip. Measures 8¹/₄" long.

Description	Item#	Each	
Steel Mandrel for Large Rings	841-1171	\$39.75	



H, I Econo Ring Mandrels

Ring Mandrel Steel - Standard + Grooved

Round Steel Ring Mandrels for any type of sizing bench work. Made of solid rolled steel and comes in two variations; Standard and Grooved. Each mandrel is laser engraved with USA sizes 1-15 and with 1/4-size increments. Made in India.

	Description	Item#	Each
Н.	Standard Style	841-1130	\$19.50
I.	Grooved Style	841-1131	19.95




















A, B Bracelet Mandrels

Ideal for shaping, stretching and forming bracelets and other items. Made of hardened and polished cast iron. Round mandrel measures 14%"L and tapers from $3\frac{1}{2}$ " to 2". Oval mandrel measures $11\frac{3}{4}$ "L and tapers from 3" x $2\frac{1}{2}$ " to 2" x $1\frac{1}{2}$ ". Made in Italy.

	Description	Item#	Each
A.	Round Bracelet Mandrel	841-2050	\$135.00
B.	Oval Bracelet Mandrel	841-2060	199.00

C. Bracelet Mandrel with Tang

Ideal for shaping, stretching and forming bracelets and other items. Fits easily in Bench Pin and Anvil #814-1010 (see p. 571) or a vise. Made of cast steel polished to a smooth finish. Measures $5^3/4$ "L with 3" tang and tapers from $2^1/2$ " x $2^3/8$ " to $1^3/4$ " x $1^1/2$ ".

Description	Item#	Each
Oval Bracelet Mandrel with Tang	841-2070	\$71.95

D. Round Wooden Bracelet Mandrels

Round tapered hardwood mandrels for shaping and removing dents and kinks from bracelets and bangles made of soft, nonferrous metals. Will not mar jewelry.

		EAC	H Prices
Size	Item#	1-2	3+
15"L x 2½"-1½"dia.	841-3032	\$16.45	\$13.98
14"L x 3½"-2"dia.	841-3031	22.50	19.13

E. Oval Dapping Die and Punch Set

Includes heavyweight steel die with 16 oval depressions ranging from $^{7}\!\!/_{16}"$ x $^{5}\!\!/_{16}"$ up to 1½" x $^{13}\!\!/_{16}"$ and four precisely matched, high-grade hardened steel oval punches. Comes complete with sturdy 75%"L x 5½"W wood stand. Made in Italy.

Description	Item#	Each
Oval Dapping Die and Punch Set	815-0550	\$499.00

F. Bezel Block and Punch Sets

Each includes precision-machined block and punch. Used to punch and form bezels from flat stock. Made of hardened, tempered, polished steel. Made in Italy.

	Description	Holes	Punch Angle	Item#	Each
F.	Round Set	20 (5-20mm)	17°	815-2050	\$105.00
	Round Set	20 (5-20mm)	28°	815-2055	105.00
	Oval Set	11 (4-14mm)	17°	815-2060	179.00
	Heart Set	11 (5–15mm)	17°	815-3000	349.00

G. High-Speed 17° Bezel Cone Bur – 3/32" Shank

Use to drill an angled hole that matches the 17° angle on many settings, most notably bezel settings. Solves the problem of inserting a standard tapered prong or bezel setting into a standard shank.

		EACH	l Prices
Size	Item#	1-5	6+
30, 8.00mm diameter	123-2301	\$6.98	\$5.86

H. Dent Remover

A $2^{1}\!/_{4}$ " hardwood block with two wooden punches for shaping and repairing lockets and cases and removing dents. Has six different shallow cups.

		EAC	H Prices
Description	Item#	1-9	10+
Dent Remover	815-1010	\$7.55	\$6.04

A. Durston Disc Cutters

Durston Cutters with new tray design. The unique tray is positioned in a "slanted configuration" to slide out with ease. 4 different sets are available allowing you to easily cut discs from 3mm to 34mm in 1mm increments. The punches are made from special high-quality tool steel, hardened and ground at a perfect angle for optimal results. Spring-loaded die plate allows easily clamping of material. Complete with leveling shims and urethane energy absorbing pad. Made in the United Kingdom.

De	scription	Item#	Each
A.	Durston Disc Cutters - 10 punch set (Assorted)	812-1330	\$318.95
	Durston Disc Cutters - 17 punch set (3-19)	812-1331	382.75
	Durston Disc Cutters - 9 punch set (20-28)	812-1332	362.30
	Durston Disc Cutters - 6 punch set (29-34)	812-1333	339.45

B. Premium Disc Cutter

Hardened tool steel cutter, machined and tempered to perfection, for cutting flawless circles from 18-gauge and thinner soft metals (such as copper, brass, gold and silver). Set is designed to be easily separated by unscrewing a hex nut with the included hex wrench.

It is recommended to place a rubber pad under the disc cutter during use to help absorb shock. Use of cutting lubricant and a proper mallet are also suggested.

Cutter Dimensions: 4 1/16" x 2 1/2" x 1 3/8" Wooden Base Dimensions: 5 1/2" x 6 1/2"

Disc cutter includes 11 punches: ½", ¾6", ¼", ¾6", ¾", ¾6", ½", ¾", ¾", ¾", 1".

Description	Item#	Each
Premium Disc Cutter	812-1320	\$140.00

C. Chasing Tool Set

Consists of 22 different punches for making decorative designs on sheet metal. The tool ends are struck with a chasing hammer while the work is held in a pitch bowl or on a lead block.

Description	Item#	Each
Chasing Tool Set	815-2000	\$154.85

D. High-Speed Steel Chisels

Diesinker style with one-piece construction ground to shape from the finest round high-speed steel stock. Excellent for evenly removing large amounts of material. Will not lose temper when sharpened. Measure 6" long overall. Available individually or in a set of all 12 styles. Shapes: Sizes 1 to 4 are square, 5 to 8 are round, and 9 to 12 are point. Made in USA.

		EACH	Prices			EACH	Prices
Descriptio	n Item#	1-11	12+	Description	Item#	1-11	12+
Chisel #1	166-9010	\$16.50	\$13.75	Chisel #7	166-9070	\$16.50	\$13.75
Chisel #2	166-9020	16.50	13.75	Chisel #8	166-9080	16.50	13.75
Chisel #3	166-9030	16.50	13.75	Chisel #9	166-9090	16.50	13.75
Chisel #4	166-9040	16.50	13.75	Chisel #10	166-9100	16.50	13.75
Chisel #5	166-9050	16.50	13.75	Chisel #11	166-9110	16.50	13.75
Chisel #6	166-9060	16.50	13.75	Chisel #12	166-9120	16.50	13.75

*Quantity discount for orders of one item number only; not assorted.

Description	Item#	Each
12-Piece Set	166-9990	170.00

E. Durston Bangle Forming Die Set

This well made product from Durston helps you effortlessly form bangles and cuffs. Fits all standard 4" bench vises (not included see p. 544) these dies and holder are precision ground, highly polished and hardened to last (with proper use).

Set includes, special convex nylon hammer, die mounting bar and six dies for a total of eight shapes. Made in the United Kingdom.

Description	Item#	Each
Durston Bangle Forming Die Set	814-1057	\$225.00















A, B Durston Dapping Punch Sets

Dapping Sets are the perfect tool for the Professional Jeweler or Designer. The Durston Small and Large Dapping Sets are hardened, ground and polished to the highest quality. Both sets come with the matching Dapping Block. Small sets consists of 21 Punches (3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 21, 23, 25, 28, 32, 36) and a matching 50mm block. The Large Set consists of 24 punches (3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 21, 23, 25, 28, 32, 36, 40, 45, 50) and a matching 70mm block. Both sets come complete in a unique plastic carrying case. Made in the United Kingdom.

	Description	Net Weight	Item#	Each
A.	Small 21-Piece Set	11 lbs.	815-1026	\$285.00
В.	Large 24-Piece Set	21 lbs.	815-1027	349.00

C, D Durston Dapping Blocks

High-grade tool steel dapping blocks. The 50mm block has 23 half-spheres: 3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,19,21,23,25,27,30,34 and 38mm. The 70mm block has 26 half-spheres: 3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,19,21,23,25,27,30,34,38,42,47, and 52mm. These blocks are included in Dapping Punch Sets (above). Made in the United Kingdom.

	Description	Net Weight	Item#	Each
C.	50mm Dapping Block	1.1 lbs.	815-1028	\$134.75
D.	70mm Dapping Block	3.3 lbs.	815-1029	172.15

E. Durston Flat Dapping Block

Made of high-quality tool steel. 23 depressions. Beautifully machined, hardened and high polished. 23 depressions in sizes: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 23, 25, 27, 30, 34 and 38mm. Made in the United Kingdom.

Description	Net Weight	Item#	Each
Flat Block	5.06 lbs.	815-1033	\$105.00

F. Durston Designers Forming Block

Machined from high quality tool steel. Hardened and highly polished with 14 half spheres in sizes 5, 6, 7, 8, 9, 10, 11, 13, 15, 16, 17, 22, 23 and 24mm and 8 half cut-outs in sizes 6, 8, 9, 15, 16, 17.5, 22 and 26mm. Made in the United Kingdom.

Description	Net Weight	ltem#	Each
Forming Block	1.76 lbs.	815-1032	\$136.00

G. Durston Cupola Sets

Used for forming large spherical shapes. Durston Cupola Sets are made for the professional jeweler who demands the best! All pieces are hardened, ground and highly polished for perfect results. Choose between the four sets: Small (50mm & 57mm), Medium (64mm & 71mm), Large (78mm & 85mm) and the Complete Set, which incorporates all size punches. Each set comes complete with the dapping punch and the matching double-sided die and presented in an unique plastic carrying case. Made in the United Kingdom.

Descri	ption	Components	Item#	Each
Small S	Set	50mm & 57mm	815-1081	\$142.00
Mediun	n Set	64mm & 71mm	815-1082	156.50
Large S	Set	78mm & 85mm	815-1083	169.70
G. Deluxe	Set	All six punches and three dies	815-1084	338.25

A. Roller Marking Machine

Makes precise, uniform impressions quickly and effortlessly.

This machine uses simple roller action to mark up to 46 evenly spaced characters in one impression from engraved steel rollers. Maintains consistent depth even on very thin pieces since variable pressure can only be adjusted mechanically, not by hand. Consider special ordering a die with your trademark and one or two other impressions for marking trademark and karat at once on rings, pendants, charms and stone-set rings. Accommodates ring sizes 4 and larger. Uses nylon ring supports to prevent marring and distortion of work. Includes a set of eight curved shank supports and one flat bar support.

	Description	Item#	Each
A.	Roller Marking Machine	856-0420	\$1,150.00
	Optional 14K Roller Die	856-0430	130.00
	Optional 18K Roller Die	856-0435	130.00
	Optional Roller Die w/one impression	856-0422	130.00
	Optional Roller Die w/two impressions	856-0423	166.50
	Optional Roller Die w/three impressions	856-0424	193.20
	Replacement Curved Shank Support Set	856-0421	125.00



The easiest system for karat-marking rings and earposts. To stamp a ring, position it over the stamp and squeeze the pliers; anvil with felt pad prevents marring. To stamp an earpost, simply insert the earpost jaw set, position the earpost and squeeze the pliers. Stamps make 0.75mm impressions.

	Description	Item#	Each
В.	Marking Pliers	191-1000	\$196.00
	Ring Marking Accessories	Item#	Each
	Concave Metal Ring Anvil*	191-1052	19.95
	10K Ring Stamp	191-1020	31.00
	14K Ring Stamp*	191-1030	35.00
	18K Ring Stamp	191-1040	29.99
	SS Ring Stamp	191-1010	32.99
	Pt Ring Stamp	191-1044	35.60
	900 Ring Stamp	191-1041	35.60
	925 Ring Stamp	191-1042	32.95
	950 Ring Stamp	191-1043	38.65
	Earpost Marking Accessories	Item#	Each
	Earpost Jaw Set with 14K Earpost Stamp	191-1056	\$119.00

^{*}Included with Pliers

C. Ring Stamping Device

A timesaving, accurate stamping device. Accommodates standard ring stamps with approx. 5/16" square bodies. Eliminates the need to hold ring and stamp in one hand. Just position ring over the nonmarring nylon anvil to prevent slipping and tap stamp with mallet. Also ideal for flat stamping. Allows you to use your existing stamps (if not exactly 5/16" square, simply reverse sleeve or file stamp body to fit). Also works with Bent Ring Stamps listed below.


	Description	Item#	Each
C.	Ring Stamping Device	190-1005	\$39.95
	Replacement Nylon Anvil (2)	190-1006	3.60

Ring	#1 (¹ /24")	#2 (¹ / ₃₂ ")	#3 (¹ / ₄₅ ")	EACI	1 Prices
Stamps	Item#	Item#	Item#	1-2	3+*
10K	190-5150	190-5200	190-5250	\$19.85	\$17.87
14K	190-5400	190-5450	190-5500	19.85	17.87
18K	190-5650	190-5700	190-5750	19.85	17.87
PLAT	-	190-5945	190-5950	26.50	23.85
PT900	-	-	190-5965	25.00	22.50
PT950	-	-	190-5980	25.00	22.50
STER	190-6100	190-6150	190-6200	27.85	25.07

^{*}Quantity break for one item# only, not assorted.











A. Sherline Metric Lathe

Lets you create precision wax, plastic and metal models and parts like a true pro. Features high-torque DC motor with variable speed control and automatic converter that adjusts between 110V/220V and 50/60Hz without any loss of torque. Made in USA.

Includes: 70mm x 152mm cross slide, 381mm steel bed to allow 203mm between centers, aluminum handwheels, pulleys, belt, faceplate, lathe dog, two dead centers, two hexagonal keys, tool post, high-speed cutting tool, 8' power cord and instructions. Measures 18"L x $7\frac{1}{2}$ "W x 6"H. Operating speed range: 70-2,800rpm.

Specifications:

Swing over Bed 90mm (3¹/₂") Swing over Carriage 45mm (13/4") Distance Between Centers 200mm (8") Hole Through Spindle 10mm (.405") Main Spindle Accuracy 0.0127mm (.0005") Spindle Nose Thread 3/4", 16 TPI Spindle Nose Taper #1 Morse Travel of Cross Slide 110mm $(4^{1}/4")$ Handwheel Graduations 0.01mm (.001")

 Description
 Item#
 Each

 Metric Lathe
 856-1100
 \$715.00

B. Δ Vertical Milling Column Attachment

Turns your Sherline Metric Lathe into a small milling machine for drilling, boring and many other general tasks. Converts lathe to mill in less than one minute. Consists of dovetailed vertical column with aluminum base that fastens to lathe bed in place of headstock; headstock then attaches to dovetailed saddle on vertical column. Turn handwheel to change cutting depth in 0.01mm increments. Mount workpiece on lathe cross slide.

Description	Item#	Each
Vertical Milling Column Attachment	856-1102	\$172.75

C-E Sherline Chucks

Four-jaw chuck (C) holds irregularly shaped parts on or deliberately off center. Clamps tighter than three-jaw chuck. Grips from 2mm ($\frac{3}{32}$ ") to 38mm ($\frac{11}{2}$ ") diameter stock with jaws in normal position, up to 70mm ($\frac{23}{4}$ ") with jaws in reverse position. Measures 17mm (.687") dia. through hole with $\frac{3}{4}$ ", 16 thread.

Three-jaw chuck (D) centers parts within a few thousandths of an inch. Grips from 2mm ($\frac{3}{32}$ ") to 38mm ($1\frac{1}{2}$ ") diameter stock with jaws in normal position, up to 70mm ($2^{3}/4$ ") with jaws in reverse position. Measures 17mm (.687") dia. through hole with $\frac{3}{4}$ ", 16 thread.

Three-jaw tailstock (E) chuck is used for accurate center-line drilling, reaming or tapping of any part mounted in the lathe. Grips from 0.8mm (1 /32") to 9.5mm (3 /8") diameter stock. Includes key and two arbors: #0 Morse for tailstock and #1 Morse for headstock.

Description	Item#	Each
C. Four-Jaw Chuck	856-1104	\$142.95
D. Three-Jaw Chuck	856-1106	127.50
E. Three-Jaw Tailstock Chuck	856-1108	82.50

F-H Sherline Accessories

Tool rest mounts on your lathe for steadying chisels and other tools. Tool bit set includes three high-speed steel bits for turning and threading applications: right-hand, left-hand and boring. Tool blank can be easily ground into desired shape for turning and facing applications. Made of high-speed steel. Measures ½" square.

Description	Item#	Each
F. Tool Rest	856-1114	\$71.25
G. Tool Bit Set of 3, 1/4" x 1/4" x 21/2"	856-1116	32.95
H. Tool Blank, ½" x ½" x 2½"	856-1110	4.25

A-J Large Millgrain Wheels

Create decorative borders around edges of rings or bracelets. To use, mount ring on lathe, use turning tool to cut flat shoulder into each ring edge, and bring wheel onto shoulder. Wheels measure 6mm dia. on 1/8" sq. x 21/2"L steel shanks. Male wheels have raised beads.

	Description	Approx. Design Width (mm)	Item#	Each
A.	Female 8	0.65	820-5000	\$65.00
B.	Female 10	0.85	820-5002	65.00
C.	Female 12	1.05	820-5004	65.00
D.	Female 14	1.20	820-5006	65.00
E.	Male 8	0.65	820-5008	65.00
F.	Male 10	0.85	820-5010	65.00
G.	Male 12	1.05	820-5012	65.00
Н.	Male 14	1.20	820-5013	65.00
I.	Rope 1 (medium)	1.25	820-5014	65.00
J.	Rope 2 (small)	0.95	820-5016	65.00

Samples of patterns

K. Safety Glasses

Comfortable, lightweight safety glasses with high-impact plastic lenses for full eye protection when drilling, polishing and more. One size fits all. Meet ANSI Z87.1 requirements.

Description	Item#	Each
Safety Glasses	270-0205	\$4.30



L. Aspen Safety Glasses

Our Aspen Safety Glasses provide eye protection against most common eye hazards of polishing and benchwork except for severe impacts. Feature polycarbonate lenses, browbar and side shields. Also offer UV protection. Meet ANSI Z87.1 requirements.

Description	Frame	Item#	Each
Aspen Safety Glasses	Clear plastic	270-0123	\$11.15



M. Panaspec Plus Safety Glasses

Feature impact-resistant clear polycarbonate lenses that provide eye protection against most common eye hazards of benchwork, polishing and more. Side panels and browbar help provide protection from the side and from above the eye. Meet ANSI Z87.1 requirements.

Description	Item#	Each
M. Glasses with Brown Frame	270-0102	\$7.25
Replacement Lens (clear)	270-0112	3.60



N. Safety Goggles

A must for polishing, buffing and grinding. Comfortable and lightweight, they easily fit over glasses. Have polycarbonate lens. The sides and top are perforated to reduce fogging. One size fits all. Meet ANSI Z87.1 requirements.

		EACH Pr	rices
Description	Item#	1-2	3+
Safety Goggles	270-0200	\$9.50 \$9	9.03





Gesswein[®] Photo Imaging Light Boxes

Ideal for capturing digital images of your jewelry!

Designed for use at home, in the workshop or wherever digital photos are needed, the Gesswein Photo Imaging boxes offer a controlled lighting atmosphere to produce the highest quality digital photos. Your jewelry will jump out and sell themselves! Whether you need photos for advertising, catalogs, website or logging repair intake; natural wrap-around lighting is the key to bringing out the best in all your images thus bringing in sales. Easy to use, one rocker switch controls fluorescent lights (5000°K +/-10%) located in the front, base and back panels while another rocker switch controls the super bright LED light panel located at the top/front of the interior of the Light Box.

As some jewelry requires less atmospheric light to control "hot" spots, each Light Box comes with 3 dimmer controls (one for each light panel). Bright white interior side panels and door provide the perfect reflective surfaces to complement the diffused lighting and thus creating a shadow-free atmosphere. Sparkle is added using the white accent light. Shoot from either the top (Brackets Provided) or from the front on a tripod (Not Included). Magnetically hinged door can easily be opened and removed should the camera be mounted on a tripod in the front.

Available in 4 models (Mini, Small, Medium and Large) see comparison chart below. Manufactured with sturdy construction and compact for easy portability. Made in China

Features and Capabilities:

- Camera Bracket short & adjustable (for most cameras)
- Camera Bracket tall & fixed (for SLR cameras)
- Magnetic Front Door and Top Aperture Cover
- Three Accent Lights to add shine and/or color (White, Green and Blue)
- A/C Power Adapter/Cord (100~240V)

















Description		Overall Dimensions	Platform Dimensions	Gross Weight	Item#	Each
A.	Large	16" x 14" x 13" (400 x 360 x 330mm)	13" x 12" x 10½" (332 x 315 x 270mm)	26 LBS (12KG)	817-0703	\$585.00
B.	Medium	14" x 12" x 11" (350 x 300 x 280mm)	11½" x 10" x 9" (288 x 260 x 220mm)	20 LBS (9KG)	817-0702	485.00
C.	Small	12" x 9½" x 9" (300 x 240 x 230m)	9½" x 8" x 7" (238 x 200 x 220mm)	15 LBS (7KG)	817-0701	290.00
D.	Mini	10" x 8" x 8" (260 x 200 x 200mm)	8" x 6" x 53/4" (200 x 155 x 145mm)	12 LBS (5.5KG)	817-0700	265.00
All Models		Quantity Lights Banks: 2-Front, 1-Base,	1-Back Color Temp: 5000K (+/- 10%)			



E. Dino-Lite Light Box Adapter

Use the Dino-Lite adaptor to easily mount your Dino-Lite Digital Microscope (see p. 347) on any Light Boxs instead of a camera to use measuring software applications.


Description	Item#	Each
Dino-Lite Light Box Adapter	810-0096	\$39.00

A, B Dino-Lite Enclosed Lightbox

When lighting and color matters. The Dino-Lite Enclosed Lightbox helps to eliminate outside light pollution and other factors that could interfere with your photos. Compatible with all handheld Dino-Lite Scopes. Generous (up to 14") vertical working distance. For photographing jewelry, the optional table-top stand (810-0091) and extension pole (810-0125) is recommended. Includes two 8" LED light bars and AC adapter. Some assembly required.

Dimensions: 7"W X 9-3/4"D X 12"H. 110V. Made In China.

	Description	Platform	Item#	Each
A.	Dino-Lite Enclosed Ligh	ntbox, MSAK826	810-0120	\$199.00
B.	Tabletop Stand, MS35E	}	810-0091	99.00
	Optional Extension Pole	, MSA2P for Stand	810-0125	29.00



C, D Ring Stands

These small ring stands allow you to position your rings at the perfect angles for photographing from above or from the front. Delta is available in clear, black or white. Marquise is available in clear only. Use black on black or dark-colored backgrounds, white on white or light-colored backgrounds.

	Description	Size (W x D)	Color	Item#	Pkg. of 5
C.	Delta	5/8" x ⁷ /8"	Clear	817-0860	\$10.99
			White	817-0881	10.99
			Black	817-0883	10.99
D.	Marquise	¹³ / ₁₆ " x ⁷ / ₈ "	Clear	817-0861	9.25

E. Positioning Wax

Allows items in the light box to be placed upright without any visible holding apparatus. Especially useful for rings. Only a tiny bit of this wax is necessary.

Description	Item#	Each
Positioning Wax	817-0767	\$12.85



F. Leatherette Ring Stand

Provides a subtle, classy texturized background. The pad clips easily and securely fits all types of rings. Measures $2^{1}/_{2}$ "W x $2^{7}/_{6}$ "D x 1"H.

		EACI	1 Prices
Description	Item#	1-2	3+
Leatherette Ring Stand	857-1485	\$3.95	\$3.36



ľ

Light Box Selection Consideration

When choosing a size even a small one will work for relatively large jewelry but it is very hard to arrange something like a necklace as only the larger sizes allow you to move your hands freely and photograph more of the pieces inside. The 3 light wands are a nice addition for adding accent to the jewelry with the white being most useful. The lights are free with the each lightbox and plug into the box directly. Experiment with different ways of holding pieces instead of having to lie flat. Fishing line, wax, and ring stands all can be used to offer a great effect.





Dazor's classic 2-tube and 3-tube fluorescent lamps have been stylishly redesigned and now include mirror reflectors providing even more light than original versions. Complete with superior energy efficient electronic ballasts, these laps are equipped with the classic patented "floating" arm allowing precise positioning with ease without drifting or bouncing. The lamps are still durable, all metal construction with single click rocker style on/off switch for instant response. Both have a 43" reach, 7' cord and 3-prong plug.

Select between 2 bulb (30W) and 3 bulb (45W) lamps in either black or white and 110V or 220V. All supplied with 15W Daylight (6500K) bulbs. Optional 15W Full Spectrum (5500K) bulbs are also available for purchase (see below). Backed by a five-year warranty. Made in USA.

Lamps come complete with a universal clamp which allows the lamp to be clamped or bolted to a horizontal surface up to a 2½" thick. To bolt to a back splash or to the back of a jewelers workbench, (anything up to 1" in thickness), add the back splash clamp to your order. Available in white or black.

EACH Driggs

				EAUTI FIIC	62
	Description	Item	1-2	3-5	6+
A.	Dazor 2-Tube, FL 43" White, 110V	821-5590	\$235.00	\$208.55	\$204.25
B.	Dazor 2-Tube, FL 43" Black, 110V	821-5592	215.00	208.55	204.25
	Dazor 3-Tube, FL 43" White, 110V	821-5594	215.00	208.55	204.25
	Dazor 3-Tube, FL 43" Black, 110V	821-5596	215.00	208.55	204.25
C.	Optional Back Splash Clamp White	821-5598	215.00	208.55	204.25
D.	Optional Back Splash Clamp Black	821-5599	215.00	208.55	204.25

E. Dazor® Clamp On Magnifier

The 5" diameter clamp-on magnifier is designed to be used in conjunction with Dazor fluorescent or LED bench/desk lamps. The magnifier has a 2X power with a 4X power inset. The magnifier is made from optical quality acrylic and includes all mounting hardware. The magnifier can be flipped upwards when not in use. This is an ideal accessory for use in jewelry manufacturing, repair benches, electronics, dental labs or craft/hobby projects. Its clarity will be maintained if the magnifier is cleaned periodically with a lens cleaning tissue. Made in Taiwan.

		E/A	CH Prices
Description	Item#	1-5	6+
E. Dazor Clamp On Magnifier	821-5551	\$41.95	\$37.76

F, G Dazor® Fluorescent Magnifying Lamps

Ideal for assembly, inspection and other high-precision work. Feature 5" diameter 3-diopter crown optical glass lens with shade and 22W cool white fluorescent tube for total visual freedom with minimal eyestrain. Provide 75% magnification at 13" focal distance along with even, shadow-free light from all angles. Made of steel to endure years of rough use. Can be mounted horizontally or vertically on a bench, machine or wall. Available with a 28" heavy-duty lock-joint arm with three control knobs for reducing vibration or a 42" counterbalanced floating arm for fast, easy positioning. Color: gray. Electrical: 115V, 60Hz with 9 power cord and 3-prong plug. UL approved. Backed by five-year warranty.

	•			EACH Pric	es
	Description	Item	1-2	3-5	6+
F.	Lamp with 28" Lock-Joint Arm	821-5534	\$235.00	\$227.95	\$223.25
G.	Lamp with 42" Floating Arm	821-5517	246.00	238.62	233.70
	Optional 22W Circline Full-Spectrum	821-5304	16.80	-	-
	Replacement 22W Tube	821-5300	14.40	-	-

H, I Dazor® Full-Spectrum Tubes – For Dazor Floating-Arm, and Magnifying Lamps

Full-spectrum lighting offers several advantages over traditional fluorescent lighting. It displays colors accurately, allowing correct viewing and matching. It produces less glare, reducing eyestrain, headaches and general fatigue, increasing productivity. And it emits less heat, making for a comfortable workplace. Advocates of full-spectrum lighting go so far as to claim it provides health benefits and general feelings of well-being due to its simulation of natural outdoor light. Some even use it to treat a condition known as Seasonal Affective Disorder (SAD).

Jewelers, graphic artists, dentists and other discerning professionals use Dazor's full-spectrum lights to perform their crafts with razor-sharp precision. Now you can as well, without investing a fortune. Just replace the fluorescent tube in your existing Dazor lamp with the appropriate 15W (5900°K) standard or 22W Circline (5000°K) and you can start reaping the benefits of full-spectrum lighting today.

	Description	Fits	Item#	Each
Н.	15W Standard	Floating-Arm Lamps	821-5303	\$14.15
I.	22W Circline Full-Spectrum	Magnifying Lamps	821-5304	16.80

FAX Orders 24/7: 888-454-4377



A, B Dazor® Halogen Lamps

Halogen lamps for producing very intense light at the focal points of assembly and inspection stations. Light from the halogen bulb is more concentrated than that from an incandescent bulb, yet the 20W halogen is a real energy-saver. The $2\frac{1}{2}$ " diameter head has a protective shield to guard against bulb breakage. Proper ventilation keeps reflector head cool. The 34" reach industrial-strength, flexible arm works well around most machine tools. Choose from weighted and clamp-on styles. Halogen bulb is rated to 2,000 hours. Color: black. Electrical: 115V, 60Hz with 8 foot power cord and 3-prong plug. UL approved. Backed by a five-year warranty.

			EAC	CH Prices
	Description	Item#	1-2	3+
A.	Weighted Desk Lamp	821-5555	\$194.00	\$188.18
В.	Clamp-On Lamp	821-5560	204.00	197.88
	Replacement 20W Bulb	821-5549	9.30	



C. Dazor® EcoFlex LED Lamp

The EcoFlex by Dazor is an affordable, rugged, environmentally friendly LED bench light. The sleek head rotates 340° vertically and 90° horizontally, and features four 1-watt dimmable high brightness white LEDs optically mixed to produce an even light pattern. The 25" flexible arm exceeds the depth of most jewelry benches and allows you to aim the light exactly where you need it. Dazor's clever thermal engineering allows the LEDs to achieve their rated life of 50,000 hours without the heat! More information found on gesswein.com. Made in China.

		E	ACH Prices
DescriptionItem#		1-2	3+
Dazor EcoFlex LED Light 100-240V	821-5584	\$165.00	\$156.75

^{*}Footcandle: a unit of illuminance on a surface that is everywhere one foot from a uniform point source of light of one candle and equal to one lumen per square foot.

D. Econo LED Flex Light

Our LED Flex Light uses 28 SMD-LEDs (surface mount and light emitting diodes) and advanced circuitry to produce a natural bright light that is easy on the eyes and reproduces colors as they truly are. A proprietary honeycomb lens cover insets the SMD LEDs by 5mm to reduce glare. Features 2 easy-to-reach light settings, 2-5W (200-500 lumens). Choose the brightness that is best for the task at hand.

LED Flex Light is the new generation of LED lighting and is rated for up to 60,000 hours of use. One-vear manufacturer's warranty, cETLus certified UL listed, 110V, 6 foot power cord, More information found on gesswein.com. Made in China.

Description	Item#	Each
Econo LED Flex Light - 110V	821-5588	\$113.95

E. Dual Fiberoptic Light

Micro-Lite® 150W Halogen Light Source with Dual Gooseneck Fiber Optic Light Guide. Included standard are Focusing Spot lenses for the 321/2" reach Dual Gooseneck. Features an Integral IR Filter for Cold Performance and long fiber life. Standard model features a .565" ID Bore. All Metal Construction, and 120V with 6 foot power cord and 3-prong plug. ESD Safe. Control unit measures 9½"L x 7½"W x 4½"H.

Item#	Each
271-3089	\$695.00
	116111#

F. Mighty Bright LED Mini Task Light

This breakthrough light excels equally as a task, craft or utility light. Two bright white, energy-efficient LEDs make the Mighty Bright LED Mini Task Light very bright, yet the non-glaring glow makes for a comfortable work light. Set the intensity by pressing the button once or twice. Each LED lasts 100,000 hours. Clip and twist the gooseneck to set the perfect angle and clip in place or use the stable freestanding base. Three AAA batteries (included) provide 28 hours of operation. If the batteries run low, simply plug in the 120V AC adapter (sold separately) with extra long 6 foot power cord and keep on going. Imported.

		EAC	H Prices
Description	Item#	1-2	3+
F. Mighty Bright LED Mini Task Light	821-5552	\$18.95	\$17.06
AC Adaptor For Mighty Bright	821-5553	9.95	







A. Magna Deluxe Fluorescent Lamp

Treat yourself to a whole new class of elegant fluorescent lighting with the Magna Deluxe. Features a 55W fluorescent tube in an enclosed 20" head. Provides crisp, flicker-free, uniform light with maximum surface area. Lends a sleek, polished look to your bench. Built-in electronic ballast increases lumens. Head swivels 310° and tilts 210° for great flexibility. Heavy-duty 32" arm with tempered steel springs and smooth-glide tension control knobs allows fast, easy adjustment. Includes C-clamp for mounting on benchtops up to 2" thick. Electrical: 115V, 60Hz with 5 foot power cord and 3-prong plug. UL listed. Backed by a one-year warranty. Imported.

Description	Item#	1-2 3+
Magna Deluxe Lamp	821-5029	\$158.00 \$150.10

B. 3-Tube Econo Fluorescent Light

Suitable for a bench, workshop or a desktop, this three-tube bench lamp is economical yet durable. Manufactured of metal construction with a plastic housing allows for a lighter weight with strong durability. Features a universal clamp for easy installation. The innovative "floating arm" was designed to raise, lower or tilt the lamp to direct the light source with a slight touch. Includes (3) 14W (6400K) T5 fluorescent tubes for maximum brightness and high efficiency. Electrical: 110V with 5 foot power cord, UL approved. One-year manufacturer's warranty. Made In China.

Dimensions: Reach 36" (91cm) x Head Length: 24" (61cm) x Head Width: 4.5" (11.5cm).

			acii i iict	,3
Description	Item#	1	2-3	4+
B. 3-Tube Econo Ligh	t 821-5007	\$68.95	\$65.50	\$62.06
T5 Replacement B	ulb 821-5008	8.05	7.65	-

Each Drices

C. Econo Fluorescent Bench Inspection Lamp 1.75X

A great value in this handy inspection lamp! This quality fluorescent lamp boasts a 5" diameter 3 diopter lens rated at 1.75x that makes things 75% bigger than what they actually are thus reducing eye strain. With the focal length at 14", the operator will have plenty of room with a good depth of field. This fully adjustable lamp has an arm reach of nearly 45" and its light source provides outstanding illumination. All metal construction, in a clean white color. Comes supplied with a bench/desk clamp that opens up to a maximum of 2.5" to allow you to work hands-free as well as a 22W cool white Circleline fluorescent bulb is installed (also sold separately as a replacement 821-5300, see related products below) for long hours of use. Convenient on/off switch located on the top of the large 8" head. Cord length is 64.5". 110V. Made in China

		Ea	cn Price:	j .
Description	Item#	1-2	3-5	6+
Econo Fluorescent Bench Inspection Lamp 1.75X	821-5007	\$68.95	\$65.50	\$62.06

D. Econo Fluorescent Magnifying Lamp

The affordable solution for viewing small, detailed areas. Uses a 13W fluorescent tube and 5X lens. Provides cool white light and good magnification to reduce eyestrain, helping you work faster. Flexible $11\frac{1}{2}$ " gooseneck allows easy positioning. Weighted metal base with nonslip pad ensures stability. Flip-down cover protects 4" diameter lens from dust when not in use. Electrical: 120V, 60Hz with 5 foot power cord and polarized plug. UL listed. Imported.

Description	Item#	Each
Econo Magnifying Lamp	821-5010	\$34.95

E. Fluorescent Flip Lamp

A compact 13W fluorescent lamp ideal for the workshop. Unique swivel arm with 180° range delivers light at the precise angle you need: just raise arm to turn on lamp, and lower to turn off. Easy to use on crowded benchtops. Lightweight yet sturdy. Measures $10\frac{1}{2}$ " high with $3\frac{1}{4}$ " square base. Electrical: 120V, 60Hz with 6 foot power cord and polarized plug. Imported.

Description	Item#	Each
Flip Lamp	821-5006	\$29.95

A. Magna Deluxe LED Lamp

Features 14W LED lights (6000K) for bright, crisp lighting. LED's are placed in the 20" swivel head that has a diffuser installed over the LED lights to provide uniform light with maximum surface area. Another added feature includes the ability to dim the light with dimmer knob installed. The LED Magna Deluxe Lamp with its polished, sleek look will add a new professional look to your bench, work area/space. Head swivels 310° and tilts 210° for great flexibility. Heavy-duty 32" arm with tempered steel springs and smooth-glide tension control knobs allows easy adjustment. Includes C-clamp for mounting on bench tops up to 2" thick and 6 foot power cord. Electrical: 115V, 60Hz. UL listed. Shipping weight: 7.5 lbs. Made in Taiwan.

Description	Item#	Each
Magna Deluxe LED Lamp	821-5026	\$199.00



B, C Tensor Double Reach LED Desk Lamp

A favorite of iewelers and industry, the Tensor Double Reach LED desk lamp has a simple design with a modern touch! Accent your bench or work space with super bright LED lighting. Constructed of durable plastic and metal combined, this LED Lamp uses 10 Watts of power and turns on and off with a simple touch switch. 22" (overall reach) and LED lighting is placed at a 60° beam angle to offer a direct bright LED lighting into your work space. Comes supplied with a weighted desk base and a bench style clamp. Select between black or white. One-year warranty. Notice: Cannot Be **Sold In California**. Made in China.

	Description	Item#	Each
В.	Tensor Double Reach LED Desk Lamp - Black	821-5018	\$59.95
C.	Tensor Double Reach LED Desk Lamp - White	821-5019	59.95



D. Tensor LED Desk Lamp

Accent your bench or work space with warm bright LED lighting. Constructed of durable metal, and black in color, this affordable LED Lamp uses a mere 5 Watts of power and comes with a convenient On/Off switch located on the 5 foot power cord. Lamp reaches a 20" (overall reach) and LED lighting is recessed within a reflector at a 60° angle to offer a direct bright beam of LED lighting into your work space. Comes supplied with both a weighted round desk base and a bench clamp. One-year warranty. Made in China.

		EACI	H Prices
Description	Gltem#	1-2	3+
Tensor LED Desk Lamp	821-5584	\$165.00	\$156.75



E. GemOro Horizon LED Task Lamp

Features natural daylight illumination making it ideal for diamond and gemstone color grading. The ultimate task lamp may be placed on your counter for showing jewelry under its super bright, yet cool high-power LED's (6000K Full Spectrum Natural Daylight Illumination) it even has a USB port. Sleek, modern, ergonomic design complete with electronic touch sensor power switch and dimmer, flexarm and swivel, fully adjustable light angle, 100V-240V, 58" power cord. UL Listed. Made in China.

Description	Item#	Each
GemOro Horizon LED Task Lamp	821-5004	\$69.95





Energy Efficient LED Magnifier Lamps

Green-Lite™ is the most energy efficient, highest output and longest lasting inspection lighting system in the world. Unparalleled

Rather than clusters of old style LEDs, Green-Lite[™] employs next generation "surface mount" LEDs (6000K) that produce more light with less glare, consume less power and last longer. The light output of the 8-watt LED array is comparable to a 150-watt halogen. The blended white light is easy on the eyes and the output level is adjustable (dimmable) for maximum operator comfort. Green-Lite™LED technology quickly pays for itself through lower operating costs, longer lighting lifespan and improved productivity. A lower total cost of ownership provides the greenest solution of all! Manufacturer's ten-year mechanical warranty. Five-year, 50,000 hour pro-rated LED warranty. Made in USA.

Foob

Features:

- · 4X the lumen output of standard magnifier lamps
- Multi-angle LEDs for shadowless lighting at a full range of focal lengths and heights
- Superb dimming software via convenient, reliable membrane switch
- · Reduced glare, heat and energy consumption
- 4 diopter (2X) lens
- · Patented "Elite" arms are slim but have the greatest holding power of any arm of this type in the world
- Proudly made in the USA and available in eight colors

Specifications:

- 43" Arm Reach
- Mounting Style Table Edge Clamp up to 21/2" thick
- Electrical 120 Volt—240 Volt
- Net/Ship.Wt. 20 lbs./22 lbs.



Optional Weighted Base for either round or rectangular styles. Me Allo



urdy 36 lb. base	Blazing Yellow	821-5
easures 12" x 11" x 2" low 2-4 weeks for delivery.	Racing Green	821-5
	Brilliant Orange	821-5
	Silver	821-5
Carbon Black	Spectre Blue	821-5
chown		

Description	Color	item#	Eacn
Rectangle Lens 7" x 51/4"	Carbon Black	821-5360	\$499.00
	Blaze Red	821-5364	499.00
	Blazing Yellow*	821-5361	499.00
	Racing Green*	821-5365	499.00
	Brilliant Orange*	821-5362	499.00
Spectre Blue	Silver*	821-5366	499.00
shown	Spectre Blue*	821-5363	499.00
	Medical White	821-5367	499.00
	*2-4 Weeks Delivery	у	
Round Lens 6" dia.	Carbon Black	821-5368	\$399.00

Calar



821-5376 Blaze Red 821-5380 126.00 5377 126.00 126.00 5381 5378 126.00 5382 126.00 5379 126.00 Medical White 821-5383 126.00



A. ProVue Super Slim Fluorescent Magnifying Lamp

The innovative 5" ProVue Super Slim Fluorescent Lamp is a durable and powerful magnification lamp. Features a standard T5 Fluorescent Tube ideal for illuminating your work bench and boasts a 5 diopter lens (2.25x magnification) with a 36" spring arm that stays in any position. Runs at a cool operating temperature and only uses 22W of power! Ideal for assembly, workshop or inspection applications and comes supplied with a mounting clamp which allows for easy attachment to a desk or bench top and a 5 foot power cord. 115V. One-year warranty. Made in China.

	Each Price	
Item#	1-2	3+
821-5048	\$99.95	\$94.95
821-5049	6.25	-
	821-5048	Item# 1-2 821-5048 \$99.95



B. MightyVue LED Pro Magnifying Lamp with Clamp

MightyVue Pro 3 LED series magnifying lamps are in a class of their own. Featuring adjustable color temperature (3500K-6500K), brightness control (max 1100lm), in addition to an attractive design, the Mighty Vue Pro series lamps are the most advanced available. Touch-sensitive brightness and color temperature controls. Large 7.5 x 6.2 inch, 3-Diopter crystal-clear glass lens for distortion-free viewing. 36 inch spring-balanced arm ensures a large working range. 360° swivel motion allows the head to be placed in any position. Covered spring arm prevents pinching hazards. 110V ~ 240V, complete with clamp and 5 foot power cord. Made in China.

		Ea	ich Prices
Description	Item#	1-2	3+
MightyVue LED Pro Magnifying Lamp with Clamp	821-5047	\$169.50	\$161.03



C. ProVue LED Light

The innovative 5" ProVue Super Slim is a durable and powerful magnification lamp. Featuring 60 energy-efficient LED lights (6500K) for bright, shadow-free illumination for your work bench and boasts a 5 diopter lens (2.25x magnification) with a 36" spring arm that stays in any position. Runs at a cool operating temperature and only uses 6W of power! Ideal for assembly, workshop or inspection applications and comes supplied with a mounting clamp which allows for easy attachment to a desk or bench top and a 5 foot power cord. 115 VAC. One-year warranty. **Each Prices**

Description	Item#	1-2	3+
ProVue LED Light	821-5039	\$109.95	\$104.45



D. LED Bench Inspection Lamp

This economical lamp bolsters a full 5" diameter lens with 90 Super Bright LED's surrounding the lens to give you optimal brightness. Made of durable metal construction that utilizes an adjustable movable arm. Clamps onto your work station or bench (clamp included). Use this economical LED as a task lamp or for inspection, simply flip up the convenient lens cover which also serves as protection. to keep your glass lens clean from dust and debris. 110V with 5 foot power cord, UL approved. Onevear manufacturer's warranty. Made in China.

		E	ach Price:	S
Description	Item#	1-2	3-5	6+
LED Bench Inspection Lamp	821-5052	\$78.95	\$75.00	\$71.06



E. LED Table Top Inspection Lamp

Powerful vet economical, this tabletop LED desk light is a must for any bench, table or workstation needing bright LED lighting and superb optics. This lamp boasts a 1.75X magnification with 72 bright white LED's placed around the 5" diameter magnifier giving you the ultimate clear, crisp lighting! For optimal use, the 1.75X (3 Diopeter) viewing of your task should be about 14" from the lens. Lamp flexes side to side and up and down and the viewing area (head) moves side to side with ease on a ball joint. As an extra bonus, the unit has small tool storage areas on its weighted base putting your tools at your fingertips. 110V with 5 foot power cord, UL approved. One-year manufacturer's warranty. Made in China.

			ach Price	S
Description	Item#	1-2	3-5	6+
LED Table Top Inspection Lamp	821-5053	\$69.95	\$66.45	\$62.96

Important Magnifier Characteristics

UV light

LED light



Magnification Power: The ability of a lens to increase the visual size of an object. The symbol "X" represents power (a 3X magnifier triples the size of an image).


Focal Distance: The distance a magnifier should be from an object for it to be in focus (a 10X magnifier has a focal distance of 1"). Measured from lens unless otherwise noted.

A. 10X LED & UV Illuminated Ring Light – Rechargeable

Our compact loupe combines a 10X 20.5mm distortion free lens with the convenience of bright LED & UV lights. Easily switch between LED and UV when you want to see the fluorescence in diamonds. Can be used continually for up to thirty minutes and fully recharges in an hour using the provided USB adaptor. Supplied with USB recharge cord, carrying case and convenient neck strap.

	Focal	Lens		EAG	CH Prices
Description	Distance	Diameter	Item#	1-2	3+
Ring Light	1"	20.5mm	272-4066	\$69.95	\$ 62.96

B. GemOro® 10X LED Light Loupe™





Description	Focal Distance	Lens Diameter	Item#	Each
10X LED LightLoupe	1"	21mm	272-4039	\$8.95

C. 10X LED Triplet Loupe

View gemstones and jewelry under intense illumination. Features a high-quality aplanatic achromatic 10X triplet lens and built-in LED ring light. Includes 3 L936 batteries and carrying case. Imported.

	Focal	Lens		EAC	H Prices
Description	Distance	Diameter	Item#	1-2	3+
10X LED Loupe	1"	20.5mm	272-4065	\$29.95	\$26.96



D, E 10X Doublet Loupes

Quality loupes at inexpensive prices. Each has chrome-plated metal swing-away case. Knurled metal grip prevents slipping. Imported.

	Focal	Lens		EAC	H Prices
Description	Distance	Diameter	Item#	1-2	3+
D. 10X Small Loupe	1"	15mm	272-4035	\$7.95	\$7.16
E. 10X Large Loupe	1"	21mm	272-4031	14.50	13.05



F. Silver-Plated Loupe Chain - 39"

This snake-style chain allows you to keep a loupe around your neck so it's always available to use with customers. Highly flexible for comfortable extended wear. Heavily plated in silver and coated with an anti tarnish agent to keep it looking bright. Measures 39" long. Made in USA.

Description	Item#	Each
Silver-Plated Loupe Chain	272-4047	\$8.95



A-D Gems 10X HEX Loupes 22mm Lens

Quality made 10X Loupes are configured in a hex shape for easy secure handling. Each loupe is made with a precision 22mm lens providing excellent color and clarity with no distortion. As an added feature, the lens is made with a high-grade antireflective optical coating film that helps eliminate glare. Each loupe comes complete with a fabric pouch for safe keeping as well as a handy lanyard cord. Comes in Black, Chrome, Chrome/Gold and Chrome with Rubber Grip for comfort and control. Made in Taiwan.

		Lens			EACI	H Prices
	Description	Diameter	Item#	1-2	3-5	6+
A.	Black	22mm	272-4061	\$59.95	\$56.95	\$53.96
B.	Chrome	22mm	272-4062	59.95	56.95	53.96
C.	Chrome/Gold	22mm	272-4063	59.95	56.95	53.96
D.	Chrome/Rubber Grip	22mm	272-4064	59.95	56.95	56.95



E-G 10X Gesswein 20.5mm Hex Triplet Loupes

H-J 10X Gesswein Triplet Loupe – With Rubber Grips

Focal

Distance

1"

1"

Generously sized, 20.5mm diameter 10X Triplet Loupes with hex shape for secure grip. A triplet lens (three lenses bonded together) provides excellent color and clarity. These larger loupes are available in black, silver and gold finishes. Supplied in a leather storage case. Made in China.

		Focal	Lens		EAC	H Prices
	Description	Distance	Diameter	Item#	1-2	3+
E.	10X Black Loupe	1"	20.5mm	272-4055	\$17.95	\$16.16
F.	10X Silver Loupe	1"	20.5mm	272-4056	17.95	16.16
G.	10X Gold Loupe	1"	20.5mm	272-4057	19.95	17.96

High-quality 18mm triplet pocket loupes, featuring a rubber grip for comfort and

control. 18mm diameter triplet lens is actually three lenses bonded together for higher correction. Available in black, chrome and gold finishes. Supplied in a

Lens

Diameter

18mm

18mm

18mm





F

EACH Prices

3+

13.95

15.75

1-2

15.50

17.50

\$15.50 \$13.95



G

Н







Item#

272-4058

272-4059

272-4060

K-M 10X Diamond-Cut Triplet Loupes

leather storage case. Imported.

Description

H. 10X Black Loupe

10X Chrome Loupe

10X Gold Loupe

As practical as they are beautiful, these loupes feature a unique diamond-cut design that offers the user a much better grip than conventional loupes. Each has large lens that provides good depth of field with minimal glare. Complete with leather pouch. Made in India.

		Focal	Lens		EAC	H Prices
	Description	Distance	Diameter	Item#	1-2	3+
K.	10X Black Loupe	1"	18mm	272-4036	\$12.95	\$11.66
L.	10X Chrome Loupe	1"	18mm	272-4038	12.95	11.66
M.	10X Gold Loupe	1"	18mm	272-4037	12.95	11.66







K

Bausch & Lomb Magnifiers

Bausch & Lomb had been renowned for excellence in scientific and ophthalmic optics for well over a century providing the following guality features:

- · Application-designed optics with the right balance of magnification, field of view and depth of focus for each magnifier's use.
- Lenses made from pure optical glass or optical plastic, crystal clear and free from internal flaws.
- Lens surfaces are finished to their high standards with no wave or other types of surface defects to distort vision.





A. Bausch & Lomb® Hastings Triplet Loupes

The best loupes from Bausch & Lomb. Highly corrected for spherical and chromatic aberrations. Feature three layers of optical glass cemented together and large field of view out to lens edge. Swing-away nickel-plated case protects lens and serves as handle.

Description	Focal Distance	Lens Diameter	Item#	Each
7X Hastings Loupe	11/2"	19.8mm	272-2039	\$55.75
10X Hastings Loupe	1"	15.8mm	272-2040	55.29
20X Hastings Loupe	1/2"	8.3mm	272-2060	68.70



B. Bausch & Lomb® Coddington Loupes

Description	Focal Distance	Lens Diameter	Item#	Each
B. 10X Coddington Loupe	1"	19.8mm	272-2010	\$36.35
20X Coddington Loupe	1/2"	12.5mm	272-2030	43.90



C. Bausch & Lomb® 10X Hastings Triplet Eye Loupe

The best eye loupe from Bausch & Lomb. Consists of a Hastings triplet lens in a lightweight watchmaker's style frame. Features three layers of optical glass cemented together and a large field of view out to lens edge. Can be used with headband (see below).

Description	Focal Distance	Lens Diameter	Item#	Each
10X Hastings Eye Loupe	1"	15.8mm	272-1008	\$68.89



D. Bausch & Lomb® Eye Loupes

Lightweight, comfortable single lens eye loupes with precision-ground, polished optical glass lenses. Can be used with headband (see below).

	Description	Focal Distance	Lens Diameter	Item#	Each
D.	4X	21/2"	25.4mm	272-1040	\$20.50
	5X	2"	25.4mm	272-1030	20.50
	7X	11/2"	25.4mm	272-1020	20.50
	10X	1"	25.4mm	272-1010	24.25



E. Bausch & Lomb® Eye Loupe Headband

For use with single-lens and Hastings Triplet loupes (see above). Frees up your hands so you can work faster. Made of black neoprene with Velcro end closures.

Description	Item#	Each
Eye Loupe Headband	272-1005	\$12.98

A. Eschenbach 10X Aplanatic Precision Metal Loupe

A precision loupe made of matte chrome-plated brass. Features a 10X aplanatic optical glass lens that delivers a distortion-free image over the entire field of view. Meets EN ISO 9001 standards. Backed by a one-year manufacturer's warranty. Made in Germany.

Description	Focal Distance	Lens Diameter	Item#	Each
10X Metal Loupe	1"	23mm	272-3255	\$68.95

B. Eschenbach 10X Aplanatic Precision Fiberglass Loupe

A precision folding loupe made of durable fiberglass-reinforced polyamide. Features a 10X aplanatic optical glass lens that delivers a distortion-free image over the entire field of view. Keeps out dust when closed, protecting lens from damage. Meets EN ISO 9001 standards. Backed by a one-year manufacturer's warranty. Made in Germany.

Description	Focal Distance	Lens Diameter	Item#	Each
10X Fiberglass Loupe	1"	23mm	272-3240	\$57.95

C, D 10X Testers on Stands

Although our linen tester was derived from the textile industry, both these loupes can be used on anything. Both have a magnification power of 10X with focal distance of 1" and a lens diameter of 14.3mm ($\frac{9}{16}$ "). Original Linen Tester stands $\frac{13}{8}$ " high when open and the black surface minimizes glare while allowing easy use of the linen cross hairs on the base as a reference. Folds to a compact 30mmL x 23mmW x 10mmH. Econo version stands $\frac{11}{8}$ " high when open and folds down to 32mmL x 25mmW x 9mmH.

		Focal	Lens		EACH	l Prices
	Description	Distance	Diameter	Item#	1-2	3+
C.	Original Linen Tester 10X	1"	14.3mm	272-4050	\$31.95	\$26.62
D.	Econo Magnifier 10X Silver w/Folding Stand	1"	14.3mm	272-4051	11.95	_

E. Bausch & Lomb® 5X Pocket Magnifier

Pocket magnifier with slide-on plastic carrying case. Features an aspheric lens that offers a wider field of view at higher power than a normal lens, plus edge-to-edge clarity. Ideal for viewing large areas at high power. Measures approx. 2½"L x 15%"W x 5%"H when closed. Made in USA.

	Focal	Lens	EACH Price		
Description	Distance	Diameter	Item#	1-2	3+
5X Pocket Magnifier	2"	36mm	272-5007	\$11.59	\$9.66

F. Bausch & Lomb® 3.5X Engraver's Magnifier

An engraver's magnifier with two plano-convex lenses. Has near-universal application in precision work. Provides a wide, flat field. Made in USA.

Description	Focal Distance	Lens Diameter	Item#	Each
3.5X Engraver's Magnifier	3"	40mm	272-5015	\$50.95

G. GemOro iView LED Magnifier – 5X and 10X

Features Dual 5X and high power 10X magnification while boasting a crisp 55mm and 20mm high quality optical lens. Its multi-function on/off button controls the super bright illumination consisting of 9 LED's (8 White Natural Daylight LED's and 1 UV LED). Comes supplied with (3) AAA batteries and a protective carrying case. Measures 8" x $3^{1}/4$ " and weighs 5 oz.

EACH Pr			JH Prices
Description	Item#	1-2	3+
iView LED Magnifier	272-5008	\$19.95	\$18.95

H. Interchangeable LED Magnifier - 2.5X, 5X and 16X

The interchangeable lens magnifier comes supplied with three lenses - 2.5X, 5X and 16X. Easily change magnification by simply depressing the release buttons and attaching the new lens. The reinforced hard acrylic lenses provide edge to edge field of view. Lens diameters are 3.5" (2.5X), 3" (5X) and 1.5" (16X). Features a comfortable ergonomic handle with rubber grips, two super bright LED lights for optimal illumination and a convenient on/off switch. Requires three AAA batteries (not included). Made in China.

			EACH Pri	ces
Description	Item#	1-2	3-5	6+
Interchangeable LED Magnifier	272-5009	\$15.75	\$14.96	\$14.18



















A. Primo™ Optical Setting Glasses

Economical setting glasses deliver high quality optics and durability. Eyepieces come mounted on a sporty classic eyeglass frame. Supplied in handy carry case with polishing cloth and a neck cord. Made in China.

Optical Setting		Working		Each	n Prices
Glasses	Mag.	Distance	Item#	1-2	3+
2.0X-XS	2.0X	8-12"	272-3230	\$240.00	\$216.00
2.5X-XS	2.5X	8-12"	272-3231	250.00	225.00
3.0X-S	3.0X	11-15"	272-3232	290.00	261.00
3.5X-S	3.5X	11-15"	272-3233	295.00	265.50
Replacement Frame			272-3234	29.95	-

B. Eschenbach MAXDetail Magnifier

This top-quality headset magnifier with Galilean design provides wide field of view (20°) and independently adjustable magnification and focus for each lens, ensuring excellent clarity for each eye. Objective lenses compensate for ±3-diopter spherical correction or allow adjustment for close-up activities. Lightweight PXM(R) optics, flexible plastic temples and smooth bridge allow extended wear. Frosted objective housing eliminates reflections. Magnifies up to 2X. Includes carrying case and head strap. Made in Germany.

		EACH	1 Prices
Description	Item#	1-2	3+
MAXDetail	272-3280	\$99.95	\$94.95

C. Optisight™ Magnifier with Three Lens Plates

From the makers of OptiVISOR, this lightweight yet tough magnifier features a visor assembly with pivot mechanism and headband with adjustable strap for comfortable extended wear. Provides hands-free magnification. Includes three high-quality $1\frac{3}{4}X$, 2X and $2\frac{1}{2}X$ interchangeable lens plates with focal distances of 14", 10" and 8", respectively. Optional 23/4X lens plate with focal distance of 6" also available for intermittent close-up work.

Description	Item#	Each
Optisight with 3 lens plates	270-0400	\$28.10
Optional 2 ³ / ₄ X Lens Plate	270-0404	8.15
Replacement 2½X Lens Plate #3	270-0401	8.15
Replacement 2X Lens Plate #4	270-0402	8.15
Replacement 13/4X Lens Plate #5	270-0403	8.15

D. Magni-Focuser® Mark 2 Magnifiers

Feature interchangeable binocular lenses made of shatter-resistant optical acrylic and adjustable headbands for comfort. #115 includes an auxiliary lens that provides an additional 2½X magnification in one eye.

	Description	Power(s)	Focal Distance(s)	Item#	EAC 1-2	H Prices 3+
	#105	2 ¹ / ₄ X	8"	271-1050	\$21.60	\$18.00
	#107	2 ³ / ₄ X	6"	271-1070	21.60	18.00
	#110	$3^{1/2}X$	4"	271-1100	22.50	18.75
D.	. #115	2 ¹ / ₄ , 4 ³ / ₄ X	8", 3"	271-1150	38.15	31.79

E. Bausch & Lomb® Premoistened Lens Cleaning Tissues

Anti-fog, anti-static, nonsilicone-based tissues treated with special surfactants for cleaning all glass and plastic lenses. Ideal for cleaning loupes, glasses, mirrors, even computer screens. Sold in convenient cardboard dispensing boxes of 100 that can be bench- or wall-mounted. Each individually wrapped, premoistened tissue measures 5" x 8". Box measures 9"L x 53/8"W x 23/8"H.

Description	Item#	Box of 100
Lens Tissues	272-1001	\$14.99

A, B OptiVISOR® Magnifiers

Each OptiVISOR features an interchangeable binocular lens plate made of high-quality optical glass, ground and polished to precision ophthalmic standards. Lightweight, impact-resistant visor assembly with pivot mechanism and adjustable genuine leather headband allow comfortable extended wear. Available in blue and black. Replacement lenses available separately. Please call or see website for details. Made in USA.

				Focal		EACI	H Prices
	Descr	iption	Power	Distance	Item#	1-2	3+
A.	DA-2	Blue	$1^{1/2}X$	20"	270-1020	\$39.95	\$35.96
	DA-3		1 ³ / ₄ X	14"	270-1030	39.95	35.96
	DA-4		2X	10"	270-1040	39.95	35.96
	DA-5		$2^{1/2}X$	8"	270-1050	39.95	35.96
	DA-7		2 ³ / ₄ X	6"	270-1070	43.95	39.56
	DA-10)	$3^{1/2}X$	4"	270-1100	43.95	39.56
B.	DA-2	Black	1 ¹ / ₂ X	20"	270-1120	39.95	35.96
	DA-3		1 ³ / ₄ X	14"	270-1130	39.95	35.96
	DA-4		2X	10"	270-1140	39.95	35.96
	DA-5		$2^{1/2}X$	8"	270-1150	39.95	35.96
	DA-7		2 ³ / ₄ X	6"	270-1170	43.95	39.56
	DA-10)	$3^{1/2}X$	4"	270-1180	43.95	39.56
	Replacement Items				li	tem#	Each
	Blue V	isor Asse	embly only		270	0-1010	25.85
	Black '	Visor Ass	embly only		270	D-1115	25.85



Available as a complete set of all four lenses with one visor assembly or specific lens with visor. Each features a high-quality optical acrylic lens plate made from a precision-ground, highly polished mold. Lightweight yet tough visor assembly with pivot mechanism and adjustable padded leather headband allow comfortable extended wear. Available in blue only. Replacement lenses available separately. Please call or see website for details. Made in USA.

		Focal			EAC	H Prices
	Description	Power	Distance	Item#	1-2	3+
C.	Complete Set	All	All	270-1204	\$59.95	\$53.96
	LX3	1 ³ / ₄ X	14"	270-1200	30.55	27.50
	LX4	2X	10"	270-1201	30.55	27.50
	LX5	$2^{1/2}X$	8"	270-1202	30.55	27.50
	LX7	2 ³ / ₄ X	6"	270-1203	30.55	27.50

D. Quasar LED Light Attachment for OptiVISOR®

The revolutionary Quasar LED lighting system is the best possible lighting solution available for your magnifying visor. The fixture snaps over the Optivisor lens plate and significantly increases visibility. Made in China.

Description	Item#	Each
Quasar LED Light Attachment	270-2110	\$29.95

E. OptiVISOR® Xenon Light

Clips onto OptiVISOR (see above) to illuminate the viewing area. Features 6,000-candlepower bright xenon bulb. Swivels for optimal coverage. Runs 5-6 hours on two AA batteries (not included).

	Description	Battery Pack Location	Item#	Each
E.	LT-06, 10" cord	Visor assembly	270-2150	\$25.35
	LT-42, 42" cord	Belt or pocket	270-2151	25.35
	Replacement Bulb		270-2152	7.85

F. OptiVISOR® Optiloupe

Designed for monocular use the Optiloupe easily attaches to either eye of any OptiVISOR or OptiVISOR LX for additional 2½X magnification.

			EACH Price		
Description	Power	Item#	1-2	3+	
Optiloupe	2 ¹ / ₂ X	270-2200	\$10.95	\$9.86	











Items sold separately.





A. Eschenbach Precision Galilean Binoculars

These lightweight, well-balanced binoculars provide comfortable handsfree viewing for detailed work. Feature prescription-grade shatter-resistant achromatic 23mm lenses made of PXM optically pure plastic, focusing adjustment and diopter setting for each eyepiece and adjustable nose bridge. Available in 2.5X and 4X powers with $3\frac{1}{2}$ " and $1\frac{1}{4}$ " fields of view, respectively. Include leather carrying case. Meet EN ISO 9001 standards. Backed by a one-year manufacturer's warranty. Made in Germany.

		Focal		
Description	Power	Distance	Item#	Each
Galilean Binoculars	2 ¹ / ₂ X	14"	272-3245	\$575.00
	4X	10"	272-3246	610.00

B. Telesights®

Binocular magnifiers with optical-quality acrylic lenses coated to resist abrasion. Include half-frame for independent use.

			Focal		EAC	H Prices
	Description	Power	Distance*	Item#	1-2	3+
B.	#43	1 ³ / ₄ X	13 ¹ /2"	270-0430	\$36.99	\$33.29
	#44	2X	10"	270-0440	36.99	33.29
	#45	2 ¹ / ₄ X	8"	270-0450	36.99	33.29
	#46	$2^{1/2}X$	6 ² /3"	270-0460	36.99	33.29
	#48	3X	5"	270-0480	39.99	35.99

^{*}Measured from eye. (not from lens as customary)



C. Donegan Magnifiers – From the Makers of OptiVISOR

Ideal for small jobs that require your hands to be free. Feature lightweight construction with dual-lens system that eases eyestrain by converging on focal point. Include half-frame for independent use and small clip for attachment to eyeglasses.

		Focal		
Description	Power	Distance	Item#	Each
C03	1 ³ / ₄ X	14"	271-1200	\$25.15
C04	2X	10"	271-1201	25.15
C05	2 ¹ / ₂ X	8"	271-1202	25.15
C07	2 ³ / ₄ X	6"	271-1203	25.15



D. Eschenbach Clip-On Magnifiers

Feature prescription-grade lenses made of PXM optically pure plastic coated with Cera-Tec for resistance to breakage and scratching and lightweight fiberglass-reinforced plastic clip assembly. Include four soft rubber clip sleeves that protect eyeglasses from abrasion, plastic box and lens cleaning cloth. Meet EN ISO 9001 standards. Backed by a one-year manufacturer's warranty. Made in Germany.

Description	Power	Working Distance	Item#	Each
Clip-On Magnifier	21/2X	7"	272-3260	\$63.85
	3X	6"	272-3261	63.85



E. Bausch & Lomb® Clip-On Eyeglass Loupe

Mini loupe with optical glass lens for attachment to wire or plastic eyeglass frames. Swing up when not in use. Focal distance: 3½".

Description	Power	Diameter	Item#	Each
Single-Lens Style	4X	24mm	272-3002	\$45.50

A-D Dino-Lite Digital Handheld Microscopes

Perfect for appraisals, repair, inspection and documentation!

Affordable, compact digital microscopes for a wide range of assembly, repair, inspection and documentation applications. Three of the Dino-Lite models also include measuring software that allows you to input a magnification value from the microscope zoom control and then measure length, multiple angles, and circular functions.

The AD4113TL boasts enhanced working distance and removable nose cone, which can be swapped with the optional 90° view adapter (810-0093) to look into tight areas with ease. While the new Edge Series, AM4115ZT offers high end, higher image quality, exquisite sharpness and enhanced detail (shown at right).

Features:

- Camera with powerful magnification capabilities and remarkable color resolution
- DinoCapture software for capturing both pictures and videos
- Micro-Touch trigger mechanism for shooting without a mouse
- 8 ultra-bright LEDs for strong yet clean lighting
- Compact design for portability
- Includes USB 2.0 cable for fast data transfer
- · Backed by a one-year warranty
- CE approved
- Compatible with PC and Mac

Specifications:

Resolution 1.3 MP (1280 x 1024) Illumination 8 white LEDs Frame Rate Up to 30fps

JPEG, BMP, AVI File Format 11/4"D x 4"L **Dimensions**






View instructional video

at www.gesswein.com.

Images taken with Dino-Lite

Enhanced Measuring **Polarizing** Working Distance*** Model Zoom Software³ Filter* Item# Each AM411T 10-50X, 220X No No No 810-0086 \$329.00 Basic model, minimal image blur AD4113TL 10-90X Yes Nο Yes 810-0092 489.00 Enhanced lighting, improved illumination AD4113ZTS 10-50X, 220X Yes Yes No 810-0099 509.00 Premier model, adjustable polarization prevents glare and hot spots AM4115ZT 10-230X 810-0110 629.00 Edge series, high end, higher image quality, exquisite sharpness and enhanced detail B. Tabletop Stand - Stability 810-0091 99.00 Diffuser F/AM Premier Series (except ZTS) 810-0101 19.00 C. Diffuser F/AMZTS Premier Series 810-0102 19.00 Diffuser F/AM Edge Series 810-0103 19.00 Universal Light Box Adapter 810-0096 39.00 Optional 90° View Adapter for AD4113TL 810-0093 59.00



^{**}Allows adjustable glare reduction, useful in many close-up applications.

D. Dino-Lite MSAK826 Enclosed Light box

Includes two 8" LED light bars and up to 14" vertical internal working distance. The LED Light has a long life of approximately 3 years. Replacement bulbs available. Powered by an included AC Adapter, this photo box helps to eliminate outside light pollution and other interfering factors. Compatible with all Dino-Lite handheld Scopes. For photographing jewelry, it is recommended to use our table stand (810-0091- see above) and extended pole (810-0125 - see below). Dimensions: 7"W X 9¾"D X 12"H. Some assembly required. 110V. Made In China.

Description	Item#	Each
Dino-Lite MSAK826 Enclosed Light box	810-0120	\$199.00

E. Optional MSA2P Pole for Dino-Lite Table Stand / MSAK826 Light Box

Quickly and easily mount your Dino-Lite on your light box (See p. 332). Made of high-impact plastic. Description Item# Each Pole for Dino-Lite Table Stand 810-0125 \$29.00

F. Dino-Lite Light Box Adapter - Perfect for use with your MEDALight!

Mount your Dino-Lite on any light box (See p. 332). Made of high-impact plastic.

Description	Item#	Each
Dino-Lite Light Box Adapter	810-0096	\$39.00





Shown with Laptop and Tabletop stand #810-0091 (not included).





Diffuser for viewing gemstones/ diamonds by removing glare. Microscope sold separately.





^{***}Allows up to 4" more distance between lens and subject.



ProZoom Scopes on Ball Bearing Bases









A-C ProZoom™ — 4.5 Stereo-Zoom Binocular, 6.5 Digital Trinocular Microscope Systems and Binocular Microscopes with GRS Acrobat Stands

Both systems offer the performance and durability required for your most demanding inspection needs. Crystal-clear optics, combined with ultra-bright LED illumination, gives the same performance of much more expensive microscope systems and making them a favorite across many industrial applications. The 10" x 10" robustly built double-ball bearing base/arm assembly makes using either ProZoom effortless, maintaining pinpoint accuracy when locked in. Both versions offer an eye tube inclination of 45°, while the main body rotates 360° in holder. Both feature a dimmable, ultra bright, LED ring light. Both are ESD safe,120~240V, 50/60Hz and have a shipping weight of 65lbs.

The Digital Trinocular System is a "true" trinocular design because you maintain full functionality of both eyepieces when using the video port. Comes complete with 2 Megapixel (1600x1200) USB 2.0 camera with Image Acquisition and Measurement Software Suite for high-quality analysis and documentation.

The ProZoom Binocular Microscopes combine the same crystal clear optics as the ProZoom 4.5 Stereo-Zoom binocular microscope above with the GRS acrobat stand on the following page to give you the most flexible scope at an affordable price.

Available with either the same extra-bright fluorescent ring light as the Meiji Stereo Zoom scopes on the next page or the dimmable, ultra bright, LED ring light on the Pro-Zoom 4.5 Binocular Microscope above. Additional 2X and 10X lenses are available. Please see our website.

Specifications:

P	ProZoom	Binocular	Trinocular	
S	tandard Magnification Range	3.5X - 45X	5X - 65X	
S	tandard 10X Eyepiece	22mm	28mm	
C	Objective Lens	0.5X	0.5X	
S	tandard Lens Working Distance	90mm	108mm	
C	bjective Lens Working Distance	160mm	190mm	
Е	yepiece Adjustments	5 Diopter	6 Diopter	
Т	otal Maximum Magnification			
V	vith optional accessories	225X	390X	
F	ield of View - Diameter	28.6 - 4.8	28.75 - 3.3	
V	Varranty	5 yr Mechanical	5 yr Mechanical, 1 yr E	lectrical/Video
	Description		Item#	Each
Α	. ProZoom Binocular LED Microscope		271-3080	\$1,995.00
В	. ProZoom Digital Trinocular LED Micros	scope	271-3085	3,945.00
C	. ProZoom Binocular Fluorescent Microso	cope + Acrobat Stand	271-3095	1,750.00
	ProZoom Binocular LED Microscope +	Acrobat Stand	271-3096	1,855.00

D. Bench Setter's Microscope

Lightweight yet durable, the Bench Setter's Microscope boasts an all-metal aluminum alloy body with premium components and chemical-resistant finishes providing stability and durability for a lifetime of dependable use.

The easily maneuverable boom stand with friction arms, focus block and padded headrest ensures superb flexibility and comfort. Entire assembly can be easily positioned and quickly swung away when not in use. Friction arms lock in place when needed. Focus block securely holds microscope body. Dimmable Ring Light (included) with extra-bright LED bulbs provides cool, glare-free illumination. Fits many other competitive microscopes as well. Made In China.

Features: Binocular scope body can be rotated 360° and locked in any position. Standard 10X eyepieces with magnification Range of 3.5X-45X, High-resolution optics for yielding upright and unreversed stereoscopic images, Rugged all-metal bodies and components designed to last a lifetime, Ergonomically positioned bilateral zoom controls.

Description	Item#	Each
D. Bench Setter's Microscope	271-3045	\$925.00

E. GemOro® Elite 1030 Microscope - 10X and 30X Magnification

A precision microscope at a surprisingly affordable price. Field of view 25mm at 10X. Provides true professional darkfield and brightfield with sliding baffle. Has adjustable iris diaphragm for controlling lower light. Features 360° rotating head for easy focus adjustment. Comes complete with full-view gem clip, comfort eye guards and dustcover. For added surface illumination, an optional fluorescent overhead light can be attached. Backed by a five-year mechanical warranty and a two-year electrical warranty. Imported with optics from Japan. Electrical: 110/220V, 50/60Hz. Dimensions: $4\frac{1}{2}$ "W x $7\frac{1}{2}$ "D x $12\frac{1}{2}$ "H. Ship wt. 10 lbs.

		E	ACH Prices
Description	Item#	1-2	3+
E. GemOro Elite 1030 Microscope	810-0083	\$299.00	\$269.10
Overhead Light	810-0078	79.95	-

A. Meiji Stereo Zoom Microscopes

Standard Binocular and Camera-Ready Trinocular Styles

From the premier optics manufacturer in Japan, these microscopes feature a Greenough optical design and high-resolution optics free of chromatic and spherical aberrations for yielding crystal-clear upright and unreversed stereoscopic images with rich contrast, impressive brightness and true-to-life color. Boast great depth of field and image flatness for accurate viewing and long working distances for ample workspace. Ideal for inspection of fine details.

Lightweight yet durable all-metal aluminum alloy bodies with premium components and chemical-resistant finishes provide stability and durability for a lifetime of dependable use. The 45°-inclined observation tubes with adjustable interpupillary distance and diopter tubes eliminate eyestrain.

GRS acrobat boom stand with friction arms, focus block and padded headrest ensures superb flexibility and comfort. Entire assembly can be easily positioned and quickly swung away when not in use. Friction arms lock in place when needed. Focus block securely holds microscope body. Padded headrest reduces neck and back fatigue. Comes with a protective dusk cover.

Ring light with extra-bright circular fluorescent or LED bulb provides cool, glare-free illumination. Fits many other microscopes besides those from Meiji. Electrical: 115V.

- Binocular and Trinocular styles that can be rotated 360° and locked in any position
- High-resolution optics for yielding upright and unreversed stereoscopic images
- Ergonomically positioned bilateral zoom controls
- Interpupillary distance adjustment from 54–75mm
- Dual dioptric adjustment (±5 diopters) for maintaining focus throughout zoom range

Binocular and Trinocular Components:

- 10X eyepieces with eye shields
- 0.5X auxiliary objective lens for increased working distance
- GRS Acrobat Boom Stand with focus block and headrest
- LED or Fluorescent (on/off) Ring Light, 115V

Specifications:

Binocular or Trinocular, each with 360° rotation Body Style

Zoom Control Dual, graduated, bilateral mount

Zoom Range 0.7–4.5X (0.35–2.25X with 0.5X objective lens) 7-45X (3.5-22.5X with 0.5X objective lens) Magnification

32.8–5.1mm (65.6–10.2mm with 0.5X objective lens) Field of View

Working Distance 93mm (Binocular/Trinocular with 0.5X objective lens: 150/170mm)

Interpupillary Distance Adjustable from 54-75mm

Dioptric Adjustment Dual (±5 diopters)

	Description	Item#	Each
Ā.	Binocular Microscope with Acrobat Stand and LED Ring Light	271-3049	\$2,128.00
	Binocular Microscope with Acrobat Stand and Fluorescent Ring Light	271-3029	2,162.00
	Trinocular Microscope with Acrobat Stand and Fluorescent Ring Light*	271-3067	2,742.00

^{*}Designed for photo and video applications. When the beam splitter is engaged, it does not obstruct the eye tubes; all three viewing ports are lighted for simultaneous use. Can be used with most cameras, including digital, SLR, digital SLR and CCD. Call for available adapters.

B, C Leica® A60 Microscope and the GRS redesigned Acrobat® Versa Stand

Leica FusionOptics provides a greater depth of field and a high-resolution view of hand engraving, stone setting and jewelry repairs and tasks. The GRS Acrobat Versa stand has been redesigned, specifically for the popular Leica A60 Microscope. It features a rigid frame that makes positioning your work easy, a magnetic document holder and dust cover. The 38° viewing angle on the Leica head allows the user to maintain a natural head posture. The operating elements such as the zoom adjustment, focus knob, and ring light are intuitive and easily accessible, by left and right-handed users alike. Complete Package Includes; Leica A60 Microscope W/10X Fixed Eyepieces/0.63 Objective Lens, GRS Acrobat Versa Stand, Dual Voltage LED Optia LED Light and GRS Headrest. If you already have the older style Acrobat Stand from GRS, but you want to have upgrade to the Leica optics, you can replace your existing scope by purchasing our Leica Scope Head and Adapter package (271-3063). One-year manufacturer's warranty.

Specifications:	Standard	with Oblective Lens 0.63X
Magnification Range	5X to 30X	3.15X to 18.9X
Depth of Field	13.6mm to 0.54mm	n/a
Object Field Diameter	46.0mm to 7.7mm	70.0mm to 11.7mm

Description	Item#	Each
B. GRS Leica Scope System	271-3060	\$2,395.00
C. Leica Scope Head only with retrofit Acrobat adaptor	271-3063	1,850.00



Meiji optics with Fluorescent Ring Light



Fluorescent Ring Light Circuline Bulb





A. Premium Digital Caliper - Max 6"/150mm

This extremely accurate caliper can be connected to any computer for recording or printing data. Features large, high-contrast LCD screen for easy readability. Has conversion, zero and hold functions (hold function freezes display for later viewing). Made of hardened stainless steel for durability. Uses setscrew to prevent jaws from moving. Runs for 2–3 years on an efficient lithium wafer battery (included). Measures inside, outside, depth and step. Comes in fitted plastic case with see-through cover.

Specifications:

Premium Digital Caliper	825-1635	\$180.25
Description	Item#	Each
Resolution 0.0005"/0.01mm	Accuracy ± 0.001 "/0.02mm	




B. Econo Digital Caliper - Max 6"/150mm

Provides full digital accuracy at a reasonable price. Features large LCD screen for good readability. Has conversion and zero functions. Uses setscrew to prevent jaws from moving. Runs for one year on 1.5V silver oxide watch battery (included). Measures inside, outside, depth and step. Comes in fitted plastic box. Made in Switzerland.

Specifications:

Econo Digital Caliper	825-1630	\$77.50
Description	Item#	Each
Resolution 0.0005"/0.01mm	Accuracy ± 0.001 "/0.03mm	



C. Digital Caliper with Holding Plate – Max 6"/150mm

This caliper comes standard with a stone holding plate attachment for easy measuring for loose stones, watch crystals, beads etc. Convert measurement from millimeters to inches with a touch of a button. LCD display with auto-off system. Measures inside, outside and depth. Comes with nylon case and spare battery.

Specifications:

6" Digital Caliper with Plate	825-1632	\$37.95
Description	Item#	Each
Max. Measurement 6"/150mm	Accuracy ± 0.0001 "/.01mm	



D. Pocket Digital Caliper – Max 4"/100mm

Provides digital accuracy and portability at a very affordable price. Features large LCD screen as well as conversion and zero functions. Uses setscrew to prevent jaws from moving. Runs for one year on 1.5V silver oxide watch battery (included). Measures inside, outside, depth and step. Comes in fitted plastic box. Made in India.

Specifications:

4" Pocket Digital Caliper	825-1625	\$35.00
Description	Item#	Each
Resolution 0.0005"/0.01mm	Accuracy ± 0.001 "/0.02mm	



E. Mini Digital Thickness Gauge - Max 1"/25mm

Compact gauge (just $3^{1}/2^{"}$ overall) is small enough to take everywhere. Features large LCD screen for good readability. Has conversion and zero functions. Takes both inside and outside measurements in inches and millimeters. Uses setscrew to prevent jaws from moving. Runs on a 1.5V silver oxide watch battery (included). Comes with storage case.

Specifications:

Mini Digital Thickness Gauge	825-1620	\$59.95
Description	Item#	Each
Resolution 0.0005"/0.01mm	Accuracy ±0.001"/0.01mm	

A. Swiss Plastic/Fiberglass Dial Caliper - Max 150mm

Made of durable super polyamide plastic and fiberglass. Measuring capacity: 150mm. Dial graduations: 0.1mm. Measures inside, outside, depth and step. Comes complete with fitted plastic case. Made in Switzerland.

Description	Item#	Each
Swiss Plastic/Fiberglass Dial Caliper	825-1660	\$36.95



B. Swiss Plastic Dial Caliper - Max 6"/150mm

Made of tough reinforced plastic. Measuring capacity: 6". Dial graduations: 0.01" and 1/64". Measures inside, outside, depth and step. Includes fraction conversion table on back. Comes in plastic case. Made in Switzerland.

Description	Item#	Each
Swiss Plastic Dial Caliper	825-1815	\$39.95



C. Econo Vernier Caliper - Max 6"/150mm

Graduations with Vernier: 0.001" and 0.02mm. Depth of jaws: 1.6". Made of hardened stainless steel. Uses setscrew to prevent jaws from moving. Has black graduations on a satin chrome finish for easy inside, outside and depth measurements. Comes in plastic box.

Description	Item#	Each
Econo Vernier Caliper	825-1725	\$39.95



D, E Brass Sliding Calipers – inch and mm

High quality Pocket Calipers made of Brass. Both measure up to 31/4" (1/16" increments) and to 80mm (1.0mm increments). Notched tips are helpful for measuring internal diameters - ID. Can be used as a conversion tool for inches and millimeters. The Vernier model allows measurements to 0.1mm - OD. Made in Germany.

				EAUH PI	ices
	Description	Item#	1-2	3-5	6+
D.	Pocket Vernier Caliper	813-1200	\$12.40	\$11.78	\$11.16
E.	Pocket Caliper	813-1205	11.40	10.83	10.26



B

A. Deluxe Combination Degree Gauge

This high-quality, precision steel degree gauge measures in millimeters and lignes. Far superior to ordinary gauges in terms of construction, readability, convenience and finish. Has screw adjustment at base for perfect accuracy even after years of use. Capacity: 13.5mm or 6 lignes (72 douziemes). Graduations: 0.1mm or ½12 ligne (douzieme). Measures 8" long. Made in Switzerland.

Description	Item#	Each
Deluxe Combination Degree Gauge	813-0905	\$169.00



B. Combination Degree Gauge

Made of satin-finished steel with brass index plate. Capacity: 15mm or 6 lignes (72 douziemes). Graduations: 0.1mm or $\frac{1}{12}$ ligne (douzieme). Measures 6¹/₂" long.

Description	Item#	Each
Combination Degree Gauge	813-0900	\$41.65



C. Pocket Degree Gauge

An economically priced pocket-size steel gauge. Has easy-to-read black indices on polished brass plate. Capacity: 10mm. Graduations: 0.01mm. Measures 37/8" long.

Description	Item#	Each
Pocket Degree Gauge	813-0909	\$15.95



D. Mini Degree Gauge

A compact, lightweight gauge made of polished stainless steel. Features easy-to-read indices on both sides. Smaller than conventional gauges yet just as accurate. Capacity: 10mm. Graduations: 0.1mm. Measures 4" long.

Description	Item#	Each
Mini Degree Gauge	813-0850	\$12.35



E. Econo Micrometer

This affordable micrometer features 6.5mm diameter satin chrome measuring faces with microfine black graduations, friction thimble, locking lever and durable enamel-coated frame. Carbide-tipped for long wear. Capacity: 25mm. Graduations: 0.01mm. Includes wrench and box.

Description	Item#	Each
Econo Micrometer	825-1827	\$27.95

A. German Divider with Replaceable Tips

Features easily replaceable extra-hard tool steel tips for marking soft and hard metals. Has heavy-duty spring for durability. Measures 3" long. Made in Germany.

			EACH Pri	ces
Description	Item#	1-2	3-5	6+
3" Replaceable Divider	812-1710	\$11.95	\$11.35	\$10.76
Replacement Tips, pair	812-1711	1.95	-	_



B. German Dividers

Well-balanced, precision-machined steel dividers with ground and hardened points. Use for measuring between points, marking shanks for sizing, scribing circles and more. Sold in three lengths. Made in Germany.

Description	Item#	Each
3" Divider	812-1706	\$10.20
4" Divider	812-1805	10.95
6" Divider	812-1905	12.95



C. Econo Divider

A steel divider with hardened points, knurled pivot handle and adjusting screw. Measures 3" long. Imported.

		EACH Prices
Description	Item#	1-2 3+
3" Econo Divider	812-1705	\$5.95 \$ 4.96



D. 2" Steel Square

Forms an exact 90° angle for making corners and centering stones. Made of milled steel.

			EACH Price	ces
Description	Item#	1-4	5-9	10+
2" Steel Square	811-1715	\$4.45	\$4.01	\$3.78



E. Multi Angle Wax Gauge

Perfect for measuring wax. Make 90°, 45° and 30° pieces. Easy to draw


Multi Angle Wax Gauge	265-2317 \$	39.95
Description	Item#	Each
parallel lilles of to get circular	certier. Measures approximately 4 74	iong.



F. Gesswein® 6"/150mm Stainless Steel Ruler

Measures up to 6" ($\frac{1}{32}$ " increments up to 3", $\frac{1}{16}$ " increments up to 6") or 15.2cm (1mm increments). Features black etched graduations on glareresistant polished surface for easy reading. Has a table for converting inch fractions to decimal inches or millimeters and a ring length gauge on reverse. Measures 3/4" wide.

			EACH Pric	es
Description	Item#	1-4	5-9	10+
6" Stainless Steel Ruler	811-1710	\$5.80	\$5.22	\$4.93





A. Bergeon Four-Scale Ring Stick

Heavy-duty anodized aluminum ring stick invaluable for translating foreign sizes. Graduated in four most popular scales: USA sizes 2–15 by $^{1}\!/_{4}$ -size increments, French sizes 1–36, English sizes D–Z and EURO sizes 41–76mm. Has laser-etched lines. Measures 10" long. Made in Switzerland.

Description	Item#	Each
Four-Scale Ring Stick	820-8306	\$89.00



B. Four-Scale Econo Aluminum Ring Stick

Heavy-duty aluminum ring stick for translating foreign sizes. Graduated in four most popular scales: USA sizes 2–15 by $^{1}/_{4}$ -size increments, French sizes 1–36, mm diameter 13–24 and EURO sizes 41–76mm. Have laser-etched lines. Measure $9^{3}/_{4}$ " long. Imported.

Description	Item#	Each
Four-Scale Econo Ring Stick	820-8309	\$17.95



C. Bergeon Aluminum Ring Stick

Heavy-duty aluminum ring stick. Graduated in USA sizes $1\frac{1}{2}$ -15 by $\frac{1}{4}$ -size increments. Features nice heft and glare-free brush finish. Measures $9\frac{7}{8}$ " long. Made in Switzerland.

Description	Item#	Each
Aluminum Ring Stick	820-8305	\$82.95



D. Grooved Aluminum Ring Stick

Round aluminum ring stick grooved for accepting stone-set rings. Graduated in sizes 1-13 by $\frac{1}{4}$ -size increments. Has length gauge to measure shank stock for specific ring sizes.

Description	Item#	Each
Grooved Aluminum Ring Stick	841-1250	\$22.55



E. Wooden Ring Stick

An extremely accurate, finely finished hardwood ring stick. Graduated in sizes 3–15. Great for wirework because it won't scratch jewelry. Less likely than metal ring sticks to damage glass and other fine surfaces.

		EAC	H Prices
Description	Item#	1-2	3+
Wooden Ring Stick	816-0180	\$12.95	\$11.66



F. Grooved Plastic Ring Stick

Made of durable black plastic. Has groove for stone-set rings. Graduated in sizes 1-15 by $\frac{1}{4}$ -size increments.

Description	Item#	Each
Grooved Plastic Ring Stick	820-8310	\$5.25

A. Elma® Ringmeter – For fast, easy ring size measurements!

This revolutionary digital device lets you measure an exact finger circumference in any international standard at the touch of a button. Features a universal ergonomic design for left- or right-handed operation. Capacity: 13–26mm dia. Includes a storage cradle and operating instructions. Runs on just one 9V battery (included). Measures $2\frac{1}{2}$ "W x $9\frac{1}{4}$ "L. Weighs 1 lb. Made in Germany.

Description	Item#	Each
Ringmeter	816-0176	\$128.50

B. Four-Scale Metal Ring Sizes

Nickel-plated, brightly polished 3mm wide metal bands (36 total) marked with inside diameters from 13.0–24.2mm, circumferences from 41–76mm and closest equivalents of USA sizes from 1–15 $\frac{1}{2}$ and French sizes from 1–36. Seamless one-piece construction.

Description	Item#	Each
Four-Scale Metal Ring Sizes	816-0174	\$28.50

C. Wide Metal Ring Sizes

Nickel-plated, polished 7mm wide metal bands (29 total) in sizes 1–15 by $\frac{1}{2}$ -size increments. Use to measure fingers for wide rings.

		EAC	CH Prices
Description	Item#	1-2	3+
Wide Metal Ring Sizes	820-8150	\$14.65	\$13.19

D. Metal Ring Sizes

Durable, highly polished metal bands (20 total) in sizes 4-13 by $\frac{1}{2}$ -size increments.

		EAU	H Prices
Description	Item#	1-2	3+
Metal Ring Sizes	820-8060	\$13.95	\$12.56

E. Durston Steel Finger Gauge Set 1-16

Stamped and manufactured from high quality steel stock, the Durston ring gauge is precisely machined and calibrated to match the Durston ring mandrels (Steel-#841-1141 and Aluminum-#841-1140) to provide consistent measurements. Includes U.S. sizes 1–16 in clearly marked half-size increments. Made in the United Kingdom.

		EAU	H Prices
Description	Item#	1-2	3+
Steel Finger Gauge	820-8059	\$26.00	\$24.70

F. Econo Ring Gauge Sizing Set (1-15) 1/2 Increments

Standard Width Ring Sizing Set is made out of bright nickel-plated stock and comes in US Sizes 1-15, with ½ increments. Handy to have available when measuring fingers for standard width rings. Made in India.

			EACH Pric	es
Description	Item#	1-2	3-5	6+
Econo Plastic Ring Sizes	820-8058	\$10.95	\$9.86	\$9.31

G. Econo Plastic Ring Sizes

Lightweight turquoise plastic bands (29 total) in sizes 1-15 by $\frac{1}{2}$ -size increments. Can be given to customers for use at home. Color may vary.

			EACH Pric	es
Description	Item#	1-2	3-11	12+
Econo Plastic Ring Sizes	820-8100	\$1.50	\$1.35	\$1.13

H. Disposable Plastic Ring Sizes

Blue plastic bands in sizes $2\frac{1}{2}$ -14 by $\frac{1}{2}$ -size increments (23 total). Just punch out the one you need for each sizing job to ensure a perfect fit. Sold in sets of 12 sheets (276 bands per set).

		Pkg. of 12 Prices		
Description	Item#	1-11	12+	
Disposable Plastic Ring Sizes	820-8105	\$6.55	\$5.90	







A, B Steel Ring Mandrels

Round steel ring mandrels. Available in plain style or grooved style for stoneset rings. Graduated in sizes 1-16 by 1/4-size increments. Made in USA.

	Description	Item#	Each
A.	Plain Style	841-1165	\$35.25
B.	Grooved Style	841-1170	36.35

C-F Econo Ring Mandrel Aluminum – Standard + Grooved

Made of solid rolled aluminum, available Standard or Grooved. Laser engraved with USA sizes 1-15 and with ¼-size increments. Choose from a Bench/Showroom Sizing kit which includes a Standard Steel Mandrel, Standard Aluminum Mandrel and Ring Gauge Sizing Set OR a Showroom Sizing kit which includes a Standard Aluminum Ring Mandrel and Ring Gauge Sizing Set. Made in India.

			ь	ACH Pric	es
De	scription	Item#	1-2	3-5	6+
C.	Aluminum Standard	841-1133	\$17.50	\$15.75	\$14.88
D.	Aluminum Grooved	841-1134	17.95	16.16	15.26
E.	Econo Showroom Sizing Kit	841-1137	26.95	24.26	-
F.	Econo Bench/Showroom Sizing Kit	841-1136	44.95	40.46	-

G-I Durston Finger Gauge & Mandrels

Durston Steel Finger Gauge Set 1-16

Stamped and manufactured from high quality steel stock, the Durston ring gauge set is precisely machined and calibrated to match the Durston ring mandrels: Steel (841-1141) and Aluminum (841-1140) to provide excellent consistency at your bench during manufacturing and also the same consistency when sizing a ring in front of your customer in the retail showroom.

Durston Aluminum and Steel Mandrels

Made of quality machined aluminum or hardened steel both are easy to read as each mandrel is laser engraved with sizes 1-16 US in quarter size increments.

 Showroom Kit includes an Aluminum Mandrel (841-1140) and a Ring Gauge Set (820-8059)

Made in the United Kingdom.

			EACH Prices	
0	Description	Item#	1-2	3+
ն.	Durston Steel Finger Gauge Set	820-8059	\$26.00	\$24.70
Н.	Durston Aluminum Mandrel	841-1140	42.00	39.90
I.	Durston Steel Mandrel	841-1141	42.00	39.90
	Showroom Sizing Kit	841-1144	60.00	57.00

J. Steel Mandrel for Large Rings

Round steel mandrel for holding large rings, bezels, hoop earrings and other items. Graduated in sizes 16-24 by $\frac{1}{4}$ -size increments. Features knurled handle for solid grip. Measures $8\frac{1}{4}$ " long.

Description	Item#	Each
Steel Mandrel for Large Rings	841-1171	\$39.75

K. PEPETOOLS Square Steel Ring Mandrel

Square steel ring mandrel with rounded corners for holding, shaping and straightening rings. Tapers from 24mm to 12mm square. Imported.

Description	Item#	Each
Square Steel Ring Mandrel	841-1109	\$33.50

L. Mandrel Rest

Holding a ring mandrel while working can be awkward. This rest holds the mandrel at both ends to solve the problem. Also holds bracelet mandrels without tangs. Can be secured to your benchtop. Made of cast iron. Mandrel not included. Measures 11.5" long x 2.5" wide. Made in India.

Description	Item#	Each
Mandrel Rest	841-2080	\$40.40

A-G True-Size Ring System

Sizing Errors Are a Thing of the Past!

This precision calibrated ring sizing set offers consistent, dependable measuring when sizing rings time after time. The high quality and the polished professional look will impress your customers on the other side of the counter! Sold as a complete set with matching aluminum mandrel or you can also purchase just the Ring Sizes only. Standard Steel Mandrel also sold separately comes etched with sizes 1-16 in guarter sizes and calibrated to the Ring Sizers. Sets available in either 3mm or 6mm widths.

			EAC	CH Prices
De	scription	Item#	1-4	5+
A.	3mm True-Size with Aluminum Mandrel	841-1122	\$178.50	\$160.65
B.	6mmTrue-Size with Aluminum Mandrel	841-1116	150.00	135.00
C.	3mm True-Size Set only	841-1123	140.00	126.00
D.	6mm True-Size Set only	841-1115	188.50	169.65
E.	Aluminum Mandrel	841-1117	34.00	-
F.	Standard Steel Mandrel	841-1118	36.00	-
G.	Grooved Steel Mandrel	841-1119	36.00	-



The newest member of the True-Size family has arrived! From the manufacturers of the True-Size Ring Set, the Bangle Gauge is a great addition for obtaining accurate sizes of bangles. Made of solid aluminum, the True-Size Bangle Gauge will measure precisely the inside circumference (6.67" - 9.42") as well as the inside diameter (2.125" - 3.0") of bangles. Also marked accordingly in millimeter sizes. Sits flush on any flat surface with a felt bottom not to scratch your jewelry counter top.

Description	Item#	Each
True-Size Bangle Gauge	841-1120	\$26.95

I, J Bracelet Mandrels

Ideal for shaping, stretching and forming bracelets and other items. Made of hardened and polished cast iron. Round mandrel measures 143/8"L and tapers from $3\frac{1}{2}$ " to 2". Oval mandrel measures $11\frac{3}{4}$ "L and tapers from $3'' \times 2^{1/2}''$ to $2'' \times 1^{1/2}''$. Made in Italy.

	Description	Item#	Each
Ī.	Round Bracelet Mandrel	841-2050	\$135.00
J.	Oval Bracelet Mandrel	841-2060	199.00

K. Round Wooden Bracelet Mandrels

Round tapered hardwood mandrels for shaping and removing dents and kinks from bracelets and bangles made of soft, nonferrous metals. Will not mar jewelry.

		EACH Prices		
Size	Item#	1-2	3+	
15"L x 2½"-1½"dia.	841-3032	\$16.45	\$13.98	
14"L x 3½"-2"dia.	841-3031	22.50	19.13	

L. Bangle Size Gauge Set

Constructed of solid steel and highly polished, the Bangle Size Gauge Set is a must for any retailer and/or manufacturer with the need to measure and determine bangle sizes. Comes complete with 27pcs on a solid ring in sizes 1 - 27 (1.80" to 3.20"). Sizes clearly marked (1-27) with European sizes (MM) on the opposite side of the same ring. Made in India.

	EACH I		H Prices
Description	Item#	1-2	3+
Bangle Size Gauge Set	820-8056	\$24.50	\$22.05









Mettler Toledo — A Market Leading Scale Manufacturer

Mettler is a world leader of top quality instruments. Made in Switzerland.



A. Mettler Carat Scale JE-703C/A

Legal for Trade, Pre-sealed - 700ct x 0.001ct

The Mettler Toledo JE Carat Scale features an intuitive menu, easy to read display and 7 built-in applications. Toggle key allows instant switching between carats and grams. Connects to PC or printer with RS232 interface, no additional software needed. Solid metal base, reinforced body and overload protection. Legal for trade. One year warranty. Made in Switzerland.

Specifications:

Maximum Capacity: 700ct/140g Readability: 0.001ct/0.1 mg Platform size: 3½" dia. Setting time (typical): 2.0 sec.

Electrical: 115V AC adapter (accepts 2 AA batteries)

Weight: 10lbs. (4.5kg)

Description	Item#	Each
Mettler Carat Scale JE-703C/A	200-3653	\$1,425.00



B. AND Gold Scale EK-1200i

Legal for Trade, Class 2 - 1200g x 0.1g

A&D Company, based in Japan, has been manufacturing electronic balances for over 30 years and is well known for high accuracy, long life and low cost — ISO 9000 Certified. The EK-1200i compact balance features a large easy to read display, full digital calibration, overload protection, 9 weighing units (g, ct, oz, ozt, dwt, tl, grain, momme) and a counting function. Connects to PC or printer with RS232 interface. Has a security ring to prevent theft. Legal for trade, Class 2. Five year warrantee. Made in Japan.

Specifications:

Maximum Capacity: 1200g Readability: 0.1g

Platform size: 5.2" x 6.7" Electrical: 115v AC adapter Weight: 3.3lbs. (1.5kg)

Description	Item#	Each
Gold Scale EK-1200i	200-3655	\$345.00



C. MY WEIGH Palmscale $8.3 - 300g \times 0.01g$

The perfect field scale for jewelers, law enforcement, dieticians and anyone who requires portable precision weighing. Features dual line display with price computing functions and the ability to display two modes at the same time (e.g., both grams and ounces). Reverse lit LCD display makes the scale easy to read in all weighing environments. The Hydro Hinge provides easy opening of the scale with just the flick of a button. Powered by two AAA batteries. Sleek chrome body and rubberized form—fitting casing. Measures 31/4"W x 43/4"D overall. Platform is 2.7" x 2.5".

Specifications:

Capacity x Grad. 300g x 0.01g /1500.0ct. x 0.1ct.

192.90dwt x 0.01dwt / 10.582oz. x 0.001oz.

4629.7gn x 0.1gn

Description	Item#	Each
MY WEIGH Palmscale 8.3	200-3630	\$74.99



D. Pocket Pan Gram Scale - 500g x 0.01g

Compact Design, portable to go anywhere scale comes with plastic cover to keep weighing pan clean and easy loading.

Cover can be used as a weighing tray. Powered by 2 AAA batteries. Scale features auto-off function with cool blue backlit LED display. Weighs g, oz, gn and ct. Two year warrantee. Made in China.

Specifications:

Maximum Capacity: 500g Readability: 0.01g Platform size: 4.0" x 4.0" Weight: 8.5oz (240g)

Description	Item#	Each
Pocket Pan Scale	200-3642	\$45.00

A. Digital Pocket Scale - 50ct x 0.01ct

This small, portable scale features advanced load cell technology for accurate readings, LCD screen and simple calibration, tare and zeroing functions. Weighs in grams, carats, pennyweights and ounces. Includes calibration weight and carrying case. Runs on two AAA batteries (included). Measures 3"W x $5\frac{1}{2}$ "D x $1\frac{1}{2}$ "H.

Specifications:

Capacity: 50 carats Capacity x Grad. Graduation: 0.01ct.

Description	Item#	Each
Digital Pocket Scale	200-3583	\$139.95

B. GemOro PCT 101 Premium Class Carat Scale - 100ct x 0.005ct

GemOro has created the next generation of a superior carat scale with unique features, style, precision, durability and more! This extra precision carat scale offers accuracy of 0.005ct, with a capacity of 100ct. The functions are controlled by a convenient, easy to use 4-button control panel. Its innovative, low profile flip up draft shield easily expands to accommodate the weighing of large stones or parcels. The rubberized compact carrying case protects the scale while in transit and holds the scale, calibration weight, Swiss-style diamond tweezers, diamond scoop, stainless steel weighing platform. Comes supplied with a dual-voltage 100-240V AC adapter.

Features:

- 100ct x 0.005, g, dwt, oz, ozt and gn
- · Parts counting function
- Large stainless steel weighing platform & bright blue backlit display
- Push button digital calibration, tare, memory, low battery indicator and battery saving auto-off functions
- Innovative low profile tinted draft shield manually expands for weighing large diamonds, gemstones and parcels
- Durable ABS construction with EZ-grip rubberized paint finish
- Includes a rubberized protective travel / storage case with compartments containing scale, stainless steel calibration weight, stainless steel weighing platform, scoop, AC adaptor and Swiss-style locking diamond tweezers
- Powered by (4) long-life included AAA batteries or its supplied universal voltage 100-240V AC adapter
- 5 Year limited replacement warranty

Description	Item#	Each
Gemoro PCT 101 Premium Class Carat Scale	200-3632	\$89.95

C. GemOro Platinum XP500 Scale - 500g x 0.01ct

GemOro Platinum XP500 is a precision, high capacity digital scale with an accuracy of 0.01g and can weigh up to 0.5kg on the 4" square stainless steel weighing platform. Scale includes two weighing trays/covers; the large tray serves as a scale cover and the small tray covers the weighing platform. We suggest the purchase of 2 - 200 gram calibration weights item number 200-3592. Powered by 2 AAA batteries. 110V adapter #200-3634 also available, if desired. Scale measures 5.25" D x 4.5" W x 0.94" H. Stainless steel weighing platform measures 4" x 4".

Specifications:

Capacity x Grad. Capacity: 500g Graduation: 0.01ct.

Description Item# Each GemOro PlatinumXP500 Scale 200-3631 \$29.95

D. GemOro V600M Platinum Scale - 600g x 0.01ct

In your pocket and ready to go! The NEW V600M Pocket Scale is a must for anyone on the go! Built with a durable rubber construction and stainless steel weighing platform, the V600M boasts a capacity of 600g x 0.1g and with the touch of a button toggles between grams (g), ozt, oz and dwt. Easy to read, this scale has a bright blue illuminated LCD display. Other features include push button digital calibration, tare, memory, low battery indicator, battery saving auto-off functions and also supplied with a removable protective cover which also serves as a handy weighing tray for your jewelry or findings. Powered by (2) AAA batteries (included) and carries a 2-year limited replacement warranty.

Specifications:

Capacity x Grad. Capacity: 600g

Graduation: 0.01ct.

Description Item# Each GemOro V600M Platinum Scale 200-3633 \$8.35











A. GemPro 250 - 250ct x 0.01ct; 50g x 0.002g

A compact scale that reads in grams, carats, grains, pennyweights, ounces and troy ounces. Includes calibration weight, stainless steel expansion tray and scoop/bowl. Runs on 4 AAA batteries or 110V AC adapter (included). Measures 3¾"W x 5½"D x 2"H.

Features:

- · Dual-division capability
- Static-electricity resistance
- 3 calibration settings
- 6 weighing modes
- Programmable auto-off function (1-9 minutes)

•	Adjustable	stabilization	feet with	level	indicator
---	------------	---------------	-----------	-------	-----------

- Optional backlight
- Full tare function
- Protective hard plastic storage case

	Lacii
200-3628	\$235.00
	200-3628



B. GemOro® Platinum PRO501VXP - 500g x 0.01g

The perfect countertop / portable scale for professional jewelers, findings dealers, precious metals scrap buyers and gold wholesalers. The GemOro Platinum PRO501VXP offers the extra precision you want, combined with the durability and features you need. Unmatched performance, low profile contoured design, rock solid stability and more all at a great value. Made in China.

Features:

- Capacity / Readability: 500g x 0.01g, ozt, oz, dwt, ct, gn
- Pushbutton digital calibration, tare, memory, overload protection and battery saving auto-off function
- · Parts counting PCS
- Stainless steel 4.25" round weighing platform
- Adjustable height, feet and leveling bubble indicator
- Low battery and weight stability indication
- Large bright blue backlit LCD display
- Powered by (4) AA batteries (supplied) or universal voltage 100V-240V AC adaptor (included)
- Includes (2) 200g calibration weights
- Black EZ-grip rubberized paint finish
- Overall dimensions (W x D x H) 6" x 8.25" x 2"
- · 2 Year limited replacement warranty

Description	Item#	Each
GemOro Platinum Pro 501VXP	200-3640	\$74.95
Replacement 110V-240V AC Adaptor	200-3634	9.95



C. GemOro® Professional Scale - Pro 1001V - 1000g x 0.01g

The perfect portable scale for professional jewelers, precious metals scrap buyers and gold wholesalers has arrived. Platinum PRO1001V offers the precision you want, combined with the durability and features you need. Unmatched performance, low profile contoured design, rock solid stability and more — all at an affordable price. Requires a calibration weight. We Suggest our 200 gram calibration weight 200-3592.

Features:

- Capacity / Readability: 1000g x 0.1g, oz, ozt, dwt, gn, ct and kg
- Push button digital calibration, tare, memory, overload protection and battery saving auto-off function
- · Parts counting PCS
- Large stainless steel weighing platform 5" x 5"
- · Adjustable feet and leveling bubble indicator
- Low battery and weight stability indication
- Large bright blue backlit LCD display
- Powered by (4) supplied long-lasting AA alkaline batteries or Optional universal voltage 100V-240V AC adapter (200-3634)
- 2 Year limited replacement warranty.
 Made in China.
- Overall Dimensions: 6½"W x 8½"D x 2½6"H.

Description	Item#	Each
GemOro Professional Scale	200-3636	\$39.95



D. Investment Scale

This economical yet accurate scale weighs up to 10 lbs. in 2 oz. increments. Features 4" dial with large, easy-to-read numbers that indicate weights and water/investment ratios. Includes scoop.

Description	Item#	Each
Investment Scale	200-2020	\$27.80











Professionally color grade diamonds in seconds. Each stone in the precision CZ Master Set Pro 2^{TM} is treated with GemOro's proprietary ColorLast technology to ensure permanent color saturation. Expertly hand-graded to master diamond color standards using the GIA grading scale. The set comes in GemOro's PATENT PENDING LED illuminated grading and storage case, featuring daylight and UV LED's, powered by rechargeable NiMH batteries and a micro-USB charging/power system.

Features:

- Largest range of reference available: E, F, G, H, I, J, K, L, M and N comparison stones in 1.00ct diamond size
- Standard GIA grading scale with laser inscribed color ID
- Portable LED illuminated grading and storage case with built-in grading tray
- Davlight illumination & UV fluorescence detection
- Includes solitaire ring stone holder set for comparing mounted stones, and 100V-240V AC adapter
- Lifetime Limited Manufacturer's Warranty against color change

Description	Item#	Each
CZ Color Master Set	813-1662	\$429.00

B. Diamond Sieves

A total of 22 chrome-plated brass plates, 50mm in diameter. Use for sorting diamonds, pearls and more. Packaged in leather case.

Description	Item#	Each
Diamond Sieves	816-1300	\$65.00

C. Stone Shovel

Nickel-plated shovel with handle for scooping and handling stones. Measures approx. $3"L \times 1^{3}/4"W$.

Description	Item#	Each
Stone Shovel	816-1200	\$3.35

D. Jewelry Appraisal Form

Official insurance appraisal form for jewelers and appraisers. Three-part, carbonless format. Sold in packages of 50. Ship. wt: 1 lb.

Size	Item#	Pkg. of 50
8 ¹ / ₂ " x 11"	810-0430	\$20.85



E. High-Quality Diamond Parcel Paper

Unmatched in sensitivity and protection for handling loose polished or rough diamonds and precious stones. Made of the finest paper stock, then hand-finished for the right touch. Specially developed with the best blue and white flute colors to enhance D-H color diamonds and reflect them in the best light. Measures $3\frac{1}{4}$ " x $1\frac{3}{4}$ ". Sold in packages of 25 sheets.

Description	Item#	Pkg. of 25
High-Quality Diamond Parcel Paper	810-0460	\$10.15









A. GXL NEXT Gold Tester

Introducing the next generation of electronic gold testers... the Tri Electronics GXL NEXT Gold, Silver & Platinum Tester has arrived! The GXL Next has the ability to test gold, silver, & platinum. Made in the USA.

Features:

- No calibration required each time tester is turned on
- Optimal electronic karat determination with full range from 6 to 24 karat (10, 14, 18, 22, 24 and all karats in between)
- Quick mode testing feature instantly measures yellow gold in 10, 14, 18, 20, 22, and 24 karats
- Touch mode testing no push button simply touch
- Capable of 1000+ clear and clean tests per cartridge with no mess
- Liquid testing solution is harmless and contains no toxic chemicals
- Operates on 3-AAA batteries (included). AC Adapter Sold Separately
- If sensor (test pen) is left uncapped, it will not deteriorate or dry out

Description	Item#	Each
A. GXL NEXT Gold Tester	817-1054	\$580.00
Gold Test Solution	817-1055	18.90
Silver Test Solution	817-1056	18.90
Sensor Pen - Gold	817-1057	51.45
Sensor Pen - Silver	817-1058	51.45
AC Adapter	817-1059	21.35

B. Gold Testers G-XL-18 and G-XL-24 PRO

These testers are small enough to fit in a pocket or attaché case for onthe-spot testing in the field. The G-XL-18 takes four seconds to test from 6 up to 18K yellow, white, red or green gold. Indicates "Not Gold" if the metal is plated or gold-filled and "Platinum" if pure platinum. The G-XL-24 PRO tests from 6 up to 24K yellow, white, red or green gold.

Each unit initiates an electrochemical reaction with the test piece to measure karat content within a half-karat. Displays a reading only to the nearest karat. Intended for use as a first tool for indicating karat content—does not adequately substitute for fire assaying. Runs on two 9V batteries (included).

Description	Item#	Each
G-XL-18	817-1022	\$425.00
G-XL-24 PRO	817-1026	405.00
G-XL-18 Gel Refill (off-white)	817-1029	18.45
G-XL-24 PRO Gel Refill (pink)	817-1027	18.45
Replacement Sensor Pen, G-XL-18	817-1028	58.85
Replacement Sensor Pen, G-XL-24 Pro	817-1033	58.85
	G-XL-18 G-XL-24 PRO G-XL-18 Gel Refill (off-white) G-XL-24 PRO Gel Refill (pink) Replacement Sensor Pen, G-XL-18	G-XL-18 817-1022 G-XL-24 PRO 817-1026 G-XL-18 Gel Refill (off-white) 817-1029 G-XL-24 PRO Gel Refill (pink) 817-1027 Replacement Sensor Pen, G-XL-18 817-1028

C. Gold Testers GT-3000 and GT-4000

Portable electronic devices for efficient and quick determination of yellow, white, pink and green gold karat values. The GT-3000 tests from 6 up to 18K gold and pure platinum, and the GT-4000 tests from 6 up to 24K gold and pure platinum. Both units can also distinguish solid gold from gold-plated items.

Each unit is easy to use: place drop of conductive gel on test item, touch item with sensor pen, wait just four seconds for reading to appear on the LCD, then match reading to the chart conveniently imprinted on the Gold Tester to find correct karat value. Runs on two 9V batteries (included).

	Description	Item#	Each
C.	GT-3000 (6-18K)	817-1021	\$195.00
	GT-4000 (6-18K, 20K, 22K, 24K)	817-1030	299.00
	GT-3000 Gel Refill (off-white)	817-1029	18.45
	GT-4000 Gel Refill (pink)	817-1027	18.45
	Replacement Sensor Pen, GT-3000	817-1034	56.00
	Replacement Sensor Pen, GT-4000	817-1035	56.00

D. Glass Acid Bottles

Hold $\frac{1}{2}$ oz, each supplied with ground glass stopper and applicator. Needles, stone and acids not available from Gesswein.

		EAC	H Prices
Description	Item#	1-2	3+
1/2-oz. Glass Acid Bottle	813-1410	\$6.80	\$6.12

A. GemOro AuRACLE™ Digital AGT3 Gold and Platinum Tester

The new advanced digital AGT3 is the ultimate verification instrument for gold and platinum testing. This state-of-the- art portable handheld tester has exceptional precision, is simple to use and in seconds provides accurate results showing both the digital karat value and gold percentage - PATENTED WITH PATENTS PENDING.

Features:

- Fast and simple one step calibration
- Tests all colors of gold from 6K to 24K and tests platinum
- Alphanumeric LCD display shows both karat value and gold percentage
- Multi-test modes
- Easy one-step calibration using either 14K or 18K yellow gold
- Durable nickel-plated stainless steel testing plate
- Auto-check pen probe function
- Sleek, contoured and ergonomic design
- Easy to read LCD display
- Automatic low battery indicator
- Follow easy steps to identify non-gold, gold plate and gold filled as NA
- Simply touch pen probe to filed gold or platinum and results are shown
- Replaceable pen probe provides thousands of tests with proper care
- Compact and portable
- Powered by included 9V alkaline battery or 100V-240V AC adaptor
- INCLUDES: AGT3, pen probe, file, battery, AC adaptor and rubberized carrying case
- Shipping weight: 3 lbs.

Description	Item#	Each
A. AuRACLE ATG3	817-1046	\$549.00
. Replacement Pen Probe for ATG3	817-1048	29.95
Replacement AC Adapter	817-1042	19.95
14K Calibration Disc	817-1043	29.95



B. GemOro AuRACLE™ AGT Blue Mobile Tester

The Auracle family of Gold Testers are now even more advanced! GemOro, the leader in precision gold testing equipment now offers the next generation of Gold Testers on the market...AGT Blue! The revolutionary and best performing Auracle gold testers has evolved to a new generation with this Bluetooth Mobile version making it easier and more convenient than ever before! Compact and pocket size (no wires required), the AGT Blue works with any low-energy Bluetooth Apple, Windows and Android device (phone, tablet). With its distinct technology built in, the AGT Blue will calculate your unique buying price while also generating a detailed email receipt for both your business and to your customer almost instantly. Will test all colors of gold (10K, 14K, 18K, 22K, 24K) as well as platinum.

Features:

- One touch easy calibration for consistent results
- May be calibrated using 10K, 14K, 18K, 22K, 24K or platinum
- World's best performing gold testing technology with unmatched accuracy
- Tests all colors of gold in 10K, 14K, 18K, 22K, 24K and platinum
- Follow easy steps to identify non-gold, gold plate and gold filled as NOT
- Simply touch pen probe to gold or platinum for results
- Pen probe provides thousands of tests with proper care
- No messy gel. No staining chemicals. No dangerous acid.
- Includes AGT BLUE with built-in testing plate, pen probe, file, carrying case and easy to follow tutorial instructions (mobile device not included)
- One Year Limited Warranty
- Made in Singapore

Description	ltem#	Each
B. AuRACLE AGT Blue Mobile Tester	817-1049	\$399.00











A. Presidium® Adamas Diamond Tester

The only diamond and moissanite tester with a replaceable tip, significantly reducing downtime. Accurate testing on colorless diamonds as small as 0.02 carats. Use the micro probe tip, (sold separately) to authenticate colorless diamond melees as small as 0.01 carats. Features a dynamic LED display and a sleek ergonomic grip. Measures approximately $7^{1/2}$ "Lx1 $^{1/2}$ "Wx1"H, weighs only 3.5 oz. Powered by 3 AAA batteries (not included) providing about 12 hours of continuous use. Includes USB cable. One year manufacturer's warranty. Made in Singapore

Features:

- In-built memory chip for up to 500 test records
- Dynamic display with super bright micro LED for clear and distinct results
- Retractable thermoelectric probe tip that ensures constant pressure between probe and gemstone, for enhanced accuracy
- Light and portable for convenience

Description	Item#	Each
A. Adamas Diamond Tester	817-1095	\$399.00
Optional Micro Tip	817-1096	69.00
Replacement Tip	817-1094	69.00

B. Presidium® (PMuT II) Multi Tester

Instantly separate colorless diamonds from moissanite, colorless sapphire, colorless spinel, cubic zirconia, zircon and other diamond simulants, based on their thermal and electrical properties. Its measuring probes and electronic circuitry detect data from the gemstone being tested via a customized micro-controller.

PMuT III has a retractable probe tip ensuring consistent pressure against the gemstone during testing for reliability. Probe tip size of 0.6mm, tests colorless diamonds as small as 0.02ct. Simple and easy to use with no waiting time between tests.

Complete with metal alert buzzer, low battery indicator, automatic power shut-off and protective case for portability. Ergonomic design with a rubberized anti-slip grip and an all-around LED display for easy readability, ease of handling and reading of results while testing. Runs on 3 AAA batteries (not included) or purchase the optional power adaptor (817-1093) for extended usage. Measures approx. $6^{1/2}$ "Lx1"Wx1 $^{1/2}$ "H Weighs just 3.42 oz. without batteries. One year manufacturer's warranty. Made in Singapore.

Description	Item#	Each
B. (PMuT II) Multi Tester	817-1097	\$209.00
Optional Power Adaptor	817-1093	19.95

C. Presidium® Synthetic Diamond Screener II (SDSII)

Developed by Presidium to screen out the Type IIa colorless (D to J) diamond, which is likely to be synthetic and created through chemical vapor deposition (CVD) or high pressure high temperature (HPHT) syntheses, from the natural Type Ia colorless diamond. Type Ia and Type IIa diamonds each absorb different amounts of UV light allowing the user to differentiate between these diamonds. Can use on all cuts with a flat surface, even mounted stones with an "open-back" setting, which range in dimension from 1.5 mm in width and up to 5 mm in height (approx. 0.02 to 10 carat size). Runs on 4 AAA alkaline batteries (not included). Measures approx. 5"Lx4"Wx2.5"H (130 x 100x 65mm). Weighs only 3.88 oz. without batteries. One-year manufacturer's warranty. Made in Singapore.

Features

- Auto shutdown of interior LED light source for safe testing when lid of device is open or when Start Test button is not activated
- Low battery indicator and energy saving auto power-off

Description	Item#	Each
Synthetic Diamond Screener II (SDS II)	817-1092	\$599.00

D. Presidium® Gem Tester/Colored Stone Estimator (PGT/CSE

This desk-top, colored gemstone thermal tester provides a quick and easy way to identify diamonds and separate 15 types of common colored gemstones* from one another based on their thermal conductivity. The PGT/CSE has a retractable probe tip (0.6mm size) which ensures consistent pressure against the gemstone during testing for more reliable results even for stones as small as 0.02ct *Does not differentiate between natural and synthetic colored gemstones.

Complete with metal alert buzzer to ensure that probe tip is in contact with gemstone during testing, easy-to-read analog dial, built-in diamond and simulant test discs for reference, tests both polished and unpolished gemstones. Simple to use, no waiting time between tests. Runs on 2 AAA alkaline batteries (not included). Measures approx. $6\frac{1}{2}$ "L x 3"W x 3"H. One-year manufacturer's warranty. Made in Singapore.

Description	Item#	Each
(PGT/CSE) Gem Tester	817-1098	\$199.00

A-C GemOro Ultratester 3+® Diamond & Moissanite Tester

UltraTester 3+ Diamond, moissanite & white sapphire tester identifies, detects and separates diamond from CZ and moissanite. The patented ergonomic design features new advanced exclusive ultraviolet "UV" F1 moissanite testing technology, shown to be the most effective technology for identifying the widest range of the electrically conductive moissanite material available, including the (3) AAA NiMH rechargeable batteries, micro USB cable with universal voltage AC adapter/charger, loose stone holder, and new compact rubberized portable storage / travel case and super low electrically conductive F1 moissanite. Limited Lifetime Manufacturers Warranty. Designed in the USA. Made in China.

Features:

- Precision retractable probe-tip with enhanced durability
- Fast warm-up time
- Unique beep tones & patented glowing probe tip and light pipe indication: GREEN = Diamond, BLUE = Moissanite, PINK = Sapphire and RED = Metal Alert

Description	Item#	Each
A. GemOro Ultratester 3+	817-1036	\$199.00
B. GemOro Ultradock 3	817-1038	24.95
C. Test Stone 5x Magnifier	817-1039	19.95



Identifies between diamond, moissanite and white sapphire. Including super-low electrically conductive Forever One, LED stone illumination and UV fluorescence detection light. Comes complete with a precision retractable probe-tip with enhanced durability. Features a fast warm-up time, plus a user programmable, talking (English, German, Italian, Spanish, French, Russian, Chinese, Japanese, Arabic and more) or ringtone sounds, and glowing light bar / probe tip for quick stone identification (Green = Diamond, Blue = Moissanite, Yellow = Sapphire and Red = Metal Alert). The metal alert warning feature informs you if the setting is touched. The auto-off function preserves battery life. Easily identifies genuine sapphire watch crystals too. Powered and charged (rechargeable batteries) by a Micro USB or included AC Adapter. Includes: UltraDock 3 charger, Test Stone Magnifier, loose stone holder and carrying case. Manufacturers 10 year warranty on Probe tip, Lifetime limited replacement warranty. Made in China.

Description	Item#	Each
GemOro Testerossa Diamond Tester	817-1070	\$299.00



Performs two tests in sequence: first test determines if the stone is diamond or simulant; half a second later, second test determines if the stone is diamond or Moissanite. Saves time and money over two separate testers. Runs on 9V battery (included). Comes complete with metal holding plate for loose stones and tip cover. Measures 63/8"L x 13/4"W x 3/4"D. Made in USA.

		EA	CH Prices
Description	Item#	1-2	3+
DiamondNite Dual Tester	817-1002	\$228.95	\$217.50

F. Gemlogis Lapis ONE Multi Tester

Highly accurate, rechargeable Lapis ONE multi tester distinguishes between diamond, moissanite, simulant and metal. Uses "Visible Violet Light" technology which excites the atoms and improves electrical conductivity to detect the Forever One™ Moissanite. Features a unique ATC Solution (Ambient Temperature Compensation) for increased accuracy and retractable tip to maintain constant pressure against the stone. Quick & accurate testing of stones as small as 0.02 regardless of shape, rough, loose or mounted. Complete with convenient carrying case, lanyard, metal stone rest and charging adapter. Rechargeable Lithium Battery provides up to 10 hours of continuous operation. Two-year manufacturer's warranty. Made in Hong Kong

Description	Item#	Each
Gemlogis Lapis ONE Multi Tester	817-1081	\$199.00

G. Diamond Tech Pro – Diamond Tester

Offers automatic and manual modes (former requires no adjustments, and latter lets you make adjustments for stone size and environmental conditions). Uses adjustable gain to test even the smallest stones. Features clear linear display, audible diamond signal, metal alert, low battery indicator and automatic shutoff. Runs on 9V battery (included). Measures 6½"L x 1½"W x ¾"D. Backed by seven-year limited manufacturer's warranty. Made in USA.

Description	Item#	Each
Diamond Tech Pro Tester	817-1008	\$105.95
















Easy-to-use Saffron Sorting Gauge provides a direct clear digital readout. All-in-one motion allows you to use one hand instead of holding tweezers in one hand and a gauge in the other. Simple sorting and measuring all in one motion!

Features:

- Solid state Digital Readout, easy to read.
- Measuring range of 0.00 to 15mm with an accuracy of 0.01 (0.02 tolerance).
- Dual measure methods...handheld or tabletop use.

•	Durable angled measuring anvils to pick
	up stones with the greatest ease, avoiding
	damage to the surface.

- Uses One (1) A76 Alkaline Battery (Included)
- One-year Manufacturer's Warranty

Description	item#	Eacn
Gemlogis Saffron Sorting Gauge	813-0651	\$98.00

B, C Brown & Sharpe Wire and Sheet Gauges

For measuring wire and sheet sizes. Gauge measures B&S sizes 0-36 marked on one side, sizes .325"-.005" on other. Our pocket gauge comes with a protective leather sheath and measures gauge sizes from 8 to 34 (each size also shown in mm and inches).

Description	Item#	Each
B. Wire and Sheet Gauge	813-0700	\$22.35
C. Pocket Wire and Sheet Gauge	813-0702	11.95

D. K&B Stone Gauge

A handy tempered aluminum pocket gauge for measuring loose stones and settings. Marked in carats and millimeters. Features revolving stone size gauge. Has birthstone chart on reverse. Capacity: $\frac{1}{32}$ to 4 carats (2 to 11mm). Measures $3\frac{5}{8}$ "L x $2\frac{5}{8}$ "W.

Description	Item#	Each
K&B Stone Gauge	813-1000	\$7.95

E. Baker Diamond Gauge

An aluminum gauge with holes for measuring stones and round extensions for measuring mountings. Marked in carats on one side and corresponding millimeters on the other. Capacity: $\frac{1}{32}$ to 4 carats (2 to 11mm). Measures 4" in diameter.

Description	Item#	Each
Baker Diamond Gauge	813-0600	\$15.50

F. Diamond Gauge

An aluminum gauge for measuring round and baguette stones. Capacity: 1 point to 2 carats. Measures $1\frac{1}{2}$ " in diameter when closed.

Description	Item#	Each
Diamond Gauge	813-1120	\$6.50

G. MeasureMate® Fact Card Set and Gauge

Fact card set consists of ten durable plastic double-sided fact cards packaged in a flip-through wallet. Provides information on gemstone grades, shapes, sizes and weights; setting methods; ring, wire gauge and watch battery sizes; hardness scales; metal properties; and more. Fits in shirt pocket for easy access.

Description	Item#	Each
MeasureMate Fact Card Set	813-0561	\$9.95

H. Gem Weight Estimator

Perfect for determining sizes of both loose and mounted stones when other methods fail. Just place estimator on your stone pad, then place selected diamond on the appropriate outline, and you will instantly be able to tell the approximate weight of the stone. Works well for emerald, marquise, pear, round and baguette stones. Made of flexible, transparent plastic. Measures 9"L x 4"W.

Description	Item#	Each
Gem Weight Estimator	813-1919	\$5.95







A. Micromat Gemstone Gauge and Weight Estimator

A precision dial caliper used by jewelers, appraisers and cutters the world over to accurately estimate weights of gemstones and pearls. Takes both inside and outside measurements in millimeters. Features specially designed jaws that fit inside stone settings and prongs for precise measuring without requiring you to remove stones first. Also has ring size scale for reading USA sizes of rings placed in jaws. Includes attractive leatherette-covered metal case with thorough 42-page booklet of tables and complete instructions fully translated in three languages: English, French and German.

Description	Item#	Each
Gemstone Gauge	813-1910	\$230.95

B. Sciencetech Digital Gemstone Gauge

This digital gauge takes fast, accurate gemstone measurements in inches or millimeters. Includes high setting attachment and zeroing function for fast and easy calibration of stones in melee settings. Comes with protective case. Measuring range: 0.875"/22.25mm.

Specifications:

Resolution: 0.0005"/0.01mm. Accuracy: ± 0.0025 "/0.05mm.

Description	Item#	Each
Digital Gemstone Gauge	813-1911	\$153.00

C. Pearl and Stone Gauge – Works great with baguettes!

A precision-engineered gauge with measuring faces ground level with the back to stay flat for accurate measuring of pearls and stones such as baguettes. Securely holds stones without slipping. Uses rotating dial gauge for fast, easy zeroing. Has enamel-coated metal body for durability. Capacity: 10mm. Graduations: 0.1mm. Measures 3½ long. Made in Germany.

Description	Item#	Each
Pearl and Stone Gauge	813-0650	\$80.95

D. Mini Digital Thickness Gauge - Max 1"/25mm

Compact gauge (just 3½" overall) is small enough to take everywhere. Features large LCD screen for good readability. Has conversion and zero functions. Takes both inside and outside measurements in inches and millimeters. Uses setscrew to prevent jaws from moving. Runs for one year on a 1.5V silver oxide watch battery (included). Comes with storage case.

Specifications:

Resolution 0.0005"/0.01mm Accuracy ± 0.001 "/0.01mm

Description	Item#	Each
Mini Digital Thickness Gauge	825-1620	\$59.95

E. The Meleemeeter® Microgauge Template System

Ideal for gauging inaccessible mounted diamond melee. Eliminates measuring and computing of weights. Consists of 10 transparent polyester gauges with 590 melee shapes and sizes placed around the edges for maximum accessibility. Includes extensive profiles of straight and tapered baguettes, each identified by dimensions and carat weight. Use under a microscope in same position as stone under inspection. Comes in solid brass card case.

Description	Item#	Each
The Meleemeeter	813-1350	\$49.25

F. Stone Table Gauge - Millimeter

A standard millimeter scale divided into 0.05mm increments for measuring tables of stones inaccessible by micrometer or caliper. Uses a very fast and accurate scanning method to take measurements without computing between marks, as with a conventional scale. Measures from 1.00 to 10.00mm with accuracy of ± 0.01 mm. Must be used with 15X or higher magnification. Comes in a protective plastic case. Measures $3\frac{1}{2}$ "L x 2"W.

Item#	Each
813-1360	\$6.55



Premium Ergonomic

Handles

Gesswein Supra Swiss Cutters - Ergonomic Handles

Swiss Made Cutters are made of high quality ball bearing steel at 63–65 Rockwell Hardness. All cutters are available as semi-flush, flush or full flush blades. No-scratch/antiglare satin finish.

- 2-component user-friendly Ergonomic handles with soft comfortable gripping surface and hard plastic core. Most advanced design for comfort, accuracy and continuous use.
 - Dual leaf springs are made of stainless steel.
 - Lap joint with a screw to achieve a high level of strength and precision.
 - Nut is made of hardened alloy steel to resist high cutting load.
 - Screw is fine-pitched for perfect joint adjustment.
 - · Made in Switzerland.




For soft, medium and hard wires





For very precise cutting of soft and medium wires



For perfect cutting of soft and medium wires







Cutting Edges	Head	A (mm)	B (mm)	C (mm)	Cutting Capacity-Wire mm/AWG				Item#	Each
Cutting Edges	Heau	A (IIIII)	B (IIIII)	C (IIIII)	Copper wire	Yellow Gold	White Gold	Platinum	ILGIII#	Lacii
A. Semi-Flush	Oval Sm.	125	10	10	0.2-1.2 / 32-17	0.2-1.1 / 32-17	0.2-1.0 / 32-18	0.2-0.9 / 32-19	182-5140	\$45.50
Flush	Oval Sm.	125	10	10	0.1-1.2 / 38-17	0.1-1.1 / 38-17	0.1-1.0 / 38-18	0.1-0.9 / 38-19	182-5141	45.50
Full-Flush	Oval Sm.	125	10	10	0.1-1.0 / 38-18	0.1-0.9 / 38-19	0.1-0.8 / 38-20	0.1-0.7 / 38-21	182-5142	47.50
Semi-Flush	Oval Lrg.	125	12.5	12.5	0.3-1.6 / 29-14	0.3-1.5 / 29-15	0.3-1.4 / 29-15	0.3-1.3 / 29-16	182-5150	34.88
Flush	Oval Lrg.	125	12.5	12.5	0.2-1.6 / 32-14	0.2-1.5 / 32-15	0.2-1.4 / 32-15	0.2-1.3 / 32-16	182-5151	36.38
Full-Flush	Oval Lrg.	125	12.5	12.5	0.2-1.2 / 32-17	0.2-1.1 / 32-17	0.2-1.0 / 32-18	0.2-0.9 / 32-19	182-5152	48.50
Semi-Flush	Oval X Lrg.	130	14	16	0.4-2.0 / 26-12	0.3-1.7 / 29-13	0.3-1.6 / 29-14	0.3-1.4 / 29-15	182-5160	48.50
Flush	Oval X Lrg.	130	14	16	0.3-1.7 / 29-13	0.3-1.6 / 29-14	0.3-1.5 / 29-15	0.3-1.3 / 29-16	182-5161	49.50
Full-Flush	Oval X Lrg.	130	14	16	0.3-1.6 / 29-14	0.3-1.3 / 29-13	0.3-1.2 / 29-17	0.3-1.1 / 29-17	182-5162	37.88
B. Semi-Flush	Tapered Sm.	125	10	10	0.2-1.2 / 32-17	0.2-1.1 / 32-17	0.2-1.0 / 32-18	0.2-0.9 / 32-19	182-5340	45.50
Flush	Tapered Sm.	125	10	10	0.1-1.2 / 38-17	0.1-1.1 / 38-17	0.1-1.0 / 38-18	0.1-0.9 / 38-19	182-5341	46.50
Full-Flush	Tapered Sm.	125	10	10	0.1-1.0 / 38-18	0.1-0.9 / 38-19	0.1-0.8 / 38-20	0.1-0.7 / 38-21	182-5342	47.50
Full-Flush	Tapered Lrg.	125	12.5	12.5	0.2-1.2 / 32-17	0.2-1.1 / 32-17	0.2-1.0 / 32-18	0.2-0.9 / 32-19	182-5352	48.50
C. Semi-Flush	Tapered Relieved Sm.	125	10	10	0.2-1.2 / 32-17	0.2-1.1 / 32-17	0.2-1.0 / 32-18	0.2-0.9 / 32-19	182-5540	48.50
Flush	Tapered Relieved Sm.	125	10	10	0.1-1.2 / 38-17	0.1-1.1 / 38-17	0.1-1.0 / 38-18	0.1-0.9 / 38-19	182-5541	49.50
Full-Flush	Tapered Relieved Sm.	125	10	10	0.1-0.8 / 38-20	0.1-0.9 / 38-19	0.1-0.8 / 38-20	0.1-0.7 / 38-21	182-5542	50.50

D

D. Tungsten Carbide – The Ultimate Cutter – Full-Flush

For stents, catheters, braided mesh, guide wires. This new Full-Flush cutter measures 125 mm in length, jaws 7.7mm long x 12.5mm thick with premium ergonomic handles. A superbly manufactured instrument 81 HRC. Cuts up to 2.5mm copper wire.

Description	Item#	Each
Tungsten Carbide – The Ultimate Cutter	182-5360	\$176.00

Gesswein Supra Swiss Pliers - Ergonomic Handles

Made of high quality ball bearing steel, hardened to 45 Rockwell feature a superior no-scratch/antiglare satin finish. Lap joint with fine pitched screw for perfect joint adjustment and symmetry, and stainless steel dual leaf springs.

- 2-component ESD safe user friendly **Ergonomic** Handles have a soft comfortable gripping surface the latest advancement for ease of use.
- Rounded handle for more comfort, correct shape definition for perfect thumb contact and control.
- Easier pickup from table due to biscuit form.
- Made in Switzerland.



Flat nose pliers feature a very fine tip. smooth jaws and inner edges. 5½" long.

Jaw Shape	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Item#	Each
Smooth	130	20	10	6.4	7.2	4.0	182-6011	\$40.50

B. Gesswein® Supra Swiss Pliers – Flat nose long

Flat nose pliers feature a very fine tip. smooth jaws and inner edges. 5½" long.

Jaw Shape	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Item#	Each
Smooth	140	30	10	6.4	7.5	4.0	182-6013	\$42.50

C. Gesswein® Supra Swiss Pliers - Chain nose

Commonly used in electronic assembly and rework, as well as in fine jewelry and beading work. Have flat-faced inner laws. $5\frac{1}{8}$ " long.

	Α	В	С	D	E	F		
Jaw Shape	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	Item#	Each
Smooth	130	20	10	6.4	7.2	0.5	182-6021	\$42.50

D. Gesswein® Supra Swiss Pliers - Chain nose long

Commonly used in electronic assembly and rework, as well as in fine jewelry and beading work. Have flat-faced inner jaws. $5\frac{1}{2}$ " long.

	Α	В	C	D	Ε	F		
Jaw Shape	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	Item#	Each
Smooth	140	20	10	6.4	7.2	0.5	182-6023	\$43.50

E. Gesswein® Supra Swiss Pliers - Round nose


Round nose pliers have jaws formed by two long cones. A round nose pliers is generally used both to clamp and to form loops on leads or wire. The long jaws also provide increased access. 51/8" long.

Jaw Shape	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Item#	Each
Smooth	130	20	10	6.4	2.0	0.5	182-6041	\$43.50

F, G Gesswein® Supra Swiss Cutter and Plier Kits

Money saving kits in a convenient roll up pouch. Cutter kit consists of 4 very useful styles #5142, 5160, 5341 and 5542. Plier kit consists of 1 each of all 5 of the above pliers.

	Description	Item#	Each
F.	Cutter Kit	182-5163	\$185.50
G.	Plier Kit	182-6042	205.00





Lindstrom® Pliers and Nippers - Recognized Worldwide

Unsurpassed in quality materials, design and performance. Made of high-quality steel A grade and are ESD safe. Lindstrom 80-Series nippers they rank among the highest quality of any cutters made with cutting edge hardness of 63-65 Rockwell nippers. They are the most popular choice for the traditional user and offer unsurpassed cutting capacity, covering a wide range of wire dimensions and types. High-quality nippers for jewelry, electronics and other industries. Perfect for accessing narrow, confined spaces. Feature precision-ground, black oxidized cutting edges for exceptional cutting accuracy and durability, adjustable screw lap joints, return springs and yellow plastic grips. The Lindstrom Supreme Series Pliers and Nippers offer a wide selection of the finest lightweight pliers and nippers for general electronics work, jewelry making, repair and fine mechanical work. Adjustable precision screw joint minimizes friction and maximizes jaw alignment. Feature smooth, precision-ground jaws for gripping without marring, spring-loaded handles and white plastic grips. Made in Switzerland.



A. Ultra-Flush Diagonal Nipper - #8142

Cut 0.1-1.0mm copper wire. Measures 41/3" long.

Description	Jaw Size (L x W)	Item#	Each
Ultra-Flush	3/8" x 3/8"	182-8142	\$54.50

B. Flush Diagonal Nipper – #8141

Cut 0.1-1.25mm copper wire. Measures 41/3" long.

Description	Jaw Size (L x W)	Item#	Each
Flush	3/8" x 3/8"	182-8141	\$47.50



C. Semi-Flush Small Diagonal Nipper – #8140

Cut 0.2-1.25mm copper or 0.1-0.6mm iron wire. Measures $4\frac{1}{3}$ " long.

Description	Jaw Size (L x W)	Item#	Each
Semi-Flush Small	3/8" x 3/8"	182-8140	\$47.50

D, E Semi-Flush Medium Diagonal Nipper – #8150/#8152

Cut 0.3-1.6mm copper. Measures 4⁷/₁₆" long.

Description	Jaw Size (L x W)	Item#	Each
D. Semi-Flush Medium	1/2" x 1/2"	182-8150	\$48.50
E. Ultra-Flush Medium	1/2" X 1/2"	182-8152	58.50



#8160 - Cut 0.4-2.0mm copper. Measures 5" long. #8161 - Cut 0.3-2.0mm copper. Measures 5" long. #8162 - Cut 0.3-1.6mm copper. Measures 5" long.

Description	Jaw Size (L x W)	Item#	Each
F. Semi-Flush Large	e 5/8" x 5/8"	182-8160	\$49.50
G. Flush	5/8" x 5/8"	182-8161	58.50
H. Ultra-Flush	5/8" x 5/8"	182-8162	68.50



H Ultra-flush

G Flush

I. Lindstrom[®] Diagonal Nipper Kit

Money Saving Kit of three different Lindstrom Nippers. Includes styles #8142, #8140 and #8150.

Description	Item#	Each
3-piece Kit	182-8170	\$141.30

A. Supreme Long Chain Nose Pliers – #7890

Have screw lap joint and precision-ground jaws. Measures 51/4" long.

Description	Jaw Size (L x W)	Item#	Each
Long Chain Nose	1 ½" x ½32"*	182-7890	\$45.50

^{*}Tapers to this width.

B. Supreme Chain Nose – #7893 **Chain Nose Bent Pliers - #7892**

Have screw lap joint and precision-ground jaws. Measures 43/4" long.

Description	Jaw Size (L x W)	Item#	Each
Chain Nose	3/4" x 1/32"*	182-7893	\$45.50
Bent Chain Nose	1½" x ½32"*	182-7892	47.50

^{*}Tapers to this width.

C. Supreme Flat Nose Pliers – #7490

Have screw lap joint and precision-ground jaws. Measures 4³/₄" long.

Description	Jaw Size (L x W)	Item#	Each
Flat Nose	3/4" x 1/8"	182-7490	\$43.50

D. Supreme Round Nose Pliers – #7590

Have box joint and perfectly round precision-ground jaws. Ideal for making loops, bends and coils. Taper to $\frac{1}{32}$ ". Measures $\frac{4^3}{4}$ " long.

Description	Jaw Size (L x W)	Item#	Each
Round Nose	3/4" x 1/32"*	182-7590	\$42.50

^{*}Tapers to this width.

E. Supreme Diagonal Nipper – #7191

Flush-cutting nipper with screw lap joint and tapered, relieved head for reaching tight areas. Cuts 28-18 AWG, .014"-.039" or 0.35-1.0mm diameter copper or annealed 14K gold wire. Measures 4½" long.

Description	Jaw Size (L x W)	Item#	Each
Diagonal Flush	3/8" x 3/8"	182-7191	\$49.50
Diagonal Micro	3/8" x 3/8"	182-7190	47.50

F. Supreme Oblique Nipper – #7291

Flush-cutting nipper with screw lap joint and 11°-angle head with one rounded and one pointed end. Cuts 28-18 AWG, .014"-.040" or 0.35-1.0mm diameter copper or annealed 14K gold wire. Measures 4½" long.

Description	Jaw Size (L x W)	Item#	Each
Oblique Flush	9∕16" x ¹⁄3"	182-7291	\$56.50

G. Supreme Relieved Oblique Nipper – #7293


Flush-cutting nipper with screw lap joint and 11°-angle relieved head for reaching tight areas. Cuts 28-18 AWG, .014"-.040" or 0.35-1.0mm diameter copper or annealed 14K gold wire. Measures 4¹/₄" long.

Description	Jaw Size (L x W)	Item#	Each
Relieved Oblique Flush	³⁄8" x ¹∕3"	182-7293	\$59.50

H. Supreme 3-Piece Set

Money saving kit of our most popular Lindstrom® Supreme Lightweight Pliers and Nippers. Includes the style #7893 chain nose plier, #7490 flat plier and #7191 diagonal nippers.

Description	Item#	Each
3-Piece Set	182-7895	\$123.60





Standard-Weight Pliers and Nippers

Feature box joints that minimize undesirable joint movement for precise jaw alignment. Pliers have smooth jaws for holding work without marring. Plastic non-slip grips. Nippers cut up to 1mm diameter copper or annealed 14K gold wire. Measure $5\frac{1}{4}$ " long. Made in Germany.

A. Chain Nose Pliers

				:AUH Pric	es
Description	Jaw Size (L x W) Item#	1-2	3-9	10+
Chain Nose	7/8" x 1/16" *	180-1221	\$21.65	\$19.49	\$17.32

^{*}Tapers to this width.

B. Flat Nose Pliers

				EACH Pric	es
Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Flat Nose	1" x ³ ⁄16"	180-1220	\$22.65	\$20.39	\$18.12

C. Round Nose Pliers

V. Hound Hose Filers			E	ACH Price	es
Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Round Nose	⁷ /8" x ¹ /₁6" *	180-1222	\$22.65	\$20.39	\$18.12

^{*}Tapers to this width.

D. Half Round/Flat Pliers

			E	ACH Price	s
Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Half Round/Flat	⁷ ⁄8" x ⁵ ∕16" *	180-1223	\$26.50	\$23.85	\$21.20

E. Round/Flat Pliers

			C.	AUTI PITUE	:5
Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Round/Flat	1" x ¹ / ₁₆ "	180-1230	\$26.70	\$25.37	\$22.43

F. Semi-Flush Diagonal Nipper

	E.	ACH Price	es		
Description	Jaw Size (L x W)) Item#	1-2	3-9	10+
Semi-Flush Diagona	l ³ ⁄4" x ⁹ ⁄16" *	180-1250	\$30.25	\$28.74	\$25.41
* Tanare to this width					

^{*}Tapers to this width.

G. Standard-Weight Box-Joint Plier Set

Includes four of our most popular Standard-Weight Box-Joint Pliers: chain, flat, round and half-round/flat pliers. Made in Germany.

Description	Item#	Each
4-Piece Set	180-1225	\$84.00

EACH Driess

Slimline Box-Joint Pliers and Nippers

Feature spring-loaded handles with black plastic nonslip grips. Pliers have smooth jaws for holding work without marring. Nippers cut up to 1.5mm diameter copper or annealed 14K gold wire. Measure 4½" long. Made in Germany.

A. Chain Nose Pliers

Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Chain Nose	⁷ ∕8" x ¹ ∕16" *	180-1722	\$20.50	\$19.48	\$18.45
*Taners to this width	1.				

B. Flat Nose Pliers

Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Flat Nose	³ / ₄ " x ¹ / ₈ "	180-1720	\$22.00	\$20.90	\$19.80

C. Round Nose Pliers

Description Jav	(,	Item#	1-2	3-9	10+
Round Nose 7	/8" x ¹ /16" *	180-1721	\$20.50	\$19.48	\$18.45

^{*}Tapers to this width.

D. Diagonal Nipper

Description	Jaw Size (L x W) Item#	1-2	3-9	10+
Diagonal	1/2"	180-1726	\$26.75	\$25.41	\$24.08

E. Diagonal Nipper with Trap

Descrip	tion		Já	aw S	ze (Lх۱	W)	Item#	1-2	3-9	10+
Diagona	ıl w/ Tra	ap *	*		1/2"		1	80-1255	\$27.00	\$25.65	\$22.68
** -											

**Traps and holds wire end so it will not fly.

F. Oblique Nipper

Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Oblique	5/8"	180-1729	\$28.75	\$27.31	\$25.88

Foam-Grip Stainless Steel Pliers and Nipper

Economical stainless steel box-joint pliers and nipper. Feature spring-loaded handles with extra-thick foam nonslip grips. Measure 4¹/₂" long. Imported.

G. Chain Nose Pliers

Description	Jaw Size (L x W)	ltem#	1-2	3-9	10+
Chain Nose	⁷ ∕8" x ¹ ∕16" *	180-0330	\$16.40	\$14.76	\$13.67
*Tapers to this width	1.				

H. Flat Nose Pliers

Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Flat Nose	⁷ /8" x ⁹ /32"	180-0331	\$16.40	\$14.76	\$13.67

I. Round Nose Pliers

Description	Jaw Size (L x W) Item#	1-2	3-9	10+
Round Nose	3/4" x 1/16" *	180-0332	\$16.40	\$14.76	\$13.67
*Taners to this width	,				

Tapers to this width.

Bent Chain Nose Pliers

Description	Jaw Size (L x w)) item#	1-2	3-9	10+
Bent Chain Nose	⁷ ∕8" x ¹ ∕16"	180-0336	\$16.40	\$14.76	\$13.67


K. Diagonal Nipper

Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Diagonal	1/2"	180-0333	\$16.90	\$15.21	\$14.08

L. Foam-Grip Stainless Steel Plier and Nipper Set

Includes all Foam-Grip Stainless Steel Pliers and Nipper listed above except bent chain pliers.

Description	Item#	Each
4-Piece Set	180-0335	\$59.50



Economy Stainless Steel Pliers

Economical stainless steel pliers for everyday use at the bench. Feature box joints for stability and yellow plastic grip-tight handles. Available individually or in a set of four (see below). Measures 51/4" long. Made in Pakistan.

A. Chain Nose Pliers

Description	Jaw Size (L x W)	Item#	EACH Prices 1-2	3+
Chain Nose	³ ⁄4" x ¹ ⁄16" *	180-0352	\$9.95	\$8.96

^{*}Tapers to this width.

B. Flat Nose Pliers

Description	Jaw Size (L x W)	Item#	EACH Prices 1-2	3+
Flat Nose	3/4" x 1/4"	180-0350	\$9.95	\$8.96

C. Round Nose Pliers

Description	Jaw Size (L x W)	Item#	EACH Prices 1-2	3+
Round Nose	³ / ₄ " x ¹ / ₁₆ " *	180-0351	\$9.95	\$8.96

^{*}Tapers to this width.

D. Half-Round/Flat Pliers

Description	Jaw Size (L x W)	Item#	EACH Prices 1-2	2 3+
Half-Round/Flat	3/4" x 1/4"	180-0353	\$10.50	\$9.45

E. Half-Round/Hollow Pliers

Description	Jaw Size (L x W)	Item#	EACH Prices 1-2	3+
Half-Round/Hollow	3/4" x 1/4"	180-0357	\$10.50	\$9.45

F. Round/Hollow Pliers

Description	Jaw Size (L x W)	Item#	EACH Prices 1-2	3+
Round/Hollow	³ / ₄ " x ¹ / ₈ "	180-0356	\$10.50 \$	9.45

G. Economy Stainless Steel Plier Set

Includes four of our most popular Economy Stainless Steel Pliers: chain, flat, round and half-round/flat pliers. Imported.

Description	Item#	Each
4-Piece Set	180-0360	\$35.95

ValueLine Pliers and Nippers

These inexpensive pliers and nippers feature box joints for stability, double leaf springs for smooth action, green PVC grips and brush finishes. Measures 4½" long. Made in Pakistan.

Description	Jaw Size (L x W)	Item#	Each
Chain Nose	7∕8" x 1∕32" *	180-0340	\$5.45

^{*}Tapers to this width.

I. Flat Nose Pliers

H. Chain Nose Pliers

Description	Jaw Size (L x W)	Item#	Each
Flat Nose	⁷ /8" x ¹ /8"	180-0341	\$5.45

.L. Round Nose Pliers

Description	Jaw Size (L x W)	Item#	Each
Round Nose	⁷ /8" x ¹ /₃2" *	180-0342	\$5.45

^{*}Tapers to this width.

K. Bent Chain Nose Pliers

Description	Jaw Size (L x W)	Item#	Each
Bent Chain Nose	³ ⁄4" x ¹ ⁄16"	180-0344	\$5.90

L. Diagonal Nipper

Description	Jaw Size (L x W)	Item#	Each
Side Cutter	1/2"	180-0343	\$6.35

M. ValueLine Plier and Nipper Set

Includes all ValueLine Pliers and Nipper above except bent chain.

Description	Item#	Each
4-Piece Set	180-0345	\$21.95

Semi-flush

A. Wolf™ Groovy Chain Nose Pliers

Single-grooved jaws produce 90° bends in wire and flat pieces. Prevent wire from twisting or slipping when filing. Hold jump rings firmly for easy alignment of ends prior to soldering. Feature durable box-joint construction with dual leaf springs and ergonomic handles with PVC grips. Made of stainless steel. Measures $5\frac{3}{4}$ " long.

Description	Item#	Each
Chain-Nose	180-0382	\$16.95



Triple-grooved jaws allow you to repeat three exact sizes of loops when wire wrapping, making earring loops and jump rings. Feature durable stainless steel box-joint construction with dual leaf springs and ergonomic handles with PVC grips. Available with or without grooves; Pliers without grooves are more traditional. Measures 5" long.

Description	Item#	Each
B. Looping with grooves	180-0380	\$16.95
Looping without grooves	180-0381	15.95

C. Loop Opening Pliers

Reverse-action pliers for opening loops, rings and more. Feature yellow nonslip grips. Measures $6\frac{1}{4}$ " long.

		EACH Prices	
Description	Item#	1-2	3+
Loop Opening	180-0354	\$13.50	\$12.15

D. Loop Closing Pliers

Feature smooth shaped jaws for closing loops, jump rings, bracelet links and more without distorting or marring, durable box-joint construction and PVC grips. Measures $4\frac{1}{2}$ " long.

		EACH Prices	
Description	Item# 1-2		3+
Loop Closing	180-0011	\$15.65	\$14.09

E. Wire Twisting Pliers

Twists wire up to .060-gauge with simple one-pull action. Produces durable strands that won't unravel. Hardened and tempered. Measures 9" long.

Description	Item#	Each
Wire Twisting Pliers	180-4095	\$22.95

F. Clip Spring Removing Pliers

Use for adjusting the length of Seiko style watch bands. The flat jaw rests atop the link, and the pointed tip fits under the clip spring. Gently squeeze the handles, and the clip spring pops up, ready for easy removal. Measure 51/2" long.

Description	Item#	Each
Clip Spring Removing Pliers	820-9069	\$9.45

G. Hole Punching Pliers

Punch precise 1.5mm holes in leather watchbands. Feature return spring for smooth action and comfort handles for secure grip. Made of the finest steel for durability. Measure $5\frac{3}{4}$ " long.

Description	Item#	Each
Hole Punching Pliers	820-9074	\$10.95



Xuron Micro-Shear® Flush Cutters and Pliers

Micro-Shear Flush Cutters feature a patented design that keeps blades sharper longer than conventional nippers. Blade edges bypass each other in a shearing motion rather than striking, resulting in clean square cuts with no spikes. Blades stay sharper and last much longer than conventional nippers

because there is no edge-to-edge impact. Greatly reduce mechanical shock delivered to components and require roughly 50% less effort to cut wire than conventional compression-type wire cutters. Have ergonomically shaped, nonslip Xuro-Rubber comfort grips. Made in USA.



A. Xuron 9100 Micro-Shear® Flush Cutter

Made of tough steel alloy with ultra-precise CNC grinding and state-of-the-art heat treating. Features oval head for added durability, Light Touch return spring and glare-free black finish. Comfortable for high-volume applications. Flush cuts soft wire up to 14 AWG (1.6mm). Measures 5" long.

	Jaw Size		EACH Prices	
Description	(L x W)	Item#	1-2	3+
9100 Cutter	9 x 12.2mm	181-0202	\$20.25	\$19.24
9100F Cutter	9 x 12.2mm	181-0203	\$20.75	\$19.71

B. Xuron 9200 Micro-Shear® Flush Cutter

Made of tough steel alloy with ultra-precise CNC grinding and state-of-the-art heat treating. Features tapered head for cutting in high-density areas, Light Touch return spring and glare-free black finish. Comfortable for high-volume applications. Flush cuts soft wire up to 14 AWG (1.6mm). Measures 5" long.

	Jaw Size		EACH	l Prices
Description	(L x W)	Item#	1-2	3+
9200 Cutter	9 x 12.2mm	181-0204	\$20.25	\$19.24

C. Xuron 2175 Maxi-Shear® Flush Cutter

Features elongated and tapered head with extra-tough high-carbon steel blades for cutting in high-density areas. Has nonprotruding flat return spring for excellent feel without excessive tension and glare-free black finish. Flush cuts soft wire up to 12 AWG (1.6mm). Measures 6" long.

	Jaw Size		EACH	H Prices
Description	(L x W)	Item#	1-2	3+
2175 Cutter	12 x 17mm	181-0208	\$13.75	\$13.06

D. Xuron LX Micro-Shear® Flush Cutter

Features ultra-slim profile and tapered head with precision-ground, extratough high-carbon steel blades for cutting in high-density areas with maximum maneuverability. Perfect for small hands. Flush cuts soft wire up to 16 AWG (1.0mm). Measures 4.8" long.

	Jaw Size		EACI	H Prices
Description	(L x W)	Item#	1-2	3+
LX Cutter	9 x 14mm	181-0200	\$14.85	\$14.11

E. Xuron 450 Tweezers Nose™ Pliers

Ultra-precise, durable needle nose pliers capable of grasping and holding wire less than 1mm thick with the strength for wire forming. Prevent leads from popping free, tip misalignment and blade crossover. Have radiused edges for protecting lead wires. Feature lightweight construction, Light Touch return spring and glare-free black finish. Measures 5" long. Made in USA.

	Jaw Size		EACI	H Prices
Description	(L x W)	Item#	1-2	3+
450 Pliers	20 x 10mm	181-0206	\$17.95	\$17.05

F, G Xuron 485 and 485 90D Chain Nose Pliers

Strong but not bulky, these chain nose pliers have long jaws that are smooth inside with rounded outer edges for forming, bending and manipulating wire as well as strips or sheets of soft metal. Manufactured from heat-treated high carbon steel with aligned, precision ground tips. A built-in return spring and non-slip soft rubber grips keep these pliers secure in the hand for comfort and control. Available straight or with a 90° bend to keep the wrist in a natural, comfortable position while picking up findings, jump rings and other small components.

Jaw Size				EACI	H Prices
De	scription	(L x W)	Item#	1-2	3+
F.	485 Pliers	17.5 x 10mm	181-0210	\$17.65	\$16.77
G.	485 Pliers	12.5 x 15mm	181-0211	19.90	18.91

A. Micro Flush Cutter

Hardened tool steel cutter with induction-hardened jaws. Features relieved cutting edges for clean cutting, fine points for tight work, steel return spring and comfort grips. Measures 43/4" long.

			E.	ACH Price	S
Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Diagonal	1/2"	180-4090	\$12.95	\$11.66	\$11.01

B. Oblique Nipper

Flush-cutting nipper with 20°-angle head for reaching tight areas. Has return spring for smooth cutting action and nonadjustable lap joint. Cuts 28-18 AWG, .014"-.059" or 0.3-1.25mm diameter copper or annealed 14K gold wire. Measures 4½" long. Made in Sweden.

			E	ACH Price	es
Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
Oblique	14mm	182-7231	\$89.00	\$84.55	\$80.10

C. Barracuda Diagonal Nipper

Flush-cutting nipper made of tool steel alloy. Features 61-63 HRC cutting edges, lap joint, double leaf springs and cushion-grip handles. Cuts up to 26 AWG or 0.40mm hard wire. Measures 4½" long. Made in Germany.

			EAC	H Prices
Description	Jaw Size (L x W)	Item#	1-2	3+
Diagonal	1/2"	181-4094	\$26.80	\$24.12

D. Stone Setting Pliers

Ideal for tightening prongs. Feature box joints for stability. Available in deluxe and economy styles. Measures 43/4" long.

				E/	ACH Price	S
	Description	Jaw Size (L x W)	Item#	1-2	3-9	10+
D.	Deluxe German	¹∕2" x ³∕16"	181-2900	\$37.95	\$36.05	\$34.16
	Economy Pakista	ın ¹ /2" x ³ /16"	181-2950	12.95	-	_

E. Jump Ring Opening Pliers

Reverse-action pliers for stretching or opening jump rings as small as 20-gauge, bows, links and rings. Has ridges on outside edges of jaws that hold rings securely in place. Made of chrome vanadium steel with PVC grips. Measures $5\frac{3}{4}$ " long. Taper to $\frac{3}{16}$ " at the tips. Made in Germany.

Description	Item#	Each
Jump Ring Opening	180-0292	\$29.95

F. Prong Opening Pliers


Open prongs without fracturing stones. Use grooved jaw to hold prong in place and angled jaw to slip under prong and raise it. Avoid putting pressure on top of stone to prevent marring and scratching. Feature box joint for stability, perfectly aligned tapered jaws, double leaf springs and cushion grips. Measures 4½" long. Made in Germany.


			EACH	Prices
Description	Jaw Size (L x W)	Item#	1-2	3+
Prong Opening	³ /4" x ¹ /16"	180-0020	\$25.60	\$23.04

G. Prong Closing Pliers

Close prongs over stones without slipping. Use curved, tapered jaws with grooved tips to hold prong securely. Feature box joint for stability, perfectly aligned jaws, double leaf springs and cushion grips. Measures 4½" long. Made in Germany.

			EACH Prices		
Description	Jaw Size (L x W)	Item#	1-2	3+	
Prong Closing	³ ⁄4" x ¹ ⁄16	180-0025	\$25.60	\$23.04	





A. Ring Forming Pliers

Feature heavy-duty box-joint construction and two different smooth jaws: concave and convex. Have white plastic grips. Measures $6\frac{1}{2}$ " long. Jaw size: $1\frac{1}{8}$ "L x $\frac{3}{16}$ "W. Made in Germany.

		EAC	H Prices
Description	Item#	1-2	3+
Ring Forming	180-0100	\$33.40	\$30.06

B. Ring Bending Pliers

Feature heavy-duty box-joint construction and two different smooth jaws: one with wide, rounded V-slot and the other shaped to fit into the slot. For bending wire and strips. Have white plastic grips. Measures $6\frac{1}{2}$ " long with $\frac{5}{8}$ " long jaws. Made in Germany.

		EAC	H Prices
Description	Item#	1-2	3+
Ring Bending	180-0050	\$44.80	\$40.32

C. Stone Removal Pliers

Easily remove stones from settings while preventing damage. Can be used on all prong settings, bead settings, clusters, channels, fishtails and baguettes. Feature thin narrow tips that fit into tight recessed areas and very small settings, box joint for perfect alignment of jaws and cushion-grip handles for comfort. Measures $4^3/4$ " long.

Description	Item#	Each
Stone Removal	181-2975	\$17.75

D. Ring Holding Pliers

Lightweight nickel-plated box-joint pliers with curved, depressed jaws for gripping rings securely. Measures $5^{1/2}$ " long. Jaw size: $1^{1/8}$ "L x 3^{8} "W. Made in Pakistan.

		EACI	H Prices
Description	Item#	1-2	3+
Ring Holding	180-0200	\$9.80	\$8.82

E. Econo Ring and Bow Closing Pliers

Sturdy box-joint stainless steel pliers for rounding and closing small rings, bows, jump rings, loops and more. Feature one brass jaw to prevent marring. Measures $5\frac{1}{2}$ " long with $\frac{5}{8}$ " long jaws. Made in Pakistan.

Description	Item#	Each
Econo Ring and Bow Closing	180-0006	\$24.50

F. Econo Bow Closing Pliers

Well-made stainless steel box-joint pliers for closing rings, bows and more. Have yellow comfort grips curved to fit in palm. Measures $6^{1}/_{2}$ " long with $^{5}/_{8}$ " long jaws. Made in Pakistan.

		EAC	H Prices
Description	Item#	1-2	3+
Econo Bow Closing	180-0355	\$15.95	\$14.36

Nylon-Jaw Pliers

Heavy-duty stainless steel pliers with box joints and plastic comfort grips. Feature replaceable nylon jaws for gripping firmly without marring. Can be easily customized by filing or carving. Measures 5³/₄" long unless otherwise noted. Made in Pakistan.

A. Flat Pliers

For general-purpose work. Jaw size: 1"L x ⁷/₁₆"W.

	Description	Item#	Each
A.	Flat Pliers	180-0001	\$13.95
	Replacement Jaws, pair	180-0002	4.15



B. Bracelet Bending Pliers

Feature a gentle arch for shaping and reshaping bracelets.

Description	Item#	Each
B. Bracelet Bending Pliers	180-0282	\$20.95
Replacement Jaws, pair	180-0283	4.15

C. Ring Bending Pliers

Have a pronounced curve for bending ring sizes $6^{1/2}$ and larger.

Description	Item#	Each
C. Ring Bending Pliers	180-0286	\$19.50
Replacement Jaws, pair	180-0287	4.15



D. Ring Closing Pliers

Commonly used to reshape or close rings after sizing. Bottom jaw is nylon with V-groove. Top jaw is polished stainless steel.

Description	Item#	Each
D. Ring Closing Pliers	180-0288	\$21.95
Replacement Jaws, pair	180-0289	4.15



E. Ring Holding Pliers

Feature parallel nylon jaws for holding rings securely while working the inside.

	Description	Item#	Each
E.	Ring Holding Pliers	180-0284	\$19.60
	Replacement Jaws, pair	180-0285	4.15




F. Spring Bar Bending Pliers

These unique and practical spring bar bending pliers delicately bend spring bars of any size to the proper shape. Feature stainless steel boxjoint construction with high-impact grooved nylon jaws that hold the spring bar in place while bending. Measure 5" long.

Description	Item#	Each
Spring Bar Bending Pliers	180-0294	\$14.95









A. Carbide Diagonal Cut Nipper

Cuts up to 12-gauge nonferrous metal. Features PVC cushion grip handles and return springs. Measures $5\frac{1}{2}$ " long. Made in Pakistan.

		EAC	H Prices
Description	Item#	1-2	3+
Carbide Diagonal Cut Nipper	181-4095	\$26.95	\$24.26

B. Supra® Swiss Tungsten Carbide – The Ultimate Cutter – Full-Flush

For stents, catheters, braided mesh, guide wires. This new Full-Flush cutter measures 123 mm in length, jaws 77mm long x 12.5mm thick with premium ergonomic handles. A superbly manufactured instrument 81 HRC. Cuts up to 2.5mm copper wire. Made in Switzerland.

Description	Item#	Each
Tungsten Carbide – The Ultimate Cutter	182-5360	\$176.00

C. Wire Looping Pliers

These box-joint pliers feature a jaw with three finely polished round sections (5mm, 7mm and 10mm in diameter) and a concave jaw for easily bending wire. Made of stainless steel for durability. Measures $5^{5}/8$ " long.

Description	Item#	Each
Wire Looping Pliers	180-0035	\$12.35

D-F Parallel-Jaw Pliers

Feature jaws that stay parallel along their entire lengths whether opened or closed for positive grip of square and hexagonal components. Have nickel-plated sealed handles with anti-rust finish and fully heat-treated black jaws.

Available in two styles: flat and chain. Flat pliers come with smooth or serrated jaws that open to $\frac{7}{16}$ " (11mm). Serrated version has a single longitudinal V-slot. Chain pliers come with smooth jaws that open to $\frac{3}{8}$ " (10mm) and measures $\frac{3}{2}$ " (2mm) square at each tip.

Both styles allow wire to be fed through the throats from either end and held firmly over full jaw lengths. Packaged in vinyl sleeves for protection during shipping and storage. Measures 5" long.

				EACH Price	es
	Description	Item#	1-2	3-9	10+
D.	Flat Pliers w/smooth jaws	181-1035	\$20.48	\$19.46	\$18.23
E.	Flat Pliers w/serrated jaws	181-1030	18.50	17.58	16.47
F.	Chain Pliers w/smooth jaws	181-1060	22.50	21.38	20.03

G. Wrap-and-Tap Ring Forming Pliers

Use these heavy-duty stainless steel pliers to speed up ring and shank forming: just wrap wire or ring stock around the barrel-shaped solid steel jaw, then gently tap against a mandrel; the PVC-covered small jaw prevents marring of hollow rings and rings with one-sided designs. Form perfect rings, half-shanks and quarter-shanks from stock up to 2mm thick. Have lap joint and smooth, nonslip PVC grips. Measures 6" long. Imported.

Description	Item#	Each
14mm Barrel Pliers	180-0160	\$19.50

H. Multi-Size Wire Looping Pliers

Our versatile Multi-Size Wire Looping Pliers can make a variety of bails and loops in 6 sizes: 2.4, 3.4, 4.4, 6.4, 8.35 and 9.35mm.

These high-quality pliers are made of stainless steel with double leaf springs and box joint for stability.

Measures 6" overall length with 1-1/4" long jaws. Imported.

Description	Item#	Each
Multi-Size Wire Looping Pliers	180-0036	\$17.95

382 Gesswein Orders 9am-5pm EST: 800-243-4466 FAX Orders 24/7: 888-454-4377

A. Bergeon Heavy-Duty Cutter - Cuts gold sprues up to 3mm

Top-quality cutters with special linkage design that multiples hand pressure many times to provide full, clean cuts. Helps reduce hand fatigue from constant cutting. Features hardened steel jaws with 7/8" (22mm) long cutting edges, extra-long handles for additional leverage and locking system for protection of cutting edges. Pointed ends allow easy access to tight areas. Cuts gold and soft wire up to 3mm thick. Made in Switzerland.

Description	Ü	Length	Item#	Each
Side Cutter		10"	181-4075	\$179.00



B. Compound Cutter - Cuts gold sprues up to 3mm

This heavy-duty tool cuts gold sprues and soft wire up to 3mm thick. Features compound joint for cutting with minimal effort and insulated plastic grips. Measures $7\frac{1}{4}$ " long with $\frac{7}{16}$ " long jaws. Made in Germany.

			EACH Price	ces
Description	Item#	1-2	3-9	10+
Compound Cutter	181-4060	\$41.95	\$39.85	\$37.76



C. Power Max Cutters – Cuts gold sprues up to 3mm

Feature leverage-enhancing design and induction-hardened, high-grade steel jaws for extra-close cutting. Have ergonomically shaped handles for preventing fatigue and injuries. Cuts gold and soft wire up to 3mm thick. Measures 6½" long. Made in Japan.

		EACH Prices		
Description	Item#	1-2	3-9	10+
Flush Cutter	181-4066	\$36.95	\$35.10	\$33.26



D, E 3-Peaks Sprue Cutters – Cut gold sprues up to 4mm

These compound sprue cutters feature 60-65 HRC hardened alloy steel construction with 15mm long jaws and comfortable handles. Both cut up to 4mm copper or 1.5mm steel. Side cutter is angled for better access to tight areas. Measures approx. 8½" long. Made in Japan.

Description	Item#	Each
D. Standard Cutter	181-4081	\$19.95
E. Side Cutter	181-4082	31.25



F. Diagonal Cut Nipper

Cut sprues up to 3mm with less hand strain. Features a heavy-duty spring that opens jaws for repetitive use. Measures: $5\frac{1}{2}$ " with 15mm long jaws. Comes with nickel-plated handles.

			EACH Price	ces
Description	Item#	1-2	3-9	10+
Diagonal Nipper	181-4050	\$36.95	\$35.10	\$32.89









A. Bench Shears

Shears for cutting flat bars, sheets or rods, such as the center rod of a sprue tree. Features precision-machined blades, hold-down bar for accurate cutting and long handle for leverage. Made in Germany.

Specifications:	5R		6R	
Blade Length	6 ³ / ₃₂ " (160r	nm)	8" (200mm)	
Cutting Capacity	2 ³ / ₈ " x ³ / ₁₆ " ⁵ / ₃₂ " sheet,		2 ³ / ₄ " x ¹ / ₄ " flat ³ / ₁₆ " sheet, ¹ / ₂ '	
Ship. Wt.	31 lbs.		60 lbs.	
	5R		6R	
Description	Item#	Each	Item#	Each
Bench Shears	819-0350	\$499.50	819-0355	\$695.00
Replacement Blade Set	819-0357	185.00	819-0358	225.00
Replacement Handle	819-0361	119.00	819-0354	160.00

B. Niles Pneumatic Sprue Cutters

Heavy-duty air-powered tools for cutting castings from sprues. Feature tapered blades that make it easy to get in between closely spaced castings. Eliminate hand and arm fatigue and increase production. Can be operated by hand when not on stand. Each includes one pair of blades, stand, foot pedal, air hose and hose connectors. Air compressor requirements: 60-85 PSI, 0.8 CFM. Made in Japan.

Sp	ecifications:	Model	25	Mode	l 35
BI	ades:	P6, Hig	gh-Speed Ste	eel Z8P,	Carbide
Сι	utting Capacity at				
M	idsection of Blade:	3mm		4mm	
Si	ze without Blade:	1³⁄4" d	ia. x 9 ¹ /2"L	21/8"	dia. x 11½"L
Le	ength of Cutting Edge:	1/2"		1½"	
Sł	nip. Wt.:	5 lbs.,	4 oz.	6 lbs.	, 4 oz.
	Description			Item#	Each
B.	Model 25 with P6 Blades			260-3107	\$550.00
	Model 35 with Z8P Blades			260-3108	625.00
	Replacement Stand			260-3118	120.00
	Replacement Foot Pedal			260-3119	177.00
	Replacement Hose with Co	nnectors		260-3114	36.60
	Blades		For	Item#	Each
	Z61, H.S.S. pointed		Model 25	260-3112	\$183.00
	S7P, Tool Steel pointed		Model 35	260-3111	99.00
	Replacement P6, H.S.S. blu	unt	Model 25	260-3116	74.00
	Replacement 78P, Carbide	blunt	Model 35	260-3117	195.00

C. GRS® Ring Size Cutter

This unique unit quickly cuts off a precise amount of ring shank without sawing. Removes metal in one whole piece so there are no particles to lose, saving you time and money. Results in perfectly parallel sides for neat and easy soldering. Includes seven different heat-treated steel blades that can be changed by hand in seconds without tools. Made in USA.

Description		Item#	Each
C. Ring Size Cutter		812-1270	\$307.00
¹ / ₂ -Size Blade		812-1272	14.55
3/4-Size Blade		812-1273	15.00
1-Size Blade		812-1274	15.45
1 ¹ / ₄ -Size Blade		812-1275	15.35
1½-Size Blade		812-1276	15.80
1 ³ / ₄ -Size Blade		812-1277	17.10
2-Size Blade		812-1278	18.90
7-Piece Blade Set	(one each)	812-1271	89.95

A. Xuron 9180NS HD Scissors/Shear

A heavy-duty pair of scissors (Non serrated blade) - excellent for jewelers and metalsmiths for cutting thin sheets of soft metal or lead up to 0.030"/20 ga. (0.8mm) thick. Also cuts jump rings leaving a flat end on both sides of the wire ring. Manufactured from heat-treated high carbon steel, this pair of scissors is durable and strong. Designed for left or right handed use, the built-in return spring always brings the blades back to the open position. Jaw size: 19mm x 10mm. Overall Length: 6"

Description	Item#	Each
Xuron 9180NS HD Scissors/Shear	181-0218	\$22.15



For cutting templates and patterns from medium-hard metal sheet up to B&S 20 or from soft sheet up to B&S 16. Available with either straight blades for making straight cuts or curved blades for cutting circular shapes. Also choose between looped and plain handles. Measure 7" long with $1\frac{1}{2}$ " long blades. Made in Germany.

	Description	Item#	Each
В.	Straight Snips with Looped Handles	819-0150	\$16.50
	Straight Snips with Plain Handles	819-0100	16.50
	Curved Snips with Looped Handles	819-0200	16.50
C.	Curved Snips with Plain Handles	819-0050	15.75

D. Micro Beading Snips

Use these snips to cut cords and snip apart knotted strands for restringing. Reflex action lets you do light work quickly and easily. Measure 31/2" long with $1\frac{1}{8}$ " long blades.

Description	Item#	Each
Micro Beading Snips	819-0210	\$2.95

E. Precision Scissors

Lightweight, maneuverable scissors for easy cutting in tight spaces. Feature small (1¹/₄" long) pointed blades made of high-quality stainless steel, large contoured ABS plastic handles and rivet and nylon washer assembly for smooth action. Measure 41/4" long.

Description	Item#	Each
Precision Scissors	819-0110	\$9.95

F. Crown Scissors

Stainless steel scissors with small (1" long) blades and large looped handles. Can be used on soft wire and very light metals. Great for cutting around bezels. Measure 4½" long.

Description	Item#	Each
Crown Scissors	819-0115	\$4.20

G. Short-Blade Scissors

Feature small (1" long), sharp blades with fine points for easy cutting in the tightest spaces. Excellent for cutting thread, ribbon and bead cord. Measure 3½" long. Stainless Steel.

Description	Item#	Each
Short-Blade Scissors	819-0125	\$3.35

H. Solder Cutting Pliers

These special pliers can be used to consistently cut both sheet and wire solder. Sheet is cut in \(^{1}/_{16}\)" (1.6 mm) squares and wire, up to 18-gauge (1.02 mm), in ½16" lengths. Cut is consistent time after time. Measures $5^{1}/2$ " overall length with plastic comfort grips.

Description	Item#	Each
Solder Cutting Pliers	180-0279	\$11.50





A-C Goldwashers

Precious metal recovery systems with automatic filters.

These patented automatic hand-wash sinks recover precious metal from your workshop's soapy water. Feature inexpensive, corrosion-resistant 25 micron cartridge filters, which can be easily replaced and burned. Use powerful 500W motors to pump water through separation compartments at an impressive rate of 30 liters per minute—much faster than other models on the market. Have perfectly watertight covered tanks, which eliminate liquid stagnation and all its accompanying odors. Made of stainless steel and corrosion-resistant material. Include chromeplated taps with separate handles for hot and cold water and indicator gauges for filter replacement. Made in Italy.

Specifications:

Electrical: 110V, 5A, 1 Ph, 500W, 60Hz

(220V, 50/60Hz available)

EACH Drices

Cartridge Filter 25 micron



DimensionsNet/Ship. Wt.						
	(W x D x H)	(lbs.)	Item#	Each		
	50" x 18½" x 43½"	172/227	212-1085	\$6,995.00		
	34 ³ / ₄ " x 18 ¹ / ₂ " x 43 ¹ / ₄ "	123/172	212-1080	5,995.00		
	19 ³ / ₄ " x 18 ¹ / ₂ " x 43 ¹ / ₄ "	90/140	212-1090	4,995.00		
Filter			212-1087	32.99		
		(W x D x H) 50" x 18½" x 43¼" 34¾" x 18½" x 43¼" 19¾" x 18½" x 43¼"	(W x D x H) (lbs.) 50" x 18½" x 43¾" 172/227 34¾" x 18½" x 43¾" 123/172 19¾" x 18½" x 43¾" 90/140	(W x D x H) (lbs.) Item# 50" x 18½" x 43¾" 172/227 212-1085 34¾" x 18½" x 43¾" 123/172 212-1080 19¾" x 18½" x 43¾" 90/140 212-1090		

D. Gold Catcher

Recovers all your precious metals before they go down the drain.

By providing room for sedimentation in the tank, Gold Catcher captures your precious metals before they are lost forever, letting you turn them into cash at the refinery. Includes heavy-duty 8-gallon plastic drum with sealed lid, complete external $1\frac{1}{2}$ " diameter PVC connections for any sink or drain and easy-to-change, corrosion-resistant 40 micron filter. Has no pumps, moving parts or electrical components. Measures 13" dia. x $20\frac{1}{2}$ "H. Weighs just 7 lbs.

	Description	Item#	Each
D.	. Gold Catcher	856-1205	\$275.00
	Replacement Filter	856-1206	68.00



E. Reclamation Mats 24" x 36" (30)

Our economical reclamation mat is designed for use as a floor mat in polishing areas. Sticky surface captures and holds onto your precious metal dust without adhesive transfer to your footwear. 30 sheets per mat, each sheet measures 24" x 36". Sold only in multiples of 2 mats for a total of 60 sheets or in boxes of 10 mats for a total of 300 sheets. Due to the size (ships flat) additional shipping charges may apply. Made in China.

Description	Item#	^{2pc)} Each
Pkg. of 30 – packages are sold in multiples of 2 only	821-2967	\$29.95
Two-piece minimum; Please order in multiples of two.		
Description	Item#	Each
Box of 10 packages of 30	821-2968	\$269.50



F. 3M™ Clean Walk Mat

An adhesive-coated mat that can be used as a bench pan liner or doormat for dust and scrap collection. Includes 30 adhesive sheets on a 2.0mm polyethylene backing. Just peel back top sheet to expose fresh adhesive. Won't adhere to shoes or wheels. Measures 36"L x 18"W.

Description	Item#	1-3	4+
Clean Walk Mat 18" x 36" 30 sheets	821-2965	\$69.50	\$62.55

6 valves for controlling water

flow to each

abrasive

included

A. MAX 30 Multi-Function Finishing Machine

Variable-speed unit for wet and dry grinding and polishing!

Mix and match wheels, belts and discs on your MAX 30 finishing machine, and run them wet or dry without any mess or time-consuming tool changes. MAX 30 is 31½" in width and can hold six different abrasives. Just position them in the progressive order that suits your grinding and polishing requirements, then proceed from start to finish, spending less time and effort. MAX 30 can accommodate up to and including 6" wheels. MAX 30 is ideal for most jewelry applications. Features digital control for running abrasive products at speeds conducive to maximum performance and life, durable stainless steel cabinet with front-entry design for easy belt maintenance, 4-gallon recirculating water pump, separate water supply hoses and valves for controlling water flow to each abrasive, clear-view spray reduction shield and four strategically positioned lights for viewing work in progress. Made in Taiwan

See the next page or go to our website for a complete line of wheels and belts specifically developed to get the absolute most out of your MAX unit.

Features

- Smooth digital control for running wheels & belts at speeds conducive to maximum performance and life
- Operating speed range: variable speed from 500 to 3,600rpm
- Digital readout of speed in rpms
- Stainless steel cabinet
- 2 internal fluorescent lights with 2 LED lights for viewing work in progress

Specifications

Electrical: 240V, 50/60Hz

Motor: 1 HP


Dimensions: 311/2"W x 251/2"D x 203/4"H Variable speed control 500-3,600rpm

Recirculating water pump

Machine Shaft: 1" dia x 273/4" long Net/Ship. Wt.: 154/257.4 lbs.

Description	Item#	Each
MAX 30	854-0013	\$3,950.00
Transformer to 110V	854-0027	298.50





Shown with MAX Wheels (not included)

hoses

maintenance

B. MINI MAX Combo Grinder/Polisher

Variable speed with inside/outsidering polishing

The Mini Max Combo is ideal for wet or dry polishing applications! The left side of the machine allows for up to (3) drums/wheels (1" thickness) or (6) 3M bristle discs that when run wet increases performance and profit by means of precious metal reclamation. The right side of the unit includes a buffing station to handle the grinding, blending and polishing of the inside of rings. A must for any small shop, the Mini Max Combo allows the user to mix and match wheels, belts and the specialty inside ring buffs. Small foot print, variable speed motor, water system and LED lights for illuminating the workspace. This model is ideal for use with RA/MX polishing wheels, 3M bristle discs and straight/tapered inside ring polishers (Made out of MX material - see page 94). Accommodates up to a 4" wheel/drum/disc. Made in Taiwan


Specifications

Dimen: 24⁴/₅"W x 9⁴/₅"L x 11"H Electrical: 110V. 60Hz Motor: 1/2 HP Net/Ship. wt: 25/31 lbs.

High power 4 gallon/recirculation Variable speed control:

500-3,600rpm water pump

Description	Item#	Each
MINI MAX	854-0120	\$1,150.00



Shown with MAX Wheels and inside Ring Polisher (not included)





A-D MAX Abrasive 6" Wheels

Choose from four types of 6" wheels specifically developed for our MAX 24/30 units: XA grinding, LD light deburring, MF multifinishing and MX polishing. Measure 6" dia. \times 1" thick \times 1"AH. Recommended operating conditions: 1,200-1,800rpm with medium water flow for XA, LD and MF wheels; 1,200-1,500rpm with light water flow for MX wheels. **FACH Prices**

				LAU	11 1 11003
	Description – 6" dia.	Grit	Item#	1-2	3+
A.	RA Removing Sprues & Parting Lines Lapping Edges and Flat Surfaces	240	845-3060	\$65.95	\$62.65
B.	LD Light Deburring	320	845-3053	33.95	32.25
C.	MF Light Deburring and Prepolishing	320	845-3050	33.95	32.25
	MF Prepolishing	600	845-3051	33.95	32.25
	MF Polishing	1000	845-3052	33.95	32.25
D.	MX Light Deburring	240	845-3055	41.95	39.85
	MX Prepolishing	600	845-3056	41.95	39.85
	MX Fine Polishing	1500	845-3057	41.95	39.85
	MX High Shine Final Polish	3000	845-3058	41.95	39.85

E, F MINI MAX Abrasive 4" Wheels - For Blending and Polishing

For use with the MINI MAX finishing machine. Measure 4" diameter x 1" thick x 3/8" AH wheels. Operation: 1,200-1,800rpm with medium water flow for RA wheels; 1,200-1,500rpm with light water flow for MX wheels.

Description – 4" dia.	Grit	Item#	Each
E. RA Removing Sprues & Parting Lines Lapping Edges and Flat Surfaces	240	845-3075	\$23.50
F. MX Light Deburring	240	845-3071	23.50
MX Prepolishing	600	845-3072	23.50
MX Fine Polishing	1500	845-3073	23.50
MX High Shine Final Polish	3000	845-3074	23.50



The 3" discs are sold with RH tapered spindle adapters in packages of 10 or 40. Used to clean, pre-polish, blend and remove scratches and firescale. Require no compounds, and long lasting and nonloading. Max. operating speed 20,000rpm.

Pkg. of 10

Pkg. of 40 w/hub

1/1/2		Dia. x AH	Color	Grit	Item#	Each	Item#	Each
	G.	3" x ³ /8"	Yellow	80	145-1780	\$34.15	145-1710	\$132.85
			White	120	145-1785	34.15	145-1715	132.85
			Red	220	145-1790	34.15	145-1720	132.85
See More			Blue	400	145-1795	34.15	145-1725	132.85
Radial Disc			Pink	Pumice	145-1800	34.15	145-1730	132.85
n paes 404, 4	405	5	Peach	6 Micron	145-1805	34.15	145-1735	132.85
	_		Lt. Green	1 Micron	145-1810	34.05	145-1740	132.85
		Description					Item#	Each
		22-Piece 3" Dis	sc Set				145-1815	\$75.00
P	H.	RH Tapered Spindle Adapter Hub for 2" and 3" discs					145-1921	2.30
V .	Ī.	LH Tapered Spir	ndle Adapter Hub	for 2" and 3" d	iscs		145-1922	2.30



I.	LH Tapered Spindle Adapter Hub for 2" and 3" discs	145-1922	2.
'n.	II CII 2M™ Cooleb Drite™ Dediel Briefle Diese	For was with nationing maters	

J, H 6" 3M™ Scotch-Brite™ Radial Bristle Discs – For use with polishing motors

Each 6" disc consists of eight stacked discs (approx. ½" thick) mounted on a plastic hub. Includes adapters for $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ " and $\frac{3}{4}$ " arbors. Max. operating speed 6,000rpm. Use (145-1931) for tapered spindles.

Dia. x					EACH Prices	
	Thickness x AH	Color	Grit	Item#	1-2	3+
J. (6" x ½" x 1"*	Yellow	80	145-1925	\$63.00	\$59.85
		White	120	145-1926	63.00	59.85
		Red	220	145-1927	63.00	59.85
		Blue	400	145-1928	63.00	59.85
		Peach	6 Micron	145-1929	63.00	59.85
		Lt. Green	1 Micron	145-1930	63.00	59.85
Н.	Tapered Spindle Adapter			145-1931	5.80	-

^{*}Complete with adapters for $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", and $\frac{3}{4}$ " arbors.



A. 3M™ Trizact Belt

Our 120 grit Trizact belt was developed specifically to run wet. It's microreplication structure provides a fast consistent finish. Measure 1½"W x 18¹⁵/₁₆"L. Operating speed: 3,600rpm.

Description	Drum Size	Grit	Item#	Each
Trizact Belt	6"	100	109-8450	\$8.45

B. 3M™ Flex Diamond Belt

A durable, nonloading belt for cleaning, shaping and prefinishing. Coated with diamond in a honeycomb pattern for fast cutting with no gouging or catching. Run wet or dry on hard and soft metals, including platinum, palladium and white gold, and even soft stones. Measures 1½"W x 18¹⁵/₁₆"L. Use with 6" Expander Drum (see below).

Description	Drum Size	Grit	Item#	Each
Flex Diamond Bel	t 6"	220	109-8453	\$85.60

C-E 3M™ Diamond Micro-Finishing Film Belts

Consist of precision-graded diamond abrasive bonded onto flexible film backing. Cut faster than aluminum oxide and silicon carbide. Run wet or dry on metals, stone, glass, enamel, plastic and more. Color-coded for east grit identification. Measure 1½"W x 1815/16"L. Use with 6" Expander Drum (see below).

	Description	Drum Size	Color	Grit	Item#	Each
C.	Diamond Film Belt	6"	Aqua	220	109-8452	\$18.10
D.			Yellow	320	109-8454	18.80
E.			Green	400	109-8455	17.90

F. MINI MAX Sanding Belts – For 4" drum

Feature silicon carbide bonded onto cloth backing for fast cutting. Can be used wet or dry on a variety of metals. For 4" expander drum. Measures 1"W x 12%16"L, 4" diameter. Imported

Grit	120	240	320	500	Pkg. of 10
Item#	845-3066	845-3067	845-3068	845-3070	\$12.60

G. Expander Drum – 6" diameter

Our expander drums work perfectly for our customers that use 3M belts to grind and smooth their material. They are designed with angled slots through the rubber rim to allow them to expand while being rotated on machines. In use, they lock the belt in place and remove scratches with their convex shape. Rubber drum expands while running to grip belts securely yet allows simple belt changes. Measure 6" diameter x $1\frac{1}{2}$ " wide with 1" arbor hole. Max. operating speed 2,400rpm.

			EACH Prices	
Description	Item#	1-2	3-5	6+
Expander Drum 6"	840-1259	\$52.00	\$46.80	\$44.20


H. MINI MAX Expander Drum – 4" diameter

This rubber drum expands while running to grip belts securely yet allows simple belt removal. Measures 4" dia. x 1" thick x 3/8"AH.

Description	Max. Speed	Item#	Each
Expander Drum 4"	3,600rpm	845-3065	\$49.95















required for Terminal Box Height including Acoustic Diffuser (not shown but supplied) to cente SIDE ELEVATION



A. Gesswein/DCE Vokes Dust Collector #68

The finest in the industry. Provides better suction with less noise.

Equipped with a triple inlet hopper. A quick-release sealer gear provides an airtight seal between the hopper and the dust container. Filter bags are rigidly separated to prevent blockage. The automatic shaker vigorously cleans the filter bags for approximately 60 seconds every time the fan is switched off. Supplied with filter assembly and transition inlet. Backed by a full two-year warranty.

Features:

- Shakers for filter assembly activate automatically every time unit is switched off, keeping filters cleaner so they last longer.
- Fully electronic controller (switch box).
- · Wide, flush-fitting front panels for fast, easy access to fan and filter chambers.
- Multi-pad filter assembly provides maximum fabric area for optimal filtration.
- High-quality filter fabric.
- One-piece multiple filter bag system minimizes the number of seals needed between the fabric and frame.
- Flexible wire mesh pad inserts ensure maximum effective use of fabric
- · Airtight design for maximum efficiency.
- Built-in silencer reduces noise to level well within OSHA specifications:
- A choice of three inlet positions for convenient location of unit in relation to workstations and for best use of available space.

Specifications:

No. of Stations:	5–8	Dimensions:	
Suction Motor:	5 HP	A (Width)	2' 61/8"
Airflow:	2,000 CFM	B (Depth)	2' 61/8"
Filter Area:	150 sq. ft.	C (Height)	8' 31/2" **
Min. Ceiling Ht.:	9' 1/2"	D	2' 6"
Duct Diameter:	8"	Е	3' 1 ¹ /2"
Dust Container:	3 cu. ft.	F	3' 5"
Ship. Wt.:	606 lbs. (approx.)		

	Description	Item#	Each
A.	Model 68 Dust Collector, 220V, 3 Ph, 60Hz	854-1750*	\$12,766.40
	Model 68 Dust Collector, 415V, 3 Ph, 50Hz	854-1765*	11,320.32
	Replacement Filter Assembly	854-1753	917.00

^{*}Prices FOB Kentucky. Additional charges for other voltages and for export crating. ** Ships flat. Must have dock at your location. Can not use a lift gate, due to length when flat. Double check any turns that need to be made inside your facility.

If you are looking for a dust collection system that we are not showing in our catalog, please contact us with your requirements. We will work with you to make sure you have what you need.

A-D Quatro Velocity Dust Collectors

These professional units collect 99.97% of all compound dust and precious metal particulate down to submicron levels. Ideal for grinding and polishing applications. Prefilter (which prolongs filter cartridge life 2–4 years) and state-of-the-art cartridge filter ensure return air is absolutely clean. Built-in collection tray captures your precious metal dust and lets you reclaim it without removing the cartridge filter.

Backed by a one-year manufacturer's warranty. CSA and CE approved. Made in Canada. Both the 1-Port and the 2-Port can be shipped UPS.

Features:

Specifications:

- Unique sub-micron dust collection filtration down to .03 microns. (Category C: 99.97% dust extraction) recirculates clean air back into the workplace eliminating the need for outside ventilation.
- Inlet ports can be positioned on top or side of unit.

1-Port

 Optional on/off foot switch and silencer (reduces sound 10-15%, easily attaches to unit without tools) also available.

2-Port

1-Port

AYA-Port

Specifications:	1-Port	2-2011	4-2011	4X4-PUIL
No. of Stations:	1	1–2	2–4	5–8
Suction Motor				
Electrical:	120V, 5.3A, 50/60Hz	120V, 6.1A, 50/60Hz	120V, 9.2A, 50/60Hz	230V, 18A, 60Hz
Power:	1/2 HP	3/4 HP	1 HP	2 HP
Airflow:	200 CFM	400 CFM	800 CFM	1,600 CFM
Noise level:	56 dBA	56 dBA	58 dBA	70-75 dBA
Filter Area:	25 sq. ft.	35 sq. ft.	60 sq. ft.	60 sq. ft.
Inlet Diameter:	3"	3"	3"	3"
Dimensions, WxDxH:	14"x20"x17"	14"x25"x17"	18"x34"x22"	18"x34"x22"
Net/Ship. Wt.:	65/72 lbs.	73/80 lbs.	120/131 lbs. 💫	140/233 lbs.
3" Dia Flex Hose:	6'	12'	25'	50'
Hose Clamps.:	2	4	8	16
Replacement Prefilters (20):	854-1392	854-1392	854-1389	854-1389
Each:	\$44.00	\$49.00	\$55.00	\$55.00
Replacement Cartridge Filter:	854-1398	854-1391	854-1388	854-1388
Each:	\$76.00	\$104.00	\$118.00	\$118.00
Item#:	854-1383	854-1382	854-1380	854-1381
Each:	\$932.00	\$1,205.00	\$1,571.00	\$1,571.00
Description-Optional Equip	ment	Item#	Each	
On/Off Foot Pedal for all units	854-2094	\$98.00		
Silencer for Velocity units	·		854-1528	91.00



E Quatro Multi-Station Power 6 Dust Collector

The high quality Quatro Multi—Station "Power 6" Dust Collector (6 X 1.5" Inlets) is a must for any facility needing one powerful dust collector for up to 6 work stations. Its certified HEPA filtration and high airflow brushless motor works efficiently to capture 99.97% of the dust/submicron particulates while offering "clean air" surroundings and quiet operation (59dBA). The Power 6 is ideal for all grinding and polishing applications at your bench while offering a solution for dust collection and clean air to multiple (up to 6) workstations/benches. Includes a 50 foot 1.5" hose. One-year warranty. 230V, 10A, 1Ph, 50/60Hz. 22"W x 25"D x 39"H. 200 lbs. Made in Canada.

Features:

- Allergy-Safe, high capacity sealable bag filters allow you to safely capture and contain large amounts of debris. Can reclaim your dust and particles for refining. 6 bag filters are required (854-2189) and 2 HEPA filters (854-2079).
- HEPA Filter, 99.97% efficiency on submicron particles
- Two brushless 1HP motors deliver more airflow and greater suction, 900CFM
- Intelligent controls provide constant monitoring and maintenance alerts.

Description	Item#	Each
Quatro Multi-Station Power 6 Dust Collector	854-1402	\$3,495.00



Ε

29 ¹/2"

Ε







Available in two motor options. The #854-2179 uses a 1.5 HP high-speed brushless turbine motor to produce 600CFM of airflow, providing long continuous use without the need to replace motor brushes. The #854-2187 uses two quieter running 1 HP Infinity hybrid motors to produce 450CFM of airflow and will provide 2,000-3,000 hours of use before needing motor replacement.

Both feature a three-stage filtration system that captures fumes and particulate down to 0.3 micron: bag filter captures large particles from grinding and polishing; media filter captures rhodium and soldering fumes; HEPA filter captures the smallest particulate down to submicron levels. Returns 99.97% clean air to your shop, making outside ventilation unnecessary. Perfect for small shops, malls and other places where noise can pose a problem. Includes 12' of 3" dia. flex hose and hose clamps. Backed by a one-year manufacturer's warranty. Made in Canada.

Specifications:

Inlets: Two 3" dia. inlets in top

Airflow: (854-2179, 600 CFM, 854-2187, 450 CFM) Noise Level: (854-2179, 58dBA, 854-2187, 55dBA)

Electrical: 120V, 12A, 1 Ph, 60Hz Dimensions. Net Wt.: 17"W x 14"D x 26"H. 75 lbs.

	Description	Item#	Each
A.	CollectAll, Brushless Turbine Motor 1.5 HP	854-2179	\$1,924.00
B.	CollectAll, 2 Infinity Motors (2) 1HP	854-2187	1,440.00
	Optional On/Off Foot Pedal	854-2094	98.00
C.	Replacement Bag Filters (6)	854-2189	49.00
	Media Refills (4) for rhodium fumes	854-1396	169.00
	Media Refills (4) for soldering fumes	854-1409	122.00
D.	Replacement HEPA Filter	854-2093	128.00



Superior suction, 900 CFM, in a compact design. Brushless motor and the ability to separate collection materials makes this a must for shops with polishing and grinding applications. Two stage filtration uses bags, then HEPA filters ensuring 99.7% efficiency. Includes 12ft of Heavy Duty 3" diameter hose & clamps. 120V, 10A, 60Hz. 22"W x $14^{1}/2$ "D x $29^{1}/2$ "H (to top of inlet port). One-year manufacturer's warranty. Made in Canada.

Description	Item#	Each
E. PGR Dust Collector	854-1475	\$1,105.00
C. Replacement Bag Filters (6)	854-2189	49.00
D. Replacement HEPA Filter	854-2093	128.00



F. Dust Collector #60B

Fits neatly under many workbenches, saving precious bench space without taking up too much legroom. Includes silencer for quiet operation, external foot pedal for filter shakedown and removable catch pan for easy reclamation. One-year manufacturer's warranty. Made in USA.

Specifications:

Inlets: Two 3" dia. inlets in back

Suction Motor: 1/2 HP Airflow: 400 CFM Noise Level: 50 dBA

Electrical: 110V, 9A, 1 Ph, 60Hz

Dimensions: 16"W x 16"D x 20"H, Net Wt.: 75 lbs.

	Description	Ship. Wt.	Item#	Each
F.	Dust Collector #60B	85 lbs.	854-1370	\$875.00
	Replacement Filter Bags, set of 14		854-3152	435.00

A. Quatro Gold Vault Extra

The affordable Gold Vault Series of Dust Collectors by Quatro has evolved to a new level! With safety always being a concern in today's workplace, Quatro has gone a step further and created an "All-In-One" unit to handle both dust debris/particles and odor while still capturing your precious metals.

The Gold Vault Extra comes in two variations: Standard powerful turbine motor that is quiet running, or the model supplied with a long lasting Infinity motor. Infinity motor model costs more but motor brushes will last 4-5 times longer than the standard motor. Both variations still carry the same small footprint for tight spaces as previous Gold Vault models. The high speed turbine style motor allows for fast efficient debris removal and the new filter system ensures 100% capture of ALL precious metals. New filter system that accommodates both dust and odor, consists of disposable filter bags followed by Odor and HEPA filters. A true All-In-One system, will prove to be quiet (49dBA) and effective with variable speed control, and includes a "T" connector and two 6' hoses for two-station use.

Optional on/off hand switch available (854-1368) or on/off foot pedal also available (854-1369). Use your Gold Vault with your 3" Diameter Hoses/ Hoods by purchasing a 1½" to 3" adapter (854-1519). Original Gold Vault units can be retrofitted to accept the new filter systems (854-1545). Backed by a one-year manufacturer's warranty. Made in Canada.

Specifications (Standard and Infinity):

• Inlets: One 1½" dia. inlet in top	Suction Motor: 1 HP
• Dimensions: 9"W x 9"D x 19"H	Airflow: 150 CFM
 Electrical: 120V, 7A, 1 Ph, 60Hz 	Net Weight: 28 lbs.

	Description	Item#	Each
A.	Quatro Gold Vault Extra Standard	854-1540	\$645.00
	Quatro Gold Vault Extra Infinity	854-1541	720.00
	Replacement HEPA Filter	854-1543	49.00
	Replacement Odor Filter	854-1544	35.00
	On/Off Hand Switch	854-1368	48.00
	On/Off Foot Pedal	854-1369	49.95
	1.5" to 3" Hose Adapter	854-1519	13.00



B. Quatro Basic

With this tiny unit, you don't have to sacrifice air quality or recovery capability even if your space is limited. Great for grinding, polishing, engraving and much more. Ideal for tight spaces. High-speed turbine for fast collection and replaceable bag filter.

Includes 6' of $1\frac{1}{2}$ " diameter hose. Can be used with miniature finishers with $1\frac{1}{2}$ " diameter outlets. Use with 3" hoods and hoses by purchasing the optional 1.5" to 3" adapter (854-1519 see below). One-year manufacturer's warranty. Made in Canada.

Specifications:

• Electrical: 120V, 7A, 1 Ph, 60Hz Suction Motor: 1 HP • Dimensions: 7"W x 9³/₄"H Airflow: 130-150 CFM

(11"H to top of inlet) x 16"D

 Net Wt.: 20 lbs. Noise Level: 60-64 dBA

	Description	Item#	Each
В.	Quatro Basic + Foot Switch	854-1367	\$425.00
	Replacement Bag Filters	854-1531	30.00

C. Quatro Hose Adapter

Heavy duty plastic adapter fits 2½" hose and widens to 3". Use to attach any dust collector with 11/2" inlet (such as Quatro Basic and Gold Vault) to a 3" hose or hood opening.

Description	Item#	Each
Quatro Hose Adapter (1.5" to 3")	854-1519	\$13.00









A. MicroVac III Under-Bench Dust Collector

The sophisticated, powerful MicroVac III provides quiet, efficient dust collection at your bench. Extracts 99.99% of dust from the air. Positioned vertically in an easily accessible door, a bag filter with barrier mat allows dust to settle to the bottom to maintain suction and extend filter life. An extra-fine cartridge filter captures tiniest dust particles.

Features two-stage turbine with muffler that offers enough power to collect dust from two stations at once, control knob for fully adjustable suction and auxiliary outlet that provides the option to operate both your MicroVac III and flex shaft or micromotor at the flip of one switch (manual switch allows override).

Sold with 6'L x $1\frac{1}{2}$ " dia. hose only or 6' hose, safety-glass face shield on stand and magnetic handrest. Includes mounting plate and all hardware for optional under-bench attachment and set of filters. Has $1\frac{1}{2}$ " dia. inlet in back. Noise level: 52–61 dBA. Electrical: 120V, 60Hz. Measures $10\frac{1}{2}$ "W x $14\frac{1}{2}$ "D x 15"H. Backed by a one-year warranty. CE approved. Made in Germany.

	Description	Ship Wt. (lbs.)	Item#	Each
A.	MicroVac III w/ 6' hose only	46	854-2128	\$1,195.00
	MicroVac III w/ all accessori	es 54	854-2127	1,400.00
	Optional Standard Bag Filters (3)		854-2119	39.95
	Replacement Bag Filters with Mat (3)		854-2117	74.85
	Replacement Cartridge Filter		854-2121	74.25

B. Foredom® Dust Collector

Whisper quiet at 52 dBA with powerful suction at 115 CFM. The cyclone with polycarbonate collection chamber pre-filters 99% of all debris and HEPA filter eliminates 99.98% of debris up to 0.3micron. It is a stand-alone unit for collecting dust from grinding, polishing, deburring and sanding wood, metal, die stone, plaster and many other materials. Use when working with dry materials ONLY. 2 Year Limited Manufacturer's Warranty.

Includes: 2 HEPA filters with MERV 16 rating 5' flexible 21/4" diameter vacuum hose. Remote on/off switch with 9' cable. Remote Connector for use with Foredom Lighted Work Chamber (850-0645, see page 402), Single station unit with casters for easy portability. 6' power cord. Made in Taiwan.

Specifications:

Weight 30½ lb

151/4"L x 151/4"W x 191/2"H

Cyclone Height 161/2", Width 71/2"

Shipping Dimensions 201/4" x 203/4" x 231/4"

115 Volt, 6.5 Amp, 750 watt (220V also available)

	Description	Ship Wt. (lbs.)	Item#	Each
В.	Foredom MADC20	40	854-2200	\$679.15
	Replacement DC Hepa Filter (1)	854-2203	9.95
	Connector		854-2204	17.95

C. D ARBE Under-Bench Vacuum System

This compact, efficient, quiet system fits neatly under or next to your bench, removing air contaminants while you work. Features a fish-mouth suction hood that can be placed on top of your bench to pull dust and fumes away from your face. Has on/off switch on top for easy accessibility. Includes $6'L \times 1^{1}/2''$ dia. flexible hose and two quick-change filters: disposable bag filter for particulate (send to your refiner when full) and activated charcoal filter for odors (replace every 6–8 months). Optional vacuum bench pin sold separately (see below). Airflow: 110 CFM. Noise level: 56 dB. Electrical: 110V, 4.5A, 50/60Hz Blower Motor: 1/2 HP. Measures 10"W x 15 $^{1}/_{4}$ "D x 14"H. Backed by a one-year warranty. Made in USA.

Description	Item#	Each
Under-Bench Vacuum System	854-1762	\$530.00
Optional Vacuum Bench Pin	854-1769	59.00
Replacement Bag Filters (6)	854-1763	29.95
Replacement Charcoal Filter	854-1764	29.95
	Under-Bench Vacuum System Optional Vacuum Bench Pin Replacement Bag Filters (6)	Under-Bench Vacuum System 854-1762 Optional Vacuum Bench Pin 854-1769 Replacement Bag Filters (6) 854-1763



A-E Quatro SPU Polishing and Dust Collecting Units

These units use 3-stage filtration systems to capture all your precious metal dust, not just a portion of it. Recover more metal for refining and keep your workplace cleaner and healthier than ever before. Choose from Two-Station and Junior Deluxe models.

An excellent choice for many large shops, the Two-Station SPU units are available with Quatro 1/2 HP two-speed double-spindle polishing motor and two tapered spindles in standard or high volume versions OR with 2 polishing motors and 2 hoods OR one polishing motor and one hood along with a split lapper and corresponding split lapper hood.

An ideal fit for small shops, the Junior Deluxe SPU comes with Quatro 1/2 HP two-speed single-spindle polishing motor and tapered spindle. Includes lighted Clearview hood, prefilter, bag filters and HEPA filter.

Clearview hoods fully enclose buff areas, trapping precious metal dust

inside. Energy-efficient, LED, low-heat lights in hoods use much less power than incandescent lights and keep your work area much brighter and cooler. Affordable, easy-to-change prefilters under the hoods collect large particles, and subsequent filters capture tiny particles (as small as 0.3 micron with HEPA filter), after which clean air is recirculated back into the room. Backed by a one-year manufacturer's warranty. Made in Canada.

- · Advanced 3-stage filtration systems and powerful suction motors for maximum metal dust recovery.
- Strategically placed inlet locations right below motor spindles for optimal
- Office-friendly whisper-quiet operation.
- Optional on/off foot pedal for on-the-fly polishing.



Specifications:	A. SPU High Volume Deluxe Two-Station	B. SPU Double Stand-Up Two-Station	C. SPU Standard Two-Station	D. SPU w/Split Lap Combo Two-Station	E. SPU Junior Deluxe Single-Station	
Electrical:	120V, 10A, 60Hz	120V, 4.6A, 1 Ph, 60Hz (240V available)	120V, 9.2A, 1 Ph, 60Hz (240V available)	120V, 9.2A, 1 Ph, 60Hz (240V available)	120V, 4.6A, 1 Ph, 60Hz	
Suction Motor: Airflow:	1 HP Brushless 1,000 CFM	1/2 HP Brushless 1,200 CFM	1 HP Brushless 1,200 CFM	1/2 HP 1,200 CFM	1/2 HP Brushless 600 CFM	
Noise Level:	55 dBA	60 dBA	60 dBA	60 dBA	56 dBA	
Polishing Motor: double spindle motor two-speed: 3,450/1,725rpm	One, Quatro 1/2 HP single spindle motor two-speed: 3,450/1,725rpm	Two, Quatro 1/2 HP double spindle motor two-speed: 3,450/1,725rpm	One, Quatro 1/2 HP single spindle motor and one Split Lapper Split Lapper	One, Quatro 1/2 HP single spindle motor two-speed: 3,450/1,725rpm	One, Quatro 1/2 HP single spindle motor two-speed: 3,450/1,725rpm	
Dimensions: (W x D x H):	40" x 20" x 53"	48" x 19" x 53"	40" x 20" x 53"	45" x 19" x 59"	24" x 20" x 50"	
Ship wt:	230 lbs.	266 lbs. 🗔	229 lbs. 🞝	276 lbs. 🞝	145 lbs. 💫	
Item#	854-2081	854-1404	854-2077	854-2074	854-2183	
Price	\$2,695.00	\$2,695.00	\$2,195.00	\$2,995.00	\$1,740.00	
Replacement Filters	Item#	Item#	Item#	Item#	Item#	Package
Prefilters (20)	854-2091	854-2091	854-2091	854-2091	854-2091	\$49.95
Bags (6)	854-2189	854-2189	854-2189	854-2189	854-2189	49.00
HEPA	854-2079	854-2079	854-2079	854-2079	854-2093	128.00
Optional Accessory Drawer	854-2073	854-2073	854-2073	854-2073	_	120.00
Optional On/Off Foot Pedal	854-1369	854-1369	854-1369	854-1369	854-1369	49.95
Replacement Clearview Hood	854-2083	854-2083	854-2083	854-2083	854-2083	289.00
Replacement Lapper Hood			_	854-2072	_	329.00





A. BESTBUILT Polishing and Dust Collecting Unit For improved dust recovery and workplace cleanliness!

This completely enclosed stand-alone polishing system utilize a

Jewelry Equipment 1/2 HP suction motor in an almost completely sealed work area to capture virtually all your precious metal dust.

Easy to change two-stage filtration system teams a tightly woven cotton bag to collect large precious metal particles and dust with a reusable secondary pleated filter that collects particulate as small as 0.05 micron.

This unit is designed for the retail environment combining sleek modern design with function. Powerful 3/4 HP polishing motor has more than enough torque for any job. For buffs up to 8" in diameter. Made in South Korea.

Features:

- Sturdy 12 gauge steel construction
- Shatter-resistant tempered glass access doors—won't scratch or dull like plastics can—easy to clean
- Two-Stations

- Cool fluorescent light offers a great view of work in progress
- Mounted on wheels for maneuverability
- Shelf conveniently holds supplies

Specifications:

Electrical: 110V, 20A, 60 Hz

Suction Motor: 1/2 HP Airflow: 550 CFM

Polishing Motor: 3/4 HP, double-spindle, 3450rpm

Dimensions: Shaft Height $6\frac{1}{2}$ " (W x D x H): 37" x 22" x 52" Ship wt: 240 lbs.

854-1601	\$1,850.00
854-1608	99.95
854-1611	35.00
	854-1608



B. The Accumulator™

Collects 90-95% of all precious metal dust particles!

A problem-solving prefilter for your current dust collection system. Protects workers and equipment from harm, collecting dust and precious metal before they reach the dust collector. How it works: (1) air with dust and debris enters the swirling vortex inside the Accumulator; (2) dust and debris separate out of air and fall into Accumulator bowl; (3) cleansed air, 95% free of dust and debris, flows out of the Accumulator and into your dust collector.

Installs between your existing dust collector and polishing stations. Adapts easily with PVC fittings and can be mounted anywhere along the line. Creates no noticeable drop in suction. Made of durable polyethylene. Choose from small (for 1 station), medium (for 1–2 stations) and large (for 1–4 stations) styles. Made in USA.

Style	Size (L x W x H)*	Hose Inlets**	Item#	Each
Small	9" x 4 ¹ / ₂ " x 13 ³ / ₄ "	1 ¹ /2"	854-0995	\$145.00
D. Medium	11" x 6" x 24"	21/2", 3"	854-1000	159.00
Large	13 ¹ / ₂ " x 8" x 30"	4"	854-1005	265.00

^{*}Allow 2" extra height for cup removal. **.

Polishing Safety Measures

- Many polishing compounds contain respirable silica or other hazardous ingredients. Be sure to use a dust collector to pull all polishing dust away from your breathing zone, and wear a properly fitted NIOSH respirator rated for the specific dust or chemicals with which you are working.
- Any grinding operation will remove small amounts of metal from the workpiece. To protect your eyes from flying debris, always wear safety goggles or similar eye protection.
- Tie back loose hair and clothing to prevent entanglement in the polishing motor or spindle.
- Firmly twist the buff onto the tapered spindle before turning on the motor, and keep the buff centered and straight to ensure true running. With the spindle correctly installed, turning force of the motor will keep the buff safely mounted during grinding and polishing.
- Always use the lower quarter of the buff to control the action and to prevent
 the workpiece from being pulled from your grip. Never entwine your fingers
 with the workpiece; instead hold it in a manner that will prevent your
 fingers from being harmed should it be pulled from your grip.

^{**}Adapters available for other hose sizes.





A-B ARBE Benchtop Polisher/Dust Collector

Features suction motor with squirrel-cage turbine, 18-gauge steel construction for longevity, hinged front that tilts up for polishing large pieces and ½" lip for storing buffs and compounds. Holds buffs up to 6" in diameter, as well as long ring buffs. Includes replaceable fiberglass filter and double work light (60W bulbs not included). Available with or without (854-1262 sealed or 854-1263 open) polishing motor and tapered spindles (see pp. 400-401 for details on the motors). Backed by a oneyear warranty. Made in USA.

Specifications:

Suction Motor: Electrical: 110V, 50/60Hz Airflow: 465 CFM

29³/₄" x 11³/₄" x 2" Filter Size: Dimensions: 32¹/₂"W x 22"D x 12"H Shin Wt

	Description	(lbs.)	Item#	Each
A.	Benchtop w/Sealed Motor	82	854-4040	\$665.00
	Benchtop w/Open Motor	71	854-4045	600.00
	Benchtop w/o Motor	58	854-4009	399.00
B.	Replacement Filter		854-4012	12.50
	Replacement Motor - Sealed		854-1262	299.00
	Replacement Motor - Open		854-1263	230.00



Ideal for shops with very limited space. Features suction motor with squirrel-cage turbine. 18-gauge steel construction for longevity and 1/2 HP polishing motor. Holds buffs up to 6" in diameter. Includes replaceable fiberglass filter, ½" tapered spindles and double work light (60W bulbs not included). Backed by a one-year warranty. Made in USA.

Specifications:

Suction Motor: Electrical: 110V, 50/60Hz Airflow: 165 CFM

Polishing Motor: 1/2 HP (3,450rpm) Filter Size: 22" x 12" x 2" Dimensions: 22¹/₂"W x 19"D x 12"H

Ship Wt. Description Item# Each (lbs.) C. Compact Double Spindle 57 854-4006 \$390.00 Replacement Filters (3) 854-4011 28.75 Replacement Motor - Open 854-1263 230.00

D. ARBE Compact Single-Spindle Polisher/Dust Collector

Ideal for shops with very limited space. Features suction motor with squirrel-cage turbine, 18-gauge steel construction for longevity and 1/2 HP polishing motor. Holds buffs up to 6" in diameter. Includes replaceable fiberglass filter, 1/2" tapered spindle and work light (60W bulb not included). Backed by a one-year warranty. Made in USA.

Specifications:

Suction Motor: Electrical: 110V, 50/60Hz Airflow: 165 CFM

Polishing Motor: 1/2 HP (3,450rpm) Filter Size: 13" x 9³/₄" x 2" 15"W x 17"D x 10"H Dimensions: Shin Wt.


	Description	(lbs.)	Item#	Each
D.	Compact Single Spindle	47	854-4005	\$335.00
	Replacement Filters (3)		854-4010	23.95
	Replacement Motor - open		854-1268	215.00



For Polishing Motors See pages 400-401







A. Foredom® Bench Lathe - 1/6 HP; 500-7,000rpm

The high-torque permanent-magnet motor provides ample power for grinding and polishing tasks. Features variable speed control, permanently lubricated ball bearings, fully sealed motor housing, cast-iron base and power light. Includes two tapered spindles for buffs up to 4" diameter.

Available with spindles only (850-0610) or consider our 850-0619 Lathe and Accessory Set which includes lathe with tapered spindles, collet holder with 32", 4", and 4" collets and wheel mandrel.

Specifications:

- 1/6 HP, high torque motor
- 115 Volt, 2A, 50/60 Hz
- 125 Watts (continuous rating)
- Motor shaft diameter: 5/16"
- Shaft height: 33/4"
- Height: 51/8"

- Width: 13" between spindles
- 6"W x 5"D base
- Weight: 7.5 lbs
- CSA Certified
- One-Year Warranty

	Description		Item#	Each
A.	Bench Lathe & Spindles Only		850-0610	\$189.50
	Bench Lathe & Spindles & Accessories		850-0619	221.00
B.	Optional Jacobs Chuck Arbor		850-0629	48.00
	Optional Left Wheel Mandrel		850-0613	16.75
	Optional 1/8" Collet	*	850-5430	8.95
	Optional Right Wheel Mandrel	*	850-0621	16.75
	Optional 3/32" Collet	*	850-5420	8.95
	Optional 1/4" Collet	*	850-5470	8.95
	Optional 1/4" Right Collet Holder	*	850-0624	36.50

^{*} included in 850-0619

C. Foredom® Bench Lathe with Polishing Hoods

Pair Foredom Bench Lathe with spindles only and a pair of polishing hoods. Each hood collects metal particles and polishing dust to help keep your shop clean. Includes 2" connection pipe for most shop-vacs. Polishing hood measures $4\frac{3}{4}$ "W x 8"D x $6\frac{3}{8}$ "H.

	Description	Item#	Each
C.	Bench Lathe with 2 Polishing Hoods	850-0625	\$269.50
	Polishing Hood only	850-0626	45.00
В.	Optional Jacobs Chuck Arbor	850-0629	48.00
	Optional Left Wheel Mandrel	850-0613	16.75
	Optional ¹ /8" Collet	850-5430	8.95
	Optional Right Wheel Mandrel	850-0621	16.75
	Optional ³ /32" Collet	850-5420	8.95
	Optional 1/4" Collet	850-5470	8.95
	Optional 1/4" Right Collet Holder	850-0624	36.50

D. Foredom® Bench Lathe with Filter Hood

The portable dust collector for your bench motor!

Same Foredom Bench Lathe and spindles only with one Filter Hood. The Filter Hood is a compact, powerful unit which collects particles from grinding and polishing. Offers strong suction for collecting both dust and precious metal. Features a variable-speed motor with voltage selector switch, removable watertight metal tray, LED gooseneck lamp and acrylic safety shield. Includes three replaceable filters (each measures 51% " x 5%" x 1%" thick). Replacement dust filters are available in a convenient 5 pack (850-0641). These filters remove coarse, large dust particles whereas the replacement charcoal filters, also available in a 5 pack (850-0643) removes small, fine intermediate particles. Electrical: 110/220V. Measures 6"W x 12%"D x 71%"H. One-year warranty. CE approved.

	Description	Item#	Each
D	. Foredom Bench Lathe with Filter Hood	850-0644	\$440.00
	Filter Hood only	850-0640	254.15
	Replacement Filter 5-pack	850-0641	6.95
	Replacement Charcoal Filter 5-pack	850-0643	7.95

A,B Durston Euro Style Dust Collectors

Durston's high-tech Euro Dust Collectors are a must for any small shop looking for a simple but easy way to collect dust particles and debris caused by polishing compounds.

Both models (Single Spindle & Double Spindle) incorporate the correct system of fans for dust/particle collection while maintaining quiet and vibration free operation. Unlike other models on the market, these models run quietly as the suction motors are built in and sealed for maximum performance and no overheating.

Both models include fluorescent lighting for viewing your work and can accommodate up to an 8" buff. Built to last and made in the United Kingdom, both models are constructed from 1.5mm (15 gauge) steel for durability and longevity which Durston has become known for with all their equipment. Filters are easily removed from the side of these units not to take away valuable space and storage. Made in the United Kingdom.

Description	Item#	Each
A. Single Spindle Dust Collector	854-4021	\$1,262.75
B. Double Spindle Dust Collector	854-4022	1,734.60

C. Gesswein Mini Desktop Polisher

The Gesswein Mini Desk/Bench Polisher is has a small footprint making it ideal for those with limited space or who want to have it near their workbench. Small enough to handle a myriad of tasks like grinding, blending or polishing but rugged enough to work long hours! Comes supplied with (2) Tapered Spindles for easy on/off of your (maximum 4") buffs/wheels or deburring wheels, On/off power switch, left and right vacuum switches (operate one side at a time or both sides at once), (2) removable solid metal catch trays for easy cleaning, storage compartment in the back for your compounds or small wheels and magnetic mount magnifier to aid in your viewing of the polishing process. Air filters also slide in and out for ease of changing when dirty. Made in Taiwan.

Description	Item#	Each
Gesswein Mini Desktop Polisher	854-4030	\$495.00

D. Wayne Werner Polishing Set

Wayne Wayner, jeweler, craftsman and Foredom demonstrator, developed this polishing accessory assortment kit for use with Foredom's BL Bench Lathe (850-0619). 57-pc Assortment with Cotton Buffs, Compound, and Scotch-Brite Discs for use on BL Lathe (850-0619) to pre-polish and polish precious metals, finish pewter and white metals. Also remove scratches and sprue marks. Clean insides of rings and solder joints.

Description	Item#	Each
Wayne Werner Polishing Set	810-0042	\$233.75

E. Polishing Starter Set

Designed for the Foredom and the Mini Bench Motors. Includes Water-Soluble Compound Set #215-1760 (four 1 lb. bars: Gray Star for fast cutting, Tripoli for removing scratches, Premium Red Rouge for polishing yellow gold and Green Rouge for polishing silver and white gold), two 4" Stitched White Muslin Buffs #140-2450, two 4" Loose White Muslin Buffs #140-4350 and four $^3\!/^4$ " SUPRA "MK" Soft Wheel Brushes #113-0600 for accessing tight areas.

Description	Item#	Each
Polishing Starter Set	810-0045	\$29.00









Polishing Safety Measures

- Many polishing compounds contain respirable silica or other hazardous ingredients. Be sure to use a dust collector to pull all polishing dust away from your breathing zone, and wear a properly fitted NIOSH respirator rated for the specific dust or chemicals with which you are working.
- Any grinding operation will remove small amounts of metal from the workpiece. To protect your eyes from flying debris, always wear safety goggles or similar eye protection.
- Tie back loose hair and clothing to prevent entanglement in the polishing motor or spindle.
- Firmly twist the buff onto the tapered spindle before turning on the motor, and keep the buff centered and straight to ensure true running. With the spindle correctly installed, turning force of the motor will keep the buff safely mounted during grinding and polishing.
- Always use the lower quarter of the buff to control the action and to prevent
 the workpiece from being pulled from your grip. Never entwine your
 fingers with the workpiece; instead hold it in a manner that will prevent
 your fingers from being harmed should it be pulled from your grip.

BALDOR · RELIANCE II

Motors built to withstand the most demanding workloads. Feature sealed casings to keep internal parts free of dust, prelubricated ball bearings that last for the life of the motor and on/off switch. Backed by a three-year manufacturer's warranty. Can be taken to one of over 3,000 service centers in the USA for quick repairs. UL listed. Made in USA.



A. Baldor-Reliance® #75 Sealed Motor - 3/4 HP; 3,600rpm

Very strong motor for buffs up to 8" in diameter. Designed for continuous operation. Has threaded tapered shaft. Supplied with threaded tapered spindle. Motor height: $10\frac{1}{2}$ ". Width to spindle end: $15\frac{7}{8}$ ". Shaft height: $7\frac{1}{8}$ ". Ship. wt: 46 lbs.

			Base		
	Model	Electrical	(W x D)	Item#	Each
A.	#75R	220/380/415-440V, 3 Ph, 50/60Hz	8" x 8 ¹ / ₂ "	854-1070	\$385.95

Plugs not supplied for 220V models. Other voltages available. Motor speed at 50Hz: 3,000rpm.



B. Baldor-Reliance® #50 Sealed Motor - 1/2 HP; 3,600rpm

Heavy-duty motor for buffs up to 8" in diameter. Designed for continuous operation. Has threaded tapered shaft. Supplied with threaded tapered spindle. Motor height: $11\frac{5}{8}$ ". Width to spindle end: 18". Shaft height: $8\frac{1}{8}$ ". Ship. wt: 39 lbs.

Each	Item#	Base (W x D)	Electrical	Model
\$510.95	854-1050	8" x 8 ¹ / ₂ "	110V, 1 Ph, 50/60Hz	B. #50R
495.00	854-1052	8" x 8 ¹ / ₂ "	220V, 1 Ph, 50/60Hz	#50R
480.95	854-1051	8" x 8 ¹ / ₂ "	110V, 1 Ph, 50/60Hz	#50L

Plugs not supplied for 220V model. Motor speed at 50Hz: 3,000rpm.



C. Baldor-Reliance® #29-1 Sealed Motor - 1/2 HP; 3,600rpm

Double-spindle heavy-duty motor for buffs up to 8" in diameter. Has $\frac{5}{8}$ " diameter straight shafts. Supplied with two tapered spindles. Motor height: $\frac{11}{2}$ ". Shaft height: $\frac{8}{8}$ ". Ship, wt: 51 lbs.

Electrical	Width to Spindle Ends	Base (W x D)	Item#	Each
110V, 1 Ph, 50/60Hz	29"	8" x 8 ¹ / ₂ "	854-1250	\$605.50

Motor speed at 50Hz: 3,000rpm.



D. Baldor-Reliance® #16 Sealed Motor - 1/2 HP; 3,450rpm

Sealed double-spindle motor for buffs up to 6" in diameter. Slightly tapered \(^3\epsilon\)" shaft tips allow quick change of chucks and hold spindles true, preventing buff wobble. Supplied with two Ritter friction-fit tapered spindles. Shaft height: 5". Ship. wt: 37 lbs.

Electrical	Width to Spindle Ends	Base (W x D)	Item#	Each
115V, 1 Ph, 60Hz	201/4"	6½" x 7½"	854-1254	\$430.95



E. Baldor-Reliance® #25 Sealed Motor - 1/4 HP; 3,450/1,725rpm

Sealed double-spindle two-speed motor for buffs up to 6" in diameter. Slightly tapered 3%" shaft tips allow quick change of chucks and hold spindles true, preventing buff wobble. Supplied with two Ritter friction-fit tapered spindles. Shaft height: $5\frac{1}{4}$ ". Ship. wt: 37 lbs.

Electrical	Width to Spindle Ends	(W x D)	Item#	Each
115V, 1 Ph, 60Hz	20 ¹ /4"	6½" x 7½"	854-1030	\$415.95



F-J Arbors

Used to mount wheels with $\frac{1}{2}$ " arbor holes onto polishing or lapping motors.

Description	I.D. R or L	For Wheel Thickness	Overall Length	Item#	Each
For straight shafts. Setscrews.	1/2"L	1"	41/4"	840-4500	\$26.95
For straight shafts. Setscrews.	¹ /2"R	1"	41/4"	840-4550	26.95
For #29-1, Split Lapping Machine.	⁵ /8"L	1 ¹ /2"	6"	840-4660	35.95
For #29-1.*	⁵ /8"R	1 ¹ /2"	7"	840-4668	33.95
For #50, #75R.**	R	1 ¹ /2"	5 ³ /4"	840-4670	33.95
	For straight shafts. Setscrews. For straight shafts. Setscrews. For #29-1, Split Lapping Machine.	DescriptionR or LFor straight shafts. Setscrews.½"LFor straight shafts. Setscrews.½"RFor #29-1, Split Lapping Machine.5%"LFor #29-1.*5%"R	Description R or L Thickness For straight shafts. Setscrews. ½"L 1" For straight shafts. Setscrews. ½"R 1" For #29-1, Split Lapping Machine. 5%"L 1½" For #29-1.* 5%"R 1½"	Description R or L Thickness Length For straight shafts. Setscrews. ½"L 1" 4½" For straight shafts. Setscrews. ½"R 1" 4½" For #29-1, Split Lapping Machine. ½"L 1½" 6" For #29-1.* ½"R 1½" 7"	Description R or L Thickness Length Item# For straight shafts. Setscrews. ½"L 1" 4½" 840-4500 For straight shafts. Setscrews. ½"R 1" 4½" 840-4550 For #29-1, Split Lapping Machine. ½"L 1½" 6" 840-4660 For #29-1.* ½"R 1½" 7" 840-4668

^{*}Has extended tapered spindle for cloth buffs.

^{**} Threaded and tapered.

A, B Quatro Cool Blue Motors - 3,450/1,725rpm

Double + Single-spindle motors for buffs up to 8" in diameter. Feature an open casing with filter for resistance to overheating. Have ½" diameter straight shaft. Supplied with tapered spindles.

Electrical: 115V, 1 Ph, 60Hz. Motor height: $9^{1}/4$ ". Shaft height: $6^{3}/8$ ". Ship wt: 25 lbs. Made in Canada.

	Model	Width to Spindle End	Base (W x D)	Item#	Each
A.	1/2 HP Single	14 ¹ /4"	7 ¹ / ₄ " x 8 ¹ / ₂ "	854-1086	\$339.00
	3/4 HP Single	14 ¹ /4"	7 ¹ / ₄ " x 8 ¹ / ₂ "	854-1088	349.00
B.	1/2 HP Double	21 ¹ / ₂ "	7 ¹ / ₄ " x 8 ¹ / ₂ "	854-1087	369.00



These Arbe Pro Series quality motors sit on rubber framed resilient bases to minimize excessive vibration. Come supplied with tapered spindles. Electrical: 110V/60Hz, 1PH. Shaft height is 3" so use with 4" buffs or place on a platform to use with 6" buffs. Made in USA.

		Width to	Base		_
	Description	Spindle Ends	(W x D)	Item#	Each
C.	Sealed Double Spindle	17"	6 ¹ /2" x 9 ³ /4"	854-1262	\$299.00
D.	Open Double Spindle	15"	6 ¹ /2" x 9 ³ /4"	854-1263	\$230.00
E.	Open Single Spindle	12"	6 ¹ /2" x 9 ³ /4"	854-1268	\$215.00



Used to mount soft buffs onto polishing or lapping motors.

	Description	I.D. R or L	Thread Length	Overall Length	Item#	Each
F.	For #16, #25. Ritter left taper friction fit. No setscrews.	L	25/8"	35/8"	840-5000	\$9.85
G.	For #16, #25. Ritter right taper friction fit. No setscrews.	R	25/8"	35/8"	840-5050	9.85
Н.	For #16, #25. Left taper friction fit, brass. No setscrews.	L	2"	31/4"	840-5055	32.95
l.	For #16, #25. Right taper friction fit, brass. No setscrews.	R	2"	31/4"	840-5056	32.95
J.	For straight shafts. Setscrews.	¹ /2"L	25/8"	31/2"	840-5200	9.95
K.	For straight shafts. Setscrews.	¹ /2"R	2 ⁵ /8"	31/2"	840-5250	10.95
L.	For #29-1, #15. For straight shafts. Setscrews.	⁵ /8"L	25/8"	4 ³ /16"	840-5300	15.25
M.	For #29-1, #15. For straight shafts. Setscrews.	5∕8"R	25/8"	4 ³ /16"	840-5350	15.25
N.	For straight shafts. Setscrews.	¹ /2"L	25/8"	6"	840-5363	34.15
0.	For straight shafts. Setscrews.	¹ /2"R	25/8"	6"	840-5362	32.50
P.	For #29-1, #15, Split Lapping Machine. For straight shafts. Setscrews.	⁵ /8"L	25/8"	6"	840-5361	29.95
Q.	For #29-1, #15. For straight shafts. Setscrews.	5∕8"R	25/8"	6"	840-5360	29.95
R.	For #50L, #75L. No setscrews.*	L	25/8"	6"	840-4710	25.00
S.	For #50R, #75R. No setscrews.*	R	25/8"	6"	840-4700	25.00

^{*}Also for Whirlwind and Red Wing motors. Threaded and tapered.

T. Arbor with Bur Chuck

For right side of motor only. Fits ½" shafts. Features keyless three-jaw chuck for holding up to ¼" shanks. Measures 4" long.

Description	Item#	Each
Arbor with Bur Chuck	840-4150	\$33.95

U. Mandrel Chuck

For right side of motor. Screws snugly onto tapered spindle. Holds \(^3\)\(^3\)\(^2\) and \(^1\)\(^8\) shanks. Measures $3\frac{1}{2}$ " long. **EACH Prices**

Description	Item#	1-2	3-9	10+
Mandrel Chuck	840-4250	\$8.90	\$8.46	\$8.01
















See Jumbo Work Chamber on page 458.



«—3"—»

<1 ½"→

A. Quatro Clearview Hood

Features solid metal construction with top and front made of durable acrylic and LED lighting for optimal viewing of polishing operations. Includes rubber sweeper strips in front and at the spindle inlet to provide maximum containment. Works on left or right side of polishing motor. Has 3" rear inlet for dust collector hose (hose clamp included). Available with or without metal collection drawer with wipe-clean enamel finish (drawer can also be easily retrofitted to any Clearview Hood). Measures 18"W x 18"D x 17"H with drawer and 15"W x 17"D x 14½"H without drawer. Assembly required. Made in Canada.

	Description	Item#	Each
A.	Clearview Hood with Drawer, Mesh Bottom and Light	854-2188	\$390.00
	Clearview Hood only	854-2083	289.00
	Clearview Metal Collection Drawer (for retrofit)	854-2097	102.00
	Clearview Replacement Sweeper Strips, pair	854-2186	27.00
	Replacement LED Light with Bracket	854-2082	99.00

B. Quatro Lapper Hood

Helps contain the polishing dust and collect precious metal dust and scraps Powder coated metal hood has two side capture ports and one additional adjustable capture port to be pointed near the lap for maximum effect. Complete with LED lighting. 120V. Lapping machine sold separately. Made in Canada.

Description	Dimensions	Ship Wt. (lbs.)	Item#	Each
Quatro Lapper Hood	171/8"W x 181/8"D x 22"H	25	854-2072	\$329.00

C. Foredom Lighted Work Chamber

Compact, semi-enclosed unit is designed for working with small workpieces that fit in your hand.

Features a compressed air nozzle with variable air flow up to 90 PSI or 6 Bars. The air nozzle pivots to funnel dust and debris away from the workpiece, through the back of the chamber. The unit has an inlet for connecting 4mm compressed air tubing and comes with a 4mm to 6mm adapter. The vacuum port on the back fits a $2^{1}/4$ " diameter hose for connection to a dust collector, shop vacuum or other dust collection system.

Bright LED light tilts for focus. Complete with 2.5X magnifier with a 10X insert. Two hinged, polycarbonate shields a removable watertight tray and two padded arm rests for comfort. 2-Year manufacturers warranty. Made in Taiwan.

Description	Item#	Each
Lighted Work Chamber	850-0645	\$339.15

D, E Incandescent Jeweler's Hood

Powder-coated heavy-gauge metal hood with two incandescent light fixtures and 3" screened rear inlet. Requires two 60W incandescent bulbs. Works on either side of motor. Adjustable shield protects the user from flying particles. Fits on any jeweler's hood. Meets OSHA requirements. Made of clear acrylic. Made in USA.

Dimensions	ltem#	Each
12 ³ / ₄ "W x 16"D x 15"	854-3104	\$99.50
6"W x 9"H x 1/8"	854-3135	26.95
	12 ³ / ₄ "W x 16"D x 15"	12 ³ / ₄ "W x 16"D x 15" 854-3104

F, G Quatro Blast Gate & Hose Adapter

Used for multi-station collection. Shut off suction at one station to increase suction at others.

Heavy duty plastic adapter fits $2^{1}/2^{"}$ hose and widens to $3^{"}$. Use to attach any dust collector with $1^{1}/2^{"}$ inlet (such as Quatro Basic and Gold Vault) to a $3^{"}$ hose or hood opening.

Description	Item#	Each
F. Blast Gate, 3"	854-1518	\$47.00
G. Quatro Hose Adapter (1.5" to 3")	854-1519	13.00

A. Quatro Air Wedge Collection Port

A versatile collection port for recovering precious metal dust right at your bench. Pulls dust and contaminants away from your face before you breathe them in. Perforated base ensures particles stay within the work area. Clear plastic shield lifts off for easy access to tray below. Flange can be positioned under or behind unit for connection to hose leading to dust collector. Blast gate lets you cut off airflow when unit is not in use. Measures 12"W x 10"D x 10"H with 3" diameter inlet. Made in Canada.

Description	Item#	Each
Air Wedge Collection Port	854-1386	\$186.00

B. Quatro Airport Collection Port

Allows you to recover precious metal dust right at your bench. Features ergonomic cushioned design. Measures 12"W x $9\frac{1}{2}$ "D x $3\frac{1}{4}$ "H with 3" diameter inlet. Made in Canada.

Description	Item#	Each
Airport Collection Port	854-1516	\$135.00

C. Quatro Bench Pin

Keeping your work bench clean and reclaiming precious metal dust/scraps just got a whole lot easier! Standard bench pin equipped with a standard 1½" inlet to hook up to any dust collector accepting this size (fits Quatro Basic Dust Collector and All Gold Vault Models). While in place on your bench, the mesh screen on top collects your dust and scraps whether you are grinding, polishing, or any other bench work needing removal of dust and scraps, and sends it completely into your dust collector bags for future refining. Made in Canada.

Description	Item#	Each
Quatro Bench Pin	854-1364	\$40.00

D. Quatro Fishmouth Collection Port

Allows you to recover precious metal dust right at your bench. Features powder-coated heavy-duty steel construction. Measures 8"W x $9\frac{1}{2}$ "D x 5"H with 3" diameter inlet. Made in Canada.

Description	Item#	Each	
Fishmouth Collection Port	854-1517	\$95.00	

E. Foredom Fishmouth with Shield

Foredom's Fishmouth with bench pin, curved acrylic shield, and adjustable arm rests is the perfect addition to any bench for dust control and debris removal. It mounts to benches with a GRS style mounting bracket (GRS fixed mounting plate not included 856-0196). The exhaust port accommodates a 2½" hose and comes with an elbow to position your dust collector hose in any direction.

The curved acrylic shield gives a clear view of your work and also helps to keep stray dust from flying at you. The inside of the Fishmouth has a mounting bracket for the supplied Wooden Bench Pin. Made in Taiwan.

Description	Item#	Each
Foredom Fishmouth with Shield	854-2215	\$129.95

F, G Flexible Hose and Hose Clamp

Use our heavy-duty 3" diameter hose to connect dust collection equipment. Features low-profile ribs and smooth interior for maximum suction. Sold by the foot. Secure with hose clamps or duct tape.

	Description	Item#	Each
F.	Flexible Hose, 1' length	854-3050	\$7.40
G.	Hose Clamp	854-3060	4.25

H. Polishing Gizmo

Made of select hardwood. Wrap the chain, bracelet or ring (sizes 3-17) around the Gizmo and hold it to the polishing wheel. Large diameter exposes a greater length of chain, allowing for faster and more thorough polishing. Measures $2\frac{1}{2}$ " dia. x $6\frac{1}{2}$ "L. Made in Pakistan.


Description	Item#	Each	
Polishing Gizmo	812-0360	\$10.95	

I, J Wooden Drill Sticks

Handy for holding rings while drilling or polishing. Made in India.

						3	
	Description	Taper	Length	Item#	<i>3pc</i> 3-9 ^E	12-141	144+
Ī.	Stick #6	1" to 3/8"	6"	816-1710	\$1.85	\$1.57	\$1.30
	Stick #7	11/8" to 3/8"	7"	816-1700	2.40	2.04	1.68
-							
















SUNBURST Products are designed with specially treated ceramic abrasive grain embedded throughout. This eliminates the need for polishing compound and produces minimal dust and heat. Ideal for finishing, smoothing and high-luster polishing of all precious, semi-precious and non-precious metals, acrylics and ceramics. See p. 80 for Sunburst Midget Points. Made in USA.


See website for additional SUNBURST products.

A. 3" Radial Discs - 3/8" Center Hole



		Pack of 12	2
Item#	1-5	6-9	10+
145-5223	\$32.95	\$31.30	\$29.66
145-5224	32.95	31.30	29.66
145-5225	32.95	31.30	29.66
145-5226	32.95	31.30	29.66
145-5228	32.95	31.30	29.66
145-5229	32.95	31.30	29.66
	145-5223 145-5224 145-5225 145-5226 145-5228	145-5223 \$32.95 145-5224 32.95 145-5225 32.95 145-5226 32.95 145-5228 32.95	Item# 1-5 6-9 145-5223 \$32.95 \$31.30 145-5224 32.95 31.30 145-5225 32.95 31.30 145-5226 32.95 31.30 145-5228 32.95 31.30

D. 2" Radial Discs - 3/8" Center Hole



			Pack of 12	2
Description (Pack of 12)	Item#	1-5	6-9	10+
80 Grit (yellow)	145-5163	\$23.95	\$22.75	\$21.56
120 Grit (white)	145-5164	23.95	22.75	21.56
220 Grit (red)	145-5165	23.95	22.75	21.56
400 Grit (blue)	145-5166	23.95	22.75	21.56
6 Micron (peach)	145-5168	23.95	22.75	21.56
1 Micron (light green)	145-5169	23.95	22.75	21.56

B. 3" 3-PLY Radial Discs - 1/4" Center Hole



			EACH Price	es
Description (EACH)	Item#	1-5	6-9	10+
80 Grit (yellow)	145-5243	\$10.95	\$10.40	\$9.86
120 Grit (white)	145-5244	10.95	10.40	9.86
220 Grit (red)	145-5245	10.95	10.40	9.86
400 Grit (blue)	145-5246	10.95	10.40	9.86
6 Micron (peach)	145-5248	10.95	10.40	9.86
1 Micron (light green)	145-5249	10.95	10.40	9.86
Description	Item#		SI	ET Price
Assortment (one each of all 6 grits)	145-5240			\$62.95

E. 2" 3-PLY Radial Discs - 1/4" Center Hole



C. 3" 6-PLY Radial Discs - 1/4" Center Hole



.,		*****	44.	*******	
		EACH Prices			
Description (EACH)	Item#	1-5	6-9	10+	
80 Grit (yellow)	145-5263	\$17.95	\$17.05	\$16.16	
120 Grit (white)	145-5264	17.95	17.05	16.16	
220 Grit (red)	145-5265	17.95	17.05	16.16	
400 Grit (blue)	145-5266	17.95	17.05	16.16	
6 Micron (peach)	145-5268	17.95	17.05	16.16	
1 Micron (light green)	145-5269	17.95	17.05	16.16	
Description	Item#		S	ET Price	
Assortment	145-5260			\$99.95	
(one each of all 6 grits)					

F. 2" 6-PLY Radial Discs - 1/4" Center Hole



145-5200

Assortment

\$79.95

A. 1" Radial Discs

Suggested Mandrel 1/16" AH Mandrel on 3/32" Shank

D. 7/8" Radial Discs

Suggested Mandrel ¹/₁₆" AH Mandrel on ³/₃₂" Shank



	Item#	-	12 Pack
	145-512	1	\$14.95
	145-512	2	14.95
	145-512	3	14.95
	145-512	4	14.95
	145-512	5	14.95
	145-512	6	14.95
		Pack of 48	3
Item#	1-5	6-9	10+
145-5141	\$52.95	\$50.30	\$47.66
145-5142	52.95	50.30	47.66
145-5143	52.95	50.30	47.66
145-5144	52.95	50.30	47.66
145-5145	52.95	50.30	47.66
	145-5141 145-5142 145-5143 145-5144	145-512 145-512 145-512 145-512 145-512 145-512 145-512 145-514 145-5141 \$52.95 145-5142 52.95 145-5143 52.95 145-5144 52.95	145-5121 145-5122 145-5123 145-5124 145-5125 145-5126 Pack of 48 Item# 1-5 6-9 145-5141 \$52.95 \$50.30 145-5142 52.95 50.30 145-5143 52.95 50.30 145-5144 52.95 50.30

145-5146

Item#

145-5120

52.95

ביוונער ווושיוונער	יוונגשיוונגשי וונג	111111
Description (Pack of 12)	Item#	12 Pack
80 Grit (yellow)	145-5063	\$10.95
120 Grit (white)	145-5064	10.95
220 Grit (red)	145-5065	10.95
400 Grit (blue)	145-5066	10.95
600 Grit Pumice (pink)	145-5067	10.95
6 Micron (peach)	145-5068	10.95
1 Micron (light green)	145-5069	10.95

			Pack of 48	3
Description (Pack of 48)	Item#	1-5	6-9	10+
80 Grit (yellow)	145-5083	\$37.95	\$36.05	\$34.16
120 Grit (white)	145-5084	37.95	36.05	34.16
220 Grit (red)	145-5085	37.95	36.05	34.16
400 Grit (blue)	145-5086	37.95	36.05	34.16
600 Grit Pumice (pink)	145-5087	37.95	36.05	34.16
6 Micron (peach)	145-5088	37.95	36.05	34.16
1 Micron (light green)	145-5089	37.95	36.05	34.16
Description	Item#		S	ET Price
Assortment	145-5060			\$62.95
(12 each of all 7 grits plus	2 mandrels)			

B. 7/8" 4-Ply Discs

(8 each of all 6 grits plus 2 mandrels)

400 Grit (blue)

Description

Assortment

Mounted on 3/32" Shank

50.30

47.66

\$54.95

SET Price




	The state of the s			A Shilly.
			Pack of 6	6
Description (Pack of 6)	Item#	1-5	6-9	10+
80 Grit (yellow)	145-5103	\$49.95	\$47.45	\$44.96
120 Grit (white)	145-5104	49.95	47.45	44.96
220 Grit (red)	145-5105	49.95	47.45	44.96
400 Grit (blue)	145-5106	49.95	47.45	44.96
600 Grit Pumice (pink)	145-5107	49.95	47.45	44.96
6 Micron (peach)	145-5108	49.95	47.45	44.96
1 Micron (light green)	145-5109	49.95	47.45	44.96
Description	Item#		S	ET Price
Assortment (one each of all 7)	145-5100			\$54.95

E. 5/811 Radial Discs

Suggested Mandrel 1/16" AH Mandrel on 3/32" Shank



80 Grit (yellow)		145-502	23	\$10.95
120 Grit (white)		145-502	24	10.95
220 Grit (red)		145-502	25	10.95
400 Grit (blue)		145-502	26	10.95
600 Grit Pumice (pink)		145-502	27	10.95
6 Micron (peach)		145-502	28	10.95
1 Micron (light green)		145-502	.9	10.95
			Pack of 48	3
Description (Pack of 48)	Item#	1-5	6-9	10+
80 Grit (yellow)	145-5043	\$37.95	\$36.05	\$34.16
120 Grit (white)	145-5044	37.95	36.05	34.16
220 Grit (red)	145-5045	37.95	36.05	34.16
400 Grit (blue)	145-5046	37.95	36.05	34.16
600 Grit Pumice (pink)	145-5047	37.95	36.05	34.16
6 Micron (peach)	145-5048	37.95	36.05	34.16
1 Micron (light green)	145-5049	37.95	36.05	34.16
Description	Item#		S	ET Price
Assortment (12 each of all 7 grits plus	145-5020 2 mandrels)			\$62.95



DescriptionItem#SET PriceC. 83 piece All-In-One-Assortment145-5270\$66.95

83 piece All-In-One-Assortment 145-5270 4 each of all grits in sizes 5/8", 7/8", and 1", plus 3 mandrels.

A. Split Lapping Machine

Features 1/2 HP ball-bearing motor mounted at a 45° angle for great visibility. Lets you see work surface. Includes heavy-gauge steel hood with 3" inlets for your dust collector, tapered spindle and adjustable light. Measures 15"W x 18"D x 20"H. Electrical: 110V, 6.2A, 60Hz (220V, 50Hz available). Max. operating speed: 3,450rpm. Accepts 6", 7" or 8" split laps (see below and p. 99). To improve visibility of work in progress, mark split lap bevels with black crayon (sold separately). Made in USA.

Description	Ship. Wt.	Item#	Each
A. Split Lapping Machine	46 lbs.	854-1802	\$420.00
B. Optional Black Crayon		810-0425	2.39
Replacement Steel Hood only		854-1805	150.00
Replacement Tapered Spindle		840-5361	29.95

C. Quatro Lapper Hood

Quatro, the name in the industry for the best dust collectors on the market for producing the cleanest air now offers that same quality for your lapping machine. The Quatro Lapping Hood helps contain the polishing dust and collect precious metal dust and scraps while mounted on the Quatro Two-Station Dust Collector. Lapping machine sold separately. Made in Canada.

Description	Ship. Wt.	Item#	Each
Quatro Lapper Hood	25 lbs.	854-2072	\$329.00




Designed to replace felt laps and rouge, these split laps provide a superior finish on gold and other metals. Each wheel is impregnated with silicon-carbide abrasive. Available in 4 color-coded grits. Max operating speed: 3,500rpm. All are 6" diameter with $\frac{1}{2}$ " arbor hole.


	Color	Grit	Application	Item#	Each
D.	White	120 (C)	For removing deep scratches	145-0180	\$63.50
E.	Black	180 (M)	For smoothing and removing light scratches	145-0181	63.50
F.	Blue	220 (F)	For high-luster polishing	145-0182	63.50
G.	Pink	400 (XF)	For super high-luster polishing and final finish	145-0183	63.50

H-K Gesswein/Paramount® Felt Split Laps

Made of pure wool felt that has been steamed to shrink and thicken, then pounded into specific hardnesses. Feature consistent density throughout for identical polishing results from wheel to wheel, even wear and three to five times the life of conventional split laps. All have pinhole centers. Max. operating speed: 3,450rpm. Made in USA.

				EACH Price	es
Dia. x Thick	Туре	Item#	1-5	6-11	12+
H. 4" x ¹ / ₂ "	Medium	285-8130	\$38.65	\$34.79	\$32.21
	Hard	285-8131	41.00	36.90	34.17
	Rock-Hard	285-8132	49.05	44.15	40.87
I. 6" x ¹ / ₂ "	Medium	285-6123	42.25	38.03	35.21
	Hard	285-6125	45.30	40.77	37.75
	Rock-Hard	285-6127	57.25	51.53	47.71
	Flint-Hard	285-6128	65.15	58.64	54.29
J. 7" x ½"	Medium	285-7120	57.00	51.30	47.50
	Hard	285-7121	66.70	60.03	55.58
	Rock-Hard	285-7122	74.70	67.23	62.25
	Flint-Hard	285-7123	92.70	83.43	77.25
K. 8" x ¹ / ₂ "	Medium	285-8123	70.00	63.00	58.33
	Hard	285-8125	82.25	74.03	68.54
	Rock-Hard	285-8127	94.00	84.60	78.33
	Flint-Hard	285-8128	102.50	92.25	85.41







A. Quatro SolderPure Fume and Particulate Extractor

Ideal for brazing, dedrossing, electroforming, electroplating and soldering applications. Removes acid activator, electrocleaner, rhodium, solder, solvent and wax fumes from the air before you breathe them (not suitable for cyanide). Features a four-stage filtration system that captures fumes and particulate down to 0.3 micron: prefilter captures large particles to extend life of three subsequent filters; high-capacity dust filter captures small particulate; advanced refillable media filter formulated for specific applications captures fumes; HEPA filter captures smallest particulate down to submicron levels.

Returns 99.97% clean air to your workplace, making outside ventilation unnecessary. Includes capture hood with flex arm, which can be flexed and rotated 360° to accommodate any soldering or plating layout. Includes table bracket and 8' flex hose that can be cut to desired length for remote location as well as casters for mobility. Installs quickly and easily. Backed by a one-year manufacturer's warranty. Made in Canada.

Specifications:

Airflow: 125 CFM Noise Level: 52 dBA

Electrical: 120V, 1A, 60Hz Dimensions: 13"W x 16"D x 20"H

Net Wt.: 47 lbs.

	Description	Item#	Each
	SolderPure for Rhodium, Electrocleaner and Soldering Fumes	854-1375	\$1,325.00
A.	SolderPure for Rhodium and Electrocleaner Fumes	854-1387	1,283.00
	SolderPure for Soldering and Wax Fumes	854-1376	1,430.00
	Optional Blast Gate, 3"	854-1374	41.00
	Optional Odor Filter	854-1378	149.00
	Replacement Prefilters (6)	854-1393	25.00
	Replacement Dust Filters (6)	854-1394	48.00
	Media Refills (5) for rhodium fumes	854-1396	169.00
	Media Refills (4) for soldering fumes	854-1409	122.00
	Replacement HEPA Filter	854-2093	128.00



See page 246 for Quatro Fresh-Air Series **HEPA Air Purifiers**

B, C Quatro Ductless Fume Hoods – For those without access to outside ductwork.

Units feature a two-stage filtration system that captures fumes, then recirculates clean air back into the room to save on heating and AC costs. Burnout fume hood installs right on wall behind burnout furnace. Rhodium fume hood installs directly over plating area. Each has a metal-frame filter container that holds an activated charcoal media mixture specifically formulated for the respective application. Backed by a one-year manufacturer's warranty. Made in Canada.

Specifications:

Electrical: 120V, 1.6A, 60Hz, Dimensions: 28"W x 18"D x 26"H, Net Wt.: 50 lbs.

	Description	Item#	Each
В.	Burnout Fume Hood	854-1525	\$1,164.00
	Rhodium Fume Hood	854-1526	1,164.00
	Replacement Dust Filters (8)	854-2103	76.00
	Stage-2 Media Refills (4) for both fumes	854-1409	122.00
	Stage-3 Media Refills (4) for burnout fumes	854-1527	213.00
	Stage-3 Media Refills (4) for rhodium fumes	854-1396	169.00
C.	Optional Stand	854-1524	299.00





A. Kagan Wedding Ring Sizer

One of the finest sizers available. Enlarges and reduces on the downstroke, requiring less effort than other models. Features eight-spline mandrel for enlarging rings up to size 14 and reversible reducer plate with 12 countersunk dies (six on each side) for gently compressing rings to smaller sizes. Can be bolted to bench or used as a portable sizer. Measures 16"L x 18"H. Ship. Wt: $17\frac{3}{4}$ lbs. Made in USA.

	Description	Item#	Each
A.	. Kagan Wedding Ring Sizer	856-0350	\$615.00
	Replacement Eight-Spline Mandrel	856-0355	180.00

B. Premium Wedding Ring Sizer

Sizes with almost no effort. Enlarges on the upstroke and reduces on the downstroke. Features six-spline mandrel for enlarging rings up to size 15 and reversible reducer plate with 16 countersunk dies (eight on each side) for gently compressing rings to smaller sizes. Also available without reducer plate for use as an enlarger only. Can be bolted to bench or used as a portable sizer. Ship. Wt: 28 lbs. Made in Italy.

	Description	Item#	Each
B.	Premium Wedding Ring Sizer	856-0375	\$375.00
	Wedding Ring Sizer w/o Reducing Plate	856-0370	355.00
	Reducing Plate	856-0376	112.00
	Replacement Six-Spline Mandrel	856-0377	148.00

C. Durston Wedding Ring Tools

Both of these heavy duty tools feature an 8 spline mandrel and 16 polished countersunk dies. They ensure exceptionally accurate ring sizing. The countersunk polished steel reducing plates will reduce bands up to 12mm wide. For non-ferrous (gold, silver, platinum and palladium etc.) rings and bands from US size 2 to 14. Includes double sided reducing plate for bands up to 12mm wide.

They both measure 16%" tall with a 6%" by 4%" base which has holes for securing to a bench or worktable (mounting hardware not included). Made in England.

The Ring Stretcher/Reducer and Bender: Heavy duty cast iron construction with hardened steel shaft will bend up to 4mm thick includes 2 precision hardened and ground dies.

Description	Item#	Each
C. Wedding Ring Stretcher/Reducer and Bender	856-0388	\$532.00
D. Wedding Ring Stretcher/Reducer	856-0384	452.00
Replacement 8-Spline Mandrel	856-0386	125.00
Replacement Reducing Plate	856-0387	65.00
Replacement Bender Blocks	856-0389	120.00

E. Kagan Stone-Set Ring Stretcher

Enlarges stone-set rings using parallel rollers to stretch the shank without disturbing the stone. Includes eight dies for knife-edge, half-round, oval and flat shanks. Also works as a mini rolling mill for making filigree wire. Can be bolted to a workbench. Ship. Wt: $8\frac{3}{4}$ lbs. Made in USA.

	Description	Item#	Each
E.	Kagan Stone-Set Ring Stretcher	856-0300	\$620.00
	Replacement Die Set	856-0360	395.00

FAX Orders 24/7: 888-454-4377

A, B PEPETOOLS Super Ring Bending/Forming Set

New and improved with extra heavy-duty posts and dies! The most versatile ring bending set on the market. Makes both round and angled bends. Includes bending unit, seven dies and seven matching mandrels, steel block with screws that can be fastened to bottom of unit for vise mounting and an attractive aluminum powder coated base for easy part selection and storage.

Eccentric base and handle provide high torque, requiring user to exert less effort to bend metal. Supplied with 12, 14, 16, 20 and 22mm round dies and 60° and 90° angled dies. Made in USA.

Use with optional 5 piece die set to shape patterned metal without the scratching and distortion that often occur with standard steel dies. Die set includes 5 wear-resistant, low-friction thermoplastic polymer dies in sizes 12, 14, 16, 20 and 22mm round. Made in USA.

	Description	Item#	Each
A.	PEPETOOLS Super Ring Bender 2	856-0418	\$220.00
B.	Optional 5 piece Die Set	810-2021	75.00



This unique unit quickly cuts off a precise amount of ring shank without sawing. Removes metal in one whole piece so there are no particles to lose, saving you time and money. Results in perfectly parallel sides for neat and easy soldering. Includes seven different heat-treated steel blades that can be changed by hand in seconds without tools. Made in USA.

	Description	Item#	Each
C.	Ring Size Cutter	812-1270	\$307.00
	½-Size Blade	812-1272	14.55
	³ / ₄ -Size Blade	812-1273	15.00
	1-Size Blade	812-1274	15.45
	1 ¹ / ₄ -Size Blade	812-1275	15.35
	1 ¹ / ₂ -Size Blade	812-1276	15.80
	1 ³ / ₄ -Size Blade	812-1277	17.10
	2-Size Blade	812-1278	18.90
	7-Piece Blade Set (one each)	812-1271	89.95

D. Beaver Ring Cutter

Safely cuts ring shanks while on or off finger. Has guarded blade with satin chrome finish and molded plastic handle. Entire unit can be sterilized. Measures $5^{7/8}$ " long.

	Description	Item#	Each
D.	Beaver Ring Cutter	812-0900	\$202.50
	Replacement Saw Blade	812-1000	31.50
	Replacement Hub	812-0950	21.95

E. French Ring Cutting Pliers

Safely cut ring shanks while on or off finger. Have guarded blade and traditional key. Made of fine steel. Measure 4³/₄" long.

	Description	ltem#	Each
E.	French Ring Cutting Pliers	812-1251	\$49.50
	Replacement Blade	812-1252	15.95
	Replacement Key	812-1253	11.95

F. Mark-a-Size

Lets you resize rings accurately. Etches exact amount of material to be removed directly onto the ring shank for correct sizing in \frac{1}{4}-size increments from \(^{1}\seta\) size up to 3 sizes. Made of tempered steel. Measures only 3"L x 1"W x $\frac{3}{4}$ " thick when closed.

Description	Item#	Each
Mark-a-Size	816-0170	\$49.65





Ring Bender not included with 5 piece Die Set.









D



A. Wooden Ring Clamp

Double-ended (one square, one round) clamp with thick leather-lined jaws that prevent marring. Securely holds rings and other jewelry pieces while filing, polishing and setting. Includes wedge for adjusting grip. Measures 61/2" long. Made in India.

			EACH Prices		
Description	Item#	1-2	3-9	10+	
Wooden Ring Clamp	812-0300	\$6.75	\$6.41	\$6.08	



B. Wooden Ring Clamp with Screw

Spring-loaded wooden ring clamp with brass screw and wing nut for more precise control, leather-lined jaws that prevent marring and rounded clamp end that allows easy pivoting and rotating. Measures $5^{1}/4$ " long. Made in India.

Description	Item#	Each
Wooden Ring Clamp with Screw	812-0320	\$10.25



C. Plastic Ring Clamp

High-impact plastic double-ended (one square, one round) clamp with thick leather-lined jaws that prevent marring. Similar in design to our wooden ring clamp. Includes wedge for adjusting grip. Measures $6\frac{1}{4}$ " long. Made in India.

			EACH Prio	ces
Description	Item#	1-2	3-9	10+
Plastic Ring Clamp	812-0400	\$8.95	\$8.50	\$8.06



D. Outside Metal Ring Clamp

Metal ring clamp for holding rings securely from the outside so you can easily file, sand and polish the inside. Measures 6" long.

Description	Item#	Each
External Ring Clamp	812-0351	\$29.95



E. Outside/Inside Metal Ring Clamp

Die-cast high-strength 380 aluminum alloy clamp for holding rings securely from either the outside or the inside. Conducts heat away from rings. Holds ring sizes 1-13. Measures $5^{1}/2^{\circ}$ long.

		EACH Price	S
Description	Item#	1-2 3	+
Outside/Inside Metal Ring Clamp	812-0350	\$19.35 \$18.3	8



F. Inside Wooden Ring Clamp

Economical wooden clamp for holding rings firmly from the inside so the outside can be worked. Won't mar rings. Shaped for a comfortable grip. Holds ring sizes 5-11. Measures $5\sqrt[3]{4}$ long.

Description	Item#	Each
Inside Wooden Ring Clamp	812-0315	\$10.25

Gesswein® Power Ring Cutter

Gesswein has created a ring cutter for emerging high-tech metals such as SK Cobalt BioBlu™ 27 and tungsten carbide. A diamond-plated disc is the secret to cutting these metals, as well as platinum, titanium and stainless steel.

Emergency rooms and medical facilities: please note that an ordinary ring cutter cannot cut these tough metals—they are simply too hard. A diamond-plated disc with motorized drive is truly essential. Such a disc will fit on most ring cutters, but in an emergency time is critical, and a dedicated ring cutter eliminates fumbling with time-consuming retrofits. An instructional video is provided at www.gesswein.com so you can learn safe cutting techniques for these hard metals.


Continued application of water is required while cutting to keep the disc cool, preventing damage from excessive heat. Since the metal is so hard, it cannot be spread, so two cuts are necessary: one on each side of the ring. The diamond handles all the work, so only gentle pressure is required. Power Ring Cutter will remove even the toughest ring in under 4 minutes. Works with most standard power screwdrivers that can accommodate a 1/4" hex bit (optional power screwdriver sold separately). A sturdy cutter arm cradles the rotating blade, preventing harm to the finger.

Features:

- · Ring cutter pliers
- Two diamond-plated discs with 1/4" hex drive for power cutting of hard metals
- Steel sawblade with key drive for manual cutting of soft metals
- · Lock nut with T-handle
- Water bottle for lubrication during cutting

	Description	Item#	Each
A.	Power Ring Cutter Set	812-1210	\$94.75
B.	Power Screwdriver	812-1213	29.95
	Replacement Diamond-Plated Disc	226-1227	19.50
	Replacement Steel Sawblade	812-1252	15.95
	Replacement 1/4" Hex Drive	812-1214	9.95
	Replacement Water Bottle	812-1215	1.25

Diamond disc cuts on cobalt, platinum, titanium and stainless steel. Steel blade cuts on gold, silver and other soft metals.





Diamond-Plated Discs (2)





Water

C. Tungsten Ring Cracker – For Ceramic and Tungsten Rings

Ever had a customer come in with a ceramic or tungsten ring that couldn't be removed? Has this concern prevented you from selling these alternative metals? No need to worry, this tool will allow you to crack any ceramic or tungsten ring with no pain to the customer.

Center the Ring Cracker over the ring, tighten the tip (it's not sharp) and turn the knob a few times. These hard metals will crack fairly easily under pressure at a single point. The Ring Cracker is very easy to use. Anybody can assist with the removal of these alternative metals. Includes 2 pairs of safety glasses and illustrated instructions. Shipping Wt: 17 oz.

Description	Item#	Each
Tungsten Ring Cracker	812-1218	\$93.95





High strength housing is precision constructed out of cast-iron. This allows it to weigh less than other available mills (saving shipping costs) while providing exceptional rigidity. The rollers on all the mills are first induction hardened to 65 HRC and then highly polished to a mirror finish for the finest results. Solid brass bushings allow smooth operation and require no lubrication. All parts are manufactured and assembled in the USA. One year limited manufacturer's warranty against defects in material or workmanship applies to all mills.

Ultra Rolling Mills

Mills are offered in three basic configurations: Flat only, Combo which provides half round (elliptical) and square wire as well as flat, and an All Wire only which allows production of half round (elliptical) and square wire as well as round and comfort wire profiles.

All manual models are equipped with a 4:1 reduction gear box, high strength housing and a forged steel handle. Manual mills are available in Flat, Combo and All Wire only (90mm, 110mm, 130mm and 160mm sizes). Suggest using versatile Pepe stand (855-2088) with the smaller, 90mm, 110mm and 130mm, size mills.

All motorized mills come complete with a feed table and guard rails to protect the rollers as well as an emergency stop button for safety. The motor speed can be adjusted and that same control manages the motor fan. Motorized mills can operate in both forward and reverse. The units will feed in wire slowly, then speed up, whether in forward or reverse, providing consistent rolling. Both the motor and its cooling fan run quietly. Motorized single mills are available in Flat, Combo and All Wire only (130mm or 160mm sizes). Motorized double mills all have one side Flat and the mill on the other side can be another Flat, or a Combo or an All Wire (double mills would both be either 130mm or 160mm sizes).

Compact design with vertically mounted motor, these mills are available in either 120V or 240V. (See gesswein.com for 240V products).





Base



Electric All Wire and Flat







All Wire

Combo

A. PepeTools Rolling Mill Universal Equipment Stand

- · Cast Iron Equipment Stand
- 16" x 7" Mounting Plate
- Equipment stands can be used with Pepetools Bench Shears, Guillotines and 90mm, 110mm and 130mm manual Rolling Mills
- Save valuable Bench Space. Mounting holes provided at base for securing stand in place
- Rolling Mill sold separately
- Adjustable Height 28" 40.75"

Description Item# Each Rolling Mill Stand 855-2088 \$380.00



Model	Roller Width	Roller Diameter	Max. Opening	Flat Area	Square Wire (mm)	Ring Shank (mm)	Half Round Wire	Comfort Wear Profile	Item #	Price
					MANUAL SING	LE MILLS				
90mm Flat	90mm	42.6mm	5mm	90mm	_	-	_	_	855-2090	\$495.00
90mm Combo	90mm	42.6mm	5mm	50mm	1.5, 2.0, 3.0, 4.0	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	_	_	855-2091	525.00
110mm Flat	110mm	55mm	5mm	110mm	-	_	_	-	855-2092	558.00
110mm Combo	110mm	55mm	5mm	61mm	1.0, 1.5, 2.0, 2.5, 3.0, 3.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	_	-	855-2093	589.00
130mm Flat	130mm	65mm	7.5mm	120mm	-	_	_	-	855-2094	621.00
130mm Combo	130mm	65mm	7.5mm	66mm	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	-	-	855-2096	650.00
130mm All Wire	130mm	65mm	7.5mm	_	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	2, 3, 4, 5, 6	4, 5, 6, 7, 8	855-2097	995.00
160mm Flat	160mm	65mm	7.5mm	160mm	-	_	_	-	855-2098	1,030.00
160mm Combo	160mm	65mm	7.5mm	77mm	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	_	_	855-2099	1,105.00
160mm All Wire	160mm	65mm	7.5mm	_	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	2, 3, 4, 5, 6	4, 5, 6, 7, 8	855-2100	1,365.00
				E	LECTRIC SINGLE	WILLS - 120V				
130mm Flat	130mm	65mm	7.5mm	130mm	-	-	_	-	855-2105	1,955.00
130mm Combo	130mm	65mm	7.5mm	66mm	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	_	_	855-2106	1,999.00
130mm All Wire	130mm	65mm	7.5mm	_	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	2, 3, 4, 5, 6	4, 5, 6, 7, 8	855-2107	2,295.00
160mm Flat	160mm	65mm	7.5mm	160mm	-	-	_	-	855-2111	2,640.00
160mm Combo	160mm	65mm	7.5mm	77mm	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	_	_	855-2112	2,750.00
160mm All Wire	160mm	65mm	7.5mm	_	_	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	2, 3, 4, 5, 6	4, 5, 6, 7, 8	855-2113	2,995.00
				E	LECTRIC DOUBLE	MILLS- 120V				
130mm Flat and Flat	Both 130mm	Both 65mm	7.5mm	Both 130mm	_	-	_	_	855-2117	2,600.00
130mm Flat and Combo	Both 130mm	Both 65mm	7.5mm	130mm and 65mm	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	_	_	855-2118	2,650.00
130mm Flat and All Wire	Both 130mm	Both 65mm	7.5mm	130mm	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	2, 3, 4, 5, 6	4, 5, 6, 7, 8	855-2119	2,950.00
160mm Flat and Flat	Both 160mm	Both 65mm	7.5mm	Both 160mm	-	_	_	-	855-2123	3,665.00
160mm Flat and Combo	Both 160mm	Both 65mm	7.5mm	160mm and 77mm	1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5	2.5 x 1.0, 3.0 x 1.25, 4.0 x 1.50	_	_	855-2124	3,800.00
160mm Flat and All Wire	Both 160mm	Both 65mm	7.5mm	160mm	_ vailable - Please		2, 3, 4, 5, 6		855-2125	4,395.00


DURSTON Rolling Mills

Durston Rolling Mills are recognized for their reliability, robust construction, high quality and fine finish. Primarily used by craftsmen involved in gold and silversmithing as well as manufacturing and wherever there is a need for wire shaping, flattening and rolling down. Durston uses state-of-the-art machinery and manufacturing techniques ensuring strict quality control. Made in the United Kingdom.

 Old world craftsmanship combined with modern technology ensures accuracy and a long life but most of all— A Great Value!

- Selected mills have extension rollers
- Manual 100mm, 130mm and 150mm mills have a high precision gear box for higher turn efficiency and smooth operation.

Durston Power Combo Mills incorporate safety with quality. Emergency stop button, safety bars both front and rear as well as guards over the extension rollers are safety features designed with the user in mind. All units have cast iron bases, cast iron gearbox with powerful motors and the same one-piece cast iron mill frames. Heavy-duty roller bearings effortlessly run the high quality steel rolls in forward or reverse at variable speeds. Double Combo mills provide a larger work area for flat rolling and more square wire sizes than Single Combo mills but have a larger footprint.



Which Durston Mill Do I Choose?

Sizes available: 80mm, 100mm, 130mm, 150mm Variations of manual mills:

- Flat
- Combo (Flat and Wire),
- Round,
- Double space saving


Electric Production Models:

- Combo (Flat and Wire),
- Single Power Mill space saving
- Double Power Mill

DURSTON	Item #	Flat - Capacity mm Width	Flat - Capacity mm Thickness	Square Wire	Round	¹ / ₂ -Round Wire	Drive
MANUAL	•	•			•	·	
Round 150	855-2023	20	6	_	10-1mm (18)	4, 3, 2 + 1.5mm	5 to 1
C80 Econo	855-2001	40	5	6.5-1mm (9)	-	4, 3, 2 + 1.5mm	Direct
Round 100	855-2021	45	5	-	6-1mm (10)	4, 3, 2 + 1.5mm	4 to 1
C80	855-2000	60	5	6.5-1mm (4)	-	4, 3, 2 + 1.5mm	Direct
C100R	855-2002	70	5.5	7-1mm (9)	_	4, 3, 2 + 1.5mm	4 to 1
C100RE	855-2003	70	5.5	7-1mm (9)	-	4, 3, 2 + 1.5mm	4 to 1
Round 130	855-2022	75	6	-	6-1mm (10)	4, 3, 2 + 1.5mm	5 to 1
C130R	855-2006	80	6	8-1mm (11)	-	4, 3, 2 + 1.5mm	5 to 1
C130RE	855-2005	80	6	8-1mm (11)	-	4, 3, 2 + 1.5mm	5 to 1
F100RE	855-2017	100	5.5	_	-	4, 3, 2 + 1.5mm	4 to 1
F130RE	855-2018	130	6	_	-	4, 3, 2 + 1.5mm	5 to 1
C130DBL	855-2011	130	6	10-1mm (19)	-	4, 3, 2 + 1.5mm	7 to 1 sheet 3.5 to 1 wire
POWER							
C100SSP	855-2012	70	5.5	6-1mm (9)	_	4, 3, 2 + 1.5mm	.75kw
C130SSP	855-2014	80	6	8-1mm (11)	-	4, 3, 2 + 1.5mm	1.1kw
100DSP	855-2013	100	5.5	8-1mm (17)	_	8-1.5mm (7)	.75kw
130DSP	855-2015	130	6	10-1mm (19)	-	8-1.5mm (7)	1.1kw

A, B C80 Econo and C80 Combo Mills

80mm combo rolling mill available with and without extension rollers. Compact and economical. Capable of handling flat or round stock.



C80

Specifications:

Gear Ratio Direct drive

Roller Size 80 x 45mm (W x dia.) 40 x 5mm (C80 Econo) **Sheet Capacity** (W x thick) 60 x 5mm (C80) Wire Capacity 6.5-1mm square

(9 grooves C80 Econo) (4 grooves C80)

4, 3, 2 + 1.5mm ½-round wire (only on C80)

8⁷/₈" W x 6³/₄" D x 10¹/₂"H (C80 Econo) **Dimensions**

10" W x 6³/₄" D x 10¹/₂"H (C80) (w/o handle)

Net Wt. 33 lbs.







100mm combo rolling mill with or without extension rollers and both with gearbox.

Specifications:

Dimensions (w/o handle)

Gear Ratio 4:1

Roller Size 100 x 50mm (W x dia.) **Sheet Capacity** 70 x 5.5mm (W x thick)


Wire Capacity 7-1mm square

(9 grooves); 4, 3, 2 + 1.5mm ½-round wire - only on C100RE model

13"W x 7⁷/₈"D x 12⁵/₈"H (C100R) 14¹/₄"W x 7⁷/₈" D x 12⁵/₈"H (C100RE)

Net Wt. 68 lbs./66 lbs.

Description	Item#	Each
C. C100R (without extension rollers)	855-2002	\$1,007.50
D. C100RE	855-2003	1.218.25







E. F100RE Flat Mill

100mm flat rolling mill with gear box and extension rollers for ½-round wire. Popular mill for those working from a starter mill.



Gear Ratio 4:1

Roller Size 100 x 50mm (W x dia.) **Sheet Capacity** 100 x 5.5mm (W x thick) 4, 3, 2 + 1.5mm $\frac{1}{2}$ -round wire Wire Capacity

 $14^{1}/_{4}$ "W x $7^{7}/_{8}$ " D x $12^{5}/_{8}$ "H (w/o handle) **Dimensions**

Net Wt. 64 lbs.

Description Item# Each F100RE 855-2017 \$1,205.00





Durston Rolling Mills, Continued

A. C130R and C130RE Combo Mills

130mm combo rolling mill with gear box. Comes with or without extension rollers.

Specifications:

Gear Ratio 5:1

Roller Size 130 x 60mm (W x dia.)
Sheet Capacity 80 x 6mm (W x thick)
Wire Capacity 8–1mm square


(11 grooves) 4, 3, 2 + 1.5mm ½-round wire only on C130RE model

Dimensions $15"W \times 8^{1/2}"D \times 14^{3/8}"H$

(C130R)

16¹/₈"W x 8¹/₂"D x 14³/₈"H (C130RE)

Net Wt. 95 lbs.



60

C130R

Description	Item#	Each
A. C130R (without extension rollers)	855-2006	\$1,155.00
C130RE	855-2005	1,485.00



130mm flat rolling mill with gear box and extension rollers for $\frac{1}{2}$ -round wire.

Specifications:

Gear Ratio 5:1

Roller Size 130 x 60mm (W x dia.) Sheet Capacity 130 x 6mm (W x thick)

Wire Capacity 4, 3, 2 + 1.5mm $\frac{1}{2}$ -round wire

Dimensions $16^{1}/8$ "W x $8^{1}/2$ "D x $14^{3}/8$ "H (w/o handle)

Net Wt. 101 lbs.

Description	Item#	Each	
F130RF	255_2012	¢1 /61 35	



C. C130DBL Combo Mill

Space saving 130mm combo rolling mill, recommended to mount on cabinet stand (see p. 417).

Specifications:

Gear Ratio 7:1 for sheet; 3.5:1 for wire
Roller Size 130 x 60mm (W x dia.)
Sheet Capacity 130 x 6mm (W x thick)

Wire Capacity 10–1mm square (19 grooves);


4, 3, 2 + 1.5mm $\frac{1}{2}$ -round wire

Dimensions $16^{1/2}$ "W x $8^{1/2}$ "D x $22^{1/4}$ "H

(w/o handle)

Net Wt. 198 lbs.

Description	Item#	Each
C130DBL	855-2011	\$2,638.50



Durston Rolling Mills, Continued

Round Rolling Mills

Finally round wire from a rolling mill! With three mills to choose from, you'll find the one that meets your needs. All three mills include a gear reduction to make it easy to roll consistently smooth round wire along with a small flat area and side roller for four half round sizes.

Simply start with a square (or round) wire and use the mill in the same way as any other manual mill. Square wire will gradually compress to round as it passes through consecutively smaller grooves. Note that a round section will be formed before the rollers are fully closed. If you continue to roll and fully close the rollers, this will create a slightly oval wire.


To avoid flashing, rotate the wire 90 degrees on every pass. If flashing forms, reduce the amount of reduction on each pass.





Specifications:

Item#:	855-2021	855-2022	855-2023
Shipping Weight:	67 lbs (30.3kg)	105 lbs (47.8kg)	110 lbs (49.8kg)
Net Weight:	64 lbs (29kg)	100 lbs (45.3kg)	104 lbs (47.3kg)
Dimensions without handle:	14 ¹ / ₄ "W x 7 ⁷ / ₈ "D x 12 ⁵ / ₈ "H	16½"W x 8½"D x 14¾"H	17"W x 8½"D x 14¾"H
Side Roller 1/2 Round Sizes:	4,3,2 + 1.5mm	4,3,2 + 1.5mm	4,3,2 + 1.5mm
Flat/Sheet Capacity: (Width x Thickness)	45mm x 5mm	75mm x 6mm	20mm x 6mm
Round Capacity: by 0.5mm increments	10 grooves 1-6mm	10 grooves 1-6mm	18 grooves 1-10mm
Roller Size (WxD):	100mm x 50mm	130mm x 60mm	150mm x 60mm
Gear Ratio:	Round 100 4 - 1	Round 130 5 - 1	Round 150 5 - 1









A, B Manual Mill Stands

Choose from pedestal and cabinet types.

Pedestal style is constructed of sturdy 10-gauge steel with a 3/8" top plate and holds all manual mills except C130DBL. Measures 12"W x 14"D x 35½"H. Weighs 22 lbs.

Cabinet style is made of 10-gauge, 1/4" thick plate steel, painted inside and out. Provides locked storage area. Holds all available manual mills. Measures 14"W x 14"D x 351/2"H. Weighs 35 lbs.

Description	Item#	Each
A. Pedestal	855-2007	\$270.00
B. Cabinet	855-2010	325.00





B

C









Durston Rolling Mills, Continued

A. C100SSP Single Combo Mill

Rolls sheet, square wire and half-round wire.

Specifications:

Motor 110V, .75kw 5-20rpm Speed

Roller Size 100 x 50mm (W x dia.) **Sheet Capacity** 70 x 5.5mm (W x thick) 6-1mm square (9 grooves); Wire Capacity

 $4, 3, 2 + 1.5 \text{mm} \frac{1}{2}$ -round wire

181/8"W x 133/8"D x 195/8"H **Dimensions**

Net Wt. 231 lbs.

Description Item# Each C100SSP 855-2012 \$3,250.00

FOB United Kingdom

B. 100DSP Double Combo Mill

Rolls sheet, square wire and half-round wire.

Specifications:

Motor 110V, .75kw Speed 5-20rpm

Roller Size 100 x 50mm (W x dia.) **Sheet Capacity** 100 x 5.5mm (W x thick) Wire Capacity 8-1mm square (17 grooves);

8, 6, 4, 3, 2 + 1.5mm

1/2-round wire

27¹/₂"W x 13³/₈"D x 19⁵/₈"H **Dimensions**

Net Wt. 287 lbs.

Description Item# Each 100DSP 855-2013 \$4,815.00

FOB United Kingdom

C. C130SSP Single Combo Mill

Rolls sheet, square wire and half-round wire.

Specifications:

Motor 110V, 1.1kw Speed 5-20rpm

130 x 65mm (W x dia.) Roller Size **Sheet Capacity** 80 x 6mm (W x thick)

Wire Capacity 8-1mm square (11 grooves); 4, 3, 2 + 1.5mm $\frac{1}{2}$ -round wire

195/8"W x 153/8"D x 211/4"H **Dimensions**

Net Wt. 287 lbs.

Description Item# Each C130SSP 855-2014 \$3,972.50

FOB United Kingdom

D. 130DSP Double Combo Mill

Rolls sheet, square wire and half-round wire.

Specifications:

Motor 110V, 1.1kw Speed 5-20rpm

130 x 65mm (W x dia.) Roller Size **Sheet Capacity** 130 x 6mm (W x thick) Wire Capacity 10-1mm square (19 grooves);

8, 6, 4, 3, 2 + 1.5mm


¹/₂-round wire

325/8"W x 153/8"D x 211/4"H **Dimensions**

Net Wt. 397 lbs.

Description Item# Each 130DSP 855-2015 \$4,815.00

FOB United Kingdom




50

> 25 ←

> 25 ← Right View

Left View

100



A. Durston Draw Bench 1400 - Draw up to 10mm diameter!

Use the handle on one side for direct drive or simply switch to the other side for 4 to 1 reduction. German drawing tongs included. Made in England.

Specifications:

Working Length	950mm (37 ³ / ₈ ")	Wire Capacity	10mm
Dimensions	54"L x 22"W x 38 ¹ / ₄ "H	Shipping Wt.	176 lbs.
Two Speeds	Direct 1 to 1 or 4 to 1 reduc	tion	
Description		ltem#	Fact

Description Item# Each	Wire Drawing Bench		268-3051	\$1,145.00
	·		Item#	Each

B. Round Carbide Drawplate - Genuine Shenhwa

Allows you to draw extremely bright, smooth round wire. Made of stainless steel with highly polished carbide die inserts for holes. Lasts much longer than steel drawplates. Made in Thailand.

Description		Hole Sizes	No. of Holes	Item#	Each
Round	•	2.2-0.26mm	36	269-3000	\$129.00

C. Steel Drawplates

Economical, durable steel drawplates for reducing wire diameter. Have plenty of holes to make drawing down gradual and easy. Anneal wire occasionally to keep soft, and lubricate with beeswax or Lube-Stik. Made in Italy.

Description	Hole Sizes	No. of Holes	Item#	Each
Round	6-3mm	31	268-1500	\$99.95
	3-0.5mm	31	268-1502	85.00
Round	3-1mm	20	268-2030	62.00
	2-0.3mm	31	268-1504	85.00
Half-Round	3-1mm	20	268-1506	115.00
Square	3-1mm	20	268-1510	96.00
Oval	3-1mm	20	268-1508	95.00
8-Point Star 🐞	6-3mm	31	268-1514	199.00
Heart •	3-1mm	20	268-1516	299.00
Butterfly	9–6mm	31	268-1512	590.00
Multiform •	3.5-1mm	60*	268-1518	299.00

^{*20} round, 20 half-round and 20 square holes.

D, E Thermoplastic Drawplates

These thermoplastic drawplates are used to draw woven wire without marring! Gently reduces chain diameter and produces a uniform diameter. Chains stay flexible. Durable, long lasting and non-marring. Made in USA.

Description	Size	Item#	Each
Small	1.5 - 5mm	830-1509	\$14.50
Medium	3 - 7.5mm	830-1510	29.00
	Small Medium	Small 1.5 - 5mm	Small 1.5 - 5mm 830-1509

F. Drawing Tongs

Grips wire firmly for pulling through drawplates.


Description	Item#	Each
8" Drawing Tongs	195-0249	\$23.50
F. 10" Drawing Tongs	195-0250	20.95













C

Gesswein® Micro Filing and Polishing Solutions

FMR Mini-Filers and Ultrasonic Handpieces

Micro polishing and deburring hard to reach areas is now made so much easier with our new systems. The FMR handpiece from DIPROFIL® in Sweden is configured to fit either a Flexible Shaft machine with QD or a Micromotor. Choose 0.5mm or 1.0mm stroke length and both handpieces have a built-in tool holder accepting up to 3.6mm diameter. Our Ultrasonic Polishers quickly debur and polish even the smallest areas using ceramic stones or diamond tips.



A, B FMR Mini-Filers

Reciprocating Heads for Flex Shafts and Micromotors

Quickly attaches to a Foredom QD style flexible shaft unit or a Power Hand micromotor after removing the rotary head. Built in holder accepts up to 3.6mm diameter tools including flat ceramic stones. Designed to work on small surfaces in narrow and confined spaces. Choose either the 0.5mm or 1.0mm stroke length handpiece. Recommended speed is 5,000 to 9,000rpm. Caution — maximum speed is 11,000rpm. Measures 5½"L x 1" dia. Weighs 5 oz.

Length of Stroke	Item#	Each
A. 0.5mm FMR Mini-Filer for Flex Shaft	850-1923	\$650.00
1.0mm FMR Mini-Filer for Flex Shaft	850-1924	599.00
B. 0.5mm FMR Mini-Filer for Power Hand Micromotor	510-2266	650.00
1.0mm FMR Mini-Filer for Power Hand Micromotor	510-2264	650.00



C. Marathon Micromotor - with FMR Mini-Filer

Combining the FMR Mini-Filer with our new Power Hand M-08X micromotor (1,000-8,000rpm) gives improved control and flexibility for filing, deburring and polishing. Use the convenient dial speed control to set reciprocations from 5,000 to 8,000 strokes per minute. Foot rheostat is optional. Marathon controller features an overload protection cut-off switch, forward/reverse switch, voltage selection (110/220V), and produces 0-30V DC (continuously variable). Accepts our full range of Power Hand 3 and standard micromotor handpieces. Three NSS Ceramic Stones, Round, 3mm x 50mm, 800, 1000 and 1200 grits included. Measures $4^{1}/2^{1}$ W x $5^{1}/4^{1}$ D x $3^{3}/4^{1}$ H. Weighs 5.5 lbs. 110/220V, 50/60Hz.

	Description	Item#	Each
C.	0.5mm Mini-Filer, Micromotor M-08X, Marathon Controller, 3 Ceramic Stones	510-2967	\$1,148.00
	1.0mm Mini-Filer, Micromotor M-08X, Marathon Controller, 3 Ceramic Stones	510-2968	1,148.00
	Variable Speed Foot Rheostat TPF-77 (optional)	510-2940	60.00



D. POWER/HAND®3 Controller - with FMR Mini-Filer

This Micro Filing System combines most advanced Power Hand 3 Controller with the FMR Mini-Filer and our new M-08X micromotor (1,000-8,000rpm). It gives improved control and flexibility for filing, deburring and polishing. The convenient dial speed control will set reciprocations to 5,000 to 8,000 strokes per minute and a digital readout shows percentage of speed. A built-in micro computer enables smooth operation and automatic torque control. Load indicator shows when too much force is applied. The self-diagnostic function checks operating conditions and activates a cooling fan if ever needed. Controller accepts two handpieces. Forward/reverse switch. Foot rheostat is optional. Accepts our full range of Power Hand 3 Handpieces as well as our standard types. Three NSS Ceramic Stones, Round, 3mm x 50mm, 800, 1000 and 1200 grits included. Measures $7^{1}/8$ " x $7^{1}/8$ " x $4^{1}/8$ "H, 110V (220V available).

Each	Item#	Description
\$1,465.00	510-3387	O. 0.5mm Mini-Filer, Micromotor M-08X, Power Hand 3 Controller, 3 Ceramic Stones
		1.0mm Mini-Filer, Micromotor M-08X,
1,465.00	510-3386	Power Hand 3 Controller, 3 Ceramic Stones
118.00	510-3306	Variable Speed Foot Rheostat VC90 (optional)



IMPORTANT: See safety recommendations on page 448











A, B ULTRAMAX® MF with Ultrasonic Handpiece

FMR Mini-Filer Option

The very versatile Ultramax MF (Multi Function) Controller is supplied with an Ultrasonic Handpiece for use with Ceramic Stones and other tools for Micro Filing and Polishing. It also accepts the Mini-Filer with M-08X micromotor giving the operator two choices of how to guickly debur, file and polish. The Ultrasonic Handpiece reciprocates at 16,000 to 26,000 cycles per second — incredibly fast, with a minute stroke length of just 4 to 40 microns, all operator controlled. This allows micro polishing even in deep corners and blind holes. The MF Controller's third receptacle is for our optional Brushless Rotary Handpiece (1,000 to 50,000rpm, #500-0224, see p. 462). All of our standard and Power Hand 3 micromotor handpieces (see pages 423, 429-431) connect to the MF. Included are: MF Controller, Ultrasonic Handpiece (with 6mm thread), tool box, handpiece rest, tool changing wrenches, 1mm and 3mm flat clamp and 3mm round tool holders, and on/off foot switch. Measures 63/4"W x 91/2"D x 51/2"H. Weighs 5.5lbs. 90-240V, 50/60Hz.

	,		
	Description	Item#	Each
A.	ULTRAMAX MF with Ultrasonic Handpiece	500-0220	\$2,495.00
В.	0.5mm Mini-Filer with M-08X Micromotor, 3 Ceramic Stones	510-3308	1,072.00
	1.0mm Mini-Filer with M-08X Micromotor, 3 Ceramic Stones	510-3307	1,072.00
	Variable Speed Foot Rheostat for Mechanical Handpieces (optional)	500-0221	60.00



C. ULTRAMAX® UM-1200 Ultrasonic Polisher

The most affordable ultrasonic micro polisher for polishing with diamond tools and ceramic stones. The high quality UM-1200 produces 25,000 cycles per second of longitudinal vibration in a small, comfortable handpiece with an invisible minute stroke of 10 to 35 microns from low to high output levels. Maximum output power is 39W.

Includes controller UM-1200, ultrasonic handpiece with 8mm screw thread standard accessory set (two sintered and six plated diamond tools and two ceramic stones), one flat clamp tool holder 1.0mm, two round clamp tool holders 3.0mm, on/off foot switch, handpiece cradle rest, bench jig, wrench and hex key. Measures $7^{1/2}$ "W x $5^{1/2}$ "D x $3^{1/2}$ "H. 90-240V, 50/60Hz. Max. Output 39W.

Description	Item#	Each
ULTRAMAX UM-1200 with Ultrasonic Handpiece	500-1200	\$1,495.00

D. FMR Mini-Filer Holder – For Ceramic Stones, 1mm


Firmly grips flat ceramic stones 1mm thick, steel jaws are 8mm wide. Made in Sweden.

Description	Item#	Each
FMR Holder - 3mm shank	403-1045	\$34.95

E. New Super Stone (NSS) Set – Round Ceramic Stones, 3mm x 50mm

New Super Stone (NSS) offers an improved cutting ability, increased heat resistance, and longer life. Made of long ceramic fibers that will not break even under the most strenuous conditions, the NSS can be used in ultrasonic polishers, reciprocating profilers or by hand.

Description	Item#	Each
Ceramic Stones, Round Set, 3mm x 50mm,		
1 each 180, 300, 600, 800, 1200 grit & Holder	355-1103	\$89.00



Gesswein® POWER HAND®3 Multifunctional Micromotor System

Designed with the latest technology in micromotor systems, the Power Hand 3 can handle almost any finishing job. This interchangeable system allows the operator to choose from a selection of motors and heads to create the right tool for a variety of polishing applications. With the quick disconnect feature, the operator can switch heads within seconds.

Power Hand 3 is the third generation of its line and comes with several new features such as: convenient on/off switch on each motor case, higher torque output for heavier grinding, and slim lightweight handpiece cable. The Power Hand 3 controller features a load indicator light to warn operator of excessive pressure, and digital RPM display to indicate exact rotational speed of handpiece. Made in Japan.



Forward/Reverse button

To control the rotational direction for each motor. LED light indicates rotational direction.

PH2X Handpieces

Our previous Power Hand 2X handpieces with 3 prong plug will connect directly into the controller. RPM display, load indicator, and error code message will not be displayed.

Variable Speed Foot Rheostat (optional)

Now with Auto Cruise feature, it is possible to set a fixed speed with the foot pedal, allowing the operator to free their foot from the pedal.

A. POWER/HAND®3 Controller

Power Hand 3 Controller is designed for one-person use. Has 2 output stations with switch to instantly change power from one handpiece to the other. Speed can be adjusted by the dial rheostat on the face of the unit or by an optional variable speed foot rheostat (see below). Output 3-30V DC. Wgt: 51/4 lbs (2.3kg)

	Description	Item#	Each
Α.	PH3 Controller, 115V	510-3300	\$495.00
	PH3 Controller, 230V	510-3302	495.00

Load Indicator

8 steps of LED display from green to yellow to red. Display lights up when too much force is being applied. For best results and long life, stay within the green.

Digital Rotation Display

2-digit display for easy adjustment of rotation speed. Dialing in the exact RPM for each tool to ensure optimal performance.

Error Code

Displays an error message for easy trouble shooting due to heat build up, overloading the handpiece, or a defective motor cord.

Self Diagnostic Function

PH3 Controller checks condition of motor and controller for safety reasons. When heating up, the fan inside starts automatically to reduce temperature.



B, C POWER/HAND®3 Rotary Kits

Start with these money saving kits. Includes PH3 Controller and handpiece of your choice. All are 115V units.

Description	Item#	Each
PH3 Controller with 8X Handpiece	510-3390	\$1,175.00
PH3 Controller with 15X Handpiece	510-3391	1,175.00
PH3 Controller with 20X Handpiece	510-3392	1,175.00
PH3 Controller with 30X Handpiece	510-3393	1,175.00
PH3 Controller with 35X Handpiece	510-3394	1,175.00
PH3 Controller with 55X Handpiece	510-3396	1,175.00
C. Variable Speed Foot Rheostat VC90 (optional)	510-3306	118.00

Gesswein® POWER/HAND®3 Rotary Handpieces

Choose from six sturdy, true-running, well-balanced handpieces with powerful 30V DC air-cooled motors. Enhanced motor design increases torque by 20% and improves airflow to keep handpieces cool. They operate with minimal vibration and have flexible power cords for easy reach. All handpieces have a quick-tool-change feature and new on/off switch located

on the motor. All six handpieces are two-piece construction and can accept various Power Hand head attachments. Standard Head is included. Supplied with ³/₃₂" and ¹/₈" collets, collet wrenches and replacement motor brushes. Please visit www.gesswein.com for handpiece diagram and parts list. Made in Japan.

New on/off switch



A. High-Torque Rotary Handpieces

Designed to handle the toughest jobs. These workhorses have the highest torque rating. Available in 3 different speeds: 8.000, 15.000, and our most popular 30.000rpm. Use for hand grinding, heavy deburring, cutting, polishing and finishing all types of material. Supplied with 3/32" and 1/8" collets. Weight 9.74 oz.

Each	Item#	Torque	Speed	Description
\$750.00	510-3310	9.8	1,000-8,000rpm	08X
750.00	510-3320	8.8	1,000-15,000rpm	15X
750.00	510-3340	6.8	1.000-30.000rpm	30X



B. Standard Rotary Handpieces

These handpieces are smaller and lighter weight compared to the high-torque handpieces. They fit comfortably in the hand and are well suited for continuous use for general purpose grinding and polishing. Available in 20,000 and 35,000rpm. Supplied with \[\frac{3}{2} \] and \[\frac{1}{8} \] collets. Weight 7.76 oz.

Description	Speed	Torque	Item#	Each
20X	1,000-20,000rpm	6.4	510-3330	\$750.00
35X	1,000-35,000rpm	5.4	510-3350	750.00



C. High Speed Rotary Handpiece

The lightest, fastest and most comfortable of our straight rotary handpieces. This 55,000rpm handpiece is a great choice for tools that perform at high speeds. Use for precision work. Supplied with $\frac{3}{32}$ " and $\frac{1}{8}$ " collets. Weight 6.70 oz.

Description	Speed	Torque	Item#	Each
55X	1,000-55,000rpm	3.6	510-3370	\$750.00

Gesswein® POWER/HAND®3 Rotary Head Attachments

FAX Orders 24/7: 888-454-4377



Orders 9am-5pm EST: 800-243-4466

& Motors System Configuration Chart

Motors



Controllers



PH3 Controller #510-3300 p. 422



PH2X Dual Controller (no longer available)



PH3 Adapter #510-3304 p. 435 (for connecting PH3 handpieces to PH2X controllers and Ultramax DF)



PH2X Standard Controller (no longer available)

#510-3371 p. 428

Gesswein® POWER/HAND®3 Head Attachments


These Power Hand head attachments will connect to PH3 motors and to the previous version PH2X motors. See System configuration chart on pages 424-425 to select the right head attachment for each motor. Be sure not to exceed the maximum RPM for each head attachment.



A. Standard Head - Provided with all PH3 Rotary Handpieces

This all-purpose rotary head is compatible with all motor assemblies. Supplied with a $\frac{3}{2}$ " collet; $\frac{1}{6}$ " and 3mm collets also available (see p. 434).

Description	Max. RPM	Item#	Each
Z-STX	55,000	510-2200	\$325.00



B. Slender Head – For access into deep ribs and holes

Pencil-like design only 3/8" (9.0mm) in diameter at the finger grips gives 19/16" (40mm) more reach than a standard rotary head. Ideal for intricate, deep, hard-to-reach cavities and delicate areas. Compatible with all motor assemblies. Supplied with a 1/8" collet; 3/32" and 3mm collets also available (see p. 434).

Description	Max. RPM	Item#	Each
Z-SLX	55,000	510-2220	\$399.00



C. Heavy-Duty Head – For use with ¼" shanked tools

Use with large tools through $\frac{1}{4}$ " shank for greater stock removal. Compatible with M-08X, M-15X and M-30X motors. Supplied with a $\frac{1}{4}$ " collet; $\frac{3}{32}$ ", $\frac{1}{8}$ " and 6.0mm collets also available (see p. 434).

Description	Max. RPM	Item#	Each
Z-HDX	30,000	510-2230	\$399.00



D. Mini Filer Heads - Reciprocating head

Mini filer heads for lightweight profiling. Slim nose design allows polishing and finishing of narrow, confined spaces. Choose from three stroke lengths. All models hold tools up to 3.5mm diameter (such as Diamond Tips on p. 109). For best results, use with M-08X motor.

Fixed Stroke Length	Max. Strokes /Min.	Item#	Each
0.5mm	12,000	510-2266	\$650.00
1.0mm	12,000	510-2264	650.00
1.5mm	12,000	510-2265	650.00



E. SZX Swing Head – For side to side stroke

This head is identical to that on our SZX Profiler. It gives a unique side-to-side reciprocating action with a stroke that is easily adjustable. It's perfect for polishing base areas in deep cavities, corners and deep slots and helps eliminate rounding of sharp corners. Prevents bottoming out in blind holes. Holds 1.5 to 5mm $(^3/_16")$ diameter tools. Use on M08X motor assembly only.

Description	Max. Strokes /Min.	Item#	Each
SZX	8,000	510-2256	\$495.00

A, B Right-Angle Head

This 90° Angle Head provides more comfortable usage than a straight handpiece in some applications. Available in a money saving kit with the M-15X motor or sold alone to use with either the M-08X or M-15X motors (see p. 428). Employs double spur gear that provides durable power. Supplied with 3mm and \(^1/8\)" collets; \(^3/32\)" collet also available. Equipped with quicktool-change feature.

Description	Max. RPM	Item#	Each
A. Z-ANX Right-Angle Head (90°)	15,000	510-2240	\$395.00
B. Z-ANX + M-15X Handpiece Kit		510-3360	685.00

Head Attachments - continued 11/8" 17/8

C, D Contra-Angle Head

This 120° Angle Head's unique shape provides more comfortable usage than a straight handpiece in some applications. Available in a money saving kit with the M-15X motor or sold alone to use with either the M-08X or M-15X motors (see p. 428). Employs double spur gear that provides durable power. Supplied with 3mm and 1/8" collets; 3/32" collet also available. Equipped with quick-tool-change feature.

Description	Max. RPM	Item#	Each
C. Z-CNX Contra-Angle Head (120°)	15,000	510-2250	\$395.00
D. Z-CNX + M-15X Handpiece Kit		510-3361	745.00



E-G Disc Holders for Angle Rotaries – 3mm shank

Specially designed for Power Hand angle handpieces and head attachments. Shanks machined to precise dimensions to reduce vibration. Made of soft rubber to work well on flat or contoured surfaces. Precisely made to hold precut abrasive and felt discs. Or use your own abrasives cut to size, such as diamond foil, diamond sheet or diamond film (see p. 114).


Size	Item#	Each
E. 11mm round	510-0260	\$10.00
F. 21mm round	510-0265	10.00
G. 31mm round	510-0270	10.00



G-L Sandpaper and Felt Discs for Angle Rotaries

Precut to fit our disc holders, these discs have pressure-sensitive adhesive backing. Use sandpaper for rough through intermediate finish; use felt for final finish of metal surfaces.

	Sandpaper Discs	80 Grit Item#	120 Grit Item#	180 Grit Item#	320 Grit Item#	Pkg. of 10
Н.	11mm round	510-0600	510-0605	510-0610	510-0615	\$2.75
Ī.	21mm round	510-0620	510-0625	510-0630	510-0635	4.25
J.	31mm round	510-0640	510-0645	510-0650	510-0655	6.50
	Felt Discs			I	tem#	Pkg. of 10
K.	11mm round			51	0-0245	\$4.50
L.	21mm round			51	0-0250	7.55
M	. 31mm round			510	0-0255	9.75



Gesswein® POWER/HAND®3 Motors

Purchase a motor separately to construct your own Power Hand 3 handpiece. Power Hand 3 motors accept all Power Hand head attachments on pages 424, 426-427. Please refer to the maximum rpm speed of the head attachment when pairing with motors. All motors feature a new and convenient on/off switch. RPM speed is indicated on the motor casings. Supplied with a pair of replacement





A. High-Torque Motors

For heavy grinding applications where high torque is required. When selecting a head attachment, please refer to the maximum rpm speed of the head attachment (see pp. 426-427). Weight 6.2 oz.

Description	Speed	Max. Torque (Ncm)	Item#	Each
M-08X	1,000-8,000rpm	9.8	510-3311	\$425.00
M-15X	1,000-15,000rpm	8.8	510-3321	425.00
M-30X	1,000-30,000rpm	6.8	510-3341	425.00



B. Standard Motors

Small, lightweight motors for general purpose finishing. Fits comfortably in hand. For use with Standard Head and Slender Head attachments only (see p. 426). Weight 4.25 oz.

Eacl	Item#	Max. Torque (Ncm)	Speed	Description
\$425.00	510-3331	6.4	1,000-20,000rpm	M-20X
425.00	510-3351	5.4	1,000-35,000rpm	M-35X



C. High-Speed Motor


The lightest, fastest, and most comfortable high-speed motor. For use with Standard Head and Slender Head attachments only (see p. 426). Weight 3.2 oz.

Description	Speed	Max. Torque (Ncm)	Item#	Each
M-55X	1,000-55,000rpm	3.6	510-3371	\$425.00

Gesswein® POWER/HAND® BZX Belt Sander


Ideal for a wide variety of precision finishing applications. Use for deburring, removing EDM and machine tool marks and sanding flat and curved surfaces and narrow slots. Operates with minimal vibration and has flexible power cord for easy reach. Supplied with straight and 45° angle arms for 6 and 8mm wide abrasive belts. Arms are spring-loaded for rapid belt changes. Weighs 16 oz.

	Description	Item#	Each
Α	BZX Belt Sander w/2 arms	510-2131	\$995.00
В.	Optional Straight Arm (for 4mm belts)	510-0494	119.00
C.	Replacement 45°-Angle Arm (for 6 and 8mm belts)	510-0495	118.30
D.	Replacement Straight Arm (for 6 and 8mm belts)	510-0496	126.50
	BZX Belt Sander with PH3 Controller - 115V	510-3400	1.415.00









E. Sanding Belts for BZX

Aluminum oxide abrasive belts specially made for use with our Power Hand BZX Belt Sander. Belts fit on either straight or 45°-angle arms.


	80 Grit	120 Grit	180 Grit	320 Grit	Pkg.	of 10
Size	Item#	Item#	Item#	Item#	1-2	3+
4mm	510-0501	510-0506	510-0511	510-0517	\$21.95	\$19.76
6mm	510-0521	510-0526	510-0528	510-0532	21.95	19.76
8mm	510-0536	510-0541	510-0546	510-0552	21.95	19.76



Gesswein® POWER/HAND®3 SZX Side-to-Side Profiler

Provides unique side-to-side reciprocating action with adjustable stroke (up to 133 strokes per second). Length of stroke ranges from 0 – 1.6mm (increases with tool length). Perfect for polishing base areas in deep cavities, corners and deep slots. Helps eliminate rounding of sharp corners. Prevents bottoming out in blind holes. Weighs 13 oz. Special V-shaped chucking system firmly secures 1.5 to 5mm (3/16") diameter tools. Sold individually or as a set with Power Hand 3 controller 510-3300.

Description	Item#	Each
F. SZX Profiler	510-3309	\$795.00
SZX Profiler with PH3 Controller - 115V	510-3389	1,225.00







Safety Recommendations — For Z-2X, Z-6X and SZX Profilers.

Cavities

Prolonged use of vibrating or reciprocating tools may result in vibration-induced circulation problems in the hands. Always follow safe operating procedures. Using hand protection (i.e., insulated gloves) and taking frequent breaks can help minimize but not guarantee against injury. Operating these types of tools in cold weather or with a tight grip will reduce the period of operation before risking potential injury. Individuals with a tendency to suffer from poor circulation, frequently cold fingers or itchy hands should closely monitor the condition of their hands. If symptoms appear, seek medical advice immediately.

Gesswein POWER/HAND Reciprocating Profilers

These light (24 oz.) reciprocating handpieces come complete with powerful 30V DC air-cooled motors and sealed bearings. Use for polishing flat surfaces, deburring, filing, stoning, scraping, lapping and draw-stoning deep cavities. They operate with minimal vibrations to reduce fatigue and have flexible power cords for easy reach. Special V-shaped chucking system firmly secures a wide variety of abrasives and other tools (see p. 311 for steel files). Reciprocating stroke lengths are adjustable. Use with PH3 controller or PH2X controller, as well as ULTRAMAX DF and ULTRAMAX MF.




A. Z-2X and Z-6X Reciprocating Profilers

Both Z-2X and Z-6X provide standard back-and-forth reciprocating action. Z-2X has a 0-2.0mm length of stroke with a variable strokes per second rate up to 117. Z-6X has a 0-6.0mm length of stroke with a variable strokes per second rate up to 70. They hold 1.5 to 6.35mm ($\frac{1}{4}$ ") diameter tools. Secured tools can float freely and be fixed at any position through 360°. Comfortable grips allow prolonged use. See below for tool holders.

	Description	Item#	Each
Ā.	Z-2X	510-2150	\$995.00
	Z-6X	510-2160	995.00
	Z-2X with PH3 Controller - 115V	510-3397	1,415.00
	Z-6X with PH3 Controller - 115V	510-3398	1.415.00

Z-2X and Z-6X Recipro Applications (back and forth)





These 3mm shank holders are designed to hold precut PSA felt and sandpaper pads (see below) to make your reciprocating handpieces more versatile. You can cut your own abrasives, such as diamond foil and diamond film (see p. 114), to fit the holder pads.

	Style	Dimensions (mm)	Item#	Each
B.	Fixed Holder	10 x 20 x 40	510-0560	\$6.95
		10 x 20 x 65	510-0410	4.95
C.	Free Holder with 180° swive	l 10 x 20 x 80	510-0420	18.50



D, E PSA Sandpaper and Felt Pads

Precut waterproof SiC sandpaper pads, 10 x 20mm, with pressure-sensitive adhesive backing. Precut PSA felt pads can be charged with diamond compound. Excellent for use on flat surfaces. For use with Z-2X, Z-6X and SZX handpiece holders (see above).

	Description	Grit	ltem#	Pkg. of 10
D.	Sandpaper Pad	180	510-0200	\$3.95
_		240	510-0210	3.95
		320	510-0220	3.95
		400	510-0230	3.95
		600	510-0240	3.95
E.	Felt Pad	_	510-0300	6.50

Micromotor Drive Mark II Di-Profilers

Connect to any Power Hand Controller

Gesswein is proud to offer the NEW Di-Profiler Mark II systems—the most advanced handpiece systems yet. The Professional and Classic MM Drive Di-Profilers are built with a micromotor inside every handpiece and can connect directly to any Gesswein Power Hand controller. Both Professional and Classic Mark II models now incorporate the protective finger sleeve into the handpiece. Made in Sweden.

Version

A, B Professional Micromotor Drive Di-Profiler, Mark II **Maximum Efficiency, Minimal Vibrations**

Simply the best reciprocating handpiece in the market today, the Professional Di-Profiler combines ergonomic design and heavy duty power. A counter balance weight system located on the opposite end of the tool holder reduces vibration levels. As the tool reciprocates, the counter balance weight reciprocates in the opposite direction thereby stabilizing the handpiece. As a result, vibration in the user's hand is greatly reduced. Comes complete with operations guide, rubber sleeve, storage case, wrench and lubricating oil. Adjustable stroke length 0-6mm. 8,000rpm maximum.

Description	Item#	Each
Professional Micromotor Di-Profiler 1/4" chuck capacity	850-1908	\$2,295.00
Complete Kit (Includes Professional Di-Profiler 1/4" chuck capacity, Marathon controller and variable speed foot rheostat)	850-1942	2,395.00
	Professional Micromotor Di-Profiler 1/4" chuck capacity Complete Kit (Includes Professional Di-Profiler 1/4" chuck capacity, Marathon controller and	Professional Micromotor Di-Profiler 1/4" chuck capacity 850-1908 Complete Kit (Includes Professional Di-Profiler 1/4" chuck capacity, Marathon controller and

Operation Guide is included with profiler for safety and operating instructions. For information on hand transmitted vibration see ANSI Standard S2.70 2006 (R2011).



C, D Classic Micromotor Drive Di-Profiler

Comes complete with operations guide, rubber sleeve, storage case, wrench and lubricating oil. Adjustable stroke length 0-6mm. 8,000rpm maximum.

٠	and raphreaming our rajactable calone length of committee of company		
	Description	Item#	Each
C.	Classic Micromoter Di-Profiler 1/4" chuck capacity	850-1915	\$2,090.00
D.	Complete Kit (Includes Classic Micromotor Di-Profiler 1/4" chuck capacity, Marathon controller and variable speed rheostat)	850-1947	2,095.00

Operation Guide is included with profiler for safety and operating instructions. For information on hand transmitted vibration see ANSI Standard S2.70 2006 (R2011).



Safety Recommendations – For all Reciprocating Profilers

Prolonged use of vibrating or reciprocating tools may result in vibration-induced circulation problems in the hands. Always follow safe operating procedures. Using hand protection (i.e., insulated gloves) and taking frequent breaks can help minimize but not guarantee against injury. Operating these types of tools in cold weather or with a tight grip will reduce the period of operation before risking potential injury. Individuals with a tendency to suffer from poor circulation, frequently cold fingers or itchy hands should closely monitor the condition of their hands. If symptoms appear, seek medical advice immediately.



A. Marathon Handy 700 Brushless Micromotor System

The Handy 700 system features an advanced controller and a 50,000rpm, 230W brushless rotary handpiece for incredible power—even at low speeds! Provides ample torque at all times to ensure fast and smooth metal removal. Ideal for a variety of applications, including grinding, finishing and polishing. Use with Power Hand 3 handpieces (see pp. 423, 429-430) for profile polishing or belt sanding.

System includes Handy 700 controller and BH-60 handpiece with $\frac{1}{8}$ " or $\frac{3}{32}$ " collet, variable-speed foot rheostat (FS60), handpiece cradle rest, detachable handpiece holder and replacement fuse. Backed by a two-year handpiece warranty. CE approved.

Features:

- Incredible power—even at low speeds
- Full compatibility with Power Hand 3 brush-type handpieces
- Dial or foot rheostat speed control
- Auto-cruise function for fixed-speed operation with foot rheostat
- Easy-to-read digital speed display for precise speed and torque settings
- Forward/reverse rotation
- Error-checking/troubleshooting system with digital display
- Overload protection

Specifications:

Handy 700 Controller

Electrical: 100-120V, 40W, 50/60HzDimensions: $5\frac{3}{8}$ "W x $9\frac{1}{16}$ "D x $7\frac{1}{16}$ "H

Net Wt.: 6 lbs. **BH-60 Handpiece – Brushless**

Speed Range: 1,000–50,000rpm

Max. Power: 230W
Max. Torque: 7.8 N-cm
Collet Size: 1/8" or 3/32"

Dimensions: $6\frac{5}{16}$ "L x $1\frac{1}{16}$ " to $\frac{3}{4}$ " dia.

Net Wt.: 8.4 oz.



B Increase the versatility of your Handy 700.

	Description	Item#	Each
A.	Handy 700 System, ¹ / ₈ " collet	510-2925	\$765.00
	Handy 700 System, 3/32" collet	510-2920	765.00
	Replacement BH-60 Handpiece with 1/8" Collet	500-0224	525.00
	Replacement BH-60 Motor only	500-0225	400.00


B. BH-60 Motor Adaptor

This easy-to-use motor adaptor connects PH3 head attachments to the BH-60 Handpiece (included in the Marathon Handy 700 micromotor system). Simply remove the BH-60 head and attach the adaptor to the motor to increase the versatility of your Handy 700. Motor also sold separately (see above). Go to pages 424, 426-427 for PH3 head attachments.

Description	Item#	Each
B. BH-60 Motor Adaptor	500-0223	\$165.00

Possible configurations below







A. Marathon Micromotor System – Do-it-all System!

This extremely affordable rotary micromotor system performs a wide range of grinding, deburring and polishing operations. Includes compact controller, lightweight 35,000rpm rotary handpiece, 1/8", 3mm or 3/32" collet, variable-speed foot rheostat, handpiece cradle rest and safety glasses. Controller features a voltage selector switch, dial speed control, forward/ reverse handpiece direction switch and motor overload cutoff switch. Accommodates our full line of Power Hand 3 handpieces. Electrical: 110/220V, 50/60Hz. Output voltage: 0-30V DC (continuously variable). Measures 4½"W x 5¾"D x 3¾"H. Weighs 2.6 lbs. Handpiece features a well-balanced ergonomic design that fits in your hand like a pen, convenient quick-tool-change mechanism and flexible phone-type cord. Max. operating speed: 35,000rpm. Measures 6"L x 1" to $\frac{5}{8}$ " dia. Weighs 7.5 oz.

	Description	Item#	Each
A.	Marathon System with 1/8" Collet	510-2946	\$325.00
	Marathon System with 3/32" Collet	510-2956	325.00
	Marathon System with 3mm Collet*	510-2971	325.00
	Marathon Controller only	510-2960	129.00
	Variable-Speed Foot Rheostat TPF-77 only	510-2940	60.00

^{*} Use your Marathon for bright cutting by ordering diamond flywheels on 3mm shanks. See page 446



Available as a complete set with the Marathon Controller, 35,000rpm Rotary Handpiece, Foredom Hammer Handpiece and On/Off Rheostat or simply the Marathon Controller with the Foredom Hammer Handpiece only. The Marathon Micromotor Controller features dial adjustable speed control, overload cutoff switch, forward/reverse switch, and accepts a variable speed foot rheostat and a wide variety of micromotor handpieces. Electrical: 110~220V, 50/60Hz. Output voltage: 0-30V DC (continuously variable). Measures 4½"W x 5¾"D x 3¾"H. Weighs 2.6 lbs.

The 35,000rpm Rotary Handpiece features a well-balanced ergonomic design that fits in your hand like a pen, convenient quick-tool-change mechanism and flexible phone-type cord. Measures 6"L x 1" to 1/8" dia. Weighs 7.5 oz.

The Foredom Hammer Handpiece is perfect for stone setting - prong work and channel. Also used for texturing and for engraving using the included graver holding attachment. Three anvils with threaded shanks, wrench, tightening pins and an adapter for non threaded anvils, motor brushes and a handpiece tray included. 2 year warranty.

	Description	Item#	Each
B.	Marathon Controller, Rotary Handpiece with 3/32" Collet, On/Off Rheostat, Foredom Hammer Handpiece	510-2930	\$849.00
C.	Marathon Controller, Foredom Hammer Handpiece (no Rheostat)	510-2935	675.00
	Optional Variable Speed Rheostat for Marathon	510-2940	60.00
	Foredom Hammer Handpiece	510-1280	595.00

D. ECO-Torque Micromotor System

Our most affordable rotary micromotor system! The ECO-Torque 280 handles a wide range of rotary handpiece applications. Whether you need a system for grinding, drilling, polishing or bright-cutting, ECO-Torque 280 will get the job done. Includes a compact controller with 110/220V selector switch and forward/reverse switch, lightweight 35,000rpm rotary handpiece with \(^3\)₃₂" collet, on/off foot switch, dial speed control, handpiece cradle rest, replacement pair of carbon brushes and collet chuck wrenches. An optional reducing collet is available (sold separately) to reduce collet size from \(^3\)/32" to \(^1\)/16" to run friction grip \(^1\)/16" shank burs. Made in South Korea.

Description	Item#	Each
ECO-Torque 280	510-2980	\$199.95









Gesswein POWER HAND & Marathon Accessories/Replacement Parts



A-C Collets for Straight and Angle Rotary Handpieces PH3, PH2X & Marathon

For all Power Hand Straight and Angle Handpieces except Z-HDX Heavy-Duty Head and Micro-Angle Heads.

	Size	Item#	Each
A.	³ / ₃₂ " (2.35mm)	501-0100	\$39.95
B.	3.0mm	501-0106	39.95
C.	½" (3.2mm)	501-0105	39.95



D, E Collets for Z-HDX Heavy-Duty Head

For Power Hand Z-HDX Heavy-Duty Head only.

	Size	Item#	Each
	³ / ₃₂ " (2.35mm)	501-0103	\$79.95
	¹ / ₈ " (3.2mm)	501-0104	79.95
D.	6.0mm	501-0107	79.95
E.	¹ / ₄ " (6.35mm)	501-0108	79.95



F-J Reducing Collets

Use the proper reducing collet to convert your standard $\frac{1}{8}$ ", 3mm or $\frac{3}{32}$ " collet to hold a $\frac{3}{32}$ " or $\frac{1}{16}$ " tool shank. Simply slip reducing collet into collet on your Power Hand standard or angle head to use smaller shanked tools. Make sure both the reducing collet and the tool shank are fully inserted into the collet. Stainless steel.

Size	Item#	Each
F. ½" to 3/32"	816-1501	\$14.90
G. ½" to ½16"	816-1502	14.90
H. 3mm to ³ / ₃₂ "	816-1504	14.90
I. 3mm to ½16"	816-1505	14.90
J. ³ / ₃₂ " to ¹ / ₁₆ "	816-1503	14.90



K-M Carbon Brushes for all PH3 and PH2X Rotary Motors

For Handpiece Motors	Item#	Set of 2
K. 8,000, 15,000, and 30,000 speeds	510-0163	\$23.70
L. 20,000 and 35,000 speeds	510-0169	23.70
M. 55,000 speed	510-0168	23.70



N POWER/HAND® Chuck Joint Wrench

Description*	Item#	Each
N. For all Straight and Angle Heads	510-0179	\$3.80

0. P POWER/HAND[®]Collet Wrenches

Description	Item#	Each
0. For all Straight and Angle Heads	510-0180	\$9.90
P. For Z-HDX Heavy-Duty Head	510-0182	10.50

A. POWER/HAND®3 Adaptor

This adaptor will connect new PH3 handpiece motors to our older PH2X controllers. The PH3 motors consist of 5-pronged plugs and the PH2X controllers have 3-prong plug receptacles. Therefore, this adaptor serves as a reducer from a 5 to 3-prong plug.

Description	Item#	Each
Adaptor for PH3 handpieces	510-3304	\$39.00



B. POWER/HAND®3 Variable Speed Foot Rheostat VC90

Now with Auto Cruise feature, it is possible to set a fixed speed with the foot pedal, allowing the operator to free their foot from the pedal.

Description	Item#	Each
Variable Speed Foot Rheostat VC90	510-3306	\$118.00



C. POWER/HAND®3 Motor Cord

Description *	Item#	Each
PH3 Motor Cord	510-3382	\$95.00



D. POWER/HAND®3 Handpiece Extension Cord

Description 4	Item#	Each
PH3 Handpiece Extension Cord - 9'	510-3380	\$75.00



E. POWER/HAND[®]2X 6' Handpiece Extension Cord

Description *	Item#	Each
PH2X Handpiece Extension Cord - 6'	510-1120	\$59.00



F. POWER/HAND®2X Motor Cords

	Description *	Item#	Each
F.	Second Generation Cord	510-0170	\$48.00
	First Generation Cord	510-0171	48.00



Description*	Item#	Each
Variable Speed Foot Rheostat	510-2995	\$118.00
G. On/Off Foot Switch	510-3105	55.00



H. POWER/HAND® Handpiece Cradle Rest

Description	Item#	Each
PH2X Handpiece Cradle Rest	510-1130	\$14.60

Gesswein'/Foredom® Flexible Shaft Motors & Kits



Included uses are grinding, carving, drilling, deburring, engraving, polishing and more. Our wide selection of flexible shaft motors, handpieces and accessories allows you to grind and finish almost any material. Each motor comes complete with flexible shaft and sheath. Motors are sold individually, with handpiece, with handpiece and foot pedal or in kits that include motor, handpiece and foot rheostat. Backed by a two-year manufacturer's warranty. All motors have fully grounded wiring. UL listed. Made in USA.

Motor Specifications:	TX and TXH	SR, SRM and SRH	LX
Max. Operating Speed	15,000rpm	18,000rpm	5,000rpm
Power	1/3 HP	1/6 HP	1/10 HP
Applications	Toughest grinding & finishing	General purpose grinding & finishing	Controlled grinding & finishing



FOREDON

A-C Foredom® Series TX - 1/3 HP

Provides full torque and smooth, controlled acceleration throughout the entire speed range. Ideal for stone setting, wax carving, polishing, milling, drilling and other applications that call for high torque. Capable of this torque due to the fact that they use rare earth magnets in place of universal wound magnets. Offer great control under any load. Speed range: 0-15,000rpm. All 50/60Hz. Not available in 230V.

- TX is a hanging-style flexible shaft motor with 39" shaft and sheath (see p.444 for longer (66") replacement shaft and sheath). Use with TXR or SXR foot rheostat or EMX speed controller (see p. 443) and all standard quick disconnect (QD) handpieces (see pp. 438-441).
- TXH is a hanging-style square-drive flexible shaft motor with heavy-duty (HD) 60" flexible shaft with sheath liner/silencer. Ideal for the toughest applications using large stones and tools mounted on 1/4" and 6mm shanks. Use with TXR or SXR foot rheostat or EMX speed controller (see p. 443). Can only use 25H, 30H and 44HT handpieces (see p. 442).

Quick Disconnect (QD) Keyway Drive

Description	Electrical	Item#	Each
TX Motor (with shaft & sheath)	115V	850-0381	\$225.25
TX + 30 + TXR-1 Kit*	115V	850-0498	353.60
TX + 30 + SXR-1	115V	850-1469	329.00
Replacements		Item#	Each
TX Shaft	-	850-3395	10.95
TX Sheath	-	850-3010	14.95
TX Brushes (pair)	-	850-4119	12.50
	TX Motor (with shaft & sheath) TX + 30 + TXR-1 Kit* TX + 30 + SXR-1 Replacements TX Shaft TX Sheath	TX Motor (with shaft & sheath) 115V TX + 30 + TXR-1 Kit* 115V TX + 30 + SXR-1 115V Replacements TX Shaft - TX Sheath -	TX Motor (with shaft & sheath) 115V 850-0381 TX + 30 + TXR-1 Kit* 115V 850-0498 TX + 30 + SXR-1 115V 850-1469 Replacements Item# TX Shaft - 850-3395 TX Sheath - 850-3010

*Includes 43-piece flex shaft accessory set and rotating bur holder.

Heavy Duty (HD) Square Drive

	Description	Electrical	Item#	Each
C.	TXH Motor (with shaft & sheath)	115V	850-0465	\$250.00
	TXH + 30H + TXR-1	115V	850-0467	325.00
	TXH + 30H + SXR-1	115V	850-1467	360.00
	Replacement		Item#	Each
	TXH Shaft & Sheath Assembly	-	850-3401	65.00
	TXH Brushes (pair)	-	850-4119	12.50

D. Foredom[®] Series LX - 1/10 HP

Great for low-speed, high-torque applications that require more control. Prevent tools from slowing under load. Speed range: 0-5,000rpm. 50/60Hz. Available either in Bench-Style or Hanging-style flexible shaft motor with 39" shaft (see p.444 for longer (66") replacement shaft & sheath) and more flexible neoprene sheath. Use with TXR, SXR or FCT-1 or EFC foot rheostats or EMX speed controller (see p. 443) and all standard quick disconnect handpieces (see pp. 438-441).

Quick Disconnect (QD) Keyway Drive

	Description	Electrical	Item#	Each
D.	LX Motor (with shaft & sheath)	115V	850-1220	\$204.00
	LX-2 Motor (with shaft & sheath)) 230V	850-1221	204.00
E.	LXB Motor+ SXR-1	115V	850-0516	325.00
	Replacements		Item#	Each
_	Replacements LX & LX-2 Shaft	-	Item# 850-3395	10.95
_	<u>'</u>	-		
_	LX & LX-2 Shaft	-	850-3395	10.95

A-C Gesswein/Foredom® Series SR - 1/6 HP

These motors combine all the best features: power, reliability and reversibility. Built with a larger commutator, brushes and fan to increase performance and longevity, they provide all you need for general-purpose grinding and finishing. Reverse capability allows both left- and right-handers to control direction of debris. Speed range: 0-18,000rpm. 50/60Hz.

- SR is a hanging-style flexible shaft motor with 39" shaft and sheath (see p.444 for longer (66") replacement shaft and sheath). Use with FCT, SCT or WF-7 foot rheostat or EM speed controller (see p. 443) and all standard quick disconnect handpieces (see pp. 438-441).
- SRM is a bench-mounted flexible shaft motor with 39" shaft and sheath (see p.444 for longer (66") replacement shaft and sheath) and built-in speed control. Use with all standard quick disconnect handpieces (see pp. 438-441).
- SRH is a hanging-style square-drive flexible shaft motor with heavy-duty 60" flexible shaft with sheath liner/silencer. Ideal for tough applications using large stones and tools mounted on 1/4" and 6mm shanks. Use with FCT, SCT or EFC foot rheostats or EM speed controller (see p. 443) and 25H, 30H or 44HT handpieces (see p. 442).



_	quion bioconnoct (qb) noj maj biiv	<u> </u>		
	Description	Electrical	Item#	Each
	SR Motor (with shaft & sheath)	115V	850-0480	\$182.75
	SR-2 Motor (with shaft & sheath)	230V	850-0482	212.95
	SR + 20 + FCT-1	115V	850-0477	282.20
	SR + 20 + FCT-1 Kit*	115V	850-0493	305.15
	SR-2 + 20 + FCT-2 Kit*	230V	850-0494	305.15
A.	SR + 30 + SCT-1	115V	850-0490	240.75
	SR + 30 + SCT-1 Kit*	115V	850-0484	299.00
	SR + 30 + FCT-1	115V	850-0475	263.50
В.	SR + 30 + FCT-1 Kit*	115V	850-0495	287.30
	SR + 20 + 30 + FCT-1	115V	850-0499	351.95
	SR-2 + 30 + FCT-2 Kit*	230V	850-0496	287.30
	SR-2 + 30 + FCH-2	230V	850-0487	263.50
	SR-2 + 30 + SCT-2	230V	850-0492	310.00
C.	SRM Motor (with shaft & sheath)	115V	850-0497	245.00
	Replacements		Item#	Each
	SR, SR-2, SRM Shaft	-	850-3395	\$10.95
	SR, SR-2, SRM Sheath	-	850-3010	14.95
	SR, SR-2, SRM Brushes (pair)	-	850-4108	8.85

*Includes 43-piece flex shaft accessory	set and rotating bur holder.
---	------------------------------

Alternates		Item#	Each
66" Shaft/Sheath Assembly	-	850-3398	\$38.00
66" Inner Shaft	-	850-3397	16.00
66" Outer Sheath	-	850-3396	18.00

Heavy Duty (HD) Square Drive

Description	Electrical	Item#	Each
SRH Motor (with shaft & sheath)	115V	850-1462	\$239.95
SRH-2 Motor (with shaft & sheath)	230V	850-1466	277.95
SRH + 30H + FCT-1	115V	850-1464	315.00
SRH + 30H + SCT-1	115V	850-1463	345.00
SRH-2 + 30H + FCH-2	230V	850-1465	325.00
SRH-2 + 30H + SCH-2	230V	850-1468	358.00
Replacements		Item#	Each
SRH, SRH-2 Shaft/Sheath Assembly	-	850-3401	\$65.00
SRH, SRH-2 Brushes (pair)	-	850-4108	8.85









Handpieces for Standard Flexible Shaft Machines — In rotary and reciprocating styles

We offer a wide selection of handpieces to fit your needs, including both rotary and reciprocating handpieces with fixed collets, changeable collets or chucks. Several come with a quick-tool-change mechanism, and many are also available with a duplex spring for better control. All quickly detach from shaft. Compatible with all flexible shaft motors except TXH, TXMH, SRH and H.



A. Foredom[®] #30 Handpiece Our top-selling model for all-purpose use!

The #30 handpiece features a geared Jacobs chuck that accepts up to ⁵/₃₂" shanks and maintenance-free pre lubricated ball bearings. Includes chuck key with handle. Choose between blue and traditional silver. Measures 1" dia. x 5"L. Weighs 6 oz.

Color	Silver	Blue	
Item#	850-1350 850-1352		\$59.50
		Item#	Each
Chuck K	ey without Handle	850-3550	\$2.70
Replacer	ment Chuck	850-2220	40.00
Replacement Chuck Key with Handle		850-3545	5.75

View instructional video at www.gesswein.com.

B. Foredom Angle Grinder Attachment

Foredom's Angle Grinder Attachment is designed for use with the #30 Handpiece. Can be used to grind, sand, and polish on metal, wood, stone, glass, ceramics, bondo and more. This quality-machined, sturdy, and compact device works with 2" and smaller discs and 2" wheels with 3/8" arbor holes. 73 piece accessory set is sold separately: Contains comprehensive collection of abrasives for metal working.

- Optimum Operated Speed: 10,000 to 15,000rpm
- Maximum Speed: 18,000rpm for short intervals
- Measures $3\frac{1}{8}$ " long x $2\frac{1}{2}$ " at widest, $2\frac{3}{4}$ " Depth
- 0.75 to 1 gear reduction.


De	scription	Item#	Each
B.	Foredom Angle Grinder Attachment	850-1358	\$102.00
	Optional 73 Piece Accessory Set	850-0514	65.00

Each

Each



Foredom's Power Filer is a reciprocating (non rotary) tool that attaches/mates up with your Foredom #30 style hand pieces. Partnered with Foredom Flex Shafts and Hand piece, this great power product offers a great alternative to tiresome continuous hand filing operations and thus can be used to file, hone, polish and lap on straight and curved surfaces. The housing is made of aluminum and has a pistol grip for ergonomic and easy handling/operation.




Features: Holds tools with Shank Sizes of 2.35mm (1/4"), Stroke length can be adjusted from 0mm up to 5mm. Comes pre-lubricated and never requires any further lubrication. Has 2.5:1 belt drive reduction and runs at maximum input motor speed of 10,000rpm, the equivalent of 4,000spm.



Description Item# Each C. Foredom Power Filer \$550.00 850-0020 Foredom Power Filer SR Kit 850-0021 895.00

Foredom® #44T Handpiece

Similar to #30 handpiece except that it has a collet-type chuck for holding various shank sizes. Six collets from $\frac{1}{16}$ " to $\frac{1}{4}$ " available, plus 3mm and 6mm collets. Includes $\frac{3}{32}$ ", $\frac{1}{8}$ " and $\frac{1}{4}$ " collets, pin and collet wrench. Pre lubricated ball bearings require no maintenance. Measures 1" dia. x 5½"L. Weighs 7 oz.





A. FMR Mini-Filers

Each attaches to any standard Gesswein/Foredom flexible shaft machine except models TXH, TXMH, SRH and H. Designed for light-duty profiling work. Ergonomic design results in effective finishing and polishing. Slim nose is especially useful in tight spaces. Holds tools up to 3.6mm in diameter (see diamond poli files on pp. 109-110). Max. operating speed: 10,000 strokes per minute (5,000-7,000 strokes per minute recommended). Measures 51/4"L x 1" dia. Weighs 5.5 oz.

Length of Stroke	Item#	Each
0.5mm	850-1923	\$650.00
1.0mm	850-1924	599.00
1.5mm	850-1922	650.00



B. Technique Rotary Handpiece

A lightweight, vibration-free, high-precision handpiece with guick-change flip-lever chuck release. Supplied with \(^3\)₂" collet. Shaped for the hand. Can be held like a pen. Has all-metal dustproof casing. Includes wrench and screwdriver. Measures approx. 1" dia. x 6"L. Weighs 4½ oz. Made in Switzerland.

Description	Item#	Each
B. Technique Handpiece	850-2054	\$185.00
Optional 1/8" Collet	850-2058	52.00
Replacement 3/32" Collet	850-2057	48.00



C. Foredom® #28 Handpiece

A lightweight handpiece for intricate work and general grinding, polishing, deburring and carving applications. Slim, tapered grip provides comfort and control. Permanently lubricated ball bearings ensure smooth operation. Includes \(\frac{3}{2} \) and \(\frac{1}{8} \) collets, pin and collet wrench. Measures \(\frac{3}{4} \) dia. $x 5\frac{3}{8}$ "L. Weighs 2.9 oz.

Description	Item#	Each
C. #28 Handpiece with 3/32" and 1/8" collets	850-1348	\$56.10
Replacement 3/32" Collet	850-5040	8.95
Replacement 1/8" Collet	850-5050	8.95
3mm Collet	850-5060	8.95



D, E Foredom® #20/#20D Quick-Change Handpiece

Lever action allows instant tool changes. Wider metal body is designed to stay cooler. Front-end tapers to a molded plastic grip for close, easy handling. Prelubricated ball bearings require no oil. Accepts ³/₃₂" shanks only. Measures $1\frac{1}{8}$ "- $\frac{3}{8}$ " dia. x $5\frac{5}{8}$ "L (without duplex). Weighs 4 oz.

Description	Item#	Each
D. #20 Handpiece	850-1280	\$79.00
E. #20D Handpiece with Duplex Spring	850-1285	99.45
Replacement 3/32" Collet	850-5425	10.50



F, G Foredom® #10/#10D Handpiece

Features a quick-release lever for rapid tool changing. Prelubricated ball bearings require no maintenance. Accepts 3/32" shanks only. Measures $\frac{3}{4}$ " dia. x $\frac{10}{4}$ "L (without duplex). Weighs 5 oz.

	Description	Item#	Each
F.	#10 Handpiece	850-1252	\$237.15
G.	#10D Handpiece with duplex spring	850-1253	258.40
	Replacement 3/32" Collet	850-1254	56.50





A, B Foredom® #18/#18D Quik Change™ Handpiece

Allows faster bur changes for improved productivity. Ideal for stone setting and applications that require many bur changes. Has permanently lubricated ball bearing for cool and quiet continuous operation. Includes $^3/_{32}$ " collet. Measures $^5/_{8}$ " dia. x 7"L (without duplex). Weighs 3.5 oz.

Description	Item#	Each
A. #18 Handpiece	850-1325	\$127.50
B. #18D Handpiece with duplex spring	850-1320	148.75
Replacement 3/32" Collet	850-5485	28.00

C, D Faro Handpiece

Exceptionally cool-running handpiece with quick-release lever for rapid tool changing. Accepts $\frac{3}{2}$ " shanks only. Includes $\frac{3}{2}$ " collet. Measures $\frac{11}{16}$ " dia. x $\frac{63}{4}$ "L (without duplex). Weighs 7 oz. Made in Italy.

Description	Item#	Each
C. Faro Handpiece	850-1960	\$190.00
D. Faro Handpiece with duplex spring	850-1950	255.00
Replacement 3/32" Collet	850-1964	54.00

E. SVTN-S Handpiece

Right angle handpiece with a telescopic head. Maximum extension is $3^{1}/4^{\circ}$. Excellent for hard-to-reach areas. Complete with $^{1}/8^{\circ}$ and $^{3}/32^{\circ}$ collets as well as a wrench for changing collets. Replacement collets available. Optional 3mm collet also available. Handpiece measures $^{3}/4^{\circ}$ diameter x $7^{3}/4^{\circ}$ long. Weighs $6^{1}/2$ oz. This handpiece is an update to the older VTX model. Imported.

	Description	Item#	Each
E.	SVTN-S Handpiece	850-2150	\$725.00
	Replacement 3/32" Collet	850-5340	31.60
	Replacement 1/8" Collet	850-5350	31.60
	3mm Collet	850-5255	59.60

F, G 8/#8D Handpiece

Has prelubricated ball bearings for sustained operation at high speeds without overheating. Allows fingertip operation of collet chuck for quick changing of tools. Features sliding protective sleeve for close work. Includes 3 /32" collet. Measures 3 /4" dia. x 6"L (without duplex). Weighs 4 oz.

	Description	Item#	Each
F.	#88 Handpiece	850-1250	\$49.75
G.	#8D Handpiece with duplex spring	850-1300	60.00
	½16" Collet	850-5030	8.95
	Replacement 3/32" Collet	850-5040	8.95
	½" Collet	850-5050	8.95
	3mm Collet	850-5060	8.95
	Set of all 4 inch-size collets	850-5010	35.00

H. Chicago Pneumatic Air Scribe®

The Chicago Pneumatic Air Scribe has a carbide stylus that writes as easily as a ballpoint pen on a variety of metals up to 64 HRC. Use with Filter/Regulator/Lubricator (see p. 248). Includes 8' reinforced hose. Requires less than 1 CFM of air. Measures 11/16" dia. x 43/4"L. Weighs 5 oz.

Description	Item#	Each
H. Pneumatic Air Scribe CP9361	850-7395	\$285.00
On/Off Foot Pedal	850-7394	59.95
Flat Tip*	850-7399	81.00
Round Tip*	850-7397	76.00
Blank Tip*	850-7398	41.20
Anvil (required usage with tips)	850-7413	13.00
Replacement Carbide Stylus	850-7396	31.95

A, B Foredom[®] Hammer Handpiece #15/#15D - 5,000rpm

Hammer handpiece with reciprocating action for stone setting and decorative work. Has 1/32" stroke with adjustable impact. Includes anvil point. Can also be used with Pavé Point for special texturing or Carbide Stylus for texturing, marking or scribing hardened steel. Speed range for most applications: 0-5,000rpm. Measures ½" dia. at tip x 9½"L (without duplex). Weighs 4 oz.

	Description	Item#	Each
A.	#15 Handpiece	850-1270	\$122.40
B.	#15D Handpiece with duplex spring	850-1272	143.65
	Optional Pavé Point	850-1275	38.00
	Optional Carbide Stylus	850-1274	35.00
	Replacement Anvil Point	850-1273	6.00

C. Technique Hammer Handpiece – 5,000rpm

Features a lightweight, slender body that you can hold comfortably for long periods. Runs with very little vibration. Includes screw-in pointed tip. Optional tips available (see below). Measures ½" dia. x 5½"L. Weighs 2 oz. Precision-made in Switzerland.

Description	Item#	Each
Technique Handpiece	850-1295	\$220.00



Provides adjustable striking force for closing bezels and prongs or creating textures. Minimizes vibration for comfortable extended use. Includes Round Flat Tip #850-3720. Additional tips available (see below). Measures $\frac{1}{2}$ " dia. x $9\frac{1}{2}$ "L (without duplex). Weighs 6 oz.

	Description	Item#	Each
D.	Badeco Swiss Handpiece	850-1333	\$295.00
E.	Badeco Swiss Handpiece with duplex spring	850-1330	375.00

Badeco Hammer Handpiece Tips

For Technique and Badeco Swiss Hammer Handpieces (see above).

Description	Item#	Each
Round Flat Tip, 4mm	850-3720	\$24.90
Round Concave Tip, 1mm	850-3715	49.50
Rectangular Flat Tip, 1 x 2mm	850-3725	49.50
Rectangular Grooved Tip, 1.2 x 2.5mm	850-3730	49.50
Rectangular Smooth Tip, 1.2 x 2.5mm	850-3735	49.50

F. Lazer Point - Produces the brightest stippling possible

Use this unique diamond-pointed tool with our Technique or Badeco Swiss Hammer Handpiece and your flexible shaft machine. Creates a sparkling finish on gold and silver that mimics pavé. Measures 11/4" long.

		EACH	Prices
Description	Item#	1-2	3+
Lazer Point	850-3590	\$24.95	\$22.46

G. Foredom Anvil Points

These tips fit all popular brands of hammer handpieces. All 6 tips are made of heat treated solid steel with threaded shanks measuring 3/32" diameter (2.35mm). Fits 1/8-48 US and all standard 3mm threads. Fits Swiss-made Badeco hammer handpiece. Six shapes are included in the set:

- Bezel Rocker
- Wide Rectangle
- Slim Rectangle
- Cylinder

Ball Nose

• Fine Point

Set of 6 comes in hard plastic storage box that opens to a convenient stand for easy tip selection.

Description	Item#	Each
Foredom Anvil Points	850-3780	\$75.00









Heavy-Duty Rotary Handpieces for TXH, TXMH and SRH only – For a variety of operations

Included uses are grinding, carving, drilling, deburring, engraving, polishing and more. All three handpieces have square drives and attach quickly with positive sheath locking mechanisms to TXH, TXMH and SRH flexible shaft motors (see pp. 436-437), as well as H flexible shaft motors. Have shielded ball bearings that require no lubrication. Feature compact, lightweight designs for accessing tight areas while minimizing hand fatigue.



A. Foredom® #25H Handpiece

Features one-piece spindle construction with permanently lubricated, double-sealed ball bearings for cool extended running. Includes 1/8" and 1/4" collets. Measures 1" dia. x 61/8"L. Weighs 81/2 oz.

Description	Item#	Each
A. #25H Handpiece	850-1340	\$145.00
½16" Collet	850-5200	18.00
³ / ₃₂ " Collet	850-5210	18.00
Replacement 1/8" Collet	850-5220	18.00
3/16" Collet	850-5230	18.00
Replacement 1/4" Collet	850-5240	18.00
3mm Collet	850-5242	18.00
4mm Collet	850-5245	18.00
Set of all 5 inch-size collets	850-5052	78.95



B. Foredom® #30H Handpiece

Chuck-style handpiece with prelubricated ball bearings. Features geared Jacobs chuck that accepts shanks up to $\frac{5}{32}$ ". Includes chuck key without handle. Measures 1" dia. x $\frac{5}{8}$ "L. Weighs $\frac{7}{4}$ oz.

		Each
B. #30H Handpiece	850-1355	\$63.75
Chuck Key with Handle	850-3545	5.75
Replacement Chuck Key without Handle	850-3550	2.70



C. Foredom® #44HT Handpiece

Collet-type version of #30H handpiece. Includes $^3\!/_{32}$ " and $^1\!/_{4}$ " collets. Measures 1" dia. x $6^1\!/_{8}$ "L. Weighs $8^1\!/_{2}$ oz.

		Each
C. #44HT Handpiece	850-1455	\$63.75
Replacement 3/32" Collet	850-5420	8.95
1/8" Collet	850-5430	8.95
5/32" Collet	850-5440	8.95
3/16" Collet	850-5450	8.95
Replacement 1/4" Collet	850-5470	8.95
3mm Collet	850-5475	8.95
6mm Collet	850-5480	8.95
Set of all seven collets	850-5400	59.95

A, B Foredom® TXR, FCH and FCT Foot Rheostats

Solid-state foot-operated speed controllers for exceptionally smooth control over the entire speed range. Feature heavy-duty, low-profile Rynite plastic housing with wide footpad and skid-resistant bottom for comfort and stability. Run continuously without heat buildup. Measures 63/4"L x 41/2"W x 2¹/₂"H. All 50/60Hz.

Model	Electrical	For Flex Shaft	Item#	Each
A. TXR-1*	115V	TX, TXB, TXH, TXBH; LX, LXB	850-3510	\$48.45
FCH-1*	115V	H, HB	850-3460	34.50
FCH-2	230V	1/6 HP SR, SRB, SRH; H, HB	850-3461	34.50
B. FCT-1*	115V	1/6 HP SR, SRB, SRH; 1/8 HP SR, SRB; S, SB; CC; L, LB	850-3480	34.50
FCT-2	230V	1/8 HP SR, SRB; S, SB; CC; L, LB	850-3485	34.50
+				

^{*}CSA Listed

C. Foredom® SXR, SCH and SCT Foot Rheostats

Solid-state foot-operated speed controllers for immediate response with light pressure. Feature heavy-duty, low-profile cast-iron housing with ribbed top and skid-resistant bottom for comfort and stability. Run continuously without heat buildup. Measures 61/4"L x 5"W x 21/4"H. All 50/60Hz.

	Model	Electrical	For Flex Shaft	Item#	Each
	SXR-1	115V	TX, TXB, TXH, TXBH; LX, LXB	850-3508	\$74.80
	SCH-1*	115V	H, HB	850-3455	61.20
	SCH-2	230V	1/6 HP SR, SRB, SRH; H, HB	850-3456	61.20
C.	SCT-1*	115V	1/6 HP SR, SRB, SRH; 1/8 HP SR, SRB; S, SB; CC; L, LB	850-3503	61.20
	SCT-2	230V	1/8 HP SR, SRB; S, SB; CC; L, LB	850-3504	61.20

^{*}CSA Listed



Dial-operated speed controllers for benchtop use—great alternatives to foot rheostats. Feature tough plastic housing with low profile for stability. Measures 6"L x 5"W x 21/2"H. Also available in 230V. All 50/60Hz.

	Model	Electrical	For Flex Shaft	Item#	Each
D.	EMX-1	115V	TX, TXB, TXH, TXBH; LX, LXB	850-3516	\$74.80
	EMH-1	115V	H, HB	850-3515	72.25
	EM-1	115V	1/6 HP SR, SRB, SRH; 1/8 HP SR, SRB; S, SB; CC; L, LB	850-3511	72.25

E. Foredom® EMF and EM FX Dual Speed Controllers

To further enhance the Foredom Filer, we recommend the new Foredom Dual Speed Range Dial since it has a "LO" setting that restrict speed to the allowable range of the filer between 1,000 -10.000rpm or 400 - 4.000spm. Can switch back to the optimum speed by flipping a switch and already set at the optimum speed setting. The "HI" setting permits use with rotary hand pieces at regular speeds.

	Model	Electrical	For Flex Shaft	Item#	Each
E.	EMF	115V	SR + CC	850-3522	\$89.50
	EM XF	115V	TX	850-3523	89.50


F. EFC - Electronic Foot Control


Heavy-duty, precision-crafted variable-speed foot rheostat with all the features of similar high-end controls at a fraction of the price. Features solid-state electronics, die-cast aluminum housing with chip-resistant enamel finish, mounting holes and grounded electrical cord. Works with any flexible shaft motor with standard three-prong connection (115V only). Measures 7½"L x 4½"W x 2½"H.

Description	Electrical	For Flex Shafts	Item#	Each
EFC	115V	CC, EE, GG, S/SR, LX/LXB	850-3520	\$49.00









A-I Maintenance Supplies and Replacements

Simple maintenance can extend the life of a flexshaft. Foredom has created 2 kits: a comprehensive Tune-Up (over 30 components) as well as a basic Maintenance kit (inner shaft, pair of motor brushes, grease and instructions) for Keyway drive 115V and 230V models (unless otherwise noted).

Description	For Flex Shafts	Item#	Each
A. Tune Up Kit	LX/LXB, TX	850-3410	\$68.00
Tune Up Kit	SR	850-3403	68.00
Tune Up Kit	CC	850-3404	68.00
Maintenance Kit	CC, DD, MM (115V only)	850-4015	17.25
Maintenance Kit	EE, GG	850-4005	23.50
B. Maintenance Kit	S/SR, SM/SRM (1/8 HP)	850-4017	17.25
Maintenance Kit	SR, SRM (1/6 HP)	850-4020	17.25
Maintenance Kit	LX/LXB, TX	850-4006	22.00

Replacements	For Flex Shafts	Item#	Each
Motor Brushes, pair	CC, DD, MM (110V only)	850-4110	\$8.85
Motor Brushes, pair	CC, DD, MM (220V only)	850-4113	10.95
Motor Brushes, pair	EE, GG, R/RB	850-4113	10.95
C. Motor Brushes, pair	H, S/SR, SM/SRM (1/8 HP)	850-4117	8.85
Motor Brushes, pair	SR, SRH, SRM (1/6 HP)	850-4108	8.85
Motor Brushes, pair	L/LB, LX/LXB, PG/PGX, TX, TXH	850-4119	12.50
Brush Cap, individual	CC, EE, GG, L/LB, LX/LXB, PG/PGX, R/RB, S/SR (1/8 HP), SRH (1/8 HP), TX, TXH	850-4120	1.05

	Replacements	For Flex Shafts	Item#	Each
D.	Inner Shaft	CC, K, L/LB, LX/LXB, PG/PGX, R/RB, S/SR, SM/SRM, TX	850-3395	\$10.95
	Inner Shaft	EE, GG	850-3390	10.95
	Inner Shaft	SRH, TXH/TXBH/TXMH	850-3405	19.00

For Flex Shafts	Item#	Each
All	850-4100	\$3.50
All	850-4105	4.50
	All	All 850-4100

Replacements	For Flex Shafts	Item#	Each
G. Motor Bale	CC, H, L/LB, LX/LXB, PG/PGX, R/RB, S/SR, TX, TXH	850-2207	\$1.50
H. Motor-Sheath Connector	CC, L/LB, LX/LXB, PG/PGX, R/RB, S/SR, TX	850-2180	3.85

	Replacements	For Flex Shafts	Item#	Each
Ī.	Outer Sheath - Standard	CC, K, L/LB, LX/LXB, PG/PGX, R/RB, S/SR, SM/SRM, TX	850-3010	\$14.95
	Outer Sheath - Standard	EE, GG	850-3000	16.25
	Outer Sheath - Neoprene	L/LB, LX/LXB	850-3015	26.50

Replacements	For Flex Shafts with Square Drives	Item#	Each
Shaft/Sheath Assembly	SRH, TXH/TXBH/TXMH	850-3401	\$65.00
Shaft/Sheath Assembly	Н	850-3400	64.15
Extra Long Alternates	For Flex Shafts	Item#	Each
66" Shaft/Sheath Assembly	CC, K, L/LB, R/RB, S/SR, SM/SRM, TX	850-3398	\$38.00
66" Inner Shaft	CC, K, L/LB, R/RB, S/SR, SM/SRM, TX	850-3397	16.00

J, K Replacements for Handpieces with Duplex Springs

Suitable for all Gesswein/Foredom flexible shaft handpieces except #180/00.

	Description	Item#	Each
J.	Inner Duplex Spring with connectors	850-2223	\$19.25
K.	Outer Duplex Spring Cover	850-3802	23.50

A-G Foredom® Bench System

Keep your most frequently used tools within easy reach. Start with the Foredom Flex Shaft Hanger to hang up to 2 flex shaft motors. Add in the LED Light Bar (100-240V AC) and your choice of 4 Tool Arms: Bur Holder Arm, Magnetic Tool Arm, Cup Holder Arm and Tray Arm. All slide, swing and pivot to create a custom bench set up.

All arms are machined of stainless steel. Pull them in close or push them out of the way as needed. Buy only what you need — just 1 or 2 arms or mix and match multiple arms! Customize to your exact specifications. It's the smart way to organize your bench.

Description	Item#	Each
A. Foredom Bench System Complete Kit – with one of each (B-G) below	850-0530	\$409.95
B. Flex Shaft Hanger – Adjustable height hanger with 2 spring hooks.	850-0531	56.50
C. LED Light Bar – Rotates, swings and raises 90°. Dimensions: 31½"L	850-0532	136.50
D. 2 tier, 95 hole, Bur Holder Arm – For $\frac{3}{2}$ " (57) and $\frac{1}{8}$ " (38) shank burs/tools.	850-0533	68.50
E. Magnetic Tool Arm – With non-scratch felt surface. 12"L x ½"W x 1½"H.	850-0535	105.50
F. Jar Holder Arm – With 6 – 1.35oz. (40ml) cups with screw-on plastic tops, $1\frac{1}{4}$ (3.7cm) in diameter. 12 "L x $2\frac{1}{4}$ "W x $2\frac{1}{4}$ "H.	850-0534	54.50
G. Tray Arm – Has movable partitions. 12"L x 21/4"W.	850-0536	58.50



Telescoping hanger extends 42" above your work surface. Height adjustments are made easily with the thumbscrew. Includes solid mounting base to screw firmly into your work surface. 10" arm at the top allows you to swing your flex shaft motor back and forth with ease. Made in India.

Double Flex Shaft Hanger attaches to your work surface by using screws or "C" clamps (not included) and allows you to hang one or two Flex Shaft motors. Made of powder coated steel, the flex shaft hanger extends between 251/2" and 40". Made in USA.

	Description	Item#	Each
Н.	Flex Shaft Hanger	850-0509	\$19.50
Ī.	Double Flex Shaft Hanger	850-0515	34.95

J, K Foredom® Flex Shaft Hangers

Features a 3-piece hexagonal support rod, top safety hook rod for holding one or two motors. Available with a sturdy bench clamp for attaching to any bench top up to $2\frac{1}{4}$ " thick or base which screw into the top or side of your work surface. The rod height can be adjusted with the locking screw built onto the clamp.

Comes with a Handpiece Rest that slides onto the hanger pole and secures your handpieces when not in use. Also has two Spring Safety Clips that slide over the motor bale and on to the hanger rod to keep the motor(s) from jumping and twisting during start up and acceleration.

	Description	Item#	Each
J.	Foredom Flex Shaft Hanger with Clamp	850-0506	\$48.50
K.	Foredom Flex Shaft Hanger with Base	850-0507	68.50

L, M Handpiece Holders – Accept Foredom flexible shaft handpieces

Economical holders let you grind, polish, sand and carve while both hands control the workpiece. Adjust to hold handpieces up to 10" above the work surface and rotates 360°. Clamps up to 13/4" thick.

	Description	Item#	Each
L.	Holder for #30, #30H, #44T and #44HT and other 1" diameter Handpieces	850-0605	\$37.95
M	. Holder for #35 Handpiece	850-0607	37.95

N. Nylon Jiffy Jig – Accepts 1" diameter handpieces


A convenient block for holding jeweler's handpieces in place. Leaves your hands free for cutting, grinding and polishing operations. Just place the block in your vise, pull handpiece through it, tighten the vise and you're ready to go. Tools in the handpiece can be easily changed without removing handpiece from the block. Accepts Foredom #30 handpiece and other 1" diameter handpieces.


Description	Item#	Each
Nylon Jiffy Jig	850-0608	\$13.15

O. GRS Handpiece Storage Strip

Keep handpieces within easy reach. Four different diameter holes provide storage for multiple handpieces of varying size. Clip to the side of your work surface with the included hardware.

Description	Item#	Each
Handpiece Storage Strip	850-0604	\$10.30









All prices subject to change without notice.





J Flat



K Florentine

A. Foredom[®] Mini Vise

Securely holds small parts. Has $1\frac{3}{4}$ " slotted grooves in the base for mounting on a drill press or bench. Stationary jaw has a perpendicular V-groove, and movable jaw has a horizontal V-groove for holding round stock or tube. Jaw width: $1\frac{3}{4}$ ". Jaw opening: $1\frac{3}{4}$ ". Measures 4"L x $2\frac{3}{8}$ "W x $1\frac{1}{2}$ "H. Glare-free black finish.

Description	Item#	Each
Mini Vise	820-4700	\$24.50

B. Benchtop Drill Press

Small and compact describes this 110V drill press. The base measures $6\frac{3}{4}$ " x $6\frac{3}{4}$ " with a drill clearance of 5". Drill press has three settings that allow for a range of 0-8,500rpm. When space is an issue, this drill press will perform with ease. The Jacobs chuck accepts bits up to 6mm. One year warranty. Weighs 13 lbs. Canada safety approved.

Description	Item#	Each
Bench Drill Press	850-0595	\$79.95

C. Drill Press Vise

All aluminum vise has slots to attach to benchtop drill press #850-0595 (above) quick jaw release feature for ease of use. Jaw width $2^9/16^\circ$. Jaw opening $2^3/4^\circ$. Measures $9^1/2^\circ$ L x $4^1/2^\circ$ W x $2^1/4^\circ$ H.

Description	Item#	Each
Drill Press Vise	850-0594	\$12.95

D-L Diamond Flywheels – 3mm Shank

These flywheels produce the most decorative bright cuts you've ever seen, helping your jewelry really stand out from the rest. Contain natural grade-A diamonds for fast, easy bright cutting. When used with a high-speed rotary handpiece (minimum 30,000rpm), these flywheels make bright cuts in seconds. Can be resharpened. Have 3mm shanks. We strongly recommend that you purchase a practice carbide wheel—flywheels are not covered by warranty.

			EAC	H Prices
	Description	Item#	1-2	3+
D.	90° Flywheel	845-1400	\$46.50	\$41.85
E.	110° Flywheel	845-1407	50.60	45.54
F.	120° Flywheel	845-1401	46.50	41.85
G.	130° Flywheel	845-1404	46.50	41.85
Н.	150° Flywheel	845-1405	46.50	41.85
Ī.	Dome Flywheel	845-1406	55.80	50.22
J.	Flat Flywheel	845-1402	46.50	41.85
K.	Serrated Florentine Flywheel	845-1403	55.80	50.22
L.	130° Practice Carbide Wheel	845-1410	34.20	30.78

M. PEPETOOLS Jump Ringer JRM2 - Better Than Ever!

The perfect set for winding your own jump rings easily in consistent sizes. Use the Rotary Winder and winding rods to wrap wire into a coil, which can then be cut into jump rings using the circular sawblade in your #30 handpiece. Ship. Wt. 8lbs. Made in USA.

- Includes Rotary Winder, 20 steel winding rods, circular sawblade, handpiece holder, precision machined cutting box, and aluminum base (9"L x 4½"W).
- Winding rods are 4" long in mm sizes: 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0, 10.5, 11.0, 11.5, and 12.0mm.
- Included 1½" circular sawblade cuts up to 18 gauge/1.0mm soft wire.
 Optional 1½" sawblade cuts up to 16 gauge/1.2mm.

Description	Item#	Each
M. PEPETOOLS Jump Ringer	856-0445	\$200.00
Optional Circular Sawblade 11/2"	856-0443	15.50
Replacement Sawblade 11/4"	856-0442	12.50

L Dome

L 130° Practice

A. Pro-Flex Econo Flex Shaft

The Pro-Flex Motor comes complete with chuck style handpiece, electronic foot control, extra pair of motor brushes, and a one year warranty against manufacturing defects. 110V. Made in China.

Features:

- 1/8 HP, ball-bearing, 18,000rpm motor
- An electronic foot control with plastic housing for hands-free speed
- A key-type chuck hand piece (holds shanks up to 5/32" (4mm) in diameter).

Description	Item#	Each
Pro-Flex Econo Flex Shaft Set	850-0660	\$99.00
Replacement Handpiece w/ Chuck Key	850-0661	35.50
Replacement Inner Shaft - 39"	850-0663	8.50
Replacement Outer Sheath Assembly - 34"	850-0664	9.95
Replacement Motor Brushes (2)	850-0665	4.50
Replacement Rheostat	850-0662	39.00
	Pro-Flex Econo Flex Shaft Set Replacement Handpiece w/ Chuck Key Replacement Inner Shaft - 39" Replacement Outer Sheath Assembly - 34" Replacement Motor Brushes (2)	Pro-Flex Econo Flex Shaft Set 850-0660 Replacement Handpiece w/ Chuck Key 850-0661 Replacement Inner Shaft - 39" 850-0663 Replacement Outer Sheath Assembly - 34" 850-0664 Replacement Motor Brushes (2) 850-0665



B. Suhner MiniFix 25-R and 9-R

The Suhner MiniFix is the most powerful flexible shaft system we offer. These motors boast 2/3 HP and 500 Watts, giving the user consistent rotational speeds even when pressure is applied. The Suhner MiniFix is the ideal choice for heavy stock removal or heavy pressure polishing using brushes or felt bobs. For big jobs, try with our new Tampico and Nylon 1/4" shank brushes. Select between model 9-R (4,000 to 9,000rpm) or 25-R (11,000 to 25,000rpm.) Made in Switzerland.

Features:

- Fully Insulated Motor 120V/50Hz
- Flexible Shaft
- FH4 handpiece with 1/4" collet
- Metal carrying case
- Set of Mounted abrasives

	Description	Item#	Each
B.	Suhner MiniFix 25-R System	850-0120	\$1,508.95
	25-R Motor Only	850-0121	871.10
	Suhner MiniFix 9-R System	850-0122	1,714.95
	9-R Motor Only	850-0123	988.80
	FH4 Handpiece	850-0124	306.70
	Replacement 3/32" Collet	850-0125	42.50
	Replacement 1/8" Collet	850-0126	42.50
	Replacement 1/4" Collet	850-0127	42.50
	Replacement Rheostat	850-0128	345.80
	Replacement Shaft	850-0129	100.95
	Replacement Sheath	850-0130	272.95
	Replacement Foot Pedal	850-0131	256.45



C. Dumore Series 6 Low Speed

The Pro-Flex Motor comes complete with chuck style handpiece, electronic foot control, extra pair of motor brushes, and a one year warranty against manufacturing defects. 110V. Made in China.

Features:

- 1/8 HP, ball-bearing, 18,000rpm motor
- An electronic foot control with plastic housing for hands-free speed
- A key-type chuck hand piece (holds shanks up to 5/32" (4mm) in diameter).

	Description	Item#	Each
C	Dumore Series 6 Low Speed	850-0225	\$1,095.00
	Foot Peldal	850-0226	350.00
	Replacement #6 Handpiece	850-0227	480.00
	Replacement #6 Shaft Assembly	850-0228	240.00



Flexible Shaft Drive, Mark II Di-Profilers

Gesswein is proud to offer the NEW Di-Profiler Mark II handpiece that attaches to most standard flexible shaft machines. This precise, fast-action, easy-to-operate reciprocating tool is ideal for profile polishing, filling, honing and lapping straight and curved surfaces and finishing complicated dies and molds. Each Di-Profiler allows easy stroke adjustments for fast, precise work. Spring-cushioned to prevent damage to workpiece or tool. All Mark II models now incorporate the protective finger sleeve into the handpiece. Redesigned for improved ergonomics and user flexibility. See page 449 for details. Made in Sweden.





A. Classic Flex Shaft Drive Di-Profilers, Mark II Version

The flex shaft driven Di-Profiler is the tool maker's traditional go-to machine for reciprocating applications. Connects to any standard Gesswein/Foredom flexible shaft machine except models TXH, TXMH, and H. Can be used for light and heavy duty polishing, filing, honing and lapping jobs. For best results and reduced vibration, operate between 5,000 and 7,000rpm with a stroke length between 1-3mm and 1/4" chuck capacity.

Comes complete with operations guide, rubber sleeve, storage case, wrench and lubricating oil. Adjustable stroke length 0-6mm. 8,000rpm Maximum.

Description	Item#	Each
A. Di-Profiler 1/4" chuck capacity for Flex Shaft	850-1905	\$1,295.00
B Complete Kit (Includes Di-Profiler, TX Flex Shaft, TXR-1 foot rheostat)	850-1931	1,495.00
Rubber Grip	850-1937	65.95



C. FMR Mini-Filers


Each attaches to any standard Gesswein/Foredom flexible shaft machine except models TXH, TXMH and H. Designed for light-duty profiling work. Ergonomic design results in effective finishing and polishing. Slim nose is especially useful in tight spaces. Holds tools up to 3.6mm in diameter (see diamond poli files on pp. 109-110). Max. operating speed: 10,000 strokes per minute (5,000–7,000 strokes per minute recommended). Measures 5½"L x 1" dia. Weighs 5.5 oz.

Length of Stroke	Item#	Each
0.5mm	850-1923	\$650.00
1.0mm	850-1924	599.00
1.5mm	850-1922	650.00



D, E Tool Holders – For all Di-Profiler models

Description	Item#	Each
D. Universal Tool Holder (holds up to 6mm thick		
and 8mm wide) – 3mm shank	403-1050	\$57.50
E. Ceramic Stone Holder (holds up to 1mm thick		
and up to 8mm wide) - 3mm shank	403-1045	34.95



Safety Recommendations For FPS and FPC Di-Profilers as well as FMR Mini Filers and Micromotor Drive Di-Profilers

Prolonged use of vibrating or reciprocating tools may result in vibration-induced circulation problems in the hands. Always follow safe operating procedures. Using hand protection (i.e., insulated gloves) and taking frequent breaks can help minimize but not guarantee against injury. Operating these types of tools in cold weather or with a tight grip will reduce the period of operation before risking potential injury. Individuals with a tendency to suffer from poor circulation, frequently cold fingers or itchy hands should closely monitor the condition of their hands. If symptoms appear, seek medical advice immediately.

448 Gesswein

Micromotor Drive Mark II Di-Profilers

Gesswein is proud to offer the NEW Di-Profiler Mark II systems—the most advanced handpiece systems yet. The Professional and Classic MM Drive Di-Profilers are built with a micromotor inside every handpiece and can connect directly to any Gesswein Power Hand controller. Both Professional and Classic Mark II models now incorporate the protective finger sleeve into the handpiece. Made in Sweden.

Low Vibration



A, B Professional Micromotor Drive Di-Profiler, Mark II **Maximum Efficiency. Minimal Vibrations**

Simply the best reciprocating handpiece in the market today, the Professional Di-Profiler combines ergonomic design and heavy duty power. A counter balance weight system located on the opposite end of the tool holder reduces vibration levels. As the tool reciprocates, the counter balance weight reciprocates in the opposite direction thereby stabilizing the handpiece. As a result, vibration in the user's hand is greatly reduced. Comes complete with operations guide, rubber sleeve, storage case, wrench and lubricating oil. Adjustable stroke length 0-6mm. 8,000rpm maximum.

Features:

- Fully Insulated Motor 120V/50Hz
- Flexible Shaft
- FH4 handpiece with 1/4" collet
- Metal carrying case
- Set of Mounted abrasives

	Description	Item#	Each
A.	Professional Micromotor Di-Profiler 1/4" chuck capacity	850-1908	\$2,295.00
В.	Complete Kit (Includes Professional Di-Profiler 1/4" chuck capacity, Marathon controller and		
	variable speed foot rheostat)	850-1942	2,395.00



Comes complete with operations guide, rubber sleeve, storage case, wrench and lubricating oil. Adjustable stroke length 0-6mm. 8,000rpm maximum.

Description	Item#	Each
C. Classic Micromoter Di-Pro	ofiler 850-1915	\$2,090.00
D. Complete Kit (Includes Class Di-Profiler 1/4" chuck capacit controller and variable speed	ty, Marathon	2,095.00



E. Protective Finger Sleeve - Retrofit previous 1/4" Models

The finger sleeve will improve guidance of the tool as there is no longer any need for putting your finger on moving tools or machine parts. Simply attach the finger sleeve to the Di-Profiler (instructions included). Now the user can place their fingers over the steady finger sleeve while the tool is reciprocating underneath. Comes with $2^{1/8}$ " extension pipe for longer tools. Compatible with all Di-Profilers.

Description	Item#	Each
Finger Sleeve Package for Di-Profiler 1/4"	850-1917	\$264.00
Finger Sleeve Package for Di-Profiler 1/8"	850-1916	223.00

Operation Guide is included with profiler for safety and operating instructions. For information on hand transmitted vibration see ANSI Standard S2.70 2006 (R2011).







Specially selected for mold, tool and die makers

These air-operated rotary handpieces are perfect for precision grinding and deburring. Use reciprocating models for honing and lapping. All require Filter/Regulator-Lubricator except NSK Presto Air Turbine.

A, B Suhner® Swiss Grinders

80,000rpm, right-angle and straight rotary handpieces

These grinders achieve maximum power with minimum air consumption. Rigid rotary-vane motors provide exceptional performance and speeds up to 80,000rpm. Excellent for carbide and CBN tools. Use for milling, grinding, engraving and polishing. Light, well-balanced ergonomic design reduces operator fatigue. Scratch- resistant insulated plastic housing reduces noise level and keeps hands warmer. Additional features include precision sealed bearings, rear speed controls and rugged construction for extended heavy-duty use. Made in Switzerland.

Choose from slim right-angle or straight grinder with rear speed controls. Both supplied with $\frac{1}{8}$ " collet and wrench. Each requires $\frac{1}{8}$ " NPT coupler and $\frac{1}{4}$ " ID hose (see p. 457 for #850-7323). Use with Filter/Regulator-Lubricator (see p. 456). Right-angle handpiece measures $6\frac{3}{4}$ " L x $\frac{3}{4}$ " dia. Weighs 7 oz. Straight handpiece measures 6"L x $\frac{3}{4}$ " dia. Weighs 4.2 oz.

	Model	Max. RPM	PSI	CFM	Item#	Each
A.	Right-Angle	80,000	90	6.6	850-7320	\$818.85
B.	Straight	80,000	90	6.6	850-7305	815.00
	Collets				Item#	Each
	Replacement ¹ / ₈ " for Right-Angle				850-7329	\$55.60
	Replacemer	nt ½" for Stra	ight		850-7327	55.60
	Optional ³ / ₃₂ " for Right-Angle				850-7331	55.60
	Optional 3/32	2" for Straight			850-7325	55.60



C. High-Speed Rotary Air Grinder HS80 - 80,000rpm

High-speed, quiet-running, well-balanced rotary handpiece for deburring and finishing. Ideal for precision grinding. Includes $\frac{1}{8}$ " collet (optional $\frac{3}{32}$ " and 3.0mm collets also available). Supplied with air hose, coupler and tool changing wrenches. Requires Filter/Regulator-Lubricator (see p. 456). Measures $5\frac{5}{8}$ "L x $\frac{13}{16}$ " dia. Weighs 5.7 oz. Made in Taiwan.

	Model	Max. RPM	PSI	CFM	Item#	Each
C.	HS80	80,000	90	1.77	850-2235	\$174.00
	Descripti	on	Item#	Each		
	Optional H	IS80 3/32" Collet	850-2236	\$6.50		
	Optional H	IS80 3.0mm Col	850-2237	6.50		
	Replacem	ent HS80 ½" Co	ollet		850-2238	6.50



D, E UHT (Ushio) Air Grinders

53,000 and 65,000rpm, slim and lightweight pencil-like design

Quiet running handpieces ideal for many applications, including precision grinding, finishing and polishing. Feature self-lubricating vanes for dependable performance. Unique 1/8" fixed collet design provides extralong ball bearing life and reduces heat buildup.

The Contra-Angle 120° model allows access to hard-to-reach, deep areas. Both offer rear speed control and rear exhaust. Supplied with 5' of $^3/_{16}$ " air hose, $^1/_{4}$ " NPT coupler, 13" exhaust hose, wrench and pin. Use with Filter/Regulator-Lubricator (see p. 456). Contra-angle handpiece measures 5"L x $^5/_{8}$ " dia. Weighs 5 oz. Straight handpiece measures $^5/_{8}$ " L x $^5/_{8}$ " dia. Weighs 4.5 oz. Made in Japan.

	Model I	Max. RPM	PSI	CFM	Item#	Each
D.	Contra-Angle	53,000	85	4.2	850-0905	\$335.00
E.	Straight	65,000	85	4.2	850-0900	299.00

The ROTUS System is a hand-held grinder with an energy saving air motor hand piece weighing only 8.74 oz. Air driven means that there is virtually no heat generation during operation resulting in excellent durability. The motor hand piece produces 30,000 min RPM and uses minimal air consumption. The energy saving mechanism runs quietly with the included Silencer and makes it possible to operate with a 1HP (0.75kw) air compressor, 55 psi, such as our California Air Tools Compressor (265-3125) (see p. 455). Fine adjustment of variable speed can be controlled by the Foot Control and the Forward/Reverse Rotation Direction Control Ring located at the end of the motor can control the motor speed as well.

System includes: Air grinder motor includes twist free Hose and Silencer, New ring type attachment, 1/8" dia. Collet, Air Line Kit, Foot Control, Piping Hose, Lubricating Oil, and 4 Assorted Wrenches.

Max. RPM	PSI	CFM	Item#	Each
30,000	55	2.65	850-7250	\$1,090.00



Features a special vane design that maintains speed even under load, providing smooth and stable grinding action. Design allows sensitive control of cutting tool. Exhaust hose with silencer keeps noise to a minimum. Rotating joint prevents hose from twisting. Supplied with ½" collet and chuck key; ½32" and 3mm collets available separately. Use with Filter/Regulator-Lubricator (see p. 456). Warranty 6 months. Subject to inspection. Measures 63/4"L x 1" dia. Weighs 5.9 oz.

	Max. RPM	PSI	CFM	Item#	Each
В.	60,000	56-85	5.83	850-7230	\$385.00
	Collets			Item#	Each
	Optional ³ / ₃₂ " Collet		850-7232	\$48.00	
	Optional 3mm	Collet		850-7233	48.00
	Replacement 1	⁄8" Collet		850-7231	48.00

C. High-Torque Precision Air Grinder HT60 – 60,000rpm

High-torque, guiet-running, well-balanced rotary handpieces for deburring and finishing work. Supplied with air hose, coupler and tool changing wrenches. Requires Filter/Regulator-Lubricator (see p. 456). Measures 55/8"L x 11/16" dia. Weighs 6.4 oz.

	Model	Max. RPM	PSI	CFM	Item#	Each
	HT60 - ³ / ₃₂ "	60,000	90	4.1	850-2225	\$134.00
	HT60 - 3mm	60,000	90	4.1	850-2221	134.00
C.	HT60 - ½"	60,000	90	4.1	850-2230	134.00

D. Nitto Kohki Air Sonic - 35,000rpm, high-torque handpiece

The rugged Nitto Kohki Air Sonic high-torque unit provides maximum power for grinding, deburring, production grinding on small castings and removing welding slag. Rear exhaust and built-in air silencer ensures quiet operation. Supplied with \(^1/4\)" to \(^1/8\)" reducing collet sleeve, 5' of \(^1/4\)" hose with \(^1/2\)" NPT coupler, 19" exhaust hose and wrenches. Use with Filter/Regulator-Lubricator (see p. 456). Measures 7"L x 1¹/₄" dia. Weighs 1 lb.

Model	Max. RPM	PSI	CFM	Item#	Each
D. L-35B	35,000	85	12.3	850-7012	\$300.00
Reducing	Collet Sleeves			Item#	Each
Optional 1	/4" to ³ /16"			850-7016	\$15.17
Replacem	nent 1/4" to 1/8"			850-7015	15.17

E, F NSK Presto Air Turbine - 320,000rpm, no lubrication required

Use this lightweight, ultra-high-speed, non lube rotary air turbine for delicate, precision applications. Features a unique dust protection mechanism that not only blows away loose powder to improve cutting efficiency but also cools the cutting tool to extend service life. For use with 1/16" tools. Purchase handpiece and hose alone, or purchase set complete with handpiece, hose, air line filter, regulator, foot control and handpiece rest. 6 month manufacturers warranty. Air turbine measures 4½"L x 5/8" dia. Weighs 2.5 oz.

	Max. RPM	PSI	CFM	Item#	Each
E.	320,000	35	1.4	850-7236	\$390.00
	Description			Item#	Each
F.	NSK Set			850-7235	\$720.00













Air Grinders, Continued











A, B Angle Surface Air Grinder AG22 - 22,000rpm

A 120°-angle rotary handpiece for grinding, chamfering, deburring and finishing welds and larger surface areas. Includes collet chuck with M7 screw shaft for mounting abrasive cup wheels and abrasive discs. Supplied with air hose, coupler, 30mm cup wheel (60 grit), ten 30mm PSA discs (60, 100 and 150 grit), 30mm PSA disc holder and changing tool for cup wheels and PSA disc holder. Requires Filter/Regulator-Lubricator (see p. 248). Measures $6^{3}/8$ "L x $^{5}/8$ " dia. Weighs 7 oz. Made in Taiwan.

	Max. RPM	PSI	CFM	Item#	Each
A.	22,000	90	3.0	850-2240	\$204.00
	Description	Dia.	Grit	Item#	Box of 48
	AG22 Cup Wheel	30mm	60	850-2242	\$42.00
			100	850-2243	42.00
			150	850-2244	42.00
	Description	Dia.	Grit	Item#	Box of 150
B.	AG22 PSA Disc	30mm	60	850-2229	\$27.50
			100	850-2231	27.50
			150	850-2232	27.50
			240	850-2233	27.50
			320	850-2234	27.50
			400	850-2239	27.50
	Description	Dia.		Item#	Each
	AG22 PSA Disc Holder	30mm		850-2241	\$3.50

C. Nitto Kohki MLS-20 Air Angle Disc Sander

22,000rpm, high-torque handpiece

The high-torque handpiece. This 22,000 rpm, powerful 2" right-angle sander has a low profile head which is ideal for sanding dies, molds, steel, aluminum and rubber or finishing welds. Lightweight (1.3 lbs.) and compact (1½" barrel diameter) for continuous sanding in small, confined areas. Onetouch twist lock allows efficient abrasive disc holder replacement. The new coated gears and high-life blades are designed to offer extended run-time performance. Includes side exhaust with silencer. Safety lock helps prevent accidents. Requires 1/4"-3/8" NPT air connection. Use with Miniature Filter/ Regulator-Lubricator. Measures 5"L x 1½" diameter. Made in USA.

Max. RPM	PSI	CFM	Item#	Each
19,000	87	14.2	850-7014	\$395.00

D, E UHT Ushio Micro-Angle Surface Air Grinder

Quiet-running handpieces are ideal for precision grinding, finishing and polishing. Feature self-lubricating vanes for dependable performance. Read speed control and rear exhaust.

Supplied with 5' of 3/16" air hose and 1/4" NPT coupler. Airline filter/regulator/lubricator required. Both 90° and 120° handpieces optimize ergonomics and offer 7mm threaded shaft for delivering maximum torque to 30mm diameter grinding, sanding, and buffing tools. Made in Japan.

Description	Max RPM	CFM	Item#	Each
D. UHT Air Grinder 90°	24,000	4.2	850-0890	\$335.00
E. UHT Air Grinder 120°	23,500	4.2	850-0895	335.00

F. Air-Operated FPD Di-Profiler Set – 10,000 strokes/min.

Employs a high-quality, variable-speed, air-driven reciprocating handpiece similar to our popular Di-Profilers on pp. 448-449. In addition to FPD Di-Profiler, set includes air line, filter/regulator-lubricator, lubricating oil, 5' of reinforced flexible hose, quick-disconnect hose connector, wrench, lathe adapter post and molded storage case. Accepts tools up to \(^{1}\/8\)" in diameter. Measures $6^{3}/_{4}$ "L x $1^{1}/_{4}$ " dia. Weighs 2 lbs.

Strokes/ Minute	Stroke Length	PSI	CFM	Item#	Each
10,000	0-6.0mm	57	0.18-2.3	850-1845	\$2,895.00

FAX Orders 24/7: 888-454-4377

A-C Turbo Air Lappers – Reciprocating handpieces

Low-vibration, quiet-running, durable reciprocating handpiece with a short stroke. Perfect for polishing ribs, slots and other tight areas. Produces great results with Diamond Poli Files (see pp. 109-110) and Super Ceramic Stones (see pp. 468-469). These color coded models are supplied with air hose, coupler, foam sleeve and three tool holders for 1mm to 1/8" flat tools and 3mm round tools. Requires Filter/Regulator-Lubricator (see p. 248). UTR-30, measures $7\frac{7}{8}$ "L x $1\frac{3}{32}$ " dia., weighs 6.7 oz. UTR-70, measures 8° L x $1^{1}/8^{\circ}$ dia. Weighs 6.7 oz.; UR-120, measures $8^{3}/16^{\circ}$ L x $1^{3}/16^{\circ}$ dia. Weighs 6.0 oz. 90 day manufacturers warranty. Made in Taiwan.

		Strokes/	Stroke				
	Description	Minute	Length	PSI	CFM	Item#	Each
A.	UTR-30	30,000	0.3mm	90	1.76	850-2250	\$318.00
В.	UTR-70	28,000	0.7mm	90	1.76	850-2245	318.00
C.	UR-120	12,000	1.2mm	90	2.83	850-2251	318.00
	Description	Accepts To	ools			Item#	Each
	Description Holder #64	<u> </u>	ools Bmm round			Item# 850-2246	Each \$8.50
_	<u> </u>	<u> </u>					
	Holder #64	1mm flat, 3				850-2246	\$8.50



D-F UHT Ushio TurboLap Air Filers – Reciprocating handpieces

TurboLap delivers high-speed reciprocation with high torque and a short stroke. Ideal for filing, lapping and polishing molds or honing precision parts.

Makes quick work of polishing ribs, slots and intricate areas. Runs quietly and is designed to be operated for long periods without getting hot. Provides optimum results with Diamond Poli Files (see pp. 109-110) and 1mm flat Super Ceramic Stones (see pp. 468-469). Lightweight with good balance and ergonomic soft-grip design.

Three color-coded models, each supplied with hexagonal wrench, 1 Diamond Poli File. 1.5m air hose, overhose, hose bands and guick joint with filter. Accepts up to 1mm flat or 3mm round tools. Requires \(\frac{1}{4} \)" NPT air connection and Filter/Regulator (see p. 248). No oil lubrication required. Measures 7" long x 1" diameter. Weighs 5.9 ounces. Made in Japan.

	Description	Stroke Length	Strokes per/ Minute	PSI	CFM	Item#	Each
D.	Blue	0.3mm	52,000	90	1.65	850-0928	\$425.00
E.	Red	0.7mm	28,000	90	1.65	850-0930	425.00
F.	Yellow	1.2mm	19,000	90	1.65	850-0932	425.00



G. Super Hand Pneumatic Filer – 4,000 strokes/min.

A powerful reciprocating tool for an efficient way to file. Vibration-free due to its double-piston design. Accepts tool diameters up to 1/4". Comes complete with 6' hose with 1/4" NPT connector, four coarse files (three-square, half-round, flat and round tapered) and wrench. Use with Filter/Regulator-Lubricator (see p. 248). Measures $6\frac{1}{2}$ "L x $1\frac{1}{2}$ " dia. Weighs 2.4 lbs. Made in Japan.

Strokes/ Minute	Stroke Length	PSI	CFM	Item#	Each
4,000	5.0mm	85.3	6	850-7200	\$320.00

H-M Turbo Lap Diamond Files

These diamond files are perfect for finishing in tight areas. The high quality diamond abrasive performs well in high speed and short stroke applications. Each diamond file has maximum thickness of 1mm and tapers down to 0.5mm thick. Each style is available in three grits.

				Each Prices				
Descr	Description		Item#	1-4	5-9*	10+*		
Turbo	Lap Diamond Files	See	chart below	\$7.25	\$6.89	\$6.53		
Style	Length x Abrasive (mm)	Size	100 Grit	200 G	rit	400 Grit		
H.	60 x 25	3~2	241-0640	241-0	641	241-0642		
l.	70 x 40	4~2	241-0644	241-0	645	241-0646		
J.	60 x 25	4~2	241-0648	241-0	649	241-0650		
K.	60 x 25	4~3	241-0652	241-0	653	241-0654		
L.	70 x 40	4~3	241-0656	241-0	657	241-0658		
M.	60 x 25	4	241-0660	241-0	661	241-0662		
	Wider si	zes avail	lable. Please see p	. 112 for fu	II line.			

^{*}Quantity discount for orders of one item# only, not assorted.





See Page 455 for Safety Recommendations



A. Dremel Power Grinder #100

A 35,000rpm fixed-speed grinder. Includes seven-piece accessory set and collet wrench. Great for a variety of grinding, sharpening, cutting, cleaning and polishing applications. Features double-insulated, shatter-resistant housing with permanently lubricated ball bearings for smooth, dependable operation. Supplied with $\frac{1}{8}$ " collet (optional $\frac{1}{32}$ ", $\frac{1}{16}$ " and $\frac{3}{32}$ " collets available). Collets also fit Dremel #270 and #380. Electrical: 120V, 1.2A, 50/60Hz. Measures $7\frac{1}{4}$ " long with 6' power cord. Weight: 18 oz. UL and ETL listed. Two-year manufacturers' warranty.

	Description	Item#	Each
A.	Dremel Grinder #100 with accessories, 120V	850-8016	\$56.20
	Replacement Type 3 Brushes*	850-8035	3.20

^{*}For models manufactured in 1989 and after.



B. Dremel #3000

The Dremel 3000 is a variable 5,000 to 32,000rpm rotary grinder the result of upgrading our most popular model using user-requested features to improve the tool's design and ergonomics. Features the EZ TwistTM nose cap with an integrated wrench that allows the nose cap to be used as a wrench to tighten accessories. The ability to use all existing Dremel accessories and most attachments lets the 3000 complete a wide range of applications including cutting, grinding, sanding, carving and polishing a variety of materials. Includes storage case, sanding guide attachment and cutting attachment as well as 28 genuine Dremel accessories. Supplied with ½" collet. Electrical: 120V, 1.2A, 50/60Hz. Measures 71/2" long with a 6' power cord. Weight 20 oz. Four-year manufacturer's warranty.

Description	Item#	Each
B. Dremel #3000 with accessories, 120V	850-8027	\$120.00
Replacement Brushes	850-8032	\$5.20

C. Collets For Dremel Grinders – #100 and #3000

These collets fit the new style grinders as well as the Dremel #270 and 380 Grinders.

Size	Item#	Each
1/32"	850-4155	\$2.30
1/16"	850-4150	2.30
3/32"	850-4145	2.30
1/8"	850-4140	2.30





D. Dremel® Electric Engraver

Economical, adjustable engraver for personalizing or marking valuable articles. Create unique designs on metal, wood, plastic, ceramic, glass and leather. Features handy hanger for convenient storage, calibrated stroke adjustment dial, comfortable pencil-type grip and easily replaceable carbide point. Measures 6" overall length. Cord measures 6' long. 115V, 0.2A, 60Hz. UL listed.

Description	Item#	Each
D. Engraver, 115V	821-6010	\$31.95
Optional Diamond Point	821-6020	16.25
Replacement Carbide Point	821-6015	5.30

A. SilentAire Compressors – Quiet yet powerful!

The Val-Air is a premium value model with cast aluminum lid with cooling fins for improved ventilation and Filter-Regulator with auto-drain feature and condensate bottle. With a coalescent filter to 0.01 micron. Sil-Air is the same without the aluminum lid with cooling fins or coalescent filter.

Both versions feature powerful 1/2 HP motors which provide over 2 CFM of air. They can handle up to 10 large Wax Injectors and are fully automatic. Both make about as much noise as a refrigerator, so you can work without distraction. Both measure 14" dia. x 22"H. Weigh 58 lbs. May require additional filter at the air tool to eliminate condensation that can form in very long airlines. Accepts 1/4" male

fittings. 220V also available. Made in Italy. Features: Specifications:

สเนเชอ.		opecinications.		
Tank and line pressure gauge		Motor	1/2 HI	P
Line pressure regulator		Max. Pressure	114 PSI	
Moisture trap and filter		Tank Capacity	4 gals	
Safety valve		Displacement	2.15 (CFM
Air-intake filter		Noise Level	40 dB	
Description	F0B	Electrical	Item#	Each
SilentAire Val-Air Compressor	CT	110V	265-3100	\$1,245.00
SilentAire Val-Air Compressor	TX	110V	265-3101	1 225 00
Chong in C vai 7 in Compressor	171	1101	203-3101	1,225.00
SilentAire Sil-Air Compressor	TX	110V	265-3095	1,065.00
<u>'</u>				
	Tank and line pressure gauge Line pressure regulator Moisture trap and filter Safety valve Air-intake filter Description SilentAire Val-Air Compressor	Tank and line pressure gauge Line pressure regulator Moisture trap and filter Safety valve Air-intake filter Description FOB SilentAire Val-Air Compressor CT	Tank and line pressure gauge Line pressure regulator Moisture trap and filter Safety valve Air-intake filter Description SilentAire Val-Air Compressor Tomax. Pressure Max. Pressure Tank Capacity Displacement Noise Level Electrical TioV	Tank and line pressure gauge Line pressure regulator Moisture trap and filter Safety valve Displacement Air-intake filter Description FOB Electrical Item# 1/2 HI Motor Tank Capacity 4 gals 2.15 (Noise Level 40 dB Electrical Item#



B. Oil-Free Air Compressor – 3/4 HP Oil-Free Air Compressor

Engineered and built with the latest technology to provide high quality clean air. The Oil-Free Dual Piston Pump System allows the air compressor to work more efficiently, creating less noise and less wear for a longer pump life. Oil-less operation makes it virtually maintenance free! Includes tank and line pressure gauge, line pressure regulator, moisture trap with filter, safety valve, and air intake filter. Made in China.

Specifications:

Motor:	3/4 HP		Noise level:	52 dB	
Max. Pressure:	116 PSI/ 8 ba	ar	Airflow:	118 liters per minu	ıte
Tank Capacity:	6 gals.		Dimensions:	16"Dia. x 21H"	
Displacement:	4.2 CFM		Weight:	61lbs.	
Description		F0B	Electrical	Item#	Each
B. Oil-Free Air C	ompressor	CT	110V, 600 watts	265-3120	\$625.00
Oil-Free Air C	ompressor	NY	110V, 600 watts	265-3122	595.00



B

C. California Air Tools 4610AC - 1 HP & Oil-Free Air Compressor

Quiet, (60 dB) oil-free and lightweight. Designed to increase duty cycle and allow for longer continuous run times. Powerful 1.0 HP motor is engineered to dissipate heat, allowing for a cooler operation while reducing wear. The Oil-Free Dual Piston Pump System is engineered for high performance and durability. Complete with two pressure control gauges, air filter, two universal \(^{1}/_4\)" quick connectors, and thermal overload protector. 220V also available. Made in China.

Specifications:

Motor: 1 HP Noise level: 60 dB

Max. Pressure: 120 PSI Dimensions: 19¹/₈"L x 16³/₄"W x 19³/₄"H

Tank Capacity: 4.6 gals. (Aluminum Tank) Weight: 45.5 lbs.

Description Electrical Item# Each C. California Air Tools 4610AC 110V/60Hz 265-3125 \$325.00



Safety Recommendations - For vibrating and reciprocating handpieces.

Prolonged use of vibrating or reciprocating tools may result in vibration-induced circulation problems in the hands. Always follow safe operating procedures. Using hand protection (i.e., insulated gloves) and taking frequent breaks can help minimize but not guarantee against injury. Operating these types of tools in cold weather or with a tight grip will reduce the period of operation before risking potential injury. Individuals with a tendency to suffer from poor circulation, frequently cold fingers or itchy hands should closely monitor the condition of their hands. If symptoms appear, seek medical advice immediately.

All prices subject to change without notice.

Air Tool Accessories


It is extremely important that compressed air be dry, clean and regulated to a pressure suitable for the operation of any air tool. When air tools require lubrication to reduce friction, filters should be installed in the air line as close as possible to the air tool to prevent water vapor condensation.





Combines functions of filter, regulator and lubricator. General-purpose filter removes solid and liquid particles down to 5 microns. Regulator allows outlet pressure adjustment from 5 to 100 PSI. Micro-fog lubricator provides oil mist to lubricate moving parts of air handpieces. Has 1 oz. reservoir. Use optional bracket to mount on wall or bench. Maximum inlet pressure: 150 psi. Ports: 1/8".

Description	Item#	Each
A. Filter Assembly	850-7349	\$215.00
B. Mounting Bracket	850-7335	9.30
Lube Oil, 8 oz.	850-0985	25.65
Replacement Filter	850-7369	14.50



C, D Miniature Prefilter/Coalescing Filter Assembly

Ideal for applications requiring dry and extremely clean air. Designed for air compressors rated up to 3.5 CFM. Prefilter removes liquid and solid particles down to 5 microns; coalescing filter removes particles down to 0.01 micron. Use optional bracket to mount on wall or bench. Maximum inlet pressure: 150 PSI. Ports: $\frac{1}{4}$ ".

Description	Item#	Each
C. Filter Assembly	850-7353	\$109.00
D. Mounting Bracket	850-7359	15.60
Replacement Prefilter (white)	850-7337	19.95
Replacement Coalescing Filter (green)	850-7357	65.00



Combines the functions of filter and regulator. Filter removes solid and liquid particles in compressed air down to 5 microns. Regulator allows outlet pressure adjustment from 5 to 100 psi. Maintains nearly constant outlet pressure despite changes in inlet pressure. Use optional bracket to mount on wall or bench. Maximum inlet pressure: 150 psi. Ports: ½".

	Each
850-7333	\$85.00
850-7335	9.30
850-7369	14.50
	850-7335



G. Large Prefilter/Coalescing Filter Assembly

Designed for large air compressors rated up to 15 CFM. Ideal for applications requiring greater airflow. Prefilter removes liquid and solid particles down to 5 microns; coalescing filter removes particles down to 0.01 microns. Requires regulator for use with most air tools. Maximum inlet pressure: 150 psi. Ports: 1/4".

Item#	Each
850-7355	\$160.00
850-7337	19.95
850-7365	145.00
	850-7355 850-7337

A-K Quick Disconnect Air Hose and Fittings

Sturdy $^{1}\!\!/^{4}$ " O.D. nylon air hose with .040" wall thickness and a collection of timesaving quick-disconnect fittings. To connect, just push air hose into fitting—it automatically locks in place. To disconnect, push back plastic ring on fitting and pull air hose out. The $^{1}\!\!/^{4}$ " and $^{1}\!\!/^{8}$ " male fittings work with a variety of sandblasters, wax injectors, sprue cutters and more. Use $^{1}\!\!/^{4}$ " males for air filters, regulators and vacuum pumps.

	Description	Item#	Per Foot
A.	Nylon Air Hose, 1/4" O.D.	265-2286	\$0.94
	Description	Item#	Each
B.	QD Connector, Male, 1/4"	265-2276	\$6.85
C.	QD Elbow, Male, 1/4"	265-2288	7.80
D.	QD Swivel Elbow, Male, 1/8"	265-2291	5.96
E.	QD Swivel T-Connector, Male, 1/4"	265-2278	7.70
F.	QD Connector, Male, ½"	265-2277	3.75
G.	Nipple Reducer, 1/4"-1/8"	265-2289	3.95
H.	Plug for QD ¹ / ₄ " Connectors	265-2283	1.60
Ī.	Coupling, Female, 1/4" to 1/4"	265-2284	2.75
J.	QD Union (Straight), 1/4"	265-2282	4.65
K.	QD Union T, 1/4"	265-2281	6.65
	QD Union Elbow, ½"	265-2279	5.50



A disk-type foot control for use with any of our air handpieces. Sensitively and variably controls airflow from anywhere the disc is depressed. Low-profile, skid-resistant bottom. Complete with 18" length of $\frac{5}{32}$ " hose and fitting for input as well as approximately 4' of $\frac{5}{32}$ " hose for outlet to air tool.

Description	Item#	Each
Variable Speed Foot Control Pedal	850-7385	\$145.00

M. Reinforced Air Hose with Fittings

This 8' long $^{1}\!\!/_{4}$ " I.D. rubber hose comes with $^{1}\!\!/_{8}$ " NPT coupler and $^{1}\!\!/_{4}$ " NPT coupler. Withstands air pressures up to 250 PSI.

Description	Item#	Each
Reinforced Air Hose	850-7323	\$28.85

N, O Barbed Fitting and Worm Drive Clamp

Fitting works with most wax injectors and small vacuum pumps. Worm drive clamp fastens air hose securely to fitting.

	Description	Item#	Each
N.	Worm Drive Clamp	265-2274	\$3.95
0.	Barbed Fitting, 1/4" NPT	265-2272	5.95

P. Reinforced Air Hose

Sturdy ½" I.D. rubber air hose reinforced to withstand air pressures up to 250 PSI. Use for compressed air and vacuum pumps. Works with barbed fittings. Sold by the foot.

Description	Item#	Per Foot
Reinforced Air Hose	265-2273	\$2.50

Q, R Air Handpiece Lube Oil

Description	Item#	Each
Q. Air Handpiece Lube Oil, 2 oz.	850-0980	\$16.90
R. Air Handpiece Lube Oil, 8 oz.	850-0985	25.65



37 1/2"-43 1/2"

FOREDOM® Optimize your Workspace! Foredom's Mobile Work Station is a unique and versatile solution for small crowded labs,

Foredom's Mobile Work Station is a unique and versatile solution for small crowded labs, studios and other work spaces. Built-in electrical outlets, allow multiple powered devices that would overwhelm most work surfaces or benches. A motorized lift adjusts the top platform up and down to work sitting or standing. Heavy duty casters provide ease of transport for shared use wherever needed.

A. Foredom Mobile Work Station

Specifications:

Also see the

MF Touch Mobile Work

Stations on page 463

(Work Station Only.

Equipment Sold

Separately)

- Height from floor to top of work platform:
- 431/2" at highest setting
- 30½" at lowest setting
- Footprint 16" x 22" x 431/2"

Top Work Platform:

 143/8" square. It features extension trays that swing out to hold work pieces and other small objects. Each extension tray is 8" x 41/4".

Middle Shelf:

 12½" x 12½". It comes with a removable yoke for mounting a flexible shaft motor. Remove yoke to hold a micromotor or other similar sized equipment.

Lower Platform:

 15^5 /s" x 9^3 /4" tray for tools and storage. When removed, it reveals holes specifically designed for securely mounting Foredom's Dust Collector (854-2200) after you remove those casters. Made in Taiwan.

Weight: 44 lbsShip Weight: 53 lbsPower Cable: 6" Long

 Description
 Item#
 Each

 Mobile Work Station
 810-1620
 \$899.00



B. Foredom Lighted Work Chamber

Foredom's compact Lighted Work Chamber (10"W x 11"D x 11½"H) keeps dust and debris contained when grinding, sanding, polishing and drilling workpieces that fit in your hand. Complete with LED light and 2½" x 5" diameter flip magnifier. Made in Taiwan

Description	Item#	Each
Lighted Work Chamber	850-0645	\$339.15

C. Foredom Dust Collector

Foredom's variable speed MADC20 Dust Collector is whisper quiet at 52dbA with powerful suction at 115CFM. Polycarbonate collection chamber pre-filters 99% of all debris and HEPA filter eliminates 99.98% of debris up to 0.3micron. Complete with 5 feet of 2½" diameter vacuum hose. Measures 15½"L x 15½"W x 19½"H. 2 Year Warranty. Made in Taiwan

Description	Item#	Each
Dust Collector	854-2200	\$679.15

D. Foredom Jumbo Work Chamber

The Jumbo Work Chamber keeps dust and debris contained when grinding, sanding, polishing and drilling. Semi-enclosed unit offers excellent visibility. Designed to provide full range of motion and comfort. Height: 21". Width: 22%" at bottom, 12%" at top. Depth: 23" including 21%" diameter hose port in back. Made in Taiwan

Description	Item#	Each
Jumbo Work Chamber	850-0659	\$382.50

458 Gesswein

n

A. Matt™ Gold Collector Box

Traps gold and other precious metals for easy retrieval. Has side openings that let you keep your hands and arms in a natural, comfortable working position for reduced fatigue. Protects eyes, skin and clothing from flying dust, particles and brush wires. Keeps your work area clean, reducing time-consuming cleanup and increasing productivity while maintaining a healthier work environment. Features high-impact extruded plastic housing and easy-to-remove, nonglare, clear plastic shield. Attaches to bench with integral C-clamp when needed. Stores easily when not in use. Lightweight, sturdy and completely portable. Does not eliminate the need for safety glasses. Measures 7"W x 71/2"D x 83/4"H.

Description	Item#	Each
Matt Gold Collector Box	265-2343	\$74.00



B. Klear-Vue Safety Shield

Sturdy, crystal-clear, plastic shield almost 3/8" thick. Protects you from flying debris while you work at the bench. Has cutouts for your wrists that allow you to hold your hands and tools at a normal working angle. More comfortable and convenient than a grinding box—use when gold containment is not a factor. Provides an extra barrier that protects face, neck and clothing from dust and dirt kicked up by abrasive wheels, polishing compounds and more. Does not eliminate the need for safety glasses. Measures 7"W x $6\frac{1}{8}$ "D x 9⁷/₈"H.

Description	Item#	Each
Klear-Vue Safety Shield	857-1000	\$82.00



C. Face Shield - Complete protection with excellent optics.

This lightweight plastic shield is a must for full face and neck protection against flying chips while grinding, drilling or polishing. Can be worn over dust masks, respirators and glasses with no obstruction of view. Features pivoting visor for easy raising and lowering, molded visor edge for reinforcement, cushioned vinvl comfort band and pin-and-hole adjustable headbands. Visor measures 8"L x 12"W x .040" thick. Does not eliminate need for safety glasses.

Item#	Each
270-0210	\$21.00
270-0212	6.95
270-0214	3.50
	270-0210 270-0212



D. Flex Shaft Accessory Set

Includes 90 of our most popular polishing wheels, brushes and buffs, texturing wheels, cut-off discs and felt bobs and brushes, all with \(^{3}\)32" shanks for your flex shaft. Ideal for grinding, sanding and buffing the insides and outsides of rings and other pieces of jewelry. Use polishing wheels, brushes and buffs for fine polishing, texturing wheels for brushed or satin finishing, cut-off discs for fast sizing of rings and felt bobs and brushes for accessing prongs and other tight areas. Packaged in a convenient 24-compartment plastic storage case.

Description	Item#	Each
Flex Shaft Accessory Set	850-0510	\$69.95





ULTRAMAX® Ultrasonic Polishing Systems

Reduce finishing time by more than 50%!

For more than three decades, Gesswein has brought the benefits of ultrasonic polishing to mold and diemakers. ULTRAMAX units polish slots, ribs and intricate details faster than you could ever do by hand. Feature fast reciprocation and short stroke for making quick work of the most time consuming tasks. Polish everything from milled to rough EDM surfaces to a mirror finish using all grades of finishing stones, diamond tools, ceramic stones and lapping tools with diamond compound (see pp. 104-105). Choose from four ULTRAMAX units for the right one for your job.

Our Df and SF units are workhorses; built for power and demanding usage. Our MF unit is an economical, versatile unit capable of ultrasonic, mechanical and brushless operations. The UM-1200 Ultrasonic Polisher is the logical choice for intermittent usage at lower power.



Specifications SF POWER (Oscillator)		
Frequency: (range)	17- 31 kHz	
Frequency Adjustment:	Automatic Feedback System	
Ultrasonic Power Output:	100W Maximum	
Amplitude:	99	
Electrical:	100~250V, 1Ph,50/60Hz	
Power Consumption:	300VA	
Dimensions: (WxDxH)	9" x 10" x 7" (226 × 252 × 180 mm)	
Weight:	11½ lbs. (5.2kg)	





A. ULTRAMAX® SF Power - Ultrasonic Polishing System

Introducing the latest technology in ultrasonic polishing: the new ULTRAMAX SF POWER. The SF POWER is simultaneously the most powerful and a delicate ultrasonic polishing system. From rough grinding to ultra-fine polishing — the ULTRAMAX SF can do it all! With an incredible maximum output of 100W, the ULTRAMAX SF can remove tough, thick EDM scale with large diamond files and ceramic stones. Ultra-fine polishing is achieved with "Nano mode", which produces a minute stroke length down to 1 micron. A built-in LCD monitor displays the frequency and output settings, and allows the user to select between 3 different power modes: Hard, Soft and Nano

The frequency, or the number of vibrations per second, is dependent on the type of tool and will range between 17-31 kHz, or 17,000-31,000 strokes per second. Length of stroke is adjusted by the output and will range from 1-30 microns.

3 Modes: Hard, Soft and Nano

Hard Mode – Supplies a constant power (frequency and stroke length) as pressure is applied against the tool, thus allowing for powerful performance.

Soft Mode — Automatically reduces the power (frequency and stroke length) as pressure is applied to the tool, thus preventing over grinding and scratch marks. This mode is suitable for delicate work.

Nano Mode – Allows an ultra-short stroke length of 3 microns or less. This is meant for ultra-fine polishing applications such as mirror finishing that was once only achieved by hand.

Chose between 3 ULTRAMAX SF POWER Sets:

All-Around Set

The All-Around Set can do it all! Set includes SF POWER control box, UF-7401 and UF-9701 handpieces, (details shown on reverse) both the standard attachment tool sets that are available with tough and Nano sets

Ultramax Tough Set

The Tough Set give you the most powerful ultrasonic handpiece (up to 100W of power!) for removing tough EDM scale and heavy duty polishing applications. Includes ULTRAMAX SF POWER control box, UF-7401 handpiece, abrasive tools set and accessory set

Ultramax Nano Set

The Nano Set is meant for general purpose and ultra-fine polishing applications. Set includes ULTRAMAX SF POWER control box, UF-9701 handpiece, abrasive tools set and accessory set.

Description	Item#	Each
SF POWER, All-Around Set	500-0244	\$8,195.00
SF POWER, Tough Set	500-0245	6,495.00
SF POWER, Nano Set	500-0247	6,495.00



A. ULTRAMAX® DF (Dual-Function) Heavy Duty Polisher

Our most powerful ultrasonic, the DF is the #1 choice for the professional mold polisher. With 45W of max output power, it can handle the most demanding work load and continual use. This dual-function unit gives the versatility of both ultrasonic and mechanical polishing. Supplied with the lightweight, vibration-free UF-9700 ultrasonic handpiece, the DF can also power our full line of Power Hand 3 mechanical handpieces (PH3 adaptor 510-3304 required).

Includes controller, UF-9700 handpiece with 6mm screw thread and the ULTRAMAX tools kit, which consists of 6/4mm tool adaptor #508-3342 (to hold M4 ultrasonic tools on p. 466), handpiece cradle rest and tool box with a 31-piece tool set of four diamond files, three diamond stones, two resin-bonded diamond stones, six ceramic stones, two lapping tools, four flat clamp tool holders, round clamp tool holder, standard handpiece protector sleeve, large beveled handpiece protector sleeve, wrenches, set of earplugs and extra fuse.

Specifications:

Vibration Frequency 20-30kHz Stroke Length 4-40 microns Max. Output Power 45W

Electrical 115V or 230V, 1 Ph, 50/60Hz

63/8"W x 11"D x 81/4"H Controller Measures

Handpiece Measures 5"L x 13/32" dia.

Description	Electrical	Item#	Each
ULTRAMAX DF	115V	500-0210	\$5,395.00
ULTRAMAX DF	230V	500-0211	5,395.00
Replacement UF-970	O Handpiece	500-0205	1,695.00

B. ULTRAMAX® UM-1200 Ultrasonic Polisher

The most affordable ultrasonic polisher for polishing with diamond tools and ceramic stones. The high quality UM-1200 produces 25,000 cycles per second of longitudinal vibration in a small, comfortable handpiece with an invisible minute stroke of 10 to 35 microns from low to high output levels. Include controller, UM-1200 handpiece with 8mm screw thread standard accessory set (two sintered and six plated diamond tools and two ceramic stones), one flat clamp tool holder, two round clamp tool holders, on/off foot switch, handpiece cradle rest, bench jig, wrench and hex key.

Specifications:

Vibration Frequency 18-25kHz Stroke Length 10-35 microns

Max. Output Power

Electrical 90-240V, 50/60Hz 7½"W x 5½"D x 3½"H Controller Measures

5"L x 1³/₁₆" dia. Handpiece Measures

Description	Electrical	Item#	Each
ULTRAMAX UM-1200	90-240V	500-1200	\$1,495.00
Replacement Handpiece	_	500-0101	380.00



В





With either MF TOUCH or MF STANDARD Control Box

The Multi-Function Ultramax MF TOUCH and MF STANDARD are our most versatile polishing systems. They utilize a high-efficiency microprocessor to deliver power to ultrasonic, brushless DC, and brush-type DC handpieces. The MF TOUCH system offers touch screen control and read out while the MF STANDARD has all the same functions utilizing push buttons.

The Complete 3-in-1 Packages Includes:

- MF TOUCH Control Box or MF STANDARD Control Box
- MF Ultrasonic Handpiece: provides 36W of continuously variable power for precision reciprocating action.
- BH-60 Rotary Handpiece: delivers 50,000rpm utilizing a 230W brushless rotary motor for incredible power—even at low speeds! Provides ample torque at all times to ensure fast and smooth metal removal.
- Z-6X or Z-2X Power Hand Reciprocating Profiler: comes complete with powerful 30V DC air-cooled motor and sealed bearings. Use for polishing flat surfaces. deburring, filing, stoning, scraping, lapping and draw-stoning deep cavities. They operate with minimal vibrations to reduce fatigue and have flexible power cords for easy reach. Special V-shaped chucking system firmly secures a wide variety of abrasives and other tools such as steel files.
- 3-in-1 MF Cabinet: Organize your workbench with the 3-in-1 Cabinet. With a separate handpiece holder for each handpiece it's easy to reach your handpieces when you're ready to work. Includes two drawers with plastic inserts for storing your tools and polishing supplies. The cabinet is made of 1 mm thick powder-coated steel sheet to provide a sturdy base. Excellent accessory for those who want to keep the work environment organized!
- · Handpiece rest
- Tool changing wrenches
- . 1mm & 3mm flat clamp tool holders
- · 3mm round tool holder
- Variable speed foot pedal

A. ULTRAMAX® MF TOUCH 3-in-1

Description	Item#	Each
MF TOUCH 3-in-1 Complete (w/ Z-6X Proflier)	500-0232	\$4,395.00
MF TOUCH 3-in-1 Complete (w/ Z-2X Proflier)	500-0233	4,395.00
MF TOUCH Control Box, Ultrasonic Handpiece, and Foot Pedal	500-0237	2,995.00

B. ULTRAMAX® MF STANDARD 3-in-1

Description	Item#	Each
MF STANDARD 3-in-1 Complete (w/ Z-6X Proflier)	500-0230	\$3,895.00
MF STANDARD 3-in-1 Complete (w/ Z-2X Proflier)	500-0231	3,895.00
MF STANDARD Control Box, Ultrasonic Handpiece, and Foot Pedal	500-0220	2,495.00
Accessories and Replacements	Item#	Each
Replacement Ultrasonic Handpiece	500-0222	510.00
Replacement Brushless Rotary Handpiece	500-0224	525.00
Replacement Z-6X Handpiece	510-2160	995.00
Replacement Z-2X Handpiece	510-2150	995.00
Replacement Variable Speed Foot Pedal	500-0221	60.00
Optional - On/Off Foot Switch	500-0227	18.00
MF TOUCH Cabinet Only	500-0236	295.00
MF STANDARD Cabinet Only	500-0229	295.00



A. ULTRAMAX® MF TOUCH Work Station

Work anywhere in your shop! The combination of the Foredom® Mobile Work Station and the MF TOUCH Complete Package 3-in-1 allows you to quickly and effortlessly maintain your molds around your shop.

The MF TOUCH Complete Package 3-in-1 includes a 36 Watt ultrasonic handpiece, a reciprocating profiler of your choice (Z-2X or Z-6X), a 50,000rpm rotary handpiece, and the 3-in-1 MF TOUCH metal cabinet. The 3-in-1 Consumable Set is also included and contains 83 polishing tools and abrasives specifically selected for the MF TOUCH Complete Package. Pint of Green Stoning Oil included.

The Foredom Mobile Work Station has a motorized lift that adjusts the top platform up and down (from $43\frac{1}{2}$ " at the highest, down to $30\frac{1}{2}$ " at the lowest) at the touch of a button. Heavy duty casters provide ease of transport throughout your work environment. Pivoting kickstand increases stability for safely managing the Work Station when at a standstill. The Work Station provides 3 electrical outlets for powering the MF TOUCH or other power tools and includes a 6 foot power cable to power the unit itself.

The top platform is a 14%" square that features extension trays that swing out to hold workpieces and other objects, each tray is 8" x 41/4". These trays are ideal for holding any accessories or other items while operating the Ultramax MF TOUCH. The middle shelf is $12\frac{1}{4}$ " x $12\frac{5}{8}$ " and the bottom shelf measures 15%" x 9¾". The Foredom Mobile Work Station comes assembled, except for the middle shelf.

ULTRAMAX® MF TOUCH Work Station Kit includes:

- MF TOUCH Control Box
- Ultrasonic Handpiece, 36 watts
- BH-60 Brushless Rotary Handpiece
- · Choice of Reciprocating Profiler Handpieces Z-6X or Z-2X
- 3-in-1 MF TOUCH Cabinet (see previous page for specs.
- Foredom Mobile Work Station

- Handpiece rest
- Tool changing wrenches
- 1mm & 3mm flat clamp tool holders
- · 3mm round tool holder
- Variable speed foot rheostat
- Pint of Supreme Green Stoning Oil
- 3-in-1 Consumable Set

A	

Description	Item#	Each
MF TOUCH Work Station Kit with Z-6X	500-0250	\$5,495.00
MF TOUCH Work Station Kit with Z-2X	500-0251	5,495.00
Foredom Mobile Work Station (only)	810-1620	899.00

B. 3-in-1 Consumable Set

Set of polishing supplies for Ultramax MF Complete Packages

This set contains 83 polishing consumables specifically selected for the Ultramax MF 3-in-1 Complete Packages. Provides the full range of abrasive consumables from aggressive polishing and grinding, up to diamond and mirror polishing. Keep your tools in the convenient carrying case or store in the MF metal cabinet.

Includes:

- Diemaker All Grit Stone Set
- Mounted Stone Sampler Set
- New Super Stone All Grit Set
- · Round Ceramic Stone Set
- Finishing Stone Holder
- 6 Grades of Diamond Compound
- · Soft End Brushes
- Hard End Brushes
- Soft Cup Brushes Description 3-in-1 Consumable Set

- Hard Cup Brushes
- · Soft Wheel Brushes
- Hard Wheel Brushes
- Soft Felt Bob Set
- · Hard Felt Bob Set
- · GMX Soft Cylinders
- Diamond Files
- Rockwood & Soft Sticks
- Supreme Green Stoning Oil

Item# Each 500-0234 \$395.00




Accessories for ULTRAMAX® DF, SF, and SF Power UF-9701 Handpiece

Create your own polishing tools by inserting stones and lapping tools into the appropriate steel clamp. Use the M6 (6mm thread) clamp tool holders in the UF-9700 ultrasonic handpiece supplied with ULTRAMAX DF and SF units, and the SF Power UF-9701 handpiece. Not for use with SF Power UF-7401 handpiece (8mm thread). For optimum machine performance, choose a medium clamp tool holder for tools up to 6.35mm in width and a large clamp tool holder for tools up to 15mm in width. Replacement screws are available from stock


See website for 8mm thread accessories for SF Power UF-7401 Handpiece

All drawing measurements are in millimeters













A. 6mm Thread Round Clamp Tool Holder

For round tools

For Dø (Diameter)	Item#	Each
A. 2.0mm round tool	508-3508	\$36.50
2.35mm ($\frac{3}{32}$ ") round tool	508-3509	36.50
3.0mm round tool	508-3512*	36.50
3.3mm (1/8") round tool	508-3516	36.50
4.0mm round tool	508-3520	36.50

^{*}Supplied with ULTRAMAX DF/SF

B. 6mm Thread Medium Clamp Tool Holder

For flat tools up to 6.35mm (1/4") wide

For T (Thickness)	Item#	Each
B. 0.5mm flat tool	508-3495	\$36.50
0.8mm flat tool	508-3500*	36.50
1.0mm flat tool	508-3502*	36.50
1.5mm flat tool	508-3504	36.50
2.0mm flat tool	508-3506	36.50
3.0mm flat tool	508-3510*	36.50
3.3mm (1/8") flat tool	508-3514*	36.50

^{*}Supplied with ULTRAMAX DF/SF

C. 6mm Thread Adjustable Clamp Tool Holder

For flat tools 0.1mm to 8.0mm wide

For T (Thickness)	Item#	Each
0.1mm to 1.5mm thick	508-3522	\$69.50

D. 6mm Thread Large Clamp Tool Holder

For flat tools 6.35mm to 15mm wide

For T (Thickness)	Item#	Each
D. 1.0mm flat tool	508-3503	\$36.50
1.5mm flat tool	508-3505	36.50
2.0mm flat tool	508-3507	36.50
3.0mm flat tool	508-3511	36.50
3.3mm (½") flat tool	508-3515	36.50
4.0mm flat tool	508-3518	36.50

E, F ULTRAMAX® DF/SF Accessories and Replacements

Not for use with SF Power units

	Description	Item#	Each
E.	UF-9700 Handpiece only (6mm thread)	500-0205*	\$1,695.00
	6/4mm Tool Adapter (to hold M4 ultrasonic tools)	508-3342*	13.25
F.	Handpiece Cradle Rest	510-1130*	14.60
	Standard Handpiece Protector Sleeve	500-0208*	12.75
G.	Variable-Speed Foot Rheostat	500-0206	\$149.00

^{*}Supplied with ULTRAMAX DF/SF

Accessories for ULTRAMAX® MF units

Create your own polishing tools by inserting stones and lapping tools into the appropriate steel clamp. Use 6mm thread for the MF handpiece.

A. 6mm Round Tool Holders

For Dø (Diameter)	Item#	Each
2.0mm Round	508-3132	\$32.00
A. 3.0mm Round	508-3133*	32.00
¹ /8" Round	508-3134	32.00

^{*}Supplied with ULTRAMAX MF

B. 6mm Flat Clamp Tool Holders

	For T (Thickness)	Item#	Each
	0.5mm Flat	508-3120	\$32.00
В.	1.0mm Flat	508-3122*	32.00
	2.0mm Flat	508-3124	32.00
	3.0mm Flat	508-3126*	32.00
	½" Flat	508-3128	32.00

^{*}Supplied with ULTRAMAX MF

C. ULTRAMAX® MF Accessories and Replacements

Description	Item#	Each
C. MF Ultrasonic Handpiece	500-0222*	\$510.00
Variable Speed Foot Pedal	500-0221	60.00
50,000 Brushless Rotary Handpiece	500-0224	525.00
6mm to 4mm adapter	508-3114	32.00
Cradle Rest	510-1130*	14.60

^{*}Supplied with ULTRAMAX MF



Accessories for ULTRAMAX® UM-1200 units

Create your own polishing tools by inserting stones and lapping tools into the appropriate steel clamp. Use 8mm thread for the UM-1200 handpiece Important note: Always use bench jig when changing tools or holders to avoid damaging handpiece transducer wires.

D. 8mm Thread Round Tool Holders

For Dø (Diameter)	Item#	Each
1.0mm round tool	500-0134	\$32.00
2.0mm round tool	500-0135	32.00
2.35mm (³ / ₃₂ ") round tool	500-0136	32.00
D. 3.0mm round tool	500-0109 [*]	28.00
1/8" round tool	500-0137	32.00

E. 8mm Thread Flat Clamp Tool Holders

	For T (Thickness)	Item#	Each
	0.5mm flat tool	500-0111	\$28.00
	0.8mm flat tool	500-0131	28.00
E.	1.0mm flat tool	500-0108*	28.00
	2.0mm flat tool	500-0132	28.00
	3.0mm flat tool	500-0110	28.00
	½" flat tool	500-0133	28.00

^{*}Supplied with ULTRAMAX UM-1200

F, G ULTRAMAX® UM-1200 Accessories and Replacements

Description	Item#	Each
F. 8/4mm Tool Adapter (to hold M4 ultrasonic tools)	500-0129	\$35.00
G. Replacement UM-1200 Handpiece, 8mm thread	500-0101*	380.00
Replacement Standard Accessory Set	500-0140*	126.00
Replacement On/Off Foot Switch	500-0107*	45.00
Replacement Handpiece Cradle Rest	510-1130*	14.60

^{*}Supplied with ULTRAMAX UM-1200









ULTRAMAX® Diamond Tools M4 (4mm thread)

All **ULTRAMAX® Diamond Tools** are made to match the resonant frequency of Gesswein ULTRAMAX units. For best results, use only **ULTRAMAX® Diamond Tools**. The manufacturer will not accept any liability for another brand of tools. All measurements in millimeters. All lengths given are cutting lengths. Please check drawings for overall tool dimensions.

 Diamond Tool Color Coding

 Color
 Grit

 Red
 200

 Black
 320


 Blue
 500

 White
 600

- Mount in 6/4mm tool adapter #508-3342 for use with DF, SF
- Use #508-3114 6/4mm tool adapter for MF-ULTRAMAX
- Mount in 8/4mm tool adapter (see #500-0129 p. 465) for use with UM-1200


Mounted Diamond Files - For ULTRAMAX® units

Use these fast-cutting diamond files for intermediate finishing. Excellent for finishing slot sidewalls and flat or curved surfaces. Diamond particles, precision-graded to assure consistency, are electrodeposited on threaded steel shanks.



Flat, 5 x 1 x 40 Grit	Item#	Each
200	508-3206*	\$92.80
320	508-3208*	92.80
600	508-3210	92.80


*Supplied with ULTRAMAX DF/SF




Flat, 4 x 1 Grit	x 15 Item#	Each
200	508-3200	\$66.00
320	508-3202	66.00
600	508-3204	66.00




Chisel, 4 x Grit	0.8-0.5 x 15 Item#	Each
200	508-3362*	\$67.25
320	508-3364*	67.25
600	508-3366	67.25
*Supplied 1	with ULTRAMAX DF/SF	



Three-Square, 3 x 15			
Grit	Item#	Each	
200	508-3212	\$76.00	
320	508-3214	76.00	
600	508-3213	76.00	




Round Ta Grit	Foob	
uni	Item#	Each
200	508-3215	\$59.95
320	508-3217	59.95
600	508-3219	59.95




45° Arm, 1 x 4 x 15			
Grit	Item#	Each	
200	508-3218	\$61.75	
320	508-3220	61.75	
600	508-3222	61.75	

Mounted Diamond Stones – For ULTRAMAX® units


Precision-graded diamond particles throughout, not just on the surface, give these tools long life. Can be shaped with a diamond wheel or file for easy polishing of tapered or deep, narrow slots. Great for intermediate and fine finishing.




Flat, 3 x 1 Grit	x 10 Item#	Each
200	508-3246*	\$97.25
320	508-3248	97.25




Flat, 3 x 1	x 15	
Grit	Item#	Each
200	508-3264	\$88.85
320	508-3266	88.85
500	508-3268	88.85




Flat, 4 x 1	x 10	
Grit	Item#	Each
500	508-3256	\$102.25



Flat, 5 x 1 Grit	Item#	Each
200	508-3258*	\$106.75
320	508-3260	106.75



Flat, 5 x 1	x 15	
Grit	Item#	Each
200	508-3272	\$73.75
320	508-3274	73.75
500	508-3270	73.75



Flat, 6 x 1.5 x 25								
Item#	Each							
508-3276	\$107.75							
508-3278	107.75							
	Item# 508-3276							

A-M Gesswein® Diamond Poli Files – 3mm Shank

Parallel diamond machine files for use in Ultramax Round Tool Holders. All have 3mm shanks. Measure approx. 2" long. Plated ends measure \(^{5}/8\)" long.


	Style	Shape	W x Thick	Grit	Item#	Each
A.	Flat		2 x 1mm	150	240-1120*	\$12.50
В.			3 x 1mm	150	240-1130	12.50
C.			4 x 1mm	150	240-1140	12.50
D.			5 x 2mm	150	240-1150	12.50
Ē.	Three-Square	Δ	2mm	150	240-1520*	12.50
F.			3.5mm	150	240-1535	12.50
G.			4.5mm	150	240-1545	12.50
Н.	Crossing	**************************************	2 x 1mm	150	240-1410*	12.50
Ī.	Round	0	1mm	150	240-1310	12.50
J.			2mm	150	240-1320*	12.50
K.			3mm	150	240-1330	12.50
L.	Flat		4 x 1mm	150	240-1230*	12.50
M.	Knife	The state of the s	4 x 1mm	150	240-1610*	12.50
*6	-Piece Set (one of	each asterisk	ed item)		240-1706	71.00
12	-Piece Set (one of	f each except	#240-1150)		240-1712	142.00



N-Q Gesswein® Tapered Diamond Poli Files - 3mm Shank

Tapered diamond machine files for use in Ultramax Round Tool Holders. All have 3mm shanks. Plated ends measure 15mm ($^{19}/_{32}$ ") long with 1.4–0.3mm taper.

Style	Size (mm)	200 grit Item#	400 grit Item#	600 grit Item#	Each
N. Flat	3 x 56	241-0814	241-0815	241-0816	\$12.50
0.	6 x 56	241-0817	241-0818	241-0819	13.75
P.	3 x 72	241-0820	241-0821	241-0822	12.50
Q.	6 x 72	241-0823	241-0824	241-0825	13.75
				Item#	Each
12-Piece Set (or	ne of each)			241-0813	\$149.75



R. ULTRAMAX® UM-1200 Sintered Diamond Machine Files - 3mm Shank

Feature solid diamond portion that measures 20mm (approx. 3/4") long x 1.5mm thick. Shape to reach tight areas. Have 3mm shanks. Use with proper tool holder (500-0109 see p. 465).

6 x 72mm	500-0126*	500-0127*	500-0128	\$49.95
Size	200 grit	400 grit	600 grit	Each
(W x L)	Item#	Item#	Item#	

^{*}Supplied with ULTRAMAX UM-1200.



S. SUPER Ceramic Diamond Stones

SUPER Ceramic Diamond (SCD) Stones combine ceramic fibers with multiple layers of evenly distributed diamond particles to ensure continuous cutting action. SCD Stones will cut and polish flat to a surface, allowing fast and accurate polishing in open areas. SCD Stones are perfect for polishing ribs, hard-to-reach slots and sidewalls, and milled or EDM flat surfaces. Their strong, durable ceramic fiber construction makes them ideal for use in ultrasonic polishers and mechanical profilers or by hand. Available in flat and round shapes in four color-coded grits.

Style	Size (mm)	Black 200 Grit Item#	Gray 400 Grit Item#	Green 600 Grit Item#	Aqua 800 Grit Item#	EAC 1-4	H Prices* 5+
Flat	1 x 2 x 100	351-0797	351-0798	351-0799	351-0815	\$16.50	\$14.85
	1 x 4 x 100	351-0800	351-0801	351-0802	351-0816	28.00	25.20
	1 x 6 x 100	351-0803	351-0804	351-0805	351-0817	42.00	37.80
	1 x 10 x 100	351-0806	351-0807	351-0808	351-0818	56.00	50.40
Round	3 x 50	351-0809	351-0810	351-0811	351-0819	40.00	36.00
	3 x 100	351-0812	351-0813	351-0814	351-0820	85.00	76.50

^{*}Quantity discount for orders of one item number only; not assorted.



>NEW Super Stone

Ceramic Stones *strong yet incredibly flexible!*

New Super Stone (NSS) offers an improved cutting ability, increased heat resistance, and longer life. Made of long ceramic fibers that will not break even under the most strenuous conditions, the NSS can be used in ultrasonic polishers, reciprocating profilers, or by hand (see Ceramic Stone Holders on p. 469).

These strong yet flexible stones are ideal for polishing small intricate areas on all types of metals producing consistent and uniform surface finishes. NSS is non-loading and can be shaped with the Super Dresser #351-0300 (see p. 26). Available in 9 easy to identify color coded grits from 80 to 1200. Made in Japan.

For our selection of Cristone Ceramic Stones see p. 27.

FLAT Stones

	AI Stones											
	Dimensions mm)	Violet 80 Grit Item#	Emerald 120 Grit Item#	Gold 180 Grit Item#	Lt. Brown 300 Grit Item#	Orange 400 Grit Item#	Gray 600 Grit Item#	Blue 800 Grit Item#	White 1000 Grit Item#	Red 1200 Grit Item#	EACH 1-4	Prices* 5+
0	.5 x 1 x 100	355-0001	355-0101	355-0201	355-0401	355-0501	355-0601	355-0701	355-0801	355-0901	\$9.95	\$8.96
0	.5 x 2 x 100	355-0002	355-0102	355-0202	355-0402	355-0502	355-0602	355-0702	355-0802	355-0902	13.50	12.15
	.5 x 4 x 100	355-0003	355-0103	355-0203	355-0403	355-0503	355-0603	355-0703	355-0803	355-0903	20.90	18.81
	.5 x 6 x 100	355-0004	355-0104	355-0204	355-0404	355-0504	355-0604	355-0704	355-0804	355-0904	31.45	28.31
0	.5 x 10 x 100	355-0005	355-0105	355-0205	355-0405	355-0505	355-0605	355-0705	355-0805	355-0905	41.25	37.13
	.8 x 4 x 100	355-0008	355-0108	355-0208	355-0408	355-0508	355-0608	355-0708	355-0808	355-0908	20.90	18.81
	.8 x 6 x 100	355-0009	355-0109	355-0209	355-0409	355-0509	355-0609	355-0709	355-0809	355-0909	31.45	28.31
	.8 x 10 x 100	355-0010	355-0110	355-0210	355-0410	355-0510	355-0610	355-0710	355-0810	355-0910	41.25	37.13
1	x 1 x 100	355-0011	355-0111	355-0211	355-0411	355-0511	355-0611	355-0711	355-0811	355-0911	9.95	8.96
1	x 2 x 100	355-0012	355-0112	355-0212	355-0412	355-0512	355-0612	355-0712	355-0812	355-0912	12.00	10.80
	x 4 x 100	355-0013	355-0113ª	355-0213 ^a	355-0413ª	355-0513	355-0613	355-0713ª	355-0813	355-0913 ^a	20.90	18.81
	x 6 x 100	355-0014	355-0114	355-0214	355-0414 ^a	355-0514ª	355-0614 ^a	355-0714 ^a	355-0814 ^a	355-0914	31.45	28.31
1	x 10 x 100	355-0015	355-0115	355-0215	355-0415	355-0515	355-0615	355-0715	355-0815	355-0915	41.25	37.13
	.5 x 4 x 100	355-0018	355-0118	355-0218	355-0418	355-0518	355-0618	355-0718	355-0818	355-0918	31.25	28.13
	.5 x 6 x 100	355-0019	355-0119	355-0219	355-0419	355-0519	355-0619	355-0719	355-0819	355-0919	47.30	42.57
1	.5 x 10 x 100	355-0020	355-0120	355-0220	355-0420	355-0520	355-0620	355-0720	355-0820	355-0920	62.45	56.21
	x 4 x 100	355-0023	355-0123	355-0223	355-0423	355-0523	355-0623	355-0723	355-0823	355-0923	41.25	37.13
	x 6 x 100	355-0024	355-0124	355-0224	355-0424	355-0524	355-0624	355-0724	355-0824	355-0924	62.90	56.61
2	x 10 x 100	355-0025	355-0125	355-0225	355-0425	355-0525	355-0625	355-0725	355-0825	355-0925	82.50	74.25

^{*}Quantity discount for orders of one item number only; not assorted. | ^aSee Stone & Holder Sets; next page



- Non-clogging—beautiful polishing results on all metals
- Available in any dimensions in flat/round profiles
- Incredible strength and flexibility
- Color coded—easy to identifyAvailable in grits 120 to 1200
- Improved heat resistance
- Great cutting power
- Very long life



ROUND Stones

Dimensions (mm)	Violet 80 Grit Item#	Emerald 120 Grit Item#	Gold 180 Grit Item#	Lt. Brown 300 Grit Item#	Orange 400 Grit Item#	Gray 600 Grit Item#	Blue 800 Grit Item#	White 1000 Grit Item#	Red 1200 Grit Item#	EACH P	rices* 5+
2.35 x 50mm ○	355-0031	355-0131	355-0231	355-0431	355-0531	355-0631	355-0731	355-0831	355-0931	\$18.50	\$16.65
2.35 x 100mm	355-0032	355-0132	355-0232	355-0432	355-0532	355-0632	355-0732	355-0832	355-0932	39.00	35.10
3 x 50mm	355-0034	355-0134	355-0234 ^b	355-0434 ^b	355-0534	355-0634 ^b	355-0734 ^b	355-0834	355-0934 ^b	20.45	18.41
3 x 100mm	355-0035	355-0135	355-0235	355-0435	355-0535	355-0635	355-0735	355-0835	355-0935	39.50	35.55
3.175 x 50mm	355-0037	355-0137	355-0237	355-0437	355-0537	355-0637	355-0737	355-0837	355-0937	23.50	21.15
3.175 x 100mm	355-0038	355-0138	355-0238	355-0438	355-0538	355-0638	355-0738	355-0838	355-0938	40.00	36.00

SQUARE Stones

Dimensions (mm)	Violet 80 Grit Item#	Emerald 120 Grit Item#	Gold 180 Grit Item#	Lt. Brown 300 Grit Item#	Orange 400 Grit Item#	Gray 600 Grit Item#	Blue 800 Grit Item#	White 1000 Grit Item#	Red 1200 Grit Item#	EACH P	rices* 5+
0.5 x 0.5 x 50mm	355-0041	355-0141	355-0241 ^c	355-0441	355-0541 ^c	355-0641	355-0741 ^c	355-0841	355-0941°	\$7.00	\$6.30
0.9 x 0.9 x 50mm	355-0043	355-0143	355-0243 ^d	355-0443	355-0543 ^d	355-0643	355-0743 ^d	355-0843	355-0943 ^d	7.00	6.30

PRECUT Stones - For Ultrasonic Handpieces

Dimensions (mm)	Violet 80 Grit Item#	Emerald 120 Grit Item#	Gold 180 Grit Item#	Lt. Brown 300 Grit Item#	Orange 400 Grit Item#	Gray 600 Grit Item#	Blue 800 Grit Item#	White 1000 Grit Item#	Red 1200 Grit Item#	EACH P	Prices* 5+
0.8 x 4 x 40	355-0060	355-0160	355-0260	355-0460	355-0560	355-0660	355-0760	355-0860	355-0960	\$9.95	\$8.96
0.8 x 6 x 40	355-0061	355-0161	355-0261	355-0461	355-0561	355-0661	355-0761	355-0861	355-0961	16.65	14.99
1 x 4 x 40	355-0065	355-0165	355-0265	355-0465	355-0565	355-0665	355-0765	355-0865	355-0965	9.95	8.96
1 x 6 x 40	355-0066	355-0166	355-0266	355-0466	355-0566	355-0666	355-0766	355-0866	355-0966	16.10	14.49

^{*}Quantity discount for orders of one item number only; not assorted. \mid $^{b-d}$ See Stone & Holder Sets below

STONE & HOLDER Sets

Web Site Orders 24/7: gesswein.com

Set	Contents 0.	9mm x 0.9mm —	Item#	Each
a. Flat set, 100mm	10 stones + 2 holders: 1 x 4 x 100 (120, 180, 300, 800, 1200 grit)		355-1100	\$199.00
a. Flat Set, 100111111	1 x 6 x 100 (300, 400, 600, 800, 1000 grit)		333-1100	Ψ199.UU
b. Round set	5 stones + holder: 3x50mm (180, 300, 600, 800, 1200 grit)	36	355-1103	89.00
c. Square set, .5mm	4 stones + holder: 0.5 x 0.5 x 50mm (180, 400, 800, 1200 grit)		355-1105	37.00
d. Square set, .9mm	4 stones + holder: 0.9x0.9x50mm (180, 400, 800, 1200 grit)		355-1109	37.00
e. Square set, 40mm	9 stones: 1 x 4 x 40mm (all 9 grits) or (80, 120,180, 300, 400, 600, 800, 1000, 1200 grit)		355-0099	79.95



A. Finger Guard Safety Tape

Made of surgical-grade gauze coated with natural latex rubber. Sticks only to itself – not to your skin, hair or clothing. Ideal skin protection for grinding and buffing. Length 90 feet.

Description	Item#	Each
Safety Tape, ³ / ₄ " Green roll	816-0203	\$2.10
Safety Tape, ³ / ₄ " pkg. of 16 rolls	816-0202	32.50
Safety Tape, 1" Green roll	816-0199	3.05
Safety Tape, 1" pkg. of 12 rolls	816-0198	34.90



B. 3M[®] Vetrap[™] Bandage Tape

This easy-to-use flexible tape wraps securely around fingers. Stays comfortable and cool, helping maintain your sense of touch. Available in four colors. Sold in 15'L x 2"W rolls.

		EACH Prices			
Description	Item#	1-4	5-17	18+	
Blue Roll	816-0214	\$2.45	\$2.33	\$1.96	
Green Roll	816-0215	2.45	2.33	1.96	
Red Roll	816-0217	2.45	2.33	1.96	
White Roll	816-0218	2.45	2.33	1.96	



C. Leather Finger Cots - USA

Protect fingers during polishing operations. Made of soft leather for a comfortable fit. Available in three sizes: small/medium for ladies' fingers, medium/large for men's fingers and large for men's thumbs and large fingers. Also available with an elastic back for a secure fit on any finger size. Sold in multiples of 10 and money-saving boxes of 1,000.

Description	Dimensions (L x W)	Item# Opc	EACH 10-90	Prices 100+	Item#	BOX of 1,000				
Small/Med. Cots	2 ¹ / ₄ " x 1"	816-0205	\$0.79	\$0.71	816-0206	\$615.00				
10-piece minimum; please order in multiples of 10.										
	Dimensions		EACH	Prices		Box of				
Description	(L x W)	Item#	1-99	100+	Item#	1,000				
Med./Large Cots	3" x 1 ¹ / ₂ "	816-0190	\$2.80	\$2.52	816-0195	\$2,187.50				
Large Thumb Cots**	2 ¹ / ₂ " x 2"	816-0186	1.69	1.52	816-0187	1,312.50				
Elastic-Back Cots	2 ³ / ₄ " x 1 ³ / ₄ "	816-0188	2.78	2.50	816-0189	1,950.00				

** Slightly stiffer leather.





D-G Leather Finger and Thumb Guards

These thick guards offer greatest protection from compounds, abrasives and heat. Available in suede or grain (smoother surface) leather all with elastic cloth back for a comfortable fit. Thumb guard available in over end style. Finger guards available in open, super (open with more leather covering the side of the finger) and closed end styles.

					EACH	1 Prices
	Descriptio	n Style	Type	Item#	10-90	100+
D.	Finger	Open	Suede	816-0201	\$0.88	\$0.79
E.	Finger	Super	Suede	816-0200	1.29	1.16
F.	Finger	Closed	Grain	816-0197	1.43	1.29
G.	Thumb	Over End	Grain	816-0196	1.54	1.39

10-piece minimum; please order in multiples of 10.

A. Rubber Finger Guards

Superior guards for sure grip and extra-long life. Ventilated for comfort. Protect fingers while polishing and handling workpieces. Sold by the dozen.

			DOZEN Prices			
Description	Style	Item#	1-5	6-11	12+	
Small Guards	11	816-0220	\$8.45	\$7.61	\$7.18	
Medium Guards	12	816-0225	8.45	7.61	7.18	
Large Guards	13	816-0230	8.45	7.61	7.18	
X-Large Guards	14	816-0235	8.45	7.61	7.18	










B, **C** Latex Finger Cots

Powder-free, antistatic latex finger cots in white or pink for protection from mild chemicals. Available in small, medium and large. Sold by the gross or bulk pack of 1440pcs.

		WHITE	GROS	S Prices	PINK	GROS	S Prices
De	scription	Item#	1-2	3+	Item#	1-2	3+
B.	Small	816-0250	\$4.95	\$4.70	816-0255	\$5.25	\$4.99
	Medium	816-0251	4.95	4.70	816-0256	5.25	4.99
	Large	816-0252	4.95	4.70	816-0257	5.25	4.99
		WHITE		Box of	PINK		BOX of
De	scription	Item#		1440	Item#		1440
C.	Small	816-0260		\$29.95	816-0265		\$31.45
	Medium	816-0261		29.95	816-0266		31.45
	Large	816-0262		29.95	816-0267		31.45



D. Orange Finger Cots

Premium finger cots feature a roughened surface that provides better gripping and anti-slipping. Durable to provide excellent finger protection. Prevents transfer of fingerprints, sweat and other contaminants to the work piece. The bright orange color makes for easy recognition on your bench. Offered in convenient 10 packs or bulk packs of 100.

	PKG. of				
Description	Item#	1-2	3+	Item#	100
D. Small	816-0270	\$4.50	\$4.28	816-0275	\$24.50
Medium	816-0271	4.50	4.28	816-0276	24.50
Large	816-0272	4.50	4.28	816-0277	24.50



E. PR-88 Hand Protectant

This glycerine-based compound prevents grease and grime from penetrating your skin. Apply before working to form an invisible shield that lasts for hours. Removes easily with soap and water.

Description	Item#	Each
3.5 oz. Tin	812-0490	\$7.95
·		













A. MicroFlex® UltraSense™ Powder-Free Nitrile Glove The alternative to latex!

Powder-free UltraSense is a breakthrough in nitrile technology, providing the fit and feel of latex while eliminating the possibility of natural rubber latex allergic reaction. Provides reliable barrier protection against many hazardous and infectious substances. Highly elastic for easy conformance and reduced fatigue. Textured fingertips offer excellent grip in wet or dry conditions. Ambidextrous. Beaded cuff. Polymer-coated for easy donning. Length: 245mm (95%"). Thicknesses: 5.1mil finger, 3.5mil palm. Color: blue. Sold in dispenser box of 100.

Size	Item#	BOX of 100
Small	805-1072	\$24.75
Medium	805-1071	24.75
Large	805-1070	24.75

B. MicroFlex® NeoPro® EC Glove — Ideal for rhodium plating!

Exceptional comfort in a tough synthetic glove. NeoPro EC offers the barrier protection of a synthetic with the comfort, fit and feel of natural rubber latex. Offers 90% more puncture resistance than natural rubber latex. Resists a broad range of chemicals. Ideal for rhodium plating, electrocleaning and most other plating operations. Textured fingertips provide a secure grip. Extended, beaded cuff guards against splashes and spills. Made of polychloroprene, the generic name for neoprene. Ambidextrous. Powder-free and polymer-coated for easy donning. Length: 300mm (11.8"). Thicknesses: 8.3mil finger, 6.3mil palm, 4.7mil cuff. Color: green. Sold in dispenser box of 50.

Size	Item#	BOX of 50
Small	805-1052	\$26.75
Medium	805-1051	26.75
Large	805-1050	26.75

C. Latex Gloves

Disposable latex gloves for everyday use. Prevent skin problems that arise from chemical reactions caused by constant exposure to soaps, solvents and other mild chemicals. Powdered to go on and off easily. Available in small, medium and large sizes. Sold in boxes of 100.

Size	Item#	BOX of 100
Small	805-1043	\$14.95
Medium	805-1041	14.95
Large	805-1042	13.95

D. Heat-Resistant Gloves with Aluminized Back

Gloves are manufactured from 22 oz. basket-weave fiber blended with fiberglass. Aluminized back protects against radiant heat while wool lining protects against contact heat. Specially designed for better cooling, comfort and safety. Gloves have been used in temperatures up to 800°F for brief contact. Wide cuff openings allow gloves to be dropped with the flick of the wrist in case of excess heat buildup. Measure 14" long.

Description	Item#	Each
Heat-Resistant Gloves, pair	816-1020	\$53.95

E, F Heat-Resistant Gloves

For safe, easy handling of hot objects. Gloves are fully lined with black felt and manufactured from 22 oz. basket-weave fiber blended with fiberglass. Ideal for use in temperatures up to 1,000°F for brief contact. Extra-wide cuff openings allow gloves to be dropped with a flick of the wrist in case of molten splash or excess heat buildup.

	Description	Item#	Each
E.	14" Gloves, pair	816-1015	\$41.95
F.	23" Gloves, pair	816-1016	76.50

A. Neoprene Apron

Heavy-duty double-coated yellow neoprene apron for broad-spectrum protection from a wide range of chemicals, including acids, caustics and solvents. Features extra-long neck and waist ties. Measures 35"W x 45"L. Weighs 12½ oz. Recyclable.

	Description	Item#	Each
A.	Neoprene Apron	827-1509	29.95



Protects clothing and holds most frequently used tools close at hand. Includes extra-long waist strings for front tying. Made of machine washable heavyweight cotton. Available with or without pockets. Comes in royal blue with our white, screen-printed Gesswein logo. Measures 18½"W x 25"L. Made in USA.

	Description	Item#	Each
B.	Bib Apron with pockets	827-1201	\$19.99
	Bib Apron without pockets	827-1200	17.95



This durable, comfortable apron protects clothing while you work with power equipment and hand tools. Has no pockets in which debris can be trapped. Made of tanned, split, rust-colored heavyweight suede. Includes adjustable ties with brass grommet reinforcements. One size fits all. Measures 24"W x 36"L.

Description	Item#	Each
Suede Bib Apron	827-1507	\$32.00

D. Fire-Resistant Apron

Made of fire-resistant fabric ideal for welding applications. Features fullcoverage design for protection of neck, chest and lap, small chest pocket, large waist pocket, bottom flap for catching runaway parts, comfortable neck band and extra-long waist strings for front tying. Comes in navy blue. One size fits all. Measures 27"W x 36"L.

Description	Item#	Each
Fire-Resistant Apron	827-1508	\$27.80

E. Lab Coat

Full-length coat with long sleeves, notched lapel, hemmed cuffs and bottom. Includes two breast pockets, two hip pockets and reinforced side slit for easy access to inside pocket. Made of permanent-press, washable polyester/ cotton blend. Comes in white with royal blue embroidered Gesswein logo. Can be burned to reclaim precious metals. Made in USA.

	Description	Fits Sizes	Item#	Each
	Small Men's Coat	36–38	827-1500	\$58.50
Ē.	Medium Men's Coat	40–44	827-1501	58.50

F. Klear-Vue Safety Shield

Sturdy, crystal-clear plastic shield almost \(^3\/_8\)" thick. Protects you from flying debris while you work at the bench. Has cutouts for your wrists that allow you to hold your hands and tools at a normal working angle. More comfortable and convenient than a grinding box—use when gold containment is not a factor. Provides an extra barrier that protects face, neck and clothing from dust and dirt kicked up by abrasive wheels, polishing compounds and more. Does not eliminate the need for safety glasses. Measures 7"W x $6^{1/8}$ "D x $9^{7/8}$ "H.

Description	Item#	Each
Klear-Vue Safety Shield	857-1000	\$82.00















A. 3M™ Half-Facepiece Respirator

Protects you from dusts, mists and airborne contaminants. NIOSH rated N95 for protection from respirable silica (in investment, quartz, tripoli and more). Also suitable for rhodium plating. Features a soft, pliable silicone face seal for a secure, gapless fit on most every face shape. Extremely comfortable to wear, especially for extended periods of use. Roomy nose chamber and special 3M Cool Flow valve ensure easy natural breathing while reducing heat and condensation in the facepiece. Complete respirator includes facepiece, two deluxe cartridges, two deluxe prefilters and two retainer rings. NIOSH approved.

Description	Item#	Each
Half-Facepiece Respirator	805-1035	\$51.40
Replacement Deluxe Cartridges, pair	805-1036	15.80
Replacement Deluxe Prefilters, pair	805-1037	4.20
Replacement Retainer Rings, pair	805-1038	5.50



B-D 3M[™] Disposable Particulate Respirators

Classic disposable N95 particulate respirator designed to help provide comfortable and protection against certain non-oil based particles. Features Advanced Electrostatic Media, welded strap attachment, soft nose foam, and an adjustable noseclip to help ensure a custom and secure seal. Disposable N95 particulate flatfold respirator features soft inner material and $3M^{\text{TM}}$ Cool Flow Valve to provide comfortable, reliable respiratory protection. Ideally suited for work situations involving heat, humidity, or long periods of wear.

Economical N95 disposable *particulate welding* respirator provides respiratory protection for applications where metal fumes may be present. Features 3M[™] Cool Flow[™] Valve, braided headband and adjustable M-noseclip providing a custom and secure seal, an economical option for welders.

		G <i>P</i>	ASE Prices
Description	Item#	1-2	3+
B. Particulate, 20 per case	805-0995	\$19.60	\$18.62
C. Particulate Flatfold, 10 per case	805-0997	22.20	21.09
D. Particulate Welding, 10 per case	805-0999	32.75	31.11



E. Disposable Face Mask with Anti-fog Shield

Protect against airborne particles, mists and fluid splashes with our disposable face mask. Inner and outer facings offer a soft protection barrier while assuring comfort and breathability.

Wraparound eye shield protects against particle. Full-width nose piece provides a custom fit. It is comfortable and fits a wide range of wearers. Lightweight, elastic earloop mask is easy to put on and remove. Filters particulate matter at 99% efficiency

	Description	Item#	Each
1	Disposable Face Mask with Anti-fog Shield, pkg. of 25	805-0998	\$19.95



These soft foam tapered plugs fit easily and securely in the ear. Made of hypoallergenic material. Have noise reduction rating of 29 dB when used as directed. Connected by a braided plastic cord that prevents loss. Easy to carry and handy to have for visitors who might be exposed to loud noise. Sold in packages of 10 pairs and boxes of 100 pairs (each pair is individually packaged for cleanliness).

Item#	
805-1061	\$3.15
805-1060	31.80
	805-1061





A. Face Shield — Complete protection with excellent optics.

Lightweight plastic shield for full face and neck protection while grinding, drilling or polishing. Can be worn over dust masks, respirators and glasses. Features pivoting visor for easy raising and lowering, molded visor edge for reinforcement, cushioned vinyl comfort band and adjustable headbands. Visor measures 8"L x 12"W x .040" thick. Does not eliminate need for safety glasses.

Description	Item#	Each
A. Face Shield	270-0210	\$21.00
Replacement Visor	270-0212	6.95
Replacement Vinyl Sweatband	270-0214	3.50



B. Safety Glasses

Comfortable, lightweight safety glasses with high-impact plastic lenses for full eye protection when drilling, polishing and more. One size fits all. Meet ANSI Z87.1 requirements.

Description	Item#	Each
Safety Glasses	270-0205	\$4.30



C. Aspen Safety Glasses

Our Aspen Safety Glasses provide eye protection against most common eye hazards of polishing and benchwork except for severe impacts. Feature polycarbonate lenses, browbar and side shields. Also offer UV protection. Meet ANSI Z87.1 requirements.

Description	Frame	Item#	Each
Aspen Safety Glasses	Clear plastic	270-0123	\$11.15



D. Panaspec Plus Safety Glasses

Feature impact-resistant clear polycarbonate lenses in polycarbonate frames that provide eye protection against most common eye hazards of benchwork, polishing and more. Side panels and browbar help provide protection from the side and from above the eve. Meet ANSI Z87.1 requirements.

Description	Item#	Each
D. Panaspec Plus Safety Glasses	270-0102	7.25
Replacement Lens (clear)	270-0112	3.60



E. Safety Goggles

A must for polishing, buffing and grinding. Comfortable and lightweight, they easily fit over glasses. Have polycarbonate lens. The sides and top are perforated to reduce fogging. One size fits all. Meet ANSI Z87.1 requirements.

		EACH	Prices
Description	Item#	1-2	3+
Safety Goggles	270-0200	\$9.50	\$9.03



F. Bausch & Lomb® Eye Wash

This eye irrigating solution flushes away foreign particles, chlorine and other eye irritants. Gently cleanses and soothes irritated eyes. Keep on hand for eye emergencies. Includes sterile eye wash cup. Sold in 4 oz. dropper bottles.

Description	scription Item#	
Eye Wash	272-1002	\$5.99







See page 478 for more Sandblasting Medias.





A. Benchtop Sandblaster - Dual Entry

Compact unit with solid molded construction for eliminating annoying leaks, large viewing glass, adjustable pressure regulator and self-cleaning nozzle with replaceable orifice. Has left-hand and right-hand heavy-duty rubber gloves and foot pedal blast control. It sits comfortably atop the workbench and can be easily moved when not in use. Holds and recirculates coarse or fine media, including matte sand, crushed ruby or glass beads (see p. 478). Includes two replacement ceramic orifices, internal light bulb and 5 lbs. Quartz abrasive.

Specifications:

Media Capacity: 5 lbs.

25-100 PSI at 2.4 CFM Air requirement: Dimensions: 11¹/₂"W x 12"D x 18"H

Ship. Wt.: 18 lbs.

	Description	Electrical	Item#	Each
A.	Dual Sandblaster	110V, 50/60Hz	854-0060	\$560.00
		220V, 50/60Hz	854-0065	575.00
	Replacement Viewing	Panel (no hardware)	854-0056	36.50
	Replacement Nozzle A (two ceramic orifices a	ssembly Kit and two setscrews)	854-0057	39.25
	Replacement Gloves, p	oair	854-1278	11.75

B. Wide View Sandblaster – Dual Entry

This compact unit provides all the features you've wanted in a sandblaster: crystal-clear acrylic cabinet lets in plenty of light for easy viewing of work in progress; large lid opens wide to accommodate big pieces and is lined with replaceable Protective Shield to prevent frosting; pivoting nozzle adjusts to differently sized pieces; on/off switch located inside the cabinet offers quick flow control; rear-mounted air filter eliminates clump-causing moisture and includes a quick-disconnect fitting for your air hose; integral dust filter and lid gasket keep hazardous dust out of the workplace; and metal grate holds pieces above the abrasive media. Permits two-handed operation for easy working. Holds and recirculates coarse through fine media, including matte sand, crushed ruby or glass beads (see p. 478). Imported.

Specifications:

Media Capacity: 5 lbs. 42-70 PSI Air Requirement:

Dimensions: 19"W x 17"D x 16"H

Ship. Wt.: 19 lbs.

	Description	Item#	Each
B.	Wide View Sandblaster	854-0080	\$555.00
	Replacement Protective Shield	854-0081	16.95
	Replacement Gloves	854-0082	13.00

C. Crushed Ruby

Synthetic ruby crushed to a 212-300 micron range for imparting a unique matte finish with a subtle sparkle. Provides best results with 60-80 PSI of air pressure. Cannot be used with Microetcher due to micron size. Sold in 5 lb. package.

Description	Micron	Item#	Each
Crushed Ruby, 5 lbs.	212-300	854-1297	\$149.00

A, B Power Sandblaster #20

Our heavy-duty Power Sandblaster #20 features 6 CFM gun for fast, powerful blasting and large front-opening door and work chamber for accommodating large or multiple parts. Holds and recirculates 20 lbs. of abrasive media sold separately (see p. 478). Removes fine dust particles via a built-in dust collector with easily replaceable filter for safe, efficient, clean operation. Requires 1 1/2 HP air compressor.

Can be mounted on a bench or an optional stand at a comfortable working height. Accepts optional pencil gun attachment with 1/16" orifice and optional 12 CFM gun jet for double the blasting power (requires 3 HP air compressor). Made in USA.

Features:

- 14-gauge welded steel construction
- Heavyweight rubber gloves
- Dust collection system
- Fluorescent light
- Double-laminated safety viewing glass
- 6 CFM tungsten carbide nozzle and jet
- Trapdoor for easy media change
- Pressure regulator and gauge
- Safety foot valve blasting control

Specifications:

Airflow: 6 CFM (12 CFM with optional gun jet)

Dimensions:

Overall: 21"W x 18¹/₂"D x 38¹/₂"H 20"W x 18"D x 18"H Inside: Door Opening: 20"W x 15"H Viewing Glass: 18"W x 10"H **Dust Collector:** 15" dia. x 24"H

165 lbs. Ship. Wt.:

	Description		Electrical	Item#	Each
A.	Sandblaster #20	5	115V, 1 Ph, 60Hz	854-0015	\$740.00
		<u></u>	230V, 1 Ph, 50/60Hz	854-0016	1,250.00
B.	Optional Stand with	Swing	g-Out Shelf 🟳	854-0025	225.00
	Optional Pencil Gur	n Attac	hment	854-0035	195.00
	Optional 12 CFM G	iun Jet		854-0034	18.75
	Replacement 24" G	Gloves,	pair	854-0040	36.00
	Replacement Dust	Filter		854-0036	18.00
	Replacement Viewin	ng Glas	ss Shields, pkg. of 10	854-0038	6.50



C. Microetcher™ Model E

A reliable, precise miniature tool designed for jewelers. Small in size yet powerful enough for devesting castings, removing oxides, etching, texturing, preparing surfaces for soldering, creating matte surface finishes and detailing, especially in tight areas. Features a ½" diameter handpiece with tungsten carbide tip, extra-flexible 6' air line and sensitive finger control valve for precise on/off action. Use a Prefilter/Coalescing Filter #850-7353 (see p. 248) for your compressed air line to prevent moisture from entering the media reservoir and clogging the sandblaster. Recommended for use with Aluminum Oxide #854-1294, Jet Brite Glass Beads #810-1200 or Glass Beads #854-1291 (see p. 478). Requires 60–100 PSI air supply.

- Handpiece with replaceable 0.048" carbide tip
- Push-button finger control valve
- Abrasive reservoir with two guick-switch interchangeable jars for rapid media change.
- 6' flexible air line with fittings

Description	Item#	Each
Microetcher Model E	854-1283	Call for Pricing



Sandblasting Medias

Sandblasting abrasive medias have many different applications, including cleaning, peening metal, removing investment from cast parts, removing imperfections, blending surfaces, deburring, finishing, decorating and descaling. Work is cleaned, deburred, decorated and cold-worked without etching, removing surface details or leaving undesirable residues.



A. Aluminum Oxide

Aluminum oxide, 90 micron, tan in color. Allows rapid removal of oxides, scales, cements, resins and investment. Excellent for soldering and preparing metallic surfaces for bonding. Can be used in any sandblaster. Sold in 1 lb. package.

			EAU	H Prices
Description	Micron	Item#	1-4	5+
Aluminum Oxide, 1 lb.	90	854-1294	\$21.30	\$18.11





B. Matte Sand

Graded aluminum oxide in a 300–350 micron range for imparting a beautiful matte finish coarser than glass beads and slightly finer than crushed ruby. Produces a finish similar to the traditional quartz abrasive but contains no silica. Yields best results with 50–80 PSI of air pressure. Cannot be used with Microetcher due to micron size. Sold in 5 lb. package.

			EAU	H Prices
Description	Micron	Item#	1-4	5+
Matte Sand, 5 lbs.	300-350	854-1298	\$42.50	\$40.38





C. Crushed Ruby

Synthetic ruby crushed to a 212–300 micron range for imparting a unique matte finish with a subtle sparkle. Provides best results with 60–80 PSI of air pressure. Cannot be used with Microetcher due to micron size. Sold in 5 lb. package.

Description	Micron	Item#	Each
Crushed Ruby, 5 lbs.	212-300	854-1297	\$149.00





D. Jet Brite Glass Beads

Glass beads in the 50–105 micron range coated with silicone to repel moisture. Stay separated to prevent clogging of sandblaster. Impart an attractive satin-blasted finish. Can be used with any sandblaster. Air pressure must be kept under 45 lbs. to obtain best results and prevent beads from shattering. Sold in 5 lb. package.

			EAU	H Prices
Description	Micron	Item#	1-4	5+
Jet Brite Glass Beads, 5 lbs.	50-105	810-1200	\$34.00	\$32.30





E. Glass Beads

Glass beads, 100 micron. Actual round beads, not cupels (oval-shaped beads with seams that crack easily), so they cost less in the long run. Impart an attractive satin-blasted finish. Can be used with any sandblaster. Air pressure must be kept under 45 lbs. to obtain best results and prevent beads from shattering. Sold in 5 and 25 lb. packages.

Description	Micron	Item#	Each
Glass Beads, 5 lbs.	100	854-1291	\$18.50
Glass Beads, 25 lbs.	100	854-1292	69.95

EACH Drices

A. SilentAire Compressor – Quiet yet powerful!

The Val-Air is a premium value model with cast aluminum lid with cooling fins for improved ventilation and Filter-Regulator with auto-drain feature and condensate bottle. With a coalescent filter to 0.01 micron.

Sil-Air is the same without the aluminum lid with cooling fins or coalescent filter.

Both versions feature powerful 1/2 HP motors which provide over 2 CFM of air. They can handle up to 10 large Wax Injectors and are fully automatic. Both make about as much noise as a refrigerator, so you can work without distraction. Both measure 14" dia. x 22"H. Weigh 58 lbs. May require additional filter at the air tool to eliminate condensation that can form in very long airlines. Accepts 1/4" male fittings. 220V units also available. See website for details. Made in Italy.

Features:	Specifications:
-----------	-----------------

reatures:		Specifications:		
 Tank and line pressure gauge 		Motor	1/2 H	IP
 Line pressure regulator 		Max. Pressure	114 F	PSI
 Moisture trap and filter 		Tank Capacity	4 gals	3.
 Safety valve 		Displacement	2.15 CFM	
 Air-intake filter 		Noise Level	40 dE	3
Description	F0B	Electrical	Item#	Each
A. SilentAire Val-Air Compressor	CT	110V	265-3100	\$1,245.00
SilentAire Val-Air Compressor	TX	110V	265-3101	1,225.00
SilentAire Sil-Air Compressor	TX	110V	265-3095	1,045.00
SilentAire Sil-Air Compressor	CT	110V	265-3094	1,065.00
Replacement Oil, 22 oz.			265-3103	27.00



B. Oil-Free Air Compressor - Ultra Quiet & Oil-Free Air Compressor

Engineered and built with the latest technology to provide high quality clean air. The Oil-Free Dual Piston Pump System allows the air compressor to work more efficiently, creating less noise and less wear for a longer pump life. Made in China.

Features:

- · Oil-less operation, virtually maintenance free!
- Dual Piston Pump System

Specifications:

Motor: 3/4 HP Tank Capacity: 6 gals. 16" dia. x 21H" Noise level: 52 decibels Dimensions: Max. Pressure: 116 PSI / 8 bar Displacement: 4.2 CFM

Airflow: 118 liters per minute

	Description	Electrical	Item#	Each
B.	Oil-Free Air Compressor	110V, 600 watts	265-3120	\$625.00
	Oil-Free Air Compressor, Drop Ship	110V, 600 watts	265-3122	595.00

C. California Air Tools 4610AC - Ultra Quiet & Oil-Free Air Compressor

Ultra-quiet, (60 dB) oil-free and lightweight. Designed to increase duty cycle and allow for longer continuous run times. Powerful 1.0 HP motor is engineered to dissipate heat, allowing for a cooler operation while reducing wear. The motor operators at only 1680 RPM creating less noise and less wear. The Oil-Free Dual Piston Pump System is engineered for high performance and durability. Made in China.

Features:

- · Two pressure control gauges
- · Comes complete with Air Filter
- Two universal 1/4" quick connectors
- Thermal Overload Protector
- Time to fill tank 130 Seconds. Recovery time from 90 PSI to 120 PSI 30 Seconds

Specifications:

Motor: 1 HP Noise level: 60 decibels


Max. Pressure: 120 PSI Dimensions: 19¹/₈"L x 16³/₄"W x 19³/₄"H

Tank Capacity: 4.6 gals. (Aluminum Tank)

Description	Electrical	Item#	Each
C. California Air Tools 4610AC	110V/60Hz	265-3125	\$325.00
California Air Tools 4610AC,	220V/60Hz	265-3126	340.00







A, B Knew Concepts Precision Saw Frames

Cam Lever Tension

New and improved saws from Knew Concepts. Designed for rapid, repetitive blade changes, when piercing for example. The tension does not change when re-setting the blade. Simply flip the cam lever forward to release tension, re-position and clamp the blade, and flip the lever to the rear, and you are sawing at proper tension.

Knew Concepts Saws are designed for maximum rigidity to eliminate or minimize blade breakage. Frames are made of heat treated aluminum with cutouts to further reduce the weight making these the lightest and most comfortable saw frames in the industry.

The unique blade-tensioning system makes mounting the sawblade extremely fast and easy (and without the usual dents in your sternum).

Clinical trials have shown that the color red promotes accuracy so Knew Concepts has chosen this color for their saw frames. Available in 2 depths, 3" and 5". Both frames accommodate standard 51/8" jeweler's sawblades.

Description	on	Item#	Each
A. 3" Saw wi	th Cam Lever	812-1297	\$66.95
B. 5" Saw wi	th Cam Lever	812-1298	70.95



C. Matt™ Miter Box and Saw Set

Includes extruded aluminum miter box with stop-lock and steel back saw. Slices wax bars, rods and ring tubes into tablets with perfectly straight and parallel walls or tapered sides. Miter box holds the ring tube firmly in place to eliminate hand strain. Stop-lock lets you cut multiple tablets of the same thickness. Rugged steel sawblade cuts through tubes with very little effort, leaving a smooth finish. Miter box measures 6"L x 2"W. Sawblade measures 6½"L x 2"D.

Description	Item#	Each	
C. Miter Box and Saw Set	265-2346	\$56.95	
Replacement Sawblade	265-2348	17.00	



D. Razor Saw

A must for cutting metal, wood and plastic rod and tubing. Features specially hardened, rigid thin blade with fine teeth (32 teeth per inch) ideal for making straight cuts. Lets you cut with light pressure to prevent tubing collapse. Measures $9\frac{1}{8}$ overall length. Blade measures $4\frac{1}{2}$ L x $\frac{7}{16}$ D.

Description	Item#	Each	
Razor Saw	812-1281	\$6.50	



E. Gesswein® Lube-Stik

Use on grinding, cutting, drilling, piercing or similar tools to speed up production and increase tool life. Reduces friction and heat buildup so that tools stay sharper, work faster and cut smoother. Easy to use—just run your tools into the soft lubricant every so often. Can also be used to reduce the effort needed for drawing operations. Supplied in a handy push-up dispenser tube.

		EACH	l Prices
Description	Item#	1-9	10+
Lube-Stik	816-2461	\$5.55	\$5.00

A. Jeweler's Sawframe - With end screw

Quality steel sawframe with end screw and comfortable wooden handle. Holds sawblades up to 6" long. End screw allows precise adjustment of blade tension. Imported.

			EACI	H Prices
Description	Depth	Item#	1-2	3+
Small with End Screw	27/8"	187-1026	\$10.95	\$9.86

B-D Flat Sawframes

Quality adjustable steel frames in four convenient sizes. Feature thumbscrews for quick tightening and loosening of sawblades and hardened steel plates with serrated surfaces for firmly holding sawblades up to 6" in length. Adjust to allow use of broken sawblades. Have comfortably shaped hardwood handles. Imported.

				EACI	H Prices
	Description	Depth	Item#	1-2	3+
B.	Small Flat	21/4"	187-1159	\$6.50	\$5.85
	Med. Flat	27/8"	187-1160	8.45	7.61
C.	Large Flat	33/4"	187-1170	9.45	8.51
D.	X-Large Flat	43/4"	187-1171	11.15	10.04



E, F Swiss Sawframes

Spring steel frames with aluminum guide posts and guides, holes at both ends for quick blade insertion and perfect alignment every time. Feature easy-lock mechanism that prevents wobble, reducing blade breakage. Have ultra-lightweight rubber-coated sure-grip handles for easier cutting and reduced arm fatigue. Available fixed for standard 51/4" jeweler's sawblades or adjustable for broken blades. Made in Switzerland.

				EACH Prices		
	Description	Depth	Item#	1-2	3+	
E.	Adjustable Swiss	23/4"	187-1120	\$17.80	\$15.66	
F.	Fixed Swiss	23/4"	187-1122	17.85	15.71	



Beautiful chrome-plated sawframes priced low enough for students. Feature thumbscrews and slightly oversized polished wooden handles. Slightly more flexible for easier tightening of sawblades. Available in fixed style for holding standard-size blades and adjustable style for holding both standard-size and broken blades.

				EACH	l Prices
	Description	Depth	Item#	1-2	3+
G.	Fixed Apprentice	31/4"	187-1180	\$5.80	\$5.22
Н.	Adjustable Apprentice	31/4"	187-1185	6.50	5.85



Sawblade Specifications

Blade Size	Blade Thickness	Blade Depth	Approx. Teeth per inch	Recommended for: (B&S) Gauge	Drill Size for Piercing	Blade Size	Blade Thickness	Blade Depth	Approx. Teeth per inch	Recommended for: (B&S) Gauge	Drill Size for Piercing
8/0	.0063"	.0126"	89	up to 26	80	1	.0118"	.0236"	51	18-20	71
7/0	.0067"	.0134"	86	24–26	80	2	.0134"	.0276"	46	16-18	70
6/0	.0071"	.0142"	81	24	79	3	.0142"	.0295"	41	16-18	68
5/0	.0079"	.0157"	76	22-24	78	4	.0150"	.0315"	38	16-18	67
4/0	.0087"	.0173"	71	22	77	5	.0157"	.0335"	36	16	65
3/0	.0094"	.0189"	66	22	76	6	.0173"	.0374"	33	14	58
2/0	.0102"	.0205"	61	20-22	75	7	.0189"	.0402"	30	12	57
0 (1/0)	.0110"	.0220"	56	18–22	73	8	.0197"	.0441"	28	12	55



A. Pike Platinum Jeweler's Sawblades

These blades are tougher and more durable than standard jeweler's sawblades. Made of steel which is specially treated for hard metals. Ideal for platinum because teeth stay sharper longer. Measure 5½" (13cm) long. Made in Switzerland. Sold by the gross (144 each).

A		GROSS Price			
Size	Item#	1-2	3-5	6+	
4/0	187-0500	\$27.20	\$25.84	\$25.02	
3/0	187-0501	24.65	23.42	22.68	
2/0	187-0502	24.65	23.42	22.68	

Size		GRUSS Price			
	Item#	1-2	3-5	6+	
0 (1/0)	187-0503	\$24.65	\$23.42	\$22.68	
1	187-0504	24.65	23.42	22.68	
2	187-0505	24.65	23.42	22.68	



B. Super Pike Sawblades

These quality Swiss blades stand out as the finest quality and stay sharper far longer (sharper teeth) than competitive saw blades. Manufactured slightly differently with an added heat treatment process which makes these blades harder and quite flexible, but not more fragile thus allowing you to saw harder materials. These blades are also given a thin coating that acts like a cutting lubricant making them cut with less resistance. Made in Switzerland. Sold by the gross (144 each).

Item#	GROSS Price				
	1-2	3-5	6+		
186-1500	\$29.95	\$28.45	\$26.96		
186-1501	29.95	28.45	26.96		
186-1502	26.95	25.60	24.26		
186-1503	25.95	24.65	23.36		
186-1504	22.95	21.80	20.66		
186-1505	21.95	20.85	19.76		
186-1506	21.95	20.85	19.76		
	186-1500 186-1501 186-1502 186-1503 186-1504 186-1505	186-1500 \$29.95 186-1501 29.95 186-1502 26.95 186-1503 25.95 186-1504 22.95 186-1505 21.95	Item# 1-2 3-5 186-1500 \$29.95 \$28.45 186-1501 29.95 28.45 186-1502 26.95 25.60 186-1503 25.95 24.65 186-1504 22.95 21.80 186-1505 21.95 20.85		

,		GROSS Price				
Size	Item#	1-2	3-5	6+		
0 (1/0)	186-1507	\$21.95	\$20.85	\$19.76		
1	186-1508	21.95	20.85	19.76		
2	186-1509	21.95	20.85	19.76		
3	186-1510	21.95	20.85	19.76		
4	186-1511	21.95	20.85	19.76		
5	186-1512	22.95	21.80	20.66		
6	186-1513	29.95	28.45	26.96		
8	186-1515	29.95	28.45	26.96		



C. Skip-Tooth Sawblade

Designed for smooth wax cutting. Teeth are widely spaced to prevent clogging. Measures $13 \text{cm} (5^{1}/4)^{\circ}$ long. Sold by the dozen (12 each).

		DUZ	EN Prices
Description	Item#	1-2	3+
Skip-Tooth Sawblade	186-9060	\$4.20	\$3.36




For cutting hard wax models. Teeth are spaced to prevent clogging. Circular design permits cutting in all directions. Measures 13cm $(5\frac{1}{4})$ long. Sold by the dozen (12 each).

		DOZ	EN Prices
Description	Item#	1-2	3+
Spiral Sawblade	186-9050	\$4.45	\$3.56



Consist of piano wire electroplated with diamond particles. Make quick work of sawing glass, ceramic and stones. Available in four grits. Fit standard jeweler's sawframes. Measure 5\%" long. Plated portion measures approx. 3" long. Sold individually.

	Approx.		EACH Pric	
Grit	Diameter	Item#	1-2	3+
60 Coarse	0.058"	226-1500	\$8.95	\$8.06
100 Medium-Coarse	0.048"	226-1505	8.95	8.06
120 Medium	0.045"	226-1510	8.95	8.06
140 Medium-Fine	0.043"	226-1515	8.95	8.06



A. Herkules® "White Label" Piercing Sawblades

High-quality sawblades made of a special alloy steel. Feature teeth that are uniform in size, shape and sharpness for fast, easy cutting. Can be used on both hand- and power-driven tools that have a blade clamping device. Measure 13cm (5½/4") long. Made in Germany. Sold by the dozen (12 each) or the gross (144 each).

	(-
Size	Item#	Dozen
8/0	185-0080	\$4.60
7/0	185-0070	4.35
6/0	185-0060	4.20
5/0	185-0050	3.90
4/0	185-0040	3.60
3/0	185-0030	3.35
2/0	185-0020	3.35
0 (1/0)	185-0010	3.35
1	185-0100	3.35
$\frac{1}{2}$ $\frac{3}{4}$	185-0200	3.35
3	185-0300	3.35
4	185-0400	3.35
5	185-0500	3.35
6	185-0600	3.35
7	185-0700	4.50
8	185-0800	4.90
10	185-1000	5.25
12	185-1200	5.95
14	185-1400	6.95

Size Item# 1-2 3-5 8/0 186-0080 \$31.50 \$29.93 7/0 186-0070 29.50 28.03 6/0 186-0060 26.90 25.56 5/0 186-0050 25.90 24.61 4/0 186-0040 22.90 21.76 3/0 186-0030 21.25 20.19 2/0 186-0020 21.25 20.19 0 (1/0) 186-0010 21.25 20.19 1 186-0100 21.25 20.19	
7/0 186-0070 29.50 28.03 6/0 186-0060 26.90 25.56 5/0 186-0050 25.90 24.61 4/0 186-0040 22.90 21.76 3/0 186-0030 21.25 20.19 2/0 186-0020 21.25 20.19 0 (1/0) 186-0010 21.25 20.19	6+
6/0 186-0060 26.90 25.56 5/0 186-0050 25.90 24.61 4/0 186-0040 22.90 21.76 3/0 186-0030 21.25 20.19 2/0 186-0020 21.25 20.19 0 (1/0) 186-0010 21.25 20.19	\$27.41
5/0 186-0050 25.90 24.61 4/0 186-0040 22.90 21.76 3/0 186-0030 21.25 20.19 2/0 186-0020 21.25 20.19 0 (1/0) 186-0010 21.25 20.19	25.67
4/0 186-0040 22.90 21.76 3/0 186-0030 21.25 20.19 2/0 186-0020 21.25 20.19 0 (1/0) 186-0010 21.25 20.19	23.40
3/0 186-0030 21.25 20.19 2/0 186-0020 21.25 20.19 0 (1/0) 186-0010 21.25 20.19	22.53
2/0 186-0020 21.25 20.19 0 (1/0) 186-0010 21.25 20.19	19.92
0 (1/0) 186-0010 21.25 20.19	18.49
	18.49
1 400,0400 04.05 00.40	18.49
1 186-0100 21.25 20.19	18.49
2 186-0200 21.25 20.19	18.49
3 186-0300 21.25 20.19	18.49
4 186-0400 21.25 20.19	18.49
5 186-0500 22.90 21.76	19.92
6 186-0600 25.90 24.61	22.53
7 186-0700 26.90 25.56	23.40
8 186-0800 29.50 28.03	25.67
10 186-1000 41.95 39.85	36.50
12 186-1200 49.30 46.84	42.89
14 186-1400 55.50 52.73	48.29



B. SUPRA® Golden Piercing Sawblades – The world's finest sawblades at great prices!

Extremely flexible straw-colored sawblades made of the finest steel using the latest technology. Cut straight and stay sharp. Can be used on both hand- and power-driven tools that have a blade clamping device. Measure 13cm ($5^{1}/4^{"}$) long. Made in Germany. Sold by the gross (144 each).

		GROSS Prices		
Size	Item#	1-2	3-5	6+
6/0	187-0060	\$26.90	\$24.21	\$21.52
5/0	187-0050	25.90	23.31	20.72
4/0	187-0040	23.25	20.93	18.60
3/0	187-0030	21.25	19.13	17.00
2/0	187-0020	21.25	19.13	17.00

		GROSS Prices		
Size	Item#	1-2	3-5	6+
0 (1/0)	187-0010	\$21.25	\$19.13	\$17.00
1	187-0100	19.50	17.55	15.60
2	187-0200	19.50	17.55	15.60
3	187-0300	19.50	17.55	15.60



C. Super Q Sawblades

Super Q Saw Blades feature the "5 S" technology...SUPER Flexible, SUPER Precision, SUPER Quality, SUPER Alloy and SUPER Sharpness! Measure 13cm (51/4") long. Made In Germany. Sold by the gross (144 each).

•	,	GROSS Prices		
Size	Item#	1-2	3-5	6+
8/0	187-1500	\$32.95	\$31.30	\$29.66
7/0	187-1501	32.95	31.30	29.66
6/0	187-1502	29.95	28.45	26.96
5/0	187-1503	28.95	27.50	26.06
4/0	187-1504	24.95	23.70	22.46
3/0	187-1505	23.95	22.75	21.56
2/0	187-1506	23.95	22.75	21.56
0 (1/0)	187-1507	23.95	22.75	21.56

		GROSS Prices		
Size	Item#	1-2	3-5	6+
1	187-1508	\$23.95	\$22.75	\$21.56
2	187-1509	23.95	22.75	21.56
3	187-1510	23.95	22.75	21.56
4	187-1511	23.95	22.75	21.56
5	187-1512	25.95	24.65	23.36
6	187-1513	26.95	25.60	24.26
7	187-1514	28.95	27.50	26.06
8	187-1515	32.95	31.30	29.66











A. Pneumatic Stone Setting Machine – The unit of choice for setting diamonds, colored stones and even synthetics with impressive speed and precision.

Available as a table top unit, this machine is a must for all jewelry manufacturers. Represents a big leap forward in stone setting technology letting you quickly and easily tube set, burnish, bezel and bead set both flat and curved surfaces, as well as channel set in single and double rows. Simplifies many complicated procedures, taking the guesswork out of difficult jobs. Offers the precise control you need each and every time to set stones perfectly.

Comes with appropriate holders for both ring and flat items. The Table Top model includes two rollers and two punches for setting round stones. Sizes 1.75, 2.00, 2.25, 2.50, 2.75 and 3.00mm are available standard diameters but other sizes are also available. Please discuss your requirements when placing your order.

Features

- Easy to learn and operate, even for novices—requires no special stone setting experience.
- Lets you set stones quickly and consistently, making it perfect for high-volume production.
- Eliminates the need for time-consuming manual setting.
- Has precision-machined tooling for easy changing.

Specifications:

Electrical: 220V, 1 Ph, 100W, 50/60Hz Dimensions: $15^{3}/_{4}$ "W x 9"D x $23^{5}/_{8}$ "H

Air Requirement: 90 PSI Pressure Readout: Analog

Net Wt./Ship. Wt.: 115 lbs./132 lbs. ltem# **265-0348**

Please Call for Pricing



Efficiently isolate stones that are loose from those that are not. Invaluable for checking settings after ring sizing. Works especially well for clusters of many small stones, such as pavé settings. Saves time over traditional methods.

Easy to use: slide your ring onto the padded mandrel, turn on unit and experiment with different vibration frequency and power settings until you are positively satisfied that every setting is sound. Includes a magnifier with flexible stand for taking a good, close look at potential problem areas as the detector vibrates. Combine that with your own light source, and no loose stone will escape your attention (see lighting pp. 335-339).

Compact enough (13"W x 9"D x $7^{1/4}$ "H) to store out of the way. Finished in matte black to eliminate most distracting reflections. Electrical: $110\sim240V$, 50/60Hz. Weighs 22 lbs.

Description	Item#	Each
Premium Loose Stone Detector	857-0030	\$3,995.00



Available as a complete set with the Marathon Controller, 35,000rpm Rotary Handpiece, Foredom Hammer Handpiece and On/Off Rheostat or simply the Marathon Controller with the Foredom Hammer Handpiece only.

The Marathon Micromotor Controller features dial adjustable speed control, overload cutoff switch, forward/reverse switch, and accepts a variable speed foot rheostat and a wide variety of micromotor handpieces. Electrical: $110\sim220V$, 50/60Hz. Output voltage: 0–30V DC (continuously variable). Measures $4^{1}/2^{1}W \times 5^{3}/4^{1}D \times 3^{3}/4^{1}H$. Weighs 2.6 lbs.

The 35,000rpm Rotary Handpiece features a well-balanced ergonomic design that fits in your hand like a pen, convenient quick-tool-change mechanism and flexible phone-type cord. Measures 6"L x 1" to $\frac{5}{8}$ " dia. Weighs 7.5 oz.

The Foredom Hammer Handpiece is perfect for stone setting - prong work and channel. Also used for texturing and for engraving using the included graver holding attachment. Three anvils with threaded shanks, wrench, tightening pins and an adapter for non threaded anvils, motor brushes and a handpiece tray included. 2 year warranty.

Item#	Each
510-2930	\$849.00
510-2935	675.00
510-2940	60.00
510-1280	595.00
	510-2930 510-2935 510-2940









A, B SonoCraft Burnishers - Ultrasonic Porosity Removers

SonoCraft units were designed especially for professional jewelers to remove porosity and other surface imperfections quickly and easily. But they are also amazing surface finishers with excellent reach into the tiniest areas: polishing under cathedral settings and cleaning up half round rails. You can polish and burnish areas that are almost impossible to reach by hand which traditionally had to be done with a magnetic tumbler. Both units include power pack, lightweight handpiece, on/off foot switch, wrenches and instructions. Select between two powerful units:

The **ST-50** comes with one burnishing tip and works on softer metals such as gold and silver. It operates in a continuous mode with a constant fast impact governed by a Variable Rheostat dial. Used for burnishing and polishing.

Our **ST-60** includes five tips and works on the softer metals as well as hard metals such as platinum. A very versatile machine, the ST-60 has four ultrasonic modes:

Single Hit Mode: Tightens beads on to stones with minimal or no touch-up needed.

Intermittent Mode (Slow): Slowly repeating impacts for light engraving. Intermittent Mode (Rapid): Rapidly repeating impacts for engraving. Continuous Mode: Constant fast impact for burnishing and polishing.

Benefits:

- Advanced ultrasonic technology drastically reduces finishing time for increased productivity.
- Automatic frequency adjustment provides optimal efficiency for excellent finishing results.
- High output power handles all kinds of metals with ease.

Specifications: ST-50 Works on Gold, Silver (soft metals) Gold, Silver, Platinum (hard metals) 30 Watts Max. Power Output 40 Watts **Operating Frequency** 24kHz 25kHz **Power Consumption** 120VA 120VA Output Adjustment Continuously variable Continuously variable Handpiece Weight 7 oz. (without cord) 4.5 oz. (without cord) 110V or 220V, 50/60Hz 110V or 220V, 50/60Hz Electrical 67/8" W x 67/8" D x 33/16" H 5³/₄" W x 7¹/₄" D x 5" H Power Pack Dimensions 6.25 lbs. Ship. Weight 5.4 lbs.

	Description	Item#	Each
A.	SonoCraft III Ultrasonic ST-50, 110V	510-0880	\$1,990.00
	SonoCraft III Ultrasonic ST-50, 220V	510-0881	1,990.00
B.	SonoCraft Ultrasonic ST-60, 110V	510-0885	3,950.00
	SonoCraft Ultrasonic ST-60, 220V	510-0886	3,950.00
	Replacement Handpiece for ST-60	510-0884	1,715.00
	ST-60 Tip, V-shape Chisel, 60°	510-0887	130.00
	ST-60 V-shape chisel, 90°	510-0888	130.00
	ST-60 Tip, Flat Graver	510-0889	93.00
	ST-60 Tip, Round Graver	510-0890	125.00
	ST-60 Tip, Burnishing Tool	510-0891	125.00
	Replacement Handpiece for ST-50	510-0879	1,215.00
	ST-50 Carbide Tip	510-0882	68.00

C. Setting Burnisher Set

Web Site Orders 24/7: gesswein.com

Set of 18 setting closers, or burnishers, ranging in size from $\frac{1}{2}$ point to 1.75 carats. For burnishing tubes over stones. Includes heavy-duty handle and attractive hardwood box. Made in Europe.

Description	Item#	Each
Setting Burnisher Set	811-2165	\$159.00

Both units includes power pack, lightweight handpiece, on/off foot switch, wrench and instructions. ST-50 includes Carbide Tip only. ST-60 includes all 5 tips.
























A. Prong Opening Pliers

Open prongs without fracturing stones. Use grooved jaw to hold prong in place and angled jaw to slip under prong and raise it. Avoid putting pressure on top of stone to prevent marring and scratching. Feature box joint for stability, perfectly aligned tapered jaws, double leaf springs and cushion grips. Measure $4\frac{1}{2}$ long. Made in Germany.

			EAC	H Prices
Description	Jaw Length	Item#	1-2	3+
Prong Opening	¹⁵ /16"	180-0020	\$25.60	\$23.04

B. Prong Closing Pliers

Close prongs over stones without slipping. Use curved, tapered jaws with grooved tips to hold prong securely. Feature box joint for stability, perfectly aligned jaws, double leaf springs and cushion grips. Measure $4^{1}/2^{"}$ long. Made in Germany.

			EAU	H Prices
Description	Jaw Length	Item#	1-2	3+
Prong Closing	¹⁵ /16"	180-0025	\$25.60	\$23.04

C, D Stone Setting Pliers

Ideal for tightening prongs. Feature box joints for stability. Available in deluxe and economy styles. Measure $4^{3}/4^{11}$ long.

			EA(CH Prices
	Description	Item#	1-2	3+
C.	Deluxe German	181-2900	\$37.95	\$36.05
D.	Economy Imported	181-2950	12.95	-

E. Prong Pusher

Steel tool with flat end for pushing crown points or prongs onto stone. Also for forcing bezel around stones. Mounted in wooden handle. Measures approximately $3^{1}/2^{"}$ long.

		EACH Prices	
Description	Item#	1-2	3+
Prong Pusher	816-0100	\$2.75	\$2.48

F. Bezel Pusher

For pushing and rolling bezel around stone. Polished and grooved tip. Measures approximately $3^1\!/\!2^{\text{"}}$ long. Made in USA.

Description	Item#	Each
Bezel Pusher	816-0110	\$12.65

G. Precision Prong Lifter

This highly tempered prong lifter provides easy access to small prongs. Measures only 4"L x 0.079" (2mm) thick, so it's easy to maneuver in even the tiniest settings. Durable and precise. Made in USA.

Description	Item#	Each
Precision Prong Lifter	816-0092	\$12.95

H. Bezel Roller

Has a half-round, highly polished steel head for rolling bezels around stones in rings, pendants and broaches. Measures approximately 4" long.

		EACH Prices		
Description	Item#	1-2	3+	
Bezel Roller	816-0120	\$3.25	\$2.93	

A. Foredom LX Deluxe Stone Setting Set

Contains just about everything you need to get to work—motor, rheostat, 2 handpieces and accessories. With a total Retail Value of \$554.00, this convenience is also a smart, economical decision. Motor and Rheostat carry a 2 Year Warranty.

Components:

Series LX Motor - This permanent magnet motor is specifically designed for high torque/low speed applications, offering more power for jobs like stone setting, wax modeling, and pearl drilling. Feature full power and torque from start up and throughout the entire speed range up to 5,000rpm. Comes equipped with a motor bale for hanging, and a standard 39" long key tip inner shaft and special/more flexible neoprene outer protective sheath.

TXR Rheostat - The TXR looks the same as our standard foot operated rheostat but it has special electronics that converts AC current from an electrical outlet to DC current, the type required by Series LX and TX motors. Features solid state circuitry in a heavy duty plastic housing with an extra wide footprint, low profile, and non-skid pads on the bottom. Measures 7" long, $4\frac{1}{2}$ " wide, $2\frac{3}{8}$ " high.

#18 Quik ChangeTM Handpiece - For use with only 2.35mm (3/32") shank burs. A press lever action is all that is required to change accessories. It features a very slim grip and pre-lubricated ball bearings that do not require any lubrication. Measures 7" long, 19/32" dia. Weighs: 3.65 oz.

#15 Hammer Handpiece - Reciprocating action for use at low speed (0-5,000rpm) by jewelers for stone setting and decorative work. Comes with an anvil point. Requires periodic lubrication. Hammer has 1/32" stroke and its impact can be adjusted from light to heavy by turning the silver knurled adjusting ring. Optional points are available: 6 different shaped Anvil Points in our 850-3780 set.; Pave Point (850-1275), and Stylus with Carbide Tip (850-1274). Measures 61/4" long, 1/4" dia. at tip. Weighs: 3.65 oz.

Set comes complete with a 13 piece assortment of step drills and steel engraving burs in small round bur holder and Flexible Shaft Grease.

Description	Item#	Each
Foredom LX Deluxe Stone Setting Set	850-1222	\$498.10

B. Gem Setting Graver Outfit

Includes six shaped gravers for setting diamonds and other stones in modern settings, six comfortably shaped wooden handles for working ease and a model plate that shows various steps needed for project completion.

Description	Item#	Each
Gem Setting Graver Outfit	166-8000	\$76.95

C. Round Tennis Bracelet Holder

This versatile bracelet holder saves time when setting stones. Eliminates messy shellac and firmly holds bracelets up to 7mm wide without marring or distorting. Lets you easily sets stones in prong, channel and pavé settings with the assurance that bracelets will always stay in place. Provides extra space for accommodating clasps. Made of sturdy aluminum. Hex wrench included. Measures $3\frac{1}{2}$ " diameter.

Description	item#	Eacii
Round Tennis Bracelet Holder	840-4205	\$26.95

D. Setter's Tube Holder Set

Set of seven spring-tempered three-jaw collets with wooden handle. Holds tubes from $\frac{1}{32}$ " to $\frac{1}{4}$ " in diameter while stone setting without causing them to collapse.

Description	Item#	Each
Setter's Tube Holder Set	840-4225	\$17.90

E. Claw Setting Jig

Easily makes small or large four-, six- and eight-prong claw settings for 0.15-2 carat stones. The base unit holds the chosen jig, and the length of wire used is based upon the size of the stone to be set—larger, deeper stones require longer wires. Filing and soldering can be done with the setting still on the jig.

Description	Item#	Each
Claw Setting Jig	816-1465	\$24.50







B


A. Busch Beading Tools

Simply the Best! Busch Beading tools form high-quality beads on prongs to create a precise finish to ensure that stones are held securely in place in their mountings. These superior tools from Busch are designed with filigreed beading edges to better protect gemstones and to deliver highly polished beads. The opening at the end of the tool, also known as the calotte, produces a highly polished, consistently round, perfect bead every time. Busch Beading Tools are also scored 10mm from the end of the tool so you can easily snap off the end thus allowing you to have a shorter tool should this be desired. Sold in packages of 10 or 100. Also available in convenient sets consisting of 1 each of the 6 smallest sizes or 1 each of the 6 largest sizes. Made in Germany.

			10pc EA	CH Prices
	Size	Item#	1-4	5+
A.	03	810-1423	\$11.50	\$10.93
	04	810-1424	11.50	10.93
	05	810-1425	11.50	10.93
	06	810-1426	11.50	10.93
	07	810-1427	11.50	10.93
	08	810-1428	11.50	10.93
	09	810-1429	11.50	10.93
	10	810-1430	11.50	10.93
	11	810-1431	11.50	10.93
	12	810-1432	11.50	10.93
	13	810-1433	11.50	10.93
	14	810-1434	11.50	10.93

Item#	100pc Each
810-1453	\$103.50
810-1454	103.50
810-1455	103.50
810-1456	103.50
810-1457	103.50
810-1458	103.50
810-1459	103.50
810-1460	103.50
810-1461	103.50
810-1462	103.50
810-1463	103.50
810-1464	103.50
	810-1453 810-1454 810-1455 810-1456 810-1457 810-1458 810-1459 810-1460 810-1461 810-1462 810-1463

Description	Item#	Each
B. Set of 6 Smallest (03-08) Sizes	810-1435	\$8.95
Set of 6 Largest (09-14) Sizes	810-1436	8.95



C-E Beading Tool Accessories


Hardened, tempered and polished steel plates for sharpening or reshaping worn beading tools. Half head wooden tool holder for comfort and control.

	Description	Item#	Each
C.	12-Bead Plate	810-1450	\$27.50
D.	40-Bead Plate	810-1500	85.00
E.	Beading Tool Holder	816-3096	2.25

A, B French Beading Tools


Used to form beads for holding diamonds, half-pearls and other stones in mountings. Have 2.6mm shanks.

	Ŭ			EACH Pr	rices
	Size	Item#	<i>3pc</i> 3-9	12-141	144+
A.	#2	810-1402	\$1.25	\$1.13	\$1.06
	#4	810-1404	1.25	1.13	1.06
	#6	810-1406	1.25	1.13	1.06
	#7	810-1407	1.25	1.13	1.06
	#9	810-1409	1.25	1.13	1.06
	#10	810-1410	1.25	1.13	1.06
	#11	810-1411	1.25	1.13	1.06
	#12	810-1412	1.25	1.13	1.06
	#13	810-1413	1.25	1.13	1.06
	#14	810-1414	1.25	1.13	1.06
	#16	810-1416	1.25	1.13	1.06
				EACH	l Prices
	Set with Wood Handle	Item#		1-2	3+
В.	12-Piece Set	040 4400	•	\= 0=	* 04.0 7
	(one each of above, plus #8))	810-1400	\$2	25.85	\$21.97











			EACH	l Prices
	Sets with Wood Handle	Item#	1-2	3+
D.	12-Piece Set (sizes 5–16 listed above)	810-1250	\$20.80	\$17.68
E.	23-Piece Set (one each of above)	810-1298	25.95	22.06



Samples of patterns



A-J Large Millgrain Wheels

Create decorative borders around edges of rings or bracelets. To use, mount ring on lathe, use turning tool to cut flat shoulder into each ring edge, and bring wheel onto shoulder. Wheels measure 6mm dia. on 1/8" sq. x 21/2"L steel shanks. Male wheels have raised beads.

	Description	Approx. Design Width (mm)	Item#	Each
A.	Female 8	0.65	820-5000	\$65.00
B.	Female 10	0.85	820-5002	65.00
C.	Female 12	1.05	820-5004	65.00
D.	Female 14	1.20	820-5006	65.00
E.	Male 8	0.65	820-5008	65.00
F.	Male 10	0.85	820-5010	65.00
G.	Male 12	1.05	820-5012	65.00
Н.	Male 14	1.20	820-5013	65.00
I.	Rope 1 (medium)	1.25	820-5014	65.00
J.	Rope 2 (small)	0.95	820-5016	65.00

For use with Millgrain Machine p. 494



For GRS Bench Mate Setting Packages see page 572.



K-L French Millgrain Wheels

Cup-shaped wheels with equally spaced depressions for making uniform beaded imprints on jewelry. Mounted on steel shafts. Can be used by hand or with GRS power engravers. Smallest is size 0.

					EAU	a Prices
	Size	Depression	Shank	Item#	1-9	10+
	0	Oval	Square	820-6060	\$10.85	\$9.04
	1	Oval	Square	820-6100	10.85	9.04
	2	Oval	Square	820-6150	10.85	9.04
	2	Oval	Round	820-6175	10.85	9.04
	3	Oval	Square	820-6200	10.85	9.04
	4	Oval	Square	820-6250	11.75	9.79
	5	Oval	Square	820-6300	10.85	9.04
	5R	Round	Square	820-6325	9.95	8.29
7	6	Oval	Square	820-6350*	9.95	8.29
	6R	Round	Square	820-6375	10.85	9.04
	7	Oval	Square	820-6400*	10.85	9.04
	7R	Round	Square	820-6425	10.85	9.04
	8	Oval	Square	820-6450*	11.75	9.79
	8R	Round	Square	820-6455	10.85	9.04
	9	Oval	Square	820-6500*	10.85	9.04
	9	Oval	Round	820-6510	10.85	9.04
	9R	Round	Square	820-6505	10.85	9.04
	10	Oval	Square	820-6550*	11.75	9.79
	10R	Round	Square	820-6551	10.85	9.04
	11	Oval	Square	820-6552	10.85	9.04
	11	Oval	Round	820-6570	10.85	9.04
	11R	Round	Square	820-6555	10.85	9.04
	12	Oval	Square	820-6650*	10.85	9.04
	13	Oval	Square	820-6651	10.85	9.04
	14	Oval	Square	820-6660	10.85	9.04
	15	Oval	Square	820-6662	10.85	9.04
K.	7-Piece Set (asterisked wheels and holde	er #840-4350)	820-6655	79.95	_
L.	Millgrain Whe	eel Holder	•	840-4350	9.90	_



EACH Prices

A. Millrite Plus Millgrain Machine

The Millrite Plus Millgrain Machine cold forms designs on rings, even on angled or perpendicular surfaces, without removing any precious metal. This machine accepts both 1/8" square-shanked lathe millgrain tools and French millgrain tools. It also includes collets for ring sizes 2 - 13. The machine is quality crafted of aluminum alloy with spring action tool holders that ensure clean, crisp, even impressions. Includes 2 millgrain tools (F8 millgrain + 1 French millgrain wheel with holder) Size: 8" x 8" x 7". Weight: 26 lbs. Made in USA.

	Description	Item#	Each
A.	Millgrain Machine	820-6701	\$640.00
	Replacement Collet Set, 10 pc.	820-6705	19.99



E. Bezel Block and Punch Sets


Each includes precision-machined block and punch. Used to punch and form bezels from flat stock. Made of hardened, tempered, polished steel. Made in Italy.

	Description	Holes	Punch Angle	Item#	Each
E.	Round Set	20 (5-20mm)	17°	815-2050	\$105.00
	Round Set	20 (5-20mm)	28°	815-2055	105.00
	Oval Set	11 (4–14mm)	17°	815-2060	179.00
	Heart Set	11 (5–15mm)	17°	815-3000	349.00



Use to drill an angled hole that matches the 17° angle on many settings, most notably bezel settings. Solves the problem of inserting a standard tapered prong or bezel setting into a standard shank.

	Dia.			l Prices
Size	(mm)	Item#	1-5	6+
30	8.00	123-2301	\$6.98	\$5.86



G. Earring Post Protectors

These silicone rubber sleeves protect ear posts when setting, tumbling or plating. Sold by the gross (144 each).

	,	GROS	S Prices
Description	Item#	1-49	50+
Earring Post Protectors	852-1155	\$8.10	\$6.08



H, I Beeswax

A very pliable wax often used to pick up stones when setting. Also can be used as a lubricant for burs and saws and when wire drawing. Rubbed on a surface, beeswax leaves a film on which designs can be marked.

Description	Item#	Each
H. Beeswax, 2 oz. cake	816-2405	\$3.75
I. Beeswax, 1 oz. tube	816-2450	3.30
Beeswax, ½ lb. bar	816-2401	12.00





RinGenie - Engraving and Setting Tool

Right out of the box, the RinGenie has everything you need to make quick and easy work of layout, engraving, inlaying, stone setting, bright cutting, bead setting and any other task a jeweler or engraver may encounter. Unlike other engraver's blocks, its 360 degree rotating spindle makes it easy to move freely or at finely set intervals providing amazing versatility and unparalleled precision. Plus its numerous mounting options make it easy to approach your work at any angle. Hand and power engravers work equally well with the RinGenie.

No matter what your project demands, the RinGenie is engineered to boost speed and accuracy at every phase of the process.

Work faster, work smarter. Be more productive and more creative with the RinGenie.

RingGenie Deluxe Set Features/Benefits:

- Made of aircraft quality aluminum, hard coat anodized for wear resistance, with stainless steel spindles.
- Body measures 4½16" wide; 5¾8" wide including outside adjustment knobs.
- The RinGenie is a money making time saver.
- · Layout with precision and speed.
- · Accuracy in drilling and milling.
- Precise channel cutting.
- Fine incremental settings with 360 degree rotation.
- A perfect complement to hand or power engravers.
- Easy spindle locking thumb screw
- Use with metal or wax.
- Optional adapter for your BenchMate (see fig. B)
- Optional Side Helper for engraving/setting on sides of rings. (see fig. E)

Includes:

- Drill/Mill/Layout Assembly Tool
- Scriber Assembly
- 3/32" Diameter Hardened Drill Bushing
- 1 Alignment Plate
- 2 Tightening Rods
- 1 Side Pointer
- 1 Drag Adjustment Screw
- 8 Plastic Collets in sizes 5, 6, 7, 8, 9, 10, 11 and 12
- 16 Aluminum Collets in sizes 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12 and 12.5
- 1 Custom Fitted Wood Case
- Instructional DVD

RingGenie All-in-One Set Includes everything in the Deluxe Set Plus:

- BenchMate Adapter
- Side Helper
- 3" Vise + Adapter
- Universal Adapter + Adapter Holder

	Description	Item#	Each
A.	RinGenie Basic Starter Set	816-1495	\$439.00
В.	RinGenie Deluxe	816-1490	764.50
C.	RinGenie All-in-One	816-1500	1,950.75
D.	BenchMate Adapter	816-1491	86.25
E.	Side Helper	816-1492	97.75
F.	3" Vise	816-1498	742.50
G.	Vise Adapter	816-1499	192.50
Н.	Universal Adapter	816-1487	86.25
Ī.	Universal Adapter Holder	816-1488	80.50



F, G 3" Vise + Adapter

H, I Universal Adapter + Helper

RinGenie - Accessories

A. RinGenie Angle Adapter Kit

Adds the ability to layout and drill holes at precise angles on the RinGenie. Description Item# Angle Adapter Kit 816-1493 \$247.50

B. RinGenie One Degree Ring Kit

Provides one degree adjustments within 360 degrees when using the RinGenie.

Description	Item#	Each
One Degree Ring Kit	816-1494	\$275.00

C. Versatile Ring Holder

Makes engraving and stone setting much easier by allowing 360 degree access to the ring. Has three built in gem trays.

Description	Item#	Each
Versatile Ring Holder	816-1489	\$137.50

D, E Collet Sets

16pc Collet Set comes in sizes 5, 5½, 6, 6½, 7, 7½, 8, 8½, 9, 9½, 10, $10\frac{1}{2}$, 11, $11\frac{1}{2}$, 12, and $12\frac{1}{2}$.

5pc Large Collet Set comes in sizes 13, $13\frac{1}{2}$, 14, $14\frac{1}{2}$, and 15.

	Description	Item#	Each
D.	16pc Collet Set (5-12)	816-1496	\$138.00
E.	5pc Collet Set (13-15)	816-1497	86.25

F. Rocker Assembly

Turn your RinGenie into a totally versatile tool that can move (glide) left to right to your desired angle you are looking for and then lock in place to hold that position. It can be mounted on the Positional Rotatory Table (816-1510) or any vise to accommodate the RinGenie at various angles.

Description	Item#	Each
Rocker Assembly	816-1506	\$396.00

G. Positional Rotatory Table

Great for general work at the bench or any flat surface. Constructed of a Steel 8" work base with drag screw resistance, optional positioning, and 360° rotation.

Description	Item#	Each
Positional Rotatory Table	816-1510	\$797.50

H. 10" Turn Table

This solid turntable rotates 360° with a drag screw and positive lock. Can be used at your bench or any solid work table. Overall height is 15/8".

Description	Item#	Each
10" Turn Table	816-1512	\$511.50

I. Positional Rotatory Table & Vise

With a mounted vise. Great for general work at the bench or any flat surface. Constructed of a Steel 8" work base with drag screw resistance, optional positioning and a 360° rotation. Jaws are 3" dia. and 1" tall. Jaws opening is $4\frac{1}{2}$ ". Overall height is $3\frac{5}{8}$ ".

Description	Item#	Each
Positional Rotatory Table & Vise	816-1511	\$984.50







For Microscopes See pp. 348-349.







RinGenie shown with **Rocker Assembly and Positional Rotatory Table**





See more Vises starting on page 544













A. Curved and Slim Burnisher

Curved and slim for hard-to-reach areas. Polished steel tip and wooden handle. Great for jewel settings. Blade measures 13/4" long. Made in USA.

		EAC	H Prices
Description	Item#	1-2	3+
Curved and Slim Burnisher	811-1880	\$14.35	\$12.92

B, C Steel Burnishers

Polished steel tips with wooden handles. For use on bezels and larger surfaces. Measure approximately 6" overall length. Blades measure 2 long. Made in USA.

			EAC	H Prices
	Description	Item#	1-2	3+
В.	Straight Burnisher	811-2100	\$12.75	\$11.48
C.	Curved Burnisher	811-1900	12.75	11.48

D. Margin Roller Burnisher – 3/32" Shank

For burnishing over scratches in gold, making it possible to salvage many pieces without gold loss. Can also be used for burnishing over microporosity in castings. The $\frac{3}{16}$ " (5mm) head consists of five steel rollers that act as rotating mallets. Measures approximately $1\frac{3}{4}$ " long with $\frac{3}{32}$ " shank for use with handpiece.

		EACI	H Prices
Description	Item#	1-2	3+
Margin Roller Burnisher	811-2150	\$21.95	\$19.76

E-I Tungsten Carbide Burnishers and Scrapers

Feature highly polished tungsten carbide tips. Ideal for safe burnishing of platinum because tungsten carbide is noncontaminating. Also produce a brilliant finish on gold. Measure approximately $6^3/8^{\circ}$ overall length. Tips measure 1" long. Select between 2mm, 3mm or 4mm burnishers or 3mm and 5mm triangular cut scrapers. Scrapers are extremely sharp on all three sides and come to a sharp point. Also deal for cleanly removing flash and other casting defects from hard-to-reach areas. Measure approx. $6^3/8^{\circ}$ overall length, including handle. Tips measure approximately $7/8^{\circ}$ long.

	Description	Item#	Each
E.	2mm Burnisher	811-1849	\$19.50
F.	3mm Burnisher	811-1850	19.50
G.	4mm Burnisher	811-1851	19.50
H.	3mm Scraper	816-0161	18.50
Ī.	5mm Scraper	816-0162	20.75
	Burnisher/Scraper Set of 5 above	811-2155	84.00

J. Busch® Carbide Starlight Burnishers

Made of the finest carbide. Impart a unique high gloss on precious metals such as gold and platinum. Have 3/32" shanks.

Description	Item#	Each	
Point	122-7135	\$29.84	
Barrel	122-7133	40.86	
Cylinder	122-7136	29.84	
Cone	122-7134	40.86	
4-Piece Set (one each)	122-7137	153.00	

Use high RPM for best results.

A. JETT BALLISTIC™ Make your own custom tools!

From the creators of Jett Sett comes the Next Generation in fixturing compound...JETT BALLISTIC What makes this product different than anything else on the market is the fact that Jett Ballistic is infused with Kevlar®, an additive that produces a stiffer compound that delivers more durability to your production fixtures.

Here are just some of the things you can make with JETT BALLISTIC:

- Fixturing devices for holding, setting and engraving any jewelry item.
- Custom-grip file and graver handles.
- Nonmarring surfaces for pliers and vises.
- Custom hammer heads that won't mar the metal you hammer.

Easy to use. Simply place a small amount of JETT BALLISTIC into heated water. Remove and mold the putty-like to your specifications. It's that easy! Reusable,

JETT BALLISTIC, 1 lb. Jar	816-1575	\$35.00
Description	Item#	Each
uip back into neated water to go back to t	irie son pulty state. Suppliet	ullia ilbual.

B. JETTBasic

A slightly more tacky form of JETT BALLISTIC. Adheres well to smooth surfaces such as bezels when hot. Hardens and loses tackiness when completely cool. Clear in color, can also be used to make customized tool handles. Sold in 1 lb. bags.

Description	Item#	Each
JETTBasic, 1 lb. pkg.	816-1591	\$21.95

C. GRS® Thermo-Loc®

Very tough work-holding plastic. Softens with heat to clay-like pliable consistency so you can form it around an endless variety of workpieces. Turns rock-hard once it cools to hold items securely. Economical and practical—can be reused again and again. Neutral gray in color to prevent eyestrain, even under bright work lights. Heat in a microwave oven on the pad included with the Starter Kit, in a conventional oven, in hot water or with a heat gun (be sure to follow proper heating instructions).

0 1	,	
Description	Item#	Each
Thermo-Loc, ½ lb.	816-1592	\$23.70
Thermo-Loc, 1 lb.	816-1593	41.65
Thermo-Loc, 5 lbs.	816-1594	157.40
Thermo-Loc Starter Kit (includes 1 lb. Thermo-Loc and microwave-safe 6" x 6" pad)	816-1597	45.50

D. Diamond D Cement

Shellac mixed with wax to make it stronger and less brittle. When melted and applied to a wooden dowel, it securely holds diamonds and other stones for polishing. Also holds jewelry that's too small for conventional clamps. Easy to melt and use repeatedly. Can be pulled from setting when work is complete. Sold in 3 oz. cakes.

Description	Item#	Each
Diamond D Cement, 3 oz. cake	811-2600	\$28.55

E. Orange Flake Shellac

Used to hold small objects firmly for stone setting and engraving. Softens when heated. Hardens quickly in cold water. Articles can be removed by dipping in alcohol.

Description	Item#	
Orange Flake Shellac, 1 lb.	816-1100	\$32.00
Orange Flake Shellac, ½ lb.	816-1101	16.50

F. Layout Wax Sheets

Place one of these transparent wax sheets on top of your jewelry drawing, then position the stones. Provides an excellent way to visualize your finished design prior to stone setting. Thickness: 24-gauge. Measure 4" x 4". Sold in boxes of 32.

Item#	Each
263-1000	\$19.25





A. Attack Epoxy Solvent

Dissolves cured epoxy and polyester resins without affecting surrounding material. Excellent for separating misaligned bonded items. For use on metal, glass, wood and more. Not recommended for use on imitation pearls. Sold in 8 fl. oz. cans.

			EAC	H Prices
Description		Item#	1-2	3+
Attack Epoxy Solvent, 8 fl. oz can	Ĥ	821-2800	\$12.50	\$11.25



B, C Devcon® 5-Minute Epoxy – Clear

High-strength two-part epoxy with a handling time of 5 minutes. Sets in 8-10 minutes. Achieves full bond strength in 1 hour. Works on metal, wood, glass, stones, crystal and ceramic. Clear, nonshrink formula—great for jewelry. Resistant to most chemicals. Available in traditional Dual Pak (one tube each of resin and hardener) with mixing instructions. Also available in convenient Dev-Tube applicator, which dispenses equal portions of resin and hardener with one easy push of the plunger—a quick mix and it's ready to use.

			EAG	1 Prices
Description	Qty.	Item#	1-2	3+
B. Dual Pak, ½ oz. tubes	1 oz. (Net. Wt.)	811-2650	\$4.85	\$4.61
C. Dev-Tube	.85 fl. oz.	811-2651	5.40	5.13
Dev-Tube, box of 6	5.1 fl. oz.	811-2657	29.50	-



D, E Devcon® 2-Ton Epoxy – Clear

Industrial-strength two-part epoxy designated for heavier items that require an extra-high-strength bond. Works on metal, stones, ceramic, crystal, china and wood. Waterproof and resistant to most chemicals. Strong enough to fill gaps. Sets in 30 minutes. Cures in 8-12 hours to a clear transparent finish. Excellent for jewelry. Available in traditional Dual Pak (one tube each of resin and hardener) with mixing instructions. Also available in convenient Dev-Tube applicator, which dispenses equal portions of resin and hardener with one easy push of the plunger—a quick mix and it's ready to use.

				EAC	H Prices
Description	Qty.	Color	Item#	1-2	3+
D. Dual Pak, ½ oz. tubes	1 oz. (Net. Wt.)	Clear	811-2652	\$4.25	\$4.04
E. Dev-Tube	.85 fl. oz.	Clear	811-2653	4.85	4.61
Dev-Tube, box of 6	5.1 fl. oz.	Clear	811-2658	26.50	-



F, G Devcon® Plastic Steel Epoxy – Dual Pak - dark gray, Dev-Tube - black

Steel-filled heavy-duty epoxy for forming a protective backing on turquoise and other stones. Offers extremely high bond strength. Can be used to fill holes and gaps. Sets in 2 hours. Reaches full bond strength in 24 hours. Hardens to a rigid metallic mass. Sandable, chemical-resistant and waterproof. Color: Dual Pak - dark gray, Dev-Tube - black.

				EAG	1 Prices
	Description	Qty.	Item#	1-2	3+
F.	Dual Pak - dark gray	2 oz. (Net. Wt.)	811-2655	\$4.95	\$4.70
G.	Dev-Tube - black	.85 fl. oz.	811-2656	5.75	5.46

া Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.

A. Epoxy 220

Has slower setting time for production bonding of gem materials to metal findings. Provides ultimate tensile strength and resists thermal shock. Thickens in 1 hour and hardens in 8 hours without heat. Hardens in 30 minutes under heat lamp. Color: clear amber.

Description	Item#	EACH 1-2	I Prices
1 fl. oz. (one each ½ fl. oz. resin and hardener)			



B, **C** Epoxy 330

A perfectly clear, fast-curing two-part adhesive. When equal parts are mixed, it thickens in 15 minutes and hardens in 2 hours without heat. Hardens in 10 minutes under heat lamp.

				EACH	H Prices
	Description		Item#	1-2	3+
B.	1 fl. oz. (one each $\frac{1}{2}$ fl. oz. resin and hardener)	Ĥ	821-2900	\$3.95	\$3.48
C.	8 fl. oz. (one each 4 fl. oz. resin and hardener)	Ĥ	821-2910	19.95	17.56



D-H Regular and Qwik-Dry Super Glues

Transparent, high-strength, quick-setting adhesives. No mixing required. Excellent for stone and pearl setting and jewelry repair. Regular Super Glue dries in 45-60 seconds. Qwik-Dry sets up in just 10-20 seconds. Maximum strength is reached after 12 hours.

				EACH	l Prices			
	Description	Item#	5pc)	5	10+			
D.	Regular, 2g tube	811-2300		\$2.90	\$2.76			
E.	Qwik-Dry, 2g tube	811-2310		2.45	2.33			
Five-piece minimum; please order in multiples of five.								
_				EACH Prices				
	Description	Item#	1-4	5-9	10+			
F.	Regular, 2g pen	811-2305	\$2.95	\$2.80	\$2.51			
G.	Regular, 20g bottle	811-2400	9.70	9.22	8.25			
Н.	Qwik-Dry, 20g bottle	811-2312	9.70	9.22	8.25			



I. Crystal Cement

Provides a strong, durable bond between plastic or glass watch crystals and the bezel. Will not flake off or crack plastic. Sold in convenient $\frac{1}{3}$ fl. oz. tubes with pinpoint applicator tip.

		EAU	n Filles
Description	Item#	1-2	3+
Crystal Cement, 1/3 fl. oz tube	811-2540	\$5.95	\$5.36

J, K Syringe Dispensers

Plastic syringes with 18-gauge stainless steel needle for pinpoint delivery of adhesive or paste solder to the exact place you want. Plunger works smoothly and slides evenly to prevent accidental flooding and sputtering. Constructed of polyethylene and polypropylene. Use with Epoxy 330, Devcon Epoxies, and similar adhesives. Available in sizes: 5cc and 10cc. Each syringe includes tip sheath and cover.

		EACH Prices		
Description	Item#	1-3 4+		
J. 5cc Dispenser, pkg. of 6	811-2450	\$18.95 \$15.16		
K. 10cc Dispenser, pkg. of 6	811-2451	23.50 18.80		



EACH Drings



A. Noble Easy-Flow White Sheet Solder – For Repair Work

This solder is of lower gold content than the quality of gold for which its use is recommended. There are variations in the exact tone in order to match the karat of the piece to be soldered. All flow easily and uniformly and provide a joint that is as strong and permanent as the metal itself. Sold per dwt. Caution: Contains cadmium; fumes are hazardous, use NIOSH approved respirator and fume hood such as our Solderpure (see p. 407).

Description	Approx. Karat	Melting Point °F (°C)	Flow Point °F (°C)	Item#	Dwt
White Low	1K	1,190 (643)	1,325 (718)	830-1921	\$5.90
10K White	5K	1,205 (652)	1,320 (716)	830-1924	37.25
14K White	9K	1,200 (649)	1,315 (713)	830-1927	45.95
18K White	10K	1,360 (738)	1,450 (788)	830-1930	65.00

Prices subject to change with market prices.



B. Silver Solder Pastes - Cadmium/indium-free!

Excellent for soldering fine silver chains and intricate silver jewelry where precise application of solder is critical. Alloy and flux are premixed in paste form and packaged in convenient dispensing syringes. Alloy will not settle to the bottom of the syringe tube. Syringes eliminate waste and improve the appearance of the joint area. Each dwt. of paste contains 55% metal and 45% binder per 1cc syringe.

Description	Melting Point °F (°C)	Flow Point °F (°C)	Item#	Dwt
Silver Easy/Soft	1,125 (607)	1,205 (652)	831-1010	\$28.95
Silver Repair (less silver conte	ent) 425 (218)	473 (245)	831-1030	23.10

Prices subject to change with market prices.



C. Silver Sheet Solder

Available in three grades, Easy 65%, Medium 70%, and Hard 75% silver.

Description	Melting Point °F (°C)	Flow Point °F (°C)	1 Troy Oz.#	Pkg.	¹ / ₄ Troy Oz.#	Pkg.
Easy	1,240 (671)	1,325 (718)	830-2050	\$28.57	830-2049	\$7.14
Medium	1,275 (690)	1,360 (738)	830-2100	30.20	830-2099	7.55
Hard	1,365 (740)	1,450 (788)	830-2150	32.82	830-2149	8.20

Prices subject to change with market prices.



C

D. Silver Solder Wire

Round 20-gauge (0.032" dia.) silver solder wire. Cadmium-free. Sold in 1/2 oz. packages.

Description	Silver %	Melting Point °F (°C)	Flow Point °F (°C)	Item#	Pkg.
Extra-Easy	56	1,145 (618)	1,205 (652)	830-2151	\$13.35
Easy	65	1,240 (671)	1,325 (718)	830-2152	15.34
Medium	70	1,275 (690)	1,360 (738)	830-2153	15.53
Hard	75	1,365 (740)	1,450 (788)	830-2154	16.41

Prices subject to change with market prices.

FAX Orders 24/7: 888-454-4377



E. Solder Cutting Pliers

These special pliers can be used to consistently cut both sheet and wire solder. Sheet is cut in $\frac{1}{16}$ " (1.6 mm) squares and wire, up to 18-gauge (1.02 mm), in $\frac{1}{16}$ " lengths. Cut is consistent time after time, Measure $5\frac{1}{2}$ " overall length with plastic comfort grips.

Description		Item#	Each
Solder Cutting Pliers		180-0279	\$11.50

498 Gesswein

A-C Gesswein® Plumb Solders — Cadmium/indium-free!

Manufactured for Gesswein under strict quality guidelines so that composition, temperature and color are consistent and uniform from lot to lot. Contains no cadmium, no indium. Available in sheet, chips and paste. Sheet is sold by the dwt. Chips measure 1 x 1mm and are packaged 1 dwt per vial. Each dwt. of paste contains 55% metal and 45% binder per 1cc syringe.



	Melting Point	Flow Point	A. S	heet	В. (Chips	C. P	aste
Description	°F (°C)	°F (°C)	Item#	Dwt	Item#	Dwt	Item#	Dwt
Yellow 18KY Hard	1,440 (782)	1,530 (832)	830-2172	\$88.55	831-1062	\$89.11	831-1042	\$55.93
Yellow 18KY Medium	1,350 (732)	1,435 (779)	830-2171	88.55	831-1061	89.11	831-1041	55.93
Yellow 18KY Soft	1,300 (704)	1,360 (738)	830-2170	88.55	831-1060	89.11	831-1040	55.93
Yellow 14KY X-Hard	1,420 (771)	1,555 (846)	830-2176	69.06	831-1066	69.62	831-1046	45.29
Yellow 14KY Hard	1,400 (760)	1,440 (782)	830-2175	69.06	831-1065	69.62	831-1045	45.29
Yellow 14KY Medium	1,330 (721)	1,390 (755)	830-2174	69.06	831-1064	69.62	831-1044	45.29
Yellow 14KY Soft	1,265 (685)	1,285 (696)	830-2173	69.06	831-1063	69.62	831-1043	45.29
Yellow 10K Soft	1,290 (699)	1,320 (716)	_		_		831-1007	34.12
White 18KW Soft	1,575 (857)	1,580 (860)	830-2180	88.55	831-1070	89.11	831-1050	55.93
White 14KW Hard	1,335 (724)	1,445 (785)	830-2182	69.06	831-1071	69.62	831-1051	45.29
White 14KW Soft	1,290 (699)	1,295 (702)	830-2181	69.06	831-1072	69.62	831-1052	45.29

Prices subject to change with market prices.

D. Platinum Solders

1200 Easy contains 0% platinum and is basically a repair solder made of palladium/white gold. 1400 Medium contains 5% platinum with the balance made of palladium/white gold. Normally used in assembling findings. 1700 Hard contains 25% platinum with the balance composed of palladium/white gold. Used for ring sizing and other jobs where joints will be visible. Sold in 1 dwt sheets.

Description	Flow Point °F (°C)	Item#	Each
1700 Hard	2,910 (1,600)	830-2162	\$96.88
1400 Medium	2,660 (1,460)	830-2161	108.82
1200 Easy	2,190 (1,200)	830-2160	87.06

Prices subject to change with market prices.



D

E. Platinum Solder Paste

F. Yellow Ochre

catch, etc. Net Wt. ½ lb.

Paste solder is ideal for soldering chain and intricate jewelry items where precise application of solder is critical. Now paste solder is available for platinum! Use 1000 for hidden joints (color is a bit too dark to use on visible joints). Use 1300 for production and for a good color match on joints that will be visible in the finished product.

Description	Flow Point °F (°C)	Item#	Each
Platinum Solder Paste 1000, 1 dwt syringe	2,010 (1,110)	831-1031	\$35.00
Platinum Solder Paste 1300, 1 dwt syringe	2.280 (1.250)	831-1032	122.50

Prices subject to change with market prices.

Mix with water or alcohol to create a paste that may be brushed onto a workpiece to prevent solder from flowing where you don't want it to. Helps to protect previously soldered areas, moving parts of a

Description	Item#	Each
Yellow Ochre	821-2750	\$12.05
1011011 001110	0E1 E100	



G. Cordless Rechargeable Soldering Iron Set

Easily solder in the tightest places with no restricting cord. Iron weighs less than 5 oz and measures 8½" long (with tip installed). Includes a built-in light allowing visibility in hard to reach areas and dark corners. Will solder up to 125 joints before recharging. Partially recharges in 1-2 hours, fully recharges in 3 to 4 hours. Comes complete with soldering iron, charging stand, battery, one fine and one heavy-duty tip and instructions. 110V, UL listed.

Description	Item#	Each
Quick-Charge Soldering Iron Set	816-1920	\$71.85





Considered to be one of the "hardest" soft solders available. Melts at 275°F and has a holding power of 4,300 lbs. per square inch. Adheres to all ordinary solderable materials and may be used with a soldering gun or torch. Stays white and does not tarnish. Package of 20 rods (3" length, 19-gauge).

Tix Solder, 20 rods	830-2000	\$18.35
Description	Item#	Each
9	· ·	0, 0,

B. Tix® Flux

A noncorrosive liquid flux that works with any soft solder. Harmless to skin and clothing. Washes off with water, even when dry. $\frac{1}{2}$ oz.

Description	Item#	Each
Tix Flux, ½ oz.	830-2340	\$5.65

C. Tix® Anti-Flux

Liquid that brushes on to prevent solder from flowing to unwanted areas. Can be used for hard or soft soldering. $\frac{1}{2}$ oz.

Description	Item#	Each
Tix Anti-Flux, ½ oz.	830-2345	\$5.65

D. Stay Bright Soldering Set

Cadmium-free, nontoxic silver bearing solder with a melting point of 430°F. May be used with soldering gun or torch. Includes $\frac{1}{2}$ oz. of solder and $\frac{1}{2}$ fluid oz. Stay Clean Flux.

Description		Item#	Each
D. Stay Bright Soldering Set	\$	830-2300	\$30.75
Stay Clean Flux 4 oz. refill	\$	830-2350	13.50

E. Soft Soldering Flux

For use with solders with melting points under 450°F. Will not flame.

Description	_	Item#	Each
4 oz.	<u>\$</u>	830-4050	\$10.15
1 pint	(\$)	830-4100	13.70
E. 1 quart	\$	830-4150	21.90

F. Pinpoint Dispenser

This handy plastic squeeze dispenser has a needle-point applicator for precise application of flux. No more mess—eliminates dried up flux brushes and dripping flux. An excellent applicator for applying flux to small areas where a flux brush will usually cause a mess; ideal for soldering earring posts, building up prongs, sizing rings and making many similar small repairs. 2 oz. capacity.

Description	Item#	Each
F. Pinpoint Dispenser	830-4520	\$4.79
Pinpoint Dispenser w/16 oz. Anti-Oxidizing Flux (see p. 501)	830-4515	20.00

G. Dispenser Bottle with Pump

Plastic bottle holds flux, solvents or other liquids. Special stainless steel lid allows pumping of solution into shallow well on top of bottle. One-way valve keeps solution in well, prevents contamination and eliminates odors. Ideal for dispensing solutions that would otherwise evaporate. 4 oz. capacity.

Description	Item#	Each
Dispenser Bottle with Pump	830-4525	\$26.45

H. Superior Flux #6

This paste flux for silver brazing and soldering stays exactly where you want it and helps hold solder in place. Contains no potassium bifluoride and will not release boron trifluoride gases during brazing. Gentle on metals. Easier on the hands than regular silver fluxes. Conforms to AMS 3410, AWS A5.31-91 and Type FB3A. Temp. range: 900-1600°F (485-870°C).

Description	Item#	Each
4 oz. Jar	830-4200	\$9.95
H. 8 oz. Jar	830-4201	16.65

I. Flux Dispensing Pens

The Bonkote Pen system provides the most accurate flux application in a pen that is easy to clean and maintain. Dispense flux with ease, even in the most challenging of jobs. Made in Japan.

	Pen & Tip Item#	Each	Replacement Tip Item#	Each
Micro	830-4581	\$21.50	830-4585	\$16.50
Thin	830-4582	17.50	830-4586	13.50
Thick	830-4583	23.50	830-4587	18.50
Flat	830-4584	21.50	830-4588	16.50

A-D Gesswein® Hard Soldering Flux

Yellowish-green self-pickling flux for brazing and annealing gold, silver, platinum and other metals with high melting points. Holds solder chips in place. Preserves color and temper of metal. Temp. range: 1,100-1,600°F.

Size	A. 4 oz.	B. 1 pint	C. 1 quart	D. 1 gallon
Item#	830-4250	830-4300	830-4350	830-4400
EACH Price	\$4.50	\$6.50	\$10.95	\$29.95

E-G Handy® Flux

A white paste flux used for hard soldering of silver, gold, platinum, copper, nickel and other nonferrous metals. Apply with borax brush. Holds solder chips in place for easier soldering. Withstands prolonged heating without breaking down. Temp. range: 1,100-1,500°F.

		EAUF	1 Prices
Size	Item#	1-2	3+
E. 7 oz.	830-4465	\$6.85	-
F. 1 lb.	830-4470	11.50	\$10.35
G. 5 lbs.	830-4475	34.50	31.05

H. Borax

Specially prepared for making flux for jewelry soldering. Dissolves easily to make a paste. Inhibits the formation of oxides on metal surfaces and allows solder to flow more easily. Helps prolong the life of melting crucibles. Borax has pH of 6-7. More alkaline than boric acid (pH 3-4).

Size	8 oz. Powder	5 lbs. Powder	50 lbs. Powder
Item#	811-0700	811-0701	811-0702
EACH Price	\$6.50	\$23.95	\$185.00

I. Magic Borax (Granular) Powder

Granular Magic Borax Powder is an excellent, general-purpose flux. Inhibits the formation of oxides on metal surfaces thus allowing solder to flow more easily. Excellent also for glazing clay crucibles to extend crucible life. 16 oz. container.

		LAUI	1111003
Size	Item#	1-2	3+
16 oz.	811-0705	\$7.75	\$7.36

J-M Gesswein® Anti-Oxidizing Flux

Completely protects the finish of the piece being soldered from firescale, reducing the need for time-consuming pickling, stripping and, in some cases, sanding and filing. Repolishing becomes easy after soldering. Prevents discoloration and oxidation of all metals that contain copper. Especially recommended for soldering silver. Makes hard soldering tasks easier than ever before. Nonhazardous and nontoxic. Temp. range: 1,100-1,500°F.

		EAUR	rrices
Size	Item#	1-2	3+
J. 4 oz. spray bottle	830-4500	\$7.60	\$7.22
K. 16 oz.	830-4505	19.95	18.95
L 1 gal.	830-4510	74.00	70.30
M. 16 oz. with pinpoint dispenser	830-4515	20.00	-

N. Magic Boric Acid Powder

High-grade, superfine boric acid powder. Can be used as high-grade flux and deoxidizing agent. Dissolve with denatured alcohol in our Glass Cups (830-2320) to make soldering flux. 16 oz. container.

		EACH	Prices
Size	Item#	1-5	6+
16 oz.	830-4575	\$9.25	\$8.79

0. Gesswein® Rectifying Solution

Alcohol-based flux for soldering and annealing. Inhibits firescale. Dip part into Rectifying Solution, set on soldering block and ignite. Alcohol will burn off and leave white borax residue. Part is now ready to be soldered or annealed. Temp. range: 1,100-1,600°F.

			EAUF	1 Prices
Size	_	Item#	1-3	4+
1 quart	\$	830-4551	\$20.95	\$16.76

P. Boric Acid Powder

Technical grade. Dissolve in Denatured Alcohol in our Glass Alcohol Cup (below) to make soldering flux. Boric acid has pH of 3-4. More acidic than borax (pH 6-7).

Size	1 lb.	5 lbs.	25 lbs.
Item#	830-4569	830-4570	830-4572
EACH Price	\$73.25	\$73.25	\$73.25

Q. Glass Alcohol Cup

For alcohol, solvents, flux or other solutions. Cover fits tightly to protect against evaporation or contamination. Cut glass container. Measures $2\frac{7}{8}$ " dia. x $1\frac{7}{6}$ "H, capacity $1\frac{1}{2}$ oz.

Description	Item#	Each
Glass Alcohol Cup	830-2320	\$17.65



HANDY









A, B Hemostats

Precision tools ideal for holding small items for soldering. Feature boxjoint construction, serrated pointed jaws and heat-resistant two-position self-locking handles. Available in two styles: straight and curved. Made of highly polished stainless steel. Measure 6" long.

			EAC	H Prices
	Description	Item#	1-2	3+
A.	Straight	181-5005	\$6.50	\$5.85
B.	Curved	181-5000	6.50	5.85

C. Third Hand

Cross-locking tweezers, 61/2" long, mounted on heavy, nontipping round base. Base's ball joint attachment permits positioning of work at any angle. Handy for positioning pieces to be joined by solder or adhesive, freeing hands from work. Base may vary.

		EAC	CH Prices
Description	Item#	1-2	3+
Third Hand	816-1800	\$12.10	\$11.50
Replacement Tweezers	195-1400	2.95	2.66

D. Third Hand – Ball Style

This remarkable third hand features incredibly flexible positioning and ease of use to speed up your soldering jobs. Twist and turn the ball joint to any position and it stays fixed without slipping. This economic alternative to the magnetic third hand, automatically provides the right amount of tension to hold and move your work without continuous adjustment. Includes 6" self-locking tweezer.

Description	Item#	Each
Single	816-1822	\$12.00

E. Double Third Hand

Round weighted base with cross bar, two spring-loaded clips, and multiple ball joints for infinite positioning ability. Frees both hands for work. Other accessories such as cross-locking tweezers may be added to increase the versatility of this convenient holding tool. Base measures 3" dia. x ³/₄"H.

Description	Item#	Each
Double Third Hand	816-1900	\$19.95

F, G GRS® Soldering Stations

Compact benchtop fixturing devices for handling all your soldering jobs. Available in two styles: Short-arm features double-jointed arms with spring-loaded third hands. Deluxe features triple-jointed arms with spring-loaded third hands and rear tabs for mounting on GRS BenchMate (see p. 572). Both have 6" x 6" nonasbestos soldering boards and metal frames with rubber feet. Made in USA.

	Description	Item#	Each
F.	Short-Arm Soldering Station	816-1914	\$104.80
G.	Deluxe Soldering Station	816-1915	147.80

H. Platinum Soldering Station

Platinum soldering must be carried out in an area separate from other metals or solders to prevent contamination of the platinum. Tweezers and solder picks must be made of a non contaminating material such as tungsten carbide. Our Platinum Soldering Station includes: GRS Deluxe Soldering Station (above), 2 pairs of GRS Tungsten Carbide Tweezers Tips (to replace tips in soldering station), 4" x 4" Wesgo Soldering Board (sits on top of GRS board) and Tungsten Solder Pick for worry-free platinum soldering.

Description	Item#	Each
Platinum Soldering Station	816-1916	\$270.00

A. Improved Adjustable Scraper

Hollow three-square double-ended blade measures 3½" long; extend length to fit the job. A simple adjustment knob on the knurled handle allows the blade to slip inside both for safety and for maintaining the tool edge when not in use. Handle has a highly polished finish and measures 3½" long. France.

Description	Item#	Each
Improved Adjustable Scraper	816-0130	\$41.75

B. Bench Knife

An all-purpose bench knife for opening watch cases, scraping and cutting. Has 13/4" thick steel blade mounted in a hardwood handle. Measures 5¹/₄" long.

Description	Item#	Each
Bench Knife	260-3059	\$3.80

C, D Wood Handle Scrapers

High-quality, chrome alloy steel three-square blades are securely mounted in hardwood handles. Approx. overall length $6\frac{1}{2}$ ".

	Description	Blade Length	Item#	Each
C.	Hollow-Blade Scraper	21/2"	816-0150	\$10.75
D.	Solid-Blade Scraper	3"	816-0160	16.55

E. Titanium Solder Pick

Features a Titanium rod to which solder cannot adhere and a nonconductive handle with hexagonal head so pick won't roll away when you put it down. For gold and silver—do not use on platinum. Measures 63/8" long.

		EACH Prices		
Description	Item#	1-2	3-9	10+
Titanium Solder Pick	830-2212	\$4.95	\$4.70	\$4.46

F. Tungsten Solder Pick – Ideal for platinum.

For spreading molten solder and maneuvering it to just the place you want it. Solder will not adhere. Made of a special high melting point tungsten. Will not contaminate or discolor molten gold or silver solder. Wood will not heat up. Measures 6½" long.

Tungsten Solder Pick	830-2210	\$8.50	7.65	\$7.08
Description	Item#	1-2	3-9	10+
		EACH Prices		

G. Niobium Solder Pick – Ideal for platinum.

For high-temperature soldering jobs, our Niobium Solder Pick withstands temperatures up to 4,470°F. Noncontaminating for platinum soldering and welding. Can be bent to the desired angle without breaking. Wooden handle. Measures 6½" long.

Niobium Solder Pick	830-2216	\$6.45	\$6.13	\$5.81
Description	Item#	1-2	3-9	10+
		EACH Prices		

H. Solder Pick

Made with a special alloy, the point can be bent to any shape without breaking. Hardwood handle insulates. Metal ferrule. For gold and silver. Measures 61/2" long.

Solder Pick	830-2211	\$2.45	\$2.21	\$2.04
Description	Item#	1-2	3-9	10+
		EACH Prices		

I. Titanium Soldering Picks

Feature long-lasting extra-fine titanium tips that collect exact amounts of solder for precise application. Grooved aluminum handles dissipate heat quickly to protect user. Hexagonal heads prevent rolling. Set consists of three colors to allow easy differentiation and help prevent metal contamination. Measure 61/4" long. For use with gold, silver and other metals; not for use with platinum.

Description	Item#	Each
Set of three	830-2219	\$8.75




A. Cross Hole Deburring Tool - 3mm Shanks


These specialty rods are designed to remove the hard to reach burrs created by cross-drilled holes. Available in 4 shapes: Oval, Cross, Ring, and Thin, and a variety of diameters for different cross hole sizes and shapes.

The cutting wires are made from a slightly flexible, twisted piano wire and measure approx. 0.027" in wire diameter. The wires are more aggressive than brushes, yet less aggressive than traditional cutting burs. These deburring tools work best on harder metals such as steel. Recommended for use in a rotary power tool. 1,000 Max RPM. All rods measure 4" in OAL. 3mm shank diameter.


Two kits are available. Cross Hole Small Kit * consists of one each of the smallest of the 4 shapes. Cross Hole 6mm Kit † consists of one each of the three 6mm size tools. Made in Japan.



3 and 4mm sizes



5mm and larger sizes



Type/Shape	Ł	£ 1	£2	Ød	Ød1	Item#	Each
Oval 3mm *	30	70	-	3	-	846-0103	\$28.85
Oval 4mm	30	70	-	3	-	846-0104	28.85
Oval 5mm	30	50	20	4	3	846-0105	34.30
Oval 6mm †	30	50	20	5	3	846-0106	34.30
Oval 7mm	40	40	20	5	3	846-0107	38.20
Oval 8mm	40	40	20	5	3	846-0108	38.75
Oval 9mm	45	35	20	6	3	846-0109	43.70
Oval 10mm	45	35	20	6	3	846-0110	43.70
Oval 11mm	50	30	20	6	3	846-0111	43.95
Oval 12mm	50	30	20	6	3	846-0112	45.75
Cross 5mm *	30	70	20	4	3	846-0125	33.55
Cross 6mm †	30	70	20	4	3	846-0126	33.55
Cross 7mm	30	50	20	5	3	846-0127	34.30
Cross 8mm	30	50	20	5	3	846-0128	34.30
Cross 9mm	30	50	20	6	3	846-0129	36.15
Cross 10mm	30	50	20	6	3	846-0130	36.15
Cross 11mm	30	50	20	6	3	846-0131	36.90
Cross 12mm	30	50	20	6	3	846-0132	36.90
Ring 3mm *	30	70	-	3	-	846-0143	27.55
Ring 4mm	30	70	-	3	-	846-0144	27.55
Ring 5mm	30	50	20	4	3	846-0145	33.55
Ring 6mm †	30	50	20	4	3	846-0146	33.55
Ring 7mm	30	50	20	5	3	846-0147	34.85
Ring 8mm	35	45	20	5	3	846-0148	35.60
Thin Hole 2mm *	25	75	-	3	-	846-0152	27.05
Cross Hole Sm	all K	it *				846-0095	106.75
Cross Hole 6m	m K	it †				846-0096	92.50



B. Precision Deburring Tools

Double-ended tools with revolving hardened steel discs for deburring a variety of delicate parts. Feature knurled handles for secure grip. Sold individually and in a set with one of each with storage pouch. Made in Switzerland. Measure approx. 33/8" in length.

Tool#	Disc Diameter	Item#	Each
1	0.060" and 0.070"	846-2039	\$14.95
2	0.082" and 0.092"	846-2040	14.95
3	0.106" and 0.116"	846-2041	14.95
4	0.134" and 0.150"	846-2042	14.95
5	0.160" and 0.185"	846-2043	14.95
6	0.198" and 0.208"	846-2044	14.95
D. 6-Piece Set		846-2045	74 75

A. Shaviv Hand Deburring Tools

Shaviv is the internationally recognized choice of leading companies in the mold & die, automotive, aviation, plastics, electronics assembly and other industries.

Shaviv "B" style and "E" style blades are used for efficient deburring. "B" style blades are 2.6mm thick steel for: aluminum, stainless steel, copper, brass, cast iron and plastics. "E" style blades are 3.2mm thick and are useful for heavier duty applications. See chart below for specific blades and their applications.

Sets:

Mango II B Handle with 4 Multi-Purpose "B" Blades

Contains the Mango II B extra-close-reach handle with one each of the B10, B11, B20, & B25 blades.

Mango II E Handle with 5 Heavy Duty "E" Blades

Contains the Mango II E extra-close-reach handle for heavy duty use and one each of the E100, E111, E120, E200, & E300 blades.

Mango II M - The Two in One Telescopic Handle

Contai ns the Mango II M telescopic long-reach handle for variable extended reach up to 4".

Accommodates both B+E style blades. Included are one each of the B10, B20, B30, E100, E111, and E200 blades.

Sets:	Item#	Each
Mango II B with 4 Multi-Purpose "B" Blades	846-2060	\$15.75
Mango II E with 5 Heavy Duty "E" Blades	846-2062	19.75
A. Mango II M Telescopic with 6 Blades (3 "B", and 3 "E")	846-2064	32.50







Mango II B



Mango II E



Mango II M

B. Shaviv Blades for Deburring Tools

"B" blades are 2.6mm thick, while heavy duty "E" blades are 3.2mm thick.

		Blade	App	licat				For	Use	On				Blades		
Description	Mfg.#	(All clockwise work direction unless otherwise noted)	Straight Edge	Hole Edge	Gross-Hole Both Edges	Steel	Aluminum	Copper	Brass	Cast Iron	Stainless	Plastics	Item#	Per Pack	1-2 Pkgs.	3+ Pkgs.
HSS. Deburrs materials with spiral chips.	B10	-	•	•		•	•	•				•	846-2070	10	\$17.50	\$15.75
PVD TiN coated for high resistance to wear.	B10P		•	•		•	•	•			•	•	846-2075	2	7.25	6.53
Long-lasting, cobalt-enriched.	B10S	~	•	•		•	•	•			•	•	846-2074	10	19.50	17.55
Extra thin, HSS. Deburrs holes with minimum diameter 0.08" (2mm).	B11	-	•	•		•	•	•				•	846-2071	10	18.60	16.74
PVD TiN coated for high resistance to wear.	B11P		•	•		•	•	•			•	•	846-2076	2	7.25	6.53
HSS. Rotates clockwise & counterclockwise.	B20	1	•	•					•	•		•	846-2072	10	17.50	15.75
PVD TiN coated for high resistance to wear. Rotates clockwise & counterclockwise.	B20P		•	•					•	•	•	•	846-2077	2	7.25	6.53
HSS. Thin-nosed. Specially designed for plastics.	B25	~	•	•		•	•	•				•	846-2073	10	17.50	15.75
HSS. Simultaneously deburrs the inside and outside of holes up to 0.16" (4 mm) thick.	B30	~			•	•	•	•				•	846-2078	10	22.70	20.43
Heavy-duty HSS. Deburrs materials with spiral chips. Bulk pack available.	E100		•	•		•	•	•				•	846-2080	10	22.70	20.43
Long-lasting, cobalt-enriched.	E100S		•	•		•	•	•			•	•	846-2087	10	25.00	22.50
Thin-nosed. HSS. Deburrs holes with minimum diameter 0.06" (1.5mm).	E111		•	•		•	•	•				•	846-2088	10	25.00	22.50
PVD TiN coated for high resistance to wear.	E111P		•	•		•	•	•				•	846-2086	2	12.50	11.25
HSS. E shaft, B20 cutting edge for materials with powdery chips. Rotates clockwise & counterclockwise.	E120	-	•	•					•	•		•	846-2082	10	22.70	20.43
HSS for materials with powdery chips. Rotates clockwise & counterclockwise.	E200		•	•					•	•		•	846-2085	10	23.00	20.70
PVD TiN coated for high resistance to wear. Rotates clockwise and counterclockwise.	E200P		•	•					•	•		•	846-2083	2	12.50	11.25
HSS for materials with spiral chips. Simultaneously deburrs the inside and outside of holes up to 0.24" (6 mm) thick.	E300	~			•	•	•	•				•	846-2084	10	29.00	26.10



A, B Rotating Solder Tables

Solder & anneal single or multiple parts without having to move your torch.

These handy rotating tables permit 360° access to your parts so that you can work without having to move your torch. Bearings in the base provide smooth, easy movement. The tables are only 1" high, which makes it comfortable to use them on a bench top. Square table is supplied with one 6" x 6" Ceramic Soldering Pad (#830-2222) and also accommodates our Solderite Soldering Pad (#810-0100). Round table is supplied with grooved diameter ceramic soldering disc (#830-2238).

Description	Item#	Each
A. Square Table	830-2228	\$33.50
B. Round Table	830-2237	30.95
Square Solderite Pad, 6" x 6"	810-0100	11.75
Replacement Ceramic Pad, 6" x 6"	830-2222	13.50
Replacement Ceramic Round Disc, 41/2" dia.	830-2238	10.75

C. Two-Way Ceramic Soldering Board – Flat/Grooved

Hard ceramic soldering board that is flat on one side and deeply fluted on the other side. Fluted side is ideal for soldering fine chains because air is allowed to circulate under the area not being soldered, reducing the diffusion of heat. Excellent thermal shock resistance. Measures 7"L x 7"W x 7 /8"H. Can be heated to 2,000°F.

		EAU	H Prices
Description	Item#	1-2	3+
Two-Way Board	830-2220	\$28.95	\$26.06

D, E Annealing Pans with Pumice

Allows positioning of work while annealing or soldering on heat-reflecting pumice. All pans rotate 360° on ball bearings and come with an adequate supply of lump pumice.

Description	Item#	Each
D.12" dia. Annealing Pan	830-4000	\$75.75
E. 7" Annealing Pan w/ Tweezer	830-3994	35.95
7" Annealing Pan w/o Tweezer	830-3995	28.50
Pumice, 2 ¹ / ₂ lbs.	830-4001	29.95

F-H Ceramic Soldering Boards

All are nonasbestos and hard. Retain heat nicely and can be easily cleaned. Rubber feet raise boards above work surface. Very durable and smooth. Can be heated up to 2,000°F.

		EAC	H Prices
Size (L x W x H)	Item#	1-2	3+
F. 6" x 6" x ¹ / ₂ "	830-2222	\$13.50	\$12.15
G. 6" x 12" x ½"	830-2224	17.00	15.30
H . 12" x 12" x ½"	830-2227	26.39	23.75

I. Wesgo® Soldering Boards

Made from the same super refractory material as our popular high-temperature Wesgo crucibles for demanding thermal shock environments. Great for high-temperature soldering jobs such as platinum soldering. The material can be used at 2,642°F (1,450°C) for intermittent service (for platinum soldering, etc.) or at 2,012°F (1,100°C) for more continuous duty. Free of metal-contaminating impurities; contains no readily reducible oxides. Wesgo Soldering Boards offer extremely low thermal conductivity and no loss of strength at high temperatures.

Item#	Each
830-2400	\$84.00
830-2410	219.00
	830-2400

A. Solderite™ Hard and Soft Soldering Pads

Nonasbestos soldering pads which are durable, smooth, and heat-reflective. Fairly hard so that they will not flake or crumble. Highly flame-resistant and noncombustible, these long-lasting, all-purpose pads can be used to protect surfaces from burning. Measure ½" thick.

Our popular Solderite Pad is also available in a soft version. You can easily push pins, heads or components into Solderite Soft for quick and easy alignment. Composed of the same material as hard Solderite and will provide the same superior heat reflection, insulating qualities and fast cool-down time. It won't break, crack or crumble as so many other soft products will. Asbestos-free, OSHA approved. Measure 3/4" thick.

	Hard	Soft	EAC	CH Prices
Size (L x W)	Item#	Item#	1-2	3+*
6" x 6"	810-0100	810-0335	\$11.75	\$10.58
6" x 12"	810-0200	810-0336	18.50	16.65
12" x 12"	810-0300	810-0337	32.75	29.48

^{*}Quantity discount for orders of one item# only, not assorted.

B. Honeycomb Blocks

Very popular ceramic soldering block that contains hundreds of tiny holes to accelerate heat loss from parts being soldered. Holes also provide anchor points for pins or wires used to hold parts in place on the surface. Withstands heat up to 2,100°F.

Size (L x W x H)	Item#	Each
5 ¹ / ₄ " x 3 ³ / ₄ " x ¹ / ₂ "	830-2230	\$8.50
5½" x 7¾" x ½"	830-2235	12.50
4½" dia. x ½" Round	830-2236	12.00

C. Charcoal Soldering Blocks

Made from select, close-grained, knot-free wood. Creates a reducing atmosphere and reflects heat back onto workpiece for effective soldering conditions. Soft enough to allow work to be pinned or pressed into its surface. Available in three sizes. Wrapping binding wire (see p. 508) around the perimeter of the blocks will help them last longer.

	EAUF	i Prices
Item#	1-2	3+
810-2300	\$9.50	\$8.55
810-2200	14.50	13.05
810-2100	28.95	26.06
	810-2300 810-2200	Item# 1-2 810-2300 \$9.50 810-2200 14.50

D. Premium Charcoal Blocks

Extra-fine grain charcoal is compressed for a denser charcoal block that holds up better and lasts longer than standard blocks. Our Premium Small Block is 3 times heavier than a standard block of the same size. Our Premium Medium Block weighs almost twice as much as a standard medium block. No chemicals added. Imported.

Size (L x W x H)			EACH Pr	ices
	Item#	1-2	3-9	10+
3 ¹ / ₈ " x 2 ⁵ / ₁₆ " x 1 ¹ / ₈ "	810-2404	\$10.40	\$9.36	\$8.32
5½" x 2¾" x 1¼"	810-2405	14.95	13.46	11.96

E. Magnesia Block

Porous, fibrous, fireproof material used as a surface for soldering. Reflects heat. Soft enough to allow work to be pinned or pressed into its surface. Longer lasting than charcoal. Nonasbestos.

6" x 3" x 2"	810-2400	\$4.75	\$4.04
Size (L x W x H)	Item#	1-2	3+
		EACI	1 Prices

F. Hi-Temp Soldering Boards

This aluminum oxide board is designed specifically for the high temperatures required when working with platinum. Safe for temperatures up to 3,500°.

Size (L x W x H)	Item#	Each
4" x 4" x ¹ / ₂ "	830-2240	\$23.50
6" x 6" x ¹ / ₂ "	830-2245	35.00





A. Heat-Resistant Ceramic Ring Soldering Stand

Tapered, hard ceramic rod is mounted in one position on a heat-resistant nonasbestos base. Prevents collapse or movement when fitting shank sections together. Cleaner to use than carbon and holds heat better. Rod measures 53/4" long.

			EACI	1 Prices
	Description	Item#	1-2	3+
A.	Ceramic Ring Soldering Stand	816-0405	\$27.45	\$20.59
	Replacement Ceramic Rod	816-0305	13.65	12.29



B. Iron Binding Wire


Available in 10 different sizes for holding workpieces together for soldering or cementing. Also used for binding charcoal blocks in order to retard cracking.

	Approx.			EACI	H Prices
No.	B&S	Dia.	Item#	1-2	3+
12	24	.020"	820-2050	\$7.85	\$7.07
14	25	.018"	820-2100	8.35	7.52
16	26	.016"	820-2150	8.85	7.97
18	27	.014"	820-2200	11.15	10.04
20	28	.0125"	820-2250	11.45	10.31
22	29	.011"	820-2300	14.45	13.01
24	30	.010"	820-2350	14.85	13.37
26	31	.009"	820-2400	15.15	13.64
28	32	.008"	820-2450	20.65	18.59

C. Tripod with Mesh Screen

Complete with Fine Mesh Heating Screen to heat work from below while welding, soldering, brazing or enameling. Can be placed over an alcohol lamp or Bunsen burner for heating operations. Complete with $6\frac{1}{2}$ " legs. Ring diameter measures 43/4". Mesh screen is 6" square. Use with #830-1290 Heavy-Duty Mesh Screen (below) when working on heavier items.

		EACI	H Prices
Description	Item#	1-2	3+
C. Tripod & Screen	830-1295	\$14.75	_
Replacement Fine Screen only	830-1293	6.25	\$5.94



D. Mesh Heating Screens

Use on a tripod for soldering or heating work from below. Also for placing enameled pieces for firing. Available in fine or heavy-duty wire. Measure 6" x 6". Ship. Wt. 8 oz.

	EACH Prices	
Item#	1-2	3+
830-1290	\$6.85	\$5.48
830-1293	6.25	5.94
	830-1290	Item# 1-2 830-1290 \$6.85

A-C Pickle Pot - 1 Quart

Made of holistic copper lining, this pickle pot works effectively to remove firescale and oxidation from silver, gold, and other non-ferrous metals. Contains an accurate temperature control to prevent over-boiling. The copper lining eliminates any corrosion even when using acidic solutions. Comes supplied with a plastic basket as shown in the photo.

The "Green" Kit also comes with 2lbs of Gesswein's Citpic, which is safer than most pickle compounds. Citpic is a mild organic citric acid that is colorless and odorless, but still effective for removing firescale and flux after soldering applications. A pair of non-corrosive Copper Tongs are also included.

Specifications Overall Size: 7.7" (195mm) Dia x 6.5" (165mm) High; Pot Size: 4.1" (105mm) Dia x 4.7" (120mm) High; Basket Size: 3.15" (80mm) Dia x 3.74" (95mm) High; 120V, 1.5 Amp, 50/60Hz

	Description	Item#	Each
A.	Pickle Pot	821-2445	\$225.00
В.	"Green" Kit	821-2448	230.50
C.	Replacement Basket	821-2446	11.50

D. Magic Pickle Compound

Magic Pickle compound is a dry granular compound that is ideal for cleaning and removing surface oxidation and fire scale from Silver, Gold, Copper and most other non-ferrous metals. The end result is a clean, bright surface. Requires heat to activate. One tablespoon to one pint of liquid. 24 oz. container.

		LAGII	LIICES
Description	Item#	1-5	6+
Magic Pickle Compound	821-2655	\$7.75	\$7.36

E. Place-It – The soldering fixture.

Safe, asbestos-free material that holds parts together during soldering, welding and brazing. A putty-like material that quickly hardens in any desired form or shape. Will not shrink on setting. Will not rob heat from joints. Ready to use. Withstands heat up to 3,200°F.

Description	Item#	Each
Jar, 4 oz.	810-0360	\$31.75

F. Heat Stop

Our most popular nonasbestos, nontoxic paste that protects precious metals, gems, glass, wood, etc. from heat damage during soldering. Protects up to 1,500°F. Effective up to 2,400°F. May be removed with water after soldering. Net Wt. 14 oz.

Description	Item#	Each
Heat Stop, 14 oz.	813-1850	\$19.75

G. Heat Shield

Protects jewelry components under direct flame so that it's not necessary to remove stones before soldering. Protects up to 5,000°F. Prevents oxidation. Odorless and nontoxic. Washes off with water. Net Wt. 1 lb.

Description	Item#	Each
Heat Shield, 1 lb.	813-1822	\$14.95

H. Kool Jool

Protects against heat while soldering. Lets you solder without removing stones (except opal, turquoise, emerald and other sensitive stones). Thick gel stays where you place it. So easy to use, it's also nontoxic and odorless. Rinses off with water. Net Wt. 8 oz.

Description	Item#	Each
Kool Jool, 8 oz.	813-1855	\$8.88

I. Soldering Grain

Irregularly shaped grains used to hold items for soldering. Acts like a third hand. The granular form allows objects otherwise difficult to position for soldering to be embedded with only the part to be soldered left exposed. Will not discolor gold or silver. Reusable and odorless. May be used wet or dry. If used wet, place in a heat-resistant, nonrusting container. Net Wt. 12 oz.

Description	Item#	Each
Soldering Grain, 12 oz.	830-2310	\$14.95











B

A Co









A. Pickler - 12 oz.

Provide a safe and convenient way to heat Gesswein Pickling solution. Our 12oz. capacity pickler achieves pickling temperature in minutes and maintain it without boiling. For removing oxides from the surface of silver, gold, copper and most other nonferrous metals. Supplied with one polypropylene basket for retrieving cleaned workpieces.

			Dimension	is (D x H)		
	Model	Electrical	Inside	` Outside	Item#	Each
A.	400	115V, 125W, 50/60Hz	3" x 4 ¹ / ₄ "	47/8" x 51/2"	821-2450	\$149.95
De	scription		Dimension	ns (D x H)	Item#	Each
Re	placement	400 Basket	25/8"	x 4"	821-2600	\$20.85

B. Gesswein® Pickling Compound

A dry granular acid compound for cleaning and removing surface oxidation and incrustation from silver, gold, copper and most other nonferrous metals. Produces a clean, smooth, bright surface without affecting the tolerance of metals. Long-lasting compound withstands heat up to 300°F (150°C). Use 5 lbs. to make up to 2 gallons.

Description	Item#	Each
B. Gesswein Pickling Compound, 5 lbs.	821-2650	\$22.95
Gesswein Pickling Compound, 25 lbs.	821-2652	49.95

C. Citpic – The safer pickling compound.

Citpic is safer to use than standard pickling compound yet just as effective for removing firescale and flux after soldering applications. Citpic is a mild organic citric acid, colorless and odorless. It's gentle on skin and fabrics but tough on firescale and flux residue.

Heat Citpic in your pickle pot for fast, safe, effective cleaning of platinum, gold, silver and steel. You can even use steel tweezers and binding wire—Citpic won't cause copper contamination. Citpic is long-lasting and retains its effectiveness even after repeated use.

Description	Item#	Each
Citpic, 2 lbs.	821-2675	\$12.50
Citpic, 50 lbs.	821-2677	225.00

D. Acid Neutralizer

Dissolve approx. 2 oz. in 1 cup of warm water to make neutralizer solution. After removing items from pickling solution, place them into neutralizer solution to stop the pickling process. Wait 30 seconds, remove and rinse well. Do not heat. Sold in 6 oz. container.

Description	Item#	Each
Acid Neutralizer	821-2685	\$4.65

E-G Firescoff™ - Prevents Firestain

Revolutionary heat-activated ceramic spray coating. Combines a scale preventer and high-performance non-fluorinated flux for both hard and soft solder in one formula. Leading jewelers and jewelry manufacturers have switched from boric acid, paste flux and pickle solution to Firescoff because it's faster, provides more gemstone protection and cleans up easier. It's also alcohol and fluoride free, offering a real safety improvement over traditional methods. Cleans up easily in warm water, less than two minutes in an ultrasonic cleaner. 1 oz. size protects approx. 60–75 rings.

		EACH Prices		
Description	Item#	1-2	3-5	6+
E. 1 oz. Spray Bottle (30ml)	830-4537	\$9.75	\$9.26	\$8.78
F. 4 oz. Spray Bottle (120ml)	830-4538	24.95	23.70	22.46
G. 34 oz. Bulk Refill (1000ml)	830-4539	205.50	195.23	184.95

H-J Firescoff™ Rh for Rhodium

Firescoff[™] Rh ceramic coating technology protects and prevents rhodium plated jewelry from turning black during resizing or repair. Avoid the need, time and cost required to strip and re-electroplate rhodium coatings. Multiple repairs are accomplished with a single application. This fluoride free and alcohol free liquid maintains original metal color and patina. Easy warm water cleanup, no pickling needed. Available in 3 sizes, a 1-ounce (30ml) sample size, 4 ounces (125ml) Ideal for bench jewelers needing to protect 200+ pieces; and for multiple jewelers or large shops 34 ounces (1000ml). Bulk refill also available.

		EAUTI FIICES		
Description	Item#	1-2	3-5	6+
H. 1 oz. Spray Bottle (30ml)	830-4540	\$10.75	\$10.21	\$9.68
I. 4 oz. Spray Bottle (120ml)	830-4541	32.95	31.30	29.66
J. 34 oz. Bulk Refill (1000ml)	830-4542	277.50	263.63	249.75

EACH Drices

A. Heetrix

The cleaner, safer way to solder your jewelry.

Space-saving Heetrix is a soldering station that rotates 360° to use in any position you want, then swings out of the way when you aren't using it. Includes a 3³/₄" diameter Hard Solderite disc with a depression underneath that can hold soldering grain (see page 509 830-2310, grain sold separately) for embedding items that need heat protection. Also includes a 4½" long stainless steel, insulated, cross-lock tweezers in a Third Hand. This all-in-one soldering system is incredibly convenient, which is no surprise since it was designed by master jeweler Jay Whaley. Everything you need to solder is kept neatly in one place which you can swing in and out as needed. Comes with two mounting options: C-Clamp for benches up to 2½"/4"thick or peg-mount (requires drilling a hole into bench top). Dimensions: 7½"L x 6"W x 2"H. Net Weight: 3 lbs.

Description	Item#	Each
A. Heetrix	812-0851	\$42.95
Replacement Solderite Disc	812-0852	6.90



Replacement Solderite Disc	

B. Hydroflux Welder System

The cleaner, safer way to solder your jewelry.

Hydroflux is a complete torch system that manufactures its own fuel from distilled water. Uses hypodermic-type tips to create flames ranging from a pinpoint for fine soldering up to a broad flame for sizing large men's rings.

Hydroflux's hydrogen/oxygen mix produces a clean non-contaminating flame ideal for platinum soldering and welding. Produces flame temperatures up to 4,850°F (2,675°C). Ideal for malls, homes and anywhere compressed gas and oxygen tanks are a concern.

Hydroflux comes complete with one torch with 4' flexible hose, eight-piece tip set, chemicals and inline dryer. Sight gauges indicate when additional flux and water are needed. Hydroflux is easy to use and easy to set up with complete instructions included. Cabinet measures 16"W x 9"D x 10"H. Ship. wt: 45 lbs. Made in USA.

Description	Item#	Each	
B. Complete System, 110V \$	830-0830	\$1,500.00	
Replacement Parts	Item#	Each	
Electrolyte Solution, 1 qt.	830-0833	\$31.50	
Flux Solution, 1 qt.	830-0834	19.50	
Torch Handpiece with 4' hose	830-0835	123.50	
8-Piece Tip Set	830-0836	4.65	
Cotton Fiber Filter	830-0837	7.75	



C. Electric Soldering Machine

Electric soldering eliminates the hassles associated with flame soldering: no more firescale, no hazardous compressed gas, minimal oxidation and very little cleanup. Solder right next to most stones and pearls without removing them. Retip prongs, size rings, solder jump rings fast, and do assembly work. Easy to use with a little practice: simply position your work and solder chip in the versatile holders, dial up the power (max. temp. 2,000°F) and step on the foot pedal. The joint is as strong and as permanent as any solder joint made with a flame—but much easier to make. The unit is designed so that both hands can rest comfortably on your workbench.

Comes complete with control box and foot pedal, three large and two small carbon rods, contact rod, small and large clamps and stand for large carbon rods. Measures 101/4"W x 67/8"D x 41/8"H. Weighs 12 lbs. Made in USA.

Description	Item#	Each
Electric Soldering Machine, 110V	830-2030	\$525.00
Electric Soldering Machine, 220V	830-2035	525.00
Replacement Rods, set of 5	830-2040	32.95



D, E Copper Tongs

Designed especially for use with pickling and acid solutions. Will not contaminate solutions nor corrode. Fishtail tips are thinner to pick up small or flat items. Measure 9" long.

			EACH Prices	
	Description	Item#	1-2	3+
D.	Copper Tongs	195-0100	\$6.55	\$5.57
E.	Copper Fishtail Tongs	195-0110	8.85	7.52





s UPS® hazardous shipping surcharge applies. Ships via UPS® Ground only, no air, FedEx®, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.

G-TEC Superior Torch Performance • Save Money • Safe Workshop

G-TEC Torch Boosters replace acetylene, propane and other fuel gas cylinders. They connect to your low-pressure utility natural gas pipe and boost pressure high enough to make gas flow through a flashback arrestor check valve and give you a hot flame on the torch.















- Never run out of fuel
- · Clean natural gas flame improves work quality
- Don't waste time changing empty cylinders
- Make flashback arrestors effective



G-TEC Torch Boosters – Natural gas is up to 10 times cheaper than acetylene and half the cost of propane.

For equal BTUs natural gas costs much less than either acetylene or propane, and because you are connected to the utility natural gas pipe you never have to replace empty cylinders.

Turn the Torch Booster on in the morning and off at the end of the day and that's all you need to do. Torch Boosters automatically supply the right amount of natural gas.

G-TEC boosts utility natural gas to 25 psi, then a natural gas regulator (sold separately) lowers pressure to between 3 and 7 psi, the recommended pressure for most bench torches. The TB-30 and TB-60 models provide the sustained higher pressures needed for casting torches. You can even boost the pressure to 10-15 psi to cast platinum with high-quality results. Platinum casters report better results when heating with natural gas; there is less stress on the metal, less porosity and an overall better quality cast.

Torch Boosters are whisper-quiet and can be installed right next to your bench. G-TEC Torch Boosters are certified by CSA International. OSHA and local fire codes require the use of combination flashback arrestor check valves to protect the gas meter from a torch flashback. The problem is that flashback arrestor check valves need at least 3/4 psi gas pressure to work properly, otherwise they block gas flow. With high pressure natural gas from a G-TEC Torch Booster there is enough pressure to make the flashback arrestor check valve work properly, and still provide a robust flame on the torch.

Quiet and easily maintained.

G-TEC Torch Boosters run in virtual silence and have a very small footprint. Can be easily installed by a licensed plumber in any facility.

Specifications:	TB-15	TB-30	TB-60	
Capacity	1-3 bench	1-6 bench torches	s 1-4 ber	ich torches
	torches	Or 1 casting torch		ting torch
			simultar	neously
Electrical	110V, 15A	110V, 15A	110V, 1	5A
Gas Supply	1/4-1 PSI	¹ / ₄ -1 PSI	¹⁄4−1 PS	SI
Gas Pressure	25 PSI	25 PSI	25 PSI	
Gas Flow	15 cu.ft./hr.	30 cu.ft./hr.	60 cu.ft	./hr.
$W \times D \times H$	12" x 16" x 12"	12" x 16" x 12"	20" x 1	8" x 16"
Net Wt.	48 lbs.	50 lbs.	75 lbs.	
Description		Item#	Each	
TB-15 Torch Boos	ter, FOB Buffalo N	(830-0817	\$1,399.00
TB-30 Torch Boos	ter, FOB Buffalo N	(830-0818	1,999.00
TB-60 Torch Boos	ter, FOB Buffalo N	/ 🟳	830-0819	3,650.00
Harris Natural Gas	Regulator		830-1014	249.35
Smith Flashback A	Arrestors, set of 2,	for regulator	830-0812	75.00
Smith Flashback Arrestors, set of 2, for torch			830-0816	75.00
Maintenance Kit	·		830-0827	206.00

For larger units and for assistance with New York City's special regulations, please call our Technical Department at 1-800-544-2043 (Mon-Fri, 9am-5pm EST) for additional information.

Please note: A natural gas regulator is required for G-TEC units. We recommend our #830-1014 Harris Natural Gas Regulator.

Airsep Oxygen Generators

The safe and efficient alternative to oxygen cylinders!



Equipped with their own air compressors, these generators require no special installation. Simply connect the oxygen outlet to your oxygen distribution system and the power cord to a grounded electrical outlet. Just turn the unit on and set your oxygen delivery flow.

A, B Onyx and Topaz Plus Oxygen Generators

AirSep Oxygen Generators provide instant oxygen on demand, eliminating the oxygen deliveries or the transportation and storage of pressurized, volatile oxygen cylinders on premises. Provides all the oxygen needed for most jeweler's torches.

- Generates 93% nominal oxygen concentration.
- Generate oxygen at half the cost of cylinders or liquid oxygen.
- Two models are available: the portable Onyx (on rollers) for one-person and smaller shops and the commercial grade Topaz Plus for production shops. Topaz Plus is wall mountable and includes oxygen delivery and cycle pressure gauges, and high temperature, ozone-resistant process tubing.
- Larger models available. Contact us for details.

Both the Onyx and Topaz Plus utilize molecular sieve to separate compressed air into nitrogen and oxygen, allowing the oxygen to pass through to your torch line. The molecular sieve is completely regenerative and will last indefinitely making AirSep the most user-friendly oxygen generator on the market. The generators require minimal regular maintenance, limited to cleaning the system's particulate filter and replacing filter pads.

CSA and CE approved. 1 year manufacturer's parts and factory labor warranty.

Specifications:	Onyx	Topaz Plus	
Oxygen Output:	12 SCFH @ 9PSIG	17 SCFH @ 20	0 PSIG
Oxygen Purity:	93% Nominal	93% Nominal	
Noise Level:	49dB	55dB	
Operating Conditions:	40-120°F (4-49°C)	40-120°F (4-4	49°C)
Product Dew Point:	-100°F (-73°C)	-100°F (-73°C	C)
Gas Outlet:	1/4" NPT/B size	1/4" NPT/B siz	ze
	Oxy. Adapter	Oxy. Adapter	
Housing:	Plastic Enclosure	Durable Metal	Enclosure
Dimensions:	15.7" x 14.5" x 28.5"	17.3" x 10" x	26.8"
Electrical:	120V, 60Hz, 1 Ph, 5A	120V, 60Hz, 1	Ph, 5A
Net/Ship. Weight:	51/60 lbs.	56/64 lbs.	
Description		Item#	Each
A. AirSep Onyx		830-0033	\$1,385.00
B. AirSep Topaz Plus		830-0030	2,889.00
Replacement Filter Pads -	Onyx - Package of 5	830-0035	8.00
Replacement Filter Pads -	Topaz Plus - Package of 5	830-0032	5.90








B AirSep Topaz Plus

The Little Torch™

When you pick up The Little Torch, you know immediately that you are holding a superbly balanced torch that will enable you to extend your skills far beyond all previous limits. Whether you are in the first stages of learning your craft or have mastered it completely, The Little Torch will open a new world of possibilities for you. Features a rugged aluminum alloy body that weighs only 1.5 ounces and a thin, flexible, lightweight hose that provides added maneuverability.

Offers unmatched versatility—can be used with several fuels, including acetylene, hydrogen, propane, propylene, MAPP and natural gas. Produces a perfectly controlled, completely stable flame hot enough to melt gold, silver, platinum, glass and even ceramic. Can also be used with special heating tips to melt up to 3 oz. of gold or silver. One year manufacturers warranty.



Flame drawings are not actual size. Each tip is capable of a variety of settings, with flame sizes larger and smaller than those shown.





A, B The Little Torch™ Deluxe Sets

Each set includes The Little Torch handpiece, five brazing tips, 8' oxygen and 8' fuel gas twin hose with $\frac{9}{16}$ " connectors, two single-stage regulators (one for oxygen, one for fuel gas), one (empty) oxygen tank, one (empty) fuel gas tank and a carrier.

	Description	Item#	Set
A.	For Oxy/Acetylene, plastic carrier	830-1020	\$740.00
B.	For Oxy/Propane, metal carrier with 5 lb. tank	830-1018	719.00

C. The Little Torch™ Medium Sets

Includes The Little Torch handpiece, 8' Oxygen and 8' fuel gas twin hose with $\frac{9}{16}$ " connectors and five brazing tips and two single-stage regulators (one for oxygen and one for fuel gas).

	Description	Item#	Set
C.	Medium for Oxy/Acetylene (MC tanks)	830-1010	\$370.00
	Medium for Oxy/Acetylene (B tanks)	830-1011	370.00
	Medium for Oxy/Propane	830-1015	370.00

D. The Little Torch™ Starter Set

The starter set includes The Little Torch handpiece, 8' oxygen and 8' fuel gas twin hose with \(^9/16\)'' connectors and five brazing tips.

Description	Item#	Set
Starter for Propane or Natural Gas	830-1002	\$145.00

E. The Little Torch™ Set for Disposable Cylinders


Perfect for locations where larger compressed air tanks are not permitted. Includes The Little Torch handpiece, #5 tip, 8' oxygen hose, 8' fuel gas hose, preset oxygen regulator, preset propane regulator, wire stand for disposable oxygen and MAPP/LP cylinders and instruction manual. Disposable cylinders not included.

	Description	Item#	Each
E.	The Little Torch Set for Disposable Cylinders	830-1245	\$220.00
	Replacement Oxygen Regulator	830-1027	54.95
	Replacement Propane Regulator	830-1029	54.95

F. The Little Torch™ Hose – 8 feet long

Available in connected Twin Line or individual Oxygen or gas hoses with connectors.

Description	Item#	Set
F. Twin Line (green and red) hose with connector	830-1042	\$61.95
Replacement Green (oxygen) hose with connector	830-1043	30.25
Replacement Red (fuel gas) hose with connector	830-1044	30.25



A-E Little Torch™ Regulators

For single torch use. Compact regulators provide accurate control of oxygen and acetylene or propane for welding, soldering, brazing and heating operations. Contain protective check valves and maintain uniform pressure. Easy-turning T-bars. Made in USA.

	Description	CGA Connection	Item#	Each
A.	For Oxygen	540	830-1021	\$124.95
В.	For Acetylene MC Ta	ınk 200	830-1022	132.95
C.	For Acetylene B Tar	nk 520	830-1024	124.95
D.	For Propane	510	830-1023	119.00
E.	For Hydrogen	350	830-1016	127.50

F-K Little Torch™ Brazing Tips

Because of their extraordinarily small orifices, tips 2 and 3 are fitted with synthetic sapphires to assure accurate performance and control.

		Oxygen	Fuel Gas		EAC	H Prices
	Tip	Pressure (PSI)	Pressure (PSI)	Item#	1-2	3+
F.	2*	2	2	830-1102	\$26.75	\$24.08
G.	3	3	3	830-1103	26.75	24.08
Н.	4	4	4	830-1104	26.75	24.08
Ī.	5	6	6	830-1105	26.75	24.08
J.	6	6	6	830-1106	26.75	24.08
K.	7	8	8	830-1107	26.75	24.08

^{*}For acetylene or hydrogen only.



Curved torch tips. Tip #2 (acetylene or hydrogen only) features a sapphire insert for superior flame control. Tips 3-7 are for use with all fuel gases: acetylene, hydrogen, propane, MAPP, propylene and natural gas.

Tip	0xy/Fuel PSI	Item#	Each
L. 2*	2/2	830-1446	\$22.50
M. 3	3/3	830-1447	22.65
N. 4	4/4	830-1448	22.65
0. 5	6/6	830-1449	22.65
P. 6	6/6	830-1450	22.65
Q . 7	8/8	830-1451	22.65

^{*}For acetylene or hydrogen only.

R, S Little Torch™ Heating Tips

For melting up to 3 oz. gold or silver and other work. These tips are specially designed with 4 orifices to produce 4 flames that come together to form one flame. Equal in size to tip 4. Maximum temperature is 3,600°F for propane, 6,000°F for all other fuels.

				H Prices
	For	Item#	1-2	3+
R.	Propane or Natural Gas	830-1116	\$57.50	\$51.75
S.	All other fuels	830-1115	44.15	39.74

T. Holder for The Little Torch™


Holds The Little Torch at the perfect angle, making it handy and safe to use. Keeps up to six tips conveniently organized. Made with a sturdy cast base and heavy-duty (4mm) steel rod, this torch holder is virtually indestructible. Made in USA.

Description	Item#	Each
Holder for The Little Torch	830-1307	\$11.95

U. Magnetic Torch Stand and Tip Organizer

Solid metal stand with weighted base. Includes holes drilled and numbered for tips 2-7. Just a twist of the wrist removes the torch from the magnet. Magnetic clip mounts easily on The Little Torch body (torch and tips sold separately). Measures 4½" high.

Description	Item#	Each
Magnetic Stand	830-1250	\$39.95



The Small Torch™ by Gentec

This lightweight, durable torch features user-friendly control knobs for quick, precise, one-handed flame adjustments and nickel-plated brass handle with stainless steel inner gas tubes for superior strength. Designed specifically for brazing and soldering at the bench as well as melting small amounts of metal. Provides stable, concentrated feather flames up to 6,000°F. Compatible with accessories listed below and other popular brands of accessories. Backed by a two-year manufacturer's limited warranty. UL approved. Made in China.



A. The Small Torch™ Caddy Sets

Each kit includes The Small Torch handle, torch tip(s) and 12' dual oxygen and fuel hose with "B" ($\frac{9}{16}$ ") fittings and adapter for "A" ($\frac{3}{6}$ ") fittings. Oxy/Acetylene Caddy Kit also includes regulators, a convenient carrying caddy and reusable oxygen and fuel tanks, Oxy/Propane Caddy Kit includes a convenient carrying caddy and oxygen tank (only for use with disposable propane tanks not provided). All tanks shipped empty.

	Description	Tips	Item#	Each
A.	Oxy/Acetylene Caddy Set	#2, 3, 4, 5, 6	830-1604	\$525.00
	Oxy/Propane Disposable Tank Caddy Set	#3, 4, 5, 6, 7	830-1603	456.00

B. The Small Torch™ Basic Sets

Each Set contains the Small Torch with easy turn knobs, 5 tips and 12' oxygen and fuel hose.

	Description	Tips	Item#	Each
В.	Oxy/Acetylene Basic Kit (no regulators/tanks)	#2, 3, 4, 5, 6	830-1601	\$129.00
	Oxy/Propane Torch Kit (no regulators/tanks)	#3, 4, 5, 6, 7	830-1600	129.00



Comes complete with Small Torch, #4 tip, 6' hoses and regulators.

Description	Tips	Item#	Each
Oxy/Propane Disposable Tank Kit (no regulators/tanks)	#4	830-1602	\$190.50



C. The Small Torch™ Dual Hoses

Each includes flexible green (oxygen) hose and red (fuel) hose with \(^9/16"\) fittings.

Description	Item#	Each
C. 6' Dual Hose	830-1605	\$37.25
12' Dual Hose	830-1606	49.95



D-H The Small Torch™ Regulators

Single-stage regulators manufactured using state-of-the-art equipment. Feature chrome-plated housing caps and bodies machined from class "A" brass bar stock. Single-stage, rear-entry design ensures safe, neat fit in caddy systems. Internal safety pressure relief valve and stem-type seat assembly. Imported.

Description	Item#	Each
D. Oxygen Regulator	830-1607	\$84.95
E. Propane Regulator	830-1608	84.95
F. Acetylene Regulator	830-1609	81.95
G. Oxygen Regulator for Disposable Tanks	830-1610	47.75
H. Fuel Gas Regulator for Disposable Tanks	830-1611	47.75



I-K The Small Torch™ Tips

Rosebud melting tips are 6" long and multi-orifice tips for melting up to 3 oz. of gold, silver or bronze.

Tips	Item#	Each
2 (oxy/acetylene use only)	830-1614	\$18.95
3	830-1615	21.50
4	830-1616	21.50
5	830-1617	21.50
6	830-1618	21.50
7	830-1619	21.50
Twin 3	830-1620	28.40
Propane Rosebud Melting	830-1612	26.50
Acetylene Rosebud Melting	830-1613	26.50
	2 (oxy/acetylene use only) 3 4 5 6 7 Twin 3 Propane Rosebud Melting	2 (oxy/acetylene use only) 830-1614 3 830-1615 4 830-1616 5 830-1617 6 830-1618 7 830-1619 Twin 3 830-1620 Propane Rosebud Melting 830-1612

A. TurboTorch Set

Operates on acetylene and air-no oxygen tank required. Includes the TurboTorch handpiece, one #4 torch tip for medium soldering jobs, an acetylene regulator for your B tank (not included, see acetylene B tank 830-0760) and 12' of hose. Adjustable regulator provides steady gas delivery and stable flames.

Description		Item#	Each
TurboTorch Acetylene + Air Set		830-0737	\$250.60
Tip Size	Flame Size	Item#	Each
1A	Fine	830-0743	\$37.65
3	Light	830-0744	38.65
4 (replacement)	Medium	830-0747	39.65
5	Heavy	830-0748	42.65
	Tip Size 1A 3 4 (replacement)	TurboTorch Acetylene + Air Set Tip Size Flame Size 1A Fine 3 Light 4 (replacement) Medium	TurboTorch Acetylene + Air Set 830-0737 Tip Size Flame Size Item# 1A Fine 830-0743 3 Light 830-0744 4 (replacement) Medium 830-0747



Delivers the ultimate in quality and flame control. Produces a soft, consistent flame. Ideal for silversmithing and for melting small amounts of metal for casting. Choose between 2 sets:

830-0732 includes durable Nickel-plated brass handle with a precision #00 tip with jeweled orifice, 12' grade-R hose, acetylene regulator with CGA 520 fitting for acetylene B tank (not included, see p. 520 for acetylene B tank #830-0760) and torch lighter.

830-0753 contains all the items in set 830-0732 as well as an Acetylene B tank, leak detection fluid, wrench and soldering glasses. Sold separately. UL listed. Made in USA.

110	ica. Maac III oort.			
	Description		Item#	Each
В.	Torch Set with one tip #00, Regu	lator and Hose	830-0732	\$225.00
C.	Torch Set with one tip #00, Regu Tank & Accessories	lator, Hose,	830-0753	355.00
	Replacement Torch Handle only		830-0998	66.50
	Description	Orifice Size	Item#	Each
	#4 Extra-Large Melting Tip	3/8"	830-1465	\$46.50
	#3 Large Melting Tip	1/4"	830-1464	46.50
	#2 Medium Tip	3/16"	830-1463	40.00
	#1 Small Tip	0.147"	830-1462	40.00
	#0 Fine Tip	0.095"	830-1461	46.50
	Replacement #00 Super-Fine Tip	0.066"	830-1460	46.50

^{*}Included in sets with 3 tips.





D-F Smith Casting Torch

Whether you need to melt 1 oz. or 12 oz., this versatile torch does the job. Consists of handle and your choice of two different heavy-duty copper 63.5°-angle tips (sold separately). Handle features rugged two-tube silver-brazed construction, forged brass butt and precision-machined brass head. Threaded and soldered inner tube for prevention of cross-leaking. Ball-type needle valves resist uneven wear and allow easy flame adjustment. Drag nut adjustment on knobs for preferred valve resistance. Measures ¹⁵/₁₆" dia. x 7"L. Weighs 14 oz. Backed by a lifetime warranty. UL listed. Made in USA.


Description			Item#	Each
D. Torch Handle only (che	oose a tip below)		830-0999	\$199.95
Description	Melts up to	0xy/Fuel PSI	Item#	Each
E. Oxy/Propane Tip	3 oz. platinum	11/11	830-1456	\$74.00
F. Oxy/Acetylene Tip	12 oz. gold/silver	10/10	830-1455	122.65

G. Leak Detector Fluid

Safety is always priority when working with torches! Apply this fluid every time you change your torch, hook up a new tank or torch, or simply when you want to check for any leaks that may have formed in any of the connections. Should a leak be present, the liquid will bubble within seconds of application alerting you of a leak. Contains 8 fl. oz. Please Note: CAUTION! Do not use standard soap solutions to test for leaks; these solutions may contain combustible ingredients. Made in USA.

Description	Item#	Each
Leak Detector Fluid	830-0757	\$8.95







A. Swiss Torch

The best-selling jeweler's torch in Europe, this versatile and reliable lightweight torch has interchangeable heads for precision light work to casting to larger flames for melting. Use it with propane or natural gas. Not for use with ACETYLENE. The standard torch comes with standard head with three nozzles of graduating tip sizes, each produces a strong and pointed flame. The head features two handy dials (for fuel and oxygen) at the top of the torch where your thumb can easily reach both for tight control and on-the-fly flame adjustments. Made in Switzerland.

PLEASE NOTE: Swiss Torch Casting Head Compress Air (830-1485) is for propane/natural gas and MUST BE USED WITH compressed air ONLY and NO OXYGEN.

Do not use the Swiss Torch with ACETYLENE otherwise damage will occur.

De	scription	Item#	Each
A.	Swiss Torch Kit w/Standard Head and 3 Standard Tips	830-1482	\$250.00
В.	Swiss Torch Body Only	830-1480	129.00
C.	Swiss Standard Head and 3 Standard Tips	830-1481	179.00
D.	Swiss Oxygen Head Ring Flame	830-1483	107.00
E.	Swiss Torch Platinum Head	830-1487	119.00
F.	Swiss Torch Head w/ 3 Needle Tips	830-1489	150.00
G.	Swiss Torch Head Compressed Air	830-1485	107.00

See page 520 for Primo™ Fire Resistant Torch Hoses.

H, I Gentec Casting Torch

Casting torch for use with oxygen/propane or oxygen/natural gas. Features a high-quality forged brass handle with "tube-in-a-tube" design for high strength. Combine with Heating Tip to create a versatile casting, soldering and melting torch. Handle measures 6" long.

Description	Item#	Each
H. Casting Torch Handle only	830-1621	\$99.95
I. #6 Heating Tip with Tube	830-1622	50.85

J, K Original HOKE®-JEWEL Torch

For soldering, brazing, welding and melting. All parts are machined from solid brass stock and seamless brass tubing and completely nickel-plated. Tip tube (neck) is fixed and nonadjustable. Valves are easily and smoothly operated by fingertip. Uses standard $\frac{1}{4}$ " hose (not included). Includes tips ranging in size from pinpoint to large brush. Measures 9" long. Adapter set includes six microtips which produce a nonoxidizing flame so less time is needed in the pickler. Not recommended for use with acetylene

us	e with acetylene				
	Description		No. of Tips	Item#	Each
	Natural Gas		3	830-0221	\$36.75
J.	Propane/Butane		4	830-0222	46.00
	Acetylene		4	830-0210	36.75
	Artificial Gas*		4	830-0220	36.75
K.	Adapter Set for HOKE-	JEWEL Torches	6	830-1240	21.50
	Replacement Tips for	Natural Gas and Oxygen			
	Size	Max. Oxygen PSÍ	Flame Size	Item#	Each
	35-1	2 to 3	Fine	830-1200	\$2.80
	35-2	3 to 4	Medium	830-1205	2.80
	35-3	4 to 5	Broad	830-1210	2.80
	Replacement Tips for	Propane or Butane and 0	xygen		
	Size	Max. Oxygen PSI	Flame Size	Item#	Each
	1	2 to 4	Pinpoint	830-1220	\$2.80
	2	2 to 4	Fine	830-1225	2.80
	3	6 to 10	Medium	830-1230	2.80
	5	15 to 20	Broad	830-1235	2.80

^{*}Includes pilot that provides continuous flow of gas for quick ignition.



A. Harris® Check Valves for Regulators

Oxygen and fuel gas kept separately are not explosive. When mixed in a hose or regulator and then ignited, they can explode. Check valves prevent backup of gases into regulator so they cannot mix. Harris Check Valves may be installed on any regulator outlets with standard \(^9/16\)"-18 tpi. connections.

	Model	Item#	Each
A.	Oxygen	830-1417	\$22.50
	Fuel Gas	830-1416	22.50

B-E Harris® Single-Stage Regulators with Check Valve

For general use when using one torch, Features all-brass construction to hold up even in corrosive atmospheres. Extra-large 23/4" pressure gauges so you can easily read PSI even when you are at a distance from the cylinder. Large 2³/₄" diaphragm ensures constant delivery pressure. A check valve is installed on all regulators. Oxygen Regulator is equipped with a Harris Surge Guard for protection against sudden overflow of oxygen into the regulator. Standard 9/16" connections. UL listed.

	Model	CGA	Item#	Each
B.	Oxygen	540	830-1412	\$202.25
C.	Acetylene for MC and B tanks*	200, 520	830-1432	95.45
D.	Acetylene for large tanks	510	830-1389	184.00
E.	Propane	510	830-1411	202.25

^{*}Includes adapter to convert MC regulator to B tank.

F-H Harris® Two-Stage Regulators with Check Valve

Especially useful when operating more than one torch from the same cylinder. The first stage reduces the inlet gas pressure to relatively constant levels. The second stage further reduces the gas pressure and delivers the gas to the work precisely at the set point pressure. Helps to provide flame stability as the pressure levels change. Features chrome body with large, brass, easy-to-read 21/4" pressure gauges. All regulators include a check valve. Oxygen Regulator is equipped with safety Surge Guard to prevent sudden overflow of oxygen into the regulator. Standard 9/16" connections. UL listed.

Model	CGA	Item#	Each
F. Oxygen	540	830-1415	\$361.00
G. Acetylene	300	830-1413	361.00
H. Propane	510	830-1414	361.00

I. Smith Flashback Arrestors for Torch or Regulator

Flashback arrestors with built-in check valves for preventing flashback fires and reverse gas flows. Feature sintered stainless steel filter, high-quality brass construction and rugged corrosion-resistant case. Easy to install on any torch with standard B (9/16") fittings or regulator. Sold in sets of two: one for oxygen and one for fuel gas. UL listed.

	Description	Item#	Set of 2
Ī.	Flashback Arrestors, set of 2, for torch	830-0816	\$75.00
	Flashback Arrestors, set of 2, for regulator	830-0812	75.00

J. Y-Connectors

For multiple torch hookups. Complete with shutoff valves. All connections 9/16".

	Model	Item#	Each
J.	Oxygen	830-0780	\$45.20
	Fuel Gas	830-0785	45.20







A-D Tanks and Cylinders

Tanks and Cylinders include valves and are shipped empty.

	Description	Capacity	Overall Ht.	Item#	Each
A.	Oxygen Tank	60 cu. ft.	231/2"	830-0755	\$195.85
В.	Oxygen Cylinder	20 cu. ft.	18"	830-0756	139.95
C.	Acetylene B Tank	40 cu. ft.	231/4"	830-0760	153.50
	Acetylene MC Tank	10 cu. ft.	16"	830-0761	87.00
D.	Propane Cylinder #5	5 lbs.	121/2"	830-0766	143.95

E. Tuline Hose

Prevents tangling of torch hoses. Consists of two color-coded reinforced hoses (green for oxygen and red for fuel gas) that are uniquely coupled to prevent tangling and can be separated by simply pulling them apart. ½" I.D. Measures 25' long. Complete with fittings.

Description	Fittings	Fuel Gas	Item#	Each
Premium Grade T	⁹ /16"	All fuel gases	830-0805	\$99.00

F. Slip-On Hose Connectors

All consist of a nut with stem for use with standard I.D. hoses.

Description	Gas	Item#	Each
$9/_{16}$ " RH nut & stem for $1/_{4}$ " I.D. hose	Oxygen	830-0353	\$2.31
9/16" LH nut & stem for 1/4" I.D. hose	Fuel	830-0354	2.31

G-H Reinforced Rubber Hose

Available in Grade T red for propane, acetylene or natural gas. Also available in Grade R green for oxygen. Twin Line consists of one red (gas) hose and one green (ovygen) hose - both Grade R. $\frac{1}{4}$ " I.D. Sold by the foot. Please specify minimum continuous length.

Description	Fuel Gas	Item#	Per Foot
G. Red Hose - Grade T	Propane, Acetylene, Natural Gas	816-2351	\$2.95
H. Green Hose - Grade R	Oxygen	816-2350	2.95
Twin Line - Both Grade R	Oxygen + Acetylene Only	816-2352	5.00

I-K Primo[™] Fire Resistant Torch Hoses

Safety is always top priority when operating a torch! Primo has gone that extra step and created Fire Resistant Torch Hoses for Little Torch, Swiss Torch, and Meco Torch. These premium high quality replacement torch hoses are lighter in weight than most competitive hoses and much more flexible in use. This equates to better productivity on the bench. Each hose is complete with quality stainless steel clamp and sold brass fittings making the hookup to your torch fast and easy. Tank end connectors are North American B $\% \rm he^{-1}$

	Description	Hose ID	Torch End Connector	Length	Item#	Each
l.	For Little Torch	1/8"	SS Crimp-on (x2)	6ft.	830-1047	\$39.50
				8ft.	830-1048	45.50
				10ft.	830-1049	51.50
J.	For Swiss Torch	3/16"	Hose Clamps (x2)	6ft.	830-1050	58.50
				8ft.	830-1051	65.50
				10ft.	830-1052	74.50
K.	For Meco Torch	1/8"	N. Amer. B 3/8"	6ft.	830-1053	44.50
				8ft.	830-1054	51.50
				10ft.	830-1055	58.50

L. Carrier for Oxy/Acetylene Tanks

Makes it easy to move entire torch outfit from one place to another. Wheels and single handle provide excellent maneuverability. Built-in box holds wrench, extra tips, and other small accessories so that they are within easy reach. Hose wrap keeps lines neat. Holds our #830-0760 Acetylene B Tank and #830-0755 Oxygen Tank. Measures 19"W x 37½"H. Ship. Wt: 20 lbs.

Description	Item#	Each
Carrier for Oxy/Acetylene Tanks	830-0750	\$102.00

M. Torch Wrench

A multi-use wrench for nuts on torches, regulators and tanks. Measures 8½" overall.

Description	Item#	Each
Torch Wrench	830-0790	\$15.50

A, B Lighters

Electric Torch Mate simply and automatically lights any torch—using only one hand. Rest the torch on the lighter's ignition switch, and small spark from the electrode immediately lights the torch. This handy benchtop accessory comes complete with two AA batteries.

Torch Lighter produces a spark by friction, supplied with one flint.

			EACH Prices	
	Description	Item#	1-2	3+
A.	Electric Torch Mate	830-0407	\$36.15	\$32.54
В.	Torch Lighter	830-0410	4.45	-
	Flints, pkg. of 5	830-0411	4.15	-

C. Blazer Micro Torch

Hand-held butane refillable micro torch. Built-in Piezo Quartz Crystal Electronic Ignition is activated with one push. Gas flow is easily adjusted to provide a variety of flame sizes from a maximum length of about 31/2" down to a pinpoint. The 26-gram fuel chamber, when filled, can provide heat up to 2,500°F for 90 minutes.

Easy-to-grip size. The main tank body features a diamond grid design for a superior, and extra safe, grip and also includes a detachable base for hands free table-top work. Made in Japan.

We recommend using a triple refined, premium grade butane gas specially designed for use with micro torches. Otherwise the small parts and orifices can become clogged with the dirt and grime found in standard brands of butane gas.

Description	Item#	Each
Blazer Torch without refill	830-0010	\$61.60
Butane Refill Cartridge, 9 fl. oz.	830-0012	5.70

\$\text{UPS}\times hazardous shipping surcharge applies. Ships via UPS\times Ground only, no air, FedEx\tilde{s}, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.



Set of 13 tip cleaners with individual tip cleaner numbers and drill sizes embossed in case. Covers drill sizes 49 to 77.

Description	Item#	Each
Harris Torch Tip Cleaners	830-1418	\$17.99

E, F Torch Holders

Convenient and safe way for hanging your torch when it is not in use. Mount anywhere on workbench and accommodate most torches except The Little Torch.

	Description	Length	Item#	Each
E.	Bracket-Type Holder	11"	830-1305	\$5.85
	Short Bracket-Type Holder	31/2"	830-1301	8.50
F.	Hook-Type Holder	12"	830-1300	3.95

G. Soldering Glasses

Made of black lightweight plastic. Feature adjustable earpieces for comfortable fit and easily replaceable polycarbonate lenses. Lens #7 is approved by the Platinum Guild for platinum soldering. Lens #10 is used for casting. Lens #5 can be used for gold and silver. CE approved. Meet ANSI Z87.1 requirements.

	Description	Item#	Each
G.	Soldering Glasses with #5 Lens for Gold & Silver	816-1784	\$15.50
	Soldering Glasses with #7 Lens for Platinum	816-1785	15.75
	Soldering Glasses with #10 Lens for Casting	816-1786	15.70









Tumblers

From finishing castings or small parts to removing burs and sharp edges on a few pieces or on thousands, Gesswein carries a tumbler to suit any application. Choose from:

Magnetic Finishing – Newer technology featuring fast centrifugal action to finish non-ferrous parts only. Small stainless steel pins (0.3 to 0.5mm in diameter) will polish the tiniest intricate details without lodging. Magnetic tumblers provide a uniform finish in a fraction of the time compared to vibratory or rotary tumblers. Cycle times are generally 30-45 minutes long.

Vibratory Finishing - Debur and finish small or large, detailed or plain parts to a uniform finish. Media moves from the edge of the bowl to the center in an ellipse, abrading and finishing in and around parts. More versatile than a rotary tumbler, Vibratory Tumblers can utilize both abrasive and polishing medias.

Barrel (Rotary) Finishing - The traditional method of tumbling updated to include easier loading and no leaks. Steel Shot is the preferred media which has the advantage of peening and work hardening the parts to a shiny finish. Generally lower operating costs than other methods of tumbling.



A. Stainless Steel Shot Pins – For Magnetic Tumblers

Rods in two diameters for reaching into and polishing the tiniest details and settings without lodging. All 5mm long. Blunt ends. 0.5mm is supplied with most magnetic tumblers, 0.3 mm is available for finely detailed parts.

Diameter	Item#	Each
0.5mm Shot, 0.5 lb.	852-1094	\$15.95
0.5mm Shot, 2.2 lbs.	852-1097	55.00
A. 0.3mm Shot, 0.5 lbs.	852-1096	29.90
0.3mm Shot, 2.2 lbs.	852-1099	116.75



B. Magnetic Separator Gun – For Steel Shot

Quickly and easily separates metal media from parts—a great time-saver. Eliminates the tedious task of picking media off parts by hand. The gun comes with a collection bowl that holds the media until the job is completed. May be used dry or with media in water. Measures approximately 9" in length.

Description	Item#	Each
Magnetic Separator Gun	852-0320	\$112.75

C. Burnishing Compound M – For Stainless Steel Shot

Burnishing Compound M for non-ferrous metals is a liquid burnishing compound for magnetic finishing. This product was specifically designed to keep the magnetic stainless steel pins clean and prevent formation of a "smut" that is often seen with this type of media in a magnetic process. Product can be used to provide cleaning/burnishing of metals such as gold, platinum, silver, brass, copper, aluminum and stainless steel. Product is a non-corrosive acidic mixture. Does not turn water black as others do! Sold by the gallon.

		EA(JH Prices
Description	Item#	1	4+
Burnishing Compound M	852-0885	\$40.95	\$36.86

D. Burnishing Compound #44S - For Stainless Steel Shot

Specially formulated chemistry for use with stainless steel shot. Use just $\frac{1}{2}$ tsp. per 6" diameter bowl in Magnetic Tumbler. Nontoxic, nonhazardous—can be disposed directly to sewer system.

			EAC	H Prices
Description		Item#	1-3	4+
	Burnishing Compound #44S - 4oz.	852-1029	\$5.95	-
D.	Burnishing Compound #44S - 1 Quart	852-1038	28.00	\$25.20

E. Soap Powder for Magnetic Tumblers – For Stainless Steel Shot

Mild acid-based soap powder is specifically formulated for magnetic tumblers. It keeps stainless steel shot and jewelry clean.

Description	Item#	Each
3 lbs. Soap Pow	der 852-1037	\$48.00
E. 1 lb. Soap Powo	er 852-1039	24.50

Magnetic Tumblers

Feature compact, reliable construction, direct-drive, fan-cooled AC motors, 2-hour timers and auto-shutoff function. All units offer programmable controls for variable-speed and forward/reverse operation. Run ultraquiet with fast cycle times. Each includes heavy-duty plastic bowl, cover

and complete instructions. CMF-410 and 610 also come complete with stainless steel shot and small sample of burnishing soap. Made in Taiwan. Backed by a one-year manufacturer's warranty.











Model:	A. Mini	B. CMF-410	C. CMF-610	D. CMF-900	E. CMF-1200
Dimensions (WxDxH)	5.5" x 5.5" x 9"	7"x7"x11"	10"x10"x14"	13"x13"x18"	16"x16"x20"
Bowl Size	3" dia.	4" dia.	6" dia.	9" dia.	12" dia.
Ring Capacity	5 ring	12 ring	30 ring	100 ring	225 ring
Speed	1,800 rpm	0-2,000rpm	0-2,000rpm	0-2,200rpm	0-2,200rpm
Pin Capacity	1.75 oz. (included)	4 oz. (included)	8 oz. (included)	14 oz. (not included)	28 oz.(not included)
Ship. Wt.	10 lbs.	17 lbs.	25 lbs.	55 lbs.	85 lbs.
110V Item#	852-0350	852-0352	852-0301	852-0342	852-0347
Each	\$395.00	\$665.00	\$1,165.00	\$1,755.00	\$1,755.00
220V Item#	852-0351	852-0353	852-0302	852-0343	852-0345
Each	\$450.00	\$695.00	\$1,195.00	\$1,785.00	\$2,275.00
Replacement Bowl	852-0349	852-0319	852-0318	852-0344	852-0346

Each

\$299.00

\$52.95

Item#

852-0380

F, G Arbe 8 Ring Magnetic Tumblers

Each

Description

F. Single Speed

Equipped with a heavy duty motor and faceted bowl, which maximizes rotational action, this mini machine is a powerhouse. The magnetic head design incorporates vertical pin action allowing the finisher to add a high polish finish on several pieces even those with filigree work. Made in South Korea

\$59.95

G. Variable Speed		852-0381	349.00
Replacement Boy	νl.	852-0382	35.00
Model:	Single Speed	Variable S	Speed
Bowl Size (DxH)	4" x 3½" dia.	4" x 3½"	dia.
Ring Capacity	8	8	
Speed (RPM)	3450	0-345	50
Electrical	110V/60Hz/1Ph, 0.4 amps	110V/60Hz/1Ph	n, 0.4 amps
Watts	25	25	
Width x Height	8" x 8" Without Bowl	8" x 8" With	out Bowl
Packaged Weight	13 lb	13 lb)



\$115.95

\$59.95



\$142.95

Vibratory Tumblers




Made in the USA Vibratory tumbling can dramatically reduce or even eliminate costly hand-finishing time and, at the same time, maintain the high-quality finish that you require on your parts. Parts are evenly distributed throughout a cascading media, producing an even, identical finish on each piece. There is never any distortion of your parts.

All of the RAYTECH tumblers are heavy-duty for continuous use. Each comes equipped with a drain and hose for flow-through system operation except model #5. Each unit is individually inspected prior to shipping and is backed by a one-year guarantee. Whether your polishing or deburring needs are for an occasional small quantity or for thousands of parts daily, Gesswein has a wide choice of top-quality vibratory tumblers for your exact application.

Specifications

	Working Capacity*	Max. No.	Vibrations per Min.	Bov	vl Dimens	ions
Model	(cu. ft./gals.)	Ladies' Rings**	(60Hz/50Hz)	Α	В	C
40	0.35/2.3	200	1,725/1,450	17"	41/4"	7"
25SS	0.25/1.875	125	1,500/1,250	14"	31/2"	53/4"
18	0.15/0.9	90	2,000/1,700	12"	6"	51/4"
10	0.10/0.75	50	3,000/2,500	10"	31/2"	5"
5	0.05/0.4	25	3,000/2,500	8"	3"	33/4"



Media Capacities

Vibratory Tumblers must be filled with the correct amount of media in order to achieve the proper tumbling action. Under filling will result in diminished performance of media. Overfilling, especially with Steel Shot, can strain the tumbler motor. Use the following chart as a guide. All media capacities are listed in pounds.

	Ceramic	P	lastic Me	dias	Dri-	-Shine	Steel
Model	Light	Blue	Green	Lt. Green		III	Shot
40	30	22	18	22	16	13	100
25SS	17	12	10	12	10	6	50
18	9	8	8	8	4	3	25
10	7	5	4	5	4	2.5	0
5	3.5	2.5	2.5	2.5	2	1.25	0

^{*} Media plus parts. A proper ratio of media to parts (approx. 10 to 1) must be maintained in order to cushion the parts and protect them from striking each other.

^{**}Approximately 1" diameter.





Ideal for small sample test batches as well as for finishing of small parts. Complete with bowl and cover. Will tumble approx. 25 average size ladies' rings. Bowl diameter is 8" with a .05 cu. ft. (3 pts.) capacity. Measures 9" overall height. Cannot be used with Flow-Through System. Made in USA.

	Bowl Dia.	Voltage	Item#	Each
A.	8"	115V, 50/60Hz	852-0710	\$104.95
	8"	230V, 50Hz	852-0700	125.00
	Replacement Bo	owl & Cover	852-0905	22.95



B. TV-5 Stone Finishing Kit

TV-5 Stone Finishing Kit includes all you need to start finishing agate and similar hard stones (not recommended for soft stones): Vibratory Tumbler #5, extra bowl and four-step finishing media (100/120 grit silicon carbide for rough grinding, 700 grit silicon carbide for fine grinding, lolox 50 for prepolishing and Raybrite TL for final polishing). Finishes 8-10 lbs. Made in USA.

Description	Item#	Each
B. TV-5 Stone Finishing Kit - 8" Bowl	852-0715	\$129.95
Replacement Bowl & Cover	852-0905	22.95

A. Dri-Polisher Vibratory Tumbler

The Dri-Polisher Vibratory Tumbler imparts a bright, high shine on smooth jewelry surfaces. Polishes bracelets, rings, earrings and medium to heavy chains. Comes complete with Dri-Shine III, a crushed cob media treated with red rouge, suitable for gold, gold alloys, silver and silver alloys. Easy to operate: just fill with media, insert jewelry and turn on. Use with dry medias only. Holds 60 small ladies' rings. Measures 10" dia. x 11½"H. Made in USA.

	Bowl Dia.	Voltage	Item#	Each
A.	10"	115V, 50/60Hz	852-0746	\$150.00
	10"	230V, 1 Ph, 50Hz	852-0749	158.00
	Replacement E	Bowl & Cover	852-0747	43.95





B. Vibratory Tumbler #10

Our smallest heavy-duty tumbler will tumble 50 average size ladies' rings. Can be used with Flow-Through System. Bowl diameter is 10" with a .10 cu. ft. (2.6 qts.) capacity. Measures 15½" overall height. Ship. Wt. 14 lbs. Made in USA.

	Bowl Dia.	Voltage	Item#	Each
В.	10"	115V, 50/60Hz	852-0720	\$265.00
	10"	230V, 1 Ph, 50Hz	852-0701	280.00
	Replacement Bowl & Cover		852-0915	88.95



C. Vibratory Tumbler #18

All the features of the larger tumblers in a midsized unit. Ideal for running small production lots. Strong enough to tumble 25 lbs. of steel shot. Will accommodate up to 90 average size ladies' rings. Flow-Through System (see p. 526) is recommended in order to keep parts clean and bright. Bowl diameter is 12" with a capacity of .15 cu. ft. (3.5 qts.). Measures 16" overall height. Ship. Wt. 13 lbs. Made in USA.

	Bowl Dia.	Voltage	Item#	Each
C.	12"	115V, 50/60Hz	852-0751	\$525.00
	12"	230V, 1 Ph, 50Hz	852-0752	550.00
	Replacement	Bowl & Cover	852-0917	199.95



D. Vibratory Tumbler #25SS

For use with all medias including steel shot. Designed with a heavy-duty drive and suspension system. Action is infinitely adjustable through a full range of speed: from a gentle cascade for delicate parts up to a brisk, aggressive tumbling action for rough castings. Will tumble 125 average size ladies' rings. Bowl diameter is 14" with a capacity of .25 cu. ft. (7.5 qts.). Tumbler #25SS includes a discharge port for easy unloading. Measures 16" overall height. Ship. Wt. 22 lbs. Made in USA.

	Bowl Dia.	Voltage	Item#	Each
D.	14"	115V, 50/60Hz	852-0723	\$665.00
	14"	230V, 1 Ph, 50Hz	852-0722	725.00
	Replacement Bo	wl & Cover #25SS	852-0919	255.00











A. Vibratory Tumbler #40

Adjustable counterweights allow you to control the amplitude (strength of vibration) from a gentle cascade for delicate parts up to a brisk, aggressive tumbling action for rough castings. Includes a 17" diameter, cross-linked polyethylene bowl with a .35 cu. ft. (2.3 gals.) capacity. Will tumble 200 average size ladies' rings. To run Steel Shot, use the optional Shot Bowl, which holds 100 lbs. of shot plus parts. Tilt version features a hinged bowl with handle to allow forward tilting and easy removal of parts and media. Measures 24" overall height. Ship. Wt. 51 lbs. (Tilt version 56 lbs.) Made in USA.

	Bowl Dia.	Voltage	Item#	Each
A.	17"	115V, 50/60Hz	852-0726	\$1,210.00
	17"	230V, 1 Ph, 50Hz	852-0727	1,235.00
	17"	115V with Tilt	852-0728	1,445.00
	Replacement E	Bowl & Cover	852-0922	275.00
	Optional Steel	Shot Bowl & Cover	852-0918	350.00

B. Flow-Through Systems

A Flow-Through System automates your Vibratory Tumbler by automatically dispensing a solution of water and burnishing compound into the tumbler bowl. All plastic, ceramic and steel medias require a slow, steady drip of water and burnishing compound in order to keep parts and media clean, cool and lubricated and to assure a bright, clean finish on the parts. Upper container of Flow-Through gravity-feeds solution into the tumbler bowl by means of an adjustable needle valve. Spent water drains out of tumbler into lower container. Complete with two containers for solution and a heavy-duty steel base with brackets to lock Tumbler in place. Base raises Tumbler to convenient working height. Ship. Wt. 65 lbs. Made in USA.

Description	Item#	Each
For Tumblers #40/#75	852-0934	\$625.00

C. Metal Finishing Sets for Vibratory Tumbling

There isn't a better or more complete set of everything you need to handle most of your vibratory finishing needs for raw castings and most jewelry parts. Our Metal Finishing Sets include a complete supply of our three most popular medias-Green and Light Green Plastic Pyramids and Dri-Shine III—plus a supply of Burnishing Soap B. Use Green Pyramids (p. 528) for first cut, Light Green Pyramids (p. 528) for second cut and Dri-Shine III (p. 537) for a bright, high finish on gold and yellow metals. A complete tumbling cycle takes an average of 24 hours—5 hours with Green Pyramids, 3 hours with Light Green Pyramids, and 16 hours with Dri-Shine III.

For Tumbler	Item#	Pkg.
#5	852-0830	\$40.90
#10	852-0835	72.90
#25SS	852-0838	169.00
#40	852-0841	249.00

D. Separating Screens

Molded plastic 16" diameter pans with square holes for separating media from parts. Fit on top of bucket. Made in USA.

	Description	Item#	Each
	Media Screen, ¹ / ₄ " sq. mesh	852-0893	\$22.50
	Media Screen, 3/8" sq. mesh	852-0894	22.50
	Media Screen, ½" sq. mesh	852-0895	22.50
	Media Screen, ³ / ₄ " sq. mesh	852-0897	22.50
	Media Screen, 1" sq. mesh	852-0898	22.50
	Bucket only	852-0899	27.50
D.	Set of all five media screens plus bucket	852-0901	109.50

A. Steel Shot Compound #50 - For Carbon Steel Shot

Burnishing compound with a rust preventative to keep your shot (and jewelry) clean and bright. A unique feature of Compound #50 is that it may be used to protect your shot from rust and corrosion after tumbling. Simply empty excess water and add Compound #50 directly to shot. Compound #50 leaves a protective coating you can feel. Your shot is protected for weeks at a time without storing it underwater! Sold in quart containers. Not recommended for use with Stainless Steel Shot.

		EACH	l Prices
Qty.	Item#	1-3	4+
1 quart	852-1033	\$18.50	\$15.73

B. Burnishing Compound 70L – For Carbon Steel Shot

For use with Carbon Steel Shot tumbling. Contains an excellent rust preventative that can also be used with other media when workpieces are in danger of rusting. Also for steel shot storage. Not recommended for use in rubber-lined barrels or with Stainless Steel Shot.

			EACH Prices		
Qty.		Item#	1	2+	
B. 1 quart	\$	852-1030	\$14.95	\$11.96	
1 gallon	\$	852-1034	48.50	_	

^{\$} UPS® hazardous shipping surcharge applies. Ships via UPS® Ground only, no air, FedEx®, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.

C. Cutting/Burnishing Soap Liquid B - For Cutting Media

Excellent viscous soap for all of our cutting media. Resists formation of insoluble soap scum. Contains a rust preventative and can be used with Carbon Steel Shot. Recommended for Flow-Through Systems, in which powders are not suitable. Supplied with all Metal Finishing Sets. Not recommended for use with Stainless Steel Shot.

Qty.	Item#	Each
C. 1 pint	852-0875	\$8.25
1 gallon	852-0880	39.95

D. Soap Detergent Powder for Rotary Tumbling - For Carbon Steel Shot

Gesswein Soap Detergent Powder acts as a lubricant as well as a cleaner. 3 lb. jar. Recommended for use with Carbon Steel Shot. Not for use with Stainless Steel Shot.

Qty.	Item#	Each
3 lb. jar	852-1250	\$29.95

E. Soap Powder - For Carbon Steel Shot

Formulated for use with carbon steel shot in rotary tumblers, these powders are nonhazardous and lighter in weight than liquids, reducing shipping costs. Not for use with Stainless Steel Shot.

- Compound #750 is designed to clean shot that has darkened due to oxidation. Contains a rust inhibitor that protects shot during storage.
- Compound #910 is used during tumbling to keep shot clean and to brighten gold and silver jewelry. Recommended for use in a rotary tumbler, barrel tumbler.

Description Qty.	Item#	Each	Description	Qty.	Item#	Each
E. Compound #750 5 lbs.	852-1291	\$19.50	Compound #910	5 lbs.	852-1296	\$22.95
50 lbs	852-1290	180.00		50 lbs.	852-1295	199.95

F, G Soap Powder A - For Cutting Media

Recommended for fine finishing and burnishing brass, bronze and similar materials with plastic and ceramic media. This soap has grease cutter for oil-coated workpieces. Not for use with Stainless Steel Shot.

Qty.	Item#	Each
F. 8 oz.	852-0865	\$4.95
G. 1 lb.	852-0870	6.95

H. Compound 20L - For Cutting Media

Concentrated, all-purpose liquid compound for all cutting media. Specifically designed for tumbling systems to condition water, clean and lubricate plastic and ceramic media and parts, and suspend grit. Not for use with Stainless Steel Shot. EACH Drices

			LAUII	111003
	Qty.	Item#	1-3	4+
Н.	1 quart	852-1020	\$9.65	\$8.69
	5 gallons (ship. wt: 47 lbs.)	852-1021	135.00	-







F





A. Ceramic Media for Light Bur Removal

Efficient, long-life aluminum oxide in a hard ceramic bond for light bur removal and smoothing of rough castings. Deburs both soft and hard metals such as aluminum and steel. 30° ends reach into grooves, corners and openings. Density: 100 lbs. per cu. ft. Shape: 30° cylinders, 5/16" x 9/16".

Qty.	Item#	Pkg.
5 lbs.	852-0432	\$18.00
10 lbs.	852-0433	32.00



B. Blue Plastic Pyramids

Aluminum oxide (approx. 220 grit) in a plastic bond. Aggressive cutting media with good but minimum stock removal. Excellent as a first cut-down step for rough castings, stampings, etc. More aggressive than Green Media. Density: 62 lbs. per cu. ft. Shape: pyramid, 1/4".

Qty.	Item#	Pkg.
5 lbs	852-0435	\$26.95
10 lbs.	852-0436	48.95
50 lbs.	852-0437	210.95



C. Green Plastic Pyramids

Plastic bond impregnated with fine silica (approx. 320 grit). Provides a light cutting action. Often used as a first cut-down step for delicate and intricate parts, for castings, and for removing sharp edges on stampings. Leaves a smooth, matte finish. Included in all Metal Finish Sets. Density: 56 lbs. per cu. ft. Shape: pyramid, 1/4".

Qty.	Item#	Pkg.
5 lbs.	852-0438	\$27.50
10 lbs.	852-0439	53.00
50 lbs.	852-0440	250.00



D. Light Green Plastic Pyramids

Plastic bond with super fine silica (approx. 400 grit). Provides an extra-fine cutting action for smoothing surfaces. A prepolish media that leaves a very smooth, matte finish ready for the final polish. Included in all Metal Finish Sets. Density: 62 lbs. per cu. ft. Shape: pyramid, 1/4".

Qty.	Item#	Pkg.
5 lbs.	852-0441	\$29.95
10 lbs.	852-0442	53.95
50 lbs.	852-0443	230.95





E. Earring Post Protectors

These silicone rubber sleeves protect ear posts when setting, tumbling or plating. Sold by the gross (144 each). GROSS Prices

		นทบง	O FIILES
Description	Item#	1-49	50+
Earring Post Protectors	852-1155	\$8.10	\$6.08

A. Dri-Shine I

Crushed walnut shells with red rouge. Excellent for gold and other metals. Imparts a rouge powder to the surface of the workpiece, which helps to prevent tarnish. Density: 35 lbs. per cu. ft. Shape: irregular particle, 2mm. Made in USA.

Qty.	Item#	Pkg.
5 lbs.	852-0444	\$12.95
10 lbs.	852-0445	22.95
50 lbs.	852-0446	89.95



Crushed corncob with stain-free rouge. Our most versatile formula for obtaining final finish on gold and other metals. A clean media which leaves no residue. Polishes only-does not remove metal. Run dry for 16 to 48 hours to achieve a bright luster that is close to a hand-buffed finish. Recharge as needed with Simichrome Polish (see p. 107). Included in all Metal Finish Sets. Density: 30 lbs. per cu. ft. Shape: irregular particle, 2mm. Made in USA.

Qty.	Item#	Pkg.
5 lbs.	852-0447	\$12.95
10 lbs.	852-0448	23.95
50 lbs.	852-0449	99.95



Dri-Shine VII is crushed, finely graded nutshell media precharged with enhancers for a bright final finish. Made in USA.

Description	Item#	Each
Dri-Shine VII, 5 lbs.	852-0450	\$42.95

D. Ground Cob

High quality, pure refined ground cob. For drying jewelry parts. Absorbs moisture and prevents water stains. Made in USA.

Qty.	Item#	Each
3 lb. Box	812-0800	\$6.80
40 lb. Bag	812-0700	54.25

E. Tumble Finishing for Handmade Jewelry: Mass Finishing on a Small Scale – 4th Edition, By Judy Hoch

This handbook shows jewelers how to save time and money while mass finishing handmade jewelry. Provides descriptions of basic equipment and supplies, including rotary and vibratory tumblers, magnetic and centrifugal disc finishers, medias and compounds. Helps readers choose the right process for each application, ensuring optimal results. Passes along the author's firsthand knowledge about preventing disasters and solving problems, all in an easy-to-read informal style. Contains black-and-white photos. A great book for novices. Softcover, 47 pages.

Description	Item#	Each
Tumble Finishing for Handmade Jewelry - Book	811-0041	\$15.00












Media Capacities

Vibratory Tumblers must be filled with the correct amount of media in order to achieve the proper tumbling action. Under filling will result in diminished performance of media. Overfilling, especially with Steel Shot, can strain the tumbler motor. Use the following chart as a guide. All media capacities are listed in pounds.

	Ceramic		Plastic Medi	as	Dri-Shine	Steel	
Model	Light	Blue	Green	Lt. Green	I	III	Shot
40	30	22	18	22	16	13	100
25SS	17	12	10	12	10	6	50
18	9	8	8	8	4	3	25
10	7	5	4	5	4	2.5	0
5	3.5	2.5	2.5	2.5	2	1.25	0

^{*} Media plus parts. A proper ratio of media to parts (approx. 10 to 1) must be maintained in order to cushion the parts and protect them from striking each other. **Approximately 1" diameter.



A-G Steel Shot - Small shapes for intricate burnishing.

Media for rotary (barrel) and vibratory tumblers. Burnishes your jewelry to a bright high luster without scratching. Corrosion-resistant stainless steel shot requires no special rust inhibitors or cleaners. Economical carbon steel shot requires rust-preventive compounds for use and storage. Available in packages of individual shapes and two mixtures: rotary and vibratory. Rotary mixture works in rotary tumblers. Contains 20% round balls, 40% diagonals, 20% ball cones and 20% pins. Vibratory mixture works in vibratory tumblers. Contains 40% diagonals, 30% ball cones, 20% round balls and 10% oval balls. Note: 2 lb. packages have ½ lb. of each shape. Density: 330 lbs. per cu. ft.

	Description	Pkg. Size	Stainless Item#	Each	Carbon Item#	Each
A.	Round Balls, 1/8"	2 lbs.	852-1071	\$52.50	852-1045	\$15.50
		10 lbs.	852-1080	245.50	852-1040	69.50
B.	Diagonals, 1/8"	2 lbs.	852-1072	36.50	852-1046	25.50
		10 lbs.	852-1079	178.50	852-1041	114.50
C.	Ball Cones, 1/8"	2 lbs.	852-1073	62.00	852-1047	25.50
		10 lbs.	852-1078	299.00	852-1042	114.50
D.	Pins, ¹ / ₁₆ " x ⁹ / ₃₂ "*	2 lbs.	852-1074	94.50	852-1048	45.50
		10 lbs.	852-1077	460.50	852-1043	205.50
E.	Oval Balls, 5/32"	2 lbs.	852-1075	42.50	852-1049	25.50
		10 lbs.	852-1076	225.50	852-1044	120.50
	Pre-Mix For:	Pkg. Size	Stainless Item#	Each	Carbon Item#	Each
F.	Rotary	2 lbs.	852-1086	\$62.00	852-1052	\$27.50
		10 lbs.	852-1085	299.00	852-1050	128.50
G.	Vibratory	2 lbs.	852-1087	62.00	852-1051	25.50
		10 lbs.	852-1090	299.00	852-1070	112.50

^{*}Not recommended for use in Vibratory Tumblers.



H. Steel Shot Cleaner - For Carbon Steel Shot

Discolored Carbon Steel Shot can discolor the jewelry you tumble in it. Gesswein Steel Shot Cleaner restores your shot to its original shiny luster. Even if your shot has turned gray or black, in most cases Gesswein Steel Shot Cleaner can brighten it again. Keep a gallon on hand and use it at the first sign of discoloration. Not recommended for use with Stainless Steel Shot (use Coca-Cola to clean stainless steel shot, see "Tech Tips" tab above.) Sold in gallon containers.

Description	Item#	Each
Steel Shot Cleaner	852-1032	\$32.75



I. Magnetic Separator Gun - For Steel Shot

Quickly and easily separates metal media from parts—a great time-saver. Eliminates the tedious task of picking media off parts by hand. The gun comes with a collection bowl that holds the media until the job is completed. May be used dry or with media in water. Measures approximately 9" in length.

Description	Item#	Each
Magnetic Separator Gun	852-0320	\$112.75



J. Universal Jewelry Polishing Set

The ideal set for polishing gold and silver, especially today's popular precious metal charms, charm bracelets, and beads. Set includes rotary tumbler with 4.75" x 4.75" barrel, 2.25 lbs. of stainless steel shot (a mixture of shapes to polish both highly detailed and plain surfaces as well as 4oz. of brushing compound #44S.

Description	Item#	Each
Universal Jewelry Polishing Set	852-0045	\$185.00

A-C Motorized Rotary Tumblers

Rotary tumbling is an ideal polishing method for both gold and silver.

Our high quality rotary tumblers have been designed for heavy-duty use as well as for flexibility, with interchangeable barrels of different sizes. Each model features a high/low speed switch for a choice of aggressive or milder tumbling action. All barrels are constructed of tough, heavy-duty plastic. Leakproof, plug-type lid is located on side of barrel for easy access. Barrels have no linings to corrode or rust. You'll save time and money on expensive relining charges.

Barrels are available in 5 capacities from .02 to 1 cu. ft., but not all barrels can be used on every tumbler. Our rotary tumblers are sold without barrels; this way, you can choose only the barrels that will meet your specific requirements. See Rotary Tumbler Barrel Chart (below) for restrictions. All units listed are 110V, 6A, 690W, 60Hz. Made in USA.

Motorized Rotary Tumblers (barrels not included)

Style	A. Mini 2-Bar	B. 2-Bar	C. 3-Bar
Dimensions (without barrels)	23 ¹ / ₂ "L x 16"W x 13"H	36"L x 19"W x 13"H	36"L x 19"W x 13"H
Length of rotary bars	91/4"	24"	24"
Distance between bars	41/2"	71/2"	31/2"
Ship. Wt.	43 lbs.	63 lbs.	69 lbs.
Item#	852-0102	852-0100	852-0105
Each (base only, no barrels)	\$995.00	\$1,045.00	\$1,185.00
0001/ 5011 1 0001/ 0011			

220V, 50Hz and 220V, 60Hz available by special order.



Rotary Tumbler Barrels (shown on tumblers above)

Include aluminum lids with black rubber seal and wing-nut for leak-free tumbling.

	•	ũ .			
Style	#1	#2	#3	#4	#6
Capacity/Steel Shot Capacity*	.02 cu. ft./3 lbs.	.12 cu. ft./15 lbs.	.2 cu. ft./30 lbs.	.5 cu. ft./50 lbs.	1.0 cu. ft./150 lbs.
Dimensions (W x dia.) / Barrel Opening (dia.)	4 ³ / ₄ " x 4 ³ / ₄ "/3"	4 ³ / ₈ " x 8 ¹ / ₄ "/4"	7" x 10"/4"	10½" x 10¾"/4"	15" x 16"/7"
RPMs, low/high	90/127	52/80	40/56	38/53	25/40
Max.#: Mini / 2-Bar / 3-Bar	2/0/8	2/3/0	1/3/0	1/2/0	0/1/0
Item#	852-0120	852-0121	852-0125	852-0130	852-0135
Each	\$73.50	\$115.50	\$150.50	\$190.50	\$299.50

^{*}The amount of shot listed fills each barrel about 50%. Optimal working capacity of each barrel should be approximately 60-65% full, including shot and jewelry items.

D. Auto-Reversing Rotary Tumbler

This tumbler allows you to see the tumbling process in action without having to open the barrel. Features auto-reversing function for thorough processing and separate controls for cycle speed and duration. Holds up to 30 rings. Easy to use: fill barrel to roughly 50% capacity with your choice of steel shot, add water to roughly 75% capacity, add 1ml of cleaning or polishing compound, place jewelry in barrel and run tumbler. Remove jewelry from barrel when done and rinse with water. Capacity: $4\frac{1}{2}$ lbs. Electrical: 120V, 5A, 25W, 50/60Hz. Measures $10\frac{7}{8}$ "W x $9\frac{7}{8}$ "D x $11\frac{7}{8}$ "H with 8" dia. x $7\frac{1}{2}$ "W clear barrel that has a 4" opening. Weighs approx. $17\frac{1}{2}$ lbs. Made in Taiwan.

	Description	Item#	Each
D.	. Auto-Reversing Rotary Tumbler	852-0110	\$495.00
	Replacement Barrel	852-0112	155.00

E-G Economy Rotary Tumblers – Three sizes from which to choose!

Each of our economical rotary tumblers has a sturdy steel base, continuous-duty fan-cooled motor with overload protection, and watertight black rubber barrel with snap-on lid. All 3 sizes are perfect for rock tumbling and for tumble polishing jewelry with steel shot. All are 115V, 1/75 HP, .54A, 60Hz.

	Tumbler	# of Barrels	Barrel Capacity (Shot + Parts)	Barrel Shape	Item#	Each
E.	Mini-Econo	1	3 lbs.	Round	852-0020	\$128.50
F.	Dual-Econo	2	3 lbs. per barrel	Round	852-0025	150.00
G.	Large-Econo	1	12 lbs.	Hexagonal	852-0050	230.00
	Replacement B	arrel Large-Econo	-		852-0500	140.00
	Replacement I	Barrel for Mini or I	Dual		852-0530	29.50



Supra® Swiss High-Precision Tweezers

Handcrafted to perfect tip symmetry and balance, polished edges, superior no-scratch/anti-glare satin finish. Many styles and materials are available for the special needs of industry, jewelers, watchmakers, electronic and medical device manufacturers.



SA = Stainless Steel Anti-magnetic. Good corrosion resistance. The alloy is low carbon and contains 16.5% to 18.5% chromium plus nickel and molybdenum.

NC = Super Alloy. SIX times harder than anti-magnetic Stainless Steel these premium tweezers have high shape retention characteristics and are especially high corrosion resistance. Ni-Cr-Mo composition, fully nonmagnetic and can be used up to 800°C.

BR = Brass. Especially useful for handling scratch-sensitive mechanical parts such as watch components, magnets, etc. Non-magnetizable with good to excellent corrosion resistance.

C = Carbon Steel. Our cutting tweezers retain sharpness with these heat treated blades. Used in Electronics, Jewelry and Watchmaking. Made in Switzerland.

A. Style #00

Strong, flat edges, thick tips.

Material	Length	Item#	Each
SA - Stainless Steel	120mm (4 ³ / ₄ ")	195-1176	\$21.50

B. Style #1

Strong, straight, fine tips.

Material	Length	Item#	Each
SA - Stainless Steel	120mm (4 ³ / ₄ ")	195-1160	\$16.46

C, D Style #2

Flat, sharp, fine tips.

Material	Length	Item#	Each
C. SA - Stainless Steel	120mm (4 ³ / ₄ ")	195-1162	\$21.95
D. BR - Brass	120mm (4 ³ / ₄ ")	195-1187	31.35

E, F Style #3C and #3

Very sharp, fine tips.

Material E. 3C SA - Stainless Steel	Length 110mm (4 ¹ / ₄ ")	Item# 195-1164	Each \$21.95
3C NC - Super Alloy	110mm (4 ¹ / ₄ ")	195-3265	36.65
F. 3 SA - Stainless Steel	120mm (4 ³ / ₄ ")	195-1166	16.46
3 NC - Super Alloy	120mm (4 ³ / ₄ ")	195-3267	27.49

G. Style #4

Extra fine tips.

Material	Length	Item#	Each
SA - Stainless Steel	110mm (4 ¹ / ₄ ")	195-1168	\$24.80

H. Style #5

Extra fine tips, superior finish.

Material	Length	Item#	Each
SA - Stainless Steel	110mm (4 ¹ / ₄ ")	195-1170	\$26.95

I. Style #7

Very fine, curved.

Material	Length	Item#	Each
I. SA - Stainless Steel	115mm (4 ¹ / ₂ ")	195-1172	\$20.90
NC - Super Alloy	115mm (4 ¹ / ₂ ")	195-3273	42.90

Supra® Swiss Tweezers (continued)

A. Style #AML.BR


Precision brass tweezers anti-sparking with mirror polished tips.

Material	Length	Item#	Each
BR - Brass	125mm (5")	195-1185	\$31.35

B, C Style #15AGW.C and 15A.C

Cutting tweezers for soft copper, gold, silver and magnetic wires. Cutting capacity for copper, yellow gold, white gold and silver is 0.10-0.25mm. Cutting capacity for magnetic wires is 0.10-0.15mm.

Material	Length	Jaw Width	Item#	Each
B. C - Carbon Steel	120mm (4 ³ / ₄ ")	10mm	195-1190	\$53.95
C. C - Carbon Steel	120mm (4 ³ / ₄ ")	12mm	195-1191	53.95



D. Style Super Slim #27

Long and slender tweezers with extra fine tips for multiple precision applications.

Material	Length	Item#	Each
SA - Stainless Steel	140mm (5 ¹ / ₂ ")	195-1174	\$24.80

Supra® Swiss Boley Tweezers

Superior no-scratch/antiglare satin finish. Anti-magnetic stainless steel tweezers. Good resistance to corrosion. Made in Switzerland.

E. Style #AA

Straight fine tips.

Material	Length	Item#	Each
SA - Stainless Steel	130mm (5 ¹ / ₈ ")	195-1178	\$15.50

F. Style #PP

Straight fine tips.

Material	Length	Item#	Each
SA - Stainless Steel	120mm (4 ³ / ₄ ")	195-1180	\$13.39

G. Style #GG

General purpose strong, fine tips. Anti-Magnetic Anti-Acid Stainless Steel.

Material	Length	Item#	Each
SA - Stainless Steel	130mm (5 ¹ / ₈ ")	195-1182	\$13.39



Supra® Swiss Diamond Tweezers

Precision Swiss made jewelry tweezers for holding diamonds, precious stones and small parts. Made of magnetizable stainless steel heat treated to approximately 45 Rockwell "C" and matte finished. Those with a -1 suffix have both serrated and grooved tips to enhance secure holding. All are nonlocking except Style MR-1. Made in Switzerland.



A. Style F

Fine serrated tips and serrated handles. 160mm (61/4") long.

Material	Tips	Groove	Item#	Each
S - Stainless Steel	Fine	No	195-0414	\$14.96



B. Style F-EG

Fine tips with special satin finish on tips and grips. 160mm ($6^{1}/4$ ") long.

Material	Tips	Groove	Item#	Each
S - Stainless Steel	Fine	No	195-0418	\$27.95



C. Style F-1

Fine serrated and grooved tips and serrated handles. 160mm ($6^{1/4}$ ") long.

Material	Tips	Groove	Item#	Each
S - Stainless Steel	Fine	Yes	195-0415	\$19.95



D. Style M

Medium serrated tips and serrated handles. 160mm $(6^{1}/4^{1})$ long.

Material	Tips	Groove	Item#	Each
S - Stainless Steel	Medium	No	195-0411	\$19.95



E. Style M-EG

Medium tips with special satin finish on tips and grips. 160mm ($6^{1}/4$ ") long.


Material	Tips	Groove	Item#	Each
S - Stainless Steel	Medium	No	195-0417	\$20.96



F. Style M-1

Medium serrated and grooved tips and serrated handles. 160mm ($6^{1}/4$ ") long.

Material	Tips	Groove	Item#	Each
S - Stainless Steel	Medium	Yes	195-0412	\$14.96



Medium serrated and grooved tips and serrated handles. 160mm (6½") long.

Material	Tips	Groove	Locking	Item#	Each
S- Stainless Steel	Medium	Yes	Yes	195-0413	\$24.95

Supra® Tweezers with Replaceable ESD-safe Plastic Tips

These high-precision tweezers feature stainless steel bodies with replaceable Electrostatic Discharge ESD-safe plastic (PA66/CF30 polyamide 66 reinforced with 30 wt% carbon fiber) tips. Heat stabilized with very high rigidity and excellent tensile and flex strength, Good heat capability with continuous use temperature of 266°F (130°C). Not recommended for continuous use with strong acids, alkalis, hot water or steam. Chemically resistant to oils, grease, fuels and non polar solvents. Typical applications include handling of sensitive components and devices such as electronic components, micro-mechanical parts, glass and ceramic substrates, capillary, etc. Made in Switzerland.

A. Supra® Tweezers #3C with Extra Fine Tips

Anti-magnetic anti-acid stainless steel body with ESD-safe tips as described above. #3C is 110mm (4½") overall length. Tip measures 0.03" (0.8mm) wide x 0.05" (1.3mm) thick.

Description	Item#	Each
A. 3CCF	195-1330	\$24.95
Replacement Tips (Pair)	195-1331	9.55



B. Supra® Tweezers #5 with Very Fine Tips Anti-magnetic anti-acid stainless steel body with ESD-safe tips as described above. 130mm (5") overall length. Tips measures 0.02" (0.5mm) wide x 0.025" (0.6mm) thick.

Description Item# Each B. 5CF 195-1334 \$24.95 Replacement Tips (Pair) 195-1335 9.55

C. Supra® Tweezers #249 with Strong Tips

Anti-magnetic anti-acid stainless steel body with ESD-safe tips as described above, 130mm (5") overall length. Tip measures 0.09" (2.2mm) wide x 0.09" (2.2mm) thick.

Description	Item#	Each
C. 249CF	195-1336	\$24.95
Replacement Tips (Pair)	195-1337	9.55



D. Supra® Tweezers #259 with Fine Tips

Anti-magnetic anti-acid stainless steel body with ESD-safe tips as described above. 130mm (5") overall length. Tip measures 0.025" (0.6mm) wide x 0.04" (1.0mm) thick.

Description	Item#	Each
D. 259CF	195-1338	\$24.95
Replacement Tips (Pair)	195-1339	9.55



E. Plastic Tweezers

Synthetic nonconductive tweezers ideal for changing watch batteries. Measure 5" long. Imported.

		EACH Prices		
Description	Item#	1-2	3-9	10+
Plastic Tweezers	195-3262	\$1.05	\$0.95	\$0.89



F. Stone Holder


Ideal for picking up small stones and beads. Just press plunger to open, then release to grasp item securely. Made of stainless steel. Measure $4^{1/2}$ " long. Imported.

	EACH Prices			ces
Description	Item#	1-2	3-9	10+
Four-Prong Stone Holder	840-4451	\$5.95	\$5.65	\$5.36



Dumont® High-Tech Tweezers

Manufactured by the original Swiss Dumont factory. Forged from premium-grade stainless steel unless otherwise noted and machined to a smooth satin finish. Extensive hand operations are used in shaping, adjusting and finishing the points. Ideally suited for holding miniature parts, gemstones, etc.



A. Dumont® 3C

For handling all miniature and micro-miniature parts. They have tapered shanks with bevel edges; points have been honed and are very sharp. Measure approximately 4½" long. Stainless steel.

			EACH Pr	ices
Description	Item#	1-2	3-9	10+
Style 3C	195-0400	\$36.85	\$33.17	\$31.32

B. Dumont® 5

Very narrow, needle-like points have been extra-honed to extreme sharpness. Ideally suited for handling microscopic parts and delicate work. Indented shanks with bevel edges. Measure approximately 4½" long. Stainless steel.

			EACH Pr	ices
Description	Item#	1-2	3-9	10+
Style 5	195-0392	\$34.50	\$31.05	\$29.33

C. Dumont® 7

Excellent tweezers for handling all miniature and micro-miniature parts and components. The curved shanks permit the user to rest active hand on the bench during assembly operations. Points have a plain finish and are very sharp. Measure approximately $4^{1}/2^{1}$ long. Stainless steel.

			EACH Pr	ices
Description	Item#	1-2	3-9	10+
Style 7	195-0395	\$36.30	\$32.67	\$30.86

D, E Dumont® PP and SS

Style PP is for sorting, assembling and handling miniature parts. Have tapered shanks with bevel edges. Points are sharp. Style SS is similar to PP but is very slim. Measure approximately 53/8" long. Stainless steel.

			EACH Pr	ices
Description	Item#	1-2	3-9	10+
D. Style PP	195-0410	\$34.50	\$31.05	\$29.33
E. Style SS	195-0405	34.50	31.05	29.33

F. Dumont® P

Have extremely hard regular points for general work. Good when rust and corrosion are not significant factors. Measure approximately $4^3/4$ " long. Carbon steel.

			EACH Pr	ices
Description	Item#	1-2	3-9	10+
Style P	195-0340	\$41.25	\$37.13	\$35.06

G, H Dumont® Titanium - Lightweight

These 100% nonmagnetic tweezers are made of titanium, which is 60% stronger and 40% lighter than steel, for superior durability and a more delicate touch. Feature finely honed tips.

	Description	Length	Item#	Each
G.	Style 3	43/4"	195-3281	\$37.85
H.	Style AA	4 ⁷ /8"	195-3282	35.35

Dumont® High-Tech Tweezers (continued)

A-E Dumont® Serrated Tip Diamond Tweezers

The finest in the industry. Precision-made with perfect alignment at the tips. Tips are serrated at a perpendicular angle for the best grip possible. Available in medium (M), medium grooved (MG), or fine (F) points, with or without a locking mechanism. All measure $6\frac{1}{2}$ " long except the grooved which is $5\frac{7}{8}$ " long. Made of stainless steel. Made in Switzerland.

						EACH Pr	ices
	Tips	Locking	Finish	Item#	1-2	3-9	10+
A.	F	No	Stainless	195-0350	\$30.80	\$29.26	-
B.	М	No	Stainless	195-0355	29.40	26.46	\$24.99
C.	MG	No	Stainless	195-0356	33.95	30.56	28.86
D.	F	Yes	Stainless	195-0360	45.75	41.18	38.89
E.	М	Yes	Stainless	195-0365	43.50	39.15	36.98



F. Dumont® Titanium Diamond Tweezers

These 100% nonmagnetic tweezers are made of titanium which resists rust and corrosion. These tweezers are 60% stronger and 40% lighter than steel, for superior durability and a more delicate touch. Feature finely honed medium tips. Made in Switzerland.

Tips	Length	Item#	Each
Titanium	6 ¹ / ₄ "	195-0349	\$42.85



G-L Economical Diamond Tweezers

Value-engineered for precision work. Available in locking or non-locking, fine (F) or medium (M) points. All have serrated tips and measure 63/6" long.

					EACH Prices		
	Tips	Locking	Finish	Item#	1-2	3-9	10+
G.	F	No	Stainless	195-0334	\$7.80	\$7.02	\$6.63
Н.	F	No	Black	195-0335	8.95	8.06	7.61
I.	M	No	Stainless	195-0336	7.80	7.02	6.63
J.	M	No	Black	195-0337	8.95	8.06	7.61
K.	F	Yes	Stainless	195-0330	5.45	-	-
L.	М	Yes	Stainless	195-0332	4.90	-	-



M. Diamond Tweezers with Shovel

Stainless steel nonlocking tweezers with medium serrated tips and shovel attached to end for convenient handling of stones and beads. Measure $7^1\!/\!s^*$ long.

Description	Item#	Each
Diamond Tweezers with Shovel	195-0331	\$4.95



N, O Dumont® Boley Style Tweezers AA and GG

Superbly machined Swiss tweezers. Made of stainless steel for very fine sorting, inspection and handling of miniature parts. The sharp points have received some finishing at the tips. Excellent for use under low-power magnification. Style AA is for general use. Style GG has pointed indented shanks. Measure approximately 5" long.

				EACH Prices		
	Description	Length	Item#	1-2	3-9	10+
N.	Style AA	5"	195-1050	\$34.50	\$31.05	\$29.33
0.	Style GG	5"	195-1150	43.00	38.70	36.55



A, B Boley Style Tweezers RR and MM

These stainless steel general-utility tweezers are excellent general utility tweezers for handling miniature parts. All shanks are tapered and have bevel edges. The sharp points have received some finishing at the tips. Style RR is a hefty, heavy-duty tweezers with wide shanks. Style MM is for general use.

					EACH Pr	ices
	Description	Length	Item#	1-2	3-9	10+
A.	Style RR	5 ¹ /2"	195-1300	\$5.85	\$5.27	\$4.97
В.	Style MM	5"	195-1200	5.85	5.27	4.97

C. Utility Tweezers

Straight nickel plated steel tweezers with smooth tips. Measure 7" long.

Description	Length	Item#	Each
Utility Tweezers	7"	195-3052	\$4.15

D. Bead Stringing Tweezers

Feature narrow tapered ends for easy knot tying. Made of stainless steel with nonglare satin finish. Measure $4\frac{1}{2}$ " long.

Description	Item#	Each
Bead Stringing Tweezers	195-1355	\$2.80

E. Economical Tweezers

Economical steel tweezers. Hand-finished, pointed tips. Good for working with miniature parts under low magnification. Measure 5" long.

				EACH Pr	ices
Description	Length	Item#	1-2	3-9	10+
Economical Tweezers	5"	195-1350	\$2.95	\$2.66	\$2.51

F. Stone Holder

Ideal for picking up small stones and beads. Just press plunger to open, then release to grasp item securely. Made of stainless steel. Measure $4^{1}/2^{\circ}$ long.

		EAGII FIIGES		
Description	Item#	1-2	3-9	10+
Four-Prong Stone Holder	840-4451	\$5.95	\$5.65	\$5.36

G, H Copper Tongs

Designed especially for use with pickling and acid solutions. Will not contaminate solutions nor corrode. Fishtail tips are thinner to pick up small or flat items. Measure 9" long.

		EACH Prices		
Description	Item#	1-2	3+	
G. Copper Tongs	195-0100	\$6.55	\$5.57	
H. Copper Fishtail Tongs	195-0110	8.85	7.52	

EACH Drices

A. Supra® Swiss Ceramic Tip Tweezers Acid-Resistant Won't contaminate your platinum. Non-static.

These lightweight Supra Swiss tweezers feature zirconia ceramic tips attached to an aluminum body. Perfect for working with platinum and for all soldering jobs. Extremely smooth surface. 100% nonmagnetic, nonrusting and nonstatic. Acid-resistant. Six times harder than stainless steel, twice as hard as carbon steel. Tips measure 1½" long. Made in Switzerland.

Description	Length	Item#	Each
X-Fine	5 ¹ /2"	195-3285	\$62.00
Replacement tips X-Fine	11/4"	195-3287	37.20



Free hands for soldering. Tweezers lie flat to hold piece about 1" off soldering board. Tips are serrated. Made of stainless steel. Measure $6\frac{1}{4}$ " long.

		EACH Prices		
Description	Item#	1-2	3-9	10+
Stand-Up Cross-Locking				
Tweezers	195-0325	\$4.15	\$3.74	\$3.53

C-E Cross-Locking Tweezers

Tips close automatically when pressure is released from the handles. Most often used to hold objects for soldering; however, also used in a variety of general applications. Excellent heat sink when soldering. Nickel-plated.

					ces	
	Points	Length	Item#	1-2	3-9	10+
C.	Pointed	43/4"	195-1375	\$2.89	\$2.60	\$2.46
D.	Blunt	61/2"	195-1400	2.95	2.66	2.51
E.	Pointed	61/2"	195-1450	2.95	2.66	2.51

F, G Insulated Cross-Locking Tweezers

Similar to standard cross-locking tweezers, but handles are insulated to protect hands from heat of soldering flame. Stainless steel with serrated tips.

				EACH Prices		
	Points	Length	Item#	1-2	3-9	10+
F.	Straight	63/4"	195-2050	\$4.15	\$3.74	\$3.53
G.	Curved	63/4"	195-2075	4.15	3.74	3.53

H. Third Hand

Ideal for soldering difficult pieces. Leaves hands free. Heavy cast- iron base securely holds a cross-locking tweezers. Tweezers may be angled in any direction for most convenient working position.

Description	Item#	Each
H. Third Hand	816-1800	\$12.10
Replacement Tweezers	195-1400	2.95

I. Third Hand - Ball Style

This remarkable third hand features incredibly flexible positioning and ease of use to speed up your soldering jobs. Twist and turn the ball joint to any position and it stays fixed without slipping. This economic alternative to the magnetic third hand, automatically provides the right amount of tension to hold and move your work without continuous adjustment. Includes 6" self-locking tweezer.

Description	Item#	Each
Single	816-1822	\$12.00













A. Head-and-Shank Tweezers

Position setting and shank for easy soldering of solitaires. Curved, grooved tip securely holds shank; flat serrated base prevents slippage. Slide-locking. Made of stainless steel. Measure 5½" long. Made in Switzerland.

Description	Item#	Each
H&S Tweezers	195-3000	\$62.95

B. Econo Head-and-Shank Tweezers

Use these slide-locking tweezers to hold rings for easy soldering of solitaires. Curved, grooved tip securely holds ring shank while flat serrated base prevents slippage. Made of steel. Measure $5\frac{1}{2}$ " long.

		EACH Prices		
Description	Item#	1-2	3-9	10+
Econo H&S Tweezers	195-3005	\$7.59	\$6.83	\$6.45

C. LaVaque Head & Shank Tweezers with Visual Alignment

If you've ever soldered a head onto a shank only to find it misaligned by a few degrees, you'll love these tweezers. Feature patented LaVaque visual alignment for soldering settings accurately the first time, every time. Curved, grooved tip securely holds the shank in place while the transparent glass base secures the head, allowing you to see from the top and all sides for perfect alignment. Replaceable high-temperature glass withstands direct flame and soldering temperatures required for gold and silver, lasting for dozens of jobs. Not recommended for platinum and other metals that require higher soldering temperatures.

Description	Item#	Each
LaVaque Head & Shank Tweezers	195-3500	\$33.95
LaVaque Replacement Glass	195-3505	7.95

D. Ring Set Soldering Tweezers

Hold two rings being soldered together as a set. Ideal for wedding band sets. Measure 5^{3} /s" long.

Description	Item#	Each
Ring Set Tweezers	195-0320	\$4.70

E. Cup-Shaped Pearl Tweezers

Tweezers with cup-shaped ends for holding pearls, beads and more. Coated tips prevent scratching of delicate surfaces. Measure $5^3/4$ " long.

		EACH Prices		
Description	Item#	1-2	3-9	10+
Cup-Shaped Pearl Tweezers	195-0310	\$5.95	\$5.36	\$5.06

A. Vacuum Tweezers

Offering unmatched precision over standard tweezers, this self-contained miniature vacuum pump has 2 handpieces for picking up stones and small parts without damaging them. Picks up both cabochons and faceted stones. Because there are no tweezers tips on the girdle of the stone, placement is easier, faster and more precise. This is especially useful when setting small stones and when setting stones in wax.

Comes with 4 stainless steel tips of varying diameters for holding smaller or larger stones. Vacuum is created by placing the forefinger over a hole in the handpiece. To break the vacuum, simply lift your finger from the hole. The vacuum generator measures just 5" long x $3^{1}/4$ " wide x 2" high with an airflow of 125 cu. in./min. 110V. Shipping Weight: 1.2 lbs. Made in Thailand.

Includes:

- 110V vacuum unit with on/off switch
- 2 pencil-thin, lightweight aluminum pens
- 4 stainless steel tips of varying sizes
- · 2 flexible air tubes each measuring 36" in length


Description	Item#	Each
Vacuum Tweezers	195-3307	\$65.00
Replacement Pens Set of 2	195-3006	25.00
Replacement Tips Set of 4	195-3007	4.95



B, C Premium Steam Tweezers

The premium coating on tips provides chemical resistance for long wear and use. Use with steam cleaners and ultrasonic cleaners for non-scratch retrieving. Made of Nickel plated steel. Available in 8" or 10" lengths. Rubber coating is 3" length. Made in Pakistan.

		EACH Prices
Description	Item#	1-5 6+
B. Premium Steam Tweezers, 8"	195-1904	\$11.50 \$10.35
C. Premium Steam Tweezers, 10"	195-1905	12.50 11.25



D. Long-Reach Tweezers

Made of stainless steel. Ideal for holding pieces while they are being cleaned. Heat-resistant plastic-covered tips for firm grip on work piece without scratching. Chrome-plated. Measure 10" long. Made In India.

			EACH Pri	ces
Description	Item#	1-2	3-9	10+
Long-Reach Tweezers	195-1900	\$7.25	\$6.53	\$6.16







A wide selection of pin vises for holding small drills, wires, taps, screwdriver blades and more.

	Description	Length	Item#	1-2	EACH Pri 3-5	ces 6+
A.	5/8" wide jaws, hollow handle opens to 1/4", 3/16" gap. Made in Germany.	41/2"	820-4150	\$26.25	\$24.94	-
B.	5/16" wide jaws, hollow handle opens to 1/4", 3/16" gap. Made in Germany.	4 ¹ /2"	820-4050	27.50	26.13	-
C.	Extra screw and nut for #820-4150 and #820-4050. Made in Germany.	_	820-4100	8.40	7.98	\$7.14
D.	Double-ended with different size steel collet mounted in both ends of hollow handle. Capacity: 0"–0.064". Made in France.	s 4 ¹ / ₄ "	820-4650	11.15	10.59	10.04
E.	Double-ended with reversible steel collets. Capacity: 0"-0.125". Made in India.	41/4"	820-4350	5.95	5.65	5.36
F.	Two steel chucks with hollow brass handle. Capacity: 0"–0.032". Made in France.	3 ³ /4"	820-4300	8.50	8.08	7.65
G.	Steel four-jaw chuck with hollow aluminum handle Capacity: 0"–0.032". Made in France.		820-4250	7.25	6.89	6.53
Н.	Swivel head pin vise for drilling or tapping. Two double-ended chucks. Capacity: 0"-0.125". Made in India.	31/2"	820-4355	4.50	-	-
I.	Sliding four-jaw pin vise for one-hand operation. Single end has knurled slide. Capacity: 0"-0.032". Made in India.	4 ¹ /2"	820-4260	4.50	4.28	4.05



J-M Precision Pin Vises

Durable hardened steel pin vises with hollow handles for accommodating long wires. Black finish. Sold individually and in a money-saving set of all four. Made in India.

	Length	Collet Capacity	Item#	Each
J.	76mm	0-1.0mm	820-4186	\$3.95
K.	86mm	0-1.5mm	820-4187	3.95
L.	96mm	1.5-3.0mm	820-4188	3.95
M.	. 105mm	2.7-4.5mm	820-4189	3.95
	4-Piece S	et (one of each)	820-4185	14.20



N. Setting Bur Chuck with Swivel Handle

For holding burs, reamers and taps. Ball-shaped wooden swivel handle fits in palm of hand. For 3/32" shanks. Measures 4" long.

Description	Item#	Each
Setting Bur Chuck	840-4200	\$11.75

A, B Adapter Chucks - 3/32" Shank

Allow you to use tools with small shanks in standard flex shaft handpieces. Threads are right-hand. Made in France.

Description	Item#	Each
A. 1.00mm Chuck	840-3210	\$13.35
B. 2.62mm Chuck	840-3220	15.50



C. Econo 4-Collet Adapter Chuck – 3/32" Shank

Works in standard flex shaft handpieces. Threads are right-hand. Includes a collet that completely closes for holding smallest of tools as well as 1.50, 2.50 and 3.00mm collets. Made in India.

Description	Item#	Each
Econo 4-Collet Adapter Chuck	840-3240	\$6.95



D. Steel Hand Vise

Has spring action in handle to keep jaws open. Serrated jaws are 11/4" wide and open to 1". Measures 4" long.

		EAC	H Prices
Description	Item#	1-2	3+
Steel Hand Vise	820-4500	\$44.10	\$41.90



E, F Magnetic Ball Vise

The magnetic ball vise is made of the highest quality anodized aluminum and is used to hold workpieces for polishing, grinding, micro-welding and a variety of other general purpose applications. Tilts from 180 degrees to 90 degrees without losing stability. The permanent magnet is spring loaded. An Allen wrench is used to release the magnet allowing workpieces to be placed on and off the top plate easily. Ball vise sits on a small stand. Available on 4" (Height: 3 1/2", Wt. 9 lbs) and 6" (Height: 4 3/4", Wt. 28 lbs) fine pole magnetic working surface. Allen wrench included. Made in USA.

Description	Item#	Each
E. 4" Magnetic Ball Vise	814-0105	\$1,095.00
F. 6" Magnetic Ball Vise	814-0101	1,200.00



G. Foredom® Mini Vise

Securely holds small parts. Has 13/4" slotted grooves in the base for mounting on a drill press or workbench. Stationary jaw has a perpendicular V-groove, and moveable jaw has a horizontal V-groove for holding round stock or tube. Glare-free black finish.


Specifications:

Jaw Width 13/4" 13/4" Jaw Opening

Dimensions 4"L x 23/8"W x 11/2"H

Ship. Wt. $\frac{1}{2}$ lb.

Description	Item#	Each
Mini Vise	820-4700	\$24.50



H. Drill Press Vise

All aluminum vise has slots to attach to bench top drill press (850-0595 p. 446). Quick release feature for ease of use. Jaw width 29/16". Jaw opening 23/4". Measures 91/2"L x 41/2"W x 21/4"H.

Description	Item#	Each
Drill Press Vise	850-0594	\$12.95







A. Rotating Bench Vise - 3¹/4¹¹ Jaw Opening

Base mount for mounting vise on the workbench or table. Table clamp screw that opens to a maximum depth of 2". The clamp vise head can rotate 360 degrees and tilts approximately 90 degrees with lockable handle. Steel jaws have 1 horizontal and vertical V-groove on each. Made in Pakistan.

Specifications:

Jaw Width : $3^{1}/4$ " Clamping Height: 2" 360 Swivel & \sim 90 Degree Tilt Table Clamp Height : 2" Weight: 16.25 lbs

Clamping range: 4½"" Table Clamp Depth : 2"

 Description
 Item#
 Each

 Rotating Bench Vise - 31/4"
 820-4040
 \$150.00

B. Panavise Model 301 - 2¹/2" Jaw Opening

An all-purpose vise that tilts, turns and rotates. Vise head can be turned 360° , tilted 90° and locked in any position. When head is locked in desired position, stem can be rotated or locked in place. All movement is controlled by one convenient variable pressure knob. Nonmarring nylon jaws open to $2\frac{1}{2}$ ".

Description	Item#	Each
B. Panavise Model 301	814-0200	\$55.00
Replacement Nylon Jaws, set of 2	814-0805	2.95

C. Base Mount #311 for Panavise Model 301

Platform base mount for attaching Panavise Model 301 securely to the edge of a workbench or counter. Attaches with a clamp screw that opens to a maximum of $3\frac{1}{2}$ " (89mm). Comes with three screws for securing Panavise to base mount.

Description	Item#	Each
Base Mount #311 for Panavise Model 301	814-0700	\$51.00

D. Panavise Model 381 - 2¹/2¹¹ Jaw Opening

An all-purpose vise with the same features as Model 301—with the added benefit of portability. A half-turn of the mount lever permits easy mounting of the vise on any smooth, nonporous surface. Suction holds vise to surface until lever is released.

Description	Item#	Each
D. Panavise Model 381	814-0190	\$75.00
Replacement Nylon Jaws, set of 2	814-0805	2.95

E. Swivel Bench Vise - 21/211 Jaw Opening

Dual guide rods ensure parallel closing of jaws, rigidity and steady action. Smooth jaws help prevent marring of soft metal. Features sturdy construction with anvil top and enamel-finished body. Fits benchtops up to 2" thick. Can be rotated laterally 360° and locked into position. Jaws are 3" wide and open to $2\frac{1}{2}$ ". Ship. wt: $5\frac{1}{2}$ lbs.

Description	Item#	Each
Swivel Bench Vise	820-4054	\$79.75

F. Mini Bench Vise - 1" Jaw Opening

Great for small, precision work. Jaws are 1" wide and open to 1". C-clamps to bench or tabletop up to $1\frac{1}{8}$ " thick. Body is cast iron with heavy red enamel coating. Ship. Wt: 1 lb.

Description	Item#	Each
Mini Bench Vise	820-4052	\$7.95

G. Foredom® Soff Jaws

Attach to any 3" or 4" bench vise via built-in magnetic strips. Made of resilient ethylene vinyl acetate (soft rubber-like material). Grip odd shapes with ease. Prevent marring of polished and painted surfaces and threaded parts. Measure 3½" long.

Description	Item#	Each
Rubber Soff Jaws, pair	820-4705	\$8.95

A. Rotating Bench Vise - 31/411 Jaw Opening

Sturdy high-quality vise especially suited for tool and die makers and for electronic and general metalworking. The vise head can be rotated a full 360° and tilted from a flat 180° horizontal to a full 90° vertical, then locked securely in place, allowing your work piece to be easily swiveled and angled into the best working position. Supplied with steel jaws. Optional nylon jaws are available. One side of the steel jaws has two V-shaped grooves for holding wire and round or tube stock. Movable vise jaw slides in a brass guide. Jaw clamping screw and joint locking screw work on bronze lead nuts.

 $3^{1}/4$ " jaws and $4^{1}/8$ " clamping range. Includes base mount with clamp screw for secure mounting on the edge of a workbench or counter up to 3" thick. Base mount can also be removed for fixing the vise with screws directly to benchtop. Made in Italy.

	Bench Vise Jaw Width	Clamping Range	Clamping Height	Net Wt.	Item#	Each
A.	3 ¹ / ₄ " (82mm)	4 ¹ /8" (105mm)	2 ⁷ /32" (56mm)	14 lbs.	820-4058	\$576.00
	Optional Nylon Ja	aws for #820-4058			820-4062	67.50



B-D GRS® Engraver's Blocks

The Magnablock and the Small Block are extremely well-made devices used to hold objects firmly for engraving, stone setting and general-purpose work. Each holds both large and small items. Adjustable friction lock from zero to full lock for crown rotation control. Nonglare satin finish on body, black oxide finish on jaws for protection. Precision-machined parts for smooth, efficient operation. Solid steel construction provides heavy weight and adjustable drags for keeping the workpiece in the proper position. Uses two industrial ball bearings and a large roller thrust bearing to eliminate side play and wobble. Includes rubber ring pad with Nylon glides, upper jaw plates, five pins and wrench. Made in USA.

Features:

Specifications:

Adjustable friction lock from zero to full lock for crown rotation control. Nonglare satin finish on body, black oxide finish on jaws for protection. Precision-machined parts for smooth, efficient operation.

Small Block

Magnablock

opcomoduons.	magnablook	Ollidii Diook	
Spherical Diameter	5¾"	51/8"	
Jaw Size	3"W x 1¾"H	2½"W x 1½"H	
Max. Jaw Opening	3½"	3"	
Net/Ship. Wt.	30/33 lbs.	19/22 lbs.	
Description		Item#	Each
B. Magnablock		856-0275	\$637.10
C. Small Block		821-6000	486.00
D. Attachment Set 30-piece		856-0277	109.00



E. GRS® Microblock™ Ball Vise

Compact, low-profile design is perfect for microscope work and other jobs where a larger vise is an obstacle. Smooth, self-centering jaw system and adjustable internal brake system lets the user choose the amount of rotational resistance from totally free to fully locked. Machined from solid stainless steel and finished with low-glare treatment to reduce eyestrain. Includes positioning ring, four jaw pins, wrenches and Thermo-Loc Sample Kit (four bars). Measures 3.1" diameter with 1.8"W x .87"H jaws. Max. jaw opening: 2". Made in USA

	Description	Item#	Each
	Microblock	856-0304	\$282.00
E.	Microblock with 30-Piece Attachment Set	856-0305	378.00

F-H GRS® BenchMate™ Multipurpose Vise

Attaches to BenchMate or directly to your bench. Tilts left and right and rotates on vertical axis so you can find the best working angle. Features holes in top for holding pins or the padded ring clamp from GRS 30-Piece Attachment Set #856-0277 (see p. 545). Made of satin-finished steel. To mount, fit in Fixed Mounting Plate, secure to Benchtop Mounting Adapter, then screw into bench. Made in USA.

Description	Item#	Each
F. Multipurpose V	ise 856-0172	\$170.00
G. Fixed Mounting	9 Plate 856-0196	18.95
H. Benchtop Mou	nting Adapter 856-0193	27.20













A, B Low Profile 5" Ball Vise - 21/2" and 31/2" Diameter

Chose between $2\frac{1}{2}$ " or $3\frac{1}{2}$ " dia. jaws that are $1\frac{1}{2}$ " tall. Need more working space under your microscope? Now you can with the RinGenie Low-Profile Ball Vise. Sturdy construction with jaws that are made of stainless steel with copper face inserts for many years of use. Most vise accessory kits in the market will also fit this model.

Description	Overall height	Item#	Each
A. 5" Ball Vise 2½" Dia.	41/8"	816-1507	\$632.50
B. 5" Ball Vise 3½" Dia.	31/2"	816-1508	\$632.50

C. 5" Positional Vise

With $2\frac{1}{2}$ " dia. jaws which are $1\frac{1}{2}$ " tall. Utilizing two stationary pins to easily adjust the working position. Jaws opening measures 11/2"

Description	Overall height	Item#	Each
5" Positional Vise	61/4"	816-1509	\$852.50



D. Positional Rotatory Table & Mounted Vise

With a mounted vise. Great for general work at the bench or any flat surface. Constructed of a Steel 8" work base with drag screw resistance, optional positioning and a 360° rotation. Jaws are 3" dia. and 1" tall. Jaws opening is 4½".

Description	Overall height	Item#	Each
Positional Rotatory Table and Vise	35/8"	816-1511	\$984.50



E, F 3" Vise and Adapter

With 17/8" dia. jaws which are 3/4" tall. Made from stainless steel. Jaw opening 11/4". Vise Adapter, made from aircraft quality aluminum, allows bench mounting.

Description	Overall height	Item#	Each
E. Vise	4"	816-1498	\$742.50
F. Vise Adapter		816-1499	192.50



G. 10" Turn Table

This solid turntable rotates 360° with a drag screw and positive lock. Can be used at your bench or any solid work table.

Description	Overall height	Item#	Each
10" Turn Table	1%"	816-1512	\$511.50



H. GRS® Positioning Vise for Stereo Zoom Microscopes

Simply pull a lever, and this vise lets you easily reposition its center of rotation to keep the object within your microscope's field of view. Its upper half moves off-center to left or right as desired; after moving, it rotates about set position. Includes upper jaw plates, five pins and wrench. Spherical diameter: 7.1". Jaw size: 3"W x 1.8"H. Max. jaw opening: 3.5". Weighs a massive 42 lbs. for incredible stability.

Description	Item#	Each
Positioning Vise for Stereo Zoom Microscopes	271-3025	\$913.00

Renata Watch Batteries

Gesswein is pleased to offer Superior Swiss quality Renata watch batteries. Renata's lithium and Mercury Free silver oxide batteries are 3V and known for their reliability, high quality and top performance. Fivepiece minimum order (tear-strip packages) - must order in multiples of 5. Made in Switzerland.

A. Renata Silver Oxide Watch Batteries

Battery#	Item# 5	Each	Battery#	Item#	5pc Each
301	809-0301	\$1.99	350	809-0350	\$1.75
303	809-0303	2.32	357	809-0357	7 1.65
309	809-0309	1.45	361	809-036	0.57
315	809-0315	0.78	362	809-0362	2 0.52
317	809-0317	0.70	364	809-0364	4 0.38
319	809-0319	0.68	365	809-036	5 2.22
321	809-0321	0.55	366	809-0360	6 2.22
329	809-0329	0.89	370	809-0370	0.77
335	809-0335	1.29	371	809-037	0.57
337	809-0337	1.85	373	809-0373	3 0.80
339	809-0339	1.75	376	809-0370	6 0.53
341	809-0341	1.64	377	809-037	7 0.38
344	809-0344	1.80	379	809-0379	9 0.43
346	809-0346	1.65	380	809-0380	0.97

Battery#	Item# (5)	Each
381	809-0381	\$1.04
384	809-0384	0.65
386	809-0386	1.49
387	809-0387	2.67
389	809-0389	1.17
390	809-0390	0.80
391	809-0391	1.12
392	809-0392	0.65
393	809-0393	1.30
394	809-0394	1.10
395	809-0395	0.80
396	809-0396	0.60
397	809-0397	0.60
399	809-0399	0.70

B. Renata Lithium Watch Batteries

Battery#	Item# (5	Each
CR1025	809-1025	\$0.70
CR1216	809-1216	0.75
CR1220	809-1220	0.60
CR1225	809-1225	0.80

Battery#	Item# 🧐	Each
CR1616	809-1616	\$0.67
CR1620	809-1620	0.67
CR1632	809-1632	0.75
CR2016	809-2016	0.47

Battery#	Item#	5pc Each
CR2025	809-202	5 \$0.47
CR2032	809-203	2 0.47



5pc) Five-piece minimum; please order in multiples of five.

C. Deluxe Universal Battery Change Set

A handy set for changing watch batteries. Includes everything needed to do the job quickly: case knife for pop-off case backs, spring bar changing tool, scratch brush for cleaning battery cavities, plastic tweezers for handling batteries, screw-back case-opening wrench, 1.0mm and 1.6mm flathead screwdrivers 1.2mm Phillips screwdriver and 5" x 5" polishing cloth. Faux leather zippered case

Deluxe Universal Battery Change Set	820-9041	\$26.30
Description	Item#	Each
Tioda delevativole, 1.2.111111 Tillipe delevativol dila e X	5 policining dictining data toutinon, zipport	ou ouoo.

D. Battery and Pulse Tester

A great jeweler's aid. Tests a watch to see whether the step motor is not working or the battery is dead-without opening the watch. Also tests the coil. Just rest the watch across the sensor and watch the readout. Requires no training. Includes 9V battery.

Description	Item#	Each
Battery and Pulse Tester	820-9047	\$39.95

E. Battery Tester

An economical yet accurate tester for checking batteries under design and load conditions. Tests alkaline, carbon zinc, silver oxide, lithium, nickel cadmium and mercury batteries. Includes easy-tofollow instructions.

Description	Item#	Each
Battery Tester	820-9048	\$10.95

F. Battery Clamp Assortment

This assortment contains 50 clamps for many of the most popular watches. Allows you to replace worn or broken clamps in minutes.

Description	Item#	PKG of 50
Battery Clamp Assortment	820-9045	\$28.95

G. Battery Clamp Screw Assortment

This assortment contains 100 screws that will fit most watch brands.

Description	Item#	PKG of 100
Battery Clamp Screw Assortment	820-9046	\$19.95











A. L-G Watchcase Wrench

For waterproof cases. Opens any size and shape case. Features knurled polygon for any number of slots, notches or holes. Tight, nonslip grip will not scratch. Cover can be left in wrench, ready for replacing. Includes four sets of interchangeable jaw pins. Made in USA.

	Description	Item#	Each
A.	. L-G Watchcase Wrench	820-9020	\$85.95
	Replacement Pins, set of 12	820-9021	34.95



B. Waterproof Watchcase Wrench

This JAXA-style case wrench meets the highest standards. Includes four sets of pins (three of each style). Packaged in a hardwood box. Imported.

	Description	Item#	Each
В.	Waterproof Watchcase Wrench	820-9025	\$12.95
	Replacement Round Pins, set of 3	820-9026	1.45
	Replacement Flat, set of 3	820-9027	1.45
	Replacement Square, set of 3	820-9028	1.45
	Replacement Curved, set of 3	820-9029	1.45



C, D Watchcase Holders

Both have metal bases with four plastic pins for securely holding watchcases without marring.

Description	Item#	Each
C. Watchcase Holder	820-9030	\$6.95
D. Large Watchcase Holder	820-9035	15.95



E. Rubber Sport Watch Holder

Generally a regular (leather/steel) watch will easily lay flat, but the straps on a rubber sport watch band curl up and make it difficult to work on the watch. This handy watch holder holds rubber watch straps in place while repairing or changing a battery without having to remove the band. Comes with a nylon die that will not mar or scratch crystals.

Description	Item#	Each
Rubber Sport Watch Holder	820-9056	\$17.95



F. Clip Spring Removing Pliers

Use for adjusting the length of Seiko style watch bands. The flat jaw rests atop the link, and the pointed tip fits under the clip spring. Gently squeeze the handles, and the clip spring pops up, ready for easy removal. Measure $5\frac{1}{2}$ " long.

Description	Item#	Each
Clip Spring Removing Pliers	820-9069	\$9.45

A. Snap-Back Case Opener

The ultimate in a snap-back case opener. This tool will open even the stubborn friction-fit or snap-back watch cases with a simple turn of the threaded thumb screw. User control of blade alignment and depth ensures no damage to delicate watch inner workings. Replaceable blade.

Description	Item#	Each
A. Snap-Back Case Opener	820-9058	\$101.95
Replacement Blade	820-9059	12.95



B. Snap-Back Case Knife

Special Swiss case knife with hard plastic handle and fixed tempered blade (does not fold into handle). Measures 4" long.

Description	Item#	Each
Snap-Back Case Knife	260-3058	\$23.95



C. Snappy Watchcase Opener

Makes watchcase opening a snap! Just position the point between the case back and the case, and push slowly to lift off the back. Easily controlled so blade will not pop into watch movement. Spring-loaded for easy operation. Made of steel with red plastic handle. Measures 5" long. For watchcase closing, use Case Closing Pliers #820-9065 (see p. 550).

Description	Item#	Each
Snappy Watchcase Opener	820-9060	\$11.95



D. Medium-Duty Bench Knife

Has slim 13/4" long blade set firmly in hardwood handle. Measures 5" long. Description Item# Each Medium-Duty Bench Knife 260-3057 \$13.95



E. Case Knife

Features universally popular shape that gives watchmakers the proper grip for prying open snap-on case backs. Hardwood handle and precisely beveled, tempered steel blade make case opening easier. Measures 4½" long.

Description	Item#	Each
Case Knife	820-9055	\$4.50



F. Heavy-Duty Bench Knife

An all-purpose bench knife for opening watchcases, scraping and cutting. Has 13/4" long steel blade mounted in hardwood handle. Measures 51/4" long.

Description	Item#	Each
Heavy-Duty Bench Knife	260-3059	\$3.80



G. Victorinox® Original Swiss Army Knife

The first and finest!

Includes a cutting blade, scissors, file, tweezers, pick and key ring attachment. Made of stainless steel. Has royal blue enamel handle inlaid with metal Gesswein logo. Measures 21/4" closed.

Description	Item#	Each
Victorinox Original Swiss Army Knife	827-1000	\$18.75







The best inexpensive case closer available. Includes 14 snap-on nylon dies 7 hollow and 7 flat for 16-36mm diameter cases. Will not scratch or mar crystals. Made of sturdy cast metal. Works with watch lying facedown so user can see case back being closed.

Description	Item#	Each
Watchcase Press	820-9050	\$37.95

B. Watchcase Press – Aluminum Discs

This combination case closer/crystal press beats anything in its price range and beyond. It features: 14 reversible turned aluminum dies with 28 sizes smoothed to a high polish so they will not scratch. Dies screw onto the upper and lower part so that they can be inverted for case closing or crystal fitting. Cast metal body with angled leverage arm for proper closure. Don't destroy watch cases or case backs by using the wrong tool. Our Combo Closer will give you years of satisfaction and service. Shipping weight: 5 lbs.

Description	Item#	Each
Watch Case Press - Aluminum Disc	820-9052	\$54.95

C. Case Closing Pliers

A handy tool for safely closing watchcases. Parallel closing jaws with hinged, rubber-padded discs prevent damage to the watchcase and crystal. Measure $7\frac{1}{2}$ " long.

Description	Item#	Each
Case Closing Pliers	820-9065	\$19.75

D. Vinyl Watch Tape

Used as a cover over watch faces and bracelets for protection from scratches during handling or transportation. Although it is called "tape" it has no adhesive. Clings to glass, plastic and metal without glue or gum. Leaves no residue!

Sold in approximately 150 foot in rolls. Available in two widths: 50mm for small to mid-size watches and 80mm for larger watches.

Description	Item#	Each
Vinyl Watch Tape 50mm	820-9290	\$24.95
Vinyl Watch Tape 80mm	820-9295	27.95

E. Flat Case Back Gasket Assortment

This 54-piece assortment includes three pieces each of 18 sizes (15.00-32.00mm ID in 1mm increments). Gaskets measure 2mm wide x 0.5mm thick. Each size comes in its own envelope.

Description	Item#	Each
Flat Case Back Gasket Assortment	808-0010	\$24.95

F. Watch Gasket Assortments

Available in four different thicknesses. Each 144-piece assortment includes four pieces each of 36 sizes (14.50-32.00mm ID). Fits Citizen, Seiko and most modern quartz watches.

	Description	Thickness	Item#	Each
F.	Watch Gasket Assortment	0.40mm	808-0001	\$14.95
		0.50mm	808-0002	14.95
		0.60mm	808-0003	14.95
		0.70mm	808-0004	14.95

G. Thin **O-Ring Assortment**

This 144-piece assortment includes four pieces each of 36 sizes (14.50-32.00mm ID) in three thicknesses: 0.40, 0.50 and 0.60mm. Envelopes are color-coded by thickness.

Description	Item#	Each
Thin O-Ring Assortment	808-0005	\$59.95



A. Cotter Pin Assortment Set

This comprehensive set gives the jeweler 180 cotter pins (5 each of 36 different sizes) to adjust metal bands either during the sale or for aftermarket service. Many watches need links added or removed to customize size, and this process requires replacement cotter pins such as these to ensure proper strength of the band.

Description	Item#	Set
Cotter Pin Assortment	820-9220	\$29.95




B-D Wood Sticks

Great multipurpose items. Can be used as a disposable mixing stick or applicator when gluing. Great for use as a dop stick for placing small parts. Use to accurately apply luminous pigment to watch hands. Available in round soft sticks, 6" in length. Select between pegwood and white birch. Pegwood sticks are easily shaped to fit your specific need. Packaged in bundles of 24.

			PKG	i. of 24
Pegwood	Diameter	Item#	1-9	10+
B. Round	2mm	825-1201	\$10.00	\$8.50
	2.5mm	825-1202	10.25	8.71
	3mm	825-1203	10.50	8.93
	4mm	825-1204	10.75	9.14

White birch sticks have one end shaped and include 25 sticks in a package.

			PK	G. of 25
White Birch	Diameter	Item#	1-3	4+
C. Round, pointed	1/8"	825-0551	\$11.85	\$10.67
	1/4"	825-0557	11.85	10.67
D. Round, double-beveled	1/8"	825-0541	12.45	11.21
	1/4"	825-0547	11.85	10.67







Extra-Thin Thin Regular F G

E, F Double-Shoulder Spring Bar Sets

Available in 200-piece extra-thin, thin and regular sets of assorted lengths and 400-piece extra-thin/ regular combination set of assorted lengths. Each set includes 20-piece plastic bottles of each length.

	Description	Item#	Each
E.	400-Piece Extra-Thin/Regular Combination Set	820-9215	\$29.95
F.	200-Piece Extra-Thin Set	820-9200	16.95
	200-Piece Thin Set	820-9205	14.95
	200-Piece Regular Set	820-9210	14.95

G-I Metal Spring Bar Tool

Tips are stronger than those of conventional spring bar tools but have the same thread for interchangeability. Measures $5\frac{1}{8}$ " long.

Description	Item#	Each
G. Metal Spring Bar Tool	820-9192	\$7.50
H. Replacement Forked Tip	820-9194	1.30
I. Replacement Straight Tip	820-9193	1.30



Handy for pushing stubborn pins out of watch bracelets when changing links for sizing. Slightly flattened tip prevents slipping. Made of hardened tool steel with hardwood handle. Measures $4\frac{3}{4}$ " long.

Description	Item#	Each
Pin Pusher	820-9070	\$4.20





A. Mesh Bracelet Cutter

A beveled-cylinder cutting tool useful for cutting not only mesh bands but also solder wire and small pieces of sheet metal. Provides maximum cutting leverage with its long handle. Cuts much faster than hand saws. Measures 6"L x 4"W.

Description	Item#	Each
Bracelet Cutter	840-4215	\$55.50

B. Link and Spring Bar Remover

An indispensable tool to the watchmaker. Ideal for removing stubborn links and Westartype spring bars. Includes 0.40, 0.60, 0.80, 1.00, 1.50 and 2.00mm pins for use in all bracelet types. Also includes screwdriver with 2.50mm tip for screw-type spring bar removal. Weighs just over 1 lb.

Description	Item#	Each
B. Link and Spring Bar Remover	820-9275	\$25.50
Replacement Pin Set (6)	820-9276	6.50



C. Pin Removing Set

Perfect for removing friction pins from watch bracelets. Includes grooved wooden block for holding bracelets securely without marring, small ball-peen hammer and 0.80mm and 1.00mm pin removing punches. Just tap punches lightly to remove pins.

Description	Item#	Each
C. Pin Removing Set	820-9075	\$19.95
Replacement 0.80mm Punch Tip	820-9076	0.89
Replacement 1.00mm Punch Tip	820-9077	0.89



D. Watch Link Pin Remover Set

With its sleek design and compact style, the watch link pin remover set comes complete with 10 pins in sizes: 0.40, 0.60, 0.70, 0.80, 0.90, 1.00, 1.10, 1.20, 1.50 and 2.00mm. Pins are easily interchangeable in the tension fit handle provided. Set is packaged in a premium wood box with magnetic closure. Made In India.

		EACH	l Prices
Description	Item#	1-2	3+
Watch Link Pin Remover Set	820-9280	\$14.15	\$12.74



E. Pin Remover

Handy tool for removing pins from metal link bands. Keltec II glass-filled nylon body will not scratch or mar gold or silver. Includes two extra spacers to accommodate all bracelet sizes and two extra push pins. Pusher pin is made of hardened tool steel. Large screw with knurled handle guides the pusher pin into place.

Description	Item#	Each
Pin Remover	820-9071	\$15.15



F. Bracelet Link/Pin Removing Pliers

Removing links and pins just got easier! This link/pin removing pliers are effective and easy to use! By using the adjustable set screw, a wide a variety of pin lengths can be easily removed in seconds. Holds a pin pusher made of hardened steel 0.80mm (820-9112) and 1.0mm (820-9111) included) that removes a link or pin in one hand motion. 0.70mm (820-9113), and 0.60mm (820-9114) pin pushers can also be purchased separately (not included). Ergonomic and easy to hold with its soft rubber grip and supplied with a convenient ring on the handle for easy hanging off your bench. Made in India.

Description	Item#	Each
F. Bracelet Link/Pin Removing Pliers	820-9011	\$1.45
Replacement Pin 1.00mm	820-9111	2.95
Replacement Pin 0.80mm	820-9112	2.95
Optional Pin 0.70mm	820-9113	2.95
Optional Pin 0.60mm	820-9114	2.95

A. Screwdriver Set in Rotating Stand

Includes nine color-coded setscrew screwdrivers, 19 spare blades, two extra setscrews and rotating stand for easy access and compact storage. Made in France.


	Description	Item#	Each
A.	Screwdriver Set in Rotating Stand	820-9010	\$59.95
	Description	Item#	Pkg. of 3
	0.60mm Blades	820-9011	\$1.45
	0.80mm Blades	820-9012	1.45
	1.00mm Blades	820-9013	1.75
	1.20mm Blades	820-9014	1.75
	1.40mm Blades	820-9015	1.75
	1.60mm Blades	820-9016	2.15
	2.00mm Blades	820-9017	2.15
	2.50mm Blades	820-9018	2.65
	3.00mm Blades	820-9019	2.65



B. Screwdriver Set

Includes six precision screwdrivers with replaceable blades that are held firmly in the handles by means of screw chucks. Blades are made of the finest tool steel, which has been heat-treated for toughness and long wear. The hexagonal heads will not roll on bench. Bodies are plated and have a knurled grip for nonslip holding. Screwdrivers measure approximately 4" long. Made in USA.

	Description	Item#	Each
В.	Screwdriver Set	820-9000	\$29.95
	0.100" Blade	Эрс) 820-9001	2.50
	0.080" Blade	820-9002	2.50
	0.070" Blade	820-9003	2.50
	0.055" Blade	820-9004	2.60
	0.040" Blade	820-9005	2.60
	0.025" Blade	820-9006	2.60





C. JIS Screwdriver Set

Includes four color-coded screwdrivers with hex heads, knurled handles and hardened steel blades with 90°-cornered tips designed for use on watches. Excellent for electronics, computer and camera repair. Screwdrivers measure 4¹/₂" long. Made in Europe.

Description	Item#	Each
C. JIS Screwdriver Set	820-9023	\$18.25
1.20mm Gray Screwdriver	820-9024	4.55
1.50mm Violet Screwdriver	820-9032	4.55
2.00mm Green Screwdriver	820-9033	4.55
2.50mm Blue Screwdriver	820-9034	4.80



D. Combo Screwdriver Set

Includes four flat-head screwdrivers (1.0, 1.20, 1.80 and 2.40mm) and two Phillips screwdrivers (#0 and #1) with hexagonal swivel heads. Packaged in a hard plastic box.

Description	Item#	Each
Combo Screwdriver Set	820-8900	\$2.95















A. V-Slot Anvil

Steel anvil used as a base for staking, riveting and drilling small parts. Casehardened and ground flat and smooth. Features V-slot for removing pinions and other small items. Has nine graduated holes (one for stumps) and five milled slots. Measures 13/4"L x 11/4"W x 1/2"H.

Description	Item#	Each
V-Slot Anvil	814-1015	\$19.10

B. Screwdriver Sharpener

Stop throwing out screwdriver blades. This handy little device keeps your screwdriver blade locked in place so you can reshape and resharpen. Steel wheels on each end are carefully set into the body to provide even action when wheeled over a stone. Use with our sharpening stones (see page 28-34) to produce a precision-edged blade that's as good as new. Measures less than 2" wide.

Description	Item#	Each
Screwdriver Sharpener	820-8390	\$13.85

C. Watch Tissue

Lint-free anti-tarnish tissue for wrapping and cleaning watch parts, jewelry and much more. Measures $4" \times 4"$. Sold in boxes of 1,000 sheets.

		EACH	Prices
Description	Item#	1-2	3+
Watch Tissue, box of 1,000	813-1725	\$7.15	\$6.79

D. Dust Blower

This rubber dust blower removes specks and lint from hard-to-reach areas. Keeps moisture away from delicate parts. Measures $3\frac{3}{4}$ "L x $1\frac{3}{4}$ "W.

Description	Item#	Each
Dust Blower	820-9078	\$3.95

E. C-Clear Watch Crystal Compound

Removes scuffs and scratches to make old plastic watch crystals look new again. Sold in $\frac{1}{4}$ lb. bars.

Description	Item#	Each
C-Clear Watch Crystal Compound	215-0041	\$6.50

F. Crystal Cement

Provides a strong, durable bond between plastic and glass watch crystals and the bezel. Will not flake off or crack plastic. Sold in convenient $^{1}/_{3}$ fl. oz. tube with pinpoint applicator tip.

		EACI	l Prices
Description	Item#	1-2	3+
Crystal Cement, ¹ / ₃ fl. oz.	811-2540	\$5.95	\$5.36



The next generation in Micro Welding/Soldering

Aquaflame Torches – at the heart of the workshop

The Aquaflame Torch systems are a must for any jeweler/repair facility. Made of the highest quality components the Aquaflame torch systems are proudly made in the United Kingdom with CE approval. Aquaflame is a complete soldering system—bottled gas with pressurized fuel tanks are a thing of the past. Minimal maintenance is required and to prove the exceptional construction and use, Aquaflame Torch Systems boast a full 2 year warranty!

Why Aquaflame? The powerful yet compact generator converts distilled/ deionized water into hydrogen and oxygen gases by electrolysis. A wide range of tips are provided from 0.50mm to 1.50mm to perform standard soldering tasks such as re-sizing or re-tipping. The larger tips and extra power of the 800 and 1200 models make them capable of soldering platinum.

A clean precise environmentally friendly flame is obtained by using Methyl-Ethyl-Keytone (MEK). MEK leaves no residue on the surgical steel tips. The operator will find the light-weight torch handle easy to hold and for safety, it contains a built-in Flashback Arrestor. When using liquid flux or flux based paste solders, you will see less fire scale which is commonly found when working on silver.

Though extensively used in the jewelry industry, Aquaflame Systems are also used in the dental and other technical manufacturing industries making them ideal for precision soldering and micro welding. Aquaflame Torches are also widely used for acrylic flame polishing (edge polishing on

Specifications*	Model 500	Model 800	Model 1200
Gas production	75 lt/h	120 lt/h	240 lt/h
Distilled water use (per day)	30ml	50ml	100ml
Maximum flame temp.	3300c	3300c	3300c
Electrical usage	0.50 kW	0.80 kW	1.20 kW
Torch tips range supplied	20 - 24	18 - 24	17 - 24
Torch tips bore size (mm)	0.60 - 0.31	0.90 - 0.31	1.00 - 0.31
Service recommended	12 months	12 months	12 months
Dimensions LxWxH (inches)	16 x 8 x 12	16 x 11 x 15	17.5x12.5x15.5
Shipping Weight	44lbs/20kg	66lbs/30kg	110lbs/50kg 🌄
Item Number	830-1005	830-1006	830-1007
Price	\$2,450.00	\$2,995.00	\$4,395.00

^{*} Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.

Required Electrolytes

Model 500 (1) of (830-0043), Model 800 (1) of (830-0044), and Model 1200 requires (2)* of (830-0044). Each model also requires (1) of MEK (830-0042). All sold separately. See website for convenient Aquaflame Filling Kit (830-1085).

		Model 500	Model 800	Model 1200
Required Electrolyte	Ĥ	830-0043	830-0044	*(2) 830-0044
Price for each		\$18.45	\$35.00	\$35.00
Required MEK	\$	830-0042	830-0042	830-0042
Price for each		\$22.95	\$22.95	\$22.95


⁽h) Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.

acrylic) in plastic fabrication as this method requires no other materials or compounds and can finish intricate shapes quickly and easily.

The Aquaflame is available in (3) models. The Model 500 is ideal for soldering Silver, Gold, Stainless Steel Medical Instruments and some Titanium Alloys. The Models 800 and 1200 are ideal for the abovementioned metals plus are better suited for soldering Platinum and additional operators can be added by ordering 830-1084.

Complete with 2 year manufacturer's warranty—servicing required every 12 months for warranty to apply. See our website for services kits—Item# 830-1080 for Model 500, 830-1081 for Model 800, and 830-1082 for Model 500. Made in the United Kingdom.

Acrylic Flame Polishing	500	800	1200
Chemical for flame positioning	MEK	MEK	MEK
Thickness polished in 1 pass	5mm	10mm	15mm
Typical polishing times (per meter)	1 min	2 mins	3 mins



^{(\$\}sqrt{y}\$\ UPS\sigma\ hazardous shipping surcharge applies. Ships via UPS\sigma\ foround only, no air, FedEx\sigma\, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.

Weld on findings, easily add metal, weld adjacent to stones and pearls, weld silver (alloys), fill porosity, attach workpieces prior to soldering, weld seams, and much more - all no problem with the PUK 5.

Compact and versatile impulse welding device:

The PUK 5 is very close to laser welding in terms of working method and range of applications. On workpieces with a thickness of 0.2 mm or greater, it is an effortless process to produce robust welds.

The PUK 5 precision welder puts a whole host of possible applications for jewelry production at your fingertips. Create structures made from sheet or wire elements, tack welds and repairs to jewelry parts, restore missing parts or fill pores by applying welding wire - and many more options, the PUK 5 is able to produce anything from the smallest of repairs to volume production.

PUK's operating principle is as simple as it is ingenious:

If the tip of the electrode on the welding hand piece touches the workpiece, the welding process starts automatically. At the contact point, under an inert gas atmosphere, a melting process with a diameter of between 0.3 and 3.0 mm takes place (depending on material and setting). In addition to many precious metal alloys such as gold, silver and platinum, many non-ferrous metals such as copper and tin alloys, many steels, titanium and aluminum alloys are suitable for welding. All alloys suitable for laser or TIG welding can also be welded with the PUK 5.

Superior characteristics

- Consistently reproducible high-quality welding results with all materials suitable for welding
- Precise positioning of the spot welds
- Very low, controllable development of heat
- Welding possible on even the thinnest of materials
- Welding in protective atmosphere
- Tested product safety: CE conformity
- DIN CERTCO certified eye protection in all Lampert optic systems
- Very low initial costs and for consumer materials, maintenance-free technology - excellent price/performance ratio
- Three year manufacturer's warranty

Compact size

• Fits into every workshop

Patent-pending system for welding process monitoring

- Software for contact monitoring of the hand piece
- Prevention of welding errors through interruption of weld if excessive pressure is applied to the electrode

3 Year Warranty!

- Prevention of tungsten inclusions on sensitive surfaces or on workpieces and materials that still require further processing
- Uniform processing creates a quality weld
- Consistent quality for larger quantities

Faster progress to better results

- "Blind operation" with single-handed operation. Concentration remains focused on the workpiece.
- Simple and intuitive to operate
- Preselection of two different welding cycles

Smoothing function responds to rising temperatures on the welding area

 Further improves the flow properties of certain metals (e.g. of highly conductive metals such as silver)

Even higher-performance LED lighting in our new premium welding microscopes

 More uniform illumination of the working area - more flexible use of the microscope. These microscopes can also be used as fully equipped workplace microscopes - not just for welding.

Individual device set-up using the settings menu

 Preselection of welding cycle, calling operating levels up on screen and hiding them again, program memory, expert level, tack welding...

Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.

the PUK 5 Jewelry Welder System Packages

A. PUK 5 Control System Includes

- PUK 5 Control Unit
- Precision Handpiece
- Argon flow regulator with 9 foot hose
- Set of electrodes with diamond grind wheel, (2) Alligator clips and Fiberglass brush

Description	Item#	Each
PUK 5 Base Unit with Accessories	830-1534	\$3,500.00



Available Packages - to suit your welding applications...

B. Articulated Microscope

- Microscope lens with 10-fold magnification, individual adjustment
- Powerful LED lighting in the head of the microscope that can be controlled with 4 brightness levels, optimum illumination of the working area.
- Hydraulic articulated arm, rotary and pivot action in every direction, making work particular ergonomic, even on bulky objects.
- Bench stand for individual bench mounting.
- · Individually adjustable headrest
- Microscope can be used as a workplace or observation microscope.

Description	Item#	Each
Articulated Microscope Only	830-1538	\$2,200.00
B. PUK 5 + Articulated Microscope	830-1543	5,700.00

C. SM5 Microscope

- High-caliber microscope with 10-fold magnification, individual adjustment
- Powerful LED lighting that can be controlled with 4 brightness levels, optimum illumination of the working area. LED lighting integrated in the housing of the eye protection system.
- The SM5 can be turned in no time at all into a workplace microscope, simply by swiveling away the hand piece arm from the field of view.
- Hand supports for comfortable and precise operation
- Height and tilt adjustment assure optimum workplace comfort and an ergonomic working position.

Description	Item#	Each
SM5 Microscope Only	830-1537	\$1,295.00
C. PUK 5 + SM5 Microscope	830-1542	4,795.00

D. SM03 Microscope

- Low cost for the budget minded person (entry level)
- · Microscope lens with 10-fold magnification, individual adjustment
- LED lighting in the hand piece retaining arm, optimum illumination of the working area

Description	Item#	Each
SM03 Microscope Only	830-1536	\$1,100.00
D. PUK 5 + SM03 Microscope	830-1541	4,600.00

E. Classic Optic Visor

- Magnifying glass light, equipped with magnifying lens, 2.25-fold magnification (5 dpt)
- Glare-free LED lighting, 7.5 W
- The optic unit is particularly well suited to large workpieces that cannot be processed under the microscope.

Description	Item#	Each
Classic Optic Visor Only	830-1535	\$650.00
E. PUK 5 + Classic Optic Visor	830-1540	4,150.00







C



D



ELDING

the PUK U5 Industrial Welder

The Latest Technology for Mold and Die Repair...





Pre-programmed and ready to use... for Steel, Aluminum, and Copper



Steel





Aluminum

Copper

The PUK U5... developed for Mold and Die Repair.

Incorporating the latest technology, the PUK U5 offers an easy to use solution for precision mold and die repairs. Utilizing micro TIG technology, the welder produces small, consistent spot welds that penetrate the mold surface. The welded areas are strong and can withstand the pressures and working conditions during the molding process. All heat is concentrated at the spot of the weld thereby eliminating the possibility of distortion and metal stress caused by overheating. Backed by a three year manufacturer's warranty.

The Applications:

- Repairing parting lines, mold seams, edges and three point corners
- Filling in pores and deep scratches on the mold surface
- · Weld into slots, corners and ribs
- Repair slides, ejectors, and core pins
- For use on all common tool steels, stainless steels, aluminum and copper

PUK U5 Complete Package:

The system comes complete with microscope, LED light, electrode handpiece, sets of 0.6mm and 0.8mm electrodes, electrode sharpener, ground cables, argon gas regulator, tack resistance welder, and foot pedal.

Description	Item#	Each
The PUK U5 - Mold and Die - 110V	830-0957	\$8,745.00
The PUK U5 - Mold and Die - 220V	830-0958	8,745.00



Save Money

- Keep mold repairs in house! Stop sending out for laser welding.
- Affordable alternative to a laser welder, at a fraction of the cost.

Save Time

- Repair your molds the same day.
- No pre-welding heat treatment required.
- Welds quickly: 1 spot weld every 0.8 seconds!
- · Small spot welds polish out quickly.

Easy to Use

- Pre-programmed presets for most common applications. Takes out calculations and guess work.
- Extremely accurate weld placement. Sharp electrode tip touches the exact location of weld spot.

Mobility

- Take the U5 welder to the press for repair.
- Magnetic microscope attaches directly to mold while still in the press.

Minimal Heat

- Prevents damaged caused by overheating of mold, increasing tool life.
- All heat is concentrated only at the spot of the weld.

The Microscope... Maximize Mobility

Weld anywhere on any type of mold large OR small! The adjustable and magnetic microscope base affixes to any metal surface. The microscope arm is extremely flexible to allow for comfortable welding on almost any mold surface. Keep the microscope at your bench or take it to the mold for a quick in-press repair. The 10X microscope comes complete with integrated LED lighting for proper illumination of the welding surface. A protective eye shutter built into the microscope provides protection for eyes. Field of view 20mm.

Pre-programmed and ready to use...for Steel, Aluminum, and Copper

Take the guess work out! Simply select the pre-program for your mold repair application and start welding! Each pre-program is set to the optimal weld pulse and time lapse for the specified mold repair application. Or if you prefer, manually override the pre-programmed settings to dial in your preferred setting.





Technical Data* PUK U5

Power output (TIG) min./max.

Impulse length (TIG) min./max.	0.5 - 34 ms
Power output (Tack welding) min./max.	80 - 850 A
Impulse length (Tack welding) min./max.	0.2ms - 3ms
Welding speed – Setting #1 Setting #2	0.9-1.7 sec 0.7-1.5 sec
Gas consumption	ca. 2 I / min
Shielding Gas	Argon > 99.9 %
Current consumption "maintaining mode"	10 W
Program memory	20 x
Power requirements:	110V or 220V
Technical Data* Microscope USM M&D Magnification	10X
Field of vision / diameter	20 mm
Operating distance	145 mm
Integrated-Automatic-LCD-Filter (Glare shield)	+
Degree of luminescence / obscurity	DIN 3 / DIN 11
UV Protection / IR Protection	> UV11 / > IR11
LED lighting	3 W

4 - 630 A



^{*}Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.

PUK 5 and PUK U5 Replacement Parts























A. Argon Gas Regulator - The PUK flow regulator enables the exact setting of the recommended 2 liters per minute flow rate. It's precise and easy but above all, it's reliable! The argon gas allows for clean, oxidation free welds.

Argon Gas Regulator (for PUK 3, 4, 5, U4, U5)	830-1516	\$270.00

B. Argon Screw Nut

Argon Screw Nut (for PUK 3, 4, 5, U4, U5)	830-1521	\$8.50

C. Electrode Collets - available in either 0.6mm or 0.8mm sizes.

Electrode Collets - 0.6mm Collet (for PUK 3, 4, 5, U4, U5)	830-0931	\$30.00
Electrode Collets - 0.8mm Collet (for PUK 3, 4, 5, U4, U5)	830-0933	30.00

D. Electrodes - 0.5mm Set (comes with Diamond Wheel), 0.6mm Electrodes or 0.8mm Electrodes:10 pre-sharpened electrodes for immediate use. The thin electrode increases precision by touching the exact spot of weld. Just prior to weld, the electrode pulls back into the handpiece allowing for a clean and precise weld spot.

D. Electrode Set - 0.5mm Electrodes with Diamond Wheel (for PUK 3, 4, 5)

	830-0978	\$49.95
Electrodes - 0.6mm Electrodes (for PUK U4, U5)	830-0932	55.00
Electrodes - 0.8mm Electrodes (for PUK U4, U5)	830-0934	60.00

E. Handpiece Nozzel (Ceramic Tip)

Snap on Nozzel (for PUK 3, 4, 5, U4, U5)	830-1524	\$49.95
--	----------	---------

F. Electrode Sharpener - For simple and rapid sharpening of PUK electrodes. The diamond disc rotates when the button is pressed allowing for quick and convenient electrode sharpening.

Electrode Sharpener (for PUK 4, 5, U4, U5)	830-1528	\$155.50
--	----------	----------

G. Electrode Sharpener Diamond Wheel - Replacement diamond wheel for Electrode Sharpener. See video on gesswein.com for instructions.

Electrode Sharpener Diamond Wheel	830-1531	\$17.50

H. Microscope Glass

Microscope Glass (for PUK 3, 4, 5, U4, U5)	830-0966	\$21.50
--	----------	---------

I. Microscope Rubber Eye Flaps

Microscope Rubber Eye Flaps (for PUK 3, 4, 5, U4, U5)	830-1512	\$28.00
---	----------	---------

J. Extension Package for PUK U5 - For some large molds and in-press repairs, a few extra feet of reach may be necessary. This package includes: Extended handpiece cable (measures approximately 84" (2.5m) compared to the 48" handpiece cable included with the PUK U5.) Extended magnet cable (measures 84" in length.) Microscope extension cables (add on an additional 77" in length to the standard PUK microscope.)

PUK Extension Package	(for PUK U5 only)	830-0939	\$999.00
-----------------------	-------------------	----------	----------

K. PUK U5 Transport Case - The durable and functional Transport Case makes moving the PUK U5 convenient. Whether you are carting between molds or between buildings the PUK U5 will be safe and secure. It also works well for stowing your PUK U5 when not in use.

PUK U5 Transport Case (for PUK U5 only)	830-1558	\$695.00
---	----------	----------

Steel, Copper, or Aluminum Welding Wire

- STEEL - .015"x18"	Dimensions	Material	Item#	25pc Each
.015"x18" D-2 830-2540 1.83 .015"x18" SS-316 830-2544 1.63 .005"x9" SS-420 830-2561 3.36 .007"x9" SS-420 830-2562 2.94 .010"x18" SS-420 830-2563 1.80 .015"x18" SS-420 830-2564 1.63 .020"x18" SS-420 830-2565 1.50 .025"x18" SS-420 830-2566 1.20 .030"x18" SS-420 830-2567 0.99 .005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .025"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 <th>Dimensions</th> <th></th> <th></th> <th>Lacii</th>	Dimensions			Lacii
.015"x18" SS-316 830-2544 1.63 .005"x9" SS-420 830-2561 3.36 .007"x9" SS-420 830-2562 2.94 .010"x18" SS-420 830-2563 1.80 .015"x18" SS-420 830-2564 1.63 .020"x18" SS-420 830-2565 1.50 .025"x18" SS-420 830-2566 1.20 .030"x18" SS-420 830-2567 0.99 .005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 <td>N15"v18"</td> <td></td> <td></td> <td>1 83</td>	N15"v18"			1 83
.005"x9" SS-420 830-2561 3.36 .007"x9" SS-420 830-2562 2.94 .010"x18" SS-420 830-2563 1.80 .015"x18" SS-420 830-2564 1.63 .020"x18" SS-420 830-2565 1.50 .025"x18" SS-420 830-2566 1.20 .030"x18" SS-420 830-2567 0.99 .005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .025"x18" P-20				
.007"x9" SS-420 830-2562 2.94 .010"x18" SS-420 830-2563 1.80 .015"x18" SS-420 830-2564 1.63 .020"x18" SS-420 830-2565 1.50 .025"x18" SS-420 830-2566 1.20 .030"x18" SS-420 830-2567 0.99 .005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .025"x18" P-20				
.010"x18" SS-420 830-2563 1.80 .015"x18" SS-420 830-2564 1.63 .020"x18" SS-420 830-2565 1.50 .025"x18" SS-420 830-2566 1.20 .030"x18" SS-420 830-2567 0.99 .005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .025"x18" P-20 830-2605 1.50 .025"x18" P-20				
.015"x18" SS-420 830-2564 1.63 .020"x18" SS-420 830-2565 1.50 .025"x18" SS-420 830-2566 1.20 .030"x18" SS-420 830-2567 0.99 .005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .025"x18" P-20 830-2604 1.63 .025"x18" P-20 830-2605 1.50 .025"x18" P-20				
.020"x18" SS-420 830-2565 1.50 .025"x18" SS-420 830-2566 1.20 .030"x18" SS-420 830-2567 0.99 .005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13				
.025"x18" SS-420 830-2566 1.20 .030"x18" SS-420 830-2567 0.99 .005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2603 1.80 .025"x18" P-20 830-2604 1.63 .025"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13				
.030"x18" SS-420 830-2567 0.99 .005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 <t< td=""><td></td><td></td><td></td><td></td></t<>				
.005"x9" P-20M 830-2591 3.36 .007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13				
.007"x9" P-20M 830-2592 2.94 .010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .025"x18" H-13				
.010"x18" P-20M 830-2593 1.80 .015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13				
.015"x18" P-20M 830-2594 1.63 .020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2616 1.20				
.020"x18" P-20M 830-2595 1.50 .025"x18" P-20M 830-2596 1.20 .030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99				
.030"x18" P-20M 830-2597 0.99 .005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2614 1.63 .025"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2616 1.20		P-20M		1.50
.005"x9" P-20 830-2601 3.36 .007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2616 1.20				
.007"x9" P-20 830-2602 2.94 .010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99	.030"x18"	P-20M	830-2597	0.99
.010"x18" P-20 830-2603 1.80 .015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99	.005"x9"	P-20	830-2601	3.36
.015"x18" P-20 830-2604 1.63 .020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99				
.020"x18" P-20 830-2605 1.50 .025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99	.010"x18"	P-20	830-2603	1.80
.025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99	.015"x18"	P-20	830-2604	1.63
.025"x18" P-20 830-2606 1.20 .030"x18" P-20 830-2607 0.99 .005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99	.020"x18"	P-20	830-2605	1.50
.005"x9" H-13 830-2611 3.36 .010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99		P-20		1.20
.010"x18" H-13 830-2613 1.80 .015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99	.030"x18"	P-20	830-2607	0.99
.015"x18" H-13 830-2614 1.63 .020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99	.005"x9"	H-13	830-2611	3.36
.020"x18" H-13 830-2615 1.50 .025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99	.010"x18"	H-13	830-2613	1.80
.025"x18" H-13 830-2616 1.20 .030"x18" H-13 830-2617 0.99	.015"x18"	H-13	830-2614	1.63
.030"x18" H-13 830-2617 0.99	.020"x18"	H-13	830-2615	1.50
	.025"x18"	H-13	830-2616	1.20
005 0	.030"x18"	H-13	830-2617	0.99
.005"x9" H-13M 830-2621 2.45	.005"x9"	H-13M	830-2621	2.45

.010"x18"

H-13M

Dimensions	Material	Item#	25pc Each
.015"x18"	H-13M	830-2624	1.63
.020"x18"	H-13M	830-2625	1.30
.030"x18"	H-13M	830-2627	0.99
.015"x18"	A-2	830-2634	1.63
.020"x18"	A-2	830-2635	1.50
.030"x18"	A-2	830-2637	0.99
.010"x18"	M-2	830-2643	1.80
.015"x18"	M-2	830-2644	1.63
.020"x18"	M-2	830-2645	1.50
.030"x18"	M-2	830-2647	0.99
.015"x18"	S-7	830-2654	1.96
.020"x18"	S-7	830-2655	2.12
.030"x18"	S-7	830-2657	1.60
	- COPP	ER –	
.005"x9"	BeCu	830-2661	3.36
.007"x9"	BeCu	830-2662	2.94
.010"x18"	BeCu	830-2663	1.80
.015"x18"	BeCu	830-2664	1.63
.020"x18"	BeCu	830-2665	1.50
.025"x18"	BeCu	830-2666	1.20
.030"x18"	BeCu	830-2667	0.99
	– ALUMIN	NUM –	
.010"x18"	7075	830-2763	1.80
.015"x18"	7075	830-2764	1.63
.020"x18"	7075	830-2765	1.50
.030"x18"	7075	830-2767	0.99
.015"x18"	QC-10	830-2774	2.38
.020"x18"	QC-10	830-2775	2.12
.030"x18"	QC-10	830-2777	1.88
.015"x18"	4043	830-2734	2.38
.020"x18"	4043	830-2735	2.12



Sold in packages of 25 as indicated by 25pc please order in these multiples.

1.80

830-2623

A. Pin Vise, Double Ended Wire holder capacity: 0"-0.064". Overall length 4.25".

Pin Vise, Double Ended (for PUK 3, 4, 5, U4, U5) 820-4650 \$11.15

B. PUK Wire Holder Made of aluminum anodized, the PUK Wire holder feeds wires from 0.004" to 0.025". During the welding process, the ergonomic holder is comfortable to grip and the wire feeds effortlessly by means of two wheels. Measures 5.5" x .25" Diameter and weighs 1.5 oz. Made in Germany. Wire holder capacity: 0.004"-0.025"

PUK Wire Holder (for PUK 3, 4, 5, U4, U5) 830-2500 \$99.00



sisma

Established in 1961, Sisma is a worldwide recognized name for the design and production of extremely high precision machinery. We are proud to offer their Laser Welders for the jewelry and industrial markets. Innovative by vocation, Sisma combines an independent and cutting edge design and production organization with a wealth of highly specialized human resources, thus guaranteeing top product quality as well as thorough and prompt assistance throughout the world.

Sisma's philosophy, aimed at satisfying the specific needs of customers, is the result of an inborn strategic imperative that contributes to affirming the role of Sisma as a maker of excellence in the world of industrial mechanics.

At Sisma, their extensive experience and technical know-how blends with productive efficiency and innovative spirit which promptly answers to the ever changing marketplace. The power to create special, customized machines is but another jewel in Sisma's crown of excellence. Look no further...Sisma is the machine of choice for the above-mentioned markets all over the world Machines are proudly manufactured in Italy to ISO 9001 Standards. Made in Italy.

Sisma Laser Welders for Jewelry

SISMA Series LM-D

Select between the "Easy Access" (LM-D Ready) models available in 150J or 180J maximum pulse energy that feature a broader opening which is covered with hanging rubber strips for your protection.

The next step up is the traditional standard model (LM-D Original) that features a high quality Leica Microscope head and is available in 180J or 210J maximum pulse energy.

Last in the series is the upgrade to the standard model (LM-D Vision) that features an intuitive 10.1 LCD Screen for easy visibility and simplified use and is available in 180J or 210J maximum pulse energy.

Key Features:

- Dedicated Filter that guarantees complete recovery of precious metals.
- Enhanced Cooling System: +60% cooling capacity compared to previous models which allows for reliable operation in high temperature space (except LM-D Ready).
- Smart Spot Technology for repeatable Welding Process; great depth of field and stable laser shot every time (except LM-D Ready).
- Units come with argon & air compressor ports.



LM-D Scope 180 / 210



LM-D	F	Ready
150	/	180

LM-D Vision 180 / 210

*Technical Data	LM-D Ready 150 / 180	LM-D Scope 180 / 210	LM-D Vision 180 / 210	
Item #	830-1580 / 830-1581	830-1582 / 830-1584	830-1583 / 830-1585	
Source Type (same for all)	Nd: YAG (Lamp)	Nd: YAG (Lamp)	Nd: YAG (Lamp)	
Wavelength (same for all)	1064nm	1064nm	1064nm	
Laser Power	60W / 80W	80W / 85W	80W / 85W	
Pulse Duration, (same for all)	0.3-20ms	0.3-20ms	0.3-20ms	
Pulse Frequency (same for all)	0-50 Hz	0-50 Hz	0-50 Hz	
Max Peak Power	7.5 kW / 9 kW	9 kW / 10.5 kW	9 kW / 10.5 kW	
Max Pulse Energy	150J / 180J	180J / 210J	180J / 210J	
Spot Diameter (same for all)	0.2/2mm (0.1mm Opt)	0.2/2mm (0.1mm Opt)	0.2/2mm (0.1mm Opt)	
Smart Spot Tech	NO	YES	YES	
Eco Mode (same for all)	YES	YES	YES	
USB/Ethernet Connectivity	NO	YES	YES	
Power Supply, (same for all)	230V, +/- 10%, 50/60 Hz	230V, +/- 10%, 50/60 Hz	230V, +/- 10%, 50/60 Hz	
Dimensions WxDxH (inches) Dimensions WxDxH (mm)	22.5 x 29.5 x 20.1 567 x 744.5 x 512	22.5 x 28.75 x 20 567 x 730 x 510	22.5 x 28.75 x 24 567 x 730 x 612	
Weight (same for all)	132 lbs / 60 kg	132 lbs / 60 kg	132 lbs / 60 kg	
Warranty, (same for all)	2 Year (Flash Lamp Included)	2 Year (Flash Lamp Included)	2 Year (Flash Lamp Included)	
Please call for current pricing				

^{*}Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.

5sisma

Laser Welders for Mold Repair







Sisma offers a range of laser welders engineered specifically for the repair and maintenance of molds. The range includes the best-selling SWA series for all mold sizes, the SWT series for medium and small molds, and the LM-B series for small molds. Sisma laser welders are used in premier mold & die shops around the world, carrying an excellent reputation for the highest precision and ease of use. All are made at Sisma's headquarters in Italy, and are backed by a 1-year manufacturer's warranty.



SISMA LM-B 180 and 210

Sisma's High precision Nd:Yag laser Class 4 welding system, the LM-B. Specifically designed for mold repairing. Featured characteristics are ease of use, reduced maintenance and smooth axis movement. The LM-B uses a working motorized table with X-Y-Z axes complete with joystick. View work pieces easily with the 10X stereo microscope with optical protection. Two-year warranty including the flash lamp. Made in Italy.

Key Features:

- Smart Spot technology: great depth of field and stable laser shot starting from the first pulses. For a repeatable welding process.
- ECO mode that switches off unused system components during idle times, thus guaranteeing lower power consumption
- USB and Ethernet conn: for easy download/upload of welding programs, software and firmware updates and remote control through smartphone, tablet or computer
- Full digital control: accurate diagnostics, higher pulse stability and longer lamp life.
- Quick setting of welding parameters by means of the multifunctional mouse

Technical Data*	LMB 180	LMB 210	
Item #	830-1730	830-1735	
Source Type	Nd:YAG (flash lamp)	Nd:YAG (flash lamp)	
Wavelength	1064 nm	1064 nm	
Average Laser Power	80W	85W	
Max Peak power	9kW	10.5kW	
Max Pulse energy	180J (at 20 ms)	210J (at 20 ms)	
Pulse duration	0.3 ms -20 ms	0.3 ms -20 ms	
Laser Spot diameter	0.2-2mm 0.1 optional	0.2-2mm 0.1 optional	
Axis speed	0.1 mm/s - 15 mm/s	0.1 mm/s - 15 mm/s	
X-Y axis stroke	150mm x 150mm	150mm x 150mm	
Z axis stroke	175mm	175mm	
Max load weight	25kg	25kg	
Max mould size	300mm x 300mm	300mm x 300mm	
Power Supply	1 Ph 230V±10%, 50/60 Hz	1 Ph 230V±10%, 50/60 Hz	
Dimensions (L x W x H)	33" x 48" x 60" (850 x 1200 x 1500 mm)	33" x 48" x 60" (850 x 1200 x 1500 mm)	
Weight, Class 4	441 lbs. (200 kg)	441 lbs. (200 kg)	
Please call for current pricing			

^{*}Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.















SISMA SWT 100 and SWT 150

Class 4 and Class 1

SWT Class 4 welding laser systems are specifically designed for the maintenance of small/medium-sized molds up to 400mm square (approx. 15.75" square). The robust design and sturdy working table allows the operator to work in outstanding comfort and with minimal vibration. Characterized by a high capacity and axis stroke, the systems have a direct resonator with 3 motorized axes X-Y-Z which are controlled by a joystick. The system contains an optical head with F150 focal lens and a 10X STEREO microscope. The system's ergonomic features allow prolonged or occasional use. The Class I version provides a welding system for closed mold repair. The movement of the axes has been designed to ensure durability over time as well as fluid and precise machining. Internet connection for easy check and/or remote service assistance. In/out input of data through a USB key. Two-year warranty including the flash lamp. Made in Italy.

Key Features:

- Advanced software functions such as welding on circumference, line, filling, and rotating spindle management
- High laser beam quality: new optical design ensures high performance
- Available with fiber laser source: maintenance free and low power consumption
- Internet connection for remote control
- Ergonomic design
- Heavy duty machinery, fluid and precise movements over the high carrying capacity and high axes stroke.
- Safety features include proper functioning verification and control.

Technical Data*	SWT100	SWT 150
Item # Class 4	830-1720	830-1725
Item # Class 1	830-1740	830-1745
Source Type	Nd:YAG (flash lamp)	Nd:YAG (flash lamp)
Wavelength	1064 nm	1064 nm
Average Laser Power	100W	150W
Max Peak power	7.5kW	10.5kW
Max Pulse energy	60J	75J
Pulse duration	0.2 ms -20 ms	0.2 ms -20 ms
Laser Spot diameter	0.3mm - 2mm	0.3mm - 2mm
Axis speed	0.1 mm/s - 25 mm/s	0.1 mm/s - 25 mm/s
X-Y axis stroke	300mm x 200mm	300mm x 200mm
Z axis stroke	320mm	320mm
Max load weight	70kg	70kg
Max mould size	400mm x 400mm	400mm x 400mm
Power Supply	3 Ph 400V±10%, 50/60 Hz	3 Ph 400V±10%, 50/60 Hz
Dimensions (L x W x H)	33" x 48" x 60" (850 x 1200 x 1500 mm)	33" x 48" x 60" (850 x 1200 x 1500 mm)
Weight, Class 4	1,169 lbs. (530kg)	1,169 lbs. (530kg)
Weight, Class 1	1,235 lbs. (560kg)	1,235 lbs. (560kg)
	Please call for current price	cing




SWT100 / SWT 150 830-1720 / 830-1725



Class 1 SWT100 / SWT 150 830-1740 / 830-1745

^{*}Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.







Flexibility of the SISMA SWA Class 4 system! The "SWA" is designed for welding and repairing small and large pieces and molds. The laser transport in optical fiber provides great flexibility without significant power loss. Designed and constructed for making modifications and repairs on molds damaged by wear or use.

Material is added allowing repairs to be made without preheating the dies and with minimal heat transfer during the deposit process. Laser welding avoids classic damage caused by TIG welding such as: geometric distortions, burning of the edges and decarbonization. The properties of the laser beam make it possible to weld complex molds with deep and narrow grooves or inner and outer edges.

All steels, bronze and copper alloys, aluminum and titanium can be welded. The hardness of the welding layers can reach very high values depending on the type of filler wire used. Simple operating procedures and accurate visual control of the weld material using a stereomicroscope make this technology accessible to everyone, not just qualified engineers.

The SWA units are powered by a flash lamp-pumped Nd:YAG laser generator with laser pulse transmission through optical fiber and is equipped with a system for movement along the motorized x, y, and z axes controlled by a joystick and button panel. The laser source has been designed to guarantee high operating stability at both low and high power; fiber transport of the laser pulse provides a smaller beam diameter along with high stability of the laser spot, both in the initial transients and at various thermal loads of the laser source.

The fully integrated cooling system is suitable for extended use. Complete with optic head with focal lens F120 and 10X stereomicroscope. Quick selection/setting of work by means of a color touch-screen display and with a memory up to 250 welding parameters. Axis X-Y Z motorized; Axis X stroke 300 mm; Axis Y stroke 150 mm and Axis Z stroke 500 mm. Axis Z is controlled by means of a joystick rotation. One-year warranty. Made in Italy.

Key Features:

- Feeder with integrated water-air cooling system (Without external chiller)
- New interface card for integrators
- · Potentiated diagnostic
- In/out data by means of a USB key
- "Pulse Shaping" function for complex welding operations
- Optic fiber length 3 m, core diameter 800 micron
- Axis Controller











Technical Data*	SWA 150	SWA 300
Item #	830-1710	830-1715
Average power	150W	300W
Peak power	10.5kW	12kW
Pulse energy	70J	100J
Pulse frequency	0-50 Hz	0-50 Hz
Pulse duration	0.3-25 ms	0.2-25 ms
Spot diameter	0.2-2mm 0.1 optional	0.6-2mm
Laser beam transport	Fiber-coupled	Fiber-coupled
Focusing optics	120mm	120mm
Vision system	Leica Binocular	Leica Binocular
Moving speed	0-20mm/s	0-20mm/s
X axis stroke	300mm	300mm
Y axis stroke	150mm	150mm
Z axis stroke	500mm	500mm
Cooling	Air	Air
Power Supply SWA 150	230V 50/60Hz 1ph - 1Kv e 400V 50/60Hz 3ph - 3	
Power Supply SWA 300		/ 50/60Hz 1ph - 1Kw / 50/60Hz 3ph - 8Kw
Dimensions (L x W x H)	48" x 84" x 60" 1950 x 1100 x 1610 mm	48" x 84" x 60" 1950 x 1100 x 1610 mm
Weight	596 lbs. (270kg)	596 lbs. (270kg)
Pla	ease call for current prici	na

^{*}Due to the technical nature of these products, some details may change. Please see our website for the most up-to-date information.



Representative items pictured; actual items may vary.

A. Professional Jeweler's Bench Tool Set


A money-saving set of basic tools and supplies needed by each bench worker. Includes all items listed below except additional items in bottom-right corner. Can not be shipped US mail due to liquids. All items can also be purchased individually—refer to specific page numbers given for detailed product information.

Description	Item#	Each
Professional Jeweler's Bench Tool Set	810-0050	\$1,695.00

Bench Items:	Page	Chasing Hammer	321	Graver Handle #5	291
Bench Brush	133	Rawhide Mallet	318	Soft Arkansas Bench Stone	31
Stiff Hand Brush	133	Brass/Nylon Mallet	319	Diamond D Cement	495
SELVYT Cloth	153	Lube-Stik	164	Millgrain Holder	490
Mandrels (6 pcs.)	584	Automatic Center Punch	254	French Millgrain Wheels (2 pcs.)	490
SUPRA Brushes (1 dz.)	126	Scriber	293	Diamond Tweezers	537
Silicone Pumice Wheel (100 pcs.)	81	Prong Lifter	486	Soldering Items:	Page
Safety Goggles	475	Adjustable Scraper	503	Solderite Soft Soldering Pad, 6" x 6"	507
Swiss Half-Round Ring File, 6"	296	Divider	353	Solder Pick	503
File Handle #4	299	Blue Ribbon Drill Set A	252	Flux Brush #3	134
Swiss Needle Files (set of 12)	305	Degree Gauge #5	352	Hard Soldering Flux	501
File Card	309	Pin Vise	542	Optivisor	345
Emery Hand Buffs (2 pcs.)	68			Electric Pickler	510
Bobbing Compound (1 lb. bar)	100	Stone Setting Items:	Page	Pickling Compound	510
Red Rouge (1 lb. bar)	101	HS Hart Burs (set of 33)	161	Copper Tongs	511
Wire and Sheet Gauge	366	Krause Burs (6 pcs.)	158	Economical Tweezers	538
Baker Diamond Gauge	366	Cup Burs (set of 12)	160	Cross-Locking Tweezers	539
Pocket Vernier Caliper	351	Stone Setting Pliers	379	Ring Set Soldering Tweezers	540
Ruler, 6"	353	Swiss Beading Tools (set of 12)	489	Head and Shank Tweezers	540
Flat Sawframe	481	Beading Plate (holds 12 beads)	488	Additional Items You'll Need	
SUPRA Sawblades (4 gross, assorted)	483	Beeswax	491	for Setting up a New Shop:	Pages
Curved Snips	385	Curved Burnisher	494	• • •	·
Chain Pliers, 5 ¹ / ₄ "	372 372	Bezel Pusher	486	Workbench and Chair	568–569
Flat Pliers, 5 ¹ / ₄ " Round Pliers, 5 ¹ / ₄ "	372 372	Prong Pusher	486	Work Lamp	334–339
	372 372	Bezel Roller	486	Torch Kit	514–518
Diagonal Cutting Pliers, 5 ¹ / ₄ " Ring Bending Pliers	380	Ring Clamp	410	Flexible Shaft or Micromotor Steam Cleaner	432–437 243–245
Ring Forming Pliers	380	Hastings 10X Triplet Loupe	342	Ultrasonic Cleaner	235–239
Ring Holding Pliers	380	HS Round Graver	283	Rolling Mill	412–418
Bench Block	324	HS Knife Gravers (2 pcs.)	283	Polishing Equipment	395–399
Ring Mandrel	325	HS Flat Gravers (2 pcs.)	283	i olioning Equipment	5 3 5–539
Timing Manuful	020	, , ,			

Made in

the USA



A. Watchmaker's Workbench

A classic, high-quality workbench for watchmakers, jewelers and engravers. Constructed of the finest hardwood, making it perfectly suitable for storefront use. Features solid wood top with railing, full-length side and back panels, fifteen drawers in a range of heights for keeping tools organized and a handy 18" wide cloth tray for catching bench sweeps. Measures $38^{1/2}$ "W x $20^{\text{\tiny ID}}$ X $38^{\text{\tiny IH}}$. Ship. wt: 140 lbs. *Ships via truck only.* Made in USA.

Description	Item#	Each
Watchmaker's Workbench,	810-1601	\$799.00

See pp. 335-339 for Workbench Lighting.



B. Enclosed Watchmakers Bench

Rugged and elegant, the new Watchmakers Workbench is a must for any repair shop or storefront. Features Solid wood top with railing, full-length side and back panels, fifteen drawers in a range of sizes to keep your tools organized, 19" (482.5 mm) catch tray for bench sweeps Made of a solid wood construction, this quality bench measures 39½" Wide X 21½" Deep X 39" High (Approx. 1m X 0.5m X 1m). Ship. w.t: 130 Lbs. Some assembly required. *Ships in two boxes via UPS or FedEx. Oversize shipping rates apply.* Made in China.

Description	Item#	Each
Enclosed Watchmakers Bench	810-1602	\$485.00



C. Solid Wood Workbench

A fine workbench with a natural finish at an affordable price. Features sturdy wood top with 1" railing, full-length side and back panels, two-tier tool tray, three side drawers and metal-lined pan for catching bench sweeps. Includes two pullout armrests, bench pin and two mandrel holes. Assembly required (instructions supplied). Measures 38¾"W x 19½"D x 39"H. Ship. wt: 84 lbs. *Ships in two boxes via UPS or FedEx. Oversize shipping rates apply.* Imported.

Description	Item#	Each
Solid Wood Workbench	810-1785	\$290.00



D. Workbench – Laminated top!

A great heavy duty workbench perfect for small spaces, $1\frac{1}{2}$ " thick, laminated top, 3 spacious drawers, two aluminum catch trays, two pull-out arm rests, pre-drilled slot for a bench pin and a large pull-out workspace. Comes in 1 box; unassembled. Measures $35\frac{1}{2}$ "W x $21\frac{1}{2}$ "D x $35\frac{1}{2}$ "H. Ship. wt: 130 lbs. Made in USA.

Description	Item#	Each
Workbench,	810-1608	\$530.00

A. Varibench Table Perfect for Sisma Welders

This is the only table you will ever need for your Sisma Laser welder! The VariBench is a variable height bench that is custom made to fit all tabletop models made by Sisma. Power - 100/240Vac, 50/60Hz, 8/3.3 amp, 80 watt. Operated by a powered rocker switch, this table can be raised or lowered to your exact height specifications for an ergonomic and comfortable welding height. Height without caster -27" to 47", Height with caster -31" to 51". Load Max – 246 lbs. / 120kg. The VariBench is set on casters with a beautiful hardwood table top and was designed to precisely fit the machine. Weight -75 lbs. Essential where space is a commodity. Made in USA.

Description	Item#	Each
VariBench for Sisma Laser Welder,	830-0788	\$1,295.00



B. SmartStool 61™

The high-quality swiveling chair with ergonomic, adjustable design for unmatched comfort and convenience. Boasts separate controls for seat and backrest height and angle, ultra-soft seat cushions for superior comfort, adjustable foot-ring for lower leg support and steel base with anti-scuff nubs. Measures $18\frac{1}{2}$ "W x $20\frac{1}{4}$ "D x $34\frac{1}{4}$ "- $39\frac{1}{2}$ "H. Seat height from floor: 16"-211/4". Ship. wt: 47 lbs.

Description	Item#	Each
SmartStool 61	810-1808	\$502.00

C. Adjustable Bench Chair


An economical yet sturdy swiveling chair. Provides ample support for reduced fatigue. Features separate controls for making seat and spring back adjustments, Naugahyde cushions and durable rubber cushioned casters for smooth rolling. Seat height from floor: 16"-24".


Description	Item#	Each
Adjustable Bench Chair	810-1800	\$282.00


D. Deluxe Extra-Large Saddle Stool

Seat measures 16" long by 18" wide and the seat is 3 inches thick to provide maximum comfort. The star base is 24" wide and provides extra stability. Foot-rest ring that is 18" in diameter and the height-adjusts from the floor 8" to 13 ½". Seat height ranges from 19" to 26". Five smooth rolling casters allow for easy mobility. Made in China.

Description	Item#	Each
Saddle Stool	810-1812	\$199.00













A-B Modular Tool Holder System

Consists of completely modular bur and tool holders that you interlock to form the most efficient configuration for your bench. Lets you design a tool holder for any work surface, no matter how small. Modules slide together and apart neatly for easy reconfiguration. Made of hard, thick plastic durable enough to withstand years of wear and tear.

	Description	Item#	Each
A.	2" Square w/ 25 holes, 2.35mm (³ / ₃₂ ")	840-0150	\$2.25
В.	Wedge (holds Squares/Trays at good working angle)	840-0170	2.95

C. Handy Block - For 3/32" or 1/8" Shanks

Cured hardwood block with 88 holes for burs or tools with \(^3/_32\)" or \(^1/_8\)" shanks. Slanted design lets you see all items at a glance. Stay-put rubber pads prevent sliding. Measures 6" x 4¹/₂".

Description	Holes	Item#	Each
Handy Block	3/32", 1/8"	814-1215	\$14.95

D. Bench Duster - Wooden Handle

Contains four rows of 1½" long medium natural bristles. Ideal for cleaning dust from surfaces. Measures 93/4" long.

Face Size		Е	ACH Price	es	
Description	(L x W)	Item#	1-2	3-11	12+
Bench Duster	4" x ³ /4"	115-2260	\$10.25	\$9.23	\$8.20

E. Wooden Bur Boxes - For 3/32" Shanks

Sturdy, attractive wooden boxes for holding burs or tools with 3/32" shanks.

	Description	Item#	Each
E.	200-Hole Box	814-1200	\$25.75
	100-Hole Box	814-1205	14.95
	36-Hole Box	814-1210	7.95

F-H Rotating Bur Holders – For Burs and Tools

Tiered plastic stands rotate on ball bearings for smooth action. Measure 7" dia. x 4"H.

Style 126 • 45 holes for burs with ¹/₁₆" shanks

- 69 two-step holes for burs with $\frac{3}{32}$ " or $\frac{1}{8}$ " shanks
- 12 holes for burs with 1/4" shanks
- **Style 112** 92 holes for burs with 3/32" or 1/8" shanks
 - 13 holes for burs with 1/4" shanks
 - 7 holes for $\frac{1}{16}$ " to $\frac{5}{32}$ " drills
 - 23/4" dia. x 3"H center cup for hand tools

	Description	Shank Size	Item#	Each
F.	Style 126	½16", 3/32" or ½18", ½1"	850-0004	\$16.55
G.	Style 112	½16" to 5/32", 3/32" or 1/8", 1/4	850-0006	16.55
Н.	Style 112	½16" to 5/32", 3/32" or ½18", ½	124-4720	12.75

G

A. Bench Pin

Standard reversible wooden bench pin for both single and double workbenches. Made to fit tightly but may require some minor adjustments. Used for support when filing or sawing. Measures 61/4"L x 25/8"W x 11/8" thick. Tang measures approx. $1\frac{1}{2}$ "L x $2\frac{5}{8}$ "W x $\frac{1}{2}$ " thick.

		E	ACH Price	es
Description	Item#	1-11	12-143	144+
Bench Pin	814-1000	\$3.85	\$3.27	\$2.70



B. Bench Pin and Anvil

A portable, versatile device for hammering, sawing, filing and flattening. Securely attaches to bench or table with $1\frac{1}{2}$ " overhang up to $1\frac{3}{4}$ " thick. Anvil area measures $2\frac{3}{4}$ " x 3". Wooden bench pin measures 4"L x $2\frac{1}{4}$ "W. Tang measures approx. $1\frac{1}{2}$ "L x $2\frac{1}{4}$ "W x $\frac{3}{8}$ " thick.

Description	Item#	Each
Bench Pin and Anvil	814-1010	\$15.95
Replacement Bench Pin	814-1011	2.70



C. Bench Pin and Holder

Can be easily screwed into edge of workbench. Bench pin measures 4"L x $2^{1/4}$ "W x 1" thick with $1^{1/4}$ "L x $2^{1/4}$ "W x 3/4" tang. Holder measures 4" wide with $2^{1}/4$ "W x 3/4"H opening and thumb screw for securing bench pin firmly in place.

Description	Item#	Each	
Bench Pin and Holder	814-1005	\$8.95	
Replacement Bench Pin	814-1006	2.70	





D. Ring Sizing Bench Pin

Screws to top of bench. Shaped especially to hold rings. Has channel for guiding sawblade. Measures $5\frac{1}{2}$ "L x $\frac{3}{4}$ "W x $\frac{3}{8}$ " thick.

Description	Item#	Each
Ring Sizing Bench Pin	814-0990	\$3.25





E. Slotted Bench Pin with Clamp

This reversible wooden bench pin clamps to the edge of any workbench with a surface up to $1\frac{7}{8}$ " thick. Has a deep V-slot and a straight slot for drilling, sawing and securing ring clamps. Measures 7½"L x 2½"W x 1/2" thick.

Description	Item#	Each
Slotted Bench Pin with Clamp	814-0995	\$5.90





F. Rubber Bench Filing Block

Provides a 3½" extension off the workbench. Consists of rubber block, iron frame and steel anvil. Rubber block serves as a rest for work to be filed, prevents work from slipping and protects objects from being marred. Measures 5"L x $2^{1/4}$ "W.

Description	Item#	Each
Filing Block	814-0985	\$19.50
Replacement Rubber Block	814-0986	4.15



GRS® BenchMate™ A unique work holding system that no jeweler should be without!

The BenchMate complete holding system makes lewelry fabrication and repair faster and easier. Mounts on the front of the workbench at a convenient height to provide support for workpieces, reducing slippage and user fatigue. Completely adjustable pivoting holder positions workpiece and holds it securely while engraving, setting, soldering and more. Removable hand rest provides extra stability, helping you do better work with less effort. Precisionmachined steel construction ensures longevity. Tough plastic jaw inserts help prevent marring. Can be used with both hand and power tools. To make your BenchMate "Left-Hand" simply turn your ring holder 180° and add a Left-Hand Arm Rest #856-0175, Made in USA.







A-D GRS[®] BenchMate[™] Basic Package

The NEW GRS Encore BenchMates have been redesigned with the Bench jeweler in mind! The Encore series now comes in two variations; Encore QC and Encore QCX. The QC now has an arm that measures 6" and has a cut-out for superior access angles and better clearance when using your bench tools. Arm adjustable for maximum comfort.

The QCX is more advanced and delivers the widest range of motion from any hands-free work-holding tool on the market. Can easily be centered under a microscope without losing sight of the workpiece.

Each variation comes in two packages; Basic and Setters. Basic Encore QC/QCX includes newly redesigned BenchMate, fixed mounting plate and Encore Accessory pack. Setter Encore QC/QCX includes newly redesigned BenchMate, fixed mounting plate, horizontal ID ring holder, vertical ID ring holder and Encore accessory pack. All can be adjusted for right or left hand use.

Description	Item#	Each
A. QC Basic Package	856-0202	\$309.00
B. QC Stone Setter's Package	856-0203	465.00

Description	Item#	Each
C. QCX Basic Package	856-0204	\$350.00
D. QCX Stone Setter's Package	856-0205	510.00





GRS® BenchMate™ Replacement Parts

Description	Item#	Each
Jaw Inserts, 5 pairs	856-0197	\$8.20
Fixed Mounting Plate	856-0196	18.95
Shellac Pad	856-0186	12.95
Third Hand Tweezers	856-0190	47.20
Bench Pin with Mount	856-0192	29.95

Description	Item#	Each
Narrow Soldering Clamp	856-0188	\$10.25
Wide Soldering Clamp	856-0194	10.25
Soldering Pad Assembly		
(4" x 4" non asbestos soldering surface)	856-0195	36.30
Friction Washer	856-0199	4.60

A-C GRS® BenchMate™ Multipurpose Vise

Attaches to BenchMate or directly to your bench. Tilts left and right and rotates on vertical axis so you can find the best working angle. Features holes in top for holding pins or the padded ring clamp from GRS 30-Piece Attachment Set #856-0277 (see p. 286). Made of satin-finished steel. To mount, fit in Fixed Mounting Plate, secure to Benchtop Mounting Adapter, then screw into bench. Made in USA.

Description	Item#	Each
A. Multipurpose Vise	856-0172	\$170.00
B. Fixed Mounting Plate	856-0196	18.95
C. Benchtop Mounting Adapter	856-0193	27.20

D. GRS® BenchMate™ Inside Ring Mandrel

Expands to hold rings securely.

A valuable, timesaving addition to the workbench. Holds rings from the inside to provide improved access for a variety of applications, especially setting. Easily handles hard-to-hold tapered and delicate designs that can be crushed by ordinary ring clamps. Includes seven different mandrels for holding ring sizes 4-13 without marring. Select the closest mandrel for each ring, then expand it by turning the screw until the ring is secure. Fits into any original BenchMate collar or can be used by itself. Can NOT be used with Encore Series. Made of solid steel. Made in USA.

Description	Item#	Each
Inside Ring Mandrel	856-0210	\$88.00

E, F GRS® BenchMate™ Engraver's Block Shelves

Two different heavy-gauge metal shelves for securely holding your engraver's block at the absolute perfect working height. Let you maintain correct posture for minimizing fatigue throughout the workday. Use Standard Shelf for any engraver's block. Use the Large Shelf with Height Adjustment Bracket for GRS Positioning Vise #271-3025 (see p. 546). Height Adjustment Bracket also sold separately (see "G" below) for retrofit onto Standard Shelf to give you better flexibility. Made in USA.

	Description	Item#	Each
E.	Standard Shelf	856-0198	\$43.00
F.	Large Shelf with Height Adjustment Bracket	856-0173	83.80

G. GRS® BenchMate™ Height Adjustment Bracket

Simply attach this sturdy steel bracket to your Standard Shelf (see above) for improved range of height adjustment. Made in USA.

Description	Item#	Each
Height Adjustment Bracket	856-0174	\$55.10

H. GRS® BenchMate™ Insulated Solder Clamp Won't absorb heat!

Features unique jaws made of non asbestos solder board material. Perfect for gripping items securely without marring. Keeps heat isolated within the workpiece—where it belongs for maximum safety. One jaw is stationary, and the other opens and swivels for conforming to uneven surfaces. Made in USA.

Description	Item#	Each
Insulated Solder Clamp	856-0212	\$61.00

I. GRS® BenchMate™ Tungsten Tweezers Tips

Replace the standard tips of your BenchMate third hand for soldering platinum without risk of contamination. Medium points. Sold by the pair. Made in USA.

Description	Item#	PKG
Tungsten Tweezers Tips, pair	856-0191	\$24.90



A, B Wooden Tool Holder/Organizer

Let Gesswein help organize your bench! The 6-sided bur & tool holder is made of solid durable wood and rotates like a lazy susan. It's ideal for safe keeping of your various bench tools such as gravers, files, burs and mounted abrasives. Holds an amazing amount of tools in a small $7\frac{1}{2}$ " x $7\frac{1}{2}$ " footprint. Each of the 6 sides plus the top have a variety of hole sizes to fit just about any tool. Sides have a total of:

- (42) 7.5mm holes
- (48) 4mm holes (which will hold 1/8" and 4mm shank tools)
- (288) 3mm holes (which will hold 3/32" and 3mm shank tools)

Additionally 2 sides feature a 31%" long magnetic strip to hold pliers or other tools. Top has (37) 12mm holes: 18 shallow holes for graver handles and small tools and 19 holes in the center that perforate the top and extend 8" down into the caddy so you can store long files, gravers, etc. The top can also be removed so you can store larger items inside.

The bur & tool holder stands $9\frac{1}{2}$ " high overall and requires a minimum $7\frac{1}{2}$ " x $7\frac{1}{2}$ " in order to rotate, more with tools in it. Shipping weight: 6 lbs.

Small Caddy has all the features of the large caddy but scaled down to a smaller size: $6"L \times 6"W \times 8"H$. Shipping weight: 3.15 lbs.

	Description	Item#	Each
A.	Wooden Tool Holder	816-4058	\$49.50
B.	Small Wooden Tool Holder	816-4059	44.35

C. Benchtop Organizer

Fits perfectly on the back of a bench or on a work table. Contains space for findings, tools, accessories and organizes it all. Four drawers are included for stow away items. A great compliment to any work area. Measures 18" L x $4\frac{1}{2}$ " W x $7\frac{1}{2}$ " H. Shipping weight: 3.5 lbs.

Description	Item#	Each
Benchtop Organizer	816-4056	\$47.95

D. Plier and Tool Organizer

Beautifully made yet practical wooden organizer with seven open compartments for pliers, open space below for various small tools and a drawer for those small parts so essential to every bench. Made of hardwood (except pressboard pliers spacers) with dovetailed joints and varnished finish. Measures $7^{1}/2^{1}$ W x $6^{1}/2^{1}$ D x $3^{3}/4^{1}$ H.

Description	Item#	Each
Plier and Tool Organizer	816-4057	\$19.95

E. Magnetic Tool Holder


A handy 12" strip with permanent magnets for holding pliers, screwdrivers, tweezers and other tools. Helps keep bench clutter-free. Allows easy access to tools. Screws into surface for sturdiness.

Description	Item#	Each
Magnetic Tool Holder	840-0008	\$35.25

F. Handpiece Storage Strip


The Handpiece Storage Strip keeps handpieces within easy reach. Four holes provide storage for multiple handpieces of varying size. The storage strip includes clips that fit the side of some commercial benches. It can also be mounted to a flat surface with the included hardware.

Description	Item#	Each
Handpiece Storage Strip	850-0604	\$10.30











A. White Cotton Gloves

Keep your jewelry, silverware and small parts fingerprint-free to maintain high luster finish. Very good for handling merchandise for packing. Available in light and medium weight cotton. Small gloves measure 8", medium 9" and extra large are 10" in length.

DOZEN Drices

	DUZEN FIICES		,CO	
Description	Item#	1-2	3-11	12+
Small/Women (Light Weight), 12 pairs	805-1030	\$7.95	\$7.16	\$6.36
Medium/Men (Light Weight), 12 pairs	805-1032	8.95	8.06	7.16
Extra Large/Men (Light Weight), 12 pairs	805-1033	9.95	8.96	7.96
Small/Women (Medium Weight), 12 pairs	805-1055	10.95	9.86	8.76
Medium/Men (Medium Weight), 12 pairs	805-1056	11.95	10.76	9.56
Extra Large/Men (Medium Weight), 12 pairs	805-1057	12.95	11.66	10.36
Extra Large/Men (Mediani Weighty, 12 pans	003-1037	12.33	11.00	

Light weight shown





Disposable latex gloves for everyday use. Prevent skin problems that arise from chemical reactions caused by constant exposure to soaps, solvents and other mild chemicals. Powdered to go on easily.

Description	Item#	Box of 100
Small Gloves	805-1043	\$14.95
Medium Gloves	805-1041	14.95
Large Gloves	805-1042	13.95

C. MicroFlex® UltraSense™ Powder-Free Nitrile Glove The alternative to latex! Powder-free UltraSense is a breakthrough in nitrile technology, providing the fit and feel

D. MicroFlex® NeoPro® EC Glove - Ideal for rhodium plating!

of latex while eliminating the possibility of natural rubber latex allergic reaction. Provides reliable barrier protection against many hazardous and infectious substances. Highly elastic for easy conformance and reduced fatigue. Textured fingertips offer excellent grip in wet or dry conditions. Ambidextrous. Beaded cuff. Polymer-coated for easy donning. Length: 245mm (95/8"). Thicknesses: 5.1 mil finger, 3.5 mil palm. Color: blue. Sold in dispenser box of 100.

Size	Item#	Box of 50
Small	805-1072	\$24.75
Medium	805-1071	24.75
Large	805-1070	24.75

Exceptional comfort in a tough synthetic glove. NeoPro EC offers the barrier protection of a synthetic with the comfort, fit and feel of natural rubber latex. Offers 90% more puncture resistance than natural rubber latex. Resists a broad range of chemicals. Ideal for rhodium plating, electrocleaning and most other plating operations. Textured fingertips provide a secure grip. Extended, beaded cuff guards against splashes and spills. Made of polychloroprene, the generic name for neoprene. Ambidextrous. Powder-free and polymer-coated for easy donning. Length: 300mm (11.8"). Thicknesses: 8.3mil finger, 6.3mil palm, 4.7mil cuff. Color: green.





Sold in dispenser box of 50. Item# Box of 50 805-1052 \$26.75 805-1051 26.75 805-1050 26.75

More Finger Cots Available See pp. 470-471.

E. Latex Finger Cots

Size

Small

Large

Medium

Powder-free, antistatic latex finger cots in white or pink for protection from mild chemicals. Available in small, medium and large. Sold by the gross or bulk pack of 1440pcs.

	WHITE	GROS	S Prices	PINK	GROS	S Prices
Description	Item#	1-2	3+	Item#	1-2	3+
Small	816-0250	\$4.95	\$4.70	816-0255	\$5.25	\$4.99
Medium	816-0251	4.95	4.70	816-0256	5.25	4.99
Large	816-0252	4.95	4.70	816-0257	5.25	4.99
	WHITE	1	Box of 1440	PINK	Bo	x of 1440
Description	Item#		Prices	Item#		Prices
Small	816-0260		\$29.95	816-0265		\$31.45
Medium	816-0261		29.95	816-0266		31.45
Large	816-0262		29.95	816-0267		31.45















A-C Work Processing Tray

A heavy-duty, rigid cardboard tray with 1" high sides for holding work in progress. Can be used alone for large parts or with either of two plastic inserts (round or rectangular) for small parts. Inserts are covered in non marring, nonscratching material. Round insert has 50 round depressions, each measuring approximately 1" dia. x 1/2" deep. Rectangular insert has 32 rectangular depressions, each measuring approximately $1^3/4$ "L x $1^1/2$ "W x $1^1/2$ "D.

				EACH Prices	
	Description	LxWxH	Item#	1-9	10+
A.	Work Processing Tray	14 ³ / ₄ " x 8 ¹ / ₄ " x 1"	807-1170	\$4.25	\$3.83
B.	Square Insert (32)	1 ³ / ₄ " x 1 ¹ / ₂ " x ¹ / ₂ "	807-1179	4.95	4.46
C.	Round Insert (50)	1" Dia. x ½"	807-1175	5.05	4.55

D. Shop Work Tray

This large stackable tray is made of flexible yet strong .025" thick plastic. The 100 compartments measure 15%"L x $^3\!4$ "W x $^5\!8$ "H.

			EACH	1 Prices
Description	LxWxH	Item#	1-9	10+
Shop Work Tray	21½" x 12½" x 11	807-1066	\$9.95	\$8.96

E. Black Tray with 50 Gem Jars

Black tray with foam insert to firmly hold 50 gem jars. Each jar contains foam to securely hold gems in place.

Description	LxWxH	Item#	Each
Black Tray	14 ³ / ₄ " x 8 ³ / ₈ " x 1"	807-1190	\$11.50

F-I Round Metal Boxes

Tin boxes for storing small stones. Sold in full packages only.

Size	12	72	144
F. 1 ⁵ / ₁₆ "	807-1215	-	807-1210
	\$9.45		\$47.00
G. 1 ¹ / ₂ "	807-1216	-	807-1211
	9.75		48.75
H. 2"	807-1217	807-1212	-
	9.75	\$20.00	-
1. 2 ³ /8"	807-1218	-	807-1213
	12.15		60.75

J. Sorting Trays

Each has four grooves on one side and assorted sizes of holes on the other for sorting diamonds, colored stones, pearls or beads.

				EACH Prices	
	Description	LxW	Item#	1-2	3+
J.	Black Sorting Tray	7½" x 3¾"	816-2100	\$3.95	\$3.56
	White Sorting Tray	7½" x 3¾"	816-2105	5.95	5.36

A. Black Ring Cases

Wooden cases with black velvet foam inserts for providing excellent contrast to your sparkling jewelry. Cases feature black vinyl exterior, satin interior and locking lid latches.

Description	LxWxH	Item#	Each
36-Ring Case	8 ¹ / ₄ " x 7 ¹ / ₄ " x 2"	807-1081	\$32.15
72-Ring Case	14 ³ / ₄ " x 8 ¹ / ₄ " x 2"	807-1080	49.15



B. Black Ring Tray

Wooden tray with black velvet foam inserts for providing excellent contrast to your sparkling jewelry. Trays have decorative hand tooling around their edges.


Description	LxWxH	Item#	Each
72-Ring Tray	14 ³ / ₄ " x 8 ¹ / ₄ " x 1"	807-1075	\$13.89



C-E Display Trays

Black wooden trays and vibrant velvet pads for holding and providing contrast to your jewelry. Trays available in $1\frac{1}{2}$ and 2" heights.

	Description	LxWxH	Item#		Each
C.	Display Tray	14 ³ / ₄ " x 8 ¹ / ₄ " x 1 ¹ / ₂ "	807-1059		\$6.65
	Display Tray	14 ³ / ₄ " x 8 ¹ / ₄ " x 2"	807-1058		6.25
De	scription	LxWxH	Item#	EACH 1-9	Prices 10+
D.	Square Insert (32)	1 ³ / ₄ " x 1 ¹ / ₂ " x ¹ / ₂ "	807-1179	\$4.95	\$4.46
E.	Round Insert (50)	1" Dia. x ½"	807-1175	5.05	4.55



F. Jewelry Pins

Yellow jewelry pins with long, sharp points for pinning all types of jewelry to beds, trays or easels. Sold in packages of 100 and boxes of 1,000.

		Pkg.	of 100		Box (of 1,000
Color	Item#	1-Ž	3+	Item#	1-2	3+
Yellow	807-1181	\$3.95	\$3.56	807-1180	\$26.95	\$24.26



easily with quick pull-down and push-up motion for out-of-the-way storage. Adjustable from 9' ceiling all the way down to counter top. Spring-loaded for neutral buoyancy so it stays at desired level. Can be mounted on any drywall or drop ceiling (hardware included).

Large 9" dia. reversible mirror features true-view optics on both sides. Heavyweight handles help stabilize mirror.

Description	Item#	Each
Brass	807-0710	\$59.50














These handy boxes keep findings, gems, sawblades, solders, chuck keys and countless other small items organized at your bench so you can find them when you need them. Made of translucent plastic except #807-1201, which is clear plastic.

D, E Stackable Round Tray Sets

A-B Plastic Storage Boxes

Hinged tops.

These convenient tray sets help you unclutter your bench by making efficient use of vertical space. Let you organize small parts, beads, stones and other small objects. Each tray has a threaded bottom that securely screws to the tray below it, allowing access to any tray at any level. Made of transparent plastic, so contents are always visible. Available in two diameters: 11/4" and 2".

Description	Item#	Each
D. Small Tray Set (seven 11/4" dia. trays)	816-4062	\$2.95
E. Large Tray Set (five 2" dia. trays)	816-4060	2.95





Offering unmatched precision over standard tweezers, this self-contained miniature vacuum pump has 2 handpieces for picking up stones and small parts without damaging them. Picks up both cabochons and faceted stones. Because there are no tweezers tips on the girdle of the stone, placement is easier, faster and more precise. This is especially useful when setting small stones and when setting stones in wax.

Comes with 4 stainless steel tips of varying diameters for holding smaller or larger stones. Vacuum is created by placing the forefinger over a hole in the handpiece. To break the vacuum, simply lift your finger from the hole. The vacuum generator measures just 5" long x 31/4" wide x 2" high with an airflow of 125 cu. in./min. 110V. Shipping Weight: 1.2 lbs. Made in Thailand.



- 110V vacuum unit with on/off switch
- 2 pencil-thin, lightweight aluminum pens
- · 4 stainless steel tips of varying sizes
- 2 flexible air tubes each measuring 36" in length

Description	Item#	Each
Vacuum Tweezers	195-3307	\$65.00
Replacement Pens Set of 2	195-3006	25.00
Replacement Tips Set of 4	195-3007	4.95





G. Cup-Shaped Pearl Tweezers

Tweezers with cup-shaped ends for holding pearls, beads and more. Coated tips prevent scratching of delicate surfaces. Measure 5³/₄" long.


			EAUH PI	ces
Description	Item#	1-2	3-9	10+
Cup-Shaped Pearl Tweezers	195-0310	\$5.95	\$5.36	\$5.06

A-J Foil Gift Wrap

Choose from 10 different styles! Sold in $7^{1/2}$ " x 150' rolls.

		Each PRICES		
Description	Item#	1-2 Rolls	3+ Rolls*	
A. Matte Silver	813-1756	\$20.65	\$19.62	
B. Crackled Holograph	813-1757	20.65	19.62	
C. City Lights Holograph	813-1758	20.65	19.62	
D. Dark Green	813-1760	20.65	19.62	
E. Red	813-1761	20.65	19.62	
F. Floral Silver	813-1763	20.65	19.62	
G. Blue Gyro	813-1765	20.65	20.65	
H. Blue Taffeta	813-1766	20.65	20.65	
I. Floral Gold	813-1767	20.65	20.65	
J. Gold Nugget	813-1764	20.65	20.65	


^{*}Quantity discount for orders of one item number only; not assorted.



K, L Anti-Tarnish Tissue Roll and Cutter

The finest quality white bleached tissue for wrapping silverware, jewelry and other gifts. Will not tarnish merchandise. Measures 73/8" wide by 1,000 feet. Cutter has steel frame and cutter with wood base that can be screwed to table. For 73/8" wide rolls.

		EACH Prices		
	Description	Item#	1-2	3+
K.	Anti-Tarnish Tissue Roll	813-1750	\$13.85	\$13.16
L.	Cutter for Tissue Roll or Gift Wrap	813-1755	19.15	18.19



M, N Anti-Tarnish Tissue

Lint-free anti-tarnish tissue for wrapping and cleaning watch parts, jewelry and much more. Available in watch size 4" x 4" and sold in boxes of 1,000 sheets. Also available in large 20" x 30" sheets sold by the ream (approximately 500 sheets).

		Box of 1	,000
Description	Item#	1-2	3+
M. Watch Tissue 4" x 4"	813-1725	\$7.15	\$6.79
N. 20" x 30" ream	813-1751	30.85	29.31



0. High-Quality Diamond Parcel Paper

Unmatched in sensitivity and protection for handling loose stones. Made of the finest paper stock, then hand-finished for the right touch. Specially developed with the best blue and white flute colors to enhance D-H color diamonds and reflect them in the best light. Measures $3\frac{1}{4}$ " x $1\frac{3}{4}$ " folded, $7^{1}/4$ " x 6" opened. Sold in packages of 25 sheets.

Description	Item#	Pkg. of 25
High-Quality Diamond Parcel Paper	810-0460	\$10.15





Our most economical clear plastic bags with standard zip closure. 2 mil.

		Pkg. of
WxL	Item#	1,000
2" x 2"	810-0500	\$6.60
2" x 3"	810-0501	7.35
2" x 6"	810-0496	11.50
2" x 8"	810-0505	11.75
3" x 3"	810-0493	11.50
3" x 4"	810-0502	10.50
3" x 5"	810-0503	11.55
4" x 4"	810-0510	19.99
4" x 6"	810-0504	16.00
5" x 5"	810-0494	21.35
5" x 8"	810-0511	24.95
5" x 12"	810-0497	37.70
6" x 6"	810-0499	21.25
6" x 9"	810-0509	33.95
8" x 10"	810-0506	59.95
10" x 12"	810-0507	62.35

B. Economy Clear Zip Bags with White Write-On Area

Economical clear plastic bags with standard zip closures. Have white block that accepts grease pencil, pen, marker or rubber stamp.

WxL	Item#	Pkg. of 1,000
2" x 3"	810-0524	\$8.40
3" x 4"	810-0525	11.55
3" x 5"	810-0526	15.00
4" x 6"	810-0527	21.00

C. Clear Zip Bags with Red Line

These 2 mil clear plastic bags seal and reseal easily and can be used over and over again. Stronger closure than economy clear bags.

WxL	Item#	Pkg. of 1,000
2" x 2"	810-0530	\$20.50
2" x 3"	810-0531	21.50
3" x 4"	810-0532	27.75
3" x 5"	810-0533	34.50
4" x 6"	810-0534	36.95

D. Clear Zip Bags with Red Line and White Write-On Area

Offer same strong closure and easy sealing and resealing as clear bags with red line above. White block area accepts grease pencil, pen, marker or rubber stamp.

Item#	Pkg. of 1,000
810-0550	\$21.75
810-0551	31.50
810-0552	33.75
810-0553	45.50
	810-0550 810-0551 810-0552

A, B 3M® Tarni-Shield

Designed to inhibit corrosive gases from tarnishing or staining metal items in transit or storage. Works on silver, copper, gold, brass and solder by absorbing and trapping atmospheric pollutants such as hydrogen sulfide, sulfur dioxide and acetic acid. Easy to use: to protect a metal item, just add Tarni-Shield to the shipping container. Available in strips or tabs. Strips measure 2" x 7" and are sold in packages of 8 or 1,000. Use one strip to protect up to 420 cubic inches of container space. Tabs measure 1" x 1" and are sold in packages of 1,500. Use tabs in small containers.

			Pkg.		EACH	l Prices
	Description	Size	of	Item#	1-11	12+
A.	3M Anti-Tarnish Strips	2" x 7"	8	813-1781	\$3.85	\$3.47
	3M Anti-Tarnish Strips	2" x 7"	1000	813-1786	299.00	-
B.	3M Anti-Tarnish Tabs	1" x 1"	1,500	813-1789	56.00	_



Convenient storage bags that prevent jewelry from tarnishing. Feature one transluscent side and one side coated with tarnish-absorptive material. When a bag turns black, it's time for a new one. Sold in packages of 10.

			Pkg.	of 10
Description	Size	Item#	1-99	100+
Anti-Tarnish Bag	2" x 3"	817-1740	\$2.50	\$2.25
	4" x 6"	817-1742	3.40	3.06

D. Anti-Tarnish Filtration Unit Never polish your showcase jewelry again!

This simple, effective unit prevents tarnish on sterling silver and all other metals. Place one in a 4' showcase or two in a 6' showcase, especially if opened frequently. If you move your jewelry to a safe each night, place one or two units in there, as well. Includes one filter. Runs 24/7 on two "D" batteries (not included). Used by NASA, the Guggenheim Museum and the British Royal Mint, to name a few.

Not designed for open areas. Note that cabinets and cases with wooden bases may require extra protection from Anti-Tarnish Foil Barrier Film to reduce outgassing common to wood, which greatly contributes to tarnishing if left unchecked.

Features:

- · Safe for all jewelry
- · Leaves no residue or deposit
- Nontoxic and environmentally safe
- · Hides easily behind a necklace stand
- Operates silently

Measures 3½"W x 3½"D x 4"H. Filter and batteries should be changed every three months.

Description	Item#	Each
Anti-Tarnish Filtration Unit	813-1745	\$57.57
Replacement Filters, pkg. of 3	813-1746	33.25
Description	Item#	Per Foot
Anti-Tarnish Foil Barrier Film, 18"W	813-1747	\$3.00

E. Jewelry Appraisal Form

Official insurance appraisal form for jewelers and appraisers. Three-part, carbonless format. Sold in packages of 50. Ship. wt: 1 lb.

Description	Size	Item#	Pkg. of 50
Jewelry Appraisal Form	8½" x 11"	810-0430	\$20.85











C





A. Bib Apron with Pockets

Protects clothing and holds most frequently used tools close at hand. Includes extra-long waist strings for front tying. Made of machine washable heavyweight cotton. Available with or without pockets. Comes in royal blue with our white, screen-printed Gesswein logo. Measures $18^{1/2}$ "W x 25"L. Made in USA.

	Description	Item#	Each
A.	Bib Apron with pockets	827-1201	\$19.99
	Bib Apron without pockets	827-1200	17.95

B. Suede Bib Apron

This durable, comfortable apron protects clothing while you work with power equipment and hand tools. Convenient pencil pocket, no other pockets in which debris can be trapped. Made of tanned, split, rust-colored heavyweight suede. Includes adjustable ties with brass grommet reinforcements. One size fits all. Measures 24"W x 36"L.

Description	Item#	Each
Suede Bib Apron	827-1507	\$32.00

C. Fire-Resistant Apron

Made of fire-resistant fabric ideal for welding applications. Features full-coverage design for protection of neck, chest and lap, small chest pocket, large waist pocket, bottom flap for catching runaway parts, comfortable neck band and extra-long waist strings for front tying. Comes in navy blue. One size fits all. Measures 27"W x 36"L.

Description	Item#	Each
Fire-Resistant Apron	827-1508	\$27.80

D. Lab Coat

Full-length coat with long sleeves, notched lapel, hemmed cuffs and bottom. Includes two breast pockets, two hip pockets and reinforced side slit for easy access to inside pocket. Made of permanent-press, washable polyester/cotton blend. Comes in white with royal blue embroidered Gesswein logo. Can be burned to reclaim precious metals. Made in USA.

Description	Fits Sizes	Item#	Each
Medium Men's Coat	40–44	827-1501	\$58.50

E. Neoprene Apron

Heavy-duty double-coated yellow neoprene apron for frontal body and protection from a wide range of chemicals, including caustics and solvents. Apron features extra-long neck and waist ties. Weighs $12^{1}/_{2}$ oz. Recyclable.

Description	Item#	Each	
Apron, 35"W x 45"L	827-1509	\$29.95	

Keep Your Customers Coming Back! Gesswein Has the Answer!

Retailers are always looking for a way to keep their customers coming back-check out these great add-on or gift with purchase items.

A, B Glass Nail Files - Made with Swarovski® Elements

Introducing tempered glass nail files made with Swarovski Elements. Elegant yet practical, these files make a great 'add-on' or 'gift with purchase'. Simply place the glass file display on your sales counter and watch the sales happen.

How can I market glass nail files?

10 reasons why you can't miss.

- A proven seller, makes a great add-on or gift with purchase that you can make at least keystone. They will come back for more and thus keeps your customers coming back into your jewelry store and does not take away from any other purchase.
- 2. Decorated with genuine elements by Swarovski.
- 3. Eve catching display that will draw their attention and thus want one!
- 4. Made of tempered glass for extra strength and safety. Hard cases available for added security.
- 5. Hygienic, can be washed by using water. Let your customers try one and they will be impressed by its beauty!
- 6. Can be used on acrylic nails, just simply wet the file!
- 7. Permitted on airplanes since the file is glass and not metal.
- 8. Works safely on baby's nails since the sides are not sharp.
- 9. Will maintain performance since the surface does not wear out.
- 10. Makes a routine item fun and exciting... remember many customers will buy more than one at a time.

Display Set - Includes acrylic counter display with card, 30 Glass Nail Files with sheaths and 6 hard nail file cases.

15 Piece Refill Pack - Once you start selling the Gesswein Glass Nail Files, refill your counter top display with ease. Includes 15 Glass Nail files with sheaths.

Hard Cases - 6 pack - To prolong the life of your nail file, Gesswein offers hard nail file cases, available in 6 colors (May vary). Available in a set of 6.

	Description	Item#	Each
A.	Display Set	827-1700	\$199.95
	15 Piece Refill Pack	827-1723	93.50
B.	Hard Cases - 6 pack	827-1720	8.95

C. Sparkle Wand Jewelry Cleaner

The True "On The Go" Jewelry Cleaner! Make your diamond rings and jewelry sparkle. Makes a great add-on or gift with purchase. Quickly cleans and maintains the sparkle of diamonds and gems, plus restores the luster and polish to both fine and costume jewelry. Each wand/pen contains 0.07 fluid oz (2 ml) of cleaning liquid. Comes supplied as a complete Kit of one Retail Acrylic Stand with 12 Sparkle Wands and when you sell out, refill packs of 12 Sparkle Wands available. Easy, convenient and cost effective! Made in USA

Description		Item#	Each	
C.	Sparkle Wand Kit	812-0699	\$115.95	
	Sparkle Wand Refill Pack (12)	812-0698	90.50	





2 Other Great Retail Products!

Gem0ro Diamond Steamer (851-0095) See page 243



Sonic Wave 4 (851-4904) See page 235









A-I Screw Mandrels

Use in handpieces and hand grinders for holding felt wheels, pumice, Cratex and other wheels up to 1/4" thick. Threads are right-hand. Style 3211/2" is made of stainless steel.

	Style	Shank	For Hole	Item#	EACH 3pc 3-9	l Prices 12+
A.	321	3/32"	1/16"	840-3170	\$1.20	\$1.00
В.	321½	3/32"	1/16"	840-3160	2.35	1.96
C.	304	3/32"	1/16"	840-3175	2.45	2.04
D.	2	3/32"	1/8"	840-3060	2.10	1.75
Ē.	311	1/8"	1/16"	840-3150	1.40	1.17
F.	20	1/8"	1/8"	840-3100	2.15	1.79
G.	22	1/8"	1/8"	840-3110	3.15	2.62
H.	24	1/8"	1/4"	840-3112	3.15	2.62
			For		EACH	Prices
	Style	Shank	Hole	Item#	1-11	12+
l.	25	1/4"	1/4"	840-3115	\$4.50	\$3.75

J-0 Tapered Threaded Mandrels

For use with felt buffs, wheels, cylinders, points and more. Threads are right-hand.

			For	Length		EACH	l Prices
	Style	Shank	Hole	of Taper	Item#	<i>3pc</i> 3-9	12+
J.	3	3/32"	¹ /16"	³ /16"	840-3070	\$1.25	\$1.04
K.	13	1/8"	¹ /16"	³ /16"	840-3090	1.25	1.04
L.	0	3/32"	¹ /16"	3/8"	840-3040	1.25	1.04
M.	30	1/8"	¹ /16"	3/8"	840-3120	1.25	1.04
			For	Length		EACH	Prices
	Style	Shank	Hole	of Taper	Item#	1-11	12+
N.	33	1/8"	1/4"	3/4"	840-3130	\$3.85	\$3.21
0.	43	1/4"	3/8"	1"	840-3140	6.80	5.67

P, Q Threaded Mandrels with Nut

For use with rubberized points, cones, and cylinders such as Cratex. Threads are right-hand.

			For	Length		EACH	l Prices
	Style	Shank	Hole	of Taper	Item#	3pc 3-9	12+
P.	1	3/32"	3/32"	1/2"	840-3050	\$1.60	\$1.33
Q.	4	1/8"	3/32"	1/2"	840-3080	1.20	1.00

R-V Reducing Collets

Instantly convert your collet to the size you need. Simply slip the appropriate reducing collet into your collet to use $\frac{3}{12}$ or $\frac{1}{16}$ shank tools. Do not use at high speeds, and make sure shank is inserted deeply. Stainless steel.

Description	Item#	Each
R. ¹ / ₈ "– ³ / ₃₂ " Reducing Collet	816-1501	\$14.90
S. ¹ / ₈ "– ¹ / ₁₆ " Reducing Collet	816-1502	14.90
T. 3mm-3/32" Reducing Collet	816-1504	14.90
U. 3mm-1/16" Reducing Collet	816-1505	14.90
V. ³ / ₃₂ "– ¹ / ₁₆ " Reducing Collet	816-1503	14.90

W, X Adapter Chucks - 3/32" Shank

Allow you to use tools with small shanks in standard flex shaft handpieces. Threads are right-hand.

Description	Collet Capacity	ltem#	Each
W. Medium Chuck	2.62mm	840-3220	\$15.50
X. Small Chuck	1.00mm	840-3210	13.35



3pc) Three-piece minimum; Please order in multiples of three.

A-C Cratex® Small Wheel Mandrels

Fit Cratex small wheels. Max. operating speed with 1/2" overhang (exposed mandrel length) or less: 25,000rpm. With each additional 1/4" of overhang, max. operating speed decreases by at least 20%. Use light working pressure.

			For		EACH	Prices
	Style	Shank	Hole	Item#	1-11	12+
A.	#2	3/32"	1/16"	840-3183	\$4.85	\$4.04
B.	#3	1/8"	¹ /16"	840-3186	6.10	5.08
C.	#5	1/8"	1/8"	840-3187	7.05	5.87

D-F Cratex® Cylinder and Point Mandrels

Fit Cratex cylinders and points. Mandrels #1 and #4 have a number 3-48 thread and hex nut flange. Mandrel #6 has a number 5-40 thread and hex nut flange.

			For		EACH	Prices
	Style	Shank	Hole	Item#	1-11	12+
D.	#1	3/32"	3/32"	840-3182	\$3.40	\$2.83
E.	#4	1/8"	3/32"	840-3185	4.60	3.83
F.	#6	1/8"	1/8"	840-3085	5.30	4.42



Fits Cratex cones. Max. operating speed with 1/2" overhang (exposed mandrel length) or less: 20,000rpm. With each additional 1/4" of overhang, max. operating speed decreases by at least 20%. Use light working pres-

	For			EACH	Prices
Style	Shank	Hole	Item#	1-11	12+
1341	1/4"	1/4"	840-3180	\$7.90	\$6.58

H. Cratex® Large Wheel Mandrel - 1/4" Shank

Fits Cratex wheels up to 3" dia. x ½" thick or less. Max. operating speeds with $\frac{1}{2}$ " overhang or less: 15,000rpm for $\frac{1}{2}$ " wheels; 8,300rpm for 2" wheels; 7,000rpm for 3" wheels (based on 5,500 surface feet per minute). Best results are usually obtained at 30% to 80% of max. operating speed. Use light working pressure.

For			EACH Price		
Style	Shank	Hole	Item#	1-11	12+
1342	1/4"	1/4"	840-3184	\$12.35	\$10.29

I-K Split Mandrels - 3/32" Shank

For holding strips of abrasive paper. Have $\frac{3}{32}$ " shanks.

			EACH	Prices
	Description	Item#	1-11	12+
Ī.	Straight Head, 11/64"	840-3405	\$2.45	\$2.04
J.	Straight Head, 9/64"	840-3406	2.45	2.04
K.	Tapered Head, 3/32"-3/16"	840-3407	2.45	2.04

L Sun Snap Mandrel -

Use with Sunburst Snap-On abrasive see page 80.

Item#	4 -	_
π	1-5	6+
840-3411	\$11.99	-
840-3410	32.95	\$31.30
	840-3411	840-3411 \$11.99













Measurement Comparison Chart

inch	mm	B&S Gauge	Stubb's Steel Wire	Drill#
.0030	0.076	-	-	-
.0040	0.102	-	-	-
.0050	0.127	_	_	_
.0059	0.150	-	-	97
.0060	0.152	-	-	_
.0063	0.160	-	-	96
.0067	0.170	_	_	95
.0070	0.178	_	_	-
.0071	0.180	-	-	94
.0075	0.190	-	-	93
.0079	0.200	_	_	92
.0080	0.203	_	_	-
.0083	0.210	-	- -	91
.0087	0.220	-	-	90
.0090	0.229	_	_	-
.0091	0.230	-	_	89
.0095	0.241	_	- -	88
.0100	0.254	-	_	87
.0105	0.267	_	-	86
.0110	0.279	_	_	85
.0115	0.292	-	-	84
.0120	0.305	_	_	83
.0125	0.320	_	- -	82
.0130	0.330	_	80	81
.0135	0.343	-	-	80
.0140	0.356	_	79	_
.0142	0.361	27	-	-
.0145	0.369		_	79
.0150	0.381	_ _	78	-
.0159	0.404	26	_	_
.0160	0.406	-	77	78
.0179	0.455	25	_	_
.0180	0.457		76	77
.0200	0.508	_	75	76
.0201	0.511	24	_	_
.0210	0.533	_	_	75
.0220	0.559	_	74	_
.0225	0.572	_		74
.0226	0.574	23	_	
.0230	0.584	_	73	_
.0240	0.610	_	72	73
.0250	0.635	_	_	72
.0253	0.643	22	_	_
.0260	0.660	_	71	71
.0270	0.685	-	70	-
.0280	0.712	_	_	70
.0285	0.724	21	_	
.0290	0.737	_	69	_
.02925	0.743	_	-	69
.0300	0.762	_	68	_
.0310	0.787	_	67	68
.0320	0.813	20	66	67
.0330	0.838		65	66
.0350	0.889	_	64	65
.0359	0.912	19	-	-
.0360	0.912	-	63	64
.0370	0.940		62	63
.0380	0.965		61	62
.0390	0.900		60	61
.0390	1.016	_	59	60

		B&S	Stubb's	
inch	mm	Gauge	Steel Wire	Drill#
.0403	1.024	18	-	_
.0410	1.041	_	58	59
.0420	1.067	-	57	58
.0430	1.092	-	-	57
.0450	1.143	_	56	_
.0453	1.151	17	-	
.0465	1.181	-	-	56
.0500	1.270	_	55	_
.0508	1.290	16	_	
.0520	1.321	_		55
.0550	1.397		54	54
.0571	1.450 1.473	15	- 53	-
.0580	1.473	_	- -	- 53
.0630	1.600	_	- 52	- 53
.0635	1.613	_	52	- 52
.0633	1.629	14	_	
.0660	1.676	-	_ 51	_
.0670	1.702	_	-	51
.0690	1.753	_	50	-
.0700	1.778	_	_	50
.0720	1.829	13	49	_
.0730	1.854	-	-	49
.0750	1.905	_	48	_
.0760	1.930	-	_	48
.0770	1.956	_	47	_
.0785	1.994	-	-	47
.0790	2.007	-	46	-
.0808	2.052	12	_	_
.0810	2.057	-	45	46
.0820	2.083	-	.	45
.0850	2.159	-	44	-
.0860	2.184	_	-	44
.0880	2.235	_	43	43
.0890		- 11	-	43
.0907	2.304 2.337	-	42	_
.0920	2.337	_	42	42
.0950	2.413	_	41	-
.0960	2.438	_		41
.0970	2.464	_	40	_
.0980	2.489	_	_	40
.0990	2.515	_	39	_
.0995	2.528	- -	-	39
.1010	2.565	-	38	-
.1015	2.578	_	_	38
.1019	2.588	10	-	_ _
.1030	2.616	-	37	
.1040	2.642	_	_	37
.1060	2.692	-	36	_
.1065	2.705	-	-	36
.1080	2.743	-	35	_
.1100	2.794 2.819	_	34	35 34
.1110	2.819	_	33	34
.1120	2.870		-	33
.1144	2.906	9	_	
.1150	2.921	_	32	_
.1160	2.946	_	-	32

inch	mm	B&S Gauge	Stubb's Steel Wire	Drill#
.1200	3.048	-	31	31
.1270 .1285	3.226 3.264	8	30	30
.1340	3.404	_	29	_
.1360	3.454	-	-	29
.1390	3.531	-	28	_
.1405	3.573	-	_	28
.1430	3.636	-	27	- 07
.1440 .1443	3.662 3.670	- 7	-	27
.1460	3.712	_	26	_
.1470	3.758	_	_	26
.1480	3.763	-	25	-
.1495	3.802	-	-	25
.1510 .1520	3.835 3.861	_	24	- 24
.1520	3.886	_	23	_
.1540	3.912	_	-	23
.1550	3.937	-	22	-
.1570	3.988	-	21	22
.1590	4.039	-	-	21
.1610 .1620	4.085 4.111	- 6	20	20
.1640	4.111	_	_ 19	_
.1660	4.212	-	-	19
.1680	4.263	-	18	-
.1695	4.302	-	-	18
.1720	4.371	-	17	-
.1730 .1750	4.396 4.447	_	- 16	17
.1770	4.447	_	-	16
.1780	4.523	_	15	-
.1800	4.570	-	14	15
.1819	4.618	5	-	-
.1820	4.621	_	13	14
.1850 .1880	4.697 4.773	_	12 11	13
.1890	4.779	_	-	12
.1910	4.855	-	10	11
.1935	4.919	-	-	10
.1940	4.932	-	9	_
.1960 .1970	4.982 5.008	-	- 8	9
.1970	5.059	_	7	8
.2010	5.105	-	6	7
.2040	5.182	-	5	6
.2043	5.189	4	_	_
.2055	5.220	-	4	5
.2070 .2090	5.258 5.309	_	4	4
.2120	5.381	_	3	-
.2130	5.406	_	_	3
.2190	5.559	-	2	-
.2210	5.615	-	-	2
.2270 .2280	5.768 5.793	_	1	- 1
.2280	5.793	3	-Z -	
.2576	6.543	2	_	- - -
.2893	7.346	1	_	-

Fraction, Inch and Millimeter Conversion Chart

Fraction	inch	mm
1/64	.0156	0.3969
1/32	.0313	0.7937
3/64	.0469	1.1906
1/16	.0625	1.5875
5/64	.0781	1.9843
3/32	.0937	2.3812
7/64	.1094	2.7781
1/8	.1250	3.1750
9/64	.1406	3.5718
5/32	.1562	3.9687
11/64	.1719	4.3656
3/16	.1875	4.7624
13/64	.2031	5.1593
7/32	.2187	5.5562
¹⁵ /64	.2344	5.9530
1/4	.2500	6.3499

Fraction	inch	mm
17/64	.2656	6.7468
9/32	.2812	7.1437
19/64	.2969	7.5405
5/16	.3125	7.9374
21/64	.3281	8.3343
11/32	.3438	8.7312
23/64	.3594	9.1280
3/8	.3750	9.5249
25/64	.3906	9.9217
13/32	.4062	10.3186
²⁷ / ₆₄	.4219	10.7155
⁷ /16	.4375	11.1124
29/64	.4531	11.5092
15/32	.4687	11.9061
31/64	.4844	12.3030
1/2	.5000	12.6999

Fraction	inch	mm
33/64	.5156	13.0968
17/32	.5313	13.4936
35/64	.5469	13.8905
9/16	.5625	14.2874
37/64	.5781	14.6842
19/32	.5938	15.0811
39/64	.6094	15.4780
5/8	.6250	15.8749
41/64	.6406	16.2717
21/32	.6563	16.6686
43/64	.6719	17.0655
11/16	.6875	17.4623
45/64	.7031	17.8592
23/32	.7188	18.2561
⁴⁷ /64	.7344	18.6529
3/4	.7500	19.0498

Fraction	inch	mm
⁴⁹ / ₆₄	.7656	19.4467
25/32	.7813	19.8436
51/64	.7969	20.2404
¹³ / ₁₆	.8125	20.6373
⁵³ /64	.8281	21.0342
27/32	.8436	21.4311
⁵⁵ /64	.8594	21.8279
⁷ /8	.8750	22.2248
29/32	.9063	23.0185
⁵⁹ /64	.9219	23.4154
¹⁵ /16	.9375	23.8123
61/64	.9531	23.2091
31/32	.9686	24.6060
⁶³ / ₆₄	.9844	25.0029
1	1.0000	25.3998

Metal Thicknesses in Millimeters and B&S Gauge

Ring Size	Circumference in mm	2.1mm 12ga.	1.6mm 14ga.	1.3mm 18ga.	1mm 18ga.	0.8mm 20ga.	0.6mm 22ga.	0.5mm 24ga.
1	39.0	45.5	44.2	43.0	42.1	41.5	40.9	40.5
11/4	39.6	46.2	44.6	43.6	42.7	42.1	41.5	41.1
11/2	40.2	46.9	45.2	44.3	43.3	42.7	42.1	41.8
13/4	40.8	47.7	45.8	44.9	44.0	43.3	42.7	42.4
2	41.5	48.0	46.5	45.5	44.6	44.0	43.3	43.0
21/4	42.1	48.7	47.1	46.2	45.2	44.6	44.0	43.6
21/2	42.7	49.3	47.7	46.8	45.8	45.2	44.6	44.3
23/4	43.4	49.9	48.4	47.4	46.5	45.8	45.2	44.9
3	44.0	50.6	49.0	48.0	47.1	46.5	45.8	45.6
31/4	44.6	51.2	49.6	48.7	47.7	47.1	46.5	46.2
31/2	45.2	51.8	50.2	49.3	48.4	47.7	47.1	46.8
33/4	45.9	52.4	50.9	49.9	49.0	48.4	47.7	47.4
4	46.5	53.1	51.5	50.6	49.6	49.0	48.3	48.0
41/4	47.1	53.7	52.1	51.2	50.2	49.6	49.0	48.7
41/2	47.8	54.3	52.8	51.8	50.9	50.2	49.6	49.3
43/4	48.4	55.0	53.4	52.4	51.5	50.9	50.2	49.9
5	49.0	55.6	54.0	53.1	52.1	51.5	50.2	50.6
5 ¹ / ₄	49.6	56.2	54.6	53.7	52.8	52.1	51.5	51.2
51/2	50.3	56.8	55.3	54.3	53.4	52.7	52.1	51.8
5 ³ / ₄	50.9	57.5	55.9	55.0	54.0	53.4	52.8	52.4
6	51.5	58.1	56.5	55.6	54.6	54.0	53.4	53.1
61/4	52.2	58.7	57.1	56.2	55.3	54.6	54.0	53.7
6½	52.8	59.3	57.8	56.8	55.9	55.3	54.6	54.3
63/4	53.4	60.0	58.4	57.5	56.5	55.9	55.3	55.0
7	54.0	60.6	59.0	58.1	57.1	56.5	55.9	55.6
71/4	54.7	61.2	59.7	58.7	57.8	57.1	56.5	56.2
71/2	55.3	61.9	60.3	59.3	58.4	57.8	57.1	56.8
73/4	55.9	62.5	60.9	60.0	59.0	58.4	57.8	57.5
8	56.6	63.1	61.5	60.6	59.7	59.0	58.4	58.1
81/4	57.2	63.7	62.2	61.2	60.3	59.7	59.0	58.7
81/2	57.8	64.4	62.8	61.9	60.9	60.3	59.7	59.3
83/4	58.4	65.0	63.4	62.5	61.5	60.9	60.3	60.0
9	59.1	65.6	64.1	63.1	62.2	61.5	60.9	60.6
91/4	59.7	66.3	64.7	63.7	62.8	62.2	61.5	61.2
91/2	60.3	66.9	65.3	64.4	63.4	62.8	62.2	61.9
93/4	60.9	67.5	65.9	65.0	64.1	63.4	62.8	62.5
10	61.6	68.1	66.6	65.6	64.7	64.1	63.4	63.1
10 ¹ / ₄	62.2	68.8	67.2	66.3	65.3	64.7	64.1	63.7
101/2	62.8	69.4	67.8	66.9	65.9	65.3	64.7	64.4
103/4	63.5	70.0	68.5	67.5	66.6	65.9	65.3	65.0
11	64.1	70.7	69.1	68.1	67.2	66.6	65.9	65.6
11 ¹ / ₄	64.7	71.3	69.7	68.8	67.8	67.2	66.6	66.3
11 ¹ / ₂	65.3	71.9	70.3	69.4	68.5	67.8	67.2	66.9
11 ³ ⁄4	66.0	72.5	71.0	70.0	69.1	68.5	67.8	67.5
12	66.6	73.2	71.6	70.7	69.7	69.1	68.5	68.1
12 ¹ / ₄	67.2	73.8	72.2	71.3	70.3	69.7	69.1	68.8
121/2	67.9	74.4	72.8	71.9	71.0	70.3	69.7	69.4
12 ³ / ₄	68.5	75.0	73.5	72.5	71.6	71.0	70.3	70.0
13	69.1	75.7	74.1	73.2	72.2	71.6	71.0	70.7

Conversion Charts

Volume (Liquid)				
To convert the following to:	fluid ounces (fl. oz.)	U.S. gallons (gals.)	milliliters (ml)	liters (L)
Multiply number of	Ву	Ву	Ву	Ву
fluid ounces	1	0.0078125	29.57353	0.02957353
U.S. gallons	128	1	3,785	3.785
milliliters	0.03381402	0.000264172	1	0.001
liters	33.81402	0.2641720	1,000	1

Mass				
To convert the following to:	ounces (oz.)	pounds (lbs.)	grams (g)	kilograms (kg)
Multiply number of	Ву	Ву	Ву	Ву
ounces	1	0.0625	28.34952	0.02834952
pounds	16	1	453.5924	0.4535924
grams	0.03527397	0.002204623	1	0.001
kilograms	35.273952	2.204622	1,000	1

Length					
To convert the following to:	meters (m)	centimeters (cm)	millimeters (mm)	inches (in.)	feet (ft.)
Multiply number of	Ву	Ву	Ву	Ву	Ву
meters	1	100	1,000	39.37	3.28
centimeters	0.01	1	10	0.394	0.0328
millimeters	0.001	0.1	1	0.0394	0.00328
inches	0.0254	2.540	25.40	1	0.0833
feet	0.3048	30.48	304.8	12	1

Area					
To convert the following to:	square meters (m²)	square inches (in.²)	square feet (ft.²)	sq. centimeters (cm²)	sq. millimeters (mm²)
Multiply number of	Ву	Ву	Ву	Ву	Ву
square meters	1	1,550	10.76	10,000	10 ⁶
square inches	6.452 x 10 ⁻⁴	1	6.94 x 10 ⁻³	6.452	645.2
square feet	0.0929	144	1	929	92,903
square centimeters	0.0001	0.155	0.001	1	100
square millimeters	10-6	0.00155	0.00001	0.01	1

Packaging Conversions									
1 kPa = 0.1450377 PSI	625cc ≈ 21 fl. oz.								
1 kPa = 7.5mm Hg	950cc ≈ 32 fl. oz.								
1 psi = 6.9 kPa	1,000cc = 1 liter ≈ 33.8 fl. oz.								

Conversion Charts

Multiply	Ву	To Calculate
Centimeters	0.3937	Inches
Centimeters	0.0328	Feet
Cubic centimeters	0.0610	Cubic inches
Cubic centimeters	3.531 x 10 ⁻	Cubic feet
Cubic feet	1728	Cubic inches
Cubic feet	0.0283	Cubic meters
Cubic feet	7.4805	Gallons
Cubic feet	28.32	Liters
Cubic feet	59.84	Pints (liq)
Cubic feet	29.92	Quarts (liq)
Cubic inches	0.004329	Gallons
Cubic inches	0.01639	Liters
Cubic inches	0.0346	Pints (liq)
Cubic inches	0.0173	Quarts (liq)
Cubic inches	16.387	Cubic centimeters
Drams	27.34	Grains
Drams	0.0625	Ounces
Drams	1.7718	Grams
Feet	30.48	Centimeters
Gallons	3785	Cubic centimeters
Gallons	3.785	Liters
Gallons	8	Pints (liq)
Gallons	4	Quarts (liq)
Gallons	0.1337	Cubic feet
Gallons	231	Cubic inches
Gallons	0.0038	Cubic meters
Grams	15.4324	Grains
Grams	0.03527	Ounces
Grams	0.03215	Troy ounces
Grams	5	Carats
Inches	2.540	Centimeters
Kilograms	2.2046	Pounds
Liters	2.1133	Pints
Liters	1.0567	Quarts
Liters	0.2642	Gallons
Millimeters	0.03937	Inches
Ounces	0.0625	Pounds
Pints	0.4732	Liters
Pounds	0.4536	Kilograms
Quarts	0.9464	Liters
Square centimeters	0.1550	Square inches
Square centimeters	0.001076	Square feet
Square feet	929.0	Square centimeters
Square feet	92,903.04	Square millimeters
Square inches	6.452	Square centimeters
Square inches	645.2	Square millimeters
Square millimeters	00.153	Square inches

Troy Weight

24 grains	1 pennyweight
20 pennyweights	1 ounce
12 ounces	1 pound
The troy ounce is about 10%	6 heavier than the avoirdupois ounce.
Trov ounce $x 1.0971 = avoi$	rdupois ounce.

Weight Relationships

¹∕₅ gram
4.58 troy oz.
3.17 avoir oz.
5 carats
911 troy oz.
097 avoir oz.

Douzieme Gauge

The gauge is divided into	The gauge is divided into 72 sections or douziemes.						
1 douzieme = .0074 inch	1 gauge =						
1 ligne = .0888 inch	12 douzieme =						

Avoirdupois Weight

27 ¹ / ₃ grams	1 dram					
16 drams	1 ounce					
16 ounces	1 pound					
The avoirdupois pound is about	t $21\frac{1}{2}$ % heavier than the troy pound.					
Avoirdupois ounce x 0.91146 = troy ounce.						

Temperature Conversion Formulas

To convert from Celsius to Fahrenheit:

 $(^{\circ}C \times 1.8) + 32 = ^{\circ}F$

To convert from Fahrenheit to Celsius:

 $(^{\circ}F - 32) \div 1.8 = ^{\circ}C$

Volume

(Cubic measure calculation)

Cylinder	ω r²h	
Cube/Rectangle	LxWxH	
Cone	¹⁄₃ ѿ r²h	
Sphere	⁴⁄3 ω r³	

Area Calculations

Circle	ϖr^2 ($2\varpi r = circumference$)
Square	LxW
Triangle	W x ½H

Temperature Conversion Table

Read the reference temperature in boldfaced type in the center column. The corresponding Celsius temperature is at the left, and the corresponding Fahrenheit temperature is at the right.

Temperature Conversion Formulas:

 ${}^{\circ}\text{C} = \frac{5}{9} ({}^{\circ}\text{F} - 32)$

 ${}^{0}F = \frac{9}{5}{}^{0}C + 32$

			r									_	- /9(1	- 32)	r —								
°C	Ref.	٩F	°C	Ref.	°F	oC	Ref.	٩F	°C	Ref.	٥F	oC	Ref.	٥F	°C	Ref.	٥F	°C	Ref.	٩F	°C	Ref.	°F
-17.9	0	32	24.4	76	168.8	321	610	1130	743	1370	2498	1166	2130	3866	1588	2890	5234	2010	3650	6602	2432	4410	7970
-17.2	1	33.8	25.0	77	170.6	327	620	1148	749	1380	2516	1171	2140	3884	1593	2900	5252	2016	3660	6620	2438	4420	7988
-16.7	2	35.6	25.6	78	172.4	332	630	1166	754	1390	2534	1177	2150	3902	1599	2910	5270	2021	3670	6638	2443	4430	8006
-16.1	3	37.4	26.1	79	174.2	338	640	1184	760	1400	2552	1182	2160	3920	1604	2920	5288	2027	3680	6656	2449	4440	8024
-15.6	4	39.2	26.7	80	176.0	343	650	1202	766	1410	2570	1188	2170	3938	1610	2930	5306	2032	3690	6674	2454	4450	8042
-15.0	5	41.0	27.2	81	177.8	349	660	1220	771	1420	2588	1193	2180	3956	1616	2940	5324	2038	3700	6692	2460	4460	8060
-14.4	6	42.8	27.8	82	179.6	354	670	1238	777	1430	2606	1199	2190	3974	1621	2950	5342	2043	3710	6710	2466	4470	8078
-13.9	7	44.6	28.3	83	181.4	360	680	1256	782	1440	2624	1204	2200	3992	1627	2960	5360	2049	3720	6728	2471	4480	8096
-13.3	8	46.4	28.9	84	183.2	366	690	1274	788	1450	2642	1210	2210	4010	1632	2970	5378	2054	3730	6746	2477	4490	8114
-12.8	9	48.2	29.4	85	185.0	371	700	1292	793	1460	2660	1216	2220	4028	1638	2980	5396	2060	3740	6764	2482	4500	8132
-12.2	10	50.0	30.0	86	186.8	377	710	1310	799	1470	2678	1221	2230	4046	1643	2990	5414	2066	3750	6782	2488	4510	8150
-11.7	11	51.8	30.6	87	188.6	382	720	1328	804	1480	2696	1227	2240	4064	1649	3000	5432	2071	3760	6800	2493	4520	8168
-11.1	12	53.6	31.1	88	190.4	388	730	1346	810	1490	2714	1232	2250	4082	1654	3010	5450	2077	3770	6818	2499	4530	8186
-10.6	13	55.4	31.7	89	192.2	393	740	1364	816	1500	2732	1238	2260	4100	1660	3020	5468	2082	3780	6836	2504	4540	8204
-10.0 -9.44	14 15	57.2 59.0	32.2 32.8	90 91	194.0 195.8	399 404	750 760	1382	821 827	1510 1520	2750 2768	1243 1249	2270 2280	4118 4136	1666 1671	3030 3040	5486 5504	2088 2093	3790 3800	6854 6872	2510	4550	8222
-8.89	16	60.8	33.3	92	195.6	410	770	1400 1418	832	1530	2786	1254	2290	4154	1677	3050	5522	2093	3810	6890	2516	4560	8240
-8.33	17	62.6	33.9	93	199.4	416	780	1436	838	1540	2804	1260	2300	4172	1682	3060	5544	2104	3820	6908	2521	4570	8258
-7.78	18	64.4	34.4	94	201.2	421	790	1454	843	1550	2822	1266	2310	4190	1688	3070	5558	2110	3830	6926	2527	4580	8276
-7.22	19	66.2	35.0	95	203.0	427	800	1472	849	1560	2840	1271	2320	4208	1693	3080	5576	2116	3840	6944	2532	4590	8294
-6.67	20	68.0	35.6	96	204.8	432	810	1490	854	1570	2858	1277	2330	4226	1699	3090	5594	2121	3850	6962	2538	4600	8312
-6.11	21	69.8	36.1	97	206.6	438	820	1508	860	1580	2876	1282	2340	4244	1704	3100	5612	2127	3860	6980	2543	4610	8330
-5.58	22	71.6	36.7	98	208.4	443	830	1526	866	1590	2894	1288	2350	4262	1710	3110	5630	2132	3870	6998	2549	4620	8348
-5.00	23	73.4	37.2	99	210.2	449	840	1544	871	1600	2912	1293	2360	4280	1716	3120	5648	2138	3880	7016	2554	4630	8366
-4.44	24	75.2	37.8	100	212.0	454	850	1562	877	1610	2930	1299	2370	4298	1721	3130	5666	2143	3890	7034	2560	4640	8384
-3.89	25	77.0	43	110	230	460	860	1580	882	1620	2948	1304	2380	4316	1727	3140	5684	2149	3900	7052	2566	4650	8402
-3.33	26	78.8	49	120	248	466	870	1598	888	1630	2966	1310	2390	4334	1732	3150	5702	2154	3910	7070	2571	4660	8420
-2.78	27	80.6	54	130	266	471	880	1616	893	1640	2984	1316	2400	4352	1738	3160	5720	2160	3920	7088	2577	4670	8438
-2.22	28	82.4	60	140	284	477	890	1634	899	1650	3002	1321	2410	4370	1743	3170	5738	2166	3930	7106	2582	4680	8456
-1.67	29	84.2	66	150	302	482	900	1652	904	1660	3020	1327	2420	4388	1749	3180	5756	2171	3940	7124	2588	4690	8474
-1.11	30	86.0	71	160	320	488	910	1670	910	1670	3038	1332	2430	4406	1754	3190	5774	2177	3950	7142	2593	4700	8492
-0.56	31	87.8	77	170	338	493	920	1688	916	1680	3056	1338	2440	4424	1760	3200	5792	2182	3960	7160	2599	4710	8510
0	32	89.6	82	180	356	499	930	1706	921	1690	3074	1343	2450	4442	1766	3210	5810	2183	3970	7178	2604	4720	8528
0.56	33 34	91.4	88	190	374 392	504	940 950	1724	927	1700 1710	3092	1349	2460	4460 4478	1771	3220 3230	5828	2193	3980	7196	2610 2616	4730 4740	8546
1.11	35	93.2 95.0	93 99	200 210	410	510 516	960	1742 1760	932 938	1720	3110 3128	1354 1360	2470 2480	4476	1777 1782	3240	5846 5864	2199 2204	3990 4000	7214 7232	2621	4750	8564 8582
2.22	36	96.8	100	212	413	521	970	1778	943	1730	3146	1366	2490	4514	1788	3250	5882	2210	4010	7250	2627	4760	8600
2.78	37	98.6	104	220	428	527	980	1796	949	1740	3164	1371	2500	4532	1793	3260	5900	2216	4020	7268	2632	4770	8618
3.33	38	100.4	110	230	446	532	990	1814	954	1750	3182	1377	2510	4550	1799	3270	5918	2221	4030	7286	2638	4780	8636
3.89	39	102.2	116	240	464	538	1000	1832	960	1760	3200	1382	2520	4568	1804	3280	5936	2227	4040	7304	2643	4790	8654
4.44	40	104.0	121	250	482	543	1010	1850	966	1770	3218	1388	2530	4586	1810	3290	5954	2232	4050	7322	2649	4800	8672
5.00	41	105.8	127	260	500	549	1020	1868	971	1780	3236	1393	2540	4604	1816	3300	5972	2238	4060	7340	2654	4810	8690
5.56	42	107.6	132	270	518	554	1030	1886	977	1790	3254	1399	2550	4622	1821	3310	5990	2243	4070	7358	2660	4820	8708
6.11	43	109.4	138	280	536	560	1040	1904	982	1800	3272	1404	2560	4640	1827	3320	6008	2249	4080	7376	2666	4830	8726
6.67	44	111.2	143	290	554	566	1050	1922	988	1810	3290	1410	2570	4658	1832	3330	6026	2254	4090	7394	2671	4840	8744
7.22	45	113.0	149	300	572	571	1060	1940	993	1820	3308	1416	2580	4676	1838	3340	6044	2260	4100	7412	2677	4850	8762
7.78	46	114.8	154	310	590	577	1070	1958	999	1830	3326	1421	2590	4694	1843	3350	6062	2266	4110	7430	2682	4860	8780
8.33	47	116.6	160	320	608	582	1080	1976	1004	1840	3344	1427	2600	4712	1849	3360	6080	2271	4120	7448	2688	4870	8798
8.89	48	118.4	166	330	626	588	1090	1994	1010	1850	3362	1432	2610	4730	1854	3370	6098	2277	4130	7466	2693	4880	8816
9.44	49	120.2	171	340	644	593	1100	2012	1016	1860	3380	1438	2620	4748	1860	3380	6116	2282	4140	7484	2699	4890	8834
10.0	50	122.0	177	350	662	599	1110	2030	1021	1870	3398	1443	2630	4766	1866	3390	6134	2288	4150	7502	2704	4900	8852
10.6	51 52	123.8	182	360	680	604	1120	2048	1027	1880	3416	1449	2640	4784	1871	3400	6152	2293	4160	7520 7529	2710	4910	8870
11.1	52 53	125.6 127.4	188 193	370 380	698 716	610 616	1130 1140	2066 2084	1032 1038	1890 1900	3434 3452	1454 1460	2650 2660	4802 4820	1877 1882	3410 3420	6170 6188	2299 2304	4170 4180	7538 7556	2716	4920	8888
12.2	54	127.4 129.2	193	390	734	621	1150	2102	1036	1910	3452	1460	2670	4838	1888	3430	6206	2310	4190	7574	2721	4930	8906
12.8	55	131.0	204	400	752	627	1160	2120	1043	1920	3488	1471	2680	4856	1893	3440	6224	2316	4200	7592	2727	4940	8924
13.3	56	132.8	210	410	770	632	1170	2138	1054	1930	3506	1477	2690	4874	1899	3450	6242	2321	4210	7610	2732	4950	8942
13.9	57	134.6	216	420	788	638	1180	2156	1060	1940	3524	1482	2700	4892	1904	3460	6260	2327	4220	7628	2738	4960	8960
14.4	58	136.4	221	430	806	643	1190	2174	1066	1950	3542	1488	2710	4910	1910	3470	6278	2332	4230	7646	2742	4970	8978
15.0	59	138.2	227	440	824	649	1200	2192	1071	1960	3560	1493	2720	4928	1916	3480	6296	2338	4240	7664	2749	4980	8996
15.6	60	140.0	232	450	842	654	1210	2210	1077	1970	3578	1499	2730	4946	1921	3490	6314	2343	4250	7682	2754	4990	9014
16.1	61	141.8	238	460	860	660	1220	2228	1082	1980	3596	1504	2740	4964	1927	3500	6332	2349	4260	7700	2760	5000	9032
16.7	62	143.6	243	470	878	666	1230	2246	1088	1990	3614	1510	2750	4982	1932	3510	6350	2354	4270	7718			
17.2	63	145.4	249	480	896	671	1240	2264	1093	2000	3632	1516	2760	5000	1938	3520	6368	2360	4280	7736			
17.8	64	147.2	254	490	914	677	1250	2282	1099	2010	3650	1521	2770	5018	1943	3530	6386	2366	4290	7754			
18.3	65	149.0	260	500	932	682	1260	2300	1104	2020	3668	1527	2780	5036	1949	3540	6404	2371	4300	7772			
18.9	66	150.8	266	510	950	688	1270	2318	1110	2030	3686	1532	2790	5054	1954	3550	6422	2377	4310	7790			
19.4	67	152.6	271	520	968	693	1280	2336	1116	2040	3704	1538	2800	5072	1960	3560	6440	2382	4320	7808			
20.0	68	154.4	277	530	986	699	1290	2354	1121	2050	3722	1543	2810	5090	1966	3570	6458	2388	4330	7826			
20.6	69 70	156.2	282	540 550	1004	704	1300	2372	1127	2060	3740	1549	2820	5108	1971	3580	6476	2393	4340	7844			
21.1	70 71	158.0	288	550 560	1022	710	1310	2390	1132	2070	3758 3776	1554	2830	5126 5144	1977	3590 3600	6494	2399	4350 4360	7862 7880			
21.7 22.2	71 72	159.8 161.6	293 299	560 570	1040 1058	716 721	1320 1330	2408 2426	1138 1143	2080 2090	3776 3794	1560	2840 2850	5144 5162	1982 1988	3600 3610	6512 6530	2404 2410	4360 4370	7880 7898			
22.2	73	163.4	304	570 580	1076	727	1340	2444	1143	2100	3812	1566 1571	2860	5180	1993	3620	6558	2410	4370	7916			
23.3	74	165.2	310	590	1076	732	1350	2462	1154	2110	3830	1577	2870	5198	1999	3630	6566	2421	4390	7934			
23.9	7 5	167.0	316	600	1112	738	1360	2480	1160	2120	3848	1582	2880	5216	2004	3640	6584	2427	4400	7952			
		107.0	L	000	1112	L , 50	.500	2 100	1100	2.20	0070	1002		0210	2004	0070	0007	£ 1£1	1.00	1002			

		ULTRASONIC	CLEANER BRA	AND COMPARIS	ON	
Brand	BestBuilt	L&R Quantrex	Digital	Gem0ro	Elma "Easy" Series	Elma "P" Series
Capacity	2 qts., 3½ qts., 6 qts., 10 qts., or 22 qts.	2 qts., 33/8 qts., 6 qts., 141/2 qts., or 26 qts.	21∕₂ qts.	1½ pt., 2 qts., 3 qts.	1 qts., 2 qts., 3 qts., 4 qts., 6 qts., 10 qts., 14 qts., 20 qts. or 30 qts.	3 qts., 4 qts., 6 qts., 14 qts., 20 qts. or 30 qts
Frequency	40kHz	43kHz	42kHz	40kHz	37kHz	37/80kHz
Workload	Medium to Heavy	to Heavy Medium to Heavy Light to Medium Medium to Heavy Medium to Heavy				Medium to Heavy
Control	Analog	Analog	Digital	Analog	Analog	Analog & Digital
Timer	0–30 min.	0–60 min.	5 Different Cycles	0–60 min.	0–30 min.	0–30 min.
Timer Bypass	No	No	No	No	Yes	Yes
Heater	Yes	Yes	Yes	Yes (except 1.5)	Yes	Yes
Housing	Powder-Coated Steel	Vinyl-Clad Steel	ABS Plastic	Stainless Steel	Stainless Steel	Stainless Steel
Tank	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Lid	Yes	Yes	Yes	Yes	Yes	Sold Seperately
Drain	Yes (except 2, 3.5 & 6 qt.)	Yes (except 90)	No	No	Yes (except E15H & E30H)	Yes
Country of Origin	South Korea	USA	China	China	Germany	Germany
Catalog page #	238	239	235	239	237	236

ULTRASONIC		RING RACKS BASKETS											
	COMPARISON CHART		851- 4106	851- 4105	851- 2050*	851- 2052*	851- 5101	851- 5099	851- 5147	851- 5121	851- 5126	851- 5131	851- 5105
ITEM #	DESCRIPTION				8 double sided hooks	12 double sided hooks							
851- 4906	Digital 2.5 Quart	1	no	no	no	no	no	1	no	no	no	no	1
851- 5230	Quantrex 2 Quart	1	no	no	1	1 remove 2 hooks	no	1	no	no	no	no	1
851- 5232	Quantrex 3 % Quart	1	no	1 diagonally	1	1 remove 2 hooks	no	1	no	1	no	no	2
851- 5234	Quantrex 6 Quart	2	2	1 diagonally	2	1	2	2	no	no	1	no	2
851- 5236	Quantrex 14.5 Quart	no	2	4	3	3	no	no	2	2	1	1	4
851- 1000	BestBuilt 2 Quart	1	no	no	1	1 remove 6 hooks	no	1	no	no	no	no	1
851- 1002	BestBuilt 3.5 Quart	1	1	1	1	1 remove 2 hooks	no	1	no	1	no	no	1
851- 1004	BestBuilt 6 Quart	2	no	1 diagonally	2	1	2	2	no	no	no	no	1
851- 1006	BestBuilt 10 Quart	no	2	4	3	1 remove 2 hooks	no	no	2	2	1	1	2
851- 1008	BestBuilt 22 Quart	no	no	no	no	4	no	no	no	no	1	1	6

^{*}Depth of hook from bottom of rod to bottom of hook: $2^{1}\!/\!2$ " Tank must be deep enough

Ordering from Gesswein is Easy!

Phone Orders: 800-243-4466 (Monday-Friday, 9am-5pm EST)

Fax Orders: 888-454-4377 (24 hours a day, toll-free)

E-mail Orders: sales@gesswein.com Web Orders: www.gesswein.com

For fastest ordering, please use our 7-digit item numbers.

For in-stock items, orders in by 3:00pm EST are usally shipped the same day.

Thank You for Your Order!

As our business grows, so does our volume of incoming phone calls. We know your time is valuable, so to make sure you always have access to toll-free lines when placing your order, without the annoyance of busy signals, we have reserved a set of toll-free lines for orders only.

Our toll-free numbers can be used in all 50 states. Your order will be taken directly by an Inside Sales representative, entered immediately into our computer system, carefully picked, packaged and shipped.

How to Place an Order

Simply visit our website, phone, fax or E-mail your orders or requests for price quotes. **Orders in by 3:00pm EST are usually shipped the same day.** Of course, nonstock items and special-make items require additional time.

Visit our E-commerce website at www.gesswein.com to view the latest products, sale items and pricing and to place orders on-line whenever convenient for you.

When you phone, please have your account number ready. This will help us enter your order quickly and give you current pricing and availability.

Each item in this catalog is coded with a seven-digit item number. Please use these numbers when placing your orders to ensure that the correct products are sent to you. Having these numbers also speeds up the order entry process. If you don't have your account number or the item numbers, we are ready to assist. Simply let us know what you want and we will make it happen! If you cannot locate an item in our catalog, please be sure to let us know. We might be able to find it specially for you!

Credit Cards

We currently accept Visa®, MasterCard®, American Express®, Discover® cards and Paypal™ for payment. For your security, credit card transactions are verified with the credit card company and/or issuing bank. Card number, expiration date, CVV and billing address are checked for your safety.











Prices

For your convenience, we have included prices of our cataloged products. *Please use as a guide only.* Fluctuations in raw material costs, manufacturing costs or foreign currency exchange rates may require price adjustments without notice. Our buyers constantly seek better prices without sacrificing the quality for which Gesswein is known. When successful, we pass the savings on to our customers, adjusting prices accordingly. Our prices do not include shipping and handling charges. All prices are in U.S. funds. Please feel free to call or fax for price quotes. We collect appropriate state and local sales taxes as required by the current laws of each state.

Opening an Account

If you wish to open an account with us and you have a good rating with Dun & Bradstreet (D&B®) or the Jewelers Board of Trade (JBT®), we will immediately establish an open account with 30 day terms. If you are not listed with either agency, please send us three trade references and one bank reference or request an account application and return it to our office in Bridgeport, CT. We will immediately contact your references and inform you of our decision as soon as they respond (which can take approximately two weeks).

Terms of Payment

Open Accounts We reserve the right to impose a service charge of $1\frac{1}{2}\%$ (18% APR) on all accounts not paid within 30 days.

All Other Accounts Our terms are net, payable in advance by check, money order, bank wire transfer, Visa®, MasterCard®, Discover® or American Express®. Payments accepted in U.S. funds only.

Leasing Options Available For equipment purchases totaling \$5,000.00 or more, you might want to consider leasing options. While Gesswein does not operate an in-house leasing program, we are certainly happy to work closely with your leasing firm of choice or we can suggest one that we work with regularly. Contact us for details at 203-366-5400.

Sales & Customer Service (9am-5pm EST)

To place an order, check prices or make inquiries:

800-243-4466 or 203-366-5400

FAX 203-366-3953 E-mail: sales@gesswein.com

Technical Services (9am–5pm EST)

For technical service or product information:

800-544-2043 or 203-366-5400

FAX 203-366-3953 E-mail: info@gesswein.com

Credit (9am-5pm EST)

For credit or billing inquiries:

203-366-5400

FAX 203-331-8870 E-mail: info@gesswein.com

592 Gesswein

Orders 9am-5pm EST: 800-243-4466 FAX Orders 24/7: 888-454-4377



Paul H. Gesswein & Company Inc., Home Office, Bridgeport, Connecticut, USA

An Important Note About Our Products

All products sold by Gesswein are intended for use by professional tradespeople, not the general public. Additional documentation may be requested before shipment can be made. Those not knowledgeable in the usage of hazardous equipment and materials should not purchase these products since noncompliance with safety regulations can be dangerous to health and property.

Safety Data Sheets

Safety Data Sheets (SDSs) are available upon request for all products that contain hazardous ingredients. SDSs contain important information such as safety recommendations and emergency procedures. The fastest way to access SDS information is through our website, www.gesswein.com. Click on the SDS button found on our home page, select SDS and search alphabetically for the product. You can also call us Monday–Friday, 9am–5pm EST at 800-544-2043 or 203-366-5400.

Eye Protection

Goggles or safety glasses with shields are recommended when using abrasive products for polishing, grinding or cutting.

Hand Protection

Gloves are recommended but not required when using most abrasive products. Follow the manufacturer's guidelines.

Hearing Protection

Earmuffs or earplugs may be required when using some abrasive products. See OSHA 29 CFR 1910.95 for statutory noise limits and requirements.

Respiratory Protection

Consider the abrasive product and material to be ground, then select and use equipment in accordance with OSHA 29 CFR 1910.134 in the USA or CSA Z94.4-M1982 in Canada.

Engineering Controls

Provide process enclosure or local ventilation to keep dust below applicable limits and to meet hearing protection requirements.

Operating Practices

- Safe operating practices must be a part of every operation.
- Be sure to read all safety information provided with applicable products.
- Always check products for damage before use.
- Before mounting wheels, use a tachometer to measure spindle speed.
- Ensure that the mounting flanges, backplate or adapter supplied by the machine manufacturer are used and kept in good condition. ANSI Safety Requirements B7.1 provide wheel mounting requirements. Check mounting flanges for equal, correct diameter, and use blotters when supplied.
- Always mount, true and dress wheels in conformance with the guidelines published in ANSI Safety Requirements B7.1.
- Never exceed the maximum operating speed for any product.
- Avoid dropping or bumping wheels.
- When not using wheels, store in their original packaging materials to prevent chips and cracks and to allow easy wheel identification.

Vibrating and Reciprocating Tools

Prolonged use of vibrating or reciprocating tools may result in vibration-induced circulation problems in the hands. Always follow safe operating procedures. The use of hand protection (i.e., insulated gloves) and taking frequent breaks can help minimize but not guarantee against injury. Operating these types of tools in cold weather or with a tight grip will reduce the period of operation before risking potential injury. Individuals with a tendency to suffer from poor circulation, frequently cold fingers or itchy hands should closely monitor the condition of their hands. If symptoms appear, seek medical advice immediately.

Icons Usage



Although no hazardous shipping surcharge applies, these items can only ship via UPS Ground, no air, FedEx or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.



UPS hazardous shipping surcharge applies. Ships via UPS® Ground only, no air, FedEx®, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.



Indicates a minimum order is necessary; in this case orders would be in multiples of 6.

Shipment by truck is required.

Shipping Policy

Shipping and handling charges are all F.O.B. shipping point. A small handling fee is presently charged on all original orders. The method of shipment will be left to our discretion unless you request a specific method.

Truck Shipments

(All items indicated with this icon will ship via truck.)

All shipping and handling charges are F.O.B. shipping point. If you request a specific carrier, we will be happy to send your shipment collect via that carrier. Otherwise, we have negotiated lower rates with select carriers and will pass savings on to you. Orders are shipped freight prepaid, and the freight appears on your invoice. If the trucker will have to off-load your shipment to a smaller delivery truck (e.g., if you have limited access to your door because of a narrow alleyway), there may be a delay in delivery. Please make us aware of any potential problems so we can take steps to minimize delays.

Truck Shipment Charges – in Addition to the Freight Charge (subject to change without notice)

The following services can generate extra charges above the normal trucking rates:

- Residential delivery (minimum \$60.00)
- Liftgate service (minimum \$50.00 to \$80.00 based on carrier)
- Inside delivery. Inside delivery is simply placing the shipment inside your door. If you require further assistance, it can be arranged at a premium rate. (minimum \$100.00)
- Hazardous goods surcharge (minimum \$30.00 per shipment)
- Redelivery due to customer unavailability (minimum \$100.00)
- Any changes to shipment after pickup from F.O.B. point (minimum \$100.00)
- Limited access charge (minimum \$60.00 based on new info)

US Postal Service® (USPS) Shipments

All postage and handling charges are F.O.B. shipping point. Orders are shipped postage prepaid, and the postage appears on your invoice. No hazardous goods or liquids can be shipped by US Mail. Please be aware that USPS shipments are not trackable. No COD Shipments.

FedEx® Shipments

No hazardous items may be shipped via FedEx.

Please note: additional handling charges may also apply when factors regarding package size, unusual/remote delivery locations are factored in by the shipper.

FedEx offers a wide range of guaranteed delivery options to fit your needs. However, not all areas have every service available. Ask your Inside Sales representative to confirm your ZIP code for a specific time-of-day delivery commitment:

FedEx First Overnight® - Delivery by 8:30am.

FedEx Priority Overnight® - Delivery by 10:30am.

FedEx Standard Overnight® – Delivery by 3:00pm.

FedEx 2 Day® - Delivery by the second business day.

FedEx Express Saver® - Delivery within three business days.

FedEx Ground – Delivery to continental U.S. within one to five business days and three to seven days for Alaska and Hawaii.

UPS® Shipments

All shipping and handling charges are F.O.B. shipping point. Orders are shipped freight prepaid, and the freight appears on your invoice along with your UPS tracking number.

UPS Ground service is offered for all 50 states plus Puerto Rico. However Since Alaska, Hawaii and Puerto Rico Ground service actually travels via aircraft, certain items are prohibited from shipment to these areas.

 ${\bf UPS}^{\tiny{\textcircled{\tiny \$}}}$ also charges surcharges for hazardous products, unusual remote locations and for residential deliveries of packages that are considered oversized. These vary based on the ZIP code, length of package and method of shipment.

UPS offers a wide range of guaranteed delivery options to fit your needs. However, not all areas have every service available. Check www.ups.com or ask your Inside Sales representative to confirm your ZIP code[™] for a specific time-of-day delivery commitment.

UPS Express Critical® - Next-flight-out service can be same-day if conditions are met.

UPS Next Day Air Early A.M.® – Delivery by 8:00, 8:30, 9:00 or 10:00am depending on location. Some locations not available

UPS Next Day Air® (aka UPS RED) – Delivery to every address coast-to-coast and Puerto Rico by 10:30am, noon or end of day depending on location. Alaska and Hawaii may require additional days.

UPS Next Day Air Saver® – Delivery to specific destinations throughout continental U.S. by 3:00pm, 4:00pm or end of day.

UPS 2nd Day Air A.M.® – Morning delivery on the second business day to most metro-commercial addresses throughout U.S., depending on location.

UPS 2nd Day Air® (aka **UPS BLUE**) – Delivery by the second business day to every address coast-to-coast and Puerto Rico.

UPS 3-Day Select® (aka UPS ORANGE) – Delivery within three business days throughout 48 contiguous states.

594 Gesswein

Orders 9am-5pm EST: 800-243-4466 FAX Orders 24/7: 888-454-4377

Shipping Damage

Orders always leave our facility in excellent condition. Our shipping terms are F.O.B. shipping point, which means you assume ownership the moment your order is picked up by the carrier. Therefore, in the unfortunate circumstance that you find any damage to your shipment, you as the owner must file a claim with the carrier. Gesswein will be happy to assist you in any way possible, but you must file the claim

- If you see any obvious outside damage to a shipping carton, you must write "Damaged" on the carrier's delivery sheet.
- Save all cartons and packing materials. Do not return shipment.
- If, after initial inspection of the shipment, you discover concealed damage, you must promptly contact the carrier for inspection and save all shipping materials.
- · Gesswein will not assume responsibility for any losses that occur due to your failure to follow these steps.

Truck Shipments 6

All carriers are liable for any damages that occur during transit. Please be sure all cartons that are listed on your freight bill have actually been delivered. If you find a shortage or suspect a carton might have been damaged during transit, you or the trucker must make a notation of this on the delivery receipt. Do not sign the receipt without a notation. Retain all cartons and packing materials until after the inspection is completed.

If shortages or damages are discovered after the packages are opened (concealed loss or damage), notify the carrier within 15 days and request an inspection. Also retain all cartons and packing materials until after the inspection is completed. Gesswein will not assume responsibility for any losses that occur due to your failure to follow all of these steps.

UPS® Shipments

United Parcel Service is liable for any loss or damage that occurs during transit. If a shipment is not delivered to you in proper order, make a notation on the delivery receipt. Contact your local UPS® office within 10 days so that we can submit a claim on your behalf and arrange for a replacement. Save all cartons and packing materials until after the inspection is completed.

If shortages or damages are discovered after the packages are opened (concealed loss or damage), notify the carrier within 15 days and request an inspection. Also save all cartons and packing materials until after the inspection is completed. Gesswein will not assume responsibility for any losses that occur due to your failure to follow these steps.

FedEx® Shipments

FedEx® is liable for losses or damages that occur during transit. If the shipping cartons are obviously damaged, you must write this on the driver's copy of the delivery receipt. You have 10 days to inspect for hidden damage, so don't delay. In either case, all cartons and packing materials have to be available for inspection. Please keep in mind that FedEx® requires written notification of possible claims within 10 days of shipment. Gesswein will not assume responsibility for any losses that occur due to your failure to follow all of these steps. (Hazardous items cannot be shipped by air.)

Shipping Hazardous Materials

When shipping of hazardous materials is prohibited by specific means, we will ship by the best method possible. UPS® Ground and most trucking firms charge an additional fee for the transport of hazardous materials, including but not limited to acids and corrosive materials. UPS® limits the quantity and type of hazardous items that may be shipped in one carton. Therefore, multiple cartons may have to be used for your order. UPS® assesses their hazardous surcharges per carton. Most trucking firms charge per shipment. No hazardous items may be shipped via FedEx® or USPS®. Hazardous items can not be shipped by air.

Hazardous goods can only be shipped by those companies authorized to do so. Therefore, a return of hazardous items to Gesswein can be made only if your company is an authorized shipper of such goods. Call tags and pickups cannot be issued.

The following icons are used in this catalog to denote hazardous materials and how they can be shipped.

Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.

\$\ UPS\sigma hazardous shipping surcharge applies. Ships via UPS\sigma Ground only, no air, FedEx\sigma, or US Mail shipments. Cannot ship to Alaska, Hawaii or Puerto Rico.

Safety Data Sheets

Safety Data Sheets are available at your request for all products that contain hazardous ingredients. SDS contain important user information such as safety recommendations and emergency procedures.

The fastest way to access our SDS information is via our website, www. gesswein.com. You can also call us Monday through Friday from 9am-5pm EST at 203-366-5400.

Important Warning – Please Read!

All products sold by Gesswein are restricted for use by professional tradespeople only. Additional documentation may be required before shipment can be made. Our products are not intended for use by the general public. Those not knowledgeable in the usage of hazardous materials and equipment should not purchase these products since noncompliance with safety regulations can be dangerous to health and property.

All the data in this catalog is true to our knowledge at the time of writing but subject to change without notice to provide best quality and selection.

Worldwide Service

Our international sales staff are ready and waiting to serve you: they routinely schedule shipments to customers all over the world. Coordinating their efforts with expert knowledge of customs regulations, they ensure orders are expedited and delivered on time.

Our service goes well beyond the point of sale. We pack shipments with care, arrange for letters of credit, prepare all necessary documentation and select the most affordable shipping method.

Returns:

If for any reason you wish to return merchandise, simply refer to your packing slip. If you require assistance, contact our Customer Service associates at 1-800-243-4466, and they will be happy to help. Please have your packing slip or invoice handy. All returns must be shipped prepaid and be in unused and resellable condition. Please make sure you carefully package the merchandise to avoid damage during shipment. We do not accept collect nor C.O.D. shipments. Any items we authorize to be returned at our expense should be via the carrier that we specify.

Return Restrictions:

- We reserve the right to charge a re-stocking fee for cataloged products returned after 30 days.
- Nonstock items ordered specially for you are subject to a re-stocking charge.
- Items made to your specifications are not returnable.
- Returns will be credited in the same manner as paid.
- Hazardous items can be returned only if you are an authorized hazardous goods shipper.

Gesswein Represents:

Quality and Value — We offer distinguished products of the best quality as well as affordable products of great value.

Service – A philosophy and way of life. It cannot be attributed to a single department, program or policy, but rather to all the things we do to ensure customers are satisfied. Service means giving customers more than they expect, responding to their needs immediately and shipping their orders promptly.

Honesty — To our customers, ourselves and each other. We are in the business of earning and safeguarding trust, so we must always act honorably.

Respect — We demand respect for our customers, each other and the company. Mutual respect leads to understanding, which in turn leads to efficiency.

Teamwork — Our people are totally committed to working together as a team to reach our common goals.

Investment – We invest resources back into the company in order to keep inventory at optimal levels, to fund a technical support staff and to educate our people so they can better serve our customers.























3 in 1 Hand Finisher – Bandust Investment

3 in 1 Hand Finisher 71	Abrasives continued:	Alcohol Lamps
3 in 1 Polishing Set	Heatless Wheels 83	All Cast Products 209
3Design Cad7 Software	Metalite Cloth 62, 74	All Grit Stone Sets
3M Products:	Micro-Finishing Film	All in One Cleaning Kit
Bandage Tape 470	Micro-Mesh	
Belts	Mounted Points	All in One Swiveling Deburrers
Bristle Discs	Paper	Alloys
Clean Walk Mat	Paper Bullets and Cones 67	Aluminum Oxide Powder 478
Cloths	Poly Polishers84	Aluminum Polishing Kit
Cubitron	Premounted Rolls 66	American Pattern Files
Diamond Film	PT Platinum Titanium Polishers 85	Annealing Pan with Pumice 506
Diamond Flex	Pumice Powder	
Diamond Hand Pads	Pumice Wheels	Anode System, Umicore
Discs	Ring Shells & Arbors	Anodes
Dust Mask	Rods	Anti-Fog Face Mask 474
High Performance Cloth 152	Sandblasting Media 478	Anti-Oxidizing Flux 501
Lapping Film 74	Sanding Detailer	Anti-Tarnish:
Mat	Sanding Sponges	3M Tarni-Shield Strips and Tabs 581
Micro-Finishing Film 74, 389	Satin Finish Buffs	Bags
Papers	Seamless Caps70	Cloth
Polishing Cloth	Silicone Points/Wheels 83, 86	Dip
Radial Bristle Discs56, 78-79	Snap On Discs & Mandrels 76	Filtration Unit 581
Regalite Discs	Sticks/Stones	Tissue
Respirator 474	SX Polishers	Antique, Background
Roloc	Tru-Stone51	Anvils
Sanding Sponge	Unitized Mounted Points 95	Anvil Point
Tarni-Shield	Accu-Melt 225	
Vetrap Tape	Accumulator	Appraisal Forms
Wetordry Paper	Acetylene Tank	Apron
retorary rapor recording to	-	AQUAFLAME Welder
^	Acid, Boric	ARBE:
A	Acid Bottle	Dust Collectors
ABRASIVE SECTION: 2-125	Acid Neutralizer 510	Magnetic Tumblers 523
Abrasives:	Acrylic Lap146	Motors401
Adalox Discs 77	Adalox Pin Hole Discs	Wax Injector
Air Flex	Adamas Presidium Tester	Arbors:
Bands 64, 66	Adapter Chucks	Bur Chuck 401
Bear-Tex	•	Cartridge Roll
Belt Sticks & Bands	Adhesives	Drum
Blasting Media	AGT Tester	Polishing Motor
Caps	Air:	Ring Shell
Cartridge Rolls & Mandrels 65, 66	Brush Set223	
Cera Points and Wheels 88	Cleaners 246, 407	Arkansas Stones
Ceramic Stones	Compressors	Attack Solvent 496
Cloth 62	Di-Profiler	Auracle, Gold Tester
Compound - Diamond104-105	Filter/Regulator	Aureus
Compounds	Grinders450-452, 454	Auto-Vac Investment Mixer
Cord & Tape	Gun	Auto-vac investment wixer
Cratex	Handpiece Oil	D
Cut-Off Discs	Hose and Fittings	В
Dedeco	Hydro Air Wash Gun 231	B&L Products
Detailer	Profilers	Background Antique
Diamond	Scribe Handpiece	
Edenta	Wedge Collection Port 403	Badeco Handpiece
Emery Hand Buffs 68	Airflex	Bags, Anti-Tarnish581
Everlast Rod87	Airport, Quatro Collection Port 403	Bags, Zip
Flap Wheels	•	Baldor Motors 400
Gem Polishers	Airsep Oxygen Generator513	Bands, Abrasive
Gesswein Stones	Airtech Vacuum Pumps 214	
GMX	Akrovest Wax Wash195	Bands, Detailer
GRX93	Alcohol Cups, Glass	Bandust Investment

Bangle Buff - Buffs

Bangle Buff	BestBuilt:	Box continued:
Bangle Form Die Set	Deluxe Cleaning Kit 238	Plastic
Bangle Gauge Size Set	Dust Collectors	Wood for 3/32" Burs 177
Battery Clamp/Screws547	Engravers	Bracelet Bangle Felt Buff
Battery Tester	Bezel:	Bracelet Cutter
Batteries, Watch	Block & Punch	Bracelet Holder, Tennis 487
BCR and BCR Plus	Bur	Bracelet Mandrels
Bead Reamer	Roller & Pusher 486	Bracelet Wax and Shaper 185, 187
	BH-60 Brushless Handpiece 432	Brass Brushes
Bead Stringing Tweezers	Bib Apron	Brass Hammers and Mallets 319, 323
Beading Tools & Plates 488, 489	Binding Wire508	Brass Practice Rings + Tags 281
Beads, Glass 478	Binocular:	Brightboy Abrasives 89
Beaker: Measuring	Eschenbach	Brilliant Buff
Pyrex	Magni-Focuser	Brilliant Spa
Stainless Steel 266	Optivisor	Bristle Disc, 3M
Tripour210	BL Pins	Bristle End Brushes
Bear-Tex Products 54, 59	Black Antique	
Beaver Ring Cutter 409	Black Rhodium	Bronze, Manganese
Beeswax	Blades, Knife	BRUSH SECTION: 126-135
Bell Jars 213, 220		Brushes: Air
Belt Sanders	Blades, Saw	Bench
Belt Sanding 62, 429	Blanks and Cutters	Borax134
Belt Sticks and Bands	Blaster, Sand & Media476-478	Brass127, 128, 131, 132
Bench:	Blazer Torch	EL-192
Block Helper	Blocks:	Fiberglass & Refills
Blocks	Beading	Flux
Brush	Bench Filing 571	Hand
Drawing	Dapping & Design	Micro Spiral
Duster	Engraving	Miniature Mandrel
Filing Blocks, Rubber 571	Soldering 507	Motor – PowerHand 434
Knife	Blue: Buffs	Nylon Tube
Lathe	EDM Stones	Scratch Pen
Microscope	Mounted Stones and Points 44-47, 50	Supra ME, MK, MKM, MM 126-129 Tube
Motor & Accessories 398	Ribbon Drills	Washout
Pins, Quatro	Zirconia Discs 76, 77	Watchmaker
Pins & Anvil	Bobs: Diamond Filled	Wheel
Shield	Diamond Filled	Wire Scratch
Stones 29-31, 33-34	Felt	BUFF SECTION: 136-153
System, Foredom	Wood107	Buffing Compounds
Tool Set	Boley Tweezers 533, 537, 538	
Vises	Bone, Cuttlefish 204	Buffs: Battle Gray
Watchmaker's 568	Book, Casting	Blue Platinum
Work	Book, Tumbling	Brilliant
Benchmate & Access	Borax	Canton Flannel
Benchtop:	Borax Brushes	Cotton String
Drill Press	Boric Acid	Duratex
Dust Collector	Boron Carbide Paste, Tetrabor 107	Emery Hand 68
Sandblaster 476	Bowl:	Faux Chamois
Bender, Ring	Pitch, Cast Iron	Felt Ring
Bending Blocks	Rubber Mixing 210	Goblet
Bergeon:	Box:	Lead Center
Cutter	Grinding	Mandrel
Ring Stick	for Imaging Systems	Muslin
		Plum

Buffs continued:	BX Pins	CBN
Razor Edge 137, 138, 139	BZX Power Hand Handpiece	,
Ring, Felt	BZA FOWEI Hallu Hallupiece 429	C-Clear
Ring, Silicone 94		Cement
Satin Finish	C	Center Punch
Satin Finished, Mounted 58	Cabinet, Ultramax MF 3 in 1 421	Centrifugal Casting Mach 220, 221
Silicone Ring	CAD/CAM SECTION: 180-183	Cera Points and Wheels
Spiral	California Compressor249	Ceramic:
Yellow Treated 137,138, 140,141	Calipers	Cristone
Bunsen Burner	Canton Flannel Buffs	Deflash Tools
BUR SECTION: 154-179		Diamond
	Cap, Seamless Abrasive 70	Grinding Wheels 54, 292 Lap, GRS Powerhone 292
Bur: Bezel Cone	Cape Cod Cloth	Media
Box, Wood	Carbide:	NSS24-25
Busch	Blanks and Cutters	Ring Solder Stand 508
Carbide	Burnisher	Soldering Board 506
Chuck 401, 542	Cutter	Super Stones
Cup	Drawplate 419	Stirring Rod
Fox Champion	Drill	Tweezers
Friction Grip Carbide	End Mill	Ceramitation & Catalyst
High Speed	Gravers	
Holders 177, 570, 571	Nippers	Ceres Diamond Testers
Inox Carbide	Scraper 490 Scriber 293	Chair, Work Bench
Jewelers Carbide	Super Carbide Burs	Champagne, Norton Paper
Maillefer	Carbon Steel Shot Cleaner	Charcoal Blocks 507
S.S. White Carbide 170 Stand & Holders	Carbon Steel Shot	Charts
Super Carbide		Chasing Hammers 320, 321, 322
Swiss	Carbon Treatment Set	Chasing Tools
TiNitride, H.S	Card File309	Chicago Air Scribe
Wax192	Cartridge Rolls 65, 66	· ·
Burner:	Carrier for Tank520	Chinese White
Bunsen	Cartridge Rolls & Mandrels 65-66	Chip, Plumb Gold Solder 499
Electric 266	Carvers, Wax	Chisel Points, Diamond
Burnishers:	Carvers, Wax Electric	Chisels, HS Die Sinkers
Busch	Carvers, Waxes184-185, 189	Chrome Compound
Carbide 494 Faceted 233		Chuck:
Margin Roller	Case Knife	Adapters
Rotary	Castaldo Products:	Engravers XT1
Setting	Injection Wax	Keys
SonoCraft232	Mold Frames	Pin Vises 542 Swivel Handle 542
Steel	Mold Lock Formers	Citpic Compound 510
Burnishing Compounds 522, 527	Moldmatic	
Burno Tongs	Mold Release Sprays 194, 202	Clamp: Peg
Burnout Fume Hood	Mold Rubber	Ring
Burnout Ovens/Furnaces	Mold Separation Cream	Ring Holding
Burs	Quick-Sil	Classic Ultrasonic Cleaning Solution 241
	Resin Release Spray 202	Claw Setting Jig 487
Busch: Beading Tools	RTV	
Burs	SuperStretch 201	Clay, Crucibles
Carbide Burs	VLT	Clay, Mold
Carbide Drills	Wax	Clean Walk Mat
Carbide Starlight Burnishers 158	CASTING SECTION: 184-234	Cleaner:
High Tech Tools	Casting:	BCR and BCR Plus
Polishing Points	Flasks & Sleeves	BestBuilt
TiNitride Carbide T426 Bur	Kits	Classic Ultrasonic Solution
Twist Drills	Machine, Castri	Degreaser
Vacuum Pumps	Machine, Galloni226-230	Electro
Butane Torch, Magic 521	Machine, Neycraft 220	Elma SX30H

Cleaner - Diamond

Cleaner continued:	Cone Points, Taper 67	Cutters continued:
Elmasonic 237	Cones, Felt	Carbide
File	Consumable Set, 3 in 1	Compound
lonic	Controllers:	Diamond 121 Disc 327
Magic Green	Burnout Ovens 218	GRS Ring Size
Powder, Steam 245	Micromotor	High Speed Steel
Quantrex	Power Hand 422	Lindstrom
Rub & Rinse	Cool Blue Motors 401	Power Max
Sonic Wave	Copper:	Ring
Steam	Anode	Supra
Steel Shot 527, 530	Pickle Pot 509	Watchband552
Ultrasonic241	Pickle Tongs538	Xuron
CLEANING SECTION: 235-247	Work Wire	Cuttlefish Bone
Clearview Hood	Cords + Tapes, Abrasive	Cylinder, Oxygen
Clip-On Binocular	Cots, Finger	Cylinder, Graduated212
Cloth Flap Wheels	Cotter Pins	CZ Color Master Set
Cloth Metalite	Cotton String Buffs	Czeckpoint Diamond Tester
Clothing, Work	Counterpulated Pale	n.
Clouds Longing Companyed	Country Countr	D
Clover Lapping Compound	Covers: Beaker	Dapping Block, Dies, Punches 328
Cluster Diamond Dressers	Flask	Dazor Lamps
C-Max Gravers	Cracker, Tungsten Ring 411	DCE Vokes Dust Collector
Coat, Lab 582 Coated Abrasives 62-76	Cratex	Deadblow Mallet
Cob, Ground	Crayon	Debubblers
Cobalt Ring Cutter	Creso Spiral Buff	Deburrers194, 504-505
Cocker-Weber Brushes	Cristone	Decorative Finishes: Background Antique
Colibri Tap &Die	Crocker Graver Sharpening Fixture 293	Colorit
CollectAll	Crocus Cords & Tape77	Diamond Cutting 446
Collet, Reducing	Cross Hole Deburring Tools 504	Enamel
Color Master Grading Stones	Cross-Locking Tweezers 547	Liver of Sulphur
Colorit	Crucible:	Satin Finish Buffs 58, 59
Combo Disc Cutter	Accu-Melt	Texturing Wheels
Compound:	Cast/T	Dedeco Products
#20L	Clay	Deflashing Tools 194, 504-505
#750, #910 527	Dish, Platinum Melting 222	Degreaser
Buffing	Electro/Maxi-Melt	Degussit28-29
Burnishing	Graphite	Dent Removing Set, Wood 326
Clover	Machine	Desk Light
C-Clear Watch Crystal 101, 554	Tong	Detail Stones
Dialux	ZO Paint	Detailer
for Magnetic Tumblers	Crustel Compat	Detergent, Soap
Pickling	Crystal Cement	Devcon Epoxy
Platinum	Cup Rura 160	Devesting Machine 231
Polishing	Cup Wheels Diamend	DF, Ultramax
Simichrome	Cupella Purah and Dia	Dial Calipers
Steel Shot	Cupo Alcohol	Dialux Compounds
Tumbling	Curing Chamber	Diamond:
Water Soluble	Curing Chamber	Abrasive Cutters
Zam100	Cutters:	Burs118-122
COMPRESSOR SECTION: 248-250	3-Peaks	Chisel Points
Cone-Loc Drum	Barracuda	Cloth
Cone Points, Diamond	Bergeon	Cone Points

Diamond continued:	Disc Sander	Dust Collectors:
Cup Wheels	Discovery Stone Set 20	#60B
Cut Off Discs 61	Dishes, Platinum Melting222	#68
Cutters	Dispenser, Flux 500	Benchtop
Dresser	Divider	BestBuilt
Dressing Block	Double Enders	CollectAll
Dressing Stone53	Double Third Hand 502	Compact
Drills		DCE Vokes
Embedded Polisher	Draw Bench, Durston	Ductless Fume Hoods
Expendable Dressers	Drawing Template	Foredom
Felt Bobs	Drawplates	Fresh-Air
Film114	Dremel Engraver	Gold Vault
Files	Dremel Grinders 454	MicroVac III
Flex Bands	Dresser, Diamond Wheel 124	Power 6
Foil	Dressers	SolderPure
Gauges	Dressing Block	SPU
Gem Polishers	Dressing Stones	Under-Bench Vacuum System 394
Grinding Pins	DRILL & TAP SECTION: 251-256	Velocity
Hand Pads	Drill:	Vokes
Hand Lappers113 Lapp Drills121	Blue Ribbon	DVD Basic Wax Carving
Lubricant Thinner	Carbide253,	DVD Engraving 280
Micro Files	Diamond	DVD Graver Sharpening
Mini Points	Hand	_
Moissanite Tester	High Speed	E
Mtd. Points & Wheels 118, 120 Needle Files	Metric	Ear Plugs
Papers	Pearl	Ear Post Protectors
Phono Points	Press	Earthgold Plating Products
Pins and Points116-118	Sticks	
Poli Files 109, 110	Twist	EcoFlex Dazor Lamp
Polishing Kit	Drill Press	Econosil Castaldo Rubber
Poly Film	Drilling Machine	Eco-Torque
Rifflers 109, 110, 112	Dri-Shine	Edenta Abrasives 82
Rubber Wheels and Points 115	Drum Arbors 64	EDM Stones
Sawblades	Drum, Cone-loc 62	EDM Blue Stones 8, 19, 20
Scales & Balances 358, 359 Scriber 293	Drum Sander 62	EL-192 Brush129
Sheets - Foil/Film	Dumont Tweezers	Elasto Wheels and Cylinders 89
Shovel & Sieve	Dumore Flexshaft	Electric Engraver
Sorting Tray 574	Duplex Spring Parts	Electric Melters
Spray Compound, GRS 292	Durite Abrasive Paper	Electric Vibrator
Super Ceramic Stones	Duratex Buff	Electro Cleaner
Thinner	Durotex Impregnated Bobs	ELECTROPLATING SECTION: 257-269
Tip, Lazer	Durston:	Elite Abrasives
Tips, Mini-Filer	Bangle Forming Die Set	
Tools	Cupola Sets	Elite Microscope
Tweezers	Dapping Blocks and Punches 328	Elma Ringmeter
Ultramax Tools	Disc Cutter	Elma Ultrasonics 237
Wheel Dresser	Draw Bench	Emery Hand Buffs
Die & Tap	Dust Collector. 399 Mandrels 356	ENAMEL SECTION: 270-274
Die Sinkers Chisels, HS	Rolling Mills	Enamel, Jeweler's271
Diemaker Stones	Wedding Ring Stretcher & Reducer 408	Enameling Kiln 271
	Dust:	Enameling Stones 270
Digital II Plating System	Blower554	Encore - GRS Benchmate 572
Digital Vacuum Wax Injection	Masks + Respirators 474	End Brush, Cristone
Dino-Lite	DUST COLLECTING &	End Brush, Miniature
Di-Profilers431, 448-449, 452	POLISHING SECTION: 386-407	End Mills
Disc Cutters		End Willio

Engravers – Furnace

Engravers:	File-A-Wax	Flip Lamp
BestBuilt 276	Filers:	Florentine File, Checkering 294
Blocks and Attachments	Air	Flow-Through for Vibratory Tumblers 526
Chuck	Mechanical	Flux:
Dremel Electric	FILE SECTION: 294-317	Brushes
GRS	Files & Rifflers:	Dispensers
Horizontal279	American Pattern (AP)300-301	Soldering
Inside Ring	Arkansas	Superior500
MagnaGraver 283	Card	Tix 500
New Hermes	Checkering	Fly Wheels, Diamond
Points	Diamond	FMR Mini-Filers
RV-II	Escapement	Foot Rheostats & Controls
ENGRAVING SECTION: 275-293	Glass Nail	Foil, Diamond
	Grobet	Foil, Wrapping Paper
Engraving Machines	Handles	Foredom:
EnvisionTEC	Hot Die	Bench Motor
Epoxy	India	Bench System
Ergo Files	Inox	Drill Press
Escapement Files	Micro Mesh 65	Dust Collectors:!!
Eschenbach	Needle108, 110, 302-306	Filter Hood
ESD-safe Tweezers	Poli	Fishmouth
Everlast Rod	Rifflers 109, 110, 112, 313-316	Flex Shafts
	Ruby	Handpieces
EXL Wheels	Screwhead	Maintenance Kits 444
Expander Drum	Swiss Pattern	Micromotor Handpiece 433
Expendable Diamond Dressers 124	Teborg	Mini Vise
Extender, Flask 207	Vulcanite/Vulcrylic	Mobile Work Station
Eye Wash	Wax193	Power Filer
EZE-LAP Diamond Sharpeners 113	File-A-Wax	Power Graver
	Filter:	Shafts/Sheaths
F	Compressed Air 248	Soff Jaws
-	Masks + Respirators 474	Work Chamber 402, 458
Fabulustre Rouge Cloth	Paper, Plating266	Form 2 - Formlabs322-328
Face Shield	Finger Cots, Guards & Tape 470-471	Forming Tools
Faro Handpiece	Finger Digital Ringmeter	Fox Champion Bur
Fast Cut Discs 61	Finger Gauge 355	Frames:
Faux Chamois	Finisher Magnetic 523	Mold 200, 202
FC Ultrasonic Solution	Finishing Stones 21-Apr	Saw480-481
Felt:	Firescoff510	Freeman Rubber
Bangle Buff	Firestorm CAD Software	Freeman Wax
Bobs & Cones	Fixture, GRS Sharpening	French Beading Tools
Buff		Fretz Hammers
Buff, Mounted 144, 145	Flake Shellac	
Hand Buff	Flannel Buff140	Fume Hood, Quatro
Lap & Split Lap	Flap Wheels:	Funnel, Glass Ribbed 266
Poli-Felts	Cloth	Furnace:
Ring Buffs	Fiber	Accu-Melt
Sticks	Scotch-Brite	Burnout #913, #914 & #918 215
Wheels	Flash Back Arrestors	Electro-Melt
Ferris:	Flask:	Gas
File-A-Wax	Casting	Heavy-Duty Burnout 213
Injection Wax	Rubber Extenders 207	Kerr Melters
Mold-A-Wax	Tape	Melting
Fiber Discs and Wheels	Tongs	Ney
,	Flex Shafts & Access	Paragon SC3
Fiber Pads	Flex Shaft Hangers	
File Card	Flexies	
File Handles		

G20L Burnishing Compound – Guards Finger

G	Gesswein continued:	Graver continued:
	Diamond Files	MagnaGraver II
G20L Burnishing Compound	Finishing Stones	Muller
G-Flex	Flux	QC GRS
G-Tec512	Mounted Points	Swedish Steel
Galloni:	Mounted Stones	Yellow Tang, HS 283
G1 Ultimate	Photo Light Boxes	GraverMax/Mach/Smith/Meister280
G3 Ultimate	Pickling Compound510	Gray Buffs
Pressovac	Polisher, Desktop	Green-Lite Magnifier Lamps
Gas Boosters	Power Ring Cutter	
	Stoning Oil	Green Stoning Oil
Gas Furnaces	UV Curing Chamber	Grinders:
Gauge: Baker Diamond	G-Flex	Air
Bangle Size	Gift With Purchase	Max
B&S Wire	Giftwrap	Rotus
Degree	·	Grinding Wheels 54, 55
Diamond	Giles	Grit Stick Sleeves 68
Finger, 4-Scale	GIS Style Products	Grobet File Handles
Gemstone, Digital	Gizmo, Polishing 403	Grobet Files
Melee Micro Gauge - Meleemeter 367	GL Pins	
Mold Finish Gauge	Glass Beads 478	Ground Cob
Pearl & Stone	Glass Nail Files 583	GRS:
Sorting, Saffron	Glasses, Safety	Airtact
Table Micro	Glasss, Setting	BenchMate & Access572-573
Wax Model	Gloves:	Ceramic Lap
Gelato Castaldo Rubber	Heat Resistant	Diamond Spray Comp 293
Gem:	Inspection	Diamond Wheel 293
Cloths	Latex	Encore
Jars	Microflex/Synthetic 472	Engravers Blocks 286, 573 Graver Carousel 283
Polishers	White Cotton 575	Graver Mach AT
Scales	Glues, Cement & Debonder 215, 487, 497	GraverMax G8
Setting Graver Set 487	GMX Abrasives	GraverMeister278
Shine Polishing Wheel	Goggles, Safety475	Gravers 284, 285
Sparkle Concentrate	Gold:	GraverSmith
Weight Estimator	Alloys 224	Handpiece Storage Strip
GemOro: Auracle	Catcher	Leica Scope
Auracle	Plating Products	Magnablock 286
CZ Master Set	Scales	Meiji Scope 349
Diamond Tester	Solders	Pitch Cup
Elite 1030	Testers361-362	Power Hone
Gold Tester	Vault Dust Collectors	Quick Connect Kit
Horizon Lamp	Washer Recovery System 386	Ring Holding Clamp
Loupe	GP Gesswein Stones 13, 19, 20	Ring Size Cutter 409
Microscope	GP Plus Convolute Wheels	Satellite Turntable 288
Scales	Grading Stones	Sharpening System
Steamer243	Graduated Cylinder 210	Soldering Station
Testerossa	Grain, Soldering 509	Ultra High Speed Rotary Handpiece 281
Ultra Spa	Graphite Crucibles 223, 225	Vise
Ultratester	Graver:	GRX Abrasives
Gemstone Digital Gauge	Carbide 284, 285	GTAC Hand Finisher
General Purpose Stones	Carousel	G-Tec
	CMAX	
Generators, Oxygen	Dremel Engraver	Guards Finger: Cots471
Gentec Torch	Foredom Power	Cotton
Gesswein:	Handles	Leather
Apron	High Speed	Rubber470
Diamona Compound 104, 100	Line	

Gun – Junior Vulcanizer

Gun:	High Speed continued:	Injector Cleaning Wax
Air Gun for Compressors 250	Mini Diamond Points	Injectors Wax
Hydro Air Wash	Rotary Air Grinder 450	Inox Carbide Burs
Matt Wax	Steel Chisels	Inox Files
GX Pins	High Tech Carbide Tools	Inside Ring Clamp
GXL Next Gold Tester	High-Torque Air Grinders 451	Inside Ring Cylinders
CALL NOAL GOID TOSTOT	Hoke Torches	Inside Ring Engravers
н	Holder:	Inside Ring Polishers, Max94
	Beading Tools 488 Bracelet, Tennis	Inspection:
Halogen Lamps	Bur	DinoLite
Hammer Handpieces	Clamp 205, 290	Gloves, White Cotton 573
HAMMERING & FORMING SECTION: 318-329	Double Ender	Loupes
Hammers & Mallets	Handpiece	Magnifying Lamps 335-336 338-339 Microscopes
Hammers, Fretz 322	Millgrain Wheel	Mold Finish Gauge
Hammers, Peddinghaus 320	Outside Ring	Optivisors
Hand Lappers	Pencil Stone 22 Pliers & Tool 571	Instant Glue 497
Handles:	Prong, Stone/Diamond	Investment:
Burnisher	Revolving Tool 177, 574	All Cast
File	Ring	Mixers
Graver	Setters Tube	R&R
Knife	Tennis Bracelet	Removal231
Needle File	Tool System	Scales
Handpieces:	Torch	Scoop 210 Vacuum Mixers 211-212
Air	Ultramax	Vibrator
Di-Profiler	Hole Punching Pliers	Invisible Setting Machine 486
Dremel	Hone, Power	Ionic Cleaner, Speed Brite 240
Dumore	Hood:	IPS Rectifier
GRS	Bench Lathe	Iron Binding Wire 508
Mandrels	Clearview	IView Magnifier
Power Hand	Fume, Quatro	
Proflex	Gold Saving	J
Suhner	Jewelers, Polishing	J-1 Solution
Turbolap	Split Lap Machine 406	JAX Patinas and Cleaners
Ushio	Quatro	Jentner Plating
Handy 700	Hose:	Jentner VivaColor
Handy Block	Air Hose	Jett Ballistic & Jett Basic Sett
Handy Flux	Flex, Dust Collectors 403 Torch & Tuline 514, 520	Jet Brite
Handy Portable Wax Pen 190	Vacuum	JewelCAD Pro Software
Hangers for FlexShafts 445	Hot Die Barrette File	Jewel-Sil
Harris Regulators 519	Hot Plate	Jeweler's Bench Tools Set
Head & Shank Tweezers 540	Hot Plate Furnace	Jeweler's Carbide Burs
Heat Resistant Gloves	Hybrid Gesswein Stones	Jeweler's Hood
Heat Shield & Heat Stop 509	Hydro Air Wash Gun	Jewelry Drawing Template
Heating Screen, Mesh 508	Hydroflux Welder System 511	
Heatless Wheels 83		, 0
Heavy-Duty Sprue Cutter	1	Jig Claw Setting
Heetrix 511	Imaging Systems	Jig Miter
Hemostats	Imaging Systems	Jump Ring Makers
Herkules Sawblades 483	Impulse Pencil Air Grinder, NSK	Junior SPU
High Speed:	India Stones	Junior Steamer
Blanks and Cutters		Junior Vulcanizer
Burs	Ingot Molds	
Gravers	Injection Waxes	

Gravers 285, 286

K	LDW Convolute Wheels	Magnifiers continued:
	Leak Detector Fluid	Engravers
Kagan Ring Sizers	Leather Apron473	Eschenbach
Kelly Green Wax	Leather Finger Cots	Lamps
Kerr: Auto Electro-Melt	Leather Jaws	Magna Visor
Auto Maxi-Melt	Lens Tissue	Optisight
Ultra Waxer	Letter Stamp Set	Optivisors
Kiln, Enameling271	Light Blue Mounted Stones 48	Telesight
Kilnminder	LIGHT BOXES & IMAGING SECTION: 332-333	Mallets & Hammers
KIMTECH Mold Polishing Wipes 153	Light Cube	Mandrel:
Klear-Vue Shield	Lighters, Torch	Abrasive Band (Drum Arbor) 64
Klyr-Fire	LIGHTING SECTION: 334-339	Bezel
Knew Saw Frames 480	Lightning Metalite Cloth	Bracelet
Knife:	Lindstrom Pliers & Nippers	Cartridge Roll
Bench	Linen Tester	Cone Point
Blades, Mold Cutting	Liners, Engraving	Cratex 92 Durston 356
Handles	Link and SpringBar Remover	Handpiece
Swiss Army 549	Liquacast/Liquafast	Indexing
Kool Jool	Liquid B Burnishing Soap	PSA Disc 63
Krause Burs	Liquid Mold Rubber	Rest
	Little Torch	Ring
L	Liver of Sulphur	Sanding 62
	LOGO Marker - Sisma	Silicone Rod 87
Lab Coat	Loose Stone Detector	Snap-On
Lamp:	Loupe Chain	Split
Alcohol	Loupes	True-Size
Bench	LT Stone Holders	Wax Ring
Dazor		Manganese Bronze
Econo	Lube-Stik	Marathon, Micromotors 420, 432, 433, 484
Green-Lite	Lubricant Thinner	Marathon, Split Laps
Magnifying	Luster Cloth	Mark-A-Size 409
Mighty Bright Task Light	Lustre Bar 101	Marking Pliers, Ring
Mighty Vue LED	B.G	Mask, Dust
Tensor	M	MASTERIX Wax Injectors 199
Lapis Multi Tester	Magic Borax 501	Matt Wax & Tools 185, 187, 459, 478, 480
Lapping:	Magic Green Powder242	Max Finishing Machines
Compound	Magic Pickle509	Max Inside Ring Polishers 94
Oil, Diamond	Magna Lamps	ME Brushes
Sticks	Magna-Graver II	MEASURING SECTION: 350-367
Laps: Acrylic	Magna-Stone Set Wax196	Measuring Beaker & Cylinder 210
Dedeco Split	Magnablock, GRS 286	Measuring Stick
Felt	Magnaject Wax196	Media:
GMX Split99	Magnesia Block 507	Blasting 478
GRS Power Hone	Magnetic Ball Vise 543	Burnishing Soap 522, 527
Laser Welders - Sisma	Magnetic Finishers/Tumblers 523	Metal Finish Sets
Latex Finger Cots & Gloves	Magnetic Tool Holder	Sandblasting 478 Screens 526
LATHE SECTION: 330-331	Magnetic Tumblers 523	Tumbling
	Magni-Focuser Mark 2 Magnifier 344	Meiji Microscopes
Lathes: Matt Mini	MAGNIFIER SECTION: 340-349	Melters
Millgrain Tools	Magnifiers:	Mesh Heating Screen 508
Sherline Metric	Aspheric	Metal Forming
LaVaque Tweezers	B&L342, 343, 344, 346, 475	Metalite Rolls & Cloth 62
Lazer Tip	Donegan	Mettler Scales

MF Ultramax Units – Oxygen

MF Ultramax Units	Mold continued:	Norton continued:
MF TOUCH Mobile Workstation	Release Spray	Crystolon Stones
Micro Filing & Polishing	Repair Kit	Durite Paper74
Micro Spiral Brush	Rubber	Grinding Wheels
Micro-Finishing Film, 3M	Separation Cream	India Stones
Micro-Mesh	Mold-A-Wax	Norbide Dressing Stick
Microetcher	Moldmaker Stones	Stone Oil
Microflex Gloves	Moldmaker Plus Stones	Waterproof Paper
Micrometers	Mold-Mate Junior	NSK
Micromotor Hammer HP	Moldmatic Frames	NSS Ceramic Stones
Micromotor System	Molds, Ready Made	Number Stamp Set
Microscopes	Moore Snap-On Discs	NYC Injection Wax196
MicroVac III Dust Collector	Motors: Bench	NYC Tripoli
Microwelder	Flex Shaft	Nylon Jaw Pliers
	Micro	Nylon Jiffy Jig 445
Milgrein Machine 401	Polishing	Nylon Tube Brushes
Millgrain Machine	Mounted Diamond Points	
Millgrain Wheels	Mounted Points & Stones	0
Millrite Millgrain Machine	MSDS Info	O-Ring Watch Assortment 550
Mills, Carbide End	Muller Gravers/Liners 284, 286	Ochre, Yellow
Mills, Rolling	Multi Angle Wax Gauge	Off Hand Wheel Dresser
Mini: Bench Motor	Muslin Buffs	Oil:
Degree Gauge		Air Handpiece457
Filers 420	N	Compressor
Filer Tips	Nail Files	Diamond
Lathe	Needle Scriber	Stoning
Minifix - Suhner	Needle Files:	Treated Stones 9
Points	Diamond	Vacuum Pump
Polisher Desktop	Handles	Oil Treated Stones9, 19-20
Studio	Swiss Pattern	Okay Plus
Wax Injector	Wax193	Onyx Oxygen Generator513
Miniature Brushes	Neon, Plater	Optical Setting Glasses
Mirrors	Neon, Rectifier	Optisight
Mitchell's Abrasive Cord + Tape	Neoprene Apron	Optivisors
Miter Box, Matt	New Hermes	Orange Flake Shellac 495
Miter Jig	Ney Casting Machine	Orange Wax Injector
Mixer, Investment	Ney Crucible222	Orangewood (Pegwood) 106
Mixing Bowls	Ney Furnaces	Ordering Information
Mix-It Investment Mixers	Neyclean SP Inv. Remover 231	Organizer, Plier
MK Brushes & Spindles	Neycraft	Organizer, Tool Holder 574
MKM Brushes	Nickel Anode 264	Oval Bezel Mandrel
MM Brushes126-127	Nickel Solution	Oval Bezel Punch
Mobile Work Station 458, 463	Niles Pneumatic Sprue Cutters 234	Oval Bracelet Mandrel
Moissanite Testers	Niobium Pick 503	Ovens, Burnout
Mold:	Nippers:	Oxygen:
Clay	Nitto Kohki Air Handpieces 451, 452	Cylinder, Empty 520
Compound, Liquid	Non-Asbestos Platinum Liners 207	Generators
Finish Gauge	Norbide	Regulators 514, 515, 516
Frames 200, 202, 203	Norton:	
Holder	Arkansas Stones	
Ingot	Bear-Tex Hand Pads 59	
Mate Junior	Bear-Tex Wheels54	
Plates, Injection	Blue-Bak	
Plates, Vulcanizer 205	5.1apag.16 1 apoi 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

P	Pepetools: continued:	Pliers continued:
-	Ring Bending Forming Set 409	Hemostat 502
PACKAGING SECTION: 575-583	Rolling Mills	Hole Punching
Pad:	Square Steel Ring Mandrel	Jump Ring
Diamond Hand	Thermocontroller & Magnetic Mixer 257	Loop
Fiber	TouchAmatic Wax Pen	Nylon Jaw
Micro-Mesh	Wax Pen	Organizer
Pitch Bowl 290	Perfactory Micro	Parallel-Jaw
Reclamation Mat	PGR Dust Collector	Prong
Solderite	PGT Presidium Tester	Ring Bending/Closing/Forming 380
Sponge		Ring Removal 409, 411 Solder Cutting 498
Ultra Polishing	Phono Points	Stone Removal
Paint, Antique	Photography	Stone Setting 486
Palladium Plating Solution	Picco Pen Plater	Supra Swiss
Palmscale358	Picklers & Pickle Compound 510	Teborg
Pan, Annealing with Pumice 506	Pike Platinum Saw Blades 482	ValueLine
Panaspec Plus Safety Glasses 475	Pin:	Wire Looping
Panavise	Bench	Wolf
Paper:	CBN116-117	Xuron
Abrasive	Cotter	Plum Buffs
Champagne75	Diamond	Plumb Gold Solder
Cones	Jewelry	PMuT II Presidium Tester
Diamond	Pusher551	
Durite	Removers	Pneumatic Air Scribe
Liners, Non-Asbestos 207	Vises	Pneumatic Stone Setting Machine 484
Norton	Pink Mold Rubber 201	Points:
Ring Shells68	Pink Mounted Stones40-41	Blue
Waterproof	Pink and Super Pink Wax 196, 197	Cera
WetorDry	Pitch Bowls	Cratex
Paragon Controller	Pitch Gesswein 290	Diamond
Paragon Furnace	Place-It 509	Phono
Paramount		Pink
Parflex Nylon Air Hose 249	Plastic Pyramids	PT
Paste, Solder	Plastic Tweezers	Rubber Diamond
Pearl:	Plasticast, R&R 208	White
Drilling Device	Plast-O-Wax197	Polder Timer/Thermometer 205
Drills	Plater Pens	Poli:
Gauge	Plating Kits	Felts
Tweezers 540	Plating RMGO!	Files
Peddinghaus Hammers	Plating Solutions 259, 261-263, 265, 268	POLISHING & RECOVERY SECTION: 386-407
Peg Clamp	Plating Systems	Polishing:
Pegwood	Platinum:	Aluminum Kit
Pen:	Anode	Cloths
Flux Dispensing 500	Compounds	Compounds
Platers & Solutions	Investment	Consumable Set 3 in 1
Speedy Waxer	Liners, Non-Asbestos 207	Diamond Kit
Pencil Stones	Melting Dishes	Gizmo
Pepetools:	Pro Scale	Mini Max Combo
Digital Pen Plating System	Soldering Station 502	Mold Kit
Engraver's Block	Solders	Motors
IPS	Tweezers	Points, Pink
Jump Ringer	Platinum-Clad Anode	Points, Red
Mills	PLIERS, CUTTERS	Points, White 52
Mixer	& SHEARS SECTION: 368-385	Sets
Pen Plating System	Pliers, Cutters and Shears:	Starter Set
Power Mills	Bergeon	Sticks 62,73 Stones 2-27
Rectifier	Case Closing	J.U.163

Polishing – Ring

Polishing continued:	Q	Reclamation Mats
Poly Polishers	•	Recovery
Polyurethane Rods 87	QC Gravers	Rectifiers
Porosity Burnishers	QC Handle	Rectifying Solution 50
Porosity Killer	QD Air Fittings	Red Mounted Stones and Points 36-39, 49
Positioning Wax	QD Flexshaft Handpieces	Reducing Collets434
Post Protectors	Quad-Hone Stone	REFERENCE CHARTS: 586-591
Power Cutter 411	Quantrex Ultrasonic Cleaners	Regulators
Power Graver	Quartz Stirring Rod	Reliable Steamers
Power Hand 3 Systems	Quatro:	
& Accessories 422-430, 434-435	Air Purifiers 246	Renata Batteries
Power Hone & Wheels	Air Wedge	Repair Mold Kit
Power Max Cutters	Basic Dust Collector	Resin Release Spray, Castaldo 202
Power Ring Cutter	Blast Gate	Resinoid Diamond Lappers
· ·	Clearview Hood	Respirators
Power Sand Blaster	CollectAll	Re-Cast It
Power Screw Driver	Collection Ports	Rheostats for Flex Shafts 443, 447
Power Sprue Cutter	Cool Blue Motors	Rhodinette
Pre-Coat, All Cast 209	Dust Collectors 391-393, 395, 396	Rhodium:
Precision Ring Sizing Set	Fresh-Air Series 246	Fume Hood 246
Premium Red Rouge	Fume Hoods 246	Pen Platers
Premium White Stones	Gold Vault	Plating Kits
Premounted Abrasive Rolls 66	Hoods	Test and Treatment Sets
Presidium Testers	Investment Mixing Hood 209	Rhoduna
Pressovac	Junior SPU	Rifflers:
Presto Air Turbine, NSK 451	PGR – Brushless	Diamond 109, 110, 112
Primo:	Ports	Swiss Pattern Diemaker's
Carbide Burs	RH Containment Systems	Swiss Pattern Diesinker's 314-316
Hose	SPU	Ring:
Setting Glasses	Velocity	Benders
Production Sprue Cutter	Quick-Charge Soldering Iron 499	Brass Practice
Profilers:	Quick-Sil	Buffs, Cloth & Paper
Di-Profilers	Quiet Compressor	Burs, Carbide Cylinder
Mini Filers	Quill Flux Brushes	Case
Power Hand	Qwik-Dry Glue	Clamps
Proflex Flex Shaft	QWIK-DI y dide	Cracker
Prong Lifter, Pusher	D	Cutters
Pronto Steamer 243	R	Engraver
Protectant, Skin 471, 472	R&R Investments	Enlarger408
ProVue Magnifying Lamps	RA Finishing Stones	Forming Set 409
ProZoom, Microscopes	Radial Bristle Discs, 3M78-79	Gauges
PT Abrasives	Ransom & Randolph 208-209	Genie
PUK Welders556-561	Rapid Prototype Finishing Set 102	Mandrels
Pumice Paste	Rasps, Wax	Marking Pliers
Pumice Powder	Rawhide Mallets	Measuring Stick
Pumice Wheels	Razor Saw	Pliers, Bending/Forming/Closing 380
Pump, Vacuum	Ready Made Molds	Racks, Ultrasonic
Punch, Automatic Center	Reamers:	Removal Pliers
Purple Mounted Stones	Busch	Shells & Arbor
	Diamond Coated	Size Cutter
Pyrex	High Speed	Sizes 357 Solder Stand 508
Pyrometers	India	Stamping
	Matt	Sticks
	Steel	Stretchers 408
	Re-Cast It	Tray577
	0400	

Ring continued: Tube Reamer	Sanding Mandrel Set	Sharpeners: Diamond Hand, EZE-LAP
Tubes, Wax 184, 185, 189	Satellite Turntable, GRS 288	Graver
RinGenie	Satin Finish Buffs Pads & Wheels 58, 59	Sharpening Stones
Ringmeter 355	Satin Finish Texturing Wheels	Shaviv Deburring Tools
RING TOOL SECTION: 408-411	SAW SECTION: 480-483	Shears
Riveting Wire, Brass	Saw:	Sheaths, Flex Shaft
RMGO! Plating Systems	Diamond Blades 482	Sheet Solder
Rockwood Sticks	Frames	Sheet Wax
Roller Marking Machine	Pike Platinum Blades 482	Shellac
ROLLING & DRAWING SECTION: 412-419	Razor 480	Sherline Metric Lathe
Rolling Mills Durston414-418	Skip Tooth & Spiral 482	Shovel & Sieve, Diamond
Rolling Mills PepeTools	Super Pike 482 Super Q 483	SIC Wheels
Roloc Discs, 3M	Supra Blades	Sieves
ROTARY & ULTRASONIC SECTION: 420-469	SC3 Oven	SilentAire Compressors
Rotary Tumblers	Scales:	Silipum Wheels
Rotating Bench Vise 544, 545	A&D	Silver Anode
Rotating Bur Holder	Carat	Silver Bath
Rotating Solder Table 506	GemPro 250	
Rotus Hand Grinder	Gram	Silver Dragon
Rouges100-103	Investment	Silver Solder 498
Rouge Cloth	Mettler	Silversmith Stones
Rough Out Stones	Scissors & Snips	Simichrome Polish
RTV 202, 203	Scoop, Investment	Sink, Goldwasher
Rub and Rinse Cleaner	Scotch-Brite:	Sisma Engraving, Markers, Cutters 277
Rub-Out Stick	Brushes	Laser Welders - Jewelry
Bench Block	Fiber Discs57	Sizers, Wedding & Stone Ring 408
Finger Cots 471 Mixing Bowl	Pads	Sizes, Ring
Mold	Wheels	Skip-Tooth Sawblade
Polishing Points & Wheels 80-88	Scotch-Brush	Skroo-Zon File Handle
Pumice Wheels	Scrapers	Sliding Ingot Molds
SIC Polishers	Scratch Pen Brush	Slurry Coated Polishing Strips
Ruby Stones	Screen, Heating	Small Torch
Ruby, Crushed 478	Screwdriver Sharpener	Smarky Sisma Marker 277
Ruler, 6"	Screwdrivers	SmartStool
Ruthuna	Screwhead Files	Smith Torches 517
RV-II Engraver	Scribers	Smoothy Wax Finisher
	SDS Information	Snap-On Discs/Mandrel
S	Seamless Abrasive Caps	Snappy Watch Case Opener 549
	Selvyt Cloth	Snips385
Saddle Stool	Separating Discs	Soap, Burnishing 522, 527
Safety Goggles & Glasses 475, 521 SAFETY PRODUCT SECTION: 470-475	Separating Gun for Mag Tumb	Soap Detergent
	SETTING SECTION: 484-497	Soap Powder
Safety Tape & Finger Guard	Setting Glasses	Soff Jaws Vise Pads 544
Saffron Sorting Gauge	Setting Jig	Soft Grip Knife
Sampler Stone Sets	Setters Grip/Jett Ballistic	Software:
Sand Paper	Setters Tube Holder	3Design Cad7
SANDBLASTING SECTION: 476-479	Setting Machines	Firestorm
Sandblasters	Setting Pliers	Solder Cutting Pliers
Sandblasting Media	Setting Tool	
Sander, Air Angle	SF, Ultramax	Solder Pastes 498, 499 Solder Table, Rotating 506
Sanding Belts and Sticks	51, 51ttd11tdx	Joiner Table, notalling 506

SOLDERING SECTION: 498-511	ST-38 Stone Holder23	Stoning Oils
Soldering:	ST-50 + ST-60 Burnishers 485	Stools
Blocks	Stainless Steel Shot 522, 530	Storage 570, 574, 576-579
Boards506-507 Flux501	Stakes	Stretchers, Ring 408
Glasses	Stamp Sets, Alpha + Numeric	Suede Guards
Grain	Stamps, Ring	Suhner
Iron	Stands:	Sun Discs
Machines	Bur	Sun Midgets 80
Pads506-507 Paste	Drill Press	Sun Snap Mandrels
Picks	Starter Set, Polishing	·
Pliers	Stay Bright Solder Set 500	Super: Carbide Blanks and Cutters 179
Solder	Stay Clean Flux	Carbide Burs
Soldering Station, GRS 502	Steam Cleaners	Ceramic Stones & Holders 24-26
Tweezers	Steam Dragon 245	Dresser
Solderite Pads	Steam Tweezers 541	Fine Stones
SolderPure, Quatro	Steamostat Pliers	Hand Pneumatic Filer
Solitaire R&R Investment 209	Steal Shot	Pike Sawblades 482
Sol-U-Carve	Sticks/Stones	Pink Freeman Wax 197
Solvent, Attack 496		Pins, GRS
Sonic Wave	Sticks, Abrasive	Q Sawblades
SonoCraft Burnishers 485	Sticks, Wooden	Speedy Wax Pen
Sorting Trays	Sticks, Wooden Drill	Superior Flux 500
Sparkle Concentrate	Sticky Wax	SuperStretch Mold Rubber 201
Sparkle Wand 583	Stirrer And Heating Set	Supra:
Spatulas	Stirring Rods	Brite Solution
Spectra Diamond Files & Rifflers 108-109	Stone:	Brushes
Speed Brite & Accessories	Cleaner, Rub-and-Rinse	Cutters
Speedy Wax Pen	Setting Machine	Diamond Compound
Spindle, Plastic MK	Setting Pliers 486	Pliers
Spindle Stands	Setting Tool 488	Polishing & Pumice Paste 102
Spindles for Motors	Stones:	Sawblades
Split Lapping:	Arkansas	Swiss Pliers and Cutters
Laps, Felt	Ceramic Super	Supreme, Stoning Oil
Laps, GMX99	Cristone	
Laps, Silicone/Dedeco	Diemaker	Surface Gauge
Machines	Dresser	SVTN-S Handpiece
Split Mandrels	Dressing	Swann-Morton
Split Ring Arbors 62	EDM Blue	Swedish Gravers, Muller 284, 286
Spiral Buff	Enameling 270	Sweep Ultrasonic 239
Spiral Sawblades 482	Finishing	Swinger Mirrors 577
Sponge, 3M	General Purpose	Swiss:
Spot Welder, PUK	Hybrid	Army Knife
Spring Bar Bending Pliers 381, 561	Moldmaker	Burs Maillefer
Spring Bar Remover	Moldmaker Plus	Cutters
Spring Bars	NSS	Grinders, Suhner 450
Sprits Mold Release Spray	Oil Treated	Hammer Handpiece
Spray Pump Bottle	Premium White	Pattern Diemaker's Rifflers
Springs, Duplex	RA 12, 19	Pattern Diesinker's Rifflers 314-316
Sprue:	Rough Out	Pattern Escapement Files 307-309
Bases, Rubber 206	Ruby	Pattern Files
Former & Rod	Super Ceramic	Pattern Rifflers
Shears & Cutters	Super Fine	Prong Lifter
SPU Dust Collectors	Tru-Stone	Sawblades, Ultra
	Ultra-Soft	Sawframes481
SS White	Stone Holders	

Swiss continued:	Titanium:	TUMBLER SECTION: 522-531
Torch518	Edenta Abrasives 82	Tumblers:
Tweezers	Nitride Coated Burs	Magnetic
SX Polishers	Tweezers	Rotary
Synthetic Diamond Screener - Presidium 364	Tivac Flask Liners 207	Tumbling Media
Syringe Dispensers	Tix Anti-Flux, Flux & Solder 500	Tune-Up Kits for Flex Shaft
SZX Power Hand Handpiece 429	Tong:	Tungsten Ring Cracker
_	Burno	Turbo Diamond Files
	Copper Fishtail & Pickle	TurboLappers
Tags, Brass ID:	Crucible	TurboTorch
Talc 194	Flask	Turntable
Tampico End Brush	Tool Holder Magnetic 574	Turquoise Rouge
Tanks and Cylinders	Tool Holder System 574	Turquoise Wax
Tap & Die Set	Tool Room Grinding Wheels 54-55	TWEEZERS SECTION: 532-541
Tape:	Tool Set, Jewelers Bench 567	Tweezers:
Abrasive	Tooling for Ultramax	Ceramic Tip
Finger, Safety	Topaz Oxygen Generator 513	Diamond 534, 537
Vetrap	Topstar Polishers 82	Dumont
Vinyl Watch 550	Torch Boosters 512	ESD-safe
Tapered Cartridge Rolls 66	TORCH SECTION: 512-521	Plastic
Tapered Cone Points 67	Torches:	Soldering
Tapered Spindles 401	Aquaflame	Steam
Tarni-Shield 3M Strips581	Blazer Butane	Supra Swiss .532-535 Utility .538
Teborg Files	Disposable	Vacuum
Telesights	Hoke	Twist Drills:
Template, Jewelry Drawing 186	Holders 515, 521	Blue Ribbon
Tenaris Anti-Tarnish Dip	Hydroflux	Busch
Tensor Lamps	Little & Accessories	High Speed
Test Kit, Gold	Magic Butane521	Metric
Testerossa Diamond Tester	Mate, Electric	
Testers:	Smith	U
CZ/Diamond/Moissanite	Swiss518	UFO Hammer
Watch Battery547	Turbo Torch 517	UHT Air Grinders 450, 452, 453
Tetrabor Compound	TouchAmatic191	Ultra Polishing Pads
Texturing Hammer	Traps, Sink	Ultra Thin Separating Discs 60
Texturing Wheels	Tray:	Ultra Waxer191
Thermoplastic Drawplate	Display577 Sorting576	Ultramax - Ultrasonic Polishing Systems 461-467
Thermocouple	Wax	UltraMaxx, R&R
Thermo-Loc	Work Processing 576	Ultra-Soft Stone
Thermometers 205, 264	Triad Hammer323	Ultrasonic Cleaning
Thickness Gauge	Tripod w/Mesh Screen 508	Ultrasonic Cleaning Solutions241-242
Thinner, Diamond Compound 105	Tripoli	Ultrasonic Polishing
Third Hands	Tripour Beakers 210	UltraSpa243
Thompson Enamel	389	UltraTester
Thumb Guard	True-Size, Bangle & Ring357	Ultra-Vest, R&R
Timers	Tru-Stone	UM-1200, UltraMax 461
Ti-Research	Tube Brushes	Umicore:
Tissues:	Tuf Guy Wax	Anode System
Anti Tarnish 579	Tuline Hose	Rhodium
Kimtech Wipes		Under-Bench Dust Collectors
Lens		Unitized Points
		OHILIZEU I OHILE

Web Site Orders 24/7: gesswein.com

Unitized Wheels – Wrench Watchcase

Unitized Wheels 57	W	Welding Wire
Universal Jewelry Polishing Set 530		WELDING SECTION: 555-566
Uniweld Tips	Wash Gun, Hydro Air	Werner Polishing Set
Ushio Handpiece 450, 452, 453	Washout Brushes	Wet Stick
UV Post Curing Chamber	WATCH TOOLS SECTION: 547-554	WetorDry Paper
UV Ring Light	Watch:	Wheel Brushes
OV Hillig Light	Batteries	·
W	Case Press	Wheel Dressers
V	Case Wrench	White:
Vac-A-Mix	Holder	Mounted Points
Vacuum:	Tissue	Muslin Buffs
Casting Kits 219	Watchmakers Workbench 568	Stones, Premium 14, 19, 20
Casting Mach/Access	Water:	Wipes, Kimtech153
Investment Machine	Devesting Machine 231	Wire:
Pumps 250 Tweezers 541	Soluble Buffing Compound 103	Binding
Wax Injectors	Soluble Carving Wax	Brushes 127, 128, 131, 132, 133, 134
VacuVests	Soluble Diamond Compound 104	Copper Work 264
	Waterjet Vacuum Pump	Drawing Machines 419
Val-Air Compressors 249	Waterproof Paper	Ingot Mold
ValueLine Pliers	Wax:	Looping Pliers
Varibench	Bees	Riveting Brass
Veggie Compounds102	Bracelet Bars	Twisting Pliers
Velocity Dust Collectors	Burs 192	Wax189
Venturi Furnace	Carvers	Welding, PUK
	Carving, Water Soluble	Wire & Tube Cutting Jig484
Vernier Calipers	Digital Injection System	Wiru Tap & Die Set
Vest Off	File-A-Wax 184 Files & Needle Files 193	
Vetrap Bandage Tape 470	Finisher, Flameless	Wizard Pen Plater
Vibrator, Electric	Freeman	Wolf:
Vibratory Tumblers	Gauges	Carvers
Victorinox Swiss Army Knife 549	Gun, Matt	Cylinder Burs
Vinyl Watch Tape	Heat Carver	Pliers
VISE SECTION: 542-546	Injection	Sanding Mandrels62
	Injector Cleaning	Wax188, 189
Vises: Bench	Kleen	Wood:
Benchmate, GRS	Layout Sheets 495	Arbor70
Drill Press Vise	Matt	Bobs
Engravers Blocks 545	Model Gauge Set 186	Bracelet Mandrel
Foredom Mini543	Mold-A-Wax188	Bur Box
Handvise 543	Pens	Dent Remover
Magnetic Ball Vise 543	Plast-0	File Handles
Microblock	Positioning	Hub Wheel Brushes 130, 131
Mold 205 Panavise 544	Ring Mandrel	Polishing Gizmo 403
Pearl Drilling	Ring Tubes	Ring Clamp 410
Pin	Saws	Ring Stick 354
Positioning/Microscopes 546	Sheets	Sticks
Rubber Mold 205	Sleeve Set	Wooden Tool Organizer 574
Turntables	Sprue	Work Benches
VivaColor	Sticky	Work Chambers
VLT	Tray	Work Processing Tray 576
Vokes Dust Collector	Wash	
	Wolf189	WORKBENCH SECTION: 565-574
VS Dressing Stones	Wax-a-Sizer	WORK PROCESSING
VTX (now SVTN-S) Handpiece 440		& PACKAGING SECTION: 575-583
Vulcan Furnaces	Waxers, Electric	Wrap and Tap Pliers
Vulcanite/Vulcrylic File	Wayne Werner Polishing Set 399	Wrapping Paper 579
Vulcanizers	Wedding Ring Sizer	Wrench Torch
	Welders	Wrench Watchcase 548

X
XT-1 Engravers Chuck
Xuron, Cutters/Pliers
Xuron, Shears
~~
Υ
Y-Connectors
Yellow:
Gold Alloy
Ochre Powder 499
Tang Gravers 283
Treated Buffs
_
Z
Z-2X + Z-6X Power Hand Handpieces 430
Zam/Turquoise Rouge
Zip Bags
Zirconia Discs
Zoom Microscopes
ZO Paint
#
3 in 1 Hand Finisher
3 in 1 Polishing Set
3Design Cad7 Software
3M Products:
Bandage Tape 470
Belts
Bristle Discs
Cloths
Cubitron
Diamond Film
Diamond Flex 64, 389
Diamond Hand Files 109
Diamond Hand Pads
Discs
High Performance Cloth
Lapping Film
Mat
Micro-Finishing Film 74, 389
Papers
Polishing Cloth
Radial Bristle Discs
Respirator
Roloc
Sanding Sponge
Scotch-Brite
Tarni-Shield
Vetrap Tape
VVEIDIUIV FADEL /:

Gesswein Represents:

Quality and Value — We offer distinguished products of the best quality as well as affordable products of great value.

Service — A philosophy and way of life. It cannot be attributed to a single department, program or policy, but rather to all the things we do to ensure customers are satisfied. Service means giving customers more than they expect, responding to their needs immediately and shipping their orders promptly.

Honesty — To our customers, ourselves and each other. We are in the business of earning and safeguarding trust, so we must always act honorably.

Respect — We demand respect for our customers, each other and the company. Mutual respect leads to understanding, which in turn leads to efficiency.

Teamwork — Our people are totally committed to working together as a team to reach our common goals

Investment — We invest resources back into the company in order to keep inventory at optimal levels, to fund a technical support staff and to educate our people so they can better serve our customers.










Icons Usage

Although no hazardous shipping surcharge applies, these items can only ship via UPS® Ground, no air, FedEx® or US Mail possible. Cannot ship to Alaska, Hawaii or Puerto Rico.



Shipment by truck is required.



Indicates a minimum order is necessary; in this case orders would be in multiples of 6.