




UC GUIDE



Contents

Introduction	05
MTR Small Room Desktop Version	06
MTR Small Room Desktop Version + BYOC	07
MTR Small / Medium Room Soundbar Version	08
MTR Small / Medium Room Soundbar Version + BYOC	09
MTR Medium Room Desktop Version	10
MTR Medium Room Desktop Version + BYOC	11
MTR Large Room Desktop Version	12
MTR Large Room Desktop Version + BYOC	13
MTR Custom Room Version	14
MTR Custom Room Version + BYOC	15
Crestron Room Booking	16
AirMedia® - Wireless presentation and conferencing systems.....	20
Crestron Tabletop Audio Conferencing Devices	24
Crestron Management Tool	28
Crestron Workplace Analytics	29



A Microsoft® certified solution for every space

Introduction


Crestron Flex delivers ease and consistency no matter which room you're in or platform you prefer. So every room can provide both a native Microsoft Teams Rooms experience plus BYOD—the ability to connect any laptop or mobile device. A consistency you can rely on whether you prefer Android™ or Windows®.

Partners for over 15 years, Crestron and Microsoft know how to bring out the best in every meeting and every meeting room.

Crestron's XIO Cloud platform provides the intelligent IoT-based service that enables proAV to proactively manage and monitor your estate, enhanced by analytics allowing knowledge based evolution of workplace technology as your estate develops.

As a Crestron Elite Platinum Technology Professional and a Microsoft Gold Partner, proAV is uniquely positioned to assist you on your collaboration journey.






Native Microsoft Teams® Rooms Experience

The Crestron Flex UC-MM30-TI system provides a complete video conference room solution with one-touch meeting joins for Microsoft Teams Rooms. It supports single or dual video displays and features a Crestron Flex tabletop conference device, UC Bracket

Assembly, and a collaboration camera. It can also integrate with a Crestron control system to enable touch screen control of room lighting, motorised window shades, climate control, AV, and other amenities.



MTR Small Room Desktop Version Crestron Flex UC-MM30-T-I

1



High-Definition Video Conferencing

The included collaboration camera (CCS-CAM-USB-F-400) features an ultra wide-angle 150° diagonal field of view to capture an entire conference room in Full HD 1080p video resolution. High precision aspherical optics, 12 MP CMOS sensor, and advanced video processing ensure a clear video image free from light or noise artifacts.

2



Simplified Deployment

The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.


3



Intuitive User Interface with Impressive Audio

With a large 7 in. HD colour touch screen (UC-2-T-I) and an integrated AEC-enabled USB speakerphone that affords full-duplex wideband audio performance. Another 7 in. or 10.1 in. touch screen may be added to the solution as an additional control point for the Microsoft Teams Rooms environment to provide dual control if required.

MTR Small Room Desktop Version + BYOC Crestron Flex UC-MM30-T-I



Native Microsoft Teams® Rooms Experience

The Crestron Flex UC-MM30-T-I system provides a complete video conference room solution with one-touch meeting joins for Microsoft Teams Rooms. It supports single or dual video displays and features a Crestron Flex tabletop conference device, UC Bracket Assembly with UC-ENGINE,

UC Presentation Transmitter, and a collaboration camera. It can also integrate with a Crestron control system to enable touch screen control of room lighting, motorised window shades, climate control, AV, and other amenities.

1



High-Definition Video Conferencing

The included collaboration camera (CCS-CAM-USB-F-400) features an ultra wide-angle 150° diagonal field of view to capture an entire conference room in Full HD 1080p video resolution. High precision aspherical optics, 12 MP CMOS sensor, and advanced video processing ensure a clear video image free from light or noise artifacts.

2



Simplified Deployment

The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.

3



BYOC (Bring Your Own Codec)

Conference room visitors can connect their laptop to the Crestron Flex system to use their own UC conference platform. The UC Presentation Transmitter (UC-PR) switches to the connected laptop's UC platform and returns to the native Microsoft Teams Rooms platform when disconnected.

4



Intuitive User Interface

With a large 7 in. HD colour touch screen (UC-2-T-I) and an integrated AEC-enabled USB speakerphone that affords full-duplex wideband audio performance. Another 7 in. or 10.1 in. touch screen may be added to the solution as an additional control point for the Microsoft Teams Rooms environment to provide dual control if required.


MTR Small / Medium Room Soundbar Version + BYOC Crestron Flex UC-BX30-T



Native Microsoft Teams® Rooms Experience

The Crestron Flex UC-B30-T system provides a complete video conference room solution with one-touch meeting joins for Microsoft Teams Rooms. It supports single or dual video displays and features a 10.1 in. touch screen, UC Bracket Assembly with

UC-ENGINE, and Crestron UC video conference smart soundbar & camera. The touch screen also offers optional control of room lighting, shades, thermostats, and other equipment.



MTR Small / Medium Room Soundbar Version Crestron Flex UC-B30-T

1



High-Definition Video Conferencing

High-quality speakers, microphone, and digital signal processing deliver exceptional full-duplex speakerphone performance from the Crestron UC video conference soundbar and camera (UC-SB1-CAM-FLEX). The built-in conferencing camera captures the room in HD 1080p video resolution and with an ultra-wide 150° diagonal field of view.

2



Simplified Deployment


The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.

3



Intuitive User Interface

With a large 10.1 in. (257 mm) capacitive touch screen display, the Crestron® tabletop touch screen (TS-1070-B-S) provides superior conferencing control in meeting rooms, huddle spaces, and executive offices. Another 7 in. or 10.1 in. touch screen may be added to the solution as an additional control point for the Microsoft Teams Rooms environment to provide dual control if required. Wall mount touch panel also available (UC-B30-T-WM).



Native Microsoft Teams® Rooms Experience

The Crestron Flex UC-BX30-T system provides a complete video conference room solution with one-touch meeting joins for Microsoft Teams Rooms software. It supports single or dual video displays and features a 10.1 in. touch screen, UC Bracket Assembly

with UC-ENGINE, and Crestron UC video conference smart soundbar & camera. The touch screen also offers optional control of room lighting, shades, thermostats, and other equipment.

1



High-Definition Video Conferencing

High-quality speakers, microphone, and digital signal processing deliver exceptional full-duplex speakerphone performance from the Crestron UC video conference soundbar and camera (UC-SB1-CAM-FLEX). The built-in conferencing camera captures the room in HD 1080p video resolution and with an ultra-wide 150° diagonal field of view.

2



Simplified Deployment

The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.

3



BYOC (Bring Your Own Codec)


Conference room visitors can connect their laptop to the Crestron Flex system to use their own UC conference platform. The UC Presentation Transmitter (UC-PR) switches to the connected laptop's UC platform and returns to the native Microsoft Teams Rooms platform when disconnected.

4



Intuitive User Interface


With a large 10.1 in. (257 mm) capacitive touch screen display, the Crestron® tabletop touch screen (TS-1070-B-S) provides superior conferencing control in meeting rooms, huddle spaces, and executive offices. Another 7 in. or 10.1 in. touch screen may be added to the solution as an additional control point for the Microsoft Teams Rooms environment. Wall mount touch panel option also available (UC-BX30-T-WM).



Native Microsoft Teams Rooms™ Software Experience

The UC-M50-T system provides a complete video conference room solution with one-touch meeting joins for Microsoft Teams Rooms software. It supports single or dual video displays, and features the Crestron Flex tabletop conferencing device, UC

Bracket Assembly with UC-ENGINE, a collaboration camera, cables, and power supply. The touch screen also offers optional control of room lighting, shades, thermostats, and other equipment.



MTR Medium Room Desktop Version Crestron Flex UC-M50-T

1



High-Definition Video Conferencing

The included collaboration camera (CCS-CAM-USB-F-400) features an ultra wide-angle 150° diagonal field of view to capture an entire conference room in Full HD 1080p video resolution. High precision aspherical optics, 12 MP CMOS sensor, and advanced video processing ensure a clear video image free from light or noise artifacts.

2



Simplified Deployment

The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.



3



Intuitive User Interface with Impressive Audio

The Crestron Flex Tabletop Conference device (CCS-UC-1-T-V) provides a superior conferencing and collaboration experience with its large 7 in. HD display, integrated 360° quad microphone array, and an AEC-enabled USB speakerphone that supports full-duplex wideband audio performance. Another 7 in. or 10.1 in. touch screen can be added to the solution in order to provide dual control for the Microsoft Teams Rooms software if required.

MTR Medium Room Desktop Version + BYOC Crestron Flex UC-MX50-T



1



High-Definition Video Conferencing

The included collaboration camera (CCS-CAM-USB-F-400) features an ultra wide-angle 150° diagonal field of view to capture an entire conference room in Full HD 1080p video resolution. High precision aspherical optics, 12 MP CMOS sensor, and advanced video processing ensure a clear video image free from light or noise artifacts.

2



Simplified Deployment

The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.

3



BYOC (Bring Your Own Codec)

Conference room visitors can connect their laptop to the Crestron Flex system to use their own UC conference platform. The UC Presentation Transmitter (UC-PR) switches to the connected laptop's UC platform and returns to the native Microsoft Teams Rooms platform when disconnected.

4



Intuitive User Interface with Impressive Audio

The Crestron Flex Tabletop Conference device (CCS-UC-1-T-V) provides a superior conferencing and collaboration experience with its large 7 in. HD display, integrated 360° quad microphone array, and an AEC-enabled USB speakerphone that supports full-duplex wideband audio performance. Another 7 in. or 10.1 in. touch screen may be added to the solution as an additional control point for the Microsoft Teams Rooms environment.

Native Microsoft Teams® Rooms Experience

The UC-MX50-T system provides a complete video conference room solution with one-touch meeting joins for Microsoft Teams Rooms. It supports single or dual video displays, and features the Crestron Flex tabletop conferencing device, UC Bracket


Assembly with UC-ENGINE, a collaboration camera, cables, and power supply. The touch screen also offers optional control of room lighting, shades, thermostats, and other equipment.



Native Microsoft Teams® Rooms Experience

The UC-M70-T system provides a complete video conference room solution with one-touch meeting joins for Microsoft Teams Rooms. It supports single or dual video displays, and features the Crestron Flex tabletop conferencing device, UC Bracket

Assembly with UC-ENGINE, a collaboration camera, cables, and power supply. The touch screen also offers optional control of room lighting, shades, thermostats, and other equipment.



MTR Large Room Desktop Version Crestron Flex UC-M70-T



Smart camera for medium to large rooms

Huddly L1 is a collaboration camera that delivers smart user experiences in large and medium meeting rooms. Designed to make video meetings inclusive and productive for the whole team, it provides instant, responsive framing, and Full-HD video of everyone in the room. Huddly L1 is compact and unobtrusive, with no moving mechanical parts.



Simplified Deployment

The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.



Microphone Pod



The CCS-UCA-MIC is a low-profile extension microphone pod designed exclusively for use with a Crestron Flex Tabletop Conference System. Up to two mic pods may be connected to a single conference device to extend its pickup range to cover large tables. Optionally, two microphone pods may be daisy-chained, or connected to the mic pod ports on the rear of the conference device, using the cables provided with each microphone pod.



Intuitive User Interface with Impressive Audio

The Crestron Flex Tabletop Conference device (CCS-UC-1-T-V) provides a superior conferencing and collaboration experience with its large 7 in. HD display, integrated 360° quad microphone array, and an AEC-enabled USB speakerphone that supports full-duplex wideband audio performance. Another 7 in. or 10.1 in. touch screen may be added to the solution as an additional control point for the Microsoft Teams Rooms environment.

MTR Large Room Desktop Version + BYOC Crestron Flex UC-MX70-T



Native Microsoft Teams Rooms™ Software Experience

The Crestron Flex UC-MX70-T system provides a video conference room solution with one-touch meeting joins for Microsoft Teams Rooms. It supports single or dual video displays, and features the Crestron Flex tabletop

conferencing device, UC Bracket Assembly, an enterprise-grade camera, mic pod, cables, and power supply. The touch screen also offers optional control of room lighting, shades, thermostats, and other equipment.



Smart camera for medium to large rooms

Huddly L1 is a collaboration camera that delivers smart user experiences in large and medium meeting rooms. Designed to make video meetings inclusive and productive for the whole team, it provides instant, responsive framing, and Full-HD video of everyone in the room. Huddly L1 is compact and unobtrusive, with no moving mechanical parts.



Simplified Deployment

The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.



BYOC (Bring Your Own Codec)

Conference room visitors can connect their laptop to the Crestron Flex system to use their own UC conference platform. The UC Presentation Transmitter (UC-PR) switches to the connected laptop's UC platform and returns to the Microsoft Teams Rooms platform when disconnected.



Microphone Pod

The CCS-UCA-MIC is a low-profile extension microphone pod designed exclusively for use with a Crestron Flex Tabletop Conference System. Up to two mic pods may be connected to a single conference device to extend its pickup range to cover large tables. Optionally, two microphone pods may be daisy-chained, or connected to the mic pod ports on the rear of the conference device, using the cables provided with each microphone pod.




Intuitive User Interface with Impressive Audio

The Crestron Flex Tabletop Conference device (CCS-UC-1-T-X) provides a superior conferencing and collaboration experience with its large 7 in. HD display, integrated 360° quad microphone array, and an AEC-enabled USB speakerphone that supports full-duplex wideband audio performance. Another 7 in. or 10.1 in. touch screen can be added to the solution in order to provide dual control for the Microsoft Teams Rooms if required.


Native Microsoft Teams® Rooms Experience

The Crestron Flex UC-CX100-T system provides a customizable conference room solution for use with one-touch meeting joins for Microsoft Teams Rooms using your choice of display devices, cameras, speakers, microphones, and other AV equipment. Any Microsoft Teams Rooms compliant USB camera and

USB audio conferencing interface (or speakerphone) may be used. It supports single or dual video displays and features a 10.1 in. touch screen, UC Presentation Transmitter and UC Bracket Assembly. The touch screen also offers optional control of room lighting, shades, thermostats, and other equipment.



MTR Custom Room Version (+ 3rd party Audio system and camera) Crestron Flex UC-C100-T



1



High-Definition Video Conferencing

The included collaboration camera (CCS-CAM-USB-F-400) features an ultra wide-angle 150° diagonal field of view to capture an entire conference room in Full HD 1080p video resolution. High precision aspherical optics, 12 MP CMOS sensor, and advanced video processing ensure a clear video image free from light or noise artifacts.

2



Simplified Deployment

The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.

3



Shure MXA Series

Choose between the following 3rd party audio devices: MXA910 Ceiling Array Microphone, MXA710 Linear Array Microphone or the MXA310 Table Array Microphone. (Certified for Teams).


4



Intuitive User Interface

With a large 10.1 in. capacitive touch screen display, the Crestron® tabletop touch screen (TS-1070-B-S) provides superior conferencing control in meeting rooms, huddle spaces, and executive offices. Another 7 in. or 10.1 in. touch screen can be added to the solution in order to provide dual control for the Microsoft Teams Rooms software if required. Wall mount touch panel also available (UC-C100-T-WM).

MTR Custom Room Version + BYOC + 3rd party Audio system and camera Crestron Flex UC-CX100-T



1



High-Definition Video Conferencing

The included collaboration camera (CCS-CAM-USB-F-400) features an ultra wide-angle 150° diagonal field of view to capture an entire conference room in Full HD 1080p video resolution. High precision aspherical optics, 12 MP CMOS sensor, and advanced video processing ensure a clear video image free from light or noise artifacts.

2



Simplified Deployment

The UC Bracket Assembly (UC-BRKT-200-S-T-ASSY) with UC-ENGINE provides preassembled components on one ready-to-mount bracket to simplify installation. The assembly can be mounted on a wall, or it can be attached to the rear of the display device. Crestron's direct connection method further simplifies installation with a single connection from the touch screen to the UC Bracket Assembly.

3



BYOC (Bring Your Own Codec)

Conference room visitors can connect their laptop to the Crestron Flex system to use their own UC conference platform. The UC Presentation Transmitter (UC-PR) switches to the connected laptop's UC platform and returns to the Microsoft Teams Rooms platform when disconnected.

4



Shure MXA Series

Choose between the following 3rd party audio devices: MXA910 Ceiling Array Microphone, MXA710 Linear Array Microphone or the MXA310 Table Array Microphone. (Certified for Microsoft Teams).

5




Intuitive User Interface

With a large 10.1 in. capacitive touch screen display, the Crestron® tabletop touch screen (TS-1070-B-S) provides superior conferencing control in meeting rooms, huddle spaces, and executive offices. Another 7 in. or 10.1 in. touch screen can be added to the solution in order to provide dual control for the Microsoft Teams Rooms software if required. Wall mount touch panel also available (UC-C100-T-WM).

Native Microsoft Teams® Rooms Experience

The Crestron Flex UC-CX100-T system provides a customisable conference room solution for use with one-touch meeting joins for Microsoft Teams Rooms platform using your choice of display devices, cameras, speakers, microphones, and other AV

equipment. Any Microsoft Teams Rooms compliant USB camera and USB audio conferencing interface (or speakerphone) may be used. It supports single or dual video displays and features a 10.1 in. touch screen, UC Presentation Transmitter and UC Bracket Assembly.



Microsoft Teams Panels provide users native experience with the ability to view space and meeting details, reserve a space, view upcoming reservations, and easily identify current availability status. Built on Crestron touch screen hardware, they deliver sharp screen resolution, a full range of security standards, and simple PoE installation. Have a Crestron 70 Series Scheduling Touch Screen? Upgrade today to a native Teams Panels experience with a simple software update.


Crestron Touch Screen

- > Quickly locate available rooms
- > Proximity sensor awakens screen upon approach for a touchless experience
- > Sharp screen resolution communicates with perfect clarity
- > Install in minutes with single PoE + cable
- > Web-based setup – no programming required
- > Supports full range of security standards

Microsoft Teams Panels


- > Reserve rooms from the mobile app, at your desk, or on the spot
- > See the day's schedule, plus each room's availability and cleanliness status
- > Confirm the right room and attendees
- > Expand functionality via integration of third-party apps (catering, floorplans, concierge, support)

Find your ideal room scheduling solution from an unequalled selection of options



Room Availability Indicators

Illuminated signage makes it easy to find the right space at the right time



Mounting Options

Optional kits to secure panels to almost any surface



PoE Occupancy Sensors

Communicates via network to instantly update room status

CCS-UCA-SMK

Swivel Mount Kit for CCS-UC-1

Key Features:

- > The CCS-UCA-SMK is a low-profile swivel mount accessory for the Crestron Mercury™ Tabletop Conference System (model CCS-UC-1). It provides a means for permanently mounting the device to a tabletop surface while retaining the ability to rotate it for optimal positioning. The swivel range can be customised using optional limit screws, with a maximum of approximately 180-degree rotation allowed.
- > The swivel mount may be installed on any flat, level surface with a thickness of 1 inch (25 mm) minimum to 1-3/8 inch (35 mm) maximum. Wiring is routed through the centre of the swivel mount, passing beneath the mounting surface for a completely hidden appearance.



Key Features:

The Crestron® UCA-MSKR-UC2-3 is a low-profile swivel mount cable retractor for Crestron Flex Advanced Tabletop Small Room Conference Systems (UC-MMX30 series). It provides a means for permanently mounting the tabletop conference device to a table. The UCA-SMKR-UC2-3 rotates up to 170° and retracts the installed cables for easy cleanup.

The installed cables support Bring Your Own Device (BYOD) connectivity above the table and UC-PR (included with the UC-MMX30 series) connections below the table.

When pulled out to their full extended length, the USB-A to Micro USB-B, HDMI®, and USB-C® cables lay on top of the table without retracting back below. To retract an extended cable, gently tug and release it.

The swivel mount cable retractor may be installed on any flat, level surface with a thickness of .75 in. (19 mm) minimum to 1.5 in. (38 mm) maximum.

UCA-SMKR-UC2-3

Swivel Mount Cable Retractor for Crestron Flex Advanced Tabletop Small Room Conference System

Bring your own meeting—anywhere:

With AirMedia® wireless conferencing technology you can transform any space into a high quality conferencing space. Whether you're in a huddle room, lounge, or mixed use room, it's easy to present, share and host a meeting from any device

It's easy to connect and present—for everyone:

No cables. One interface in every room, on every device. AirMedia® wireless presentation technology makes it simple for everyone, staff or guest, to connect instantly and bring meetings to life flawlessly from any device.

Ensure everyone gets the message—everywhere:

Manage all of your organisational messaging from one singular location. Events, HR notifications corporate communications can be pushed to any display anywhere

A solution for today's workplace:

AirMedia technology makes it simple for anyone to connect instantly and present confidently from any device.

AM-3100-WF-I
AirMedia® Series 3 Receiver 100 with
Wi-Fi® Network Connectivity



*License required

Ensure everyone gets the message—everywhere:

Key Features:

- > Complete room solution enables secure wireless AirMedia® presentation from laptops, smartphones, tablet devices and AirMedia Connect Adapters
- > Enables smart automation via intelligent display control, personal device control, occupancy detection and integration into a broader connected ecosystem
- > Enterprise-grade security and content encryption protects privacy and ensures compliance with IT policies
- > XiO Cloud® service support for remote provisioning and management
- > Integrates with Appspace® digital signage software platform for content display
- > AirMedia Canvas enables content sharing of two simultaneous sources for multi-user collaboration. Additional sources will be supported with a software license (sold separately, coming soon)
- > Wireless conferencing and presentation allows for collaboration with in-room and remote participants (license required, coming soon)
- > Integrates with optional Kaptivo® Whiteboard Device to display and share whiteboard content (coming soon)

AirMedia® Receiver
AM-3100-WF-I



AirMedia® Receiver
AM-3200-WF-I



AirMedia Connect Presentation
Adaptor AM-TX3-100
(coming soon)



*The AirMedia® Series 3 Receiver 100 (AM-3100-WF) enables secure wireless collaboration in the modern digital workspace. Easy to deploy and manage, install the Receiver in conference rooms, huddle rooms, lounges, lobbies or almost any space to establish a productive meeting environment.



AM-3100-WF-I
AirMedia® Series 3 Receiver 200

Ensure everyone gets the message—everywhere:

Key Features:

- > Complete room solution enables secure presentation from laptops, smartphones and tablet devices using either a wired HDMI® connection or a wireless AirMedia® connection
- > Integration friendly features such as HDMI® input, dual LAN, balanced audio output and display control via RS-232 and IR
- > Enables smart automation via intelligent display control, personal device control, occupancy detection and integration into a broader connected ecosystem
- > Enterprise-grade security and content encryption protects privacy and ensures compliance with IT policies
- > XiO Cloud® service support for remote provisioning and management
- > Integrates with Appspace® digital signage software platform for content display
- > AirMedia Canvas enables content sharing of two simultaneous sources for multi-user collaboration. Additional sources will be supported with a software license (sold separately, coming soon)
- > Wireless conferencing and presentation allows for collaboration with in-room and remote participants (license required, coming soon)
- > Integrates with optional Kaptivo® Whiteboard Device to display and share whiteboard content (coming soon)




*License required

*The AirMedia® Series 3 Receiver 200 (AM-3200) enables secure wireless collaboration in the modern digital workspace. Easy to deploy and manage, install the Receiver in conference rooms, huddle rooms, lounges, lobbies or almost any space to establish a productive meeting environment.



Desk Phones and Audio Conferencing Devices

Audio Desk Phones Crestron Flex P Series



UC-P8-T-I
8" Audio Desk Phone
(without handset)



UC-P8-T-HS-I
8" Audio Desk Phone
(with handset)



UC-P10-T-I
8" Audio Desk Phone
(without handset)




UC-P10-T-HS-I
8" Audio Desk Phone
(with handset)

Key Features Across Range

- Native Microsoft Teams® touch screen UX with simple operation and one-touch meeting joins
- Dedicated Microsoft Teams button
- Wideband HD voice quality
- Hearing aid compatible handset
- Wired or Bluetooth® enabled headset support
- Easy to specify and install — no custom design, programming, or software installation required
- Enterprise-grade security — connects and communicates securely over any enterprise or SMB network
- Network management and provisioning and system alerts through the XiO Cloud® service

Crestron Tabletop Audio Conferencing Devices



UC-P8-T-C-I
8" Video Desk Phone
(without handset)



UC-P8-T-C-HS-I
8" Video Desk Phone with
handset, built-in, wide-angle Full
HD 1080p video camera



UC-P8-T-C-I
8" Video Desk Phone
(without handset)



UC-P8-T-C-HS-I
8" Video Desk Phone with
handset, built-in, wide-angle Full
HD 1080p video camera

Key Features Across Range

- Native Microsoft Teams® touch screen UX with simple operation and one-touch meeting joins
- Dedicated Microsoft Teams button
- Wideband HD voice quality
- Hearing aid compatible handset
- Wired or Bluetooth® enabled headset support
- Easy to specify and install – no custom design, programming, or software installation required
- Enterprise-grade security – connects and communicates securely over any enterprise or SMB network
- Network management and provisioning and system alerts through the XiO Cloud® service

Video Desk Phones Crestron Flex P Series



Ideal speakerphone for Home Office environments



UC-MM30-R-I

- Tabletop conference device for Crestron Home™ OS
- Simple, familiar UI consistent with mobile devices and touch screens running the Crestron Home app
- Large 7" Colour Touch Screen
- Seamless audio conferencing from a connected computer
- Sonos® app integration
- Simple installation – no custom design, programming, or software installation required
- Power over Ethernet+
- Ethernet or dual-band Wi-Fi® communications
- Robust network security
- Integrated AEC-enabled USB speakerphone
- Automatic gain control, dynamic noise reduction, acoustic echo cancellation
- 360° Audio – 3M pickup


Brings the full Microsoft Teams Rooms UC experience to any meeting space in an enterprise or SMB facility



UC-MM30-TA-I

- Native Microsoft Teams Rooms touch screen UI provides a consistent user experience with simple operation and one-touch meeting joins
- Large 7" Colour Touch Screen
- Complete kit contains the Crestron tabletop conference device and PoE injector
- Easy to specify and install – no custom design, programming, or software installation required
- Network management and provisioning and system alerts through the XiO Cloud® service
- Premium-level support with Crestron Flex Care (optional)
- Enterprise-grade security - connects and communicates securely over any enterprise or SMB network
- Dual-band Wi-Fi® connectivity
- 360° Audio – 3M pickup

Crestron XIO CLOUD™



Manage remotely:


Update settings and firmware remotely

- Change setting once, update everywhere immediately
- Update firmware on all devices at once – security fixes in minutes
- Cloud audit logs enable quick problem identification and solution

Monitor instantly:



Instant notification and remote implementation

- View live status of thousands of devices from anywhere at any time
- Know of any change on a device within seconds
- No need for extra configuration tools



Workplace Analytics:

Understand how spaces are being used, and by how many people. Workplace analytics will provide enhanced dashboards allowing you to best understand how rooms and systems are being used. These include system usage versus occupancy, and new people counting and room capacity functionality.





www.proav.com
uc@proav.com

PROAV®