



**GL505** 

# Waterproof shadow tracking device with more than 1800 days battery life

**-:**)

11-11 | 140g (4.94oz)

118 x 69.5 x 26.8mm 4.65"(L) x 2.7"(W) x 1.0"(H)

| -20°C ~ +60°C

CR123A Lithium Manganese Dioxide Battery Pack, 1500 mAh, 9V

#### **Standby Time:**

\* Rapid Installation

**Covert Install** 

IPX7 Waterproof

Power Saving Mode

Continuous Mode

OTA Control

Scheduled Timing Report

## Geo-fences

Motion Detection

Wakeup Report

Low Power Alarm

Up to 3000 Buffer Messages

The GL505 is a product designed for high-value static asset tracking. It features up to 5-year standby time meaning that fit and forget installation leaves users safe in the knowledge that the product will continue to monitor the asset over a long period. Furthermore, its robust waterproof casing makes it ideal for harsh environments. The unique casing design allows rapid, flexible and low-cost installations meaning it can simply be placed with cargo, fixed with four spikes, or set using the optional magnetic holder kit.



#### **GL505**

GNSS Type Region Operating Band Position Accuracy (CEP) Certificate u-blox All-in-One Worldwide GSM 850/900/1800/1900 MHz CE/FCC Autonomous: < 2.5m GNSS receiver

# **Optional Accessory**



### Interfaces

GSM Antenna	Internal only
GNSS Antenna	Internal only
LED Indicators	GSM, GNSS, battery status
Serial Port	Internal 8 pin connector for upgrading and debugging

#### **Air Interface Protocol**

@Track protocol command
Simple SMS command
TCP, UDP, SMS
Power saving mode, for long standby time
Continuous mode, for emergency tracking
Report position and status at preset time intervals
Support up to 5 internal geo-fence regions
Alarm when battery is low
Motion alarm trigger and optional change of working mode
Report when the device wakes up

### **Accessories**



## **GL505 Magnet Kit**

High quality magnetic holder for GL505 casing



# **GL505 Lithium Battery Pack 3-Cells**

GP3CR123A-G Lithium Battery Pack 1500mAh 9V 13.5WH 3-Cells