



“To provide effective solutions through innovative products and high quality service.”

2015

www.quickscrews.com

Table Of Contents

Terms & Conditions

page 02

Assembly Screws

Includes - Cabinet Assembly Screws, Funnel Head Screws, Conformat Screws, Decking Screws

page 03

Installation Screws

page 06

Pocket Hole Screws

page 07

Drawer Front Adjusting Screws and Drywall Screws

page 08

Hardware Screws

Includes - Drawer Slide Screws, Hinge Screws, Edge Screws, Twinfast Screws, Sheet Metal Screws, Machine Screws

page 09

Drive Bits

page 14

Magnetic Bit Holders and Accessories

Includes - Magnetic Bit Holders, Magnetic Nut Setters, Eye Lag Drivers, Hanger Bolt Drivers, Hex Extensions

page 16

Specialty Products

Includes - Corian Sink Hardware, Wall Anchors, Finish Washers, Draw Bolts, Bit Kits, Screw Finder/Driver, and more

page 17

About Us

page 18



Terms & Conditions

Pricing:

We make every effort to ensure that all the information contained within our price lists and quotes are complete and accurate. Quickscrews International Corporation reserves the right to make any changes or corrections to any information which may have been published in error. Part numbers, quantities, and weights are subject to change without notice.

Freight Policy:

All orders are FOB shipping origin. We reserve the right to ship orders from any of our warehouse locations at our discretion.

We offer our Distributor Partners the benefit of the only No Minimum "Drop-Ship" policy in our industry.

Drop shipped orders will not be billed 3rd party or freight collect. Note that shipments made to branch locations within your own company are not deemed to be "drop shipments" but normal orders.

All Online Orders are subject to a \$2.00 handling charge.

Notification of Errors:

Shipping errors must be documented in writing to our Customer Service department within 5 days of receipt of merchandise. We must be notified of any shortages within 5 days of receipt of merchandise. Shortages will not be credited unless noted on trucking company bill of lading at time of delivery. All requests need to be in writing. You may e-mail to: jwiener@quickscrews.com or fax to: 925-371-8267.

Returns:

All returns must have an RGA issued to receive credit. All products that are not deemed defective must be returned within 30 days of Invoice date. Returns can be subject up to a 30% Restocking charge. All requests must be in writing. You may request a return by e-mail to: jwiener@quickscrews.com or fax to: 925-371-8267

Carton Quantities/Weights:

We make every effort to ensure the published carton quantities and weights are accurate, but make no guarantees and such information is subject to change without notice.

Pack Quantities/Weights:

We make every effort to ensure the published pack quantities, packs per case, and weights are accurate, but make no guarantees and such information is subject to change without notice. We reserve the right to ship pack orders to the nearest full case quantities.

Warranty:

All products are produced to standard and commercial tolerances. We warranty products to be free from defects in materials and manufacturing. When we have determined that a product is defective, it will be replaced. At our discretion, a credit may be issued instead of replacement. Our liability is limited to the cost of the defective product only. No other warranty is implied.

Liability:

The customer shall be responsible for testing and verifying the suitability of the product for intended use. No warranty for intended use is implied. The customer assumes all risk and liability. Our only obligation is replacement or credit for product proven defective. We shall not be deemed liable for any loss or damage that may occur from the use or inability to use the product.

Assembly Screws - Cabinet Assembly Screws



Flat Head, Coarse Thread

| Size | Length | Drive | Nibs | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|----------|------|-----------|--------|--------------|--------------|------------|
| #8 | 3/4" | Torx | Yes | Yes | Zinc | 13967 12,000 | 13967M 1,000 | 13967C 100 |
| #8 | 1" | Combo | No | No | Plain | 9815 10,000 | 6093 1,000 | 7605 100 |
| #8 | 1" | Combo | Yes | Yes | Black | 1246 11,000 | 2783 1,000 | 7596 100 |
| #8 | 1" | Combo | Yes | Yes | Zinc | 1245 11,000 | 2477 1,000 | 7585 100 |
| #8 | 1" | Combo | Yes | Double | Plain | 9020 11,000 | 9164 1,000 | 9165 100 |
| #8 | 1" | Combo | Yes | Double | Zinc | 9021 11,000 | 9120 1,000 | 9121 100 |
| #8 | 1" | Phillips | No | No | Black | 4732 10,000 | 5798 1,000 | 7521 100 |
| #8 | 1" | Phillips | No | No | Zinc | 129 10,000 | 5791 1,000 | 7510 100 |
| #8 | 1" | Phillips | Yes | No | Zinc | 136 11,000 | 1177 1,000 | 7550 100 |
| #8 | 1" | Phillips | Yes | Yes | Black | 10900 11,000 | 10909 1,000 | 10981 100 |
| #8 | 1" | Phillips | Yes | Yes | Zinc | 9005 11,000 | 9124 1,000 | 9136 100 |
| #8 | 1" | Phillips | Yes | Double | Plain | 7328 11,000 | 7738 1,000 | 7760 100 |
| #8 | 1" | Phillips | Yes | Double | Zinc | 7316 11,000 | 7717 1,000 | 7749 100 |
| #8 | 1" | Square | No | No | Black | 179 10,000 | 5828 1,000 | 7576 100 |
| #8 | 1" | Square | No | No | Zinc | 4954 10,000 | 12522 1,000 | 15018 100 |
| #8 | 1" | Square | Yes | Yes | Black | 11946 11,000 | 11954 1,000 | 11961 100 |
| #8 | 1" | Square | Yes | Yes | Zinc | 12613 11,000 | 12657 1,000 | 12920 100 |
| #8 | 1" | Torx | Yes | Yes | Zinc | 13968 10,000 | 13968M 1,000 | 13968C 100 |
| #8 | 1-1/8" | Phillips | Yes | Yes | Black | 13363 10,000 | 13405 1,000 | -- -- |
| #8 | 1-1/8" | Phillips | Yes | Yes | Zinc | 13362 10,000 | 13404 1,000 | 13482 100 |
| #8 | 1-1/8" | Square | Yes | Yes | Black | 13361 10,000 | 13403 1,000 | -- -- |
| #8 | 1-1/8" | Square | Yes | Yes | Zinc | 13360 10,000 | 13377 1,000 | -- -- |
| #8 | 1-1/4" | Combo | No | No | Plain | 9816 9,000 | 6094 1,000 | 7606 100 |
| #8 | 1-1/4" | Combo | Yes | Yes | Black | 1249 9,000 | 2784 1,000 | 7597 100 |
| #8 | 1-1/4" | Combo | Yes | Yes | Zinc | 1247 9,000 | 2478 1,000 | 7586 100 |
| #8 | 1-1/4" | Combo | Yes | Double | Plain | 5440 9,000 | 6024 1,000 | 7567 100 |
| #8 | 1-1/4" | Combo | Yes | Double | Zinc | 3122 9,000 | 5562 1,000 | 7558 100 |
| #8 | 1-1/4" | Phillips | No | No | Black | 4733 9,000 | 5799 1,000 | 7522 100 |
| #8 | 1-1/4" | Phillips | No | No | Plain | 3971 9,000 | 5573 1,000 | 7534 100 |
| #8 | 1-1/4" | Phillips | No | No | Zinc | 130 9,000 | 5792 1,000 | 7511 100 |
| #8 | 1-1/4" | Phillips | Yes | No | Zinc | 137 9,000 | 1178 1,000 | 7551 100 |
| #8 | 1-1/4" | Phillips | Yes | Yes | Black | 10901 9,000 | 10910 1,000 | 10982 100 |
| #8 | 1-1/4" | Phillips | Yes | Yes | Zinc | 9006 9,000 | 9126 1,000 | 9137 100 |
| #8 | 1-1/4" | Phillips | Yes | Double | Plain | 7329 9,000 | 7739 1,000 | 7762 100 |
| #8 | 1-1/4" | Phillips | Yes | Double | Zinc | 7317 9,000 | 7718 1,000 | 7750 100 |
| #8 | 1-1/4" | Square | No | No | Black | 185 9,000 | 5829 1,000 | 7578 100 |
| #8 | 1-1/4" | Square | No | No | Zinc | 4955 9,000 | 12523 1,000 | 15019 100 |
| #8 | 1-1/4" | Square | Yes | Yes | Black | 11947 9,000 | 11955 1,000 | 11962 100 |
| #8 | 1-1/4" | Square | Yes | Yes | Zinc | 12614 9,000 | 12658 1,000 | 12921 100 |
| #8 | 1-1/4" | Torx | Yes | Yes | Zinc | 13970 9,000 | 13970M 1,000 | 13970C 100 |
| #8 | 1-3/8" | Phillips | Yes | Double | Zinc | 14814 8,000 | 15293 1,000 | -- -- |

All Torx Assembly Screws Include Free Torx T20 Insert Bit
Double T17 Point Represents Quickcutter™ Thread

Flat Head, Coarse Thread

| Size | Length | Drive | Nibs | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|----------|------|-----------|--------|-------------|--------------|------------|
| #8 | 1-1/2" | Combo | No | No | Plain | 9817 7,000 | 6095 1,000 | 7607 100 |
| #8 | 1-1/2" | Combo | Yes | Yes | Black | 1251 7,000 | 2785 1,000 | 7598 100 |
| #8 | 1-1/2" | Combo | Yes | Yes | Zinc | 1250 7,000 | 2482 1,000 | 7587 100 |
| #8 | 1-1/2" | Combo | Yes | Double | Plain | 5441 7,000 | 6025 1,000 | 7568 100 |
| #8 | 1-1/2" | Combo | Yes | Double | Zinc | 3123 7,000 | 5563 1,000 | 7560 100 |
| #8 | 1-1/2" | Phillips | No | No | Black | 7975 7,000 | 5800 1,000 | 7523 100 |
| #8 | 1-1/2" | Phillips | No | No | Plain | 3972 7,000 | 5574 1,000 | 7535 100 |
| #8 | 1-1/2" | Phillips | No | No | Zinc | 131 7,000 | 5793 1,000 | 7512 100 |
| #8 | 1-1/2" | Phillips | Yes | No | Zinc | 138 7,000 | 1179 1,000 | 7552 100 |
| #8 | 1-1/2" | Phillips | Yes | Yes | Black | 10902 7,000 | 10911 1,000 | 10983 100 |
| #8 | 1-1/2" | Phillips | Yes | Yes | Zinc | 9007 7,000 | 9127 1,000 | 9138 100 |
| #8 | 1-1/2" | Phillips | Yes | Double | Plain | 7330 7,000 | 7740 1,000 | 7763 100 |
| #8 | 1-1/2" | Phillips | Yes | Double | Zinc | 7318 7,000 | 7719 1,000 | 7751 100 |
| #8 | 1-1/2" | Square | No | No | Black | 186 7,000 | 5830 1,000 | 7579 100 |
| #8 | 1-1/2" | Square | No | No | Zinc | 4956 7,000 | 12524 1,000 | 15020 100 |
| #8 | 1-1/2" | Square | Yes | Yes | Black | 11948 7,000 | 11956 1,000 | 11963 100 |
| #8 | 1-1/2" | Square | Yes | Yes | Zinc | 12615 7,000 | 12659 1,000 | 12922 100 |
| #8 | 1-1/2" | Torx | Yes | Yes | Zinc | 13972 7,000 | 13972M 1,000 | 13972C 100 |
| #8 | 1-5/8" | Combo | Yes | Yes | Black | 1253 6,000 | 2786 1,000 | 7599 100 |
| #8 | 1-5/8" | Combo | Yes | Yes | Zinc | 1252 6,000 | 2483 1,000 | 7588 100 |
| #8 | 1-5/8" | Combo | Yes | Double | Zinc | 3124 6,000 | 5564 1,000 | 7561 100 |
| #8 | 1-5/8" | Phillips | No | No | Black | 10564 5,000 | 11198 1,000 | 11272 100 |
| #8 | 1-5/8" | Phillips | No | No | Plain | 4426 5,000 | 5575 1,000 | 7536 100 |
| #8 | 1-5/8" | Phillips | No | No | Zinc | 7125 5,000 | 7809 1,000 | -- -- |
| #8 | 1-5/8" | Phillips | Yes | No | Zinc | 139 6,000 | 1180 1,000 | 7553 100 |
| #8 | 1-5/8" | Phillips | Yes | Yes | Black | 10903 6,000 | 10912 1,000 | 10984 100 |
| #8 | 1-5/8" | Phillips | Yes | Yes | Zinc | 9008 6,000 | 9128 1,000 | 9139 100 |
| #8 | 1-5/8" | Phillips | Yes | Double | Plain | 7331 6,000 | 7741 1,000 | 7764 100 |
| #8 | 1-5/8" | Phillips | Yes | Double | Zinc | 7319 6,000 | 7720 1,000 | 7752 100 |
| #8 | 1-5/8" | Square | No | No | Zinc | 5876 5,000 | 12525 1,000 | 15021 100 |
| #8 | 1-5/8" | Square | Yes | Yes | Black | 11949 6,000 | 11957 1,000 | 11964 100 |
| #8 | 1-5/8" | Square | Yes | Yes | Zinc | 12616 6,000 | 12660 1,000 | 12923 100 |
| #8 | 1-3/4" | Combo | No | No | Plain | 9818 5,000 | 6096 1,000 | 7608 100 |
| #8 | 1-3/4" | Combo | Yes | Yes | Black | 10115 5,000 | 10132 1,000 | 10481 100 |
| #8 | 1-3/4" | Combo | Yes | Yes | Zinc | 12800 5,000 | 12801 1,000 | 14342 100 |
| #8 | 1-3/4" | Combo | Yes | Double | Plain | 5442 5,000 | 6026 1,000 | 7569 100 |
| #8 | 1-3/4" | Combo | Yes | Double | Zinc | 5453 5,000 | 5565 1,000 | 7562 100 |
| #8 | 1-3/4" | Phillips | No | No | Black | 4735 4,000 | 5801 1,000 | 7524 100 |
| #8 | 1-3/4" | Phillips | No | No | Plain | 3973 5,000 | 5576 1,000 | 7537 100 |
| #8 | 1-3/4" | Phillips | No | No | Zinc | 132 5,000 | 5794 1,000 | 7513 100 |
| #8 | 1-3/4" | Phillips | Yes | Yes | Black | 10904 5,000 | 10913 1,000 | 10985 100 |

All Torx Assembly Screws Include Free Torx T20 Insert Bit
Double T17 Point Represents Quickcutter™ Thread



The original Quickscrews design, the assembly screws have a deep coarse thread for extra holding power and are heat-treated for added strength. The type 17 auger point allows for quicker starting, while the nibs under the head help countersink screws to sit flush. Available in a wide range of sizes, drives and finishes.

When working with hardwood assembly applications, our patented Quickcutter™ thread is your best option because the type 17 point and extra slot in the thread allows the screws to be driven without pre-drilling a pilot hole; less torque is required to drive the screws; and the extra coarse thread provides great holding power. The Quickcutter™ is designed to force the wood dust up and out of the hole, eliminating the need to back the screw out and re-drive it.

Assembly Screws - Cabinet Assembly Screws

Flat Head, Coarse Thread

| Size | Length | Drive | Nibs | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|----------|------|-----------|--------|-------------|--------------|------------|
| #8 | 1-3/4" | Phillips | Yes | Yes | Zinc | 9009 5,000 | 9129 1,000 | 9140 100 |
| #8 | 1-3/4" | Phillips | Yes | Double | Plain | 7332 5,000 | 7742 1,000 | 7765 100 |
| #8 | 1-3/4" | Phillips | Yes | Double | Zinc | 7320 5,000 | 7721 1,000 | 7753 100 |
| #8 | 1-3/4" | Square | No | No | Black | 187 5,000 | 5831 1,000 | 7580 100 |
| #8 | 1-3/4" | Square | No | No | Zinc | 4957 5,000 | 12526 1,000 | 15022 100 |
| #8 | 1-3/4" | Square | Yes | Yes | Black | 12802 5,000 | 12803 1,000 | -- -- |
| #8 | 1-3/4" | Square | Yes | Yes | Zinc | 12617 5,000 | 12661 1,000 | 12924 100 |
| #8 | 1-3/4" | Torx | Yes | Yes | Zinc | 13974 5,000 | 13974M 1,000 | 13974C 100 |
| #8 | 2" | Combo | No | No | Plain | 9819 4,000 | 6097 1,000 | 7609 100 |
| #8 | 2" | Combo | Yes | Yes | Black | 1255 4,000 | 2787 1,000 | 7600 100 |
| #8 | 2" | Combo | Yes | Yes | Zinc | 1254 4,000 | 2484 1,000 | 7589 100 |
| #8 | 2" | Combo | Yes | Double | Plain | 5443 4,000 | 6027 1,000 | 7570 100 |
| #8 | 2" | Combo | Yes | Double | Zinc | 3125 4,000 | 5566 1,000 | 7563 100 |
| #8 | 2" | Phillips | No | No | Black | 4736 4,000 | 5802 1,000 | 7525 100 |
| #8 | 2" | Phillips | No | No | Plain | 3974 4,000 | 5577 1,000 | 7538 100 |
| #8 | 2" | Phillips | No | No | Zinc | 133 4,000 | 5795 1,000 | 7514 100 |
| #8 | 2" | Phillips | Yes | No | Zinc | 140 4,000 | 1181 1,000 | 7554 100 |
| #8 | 2" | Phillips | Yes | Yes | Black | 10905 4,000 | 10914 1,000 | 10986 100 |
| #8 | 2" | Phillips | Yes | Yes | Zinc | 9010 4,000 | 9131 1,000 | 9141 100 |
| #8 | 2" | Phillips | Yes | Double | Plain | 7333 4,000 | 7743 1,000 | 7766 100 |
| #8 | 2" | Phillips | Yes | Double | Zinc | 7322 4,000 | 7722 1,000 | 7755 100 |
| #8 | 2" | Square | No | No | Black | 188 4,000 | 5832 1,000 | 7581 100 |
| #8 | 2" | Square | No | No | Zinc | 4958 4,000 | 12527 1,000 | 15023 100 |
| #8 | 2" | Square | Yes | Yes | Black | 11950 4,000 | 11958 1,000 | 11965 100 |
| #8 | 2" | Square | Yes | Yes | Zinc | 12618 4,000 | 12662 1,000 | 12925 100 |
| #8 | 2" | Torx | Yes | Yes | Zinc | 13975 4,000 | 13975M 1,000 | 13975C 100 |
| #8 | 2-1/4" | Combo | No | No | Plain | 9820 3,000 | 6098 1,000 | 7610 100 |
| #8 | 2-1/4" | Combo | Yes | Yes | Black | 5447 3,000 | 5700 1,000 | 7601 100 |
| #8 | 2-1/4" | Combo | Yes | Yes | Zinc | 5448 3,000 | 5580 1,000 | 7590 100 |
| #8 | 2-1/4" | Combo | Yes | Double | Plain | 5444 3,000 | 6028 1,000 | 7571 100 |
| #8 | 2-1/4" | Phillips | No | No | Black | 7126 3,000 | 11273 1,000 | -- -- |
| #8 | 2-1/4" | Phillips | Yes | Yes | Black | 10906 3,000 | 10915 1,000 | 10987 100 |
| #8 | 2-1/4" | Phillips | Yes | Yes | Zinc | 9011 3,000 | 9132 1,000 | 9142 100 |
| #8 | 2-1/4" | Phillips | Yes | Double | Plain | 7334 3,000 | 7744 1,000 | -- -- |
| #8 | 2-1/4" | Phillips | Yes | Double | Zinc | 7323 3,000 | 7723 1,000 | 7761 100 |
| #8 | 2-1/4" | Square | Yes | Yes | Black | 12804 3,000 | 12805 1,000 | 15479 100 |
| #8 | 2-1/4" | Square | Yes | Yes | Zinc | 12619 3,000 | 12663 1,000 | 12926 100 |
| #8 | 2-1/4" | Torx | Yes | Yes | Zinc | 13976 3,000 | 13976M 1,000 | 13976C 100 |
| #8 | 2-1/2" | Combo | No | No | Plain | 9821 2,500 | 6099 500 | 7611 50 |
| #8 | 2-1/2" | Combo | Yes | Double | Plain | 5445 2,500 | 6029 500 | 7572 50 |
| #8 | 2-1/2" | Combo | Yes | Double | Zinc | 5896 2,500 | 6044 500 | 7565 50 |
| #8 | 2-1/2" | Phillips | No | No | Black | 4746 2,500 | 5803 500 | 7526 50 |
| #8 | 2-1/2" | Phillips | No | No | Plain | 3975 2,500 | 5578 500 | 7539 50 |

All Torx Assembly Screws Include Free Torx T20 Insert Bit
Double T17 Point Represents Quickcutter™ Thread

Flat Head, Coarse Thread

| Size | Length | Drive | Nibs | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|----------|------|-----------|--------|-------------|------------|-----------|
| #8 | 2-1/2" | Phillips | No | No | Zinc | 134 2,500 | 5796 500 | -- -- |
| #8 | 2-1/2" | Phillips | Yes | Double | Plain | 7335 2,500 | 7745 500 | 7768 50 |
| #8 | 2-1/2" | Phillips | Yes | Double | Zinc | 7324 2,500 | 7733 500 | 7756 50 |
| #8 | 2-1/2" | Square | No | No | Zinc | 4959 2,500 | 12528 500 | 15025 50 |
| #8 | 2-1/2" | Torx | Yes | Yes | Zinc | 13977 2,500 | 13977M 500 | 13977C 50 |
| #8 | 3" | Combo | No | No | Plain | 9822 2,000 | 6101 500 | 7613 50 |
| #8 | 3" | Combo | Yes | Double | Plain | 5446 2,000 | 6030 500 | 7573 50 |
| #8 | 3" | Combo | Yes | Double | Zinc | 5897 2,000 | 6045 500 | 7566 50 |
| #8 | 3" | Phillips | No | No | Black | 4747 2,000 | 5804 500 | 7527 50 |
| #8 | 3" | Phillips | No | No | Plain | 3976 2,000 | 5579 500 | 7541 50 |
| #8 | 3" | Phillips | No | No | Zinc | 135 2,000 | 5797 500 | 7516 50 |
| #8 | 3" | Phillips | Yes | Double | Plain | 7336 2,000 | 7746 500 | 7769 50 |
| #8 | 3" | Phillips | Yes | Double | Zinc | 7325 2,000 | 7734 500 | 7757 50 |
| #8 | 3" | Square | No | No | Zinc | 4960 2,000 | 12529 500 | 15026 50 |
| #8 | 3" | Torx | Yes | Yes | Zinc | 13979 2,000 | 13979M 500 | 13979C 50 |
| #9* | 2-1/2" | Combo | Yes | Yes | Black | 1257 2,500 | 2788 500 | 7602 50 |
| #9* | 2-1/2" | Combo | Yes | Yes | Zinc | 1256 2,500 | 2485 500 | 7591 50 |
| #9* | 2-1/2" | Phillips | Yes | No | Zinc | 142 2,500 | 1183 500 | 7556 50 |
| #9* | 2-1/2" | Phillips | Yes | Yes | Black | 10907 2,500 | 10916 500 | 10988 50 |
| #9* | 2-1/2" | Phillips | Yes | Yes | Zinc | 9012 2,500 | 9134 500 | 9143 50 |
| #9* | 2-1/2" | Square | No | No | Black | 189 2,500 | 5834 500 | 7582 50 |
| #9* | 2-1/2" | Square | Yes | Yes | Black | 11951 2,500 | 11959 500 | 11966 50 |
| #9* | 2-1/2" | Square | Yes | Yes | Zinc | 12620 2,500 | 12664 500 | 12927 50 |
| #9* | 3" | Combo | Yes | Yes | Black | 1259 2,000 | 2789 500 | 7603 50 |
| #9* | 3" | Combo | Yes | Yes | Zinc | 1258 2,000 | 2486 500 | 7592 50 |
| #9* | 3" | Phillips | Yes | No | Zinc | 143 2,000 | 1184 500 | 7557 50 |
| #9* | 3" | Phillips | Yes | Yes | Black | 10908 2,000 | 10917 500 | 10989 50 |
| #9* | 3" | Phillips | Yes | Yes | Zinc | 9013 2,000 | 9135 500 | 9144 50 |
| #9* | 3" | Square | No | No | Black | 190 2,000 | 5835 500 | 7583 50 |
| #9* | 3" | Square | Yes | Yes | Black | 11952 2,000 | 11960 500 | 11969 50 |
| #9* | 3" | Square | Yes | Yes | Zinc | 12621 2,000 | 12665 500 | 12928 50 |
| #10 | 3-1/2" | Combo | Yes | Double | Plain | 9484 1,000 | 9608 250 | 9609 25 |
| #10 | 3-1/2" | Phillips | Yes | Double | Plain | 7337 1,000 | 7747 250 | -- -- |
| #10 | 3-1/2" | Phillips | Yes | Double | Zinc | 7326 1,000 | 7736 250 | 7758 25 |
| #10 | 3-1/2" | Square | Yes | Yes | Zinc | 12622 1,500 | 12666 250 | 12929 25 |
| #10 | 3-1/2" | Torx** | Yes | Yes | Zinc | 13982 1,500 | 13982M 500 | 13982C 50 |
| #10 | 4" | Combo | Yes | Double | Plain | 9485 1,000 | 9610 250 | 9611 25 |
| #10 | 4" | Phillips | Yes | Double | Plain | 7338 1,000 | 7748 250 | -- -- |
| #10 | 4" | Phillips | Yes | Double | Zinc | 7327 1,000 | 7737 250 | 7759 25 |
| #10 | 4" | Square | Yes | Yes | Zinc | 12623 1,000 | 12667 250 | 12930 25 |
| #10 | 4" | Torx** | Yes | Yes | Zinc | 13983 1,000 | 13983M 500 | 13983C 50 |

* Represents #9 Body with #8 Head
All Torx Assembly Screws Include Free Torx T20 Insert Bit
** Represents Torx Screw with Free T25 Insert Bit
Double T17 Point Represents Quickcutter™ Thread

Round Washer Head, Coarse Thread

| Size | Length | Drive | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------|-----------|--------|--------------|-------------|-----------|
| #8 | 5/8" | Combo | No | Plain | 4316 12,000 | 7772 1,000 | 7787 100 |
| #8 | 7/8" | Combo | No | Plain | 4318 10,000 | 15052 1,000 | 15053 100 |
| #8 | 1" | Combo | No | Plain | 4319 10,000 | 15054 1,000 | 15055 100 |
| #8 | 1" | Combo | No | Zinc | 2759 10,000 | 6585 1,000 | 7676 100 |
| #8 | 1" | Combo | Double | Plain | 7304 11,000 | 7776 1,000 | 7791 100 |
| #8 | 1" | Square | Yes | Zinc | 13291 10,000 | 13313 1,000 | 14225 100 |
| #8 | 1-1/8" | Combo | No | Zinc | 6468 9,000 | 6586 1,000 | 7677 100 |
| #8 | 1-1/8" | Square | Yes | Zinc | 13364 9,000 | 13406 1,000 | 14226 100 |
| #8 | 1-1/4" | Combo | No | Plain | 4321 8,000 | 15058 1,000 | 15059 100 |
| #8 | 1-1/4" | Combo | No | Zinc | 2288 9,000 | 6587 1,000 | 7678 100 |
| #8 | 1-1/4" | Combo | Double | Plain | 7306 9,000 | 7777 1,000 | 7792 100 |
| #8 | 1-1/4" | Square | Yes | Zinc | 13292 9,000 | 13314 1,000 | 14227 100 |
| #8 | 1-1/2" | Combo | No | Plain | 4324 5,000 | 15060 1,000 | 15061 100 |
| #8 | 1-1/2" | Combo | No | Zinc | 6469 7,000 | 6588 1,000 | 7679 100 |
| #8 | 1-1/2" | Combo | Double | Plain | 7307 7,000 | 7778 1,000 | 7793 100 |
| #8 | 1-1/2" | Square | Yes | Zinc | 13293 7,000 | 13315 1,000 | 14228 100 |
| #8 | 1-5/8" | Combo | Double | Plain | 7308 6,000 | 7779 1,000 | 7794 100 |
| #8 | 1-3/4" | Combo | No | Zinc | 6407 5,000 | 6589 1,000 | 7680 100 |
| #8 | 1-3/4" | Combo | Double | Plain | 7309 5,000 | 7780 1,000 | 7795 100 |
| #8 | 1-3/4" | Square | Yes | Zinc | 13295 5,000 | 13317 1,000 | 14229 100 |
| #8 | 2" | Combo | No | Plain | 4326 4,000 | 15064 1,000 | 15065 100 |
| #8 | 2" | Combo | No | Zinc | 248 4,000 | 6590 1,000 | 7681 100 |
| #8 | 2" | Combo | Double | Plain | 7310 4,000 | 7781 1,000 | 7796 100 |
| #8 | 2" | Square | Yes | Zinc | 13296 4,000 | 13318 1,000 | 14230 100 |
| #8 | 2-1/4" | Square | Yes | Zinc | 13297 3,000 | 13319 1,000 | 14231 100 |
| #8 | 2-1/4" | Combo | Double | Plain | 7311 3,000 | 7782 1,000 | 7797 100 |
| #8 | 2-1/2" | Combo | No | Zinc | 6471 2,500 | 6592 500 | 7683 50 |
| #8 | 2-1/2" | Combo | Double | Plain | 7312 2,500 | 7783 500 | 7798 50 |
| #8 | 2-1/2" | Square | Yes | Zinc | 13298 2,500 | 13320 500 | 14232 50 |
| #8 | 3" | Combo | No | Plain | 4330 2,000 | 15072 500 | 15073 50 |
| #8 | 3" | Combo | No | Zinc | 6473 2,000 | 6593 500 | 7684 50 |
| #8 | 3" | Combo | Double | Plain | 7313 2,000 | 7784 500 | 7799 50 |
| #8 | 3" | Square | Yes | Zinc | 13299 2,000 | 13321 500 | 14233 50 |

Double T17 Point Represents Quickcutter™ Thread



The round washer head can be used in any application where the head does not need to be countersunk. The advantage is that the material pulls together much better using this head. The type 17 auger point helps prevent splitting and allows for quicker starting.

Assembly Screws - Funnel Head Screws, Confirmat Screws and Decking Screws

Square Drive, Funnel Head with Serrations, T17 Spiral Point, Coarse Thread

| Size | Length | Finish | PN# - QTY | | PN# - QTY | | PN# - QTY | |
|------|--------|--------|-----------|-------|-----------|-------|-----------|-----|
| #8 | 1-3/4" | Zinc | 15450 | 5,000 | 15459 | 1,000 | 15468 | 100 |
| #8 | 2" | Zinc | 15451 | 4,000 | 15460 | 1,000 | 15469 | 100 |
| #8 | 2-1/4" | Zinc | 15696 | 3,000 | 15697 | 1,000 | 15698 | 100 |
| #8 | 2-1/2" | Zinc | 15452 | 2,500 | 15461 | 500 | 15470 | 50 |
| #8 | 3" | Zinc | 15453 | 2,000 | 15462 | 500 | 15471 | 50 |
| #10 | 3-1/2" | Zinc | 15454 | 1,500 | 15463 | 250 | 15472 | 25 |
| #10 | 4" | Zinc | 15455 | 1,000 | 15464 | 250 | 15473 | 25 |



The funnel head screws are the ideal fastener for melamine and hardwoods where splitting is common. The type 17 auger point with the lead spiral thread eliminates almost all splitting and the need for pre-drilling. The screw's double-serrated head helps sink the head flush into material such as melamine with no chipping.



Pozi Drive, Flat Head, Zinc Finish

| Size | Length | Nibs | Thread | Point | PN# - QTY | | PN# - QTY | | PN# - QTY | |
|------|--------|------|--------|-------|-----------|-------|-----------|-------|-----------|-----|
| 5mm | 40mm | No | Fine | Blunt | 11700 | 5,000 | 11731 | 1,000 | 11732 | 100 |
| 5mm | 50mm | Yes | Fine | Sharp | 13720 | 4,000 | 14161 | 1,000 | -- | -- |
| 7mm | 50mm | No | Coarse | Blunt | 225C | 2,000 | -- | -- | 5960C | 100 |
| 7mm | 50mm | Yes | Coarse | Blunt | 5361C | 2,000 | -- | -- | 6265C | 100 |
| 7mm | 50mm | Yes | Coarse | Sharp | 5502C | 2,000 | -- | -- | 6266C | 100 |
| 7mm | 50mm | No | Fine | Blunt | 225F | 2,000 | -- | -- | 5960F | 100 |
| 7mm | 50mm | Yes | Fine | Blunt | 5361F | 2,000 | -- | -- | 6265F | 100 |
| 7mm | 50mm | Yes | Fine | Sharp | 5502F | 2,000 | -- | -- | 6266F | 100 |

5mm Pozi #2 Drive

7mm Pozi #3 Drive

Confirmat
Step Drill Bit

| PN# - QTY |
|-----------|
| 12793 1 |

Confirmat connecting screws are furniture fasteners designed to ensure a tight-fitting joint between panels as well as providing greater "pull-out" resistance and superior holding power. Confirmat screws are typically used in assembling frameless cabinets. We stock a wide range of options including with or without nibs, fine or coarse thread, and blunt or sharp points.

Square Drive, Flat Head with Nibs, Quickcutter™ Thread with Double T17 Point, 3,000 Hour Ultra Guard Finish

| Size | Length | PN# - QTY | | PN# - QTY | |
|------|--------|-----------|-------|-----------|-------|
| #7 | 1-1/4" | 13335 | 8,000 | 13384 | 1,000 |
| #7 | 1-5/8" | 13336 | 5,000 | 13385 | 1,000 |
| #7 | 2" | 13337 | 4,000 | 13386 | 1,000 |
| #8 | 2-1/4" | 13338 | 3,000 | 13387 | 1,000 |
| #8 | 2-1/2" | 13339 | 2,500 | 13388 | 500 |
| #8 | 3" | 13340 | 2,000 | 13389 | 500 |
| #10 | 3-1/2" | 13341 | 1,000 | 13390 | 250 |
| #10 | 4" | 13342 | 1,000 | 13391 | 250 |
| #10 | 4-1/2" | 13343 | 800 | 13392 | 250 |
| #10 | 5" | 13344 | 500 | 13393 | 100 |
| #10 | 6" | 13345 | 500 | 13394 | 100 |




The ACQ Quickcutters™ are for outdoor use with decks, fences and outdoor furniture. The ultraguard coating protects the steel screw against ACQ treated lumber. The Quickcutter™ extra coarse thread minimizes pre-drilling, allows for stress-free faster driving, greater holding power and reduced splitting.

Cabinet Installation Screws

Combo Drive, Round Washer Head, Quickcutter™ Thread with Double T17 Point

| Size | Length | Painted Head | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------------|--------|-------------|-----------|-----------|
| #10 | 2-1/2" | No | Zinc | 7927 1,500 | 8335 500 | 8336 50 |
| #10 | 2-1/2" | Sand | Zinc | 13793 1,500 | 13797 500 | -- -- |
| #10 | 2-1/2" | White | Zinc | 8010 1,500 | 8343 500 | 8344 50 |
| #10 | 3" | No | Black | 9912 1,500 | 8349 500 | 8350 50 |
| #10 | 3" | No | Zinc | 7935 1,500 | 8337 500 | 8338 50 |
| #10 | 3" | Sand | Zinc | 13794 1,500 | 13798 500 | -- -- |
| #10 | 3" | White | Zinc | 8011 1,500 | 8345 500 | 8346 50 |
| #10 | 3-1/2" | No | Zinc | 7936 1,000 | 8339 250 | 8340 25 |
| #10 | 3-1/2" | White | Zinc | 8012 1,000 | 8347 250 | 8348 25 |
| #10 | 4" | No | Zinc | 7937 1,000 | 8341 250 | 8342 25 |
| #10 | 4" | White | Zinc | 8013 1,000 | 8351 250 | 8353 25 |



The patented double auger Quickcutter™ extra coarse thread with type 17 point and slot in the thread is used when installing into wood studs. The cutter on the shank taps the thread in the wood, reducing the amount of torque required to drive the screw and significantly reduces splitting in all hardwoods.

Phillips Drive #3, Round Washer Head, Hi-Low Thread with T17 Self-Piercing Point

| Size | Length | Painted Head | Finish | PN# - QTY | PN# - QTY |
|------|--------|--------------|--------|-------------|-----------|
| #14 | 2-1/2" | No | Black | 11981 1,500 | 11987 100 |
| #14 | 2-1/2" | No | Zinc | 8214 1,500 | 9449 100 |
| #14 | 2-1/2" | White | Zinc | 11979 1,500 | 11985 100 |
| #14 | 3" | No | Black | 11982 1,200 | 11988 100 |
| #14 | 3" | No | Zinc | 8215 1,200 | 9450 100 |
| #14 | 3" | White | Zinc | 11980 1,200 | 11986 100 |
| #14 | 3-1/2" | No | Zinc | 8216 1,000 | 9451 50 |
| #14 | 4" | No | Zinc | 8217 700 | 9452 50 |



The Woodwork Institute (WI) approved QX² multipurpose installation screws work in wood & metal studs. The hi-low thread provides greater holding power in wood studs, while reducing binding in metal studs. The self-piercing point allows for instant starting, quicker penetration, and stress-free driving.



Phillips Drive, Bugle Head, Halfway Fine Threaded with T17 Point

| Size | Length | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------|-------------|-----------|-----------|
| #8 | 2-1/2" | Black | 10130 2,500 | 10484 500 | 10485 50 |

Designed for frame to frame cabinet attachment.



Phillips Drive, Fine Thread Sheet Metal Screw (SMS) with T17 Point

| Size | Length | Head | Thread | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|-------|--------|--------|------------|-----------|-----------|
| #14 | 3" | Truss | Type A | Zinc | 2052 1,000 | 11282 100 | 15491 50 |

Sheet metal installation screw for wood studs.

Self-Drilling Installation Screws (SDS)

| Size | Length | Drive | Head | Finish | PN# - QTY | PN# - QTY |
|------|--------|-------------|----------------|--------|-------------|-----------|
| #8 | 2-1/2" | Square | Round Washer | Zinc | 13351 2,500 | 13382 500 |
| #8 | 3" | Phillips | Flat | Zinc | 15178 1,250 | 15482 100 |
| #10 | 2-1/2" | Phillips | Truss | Zinc | 13162 2,000 | 13165 500 |
| #10 | 2-1/2" | Phillips | Truss** | Zinc | 13163 2,000 | 13166 500 |
| #10 | 2-1/2" | Square | Round Washer** | Zinc | 13354 2,000 | 13396 500 |
| #14* | 3" | Phillips*** | Round Washer | Zinc | 11976 1,000 | 12330 100 |

*Represents Partially-Threaded Screw

**Represents White Painted Head

***Represents Phillips #3

Self-drilling installation screws for light, medium, or heavy gauge metal studs

Torx Drive, Round Washer Head, Coarse Thread with XL T17 Point

| Size | Length | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------|-------------|------------|-----------|
| #10 | 2-1/2" | Zinc | 15982 1,500 | 15982M 500 | 15982C 50 |
| #10 | 3" | Zinc | 15983 1,500 | 15983M 500 | 15983C 50 |
| #10 | 3-1/2" | Zinc | 15984 1,000 | 15984M 250 | 15984C 25 |
| #10 | 4" | Zinc | 15985 1,000 | 15985M 250 | 15985C 25 |

All Torx Installation Screws Include Free Torx Insert Bit



The Torx (Star) Drive has been primarily used in the automotive industry, but it is becoming increasingly popular in construction. It features a 6-degree drive angle which requires less torque to drive. Furthermore, Torx heads were designed to prevent cam-out, and radial forces are drastically reduced, resulting in longer tool life.

Cabinet Installation Screws

Pocket Hole Screws

Phillips Drive, Pan Head, Fine Thread with T17 Point

| Size | Length | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------|------------|------------|-----------|
| #6 | 1-1/4" | Plain | 5715 8,000 | 5963 1,000 | 7614 100 |
| #6 | 1-1/2" | Plain | 5716 7,000 | 5964 1,000 | 7615 100 |



Torx Drive (T20), Modified Pan Head, T17 Point, Optical Sorted

| Size | Length | Thread | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------|--------|---------------|---------------|-------------|
| #7 | 1-1/4" | Coarse | Zinc | 4080TZO 8,000 | 5598TZO 1,000 | 7620TZO 100 |
| #7 | 1-1/4" | Hi-Low | Zinc | 4084TZO 8,000 | 5600TZO 1,000 | 7622TZO 100 |

For use in automated pocket hole machine



For Castle or Kreg Jig style applications, use the modified pan head pocket hole screws.

Pocket hole screws with fine thread are used in hardwoods such as oak and maple.

Pocket hole screws with coarse thread provide great holding power in softer woods like melamine and particleboard.

When working with red oak or melamine, pocket hole screws with hi-low thread are the best, with less strip-out in the woods.

The Quickcutter™ thread was developed for the most dense hardwoods. The extra cut works like a metal tap and eliminates most splitting.

Square Drive, Modified Pan Head

| Size | Length | Thread | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------|-----------|-------------|--------------|--------------|------------|
| #6 | 1" | Fine | Yes | Plain | 13003 10,000 | 11817 1,000 | 11818 100 |
| #6 | 1-1/4" | Fine | Yes | Plain | 2722 8,000 | 3655 1,000 | 7616 100 |
| #6 | 1-1/4" | Fine | Double | Plain | 4082 8,000 | 5706 1,000 | 7618 100 |
| #6 | 1-1/2" | Fine | Yes | Plain | 2724 7,000 | 3656 1,000 | 7617 100 |
| #6 | 1-1/2" | Fine | Double | Plain | 5215 7,000 | 5707 1,000 | 7619 100 |
| #6 | 1-1/2" | Fine | Yes | Yellow Zinc | 13574 7,000 | 13618 1,000 | 13653 100 |
| #7 | 1" | Coarse | Yes | Plain | 13004 10,000 | 11819 1,000 | 11820 100 |
| #7 | 1-1/4" | Coarse | Yes | Plain | 4080 8,000 | 5598 1,000 | 7620 100 |
| #7 | 1-1/4" | Coarse | Yes | Zinc | 4080ZP 8,000 | 5598ZP 1,000 | 7620ZP 100 |
| #7 | 1-1/4" | Coarse | Yes, XL | Plain | 4080XL 8,000 | 5598XL 1,000 | 7620XL 100 |
| #7 | 1-1/4" | Hi-Low | Yes | Plain | 4084 8,000 | 5600 1,000 | 7622 100 |
| #7 | 1-1/4" | Hi-Low | Yes | Zinc | 13575 8,000 | 13619 1,000 | 13654 100 |
| #7 | 1-1/2" | Coarse | Yes | Plain | 4081 7,000 | 5599 1,000 | 7621 100 |
| #7 | 1-1/2" | Coarse | Yes | Yellow Zinc | 13573 7,000 | 13617 1,000 | 13651 100 |
| #7 | 1-1/2" | Coarse | Yes, XL | Plain | 4081XL 7,000 | 5599XL 1,000 | 7621XL 100 |
| #7 | 1-1/2" | Hi-Low | Yes | Plain | 4085 7,000 | 5601 1,000 | 7623 100 |
| #7 | 1-1/2" | Hi-Low | Yes | Yellow Zinc | 13576 7,000 | 13620 1,000 | 13655 100 |

XL Represents Extra Long Type 17 Point

Double T17 Point Represents Quickcutter™ Thread



For Kreg Jig style applications, use the round washer head pocket hole screws.

The round washer head works best with plywood, particleboard, and other softwoods. The wider coverage holds strong and prevents the head from pulling through the wood.

The type 17 auger point provides quicker starting, reduces splitting, and need for a pilot hole.

The zinc finish will not leave an oily residue on the finished product.

Square Drive, Round Washer Head, T17 Point

| Size | Length | Thread | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------|--------|-------------|-------------|-----------|
| #7 | 1-1/4" | Fine | Plain | 5285 8,000 | 9158 1,000 | 9161 100 |
| #7 | 1-1/4" | Fine | Zinc | 14390 8,000 | 14392 1,000 | 14393 100 |
| #7 | 1-1/2" | Fine | Plain | 5286 6,000 | 9159 1,000 | 9162 100 |
| #7 | 1-1/2" | Fine | Zinc | 14391 7,000 | 14394 1,000 | 14395 100 |
| #8 | 1" | Coarse | Plain | 6308 8,000 | 9155 1,000 | 9156 100 |
| #8 | 1-1/4" | Coarse | Plain | 4547 8,000 | 7844 1,000 | 7845 100 |
| #8 | 1-1/2" | Coarse | Plain | 10032 7,000 | 9157 1,000 | 9160 100 |



| Pocket Hole Drill Bit | |
|-----------------------|---|
| PN# - QTY | |
| KJDSHARP | 1 |

Drawer Front Adjusting Screws and Drywall Screws

Large Round Washer Head, Coarse Thread

| Size | Length | Drive | T17 Point | Finish | PN# - QTY | | PN# - QTY | | PN# - QTY | |
|------|--------|----------|-----------|--------|-----------|-------|-----------|-------|-----------|-----|
| #8 | 7/8" | Combo | No | Zinc | 7200 | 8,000 | 10458 | 1,000 | 10459 | 100 |
| #8 | 7/8" | Combo | Yes | Zinc | 12624 | 8,000 | 12668 | 1,000 | 12931 | 100 |
| #8 | 7/8" | Phillips | No | Zinc | 8296 | 8,000 | 8811 | 1,000 | 9146 | 100 |
| #8 | 7/8" | Phillips | Yes | Zinc | 9022 | 8,000 | 9147 | 1,000 | 9151 | 100 |
| #8 | 1" | Combo | No | Zinc | 9989 | 7,000 | 10465 | 1,000 | 10466 | 100 |
| #8 | 1" | Combo | Yes | Zinc | 12625 | 7,000 | 12669 | 1,000 | 12932 | 100 |
| #8 | 1" | Phillips | No | Zinc | 1047 | 7,000 | 6003 | 1,000 | 7660 | 100 |
| #8 | 1" | Phillips | Yes | Black | 8674 | 7,000 | 12332 | 1,000 | 12333 | 100 |
| #8 | 1" | Phillips | Yes | Zinc | 9023 | 7,000 | 9148 | 1,000 | 9152 | 100 |
| #8 | 1-1/8" | Combo | No | Zinc | 10252 | 6,000 | 10467 | 1,000 | 10468 | 100 |
| #8 | 1-1/8" | Combo | Yes | Zinc | 12626 | 6,000 | 12670 | 1,000 | 12933 | 100 |
| #8 | 1-1/8" | Phillips | No | Zinc | 2757 | 6,000 | 6004 | 1,000 | 7661 | 100 |
| #8 | 1-1/8" | Phillips | Yes | Zinc | 9024 | 6,000 | 9149 | 1,000 | 9153 | 100 |
| #8 | 1-1/4" | Combo | No | Zinc | 10253 | 6,000 | 10469 | 1,000 | 10470 | 100 |
| #8 | 1-1/4" | Combo | Yes | Zinc | 12627 | 6,000 | 12671 | 1,000 | 12934 | 100 |
| #8 | 1-1/4" | Phillips | No | Zinc | 4103 | 6,000 | 6005 | 1,000 | 7662 | 100 |
| #8 | 1-1/4" | Phillips | Yes | Zinc | 9025 | 6,000 | 9150 | 1,000 | 9154 | 100 |
| #8 | 1-1/2" | Combo | No | Zinc | 10254 | 5,000 | 10471 | 1,000 | 10472 | 100 |
| #8 | 1-1/2" | Combo | Yes | Zinc | 12628 | 5,000 | 12672 | 1,000 | 12935 | 100 |
| #8 | 1-1/2" | Phillips | Yes | Zinc | 9532 | 5,000 | 9568 | 1,000 | 9569 | 100 |

When building a typical five-piece drawer box, it is desirable to have the ability to move and precisely adjust the drawer front in order to align all of the drawer faces. The drawer front adjusting screws allow the user to move the drawer front in case they do not line up properly.



Phillips Drive, Bugle Head, Coarse Thread

| Size | Length | Finish | PN# - QTY | | PN# - QTY | | PN# - QTY | |
|------|--------|-------------|-----------|--------|-----------|-------|-----------|-----|
| #6 | 1" | Black | 9682 | 10,000 | 9718 | 1,000 | 14613 | 100 |
| #6 | 1" | Yellow Zinc | 9696 | 10,000 | 9731 | 1,000 | -- | -- |
| #6 | 1-1/8" | Black | 9683 | 10,000 | 9719 | 1,000 | 14615 | 100 |
| #6 | 1-1/4" | Black | 9684 | 8,000 | 9720 | 1,000 | 14617 | 100 |
| #6 | 1-1/4" | Yellow Zinc | 9698 | 8,000 | 9733 | 1,000 | -- | -- |
| #6 | 1-1/2" | Black | 9741 | 6,000 | 6614 | 1,000 | -- | -- |
| #6 | 1-1/2" | Yellow Zinc | 9743 | 6,000 | 6615 | 1,000 | -- | -- |
| #6 | 1-5/8" | Black | 9685 | 5,000 | 9721 | 1,000 | 14619 | 100 |
| #6 | 1-5/8" | Yellow Zinc | 9699 | 5,000 | 9734 | 1,000 | -- | -- |
| #6 | 2" | Black | 9687 | 3,500 | 9722 | 1,000 | 14620 | 100 |
| #6 | 2" | Yellow Zinc | 9700 | 3,500 | 9735 | 1,000 | -- | -- |
| #7 | 2" | Black | 14710 | 3,000 | 14713 | 500 | 14714 | 100 |
| #7 | 2" | Yellow Zinc | 14712 | 3,000 | 14715 | 500 | 14716 | 100 |
| #7 | 2-1/4" | Black | 14711 | 3,000 | 14717 | 500 | 14718 | 100 |
| #8 | 2-1/2" | Black | 9689 | 2,500 | 9724 | 500 | 14622 | 100 |
| #8 | 2-1/2" | Yellow Zinc | 9702 | 2,500 | 9737 | 500 | -- | -- |
| #8 | 3" | Black | 9690 | 2,000 | 9725 | 500 | 14623 | 100 |
| #8 | 3" | Yellow Zinc | 9703 | 2,000 | 9738 | 500 | -- | -- |
| #10 | 3-1/2" | Black | 9691 | 1,000 | 9726 | 250 | -- | -- |
| #10 | 3-1/2" | Yellow Zinc | 9704 | 1,000 | 9739 | 250 | -- | -- |
| #10 | 4" | Black | 9693 | 1,000 | 9728 | 250 | -- | -- |
| #10 | 4" | Yellow Zinc | 9705 | 1,000 | 9740 | 250 | -- | -- |

Drywall screws are designed to be driven through drywall into wood studs. Drywall screws are also used in applications involving plywood and softer woods or where pre-drilling is required for location. The deep, coarse thread gives excellent holding power and the lower thread count increases the installation speed for higher production rates.



Square Drive, Trim Head, Twinfast Thread

| Size | Length | Finish | PN# - QTY | | PN# - QTY | | PN# - QTY | |
|------|--------|--------|-----------|--------|-----------|-------|-----------|-----|
| #6 | 1" | Black | 3869 | 10,000 | 10814 | 1,000 | -- | -- |
| #6 | 1-5/8" | Black | 1229 | 5,000 | 11202 | 1,000 | 11285 | 100 |
| #6 | 2-1/4" | Black | 1231 | 3,000 | 11203 | 1,000 | 13859 | 100 |
| #8 | 3" | Black | 1849 | 2,000 | 13721 | 500 | 13860 | 100 |

#6 Trim Head Screws Are Fully-Threaded



Drawer Front and Drywall Screws

Hardware Screws - Drawer Slide Screws



Coarse Thread

| Size | Length | Drive | Head | Finish | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|----------|----------------|---------------|--------------|-------------|-------------|-----------|
| #6 | 7/16" | Phillips | Pan** | Zinc | 13355 25,000 | 11799 5,000 | 11800 1,000 | 11801 100 |
| #6 | 1/2" | Phillips | Pan** | Zinc | 13356 25,000 | 13399 5,000 | 13398 1,000 | 13397 100 |
| #6 | 5/8" | Phillips | Truss | Antique Brass | 4635 15,000 | 6132 5,000 | 5873 1,000 | 7487 100 |
| #8* | 7/16" | Combo | Truss | Black | 10256 20,000 | 10455 5,000 | 10456 1,000 | 10457 100 |
| #8* | 7/16" | Combo | Truss | Zinc | 10255 20,000 | 10452 5,000 | 10453 1,000 | 10454 100 |
| #8* | 7/16" | Phillips | Truss | Black | 10123 20,000 | 10473 5,000 | 10284 1,000 | 10474 100 |
| #8* | 7/16" | Phillips | Truss | Zinc | 4460 20,000 | 6276 5,000 | 5961 1,000 | 7673 100 |
| #8 | 7/16" | Phillips | Round Washer** | Zinc | 5213 20,000 | 9122 5,000 | 8810 1,000 | 9123 100 |
| #8 | 1/2" | Phillips | Round Washer** | Zinc | 4688 14,000 | 6113 5,000 | 6271 1,000 | 7674 100 |
| #8 | 3/4" | Phillips | Truss*** | Zinc | 12943 8,000 | -- -- | 15263 1,000 | -- -- |
| #8 | 3/4" | Phillips | Truss*** | Black | 8114 8,000 | -- -- | 11663 1,000 | 11885 100 |

*Represents #8 Body with #6 Head

**Represents Low Profile Head

***Represents Modified Truss Head

For full extension ball bearing drawer slides, we recommend low profile heads and the #6 truss heads with a #8 body, which provides added strength for the heavier load rating of these drawer slides. The coarse thread provides greater holding power and reduced "spin-out" and "pull-out" in multiple species of wood. Low profile heads allow slide members to pass over without clicking.

Phillips Drive, Fine Thread Type A Sheet Metal Screws (SMS), Zinc Finish

| Size | Length | Head | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|-------|--------------|-------------|-------------|-----------|
| #6 | 7/16" | Pan** | 11572 30,000 | 12798 5,000 | 12799 1,000 | -- -- |
| #8* | 7/16" | Truss | 229 20,000 | 11545 5,000 | 11547 1,000 | 11548 100 |

*Represents #8 Body with #6 Head

**Represents Low Profile Pan Head



The sheet metal screw thread was intended to be used in metal products such as rolling tool boxes, but can also be used in wood.

Phillips Drive, Flat Undercut Head, Coarse Thread

| Size | Length | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|-----------|---------------|--------------|-------------|-------------|-----------|
| #6 | 7/16" | Yes | Zinc | 6055 35,000 | 6132 5,000 | 6128 1,000 | 7459 100 |
| #6* | 1/2" | No | Zinc | 7229 25,000 | 7350 5,000 | 7353 1,000 | 7356 100 |
| #6 | 1/2" | Yes | Bright Brass | 6059 25,000 | 6144 5,000 | 6141 1,000 | 7468 100 |
| #6 | 1/2" | Yes | Zinc | 6056 25,000 | 6133 5,000 | 6129 1,000 | 7462 100 |
| #6* | 5/8" | No | Zinc | 7230 25,000 | 7351 5,000 | 7354 1,000 | 7357 100 |
| #6 | 5/8" | Yes | Antique Brass | 6063 25,000 | 6165 5,000 | 6153 1,000 | 7484 100 |
| #6 | 5/8" | Yes | Zinc | 6057 25,000 | 6134 5,000 | 6130 1,000 | 7463 100 |
| #6* | 3/4" | No | Zinc | 7231 20,000 | 7352 5,000 | 7355 1,000 | 7358 100 |
| #6 | 3/4" | Yes | Bright Brass | 6061 20,000 | 6146 5,000 | 6143 1,000 | 7473 100 |
| #6 | 3/4" | Yes | Zinc | 6058 20,000 | 6135 5,000 | 6131 1,000 | 7465 100 |
| #7 | 3/4" | Yes | Zinc | 12846 20,000 | 13803 5,000 | 13323 1,000 | 13324 100 |

*Represents #6 Body with #5 Head



The undercut flat head sits flush in countersunk holes, providing a more aesthetically pleasing look in the finished product. The type 17 auger point provides quicker penetration and reduced splitting, specifically in hardwoods. These screws can also be used on European drawer slides to eliminate clicking during operation.

Flat Head, Fine Thread Type B Sheet Metal Screws (SMS) (Flat Head Euro Screws)

| Size | Length | Drive | Finish | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY |
|--------|--------|----------|--------|--------------|-------------|-----------|-----------|
| 6.3mm* | 7.5mm | Phillips | Nickel | 10975 15,000 | 11733 1,000 | -- -- | 11734 100 |
| 6.3mm | 10mm | Pozi | Nickel | 1097 10,000 | 1220 1,000 | -- -- | 12300 100 |
| 6.3mm* | 10mm | Square | Zinc | 13357 10,000 | 13400 1,000 | -- -- | -- -- |
| 6.3mm | 10.5mm | Pozi | Nickel | 5268 10,000 | 6181 1,000 | -- -- | 12301 100 |
| 6.3mm | 11.5mm | Pozi | Nickel | 226 10,000 | 6019 1,000 | 12302 500 | 12445 100 |
| 6.3mm | 11.5mm | Phillips | Zinc | 13301 10,000 | 13311 1,000 | -- -- | 13493 100 |
| 6.3mm | 11.5mm | Square | Zinc | 13358 10,000 | 13401 1,000 | -- -- | 13496 100 |
| 6.3mm* | 13mm | Phillips | Nickel | 3500 10,000 | 6022 1,000 | 12305 500 | 9301 100 |
| 6.3mm | 13mm | Phillips | Zinc | 13302 10,000 | 13312 1,000 | -- -- | -- -- |
| 6.3mm | 13mm | Pozi | Nickel | 227 10,000 | 6020 1,000 | 12303 500 | 12449 100 |
| 6.3mm* | 13mm | Square | Nickel | 10589 10,000 | 10590 1,000 | -- -- | 10593 100 |
| 6.3mm | 14.5mm | Phillips | Zinc | 13463 8,000 | 13478 1,000 | -- -- | 13479 100 |
| 6.3mm | 14.5mm | Pozi | Nickel | 9437 8,000 | 11735 1,000 | -- -- | 11736 100 |
| 6.3mm | 18mm | Pozi | Nickel | 10976 5,000 | 11737 1,000 | 10999 500 | 11738 100 |
| 6.3mm | 20mm | Pozi | Nickel | 11192 5,000 | 11193 1,000 | -- -- | 11740 100 |
| 6.3mm | 25mm | Pozi | Nickel | 1219 5,000 | 6021 1,000 | -- -- | 12304 100 |
| 6.3mm | 30mm | Pozi | Nickel | 11231 5,000 | 11741 1,000 | -- -- | 11742 100 |

*For Use with Grass® Brand Drawer Slides 7.5mm - 7.8mm Head

All Other Heads Are 7.0mm - 7.3mm For All Other European Slides



Euro screws are used when installing European drawer slides and European hinge plates into cabinets with a 32mm line bore pattern. The drawer slide "cabinet member" is attached with euro screws into the pre-drilled holes.

Hardware Screws - Drawer Slide Screws, Hinge Screws and Edge Screws

Phillips Drive, Flat Head, Coarse Thread

| Size | Length | Finish | PN# - QTY | | PN# - QTY | | PN# - QTY | | PN# - QTY | | PN# - QTY | |
|------|--------|---------------|-----------|--------|-----------|-------|-----------|-------|-----------|-----|-----------|-----|
| #5 | 1/2" | Antique Brass | 231 | 40,000 | 6155 | 5,000 | 5864 | 1,000 | -- | -- | 7476 | 100 |
| #5 | 1/2" | Zinc | 109 | 40,000 | 6126 | 5,000 | 5781 | 1,000 | -- | -- | 7457 | 100 |
| #5 | 5/8" | Antique Brass | 233 | 30,000 | 6156 | 5,000 | 5865 | 1,000 | -- | -- | 7477 | 100 |
| #5 | 5/8" | Nickel | 11322 | 30,000 | 11323 | 5,000 | 11324 | 1,000 | -- | -- | 11325 | 100 |
| #5 | 5/8" | Zinc | 110 | 30,000 | 6127 | 5,000 | 5782 | 1,000 | -- | -- | 7458 | 100 |
| #6 | 1/2" | Antique Brass | 232 | 25,000 | 6158 | 5,000 | 5866 | 1,000 | -- | -- | 7479 | 100 |
| #6 | 1/2" | Black | 1623 | 25,000 | 6250 | 5,000 | 6246 | 1,000 | -- | -- | 7518 | 100 |
| #6 | 1/2" | Bright Brass | 9063 | 25,000 | 9598 | 5,000 | 9599 | 1,000 | -- | -- | 9601 | 100 |
| #6 | 1/2" | Nickel | 115 | 25,000 | 9219 | 5,000 | 8905 | 1,000 | -- | -- | 13109 | 100 |
| #6 | 1/2" | Zinc | 114 | 25,000 | 1234 | 5,000 | 1233 | 1,000 | 14628 | 500 | 1232 | 100 |
| #6 | 5/8" | Antique Brass | 235 | 25,000 | 6159 | 5,000 | 5867 | 1,000 | -- | -- | 7841 | 100 |
| #6 | 5/8" | Black | 119 | 25,000 | 6251 | 5,000 | 6247 | 1,000 | -- | -- | 7519 | 100 |
| #6 | 5/8" | Bright Brass | 4722 | 25,000 | 6140 | 5,000 | 6089 | 1,000 | -- | -- | 7469 | 100 |
| #6 | 5/8" | Nickel | 117 | 25,000 | 9220 | 5,000 | 8906 | 1,000 | 3364 | 500 | 11276 | 100 |
| #6 | 5/8" | Zinc | 116 | 25,000 | 1236 | 5,000 | 1187 | 1,000 | 14629 | 500 | 1235 | 100 |
| #6 | 3/4" | Antique Brass | 236 | 20,000 | 6163 | 5,000 | 5868 | 1,000 | -- | -- | 7489 | 100 |
| #6 | 3/4" | Black | 122 | 20,000 | 6252 | 5,000 | 6248 | 1,000 | -- | -- | 7520 | 100 |
| #6 | 3/4" | Nickel | 121 | 20,000 | 9221 | 5,000 | 9098 | 1,000 | 3365 | 500 | 13110 | 100 |
| #6 | 3/4" | Zinc | 120 | 20,000 | 3987 | 5,000 | 1189 | 1,000 | 14630 | 500 | 1237 | 100 |
| #6 | 1" | Nickel | 9093 | 13,000 | -- | -- | 9099 | 1,000 | 3366 | 500 | 11876 | 100 |
| #6 | 1" | Zinc | 123 | 13,000 | -- | -- | 5786 | 1,000 | -- | -- | 7505 | 100 |
| #6 | 1-1/4" | Zinc | 124 | 10,000 | -- | -- | 5787 | 1,000 | -- | -- | 7506 | 100 |
| #6 | 1-1/2" | Zinc | 125 | 8,000 | -- | -- | 5788 | 1,000 | -- | -- | 7507 | 100 |
| #7 | 5/8" | Nickel | 126 | 20,000 | 9223 | 5,000 | 5901 | 1,000 | 3367 | 500 | 4991 | 100 |
| #7 | 5/8" | Zinc | 8995 | 20,000 | 9190 | 5,000 | 9191 | 1,000 | 14609 | 500 | 9192 | 100 |
| #7 | 3/4" | Nickel | 10166 | 20,000 | 9224 | 5,000 | 9217 | 1,000 | 3368 | 500 | 11288 | 100 |
| #7 | 1" | Nickel | 9094 | 10,000 | -- | -- | 9218 | 1,000 | 9163 | 500 | 16059 | 100 |
| #8 | 5/8" | Black | 6542 | 14,000 | -- | -- | 7837 | 1,000 | -- | -- | 9185 | 100 |
| #8 | 5/8" | Bright Brass | 293 | 14,000 | 6150 | 5,000 | 6091 | 1,000 | -- | -- | 7474 | 100 |
| #8 | 5/8" | Zinc | 127 | 14,000 | -- | -- | 5789 | 1,000 | -- | -- | 7508 | 100 |
| #8 | 3/4" | Black | 6566 | 12,000 | -- | -- | 7440 | 1,000 | -- | -- | 258 | 100 |
| #8 | 3/4" | Plain | 3969 | 12,000 | -- | -- | 6241 | 1,000 | -- | -- | 7532 | 100 |
| #8 | 3/4" | Zinc | 128 | 12,000 | -- | -- | 5790 | 1,000 | -- | -- | 7509 | 100 |
| #8 | 1" | Plain | 3970 | 10,000 | -- | -- | 5572 | 1,000 | -- | -- | 7533 | 100 |

Small screws for a wide variety of hardware applications.



Hardware Screws

Flat Head, Coarse Thread

| Size | Length | Drive | T17 Point | Finish | PN# - QTY | | PN# - QTY | | PN# - QTY | | PN# - QTY | |
|------|--------|----------|-----------|--------|-----------|--------|-----------|-------|-----------|-------|-----------|-----|
| #6 | 1/2" | Phillips | Yes | Zinc | 9014 | 25,000 | 9172 | 5,000 | 9175 | 1,000 | 9180 | 100 |
| #6 | 1/2" | Square | Yes | Zinc | 13465 | 25,000 | 13635 | 5,000 | 13559 | 1,000 | 13565 | 100 |
| #6 | 1/2" | Square | Yes | Nickel | 13593 | 25,000 | 13638 | 5,000 | 13647 | 1,000 | 13670 | 100 |
| #6 | 5/8" | Combo | No | Zinc | 6478 | 25,000 | 10445 | 5,000 | 10446 | 1,000 | 10447 | 100 |
| #6 | 5/8" | Phillips | Yes | Zinc | 9015 | 25,000 | 9173 | 5,000 | 9176 | 1,000 | 9181 | 100 |
| #6 | 5/8" | Square | Yes | Zinc | 13466 | 25,000 | 13636 | 5,000 | 13560 | 1,000 | 13566 | 100 |
| #6 | 5/8" | Square | Yes | Nickel | 13594 | 25,000 | 13639 | 5,000 | 13648 | 1,000 | 13671 | 100 |
| #6 | 3/4" | Combo | No | Zinc | 4617 | 20,000 | 10448 | 5,000 | 10449 | 1,000 | 10450 | 100 |
| #6 | 3/4" | Phillips | Yes | Zinc | 9016 | 20,000 | 9174 | 5,000 | 9177 | 1,000 | 9182 | 100 |
| #6 | 3/4" | Square | Yes | Zinc | 13467 | 20,000 | 13637 | 5,000 | 13561 | 1,000 | 13567 | 100 |
| #6 | 3/4" | Square | Yes | Nickel | 13595 | 20,000 | 13640 | 5,000 | 13649 | 1,000 | 13672 | 100 |
| #6 | 1" | Square | Yes | Zinc | 13468 | 13,000 | -- | -- | 13562 | 1,000 | 13568 | 100 |
| #6 | 1-1/4" | Square | Yes | Zinc | 13469 | 10,000 | -- | -- | 13563 | 1,000 | 13569 | 100 |
| #6 | 1-1/2" | Square | Yes | Zinc | 13470 | 8,000 | -- | -- | 13564 | 1,000 | 13570 | 100 |
| #8 | 5/8" | Combo | No | Plain | 9812 | 15,000 | -- | -- | 15040 | 1,000 | 15081 | 100 |
| #8 | 5/8" | Phillips | Yes | Zinc | 9017 | 14,000 | -- | -- | 9178 | 1,000 | 9183 | 100 |
| #8 | 5/8" | Square | No | Zinc | 4952 | 14,000 | -- | -- | 12520 | 1,000 | -- | -- |
| #8 | 3/4" | Combo | No | Plain | 9813 | 12,000 | -- | -- | 15042 | 1,000 | 7604 | 100 |
| #8 | 3/4" | Phillips | Yes | Zinc | 9018 | 12,000 | -- | -- | 9179 | 1,000 | 9184 | 100 |
| #8 | 3/4" | Square | No | Black | 178 | 15,000 | -- | -- | 5827 | 1,000 | 7575 | 100 |
| #8 | 3/4" | Square | No | Zinc | 4953 | 12,000 | -- | -- | 12521 | 1,000 | -- | -- |
| #9 | 3/4" | Phillips | Yes | Zinc | 9770 | 10,000 | -- | -- | 9773 | 1,000 | 9776 | 100 |

Hardware screws with type 17 auger points are great for attaching items to the edge of hardwoods, but work in many wood applications.



Hardware Screws - Drawer Slide Screws, Hinge Screws, Twinfast Screws and Sheet Metal Screws

Phillips Drive, Large Flat Head .275 OD, Coarse Thread

| Size | Length | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY | | | | | |
|------|--------|-----------|--------|-----------|-----------|-----------|-----------|-----------|-------|------|-----|-------|-----|
| #6 | 1/2" | No | Nickel | 10505 | 25,000 | 10736 | 5,000 | 10739 | 1,000 | -- | -- | 10742 | 100 |
| #6 | 1/2" | No | Zinc | 9526 | 25,000 | 9590 | 5,000 | 5783 | 1,000 | -- | -- | 9591 | 100 |
| #6 | 5/8" | No | Nickel | 10506 | 25,000 | 10737 | 5,000 | 10740 | 1,000 | -- | -- | 10743 | 100 |
| #6 | 5/8" | No | Zinc | 9501 | 25,000 | 9592 | 5,000 | 5784 | 1,000 | -- | -- | 9593 | 100 |
| #6 | 5/8" | Yes | Nickel | 13591 | 25,000 | 13633 | 5,000 | 13645 | 1,000 | -- | -- | 13668 | 100 |
| #6 | 5/8" | Yes | Zinc | 13588 | 25,000 | 13630 | 5,000 | 13642 | 1,000 | -- | -- | 13665 | 100 |
| #6 | 3/4" | No | Nickel | 10507 | 20,000 | 10738 | 5,000 | 10741 | 1,000 | 6490 | 500 | 10744 | 100 |
| #6 | 3/4" | No | Zinc | 9594 | 20,000 | 9595 | 5,000 | 9596 | 1,000 | -- | -- | 9597 | 100 |
| #6 | 3/4" | Yes | Nickel | 13592 | 20,000 | 13634 | 5,000 | 13646 | 1,000 | -- | -- | 13669 | 100 |
| #6 | 3/4" | Yes | Zinc | 13589 | 20,000 | 13631 | 5,000 | 13643 | 1,000 | -- | -- | 13666 | 100 |



Designed with a larger outside head diameter to better fit hinge plates and drawer slides that are manufactured with countersink holes that are at the higher end of tolerance specifications. Blum recommended for Blumotion Slide. The type 17 auger point helps prevent splitting.

Phillips Drive, Oval Head, Coarse Thread

| Size | Length | Finish | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY | | | | |
|------|--------|---------------|-----------|-----------|-----------|-----------|------|-------|------|-----|
| #5 | 5/8" | Antique Brass | 238 | 30,000 | 6157 | 5,000 | 5869 | 1,000 | 7478 | 100 |
| #6 | 5/8" | Bright Brass | 640 | 20,000 | 6148 | 5,000 | 6088 | 1,000 | 7471 | 100 |
| #6 | 5/8" | Antique Brass | 239 | 20,000 | 6160 | 5,000 | 5870 | 1,000 | 7485 | 100 |

Screws for variety of hinges and hardware with curved surface.



Phillips Drive, Twinfast Thread

| Size | Length | Head | Finish | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY | | | | |
|------|--------|------|---------------|-----------|-----------|-----------|-----------|------|-------|------|-----|
| #4 | 1/2" | Flat | Zinc | 5887 | 40,000 | 6186 | 5,000 | 6176 | 1,000 | 7493 | 100 |
| #4 | 5/8" | Flat | Bright Brass | 5879 | 40,000 | 6208 | 5,000 | 6193 | 1,000 | 7686 | 100 |
| #4 | 5/8" | Flat | Zinc | 5888 | 40,000 | 6187 | 5,000 | 6177 | 1,000 | 7494 | 100 |
| #5 | 1/2" | Flat | Antique Brass | 200 | 30,000 | 6228 | 5,000 | 6221 | 1,000 | 7498 | 100 |
| #5 | 1/2" | Flat | Bright Brass | 216 | 30,000 | 6211 | 5,000 | 6196 | 1,000 | 7689 | 100 |
| #5 | 5/8" | Flat | Bright Brass | 217 | 25,000 | 6212 | 5,000 | 6197 | 1,000 | 8285 | 100 |
| #5 | 5/8" | Oval | Antique Brass | 193 | 25,000 | 6230 | 5,000 | 6223 | 1,000 | 7500 | 100 |
| #6 | 1/2" | Flat | Antique Brass | 206 | 25,000 | 6231 | 5,000 | 6224 | 1,000 | 7501 | 100 |
| #6 | 5/8" | Flat | Antique Brass | 207 | 20,000 | 6233 | 5,000 | 6225 | 1,000 | 7502 | 100 |
| #6 | 5/8" | Flat | Bright Brass | 219 | 20,000 | 6217 | 5,000 | 6202 | 1,000 | 7695 | 100 |
| #6 | 5/8" | Oval | Antique Brass | 197 | 20,000 | 6234 | 5,000 | 6226 | 1,000 | 7503 | 100 |
| #6 | 5/8" | Oval | Zinc | 8394 | 20,000 | -- | -- | 8650 | 1,000 | 9603 | 100 |

The twinfast thread, which is finer than coarse thread, prevents splitting in hardwoods. Twinfast screws are also known as "twin lead" or "dual lead" screws. Typically used for hinge attachments in hardwoods.



Phillips Drive, Fine Thread Sheet Metal Screws (SMS), Zinc Finish

| Size | Length | Head | Thread | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY | | | | |
|------|--------|-------|------------|-----------|-----------|-----------|-----------|-------|-------|-------|-----|
| #6 | 7/16" | Pan** | Type A*** | 11572 | 30,000 | 12798 | 5,000 | 12799 | 1,000 | -- | -- |
| #6 | 1/2" | Pan | Type AB | 14533 | 16,000 | -- | -- | 14599 | 1,000 | 14566 | 100 |
| #6 | 5/8" | Flat | Type AB | 14241 | 18,000 | -- | -- | 14529 | 1,000 | 14571 | 100 |
| #6 | 5/8" | Pan | Type AB | 14534 | 15,000 | -- | -- | 14600 | 1,000 | 14567 | 100 |
| #6 | 3/4" | Flat | Type AB | 14242 | 16,000 | -- | -- | 14530 | 1,000 | 14572 | 100 |
| #6 | 3/4" | Pan | Type AB | 14535 | 13,000 | -- | -- | 14601 | 1,000 | 14568 | 100 |
| #6 | 1" | Flat | Type AB | 14243 | 13,000 | -- | -- | 14531 | 1,000 | 14573 | 100 |
| #6 | 1" | Pan | Type AB | 14536 | 11,000 | -- | -- | 14602 | 1,000 | 14569 | 100 |
| #8* | 7/16" | Truss | Type A*** | 229 | 20,000 | 11545 | 5,000 | 11547 | 1,000 | 11548 | 100 |
| #8 | 5/8" | Flat | Type AB | 14257 | 13,000 | -- | -- | 14269 | 1,000 | 14575 | 100 |
| #8 | 3/4" | Flat | Type AB | 14258 | 12,000 | -- | -- | 14270 | 1,000 | 14576 | 100 |
| #8 | 1" | Flat | Type AB | 14260 | 8,000 | -- | -- | 14272 | 1,000 | 14577 | 100 |
| #8 | 1-1/2" | Flat | Type AB | 14262 | 6,000 | -- | -- | 14274 | 1,000 | 14579 | 100 |
| #8 | 1-3/4" | Flat | Type AB | 14263 | 5,000 | -- | -- | 14275 | 1,000 | 14580 | 100 |
| #8 | 2" | Flat | Type AB | 14264 | 4,000 | -- | -- | 14276 | 1,000 | 14581 | 100 |
| #8 | 2-1/2" | Flat | Type AB | 14266 | 2,500 | -- | -- | 14278 | 500 | 14582 | 50 |
| #8 | 3" | Flat | Type AB | 14267 | 2,000 | -- | -- | 14279 | 500 | 14583 | 50 |
| #14 | 3" | Truss | Type A**** | 2052 | 1,000 | -- | -- | 11282 | 100 | 15491 | 50 |

*Represents #8 Body with #6 Head
 **Represents Low Profile Pan Head
 ***Represents Ballbearing Drawer Slide Screw
 ****Represents Cabinet Installation Screw with T17 Point

Sheet metal screws have a fine thread that is fully-threaded and make excellent fasteners for attaching hardware to metal, plastic and hardwood.



Hardware Screws - Pan Head Hinge and Edge Screws



Phillips Drive, Pan Head, Coarse Thread

| Size | Length | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY |
|-------|--------|-----------|---------------|--------------|------------|-------------|-----------|
| #6 | 1/2" | No | Black | 144 30,000 | -- -- | 5836 1,000 | 7639 100 |
| #6 | 1/2" | No | Zinc | 157 30,000 | 6260 5,000 | 5884 1,000 | 7624 100 |
| #6 | 1/2" | Yes | Antique Brass | 8081 30,000 | 8087 5,000 | 8091 1,000 | 8101 100 |
| #6 | 1/2" | Yes | Zinc | 8083 30,000 | 8088 5,000 | 8092 1,000 | 8102 100 |
| #6 | 5/8" | No | Black | 145 25,000 | -- -- | 5837 1,000 | 7640 100 |
| #6 | 5/8" | No | Zinc | 158 25,000 | 6261 5,000 | 5586 1,000 | 7625 100 |
| #6 | 5/8" | Yes | Antique Brass | 8082 25,000 | 8089 5,000 | 8093 1,000 | 8103 100 |
| #6 | 5/8" | Yes | Zinc | 8084 25,000 | 8090 5,000 | 8094 1,000 | 8104 100 |
| #6 | 3/4" | No | Black | 146 20,000 | -- -- | 5838 1,000 | 7641 100 |
| #6 | 3/4" | No | Zinc | 159 20,000 | 6262 5,000 | 6109 1,000 | 7626 100 |
| #6 | 1" | No | Black | 5173 15,000 | -- -- | 5839 1,000 | 7642 100 |
| #8 | 1/2" | No | Black | 6882 15,000 | -- -- | 9615 1,000 | 9616 100 |
| #8 | 1/2" | No | Zinc | 163 15,000 | -- -- | 5589 1,000 | 7627 100 |
| #8 | 5/8" | No | Black | 147 12,000 | -- -- | 5843 1,000 | 7645 100 |
| #8 | 5/8" | No | Zinc | 164 12,000 | -- -- | 5590 1,000 | 7628 100 |
| #8 | 5/8" | Yes | Antique Brass | 7891 12,000 | -- -- | 8095 1,000 | 8105 100 |
| #8 | 5/8" | Yes | Zinc | 8085 12,000 | -- -- | 8096 1,000 | 8106 100 |
| #8 | 3/4" | No | Zinc | 165 10,000 | -- -- | 5591 1,000 | 7629 100 |
| #8 | 3/4" | Yes | Black | 148 10,000 | -- -- | 5844 1,000 | 7646 100 |
| #8 | 3/4" | Yes | Zinc | 8086 10,000 | -- -- | 8099 1,000 | 8112 100 |
| #8* | 7/8" | Yes | Zinc | 9830 10,000 | -- -- | 10475 1,000 | 10476 100 |
| #8 | 1" | No | Black | 150 9,000 | -- -- | 5845 1,000 | 7647 100 |
| #8 | 1" | No | Zinc | 166 9,000 | -- -- | 5592 1,000 | 7630 100 |
| #8 | 1" | Yes | Zinc | 10189 9,000 | -- -- | 10477 1,000 | 10478 100 |
| #8 | 1-1/4" | No | Black | 151 9,000 | -- -- | 9617 1,000 | 9618 100 |
| #8 | 1-1/4" | No | Zinc | 167 9,000 | -- -- | 5593 1,000 | 7631 100 |
| #8 | 1-1/2" | No | Zinc | 168 6,000 | -- -- | 5594 1,000 | 7632 100 |
| #10 | 5/8" | No | Black | 152 10,000 | -- -- | 5849 1,000 | 7648 100 |
| #10 | 5/8" | No | Zinc | 170 10,000 | -- -- | 5595 1,000 | 7633 100 |
| #10 | 5/8" | Yes | Nickel | 10991 10,000 | -- -- | 11020 1,000 | 11021 100 |
| #10 | 3/4" | No | Black | 154 9,000 | -- -- | 5850 1,000 | 7649 100 |
| #10 | 3/4" | No | Nickel | 9341 9,000 | -- -- | 11026 1,000 | 11027 100 |
| #10 | 3/4" | No | Zinc | 171 9,000 | -- -- | 5596 1,000 | 7634 100 |
| #10 | 3/4" | Yes | Nickel | 10918 9,000 | -- -- | 11016 1,000 | 11017 100 |
| #10 | 1" | No | Black | 155 7,000 | -- -- | 5851 1,000 | 7650 100 |
| #10 | 1" | No | Zinc | 174 7,000 | -- -- | 5597 1,000 | 7635 100 |
| #10 | 1" | Yes | Nickel | 10993 7,000 | -- -- | 11024 1,000 | 11025 100 |
| #10 | 1-1/4" | No | Black | 5973 6,000 | -- -- | 6263 1,000 | 7651 100 |
| #10 | 1-1/2" | No | Zinc | 6565 5,000 | -- -- | 7811 1,000 | 7638 100 |
| #12** | 5/8" | Yes | Zinc | 9799 7,000 | -- -- | 9802 1,000 | 9806 100 |
| #12** | 3/4" | Yes | Zinc | 9800 6,000 | -- -- | 9803 1,000 | 9807 100 |
| #12** | 1" | Yes | Zinc | 9801 5,000 | -- -- | 9805 1,000 | 9808 100 |

Full line of pan head screws are used to install a variety of different components that do not require the head to countersink. The type 17 auger point versions were developed primarily to install compact hinges to the edge of hardwood face frames.

Hardware Screws



*Represents Screw with Serrations Under Head

**Represents Phillips #3

Hardware Screws - Hinge Screws, Edge Screws and Machine Screws



Coarse Thread

| Size | Length | Drive | Head | T17 Point | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|----------|--------------|-----------|---------------|-----------|-----------|-------------------------|
| #7* | 3/4" | Phillips | Round Washer | Yes, XL | Zinc | R14026 | 10,000 | 15788 1,000 15789 100 |
| #7* | 7/8" | Phillips | Round Washer | Yes, XL | Antique Brass | 14963 | 9,000 | 16109 1,000 -- -- |
| #7* | 7/8" | Phillips | Round Washer | Yes, XL | Zinc | 14964 | 9,000 | 14964M 1,000 14964C 100 |
| #7* | 1" | Combo | Round Washer | Yes, XL | Zinc | 15899 | 9,000 | 15899M 1,000 15899C 100 |
| #8 | 5/8" | Combo | Round Washer | No | Zinc | 14160 | 12,000 | 17000 1,000 17001 100 |
| #8 | 5/8" | Combo | Round Washer | Yes | Plain | 7379 | 10,000 | 7773 1,000 7788 100 |
| #8 | 5/8" | Combo | Round Washer | Yes | Zinc | 16075 | 12,000 | 15857 1,000 15858 100 |
| #8 | 5/8" | Phillips | Truss | Yes | Antique Brass | 8080 | 10,000 | 8097 1,000 8107 100 |
| #8 | 5/8" | Phillips | Truss | Yes | Zinc | 7892 | 10,000 | 8098 1,000 8108 100 |
| #8 | 5/8" | Square | Pan | Yes | Zinc | 13579 | 12,000 | 13621 1,000 13656 100 |
| #8 | 5/8" | Square | Truss | Yes | Zinc | 13581 | 10,000 | 13623 1,000 13658 100 |
| #8 | 3/4" | Combo | Round Washer | Yes | Plain | 7380 | 10,000 | 7775 1,000 7790 100 |
| #8 | 3/4" | Combo | Round Washer | Yes | Zinc | 8883 | 10,000 | 9118 1,000 9824 100 |
| #8 | 3/4" | Phillips | Round Washer | Yes | Nickel | 14820 | 10,000 | 14821 1,000 14822 100 |
| #8 | 3/4" | Phillips | Truss | Yes | Zinc | 6802 | 10,000 | 8157 1,000 8158 100 |
| #8 | 3/4" | Square | Pan | Yes | Zinc | 13580 | 10,000 | 13622 1,000 13657 100 |
| #8 | 3/4" | Square | Truss | Yes | Zinc | 13582 | 10,000 | 13624 1,000 13659 100 |

With the type 17 auger point, these edge screws are used primarily for attaching compact hinges and other common hardware to the edge of hardwoods.

*Represents #7 Body with #8 Head
XL Represents Extra Long Type 17 Point

Phillips/Slotted Drive, Truss Head, 8-32 Machine Thread

| Size | Length | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|-------|--------|--------|--------------|-------------|-----------|
| #8-32 | 1/2" | Zinc | 308 14,000 | 1192 1,000 | 1206 100 |
| #8-32 | 5/8" | Zinc | 309 12,000 | 1193 1,000 | 1207 100 |
| #8-32 | 3/4" | Zinc | 310 10,000 | 1194 1,000 | 1208 100 |
| #8-32 | 7/8" | Zinc | 311 8,500 | 1195 1,000 | 1209 100 |
| #8-32 | 1" | Zinc | 312 7,000 | 1196 1,000 | 1210 100 |
| #8-32 | 1-1/8" | Zinc | 313 6,500 | 1197 1,000 | 1211 100 |
| #8-32 | 1-1/4" | Zinc | 314 5,500 | 1198 1,000 | 1212 100 |
| #8-32 | 1-3/8" | Zinc | 315 5,000 | 1199 1,000 | 1213 100 |
| #8-32 | 1-1/2" | Zinc | 316 5,000 | 1200 1,000 | 1214 100 |
| #8-32 | 1-5/8" | Zinc | 317 4,000 | 1201 1,000 | 1215 100 |
| #8-32 | 1-3/4" | Zinc | 318 4,000 | 1202 1,000 | 1216 100 |
| #8-32 | 1-7/8" | Zinc | 319 3,500 | 1203 1,000 | 1217 100 |
| #8-32 | 2" | Zinc | 320 3,000 | 1204 1,000 | 1218 100 |
| #8-32 | 2-1/4" | Zinc | R16028 2,000 | 15779 1,000 | 15780 100 |

Phillips/Slotted Drive, Truss Head, Machine Breakaway Thread

| Size | Length | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|-------|--------|--------|-------------|-------------|-----------|
| #8* | 1-3/4" | Zinc | 10772 4,000 | 8903 1,000 | 9100 100 |
| 4mm** | 45mm | Zinc | 10783 4,000 | 8892 1,000 | 9103 100 |
| 4mm** | 61mm | Zinc | 14253 2,800 | 14468 1,000 | 15635 100 |

*Represents 8-32 Thread
**Represents M4 Thread

Phillips/Slotted Drive, Truss Head, M4 Machine Thread

| Size | Length | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------|-------------|-------------|-----------|
| 4mm | 22mm | Zinc | 10890 8,500 | 10899 1,000 | 10949 100 |
| 4mm | 25mm | Zinc | 10891 7,000 | 10939 1,000 | 10950 100 |
| 4mm | 30mm | Zinc | 10892 6,500 | 10940 1,000 | 10951 100 |
| 4mm | 35mm | Zinc | 10893 5,000 | 10941 1,000 | 10952 100 |
| 4mm | 38mm | Zinc | 10894 4,000 | 10942 1,000 | 10953 100 |
| 4mm | 40mm | Zinc | 10895 5,000 | 10945 1,000 | 10954 100 |
| 4mm | 45mm | Zinc | 10896 4,000 | 10946 1,000 | 10955 100 |
| 4mm | 50mm | Zinc | 10897 3,000 | 10947 1,000 | 10956 100 |

The slotted truss head machine screws are designed for pulls, knobs, handles and other types of hardware attachments.

Phillips #3/Slotted Drive, Round Washer Head, Self-Tapping Type B SMS Thread

| Size | Length | Finish | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|--------|------------|-------------|-----------|-----------|-----------|
| #12 | 1" | Zinc | 7117 5,000 | 9228 1,000 | -- -- | 9234 100 | -- -- |
| #12 | 1-1/4" | Zinc | 7118 3,000 | 10752 1,000 | 9229 500 | 10755 100 | 9235 50 |
| #12 | 1-1/2" | Zinc | 7119 3,000 | 10753 1,000 | 9230 500 | 10756 100 | 9236 50 |
| #12 | 1-3/4" | Zinc | 7120 2,000 | 10754 1,000 | 9231 500 | 10757 100 | 9237 50 |

Knobscrews are designed for attaching wooden knobs that do not include threaded inserts.

Packaging In Plastic Cases

| Drive | Length | PN# - QTY |
|----------------|----------|-----------|
| SQ/PH #2 Combo | 1" | 13112P 10 |
| 5/32" Hex** | 1" | 12250P 10 |
| 3/16" Hex | 1" | 12170P 10 |
| PH #2 | 1" | 11760P 10 |
| PH #2 ACR | 1" | 12117P 10 |
| SQ #2 | 1" | 11778P 10 |
| SQ #3 | 1" | 11918P 10 |
| T20 | 1" | 12191P 10 |
| T27 | 1" | 12193P 10 |
| T30 | 1" | 12194P 10 |
| T40 | 1" | 12195P 10 |
| PH #2 | 1-1/2" | 11904P 10 |
| 1/8" Hex | 1-15/16" | 12179P 10 |
| PH #2 | 1-15/16" | 11905P 10 |
| PH #2* | 1-15/16" | 12690P 10 |
| PH #3 | 1-15/16" | 11906P 10 |
| PH #3 ACR | 1-15/16" | 12122P 10 |
| SQ #1 | 1-15/16" | 11775P 10 |
| SQ #2 | 1-15/16" | 11779P 10 |
| SQ #2* | 1-15/16" | 12695P 10 |
| T8 | 1-15/16" | 12201P 10 |
| T20 | 1-15/16" | 12205P 10 |

*Represents Magnetized Power Bit
**Represents Tamperproof Insert Bit

Packaging In Plastic Cases

| Drive | Length | PN# - QTY |
|---------------|--------|-----------|
| SQ #1 2-Piece | 2" | 13148P 10 |
| SQ #2 2-Piece | 2" | 13153P 10 |
| SQ #3 2-Piece | 2" | 13158P 10 |
| PH #2 | 2-3/4" | 11761P 10 |
| PH #2* | 2-3/4" | 12691P 10 |
| SQ #2 | 2-3/4" | 11915P 10 |
| SQ #2* | 2-3/4" | 12696P 10 |
| SQ #2 2-Piece | 3" | 13154P 10 |
| PH #2 | 3-1/2" | 11762P 10 |
| PH #2* | 3-1/2" | 12692P 10 |
| PZ #2 | 3-1/2" | 11771P 10 |
| SQ #1 | 3-1/2" | 11914P 10 |
| SQ #2* | 3-1/2" | 12697P 10 |
| SQ #3 | 3-1/2" | 11920P 10 |
| PH #2 | 4-1/2" | 11763P 10 |
| PH #2* | 4-1/2" | 12693P 10 |
| SQ #2 | 4-1/2" | 11917P 10 |
| PH #2 | 6" | 11764P 10 |
| PH #2* | 6" | 12694P 10 |
| SQ #1 2-Piece | 6" | 13151P 10 |
| SQ #2 | 6" | 11782P 10 |
| SQ #2 2-Piece | 6" | 13156P 10 |
| T20 | 6" | 12238P 10 |

*Represents Magnetized Power Bit



Impact Drive Bits

| Drive | Length | PN# - QTY |
|---------------|----------|------------|
| PH #2 | 1" | 11760V5 10 |
| PH #2 Reduced | 1" | 11759V5 10 |
| SQ #2 | 1" | 11778V5 10 |
| T20 | 1" | 12191V5 10 |
| T25 | 1" | 12192V5 10 |
| T30 | 1" | 12194V5 10 |
| PH #2* | 1-15/16" | 12690V5 10 |
| PZ #2 Reduced | 1-15/16" | 16128V5 10 |
| SQ #2* | 1-15/16" | 12695V5 10 |
| T20 | 1-15/16" | 12205V5 10 |
| T25 | 1-15/16" | 12206V5 10 |
| T30 | 1-15/16" | 12208V5 10 |
| PH #2* | 2-3/4" | 12691V5 10 |
| SQ #2* | 2-3/4" | 12696V5 10 |
| PH #2* | 3-1/2" | 12692V5 10 |
| SQ #2* | 3-1/2" | 12697V5 10 |
| PH #2 | 4-1/2" | 12693V5 10 |
| PH #2* | 6" | 12694V5 10 |
| SQ #2* | 6" | 12698V5 10 |

*Represents Magnetized Power Bit
Packaged In Plastic Cases



Made from V5 alloy steel, our new line of impact bits last 30-50% longer than standard drive bits. These bits were designed to take the pounding of the impact drive tools on the market today; the strongest, toughest and most wear resistant bits available.



| Size | Length | PN# - QTY |
|------|----------|-----------|
| #2 | 1-15/16" | 13113 10 |
| #2 | 2-3/4" | 13114 10 |



| Drive | Length | PN# - QTY |
|-----------------------|--------|-----------|
| PH #2 Reduced & PZ #2 | 2" | 11790 5 |
| PH #2 & SQ #2 | 3" | 11792 5 |



| Size | Length | PN# - QTY |
|-------|----------|-----------|
| 1/8" | 1" | 12167 10 |
| 3/32" | 1-15/16" | 12177 10 |
| 5/32" | 1-15/16" | 12181 10 |
| 3/16" | 1-15/16" | 12182 10 |

Drive Bits

Phillips Drive Bits

| Drive | Length | PN# - QTY | PN# - QTY |
|----------------|----------|------------|-----------|
| #1 | 1" | -- -- | 11758 10 |
| #1 ACR | 1" | -- -- | 12114 10 |
| #1 | 1-15/16" | -- -- | 11901 10 |
| #1 ACR | 1-15/16" | -- -- | 12115 10 |
| #1 | 2-3/4" | -- -- | 11902 10 |
| #1 | 3-1/2" | -- -- | 11972 10 |
| #1 | 6" | -- -- | 11903 10 |
| #2 Flush | 1" | -- -- | 13241 10 |
| #2 Full Hex | 1" | -- -- | 13238 10 |
| #2 Reduced | 1" | 11759B 100 | 11759 10 |
| #2 Reduced ACR | 1" | -- -- | 12118 10 |
| #2 ACR | 1-15/16" | -- -- | 12119 10 |
| #2 Flush | 1-15/16" | -- -- | 13242 25 |
| #2 Reduced | 1-15/16" | -- -- | 13006 10 |
| #2 Reduced ACR | 1-15/16" | -- -- | 13236 10 |
| #3 | 1" | 11765B 100 | 11765 10 |
| #3 ACR | 1" | -- -- | 12121 10 |
| #3 | 2-3/4" | -- -- | 11766 10 |
| #3 | 3-1/2" | -- -- | 11908 10 |
| #3 | 6" | -- -- | 11767 10 |

*Represents Magnetized Power Bit




Pozi Drive Bits

| Drive | Length | PN# - QTY |
|------------|----------|-----------|
| #1 | 1" | 11768 10 |
| #2 | 1" | 11769 1 |
| #2 Reduced | 1" | 11910 10 |
| #2 | 1-15/16" | 11911 10 |
| #2 | 2-3/4" | 11770 10 |
| #3 | 1" | 11772 10 |
| #3 | 1-15/16" | 11912 10 |
| #3 | 2-3/4" | 11773 10 |



Slotted Drive Bits

| Drive | Length | PN# - QTY |
|----------|--------|-----------|
| SL 6-8 | 1" | 11921 5 |
| SL 3-4 | 2" | 11783 5 |
| SL 5-6 | 2" | 11785 5 |
| SL 6-7 | 2" | 11786 5 |
| SL 10-12 | 2" | 11788 5 |



Square Drive Bits

| Drive | Length | PN# - QTY | PN# - QTY |
|------------|----------|------------|-----------|
| #1 | 1" | 11774B 100 | 11774 10 |
| #1 2-Piece | 1" | -- -- | 13147 10 |
| #1 | 2-3/4" | -- -- | 11913 10 |
| #1* | 2-3/4" | -- -- | 13269 10 |
| #1 2-Piece | 4" | -- -- | 13150 10 |
| #1* | 6" | -- -- | 13272 10 |
| #2 2-Piece | 1" | -- -- | 13152 10 |
| #2 | 3-1/2" | -- -- | 11916 10 |
| #2 2-Piece | 4" | -- -- | 13155 10 |
| #2* | 6" | -- -- | 12698 10 |
| #3 2-Piece | 1" | -- -- | 13157 10 |
| #3 | 1-15/16" | 11919B 100 | 11919 10 |
| #3 2-Piece | 3" | -- -- | 13159 10 |
| #3 2-Piece | 4" | -- -- | 13160 10 |
| #3 2-Piece | 6" | -- -- | 13161 10 |

*Represents Magnetized Power Bit



Tamperproof 1" Insert Bits

| Drive | PN# - QTY |
|-------------|-----------|
| 3/32 Hex | 12246 10 |
| 7/64 Hex | 12247 10 |
| 9/64 Hex | 12249 10 |
| 3/16 Hex | 12251 10 |
| 7/32 Hex | 12252 10 |
| 1/4 Hex | 12253 10 |
| 5/16 Hex | 12254 10 |
| #4 Spanner | 12537 5 |
| #6 Spanner | 12538 5 |
| #8 Spanner | 12539 5 |
| #10 Spanner | 12540 5 |
| #12 Spanner | 12541 5 |
| #14 Spanner | 12542 5 |

Tamperproof 1" Insert Bits

| Drive | PN# - QTY |
|----------|-----------|
| T6 Torx | 12255 10 |
| T7 Torx | 12256 10 |
| T8 Torx | 12257 10 |
| T9 Torx | 12258 10 |
| T10 Torx | 12259 10 |
| T15 Torx | 12260 10 |
| T20 Torx | 12261 10 |
| T25 Torx | 12262 10 |
| T27 Torx | 12263 10 |
| T30 Torx | 12264 10 |
| T40 Torx | 12265 10 |



Torx Drive Bits

| Drive | Length | PN# - QTY | PN# - QTY |
|-------|----------|------------|-----------|
| T5 | 1" | -- -- | 12184 10 |
| T6 | 1" | -- -- | 12185 10 |
| T6 | 1-15/16" | -- -- | 12199 10 |
| T6 | 2-3/4" | -- -- | 12210 10 |
| T6 | 3-1/2" | -- -- | 12221 10 |
| T6 | 6" | -- -- | 12232 10 |
| T7 | 1" | -- -- | 12186 10 |
| T7 | 1-15/16" | -- -- | 12200 10 |
| T7 | 2-3/4" | -- -- | 12211 10 |
| T7 | 3-1/2" | -- -- | 12222 10 |
| T7 | 6" | -- -- | 12233 10 |
| T8 | 1" | -- -- | 12187 10 |
| T8 | 2-3/4" | -- -- | 12212 10 |
| T8 | 3-1/2" | -- -- | 12223 10 |
| T8 | 6" | -- -- | 12234 10 |
| T9 | 1" | -- -- | 12188 10 |
| T9 | 1-15/16" | -- -- | 12202 10 |
| T9 | 2-3/4" | -- -- | 12213 10 |
| T9 | 3-1/2" | -- -- | 12224 10 |
| T9 | 6" | -- -- | 12235 10 |
| T10 | 1" | 12189B 100 | 12189 10 |
| T10 | 1-15/16" | 12203B 100 | 12203 10 |
| T10 | 2-3/4" | -- -- | 12214 10 |
| T10 | 3-1/2" | -- -- | 12225 10 |

Torx Drive Bits

| Drive | Length | PN# - QTY | PN# - QTY |
|-------|----------|------------|-----------|
| T10 | 6" | -- -- | 12236 10 |
| T15 | 1" | 12190B 100 | 12190 10 |
| T15 | 1-15/16" | 12204B 100 | 12204 10 |
| T15 | 2-3/4" | -- -- | 12215 10 |
| T15 | 3-1/2" | -- -- | 12226 10 |
| T15 | 6" | -- -- | 12237 10 |
| T20 | 2-3/4" | -- -- | 12216 10 |
| T20 | 3-1/2" | -- -- | 12227 10 |
| T25 | 1" | 12192B 100 | 12192 10 |
| T25 | 1-15/16" | 12206B 100 | 12206 10 |
| T25 | 2-3/4" | -- -- | 12217 10 |
| T25 | 3-1/2" | -- -- | 12228 10 |
| T25 | 6" | -- -- | 12239 10 |
| T27 | 1-15/16" | -- -- | 12207 10 |
| T27 | 2-3/4" | -- -- | 12218 10 |
| T27 | 3-1/2" | -- -- | 12229 10 |
| T27 | 6" | -- -- | 12240 10 |
| T30 | 1-15/16" | 12208B 100 | 12208 10 |
| T30 | 2-3/4" | -- -- | 12219 10 |
| T30 | 3-1/2" | -- -- | 12230 10 |
| T30 | 6" | -- -- | 12241 10 |
| T40 | 1-15/16" | -- -- | 12209 10 |
| T40 | 2-3/4" | -- -- | 12220 10 |
| T40 | 3-1/2" | -- -- | 12231 10 |
| T40 | 6" | -- -- | 12242 10 |



Magnetic Bit Holders and Accessories

Magnetic Nut Setters

| Size | Length | PN# - QTY | PN# - QTY | PN# - QTY |
|-------|---------|-----------|-----------|-----------|
| 1/4" | 1-3/4" | 12306B 25 | 12306 5 | 12306P* 3 |
| 5/16" | 1-3/4" | 12307B 25 | 12307 5 | -- -- |
| 3/8" | 1-3/4" | 12308B 25 | 12308 5 | 12308P* 3 |
| 7/16" | 1-3/4" | 12309B 25 | 12309 5 | -- -- |
| 1/4" | 2-9/16" | 12310B 25 | 12310 5 | 12310P* 3 |
| 5/16" | 2-9/16" | 12311B 25 | 12311 5 | -- -- |
| 3/8" | 2-9/16" | 12312B 25 | 12312 5 | 12312P* 3 |
| 7/16" | 2-9/16" | -- -- | 12313 5 | -- -- |
| 1/4" | 4" | -- -- | 11925 5 | 15567 1 |
| 5/16" | 4" | -- -- | 12314 5 | -- -- |
| 3/8" | 4" | -- -- | 12315 5 | -- -- |
| 7/16" | 4" | -- -- | 12316 5 | 15570 1 |
| 1/4" | 6" | -- -- | 11926 5 | 15571 1 |
| 5/16" | 6" | -- -- | 12317 5 | 15572 1 |
| 3/8" | 6" | -- -- | 12318 5 | 15573 1 |

Use To Drive Standard Hex Screws And Bolts
*Represents Packaging In Plastic Case

1-Piece Magnetic Bit Holder with C-Ring

| Length | PN# - QTY | PN# - QTY | PN# - QTY |
|--------|-----------|-----------|-----------|
| 2-7/8" | 12702B 25 | 12702 5 | 15542 1 |
| 6" | -- -- | 14935 5 | 15553 1 |
| 8" | -- -- | 14936 5 | 15554 1 |
| 10" | -- -- | 14937 5 | 15555 1 |

2-Piece Magnetic Bit Holder with C-Ring

| Length | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY |
|--------|-----------|-----------|-----------|-----------|
| 2-7/8" | 11794B 25 | 11794 5 | 11794P* 3 | 15538 1 |
| 4" | -- -- | 11923 5 | -- -- | 15539 1 |
| 6" | -- -- | 11924 5 | -- -- | 15540 1 |

*Represents Packaging In Plastic Case

Ultra Magnetic Bit Holder

| Length | PN# - QTY | PN# - QTY |
|--------|-----------|-----------|
| 3" | 14203 5 | 14204 1 |

Our quick release and super magnetic combination bit holder. The high-powered magnet holds screws so they won't fall off while driving. The quick release feature locks bits in place.

Hanger Bolt Drivers

| Size | Length | PN# - QTY |
|-------|----------|-----------|
| 1/4" | 1-3/4" | 12362 5 |
| 5/16" | 1-15/16" | 12363 5 |
| 3/8" | 1-3/4" | 12364 5 |
| 5/16" | 2-9/16" | 12366 5 |
| 3/8" | 2-9/16" | 12367 5 |

Quick Release Mag Holders

| Length | PN# - QTY | PN# - QTY | PN# - QTY |
|--------|-----------|-----------|-----------|
| 2-3/8" | 11793B 25 | 11793 5 | 15536 1 |
| 3" | 11922B 25 | 11922 5 | 15537 1 |
| 3" | -- -- | 14200 5 | 15545 1 |

Super Magnetic Bit Holder

| Length | PN# - QTY | PN# - QTY |
|--------|-----------|-----------|
| 2-3/8" | 11928 5 | 15541 1 |

Magnetic Bit Holder with Cap

| Length | PN# - QTY | PN# - QTY | PN# - QTY |
|--------|-----------|-----------|-----------|
| 2-7/8" | 13282B 25 | 13282 5 | 15544 1 |

Acoustical Eye Lag Driver

| Size | Length | PN# - QTY |
|------|--------|-----------|
| 1/4" | 3" | 12473 5 |

Install Or Remove Lag Screws

Hex Extensions

| Size | Length | PN# - QTY | PN# - QTY |
|-------------|--------|-----------|-----------|
| 1/4" - 3/8" | 3" | 13278B 25 | 13278 5 |
| 1/4" - 1/2" | 3" | -- -- | 13677 5 |

Magnetic Bit Holders and Accessories

Specialty Products

Stamped Wing Nut

| Size | Finish | PN# - QTY | PN# - QTY |
|--------|--------|---------------|------------|
| #10-32 | Zinc | 3-1010B 8,000 | 3-1010 100 |



Use with 10-32 machine thread.

Corian Counter Sink Clips

| Length | Finish | PN# - QTY | PN# - QTY |
|--------|--------|------------|-----------|
| 2-3/4" | Zinc | 703B 1,000 | 703 100 |



Used for attaching sinks to countertops.

Knurled Brass Insert - Use with Corian Sink Clips & Machine Screws


| Size | Finish | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|---------------|------------|---------------|
| #10 | 1/4" | 3-0704B 5,000 | 3-0704 500 | 3-0704-1C 100 |



Used with corian sink clips and machine screws.

Phillips Drive, Slotted Truss Head Machine Screws

| Size | Length | PN# - QTY | PN# - QTY | PN# - QTY |
|--------|--------|---------------|-------------|---------------|
| #10-32 | 3/8" | 3-0612B 8,000 | 3-0612 500 | 3-0612-1C 100 |
| #10-32 | 1-1/4" | 3-0610B 4,000 | 3-0610A 500 | 3-0610 100 |



Used with sink clips for attaching to corian sinks.




Finish (Cup) Washers

| Size | Finish | PN# - QTY | PN# - QTY | PN# - QTY | PN# - QTY |
|------|--------|------------|-------------|-----------|-----------|
| #6 | Black | -- -- | 10495 1,000 | 14653 500 | 10496 100 |
| #6 | Nickel | -- -- | 9305 1,000 | 14652 500 | 10494 100 |
| #8 | Black | -- -- | 10497 1,000 | 14654 500 | 10498 100 |
| #8 | Zinc | 506 25,000 | 8893 1,000 | -- -- | 1998 100 |
| #10 | Black | -- -- | 10499 1,000 | -- -- | 10500 100 |
| #10 | Nickel | -- -- | 10391 1,000 | -- -- | 4474 100 |

Hex Drive Draw Bolt

| Size | Length | Head | Finish | PN# - QTY | PN# - QTY |
|------|--------|------|--------|-----------|-----------|
| #1/4 | 3-1/2" | Hex | Zinc | 322 500 | 6277 100 |
| #1/4 | 4" | Hex | Zinc | 5368 350 | -- -- |



EZ Anchors

| Size | Finish | PN# - QTY |
|------|--------|-----------|
| #8 | Nylon | 1934 100 |
| #8 | Zinc | 1436 100 |



For Attachments In Drywall

Conical Anchors

| Size | Length | Finish | PN# - QTY |
|------|--------|--------|-----------|
| #6 | 3/4" | Grey | 14549 100 |
| #8 | 7/8" | Grey | 14550 100 |
| #10 | 1" | Grey | 14551 100 |



For Attachments In Drywall

Lag Shield Anchors

| Size | Length | PN# - QTY |
|-------|--------|-----------|
| 1/4" | 1" | 14539 100 |
| 5/16" | 1-1/4" | 14540 100 |
| 1/4" | 1-1/2" | 14542 100 |
| 3/8" | 2-1/2" | 14544 50 |



For Attachments In Concrete

Super Plastic Anchors

| Size | Length | PN# - QTY |
|-------|--------|-----------|
| 1/4" | 1-1/4" | 14553 100 |
| 5/16" | 1-1/2" | 14554 100 |



For Attachments In Drywall, Hollow Walls And Concrete

Hammer Drive Anchors

| Size | Length | PN# - QTY |
|------|--------|-----------|
| 1/4" | 1-1/4" | 14546 100 |
| 1/4" | 2" | 14548 100 |



For Attachments In Concrete

Power Easy Chuck

| Size | PN# - QTY | PN# - QTY |
|------|-----------|-----------|
| 1/4" | 15438 5 | 15546 1 |



Drive Bit Magnetizer And Demagnetizer

| PN# - QTY |
|-----------|
| 15767 1 |



Figure 8 Clips

| PN# - QTY | PN# - QTY | PN# - QTY |
|-------------|-------------|-----------|
| 15738 3,000 | 15768 1,000 | 15769 100 |

To Attach Drawer Fronts To Drawer Box



Screw Finder/Driver

| Size | Length | PN# - QTY | PN# - QTY |
|------|--------|-----------|-----------|
| 3" | 80mm | 15442 5 | 15548 1 |
| 3" | 120mm | 15443 5 | 15550 1 |



Self-retracting guide sleeve protects fingers and holds screws in place while eliminating wobbling and slipping.

6 In 1 Screwdriver

| PN# - QTY |
|-----------|
| 12361 1 |

Includes PH #1 And PH #2, Slot 4.5mm And 6mm, 1/4" Hex And 5/16" Hex



Pozi #2 Reduced Screwdriver 4"

| PN# - QTY |
|-----------|
| 12360 1 |



T-Handle Driver

| PN# - QTY |
|-----------|
| 15766 1 |

Includes 6 Phillips, Square And Slotted Insert Bits



Bit Display Case

| PN# - QTY |
|-----------|
| 15297 1 |

Great For Storage Bits Not Included



62-Piece Bit Kit

| PN# - QTY |
|-----------|
| 15765 1 |

Includes Wide Variety Of Insert Bits And Quick Release Bit Holder



10-Piece Bit Kit

| PN# - QTY |
|-----------|
| 11795 1 |

Includes Phillips, Pozi, Square Insert Bits And Super Magnetic Bit Holder



About Us

Quickscrews International Corporation is one of the last remaining full line suppliers of professional woodworking screws, bits & bit holders. Established in 1987, our company is best known for innovation and creativity in bringing solutions to the Furniture Manufacturers, Cabinetmakers and Woodworkers industries. Throughout the years, technology and new equipment has changed the way woodworking professionals and hobbyists do business. With these types of changes come new problems. We have constantly introduced innovative, problem solving products to keep up with these changes. Over the past two decades, Quickscrews has introduced five new screw designs that vastly improved the industry at large. Primarily focused on carrying the broadest line of fasteners possible, Quickscrews has grown to carrying over 900 different woodworking and furniture screws to choose from. The largest and most complete line in the industry allows customers to choose the best product for their application.

Quickscrews' Online Store uses state of the art technology to provide their customers with the most current information regarding product and pricing on over 2,200 items. Tens of thousands of customers have visited and purchased directly from our store. We have customers who represent every state in the USA. Thank you for your continued loyalty. We have upgraded our abilities and are now shipping all orders within one day of receipt. Both warehouses, which are strategically located in Livermore, California and Rock Hill, South Carolina, allow quick delivery to anywhere in the USA.





The Woodworking Experts

- Assembly Screws •
- Confirmat Screws •
- Decking Screws •
- Installation Screws •
- Pocket Hole Screws •
- Drawer Front Adjusting Screws •
 - Drywall Screws •
- Drawer Slide Screws •
 - Hinge Screws •
 - Edge Screws •
- Twinfast Screws •
- Sheet Metal Screws •
 - Machine Screws •
 - Drive Bits •
- Magnetic Bit Holders •
- And Much, Much More! •

www.quirkscrews.com

5830 Las Positas Road, Livermore, California 94551 | 3948 Airway Drive, Rock Hill, South Carolina 29732
Phone - (800)-743-6916 | Fax - (800)-689-7975

