HP LaserJet Enterprise M806x+ Printer New



Ordering Information

Commercial model number: CZ245A (201/Gov't) CZ245A (AAZ/220 volt model)

Canada model number: CZ245A

Sidebar

In the box:

Print cartridge
Hardware install guide
Support flyer
Warranty card
Printer documentation and
driver on CD-ROM
Power cord

Software:

HP PCL 6 Discrete Printer Driver Mac SW Link to Web (Mac Installer) Windows Installer

Standard warranty:

1 year onsite plus phone support

Replaces

HP LaserJet	Q7697A
9040 Printer	Compare
HP LaserJet	Q7698A
9040n Printer	Compare
HP LaserJet	Q7699A
9040dn Printer	Compare
HP LaserJet	Q3721A
9050 Printer	Compare
HP LaserJet	Q3722A
9050n Printer	Compare
HP LaserJet	Q3723A
9050dn Printer	Compare

HP Care Pack Options

Recommended Care Pack Services

Installation with Network Setup Service H7621E

Next Business Day Onsite with DMR: 3

U8C59E

Print easily and fast with extra-large input capacity and versatile paper-handling options.

Boost productivity for every workgroup. Even the biggest jobs print easily and fast, thanks to extra-large input capacity and versatile paper-handling options.



Help protect your printer investments across the enterprise. Easily upgrade and add new capabilities as your needs change. Gain high efficiency for the long term.

Eliminate the wires and complications from mobile printing. Enable easy printing from smartphones, tablets and laptops at work, home or on-the-go. Give users simple, direct access through wireless direct printing and touch-to-print technology. 1. 2. 3



C Enlarge Image

Compatible Operating Systems

Standard Desktop

Windows XP	32/64-bit (SP2 or higher)
Windows Server 2003	32/64-bit (SP1 or higher)
Windows Server 2008	32/64-bit
Windows Server 2012	64-bit
Windows Vista®	32/64-bit
Windows® 7	32/64-bit
Windows® 8	32/64-bit
Mac OS	Mac OS X v10.6.8, 10.7, 10.8
Other	Air Print (support.apple.com/kb/ht4356); Citrix and Windows® Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX (hp.com/go/unix); UNIX JetDirect (hp.com/go/jetdirectunix_software); Unix Model Scripts (hp.com/go/unixmodelscripts)

Additional Information

Sales	www.hp.com
	Data Sheet 4AA5-0079ENUC
Technical Support	www.hp.com/support
Third-party solutions	www.hpgsc.com
Reseller	http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com

Brand Specifications

PRINTER

Optional Care Pack Services Installation with Network Setup Service Same Day Onsite, Standard Business Business Hours: 3 years UBC55E UBC57E UBC57E	years	Print Technology	Laser
Installation with Network Netw	Ontional Care Pack Services		
with Network Same Day Onsite, Same Day O			
Setup Service Same Day Oristle, Same Day Oristle, Standard Business Hours: 3 years Output Capacity, Max Output Cap		_	•
Paper Trays, Max 5 Consider			
Onsite of Standard Suspenses of Standard Standar	Setup Service		
Onsite, Standard Business Hours: 3 years Same Day Onsite, Standard Business Hours: 3 years Same Day Onsite, Standard Business Hours: 4 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Standard Business Hours: 6 years Same Day Onsite, Standard Business Hours: 7 years Same Day Onsite, Standard Business Hours: 8 years Same Day Onsite, Standard Business Hours: 9 years Same Day Onsite, Standard Business Hours: 9 years Same Day Onsite, Standard Business Hours: 9 years Same Day Onsite, Standard Business Hours: 1 years Same Day Onsite, Standard Business Day Onsite Media Sizes, Std, Metric Media Sizes, Custom, Metric Tray 1: 16 to 58 to [hond); tray 2, 3: 148 to 51 to 16 to 31 b (bond); high-capacity input tray: 2 to 16 to 53 lb (bond); high-capacity input tray: 2 to 16 to 53 lb (bond); h		•	-
Business Hours: 3 years Same Day Onsite, Standard Business Hours: 4 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Standard Business Hours: 6 years Same Day Onsite, Standard Business Hours: 6 years Same Day Onsite, Standard Business Hours: 7 years Same Day Onsite, Standard Business Hours: 9 years Same Day Onsite, Stended Business Hours: 9 years Same Day Onsite, Stended Business Hours: 1 years Same Day Onsite, Stended Business Hours: 1 years Same Day Onsite, Stended Business Hours: 3 years Same Day Onsite, Stended Business Hours: 3 years Same Day Onsite, Stended Business Hours: 3 years Same Day Onsite, Stended Business Hours: 4 years Same Day Onsite, Stended Business Hours: 5 years Same Day Onsite, Stended Business Hours: 6 years Same Day Onsite, Stended Business Hours: 6 years Same Day Onsite, Stended Business Hours: 7 years Same Day Onsite, Stended Business Hours: 8 years Same Day Onsite, Stended Business Hours: 9 years Same Day Onsite, Stended Business Hours: 9 years Same Day Onsite, Stended Business Hours: 1 years Same Day Onsite, Stended Business Bay Onsite With DMR: 3 years Next Business Day Onsite Media Sizes, Std Media Sizes, Std, Metric Media Sizes, Std, Metric Media Sizes, Custom, Metric Media Sizes, Custom, Metric Media Sizes, Custom, Metric Media Sizes, Custom, Metric First, 1 Spears Media Weights, Metric Media Weights, Metric Day Onsite Search Tray 1: 38 x 7.52 to 11.28 x 1.8 in; tray 2, 3: 18 to 199 gm² Hours: 1 years Media Weights, Metric Day Onsite Call-to-Repair With DMR: 4 years Media Weights, Metric Day Onsite Call-to-Repair With DMR: 4 years Media Weights, Metric Day Onsite Call-to-Repair With DMR: 4 years Day Onsite Call-to-Repair With DMR: 4 years Day Onsite Call-to-Repair With DMR: 4 years Day Onsite Day On	Onsite,	Input Capacity, Std	
Hours: 3 years Same Day Onsite Standard Standar			
Same Day Orstele, Standard Business Hours: 4 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Standard Business Hours: 6 years Same Day Onsite, Standard Business Hours: 7 years Same Day Onsite, Standard Business Hours: 8 years Same Day Onsite, Standard Business Hours: 9 years Same Day Onsite, Standard Business B	200000	Innut Consoity May	
Output Capacity, Max 3.500 sheets (with optional staplen/stacker, stapler/stacker with hobolizal staplen/stacker, stapler/stacker with thooks at staplen/stacker with thooks at staplen/stacker with thooks at staplen/stacker with thooks at staplen/stacker with thooks at stacker with booklet maker) Imperation Freedow 10	Hours. 5 years		·
Standards Business Hours: 4 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Extended Business Hours: 3 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 6 years Same Day Onsite, Extended Business Hours: 7 years Same Day Onsite, Extended Business Hours: 6 years Same Day Onsite, Extended Business Hours: 6 years Same Day Onsite, Extended Business Bay Onsite, Extended Business Bay Onsite With DMR: 3 years DBC59E DBC69E DBC69E DBC69E Print Quality, Black Best Print Resolution Technology Drint Quality, Black Best Drint Resolution Revisite Tech	3 00000		
Standard Business Hours: 4 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Steel Hours: 6 years Same Day Onsite With DMR: 3 years Same Day Onsite With DMR: 5 years Same Day Onsite With DMR: 3 years Same Day Onsite With DMR: 3 years Same Day Onsite With DMR: 3 years Same Day Onsite Say Onsite With DMR: 3 years Same Day Onsite Say Onsite With DMR: 3 years Say Onsite S	· · · · · · · · · · · · · · · · · · ·	Output Supacity, max	
Hours: 4 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Standard Business Hours: 6 years Same Day Onsite, Standard Business Hours: 7 years Same Day Onsite, Stended Business Hours: 9 years Same Day Onsite, Stended Business Business Business Business Business Business Business Business Business Bay Onsite with DMR: 3 years Media Sizes, Std Media Sizes, Std Media Sizes, Std, Metric Media Sizes, Custom Media Sizes, Custom Media Sizes, Custom Media Weights, Metric Fine Randard Automatic (standard) 105 internal TrueType fonts scalable in HP PCL; 92 internal scalable in HP PCL; 92 internal scalable in HP PCL; 92 internal value of semilar propertion in HP Pocts, and in HP PCL; 92 internal value of semilar propertion in HP PCL; 92 internal value of semilar propertion in HP PCL; 93 internal TrueType fonts of semilar propertion in HP PCL; 94 internal Valuedow Value of semilar propertion in HP PcL; 95 internal Valuedow			
Same Day Onsite, Standard Business Hours: 5 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 6 years Same Day Onsite, Extended Business Hours: 6 years Same Day Onsite With DMR: 3 years Media Sizes, Std, Metric Media Sizes, Std, Metric Media Sizes, Custom Media Sizes, Custom Media Sizes, Custom, Motric Media Weights, Metric Media Veights, Metric Print Resolution fonts ocalable inth PCC; 92 Internal Ture Pype fonts of this in HP Postscript Level 3 entering valiable via third-party flash memory cards; IPP CL. 6 Profts and IPDS Emulation available via third-party flash memory cards; IPP Laser-det Forts and IPDS Emulation available via third-party flash memory cards; IPP Laser-det Forts and IPDS Emulation available via third-party flash memory cards; IPP Laser-det Forts and IPDS Emulation available via third-party flash memory cards; IPP Laser-det Forts and IPDS Emulation available via third-party flash memory		Envelope Input. Std	,
Same Day Onsite, Standard Business Hours: 5 years Next Business Day Onsite, With DMR: 3 years Next Business Day Onsite, With DMR: 3 years Next Business Day Onsite, With DMR: 4 years Next Business Day Onsite With DMR: 4 years Next Business Day Onsite With DMR: 4 years Next Business Day Onsite With DMR: 5 years Next Business Day Onsite With DMR: 6 years Next Business Day Onsite With DMR: 7 years Next Business Day Onsite With DMR: 8 years Next Business Day Onsite With DMR: 9 years Next Business Day Onsite With DMR: 9 years Next Business Day Onsite With DMR: 10 years Next Business Day Onsite Next Busine	Hours: 4 years		
Onsite, Standard Business Hours: 5 years Same Day Onsite, Extended Business Hours: 3 years Same Day Onsite, Extended Business Hours: 3 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years No Print Color Print Quality, Black Best Print Resolution Technology Print Languages, Std Print Resolution Technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology Onsite, Extended Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 6 Media Sizes, Custom Media Sizes, Custom, Metric Next Business Day Onsite Call-to-Repair with DMR: 4 years Media Sizes, Custom, Metric Next Business Day Onsite Call-to-Repair with DMR: 4 years Media Weights Next Business Day Onsite Call-to-Repair with DMR: 4 years Media Sizes, Custom, Metric Tray 1: 8 to 58 to 60 to 199 g/m²- iphy-capacity input tray: 6 to 199 g/m²- iphy-capacity	3 GOCO7 L	•	Automatic (standard)
Business Hours: 5 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 3 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Day Onsite With DMR: 3 years Day Onsite With DMR: 4 years Day Onsite With DMR: 4 years Day Onsite With DMR: 5 years Next Business Day Onsite With DMR: 6 Years Next Business Day Onsite Media Sizes, Custom Next Business Day Onsite Media Sizes, Custom Next Business Day Onsite Media Sizes, Custom, Metric Next Business Day Onsite Media Sizes, Custom, Metric Next Business Day Onsite Next Business Day Onsite Media Sizes, Custom, Metric Next Business Day Onsite Next Bu	Onsite,		
Hours: 5 years Same Day Onsite, Onsite, Extended Business Hours: 3 years Same Day Onsite Extended Business Hours: 4 years Same Day Onsite With DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Media Sizes, Std, Metric Media Sizes, Std, Metric Media Sizes, Custom Media Sizes, Custom, Metric Media Sizes, Custom, Metric Media Weights, Metric Nonside, Cambroly fixed, Canbol, C		•	
Same Day Onsite, Extended Business Hours: 3 years Same Day Onsite, Extended Business Hours: 3 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Same Day Onsite, Extended Business Hours: 6 years Same Day Onsite, Extended Business Bay Onsite, Extended Business Bay Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Media Sizes, Std, Metric Media Sizes, Std, Metric Media Sizes, Std, Metric Media Sizes, Custom Media Weights Media Weights Media Weights, Metric Media Weights, Metric Tray 1: 16 to 58 lb (bond); ray 2, 3: 16 to 53 lb (bond); ray 2, 3: 60 to 199 g/m²- high-capacity input tray: 60 to			
Onsite, Extended Business Hours: 3 years Hours: 4 years Hours: 5 years Hours: 5 years Hours: 5 years Hours: 5 years Hours: 6 years Hours: 6 years Hours: 6 years Hours: 6 years Hours: 7 years Hours: 8 years Hours: 8 years Hours: 8 years Hours: 9 years Hours: 1 years Hours: 2 years Hours: 5 years Hours: 6 years Hours: 7 years Hours: 7 years Hours: 8 years Hours: 8 years Hours: 9 years Hours: 9 years Hours: 1 years Hours: 9 years Hours: 1 y	Hours. 5 years		
Onsite, Extended Business Ago Onsite Cathoria, adoutional not solutions advalable via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/ gofaserjetrons and IPDS Emulation available at hp.com/			,
Business Hours: 3 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Call-to-Repair with DMR: 5 years Call-to-Repair wit	Onsite,		
Hours: 3 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair Media Sizes, Custom Media Sizes, Custom, Metric Media Weights Media Weights, Metric Print Color Print Quality, Black Best Up to 1200 x 1200 dpi HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP PCL 56, HP PCL 5e, HP Pot 5e, HP Pot 5e, HP Pot 5e, Enhancement technology HP PCL 56, HP PCL 5e, HP Pot 5e, HP Pot 5e, Enhancement technology HP PCL 56, HP PCL 5e, HP Pot 5e, Enhancement technology HP PCL 56, HP PCL 5e, HP Pot 5e, Enhancement technology HP PCL 56, HP PCL 5e, HP Pot 5e, Enhancement technology HP PCL 56, HP PCL 5e, HP Pot 5e, Enhancement technology HP PCL 56, HP PCL 5e, HP Pot 5e, Enhancement technology HP PCL 56, HP PCL 5e, HP Pot 5e, Enhancement technology HP PCL 56, HP PCL 5e, HP Pot 5e, Enhancement technology HP PCL 5e, HP PCL 5e, HP Pot 5e, Enhancement technology HP PCL 5e, HP PCL 5e, HP Pot 5e, Enhancement technology HP PCL 5e, HP PCL 5e, HP PcL 5e, HP Pot 5e, Enhancement technology HP PCL 5e, Enhancement technology HP PCL 5e, HP PcL			
Same Day Onsite, Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 6 Wedia Sizes, Std, Metric Media Sizes, Custom Media Sizes, Custom Media Sizes, Custom Media Sizes, Custom, Metric Media Weights Media Weights, Metric Media Weights, Metric Media Weights, Metric No Diy to 1200 x 1200 dpi HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology HP FastRes 1200 (1200 dpi quality, 14) HP Web Jetach HP Web Jeta			
Same Day Onsite Extended Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Day Onsite Call-to-Re	Hours: 3 years	Prints Color	•
Onsite, Extended Business Hours: 4 years Same Day Onsite Extended Business Hours: 5 years Next Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 6 years Next Business Day Onsite with DMR: 7 years Next Business Day Onsite with DMR: 6 years Next Business Day Onsite with DMR: 7 years Next Business Day Onsite with DMR: 8 years Next Business Day Onsite with DMR: 9 years Next Business Day Onsite with DMR: 9 years Next Business Day Onsite with DMR: 10 years Next Business Day Onsite Call-to-Repair with DMR: 10 years Media Sizes, Custom Media Sizes, Custom, Metric Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair years Next Business Day Onsite Call-to-Repair years Part of the DMR: 4 years Next Business Day Onsite Call-to-Repair years Part of the DMR: 4 years Next Business Day Onsite Call-to-Repair yea	Same Day U8C56E		-
Business Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 6 years Next Business Day Onsite with DMR: 7 years Next Business Day Onsite with DMR: 6 years Next Business Day Onsite with DMR: 7 years Next Business Day Onsite with DMR: 8 years Next Business Day Onsite Wedia Sizes, Custom Next Business Day Onsite Wedia Sizes, Custom Next Business Day Onsite Wedia Sizes, Custom Media Sizes, Custom, Metric Next Business Day Onsite Call-to-Repair with DMR: 3 years Media Sizes, Custom, Metric Next Business Day Onsite Call-to-Repair with DMR: 4 years Media Sizes, Custom, Metric Next Business Day Onsite Call-to-Repair with DMR: 4 years Media Weights, Metric Media Weights, Metric Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Media Weights, Metric Next Business Day Onsite Call-to-Repair with DMR: 5 years Media Weights, Metric Next Business Day Onsite Call-to-Repair with DMR: 5 years Media Weights, Metric Display Type	Onsite,		
Hours: 4 years Same Day Onsite, Extended Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 6 Wedia Sizes, Std, Metric Media Sizes, Custom Next Business Day Onsite with DMR: 6 Wedia Sizes, Custom, Metric Media Sizes, Custom, Metric Media Sizes, Custom, Metric Media Weights Media Weights, Metric Media Weights,		, 9,	
Same Day Onsite, Extended Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 6 Wedia Sizes, Std, Metric Media Sizes, Custom Media Sizes, Custom, Metric Media Weights Media Weights Media Weights, Metric Tray 1: 60 to 220 g/m², tray 2, 3: 60 to 199 g/m², high-capacity input tray: 16 to 53 lb (bond); high-capacity input tray: 16 to 199 g/m², high-capacity in			
Onsite, Extended Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Day Onsite Call-to-Repair with D	Hours: 4 years	Print Languages, Std	HP PCL 6, HP PCL 5e, HP postscript level 3
Onsite, Extended Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 6 years All and the properties DMB: 6 ye			emulation, native PDF printing (v 1.4)
Business Hours: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-t	· · · · · · · · · · · · · · · · · · ·		
Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair With DMR: 4 years Next Business Day Onsite Call-to-Repair With DMR: 4 years Next Business Day Onsite Call-to-Repair With DMR: 5 years DMR: 5 ye		Display Type	, , ,
Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 Day Onsite Call-to-Repair with DMR: 5 Day Onsite Call-to-Repair with DMR: 6 Next Business Day Onsite Call-to-Repair DAY			x 272)
Duty Cycle, Monthly With DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Wedia Sizes, Std, Metric Media Sizes, Std, Metric Tray 1: A3, A4, A5, RA3, B4, B5, kigh-capacity input tray: A4 possite Call-to-Repair with DMR: 3 years Media Sizes, Custom Media Sizes, Custom, Metric Tray 1: 98 x 191 to 312 x 470 mm; tray 2, 3: 148 x 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 mm Media Weights Media Weights Media Weights, Metric Tray 1: 60 to 520 g/m²; tray 2, 3: 60 to 199 g/m² high-capacity input tray: 60 to 199 g/m² bevice, Gigabit Ethernet 10/100/1000T network,		GENERAL	
with DMR: 3 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years Next Business Day Onsite Call-to-Repair with DMR: 6 years DAY			
Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 6 Connectivity, Std Media Types Paper (bond, color, letterhead, plain, preprinted, prepunched, rough), labels, cardstock, transparencies Tray 1: Letter, legal, executive, 11 x 17, 12 x 18, 8.5 x 13 in tray 2, 3: letter, legal, executive, 11 x 17, 12 x 18, 8.5 x 13; envelopes (No. 10); tray 2, 3: letter, legal, executive, 11 x 17, 12 x 18, 8.5 x 13; envelopes (No. 10); tray 1, 13, 8.6 x 7.52 to 12, 28 x 18,5 list, tray 2, 3: A4, A5, RA3, B4, B5, 8k, 16k, postcards (JIS double), envelopes (DL, C5, B5); tray 2, 3: A3, A4, A5, B4, B5; high-capacity input tray: 2, 3: 148 tray: 2, 3: A3, A4, A5, B4, B5; high-capacity input tray: 2, 3: 148 x 210 to 297 x 431.8 mm; high-capacity input tray: 2, 3: 148 x 210 to 297 x 431.8 mm; high-capacity input tray: 16 to 53 lb (bond); high-capacity input tray: 16 to 53 lb (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² All-to-Repair with DMR: 6 Media Types Media Types Media Types Media Types Media Sizes, Std Tray 1: 16 to 58 lb (bond); tray 2, 3: 60 to 199 g/m² Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² All-to-Repair with DMR: 6 Media Types Media Types Media Types Media Types Media Types Med			Up to 300,000 pages ⁴
Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair Wedia Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² Connectivity, Std Next Business Day Onsite Call-to-Repair Wedia Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² Device, Gigabit Ethernet 10/100/1000T network,		Recommended Monthly Volume	
Day Onsite with DMR: 4 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Media Sizes, Std, Metric Media Sizes, Custom Media Sizes, Custom, Metric Tray 1: 3.86 x 7.52 to 12.28 x 18.5 in; tray 2, 3: 5.83 x 8.27 to 11.69 x 17.0 in; high-capacity input tray: 8.5 x 11 in Media Sizes, Custom, Metric Tray 1: 98 x 191 to 312 x 470 mm; high-capacity input tray: 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 mm Media Weights Media Weights, Metric Media Weights, Metric Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² Connectivity, Std Device, Gigabit Ethernet 10/100/1000T network,		Media Types	
with DMR: 4 years Next Business Day Onsite with DMR: 5 years Media Sizes, Std, Metric Media Sizes, Custom Media Sizes, Custom, Metric Tray 1: 98 x 191 to 312 x 470 mm; tray 2, 3: 148 x 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 mm Tray 1: 16 to 58 lb (bond); tray 2, 3: 16 to 53 lb (bond); high-capacity input tray: 16 to 53 lb (bond) Media Weights, Metric Media Weights, Metric Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² Connectivity, Std Device, Gigabit Ethernet 10/100/1000T network,	OOOOOL		
Next Business Day Onsite with DMR: 5 years Next Business Day Onsite with DMR: 5 years Next Business Day Onsite Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 Day Onsite Call-to-Repair with DMR: 6 Device, Gigabit Ethernet 10/100/1000T network,		Madia Olasa Otal	
Next Business Day Onsite with DMR: 5 years Next Business Day Onsite With DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Media Sizes, Custom Media Sizes, Custom, Metric Tray 1: 3.86 x 7.52 to 12.28 x 18.5 in; tray 2, 3: 5.83 x 8.27 to 11.69 x 17.0 in; high-capacity input tray: 8.5 x 11 in Tray 1: 98 x 191 to 312 x 470 mm; tray 2, 3: 148 x 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 mm Media Weights Media Weights Media Weights Media Weights, Metric Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² Connectivity, Std Device, Gigabit Ethernet 10/100/1000T network,		Media Sizes, Std	
Day Onsite with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 Connectivity, Std IBC65E Media Sizes, Std, Metric Tray 1: 3.86 x 7.52 to 12.28 x 18.5 in; tray 2, 3: 5.83 x 8.27 to 11.69 x 17.0 in; high-capacity input tray: 8.5 x 11 in Tray 1: 98 x 191 to 312 x 470 mm; tray 2, 3: 148 x 210 to 297 mm Tray 1: 16 to 58 lb (bond); tray 2, 3: 16 to 53 lb (bond); high-capacity input tray: 16 to 53 lb (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² Connectivity, Std Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² Device, Gigabit Ethernet 10/100/1000T network,			
with DMR: 5 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 Day Onsite Call-to-Repair with DMR: 6 Connectivity, Std Next Business Day Onsite Call-to-Repair with DMR: 6 Connectivity, Std Next Business Day Onsite Call-to-Repair with DMR: 6 Device, Gigabit Ethernet 10/100/1000T network,	COCOIL		
years Next Business Day Onsite Call-to-Repair with DMR: 3 years Media Sizes, Custom Media Sizes, Custom, Metric Tray 1: 3.86 x 7.52 to 12.28 x 18.5 in; tray 2, 3: 5.83 x 8.27 to 11.69 x 17.0 in; high-capacity input tray: 8.5 x 11 in Media Sizes, Custom, Metric Tray 1: 98 x 191 to 312 x 470 mm; tray 2, 3: 148 x 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 mm Tray 1: 16 to 58 lb (bond); tray 2, 3: 16 to 53 lb (bond); high-capacity input tray: 16 to 53 lb (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² (bond) Media Weights, Metric	Day Onsite	Media Sizes Std Metric	•
Next Business Day Onsite Call-to-Repair with DMR: 3 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair Wedia Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² high-capacity input tray: 60 to 199 g/m² Connectivity, Std Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² Connectivity, Std Device, Gigabit Ethernet 10/100/1000T network,		modia 01203, Ota, moti io	
Next Business Day Onsite Call-to-Repair with DMR: 3 years Media Sizes, Custom Media Sizes, Custom, Metric Media Sizes, Custom, Metric Tray 1: 3.86 x 7.52 to 12.28 x 18.5 in; tray 2, 3: 5.83 x 8.27 to 11.69 x 17.0 in; high-capacity input tray: 8.5 x 11 in Tray 1: 98 x 191 to 312 x 470 mm; tray 2, 3: 148 x 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 mm Media Weights Tray 1: 16 to 58 lb (bond); tray 2, 3: 16 to 53 lb (bond); high-capacity input tray: 16 to 53 lb (bond) Next Business Day Onsite Call-to-Repair Day Onsite Call-to-Repair Call-to-Repair With DMR: 5 Connectivity, Std Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² high-capacity input tray: 60 to 199 g/m² Connectivity, Std Device, Gigabit Ethernet 10/100/1000T network,	years		
Call-to-Repair with DMR: 3 years Media Sizes, Custom, Metric Media Sizes, Custom, Metric Tray 1: 98 x 191 to 312 x 470 mm; tray 2, 3: 148 x 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 mm Media Weights Media Weights Media Weights Media Weights Tray 1: 16 to 58 lb (bond); tray 2, 3: 16 to 53 lb (bond) Weta Business Day Onsite Call-to-Repair With DMR: 4 years Next Business Day Onsite Call-to-Repair Call-to-Repair Day Onsite Call-to-Repair Call-to-Repair Day Onsite Call-to-Repair Day Onsite Call-to-Repair Call-to-Repair Day Onsite Call-to-Repair Call-to-Repair Call-to-Repair Day Onsite Call-to-Repair	COCOSL		
with DMR: 3 years Media Sizes, Custom, Metric Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair Next Business Day Onsite Call-to-Repair With DMR: 4 Years Day Onsite Call-to-Repair With DMR: 5 Next Business Day Onsite Call-to-Repair With DMR: 5 Next Business Day Onsite Call-to-Repair With DMR: 6 Device, Gigabit Ethernet 10/100/1000T network,	· · · · · · · · · · · · · · · · · · ·	Media Sizes, Custom	Tray 1: 3.86 x 7.52 to 12.28 x 18.5 in; tray 2, 3:
Media Sizes, Custom, Metric Tray 1: 98 x 191 to 312 x 470 mm; tray 2, 3: 148 x 210 to 297 x 431.8 mm; high-capacity input tray: 210 to 297 mm Media Weights Media Weights Tray 1: 16 to 58 lb (bond); tray 2, 3: 16 to 53 lb (bond); high-capacity input tray: 16 to 53 lb (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² Connectivity, Std Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² Alient of the connectivity input tray: 60 to 199 g/m² Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² Connectivity, Std Device, Gigabit Ethernet 10/100/1000T network,			
Next Business Day Onsite Call-to-Repair with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 4 Tray 1: 16 to 58 lb (bond); tray 2, 3: 16 to 53 lb (bond) Media Weights Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² Connectivity, Std Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² Connectivity, Std Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² Device, Gigabit Ethernet 10/100/1000T network,			•
Day Onsite Call-to-Repair with DMR: 4 years Media Weights Media Weights Tray 1: 16 to 58 lb (bond); tray 2, 3: 16 to 53 lb (bond); high-capacity input tray: 16 to 53 lb (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² Connectivity, Std Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² Connectivity, Std 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network,	years	Media Sizes, Custom, Metric	
Day Onsite Call-to-Repair with DMR: 4 years Media Weights Media Weights Tray 1: 16 to 58 lb (bond); tray 2, 3: 16 to 53 lb (bond); high-capacity input tray: 16 to 53 lb (bond) Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² Connectivity, Std Connectivity, Std Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m² 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network,	COCOOL		
with DMR: 4 years Next Business Day Onsite Call-to-Repair with DMR: 5 (bond); high-capacity input tray: 16 to 53 lb (bond) Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network,	Day Onsite	Madia Waighta	
years Next Business Day Onsite Call-to-Repair with DMR: 5 (bond) Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network,		weala weights	
Next Business Day Onsite Call-to-Repair with DMR: 5 Media Weights, Metric Tray 1: 60 to 220 g/m²; tray 2, 3: 60 to 199 g/m²; high-capacity input tray: 60 to 199 g/m² 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network,			
Next Business Day Onsite Call-to-Repair With DMR: 5 Next Business Day Onsite Connectivity, Std Connectivity, Std Connectivity, Std Connectivity, Std Connectivity, Std Connectivity, Std Device, Gigabit Ethernet 10/100/1000T network,	years	Media Weights Metric	· ·
Day Onsite Call-to-Repair With DMR: 5 Connectivity, Std 2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network,	00007 L	modia troigina, menio	
Call-to-Repair Device, Gigabit Ethernet 10/100/1000T network,	Day Onsite	Connectivity, Std	
		· · · · · · · · · · · · · · · · · · ·	
	WITH DIVIK: 5		

years			2 Internal USB Host	
Second LISCOSE	Connectivity, Opt		HP Jetdirect external and wirele	
Second Business Day	Mobile Printing Capability		HP ePrint, Apple AirPrint™, Mo	bile Apps
Onsite Call-to-	Memory, Std		1 GB	
Repair with	Memory, Max		1.5 GB	
DMR: 3 years	Hard Disk Drive		320 GB	
Second USC69E	Power Supply Type		Built-in power supply	
Second Business Day U8C69E	Power Supply Required		Input Voltage: 100 to 127 VAC	
Onsite Call-to- Repair with DMR: 4 years	Power Consumption		1000 watts (Printing), 38 watts watts (Sleep 1), 2.2 watts (Auto 0.3 watts (Off) [©]	
	Typical Electricity Consump	otion (TEC)	4.0 kWh/Week	
Second U8C70E	ENERGY STAR® Qualified		Yes	
Business Day Onsite Call-to-	Mac Compatible		Yes	\
Repair with DMR: 5 years	Dimensions (W x D x H) Weight		43.3 x 28.1 x 41.9 in (maximum 41 in (minimum) 239 lb	1), 43.3 x 28.1 x
	Dimensions, Metric		1390 x 715 x 1065 mm (maxim	um) 1005 v 715
Maintenance Kit	Weight, Metric		x 1040 mm (minimum) 108.4 kg	idili), 1093 x 7 13
Replacement Service	Shipping Dimensions		33.70 x 31.10 x 53.85 in	
(Fuser)	Shipping Weight		287.9 lb	
	Shipping Dimensions, Metri	ir	856 x 790 x 1368 mm	
Post Warranty UU926PE	Shipping Weight, Metric		130.87 kg	
Service,	Pallet Dimensions		33.70 x 31.10 x 53.85 in	
Remote User Assistance	Pallet Dimensions, Metric		856 x 790 x 1368 mm	
Support: 1	Pallet Weight		287.9 lb	
year	Pallet Weight, Metric		130.87 kg	
Post Warranty U8C73PE	Quantity Per Pallet		1	
Standard Business Hours: 1 year Post Warranty Service, Same Day Onsite, Extended Business Hours: 1 year	Jetdirect Products HP Jetdirect 2800w NFC/Wirele HP Jetdirect 2700w USB Wirele Accessories Paper-handling accessories HP Staple Cartridge Refill (C809) HP 2-pack 2000-staple Cartridge	ess Print Server 91A)		
Post Warranty Service, Next Business Day Onsite: 2 years	HP LaserJet Stapler/Stacker (C HP LaserJet Booklet Maker/Fini HP LaserJet Stapler/Stacker with Maintenance kits HP LaserJet 220V User Mainten	isher (CZ285A) th 2/3 Hole Pund	,	
Post Warranty Service, Next	HP LaserJet 110V User Mainter	,	,	
Business Day	Compatible Supplies			_
Onsite with DMR: 1 year	HP LaserJet Cartridges and K HP 25X High Yield Black Origin		er Cartridge (<u>CF325X</u>)	
Post Warranty Service, Next	Compatible Paper Pr	oducts		_
Business Day Onsite Call-to-	Top Recommended Papers			
Repair with	UD Loop let Dans			
DMR: 1 year	HP LaserJet Paper 8.5 x 11 in	24 lb	500 sheets	HD 11104
	0.0 X 11 III	44 IU	טטט אוופפוא	HPJ1124
Post Warranty Service, Second	HP Brochure and Presentation	n Papers		
Business Day	HP Premium Glossy Presenta	ition Paper		
Onsite Call-to-	8.5 x 11 in	32 lb	250 sheets	CG988A
Repair with	11 x 17 in	32 lb	250 sheets	Q2547A
DMR: 1 year	HP Laser Glossy Tri-fold Brook	chure Paper	150 sheets	Q6612A
	0.0 A 11 III	עו טד	100 3110013	QUU IZA

8.5 x 11 in	52 lb	100 sheets	Q6608A
8.5 x 11 in	40 lb	150 sheets	Q6611A
IP Everyday Papers			
HP Premium Choice Laser	Paper		
8.5 x 11 in	32 lb	500 sheets	<u>HPU1132</u>
HP LaserJet Paper			
8.5 x 11 in	24 lb	500 sheets	HPJ1124
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	HPJ115R
HP All-in-One Printing Pape	er		
8.5 x 11 in	22 lb	500 sheets	HPT1122
8.5 x 11 in	22 lb	2,500 sheets	<u>HPT115</u>
HP Multipurpose Paper			
8.5 x 11 in	20 lb	500 sheets	HPM1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPM1120C
8.5 x 11 in 8.5 x 11 in, 3-hole punch	20 lb 20 lb	2,500 sheets (5 reams) 500 sheets	HPM115RC HPM113H
8.5 x 14 in	20 lb	500 sheets	HPM1420
11 x 17 in	20 lb	500 sheets	HPM1720
HP Office Paper			
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	HPC115RC
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPC8511C
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	HPC3HP
8.5 x 14 in	20 lb	500 sheets	HPC8514
11 x 17 in	20 lb	500 sheets	HPC1117
8.5 x 11 in	20 lb	500 sheets	HPC8511R
HP Office Quickpack			
8.5 x 11 in	20 lb	2,500 sheets	HP2500S
HP Recycled Paper			
8.5 x 11 in	20 lb	500 sheets	HPE1120R
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	HPE1120C
HP Business Copy Paper			
8.5 x 11 in	20 lb	500 sheets	HPBC11
UD Eventdey Converd Brit	ot Banar		
HP Everyday Copy and Prir 8.5 x 11 in	20 lb	500 sheets	HPA510
			111 7 10 10

HP Laser Glossy Brochure Paper

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- Wireless direct printing is standard in the HP LaserJet Enterprise M806x+ D7P69A, and may be added as an option to the HP LaserJet Enterprise M806dn CZ244A and M806x+ CZ245A. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/wirelessprinting.
- 2. Touch-to-print capability is standard in the HP LaserJet Enterprise M806x+ D7P69A model, and may be added as an option to the HP LaserJet Enterprise M806dn CZ244A and M806x+ CZ245A. Mobile device must support near field communications-enabled printing. For a list of supported devices, see hp.com/go/mobileprinting.
- 3. Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an internet connection to a HP Webconnected printer. App or software may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.

- 4. Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 5. HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 6. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.