

[Get a Quote](#)

## Overview

Cisco ASA 5500 Edition Bundle, ASA5555-K7 is the ASA 5555-X with SW, 8 GE Data, 1 GE Mgmt. Cisco ASA 5500 series adaptive security appliance fits your network and budget while offering the same proven level of security that protects some of the largest networks at some of the most security-conscious companies in the world. The ASA 5500 series scales to meet the performance and security requirements of a wide range of network applications, to correspond with your changing needs.

## Quick Specs

Table 1 shows the Quick Specs.

Product Name	ASA5555-K7
Product Description	ASA5555-K7 is the ASA 5555-X with SW, 8 GE Data, 1 GE Mgmt
Product Type	Network Security/Firewall Appliance
Total Number of Ports	8
Number of Total Expansion Slots	1
Compatible Rack Unit	1U
Height	1.7"
Width	16.7"
Depth	19.1"

## Product Details

Figure 1 shows the front panel.




Note:

(1) Power button (2) Hard-disk slot (3) Hard-disk release button (4) Hard-disk release button (5) Hard-disk slot

(6) LED Indicator: Boot, Active, PS0, PS1, HD0, HD1, VPN, Alarm

Figure 2 shows the back panel.



Note:

(1) I/O slot (2) Thumbscrew (3) Management 0/0 interface (4) GigabitEthernet data interfaces (0/0 through 0/7)

(5) Power supplies (6) USB ports (7) Console port (8) Rear panel LEDs

## The Licenses

Table 2 shows the supported licenses.

SKU	Description
<a href="#">L-ASA5555-IP1Y</a>	Cisco L-ASA5555-IP1Y ASA 5555-X NGFW IPS License 1 year
<a href="#">L-ASA5555-BOT-1YR=</a>	Cisco ASA 5500 Filter Licenses L-ASA5555-BOT-1YR ASA 5555-X Botnet Traffic Filter Lic. for 1 Yr (eDelivery)
<a href="#">L-ASA5555-TAC-1Y</a>	Cisco ASA5555 FirePOWER IPS and URL 1YR Subs, Order Processing Time: 4-6 weeks
<a href="#">L-ASA5555-TAMC-1Y</a>	Cisco ASA5555 FirePOWER IPS, AMP and URL 1YR Subs, Order Processing Time: 4-6 weeks

## Compare to Similar Items

Table 3 shows the comparison.

Product Name	<a href="#">ASA5555-K9</a>	<a href="#">ASA5555-K8</a>	ASA5555-K7
Product Description	ASA 5555-x with Software 8GBE Data 1GBE Management AC <b>3DES/AES</b>	Cisco ASA 5500 Edition Bundle ASA5555-K8 ASA 5555-X with SW, 8GE Data, 1GE Mgmt, AC, <b>DES</b>	Cisco ASA 5500 Edition Bundle ASA5555-K7 ASA 5555-X with SW, 8 GE Data, 1 GE Mgmt
Product Type	Network Security/Firewall Appliance	Network Security/Firewall Appliance	Network Security/Firewall Appliance
Total Number of Ports	8	8	8
Number of Total Expansion Slots	1	1	1
Compatible Rack Unit	1U	1U	1U

## Get More Information

Do you have any question about the Cisco ASA5555-K7?

Contact us now via [Live Chat](#) or [sales@router-switch.com](mailto:sales@router-switch.com).

## Specification

### ASA5555-K7 Specification

General

## ASA5555-K7 Specification

Device Type	Security appliance
Height (Rack Units)	1U
Width	16.9 in
Depth	19.1 in
Height	1.7 in
Weight	16.75 lbs
<b>Processor / Memory / Storage</b>	
RAM	16 GB
<b>Networking</b>	
Form Factor	Rack-mountable
Ports Qty	8
Connectivity Technology	Wired
Data Link Protocol	Gigabit Ethernet
Performance	Firewall throughput: 4 Gbps   VPN throughput (3DES/AES): 700 Mbps   Connection rate: 50000 connections per second   Firewall + intrusion prevention throughput: 1.3 Gbps
Capacity	IPSec VPN peers: 5000   SSL VPN peers: 2   Concurrent sessions: 1000000   Virtual interfaces (VLANs): 500   Security contexts: 2
Status Indicators	Power, HDD activity, active, alarm
Features	Firewall protection, VPN support, VLAN support, High Availability
<b>Expansion / Connectivity</b>	
Expansion Slots	1 (total) / 1 (free) x expansion slot
Interfaces	8 x 1000Base-T - RJ-45   1 x 1000Base-T (management) - RJ-45   1 x management - RJ-45   2 x USB 2.0 - Type A
<b>Miscellaneous</b>	
Rack Mounting Kit	Included
Compliant Standards	VCCI, C-Tick, EN 61000-3-2, ICES-003, EN 61000-3-3, EN55024, EN55022 Class A, CISPR 22, UL 60950-1, IEC 60950-1, EN 60950-1, FCC Part 15 B Class A, CAN/CSA C22.2 No. 60950-1-07, ANSI C63.4-2009
<b>Power</b>	
Power Device	Internal power supply
Installed Qty	1
Max Supported Qty	2
Power Redundancy	Optional
Voltage Required	AC 120/230 V (50/60 Hz)
Power Provided	400 Watt
<b>Software / System Requirements</b>	
Software Included	Drivers & Utilities

ASA5555-K7 Specification	
<b>Manufacturer Warranty</b>	
Service & Support	Limited warranty - 90 days
<b>Environmental Parameters</b>	
Min Operating Temperature	23 °F
Max Operating Temperature	104 °F

## Want to Buy

[Order Now](#)

[Get a Quote](#)

## Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%-98%

Off Global List Price



100%

Safe Online Shopping

## Contact Us

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: [sales@router-switch.com](mailto:sales@router-switch.com)