BE6K-ST-BDL-K9 Datasheet





Overview

Cisco BE6K-ST-BDL-K9 Cisco Business Edition 6000M Server (Restricted Export Software). It is designed for the company less than 1000 employees and offers the total collaboration solution with voice and video for cooperation internal network. Cisco BE6000 platforms are built on virtualized Cisco Unified Computing System (Cisco UCS) and equipped with powerful components to provide call control administration and management messages instant messaging and presence, license management virtualization, all integrated on a powerful UCS C220 M3 rack server.

Quick Spec

Table 1. Cisco BE6000M Model System Capacity:

Attribute	Capacity
Maximum number of users	1000
Maximum number of mailboxes and voicemail ports	1000 mailboxes and 24 voicemail ports
Number of contact center agents	100
Number of presence users	1000
Number of devices supported	BE6000M: 1200 devices
Maximum number of co-resident applications	BE6000M: Choice of up to Nine applications (Eight collaboration + One management)

Product Details



The Cisco BE6000M BE6K-ST-BDL-K9 is a packaged with preloaded four collaboration application options plus one for provisioning in a single virtualized server platform.

The customs can optionally add applications as the business grow, such as:

- * Advance Video with Cisco TelePresence conferencing application,
- ☆ Cisco Unified Contact Center Express,
- ☆ Cisco Emergency Responder,
- ☆ Cisco Paging Server,
- ☆ Cisco Unified Provisioning Manger,
- ☆ Cisco Unified Attendant Console.

For the IT staff this installation wizard, customized dial plans, single-screen subscriber manager, self-care management portal, integration with popular productivity in office applications, virtualized desktop support an external directory import such as Active Directory by Cisco Prime collaboration.

BE6000M integrate in manages to voice, mobility, messaging, conferencing, in advanced video for telepresence, 100 contact center agency, it is the total unified communication solution for the customer and employees.

Compare to Similar Item

Table 2 shows the comparison.

Models	Description
BE6K-ST-BDL-K9	Cisco Business Edition 6000M Server (Restricted Export Software)
BE6S-BRI-M2-K9	Cisco Business Edition 6000S Server/Router/Gateway (4 BRI + 10 CUBE)

Get more information

Do you have any question about the BE6K-ST-BDL-K9?

Contact us now via Live Chat or sales@router-switch.com.

Specification

BE6K-ST-BDL-K9 Specification	
Attribute	Capacity
Maximum number of users	1000
Maximum number of mailboxes and voicemail ports	1000 mailboxes and 24 voicemail ports
Message Storage	Approximately 72,944 G.711 codec minutes
Number of contact center agents	100
Number of presence users	1000
Number of devices supported	BE6000H: 2500 devices BE6000M: 1200 devices
Maximum number of co-resident applications	BE6000H: Choice of up to Nine applications (Eight collaboration + One provisioning) BE6000M: Choice of up to Five applications (Four collaboration + One provisioning)
Busy-hour call attempts	5000

Want to Buy



Get a Quote

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of Cisco, Huawei, HPE, Dell, Hikvision, Juniper, Fortinet, etc.











Contact Us

• Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166

Fax: +852-3050-1066 (Hong Kong)Email: sales@router-switch.com