C881-K9 Datasheet





Overview

The Cisco C881 ISR router has a lead-free, fanless chassis and is updated versions of the previous Cisco 881 router.

Cisco C881-K9 integrated Services Router is fixed-configuration router, designed for small business, small branch office and enterprise teleworkers. The router provides the enhanced feature of security, including firewall, intrusion prevention, content filtering, and sencryption for VPNs, with no requiring additional licenses.

Quick Specs

Figure 1 shows the appearance of C881-K9.



Table 1 shows the Quick Specs.

Product Code	Code C881-K9	
Rack Units	1RU	
Interfaces	- LAN: 4 x 10Base-T/100Base-TX - RJ-45 - Management: 1 x console - RJ-45 - WAN : 1 x 10Base-T/100Base-TX - RJ-45 - USB : 1 x 4 PIN USB Type A	
РоЕ	2 port integrated PoE	
Performance Positioning	Up to 15 Mbps	
RAM	256 (default) / 768 MB (Max)	
Flash Memory	128 MB	
Dimensions	32.5 cm x 24.9 cm x 4.4 cm	
Package Weight	4.49 Kg	

Product Details

Figure 2 shows the front panel of C881-K9.





Figure 3 shows the back panel of C881-K9.



Note:

(1)	Primary WAN port—FE	(6)	Reset button	
(2)	USB port	(7)	Power connector	
(3)	4-port 10/100 Ethernet switch	(8)	Earth ground connection	
(4) Serial port—Console or auxiliary		(9)	Kensington security slot	
(5)	On/Off switch			

The Configuration

Table 2 shows the recommended configuration of C881-K9 router.

Items	Description	
CAB-AC=	CAB-AC= AC Power Cord (North America), C13, NEMA 5-15P, 2.1m	
S880DUDK0-15104M	Cisco 880 Series IOS UNIVERSAL DATA	
ISR-CCP-EXP	Cisco Config Pro Express on Router Flash	
CAB-ETH-S-RJ45	Cisco Router Cable CAB-ETH-S-RJ45	
PWR-60W-AC	Cisco 880 Power Supply PWR-60W-AC	
SL-880-ADVSEC	Cisco 880 Advanced Security Software License	

Compare to Similar Items

Table 3 shows the comparison between C881-K9 and C891F-K9.

Models	C881-K9	C891F-K9	
Interfaces	- LAN: 4 x 10Base-T/100Base-TX Management: 1 x console - WAN: 1 x 10Base-T/100Base-TX - USB: 1 x 4 PIN USB Type A	- LAN: 8 x Gigabit ports; 1 x Fast Ethernet ports - Uplink: 1 x SFP ports - Management: 1 x console - USB: 1 x 4 PIN USB Type A	
POE	2 port integrated PoE	4 POE ports	
FAN	Fanless chassis Fanless chassis		

Get more information

Do you have any question about the C881-K9 router?

Contact us now via Live Chat or sales@router-switch.com.

Specification

C881-K9 Specifications		
Product Type	Cisco 881 Ethermet Security Router	
Connectivity Technology	Wired	
Data link Technology	10/100 Fast Ethernet	
Capacity	NAT transpancy, Firewall stateful failover, 20 lpsec tunnel	
Routing features	IPv4/IPv6 multicast, OSPF, BGP, EIGRP, NHRP, L2TPV3,BFD, VRF-lite, VRRP, HSRP, MHSRP	
Switching features	IGMPv3 snooping, 802.1x	
Security features	DMVPN, Ipsec over IPv6, Ipsec stateful failover, SSL Firewall stateful failover, IPS	
Qos Features	LLQ, WFQ, CBWFQ, CBTS, CBTP, PBR	
Encryption Algorithm	DES, 3DES, AES 128, AES 192, AES 256	
DRAM Memory	256 (default) / 768 MB (Max)	
Flash Memory	128 MB	
LED status Lights Indicators	Port status, Power	
Console or Auxiliary port	RJ-45	
Router Interfaces	●LAN: 4*10Base-T/100Base-TX - RJ-45 ●Management: 1*console - RJ-45 ●WAN: 1 x 10Base-T/100Base-TX - RJ-45 ●USB: 1 x 4 PIN USB Type A	
Software / Licesne	S880DUDK9: Cisco 880 Series IOS universal DATA SL-880ADSEC (Default: Cisco 880 Advanced Security Image Feature License SL-880-AIS (upgrade): Cisco advanced IP services Image Feature License L-SL-800-SEC-K9: Advance IP PAK for Cisco 800 Series FL-WEBVPN-10-K9: Feature License SSL VPN for Up to 10 Users (incremental), for 12.4T based IOS releases only FL-SSLVPN-10-K9: Feature License SSL VPN for Up to 10 Users (incremental), for 15.x based IOS releases only C880data-universalk9-mz: Universal image for Cisco 880 ISR Data Router Series	

Want to Buy

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of Cisco, Huawei, HPE, Dell, Hikvision, Juniper, Fortinet, etc.











Contact Us

• Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166

Fax: +852-3050-1066 (Hong Kong)Email: sales@router-switch.com