FP8250-K9-RF Datasheet





Overview

The Cisco FirePOWER 8000 Series Appliances are the base platform for the Cisco FirePOWER next-generation Intrusion Prevention System (NGIPS) threat protection solution. These appliances provide integrated real-time contextual awareness, full-stack visibility, and intelligent security automation.

Quick Specs

Figure 1 shows the appearance of FP8250-K9-RF.



Table 1 shows the Quick Specs.

Product	FP8250-K9-RF
Product Description	Cisco FirePOWER 8250 Chassis. 2U. 7 Slots REMANUFACTURED
IPS Throughput	10 Gbps
Model Throughput	20 Gbps
Modular Interfaces	Up to 7 modules in any combination
Monitoring Interfaces (Configurable Bypass)	(4) 1-Gbps copper; (4) 1-Gbps fiber; (2) 10-Gbps SR; (2) 10-Gbps LR
Monitoring Interfaces (Non-Bypass)	(4) 1-Gbps copper; (4) 1-Gbps fiber; (4) 10-Gbps SR; (4) 10-Gbps LR
Management Interfaces	RJ45
Management Interface Speed	10/100/1000
Typical Latency	< 150 microseconds
Memory (RAM)	48 GB
Lights-Out Management	Yes
Stackable	Up to 3 stacking kits can be added for a total stack size of four - 40-Gbps IPS
FirePOWER	Yes

Dual Power Supplies	Yes
Hard Drives	Solid state
Cooling Fans	6

Get More Information

Do you have any question about the FP8250-K9-RF?

Contact us now via Live Chat or sales@router-switch.com.

Specification

FP8250-K9-RF Specification	
Product Description	Cisco FirePOWER 8250 Chassis. 2U. 7 Slots REMANUFACTURED
IPS Throughput	10 Gbps
Model Throughput	20 Gbps
Modular Interfaces	Up to 7 modules in any combination
Monitoring Interfaces (Configurable Bypass)	(4) 1-Gbps copper;(4) 1-Gbps fiber;(2) 10-Gbps SR;(2) 10-Gbps LR
Monitoring Interfaces (Non-Bypass)	(4) 1-Gbps copper; (4) 1-Gbps fiber; (4) 10-Gbps SR; (4) 10-Gbps LR
Management Interfaces	RJ45
Management Interface Speed	10/100/1000
Typical Latency	< 150 microseconds
Memory (RAM)	48 GB
Lights-Out Management	Yes
Stackable	Up to 3 stacking kits can be added for a total stack size of four - 40-Gbps IPS
FirePOWER	Yes
Dual Power Supplies	Yes
Hard Drives	Solid state
Cooling Fans	6

Want to Buy

Order Now

Get a Quote

Why Router-switch.com











Contact Us

• Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166

Fax: +852-3050-1066 (Hong Kong)Email: sales@router-switch.com