

Overview

JX943A is the Aruba Instant IAP-304 (RW) FIPS/TAA 802.11n/ac Dual 2x2:2/3x3:3 MU-MIMO Radio Ant Connectors AP. The entry-level Aruba 300 Series Wave 2 access points deliver high performance and superb user experience for medium density environments. Featuring 3x3:3SS MU-MIMO capability, Aruba advanced ClientMatch radio management, and integrated Aruba Beacons, the 300 Series enables an all wireless digital work environment in an effective cost manner.

Quick Spec

Table 1 shows the quick spec.

SKU	JX943A
Description	Aruba Instant IAP-304 (RW) FIPS/TAA 802.11n/ac Dual 2x2:2/3x3:3 MU-MIMO Radio Ant Connectors AP
Product Type	Wireless Access Point
Product Model	AP-304
Wireless LAN Standard	IEEE 802.11ac
Wireless Transmission Speed	1.70 Gbit/s
Limited Warranty	Lifetime
TAA Compliant	Yes

Product Details

The benefits of AP-300 include:

- Dual Radio 802.11ac Access Point with Multi-User MIMO
- Supports up to 1,300 Mbps in the 5GHz band (with 3SS/VHT80 clients) and up to 300 Mbps in the 2.4GHz band (with 2SS/HT40 clients).
- Built-in Bluetooth Low-Energy (BLE) radio
- Enables location-based services with BLE-enabled mobile devices receiving signals from multiple Aruba Beacons at the same time.
- Enables management of your deployment of battery powered Aruba Beacons.
- Advanced Cellular Coexistence (ACC)
- Minimizes interference from 3G/4G cellular networks, distributed antenna systems and commercial small cell/femtocell equipment.
- Quality of service for Unified Communication apps
- Supports priority handling and policy enforcement for unified communication apps, including Microsoft Skype for Business with encrypted videoconferencing, voice, chat and desktop sharing.
- RF Management
- Adaptive Radio Management (ARM) technology automatically assigns channel and power settings, provides airtime fairness, and ensures that APs stay clear of all sources of RF interference to deliver reliable, high-performance WLANs.
- The Aruba 300 Series APs can be configured to provide part-time or dedicated air monitoring for spectrum analysis and wireless intrusion protection, VPN tunnels to extend remote locations to corporate resources, and wireless mesh connections where Ethernet drops are not available.
- Intelligent app visibility and control
- AppRF technology leverages deep packet inspection to classify and block, prioritize, or limit bandwidth for thousands of applications in a range of categories.
- Security
- Integrated wireless intrusion protection offers threat protection and mitigation, and eliminates the need for separate RF sensors and security appliances.
- IP reputation and security services identify, classify, and block malicious files, URLs and IPs, providing comprehensive protection against advanced online threats.
- Integrated Trusted Platform Module (TPM) for secure storage of credentials and keys.
- Intelligent Power Monitoring (IPM):

- Enables the AP to continuously monitor and report its actual power consumption and optionally make autonomous decisions to disable certain capabilities.
- For the 300 Series APs, the IPM power-save feature applies when the unit is powered by an 802.3af PoE source. By default, the USB interface will be the first feature to turn off if AP power consumption exceeds the available power budget. In rare cases it may be necessary to take additional power saving measures, but in most cases, the 300 Series APs will operate in unrestricted mode.

Compare to Similar Item

Table 2 shows the comparison.

SKU	JX936A	JX943A
Description	Aruba AP-305 802.11n/ac 2x2:2/3x3:3 MU-MIMO Dual Radio Integrated Antenna AP	Aruba Instant IAP-304 (RW) FIPS/TAA 802.11n/ac Dual 2x2:2/3x3:3 MU-MIMO Radio Ant Connectors AP
Product Type	Wireless Access Point	Wireless Access Point
Product Model	AP-305	IAP-304
Wireless LAN Standard	IEEE 802.11ac	IEEE 802.11ac
Wireless Transmission Speed	1.70 Gbit/s	1.70 Gbit/s
Limited Warranty	Lifetime	Lifetime
TAA Compliant	No	Yes

Support & Resources

 [\[PDF\] Aruba 300 Series Access Points Datasheet](#)

Get more information

Do you have any question about the Aruba JX943A?

Contact us now via [Live Chat](#) or sales@router-switch.com.

Specification

JX943A Specification	
General Information	
Product Name	Aruba Instant IAP-304 (RW) FIPS/TAA 802.11n/ac Dual 2x2:2/3x3:3 MU-MIMO Radio Ant Connectors AP
Manufacturer Part Number	JX943A
Product Line	Instant
Product Series	300
Product Model	IAP-304
Product Type	Wireless Access Point
Technical Information	
Wireless LAN Standard	IEEE 802.11ac
Frequency Band	5 GHz 2.40 GHz
Wireless Transmission Speed	1.70 Gbit/s
MIMO Technology	Yes

Beamforming Technology	Yes
Interfaces/Ports	
Ethernet Technology	Gigabit Ethernet
Number of Network (RJ-45) Ports	1
PoE (RJ-45) Port	No
PoE PD Port	Yes
VGA	No
HDMI	No
USB	Yes
Powerline	No
Management Port	Yes
Physical Characteristics	
Form Factor	Ceiling Mountable
Height	1.5"
Width	6.5"
Depth	6.5"
Warranty	
Limited Warranty	Lifetime
Miscellaneous	
Environmentally Friendly	Yes
Environmental Certification	cTUVus

Want to Buy

Order Now

Get a Quote

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%-98%

Off Global List Price



100%

Safe Online Shopping

Contact Us

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: sales@router-switch.com