# HP PageWide Managed Color MFP E77660 Series



HP PageWide delivers a breakthrough low colour cost, maximum uptime, and the strongest security.<sup>1</sup>

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.



HP PageWide Managed Color MFP E77660dn



HP PageWide Managed Color Flow MFP E77660z



HP PageWide Managed Color Flow MFP E77660zs



HP PageWide Managed Color Flow MFP E77660z+

### Affordable colour printing for every office

- Depend on lasting value. Get the results you expect for a game-changing low cost per colour page.
- Print more pages and replace cartridges less often with optional high-yield cartridges.<sup>2</sup>
- Print even faster—and save even more per page—by setting this printer to General Office mode.<sup>3</sup>
- Help keep energy costs down with the most efficient printer in its class.4

### Minimal interruptions. Maximum uptime

- Minimize interruptions with an HP PageWide Managed MFP designed for the least maintenance in its class.<sup>5</sup>
- Print speeds up to 50% faster than competitors—as fast as 80 ppm in colour and black-and-white.<sup>6</sup>
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.<sup>7</sup>

### The world's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Protect information on the MFP and in transit over the network, and store data on the encrypted hard disk.<sup>8</sup>
- Monitor activity to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more guickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning



RPG Squarefoot Solutions (800) 521-6319 www.rpg.com info@rpg.com

### Product walkaround

### HP PageWide Managed Color MFP E77660dn shown



### Series at a glance



### HP PageWide Managed Color Flow MFP E77660dn (Z5G77A)

- Print, scan, copy
- Print speeds: Up to 60/80 ppm, Professional/General Office mode
- 20.3 cm (8.0 inch) pivoting colour touchscreen
- 200-sheet ADF with single-pass, two-sided scanning and copying up to 11 x 17 inches (A3)
- Scan to email, USB drive, network folders, and Microsoft® SharePoint®



# HP PageWide Managed Color Flow MFP E77660z (J7Z03A)

- Print, scan, copy
- Print speeds: Up to 60/80 ppm, Professional/General Office mode
- 20.3 cm (8.0 inch) pivoting colour touchscreen
- 200-sheet ADF with single-pass, two-sided scanning and copying up to 11 x 17 inches (A3)
- Scan to email, USB drive, network folders, and Microsoft® SharePoint®
- Retractable keyboard
- HP EveryPage with ultrasonic detection, embedded OCR
- Automatic page orientation, cropping, and tone adjustment



# HP PageWide Managed Color Flow MFP E77660zs (J7Z07A)

- Print, scan, copy
- Print speeds: Up to 60/80 ppm, Professional/General Office mode
- 20.3 cm (8.0 inch) pivoting colour touchscreen
- 200-sheet ADF with single-pass, two-sided scanning and copying up to 11 x 17 inches (A3)
- Scan to email, USB drive, network folders, and Microsoft® SharePoint®
- Retractable keyboard
- HP EveryPage with ultrasonic detection, embedded OCR
- Automatic page orientation, cropping, and tone adjustment
- 300-sheet inner finisher with stapler



# HP PageWide Managed Color Flow MFP E77660z+ (Z5G78A)

- Print, scan, copy
- Print speeds: Up to 60/80 ppm, Professional/General Office mode
- 20.3 cm (8.0 inch) pivoting colour touchscreen
- 200-sheet ADF with single-pass, two-sided scanning and copying up to 11 x 17 inches (A3)
- Scan to email, USB drive, network folders, and Microsoft® SharePoint®
- · Retractable keyboard
- HP EveryPage with ultrasonic detection, embedded OCR
- Automatic page orientation, cropping, and tone adjustment
- 300-sheet inner finisher with stapler

### Optional paper-handling accessories



### 550-sheet paper tray (P1V16A)

Supports up to 297 x 432 mm (11.7 x 17 inches)

(11.7 x 17 inches)
Add up to one
Up to 1,200 sheets



# 550-sheet paper tray and cabinet (P1V17A)

Up to 1,200 sheets

Supports up to 297 x 432 mm (11.7 x 17 inches)
Add up to one



# 3x550-sheet paper tray and stand (P1V18A)

Up to 2,300 sheets

Supports up to 297 x 432 mm (11.7 x 17 inches) Add up to one



# 4,000-sheet HCl paper tray and stand (P1V19A)

Two 2,000-sheet trays that support up to letter (A4) Add up to one Up to 4,650 sheets

**Optional** 

Maximum input capacity<sup>3</sup>

<sup>&</sup>lt;sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>2</sup> An administrator must enable the easy-access USB port before use. <sup>3</sup> Purchase of optional paper tray required to reach maximum input capacity.

### **Top Features**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support. Maintenance Kit Replacement Service. Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

**4 hr Onsite Support:** Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

### Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration **Service:** Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













### **Top Features**

Colour printing is within every business' budget with HP PageWide Technology. Print professional-quality colour for a breakthrough low cost—results you expect from HP for an exceptional value you can rely on.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP PageWide device designed for maximum uptime—so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.1

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 240 ipm<sup>2</sup>—and avoid extra steps with a Flow MFP designed for maximum productivity.

Product	
Z5G77A	HP PageWide Managed Color MFP E77660dn
J7Z03A	HP PageWide Managed Color Flow MFP E77660z
J7Z07A	HP PageWide Managed Color Flow MFP E77660zs
Z5G78A	HP PageWide Managed Color Flow MFP E77660z+

Accessories	
P1V16A	HP PageWide Managed 550-sheet Paper Tray
P1V17A	HP PageWide Managed 550-sheet Paper Tray and Stand
P1V18A	HP PageWide Managed 3x550-sheet Paper Tray and Stand
P1V19A	HP PageWide Managed 4000-sheet HCl Paper Tray and Stand
A7W99A	HP PageWide 550-sheet Paper Tray
W1B50A	HP PageWide 550-sheet Paper Tray and Stand
W1B51A	HP PageWide 3x550-sheet Paper Tray and Stand
W1R52A	HD DagoWide 4000-shoot HCI Dapor Tray and Stand

HP PageWide 4000-sheet HCI Paper Tray and Stand W1B52A B5I 29A HP High-Performance Secure Hard Disk HP Internal USB Ports B5I 28A B5L31A HP Foreign Interface Harness

E5K48A HP 1 GB x32 144-pin (800 MHz) DDR3 SODIMM J8031A HP Jetdirect 2900nw Print Server J8030A HP Jetdirect 3000w NFC/Wireless Accessory CC487A HP LaserJet MFP Analog Fax Accessory 500

### Replacement Cartridges and LLC's3

M0K31XC	HP 993XC Black Contract PageWide Cartridge (22,000)
M0K08XC	HP 993XC Cyan Contract PageWide Cartridge (16,000)
M0K12XC	HP 993XC Magenta Contract PageWide Cartridge (16,000)
M0K27XC	HP 993XC Yellow Contract PageWide Cartridge (16,000)
W1B44A	HP PageWide Service Fluid Container (~150,000 pages)
W1B43A	HP PageWide Printhead Wiper Kit (~150,000 pages)
W1B45A	HP PageWide Roller Kit (~150,000 pages)

### **HP Care Packs**

U9RL1E	HP 1-year Next Business Day w/DMR PageWide Color 776xx Managed SVC
U9RL2E	HP 3-year Next Business Day w/DMR PageWide Color 776xx Managed SVC
U9RL4E	HP 5-year Next Business Day w/DMR PageWide Color 776xx Managed SVC
119RI 5E	HD 3-year /h9y5w/DMR PageWide Color 776yy Managed SVC

U9RL5E HP 3-year 4h9x5w/DMR PageWide Color 776xx Managed SVC U9RL7E HP 5-year 4h9x5w/DMR PageWide Color 776xx Managed SVC U9JT2F HP Installation Service w Network Workgroup Printer

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

### Recommended Papers<sup>4</sup>

HP PageWide Bro GL A3 100 sheets FSC Paper Z7S68A Z7S67A HP PageWide Bro GL A4 200 sheets FSC Paper

Please visit hp.com/apac/paper for more details.

#### **Solutions**

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP JetAdvantage Security Manager: hp.com/go/securitymanager

To learn more about available infrastructure, management, and workflow solutions, visit hp.com/go/gsc

<sup>&</sup>lt;sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit  $\frac{hp.com}{go/PrintersThatProtect}$ . For more information: hp.com/go/printersecurityclaims <sup>2</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution. network conditions, computer performance, and application software. 3 Future firmware updates may support 4608 MB by adding DIMM memory module. 4 Available in selected countries only

# HP PageWide Managed Color MFP E77660 Series

Technical specifications	HP PageWide Managed Color MFP E77660dn (Z5G77A)	HP PageWide Managed Color Flow MFP E77660z (J7Z03A)	HP PageWide Managed Color Flow MFP E77660zs (J7Z07A)	HP PageWide Managed Color Flow MFP E77660z+ (Z5G78A)			
Functions	(230774)		n, fax (optional)	E770002- (23070A)			
Print		.,р),	<u> </u>				
Duplex print options		Automatic	(standard)				
Technology	<b>21</b> 1 11 1 22 (5 1 5)		e Technology				
Speed <sup>1</sup>	Black: Up to 80 ppm (General office		Colour: Up to 80 ppm (General Office mode, A4); Up Professional mode): Up to 40 ppm	to 60 ppm (Professional mode, A4);			
First page out <sup>2</sup>			Colour (A4, ready): As fast as 7.1 seconds				
	Plack (back). He to 1300 v 1300 entimized doi from	·		w (hast). He to 2400 v 1200 entimized deliferen 500			
Resolution	Black (best): Up to 1200 x 1200 optimised api from		um Presentation Matte, and HP Brochure Matte); <b>Colo</b> u nput dpi	r (best): Up to 2400 x 1200 optimised dpi from 600			
			ed Photo Papers)				
Languages		HP PCL 6; HP PCL 5c; HP posts	cript level 3 emulation; PDF 1.7				
HP ePrint capability		ν	'es				
Print cartridges			an, magenta, yellow)				
Printer management	HD IntAdvantage Cogurity Manager		; HP WS Pro Proxy Agent; Printer Administrator Resc	urco Vit for HD Universal Print Priver			
Printer smart software features	HP ePrint, Apple AirPrint™, HP Auto-On/Auto-Off print multiple pages per sheet (2, 4, 6, 9	technology, HP Color Access Control, HP EasyColor, , 16), collation, booklet printing, cover pages, tray :	vantage Security Manager; HP Web Jetadmin; Open I Front-facing USB printing, store print jobs, HP Easyl selection, scaling, Portrait/Landscape orientation, H Optional: HP and third party extensibility solutions;	Color, print preview, automatic two-sided printing, gh Quality Grayscale and Black Ink Only,			
Scan							
Туре		Flath	ed, ADF				
Technology			) & Contact Image Sensor (CIS)				
	5: 1 :1 1/a4) II : 00: (II   1			240: (1)			
Speed	Single-sided (A4): Up to 90 ipm (black and colour); Two-sided (A4): Up to 180 ipm (black and colour)	Single-sided (A4): Up to	120 ipm (black and colour); <b>Two-sided (A4):</b> Up to a	240 ipm (black and colour)			
Bit depth		20	1-bit				
Resolution		Hardware: Up to 600 ppi; Optical: U	p to 600 dpi; <b>Enhanced:</b> Up to 600 ppi				
Max scanning size		Flatbed: 297 x 432 mm; ADF: 297 x 432 mm: UI	p to 297 x 864 mm when "long scan size" selected				
Grayscale levels		·	256				
Input modes	Conv. E. mail: East Co.		lemory; Save to SharePoint; Open Extensibility Platf	orm (OXP) applications			
File format			A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searc				
rite format	Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)	(OCR), CSV (OCR); Scan to easy access USB: PE	, TEXT (OCR), Officode TEXT (OCR), RTF (OCR), Seat DF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicod OCR), CSV (OCR); Print from easy access USB: PDF, P	e TEXT (OCR), RTF (OCR), Searchable PDF (OCR),			
Digital sending standard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF						
Сору							
Speed <sup>3</sup>	Black: Up to 80 cpm (General office	mode A4): Up to 60 cpm (Professional mode A4)	; <b>Colour:</b> Up to 80 cpm (General office mode, A4); Up	to 60 cpm (Professional mode, A4)			
First copy out <sup>3</sup>			; Colour (letter): As fast as 7.9 seconds				
			; Colour (text and graphics): Up to 600 × 600 dpi				
Resolution							
Max copies		· · · · · · · · · · · · · · · · · · ·	999 copies				
Copier reduce/enlarge		25 to	9 400%				
Copier setting	Two-sided copying, scalability, image ad		o, sharpness), N-up, N or Z-ordering, content orienta ge, job storage	tion, collation, booklet, ID Scan, job build,			
Copier smart software features	Auto scale; Reduce/enlarge from scanner gla	iss (25 to 400 percent); Collate; Auto colour detecti	on; Two-sided copying; Image adjustments (darkne	ss, background cleanup, sharpness); Job build			
Fax (Optional)							
Resolution	Black (best): Up to	$300 \times 300$ dpi ( $400 \times 400$ dpi for received faxes only)	; Colour (fine): Up to $300 \times 300$ dpi ( $400 \times 400$ dpi for	received faxes only)			
Transmission speed <sup>4</sup>		Up to 33.6 kbp	s; 3 sec per page				
Fax features		uction supported: Yes; Fax telephone mode suppo	d sending: No; Distinctive ring detection supported: rted: No; Junk barrier supported: Yes; PC interface: ndset supported: No				
Display		· · ·	KVA Colour Graphic Display (CGD)				
Duty cycle (monthly, A4) <sup>5</sup>			),000 pages				
Recommended monthly page volume <sup>6</sup>		2,500 to 5	0,000 pages				
Media							
Custom sizes	Trav 1:	99.1 x 127 to 304.8 x 457.2 mm: <b>Trav 2-5:</b> 210.1 x	148.1 to 297.2 × 431.8 mm; <b>HCI Trays 3 &amp; 4:</b> A4 & Lei	ter Only			
Recommended Weights	60 to 220 g/m², 300 g/m² Photo Paper Only						
Types	Paper (Plain, Inkjet, Inkjet Brochure/Glossy), Photo Paper, Envelopes, Labels, Cards						
Paper handling	Input (standard): 100-sheet multij Input (optional): 1x550/tray (A3/A4), 1x5 HCI (2x2000 sheet A4); <b>Output (</b> 5	ourpose tray, 550-sheet input tray; 550/stand (A3/A4), 3x550/stand (A3/A4),	Input (standard): 100-sheet multipurpose tray, 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4); Output (standard): 500-sheet output bin; 350-sheet stapler stacker	Input (standard): 100-sheet multipurpose tray 550-sheet input tray; Input (optional): 1x550/tray (A3/A4), 1x550/stand (A3/A4), 3x550/stand (A3/A4), HCI (2x2000 sheet A4)			
Processor speed		1.2	! GHz				
Operating system compatibility	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-8 64-bit editions, Windows 8/8.1 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (WP Home, XP Pro, etc.)						
Minimum system requirements	PC: Windows® 10, 8.1, 8, 7: 1 GHz 32-bit or 64-bit processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer. Windows Vista®: 800 MHz processor (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8; Mac: Apple® OS X v10.12 Sierra, OS X v10.11 El Capitan, OS X v10.10 Yosemite, minimum 1.3 GB available HD space; Internet required; USB port						
Connectivity	2 Hi-Speed II	SB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Giaabit	Ethernet 10/100/1000T network; 1 Hardware Inted	ration Pocket			
Connectivity  Connectivity (Standard)	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket						
Connectivity (Standard)	2111 39000 0	Ontional enabled with purchase of HD	letdirect 3000w NEC/Wirelass Accessory	Optional, enabled with purchase of HP Jetdirect 3000w NFC/Wireless Accessory			
Connectivity (Standard) Wireless capability	2.11 Speed 0						
Connectivity (Standard) Wireless capability Mobile printing capability		HP ePrint, Apple AirPri	nt™, Google Cloud Print	not and Cigabit Ethornoti (Dece /			
Wireless capability	Via HP Jetdirect Ethernet embedded print	HP ePrint, Apple AirPri server (standard) supports: 10Base-T, 100Base-T,					

Technical specifications	HP PageWide Managed Color MFP E77660dn (Z5G77A)	HP PageWide Managed Color Flow MFP E77660z (J7Z03A)	HP PageWide Managed Color Flow MFP E77660zs (J7Z07A)	HP PageWide Managed Color Flow MFP E77660z+ (Z5G78A)	
Dimensions (W x D x H)	Operating: 813 x 616 x 680 mm (32 x 24.25 x 26.75 in); Maximum: 896 x 718 x 680 mm (35.25 x 28.25 x 26.75 in)		Operating: 813 x 616 x 791 mm (32 x 24.25 x 31.125 in); Maximum: 896 x 718 x 791 mm (35.25 x 28.25 x 31.125 in)		
Weight	69 kg (	153 lb)	82 kg	(181 lb)	
Environmental					
Operating environment	Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH; Operating temperature range: 15 to 30° C (59 to 86° F); Recommended operating temperature range: 17 to 25° C (63 to 77° F); Non-operating humidity range: 10 to 80% RH; Storage before initial setup (Non-Purged): -40 to 60° C (-40 to 140° F); Storage after initial setup (Purged): 0 to 60° C (32 to 140° F)				
Acoustic	Acoustic power emissions: 6.8 B(A); Acoustic power emissions (active copy): 6.9 B(A); Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions: 54 dB(A) (printing at 61 ppm); Acoustic pressure emissions Bystander (ready): Inaudible	Acoustic power emissions: 6.8 B(A); Acoustic power emissions (active copy); 7.0 B(A); Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions: 55 dB(A) (printing at 61 ppm); Acoustic pressure emissions Bystander (ready): Inaudible; Acoustic power emissions (active scan): 7.2 B(A) (scanning at 129 ppm with ADF running); Acoustic pressure emissions bystander (active scan): 57 dB(A) (scanning at 129 ppm with ADF running)	Acoustic power emissions: 6.6 B(A); Acoustic power emissions (active copy): 6.9 B(A); Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions: 51 dB(A) (printing at 61 ppm); Acoustic pressure emissions Bystander (ready): Inaudible; Acoustic power emissions (active scan): 7.3 B(A) (scanning at 129 ppm with ADF running); Acoustic pressure emissions bystander (active scan): 58 dB(A) (scanning at 129 ppm with ADF running)	Acoustic power emissions: 6.6 B(A); Acoustic power emissions (active copy); 6.9 B(A); Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions: 51 dB(A) (printing at 61 ppm); Acoustic pressure emissions Bystander (ready): Inaudible; Acoustic power emissions (active scan); 7.2 B(A) (scanning at 129 ppm with ADF running); Acoustic pressure emissions bystander (active scan); 57 dB(A) (scanning at 129 ppm with ADF running)	
Power specifications	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 VAC, 50/60 Hz; Power consumption*: 660 watts (print/copy), 42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off); Typical Electricity Consumption (TEC)*: 1.42 kWh/Week; Blue Angel (Sleep mode): Test 2 (Blue Angel); Blue Angel (Normal mode): Test 3 (Blue Angel); Energy-saving features:  HP Auto-On/Auto-Off Technology				
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals				
Warranty	90 days parts only warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region.				
What's in the box	HP PageWide Managed Color MFP E77660dn; HP Setup Ink Cartridges (yield after setup ~8,000 pages CMY and 10,000 K); Installation guide, Support flyer; documentation on CD-ROM; Power cord	HP PageWide Managed Color MFP E77660z; HP Setup Ink Cartridges (yield after setup ~8,000 pages CMY and 10,000 K); Installation guide, Support flyer; documentation on CD-ROM; Power cord	HP PageWide Managed Color MFP E77660zs; HP Setup Ink Cartridges (yield after setup ~8,000 pages CMY and 10,000 K); Installation guide, Support flyer; documentation on CD-ROM; Power cord	HP PageWide Managed Color MFP E77660z+; HP Setup Ink Cartridges (yield after setup ~8,000 pages CMY and 10,000 K); Installation guide, Support flyer; documentation on CD-ROM; Power cord	
Safety and regulatory compliance	EN 60950-1:2006 + A11:2009 +A1:2010 +A12:2011 +A2:2013; IEC 60950-1:2005 +A1:2009 +A2:2013; EN 62471:2008; IEC 62471:2010; EN 62479:2010; IEC 62479:2010; China CCC; GS; UL Listed				
Electromagnetic emission standard	CISPR 22:2008 Class A, CISPR 32:2012 Class A, EN 55032:2012 Class A, FCC CFR 47 Part 15 Class A, ICES-003 Issue 6 Class A, EN 61000-3-3:2013, EN 61000-3-2:2014				



RPG Squarefoot Solutions (800) 521-6319 www.rpg.com info@rpg.com

<sup>1</sup>ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see <a href="https://printerclaims">https://printerclaims</a> Exact speed varies depending on the system configuration, software application, driver and document complexity, <sup>3</sup> First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <a href="https://printerclaims">https://printerclaims</a> Exact speed varies depending on the system configuration, software application, driver, and document complexity, <sup>3</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.73 and 6 sec/page for V.17 a Duty cycle is defined as the maximum number of pages per month of imaged output. This value product robustness in relation to other HP Pagewide devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. <sup>5</sup>HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Exercise pages are product of the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Exercise page for the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Exercise page for the printer is sold. Do not convert operating voltages. This will damage the printer in the printer is sold. Do not convert operating voltages. This will damage the printer in the printer is sold. Do not convert operating voltages. This will damage the printer in the printer is sold. Do not convert operating voltages. This will damage

### To learn more, visit hp.com

© 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. To the extent allowed by law, HP shall not be liable for technical or editorial errors or omissions contained herein

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. NetWare® is a trademark of Novell, Inc.

