

**STANDARD CHARACTERISTICS
(DIMENSIONS, WEIGHT, AND CUBE)
FOR TRANSPORTABILITY OF
MILITARY VEHICLES AND OTHER
OUTSIZE/OVERWEIGHT EQUIPMENT
(IN TOE LINE ITEM NUMBER SEQUENCE)**

Approved for public release; distribution is unlimited

This publication supersedes TB 55-46-1, dated 1 February 2014

DEPARTMENTS OF THE ARMY AND THE NAVY
1 February 2015

TECHNICAL BULLETIN
No. 55-46-1
NAVY PUBLICATION
No. P-1055



HEADQUARTERS
DEPARTMENTS OF THE ARMY
AND NAVY
WASHINGTON, DC, 1 February 2015

**STANDARD CHARACTERISTICS
(DIMENSIONS, WEIGHT, AND CUBE)
FOR TRANSPORTABILITY OF MILITARY
VEHICLES AND OTHER OUTSIZE/OVERWEIGHT EQUIPMENT
(IN TOE LINE ITEM NUMBER SEQUENCE)**

Approved for public release; distribution is unlimited

		<i>Paragraph</i>	<i>Page</i>
CHAPTER	1.	INTRODUCTION	
		Purpose and Scope	1-1
		Definitions	1-2
		Data Specifications	1-3
		Unit Movement Data (UMD) Reporting Procedures	1-4
		Reporting of Publication Improvements	1-5
	2.	TABLES	
		Equipment Transportability Criteria	2-1
		Cargo Compartment Dimensions and Loading Capacity	2-2
		Wheelbase Dimensions	2-3
		Metric Conversion Table	2-4
	3.	EQUIPMENT CHARACTERISTICS DATA	
		Explanation of Columnar Headings	3-1
		Equipment Characteristics Data Listings.....	3-2
APPENDIX	A.	REFERENCES	A-1
	B.	CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN	B-1
	C.	CROSS-REFERENCE ARMY MODEL AND NAVY CIVIL ENGINEER SUPPORT EQUIPMENT (CESE) DESIGNATION TO TOE LIN AND CARGO GROUP CODE .	C-1
	D.	LIST OF TRANSPORTABILITY GUIDANCE TECHNICAL MANUALS (TM) AND TECHNICAL BULLETINS (TB)	D-1
GLOSSARY		Glossary-1

*This bulletin supersedes TB 55-46-1, 1 February 2014.

LIST OF TABLES

<i>Tables</i>	<i>Title</i>	<i>Page</i>
2-1	Equipment Transportability Criteria for AMC Aircraft	2-2
2-2	463L Pallet Criteria for CRAF Aircraft	2-2
2-3	Aircraft Allowable Cabin Loads (ACL).....	2-3
2-4	Cargo Category Codes	2-3
2-5	Heavy Lift and Dimension Codes	2-4
2-6	Dimensions and Loading Capacity for Cargo Truck Bodies.....	2-5
2-7	Dimensions and Loading Capacity for Dump Truck Bodies.....	2-9
2-8	Dimensions and Loading Capacity for Cargo Trailer Bodies.....	2-11
2-9	Dimensions and Loading Capacity for Stake Semitrailer Cargo Bodies	2-11
2-10	Dimensions and Loading Capacity for Van Semitrailer Cargo Bodies	2-13
2-11	Dimensions and Loading Capacity for Amphibious Vehicles.....	2-13
2-12	Dimensions and Loading Capacity for Landing Craft.....	2-13
2-13	Dimensions and Loading Capacity for FTRAC Cargo Carrier Bodies	2-14
2-14	Dimensions and Loading Capacity for Army Helicopter Cargo Compartments	2-14
2-15	Wheelbase Dimensions for Trucks	2-14
2-16	Wheelbase Dimensions for Trailers	2-19
2-17	Wheelbase Dimensions for Semitrailers	2-20
2-18	Wheelbase Dimensions for Truck-Lift Forks.....	2-21
2-19	Wheelbase Dimensions for Truck-Mounted Equipment	2-21
2-20	Wheelbase Dimensions for Trailer-Mounted Equipment.....	2-22
2-21	Wheelbase Dimensions for Semitrailer-Mounted Equipment	2-22
2-22	Wheelbase Dimensions for Truck/Trailer-Mounted Power Units.....	2-22
2-23	Wheelbase Dimensions for Wheeled Tractors	2-23
2-24	Wheelbase Dimensions for Wheeled Engineer Equipment.....	2-23
2-25	Metric Conversion Table	2-24
3-1	Types of Equipment Codes and Their Meanings	3-1
C-1	Cargo Group Code Examples/Explanations	C-3
C-2	Cargo Group Code Criteria	C-3
D-1	DA Technical Manuals (TMs)	D-3
D-2	DA Technical Bulletins (TBs)	D-6

CHAPTER 1

INTRODUCTION

1-1. Purpose and scope

a. This technical bulletin (TB) provides dimensions, weight, and cube of military vehicles, vehicle-mounted equipment, and other outsize/overweight equipment. Staff, command, and field organizations use this data for standard reference in developing and reporting movement requirements. The data is specifically oriented to unit movement transportability/deployability considerations and is designed for compatibility with the U.S. Forces Command (FORSCOM) Computerized Movement Planning and Status System (COMPASS); Joint Operations Planning and Execution System (JOPES); DOD Regulation 4500.9-R; and AR 71-32.

b. This publication consists of all outsize/overweight equipment having dimensions and weight equal to or exceeding 104 inches long, 84 inches wide, 50 inches high, and 5,000 pounds. These criteria define the minimum reporting standards necessary to provide a basis for identifying cargo with potential transportability limitations. Data for all equipment, including those that are less than the above criteria, are listed in the TEA web application, Standard Characteristics (Dimensions, Weight, and Cube) for Transportability of Military Vehicles and Equipment. The technical bulletin is located at <http://www.tea.army.mil/pubs>.

c. The data in this publication applies primarily to equipment included in Army table of organization and equipment (TOE) or modified tables of organization and equipment (MTOE) plus Navy tables of allowance (TOA) for the Naval Construction Force (NCF). Data for other end-items listed in Supply Bulletin (SB) 700-20 are included when available. Every effort is made to maintain current TOE line item number (LIN) assignments according to SB 700-20 and national stock number (NSN) assignments according to the Army Master Data File (AMDF).

d. The Surface Deployment and Distribution Command Transportation Engineering Agency (SDDCTEA) is the U.S. Army central point of contact for obtaining vehicle/equipment air transport certification from Headquarters Air Force Material Command (HQ AFMC), Aeronautical Systems Cen-

ter (ASC). U.S. Army units requiring airlift certification should, per DOD 5000.2, forward their requests to Director, SDDCTEA, ATTN: SDTE-DPE, Building 1900W, 1 Soldier Way, Scott AFB, IL 62225, with an information copy to US FORSCOM, AFOP-ORD-C,G33 CUOPS/COMPASS, 4700 Knox Street Fort Bragg, NC 28310. The U.S. Navy central point of contact for obtaining airlift certification for Civil Engineer Support Equipment (CESE) is Commanding Officer, Naval Facilities Expeditionary Logistics Center, Code N442, CESE Management Branch, Building 1000, 23d Avenue, Port Hueneme, CA 93043.

1-2. Definitions

a. Cargo Group Code. This code is applied to vehicles and vehicle-mounted equipment for use with the Air Mobility Command (AMC) type unit load program. Appendix C lists the cargo group code criteria and assignment of vehicles to Army model designation, shipping configuration, and TOE LIN to include dimensions (length, width, height) and weight.

b. Civil Engineer Support Equipment (CESE) (Navy). CESE is a procurement budget term referring to equipment for which COMNAVFACENGCOM has the responsibility for determining requirements, procuring, and assigning. The equipment includes automotive vehicles (including tactical), construction, railway, fire fighting, and mobile weight handling equipment. Weight handling equipment such as portal, gantry, jib, and other facility cranes are normally not classified as CESE.

c. Disassembled Component. A component removed from an end-item, reducing the item's shipping configuration.

d. Line Item Number (LIN).

(1) *Army.* A six-character alphanumeric identification assigned to a generic nomenclature to describe collectively all NSN items possessing the functional capability expressed by the LIN description. It is used as the basic reference in Army equipment authorization documents, such as, TOE, MTOE, common table of allowances (CTA), and table of distribution and allowances (TDA).

(2) *Navy*. Navy equipment is identified by a six-digit equipment code (EC). Each EC describes a generic category of equipment.

(3) *Specific Combinations of Equipment for the Automated Air Load Planning System/Air Load Module (AALPS/ALM)*. Union LINs are no longer accepted through COMPASS.

(4) *Fictitious LINs*. Fictitious LINs are assigned to authorized NSN items of equipment that do not have an assigned LIN. The use of a fictitious LIN enables entry of that item into this bulletin. These fictitious LINs, denoted with the prefix "YA", are prohibited for use in authorization documents.

e. National Stock Number (NSN). The NSN consists of a 13-digit number assigned by Defense Logistics Services Center. The first four digits of the NSN are known as a Federal Supply Classification (FSC) code and the last nine digits are referred to as the National Item Identification Number (NIIN). The NIIN fixes the identity of the particular item of supply.

f. Naval Construction Force (NCF) (Navy). The generic term applies to that group of deployable naval organizational components, primarily, Naval Mobile Construction Battalions (NMCB), that have the common characteristics of processing the capability to perform construction projects for the Navy. The NCF is composed of both active and reserve units. Once mobilized there is no distinction made between active and reserve units. The NCF provides the following capabilities in support of the U.S. Navy, as well as other agencies of the U.S. Government, when directed:

(1) Responsive military advanced base construction support including operational, logistics, underwater, ship-to-shore, shore, and deep ocean facilities construction, maintenance, and operation.

(2) Military construction in support of Marine Air Ground Task Force (MAGTF) operations.

(3) Defensive and limited offensive operations against overt or clandestine enemy attacks directed toward unit personnel, convoys, camps, and facilities under construction.

(4) Amphibious assault and ship-to-shore construction support operations.

(5) Battle damage repair operations.

(6) Disaster control and recovery operations.

(7) Civic action employment.

g. Table of Allowance (TOA) (Navy). The organization listing of personnel, materiel, and equipment developed to enable naval components to meet their general mission requirements.

h. Vehicle. The term "vehicle" includes trucks, trailers, semitrailers, amphibious and tracked vehicles, tanks, artillery (self-propelled and towed), floating craft (self-propelled and towed), railcars, locomotives, aircraft (including helicopters), and wheel or track-mounted equipment.

1-3. Data specifications

a. Source of Data. The data in this bulletin was obtained by or under the technical supervision of SDDCTEA.

b. Accuracy of Data. The accuracy of data is identified by the letter "V" located to the extreme left of an INDEX NUMBER (INDEX NO) in the equipment characteristics data listing (para 3-2). The "V" indicates that the data are actual validated measurements and weight acquired according to technical standards established by SDDCTEA. Absence of a "V" for any listing indicates that the information shown is the best available and is obtained from research of technical publications.

c. Dimensions.

(1) *Length*. The horizontal dimension measured from end-to-end and parallel to the central axis. Measurement is rounded up to the nearest inch.

(2) *Width*. The horizontal dimension measured from side-to-side and perpendicular to the central axis. Measurement is rounded up to the nearest inch.

(3) *Height*. The vertical dimension measured from ground level to highest reference point. Measurement is rounded up to the nearest inch.

d. Weight. The amount an item weighs expressed in pounds.

(1) *Aircraft*. The weight of an aircraft in operational/flyaway configuration includes installed equipment and full fuel load. The weight in either reduced or reduced for sealift configuration excludes fuel. These weights also do not include payload, crew, or personal/organizational equipment. They are not an integral part of the aircraft.

(2) *Surface Vehicles (less heavy armored vehicles/tanks)*. The weight of these vehicles includes on-equipment materiel (OEM), such as basic issue items (BII) that are an integral part of the vehicle when issued, and fuel tank three-quarters full. It does not include payload, crew, or personal/organizational equipment. They are not an integral part of the vehicle.

(3) *Heavy Armored Vehicles/Tanks*. The weight is an average of several like items because like items differ in weight. It should be emphasized that variations exist among the same models produced by dif-

ferent manufacturers and, in some cases, the same manufacturer.

(4) *Other End-Items.* The weight is based normally on the bare item configuration. In some instances, the weight is based on boxed, crated, or item container packaged configuration and is so noted.

e. Cube. The volume of space occupied by the item, computed by multiplying the length by the width by the height in inches, divided by 1,728 (formula: $(L \times W \times H) / 1,728 = \text{cubic feet}$). The cube is rounded up to the nearest cubic foot.

1-4. Unit movement data (UMD) reporting procedures

a. General. The equipment characteristics data listings contained in chapter 3 are designed to facilitate the preparation of UMD reports. This data reflects specified shipping configurations and should be used only when the actual shipping configuration of an item closely approaches the data listing or a major revision for UMD reporting has taken place.

b. Use of LIN and INDEX NO. When properly reported, the combination of LIN and INDEX NO will cause computer generation of the data listed to the right of the INDEX NO for printing the UMD listing. An error in reporting either of these data elements will result in computer application of erroneous data. Adherence to the following instructions will minimize reporting errors:

(1) Do not report the INDEX NO assigned to an “assembled” shipping configuration. The assembled record contains no dimensional data, but has the total weight and cube for all components when fully assembled. These data are for information purposes only.

(2) When reporting vehicle data ensure that the INDEX NO listing includes type of equipment codes 0 through 9 or C through H, J, and K only. Similarly, the INDEX NO used to report non-vehicular or special-handling cargo data includes type of equipment codes L through N, P through V, X, and Y only.

(3) Do not use the INDEX NO for a “remarks” listing.

(4) If the equipment characteristics data are not available for the planned shipping configuration, the unit will request from FORSCOM the procedures on how to report the equipment.

c. Aircraft with Components. See data listing for LIN A29744 and K31042 as an example.

(1) A29744. *Airplane Cargo.*

(a) *Vehicle Data.* Report LIN A29744 and INDEX NO 02 (reduced configuration) plus other necessary information.

(b) *Disassembled Component Data.* The component “wings” are classified as special-handling cargo. If component is loaded in an organic cargo vehicle, report as vehicle load, using the appropriate load description or, if not so loaded, report LIN A29744 and INDEX NO 03 (bare item). Note: The *Wings* are packed in two boxes; therefore, two entries must be reported.

(2) K31042. *Helicopter Observation.* Data is provided for the following shipping configurations: Flyaway, Reduced for Sealift, Reduced for C-130, Reduced for C-17, Reduced for C-5, and Reduced for Sealift Operational. Movement plans should reflect the most probable means of strategic transport. For example, if a unit expects to use the Reduced for C-130 shipping configuration, the data to be selected and reported are as follows:

(a) *Vehicle Data.* Report LIN K31042 and INDEX NO 04 (Reduced for C-130) plus other necessary information.

(b) *Disassembled Component Data.* Four of the components—Main Rotor Blades, Vertical Fin, Horizontal Stabilizer, and Tail Boom—are classified as “special-handling cargo”. If items are loaded in an organic cargo vehicle, report the appropriate load description or, if not loaded, report LIN K31042 and INDEX NO 05 (for Main Rotor Blades); LIN K31042 and INDEX NO 06 (for Vertical Fin); LIN K31042 and INDEX NO 07 (for Horizontal Stabilizer); and LIN K31042 and INDEX NO 08 (for Tail Boom) separately. Note: Two entries must be reported for the Main Rotor Blades.

d. Assembled Equipment. See data listing for LIN T15644, “Shop Equip Mach Shop”, for assembled equipment.

(1) Do not report INDEX NO 01 for assembled shipping configuration.

(2) Report the disassembled components identified by INDEX NOs 02 through 06, depending on MODEL on hand, as follows:

(a) Report those components that are loaded on organic cargo vehicles.

(b) If components are not loaded on vehicles, report as special-handling cargo, palletized, or containerized cargo, using appropriate LIN and INDEX NO for each item.

1-5. Reporting of publication improvements

a. You can help improve this manual, if you find any mistakes SDDCTEA requests recommendations

TB 55-46-1/NAVFAC P-1055

or changes for improvement to this publication be prepared as a memorandum and forwarded to Director, SDDCTEA, ATTN: SDTE-SI, Building 1900W, 1 Soldier Way, Scott AFB, IL 62225 or telefax (FAX) to the following Commercial FAX number 618-220-5125. SDDCTEA will also accept comments via electronic mail (e-mail) at usarmy.scott.sddc.mbx.tea-jecd@mail.mil.

b. Contact SDDCTEA DSN 770-5273/5227 or Commercial 618-220-5273/5227 for questions concerning database content or validity of data.

c. Navy personnel should send comments through command channels, to Commander, Naval Facilities Engineering Command, Washington Navy Yard, ATTN: Code ERL, 1322 Patterson Avenue, S.E., Washington, DC 20374-5065. Also, you may contact POC at Commercial 202-433-5166 or DSN 288-5166.

CHAPTER 2

TABLES

2-1. Equipment transportability criteria

a. The transportability of an item of equipment by Headquarters Air Mobility Command (HQ AMC) (C-130, C-17, C-5, KC-10, and KC-135 aircraft) and Civil Reserve Air Fleet (CRAF) (DC-8, DC-10, B-747S (Side Door), and B-747N (Nose Door) aircraft) is indicated by “C”, “X”, or a blank space under the heading “Cargo Load Indicators” (para. 3-1*n*). The indicators are based on the following three conditions: (1) “C” means Air Force certified for transport in a specific aircraft; (2) “X” means the item qualifies within the criteria for the specific aircraft shown in tables 2-1 and 2-2; and (3) a blank space means the item is not transportable in indicated aircraft. Users are cautioned that values in tables 2-1 for AMC aircraft and table 2-2 for CRAF aircraft are based on Joint Chiefs of Staff (JCS) and HQ AFMC criteria. They do not reflect any other considerations, such as 463L pallet orientation, aircraft structural limitations, aircraft access aisle requirements, loading geometry, adequacy of tie down provisions, or the distribution of weight on various axles. Therefore, their application to actual operations can be validated only by the aircraft loadmaster. For additional information, refer to Air Mobility Command Pamphlet 24-2 Series, *Civil Reserve Air Fleet Load Planning Guide*, December 2001.

b. Tables 2-1 and 2-2 show some of the criteria used to perform a preliminary equipment qualification analysis for AMC and CRAF aircraft. In addition to table 2-1, table 2-3 shows the Allowable Cabin Loads (ACLs) and Planning Average Loads (PALs) for AMC and CRAF aircraft. These ACLs include the weight of cargo, passengers, and baggage that may be transported by a specific aircraft type. The ACL may be limited by maximum takeoff gross weight, maximum landing gross weight, or maximum zero fuel weight, limiting wing fuel, variances in basic weight or required fuel. The PALs are derived from historical data and accounts for other constraints such as size, shape, and density of most cargo plus passenger requirements (i.e. oxygen, life preservers, etc.). Planning payload data should be used for transportation planning in lieu of maximum ACL.

c. Tables 2-4 and 2-5 explain the Cargo Category Codes (CCC) and Heavy Lift and Dimension Codes (H) as listed in paragraph 3-2 under the column heading “CCCH.”

2-2. Cargo compartment dimensions and loading capacity

Tables 2-6 through 2-14 contain dimensions and cargo-loading capacity of military and commercial general-purpose cargo trucks, dump trucks, trailers, semitrailers, amphibious vehicles, landing craft, and Army aircraft. These tables include cargo deck dimensions and the measured loading height of cargo bodies. The loading capacity, in cubic feet, is based on the dimensions of the cargo deck, adjusted for any obstructions (indicated by note references), from the floor of the cargo body to the indicated reference point, such as under the bows, top of side racks, or top of steering wheel. The availability of these data does not imply authorization for use of any specific shipping configuration.

2-3. Wheelbase dimensions

Tables 2-15 through 2-24 contain wheelbase dimensions for trucks, trailers, semitrailers, truck-lift forks, truck-mounted equipment, trailer-mounted equipment, semitrailer-mounted equipment, truck/trailer-mounted power units, wheeled tractors, and wheeled engineer equipment. These dimensions may be used in computing vehicle center of balance (CB).

2-4. Metric conversion table

The factors shown in table 2-25 are for conversion of British and American measures to metric system measures.

Table 2-1. Equipment Transportability Criteria for AMC Aircraft

Transport reference	Length (in.)	Width (in.)	Height (in.)	Maximum allowable cabin load (lb.) ¹⁰
C-130	468.0	108.0	102.0	42,000
C-17	784.0 ¹	216.0 ⁴	148.0 ⁴	170,900
	784.0 ¹	216.0 ³	148.0 ³	164,900
C-5	1454.0	228.0 ³	161.0 ³	265,000
	1454.0	228.0 ⁴	161.0 ⁴	265,000
KC-10	1198.0	197.0 ⁵	96.0 ⁵	170,000
KC-135	720.0	129.0	84.0	83,000 ⁶
20-FT CTN	225.0	84.0	82.0	40,000 ⁷
40-FT CTN	468.0	84.0	86.0	80,000 ⁸
463-L	104.0	84.0	96.0	10,000 ⁹

¹Flat floor length. Usable length is 1,016 inches including ramp. C-130 and C-5 have loadable ramps as well.

²Minimum height under wing box.

³Usable width and height at the highest envelope of the aircraft.

⁴Usable width and height at the widest envelope of the aircraft.

⁵Usable width and height for side door loading of the aircraft.

⁶Roller installed KC-135 aircraft only.

⁷The criteria for the 8 x 8 x 20-ft and 8 x 8-1/2 x 40-ft containers are derived from the interior length and door opening dimensions less clearance allowances of 6 inches for length, and 6 and 3 inches, respectively, for door opening width and height. Use of this container is according to specifications for creation of JCS Type Unit Characteristics (TUCHA) data. Equipment that can be containerized is identified by a "Y" under the column headings CTN 20 FT and CTN 40 FT.

⁸The desired weight limit for air transport is 67,200 pounds.

⁹The 463L pallet indicator (see data listing, chap 3) provides a means of readily identifying items of equipment that present no significant transportability problems. Such items normally are consolidated for shipment and lose their identity. They are identified by a "Y" under the column heading "463L."

¹⁰Payload significantly influences range of a given aircraft. For example – a C-130 with a 42,000 pound payload can fly 60 nautical miles under ideal conditions. Conversely, the same C-130 can fly a 36,500 pound payload about 1,000 nautical miles.

Table 2-2. 463L Pallet Criteria for CRAF Aircraft

Aircraft ¹	Single row	Pallet train (No. Plt) ²	88-in wide ³		108-in wide ³	Maximum Pallet weight (lbs per linear inch) ⁴
DC-8	X				X	225
DC-10		2-3	X	or	X	242
B-747S		2-3	X	or	X	240
B-747N		2-5	X	or	X	240

¹Pallets can be loaded in DC-8, single-row only; DC-10 and B-747 can accept double-row loading.

²The indicated number of pallets represents the maximum for a pallet train.

³The lateral positioning of the pallet when loaded on the aircraft—that is, the sides facing fore and aft of the fuselage.

⁴Total weight of pallet and load may not exceed 7,500 pounds. All non-vehicular loads that exceed 140 inches long or wide, 123 inches high, or 242 pounds per linear inch are not CRAF transportable.

GENERAL LOADING CRITERIA FOR PALLETS

- A 2-inch clearance is maintained between cargo and aircraft body during loading and transport.
- Equipment is positioned on a pallet or pallet train in such a way that the longest dimension is parallel to the front-to-rear axis of the fuselage.
- Front-to-rear overhang is equalized, if possible, and will not exceed 44 inches for the 108-wide orientation or 56 inches for the 88-wide orientation.

Table 2-3. Aircraft Allowable Cabin Loads (ACL)

Aircraft type	Peacetime maximum ²	Wartime maximum ²	Planning average ^{1,2}
C-130	N/A	N/A	25,000
C-5	178,000	265,000 ³	122,600
C-17	30,000	170,000 ⁴	90,000
KC-10	120,000	166,000	65,200
CRAF ⁵	200,000	172,000	156,000

¹Data from AF Pamphlet 10-1403, *Airlift Planning Factors*.

²Based on 3,200 nautical miles (NMI) (except C-130) or as noted below.

³Based on 1,600 NMI.

⁴Based on 2,300 NMI.

⁵Based on B747-100 equivalents.

Note: ACL is the weight of cargo, baggage, and passengers that may be transported by a specific type aircraft. Actual mission ACLs are subject to the following variables: aircraft basic weight, fuel weight, type mission, destination, critical leg distance, operational considerations and priorities, and airfield conditions also consider wing limiting fuel. $ACL = \text{Aircraft allowable gross weight} - (\text{aircraft basic weight} + \text{required fuel})$. Many times load planning must be done before actual mission ACLs are known. Using planning ACL average results in more accurate sortie predictions when actual mission ACLs are unknown. (Normally, maximum ACLs should not be used for planning.) Equipment weight, although exceeding aircraft's planning ACL, can be within its capabilities (i.e., an M1 Tank weighing 135,640 pounds can be transported by C-5 aircraft). Contact the 621 CWR, McGuire AFB or 615 CRW, Travis AFB and ask for the Aerial Port Representative. These CWR units do the joint inspection of cargo and are able to provide an affiliation load planning class to help with your load planning needs.

Table 2-4. Cargo Category Codes

FIRST POSITION	
Code	Description
A	Vehicles (wheeled and tracked), self-propelled or non-self-propelled and are not suitable for road marching on overland deployment legs.
B	Uncrated non-self-deployable aircraft.
C	Floating craft.
J	Other non-vehicular cargo.
M	Ammunition.
R	Wheeled vehicles (self-propelled or non-self-propelled), suitable for road march on overland deployment legs and capable of convoy speeds up to 40 mph.
SECOND POSITION	
Code	Description
0	Non-air transportable equipment. (Equipment will not fit in any aircraft.)
1	Outsized equipment. (Equipment will fit on a C-5, and possibly C-17, but too large for C-130.)
2	Oversized equipment. (Equipment will possibly fit a C-130, but exceeds the usable dimensions of a 463L pallet (104" x 84" x 96").
3	Bulk equipment. (Equipment with dimensions less than that of oversized.)
THIRD POSITION	
Code	Description
B	This equipment can be containerized and meets the dimensional criteria for a 20-foot container (225" x 84" x 82") and does not exceed 20 short tons.
C	This equipment can be containerized. It exceeds the dimensional criteria for a 20-foot container, but meets the dimensional criteria for a 40-foot container (468" x 84" x 86"), and does not exceed 40 short tons.
D	This equipment cannot be containerized

Table 2-5. Heavy Lift and Dimension Codes

Code	Description
A	Under 5 tons and less than 35 feet in any dimension.
B	5 to 10 tons and less than 35 feet in any dimension.
C	11 to 30 tons and less than 35 feet in any dimension.
D	31 to 50 tons and less than 35 feet in any dimension.
E	51 to 60 tons and less than 35 feet in any dimension.
F	61 to 70 tons and less than 35 feet in any dimension.
G	Over 70 tons and less than 35 feet in any dimension.
H	Under 5 tons and 35 feet or more in any dimension.
J	5 to 10 tons and 35 feet or more in any dimension.
K	11 to 30 tons and 35 feet or more in any dimension.
L	31 to 50 tons and 35 feet or more in any dimension.
M	51 to 60 tons and 35 feet or more in any dimension.
N	61 to 70 tons and 35 feet or more in any dimension.
P	Over 70 tons and 35 feet or more in any dimension.

Table 2-6. Dimensions and Loading Capacity for Cargo Truck Bodies

Vehicle type (LIN)	Cargo deck		Bed height (in.)	Cargo body loading height and capacity					
	Length (in.)	Width (in.)		Under bows (in.)	(ft ³)	Top of side racks (in.)	(ft ³)	Top of steering wheel (in.)	(ft ³)
1-1/4-Ton									
M715 (CB0360)	93.0	64.0	37.0	56.0	187.0 ^{au}	39.0	132.0 ^a	23.0	77.0 ^a
M998 (T61494) (CB0360)	84.0	52.0	33.0	N/A	N/A	31.0	79.0	N/A	N/A
M998A1 (T61494)	84.0	52.0	33.0	N/A	N/A	31.0	79.0	N/A	N/A
M1008 (T59482) (CB0360)	99.0	65.0	35.0	N/A	N/A	37.0	132.0 ^c	41.0	147.0 ^{c,ax}
M1028A1 (T59550)	99.0	65.0	35.0	N/A	N/A	37.0	132.0 ^c	41.0	146.0 ^{c,ax,ba}
M1038 WWN (T61562)	84.0	52.0	33.0	N/A	N/A	31.0	79.0	N/A	N/A
M1038A1 WWN (T61562)	84.0	52.0	33.0	N/A	N/A	31.0	79.0	N/A	N/A
M1097 (T07679)	88.0	52.0	33.0	N/A	N/A	N/A	N/A	50.0	133.0
M1097A1 (T07679)	88.0	52.0	33.0	N/A	N/A	N/A	N/A	50.0	133.0
M1097A2 (T07679)	88.0	52.0	33.0	N/A	N/A	N/A	N/A	50.0	133.0
M1113 (T61630)	88.0	52.0	33.0	N/A	N/A	N/A	N/A	50.0	133.0
2-1/2-Ton									
M35A1 WWN (X40146)	147.0	88.0	52.0	60.0	443.0 ^{g,w}	37.0	277.0	29.0	217.0
M35A2 (X40009)	147.0	88.0	52.0	60.0	443.0 ^{g,w}	37.0	277.0	29.0	217.0
M35A2 WWN (X40146)	147.0	88.0	52.0	60.0	443.0 ^w	37.0	277.0	29.0	217.0
M35A2C (X40077) (CB0539)	147.0	88.0	52.0	60.0	443.0 ^w	37.0	277.0	29.0	217.0
M35A2C WWN (X40214)	147.0	88.0	52.0	60.0	443.0 ^w	37.0	277.0	29.0	217.0
M35A3 WWN (X40146)	147.0	88.0	52.0	60.0	443.0 ^w	37.0	277.0	29.0	217.0
M35A3C (X40077)	147.0	88.0	52.0	60.0	443.0 ^w	37.0	277.0	29.0	217.0
M35A3C WWN (X40214)	147.0	88.0	52.0	60.0	443.0 ^w	37.0	277.0	29.0	217.0
M36 (X40283)	210.0	88.0	52.0	72.0	762.0 ^{aa}	37.0	396.0	29.0	310.0
M36A2 (X40283)	210.0	88.0	52.0	72.0	762.0 ^{aa}	37.0	407.0	29.0	310.0

See notes following table 2-25.

Table 2-6. Dimensions and Loading Capacity for Cargo Truck Bodies - Continued

Vehicle type (LIN)	Cargo deck			Cargo body loading height and capacity					
	Length (in.)	Width (in.)	Bed height (in.)	Under bows (in.)	Under bows (ft ³)	Top of side racks (in.)	Top of side racks (ft ³)	Top of steering wheel (in.)	Top of steering wheel (ft ³)
M36A3 (X40283)	210.0	88.0	52.0	72.0	762.0 ^{aa}	38.0	407.0	29.0	310.0
M1078 (T60081)	149.0	92.0	63.0	68.0	516.0	19.0	145.0	N/A	N/A
M1078 WWN (T60149)	149.0	92.0	63.0	68.0	516.0	19.0	145.0	N/A	N/A
M1078A1 (T60081)	149.0	92.0	63.0	68.0	516.0	19.0	145.0	N/A	N/A
M1078A1 WWN (T60149)	149.0	92.0	63.0	68.0	516.0	19.0	145.0	N/A	N/A
M1081 (T41995)	149.0	92.0	52.0	68.0	516.0	19.0	145.0	N/A	N/A
M1081 WWN (T42063)	149.0	92.0	52.0	68.0	516.0	19.0	145.0	N/A	N/A
5-Ton									
M41 WWN (X40968)	168.0	88.0	49.0	60.0	456.0 ^{l,q,x}	37.0	^{-al}	39.0	284.0 ^{l,q}
M54 (X40831)	168.0	88.0	57.0	60.0	480.0 ^{p,x}	37.0	291.0 ^P	29.0	222.0 ^P
M54A1 WWN (X40968)	168.0	88.0	57.0	60.0	480.0 ^{p,x}	37.0	291.0 ^P	29.0	222.0 ^P
M54A1C (X40794)	168.0	88.0	56.0	60.0	480.0 ^{p,x}	37.0	291.0 ^P	30.0	234.0 ^P
M54A1C WWN (X40931)	168.0	88.0	56.0	60.0	480.0 ^{p,x}	37.0	291.0 ^P	30.0	234.0 ^P
M54A2 WWN (X40968)	168.0	88.0	57.0	60.0	480.0 ^{p,x}	37.0	291.0 ^P	29.0	222.0 ^P
M54A2C (X40794)	168.0	88.0	56.0	60.0	480.0 ^{p,x}	37.0	291.0 ^P	30.0	231.0 ^P
M54A2C WWN (X40931)	168.0	88.0	56.0	60.0	480.0 ^{p,x}	37.0	291.0 ^P	30.0	231.0 ^P
M55 WWN (X41242)	244.0	88.0	56.0	60.0	735.0 ^{ab}	37.0	460.0	29.0	361.0
M55A1 (X41105)	244.0	88.0	56.0	60.0	735.0 ^{ab}	37.0	460.0	29.0	361.0
M55A2 (X41105)	244.0	88.0	56.0	60.0	735.0 ^{ab}	37.0	460.0	29.0	361.0
M55A2 WWN (X41242)	244.0	88.0	56.0	60.0	735.0 ^{ab}	37.0	460.0	29.0	361.0

See notes following table 2-25.

Table 2-6. Dimensions and Loading Capacity for Cargo Truck Bodies - Continued

Vehicle type (LIN)	Cargo deck			Cargo body loading height and capacity					
	Length (in.)	Width (in.)	Bed height (in.)	Under bows (in.)	Under bows (ft ³)	Top of side racks (in.)	Top of side racks (ft ³)	Top of steering wheel (in.)	Top of steering wheel (ft ³)
5-Ton, continued									
M813 WWN (X40968)	168.0	88.0	56.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	30.0	243.0 ⁿ
M813A1 (X40794) (CB0588)	168.0	88.0	56.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	30.0	243.0 ⁿ
M813A1 WWN (X40931)	168.0	88.0	56.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	30.0	243.0 ⁿ
M814 (X41105)	244.0	88.0	56.0	60.0	735.0 ^{ab}	37.0	460.0	31.0	386.0
M814 WWN (X41242)	244.0	88.0	56.0	60.0	735.0 ^{ab}	37.0	460.0	31.0	386.0
M923 (X40794) (CB0588)	168.0	88.0	56.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	30.0	243.0 ⁿ
M923A1 (X40794)	168.0	88.0	59.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	35.0	285.0 ⁿ
M923A2 (X40794)	168.0	88.0	59.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	35.0	285.0 ⁿ
M924 (X40831)	168.0	88.0	57.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	29.0	234.0 ⁿ
M924A1 (X40831)	168.0	88.0	59.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	35.0	285.0 ⁿ
M925 WWN (X40931) (CB0588)	168.0	88.0	56.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	30.0	243.0 ⁿ
M925A1 WWN (X40931)	168.0	88.0	59.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	35.0	285.0 ⁿ
M925A2 WWN (X40931)	168.0	88.0	59.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	36.0	294.0 ⁿ
M926 WWN (X40968)	168.0	88.0	57.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	30.0	244.0 ⁿ
M926A1 WWN (X40968)	168.0	88.0	59.0	60.0	489.0 ^{n,ab}	37.0	302.0 ⁿ	35.0	285.0 ⁿ
M927 (X41105)	244.0	88.0	56.0	60.0	735.0 ^{ab}	37.0	460.0	32.0	398.0
M927A1 (X41105)	244.0	88.0	59.0	60.0	735.0 ^{ab}	37.0	460.0	35.0	435.0
M927A2 (X41105)	244.0	88.0	59.0	60.0	735.0 ^{ab}	37.0	460.0	35.0	435.0
M928 WWN (X41242)	244.0	88.0	56.0	60.0	735.0 ^{ab}	37.0	460.0	31.0	386.0
M928A1 WWN (X41242)	244.0	88.0	59.0	60.0	735.0 ^{ab}	37.0	460.0	35.0	435.0
M928A2 WWN (X41242)	244.0	88.0	59.0	60.0	735.0 ^{ab}	37.0	460.0	35.0	435.0
M1083 (T61908)	170.0	92.0	59.0	68.0	582.0	19.0	163.0	N/A	N/A
M1083 WWN (T41135)	170.0	92.0	59.0	68.0	582.0	19.0	163.0	N/A	N/A
M1083A1 (T61908)	170.0	92.0	60.0	68.0	582.0	19.0	170.0	N/A	N/A
M1083A1 WWN (T41135)	170.0	92.0	60.0	68.0	582.0	19.0	170.0	N/A	N/A
M1083P1 (T45051)	170.0	92.0	59.0	68.0	582.0	19.0	170.0	N/A	N/A

See notes following table 2-25.

Table 2-6. Dimensions and Loading Capacity for Cargo Truck Bodies - Continued

Vehicle type (LIN)	Cargo deck			Cargo body loading height and capacity					
	Length (in.)	Width (in.)	Bed height (in.)	Under bows (in.)	(ft ³)	Top of side racks (in.)	(ft ³)	Top of steering wheel (in.)	(ft ³)
5-Ton, continued									
M1083A1P1 (T45051)	170.0	92.0	60.0	68.0	582.0	19.0	170.0	N/A	N/A
M1084 (T41203)	170.0	92.0	59.0	53.0	454.0	19.0	163.0	N/A	N/A
M1084A1 (T41203)	170.0	92.0	60.0	53.0	475.0	19.0	170.0	N/A	N/A
M1085 (T61704)	219.0	92.0	60.0	68.0	874.0	19.0	170.0	N/A	N/A
M1085 WWN (T61772)	219.0	92.0	60.0	68.0	874.0	19.0	170.0	N/A	N/A
M1085A1 (T61704)	219.0	92.0	60.0	68.0	874.0	19.0	170.0	N/A	N/A
M1085A1 WWN (T61772)	219.0	92.0	60.0	68.0	874.0	19.0	170.0	N/A	N/A
M1086 WWN (T61840)	219.0	92.0	60.0	52.0	669.0	19.0	170.0	N/A	N/A
M1086A1 WWN (T61840)	219.0	92.0	60.0	52.0	669.0	19.0	170.0	N/A	N/A
M1093 (T41036)	170.0	92.0	59.0	60.0	513.0	37.0	317.0	N/A	N/A
M1093 WWN (T41104)	170.0	92.0	59.0	60.0	513.0	37.0	317.0	N/A	N/A
10-Ton									
M977 (T59278)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	428.0 ^{ax}
M977 WWN (T39518)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	428.0 ^{ax}
M977A2 (T59278)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	428.0 ^{ax}
M977A2 WWN (T39518)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	428.0 ^{ax}
M977A2R1 (T59278)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	428.0 ^{ax}
M977A2R1 WWN (T39518)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	428.0 ^{ax}
M985 (T39586)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	437.0 ^{ax}
M985 WWN (T39654)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	437.0 ^{ax}
M985A2 (T39586)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	437.0 ^{ax}
M985A2 WWN (T39654)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	437.0 ^{ax}
M985A2R1 (T39586)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	437.0 ^{ax}
M985A2R1 WWN (T39654)	216.0	92.0	65.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	437.0 ^{ax}
M985E1 (T41721)	216.0	92.0	67.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	437.0 ^{ax}
M985E1A2 (T41721)	216.0	92.0	67.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	437.0 ^{ax}
M985E1A2R1 (T41721)	216.0	92.0	67.0	45.0 ^{be}	518.0 ^{bi}	-an	-al	38.0 ^{ax}	437.0 ^{ax}

See notes following table 2-25.

Table 2-6. Dimensions and Loading Capacity for Cargo Truck Bodies - Continued

Vehicle type (LIN)	Cargo deck			Cargo body loading height and capacity					
	Length (in.)	Width (in.)	Bed height (in.)	Under bows (in.)	Under bows (ft ³)	Top of side racks (in.)	Top of side racks (ft ³)	Top of steering wheel (in.)	Top of steering wheel (ft ³)
11-Ton									
M1120 (T96496)	234.0	96.0	70.0 ^{cb}	N/A	N/A	129.0 ^{by}	1,677.0 ^{by}	N/A	N/A
M1120A2 (T96496)	234.0	96.0	70.0 ^{cb}	N/A	N/A	129.0 ^{by}	1,677.0 ^{by}	N/A	N/A
M1120A2R1 (T96496)	234.0	96.0	70.0 ^{cb}	N/A	N/A	129.0 ^{by}	1,677.0 ^{by}	N/A	N/A
16-1/2-Ton									
M1074 (T41067)	227.0	90.0	67.0 ^{cb}	N/A	N/A	61.0 ^{by}	722.0 ^{by}	N/A	N/A
M1075 (T40999)	227.0	90.0	67.0 ^{cb}	N/A	N/A	61.0 ^{by}	722.0 ^{by}	N/A	N/A

See notes following table 2-25.

Table 2-7. Dimensions and Loading Capacity for Dump Truck Bodies

Vehicle type (LIN)	Cargo deck			Cargo body loading height and capacity					
	Length (in.)	Width (in.)	Bed height (in.)	Top of side panels (in.)	Top of side panels (ft ³)	Top of side racks (in.)	Top of side racks (ft ³)	Top of cab shield (in.)	Top of cab shield (ft ³)
5-Ton									
M51 (X43708)	125.0	82.0	60.0	23.0	-av	N/A	N/A	51.0	303.0
M51 WWN (X43845)	125.0	82.0	60.0	23.0	-av	N/A	N/A	51.0	303.0
M51A1 (X43708) (CB0587)	125.0	82.0	60.0	23.0	-av	N/A	N/A	51.0	303.0
M51A1 WWN (X43845)	125.0	82.0	60.0	23.0	-av	N/A	N/A	51.0	303.0
M51A2 (X43708)	125.0	82.0	60.0	23.0	-av	N/A	N/A	51.0	303.0
M51A2 WWN (X43845)	125.0	82.0	60.0	23.0	-av	N/A	N/A	51.0	303.0
M817 (X43708) (CB0587)	125.0	82.0	58.0	23.0	-av	N/A	N/A	52.0	309.0
M817 WWN (X43845)	125.0	82.0	58.0	23.0	-av	N/A	N/A	52.0	309.0
M929 (X43708) (CB0587)	125.0	82.0	60.0	23.0	-av	N/A	N/A	61.0	303.0
M929A1 (X43708)	125.0	82.0	63.0	23.0	-av	N/A	N/A	62.0	368.0
M929A2 (X43708)	125.0	82.0	63.0	23.0	-av	N/A	N/A	62.0	368.0
M930 WWN (X43845)	125.0	82.0	60.0	23.0	-av	N/A	N/A	61.0	362.0
M930A1 WWN (X43845)	125.0	82.0	63.0	23.0	-av	N/A	N/A	62.0	368.0
M930A2 WWN (X43845)	125.0	82.0	63.0	23.0	-av	N/A	N/A	62.0	368.0

See notes following table 2-25.

Table 2-7. Dimensions and Loading Capacity for Dump Truck Bodies – Continued

Vehicle type (LIN)	Cargo deck			Cargo body loading height and capacity					
	Length (in.)	Width (in.)	Bed height (in.)	Top of side panels (in.)	Top of side panels (ft ³)	Top of side racks (in.)	Top of side racks (ft ³)	Top of cab shield (in.)	Top of cab shield (ft ³)
5-Ton									
M1090 (T64911)	125.0	82.0	59.0	N/A	N/A	N/A	N/A	53.0	315.0
M1090 WWN (T64979)	125.0	82.0	59.0	N/A	N/A	N/A	N/A	53.0	315.0
M1090A1 (T64911)	125.0	82.0	59.0	N/A	N/A	N/A	N/A	53.0	315.0
M1090A1 WWN (T64979)	125.0	82.0	59.0	N/A	N/A	N/A	N/A	53.0	315.0
M1094 (T65526)	125.0	82.0	59.0	N/A	N/A	N/A	N/A	53.0	315.0
M1094 WWN (T65594)	125.0	82.0	59.0	N/A	N/A	N/A	N/A	53.0	315.0
20-Ton									
M917 (X44403)	216.0	84.0	68.0	31.0	-ay	N/A	N/A	73.0 ^{ax}	754.0 ^{az}
M917A1 (X44403)	216.0	84.0	68.0	31.0	-ay	N/A	N/A	63.0 ^{ax}	650.0 ^{az}
M917A1 W/MCS (X44403)	216.0	84.0	68.0	31.0	-ay	N/A	N/A	63.0 ^{ax}	650.0 ^{az}
F5070 IHC (X44403) (CB0644)	193.0	85.0	67.0	35.0	-ay	N/A	-ay	59.0 ^{ax}	546.0 ^{az, bc}
See notes following table 2-25.									

Table 2-8. Dimensions and Loading Capacity for Cargo Trailer Bodies

Vehicle type (LIN)	Cargo deck			Cargo body loading height and capacity			
	Length (in.)	Width (in.)	Bed height (in.)	Under bows (in.)	Under bows (ft ³)	Top of side racks (in.)	Top of side racks (ft ³)
1/4-Ton							
M101A3 (W95537)	95.0	65.0	32.0	49.0	173.0 ^{br}	33.0	114.0 ^b
3/4-Ton							
M1101 (T95992)	86.0	56.0	34.0	66.0	184.0	N/A	N/A
M101 (W95400)	95.0	65.0	32.0	49.0	173.0 ^{br}	33.0	114.0 ^b
M101A2 (W95537) (CB0802)	95.0	65.0	32.0	49.0	173.0 ^{br}	33.0	114.0 ^b
M101A3 (W95537)	95.0	65.0	32.0	49.0	173.0 ^{br}	33.0	114.0 ^b
1-1/4-Ton							
M104A1 W95811)	110.0	74.0	37.0	61.0	282.0 ^{c, s}	45.0	206.0 ^c
See notes following table 2-25.							

Table 2-8. Dimensions and Loading Capacity for Cargo Trailer Bodies-Continued

Vehicle type (LIN)	Cargo deck		Bed height (in.)	Cargo body loading height and capacity			
	Length (in.)	Width (in.)		Under bows (in.)	Top of side racks (in.)	Capacity (ft ³)	Capacity (ft ³)
1-1/2-Ton							
M105 (W95811)	110.0	74.0	37.0	61.0	282.0 ^{c,s}	45.0	206.0 ^c
M105A1 (W95811)	110.0	74.0	37.0	61.0	282.0 ^{c,s}	45.0	206.0 ^c
M105A2 (W95811) (CB0804)	110.0	74.0	37.0	61.0	282.0 ^{c,s}	45.0	206.0 ^c
M105A3 (W95811)	110.0	74.0	37.0	61.0	282.0 ^{c,s}	45.0	206.0 ^c
11-Ton							
M989 (T45465)	206.0	92.0	45.0	N/A	N/A	N/A	N/A
M989A1 (T45465)	206.0	92.0	45.0	N/A	N/A	N/A	N/A
16-1/2-Ton							
M1076 (T93761)	227.0	88.0	60.0 ^{cb}	N/A	N/A	69.0	798.0

See notes following table 2-25.

Table 2-9. Dimensions and Loading Capacity for Stake Semitrailer Cargo Bodies

Vehicle type (LIN)	Cargo deck		Bed height (in.)	Cargo body loading measurement	
	Length (in.)	Width (in.)		Height (in.)	Capacity (ft ³)
12-Ton					
M127 (S72024)	336.0	89.0	60.0	49.0	848.0 ^{ap}
M127A1 (S72024)	336.0	89.0	60.0	49.0	848.0 ^{ap}
M127A1C (S72024)	336.0	89.0	60.0	49.0	848.0 ^{ap}
M127A2C (S72024)	336.0	89.0	60.0	49.0	848.0 ^{ap}
M270 (S70243)	476.0	96.0	49.0	72.0	1,904.0 ^{ap}
M270A1 (S70243)	476.0	96.0	49.0	72.0	1,904.0 ^{ap}
15-Ton					
M172 (S70517)	192.0	115.0	39.0	48.0	614.0 ^{ap}
22-1/2-Ton					
M871 (S70027)	350.0	88.0	55.0	48.0	856.0 ^{ap}
M871R (S70027)	350.0	88.0	55.0	48.0	856.0 ^{ap}
M871A1 (S70027)	350.0	88.0	55.0	48.0	856.0 ^{ap}
M871A1R (S70027)	350.0	88.0	55.0	48.0	856.0 ^{ap}
M871A2 (S70027)	350.0	88.0	55.0	48.0	856.0 ^{ap}
M871A2R (S70027)	350.0	88.0	55.0	48.0	856.0 ^{ap}

See notes following table 2-25.

Table 2-9. Dimensions and Loading Capacity for Stake Semitrailer Cargo Bodies – Continued

Vehicle type (LIN)	Cargo deck		Bed height (in.)	Cargo body loading measurement	
	Length (in.)	Width (in.)		Height (in.)	Capacity (ft ³)
22-1/2-Ton					
M871A3 (S70027)	384.0	97.0	55.0	48.0	1,035.0 ^{ap}
25-Ton					
M172A1 (S70517)	192.0	115.0	39.0	48.0	614.0 ^{ap}
34-Ton					
M872 (S70159)	485.0	93.0	58.0	48.0	1,253.0 ^{ap}
M872A1 (S70159)	485.0	93.0	58.0	48.0	1,253.0 ^{ap}
M872A2 (S70159)	485.0	93.0	58.0	48.0	1,253.0 ^{ap}
M872A3 (S70159)	485.0	93.0	58.0	48.0	1,253.0 ^{ap}
M872A4 (S70159)	491.0	96.0	56.0	101.0	2,755.0 ^{ap}
40-Ton					
M870 (S70594)	357.0	96.0	40.0	30.0	595.0 ^{ap}
M870A1 (S70594)	357.0	96.0	40.0	45.0	893.0 ^{ap}
M870A3 (S70594)	395.0	102.0	44.0	62.0	1,446.0 ^{ap}
60-Ton					
M747 (S70661)	317.0	120.0	44.0	70.0	1,541.0 ^{ap}
70-Ton					
M1000 (S70859)	403.0	120.0	43.0	83.0	2,323.0 ^{ap}
See notes following table 2-25.					

Table 2-10. Dimensions and Loading Capacity for Van Semitrailer Cargo Bodies

Vehicle type (LIN)	Cargo deck		Bed Height (in.)	Cargo body loading measurement	
	Length (in.)	Width (in.)		Height (in.)	Capacity (ft ³)
6-Ton					
M146 (S75038)	264.0	90.0	56.0	76.0	1,045.0
12-Ton					
M128 (S74079)	337.0	89.0	57.0	78.0	1,354.0
M128A1C (S74079)	337.0	89.0	57.0	78.0	1,354.0
M128A2C (S74079)	337.0	89.0	57.0	78.0	1,354.0
M129 (S75175)	337.0	89.0	57.0	78.0	1,354.0
M129A1 (S75175)	337.0	89.0	57.0	78.0	1,354.0
M129A1C (S75175)	337.0	89.0	57.0	78.0	1,354.0
M129A2C (S75175)	337.0	89.0	57.0	78.0	1,354.0
M129A3 (S75175)	337.0	89.0	57.0	78.0	1,354.0
M129A4 (S75175)	337.0	89.0	57.0	78.0	1,354.0
See notes following table 2-25.					

Table 2-11. Dimensions and Loading Capacity for Amphibious Vehicles

Vehicle type (LIN)	Cargo deck		Bed height (in.)	Cargo body loading height and capacity					
	Length (in.)	Width (in.)		Top of hull (in.)	Top of cab	Reduced	Operational		
				(in.)	(ft ³)	(in.)	(ft ³)	(in.)	(ft ³)
60-Ton									
N/A									
See notes following table 2-25.									

Table 2-12. Dimensions and Loading Capacity for Landing Craft

Vehicle type (LIN)	Cargo deck		Top of hull (in.)	Cargo body loading measurement			
	Length (in.)	Width (in.)		Top of hull (ft ³)	Top of pilothouse (Reduced) (in.)	(ft ³)	
60-Short Ton							
LCM-8 (L36739)	513.0	174.0	51.0	2,635.0	N/A	N/A	
LCM-8 (Mod 1) (L36739)	513.0	174.0	51.0	2,635.0	N/A	N/A	
LCM-8 (Mod 2)	513	174.0	51.0	2,635.0	N/A	N/A	
LCAC	937.0	324.0	66.0	15,917.7	177.0	N/A	
350-Short Ton							
LCU-2000 (L36989)	1,260.0	204.0	54.0	10,476.0	213.0	N/A	
See notes following table 2-25.							
	1,200.0	456.0	96.0	30,400.0	N/A	N/A	

Table 2-13. Dimensions and Loading Capacity for FTRAC Cargo Carrier Bodies

Vehicle type (LIN)	Cargo deck		Bed height (in.)	Cargo body loading height and capacity			
	Length (in.)	Width (in.)		Under bows (in.)	Top of side panels (in.)	Capacity (ft ³)	Capacity (ft ³)
1-1/2-Ton							
M116 (D10990)	91.0	76.0	41.0	43.0	173.0 ^{bh}	23.0	92.0
6-Ton							
M548 (D11049)	132.0	96.0	32.0	79.0	529.0 ^{k,w}	46.0	294.0 ^k
M548A1 (D11049)	130.0	97.0	32.0	81.0	541.0 ^{k,w}	45.0	285.0 ^k
M548A3 (D11049)	130.0	97.0	32.0	81.0	541.0 ^{k,w}	45.0	285.0 ^k
See notes following table 2-25.							

Table 2-14. Dimensions and Loading Capacity for Army Helicopter Cargo Compartments

Aircraft model (LIN)	Cargo deck		Bed height (in.)	Cargo compartment loading		Aircraft maximum cargo load (lb)
	Length (in.)	Width (in.)		Height (in.)	Capacity (ft ³)	
CH-47D (H30517)	366.0	90.0	34.0	78.0	1,487.0	19,887.0 ^{au}
UH-1H (K31795)	92.0	84.0	15.0	49.0	191.0 ^{af}	3,344.0 ^{au}
UH-60A (K32293)	139.0	73.0	26.0	52.0	306.0	3,000.0 ^{au}
See notes following table 2-25.						

Table 2-15. Wheelbase Dimensions for Trucks

Vehicle type	Model	LIN	Wheelbase (in.)
1-1/4-Ton	M715	CB0360	126.0 ^{bj}
	M725	CB0361	126.0 ^{bj}
	M886	CB0361	131.0 ^{bj}
	M966	T05096	130.0 ^{bj}
	M966A1	T05096	130.0 ^{bj}
	M996	T38707	130.0 ^{bj}
	M996A1	T38707	130.0 ^{bj}
	M997	T38844	130.0 ^{bj}
	M997A1	T38844	130.0 ^{bj}
	M997A1P1	T38728	130.0 ^{bj}
	M997A2	T38844	130.0 ^{bj}
	M997A2P1	T38728	130.0 ^{bj}
	M997A3	T38844	130.0 ^{bj}
	M997P1	T38728	130.0 ^{bj}
	M998	T61494	130.0 ^{bj}
	M998	CB0360	130.0 ^{bj}
	M998A1	T61494	130.0 ^{bj}
M1008	T59482	132.0 ^{bj}	

Table 2-15. Wheelbase Dimensions for Trucks-Continued

Vehicle type	Model	LIN	Wheelbase (in.)
	M1008	CB0360	132.0 ^{bj}
	M1010	T38660	132.0 ^{bj}
	M1010	CB0361	132.0 ^{bj}
See notes following table 2-25.			

Table 2-15. Wheelbase Dimensions for Trucks - Continued

Vehicle type	Model	LIN	Wheelbase (in.)	
1-1/4-Ton, continued	M1025	T92242	130.0 ^{bj}	
	M1025A1	T92242	130.0 ^{bj}	
	M1025A2	T92242	130.0 ^{bj}	
	M1026	T92310	130.0 ^{bj}	
	M1026A1	T92310	130.0 ^{bj}	
	M1026A1P1	T37338	130.0 ^{bj}	
	M1026P1	T37338	130.0 ^{bj}	
	M1028	T59414	132.0 ^{bj}	
	M1028A1	T59550	132.0 ^{bj}	
	M1028A3	Z40367	132.0 ^{bj}	
	M1035A1	YA0252	130.0 ^{bj}	
	M1037	T07543	130.0 ^{bj}	
	M1038 WWN	T61562	130.0 ^{bj}	
	M1038A1WWN	T61562	130.0 ^{bj}	
	M1097	T07679	130.0 ^{bj}	
	M1097A1	T07679	130.0 ^{bj}	
	M1097A2	T07679	130.0 ^{bj}	
	M1097R1	T07679	130.0 ^{bj}	
	M1113	T61630	130.0 ^{bj}	
	M1114 WWN	T92446	130.0 ^{bj}	
	M1121P1	T07814	130.0 ^{bj}	
	M1151	T34704	130.0 ^{bj}	
	M1152	T11588	130.0 ^{bj}	
	M1152A1	T37588	130.0 ^{bj}	
	M1165A1	M05009	130.0 ^{bj}	
	XM1109	T07746	130.0 ^{bj}	
	2-1/2-Ton	M1078	T60081	154.0 ^{bm}
		M1078 WWN	T60149	154.0 ^{bm}
		M1078A1	T60081	154.0 ^{bm}
		M1078A1 WWN	T60149	154.0 ^{bm}
M1078A1P1		T67578	154.0 ^{bm}	
M1078A1P1 WWN		T67748	154.0 ^{bm}	
M1078A1P2		T59448	154.0 ^{bm}	
M1078A1P2 WWN		T42131	154.0 ^{bm}	
M1079		T93484	154.0 ^{bm}	
M1079 WWN		T40329	154.0 ^{bm}	
M1079A1		T93484	154.0 ^{bm}	
M1079A1P1		T82044	154.0 ^{bm}	
M1079A1P1 WWN		T82112	154.0 ^{bm}	
M1079A1P2		T62359	154.0 ^{bm}	
M1079P1 W/LSAC		T82044	154.0 ^{bm}	
M1081		T41995	154.0 ^{bm}	
M1081 WWN		T42063	154.0 ^{bm}	
M109		X62340	154.0 ^{bm}	
M109A1		X62340	154.0 ^{bm}	
M109A2		X62340	154.0 ^{bm}	
M109A3		X62340	154.0 ^{bm}	
M35A2		CB0539	154.0 ^{bm}	
M35A2C		X40077	154.0 ^{bm}	
M35A2C		CB0539	154.0 ^{bm}	
M35A2C WWN		X40214	154.0 ^{bm}	
M35A3C		X40777	154.0 ^{bm}	
M35A3C WWN		X40214	154.0 ^{bm}	
M36		X40283	190.0 ^{bm}	
M36A2		X40283	190.0 ^{bm}	
M36A3		X40283	190.0 ^{bm}	
M49A1C		X57271	154.0 ^{bm}	
M49A2C		X57271	154.0 ^{bm}	
M49A2C		CB0746	154.0 ^{bm}	

See notes following table 2-25.

Table 2-15. Wheelbase Dimensions for Trucks - Continued

Vehicle type	Model	LIN	Wheelbase (in.)
2-1/2-Ton, continued	M49A2C WWN	CB0746	154.0 ^{bm}
	M49C	X57271	154.0 ^{bm}
	M50A1	X58367	154.0 ^{bm}
	M50A2	X58367	154.0 ^{bm}
	M50A3	X58367	154.0 ^{bm}
	M756A2 WWN	CB0715	154.0 ^{bm}
5-Ton	HOLMES 750	CB0730	214.0 ^{bn}
	IHCF 1800	CB0725	229.0 ^{bn}
	M1083	T61908	161.0 ^{bm}
	M1083 WWN	T41135	161.0 ^{bm}
	M1083A1	T61908	161.0 ^{bm}
	M1083A1 WWN	T41135	161.0 ^{bm}
	M1083P1	T45051	161.0 ^{bm}
	M1083A1P1	T45051	161.0 ^{bm}
	M1083A1P1WWN	T67680	161.0 ^{bm}
	M1083A1P2	T41447	161.0 ^{bm}
	M1083A1P2WWN	T41515	161.0 ^{bm}
	M1083P1 WWN	T67680	161.0 ^{bm}
	M1084	T41203	177.0 ^{bm}
	M1084A1	T41203	177.0 ^{bm}
	M1084A1P1	T67816	177.0 ^{bm}
	M1084A1P2	T59516	177.0 ^{bm}
	M1084P1	T67816	177.0 ^{bm}
	M1085	T61704	177.0 ^{bm}
	M1085 WWN	T61772	177.0 ^{bm}
	M1085A1	T61704	177.0 ^{bm}
	M1085A1 WWN	T61772	177.0 ^{bm}
	M1085A1P1	T44915	177.0 ^{bm}
	M1085A1P1WWN	T96632	177.0 ^{bm}
	M1085A1P2	T93271	177.0 ^{bm}
	M1085A1P2WWN	T93339	177.0 ^{bm}
	M1085P1	T44915	177.0 ^{bm}
	M1085P1 WWN	T96632	177.0 ^{bm}
	M1086 WWN	T61840	217.0 ^{bm}
	M1086A1 WWN	T61840	217.0 ^{bm}
	M1086A1P1	T44983	217.0 ^{bm}
	M1086A1P1WWN	T44983	217.0 ^{bm}
	M1086A1P2	T62112	217.0 ^{bm}
	M1086P1	T44983	217.0 ^{bm}
	M1087A1P2	T67136	217.0 ^{bm}
	M1088	T61239	161.0 ^{bm}
	M1088 WWN	T61307	161.0 ^{bm}
	M1088A1	T61239	161.0 ^{bm}
	M1088A1 WWN	T61307	161.0 ^{bm}
	M1088A1P1	T88847	161.0 ^{bm}
	M1088A1P1WWN	T59165	161.0 ^{bm}
	M1088A1P2WWN	T61375	161.0 ^{bm}
	M1088P1	T88847	161.0 ^{bm}
	M1088P1WWN	T59165	161.0 ^{bm}
	M1089 WWN	T94709	209.0 ^{bm}
	M1089A1 WWN	T94709	209.0 ^{bm}
	M1089A1P1	T54718	209.0 ^{bm}
	M1089A1P1WWN	T94709	209.0 ^{bm}
M1089A1P2	T94671	209.0 ^{bm}	
M1089P1 WWN	T54718	209.0 ^{bm}	
M1090	T64911	161.0 ^{bm}	
M1090 WWN	T64979	161.0 ^{bm}	
M1090A1	T64911	161.0 ^{bm}	
M1090A1 WWN	T64979	161.0 ^{bm}	

See notes following table 2-25.

Table 2-15. Wheelbase Dimensions for Trucks – Continued

Vehicle type	Model	LIN	Wheelbase (in.)
5-Ton, continued	M1090A1P1	T44643	161.0 ^{bm}
	M1090A1P1WWN	T67068	161.0 ^{bm}
	M1090P1	T44643	161.0 ^{bm}
	M1090P1WWN	T67068	161.0 ^{bm}
	M1092A1P2	T01691	161.0 ^{bm}
	M1093	T41036	161.0 ^{bm}
	M1093 WWN	T41104	161.0 ^{bm}
	M1093W/LAPES	T41104	161.0 ^{bm}
	M1093A1W/LAPES	T41036	161.0 ^{bm}
	M1094	T65526	161.0 ^{bm}
	M1094 WWN	T65594	161.0 ^{bm}
	M291A1	X62237	215.0 ^{bm}
	M291A1D	X62271	215.0 ^{bm}
	M291A2	X62237	215.0 ^{bm}
	M41 WWN	X40968	179.0 ^{bm}
	M51	X43708	167.0 ^{bm}
	M51 WWN	X43845	167.0 ^{bm}
	M51A1	X43708	167.0 ^{bm}
	M51A1	CB0587	167.0 ^{bm}
	M51A1 WWN	X43845	167.0 ^{bm}
	M52A2	X43708	167.0 ^{bm}
	M52A2 WWN	X43845	167.0 ^{bm}
	M52	X59326	167.0 ^{bm}
	M52 WWN	X59463	167.0 ^{bm}
	M52A1	X59326	167.0 ^{bm}
	M52A1 WWN	X59463	167.0 ^{bm}
	M52A2	X59326	167.0 ^{bm}
	M52A2 WWN	X59463	167.0 ^{bm}
	M54	X40831	179.0 ^{bm}
	M54 WWN	X40968	179.0 ^{bm}
	M54A1	X40831	179.0 ^{bm}
	M54A1 WWN	X40968	179.0 ^{bm}
	M54A1C	X40794	179.0 ^{bm}
	M54A1C WWN	X40931	179.0 ^{bm}
	M54A2	X40831	179.0 ^{bm}
	M54A2 WWN	X40968	179.0 ^{bm}
	M54A2C	X40794	179.0 ^{bm}
	M54A2C WWN	X40931	179.0 ^{bm}
	M543 WWN	X63299	179.0 ^{bm}
	M543A1WWN	X63299	179.0 ^{bm}
	M543A2WWN	X63299	179.0 ^{bm}
	M543A2WWN	CB0730	179.0 ^{bm}
	M55 WWN	X41242	215.0 ^{bm}
	M55A1	X41105	215.0 ^{bm}
	M55A2	X41105	215.0 ^{bm}
	M55A2 WWN	X41242	215.0 ^{bm}
	M62 WWN	X63299	179.0 ^{bm}
	M813	X40831	179.0 ^{bm}
	M813 WWN	X40968	179.0 ^{bm}
	M813A1	X40794	179.0 ^{bm}
	M813A1	CB0588	179.0 ^{bm}
	M813A1 WWN	X40931	179.0 ^{bm}
	M814	X41105	215.0 ^{bm}
	M814 WWN	X41242	215.0 ^{bm}
	M815 WWN	X39187	179.0 ^{bm}
	M816 WWN	X63299	179.0 ^{bm}
	M817	X43708	167.0 ^{bm}
	M817	CB0587	167.0 ^{bm}

See notes following table 2-25.

Table 2-15. Wheelbase Dimensions for Trucks - Continued

Vehicle type	Model	LIN	Wheelbase (in.)
5-Ton, continued	M817 WWN	X43845	167.0 ^{bm}
	M818	X59326	167.0 ^{bm}
	M818	CB0607	167.0 ^{bm}
	M818 WWN	X59463	167.0 ^{bm}
	M820	X62237	215.0 ^{bm}
	M820A2	X62271	215.0 ^{bm}
	M876	T53858	187.0 ^{bm}
	M878	T60353	114.0 ^{bj}
	M878A1	T60353	114.0 ^{bj}
	M878A2	T60353	114.0 ^{bj}
	M923	X40794	179.0 ^{bm}
	M923	CB0588	179.0 ^{bm}
	M923A1	X40794	179.0 ^{bm}
	M923A2	X40794	179.0 ^{bm}
	M924	X40831	179.0 ^{bm}
	M924A1	X40831	179.0 ^{bm}
	M925 WWN	X40931	179.0 ^{bm}
	M925 WWN	CB0588	179.0 ^{bm}
	M925A1 WWN	X40931	179.0 ^{bm}
	M925A2 WWN	X40931	179.0 ^{bm}
	M926 WWN	X40968	179.0 ^{bm}
	M926A1 WWN	X40968	179.0 ^{bm}
	M927	X41105	215.0 ^{bm}
	M927A1	X41105	215.0 ^{bm}
	M927A2	X41105	215.0 ^{bm}
	M928 WWN	X41242	215.0 ^{bm}
	M928A1 WWN	X41242	215.0 ^{bm}
	M928A2 WWN	X41242	215.0 ^{bm}
	M929	X43708	167.0 ^{bm}
	M929	CB0587	167.0 ^{bm}
	M929A1	X43708	167.0 ^{bm}
	M929A2	X43708	167.0 ^{bm}
	M930 WWN	X43845	167.0 ^{bm}
	M930A1 WWN	X43845	167.0 ^{bm}
	M930A2 WWN	X43845	167.0 ^{bm}
	M931	X59326	167.0 ^{bm}
	M931A1	X59326	167.0 ^{bm}
	M931A2	X59326	167.0 ^{bm}
	M932 WWN	X59463	167.0 ^{bm}
	M932A1 WWN	X59463	167.0 ^{bm}
	M932A2 WWN	X59463	167.0 ^{bm}
	M934	X62237	215.0 ^{bm}
	M934A1	X62237	215.0 ^{bm}
	M934A2	X62237	215.0 ^{bm}
	M935	X62271	215.0 ^{bm}
	M935A1	X62271	215.0 ^{bm}
	M935A2	X62271	215.0 ^{bm}
	M936 WWN	X63299	179.0 ^{bm}
	M936 WWN	CB0730	179.0 ^{bm}
	M936A1 WWN	X63299	179.0 ^{bm}
M936A2 WWN	X63299	179.0 ^{bm}	
10-Ton	GMC	CB0645	221.0 ^{bn}
	IHC-E1954	CB0643	192.0 ^{bn}
	IHC-F1954	CB0644	171.0 ^{bn}
	NAV-1954	CB0644	186.0 ^{bn}
	NAV-F1954	CB0645	186.0 ^{bn}
	M977	T59278	210.0 ^{bn}
M977 WWN	T39518	210.0 ^{bn}	

See notes following table 2-25.

Table 2-15. Wheelbase Dimensions for Trucks - Continued

Vehicle type	Model	LIN	Wheelbase (in.)
10-Ton, continued	M977A2	T59278	210.0 ^{bn}
	M977A2 WWN	T39518	210.0 ^{bn}
	M977A2R1	T59278	210.0 ^{bn}
	M978	T87243	210.0 ^{bn}
	M978 WWN	T58161	210.0 ^{bn}
	M978A2	T87243	210.0 ^{bn}
	M978A2 WWN	T58161	210.0 ^{bn}
	M978A2R1	T87243	210.0 ^{bn}
	M978A2R1 WWN	T58161	210.0 ^{bn}
	M983 WWN	T88677	181.0 ^{bn}
	M983A2 WWN	T88677	181.0 ^{bn}
	M983A2R1 WWN	T88677	181.0 ^{bn}
	M984 WWN	T63093	191.0 ^{bn}
	M984A1 WWN	T63093	191.0 ^{bn}
	M984A2 WWN	T63093	191.0 ^{bn}
	M984A2R1 WWN	T63093	191.0 ^{bn}
	M985	T39586	210.0 ^{bn}
	M985 WWN	T39654	210.0 ^{bn}
	M985A2	T39586	210.0 ^{bn}
	M985A2 WWN	T39654	210.0 ^{bn}
M985A2R1	T39586	210.0 ^{bn}	
M985A2R1 WWN	T39654	210.0 ^{bn}	
M985E1	T41721	210.0 ^{bn}	
M985E1A2	T41721	210.0 ^{bn}	
M985E1A2R1	T41721	210.0 ^{bn}	
11-Ton	M1120	T96496	221.0 ^{ca}
	M1120A2	T96496	221.0 ^{ca}
	M1120A2R1	T96496	221.0 ^{ca}
16-1/2-Ton	M1074	T41067	224.0 ^{ca}
	M1074A1	T55236	224.0 ^{ca}
	M1074P1	T82696	224.0 ^{ca}
	M1075	T40999	224.0 ^{ca}
	M1075A1	T81874	224.0 ^{ca}
	M1075P1	T54918	224.0 ^{ca}
20-Ton	F5070	X44403	184.0 ^{bm}
	F5070	CB0644	184.0 ^{bm}
	M916	T91656	186.0 ^{bm}
	M916A1	T91656	175.0 ^{bm}
	M916A2	T91656	175.0 ^{bm}
	M916A3	T91656	175.0 ^{bm}
	M917	X44403	211.0 ^{bm}
	M917A1	X44403	211.0 ^{bm}
	M917A1 W/MCS	X44403	211.0 ^{bm}
	M917A2	X44403	180.0 ^{bm}
	M917A2 W/MCS	X44403	180.0 ^{bm}
M920	T61171	211.0 ^{bm}	
25-Ton	M911	T61035	235.0 ^{bm}
	M915	T61103	167.0 ^{bm}
	M915A1	T61103	167.0 ^{bm}
	M915A2	T61103	167.0 ^{bm}
	M915A3	T61103	167.0 ^{bm}
	M915A4	T61103	220.0 ^{bm}
	M915A5	T88858	220.0 ^{bm}
	M915A2P1	T91724	220.0 ^{bm}
	M915A3P1	T91724	220.0 ^{bm}
	M915A4P1	T91724	220.0 ^{bm}
	Heavy Equipment Transporter (HET)	M1070	T59048
XM1070A1		T05012	215.0 ^{bk}
M1070P1 A0A		T91724	215.0 ^{bk}

See notes following table 2-25.

Table 2-16. Wheelbase Dimensions for Trailers

Vehicle type	Model	LIN	Wheelbase (in.)
1/4-Ton	M101	W95537	100.0 ^{bo} /85.0 ^{bp}
	M101A1	W95537	100.0 ^{bo} /85.0 ^{bp}
	M101A2	W95537	100.0 ^{bo} /85.0 ^{bp}
	M101A3	W95537	100.0 ^{bo} /85.0 ^{bp}
	M416	CB0801	69.0 ^{bo} /55.0 ^{bp}
3/4 Ton	M1101	T95992	94.0 ^{bo}
1-1/4 Ton	M1102	T95924	94.0 ^{bo}
1-1/2 Ton	M104A1	W95811	110.0 ^{bo} /83.0 ^{bp}
	M105	W95811	110.0 ^{bo} /83.0 ^{bp}
	M105A1	W95811	110.0 ^{bo} /83.0 ^{bp}
	M105A1	CB0804	110.0 ^{bo} /83.0 ^{bp}
	M105A2	W95811	110.0 ^{bo} /83.0 ^{bp}
	M105A3	W95811	110.0 ^{bo} /83.0 ^{bp}
	M107	W98825	110.0 ^{bo} /83.0 ^{bp}
	M107A1	W98825	110.0 ^{bo} /83.0 ^{bp}
	M107A2	W98825	110.0 ^{bo} /83.0 ^{bp}
	M149	W98825	110.0 ^{bo} /83.0 ^{bp}
	M149A1	W98825	110.0 ^{bo} /83.0 ^{bp}
	M149A1	CB0880	110.0 ^{bo} /83.0 ^{bp}
	M149A2	W98825	110.0 ^{bo} /83.0 ^{bp}
	M149A2	CB0880	110.0 ^{bo} /83.0 ^{bp}
	M332	W94030	104.0 ^{bo} /75.0 ^{bp}
	M448	YA0002	114.0 ^{bo} /83.0 ^{bp}
	M448	YA0027	114.0 ^{bo} /83.0 ^{bp}
6-Ton	M197	G35089	78.0 ^{bo} /54.0 ^{bp}
	M197A1	G35089	78.0 ^{bo} /54.0 ^{bp}
11-Ton	M989	T45465	84.0 ^{bo} /61.0 ^{bp}
	M989A1	T45465	84.0 ^{bo} /61.0 ^{bp}
16.5-Ton	M1076	T93761	150.0 ^{bj}

See notes following table 2-25.

Table 2-17. Wheelbase Dimensions for Semitrailers

Vehicle type	Model	LIN	Wheelbase (in.)
6-Ton	M146	S75038	129.0 ^{bp} /204.0 ^{bs}
	M313	S74490	244.0 ^{br}
12-Ton	DTTA-4-10	CB0862	106.0 ^{bs} /42.0 ^{bt}
	M127	S72024	161.0 ^{bq} /242.0 ^{br}
	M127A1	S72024	161.0 ^{bq} /242.0 ^{br}
	M127A1C	S72024	161.0 ^{bq} /242.0 ^{br}
	M127A2C	S72024	161.0 ^{bq} /242.0 ^{br}
	M128	S74079	164.0 ^{bq} /245.0 ^{br}
	M128A1C	S74079	164.0 ^{bq} /245.0 ^{br}
	M128A2C	S74079	164.0 ^{bq} /245.0 ^{br}
	M129	S75175	164.0 ^{bq} /245.0 ^{br}
	M129A1	S75175	164.0 ^{bq} /245.0 ^{br}
	M129A1C	S75175	164.0 ^{bq} /245.0 ^{br}
	M129A2C	S75175	164.0 ^{bq} /245.0 ^{br}
	M129A3	S75175	164.0 ^{bq} /245.0 ^{br}
	M129A4	S75175	164.0 ^{bq} /245.0 ^{br}
	M270	S70243	406.0 ^{bq} /486.0 ^{br}
M270A1	S70243	406.0 ^{bq} /492.0 ^{br}	
15-25-Ton	S 25LTR	CB0862	150.0 ^{bs} /48.0 ^{bt}
	M172	S70517	243.0 ^{bp} /337.0 ^{bs}
	M172A1	S70517	243.0 ^{bp} /337.0 ^{bs}

Table 2-17. Wheelbase Dimensions for Semitrailers - Continued

Vehicle type	Model	LIN	Wheelbase (in.)
22-1/2-Ton	M871	S70027	162.0 ^{bq} /262.0 ^{br}
	M871R	S70027	162.0 ^{bq} /262.0 ^{br}
	M871A1	S70027	162.0 ^{bq} /262.0 ^{br}
	M871A1R	S70027	162.0 ^{bq} /262.0 ^{br}
	M871A2	S70027	162.0 ^{bq} /262.0 ^{br}
	M871A2R	S70027	162.0 ^{bq} /262.0 ^{br}
34-Ton	M871A3	S70027	162.0 ^{bq} /262.0 ^{br}
	M872	S70159	239.0 ^{bt} /339.0 ^{bu}
	M872A1	S70159	239.0 ^{bt} /339.0 ^{bu}
	M872A2	S70159	239.0 ^{bt} /339.0 ^{bu}
	M872A3	S70159	239.0 ^{bt} /339.0 ^{bu}
	M872A3	CB0816	239.0 ^{bt} /339.0 ^{bu}
40-Ton	M872A4	S70159	239.0 ^{bt} /339.0 ^{bu}
	M870	S70594	338.0 ^{bo}
	M870A1	S70594	338.0 ^{bo}
50-Ton	M870A3	S70594	449.0 ^{bo}
	01-T350L	CB0826	50.0 ^{bt} /50.0 ^{bt}
	01-603LR	CB0826	50.0 ^{bt} /50.0 ^{bt}
60-Ton	01-FLSS-1250	CB0826	50.0 ^{bt} /50.0 ^{bt}
	M747	S70661	316.0 ^{bt}
70-Ton	M1000	S70859	539.0 ^{bs}

See notes following table 2-25.

Table 2-18. Wheelbase dimensions for Truck-Lift Forks

Vehicle type	Model	LIN	Wheelbase (in.)
Truck-lift forks	6024-RS-52	X51791	70.0 ^{bj}
	LK12K	CB1820	133.0 ^{bj}
	LK16K	CB1820	126.0 ^{bj}
	M4K	T49255	92.0 ^{bj}
	M6KN	CB1820	100.0 ^{bj}
	M-10A	T49119	108.0 ^{bj}

See notes following table 2-25.

Table 2-19. Wheelbase Dimensions for Truck-Mounted Equipment

Vehicle type	Model	LIN	Wheelbase (in.)
1/4-Ton	CMU-3	T10138	112.0 ^{bj}
	CMU-5	T10138	112.0 ^{bj}
	SECM-1960	T10138	112.0 ^{bj}
1-1/4-Ton	AVNC 6217	T10138	126.0 ^{bj}
	CMU-6	T10138	126.0 ^{bj}
	SECM-1975	T10138	131.0 ^{bj}
2-1/2-Ton	M185	K90188	154.0 ^{bm}
	M185A2	K90188	154.0 ^{bm}
	M185A3	K90188	154.0 ^{bm}
	MEDL-1956	T13152	190.0 ^{bm}
5-Ton	05-MFW-SH	CB2521	189.0 ^{bm}
	1602	G28212	167.0 ^{bm}
	M918	G27844	186.0 ^{bm}
	SOUTH WEST	T13152	215.0 ^{bm}
	W15A61A2	G28212	167.0 ^{bm}
	W15A4112	G28212	167.0 ^{bm}
	W15B	G28212	167.0 ^{bm}
	WD10	G28212	167.0 ^{bm}
	WD1000	G28212	167.0 ^{bm}

See notes following table 2-25.

Table 2-20. Wheelbase Dimensions for Trailer-Mounted Equipment

Vehicle type	Model	LIN	Wheelbase (in.)
Artillery Loc Radar	AN/TPQ-37V1	A41666	150.0 ^{bo}
Comp Unit RCP	BGR-5M-1	E70338	69.0 ^{bo} /55.0 ^{bp}
Dolly Set Lift	M1022	D34883	331.0 ^{bj}
	M1022A1	D34883	331.0 ^{bj}
Clothing Repair	M-4746CLP	E40961	110.0 ^{bo} /83.0 ^{bp}
Kitchen Field	MFK75A	L28351	110.0 ^{bo} /83.0 ^{bp}
Cleaner Steam	NONE	C32887	100.0 ^{bo}
Heater Oil	STRHE2100M	K25215	122.0 ^{bo} /79.0 ^{bp}
Compressor Air	250RPV	E72804	140.0 ^{bo} /81.0 ^{bp}
Heater Oil	200-STM-77	K25215	121.0 ^{bo} /79.0 ^{bp}
Air Conditioner	60000 BTU	A26715	110.0 ^{bo} /83.0 ^{bp}
See notes following table 2-25.			

Table 2-21. Wheelbase Dimensions for Semitrailer-Mounted Equipment

Vehicle type	Model	LIN	Wheelbase (in.)
Tank Fuel	M131A1	S72846	137.0 ^{bq} /215.0 ^{br}
	M131A4	S72846	212.0 ^{bq} /290.0 ^{br}
	M131A4C	S72983	212.0 ^{bq} /290.0 ^{br}
	M131A5	S72846	212.0 ^{bq} /290.0 ^{br}
	M131A5C	S72983	212.0 ^{bq} /290.0 ^{br}
	M967	S10059	204.0 ^{bp} /278.0 ^{bs}
	M967A1	S10059	204.0 ^{bp} /278.0 ^{bs}
	M967A2	S10059	204.0 ^{bp} /278.0 ^{bs}
	M969	S73372	204.0 ^{bp} /278.0 ^{bs}
	M969A1	S73372	204.0 ^{bp} /278.0 ^{bs}
	M969A2	S73372	204.0 ^{bp} /278.0 ^{bs}
	M969A3	S73372	204.0 ^{bp} /278.0 ^{bs}
Reefer	4A943-60	S71613	126.0 ^{bp} /202.0 ^{bs}
Shop Equipment	SER 1976	T10275	244.0 ^{br}
See notes following table 2-25.			

Table 2-22. Wheelbase Dimensions for Truck/Trailer-Mounted Power Units

Vehicle type	Model	LIN	Wheelbase (in.)
Power Units	PU-405/M	J35492	120.0 ^{bo} /97.0 ^{bp}
	PU-406A/M	J36383	120.0 ^{bo} /97.0 ^{bp}
	PU-406B/M	J36383	120.0 ^{bo} /97.0 ^{bp}
	PU-495/G	J35801	140.0 ^{bo} /98.0 ^{bp}
	PU-564A/G	J49946	110.0 ^{bo} /83.0 ^{bp}
	PU-617/M	J46384	100.0 ^{bo} /86.0 ^{bp}
		PU-625/G	J46252
See notes following table 2-25.			

Table 2-22. Wheelbase Dimensions for Truck/Trailer-Mounted Power Units - Continued

Vehicle type	Model	LIN	Wheelbase (in.)
Power Units, continued	PU-650A/G	J35629	120.0 ^{bo} /97.0 ^{bp}
	PU-650B/G	J35629	120.0 ^{bo} /97.0 ^{bp}
	PU-699/M	J35595	120.0 ^{bo} /97.0 ^{bp}
	PU-699A/M	J35595	120.0 ^{bo} /97.0 ^{bp}
	PU-751/M	G37273	100.0 ^{bo} /97.0 ^{bp}
	PU-753/M	G40744	100.0 ^{bo} /86.0 ^{bp}
	PU-803B/G	G35851	120.0 ^{bo} /97.0 ^{bp}
	PU-804B/G	G35919	120.0 ^{bo} /97.0 ^{bp}
	PU-805B/G	G78306	120.0 ^{bo} /97.0 ^{bp}
	PU-806B/G	G17460	120.0 ^{bo} /97.0 ^{bp}

See notes following table 2-25.

Table 2-23. Wheelbase Dimensions for Wheeled Tractors

Vehicle type	Model	LIN	Wheelbase (in.)
Industrial	645M	L76556	116.0 ^{bj}
	645M W/ROPS	L76556	116.0 ^{bj}
	JD-410	W91074	82.0 ^{bj}
	HMMH	T33786	94.0 ^{bj}
Warehouse	J-217-F	W89557	65.0 ^{bj}

See notes following table 2-25.

Table 2-24. Wheelbase Dimensions for Wheeled Engineer Equipment

Vehicle type	Model	LIN	Wheelbase (in.)
Crane	7-1/2-Ton	C36151	108.0 ^{bj}
	7-1/2-Ton	C36219	108.0 ^{bj}
	CRANE 14T	CB8254	158.0 ^{bt}
	RT41AA	F43003	123.0 ^{bj}
Loader	515B	CB4531	100.0 ^{bt}
	520B LDR	CB4531	108.0 ^{bj}
	JD644B	CB4531	104.0 ^{bt}
	JD844	CB4531	124.0 ^{bt}
	MW24B	L76556	122.0 ^{bj}
	MW24C	L76556	122.0 ^{bj}
Road Grader	12	J74852	230.0 ^{bm}
	440 HA	J74852	229.0 ^{bj}
	M710A	CB4420	240.0 ^{bt}
	JD670	CB4420	235.0 ^{bm}
Roller	RAYGO 400	CB4635	111.0 ^{bt}
	RAYGO 420C	CB4635	108.0 ^{bt}

See notes following table 2-25.

Table 2-25. Metric Conversion Table

Linear Conversion Factors	<u>m</u>	<u>In</u>	<u>Ft</u>	<u>Yd</u>
	1.0	39.37	3.2808	1.0936
	0.0254	1.0	0.0833	0.0278
	0.3048	12.0	1.0	0.3333
	0.9144	36.0	3.0	1.0
Surface Conversion Factors	<u>m²</u>	<u>In²</u>	<u>Ft²</u>	<u>Yd²</u>
	1.0	1,550.0	10.764	1.196
	0.00064	1.0	0.0069	0.00077
	0.0929	144.0	1.0	0.1111
	0.8361	1,296.0	9.0	1.0
Cubic Conversion Factors	<u>m³</u>	<u>In³</u>	<u>Ft³</u>	
	1.0	61,023.7	35.31	
	0.000016	1.0	0.00058	
	0.02832	1,728.0	1.0	
Weight Conversion Factors	<u>Kg</u>	<u>Lb</u>	<u>STON</u>	
	1.0	2.20462 (avdp)	NA	
	0.45359	1.0 (avdp)	NA	
	907.18	2,000.0	1.0	
	1000.0 (t)	2,204.62	1.1	

Common Metric Abbreviations

m = meter; dm = decimeter; cm = centimeter; kg = kilogram; km = kilometer; and t = ton or metric ton (1000 kg)

Simplified Conversion Computation (accurate within 2 percent):

- in to cm - multiply inches (In) by 10 and divide by 4.
- ft to m - multiply feet (Ft) by 3 and divide by 10.
- mi to km - multiply miles (mi) by 8 and divide by 5.
- lb to kg - multiply pounds (Lb) by 5 and divide by 11.

Notes for tables 2-6 through 2-24

- a. Cubic capacity reduced by 2.4 cubic feet for wheel wells.
- b. Cubic capacity reduced by 4.6 cubic feet for wheel wells.
- c. Cubic capacity reduced by 5.6 cubic feet for wheel wells.
- d. Cubic capacity reduced by 6.6 cubic feet for wheel wells.
- e. Cubic capacity reduced by 6.4 cubic feet for wheel wells.
- f. Cubic capacity reduced by 10.7 cubic feet for wheel wells.
- g. Cubic capacity reduced by 12.7 cubic feet for wheel wells.
- h. Cubic capacity reduced by 16.8 cubic feet for wheel wells.
- i. Cubic capacity reduced by 24.0 cubic feet for wheel wells.
- j. Cubic capacity reduced by 93.8 cubic feet for wheel wells.
- k. Cubic capacity reduced by 43.6 cubic feet for track wells.
- l. Cubic capacity reduced by 5.0 cubic feet for spare tire and carrier in cargo body.
- m. Cubic capacity reduced by 11.3 cubic feet for spare tire and carrier in cargo body.
- n. Cubic capacity reduced by 14.5 cubic feet for spare tire and carrier in cargo body.
- o. Cubic capacity reduced by 21.9 cubic feet for spare tire and carrier in cargo body.
- p. Cubic capacity reduced by 26.1 cubic feet for spare tire and carrier in cargo body.
- q. Cubic capacity reduced by 27.0 cubic feet for spare tire and carrier in cargo body.
- r. Cubic capacity reduced by 0.4 cubic feet for curve of bows.
- s. Cubic capacity reduced by 0.5 cubic feet for curve of bows.
- t. Cubic capacity reduced by 3.3 cubic feet for curve of bows.
- u. Cubic capacity reduced by 3.9 cubic feet for curve of bows.
- v. Cubic capacity reduced by 4.6 cubic feet for curve of bows.
- w. Cubic capacity reduced by 6.6 cubic feet for curve of bows.
- x. Cubic capacity reduced by 6.9 cubic feet for curve of bows.
- y. Cubic capacity reduced by 7.0 cubic feet for curve of bows.
- z. Cubic capacity reduced by 7.5 cubic feet for curve of bows.
- aa. Cubic capacity reduced by 8.5 cubic feet for curve of bows.
- ab. Cubic capacity reduced by 10.2 cubic feet for curve of bows.
- ac. Cubic capacity reduced by 24.8 cubic feet for tie down brackets on each side of cargo body.
- ad. Cubic capacity reduced by 14.8 cubic feet for reference unit.

Notes for tables 2-6 through 2-24-Continued

ae.	Cubic capacity reduced by 68.3 cubic feet for gussets in hull structure.
af.	Cubic capacity reduced by 27.8 feet for transmission housing in center of aft end of cargo compartment
ag.	Cubic capacity of forward compartment reduced by 1788.5 cubic feet due to forecastle width of 174.0 inches.
ah.	Cubic capacity increased because top 4.5 inches of side panels are 46.0 inches wide.
ai.	Use cube indicated under column heading top of side racks and or top of side panels.
aj.	Use cube indicated under column heading top of cab operational.
ak.	Use cube indicated under column heading top of cab reduced by.
al.	Use cube indicated under column heading top of steering wheel, top of hull, and or top of cab.
am.	Use height indicated under column heading top of side racks and or top of side panels. Side racks, side panels, or cab shield stowed in cargo body are higher than steering wheel.
an.	Use height indicated under column heading top of steering wheel. Steering wheel is higher than side panels.
ao.	For height over bows or top of cab shield, use operational height of vehicle listed in body of this publication (chap 3).
ap.	For shipping cube over side racks/bows and or top of cab shield use operational cube of vehicle listed in body of this publication (chap 3).
aq.	Fore end of cargo well is 23.0 inches deeper than aft end; all dimensions are based on depth of aft end.
ar.	Height of cab shield stowed in dump body.
as.	Top of hood is higher than steering wheel.
at.	Height and cube measured to top of bulkhead.
au.	Cargo load limit computed on the following conditions: Altitude, 2,000 feet; range, 50 nautical miles; in-ground-effect takeoff, 15 ^o C (59 ^o F).
av.	Removed cab shield stowed in dump body, use cube indicated under column heading top of cab shield.
aw.	Cube with cab shield stowed in dump body.
ax.	Height and cube measured to top of cab.
ay.	Use cube indicated under column heading top of cab shield. Cab shield cannot be removed.
az.	Cube capacity reduced by 12.9 cubic feet for hoist doghouse in dump body.
ba.	Cube capacity reduced by 0.8 cubic feet for communication tie down brackets.
bb.	Cube capacity reduced by 27.3 cubic feet for communication kit.
bc.	Cube capacity reduced by 1.8 cubic feet for ribs in dump body.
bd.	Cube capacity reduced by 40.1 cubic feet for communication kit.
be.	Height over spare tire.
bf.	Cube capacity reduced by 20.9 cubic feet for crane in cargo body.
bg.	Cube capacity over material handling crane mounted in body.
bh.	Cube metal top.
bi.	Cube measured to top of spare tire
bj.	From centerline front axle to centerline rear axle.
bk.	From centerline front axle to centerline intermediate axle.
bl.	From centerline intermediate axle to centerline rear axle.
bm.	From centerline front axle to centerline rear bogie.
bn.	From centerline front bogie to centerline rear bogie.
bo.	From centerline lunette to centerline axle.
bp.	From centerline landing gear to centerline axle.
bq.	From centerline landing gear to centerline bogie.
br.	From centerline kingpin to centerline bogie.
bs.	From centerline kingpin to centerline axle.
bt.	From centerline landing gear to centerline center axle.
bu.	From centerline kingpin to centerline center axle.
bv.	Measures from bottom of windshield to deck.
bw.	From centerline drawbar to centerline front bogie.
bx.	From centerline lunette to centerline trunnion.
by.	Height and cube measured to top of load handling system (LHS) hook.
bz.	Height and cube measured to top of goose neck.
ca.	From centerline of front bogie to centerline of intermediate axle.
cb.	Bed height includes M3 Flat Rack (LIN B83002).

CHAPTER 3

EQUIPMENT CHARACTERISTICS DATA

3-1. Explanation of columnar headings*a. Preferred Model and Validated Data Codes.*

(1) *Preferred Model (P) and Preferred Model-Validated Data (PV)*. A preferred (P) model indicator is applied to either the largest and most current model or the model designated by the U.S. Army Materiel Command (AMC) as preferred for overseas deployment. The "P" indicator enables selection of proper data in automated applications and indicates the data to be applied by units for equipment authorized but not issued and for which no substitute is issued. A "V" following the preferred "P" indicator denotes that the data for that model is also validated.

(2) *Validated Data (V)*. The "V" indicates validated data as explained in paragraph 1-3b.

b. TOE LIN and INDEX NO. These data elements constitute the basic COMPASS unit movement data reporting elements. A two-character, alpha-numeric INDEX NO is applied to each LIN data entry record to identify the NSN and shipping configuration. See paragraph 1-4b for proper use of index numbers.

c. NATIONAL STOCK NUMBER (NSN). An NSN is assigned to each model according to the most current information contained in SB 700-20 and the Army Master Data File (AMDF). It identifies a specific model of equipment within a LIN.

d. TOE LIN. This TOE LIN, in parentheses, is the proper TOE LIN to be used in reporting major items included in a set.

e. COMPONENT (COMP). An alphabetic component code suffix is added to an NSN to identify a disassembled component.

f. VEHICLE. An alphabetic code of "N" or "R" indicates the vehicle is nonroadable or roadable in accordance with chapter 2, table 2-5, first position of the Cargo Category Code "A" or "R."

g. TYPE EQUIPMENT (TYPE EQPT). A type of equipment code is applied to each vehicle and equipment data listing to enable automated identification and retrieval of selected data categories. Types of equipment codes and their meanings are in table 3-1:

Table 3-1. Types of equipment codes and their meanings

Type equipment code	Meaning
Vehicles, wheeled (self-propelled)	
1	1/2 ton or less
2	Sedan
3	2-1/2-ton or less
4	Greater than 2-1/2-ton
5	Materials handling equipment (MHE)
8	Construction equipment
Vehicles, wheeled (not self-propelled)	
6	2-1/2-ton or less
7	Greater than 2-1/2-ton
9	Construction equipment
0	Materials handling equipment (MHE)
Other vehicles	
C	Vehicles, tracked or half-tracked (except D and E type equipment codes)
D	Tanks (combat)
E	Artillery (self-propelled)
F	Artillery (towed)
G	Floating craft (except amphibious vehicles that are included under the appropriate numeric code)
H	Aircraft, rotary wing (operational)
J	Aircraft, fixed wing (operational)

Table 3-1. Types of equipment codes and their meanings—Continued

Type equipment code	Meaning
K	All aircraft in a reduced configuration
M	Class A Explosives
N	Class B Explosives
P	Hazardous items
Q	Ammunition and explosives over .60 caliber
R	Small-arms ammunition .60 caliber or less
S	Yellow TAT organizational equipment and supplies
T	Red TAT organizational equipment and supplies
U	Equipment other than vehicles
V	LVAD (NOTE: Equipment or supplies rigged or packaged for air-drop must be reported as "Special Handling Cargo")
X	Red TAT baggage
Y	Yellow TAT personal baggage

h. LIN DESCRIPTION, MODEL, and COMPO DESCRIPTION. These headings relate to the generic nomenclature assigned to a LIN, model description for an NSN, and the description applied to a disassembled component. For Navy equipment, the last two digits of the EC are displayed as the first two characters of the model description.

i. SHIPPING CONFIGURATION. The shipping configurations reflect the rules governing the preparation of Army unit equipment for movement. The various shipping configuration codes, their names, COM-PASS file title (in parentheses), and their definitions are as follows:

(1) "0" – *Vehicle Mounted.* A piece of equipment loaded onto a specific type of vehicle for an operational move and authorized to be moved in that configuration.

(2) "1" – *Cargo Bag.* An adjustable container consisting of a sling assembly, a quick-release assembly, two ring straps, and a canvas cover.

(3) "2" – *Palletized.* A quantity of items, packed or unpacked, that are arranged on a warehouse pallet in a specified manner and secured, strapped, or fastened to the pallet so the whole is handled as a unit.

(4) *AIRDROP/Low Velocity Airdrop (LVAD).* The shipping configurations for such items are described below in terms of the type of platform (PLATF) on which the item is rigged. These data include dimensions, weight and cube for the rigged item and type V airdrop platforms, as described in the appropriate FM 10-500 series manual.

- (a) "3" – 8 Foot Platform (8-FT PLATF)
- (b) "4" – 12 Foot Platform (12-FT PLATF)
- (c) "5" – 16 Foot Platform (16-FT PLATF)
- (d) "6" – 20 Foot Platform (20-FT PLATF)

(e) "7" – 24 Foot Platform (24-FT PLATF)

(f) "8A" – 28 Foot Platform (28-FT PLATF)

(g) "9A" – 32 Foot Platform (32-FT PLATF)

(5) "8" – *Flyaway.* This designation applies to aircraft in ready-to-fly condition.

(6) "9" – *Reduced for Sealift (RED F/SEALIFT).* Vehicles in semi-reduced configuration but with some operational form (i.e. exhaust stacks and dump truck cab shields left in place). Mirrors are folded, antennas are secure and canvas tops, frames, and bows are removed. For helicopters, the main rotor blades are aligned, folded or removed. The tail pylon or tail blades may be folded. Other easily removable or folded projections are removed or adjusted flush with frame of helicopter (i.e. remove VHF antenna, remove horizontal stabilizer, etc.). (Note: See REMARKS under the detailed record for additional instructions.)

(7) "9B" – *Reduced for Sealift-Operational (RED F/SEALIFT-OP).* Vehicles reduced to minimal amount to facilitate rapid deployment (i.e. items in operational configuration with mirrors folded and antennas secured). Left in place are canvas tops, frames and bows, dump truck cab shields and exhaust stacks. For helicopters, the main rotor blades are aligned, folded or removed. The tail pylon will remain intact. (Note: See REMARKS under detailed record for additional instructions.)

(8) "A" – *Basic Unit.* This designation applies to crawler- and truck-mounted cranes without attachments and with the counterweight in the "trailing" position. The counterweights are removed or are in the trailing position except where equipment transportation data plates prescribe that the counterweights will be in the forward position.

(9) “B” – *Operational*. This designation applies only to vehicles in mission configuration with all component assemblies in place. Component assemblies include only the equipment that is issued with the vehicle.

(10) “BA” – *Reduced for C-17 Transport (RED FOR C-17)*. Equipment/vehicles reduced for shipment in U.S. Air Force C-17 aircraft. This aircraft provides strategic, inter-theater airlift for heavy or oversized cargo vehicles and equipment.

(11) “C” – *Reduced*. Vehicles reduced to minimum shipping dimensions within the unit’s organic maintenance capability. See chapter 2 for other shipping dimensions. These data reflect removing the canvas tops, frames and bows, securing the antennas, folding the windshield and mirrors and removing the dump truck cab shields. Permanent mountings, supports, and or brackets are removed when such operation is within organic maintenance capability. The components removed during disassembly are stowed for shipment within the vehicle unless shown separately as disassembled components

(12) “CA” – *CDS-Bundle*. This shipping configuration is for small items and/or pieces of equipment secured on either an A21 (48”x30”x66”; payload capacity of 500 lbs) or A22 (48”x48”x60”; payload capacity of 2,200 lbs) airdrop containers as described in FM 10-500-3, *Airdrop of Supplies and Equipment Rigging Containers*.

(13) “CP” – *Comfort Pallet (Air Transportable Galley/Lavatory (ATGL))*. The comfort pallet unit is comprised of a galley, two lavatory compartments, and the necessary plumbing and electrical facilities required for operation when installed on the aircraft. The comfort pallet is 88”W x 108”L x 76”H and is configured for use on the C-130, C-17 and C-5 aircraft.

(14) “D” – *Not Reducible*. This indicates that the dimensions and or weight of a vehicle cannot be reduced.

(15) “E” – *Assembled*. This shipping configuration describes the total cumulative shipping weight and cube of an item that normally is not assembled for shipment. These data should not be used for unit movement data reporting purposes. Data is listed separately for all components that make up the item.

(16) “F” – *Reduced for C-130 Transport (RED FOR C-130)*. Equipment/vehicles reduced for shipment in U.S. Air Force C-130 aircraft. This aircraft is used mainly for tactical, intra-theater air transport operations.

(17) “G” – *With Shelter Kit (W/SHELTER KIT)*. This designation applies only to vehicles with a fabricated built-up collapsible shelter over the cargo compartment.

(18) “H” – *Crated*. Any selected reportable item as listed in SB 700-20 or disassembled component, other than a vehicle, that is normally shipped in a specially designed crate (other than a CONEX or an item container).

(19) “I” – *Bare Item*. This designation denotes that the item is not packaged.

(20) “J” – *Boxed*. Any selected reportable item as listed in SB 700-20 or disassembled component, other than a vehicle, that is normally shipped in a specially designed box (other than a CONEX or an item container).

(21) “K” – *Piggybacked*. This designation applies to stacked vehicles. One trailer, wheels removed, is inverted and placed on top of another trailer. They are securely lashed together. The wheels of the flatbed/low bed trailer are stowed on top of the inverted trailer and the wheels of the cargo trailer are stowed within the cargo compartment. Other vehicles in this configuration are mounted on top of one another by support structure. Data reflect dimensions and weight of two vehicles. Helicopters in this configuration will have their tail booms mounted on top of the fuselage with the applicable kit. Data reflect dimensions and weight of one helicopter.

(22) “L” – *Folded*. An item, such as a blanket, that is bent or pressed so that one part is over another, doubled upon itself.

(23) “M” – *Item Container Packaged (ITEM CNTN PKG)*. An item normally shipped in its specially designed container.

(24) “N” – *Skid Mounted*. Item(s) mounted on a platform composed of two or more longitudinal members and two or more cross members to which lading is attached to ease handling and to evenly distribute load weight in transportation, or composed of two or more members secured to lading to ease handling.

(25) “P” – *Rolled*. A measure of something rolled to form a cylinder.

(26) "S" – *Reduced for C-5 Transport (RED FOR C-5)*. Equipment/vehicles reduced for shipment in U.S. Air Force C-5 aircraft. This aircraft provides strategic, inter-theater airlift for oversized/overweight cargo vehicles and equipment.

(27) "T" – *Coiled*. Anything wound or gathered into a series of rings or spirals.

(28) "V" – *Short-Pallet*. Standard 463L pallet, in the lateral direction, that measures 88 inches in length and 108 inches in width.

(29) "W" – *Bundled*. Two or more articles bound or rolled together, usually without compression, to form a pack.

(30) "X" – *Long-Pallet*. Standard 463L pallet, in the longitudinal direction, that measures 108 inches in length and 88 inches in width.

(31) "Y" – *Depot Pack*. Items already packaged for supply system shipments.

(32) "Z" – *Dolly Wheel Mounted (DOLLY WHL MTD)*. This shipping configuration applies to items mounted on dollies. The height is adjustable for highway transport or for aircraft loading.

j. *Number of Pieces (NO PCS)*. The data under this heading indicate the number of identical items applying to a disassembled component description and the related dimensions and weight. To obtain the total quantity of a disassembled component, multiply the number of pieces by the authorized or onhand quantity of the major end-item.

k. *DIMENSIONS, WEIGHT, AND CUBE (For One Item)*. All entries under these headings reflect the data for one item as described by "model" or "component" description and shipping configuration. Note: The "reduced" height shown for vehicles is the maximum reducible height (see (2) (b), below). For example, to obtain the maximum reducible height for all ¾-ton, 1-1/4-ton, 2-1/2-ton (except M34 models), 5-ton (except M41 models), and 10-ton cargo trucks, side racks must be removed and stowed in the cargo compartment. The steering wheel of the M34 2-1/2-ton and M41 5-ton trucks is higher than the side racks and cannot be lowered.

l. *CARGO VEHICLE LOAD LIMITS - WEIGHT, HEIGHT, AND CUBE*. These data apply to general-purpose cargo vehicles and to some utility vehicles with cargo space as follows:

(1) *Weight*. The manufacturer's off-road rated load capacity, in pounds, is printed on the same line as TOE LIN and its description. Cargo shipped in semi-trailer stake bodies should not be loaded above the side cargo racks or the steering wheel, whichever is higher. Dump trucks are normally shipped with the cab shield removed and stowed in the truck bed.

Dump trucks are used for the stowage of other packages only when general cargo vehicles are not available. Under this condition, the cab shield remains installed. Cargo must not be loaded higher than the cab shield.

(2) *Height and cube*. The maximum loading height, in inches, and the related cargo compartment cubic capacity, in cubic feet, are shown for operational, reduced, reduced for sealift, reduced for sealift-operational, and not reducible shipping configurations. This data is provided to assure that vehicles are not overloaded. The loading height and cargo compartment cubic capacity are computed as follows:

(a) The operational or not reducible loading height is computed from the ground to the highest point of the vehicle and cargo compartment capacity is computed from the deck to the underside of the compartment top.

(b) The reduced loading height and cargo compartment capacity are computed, respectively, from the ground and compartment deck to the top of the side racks or top of steering the wheel, whichever is higher.

m. *TOE LIN* and *INDEX NO*. The only entry under these headings is an INDEX NO in parentheses; for example (02), when applicable to a data listing for a disassembled component. This entry indicates the INDEX NO of the related major end-item listing.

n. *Cargo Load Indicator (CGO LOAD IND)*. The columnar headings are listed left to right for C-130, C-17, C-5, KC-10, KC-135, DC-8, DC-10, B-747S, B-747N aircraft, CTN 20-FT, CTN 40-FT, and 463L. An "X" is computer generated under the aircraft headings when the item is qualified for airlift by the model referred to in paragraph 2-1b for that heading. A "C" is entered under aircraft headings when the item of equipment in the specified shipping configuration has been certified by the Air Force for transport in the specified aircraft. A "blank" space, under aircraft heading, indicates the item of equipment is not transportable under the criteria specified for "C" or "X" entry. Under the headings of CTN 20-FT, CTN 40-FT, and 463L a "Y" indicates that dimensionally the piece of equipment will fit on a 463L pallet. An "N" indicates that dimensionally the piece of equipment will not fit on a 463L pallet.

o. *CARGO CATEGORY CODES (CCC)*. Position 1 is a code that identifies the type of equipment. Position 2 is a code indicating whether an item of equipment is Non-Air Transportable, Outsized, Oversized, or Bulk. Position 3 is a code that indicates whether an item of equipment can or cannot be containerized (see table 2-5).

p. HEAVY LIFT AND DIMENSION CODE (H). A code which identifies the item of equipment in short tons and whether it is under or over 35 feet in any dimension (see table 2-5).

3-2. Equipment characteristics data listings

See the following pages for equipment characteristics data in LIN sequence.

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> WEIGHT (LB) (CU FT) LENGTH WIDTH HEIGHT (REMARKS)----->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
A02812 PV 01	3830013846857	U	I	AUGER EARTH BOOM MTD 1650-EH-MS	72 10 72 110 30	TM 5-2590-512-13&P	CCCC XCXX Y Y Y J3BA		
A04334 V 01	5411015245844	U	I	ASL MOBILITY SYS BULK OD	240 96 96 19160 1280	NONE	CCC		
V 08	5411015245844	U	I	BULK OD	240 96 96 14300 1280	SPARE PARTS CONTAINER	CCC		(DETAIL INDEX 01)
V 02	5411015245845	U	I	BULK OD	240 96 96 14300 1280	BULK ITEMS CONTAINER	CCC		(DETAIL INDEX 08)
V 11	5411015245845	U	I	PARTS O	240 96 96 19160 1280	PARTS O	CCC		N N N J2DB
V 03	5411015245846	U	I	PARTS O	240 96 96 14300 1280	SPARE PARTS CONTAINER	CCC		(DETAIL INDEX 02)
V 14	5411015245846	U	I	PARTS O	240 96 96 14300 1280	BULK ITEMS CONTAINER	CCC		(DETAIL INDEX 11)
V 04	5411015245847	U	I	BULK DS	240 96 96 19160 1280	BULK DS	CCC		N N N J2DB
V 17	5411015245847	U	I	BULK DS	240 96 96 14300 1280	SPARE PARTS CONTAINER	CCC		(DETAIL INDEX 03)
V 05	5411015245848	U	I	BULK DS	240 96 96 19160 1280	BULK DS	CCC		N N N J2DB
V 20	5411015245848	U	I	BULK DS	240 96 96 14300 1280	SPARE PARTS CONTAINER	CCC		(DETAIL INDEX 04)
PV 06	5411015245849	U	I	BULK DS	240 96 96 19160 1280	BULK ITEMS CONTAINER	CCC		(DETAIL INDEX 17)
V 23	5411015245849	U	I	PARTS D	240 96 96 14300 1280	SPARE PARTS CONTAINER	CCC		N N N J2DB
A05001 PV 01	23500015117783	R	D	ASLT BREACHER VEH ABV	321 152 115 106680 3248	NONE	X		(DETAIL INDEX 06) (DETAIL INDEX 23)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O M L P E T	S H I P C O N F	DESCRIPTION	PCS	ITEM	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CERTIFIED CRITERIA	LOAD IND
A19277		ANTENNA GROUP OE-361 (V) 2/G	7	Z		1	TM 11-5985-372-13-2 MTD ON M832 MOBILIZER				<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF>	
A21633		AERIAL SCOUT HLCPTR					TM 1-1520-248-10					
PV 01	1520011255476	OH-58D	N H	8		1	495 420 155 3427 18649				CCC	N N N B0DH
03	1520011255476	OH-58D	N K	F		1	408 74 106 3110 1852				CCCC	N N N B2DA
V 04	1520011255476	LANDING SKIDS	A U	I		1	97 81 14 25 64			(03)	CCCC	Y Y Y J3BA
V 05	1520011255476	MAST MTD SIGHT	A U	I		1	58 39 45 200 59			(03)	CCCC	Y Y Y J3BA
V 06	1520011255476	HORIZONTAL STAB	A U	I		1	94 20 3 15 4			(03)	CCCC	Y Y Y J3BA
V 07	1520011255476	LWR WIRE CUTTER	A U	I		1	18 9 2 2 1			(03)	CCCC	Y Y Y J3BA
V 08	1520011255476	SUPPORT JACKS	A U	I		3	22 22 22 25 7			(03)	CCCC	Y Y Y J3BA
		SUPPORT JACKS	U	I			SKIDS AND MAST SIGHT REMOVED					
		SUPPORT JACKS	U	I			MTD ON MOBILIZER					
11	1520011255476	OH-58D	N K	S		1	408 74 115 3110 2010				CC	N N N B1DA
		OH-58D	K	S			MTD ON MOBILIZER					
		OH-58D	K	S			FOR AALPS PLANNING PURPOSES ONLY					
12	1520011255476	LANDING SKIDS	B U	I		1	97 81 14 25 64			(11)	CCCC	Y Y Y J3BA
13	1520011255476	HORIZONTAL STAB	B U	I		1	94 20 3 15 4			(11)	CCCC	Y Y Y J3BA
14	1520011255476	LWR WIRE CUTTER	B U	I		1	18 9 2 2 1			(11)	CCCC	Y Y Y J3BA
15	1520011255476	SUPPORT JACKS	B U	I		3	22 22 22 25 7			(11)	CCCC	Y Y Y J3BA
31	1520011255476	OH-58D	N K	BA		1	408 74 115 3110 2010				CC	N N N B1DA
		OH-58D	K	BA			FOR AALPS PLANNING PURPOSES ONLY					
32	1520011255476	LANDING SKIDS	C U	I		1	97 81 14 25 64			(31)	CCCC	Y Y Y J3BA
33	1520011255476	HORIZONTAL STAB	C U	I		1	94 20 3 15 4			(31)	CCCC	Y Y Y J3BA
34	1520011255476	LWR WIRE CUTTER	C U	I		1	18 9 2 2 1			(31)	CCCC	Y Y Y J3BA
35	1520011255476	SUPPORT JACKS	C U	I		3	22 22 22 25 7			(31)	CCCC	Y Y Y J3BA
51	1520011255476	OH-58D	N K	C		1	408 74 106 3110 1852				CCC	N N N B2DA
		OH-58D	K	C			FOR AALPS PLANNING PURPOSES ONLY					
52	1520011255476	LANDING SKIDS	D U	I		1	97 81 14 25 64			(51)	CCCC	Y Y Y J3BA
53	1520011255476	MAST MTD SIGHT	D U	I		1	58 39 45 200 59			(51)	CCCC	Y Y Y J3BA
54	1520011255476	HORIZONTAL STAB	D U	I		1	94 20 3 15 4			(51)	CCCC	Y Y Y J3BA
55	1520011255476	LWR WIRE CUTTER	D U	I		1	18 9 2 2 1			(51)	CCCC	Y Y Y J3BA
56	1520011255476	SUPPORT JACK	D U	I		3	22 22 22 25 7			(51)	CCCC	Y Y Y J3BA
V 82	1520011255476	OH-58D	N K	9B		1	406 78 155 3188 2841				C	N N N B1DA
		OH-58D	K	9B			FOLD ROTOR BLADES					
V 83	1520011255476	OH-58D	N K	9		1	406 78 116 2988 2126				CC	N N N B1DA
V 85	1520011255476	MAST MTD SIGHT	E U	H		1	58 39 45 475 59			(83)	CCCC	Y Y Y J3BA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	DESCRIPTION	NO PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF>	CTN 4 CCCH
A21633			AERIAL SCOUT HLCPTR MAST MTD SIGHT	F	TM 1-1520-248-10 REMOVE MAST SITE					
A24318			AIR CONDITNR FLR MTG	H						
PV 09	4120001682044		F18000-6	I	42 18 66	475	29	CCCC	CCCC	Y Y Y J3BA
V 10	4120001682044		F18000-6	J	48 25 73	640	51	CCCC	CCCC	Y Y Y J3BA
V 12	4120006207797		BAF 5818	H	47 17 72	675	34	CCCX	CCCC	Y Y Y J3BA
V 03	4120006499266		AC-18000-3	I	42 14 67	495	23	CCCC	CCCC	Y Y Y J3BA
V 27	4120009355342		MILA11210	I	52 22 28	323	19	CCCC	CCCC	Y Y Y J3BA
V 01	4120010776931		TM18K-120	I	70 46 20	596	38	CCCC	CCCC	Y Y Y J3BA
		REMARKS	TM18K-120	I	LIN R/B A24455					(DETAIL INDEX 01)
A24455			AIR CONDITNR FLR MTG	I	TM 5-4120-356-14					
V 01	4120009734589		CE 2OVAL 6	I	21 17 46	223	10	CCCC	CCCC	Y Y Y J3BA
		REMARKS	CE 2OVAL 6	I	NSN DELETED SB 700-20					(DETAIL INDEX 01)
V 09	4120010894053		TM18KV-208-3	I	20 18 46	260	10	CCCC	CCCC	Y Y Y J3BA
V 10	4120010894053		TM18KV-208-3	J	24 21 49	300	15	CCCC	CCCC	Y Y Y J3BA
V 08	4120011142471		F18T-2S	I	20 22 48	290	13	CCCC	CCCC	Y Y Y J3BA
V 11	4120011748423		KEF-18T-2	I	51 22 27	323	18	CCCC	CCCC	Y Y Y J3BA
V 13	4120011773720		KECF-18-T-2	I	20 22 48	290	13	CCCC	CCCC	Y Y Y J3BA
V 20	4120011899782		MIL-A-53089	I	23 23 38	225	12	CCCC	CCCC	Y Y Y J3BA
V 12	4120012143692		MIL-A-52767	I	20 22 48	290	13	CCCC	CCCC	Y Y Y J3BA
V 19	4120012161151		CVP-20-5/6-0	I	20 18 47	280	10	CCCC	CCCC	Y Y Y J3BA
PV 21	4120013291515		18000BTU	I	23 23 38	225	12	CCCC	CCCC	Y Y Y J3BA
A24830			AIR CONDITNR FL/WALL	I	TM 9-4120-407-14					

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	NO PCS	REMARKS	NO PCS	WEIGHT (LB)	HEIGHT (INCHES)	CGO VEH LD LIMITS	CGO LOAD IND	DETAIL INDEX
A27808 PV 01	1740015226078	R 4	AIR VEH TRANSPORT TUAV-SHADOW	D		217 84	11500	1108	XX	N N N R2DB	
A29676 PV 01 PV 02 V 03	1510010055461	N J N K A U	AIRPLANE CARGO TRANS C-12A C-12A WING	8 C I		525 667 176 525 254 176 234 108 24	8190 7730 230	35666 13582 351	CX	N N N B0DH N N N B0DH N N N J2DA	
A29744 PV 01 PV 02 V 03	1510010703661	N J N K A U	AIRPLANE CARGO C-12C C-12C WINGS	B C I		525 667 176 525 254 176 234 108 24	8190 7730 230	35666 13582 351	CX	N N N B0DH N N N B0DH N N N J2DA	
A29812 PV 01 PV 02 V 03	1510010879129	N J N K A U	AIRPLANE CARGO C-12D C-12D WINGS	B C I		525 667 176 525 254 176 234 108 24	8190 7730 230	35666 13582 351	CX	N N N B0DH N N N B0DH N N N J2DA	
A29880 V 02	1510014181848	N J	AIRPLANE CARGO C-23B+	D		697 897 197	16220	71277		N N N B0DJ	
PV 01	1510994955760	N J	C-23B	D		697 897 197	16220	71277		N N N B0DJ	
A30062 PV 01 PV 02 V 03	1510012355840	N J N K A U	AIRPLANE CARGO C-12F C-12F WINGS	B C I		525 667 176 525 254 176 234 108 24	8190 7730 230	35666 13582 351	CX	N N N B0DH N N N B0DH N N N J2DA	
A30989 PV 01	1510010111462	N J	AIRPLANE UTILITY STOL UV-18A	D		780 594 234	7314	62742		N N N B0DH	
A35499 PV 01	5895014329329	N J	ABN RECON ARL M AN/ASQ-223	D		968 1116 314	47000	196303		N N N B0DK	
A40164 PV 01	2350015725988	R 4	ARMORED RECON M7 M7 BFIST SA	D		258 124 117	71900	2167	XX	N N N R1DD	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	IND
A41666			ARTILLERY LOC RADAR				TM 11-5840-355-20-1									
V 01	5840010434258	U	AN/TPQ-37V1	E	1	17920	1775	165	96		(01)	CCC	CC	N	N	N
V 02	5840010434258	A	ANTENNA TRAN GRP	M	1	9940	844	104	79		(01)	CCCX	CCC	Y	Y	J3BA
V 03	5840010434258	A	OPNS CONTROL CTR	M	1	2600	376	158	95		(01)	CCC	XXX	N	N	N
V 04	5840010434258	A	GEN PWR DIST GRP	N	1	5380	556	287	96			CCC	CCC	N	N	J2DA
V 05	5840010434258	R	AN/TPQ-37V1	Z		13660	1467	210	79			CCC	C	N	N	R2DB
V 06	5840010434258	R	AN/TPQ-37V1	Z		7900	912	323	99			CC		N	N	R1DC
V 07	5840010434258	R	AN/TPQ-37V1	0		M880	2221	332	98			CC		N	N	R1DC
V 11	5840010434258	R	AN/TPQ-37V1	0		M813A1	2429	332	98			CC		N	N	R1DC
V 12	5840010434258	R	AN/TPQ-37V1	0		M925A2	1879	265	98			CC		N	N	R1DB
V 17	5840010434258	R	AN/TPQ-37V1	0		M35A2 WOWN	1721	237	98			CC		N	N	R1DB
V 36	5840010845374	U	AN/TPQ-37V2	E	1	20110	1824	99	86		(36)	CCCX	XXX	N	N	J2DA
V 37	5840010845374	A	MULTIPLE ITEMS	J	1	3610	400	162	94		(36)	CCC	X	N	N	J2DA
V 38	5840010845374	A	MULTIPLE ITEMS	J	1	6500	564	184	94		(36)	CCC	X	N	N	J2DB
V 39	5840010845374	A	MULTIPLE ITEMS	J	1	10000	861	184	94			CCC	X	N	N	J2DB
V 27	5840011854243	U	AN/TPQ-37V4	E	1	20110	1824	99	86		(27)	CCCX	XXX	N	N	J2DA
V 33	5840011854243	A	MULTIPLE ITEMS	J	1	3610	400	162	94		(27)	CCC	X	N	N	J2DA
V 34	5840011854243	A	MULTIPLE ITEMS	J	1	6500	564	184	94		(27)	CCC	X	N	N	J2DB
V 35	5840011854243	A	MULTIPLE ITEMS	J	1	10000	861	184	94			CCC	X	N	N	J2DB
V 28	5840011869125	U	AN/TPQ-37V3	E	1	20110	1824	99	86		(28)	CCCX	XXX	N	N	J2DA
V 30	5840011869125	A	MULTIPLE ITEMS	J	1	3610	400	162	94		(28)	CCC	X	N	N	J2DA
V 31	5840011869125	A	MULTIPLE ITEMS	J	1	6500	564	184	94		(28)	CCC	X	N	N	J2DA
V 32	5840011869125	A	MULTIPLE ITEMS	J	1	10000	861	184	94			CCC	X	N	N	J2DB
V 40	5840012705100	U	AN/TPQ-37V6	E	1	17920	1775	165	96		(40)	CCC	X	N	N	J2DA
V 41	5840012705100	A	ANTENNA TRAN GRP	M	1	9940	844	104	79		(40)	CCCX	XXXX	Y	Y	J3BA
V 42	5840012705100	A	OPER CONTROL CTR	M	1	2600	376	158	95							

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
 UNCLASSIFIED

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	V E H I C L E	T Y P E	C O D E	DESCRIPTION	S H I P	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
A41666	5840012705100	A	U		ARTILLERY LOC RADAR	N	1	TM 11-5840-355-20-1	556		CCC	<C=AF CERTIFIED>
V 43	5840012705100	R	7		GEN PWR DIST GRP	Z		158 95 64 5380	1467		CCC	<X=JCS CRITERIA>
V 44	5840012705100	R	7		AN/TPQ-37V6	Z		287 96 92 13660			CCC	<-----CGO LOAD IND----->
V 45	5840012705100	R	3		AN/TPQ-37V6	0		ANT TRANS GP MTD ON DOLLY M832	912		CCC	<AMC> <CRAF>
V 46	5840012705100	R	3		AN/TPQ-37V6	0		OPR CONT CTR MTD ON M880			CCC	CCCK DDBB CTN CTN 4 CCCH
V 47	5840012705100	R	4		AN/TPQ-37V6	0		323 99 120 28580	2221		CCC	115CC CC77 20 40 6
V 48	5840012705100	R	4		AN/TPQ-37V6	0		GEN PWR DIS GR MTD ON M813A1			CCC	37 11 8144 FT FT 3
V 49	5840012705100	R	3		AN/TPQ-37V6	0		332 98 129 22795	2429		CCC	0 03 077 L
V 50	5840012705100	R	3		AN/TPQ-37V6	0		MTD ON M925A2			CCC	5 SN
V 51	5840012705100	R	3		AN/TPQ-37V6	0		265 98 125 15592	1879		CCC	XXX N N N J2DA
V 52	5840012705100	R	3		AN/TPQ-37V6	0		GEN PWR DIS GP MTD ON M35A2 WOWN			CCC	N N N R2DB
V 53	5840012705100	R	7		AN/TPQ-37V6	0		237 98 128 17320	1721		CCC	(DETAIL INDEX 44)
V 54	5840012705100	R	7		AN/TPQ-37V6	0		ANTENNA MTD ON M1048 TLR			CCC	(DETAIL INDEX 45)
V 55	5840012705101	U	U		AN/TPQ-37V5	E		17920	1775		CCC	(DETAIL INDEX 46)
V 56	5840012705101	A	U		ANTENNA TRAN GRP	M	1	165 96 92 9940	844		CCC	(DETAIL INDEX 47)
V 57	5840012705101	A	U		OPER CONTROL CTR	M	1	104 79 79 2600	376		CCC	N N N R1DB
V 58	5840012705101	A	U		GEN PWR DIST GRP	N	1	158 95 64 5380	556		CCC	(DETAIL INDEX 48)
V 59	5840012705101	R	7		AN/TPQ-37V5	Z		287 96 92 13660	1467		CCC	(DETAIL INDEX 49)
V 60	5840012705101	R	7		AN/TPQ-37V5	Z		ANT TRANS GP MTD ON DOLLY M832			CCC	N N N R2DB
V 61	5840012705101	R	3		AN/TPQ-37V5	0		210 79 95 7900	912		CCC	(DETAIL INDEX 60)
V 62	5840012705101	R	3		AN/TPQ-37V5	0		OPER CONTROL GP MTD ON M880			CC	(DETAIL INDEX 61)
V 63	5840012705101	R	4		AN/TPQ-37V5	0		323 99 120 28580	2221		CC	(DETAIL INDEX 62)
V 64	5840012705101	R	4		AN/TPQ-37V5	0		GEN PWR DIST GP MTD ON M813A1			CC	(DETAIL INDEX 63)
V 65	5840012705101	R	4		AN/TPQ-37V5	0		332 98 129 22795	2429		CC	(DETAIL INDEX 64)
V 66	5840012705101	R	3		AN/TPQ-37V5	0		MTD ON M925A2			CC	(DETAIL INDEX 65)
V 67	5840012705101	R	3		AN/TPQ-37V5	0		265 98 125 15592	1879		CC	N N N R1DB
V 68	5840012705101	R	3		AN/TPQ-37V5	0		GEN PWR DIST GRP MTD ON M35A2 WOWN			CC	(DETAIL INDEX 66)
V 69	5840012705101	R	7		AN/TPQ-37V5	0		237 98 128 17320	1721		CC	(DETAIL INDEX 67)
V 70	5840012705101	R	7		AN/TPQ-37V5	0		ANTENNA MTD ON M1048 TLR			CC	(DETAIL INDEX 68)
V 71	5840014003218	U	U		AN/TPQ-37V8	E		20917	1938		CCC	XXXX Y Y Y J3BA
V 72	5840014003218	A	U		OPER CONTROL CTR	M	1	90 78 72 2196	293		CCC	X N N J2DB
V 73	5840014003218	A	U		ANTENNA TRAN GRP	M	1	196 96 92 10855	1002		CCC	X N N J2DA
V 74	5840014003218	A	U		POWER DIST GROUP	I	1	181 96 64 7866	644		CCC	X N N R1DA
V 75	5840014003218	A	U		AN/TPQ-37V8	0		189 86 104 7796	979		CC	N N N R1DA

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	S	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCK	DDBB	CTN	CTN	IND	
A41666		ARTILLERY LOC RADAR																		
V 78	5840014003218	REMARKS	3	AN/TPQ-37V8	0															
V 80	5840014003218	REMARKS	4	AN/TPQ-37V8	0															
V D1	5840015627820	REMARKS	7	AN/TPQ-37V8	0															
A46758		AN/TPQ-37V8	U	AN/TPQ-27V1	I			172	83	76	21284	628								
PV 01	1510013615018	REMARKS	N	AIRPLANE CGO TRANS	D			712	658	212	11000	57478								
A48680		ALM BIO AGT AUTO																		
PV 01	6665015004040	REMARKS	R	M31E2 BIDS	D			188	85	104	10100	962								
A52995		ALL SRC ANALYSIS SYS																		
PV 01	7010014508115	REMARKS	U	AN/TYQ-89	E						6872	551								
PV 02	7010014508115	REMARKS	U	COMPUTER UNIT	M			26	28	25	139	11								
PV 03	7010014508115	REMARKS	U	COLOR MONITOR	M			26	28	27	142	12								
PV 04	7010014508115	REMARKS	U	POWER SUPPLY	M			26	28	16	146	7								
PV 05	7010014508115	REMARKS	U	LEVELING BOX	M			28	24	10	45	4								
PV 06	7010014508115	REMARKS	U	LEVELING BASE	M			28	24	10	17	4								
PV 07	7010014508115	REMARKS	U	LEVELING BASE	M			28	24	10	10	4								
PV 08	7010014508115	REMARKS	U	HARD DISC DRIVE	M			15	10	6	10	1								
PV 09	7010014508115	REMARKS	U	STORAGE UNIT	M			27	25	21	80	9								
PV 10	7010014508115	REMARKS	U	COLOR PRINTER	M			37	32	24	150	17								
PV 11	7010014508115	REMARKS	U	LG SCREEN DISP	M			28	32	18	74	10								
V 12	7010014508115	REMARKS	R	AN/TYQ-89	0			203	90	103	10080	1089								
PV 18	7010015553513	REMARKS	U	AN/TYQ-89	I			102	84	67	630	333								
A53199		ALL SRC ANALYSIS SYS																		
PV 01	7010014508117	REMARKS	U	AN/TYQ-92	E						4356	317								
PV 02	7010014508117	REMARKS	U	VCU W/MONITOR	M			28	26	21	120	9								

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	NO PCS	REMARKS	LENGTH (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
A93125											
PV 01	2350001405151	N E	ARMORED RECON ARBRNE M551A1	B		NONE	249 111 116	33105	1856	XC	N N N A1DC
PV 02	2350001405151	N E	M551A1	C		249 111 98	33105	1568		CX	N N N A2DC
V 03	2350001405151	N E	M551A1	9		249 111 98	33105	1568		CX	N N N A2DC
V 04	2350001405151	N E	M551A1	9B		249 111 116	33105	1856		XX	N N N A1DC
A93374											
PV 01	2355014376957	R 4	ARMORED SECURITY VEH M1117	D		TM 9-2320-307-10	237 101 102	29560	1413	CCC	N N N R2DC
AF0001											
PV 01	0000000000000	N 4	TOW TRACTOR MB-2	D		NONE	247 105 104	54180	1561	XX	N N N A2DC
AF0002											
PV 01	0000000000000	N 6	DSL GEN SET TLR MTD A/M32A-86	D		NONE	99 79 69	5960	313	XCXC	Y Y Y A3BA (DETAIL INDEX 01)
AF0003											
PV 01	0000000000000	N 6	GAS TURB COMP TLR MTD A/M32A-95	D		NONE	109 63 77	2480	306	XCXX	Y Y N A2BA
AF0004											
PV 01	0000000000000	N 6	COMPRESSOR TLR MTD MC-7	D		NONE	128 72 55	3000	294	XCXC	Y Y N A2BA
AF0005											
PV 01	0000000000000	R 4	BOBTAIL TOW TRACTOR NONE	D		NONE	166 83 73	7220	582	XCX	Y Y N R2BA
AF0007											
PV 01	0000000000000	N 5	25K SW TAC LOADER A/S3211	D		NONE	322 117 116	28380	2529	XX	N N N A1DC
AF0009											
PV 01	0000000000000	N 6	PORTABLE MAINT STAND B-1	D		NONE	176 60 48	1100	294	XCXC	Y Y N A2BA
AF0010											
PV 01	0000000000000	N 6	PORTABLE MAINT STAND B-4	D		NONE	95 53 56	620	164	XCXC	Y Y A3BA
AF0011											
PV 01	0000000000000	N 6	PORTABLE MAINT STAND B-5	D		NONE	113 98 95	800	609	XCXX	N N N A2DA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	SHIP	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	WHL WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT CUBE	TOE LIN	INDX NO	CGO LOAD	IND
AF0023 P 02	0000000000000000	N 5	60K TUNNER LOADER A/S3211-23	C		592	113	96	64515	3717		XX	N	N	N	N	A2DL	
AF0024 P 01	0000000000000000	R 4	MULTI-STOP W/HOOK CHEVEROLET	D		230	97	109	6040	1408		XX	N	N	N	N	R1DA	
AF0025 PV 01	0000000000000000	R 6	FUEL BOWSER TLR MTD NONE	D		104	60	70	1200	253		XCXC	XXXX	Y	Y	Y	R3BA	
AF0026 PV 01	0000000000000000	R 3	BOMBLIFT WHL MTD MJ-1	D		146	48	42	3950	171		XCXC	XXX	Y	Y	N	R2BA	
AF0027 PV 01	0000000000000000	R 6	CABIN PRESS TESTER TM NONE	D		102	63	56	3150	209		XCXC	XXXX	Y	Y	Y	R3BA	
AF0028 PV 01	0000000000000000	R 6	GENERATOR TLR MTD A/M32A-60	D		126	63	68	3115	313		XCXC	XXXX	Y	Y	N	R2BA	
AF0029 PV 01	0000000000000000	N 4	COLEMAN TRACTOR MB-4	D		162	85	102	12800	813		XCX		N	N	N	A2DB	
AF0030 PV 01	0000000000000000	N 7	HYD TEST STAND NONE	D		119	76	76	6440	398		XCXX	XXXX	Y	Y	N	A2BA	
AF0031 PV 01	0000000000000000	R 6	ENGINE TRAILER 3000	D		212	60	87	4300	641		XCX	X	N	N	N	R2DA	
AF0032 PV 01	0000000000000000	U	CADILAC BINJ-FS NONE	V		88	108	96	5900	528		CXX	XX	N	N	Y	J3DA	
AF0034 PV 01	0000000000000000	N 6	MAINT STAND WHL MTD C-1	D		48	41	81	140	93		XCXX	XXX	Y	Y	Y	A3BA	
AF0035 PV 01	0000000000000000	R 6	AIR CONDITIONER TM C10C	D		107	70	69	1330	299		XCXC	XXXX	Y	Y	N	R2BA	
AF0036			BAGGAGE CONVEYOR BELT															

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	TY	VEH	SHIP	S	DESCRIPTION	NO	PCS	REMARKS	LENGTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
AF0036	00000000000000	N 6			D	BAGGAGE CONVEYOR BELT			NONE	307	82	5480	743	XCX	N Y N A2CA
PV 01	00000000000000	N 6			D	WOLLARD TC-886			305	83	56	4500	821	XCX	N Y N A2CA
V 02	00000000000000	N 6			D	ACE 4269 BLT			300	80	59	6000	820	XCX	N Y N A2CA
V 03	00000000000000	N 6			D	LANTIS 606			300	78	59	7200	799	XCX	N Y N A2CA
V 04	00000000000000	N 6			D	TUG 660 MOBILE			NONE						
AF0037	00000000000000	R 4			D	WATER TRUCK			216	86	78	6800	839	XCX	N N N R2DA
PV 01	00000000000000	R 4			D	STINAR 32A-24			227	80	78	7300	820	XCX	N Y N R2CA
V 02	00000000000000	R 4			D	PORTER 1230A24			225	79	76	6800	782	XCX	N Y N R2BA
V 03	00000000000000	R 4			D	PHOENIX PWT250			NONE						
AF0038	00000000000000	R 4			D	PASSENGER BUS			396	96	120	16954	2640	XX	N N N R1DB
PV 01	00000000000000	R 4			D	45 PAX BUS			NONE						
AF0039	00000000000000	N 3			D	TOWING TRACTOR			77	56	63	7000	158	XCXC	Y Y Y A3BA
PV 01	00000000000000	N 3			D	TUG			NONE						
AF0040	00000000000000	N 5			D	25K HALVORSEN LOADER			355	170	94	31350	3283	XX	N N N A1DC
PV 01	00000000000000	N 5			D	623-4300			NONE						
AF1393	00000000000000	N 0			D	10K ADV TERRAIN FKLFT			303	100	125	24220	2192	XX	N N N A1DC
V 02	00000000000000	N 0			D	544E JOHN DEER			312	91	123	23200	2021	XX	N N N A1DC
V 03	00000000000000	N 0			D	MW20B			305	97	126	26180	2158	XX	N N N A1DC
V 04	00000000000000	N 0			D	IT28G CAT			279	98	100	22500	1583	CCC	N N N A2DC
PV 01	3930000851393	N 0			D	A/S3211-15			NONE						
AF2078	2420010852078	N 4			D	BOBTAIL TOW TRACTOR			168	90	75	7340	657	CCC	X X N N A2DA
PV 01	2420010852078	N 4			D	NONE			NONE						
AF2525	4120003492525	N 7			B	E-3A ACE AIR COND			220	94	99	14600	1185	CCC	N N N A2DB
PV 01	4120003492525	N 7			C	NONE			220	94	96	14600	1149	CCC	N N N A2DB
PV 02	4120003492525	N 7			C	NONE			NONE						
AF2604	1730013742604	N 4			D	STAIRS ACFT BOARDING			314	95	151	11480	2607	X	N N N A1DB
PV 01	1730013742604	N 4			D	NONE			278	96	155	9460	2394	X	N N N A1DA
V 06	1730013742604	N 4			D	TLPH252SMT									

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	V E H I C L E	T Y P E	S H I P	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
AF2604	1730013742604	N 4	N 4	D	STAIRS ACFT BOARDING		NONE	11000	2305	X	<C=AF CERTIFIED>
V 07	1730013742604	N 4	N 4	D	SPS3518 STINAR		315 86 147	24000	3475	X	<X=JCS CRITERIA>
V 08	1730013742604	N 4	N 4	D	SPS7026 STINAR		378 94 169	19500	2557	X	<AMC> <CRAF>
V 09	1730013742604	N 4	N 4	D	SPS5519 STINAR		313 96 147	31000	4135	X	CCCKK DDBB CTN CTN 4 CCCH
V 10	1730013742604	N 4	N 4	D	SPS7526B STINA		314 96 237	14120	2581	X	115CC CC77 20 40 6
V 11	1730013742604	N 4	N 4	D	AS228C LIFT		306 94 155	9650	2001	X	HGT CUBE 37 11 8144 FT FT 3
V 12	1730013742604	N 4	N 4	D	3003 NORDCO		281 82 150			X	TOE LIN 0 03 077 L
AF2955	2320005802955	R 4	R 4	D	TRUCK 6 PAX 4X4		NONE	6250	1158	XCX	5 SN
PV 01	2320005802955	R 4	R 4	D	NONE		250 92 87	6220	1107	XCX	
V 02	2320005802955	R 4	R 4	D	NONE		258 78 95				
AF3045	7360010063045	U	U	CP	COMFORT PALLET FOR C-5		NONE	4049	418	CCCX	XX N N Y J3DA
PV 01	7360010063045	U	U	CP	COMFORT PALLET FOR C-5		88 108 76				
AF3674	3930010753674	N 5	N 5	D	40K OSHKOSH LOADER		NONE	44000	3107	CC	N N N A1DK
PV 01	3930010753674	N 5	N 5	D	A/S32H-6		497 120 90	44420	3072	XX	N N N A1DK
V 02	3930010753674	N 5	N 5	D	A/S32H-6		497 120 89				(DETAIL INDEX 02)
AF4236	3930001024236	N 5	N 5	D	40K RAMIREZ LOADER		NONE	51000	3107	CC	N N N A1DK
PV 01	3930001024236	N 5	N 5	D	A/S32H-6		497 120 90	51600	4316	XX	N N N A1DK
V 02	3930001024236	N 5	N 5	D	A/S32H-6		499 159 94				(DETAIL INDEX 02)
AF4268	1730013704268	N 4	N 4	D	DIESEL MAINT PLATFORM		NONE	14780	1071	CX	N N N A2DB
PV 01	1730013704268	N 4	N 4	D	NONE		204 108 84				
AF4448	2320009354448	R 4	R 4	D	TRK TRACTOR 10-TON		NONE	18650	2163	XX	N N N R1DB
PV 01	2320009354448	R 4	R 4	D	NONE		292 100 128				
AF4935	3930010594935	N 5	N 5	D	TRK LIFT FORK 10K		NONE	23680	1658	XCX	N N N A2DC
PV 01	3930010594935	N 5	N 5	D	NONE		314 96 95				
AF5030	1730010625030	N 4	N 4	D	ARL STORES LIFT TRK		NONE	5746	271	CCCC	X X Y Y N A2BA
PV 01	1730010625030	N 4	N 4	D	A/S32K-7		167 70 40				

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	NO PCS	LENGTH (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
AF5422 PV 01	3895010055422	R 8	MOBILE CONCRETE MIXER	D		NONE	37700	4080	XX	N N N R1DK
AF5495 PV 01	2330007065495	R 6	1/4-TON TRAILER CARGO	D		NONE	580	172	500 44 31	CCCC XXXX Y Y N R2BA
AF5722 PV 01	2310010585722	R 4	BUS, 29 FAX IHC	D		NONE	12800	1879	XX	N N N R1DB
AF6728 PV 01	3930011146728	N 5	25K EMERSON TACLOADER A/S3211	D		NONE	21760	2605	XX	N N N A1DC
AF7089 PV 01	3930004637089	N 5	40K KOEHRING LOADER A/S32H-6	D		NONE	46500	3107	CC	N N N A1DK
AF7430 PV 01	7360008687430	U	COMFORT PALLET FOR C-17	CP		NONE	3740	418	CCCX XX	N N Y J3DA
V 03	7360008687430	U	FOR C-17	CP		NONE	3740	418	CCCX XX	N N Y J3DA
AF7592 PV 01	3895002477592	R 9	KETTLE HTG BIT 165 GAL NONE	D		NONE	1800	287	XCXC XXX	Y Y N R2BA
AF7605 PV 01	1730009817605	R 4	LATRINE SVC TRK	D		NONE	12160	1076	XCX	N N N R2DB
V 07	1730009817605	R 4	FORD	D		255 90 81	11000	880	XCX X	N Y N R2CB
V 08	1730009817605	R 4	TLS770 LANDOLL TL600 PHOENIX	D		238 84 76 258 85 92	12000	1168	XCX	N N N R2DB
AF7889 PV 01	3930010087889	N 5	40K SPACE LOADER A/S32H-6	D		NONE	43500	3107	CC	N N N A1DK
AF8250 PV 01	3930013018250	N 5	TRK LIFT, FORK 10K JOHN DEERE	D		NONE	24880	1702	XCX	N N N A2DC
AF8604 P 01	2320013808604	R 3	ARMORED HMMWV M1097A2	D		NONE	10300	686	XCX	X X N N R2DB
AF8934			TRAILER FUEL SERVICE			NONE				

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	LENGTH (INCHES)	WEIGHT (LB)	HEIGHT (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
AF8934 P 01	2330002898934	R 6	TRAILER FUEL SERVICE A-1B	D	1	173	98	82	3800	805	XCX X X N N N R2DA
AF9256 PV 01	1740001019256	N 4	A/C TOWING TRACTOR A/S32U-30	D	1	306	96	116	70250	1972	CC N N N A1DD
V 02	1740001019256	N 4	A/S32U-30	D	1	316	98	102	70440	1828	XX N N N A2DD (DETAIL INDEX 02)
AF9412 PV 01	4210003779412	R 4	CRASH/RESCUE VEHICLE A/S32P-15	D	1	540	120	144	75480	5400	CC N N N R1DL
AF9467 PV 01	1740004889467	N 7	C-5 ENGINE TRAILER ETU-91/E	B	1	378	111	96	19426	2331	CC N N N A1DB
PV 02	1740004889467	N 7	ETU-91/E	C	1	341	111	96	16980	2103	CC N N N A1DB
AF9521 PV 01	3930004169521	N 0	25K TAC LOADER A/S3211	D	1	294	96	69	25000	1127	CCC N N N A2DC
B05004 PV 01	4220015995367	U	BREAKAWAY DIVERS AIR BDASS	I	1	123	103	80	4523	587	XCXX XXX N N N J2DA (DETAIL INDEX 01)
PV 01	REMARKS	U	BDASS	I	1	CONSIST OF TWO PARTS THE US NAVY FLYAWAY DIVE SYSTEM (FADS III) AND A BREAKAWAY SYSTEM CALLED THE EXTREME LIGHTWEIGHT DIVE SYSTEM (XLDS)					(DETAIL INDEX 01)
PV 01	REMARKS	U	BDASS	I	1						(DETAIL INDEX 01)
B05006 PV 01	1940016158699	N G	BOAT BRIDGE ERECTION BEB	D	1	300	108	84	17000	1575	CX N N N C2DB (DETAIL INDEX 01)
PV 01	REMARKS	G	BEB	D	1	USE LIN# B05006 WHICH REPLACED Z01657					(DETAIL INDEX 01)
B12482 01	3815000179482	U	BACKHOE CRANE SHOVEL NONE	E	1	NONE		7460	403		CCC CCCC Y Y N J2BA
PV 02	3815000179482	A	HOE BOOM	I	1	225	42	42	2370	230	CCCC CCCC Y Y Y J3BA
PV 03	3815000179482	A	HOE BUCKET	I	1	76	38	36	2000	61	CCCC CCCC Y Y Y J3BA
PV 04	3815000179482	A	DIPPER FRAME	I	1	76	38	36	1530	61	CCCC CCCC Y Y Y J3BA
PV 05	3815000179482	A	DIPPER HANDLE	I	1	75	32	5	640	7	CCCC CCCC Y Y Y J3BA
PV 06	3815000179482	A	HOE STICK	I	1	118	39	17	920	46	CCCC CCCC Y Y N J2BA (COMPONENT INDEX 06)
B23148		U	HOE STICK	I	1	LIN DELETED FROM TOE					
B23148		U	BALLISTIC AERIAL SYS	I	1	NONE					

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> (INCHES)---> LENGTH WIDTH HEIGHT (REMARKS)--->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
B23148 PV 01	1550002619799	U	I	BALLISTIC AERIAL SYS NONE	1	252 22 24 225 77	XCX N Y N J2CA	
B24592 PV 01	5420014813959	U	I	BRIDGE FIXED RAPID M21	1	300 110 96 20856 1834	CX N N N J2DC	
B25414 PV 01	1670000034389	U	I	BAR ATTITUDE CONTROL 8-FT RECT	1	104 15 3 105 3	CCCC CCCC Y Y Y J3BA	
B25476 V 01	1940011055728	N G	B	BOAT BRIDGE ERECTION USCSBMK-1	1	323 98 178 8800 3261	CC N N N C0DA	
V 02	1940011055728	N G	C	USCSBMK-1	1	227 117 97 10800 1491	N N N C1DB	
V 03	1940011055728	R 4	C	USCSBMK-1	1	ON CRADLE LESS CAB AND MAST FUEL CAPACITY 75 GAL DIESEL	(DETAIL INDEX 02) (DETAIL INDEX 02)	
07	1940011055728	R 4	0	USCSBMK-1	1	436 136 158 39400 5422	C N N N R1DK	
	1940011055728	U	0	USCSBMK-1	1	W/CRADLE MTD ON TRANSPORTER	(DETAIL INDEX 03) N N N J1DB	
	1940011055728	U	V	USCSBMK-1	1	268 117 101 11670 1833	CC N N N J1DB	
	1940012189165	U	V	USCSBMK-1	1	3-PL TRAIN F/AALPS PLANNING PURPOSES ONLY	(DETAIL INDEX 07) N N N C2DA	
V 06	1940012189165	N G	C	USCSBMK-2	1	327 98 78 5890 1447	CCC N N N C2DA	
V 10	1940012189165	R 4	C	USCSBMK-2	1	MAST AND CAB STOWED ON BOAT	(DETAIL INDEX 06) N N N R1DK	
	1940012189165	R 4	0	USCSBMK-2	1	468 135 155 38860 5668	C N N N R1DK	
	1940012189165	N G	0	USCSBMK-2	1	MTD ON M821	(DETAIL INDEX 10) N N N C0DA	
V 15	1940015260770	N G	B	MK II-S	1	327 98 178 5890 3301	CC N N N C1DA	
V 16	1940015260770	R G	C	MK II-S	1	323 98 110 9800 2015	CCC N N N C2DA	
B26007 01	5420014705823	U	E	BRIDGE HVY DRY SPT MLC-96	1	NONE 136918 9591	(DETAIL INDEX 16) N N N J2DB	
PV 02	5420014705823	U	I	LVT FLATRACK	1	249 102 88 13800 1294	XCX N N N J2DC	
PV 03	5420014705823	U	I	V1 FLATRACK	1	252 102 98 22500 1458	XCX N N N J2DC	
PV 04	5420014705823	U	I	V2 FLATRACK	1	252 102 98 23050 1458	XCX N N N J2DC	
PV 05	5420014705823	U	I	V3 FLATRACK	1	249 100 73 21478 1052	XCX N N N J2DC	
PV 06	5420014705823	U	I	T1 FLATRACK	1	252 102 97 19300 1443	XCX N N N J2DB	
PV 07	5420014705823	U	I	T2 FLATRACK	1	252 102 98 23050 1458	XCX N N N J2DC	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	LENGTH (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->			
B26007 PV 08	5420014705823	U	BRIDGE HVY DRY SPT T3 FLATRACK	I	1	252	100	98	13740	1430	XCX	N N N J2DB	
B30923 V 01	1930003752962	N	BARGE DECK CARGO BARGE 585TON	D		1443	403	209	392000	70336		N N N C0DP	
V 03	1930005864214	N	BARGE 750TON	D		2440	418	111	1900000	65516		N N N C0DP	
PV 02	1930005939583	N	BARGE 655TON	D		1440	403	209	1450000	70190		N N N C0DP	
B31060 PV 01	1930003752967	N	BARGE DECK CGO NON PROPELLED	D		972	264	84	116480	12474		N N N C0DM	
B31098 PV 01	5420013903933	U	BRDG ARMD VEH LCHR AVLB-70	I		403	162	74	29900	2796	XX	N N N J1DC	
B31197 PV 01	1930003752972	N	BARGE DECK/LIQUID CGO BARGE 231B	D		1440	396	234	350000	77220		N N N C0DP	
B68770 PV 01	1430015308714	U	BAT CMD POST PATRIOT	M		203	85	105	3760	1049	CCCC	N N N J2DA (DETAIL INDEX 01) (DETAIL INDEX 01)	
B71632 PV 01	2590012308862	U	BLADE MINE CLEARING	I		115	150	29	7260	290	CCX	N N N J1DA (DETAIL INDEX 01)	
B73410 PV 01	4940002772999	U	BLAST CLEANING MACH	J		22	22	55	134	16	CCCC	Y Y Y J3BA	
B83002 V 01	3990013077676	U	BED CGO DEMOUNTABLE M1077A1	I		240	96	72	3200	960	CCC	X N N N J2DA (DETAIL INDEX 01) (DETAIL INDEX 01)	
02	3990013077676	U	M1077A1	I		FLAT RACK ONLY LIN DELETED IN SB 700-20 - NO REQUIREMENT						CCC	N N N J2DA
03	3990013077676	U	M1077A1	V		268	108	98	5000	1642	CCC	N N N J2DA	
		U	M1077A1	V		268	108	98	9000	1642	CCC	N N N J2DA	

UNCLASSIFIED

LEGEND VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

UNCLASSIFIED

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	SHIP	DESCRIPTION	NO PCS	REMARKS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
B84007 PV 01	1940001093313	N	G	BOAT PATROL FBRGLASS F-P BWEF	D		210	80	60	2025	584	XCXC CCC Y Y N C2BA	
B84293 V 02	1940012196785	U		BOAT LDG CRAFT IFL F470	I		35	17	9	190	3	CCCC CCC Y Y Y J3BA	
PV 03	1940012623993	U		F470	I		35	17	9	190	3	CCCC CCC Y Y Y J3BA	
V 05	1940012623993 REMARKS	V		F470	2		186	75	22	1000	178	CCCC X X Y Y N J2BA (DETAIL INDEX 05)	
V 07	1940014591333	U		7 PERSON	I		35	17	9	190	3	CCCC CCC Y Y Y J3BA	
C00255 PV 01	2350012836215	N	C	CARRIER AMBULANCE M1066	D		280	74	97	9968	1164	CCC CC N N N A2DA	
C05005 PV 01	5410015230254 REMARKS	U		CHEM PROT DEPLOY MED MILVAN	M		240	96	96	18351	1280	XCX N N N J2DB (DETAIL INDEX 01)	
V 02	5410015230256	U		MILVAN	M		240	96	96	18351	1280	XCX N N N J2DB	
C05006 PV 01	5410015230255	U		CHEM PROT DEP MED SYS NONE	I		240	96	96	12577	1280	XCX N N N J2DB	
C05007 PV 01	5410015224818	U		CHEM PROT DEP MED SYS NONE	I		240	96	96	75492	1280	XX N N N J2DD	
C05013 PV 01	5999015662000 REMARKS	R	7	COOLING EQUIP UNT CEU CEU	D		460	96	109	41080	2786	XX N N N R1DK (DETAIL INDEX 01)	
C05019 V 09	0000000000000	R	6	HABORMASTER CMD CTL C HTSP	D		169	89	94	4020	819	XCX X N N N R2DA	
V 06	2320015402007 REMARKS	R	3	M1152A1 W-SHLT M1152A1 W-SHLT	D		214	98	105	13100	1275	XX N N N R2DB (DETAIL INDEX 06)	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LINE (INDEX) NO	NATL STOCK NO (SET) (TOE LINE)	TYPE	DESCRIPTION	CLASS	NO	PCS	REMARKS	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	4	CCCH		
C07506	5410014824633	R 3	CHEM/BIO PROTECTIVE S	S				328	87	104	15980	1718										
PV 01	REMARKS		M8 TRK	G			CBPS IS A S788 SHELTER MTD ON M1113															
V 02	5410014824633	U 3	NONE	I			102	84	67	1500	333											
V 06	5410014824633	R 6	NONE	I			5410-01-482-4633 NSN FOR TAN															
	REMARKS		M1102 TRL	D			136	88	79	3680	548											
	REMARKS		M1102 TRL	D			WITH 10KW AUX GENERATOR AND OTHER EQUIPMENT															
C07756	5410014799727	U	CHEM PROT DEPMEDS	M			TM 10-5410-283-14&P															
V 02			NONE				240	96	96	10000	1280											
V 01	5410014799730	U	NONE	M			240	96	96	10000	1280											
V 03	5410014918601	U	NONE	M			240	96	96	10000	1280											
PV 04	5410014922114	U	NONE	M			240	96	96	10000	1280											
C10908	2350013523021	N C	CARRIER AMMO TRKD VEH	B			TM 9-2350-293-10															
V 13	REMARKS		M992A1	C			262	124	135	44000	2539											
V 14	2350013523021	N C	M992A1	C			262	124	127	44000	2388											
	REMARKS		M992A1	C			COMBAT LOADED WEIGHT 57,000 LBS															
PV 16	2350013689500	N C	M992A2	B			260	124	137	46000	2556											
PV 17	2350013689500	N C	M992A2	C			260	124	129	46000	2407											
	REMARKS		M992A2	C			COMBAT LOADED WEIGHT 58,275 LBS															
C10990	2350013383116	N C	CARRIER 120MM MORTAR	B			TM 9-2350-277-10															
V 01	REMARKS		M1064	C			210	119	105	27635	1519											
V 02	2350013383116	N C	M1064	C			210	106	80	27635	1031											
	REMARKS		M1064	C			MORTAR BASE PLATE & MG REMOVED & STOW ONBOARD															
V 36	2350013383116	N C	M1064	C			FUEL CAPACITY 95 GAL DIESEL															
V 37	2350013383116	N C	M1064	9B			210	106	80	27635	1031											
	REMARKS		M1064	9B			210	106	105	27635	1353											
PV 05	2350013696082	N C	M1064A3	B			210	119	105	27635	1519											
PV 20	2350013696082	N C	M1064A3	C			210	106	80	27635	1031											

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	SHIP	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
C10990			C	C	CARRIER 120MM MORTAR		TM 9-2350-277-10				
V 38	2350013696082	REMARKS	N C	9B	M1064A3		MORTAR BASE & MG REMOVED & STOWED ONBOARD	210	106 105	27635	1353
V 39	2350013696082		N C	9	M1064A3			210	106 80	27635	1031
C11158			N C	B	CARRIER ARMD CMD POST		TM 9-2350-277-10				
V 01	2350013545657		N C	C	M1068			194	106 107	25813	1274
V 02	2350013545657	REMARKS	N C	C	M1068		REDUCED WITH SHROUDS OFF	194	100 102	25813	1146
V 36	2350013545657	REMARKS	N C	C	M1068		FUEL CAPACITY 120 GAL DIESEL	194	100 102	25813	1146
V 37	2350013545657		N C	9B	M1068			194	100 107	25813	1202
PV 05	2350013696086		N C	B	M1068A3			205	106 107	25650	1346
PV 20	2350013696086		N C	C	M1068A3			205	100 102	25650	1210
V 38	2350013696086	REMARKS	N C	C	M1068A3		REDUCED WITH SHROUDS OFF	205	100 102	25650	1210
V 39	2350013696086		N C	9B	M1068A3			205	100 107	25650	1270
C11280			N C	D	CARRIER CARGO TRACKED		TM 9-2350-285-10				
PV 07	2350012816451		N C	8A	M973A1			280	74 97	9967	1164
22	2350012816451		V		M973A1			353	108 97	16600	2140
C11651			N C	D	CARRIER CMD COMM VEH		TM 9-2350-285-10				
PV 01	2350012818324		N C		M1065			280	74 97	10782	1164
C12155			N C	B	CARRIER PERS F/TRACK		TM 9-2350-277-10				
PV 01	2350010853792		N C	C	M981			210	106 108	27900	1392
PV 02	2350010853792		N C	C	M981			205	100 103	27900	1222
V 34	2350010853792	REMARKS	N C	9	M981		FUEL CAPACITY 95 GAL DIESEL	205	100 103	27900	1222
V 35	2350010853792		N C	9B	M981			205	100 108	27900	1282
C12815			N C	B	CARRIER SMK GEN TKMTD		TM 9-2350-266-10				
V 01	2350012030188		N C	C	M1059			192	106 101	24018	1190
V 03	2350012030188	REMARKS	N C	C	M1059		MACH GUN & GUN MOUNT REMOVED & STOWED ONBOARD	190	106 88	24018	1026

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	REMARKS	TYPE	DESCRIPTION	NO PCS	INCLD ONE 40-FT QUAD & TWO 20-FT END TRANSPORTED IN ISOPAC	TM 55-1945-205-10-4	TM 55-1945-205-10-2	CGO VEH (INDEX NO)	LD LIMITS (DETAIL INDEX 03)	WEIGHT (LB) (CU FT)	CGO LOAD IND
C14504					FLOATING CAUSEWAY								
					NONE								
					NONE								
					NONE								
					DUNNAGE MAT	1	240	96	102	4934800	312960		
PV 06	1945014732162			U									
PV 07	1945014732162			U									
PV 08	1945014732162			U									
PV 09	1945014732162			U									
PV 10	1945014732162			U									
PV 11	1945014732162			U									
PV 12	1945014732162			U									
PV 13	1945014732162			U									
PV 14	1945014732162			U									
PV 15	1945014732162			U									
PV 16	1945014732162			U									
PV 17	1945014732162			U									
C14572					RO/RO DISCHARGE FAC								
					NONE								
					RAMPS	1	1440	204	150	1280060	95430		
V 02	1945012192109			U									
V 03	1945012192109			U									
V 04	1945012192109			U									
V 05	1945012192109			U									
					OFFSHORE SECTION	6	999	252	60	140000	8742		
					OFFSHORE SECTION	1	999	252	60	150060	8742		
					NONE								
					HY DUTY MRNG BIT	1	240	96	102	2874400	189394		
PV 06	1945014732282			U									
PV 07	1945014732282			U									
PV 08	1945014732282			U									
PV 09	1945014732282			U									
PV 10	1945014732282			U									
PV 11	1945014732282			U									
PV 12	1945014732282			U									
PV 13	1945014732282			U									
PV 14	1945014732282			U									
PV 15	1945014732282			U									
PV 16	1945014732282			U									
PV 17	1945014732282			U									

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	REMARKS	DIMENSIONS (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT	CUBE	TOE LIN	INDEX	NO	IND
C20414			BRIDGE ARM VEH LCH				TM 5-5420-203-14										
PV 01	5420005229599	U	CLASS 60	L			403 158 70	29300	2580	CC	N	N	N	N	N	N	J1DC
V 02	5420005229599	U	CLASS 60	I			756 158 37	29300	2558	CC	N	N	N	N	N	N	J1DK
	REMARKS		CLASS 60	I			BRIDGE IN THE UNFOLDED POSITION										(DETAIL INDEX 02)
V 04	5420005229599	U	CLASS 60	E			30946	2426		CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
V 05	5420005229599	A	PANEL CTR FEMALE	I	2		129 65 37	1850	180	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
V 06	5420005229599	A	PANEL CTR MALE	I	2		129 65 37	1825	180	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
V 07	5420005229599	A	PANEL RAMP MALE	H	2		264 69 33	3800	348	CCC	CCC	CCC	CCC	CCC	CCC	CCC	J2CA
V 08	5420005229599	A	PANEL RMP FEMALE	I	2		264 68 33	3850	343	CCC	CCC	CCC	CCC	CCC	CCC	CCC	J2CA
V 09	5420005229599	A	CURB RAMP	I	4		105 4 5	92	2	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
V 10	5420005229599	A	CURB RAMP	I	4		155 4 4	137	2	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
V 11	5420005229599	A	CURB RAMP	I	4		103 4 4	94	1	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
V 12	5420005229599	A	CURB DECK	I	4		120 4 4	106	2	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
V 13	5420005229599	A	QUADRANT ASSY	I	1		39 26 24	530	14	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J3BA
V 14	5420005229599	A	TIE ROD RAMP	I	2		160 2 2	175	1	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
V 15	5420005229599	A	BRIDGE ACCESSORY	H	1		105 73 66	5700	293	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
C20550			CENT OFC TELE AUTO				TM 11-5805-803-13&P1										
PV 01	5805014525730	U	AN/TTC-56V1	I			140 84 76	3698	518	CCC	XXXX	Y	Y	Y	Y	Y	J2BA
C20617			CENTRAL OFFICE TELE				NONE										
PV 01	5805015303487	R 4	AN/TCC-56(V) 4	D			196 87 105	10241	1037	XX	N	N	N	N	N	N	R2DB
	REMARKS	4	AN/TCC-56(V) 4	D			MOD S788 SHLTR MTD/ ON M11113										(DETAIL INDEX 01)
V 03	5805016065263	R 6	AN/TCC-56(V) 4	D			142 89 71	2790	520	XCX	XXX	N	N	N	N	N	R2DA
C20688			BRIDGE CONV ST FIX				NONE										
01	5420002670026	U	BAILEY	E				5448	464	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J3BA
PV 02	5420002670026	A	BAG	I	24		29 7 2	1	1	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J3BA
PV 03	5420002670026	A	BEARING CRIB	I	24		15 4 6	2	1	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J3BA
PV 04	5420002670026	A	BEARING JUNCTION	I	6		61 25 16	282	15	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J3BA
PV 05	5420002670026	A	BOLT BRACING	I	36		5 4 2	1	1	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J3BA
PV 06	5420002670026	A	BOLT CONNECTOR	I	8		13 3 3	1	1	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J3BA
PV 07	5420002670026	A	BRACE SWAY	I	12		105 5 2	6	1	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
PV 08	5420002670026	A	CAPSILL CRIB	I	12		122 7 4	19	2	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J2BA
PV 09	5420002670026	A	CHESS JUNCTION	I	4		83 12 6	36	4	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J3BA
PV 10	5420002670026	A	CLAMP CORD	I	52		10 4 5	1	1	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	CCCC	J3BA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	S	NO PCS	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	CGO VEH LD LIMITS WEIGHT HGT TOE LIN (INDEX) NO	CGO LOAD IND
C20688											
PV 11	5420002670026		U	BRIDGE CONV ST FIX	I	32	NONE	11	5	3	1
PV 12	5420002670026		U	CLAMP TRANSOM	I	4	52	20	3	10	2
PV 13	5420002670026		U	FRAME BRACING	I	6	16	3	12	6	1
PV 14	5420002670026		U	LINK JUNCTION	I	6	11	8	6	4	1
PV 15	5420002670026		U	LINK LAUNCHING	I	120	9	2	2	1	1
PV 16	5420002670026		U	PIN CONNECTOR	I	2	5	3	1	1	1
PV 17	5420002670026		U	PIN SWAY BRACE	I	16	12	3	2	3	1
PV 18	5420002670026		U	PLATE TIE	I	6	62	36	16	235	21
PV 19	5420002670026		U	POST JUNCT SPAN	I	6	63	25	16	200	15
PV 20	5420002670026		U	POST JUNCT SPAN	I	16	45	4	4	2	1
PV 21	5420002670026		U	RETAINER SIDE	I	200	10	10	7	1	1
PV 22	5420002670026		R	BAILEY	I	0	278	94	60	10452	908
		REMARKS		BAILEY							
				TRANSOM ON M796 TLR							
C22058											
PV 01	5420005303785		U	BRIDGE ERECT ST FIX	E		NONE				
PV 02	5420005303785		U	BAILEY	J	1	117	49	40	24280	712
PV 03	5420005303785		U	MULTIPLE ITEMS	J	1	67	35	40	3410	133
PV 04	5420005303785		U	MULTIPLE ITEMS	J	1	54	54	62	1650	55
PV 05	5420005303785		U	MULTIPLE ITEMS	J	1	54	54	56	2760	105
PV 06	5420005303785		U	MULTIPLE ITEMS	J	2	54	24	19	2380	95
PV 07	5420005303785		U	BUNDLE NO 5	2	2	48	24	17	377	15
PV 08	5420005303785		U	BUNDLE NO 6	2	2	48	24	17	306	12
PV 09	5420005303785		U	MULTIPLE ITEMS	J	12	47	12	7	190	3
PV 10	5420005303785		U	MULTIPLE ITEMS	J	12	30	15	10	139	3
PV 11	5420005303785		U	MULTIPLE ITEMS	J	2	21	20	21	190	6
PV 12	5420005303785		U	MULTIPLE ITEMS	J	10	63	17	10	690	7
PV 13	5420005303785		U	MULTIPLE ITEMS	J	6	52	16	14	253	7
PV 14	5420005303785		U	MULTIPLE ITEMS	J	6	53	15	13	250	6
PV 15	5420005303785		U	MULTIPLE ITEMS	J	1	51	18	8	276	5
PV 16	5420005303785		U	MULTIPLE ITEMS	J	6	52	14	14	322	6
PV 17	5420005303785		U	MULTIPLE ITEMS	J	3	123	10	10	260	8
PV 18	5420005303785		R	BAILEY	0	0	342	115	118	29927	2686
		REMARKS		BAILEY							
				BAY MTD ON M817 WVN							
PV 19	5420005303785		R	BAILEY	0	0	321	121	120	31136	2698
		REMARKS		BAILEY							
				BAY MTD ON M929AL							

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	V E H I C L E	T Y P E	S H I P	DESCRIPTION	NO PCS	DIMENSIONS (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	AMC	CERTIFIED CRITERIA	IND
							---	---	---	---	---	---	---
C22811					BRIDGE FIX HWY GIRDER		TM 5-5420-212-23						
V 21	5420001723520	B	U	H	MULTIPLE ITEMS	2	130 100 67	5220	505	(17)	CCCX	XXX	N N N J2DA
V 22	5420001723520	B	U	H	MULTIPLE ITEMS	1	123 89 86	6720	545	(17)	CCCX	XX	N N N J2DA
V 23	5420001723520	B	U	H	MULTIPLE ITEMS	1	172 71 71	6944	502	(17)	CCC	X X Y	N N J2BA
V 24	5420001723520	B	U	H	MULTIPLE ITEMS	2	126 71 53	4625	275	(17)	CCCC	XXXX	Y Y N J2BA
V 25	5420001723520	B	U	H	MULTIPLE ITEMS	3	114 91 42	4322	253	(17)	CCCC	XXXX	N N N J2DA
V 26	5420001723520	B	U	H	MULTIPLE ITEMS	1	160 100 67	6324	621	(17)	CCC	XXX	N N N J2DA
V 27	5420001723520	B	U	H	MULTIPLE ITEMS	1	123 89 86	6000	545	(17)	CCCC	XX	N N N J2DA
V 28	5420001723520	B	U	H	MULTIPLE ITEMS	1	172 72 60	5138	430	(17)	CCCC	X X Y	N N J2BA
V 29	5420001723520	B	U	H	MULTIPLE ITEMS	1	105 77 65	4368	305	(17)	CCCC	XXXX	Y Y N J2BA
V 30	5420001723520	B	U	J	MULTIPLE ITEMS	1	73 63 53	3750	142	(17)	CCCC	XXXX	Y Y Y J3BA
V 31	5420001723520	B	U	J	MULTIPLE ITEMS	1	128 25 35	1589	65	(17)	CCCCC	XXXX	Y Y N J2BA
V 32	5420001723520	R	4	0	100-FT LG		337 98 144	32814	2753		X		N N R1DC
	REMARKS				100-FT LG		DOUBLE STORY CTR PALLET ON M817						(DETAIL INDEX 32)
V 34	5420001723520	R	4	0	100-FT LG		337 98 129	30963	2466		XX		N N R1DC
	REMARKS				100-FT LG		LONG RAMP PALLET ON M817						(DETAIL INDEX 34)
V 36	5420001723520	R	4	0	100-FT LG		337 98 132	31693	2523		XX		N N R1DC
	REMARKS				100-FT LG		END OF BRIDGE PALLET ON M817						(DETAIL INDEX 36)
V 38	5420001723520	R	4	0	100-FT LG		337 98 122	27536	2332		XX		N N R1DC
	REMARKS				100-FT LG		DOUBLE STORY CTR 1 PALLET ON M817						(DETAIL INDEX 38)
V 40	5420001723520	R	4	0	100-FT LG		337 98 140	32637	2676		XX		N N R1DC
	REMARKS				100-FT LG		SPARE COMPONENTS PALLET ON M817						(DETAIL INDEX 40)
V 42	5420001723520	R	4	0	100-FT LG		337 98 144	30069	2753		X		N N R1DC
	REMARKS				100-FT LG		SHORT RAMPS PALLET ON M817						(DETAIL INDEX 42)
V 44	5420001723520	R	4	0	100-FT LG		337 98 113	26321	2160		XX		N N R1DC
	REMARKS				100-FT LG		EMPTY PALLETS ON M817						(DETAIL INDEX 44)
V 46	5420001723520	R	7	0	100-FT LG		337 98 144	32814	2753		X		N N R1DC
	REMARKS				100-FT LG		DOUBLE STORY CTR PALLET ON M796						(DETAIL INDEX 46)
V 48	5420001723520	R	7	0	100-FT LG		337 98 129	30963	2466		XX		N N R1DC
	REMARKS				100-FT LG		LONG RAMP PALLET ON M796						(DETAIL INDEX 48)
V 50	5420001723520	R	7	0	100-FT LG		337 98 132	31693	2523		XX		N N R1DC
	REMARKS				100-FT LG		END OF BRIDGE PALLET ON M796						(DETAIL INDEX 50)
V 52	5420001723520	R	7	0	100-FT LG		337 98 122	27536	2332		XX		N N R1DC
	REMARKS				100-FT LG		DOUBLE STORY CTR 1 PALLET ON M796						(DETAIL INDEX 52)
V 54	5420001723520	R	7	0	100-FT LG		337 98 140	32637	2676		XX		N N R1DC
	REMARKS				100-FT LG		SPARE COMPONENTS PALLET ON M796						(DETAIL INDEX 54)
V 56	5420001723520	R	7	0	100-FT LG		337 98 144	30069	2753		X		N N R1DC

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY	VEH	PRE	DESCRIPTION	S	NO	PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	WGT	HGT	TOE	INDEX	NO	CGO LOAD	IND	
C27309	5420011391503	U			LINK REINFORCE SET	I	0	7	TM 5-5420-212-23	430	2657	CGO VEH	LD LIMITS	WEIGHT	HGT	TOE	INDEX	NO	CGO LOAD	IND	
PV 02	5420011391503				NONE		60	14	14	14	430										
03	5420011391503	R			NONE		337	98	139	32954	2657										
05	5420011391503	R			NONE		0	0	LINK SET PALLET 1 ON M817												
07	5420011391503	R			NONE		0	0	LINK SET PALLET 2 ON M817		2973										
09	5420011391503	R			NONE		0	0	LINK SET PALLET 1 ON M796		1818										
11	5420011391503	R			NONE		0	0	LINK SET PALLET 2 ON M796		1889										
13	5420011391503	R			NONE		0	0	LINK SET PALLET 1 ON M929A2		2714										
15	5420011391503	R			NONE		0	0	LINK SET PALLET 2 ON M929A2		3035										
17	5420011391503	R			NONE		0	0	LINK SET PALLET 1 ON M1076		2095										
19	5420011391503	R			NONE		0	0	LINK SET ON M1 FLATRACK MTD ON M1076		2709										
V 20	5420011391503				NONE		0	0	LINK SET ON M1 FLATRACK MTD ON M1977		1440										
V 21	5420011391503	A			NONE		1	1	188 83 85 8000		768										
C27633	7360014733408	U			CONTAINERIZED KITCHEN	M	2	1	175 83 80 7600		673										
PV 01	7360014733408				NONE		240	96	96 15000		1280										
V 02	7360014733408	R			NONE		297	96	132 20500		2178										
C27707	7010014728107	U			COMPUTER SYS DIGITAL AN/TYQ-109V1	J	0	0	MTD ON TLR		36										
PV 01	7010014728107				NONE		39	23	69 494												
C27769	4510014777763	U			CONTAINERIZED SHOWER	M	0	0	NONE		1280										
PV 01	4510014777763				NONE		240	96	96 10000												
C27775	7010014728111	U			COMPUTER SYS DIGITAL AN/TYQ-109V2	J	0	0	NONE		36										
PV 01	7010014728111				NONE		39	23	69 494												
C27837		U			CNT SELF SVC LAUNDRY	J	0	0	TM 10-3510-224-13&P												

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHIP	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LD LIMITS	CGO VEH	CGO LOAD IND		
C27837 V 01	3510014749035	U	CNT SELF SVC LAUNDRY MODEL A	M	1	TM 10-3510-224-13&P	240	96	10000	1280	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->	
PV 02	3510014850457	U	MODEL B	M	1	NONE	240	96	10000	1280	CCC	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 HGT CUBE 37 11 8144 FT FT 3 TOE LIN 0 03 077 L	
C27883 PV 01	4510014777764	U	CONTAINERIZED LATRINE	M	1	NONE	240	96	10000	1280	CCC	5 SN	
C27974 PV 01	7010015384231	U	COMPUTER SYS DIGITAL AN/TYQ-1421	I	1	NONE	106	61	59	3065	221	XXCX XXXX Y Y N J2BA	
C28019 V 01	3510015272209	U	CONTAIN BATCH LAUNDRY	M	1	NONE	240	96	14960	1280	CCC	N N N J2DB (DETAIL INDEX 01)	
V 02	3510015272209	U	NONE	M	1	PACKOUT #1 (USE WHEN MTD ON M1022A1 DOLLY)	240	96	16200	1280	CCC	N N N J2DB (DETAIL INDEX 02)	
V 03	3510015272209	R 7	NONE	0	1	PACKOUT #2 (PLS, HEMTT LHS, OR FMTV LHS TRANSPORTERS)	438	96	21110	2336	CCC	N N N R2DK (DETAIL INDEX 03)	
PV 07	3510015272210	U	NONE	M	1	MTD ON M1022A1 DOLLY	240	96	14960	1280	CCC	N N N J2DB (DETAIL INDEX 07)	
V 08	3510015272210	U	NONE	M	1	PACKOUT #1 (USE WHEN MTD ON M1022A1 DOLLY)	240	96	16200	1280	CCC	N N N J2DB (DETAIL INDEX 08)	
V 09	3510015272210	R 7	NONE	0	1	PACKOUT #2 (PLS, HEMTT LHS, OR FMTV LHS TRANSPORTERS)	438	96	21110	2336	CCC	N N N R2DK (DETAIL INDEX 09)	
C28796 PV 01	5895015009265	U	MISSION EQUIPMENT PKG AN/ASC-38	M	1	NONE	51	80	124	2300	293	XX	N N N J1DA (DETAIL INDEX 01)
C32887 PV 01	4940010259856	R 6	CLEANER STM TLR MTD	B	1	TM 9-4940-531-24P	144	72	89	2780	534	CCC	CC N N N R2DA (DETAIL INDEX 01)
PV 02	4940010259856	R 6	NONE	B	1	MTD ON MODIFIED M116A2 TLR CHASSIS	100	72	89	2780	371	CCCX	CC N N Y R3DA (DETAIL INDEX 02)
C33925			IMPROVED BOAT CRADLE	C	1	TM 5-5420-277-14&P							

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
C36518 PV 01	2230013344930	R 8	CRANE RAILROAD TIE TIE CRANE	D	1	NONE	18000	2006	X	N N N R1DB
C36586 PV 01 PV 02 V 03	3810014482619 3810014482619 3810014482619	N 8 N 8 A	CRANE WHEEL MOUNTED AT422T AT422T HEADACHE BALL	B C I	1	NONE	44271 44099 172	2909 2909 3	CC CC CCCC	N N N A1DC N N N A1DC Y Y Y J3BA
14	3810015537771	N 8	AT422T 25TON	D						(NEEDS DATA)
C38874 PV 06	3950011109224	N 8	CRANE TRK MTD 140-TON	B		TM 10-3950-264-14&P1	191225	31825	C	N N N A0DP (DETAIL INDEX 06)
PV 08	3950011109224	N 8	HC-238A	B		WITH 50-FT BOOM				
V 09	3950011109224	A	A-UPPER CNTR WT	I	1	450 142 147	85335	5436	CCX	N N N A1DL
V 10	3950011109224	A	B-UPPER CNTR WT	I	1	132 64 60	30000	294	CCX	Y Y N J1BC
V 11	3950011109224	A	BUMPER CNTR WT	I	1	132 39 84	30000	251	CCX	N Y N J1CC
V 12	3950011109224	A	LIVE MAST ASSY	I	1	142 14 30	11400	35	CCCX	Y Y N J1BB
V 13	3950011109224	A	OUTRIGGER FLOAT	I	4	334 82 22	7000	349	CCC	N Y N J2CA
V 14	3950011109224	A	OUTRIGGER FLOAT	I	4	30 30 10	170	6	CCCC	Y Y Y J3BA
V 15	3950011109224	A	OUTRIGGER BOX	I	2	30 30 18	130	10	CCCC	Y Y Y J3BA
V 16	3950011109224	A	BOOM BACK STOPS	I	2	141 24 42	7500	83	CCCCX	Y Y N J2BA
V 17	3950011109224	A	BOOM BASE SECT	I	1	237 15 6	330	13	CCC	N Y N J2CA
V 18	3950011109224	A	BOOM TOP SECTION	I	1	309 68 60	2110	730	CCC	N Y N J2CA
V 19	3950011109224	A	WIRE ROPE	T	1	334 68 60	4610	789	CCC	N Y N J2CA
V 21	3950011109224	A	WIRE ROPE	T	2	28 28 20	970	10	CCCC	Y Y Y J3BA (COMPONENT INDEX 19)
V 24	3950011109224	N 8	WIRE ROPE	T	2	36 36 20	1665	15	CCCC	Y Y Y J3BA (COMPONENT INDEX 21)
V 25	3950011109224	N 8	WIRE ROPE	T	2	620 132 142	86480	6726	CC	N N N A1DL (DETAIL INDEX 24)
V 26	3950011109224	N 8	WIRE ROPE	T	2	620 122 142	66065	6216	CC	N N N A1DL (DETAIL INDEX 25)
V 27	3950011109224	N 8	WIRE ROPE	T	2	620 116 142	83825	5910	CC	N N N A1DL (DETAIL INDEX 26)
C39398			CRANE WHEEL MTD	D		A UPPER CWT, FRONT & REAR OUTTRIGGERS	89500	5910	CC	N N N A1DL (DETAIL INDEX 27)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H E C I E O C L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> (INCHES)---> LENGTH WIDTH HEIGHT (REMARKS)--->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 FT FT L 5 SN
C39398				CRANE WHEEL MTD		TM 5-3810-306-10		
V 01	3810012052716	N 5	B	RTCC	1	556 144 156 104100	7228	C
V 02	3810012052716	N 5	C	RTCC	1	360 144 106 49370	3180	CC
V 03	3810012052716	A 5	I	SUPERSTRUCTURE	1	545 136 114 44191	4890	CC
V 04	3810012052716	A 5	I	OVERHAUL BALL	1	21 12 12 229	2	CCCC CCCC Y Y Y J3BA
V 05	3810012052716	A 5	I	HOOK BLOCK	1	51 24 14 710	10	CCCC CCCC Y Y Y J3BA
V 06	3810012052716	A 5	I	20-FT SPREADER	1	240 96 21 3200	280	CCC X N N N J2DA
V 07	3810012052716	A 5	I	40-FT SPREADER	1	480 96 21 6400	560	CCC (COMPONENT INDEX 07)
PV 09	3810014971001	N 5	B	RT875CCS	1	556 144 157 97325	7275	N N N A0DL
PV 10	3810014971001	N 5	B	RT875CCS	1	W/SPREADER BAR	7275	(DETAIL INDEX 09)
V 11	3810014971001	A 5	C	RT875CCS	1	556 144 157 95800	7275	N N N A0DL
C40746				CMD SYSTEM TACTICAL		TM 9-5895-616-12&P2		
PV 01	5895014171880	R 7	M	JTAGS	1	240 96 96 14066	1280	CCC N N N J2DB
V 02	5895014171880	R 7	0	JTAGS	1	438 96 96 21150	2336	CCC N N N R2DK
C40814				CMD SYSTEM TACTICAL		TM 11-5895-1812-23		
PV 01	5895014258319	R 4	D	SG-1207 A/U	1	NONE	2944	CC N N N R1DC
C40996				COMMAND SYS TACTICAL		TM 11-5895-1812-23		
V 01	5895015359546	R 4	M	AN/TSQ-232V2	1	194 86 102 7146	985	XCX N N N J2DA
PV 06	5895015359546	R 4	B	AN/TSQ-232V2	1	208 102 112 11500	1376	XX N N N R1DB
PV 07	5895015359546	R 4	C	AN/TSQ-232V2	1	214 98 105 11500	1275	XX N N N R2DB
11	5895015359546	R 4	C	AN/TSQ-232V2	1	MTD ON M1152	1275	XX (DETAIL INDEX 07)
V 02	5895015360109	R 4	0	AN/TSQ-232V2	1	214 98 105 11500	1275	XX N N N R2DB
09	5895015360109	R 4	M	AN/TSQ-232V4	1	133 96 71 2861	525	XCXX XXX N N N J2DA
			M	AN/TSQ-232V4	1	SELF CONTAINED SHELTER		(DETAIL INDEX 02)
			0	AN/TSQ-232V4	1	214 98 105 13100	1275	XX N N N R2DB
			0	AN/TSQ-232V4	1	MTD ON M1152A1 W B2		(DETAIL INDEX 09)

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	STATUS	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO LOAD	INDEX	IND
C43399 01	5895014955980	R 3	CENTRAL COMM TROJAN AN/TSQ-226 (V)	0	0	TM 11-5895-1708-12&P					
V 02	5895014955980	R 3	REMARKS AN/TSQ-226 (V)	0	0	CONSIST OF 2 M1113 W SHLTR / SATLE TOWING 2 M1102 TRL	1122				
V 09	5895014955980	R 3	REMARKS AN/TSQ-226V3	0	0	209 90 103 10340	1176				
PV 11	5895014955980	R 6	REMARKS AN/TSQ-226 SHL	0	0	SATELLITE SHELTER MTD ON M1113	688				
PV 12	5895014955980	R 6	REMARKS AN/TSQ-226 SHL	0	0	S-788 SHELTER MTD ON M1113	358				
C50111 V 04	6530011253268	U	CAB SOLUTION WARMING 115/230V	I	32	NONE	400	41			
V 06	6530013253746	U	NONE	I	32	29 75	400	41			
PV 09	6530015184994	U	120/240V	I	32	29 75	400	41			
V 02	6530015790340	U	115/230V	I	32	29 75	400	41			
C54719 PV 01	6640010467238	U	CNTRFG LAB GEN PURPOSES 115V 60HZ	I	31	26 58	360	27			
C58976 01	5820014352596	3	COM EQUIPMENT SOMS-B	U	55000	6597					
PV 02	5820014352596	3	REMARKS	U	MRBS HAS (2) M1097A2 AND (2) TRL W/30KW GEN MTD						
V 04	5820014352596	3	REMARKS	U	MRBS HAS (2) M1097A2 AND (2) TRL W/ 30KW GEN MTD						
V 06	5820014352596	3	REMARKS	R	MRBS WILL HAVE ONE M1097 W/S-788 SHELTER (PRIMARY)						
V 08	5820014352596	3	REMARKS	R	MRBS WILL HAVE ONE M1097 W/S-788 SHELTER (CARGO VEH)						
V 10	5820014352596	3	REMARKS	R	MRBS WILL HAVE ONE M1097 W/S-788 SHELTER (PRIMARY)						
V 12	5820014352596	3	REMARKS	R	MRBS WILL HAVE ONE M1097 W/S-788 SHELTER (CARGO VEH)						

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
C58976				COM EQUIPMENT SOMS-B									
V 14	5820014352596	REMARKS	R 6	MRBS BCKUP TRL	6		166	85	77	4180	629	CCCKK DDBB CTN CTN 4 CCCH	
V 16	5820014352596	REMARKS	R 6	MTBS TRL	6		166	85	77	3850	629	115CC CC77 20 40 6	
				MTBS BCKUP TRL	6		166	85	77	3850	629	37 11 8144 FT FT 3	
				MTBS BCKUP TRL	6							0 03 077	L
C59125				COMMUNICATIONS SYSTEM									
P 01	5895013881454	REMARKS	U 6	AN/TSQ-198	6		197	100	81	9224	1421	XCXC X X N N N J2DA	
V 08	5895013881454	REMARKS	R 6	M1101 TRL	6		136	86	68	2724	461	XCXX XXXX N N N R2DA	
V 06	5895015510892	REMARKS	R 4	AN/TSQ-198A	4		192	96	97	6875	1035	XCX N N N R2DA	
				AN/TSQ-198A	4								
C60625				COMM CONTROL SET									
V 01	5895014508118	REMARKS	U 6	AN/TYQ-63AV3	6							CCCC CCCC Y Y Y J3BA	
V 02	5895014508118	REMARKS	A 6	HCU CONTROL MOD	6		35	29	21	165	13	CCCC CCCC Y Y Y J3BA	
V 03	5895014508118	REMARKS	A 6	COMSEC MODULE	6		35	29	16	120	10	CCCC CCCC Y Y Y J3BA	
V 04	5895014508118	REMARKS	A 6	RADIO MODULE	6		35	29	21	210	13	CCCC CCCC Y Y Y J3BA	
V 05	5895014508118	REMARKS	A 6	NETWORK MODULE	6		35	29	16	126	10	CCCC CCCC Y Y Y J3BA	
V 06	5895014508118	REMARKS	A 6	PHONE MODULE	6		35	29	21	135	13	CCCC CCCC Y Y Y J3BA	
V 07	5895014508118	REMARKS	A 6	UPS MODULE	6		35	29	21	190	13	CCCC CCCC Y Y Y J3BA	
V 08	5895014508118	REMARKS	A 6	CCU TRAN CASE	6		30	21	22	95	8	CCCC CCCC Y Y Y J3BA	
V 09	5895014508118	REMARKS	A 6	BASEPLATE TRN CS	6		14	39	27	101	9	CCCC CCCC Y Y Y J3BA	
V 10	5895014508118	REMARKS	A 6	UHF SATCOM ANTNA	6		6	8	20	4	1	CCCC CCCC Y Y Y J3BA	
V 11	5895014508118	REMARKS	A 6	UHF SATCOM ANTNA	6		6	8	20	4	1	CCCC CCCC Y Y Y J3BA	
V 12	5895014508118	REMARKS	A 6	ANTENNA MAST	6		12	12	72	97	6	CCCC CCCC Y Y Y J3BA	
V 13	5895014508118	REMARKS	A 6	ANTENNA ACCESS BAG	6		12	12	15	55	2	CCCC CCCC Y Y Y J3BA	
V 14	5895015034803	REMARKS	U 6	AN/TYQ-128V2	6					9765	679	CCCC XXXX Y Y Y J3BA	
V 15	5895015034803	REMARKS	U 6	TACTICAL CASE	6		35	60	62	1085	76	CCCC XXXX Y Y Y J3BA	
C61222				COMMAND SYSTEM TACTIC									
PV 01	5895015530048	REMARKS	U 6	AN/TYQ-146 (V)1	6		24	31	60	960	26	XCXC XXXX Y Y Y J3BA	
V 03	5895015577811	REMARKS	U 6	AN/TYQ-146BV1	6		65	36	24	960	33	CCCC CCCC Y Y Y J3BA	

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
UNCLASSIFIED

LEGEND
P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	LENGTH	HEIGHT	WEIGHT	CUBE	CGO VEH LD LIMITS	CGO LOAD IND
C61222 V 02	5895015656775	U	COMMAND SYSTEM TACTIC AN/TYQ-146BV1	I	41	26	24	400	15	700	CCCC CCCC Y Y Y J3BA
C61597			COMMAND SYS TACT								
PV 01	5895014764132	U	AN/TSQ-221	I	111	85	65	27436	3569	XCXC XXXX N N N J2DC	
V 09	5895014764132	R	AN/TSQ-221	D	215	90	104	10286	1165	XX N N N R2DB	
	REMARKS		AN/TSQ-221	D	AN/TSQ-221 SHELTER MTD ON M1113						(DETAIL INDEX 09)
V 11	5895014764132	R	M1097	D	191	93	75	7700	771	XCX X X N N N R2DA	
	REMARKS		M1097	D	SUPPORT TRK M1097 W/ WORKSTATIONS MTD IN BACK						(DETAIL INDEX 11)
V 13	5895014764132	R	PU-801	D	147	84	94	3160	672	XCX XXX N N N R2DA	
	REMARKS		PU-801	D	PU-801 MTD ON M116A3 TRL TO PROVIDE POWER						(DETAIL INDEX 13)
P 05	5895015746811	R	AN/TSQ-221	D	210	101	102	10000	1252	XCX N N N R2DB	
	REMARKS		AN/TSQ-221	D	MTD ON M1152						(DETAIL INDEX 05)
V 06	5895015746816	U	AN/TSQ-221	I	111	85	65	2584	355	XCXX XXXX N N N J2DA	
V 07	5895015746821	U	AN/TSQ-221	I	111	85	65	2584	355	XCXX XXXX N N N J2DA	
C61665			CMD SYSTEM TACT								
PV 01	5895015414812	U	AN/TSQ-243	I	76	67	58	25	171	XCXC XXXX Y Y Y J3BA	
C66801			CABLE LAYER TLR MTD								
PV 01	3895009734512	R	LC-236/MT	D	104	71	68	1180	291	CCCC CCCC Y Y Y R3BA	
C67686			COMPU SYSTEM DIGITAL								
PV 01	7010015388604	U	AN/TYQ-140	I	118	155	145	690	1535	XXXX XXXX N N N J0DA	
C72574			CALIB SET SEC TRANS								
PV 01	6695014731469	U	AN/GSM-421	M	102	84	67	2505	333	CCCC XXXX Y Y Y J3BA	
V 02	6695014731469	R	AN/GSM-421	R	207	85	104	9800	1059	CCCC XXXX N N N R2DA	
V 03	6695015922591	U	AN/GSM-421A(V)	I	240	96	96	8983	1280	XCX N N N J2DA	
	REMARKS		AN/GSM-421A(V)	I	CALIBRATION FACILITY/ SHELTER						(DETAIL INDEX 03)
V 05	6695015922591	R	M1085 LWB	O	352	96	208	32745	4068	XXXX XXXX N N N R0DC	
	REMARKS		M1085 LWB	O	SHELTER MTD ON M1085 LWB TRK						(DETAIL INDEX 05)
V 07	6695015922591	R	M0195 TRL	D	230	96	82	10129	1048	XCX X N N N R2DB	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	WEIGHT	HGT	CUBE	TOE LIN	INDEX	NO
C78135 PV 01	5895015770131	CENTER COMM OPS AN/TSQ 253V3	I	390	98	105	NONE	18949	2323								
C78192 PV 01	5895015786623	CENTER COMM OPS AN/TSQ-253V2	I	214	98	105	TM 11-5895-1986-13&P	12430	1275								
C78771 PV 01	5895013235724	CENTRAL COMMUNICATION AN/TSQ-128	I	89	73	73	NONE	2500	275								
C78793 PV 01	5805010288394	CENT OFFICE TEL AUTO AN/TTC-41V2	M	115	80	70	TM 11-5805-693-12	3452	373								
V 02	5805010288394	REMARKS	0	195	85	104		8452	998								
V 04	5805010288394	REMARKS	0	217	82	102	MTD ON M1037	9352	1051								
V 06	5805010288394	REMARKS	0	219	80	104	MTD ON M1028	8332	1055								
V 08	5805010288394	REMARKS	0	232	86	101	MTD ON M885	10932	1167								
V 10	5805010288394	REMARKS	0	219	80	104	MTD ON M561	8420	1055								
12	5805010288394	REMARKS	0	178	108	74	MTD ON M884	4032	824								
C79284 01	6525014197886	COMPUTERIZ TOMO SCNR NONE	E				NONE	13500	1344								
V 04	6525014197886	CT DEPDM UNIT	M	1	240	96		13000	1280								
V 05	6525014197886	INJECTOR	H	1	46	40		500	64								
02	6525014250176	NONE	E					13500	1344								
V 06	6525014250176	CT DEPDM UNIT	M	1	240	96		13000	1280								
V 07	6525014250176	INJECTOR	H	1	46	40		500	64								
03	6525015117357	NONE	E					13500	1344								
PV 08	6525015117357	CT DEPDM UNIT	M	1	240	96		13000	1280								
PV 09	6525015117357	INJECTOR	H	1	46	40		500	64								

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM) WEIGHT (LB) LENGTH WIDTH HEIGHT (INCHES)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CHARACTERISTICS	OTHER
C84930 PV 01	2320014839755	REMARKS	U U	I I	CNTR HANDLING HEMTT HEMTT LHS HEMTT LHS	1	NONE 84 96 42 4775 196	CCCC	CCC N N N J2DA (DETAIL INDEX 01)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
C90531 V 01	5895013696170	REMARKS	U	I	COMM CONTROL SET AN/TSQ-182	1	TB 11-7010-269-10 19789	XCXX	XXXX Y Y Y J3BA (DETAIL INDEX 09)	
V 09	5895013696170	REMARKS	U	I	SHLT LP/PDI-90	1	102 84 71 4400 352	XCX	N N N R2DA (DETAIL INDEX 11)	
V 11	5895013696170	REMARKS	R 3	0	TRK M1152A1	3	205 84 101 9860 1007	XCX	X X N N R2DA (DETAIL INDEX 13)	
V 13	5895013696170	REMARKS	R 3	0	TRK M1152A1	3	194 91 75 9870 767	XCX	XXX N Y N R2CA (DETAIL INDEX 15)	
V 15	5895013696170	REMARKS	R 6	0	TRK M1165A1 PU-2002	6	147 70 84 3400 501	XCX	XXXX Y Y N J2BA (DETAIL INDEX 03)	
V 03	5895014422098	REMARKS	R 3	0	AN/TSQ-182/A	3	205 84 101 9860 1007	XCX	XXXX Y Y N J2BA (DETAIL INDEX 09)	
PV 02	5895014670334		U	M	AN/TSQ-182B	1	139 84 70 3249 473	XCXC	XXXX Y Y N J2BA (DETAIL INDEX 01)	
C90546 V 01	1430014489835	REMARKS	R 4	0	COMM RELAY GRP	4	TM 9-1425-1604-10 378 100 142 39390 3107	CC	N N N R1DC (DETAIL INDEX 01)	
PV 03	1430014489835	REMARKS	U	M	NONE	4	222 98 88 9500 1108	CCC	CC N N N J2DA (DETAIL INDEX 06)	
V 09	1430014489835	REMARKS	R 4	0	AN/MRC-147	4	362 101 146 36530 3090	X	N N N R1DC (DETAIL INDEX 09)	
C90599 PV 01	5895013875792	REMARKS	R 3	0	COMM CONTROL SET AN/TSQ-183A	3	TB 11-7010-269-10 180 85 96 7080 850	CCC	N N N R2DA (DETAIL INDEX 01)	
V 06	5895013875792	REMARKS	R 3	0	AN/TSQ-183A	3	205 90 96 8670 1025	XCX	XXXX Y Y Y J3BA (DETAIL INDEX 08)	
V 08	5895013875792	REMARKS	U	I	AN/TSQ-183A SHELTER	1	102 84 71 4400 352	XCXX	XXXX Y Y Y J3BA (DETAIL INDEX 08)	
V 10	5895013875792	REMARKS	R 3	0	SHELTER TRK M1152A1	3	205 90 96 8670 1025	XCX	N N N R2DA (DETAIL INDEX 10)	
V 12	5895013875792	REMARKS	R 6	0	TRK M1152A1 PU-2002 TRL	6	147 70 84 3400 501	XCX	XXX N Y N R2CA (DETAIL INDEX 01)	

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> WEIGHT (LB) (CU FT) LENGTH WIDTH HEIGHT (REMARKS)----->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
C90599		REMARKS	6	D	COMM CONTROL SET PU-2002 TRL		TB 11-7010-269-10		(DETAIL INDEX 12)
02	5895014670332		U	I	AN/TSQ-183D		10020 1344		
C90667		REMARKS	3	D	COMM CONTROL SET AN/TSQ-184		TB 11-7010-269-10		
PV 01	5895013696167	REMARKS	3	D	AN/TSQ-184		180 85 96 6897 850		CCC N N N R2DA (DETAIL INDEX 01)
02	5895014422094		U	I	AN/TSQ-184C		10086 1344		
C90735		REMARKS	3	M	COMM CONTROL SET AN/TSQ-184A		TB 11-7010-269-10		
V 01	5895013875620		U	M	AN/TSQ-184A		128 92 71 3500 484		CCCC XCX N N N J2DA
V 04	5895013875620	REMARKS	3	0	AN/TSQ-184A		191 92 104 10000 1058		CCC C N N N R2DB (DETAIL INDEX 04)
V 02	5895014417285		U	M	AN/TSQ-184D		128 92 71 3500 484		CCCC XCX N N N J2DA
V 06	5895014417285	REMARKS	3	0	AN/TSQ-184D		191 92 104 10000 1058		CCC C N N N R2DB (DETAIL INDEX 06)
PV 03	5895014670333		U	M	AN/TSQ-184F		128 92 71 3500 484		CCCC XCX N N N J2DA
V 08	5895014670333	REMARKS	3	0	AN/TSQ-184F		191 92 104 10000 1058		CCC C N N N R2DB (DETAIL INDEX 08)
C91673		REMARKS	3	D	CMD SYS TAC AN/TSQ 252		TM 11-5895-306-13&P		
PV 01	5895015478941	REMARKS	3	D	AN/TSQ 252		214 98 105 11260 1275		XX N N N R2DB (DETAIL INDEX 01)
CB0000		REMARKS	U	I	ISO CONTAINER 01-TYII STY		NONE		
V 04	8145012873293	REMARKS	U	I	01-TYII STY		240 96 96 25000 1280		CCC N N N J2DC (DETAIL INDEX 04)
V 25	8145012873295	REMARKS	U	I	01-TYII STY		TARE WT 8120/CONFIG --/5B NSN 8145-LL-LCA-0121		CCC N N N J2DC (DETAIL INDEX 04)
		REMARKS	U	I	09-TYII STY		240 96 96 25000 1280		CCC N N N J2DC (DETAIL INDEX 25)
		REMARKS	U	I	09-TYII STY		TARE WT 13,240/CONFIG 4A/4B NSN 8145-LL-LCA-0128		CCC N N N J2DC (DETAIL INDEX 25)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	DESCRIPTION	S H I P C O N F	NO PCS	DIMENSIONS (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
CB0000 V 37	8145012878565	REMARKS	U	ISO CONTAINER 13-TYII STY	I	240 96 96	25000	1280	1280	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->
V 31	8145012878566	REMARKS	U	13-TYII STY	I	240 96 96	25000	1280	1280	CCC	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
PV 01	8145012878567	REMARKS	U	11-TYII STY	I	240 96 96	25000	1280	1280	CCC	CCC N N N J2DC (DETAIL INDEX 31) (DETAIL INDEX 31)
V 34	8145012889696	REMARKS	U	01-TYI STY 1	I	240 96 96	25000	1280	1280	CCC	CCC N N N J2DC (DETAIL INDEX 01) (DETAIL INDEX 01)
V 28	8145012889697	REMARKS	U	01-TYI STY 1	I	240 96 96	25000	1280	1280	CCC	CCC N N N J2DC (DETAIL INDEX 28) (DETAIL INDEX 28)
V 07	8145012889698	REMARKS	U	12-TYII STY	I	240 96 96	25000	1280	1280	CCC	CCC N N N J2DC (DETAIL INDEX 34) (DETAIL INDEX 34)
V 13	8145012893366	REMARKS	U	10-TYII STY	I	240 96 96	25000	1280	1280	CCC	CCC N N N J2DC (DETAIL INDEX 07) (DETAIL INDEX 07)
V 10	8145012893367	REMARKS	U	03-TYII STY	I	240 96 96	25000	1280	1280	CCC	CCC N N N J2DC (DETAIL INDEX 13) (DETAIL INDEX 13)
V 16	8145012893368	REMARKS	U	05-TYII STY	I	240 96 96	25000	1280	1280	CCC	CCC N N N J2DC (DETAIL INDEX 10) (DETAIL INDEX 10)

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	NO	PCS	REMARKS	WEIGHT (LB)	HEIGHT (CU FT)	CGO VEH LD LIMITS	CERTIFICATION	INDEX
CB0000 V 19	8145012901382 REMARKS	U	ISO CONTAINER 07-TYII STY	I	240	96	25000	1280	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <H-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N J2DC (DETAIL INDEX 19) (DETAIL INDEX 19)
V 43	8145012907335 REMARKS	U	15-FLATRACK 15-FLATRACK	I	240	96	25000	1280	CCC	CCC N N N J2DC (DETAIL INDEX 43) (DETAIL INDEX 43)	N N N J2DC (DETAIL INDEX 43) (DETAIL INDEX 43)
V 40	8145012910937 REMARKS	U	14-HALF HT 14-HALF HT 14-HALF HT	I	240	96	25000	707	CCC	CCC N N N J2DC (DETAIL INDEX 40) (DETAIL INDEX 40)	N N N J2DC (DETAIL INDEX 40) (DETAIL INDEX 40)
CB0001 PV 01	8145012873294 REMARKS	U	TRI-CON CONTAINERS 16-TYII STY	I	78	96	10000	416	CCCC	CCC N N N J2DB (DETAIL INDEX 01) (DETAIL INDEX 01)	N N N J2DB (DETAIL INDEX 01) (DETAIL INDEX 01)
V 13	8145012878563 REMARKS	U	20-ARMORY 20-ARMORY 20-ARMORY	I	78	96	10000	416	CCCC	CCC N N N J2DB (DETAIL INDEX 13) (DETAIL INDEX 13)	N N N J2DB (DETAIL INDEX 13) (DETAIL INDEX 13)
V 10	8145012878564 REMARKS	U	19-TYII STY 19-TYII STY 19-TYII STY	I	78	96	10000	416	CCCC	CCC N N N J2DB (DETAIL INDEX 10) (DETAIL INDEX 10)	N N N J2DB (DETAIL INDEX 10) (DETAIL INDEX 10)
V 07	8145012890945 REMARKS	U	18-TYII STY 18-TYII STY 18-TYII STY	I	78	96	10000	416	CCCC	CCC N N N J2DB (DETAIL INDEX 07) (DETAIL INDEX 07)	N N N J2DB (DETAIL INDEX 07) (DETAIL INDEX 07)
V 04	8145012894329 REMARKS	U	17-TYII STY 17-TYII STY 17-TYII STY	I	78	96	10000	416	CCCC	CCC N N N J2DB (DETAIL INDEX 04) (DETAIL INDEX 04)	N N N J2DB (DETAIL INDEX 04) (DETAIL INDEX 04)
CB0061 V 02	2310010585722	R 4	BUS DED 01-1700	D	268	96	120	9990	XX	N N N R1DA	N N N R1DA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
CB0061 PV 01	2310LLLC10732	R 1	BUS DED 02-20 PASS	D	1	268 96 116 1400 1728	NONE	96	XX	N N N R1DA
CB0063 PV 01	2321010095273	R 4	BUS BOC 03-36 PASS	D	4	390 96 123 16120 2665	NONE	96	XX	N N N R1DB
CB0066 PV 01	2310012339969	R 4	AMB BUS CONV FC 00-1853FC	D	4	420 96 127 23300 2964	NONE	96	XX	N N N R1DK
CB0070 PV 01	2310LLLC10176	R 4	BUS DED 01-49 PASS	D	4	420 96 121 24000 2824	NONE	96	XX	N N N R1DK
CB0104 PV 01	2310005525874	R 2	SEDAN COMP 02-4-DOOR	D	2	169 72 58 2587 409	NONE	72	XCXC	X X Y Y N R2BA
CB0305 PV 01	2320007826848	R 4	TRUCK UTILITY 11-CU5	D	4	140 68 72 2715 397	NONE	68	XCX	XXXX Y Y N R2BA
CB0313 PV 01	2310LLLC10749	R 3	TRUCK CGO PU 6000 NONE	D	3	197 80 71 3378 648	NONE	80	XCX	X X Y Y N R2BA
CB0317 PV 01	2310LLLC10748	R 3	TRUCK CARRY ALL NONE	D	3	166 71 64 3084 437	NONE	71	XCXC	X X Y Y N R2BA
CB0319 PV 01	2320012082492	R 3	TRUCK PICKUP 4200 S10	D	3	209 67 65 2900 527	NONE	67	XCXC	X Y Y N R2BA
CB0327 PV 01	2320005552375	R 3	TRK PICKUP 9200LB 01-F350	D	3	228 80 71 4340 750	NONE	80	XCX	N Y N R2CA
CB0329 PV 01	2320000884412	R 4	TRUCK PANEL F/C NONE	D	4	198 76 78 6010 680	NONE	76	XCX	X X Y Y N R2BA
CB0330 V 03	2320012082490	R 3	TRUCK VAN 08-7P	D	3	175 78 77 3359 609	NONE	78	XCX	X X Y Y N R2BA
V 02	2320013360344	R 4	05-15P	D	4	220 78 96 8510 954	220 78 96	8510	XCX	N N N R2DA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	LENGTH (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN		
CB0525 PV 01	2320LLLC10177	R 4	TRUCK STAKE 01-1900	D		282	100	96	8764	1567	XCX	N N N R2DA
V 02	3920011245231	R 3	00-C7D064	D		272	63	84	4300	833	XCX	N Y N R2CA
CB0528 V 03	2320010304820	R 4	TRUCK STAKE F800	D		288	96	96	14000	1536	CX	N N N R2DB
V 02	2320010907907	R 4	00-M1017A	D		293	98	111	14000	1845	XX	N N N R1DB
PV 01	2320013339513	R 4	01-F800	D		258	96	102	13000	1462	XCX	N N N R2DB
CB0539 V 01	2320009260873	R 3	TRK CGO 2-1/2-TON 01-M35A2C	B		265	106	114	13526	1854	CC	N N N R1DB
V 02	2320009260873	R 3	01-M35A2C	C		265	98	82	13526	1233	CCC	N N N R2DB (DETAIL INDEX 02)
PV 28	2320013832047	R 3	00-M44A3	D		265	96	116	13900	1708	CC	N N N R1DB
CB0570 PV 01	1930007105728	N G	TRUCK AMPHIBIOUS 01-5-TON	D		425	124	122	21520	3721	XX	N N N C1DK
CB0582 PV 01	2320013184509	R 4	TRUCK STAKE 01-3450	D		321	96	89	21995	1588	XCX	N N N R2DC
CB0587 V 04	2320000508970	R 4	TRUCK DUMP 5-TON 01-M817	B		274	115	113	22615	2061	CC	N N N R1DC
V 05	2320000508970	R 4	01-M817	C		274	98	91	22615	1414	CCC	N N N R2DC (DETAIL INDEX 05)
PV 07	2320010478756	R 4	12-M929	B		257	98	120	23640	1749	CC	N N N R1DC
PV 08	2320010478756	R 4	12-M929	C		275	100	109	24340	1735	CC	N N N R2DC (DETAIL INDEX 08)
V 10	2320012300305	R 4	41-5T MIL	D		273	97	125	23820	1916	CC	N N N R1DC

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRUCK DUMP 15-20-TON	S H I P C O N F	VEHICLE DESCRIPTION	VEHICLE WEIGHT (LB)	VEHICLE HEIGHT (INCHES)	VEHICLE LENGTH (INCHES)	VEHICLE WIDTH (INCHES)	VEHICLE CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
CB0644 PV 02	2320011016752 REMARKS	R 4 4	TRUCK DUMP 15-20-TON 01-IHC F1954 01-IHC F1954	C C	TRUCK DUMP 15-20-TON	258	96	100	20140	1434	CCC	C N N N R2DC (DETAIL INDEX 02)
V 03	2320011950531 REMARKS	R 4	02-NAV F1954	B	02-NAV F1954	289	96	102	46000	1638	CC	N N N R2DC (DETAIL INDEX 03)
V 04	2320011950531 REMARKS	R 4 4	02-NAV F1954 02-NAV F1954	C C	02-NAV F1954 02-NAV F1954	290	96	101	23140	1628	CCC	N N N R2DC (DETAIL INDEX 04)
V 07	3805001927249	R 4	11-20T-F5070	B	11-20T-F5070	313	110	125	31026	2491	CC	N N N R1DC
V 08	3805001927249 REMARKS	R 4 4	11-20T-F5070 11-20T-F5070	C C	11-20T-F5070 11-20T-F5070	313	103	125	31026	2333	CC	N N N R1DC (DETAIL INDEX 08)
CB0645 PV 01	2320003499394 REMARKS	R 4	TRUCK TRACTOR 15-TON 11-GMC 15T	B	TRUCK TRACTOR 15-TON	278	98	112	18525	1766	CC	N N N R1DB (DETAIL INDEX 01)
PV 02	2320003499394 REMARKS	R 4 4	11-GMC 15T 11-GMC 15T	C C	11-GMC 15T 11-GMC 15T	278	98	102	18525	1609	CCC	N N N R2DB (DETAIL INDEX 02)
V 03	2320011947163	R 4	12-NAV-F1954	D	12-NAV-F1954	281	96	100	17775	1562	CCC	N N N R2DB
V 05	2320013010655	R 4	21-60000	D	21-60000	294	97	121	21100	1997	XX	N N N R1DC
V 06	2320013398009	R 4	01-52000	D	01-52000	252	98	107	16220	1530	XX	N N N R1DB
V 08	2320014324847	R 4	00-M915A3	D	00-M915A3	275	96	115	19080	1757	CC	N N N R1DB
CB0649 PV 01	2320012725029	R 4	TRUCK TRACTOR 00-M915A2	D	TRUCK TRACTOR	258	95	142	16815	2015	XX	N N N R1DB
CB0709 V 03	2320000721450	R 4	TRUCK LUB FUEL SERV 02-TC6D042	D	TRUCK LUB FUEL SERV	316	104	96	12110	1826	XCX	N N N R2DB
PV 01	2320012090649	R 4	21-FORD F700	D	21-FORD F700	298	98	142	28000	2400	CCC	N N N R2DC
V 02	2320111C10723	R 4	NONE	D	NONE	283	96	102	24000	1604	C	N N N R1DC
CB0713			TRUCK TIRE SERV		TRUCK TIRE SERV				NONE			

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	P	V	E	H	I	P	S	DESCRIPTION	NO PCS	LENGTH (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND	
CB0713 PV 02	2320011678433	R	4					D	TRUCK TIRE SERV 02-C7D042	4	296	95	133	17000	2165	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
CB0715 PV 01 PV 02	2320009043277 2320009043277 REMARKS	R	4 4 4					B C C	TRUCK MAINT PL CONST 01-M756A2WWN 01-M756A2WWN 01-M756A2WWN	4 4 4	287 287	108 98	109 101	16565 1644	1956 1644	CC CCC (DETAIL INDEX 02)
CB0720 PV 01	2310014998019	R	4					D	TRUCK EMER RESP 11-A265	4	276	108	136	28000	2346	XX N N N R1DC
CB0722 PV 01	2320011382937	R	4					D	TRUCK MAINT UTIL 31-CK30903	4	221	93	74	6714	881	XCX X N N R2DA
V 03	2320LLCC2825	R	4					D	32-CK36053	4	246	115	74	8419	1212	XX N N N R2DA
V 02	4930012086400	R	4					D	00-DD30903	4	219	84	82	8800	873	XCX X Y N R2BA
CB0725 PV 01	2320002553265	R	4					D	TRUCK OVERHEAD MAINT 21-IHC F1800	4	468	96	132	24590	3432	CC N N N R1DK
CB0726 PV 01	2320LLLC10725	R	4					D	TRUCK MAINT OVRHD NONE	4	468	96	132	24590	3432	XX N N N R1DK
CB0730 V 59	2320000510489	R	4					D	TRUCK WRECKER 5-TON 11-M816 WVN	4	349	98	113	34250	2237	CC N N N R1DC
V 04	2320010478754	R	4					B	12-M936 WVN	4	356	115	118	36629	2796	CC N N N R1DC
V 05	2320010478754 REMARKS	R	4					C	12-M936 WVN 12-M936 WVN	4 4	356 98	105	105	36629 2120	2120	CCC (DETAIL INDEX 05)
V 12	2320010907797 REMARKS	R	4					B	21-6X4 21-6X4	4 4	290 1976	119	118	18085	2357	CC N N N R1DB (DETAIL INDEX 12)
V 13	2320010907797 REMARKS	R	4					C	21-6X4 21-6X4	4 4	290 1976	100	118	18085	1981	CC N N N R1DB (DETAIL INDEX 13)
V 16	2320010907797 REMARKS	R	4					B	21-6X4 21-6X4	4 4	270 1974	117	109	18820	1993	CC N N N R1DB (DETAIL INDEX 16)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	<-LINE DESCRIPTION--> <---MODEL-----> (-COMPO DESCRIPTION-)	TRUCK WRECKER 5-TON 21-6X4 21-6X4 21-HOLMES750 61-MK36 61-5-TON TRUCK LDR AC 02-3-TON TRUCK UTIL GR MTN NONE TRK TANK FS 2-1/2-TON 11-M49A2C 11-M49A2C 11-M49A2C 11-M49A2C 11-M49A2C 21-1500G NONE TRUCK TNK AVGAS NONE NONE TRAILER CARGO 3/4-TON 01-M101A2 01-M101A2 01-M101A2	NO PCS	TM 9-2320-211-10-1 270 101 109 18820 1974 IHC 351 96 101 25180 388 98 148 49192 362 98 118 54000 NONE 285 96 145 16980 NONE 106 60 44 1057 TM 9-2320-361-10 264 106 100 14600 264 96 92 14600 264 106 100 23000 COMBAT LOADED SEE TOE LIN X57271 285 96 102 10530 277 96 98 24250 NONE 408 102 108 22730 408 102 108 22730 TM 9-2330-202-14&P 147 74 83 2780 147 74 50 1340 SEE TOE LIN W95537	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
CB0730 V 17	2320010907797	REMARKS	R 4 4	C C	TRUCK WRECKER 5-TON 21-6X4 21-6X4	1721	100	CC (DETAIL INDEX 17)		
V 07	2320011790669		R 4	D	21-HOLMES750	1970		CCC N N N R2DC		
PV 60	2320014652260		R 4	D	61-MK36	3257		X N N N R1DC		
V 08	2320LLLC10726		R 4	D	61-5-TON	2423		XX N N N R1DC		
CB0731 PV 01	2320012894333		R 4	D	TRUCK LDR AC 02-3-TON	2296		X N N N R1DB		
CB0734 PV 01	2340LLICA0205		R 1	D	TRUCK UTIL GR MTN NONE	162		XCXCC XXXX Y Y N R2BA		
CB0746 PV 04	2320000771631		R 4	B	TRK TANK FS 2-1/2-TON 11-M49A2C	1620	8400	CCC N N N R2DB		
PV 05	2320000771631		R 4	C	11-M49A2C	1350		CCC N N N R2DB		
V 09	2320000771631		R 4	D	11-M49A2C	1620		CCC N N N R2DC		
		REMARKS	4	D	11-M49A2C			(DETAIL INDEX 09)		
		REMARKS	4	D	11-M49A2C			(DETAIL INDEX 09)		
V 11	2320012402835		R 4	D	21-1500G	1615		XCX N N N R2DB		
V 12	2320LLLC10727		R 4	D	NONE	1509		XCX N N N R2DC		
CB0756 V 02	2320004335695		R 4	D	TRUCK TNK AVGAS NONE	2601		XX N N N R1DC		
PV 01	2320010907811		R 4	D	NONE	2601		XX N N N R1DC		
CB0802 PV 01	2330011024697		R 6	B	TRAILER CARGO 3/4-TON 01-M101A2	523	1500	CCC N Y N R2CA		
PV 02	2330011024697	REMARKS	R 6	C	01-M101A2	315		CCCC Y Y N R2BA		
		REMARKS	6	C	01-M101A2			(DETAIL INDEX 02)		

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	LD WEIGHT	HGT CUBE	TOE LIN	INDEX	IND
CB0802 V 15	2330013875443	R 6	TRAILER CARGO 3/4-TON 01-M1101	D	135	88	50	1460	344	53	51	1500	53	51				
CB0803 PV 01	2330013725641	R 6	TRAILER CARGO 01-M101A3	D	155	86	72	1770	556									
CB0804 PV 01	2330001418050	R 6	TLR CARGO 1-1/2-TON 01-M105A2	B	167	83	98	2750	786	3000								
PV 02	2330001418050	R 6	01-M105A2	C	167	83	55	2750	442	98	288							
V 13	2330013875426	R 6	51-M1102	D	135	88	53	1460	365	53	51							
CB0809 PV 01	2330013141795	R 7	SEMI LOWBED HYD 01-50XHBT	D	520	96	70	14600	2023									
CB0812 PV 01	2330007886299	R 7	STLR STAKE 12-TON 11-M127A2C	B	352	98	108	13980	2156	24000								
PV 02	2330007886299	R 7	11-M127A2C	C	352	98	60	13980	1198	108	848							
	REMARKS	7	11-M127A2C	C	SEE TOE LIN S72024													
CB0813 PV 01	2330002731293	R 7	SEMI VAN 01-12T	D	373	96	152	8400	3150									
V 04	2330007886296	R 7	11-M128A2C	D	353	96	144	14800	2824									
V 05	2330011668905	R 7	21-ASV3025	D	362	96	148	32160	2977									
V 02	23301110747	R 7	21-12T	D	362	96	148	32160	2977									
	REMARKS	7	21-12T	D	WITH LUMBER WEAPONS RACK													
CB0816 V 05	2330009844417	R 7	STLR FLATBED 20-34-T 01-RP40	B	420	96	117	12500	2730	68000								
V 06	2330009844417	R 7	01-RP40	B	420	96	60	12500	1400	116								
	REMARKS	7	01-RP40	C	INCLUDES SIDEBOARDS													
	REMARKS	7	01-RP40	C	SIDEBOARDS REMOVED & STOWED ONBOARD													
PV 01	2330011421385	R 7	00-M872A3	B	492	96	103	19248	2816	106	1332							

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	PCS	NO	ACTUAL CGO COMP CUBE IS	WEIGHT (LB)	HEIGHT (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	DETAIL INDEX
CB0816					STLR FLATBED 20-34-T			TM 9-2330-359-14&P					
PV 02	2330011421385	REMARKS	7	B	00-M872A3			493 96	19179	2548	68000		(DETAIL INDEX 01)
V 08	2330013315417	REMARKS	7	C	00-M872A3			SEE TOE LIN S70159			93 992		(DETAIL INDEX 02)
CB0817					11-34-TON			480 96	14040	1494	56		
PV 01	2330005802713	REMARKS	7	D	SEMI VAN			NONE	11000	3500	X		
CB0819					SEMI VAN RF			NONE	9900	3180	X		
PV 01	2330002669078	REMARKS	7	D	00-V6301			379 96	151	9900	X		
CB0822					SEMI LOWBED			NONE	13972	1920	CX		
PV 01	2330004045940	REMARKS	7	D	00-CSY-20-FS			576 96	60	1920	CX		
CB0823					SEMI LOWBED			NONE	10340	589	XCX		
PV 01	2330010907861	REMARKS	7	D	00-RLP-50-V			163 96	65	589	XCX		
CB0825					SEMI LOWBED			NONE	13900	1496	CX		
V 03	2330011138658	REMARKS	7	D	40-20T			612 96	44	1496	CX		
V 02	2330012065925	REMARKS	7	D	12-40T			468 96	83	2158	XCX		
PV 01	2330012816698	REMARKS	7	D	11-35T			483 96	72	1932	CX		
CB0826					STLR 50-TON LOWBED			NONE	16285	1904	100000		
PV 01	2330002556343	REMARKS	7	D	01-50 L3S			463 96	74	1904	CCC		
V 02	2330002556343	REMARKS	7	D	01-603LR			432 96	68	1632	CCC		
V 03	2330002556343	REMARKS	7	D	01-T350L			456 96	67	1698	CCC		
V 04	2330002556343	REMARKS	7	D	01-FLSS-1250			456 96	68	1723	CCC		
V 07	2330002556343	REMARKS	7	D	01-50-TON			463 96	74	1904	XCX		
V 05	2330011678438	REMARKS	7	D	21-DET GSNK			480 96	74	21000	CCC		
V 09	2330LLLC10754	REMARKS	7	D	21-DET GSNK			LOAD OFF 40K LDR OR L/B TLR W/DOLLY			CCC		

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> LENGTH WIDTH HEIGHT (INCHES)---> (REMARKS)----->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 FT FT L 5 SN
CB0826 V 08	2330LLCA0169	R 7	D	STLR 50-TON LOWBED 00-50-TON	84	NONE 528 120 84 18520 3080	100000 84	XX N N N R1DJ
CB0829 V 03	2330002042814	R 6	D	DOLLY TLR CONV 11-P4824CD	54	NONE 108 96 54 2600 324	XCXX XXX N N R2DA	
V 02	2330010093360	R 6	D	01-CD38	48	115 96 48 2800 307	XCXX XXX N N R2DA	
PV 01	2330011675694	R 6	D	NONE	53	117 96 53 2800 345	XCXX XXX N N R2DA	
CB0832 PV 01	0000000000000	N 7	D	TRAILER ELEV BODY NONE	38	NONE 268 102 38 5860 602	XCX N N N A2DA	
CB0842 PV 01	2330001034839	R 7	D	TRAILER BOLST 01-13-TON	58	NONE 451 96 58 6010 1454	XCX N N N R2DH	
CB0843 PV 01	2330009981059	R 7	D	TRAILER CRL/PL 02-7-TON	75	NONE 216 96 75 8890 900	XCX X N N R2DA	
CB0853 V 03	2330013205793	R 6	D	DOLLY SET LIFT 41-2310	102	NONE 168 96 102 2230 952	XCX N N N R2DA	
PV 01	2330013789997	R 7	D	11-M1022A1	116	198 96 116 6150 1276	CC N N N R1DA	
V 02	2330LLCA0214	R 6	D	40-GCS 991111	96	152 84 96 2450 710	XCX XX N N R2DA	
CB0857 PV 01	4510007631082	R 7	D	TLR SHOWER BATH 01-BATH TRLR	70	NONE 165 87 70 5000 582	CCC CCC N N R2DA	
CB0862 PV 01	2330001858897	R 7	B	TLR TILTDECK 11-DTTA-4-10	37	NONE 312 96 37 5600 642	CC N N N R2DA	
PV 03	2330001858897	R 7	C	11-DTTA-4-10	36	267 99 36 8100 551	CCC C C N N R2DA	
V 02	2330002875101	R 7	D	REMARKS 21-S 25LTR	65	CONF F/WELL DRILL RIG (SEE CB3270-11) 406 96 65 12200 1467	CCC (DETAIL INDEX 03) N N N R2DB	
		R 7	D	REMARKS 21-S 25LTR		STRAIGHT BED TILT TOP	(DETAIL INDEX 02)	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LINE (INDEX)	NATL STOCK NO (SET) (TOE LINE)	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION (-) (-COMPO DESCRIPTION-)	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES) (LB) (CU FT)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	OTHER DATA
CB0862 V 06	2330010714955	R 7	D	TTLR TILTDECK NONE	456 96 65 13200 1647	NONE			XCX N N N R2DJ	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN	
CB0879 PV 01	2330LLCA0213	R 6	D	TRAILER ELEC ANTENN 01-MOD CMT-HC	225 90 120 4200 1407	NONE			XX N N N R1DA		
CB0880 V 01 V 05	2330008328801 2330008328801 REMARKS REMARKS	R 6 R 6 6 6	D D D D	TTLR TANK WTR 400GAL 01-M149A1 01-M149A1 01-M149A1 01-M149A1	162 82 81 2530 623 162 82 81 5868 623 COMBAT LOADED SEE TOE LIN W98825	TM 9-2330-267-14&P	81 81		CCC Y Y N R2BA CCC Y Y N R2BA (DETAIL INDEX 05) (DETAIL INDEX 05)		
PV 03 V 07	2330011087367 2330011087367 REMARKS REMARKS	R 6 R 6 6 6	D D D D	02-M149A2 02-M149A2 02-M149A2 02-M149A2	161 83 79 2800 611 161 83 79 6250 611 COMBAT LOADED SEE TOE LIN W98825		81 81		CCC Y Y N R2BA CCC Y Y N R2BA (DETAIL INDEX 07) (DETAIL INDEX 07)		
CB0881 PV 01	2330013141797	R 6	D	TRAILER TANK 500GAL 01-1369TII500	168 80 60 2000 467	NONE			XCXC X X Y Y N R2BA		
CB1304 PV 01	3930LLLC10740	N 5	D	TRK FORKLIFT GEN 00-4LB PRT	141 45 81 8620 298	NONE			XCX XXX Y Y N A2BA		
CB1306 PV 01	3930LLLC10741	N 5	D	TRK FORKLIFT GEN 00-6LB PRT	108 62 86 16578 334	NONE			XCXX XXX N Y N A2CB		
CB1330 V 04	3930009357975	N 5	D	TRUCK LIFT FORK DED 06-6LB PRT	152 63 86 10920 477	TM 10-3930-638-10			XCX XXX N Y N A2CB		
PV 01 PV 02	3930010764237 3930010764237 REMARKS	N 5 N 5 5	B C C	00-M4K 00-M4K 00-M4K	206 79 80 9700 754 166 79 78 9700 592 SEE TOE LIN T49255		754 592		CCC C Y Y N A2BA CCC Y Y N A2BA (DETAIL INDEX 02)		
CB1331 PV 01 PV 02 03	3930011580849 3930011580849 3930011580849	N 5 N 5 A U	B C J	TRUCK FORKLIFT 05-6LB RT 05-6LB RT COUNTERWEIGHT	302 102 101 27100 1801 262 102 101 23500 1562 16 50 54 3600 25	NONE			CC N N N A1DC CC N N N A1DC CCCC CCCC Y Y Y J3BA		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	PCS	NO	LENGTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT	TOE LIN	INDEX	NO
CB1333 PV 01	3930010873105	N 5	TRUCK FORKLIFT LO PRO NONE			114	67	70	11500	310					
CB1340 V 02	0000LLCJ68500	N 5	TRUCK FORKLIFT PRT 20-20 LB			252	97	164	33000	2320					
PV 01	3930000068910	N 5	10-10 LB			191	83	128	19036	1175					
V 03	3930LLLC10719	N 5	67-LK70C			315	158	148	67200	4263					
CB1376 PV 01	3930LLLCA0178	N 5	TRK FORKLIFT ELEEC 00-6 LB SRT			131	48	84	12310	306					
CB1430 PV 01	3930009553293	N 5	TRUCK 25-LB AC NONE			324	111	81	20360	1686					
CB1820 V 13	3930010764237	N 5	TRK FORKLIFT DED 04-4LB			206	79	80	11950	754					
V 19	3930012122623	N 5	00-980G			400	128	148	103000	4386					
PV 06	3930012130936	N 5	12-LK12K			288	101	96	27770	1616					
PV 07	3930012130936	N 5	12-LK12K			205	101	96	23820	1151					
V 08	3930012130936	A U	02-FK ASSY LK12K		1	84	104	90	3180	455					
V 09	3930012130936	A U	02-CNTRWT LK12K		1	84	104	36	770	182					
V 16	3930012825261	N 5	16-16LB			291	127	98	31000	2096					
V 15	3930013052111	N 5	10-10LB			315	102	101	25600	1878					
V 23	3930013392171	N 5	50-LK50C			420	135	189	100500	6202					
V 18	3930014493178	N 5	LK-50C			423	140	167	106800	5724					
V 24	3930014733998	N 5	51-M412			585	144	119	118500	5802					

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 LEGEND P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I C O M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> LENGTH WIDTH HEIGHT (INCHES)---> (REMARKS)--->	WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
CB2425 PV 02	3895013832679	R 7	D	MIXER CONCRETE NONE		432 96 102 17150 2448		XCX N N N R2DJ	
CB2433 PV 01	3895010698003	N 6	D	MIXER CONCRETE 01-11S		NONE 95 56 70 910 216		CX X Y Y A3BA	
CB2470 PV 01	3895010549665	U	I	SAW CONCRETE NONE		NONE 67 38 60 900 89		CCCC XXXX Y Y J3BA	
CB2520 V 03	3895001963914	R 9	D	DISTRIB ASPHALT 11-BTHS2000		NONE 308 96 97 22000 1660		XCX N N N R2DC	
PV 01	3895011955357	R 9	D	NONE		341 96 120 45840 2274		XX N N N R1DC	
CB2521 PV 01	3825011981233	R 4	D	WATER DISTRIBUTER 05-MFW-SH		NONE 238 96 102 20200 1349	16598	CCC N N N R2DC	
V 02	3825011981233	R 4	D	05-MFW-SH		238 96 102 36890 1349	102	N N N R0DC (DETAIL INDEX 02)	
V 04	3825LLLC10729	R 4	D	NONE		378 96 120 20660 2520	120	XX N N N R1DC	
CB2523 PV 01	3825010692492	N 7	D	DISTRIB WATER NONE		NONE 572 122 138 61000 5573		XX N N N A1DL	
V 02	3825010705945	N 7	D	03-C7D042		285 96 101 20660 1600		XCX N N N A2DC	
CB2610 V 02	3910003499395	N 5	D	CONVEYOR BELT 01-PK60		NONE 762 120 249 9430 13177		N N N A0DH	
PV 01	3910010486313	N 5	D	NONE		720 138 162 9500 9315		N N N A0DH	
CB2740 PV 01	3895010683062	R 9	D	KETTLE ROOF 350 NONE		NONE 185 72 62 3000 478		XCXC X X Y Y N R2BA	
CB3110 PV 01	4310005403565	R 9	D	AIR COMPRESSOR 01-A/C125CFM		NONE 137 71 72 2550 406		CCC CCCC Y Y N R2BA	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	LENGTH (INCHES)	WEIGHT (LB)	HEIGHT (INCHES)	CGO VEH LD LIMITS WEIGHT HGT TOE (INDEX)	CGO LOAD IND
CB3110 V 02	4310011583262	R 9	AIR COMPRESSOR 01-P250WDMH268	D	200	96	6000	867	XCX X X N N N N R2DA	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
CB3135 V 02	4310008798724	R 9	COMPRESSOR FSC-4310	D	166	73	4200	603	XCX X N Y N R2CA	
PV 01	4310010705616	R 9	02-250 CFM	D	145	77	3985	556	XCX XXX N Y N R2CA	
CB3155 PV 01	4310007280203	R 9	COMPRESSOR 11-365 CFM	D	159	93	5420	608	XCX XXX N N N R2DA	
CB3165 V 02	4310001435850	R 9	AIR COMPRESSOR 02-750 CFM	D	193	89	9950	895	XCX X N N N R2DA	
PV 01	4310011212278	R 9	11-750 CFM	D	220	89	12260	1100	CCC N N N R2DB	
CB3532 PV 01	3820011210960	N 9	DRILL ROCK HYD NONE	D	380	99	22050	2417	XX N N N A1DC	
CB3630 V 02	3895001502337	U	HAMMER PILE NONE	I	150	24	9425	55	CCCCX XXX Y Y N J2BA	
V 04	3895002436804	U	01-GRW-5	I	137	35	12790	84	CCC Y Y N J2BB	
PV 01	3895003499397	U	NONE	I	227	25	10308	158	CCC X N Y N J2CB	
V 03	3895009827512	U	00-DE20	I	140	25	7000	51	CCCC XXXX Y Y N J2BA	
CB3635 PV 01	3895010991792	U	EXTRACTOR PILE NONE	I	125	26	4400	42	CCCC XXXX Y Y N J2BA	
CB3710 PV 01	3820011961662	R 8	AUGER EARTH TRK MTD NONE	D	337	96	6700	2528	CC N N N R1DA	
V 02	3820LLLC10730	R 8	NONE	D	336	97	30420	2528	XX N N N R1DC	
V 03	3830011225898	R 8	11-621G	D	314	95	61000	1761	XX N N N R2DD	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
CB4750 V 06	3805011856126 REMARKS	N 8	SCRAPER TRACTOR 03-CAT 613	D	436	100	105	2650	34300	2650	CCC	N N N A2DK (DETAIL INDEX 06)
V 10	3805013196954	N 8	10-613C-II	D	439	107	123	3344	31581	3344	XX	N N N A1DK
V 09	3805013211817	N 8	20-14CY	D	499	136	143	65080	65080	5616	X	N N N A1DL
CB4760 PV 01	3805005858121	N 8	DUMP OFF-HI TRK NONE	D	312	134	144	42300	42300	3484	X	N N N A1DC
CB4830 V 05	2410010167232	N C	TRACTOR CRAWLER 05-D5	B	190	144	120	29940	29940	1900	CC	N N N A1DC
V 06	2410010167232	N C	05-D5	C	107	114	92	26450	650	650	CCCX	N N N A2DC
V 07	2410010167232	A U	05-BLADE D5	I	144	84	48	2350	336	336	CCCC	XXX Y N J2BA
V 08	2410010167232	A U	05-ROPS D5	I	84	104	96	1140	486	486	CCCX	XX N N N J2DA
PV 01	2410010698022	N C	03-1150C	B	165	124	114	21200	1350	1350	CC	N N N A1DC
PV 02	2410010698022	N C	03-1150C	C	143	94	86	18100	669	669	CCC	XXX N N A2DB
V 03	2410010698022	A U	03-BLADE 1150C	I	127	80	45	5240	265	265	CCCC	XXXX Y N J2BA
V 04	2410010698022	A U	03-BLADE 1150C REMARKS	I	40	64	70	260	104	104	CCCC	XXXX Y Y J3BA (COMPONENT INDEX 03)
V 10	2410011687599	N C	06-105HP	D	183	105	113	26000	1257	1257	XX	N N N A1DC
V 12	2410012541667	N C	06-MC1150E	D	182	105	113	24750	1250	1250	XX	N N N A1DC
V 11	2410013201278	N C	10-105HP	D	183	105	113	26000	1257	1257	XX	N N N A1DC
CB4850 PV 01	2410004522241	N C	TRACTOR CRAWLER 11-195HP	D	234	168	132	43600	3003	3003	X	N N N A1DC
V 02	2410004522242	N C	21-195HP	D	272	145	132	45600	3013	3013	X	N N N A1DC
V 04	2410010862395	N C	12-D7G WVN	D	234	168	132	49584	3003	3003	X	N N N A1DC
V 05	2410010883807	N C	22-D7GW/RIPPER	D	272	145	132	45600	3013	3013	X	N N N A1DC

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 LEGEND P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	LENGTH	WEIGHT (LB)	CGO VEH LD LIMITS	CGO LOAD IND
CB4850 V 03	2410011718940	N C	TRACTOR CRAWLER 23-195HP	D	226	144	132	52986	2486
CB4851 PV 01	2410004052449	N C	TRACTOR CRAWLER 01-300HP	D	NONE	156	137	75000	3971
V 02	2410011129478	N C	00-D8K	D	266	183	141	73900	3972
CB5110 V 02	6230010679749	R 6	FLOODLIGHT ELECTRICAL 22-5KW GEN	D	NONE	79	89	3000	497
PV 01	6230010801952	R 6	21-5KW GEN	D	151	81	65	2360	460
V 03	6230010963508	R 6	23-TP5A4DC	D	160	70	72	2600	467
V 04	6230LLCA0220	R 6	24-L6-4H5	D	151	81	65	2100	460
CB5121 PV 01	6115001181241	U	GEN SET 10-15KW 11-15KW	N	70	36	55	3000	81
V 02	6115001181241	R 7	11-15KW	0	169	94	83	5680	763
		7	11-15KW	0	SEE TOE LIN J35835				
V 04	6115004651030	U	21-10KW	N	76	41	48	1670	87
V 07	6115012338274	R 7	00-MEP-804AAS	D	176	96	105	6876	1027
V 06	6115012747388	U	15-15KW	N	70	36	54	2450	79
V 05	6115012755061	U	10-10KW	N	62	32	36	1250	42
CB5122 V 08	0000002001268	R 7	GEN SET 16-30KW 35-2000904	D	170	85	77	4200	644
PV 01	6115001181240	U	11-30KW	N	80	36	55	2850	92
V 02	6115001181240	R 7	11-30KW	0	169	94	84	6460	773
		7	11-30KW	0	SEE TOE LIN J36109				

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	NO PCS	DIMENSIONS (FOR ONE ITEM) -> LENGTH WIDTH HEIGHT (INCHES) -> (REMARKS) ->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF>	IND	
CB5122 V 05 V 04 V 07 V 06	6115012346545 6115012747389 6115014619335	U U U	GEN SET 16-30KW 00-MEP-005A 30-30KW 31-MEP-805B	N N N	108 42 76 80 36 54 79 36 55	TM 5-6115-465-12 4162 3100 2841	CCCC CCCC CCCC	XXXX XXXX XXXX	Y Y Y Y Y Y Y Y Y	N N N J2BA J3BA J3BA
V 06	8340014594352 REMARKS	R 7 7	20-20KW 20-20KW	D D	236 96 82	9000 1076 MTD ON HP-4DL (DRASH TRAILER)	XCX	X	N N N	R2DA (DETAIL INDEX 06)
CB5124 V 05 PV 03 V 04 V 06	6115001181243 6115010366374 6115012747390 6115014620291	U U U U	GEN SET 60-100KW 11-MEP-006A 21-100KW 60-60KW 61-MEP-806B	N N N N	87 36 59 108 48 85 87 36 59 87 36 59	TM 5-6115-600-12 4300 7650 4188 3835	CCCC CCCC CCCC CCCC	CCCC XXXX XXXX XXXX	Y Y Y Y Y Y Y Y Y Y Y Y	J3BA J2CA J3BA J3BA
CB5160 PV 01 CB5170 PV 01 V 02	4930002360806 3431006050255 3431012462247	U R 6 R 6	LUBRICATOR PWR NONE WELDER ARC ELECTRICAL 61-HOBART 71-MILLER	I D D	111 51 49 157 74 74 157 74 74	3600 2800 3200	CCCCC XCXC XCX	XXXX XXXX XXXX	Y Y Y Y Y Y Y Y Y	J2BA R2BA R2BA
CB5220 V 04 PV 01 V 02 V 05 V 03	4320001379690 4320002674573 4320002738468 4320009946188 4320010130798	R 3 U U R 4 R 1	PUMP CENTRIFUG NONE NONE NONE 00-86B11 NONE	D I I D D	135 62 68 22 17 11 85 36 42 192 84 72 128 60 52	330 3 75 672 232	CCCCC XCXC XCXC XCXC XCXC	XXXX XXXX XXXX XXXX XXXX	Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	R2BA J3BA J3BA R2BA R2BA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C Q M L P P E T	S H I P C O N F	T Y P E H I E O C Q M L P P E T	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> LENGTH WIDTH HEIGHT (INCHES)---> (REMARKS)--->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
CB5220 V 06	4320010923551	R 1	D	R 1	PUMP CENTRIFUG 57-US37ACD1	1	NONE 70 78 70 2320 222	XCXC XXXX Y Y Y R3BA	
CB5250 V 03	4320013181853	U	I	U	SIXCON FUELPUMP NONE	1	NONE 96 78 48 2300 208	CCCC CCCC Y Y Y J3BA	
PV 01	4930012404579	U	I	U	NONE	1	78 96 48 2300 208	CCCC XXX N N N J2DA	
V 04	5430012039971	U	I	U	NONE	1	96 78 48 2690 208	CCCC CCCC Y Y Y J3BA	
V 02	5430012404578	U	I	U	NONE	1	96 78 48 2630 208	CCCC CCCC Y Y Y J3BA	
CB5414 PV 01	2320009854153	R 4	D	R 4	CLNR SEP Tnk TRK MTD 00-DOMINATOR	4	NONE 337 100 127 22660 2477	XX N N N R1DC	
CB5418 PV 01	4940011269247	R 3	D	R 3	CLEANER WTRBLST NONE	3	NONE 126 81 76 4000 449	XCXX XXXX Y Y N R2BA	
CB5420 01	4230009269488	U	E	U	DECON APPAR 01-M12A1	1	NONE 2691 181	CCCC CCCC Y Y Y J3BA	
PV 02	4230009269488	U	I	U	01-TANK UNIT	1	83 45 48 996 104	CCCC CCCC Y Y Y J3BA	
PV 03	4230009269488	U	I	U	01-PUMP UNIT	1	55 32 49 1120 50	CCCC CCCC Y Y Y J3BA	
PV 04	4230009269488	U	I	U	01-WATER HEATER	1	55 21 41 575 28	CCCC CCCC Y Y Y J3BA	
05	4230009269488	U	E	U	01-M12A1	1	4041 298	CCCC CCCC Y Y Y J3BA	
V 06	4230009269488	U	J	U	01-TANK UNIT	1	88 55 58 1626 163	CCCC CCCC Y Y Y J3BA	
V 07	4230009269488	U	J	U	01-PUMP UNIT	1	65 39 60 1540 89	CCCC CCCC Y Y Y J3BA	
V 08	4230009269488	U	J	U	01-WATER HEATER	1	58 28 50 875 47	CCCC CCCC Y Y Y J3BA	
V 09	4230009269488	U	I	U	NONE	1	72 44 62 5000 114	CCCC XXXX Y Y Y J3BA	
CB5452 PV 01	4610011138651	U	N	U	WATER PURIFCAT NONE	1	NONE 114 84 69 7760 383	CCCC XXXX Y Y N J2BA	
V 02	4610011934348	U	N	U	NONE	1	114 83 69 7300 378	CCCC XXXX Y Y N J2BA	
V 03	4610014207548	U	N	U	02-H9518-3 PLATFORM HILIFT	1	114 84 69 7760 383	CCCC XXXX Y Y N J2BA	
CB5460							NONE		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> (INCHES)---> LENGTH WIDTH HEIGHT (REMARKS)--->	WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 SN
CB5460 PV 01	4940LLCA0202	N 3	D	PLATFORM HILLIFT NONE	3	NONE 402 96 101 25500 2256		XCX N N N A2DC	
CB5490 PV 01	8115010157039	U	I	CONTAINER ASSY REFRIG 01-ISO	1	NONE 240 96 96 7700 1280		CCC C N N J2DA	
V 02	8145013884966	U	I	NONE	1	240 96 96 8195 1280		CCC N N N J2DA	
CB5496 PV 01	7360LLCA0199 REMARKS	R 7 7	D D	KITCHEN FIELD NONE NONE	7	NONE 171 92 93 5480 847 MTD ON M103A3 TRAILER		XCX X N N N R2DA (DETAIL INDEX 01)	
CB5498 V 02	3510007825294 REMARKS	R 7 7	D D	LAUNDRY UNIT 11-ELT9T 11-ELT9T	7	NONE 200 96 96 9300 1067 SEE TOE LIN L48315		CCC C N N N R2DA (DETAIL INDEX 02)	
V 09	3510010319664	U	X	00-108	1	200 96 96 8500 1067		CCCX XXX N Y Y J3CA	
PV 01	3510011354705	U	I	03-FLD LAUN	1	114 84 84 6000 466		CCCX CCC N Y N J2CA	
V 10	8145LLCA0209	U	X	01-ISU90	1	108 84 88 2000 462		CCCX XXX N N Y J3DA	
CB5500 PV 01	4930011394292	R 7	D	F-SERV AC TLR NONE	7	NONE 88 96 120 10500 587		XX X N N N R1DB	
CB5642 PV 01	3895LLCA0204	R 6	D	SHREDDER TLR MTD NONE	6	NONE 120 66 93 2175 427		XCXX XXX N N N R2DA	
CB5710 PV 01	3825003498060	N 6	D	SWEEPER MAG TOW NONE	6	NONE 126 96 88 8550 616		XCXX XXX N N N A2DA	
V 02	3830011339712	N 6	D	NONE	6	61 111 40 800 157		CXC XX N N N A2DA	
CB5740 PV 01	3825003498062	N 6	D	SWEEPER BROOM NONE	6	NONE 192 108 72 1900 864		CX X N N N A2DA	
CB5900				SHOP WOODWK TRLR		NONE			

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C Q M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> LENGTH WIDTH HEIGHT (REMARKS)---> (INCHES)---> (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
CB5900 PV 01	3220004883674	R 6	D	SHOP WOODWK TRLR 01-SAW RAD	1	NONE 111 72 56 1700 259	XCXC XXXX Y Y N R2BA	
CB5910 V 03	3220004883674	R 7	D	SHOP EQUIP STLR MTD 01-SHOP WOOD	1	TM 55-4940-208-10-1 163 82 82 5200 635	XCX X X Y Y N R2BA	
PV 01	4940002874894	R 7	D	00-SHOP MACH	1	352 97 125 24000 2470	CC N N N R1DC (DETAIL INDEX 01)	
V 04	4940010063229	R 7	D	00-SHOP MACH REMARKS	1	SEE TOE LIN T10549 352 97 126 30330 2490	CC N N N R1DC	
CB5920 PV 01	3470013563472	R 7	D	BUILD MACHINE 03-MIC-240 UBM	1	NONE 424 90 92 22600 2032	XCX N N N R2DK	
CB7160 PV 01	4210006274063	R 4	D	TRUCK FIRE/RESCUE NONE	1	NONE 277 96 132 34000 2032	XX N N N R1DC	
CB8160 PV 01	3950011649376	N 0	D	CRANE STRADDLE 100BEM	1	NONE 552 456 396 105000 57684	N N N A0DM	
CB8215 PV 01	3810002360800	N 8	D	CRANE TRUCK 01-35-TON	1	NONE 316 112 151 81750 3093	X N N N A1DD	
CB8218 PV 01	3810008059432	N 8	D	CRANE TRK 50T 01-HC-108C	1	NONE 379 136 157 114000 4684	N N N A0DE	
CB8219 PV 01	3810010504081	N 8	D	CRANE TRUCK 01-140-TON	1	NONE 575 149 168 198500 8330	N N N A0DP	
CB8246 PV 01	3810002556345	N 8	D	CRANE HYD TRK MTD 11-MCH250	1	NONE 468 99 147 65000 3942	X N N N A1DL	
V 02	381010105123	N 8	D	40-HTC-8640	1	480 102 130 61920 3684	XX N N N A1DL	
CB8253 PV 01	3810010105123	N 8	D	CRANE WHL 02-30-TON	1	NONE 485 96 140 57220 3773	XX N N N A1DK	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHIP	NO PCS	REMARKS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CU FT	CGO VEH LD LIMITS	CGO LOAD IND	OTHER
CB8253 V 02 V 03	3810011389867 3810111389867	N 8 N 8	CRANE WHL 03-65-TON 05-90-TON	D D			569 571	144 148	155 164	111000 133800	7350 8021	CCCKK DDBB CTN 4 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L	
CB8254 V 07	3810004061095	N 8	CRANE WHEEL 5-35-TON 02-10-1	D			414	96	132	43360	3036	XX	N N N A1DC	
PV 01 V 06	3810011980079 3810011980079	N 8 N 8	25-CRANE 14T 25-CRANE 14T	D D			358 358	96 96	102 102	29800 29800	2029 2029	CCC XCX	N N N A2DC N N N A2DC	
CB8255 PV 01	2320011467191	R 3	TRUCK CARGO M1045	D			180	85	73	7098	647	XCX	N N N R2DA X X X N N R2DA	
CB8256 PV 01	1930111467191	N 3	SLEEP LARC V A1	D			425	124	122	26000	3721	XX	N N N C1DK N N N C1DK	
CB8257 V 01	2320015305677	R 4	TRK CARGO 7T AMK25	D			315	98	142	29000	2537	XX	N N N R1DC N N N R1DC	
PV 02	2320015305681	R 4	AMK28	D			387	98	142	30620	3117	XX	N N N R1DC N N N R1DC	
CB8258 PV 01	2320015305685	R 4	MTVR DUMP 7T AMK30 W/W	D			317	98	143	62200	2571	X	N N N R1DD N N N R1DD	
CB8259 PV 01	2320011230033	R 4	TRK VAN C6D042	D			302	96	127	14000	2131	XX	N N N R1DB N N N R1DB	
D02704 V 01	5865014762357	R 3	DETECTING SYS AN/MLQ-40V1	D			180	91	81	8358	768	CCC	N N N R2DA (DETAIL INDEX 01)	
PV 02	5865014889308	R 3	AN/MLQ-40V3	D			180	91	81	8358	768	CCC	N N N R2DA (DETAIL INDEX 02)	
D04182 PV 01	5865015358887	R 3	DETEC SYS AN/MLQ-40 AN/MLQ-40 (V) 4	D			194	99	92	10940	1023	XCX	N N N R2DB X N N R2DB	
	REMARKS	3	AN/MLQ-40 (V) 4	D			SIGNAL INTEL ELEC WARFARE SYS MTD ON M1165 TRK							UT EXP (DETAIL INDEX 01)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES) (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
D11049 V 50	2350000784545	N C	CARRIER CARGO FTRAC M548	9B	TM 9-2350-247-10 232 100 130 16774	1746	12000 130 580	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF>
V 05	2350010969356	N C	M548A1	B	231 108 116 17060	1675	116 592	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6
V 06	2350010969356	N C	M548A1	C	223 104 77 17060	1034	77 329	X N N N A2DB (DETAIL INDEX 06)
V 51	2350010969356	N C	M548A1	9	FUEL CAPACITY 100 GAL DIESEL 223 104 77 17060	1034	77 329	X N N N A1DB
V 52	2350010969356	N C	M548A1	9B	231 104 116 17060	1613	116 592	CC N N N A1DB
PV 17	2350013696081	N C	M548A3	B	227 106 107 15802	1490	107 592	XC N N N A1DB (DETAIL INDEX 17)
PV 19	2350013696081	N C	M548A3	B	WEIGHT INCLUDES DRIVER AND FUEL 227 106 77 13893	1073	77 329	CCC CC N N A2DB (DETAIL INDEX 19)
V 53	2350013696081	N C	M548A3	9	CAB & WINDSHIELD STOWED - WT INCLUDES 227 106 77 13893	1073	77 329	CC N N N A1DB
V 54	2350013696081	N C	M548A3	9B	227 106 107 15802	1490	107 592	CCC N N N A2DB
D11538 V 07	2350010684089	N C	CARR CMD POST LTRAC M577A2	B	TM 9-2350-277-10 192 100 109 22495	1212	3000	CC N N N A1DC
V 08	2350010684089	N C	M577A2	C	192 100 104 22495	1156	77 329	CCC N N N A2DC (DETAIL INDEX 08)
V 75	2350010684089	N C	M577A2	9	FUEL CAPACITY 120 GAL DIESEL 192 100 104 22495	1156	77 329	CCC N N N A2DC
V 76	2350010684089	N C	M577A2	9B	192 100 109 22495	1212	107 592	CC N N N A1DC
PV 31	2350013696085	N C	M577A3	B	192 100 109 22582	1212	3000	CC N N N A1DC
PV 52	2350013696085	N C	M577A3	C	192 100 104 22582	1156	77 329	CCC N N N A2DC
V 77	2350013696085	N C	M577A3	9	192 100 104 22582	1156	77 329	CCC N N N A2DC
V 78	2350013696085	N C	M577A3	9B	192 100 109 22582	1212	107 592	CC N N N A1DC
D12087 V 04	2350008340039	N C	CARRIER PERS FTRAC M59	B	TM 9-2350-261-10 221 129 103 39500	1700	2500	CC N N N A1DC (DETAIL INDEX 04)
V 05	2350008340039	N C	M59	B	W/MACHINE GUN AND MOUNT 221 124 94 39371	1491	77 329	CC N N N A1DC (DETAIL INDEX 05) (DETAIL INDEX 05)
PV 14	2350010684077	N C	M113A2	B	NSN R/B 2350-01-068-4077 192 106 88 19960	1037	77 329	CCC C N N N A2DB (DETAIL INDEX 14)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	V E H I C L E	T Y P E	S H I P	DESCRIPTION	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH LD LIMITS	CGO LOAD IND
D12087 PV 15	2350010684077	C O C O M L P E T	N C	C	CARRIER PERS FTRAC	954	TM 9-2350-261-10	192	81	2500	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
V 17	2350010684077	N C	C	B	W/O MACHINE GUN AND MOUNT	1282	W/O MACHINE GUN AND MOUNT	209	100	CCC	CCC N N N A2DB (DETAIL INDEX 15)
V 18	2350010684077	N C	C	B	WITH EXTERNAL FUEL TANKS	980	WITH EXTERNAL FUEL TANKS	209	100	CCC	CCC N N N A2DC (DETAIL INDEX 17)
D16873 P 01	6675014382218	U	I	I	DIGITAL TOPO SPT BASE AN/TYQ-68	1500	TM 11-6675-367-10	6500		CCC	CCC N N N A2DC (DETAIL INDEX 18)
D17123 PV 01	6675014929043	U	I	I	DIGITAL TOPO SPT SYS AN/TYQ-124	3187	TM 11-6675-366-10	363	96	CCC	CCC N N N J0DC
D17391 PV 01	3990014438024	U	I	I	DUMP BODY MODULE XM6	1174	TM 9-3990-259-13&P	239	101	CCC	CCC X N N N J2DB (DETAIL INDEX 01)
03	3990014438024	R 4	0	0	XM6	3889	FOR PLS 14-TON	432	101	CC	N N N R1DL (DETAIL INDEX 03)
V 05	3990014438024	R 7	0	0	XM6	2799	MTD ON M1075 (PLS)	328	101	CC	N N N R1DC (DETAIL INDEX 05)
V 06	3990014438024	R 7	0	0	XM6	2595	MTD ON M1076 (PLS), DRAWBAR EXTENDED	304	101	CC	N N N R1DC (DETAIL INDEX 06)
D28318 V 01	3825010656221	R 7	D	D	DIST WTR TK STILLR MTD	2849	TM 5-3825-225-14&P	442	96	CC	N N N R1DJ
V 02	3825010656221	R 7	D	D	WD6S	2849	COMBAT LOADED	442	96	XX	N N N R1DL (DETAIL INDEX 02)
PV 05	3825012973357	R 7	D	D	R036	2796		444	93	CC	N N N R1DK
D28736 PV 01	3825011431212	R 4	D	D	DISTR WTR S/P N/SECT	2761	TM 5-3825-226-10	392	104	CC	N N N R1DC
V 02	3825011431212	R 4	D	D	2500 GAL	2761		392	104	CC	N N N R1DC

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C L P E T	S H I P C O N F	DISTR WTR S/P N/SECT	DIAGNOSTIC	DESCRIPTION	PCS	COMBAT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	DETAIL INDEX
D28736		REMARKS	4	D	2500 GAL		DISTR WTR S/P N/SECT		COMBAT LOADED				<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
D28804		REMARKS	4	B	2500 GAL		DIST WATER S/P SECT		COMBAT LOADED	423 104 117 32280	2979			
V 01	3825011431213		R 4	C	2500 GAL					436 104 94 32150	2467			
V 02	3825011431213	REMARKS	R 4	C	2500 GAL				LENGTH INCREASED DUE TO AUX WHEELS					
V 03	3825011431213	REMARKS	R 4	C	2500 GAL				W/ROPS REMOVED	423 104 117 53143	2979			
V 04	3825011431213	REMARKS	R 4	D	2500 GAL				COMBAT LOADED					
PV 20	3825014970690		R 4	D	2500 GAL					419 102 117 33505	2894			
D32927		REMARKS	6	U			DIVING EQUIP SET			6900	814			
PV 01	4220010231701		U	E			TYPE B			1220	67			
V 02	4220010231701		U	N			TYPE B			1200	64			
V 03	4220010231701		A	J			AIR COMPRESSOR	1		20	3			
V 04	4220010231701		A	D			MULTIPLE ITEMS	1		20	3			
V 05	4220010231701		R 6	D			TRL TYPE I			2840	374			
V 06	4220010231701	REMARKS	R 6	D			TRL TYPE I			2840	374			
V 07	4220010231701	REMARKS	R 6	D			TRL TYPE II			2840	374			
D34883		REMARKS	6	D			TRL TYPE II			2840	374			
V 01	2330011677262		R 7	B			DOLLY SET LIFT SHLTR			5580	1210			
V 02	2330011677262		R 7	C			M1022			5580	1056			
V 12	2330011677262		R 7	9			M1022			5580	1056			
V 13	2330011677262		R 7	9B			M1022			5580	1210			
PV 10	2330013789997		R 7	B			M1022A1			6150	1320			
PV 11	2330013789997		R 7	C			M1022A1			6150	1056			
V 14	2330013789997		R 7	9			M1022A1			6150	1056			
V 15	2330013789997		R 7	9B			M1022A1			6150	1320			
D77801		REMARKS	6	D			DATA CENTRAL AN/MSW-2			NONE	911			
V 03	5895015462068	REMARKS	R 6	D			AN/TSQ-248			176 86 104 4300	911			

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	STATUS	NO PCS	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
D77801 PV 01	5895015491475	R 6	DATA CENTRAL AN/MSW-2 AN/MSW-24 AN/MSW-24	D	1	NONE 192 110 72 11120 880 CONSIST OF M1165 TRK UT EXP CAP	CCX X N N N R2DB (DETAIL INDEX 01)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->
D78075 PV 01	7010010906819	R 7	DATA PROCESSING SYS AN/MYQ-4	B	1	TM 11-7010-203-10 465 96 141 26300 3643	CC N N N R1DK	
PV 02	7010010906819	R 7	AN/MYQ-4	C	1	120 96 40 4300 267	CCC XXXX N N N R2DA	
PV 03	7010010906819	U	XM971 VAN	2	1	465 96 105 22000 2713	CCC (COMPONENT INDEX 03)	
D78271 V 01	9999000186793	U	XM971 VAN	2	1	BBM REF: TM 55-2330-200-15-1	CCC (COMPONENT INDEX 03)	
V 06	9999000186793	U	CENTER MESSAGE L/PWR AN/GSQ-80	M	1	TM 11-5895-365-15 143 81 82 2700 550	CCC Y Y N J2BA (DETAIL INDEX 01)	
V 08	9999000186793	U	AN/GSQ-80	M	1	MTD IN SHELTER 265 96 134 15880 1973	CC N N N R1DB (DETAIL INDEX 06)	
V 10	9999000186793	U	AN/GSQ-80	0	1	MTD ON M35A2 WOWN 279 96 134 16270 2077	CC N N N R1DB (DETAIL INDEX 08)	
V 12	9999000186793	U	AN/GSQ-80	0	1	MTD ON M35A2 WVN 265 98 134 16226 2014	CC N N N R1DB (DETAIL INDEX 10)	
V 14	9999000186793	U	AN/GSQ-80	0	1	178 108 86 3280 957 2-PL TRAIN F/AALPS PLANNING PURPOSES ONLY	CX N N N J2DA (DETAIL INDEX 22)	
V 16	9999000186793	U	AN/GSQ-80	0	1	149 87 84 3100 631 MTD IN SHELTER	CCC CC N N N J2DA (DETAIL INDEX 03)	
D89675 V 01	4220005402785	U	CHAMBER RECOMPRESSION 100 PSI	I	1	162 99 96 4112 891 265 96 134 16280 1973	CCC C N N N J2DA (DETAIL INDEX 12)	
V 02	4220012004797	U	RC-100-2	I	1	279 96 134 16670 2077 MTD ON M35A2 WVN 265 98 134 16626 2014	CC N N N R1DB (DETAIL INDEX 14) CC (DETAIL INDEX 16)	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	WGT	CUBE	TOE LIN	INDEX	NO	CGO LOAD	IND
D89675 03	4220012004797 REMARKS	U	CHAMBER RECOMPRESSION RC-100-2	M	240	96	102	10565	1360		CCC	N	N	N	N	N	J2DB		
PV 05	4220014710096	U	NONE	I	120	96	84	5000	560		CCCX	XXX	N	N	N	J2DA			
D95754 PV 02	3820011785057	R 4	DRILLING MACH TRK MTD 600-FT MIN	D	420	96	96	39930	2240		CCC		N	N	N	R2DK			
E01933 PV 01	4920012509873	U	ELEC EQUIP TEST FAC OQ-290V2/MSM	I	425	90	141	115760	10403		XX		N	N	N	J1DK			
V 02	4920012509873 REMARKS	R 4	TRK TRAC M931	D	264	98	91	20480	1363		XCX		N	N	N	R2DC			
V 04	4920012509873	R 7	TRK TRAC M931	D	456	102	150	40800	4038		X		N	N	N	R1DK			
V 06	4920012509873 REMARKS	R 7	TRL XM1065	D	468	96	140	34000	3640		XX		N	N	N	R1DK			
E01943 PV 01	4940014241023	U	TRK XM1065	D	468	96	140	34000	3640		XX		N	N	N	R1DK			
02	4940014241023 REMARKS	R 3	TRK XM991E1	D	468	96	140	34000	3640		XX		N	N	N	R1DK			
V 08	4940014241023 REMARKS	R 3	TRK XM991E1	D	468	96	140	34000	3640		XX		N	N	N	R1DK			
E02011 PV 01	4940014151248	U	ELECTRONIC SHOP AN/TSM-210	M	123	89	72	3782	457		CCCX	XXXX	N	N	N	J2DA			
E02079 PV 01	4940014210802	U	ELEC SHOP TRANSPORTABLE AN/GSM-409	M	239	96	96	13150	1275		CCC		N	N	N	J2DB			
E02147 PV 01	4940013815670	4	ELEC SHOP TRANSPORTABLE AN/GSQ-266	M	239	96	96	11750	1275		CCC		N	N	N	J2DB			
V 02	4940013815670 REMARKS	U	ELECTRONIC SHOP AN/USM-652	U	240	96	96	14420	1280		XCX		N	N	N	J2DB			
V 03	4940013815670 REMARKS	R 7	AN/USM-652	Z	370	96	112	20000	2303		XCX		N	N	N	R1DB			
		7	AN/USM-652	Z															

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	REMARKS	CGO VEH	CGO LOAD IND
E02147 V 06	4940013815670 REMARKS	R 4 4	ELECTRONIC SHOP TRK M1084A1P2 TRK M1084A1P2	D D	312 96	112 29204	1942 CGO 5T THATS PULLS DOLLY SET W/SHELTER	XX N N N R1DC (DETAIL INDEX 06)
E02215 PV 01 V 02 V 04 V 06	4940014003109 REMARKS 4940014003109 REMARKS 4940014003109 REMARKS 4940014003109 REMARKS	R 4 4 4 7 7 4 4	ELECTRONIC SHOP AN/USM-666 AN/USM-666 AN/USM-666 AN/USM-666 AN/USM-666 TRK M1083A1P2 TRK M1083A1P2	U M M Z Z D D	NONE 240 96 65145 14420 1280 370 96 112 20000 2303 278 96 117 25808 1807	6949 1280 SHELTER TACTICAL NONEXPANDBL 2303 SHELTER MTD ON DOLLY SET LIFT 7 1/2T 1807 TRK CGO M1083A1P2 TOWS SHLTR MTD ON DOLLY SET	XXC N N N J2DB (DETAIL INDEX 02) XX N N N R1DB (DETAIL INDEX 04) XX N N N R1DC (DETAIL INDEX 06)	
E02533 V 01 PV 02 PV 03 V 06	2330005423491 REMARKS 2330005423491 REMARKS 2330005423491 REMARKS	R 6 6 6 6 6	CHASSIS TLR 2-TON M390C M390C M390C M390C M390C	D B C C C 9B	188 98 47 3675 502 47 188 98 88 4915 939 188 96 88 4915 920 MODIFIED W/LOADING PALLET ON TLR SECURE CYLINDER UNDER TLR	4000 47 88 88 88 88 920	CCC N N N R2DA X N N R2DA X N N R2DA X N N R2DA X N N R2DA X N N R2DA X N N R2DA	
E02670 PV 01	2330005422831	R 7	CHASSIS TLR 3-1/2-TON M353	D	188 97 51 2720	539	7000 51	CCC N N N R2DA
E02807 PV 01	2330003312307	R 6	CHASSIS TLR 2-1/2-TON M200A1	D	169 94 41 2445	377	5000 41	CCC N N R2DA
E05007 PV 01 V 02 V 04 V 06	3825015772713 REMARKS 3825015772713 REMARKS 3825015772713 REMARKS 3825015772713 REMARKS	U R 4 4 R 7 4	ENG MISSION MOD-WTR D EMM-WD TYPEII PLS TRUCK PLS TRUCK PLS TRAILER PLS TRAILER LHS TRUCK LHS TRUCK	I 0 0 0 0 0 0	239 96 84 8500 1116 441 103 144 56550 3786 EMM-WD MTD ON A M1075 PLS TRUCK (EMPTY WT) 271 96 138 21120 2078 EMM-WD MTD ON A M1076 PLS TRAILER (EMPTY WT) 437 101 148 57200 3781 EMM-WD MTD ON A M1120A4 HEMTT LHS TRUCK (EMPTY WT)	25000 1116 3786 2078 3781	XXC N N N J2DA X N N R1DK (DETAIL INDEX 02) XX N N N R1DC (DETAIL INDEX 04) X N N N R1DK (DETAIL INDEX 06)	
E05010			ENG SQD VEH/STRYKER D			TM 9-2355-366-10-1		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	LD LIMITS	CGO VEH	CGO LOAD IND
E20312 PV 01	1560012575817 REMARKS	U	EXT RANGE FUEL SYSTEM	H				404 92 98 1247 2108		
E20380 01	1560012217600	U	NONE	H			NONE			
PV 02	1560012217600	U	NONE	H			FOR UH-60 HELICOPTERS			
PV 03	1560012217600 REMARKS	U	EXT RANGE FUEL SYS	E	4		TM 55-1560-307-13&P 2379			
E27792 PV 01	3805014630804 REMARKS	N 8	FUEL TANK	N	4		60 73 52 580	(01)		
V 02	3805014630804 REMARKS	N 8	CNTL PANEL BOX	I	1		33 7 25 59	(01)		
V 05	3805015420473	N 8	CNTL PANEL BOX	I			FOR CH-47 HELICOPTERS			
E27860 PV 01	3805014630805 REMARKS	N 8	EXCAVATOR HYD TYPE I	D			TM 5-3805-280-10			
V 03	3805014630805 REMARKS	N 8	230LCR	D			399 133 122 54730			
V 05	3805014630805 REMARKS	N 8	230LCR	D			WITH 60-INCH BUCKET			
E32466 PV 01	4940001860027 REMARKS	R 6	230LCR	D			399 133 122 54070			
V 12	4940001860027 REMARKS	U	230LCR	D			WITH 42-INCH BUCKET			
E32535 V 01	4940004736218	U	230LCR	D			406 128 123 52410			
PV 02	4940010177835	U	EXCAVATOR HYD TYPE III	D			436 126 136 73600			
E40961		U	JD330LCR	D			WITH 42-INCH ROCK BUCKET			
		U	JD330LCR	D			436 126 136 73132			
		U	JD330LCR	D			WITH 48-INCH BUCKET			
		U	JD330LCR	D			436 126 136 74780			
		U	JD330LCR	D			WITH HAMMER			
		U	CLNR STM PRESSURE JET	D			TM 9-4940-525-14&P			
		U	125 PSI	D			117 62 49 1270			
		U	125 PSI	V			88 108 53 1560			
		U	125 PSI	V			F/AALPS PLANNING PURPOSES ONLY			
		U	CLNR STM PRESSURE JET	H			TM 9-4940-342-14&P			
		U	PRS-3HP	H			75 57 73 2625			
		U	NONE	I			82 46 66 2000			
		U	CLOTH RPR SHP TLR MTD	I			TM 10-3530-203-10			

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
UNCLASSIFIED

LEGEND
P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	HYD TYPE	MTD	PCS	NO	REMARKS	VEHICLE NO	CGO VEH	LD LIMITS	WEIGHT	HGT	TOE LIN	CGO LOAD	IND
E40961 V 01	3530010152220	R 6	CLOTH RPR SHP TLR MTD D8700680LP							CCC	CC	CCCK	37 11	0 03	N	CCCH
V 04	3530010179123	R 6	M-4746CLP							XCX	X X	CC77	20 40	8144	Y	6
V 05	3530010179124	R 6	8700337LP							CCC	X	CC	20 40	8144	N	6
V 14	3530010597076	R 6	NONE							XCX	X	CC	20 40	8144	N	6
PV 02	3530010753503	R 6	NA-79							CCC	X	CC	20 40	8144	N	6
V 17	3530013467256	R 6	CRS-100							XCX	X	CC	20 40	8144	N	6
E41791			EXCAVATOR HYD TYPE II													
PV 01	3805014630806	N 8	JD230LC-RD							CC						
PV 02	3805014630806	N 8	JD230LC-RD							CCCC						
V 03	3805014630806	A U	42-INCH BUCKET			1				CCC	XXXX					
V 04	3805014630806	A U	ROCK DRILL			1				CCC						
E56896			COMBAT VEH IMP TOW													
V 01	2350010451123	N C	M901							CC						
V 02	2350010451123	N C	M901							CCC						
V 51	2350010451123	N C	M901							CCC						
V 52	2350010451123	N C	M901							CC						
PV 03	2350011035641	N C	M901A1							CC						
PV 04	2350011035641	N C	M901A1							CCC						
V 53	2350011035641	N C	M901A1							CCC						
V 54	2350011035641	N C	M901A1							CC						
E60197			COMM TECH CNTL CTR LP													
PV 01	5895010074788	U M	AN/TSQ-84							CCC						
V 05	5895010074788	R 3	AN/TSQ-84							CC						

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT	CUBE	TOE LIN	INDEX	NO	CGO LOAD	IND
E60197 V 07	5895010074788	R 3	COMM TECH CNTL CTR LP AN/TSQ-84	0	279	96	135	18850	2093		CC								
V 09	5895010074788	R 3	AN/TSQ-84	0	265	98	136	18906	2044		CC								
24	5895010074788	U	AN/TSQ-84	0	178	108	88	5960	979		CX								
E61618		U	AN/TSQ-84	V	2-PL TRAIN F/AALPS PLANNING PURPOSES ONLY														
PV 17	3805014318439	N 9	COMPACTOR HI SPEED 815F	B	276	144	135	46200	3105		CC								
PV 18	3805014318439	N 9	815F	B	W/BLADE, ROPS & EXHAUST STACK														
V 21	3805014318439	N 9	815F	C	276	131	110	46200	2302		CC								
V 22	3805014318439	N 9	815F	C	BLADE, ROPS & EXHAUST STACK REMOVED & STOWED ONBOARD														
V 27	3805014318439	N 8	CAT 815F W/AOA	9B	276	131	135	46200	2825		CC								
V 26	3805015387811	N 9	D7G W/AOA	D	276	144	135	46200	3105		XX								
E69242	4310005424566	U	COMPRESSOR UNIT RCP	I	70	24	60	530	59		CCCC								
E69790	4310011138271	U	COMPRESSOR UNIT RCP	N	98	58	77	4660	254		CCCX								
E70338	4310007529634	R 6	COMP UNIT RCP TLR MTD	D	106	61	50	860	187		XCXCC								
PV 21	4310013644316	R 6	E57-6D-TM	D	107	63	51	840	199		CCCC								
E72804	4310011583262	R 7	COMP UNIT RTRY TLRMTD P250WDMH268	D	200	96	78	7000	867		CCC								
E99669	1930012630143	U	CONVERSION KIT BARGE 7006	I	1440	384	228	403450	72960										

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	UNIT	PCS	NO	REMARKS	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND	IND
F05034 01	4930015456669	U	FUEL SYS SUPPLY POINT	E	8	10240	10-4930-363-14	960000	10240		960000	10240	CCCKK DDBB CTN 4	CCCH	
PV 03	4930015456669	U	FUEL SYS SPLY POINT	I	8	1280		120000	1280		120000	1280	115CC CC77 20 40 6		
V 02	4930015456669	U	CONVEYOR BELT PTBL	I		1280		15000	1280		15000		37 11 8144 FT FT 3		
F06972 V 02	3910010793133	U	NONE	I		125	TM 10-3930-665-13&P	2000	125		2000		0 03 077		
PV 03	3910013760431	U	NONE	I		125		2000	125		2000		5 SN		
F07520 PV 02	3910009578696	U	CONVEYOR RLR GRAVITY	I		8		175	8		175		CCC		
12	4940001860027	U	125 PSI	V		292		1560	292		1560		CCC		
F07657 PV 01	3910009578694	U	CONVEYOR RLR GRAVITY	I		4		133	4		133		CCCC		
F07999 PV 01	3910009031303	U	CONVEYOR RLR GRAVITY	I		5		70	5		70		CCCC		
F08479 PV 01	3910008819951	U	CONVEY WHL GRAVITY	I		4		105	4		105		CCCC		
F12581 PV 01	3990013077676	U	FLATRK PALLETZ	I		872	TM 9-3990-206-14&P	3200	872		3200		XCX		
V 03	3990013077676	U	M1077	I		872		3625	872		3625		XCX		
F28973 PV 04	5419014732294	3	FORCE PROVIDER MODULE	U		51167	TM 10-5419-206-13	669560	51167		669560				
06	5419014732294	U	GREEN-FPM	E		51167			51167						
		U	LTWT GREEN	E											
		U	LTWT GREEN	E											
		U	LTWT GREEN	E											
		U	LTWT GREEN	E											
V 13	5419014732294	R 16	TRL WTR M149A2	R		547		2800	547		2800		XCX		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	NO PCS	DIMENSIONS (INCHES) (FOR ONE ITEM)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND	
F28973			FORCE PROVIDER MODULE							
V 50	5419014732294	U	KITCHEN KIT D	I	78 96 96	4270	416	XCXX	XX N N N J2DA	
V 51	5419014732294	U	SITE PRP MNT	I	78 96 96	7440	416	XCXX	XX N N N J2DA	
V 52	5419014732294	U	SYS SPT KT A	I	78 96 96	7410	416	XCXX	XX N N N J2DA	
V 53	5419014732294	U	SYS SPT KT B	I	78 96 96	8950	416	XCXX	XX N N N J2DA	
V 54	5419014732294	U	MWR KIT A	I	240 96 96	8510	1280	XCX	N N N J2DA	
V 55	5419014732294	U	MWR KIT B	I	78 96 96	4360	416	XCXX	XX N N N J2DA	
V 56	5419014732294	U	MWR KIT C	I	78 96 96	9740	416	XCXX	XX N N N J2DA	
V 57	5419014732294	U	MWR TENT KIT	I	78 96 96	6760	416	XCXX	XX N N N J2DA	
V 58	5419014732294	U	MWR ADMIN SPT	I	78 96 96	5930	416	XCXX	XX N N N J2DA	
V 59	5419014732294	U	MWR ECU KT A	I	78 96 96	5330	416	XCXX	XX N N N J2DA	
V 60	5419014732294	U	MWR ECU KT B	I	78 96 96	4890	416	XCXX	XX N N N J2DA	
V 61	5419014732294	U	ADMIN TENT KT	I	78 96 96	7130	416	XCXX	XX N N N J2DA	
V 62	5419014732294	R 6	WST WTR TRL	D	207 96 108	7920	1242	XX	N N N R1DA	
11	5419015661156	U	NONE	I		665240	51012			
12	5419015661160	U	NONE	I		665240	51012			
79	5419015716445	U	NONE	I		665240	51012			
80	5419015716447	U	NONE	I		665240	51012			
F36090			CRANE BARGE 89-250TON	D						
V 03	1935001788205	N G	CRANE 264	D	2130 848 1008	3151680	1053640		N N N C0DP	
V 06	1935002172302	N G	CRANE 250TON	D	2100 840 1476	3312000	1506750		N N N C0DP	
V 01	1935002646219	N G	CRANE 264B	D	1705 840 1042	3651200	863630		N N N C0DP	
	REMARKS		CRANE 264B	D	FUEL CAPACITY 15,000 GAL DIESEL					(DETAIL INDEX 01)
PV 07	1935014346826	N G	NONE	D	1680 840 780	385560	637000		N N N C0DP	
F39378			CRANE WHL 20T W/BOOM	B						
V 06	3810000435354	N 8	2385	B	TM 5-3810-295-34	60860	5862		N N N A1DL	
	REMARKS		2385	B	527 129 149	60860	5862		(DETAIL INDEX 06)	
	REMARKS		2385	B	BBM REF TM 55-3810-240-20-1				(DETAIL INDEX 06)	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM) -> (INCHES) -> LENGTH WIDTH HEIGHT (REMARKS) ->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
F40375		REMARKS			FIGHTING VEHICLE HS M2A2		TM 9-2350-284-10-2 W/O ADD-ON ARMOR	900	(DETAIL INDEX 45)
V 09	2350014059886	REMARKS	N C	D	M2A2 W/ODS	1	258 140 120 65692	116	CC
V 35	2350014059886	REMARKS	N C	D	M2A2 W/ODS	1	258 131 120 57000	116	CC
F40474		REMARKS			CRANE SHOVEL CRWL MTD M855BG240T		TM 5-3810-303-10		
V 01	3810005423048	REMARKS	N C	A	BOOM FOOT SECT	1	809 136 165 106550	(01)	XCX
V 03	3810005423048	REMARKS	U	I	BOOM FOOT SECT	1	300 65 45 2980	(01)	CCC
V 04	3810005423048	REMARKS	U	I	BOOM POINT SECT	1	318 48 45 3940	(01)	CCCCX
V 05	3810005423048	REMARKS	U	I	COUNTERWEIGHT	1	122 35 27 15300	(01)	XXXXX
V 11	3810006068569	REMARKS	U	I	COUNTERWEIGHT	1	NSN DELETED SB 700-20		(COMPONENT INDEX 05)
V 13	3810006068569	REMARKS	N C	A	M855BG40T	1	809 135 165 101305	(11)	XCX
V 14	3810006068569	REMARKS	U	I	BOOM FOOT SECT	1	300 65 45 2150	(11)	XCX
V 15	3810006068569	REMARKS	U	I	BOOM POINT SECT	1	318 48 45 2830	(11)	XXXXX
V 30	3810009330590	REMARKS	N C	A	855BG3	1	809 135 165 101305	(30)	XCX
V 32	3810009330590	REMARKS	U	I	BOOM FOOT SECT	1	300 65 45 2150	(30)	XCX
V 33	3810009330590	REMARKS	U	I	BOOM POINT SECT	1	318 48 45 2830	(30)	XXXXX
V 34	3810009330590	REMARKS	U	I	COUNTERWEIGHT	1	121 35 27 15000	(30)	XXXXX
PV 35	3810011458288	REMARKS	N C	A	P&H 5060	1	306 140 133 96210	(35)	XX
V 37	3810011458288	REMARKS	U	I	COUNTERWEIGHT	1	114 18 65 18190	(35)	CCCC
V 38	3810011458288	REMARKS	U	I	BOOM FOOT	1	249 58 69 3090	(35)	CCC
V 39	3810011458288	REMARKS	U	I	BOOM POINT	1	260 58 71 2600	(35)	CCC
V 40	3810011458288	REMARKS	U	I	BOOM EXTENSION	1	136 62 57 540	(35)	CCCC
V 41	3810011458288	REMARKS	U	I	ADAPT PILE DRVR	2	132 42 2 100	(35)	CCCC
V 42	3810011458288	REMARKS	U	I	BACKHOE SHVL CRN	1	443 62 133 14690	(35)	CX
V 43	3810011458288	REMARKS	U	I	BALL WRECKING	1	35 35 46 6500	(35)	CCCCX
V 44	3810011458288	REMARKS	U	I	BOOM JIB	1	214 28 60 1300	(35)	CCC

UNCLASSIFIED

UNCLASSIFIED

VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	NO	PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	WIDTH (INCHES)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
F40474			CRANE SHOVEL CRWL MTD									
V 45	3810011458288	U	BUCKET CLAMSHELL	I	1	TM 5-3810-303-10	6070	112	55	131	(35)	CX
V 46	3810011458288	U	BUCKET CONCRETE	I	1		1720	62	62	79	(35)	CCCC
V 47	3810011458288	U	BUCKET DRAGLINE	I	1		4360	99	65	68	(35)	CCCC
V 48	3810011458288	U	CATWALK PILEDRVR	I	1		1100	147	21	6	(35)	CCCC
V 49	3810011458288	U	FAIRLEAD	I	1		730	70	33	17	(35)	CCCC
V 50	3810011458288	U	HAMMER PILEDRVR	I	1		6680	135	21	25	(35)	CCCC
V 51	3810011458288	U	LEAD SECT LOWER	I	1		730	130	39	31	(35)	CCCC
V 52	3810011458288	U	LEAD SECTION TOP	I	1		730	180	39	31	(35)	CCCC
V 53	3810011458288	U	SHOVEL FRONT	I	1		19000	299	66	86	(35)	XCX
V 54	3810011458288	U	TAGLINE CRN&SHVL	I	1		580	68	36	31	(35)	CCCC
V 55	3810011458288	U	SHOVEL FRONT BKT	I	1		3500	66	53	77	(35)	CCCC
V 56	3810011458288	U	HOOK BLOCK	I	1		640	47	21	15	(35)	CCCC
			HOOK BLOCK	I		FUEL CAPACITY 76.5 GAL DIESEL						(COMPONENT INDEX 56)
F40721			FLIGHT CONTRL GRP									
PV 01	1680013963975	R 4	AN/ARM163V5A	B		NONE	16280	292	114	153		X
PV 02	1680013963975	R 4	AN/ARM163V5A	C			16280	292	98	153		X
F43003			CRANE TRK MTD									
V 01	3810004337174	N 8	ACFT MAINT	B		TM 5-3810-302-10	14860	324	96	102		CCC
V 02	3810004337174	N 8	ACFT MAINT	C			1766	318	95	101		CCC
			ACFT MAINT	C		FUEL CAPACITY 31 GAL DIESEL						(DETAIL INDEX 02)
PV 04	3810011444885	N 8	RT41AA	D			1766	318	95	101		CCC
F43414			CRANE SHOVEL TRK MTD									
V 05	3810001514431	N 8	M320T2	D		TM 5-3810-288-12	7080	531	128	180		N
06	3810001514431	U	M320T2	I			255	2400				N
			M320T2	I		FUEL CAPACITY CARRIER 75 GAL MOGAS						(DETAIL INDEX 06)
			M320T2	I		FUEL CAPACITY CRANE 50 GAL MOGAS						(DETAIL INDEX 06)
V 09	3810001514431	N 8	M320T2	C			3611	340	124	148		X
			M320T2	C		FUEL CAPACITY CRANE 50 GAL MOGAS						(DETAIL INDEX 02)
PV 33	3810008618088	N 8	M320T	B			5768	541	122	151		C
PV 34	3810008618088	N 8	M320T	C			3817	358	122	151		C
			M320T	C		FUEL CAPACITY CARRIER 75 GAL MOGAS						(DETAIL INDEX 34)
			M320T	C		FUEL CAPACITY CRANE 50 GAL MOGAS						(DETAIL INDEX 34)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY	VEH	DESCRIPTION	S	NO	PCS	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN						
F43414	3810008618088	U	U	CRANE SHOVEL TRK MTD	I	1	1	TM 5-3810-288-12	(34)	CCCC	CCC	Y	Y	N	N	J2BA
V 35	3810008618088	U	U	BOOM FOOT SECT	I	1	1	185 40 31 1900	(34)	CCCC	CCC	Y	Y	N	N	J2BA
V 36	3810008618088	U	U	BOOM POINT SEC	I	1	1	194 33 31 1430		CCCC	CCC	Y	Y	N	N	J2BA
F43429	3810000182021	N	8	CRANE TRK MTD HYD 25T	B	8		TM 5-3810-300-10		CC		N	N	N	N	AIDL
V 01	3810000182021	N	8	MT-250	B	8		458 124 118 65800		CC		N	N	N	N	AIDL
V 02	3810000182021	N	8	MT-250	C	8		458 100 118 65800		CC		N	N	N	N	AIDL
V 26	3810000182021	N	8	MT-250	C	8		FUEL CAPACITY 70 GAL DIESEL		CC						
PV 03	3810010549779	N	8	MT-250	9B	8		BBM REF TM 55-3810-229-14		CC						
F49673	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 01	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 02	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 03	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 04	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 05	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 06	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 07	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 08	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 09	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 10	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 11	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 12	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 13	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 14	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
V 15	3820014355177	U	4	TMS300-5	D	4		492 96 129 71790		CC		N	N	N	N	AIDL
F5289	3610012795657	U	U	FINISHING SECTION	M	2		TM 5-3610-294-13&P		CCC		CCC	N	N	N	J2DB
PV 01	3610012795657	U	U	MPS	M	2		240 96 96 13400		CCC		CCC	N	N	N	J2DB
F55607	1220014698966	U	U	CMPTR SET FLD ARTY AN/GYK-47V5	I	2		TM 11-7021-233-12&P		CCCC		CCCC	Y	Y	Y	J3BA
V 04	1220014698966	U	U	CMPTR SET FLD ARTY AN/GYK-47V5	I	2		12 10 22 50		CCCC		CCCC	Y	Y	Y	J3BA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	HT (INCHES)	WT (LBS)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND
F55607 01	1230013809228	U	CMPTR SET FLD ARTY AN/GYK-37V2	E	1	147	87	9804	1244
V 02	1230013809228	U	MULTIPLE ITEMS	M	1	147	87	5893	622
V 03	1230013809228	U	MULTIPLE ITEMS	M	1	147	87	3911	622
PV 05	7021015148039	U	AN/GYK-59	J		11	22	15	56
F57713 01	1430013786963	R 3	FIRE UNIT VEH MTD AVENGER	B		191	101	105	8660
V 01	1430013786963	R 3	REMARKS	B		MTD ON M1097			1173
V 02	1430013786963	R 3	REMARKS	C		191	88	105	8660
V 19	1430013786963	R 3	REMARKS	C		MTD ON M1097			1022
V 10	1430014091965	R 3	REMARKS	B		HT MUST NOT EXCEED 105 INCHES (HQASC REF LTR 1810)			1022
V 11	1430014091965	R 3	REMARKS	B		COMBAT LOADED WT 8587 LBS			1022
V 13	1430014091965	R 3	REMARKS	B		191	88	105	8660
V 20	1430014091965	R 3	REMARKS	B		MTD ON M1097			1022
PV 33	1430014907031	R 3	REMARKS	D		191	101	105	10000
F60462 01	2350011791028	N C	FIGHTING VEH FTRAC M3A1	D		MTD ON M1097			1173
PV 01	2350012487620	N C	REMARKS	D		258	131	117	48896
PV 02	2350012487620	N C	REMARKS	D		258	131	117	48896
PV 03	2350012487620	N C	REMARKS	D		258	131	117	48896
PV 04	2350012487620	N C	REMARKS	D		258	131	117	48896

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	REMARKS	CGO VEH (INDEX NO)	CHARACTERISTICS
F60530	2350012487620	A	FIGHTING VEH FTRAC	2	1		900	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->
V 05	2350012487620	U	MULTIPLE ITEMS	2	1	TM 9-2350-284-10-2	(02)	CCCC CCCC Y Y Y J3BA
V 06	2350012487620	U	MULTIPLE ITEMS	2	1	104 84 50 3864	(02)	CCCC CCCC Y Y Y J3BA
V 09	2350012487620	N	MULTIPLE ITEMS	2	2	104 84 50 2058		CCCC CCCC Y Y Y J3BA
V 12	2350014059887	N	MULTIPLE ITEMS	2	2	DISASSEMBLED CMPNTS ON 463L PALLET		CCCC CCCC Y Y Y J3BA
F60564	2350014360005	N	MULTIPLE ITEMS	2	2	WT OF CMPNTS DOES NOT INCL PALLET		CCCC CCCC Y Y Y J3BA
PV 01	2350014360005	N	MULTIPLE ITEMS	2	2	REDUCED HEIGHT W/SIGHT UNIT IN PLACE		CCCC CCCC Y Y Y J3BA
F60598	2510014588253	U	M3A2	D	258	258 140 147 66037 3073		CC N N N A1DD
PV 02	2510014588253	U	M3A2	D	258	WITH MISSILE CONTER DEVICE MOUNTED		CC N N N A1DD
F64544	4940014637940	U	M3A2 W/ODS	D	258	258 140 120 66027 2509		CC N N N A1DD
PV 01	4940014637940	U	M3A2 W/ODS	D	258	258 131 142 64858 2778		CC N N N A1DD
V 03	4940014637940	R	FIGHTING VEH F/TRACK	D	258	TM 9-2350-294-10-1		CCCC XXX N N N J2DA
V 05	4940014637940	R	M2A3	D	103	103 93 32 2880 178		CCC XXX N N N J2DA
V 20	4940015331621	U	M2A3	D	150	150 93 61 7200 493		CCC XXX N N N J2DA
F79334	6230010565238	R	FIFTH WHL ASMBLY	I	240	TM 9-2510-247-13&P		CCC N N N J2DC
F81880	4230009269488	U	FORWARD REPAIR SYSTEM	I	240	TM 9-4940-568-10		CCC N N N J2DC
V 05	4230009269488	U	M7 FRS	I	240	96 96 24200 1280		CCC N N N J2DC
V 06	4230009269488	U	M7 FRS	I	240	MTD ON M1077 PLS FLATRACK		CCC N N N J2DC
V 07	4230009269488	U	M7 FRS	I	416	99 155 59260 3695		CCC N N N J2DC
V 01	6230010565238	R	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 04	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 05	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 06	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 07	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 08	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 09	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 10	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 11	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 12	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 13	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 14	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 15	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 16	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 17	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 18	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 19	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 20	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 21	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 22	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 23	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 24	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 25	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 26	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 27	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 28	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 29	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 30	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 31	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 32	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 33	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 34	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 35	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 36	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 37	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 38	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 39	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 40	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 41	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 42	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 43	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 44	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 45	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 46	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 47	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 48	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 49	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 50	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 51	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 52	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 53	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 54	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 55	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 56	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 57	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 58	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 59	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 60	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 61	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 62	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 63	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 64	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 65	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 66	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 67	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 68	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 69	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 70	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 71	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 72	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 73	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 74	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 75	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 76	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 77	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 78	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 79	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 80	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 81	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 82	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 83	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 84	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 85	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 86	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 87	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 88	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 89	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 90	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 91	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 92	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 93	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 94	4230009269488	U	M7 FRS	I	431	96 158 70530 3784		CCC N N N J2DC
V 95	4230009269488	U	M7 FRS	I	431	96 158 70530 3784</		

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	DESCRIPTION (-COMPO DESCRIPTION-)	GRD SUPPT EQUIP KIT	ITEM	PCS	NO	LENGTH WIDTH HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	IND
G05015		REMARKS	U	I	GRD SUPPT EQUIP KIT					NONE			5000		
V 02	1730015734867		U	I	ERP SYSTEM					108 88 90	2038	495	XXXX	XXX	N N N J2DA
G11966		REMARKS	U	N	GEN SET DED SKID MTD					TM 9-6115-641-10	825	34	CCCC	Y	Y J3BA
PV 01	6115012747387		U	0	MEP-802A					50 32 36	825	473	CCC	XXX	Y Y N R2BA
V 02	6115012747387	REMARKS	R	0	MEP-802A					147 74 75	1565				(DETAIL INDEX 02)
G12034		REMARKS	U	N	GEN SET DED SKID MTD					TM 9-6115-645-10	4000	106	CCCC	Y	Y J3BA
V 01	6115012747390		U	0	MEP-806A					87 36 58	4000	837	CCC	XXX	N N R2DA
V 02	6115012747390	REMARKS	R	0	MEP-806A					162 93 96	7060				(DETAIL INDEX 02)
PV 04	6115014620291		U	N	MEP-806A					MTD ON M200A1 TLR			CCCC	XXXX	Y Y Y J3BA
G12170		REMARKS	U	N	GEN SET DED SKID MTD					TM 9-6115-643-10	2500	79	CCCC	Y	Y J3BA
PV 01	6115012747388		U	0	MEP-804A					70 36 54	2500	595	CCC	XXX	N N R2DA
V 02	6115012747388	REMARKS	R	0	MEP-804A					139 87 85	4080				(DETAIL INDEX 02)
V 03	6115012747388		R	0	MEP-804A					MTD ON M200A1 TLR			CCC	XXX	N N R2DA
G12238		REMARKS	U	N	GEN SET DED SKID MTD					TM 9-6115-643-10	2550	79	CCCC	XXXX	Y Y Y J3BA
PV 01	6115012747393		U	N	MEP-814A					70 36 54	2550	790	CCC	X	N N R2DA
G17460		REMARKS	R	D	GEN SET DED TLR MTD					TM 9-6115-663-13&P	6813				(DETAIL INDEX 01)
V 01	6115013172133	REMARKS	R	D	PU-806					165 95 87	6813				(DETAIL INDEX 05)
PV 05	6115014711506	REMARKS	R	D	PU-806					MTD ON M200A1 TLR CHASSIS			CCC	X	N N R2DA
G17528		REMARKS	R	D	GEN SET DSL TLR MTD					TM 9-6115-729-10	839		CCC	X	N N R2DB
V 01	6115014717088	REMARKS	R	D	PU-807A					184 96 82	10650		XCX	X	N N R2DB
PV 10	6115014717088	REMARKS	R	D	PU-807A					223 96 103	11640	1276	CCC	X	N N R2DB

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
G32815 05	4220011095035	U	DIVING EQP SET 120-FT 2 PERSON	E	1	1	NONE	3050		553	CCCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
V 06	4220011095035	U	MULTIPLE ITEMS	J	1	1	60 48 36	1100	60	60	CCCC	Y Y Y J3BA
V 07	4220011095035	U	MULTIPLE ITEMS	J	1	1	120 96 72	1050	480	480	CCCC	N N N J2DA
V 08	4220011095035	U	MULTIPLE ITEMS	J	1	1	30 24 30	900	13	13	CCCC	Y Y Y J3BA
		U	MULTIPLE ITEMS	J	1	1	NSN DELETED SB 700-20				CCCC	(COMPONENT INDEX 08)
09	4220014721849	U	2 PERSON	E			3814	260		260	CCCC	Y Y Y J3BA
PV 11	4220014721849	U	MULTIPLE ITEMS	J	1	1	93 45 42	1938	102	102	CCCC	Y Y Y J3BA
PV 12	4220014721849	U	MULTIPLE ITEMS	J	1	1	97 45 45	1528	114	114	CCCC	Y Y Y J3BA
PV 13	4220014721849	U	MULTIPLE ITEMS	J	1	1	167 27 17	348	45	45	CCCC	Y Y N J2BA
G34805 V 08	2330008789365	R 7	DOLLY SET LIFT M707A1	D			TM 9-2330-285-14&P 144 101 65	2200	547	547	XCX	N N N R2DA
V 01	2330009115072	R 7	M707	B			130 86 48	1100	311	311	CCCXC	N N N R2DA
V 02	2330009115072	R 7	M707	C			77 86 48	1100	184	184	CCCC	N N N R2DA
V 03	2330009124251	R 7	M720 3-TON	B			144 95 51	2080	404	404	CCC	N N N R2DA
V 04	2330009124251	R 7	M720 3-TON	B			W/TOWBAR 92 95 51	2080	258	258	CCC	(DETAIL INDEX 03)
PV 10	2330009124251	R 7	M720 3-TON	C			TOWBAR REMOVED STOWED ON DOLLY INCREASED DIMENSIONS DUE TO RE-BUY 144 95 49	1860	388	388	CCC	(DETAIL INDEX 04)
PV 11	2330009124251	R 7	M720 3-TON	B			W/TOWBAR 92 95 49	1860	248	248	CCC	(DETAIL INDEX 10)
G34815 PV 01 PV 02	2330002266076	R 7 R 7	DOLLY SET LIFT M689 M689	B C			TM 9-2330-275-14&P 181 96 51 121 96 81	3350 3350	513 545	51 51	CCC CCCX	N N N R2DA N N N R2DA
G35089 PV 02	2330008358615	R 7	DOLLY TLR CONV 6-TON M197	D			TM 9-2330-203-14&P 112 93 54	2990	326	326	CCCX	N N N R2DA
G35601 V 01	6115012089827	R 7	GEN SET DED TLR MTD PU-789/M	D			TM 9-6115-647-14&P 189 96 85	7800	893	893	CCC	N N N R2DA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C M L P E T	DESCRIPTION	S H I P C O N F	NO PCS	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
G35601		7	GEN SET DED TLR MTD PU-789/M	D				
PV 12	6115014164015	7	PU-789/N	D				
G35851		6	GEN SET DED TLR MTD PU-803	D				
V 01	6115013172136	6	PU-803	D				
V 19	6115013172136	6	PU-803	R				
PV 10	6115014706376	6	PU-803B/G	D				
G35919		6	GEN SET DED TLR MTD PU-804	D				
V 01	6115013172135	6	PU-804	D				
PV 10	6115014711507	6	PU-804B/G	D				
G35981		U	GEN ST DSL ENG MEP-112A	I				
PV 01	6115004651027	6	MEP-112A	R				
V 02	6115004651027	6	MEP-112A	R				
G37273		6	GEN SET DED TLR MTD PU-751/M	D				
V 01	6115000331373	6	PU-751/M	D				
PV 02	6115000331373	6	PU-751/M	D				

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	V E H I C L E	DESCRIPTION	S H I P	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES) (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
G37273 V 21	6115000331373 REMARKS	R 6	R	GEN SET DED TLR MTD PU-751/M	R	146 74 79 TM 5-6115-630-14&P	494	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
V 26	6115000331373 REMARKS	R 6	R	PU-751/M	R	MTD ON M116A2 TLR	DO NOT	CCC	(DETAIL INDEX 21)
G39497 PV 01	1230015226071 REMARKS	R 4	D	GROUND CONTROL STATION TUAV-SHADOW	D	212 95 104 NONE	1213	XX	N N N R2DB (DETAIL INDEX 01)
G40744 PV 01	6115000331389 REMARKS	R 6	D	GEN SET DED TLR MTD PU-753/M	D	144 74 78 TM 5-6115-632-14&P	481	CCC	CCC Y Y N R2BA (DETAIL INDEX 01)
V 07	6115000331389 REMARKS	R 6	D	PU-753/M	D	MTD ON M116A1 TLR CHASSIS	481	CCC	(DETAIL INDEX 01)
V 20	6115000331389 REMARKS	R 6	D	PU-753/M	D	USE NEW LIN# G42170 INSTEAD OF G40744	552	CCC	CCC Y Y N R2BA (DETAIL INDEX 07)
G41670 V 01	6115012246656	R 6	D	GEN SET DED TLR MTD 5KW 60HZ	D	144 74 78 TM 5-6115-632-14&P	481	CCC	XXX Y Y N R2BA (DETAIL INDEX 03)
V 05	6115012246656	R 6	D	5KW 60HZ	D	66 46 44 TB 5-6115-654-14	78	CCCC	CCC Y Y N R2BA
PV 03	6115013031484 REMARKS	R 6	D	CTMGSA-5	D	145 80 79 NONE	531	XCX	XXX Y Y N R2BA
G42170 V 01	6115013199032 REMARKS	R 6	D	GEN SET DED TLR MTD PU-798	D	157 80 81 CTMGSA-5	589	XCX	XXX Y Y N R2BA (DETAIL INDEX 03)
V 08	6115013199032 REMARKS	R 6	D	PU-798	D	FUEL CAPACITY 5 GAL DSL	543	CCC	XXX Y Y N R2BA (DETAIL INDEX 01)
V 13	6115013199032 REMARKS	R 6	D	PU-798	D	147 84 76 TM 9-6115-660-13&P	543	CCC	XXX Y Y N R2BA (DETAIL INDEX 01)
V 40	6115013199032 REMARKS	R 6	D	PU-798	D	MTD ON M116A2 TLR CHASSIS	558	CCC	XXX Y Y N R2BA (DETAIL INDEX 08)
V 44	6115013199032 REMARKS	R 6	D	PU-798	D	MTD ON M116A3 TLR	620	CCC	XXX N N N R2DA (DETAIL INDEX 13)

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	REMARKS	CGO VEH	CGO LOAD	IND
G58151 V 01	1040013801400	R 3	GEN SMOKE MECH	0	189	TM 3-1040-282-10	LD LIMITS	CCC	X X N N N R2DA
V 03	1040013801400	R 3	M56	0	85	69	WEIGHT	CCC	X X N N N R2DA
PV 05	1040013801400	U	M56	0	191	73	HGT CUBE	CCC	X X N N N R2DA
G62710 PV 01	6115015617738	U	M56	0	41	20	TOE LIN	CCCC	CCCC Y Y Y J3BA
G62960 PV 01	6115015617895	U	M56	0	75	36	(INDEX NO)	XCXC	XXXX Y Y Y J3BA
G63256 PV 01	6115015617788	U	M56	0	82	36		XCXC	XXXX Y Y Y J3BA
G68966 PV 01	8110008241444	U	M56	0	82	36		XCXC	XXXX Y Y Y J3BA
V 02	8110008241444	U	M56	0	74	35		CCCC	CCCC Y Y Y J3BA
V 03	8110008241444	U	M56	0	81	39		CCCC	CCCC Y Y Y J3BA
V 04	8110008241444	U	M56	0	144	108		CC	N N N J2DA
G74575 V 01	6115012747389	U	M56	0	103	73		CC X	N N N J2DA
V 02	6115012747389	U	M56	0	103	73		CC X	N N N J2DA
PV 04	6115014619335	U	M56	0	80	36		CCCC	XXXX Y Y Y J3BA
G74643 V 01	6115012747394	U	M56	0	162	93		CCC	X N N N R2DA
PV 02	6115014620290	U	M56	0	80	36		CCCC	XXXX Y Y Y J3BA
G74711		U	M56	0	80	36		CCCC	XXXX Y Y Y J3BA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	HEATER DUCT TYPE	PTBL	S	H	I	P	NO	PCS	REMARKS	LENGTH	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	4	CCCH	6	IND	
H00586 V 01	4520013672739		HEATER DUCT TYPE PTBL NONE			I	65	40	58	355	88	TM 9-4520-271-14	65	40	58	355	88	XXXX	XXXX	Y	Y	Y	Y	Y	Y	J3BA
V 02	4520014391682		DIESEL			I	65	40	58	355	88		65	40	58	355	88	XXXX	XXXX	Y	Y	Y	Y	Y	Y	J3BA
PV 03	4520014770568		NONE			I	65	40	58	355	88		65	40	58	355	88	XXXX	XXXX	Y	Y	Y	Y	Y	Y	J3BA
H01855 V 03	4940002346114	R 7	ELECT SHOP STLRMTD L/P AN/ASM-189A			B	422	96	132	16080	3095	TM 11-4940-490-13&P	422	96	132	16080	3095	20000	CC	CC	N	N	N	N	N	R1DJ
V 04	4940002346114	R 7	AN/ASM-189A			C	371	96	132	16080	2721		371	96	132	16080	2721	132	CC	CC	N	N	N	N	N	R1DB
V 01	4940008778730	R 7	AN/ASM-189			B	422	96	132	15490	3095		422	96	132	15490	3095	132	CC	CC	N	N	N	N	N	R1DJ
V 02	4940008778730	R 7	AN/ASM-189			C	371	96	132	15490	2721		371	96	132	15490	2721	132	CC	CC	N	N	N	N	N	R1DB
V 12	4940012119938	R 7	AN/ASM-189B			D	356	96	132	15000	2611		356	96	132	15000	2611	132	XX	XX	N	N	N	N	N	R1DB
V 05	4940012749959	R 7	AN/ASM-189C			D	360	96	132	15000	2640		360	96	132	15000	2640	132	XX	XX	N	N	N	N	N	R1DB
V 13	4940014926569	R 7	AN/ASM-189E			D	398	96	130	29400	2875		398	96	130	29400	2875	130	XX	XX	N	N	N	N	N	R1DC
PV 14	4940014927985	R 7	AN/ASM-189G			D	398	96	130	16080	2875		398	96	130	16080	2875	130	XX	XX	N	N	N	N	N	R1DB
V 15	4940014927986	R 7	AN/ASM-189F			D	398	96	130	16080	2875		398	96	130	16080	2875	130	XX	XX	N	N	N	N	N	R1DB
V 16	4940014927987	R 7	AN/ASM-189D			D	398	96	130	16080	2875		398	96	130	16080	2875	130	XX	XX	N	N	N	N	N	R1DB
H01857 V 03	4940001776835	R 7	ELECT SHOP STLRMTD L/P AN/ASM-190A			D	396	96	132	14020	2904	TM 11-4940-246-14	396	96	132	14020	2904		CC	CC	N	N	N	N	N	R1DB
V 02	4940009650317	R 7	AN/ASM-190			D	388	96	132	19500	2846		388	96	132	19500	2846		CC	CC	N	N	N	N	N	R1DB
V 12	4940013870587	R 7	AN/ASM-190B			D	405	96	132	15140	2970		405	96	132	15140	2970		CC	CC	N	N	N	N	N	R1DB
PV 13	4940014927988	R 7	AN/ASM-190E			D	398	96	130	16080	2875		398	96	130	16080	2875		XX	XX	N	N	N	N	N	R1DB
V 14	4940014927989	R 7	AN/ASM-190C			D	398	96	130	16080	2875		398	96	130	16080	2875		XX	XX	N	N	N	N	N	R1DB

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY	VEH	PL	HT	SI	PC	NO	PCS	REMARKS	CGO VEH	LD LIMITS	WEIGHT	HGT	CUBE	TOE LIN	IND	
H30517																			
PV 05	1520010883669	REMARKS	K								HELICOPTER CGO TRANS	22875							
V 06	1520010883669	REMARKS	N								CH-47D	141	1487						
V 16	1520010883669	REMARKS	K								CH-47D								
V 17	1520010883669	REMARKS	K								CH-47D								
H30766																			
PV 01	1520012824051	REMARKS	N								HELICOPTER UTILITY								
V 02	1520012824051	REMARKS	H								MH-60K								
PV 03	1520012824051	REMARKS	N								MH-60K								
V 04	1520012824051	REMARKS	N								MH-60K								
14	1520012824051	REMARKS	N								MH-60K								
H31079																			
PV 01	3910011971689	REMARKS	U								HELICOPTER OBSN								
H31110																			
PV 01	1520010204216	REMARKS	N								OH-58C								
V 03	1520010204216	REMARKS	H								OH-58C								
V 04	1520010204216	REMARKS	N								OH-58C								
PV 07	1520010204216	REMARKS	K								OH-58C								
V 08	1520010204216	REMARKS	U								OH-58C								
V 09	1520010204216	REMARKS	U								OH-58C								

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH (INDEX NO)	CERTIFIED CRITERIA
H31110			HELICOPTER OBSN							
V 10	1520010204216	U	HORIZ STABILIZER	I	1		81	45	(07)	CCCC
V 11	1520010204216	U	TAIL BOOM	I	1		189	76	(07)	CCCC
V 13	1520010204216	N	OH-58C	8			492	2235		CC
V 15	1520010204216	N	OH-58C	8			W/LOW LANDING GEAR & FUEL	2554		CCCC
V 16	1520010204216	N	OH-58C	F			212	823		CC
V 17	1520010204216	N	OH-58C	F			W/LOW LANDING GEAR LESS FUEL	823		CCCC
V 18	1520010204216	C	MAIN ROTOR BLADE	I	2		201	82	(15)	CCCC
V 19	1520010204216	C	VERTICAL FIN	I	1		86	30	(15)	CCCC
V 20	1520010204216	C	HORIZ STABILIZER	I	1		81	45	(15)	CCCC
V 21	1520010204216	C	TAIL BOOM	I	1		189	76	(15)	CCCC
V 56	1520010204216	N	OH-58C	BA			218	983		CC
V 57	1520010204216	N	OH-58C	BA			393	1526		CC
V 58	1520010204216	N	OH-58C	C			78	1881		CC
V 59	1520010204216	N	OH-58C	C			MAST REMOVED AND STOWED IN HELICOPTER FOR AALPS PLANNING PURPOSES ONLY			CCCC
V 60	1520010204216	N	OH-58C	C			201	82	(56)	CCCC
V 61	1520010204216	D	MAIN ROTOR BLADE	I	2		40	65	(56)	CCCC
V 62	1520010204216	D	MAIN ROTOR HUB	I	1		393	1924		CCCC
V 63	1520010204216	N	OH-58C	F			MAST REMOVED AND STOWED IN HELICOPTER			CC
V 71	1520010204216	K	OH-58C	F			201	82	(70)	CCCC
V 72	1520010204216	E	MAIN ROTOR BLADE	I	2		40	65	(70)	CCCC
V 95	1520010204216	N	OH-58C	9B			492	3196		CC
H31329			HELICOPTER UTILITY							
PV 01	1520015332025	N	HELICOPTER UTILITY				NONE			CC
PV 02	1520015332025	N	UH-72A	8			402	4300		XX
PV 03	1520015332025	N	UH-72A	C			402	3692		XCX
H31595			HELICOPTER UTILITY							
PV 01	1520015114315	N	HELICOPTER UTILITY	8			778	60890		
PV 02	1520015114315	N	EUH-60L	8			W/2400 LBS OF INTERNAL FUEL			X
PV 03	1520015114315	N	EUH-60L	S			636	6718		
PV 04	1520015114315	N	EUH-60L	S			STABILATOR REMOVED; W/850 LBS OF INTERNAL FUEL			CCCC
			STABILATOR	I	1		172	27	(02)	X
			EUH-60L	BA			636	6718		

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P	<-LIN DESCRIPTION--> <---MODEL-----> <--COMPO DESCRIPTION-->	PCS	TM 1-1520-237-10 646 121 148 14660 WITHOUT STABILATOR FOR AALPS PLANNING PURPOSES ONLY 646 176 148 16200 9738 WITH STABILATOR FOR AALPS PLANNING PURPOSES ONLY 608 172 148 16850 8957 TAIL ROTOR BLADES & ESSS REMOVED & SHIPPED SEPARATELY 79 54 40 500 99 180 33 36 100 124 600 120 148 16100 6167 79 54 40 500 99 180 33 36 100 124 TM 1-1520-280-10 778 129 202 19200 11733 617 129 148 19200 6817 305 38 18 600 121 MAIN ROTOR BLADES ARE REMOVED AND SHIPPED IN BOX TM 9-2590-527-13&P 79 47 33 550 71 140 88 66 1460 471 MTD ON M1102 TRAILER TM 11-1520-236-23-1 637 129 150 8500 7133 535 84 150 7770 3901 239 39 16 575 87 47 37 19 125 20 FUEL TANKS 3/4 FULL BLADE WT INCLUDES WT OF CNTNR ACTUAL BLADE WEIGHT IS 240 LBS 535 84 105 6991 2731 239 39 16 575 87 48 37 19 125 20	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 FT FT L 5 SN	
H32361 V 15	1520012984532	REMARKS	N K	C	HELICOPTER UTILITY UH-60L	2	TM 1-1520-237-10 646 121 148 14660 WITHOUT STABILATOR FOR AALPS PLANNING PURPOSES ONLY 646 176 148 16200 9738 WITH STABILATOR FOR AALPS PLANNING PURPOSES ONLY 608 172 148 16850 8957 TAIL ROTOR BLADES & ESSS REMOVED & SHIPPED SEPARATELY 79 54 40 500 99 180 33 36 100 124 600 120 148 16100 6167 79 54 40 500 99 180 33 36 100 124 TM 1-1520-280-10 778 129 202 19200 11733 617 129 148 19200 6817 305 38 18 600 121 MAIN ROTOR BLADES ARE REMOVED AND SHIPPED IN BOX TM 9-2590-527-13&P 79 47 33 550 71 140 88 66 1460 471 MTD ON M1102 TRAILER TM 11-1520-236-23-1 637 129 150 8500 7133 535 84 150 7770 3901 239 39 16 575 87 47 37 19 125 20 FUEL TANKS 3/4 FULL BLADE WT INCLUDES WT OF CNTNR ACTUAL BLADE WEIGHT IS 240 LBS 535 84 105 6991 2731 239 39 16 575 87 48 37 19 125 20	16200 210 217	CC (DETAIL INDEX 15) (DETAIL INDEX 15) (DETAIL INDEX 27) (DETAIL INDEX 27) (DETAIL INDEX 58) CCCC Y Y Y J3BA CCCC X X Y Y N J2BA CC N N N B1DJ CCCC Y Y Y J3BA CCCC X X Y Y N J2BA CC N N N B1DJ CCCC Y Y Y J3BA CCCC X X Y Y N J2BA	
V 27	1520012984532	REMARKS	N K	S	UH-60L	2		210 217	CC	
V 58	1520012984532	REMARKS	N K	S	UH-60L	2		210 217	CC	
V 59	1520012984532	REMARKS	D U	I	ESSS WINGS	2		(58)	CCCC	
V 60	1520012984532	REMARKS	D U	I	EXT FUEL TANKS	4		(58)	CCCC	
V 71	1520012984532	REMARKS	N K	BA	UH-60L	2		210 217	CC	
V 72	1520012984532	REMARKS	E U	I	ESSS WINGS	2		(71)	CCCC	
V 73	1520012984532	REMARKS	E U	I	EXT FUEL TANKS	4		(71)	CCCC	
H32429	1520014926324	REMARKS	N H	8	HELICOPTER UTILITY UH-60M	8			CC	
PV 01	1520014926324	REMARKS	N K	BA	UH-60M	8			CC	
PV 02	1520014926324	REMARKS	N K	BA	UH-60M	8			CC	
V 03	1520014926324	REMARKS	A U	J	MAIN ROTOR BLADES SH	1		(02)	XCX	
H39473	2590015517979	REMARKS	U	J	MAIN ROTOR BLADE	1			XCX	
PV 01	2590015517979	REMARKS	U	J	MAIN ROTOR BLADE	1			XCX	
V 02	2590015517979	REMARKS	R 6	I	MORTAR QUICK STOW NONE	0			CCCC	
H44644	1520011684260	REMARKS	N H	8	HELCPTR ATTACK TOW MSL AH-1F	8			CCCC	
PV 01	1520011684260	REMARKS	N H	8	HELCPTR ATTACK TOW MSL AH-1F	8			CCCC	
PV 02	1520011684260	REMARKS	N K	C	UH-60L	2			CCCC	
V 03	1520011684260	REMARKS	A U	M	ROTOR BLADES	2		(02)	CCCC	
V 04	1520011684260	REMARKS	A U	I	WING	2		(02)	CCCC	
V 08	1520011684260	REMARKS	N K	I	WING	2			CCCC	
V 09	1520011684260	REMARKS	N K	I	WING	2			CCCC	
V 10	1520011684260	REMARKS	B U	F	AH-1F	2		(08)	CCCC	
			B U	M	ROTOR BLADES	2		(08)	CCCC	
			B U	I	WING	2		(08)	CCCC	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	REMARKS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 SN	
H44644														
V 11	1520011684260	B	HLCPTR ATTACK TOW MSL	I	1		TM 11-1520-236-23-1	88	21	11	490	(08)	CCCC CCCC Y Y Y J3BA	
V 12	1520011684260	B	U ROTOR HEAD	I	1		64	23	23	225	20	(08)	CCCC CCCC Y Y Y J3BA	
V 13	1520011684260	B	U MAST	I	2		32	30	4	17	3	(08)	CCCC CCCC Y Y Y J3BA	
V 14	1520011684260	B	U ELEVATOR	I	1		42	14	27	30	10	(08)	CCCC CCCC Y Y Y J3BA	
V 14	1520011684260	B	U PYLON FAIRING	I	1								CCCC CCCC Y Y Y J3BA	
H48918														
V 01	1520013558250	N	HELICOPTER ATTACK	I	8		TM 1-1520-251-10	698	576	210	15057	48860	CCCC CCCC Y Y Y J3BA	
PV 02	1520013558250	N	AH-64D	S	1		589	116	151	13622	5971		CC	
V 03	1520013558250	A	U WINGS W/PYLON	I	1		93	44	61	532	145	(02)	CCCC XXXX Y Y Y J3BA	
V 04	1520013558250	A	U MAIN ROTOR BLADE	I	4		256	33	13	163	64	(02)	CCC Y Y N J2CA	
V 05	1520013558250	A	U TAIL ROTOR BLADE	I	2		52	13	12	34	5	(02)	CCCC CCCC Y Y Y J3BA	
V 06	1520013558250	A	U MAST MTD ASSY	M	1		62	62	48	980	107	(02)	CCCC CCCC Y Y Y J3BA	
V 07	1520013558250	A	U ROCKET LCHR	H	2		75	21	21	155	20	(02)	CCCC CCCC Y Y Y J3BA	
V 08	1520013558250	A	U MISSILE LCHR	H	2		67	30	34	450	40	(02)	CCCC CCCC Y Y Y J3BA	
V 13	1520013558250	A	U HRZTL STABILATOR	I	3		134	48	14	128	53	(02)	CCCC XXXX Y Y N J2BA	
V 15	1520013558250	N	REMARKS	I	1								(COMPONENT INDEX 13)	
V 15	1520013558250	N	REMARKS	K	9		603	118	151	12727	6218	X	N N N B1DJ (DETAIL INDEX 15)	
V 15	1520013558250	N	REMARKS	K	9								(DETAIL INDEX 15)	
V 18	1520013558250	N	REMARKS	K	9								(DETAIL INDEX 15)	
V 18	1520013558250	N	REMARKS	K	9B		603	196	193	13807	13201		N N N B0DJ (DETAIL INDEX 18)	
V 20	1520013558250	N	REMARKS	K	9B		603	119	151	14880	6271	X	N N N B1DJ (DETAIL INDEX 18)	
V 21	1520013558250	B	U WINGS W/PYLON	I	1		93	44	61	532	145	(20)	CCCC XXXX Y Y Y J3BA	
V 22	1520013558250	B	U ROCKET LCHR	H	2		75	21	21	155	20	(20)	CCCC CCCC Y Y Y J3BA	
V 23	1520013558250	B	U MISSILE LCHR	H	2		67	30	34	450	40	(20)	CCCC CCCC Y Y Y J3BA	
V 24	1520013558250	B	U HRZTL STABILATOR	I	3		135	48	14	128	53	(20)	CCCC XXXX Y Y N J2BA	
V 25	1520013558250	N	REMARKS	K	1		603	196	151	14880	10328	CC	N N N B1DJ (DETAIL INDEX 25)	
H53326														
PV 01	1055014734350	R	LAUNCHER ROCKET HIMAR	S	1		TM 9-1005-1646-13&P	312	96	114	28560	1976	CC	N N N R1DC
PV 02	1055014734350	R	M142 HIMARS	B	4		312	96	105	28560	1820		CCC	
V 15	1055014734350	R	M142 HIMARS	C	4		309	99	104	37500	1842		CCC	
V 14	1055015367106	R	M142 HIMARS	BA	4		HIMARS W/ICP							
V 14	1055015367106	R	M142 HIMARS	BA	4		307	97	113	35000	1948		XX	

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	CLASSIFICATION	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	W/REAR EXTENSION	TRANSPORT MODE	CGO VEH LD LIMITS	CGO LOAD IND										
H82510 PV 01	5420014304227	N C	HVY ASLT BRDG XM104	B	532	144	157	116294	6961	NONE	W/REAR EXTENSION IN TRANSPORT MODE	CCCKK DDBB CTN CTN 4 CCCH	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->										
V 02	5420014304227	N C	XM104	B	552	144	120	116294	5520	552	144	120	116294	5520	CC	CC	CC77	20	40	6			
PV 03	5420014304227	N C	XM104	C	552	144	120	116294	5520	552	144	120	116294	5520	CC	CC	37	11	8144	FT	FT	3	L
H94824 V 02	4930001333041	U	FWD AREA REFUEL EQUIP	2	81	39	35	840	64	TM 10-4930-229-12&P		CCCC	CCCC	Y	Y	Y	Y	Y	Y	Y	Y	Y	J3BA
04	4930001333041	U	NONE	2	88	108	39	1130	215	MULTIPLE ITEMS ON WOOD PALLET		CCCC	XX	N	N	Y	J3DA						
07	4930001333041	V	NONE	4	144	108	81	9650	729	F/AALPS PLANNING PURPOSES ONLY		CC		N	N	N	J2DA						
PV 16	4930013018201	U	NONE	4	96	48	36	1200	96	INCLUDES 864 GAL OF GASOLINE & PUMP/ENGINE ASSEMBLY REF FM 10-537 FOR AIRDROP		CCCC	CCCC	Y	Y	Y	J3BA						
17	4930015614720	U	FARE	H																			
J00583 PV 01	5810014658712	R 7	JOINT BASE STATION TSC135 VIA	D	242	88	103	10900	1270	NONE		CX		N	N	N	R2DB						
J04717 01	4930001425313	U	FUEL SYS SUPPLY POINT 60000 GAL	E				30590	2183	TM 10-4930-232-12&P		CCCC	CCCC	Y	Y	Y	J3BA						
V 02	4930001425313	A	PUMP	H	2	68	46	58	105			CCCC	CCCC	Y	Y	Y	J3BA						
V 03	4930001425313	A	MULTIPLE ITEMS	J	1	44	44	38	43			CCCC	CCCC	Y	Y	Y	J3BA						
V 04	4930001425313	A	MULTIPLE ITEMS	J	1	44	44	36	41			CCCC	CCCC	Y	Y	Y	J3BA						
V 05	4930001425313	A	MULTIPLE ITEMS	J	1	43	43	26	28			CCCC	CCCC	Y	Y	Y	J3BA						
V 06	4930001425313	A	MULTIPLE ITEMS	J	1	42	42	42	43			CCCC	CCCC	Y	Y	Y	J3BA						
V 07	4930001425313	A	MULTIPLE ITEMS	J	1	42	20	31	15			CCCC	CCCC	Y	Y	Y	J3BA						
V 08	4930001425313	A	MULTIPLE ITEMS	J	1	26	20	22	7			CCCC	CCCC	Y	Y	Y	J3BA						
V 09	4930001425313	A	MULTIPLE ITEMS	J	1	44	30	29	23			CCCC	CCCC	Y	Y	Y	J3BA						
V 10	4930001425313	A	MULTIPLE ITEMS	J	1	43	29	31	23			CCCC	CCCC	Y	Y	Y	J3BA						
V 11	4930001425313	A	MULTIPLE ITEMS	J	1	19	11	22	3			CCCC	CCCC	Y	Y	Y	J3BA						
V 12	4930001425313	A	MULTIPLE ITEMS	J	1	42	41	31	31			CCCC	CCCC	Y	Y	Y	J3BA						

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
J05001			JOINT NODE NETWORK (J)		NONE				
PV 01	5805015299573	R 3	AN/TTC-59A(V) 2		192 96	11064	1024	XCX	N N N R2DB
V 08	5805015299573	R 3	AN/TTC-59V2		197 79 104	10117	937	XX	N N N R2DB
	REMARKS		AN/TTC-59V2		MTD ON M1113				(DETAIL INDEX 08)
V 14	5805015649474	R 4	AN/TTC-59V6		217 94 105	12100	1240	XX	N N N R2DB
	REMARKS		AN/TTC-59V6		MTD ON M1152A1				(DETAIL INDEX 14)
V 03	5805015649498	U	AN/TTC-59V4		99 80 71	3641	326	XCXX	Y Y Y J3BA
V 04	5805015786389	U	AN/TTC-59A(V) 6		104 69 69	2747	287	XCXC	Y Y Y J3BA
V 05	5805015786409	U	AN/TTC-59A(V) 5		104 89 69	3641	370	XCXC	N N N J2DA
V 06	5805015822366	U	AN/TTC-59A(V) 3		104 89 69	2846	370	XCXC	N N N J2DA
V 16	5805015822366	R 3	AN/TTC-59A(V) 3		205 98 104	9716	1210	XX	N N N R2DA
	REMARKS		AN/TTC-59A(V) 3		MTD ON M1113				(DETAIL INDEX 16)
V 07	5805016055849	U	AN/TTC-59B(V) 5		192 89 96	2776	950	XCX	N N N J2DA
V 02	5850015530920	U	AN/TTC-59(V) 3		99 80 71	3641	326	XCXX	Y Y Y J3BA
J05009			INF CARR VEH/STRYKER		TM 9-2355-363-10-1				
PV 01	2355015868140	R 4	M1256 ICVV		288 150 130	51216	3250	X	N N N R1DC
	REMARKS		M1256 ICVV		OPERATIONAL INF CARR VEH/STRYKER DBL V HULL				(DETAIL INDEX 01)
PV 03	2355015868140	R 4	M1256 ICVV		286 112 110	48155	2039	XX	N N N R1DC
	REMARKS		M1256 ICVV		LENGTH & WIDTH REDUCED BY REMOVING BLAST PLATE				(DETAIL INDEX 03)
	REMARKS		M1256 ICVV		HEIGHT REDUCED BY LOWERING RWS & ANTENNA REMOVED				(DETAIL INDEX 03)
J22626			INF CARR VEH/STRYKER		TM 9-2355-311-13&P				
PV 01	2355014818575	R 4	M1126		294 123 142	38640	2972	CC	N N N R1DC
PV 02	2355014818575	R 4	M1126		288 112 106	35574	1979	CCC	N N N R2DC
	REMARKS		M1126		LENGTH & WIDTH REDUCED BY REMOVING BLAST PLATE				(DETAIL INDEX 02)
	REMARKS		M1126		HEIGHT REDUCED BY LOWERING RWS & ANTENNA REMOVED				(DETAIL INDEX 02)
V 03	2355014818575	R 4	M1126		319 148 142	41160	3880	CC	N N N R1DC
V 04	2355014818575	R 4	M1126		288 112 106	35574	1979	CCC	N N N R2DC
V 05	2355014818575	U	SLAT ARMOR SEC	1	176 108 96	8262	1056	CCC	N N N J2DA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM) -> (INCHES) -> (REMARKS) ->	WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
J22626					INF CARR VEH/STRIKER SLAT ARMOR SEC		TM 9-2355-311-13&P COMPONENTS TRANSPORTED ON 2-PALLET TRAIN			CCC	(COMPONENT INDEX 05) N N N R2DC
V 19	2355014818575	REMARKS	U 4	R 4	M1126		288 112 106 36884 1979			CCC	
J30093					GENERATOR SET 750KW		TM 9-6115-604-12			CCC	N N N J2DC
PV 01	6115004505881	REMARKS	U	N	MEP-208A		333 96 100 40000 1850			CCC	
V 03	6115005591449		U	N	S-6660		469 121 138 88000 4532			XX	N N N J1DL
V 04	6115005963405		U	N	S-6832		469 121 138 90250 4532			XX	N N N J1DL
V 05	6115011433850		N 7	B	MEP-012A		250 96 101 25000 1403			XCX	N N N A2DC
V 06	6115011433850		N 7	C	MEP-012A		231 96 101 25000 1297			XCX	N N N A2DC
V 07	6115011433850		N 7	9B	MEP-012A		231 96 101 25000 1297			XCX	N N N A2DC
J35492					GEN SET DED TLR MTD		TM 5-6115-625-14&P			CCC	X N N N R2DA (DETAIL INDEX 03)
PV 03	6115003949577	REMARKS	R 6	D	PU-405A/M		170 98 93 7760 897			CCC	
V 08	6115003949577	REMARKS	R 6	D	PU-405A/M		MTD ON M200A1 TLR CHASSIS			CC	C N N N R2DA (DETAIL INDEX 08)
J35595					GEN SET DED TLR MTD		TM 5-6115-376-13			CCC	CC N N N R2DA (DETAIL INDEX 01)
V 01	6115001320488	REMARKS	R 6	B	PU-699/M		190 97 85 8220 907			CCC	
V 02	6115001320488	REMARKS	R 6	B	PU-699/M		MTD ON M200A1 TLR CHASSIS			CCC	CC N N N R2DA (DETAIL INDEX 02)
PV 03	6115002581655	REMARKS	R 6	C	PU-699/M		170 97 85 8220 812			CCC	X X N N N R2DA (DETAIL INDEX 03)
PV 04	6115002581655	REMARKS	R 6	C	PU-699/M		MTD ON M200A1 TLR CHASSIS			CCC	X X N N N R2DA (DETAIL INDEX 04)
J35629					GEN SET DED TLR MTD		TM 9-6115-648-14&P			CCC	CC N N N R2DA (DETAIL INDEX 03)
PV 03	6115002581622	REMARKS	R 6	B	PU-650B/G		190 97 90 7540 960			CCC	
PV 04	6115002581622	REMARKS	R 6	B	PU-650B/G		MTD ON M200A1 TLR CHASSIS			CCC	CC N N N R2DA (DETAIL INDEX 03)
PV 04	6115002581622	REMARKS	R 6	C	PU-650B/G		170 97 84 7540 802			CCC	CC N N N R2DA (DETAIL INDEX 04)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	GEN SET SK MTD 15KW O-15H 18M O-15H 18M JTA151815WW JTA151815WA JTA151815WA GEN SET 15KW MEP-113A SKID MEP-113A SKID MEP-113A SKID MEP-113A SKID PU-732M PU-732M GEN SET DED TLR MTD PU-406B/M PU-406B/M PU-406B/M PU-406B/M PU-406B/M PU-406B/M PU-406B/M GEN SET DED 60 KW MEP-006A MEP-006A MEP-006A MEP-006A REMARKS REMARKS	PCS	NO	PLANNING PURPOSES ONLY	WEIGHT (LB)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND	DETAIL INDEX
J35835			U	V	GEN SET SK MTD 15KW	146	TM 9-6115-464-12					
V 11	6115006279031	REMARKS	U	N	O-15H 18M	91	F/AALPS PLANNING PURPOSES ONLY	3010	146	CCCC	CCCC	(DETAIL INDEX 06)
V 16	6115006535634		U	N	O-15H 18M	84		59	2410	CCCC	CCCC	(DETAIL INDEX 06)
PV 18	6115008174919		U	N	JTA151815WW	85		56	2614	CCCC	CCCC	(DETAIL INDEX 06)
V 19	6115008174919		U	H	JTA151815WA	90		62	2760	CCCC	CCCC	(DETAIL INDEX 06)
J36006			U	N	GEN SET 15KW	70	TM 9-6115-464-12	55	2780	XXXX	XXXX	(DETAIL INDEX 01)
PV 01	6115001181244	REMARKS	U	N	MEP-113A SKID	98	FUEL CAPACITY 15 GAL DIESEL	76	4031	XXXX	XXXX	(DETAIL INDEX 03)
V 03	6115001181244	REMARKS	U	N	MEP-113A SKID	171	W/ACOUSTIC SUPPRESSION KIT	84	5580	XCX	XCX	(DETAIL INDEX 05)
V 05	6115002603082	REMARKS	R	0	PU-732M	15KW, MEP-113A, TRLR MTD TO MAKE PU-732M			798			
J36383			U	B	GEN SET DED TLR MTD	186	TM 5-6115-626-14&P	83	6300	CCC	CCC	(DETAIL INDEX 12)
PV 03	6115003949576		R	C	PU-406B/M	167		83	6300	CCC	CCC	(DETAIL INDEX 31)
PV 04	6115003949576		R	D	PU-406B/M	170		104	7740	CCC	CCC	(DETAIL INDEX 32)
V 12	6115003949576	REMARKS	R	R	PU-406B/M	166	W/ACOUSTIC SUPPRESSION KIT	87	6777	CCC	CCC	(DETAIL INDEX 07)
V 31	6115003949576	REMARKS	R	R	PU-406B/M	166	W/ACCESSORIES FOR POWER PLANT MTD ON M200A1 TLR	87	6044	CCC	CCC	(DETAIL INDEX 07)
V 32	6115003949576	REMARKS	R	R	PU-406B/M	166		87	6044	CCC	CCC	(DETAIL INDEX 07)
J38301			U	N	GEN SET DED 60 KW	88	TM 5-6115-545-12	59	4902	CCCC	CCCC	(DETAIL INDEX 05)
PV 05	6115001181243	REMARKS	U	N	MEP-006A	92	FUEL CAPACITY 50 GAL DIESEL	62	5150	CCCC	CCCC	(DETAIL INDEX 05)
V 06	6115001181243		U	J	MEP-006A	88		63	5192	CCCC	CCCC	(DETAIL INDEX 07)
V 07	6115001181243	REMARKS	U	V	MEP-006A	142	F/AALPS PLANNING PURPOSES ONLY	86	11300	CCC	CCC	(DETAIL INDEX 07)
J40150			U	J	GEN SET SK MTD 200KW		TM 5-6115-400-12		417			
PV 04	6115009358729		U	J	MEP-108A							

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	P	V	E	H	I	S	DESCRIPTION	PCS	NO	LENGTH WIDTH HEIGHT (REMARKS)	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO VEH	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	
J40150		REMARKS						J	GEN SET SK MTD 200KW MEP-108A			TM 5-6115-400-12 FUEL CAPACITY 240 GAL DIESEL					<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->
J41452		REMARKS						D	GENERATOR SET GAS ENG PU304C/MPQ4A			TM 5-6115-365-15 175 83 66 3650					CCCC C C Y Y N R2BA (DETAIL INDEX 01)
V 02	6115006434674	REMARKS						D	PU304/MPQ-4			175 83 98 4500					CCC N N N R2DA (DETAIL INDEX 02)
J41800		REMARKS						D	PU304/MPQ-4			MTD ON M103A3 TLR					CCCC C C Y Y N R2BA (DETAIL INDEX 01)
PV 01	6660014829557	REMARKS						I	INTEGRATED METEOR SYS AN/GMQ-36			NONE 60 60 60 500					XCXC XXXX Y Y Y J3BA
J41897		REMARKS						B	GEN SET GED TLR MTD PU-409/M			TM 5-6115-365-15 147 74 83 2119					CCC N Y N R2CA (DETAIL INDEX 01)
PV 01	6115007023348	REMARKS						B	PU-409/M			147 74 66 2119					CCCC Y Y N R2BA (DETAIL INDEX 02)
PV 02	6115007023348	REMARKS						C	PU-409/M			MTD IN M101A1 TLR					CCCC Y Y N R2BA (DETAIL INDEX 02)
J46252		REMARKS						B	GEN SET GED TLR MTD PU-625/G			TM 5-6115-365-15 147 77 83 2100					CCC N Y N R2CA (DETAIL INDEX 01)
PV 01	6115008733915	REMARKS						B	PU-625/G			147 77 77 2100					CCC Y Y N R2BA (DETAIL INDEX 02)
PV 02	6115008733915	REMARKS						C	PU-625/G			MTD ON M101A1 TLR					CCC Y Y N R2BA (DETAIL INDEX 02)
J46384		REMARKS						B	GEN SET GED TLR MTD PU-617/M			TM 5-6115-365-15 147 74 82 2180					CCC Y Y N R2BA (DETAIL INDEX 01)
PV 01	6115007386335	REMARKS						B	PU-617/M			MTD ON M101A1 TLR					CCCC Y Y N R2BA (DETAIL INDEX 01)
PV 02	6115007386335	REMARKS						C	PU-617/M			147 74 58 2180					CCCC Y Y N R2BA (DETAIL INDEX 02)
J49055		REMARKS						B	GEN SET WHLMTD 7.5KW JHGVT.5A			TM 5-6115-440-10 82 39 41 570					CCCC CCCC Y Y Y A3BA
V 07	6115000746396	REMARKS						C	JHGVT.5A			50 39 41 570					CCCC CCCC Y Y Y A3BA
V 08	6115000746396	REMARKS						H	JHGVT.5A			57 46 50 1005					CCCC CCCC Y Y Y J3BA
V 09	6115000746396	REMARKS															

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	V E M L P E T	S H I P C O N F	GEN SET WHLMTD 7.5KW 59B2-1B 59B2-1B 59B2-1B POLMC111 POLMC111 GEN SET GED TLR MTD PU-564A/G PU-564A/G PU-564A/G PU-564A/G PU-564A/G INFO/COORD CTRL AN/MSQ-133 AN/MSQ-133 AN/MSQ-133 GRADER ROAD MTZ DED 12 12 12 12 440HA 440HA ROPS ROPS GRADER ROAD MTZ DED 130GS 130GS	PCS	NO	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN		
J49055	6115009268335	N 6		B	GEN SET WHLMTD 7.5KW							
V 10	6115009268335	N 6		B	59B2-1B		79	40	45	780	83	
V 11	6115009268335	N 6		C	59B2-1B		49	40	48	780	55	
V 12	6115009268335	U		J	59B2-1B		FUEL CAPACITY 9 GAL MOGAS				80	
PV 04	6115009995935	N 6		B	POLMC111		78	40	39	825	71	
PV 05	6115009995935	N 6		C	POLMC111		49	40	39	825	45	
J49946	6115007386341	R 6		B	GEN SET GED TLR MTD		TM 5-6115-365-15					
PV 01	6115007386341	R 6		B	PU-564A/G		167	83	98	3560	786	
PV 02	6115007386341	R 6		C	PU-564A/G		MTD ON M103 TLR CHASSIS					
		6		C	PU-564A/G		167	83	66	3560	530	
		6		C	PU-564A/G		MTD ON M103 TLR CHASSIS					
		6		C	PU-564A/G		LIN R/B J42100					
		6		C	PU-564A/G		LIN DELETED FROM TOE					
J52501	1430014489834	U		M	INFO/COORD CTRL		TM 9-1430-1602-34					
PV 01	1430014489834	U		M	AN/MSQ-133		233	86	88	10760	1021	
V 02	1430014489834	R 4		0	AN/MSQ-133		362	101	146	38080	3090	
		4		0	AN/MSQ-133		MTD ON M1096A1P2 LWB CHASSIS TRK					
J74852	3805001974184	N 8		B	GRADER ROAD MTZ DED		TM 5-3805-209-10					
PV 01	3805001974184	N 8		B	12		321	96	103	26350	1837	
PV 02	3805001974184	N 8		C	12		321	96	89	26350	1588	
V 36	3805001974184	N 8		9	12		321	96	89	26350	1588	
V 37	3805001974184	N 8		9B	12		321	96	103	26350	1837	
V 12	3805010182866	N 8		B	440HA		308	93	136	28220	2255	
V 13	3805010182866	N 8		C	440HA		308	93	94	27170	1559	
V 25	3805010182866	A		I	ROPS		93	62	59	1050	197	
		U		I	ROPS		NSN DELETED SB 700-20					
		U		I	ROPS		FUEL CAPACITY 52 GAL DIESEL					
J74886	3805011267895	N 8		B	GRADER ROAD MTZ DED		TM 5-3805-263-14&P-1					
V 18	3805011267895	N 8		B	130GS		331	95	126	31900	2293	
		8		B	130GS		FUEL CAPACITY 75 GAL DIESEL					

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	REMARKS	CGO VEH LD LIMITS WEIGHT HGT TOE (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
J98826	5975003784714	A	GUY KIT	J	1	TM 11-5073	(01)	CCCC CCCC Y Y Y J3BA
PV 03	5975003784714	U	MULTIPLE ITEMS	J	1	26 25 12 134	(01)	CCCC CCCC Y Y Y J3BA
PV 04	5975003784714	U	MULTIPLE ITEMS	J	1	26 25 12 136	(01)	CCCC CCCC Y Y Y J3BA
PV 05	5975003784714	U	MULTIPLE ITEMS	J	1	39 18 10 130	(01)	CCCC CCCC Y Y Y J3BA
PV 06	5975003784714	U	MULTIPLE ITEMS	J	1	105 11 17 147	(01)	CCCC CCCC Y Y N J2BA
K18732	7710002854336	U	HARP CONCERT TYPE	M		NONE		CCCC CCCC Y Y Y J3BA
PV 01	7710002854336	U	NONE			74 38 70 200		CCCC CCCC Y Y Y J3BA
K19232	3710002383505	U	HARROW DISK 2 GANG	I		TM 5-3710-200-13&P		CCCC CCCC N N N J2DA
PV 01	3710002383505	U	8-FT	I		65 100 24 2300	91	CCCC CCCC N N N J2DA
V 02	3710002383505	R	8-FT	0		215 107 47 2850	626	CCCC CX (DETAIL INDEX 02)
		6	8-FT	0		MTD ON TRAILER		
K25215	3895010637892	R	HEATER OIL TLR MTD	D		TM 5-3895-354-14&P		CCC N N N R2DA
V 02	3895010637892	R	200STM77	D		166 82 102 8600	804	CCC N N N R2DA
PV 08	3895013845307	R	STRHE2100M	D		166 80 102 7800	784	CCC N N N R2DA
K28601	7360012009828	R	KITCHEN FLD CO LVL	D		TM 10-7360-209-13&P		XCX N N N R2DA
V 01	7360012009828	R	NONE	D		254 91 93 5480	1244	XCX N N N R2DA
07	7360013741980	U	TYPE-2	E		752	107	CCCC CCCC Y Y Y J3BA
PV 08	7360013741980	U	MULTIPLE ITEMS	J	1	48 40 48 330	54	CCCC CCCC Y Y Y J3BA
PV 09	7360013741980	U	MULTIPLE ITEMS	J	1	48 40 48 422	54	CCCC CCCC Y Y Y J3BA
K29660	1520009999821	N	HELICOPTER ATTACK	H		TM 11-1520-221-20		C N N N B1DH
PV 01	1520009999821	H	AH-1G	8		637 124 150 7475	6857	C (DETAIL INDEX 01)
PV 02	1520009999821	N	AH-1G	8		POSITION BLADES FORE AND AFT		C N N N B1DH
		K	AH-1G	9		535 124 154 6395	5913	(DETAIL INDEX 02)
		K	AH-1G	9		REF APPL AFTO-9 F/LDG IN AF ACFT		(DETAIL INDEX 02)
		K	AH-1G	9		WEIGHT WITH FUEL		(DETAIL INDEX 02)
		K	AH-1G	9		REMOVE FWD ROTOR BLADE/REMOVE TAIL BLADES		(DETAIL INDEX 02)
V 03	1520009999821	U	ROTOR BLADE	I	1	229 29 5 228	20	CCC N Y N J2CA
		U	ROTOR BLADE	I		LN DELETED FROM TOE	(02)	CCC (COMPONENT INDEX 03)
K29708		U	ARMORED KNIGHT	I		TM 9-2350-380-13&P		

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	S H I P C O N F	DESCRIPTION	PCS	NO	REMARKS	DIMENSIONS (INCHES) (FOR ONE ITEM) (LB) (CU FT)	WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 SN 5
K29708	2350015388373	R 4	B	ARMORED KNIGHT	1	1		TM 9-2350-380-13&P	1843	CC	N N N R1DC
PV 01	2350015388373	R 4	C	M1200				237 101 133 30593	1843	CC	N N N R2DC
PV 06	2350015388373	R 4	C	M1200				237 101 101 30593	1399	CC	N N N R2DC
K30645	1520009181523	N H	8	HELICOPTER OBSN	1	1		TM 11-1520-214-20	6878	CCC	N N N B0DA
PV 01	1520009181523	N H	F	OH-6A				364 317 103 1532	6878	CCC	N N N B2DA
PV 03	1520009181523	N K	F	OH-6A				276 102 102 1058	1662	CCC	(DETAIL INDEX 03)
V 04	1520009181523	A	J	U ROTOR BLADES	1	1		WEIGHT LESS FUEL		CCCC	Y Y N J2BA
08	1520009181523	N K	C	OH-6A				146 18 16 184	25	CCC	N N N B2DA
09	1520009181523	B	J	U ROTOR BLADES	1	1		276 102 102 1058	1662	CCCC	Y Y N J2BA
18	1520009181523	N K	S	OH-6A				146 18 16 184	25	CCC	N N N B2DA
19	1520009181523	C	J	U ROTOR BLADES	1	1		276 102 102 1058	1662	CCCC	Y Y N J2BA
28	1520009181523	N K	BA	OH-6A				146 18 16 184	25	CCC	N N N B2DA
29	1520009181523	D	J	U ROTOR BLADES	1	1		276 102 102 1058	1662	CCCC	Y Y N J2BA
V 43	1520009181523	N K	9B	OH-6A				364 102 103 1264	2213	CX	N N N B2DA
V 44	1520009181523	N K	9B	OH-6A				REMOVE TWO LATERAL BLADES		CX	(DETAIL INDEX 43)
V 44	1520009181523	N K	9	OH-6A				276 102 103 896	1678	CX	N N N B2DA
V 44	1520009181523	N K	9	OH-6A				REMOVE FOUR BLADES (BLADE WEIGHS 184LBS)		CX	(DETAIL INDEX 44)
K31042	1520001697137	N H	8	HELICOPTER OBSN	1	1		TM 55-1520-228-10	2554	XC	N N N B1DH
PV 01	1520001697137	N H	8	OH-58A				492 78 115 2110	2554	XC	(DETAIL INDEX 01)
V 01	1520001697137	N H	8	OH-58A				FUEL CAPACITY 71.5 GAL JP-4		XC	(DETAIL INDEX 01)
V 02	1520001697137	N K	9	OH-58A				POSITION BLADES FORE AND AFT		XC	N N N B1DA
V 02	1520001697137	N K	9	OH-58A				394 87 115 1788	2282	XC	(DETAIL INDEX 02)
V 02	1520001697137	N K	9	OH-58A				WEIGHT WITH FUEL		XC	(DETAIL INDEX 02)
V 03	1520001697137	A	I	U MAIN ROTOR BLADE	1	1		REMOVE FORWARD BLADE (BLADE WEIGHS 82LBS)		CCCC	Y Y N J2BA
PV 04	1520001697137	N K	F	OH-58A				201 14 4 82	7	CCC	N N N B2CA
V 04	1520001697137	N K	F	OH-58A				212 78 86 1632	823	CCC	(DETAIL INDEX 04)
V 05	1520001697137	B	J	U MAIN ROTOR BLADE	2	2		WEIGHT LESS FUEL		CCCC	Y Y N J2BA
V 06	1520001697137	B	J	U VERTICAL FIN	1	1		201 14 4 82	7	CCCC	Y Y Y J3BA
V 07	1520001697137	B	J	U HORIZ STABILIZER	1	1		86 46 7 30	17	CCCC	Y Y Y J3BA
V 08	1520001697137	B	J	U TAIL BOOM	1	1		81 20 7 45	7	CCCC	Y Y Y J3BA
V 12	1520001697137	N K	BA	OH-58A				190 22 20 76	49	CCCC	Y Y N J2BA
V 12	1520001697137	N K	BA	OH-58A				218 82 95 1548	983	CCC	N N N B2DA
V 12	1520001697137	N K	BA	OH-58A				TAIL BOOM TRANSPORTED ON TOP OF HELICOPTER		CCC	(DETAIL INDEX 12)
V 22	1520001697137	N K	S	OH-58A				492 78 115 2110	2554	CC	N N N B1DH

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	DESCRIPTION	PCS	NO	DIMENSIONS (INCHES) (LB) (CU FT)	WEIGHT (LB)	CGO VEH LD LIMITS	LD WEIGHT	HGT CUBE	TOE LIN	INDEX NO	CGO LOAD IND		
K31042	1520001697137		N K	BA	HELICOPTER OBSN			TM 55-1520-228-10	492 78 115 2110	2554		2554				<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN	
V 46	1520001697137	REMARKS	N K	9B	OH-58A			492 87 115 1870	2849								
		REMARKS	N K	9B	OH-58A			BLADES FORE/AFT LIN DELETED FROM TOE									
K31795	1520000877637		N H	8	HELICOPTER UTILITY			TM 55-1520-210-23-1	685 580 176 6259	40466		600					
PV 01	1520000877637	REMARKS	N K	9B	UH-1H			685 113 176 5626	7884								
V 02	1520000877637	REMARKS	N K	9B	UH-1H			BLADES FORE/AFT POSITION									
PV 08	1520000877637	REMARKS	N K	F	UH-1H			497 103 104 4992	3081								
V 09	1520000877637	REMARKS	N K	F	UH-1H			TAIL SEC OF HELO EXTENDS OVER RAMP									
V 14	1520000877637	REMARKS	N K	F	UH-1H			WEIGHT LESS FUEL									
		REMARKS	N K	I 2	MAIN ROTOR BLADE			265 25 5 205	20								
V 15	1520000877637	REMARKS	N K	S	UH-1H			284 121 102 7262	2029								
V 18	1520000877637	REMARKS	N K	S	UH-1H			SIDE SADDLE MTD ON 463L PALLET									
		REMARKS	N K	S	UH-1H			REF TM 55-1500-219-S F/LOADING IN ACFT									
V 20	1520000877637	REMARKS	N K	I 1	SKID			146 102 27 130	233								
V 21	1520000877637	REMARKS	N K	BA	UH-1H			284 103 127 6315	2150								
		REMARKS	N K	BA	UH-1H			FUEL CAPACITY 209 GAL JP-5									
V 29	1520000877637	REMARKS	N K	BA	UH-1H			552 103 104 4992	3422								
V 30	1520000877637	REMARKS	N K	BA	UH-1H			265 25 5 205	20								
		REMARKS	N K	I 2	MAIN ROTOR BLADE			FOR AALPS PLANNING PURPOSES ONLY									
V 38	1520000877637	REMARKS	N K	I 2	MAIN ROTOR BLADE			552 103 104 4992	3422								
V 50	1520000877637	REMARKS	N K	I 2	MAIN ROTOR BLADE			265 25 5 205	20								
V 74	1520000877637	REMARKS	N K	I 2	MAIN ROTOR BLADE			702 113 128 6259	5876								
V 03	1520000877637	REMARKS	N K	I 2	MAIN ROTOR BLADE			702 113 128 6259	5876								
K32293	1520010350266		N H	8	HELICOPTER UTILITY			TM 55-1520-400-14	778 644 210 19200	60890		3369					
PV 01	1520010350266		N H	8	UH-60A												

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	REMARKS	CGO VEH (INDEX NO)	CGO LOAD IND	CERTIFIED CRITERIA
K32293	1520010350266	NK	HELICOPTER UTILITY UH-60A	C	2	TM 55-1520-400-14	3369	<C=AF CERTIFIED>	<X=JCS CRITERIA>
PV 02	REMARKS					496 117 105 16000 3527	105 306	<AMC> <CRAF>	<X=JCS CRITERIA>
V 43	1520010350266	K	UH-60A	C	2	REF TM 55-1520-237-23-4 F/LDG IN ACFT		LD LIMITS	CCCKK DDBB CTN CTN 4 CCCH
V 44	1520010350266	K	UH-60A	C	4	BLADES FORE/AFT		WEIGHT	115CC CC77 20 40 6
V 05	1520010350266	U	ESSS WINGS	I	2	79 54 40 500 99	(02)	HGT CUBE	37 11 8144 FT FT 3
V 45	1520010350266	U	EXT FUEL TANKS	I	4	180 33 36 100 124	(02)	TOE LIN	0 03 077 L
V 46	1520010350266	NK	UH-60A	9B	2	FUEL CAPACITY 354 GAL JP4	148 306		
V 18	1520010350266	K	UH-60A	9B	2	FOLD BLADES			
V 47	1520010350266	U	ESSS WINGS	I	2	79 54 40 500 99	(05)		
V 48	1520010350266	U	EXT FUEL TANKS	I	4	180 33 36 100 124	(05)		
V 30	1520010350266	U	EXT FUEL TANKS	I	4	TAIL PYLON FOLDED			
V 49	1520010350266	NK	UH-60A	S	2	646 176 148 16000 9738	148 306		
V 50	1520010350266	U	ESSS WINGS	I	2	79 54 40 500 99	(18)		
V 51	1520010350266	U	EXT FUEL TANKS	I	4	180 33 36 100 124	(18)		
V 59	1520010350266	U	EXT FUEL TANKS	I	4	646 117 148 16000 6474	148 306		
V 60	1520010350266	NK	UH-60A	BA	2	608 172 148 16200 8957	148 306		
V 61	1520010350266	NK	UH-60A	9	2	FOLD BLADES, REMOVE TAIL ROTOR BLADES			
V 62	1520010350266	U	STABILATOR	I	1	79 54 40 500 99	(49)		
K39774	4910007540652	U	HOIST UNIT TRK MTG	I	2	180 33 36 100 124	(49)		
PV 01	4910007540652	U	SET NO 7	I	4	MAIN ROTOR BLADES FOLDED, BUT TAIL PYLON INTACT	148 306		
02	REMARKS					646 117 148 16000 6474			
K53063	4720003180940	U	HOSE ASSY RUB WATER	I	2	79 54 40 500 98	(59)		
PV 02	4720003180940	U	10-FT	I	4	180 33 36 100 124	(59)		
K54707	3835008925157	U	HOSE LINE OUTFIT FUEL	E	13	2-PL TRAIN F/AALPS PLANNING PURPOSES ONLY			
01	3835008925157	U	NONE	J	13	144 72 12 3870	(01)		
V 02	3835008925157	U	MULTIPLE ITEMS	J	13	144 72 12 3870	(01)		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	QUANTITY	UNIT	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	CGO VEH LD LIMITS	CGO WEIGHT	CGO HGT	CGO TOE	CGO LIN	CGO INDEX	CGO CTN	CGO FT	CGO FT	CGO L	CGO SN	CGO IND
K54707 V 06	3835008925157	U	HOSE LINE OUTFIT FUEL TRICON 1461	96	78	96	8384	416													
V 07	3835008925157	U	TRICON 1461	108	88	99	8834	545													
03	3835015117335	U	MODEL 1461	144	72	12	2000	72													
PV 04	3835015117335	U	MULTIPLE ITEMS	13																	
K57392 PV 01	1015000868164	R	HOWITZER LT TWD 105MM	257	75	70	3160	781													
PV 03	1015000868164	R	M102	226	75	53	3160	520													
V 05	1015000868164	V	M102	208	108	84	6890	1092													
41	1015000868164	V	M102	209	108	92	7900	1202													
43	1015000868164	V	M102	216	108	72	8990	972													
45	1015000868164	V	M102	217	108	91	9000	1235													
47	1015000868164	V	M102	207	108	73	8500	945													
V 10	1015003229728	R	M101	236	89	70	4750	851													
V 17	1015003229728	V	M101	228	108	75	8626	1069													
V 07	1015003229752	R	M101A1	239	87	71	4880	855													
V 08	1015003229752	V	M101A1	228	108	75	8626	1069													
K57667			HOWITZER MED SP 155MM																		

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES) (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 SN
K57667				HOWITZER MED SP 155MM				
V 18	2350010310586	N E	B	M109A2		TM 9-2350-311-10 360 128 130 47960	1500	CC N N N A1DC
V 19	2350010310586	N E	C	M109A2		360 124 117 47960		CC N N N A1DC
V 42	2350010310586	N E	9	M109A2		FUEL CAPACITY 135 GAL DIESEL		CC N N N A1DC
V 43	2350010310586	N E	9B	M109A2		360 124 117 47960		CC N N N A1DC
V 16	2350010318851	N E	B	M109A3		360 124 130 47960		CC N N N A1DC
V 17	2350010318851	N E	B	M109A3		360 129 126 48220		CC N N N A1DC
V 27	2350012775770	N E	C	M109A3		W/MACHINE GUN		CC (DETAIL INDEX 16)
V 29	2350012775770	N E	C	M109A3		360 124 113 48120		CC N N N A1DC
V 44	2350012775770	N E	C	M109A3		W/O MACHINE GUN		CC (DETAIL INDEX 17)
V 45	2350012775770	N E	C	M109A3				CC N N N A1DC
PV 26	2350012811719	N E	B	M109A4		359 124 130 55000		CC N N N A1DC
PV 40	2350012811719	N E	B	M109A4		359 124 114 55000		CC (DETAIL INDEX 26)
V 46	2350012811719	N E	C	M109A4		359 124 114 55000		CC N N N A1DC
V 47	2350012811719	N E	9B	M109A4		359 124 114 55000		CC N N N A1DC
K57821				HOWITZER TOWED 155MM				
PV 01	1025010266648	N E	B	M109A5		362 124 130 53000		CC N N N A1DC
PV 02	1025010266648	N E	B	M109A5		362 124 114 53000		CC (DETAIL INDEX 26)
V 06	1025010266648	N E	C	M109A5		MACHINE GUN REMOVED AND STOWED ONBOARD		CC (DETAIL INDEX 40)
15	1025010266648	N E	9B	M109A5		362 124 114 53000		CC N N N A1DC
K97376				INTERIOR BAY BRDG FLT				

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C Q M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (INCHES) (LB) (CU FT)	WEIGHT (LB)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	
L28351 V 03	7360010920470	REMARKS	R 6 6	D D	KITCHEN FIELD TLR MTD MFK75A MFK75A	178 93 94 4200	TM 10-7360-206-13 901	94	CCC	CCC	CCC	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
V 05	7360011556020	REMARKS	R 6	B	MKT-82	290 153 121 4170	3107	121	X	X	X	X	N N N R1DA (DETAIL INDEX 05)
V 06	7360011556020	REMARKS	R 6	B C	MKT-82	171 93 95 4170	875	95	CCC	C	C	C	N N N R2DA (DETAIL INDEX 06)
V 66	7360011748121	REMARKS	R 6	B	MKT-99	201 152 132 6100	2334		X	X	X	X	N N N R1DA (DETAIL INDEX 66)
V 67	7360011748121	REMARKS	R 6	B C	MKT-99	171 92 93 6100	847		XCX	X	X	X	N N N R2DA (DETAIL INDEX 67)
V 08	7360012141176	REMARKS	R 6	B	MKT-85	201 152 132 6030	2334	132	X	X	X	X	N N N R1DA (DETAIL INDEX 08)
V 09	7360012141176	REMARKS	R 6	B C	MKT-85	171 93 93 6030	856	93	CCC	X	X	X	N N N R2DA (DETAIL INDEX 09)
V 69	7360012464646	REMARKS	R 6	B	MKT-85S	201 152 132 4680	2334		X	X	X	X	N N N R1DA (DETAIL INDEX 69)
V 70	7360012464646	REMARKS	R 6	B C	MKT-85S	171 92 93 4680	847		XCX	X	X	X	N N N R2DA (DETAIL INDEX 70)
V 11	7360013132238	REMARKS	R 6	D	MKT-90	171 92 93 5480	847	93	CCC	X	X	X	N N N R2DA (DETAIL INDEX 11)
V 47	7360014174635	REMARKS	R 6	B	MKT-95	201 152 132 5260	2334	132	X	X	X	X	N N N R1DA (DETAIL INDEX 47)
V 48	7360014174635	REMARKS	R 6	B C	MKT-95	171 92 93 5260	847	93	CCC	X	X	X	N N N R2DA (DETAIL INDEX 48)
V 72	7360014398218	REMARKS	R 6	D	MKT-97S	171 92 93 5220	847		XCX	X	X	X	N N N R2DA
PV 60	7360014838617	REMARKS	R 6	D	MKT-99	171 92 93 6100	847		XCX	X	X	X	N N N R2DA (DETAIL INDEX 60)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	DESCRIPTION	NO PCS	MARKS	DIMENSIONS (FOR ONE ITEM) WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	DETAIL INDEX
L43664					LNCHR BRIDGE TANK MTD						
V 41	5420008892020	REMARKS	C	C	M60 CHASSIS						
V 05	5420010766096	REMARKS	N	D	M60 CHASSIS	441	158	153	127300	6170	
V 06	5420010766096	REMARKS	N	D	M60 CHASSIS	462	144	102	97200	3927	
L44894					LNCHR ROCKET VEH MTD						
PV 01	1055010920596	REMARKS	N	C	MLRS	275	117	104	43941	1937	
V 04	1055011920357	REMARKS	N	C	MLRS	275	117	103	42800	1918	
V 05	1055011920358	REMARKS	N	C	MLRS	276	117	103	42800	1925	
V 06	1055012519756	REMARKS	N	C	MLRS	275	117	103	44508	1918	
V 16	1055013296826	REMARKS	N	C	M270	276	117	103	56308	1925	
V 17	1055013296826	REMARKS	N	C	M270	276	117	103	46268	1925	
V 18	1055013296826	REMARKS	A	U	LAUNCH POD/CNTNR	165	41	32	5020	126	
V 19	1055013296826	REMARKS	N	C	M270	276	117	103	43941	1925	
L46979					LNCHR STA GM STLIR MTD						
PV 01	1440010879844	REMARKS	R	7	M901	405	113	158	68410	4185	
PV 02	1440010879844	REMARKS	R	7	M901	405	113	137	33490	3629	
L48315					LAUNDRY UNIT TLR MTD						
V 02	3510001694735	REMARKS	R	7	60-LB CAP	198	96	93	9050	1023	
					60-LB CAP						

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	UNIT	PCS	NO	LENGTH	HEIGHT	WEIGHT	CUBE	CGO VEH	LD LIMITS	WGT	HGT	TOE LIN	INDEX	NO	CGO LOAD	IND	
I48315 V 43	3510007532895	R 7	LAUNDRY UNIT TLR MTD M532	MTD	200	96	96	8970	1067	1067	200	N	N	N	N	N	N	N	N	R2DA
PV 01	3510007825294	R 7	M-532		198	98	97	9015	1090	1090	97	N	N	N	N	N	N	N	N	R2DA
V 03	3510011976742	R 7	NONE		223	99	95	12860	1214	1214	95	C	N	N	N	N	N	N	N	R2DB
V 05	3510012229301	R 7	M85		223	99	95	12860	1214	1214	95	C	N	N	N	N	N	N	N	R2DB
V 06	3510012918169	R 7	M85-100		255	96	96	15850	1360	1360	96	C	N	N	N	N	N	N	N	R2DB
V 10	3510013655687	R 7	M85-200		215	100	102	9999	1269	1269	102	XCX	N	N	N	N	N	N	N	R2DA
I48736 V 01	6525014244160	U	LAZER IMAGER DRY PROC NONE		32	26	51	550	25	25		CCCC	XXXX	Y	Y	Y	Y	Y	Y	J3BA
PV 02	6525015057191	U	NONE		32	26	51	550	25	25		CCCC	XXXX	Y	Y	Y	Y	Y	Y	J3BA
I61778 PV 01	5820013499241	U	LT FORCES LOS RADIO AN/TRC-198V1		100	70	70	2874	284	284		CCCC	XXXX	Y	Y	Y	Y	Y	Y	J3BA
V 02	5820013499241	R 3	AN/TRC-198V1		189	85	104	8298	967	967		CCC		N	N	N	N	N	N	R2DA
V 04	5820013499241	R 3	AN/TRC-198V1		193	91	105	8774	1068	1068		CCC		N	N	N	N	N	N	R2DA
06	5820200023488	U	AN/TRC-198AV1		MTD ON M1097A2							CCC		N	N	N	N	N	N	R2DA
I63994 01	6230002997077	U	LIGHT SET GEN ILLUM 25 OUTLET		NONE			300	13	13										
PV 02	6230002997077	U	CHEST		2	32	19	18	150	7	(01)									
V 03	6230002997077	R 1	25 OUTLET		146	69	68	1670	397	397										
I67342 V 01	1055012035883	R 7	LAUNCHR M/CLRG TLRMTD MICLIC		187	96	71	6109	738	738		CCC	CCC	Y	Y	Y	Y	Y	Y	R2DA
V 04	1055012035883	R 6	REMARKS MICLIC		MTD ON M353 TLR			6208	680	680		CCC	CCC	Y	Y	Y	Y	Y	Y	R2DA
	REMARKS	R 6	NONE		162	93	78	6208	680	680		CCC	CCC	Y	Y	Y	Y	Y	Y	R2DA
	REMARKS	R 6	NONE		MTD ON M200A1 TLR							CCC	CCC	Y	Y	Y	Y	Y	Y	R2DA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	SHP	NO PCS	WEIGHT (LB)	CGO VEH	CGO VEH	LD LIMITS	WEIGHT	HGT CUBE	TOE LIN	INDEX NO	CGO LOAD IND
L67342 V 06	1055012812770	REMARKS	R 6	LAUNCHR M/CLRG TLRMTD MOD1	D	162	93 87	6208	759	TM 9-1375-215-13&P					
PV 03	1055013273106	REMARKS	R 6	MK155 MOD3	D	162	93 91	3365	794	MTD ON M200A1 TLR					
V 02	1055013406084	REMARKS	R 7	MK155 MOD2	D	187	96 97	3795	1008	MTD ON M353 TLR					
L67660															
PV 01	5420014697478	REMARKS	R 4	LCHR HVY DRY SPT BRDG M1975	D	472	118 157	88150	5061	TM 5-5420-279-10					
V 09	5420014697478	REMARKS	R 4	M1975	D	475	118 158	91100	5125	INCLUDES LAUNCH MECHANISM AND HYDR CRANE					
L69306															
V 01	5820012470981	REMARKS	R 3	LOS RADIO TERMINAL AN/TRC-190V1	0	189	87 107	8180	1019	TM 11-5800-216-10-1					
V 04	5820012470981	REMARKS	U 3	AN/TRC-190V1	0	MTD ON M1037									
V 09	5820012470981	REMARKS	R 3	AN/TRC-190V1	0	99	80 71	2360	326	MTD IN S250 SHELTER					
V 12	5820012470981	REMARKS	R 3	AN/TRC-190V1	0	191	87 104	8369	1000	MTD ON M1097A2					
PV 08	5820013102538	REMARKS	U 3	AN/TRC-190V1	0	191	87 109	8369	1049	MTD ON M1097A1					
L69442															
V 01	5820012470982	REMARKS	R 3	LOS RADIO TERMINAL AN/TRC-190V3	0	189	87 107	8300	1019	TM 11-5800-216-10-1					
V 04	5820012470982	REMARKS	U 3	AN/TRC-190V3	0	MTD ON M1037									
V 09	5820012470982	REMARKS	R 3	AN/TRC-190V3	0	99	80 71	2360	326	MTD IN S250G SHELTER					
V 11	5820012470982	REMARKS	R 3	AN/TRC-190V3	0	191	87 105	8362	1010	MTD ON M1097A2					

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H E I E O C L P E T	S H I P C O N F	DESCRIPTION	NO PCS	REMARKS	WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CCCX	CGO LOAD IND
L69442		REMARKS	3	0	LOS RADIO TERMINAL AN/TRC-190V3		TM 11-5800-216-10-1 MTD ON M1097A1		<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN		
PV 08	5820013102543		U	M	AN/TRC190AV3		107 80 71 2500 352			CCCX	Y Y N J2BA
L70538		REMARKS	7	D	LAUNDRY ADV SYS TLR M		TM 10-3510-221-24			CC	N N N R1DC
V 01	3510014630114		R	D	LADS		360 96 156 49000 3120				(DETAIL INDEX 01)
PV 03	3510014630114	REMARKS	R	D	LADS		MTD ON M871A1 TRAILER			CC	N N N R1DK
V 02	3805006025006	REMARKS	8	D	NONE		506 96 151 53960 4245				(DETAIL INDEX 03)
L76315		REMARKS	8	C	LOADER SCOOP TYPE WHL		TM 5-3805-257-14&P			CC	N N N A1DC
V 01	3805006025006		N	B	175B		316 125 152 53030 3475			CC	N N N A1DC
V 02	3805006025006	REMARKS	N	C	175B		316 125 143 53030 3269			CC	(DETAIL INDEX 02)
PV 03	3805010529042	REMARKS	N	B	H100CRB		354 131 147 51080 3945			CC	N N N A1DC
PV 04	3805010529042	REMARKS	N	C	H100CRB		354 131 126 51080 3382			CC	N N N A1DC
L76321		REMARKS	8	C	H100CRB		FUEL CAPACITY 115 GAL DIESEL				(DETAIL INDEX 04)
V 01	3805006025013		N	B	LOADER SCOOP TYPE WHL		REF TM 5-3805-255-14&P			CC	(DETAIL INDEX 04)
V 02	3805006025013	REMARKS	N	C	175B TYPE II		TM 5-3805-255-14&P			CC	N N N A1DC
PV 03	3805010529043	REMARKS	N	B	175B TYPE II		316 122 152 53640 3392			CC	N N N A1DC
PV 04	3805010529043	REMARKS	N	C	175B TYPE II		316 122 143 53640 3191			CC	(DETAIL INDEX 02)
V 27	3805015420481		N	D	175B W/AOA		354 131 147 50920 3945			CC	N N N A1DC
L76556		REMARKS	8	C	H100C TYPE II		354 131 126 50920 3382			CC	(DETAIL INDEX 04)
V 01	3805000519359	REMARKS	N	B	LOADER SCOOP TYPE WHL		316 122 152 53640 3392			X	N N N A1DC
V 02	3805000519359	REMARKS	N	B	645M		TM 5-3805-258-10			CC	N N N A1DC
V 09	3805000519359	REMARKS	N	C	645M		283 102 130 25490 2172			CCC	(DETAIL INDEX 01)
			U	I	ROPS		FUEL CAPACITY 59 GAL DIESEL			CCCCC	N N N A2DC
							283 102 93 23990 1554				Y Y Y J3BA
							63 47 45 1500 78				(02)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C L P E T	S H I P C O N F	NO PCS	DIMENSIONS (FOR ONE ITEM)---> LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
L76693		REMARKS				TM 5-3805-258-10 CHECK AIR CERT LTR 7 AUG 84 BEFORE LOADING		(DETAIL INDEX 07)
PV 08	3805012605162	REMARKS	8	D		305 105 138 33620 2558 THIS ITEM IS A REBUY OF ORIGINAL ITEM	CC	N N N A1DC (DETAIL INDEX 08)
L76897		REMARKS				TM 5-3805-298-23-1		
PV 01	3805015331768	REMARKS	8	D		301 102 128 34160 2275 W/BUCKET	XX	N N N A1DC (DETAIL INDEX 01)
V 03	3805015706666		8	D		288 108 132 27500 2376	XX	N N N A1DC
L77147						TM 5-3805-292-23		
PV 01	3805015524485		8	D		115 80 82 10582 437	XCXX	XXX Y Y N A2BB
L77215						TM 5-3805-292-23		
PV 01	3805015524487		8	D		102 66 77 5368 300	XCXX	XXXX Y Y A3BA
L77568						TM 5-3805-291-10		
PV 01	3805015331857		8	B		363 127 141 54320 3762 W/BUCKET	XX	N N N A1DC (DETAIL INDEX 01)
PV 03	3805015331857		8	C		292 117 141 49140 2788 W/O BUCKET	XX	N N N A1DC (DETAIL INDEX 03)
L84622						TM 9-6115-756-13&P		
PV 01	6115015624010		6	D		147 70 84 3400 501	XCX	XXX N Y N R2CA
L84690						TM 9-6115-757-13&P		
P 01	6115015623721		6	0		147 87 84 3400 622	XCX	XXX N N N R2DA
L84758						TM 9-6115-756-13&P		
PV 01	6115015623907		6	D		147 70 84 3400 501	XCX	XXX N Y N R2CA
L85283						TM 5-4930-207-12		
V 01	4930000179167	REMARKS	6	D		175 98 80 5300 794 FUEL CAPACITY 10 GAL GAS	CCC	CCC N N N R2DA (DETAIL INDEX 01)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	UNIT	PCS	NO	LENGTH	WEIGHT	CGO VEH	LD LIMITS	CGO LOAD	IND
								(INCHES)	(LB)	(INDEX NO)	(CTN)		
I85283 V 05	4930005482766	REMARKS	R 6	LUB SVC UNIT TLTR MTD ENG-3A	ENG-3A	6	TM 5-4930-207-12	172 96 81	5350	CCC	CCC N N N R2DA (DETAIL INDEX 05)		
V 02	4930008577160		R 6	251-3257		6		176 96 80	5350	CCC	CCC N N N R2DA		
V 03	4930008925067	REMARKS	R 6	251-437		6		176 96 80	5250	CCC	CCC N N N R2DA (DETAIL INDEX 03)		
V 04	4930009354451	REMARKS	R 6	251-437		6		175 97 77	5610	CCC	CCC N N N R2DA (DETAIL INDEX 04)		
V 23	4930012300781	REMARKS	R 6	178A-85		6		184 84 77	5500	XCX	X X Y Y N R2BA		
V 27	4930013655725		R 6	PM92-133		6		166 83 98	2650	XCX	N N N R2DA		
PV 26	4930013974242		R 6	ABLT-9600		6		166 83 98	2650	XCX	N N N R2DA		
M02470				MAINT PLATFM HYD ADJ									
PV 03	1730003905618		U	10-FT		1	TM 55-1730-201-12	210 63 68	1100	CCCC	Y Y N J2BA		
V 04	1730003905618	REMARKS	U	10-FT		1		268 108 72	1970	CCC	N N N J2DA (DETAIL INDEX 04)		
M02504				MAINT PLATF HYD ADJ									
PV 01	1730002948883		U	B4A		2	TM 55-1730-215-13&P	91 43 39	860	CCCC	Y Y Y J3BA		
03	1730002948883	REMARKS	U	B4A		2		88 108 43	1150	CCCC	XX N N Y J3DA (DETAIL INDEX 03)		
V 05	1730002948883		U	B4A		2		98 53 85	880	XCXX	XXX N Y Y J3CA		
M03535				MAINT SHOP STLTR MTD									
PV 01	2330011980520	REMARKS	R 7	AN/GSM271B		7		374 96 148	25050	X	N N N R1DC (DETAIL INDEX 01)		
M04268				MANAGEMENT FACILITY									

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	TY	VEH	DESCRIPTION	S	NO	PCS	REMARKS	LENGTH	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	WEIGHT	HGT	CUBE	TOE LIN	IND
NO									(INCHES)	(LB)	(CU FT)							
M08599																		
PV 01	6545011823794	U		MMS INTERMED CARE WRD	M			NONE	240	96	10221	1280	CCC	CCC				
V 53	6545011823794	R	7	DEPMEDS	Z				190	96	15801	1162	CC	CC				
			7	DEPMEDS	Z			SHELTER MTD ON M1022 DOLLY										
V 55	6545012989810	U		DEPMED/K	M				240	96	22385	1280	XCX	XCX				
V 56	6545012989810	A		BED HOSPITAL	I	160			83	30	29	42	CCCC	CCCC				
V 57	6545012989810	A		SUCTION APPARA	I	3			16	11	33	4	CCCC	CCCC				
V 58	6545012989810	A		TABLE	I	80			30	18	30	10	CCCC	CCCC				
V 59	6545012989810	A		CHEST PACKING	I	224			18	15	30	5	CCCC	CCCC				
V 60	6545012989810	A		ASPIRATOR/PTBL	M	1			13	9	8	1	CCCC	CCCC				
V 61	6545012989810	A		FOOT STOOL	I	16			13	11	10	1	CCCC	CCCC				
V 62	6545012989810	A		CART GENERAL	I	1			57	21	37	26	CCCC	CCCC				
V 63	6545012989810	A		DESK	I	1			59	22	29	22	CCCC	CCCC				
V 64	6545012989810	A		REFRIGERATOR	I	1			24	24	35	12	CCCC	CCCC				
V 65	6545012989810	A		MED SUPPLY CHEST	I	1			32	19	20	7	CCCC	CCCC				
V 66	6545012989810	A		XRAY LIGHT CHART	I	1			6	15	19	1	CCCC	CCCC				
V 67	6545012989810	A		LAMP	I	1			46	19	10	6	CCCC	CCCC				
V 68	6545012989810	A		FIELD SINK	M	1			32	20	12	5	CCCC	CCCC				
V 83	6545012995640	U		WD/J	M				240	96	22385	1280	XCX	XCX				
V 84	6545012995640	A		BED HOSPITAL	I	160			83	30	29	42	CCCC	CCCC				
V 85	6545012995640	A		SUCTION APPARAT	I	3			16	11	33	4	CCCC	CCCC				
V 86	6545012995640	A		TABLE	I	80			30	18	30	10	CCCC	CCCC				
V 87	6545012995640	A		CHEST PACKING	I	224			18	15	30	5	CCCC	CCCC				
V 88	6545012995640	A		ASPIRATOR/PTBL	M	1			13	9	8	1	CCCC	CCCC				
V 89	6545012995640	A		FOOT STOOL	I	16			13	11	10	1	CCCC	CCCC				
V 90	6545012995640	A		CART GENERAL	I	1			57	21	37	26	CCCC	CCCC				
V 91	6545012995640	A		REFRIGERATOR	I	1			24	24	35	12	CCCC	CCCC				
V 92	6545012995640	A		MED SUPPLY CHEST	I	1			32	19	20	7	CCCC	CCCC				
V 93	6545012995640	A		XRAY LIGHT CHART	I	1			6	15	19	1	CCCC	CCCC				
V 94	6545012995640	A		LAMP	I	1			46	19	10	6	CCCC	CCCC				
V 95	6545012995640	A		FIELD SINK	M	1			32	20	12	5	CCCC	CCCC				
V 96	6545012995640	A		DESK	I	1			59	22	29	22	CCCC	CCCC				
V 97	6545013320139	U		DEP/M	M				240	96	22385	1280	XCX	XCX				

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT TOE	TOE LIN	IND
M26596 PV 01	2355015581053	R 4	MINE RESISTANT VEH RG RG-33 HAGA			335	114	140	52000	3094	CCCKK	CC77	20	40	6
M27183 PV 01	5895011452462	U	MULTIPLXER TD1233 (P) TTC			65	30	80	40	91	CCCX	XXX	Y	Y	J3BA
M29177 01	6545009314850	U	MES SURG HOSP 60 BED						44198	2929	CCCC	CCCC	Y	Y	J3BA
PV 02	6545009314850	U	MULTIPLE ITEMS			38	22	17	128	9	CCCC	CCCC	Y	Y	J3BA
PV 03	6545009314850	U	MULTIPLE ITEMS			41	29	11	163	8	CCCC	CCCC	Y	Y	J3BA
PV 04	6545009314850	U	MULTIPLE ITEMS			40	11	30	122	8	CCCC	CCCC	Y	Y	J3BA
PV 05	6545009314850	U	TABLE SURGICAL			38	22	8	72	4	CCCC	CCCC	Y	Y	J3BA
PV 06	6545009314850	U	MULTIPLE ITEMS			30	24	17	133	8	CCCC	CCCC	Y	Y	J3BA
PV 07	6545009314850	U	BLANKET SETS			34	18	14	75	5	CCCC	CCCC	Y	Y	J3BA
PV 08	6545009314850	U	MULTIPLE ITEMS			37	15	13	76	5	CCCC	CCCC	Y	Y	J3BA
PV 09	6545009314850	U	LATRINE PTBL M-2			61	24	11	145	10	CCCC	CCCC	Y	Y	J3BA
PV 10	6545009314850	U	MULTIPLE ITEMS			32	19	17	98	6	CCCC	CCCC	Y	Y	J3BA
PV 11	6545009314850	U	SHEET SETS			30	19	18	160	6	CCCC	CCCC	Y	Y	J3BA
PV 12	6545009314850	U	PILLOWCASE SETS			33	19	11	74	4	CCCC	CCCC	Y	Y	J3BA
PV 13	6545009314850	U	MULTIPLE ITEMS			36	20	15	113	7	CCCC	CCCC	Y	Y	J3BA
PV 14	6545009314850	U	MULTIPLE ITEMS			27	17	18	103	5	CCCC	CCCC	Y	Y	J3BA
PV 15	6545009314850	U	MULTIPLE ITEMS			20	16	17	58	4	CCCC	CCCC	Y	Y	J3BA
PV 16	6545009314850	U	INHALATOR			26	14	8	79	2	CCCC	CCCC	Y	Y	J3BA
PV 17	6545009314850	U	GRID RADIOGRAPH			18	16	3	12	1	CCCC	CCCC	Y	Y	J3BA
PV 18	6545009314850	U	GRID RADIOGRAPH			22	20	3	21	1	CCCC	CCCC	Y	Y	J3BA
PV 19	6545009314850	U	MULTIPLE ITEMS			34	22	15	95	7	CCCC	CCCC	Y	Y	J3BA
PV 20	6545009314850	U	SRG INST/SUP SET			32	20	18	71	7	CCCC	CCCC	Y	Y	J3BA
PV 21	6545009314850	U	SURG INST SETS			32	20	22	157	9	CCCC	CCCC	Y	Y	J3BA
PV 22	6545009314850	U	MULTIPLE ITEMS			32	20	12	79	5	CCCC	CCCC	Y	Y	J3BA
PV 23	6545009314850	U	THERMOREGULATOR			39	26	20	249	12	CCCC	CCCC	Y	Y	J3BA
PV 24	6545009314850	U	THERMOREGULATOR			61	40	30	321	43	CCCC	CCCC	Y	Y	J3BA
PV 25	6545009314850	U	COLLIMATOR			21	19	19	96	5	CCCC	CCCC	Y	Y	J3BA
PV 26	6545009314850	U	CONTROL UNIT			22	18	28	205	7	CCCC	CCCC	Y	Y	J3BA
PV 27	6545009314850	U	TRANSFORMER XRAY			19	17	28	219	6	CCCC	CCCC	Y	Y	J3BA
PV 28	6545009314850	U	TUBE STAND MOB			48	29	23	350	19	CCCC	CCCC	Y	Y	J3BA
PV 29	6545009314850	U	TUBE UNIT ASSY			34	21	19	145	8	CCCC	CCCC	Y	Y	J3BA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
 UNCLASSIFIED

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT TOE	INDEX	IND
M29177	6545009314850	U	MES SURG HOSP	1	41	24	NONE	13	90	8	CCCC	CCCC	5	SN	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L
PV 30	6545009314850	U	MULTIPLE ITEMS	1	41	24	NONE	13	90	8	CCCC	CCCC	5	SN	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L
PV 31	6545009314850	U	SURG DRESS SETS	2	32	20		8	39	3	CCCC	CCCC			
PV 32	6545009314850	U	ANESTHESIA SETS	3	20	19		29	115	7	CCCC	CCCC			
PV 33	6545009314850	U	LITTERS FOLDING	9	96	16		12	126	11	CCCC	CCCC			
PV 34	6545009314850	U	LITTERS FOLDING	2	97	18		14	164	15	CCCC	CCCC			
PV 35	6545009314850	U	PLASTIC SHEETS	1	42	11		10	94	3	CCCC	CCCC			
PV 36	6545009314850	U	TUBE STAND UNITS	1	55	26		17	270	15	CCCC	CCCC			
PV 37	6545009314850	U	TABLE FOLD LEGS	5	76	33		9	168	13	CCCC	CCCC			
PV 38	6545009314850	U	TABLE X-RAY	1	81	34		11	475	18	CCCC	CCCC			
PV 39	6545009314850	U	BEDS ADJ HOSP	10	47	35		15	162	15	CCCC	CCCC			
PV 40	6545009314850	U	BEDS ADJ HOSP	20	47	35		13	158	13	CCCC	CCCC			
PV 41	6545009314850	U	STERILIZER	1	28	22		19	125	7	CCCC	CCCC			
PV 42	6545009314850	U	TRUCK HAND	1	53	21		30	149	20	CCCC	CCCC			
PV 43	6545009314850	U	DKROOM XRAY PTBL	1	64	16		16	141	10	CCCC	CCCC			
PV 44	6545009314850	U	DRAIN/SUCT APPAR	2	33	22		22	95	10	CCCC	CCCC			
PV 45	6545009314850	U	SPTS LITTER FOLD	3	44	16		12	63	5	CCCC	CCCC			
PV 46	6545009314850	U	ELECTROSURG APP	1	32	22		32	198	13	CCCC	CCCC			
PV 47	6545009314850	U	DRIER X-RAY	1	28	18		30	72	9	CCCC	CCCC			
PV 48	6545009314850	U	CYCLOPRO CYL GAS	1	13	11		25	87	2	CCCC	CCCC			
PV 49	6545009314850	U	ANESTHESIA APPAR	3	25	17		24	108	6	CCCC	CCCC			
PV 50	6545009314850	U	LT HD DIAGONSTIC	1	21	16		12	40	3	CCCC	CCCC			
PV 51	6545009314850	U	SUCT/PRESS APP	1	30	18		14	105	5	CCCC	CCCC			
PV 52	6545009314850	U	PROCESSING MACH	1	29	23		9	81	4	CCCC	CCCC			
PV 53	6545009314850	U	BOX PATHO SPC	1	26	21		23	60	8	CCCC	CCCC			
PV 54	6545009314850	U	MULTIPLE ITEMS	1	37	27		12	90	7	CCCC	CCCC			
PV 55	6545009314850	U	TABLE METAL	1	38	27		42	250	25	CCCC	CCCC			
PV 56	6545009314850	U	LIGHT SURGICAL	4	32	20		12	65	5	CCCC	CCCC			
PV 57	6545009314850	U	STERILIZERS	3	52	30		44	458	40	CCCC	CCCC			
PV 58	6545009314850	U	MULTIPLE ITEMS	1	41	25		13	77	8	CCCC	CCCC			
PV 59	6545009314850	U	TUBE UNIT ASSY	1	34	21		19	145	8	CCCC	CCCC			
PV 60	6545009314850	U	CONTROL UNIT	1	22	19		30	192	8	CCCC	CCCC			
PV 61	6545009314850	U	TRANSFORMER XRAY	1	17	17		27	220	5	CCCC	CCCC			
PV 62	6545009314850	U	MULTIPLE ITEMS	1	17	13		9	15	2	CCCC	CCCC			
PV 63	6545009314850	U	KAOLIN WP	1	12	10		19	28	2	CCCC	CCCC			
PV 64	6545009314850	U	DEXTRAN INJ	1	18	16		18	53	3	CCCC	CCCC			
PV 65	6545009314850	U	SODIUM CHLORIDE	2	12	12		10	10	1	CCCC	CCCC			

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
 UNCLASSIFIED

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	DIMENSIONS (INCHES) (FOR ONE ITEM)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT	TOE LIN	INDEX NO	CGO LOAD	IND
M29177															
PV 66	6545009314850	U	MES SURG HOSP FORMALDEHYDE	J	1	13 13	14	2	(01)	CCCC	CCCC	5	SN		
PV 67	6545009314850	U	MULTIPLE ITEMS	M	7	32 20	66	5	(01)	CCCC	CCCC				
PV 68	6545009314850	U	MULTIPLE ITEMS	M	33	30 20	73	4	(01)	CCCC	CCCC				
PV 69	6545009314850	U	REEFER MECH	J	4	37 21	33	15	(01)	CCCC	CCCC				
PV 70	6545009314850	U	REEFER MECH	J	1	37 23	32	16	(01)	CCCC	CCCC				
PV 71	6545009314850	U	DRAIN/SUCT APPAR	M	10	33 21	95	9	(01)	CCCC	CCCC				
PV 72	6545009314850	U	TANK MASTER XRAY	J	1	30 29	49	25	(01)	CCCC	CCCC				
PV 73	6545009314850	U	MULTIPLE ITEMS	J	1	22 17	14	4	(01)	CCCC	CCCC				
PV 74	6545009314850	U	WATER INJ	J	1	28 23	18	7	(01)	CCCC	CCCC				
PV 75	6545009314850	U	SRG INST/SUP SET	M	1	32 20	22	9	(01)	CCCC	CCCC				
PV 76	6545009314850	U	MULTIPLE ITEMS	J	1	23 18	17	3	(01)	CCCC	CCCC				
PV 77	6545009314850	U	SODIUM SULPHATE	J	1	19 15	52	3	(01)	CCCC	CCCC				
PV 78	6545009314850	U	ANECTINE SUC INJ	J	3	15 15	9	2	(01)	CCCC	CCCC				
PV 79	6545009314850	U	MED SUP SET	J	1	23 18	14	3	(01)	CCCC	CCCC				
PV 80	6545009314850	U	ALCOHOL	J	1	22 10	20	2	(01)	CCCC	CCCC				
PV 81	6545009314850	U	ALCOHOL	J	1	11 11	10	1	(01)	CCCC	CCCC				
PV 82	6545009314850	U	ALCOHOL	J	1	13 10	11	1	(01)	CCCC	CCCC				
PV 83	6545009314850	U	MULTIPLE ITEMS	J	1	13 13	12	2	(01)	CCCC	CCCC				
PV 84	6545009314850	U	SURG DRESS SET	M	2	32 20	106	9	(01)	CCCC	CCCC				
PV 85	6545009314850	U	ISOPROPYL ALCHL	J	2	27 14	83	4	(01)	CCCC	CCCC				
PV 86	6545009314850	U	ACETONE ACID	J	1	11 11	10	1	(01)	CCCC	CCCC				
PV 87	6545009314850	P	CYLDR OXY FULL	I	10	10 10	58	4	(01)	CCCC	CCCC				
PV 88	6545009314850	P	CYLDR OXY EMPTY	J	2	18 11	26	3	(01)	CCCC	CCCC				
PV 89	6545009314850	P	NITROUS OXYGEN	J	2	13 11	88	3	(01)	CCCC	CCCC				
PV 90	6545009314850	U	MULTIPLE ITEMS	J	6	14 11	9	1	(01)	CCCC	CCCC				
PV 91	6545009314850	U	MULTIPLE ITEMS	J	2	9 9	8	1	(01)	CCCC	CCCC				
PV 92	6545009314850	U	MULTIPLE ITEMS	J	6	14 11	9	1	(01)	CCCC	CCCC				
PV 93	6545009314850	U	MULTIPLE ITEMS	J	1	17 17	32	3	(01)	CCCC	CCCC				
PV 94	6545009314850	U	BLANKET SETS SM	J	4	34 18	75	5	(01)	CCCC	CCCC				
PV 95	6545009314850	U	INSERT CABINET	J	1	35 21	76	10	(01)	CCCC	CCCC				
PV 96	6545009314850	U	TABLE OPER FIELD	J	1	61 29	244	18	(01)	CCCC	CCCC				
M30067															
V 01	6545001450095	U	MED EQUIP SET VET FLD1999	J		NONE	144	13		CCCC	CCCC				
V 02	6545015086979	U	ANIMAL-2003	J		22 20	144	13		CCCC	CCCC				

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES)	WEIGHT (LB)	CGO VEH LD LIMITS	CGO LOAD IND
M31793 PV 01	2350014949960 REMARKS	N C	INF FIGHTING VEH ENGR M2A2ODS	D		TM 9-2350-284-10-2-1 258 140 120 65692	2509	XX	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
V 02	2350014949960 REMARKS	N C	M2A2ODS	D		258 140 120 57000	2509	XX	
M31997 PV 01	2320015286294	R 4	HEMTT WTR TENDER M1158	D		TM 9-2320-328-13&P-1 401 96 112 38200	2496	XX	
M32780 V 04	3895011023564	U	MELTER ASPH SKD MTD STMD-3000	N		TM 5-3895-358-14&P 298 96 102 10500	1689	CCC	C N N N J2DB
PV 07	3895013323024	U	STMD-3000A	N		298 96 102 10500	1689	XCX	N N N J2DB
M33458 PV 01	1520015154615	N H	MEDEVAC HELI HH-60M	8		TM 1-1520-237-S 628 129 202 19200	9471	CC	N N N B0DJ N N N B1DJ
PV 02	1520015154615	N K	HH-60M	BA		628 129 148 19200	6939		
M35941 PV 01	6660014683306	U	METEOROLOG SET AN/TMQ-41A SHL	I		TM 11-6660-283-13 102 84 67 2172	333	XCXC	XXXX Y Y Y J3BA X X N N N R2DA (DETAIL INDEX 02)
V 02	6660014683306 REMARKS	R 3	AN/TMQ-41A MTD	0		190 85 69 7760	645	XCX	
M36361 PV 01	6660014791962 REMARKS	R 3	MMS-PROFLIER AN/TMQ-52	B		TM 11-6660-297-12&P 207 105 104 9580	1309	CCC	N N N R2DA (DETAIL INDEX 01)
PV 02	6660014791962 REMARKS	R 3	AN/TMQ-52	C		207 87 104 9580	1084	CCC	N N N R2DA (DETAIL INDEX 02)
V 13	6660015389208 REMARKS	R 4	AN/TMQ-25	D		214 89 105 11500	1158	CCC	N N N R2DB (DETAIL INDEX 13)
V 14	6660015610811 REMARKS	R 4	PR AN/TMQ-52	D		214 89 105 11500	1158	CCC	N N N R2DB (DETAIL INDEX 14)
V 17	6660015858316	R 4	AN/TMQ-52	D		214 89 105 11500	1158	XX	N N N R2DB

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND	OTHER
M36361 V 18	6660015858320	R 4	MMS-PROFILER AN/TM9-52	D	214	89	105	11500	1158	XX	N N N R2DB	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
M39691 PV 01	2355015707996	R 4	MINE RESISTANT VEH M1 M1236 RG3IA3	D	259	107	145	36330	2326	X	N N N R1DC	
M39793 PV 01	2355015696962	R 4	MINE RESISTANT VEH RG M1238A1	D	264	141	117	50533	2521	XX	N N N R1DC	
M44897 PV 01	3417002387553	U	MILLING MACH HORIZ 2 MOTOR	N	72	71	74	5290	219	CCCX	Y Y Y J3BA	
M45375 P 01	6545012028078	U	MES FWD SURG TEAM NONE	I				10447	1018			
02	6545014131322	U	NONE	I				8624	820			
03	6545014964834	U	2000	I				8624	820			
04	6545015023316	U	2003	I				8624	820			
M47987 V 01	6545011823805	U	MMS MED MAINT NONE	M	239	96	96	6804	1275	CCC	N N N J2DA	
V 04	6545011823805	U	NONE	I	239	96	96	5400	1275	CCC	N N N J2DA	
V 02	6545012991702	U	DEP/K	M	239	96	96	6804	1275	CCC	N N N J2DA	
V 03	6545012994259	U	DEP/L	M	239	96	96	6804	1275	CCC	N N N J2DA	
V 06	6545013320147	U	DEP/M	M	239	96	96	6804	1275	CCC	N N N J2DA	
PV 07	6545015216680	U	NONE	M	239	96	96	6804	1275	CCC	N N N J2DA	
M48055 V 01	6545011823795	U	MMS MINIMAL CARE WARD NONE	M	238	96	96	15650	1270	CCC	N N N J2DB	
V 02	6545012989811	U	DEP/K	M	238	96	96	15650	1270	CCC	N N N J2DB	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	STATUS	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF>	IND
M48055 V 03	6545012995619	U	MMS MINIMAL CARE WARD DEP/L	M		238	96	NONE	15650	1270	CCC	CCC	N N N J2DB
V 06	6545013320140	U	WD/M	M		238	96	96	15650	1270	CCC	CCC	N N N J2DB
PV 07	6545015285018	U	WD-2005	M		238	96	96	15650	1270	CCC	CCC	N N N J2DB
V 08	6545015860020	U	WD/2010	M		238	96	96	15650	1270	XCX	XCX	N N N J2DB
M48305 V 01	6545011823802	U	MMS NEUROSURGERY AUG NONE	M		238	96	NONE	14750	1270	CCC	CCC	N N N J2DB
V 02	6545012989817	U	DEP/K	M		238	96	96	14750	1270	CCC	CCC	N N N J2DB
V 03	6545012994257	U	DEP/L	M		238	96	96	14750	1270	CCC	CCC	N N N J2DB
V 06	6545013320144	U	DEP/M	M		238	96	96	14750	1270	CCC	CCC	N N N J2DB
PV 07	6545015052713	U	NONE	M		238	96	96	14750	1270	CCC	CCC	N N N J2DB
M48737 V 01	6545011823789	U	MMS LAB BLOOD BANK NONE	M		239	96	NONE	12400	1275	CCC	CCC	N N N J2DB
02	6545012989804	U	DEPMEDS/K	E	4	59	32	78	4431	844	CCCX	XXXX	Y Y Y J3BA
V 03	6545012989804	U	REFRIGERATOR	I	25	19	18	15	450	86	CCCC	CCC	Y Y Y J3BA
V 04	6545012989804	U	CASE	I	1	28	27	65	375	29	CCCC	XXXX	Y Y Y J3BA
V 05	6545012989804	U	REFRIGERATOR	I	4	32	19	20	20	8	CCCC	CCC	Y Y Y J3BA
V 06	6545012989804	U	MEDICAL CHEST	I	8	36	13	32	50	9	CCCC	CCC	Y Y Y J3BA
V 07	6545012989804	U	CABINET	I	1	44	26	45	400	30	CCCC	CCC	Y Y Y J3BA
V 08	6545012989804	U	ICE MACHINE	I	1	25	28	32	200	13	CCCC	CCC	Y Y Y J3BA
V 09	6545012989804	U	INCUBATOR/CO2	I	1	16	16	14	40	3	CCCC	CCC	Y Y Y J3BA
V 10	6545012989804	U	BLOOD SPT	I	1	32	24	12	160	6	CCCC	CCC	Y Y Y J3BA
V 11	6545012989804	U	CENTRIFUGE	I	1	12	6	6	5	1	CCCC	CCC	Y Y Y J3BA
V 12	6545012989804	U	SCALE	I	1	7	4	13	2	1	CCCC	CCC	Y Y Y J3BA
V 13	6545012989804	U	AGGLUT VIEWER	I	4	11	8	6	2	1	CCCC	CCC	Y Y Y J3BA
V 14	6545012989804	U	MULTIMETER	I	1	9	7	3	6	1	CCCC	CCC	Y Y Y J3BA
V 15	6545012989804	U	SEPARATION STAND	I	1	9	7	3	6	1	CCCC	CCC	Y Y Y J3BA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	WIDTH (INCHES)	CGO VEH	LD LIMITS	WEIGHT	HGT CUBE	TOE LIN	IND
M48737																
V 16	6545012989804	U	MMS LAB BLOOD BANK	I	4		45	NONE	30	36						
V 17	6545012989804	U	TABLE	I	3		14	14	21	15						
V 18	6545012989804	U	STOOL	I	5		19	20	37	15						
V 19	6545012989804	U	CHAIR	I	2		72	30	30	10						
V 20	6545012989804	U	BED BLOOD DONOR CENTRIFUGE	I	1		25	28	38	400						
21	6545013003524	U	DEPMEDS/L	E			4436		844							
PV 22	6545013003524	U	REFRIGERATOR	I	4		59	32	78	450						
PV 23	6545013003524	U	CASE	I	25		19	18	15	7						
PV 24	6545013003524	U	REFRIGERATOR	I	1		28	27	65	375						
PV 25	6545013003524	U	MEDICAL CHEST	I	4		32	19	20	20						
PV 26	6545013003524	U	CABINET	I	8		36	13	32	50						
PV 27	6545013003524	U	ICE MACHINE	I	1		44	26	45	400						
PV 28	6545013003524	U	INCUBATOR	I	1		25	28	32	200						
PV 29	6545013003524	U	BLOOD SPT	I	1		16	16	14	40						
PV 30	6545013003524	U	CENTRIFUGE	I	1		32	24	12	160						
PV 31	6545013003524	U	SCALE	I	2		12	6	6	5						
PV 32	6545013003524	U	AGGLUT VIEWER	I	1		7	4	13	2						
PV 33	6545013003524	U	SEPARATION STAND	I	1		9	7	3	6						
PV 34	6545013003524	U	MULTIMETER	I	4		11	8	6	2						
PV 35	6545013003524	U	TABLE	I	4		45	30	36	60						
PV 36	6545013003524	U	STOOL	I	3		14	14	21	15						
PV 37	6545013003524	U	CHAIR	I	5		19	20	37	15						
PV 38	6545013003524	U	BED BLOOD DONOR CENTRIFUGE	I	2		72	30	30	10						
PV 39	6545013003524	U	CENTRIFUGE	I	1		25	28	38	400						
M53369																
V 01	2355014818578	R	MORTAR CARR/STRYKER	B			290	127	142	40100						
V 02	2355014818578	R	M1129	C			287	107	106	37311						
			M1129	C												
			M1129	C												
V 03	2355014818578	R	M1129	F			287	107	106	36455						
V 04	2355014818578	R	M1129	B			300	145	124	41923						
			M1129	B												
V 05	2355014818578	R	M1129	C			287	107	106	38807						

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	PCS	DIMENSIONS (FOR ONE ITEM) (INCHES) (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CHARACTERISTICS
M55384 PV 13	3895013318560	N 8	D	MIXER ROT TILLER SP T0730HKEG	1	265 96 121 14980 1782	CC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
M55690 V 02	6660014750693	U	J	METEOR STATION AN/TMQ-40B	1	TM 11-6660-290-12 11535 1683	CC	
PV 01	6660014803971	U	I	AN/TMQ-40C	1	11535 1683	CC	
V 03	6660015221655	U	H	AN/TMQ-40D	1	11535 1683	CC	
V 04	6660015221655	U	I	SHLT LP/PDI-91	1	102 84 71 3930 352	CC	
V 06	6660015221655	R 3	0	SHLT LP/PDI-91 REMARKS	1	RIGID SHELTER LOADED W/ EQUIP 209 84 118 9793 1199	CC	
V 08	6660015221655	R 6	0	TRK M1113 REMARKS	1	SHELTER MTD ON TRK M1113 PART OF METEOR STATION 147 84 76 2570 543	CC	
M57048 P 01	3895013692551	U	D	MIXING PLANT ASPHALT M081 ELEC 150	1	TRL PU-798 USED TO POWER METEOR STATION TM 5-3895-374-10 480800 66900	CC	
V 02	3895013692551	U	I	M081 ELEC 150	1	ALL COMPONENTS ARE MTD ON TRL TOWED BY M915/M916/M920	CC	
V 03	3895013692551	R 7	D	GEN TRL	1	550 102 123 41000 3994	CC	
V 04	3895013692551	R 7	D	TOW DOLLY ASSY	1	172 96 50 5100 478	CC	
V 05	3895013692551	R 7	D	BIN FEEDER	1	773 102 162 49600 7392	CC	
V 06	3895013692551	R 7	D	FEED CONVEYOR	1	633 101 153 20600 5661	CC	
V 07	3895013692551	R 7	D	DRUM MIXER	1	698 119 161 65500 7739	CC	
V 08	3895013692551	R 7	D	SURGE BIN	1	597 134 161 68500 7454	CC	
V 09	3895013692551	R 7	D	BAG HOUSE	1	801 134 161 66000 10001	CC	
V 10	3895013692551	R 7	D	ASPHALT TANKER	1	658 125 161 41500 7664	CC	
V 11	3895013692551	R 7	D	DRUM MELTER CONTROL VAN	1	628 125 161 49000 7314	CC	
M57720 PV 01	2355014818577	R 4	B	MOB GUN SYS/STRYKER	1	TM 9-2355-311-13&P 296 128 132 44196 2895	CC	
PV 02	2355014818577	R 4	C	M1128	1	296 128 105 44196 2303	CC	
V 03	2355014818577	R 4	B	M1128	1	302 166 132 46111 3830	CC	
V 05	2355014818577	R 4	B	M1128 REMARKS	1	W/ SLAT ARMOR	CC	
		R 4	C	M1128	1	298 107 105 46111 1938	CC	
		R 4	C	M1128	1	W/ SLAT ARMOR	CC	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	LENGTH WIDTH HEIGHT (REMARKS)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
M57970 PV 01	4110015347675	U	MOB INTG RMN COL SYS MIRCS	M		TM 10-4110-263-10 240 96 96 16450 1280			XCX	N N N J2DB
M68282 06	1015003229720	U	MORTAR 4.2 IN ON MOUNT M30 W/MT-M24	E	1	1063	72 14 11 222	46	CCCC	Y Y Y J3BA
V 07	1015003229720	U	MULTIPLE ITEMS	J	1	222	41 14 14 145	7	CCCC	Y Y Y J3BA
V 08	1015003229720	U	MULTIPLE ITEMS	J	1	145	35 33 10 182	5	CCCC	Y Y Y J3BA
V 09	1015003229720	U	MULTIPLE ITEMS	J	1	182	46 44 10 201	7	CCCC	Y Y Y J3BA
V 10	1015003229720	U	MULTIPLE ITEMS	J	1	201	30 27 14 112	12	CCCC	Y Y Y J3BA
V 11	1015003229720	U	MULTIPLE ITEMS	J	1	112	25 23 11 93	7	CCCC	Y Y Y J3BA
V 12	1015003229720	U	MULTIPLE ITEMS	J	1	93	30 27 12 108	4	CCCC	Y Y Y J3BA
V 13	1015003229720	U	MULTIPLE ITEMS	J	1	108		6	CCCC	Y Y Y J3BA
01	1015008401840	U	M30 W/M24A1	E		640	69 12 10 160	22	CCCC	Y Y Y J3BA
PV 02	1015008401840	U	TUBE	I	1	160	38 11 240	5	CCCC	Y Y Y J3BA
PV 03	1015008401840	U	BASE FLT	I	1	240	25 14 9 60	10	CCCC	Y Y Y J3BA
PV 04	1015008401840	U	STANDARD	I	1	60	47 24 9 180	2	CCCC	Y Y Y J3BA
PV 05	1015008401840	U	BRG ASSY	I	1	180	107 77 71 1290	6	CCCC	Y Y Y J3BA
V 14	1015008401840	R	M30 W/M24A1	0		1290		339	CCCX	Y Y N R2BA
	REMARKS	6	M30 W/M24A1	0		MORTAR MTD IN M416 TRAILER				(DETAIL INDEX 14)
M68326 PV 01	1015015540749	U	MORTAR 120MM TOWED M120A1	I		TM 9-1015-256-13&P 110 36 110 328		252	XX	X N N N J1DA
M68405 V 01	1015012261672	R	MORTAR 120 MM XM120	D		TM 9-1015-250-10 95 60 45 720		149	CCCC	Y Y Y R3BA
	REMARKS	F	XM120	D		MTD ON TRAILER				(DETAIL INDEX 01)
PV 02	1015012923801	R	M121	D		95 60 50 720		165	CCCC	Y Y Y R3BA
	REMARKS	F	M121	D		MTD ON TRAILER				(DETAIL INDEX 02)
M69967 PV 03	6125008930019	U	MOTOR GEN PWR SUPPLY JHMV45BA	N		NONE	73 46 57 4464	111	XCXC	XXXX Y Y Y J3BA
M72050 V 01	6545011823796	U	MMS PHYSICAL THERAPY NONE	M		NONE	240 98 98 10158	1334	XCX	N N N J2DB

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C M L P E T	S H I P C O N F	NO PCS	MTD IN MILVAN	WEIGHT (LB)	CGO VEH LD LIMITS	CGO LOAD IND	DETAIL INDEX
M72050		REMARKS				NONE		CGO VEH LD LIMITS	<C=AF CERTIFIED>	(DETAIL INDEX 01)
V 03	6545012989812	REMARKS	U	M		240 98	10158	CCCKK DDBB CTN CTN 4 CCCH	<X=JCS CRITERIA>	N N N J2DB
V 04	6545012995620	REMARKS	U	M		240 98	10158	115CC CC77 20 40 6	<AMC> <CRAF>	(DETAIL INDEX 03)
V 07	6545013322092	REMARKS	U	M		240 98	10158	HGT CUBE 37 11 8144 FT FT 3		N N N J2DB
PV 09	6545015278008	REMARKS	U	M		240 98	10158	TOE LIN 0 03 077 L		N N N J2DB
M72152		REMARKS				NONE				(DETAIL INDEX 07)
P 01	6545014495565	REMARKS	U	I		FOR 164 BED CSH CO	10304			(DETAIL INDEX 01)
03	6545015216677	REMARKS	U	I		FOR 164 BED CSH CO	3265			(DETAIL INDEX 03)
M72300		REMARKS				NONE				(DETAIL INDEX 09)
V 01	6545011823791	REMARKS	U	E		9423	1553			(DETAIL INDEX 01)
V 03	6545011823791	REMARKS	U	J	2	32 20 12	54	(01)	CCCC	Y Y Y J3BA
V 04	6545011823791	REMARKS	U	J	1	32 20 12	62	(01)	CCCC	Y Y Y J3BA
V 05	6545011823791	REMARKS	U	J	1	32 20 12	108	(01)	CCCC	Y Y Y J3BA
V 06	6545011823791	REMARKS	U	J	1	32 20 12	38	(01)	CCCC	Y Y Y J3BA
V 07	6545011823791	REMARKS	U	J	1	32 20 12	60	(01)	CCCC	Y Y Y J3BA
V 08	6545011823791	REMARKS	U	I	1	36 13 32	142	(01)	CCCC	Y Y Y J3BA
V 09	6545011823791	REMARKS	U	J	1	21 18 20	46	(01)	CCCC	Y Y Y J3BA
V 10	6545011823791	REMARKS	U	J	1	21 18 20	36	(01)	CCCC	Y Y Y J3BA
V 11	6545011823791	REMARKS	U	J	1	46 23 9	43	(01)	CCCC	Y Y Y J3BA
V 12	6545011823791	REMARKS	U	J	1	73 18 10	62	(01)	CCCC	Y Y Y J3BA
V 13	6545011823791	REMARKS	U	I	4	50 36 19	124	(01)	CCCC	Y Y Y J3BA
V 14	6545011823791	REMARKS	U	I	1	30 23 45	240	(01)	CCCC	Y Y Y J3BA
V 15	6545011823791	REMARKS	U	M	5	23 18 12	28	(01)	CCCC	Y Y Y J3BA

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
UNCLASSIFIED

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	NO	PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	IND	CTN	CTN
M72482			MMS LABORATORY GEN									
V 77	6545012994219	U	MULTIPLE ITEMS	M	1	NONE	70	5	(50)	CCCC	CCCC	Y Y
V 78	6545012994219	U	MULTIPLE ITEMS	M	1	32 20	11	5	(50)	CCCC	CCCC	Y Y
V 79	6545012994219	U	FORMS PRINTED	J	3	32 20	11	5	(50)	CCCC	CCCC	Y Y
V 80	6545012994219	U	WASH BASIN	J	2	26 21	7	3	(50)	CCCC	CCCC	Y Y
V 81	6545012994219	U	STERILIZER DISP	J	1	37 19	27	11	(50)	CCCC	CCCC	Y Y
V 82	6545012994219	U	BLOOD GAS ANALZR	J	6	28 25	18	8	(50)	CCCC	CCCC	Y Y
V 83	6545012994219	U	DETGNT TABLE 9-9	J	1	18 12	13	2	(50)	CCCC	CCCC	Y Y
V 84	6545012994219	U	BATTERIES	J	1	13 13	13	2	(50)	CCCC	CCCC	Y Y
V 85	6545012994219	U	CALIB GAS MIX	J	2	13 13	13	2	(50)	CCCC	CCCC	Y Y
V 86	6545012994219	U	TABLE FLDNG LEGS	J	2	23 23	17	6	(50)	CCCC	CCCC	Y Y
V 87	6545012994219	U	BASKET TES	J	1	14 14	12	2	(50)	CCCC	CCCC	Y Y
V 88	6545012994219	U	REFRIGERATOR	J	3	30 31	66	36	(50)	CCCC	XXXX	Y Y
V 89	6545012994219	U	PIP BAC DISP 360	J	3	18 13	9	2	(50)	CCCC	CCCC	Y Y
V 90	6545012994219	U	BRKR LAB POLYP	J	12	20 17	6	4	(50)	CCCC	CCCC	Y Y
V 91	6545012994219	U	TEST TUBE DISP	J	2	18 20	17	4	(50)	CCCC	CCCC	Y Y
V 92	6545012994219	U	BX MICRO 100 SLD	J	6	15 15	13	2	(50)	CCCC	CCCC	Y Y
V 93	6545012994219	U	PIPET SEROLOGIC	J	15	17 17	7	4	(50)	CCCC	CCCC	Y Y
V 94	6545012994219	U	GARBAGE CAN	I	1	35 28	28	16	(50)	CCCC	CCCC	Y Y
V 95	6545012994219	U	SHLTR EXP 2-SIDE	I	1	240 105	96	1400	(50)	XCX	CCCC	N N
96	6545012995638	U	DEP/J	E			11312	1887				
V 97	6545012995638	U	MULTIPLE ITEMS	J	3	37 23	18	9	(96)	CCCC	CCCC	Y Y
V 98	6545012995638	U	MULTIPLE ITEMS	J	3	32 36	13	9	(96)	CCCC	CCCC	Y Y
V 99	6545012995638	U	MULTIPLE ITEMS	J	1	32 36	13	9	(96)	CCCC	CCCC	Y Y
V A0	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V A1	6545012995638	U	MULTIPLE ITEMS	M	2	32 20	11	5	(96)	CCCC	CCCC	Y Y
V A2	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V A3	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V A4	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V A5	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V A6	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V A7	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V A8	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V A9	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V AA	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y
V AB	6545012995638	U	MULTIPLE ITEMS	M	1	32 20	11	5	(96)	CCCC	CCCC	Y Y

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
 UNCLASSIFIED

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	S	NO PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND
M72482										
V AC	6545012995638	U	MMS LABORATORY GEN	M	2	NONE	48	5	CCCC	<C=AF CERTIFIED>
V AD	6545012995638	U	MULTIPLE ITEMS	M	2		47	5	CCCC	<X=JCS CRITERIA>
V AE	6545012995638	U	MULTIPLE ITEMS	M	1		52	5	CCCC	<AMC> <CRAF>
V AF	6545012995638	U	MULTIPLE ITEMS	M	1		41	5	CCCC	CCCK DDBB CTN CTN 4 CCCH
V AG	6545012995638	U	MULTIPLE ITEMS	M	1		61	5	CCCC	115CC CC77 20 40 6
V AH	6545012995638	U	MULTIPLE ITEMS	M	1		50	5	CCCC	37 11 8144 FT FT 3
V AJ	6545012995638	U	MULTIPLE ITEMS	M	1		64	5	CCCC	0 03 077 SN
V AK	6545012995638	U	MULTIPLE ITEMS	M	1		118	5	CCCC	<C=AF CERTIFIED>
V AL	6545012995638	U	MULTIPLE ITEMS	M	1		86	5	CCCC	<X=JCS CRITERIA>
V AM	6545012995638	U	MULTIPLE ITEMS	M	1		98	5	CCCC	<AMC> <CRAF>
V AN	6545012995638	U	MULTIPLE ITEMS	M	1		70	5	CCCC	CCCK DDBB CTN CTN 4 CCCH
V AP	6545012995638	U	FORMS PRINTED	M	3	26 21 7	18	3	CCCC	115CC CC77 20 40 6
V AQ	6545012995638	U	WASH BASIN	J	2	37 19 27	112	11	CCCC	37 11 8144 FT FT 3
V AR	6545012995638	U	STERILIZER DISP	J	1	28 25 18	80	8	CCCC	0 03 077 SN
V AS	6545012995638	U	BLOOD GAS ANALZR	J	6	18 12 13	55	2	CCCC	<C=AF CERTIFIED>
V AT	6545012995638	U	DETRGNT TBL 9-9	J	1	26 19 18	22	6	CCCC	<X=JCS CRITERIA>
V AU	6545012995638	U	BATTERIES	J	1	13 13 13	15	2	CCCC	<AMC> <CRAF>
V AV	6545012995638	U	CALIB GAS MIX	J	2	13 13 13	16	2	CCCC	CCCK DDBB CTN CTN 4 CCCH
V AW	6545012995638	U	TABLE FLDNG LEGS	J	2	23 23 17	30	6	CCCC	115CC CC77 20 40 6
V AX	6545012995638	U	BASKET TES	J	1	14 14 12	21	2	CCCC	37 11 8144 FT FT 3
V AY	6545012995638	U	REFRIGERATOR	J	3	30 31 66	184	36	CCCC	0 03 077 SN
V AZ	6545012995638	U	PIP BAC DISP 360	J	3	18 13 9	40	2	CCCC	<C=AF CERTIFIED>
V B0	6545012995638	U	BEAKER LAB POLYP	J	12	19 20 17	6	4	CCCC	<X=JCS CRITERIA>
V B1	6545012995638	U	TEST TUBE DISP	J	2	18 20 17	2	4	CCCC	<AMC> <CRAF>
V B2	6545012995638	U	BX MICRO 100 SLD	J	6	15 15 13	6	2	CCCC	CCCK DDBB CTN CTN 4 CCCH
V B3	6545012995638	U	PIPET SEROLOGIC	J	15	17 17 21	7	4	CCCC	115CC CC77 20 40 6
V B4	6545012995638	U	GARBAGE CAN	I	1	35 28 28	5	16	CCCC	37 11 8144 FT FT 3
V B5	6545012995638	U	SHLTR EXP 2-SIDE	I	1	240 105 96	6900	1400	XCX	0 03 077 SN
V B7	6545012995638	U	MULTIPLE ITEMS	M	1	32 20 11	63	5	CCCC	<C=AF CERTIFIED>
V B8	6545012995638	U	MULTIPLE ITEMS	M	1	32 20 11	54	5	CCCC	<X=JCS CRITERIA>
B6	6545012998085	U	DEP/K	E		11312	1885		CCCC	<AMC> <CRAF>
PV B9	6545012998085	U	MULTIPLE ITEMS	J	1	32 36	13	9	CCCC	CCCK DDBB CTN CTN 4 CCCH
PV BA	6545012998085	U	MULTIPLE ITEMS	M	1	32 20 11	43	4	CCCC	115CC CC77 20 40 6
PV BB	6545012998085	U	MULTIPLE ITEMS	M	2	32 20 11	53	4	CCCC	37 11 8144 FT FT 3
PV BC	6545012998085	U	MULTIPLE ITEMS	M	2	32 20 11	44	4	CCCC	0 03 077 SN

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
 UNCLASSIFIED

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	C I E O C L P E T	V E H I C L E	T Y P E	S H I P	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 FT FT L 5 SN
M72482	6545012998085	A	MMS LABORATORY GEN	U	M	1	NONE	32	20	11	73	(B6)	CCCC CCCC Y Y Y J3BA
PV BE	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	83	83	(B6)	CCCC CCCC Y Y Y J3BA
PV BF	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	58	58	(B6)	CCCC CCCC Y Y Y J3BA
PV BG	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	57	57	(B6)	CCCC CCCC Y Y Y J3BA
PV BH	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	46	46	(B6)	CCCC CCCC Y Y Y J3BA
PV BJ	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	34	34	(B6)	CCCC CCCC Y Y Y J3BA
PV BK	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	36	36	(B6)	CCCC CCCC Y Y Y J3BA
PV BL	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	60	60	(B6)	CCCC CCCC Y Y Y J3BA
PV BM	6545012998085	A	U MULTIPLE ITEMS	U	M	2	32	20	11	48	48	(B6)	CCCC CCCC Y Y Y J3BA
PV BN	6545012998085	A	U MULTIPLE ITEMS	U	M	2	32	20	11	47	47	(B6)	CCCC CCCC Y Y Y J3BA
PV BP	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	41	41	(B6)	CCCC CCCC Y Y Y J3BA
PV BQ	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	61	61	(B6)	CCCC CCCC Y Y Y J3BA
PV BR	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	50	50	(B6)	CCCC CCCC Y Y Y J3BA
PV BS	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	63	63	(B6)	CCCC CCCC Y Y Y J3BA
PV BT	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	64	64	(B6)	CCCC CCCC Y Y Y J3BA
PV BU	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	118	118	(B6)	CCCC CCCC Y Y Y J3BA
PV BV	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	86	86	(B6)	CCCC CCCC Y Y Y J3BA
PV BW	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	98	98	(B6)	CCCC CCCC Y Y Y J3BA
PV BX	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	70	70	(B6)	CCCC CCCC Y Y Y J3BA
PV BY	6545012998085	A	U MULTIPLE ITEMS	U	M	1	32	20	11	54	54	(B6)	CCCC CCCC Y Y Y J3BA
PV BZ	6545012998085	A	U FORMS PRINTED	U	M	1	26	21	7	18	18	(B6)	CCCC CCCC Y Y Y J3BA
PV C0	6545012998085	A	U WASH BASIN	U	J	2	37	19	27	112	112	(B6)	CCCC CCCC Y Y Y J3BA
PV C1	6545012998085	A	U STERILIZER DISP	U	J	1	28	25	18	80	80	(B6)	CCCC CCCC Y Y Y J3BA
PV C2	6545012998085	A	U BLOOD GAS ANALZR	U	J	6	18	12	13	55	55	(B6)	CCCC CCCC Y Y Y J3BA
PV C3	6545012998085	A	U DETRGTN TBL 9-9	U	J	1	26	19	18	22	22	(B6)	CCCC CCCC Y Y Y J3BA
PV C4	6545012998085	A	U BATTERIES	U	J	1	13	13	13	15	15	(B6)	CCCC CCCC Y Y Y J3BA
PV C5	6545012998085	A	U CALIB GAS MIX	U	J	2	13	13	13	16	16	(B6)	CCCC CCCC Y Y Y J3BA
PV C6	6545012998085	A	U TABLE FLDNG LEGS	U	J	2	23	23	17	30	30	(B6)	CCCC CCCC Y Y Y J3BA
PV C7	6545012998085	A	U BASKET TES	U	J	1	14	14	12	21	21	(B6)	CCCC CCCC Y Y Y J3BA
PV C8	6545012998085	A	U REFRIGERATOR	U	J	3	30	31	66	184	184	(B6)	CCCC XXXX Y Y Y J3BA
PV C9	6545012998085	A	U PIP BAC DISP 360	U	J	3	18	13	9	40	40	(B6)	CCCC CCCC Y Y Y J3BA
PV CA	6545012998085	A	U BEAKER LAB POLYP	U	J	12	18	20	17	6	6	(B6)	CCCC CCCC Y Y Y J3BA
PV CB	6545012998085	A	U TEST TUBE DISP	U	J	2	18	20	17	2	2	(B6)	CCCC CCCC Y Y Y J3BA
PV CC	6545012998085	A	U BX MICRO 100 SLD	U	J	6	15	15	13	6	6	(B6)	CCCC CCCC Y Y Y J3BA
PV CD	6545012998085	A	U PIPET SEROLOGIC	U	J	15	17	17	21	7	7	(B6)	CCCC CCCC Y Y Y J3BA
PV CE	6545012998085	A	U GARBAGE CAN	U	I	1	35	28	28	5	5	(B6)	CCCC CCCC Y Y Y J3BA

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	DIMENSIONS (INCHES) (FOR ONE ITEM)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
M72936										
V 70	6545012989802	U	MMS OPERATING ROOM	I	3	NONE	90	7	CCCC	<C=AF CERTIFIED>
V 71	6545012989802	U	TABLE INSTR	I	2	20 16	35	10	CCCC	<X=JCS CRITERIA>
V 72	6545012989802	U	ANESTHIOLOGY CART	I	4	30 18	100	1	CCCC	<AMC> <CRAF>
V 73	6545012989802	U	XRAY ILLUMINATOR	I	1	14 6	20	1	CCCC	CCCK DBB CTN CTN 4 CCCH
V 74	6545012989802	U	TABLE SURG INST	I	1	40 23	40	22	CCCC	115CC CC77 20 40 6
V 75	6545012989802	U	WALL CABINET	I	2	36 12	31	8	CCCC	37 11 8144 FT FT 3
V 76	6545012989802	U	PHAR/CABINET	I	4	22 28	36	13	CCCC	0 03 077 SN
V 77	6545012989802	U	LIGHT ENDOSCOPIC	I	1	12 13	7	1	CCCC	<INDEX NO>
V 78	6545012989802	U	STAND BASIN	L	2	22 17	4	1	CCCC	
V 79	6545012989802	U	CARRIAGE	I	4	16 16	7	1	CCCC	
V 80	6545012989802	U	PAIL	I	4	12 12	10	1	CCCC	
		U	MEDICAL CHEST	M	27	32 20	22	9	CCCC	
		U	DEP/L	E			4196	443	CCCC	
V 81	6545012994218	U	OPER TABLE	I	2	73 24	35	36	CCCC	
V 82	6545012994218	U	PROGRMBL SUCTION	I	2	17 9	7	1	CCCC	
V 83	6545012994218	U	ELEC SURG APPARA	I	2	15 12	7	1	CCCC	
V 84	6545012994218	U	THERMO REG WTR	I	1	14 17	38	6	CCCC	
V 85	6545012994218	U	BLOOD WARMER	I	2	5 9	14	1	CCCC	
V 86	6545012994218	U	ASPIRATOR PTBL	M	2	14 10	11	3	CCCC	
V 87	6545012994218	U	TABLE INSTRUMENT	I	3	20 16	35	7	CCCC	
V 88	6545012994218	U	ANESTHIOLOGY CART	I	2	30 18	32	10	CCCC	
V 89	6545012994218	U	XRAY ILLUMINATOR	I	4	14 6	20	1	CCCC	
V 90	6545012994218	U	TABLE SURG INST	I	1	40 23	40	22	CCCC	
V 91	6545012994218	U	WALL CABINET	I	2	36 12	31	8	CCCC	
V 92	6545012994218	U	PHARM CABINET	I	4	22 28	36	13	CCCC	
V 93	6545012994218	U	LIGHT ENDOSCOPIC	I	1	12 13	7	1	CCCC	
V 94	6545012994218	U	STAND BASIN	L	2	22 17	4	1	CCCC	
V 95	6545012994218	U	CARRIAGE	I	4	16 16	7	1	CCCC	
V 96	6545012994218	U	PAIL	I	4	12 12	10	1	CCCC	
V 97	6545012994218	U	MEDICAL CHEST	M	27	32 20	22	9	CCCC	
V 98	6545012994218	U	DEP/J	E			4226	445	CCCC	
V 99	6545012998084	U	OPER TABLE	I	2	73 24	35	36	CCCC	
V A0	6545012998084	U	PROGRMBL SUCTION	I	2	17 9	7	1	CCCC	
V A1	6545012998084	U	ELEC SURG APPARA	I	2	15 12	7	1	CCCC	
V A2	6545012998084	U	THERMO REG WTR	I	1	14 17	38	6	CCCC	
V A3	6545012998084	U		I	1	14 17	38	6	CCCC	

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	STATUS	PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	IND
M72936										
V A4	6545012998084	U	MMS OPERATING ROOM	I	2	NONE	5	9	14	1
V A5	6545012998084	U	BLOOD WARMER	I	2	14	10	11	3	1
V A6	6545012998084	U	ASPIRATOR PTBL	M	2	20	16	35	90	7
V A7	6545012998084	U	TABLE INSTR	I	3	30	18	32	100	10
V A8	6545012998084	U	ANESTHIOLOGY CART	I	2	14	6	20	10	1
V A9	6545012998084	U	XRAY ILLUMINATOR	I	4	40	23	40	50	22
V AA	6545012998084	U	TABLE SURG INSTR	I	1	36	12	31	50	8
V AB	6545012998084	U	WALL CABINET	I	2	22	28	36	110	13
V AC	6545012998084	U	PHAR CABINET	I	4	12	13	7	10	1
V AD	6545012998084	U	LIGHT ENDOSCOPIC	I	4	22	17	4	3	1
V AE	6545012998084	U	STAND BASIN	L	2	16	16	7	2	1
V AF	6545012998084	U	CARRIAGE	I	4	12	12	10	1	1
V AG	6545012998084	U	PAIL	I	4	32	20	22	65	9
		U	MEDICAL CHEST	M	27					
AH	6545013320133	U	DEP/M	E					4196	443
V AJ	6545013320133	U	PROGRMBL SUCTION	I	2	17	9	7	4	1
V AK	6545013320133	U	ELEC SURG APPARA	I	2	15	12	7	10	1
V AL	6545013320133	U	THERMO REGULATOR	I	1	14	17	38	75	6
V AM	6545013320133	U	BLOOD WARMER	I	2	5	9	14	2	1
V AN	6545013320133	U	ASPIRATOR/PTBL	M	2	14	10	11	3	1
V AP	6545013320133	U	ANESTH CART	I	2	30	18	32	100	10
V AQ	6545013320133	U	XRAY ILLUMINATOR	I	4	14	6	20	10	1
V AR	6545013320133	U	TABLE SURG INSTR	I	1	40	23	40	50	22
V AS	6545013320133	U	WALL CABINET	I	2	36	12	31	50	8
V AT	6545013320133	U	CABINET PHARMACY	I	4	22	28	36	110	13
V AU	6545013320133	U	LT ENDOSCOPICAL	I	1	12	13	7	10	1
V AV	6545013320133	U	STAND BASIN	L	2	22	17	4	3	1
V AW	6545013320133	U	CARRIAGE	I	4	16	16	7	2	1
V AX	6545013320133	U	PAIL	I	4	12	12	10	1	1
V AY	6545013320133	U	MEDICAL CHEST	M	27	32	20	22	65	9
V AZ	6545013320133	U	OR TABLE W/CASE	I	2	73	24	35	600	36
V B0	6545013320133	U	TABLE INSTR	I	3	20	16	35	90	7
B1	6545015244460	U	DEPMEDS/N	E					4196	443
PV B2	6545015244460	U	PROGRMBL SUCTION	I	2	17	9	7	4	1
PV B3	6545015244460	U	ELEC SURG APPARA	I	2	15	12	7	10	1

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYP	VEH	DESCRIPTION	S	NO	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	LD LIMITS	CCCK	DDBB	CTN	CTN	IND
M73050																	
PV 52	6545015277020	U	A	MMS TRIAGE/EMER/PREOP	I	1		NONE			(44)	CCCC	CCCC	Y	Y	Y	J3BA
PV 53	6545015277020	U	U	PULSE/OXIMETER	I	1		7	4		(44)	CCCC	CCCC	Y	Y	Y	J3BA
PV 54	6545015277020	U	U	OXYGEN BOTTLE	I	1		8	8		(44)	CCCC	CCCC	Y	Y	Y	J3BA
PV 55	6545015277020	U	U	FOOT STOOL	I	2		13	4		(44)	CCCC	CCCC	Y	Y	Y	J3BA
PV 56	6545015277020	U	U	XRAY/ILLUMNTR	I	1		15	19		(44)	CCCC	CCCC	Y	Y	Y	J3BA
PV 57	6545015277020	U	U	MULTIPLE ITEMS	I	1		32	19		(44)	CCCC	CCCC	Y	Y	Y	J3BA
		U	U	CHEST	I	1		18	22		(44)	CCCC	CCCC	Y	Y	Y	J3BA
V 58	6545015859899	U	U	NONE	I			239	96			XCX		N	N	N	J2DB
M73118																	
V 01	6545011823790	U	U	MMS PHARMACY	M			NONE				CCC		N	N	N	J2DB
V 23	6545011823790	U	U	NONE	I			238	96			CCC		N	N	N	J2DA
		U	U	NONE	I			238	96			CCC		N	N	N	J2DA
		U	U	ONE SIDED EXPAND SHELTER													(DETAIL INDEX 23)
02	6545012989806	U	U	DEP/K	E							CCCC	CCCC	Y	Y	Y	J3BA
V 03	6545012989806	U	A	BOOKS	M	1		36	12		(02)	CCCC	CCCC	Y	Y	Y	J3BA
V 04	6545012989806	U	U	MED CABINET	M	7		36	12		(02)	CCCC	CCCC	Y	Y	Y	J3BA
V 05	6545012989806	U	U	MEDICAL CABINET	M	3		22	18		(02)	CCCC	CCCC	Y	Y	Y	J3BA
V 06	6545012989806	U	U	SAFE	I	1		24	22		(02)	CCCC	CCCC	Y	Y	Y	J3BA
V 07	6545012989806	U	U	TABLE	I	1		38	18		(02)	CCCC	CCCC	Y	Y	Y	J3BA
V 08	6545012989806	U	U	TABLE	I	3		45	30		(02)	CCCC	CCCC	Y	Y	Y	J3BA
09	6545012994221	U	U	DEP/L	E							CCCC	CCCC	Y	Y	Y	J3BA
V 10	6545012994221	U	U	BOOKS	M	1		36	12		(09)	CCCC	CCCC	Y	Y	Y	J3BA
V 11	6545012994221	U	U	MED CABINET	M	7		36	12		(09)	CCCC	CCCC	Y	Y	Y	J3BA
V 12	6545012994221	U	U	MEDICAL CABINET	M	3		22	18		(09)	CCCC	CCCC	Y	Y	Y	J3BA
V 13	6545012994221	U	U	SAFE	I	1		24	22		(09)	CCCC	CCCC	Y	Y	Y	J3BA
V 14	6545012994221	U	U	TABLE	I	1		38	18		(09)	CCCC	CCCC	Y	Y	Y	J3BA
V 15	6545012994221	U	U	TABLE	I	3		45	30		(09)	CCCC	CCCC	Y	Y	Y	J3BA
16	6545013301867	U	U	DEP/M	E							CCCC	CCCC	Y	Y	Y	J3BA
V 17	6545013301867	U	U	BOOKS	M	1		36	12		(16)	CCCC	CCCC	Y	Y	Y	J3BA
V 18	6545013301867	U	U	MED CABINET	M	7		36	12		(16)	CCCC	CCCC	Y	Y	Y	J3BA
V 19	6545013301867	U	U	MEDICAL CABINET	M	3		22	18		(16)	CCCC	CCCC	Y	Y	Y	J3BA
V 20	6545013301867	U	U	SAFE	I	1		24	22		(16)	CCCC	CCCC	Y	Y	Y	J3BA
V 21	6545013301867	U	U	TABLE	I	1		38	18		(16)	CCCC	CCCC	Y	Y	Y	J3BA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	LENGTH (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
M73118 V 22	6545013301867	U	I	MMS PHARMACY TABLE	3	45	30	37	(16)	CCCC CCCC Y Y Y J3BA
25	6545015265128	U	E	2004	1	36	12	31	(25)	CCCC CCCC Y Y Y J3BA
PV 26	6545015265128	U	M	BOOKS	7	36	12	31	(25)	CCCC CCCC Y Y Y J3BA
PV 27	6545015265128	U	M	MED CABINET	3	22	18	37	(25)	CCCC CCCC Y Y Y J3BA
PV 28	6545015265128	U	M	MEDICAL CABINET	1	24	22	29	(25)	CCCC CCCC Y Y Y J3BA
PV 29	6545015265128	U	I	SAFE	1	38	18	32	(25)	CCCC CCCC Y Y Y J3BA
PV 30	6545015265128	U	I	TABLE	3	45	30	37	(25)	CCCC CCCC Y Y Y J3BA
PV 31	6545015265128	U	I	TABLE	3	45	30	37	(25)	CCCC CCCC Y Y Y J3BA
M73175 V 05	6545013320150	U	M	MMS X-RAY LOW CAP DEP/M		240	98	98		XCX N N N J2DB (DETAIL INDEX 05)
PV 08	6545015293904	U	M	LOWCAP 2005		240	98	98		XCX N N N J2DB (DETAIL INDEX 08)
M73186 P 01	6545014495589	U	I	MED MAT SET PHARMACY						
03	6545015263337	U	I	NONE						
M73254 P 01	6545014495134	U	I	MED MAT SET PHARMACY						
03	6545015265130	U	I	NONE						
M73425 V 01	6545013320135	U	M	MMS LABORATORY GEN MF2K/M						
PV 03	6545015246167	U	M	2004						

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY V E H I C L E	PRE F E R R E D	NON R O A D A B L E	STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT	UNCLASSIFIED
TOE (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY V E H I C L E	PRE F E R R E D	NON R O A D A B L E	STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT	UNCLASSIFIED
M86675 V 03	6545013320137	REMARKS	U			MMS XRAY RADIOGRAPHIC DEPMED/M	S H I P
V 11	6545015229741	REMARKS	U			DEPMED/M	C
PV 09	6545015251968	REMARKS	U			DEPMED-2004 DEPMED-2004	O
M86971 PV 01	4940015226053		R	4		MOB SECT MULTI FUNCT SHADOW-MSM	N
M90110 PV 01	1945013983856		U			MOD CAUSEWAY FERRY NONE	F
M96804 PV 01	4940012475729	REMARKS	R	3		MAINTENANCE FACILITY AN/TSM-182	
V 02	4940012475729	REMARKS	R	3		AN/TSM-182	
M96872 PV 01	4940015145661		U			AN/TSM-182	
ME0589 PV 01	2350008087100		N	C		EXCAVATOR, COMBAT M9 ACE	
PV 02	2350008087100		N	C		M9 ACE	
ME1377 PV 01	2350001226826		N	C		M9 DOZER	
PV 02	2350001226826		N	C		RECOVERY VEH FTRAC M88A1	
N04580 PV 01	5895014955977	REMARKS	R	3		NET CONTROL STATION AN/TSQ-158A	
			R	3		AN/TSQ-158A	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SY	S	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH LD LIMITS	CGO LOAD IND		
N05001 PV 01	5895015728011 REMARKS	R 4	NETWORK MANAGEMENT SY AN/TSC-188(V)2	SY	D	355	NONE	96	117	31826	2308	XX	N N N R1DC (DETAIL INDEX 01)
N05002 PV 01	5895015728005 REMARKS	R 4	NETWORK MANAGEMENT SY AN/TSC-188(V)1	SY	D	355	NONE	96	117	31826	2308	XX	N N N R1DC (DETAIL INDEX 01)
N05003 PV 01	5895015581075	U	JOINT MGT AND OPER SU AN/FSC-136	SU	I	40	NONE	24	79	517	44	XCXX	XXXX Y Y Y J3BA
N20115 V 03	5895001677931 REMARKS	U	OPERATION CEN COMM LP AN/MSC-31	LP	M	139	TM 11-5895-463-15	81	81	2500	528	CCC	CCC Y Y N J2BA (DETAIL INDEX 03)
V 05	5895001677931 REMARKS	R 3	AN/MSC-31		M	265	MTD IN SHELTER	96	143	15880	2106	X	N N N R1DB (DETAIL INDEX 05)
V 07	5895001677931 REMARKS	R 3	AN/MSC-31		0	279	MTD ON M35A2 WOWN	96	143	16070	2217	X	N N N R1DB (DETAIL INDEX 07)
V 09	5895001677931 REMARKS	R 3	AN/MSC-31		0	265	MTD ON M35A2 WOWN	96	144	17026	2120	X	N N N R1DB (DETAIL INDEX 09)
PV 01	5895001681569 REMARKS	U	AN/MSC-31A		M	147	87	83	3280	615		CCC	CCC N N N J2DA (DETAIL INDEX 01)
V 11	5895001681569 REMARKS	R 3	AN/MSC-31A		M	265	MTD IN SHELTER	96	145	16460	2135	X	N N N R1DB (DETAIL INDEX 11)
V 13	5895001681569 REMARKS	R 3	AN/MSC-31A		0	279	MTD ON M35A2 WOWN	96	145	16850	2248	X	N N N R1DB (DETAIL INDEX 13)
V 15	5895001681569 REMARKS	R 3	AN/MSC-31A		0	265	MTD ON M35A2 WOWN	96	146	16806	2150	X	N N N R1DB (DETAIL INDEX 15)
32	5895001681569 REMARKS	R 7	AN/MSC-31A		Z	239	MTD ON M720 DOLLY	96	99	5140	1315	XCX	N N N R2DA (DETAIL INDEX 32)
38	5895001681569 REMARKS	U	AN/MSC-31A		V	178	108	87	3860	968		CX	N N N J2DA (DETAIL INDEX 38)
N20663 V 03	5895001677932	U	OPERATIONS CENTRAL LP AN/MSC-32	LP	M	139	TM 11-5895-464-15	81	82	3220	535	CCC	CCC Y Y N J2BA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	V E H I C L E C O C O M P O S I T I O N P E T R O B A S E L A B A S S Y	S H I P C O N F I G U R A T I O N P E T R O B A S E L A B A S S Y	NO PCS	WEIGHT (LB)	LENGTH (INCHES)	HEIGHT (INCHES)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 FT FT L 5 SN
N83275									
01	6640003034940	U	PETRO BASE LAB ASSY		25608	TM 5-6640-214-14			
PV 02	6640003034940	U	NONE	E	1	52	32	44	CCCC
PV 03	6640003034940	U	MULTIPLE ITEMS	M	1	54	28	50	CCCC
PV 04	6640003034940	U	MULTIPLE ITEMS	M	1	52	32	43	CCCC
PV 05	6640003034940	U	MULTIPLE ITEMS	M	1	53	29	53	CCCC
PV 06	6640003034940	U	MULTIPLE ITEMS	M	1	92	32	43	CCCC
PV 07	6640003034940	U	MULTIPLE ITEMS	M	1	52	32	43	CCCC
PV 08	6640003034940	U	MULTIPLE ITEMS	M	2	52	32	43	CCCC
PV 09	6640003034940	U	MULTIPLE ITEMS	M	1	52	32	43	CCCC
PV 10	6640003034940	U	MULTIPLE ITEMS	M	1	52	32	43	CCCC
PV 11	6640003034940	U	MULTIPLE ITEMS	M	2	52	32	43	CCCC
PV 12	6640003034940	U	MULTIPLE ITEMS	M	1	52	32	43	CCCC
PV 13	6640003034940	U	MULTIPLE ITEMS	M	4	52	32	43	CCCC
PV 14	6640003034940	U	MULTIPLE ITEMS	M	1	52	32	43	CCCC
PV 15	6640003034940	U	MULTIPLE ITEMS	M	1	25	25	45	CCCC
PV 16	6640003034940	U	MULTIPLE ITEMS	M	1	53	29	53	CCCC
PV 17	6640003034940	U	MULTIPLE ITEMS	M	8	52	32	43	CCCC
PV 18	6640003034940	U	MULTIPLE ITEMS	M	1	20	20	19	CCCC
PV 19	6640003034940	U	MULTIPLE ITEMS	M	1	33	17	14	CCCC
PV 20	6640003034940	U	MULTIPLE ITEMS	M	1	21	15	10	CCCC
PV 21	6640003034940	U	MULTIPLE ITEMS	M	1	21	15	14	CCCC
PV 22	6640003034940	U	MULTIPLE ITEMS	M	1	33	14	13	CCCC
PV 23	6640003034940	U	MULTIPLE ITEMS	M	1	33	13	8	CCCC
PV 24	6640003034940	U	MULTIPLE ITEMS	M	1	16	16	18	CCCC
PV 25	6640003034940	U	MULTIPLE ITEMS	M	2	20	14	8	CCCC
PV 26	6640003034940	U	MULTIPLE ITEMS	M	1	33	17	14	CCCC
PV 27	6640003034940	U	MULTIPLE ITEMS	M	1	23	15	10	CCCC
PV 28	6640003034940	U	MULTIPLE ITEMS	M	1	53	14	9	CCCC
PV 29	6640003034940	U	MULTIPLE ITEMS	M	1	36	22	12	CCCC
PV 30	6640003034940	U	MULTIPLE ITEMS	M	1	25	19	16	CCCC
PV 31	6640003034940	U	MULTIPLE ITEMS	M	1	21	12	10	CCCC
PV 32	6640003034940	U	MULTIPLE ITEMS	M	1	14	14	9	CCCC
PV 33	6640003034940	U	MULTIPLE ITEMS	M	1	36	16	11	CCCC
PV 34	6640003034940	U	MULTIPLE ITEMS	M	1	43	14	10	CCCC
PV 35	6640003034940	U	MULTIPLE ITEMS	M	1	16	16	22	CCCC
PV 36	6640003034940	U	MULTIPLE ITEMS	M	1	20	20	19	CCCC

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
 UNCLASSIFIED

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	AMC	DDBB	CTN	CTN	IND
N83275																
PV 37	6640003034940	U	PETRO BASE LAB ASSY	M	1	30	24	18	75	8	(01)	CCCC	CCCC	Y	Y	Y
PV 38	6640003034940	U	MULTIPLE ITEMS	M	1	37	22	16	60	8	(01)	CCCC	CCCC	Y	Y	Y
PV 39	6640003034940	U	MULTIPLE ITEMS	M	1	18	18	20	35	4	(01)	CCCC	CCCC	Y	Y	Y
PV 40	6640003034940	U	MULTIPLE ITEMS	M	1	39	26	10	75	6	(01)	CCCC	CCCC	Y	Y	Y
PV 41	6640003034940	U	MULTIPLE ITEMS	M	1	59	26	11	125	10	(01)	CCCC	CCCC	Y	Y	Y
PV 42	6640003034940	U	MULTIPLE ITEMS	M	1	18	11	6	10	1	(01)	CCCC	CCCC	Y	Y	Y
PV 43	6640003034940	U	MULTIPLE ITEMS	M	1	24	19	14	40	4	(01)	CCCC	CCCC	Y	Y	Y
PV 44	6640003034940	U	MULTIPLE ITEMS	M	1	20	20	16	40	4	(01)	CCCC	CCCC	Y	Y	Y
PV 45	6640003034940	U	MULTIPLE ITEMS	M	1	23	16	8	20	2	(01)	CCCC	CCCC	Y	Y	Y
PV 46	6640003034940	U	MULTIPLE ITEMS	M	1	19	15	20	50	4	(01)	CCCC	CCCC	Y	Y	Y
PV 47	6640003034940	U	MULTIPLE ITEMS	M	1	19	15	19	30	4	(01)	CCCC	CCCC	Y	Y	Y
PV 48	6640003034940	U	MULTIPLE ITEMS	M	1	18	10	30	30	2	(01)	CCCC	CCCC	Y	Y	Y
PV 49	6640003034940	U	MULTIPLE ITEMS	M	1	30	24	26	120	11	(01)	CCCC	CCCC	Y	Y	Y
PV 50	6640003034940	U	MULTIPLE ITEMS	M	1	20	20	22	40	6	(01)	CCCC	CCCC	Y	Y	Y
PV 51	6640003034940	U	MULTIPLE ITEMS	M	1	27	23	17	70	7	(01)	CCCC	CCCC	Y	Y	Y
PV 52	6640003034940	U	MULTIPLE ITEMS	M	1	43	21	52	360	28	(01)	CCCC	CCCC	Y	Y	Y
PV 53	6640003034940	U	MULTIPLE ITEMS	M	1	27	16	14	20	4	(01)	CCCC	CCCC	Y	Y	Y
PV 54	6640003034940	U	MULTIPLE ITEMS	M	1	32	18	15	90	5	(01)	CCCC	CCCC	Y	Y	Y
PV 55	6640003034940	U	MULTIPLE ITEMS	M	4	20	20	20	60	5	(01)	CCCC	CCCC	Y	Y	Y
PV 56	6640003034940	U	MULTIPLE ITEMS	M	1	40	22	14	50	8	(01)	CCCC	CCCC	Y	Y	Y
PV 57	6640003034940	U	MULTIPLE ITEMS	M	1	38	25	12	75	7	(01)	CCCC	CCCC	Y	Y	Y
PV 58	6640003034940	U	MULTIPLE ITEMS	M	1	20	20	22	90	6	(01)	CCCC	CCCC	Y	Y	Y
PV 59	6640003034940	U	MULTIPLE ITEMS	M	1	28	18	19	45	6	(01)	CCCC	CCCC	Y	Y	Y
PV 60	6640003034940	U	CYLINDER	I	1	5	5	19	25	1	(01)	CCCC	CCCC	Y	Y	Y
PV 61	6640003034940	U	MULTIPLE ITEMS	M	1	21	12	10	20	2	(01)	CCCC	CCCC	Y	Y	Y
PV 62	6640003034940	U	CYLINDER	I	4	9	9	57	170	3	(01)	CCCC	CCCC	Y	Y	Y
PV 63	6640003034940	U	CYLINDER	I	4	15	15	50	170	7	(01)	CCCC	CCCC	Y	Y	Y
PV 64	6640003034940	U	HEPTANE	M	1	23	23	35	430	11	(01)	CCCC	CCCC	Y	Y	Y
PV 65	6640003034940	U	BENZENE	M	1	23	23	35	360	11	(01)	CCCC	CCCC	Y	Y	Y
PV 66	6640003034940	U	HEPTANE	M	1	23	23	35	360	11	(01)	CCCC	CCCC	Y	Y	Y
PV 67	6640003034940	U	TOLUENE	M	1	23	23	35	440	11	(01)	CCCC	CCCC	Y	Y	Y
PV 68	6640003034940	U	OCTANE KNOCK	M	2	23	23	35	360	11	(01)	CCCC	CCCC	Y	Y	Y
N96543																
PV 01	2355014818579	R	NBC RECON VEH/STRYKER	B		297	132	126	38041	2859		CC		N	N	R1DC
PV 02	2355014818579	R	M1135	C		297	132	103	38041	2337		CC		N	N	R1DC

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	WEIGHT (LB)	CGO VEH	LD LIMITS	CC	CCCK	DDBB	CTN	CTN	4	CCCH	
P27821 PV 01	6115001348485	R 7	POWER PLANT STLR MTD AN/MJQ-11	D	512	119	130	60050	4584	NONE	CC							
P28015 PV 01	6115000331398	R 6	POWER PLANT TLR MTD AN/MJQ-18	B	171	84	98	5200	815	TM 5-6115-633-14&P	CCC		C	N	N	N	R2DA	
PV 03	6115000331398	R 6	REMARKS AN/MJQ-18	B						MTD ON M103A3 TLR	CCC							(DETAIL INDEX 01)
P28083 V 01	6115013134216	R 6	POWER PLANT TLR MTD AN/MJQ-35	D	154	84	74	3087	554	TM 5-6115-659-13&P	CCC		XXX	Y	Y	N	R2BA	
PV 09	6115014149697	R 6	REMARKS AN/MJQ-35	D						MTD ON M116A3 TLR	CCC							(DETAIL INDEX 01)
P28151 PV 01	6115013134215	R 6	POWER PLANT TLR MTD AN/MJQ-36	D	135	86	66	3140	444	TM 5-6115-659-13&P	CCC		XXX	Y	Y	N	R2BA	
P40627 PV 01	6130000656811	U	POWER SUP DUAL MSE NONE	I	160	74	79	2850	542	TM 11-6130-416-14	CCC		XXX	Y	Y	N	J2BA	
P42126 PV 01	6115014743783	U	PWR PLANT TLR MTD AN/MJQ-40B	I	80	36	55	2931	92	TM 9-6115-662-13&P	XXC		XXX	Y	Y	Y	J3BA	
V 02	6115014743783	R 7	REMARKS AN/MJQ-40B	0	169	94	41	5590	377	30K GEN MTD ON ONE MODIFIED M200A1 TRL	XCX		X	X	N	N	R2DA	
P42194 PV 07	6115013037896	R 7	POWER PLANT TLR MTD AN/MJQ-41B	D	165	95	84	5660	762	TM 9-6115-663-13&P	XCX		X	X	N	N	R2DA	
V 10	6115013037896	R 7	REMARKS AN/MJQ-41B	D						TWO 60KW GEN MEP-806B MTD ON MODIFIED M200A1 TRL	XCX		X	X	N	N	R2DA	
V 05	6115014743776	U	AN/MJQ-41B	I	87	36	59	3556	107	UNIT 1 POWER PLANT AN/MJQ-41	XCX		X	X	N	N	R2DA	
		U	AN/MJQ-41B	I						UNIT 2 POWER PLANT AN/MJQ-41	XCX		XXXX	Y	Y	Y	J3BA	
										SKID MTD GENERATOR MEP-806B								(DETAIL INDEX 05)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	PLANT	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH LD LIMITS	CGO LOAD IND
P42262 PV 01	6115012996035 REMARKS	R 6	POWER PLANT TLR MTD AN/MJQ-37	D	169	TM 9-6115-660-13&P 83 71 3785	577	577	CCC	X X Y Y N R2BA (DETAIL INDEX 01)
P42330 PV 01	6115013134214 REMARKS	R 6	POWER PLANT TLR MTD AN/MJQ-38	D	169	TM 9-6115-660-13&P 83 71 4350	577	577	CCC	X X Y Y N R2BA (DETAIL INDEX 01)
P42466 PV 01	6115013228583 REMARKS	R 6	PWR PLNT TLR MTD AN/MJQ-42	D	145	TM 9-6115-658-13&P 84 60 2172	423	423	CCCC	XXX Y Y N R2BA (DETAIL INDEX 01)
P42534 PV 01	6115013228582 REMARKS	R 6	PWR PLNT TLR MTD AN/MJQ-43	D	145	TM 9-6115-658-13&P 84 60 2172	423	423	CCCC	XXX Y Y N R2BA (DETAIL INDEX 01)
P42614 PV 01	6115012996034 REMARKS	R 6	POWER PLANT TLR MTD AN/MJQ-39 TRL	D	165	TM 9-6115-661-13&P 95 84 9710	762	762	XCX	X X N N N R2DA (DETAIL INDEX 01)
V 03	6115012996034	R 6	AN/MJQ-39 TRL AN/MJQ-39 TRL AN/MJQ-39 TRL	D	165	95 84 9710	762	762	XCX	X X N N N R2DA (DETAIL INDEX 01)
P44549 V 01	4320011582954 REMARKS	R 6	PUMP UNIT CENT WATER 350 PAW	B	122	TM 10-4320-226-14 70 68 2140	336	336	XCXC	XXXX Y Y N R2BA (DETAIL INDEX 01)
V 02	4320011582954	R 6	350 PAW	B	78	70 68 2140	215	215	XCXC	XXXX Y Y R3BA (DETAIL INDEX 02)
V 08	4320012652168	R 6	W-87012	B	122	70 68 2140	336	336	XCXC	XXXX Y Y N R2BA (DETAIL INDEX 08)
V 09	4320012652168	R 6	W-87012	B	78	70 68 2140	215	215	XCXC	XXXX Y Y R3BA (DETAIL INDEX 09)
V 10	4320013257714	R 6	LC350GPM-W	B	122	70 68 2140	336	336	XCXC	XXXX Y Y N R2BA (DETAIL INDEX 10)
V 11	4320013257714	R 6	LC350GPM-W	B	78	70 68 2140	215	215	XCXC	XXXX Y Y R3BA (DETAIL INDEX 09)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCK DBB	CTN	CTN	IND
P44549		REMARKS	6	PUMP UNIT CENT WATER LC350GPM-W	C			TM 10-4320-226-14 TOWBAR RETRACTED								
V 12	4320013359671	REMARKS	6	LC350BGPM	B			122 70 68 2140	336		XXCX	XXXX	Y	Y	N	R2BA
V 13	4320013359671	REMARKS	6	LC350BGPM	B			TOWBAR EXTENDED			XXCX	XXXX	Y	Y	Y	R3BA
PV 15	4320014360188	REMARKS	6	LC350BGPM	C			78 70 68 2140	215		XXCX	XXXX	Y	Y	Y	R3BA
PV 18	4320014360188	REMARKS	6	LC350BGPM	C			TOWBAR RETRACTED			XXCX	XXXX	Y	Y	Y	R3BA
P44627		REMARKS	6	NONE	B			122 70 68 2140	336		XXCX	XXXX	Y	Y	N	R2BA
PV 01	1730011441897	REMARKS	6	POWER UNIT AUX AVN	D			TOWBAR EXTENDED			XXCX	XXXX	Y	Y	Y	R3BA
V 09	1730014669371	REMARKS	6	NONE	C			78 70 68 2140	215		XXCX	XXXX	Y	Y	Y	R3BA
V 10	1730015522313	REMARKS	6	NONE	C			TOWBAR RETRACTED			XXCX	XXXX	Y	Y	Y	R3BA
P50291		REMARKS	6	PRESS SECTION MPS	D			TM 55-1730-229-12			CCCC	CCCC	Y	Y	Y	R3BA
PV 01	3610012834582	REMARKS	6	MODULAR B	D			90 50 60 3000	157		CCCC	CCCC	Y	Y	Y	R3BA
P55630		REMARKS	6	PRINT PRESS OFFSET	I			FUEL CAPACITY 65 GAL JP-4			XXCX	XXXX	Y	Y	Y	J3BA
PV 01	3610008544153	REMARKS	6	BARKER 3C	I			90 58 60 3620	182		XXCX	XXXX	Y	Y	Y	J3BA
P60658		REMARKS	6	OPFOR SYS (OSTS) BATT	M			90 58 60 3620	182		XXCX	XXXX	Y	Y	Y	J3BA
PV 01	2350015134793	REMARKS	6	M113	M			240 96 96 16140	1280		CCC	CCC	N	N	N	J2DB
P61915		REMARKS	6	PRINTING PLANT SPEC	J			TM 5-3610-293-13&P			CC	CC	N	N	N	J2DC
PV 01	3610015521207	REMARKS	6	POPS-L	J			225 102 103 22000	1368		CC	CC	N	N	N	J2DC
P63394		REMARKS	6	POPS-L	D			TM 10-3610-215-14			CX	CX	N	N	N	R2DC
PV 01	6115015478513	REMARKS	6	TRLR MTD SYS PU-824T	D			TM 9-2350-366-10-1			XCX	XCX	N	N	N	R2DA
			6	TMSS-LRG 35KW	D			NONE			XCX	XCX	N	N	N	R2DA
			6	TRLR MTD SYS PU-824T	D			191 85 78 4649	733		XCX	XCX	N	N	N	R2DA
			6	TMSS-LRG 35KW	D			TRLR MTD 18KW SUPPORT SYS - DRASH			XCX	XCX	N	N	N	R2DA
			6	TRLR MTD SYS PU-824T	D			314 96 91 12000	1588		XCX	XCX	N	N	N	R2DB
			6	TMSS-LRG 35KW	D						XCX	XCX	N	N	N	R2DB

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRLR MTD SYS PU-824T TMSS 35KW NONE NONE POWER PLANT UTLY (MED) TMSS-M 20KW TMSS-M POWER PLANT TRK MTD EPP III EPP III POWER PLANT TRLR MTD AN/MJQ-48 AN/MJQ-48 POWER PLANT AN/MJQ-4 AN/MJQ-48B BRIDGE ADAPTER PALLET M15 M15 PUMP CNTRF GAS DRIVEN US2520HCCD-1 PUMP CNTRF DED NONE PD4320-0015- PUMP CNTRF WHL MTD KN6HS	S H I P C O N F	PCS	NO	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND					
P63394 V 02 V 09 V 10	6115015478552 6115015723944 6115015724123	R 7 R 6 R 6	TRLR MTD SYS PU-824T TMSS 35KW NONE NONE	D D D	1	TM 11-6115-748-13&P 85 78 6000 85 78 6000 85 78 6000	887 887 887	XCX XCX XCX	X X X	N N N	N N N	N N N	4 4 4	CCCH 6 3 L
P63462 V 09 PV 01	6115015476713 6115015476738	R 6 R 6	POWER PLANT UTLY (MED) TMSS-M 20KW TMSS-M	D D D	1	TM 11-6115-742-13&P 86 79 4200 86 78 4200	767 753	XCX XCX	X X	N N	N N	N N	N N	R2DA R2DA R2DA
P63496 PV 01	6115013745038 REMARKS	R 7 7	POWER PLANT TRK MTD EPP III EPP III	D D D	1	TM 9-6115-669-13&P 102 135 52910 MTD ON MODIFIED M977	3188	CC		N	N	N		R1DC (DETAIL INDEX 01)
P63530 PV 01 15 V 16 V 19	6115015408433 6115015409465 6115015409465 6115015650691	R 6 U U U	POWER PLANT TRLR MTD AN/MJQ-48 AN/MJQ-48 POWER PLANT AN/MJQ-4 AN/MJQ-48B	D E I I	2	TM 9-6115-661-13&P 86 100 3485 86 85 3485 86 85 3485	677 1143 571	XCX XCXX XCXX	X XXX XXX	N N N	N N N	N N N	N N N	R2DA J2DA J2DA
P78313 PV 03	3990014421939 REMARKS	U U	BRIDGE ADAPTER PALLET M15 M15	I I	1	TM 5-5420-234-14&P 121 108 5780 END GUARDS FOLDED & SIDE GUARDS STOWED ON PALLET	1914	CC		N	N	N		J1DA (DETAIL INDEX 03)
P92989 PV 06 P93102 V 01 PV 02	4320011814149 4320011813985 4320011933430	U U U U	PUMP CNTRF GAS DRIVEN US2520HCCD-1 PUMP CNTRF DED NONE PD4320-0015-	N N N N	1	TM 5-4320-302-24P 36 69 2450 TM 10-4320-307-10 81 78 17500 81 78 17500	136 1031 1031	CCCC XCX XCX	CCCC Y Y	Y Y	Y Y	Y Y	Y Y	J3BA J2CB J2CB
P94359 V 01	4320004409808	R 6	PUMP CNTRF WHL MTD KN6HS	B	1	TM 5-4320-300-14 73 87 3740	596	CCC	CC	N	N	N		R2DA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	S	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
P94359 V 02	4320004409808	REMARKS	R 6	PUMP CNTRF WHL MTD KN6HS	C	1	113	73	77	3740	368	CCCC	CCCC Y Y N R2BA
V 09	4320006781736		R 6	KN8L	D	1	162	73	86	3740	589	CCC	CC N Y N R2CA
V 05	4320008123707		R 6	REX 6LMG	B	1	143	73	67	2980	405	CCCC	CCCC Y Y N R2BA
V 06	4320008123707		R 6	REX 6LMG	C	1	91	73	67	2980	258	CCCC	CCCC Y Y R3BA
PV 11	4320011281836		R 6	US90CCD-1	D	1	119	69	82	3250	390	XCXX	XXX Y Y N R2BA
P95592 V 01	4320000637363	REMARKS	U 1	PUMP RECIP PWR DRIVEN 4D6	I	1	47	32	33	425	29	CCCC	CCCC Y Y Y J3BA
07	4320004072582		U 1	4D6	I	1	47	32	33	425	29	CCCC	CCCC Y Y Y J3BA
V 08	4320004072582		U 1	4D2A016	E	1	36	34	27	532	26	CCCC	CCCC Y Y Y J3BA
V 09	4320004072582		U 1	PUMP	I	4	120	4	6	55	2	CCCC	CCCC Y Y N J2BA
10	4320004072582		U 1	HOSE 4D2A016	E	1	43	38	32	839	61	CCCC	CCCC Y Y Y J3BA
V 11	4320004072582		U 1	PUMP	J	1	133	28	14	454	31	CCCC	CCCC Y Y N J2BA
V 12	4320004072582		U 1	HOSE	J	1	49	37	35	385	31	CCCC	CCCC Y Y Y J3BA
V 04	4320008298434		U 1	4D 327	I	1	62	45	34	660	55	CCCC	CCCC Y Y Y J3BA
PV 03	4320010922210		U 1	US40CDG	I	1	NONE			465		CCCC	CCCC Y Y Y J3BA
P96503 V 03	4320004931861		U 1	PUMP ASSY DEEP WELL 2791865	H	1	140	56	54	3200	245	CCCC	CCCC Y Y N J2BA
05	4320004931861		U 1	2791865	E	1	80	42	60	3725	160	CCCC	CCCC Y Y Y J3BA
V 06	4320004931861		U 1	PUMP	J	1	133	15	12	1440	117	CCCC	CCCC Y Y N J2BA
V 07	4320004931861		U 1	HOSE ASSY	J	1	128	19	21	853	14	CCCC	CCCC Y Y N J2BA
V 08	4320004931861		U 1	MULTIPLE ITEMS	J	1	90	25	67	1432	30	CCCC	CCCC Y Y Y J3BA
PV 01	4320006499010		U 1	PRLS52	I	1	117	58	55	1460	88	CCCC	CCCC Y Y N R2BA
P97051 V 06	4320000698494		R 6	PUMP FLMB LIQ WHLMTD R04A12BMVG4D	B	1	117	58	55	1360	216	CCCC	CCCC Y Y N R2BA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C L P E T	S H I P	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> WEIGHT (LB) (CU FT) LENGTH WIDTH HEIGHT (INCHES)---> (REMARKS)--->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
P97051 V 07	4320000698494	REMARKS	R 6 R 6	C C	PUMP FLMB LIQ WHIMTD R04A12BMVG4D R04A12BMVG4D	73 58 55 1360 TOWEAR SLIDE IN AND OUT	TM 10-4320-343-14	CCCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
V 02	4320001954914		R 6	B	US37ACG	110 60 63 1390		CCCC	
V 03	4320001954914	REMARKS	R 6 R 6	C C	US37ACG US37ACG	69 60 63 1390		CCCC	
V 04	4320006007590		R 6	B	R04A12CMVG4D	102 59 59 1330		CCCC	
V 05	4320006007590	REMARKS	R 6 R 6	C C	R04A12CMVG4D R04A12CMVG4D	75 59 59 1330		CCCC	
V 01	4320006911071	REMARKS	R 6 R 6	D D	R04A12MGDAD R04A12MGDAD	81 54 51 1825		CCCC	
V 10	4320010923551	REMARKS	R 6	B	ADC 1500	122 70 68 2070		XCXC	
V 11	4320010923551	REMARKS	R 6 R 6	C C	ADC 1500 ADC 1500	78 70 68 2070		XCXC	
V 18	4320012157671		R 6	B	LPP-TM	122 70 68 2140		XCXC	
V 22	4320012157671		R 6	C	LPP-TM	78 70 68 2140		XCXC	
V 19	4320012464398		R 6	B	W-8646	122 70 68 2140		XCXC	
V 23	4320012464398		R 6	C	W-8646	78 70 68 2140		XCXC	
V 21	4320012595965		R 6	B	LC350GPM	122 70 68 2140		XCXC	
V 24	4320012595965		R 6	C	LC350GPM	78 70 68 2140		XCXC	
PV 35	4320013377538		R 6	B	LC350AGPM	122 70 68 2140		XCXC	
PV 36	4320013377538		R 6	C	LC350AGPM	78 70 68 2140		XCXC	
P97119 V 01 V 03	4320011415154 4320011415154	REMARKS	R 6 R 6	B C	PUMP ASSY FLMB LIQ 13226E2289 13226E2289	122 70 68 2140 78 70 68 2140	TM 10-4320-343-14	XCXC XCXC	Y Y Y Y Y Y Y Y Y Y Y Y (DETAIL INDEX 03)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	CLASSIFICATION	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
P97119 PV 08	4320014373161	R 6	PUMP ASSY FLMB LIQ	B	122 70 68	2140	336	XXXX Y Y N R2BA	<C=AF CERTIFIED>	
PV 10	4320014373161	R 6	350 PAFN	B	TOWBAR EXTENDED	2140	215	XXXX Y Y N R2BA	<X=JCS CRITERIA>	
P97369 V 01	4320011847494	R 7	PUMP ASSY WTR TLR MTD 609A	D	156 90 90	5530	732	XXX N N N R2DA	<AMC> <CRAF>	
V 06	4320012016937	R 7	76095SA	D	168 94 86	6250	786	X N N N R2DA	CCCKK DDBB CTN CTN 4 CCCH	
V 07	4320012464277	R 7	609-B	D	168 94 86	6250	786	X N N N R2DA	115CC CC77 20 40 6	
V 08	4320012616470	R 7	609-C	D	168 94 86	6250	786	X N N N R2DA	37 11 8144 FT FT 3	
PV 09	4320013148844	R 7	6X6SP	D	168 94 86	6250	786	X N N N R2DA	0 03 077 L	
R00235 P 01	2220002992865	N 4	RAIL CAR FLAT 56-1/2-80T 56 1/2	D	560 123 51	160000	2033	XX N N N A1DP	<H-----CGO LOAD IND----->	
02	2220005540453	N 4	80T 66 MAX	D	560 123 51	160000	2033	XX N N N A1DP		
R05004 PV 01	5820015728269	R 6	TACTICAL RELAY TOWER AN/TRC-219	D	261 85 85	4176	1092	X N N N R2DA		
R07907 PV 01	2230002620764	N 8	RAILWAY MTR CAR MAINT 8 MAN	D	112 75 58	2500	282	CCCC Y Y N A2BA		
R10527 V 01	5420004975276	U	RAMP BAY BRIDGE FLTG	L	268 127 93	13280	1832	XC N N N J1DB		
03	5420004975276	R 7	NONE	0	320 144 156	35610	4160	X N N N R1DC		
PV 02	5420014705825	U	NONE	0	RAMP BAY ON M15 BRDG ADAPTER PALLET			CC N N N J1DB		
R11006 01	2590010630253	U	ROLLER MINE CLEARING	E	268 127 93	13280	1832			
			NONE		TM 5-2590-214-10	19178	493			

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
R11006 V 02	2590010630253	U	ROLLER MINE CLEARING MINE ROLLER	2	95	80	56	9589	247	CCCC	CCCC Y Y Y J3BA
08 PV 09	2590011343724 2590011343724	U	NONE MINE ROLLER	2	95	80	56	19178 9589	493 247	CCCC	CCCC Y Y Y J3BA
R11127 V 04	3895014562735	N	ROLLER MOTORIZED VIBR TYPE II	8	247	102	121	26680	1765	XX	N N N A1DC
PV 03	3895015388279	N	TYPE II W/AOA	8	247	102	121	26680	1765	XX	N N N A1DC
R11154 V 01	3990010261575	R	RAMP LOAD VEHICLE MDS169636	7	433	96	40	5660	963	CCC	C N N R2DH
V 04	3990010590104	R	SASYR1692	7	432	92	45	5200	1035	CCC	C N N R2DH
PV 02	3990011217758	R	MDS1692366F	7	515	104	44	5100	1364	CCC	C N N R2DH
PV 03	3990011217758	R	MDS1692366F	7	431	104	44	5100	1142	CCC	C N N R2DH
R13167 PV 01	3895014562733	N	ROLLER VIBRATORY SP CS-433C	8	211	75	115	14600	1054	CC	N N N A1DB
R14148 V 01	5840010434257	R	RADAR SET AN/TPQ-36V1	6	183	84	86	6619	765	CCC	CC N Y N R2CA (DETAIL INDEX 01)
04	5840010434257	R	AN/TPQ-36V1 AN/TPQ-36V1	3	265	106	122	13954	1984	CC	N N N R1DB (DETAIL INDEX 04)
PV 06 22	5840012291276 5840012291276	U	AN/TPQ-36V5 AN/TPQ-36V5	4				50225	5038	XX	(NEEDS DATA)
V 23	5840013900529	R	AN/TPQ-36 AN/TPQ-36	4	274	96	112	32173	1705	XX	N N N R1DC (DETAIL INDEX 23)
R14216 PV 05 V 06	5840012291278 5840012291278	U	RADAR SET AN/TPQ-36V7 AN/TPQ-36V7	4	106	83	71	2400	2850 362	XCXX	XXXX Y Y N J2BA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	PCS	REMARKS	CGO VEH	CGO LOAD IND
R14216			RADAR SET				
08	5840012291278	U	AN/TPQ-36V7		TM 11-5840-354-20		
V 10	5840012291278	R 3	TRK M1097	0	S-250 SHELTER		
V 11	5840012291278	R 6	TRK M1097	0	AN/TPQ-36 SHELTER MTD ON M1097 TRK		
V 13	5840012291278	R 6	ANT/TRANS GRP	B	181 83 146 3200 1270		
V 15	5840012291278	R 6	ANT/TRANS GRP	B	ANT TRANS GRP (ATG) MTD ON M116A2 TRK		
		R 6	ANT/TRANS GRP	C	181 83 83 3200 722		
		R 6	MEP-112A	D	141 75 78 2920 478		
		R 6	MEP-112A	D	MEP-112A MTD ON M116A2 TRK USED TO PWR AN/TPQ-36 SYS		
		R 3	M1097	D	191 93 75 5600 771		
		R 3	M1097	D	M1097 USED TO TOW THE M116A2 GEN TRK		
R14284			RADAR SET				
PV 01	5840013900529	U	AN/TPQ-36V8		TM 11-5840-380-10		
03	5840013900529	U	AN/TPQ-36V8		106 83 71 2400 362		
V 05	5840013900529	R 3	AN/TPQ-36 (V) 8	0	ONE S788 SHELTERED OPERATIONS CONTROL GROUP (OCG)		
V 06	5840013900529	R 3	AN/TPQ-36 (V) 8	0	206 86 102 9619 1046		
V 08	5840013900529	R 6	ANT TRANS GRP	B	OPS CNTRL GRP (OCG) SHELTER MTD ON M1097 TRK		
V 10	5840013900529	R 6	ANT TRANS GRP	C	181 83 146 3200 1270		
V 12	5840013900529	R 6	ANT TRANS GRP	C	181 83 83 3200 722		
V 44	5840015679041	U	ANT TRANS GRP	C	ONE ANTENNA-TRANCEIVER GRP (ATG) MTD ON M116A3 TRK		
PV 01	5820014242273	R 3	REPEATER SET, RADIO	D	147 85 77 3040 557		
V 02	3930014733998	N 5	RT240	D	PU-799 MTD ON M116A3 TRK USED AS PWR SOURCE		
		N 5	RT240	B	147 82 36 740 252		
		N 5	RT240	B	ONE M1163 TRAILER CHASSIS WITH SPECIAL CARGO BED		
		N 5	RT240	B	191 83 75 5600 688		
		N 5	RT240	B	M1097 TRANSPORTS GEN AND TOWS M116A3 GEN TRK		

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	REMARKS	CGO VEH	CERTIFIED
R16611 V 04	3930014733998	N 5	RTCH KALMAR RT240	C	5902	TM 10-3930-675-10 587 146 119 118500 5902	LD LIMITS	<C=AF CERTIFIED>
V 06	3930014733998	N 5	REMARKS RT240	C	9878	CAB SHIFTED, BOOM SQUATTED & SPREADER PARALLEL	WEIGHT	<X=JCS CRITERIA>
V 08	3930014733998	N 5	REMARKS RT240	B	7487	BOOM OVER CAB, SPREADER PERPENDICULAR	HGT CUBE	<AMC> <CRAF>
R17126 PV 01	5840014508126	R 3	RADAR SET AN/TPN-31	I	4645	TM 11-5840-381-10 504 124 102 37326 4645	TOE LIN	<C=AF CERTIFIED>
V 02	5840014508126	R 3	REMARKS AN/TPN-31	D	1383	OPERATIONS (COMM) SHELTER MTD ON M1152A1	INDEX NO	<X=JCS CRITERIA>
V 04	5840014508126	R 3	REMARKS AN/TPN-31 SHLT	I	362	106 83 71 2400 362		<AMC> <CRAF>
V 05	5840014508126	R 3	REMARKS SENSOR TRK	B	2180	218 96 180 10670 2180		
V 06	5840014508126	R 3	REMARKS SENSOR TRK	C	1224	218 96 101 10670 1224		
V 08	5840014508126	R 6	REMARKS SENSOR TRK	C	471	SENSOR (RADAR) PALLET MTD ON M1113 TRK		
V 10	5840014508126	R 3	REMARKS SENSOR TRK	D	2021	10KW TQG MTD IN A M1102 TRL TOWED BY SENSOR TRK		
V 11	5840014508126	R 3	REMARKS OPS SHLT TRK	B	1134	218 89 180 9800 2021		
V 13	5840014508126	R 6	REMARKS OPS TRK	C	545	OPERATIONS (COMM) SHELTER MTD ON M1113 TRK		
V 15	5840014508126	R 3	REMARKS AN/TPN 31	D	1187	135 86 81 3770 545		
R18701 PV 01	1430014184396	R 7	RADAR SET STLR MTD AN/MPQ-65	B	3918	TM 9-1430-1601-10 404 118 142 48080 3918		
PV 07	1430014184396	R 7	REMARKS AN/MPQ-65	B	3821	MTD ON M901 STLR		
R18815 PV 01	1430010876330	R 7	RADAR SET STLR MTD AN/MPQ-53	D	3817	TM 9-1430-601-10-2 397 113 147 47723 3817		
V 06	1430010876330	U	REMARKS AM/MPQ-53	2	1699	260 114 99 22760 1699		
R19752		U	REMARKS MINE CLEARING ROLLER	2		MTD ON 3-PALLET TRAIN		

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	NO	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX)	CGO LOAD IND	
R19752 PV 01	2590015067133	U	MINE CLEARING ROLLER NONE	I	128	83	48	3600	296	XXXX Y Y N J2BA
R19753 PV 01	3895014562734	N	ROLLER MOTORIZED, VIB TYPE III	D	208	75	115	15125	1039	CC N N N A1DB
R30658 PV 01	5820015306498	U	RECEIVE SUITE AN/TSR- AN/TSR-8	I	48	36	70	500	70	XCXC XXXX Y Y Y J3BA
R33351 V 09	5820013102542	U	RADIO ACCESS UNIT AN/TRC191AV1	M	96	79	70	2822	308	CCCC XXXX Y Y Y J3BA (DETAIL INDEX 09)
V 10	5820013102542	R	AN/TRC191AV1	0	189	87	107	8200	1019	CC C N N N R1DA (DETAIL INDEX 10)
PV 11	5820013260711	U	AN/TRC191AV2	M	96	79	70	2822	308	CCCC XXXX Y Y Y J3BA (DETAIL INDEX 11)
V 12	5820013260711	R	AN/TRC191AV2	0	189	87	107	8200	1019	CC C N N N R1DA (DETAIL INDEX 12)
R35814 PV 01	5820013876700	U	RADIO TERMINAL SET AN/TRC-175B	I	119	88	71	3348	431	XXXX Y Y Y J2DA (DETAIL INDEX 01)
03	5820013876700	R	AN/TRC-175B	0	212	89	105	10066	1147	XX N N N R2DB (DETAIL INDEX 03)
V 05	5820013876700	R	ANTENNA MAST ANTENNA MAST	D	199	88	105	9559	1064	XX N N N R2DA (DETAIL INDEX 05)
V 08	5820013876700	R	ANTENNA MAST M1102 TRL	D	136	86	52	1360	352	XCXX XXXX N N N R2DA (DETAIL INDEX 08)
V 10	5820013876700	R	M1102 TRL PU-798 TRL PU-798 TRL	D	140	85	90	3432	620	XCX XXX N N N R2DA (DETAIL INDEX 10)
R41282 PV 01	6665013721303	R	RECON SYS NBC M93A1 FOX	B	289	118	105	41990	2073	CC N N N R1DC
PV 02	6665013721303	R	M93A1 FOX	C	289	118	101	41990	1994	CC N N N R1DC
V 03	6665013721303	R	M93A1 FOX	9	289	118	101	41990	1994	CC N N N R1DC

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES) (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT (HGT CUBE TOE LIN) (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
R41282 V 04	6665013721303	R 4	RECON SYS NBC M93A1 FOX	9B	289 118 105 41990 2073	TM 3-6665-339-10	CC	N N N R1DC
V 05	6665015409327	R 4	M93A1 FOX	D	289 118 96 41990 1895		CC	N N N R1DC
V 16	6665015689626	R 4	M93A1 FOX	D	289 118 96 41990 1895		CC	N N N R1DC
R50544			RECOVERY VEH FTRAC			TM 9-2350-238-10	CC	N N N A1DC
PV 01	2350004396242	N C	M578	B	254 124 131 49320 2388		CC	N N N A1DC
PV 02	2350004396242	N C	M578	C	254 124 115 49320 2096		CC	N N N A1DC
V 03	2350004396242	N C	M578	B	326 124 258 54451 6036	COMBAT LOADED WEIGHT 54000 LBS	CC	(DETAIL INDEX 02) N N N A0DC
V 04	2350004396242	N C	M578	C	326 124 113 54451 2644	MODIFIED FOR SPECIAL MISSION	CC	(DETAIL INDEX 04) N N N A1DC
R50681			RECOVERY VEH FTRAC			TM 9-2350-256-20	CC	N N N A1DE
PV 03	2350001226826	N C	M88A1	B	323 144 134 107840 3607		CC	N N N A1DE
PV 04	2350001226826	N C	M88A1	C	323 144 124 107840 3338		CC	N N N A1DE
V 04	2350013904683	A	MISC ITEMS	X	108 88 96 8350 528	FUEL CAPACITY 400 GAL DIESEL	CCC	(DETAIL INDEX 04)
R50885			RECOVERY VEH FTRAC			TM 9-2350-292-10	CCC	(COMPONENT INDEX 04) (COMPONENT INDEX 04) (COMPONENT INDEX 04)
PV 01	2350013904683	N C	M88A2	B	341 144 123 139450 3496		CC	N N N A0DF
PV 03	2350013904683	N C	M88A2	C	341 135 118 129000 3144		CC	N N N A1DF
V 04	2350013904683	A	MISC ITEMS	X	1		CCC	N N Y J3DA
R53671			RECEIVING SET AN/ARW83V6A			INCL BII, SIDE SKIRTS, AUX WENCH & ACCESSORIES 2,100 LBS OF FUEL SHIPPED SEPARATELY COMBAT LOADED WEIGHT IS 140,000 POUNDS	CCCC	(COMPONENT INDEX 04) (COMPONENT INDEX 04) (COMPONENT INDEX 04)
PV 02	5821013961730	A	RACK A2	E	729 192	NONE	CCCC	Y Y Y J3BA
PV 03	5821013961730	A	RACK A3	I	26 42 43 388		CCCC	Y Y Y J3BA
PV 04	5821013961730	A	RF PROCESSOR	I	23 5 9 14		CCCC	Y Y Y J3BA
PV 05	5821013961730	A	STATUS PANEL	I	7 15 9 8		CCCC	Y Y Y J3BA
PV 06	5821013961730	A	ELINT CONTROL	I	6 3 6 1		CCCC	Y Y Y J3BA
PV 07	5821013961730	A	LEFT WING POD	I	28 150 28 120		XXC	N N N J1DA
PV 08	5821013961730	A	RIGHT WING POD	I	28 150 28 120		XXC	N N N J1DA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY	VEH	DESCRIPTION	S	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	LD LIMITS	CCCK	DDBB	CTN	CTN	IND	
R61406 V 01	4210011453927	U		RECHARGE SERVICE KIT	M	33	NONE	32 28 62	650			CCCC	CCCC	Y	Y	Y	J3BA
PV 02	4210011763511	U		NONE	M	81	FOR FIRE EXTINGUISHER HALON 1301	47 48 62	600			CCCC	XXXX	Y	Y	Y	J3BA
V 05	4210015746785	U		NONE	M	33	FOR FIRE EXTINGUISHER HALON 1301	32 28 62	650			XCXC	XXXX	Y	Y	Y	J3BA
R61428 V 20	4110002746718	U		REFER U MECH PNL TY MILR13312	I	131	TM 9-4110-257-14	55 50 82	1360			CCCX	XXXX	Y	Y	Y	J3BA
V 21	4110009147292	U		F10000RG	I	131		55 50 82	1360			CCCX	XXXX	Y	Y	Y	J3BA
V 05	4110010105970	U		RMP-J/1-10G	E	376		36 36 73	1625	(05)		CCCX	CCCC	Y	Y	Y	J3BA
V 06	4110010105970	A		REFER UNIT	I	55		145 36 7	250	(05)		CCCC	CCCC	Y	Y	N	J2BA
V 07	4110010105970	A		FLOOR RIGHT	I	22		145 25 7	250	(05)		CCCC	CCCC	Y	Y	N	J2BA
V 08	4110010105970	A		FLOOR LEFT	I	15		145 25 7	250	(05)		CCCC	CCCC	Y	Y	N	J2BA
V 09	4110010105970	A		CEILING	I	15		72 37 7	125	(05)		CCCC	CCCC	Y	Y	Y	J3BA
V 10	4110010105970	A		B SECTION WALL	I	11		72 37 7	125	(05)		CCCC	CCCC	Y	Y	Y	J3BA
V 11	4110010105970	A		C SECTION WALL	I	11		72 37 7	125	(05)		CCCC	CCCC	Y	Y	Y	J3BA
V 12	4110010105970	A		D SECTION WALL	I	11		85 73 7	125	(05)		CCCC	CCCC	Y	Y	Y	J3BA
V 13	4110010105970	A		A SECT WALL CRNR	I	26		62 25 2	100	(05)		CCCC	CCCC	Y	Y	Y	J3BA
V 14	4110010105970	A		FLR BOARD RIGHT	I	2		62 25 2	100	(05)		CCCC	CCCC	Y	Y	Y	J3BA
V 15	4110010105970	A		FLOOR BOARD	I	2		37 6 1	50	(05)		CCCC	CCCC	Y	Y	Y	J3BA
V 16	4110010105970	A		DOOR CAM	I	1	FUEL CAPACITY 16 GAL GAS					CCCC	CCCC	Y	Y	Y	J3BA
V 02	4110010745175	U		DOOR CAM	I	94		46 45 78	1150			CCCX	CCCC	Y	Y	Y	J3BA
PV 22	4110013899183	U		NONE	I	94	REF TM 5-4110-234-14	46 45 78	1150			CCCX	XXXX	Y	Y	Y	J3BA
R61520 PV 01	5821015773791	U		10000BTU-F10	I	94	TM 11-5821-365-13	516 654 180	2240	35153				N	N	N	J0DH
R61868		U		RECEIVING SET RADIO AN/ARM-88	I		NONE										
		U		REFRIG BLOOD BANK	I												

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	UNIT	NO PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH (INDEX NO)	CERTIFICATION	IND	
R65133 V 12	4110005745789 REMARKS	U	REFRIG PREF 4000 CF MILR10932	M		TM 9-4110-241-13 253 124 130 28175	2361		XX	N N N N (DETAIL INDEX 12)	J1DC	
01	4110007313258	U	NONE	E	6	28175	2388		CCCC	CCC	Y Y N	J2BA
V 02	4110007313258	U	MULTIPLE ITEMS	J	1	50 39	2480	(01)	CCCC	CCC	Y Y Y	J3BA
V 03	4110007313258	U	MULTIPLE ITEMS	J	1	84 51	1010	(01)	CCCC	CCC	Y Y Y	J3BA
V 04	4110007313258	U	MULTIPLE ITEMS	J	1	84 51	1630	(01)	CCCC	CCC	Y Y Y	J3BA
V 05	4110007313258	U	MULTIPLE ITEMS	J	1	84 51	1550	(01)	CCCC	CCC	Y Y Y	J3BA
V 06	4110007313258	U	MULTIPLE ITEMS	J	1	84 51	1550	(01)	CCCC	CCC	Y Y Y	J3BA
V 07	4110007313258	U	MULTIPLE ITEMS	J	1	84 51	1635	(01)	CCCC	CCC	Y Y Y	J3BA
V 08	4110007313258	U	MULTIPLE ITEMS	J	1	158 50	900	(01)	CCCC	CCC	Y Y N	J2BA
V 09	4110007313258	U	MULTIPLE ITEMS	J	1	83 53	1700	(01)	CCCC	CCC	Y Y Y	J3BA
V 10	4110007313258	U	MULTIPLE ITEMS	J	1	83 53	1660	(01)	CCCC	CCC	Y Y Y	J3BA
V 11	4110007313258	U	MULTIPLE ITEMS	J	1	158 50	1660	(01)	CCCC	CCC	Y Y N	J2BA
V 14	4110011193962 REMARKS	U	TKR4000A	M		253 124 130 28180	2361		XX	N N N N (DETAIL INDEX 14)	J1DC	
V 13	4110011663580 REMARKS	U	AA-4000-PF	M		253 124 130 28175	2361		XX	N N N N (DETAIL INDEX 13)	J1DC	
PV 18	4110013159329	U	TKR4000C	M		253 124 130 28180	2361		XX	N N N N	J1DC	
R65270 PV 20	4110013899180	U	REFER U MECH PNL TY 5000 BTU-F50	I		63 60 82 2069	180		CCCX	XXX	Y Y Y	J3BA
R90451 PV 01	5820014636568 REMARKS	U	RADIO TERMINAL AN/TRC190CV1	M		107 80 71 2600	352		CCCX	XXXX	Y Y N	J2BA
V 03	5820014636568 REMARKS	R 3	AN/TRC190CV1	0		189 87 105 8653	1000		CC	C	N N N	R1DA
R90519 PV 01	5820014635663 REMARKS	U	RADIO TERMINAL AN/TRC190CV2	M		107 80 71 2600	352		CCC	XXXX	Y Y N	J2BA
V 02	5820014635663	R 3	AN/TRC190CV2	0		189 87 105 8256	1000		CCC		N N N	R2DA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	SHP	NO PCS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	LD LIMITS	CCCK DDBB	CTN CTN	4	CCCH
R90519		REMARKS	3	RADIO TERMINAL AN/TRC190CV2	0		TM 11-5820-1163-13-1	MTD ON M1037						
R90587		REMARKS	3	RADIO TERMINAL AN/TRC190CV3	D		TM 11-5820-1163-13-1	191 87 105 8362	1010					
V 07	5820014641848	REMARKS	4	AN/TRC190CV3	D		MTD ON M1097A2	191 85 104 10600	978					
R90655		REMARKS	4	AN/TRC190CV3	D		MTD ON M1097							
PV 01	5820014635665	REMARKS	U	RADIO TERMINAL AN/TRC190CV4	M		TM 11-5820-1163-13-1	107 80 71 2600	352					
V 02	5820014635665	REMARKS	U	AN/TRC190CV4	M		MTD IN S250 SHELTER	189 87 105 8444	1000					
R91552		REMARKS	3	AN/TRC190CV4	0		MTD ON M1037							
PV 01	5820013546923	REMARKS	U	RADIO TERMINAL AN/TRC-194V1	M		NONE	147 87 87 5319	644					
R93035		REMARKS	U	AN/TRC-194V1	M		IN S-280 TYPE SHELTER							
PV 01	5820011483976	REMARKS	U	RADIO TERMINAL SET AN/TRC-170V3	M		TM 11-5820-934-13	87 79 70 5400	279					
V 03	5820011483976	REMARKS	U	AN/TRC-170V3	M		MTD IN S-250 SHELTER	265 117 122 18340	2189					
V 12	5820015505231	REMARKS	3	AN/TRC-170V3	0		MTD ON M35A2 TRUCK							
V 13	5820015505231	REMARKS	3	AN/TRC-170 (V) 3	M			87 80 72 3085	290					
V 15	5820015505231	REMARKS	6	ANTENNA TRL ANTENNA TRL	D		S-250 SHELTER MTD ON M1097 TRK	146 80 92 2720	622					
R98145		REMARKS	6	RIGID WALL SHELTER LP/PD1-90	D		M116A2 TRL W/QUICK REACTION ANTENNA							
PV 01	5411013330663	REMARKS	U	LP/PD1-90	M		TM 10-5411-222-14	102 84 71 3930	352					
V 02	5411013330663	REMARKS	3	LP/PD1-90	0		203 85 100 10030	999						
S00860		REMARKS	3	SHLTR TAC NONEXPANDBL	0		MTD ON M1113 HMMWV							

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O L P E T	S H I P C O N F	DESCRIPTION	NO PCS	UNSHIELDED MODEL	WEIGHT (LB)	CGO VEH LD LIMITS	CGO LOAD IND
S01427		REMARKS		I	SHELTER NONEXPANDABLE S250/G	1	TM 10-5411-205-13		LD LIMITS	<C=AF CERTIFIED>
S01428		REMARKS		I	SHELTER NON EXPAND S-842 A/G	1	NONE		CCCK DDBB CTN CTN 4 CCCH	<X=JCS CRITERIA>
S01495		REMARKS		I	SHELTER NONEXPANDABLE S280B/G	1	TM 10-5411-207-14	644	115CC CC77 20 40 6	<AMC> <CRAF>
V 01	5411000014093	REMARKS	U	I	S280B/G	1	147 87 87 1410		37 11 8144 FT FT 3	<-----CGO LOAD IND----->
V 11	5411009996022	REMARKS	U	I	S280A/G	1	147 87 87 6650	644	0 03 077	SN
V 03	5411010920892	REMARKS	U	I	S280C/G	1	147 87 87 1400	644		(DETAIL INDEX 02)
PV 04	5411013043069	REMARKS	U	I	S280C/G	1	UNSHIELDED MODEL		XCXC XXXX Y Y Y J3BA	
V 09	5411013043069	REMARKS	U	I	S280C/G	1	SHIELDED MODEL		CCC XX N N N J2DA	(DETAIL INDEX 01)
PV 04	5411013043069	REMARKS	U	I	S280C/G	1	147 87 87 1410	644	XCX XXX N N N J2DA	
V 09	5411013043069	REMARKS	U	I	S280C/G	1	174 87 87 6650	763	CCC CC N N N J2DA	(DETAIL INDEX 03)
S01563		REMARKS		I	SHELTER NONEXPD LTWR	1	UNSHIELDED MODEL		CCC CC N N N J2DA	(DETAIL INDEX 04)
V 01	5411013335941	REMARKS	U	I	VALVETY2	1	102 89 67 700	352	CCCC CCC	
V 02	5411013335941	REMARKS	R 3	0	VALVETY2	0	199 89 103 8660	1056	CCC	(DETAIL INDEX 02)
V 04	5411013335941	REMARKS	R 3	0	VALVETY2	0	MTD ON M1037		CCC	(DETAIL INDEX 02)
V 06	5411013335941	REMARKS	R 3	0	VALVETY2	0	199 89 103 10000	1056	CCC	(DETAIL INDEX 04)
V 08	5411013573582	REMARKS	R 3	0	VALVETY2	0	MTD ON M1097		CCC	(DETAIL INDEX 04)
V 09	5411013573582	REMARKS	R 3	0	VALVETY2	0	217 89 102 8900	1140	CCC	(DETAIL INDEX 06)
V 11	5411013573582	REMARKS	R 3	0	LTWTY1	0	102 89 67 630	352	CCCC	(DETAIL INDEX 02)
V 13	5411013573582	REMARKS	R 3	0	LTWTY1	0	199 89 103 8660	1056	CCC	(DETAIL INDEX 09)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O L P E T	S H I P C O N F	STN SPT GRP (SSG) (AV)	DESCRIPTION	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND
S05006 PV 03	2320015666745	R 3	B	M1152A1 ASV	STN SPT GRP (SSG) (AV)	191	NONE	11275	72	X X X N N N N R2DB	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
V 04	2320015666797	R 3	B	M1152A1 CSV	M1152A1 CSV	191	86	11275	72	X X X N N N R2DB	
V 05	2330013875426	R 6	C	M1102	M1102	136	86	1400	100	X X X N N N R2DA	
S05007					SINGLE MISSILE RD CON		NONE				
PV 01	2330015981548	R 7	D	MTT SEMITRL	MTT SEMITRL	576	102	34760	117	XX N N N R1DK	
V 02	2330015981548	R 7	0	MTT SEMITRL	MTT SEMITRL	576	102	34760	117	XX N N N R1DK	
V 04	2330015981548	R 7	0	2 SMRTCS/MTT	2 SMRTCS/MTT	576	102	45162	117	XX (DETAIL INDEX 02) N N N R1DK	
S05008					ICSS SPARES SHELTER S		NONE				
V 01	4933015939625	R 7	0	S-784 SHELTER	S-784 SHELTER	340	102	22280	139	XX N N N R1DC	(DETAIL INDEX 01)
PV 03	4933015939625	U 7	0	S-784 SHELTER	S-784 SHELTER	240	96	15000	96	XX N N N J2DB	(DETAIL INDEX 03)
V 05	4933015939625	U 7	2	S-784 SHELTER	S-784 SHELTER	240	96	15000	96	XX N N N J2DB	(DETAIL INDEX 03)
V 06	4933015939625	U 7	2	S-784 SHELTER	S-784 SHELTER	240	96	15000	96	XX N N N J2DB	(DETAIL INDEX 03)
S05009					SINGLE MISSILE RD SHI		NONE				
PV 01	8140015810556	U 6	I	MSRTC	MSRTC	576	102	34760	117	XX N N N J1DK	
S05011					SAT COMM SUBSYS		TM 11-5895-1869-13&P				
PV 01	5895016087431	R 6	D	AN/TSC-185 (V1)	AN/TSC-185 (V1)	192	97	4200	100	XX N N N R2DA	
S05012					SAT COMM SUB SYSTEM		NONE				
V 01	5895015639056	R 6	D	ATTSC185 SAT	ATTSC185 SAT	150	82	1140	90	XXX N N N R2DA	(DETAIL INDEX 01)
PV 03	5895015639056	R 6	D	ATTSC185 SAT	ATTSC185 SAT	198	96	4080	189	XX N N N R2DA	(DETAIL INDEX 01)
PV 04	5895015639056	R 6	B	AN/TSC-185 V2	AN/TSC-185 V2	198	96	4080	98	XX N N N R2DA	(DETAIL INDEX 01)
V 05	5895015639056	R 6	D	AN/TSC-185 (V2)	AN/TSC-185 (V2)	192	97	4200	100	XX N N N R2DA	(DETAIL INDEX 01)
S05013					SATELLITE COMMUNICATI		NONE				
PV 01	5895015904928	R 6	D	AN/TSC-185 (V) 3	AN/TSC-185 (V) 3	198	96	4080	98	XX N N N R2DA	
S05017					SAT COMM TERMINAL		TM 11-5894-1196-13-1				

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	TY	HT	SH	IP	S	NO PCS	WEIGHT (LB)	HEIGHT (INCHES)	W/O ROPS	W/O ROPS	CGO VEH LD LIMITS	CGO LOAD IND
S11711 PV 08	3895013962822 REMARKS	N 8	ROLLER MTZ STEEL WHL CB534B	8	8	B		B	203	81	118	21400	1123	CC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
PV 09	3895013962822 REMARKS	N 8	CB534B	8	8	B		B	203	73	95	20500	815	CCC	C N N N A2DC (DETAIL INDEX 09)
V 12	3895015024005	N 8	CB534B	8	8	C		C	195	73	118	21832	972	XX	N N N A1DC (DETAIL INDEX 08)
S11793 PV 01	3895010133630 REMARKS	N 8	ROLLER PNEU SP C530A	8	8	D		D	179	73	81	9245	613	CCC	CCC Y Y N A2BA (DETAIL INDEX 01)
S12164 PV 03	3895219137442	N 9	ROLLER TWD 13 TIRE 9T NONE	9	9	D		D	177	88	47	3360	424	XCX	X X N N A2DA
S12916 V 01	3895010128875	N 8	ROLLER VIBRATORY RS28	8	8	B		B	218	96	100	18650	1212	CCC	C N N N A2DB (DETAIL INDEX 02)
V 02	3895010128875 REMARKS	N 8	RS28	8	8	C		C	206	96	100	18650	1145	CCC	C N N N A2DB (DETAIL INDEX 02)
PV 03	3895010752823	N 8	SP848	8	8	D		D	219	95	87	17600	1048	CCC	N N N A2DB
S13546 PV 01	3990014446174	U 4	SPREADER BITUM MOD XM4	4	4	I		I	239	97	91	11000	1221	CCC	X N N N J2DB (DETAIL INDEX 04)
V 02	3990014446174 REMARKS	R 4	XM4	4	4	0		0	432	97	162	61330	3929	C	N N N R1DL (DETAIL INDEX 02)
V 04	3990014446174 REMARKS	R 7	XM4	7	7	0		0	328	97	153	23420	2817	CC	N N N R1DC (DETAIL INDEX 04)
V 05	3990014446174 REMARKS	R 7	XM4	7	7	0		0	304	97	153	23420	2611	CC	N N N R1DC (DETAIL INDEX 05)
S14569 PV 01	4935011820578	R 4	SHOP EQUIP G/M SYS AN/TCM-1	4	4	D		D	378	99	153	34140	3314	X	N N N R1DC (DETAIL INDEX 08)
V 08	4935011820578 REMARKS	R 4	AN/TCM-1	4	4	0		0	362	97	145	33850	2947	X	N N N R1DC (DETAIL INDEX 08)
S15457		4	AN/TCM-1	4	4	0		0	MTD ON M1096A1P2 LWB CHASSIS TRK						
			SHOP EQUIP G/M SYS						TM 9-4935-600-14						

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	PCS	NO	REMARKS	CGO VEH	CGO LOAD IND
S25885 PV 01 V 02	4910014906453 4910014906453 REMARKS	U R 7 7	STD AUTO TOOL SET NONE NONE NONE	M O O	0	0	TM 9-4910-783-13&P 240 96 96 13420 292 96 133 19045 MTD ON ISO MOBILITY TRAILER	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
S26835 PV 01 V 02	4940011441438 4940011441438 REMARKS	U R 7 7	SHOP SET SHELTER MTD NONE NONE NONE	M Z Z	0	0	TM 9-4940-553-13&P 240 96 96 10450 375 96 112 16030 MTD ON M1022 DOLLY	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
S29568 PV 01 02	4920011394536 4920011394536 REMARKS	U R 7 7	SHOP SET SHELTER MTD NONE NONE NONE	M Z Z	0	0	TM 55-4920-436-13&P 240 96 96 9750 375 96 112 15330 MTD ON M1022 (2 DOLLY UNITS)	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
S29971 V 01 V 02	3805011442992 3805011442992	R 8 R 8	SCRAPER ELEVATING S/P NONE NONE	B C	0	0	TM 5-3805-260-10 385 96 116 30600 385 96 94 30600	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
PV 03 PV 04	3805012674178 3805012674178	R 8 R 8	613BSNS 613BSNS	B C	0	0	393 105 122 33000 393 105 105 31700	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
S30039 V 01	3805011448837	R 8	SCRAPER ELEV SECT S/P NONE	D	0	0	TM 5-3805-260-10 437 110 122 33620	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
V 02 V 03	3805012674177 3805012674177	R 8 R 8	613BSS 613BSS	B C	0	0	428 105 122 34645 428 105 105 31450	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
PV 04	3805014970697	R 8	613CS	D	0	0	399 101 117 32847	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
S30224 PV 01	4940014422734	U	SHP EQ CONTACT MAINT 50154-001	I	0	0	TM 1-4940-355-12&P 87 83 57 499	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
S30914 PV 01	4940012098824 REMARKS	R 3 3	SHP SET CONT TRK MTD ENG ENG	D D	0	0	TM 9-4940-562-13 219 85 84 9200 MTD ON CUCV	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
S30982			SHP SET CONT TRK MTD	D	0	0	TM 9-4940-562-13	LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	CLASSIFICATION	INDEX
S34827 V 03	5895010519427	R 3	SATELLITE COMM TML AN/TSC-86LP	0	NONE	279 96	138	LD LIMITS	CC	N N N R1DB
V 05	5895010519427	R 7	AN/TSC-86LP	0	MTD ON M35A2 WVN	241 96	100	WEIGHT	CCC	(DETAIL INDEX 03)
S34963 V 01	5895011135344	U	SATELLITE COMM TML AN/TSC-93A	0	TM 11-5895-1127-10	87 79	70	HGT CUBE	CCCC	Y Y Y J3BA
V 03	5895012848306	U	AN/TSC-93A	0	MTD IN MOD S-250 SHELTER	1760		TOE LIN	CCCC	(DETAIL INDEX 01)
V 04	5895012848306	U	AN/TSC-93BVL	1		5190		(INDEX NO)	CCCC	Y Y Y J3BA
V 05	5895012848306	U	MOD S-250 SHLTR	1		3290			CCCC	Y Y Y J3BA
V 06	5895012848306	R 3	ANTENNA PALLET	0		1900			CCCC	Y Y Y J3BA
V 15	5895014634064	U	AN/TSC-93BVL	0	MTD ON M1028A2	9520			CC	N N N R1DA
PV 16	5895015229993	U	AN/TSC-93CVL	0		396			CCCC	Y Y N J2BA
S35056 PV 01	3220002874139	U	AN/TSC-93DVL	0		396			CCCC	Y Y N J2BA
V 02	3220002874139	U	SAW BAND WOODWORK FLOOR MTG	0	NONE	560			CCCX	Y Y Y J3BA
S35185 PV 01	4920011394545	U	FLOOR MTG	0		960			CCCX	CC N N Y J3DA
V 02	4920011394545	R 7	SHOP SET SHELTER MTD	0	TM 55-4920-440-13&P	1280			CCC	N N N J2DA
S35435 V 01	4920011394546	U	NONE	0	TM 55-4920-437-13&P	1280			XX	N N N R1DB
V 02	4920011394546	R 7	NONE	0	TM 55-4920-437-13&P	1280			CCC	N N N J2DA
PV 05	4920015095989	U	NONE	0	TM 55-4920-435-13&P	1280			CC	N N N R1DB
S35596			SHOP SET SHELTER MTD	0		15000			CCC	N N N J2DA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	NO PCS	WEIGHT (LB)	HEIGHT (INCHES)	CGO VEH LD LIMITS	CGO LOAD IND
S35596 01	4920011394547	U	SHOP SET SHELTER MTD NONE		17490	2560	15000	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
PV 02	4920011394547	U	SHT MTL/PAINT (A)	1	96	8750	(01)	CCC C N N N J2DA
PV 03	4920011394547	U	SHT MTL/PAINT (B)	1	96	8740	(01)	CCC C N N N J2DA
V 04	4920011394547	R 7	NONE		375	112		CC N N N R1DB (DETAIL INDEX 04)
V 06	4920014769271	U	NONE		239	96		XCX N N N J2DA
S35895 01	5895014316530	U	SATELLITE SET AN/TRR-38		6188	145		CCCC CCCC Y Y Y J3BA
PV 02	5895014316530	U	CARRY CASE	14	31	24	(01)	CCCC CCCC Y Y Y J3BA
S37240			SHOP SET SHELTER MTD				15000	
PV 01	4920011394548	U	NONE		240	96		CCC C N N N J2DA
V 02	4920011394548	R 7	NONE		375	112		CC N N N R1DB (DETAIL INDEX 02)
S38172			SMALL EXT NODE SWITCH AN/TTC-48CV2					
V 01	5805013294808	U			126	80		CCCX XXXX Y Y N J2BA
V 02	5805013294810	U	AN/TTC-48CV4		130	81		XCXX XXXX Y Y N J2BA
V 03	5805014819645	R 3	AN/TTC-48EV2		195	87		XX N N N R1DA (DETAIL INDEX 03)
PV 05	5805015080840	U	AN/TTC-48FV2		98	82		XCXX XXXX Y Y Y J3BA
S38625			SHP EQP ELEC STLIR MTD					
PV 01	4940014450086	R 7	TSM-191 (V)		462	96		XX N N N R1DK
PV 02	4940014450086	R 7	TSM-191 (V)		462	96		XCX N N N R2DK
S38693			SHOP EQUIP GM SYS					
PV 01	4935014493438	R 7	AN/TSM-211		405	96		CC N N N R1DB (DETAIL INDEX 01)
			AN/TSM-211					(DETAIL INDEX 01)
			AN/TSM-211					(DETAIL INDEX 01)
S43706			SIDE RAIL TYPE V					

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	DIMENSIONS (FOR ONE ITEM) -> LENGTH WIDTH HEIGHT (INCHES) -> WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
S43706 PV 01	1670011622370	U	SIDE RAIL TYPE V 12-FT PLTFM	I	5	145 13 4 156	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF>
S43764 PV 01	1670011699154	U	SIDE RAIL TYPE V 32-FT PLTFM	I	12	385 13 4 410	XCX	N Y N J2CA
S43871 PV 02	2330011307980 REMARKS	R 7 7	SEMITLR VAN GM R/PTS MSLP MSLP	D D	2750	375 96 132 20620 WITHOUT PRIME MOVER	CC	N N N R1DC (DETAIL INDEX 02)
S44890 PV 01	2590015187562	U	STRAIGHT OBST BLADE	I	192	118 61 46 2778	XCXCC XXXX	Y Y N J2BA
S50205 PV 01	2350014553174 REMARKS	R 3 3	STRIKER M707	B	970	191 86 102 10102 TM 9-2350-362-10	CCC	N N N R2DB (DETAIL INDEX 01)
PV 03	2350014553174 REMARKS	R 3 3	M707	C	827	191 86 87 10102 SENSOR PACKAGE LOWERED INTO VEHICLE	CCC	X N N N R2DB (DETAIL INDEX 03)
V 05	2350015138431	R 0	M707 KNIGHT	D	888	192 85 94 10102	CCC	X N N N R2DB
S51388 PV 01	5820015425228 REMARKS	R 4 4	SAT BC MGR TRANSP AN/TSQ-246 AN/TSQ-246	D D	1136	212 89 104 10330 TM 11-5820-1798-13&P HOUSED IN CMI RIGID WALL SHELTER MTD ON M1113	XX	N N N R2DB (DETAIL INDEX 01)
S52342 PV 01	5895014464138 REMARKS	R 7 7	SATELLITE COMM TML AN/TSC-86A AN/TSC-86A	D D	1967	300 96 118 21250 NONE MTD ON A/M32U-17 DOLLY	XX	N N N R1DC (DETAIL INDEX 01)
S53162 PV 01	5895014588463	U	SATL CONFIG CNTL ELMT AN/FSQ-198	I	101	30 76 76 1553 TM 11-5895-1676-23P	CCC	X Y Y Y J3BA
S56246 PV 01	3805011531854	N 8	SCRAPER EARTH MVG SP CAT 621B	B	5683	501 140 140 64950 TM 55-3805-248-14		N N N AODL
PV 02	3805011531854 REMARKS	N 8 8	CAT 621B CAT 621B	C C	5196	501 140 128 64950 FRONT AXLE WEIGHT EXCEEDS C5 & C17 TRANSPORT		N N N AODL (DETAIL INDEX 02)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CHARACTERISTICS
S56246 V 04	3805015386852	N 8	D	SCRAPER EARTH MVG SP CAT 621B W/AOA		501	140	140	64950	5683		XX	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
S58674 01	8340002378752	U	E	SCREEN LATRINE						98	6		
V 02	8340002378752	U	L	NONE		29	18	10		36	4	(01)	CCCC CCCC Y Y Y J3BA
V 03	8340002378752	U	I	SCREEN TENT		72	2	2		3	1	(01)	CCCC CCCC Y Y Y J3BA
V 04	8340002378752	U	I	TENT POLE		49	2	2		4	1	(01)	CCCC CCCC Y Y Y J3BA
V 05	8340002378752	U	I	TENT POLE		89	2	2		5	1	(01)	CCCC CCCC Y Y Y J3BA
V 06	8340002378752	U	I	TENT PINS		16	2	1		1	1	(01)	CCCC CCCC Y Y Y J3BA
07	8340010272170	U	E	NONE		104	12	6		530	39		CCCC CCCC Y Y Y J3BA
PV 08	8340010272170	U	I	POLES & PEGS		35	22	6		42	3	(07)	CCCC CCCC Y Y Y J3BA
PV 09	8340010272170	U	I	TENT & SCREEN		35	8	8		8	2	(07)	CCCC CCCC Y Y Y J3BA
PV 10	8340010272170	U	I	MALLET									CCCC CCCC Y Y Y J3BA (COMPONENT INDEX 10)
S63110 PV 01	7022015123144	U	2	SUP SYS TACT - EXPAND AN/TYQ-132(V)2		53	46	70		786	99		CCCC XXXX Y Y Y J3BA
S65628 PV 01	1670011622369	U	I	SIDE RAIL TYPE V 16-FT PLTFM		193	13	4		206	6		CCCC X X Y Y N J2BA
S68285 PV 01	5895014853063	U	M	SURV INFO PRCS CTR AN/TYQ-224B		147	87	87		5585	644		CCC XXX N N N J2DA
S70027 V 01	2330001226779	R 7	B	STLR FLATBED 22-1/2-T M871		358	96	103		15760	2049	45000	CCC N N N R2DB
V 02	2330001226779	R 7	C	M871		358	96	95		14750	1890	103 856	CCC N N N R2DB
V 03	2330001226779	U	I	HDBRD TOP SPT		96	10	5		180	3	95 713	CCCC CCCC Y Y Y J3BA
V 04	2330001226779	U	I	SIDE WING PANEL		48	5	3		135	1	(02)	CCCC CCCC Y Y Y J3BA
V 05	2330001226779	U	I	SIDE PANEL		54	47	3		35	5	(02)	CCCC CCCC Y Y Y J3BA
V 06	2330001226779	U	I	REAR PANEL		54	45	3		35	5	(02)	CCCC CCCC Y Y Y J3BA
V 07	2330001226779	R 7	K	M871		366	96	161		29500	3274		CCCC CCCC N N N R0DC (DETAIL INDEX 07)
V 20	23300122660701	R 7	B	M871A1		358	96	103		15630	2049	103 856	CC N N N R1DB

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	DIMENSIONS (FOR ONE ITEM)---> (INCHES)---> LENGTH WIDTH HEIGHT (REMARKS)--->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
S70027 V 21	2330012260701	R 7	STLR FLATBED 22-1/2-T M871A1	C	358 96 95	TM 9-2330-386-14&P 15630 1890	45000 95 713 CCC	C N N N R2DB
V 11	2330012943367	R 7	M871A2	B	374 96 104	13240 2161	103 856 CC	C N N N R1DB
V 18	2330012943367	R 7	M871A2	C	374 96 89	13240 1850	89 607 CCC	C N N N R2DB
PV 29	2330014586865	R 7	M871A3	D	495 96 104	17600 2860	104 2091 CCC	N N N R2DJ
V 44	2330015286673	R 7	M871A1R	D	358 96 103	15630 2049	103 856 CX	N N N R2DB
V 45	2330015286690	R 0	M871R	D	358 96 103	15630 2049	103 856 CX	N N N R2DB
V 46	2330015286698	R 7	M871A2R	D	372 96 103	12240 2129	103 856 CX	N N N R2DB
S70159 V 01	2330010398095	R 7	STLR FLATBED 34-TON M872	B	490 96 106	TM 9-2330-331-14&P 17390 2886	68000 106 1253 CC	N N N R1DJ
V 02	2330010398095	R 7	M872	C	490 96 93	17390 2532	106 1253 CC	N N N R1DJ (DETAIL INDEX 02)
V 07	2330011098006	R 7	M872A1	B	490 96 104	18490 2832	104 1253 CC	N N N R1DJ (DETAIL INDEX 07)
V 08	2330011098006	R 7	M872A1	C	490 96 93	18490 2532	93 992 CC	N N N R1DJ (DETAIL INDEX 08)
V 03	2330011195837	R 7	M872A2	B	490 96 106	19280 2886	106 1253 CC	N N N R1DJ
V 05	2330011195837	R 7	M872A2	C	490 96 93	19280 2532	93 914 CC	N N N R1DJ (DETAIL INDEX 05) (DETAIL INDEX 05)
V 25	2330011195837	R 7	M872A2	D	490 96 154	81280 4193	X	N N N R1DL (DETAIL INDEX 25)
V 04	2330011421385	R 7	M872A3	B	490 96 106	19179 2886	106 1253 CC	N N N R1DJ (DETAIL INDEX 04)
V 11	2330011421385	R 7	M872A3	C	490 96 93	19179 2532	93 992 CC	N N N R1DJ (DETAIL INDEX 11) (DETAIL INDEX 11)
V 36	2330011421385	R 7	M872A3	R	490 96 141	55680 3839	XX	N N N R1DK

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	CLASS	NO PCS	DIMENSIONS (FOR ONE ITEM)---> WEIGHT (LB) CUBE (CU FT) LENGTH WIDTH HEIGHT (REMARKS)----->	CGO VEH LD LIMITS LD WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	(DETAIL INDEX 36) N N N R1DK (DETAIL INDEX 37) N N N R1DJ
S70159			R	STLR FLATBED 34-TON M872A3	R		TM 9-2330-331-14&P WITH AN/MJQ-34 POWER PLANT W/ADDITIONAL EQUIPMENT 490 96 130 47000 3539	68000		
V 37	2330011421385	REMARKS	R	M872A3	R		WITH AN/MJQ-34 POWER PLANT	XX		
PV 80	2330014970706	REMARKS	R	M872A3	R			CC		
S70243			R	STLR LOWBED WRKR 12-T M270A1	B		TM 9-2330-371-14&P 597 98 121 16520 4097	30000		
PV 01	2330002897515	REMARKS	R	M270A1	B		597 98 72 16520 2438	CC		
PV 02	2330002897515	REMARKS	R	M270A1	C		PRIME MOVER IS M923A1 5-TON TRUCK	CC		
V 03	2330003951877	REMARKS	R	M270	B		593 97 121 17590 4028	CC		
V 04	2330003951877	REMARKS	R	M270	C		593 97 83 17590 2763	CC		
S70517			R	STLR LOWBED M172A1 25TON	D		TM 9-2330-211-14&P 416 115 87 16285 2409	50000		
PV 01	2330003176448	REMARKS	R	M172A1 25TON	D		416 115 87 16285 2409	CCC		
V 02	2330007359326	REMARKS	R	M172 15-TON	D		416 115 87 15560 2409	CCC		
S70543			R	SLED SELF-PROPELLED SNOWMOBILE	D		NONE 122 45 49 520 156	630		
PV 01	2350013558122	REMARKS	R	SLED SELF-PROPELLED SNOWMOBILE	D			49 80	CCCC	CCCC Y Y N R2BA
S70594			R	STLR LOWBED 40-TON M870	B		TM 5-2330-325-14&P 510 120 70 16918 2480	80000		
V 01	2330001331731	REMARKS	R	M870	B		510 96 70 16918 1984	70 744	CC	C N N N R1DJ
V 02	2330001331731	REMARKS	R	M870	C		PRIME MOVER TRK/TRAC M920	70 595	CCC	C N N N R2DJ (DETAIL INDEX 02)
V 04	2330012249245	REMARKS	R	M870A1	B		515 126 85 19180 3192	85 1116	CC	C N N N R1DJ
V 05	2330012249245	REMARKS	R	M870A1	C		515 96 85 19180 2432	85 893	CCC	C N N N R2DJ
V 66	2330012249245	REMARKS	R	M870/M870A1	BA		503 96 82 20680 2292		CCC	C N N N R2DK (DETAIL INDEX 66) (DETAIL INDEX 66)
PV 44	2330014582061	REMARKS	R	M870/M870A1	BA		TRLR DIMENSIONS CONNECTED TO PRIME MOVER TRLR SHALL BE TRANSPORTED EMPTY			
PV 46	2330014582061	REMARKS	R	M870A3	B		531 128 106 24950 4170	106 1446	CC	N N N R1DK (DETAIL INDEX 44)
			R	M870A3	B		WIDTH WITH BED EXTENDED			
			R	M870A3	C		531 105 106 24590 3421	106 1446	CC	N N N R1DK

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C L P E T	S H I P C O N F	DESCRIPTION (-COMPO DESCRIPTION-)	NO PCS	DIMENSIONS (FOR ONE ITEM)---> WEIGHT (LB) (CU FT) LENGTH WIDTH HEIGHT (INCHES)----->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
S72024				STLR STAKE 12-TON				
V 01	2330000487743	R 7	B	M127A1		TM 9-2330-207-14 346 98 109 14240 2139	24000 109 848	CC
V 02	2330000487743	R 7	C	M127A1		346 98 61 14240 1197	61 848	CCC
V 03	2330007529750	R 7	B	M127A1C		349 98 109 14280 2158	109 848	CC
V 04	2330007529750	R 7	C	M127A1C		349 98 61 14280 1208	61 848	CCC
PV 07	2330007886299	R 7	B	M127A2C		352 98 108 13620 2156	108 848	CC
PV 08	2330007886299	R 7	C	M127A2C		352 98 60 13620 1198	60 848	CCC
V 09	2330007886299	R 7	K	M127A2C		352 98 110 27970 2196		XX
	REMARKS	7	K	M127A2C		M/INVERTED TLR WHLS REMOVED		(DETAIL INDEX 09)
V 05	2330007979207	R 7	B	M127		346 98 109 13370 2139	109 848	CC
V 06	2330007979207	R 7	C	M127		346 98 61 13370 1197	61 848	CCC
S72846				STLR TANK FUEL 5000G			35000	
PV 01	2330002266079	R 7	D	M131A5		TM 9-2330-272-14 378 98 106 12750 2273		CC
V 20	2330002266079	R 7	D	M131A5		378 98 106 47750 2273		XX
	REMARKS	7	D	M131A5		COMBAT LOADED		(DETAIL INDEX 20)
V 02	2330005081484	R 7	D	M131A1		352 98 114 14920 2276		CC
V 36	2330005333380	R 7	D	M131A3C		385 98 106 14720 2315		XX
V 37	2330005747964	R 7	D	M131A2		378 97 106 14720 2250		XX
V 38	2330009949459	R 7	D	M131A4		374 97 108 12785 2268		XX
V 39	2330009949459	R 7	D	M131A4		374 97 108 47785 2268		XX
	REMARKS	7	D	M131A4		COMBAT LOADED		(DETAIL INDEX 39)
	REMARKS	7	D	M131A4		LIN DELETED FROM TOE		(DETAIL INDEX 39)
S72983				STLR TANK FSV 5000G			35000	
PV 01	2330002266080	R 7	D	M131A5C		TM 9-2330-272-14 376 96 107 14250 2236		CCC
V 07	2330002266080	R 7	D	M131A5C		376 96 107 49250 2236		XX
	REMARKS	7	D	M131A5C		COMBAT LOADED		(DETAIL INDEX 07)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C Q M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	ITEMS (FOR ONE ITEM)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND	INDEX NO
S72983 V 02 V 09	2330009949458 2330009949458 REMARKS	R 7 R 7 R 7	D D D	STLR TANK FSVC 5000G M131A4C M131A4C M131A4C	374 374 374	96 96 96	109 109 109	14060 49060 2265	2265 2265	35000	5
S73119 PV 01 V 02	2330012757475 2330012757475 REMARKS	R 7 R 7 R 7	D D D	STLR TANK PETRO 7500G M1062 M1062 M1062	433 433 433	97 97 97	123 123 123	10580 63080 2990	2990 2990	52500	5
S73372 V 01 V 03	2330010505634 2330010505634 REMARKS	R 7 R 7 R 7	D D D	STLR TANK FUEL 5000G M969 M969 M969	368 368 368	96 96 96	105 105 105	16060 51060 2147	2147 2147	35000	5
V 02 V 05	2330011550048 2330011550048 REMARKS	R 7 R 7 R 7	D D D	M969A1 M969A1 M969A1	368 368 368	96 96 96	105 105 105	15140 50140 2147	2147 2147	35000	5
V 15 V 16	2330013779337 2330013779337	R 7 R 7	B C	M969A2 M969A2	366 366	96 96	116 104	16100 16100	2359 2115	35000	5
PV 50	2330014950043 REMARKS	R 7 R 7	D D	M969A3 M969A3	360	96	105	39150	2100	35000	5
S74079 V 03 V 04	2330007529751 2330007529751	R 7 R 7	B C	STLR VAN CARGO 12-TON M128A1C M128A1C	357 350	99 99	143 143	15340 15340	2925 2868	24000	5
PV 01 PV 02	2330007886296 2330007886296	R 7 R 7	B C	M128A2C M128A2C	354 347	99 99	146 146	15850 15850	2961 2903	1354 1354	5
S74216 PV 01	2330006783838	R 7	D	STLR VAN ELEC 6-TON M348A2	325	99	133	8820	2477	35000	5
S74353 PV 02	2330007058932	R 7	B	STLR VAN ELEC M373A2 6-TON	387	99	133	13050	2949	35000	5

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
UNCLASSIFIED

LEGEND
P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	T Y P E H I P C O N F	W E I G H T (LB) (CU FT)	LD L I M I T S (INDEX NO)	CGO VEH (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
S74353									
PV 03	2330007058932	REMARKS	7	B	7	TM 9-2330-246-14 W/HYD GATE			
		REMARKS	7	C	7	373 99 133 13050 2843			
		REMARKS	7	C	7	HYD GATE REMOVED & STOWED ONBOARD			
		REMARKS	7	C	7	AIRLIFT IN C-130 BY REMOVING WHLS & LJDG GEAR			
06	2330007058932	REMARKS	7	D	7	394 99 132 18500 2980			
		REMARKS	7	D	7	WITH COMPONENTS OF ROLAND FMTS			
		REMARKS	7	D	7	VAN ROLANDS FMTS			
09	2330007058932	REMARKS	7	D	7	394 99 132 21000 2980			
		REMARKS	7	D	7	WITH COMPONENTS OF ROLAND FMTS			
		REMARKS	7	D	7	VAN ROLANDS FMTS			
18	2330007058932	REMARKS	7	D	7	479 97 152 40000 4087			
		REMARKS	7	D	7	W/AIR-CONDITIONER ATTACHED			
		REMARKS	7	D	7	FOR USE BY MI DETACHMENT			
21	2330007058932	REMARKS	7	D	7	480 98 152 27440 4138			
		REMARKS	7	D	7	GENERATOR MTD ON FRONT			
		REMARKS	7	D	7	ALSO KNOWN AS AEPDS FSR VAN			
S74490									
PV 01	2330007725273	REMARKS	7	B	7	TM 9-2330-238-14 327 96 134 15890 2435			
PV 02	2330007725273	REMARKS	7	C	7	323 96 134 15890 2405			
		REMARKS	7	C	7	PRIME MOVER M931A1			
03	2330007725273	REMARKS	7	D	7	323 96 134 26260 2405			
		REMARKS	7	D	7	VAN #2 LOADED W/CONT & PRCS CTR COMP			
05	2330007725273	REMARKS	7	D	7	323 96 134 26190 2405			
		REMARKS	7	D	7	VAN #3 LOADED W/CONT & PRCS CTR COMP			
07	2330007725273	REMARKS	7	D	7	323 96 134 27420 2405			
		REMARKS	7	D	7	VAN #4 LOADED W/CONT & PRCS CTR COMP			
S74832									
V 03	2330005872454	REMARKS	7	B	7	TM 9-2330-238-14 327 96 132 13830 2398			
V 04	2330005872454	REMARKS	7	C	7	320 96 129 13830 2294			
PV 01	2330009267035	REMARKS	7	B	7	323 95 132 15380 2344			
PV 02	2330009267035	REMARKS	7	C	7	316 95 132 15380 2294			
S75038									
						TM 9-2330-227-14&P			

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	SHP	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	IND
S75038 PV 01	2330005699372		R 7	STLR VAN SHOP 6-TON M146	D		276 96 129 7180	1978	12000 76 1045	CC	N	N	N	N	R1DA	
S75175 V 03 V 04	2330007529752 2330007529752	REMARKS	R 7 R 7	STLR VAN SUPPLY 12TON M129A1C M129A1C	B C		359 98 142 15080 346 98 142 15080	2892 2787	24000 1354 1354	CC CC	N	N	N	N	R1DB R1DB	
V 05 V 06	2330007886289 2330007886289	REMARKS	R 7 R 7	M129A2C M129A2C	B C		359 98 142 15110 346 98 142 15110	2892 2787	1354 1354	CC CC	N	N	N	N	R1DB R1DB	
V 15	2330011757379		R 7	M129A3	D		351 98 141 15140	2807	1354	CC	N	N	N	N	R1DB	
PV 23	2330013725642		R 7	M129A4	D		434 96 150 15660	3617	1354	CC	N	N	N	N	R1DJ	
S78466 V 01	5895011135343	REMARKS	U	SAT COMM TML AN/TSC-85A	M		87 52 75 1897	197		CCCX	CCCC	Y	Y	Y	J3BA	
V 03 V 04 V 05	5895012848305 5895012848305 5895012848305	REMARKS	U U U	AN/TSC-85BV1 SHELTER ANTENNA PALLET	E M 2	1 1	7710 6170 1540	800 615 186	(03) (03)	CCC CCCC	CCC	CCC	Y	Y	J2DA J3BA	
V 06 V 07	5895014634063 5895014634063	REMARKS	U R 4	AN/TSC-85CV1 AN/TSC-85CV1	M 0		181 87 83 5718 279 96 144 36614	757 2232	CCC X	CCC	X	X	N	N	N	J2DA R1DC
PV 14	5895015229583		U	AN/TSC-85CV1 AN/TSC-85DV1	M		181 87 83 5718	757	CCC	CCC	X	X	N	N	N	J2DA
S78712 PV 01	494000895279	REMARKS	U	SVC KIT PWR LINE XMSN TEAM	M		NONE 147 87 83 6084	615	CCC	CCC	CCC	N	N	N	N	J2DA
S78722 01	494000895280		U	XMSN TEAM SVC KIT PWR PLANT NONE	M E		NONE 805	92	CCC	CCC	CCC	N	N	N	N	J2DA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	P	V	E	H	I	S	T	DESCRIPTION	NO	PCS	REMARKS	LENGTH (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT TOE LIN (INDEX NO)	CGO LOAD IND
T00183	5410009339388								SHELTER INFLT (MUST)								
PV 02	5410009339388	A					E	U	NONE	1	1	NONE	2550	332			
PV 03	5410009339388	A					J	U	MULTIPLE ITEMS	1	1	147	49	47	(01)	CCCC	CCC Y Y N J2BA
PV 04	5410009339388	A					J	U	MULTIPLE ITEMS	1	1	95	59	29	(01)	CCCC	CCCC Y Y Y J3BA
							J	U	MULTIPLE ITEMS	1	1	63	39	29	(01)	CCCC	CCCC Y Y Y J3BA
							J	U	MULTIPLE ITEMS	1	1	400	400	42		XXXX	(COMPONENT INDEX 04)
T01691	2320015527793								TRK CHASSIS MTV M1092A1P2								
PV 01	2320015527793	R					D	4	NONE			284	96	112	1768	XX	N N N R1DC
T05003	2330015294229								TRL SET MINE DETONATI M1231								
V 03	2330015470691	R					D	7	M1231 SECOND			178	99	72	177010	X	N N N R2DG
PV 02	2330015470698	R					D	7	M1231 FIRST			178	99	72	17700	XCX	X X N N R2DB
V 04	2330015470710	R					D	7	M1231 THIRD			149	65	72	14100	XCX	XXX Y Y N R2BB
V 05	2541015602332	R					D	7	HUSKY RED PAK			291	100	99	14500	XCX	N N N R2DB
V 06	2541015602332	R					D	7	HUSKY BLUE PAK			291	100	99	14500	XCX	N N N R2DB
T05005	1450015611328								TRK GUIDED MISSILE (TRAW/OUT MRP)								
PV 01	1450015611328	R					C	4	W/OUT MRP			480	102	129	41468	CX	N N N R1DK
PV 03	1450015611328	R					C	4	W/OUT MRP			480	102	141	66520	XX	(DETAIL INDEX 01)
P 04	1450015611328	R					D	4	W/EMPTY MRP			480	102	129	48700	XX	N N N R1DL
T05009	2330015981677								TRL UNIT TWR MOB RUGG RMTTU								
PV 01	2330015981677	R					D	7	NONE			221	79	94	6600	XCX	X N N R2DA
T05011	5895014223136								TERMINAL LNCH & RCVR UAS HUNTER								
PV 01	5895014223136	U					I		NONE			60	60	60	250	XCXC	XXXX Y Y J3BA
T05012	2320015646882								TRUCK TRACTOR HET XM1070A1								
PV 01	2320015646882	R					D	4	NONE			382	103	146	47700	X	N N N R1DC

UNCLASSIFIED

UNCLASSIFIED
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
 UNCLASSIFIED

LEGEND VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	NO	PCS	REMARKS	CGO VEH	CGO LOAD IND	INDEX NO
T05015 PV 01	2410015652605	R 9	TRACTOR FULL TRCKD LO	9	1				
V 03	2410015652605	R 9	T9 BULLDOZER	9	1				
T05016 PV 01	2410015652603	R 9	T9 BULLDOZER	9	1				
V 03	2410015652603	R 9	T9 BULLDOZER	9	1				
T05017 PV 01	2320016068030	R 4	TRK CRN AIRVEH TRNSPT	4	1				
V 03	2320016068030	R 4	UAS HUNTER	4	1				
V 05	2320016068030	U	AERIAL VEH CNT	4	1				
T05019 PV 01	2320016068031	R 4	TRK AIR VEH TRNSPRT	4	1				
V 03	2320016068031	R 4	UAS HUNTER	4	1				
V 05	2320016068031	U	AER VEH CNTNR	4	1				
T05026 PV 01	2410015652599	R 8	TRAC FL TRK LOW SPD W	8	1				
T05029 PV 01	2410015652600	N 8	TRAC FL TRK LOW SPD W	8	1				
PV 03	2410015652600	N 8	T-5 DOZER W/W	8	1				

UNCLASSIFIED

LEGEND VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

UNCLASSIFIED

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	CGO VEH	CGO LOAD	IND
T05096 V 01	2320011077153 REMARKS	R 3	TRK UTIL 1-1/4-TON M966	B	TM 9-2320-280-10	800	180 100 74 7195	771	CCC	C N N N R2DA
V 09	2320011077153 REMARKS	R 3	M966	B	FUEL CAPACITY 24.5 GAL DIESEL	74	7195	74	CCC	(DETAIL INDEX 01)
V 17	2320011077153 REMARKS	R 3	M966	B	BBM REF TM 9-2300-422-23&P	74	7195	74	CCC	(DETAIL INDEX 01)
V 27	2320011077153 REMARKS	R 3	M966	5	USABLE PAYLOAD 800 LBS	74	7195	74	CCC	(DETAIL INDEX 01)
PV 22	2320013723932	R 3	M966A1	D	RIGGED F/LOW VELOCITY AIRDROP	74	7195	74	CCC	(DETAIL INDEX 17)
T05964 PV 01	6920013561607 REMARKS	U U	TRNG EMPTY RD ERT NONE	I I	LOAD INCLUDES AN ACCOMPANYING LOAD	228	1750	228	CCC	(DETAIL INDEX 17)
T06763 V 01	6920011369550	U	TRAINER NONE	I	F/AALPS PLANNING PURPOSES ONLY	132	4649	132	CCCC	(DETAIL INDEX 01)
V 02	6920012992216 REMARKS	U U	NONE	I I	FOR PATRIOT MISSILE SYSTEM	134	3086	134	CCCC	(DETAIL INDEX 01)
PV 04	6920014864736	U	NONE	I	INERT LAUNCH POD CONTAINER FOR MLRS	132	4649	132	CCCC	(DETAIL INDEX 02)
T07543 PV 01	2320011467193	R 3	TRK UTIL 4X4 M1037	B	TM 9-2320-280-10	3331	5269	995	CC	N N N R1DA
PV 04	2320011467193 REMARKS	R 3	M1037	C	FUEL CAPACITY 24.5 GAL DIESEL	102	5269	949	CCC	(DETAIL INDEX 04)
V 09	2320011467193 REMARKS	R 3	M1037	C	REDUCED HT W/SNUBBERS INSTALLED	999	8540	999	CCC	(DETAIL INDEX 04)
V 12	2320011467193 REMARKS	R 3	M1037	R	W/DDS SHELTER	956	8466	956	CC	(DETAIL INDEX 09)
V 13	2320011467193 REMARKS	R 3	M1037	R	W/OPERATION CNTRL GRP SHELTER	728	8655	728	CC	(DETAIL INDEX 12)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	PCS	NO	REMARKS	ITEMS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCK	DDBB	CTN	CTN	IND	
T07679	2320013469317	R 3	TRK UTIL HVY HMMWV				TM 9-2320-280-10	9236	1121	4400		CCC					
V 53	REMARKS		M1097				202 94 102	9236	1121			CCC					
V 61	2320013469317	R 3	M1097				WITH BLOCK II IMETS SHELTER	8326	1027			CCC					
V 70	2320013469317	R 3	M1097				WITH AN/TMQ-41A IN LWS	10000	1143			CCC					
V 96	2320013469317	R 3	M1097				224 89 99	9799	737			CCC					
V 99	2320013469317	R 3	M1097				TROOP CARRIER 1					CCC					
V AN	2320013469317	R 3	M1097				208 85 72	9461	737			CCC					
PV B3	2320013469317	R 3	M1097				TROOP CARRIER 2					CCC					
PV B4	2320013469317	R 3	M1097R1				207 89 102	9244	1088			XCX					
V 47	2320013719583	R 3	M1097A1				INCLUDES SICPS RIGID WALL SHELTER	5600	678			XCX					
V 48	2320013719583	R 3	M1097A1				189 86 72	5600	678			XCX					
V 54	2320013719583	R 3	M1097A1				189 86 72	5600	678			XCX					
V 55	2320013719583	R 3	M1097A1				191 86 54	5600	514			CCCC					
V 58	2320013719583	R 3	M1097A1				191 86 95	9300	903			CCCC					
V 75	2320013719583	R 3	M1097A1				INCLUDES GENERATOR; ANTENNA STOWED & MIRRORS FOLDED	10000	1056			CCCC					
V A3	2320013719583	R 3	M1097A1				206 86 103	9619	1046			CCC					
V 64	2320013808604	R 3	M1097A2				WITH GMS-1497 SHELTER					CCC					
V 65	2320013808604	R 3	M1097A2				206 86 102	9619	1046			CCC					
V 73	2320013808604	R 3	M1097A2				LOADED W/LMS S788 SHELTER					CCC					
V 74	2320013808604	R 3	M1097A2				191 91 72	5900	725			CCCC					
V A6	2320013808604	R 3	M1097A2				191 86 56	5900	533			CCCC					
V AA	2320013808604	R 3	M1097A2				191 86 56	5900	533			CCCC					
V AB	2320013808604	R 3	M1097A2				191 86 72	5900	685			CCCC					
V AC	2320013808604	R 3	M1097A2				212 90 104	9990	1149			CCCC					
							W/MATERIEL HDLG PALLET					CCC					
							201 86 102	10140	1021			CCC					
							MRSB PRIMARY VEHICLE					CCC					
							201 86 102	10060	1021			CCC					
							MRSB CARGO VEHICLE					CCC					
							201 86 102	9780	1021			CCC					

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CCCKK DDBB CTN	CTN 4	CCCH
T09094													
V 19	4320011223547	U	TACT WTR DIST EQP SET	1	48	35	23	310	23	(01)	CCCC	CCCC	Y Y Y J3BA
V 20	4320011223547	U	LATERAL PIPE FIT	1	33	19	18	117	7	(01)	CCCC	CCCC	Y Y Y J3BA
V 21	4320011223547	U	PRES RELIEF ASM	1	41	17	24	390	10	(01)	CCCC	CCCC	Y Y Y J3BA
V 22	4320011223547	U	CHECK VALVES	1	45	30	24	790	19	(01)	CCCC	CCCC	Y Y Y J3BA
V 23	4320011223547	U	BUTTERFLY VALVES	1	38	22	24	385	12	(01)	CCCC	CCCC	Y Y Y J3BA
V 24	4320011223547	U	VICTAULIC CPLNG	1	135	31	42	1070	102	(01)	CCCC	XXXX	Y Y N J2BA
V 25	4320011223547	U	GATE VALVE	1	49	48	42	895	58	(01)	CCCC	CCCC	Y Y Y J3BA
V 26	4320011223547	U	MULTIPLE ITEMS	1	46	48	37	525	48	(01)	CCCC	CCCC	Y Y Y J3BA
V 27	4320011223547	U	600 GPM ENG PRTS	1	54	31	33	605	32	(01)	CCCC	CCCC	Y Y Y J3BA
V 28	4320011223547	U	CONNECTION KIT	1	130	14	13	230	14	(01)	CCCC	XXXX	Y Y N J2BA
V 29	4320011223547	U	STORAGE ASM PRTS	1	28	21	21	150	8	(01)	CCCC	CCCC	Y Y Y J3BA
V 30	4320011223547	U	600 GPM PMP PRTS	1	32	15	13	55	4	(01)	CCCC	CCCC	Y Y Y J3BA
V 31	4320011223547	U	125GPM ENG PMP	1	25	22	29	146	10	(01)	CCCC	CCCC	Y Y Y J3BA
V 32	4320011223547	U	125 GPM PUMP	2	176	44	37	2300	166	(01)	CCCC	X X	Y Y N J2BA
V 33	4320011223547	U	20K TANKS/CHEST	1	96	83	95	4860	438	(01)	CCCC	XX	N N Y J3DA
V 34	4320011223547	U	HOSE ASSEMBLY	32	135	72	80	3465	450	(01)	CCCC	XXX	Y Y N J2BA
V 35	4320011680590	U	600 GPM PUMPS	6									
V 39	4320011680590	U	919	1	240	96	96	208439	18912	(35)	CCC		N N N J2DA
V 40	4320011680590	U	MULTIPLE ITEMS	1	240	96	96	9860	1280	(35)	CCC		N N N J2DA
V 41	4320011680590	U	MULTIPLE ITEMS	1	240	96	96	9860	1280	(35)	CCC		N N N J2DB
V 42	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	10320	1280	(35)	CCC		N N N J2DA
V 43	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5840	416	(35)	CCC	XX	N N Y J3DA
V 44	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	4840	416	(35)	CCC	XX	N N Y J3DA
V 45	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5340	416	(35)	CCC	XX	N N Y J3DA
V 46	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5630	416	(35)	CCC	XX	N N Y J3DA
V 47	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5640	416	(35)	CCC	XX	N N Y J3DA
V 48	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5670	416	(35)	CCC	XX	N N Y J3DA
V 49	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5680	416	(35)	CCC	XX	N N Y J3DA
V 50	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5640	416	(35)	CCC	XX	N N Y J3DA
V 51	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5740	416	(35)	CCC	XX	N N Y J3DA
V 52	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5700	416	(35)	CCC	XX	N N Y J3DA
V 53	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5640	416	(35)	CCC	XX	N N Y J3DA
V 54	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5730	416	(35)	CCC	XX	N N Y J3DA
V 55	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5660	416	(35)	CCC	XX	N N Y J3DA
V 56	4320011680590	U	MULTIPLE ITEMS	1	96	78	96	5680	416	(35)	CCC	XX	N N Y J3DA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
 UNCLASSIFIED

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PC	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCK	DDBB	CTN	CTN	IND
T09094																
V 57	4320011680590	U	TACT WTR DIST EQP SET	M	1	1	TM 10-4320-345-13	96	5320	(35)	CCC	XX	N	N	Y	J3DA
V 58	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	416	416	(35)	CCC	XX	N	N	Y	J3DA
V 59	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	4600	416	(35)	CCC	XX	N	N	Y	J3DA
V 60	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	5740	416	(35)	CCC	XX	N	N	Y	J3DA
V 61	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	4960	416	(35)	CCC	XX	N	N	Y	J3DA
V 62	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	4660	416	(35)	CCC	XX	N	N	Y	J3DA
V 63	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	5740	416	(35)	CCC	XX	N	N	Y	J3DA
V 64	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	5700	416	(35)	CCC	XX	N	N	Y	J3DA
V 65	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	5700	416	(35)	CCC	XX	N	N	Y	J3DA
V 66	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	5689	416	(35)	CCC	XX	N	N	Y	J3DA
V 67	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	5680	416	(35)	CCC	XX	N	N	Y	J3DA
V 68	4320011680590	U	MULTIPLE ITEMS	M	1	1	96 78 96	5840	416	(35)	CCC	XX	N	N	Y	J3DA
V 69	4320011680590	U	MULTIPLE ITEMS	M	1	1	240 96 96	9260	1280	(35)	CCC	XX	N	N	N	J2DA
V 70	4320011680590	U	MULTIPLE ITEMS	M	1	1	240 96 96	9360	1280	(35)	CCC	XX	N	N	N	J2DA
V 71	4320011680590	U	MULTIPLE ITEMS	M	1	1	240 96 96	10320	1280	(35)	CCC	XX	N	N	N	J2DB
36	4320011680591	U	110-00-0000	E			208439	18912			CCC		N	N	N	J2DA
V 72	4320011680591	U	MULTIPLE ITEMS	M	1	1	240 96 96	9860	1280	(36)	CCC		N	N	N	J2DA
V 73	4320011680591	U	MULTIPLE ITEMS	M	1	1	240 96 96	9860	1280	(36)	CCC		N	N	N	J2DA
V 74	4320011680591	U	MULTIPLE ITEMS	M	1	1	240 96 96	10320	1280	(36)	CCC		N	N	N	J2DB
V 75	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5840	416	(36)	CCC	XX	N	N	Y	J3DA
V 76	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	4840	416	(36)	CCC	XX	N	N	Y	J3DA
V 77	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5340	416	(36)	CCC	XX	N	N	Y	J3DA
V 78	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5630	416	(36)	CCC	XX	N	N	Y	J3DA
V 79	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5640	416	(36)	CCC	XX	N	N	Y	J3DA
V 80	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5670	416	(36)	CCC	XX	N	N	Y	J3DA
V 81	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5680	416	(36)	CCC	XX	N	N	Y	J3DA
V 82	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5640	416	(36)	CCC	XX	N	N	Y	J3DA
V 83	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5740	416	(36)	CCC	XX	N	N	Y	J3DA
V 84	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5700	416	(36)	CCC	XX	N	N	Y	J3DA
V 85	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5640	416	(36)	CCC	XX	N	N	Y	J3DA
V 86	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5730	416	(36)	CCC	XX	N	N	Y	J3DA
V 87	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5660	416	(36)	CCC	XX	N	N	Y	J3DA
V 88	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5680	416	(36)	CCC	XX	N	N	Y	J3DA
V 89	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5660	416	(36)	CCC	XX	N	N	Y	J3DA
V 90	4320011680591	U	MULTIPLE ITEMS	M	1	1	96 78 96	5320	416	(36)	CCC	XX	N	N	Y	J3DA

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	SHP	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT TOE	CUBE LIN	INDX NO	CGO LOAD	INDX
T09094	4320013619232		E	TACT WTR DIST EQP SET	M	1	96	78	96	4960	416	CCC	CCC	37	11	8144	FT	3
PV BR	4320013619232		U	MULTIPLE ITEMS	M	1	96	78	96	4660	416	CCC	CCC	0	03	077		L
PV BS	4320013619232		U	MULTIPLE ITEMS	M	1	96	78	96	5740	416	CCC	CCC			5	SN	
PV BT	4320013619232		U	MULTIPLE ITEMS	M	1	96	78	96	5740	416	CCC	CCC					
PV BU	4320013619232		U	MULTIPLE ITEMS	M	1	96	78	96	5740	416	CCC	CCC					
PV BV	4320013619232		U	MULTIPLE ITEMS	M	1	96	78	96	5700	416	CCC	CCC					
PV BW	4320013619232		U	MULTIPLE ITEMS	M	1	96	78	96	5700	416	CCC	CCC					
PV BX	4320013619232		U	MULTIPLE ITEMS	M	1	96	78	96	5689	416	CCC	CCC					
PV BY	4320013619232		U	MULTIPLE ITEMS	M	1	96	78	96	5680	416	CCC	CCC					
PV BZ	4320013619232		U	MULTIPLE ITEMS	M	1	96	78	96	5840	416	CCC	CCC					
PV C0	4320013619232		U	MULTIPLE ITEMS	M	1	240	96	96	9860	1280	CCC	CCC					
PV C1	4320013619232		U	MULTIPLE ITEMS	M	1	240	96	96	9860	1280	CCC	CCC					
PV C2	4320013619232		U	MULTIPLE ITEMS	M	1	240	96	96	10320	1280	CCC	CCC					
T09221	5895014671633		R	TACT EXPLOITATION SYS	D		NONE					XCX	X					
PV 01	5895014671633	REMARKS	3	AN/TSQ-219V3	D		204	85	67	9780	673							
T09343	1550015343238		3	TACT UNMANNED ARL VEH	U													
PV 01	1550015343238	REMARKS	3	SHADOW	U					90029	9517							
02	1550015343238	REMARKS	3	SHADOW	U					90029	9517							
T09344	2330015274878		U	TAC WHEELED VEH CREW	I							XX						
PV 01	2330015274878		U	M969P1	I		366	98	105	16350	2180							
V 02	2330015274879		U	M969A1P1	I		366	98	105	16350	2180							
V 03	2330015274880		U	M969A2P1	I		366	98	105	16350	2180							
V 04	2330015388513		U	M969A3P1	I		366	98	105	16350	2180							
T09888	4940002096235		U	SHOP EQUIP ARTY REP	M		NONE					CCC	CCC					
PV 01	4940002096235	REMARKS	U	SHELTER	M		146	88	84	4070	625							
V 03	4940002096235	REMARKS	R	SHELTER	Z		293	94	96	6030	1531							

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	REMARKS	PL	TY	SHIP	DESCRIPTION	NO PCS	MTD ON M720 DOLLY	WEIGHT (LB)	CGO VEH	CGO LOAD IND	DETAIL INDEX
T09888						SHOP EQUIP ARTY REP		NONE				
05	4940002096235	REMARKS	R	7	Z	SHELTER	7	239 96	6030	LD LIMITS		
10	4940002096235	REMARKS	R	3	Z	SHELTER	0	265 96	1275	LD LIMITS		
20	4940002096235	REMARKS	R	3	0	SHELTER	0	265 96	1275	LD LIMITS		
30	4940002096235	REMARKS	R	3	0	SHELTER	0	265 96	1275	LD LIMITS		
T09966						SHOP EQUIP BTRY SVC		NONE				
PV 01	4940002096234	REMARKS	U	7	M	SHELTER	7	149 87	4410	LD LIMITS		
V 03	4940002096234	REMARKS	R	7	M	SHELTER	0	290 95	6270	LD LIMITS		
05	4940002096234	REMARKS	R	7	Z	SHELTER	0	239 96	100	LD LIMITS		
10	4940002096234	REMARKS	R	3	Z	SHELTER	0	265 96	124	LD LIMITS		
20	4940002096234	REMARKS	R	3	0	SHELTER	0	265 96	124	LD LIMITS		
30	4940002096234	REMARKS	R	3	0	SHELTER	0	265 96	124	LD LIMITS		
T10138						SHOP EQUIP TRK MTD		TM 9-4940-421-14				
V 02	4940001654019	REMARKS	R	4	B	CMU-5	4	214 93	8555	LD LIMITS		
V 03	4940001654019	REMARKS	R	4	C	CMU-5	4	214 89	8555	LD LIMITS		
V 16	4940001654019	REMARKS	R	4	9B	CMU-5	4	214 89	8555	LD LIMITS		
V 06	4940001693042	REMARKS	R	4	B	CMU-3	4	217 95	9140	LD LIMITS		
V 07	4940001693042	REMARKS	R	4	C	CMU-3	4	216 83	9140	LD LIMITS		
V 33	4940001693042	REMARKS	R	4	9B	CMU-3	4	216 83	9140	LD LIMITS		
V 14	4940002949518	REMARKS	R	4	D	MILS45855	4	213 82	7300	LD LIMITS		
						MILS45855		FUEL CAPACITY 24 GAL MOGAS	849	LD LIMITS		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	S	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	CGO VEH	LD LIMITS	WGT	CUBE	TOE LIN	INDEX	IND
T10138	4940004950118	R 4	SHOP EQUIP TRK MTD	D	903	TM 9-4940-421-14	224	86	81	7325	903	81	903	100		
PV 10	4940010162262	R 4	AVNC6217	B	965		214	95	82	7290	965	82	965			
PV 11	4940010162262	R 4	SECM-1975	C	864		214	85	82	7290	864	82	864			
V 35	4940010162262	R 4	SECM-1975	C	864	FUEL CAPACITY 20 GAL MOGAS	214	85	82	7290	864	82	864			
T10275	4940002949517	R 7	SHOP EQUIP STLR MTD	B	2368	TM 9-2330-238-14	327	97	129	17820	2368					
PV 01	4940002949517	R 7	MILS52330	B	2332		322	97	129	17820	2332					
PV 02	4940002949517	R 7	MILS52330	C	2332	MTD ON M447C STLR VAN	322	97	129	17820	2332					
T10549	4940002874894	R 7	SHOP EQUIP STLR MTD	D	2183	TM 9-4940-549-14&P	324	97	120	26380	2183					
V 01	4940002874894	R 7	MILS45538	D	2183		324	97	120	26380	2183					
V 06	4940010063229	R 7	SGRSMD 80	D	2432		343	98	125	30340	2432					
PV 12	4940012355080	R 7	NONE	D	2490		352	97	126	31000	2490					
T11588	2320015187332	R 3	TRK UTIL VEH EXP	D	889	TM 9-2320-387-10	195	105	75	7146	889					
V 01	2320015187332	R 3	M1152	D	889		195	105	75	7146	889					
V 02	2320015187332	R 3	M1152	9B	889		195	105	75	7146	889					
T11622	2320015231297	R 4	TRK UTIL HVY W/ AOA	B	764	NONE	191	96	72	6800	764					
PV 01	2320015231297	R 4	M1097P1	B	764		191	96	72	6800	764					
PV 02	2320015231297	R 4	M1097P1	C	725		191	91	72	6800	725					
V 03	2320015231297	R 4	M1097P1	D	764		191	96	72	7200	764					
V 04	2320015231297	R 4	M1097P1	9	725		191	91	72	7200	725					
V 05	2320015231298	R 4	M1097A1P1	B	764		191	96	72	6800	764					
V 06	2320015231298	R 4	M1097A1P1	C	725		191	91	72	6800	725					
V 07	2320015231298	R 4	M1097A1P1	D	764		191	96	72	7200	764					
V 08	2320015231298	R 4	M1097A1P1	9	725		191	91	72	7200	725					
V 09	2320015231300	R 4	M1097A2P1	B	764		191	96	72	7100	764					
V 10	2320015231300	R 4	M1097A2P1	C	725		191	91	72	7100	725					

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRK UTIL HVY W/ AOA M1097A2P1 M1097A2P1	S H I P C O N F	DIMENSIONS (INCHES) LENGTH WIDTH HEIGHT (FOR ONE ITEM) WEIGHT (LB) CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 SN 5
T11622 V 11 V 12	2320015231300 2320015231300	R 4 R 4	TRK UTIL HVY W/ AOA M1097A2P1 M1097A2P1	D 9	NONE 191 96 72 7500 764 191 91 72 7500 725	4400 54 56 54 56	XCX X X N N N R2DA XCX X X N N N R2DA
T11722 PV 01 PV 02	2320015231314 2320015231314	R 4 R 4	TRK UTIL W/ARMOR 4DR M998P1 M998P1	B C	NONE 187 101 74 6480 809 187 89 74 6480 713	1300	XCX X X N N N R2DA XCX X X N N N R2DA
V 03 V 04	2320015231317 2320015231317	R 4 R 4	M998A1P1 M998A1P1	B C	180 91 72 6580 683 180 90 72 6580 675		XCX X X N N N R2DA XCX X X N N N R2DA
T11790 PV 01 PV 02	2320015231292 2320015231292	R 3 R 3	TRK UTIL W/ARMOR 4DR M1038P1 M1038P1	B C	NONE 186 113 72 6400 876 186 90 72 6400 698	1300	XX X N N N R2DA XCX X X N N N R2DA
V 03 V 04	2320015231293 2320015231293	R 3 R 3	M1038A1P1 M1038A1P1	B C	186 113 72 6707 876 186 90 72 6707 698		CX X N N N R2DA XCX X X N N N R2DA
T12688 PV 01	5430011207823	U	TK FAB CLPSBL STLRTMTD PD62783-4750	M	TM 5-5430-212-13&P 60 48 42 1600 70		CCCC CCCC Y Y J3BA
V 02	5430013726900	U	91094	H	115 37 41 1400 101		CCCC XXXX Y Y J2BA
T12938 V 01	5430011069678	U	TK FAB CLPSBL WATER NONE	M	TM 5-5430-226-12 123 30 28 700 60		CCCC XXXX Y Y J2BA
V 02	5430013517813	U	T53029B-20	M	123 30 28 700 60		CCCC XXXX Y Y J2BA
PV 03	5430014060507	U	91011-1	M	123 30 28 700 60		CCCC XXXX Y Y J2BA
T13006 V 01	5430011069677	U	TK FAB CLPSBL WATER NONE	M	TM 5-5430-226-20P 162 42 37 1800 146		CCCC X X Y Y J2BA
V 02	5430012004831	U	FAB-253	M	162 42 37 1800 146		CCCC X X Y Y J2BA
PV 03	5430014066323	U	91005-1	M	162 42 37 1800 146		CCCC X X Y Y J2BA
T13152			SHOP EQUIP ORG TRKMTRD		TM 9-4940-560-14 100		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	V E H I C L E	T Y P E	S H I P	NO PCS	REMARKS	WEIGHT (LB)	CGO VEH LD LIMITS	CGO LOAD IND
T13152 PV 07 PV 08 V 01	4940001642719 4940001642719 4940002949516	C O C O M P L E T E C O C O M P L E T E C O C O M P L E T E	R 4 R 4 R 4	B C D	1 1 1	SHOP EQUIP ORG TRKMTD SOUTH WEST SOUTH WEST MILS45537	355 113 125 37080 355 98 125 37080 360 98 128 33260	100 125 125 128	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
T13168 PV 01	2350010871095 REMARKS REMARKS REMARKS REMARKS	C O C O M P L E T E C O C O M P L E T E C O C O M P L E T E C O C O M P L E T E	N D D D D	B B B B	1 1 1 1	TANK COMBAT FTRAC M1A1 120MM M1A1 120MM M1A1 120MM M1A1 120MM	387 144 217 123780 W/O HEAVY ARMOR W/ANTENNA COMBAT LOADED WEIGHT 130860	7080	CC CC CC CC
PV 05	2350010871095 REMARKS REMARKS REMARKS	C O C O M P L E T E C O C O M P L E T E C O C O M P L E T E	N D D D	C C C	1 1 1	M1A1 120MM M1A1 120MM M1A1 120MM	360 144 114 123780 W/O ANTENNA; GUN TUBE IN TRAVEL POSITION WT INCL 1/4 FUEL IN ALL FOUR TANKS	CC	(DETAIL INDEX 01) (DETAIL INDEX 01) (DETAIL INDEX 01) (DETAIL INDEX 01)
V 25	2350010871095 REMARKS REMARKS	C O C O M P L E T E C O C O M P L E T E	N D D	B B	1 1	M1A1 120MM M1A1 120MM	434 179 217 136900 9756 INCL HVY ARMOR, ANTENNA, & PLOW W/EXTENSIONS PLOW MUST BE REMOVED AND SHIPPED SEPARATE	CC	(DETAIL INDEX 25) (DETAIL INDEX 25)
V 26	2350010871095 REMARKS REMARKS REMARKS	C O C O M P L E T E C O C O M P L E T E C O C O M P L E T E	N D D D	C C C	1 1 1	M1A1 120MM M1A1 120MM M1A1 120MM	360 144 114 128900 3420 W/HVY ARMOR; W/O ANTENNA, PLOW & EXTENSIONS MAX WT F/C5 TRANS INCL AFT DOOR 134,000	CC	(DETAIL INDEX 26) (DETAIL INDEX 26) (DETAIL INDEX 26)
27 32	2350010871095 REMARKS REMARKS	C O C O M P L E T E C O C O M P L E T E	A U N D	2 B	1 1	PLOW W/EXT M1A1 120MM	115 179 29 8000 346 434 179 217 132120 9756 W/O HVY ARMOR, ANTENNA, PLOW & EXTENSIONS PLOW MUST BE REMOVED AND SHIPPED SEPARATE	CCX	N N N J1DA N N N AODN (DETAIL INDEX 32) (DETAIL INDEX 32)
33	2350010871095 REMARKS	C O C O M P L E T E	N D	B	1	M1A1 120MM	360 144 114 124120 3420 DO NOT USE INDEX 32 F/SHIPPING	CC	N N N A1DF (DETAIL INDEX 33)
34 38	2350010871095 REMARKS REMARKS	C O C O M P L E T E C O C O M P L E T E	B U N D	2 B	1 1	PLOW W/EXT M1A1 120MM	115 179 29 8000 346 387 144 217 128900 6999 W/HVY ARMOR AND ANTENNA	CCX	N N N J1DA N N N AODF (DETAIL INDEX 38) (DETAIL INDEX 38)
39	2350010871095 REMARKS	C O C O M P L E T E	N D	B	1	M1A1 120MM	360 144 114 128900 3420 COMBAT LOADED WEIGHT 135180	CC	N N N A1DF (DETAIL INDEX 39)
48	2350010871095 REMARKS	C O C O M P L E T E	N D	D	1	M1A1 120MM	404 144 144 135180 4848 W/O ANTENNA; W/HVY ARMOR & GUN TUBE IN TRVL POS W/ROLLER	CC	N N N AODF (DETAIL INDEX 48)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	S	NO PCS	REMARKS	CGO VEH	CERTIFIED
T13168 V 49	2350010871095	REMARKS	N D	TANK COMBAT FTRAC M1A1 120MM	B	434	TM 9-2350-264-10-1 179 217 136900 9756	7080	<C=AF CERTIFIED>
V 51	2350010871095	REMARKS	N D	M1A1 120MM	B	434	WITH HVY ARMOR, ANTENNA, FLOW & EXTENSIONS	LD LIMITS	<X=JCS CRITERIA>
55	2350010871095	REMARKS	N D	M1A1 120MM	C	434	W/O ANTENNA; WITH HEAVY ARMOR, FLOW & EXTENSIONS	WEIGHT	<AMC> <CRAF>
		REMARKS	N D	M1A1 120MM	D	376	144 114 130100 3572	HGT CUBE	CCCK DBBB CTN CTN 4 CCCH
		REMARKS	N D	M1A1 120MM	D		W/ROLLER MT, HVY ARMOR; W/O ANTENNA, LIN DELETED SB 700-20	TOE LIN	115CC CC77 20 40 6
		REMARKS	N D	M1A1 120MM	D			(INDEX NO)	37 11 8144 FT FT 3
T13305 PV 01	2350013285964	REMARKS	N D	TK CBT FTRAC 120MM GN	B	355	TM 9-2350-388-10-1 144 112 128679 3314		<C=AF CERTIFIED>
PV 02	2350013285964	REMARKS	N D	M1A2	B	312	137 112 128679 2771		<X=JCS CRITERIA>
05	2350013285964	REMARKS	N D	M1A2	C	434	MACH GUN, MOUNTS, GUN TUBE, SKIRTS, MUDGUARDS REMOVED		<AMC> <CRAF>
07	2350013285964	REMARKS	N D	M1A2	D		WITH FLOW		CCCK DBBB CTN CTN 4 CCCH
V 29	2350013285964	REMARKS	N D	M1A2 SEP	D	473	179 114 185667 5586		115CC CC77 20 40 6
		REMARKS	N D	M1A2 SEP	D	387	144 114 140000 3677		37 11 8144 FT FT 3
		REMARKS	N D	M1A2 SEP	D		WITH FLOW AND MODIFICATION KIT		0 03 077 SN
		REMARKS	N D	M1A2 SEP	D		DIMENSIONS FOR THE M1A2 SEP MODEL		5 SN
T13374 V 01	2350010612445	REMARKS	N D	TANK CBT FTRAC 105MM	B	385	TM 9-2350-255-10-1 144 114 118160 3658	4620	<C=AF CERTIFIED>
V 03	2350010612445	REMARKS	N D	M1 (ABRAMS)	C	354	144 104 118160 3068		<X=JCS CRITERIA>
12	2350010612445	REMARKS	N D	M1 (ABRAMS)	C		W/O MACH GUN & MOUNTS; GUN TUBE IN TVL POSITION		<AMC> <CRAF>
		REMARKS	N D	M1 (ABRAMS)	C		COMBAT LOADED WEIGHT 122780		CCCK DBBB CTN CTN 4 CCCH
		REMARKS	N D	M1 (ABRAMS)	B	434	179 114 126160 5126		115CC CC77 20 40 6
		REMARKS	N D	M1 (ABRAMS)	B		DO NOT USE INDEX 12 F/SHIPPING		37 11 8144 FT FT 3
		REMARKS	N D	M1 (ABRAMS)	B		W/FLOW & EXTENSIONS		0 03 077 SN
13	2350010612445	REMARKS	N D	M1 (ABRAMS)	B	354	144 104 118160 3068		CCCK DBBB CTN CTN 4 CCCH
14	2350010612445	REMARKS	N D	M1 (ABRAMS)	C		W/O MGUN, MOUNTS, SKIRTS, MUD GUARDS, FLOW & EXTS (13)		<C=AF CERTIFIED>
PV 07	2350011368738		N D	M1P (ABRAMS)	B	385	144 114 122000 3658		<X=JCS CRITERIA>
PV 08	2350011368738		N D	M1P (ABRAMS)	C	354	144 104 122000 3068		<AMC> <CRAF>

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY	VEH	DESCRIPTION	COMPO	S	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	INDEX	NO	CGO LOAD IND
T13374		REMARKS	D		TANK CBT FTRAC 105MM		C		TM 9-2350-255-10-1			4620			
19	2350011368738	REMARKS	D		M1IP (ABRAMS)		C		W/O MACH GUN & MOUNTS; GUN TUBE IN TVL POSITION						
20	2350011368738	REMARKS	D		M1IP (ABRAMS)		C		COMBAT LOADED WEIGHT 125220						
21	2350011368738	REMARKS	D		M1IP (ABRAMS)		B	1	434 179 114 130000 5126						
T13901		REMARKS	D		M1IP (ABRAMS)		B		DO NOT USE INDEX 19 F/SHIPPING						
PV 01	5895014573782	REMARKS	R	4	M1IP (ABRAMS)		B		W/PLOW & EXTENSIONS						
V 03	5895014573782	REMARKS	U	4	M1IP (ABRAMS)		B		PLOW MUST BE REMOVED & SHIPPED SEPARATE						
T14017		REMARKS	U		M1IP (ABRAMS)		C		354 144 104 122000 3068						
PV 01	4610014889656	REMARKS	U		M1IP (ABRAMS)		C		W/O MGUN, MOUNTS, PLOW & EXT; GUN TUBE IN TVL POS						
T14493		REMARKS	U		SHOP EQP GM SYS TOW		2	1	115 179 29 8000 346						
V 01	4935001505905	REMARKS	U		SHELTER		H		NONE						
V 03	4935001505905	REMARKS	U		SHELTER		H		207 86 105 10782 1082						
19	4935001505905	REMARKS	U		SHELTER		M		SHELTER MDT ON M113						
V 21	4935001505905	REMARKS	U		SHELTER		M		141 81 69 4682 456						
PV 07	493501143919	REMARKS	U		SHELTER		H		BARE SHELTER W/EQUIP						
V 29	4935015277630	REMARKS	U		SHELTER		M		TM 10-4610-309-14						
V 30	4935015277630	REMARKS	U		SHELTER		I		240 96 96 22588 1280						
T15154		REMARKS	U		TK FAB CLPSBL PETRO				MTD IN ISO SHELTER						

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY	VEH	DESCRIPTION	S	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	CGO VEH	LD LIMITS	WGT	CUBE	TOE LIN	IND
T15154 PV 02	5430014336246	U		TK FAB CLPSBL PETRO RCF0210000	H			192	72	48	4100	384				
T15581 PV 01	4940002096237	U		SHOP EQP SHELTER MTD	M			146	88	84	4580	625				
V 03	4940002096237	R		NONE	Z			222	88	98	5680	1108				
10	4940002096237	U		NONE	V			178	108	88	5160	979				
T15640 PV 01	3470007540738	U		SHOP EQUIP MACH SHOP FM HEAVY	E			6922				231				
PV 03	3470007540738	U		CAB STOR W/TOOLS	M	3		20	25	36	375	11				
PV 04	3470007540738	U		COUNTERBORE SET	M	1		13	7	6	87	1				
PV 05	3470007540738	U		DRL MACH FL MTD	I	1		35	18	64	1055	24				
PV 06	3470007540738	U		GRIND MACH 1050	I	1		14	12	18	75	2				
PV 07	3470007540738	U		GRIND MACH 2683	I	1		25	15	23	130	5				
PV 08	3470007540738	U		LATHE	I	1		105	48	57	4250	167				
T15641 PV 01	3470007540739	U		SHOP EQUIP MACH SHOP FM HVY 1	M			94	87	84	3680	398				
V 02	3470007540739	R		FM HVY 1	0			276	96	129	10860	1978				
T15644 PV 01	3470007540708	U		SHOP EQUIP MACH SHOP FM BASIC LP	E			3825				211				
PV 02	3470007540708	U		MULTIPLE ITEMS	J	1		71	35	22	937	32				
PV 03	3470007540708	U		MULTIPLE ITEMS	J	1		30	18	17	122	6				
PV 04	3470007540708	U		MULTIPLE ITEMS	J	1		76	30	65	1237	86				
PV 05	3470007540708	U		MULTIPLE ITEMS	J	1		24	21	39	234	12				
PV 06	3470007540708	U		MULTIPLE ITEMS	J	1		73	37	49	1295	77				
V 07	3470007540708	R		FM BASIC LP	0			265	100	130	18885	1994				
T16597		U		SHOP EQP SM ARMS RPR FM BASIC LP	0			NONE								

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	NO	REMARKS	CGO VEH (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->
T16597									
PV 01	4940002096236	U	SHOP EQP SM ARMS RPR SHELTER	M			NONE		CCC CCC N N N J2DA (DETAIL INDEX 01)
V 03	4940002096236	R 7	SHELTER	Z			293 94 96 4250 1531		CCC C N N N R2DA (DETAIL INDEX 03)
09	4940002096236	R 3	SHELTER	Z			265 96 124 15470 1826		XX N N N R1DB (DETAIL INDEX 09)
19	4940002096236	R 3	SHELTER	Z			265 98 124 15816 1864		XX N N N R1DB (DETAIL INDEX 19)
30	4940002096236	U	SHELTER	V			178 108 88 2870 979		CX N N N J2DA (DETAIL INDEX 30)
T16714									
01	4940003577268	U	SHOP EQUIP WELDING FIELD MAINT	E			6562		CCCC Y Y Y J3BA
PV 02	4940003577268	U	MULTIPLE ITEMS	J	1		79 41 42 430 79	(01)	CCCC Y Y Y J3BA
PV 03	4940003577268	A	MULTIPLE ITEMS	H	2		65 30 44 357 50	(01)	CCCC Y Y Y J3BA
PV 04	4940003577268	A	MULTIPLE ITEMS	M	1		33 25 31 307 15	(01)	CCCC Y Y Y J3BA
PV 05	4940003577268	A	TABLE WORK	J	1		63 28 46 508 47	(01)	CCCC Y Y Y J3BA
PV 06	4940003577268	A	TABLE WORK	J	1		72 25 36 800 38	(01)	CCCC Y Y Y J3BA
PV 07	4940003577268	A	WELDING MACHINE	N	1		75 28 44 2810 54	(01)	CCCC Y Y Y J3BA
PV 08	4940003577268	A	TRK 2 WHL HAND	I	1		38 17 38 33 15	(01)	CCCC Y Y Y J3BA
PV 09	4940003577268	A	TANK OXYGEN	H	4		10 10 54 120 4	(01)	CCCC Y Y Y J3BA
PV 10	4940003577268	A	TANK ACETYLENE	H	4		18 18 42 120 8	(01)	CCCC Y Y Y J3BA
T16988									
PV 01	3220002708630	R 7	SHOP EQUIP TLR MTD	B			NONE		CCC C N N N R2DA
PV 02	3220002708630	R 7	NONE	C			172 85 99 5680 838		CCC C N N N R2DA
V 10	3220002708630	R 7	NONE	9B			172 85 99 5680 838		CCC C N N N R2DA
V 11	5180015161429	R 7	NONE	D			216 27 24 1092 81		XCX X Y Y N R2BA
T20131									
PV 01	4930015176939	U	TANKRACK FUEL SYS	I			TM 10-4930-365-13&P 239 96 72 7720 956		XCX X N N N J2DA
T24386									
01	6545005946455	U	SHP SET MED EQP MAINT	E			NONE		CCCC Y Y Y J3BA
V 02	6545005946455	U	COMPRESSOR AIR	I	1		95 51 58 2520 163	(01)	CCCC Y Y Y J3BA

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
LEGEND P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY	VEH	DESCRIPTION	S	NO	PCS	REMARKS	CGO VEH	LD LIMITS	WEIGHT	HGT	TOE LIN	IND
T24386														
V 03	6545005946455	U	U	SHP SET MED EQP MAINT	J	1		NONE	(01)	CCCC	CCCC	CCCC	5	SN
V 04	6545005946455	U	U	DRILLING MACH	J	1	38	20	38	242	242	17		
V 05	6545005946455	U	U	LATHE ENG	J	1	79	36	59	2467	2467	98		
V 06	6545005946455	U	U	MILLING MACH	J	1	49	43	34	696	696	42		
V 07	6545005946455	U	U	ARGON TECH	I	1	9	9	57	142	142	3		
V 08	6545005946455	U	U	ACETYLENE TECH	I	1	7	7	26	34	34	1		
V 09	6545005946455	U	U	WELDER	J	1	120	43	63	3441	189	9		
V 10	6545005946455	U	U	MULTIPLE ITEMS	J	1	34	23	19	197	197	9		
				DEGREASER	J	1	41	26	40	246	246	25		
11	6545014822907	U	U	NONE	E	1	95	51	58	9985	9985	543		
V 12	6545014822907	B	U	COMPRESSOR AIR	I	1	38	20	38	242	242	163		
V 13	6545014822907	B	U	DRILLING MACH	J	1	79	36	59	2467	2467	98		
V 14	6545014822907	B	U	LATHE ENG	J	1	49	43	34	696	696	42		
V 15	6545014822907	B	U	MILLING MACH	J	1	9	9	57	142	142	3		
V 16	6545014822907	B	U	ARGON TECH	I	1	7	7	26	34	34	1		
V 17	6545014822907	B	U	ACETYLENE TECH	J	1	120	43	63	3441	189	9		
V 18	6545014822907	B	U	WELDER	J	1	34	23	19	197	197	9		
V 19	6545014822907	B	U	MULTIPLE ITEMS	J	1	41	26	40	246	246	25		
V 20	6545014822907	B	U	DEGREASER	J	1								
21	6545015023318	U	U	NONE	E	1	95	51	58	9985	9985	543		
PV 22	6545015023318	C	U	COMPRESSOR AIR	I	1	38	20	38	242	242	163		
PV 23	6545015023318	C	U	DRILLING MACH	J	1	79	36	59	2467	2467	98		
PV 24	6545015023318	C	U	LATHE ENG	J	1	49	43	34	696	696	42		
PV 25	6545015023318	C	U	MILLING MACH	J	1	9	9	57	142	142	3		
PV 26	6545015023318	C	U	ARGON TECH	I	1	7	7	26	34	34	1		
PV 27	6545015023318	C	U	ACETYLENE TECH	J	1	120	43	63	3441	189	9		
PV 28	6545015023318	C	U	WELDER	J	1	34	23	19	197	197	9		
PV 29	6545015023318	C	U	MULTIPLE ITEMS	J	1	41	26	40	246	246	25		
PV 30	6545015023318	C	U	DEGREASER	J	1								
P 31	6545015558683	U	U	NONE	I	1								
T24660														
PV 01	4910007540705	U	U	SHOP EQUIP AUTMV L/P	M		239	96	96	18687	18687	1275		
	REMARKS			FIELD MAINT	M									
				FIELD MAINT	M									

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	CLASSIFICATION	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	WIDTH (IN)	DEPTH (IN)	CGO VEH LD LIMITS WEIGHT HGT TOE (INDEX NO)	CGO LOAD IND	DETAIL INDEX
T24690 PV 01	1425014392738	U	TARGET ACQ SYSTEM M41	M			65	41	50	41	50	450	78	CCCC XXXX Y Y Y J3BA
V 02	5865015561358	U	NONE	I			65	50	41	41	450	78	CCCC CCCC Y Y Y J3BA	
V 03	5865015561361	U	NONE	I			65	50	41	41	450	78	CCCC CCCC Y Y Y J3BA	
V 04	5865015561363	U	NONE	I			65	50	41	41	450	78	CCCC CCCC Y Y Y J3BA	
V 05	5865015598728	U	NONE	I			65	50	41	41	450	78	CCCC CCCC Y Y Y J3BA	
T25619 PV 01	4910007540706	U	SHOP EQUIP AUTMW L/P FM SUPPL NO1	M			148	88	84	9219	634		CCC N N N J2DA (DETAIL INDEX 01)	
V 03	4910007540706	R 4	FM SUPPL NO1	M			279	100	130	19971	2099		CC N N N R1DB (DETAIL INDEX 03)	
T25756 PV 01	4910007540707	U	AUTO SUST MAINT MOD FM SUPPL NO2	M			239	96	96	22126	1275		CCC C N N N J2DC (DETAIL INDEX 01)	
V 03	4910015569030	U	FM SUPPL NO2	M			239	96	96	22126	1275		XCX N N N J2DC	
T25961 PV 01	4940001226771	U	SHOP SET AVN ARMT RPR	M			161	97	97	7000	877		CCC C N N N J2DA (DETAIL INDEX 01)	
03	4940001226771	R 7	NONE	M			251	97	97	8110	1367		XCX N N N R2DA (DETAIL INDEX 03)	
05	4940001226771	R 7	NONE	Z			178	108	101	7580	1124		CCC N N N J2DA (DETAIL INDEX 05)	
V 07	4940001226771	R 7	NONE	V			437	96	110	12580	2671		XX N N N R1DJ (DETAIL INDEX 07)	
T25981 PV 01	4940001227088	U	SHOP SET AVN INTMED	M			161	97	97	6600	877		CCC N N N J2DA (DETAIL INDEX 01)	
		U	NONE	M										
		U	NONE	M										

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	STATUS	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	CGO LOAD IND	DETAIL INDEX
T25981 03	4940001227088	R 7	SHOP SET AVN INTMED	Z	251	TM 10-5410-224-14	7710	1367	XCX	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N R2DA (DETAIL INDEX 03)
05	4940001227088	U	NONE	Z	178	MTD ON TAIRMOB 4000A2, ESTIMATED DATA	7180	1124	CCC	<X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N J2DA (DETAIL INDEX 05)
T30156	4920012369041	R 4	TEST SET FLT CTL SYS	B	292	NONE	153	16280	X	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N R1DB
PV 02	4920012369041	R 4	AN/ARM163V5	C	292	AN/ARM163V5	153	16280	X	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N R1DB
T30195	5180015636719	U	TOOL KIT URBAN OPS	J	54	TM 5-5180-388-10	57	1150	XCXC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	Y Y Y J3BA
PV 01	5180015636719	U	SQUAD SET	J	54	TM 5-5180-388-10	57	1150	XCXC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	Y Y Y J3BA
T30377	4910010365784	R 6	TOOL OUTFIT TLR MTD	B	151	TM 9-4940-468-13	76	2860	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	Y Y N R2BA
PV 01	4910010365784	R 6	ADC 1000	C	112	ADC 1000	76	2860	CCCX	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	Y Y N R2BA
PV 02	4910010365784	R 6	ADC 1000	C	4940010365784	CHG TO 4910010365784			CCCX	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	Y Y N R2BA (DETAIL INDEX 02)
V 08	4910013862021	R 6	NONE	D	151	TM 9-4940-468-13	76	2878	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	Y Y N R2BA
PV 01	4910013862021	R 6	AN/ARM163V5	D	151	MTD ON M116A2 TLR			CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	Y Y N R2BA (DETAIL INDEX 08)
V 10	4910015398440	R 6	NONE	D	151	TM 9-4940-468-13	76	2860	XCX	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	Y Y N R2BA
T30414	4940007540714	U	SHOP EQUIP F&E SYS	M	239	TB 9-4910-337-30-1	96	7010	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N J2DA
PV 01	4940007540714	U	NONE	M	239	STOWED IN MILVAN F/TRANSPORT			CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N J2DA (DETAIL INDEX 01)
V 03	4940007540714	R 4	NONE	O	269	MTD IN M109A3 WVN	130	17860	CC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N R1DB (DETAIL INDEX 03)
V 14	4940015556128	U	NONE	I	239	MTD IN M109A3 WVN	96	7010	XCX	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N J2DA
T31784	4931007540740	U	SHOP EQP INST&F&C SYS	M	239	TB 9-4931-353-30	96	8490	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N J2DA
PV 01	4931007540740	U	NONE	M	239	STOWED IN MILVAN F/TRANSPORT			CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N J2DA (DETAIL INDEX 01)
V 03	4931007540740	R 4	NONE	O	269	MTD IN M109A3 WVN	130	18460	CC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N R1DB (DETAIL INDEX 03)
05	4931007540740	U	NONE	V	268	MTD IN M109A3 WVN	100	9360	CX	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	N N N J2DA

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	DESCRIPTION	NO PCS	W/ MODIFIED ARMOR	TM 9-2320-387-10	WEIGHT (LB)	HEIGHT (IN)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
T34704					TRK UTILITY M1151A1	4						
V 28	2320015402038	REMARKS	R 3	D	M1151 W CROWS	191	91	111	12100	1117	XX	
T34772					TRUCK TRACTOR M916P1	4						
PV 01	2320015312626	REMARKS	R 4	D	M916P1	289	98	128	31540	2098	XX	
V 02	2320015312629	REMARKS	R 4	D	M916A1P1	289	98	128	31540	2098	XX	
V 03	2320015312634	REMARKS	R 4	D	M916A2P1	289	98	128	31660	2098	XX	
V 04	2320015312636	REMARKS	R 4	D	M916A3P1	290	98	128	31660	2106	XX	
T34840					TRUCK UTILITY M1167	4						
PV 01	2320015449638	REMARKS	R 4	D	M1167	194	91	77	13100	787	XCX	
T35483					S/E RADTR TEST/RPR SHOP SET B	1						
PV 01	4910000710747	REMARKS	U	E	SHOP SET B	5940				894	CCCC	
PV 02	4910000710747	REMARKS	U	I	TANK	84	83	63	750	255	CCCC	
PV 03	4910000710747	REMARKS	U	I	CABINET	68	37	96	820	140	CCCC	
PV 04	4910000710747	REMARKS	U	J	MULTIPLE ITEMS	101	85	70	2320	348	CCCC	
PV 05	4910000710747	REMARKS	U	J	MULTIPLE ITEMS	64	15	22	938	13	CCCC	
PV 06	4910000710747	REMARKS	U	J	MULTIPLE ITEMS	55	46	45	526	66	CCCC	
PV 07	4910000710747	REMARKS	U	J	MULTIPLE ITEMS	67	42	45	586	74	CCCC	
T37036					TARGET ACQU SUBSYS AN/TSQ-179V2	3						
PV 01	5865014704744	REMARKS	R 3	D	AN/TSQ-179V2	217	88	102	10500	1128	CCC	
V 11	5865014704744	REMARKS	R 4	D	AN/TSQ179V2CGS	218	86	103	10610	1118	CX	
V 03	5865015034176	REMARKS	R 4	D	AN/TSQ179V2CGS	216	102	100	10000	1275	XCX	
V 08	5865015513822	REMARKS	R 3	D	AN/TSQ-179BV2	539	88	105	27800	2883	XX	
V 09	5865015853857	REMARKS	R 4	D	AN/TSQ-179CV2	210	86	103	12050	1077	CX	

UNCLASSIFIED

LEGEND VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

UNCLASSIFIED

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	S	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCK	DDBB	CTN	CTN	4	CCCH	
T37036		REMARKS	4	TARGET ACQU SUBSYS AN/TSQ-179CV2	D			TM 11-5865-1045-10-1													
V 17	6115015933959	REMARKS	R 6	PU-97/TSQ-179C	D		194	86	83	4025	802										
T37338		REMARKS	6	PU-97/TSQ-179C	D																
PV 01	2320015231289		R 3	TRK UTIL ARM 4X4 W/ A M1026P1	D			NONE			685	74									
V 02	2320015231290		R 3	M1026A1P1	D		186	86	74	6310	685	74									
T37588		REMARKS	3	TRK UT EXP CAP M1152A1	B																
PV 01	2320015402007	REMARKS	R 4	M1152A1	B		198	84	76	7100	732										
V 03	2320015402007	REMARKS	R 4	M1152A1	B			UNARMORED													
V 13	2320015402007	REMARKS	R 4	M1152A1	D		194	91	75	8760	767										
PV 15	2320015402007	REMARKS	R 3	M1152A1	D		215	99	109	11500	1343										
V 17	2320015402007	REMARKS	R 4	M1152A1	0			W/ADAM SHELTER AN/TSQ 252(V)1													
V 19	2320015402007	REMARKS	R 4	M1152A1	BA		201	91	86	12100	911										
T38660		REMARKS	3	TRK AMB 5/4T TACT 4X4 M1010	B																
PV 01	2310011232666	REMARKS	R 3	M1010	B		228	80	102	7360	1077										
PV 02	2310011232666	REMARKS	R 3	M1010	B		228	77	102	7360	1037										
V 09	2310011232666	REMARKS	R 3	M1010	C		228	77	102	7360	1037										
T38707		REMARKS	9B	TRK AMB 2 LITTER 4X4 M996	B																
V 01	2310011112275	REMARKS	R 3	M996	D		204	86	87	7040	884										
09	2310011112275	REMARKS	R 3	M996	D			FUEL CAPACITY 24.5 GAL DIESEL													
		REMARKS	6	M996	D		263	108	100	10500	1644										
		REMARKS	6	M996	D			USABLE PAYLOAD = 800 LBS													
		REMARKS	6	M996	D			REF FM 10-500-66 F/RIGGED F/AIRDROP													

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	P	V	E	H	I	S	T	TRUCK CARGO TACT HVY	DESCRIPTION	NO	PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	CUBE (CU FT)	CGO VEH	LD LIMITS	WGT CUBE	TOE LIN	INDEX	NO	DETAIL INDEX	
T39518									TRUCK CARGO 10T 8X8																
V 27	2320014933774	R	4				C		M977A2 WVN																
V 28	2320014933774	R	4				9		M977A2 WVN																
V 62	2320014933774	R	4				9B		M977A2 WVN																
V 64	2320014933774	R	4				9B		M977A2 WVN																
							9B		M977A2 WVN																
PV 23	2320014933782	R	4				B		M977A2R1 WVN																
PV 24	2320014933782	R	4				B		M977A2R1 WVN																
V 29	2320014933782	R	4				C		M977A2R1 WVN																
V 30	2320014933782	R	4				9		M977A2R1 WVN																
V 66	2320014933782	R	4				9B		M977A2R1 WVN																
V 68	2320014933782	R	4				9B		M977A2R1 WVN																
							9B		M977A2R1 WVN																
T39586									TRUCK CARGO TACT HVY																
V 01	2320011007673	R	4				B		M985																
V 02	2320011007673	R	4				B		M985																
V 11	2320011007673	R	4				C		M985																
V 12	2320011007673	R	4				C		M985																
V 57	2320011007673	R	4				C		M985																
V 59	2320011007673	R	4				9		M985 W/O W																
							9B		M985																
							9B		M985																
V 21	2320014928201	R	4				B		M985A2																
V 22	2320014928201	R	4				B		M985A2																
V 27	2320014928201	R	4				C		M985A2																

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRUCK CARGO TACT HVY	S H I P C O N F	PCS	NO	REMARKS	CGO VEH	LD LIMITS	WEIGHT	HGT CUBE	TOE LIN	INDEX NO	CGO LOAD IND
T39586														
V 28	2320014928201	R 4	M985A2	9B			TM 55-2320-279-14	20000						
V 61	2320014928201	R 4	M985A2	9B			400 102 112 39485 2645	112 518	CC					
	REMARKS						400 102 115 39485 2716	112 518	XX					
V 63	2320014928201	R 4	M985A2	9B			WITH RING OR GUNNER MOUNT							
	REMARKS						400 102 117 39485 2763	112 518	XX					
							WITH CIP INSTALLED							
PV 24	2320014933789	R 4	M985A2R1	B			400 140 112 39485 3630	112 518	CC					
	REMARKS						MIRRORS EXTENDED							
PV 25	2320014933789	R 4	M985A2R1	B			400 102 101 39485 2385	101 414	CCC					
	REMARKS						MIRRORS FOLDED & SPARE TIRE REMOVED							
V 29	2320014933789	R 4	M985A2R1	9			400 102 101 39485 2385	101 414	CCC					
V 30	2320014933789	R 4	M985A2R1	9B			400 102 112 39485 2645	112 518	CC					
V 65	2320014933789	R 4	M985A2R1	9B			400 102 115 39485 2716	112 518	XX					
	REMARKS						WITH RING OR GUNNER MOUNT							
V 67	2320014933789	R 4	M985A2R1	9B			400 102 117 39485 2763	112 518	XX					
	REMARKS						WITH CIP INSTALLED							
T39654														
V 01	2320010970261	R 4	M985 WVN	B			TM 55-2320-279-14	20000						
	REMARKS						400 140 112 40220 3630	112 518	CC					
V 02	2320010970261	R 4	M985 WVN	B			FUEL CAPACITY 154 GAL DIESEL							
	REMARKS						400 102 101 40220 2385	101 414	CCC					
V 11	2320010970261	R 4	M985 WVN	C			W/MIRRORS FOLDED & SPARE TIRE REMOVED							
V 12	2320010970261	R 4	M985 WVN	9			400 102 101 40220 2385	101 414	CCC					
V 55	2320010970261	R 4	M985 WVN	9B			400 102 112 40220 2645	112 518	CC					
	REMARKS						400 102 115 40220 2716	112 518	XX					
V 57	2320010970261	R 4	M985 WVN	9B			WITH RING OR GUNNER MOUNT							
	REMARKS						400 102 117 40220 2763	112 518	XX					
							WITH CIP INSTALLED							
V 19	2320014928214	R 4	M985A2 WVN	B			400 140 112 40285 3630	112 518	CC					
	REMARKS						W/MIRRORS EXTENDED							
V 20	2320014928214	R 4	M985A2 WVN	B			400 102 101 40285 2385	101 414	CCC					
	REMARKS						W/MIRRORS FOLDED & SPARE TIRE REMOVED							
V 25	2320014928214	R 4	M985A2 WVN	C			400 102 101 40285 2385	101 414	CCC					
V 26	2320014928214	R 4	M985A2 WVN	9			400 102 101 40285 2385	112 518	CC					
V 59	2320014928214	R 4	M985A2 WVN	9B			400 102 112 40285 2645	112 518	CC					
	REMARKS						400 102 115 40285 2716	112 518	XX					

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	SHIP	NO PCS	LENGTH WIDTH HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF>	IND
T39654				TRUCK CARGO TACT HVY						20000		
V 61	2320014928214	REMARKS	4	M985A2 WVN	9B		TM 55-2320-279-14			112 518	XX	(DETAIL INDEX 59)
		REMARKS	4	M985A2 WVN	9B		400 102 117	40285	2763			N N N R1DC
		REMARKS	4	M985A2 WVN	9B		WITH CIP INSTALLED					(DETAIL INDEX 61)
PV 22	2320014933787	REMARKS	4	M985A2R1 WVN	B		400 140 112	40285	3630	112 518	CC	N N N R1DC
		REMARKS	4	M985A2R1 WVN	B		W/MIRRORS EXTENDED					(DETAIL INDEX 22)
PV 23	2320014933787	REMARKS	4	M985A2R1 WVN	C		400 102 101	40285	2385	101 414	CCC	(DETAIL INDEX 23)
		REMARKS	4	M985A2R1 WVN	C		W/MIRRORS FOLDED & SPARE TIRE REMOVED					
V 27	2320014933787	REMARKS	4	M985A2R1 WVN	9		400 102 101	40285	2385	101 414	CCC	N N N R2DC
V 28	2320014933787	REMARKS	4	M985A2R1 WVN	9B		400 102 112	40285	2645	112 518	CC	N N N R1DC
V 63	2320014933787	REMARKS	4	M985A2R1 WVN	9B		400 102 115	40285	2716	112 518	XX	N N N R1DC
		REMARKS	4	M985A2R1 WVN	9B		WITH RING OR GUNNER MOUNT					(DETAIL INDEX 63)
V 65	2320014933787	REMARKS	4	M985A2R1 WVN	9B		400 102 117	40285	2763	112 518	XX	N N N R1DC
		REMARKS	4	M985A2R1 WVN	9B		WITH CIP INSTALLED					(DETAIL INDEX 65)
T39849				GEN SET TRL MTD								
PV 01	6115015626480	REMARKS	6	PP3102	D		TM 9-6115-756-13&P	6000	1001		XCX	N Y N R2CA
		REMARKS	6	PP3105	D		294 70 84					
T39917				GEN SET TRL MTD								
P 01	6115015624009	REMARKS	6	PP3105	D		TM 9-6115-758-13&P	6000	622		XCX	N N N R2DA
		REMARKS	6	PU2102	D		147 87 84					
T39954				GEN SET TRL MTD								
P 01	6115015624106	REMARKS	6	PU2102	D		TM 9-6115-758-13&P	6000	622		XCX	N N N R2DA
		REMARKS	6	PU2111	I		NONE					
T40022				GEN SET TRL MTD								
P 01	6115015623659	REMARKS	7	PU2101	D		147 87 84	6000	622		XCX	N N N J2DA
		REMARKS	7	PU2101	D		TM 9-6115-757-13&P	6000	622		XCX	N N N R2DA
T40090				TRUCK VAN LMTV W/E								
PV 01	2320013601891	REMARKS	4	M1079 WVN	D		TM 9-2320-365-10					
V 06	2320013601891	REMARKS	4	M1079 WVN	9B		251 96 112	21076	1562		CC	N N N R1DC
		REMARKS	4	M1079 WVN	9B		251 96 112	21076	1562		CC	N N N R1DC
		REMARKS	4	SHOVEL FRONT CRN/SHVL			LIN DELETED FROM TOE					(DETAIL INDEX 06)
T40634				SHOVEL FRONT CRN/SHVL			NONE					

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	CGO VEH	LD LIMITS	CCCK	DDBB	CTN	CTN	IND
T40634	3815001347875	U	SHOVEL FRONT CRN/SHVL 320-610/285	E	1		9550	383								
PV 12	3815001347875	U	BOOM&DIPPER STIC	I	1		7020	312								
PV 13	3815001347875	U	DIPPER	I	1		1730	54								
PV 14	3815001347875	U	MULTIPLE ITEMS	J	1		800	17								
PV 15	3815001347875	U	MULTIPLE ITEMS	J	1											
T40771	3815006188101	U	SHOVEL FRONT CRN/SHVL 855 G2/BG3	E	1		20781	795								
11	3815006188101	U	DIPPER	I	1		7441	193								
PV 12	3815006188101	U	DIPPER STICK	I	1		2990	83								
PV 13	3815006188101	U	BOOM	I	1		10350	519								
PV 14	3815006188101	U	P&H 5060	E	1		22760	1190								
16	3815011531855	U	SHVL BOOM/DIPPER	I	1		15860	1028								
V 17	3815011531855	U	SHOVEL DIPPER	I	1		6900	162								
V 18	3815011531855	U	SHOVEL DIPPER	I	1											
T40999	2320013042278	R	TRK CGO HVY PLS TRANS	B	4		431	140	128	49960	4470	128	722			
V 01	2320013042278	R	M1075	B	4		431	102	128	49960	3257	128	722			
V 02	2320013042278	R	M1075	C	4		431	102	128	49960	3257	128	722			
V 18	2320013042278	R	M1075	C	4		431	102	128	49960	3257	128	722			
V 19	2320013042278	R	M1075	9B	4		431	102	128	49960	3257	128	722			
V 22	2320013042278	R	M1075	D	4		420	102	102	46770	2529	102	414			
V 23	2320013042278	R	M1075	D	4		431	102	171	82960	4351					
V 25	2320013042278	R	M1075	D	4		431	102	103	51810	2621					
V 37	2320013042278	R	M1075	Q	4		431	102	103	51810	2621					
PV 56	2320013042278	R	M1075	Q	4		431	102	128	46340	4470					
PV 57	2320013042278	R	M1075	C	4		431	102	128	46340	3257					

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYP	VEH	DESCRIPTION	S	NO	PCS	REMARKS	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	IND
T40999					TRK CGO HVY PLS TRANS	C			TM 9-2320-364-10	33000						
V 85	2320013042278	REMARKS	R	4	M1075	C			WITHOUT FLATRACK & SIDE MIRRORS FOLDED	128 722	XX					
V 87	2320013042278	REMARKS	R	4	M1075	9B			431 102 115 46340 2926	128 722	XX					
					M1075	9B			WITH HOOK LOWERED, RING OR GUNNER MOUNT INSTALLED	128 722	XX					
					M1075	9B			431 102 117 46340 2977	128 722	XX					
					M1075	9B			WITH HOOK LOWERED, CIP INSTALLED	128 722	XX					
T41036					TRK CGO MTW W/EQP	B			TM 9-2320-392-10-1	10000						
PV 01	2320013553063	REMARKS	R	4	M1093	B			278 96 112 23297 1730	112 544	CC					
PV 02	2320013553063	REMARKS	R	4	M1093	C			278 96 106 23297 1638	106 335	CCC					
V 03	2320013553063	REMARKS	R	4	M1093	D			278 96 106 21420 1638	106 335	CCC					
V 21	2320013553063	REMARKS	R	4	M1093	D			W/O OPTIONAL KITS	106 335	CCC					
V 22	2320013553063	REMARKS	R	4	M1093	9B			278 96 112 23297 1730	112 544	CC					
V 23	2320014473889	REMARKS	R	4	M1093A1 W/WN	D			274 96 113 23263 1721	112 544	XX					
T41067					TRK CGO HVY PLS TRANS	B			TM 9-2320-364-10	33000						
V 01	2320013042277	REMARKS	R	4	M1074	B			431 151 128 55010 4821	128 722	CC					
V 02	2320013042277	REMARKS	R	4	M1074	B			W/M1077 FLATRACK	128 722	CC					
V 18	2320013042277	REMARKS	R	4	M1074	C			431 102 128 55010 3257	128 722	CC					
V 19	2320013042277	REMARKS	R	4	M1074	9			431 102 128 55010 3257	128 722	CC					
V 22	2320013042277	REMARKS	R	4	M1074	9B			431 102 128 55010 3257	128 722	CC					
V 23	2320013042277	REMARKS	R	4	M1074	C			420 102 103 51820 2554	102 414	CC					
25	2320013042277	REMARKS	R	4	M1074	C			WITHOUT FLATRACK	103 426	CC					
PV 48	2320013042277	REMARKS	R	4	M1074	D			431 102 171 88000 4351	128 722	CC					
PV 49	2320013042277	REMARKS	R	4	M1074	D			INCLUDES 8-FOOT-HIGH ISO CONTAINER	128 722	CC					
V 74	2320013042277	REMARKS	R	4	M1074	C			420 102 103 51820 2554	128 722	CC					
					M1074	C			WITHOUT FLATRACK	128 722	CC					
					M1074	C			FOR AALPS PLANNING PURPOSES ONLY	128 722	CC					
					M1074	B			431 151 128 51390 4821	128 722	CC					
					M1074	B			WITHOUT FLATRACK	128 722	CC					
					M1074	C			431 102 128 51390 3257	128 722	CC					
					M1074	C			WITHOUT FLATRACK	128 722	CC					
					M1074	9B			431 102 115 51390 2926	128 722	XX					
					M1074	9B			WITH HOOK LOWERED, RING OR GUNNER MOUNT INSTALLED	128 722	XX					

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRK CGO HVY PLS TRANS	S H I P C O N F	TM 9-2320-364-10	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
T41067 V 76	2320013042277 REMARKS	R 4 4	TRK CGO HVY PLS TRANS M1074 M1074	9B 9B	431 102 117 51390 2977 WITH HOOK LOWERED, CIP INSTALLED	33000 128 722	XX (DETAIL INDEX 76)
T41104 PV 01 PV 02 V 03	2320013601896 2320013601896 2320013601896 REMARKS	R 4 R 4 R 4	TRK CGO MTV W/EQP M1093 WVN M1093 WVN M1093 WVN	B C D	TM 9-2320-366-10-1 278 96 112 24273 1730 278 96 106 24273 1638 278 96 106 22320 1638 W/O OPTIONAL KITS	10000 112 480 106 335 106 335	CC N N N R1DC N N N R2DC N N N R2DC (DETAIL INDEX 03)
V 21 V 22	2320013601896 2320013601896	R 4 R 4	M1093 WVN M1093 WVN	9 9B	278 96 106 24273 1638 278 96 112 24273 1730	106 335 112 480	CC N N N R1DC N N N R1DC
V 23	2320014476342	R 4	M1093A1 WVN	D	278 96 112 24273 1730	112 480	XX N N N R1DC
T41135 V 01 V 02 V 13 V 14	2320013601895 2320013601895 2320013601895 2320013601895	R 4 R 4 R 4 R 4	TRK CARGO MTV W/EQP M1083 WVN M1083 WVN M1083 WVN M1083 WVN	B C 9 9B	TM 9-2320-392-10-1 278 96 112 23463 1730 278 96 106 23463 1638 278 96 106 23463 1638 278 96 112 23463 1730	10000 112 616 106 172 106 172 112 616	CC N N N R1DC N N N R2DC N N N R1DC N N N R1DC
PV 15 PV 16 V 17 V 18	2320014473884 2320014473884 2320014473884 2320014473884	R 4 R 4 R 4 R 4	M1083A1 WVN M1083A1 WVN M1083A1 WVN M1083A1 WVN	B C 9 9B	274 96 112 23700 1705 274 96 106 23700 1614 274 96 106 23700 1614 274 96 112 23700 1705	112 616 106 172 106 172 112 616	CC N N N R1DC N N N R2DC N N N R2DC N N N R1DC
T41203 V 01 V 02 V 13 V 14	2320013543387 2320013543387 2320013543387 2320013543387	R 4 R 4 R 4 R 4	TRK CGO MTV W/MHE M1084 M1084 M1084 M1084	B C 9 9B	TM 9-2320-392-10-1 306 96 112 26152 1904 306 96 106 26152 1802 306 96 106 26152 1802 306 96 112 26152 1904	10000 112 480 106 172 106 172 112 480	CC N N N R1DC N N N R2DC N N N R1DC N N N R1DC
PV 15 PV 16 V 17 V 18	2320014473887 2320014473887 2320014473887 2320014473887	R 4 R 4 R 4 R 4	M1084A1 M1084A1 M1084A1 M1084A1	B C 9 9B	306 96 112 25373 1904 306 96 106 25373 1802 306 96 106 25373 1802 306 96 112 25373 1904	112 480 106 172 106 172 112 480	CC N N N R1DC N N N R2DC N N N R2DC N N N R1DC
V 27	2320014950110	R 4	M1084A1/HIMARS	B	310 96 113 25500 1947	112 480	CC N N N R1DC

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	WEIGHT	HGT	CUBE	TOE LIN	INDEX	NO	CGO LOAD	IND	
T41203 V 28	2320014950110 REMARKS	R 4	TRK CGO MTV W/MHE M1084A1/HIMARS	C	310	96	105	25500	1809		10000		115CC	37	11	8144	FT	3			
T41271 PV 01	2320015303843	R 4	TRUCK VAN EXPANSIBLE W/E M1087A1	D	337	96	141	28685	2640		10000		CC	0	03	077		5	SN		
T41447 P 01	2320015498565	R 4	TRK CGO 5T W/WN M1083A1P2	D	274	96	112	25808	1705		10000		XX								
T41515 V 02	2320015498565	R 4	TRK CGO 5T WO/WN M1083A1P2 W/W	D	278	96	117	25808	1807		10000		XX								
PV 01	2320015498610	R 4	M1083A1P2	D	278	96	117	24870	1807		112	616	XX								
T41721 V 01	2320011947032 REMARKS	R 4	TRUCK CGO 8X8 HEMTT M985E1	B	421	96	112	42420	2620		20000		CC								
V 02	2320011947032 REMARKS	R 4	M985E1	B	421	96	101	42420	2363		101	391	CCC								
V 10	2320011947032	R 4	M985E1	C	421	96	101	42420	2363		STOWED ONBOARD		CCC								
V 11	2320011947032	R 4	M985E1	9	421	96	112	42420	2620		101	391	CCC								
V 56	2320011947032 REMARKS	R 4	M985E1	9B	421	96	115	42420	2690		112	518	CC								
V 58	2320011947032 REMARKS	R 4	M985E1	9B	421	96	117	42420	2737		112	518	XX								
V 19	2320014933790 REMARKS	R 4	M985E1A2	B	421	96	112	42485	2620		112	518	CC								
V 20	2320014933790 REMARKS	R 4	M985E1A2	B	421	96	101	42485	2363		101	391	CCC								
V 25	2320014933790	R 4	M985E1A2	C	421	96	101	42485	2363		STOWED ONBOARD		CCC								
V 26	2320014933790	R 4	M985E1A2	9	421	96	112	42485	2620		101	391	CCC								
V 60	2320014933790 REMARKS	R 4	M985E1A2	9B	421	96	115	42485	2690		112	518	XX								

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	LENGTH WIDTH HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	IND
T42725															
PV 01	3895010284391	R 8	TRUCK CONCRETE MOB MX	B		375 108 142	37540	3329	5800		CC		N	N	R1DC
PV 02	3895010284391	R 8	M919	C		375 97 130	37540	2737			CC		N	N	R1DC
V 23	3895010284391	R 8	M919	C		FUEL CAPACITY 118 GAL DIESEL									
V 24	3895010284391	R 8	M919	9B		375 97 130	37540	2737			CC		N	N	R1DC
T44643															
V 01	2320015231363	R 4	TRK DUMP W/ARMOR	B		NONE					XX		N	N	R1DC
V 02	2320015231363	R 4	M1090P1	C		284 96 106	28395	1768			XX		N	N	R1DC
PV 03	2320015231486	R 4	M1090A1P1	B		286 96 112	28423	1780			XX		N	N	R1DC
PV 04	2320015231486	R 4	M1090A1P1	C		286 96 106	28423	1685			XX		N	N	R1DC
V 05	2320015231486	R 4	M1090A1P1 LSAC	D		290 99 119	40725	1978			XX		N	N	R1DC
T44915															
V 01	2320015231437	R 4	TRK CGO LWB W/ARMOR	B		NONE					XX		N	N	R1DC
V 02	2320015231437	R 4	M1085P1	C		352 96 106	27962	2073			XX		N	N	R1DC
PV 03	2320015231479	R 4	M1085A1P1	B		349 96 112	27962	2172			XX		N	N	R1DC
PV 04	2320015231479	R 4	M1085A1P1	C		349 96 106	27962	2056			XX		N	N	R1DC
V 05	2320015231479	R 4	M1085A1P1 LSAC	D		353 99 119	38045	2407			XX		N	N	R1DC
T44983															
V 01	2320015231438	R 4	TRK CGO W/ARMOR	B		NONE					XX		N	N	R1DC
V 02	2320015231438	R 4	M1086P1 WVN	C		386 96 106	31622	2274			XX		N	N	R1DC
PV 03	2320015231487	R 4	M1086A1P1 WVN	B		386 96 112	31850	2402			XX		N	N	R1DC
PV 04	2320015231487	R 4	M1086A1P1 WVN	C		386 96 106	31850	2274			XX		N	N	R1DC
V 05	2320015231487	R 4	M1086A1P1 LSAC	D		382 99 119	44700	2605			XX		N	N	R1DC
T45051															
V 01	2320015231434	R 4	TRK CGO W/AOA	B		NONE					XX		N	N	R1DC
V 02	2320015231434	R 4	M1083P1	C		278 96 106	26686	1730			XX		N	N	R1DC
PV 03	2320015231488	R 4	M1083A1P1	B		274 96 112	26923	1705			XX		N	N	R1DC
PV 04	2320015231488	R 4	M1083A1P1	C		274 96 106	26923	1614			XX		N	N	R1DC

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	CGO WEA	LD LIMITS	CCCKK	DDBB	CTN	CTN	IND	
T45051 V 25	2320015231488	R 4	TRK CGO W/AOA M1083A1P1 LSAC	D	278	99	119	35800	1896	NONE	10000	XX	N	N	N	R1DC	
T45435 PV 01 V 07	2320015088859 2320015088859 REMARKS	R 4 R 4 R 4	TRUCK MAT HAND CNTR XM1148 XM1148 XM1148	D 0 0	362 362	96 96	123 114	25200 25550	2474 2293	TM 9-2320-392-10-1	112 694	XX XX	N N	N N	N N	R1DC R1DC	
T45465 V 01 V 02 V 16 V 17	2330011094258 2330011094258 2330011094258 2330011094258	R 7 R 7 R 7 R 7	TTLR FLATBED 11-TON M989 (HEMAT) M989 (HEMAT) M989 (HEMAT) M989 (HEMAT)	B C 9 9B	266 266 266 266	96 96 96 96	66 50 50 66	8060 8060 8060 8060	976 739 739 976	TM 9-2330-383-14&P	22000 66 264 50 264 50 264 66 264	CCC CCC CCC CCC	N N N N	N N N N	N N N N	R2DA R2DA R2DA R2DA	
PV 13	2330012757474	R 7	M989A1	D	307	96	72	10650	1228		72	297	CCC	N	N	N	R2DB
T48941 PV 01	3930010823758 REMARKS REMARKS REMARKS	N 5 N 5 N 5 N 5	TRUCK LIFT FRK DED RT DV43 DV43 DV43 DV43	B B B B	412	240	166	107050	9499	TM 10-3930-641-10 INCLUDES 20-FT TOPHANDLER OPER WT WITH 35-FT TOPHANDLER = 112,370 OPER WT WITH 40-FT TOPHANDLER = 113,177							
PV 02 V 03 V 04 V 05 V 06 V 07 V 08 V 09 V 10 V 11	3930010823758 3930010823758 3930010823758 3930010823758 3930010823758 3930010823758 3930010823758 3930010823758 3930010823758 3930010823758 REMARKS	N 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5	U MAST W/CARRIAGE U CAB U COUNTERWEIGHT U ROPS CANOPY U FORK ASSEMBLY U 20-FT TOPHANDLER U 35-FT TOPHANDLER U 40-FT TOPHANDLER U MULTIPLE ITEMS	I I I I I I I I I I 2	312 150 77 27 80 112 240 420 480 60	141 70 56 22 63 109 96 96 96 48	123 40 64 15 55 85 30 36 36 22	69460 14750 800 1685 1780 5920 3800 9120 9927 430	3132 244 160 6 161 601 400 840 960 37		(02) (02) (02) (02) (02) (02) (02) (02) (02) (02)	CCCC CCCC CCCC CCCC CCCC CCCC CCCC CCCC CCCC CCCC	N Y Y Y Y Y Y Y Y Y Y	N N N N N N N N N N N	N N N N N N N N N N N	A1DD J2BB J3BA J3BA J3BA J2DA J2DA J2DH J2DH J3BA	
V 20	3930010823758 REMARKS	N 5 N 5	U MULTIPLE ITEMS U DV43 U DV43	2 9B 9B	412 412	141 141	166 166	103500	5581	FUEL CAPACITY 165 GAL DIESEL W/O 20-FT TOPHANDLER							
T48944 PV 01	3930011580849	N 5	TRUCK LIFT FRK DED RT 6000K	B	302	102	101	27100	1801	TM 10-3930-660-10							

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY	VEH	SHIP	S	DESCRIPTION	FRK	DED	RT	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT	CUBE	CGO VEH	LD LIMITS	WGT	CUBE	TOE LIN	INDEX	NO	CGO LOAD	IND	
T48944		REMARKS	5				TRUCK LIFT	FRK	DED	RT																	
PV 02	3930011580849		N	5			6000K						262	102	101	23500	1562										
PV 03	3930011580849		A	U			COUNTERWEIGHT				1		16	50	54	3600	25										
T49119		REMARKS	N	5			TRUCK LIFT	FRK	DED	RT																	
PV 01	3930010543833		N	5			M-10A						343	101	131	36315	2627										
PV 02	3930010543833		N	5			M-10A						271	101	100	31140	1584										
V 03	3930010543833		A	U			M-10A						343	101	131	36315	2627										
V 04	3930010543833		A	U			M-10A						56	48	74	825	116										
V 05	3930010543833		A	U			M-10A						76	8	47	525	17										
V 08	3930010543833		N	5			M-10A						48	4	26	1100	3										
V 09	3930010543833		N	5			M-10A						343	101	131	36315	2627										
V 10	3930010543833		B	U			M-10A						343	101	100	32190	2005										
V 11	3930010543833		B	U			M-10A						56	48	74	825	116										
T49255		REMARKS	N	5			TRUCK LIFT	FRK	DED	RT																	
V 01	3930010764237		N	5			M4K						206	79	80	9700	754										
V 02	3930010764237		N	5			M4K						166	79	80	9700	608										
V 17	3930013308906		N	5			MHE-271						205	79	80	12300	750										
V 19	3930013308906		N	5			MHE-271						165	79	80	12300	604										
PV 18	3930013308907		N	5			MHE-270						205	79	80	11560	750										
PV 20	3930013308907		N	5			MHE-270						165	79	80	11560	604										
T49579		REMARKS	B	U			GEN SET	TRL	MTD																		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	LD LIMITS	CGO VEH	INDEX NO	CGO LOAD IND
T54718												
PV 03	2320015231476	R 4	TRK WRECKER W/ARMOR M1089A1P1 WVN	B		NONE	366 96	112	40725	XX		
PV 04	2320015231476	R 4	M1089A1P1 WVN	C			366 96	106	40725	XX		
V 05	2320015231476	R 4	M1089A1P1 LSAC	D			379 99	119	51800	XX		
T54918												
PV 01	2320015231049	R 4	TRK PALLETIZED LHS M1075P1	B		NONE	431 151	128	52760	X	33000	
PV 02	2320015231049	R 4	M1075P1	C			431 102	128	52760	XX		
V 03	2320015231049	R 4	M1075P1	D			431 151	128	49140	X		
V 04	2320015231049	R 4	M1075P1	D		W/O M1077 FLATRACK						
		R 4	M1075P1	9		431 102	128	49140	3257	XX		
		R 4	M1075P1	9		W/O M1077 FLATRACK						
T55054												
PV 01	2320015341872	R 4	TRK PALLETIZED LHS M1120A4	B		TM 9-2320-345-10	402 96	102	40240	XCX		
V 02	2320015341872	R 4	M1120A4	F			401 102	101	40240	CCC		
PV 04	2320015341872	R 4	M1120A4	F		8X8 LOW PROFILE INTEG ARM CAB						
		R 4	M1120A4	BA		401 141	129	40240	4221	CC		
		R 4	M1120A4	BA		8X8 LOW PROFILE INTEG ARM CAB						
T55236												
PV 01	2320015442244	R 4	TRK PALLETIZED LOADIN M1074A1	D		TM 9-2320-319-10-1	425 96	129	88000	XX		
T56383												
PV 01	2320015402017	R 4	TRK UT EXP CAP M1165A1	D		TM 9-2320-387-10	194 91	75	7230	CCC		
V 03	2320015402017	R 4	M1165A1	D		UNARMORED	194 91	75	9870	CCC		
V 13	2320015402017	R 4	M1165A1	D		ARMORED	207 102	118	13560	XX		
		R 4	M1165A1 W B3	D								
T57384												
V 03	2320015231034	R 4	TRK TANK W/ARMOR M978P1 W/W	B		NONE	401 140	112	40165	XX		
V 04	2320015231034	R 4	M978P1 W/W	C			401 96	102	40165	XCX		
V 05	2320015231136	R 4	M978A2P1 W/W	B			401 140	112	40230	XX		
V 06	2320015231136	R 4	M978A2P1 W/W	C			401 96	102	40230	XCX		

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
UNCLASSIFIED

LEGEND
P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	STATUS	INDEX
T57384											
PV 01	2320015231138	R 4	TRK TANK W/ARMOR M978A2R1P1 W/W	B		NONE	401 140 112	40230	15500	XX	N N N R1DC
PV 02	2320015231138	R 4	M978A2R1P1 W/W	C			401 96 102	40230	XCX		N N N R2DC
T58161											
V 01	2320010970249	R 4	TRK TANK FUEL HEMTT M978 WVN	B		TM 55-2320-279-14	401 140 112	3639	17500	CC	N N N R1DC
V 02	2320010970249	R 4	M978 WVN	C			401 96 101	38165	CCC		N N N R2DC
V 03	2320010970249	R 4	M978 WVN	D		COMBAT LOADED	401 140 112	55665	CC		N N N R1DC
V 24	2320010970249	R 4	M978 WVN	9B			401 96 112	38165	CC		N N N R1DC
V 25	2320010970249	R 4	M978 WVN	9			401 96 101	38165	CCC		N N N R2DC
V 65	2320010970249	R 4	M978 WVN	9B		WITH RING OR GUNNER MOUNT	401 96 115	38165	XX		N N N R1DC
V 67	2320010970249	R 4	M978 WVN	9B		WITH RING OR GUNNER MOUNT	401 96 117	38165	XX		N N N R1DC
V 26	2320014928216	R 4	M978A2 WVN	B			401 140 112	38230	CC		N N N R1DC
V 27	2320014928216	R 4	M978A2 WVN	B		MIRRORS EXTENDED	401 96 101	38230	CCC		N N N R2DC
V 32	2320014928216	R 4	M978A2 WVN	C		MIRRORS FOLDED	401 96 101	38230	CCC		N N N R2DC
V 33	2320014928216	R 4	M978A2 WVN	9			401 96 112	38230	CC		N N N R1DC
V 69	2320014928216	R 4	M978A2 WVN	9B		WITH RING OR GUNNER MOUNT	401 96 115	38230	XX		N N N R1DC
V 71	2320014928216	R 4	M978A2 WVN	9B		WITH RING OR GUNNER MOUNT	401 96 117	38230	XX		N N N R1DC
PV 29	2320014928226	R 4	M978A2R1 WVN	B			401 140 112	38230	CC		N N N R1DC
PV 30	2320014928226	R 4	M978A2R1 WVN	B		MIRRORS EXTENDED	401 96 101	38230	CCC		N N N R2DC
V 34	2320014928226	R 4	M978A2R1 WVN	C		MIRRORS FOLDED; SPARE TIRE REMOVED & STOWED ONBOARD	401 96 101	38230	CCC		N N N R2DC
V 35	2320014928226	R 4	M978A2R1 WVN	9			401 96 112	38230	CC		N N N R1DC
V 73	2320014928226	R 4	M978A2R1 WVN	9B		WITH RING OR GUNNER MOUNT	401 96 115	38230	XX		N N N R1DC
V 75	2320014928226	R 4	M978A2R1 WVN	9B		WITH RING OR GUNNER MOUNT	401 96 117	38230	XX		N N N R1DC

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	CGO VEH	LD LIMITS	WEIGHT	HGT CUBE	TOE LIN	INDEX NO	CGO LOAD IND
T58318 PV 01	2320015341117 REMARKS	R 4	TRK TANK M978A4	D	409 96	TM 9-2320-339-10	31578	102	2318	23850						
T59048 PV 01	2320013189902	R 4	TRK TRACTOR HET M1070	B	362 102	TM 9-2320-360-10	41000	140	2992							
PV 02	2320013189902	R 4	M1070	C	362 102	40999			3013							
V 15	2320013189902	R 4	M1070	9B	362 102	41000			3013							
V 16	2320013189902 REMARKS	R 4	M1070	D	365 104	40999			3274							
T59117 PV 01	2320010996421	R 4	TRUCK TRACTOR M983	B	350 102	TM 9-2320-279-10	36584	113	2335							
PV 02	2320010996421	R 4	M983	C	350 96	102	36584		1984							
T59165 PV 01	2320015231426	R 4	TRK TRACTOR W/ARMOR M1088A1P1 WVN	B	284 96	NONE	25600	112	1768							
PV 02	2320015231426	R 4	M1088A1P1 WVN	C	284 96	106	25600		1673							
V 03	2320015231428	R 4	M1088P1 WVN	B	282 96	112	25384	112	1755							
V 04	2320015231428	R 4	M1088P1 WVN	C	282 96	106	25384		1661							
T59278 V 01	2320010996426	R 4	TRUCK CGO TACT HVY M977	B	401 140	TM 55-2320-279-14	38800	112	3639	20000						
V 02	2320010996426	R 4	M977	B	401 102	MIRRORES EXTENDED			2391							
V 11	2320010996426	R 4	M977	C	401 102	MIRRORES FOLDED; SPARE TIRE REMOVED & STOWED ONBOARD			2391							
V 12	2320010996426	R 4	M977	9	401 102	101	38800	112	2651							
V 56	2320010996426	R 4	M977	9B	401 102	115	38800		2722							
V 58	2320010996426	R 4	M977	9B	401 102	117	38800		2770							
V 20	2320014933779 REMARKS	R 4	M977A2	B	401 140	112	38865		3639							

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCK	DDBB	CTN	CTN	4	CCCH
T59278 V 21	2320014933779	R 4	TRUCK CGO TACT HVY	4	C	M977A2	401 102 101	38865	2391	20000	CCC					
V 26	2320014933779	R 4	M977A2	4	C	M977A2	MIRRORS FOLDED; SPARE TIRE REMOVED &	2391	101 414	101 414	CCC					
V 27	2320014933779	R 4	M977A2	4	9B	M977A2	401 102 101	38865	2391	101 414	CCC					
V 60	2320014933779	R 4	M977A2	4	9B	M977A2	401 102 112	38865	2651	112 518	CC					
V 62	2320014933779	R 4	M977A2	4	9B	M977A2	401 102 115	38865	2722	112 518	XX					
PV 23	2320014933785	R 4	M977A2R1	4	B	M977A2R1	401 102 117	38865	2770	112 518	XX					
PV 24	2320014933785	R 4	M977A2R1	4	B	M977A2R1	401 140 112	38865	3639	112 518	CC					
V 28	2320014933785	R 4	M977A2R1	4	C	M977A2R1	401 102 101	38865	2391	101 414	CCC					
V 29	2320014933785	R 4	M977A2R1	4	9B	M977A2R1	MIRRORS FOLDED; SPARE TIRE REMOVED &	2391	101 414	101 414	CCC					
V 64	2320014933785	R 4	M977A2R1	4	9B	M977A2R1	401 102 112	38865	2651	112 518	CC					
V 66	2320014933785	R 4	M977A2R1	4	9B	M977A2R1	401 102 115	38865	2722	112 518	XX					
T59380 PV 01	2320015341877	R 4	TRUCK CARGO	4	D	M985A4 W/O W	401 102 117	38865	2770	112 518	XX					
T59414 PV 01	2320011275077	R 3	TRUCK CARGO TACTICAL	3	B	M1028	409 96 112	43600	2545	28000	XX					
PV 02	2320011275077	R 3	M1028	3	B	M1028	221 87 76	5810	846	76 138	CCC					
V 05	2320011275077	R 3	M1028	3	C	M1028	217 82 76	5810	783	76 138	CCC					
V 25	2320011275077	R 3	M1028	3	C	M1028	FUEL CAPACITY 20 GAL DIESEL									
V 26	2320011275077	R 3	M1028	3	C	M1028	BRUSH GUARD KIT REMOVED & STOWED ONBOARD									
T59415			TRUCK TRACTOR HEMTT		G	M1028	221 87 105	7450	1169							

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	WEIGHT	HGT CUBE	TOE LIN	INDEX	NO	CGO LOAD	IND	
T59415 PV 01	2320015286636	REMARKS	R 4	TRUCK TRACTOR HEMTT M983A2 LET	4	401	96	112	38800	2496		XX	N N N R1DC								
T59439 P 01	4920015424220		U	TOOL SET AIRCRAFT M NONE		96	78	96	10000	416		XCXX	N N Y J3DB								
T59448 PV 01	2320015498577		R 4	TRK CGO 2 1/2T W/O W M1078A1P2		257	96	117	22904	1671		XX	N N N R1DC								
T59464 V 01	2320015231091		R 4	TRK CGO GMT M985E1		421	96	112	44420	2620		XX	N N N R1DK								
V 02	2320015231091		R 4	M985E1		421	96	101	44420	2363		CX	N N N R2DK								
V 03	2320015231100		R 4	M985E1A2		421	96	112	44485	2620		CX	N N N R1DK								
V 04	2320015231100		R 4	M985E1A2		421	96	101	44485	2363		CX	N N N R2DK								
PV 05	2320015231146		R 4	M985E1A2R1		421	96	112	44485	2620		CX	N N N R1DK								
PV 06	2320015231146		R 4	M985E1A2R1		421	96	101	44485	2363		CX	N N N R2DK								
T59482 PV 01	2320011236827		R 3	TRUCK CARGO TACTICAL M1008		221	87	76	5900	846		CCC	N N N R2DA								
PV 02	2320011236827		R 3	M1008		217	82	76	5900	783		CCC	N N N R2BA								
V 04	2320011236827	REMARKS	R 3	M1008		223	94	96	6590	1165		CCC	N N N R2DA								
07	2320011236827	REMARKS	R 3	M1008		221	87	100	8400	1113		CCC	N N N R2DA								
V 17	2320011236827	REMARKS	R 3	M1008		217	82	76	5900	783		CCC	N N N R2BA								
V 18	2320011236827		R 3	M1008		221	82	76	5900	797		CCC	N N N R2BA								
T59516 PV 01	2320015527767		R 4	TRK CGO 5T W/MHE RSV M1084A1P2		310	96	112	29204	1929		XX	N N N R1DC								
T59532 PV 01	2320015341091		R 4	TRK CGO 8X8 M977A4 W/O W		409	96	119	42500	2704		XX	N N N R1DC								
T59550				TRUCK CARGO TACTICAL																	

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
UNCLASSIFIED

LEGEND
P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	STATUS	NO	PCS	REMARKS	DIMENSIONS (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT	CUBE	TOE LIN	INDEX	NO	CGO LOAD IND	
T59550 PV 01	2320011580820	R 3	TRUCK CARGO TACTICAL	B	221	87	108	5800	1202	1202	2500	108	272						
	REMARKS																		
PV 02	2320011580820	R 3	TRUCK CARGO TACTICAL	B	221	87	76	5800	846	846	76	138							
	REMARKS																		
V 13	2320011580820	R 3	TRUCK CARGO TACTICAL	B	221	87	76	5800	846	846	76	138							
V 14	2320011580820	R 3	TRUCK CARGO TACTICAL	B	221	87	108	5800	1202	1202	108	272							
	REMARKS																		
T59584 PV 01	2320015527739	R 4	TRK CGO 5T W/MHE WO/W	D	312	96	113	29204	1959	1959	10000	112	480						
	REMARKS																		
T59652 PV 01	2320015341887	R 4	TRK CGO W/W GUD MSL T	D	359	96	112	35600	2234	2234									
	REMARKS																		
T59714 PV 01	2320015231124	R 4	TRK CGO W/O WINCH	B	400	140	112	41485	3630	3630	18000	112	518						
PV 02	2320015231124	R 4	TRK CGO W/W GUD MSL T	C	400	102	101	41485	2385	2385	101	414							
V 03	2320015231131	R 4	TRK CGO W/O WINCH	B	400	140	112	41485	3630	3630	18000	112	518						
V 04	2320015231131	R 4	TRK CGO W/O WINCH	C	400	102	101	41485	2385	2385	101	414							
V 05	2320015231151	R 4	TRK CGO W/O WINCH	B	400	140	112	41420	3630	3630	18000	112	518						
V 06	2320015231151	R 4	TRK CGO W/O WINCH	C	400	102	101	41420	2385	2385	101	414							
T60034 PV 01	6115015624600	U	GEN SET TLR MTD	I	147	87	84	6000	622	622									
	REMARKS																		
T60081 V 01	2320013543385	R 3	TRK CARGO LMTV W/EQP	B	251	96	102	16116	1423	1423	5000	112	540						
V 02	2320013543385	R 3	TRK CARGO LMTV W/EQP	C	255	96	106	19351	1502	1502	106	151							
V 03	2320013543385	R 3	TRK CARGO LMTV W/EQP	D	255	96	106	16700	1502	1502	106	151							
	REMARKS																		

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	IND	
T60081																		
V 18	2320013543385	R 3	TRK CARGO LMTV W/EQP		9	255	96	106	19351	1502	5000	106	151	CCC	N	N	N	R2DB
V 19	2320013543385	R 3	M1078		9B	255	96	112	19351	1587	112	540	CC	N	N	N	N	R1DB
V 33	2320013543385	R 3	M1078		D	255	96	128	19351	1814	128	540	XX	N	N	N	N	R1DB
	REMARKS		M1078		D	WITH BOWS AND TARPS												
PV 20	2320014476343	R 3	M1078A1		B	253	96	112	20500	1575	112	540	CC	N	N	N	N	R1DC
PV 21	2320014476343	R 3	M1078A1		C	253	96	106	20500	1490	106	421	CCC	N	N	N	N	R2DC
V 22	2320014476343	R 3	M1078A1		9	253	96	106	20500	1490	106	421	CCC	N	N	N	N	R2DC
V 23	2320014476343	R 3	M1078A1		9B	253	96	112	20500	1575	112	540	CC	N	N	N	N	R1DC
	REMARKS		M1078 WVN		D	(DETAIL INDEX 33)												
T60149																		
V 01	2320013601898	R 3	TRK CARGO LMTV W/EQP		B	255	96	112	20273	1587	5000	112	540	CC	N	N	N	R1DC
V 02	2320013601898	R 3	M1078 WVN		C	255	96	106	20273	1502	106	151	CCC	N	N	N	N	R2DC
V 11	2320013601898	R 3	M1078 WVN		9	255	96	106	20273	1502	106	151	CCC	N	N	N	N	R2DC
V 12	2320013601898	R 3	M1078 WVN		9B	255	96	112	20273	1587	112	540	CC	N	N	N	N	R1DC
V 26	2320013601898	R 3	M1078 WVN		D	255	96	128	20273	1814	128	540	XX	N	N	N	N	R1DC
	REMARKS		M1078 WVN		D	WITH BOWS AND TARPS												
PV 13	2320014473888	R 3	M1078A1 WVN		B	253	96	112	20500	1575	112	540	CC	N	N	N	N	R1DC
PV 14	2320014473888	R 3	M1078A1 WVN		C	253	96	106	20500	1490	106	151	CCC	N	N	N	N	R2DC
V 15	2320014473888	R 3	M1078A1 WVN		9	253	96	106	20500	1490	106	151	CCC	N	N	N	N	R2DC
V 16	2320014473888	R 3	M1078A1 WVN		9B	253	96	112	20500	1575	112	540	CC	N	N	N	N	R1DC
	REMARKS		M1078 WVN		D	(DETAIL INDEX 26)												
T60353																		
V 01	2320010448376	R 4	TRK TRAC HYD 5TH WHL		B	193	101	124	16030	1399	5000	112	540	CC	N	N	N	R1DB
V 02	2320010448376	R 4	M878		C	193	98	119	16030	1303	5000	106	151	CC	N	N	N	R1DB
	REMARKS		M878		C	FUEL CAPACITY 50 GAL DIESEL												
V 08	2320010448376	R 4	M878		9	193	98	119	16030	1303	5000	106	151	CC	N	N	N	R1DB
V 09	2320010448376	R 4	M878		9B	193	98	124	16030	1358	5000	112	540	CC	N	N	N	R1DB
V 04	2320011212102	R 4	M878A1		B	193	113	128	16360	1616	5000	112	540	CC	N	N	N	R1DB
V 07	2320011212102	R 4	M878A1		C	193	104	113	16360	1313	5000	106	151	CC	N	N	N	R1DB
	REMARKS		M878A1		C	FUEL CAPACITY 50 GAL DIESEL												
V 10	2320011212102	R 4	M878A1		9	193	104	113	16360	1313	5000	106	151	CC	N	N	N	R1DB
V 11	2320011212102	R 4	M878A1		9B	193	104	128	16360	1487	5000	112	540	CC	N	N	N	R1DB

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRK TRACTOR MTV W/EQP	S H I P C O N F	TRUCK TRACTOR 6X4	TRUCK TRACTOR 8X6	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND
T61103	2320011252640	R 4	TRUCK TRACTOR 6X4	9	M915A1	M915A3	CC	<C=AF CERTIFIED>
V 26	2320011252640	R 4	M915A1	9B	M915A1	M915A3	CC	<X=JCS CRITERIA>
V 27	2320011252640	R 4	M915A1	9B	M915A1	M915A3	CC	<AMC> <CRAF>
V 14	2320012725029	R 4	M915A2	B	M915A2	M915A3	CC	CCCK DDBB CTN 4 CCCH
V 15	2320012725029	R 4	M915A2	C	M915A2	M915A3	CC	115CC CC77 20 40 6
V 28	2320012725029	R 4	M915A2	9	M915A2	M915A3	CC	37 11 8144 FT FT 3
V 29	2320012725029	R 4	M915A2	9B	M915A2	M915A3	CC	0 03 077 L
V 45	2320014324847	R 4	M915A3	B	M915A3	M915A3	CC	5 SN
V 46	2320014324847	R 4	M915A3	C	M915A3	M915A3	CC	
V 47	2320014324847	R 4	M915A3	9B	M915A3	M915A3	CC	
PV 30	2320014581207	R 4	M915A4	B	M915A4	M915A4	CC	
PV 31	2320014581207	R 4	M915A4	C	M915A4	M915A4	CC	
V 32	2320014581207	R 4	M915A4	9B	M915A4	M915A4	CC	
T61171	2320010284397	R 4	TRUCK TRACTOR 8X6	B	M920	M920	CC	
PV 01	2320010284397	R 4	M920	C	M920	M920	CC	
PV 02	2320010284397	R 4	M920	C	M920	M920	CC	
V 23	2320010284397	R 4	M920	9	M920	M920	CC	(DETAIL INDEX 02)
V 24	2320010284397	R 4	M920	9B	M920	M920	CC	
T61239	2320013554332	R 4	TRK TRACTOR MTV W/EQP	B	M1088	M1088	CC	
V 01	2320013554332	R 4	M1088	C	M1088	M1088	CC	
V 02	2320013554332	R 4	M1088	9	M1088	M1088	CC	
V 14	2320013554332	R 4	M1088	9B	M1088	M1088	CC	
V 15	2320013554332	R 4	M1088	9B	M1088	M1088	CC	
PV 16	2320014473893	R 4	M1088A1	B	M1088A1	M1088A1	CC	
PV 17	2320014473893	R 4	M1088A1	C	M1088A1	M1088A1	CC	
V 18	2320014473893	R 4	M1088A1	9	M1088A1	M1088A1	CC	
V 19	2320014473893	R 4	M1088A1	9B	M1088A1	M1088A1	CC	
V 28	2320014473893	R 4	M1088A1	R	M1088A1	M1088A1	CC	
T61242			TRK WEA CARR W/AOA					
			NONE				2131	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	4	CCCH	
T61494			TRK UTIL CRG/TRP CARR					TM 9-2320-280-10			2500								
V 56	2320011077155	R 3	M998	C				187 84 104	5820	946	53 79	CCC	CCC	C	N	N	N	R2DA	
V 58	2320011077155	R 3	M998	9				187 84 104	5820	946	53 79	CCC	CCC	C	N	N	N	R2DA	
V 60	2320011077155	R 3	M998	B				193 96 91	5820	976	74 79	CCC	CCC	CCC	N	N	N	R2DA	
V 61	2320011077155	R 3	M998	C				193 84 91	5820	854	53 79	CCC	CCC	CCC	N	N	N	R2DA	
V 63	2320011077155	R 3	M998	C			HEIGHT MEASURED FROM GROUND TO TOP OF ANTENNA MOUNT												
V 65	2320011077155	R 3	M998	9A				193 84 91	5820	854	53 79	CCC	CCC	CCC	N	N	N	R2DA	
V 77	2320011077155	R 3	M998	9A			2-M998,S RIGGED FOR LOW VELOCITY AIRDROP												
V 79	2320011077155	R 3	M998	9A			INCLUDES ACCOMPANYING LOAD												
V 82	2320011077155	R 3	M998	9A			FOR AALPS PLANNING PURPOSES ONLY												
V 85	2320011077155	R 3	M998	R				186 92 97	6500	961			CCC	C	N	N	N	R2DA	
V 88	2320011077155	R 3	M998	R				180 85 96	7392	850			CCC	C	N	N	N	R2DA	
V 91	2320011077155	R 3	M998	R				180 85 96	7464	850			CCC	C	N	N	N	R2DA	
AE	2320011077155	R 3	M998	R				180 85 96	7080	850			CCC	C	N	N	N	R2DA	
AG	2320011077155	R 3	M998	R				180 85 96	6897	850			CCC	C	N	N	N	R2DA	
AJ	2320011077155	R 3	M998	R				180 85 96	7464	850			CCC	C	N	N	N	R2DA	
AK	2320011077155	R 3	M998	R				191 91 105	5730	1057			CCC	C	N	N	N	R2DA	
PV 37	2320013719577	R 3	M998A1	D			WITH AN/TSQ-184A						CCC	X	X	Y	Y	N	R2BA
PV 38	2320013719577	R 3	M998A1	D			WITH AN/TSQ-184B						CCC	X	X	Y	Y	N	R2BA
V 49	2320013719577	R 3	M998A1	D			WITH AN/TSQ-183D						CCC	X	X	Y	Y	N	R2BA
V 50	2320013719577	R 3	M998A1	D			WITH AN/TSQ-184C						CCC	X	X	Y	Y	N	R2BA
V 94	2320013719577	R 3	M998A1	D			WITH AN/TSQ-184A						CCC	X	X	Y	Y	N	R2BA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRK UTIL CGO/TRP CARR	S H I P C O N F	DIMENSIONS (FOR ONE ITEM)---> WEIGHT (LB) (CU FT) LENGTH WIDTH HEIGHT (INCHES)---> (REMARKS)----->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
T61562			TRK UTIL CGO/TRP CARR				
V 01	2320011077156	R 3	M1038 WVN	B	TM 9-2320-280-10 186 108 72 5200 837	2500	CCC
V 04	2320011077156	R 3	M1038 WVN	C	186 84 53 5200 480	53 51	CCCC
V 11	2320011077156	V	M1038 WVN	5	FUEL CAPACITY 24.5 GAL DIESEL 215 108 87 10500 1169		CC
V 29	2320011077156	R 3	M1038 WVN	5	RIGGED FOR LOW VELOCITY AIRDOP INCLUDES ACCOMPANYING LOAD		CCCC
V 30	2320011077156	R 3	M1038 WVN	9	F/AALPS PLANNING PURPOSES ONLY 186 84 53 5200 480	53 51	CCC
PV 19	2320013719578	R 3	M1038A1 WVN	B	186 84 72 5200 651	72 99	CCC
PV 20	2320013719578	R 3	M1038A1 WVN	C	186 108 72 5507 837	72 99	CCC
V 31	2320013719578	R 3	M1038A1 WVN	9	186 86 56 5507 519	56 51	CCC
V 32	2320013719578	R 3	M1038A1 WVN	9B	186 86 72 5507 667	56 51	CCC
T61630			TRK UTIL EXPANDED CAP				
PV 01	2320014120143	R 4	M1113	B	TM 9-2320-387-10 191 98 72 6380 780	5120	CCC
PV 02	2320014120143	R 4	M1113	C	191 86 56 6380 533	73 104	CCC
V 03	2320014120143	R 4	M1113	R	220 89 102 10066 1156	73 104	CCC
V 06	2320014120143	R 4	M1113	R	INCLUDES DIGITAL TOPO SYS IN LWS 212 89 105 9933 1147		CCC
V 09	2320014120143	R 4	M1113	R	WITH AN/TRC-173B 212 89 105 9937 1147		CCC
V 12	2320014120143	R 4	M1113	R	WITH AN/TRC-174B 212 89 105 10066 1147		CCC
V 15	2320014120143	R 4	M1113	R	WITH AN/TRC-175B 212 89 105 10064 1147		CCC
V 18	2320014120143	R 4	M1113	R	WITH AN/TRC-138C 191 86 56 6380 533	73 104	CCC
V 19	2320014120143	R 4	M1113	9B	191 86 72 6380 685	73 104	CCC
V 20	2320014120143	R 4	M1113	D	191 86 72 6600 685		CCC
V 22	2320014120143	R 4	M1113	D	MODIFIED M1113 W/FIFTH WHEEL KIT 215 90 104 10286 1165		CCC
V 31	2320014120143	R 4	M1113	R	W/LMS OPERATION SHELFER 231 87 104 10800 1210		CCC

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	STATUS	ITEM NO	ITEM NAME	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND	DETAIL INDEX
T61630			TRK UTIL EXPANDED CAP	R		TM 9-2320-387-10			5120		(DETAIL INDEX 31)
V 34	2320014120143	R 4	M1113	R	217	85	105	1109	1121	CCC	C N N N R2DB
V 37	2320014120143	R 4	M1113	R	208	85	105	11410	1075	CCC	C N N N R2DB
V 40	2320014120143	R 4	M1113	R	208	85	105	11410	1075	CCC	C N N N R2DB
V 43	2320014120143	R 4	M1113	R	218	85	105	10610	1126	CCC	C N N N R2DB
V 46	2320014120143	R 4	M1113	R	218	85	105	10562	1126	CCC	C N N N R2DB
V 49	2320014120143	R 4	M1113	R	218	96	102	10575	1236	CCC	C N N N R2DB
V 52	2320014120143	R 4	M1113	R	211	89	104	10970	1131	CCC	N N N R2DB
V 59	2320014120143	R 4	M1113	R	231	95	105	9730	1334	CCC	(DETAIL INDEX 52)
V 62	2320014120143	R 4	M1113	R	228	92	100	10620	1214	CCC	(DETAIL INDEX 59)
V 64	2320014120143	R 4	M1113	R	210	90	103	10280	1127	CCC	(DETAIL INDEX 62)
V 68	2320014120143	R 4	M1113	R	180	94	105	10020	1029	CCC	(DETAIL INDEX 64)
V 71	2320014120143	R 4	M1113	R	220	87	102	10080	1130	CCC	(DETAIL INDEX 68)
V 74	2320014120143	R 4	M1113	R	207	94	105	8875	1183	CCC	(DETAIL INDEX 71)
V 77	2320014120143	R 4	M1113	R	208	91	101	8600	1107	CCC	(DETAIL INDEX 74)
T61704			TRK CARGO MTV W/EQP	B		TM 9-2320-392-10-1			10000		(DETAIL INDEX 77)
V 01	2320013544530	R 4	M1085	B	352	96	112	23762	2191	CC	N N N R1DC
V 02	2320013544530	R 4	M1085	C	352	96	106	23762	2073	CCC	N N N R2DC
V 13	2320013544530	R 4	M1085	9	352	96	106	23762	2073	CCC	N N N R2DC
V 14	2320013544530	R 4	M1085	9B	352	96	112	23762	2191	CCC	N N N R1DC

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRK CARGO	MTV W/EQP	S H I P C O N F	PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCK DDBB	CTN CTN	IND
T61704			TRK	CARGO	MTV W/EQP	B	TM 9-2320-392-10-1	349	2172	10000	10000	CC	N	N
PV 15	2320014473891	R 4	M1085A1			B	96	112	23973	112	793	CC	N	N
PV 16	2320014473891	R 4	M1085A1			C	96	106	23973	106	222	CCC	N	N
V 17	2320014473891	R 4	M1085A1			9	96	106	2056	106	222	CCC	N	N
V 18	2320014473891	R 4	M1085A1			9B	96	112	23973	112	793	CC	N	N
T61772			TRK	CARGO	MTV W/EQP	B	TM 9-2320-392-10-1	352	2191	10000	10000	CC	N	N
V 01	2320013601897	R 4	M1085 WVN			B	96	112	24738	112	793	CC	N	N
V 02	2320013601897	R 4	M1085 WVN			C	96	106	24738	106	222	CCC	N	N
V 13	2320013601897	R 4	M1085 WVN			9	96	106	2073	106	222	CCC	N	N
V 14	2320013601897	R 4	M1085 WVN			9B	96	112	24738	112	793	CC	N	N
PV 15	2320014473897	R 4	M1085A1 WVN			B	96	112	24950	112	793	CC	N	N
PV 16	2320014473897	R 4	M1085A1 WVN			C	96	106	2056	106	222	CCC	N	N
V 17	2320014473897	R 4	M1085A1 WVN			9	96	106	2056	106	222	CCC	N	N
V 18	2320014473897	R 4	M1085A1 WVN			9B	96	112	24950	112	793	CC	N	N
T61840			TRK	CGO	MTV W/EQP	B	TM 9-2320-392-10-1	386	2402	10000	10000	CC	N	N
V 01	2320013544531	R 4	M1086 WVN			B	96	112	27422	112	607	CC	N	N
V 02	2320013544531	R 4	M1086 WVN			C	96	106	2274	106	222	CCC	N	N
V 13	2320013544531	R 4	M1086 WVN			9	96	106	2274	106	222	CCC	N	N
V 14	2320013544531	R 4	M1086 WVN			9B	96	112	2402	112	607	CC	N	N
PV 15	2320014473895	R 4	M1086A1 WVN			B	96	112	27650	112	618	CC	N	N
PV 16	2320014473895	R 4	M1086A1 WVN			C	96	106	2274	106	222	CCC	N	N
V 17	2320014473895	R 4	M1086A1 WVN			9	96	106	2274	106	222	CCC	N	N
V 18	2320014473895	R 4	M1086A1 WVN			9B	96	112	2402	112	618	CC	N	N
T61908			TRK	CGO	MTV W/EQP	B	TM 9-2320-392-10-1	278	1730	10000	10000	CC	N	N
V 01	2320013543386	R 4	M1083			B	96	112	22486	112	616	CC	N	N
V 02	2320013543386	R 4	M1083			C	96	106	1638	106	172	CCC	N	N
V 13	2320013543386	R 4	M1083			9	96	106	22486	106	172	CCC	N	N
V 14	2320013543386	R 4	M1083			9B	96	112	1638	106	172	CCC	N	N
V 29	2320013543386	R 4	M1083 SOG			B	117	112	1730	112	616	CC	N	N
V 30	2320013543386	R 4	M1083 SOG			F	99	106	2116	112	616	CC	N	N
V 31	2320013543386	R 4	M1083 MEG			C	308	114	1695	112	616	CC	N	N
V 32	2320013543386	R 4	M1083 MEG			B	99	106	2276	112	616	CC	N	N

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHIP	NO PCS	DIMENSIONS (FOR ONE ITEM) -> (INCHES) -> (REMARKS) ->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
T61908	2320014473890	R 4	TRK CGO MTV W/EQP	B	TM 9-2320-392-10-1	274 96 112 22723 1705	10000	
PV 15	2320014473890	R 4	M1083A1	B	401 140 112 40800 3639	112 616	CC	
PV 16	2320014473890	R 4	M1083A1	C	401 102 101 40800 2391	106 172	CCC	
V 17	2320014473890	R 4	M1083A1	9	274 96 106 22723 1614	106 172	CCC	
V 18	2320014473890	R 4	M1083A1	9B	274 96 112 22723 1705	112 616	CC	
T61976	2320015231097	R 4	TRK CGO W/ARMOR	B	NONE	18000		
PV 01	2320015231097	R 4	M977P1	B	401 140 112 40800 3639		XX	
PV 02	2320015231097	R 4	M977P1	C	401 102 101 40800 2391		XCX	
V 03	2320015231111	R 4	M977A2R1P1	B	401 140 112 40865 3639		XX	
V 04	2320015231111	R 4	M977A2R1P1	C	401 102 101 40865 2391		XCX	
V 05	2320015231125	R 4	M977A2P1	B	401 140 112 40865 3639		CX	
V 06	2320015231125	R 4	M977A2P1	C	401 102 101 40865 2391		XCX	
T62112	2320015527780	R 4	TRK CGO LG WHLBSE W/M	D	TM 9-2320-333-10-1	10000		
PV 01	2320015527780	R 4	M1086A1P2 W0NN	D	385 96 112 30482 2396	112 607	XX	
T62359	2320015527745	R 4	TRK VAN 2 1/2T WO/WN	D	TM 9-2320-332-10	5000		
PV 01	2320015527745	R 4	M1079A1P2	D	261 96 113 23789 1639		XX	
T63093	2320010970248	R 4	TRUCK WRECKER 8X8	B	TM 55-2320-279-14	200		
V 01	2320010970248	R 4	M984 WNN	B	402 140 112 53100 3648		CC	
V 02	2320010970248	R 4	M984 WNN	C	402 102 102 43180 2421		CC	
V 32	2320010970248	R 4	M984 WNN	9B	CGO BODY MUST BE REMOVED F/CL130 TRANSPORT		CC	(DETAIL INDEX 02)
V 66	2320010970248	R 4	M984 WNN	9B	402 102 112 43180 2658		XX	
V 68	2320010970248	R 4	M984 WNN	9B	402 102 115 43180 2729		XX	
V 03	2320011957641	R 4	M984 WNN	9B	WITH RING OR GUNNER MOUNT		XX	(DETAIL INDEX 66)
V 04	2320011957641	R 4	M984 WNN	9B	402 102 117 43180 2777		XX	(DETAIL INDEX 68)
V 33	2320011957641	R 4	M984A1 WNN	B	402 140 112 51300 3648		CC	
V 70	2320011957641	R 4	M984A1 WNN	C	402 102 102 51300 2421		CC	
V 70	2320011957641	R 4	M984A1 WNN	C	CGO BODY MUST BE REMOVED F/CL130 TRANSPORT		CC	(DETAIL INDEX 04)
V 70	2320011957641	R 4	M984A1 WNN	9B	402 102 112 51300 2658		CC	
V 70	2320011957641	R 4	M984A1 WNN	9B	402 102 115 51300 2729		XX	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	DESCRIPTION	TRK LIFT FORK RCH RT ATLAS CNTRWT/CARRIAGE ATLAS ATLAS II TRACTOR FTRAC HI SPD DUECE DUECE DUECE DUECE DUECE DUECE DUECE TEST SET FLIGHT LINE AN/ARM-163V6 TML SATELLITE COMM AN/TSC-154 AN/TSC-154 AN/TSC-154 AN/TSC-154 AN/TSC-154 AN/TSC-154 SATELLITE COMM TML AN/GSC-52AV3 AN/GSC-52AV3 AN/GSC-52AV3 ELEC EQUIP GRP	NO PCS	DIMENSIONS (FOR ONE ITEM)---> LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	DETAIL INDEX	
T73347						TRK LIFT FORK RCH RT						
V 13	3930014172886	REMARKS	5	F	ATLAS	ATLAS		88 108 96	10000 528	CCCX XX	N N Y J3DB	
V 14	3930015403830		N 5	D	ATLAS			347 96 102	33500 1967	XCX	N N N A2DC	
V 15	3930015536676		N 5	D	ATLAS II			363 96 104	33500 2098	XCX	N N N A2DC	
T76541						TRACTOR FTRAC HI SPD						
PV 01	2430014232819	REMARKS	N C	B	DUECE		TM 5-2430-200-10	230 116 109	35750 1683	CC	N N N A1DC	
PV 02	2430014232819	REMARKS	N C	B	DUECE	BLADE EXTENDED		230 107 102	35750 1453	CCC	N N N A2DC	
V 04	2430014232819	REMARKS	N C	C	DUECE	BLADE TURNED SIDWAYS REDUCING WIDTH		230 107 102	35750 1453	CCC	N N N A2DC	
V 05	2430014232819	REMARKS	N C	9B	DUECE			230 107 109	35750 1553	CC	N N N A1DC	
V 29	2430015387804		N C	D	DUECE			232 116 110	35500 1714	XX	N N N A1DC	
T77696						TEST SET FLIGHT LINE						
PV 01	6625013610082	REMARKS	R 4	D	AN/ARM-163V6		NONE	300 96 114	15935 1900	XX	N N N R1DB	
T81733						TML SATELLITE COMM						
V 01	5895014350571	REMARKS	U	I	AN/TSC-154		TM 11-5895-1612-30	111 85 50	2530 273	CCCXC XXXX	N N N J2DA	
V 02	5895014350571	REMARKS	U	I	AN/TSC-154	MTD ON STEEL PALLET		189 85 84	8130 781	CCC	N N N R2DA	
V 11	5895014350571	REMARKS	R 4	0	AN/TSC-154	MTD ON M1097		196 86 87	10500 849	XCX	N N N R2DB	
PV 09	5895015306459	REMARKS	U	I	AN/TSC-154A	MTD ON M1097A2		111 85 50	2530 273	CCCC XXXX	N N N J2DA	
T81801						SATELLITE COMM TML						
PV 01	5895014730661	REMARKS	7	U	AN/GSC-52AV3		NONE	77983 7088			N N N J2DA	
V 02	5895014730661	REMARKS	7	U	AN/GSC-52AV3	SATCOM TERMINAL IS MADE UP OF ELECTRIC EQUIP GRE, AND OPERATIONS VAN, AND MAINT VAN		141 102 99	9115 824	XCX	N N N J2DA	

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LINE (INDEX)	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	IND
T81801				SATELLITE COMM TML	I			NONE									
V 05	5895014730661	REMARKS	U	ELEC EQUIP GRP	D	480	96	102	34785	2720	36000	128	722	XX	N	N	R2DK
V 07	5895014730661	REMARKS	R	OPERATION VAN	D	480	96	102	24968	2720	128	722	XX	XX	N	N	R2DK
T81874				TRK PALLETIZED LHS	C												
PV 01	2320015442251	REMARKS	R	M1075A1	B	425	96	104	51130	2456	15500			XX	N	N	R1DC
PV 02	2320015442251	REMARKS	R	M1075A1W/ARMOR	B	425	96	104	56620	2456				XX	N	N	R2DC
T81976				TRK TANK W/ARMOR	B												
PV 01	2320015231068	REMARKS	R	M978P1 WO/W	C	401	96	102	40165	3639				XX	N	N	R1DC
PV 04	2320015231068	REMARKS	R	M978P1 WO/W	C	401	96	102	40165	2273				XX	N	N	R2DC
V 02	2320015231135	REMARKS	R	M978A2P1 WO/W	B	401	96	102	40230	3639				XX	N	N	R1DC
V 05	2320015231135	REMARKS	R	M978A2P1 WO/W	C	401	96	102	40230	2273				XX	N	N	R2DC
V 03	2320015231137	REMARKS	R	M978A2R1P1WO/W	B	401	96	102	40230	3639				XX	N	N	R1DC
V 06	2320015231137	REMARKS	R	M978A2R1P1WO/W	C	401	96	102	40230	2273				XX	N	N	R2DC
T82044				TRK VAN W/ARMOR	D												
V 01	2320015231369	REMARKS	R	M1079P1 W/LSAC	D	262	99	139	30640	2087				XX	N	N	R1DC
PV 02	2320015231481	REMARKS	R	M1079A1P1	B	263	96	137	21579	2002				XX	N	N	R1DC
PV 03	2320015231481	REMARKS	R	M1079A1P1	C	263	96	112	21579	1637				XX	N	N	R1DC
T82112				TRK VAN W/ARMOR	D												
PV 01	2320015231370	REMARKS	R	M1079P1 WVN	D	251	96	112	25276	1562				XX	N	N	R1DC
V 02	2320015231484	REMARKS	R	M1079P1 WVN	B	251	96	112	25276	1562				XX	N	N	R1DC
V 03	2320015231484	REMARKS	R	M1079P1 WVN	C	251	96	106	25276	1479				XX	N	N	R1DC
T82180				TRK TACT FIREFIGHTING	B												
PV 01	4210014861035	REMARKS	R	M1142	B	416	96	132	53500	4449				CC	N	N	R1DC
PV 02	4210014861035	REMARKS	R	M1142	B	416	96	132	53500	3051				CC	N	N	R1DC

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	SHP	NO PCS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	CERTIFIED	IND
T87243 V 59	2320014928215	REMARKS	R 4	TRK TANK 2500 GAL M978A2	9B	401	96	117	17500	XX	N N N R1DC (DETAIL INDEX 59)
PV 25	2320014928225		R 4	M978A2R1	B	401	140	112	3639	CC	N N N R1DC
PV 26	2320014928225		R 4	M978A2R1	C	401	96	101	38230	CCC	N N N R2DC
V 28	2320014928225		R 4	M978A2R1	9B	401	96	112	38230	XX	N N N R1DC
V 61	2320014928225	REMARKS	R 4	M978A2R1	9B	401	96	115	38230	XX	N N N R1DC (DETAIL INDEX 61)
V 63	2320014928225	REMARKS	R 4	M978A2R1	9B	401	96	117	38230	XX	N N N R1DC (DETAIL INDEX 63)
T88677 V 01	2320010970247	REMARKS	R 4	TRUCK TRACTOR TACT8X8 M983 WVN	B	351	140	112	3185	CC	N N N R1DC (DETAIL INDEX 01)
V 02	2320010970247	REMARKS	R 4	M983 WVN	C	351	99	102	31800	CCC	N N N R2DC
V 16	2320010970247		R 4	M983 WVN	9B	351	99	112	31800	CC	N N N R1DC
V 47	2320010970247	REMARKS	R 4	M983 WVN	9B	351	99	115	31800	XX	N N N R1DC (DETAIL INDEX 47)
V 49	2320010970247	REMARKS	R 4	M983 WVN	9B	351	99	117	31800	XX	N N N R1DC (DETAIL INDEX 49)
V 17	2320014928223		R 4	M983A2 WVN	B	351	140	112	31865	CC	N N N R1DC
V 18	2320014928223		R 4	M983A2 WVN	C	351	99	102	31865	CCC	N N N R2DC
V 21	2320014928223		R 4	M983A2 WVN	9B	351	99	112	31865	CC	N N N R1DC
V 51	2320014928223	REMARKS	R 4	M983A2 WVN	9B	351	99	115	31865	CC	N N N R1DC (DETAIL INDEX 51)
V 53	2320014928223	REMARKS	R 4	M983A2 WVN	9B	351	99	117	31865	CC	N N N R1DC (DETAIL INDEX 53)
PV 19	2320014928231		R 4	M983A2R1 WVN	B	351	140	112	31865	CC	N N N R1DC
PV 20	2320014928231		R 4	M983A2R1 WVN	C	351	99	102	31865	CCC	N N N R2DC
V 22	2320014928231		R 4	M983A2R1 WVN	9B	351	99	112	31865	CC	N N N R1DC
V 55	2320014928231	REMARKS	R 4	M983A2R1 WVN	9B	351	99	115	31865	CC	N N N R1DC (DETAIL INDEX 55)
V 57	2320014928231	REMARKS	R 4	M983A2R1 WVN	9B	351	99	117	31865	CC	N N N R1DC (DETAIL INDEX 57)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	LENGTH WIDTH HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 SN 5
T88779										
V 01	2320015231037	R 4	TRK TRACTOR W/ARMOR M983P1 WVN	B	NONE	351 140 112	33800	3185	XX	N N N R1DC
V 02	2320015231037	R 4	M983P1 WVN	C		351 99 102	33800	2052	XCX	N N N R2DC
V 03	2320015231065	R 4	M983A1P1 WVN	B		351 140 112	33865	3185	CX	N N N R1DC
V 04	2320015231065	R 4	M983A1P1 WVN	C		351 99 102	33865	2052	XCX	N N N R2DC
PV 05	2320015231141	R 4	M983A2R1P1 WVN	B		351 140 112	33865	3185	CX	N N N R1DC
PV 06	2320015231141	R 4	M983A2R1P1 WVN	C		351 99 102	33865	2052	XCX	N N N R2DC
T88847										
V 01	2320015231427	R 4	TRK TRACTOR W/ARMOR M1088P1	B	NONE	282 96 112	24593	1755	XX	N N N R1DC
V 02	2320015231427	R 4	M1088P1	C		282 96 106	24593	1661	XX	N N N R1DC
PV 03	2320015231490	R 4	M1088A1P1	B		284 96 112	24623	1768	XX	N N N R1DC
PV 04	2320015231490	R 4	M1088A1P1	C		284 96 106	24623	1673	XX	N N N R1DC
V 05	2320015231490	R 4	M1088A1P1 LSAC	D		286 99 119	37960	1950	XX	N N N R1DC
T88858										
PV 01	2320015522922	R 4	TRUCK TRACTOR M915A5 M915A5	B	9-2320-426-10	312 130 126	26080	2958	XX	N N N R1DC
PV 02	2320015522922	R 4	M915A5	C		310 102 120	26080	2196	XX	N N N R1DC
V 03	2320015522922	R 4	M915A5	D	W/ BASE A-CAB	312 130 126	33400	2958	XX	(DETAIL INDEX 02) N N N R1DC
V 04	2320015522922	R 4	M915A5	BA	W/ BASE A-CAB AND B-KIT APPLIQUE	310 113 121	33400	2453	XX	N N N R1DC
T88915										
PV 01	2320015342228	R 4	TRK TRACTOR M983A4	D	TM 9-2320-340-10	359 112 96	35600	2234	XX	N N N R2DC
T88983										
PV 01	2320015527759	R 4	TRK TRAC 5T WO/WVN M1088A1P2	D	TM 9-2320-333-10-1	281 96 113	23885	1764	XX	N N N R1DC
T89947										
V 01	2320015231064	R 4	TRK CGO W/WINCH M985P1 WVN	B	NONE	400 140 112	41420	3630	XX	N N N R1DC
V 02	2320015231064	R 4	M985P1 WVN	C		400 102 101	41420	2385	XCX	N N N R2DC

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	TRK TRANSPORTER BRDG M1977 WVN WITH MK1 BOAT AND CRADLE WITH RAMP	NO PCS	DIMENSIONS (FOR ONE ITEM)---> (INCHES)---> LENGTH WIDTH HEIGHT (REMARKS)--->	WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
T91308 V 38	2320014438023	REMARKS	R 4	D	TRK TRANSPORTER BRDG M1977 WVN	561 105 149 54350	5080	5080	X	N N N R1DK (DETAIL INDEX 38)
V 40	2320014438023	REMARKS	R 4	D	M1977 WVN	456 137 151 55620	5459	5459	X	N N N R1DK (DETAIL INDEX 40)
V 79	2320014928218		R 4	D	M1977A2	400 96 112 36500	2489	2489	XX	N N N R1DC
V 80	2320014928219		R 4	D	M1977A2 WVN	427 96 112 36500	2657	2657	XX	N N N R1DK
P 81	2320014928228		R 4	D	M1977A2R1	393 96 148 37000	3232	3232	X	N N N R1DC
P 82	2320014928229		R 4	D	M1977A2R1 WVN	393 96 148 37000	3232	3232	X	N N N R1DC
T91490 V 01	2320015231285		R 3	D	TRK UTIL ARM 4X4 W/ A M1025P1	NONE 180 90 74 7704	694	496	XCX	N N N R2DA
V 02	2320015231286		R 3	D	M1025A1P1	180 91 74 7740	702	702	XCX	N N N R2DA
PV 03	2320015231287		R 3	B	M1025A2P1	191 115 74 8380	941	941	XX	N N N R2DA
PV 04	2320015231287		R 3	C	M1025A2P1	191 91 74 8380	745	745	XCX	N N N R2DA
T91656 V 01	2320010284396		R 4	B	TRUCK TRACTOR 6X6 M916	TM 9-2320-363-10 299 123 144 27320	3065	3065	CC	N N N R1DC
V 02	2320010284396	REMARKS	R 4	C	M916	299 99 128 27320	2193	2193	CC	N N N R1DC
V 23	2320010284396		R 4	9	M916	FUEL CAPACITY 118 GAL DIESEL 299 99 128 27320	2193	2193	CC	N N N R1DC
V 24	2320010284396		R 4	9B	M916	299 99 144 27320	2467	2467	CC	N N N R1DC
V 12	2320012725028		R 4	B	M916A1	289 124 128 27800	2655	2655	CC	N N N R1DC
V 13	2320012725028		R 4	C	M916A1	289 99 128 27800	2120	2120	CC	N N N R1DC
V 26	2320012725028		R 4	9B	M916A1	289 99 128 27800	2120	2120	CC	N N N R1DC
V 21	2320014311163		R 4	B	M916A2	289 124 128 27860	2655	2655	CC	N N N R1DC
V 22	2320014311163		R 4	C	M916A2	289 99 128 27860	2120	2120	CC	N N N R1DC
V 28	2320014311163		R 4	9B	M916A2	289 99 128 27860	2120	2120	CC	N N N R1DC

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O L P E T	TRK TRACTOR 6X6	S H I P C O N F	NO PCS	DIMENSIONS (FOR ONE ITEM)---> (INCHES)---> LENGTH WIDTH HEIGHT (REMARKS)--->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN (DETAIL INDEX 70)	
T91656	2320014886962	R 4	TRUCK TRACTOR 6X6	B	291	TM 9-2320-363-10 121 128 27700	2609	CC	N N N R1DC
PV 53	2320014886962	R 4	M916A3	C	291	99 128 27700	2134	CC	N N N R1DC
PV 54	2320014886962	R 4	M916A3	9B	291	99 128 27700	2134	CC	N N N R1DC
V 55	2320014886962	R 4	M916A3	BA	290	102 128 30640	2192	CC	N N N R1DC
V 70	2320014886962	4	M916 SERIES	BA		W/ARMORED CAB			
T91724	2320015231054	R 4	TRK TRACTOR HETS	B	382	NONE	4615	X	N N N R1DC
PV 01	2320015231054	R 4	M1070P1 AOA	C	382	113 142 49080	3548	XX	N N N R1DC
PV 02	2320015231054	R 4	M1070P1 AOA	D	276	98 119 18680	1863	XX	N N N R1DB
T91758	2320015232482	R 4	TRK TRAC LINE HAUL W/	D	276	98 119 22480	1863	XX	N N N R1DC
PV 01	2320015232482	R 4	M915A2P1	D	276	98 119 22480	1863	XX	N N N R1DC
V 02	2320015232484	R 0	M915A4P1	D	276	98 119 22480	1863	XX	N N N R1DC
V 03	2320015232486	R 4	M915A3P1	D	276	98 119 22480	1863	XX	N N N R1DC
V 04	2320015257444	R 4	LH M915	D	276	98 119 22480	1863	XX	N N N R1DC
V 05	2320015257451	R 4	M915	D	276	98 119 22480	1863	XX	N N N R1DC
T92242	2320011289551	R 3	TRK UTILITY 1-1/4-TON	D	180	TM 9-2320-280-10 85 74 6104	656	CCC	N N N R2DA
V 01	2320011289551	R 3	M1025	D	180	85 74 6104	656	CCC	N N N R2DA
09	2320011289551	V	M1025	5	215	108 91 10500	1223	CC	N N N J2DB
	REMARKS	V	M1025	5		RIGGED FOR LOW VELOCITY AIRDROP			(DETAIL INDEX 09)
	REMARKS	V	M1025	5		LOAD INCLUDES AN ACCOMPANYING LOAD			(DETAIL INDEX 09)
	REMARKS	V	M1025	5		F/AALPS PLANNING PURPOSES ONLY			(DETAIL INDEX 09)
V 13	2320013719584	R 3	M1025A1	D	180	86 74 6140	663	CCC	N N N R2DA
PV 18	2320013808233	R 3	M1025A2	B	191	110 74 6780	900	CC	X N N R1DA
PV 19	2320013808233	R 3	M1025A2	C	191	86 74 6780	704	CCC	X X N N R2DA
V 20	2320013808233	R 3	M1025A2	9B	191	86 74 6780	704	CCC	X X N N R2DA
T92310			TRK UTIL 1-1/4-TON			TM 9-2320-280-10	2096		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	P	T	V	E	H	E	C	O	N	F	S	H	I	P	<---LINE DESCRIPTION--> <---MODEL--> <---COMPO DESCRIPTION-->	DIMENSIONS (INCHES) (FOR ONE ITEM) WEIGHT (LB) CUBE (CU FT)	CGO VEH LD LIMITS LD WEIGHT HGT CUBE TOE LIN (INDEX NO)	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN	<C=AF CERTIFIED> <X=JCS CRITERIA> <---CGO LOAD IND--->
T93300 PV 01	6115015624421		U									I				M200A1 TRL MTD PU-211 PU-2112	TM 9-6115-758-13&P 147 87 84 6000 622	10000 112 793	XCX XXX N N N J2DA	
T93339 PV 01	2320015527770	R	4									D				TRK CGO 5T LWB W/WN M1085A1P2 W/WN	TM 9-2320-333-10-1 352 96 112 27042 2191		XX N N N R1DC	
T93368 PV 01	6115015624616	U	U									I				GEN SET TLR MTD PU2113	NONE 147 87 84 6000 622		XCX XXX N N N J2DA	
T93484 V 01 V 07	2320013543384 2320013543384	R R	4 4									D 9B				TRK VAN LMTV W/EQP M1079 M1079	TM 9-2320-391-10 251 96 112 20155 1562 251 96 112 20155 1562		CC N N N R1DC CC N N N R1DC	
V 08 V 09 V 10 V 11	2320014474938 2320014474938 2320014474938 2320014474938	R R R R	3 3 3 3									B C 9 9B				M1079A1 M1079A1 M1079A1 M1079A1	263 96 141 17379 2061 263 96 112 17379 1637 263 96 112 17379 1637 263 96 141 17379 2061		CC N N N R1DB CC N N N R1DB CC N N N R1DB CC N N N R1DB	
T93761 V 01 V 02 V 13 V 15	2330013035197 REMARKS 2330013035197 REMARKS 2330013035197 REMARKS 2330013035197 REMARKS	R R R R R	7 7 7 7 7									B B C C C				TLR PLS 16-1/2-TON M1076 M1076 M1076 M1076 M1076 M1076	TM 9-2330-385-14 329 96 125 16530 2285 INCLUDES M1077A1 FLATRACK - TOWBAR EXTENDED 309 96 125 16530 2146 INCLUDES M1077A1 FLATRACK - TOWBAR RETRACTED 304 96 60 13340 1014 EMPTY TRAILER - TOWBAR RETRACTED 304 96 147 49520 2483 W/ 8 FT HIGH ISO CONTAINER / M7 FWD REPAIR SYS	33000 124 798 124 798	CC (DETAIL INDEX 01) CC (DETAIL INDEX 02) CCC (DETAIL INDEX 13) (FRS) (DETAIL INDEX 15) CCC (DETAIL INDEX 15) CC (DETAIL INDEX 18) CC (DETAIL INDEX 33) CC (DETAIL INDEX 34) XCX (DETAIL INDEX 37)	
V 18 PV 33 PV 34 V 37	2330013035197 REMARKS 2330013035197 REMARKS 2330013035197 REMARKS	R R R R	7 7 7 7									D D C B B C C B				M1076 M1076 M1076 M1076 M1076 M1076 M1076 M1076 M1076	LENGTH WITH TOWBAR RETRACTED 309 96 62 16530 1065 BED HEIGHT OF M1077A1 NESTED - TOWBAR RETRACTED 324 96 52 12910 936 W/O M1077A1 FLATRACK - TOWBAR EXTENDED 304 96 52 12910 879 W/O M1077A1 FLATRACK - TOWBAR RETRACTED 324 96 60 13340 1080 EMPTY TRAILER - TOWBAR EXTENDED	62 798 52 798 52 798 58 798		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	V E H I C L E	T Y P E	T R A C	S H I P	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	WIDTH (INCHES)	DEPTH (INCHES)	CGO VEH	LD LIMITS	WEIGHT	HGT CUBE	TOE LIN	INDEX NO	CGO LOAD IND		
T96496				TRUCK CARGO TAC W/LHS																	
V 57	2320014711326	R 4	4	M1120	9B	4	REMARKS														
V 67	2320014711326	R 4	4	M1120	9B	4	REMARKS														
V 69	2320014711326	R 4	4	M1120	9	4	REMARKS														
V 71	2320014711326	R 4	4	M1120	9	4	REMARKS														
V 73	2320014711326	R 4	4	M1120	9	4	REMARKS														
V 18	2320014928221	R 4	4	M1120A2	B	4	REMARKS														
V 19	2320014928221	R 4	4	M1120A2	B	4	REMARKS														
V 24	2320014928221	R 4	4	M1120A2	C	4	REMARKS														
V 25	2320014928221	R 4	4	M1120A2	C	4	REMARKS														
V 59	2320014928221	R 4	4	M1120A2	C	4	REMARKS														
V 61	2320014928221	R 4	4	M1120A2	9B	4	REMARKS														
V 75	2320014928221	R 4	4	M1120A2	9B	4	REMARKS														
V 77	2320014928221	R 4	4	M1120A2	9	4	REMARKS														
V 79	2320014928221	R 4	4	M1120A2	9	4	REMARKS														
V 81	2320014928221	R 4	4	M1120A2	9B	4	REMARKS														
PV 21	2320014928230	R 4	4	M1120A2R1	B	4	REMARKS														
PV 22	2320014928230	R 4	4	M1120A2R1	B	4	REMARKS														
V 26	2320014928230	R 4	4	M1120A2R1	C	4	REMARKS														

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	WGT	CTN	CTN	IND	
U60216 PV 07	5420000715273	A	SUPPL SET BRIDGE	H	1	159	72	63	4720	418		(01)						
U76871 V 13	3825002309690	N 9	PLASTC LAND MATS	D		215	100	54	2140	672								
V 09	3825010227329	N 9	SWEEPER ROTARY TOWED 100-8-130T	D		208	109	54	1750	709								
PV 16	3825013142926	N 9	ES-100K	D		215	100	54	2140	672								
U84291			M874	D														
PV 01	1520014716743	N H	MEDEVAC HELICOPTER	8		778	644	202	22000	58570								
PV 02	1520014716743	N K	HH-60L	S		627	129	162	19200	7583								
V 03	1520014716743	A	HH-60L	I	2	97	45	34	268	86								
V 04	1520014716743	A	ESSS	I	1	172	47	7	123	33								
V 05	1520014716743	A	STABILATOR	I	2	280	28	36	150	164								
V 07	1520014716743	N K	EXT FUEL TANKS	I														
V 08	1520014716743	B	EXT FUEL TANKS	BA		627	129	162	19200	7583								
V 09	1520014716743	B	HH-60L	I	2	97	45	34	268	86								
V 10	1520014716743	B	ESSS	I	1	172	47	7	123	33								
V 12	1520014716743	N K	STABILATOR	I	2	280	28	36	150	164								
V 13	1520014716743	N K	EXT FUEL TANKS	I														
V 14	1520014716743	N K	EXT FUEL TANKS	I		644	266	202	18520	20026								
U84541			HH-60L	9B		644	172	156	16850	10000								
PV 01	1520014599468	N H	HH-60L	9		627	129	162	16287	7583								
PV 02	1520014599468	N K	HELICOPTER UTILITY	8		778	644	202	22000	58570								
V 03	1520014599468	A	UH-60Q	S		627	129	162	19200	7583								
V 04	1520014599468	A	UH-60Q	I	2	97	54	34	268	103								
V 05	1520014599468	A	ESSS	I	1	172	47	7	123	33								
			STABILATOR	I	2	280	28	36	150	164								
			EXT FUEL TANKS	I														
			EXT FUEL TANKS	I														
U94710			TABLE INSP PRCHT	L														
PV 01	1670000867291	U	8FT L 36IN W	J		100	37	13	343	28								
V 02	1670000867291	U	8FT L 36IN W	J		104	41	19	443	47								

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	LOGISTICS	SHIP	NO PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT	TOE LIN	INDEX NO	CGO LOAD IND	
V00426 V 01	1915011538801 REMARKS	N G	LOGISTICS SPRT VESSEL NONE	D	S H I P	3276	TM 55-1915-200-10 720 1044 9405760 1425060	3276	720 1044	999999	1050	115CC	37 11	8144	FT FT 3 L	
PV 03	1915014950036	N G	NONE	D	D	3768	720 1116 4480000 1752120	3768	720 1116			0 03	077	5	SN	
V05001 PV 01	2355015815174 REMARKS	R 4	VEH MTD MINE DET SYS HUSKY VMMD	D	D	292	TM 9-2355-316-10 100 115 18078 1944	292	100 115	XX						
V 04	2355015815174 REMARKS	R 7	HUSKY VMMD	D	D	291	VMMD SYS IS (2) HUSKIES, V05001 AND (1) MDT, T05003 REPAIR PARTS/ TOOLS ARE IN THE RED PACK AND BLUE PACK	291	100 99 14500 1668	XCX						
V 05	2355015815174	R 7	FIRST MDT TRL	D	D	178	99 72 18350 735	178	99 72	XCX						
V 06	2355015815174	R 7	SECOND MDT TRL	D	D	178	99 72 17400 735	178	99 72	XCX						
V 07	2355015815174	R 7	THIRD MDT TRL	D	D	149	65 72 13500 404	149	65 72	XCX						
V 08	2355015815174 REMARKS	R 7	BLUE PACK TRL	D	D	291	100 99 14500 1668	291	100 99	XCX						
V 10	2355015815174 REMARKS	U U	BLUE PACK TRL 20' MILVAN	D I	D I	239	96 96 15730 1275	239	96 96	XCX						
V12141 37	4930000701181	U	TANK&PUMP UNIT LIQUID 1800	E	E	68	40 74 735 117	68	40 74	CCCX	(37)	XXXX	Y	Y	Y	J3BA
V 38	4930000701181	U	PUMP	N	N	73	56 56 495 133	73	56 56	CCCC	(37)	XXXX	Y	Y	Y	J3BA
V 39	4930000701181	U	TANK	N	N											
01	4930000784938	U	BOW 36W50	E	E	73	60 52 1658 332	73	60 52	CCCC	(01)	CCCC	Y	Y	Y	J3BA
V 02	4930000784938	U	TANK	N	N	63	38 49 664 68	63	38 49	CCCC	(01)	CCCC	Y	Y	Y	J3BA
V 03	4930000784938	U	PUMP	N	N											
04	4930000784939	U	MD 2938	E	E	73	63 58 1695 384	73	63 58	CCCC	(04)	CCCC	Y	Y	Y	J3BA
V 05	4930000784939	U	TANK	N	N	68	38 50 725 75	68	38 50	CCCC	(04)	CCCC	Y	Y	Y	J3BA
V 06	4930000784939	U	PUMP	N	N	265	96 110 14875 1620	265	96 110	CC						
V 40	4930000784939 REMARKS	R 3	MD 2938	0	0	279	96 110 15265 1705	279	96 110	CC						
V 42	4930000784939 REMARKS	R 3	MD 2938	0	0											

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	UNIT	NO	PCS	REMARKS	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND	INDX	
V12141	4930009263692	U	TANK&PUMP UNIT LIQUID	PUMP	N	1	TM 5-4930-230-13	68	33	53	660	69	CCCC	CCCC	Y Y Y J3BA	
V 21	4930009263692	U	PUMP		E	2	ORR BL100	78	67	64	2350	480	CCCC	CCCC	Y Y Y J3BA	
V 23	4930009263692	U	TANK		H	1		71	39	58	930	93	CCCC	CCCC	Y Y Y J3BA	
V 24	4930009263692	U	PUMP		H	1							CCCC	CCCC	Y Y Y J3BA	
10	4930009878576	U	ENG 2519		E	2		73	66	57	1668	380	CCCC	CCCC	Y Y Y J3BA	
V 11	4930009878576	U	TANK		N	1		63	33	51	479	159	CCCC	CCCC	Y Y Y J3BA	
V 12	4930009878576	U	PUMP		N	1					710	62	CCCC	CCCC	Y Y Y J3BA	
B7	4930012740021	U	126ETP		E	1		72	27	44	1870	232	CCCC	CCCC	Y Y Y J3BA	
PV B8	4930012740021	U	PUMPING UNIT		I	2		56	72	39	500	91	CCCC	CCCC	Y Y Y J3BA	
PV B9	4930012740021	U	TANK		I	2		274	119	110	25333	2076	XX	XX	N N N R1DC	
V C5	4930012740021	R	126ETP		B	4	MTD ON MI083 CARGO TRUCK						XX	XX	(DETAIL INDEX C5)	
V C6	4930012740021	R	126ETP		C	4	MTD ON MI083 CARGO TRUCK						XX	XX	(DETAIL INDEX C6)	
V12552	5430006418552	U	TANK ASSY FAB COLPS		M	27	TM 5-5430-210-12	130	21	17	415	27	CCCC	CCCC	Y Y N J2BA	
PV 01	5430006418552	U	10000 GAL		M	27	IN CARRYING BAG	178	108	21	995	234	CX	X	(DETAIL INDEX 01)	
03	5430006418552	U	10000 GAL		V	234	2-PL TRAIN;F/AALPS PLANNING PURPOSES ONLY									(DETAIL INDEX 03)
V15018	5430003554486	U	TANK FAB COLPS WATER		J	46	NONE	74	48	22	613	46	CCCC	CCCC	Y Y Y J3BA	
PV 01	5430003554486	U	3000 GAL		V	143	F/AALPS PLANNING PURPOSES ONLY	88	108	26	903	143	CCCC	XX	N N Y J3DA	
03	5430003554486	U	3000 GAL		V	143	F/AALPS PLANNING PURPOSES ONLY									(DETAIL INDEX 03)
V15086	5430014338528	U	TANK FAB COLPS PETRL		J	21	TM 5-5430-210-12	74	32	15	300	21	CCCC	CCCC	Y Y Y J3BA	
PV 05	5430014338528	U	WTM3KF		J	21										(DETAIL INDEX 03)
V15325	5430001828181	U	TANK FAB COLPS PETRL		J	101	TM 5-5430-210-12	144	39	31	1410	101	CCCC	CCC	Y Y N J2BA	
PV 01	5430001828181	U	50000 GAL		J	101										(DETAIL INDEX 03)
V15566	5430005852529	U	TANK LIQ STOR METAL		N	152	NONE	74	61	58	497	152	CCCC	CCCC	Y Y Y J3BA	
PV 01	5430005852529	U	600 GAL		N	152										(DETAIL INDEX 03)

UNCLASSIFIED

UNCLASSIFIED
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

LEGEND VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C M L P E T	TK UNIT LIQ TLR MTD	S H I P C O N F	NO PCS	DIMENSIONS (INCHES) <---> LENGTH WIDTH HEIGHT <---> (REMARKS) <--->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
V19950								
V 01	4930007529983	U	NONE	I	73 61 56 410 145	NONE	CCCC	CCCC Y Y Y J3BA
V 02	4930007529983	R 6	NONE	0	166 83 93 3080 742		XCX	X N N N R2DA (DETAIL INDEX 02)
04	4930007529983	R 7	NONE	0	MTD ON M105A1		XCX	N N N R2DA (DETAIL INDEX 04)
10	4930007529983	V 7	NONE	0	213 94 101 5540 1171		C	N N N J2DA (DETAIL INDEX 10)
14	4930007529983	V 6	NONE	4	162 108 90 7800 912		CX	N N N R2DB (DETAIL INDEX 14)
22	4930007529983	R 6	NONE	0	265 96 103 12990 1517	RIGGED F/AIRDROP; F/AALPS PLANNING PURPOSES ONLY	XX	N N N R1DC (DETAIL INDEX 22)
PV 33	4930013706079	R 7	13226E2146	D	234 98 76 6010 1009	MTD ON M35	XCX	X N N N R2DA (DETAIL INDEX 33)
V48441								
01	8340009516419	U	NONE	E	TM 10-8340-207-14			
PV 02	8340009516419	A U	FRAME SECTIONS	J	133 29 26 605 59		CCCC	CCCC Y Y N J2BA
PV 03	8340009516419	A U	FRAME SECTIONS	J	188 21 21 615 48		CCCC	CCC Y Y N J2BA
PV 04	8340009516419	A U	FRAME SECTIONS	J	134 12 25 274 24		CCCC	CCCC Y Y N J2BA
PV 05	8340009516419	A U	GROUND ANCHOR	J	38 14 8 95 3		CCCC	CCCC Y Y Y J3BA
V48989								
PV 13	8340004823963	U	TENT GENERAL PURPOSE MED COMPLETE	J	94 40 28 730 61	TM 10-8340-211-13	CCCC	CCCC Y Y Y J3BA
V 01	8340005437788	U	MEDIUM	E	644 31		CCCC	CCCC Y Y Y J3BA
V 02	8340005437788	A U	TENT	L	35 30 25 275 16		CCCC	CCCC Y Y Y J3BA
V 03	8340005437788	A U	LINER	L	37 37 6 95 5		CCCC	CCCC Y Y Y J3BA
V 04	8340005437788	A U	RIDGE POLE	I	109 3 4 18 1		CCCC	CCCC Y Y N J2BA
V 05	8340005437788	A U	TENT POLE	I	78 3 3 4 1		CCCC	CCCC Y Y Y J3BA
V 06	8340005437788	A U	TENT POLE	I	72 3 3 5 1		CCCC	CCCC Y Y Y J3BA
V 07	8340005437788	A U	TENT PINS	I	16 2 1 1 1		CCCC	CCCC Y Y Y J3BA
V 08	8340005437788	A U	TENT PINS	I	24 2 1 1 1		CCCC	CCCC Y Y Y J3BA
V 09	8340005437788	A U	ALUMINUM PINS	I	9 3 1 1 1		CCCC	CCCC Y Y Y J3BA
V 10	8340005437788	A U	STEEL PINS	I	13 2 1 1 1		CCCC	CCCC Y Y Y J3BA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CHARACTERISTICS	DETAIL INDEX
V48989	8340005437788	U	TENT GENERAL PURPOSE	I	1	84	3	(01)	CCCC	CCCC
V 11	8340005437788	U	TENT POLE LONG	I	1	72	3	(01)	CCCC	CCCC
V 12	8340005437788	U	TENT POLE SHORT	I	1	72	3		CCCC	CCCC
V99843	4910014171870	U	TENT POLE SHORT	I	1	72	3		CCCC	CCCC
PV 03	4910014171870	U	TENT POLE SHORT	I	1	72	3		CCCC	CCCC
V 04	4910014171870	U	TENT POLE SHORT	I	1	72	3		CCCC	CCCC
W03030	4910008177431	U	TEST STAND AUTOMOTIVE	J	1	NONE	NONE		CCCC	XXXX
V 01	4910008177431	U	TEST STAND AUTOMOTIVE	J	1	49	37		CCCC	XXXX
PV 13	4910014654537	U	TEST STAND AUTOMOTIVE	J	1	49	37		CCCC	XXXX
W05001	5865015813996	U	WARNING RECEIVER SYS	I	1	32	68		XCXC	XXXX
PV 01	5865015813996	U	WARNING RECEIVER SYS	I	1	32	68		XCXC	XXXX
W30051	4610014950046	U	WATER PURIFIER LTWT	I	1	78	96	12400	XCXX	XX
PV 01	4610014950046	U	WATER PURIFIER LTWT	I	1	78	96	12400	XCXX	XX
W32650	6545015024992	U	WASTE WTR MGMT SET	M	1	40	96		CCCX	XX
PV 01	6545015024992	U	WASTE WTR MGMT SET	M	1	40	96		CCCX	XX
W32730	4910007540650	U	SHOP EQUIP AUTMV L/P	M	1	167	87		CCC	CCC
PV 01	4910007540650	U	SHOP EQUIP AUTMV L/P	M	1	167	87		CCC	CCC
V 03	4910007540650	R	COMMON NO 2	M	1	265	96		XX	XX
V 05	4910007540650	R	COMMON NO 2	M	1	265	96		XX	XX
V 07	4910007540650	R	COMMON NO 2	M	1	265	96		XX	XX
V 09	4910007540650	R	COMMON NO 2	M	1	265	96		XX	XX
W33068	6545014349624	U	WASTE WATER MGMT SET	M	1	240	96		CCC	CCC
PV 01	6545014349624	U	WASTE WATER MGMT SET	M	1	240	96		CCC	CCC

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	PCS	NO	LENGTH	WIDTH	HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
V 17	4610011141450 A	U	WTR STORAGE/DIST SET	1	96	78	96	6100	416		CCC	XX N N Y J3DA
V 18	4610011141450 A	U	MULTIPLE ITEMS	1	96	78	96	6060	416		CCC	XX N N Y J3DA
V 19	4610011141450 A	U	MULTIPLE ITEMS	1	96	78	96	6000	416		CCC	XX N N Y J3DA
V 20	4610011141450 A	U	MULTIPLE ITEMS	1	96	78	96	6080	416		CCC	XX N N Y J3DA
V 21	4610011141450 A	U	MULTIPLE ITEMS	1	96	78	96	6040	416		CCC	XX N N Y J3DA
V 22	4610011141450 A	U	MULTIPLE ITEMS	1	96	78	96	5940	416		CCC	XX N N Y J3DA
V 23	4610011141450 A	U	MULTIPLE ITEMS	1	96	78	96	6240	416		CCC	XX N N Y J3DA
V 24	4610011141450 A	U	MULTIPLE ITEMS	1	96	78	96	4340	416		CCC	XX N N Y J3DA
02	4610013601581	U	WSDS810					123100	8736		CCC	XX N N Y J3DA
V 25	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	5600	416		CCC	XX N N Y J3DA
V 26	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	5540	416		CCC	XX N N Y J3DA
V 27	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	5760	416		CCC	XX N N Y J3DA
V 28	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6040	416		CCC	XX N N Y J3DA
V 29	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6120	416		CCC	XX N N Y J3DA
V 30	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6100	416		CCC	XX N N Y J3DA
V 31	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6120	416		CCC	XX N N Y J3DA
V 32	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	7020	416		CCC	XX N N Y J3DA
V 33	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	5960	416		CCC	XX N N Y J3DA
V 34	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6280	416		CCC	XX N N Y J3DA
V 35	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	4420	416		CCC	XX N N Y J3DA
V 36	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	5540	416		CCC	XX N N Y J3DA
V 37	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	5800	416		CCC	XX N N Y J3DA
V 38	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6100	416		CCC	XX N N Y J3DA
V 39	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6060	416		CCC	XX N N Y J3DA
V 40	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6000	416		CCC	XX N N Y J3DA
V 41	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6080	416		CCC	XX N N Y J3DA
V 42	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6040	416		CCC	XX N N Y J3DA
V 43	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	5940	416		CCC	XX N N Y J3DA
V 44	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	6240	416		CCC	XX N N Y J3DA
V 45	4610013601581 B	U	MULTIPLE ITEMS	1	96	78	96	4340	416		CCC	XX N N Y J3DA
03	4610013823547	U	800KWSDS					123100	8736		CCC	XX N N Y J3DA
PV 46	4610013823547 C	U	MULTIPLE ITEMS	1	96	78	96	5600	416		CCC	XX N N Y J3DA
PV 47	4610013823547 C	U	MULTIPLE ITEMS	1	96	78	96	5540	416		CCC	XX N N Y J3DA
PV 48	4610013823547 C	U	MULTIPLE ITEMS	1	96	78	96	5760	416		CCC	XX N N Y J3DA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT
 UNCLASSIFIED

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C L P E T	S H I P C O N F	WTR STORAGE/DIST SET	WTR STORAGE/DIST SET	NO PCS	DIMENSIONS (INCHES) (FOR ONE ITEM) (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND	
W37311										
PV 49	4610013823547	C	U	U	WTR STORAGE/DIST SET	1	96 78 96 6040	CCC	XX	N N Y J3DA
PV 50	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6120	CCC	XX	N N Y J3DA
PV 51	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6100	CCC	XX	N N Y J3DA
PV 52	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6120	CCC	XX	N N Y J3DA
PV 53	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 7020	CCC	XX	N N Y J3DA
PV 54	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 5960	CCC	XX	N N Y J3DA
PV 55	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6280	CCC	XX	N N Y J3DA
PV 56	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 4420	CCC	XX	N N Y J3DA
PV 57	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 5540	CCC	XX	N N Y J3DA
PV 58	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 5800	CCC	XX	N N Y J3DA
PV 59	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6100	CCC	XX	N N Y J3DA
PV 60	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6060	CCC	XX	N N Y J3DA
PV 61	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6000	CCC	XX	N N Y J3DA
PV 62	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6080	CCC	XX	N N Y J3DA
PV 63	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6040	CCC	XX	N N Y J3DA
PV 64	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 5940	CCC	XX	N N Y J3DA
PV 65	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 6240	CCC	XX	N N Y J3DA
PV 66	4610013823547	C	U	U	MULTIPLE ITEMS	1	96 78 96 4340	CCC	XX	N N Y J3DA
W41457										
PV 01	5865014824330	U	U	I	WARNING RCVR SYS AN/AAR-57 (V) 1	1	85 33 71 61 116	XCXX	XXXX	Y Y Y J3BA
W41707										
PV 01	1945012184669	N	G	B	WARPING TUG	1	1120 331 440 186300 94397			N N N C0DP
PV 02	1945012184669	N	G	C	REMARKS	1	1120 331 156 186300 33468			(DETAIL INDEX 01)
W41775										
01	1925014732285	U	U	E	WARPING TUG	1	NONE			
V 02	1925014732285	A	U	M	WT1	1	240 96 102 24300 1360	XCX		N N N J2DC
V 03	1925014732285	A	U	M	BASIC ISSUE ITMS	1	240 96 102 18000 1360	XCX		N N N J2DB
V 04	1925014732285	A	U	M	WP TUG DK CVS KT	1	240 96 102 23000 1360	XCX		N N N J2DC
V 05	1925014732285	A	U	H	FENDER CONTAINER	1	56 99 113 5680 363	CX	X	N N N J1DA
V 06	1925014732285	A	U	H	PILOT HOUSE	1	156 89 66 14800 531	CCC	XXX	N N N J2DB
V 07	1925014732285	A	U	Y	WINCH	2	480 96 114 50000 3040	CCC		N N N J1DK

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	PCS	NO	REMARKS	CGO VEH	CGO LOAD	IND
W41775 V 08 V 09	1925014732285 1925014732285	U U	WARPING TUG END RAKE ISOPAK INTERMED ISOPAK	Y Y	2 1			(01) (01)	CX CX	N N N J1DK N N N J1DK
PV 10	1925015028772	N	WT2	D					CCCX	N N N C0DP
W42371 PV 01	6545014914698	U	WDWMS MAINT SET MRI 84 BED	J					CCC	N N N J2DA
W42621 PV 01	6545015024991	U	WDWMS MAINT SET 164-2002	M					CCC	N N N J2DA
W47225 V 01	4610012198707	R	WATER PURIF TLR MTD WTA060	D					CC	N N N R1DC
V 03	4610012198707	R	WTA060 WTA060	D					CC	(DETAIL INDEX 01) N N N R1DC
PV 05	4610013711790	R	ROWPU-1 ROWPU-1	D					CC	N N N R1DC (DETAIL INDEX 05)
W48391 V 04	4940010901231	R	WLD SHOP TLR MTD NONE	D					CCC	N N N R2DA
V 06	4940013416232	R	NONE NONE	D					CCC	N N N R2DA (DETAIL INDEX 06)
PV 08	4940014549877	R	NONE NONE	D					CCC	N N N R2DA (DETAIL INDEX 08)
W48485 PV 01 V 03	5180005961541 5180005961541	U U	TOOL KIT PIPE CUT GR 6,8,10,12-IN 6,8,10,12-IN	I J					CCCC CCCC	Y Y N J2BA Y Y N J2BA
W49603 PV 01	6545014356013	U	WASTE WTR AUGMENT SET NONE	M					CCC	N N N J2DA
W49853			WSTWTR MAINT SET HOSP							

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	UNIT	PCS	NO	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	CGO VEH	LD LIMITS	WEIGHT	HGT CUBE	TOE LIN	IND
W49853 PV 01	6545014914728	U	WSTWTR MAINT SET HOSP NONE	M	1	854		5485	96	160	XXX	CCCK	DDBB	CTN 4	CCCH	
W53055 V 01	6545014356014	U	WTR DIST SET HOSPITAL 248 BED	M	1	1280		8374	96	240	CCC	115CC	CC77	20 40 6		
PV 02	6545015077170	U	B69-1	M	1	1280		8374	96	240	CCC	37 11	8144	FT FT 3		
W53123 PV 01	6545014914732	U	WTR DIST SET HSPTL 84 BED	M	1	1280		6753	96	240	CCC	0 03	077	L		
W53305 PV 01	6545015024969	U	WATER DIST SET 164 BED-2002	M	1	1280		7337	96	240	CCC	5	SN			
W53623 PV 01	6545015072140	U	WATER DIST CNCT SET NONE	I	1	120		665	36	120	CCCC	XXXX	Y	N	J2BA	
W55180 PV 01	5865014929701	U	WARNING REC SYS CTM AN/AAR57(V)5	I	1	342		95	98	123	XCX	X	N	N	J2DA	
W55968 01	4610011141451	U	WTR STORAGE DIST SET 4000 GPD	E	1	2496		31850			CCC	XX	N	N	Y	J3DA
PV 02	4610011141451	U	MULTIPLE ITEMS	M	1	416		5560	96	96	CCC	XX	N	N	Y	J3DA
PV 03	4610011141451	U	MULTIPLE ITEMS	M	1	416		5600	96	96	CCC	XX	N	N	Y	J3DA
PV 04	4610011141451	U	MULTIPLE ITEMS	M	1	416		6360	96	96	CCC	XX	N	N	Y	J3DA
PV 05	4610011141451	U	MULTIPLE ITEMS	M	1	416		4380	96	96	CCC	XX	N	N	Y	J3DA
PV 06	4610011141451	U	MULTIPLE ITEMS	M	1	416		5620	96	96	CCC	XX	N	N	Y	J3DA
PV 07	4610011141451	U	MULTIPLE ITEMS	M	1	416		4330	96	96	CCC	XX	N	N	Y	J3DA
W58486 V 01	5180002899569	R	TOOL OUTFIT PIONEER NONE	D	1	438		2840		146	CCCC	CCCC	Y	Y	N	R2BA
	REMARKS	7	NONE	D	1	75		2840		69						(DETAIL INDEX 01)
PV 09	5180013554344	R	NONE	D	1	759		7600		210	CCC	X	N	N	N	R2DA
	REMARKS	7	NONE	D	1	65		7600		65						(DETAIL INDEX 09)
W59856			TOOL SET AMPH LIGHTER		1											

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	QTY	UNIT	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	DIMENSIONS (IN)	CGO VEH	LD LIMITS	WEIGHT	HGT	CUBE	TOE LIN	IND	
W59856																			
01	4940007328261	U	TOOL SET AMPH LIGHTER DIR&GEN SPT	1	E	1	NONE	4596											
PV 02	4940007328261	U	MULTIPLE ITEMS	1	J	1	110	50	40										
PV 03	4940007328261	U	MULTIPLE ITEMS	1	J	1	54	36	58										
PV 04	4940007328261	U	MULTIPLE ITEMS	1	J	1	38	34	30										
PV 05	4940007328261	U	MULTIPLE ITEMS	1	J	1	25	20	29										
PV 06	4940007328261	U	MULTIPLE ITEMS	1	J	1	31	27	47										
W60206																			
01	4920005670476	U	TOOL SET AVN MAINT UN SET 2 A/M	1	E	1	TM 55-4920-403-20&P	9370											
PV 02	4920005670476	U	QC SECTION	1	M	1	146	86	85										
PV 03	4920005670476	U	PROP&ROT SECTION	1	M	1	146	86	85										
PV 04	4920005670476	U	SHEET METAL SEC	1	M	1	146	86	85										
PV 05	4920005670476	U	MAINT STAND	4	I	4	62	34	56										
PV 06	4920005670476	U	MULT PWR HOOKUP	1	I	1	45	36	45										
PV 07	4920005670476	U	ACFT TOWBAR	1	I	1	146	11	8										
V 08	4920005670476	R	SET 2 A/M	1	I	1	265	96	136										
V 10	4920005670476	R	SET 2 A/M	0	I	0	MTD IN M35A2	16000											
V 12	4920005670476	R	SET 2 A/M	0	I	0	MTD IN M35A2	16000											
V 14	4920005670476	R	SET 2 A/M	0	I	0	MTD IN M35A2	16000											
V 18	4920005670476	R	SET 2 A/M	0	I	0	MTD ON M720 DOLLY; F/AALPS PLANNING PURPOSES ONLY	4250											
V 50	4920005670476	R	SET 2 A/M	0	I	0	MTD ON M720 DOLLY; F/AALPS PLANNING PURPOSES ONLY	4280											
W60952																			
PV 01	4940007706114	U	TOOL SET ELEC XMSN CO RY MAINT	1	I	1	NONE	60	80										
W62187																			
PV 01	5865014929700	U	WARNG RECVR SYS AN/AAR-57 (V) 4	1	I	1	NONE	38	72										
W63281																			
01	4940002198889	U	TOOL SET RY MAINT EQP NONE	1	E	1	NONE	15284											
PV 02	4940002198889	U	MULTIPLE ITEMS	1	J	1	50	50	46										

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	S H I P C O N F	TRAC TOR FTRAC LS DED	TRAC TOR FTRAC LS DED	PCS	NO	W/25% FUEL	TM 5-2410-236-10	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CC CKK DBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
W76285 V 06	2410011267902	N C	B	TRACTOR FTRAC LS DED	TRACTOR FTRAC LS DED			208 111 122 31050			
V 09	2410011267902	N C	B	D5BNS	D5BNS			208 111 87 29630			
V 11	2410011267902	A U	I	D5BNS	D5BNS	1	1	65 74 64 1400			
V 12	2410011267902	A U	J	ROFS	EXHAUST	1	1	10 10 50 20			
V 13	2410011267902	U V	J	EXHAUST	EXHAUST			WITH 25% FUEL			
PV 08	2410012968479	N C	6	D5BNS	D5BNS			240 108 93 31580			
W76336 V 08	2410011399859	N C	D	D5BNS1	D5BNS1			207 111 122 31050			
V 09	2410011399859	N C	B	TRACTOR FTRAC LS DED	TRACTOR FTRAC LS DED			158 96 106 16800			
V 10	2410011399859	N C	C	MDL 550C	MDL 550C			123 74 71 14375			
V 14	2410011399859	A U	X	MDL 550C	MDL 550C	1	1	108 88 38 829			
V 11	2410011399859	A U	I	ROFS & HEATER	TRACTOR BLADE			100 96 32 1870			
V 12	2410011399859	V V	5	TRACTOR BLADE	MDL 550C			192 108 93 18550			
PV 40	2410014120930	N C	5	MDL 550C	MDL 550C			RIGGED F/AIRDROP W/PARACHUTE GHA			
PV 41	2410014120930	N C	5	MDL 550C	MDL 550C			192 108 86 18300			
V 43	2410014120930	N C	5	MDL 550C	MDL 550C			RIGGED F/AIRDROP W/PARACHUTE GHA			
V 44	2410014120930	N C	5	MDL 550C	MDL 550C			180 97 109 18300			
W76473 PV 01	2350008087100	N C	B	JD450G	JD450G			180 97 109 18300			
PV 02	2350008087100	N C	B	JD450G	JD450G			W/ROPS & EXHAUST STACK			
V 13	2350008087100	N C	C	JD450G	JD450G			180 97 81 18300			
V 14	2350008087100	N C	C	JD450G	JD450G			ROPS & EXHAUST STACK REMOVED & STOWED ONBOARD			
W76816								180 97 81 18300			
								180 97 109 18300			
								TM 55-2350-262-14			
								246 126 105 35500			
								243 110 97 35500			
								FUEL CAPACITY 134 GAL			
								243 110 97 35500			
								243 110 105 35500			
								TM 55-2410-237-14			

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C L P E T	S H I P C O N F	TRAC TOR FTRAC LS DED	DESCRIPTION	PCS	NO	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	
V 01	2410000786483	N C	B	TRACTOR FTRAC LS DED	HO-16M	1	1		CC	CC	CC	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
V 02	2410000786483	N C	B	TRACTOR FTRAC LS DED	HO-16M	1	1		CC	CC	CC	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
V 03	2410000786483	N C	B	TRACTOR FTRAC LS DED	HO-16M	1	1		CC	CC	CC	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
V 04	2410000786483	N C	B	TRACTOR FTRAC LS DED	HO-16M	1	1		CC	CC	CC	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
V 05	2410000786483	N C	B	TRACTOR FTRAC LS DED	HO-16M	1	1		CC	CC	CC	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
V 06	2410000786483	N C	B	TRACTOR FTRAC LS DED	HO-16M	1	1		CC	CC	CC	CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
V 08	2410001777284	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 09	2410001777284	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 10	2410001777284	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 11	2410001777284	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 12	2410001777284	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 13	2410001777284	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 17	2410001859792	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 18	2410001859792	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 19	2410001859792	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 20	2410001859792	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 21	2410001859792	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 22	2410001859792	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 15	2410003006664	N C	D	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 24	2410007821130	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 25	2410007821130	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 26	2410007821130	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 27	2410007821130	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 28	2410007821130	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 29	2410010509628	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)
V 30	2410010509628	N C	B	TRACTOR FTRAC LS DED	DOZER BLADE	1	1		CCCC	CCCC	CCCC	CCCC CCCC CCCC CCCC (COMPONENT INDEX 06)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	STATUS	PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	WIDTH (IN)	DEPTH (IN)	CGO VEH	LD LIMITS	WEIGHT	HGT CUBE	TOE LIN	IND	
V 31	2410010509628	A	TRACTOR FTRAC LS DED	I	1	TM 55-2410-237-14	85	78	65	1340	250	CCCC	CCCC	Y	Y	Y	J3BA
V 32	2410010509628	A	DOZER	I	1		133	40	45	7010	139	CCCC	CCCC	Y	Y	N	J2BA
V 33	2410010509628	A	DZR ARM&TILT CYL	I	1		126	27	11	1060	22	CCCC	CCCC	Y	Y	N	J2BA
V 34	2410010509628	A	DZR ARM TILT BRC	I	1		126	11	13	745	11	CCCC	CCCC	Y	Y	N	J2BA
V 35	2410012237261	N	D7G WVN	B		225	144	132		49640	2475	CC	CC	N	N	N	A1DC
V 37	2410012237261	N	D7G WVN	B		173	104	94		37256	979	CCC	CCC	X	N	N	A2DC
V 38	2410012237261	A	DOZER BLADE	I	1		144	26	54	3582	117	CCCC	XXXX	Y	Y	N	J2BA
V 39	2410012237261	A	LT ARM&TILT CYL	I	1		130	67	16	1224	81	CCCC	XXXX	Y	Y	N	J2BA
V 40	2410012237261	A	RT ARM&TILT CYL	I	1		128	68	25	1460	126	CCCC	XXXX	Y	Y	N	J2BA
V 41	2410012237261	A	TRUNNIONS	I	2		12	7	8	52	1	CCCC	CCCC	Y	Y	Y	J3BA
V 42	2410012237261	A	ROPS	I	1		72	83	78	1740	270	CCCX	XXXX	Y	Y	Y	J3BA
V 43	2410012237261	A	WINCH	I	1		39	45	44	3600	45	CCCC	CCCC	Y	Y	Y	J3BA
V 44	2410012237261	A	MULTIPLE ITEMS	J	1		25	22	47	27	15	CCCC	CCCC	Y	Y	Y	J3BA
V 65	2410012532117	N	D7G WNTZRZD	D		220	144	132		47311	2420	XX	CC	N	N	N	A1DC
PV 66	2410014230931	N	D7H	B		276	154	138		62666	3395	CC	CC	N	N	N	A1DD
PV 67	2410014230931	N	D7H	C		186	113	99		44695	1205	CC	CC	N	N	N	A1DC
V 68	2410014230931	A	CAB & ROPS	I	1		77	67	74	1785	221	CCCC	XXXX	Y	Y	Y	J3BA
V 69	2410014230931	A	BLADE	I	1		146	154	54	7465	703	CC	CC	N	N	N	J1DA
V 70	2410014230931	A	RIPPER	I	1		90	87	85	7865	386	CCCC	XXXX	N	N	N	J2DA
V 78	2410015386780	N	D7G W/ARMOR	D		298	133	125		51679	2867	XX	CC	N	N	N	A1DC
W83529	2410000786484	N	TRACTOR FTRAC LS DED	B		TM 55-2410-237-14	243	135	122	52365	2316	CC	CC	N	N	N	A1DC
V 01	2410000786484	N	HD16M	C			216	122	94	43565	1434	CC	CC	N	N	N	A1DC
V 02	2410000786484	N	HD16M	B			135	30	51	7000	120	CCCC	CCCC	Y	Y	N	J2BA
V 03	2410000786484	A	DOZER BLADE	I	1		129	26	13	1000	26	CCCC	CCCC	Y	Y	N	J2BA
V 04	2410000786484	A	DZR ARM&TILT CYL	I	1		129	13	13	800	13	CCCC	CCCC	Y	Y	N	J2BA
V 05	2410000786484	A	DZR ARM&TILT BRC	I	1		129	13	13	800	13	CCCC	CCCC	Y	Y	N	J2BA
		U	DZR ARM&TILT BRC	I		FUEL CAPACITY 100 GAL DIESEL											(COMPONENT INDEX 05)
		U	DZR ARM&TILT BRC	I		NSN DELETED SB 700-20											(COMPONENT INDEX 05)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	S	DESCRIPTION	NO PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
V 12	2410001777283	N C	B	TRACTOR FTRAC LS DED			298	2867	CC	<C=AF CERTIFIED>
V 13	2410001777283	N C	C	D7F DV29		TM 55-2410-237-14	133 125	51679	CCC	<X=JCS CRITERIA>
V 14	2410001777283	N C	I	D7F DV29	1		112 94	38714	CCCC	<AMC> <CRAF>
V 15	2410001777283	A U	I	BLADE W/SCARIF	1		58 39	4610	CCCC	CCCK DDBB CTN CTN 4 CCCH
V 16	2410001777283	A U	I	DOZER ARM	2		13 11	665	CCCC	115CC CC77 20 40 6
V 17	2410001777283	A U	I	RIPPER	1		86 58	6640	CCCC	37 11 8144 FT FT 3
V 18	2410001859794	N C	J	BILL ITEMS	1		64 21	1050	CCCC	0 03 077 L
V 19	2410001859794	N C	B	D7F W/ROPS			297 134	55499	CC	5 SN
V 20	2410001859794	N C	C	D7F W/ROPS	2		105 94	41599	CCC	
V 21	2410001859794	A U	I	DOZER ARM	1		12 13	625	CCCC	
V 22	2410001859794	A U	I	RIPPER	1		96 87	6630	CCCC	
V 23	2410001859794	A U	I	BLADE	1		40 56	3605	CCCC	
V 24	2410001859794	A U	I	ROPS	1		85 78	1340	CCCC	
V 06	2410009263697	N C	B	MULTIPLE ITEMS	1		64 21	1075	CCCC	
V 07	2410009263697	N C	C	D7E			288 133	121	CC	
V 08	2410009263697	N C	C	D7E			158 113	90	CCC	
V 09	2410009263697	A U	I	BLADE W/SCARIF	1		133 59	39	CCCC	
V 10	2410009263697	A U	I	DZR ARM&TILT CYL	1		127 11	27	CCCC	
V 11	2410009263697	A U	I	DZR ARM&TILT BRC	1		127 11	13	CCCC	
V 32	2410010509629	N C	B	RIPPER		NSN DELETED SB 700-20	86 84	57	CCCC	
V 33	2410010509629	N C	C	RIPPER			288 133	121	CC	
V 34	2410010509629	N C	C	D7E RIP ROPS			158 113	90	CC	
V 35	2410010509629	A U	I	BLADE W/SCARIF	1		133 59	39	CCCC	
V 36	2410010509629	A U	I	DZR ARM&TILT CYL	1		127 11	13	CCCC	
V 37	2410010509629	A U	I	DZR ARM&TILT BRC	1		127 11	27	CCCC	
V 38	2410010509629	A U	I	RIPPER	1		86 84	57	CCCC	
V 39	2410012230350	N C	B	ROPS		NSN DELETED SB 700-20	85 78	65	CCCC	
V 42	2410012230350	N C	C	D7G RIP ROPS			271 144	132	CC	
V 43	2410012230350	N C	C	D7G RIP ROPS	1		174 104	94	CCC	
V 44	2410012230350	A U	I	DOZER BLADE	1		144 26	54	CCCC	
V 44	2410012230350	A U	I	LT ARM&TILT CYL	1		130 67	16	CCCC	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (INCHES) (FOR ONE ITEM)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CCCKK DDBB CTN CTN 4 6	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> <CGO LOAD IND>
W83529												
V 45	2410012230350	TRACTOR FTRAC LS DED	U	I		1	TM 55-2410-237-14	1460	126	(42)	CCCC	CCCC Y Y N J2BA
V 46	2410012230350	RT ARM&TILT CYL	U	I		2	68 25	52	1	(42)	CCCC	CCCC Y Y Y J3BA
V 47	2410012230350	TRUNNION	U	I		1	7 8	1740	270	(42)	CCCC	CCCC Y Y Y J3BA
V 48	2410012230350	ROPS	U	J		1	72 83 78	27	15	(42)	CCCC	CCCC Y Y Y J3BA
V 49	2410012230350	MULTIPLE ITEMS	U	I		1	25 22 47	4540	148	(42)	CCCC	CCCC N N N J2DA
V 50	2410012230350	RIP CARR BM ASMB	U	I		1	75 87 39	356	3	(42)	CCCC	CCCC Y Y Y J3BA
		RIPPER SHANK	U	I		3	57 19 4				CCCC	CCCC Y Y Y J3BA
		REMARKS	U	I			FUEL CAPACITY 115 GAL DIESEL					(COMPONENT INDEX 50)
V 61	2410012532118	D7G W/RIPPER	N	D			273 144 132	50100	3003		XX	N N N A1DC
V 56	2410014230930	D7H WMN	N	B			232 154 138	58921	2854		CC	N N N A1DC
V 57	2410014230930	D7H WMN	N	C			186 113 99	44695	1205		CC	N N N A1DC
V 58	2410014230930	CAB & ROPS	U	I		1	77 67 74	1785	221	(57)	CCCC	XXXX Y Y Y J3BA
V 59	2410014230930	BLADE	U	I		1	146 145 60	7465	736	(57)	CC	N N N J1DA
V 60	2410014230930	WINCH	U	I		1	49 41 45	4120	53	(57)	CCCC	CCCC Y Y Y J3BA
PV 51	2410014514048	D7R	N	B			272 145 140	61000	3196		CC	N N N A1DD
PV 52	2410014514048	D7R	N	C			186 113 99	43947	1205		CC	N N N A1DC
V 53	2410014514048	CAB & ROPS	U	I		1	77 67 74	1785	221	(52)	CCCC	XXXX Y Y Y J3BA
V 54	2410014514048	BLADE	U	I		1	146 145 60	7923	736	(52)	CC	N N N J1DA
V 55	2410014514048	RIPPER	U	I		1	90 87 85	7345	386	(52)	CCCC	XXX N N N J2DA
V 62	2410015387793	D7G AOA	N	D			298 133 125	51679	2867		XX	N N N A1DC
W88575												
PV 01	2410005747597	TRACTOR FTRAC LS DED	N	D			TM 5-2410-234-14&P-1	77260	3832		X	N N N A1DD
02	2410005747597	D8K-8A-58	U	E			268 183 135	13900	830			
PV 03	2410005747597	C-FRAME RH	U	I		1	170 48 20	2130	95	(02)	CCCC	CCC Y Y N J2BA
PV 04	2410005747597	C-FRAME LH	U	I		1	178 64 20	2520	132	(02)	CCCC	CCC Y Y N J2BA
PV 05	2410005747597	BLADE	U	I		1	183 51 68	5300	368	(02)	CCCC	CCC Y Y N J2BA
PV 06	2410005747597	ROPS	U	I		1	75 74 64	1830	206	(02)	CCCC	CCC Y Y Y J3BA
PV 07	2410005747597	MULTIPLE ITEMS	U	J		1	80 37 18	2120	31	(02)	CCCC	CCCC Y Y Y J3BA
		REMARKS	U	J			FUEL CAPACITY 175 GAL DIESEL					(COMPONENT INDEX 07)
		REMARKS	U	J			LIN DELETED FROM TOE					(COMPONENT INDEX 07)
W88699							TM 5-2410-234-14&P-1					

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	CGO VEH	LD LIMITS	WEIGHT	HGT	CUBE	TOE LIN	INDX	NO	
W88699			TRACTOR FTRAC LS DED													
PV 01	2410005747598	N C	D8K-8S-8	B			TM 5-2410-234-14&P-1									
PV 02	2410005747598	N C	D8K-8S-8	C			321 156 135 86422									
V 03	2410005747598	A		I	1		201 119 106 60830									
V 04	2410005747598	A	ARM GROUP LH	I	1		75 74 64 1830	(02)								
V 05	2410005747598	A	ARM GROUP RH	I	1		156 75 20 1760	(02)								
V 06	2410005747598	A	DOZER ARM	I	2		156 74 37 2700	(02)								
V 07	2410005747598	A	RIPPER	I	1		103 81 34 5390	(02)								
V 08	2410005747598	A	CYLINDER	I	1		72 52 22 3470	(02)								
V 09	2410005747598	A	DOZER BLADE	I	1		156 68 32 5640	(02)								
V 10	2410005747598	A	MULTIPLE ITEMS	J	1		88 21 18 1422	(02)								
			MULTIPLE ITEMS	J			FUEL CAPACITY 175 GAL DIESEL									
W88803			TRACTOR WHL ACFT TOW													
PV 01	1740001341053	N 5	MB 690-1B1	D			TM 55-1740-200-14									
			REMARKS	D			170 78 100 10454									
W89557			TRACTOR WHL WHS GED													
V 01	3930000383166	N 5	J-217-F	D			TM 10-3930-603-12									
V 21	3930001813217	N 5	G/PC	D			111 67 61 5840									
			REMARKS	D			107 66 56 4850									
V 22	3930002656864	N 5	A-452-54	D			FUEL CAPACITY 13 GAL GAS									
V 02	3930003476173	N 5	CTA 40	D			110 65 57 4900									
			REMARKS	D			113 59 64 5720									
V 13	3930007248146	N 5	G-40	B			FUEL CAPACITY 13 GAL GAS									
V 14	3930007248146	N 5	G-40	C			110 66 59 4890									
V 15	3930009261066	N 5	JG-40PT	D			99 66 59 4890									
V 17	3930009534890	N 5	2-TON	D			115 66 57 5120									
V 23	3930010478722	N 5	JG40	D			98 67 59 5520									

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	S H I P C O N F	TRACTOR WHL WHS GED	TRACTOR WHL IND DED	WRN REC SYS COUNTERM AN/AAR-57-V8	TLR ACFT MAINT AIRMBL	TLR AMMO 1-1/2-TON	REMARKS	PCS	NO	LENGTH WIDTH HEIGHT (INCHES)	WEIGHT (LB)	WHL (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	XCXC CCCX CC CC CCX CCX	XXXX XXX	Y Y N	Y Y N	IND	IND
W89557 V 24 PV 32	3930010752812 3930013822567	N 5 N 5	D D	TRACTOR WHL WHS GED SM340 M487						TM 10-3930-603-12	99 107	59 49	59 84	5250 6000	200 255	XCXC CCCX	XXXX XXX	Y N	Y N	4 6	CCCH
W90447 PV 01 PV 02 V 03	2420009023084 2420009023084 2420009023084	N 8 N 8 N 8	B C 7	TRACTOR WHL IND DED MRS MRS MRS						TM 5-2420-219-15	224 224 288	108 108 108	123 91 99	24160 24160 24800	1722 1274 1782	CC CCC CC	C	N N N	N N N	N N N	A1DC A2DC J2DC
V 14 V 15	2420009023084 2420009023084	N 8 N 8	9 9B	MRS MRS						REF FM 10-521 F/AIRDROP	224 224	108 108	91 123	24160 24160	1274 1722	CCC CC	C	N N	N N	N N	A2DC A1DC
W91074 PV 01 PV 02	2420005670135 2420005670135	N 8 N 8	B C	TRACTOR WHL IND (CCE) JD-410 JD-410						TM 5-2420-222-10	284 348	90 90	141 102	15160 15160	2086 1849	XX CCC	N N	N N	N N	N N	A1DB A2DB
15	2420005670135	V	7	JD-410						FUEL CAPACITY 19.5 GAL DIESEL	337	108	95	17520	2001	CC		N	N	N	J2DB
W93384 PV 01	5865015378200	U	I	WRN REC SYS COUNTERM AN/AAR-57-V8						REF FM 10-539 F/RIGGED F/AIRDROP	224	108	123	24160	1722	XCXC	XXXX	Y	Y	N	J2BA
W93995 V 01 V 02	1730004357818 1730004357818	R 6 R 6	B C	TLR ACFT MAINT AIRMBL NONE NONE						NONE	125	60	66	107	287	CCCC CCCCC	CCCC CCCC	Y Y	Y Y	N N	R2BA R2BA
PV 03 PV 04	1730010861653 1730010861653	R 6 R 6	B B C C	NONE NONE NONE NONE						TM 55-1730-224-13&P	161 113	70 70	34 34	650 650	222 156	XCXC XCXC	XXX XXXX	Y Y	Y Y	N N	R2BA R2BA
W94030 PV 01 PV 02 10	2330002001785 2330002001785 2330002001785	R 6 R 6 V	B C 4 4	TLR AMMO 1-1/2-TON M332 M332 M332						REF FM 10-539 F/RIGGED F/AIRDROP	224	108	123	24160	1722	CCC CCC XC	CCCC CCCC XC	N N N	N N N	N N N	R2DA R2DA J2DA

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	CGO VEH	LD LIMITS	CCCKK	DBBB	CTN	CTN	IND	
W94030	2330002001785	R 6	TIR AMMO 1-1/2-TON	9			TM 9-2330-231-14&P	467	3000		CCC	CCC	N	N	N	R2DA
V 20	2330002001785	R 6	M332	9B			149 95 57 2760	533			CCC	CCC	N	N	N	R2DA
V 21	2330002001785	R 6	M332				149 95 65 2760				CCC	CCC	N	N	N	R2DA
W94536	2330000893866	R 7	TLR BOLSTER 4-TON	D			TM 9-2330-287-14&P	522	8000		CCC	CCC	N	N	N	R2DA
V 01	2330000893866	R 7	M796				213 94 45 4860	866			CC		N	N	N	J2DA
V 02	2330000893866	V	M796	5			213 108 65 6340									(DETAIL INDEX 02)
V 04	2330000893866	R 7	M796	D			REF FM 10-556 F/AIRDROP	1043			CCC	CCC	N	N	N	R2DA
V 07	2330000893866	R 7	M796	D			WITH SHELTER FABRICATED BY 65TH CEB HI	1139			CCC	CCC	N	N	N	R2DA
PV 06	2330011375116	R 7	M796A1	D			218 94 96 7540	1139			CCC	CCC	N	N	N	R2DA
W95263	2330003951878	R 6	TRAILER CABLE REEL	B			TM 9-2330-218-14&P	512	7000		CCC	CCC	N	N	N	R2DA
PV 01	2330003951878	R 6	M310 V120-GT	C			150 88 67 3050	482			CCC	CCC	N	N	N	R2DA
PV 02	2330003951878	R 6	M310 V120-GT	C			150 88 63 3050	482			CCC	CCC	N	N	N	R2DA
V 24	2330003951878	R 6	M310 V120-GT	9			150 88 63 3050	482			CCC	CCC	N	N	N	R2DA
V 25	2330003951878	R 6	M310 V120-GT	9B			150 88 67 3050	512			CCC	CCC	N	N	N	R2DA
W95537	2330007389509	R 6	TRAILER CARGO 3/4-TON	B			TM 9-2330-202-14&P	523	1500		CCC	CCC	N	N	N	R2CA
V 07	2330007389509	R 6	M101	C			147 74 83 1540	315			CCCC	CCCC	Y	Y	Y	R2BA
V 08	2330007389509	R 6	M101	C			147 74 50 1540	315			CCCC	CCCC	Y	Y	Y	R2BA
V 11	2330007389509	R 6	M101	C			REF TM 55-2330-202-12-2 F/ACFT LDG	821			CC		N	N	N	J2DA
V 34	2330007389509	R 6	M101	4			WT INCLS 2170 LB ACCOMPANYING LOAD	800			CCCC	XXX	Y	Y	Y	R2BA
46	2330007389509	R 6	M101	4			147 74 50 1540	800			CC		N	N	N	J2DA
V 54	2330007389509	R 6	M101	4			REF FM 10-513 F/RIGGED F/AIRDROP	523			CCCC	XXX	Y	Y	Y	R2CA
V 01	2330008986779	R 6	M101A1	B			WT INCLS 2,200 LB ACCOMPANYING LOAD	523			CCC	CCC	N	N	N	R2CA
V 02	2330008986779	R 6	M101A1	C			F/AALPS PLANNING PURPOSES ONLY	315			CCCC	CCCC	Y	Y	Y	R2BA
		R 6	M101A1	C			147 74 83 1540	LDG			CCCC	CCCC	Y	Y	Y	(DETAIL INDEX 02)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	UNIT	QTY	WEIGHT (LB)	HEIGHT (IN)	WIDTH (IN)	DEPTH (IN)	CGO VEH	LD LIMITS	WEIGHT	HGT CUBE	TOE LIN	INDEX NO
W95537	2330008986779	R 6	TRAILER CARGO 3/4-TON	K	1	2704	74	92	147	1500	CCC	CCC	CCC	5	SN
V 03	REMARKS		M101A1	K	6	2704	74	92	147	1500	CCC	CCC	CCC	5	SN
V 05	REMARKS		M101A1	K	6	2880	75	75	147	1500	CCC	CCC	CCC	5	SN
V 09	REMARKS		M101A1	D	6	5094	81	108	162	1500	CCC	CCC	CCC	5	SN
V 35	REMARKS		M101A1	4	1	315	74	50	147	1500	CCCC	XXX	XXX	5	SN
V 56	REMARKS		M101A1	9B	6	1350	74	83	147	1500	CCC	CCC	CCC	5	SN
PV 23	2330011024697	R 6	M101A2	B	6	1340	74	83	147	1500	CCC	CCC	CCC	5	SN
PV 24	2330011024697	R 6	M101A2	C	6	1340	74	50	147	1500	CCCC	CCC	CCC	5	SN
V 36	2330011024697	R 6	M101A2	9	6	1340	74	50	147	1500	CCCC	CCC	CCC	5	SN
V 58	2330011024697	R 6	M101A2	9B	6	1340	74	83	147	1500	CCC	CCC	CCC	5	SN
V 84	2330011024697	R 6	M101A2	R	6	2690	74	83	147	1500	CCC	CCC	CCC	5	SN
V A1	2330013725641	R 6	M101A3	B	6	1340	74	83	147	1500	XCX	XXX	XXX	5	SN
V A2	2330013725641	R 6	M101A3	C	6	1340	74	50	147	1500	XCXCC	XXX	XXX	5	SN
V A3	2330013725641	R 6	M101A3	9	6	1340	74	50	147	1500	XCXCC	XXX	XXX	5	SN
V A4	2330013725641	R 6	M101A3	9B	6	1340	74	83	147	1500	XCX	XXX	XXX	5	SN
W95811	2330001418050	R 6	TLR CARGO 1-1/2-TON	B	1	2670	83	98	166	3000	CCC	CCC	CCC	5	SN
V 01	REMARKS		M105A2	B	6	2670	83	98	166	3000	CCC	CCC	CCC	5	SN
V 02	REMARKS		M105A2	C	6	2670	83	55	166	3000	CCCC	CCC	CCC	5	SN
V 03	REMARKS		M105A2	C	6	5360	83	100	166	3000	CCC	CCC	CCC	5	SN
V 05	REMARKS		M105A2	K	6	6280	82	82	166	3000	CCC	CCC	CCC	5	SN
V 20	REMARKS		M105A2	D	6	3780	108	76	166	3000	CC	CCC	CCC	5	SN
V 21	REMARKS		M105A2	4	6	5385	83	98	166	3000	XCX	XXX	XXX	5	SN
V 22	REMARKS		M105A2	R	6	7030	108	76	166	3000	CC	CCC	CCC	5	SN
V 26	REMARKS		M105A2	4	6	2670	83	82	166	3000	CCC	CCC	CCC	5	SN

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (IN)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	IND	
W95811 V 66	2330001418050	R 6	TIR CARGO 1-1/2-TON M105A2	9B	166	83	98	2670	3000	98	288	CCC	N	N	N	R2DA
V 18	2330002779337	R 6	M105	B	166	83	98	2440	98	288	CCC	C	N	N	N	R2DA
V 19	2330002779337	R 6	M105	C	166	83	55	2440	55	212	CCCC	CCCC	Y	Y	N	R2BA
V 29	2330002779337	R 6	M105	9	166	83	82	2440	55	212	CCC	X X	Y	Y	N	R2BA
V 55	2330002779337	V	M105	4	171	108	81	8080	CC				N	N	N	J2DA
V 68	2330002779337	R 6	M105	9B	166	83	98	2440	98	288	CCC					R2DA
V 07	2330008358631	R 6	M105A1	B	166	83	98	2600	98	288	CCC	C	N	N	N	R2DA
V 08	2330008358631	R 6	M105A1	C	166	83	55	2600	55	212	CCCC	CCCC	Y	Y	N	R2BA
V 09	2330008358631	V	M105A1	4	166	108	76	3780	CC							J2DA
V 10	2330008358631	V	M105A1	4	166	108	76	7030	CC							J2DA
V 35	2330008358631	R 6	M105A1	4	166	83	82	2600	55	212	CCC	X X	Y	Y	N	R2BA
V 72	2330008358631	R 6	M105A1	9B	166	83	98	2600	98	288	CCC					R2DA
PV 98	2330014521218	R 6	M105A3	B	178	94	97	2700	97	288	CCC					R2DA
PV 99	2330014521218	R 6	M105A3	C	178	94	54	2700	54	212	CCC	X X	N	N	N	R2DA
V A1	2330014521218	R 6	M105A3	9	178	94	54	2700	54	212	CCC	X X	N	N	N	R2DA
V A2	2330014521218	R 6	M105A3	9B	178	94	97	2700	97	288	CCC					R2DA
W98270			TRAILER PLATFORM WHS													
PV 05	3920008561342	N 7	6000 LB	B	133	48	27	765	100		CCCC	CCCC	Y	Y	N	A2BA
PV 06	3920008561342	N 7	6000 LB	C	119	48	27	765	90		CCCC	CCCC	Y	Y	N	A2BA
W98825			TRLR TK WTR 400 GAL						7277							
V 12	2330008328801	R 6	M149A1	D	162	82	81	2800	623		CCC	CCC	Y	Y	N	R2BA
V 20	2330008328801	V	M149A1	D	162	108	90	7800	912		CC					J2DA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRK CARGO	S H I P C O N F	PCS	NO	REMARKS	CGO VEH	LD LIMITS	WEIGHT	HGT	TOE LIN	INDEX	NO	CGO LOAD	IND
W98825	2330011087367	R 6	TRLR TK WTR 400 GAL	D	1	615		7277								
V 15	REMARKS	R 6	M149A2	D	1	615	TM 9-2330-267-14&P									
V 23	REMARKS	R 6	M149A2	D	1	615	COMBAT LOADED									
V 32	REMARKS	R 6	M149A2	D	1	615	MODIFIED F/SWINGFIRE HEATER									
V 86	REMARKS	R 6	M149A2	R	1	547	LUNFITE WT 330 LBS									
PV 61	REMARKS	R 6	M149A2	R	1	608	162 81 72 2800									
W99012	2330013899073	R 6	M1112	D	1	777	162 81 80 2440									
PV 01	2330010909545	R 7	TLR VAN 4 WHL ACVC MA	D	1	5960	163 98 84 3945									
V 02	2330010909545	R 7	MA1162	D	1	1176	NONE									
V 03	2330010909545	R 7	ACVC/CC	D	1	1342	221 101 91 5960									
V 04	2330010909545	R 7	JISSC TRLR ACC	D	1	1158	225 102 101 8690									
V 05	2330010909545	R 7	JISSC TRAILER	D	1	1587	220 90 101 5580									
V 06	2330010909545	R 7	TRLR DECON	D	1	2040	277 98 101 9970									
X27623	3950004497005	U	TRRESTLE HOIST PTBL	E	1	362	356 99 100 12500									
PV 02	3950004497005	U	5-TON 12-FT	J	1	26	231 102 94 4820									
PV 03	3950004497005	U	MULTIPLE ITEMS	H	1	336	NONE									
X40009	2320000771616	R 3	TRK CARGO 2-1/2-TON	B	1	1837	265 106 113 13180									
V 01	2320000771616	R 3	M35A2	C	1	1193	265 96 81 13180									
V 02	2320000771616	R 3	M35A2	D	1	1693	265 96 115 13680									
V 13	2320000771616	R 3	M35A2	G	1	2108	269 96 141 17976									
V 16	2320000771616	R 3	M35A2	G	1	1779	269 96 119 16500									
V 21	2320000771616	R 3	M35A2	G	1	1399	265 96 95 14280									
V 25	2320000771616	R 3	M35A2	G	1	1664	265 96 113 13180									
V 28	2320000771616	R 3	M35A2	G	1	1626	270 102 102 14630									
V 29	2320000771616	R 3	M35A2	G	1	1193	265 96 81 13180									
V 31	2320000771616	R 3	M35A2	R	1	1502	265 96 102 17180									
V 41	2320000771616	R 3	M35A2	G	1	1921	281 96 123 16066									
V 47	2320000771616	R 3	M35A2	B	1	1830	264 106 113 23680									
V 48	2320000771616	R 3	M35A2	B	1	1830										

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	NO PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	CERTIFIED CRITERIA	IND
X40009 V 49	2320000771616	R 3	TRK CARGO 2-1/2-TON M35A2	C		TM 9-2320-386-10 264 96 113 23680 1658		5000 81 277	XX	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->	
V 03	2320005425633	R 3	M35A1	B		265 106 113 13360 1837		113 450	CC	CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6	
V 04	2320005425633	R 3	M35A1	D		265 96 81 13360 1193		81 277	CCC	37 11 8144 FT FT 3 0 03 077 L	
V 22	2320005425633	V	M35A1	7		FUEL TANK CAP 50 GAL MULTIFUEL 299 108 89 18817 1664			CC	(DETAIL INDEX 04) (DETAIL INDEX 22)	
V 33	2320005425633	R 3	M35A1	7		AIRDROP WT INCLS 2400 LB ACMP LD REF FM 10-520 FOR AIRDROP			CCC	(DETAIL INDEX 22)	
V 43	2320005425633	R 3	M35A1	9B		265 96 81 13360 1193 265 96 113 13360 1664		81 277 113 450	CC	C N N N R2DB C N N N R1DB	
V 05	2320007397545	R 3	M34	B		262 88 105 11775 1401		105 409	CCC	N N N R2DB	
V 06	2320007397545	R 3	M34	C		262 88 82 11775 1094		82 252	CCC	N N N R2DB	
V 37	2320007397545	R 3	M34	9		262 88 82 11775 1094		82 252	CCC	N N N R2DB	
V 45	2320007397545	R 3	M34	9B		262 88 105 11775 1401		105 409	CCC	N N N R2DB	
V 11	2320008344507	R 3	M211	B		268 97 114 13280 1715		114 450	CC	N N N R1DB	
V 12	2320008344507	R 3	M211	C		268 97 77 13280 1159		77 277	CCC	N N N R2DB	
V 40	2320008344507	R 3	M211	9		268 97 77 13280 1159		77 277	CCC	C N N N R2DB	
V 89	2320008344507	R 3	M211	9B		268 97 114 13280 1715		114 450	CC	N N N R1DB	
V 09	2320008358351	R 3	M135	B		267 91 117 12300 1646		117 409	CC	N N N R1DB	
V 10	2320008358351	R 3	M135	C		267 88 80 12300 1088		80 252	CCC	CC N N N R2DB	
V 39	2320008358351	R 3	M135	9		267 88 80 12300 1088		80 252	CCC	N N N R2DB	
V 93	2320008358351	R 3	M135	9B		267 88 117 12300 1591		117 409	CC	N N N R1DB	
V 07	2320008358463	R 3	M35	B		265 106 113 12580 1837		113 450	CC	N N N R1DB	
V 08	2320008358463	R 3	M35	C		265 96 81 12580 1193		81 277	CCC	C N N N R2DB	
V 35	2320008358463	R 3	M35	9		265 96 81 12580 1193		81 277	CCC	C N N N R2DB	
V 91	2320008358463	R 3	M35	9B		265 96 113 12580 1664		113 450	CC	N N N R1DB	
PV A1	2320013832047	R 3	M44A3	B		265 116 113 13900 2011		113 450	CC	N N N R1DB	
PV A2	2320013832047	R 3	M44A3	C		265 96 83 13900 1222		83 277	CCC	N N N R2DB	
V A3	2320013832047	R 3	M44A3	9		265 96 83 13900 1222		83 277	CCC	N N N R2DB	
V A4	2320013832047	R 3	M44A3	9B		265 96 113 13900 1664		113 450	CC	N N N R1DB	
X40077			TRK CGO D/S 2-1/2-TON			TM 9-2320-386-10		5000			

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	TRK CGO D/S 2-1/2-TON	S	SHIP	DESCRIPTION	NO PCS	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND
X40077										
V 01	2320009260873	R 3	M35A2C	B		TRUCK	265 106 114 13526	TM 9-2320-386-10	5000	<C=AF CERTIFIED>
V 02	2320009260873	R 3	M35A2C	C			265 98 82 13526		114 450	<X=JCS CRITERIA>
V 05	2320009260873	V 7	M35A2C	7			FUEL CAPACITY 50 GAL MULTIFUEL		82 277	<AMC> <CRAF>
V 11	2320009260873	R 3	M35A2C	9			RIGGED FOR LOW VEL AIRDROP		CC	CCCK DDBB CTN CTN 4 CCCH
V 30	2320009260873	R 3	M35A2C	9B			REF FM 10-520 FOR AIRDROP		CCC	115CC CC77 20 40 6
PV 32	2320013832050	R 3	M35A3C	B			265 116 113 14040		CC	37 11 8144 FT FT 3
PV 33	2320013832050	R 3	M35A3C	C			265 96 83 14040		CCC	0 03 077
V 34	2320013832050	R 3	M35A3C	9			265 96 83 14040		CCC	5 SN
V 35	2320013832050	R 3	M35A3C	9B			265 96 113 14040		CC	
X40146										
V 01	2320000771617	R 3	M35A2 WVN	B		TRUCK CARGO 2-1/2-TON	279 106 113 13570	TM 9-2320-386-10	5000	
V 02	2320000771617	R 3	M35A2 WVN	C			279 96 81 13570		113 450	
V 09	2320000771617	V 3	M35A2 WVN	7			REF APPL AFTO-9 F/ACFT LDG		81 277	
V 28	2320000771617	R 3	M35A2 WVN	G			FUEL TANK CAP 50 GAL MULTIFUEL		CCC	
V 30	2320000771617	R 3	M35A2 WVN	G			299 108 89 18817		CCC	
V 45	2320000771617	R 3	M35A2 WVN	9			287 106 102 15370		CCC	
V 47	2320000771617	R 3	M35A2 WVN	9			W/ARTIC KIT INSTALLED		CCC	
V 64	2320000771617	R 3	M35A2 WVN	9B			279 96 81 13570		CCC	
V 03	2320005425634	R 3	M35A1 WVN	B			W/O MACHINE GUN MOUNT INSTALLED		CC	
V 04	2320005425634	R 3	M35A1 WVN	C			279 98 135 13920		CC	
V 05	2320005425634	V 7	M35A1 WVN	7			HEIGHT INCREASED DUE TO MACHINE GUN MOUNT		CC	

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	WIDTH (INCHES)	DEPTH (INCHES)	CGO VEH	LD LIMITS	WEIGHT	HGT	TOE LIN	IND
X40146	2320005425634	R 3	TRUCK CARGO 2-1/2-TON	9	TM 9-2320-386-10	279	96	81	13550	5000	CCC	81	277	5000	
V 40	2320005425634	R 3	M35A1 WVN	9B		279	96	113	13550	113	450	CC			
V 07	2320008344508	R 3	M211 WVN	B		268	97	114	13580	114	450	CC			
V 08	2320008344508	R 3	M211 WVN	C		268	97	77	13580	77	277	CCC			
V 34	2320008344508	R 3	M211 WVN	9		268	96	77	13580	77	277	CCC			
V 68	2320008344508	R 3	M211 WVN	9B		268	97	114	13580	114	450	CC			
V 19	2320008358352	R 3	M135 WVN	B		267	92	117	12840	117	409	CC			
V 20	2320008358352	R 3	M135 WVN	C		267	88	80	12840	80	252	CCC			
V 38	2320008358352	R 3	M135 WVN	9		267	96	80	12840	80	252	CCC			
V 70	2320008358352	R 3	M135 WVN	9B		267	88	117	12840	117	409	CC			
V 11	2320008358464	R 3	M35 WVN	B		279	106	113	13220	113	450	CC			
V 12	2320008358464	R 3	M35 WVN	C		279	96	81	13220	81	277	CCC			
V 32	2320008358464	R 3	M35 WVN	9		279	96	81	13220	81	277	CCC			
V 66	2320008358464	R 3	M35 WVN	9B		279	96	113	13220	113	450	CC			
V 15	2320008358536	R 3	M34 WVN	B		275	88	105	12186	105	409	CCC			
V 16	2320008358536	R 3	M34 WVN	C		275	88	82	12186	82	252	CCC			
V 41	2320008358536	R 3	M34 WVN	9		275	88	82	12186	82	252	CCC			
V 74	2320008358536	R 3	M34 WVN	9B		275	88	105	12186	105	409	CCC			
PV 80	2320013833850	R 3	M35A3 WVN	B		281	116	113	14600	113	450	CC			
PV 81	2320013833850	R 3	M35A3 WVN	C		281	96	83	14600	83	277	CCC			
V 84	2320013833850	R 3	M35A3 WVN	9		281	96	83	14600	83	277	CCC			
V 85	2320013833850	R 3	M35A3 WVN	9B		281	96	113	14600	113	450	CC			
X40214			TRK CGO D/S 2-1/2-TON		TM 9-2320-386-10					5000					
PV 25	2320013832049	R 3	M35A3C WVN	B		281	96	113	14740	113	450	CC			
PV 26	2320013832049	R 3	M35A3C WVN	C		281	96	83	14740	83	277	CCC			
V 27	2320013832049	R 3	M35A3C WVN	9		281	96	83	14740	83	277	CCC			
V 28	2320013832049	R 3	M35A3C WVN	9B		281	96	113	14740	113	450	CC			
X40283			TRK CGO 2-1/2T XLWB		TM 9-2320-386-10					5000					
V 01	2320000771618	R 3	M36A2	B		329	108	125	14876	125	770	CC			

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	ITEM	WEIGHT (LB)	CUBE (CU FT)	CGO VEH	LD LIMITS	CCCKK	DDBB	CTN	CTN	IND
X40931			TRK CGO D/S 5-TON		TM 9-2320-272-10			10000						
V 18	2320010478769	R 4	M925 WVN	9	327 98	87	22458	87 317	CCC					
V 86	2320010478769	R 4	M925 WVN	9B	327 98	116	22458	116 514	CC					
AE	2320010478769	V	M925 WVN	7	325 108	99	28540		CC					
V 15	2320012064088	R 4	M925A1 WVN	B	332 121	121	22275	121 514	CC					
V 16	2320012064088	R 4	M925A1 WVN	C	332 97	94	22275	94 317	CCC					
	REMARKS													
	REMARKS													
V 20	2320012064088	R 4	M925A1 WVN	C	332 97	94	22275	94 317	CCC					
V 88	2320012064088	R 4	M925A1 WVN	9B	332 97	121	22275	121 514	CC					
AD	2320012064088	V	M925A1 WVN	7	333 108	100	29500		CC					
	REMARKS													
PV 28	2320012300308	R 4	M925A2 WVN	B	332 121	121	22030	121 514	CC					
PV 30	2320012300308	R 4	M925A2 WVN	C	332 98	94	22030	94 317	CCC					
V 31	2320012300308	R 4	M925A2 WVN	9	332 98	94	22030	94 317	CCC					
V 96	2320012300308	R 4	M925A2 WVN	9B	332 98	121	22030	121 514	CC					
V A7	2320012300308	R 4	M925A2 WVN	R	332 98	132	24075		CC					
	REMARKS													
	REMARKS													
X40968			TRK CGO 5-TON LWB		TM 55-2320-272-14-1			10000						
PV 10	2320000508890	R 4	M813 WVN	B	320 115	116	21771	116 514	CC					
PV 11	2320000508890	R 4	M813 WVN	C	320 98	87	21771	87 317	CCC					
	REMARKS													
	REMARKS													
V 14	2320000508890	V	M813 WVN	7	318 108	98	25621		CC					
	REMARKS													
V 38	2320000508890	R 4	M813 WVN	9	320 98	98	21771	98 317	CCC					
V 96	2320000508890	R 4	M813 WVN	9B	320 98	116	21771	116 514	CC					
	REMARKS													
V 01	2320000559265	R 4	M54A2 WVN	B	314 110	118	20782	118 514	CC					
V 02	2320000559265	R 4	M54A2 WVN	C	314 98	86	20782	86 317	CCC					
V 18	2320000559265	V	M54A2 WVN	7	314 108	98	24100		CC					
	REMARKS													
	REMARKS													
V 44	2320000559265	R 4	M54A2 WVN	9	314 98	86	20782	86 317	CCC					
V A2	2320000559265	R 4	M54A2 WVN	9B	314 98	118	20782	118 514	CC					

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	V E H I C L E	T Y P E	S H I P	DESCRIPTION	NO PCS	DIMENSIONS (INCHES) (FOR ONE ITEM)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	LD WEIGHT	HGT	TOE LIN	INDEX NO	CGO LOAD IND
X40968					TRK CGO 5-TON LWB		TM 55-2320-272-14-1								
V 03	2320000867482	R 4		B	M54A1 WVN	314	110	118	20696	2359	118	514	10000		
V 04	2320000867482	R 4		C	M54A1 WVN	314	98	86	20696	1532	86	317	118 514	CC	N N N R1DC
V 16	2320000867482	V 4		7	M54A1 WVN	314	108	98	24100	1924	86	317	118 514	CC	N N N J2DC
V 42	2320000867482	R 4		9	M54A1 WVN	314	98	86	20696	1532	86	317	118 514	CC	N N N R2DC
V A0	2320000867482	R 4		9B	M54A1 WVN	314	98	118	20696	2102	118	514	118 514	CC	N N N R1DC
V 05	2320008358327	R 4		B	M41 WVN	313	110	111	18790	2212	111	514	118 514	CC	N N N R1DB
V 06	2320008358327	R 4		C	M41 WVN	313	96	88	18790	1531	88	317	118 514	CC	N N N R2DB
V 46	2320008358327	R 4		9	M41 WVN	313	96	88	18790	1531	88	317	118 514	CC	N N N R2DB
V A4	2320008358327	R 4		9B	M41 WVN	313	96	111	18790	1931	111	514	118 514	CC	N N N R1DB
V 07	2320008358335	R 4		B	M54 WVN	314	110	118	20692	2359	118	514	118 514	CC	N N N R1DC
V 08	2320008358335	R 4		C	M54 WVN	314	98	86	20692	1532	86	317	118 514	CC	N N N R2DC
V 40	2320008358335	R 4		9	M54 WVN	314	98	86	20692	1532	86	317	118 514	CC	N N N R2DC
V 98	2320008358335	R 4		9B	M54 WVN	314	98	118	20692	2102	118	514	118 514	CC	N N N R1DC
V 20	2320010478772	R 4		B	M926 WVN	327	115	116	22440	2525	116	514	118 514	CC	N N N R1DC
V 21	2320010478772	R 4		C	M926 WVN	327	98	87	22440	1614	87	317	118 514	CC	N N N R2DC
V 34	2320010478772	R 4		9	M926 WVN	327	98	87	22440	1614	87	317	118 514	CC	N N N R2DC
V 92	2320010478772	R 4		9B	M926 WVN	327	98	116	22440	2152	116	514	118 514	CC	N N N R1DC
PV 31	2320012052693	R 4		B	M926A1 WVN	332	98	121	23175	2279	121	514	118 514	CC	N N N R1DC
PV 32	2320012052693	R 4		C	M926A1 WVN	332	98	94	23175	1770	94	317	118 514	CC	N N N R2DC
V 36	2320012052693	R 4		9	M926A1 WVN	332	98	94	23175	1770	94	317	118 514	CC	N N N R2DC
V 94	2320012052693	R 4		9B	M926A1 WVN	332	98	121	23175	2279	121	514	118 514	CC	N N N R1DC
X41105					TRK CGO 5-TON XLWB		TM 9-2320-272-10								
V 05	2320000508988	R 4		B	M814	378	115	119	24037	2994	119	746	10000		
V 06	2320000508988	R 4		C	M814	378	98	89	24037	1908	89	460	119 746	CC	N N N R1DC
V 16	REMARKS	R 4		C	M814	REF TM 55-2320-260-15-1 F/ACFT LDG								CC	(DETAIL INDEX 06)
V 16	REMARKS	R 4		C	M814	FUEL CAPACITY 78 GAL DIESEL								XX	(DETAIL INDEX 06)
V 16	REMARKS	R 4		R	M814	383 101 141 32980									N N N R1DC
V 16	REMARKS	R 4		R	M814	W/MISSILE MINDER SHELTER									(DETAIL INDEX 16)
V 27	2320000508988	R 4		9	M814	378 98 89 24037								CC	N N N R2DC
V 92	2320000508988	R 4		9B	M814	378 98 119 24037								CC	N N N R1DC

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	CLASSIFICATION	NO	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	WIDTH (INCHES)	DEPTH (INCHES)	CGO VEH	LD LIMITS	WEIGHT	HGT	CUBE	TOE LIN	INDEX	NO	CGO LOAD	IND	
X41105	2320010478771	R 4	TRK CGO 5-TON XLWB	B	389	115	119	25409	3081	10000	119	746	CC	119	746	CC	119	746	CC	119	746
V 09	2320010478771	R 4	M927	B	389	98	91	25409	2008	119	746	CC	119	746	CC	119	746	CC	119	746	CC
V 10	2320010478771	R 4	M927	C	389	98	91	25409	2008	119	746	CC	119	746	CC	119	746	CC	119	746	CC
V 23	2320010478771	R 4	M927	9	FUEL CAPACITY 81 GAL DIESEL																
V 88	2320010478771	R 4	M927	9B	389	98	91	25409	2008	119	746	CC	119	746	CC	119	746	CC	119	746	CC
V 20	2320012064089	R 4	M927A1	B	386	121	121	25035	3271	121	746	CC	121	746	CC	121	746	CC	121	746	CC
V 21	2320012064089	R 4	M927A1	C	386	97	94	25035	2037	94	460	CCC	94	460	CCC	94	460	CCC	94	460	CCC
V 25	2320012064089	R 4	M927A1	C	FUEL CAPACITY 81 GAL DIESEL																
V 90	2320012064089	R 4	M927A1	9	386	97	94	25035	2037	94	460	CCC	94	460	CCC	94	460	CCC	94	460	CCC
PV 35	2320012300309	R 4	M927A2	B	386	121	121	23790	3271	121	746	CC	121	746	CC	121	746	CC	121	746	CC
PV 43	2320012300309	R 4	M927A2	C	386	98	94	23790	2058	94	460	CCC	94	460	CCC	94	460	CCC	94	460	CCC
V 45	2320012300309	R 4	M927A2	9	386	98	94	23790	2058	94	460	CCC	94	460	CCC	94	460	CCC	94	460	CCC
V A0	2320012300309	R 4	M927A2	9B	386	98	121	23790	2649	121	746	CC	121	746	CC	121	746	CC	121	746	CC
X41242	2320000508987	R 4	TRK CGO 5-TON XLWB	B	396	115	119	25609	3137	10000	119	746	CC	119	746	CC	119	746	CC	119	746
V 05	2320000508987	R 4	M814 WNN	B	396	98	89	25609	1999	89	460	CCC	89	460	CCC	89	460	CCC	89	460	CCC
V 06	2320000508987	R 4	M814 WNN	C	396	98	89	25609	1999	89	460	CCC	89	460	CCC	89	460	CCC	89	460	CCC
V 11	2320000508987	R 4	M814 WNN	C	REF TM 55-2320-260-15-1 F/ACFT LDG																
V 29	2320000508987	R 4	M814 WNN	R	FUEL CAPACITY 78 GAL DIESEL																
V 93	2320000508987	R 4	M814 WNN	9B	396	98	119	25609	2673	119	746	CC	119	746	CC	119	746	CC	119	746	CC
V 13	2320010478770	R 4	M928 WNN	B	402	115	117	26074	3131	117	746	CC	117	746	CC	117	746	CC	117	746	CC
V 14	2320010478770	R 4	M928 WNN	C	402	98	91	26074	2075	91	460	CCC	91	460	CCC	91	460	CCC	91	460	CCC
V 25	2320010478770	R 4	M928 WNN	9	FUEL CAPACITY 81 GAL DIESEL																
V 89	2320010478770	R 4	M928 WNN	9B	402	98	91	26074	2075	91	460	CCC	91	460	CCC	91	460	CCC	91	460	CCC
V 21	2320012064090	R 4	M928A1 WNN	B	408	121	121	26135	3457	121	746	CC	121	746	CC	121	746	CC	121	746	CC
V 22	2320012064090	R 4	M928A1 WNN	C	408	97	94	26135	2153	94	460	CCC	94	460	CCC	94	460	CCC	94	460	CCC
			M928A1 WNN	C	BBM REF TM 55-2320-272-14-1																

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O Q M L P E T	S H I P C O N F	DESCRIPTION	PCS	DIMENSIONS (FOR ONE ITEM) ->< (INCHES) ->< (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <H-----CGO LOAD IND-----> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
X44403				TRUCK DUMP 20-TON DED				
V 01	3805001927249	R 4	B	F5070 IHC		TM 9-2320-302-10 313 110 125 31026 2491	40000	
V 02	3805001927249	R 4	C	F5070 IHC		313 103 125 31026 2333	125 561	
V 23	3805001927249	R 4	9B	F5070 IHC		313 103 125 31026 2333	125 561	
V 03	3805010284389	R 4	B	M917		351 132 141 34080 3781	141 767	
V 04	3805010284389	R 4	C	M917		351 98 141 34080 2807	141 326	
V 24	3805010284389	R 4	9B	M917		FUEL CAPACITY 118 GAL DIESEL 351 98 141 34080 2807	141 767	(DETAIL INDEX 04)
V 21	3805014311165	R 4	D	M917A1		296 98 131 29454 2200	131 662	
V 22	3805014328249	R 4	D	M917A1 W/MCS		317 98 131 31472 2356	131 662	
V 57	3805014886963	R 4	D	M917A2 W/MCS		317 104 132 31320 2519		
PV 58	3805014887442	R 4	D	M917A2		296 98 131 29454 2200		
X48914				TRK LIFT FRK RT 3-T				
V 07	3930003271575	N 5	B	MLT6-2		TM 10-3930-242-12 268 103 126 25875 2013		
V 08	3930003271575	N 5	C	MLT6-2		185 103 92 24140 1015		
V 09	3930003271575	A U	I	ROPS	1	71 80 95 1735 313	(08)	
V 05	3930004195744	N 5	B	ART6		269 103 128 25810 2053		
V 06	3930004195744	N 5	C	ART6		186 103 93 24110 1031		
V 14	3930004195744	A U	I	ROPS	1	71 80 95 1700 313	(06)	
V 01	3930009030900	N 5	B	MLT-6		267 103 128 25730 2038		
V 02	3930009030900	N 5	C	MLT-6		185 103 93 24030 1026		
V 12	3930009030900	A U	I	ROPS	1	71 80 95 1700 313	(02)	(COMPONENT INDEX 12)
V 03	3930009370220	N 5	B	MLT6CH		FUEL TANK CAP 110 GAL DSL 268 103 128 25650 2045		
V 04	3930009370220	N 5	C	MLT6CH		186 103 93 23950 1031		
V 10	3930009370220	A U	I	ROPS	1	71 80 95 1700 313	(04)	(COMPONENT INDEX 10)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O L P E T	S H I P C O N F	TRK LIFT FRK RT 3-T MLT6CHROPS MLT6CHROPS	PCS	DIMENSIONS (FOR ONE ITEM)---> WEIGHT (LB) LENGTH WIDTH HEIGHT (INCHES)---> (REMARKS)--->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
X48914 V 23	3930010534823 REMARKS	N 5 5	D D	TRK LIFT FRK RT 3-T MLT6CHROPS MLT6CHROPS	1988	TM 10-3930-242-12 263 102 128 25116 FUEL CAPACITY 50 GAL DIESEL	CC N N N A1DC (DETAIL INDEX 23)	
V 15	3930010543830	N 5	B	ARTFT6ROPS	2045	268 103 128 25650	CC N N N A1DC	
V 16	3930010543830	N 5	C	ARTFT6ROPS	1031	186 103 93 23694	CCC N N N A2DC	
V 17	3930010543830	A U	I	ROPS	288	101 78 63 1956	CCCC XXXX Y Y Y J3BA	
PV 20	3930010543831	N 5	B	MLT6-ROPS	3052	281 102 184 24500	CC N N N A0DC	
PV 21	3930010543831	N 5	C	MLT6-ROPS	1225	228 102 91 22560	CCC X N N A2DC	
V 22	3930010543831	A U	I	ROPS	265	93 78 63 1600	CCCC XXXX Y Y Y J3BA	
V 24	3930010543831 REMARKS	A U	I	FORK TINES FORK TINES	2	54 6 6 170 FUEL CAPACITY 80 GAL DIESEL	CCCCC CCCC Y Y Y J3BA (COMPONENT INDEX 24)	
X49051 V 03	3930004655869	N 5	B	TRK LIFT FRK RT 5-T RTL-10-1	2350	TM 10-3930-243-12 277 107 137 35456	CC N N N A1DC	
V 04	3930004655869	N 5	C	RTL-10-1	1232	203 107 98 33500	CC C N N A1DC	
V 08	3930004655869 REMARKS	A U	I	ROPS	288	101 78 63 1956	CCCC CCCC Y Y Y J3BA (COMPONENT INDEX 08)	
V 01	3930009030899	N 5	B	A-3520	2264	277 107 132 33190	CC N N N A1DC	
V 02	3930009030899	N 5	C	A-3520	1251	204 107 99 31485	CC C N N A1DC	
V 05	3930009030899 REMARKS	A U	I	ROPS	327	73 78 99 1705 FUEL CAPACITY 110 GAL DIESEL	CCC C N N J2DA (COMPONENT INDEX 05)	
V 15	3930010528997	N 5	D	10 ROPS	1479	202 110 115 33500	XX N N N A1DC	
PV 09	3930010534824	N 5	B	10-1 ROPS	1441	240 91 114 35060	CC N N N A1DC	
PV 10	3930010534824	N 5	C	10-1 ROPS	1053	204 91 98 33104	CCC C N N A2DC	
V 11	3930010534824 REMARKS	A U	I	ROPS	288	101 78 63 1956 IDXS 01-04,09 & 10 TM 55-3930-243-14F/ACFT LDG	CCCC XXXX Y Y Y J3BA (COMPONENT INDEX 11)	
X50436 V 01	3930003271603	N 5	B	TRK LIFT FRK ELEC 2-T ACE40AEE144	249	TM 10-3930-651-14&P 128 40 84 7870	CCCX CCC N Y N A2CA	
V 02	3930003271603	N 5	C	ACE40AEE144	137	86 41 67 7870	CCCC XXXX Y Y Y A3BA	
V 09	3930003476175	N 5	D	FL40EE5600M	287	137 43 84 10500	XCX XXX N Y N A2CB	

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	S H I P C O N F	TRK LIFT FRK ELEC 2-T	TRK LIFT FRK ELEC 3-T	NO PCS	DIMENSIONS (FOR ONE ITEM)---> LENGTH WIDTH HEIGHT (INCHES)---> (REMARKS)--->	WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCRK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 SN
X50436		N 5	B	TRK LIFT FRK ELEC 2-T		2	TM 10-3930-651-14&P 126 42 79 8260	242	XXXX Y Y N A2BA	
PV 05	3930011267505	N 5	B	ACE 40			126 42 79 8260	242	XXXX Y Y N A2BA	
PV 06	3930011267505	N 5	B	ACE 40			81 42 68 7820	134	XXXX Y Y Y A3BA	
V 07	3930011267505	A	I	FORK TINES		2	47 5 17 100	3	CCCC Y Y Y J3BA	
V 08	3930011267505	A	I	ROPS		1	55 39 52 240	65	CCCC Y Y Y J3BA	
V 11	3930121871464	N 5	D	EFG2/6002			126 42 79 8260	242	XXXX Y Y N A2BA	
X50832		N 5	B	TRK LIFT FRK ELEC 3-T			TM 10-3930-256-10 142 43 84 10450	297	CCC N Y N A2CB	
PV 09	3930007244057	N 5	B	6M 040-EE			142 43 84 10450	297	CCC N Y N A2CB	
PV 11	3930007244057	N 5	C	6M 040-EE			102 43 84 10450	214	CCCX N Y N A2CB	
12	3930121871465	N 5	D	EFG3/6004					(NEEDS DATA)	
X51585		N 5	B	TRK LIFT FRK GED 2-T			TM 10-3930-647-14&P 134 59 90 8220	412	CCCX N N A2DA	
V 01	3930004195738	N 5	B	144LH			134 59 90 8220	412	CCCX N N A2DA	
V 02	3930004195738	N 5	C	144LH			94 59 68 8220	219	CCCC Y Y Y A3BA	
PV 05	3930010853767	N 5	B	NONE			139 46 83 9037	308	CCC N Y N A2CA	
PV 06	3930010853767	N 5	C	NONE			97 46 83 9037	215	CCCX N Y Y A3CA	
V 07	3930011463990	N 5	D	FG30N7 (T)			139 46 83 9037	308	XCX N Y N A2CA	
X51791		N 5	B	TRK LIFT FRK GED 3-T			TM 10-3930-645-14&P 156 71 116 10450	744	CC N N A1DB	
V 05	3930000645870	N 5	B	MY60-MC-RS			156 71 116 10450	744	CC N N A1DB	
V 06	3930000645870	N 5	C	MY60-MC-RS			112 71 116 10450	534	CC N N A1DB	
V 32	3930002354674	N 5	B	FJF060MHE210			154 63 111 10040	624	C N N N A1DB	
V 33	3930002354674	N 5	C	FJF060MHE210			108 63 111 10040	437	C N N N A1DB	
	REMARKS	5	C	FJF060MHE210			FUEL CAPACITY 10.4 GAL MOGAS		(DETAIL INDEX 33)	
V 36	3930002711892	N 5	B	DP6024			147 68 110 9620	637	CC N N A1DA	
V 37	3930002711892	N 5	C	DP6024			108 68 110 9620	468	CC N N A1DA	
V 13	3930002729289	N 5	B	LT-60			151 73 115 10200	734	CC N N A1DB	
V 14	3930002729289	N 5	C	LT-60			105 73 115 10200	511	CC N N A1DB	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRK LIFT FRK GED 3-T	S H I P C O N F	PCS	NO	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 SN 5
X51791									
V 17	3930002738207	N 5	TRK LIFT FRK GED 3-T	B		TM 10-3930-645-14&P			
V 18	3930002738207	N 5	6024-RS-52	C		153 68 115 10375			
V 25	3930007385938	N 5	6024-RS-52	B		113 68 115 10375			
V 26	3930007385938	N 5	FJF060	C		160 63 111 9660			
V 34	3930009357979	N 5	FJF060	C		118 63 111 9660			
V 35	3930009357979	N 5	FP60-24PS	B		149 67 110 10380			
V 29	3930009583684	N 5	FP60-24PS	C		109 67 110 10380			
V 30	3930009583684	N 5	FP60-24PS	C		FUEL TANK CAP 14.5 GAL GAS			(DETAIL INDEX 35)
PV 19	3930010525050	N 5	FP60-24-PS	B		147 66 110 10400			
PV 20	3930010525050	N 5	FP60-24-PS	C		108 66 110 10400			
X57271									
PV 01	2320000771631	R 3	TRK TANK FS 2-1/2-TON	B		264 106 100 14600			
PV 02	2320000771631	R 3	M49A2C	C		264 96 92 14600			
V 08	2320000771631	R 3	M49A2C	C		FUEL CAPACITY 50 GAL MULTIFUEL			(DETAIL INDEX 02)
V 41	2320000771631	R 3	M49A2C	D		264 106 100 23000			(DETAIL INDEX 08)
V 42	2320000771631	R 3	M49A2C	9		COMBAT LOADED			
X59326									
V 07	2320000508984	R 4	TRUCK TRACTOR 5-TON	9B		264 96 92 14600			
V 08	2320000508984	R 4	M818	B		264 96 92 14600			
V A1	2320000508984	R 4	M818	C		264 115 113 19387			
V A2	2320000508984	R 4	M818	C		264 98 86 19387			
V 09	2320010478753	R 4	M818	C		REF TM 55-2320-260-15-1 F/ACFT LDG			(DETAIL INDEX 08)
V 10	2320010478753	R 4	M818	C		FUEL CAPACITY 110 GAL DIESEL			(DETAIL INDEX 08)
						264 98 86 19387			
						264 98 113 19387			
						264 115 113 20480			
						264 98 91 20480			
						FUEL CAPACITY 116 GAL DIESEL			(DETAIL INDEX 10)

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	TRUCK TRACTOR 5-TON	S H I P C O N F	TM 9-2320-272-10	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
V A9	2320010478753	R 4	M931	9	264 98 91 20480	CCC	N N N R1DC
V AA	2320010478753	R 4	M931	9B	264 98 113 20480	CC	N N N R1DC
V 20	2320012064077	R 4	M931A1	B	265 121 121 21140	CC	N N N R1DC
V 21	2320012064077	R 4	M931A1	C	265 97 94 21140	CCC	X N N N R2DC (DETAIL INDEX 21)
V AB	2320012064077	R 4	M931A1	C	FUEL CAPACITY 116 GAL DIESEL	CCC	X N N N R2DC (DETAIL INDEX 21)
V AC	2320012064077	R 4	M931A1	9B	265 97 94 21140	CC	N N N R1DC
PV 23	2320012300302	R 4	M931A2	B	265 121 122 19895	CC	N N N R1DB
PV 24	2320012300302	R 4	M931A2	C	265 98 95 19895	CCC	N N N R2DB
V AD	2320012300302	R 4	M931A2	9	265 98 95 19895	CCC	N N N R2DB
V AE	2320012300302	R 4	M931A2	9B	265 98 122 19895	CC	N N N R1DB
X59463			TRUCK TRACTOR 5-TON		TM 9-2320-272-10		
V 10	2320000508978	R 4	M818 WVN	B	280 115 113 20107	CC	N N N R1DC
V 11	2320000508978	R 4	M818 WVN	C	280 98 86 20107	CCC	C N N N R2DC (DETAIL INDEX 11)
V 97	2320000508978	R 4	M818 WVN	9	FUEL CAPACITY 110 GAL DIESEL	CCC	C N N N R2DC (DETAIL INDEX 11)
V 98	2320000508978	R 4	M818 WVN	9B	280 98 86 20107	CC	N N N R1DC
V 07	2320010478752	R 4	M932 WVN	B	280 115 113 21580	CC	N N N R1DC
V 08	2320010478752	R 4	M932 WVN	C	280 98 91 21580	CCC	C N N N R2DC (DETAIL INDEX 08)
V 91	2320010478752	R 4	M932 WVN	9	FUEL CAPACITY 110 GAL DIESEL	CCC	C N N N R2DC (DETAIL INDEX 08)
V 92	2320010478752	R 4	M932 WVN	9B	280 98 91 21580	CC	N N N R1DC
V 20	2320012052684	R 4	M932A1 WVN	B	286 97 121 22240	CC	N N N R1DC
V 21	2320012052684	R 4	M932A1 WVN	C	286 97 94 22240	CCC	C N N N R2DC (DETAIL INDEX 21)
V 93	2320012052684	R 4	M932A1 WVN	9	FUEL CAPACITY 166 GAL DIESEL	CCC	C N N N R2DC (DETAIL INDEX 21)
V 94	2320012052684	R 4	M932A1 WVN	9B	286 97 94 22240	CC	N N N R1DC
PV 23	2320012300303	R 4	M932A2 WVN	B	286 121 122 20995	CC	N N N R1DC
PV 24	2320012300303	R 4	M932A2 WVN	C	286 98 95 20995	CCC	N N N R2DC (DETAIL INDEX 24)
	REMARKS				REF TM 55-2320-358-24&P		

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	LD WEIGHT (LB)	LD LENGTH (IN)	LD HEIGHT (IN)	CGO VEH	LD LIMITS	WEIGHT	HGT	TOE LIN	INDX	NO	CGO LOAD	IND	
X59463	2320012300303	R 4	TRUCK TRACTOR 5-TON	9	TM 9-2320-272-10	286	98	95	20995	1541	CCC	C	N	N	N	N	R2DC			
V 95	2320012300303	R 4	M932A2 WVN	9B		286	98	122	20995	1979	CC						R1DC			
V 96	2320012300303	R 4	M932A2 WVN	9B																
X62237	2320000509006	R 4	TRUCK VAN EXP 5-TON	B	TM 9-2320-272-10	361	115	138	27577	3316	CC						R1DC			
V 02	2320000509006	R 4	M820	C		361	99	138	27577	2855	CC						R1DC			
V 03	2320000509006	R 4	M820	C	REF TM 55-2320-260-15-1 F/ACFT LDG												R1DC			
V 73	2320000509006	R 4	M820	C	FUEL CAPACITY 78 GAL DIESEL												R1DC			
V 73	2320000509006	R 4	M820	9B		361	99	138	27577	2855	CC						R1DC			
V 08	2320010478750	R 4	M934	B		365	115	137	27828	3328	CC						R1DC			
V 09	2320010478750	R 4	M934	C		365	98	137	27828	2836	CC						R1DC			
V 76	2320010478750	R 4	M934	C	FUEL CAPACITY 81 GAL DIESEL												R1DC			
V 76	2320010478750	R 4	M934	C	REF TM 55-2320-272-14-1												R1DC			
V 76	2320010478750	R 4	M934	9B		365	98	137	27828	2836	CC						R1DC			
V 01	2320012052682	R 4	M934A1	B		363	121	143	29280	3635	CC						R1DC			
V 22	2320012052682	R 4	M934A1	B	FUEL CAPACITY 81 GAL DIESEL												R1DC			
V 77	2320012052682	R 4	M934A1	C		363	98	143	29280	2944	CC						R1DC			
V 77	2320012052682	R 4	M934A1	9B		363	98	143	29280	2944	CC						R1DC			
PV 20	2320012300300	R 4	M934A2	B		363	121	143	28035	3635	CC						R1DC			
PV 21	2320012300300	R 4	M934A2	C		363	98	143	28035	2944	CC						R1DC			
V 78	2320012300300	R 4	M934A2	9B		363	98	143	28035	2944	CC						R1DC			
X63299	2320000510489	R 4	TRUCK WRECKER 5-TON	B	TM 9-2320-272-10	355	115	113	34820	2670	CC						R1DC			
V 07	2320000510489	R 4	M816 WVN	C		355	99	105	34820	2136	CCC						R2DC			
V 08	2320000510489	R 4	M816 WVN	C	REF TM 55-2320-260-15-1 F/ACFT LDG												R2DC			
V AA	2320000510489	R 4	M816 WVN	C	FUEL CAPACITY 133 GAL DIESEL												R2DC			
V AB	2320000510489	R 4	M816 WVN	9B		355	99	113	34820	2299	CC						R1DC			
V 11	2320010478754	R 4	M936 WVN	B		356	115	118	36629	2796	CC						R1DC			
V 12	2320010478754	R 4	M936 WVN	C		356	98	105	36629	2120	CCC						R2DC			
V AL	2320010478754	R 4	M936 WVN	9		356	98	105	36629	2120	CCC						R2DC			

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	NO PCS	DIMENSIONS (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
X63299 V AM	2320010478754	R 4	TRUCK WRECKER 5-TON M936 WVN	9B	356 98 118	36629	2383	100	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
V 24	2320012064078	R 4	M936A1 WVN	B	362 121 120	38155	3042	CC	N N N R1DC
V 25	2320012064078	R 4	M936A1 WVN	C	362 97 118	38155	2398	CC	N N N R1DC
V AN	2320012064078	R 4	M936A1 WVN	9	FUEL CAPACITY 139 GAL DIESEL		2398	CC	(DETAIL INDEX 25)
V AP	2320012064078	R 4	M936A1 WVN	9B	362 97 118	38155	2439	CC	N N N R1DC
PV 27	2320012300304	R 4	M936A2 WVN	B	362 98 120	36910	2464	CC	N N N R1DC
PV 28	2320012300304	R 4	M936A2 WVN	C	362 98 109	36910	2238	CC	N N N R1DC
V AQ	2320012300304	R 4	M936A2 WVN	9	REF TM 9-2320-358-24&P		2238	CC	(DETAIL INDEX 28)
V AR	2320012300304	R 4	M936A2 WVN	9B	362 98 120	36910	2464	CC	N N N R1DC
X71046 V 04	1925002161845	N G	TUG 1200 TO 1530 HP DESIGN 377A	D	1721 396 552	1132000	217707		N N N C0DP
PV 07	1925003753003	N G	DESIGN 3006	D	1284 318 756	600800	178637		N N N C0DP
X87592 PV 01	1670004318486	U	UNIV DRIVE-OFF AID LADDER TYPE	I	NONE		5	XCX	N Y N J2CA
Y47707 V 08	3431000676742	U	WELDING MACHINE ARC MLR 33A/B/SP	I	TM 5-3431-213-14	116	8	CCCC	Y Y Y J3BA
V 09	3431001140858	U	330AB/SP	I	44 22 33	1010	19	CCCC	Y Y Y J3BA
V 10	3431001140858	U	330AB/SP	J	59 31 54	1180	58	CCCC	Y Y Y J3BA
V 12	3431002354728	U	301 FED	I	26 25 42	585	16	CCCC	Y Y Y J3BA
V 13	3431002354728	U	301 FED	J	35 33 61	755	41	CCCC	Y Y Y J3BA
V 27	3431006205999	U	MILW80027	I	36 26 48	850	26	CCCC	Y Y Y J3BA
V 21	3431008626669	U	425	I	22 23 42	354	13	CCCC	Y Y Y J3BA

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX)	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	LENGTH WIDTH HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 SN 5
Y47707	3431008626670		U	WELDING MACHINE ARC MAG 300AC/DC	E	1	1	TM 5-3431-213-14	792	17			
V 16	3431008626670		U	WELDER	I	3	3	26 23 45	720	16			
V 17	3431008626670		U	GROUND ROD	I	1	1	36 1 1	5	1			
V 18	3431008626670		U	GROUND CABLE	T	1	1	19 14 3	29	1			
V 19	3431008626670		U	ELECTRODE CABLE	T	1	1	19 14 3	28	1			
V 20	3431008626670		U	DAR300HPSGA	E	1	1	36 28 42	853	26			
V 01	3431009263746		U	WELDER	I	1	1	12 10 8	18	1			
V 02	3431009263746		U	FT CNTRL W/CABLE	I	1	1	19 14 3	29	1			
V 03	3431009263746		U	GROUND CABLE	T	1	1	19 14 3	28	1			
V 04	3431009263746		U	ELECTRODE CABLE	T	1	1	19 14 3	28	1			
V 05	3431009263746		U	DAR300HFSG	I	1	1	97 30 53	1379	90			
V 06	3431009843401		U	DAR300HFSG	V	1	1	88 108 57	1669	314			
V 28	3431009843401	REMARKS	U	DAR300HFSG	V	1	1	F/AALPS PLANNING PURPOSES ONLY					
22	3431010342280		U	UCC-305	E	1	1	48 36 43	1014	45			
PV 23	3431010342280		U	WELDER	I	1	1	14 12 7	984	43			
PV 24	3431010342280		U	FT CNTRL W/CABLE	I	1	1	14 14 9	14	1			
PV 25	3431010342280		U	MULTIPLE ITEMS	J	1	1	14 14 9	16	2			
Y48323	4940009357821		R	WELDING SHOP TLR MTD	D	1	1	TM 5-3431-229-13	149 76 59	2510	387		
PV 01	4940009357821		R	NONE	D	1	1						
YA0001	2330005425709		R	STLR VAN SHOP 6-TON	B	1	1	TM 9-2330-238-14	328 97 134	19410	2468		
PV 01	2330005425709	REMARKS	R	M447	B	1	1	W/ACFT ELEC SHOP SET C-2					
PV 02	2330005425709	REMARKS	R	M447	B	1	1	321 97 134	19410	2415			
V 05	2330005425709	REMARKS	R	M447	C	1	1	W/ACFT ELEC SHOP SET C-2					
YA0002	2330006315692		R	TRAILER VAN SHOP	9B	1	1	TM 9-2330-213-14&P	172 96 100	4120	956		
PV 01	2330006315692	REMARKS	R	M448	B	1	1	W/ACFT ELEC SHOP SET C-2					
PV 02	2330006315692	REMARKS	R	M448	B	1	1	167 96 100	4120	928			

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	SHIP	S	NO PCS	REMARKS	WEIGHT (LB)	CGO VEH	CGO LOAD IND
YA0002 V 11	2330006315692	R 6	9B	9B	167	TRAILER VAN SHOP M448	TM 9-2330-213-14&P 96 100 4120 928	CCC	C N N N R2DA
YA0003 PV 01	3820002211428	N 9	D	D	391	CRUSHER JAW 2A	TM 5-3820-233-12/2 108 124 28956 3031	CC	N N N A1DC
YA0004 PV 01	3820002224325	N 9	D	D	431	CRUSH SCREEN UNIT 2A	TM 5-3820-233-12/2 108 123 31482 3314	CC	N N N A1DK
YA0006 PV 01	0000000000000	R 3	D	D	342	TRUCK VAN WTR PRFCN 2-1/2-TON	TM 55-4610-203-12-1 98 126 22520 2444	CC	N N N R1DC
YA0021 PV 01	3820008516728	N 9	D	D	NONE	CRUSHER JAW NONE	NONE 435 102 132 48900 3390	CC	N N N A1DK
YA0022 PV 01	3820009387942	N 9	D	D	387	CRUSH/SCREENING UNIT NONE	NONE 102 159 45000 3633	CC	N N N A0DC
YA0027 PV 01	2330006315692	R 6	B	B	172	TRAILER VAN SHOP M448	TM 9-2330-213-14&P 96 100 5000 956	CCC	C N N N R2DA (DETAIL INDEX 01)
PV 02	2330006315692	R 6	B	B	167	M448	W/ACFT PAINT SHOP SET C-10 96 100 5000 928	CCC	C N N N R2DA (DETAIL INDEX 02)
V 11	2330006315692	R 6	C	C	167	M448	W/ACFT PAINT SHOP SET C-10 96 100 5000 928	CCC	C N N N R2DA
YA0030 PV 01	0000000000000	R 6	D	D	183	ANTENNA TCR TLR MTD SM-D-800101	NONE 84 86 3082 765	CCC	CC N Y N R2CA (DETAIL INDEX 01)
YA0032 PV 01	1670008204896	U	V	V	88	PALLET, 463L 2500 LB	NONE 108 55 2500 303	CCCC	XX N N Y J3DA
02	1670008204896	U	X	X	108	2500 LB	88 55 2500 303	CCCC	N N Y J3DA (DETAIL INDEX 02)
YA0035 PV 01	2330005425709	R 7	B	B	328	STLR VAN SHOP 6-TON M447	TM 9-2330-238-14 97 134 21020 2468	CC	N N N R1DC (DETAIL INDEX 01)
	REMARKS	7	B	B		M447	W/ACFT SHEET METAL SHOP C-4		

UNCLASSIFIED

LEGEND VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

UNCLASSIFIED

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	NO PCS	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	CGO VEH LD LIMITS	CC	CGO LOAD IND	
YA0035 PV 02	2330005425709	R 7	STLR VAN SHOP 6-TON M447	C	321	97	134	21020	2415	CC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN	
V 05	2330005425709	R 7	M447	C	321	97	134	21020	2415	CC		
YA0038 PV 01	1670008204896	U	PALLET, 463L 4500 LB	V	88	108	62	4500	341	CCCC	XX N N Y J3DA N N Y J3DA (DETAIL INDEX 02)	
02	1670008204896	U	4500 LB	X	108	88	62	4500	341	CCCC		
02	1670008204896	U	4500 LB	X	F/AALPS PLANNING PURPOSES ONLY							
YA0039 PV 01	1670008204896	U	PALLET, 463L 7500 LB	V	88	108	62	7500	341	CCCC	XX N N Y J3DA N N Y J3DA (DETAIL INDEX 02)	
02	1670008204896	U	7500 LB	X	108	88	62	7500	341	CCCC		
02	1670008204896	U	7500 LB	X	F/AALPS PLANNING PURPOSES ONLY							
YA0040 PV 01	1670008204896	U	PALLET, 463L 10000 LB	V	88	108	62	10000	341	CCCC	XX N N Y J3DB N N Y J3DB (DETAIL INDEX 02)	
02	1670008204896	U	10000 LB	X	108	88	62	10000	341	CCCC		
02	1670008204896	U	10000 LB	X	F/AALPS PLANNING PURPOSES ONLY							
YA0042 PV 01	2330011018434	R 6	CHASSIS TLR CRGO M116A2	D	147	82	36	740	252	CCCC	XXX Y Y N R2BA N N N R2DA (DETAIL INDEX 02)	
V 02	2330011018434	R 6	M116A2	R	146	80	92	2720	622	CCC	XXX N N N R2DA N N N R2DA (DETAIL INDEX 02)	
02	2330011018434	R 6	M116A2	R	W/QUICK REACTION ANTENNA							
02	2330011018434	R 6	M116A2	R	147	85	77	2940	557	CCC	XXX N N N R2DA N N N R2DA (DETAIL INDEX 05)	
02	2330011018434	R 6	M116A2	R	ETG TRAILER FOR SPARE PARTS							
YA0044 PV 01	2330004729999	R 7	STLR VAN SHOP 6-TON M447C	D	323	95	132	25520	2344	CC	N N N R1DC (DETAIL INDEX 01)	
01	2330004729999	R 7	M447C	D	LOADED W/ACFT INSTRU SHOP C-8							
YA0045 PV 01	6115000567906	R 6	POWER PLANT TLR MTD AN/MJQ-10	B	190	94	83	6500	858	CCC	N N N R2DA (DETAIL INDEX 01)	
01	6115000567906	R 6	AN/MJQ-10	B	W/DIST BOX							
02	6115000567906	R 6	AN/MJQ-10	C	171	94	83	6500	772	CCC	N N N R2DA (DETAIL INDEX 02)	
02	6115000567906	R 6	AN/MJQ-10	C	W/DIST BOX							
05	6115000567906	R 6	AN/MJQ-10	9B	171	94	83	6500	772	CCC	N N N R2DA (DETAIL INDEX 02)	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
YA0046										
PV 01	1670008204896	U	2-PALLET (2-PL) TRAIN	V		NONE	4 8000	45	CX	X N N N J2DA
02	1670008204896	U	2-PALLET (2-PL) TRAIN	X		178 108	4 8000	45	CCC	X N N N J2DA (DETAIL INDEX 02)
	REMARKS	U	2-PALLET (2-PL) TRAIN	X		F/AALPS PLANNING PURPOSES ONLY				
YA0048										
P 01	1670008204896	U	3-PALLET (3-PL) TRAIN	V		NONE	4 12000	67	CX	N N N J2DB
02	1670008204896	U	3-PALLET (3-PL) TRAIN	X		268 108	4 12000	67	XCX	N N N J2DB (DETAIL INDEX 02)
	REMARKS	U	3-PALLET (3-PL) TRAIN	X		F/AALPS PLANNING PURPOSES ONLY				
YA0052										
P 01	1670008204896	U	4-PALLET (4-PL) TRAIN	V		NONE	4 16000	90	CX	N N N J2DB
02	1670008204896	U	4-PALLET (4-PL) TRAIN	X		358 108	4 16000	90	XCX	N N N J2DJ (DETAIL INDEX 02)
	REMARKS	U	4-PALLET (4-PL) TRAIN	X		F/AALPS PLANNING PURPOSES ONLY				
YA0056										
P 01	1670008204896	U	5-PALLET (5-PL) TRAIN	V		NONE	4 20000	112	CX	N N N J2DJ
02	1670008204896	U	5-PALLET (5-PL) TRAIN	X		448 108	4 20000	112	XCX	N N N J2DJ (DETAIL INDEX 02)
	REMARKS	U	5-PALLET (5-PL) TRAIN	X		F/AALPS PLANNING PURPOSES ONLY				
YA0057										
PV 01	2330005425709	R 7	STLR VAN SHOP 6-TON	B		TM 9-2330-238-14	17550	2468	CC	N N N R1DB (DETAIL INDEX 01)
	REMARKS	7	M447	B		328 97 134	17550	2415	CC	N N N R1DB (DETAIL INDEX 02)
PV 02	2330005425709	R 7	M447	C		W/WELD SET C-5	17550	2415	CC	N N N R1DB (DETAIL INDEX 02)
	REMARKS	7	M447	C		321 97 134	17550	2415	CC	N N N R1DB (DETAIL INDEX 02)
V 05	2330005425709	R 7	M447	9B		321 97 134	17550	2415	CCCX	CC N N N R2DA (DETAIL INDEX 01)
YA0059										
PV 01	0000000000000	R 6	GEN SET 3 KW TLR MTD	D		NONE	90 2240	364	CCC	CC N N N R2DA (DETAIL INDEX 01)
	REMARKS	6	PU765/TSQ125	D		109 64	90 2240	851	CCC	CC N N N R2DA (DETAIL INDEX 01)
		6	PU765/TSQ125	D		2EA 3KW GEN MTD ON 1/4-TON TLR				
YA0062										
PV 01	6115009893296	R 6	POWER PLANT TLR MTD	D		TM 5-6115-629-14&P	8038	851	CCC	CC N N N R2DA (DETAIL INDEX 01)
	REMARKS	6	PU-650B/G	D		172 96 89	8038			
		6	PU-650B/G	D		W/DIST BOX				
YA0064										
			POWER PLANT TLR MTD	D		TM 5-6115-629-14&P				

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY	VEH	PLANT	DESCRIPTION	MTD	SHP	NO PCS	REMARKS	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
YA0064 PV 01	6115004644194	REMARKS	R	7	POWER PLANT TLR MTD PU-650A/G PU-650A/G					TM 5-6115-629-14&P 172 96 89 7737 W/DIST BOX	851	CGO VEH LD LIMITS WEIGHT (CU FT) HGT CUBE (CU FT) TOE LIN	CCC CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN	
YA0065 PV 01	4220010050704		R	6	MANIFOLD SVC U TLRMTD TYPE I					TM 5-4220-209-12&P 147 57 77 2840	374	CCC	CCC Y Y N R2BA	
YA0066 PV 01	4220010053276		R	6	MANIFOLD SVC U TLRMTD TYPE II					TM 5-4220-209-12&P 147 57 77 2840	374	CCC	CCC Y Y N R2BA	
YA0071 PV 01	6115012421665	REMARKS	R	6	POWER UNIT 60HZ PU-20KW PU-20KW					NONE 173 93 98 6280 MTD ON M200A1 TLR CHASSIS	913	XCX	N N N R2DA (DETAIL INDEX 01)	
YA0073 PV 01	4930008329330		R	6	PUMP ASSY GED TLR MTD 350 GPM					NONE 127 59 56 2270 243	243	CCCC	CCCC Y Y N R2BA	
YA0075 PV 01	1305007528088	REMARKS	U	U	463-L AF (2-PL) TRAIN 2-PT TRAIN 2-PT TRAIN 2-PT TRAIN					NONE 176 108 3 700 33 MUST USE A "G" RECORD TO LOAD PALLET MAX LOADED WEIGHT IS FOR BOTH (2) PALLETS	19500	CX	X N N N J2DA (DETAIL INDEX 01) (DETAIL INDEX 01)	
YA0076 PV 01	1670008204896	REMARKS	U	U	463-L AF (3-PL) TRAIN 3-PT TRAIN 3-PT TRAIN 3-PT TRAIN					NONE 264 108 3 1050 50 MUST USE A "G" RECORD TO LOAD PALLET MAX LOADED WEIGHT IS FOR ALL THREE PALLETS	26850	CX	N N N J2DA (DETAIL INDEX 01) (DETAIL INDEX 01)	
V 04 V 05	1670008204896 1670008204896	REMARKS	U	U	DKET 52/55 DKET75					349 94 92 14100 1747 349 98 94 18110 1861	1747	XCX XCX	N N N J2DB N N N J2DB	
YA0077 PV 01	1670008204896	REMARKS	U	U	463-L AF (4-PL) TRAIN 4-PT TRAIN 4-PT TRAIN 4-PT TRAIN					NONE 352 108 3 1400 66 MUST USE A "G" RECORD TO LOAD PALLET MAX LOADED WEIGHT IS FOR ALL FOUR PALLETS	39000	CX	N N N J2DA (DETAIL INDEX 01) (DETAIL INDEX 01)	
YA0080 V 02 V 03	0000000000000 0000000000000		P	P	CYLINDER, OXYGEN FULL FULL					NONE 9 9 52 124 3 10 10 54 70 4	3 4	CCCC CCCC	XXXX Y Y J3BA XXXX Y Y J3BA	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO PCS	DIMENSIONS (FOR ONE ITEM) -> (INCHES) -> LENGTH WIDTH HEIGHT (REMARKS) ->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
YA0080 PV 01	81200009632928	P	CYLINDER, OXYGEN FULL	I	4	NONE 10 10 58 148		CCCC XXXX Y Y Y J3BA
YA0081 PV 01	1670008204896 REMARKS	U	463-L AF LONG PALLET HCU-61E	X	17	NONE 108 88 3 355 MUST USE A "G" RECORD TO LOAD PALLET	10000	CCCXC XXXX N N Y J3DA (DETAIL INDEX 01)
YA0082 PV 01	1670008204896 REMARKS	U	463-L AF (5-PL) TRAIN 5-PT TRAIN	V	83	NONE 440 108 3 1750 MUST USE A "G" RECORD TO LOAD PALLET	50000	CX N N N J2DH (DETAIL INDEX 01)
YA0095 PV 01	8115005376681	U	BOX, PLYWOOD KD PPTY MIL-STD-212D	J	206	NONE 87 48 85 460	1800	CCCX XXX N Y Y J3CA
PV 02	8115005376681	U	MIL-STD-212D	J	206	87 48 85 660		CCCX XXX N Y Y J3CA
PV 03	8115005376681	U	MIL-STD-212D	J	206	87 48 85 860		CCCX XXX N Y Y J3CA
PV 04	8115005376681	U	MIL-STD-212D	J	206	87 48 85 1060		CCCX XXX N Y Y J3CA
PV 05	8115005376681	U	MIL-STD-212D	J	206	87 48 85 1260		CCCX XXX N Y Y J3CA
PV 06	8115005376681	U	MIL-STD-212D	J	206	87 48 85 1460		CCCX XXX N Y Y J3CA
PV 07	8115005376681	U	MIL-STD-212D	J	206	87 48 85 1660		CCCX XXX N Y Y J3CA
PV 08	8115005376681	U	MIL-STD-212D	J	206	87 48 85 1860		CCCX XXX N Y Y J3CA
PV 09	8115005376681	U	MIL-STD-212D	J	206	87 48 85 2060		CCCX XXX N Y Y J3CA
PV 10	8115005376681 REMARKS	U	MIL-STD-212D	J	206	87 48 85 2260 LOADED IN 200 LB INCREMENTS INT DIM. L85 X W46 X H83 CUBE FT = 188		CCCX XXX N Y Y J3CA (DETAIL INDEX 10) (DETAIL INDEX 10)
YA0096 PV 01	0000000000000 REMARKS	U	BX SHIP METAL 40FT LO MILVAN 40FT	I	2560	NONE 480 96 96 6900	67200	CX N N N J2DH (DETAIL INDEX 01)
V 13	0000000000000 REMARKS	R	SEAVAN	0	3730	490 96 137 13300 MUST USE A "G" RECORD TO LOAD CONTAINER		XX N N N R1DJ (DETAIL INDEX 13)
YA0097 PV 01	0000000000000 REMARKS	U	BX SHIP METAL 40FT HI MILVAN 40 FT	I	2747	NONE 480 96 103 7800	67200	CX N N N J2DH (DETAIL INDEX 01)
V 13	0000000000000 REMARKS	R	SEAVAN	0	3893	490 96 143 13300 MUST USE A "G" RECORD TO LOAD CONTAINER		X N N N R1DJ (DETAIL INDEX 13)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C M L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> DIMENSIONS (INCHES)---> LENGTH WIDTH HEIGHT (REMARKS)--->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN	(DETAIL INDEX 01)
YA0119		REMARKS	U	I	BOX SHIP METAL 40 FT MILVAN 40FT		NONE DATA PROVIDED BY NORTH DAKOTA NATIONAL GUARD	61250		
YA0120		REMARKS	U	I	BOX SHIP METAL 40 FT MILVAN 40 FT		NONE 480 96 114 6995 3040 MUST USE A "G" RECORD TO LOAD CONTAINER INTERIOR DIMENSIONS - L468 X W84 X H104	60205	CC	N N N J1DH (DETAIL INDEX 01) (DETAIL INDEX 01)
YA0126		REMARKS	U	I	MILVAN, 35-FOOT 8-TON		NONE 420 96 102 9120 2380 MUST USE A "G" RECORD TO LOAD CONTAINER INTERIOR DIMENSIONS - L408 X W84 X H92	16000	XCX	N N N J2DH (DETAIL INDEX 01) (DETAIL INDEX 01)
YA0137		REMARKS	U	X	PALLET, STANDARD 463L HCU-6/E		AFSC DH 1-11 108 88 3 290 17 108 88 10 354 55 HT & WT INCREASE INCL STRAPS & NET		CCCXC XXXX N N Y J3DA CCCXC XXXX N N Y J3DA	N N N Y J3DA (DETAIL INDEX 02)
YA0141		REMARKS	U	3	AIRDROP PLATFORM 8-FOOT		NONE 96 108 25 820 150 MUST USE 'G' RECORD TO LOAD PLATFORM	10000	CC C	N N N J2DA (DETAIL INDEX 01)
YA0142		REMARKS	U	4	AIRDROP PLATFORM 12-FOOT		NONE 144 108 25 1220 225 MUST USE 'G' RECORD TO LOAD PLATFORM	18500	CC	N N N J2DA (DETAIL INDEX 01)
YA0143		REMARKS	U	5	AIRDROP PLATFORM 16-FOOT		NONE 192 108 25 1590 300 MUST USE 'G' RECORD TO LOAD PLATFORM	28000	CC	N N N J2DA (DETAIL INDEX 01)
YA0144		REMARKS	U	6	AIRDROP PLATFORM 20-FOOT		NONE 240 108 25 1950 375 MUST USE 'G' RECORD TO LOAD PLATFORM	39000	CC	N N N J2DA (DETAIL INDEX 01)
YA0145		REMARKS	U	7	AIRDROP PLATFORM 24-FOOT		NONE 288 108 25 2280 450 MUST USE 'G' RECORD TO LOAD PLATFORM	52000	CC	N N N J2DA (DETAIL INDEX 01)

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	CONTAINER	NO PCS	LENGTH (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CHARACTERISTICS
YA0175		REMARKS	U	CONTAINER, FOUR DOOR ISU-90	V		NONE			10000	<C=AF CERTIFIED> <X=JCS CRITERIA> <H-----CGO LOAD IND-----> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
YA0176		REMARKS	U	CONTAINER, FOUR DOOR	V		NONE			10000	(DETAIL INDEX 04)
PV 01	8145013162578	REMARKS	U	CONTAINER, FOUR DOOR ISU-90-I	I	108	88	90	1760	495	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
V 03	8145013162578	REMARKS	U	CONTAINER, FOUR DOOR ISU-90-I	I	108	88	90	1760	495	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
V 04	8145013162578	REMARKS	U	CONTAINER, FOUR DOOR ISU-90-I	V	88	108	90	1760	495	CCCC XXXX N N Y J3DA (DETAIL INDEX 04)
V 06	8145015003147	REMARKS	U	CONTAINER, FOUR DOOR ISU-90 HSC	I	108	88	94	6035	517	XCXX XXXX N N N J2DA
V 07	8145015003147	REMARKS	U	CONTAINER, FOUR DOOR ISU-90 HSC	V	88	108	94	6035	517	CXX XX N N N J2DA
V 08	8145015003150	REMARKS	U	CONTAINER, FOUR DOOR ISU 90 HSC	I	108	88	94	6035	517	XCXX XXXX N N N J2DA
V 09	8145015003150	REMARKS	U	CONTAINER, FOUR DOOR ISU 90 HSC	V	88	108	94	6035	517	CXX XX N N N J2DA
YA0177		REMARKS	U	CONTAINER, FOUR DOOR ISU-90-KC	I	108	88	90	1760	495	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
PV 01	8145013413977	REMARKS	U	CONTAINER, FOUR DOOR ISU-90-KC	I	108	88	90	1760	495	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
V 03	8145013413977	REMARKS	U	CONTAINER, FOUR DOOR ISU-90-KC	X	108	88	90	1760	495	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
V 04	8145013413977	REMARKS	U	CONTAINER, FOUR DOOR ISU-90-KC	V	88	108	90	1760	495	CCCC XXXX N N Y J3DA (DETAIL INDEX 04)
YA0178		REMARKS	U	CONTAINER, FOUR DOOR ISU-60	I	108	88	60	1450	330	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
PV 01	8145013163295	REMARKS	U	CONTAINER, FOUR DOOR ISU-60	I	108	88	60	1450	330	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
V 03	8145013163295	REMARKS	U	CONTAINER, FOUR DOOR ISU-60	X	108	88	60	1450	330	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
V 04	8145013163295	REMARKS	U	CONTAINER, FOUR DOOR ISU-60	V	88	108	60	1450	330	CCCC XXXX N N Y J3DA (DETAIL INDEX 04)
YA0179		REMARKS	U	CONTAINER, FOUR DOOR ISU-60-EO	I	108	88	60	1500	330	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
PV 01	8145013163293	REMARKS	U	CONTAINER, FOUR DOOR ISU-60-EO	I	108	88	60	1500	330	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
V 03	8145013163293	REMARKS	U	CONTAINER, FOUR DOOR ISU-60-EO	X	108	88	60	1500	330	CCCC XXXX N N Y J3DA (DETAIL INDEX 01)
V 04	8145013163293	REMARKS	U	CONTAINER, FOUR DOOR ISU-60-EO	V	88	108	60	1500	330	CCCC XXXX N N Y J3DA (DETAIL INDEX 04)
YA0180		REMARKS	U	CONTAINER, TWO DOOR	V		NONE			5000	(DETAIL INDEX 04)

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	CGO VEH	LD LIMITS	WGT CUBE	TOE LIN	INDEX NO	CGO LOAD	IND
YA0180 PV 01	8145013163292	REMARKS	U	CONTAINER, TWO DOOR ISU-60.5	I	108	48	60	860	180	5000	CCCC	XXXX	Y	Y	J3BA	
V 03	8145013163292	REMARKS	U	ISU-60.5	I	MUST USE A "G" RECORD TO LOAD CONTAINER						CCCC	XXXX	N	N	Y	J3DA
V 04	8145013163292	REMARKS	U	ISU-60.5	V	88	108	60	860	330		CCCC	XXX	N	N	Y	J3DA
YA0181 PV 01	8145013163294	REMARKS	U	CONTAINER, TWO DOOR ISU-72.5	I	NONE					5000	CCCC	XXXX	Y	Y	N	J2BA
V 03	8145013163294	REMARKS	U	ISU-72.5	I	MUST USE A "G" RECORD TO LOAD CONTAINER						CCCC	XXXX	N	N	Y	J3DA
V 04	8145013163294	REMARKS	U	ISU-72.5	V	88	108	72	920	396		CCCC	XXX	N	N	Y	J3DA
YA0182 PV 01	8145013252243	REMARKS	U	CONTAINER, ONE DOOR ISU-96-RC	I	NONE					6000	CCCC	XX	N	N	Y	J3DA
V 03	8145013252243	REMARKS	U	ISU-96-RC	I	MUST USE A "G" RECORD TO LOAD CONTAINER						CCCC	XX	N	N	Y	J3DA
V 04	8145013252243	REMARKS	U	ISU-96-RC	V	88	108	96	3600	528		CCCC	XX	N	N	Y	J3DA
YA0183 PV 01	15200011255476		N	HELICOPTER AERIAL SCOUT OH-58D(I)	D	408	110	107	5000	2779		CCC		N	N	N	B2DA
YA0185 PV 01	54110000044740		U	CONEX, H2O ES 2000-A	I	96	77	96	2500	411		CCCC	XX	N	N	Y	J3DA
YA0211 V 02	00000000000000		U	RUCKSACKS NONE	V	88	108	45	1000	248		CCCC	XX	N	N	Y	J3DA
V 03	00000000000000		U	NONE	V	88	108	45	1500	248		CCCC	XX	N	N	Y	J3DA
V 04	00000000000000		U	NONE	V	88	108	45	2000	248		CCCC	XX	N	N	Y	J3DA
PV 01	16700008204896		U	LOADED IN 500 LB INCREMENTS F/AALPS PLANNING PURPOSES ONLY	V	88	108	45	500	248		CCCC	XX	N	N	Y	J3DA
YA0212				BAGGAGE/EQUIP PALLET	V	NONE											

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C L P E T	S H I P C O N F	DESCRIPTION	NO PCS	WEIGHT (LB)	HEIGHT (INCHES)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO
YA0323		REMARKS	6	D	POWERPLANT TRLR MTD AN/MJQ-37		NONE	TWO GENERATORS MTD ON M103A3 TLR			
YA0326		REMARKS	7	D	STLR VAN		435 99 102 16000 2542				
P 01	2330011367663		R	D	XM971E1		435 96 141 33267 3408				
02	2330011367663	REMARKS	R	R	XM971E1		SATELLITE COMM TERMINAL (AN/GSC-52V2)	MTD IN VAN			
03	2330011367663	REMARKS	R	R	XM971E1		435 96 141 25210 3408				
08	2330011367663	REMARKS	R	R	XM971E1		SUPPORT VAN FOR SATELLITE COMM TERMINAL (AN/GSC-52V2)				
YA0328		REMARKS	7	R	XM971E1		464 96 102 29160 2630				
PV 01	0000000000000		R	R	XM971E1		WITH AN/GSM-705 CALIBRATION SET STANDARD				
YA0329		REMARKS	7	D	SATELLITE TLR COML		NONE	1500 784			
P 01	0000000000000		U	I	LIGHT ALL ICON		NONE	2250 456			
YA0333		REMARKS	7	I	NONE		FOR AALPS PLANNING PURPOSES ONLY - DO NOT DELETE				
PV 01	2330012227979		R	D	TEST VAN		NONE	4080 4038			
YA0334		REMARKS	7	D	XM1065		456 102 150 40800 4038				
PV 01	2330011450363		R	D	XM1065		VAN LOADED WITH EQUIPMENT				
YA0340		REMARKS	7	D	SUPPORT VAN		NONE	3640			
PV 01	5411013554323		R	D	XM991E1		468 96 140 34000 3640				
YA0345		REMARKS	6	I	SHELTER TACTICAL		NONE	1280			
PV 01	5985015117612		U	I	NONE		240 96 96 15000 1280				
V 03	6115011537742		R	D	ANTENNA TRANSCVR GRP		NONE	783			
V 07	6115011537742	REMARKS	R	D	AN/MJQ-25 PU		175 84 92 4120 783				
		REMARKS	R	D	AN/MJQ-25 PU		MTD ON M103A3 TLR				
		REMARKS	R	R	AN/MJQ-25 PU		161 85 87 3149 689				
		REMARKS	R	R	AN/MJQ-25 PU		MTD ON MODIFIED M116A2 TLR				
		REMARKS	R	R	AN/MJQ-25 PU		161 85 87 3140 689				

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I P C O N F	S H I P C O N F	<-COMPO DESCRIPTION->	ANTENNA TRANSCVR GRP AN/MJQ-25 PU	TRACTOR COMMERCIAL	TRAC ETRAC/TAC VAN	TRAC ETRAC/TAC VAN	JOHN DEER TRACTOR LT WHEELED	PALLET 463L PROFILE B	REMARKS	PCS	NO	LENGTH WIDTH HEIGHT (REMARKS)	WEIGHT (LB)	WGT CUBE (CU FT)	LD LIMITS	CGO VEH	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF>	CGO LOAD IND	DETAIL INDEX	
YA0345		REMARKS	6	R	ANTENNA TRANSCVR GRP AN/MJQ-25 PU										NONE				CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L				
YA0351		REMARKS	4	D	TRACTOR COMMERCIAL										212 96 94 9860 1108								
YA0361		REMARKS	8	D	VIBRATORY COMPACT/ROLL										190 75 115 13750 949								
P 01		REMARKS	8	D	CS-431C										SMOOTH DRUM (WITHOUT BLADE)								
04		REMARKS	8	D	CP-433C										208 75 115 15625 1039								
02		REMARKS	8	D	CP-433C										SMOOTH ROLLER (WITH BLADE)								
		REMARKS	8	D	CS-433C										211 75 115 15125 1054								
		REMARKS	8	D	CS-433C										SHEEPS FOOT (WITH BLADE)								
YA0362		REMARKS	7	B	TRAC ETRAC/TAC VAN										NONE								
P 01		REMARKS	7	C	ETAC/TMV										515 96 108 31138 3090								
P 02		REMARKS	7	C	ETAC/TMV										494 96 102 31138 2800								
		REMARKS	7	C	ETAC/TMV										FOR AALPS PLANNING PURPOSES ONLY								
05		REMARKS	7	C	ETAC/TMV										COMBO CONSIST OF YA0351 (01) & Z50708 (01)								
13		REMARKS	7	F	ETAC/TMV										494 96 102 31138 2800								
36		REMARKS	7	BA	ETAC/TMV										514 96 102 31138 2913								
37		REMARKS	7	9	ETAC/TMV										494 96 102 31138 2800								
		REMARKS	7	9B	ETAC/TMV										494 96 108 31138 2964								
YA0363		REMARKS	7	B	TRAC ETRAC/TAC VAN										NONE								
P 01		REMARKS	7	C	ETR/MSV/MIST										550 98 108 39821 3369								
P 02		REMARKS	7	C	ETR/MSV/MIST										508 98 102 39821 2939								
05		REMARKS	7	BA	ETR/MSV/MIST										550 98 102 39821 3182								
06		REMARKS	7	F	ETR/MSV/MIST										508 98 102 39821 2939								
41		REMARKS	7	9	ETR/MSV/MIST										508 98 102 39821 2939								
42		REMARKS	7	9B	ETR/MSV/MIST										508 98 108 39821 3112								
YA0370		REMARKS	8	D	JOHN DEER TRACTOR LT WHEELED										NONE								
PV 01		REMARKS	8	D	JOHN DEER TRACTOR LT WHEELED										143 84 90 3990 626								
YA0371		REMARKS	8	D	PALLET 463L PROFILE B										NONE								

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHIP	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	WEIGHT (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
YA0420 01 PV 02	00000000000000	U	BASIC CONST MATERIAL NONE	E	1	240	3	3	600	2	CCC	X N Y N J2CA
YA0421 01 PV 02	00000000000000	U	BASIC CONST MATERIAL NONE	E	4	240	3	3	7000	5	CCC	X N Y N J2CA
YA0422 01 PV 02	00000000000000	U	BASIC CONST MATERIAL NONE	E	10	240	1	1	2200	2	CCC	X N Y N J2CA
YA0423 01 PV 02	00000000000000	U	BASIC CONST MATERIAL NONE	E	9	240	7	7	2079	62	CCC	X N Y N J2CA
YA0424 01 PV 02	00000000000000	U	BASIC CONST MATERIAL NONE	E	2	240	7	7	4000	14	CCC	X N Y N J2CA
YA0427 01 PV 01	00000000000000	V	AIRDROP PLATFORM 18FT	5	5	216	88	50	1800	550	CCX	X N N N J2DA (DETAIL INDEX 01)
YA0428 01 P 01	5411013874894	R	SHELTER NONEXPAND S-8 AN/GSS-1497A	D	3	214	86	106	10097	1129	CC	C N N N R1DB (DETAIL INDEX 01)
YA0429 01 P 02	2330013875443	R	MIDAS ANTENNA TLR MTD 1050T	B	6	105	96	196	3345	1144	XCXX	N N N R0DA
04 05	2330013875443	R	1050T ANTENNA LOWERED	C	6	105	96	87	3345	508	XCXX	N N N R2DA (DETAIL INDEX 02)
YA0430 01 P 01	00000000000000	R	GENERATOR TRLR MTD 30KW	D	6	74	88	74	4200	279	XCXX	N N N R2DA

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	S	NO	PCS	REMARKS	LENGTH (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	DETAIL INDEX
YA0475 PV 01	0000000000000 REMARKS	R 3	ANTENNA MAST MT-6950/TRC	D	199	88	NONE	105	9559	1064	CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF>	
YA0476 PV 01	0000000000000 REMARKS	R 3	ANTENNA MAST MT-6950/TRC	D	199	88	NONE	105	10506	1064	CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF>	
YA0478 P 01	0000000000000	R 7	TES MISSION VAN WOLF COACH	D	372	96	NONE	106	26330	2191	CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF>	
YA0479 P 01	0000000000000	R 7	TES POWER VAN WOLF COACH	D	237	96	NONE	102	22850	1343	CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF>	
YA0483 P 01 02	8115014747089 8115014747089 REMARKS	U U U	QUADCON CONTAINER NONE NONE NONE	I I I	96 58 82	60 96 82	NONE	84	1764 1764 265	280 265	8236 82 222 82 222 82 222	XXX N Y Y J3CA XXX N N N J2DA (DETAIL INDEX 02)	
YA0484 P 01	8745014670448	U	CNTNR SPECIAL (SHOP) NONE	M	165	87	NONE	84	3960	698	3940	XXX N Y Y J3CA XXX N N N J2DA (DETAIL INDEX 02)	
YA0485 P 01	8145014685926	R 7	EXP LGT AIR MOB SHLTR ELAMS	D	289	96	NONE	114	14240	1831	12000	XXX N Y Y J3CA XXX N N N J2DA (DETAIL INDEX 02)	
YA0487 P 01	1670008204896 REMARKS	U U	3-PALLET (3-PL)TRAIN 463L 463L	V V	268	108	NONE	4	1050	67	30000	XXX N Y Y J3CA XXX N N N J2DA (DETAIL INDEX 02)	
YA0488 PV 01	0000000000000	R 3	DEPLOY PRINT PROD CTR NONE	D	197	85	NONE	103	11043	999		XXX N Y Y J3CA XXX N N N J2DA (DETAIL INDEX 02)	
YA0490 PV 01	0000000000000	N 3	TUG CLARK TUG	D	112	66	NONE	55	4900	236		XXX N Y Y J3CA XXX N N N J2DA (DETAIL INDEX 02)	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> (INCHES)---> LENGTH WIDTH HEIGHT (REMARKS)--->	CGO VEH LD LIMITS WEIGHT (LB) (CU FT) HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
YA0531 P 01	3820014356662	R 4	WATER PUMP UNIT GB2060	D	NONE 212 96 109 6770 1284	XX N N N R1DA	
YA0532 P 01	3820014355703	R 4	GENERATOR SET 125 KW	D	NONE 222 96 116 10631 1431	XX N N N R1DB	
YA0533 P 01	3820014358403	R 9	PTBL SURGE BIN FEEDER PSF-12	D	NONE 434 119 159 25400 4753	N N N R0DK	
YA0534 P 01	0000000000000	U	VIB SCREEN FDR MODULE NONE	I	NONE 350 117 91 21200 2157	XX N N N J2DC	
YA0535 P 01	0000000000000	R 4	SEMITRAILER MODULE NONE	D	NONE 678 146 152 94800 8708	N N N R0DL	
YA0536 P 01	3820014358022	R 9	TERTIARY CRUSH UNIT MC45	D	NONE 475 105 161 50100 4647	N N N R0DK	
YA0537 P 01	0000000000000	R 9	WASH SCREEN UNIT NONE	D	NONE 415 138 161 40100 5336	N N N R0DC	
YA0538 P 01	0000000000000	R 9	DEWATERING SCREW NONE	D	NONE 384 110 118 14500 2885	XX N N N R1DB	
YA0539 PV 01	5420014705824 REMARKS	U U	IMPROVED RIBBON BRDG M17 M17	L L	NONE 273 131 93 13800 1925 INTERIOR BAY SECTION FOR IMP RIBBON BRIDGE	CC N N N J1DB (DETAIL INDEX 01)	
V 03	5420014705825 REMARKS	U U	M16 M16	L L	268 127 93 13280 1832 RAMP BAY SECTION FOR IMP RIBBON BRIDGE	CC N N N J1DB (DETAIL INDEX 03)	
YA0541 P 01	0000000000000 REMARKS	R 3 3	LTWT DIGITAL OP CTR NONE NONE	D D	NONE 187 99 104 7880 1115 MTD ON M1097A2	XX N N N R2DA (DETAIL INDEX 01)	
YA0542			CLIMATE CONTROL UNIT		NONE		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	S H I P C O N F	T Y P E H I P C O N F	DESCRIPTION	CLIMATE CONTROL UNIT	ECU 8TON	FLATRACK 40-FT	LIGHT SET TLR MTD	DEP PWR GEN/DIST SYS	CBL REEL PALLET ASSY	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	NO PCS	LENGTH HEIGHT (REMARKS)	WEIGHT (LB)	LD LIMITS	CGO VEH	CGO LOAD IND
YA0542 P 01	83400151140798 REMARKS	R 6	D	R 6	CLIMATE CONTROL UNIT	CLIMATE CONTROL UNIT	ECU 8TON	FLATRACK 40-FT	LIGHT SET TLR MTD	DEP PWR GEN/DIST SYS	CBL REEL PALLET ASSY	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	6	198 92 89 4560 939	4560	CCCKK DDBB CTN CTN 4 CCCH	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0543 PV 01	00000000000000	U	I	U	FLATRACK 40-FT	FLATRACK 40-FT	FLATRACK 40-FT	FLATRACK 40-FT	LIGHT SET TLR MTD	DEP PWR GEN/DIST SYS	CBL REEL PALLET ASSY	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	480 96 42 21000 1120	21000	115CC CC77 20 40 6	<AMC> <CRAF>	<AMC> <CRAF>
YA0544 P 01	00000000000000	N 6	D	N 6	LIGHT SET TLR MTD	LIGHT SET TLR MTD	LIGHT SET TLR MTD	LIGHT SET TLR MTD	LIGHT SET TLR MTD	DEP PWR GEN/DIST SYS	CBL REEL PALLET ASSY	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 96 76 5438 786	5438	37 11 8144 FT FT 3	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0546 P 01	6115014864032	R 7	D	R 7	DEP PWR GEN/DIST SYS	DEP PWR GEN/DIST SYS	DEP PWR GEN/DIST SYS	DEP PWR GEN/DIST SYS	DEP PWR GEN/DIST SYS	DEP PWR GEN/DIST SYS	CBL REEL PALLET ASSY	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 96 123 29960 1921	29960	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0547 PV 01	3895014954464	U	I	U	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 54 50 525 155	525	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0547 V 02	3895014954464 REMARKS	U	I	U	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	CBL REEL PALLET ASSY	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 60 70 6500 241	6500	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0548 P 01	6110014933391	U	I	U	PRIMARY SWITCHING CTR	PRIMARY SWITCHING CTR	PRIMARY SWITCHING CTR	PRIMARY SWITCHING CTR	PRIMARY SWITCHING CTR	PRIMARY SWITCHING CTR	PRIMARY SWITCHING CTR	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 72 48 4000 208	4000	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0550 P 01	6110014994920	U	I	U	SECONDARY DIST CTR	SECONDARY DIST CTR	SECONDARY DIST CTR	SECONDARY DIST CTR	SECONDARY DIST CTR	SECONDARY DIST CTR	SECONDARY DIST CTR	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 48 72 2300 122	2300	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0551 01	00000000000000	U	I	U	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 109 125 51 2780 403	2780	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0551 P 02	00000000000000 REMARKS	U	I	U	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	STRYKER IAV ROLLER	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 102 117 51 2780 353	2780	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0552 01	00000000000000	U	I	U	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 156 152 50 3483 687	3483	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0552 P 02	00000000000000 REMARKS	U	I	U	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	STRYKER IAV PLOW	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 124 108 50 3483 388	3483	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0553 P 01	8145015078115	U	M	U	HARDSIDE EXP LT SHLTR	HARDSIDE EXP LT SHLTR	HARDSIDE EXP LT SHLTR	HARDSIDE EXP LT SHLTR	HARDSIDE EXP LT SHLTR	HARDSIDE EXP LT SHLTR	HARDSIDE EXP LT SHLTR	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE 178 96 96 5900 950	5900	0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>
YA0554					ECU TRLR MTD	ECU TRLR MTD	ECU TRLR MTD	ECU TRLR MTD	ECU TRLR MTD	ECU TRLR MTD	ECU TRLR MTD	PRIMARY SWITCHING CTR	SECONDARY DIST CTR	STRYKER IAV ROLLER	STRYKER IAV PLOW	HARDSIDE EXP LT SHLTR	ECU TRLR MTD	1	NONE		0 03 077 L	<C=AF CERTIFIED> <X=JCS CRITERIA>	<C=AF CERTIFIED> <X=JCS CRITERIA>

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
YA0554 PV 01	0000000000000	R 6	ECU TRLR MTD NONE	D		214	98	98	6240	1190	XCX	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
YA0558 PV 01	8145014810611	U	BULK CGO SHPG STG CNT BOH-6	M		72	96	92	2200	368	CCCX	XXX N N N J2DA
YA0559 PV 01	0000000000000	U	BILLETING TENT KIT NONE	M		78	96	96	7950	416	CCCX	XX N N N J2DA
YA0560 PV 01	0000000000000	U	BILLETING ECU KIT NONE	M		78	96	96	7950	416	CCCX	XX N N N J2DA
YA0561 PV 01	0000000000000	U	BILLETING FT LCKR KIT NONE	M		78	96	96	4260	416	CCCX	XX N N N J2DA
YA0562 PV 01	0000000000000	U	BILLETING BUNK BD KIT NONE	M		78	96	96	9110	416	CCCX	XX N N N J2DA
YA0563 PV 01	0000000000000	U	LAUNDRY TENT KIT NONE	M		78	96	96	5850	416	CCCX	XX N N N J2DA
YA0564 PV 01	0000000000000	U	LAUNDRY KIT NONE	M		78	96	96	4250	416	CCCX	XX N N N J2DA
YA0565 PV 01	0000000000000	U	BATCH LAUNDRY NONE	M		240	96	96	13530	1280	CCC	N N N J2DB
YA0566 PV 01	0000000000000	U	LATRINE SYS PART A NONE	M		240	96	96	10860	1280	CCC	N N N J2DB
YA0567 PV 01	0000000000000	U	LATRINE ECU KIT NONE	M		78	96	96	5260	416	CCCX	XX N N N J2DA
YA0568 PV 01	0000000000000	U	LATRINE SYS PART B NONE	M		240	96	96	9900	1280	CCC	N N N J2DA
YA0569			SHOWER KIT PART A									

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	SHIP	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO WEIGHT	HGT	CUBE	TOE LIN	IND
YA0581 PV 01	00000000000000	U	WASTE WATER ACCESSORY	M		78	96	96	5570	416	CCCX	XX	N	N	N	J2DA
YA0582 PV 01	00000000000000	U	REFRIG KIT PART A	M		240	96	96	10020	1280	CCC		N	N	N	J2DB
YA0583 PV 01	00000000000000	U	KITCHEN KIT PART A	M		78	96	96	6300	416	CCCX	XX	N	N	N	J2DA
YA0584 PV 01	00000000000000	U	SANITATION KIT	M		78	96	96	4570	416	CCCX	XX	N	N	N	J2DA
YA0585 PV 01	00000000000000	U	FOOD SVC WTR DIST KIT	M		78	96	96	5420	416	CCCX	XX	N	N	N	J2DA
YA0586 PV 01	00000000000000	U	FOOD SVC ECU KIT	M		78	96	96	5340	416	CCCX	XX	N	N	N	J2DA
YA0587 PV 01	00000000000000	U	DINING TNT KIT PART A	M		78	96	96	7180	416	CCCX	XX	N	N	N	J2DA
YA0588 PV 01	00000000000000	U	DINING TNT KIT PART B	M		78	96	96	6580	416	CCCX	XX	N	N	N	J2DA
YA0589 PV 01	00000000000000	U	REFRIG KIT PART B	M		78	96	96	5530	416	CCCX	XX	N	N	N	J2DA
YA0590 PV 01	00000000000000	U	WASTE WTR SYS KIT	M		78	96	96	4660	416	CCCX	XX	N	N	N	J2DA
YA0591 PV 01	00000000000000	U	FOOD SANI/PRP TNT KIT	M		78	96	96	6710	416	CCCX	XX	N	N	N	J2DA
YA0592 PV 01	00000000000000	U	KITCHEN TENT KIT	M		78	96	96	6650	416	CCCX	XX	N	N	N	J2DA
YA0593			KITCHEN KIT PART B	M												

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHIP	NO PCS	NO LENGTH WIDTH HEIGHT (REMARKS)	WEIGHT (LB) (CU FT)	DIMENSIONS (INCHES)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	OTHER DATA				
YA0593 PV 01	00000000000000	U	KITCHEN KIT PART B	M	78	96	96	4440	416	CCCX	XX	N	N	N	J2DA
YA0594 PV 01	00000000000000	U	KITCHEN KIT PART C	M	78	96	96	5050	416	CCCX	XX	N	N	N	J2DA
YA0595 PV 01	00000000000000	U	KITCHEN KIT PART D	M	78	96	96	4270	416	CCCX	XX	N	N	N	J2DA
YA0596 PV 01	00000000000000	U	PROV SITE PRP/MNT KIT	M	78	96	96	7440	416	CCCX	XX	N	N	N	J2DA
YA0597 PV 01	00000000000000	U	SYS SPT KIT PART A	M	78	96	96	7410	416	CCCX	XX	N	N	N	J2DA
YA0598 PV 01	00000000000000	U	SYS SPT KIT PART B	M	78	96	96	8950	416	CCCX	XX	N	N	N	J2DA
YA0599 PV 01	00000000000000	U	MWR KIT PART A	M	240	96	96	8510	1280	CCC		N	N	N	J2DA
YA0600 PV 01	00000000000000	U	MWR KIT PART B	M	78	96	96	4360	416	CCCX	XX	N	N	N	J2DA
YA0601 PV 01	00000000000000	U	MWR KIT PART C	M	78	96	96	9740	416	CCCX	XX	N	N	N	J2DA
YA0602 PV 01	00000000000000	U	MWR TENT KIT	M	78	96	96	6760	416	CCCX	XX	N	N	N	J2DA
YA0603 PV 01	00000000000000	U	MWR ADMIN SPT KIT	M	78	96	96	5930	416	CCCX	XX	N	N	N	J2DA
YA0604 PV 01	00000000000000	U	MWR ECU KIT	M	78	96	96	5330	416	CCCX	XX	N	N	N	J2DA
YA0605			MWR ECU KIT												

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	SHIP	NO PCS	DIMENSIONS (FOR ONE ITEM) -> (INCHES) -> LENGTH WIDTH HEIGHT (REMARKS) ->	WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
YA0605 PV 01	0000000000000	U	MWR ECU KIT NONE	M	78 96 96	4890 416	CCCX XX N N N J2DA	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DBB CTN CTN 4 CCCH 115CC CC77 20 40 6	
YA0606 PV 01	0000000000000	U	ADMIN TENT KIT NONE	M	78 96 96	7130 416	CCCX XX N N N J2DA		
YA0607 PV 01	4630015138155	R 6	WSTE WTR VAC TNT TRLR WWET/T	D	207 96 108	7920 1242	XX N N N R1DA		
YA0609 PV 01	8145014731212	U	BOH ENVIRONMENTAL CNTR FPU-8-1	M	84 96 90	4400 420	CCCX XXX N N N J2DA		
YA0610 PV 01	8145015020581	U	BULK STG/SHPG CNTR BOH-12	M	153 96 92	5200 782	CCC XXX N N N J2DA		
YA0611 PV 01	8145014731207	U	STORAGE/SHPG SYSTEM FPU-20-1	M	240 96 96	12900 1280	CCC N N N J2DB	(DETAIL INDEX 01)	
YA0612 PV 01	8145014731208	U	STORAGE/SHPG SYSTEM FPU-20-2	M	240 96 96	9800 1280	CCC 23200 96 722		
YA0613 PV 01	2510014463358	U	CAP, TRK MOUNTING CAP	I	122 85 32	450 192	CCCX XXXX N N N J2DA		
V 02	2510014463358	U	CAP	H	133 91 48	600 337	CCCX XXX N N N J2DA		
V 03	2510014463358	R 3	CAP	0	191 86 83	6350 789	XCX X X N N R2DA		
V 05	2510014463358	R 3	CAP	0	MTD ON M1097A2	5730 848	XCX X N N N R2DA	(DETAIL INDEX 03)	
YA0616 PV 01	8145014670448	U	CONTAINER, SPECIAL NONE	I	166 87 84	2900 702	CCC X X N N N J2DA		
YA0619 P 01	6230013534782	N 6	FLOODLIGHT SET ELEC AL-4000	B	179 102 360	2050 3804	CCC N N N A0DA		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	DESCRIPTION	SHP	NO PCS	DIMENSIONS (FOR ONE ITEM) -> WEIGHT (LB) (CU FT) LENGTH WIDTH HEIGHT (REMARKS) ->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
YA0619 P 02	6230013534782	N 6	FLOODLIGHT SET ELEC AL-4000	C	124 61 68	2050 298	XCXC XXXX Y Y N A2BA	
YA0622 P 01	0000000000000 REMARKS	R 6 6	GENERATOR, 35KW NONE NONE	D D	138 72 72	1750 414	XCX XXXX Y Y N R2BA (DETAIL INDEX 01)	
YA0624 PV 01	0000000000000	R 3	MRBS TRAILER TRL	D	166 85 77	4180 629	XCX X X N N N R2DA	
YA0625 PV 01	0000000000000	R 3	MRBS BACKUP TLR TRL	D	166 85 77	3850 629	XCX X X N N N R2DA	
YA0626 PV 01	0000000000000	R 3	MTBS TRAILER TRL	D	166 85 77	4180 629	XCX X X N N N R2DA	
YA0627 PV 01	0000000000000	R 3	MTBS BACKUP TLR TRL	D	166 85 77	3850 629	XCX X X N N N R2DA	
YA0629 P 01	8145015023927	U	EXP WALL CMD CENTER NONE	I	242 98 96	11880 1318	XCX N N N N J2DB	
YA0630 P 01	0000000000000 REMARKS	U	DRAS PLATFORM NONE NONE NONE NONE	I I I I	216 88 25 WITHOUT OUTRIGGERS 216 88 25 WITH OUTRIGGERS	14500 275 275	CCC X N N N N J2DA (DETAIL INDEX 01) CCC X N N N N J2DA (DETAIL INDEX 03)	
YA0631 P 01	0000000000000 REMARKS	R 3 3 3	COMMERCIAL HMMVV HMMVBE HMMVBE HMMVBE	D D D	220 94 104	12070 1245	XX N N N N R2DB (DETAIL INDEX 01) (DETAIL INDEX 01)	
YA0632 P 01	0000000000000 REMARKS	R 7 7	COMMERCIAL TRAILER NONE NONE	D D	176 98 84	5090 839	XCX X X N N N R2DA (DETAIL INDEX 01)	
YA0633			SPECIAL CONTAINER		NONE		6510	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	NO PCS	REMARKS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
YA0645 PV 01	5419013996391	U	20 FT ISO CONTAINER	M		NONE	240	96	96	10870	1280	CCC	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
YA0646 PV 01	5419013996391	U	20 FT ISO CONTAINER	M		NONE	240	96	96	9900	1280	CCC	
YA0647 PV 01	5419013996391	U	TRICON CONTAINER	M		NONE	78	96	96	7120	416	CCCX	XX
YA0648 PV 01	5419013996391	U	TRICON CONTAINER	M		NONE	78	96	96	5420	416	CCCX	XX
YA0649 PV 01	5419013996391	U	TRICON CONTAINER	M		NONE	78	96	96	4160	416	CCCX	XX
YA0650 PV 01	5419013996391	U	TRICON CONTAINER	M		NONE	78	96	96	3990	416	CCCX	XX
YA0651 PV 01	5419013996391	U	TRICON CONTAINER	M		NONE	78	96	96	7470	416	CCCX	XX
YA0652 PV 01	5419013996391	U	TRICON CONTAINER	M		NONE	78	96	96	5130	416	CCCX	XX
YA0653 PV 01	5419013996391	U	TRICON CONTAINER	M		NONE	78	96	96	5390	416	CCCX	XX
YA0654 PV 01	5419013996391	U	20 FT ISO CONTAINER	M		NONE	240	96	96	12320	1280	CCC	
YA0655 PV 01	5419013996391	U	TRICON CONTAINER	M		NONE	78	96	96	5950	416	CCCX	XX
YA0656 PV 01	5419013996391	U	TRICON CONTAINER	M		NONE	78	96	96	5570	416	CCCX	XX
YA0657			20 FT ISO CONTAINER	M		NONE							

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	WGT CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
YA0657 PV 01	5419013996391	U	20 FT ISO CONTAINER	M	240	96	96	10020	1280		CCC	N N N J2DB
YA0658 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	6300	416		CCCX	XX N N N J2DA
YA0659 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	4570	416		CCCX	XX N N N J2DA
YA0660 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	5340	416		CCCX	XX N N N J2DA
YA0661 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	7180	416		CCCX	XX N N N J2DA
YA0662 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	6580	416		CCCX	XX N N N J2DA
YA0663 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	5530	416		CCCX	XX N N N J2DA
YA0664 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	4660	416		CCCX	XX N N N J2DA
YA0665 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	6710	416		CCCX	XX N N N J2DA
YA0666 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	6650	416		CCCX	XX N N N J2DA
YA0667 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	4440	416		CCCX	XX N N N J2DA
YA0668 PV 01	5419013996391	U	TRICON CONTAINER	M	78	96	96	5050	416		CCCX	XX N N N J2DA
YA0669			TRICON CONTAINER	M								

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM)---> LENGTH WIDTH HEIGHT (INCHES)-----> (REMARKS)----->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
YA0694 P 01	4940013584247	R 6	D	HYDROBLASTER TLR MTD 5/3000GHOTT/M	1	NONE 190 90 75 2650 743	XCX X X N N N R2DA	
YA0697 P 01	8145014839123 REMARKS	U U	I I	TRICON CONTAINER GREEN GREEN	2	NONE 239 96 96 7800 1275 TRICONS CONNECTED TOGETHER	CCC N N N J2DA (DETAIL INDEX 01)	
03	8145014839125 REMARKS	U U	I I	TAN TAN	2	239 96 96 7800 1275 TRICONS CONNECTED TOGETHER	CCC N N N J2DA (DETAIL INDEX 03)	
YA0699 P 01	0000000000000	R 4	D	44 PASSENGER BUS 1977 INTL	1	NONE 464 101 120 20650 3255	XX N N N R1DK	
YA0701 P 01	0000000000000	R 7	D	COMMERCIAL TRAILER NONE	1	NONE 328 98 68 6000 1265	XCX N N N R2DA	
YA0703 P 01	6930015412308 REMARKS	R 7	D	LONGBOW CRW TRNER TRL LCT AH-64D LCT AH-64D	2	NONE 636 102 162 40500 6082 INCLUDES SHELTER W/SPARE PARTS AND EQUIP	N N N R0DK (DETAIL INDEX 01)	
YA0705 P 01	8340014594366	R 6	D	SHELTER SUPPORT TRLR HP-2C/188	1	NONE 165 86 72 3400 592	XCX X X N N N R2DA	
YA0708 P 01	0000000000000	R 6	D	GENERATOR TRL MTD 35 KW	1	NONE 165 85 75 4500 609	XCX X X N N N R2DA	
YA0711 P 01	0000000000000	R 4	D	AIR COMPRESSOR RAND 1070	1	NONE 300 91 104 17200 1643	XCX N N N R2DB	
YA0740 PV 01	0000000000000	R 7	D	CTR RKT ARTY MORTAR C-RAM	1	NONE 575 96 156 61000 4984	X N N N R1DL	
YA0741 PV 01	3805014208891	N 8	D	DITCH WITCH NONE	1	NONE 348 96 108 11465 2088	XX N N N A1DB	
YA0744 PV 01	0000000000000	R 7	B	PHALANX CIWS NONE	1	NONE 577 138 158 53200 7281	N N N R0DK	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	P	V	E	H	I	P	S	NO PCS	LENGTH WIDTH HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
YA0744															
PV 02	000000000000	REMARKS	R						B		MTD ON A TWIN AXLE DOUBLE-DROP LOWBOY TRAILER	577 138 156 53200	7189	C	(DETAIL INDEX 01)
V 03	000000000000	REMARKS	R						S		MTD ON A TWIN AXLE DOUBLE-DROP LOWBOY TRAILER	577 138 148 53200	6820	CC	(DETAIL INDEX 02)
V 07	000000000000	REMARKS	R						BA		MTD ON A TWIN AXLE DOUBLE-DROP LOWBOY TRAILER	552 138 148 56910	6525	X	(DETAIL INDEX 03)
YA0745									D		MTD ON A MODIFIED TWIN AXLE DOUBLE-DROP LOWBOY TLR				(DETAIL INDEX 07)
PV 01	8145014759570	CONTAINER STORAGE	U						M		NONE	96 76 96 2500	406	CCCX	XX N N Y J3DA
YA0746															
PV 01	000000000000	DIGGER DERRICK TRK	R						D		NONE	300 100 140 26060	2431	CC	N N N R1DC
V 03	000000000000	REMARKS	R						D		WITH WINCH	280 100 124 25300	2010	CC	(DETAIL INDEX 01)
YA0747															
P 01	000000000000	GATE BARRIER TLR MTD	R						D		NONE	210 92 80 10216	895	XCX	X N N N R2DB
YA0748															
PV 01	000000000000	CABLE REEL TRLR MTD	R						D		NONE	176 92 61 4350	572	XCX	X X N N N R2DA
YA0749															
PV 01	000000000000	PDU TRAILER MTD	R						D		MTD ON UTS-7 TRAILER	176 92 87 3650	816	XCX	X N N N R2DA
YA0750															
PV 01	000000000000	GENERATOR TRLR MTD	R						D		NONE	287 96 138 19000	2201	XX	N N N N R1DB
YA0751															
PV 01	000000000000	ENVIRONMNTL CNTL UNIT	U						I		MTD ON UTS-16 TRAILER	124 65 62 2700	290	CCCC	XXXX Y Y N J2BA
YA0752															
		TRMET TRAILER									NONE				

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	STATUS	PCS	NO	REMARKS	WEIGHT (LB)	HEIGHT (IN)	LD LIMITS	CGO VEH	INDEX NO	CGO LOAD IND
YA0752 P 01	0000000000000 REMARKS	R 7	TMET TRAILER 50LF175-D-2	D	7	480	102	151	50000	4279			
YA0753 P 01	0000000000000 REMARKS	R 7	STORAGE/TRANS TRLR 50LF175-0-1	D	7	360	102	140	18000	2975			
YA0754 P 01	0000000000000	R 1	POLARIS RANGR 6X6 ATV R05RF508A	D	1	145	60	76	1495	383			
YA0755 PV 01	0000000000000 REMARKS	R 6	AVIATION HELO CARRIER HATT TRLR	D	6	234	129	48	6750	839	7500		
YA0756 PV 01	0000000000000 REMARKS	R 6	LGT TACTICAL TRAILER NAVCAAD	D	6	154	85	90	4200	682			
YA0757 V 04	0000000000000 REMARKS	R 6	SATELLITE COMM TML AN/TSC-167AV1	D	6	194	86	93	4000	898			
V 01	5895015298695	R 6	AN/TSC-167V1	D	6	193	87	95	4200	924			
PV 02	5895015298695 REMARKS	R 6	AN/TSC-167AV1	D	6	196	87	94	4000	928			
V 13	5895015493620	R 6	AN/TSC-167DV01	D	6	195	87	90	4000	884			
V 14	5895015493644	R 6	AN/TSC-167DV01	D	6	195	87	90	4060	884			
YA0758 PV 02	0000000000000 REMARKS	R 6	SATELLITE COMM TML AN/TSC-167AV2	D	6	196	87	94	4000	928			
V 04	0000000000000 REMARKS	R 6	AN/TSC-167V2	D	6	194	86	93	3960	898			

UNCLASSIFIED

UNCLASSIFIED
VEHICLES
STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	NO PCS	REMARKS	WEIGHT (LB)	HEIGHT (INCHES)	LENGTH (INCHES)	CGO VEH LD LIMITS	CGO LOAD IND
YA0758 V 01	5895015298624	R 6	SATELLITE COMM TML AN/TSC-167V2	D	95	4200	924	NONE	193 87	XCX	N N N R2DA
YA0759 PV 01	5895015299459	R 4	SATELLITE COMM TML AN/TSC-169	D	146	29160	3459	NONE	445 92	CC	N N N R1DK (DETAIL INDEX 01)
03	5895015299459	R 4	AN/TSC-169	D	150	31950	2991	MOUNTED ON A COMMERCIAL TRUCK	348 99	X	N N N R1DC (DETAIL INDEX 03)
YA0760 PV 01	0000000000000	R 6	CU TRAILER NONE	D	93	4200	764	NONE	165 86	XCX	N N N R2DA (DETAIL INDEX 01)
YA0761 PV 01	8145014839125	U	TRICON CNTNR (2 DOOR) CMCI 101-T	M	96	2500	416	NONE	78 96	CCCX	N N N J2DA
YA0762 PV 01	8145015093531	U	TRICON CNTNR (4 DOOR) CMCI 148	M	96	2700	416	NONE	78 96	CCCX	N N N J2DA
V 02	8145015093531	U	CMCI 148	X	99	3055	545	MTD ON 463L PALLET	108 88	CCC	N N N J2DA (DETAIL INDEX 02)
YA0763 PV 01	8145014904359	U	MECC CONTAINER NONE	M	96	9000	1286	NONE	241 96	CCC	N N N J2DA
YA0767 PV 01	0000000000000	R 4	Z-BACKSCATTER VAN DODGE	D	102	9990	1205	NONE	252 81	XCX	N N N R2DA
YA0768 PV 01	0000000000000	R 4	Z-BACKSCATTER VAN MERCEDES	D	102	10141	1205	NONE	252 81	XCX	N N N R2DB
YA0769 P 01	8340014876271	R 7	TENT TRAILER HP-J	D	78	5687	929	NONE	210 98	XCX	N N N R2DA
YA0770 P 01	8340015042613	R 7	TENT TRAILER HP-2G	D	78	6000	722	NONE	186 86	XCX	N N N R2DA
YA0771			CNTNR TOOL RM/EQP STG					NONE			

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND

P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	SHIP	NO PCS	HEIGHT (INCHES)	WEIGHT (LB)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCC DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
YA0771 PV 01	8145015305456	U	CNTNR TOOL RM/EQP STG 6610	M	124	80	75	5000	CCCX XXXX Y Y N J2BA
YA0772 PV 01	8145015305457	U	CNTNR #1 COMMON 6610-1C	M	124	80	75	5000	CCCX XXXX Y Y N J2BA
YA0773 PV 01	8145015305459	U	CNTNR #1 COMMON 6610-12-1C	M	148	80	75	5000	CCC XXX Y Y N J2BA
YA0774 PV 01	8145015305465	U	CNTNR OPERATIONS 6612	M	124	80	75	5000	CCCX XXXX Y Y N J2BA
YA0775 PV 01	8145015305467	U	CONTAINER PLL 6612PLL	M	124	80	75	5000	CCCX XXXX Y Y N J2BA
YA0776 PV 01	8145015305478	U	CNTNR OPERATIONS 6612-12	M	148	80	75	5000	CCC XXX Y Y N J2BA
YA0777 PV 01	8145015305497	U	CONTAINER PLL 6612PLL-12	M	148	80	75	5000	CCC XXX Y Y N J2BA
YA0778 PV 01	8340014594366 REMARKS	R 6	DRASH TRAILER HP-2C/ 288 IPT HP-2C/ 288 IPT	D	191	85	81	650	CCC X X N N N R2DA (DETAIL INDEX 01)
YA0779 PV 01	8340014594361	R 6	DRASH TRAILER HP-2C1G1	D	154	85	78	930	XCX XXX N N N R2DA
YA0780 PV 01	8340015140586	R 6	DRASH TRAILER HP-2E	D	135	85	79	414	XCXX XXXX N N N R2DA
YA0781 PV 01	8340015042617	R 7	DRASH TRAILER HP-3G	D	190	85	78	917	XCX X X N N N R2DA
YA0782 PV 01	8340015042614	R 6	DRASH TRAILER HP-4	D	232	85	78	2260	XCX X X N N N R2DA
YA0783			DRASH TRAILER	D	NONE	NONE	NONE	129	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I E O C L P E T	S H I P C O N F	DESCRIPTION (-) (-COMPO DESCRIPTION-)	NO PCS	DIMENSIONS (FOR ONE ITEM) -> WEIGHT (LB) LENGTH WIDTH HEIGHT (INCHES) -> (REMARKS) ->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 FT FT L 5 SN
YA0810 PV 01	0000000000000	R 7	D	MAINTENANCE VAN		NONE 480 96 102 24968 2720	CC	N N N R1DK
YA0811 PV 01	5895015332623	R 6	D	SATELLITE COMM TML AN/TSC-167B		NONE 193 87 95 4200 924	XCX	N N N R2DA
YA0812 PV 01	8115013638668	U	M	CNTNR SIDE OPEN		NONE 239 96 102 5000 1355	XCX	N N N J2DA
YA0813 PV 01	0000000000000	R 6	D	JMICS TRAILER		NONE 165 85 72 3410 585	XCX	X X N N N R2DA (DETAIL INDEX 01)
V 09	0000000000000	R 6	D	REMARKS		INCLUDES GENERATOR & ECU 162 86 81 4200 653 W/GENERATOR & PAYLOAD	XCX	X X N N N R2DA (DETAIL INDEX 09)
YA0814 PV 01	0000000000000	R 3	D	COMP GRP TACT OL-725/MSQ-139		NONE 192 88 97 9301 949 MTD ON M1097	XCX	N N N R2DA (DETAIL INDEX 01)
YA0815 PV 01	0000000000000	R 6	D	DATA GRP TLR MTD OR-388/MSQ-139		NONE 175 86 78 3939 680	XCX	X X N N N R2DA
YA0816 PV 01	0000000000000	R 6	D	COMM GRP TLR MTD OS-304/MSQ-139		NONE 175 86 78 3657 680	XCX	X X N N N R2DA
YA0819 PV 01	2340014202816	N 1	D	UTILITY VEH 4WD GATOR		NONE 126 80 65 1422 380	XCXC	XXXX Y Y N A2BA
YA0820 PV 01	8145011189884	U	M	PLL CONTAINER		NONE 62 42 60 450 91	CCCC	XXXX Y Y Y J3BA
YA0821 PV 01	2320014990015	R 4	B	TRK UTILITY UP-ARMOR M1145		NONE 197 110 72 9800 903	CCC	X N N N R2DA
V 02	2320014990015	R 4	C	M1145		197 86 72 9800 706	CCC	X X N N R2DA
V 03	2320014990015	R 4	9B	M1145		197 86 72 9800 706	CCC	X X N N R2DA
YA0822				GEN 35KW TRLR MTD		NONE		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	DESCRIPTION	S	NO PCS	DIMENSIONS (FOR ONE ITEM) (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
YA0822 PV 01	8340015331697	R 6	GEN 35KW TRLR MTD GETS GREEN	D		NONE	165 85 75	3820 609	XCX X X N N N R2DA	
V 03	8340015331697	R 6	GETS GREEN	D		MTD ON BASE-X SUPPORT TRAILER	165 75 85	4700 609	XCX X N Y N R2CA	
V 18	8340015662649	R 6	GETS TAN	D		165 85 75	3880 609	XCX X X N N N R2DA		
YA0823 PV 01	0000000000000	R 4	TRUCK FORD	D		NONE		3000	XCX X X N N N R2DA	
V 02	0000000000000	R 4	F350	B		264 101 89	5720 1374	80 67	XCX X N N N R2DA	
V 03	0000000000000	R 4	F350	C		261 105 86	7711 1364	80 67	XCX X N N N R2DA	
V 16	0000000000000	R 3	F250 SUPER DTY	D		261 94 86	7711 1221	80 67	XCX X N N N R2DA	
V 17	0000000000000	R 3	F250 UTIL BED	D		264 86 84	6840 1104	80 67	XCX X N N N R2DA	
YA0824 PV 01	0000000000000	R 7	TRL HOMESTEADER HERCULES	D		NONE		12000 81 389	XX X N N N R1DA	
YA0826 PV 01	0000000000000	R 6	POWER DIST TLR MTD PDU/ATS	D		NONE	176 94 87	833	XCX X N N N R2DA	
YA0827 PV 01	0000000000000	U	ENVIRONMNTL CNTL UNIT 120K BTU	I		NONE	126 64 63	294	CCCC XXXX Y Y N J2BA	
YA0828 PV 01	0000000000000	R 6	CABLE TRAILER	D		NONE		566	XCX X X N N N R2DA	
YA0829 PV 01	0000000000000	R 6	GENERATOR TLR MTD 230 KW	D		NONE	296 106 142	2579	XX X N N N R1DB	
YA0830 PV 01	5895015298695	R 6	SATELLITE COMM TML AN/TSC-167A	D		NONE	193 87 95	924	XCX X X N N N R2DA	
YA0831 PV 01	0000000000000	U	BOH CONTAINERS FPU-8/BOH-12	M		NONE	239 96 96	1275	XX X N N N R1DB	
	REMARKS	U	FPU-8/BOH-12	M		CONTAINERS COUPLED TOGETHER			XCX X N N N R2DA	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	P	V	E	H	I	P	S	DESCRIPTION	PCS	NO	REMARKS	LENGTH (INCHES)	WEIGHT (LB)	HEIGHT (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND	INDEX	
YA0839 PV 01	00000000000000	R	6					D	TRAILER CABLE REEL RR-185				130	99	75	1550	559	8500	XCCX XXX N N N R2DA
YA0840 PV 01	00000000000000	R	4					D	EMERG RESPONSE VEH CK2500 3/4 TON				218	93	101	7878	1185		CCC N N N R2DA
YA0841 PV 01	00000000000000	R	4					D	SENTINEL VAN 4300 SBA 4X2				403	102	160	33000	3807		CC N N N R1DC
V 02	00000000000000	R	4					D	7400 SBA				480	109	160	35000	4845		N N N R0DK
YA0843 PV 01	00000000000000	R	4					D	7400 SBA JMTCS TRK MTD				SUPER SENTINEL VAN						(DETAIL INDEX 02)
YA0844 PV 01	00000000000000	R	4					D	NONE				199	85	103	10990	1009		CX N N N R2DB
V 09	00000000000000	R	7					D	NONE				INCLUDES SHELTER MTD ON M1113						(DETAIL INDEX 01)
YA0845 PV 01	00000000000000	R	7					D	SATCOM TRLR NONE				193	87	95	5500	924		XCX N N N R2DA
YA0847 PV 01	00000000000000	R	7					D	NONE				249	87	95	5340	1191		XCX N N N R2DA
YA0848 PV 01	00000000000000	R	7					D	NONE				293	96	1	6300	17		XCX N N N J2DA
YA0849 PV 01	00000000000000	R	7					D	ARMOR PLATE NONE				1080	486	310	150100	94163		XCX N N N C0DP
YA0850 PV 01	00000000000000	R	7					D	BOAT TRANSPORTER M80 STILETTO				NONE						XCX N Y N J2CA
V 11	00000000000000	R	7					D	BLADE BOX NONE				348	44	18	925	160		(DETAIL INDEX 01)
YA0851 PV 01	00000000000000	R	7					D	NONE				USED TO TRANSPORT CH-47 BLADES						
	00000000000000	R	7					D	BLADE BOX NONE				306	38	16	650	108		XCX N Y N J2CA
	00000000000000	R	7					D	NONE				USED TO TRANSPORT UH-60A BLADES						(DETAIL INDEX 01)
YA0850 PV 01	00000000000000	R	4					D	AERIAL LIFT JLG 800AJ				438	96	117	34300	2847		XX N N N A1DK
V 11	00000000000000	R	4					D	JLG 1250 AJP				451	98	120	44000	3070		CC N N N A1DK
YA0851 PV 01	00000000000000	R	4					D	GROUND CTRL SHLTR				NONE						

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TYPE	SHIP	DESCRIPTION	NO PCS	DIMENSIONS (INCHES) LENGTH WIDTH HEIGHT	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	CTN	FT	IND
YA0851 PV 01	00000000000000	U	M	GROUND CTRL SHLTR		240 96 102	15000	1360	XCX	N	N	N	J2DB
YA0852 PV 01	00000000000000	U	I	PLTRM WINGS		NONE	2000	555	CCC	X	N	N	J2DA
YA0853 PV 01	00000000000000	U	I	PWR DISTR PANEL		218 88 96	3000	1066	CCC		N	N	J2DA
YA0854 PV 01	00000000000000	U	I	MOORING PLATFORM		548 88 120	27500	3349	XX		N	N	J1DK
YA0855 PV 01	00000000000000	N 4	D	LIFT TRUCK SELICK SD 100		152 89 112	18715	877	XX	X	N	N	A1DB
YA0856 PV 01	00000000000000	U	I	CAT DIESEL GEN 70 KW		108 88 74	6000	407	CCCC	XXXX	N	N	J2DA
YA0857 PV 01	00000000000000	U	M	SHIPPING CNTR ISO AERO 2		240 96 102	8500	1360	XCX		N	N	J2DA
YA0858 PV 01	00000000000000	R 7	D	MOORING TRAILER		504 96 54	23500	1512	CX		N	N	R2DK
YA0859 PV 01	00000000000000	U	M	SHIPPING CNTR ISO AERO		240 96 102	8500	1360	XCX		N	N	J2DA
YA0860 PV 01	8145015656131	U	M	ISO OFFICE SHELTER		245 96 102	6500	1389	XCX		N	N	J2DA
YA0861 PV 01	00000000000000	U	I	STAIRS LADDERS		218 88 84	710	933	CCC	X	N	N	J2DA
YA0862 PV 01	5985014955981	R 4	D	COMMUN CENTRAL AN/TSQ226V2		208 96 104	10180	1202	XX		N	N	R2DB
V 07	5985014955981	R 4	D	REMARKS AN/TSQ226V2		207 86 107	11020	1103	XX		N	N	R1DB

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM) WEIGHT (LB) LENGTH WIDTH HEIGHT (INCHES) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND
YA0862					COMMUN CENTRAL	0	NONE		
V 09	5985014955981	REMARKS	R 4	0	AN/TSQ226V2	0	MTD ON M1152A1		
		REMARKS	R 4	0	AN/TSQ226V2	0	213 96 104 10180 1231	XX	
		REMARKS	R 4	0	AN/TSQ226V2	0	MTD ON M1113		
YA0863					COMMUN CENTRAL TROJAN	0	NONE		
PV 01	5895014955980	REMARKS	R 4	D	AN/TSQ226V3	0	211 84 103 9500 1057	CX	
V 07	5895014955980	REMARKS	R 4	D	AN/TSQ226V3	0	MTD ON M1113		
V 13	5895014955980	REMARKS	R 4	0	AN/TSQ226V3	0	207 86 107 10980 1103	CX	
		REMARKS	R 4	0	AN/TSQ226V3	0	MTD ON M1152A1		
		REMARKS	R 4	0	AN/TSQ-226V3	0	213 100 108 12100 1332	XX	
		REMARKS	R 4	0	AN/TSQ-226V3	0	MTD ON UPARMORED M1152A1		
YA0864					ISO MOBILITY TLR	0	NONE		
PV 01	2330015065979	REMARKS	R 7	D	NONE	0	292 94 37 5625 588	XCX	
V 02	2330015065979	REMARKS	R 7	D	NONE	0	292 96 134 19045 2174	CX	
		REMARKS	R 7	D	NONE	0	TLR LOADED W/ISO CONTAINER		
YA0865					DATA ANALYSIS CENTER	0	NONE		
PV 01	5895015059933	REMARKS	R 4	D	AN/MSW-22	0	195 85 81 9080 777	XCX	
		REMARKS	R 4	D	AN/MSW-22	0	MTD ON M1097		
YA0866					AMMO CONTAINER	0	NONE		
PV 01	0000000000000	REMARKS	U	M	NONE	0	240 102 107 21000 1516	XX	
		REMARKS	U	M	NONE	0	THIS CONTAINER MUST BE TRANSPORTED EMPTY		
YA0867					SINGLE WECW STRGE CONT	0	NONE		
PV 01	0000000000000	REMARKS	U	M	NONE	0	153 54 31 370 149	CCCC	
		REMARKS	U	M	NONE	0	AUX FUEL TANKS FOR A UAV		
YA0868					3-WECW STRGE CONT	0	NONE		
PV 01	0000000000000	REMARKS	U	M	NONE	0	208 54 53 426 345	CCCC	
		REMARKS	U	M	NONE	0	AUX FUEL TANKS FOR A UAV		
YA0869					EXP MOB SHP CNTNR	0	NONE		
PV 01	8145014670444	REMARKS	U	M	NONE	0	146 87 84 4300 618	CCC	
		REMARKS	U	M	NONE	0	FOREST GREEN W/GENERATOR		

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	SHP	NO PCS	DIMENSIONS (FOR ONE ITEM) -> LENGTH WIDTH HEIGHT (INCHES) -> (REMARKS) ->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
YA0884 PV 03	8340015335344 REMARKS	R 6	TMSS MEDIUM SHTR SYS HP-2C/185	D	79	NONE 195 86 MEDIUM TAN	XCX X X N N N R2DA (DETAIL INDEX 03)	
V 01	8340015335396 REMARKS	R 6	HP-2C/185 HP-2C/185	D	79	195 86 MEDIUM GREEN	XCX X X N N N R2DA (DETAIL INDEX 01)	
YA0885 PV 01	0000000000000	R 6	PORTABLE CONCRETE MXR MODEL 202	D	80	204 84	XCX X Y Y N R2BA	
YA0886 PV 01	0000000000000	R 4	COMMAND CONTROL SYS AN/TSQ-232V2	B	112	NONE 208 102	XX N N N R1DB	
PV 02	0000000000000	R 4	AN/TSQ-232V2	F	105	214 98	XX N N N R2DB (DETAIL INDEX 02)	
V 12	0000000000000	R 4	AN/TSQ-232V4	0	105	214 98	XX N N N R2DB (DETAIL INDEX 12)	
YA0890 PV 01	0000000000000	R 6	ECU TRAILER NONE	D	75	NONE 165 85	XCX X X N N R2DA	
YA0891 PV 01	0000000000000	R 7	AH-64 TRAILERS NONE	D	38	NONE 365 102	XCX N N N R2DA	
V 02	0000000000000	R 7	NONE	D	118	365 102	XX N N N R1DA (DETAIL INDEX 02)	
V 04	0000000000000	U	NONE	I	41	98 50 SINGLE RACK	CCCC Y Y Y J3BA (DETAIL INDEX 04)	
YA0892 PV 01	0000000000000	U	DSL PWR AC GEN 125KW DB-1381J2	N	74	NONE 121 49	XCXX XXXX Y Y N J2BA	
YA0893 PV 02	0000000000000	R 3	UTILITY VEHICLE RTV 1100	D	83	NONE 129 67	XCXX XXX N Y N R2CA	
YA0894 PV 01	8340015140578	R 6	DRASH UST TLR ECU/ GE HP-2C/338	D	78	NONE 231 85	XCX X N N R2DA	
V 09	8340015140578 REMARKS	R 6	HP-2C/338 IPT HP-2C/338 IPT	D	81	191 85 DRASH TRL ECU/GEN FOR BATTERY SUPPORT CENTER (BSC)	XCX X N N R2DA (DETAIL INDEX 09)	

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C M L P E T	S H I P C O N F	<-LIN DESCRIPTION--> <---MODEL-----> <-COMPO DESCRIPTION-->	NO PCS	<----- (FOR ONE ITEM) -----> DIMENSIONS (INCHES) -----> LENGTH WIDTH HEIGHT (REMARKS) ----->	WEIGHT (LB) (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND-----> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
YA0934 PV 01 PV 02	0000000000000 0000000000000	REMARKS	N 5 N 5 5	B C C	TOW TRACTOR MA60 MA60 MA60	5 5 5	NONE 103 55 83 7500 273 103 55 61 7500 200 HEIGHT W/O CAB	7500 7500	XXX XXXX Y Y Y A3CA XXXX Y Y Y A3BA (DETAIL INDEX 02)	
YA0936 PV 01	8145015545999		U	I	ANIMAL TRANS CONTR 961130	1	NONE 96 48 54 570 144	180	XCXC XXXX Y Y Y J3BA	
YA0942 PV 01	0000000000000		R 6	D	WATER SYS TRLR MTD NONE	6	NONE 200 96 70 2670 778	7000	XCX X X N N N R2DA	
YA0943 PV 01	2590015294216		R 4	D	MEERKAT IVMMD MEERKAT	4	NONE 236 90 120 10500 1475		XX N N N R1DB	
YA0945 PV 01	0000000000000		U	I	ANGLE MINE FLOW NONE	1	NONE 120 115 45 2976 360		XXX XX N N N J2DA	
YA0946 PV 01	0000000000000		U	I	STRAIGHT OBST BLADE NONE	1	NONE 74 118 28 2778 142		XXC XX N N N J1DA	
YA0947 PV 01	5985015905551		R 6	D	TROJAN T-LITE AN/TSQ226 (V) 5	6	NONE 170 86 107 4200 906		CX N N N R1DA	
YA0949 PV 01	5895015462068	REMARKS	R 6 6	D D	COMM CENTRAL T-LITE AN/TSQ-248 AN/TSQ-248	6 6	NONE 176 86 104 4250 911 TRAILER MTD RADAR SYS		CX N N N R2DA (DETAIL INDEX 01)	
YA0950 PV 01	2330015606538		R 6	D	AIRCRAFT RECOVERY TRL HYDRAULIC	6	NONE 300 128 48 4440 1067		XX N N N R1DA	
YA0951 PV 01	0000000000000	REMARKS	R 4 4	D D	TACTICAL COMMAND SYS AN/TSQ 252V5 AN/TSQ 252V5	4 4	NONE 197 84 108 10720 1035 MTD ON M1113		XX N N N R1DB (DETAIL INDEX 01)	
V 07 YA0952	5895015478941	REMARKS	R 4 4	D D	AN/TSQ252V1 AN/TSQ252V1 SCDL FCV SYSTEM	4 4	215 99 109 11500 1343 MTD ON M1152A1 NONE		XX N N N R1DB (DETAIL INDEX 07)	

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

P = PREFERRED R = ROADABLE
V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	NO PCS	DIMENSIONS (FOR ONE ITEM) -> (INCHES) -> LENGTH WIDTH HEIGHT (REMARKS) ->	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 L 5 SN
YA0961 PV 01	0000000000000 REMARKS	R 6	AIR VEH TRANSPORT NONE NONE	D D	NONE 211 85 105 7000 1090 MTD ON M1152	XX N N N R2DA (DETAIL INDEX 01)	
YA0962 PV 01	0000000000000 REMARKS	U	GENERATOR COMM 35KW 35KW 35KW	I I	NONE 214 98 98 6240 1190 MTD ON TRLR	XCX N N N J2DA (DETAIL INDEX 01)	
YA0963 PV 01 V 02 V 04 V 05 V 06 V 07	0000000000000 REMARKS	R 7 R 7 R 7 R 7 R 7 R 7	MOBILE ANT TOWER TRLR RMTU 656 RMTU 656 RMTU 656 EBS MOBILE TWR RBS MOBILE TWR RMTU 480 MTU3 107	D D D D D D D	NONE 355 101 101 18600 2096 395 101 101 14000 2332 2 AXLE TRLR W/MTD TELESCOPING TOWER 351 100 100 17000 2032 366 100 100 13400 2118 360 102 100 9600 2125 360 103 100 8500 2146	XCX N N N R2DB N N N R2DB N N N R2DB N N N R2DB N N N R2DA N N N R2DA	
YA0964 PV 01	0000000000000	U	POWER SHELTER NONE	I	NONE 480 120 114 40000 3800	XX N N N J1DK	
YA0965 V 01 V 02	2320013544527 2320013544527	R 4 R 4	CHASSIS, TRUCK M1096 M1096	B C	NONE 349 96 112 17366 2172 349 96 106 17336 2056	XX N N N R1DB N N N R1DB	
PV 03 PV 04	2320014473885 2320014473885	R 4 R 4	M1096A1 M1096A1	B C	349 96 112 17820 2172 349 96 106 17820 2056	XX N N N R1DB N N N R1DB	
YA0967 PV 01	0000000000000	R 7	DRASH TRL SMALL NONE	D	NONE 165 85 75 4144 609	XCX X X N N R2DA	
YA0968 PV 01 V 02	0000000000000 REMARKS	U U U	RUGGED ARMY TRANSFORM NONE NONE NONE	I V V	NONE 132 50 90 9800 344 176 108 93 10350 1023 MTD ON 2 PALLET TRAIN	XCXX X X N N J2DA X X N N J2DB (DETAIL INDEX 02)	
YA0974			LIGHT SET TRL		NONE		

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C L P E T	S H I P C O N F	DESCRIPTION	NO PCS	DIMENSIONS (INCHES) (FOR ONE ITEM)	WEIGHT (LB)	CGO VEH LD LIMITS	CGO LOAD IND	CCCKK DDBB CTN CTN 4 CCCH
							LENGTH WIDTH HEIGHT	(CU FT)	LD LIMITS		115CC CC77 20 40 6
									WEIGHT		37 11 8144 FT FT 3
									HGT CUBE		0 03 077 L
									TOE LIN		5 SN
									(INDEX NO)		
YA0974	0000000000000		R 6	D	LIGHT SET TRL		NONE		CGO VEH		
PV 01					NONE		178 62 65	2718	LD LIMITS		
PV 02	0000000000000		R 6	D	TEREX PBL TRL		180 61 70	2000	WEIGHT		
YA0975	8150014813740		U	I	BICON CONTAINER		NONE		HGT CUBE		
PV 01	REMARKS		U	I	NONE	2	240 96 102	6000	TOE LIN		
YA0976	4310015639542		R 7	D	BREATHING AIR SYS		NONE		(INDEX NO)		
PV 01					LIBERTY II		193 75 91	6200	38800		
YA0977	5865015793971		R 4	B	PROPHET PANTHER		NONE				
PV 01					AN/MLQ-44 (V) 1		349 136 134	79000	CCCC		
PV 02	5865015793971		R 4	C	AN/MLQ-44 (V) 1		349 136 124	79000	XCXC		
YA0978	5895015613705		R 6	B	SATELLITE TRLR		NONE		XCX		
PV 01					AN/TSC-167F (V)		193 85 96	3700			
PV 02	5895015613705		R 6	BA	AN/TSC-167F (V)		192 96 95	4000	XX		
	REMARKS		R 6	BA	AN/TSC-167F (V)		MTD ON SCHUUT M1102 TRLR		XX		
YA0979	0000000000000		N 1	D	POLARIS RANGER 800 CR		NONE		XCX		
PV 01					SIDE-BY-SIDE		145 60 76	1495	1750		
YA0980	8145015188859		U	I	CONTAINER, FRT, GP		NONE		14		
PV 01					BOH CARGO 12		153 96 92	4620	13380		
YA0981	8145015188749		U	I	CONTAINER, FRT, SP		NONE		14450		
PV 01					FPU-8-2		88 96 92	3550	XCXX		
YA0982	8150015264642		U	I	TRICON FREIGHT GENERA		NONE		12200		
PV 01					CMCI-148		78 96 96	2700	CCCX		
V 02	8150015264642		U	X	CMCI-148		108 88 99	3050	XCX		
	REMARKS		U	X	MTD ON 463L LONG PALLET		88 108 99	3050	CCX		
V 04	8150015264642		U	V	CMCI-148		MTD ON 463L SHORT PALLET		CX		
YA0983			U	V	CMCI-148		NONE				
					TRLR UTILITY PIPE				9990		

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	REMARKS	TY P E H I E O C L P E T	S H I P C O N F	INTG TLR ECU GEN ITEG GET	60K GEN TRLR	TAC EXP SYS MRT TRLR MIDAS	TAC EXP SYS SHELTER AN/TSQ-219V2	JMICS MOBILE COMM SYS	JMICS TRLR MTD GEN SY	JMICS SYS TRL	ISU FOUR DOOR ISU-70KCA	JRADS LINE-HAUL TRLR 34T	JRADS RECOV TRLR SYS 80T RTS	ADVON SUBURBAN	PCS	NO	LENGTH WIDTH HEIGHT (INCHES)	WEIGHT (LB)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	CGO LOAD IND	DETAIL INDEX
YA0993		REMARKS	6	D	INTG TLR ECU GEN ITEG GET												290					(DETAIL INDEX 01)
YA0994		REMARKS	6	D	60K GEN TRLR												144	96	4190	768		
YA0995		REMARKS	6	D	TAC EXP SYS MRT TRLR MIDAS												217	96	4200	1218		
YA0996		REMARKS	4	D	TAC EXP SYS SHELTER AN/TSQ-219V2												207	86	10782	1082		
YA0997		REMARKS	3	D	JMICS MOBILE COMM SYS												208	91	8600	1107		
YA0998		REMARKS	6	D	JMICS TRLR MTD GEN SY												157	85	4200	587		
YA0999		REMARKS	6	B	JMICS SYS TRL												176	85	2145	866		
YA1000		REMARKS	6	C	JMICS SYS TRL												176	85	2145	277		
YA1001		REMARKS	7	I	ISU FOUR DOOR ISU-70KCA												108	88	1310	385		
YA1002		REMARKS	7	D	JRADS LINE-HAUL TRLR 34T												636	99	43000	4847		
YA1003		REMARKS	7	B	JRADS RECOV TRLR SYS 80T RTS												744	102	41000	3162		
YA1004		REMARKS	7	C	JRADS RECOV TRLR SYS 80T RTS												696	102	41000	2958		
YA1005		REMARKS	7	C	JRADS RECOV TRLR SYS 80T RTS												744	102	41000	3162		
YA1006		REMARKS	4	D	ADVON SUBURBAN												240	79	7210	1032		

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEH TYPE	DESCRIPTION	SHIP	NO PCS	LENGTH (INCHES)	WIDTH (INCHES)	HEIGHT (INCHES)	WEIGHT (LB)	CUBE (CU FT)	CGO VEH LD LIMITS	CGO LOAD IND
YA1017 PV 01	0000000000000	R 7	NG-30 DECON TRLR	D		456	107	150	22100	4236	X	N N N R1DK
YA1018 PV 01	0000000000000	U	ISO MARINER CONTAINER MC201CC1	M		240	96	102	5311	1360	XCX	N N N J2DA
YA1021 PV 01	8340015140586	R 6	UTIL TRANS TRLR HP-2C/8E	D		195	87	82	4200	805	XCX	X X N N R2DA
YA1022 PV 01	8340015140577	R 6	UTIL TRANS TRLR HP-4/338	D		229	87	79	6500	911	XCX	X N N N R2DA
YA1023 PV 01	0000000000000	R 6	ROTOR HEAD UTIL TLR RHUT	D		140	48	65	2000	253	XCXC	XXXX Y Y N R2BA
YA1027 PV 01	0000000000000	U	AIRCRAFT LOADING RAMP ALUMINUM	I		120	28	12	1200	24	XCXC	XXXX Y Y N J2BA
YA1028 PV 01	0000000000000	U	FURNACE HEAT TREATING NONE	I		67	48	82	2000	153	XCXX	XXX Y Y J3BA
YA1029 PV 01	0000000000000	N 4	JOHN DEERE 6068H 200D LC	D		379	126	122	50700	3372	XX	N N N A1DC
YA1031 PV 01	3930015123846	U	SEGWAY HT I SERIES NONE	I		19	25	50	83	14	CCCC	CCCC Y Y J3BA
YA1032 PV 01	0000000000000	R 4	TRK CHEVY 3500 4X4 3500	D		263	86	79	7150	1034	XCX	N N N R2DA
V 02	0000000000000	R 7	FORD F350	D		252	83	90	6870	1090	XCX	N N N R2DA
YA1033 PV 01	0000000000000	R 4	TRK FORD F450 DUALY 4 F450	D		275	96	81	8280	1238	XCX	N N N R2DA
YA1034 PV 01	0000000000000	R 4	TRK FORD F750 STAKEBO F750	D		370	100	135	18580	2891	XCX	N N N R1DB
V 02	0000000000000	R 4	F750	D		391	96	92	15490	1999	XCX	N N N R2DB

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	DESCRIPTION	S	NO PCS	REMARKS	LENGTH (INCHES)	WEIGHT (LB)	HEIGHT (CU FT)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND	
YA1065 PV 01	0000000000000	R 6	FIREWGN CRASH DECON T CGO VAN TRL	D	384 96	NONE	96	13800	2048	15900	XCX	<C=AF CERTIFIED> <X=JCS CRITERIA> <-----CGO LOAD IND----->
YA1066 PV 01 V 02 V 04	0000000000000 REMARKS REMARKS	R 1 R 1 R 1 R 1	POLARIS TAC VEH 4X4 MRZR 2 MRZR 4 MRZR 4 MRZR 4	D B B C	117 60 156 62 140 79	NONE	74 74 74	1610 2050	301 415	1000	XCX XCX XCX	XXXX Y Y N R2BA XXX Y Y N R2BA (DETAIL INDEX 02) XXXX Y Y N R2BA (DETAIL INDEX 04)
YA1067 PV 01	1510014937842	N J	AIRPLANE CGO TRANSPOR C-130 HERCULES	8	1173 1591	NONE	459	75800	495721	42000		N N N B0DL
YA1068 PV 01	1510015341709	N J	AIRPLANE CGO TRANSPOR C-17 GLOBEMAST	8	2088 2040	NONE	660	282500	1626900	170900		N N N B0DP
YA1069 PV 01	8145015340435 REMARKS	U U	CONTAINER MULTI PURPO PERSONEL/OPS PERSONEL/OPS	I I	87 69	NONE	96	3500	334	10000	XCXX	XX N N Y J3DA (DETAIL INDEX 01)
YA1070 PV 01	0000000000000 REMARKS REMARKS	R 7 R 7 R 7	SHLTR SUPT TRLR PWR/H ECU, 505 ULME ECU, 505 ULME ECU, 505 ULME	D D D	215 96	NONE	102	12200	1219		XCX	N N N R2DB (DETAIL INDEX 01) (DETAIL INDEX 01)
YA1071 PV 01	0000000000000 REMARKS	U U	40' CONTAINER W/4 DOO AZTEC AZTEC	I I	480 96	NONE	100	10000	2667	72000	CX	N N N J2DJ (DETAIL INDEX 01)
YA1072 PV 01	2355015292246 REMARKS	R 4 R 4	MINE RESIST VEH JERRY JERRY EOD 6X6 JERRY EOD 6X6	D D	294 106	NONE	107	39000	1930		XX	N N N R1DC (DETAIL INDEX 01)
YA1073 PV 01	3810015981850	N 9	CRANE CRAWLER MTD SPYDER UNIC375	D	176 71	NONE	62	6015	449		XCX	X X Y Y N A2BA
YA1075			SOLDIER NETWORK EQUIP			NONE						

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	S H I P C O N F	DESCRIPTION	PCS	NO	REMARKS	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCCK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
YA1075 PV 01 V 02	00000000000000	U 3 3	I D D	SOLDIER NETWORK EQUIP SNE SNE TRK MTD SNE TRK MTD	163 945 1080	72 65 60	945 6845 1080	XXXX XXXX XXXX	Y Y Y N N N (DETAIL INDEX 02)
YA1076 PV 01	8145015390499	U	I	CONTAINER, TOOL RM/PA SSL/ ASL	672	144 84 96	2100	XXC XXC	N N N N N N J2DA
YA1077 PV 01	00000000000000	R 6	D	ATLAS COPCO QAS-38 GE QAS-38 TRL MTD	397	140 70 70	3600	XXC XXC	Y Y Y N N N R2BA
YA1078 PV 01	00000000000000	U	I	BRADLEY VEH SPL TOOL TOOLS CTNR TOOLS CTNR	1280	240 96 96	6170 1280	XXC	N N N N N N J2DA (DETAIL INDEX 01)
YA2000 PV 01	00000000000000	N 6	D	TLR ANTENNA 1-TON MST4F	976	156 146 74	2678	XX	N N N N N N AIDA
Z00042 PV 01 V 02	00000000000000	U	I I I	SAT COM EARTH TERM C-BAND SHELTER C-BAND SHELTER ANT./SATELLITE	1702	319 96 96	15000 1702	XXC	N N N N N N J2DB (DETAIL INDEX 01) (NEEDS DATA)
Z00062 PV 01	00000000000000	U	I	DIG COM SAT SYS AN/GSC-XXX(V)4	10522	1300 189 74	1141 10522	X	N N N N N N J1DH
Z00064 PV 01	00000000000000	U	I	DIG COM SAT SYS AN/GSC-XXX(V)2	1804	520 81 74	27300 1804	CX	N N N N N N J2DK
Z00065 PV 01	00000000000000	U	I	DIG COM SAT SYS AN/GSC-XXX(V)1	3608	1040 81 74	49000 3608	X	N N N N N N J1DK
Z00588 01 PV 02	00000000000000	U	E E I	FIRE CONTROL SYS ELEV SENSOR ELEV SENSOR FIRE CONTROL SYS CON	48640	NONE 570000 240 96 96	48640 31-20FT & 7-40FT CONTAINERS 15000 1280	X	N N N N N N J1DK (DETAIL INDEX 01) N N N J2DB
Z00592			I	SURV SYS ELEV SENSOR		NONE			

UNCLASSIFIED

UNCLASSIFIED
 VEHICLES
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE
 STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	VEHICLE TYPE	DESCRIPTION	UNIT	QUANTITY	WEIGHT (LB)	HEIGHT (IN)	LENGTH (IN)	WIDTH (IN)	DEPTH (IN)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX) NO	CGO LOAD IND	DETAIL INDEX
Z00592 01	00000000000000	U	SURV SYS ELEV SENSOR	E	50	750000	63734	750000	63734	63734			
PV 02	00000000000000	U	NONE	E	50	15000	1275	15000	1275	1275			
Z00699	00000000000000	U	CONSIST OF 43-20' MI	I	50	15000	1275	15000	1275	1275			
PV 01	00000000000000	R	MEDIUM FLAIL	D		40345	2466	40345	2466	2466			
Z00737	5840016017155	R	RADAR SYS COUNTER FIR	D		31900	2124	31900	2124	2124			
PV 01	5840016017155	R	EQ-36 MEG	D		31900	2124	31900	2124	2124			
V 03	5840016017155	R	EQ-36 MEG	D		31900	2124	31900	2124	2124			
PV 05	5840016017155	R	EQ-36 OCS	0		31900	2124	31900	2124	2124			
PV 06	5840016017155	R	EQ-36 OCS	0		31900	2124	31900	2124	2124			
PV 08	5840016017155	R	AN/TPQ-53 MEG	B		33002	2557	33002	2557	2557			
PV 09	5840016017155	R	AN/TPQ-53 MEG	B		33002	2557	33002	2557	2557			
Z00963	00000000000000	U	JOINT ASSLT BRIDGE	I		55010	4821	55010	4821	4821			
PV 01	00000000000000	U	M1074	I		55010	4821	55010	4821	4821			
Z01253	00000000000000	R	WTR WEL RIG RTRY TRK	D		69000	3722	69000	3722	3722			
PV 01	00000000000000	R	ROTARY TRK MTD	D		69000	3722	69000	3722	3722			
Z01270	00000000000000	U	COMM SYS SATELITE WDBA	I		1438	121	1438	121	121			
PV 01	00000000000000	U	AN/FSC-139(V)1	I		1438	121	1438	121	121			
Z01316	00000000000000	R	WTR WELL DRL RIG TNDR	D		69000	3722	69000	3722	3722			
PV 01	00000000000000	R	TENDER TRUCK	D		69000	3722	69000	3722	3722			
Z01317	00000000000000	R	WTR WELL DRL RIG MUD	D		445000	2172	445000	2172	2172			
PV 01	00000000000000	R	MUD TRAILER	D		445000	2172	445000	2172	2172			
Z01503	00000000000000	U	TRANSFER ST STANDARDS	I		2481	184	2481	184	184			
PV 01	00000000000000	U	AN/GSM-440	I		2481	184	2481	184	184			

UNCLASSIFIED

UNCLASSIFIED

VEHICLES

LEGEND
 P = PREFERRED R = ROADABLE
 V = VALIDATED N = NON ROADABLE

STANDARD CHARACTERISTICS DATA FOR ARMY AND NAVY EQUIPMENT

TOE LIN (INDEX) NO	NATL STOCK NO (SET) (TOE LIN)	TY P E H I P C O N F	S H I P C O N F	TEST STA ELEC EQUIP C	TEST STA ELECT EQ AN/USM-723	COMM SYS SATLITE WDBA AN/FSC-139(V)2	MOD FUEL SYS (PUMP RC MFS PRM M1120 M1075 PLS M1075 PLS M1076 PLS TRL M1076 PLS TRL)	FLIGHT LINE TEST SET AN/ARM-163(V)8	MWDR 350 CFM AIR COMP NONE	COMPUTER SYS DIG SSMS AN/TYQ-161(V)3	DISTRIBUTED COMMON GR DCGS DCGS	SC I M1152A1 SCI 1 M1152A1 SCI 2 M1152A1 SCI 2 M1152A1 SCI 3 M1152A1	PCS	NO	LENGTH WIDTH HEIGHT (REMARKS)	WEIGHT (LB) (CU FT)	DIMENSIONS (INCHES)	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN		
Z01554 PV 01	0000000000000	U	I	TEST STA ELEC EQUIP C NGATS									265	96	96	9663	1414	NONE	239 90 96 19470 1195 412 96 139 61280 3182	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN
Z01556 PV 01	6625015739426	U	I	TEST STA ELECT EQ AN/USM-723									68	29	56	1386	64	TM 43-6625-749-24	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
Z01573 PV 01	0000000000000	U	I	COMM SYS SATLITE WDBA AN/FSC-139(V)2									68	37	83	1438	121	NONE	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
Z01595 PV 01 V 02 V 04 V 06	0000000000000	U 4 4 4 4 4	I 0 0 0 0 0	MOD FUEL SYS (PUMP RC MFS PRM M1120 M1075 PLS M1075 PLS M1076 PLS TRL M1076 PLS TRL)									239 90 96 19470 1195 412 96 139 61280 3182 441 96 140 75740 3430 304 96 139 42640 2348	NONE				CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN		
Z01677 PV 01	6625015806149	U	I	FLIGHT LINE TEST SET AN/ARM-163(V)8									293	96	104	13000	1693	NONE	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
Z01735 PV 01	0000000000000	N 6	D	MWDR 350 CFM AIR COMP NONE									299	91	100	20000	1575	NONE	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
Z01766 PV 01	0000000000000	U	I	COMPUTER SYS DIG SSMS AN/TYQ-161(V)3									53	75	65	238	150	NONE	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
Z01794 01	0000000000000	R 3 3	A A	DISTRIBUTED COMMON GR DCGS DCGS									SET OF 5 TRKS AND 5 TRLRS						CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
Z01794 01	0000000000000	R 3 3	A A	DISTRIBUTED COMMON GR DCGS DCGS									191	98	104	12720	1127	NONE	CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
PV 03	2320015402007	R 3	D	SC I M1152A1									SCI 1 IS M1152A1 TOWING RET 1 M1102 TRL						CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
V 06	2320015402007	R 3	D	SC I M1152A1									191 98 104 12610 1127						CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	
V 09	2320015402007	R 3	D	SC I M1152A1									SCI 2 IS M1152A1 TOWING TMSS1 TRL						CGO VEH LD LIMITS WEIGHT HGT CUBE TOE LIN (INDEX NO)	<C=AF CERTIFIED> <X=JCS CRITERIA> <AMC> <CRAF> CCKK DDBB CTN CTN 4 CCCH 115CC CC77 20 40 6 37 11 8144 FT FT 3 0 03 077 5 SN	

UNCLASSIFIED

APPENDIX A

REFERENCES

APPENDIX A REFERENCES

Section I Required Publications

AR 71-32

Force Development and Documentation—Consolidated Policies. (Cited in para 1-1*a*.)

DOD 4500.9-R

Defense Transportation Regulation. (Cited in paras 1-1*a* and 2-3.) (Available at http://www.transcom.mil/j5/pt/dtr_part_iii.cfm)

SB 700-20

Army Adopted/Other Items Selected for Authorization/List of Reportable Items. (Cited in paras 1-1*c*, 3-1*c*, 3-1*i*(19), and 3-1*i*(21).) (<https://oamcpro.logsa.army.mil/oamcustomlogin/>). The user will have to create a LIW account by submitting an System Access Request (SAR)

Section II Related Publications

A related publication is a source of additional information. A user does not have to read a related publication in order to understand this publication.

AF Pamphlet 10-1403

Airlift Planning Factors. (Available at <http://www.e-publishing.af.mil/>.)

Civil Reserve Air Fleet Load Planning Guidance

Obtain from HQ AMC/A3BF, 402 Scott Drive, Unit 3A1, Scott AFB, IL 62225.

DA Pam 708-3

Cataloging of Supplies and Equipment, Army Adopted Items of Materiel and List of Reportable Items (SB 700-20)

FM 10-500-3

Airdrop of Supplies and Equipment Rigging Containers

Section III Prescribed Forms

This section contains no entries.

Section IV Referenced Forms

This section contains no entries.

APPENDIX B

**CROSS-REFERENCE
NATIONAL STOCK NUMBER
TO TOE LIN**

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN
000000000000	AF0001	000000000000	YA0117	000000000000	YA0417	000000000000	YA0551	000000000000	YA0602				
000000000000	AF0002	000000000000	YA0119	000000000000	YA0418	000000000000	YA0552	000000000000	YA0603				
000000000000	AF0003	000000000000	YA0120	000000000000	YA0419	000000000000	YA0554	000000000000	YA0604				
000000000000	AF0004	000000000000	YA0126	000000000000	YA0420	000000000000	YA0559	000000000000	YA0605				
000000000000	AF0005	000000000000	YA0141	000000000000	YA0421	000000000000	YA0560	000000000000	YA0606				
000000000000	AF0007	000000000000	YA0142	000000000000	YA0422	000000000000	YA0561	000000000000	YA0622				
000000000000	AF0009	000000000000	YA0143	000000000000	YA0423	000000000000	YA0562	000000000000	YA0624				
000000000000	AF0010	000000000000	YA0144	000000000000	YA0424	000000000000	YA0563	000000000000	YA0625				
000000000000	AF0011	000000000000	YA0145	000000000000	YA0427	000000000000	YA0564	000000000000	YA0626				
000000000000	AF0012	000000000000	YA0146	000000000000	YA0430	000000000000	YA0565	000000000000	YA0627				
000000000000	AF0013	000000000000	YA0154	000000000000	YA0431	000000000000	YA0566	000000000000	YA0630				
000000000000	AF0014	000000000000	YA0158	000000000000	YA0433	000000000000	YA0567	000000000000	YA0631				
000000000000	AF0015	000000000000	YA0160	000000000000	YA0436	000000000000	YA0568	000000000000	YA0632				
000000000000	AF0017	000000000000	YA0173	000000000000	YA0437	000000000000	YA0569	000000000000	YA0687				
000000000000	AF0018	000000000000	YA0211	000000000000	YA0463	000000000000	YA0570	000000000000	YA0693				
000000000000	AF0019	000000000000	YA0212	000000000000	YA0464	000000000000	YA0571	000000000000	YA0699				
000000000000	AF0020	000000000000	YA0213	000000000000	YA0475	000000000000	YA0572	000000000000	YA0701				
000000000000	AF0021	000000000000	YA0240	000000000000	YA0476	000000000000	YA0573	000000000000	YA0708				
000000000000	AF0022	000000000000	YA0242	000000000000	YA0478	000000000000	YA0574	000000000000	YA0711				
000000000000	AF0023	000000000000	YA0243	000000000000	YA0479	000000000000	YA0575	000000000000	YA0740				
000000000000	AF0024	000000000000	YA0276	000000000000	YA0488	000000000000	YA0576	000000000000	YA0744				
000000000000	AF0025	000000000000	YA0282	000000000000	YA0490	000000000000	YA0577	000000000000	YA0746				
000000000000	AF0026	000000000000	YA0285	000000000000	YA0491	000000000000	YA0578	000000000000	YA0747				
000000000000	AF0027	000000000000	YA0286	000000000000	YA0492	000000000000	YA0579	000000000000	YA0748				
000000000000	AF0028	000000000000	YA0287	000000000000	YA0493	000000000000	YA0580	000000000000	YA0749				
000000000000	AF0029	000000000000	YA0305	000000000000	YA0494	000000000000	YA0581	000000000000	YA0750				
000000000000	AF0030	000000000000	YA0315	000000000000	YA0495	000000000000	YA0582	000000000000	YA0751				
000000000000	AF0031	000000000000	YA0318	000000000000	YA0497	000000000000	YA0583	000000000000	YA0752				
000000000000	AF0032	000000000000	YA0328	000000000000	YA0499	000000000000	YA0584	000000000000	YA0753				
000000000000	AF0034	000000000000	YA0329	000000000000	YA0506	000000000000	YA0585	000000000000	YA0754				
000000000000	AF0035	000000000000	YA0351	000000000000	YA0518	000000000000	YA0586	000000000000	YA0755				
000000000000	AF0036	000000000000	YA0361	000000000000	YA0520	000000000000	YA0587	000000000000	YA0756				
000000000000	AF0037	000000000000	YA0362	000000000000	YA0521	000000000000	YA0588	000000000000	YA0757				
000000000000	AF0038	000000000000	YA0363	000000000000	YA0522	000000000000	YA0589	000000000000	YA0758				
000000000000	AF0039	000000000000	YA0370	000000000000	YA0523	000000000000	YA0590	000000000000	YA0760				
000000000000	AF0040	000000000000	YA0371	000000000000	YA0525	000000000000	YA0591	000000000000	YA0767				
000000000000	AF1393	000000000000	YA0372	000000000000	YA0527	000000000000	YA0592	000000000000	YA0768				
000000000000	C05019	000000000000	YA0373	000000000000	YA0528	000000000000	YA0593	000000000000	YA0784				
000000000000	CB0832	000000000000	YA0374	000000000000	YA0529	000000000000	YA0594	000000000000	YA0785				
000000000000	S05006	000000000000	YA0375	000000000000	YA0534	000000000000	YA0595	000000000000	YA0786				
000000000000	YA0006	000000000000	YA0376	000000000000	YA0535	000000000000	YA0596	000000000000	YA0789				
000000000000	YA0030	000000000000	YA0380	000000000000	YA0537	000000000000	YA0597	000000000000	YA0790				
000000000000	YA0059	000000000000	YA0391	000000000000	YA0538	000000000000	YA0598	000000000000	YA0795				
000000000000	YA0080	000000000000	YA0413	000000000000	YA0541	000000000000	YA0599	000000000000	YA0796				
000000000000	YA0096	000000000000	YA0414	000000000000	YA0543	000000000000	YA0600	000000000000	YA0800				
000000000000	YA0097	000000000000	YA0416	000000000000	YA0544	000000000000	YA0601	000000000000	YA0801				

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	TOE LIN
000000000000	YA0802	000000000000	YA0880	000000000000	YA0985	000000000000	YA1055	000000000000	1015012261672	000000000000	YA1055	000000000000	1015012261672	M68405
000000000000	YA0805	000000000000	YA0881	000000000000	YA0992	000000000000	YA1056	000000000000	1015012923801	000000000000	YA1056	000000000000	1015012923801	M68405
000000000000	YA0806	000000000000	YA0883	000000000000	YA0994	000000000000	YA1057	000000000000	1015014824914	000000000000	YA1057	000000000000	1015014824914	H57505
000000000000	YA0807	000000000000	YA0885	000000000000	YA0995	000000000000	YA1059	000000000000	1015015540749	000000000000	YA1059	000000000000	1015015540749	M68326
000000000000	YA0809	000000000000	YA0886	000000000000	YA0996	000000000000	YA1060	000000000000	1015015984568	000000000000	YA1060	000000000000	1015015984568	H05007
000000000000	YA0810	000000000000	YA0890	000000000000	YA0998	000000000000	YA1061	000000000000	1025010266648	000000000000	YA1061	000000000000	1025010266648	K57821
000000000000	YA0813	000000000000	YA0891	000000000000	YA0999	000000000000	YA1065	000000000000	1025994111447	000000000000	YA1065	000000000000	1025994111447	H57916
000000000000	YA0814	000000000000	YA0892	000000000000	YA1001	000000000000	YA1066	000000000000	1025994637551	000000000000	YA1066	000000000000	1025994637551	H57916
000000000000	YA0815	000000000000	YA0893	000000000000	YA1002	000000000000	YA1070	000000000000	1040013801400	000000000000	YA1070	000000000000	1040013801400	G58151
000000000000	YA0816	000000000000	YA0895	000000000000	YA1003	000000000000	YA1071	000000000000	1040014138332	000000000000	YA1071	000000000000	1040014138332	G87229
000000000000	YA0823	000000000000	YA0896	000000000000	YA1004	000000000000	YA1075	000000000000	1055010920596	000000000000	YA1075	000000000000	1055010920596	L44894
000000000000	YA0824	000000000000	YA0897	000000000000	YA1005	000000000000	YA1077	000000000000	1055011920357	000000000000	YA1077	000000000000	1055011920357	L44894
000000000000	YA0826	000000000000	YA0898	000000000000	YA1006	000000000000	YA1078	000000000000	1055011920358	000000000000	YA1078	000000000000	1055011920358	L44894
000000000000	YA0827	000000000000	YA0903	000000000000	YA1007	000000000000	YA2000	000000000000	1055012035883	000000000000	YA2000	000000000000	1055012035883	L67342
000000000000	YA0828	000000000000	YA0904	000000000000	YA1008	000000000000	Z00042	000000000000	1055012519756	000000000000	Z00042	000000000000	1055012519756	L44894
000000000000	YA0829	000000000000	YA0905	000000000000	YA1009	000000000000	Z00062	000000000000	1055012812770	000000000000	Z00062	000000000000	1055012812770	L67342
000000000000	YA0831	000000000000	YA0906	000000000000	YA1010	000000000000	Z00065	000000000000	1055013273106	000000000000	Z00065	000000000000	1055013273106	L67342
000000000000	YA0839	000000000000	YA0907	000000000000	YA1011	000000000000	Z00064	000000000000	1055013296826	000000000000	Z00064	000000000000	1055013296826	L44894
000000000000	YA0840	000000000000	YA0912	000000000000	YA1012	000000000000	Z00588	000000000000	1055013406084	000000000000	Z00588	000000000000	1055013406084	L67342
000000000000	YA0841	000000000000	YA0915	000000000000	YA1013	000000000000	Z00592	000000000000	1055014504243	000000000000	Z00592	000000000000	1055014504243	M82581
000000000000	YA0843	000000000000	YA0917	000000000000	YA1015	000000000000	Z00699	000000000000	1055014734350	000000000000	Z00699	000000000000	1055014734350	H53326
000000000000	YA0844	000000000000	YA0918	000000000000	YA1016	000000000000	Z00963	000000000000	1055015367106	000000000000	Z00963	000000000000	1055015367106	H53326
000000000000	YA0845	000000000000	YA0919	000000000000	YA1017	000000000000	Z01253	000000000000	1095012169295	000000000000	Z01253	000000000000	1095012169295	YA0793
000000000000	YA0847	000000000000	YA0921	000000000000	YA1018	000000000000	Z01270	000000000000	1095013316755	000000000000	Z01270	000000000000	1095013316755	M18293
000000000000	YA0848	000000000000	YA0923	000000000000	YA1023	000000000000	Z01316	000000000000	1220013748544	000000000000	Z01316	000000000000	1220013748544	C17936
000000000000	YA0849	000000000000	YA0931	000000000000	YA1027	000000000000	Z01317	000000000000	1220014524303	000000000000	Z01317	000000000000	1220014524303	C17936
000000000000	YA0850	000000000000	YA0933	000000000000	YA1028	000000000000	Z01503	000000000000	1220014698966	000000000000	Z01503	000000000000	1220014698966	F55607
000000000000	YA0851	000000000000	YA0934	000000000000	YA1029	000000000000	Z01554	000000000000	1220014698971	000000000000	Z01554	000000000000	1220014698971	C17936
000000000000	YA0852	000000000000	YA0942	000000000000	YA1032	000000000000	Z01573	000000000000	1230013809228	000000000000	Z01573	000000000000	1230013809228	F55607
000000000000	YA0853	000000000000	YA0945	000000000000	YA1033	000000000000	Z01595	000000000000	1230014110983	000000000000	Z01595	000000000000	1230014110983	F83694
000000000000	YA0854	000000000000	YA0946	000000000000	YA1034	000000000000	Z01735	000000000000	1230015226071	000000000000	Z01735	000000000000	1230015226071	G39497
000000000000	YA0855	000000000000	YA0951	000000000000	YA1035	000000000000	Z01766	000000000000	1305007528088	000000000000	Z01766	000000000000	1305007528088	YA0075
000000000000	YA0856	000000000000	YA0952	000000000000	YA1036	000000000000	Z01794	000000000000	1305007528088	000000000000	Z01794	000000000000	1305007528088	YA0371
000000000000	YA0857	000000000000	YA0953	000000000000	YA1038	000000000000	Z07362	000000000000	1305007528088	000000000000	Z07362	000000000000	1305007528088	YA0372
000000000000	YA0858	000000000000	YA0955	000000000000	YA1039	000000000000	Z36683	000000000000	1305007528088	000000000000	Z36683	000000000000	1305007528088	YA0373
000000000000	YA0859	000000000000	YA0959	000000000000	YA1041	000000000000	Z40367	000000000000	1305007528088	000000000000	Z40367	000000000000	1305007528088	YA0374
000000000000	YA0861	000000000000	YA0960	000000000000	YA1042	000000000000	Z65039	000000000000	1305007528088	000000000000	Z65039	000000000000	1305007528088	YA0375
000000000000	YA0866	000000000000	YA0961	000000000000	YA1043	000000000000	CB5122	000000000000	1305007528088	000000000000	CB5122	000000000000	1305007528088	YA0376
000000000000	YA0867	000000000000	YA0962	000000000000	YA1044	000000000000	CB1826	000000000000	1385014569129	000000000000	CB1826	000000000000	1385014569129	M86561
000000000000	YA0868	000000000000	YA0963	000000000000	YA1045	000000000000	CB1340	000000000000	1425014392738	000000000000	CB1340	000000000000	1425014392738	T24690
000000000000	YA0870	000000000000	YA0964	000000000000	YA1046	000000000000	G96797	000000000000	1430010876330	000000000000	G96797	000000000000	1430010876330	R18815
000000000000	YA0871	000000000000	YA0967	000000000000	YA1048	000000000000	K57392	000000000000	1430010876337	000000000000	K57392	000000000000	1430010876337	J82250
000000000000	YA0872	000000000000	YA0968	000000000000	YA1050	000000000000	M68282	000000000000	1430010876338	000000000000	M68282	000000000000	1430010876338	E08457
000000000000	YA0873	000000000000	YA0974	000000000000	YA1051	000000000000	K57392	000000000000	1430011315373	000000000000	K57392	000000000000	1430011315373	A80593
000000000000	YA0874	000000000000	YA0979	000000000000	YA1052	000000000000	K57392	000000000000	1430012406917	000000000000	K57392	000000000000	1430012406917	E08497
000000000000	YA0875	000000000000	YA0983	000000000000	YA1054	000000000000	M68282	000000000000	1430012406918	000000000000	M68282	000000000000	1430012406918	E08497

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN
1430013695863	A09153	1520011255476	YA0183	1670011622366	S98613	1930012630143	E99669	2310013723935	E99669	2310013723935	T38707	2310013723935	T38707
1430013786963	F57713	1520011684260	H44644	1670011622367	S98681	1930012646501	E99669	2310013808225	E99669	2310013808225	T38844	2310013808225	T38844
1430014091965	F57713	1520012824051	H30766	1670011622368	S98545	1930011622368	CB8256	2310013808290	CB8256	2310013808290	CB0361	2310013808290	CB0361
1430014184396	R18701	1520012984532	H32361	1670011622369	S65628	1935001788205	F36090	2310014998019	F36090	2310014998019	CB0720	2310014998019	CB0720
1430014208077	G92997	1520013558250	H48918	1670011622370	S43706	1935002172302	F36090	2310015231309	F36090	2310015231309	T38728	2310015231309	T38728
1430014465321	A24999	1520014575179	U15172	1670011699154	S43764	1935002646219	F36090	2310015231311	F36090	2310015231311	T38728	2310015231311	T38728
1430014489833	E08747	1520014599468	C84541	1680013963975	F40721	1935014346826	F36090	2310015231312	F36090	2310015231312	T38728	2310015231312	T38728
1430014489835	C90546	1520014716743	U84291	1680014562704	C22759	1940001093313	B84007	2310015953986	B84007	2310015953986	T38844	2310015953986	T38844
1430014907031	F57713	1520014926324	H32429	1720015226060	U31900	1940002942300	B83924	2310015953986	B83924	2310015953986	CB0061	2310015953986	CB0061
1430015246888	A80637	1520015114315	H31595	1730002539982	L34369	1940011055728	B25476	2310015953986	B25476	2310015953986	CB0317	2310015953986	CB0317
1430015308714	B68770	1520015138008	H05001	1730002948883	M02540	1940012189165	B25476	2310015953986	B25476	2310015953986	CB0313	2310015953986	CB0313
1430015366089	G92997	1520015154615	M33458	1730003905618	M02470	1940012196785	B84293	2310015953986	B84293	2310015953986	CB0070	2310015953986	CB0070
1430015611278	P05005	1520015332025	H31329	1730004357818	W93995	1940012493937	B83924	2320000000114	B83924	2320000000114	T53858	2320000000114	T53858
1430015611297	L05002	1520015584042	M85588	1730009679556	W69391	1940012623993	B84293	2320000508890	B84293	2320000508890	CB0588	2320000508890	CB0588
1440010879844	L46979	1550002619799	H05006	1730009817605	AF7605	1940014591333	B84293	2320000508890	B84293	2320000508890	X40968	2320000508890	X40968
1440014444239	P11779	1550002626048	B23148	1730010625030	AF5030	1940015260770	B25476	2320000508913	B25476	2320000508913	X40931	2320000508913	X40931
1450015611283	P05007	1550015226048	U05001	1730010861653	W93995	1940016158699	B05006	2320000508913	B05006	2320000508913	CB0588	2320000508913	CB0588
1450015611328	T05005	1550015343238	T09343	1730011441897	F44627	1945012184669	W41707	2320000508913	W41707	2320000508913	X40794	2320000508913	X40794
1510010055461	A29676	1550015687303	U05003	1730013704268	AF4268	1945012184669	YA0273	2320000508970	YA0273	2320000508970	CB0587	2320000508970	CB0587
1510010111462	A30989	1560012217600	E20380	1730013742604	AF2604	1945012187268	C14504	2320000508970	C14504	2320000508970	X43708	2320000508970	X43708
1510010703661	A29744	1560012575817	E20312	1730014669371	P44627	1945012192109	C14572	2320000508978	C14572	2320000508978	X59463	2320000508978	X59463
1510010879129	A29812	167000034389	B25414	1730015222313	P44627	1945013983856	M90110	2320000508984	M90110	2320000508984	CB0607	2320000508984	CB0607
1510011318262	A05006	1670000867291	U94710	17400015734867	G05015	1945014732162	C14504	2320000508984	C14504	2320000508984	X59326	2320000508984	X59326
1510012148354	A05007	1670002429173	YA0160	1740001019256	AF9256	1945014732282	C14572	2320000508987	C14572	2320000508987	X41242	2320000508987	X41242
1510012355839	A05008	1670004318486	X87592	1740001341053	W88803	1945014977059	C14572	2320000508988	C14572	2320000508988	X41105	2320000508988	X41105
1510012355840	A30062	1670005873421	YA0160	1740001341053	AF9467	1945015051665	YA0274	2320000509006	YA0274	2320000509006	X62237	2320000509006	X62237
1510013615016	A05009	1670008204896	YA0032	1740015226078	A27808	2040003922985	E99669	2320000510489	E99669	2320000510489	CB0730	2320000510489	CB0730
1510013615018	A46758	1670008204896	YA0038	1740015226078	S21580	2040014639192	YA0914	2320000510489	YA0914	2320000510489	X63299	2320000510489	X63299
1510013700805	A05010	1670008204896	YA0039	1905011541191	L36989	2090011069789	C34199	2320000510589	C34199	2320000510589	X43845	2320000510589	X43845
1510014170137	A05011	1670008204896	YA0040	1905012842647	L36739	2220002992865	R00235	2320000510589	R00235	2320000510589	X40968	2320000510589	X40968
1510014181848	A29880	1670008204896	YA0046	1905014657599	L36654	222000540453	R00235	2320000721450	R00235	2320000721450	CB0709	2320000721450	CB0709
1510014288769	U05004	1670008204896	YA0048	1915011538801	V00426	2230002620764	R07907	2320000771631	R07907	2320000771631	X40009	2320000771631	X40009
1510014937842	YA1067	1670008204896	YA0052	1915014950036	V00426	2230013344930	C36518	2320000771617	C36518	2320000771617	X40146	2320000771617	X40146
1510015341709	YA1068	1670008204896	YA0056	1925002161845	X71046	231000525874	CB0104	2320000771618	CB0104	2320000771618	X40283	2320000771618	X40283
1510994955760	A29880	1670008204896	YA0076	1925003753003	X71046	2310009216369	CB0361	2320000771631	CB0361	2320000771631	X40746	2320000771631	X40746
1520000877637	K31795	1670008204896	YA0077	1925012477110	T68330	2310010585722	AF5722	2320000771631	AF5722	2320000771631	X57271	2320000771631	X57271
1520001697137	K31042	1670008204896	YA0081	1925014351713	T68398	2310010585722	CB0061	2320000771636	CB0061	2320000771636	CB0500	2320000771636	CB0500
1520009181523	K30645	1670008204896	YA0082	1925014732285	W41775	2310010585722	T38844	2320000867482	T38844	2320000867482	X40968	2320000867482	X40968
1520009999821	K29660	1670008204896	YA0098	1925015028772	W41775	231001112275	CB0361	2320000884412	CB0361	2320000884412	CB0329	2320000884412	CB0329
1520010204216	H31110	1670008204896	YA0099	1925015097013	T68330	231001112275	T38707	2320002553265	T38707	2320002553265	CB0725	2320002553265	CB0725
1520010350266	K32293	1670008204896	YA0137	1930003752962	B30923	2310011232666	CB0361	2320003499394	CB0361	2320003499394	CB0645	2320003499394	CB0645
1520010434949	H31872	1670008204896	YA0159	1930003752967	B31060	2310011232666	T38660	2320004335695	T38660	2320004335695	CB0756	2320004335695	CB0756
1520010883669	H30517	1670008204896	YA0211	1930003752972	B31197	231001467194	CB0361	2320005425633	CB0361	2320005425633	X40009	2320005425633	X40009
1520011069519	H28647	1670008204896	YA0212	1930005864214	B30923	2310012339969	CB0066	2320005425634	CB0066	2320005425634	X40146	2320005425634	X40146
1520011255476	A21633	1670008204896	YA0487	1930007105728	CB0570	2310013719585	YA0252	232000552375	YA0252	232000552375	CB0327	232000552375	CB0327
						2310013723934	T38844	2320005802955	T38844	2320005802955	AF2955	2320005802955	AF2955

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	TOE LIN
2320007397545	X40009	2320010970247	T88677	2320012064088	X40931	2320013553063	T41036	2320014473883	T41036	2320014473883	T41036	2320014473883	T41036	T42063
2320007826848	CB0305	2320010970248	T63093	2320012064089	CB0588	2320013553064	T41995	2320014473884	T41995	2320014473884	T41995	2320014473884	T41995	T41135
2320008344507	X40009	2320010970249	T58161	2320012064089	X41105	2320013554332	T61239	2320014473885	T61239	2320014473885	T61239	2320014473885	T61239	YA0965
2320008344508	X40146	2320010970260	T39518	2320012064090	X41242	2320013601891	T40329	2320014473887	T40329	2320014473887	T40329	2320014473887	T40329	T41203
2320008358327	X40968	2320010970261	T39654	2320012082490	CB0330	2320013601892	T61307	2320014473888	T61307	2320014473888	T61307	2320014473888	T61307	T60149
2320008358335	X40968	2320010996421	T59117	2320012082492	CB0319	2320013601893	T64979	2320014473889	T64979	2320014473889	T64979	2320014473889	T64979	T41036
2320008358351	X40009	2320010996426	T59278	2320012090649	CB0709	2320013601894	T65594	2320014473890	T65594	2320014473890	T65594	2320014473890	T65594	T61908
2320008358352	X40146	2320011007672	T87243	2320012098823	S31232	2320013601895	T41135	2320014473891	T41135	2320014473891	T41135	2320014473891	T41135	T61704
2320008358463	X40009	2320011007673	T39586	2320012300300	X62237	2320013601896	T41104	2320014473892	T41104	2320014473892	T41104	2320014473892	T41104	T94709
2320008358464	X40146	2320011016752	CB0644	2320012300302	CB0607	2320013601897	T61772	2320014473893	T61772	2320014473893	T61772	2320014473893	T61772	T61239
2320008358536	X40146	2320011077153	T05096	2320012300302	X59326	2320013601898	T60149	2320014473895	T60149	2320014473895	T60149	2320014473895	T60149	T61840
2320008925938	CB0355	2320011077155	CB0360	2320012300303	X59463	2320013601899	T42063	2320014473897	T42063	2320014473897	T42063	2320014473897	T42063	T61772
2320009260873	CB0539	2320011077156	T61494	2320012300304	X63299	2320013719577	CB0360	2320014473899	CB0360	2320014473899	CB0360	2320014473899	CB0360	T64911
2320009260873	X40077	2320011077156	T61562	2320012300305	CB0587	2320013719577	T61494	2320014473900	T61494	2320014473900	T61494	2320014473900	T61494	T61307
2320009854153	CB0539	2320011236827	T60353	2320012300305	X43708	2320013719578	CB0360	2320014473938	CB0360	2320014473938	CB0360	2320014473938	CB0360	T93484
2320010253733	X40077	2320011212102	T60353	2320012300305	X43708	2320013719578	CB0360	2320014474938	CB0360	2320014474938	CB0360	2320014474938	CB0360	T93484
2320010284395	AF4448	2320011230033	CB8259	2320012300306	X43845	2320013719578	T61562	2320014476342	T61562	2320014476342	T61562	2320014476342	T61562	T41104
232001048376	CB5414	2320011236827	CB0360	2320012300307	CB0588	2320013719579	T92310	2320014476343	T92310	2320014476343	T92310	2320014476343	T92310	T60081
2320010253733	T61035	2320011236827	T59482	2320012300307	X40794	2320013719579	CB0360	2320014476344	CB0360	2320014476344	CB0360	2320014476344	CB0360	T64979
2320010284395	T61103	2320011252640	T61103	2320012300308	CB0588	2320013719583	T07679	2320014525276	T07679	2320014525276	T07679	2320014525276	T07679	T60353
2320010284396	T91656	2320011275077	T59414	2320012300308	X40931	2320013719584	T92242	2320014581207	T92242	2320014581207	T92242	2320014581207	T92242	T61103
2320010284397	T61171	2320011289551	T92242	2320012300309	X41105	2320013723932	T05096	2320014652176	T05096	2320014652176	T05096	2320014652176	T05096	CB0588
2320010304820	CB0528	2320011289552	T92310	2320012300310	X41242	2320013723933	CB0360	2320014652182	CB0360	2320014652182	CB0360	2320014652182	CB0360	CB0588
2320010448376	T60353	2320011382937	CB0722	2320012402835	CB0746	2320013808213	CB0360	2320014652189	CB0360	2320014652189	CB0360	2320014652189	CB0360	CB0587
2320010478750	CB0591	2320011413276	CB0603	2320012725028	T91656	2320013808223	T92242	2320014652260	T92242	2320014652260	T92242	2320014652260	T92242	CB0730
2320010478750	X62237	2320011467188	CB0360	2320012725029	CB0649	2320013808604	AF8604	2320014711326	AF8604	2320014711326	AF8604	2320014711326	AF8604	T96496
2320010478752	X59463	2320011467190	CB0360	2320012725029	T61103	2320013808604	CB0360	2320014839755	CB0360	2320014839755	CB0360	2320014839755	CB0360	C84862
2320010478753	CB0607	2320011467191	CB8255	2320012894333	CB0731	2320013808604	T07679	2320014839755	T07679	2320014839755	T07679	2320014839755	T07679	C84930
2320010478753	X59326	2320011467193	T07543	2320013010655	CB0645	2320013832047	CB0539	2320014886962	CB0539	2320014886962	CB0539	2320014886962	CB0539	T91656
2320010478754	CB0730	2320011580820	T59550	2320013042277	T41067	2320013832047	X40009	2320014928201	X40009	2320014928201	X40009	2320014928201	X40009	T39586
2320010478754	X63299	2320011678433	CB0713	2320013042278	T40999	2320013832048	X40283	2320014928214	X40283	2320014928214	X40283	2320014928214	X40283	T39654
2320010478755	X43845	2320011790669	CB0730	2320013184509	CB0582	2320013832049	X40214	2320014928215	X40214	2320014928215	X40214	2320014928215	X40214	T87243
2320010478756	CB0587	2320011947032	T41721	2320013189902	T59048	2320013832050	X40077	2320014928216	X40077	2320014928216	X40077	2320014928216	X40077	T58161
2320010478756	X43708	2320011947163	CB0645	2320013339513	CB0528	2320013833850	X40146	2320014928218	X40146	2320014928218	X40146	2320014928218	X40146	T91308
2320010478769	CB0588	2320011950531	CB0644	2320013360344	CB0330	2320013897558	T07746	2320014928219	T07746	2320014928219	T07746	2320014928219	T07746	T91308
2320010478769	X40931	2320011950532	CB0643	2320013398009	CB0645	2320014076487	YA0808	2320014928221	YA0808	2320014928221	YA0808	2320014928221	YA0808	T96496
2320010478770	X41242	2320011957641	T63093	2320013469317	T07679	2320014120143	CB0360	2320014928223	CB0360	2320014928223	CB0360	2320014928223	CB0360	T88677
2320010478771	X41105	2320012052667	YA0638	2320013543384	T93484	2320014120143	T61630	2320014928224	T61630	2320014928224	T61630	2320014928224	T61630	T63093
2320010478772	X40968	2320012052682	X62237	2320013543385	T60081	2320014133739	T92446	2320014928225	T92446	2320014928225	T92446	2320014928225	T92446	T87243
2320010502084	CB0588	2320012052684	X59463	2320013543386	T61908	2320014187400	CB0360	2320014928226	CB0360	2320014928226	CB0360	2320014928226	CB0360	T58161
2320010502084	X40794	2320012052693	X40968	2320013543387	T41203	2320014311163	T91656	2320014928228	T91656	2320014928228	T91656	2320014928228	T91656	T91308
2320010907782	CB0614	2320012064077	X59326	2320013544527	YA0965	2320014324847	CB0645	2320014928229	CB0645	2320014928229	CB0645	2320014928229	CB0645	T91308
2320010907785	CB0630	2320012064078	X63299	2320013544528	T94709	2320014324847	T94709	2320014928230	T94709	2320014928230	T94709	2320014928230	T94709	T96496
2320010907797	CB0730	2320012064079	X43708	2320013544529	T64911	2320014421940	T91308	2320014928231	T91308	2320014928231	T91308	2320014928231	T91308	T88677
2320010907811	CB0756	2320012064080	X43845	2320013544530	T61704	2320014438023	T91308	2320014928233	T91308	2320014928233	T91308	2320014928233	T91308	T63093
2320010907900	CB0420	2320012064087	CB0588	2320013544531	T61840	2320014458266	C84862	2320014933774	C84862	2320014933774	C84862	2320014933774	C84862	T39518
2320010907907	CB0528	2320012064087	X40794	2320013553062	T65526	2320014473882	T41995	2320014933779	T41995	2320014933779	T41995	2320014933779	T41995	T59278

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	TOE LIN
2320014933782	T39518	2320015231149	T82378	2320015231490	T88847	2320015527759	T88983	2330001418052		2330001418052	YA0312			YA0312
2320014933785	T59278	2320015231151	T59714	2320015231516	T67680	2320015527762	T94671	2330001858897		2330001858897	CB0862			CB0862
2320014933787	T39654	2320015231154	T90015	2320015232482	T91758	2320015527767	T59516	2330002001785		2330002001785	W94030			W94030
2320014933789	T39586	2320015231285	T91490	2320015232484	T91758	2320015527770	C05019	2330002042814		2330002042814	CB0829			CB0829
2320014933790	T41721	2320015231286	T91490	2320015232486	T91758	2320015527770	T93339	2330002266076		2330002266076	G34815			G34815
2320014933792	T41721	2320015231287	T91490	2320015257444	T91758	2320015527770	Z01794	2330002266079		2330002266079	S72846			S72846
2320014950110	T41203	2320015231289	T37338	2320015257451	T91758	2320015527773	T93271	2330002266080		2330002266080	S72983			S72983
2320014990015	YA0821	2320015231290	T37338	2320015286294	M31997	2320015527780	T62112	2330002556343		2330002556343	CB0826			CB0826
2320015085032	CB0588	2320015231291	T61242	2320015286636	T59415	2320015527781	T67136	2330002558065		2330002558065	S71613			S71613
2320015088859	T45435	2320015231292	T11790	2320015303843	T41271	2320015527782	T65274	2330002593350		2330002593350	S71613			S71613
2320015187330	CB0360	2320015231293	T11790	2320015305677	CB8257	2320015527787	T65342	2330002669078		2330002669078	CB0819			CB0819
2320015187330	T34704	2320015231297	T11622	2320015305681	CB8257	2320015527793	T01691	2330002731293		2330002731293	CB0813			CB0813
2320015187332	CB0360	2320015231298	T11622	2320015305685	CB8258	2320015574546	T54516	2330002779337		2330002779337	W95811			W95811
2320015187332	T11588	2320015231300	T11622	2320015305693	CB0607	2320015629341	G05014	2330002875101		2330002875101	CB0862			CB0862
2320015221858	T65047	2320015231314	T11722	2320015312626	T34772	2320015646882	T05012	2330002896798		2330002896798	S71613			S71613
2320015221859	T65115	2320015231316	T92514	2320015312629	T34772	2320015666745	S05006	2330002897515		2330002897515	S70243			S70243
2320015231034	T57384	2320015231317	T11722	2320015312634	T34772	2320015666797	S05006	2330002898934		2330002898934	AF8934			AF8934
2320015231037	T88779	2320015231320	T07814	2320015312636	T34772	2320016068030	T05017	2330003176448		2330003176448	S70517			S70517
2320015231047	T82696	2320015231357	T54718	2320015341091	T59532	2320016068031	T05019	2330003312307		2330003312307	E02807			E02807
2320015231049	T54918	2320015231358	T67068	2320015341117	T58318	2320LLLC10177	CB0525	2330003519916		2330003519916	S71613			S71613
2320015231054	T91724	2320015231361	T67068	2320015341872	T55054	2320LLLC10707	CB0355	2330003951877		2330003951877	S70243			S70243
2320015231064	T89947	2320015231363	T44643	2320015341877	T59380	2320LLLC10710	CB0355	2330003951878		2330003951878	W95263			W95263
2320015231065	T88779	2320015231369	T82044	2320015341887	T59652	2320LLLC10721	CB0588	2330004045940		2330004045940	CB0822			CB0822
2320015231068	T81976	2320015231370	T82112	2320015342228	T89915	2320LLLC10722	CB0607	2330004467515		2330004467515	YA0320			YA0320
2320015231070	T54650	2320015231371	T67748	2320015342229	T60946	2320LLLC10723	CB0709	2330004729999		2330004729999	YA0044			YA0044
2320015231091	T59464	2320015231426	T59165	2320015342245	T63161	2320LLLC10725	CB0726	2330005081484		2330005081484	S72846			S72846
2320015231095	T54650	2320015231427	T88847	2320015402007	C05019	2320LLLC10726	CB0730	233000533380		233000533380	S72846			S72846
2320015231097	T61976	2320015231428	T59165	2320015402007	T37588	2320LLLC10727	CB0746	2330005422831		2330005422831	E02670			E02670
2320015231100	T59464	2320015231429	T67578	2320015402007	YA0997	2320LLLC10736	CB0330	2330005423491		2330005423491	E02533			E02533
2320015231111	T61976	2320015231430	T96632	2320015402007	Z01794	2320LLLC10745	CB0363	2330005425709		2330005425709	YA0001			YA0001
2320015231120	T90015	2320015231432	T67578	2320015402017	M05009	2320LLLC10746	CB0360	2330005425709		2330005425709	YA0035			YA0035
2320015231124	T59714	2320015231433	T67748	2320015402017	T56383	2320LLLC10759	CB0643	2330005425709		2330005425709	YA0057			YA0057
2320015231125	T61976	2320015231434	T45051	2320015402038	T34704	2320LLLCA0206	CB0360	2330005548676		2330005548676	S71613			S71613
2320015231128	T90015	2320015231435	T67816	2320015442244	T55236	2320LLLCA0223	CB0360	2330005699372		2330005699372	S75038			S75038
2320015231130	T89947	2320015231437	T44915	2320015442251	T81874	2320LLLCA0225	CB0360	2330005747964		2330005747964	S72846			S72846
2320015231131	T59714	2320015231438	T44983	2320015449638	T34840	2320LLLCC2825	CB0722	2330005802713		2330005802713	CB0817			CB0817
2320015231134	T89947	2320015231439	T67680	2320015498565	M05009	2321010095273	CB0063	2330005872454		2330005872454	S74832			S74832
2320015231135	T81976	2320015231440	T96632	2320015498565	T41447	2330000454511	S71613	2330006243363		2330006243363	S71202			S71202
2320015231136	T57384	2320015231476	T54718	2320015498565	T41515	2330000487743	S72024	2330006315692		2330006315692	YA0002			YA0002
2320015231137	T81976	2320015231479	T44915	2320015498577	T59448	2330000893866	W94536	2330006315692		2330006315692	YA0027			YA0027
2320015231138	T57384	2320015231481	T82044	2320015498610	T41515	2330000897265	S70661	2330006783838		2330006783838	S74216			S74216
2320015231141	T88779	2320015231484	T82112	2320015498611	T42131	2330001034839	CB0842	2330007058932		2330007058932	S74353			S74353
2320015231142	T82378	2320015231485	T67816	2320015522922	T88858	2330001226779	S70027	2330007065495		2330007065495	AF5495			AF5495
2320015231144	T54650	2320015231486	T44643	2320015527739	T59584	2330001331731	S70594	2330007359326		2330007359326	S70517			S70517
2320015231146	T59464	2320015231487	T44983	2320015527745	T62359	2330001418050	CB0804	2330007389509		2330007389509	W95537			W95537
2320015231148	T82378	2320015231488	T45051	2320015527753	T61375	2330001418050	W95811	2330007529750		2330007529750	S72024			S72024

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN
2330007529751	S74079	2330011450363	YA0149	2330013899073	W98825	2350003488593	D10741	2350014059887	F60530						
2330007529752	S75175	2330011450363	YA0334	2330014491775	T96564	2350004112057	D10990	2350014321526	F86571						
2330007725273	S74490	2330011550046	S10059	2330014491776	M05009	2350004396242	R50544	2350014360005	F60564						
2330007886289	S75175	2330011550048	S73372	2330014491776	T95555	2350008087100	MB0589	2350014360007	F90796						
2330007886296	CB0813	2330011668905	CB0813	2330014521218	W95811	2350008087100	W76473	2350014553174	S50205						
2330007886299	S74079	2330011675694	CB0829	2330014582061	S70594	2350008340039	D12087	2350014949960	M31793						
2330007886299	CB0812	2330011677258	YA0272	2330014582061	S70027	2350010310586	K57667	2350015117783	A05001						
2330007886299	S72024	2330011677262	D34883	2330014950040	S10059	2350010318851	K57667	2350015134793	P60658						
2330007979207	S72024	2330011678438	CB0826	2330014950043	S73372	2350010451123	E56896	2350015138431	S50205						
2330008328801	CB0880	2330011757379	S75175	2330014970706	S70159	2350010485920	J81750	2350015388373	K29708						
2330008328801	W98825	2330011980519	M05304	2330015065979	YA0864	2350010492695	C76335	2350015553697	A05002						
2330008358615	G35089	2330011980520	M03535	2330015087887	T64618	2350010612445	T13374	2350015639444	A70576						
2330008358631	W95811	2330012065925	CB0825	2330015274878	T09344	2350010684077	D12087	2350015653460	P19727						
2330008789365	G34805	2330012073533	T96883	2330015274879	T09344	2350010684089	D11538	2350015653464	P19795						
2330008925057	S71613	2330012227979	YA0150	2330015274880	T09344	2350010696931	D10741	2350015725988	A40164						
2330008986779	W95537	2330012227979	YA0333	2330015286673	S70027	2350010853792	C12155	2350014376957	A93374						
2330009115072	G34805	2330012249245	S70594	2330015286690	S70027	2350010871095	T13168	235014818570	J97621						
2330009124251	G34805	2330012260701	S70027	2330015286698	S70027	2350010963956	D11049	235014818572	R62673						
2330009267035	S74832	2330012757474	T45465	2330015294229	T05003	2350011035641	E56896	235014818573	C41314						
2330009844417	CB0816	2330012757475	S73119	2330015388513	T09344	2350011368738	T13374	235014818574	F86821						
2330009949458	S72983	2330012816698	CB0825	2330015470691	T05003	2350011791027	F40307	235014818575	J22626						
2330009949459	S72846	2330012879111	T96838	2330015470698	T05003	2350011791028	F60462	235014818576	A83852						
2330009981059	CB0843	2330012943367	S70027	2330015470710	T05003	2350012030188	C12815	235014818577	M57720						
2330009933591	S71613	2330013035197	T93761	2330015569648	YA0993	2350012197577	C18234	235014818578	M53369						
2330010093360	CB0829	2330013038832	S70859	2330015585333	YA1040	2350012487619	F40375	235014818579	N96543						
2330010398095	S70159	2330013043005	T33619	2330015606538	YA0950	2350012487620	F60530	235014818580	M30567						
2330010505632	S10059	2330013141795	CB0809	2330015966932	YA1049	2350012775770	K57667	235015050871	M53369						
2330010505634	S73372	2330013141797	CB0881	2330015981548	S05007	2350012811719	K57667	235015281274	F86821						
2330010714955	CB0862	2330013205793	CB0853	2330015981677	T05009	2350012816450	C16921	235015292246	YA1072						
2330010791918	YA0439	2330013315417	CB0816	2330015981686	YA1062	2350012816451	C11280	235015495271	M74226						
2330010907861	CB0823	2330013603865	YA0253	2330015984143	D05002	2350012818324	C11651	235015524677	M74362						
2330010909545	W99012	2330013725641	CB0803	2330016010759	P05025	2350012836215	C00255	235015525169	M11782						
2330011018434	YA0042	2330013725641	W95537	2330LLC10747	CB0813	2350013050028	H57642	235015525565	YA0898						
2330011024697	CB0802	2330013725642	S75175	2330LLC10754	CB0826	2350013285964	T13305	235015534634	M11510						
2330011024697	W95537	2330013779337	S73372	2330LLCA0169	CB0826	2350013383116	C10990	235015550908	M17594						
2330011087367	CB0880	2330013789997	CB0853	2330LLCA0213	CB0879	2350013523021	C10908	235015573100	M26460						
2330011087367	W98825	2330013789997	D34883	2330LLCA0214	CB0853	2350013545657	C11158	235015581053	M26596						
2330011094258	T45465	2330013875424	M05009	2340014202816	YA0819	2350013558122	S70543	235015590791	M74226						
2330011098006	S70159	2330013875424	YA0683	2340015066222	YA0442	2350013689500	C10908	235015610281	M11751						
2330011138658	CB0825	2330013875426	CB0804	2340015135988	YA0639	2350013696081	D11049	235015612717	M26392						
2330011195837	S70159	2330013875426	S05006	2340015253088	YA0442	2350013696082	C10990	235015612730	M74226						
2330011307980	S43871	2330013875426	T95924	2340LLCA0205	CB0734	2350013696083	C12815	235015626146	M11683						
2330011367663	YA0326	2330013875426	Z01794	2350000784545	D11049	2350013696085	D11538	235015626152	M11651						
2330011375116	W94536	2330013875443	CB0802	2350001226826	ME1377	2350013696086	C11158	235015626675	M11547						
2330011421385	CB0816	2330013875443	T95992	2350001226826	R50681	2350013904683	R50885	235015644340	M74430						
2330011421385	S70159	2330013875443	YA0429	2350001405151	A93125	2350014059886	F40375	235015666747	YA0987						

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN
2355015672879	M11819	2410012532117	W76816	3220004883674	CB5910	3710002383505	K19232	3805012674178	S29971				
2355015674930	M05004	2410012532118	W83529	3416007253508	L41637	3805000519359	L76556	3805012767222	CB4350				
2355015687688	M11646	2410012541667	CB4830	3417002387553	M44897	3805000892192	CB4310	3805013174888	CB4531				
2355015696962	M39793	2410012701192	W76268	3431000676742	Y47707	3805001927249	CB0644	3805013196954	CB4750				
2355015707996	M39691	2410012968479	W76285	3431001140858	Y47707	3805001927249	X44403	3805013211817	CB4750				
2355015727419	M26528	2410013201278	CB4830	3431002354728	Y47707	3805001974184	J74452	3805013279955	CB4531				
2355015727980	M11714	2410014120930	W76336	3431006050255	CB5170	3805003519426	CB4330	3805013310969	CB4531				
2355015759632	M11442	2410014230930	W83529	3431006205999	Y47707	3805003682845	X44393	3805013592889	CB4531				
2355015815174	V05001	2410014230931	W76816	3431008626669	Y47707	3805005858121	CB4760	3805014208891	YA0741				
2355015826466	M74294	2410014514048	W83529	3431008626670	Y47707	3805006025006	L76315	3805014311165	X44403				
2355015856247	M17526	2410015386780	W76816	3431009263746	Y47707	380500625013	L76321	3805014318439	E61618				
2355015868140	J05009	2410015387793	W83529	3431009843401	Y47707	3805006177091	L76556	3805014328249	X44403				
2355015872312	E05010	2410015652599	T05026	3431010342280	Y47707	3805010182866	J74852	3805014630804	E27792				
2355015872316	C05052	2410015652600	T05029	3431012462247	CB5170	3805010257572	CB4420	3805014630805	E27860				
2355015872320	M05032	2410015652603	T05016	3470007540708	T15644	3805010284389	X44403	3805014630806	E41791				
2355015872321	F05013	2410015652605	T05015	3470007540738	T15640	3805010302816	L76556	3805014886963	X44403				
2355015872323	M05033	2420005670135	W91074	3470007540739	T15641	3805010410607	CB4531	3805014887442	X44403				
2355015872326	Z05265	2420009023084	W90447	3470013563472	CB5920	3805010416823	CB4420	3805014970697	S30039				
2410000786483	W76816	2420010852078	AF2078	3510001694735	L48315	3805010486324	CB4530	3805015331768	L76897				
2410000786484	W83529	2420011602754	T34437	3510007532895	L48315	3805010487857	CB4530	3805015331853	L15041				
241000177283	W83529	2420012058636	T33786	3510007825294	CB5498	3805010529042	L76315	3805015331857	L77568				
241000177284	W76816	2420015323399	T34505	3510007825294	L48315	3805010529043	L76321	3805015386850	G74783				
2410001859792	W76816	2420015354061	H53576	3510010319664	CB5498	3805010694976	CB4531	3805015386852	S56246				
2410001859794	W83529	2420661487692	T51759	3510011354705	CB5498	3805010698031	CB4530	3805015387782	L76556				
2410003006664	W76816	2420661487692	Z99110	3510011976742	L48315	3805010719753	CB4531	3805015387811	E61618				
2410004052449	CB4851	2430014232819	T76541	3510012229301	L48315	3805010848528	CB4310	3805015420473	E27792				
2410004522241	CB4850	2430015387804	T76541	3510012918169	L48315	3805010851517	CB4531	3805015420481	L76321				
2410004522242	CB4850	2510014463358	YA0613	3510013655687	L48315	3805010883653	CB4750	3805015500883	YA0988				
2410005747597	W88575	2510014588253	F60598	3510014630114	L70538	3805011067176	CB4340	3805015524485	L77147				
2410005747598	W88699	2510014665337	S25817	3510014749035	C27837	3805011089062	CB4531	3805015524487	L77215				
2410007821130	W76816	2510015603567	YA1049	3510014850457	C27837	3805011267894	J74920	3805015602384	M05001				
2410009263697	W83529	2541015602332	T05003	3510015272209	C28019	3805011267895	J74886	3805015706666	L76897				
2410010167232	CB4830	2590010630253	R11006	3510015272210	C28019	3805011267914	L76693	3805015706666	L76897				
2410010509628	W76816	2590011343724	R11006	3530010152220	E40961	3805011267915	L76556	3810000182021	F43429				
2410010509629	W83529	2590012308862	B71632	3530010179123	E40961	3805011442992	S29971	3810000435354	F39378				
2410010598022	CB4830	2590012305458	M18157	3530010179124	E40961	3805011442887	S30039	3810001514431	F43414				
2410010862395	CB4850	2590015067133	R19752	3530010597076	E40961	3805011504795	G74783	3810002360800	CB8215				
2410010883807	CB4850	2590015187559	P15852	3530010753503	E40961	3805011504814	L76556	3810002556345	CB8246				
2410011129478	CB4851	2590015187562	S44890	3530013467256	E40961	3805011531854	S56246	3810002751167	F39378				
2410011267902	W76285	2590015294216	YA0943	3610007396267	YA0279	3805011688672	CB4531	3810004061095	CB8254				
2410011276512	W76268	2590015517979	H39473	3610008544153	F55630	3805011856126	CB4750	3810004337174	F43003				
2410011399859	W76336	2590091338188	C05035	3610012795657	F55289	3805012518252	J74886	3810005423048	F40474				
2410011687599	CB4830	2590992389283	F05004	3610012834582	P50291	3805012520128	J74920	3810006068569	F40474				
2410011718940	CB4850	3220002708630	T16988	3610015521207	P61915	3805012605162	L76693	3810007637728	F39378				
2410012230350	W83529	3220002874139	S35056	3655014633338	G90261	3805012605163	L76556	3810008059432	CB8218				
2410012237261	W76816	3220004883674	CB5900	3655015682711	G90261	3805012674177	S30039	3810008618088	F43414				

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	TOE LIN
3810009330590	F40474	3820014358403	YA0281	3895010284390	G27844	3910010793133	F06972	3930010543831		3930010543831		3930010543831	X48914	
3810010105123	CB8253	3820014358403	YA0533	3895010284391	T42725	3910011971689	H31079	3930010543833		3930010543833		3930010543833	T49119	
3810010479736	CB4250	3820LLLC10730	CB3710	3895010449369	CB2420	3910013760431	F06972	3930010594935		3930010594935		3930010594935	AF4935	
3810010504081	CB8219	3820LLLC10731	CB3721	3895010549665	CB2470	3920008561342	W98270	3930010752812		3930010752812		3930010752812	W89557	
3810010549779	F43429	3820LLLC0A201	CB3721	3895010637891	N75124	3920010479351	CB1903	3930010753674		3930010753674		3930010753674	AF3674	
3810011229375	CB4260	3825002309690	U76871	3895010637892	K25215	3920011245231	CB0525	3930010764237		3930010764237		3930010764237	CB1330	
3810011389867	CB8253	3825003498060	CB5710	3895010683062	CB2740	3930000068910	CB1340	3930010764237		3930010764237		3930010764237	CB1820	
3810011444885	F43003	3825003498062	CB5740	3895010698003	CB2433	3930000383166	W89557	3930010764237		3930010764237		3930010764237	T49255	
3810011458288	F40474	3825004743742	G28212	3895010752823	S12916	3930000645870	X51791	3930010823758		3930010823758		3930010823758	T48941	
3810011650646	C36151	3825010227329	U76871	3895010991792	CB3635	3930000851393	AF1393	3930010853767		3930010853767		3930010853767	X51585	
3810011980079	C36219	3825010656221	D28318	3895011184017	M32780	3930001024236	AF4236	3930010873105		3930010873105		3930010873105	CB1333	
3810011980079	CB8254	3825010692492	CB2523	3895011184017	CB4635	3930001813217	W89557	3930011146728		3930011146728		3930011146728	AF6728	
3810012052716	C39398	3825010705845	CB2523	3895011223427	CB2410	3930002354674	X51791	3930011267505		3930011267505		3930011267505	X50436	
3810014482619	C36586	3825011431212	D28736	3895011410882	M55384	3930002656864	W89557	3930011463990		3930011463990		3930011463990	X51585	
3810014971001	C39398	3825011431213	D28804	3895011678437	CB4635	3930002711892	X51791	3930011580849		3930011580849		3930011580849	CB1331	
3810015537771	C36586	3825011981233	CB2521	3895011934078	S10682	3930002729289	X51791	3930011580849		3930011580849		3930011580849	T48944	
3810015981850	YA1073	3825012973357	D28318	3895011955357	CB2520	3930002738207	X51791	3930012122623		3930012122623		3930012122623	CB1820	
3810016188101	CB8253	3825013142926	U76871	3895013113974	YA0280	3930003271575	X48914	3930012130936		3930012130936		3930012130936	CB1820	
3810016418412	CB8254	3825014970690	D28804	3895013193301	CB4622	3930003271603	X50436	3930012825261		3930012825261		3930012825261	CB1820	
38100179482	B12482	3825015727213	E05007	3895013193302	CB4635	3930003476173	W89557	3930012949912		3930012949912		3930012949912	T73347	
3815001347875	T40634	3825LLLC10729	CB2521	3895013230382	CB4635	3930003476175	X50436	3930013018250		3930013018250		3930013018250	AF8250	
3815006188101	T40771	3830011225898	CB3710	3895013318560	M55384	3930004169521	AF9521	3930013052111		3930013052111		3930013052111	CB1820	
3815006418412	C05064	3830011339712	CB5710	3895013323024	M32780	3930004195738	X51585	3930013308906		3930013308906		3930013308906	T49255	
38150011531855	T40771	38300113846857	A02812	3895013692551	M57048	3930004195744	X48914	3930013308907		3930013308907		3930013308907	T49255	
3815014639925	YA0913	3835008925157	K54707	3895013791102	N75124	3930004637089	AF7089	3930013392171		3930013392171		3930013392171	CB1820	
3820002211428	YA0003	3835015117335	K54707	3895013832679	CB2425	3930004655869	X49051	3930013787497		3930013787497		3930013787497	T51036	
3820002224325	YA0004	3895000900434	G27844	3895013845307	K25215	3930007244057	X50832	3930013822567		3930013822567		3930013822567	W89557	
3820002327455	CB3720	3895001502337	CB3630	3895013962822	S11711	3930007248146	W89557	3930014172886		3930014172886		3930014172886	T73347	
3820008516728	YA0021	3895001812870	CB4622	3895014562733	R13167	3930007385938	X51791	3930014493178		3930014493178		3930014493178	CB1820	
3820009387942	YA0022	3895001963914	CB2520	3895014562734	YA0361	3930008003929	X49051	3930014733998		3930014733998		3930014733998	R16611	
3820009508584	P11866	3895002133837	CB4635	3895014562735	R11127	3930009030899	X48914	3930014791624		3930014791624		3930014791624	YA0882	
3820010758345	CB2200	3895002319125	CB4635	3895014562735	CB4635	3930009030900	X48914	3930015403830		3930015403830		3930015403830	CB1820	
3820010770756	CB2200	3895002346787	CB2300	3895014871297	YA0278	3930009261066	W89557	3930015080886		3930015080886		3930015080886	CB1820	
3820011784980	CB3532	3895002436804	CB3630	3895014954464	YA0547	3930009357975	CB1330	3930015123846		3930015123846		3930015123846	YA1031	
3820011785057	T94171	3895002477592	AF7592	3895015024005	R11711	3930009357979	X51791	3930015403830		3930015403830		3930015403830	T73347	
3820011785057	CB3720	3895003399397	CB2425	3895015388279	R11127	3930009370220	W89557	3930015536676		3930015536676		3930015536676	T73347	
3820011961662	CB3710	3895004441531	M54151	3895015772425	P05023	3930009534890	X48914	3930015999978		3930015999978		3930015999978	L05010	
3820012092920	YA0911	3895004826521	CB2417	3895219137442	YA0284	3930009553293	CB1430	3930121871464		3930121871464		3930121871464	X50436	
3820012733171	CB3720	3895005780372	S11711	3895660394507	CB5642	3930010087889	AF7889	3930121871465		3930121871465		3930121871465	X50832	
3820014355177	F49673	3895007015860	CB4615	3895LLCA0204	CB2610	3930010478722	W89557	3930LLCYA8979		3930LLCYA8979		3930LLCYA8979	CB1820	
3820014355702	YA0277	3895009734512	C66801	3910003499395	CB2610	3930010478722	W89557	3930LLLC10719		3930LLLC10719		3930LLLC10719	CB1340	
3820014355703	YA0532	3895009827512	CB3630	3910008819951	F08479	3930010525050	X51791	3930LLLC10740		3930LLLC10740		3930LLLC10740	CB1304	
3820014356662	YA0531	3895010055422	AF5422	3910009031303	F07999	3930010528997	X49051	3930LLLC10765		3930LLLC10765		3930LLLC10765	CB1820	
3820014358022	YA0536	3895010128875	S12916	3910009578694	F07657	3930010534823	X48914	3930LLLC10765		3930LLLC10765		3930LLLC10765	CB1820	
3820014358025	YA0530	3895010133630	S11793	3910009578696	F07520	3930010534824	X49051	3930LLLC10765		3930LLLC10765		3930LLLC10765	CB1376	
				3910010486313	CB2610	3930010543830	X48914	3930LLLC10765		3930LLLC10765		3930LLLC10765	CB1820	

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN
3950004497005	X27623	4110014512356	R64126	4220014721849	G32815	4320011680591	T09094	4910007540650	T09094	4910007540650	W32730		
3950011109224	C38874	4110015060895	R64126	4220014730587	W67980	4320011813983	P00309	4910007540652	P00309	4910007540652	K39774		
3950011649376	CB8160	4110015347675	M57970	4220014745712	W67980	4320011813985	P93102	4910007540705	P93102	4910007540705	T24660		
3950200038784	C27294	4120001682044	A24318	4220015995367	B05004	4320011814149	P92989	4910007540706	P92989	4910007540706	T25619		
3990003685272	D08483	4120003492525	AF2525	4230009269488	CB5420	4320011847494	P97369	4910007540707	P97369	4910007540707	T25756		
3990010067436	N51500	4120006207797	A24318	4230009269488	F81880	4320011933429	P00309	4910008177431	P00309	4910008177431	W03030		
3990010261575	R11154	4120006499266	A24318	4230015027224	F81880	4320011933430	P93102	4910010365784	P93102	4910010365784	T30377		
3990010590104	R11154	4120009261204	A26715	4310001435850	CB3165	4320012016937	P97369	4910010868433	P97369	4910010868433	S25690		
3990011075716	T67595	4120009351531	A25860	4310005403565	CB3110	4320012157671	P97051	4910012707520	P97051	4910012707520	S25690		
3990011075718	T67731	4120009355342	A24318	4310005424566	E69242	4320012216006	T09094	4910013709855	T09094	4910013709855	M76101		
3990011217758	R11154	4120009355416	A25860	4310007529634	CB3155	4320012464277	P97369	4910013862021	P97369	4910013862021	V399843		
3990011280089	U12203	4120009734589	A24455	4310007529634	E70338	4320012464398	P97051	4910014171870	P97051	4910014171870	W03030		
3990012582010	U12203	4120010776931	A24318	4310008798724	CB3135	4320012595965	P97051	4910014654537	P97051	4910014654537	W03030		
3990013077676	B83002	4120010894053	A24455	4310010533891	C72872	4320012616470	P97369	4910014906453	P97369	4910014906453	S25885		
3990013077676	F12581	412001142471	A24455	4310010705616	CB3135	4320012652168	P44549	4910015017342	P44549	4910015017342	T65312		
3990014061340	B83002	4120011748423	A24455	431001138271	E69790	4320013148844	P97369	4910015017343	P97369	4910015017343	T65562		
3990014421939	P78313	4120011773720	A24455	4310011212278	CB3165	4320013181853	CB5250	4910015398440	CB5250	4910015398440	T30377		
3990014421941	C33925	4120011816060	A25860	4310011583262	CB3110	4320013257714	P44549	4910015569030	P44549	4910015569030	T25756		
3990014422251	B62393	4120011899782	A24455	4310011583262	E72804	4320013359671	P44549	4910015638425	P44549	4910015638425	H05002		
3990014438024	D17391	4120012135980	A25860	4310013644316	E70338	4320013377538	P97051	4920001769236	P97051	4920001769236	U25029		
3990014445196	M81382	4120012143692	A24455	4310015639542	YA0976	4320013619232	T09094	4920005670476	T09094	4920005670476	W60206		
3990014446174	S13546	4120012161151	A24455	4320000637363	P95592	4320014360188	P44549	4920009123983	P44549	4920009123983	U25029		
3990014505671	B83002	4120012384277	A25860	4320000698494	P97051	4320014373161	P97119	4920010269004	P97119	4920010269004	YA0153		
4110000570325	R62393	4120012680441	A24830	4320001379690	CB5220	4510007631082	CB0857	4920011394531	CB0857	4920011394531	S34774		
4110002746718	R61428	4120013291515	A24455	4320001954914	P97051	4510014777763	C27769	4920011394532	C27769	4920011394532	S33441		
4110005745789	R65133	4120013327640	A24830	4320002674573	CB5220	4510014777764	C27883	4920011394533	C27883	4920011394533	S32719		
4110007313258	R65133	4120013590083	A24830	4320002738468	CB5220	4520013672739	H00586	4920011394534	H00586	4920011394534	S31897		
4110009147292	R61428	4120014327286	YA0407	4320004072582	P95592	4520014391682	H00586	4920011394536	H00586	4920011394536	S295668		
4110010105970	R61428	4210002028076	H56391	4320004409808	P94359	4520014770568	H00586	4920011394545	H00586	4920011394545	S35185		
4110010745175	R61428	4210003779412	AF9412	4320004931861	P96503	4610011138651	CB5452	4920011394546	CB5452	4920011394546	S35435		
4110011173902	R61868	4210004547515	CB4341	4320006007590	P97051	4610011141450	W37311	4920011394547	W37311	4920011394547	S35596		
4110011193962	R65133	4210006274063	CB7160	4320006499010	P96503	4610011141451	W55968	4920011394548	W55968	4920011394548	S37240		
4110011430056	R62393	4210011453927	R61406	4320006781736	P94359	4610011934348	CB5452	4920012369041	CB5452	4920012369041	T30156		
4110011587992	R61868	4210011522699	H56391	4320006911071	P97051	4610012198707	W47225	4920012509873	W47225	4920012509873	E01933		
4110011596922	R61868	4210011763511	R61406	4320008123707	P94359	4610013601581	W37311	4920014769271	W37311	4920014769271	S35596		
4110011663580	R65133	4210014586872	T96428	4320008298434	P95592	4610013601582	W37243	4920015059989	W37243	4920015059989	S35435		
4110012348153	F03326	4210014861035	T82180	4320009946188	CB5220	4610013711790	W47225	4920015425220	W47225	4920015425220	T59439		
4110012877111	R64126	4210015746785	R61406	4320010130798	CB5220	4610013823547	W37311	4920015482317	W37311	4920015482317	S31897		
4110013159329	R65133	4220002697905	G32815	4320010922210	P95592	4610014207548	CB5452	4920015517472	CB5452	4920015517472	YA0916		
4110013201699	F03326	4220005402785	D89675	4320010923551	CB5220	4610014889656	T14017	4930000179167	T14017	4930000179167	L85283		
4110013205621	F03326	4220010050704	YA0065	4320010923551	P97051	4610014950046	W30051	4930000701181	W30051	4930000701181	V12141		
4110013523653	R61868	4220010053276	YA0066	4320011223547	T09094	4630015138155	YA0607	4930000784938	YA0607	4930000784938	V12141		
4110013889220	R64126	4220010231701	D32927	4320011281836	P94359	4720003180940	K53063	4930000174939	K53063	4930000174939	V12141		
4110013899180	R65270	4220011095035	G32815	4320011415154	P97119	4910000710747	T35483	4930001333041	T35483	4930001333041	H94824		
4110013899183	R61428	4220012004797	D89675	4320011582954	P44549	4910002897233	L08724	4930001425313	L08724	4930001425313	J04717		
4110014226809	R61868	4220014710096	D89675	4320011680590	T09094	4910006751478	M76101	4930002360806	M76101	4930002360806	CB5160		

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	TOE LIN
4930004269960	V12141	4940001227088	T25981	4940012098825	S30982	5180005961541	W48485	5411219128536	W48485	5411219128536	YA0409	5411219128536	W48485	YA0409
4930005422800	V12141	4940001642719	T13152	4940012119938	H01855	5180013554344	H01855	5419013996391	W58486	5419013996391	YA0641	5419013996391	W58486	YA0641
4930005482766	L85283	4940001654019	T10138	4940012335080	T10549	5180014745714	T10549	5419013996391	W67980	5419013996391	YA0642	5419013996391	W67980	YA0642
4930007529983	V19950	4940001693042	T10138	4940012444277	H01912	5180015161429	H01912	5419013996391	T16988	5419013996391	YA0643	5419013996391	T16988	YA0643
4930008329330	YA0073	4940001776835	H01857	4940012475729	M96804	5180015556134	H05004	5419013996391	H05004	5419013996391	YA0644	5419013996391	H05004	YA0644
4930008577160	L85283	4940001860027	E32467	4940012749959	H01855	5180015636719	T30195	5419013996391	T30195	5419013996391	YA0645	5419013996391	T30195	YA0645
4930008778678	V12141	4940001860027	F07520	4940013241505	T92961	5410009339388	T00183	5419013996391	T00183	5419013996391	YA0646	5419013996391	T00183	YA0646
4930008925067	L85283	4940002096234	T09966	4940013338470	S25681	5410010032933	YA0798	5419013996391	YA0798	5419013996391	YA0647	5419013996391	YA0798	YA0647
4930009263581	V12141	4940002096235	T09888	4940013338471	S25681	5410014799727	C07756	5419013996391	C07756	5419013996391	YA0648	5419013996391	C07756	YA0648
4930009354451	L85283	4940002096236	T16597	4940013416232	W48391	5410014799730	C07756	5419013996391	C07756	5419013996391	YA0649	5419013996391	C07756	YA0649
4930009263692	V12141	4940002096236	T15581	4940013584247	YA0694	5410014824633	C07506	5419013996391	C07506	5419013996391	YA0650	5419013996391	C07506	YA0650
4930009354451	L85283	4940002096237	W63281	4940013815670	E02147	5410014854438	S01154	5419013996391	S01154	5419013996391	YA0651	5419013996391	S01154	YA0651
4930009878576	V12141	4940002198889	W63839	4940013870587	H01857	5410014918601	C07756	5419013996391	C07756	5419013996391	YA0652	5419013996391	C07756	YA0652
4930011394292	CB5500	4940002198894	H01855	4940014003109	E02215	5410014922114	C07756	5419013996391	C07756	5419013996391	YA0653	5419013996391	C07756	YA0653
4930012086400	CB0722	4940002346114	H01855	4940014151248	E02011	5410015224818	C05007	5419013996391	C05007	5419013996391	YA0654	5419013996391	C05007	YA0654
4930012300781	L85283	4940002646205	W67980	4940014210802	E02079	5410015230254	C05005	5419013996391	C05005	5419013996391	YA0655	5419013996391	C05005	YA0655
4930012404579	CB5250	4940002772999	B73410	4940014224675	M05014	5410015230255	C05006	5419013996391	C05006	5419013996391	YA0656	5419013996391	C05006	YA0656
4930012740021	V12141	4940002874894	CB5910	4940014241023	E01943	5410015230256	C05005	5419013996391	C05005	5419013996391	YA0657	5419013996391	C05005	YA0657
4930013018201	H94824	4940002874894	T10549	4940014242173	E01943	5410015230256	C05005	5419013996391	C05005	5419013996391	YA0658	5419013996391	C05005	YA0658
49300131394292	CB0722	4940002949516	T13152	4940014422734	S30224	5411000014093	YA0185	5419013996391	YA0185	5419013996391	YA0659	5419013996391	YA0185	YA0659
4930013474793	J04717	4940002949517	T10275	4940014450086	S38625	5411000044740	T00013	5419013996391	T00013	5419013996391	YA0660	5419013996391	T00013	YA0660
4930013655725	L85283	4940002949517	T10275	4940014549877	W48391	5411000044740	T00013	5419013996391	T00013	5419013996391	YA0660	5419013996391	T00013	YA0660
4930013706079	V19950	4940002949518	T10138	4940014549877	W48391	5411000044740	T00013	5419013996391	T00013	5419013996391	YA0660	5419013996391	T00013	YA0660
4930013974242	L85283	4940003577268	T16714	4940014637940	F64544	5411004896076	S01427	5419013996391	S01427	5419013996391	YA0661	5419013996391	S01427	YA0661
4930015176939	T20131	4940004357764	H01907	4940014754288	W67980	5411009339387	T00100	5419013996391	T00100	5419013996391	YA0662	5419013996391	T00100	YA0662
4930015176981	F04966	4940004357765	H01912	4940014920366	H01907	5411009994935	S01427	5419013996391	S01427	5419013996391	YA0663	5419013996391	S01427	YA0663
4930015177009	F04898	4940004736218	E32535	4940014924551	H01912	5411009996022	S01495	5419013996391	S01495	5419013996391	YA0664	5419013996391	S01495	YA0664
4930015456669	F05034	4940004950118	T10138	4940014924552	H01912	541100920892	S01495	5419013996391	S01495	5419013996391	YA0665	5419013996391	S01495	YA0665
4930015614720	H94824	4940007328261	W59856	4940014924553	H01912	5411011241377	S01291	5419013996391	S01291	5419013996391	YA0666	5419013996391	S01291	YA0666
4931007540740	T31784	4940007540714	T30414	4940014926569	H01855	5411011369838	S01359	5419013996391	S01359	5419013996391	YA0667	5419013996391	S01359	YA0667
4933015700692	S05004	4940007706114	W60952	4940014927985	H01855	5411012946390	S00860	5419013996391	S00860	5419013996391	YA0668	5419013996391	S00860	YA0668
4933015939601	M05008	4940008778726	H01907	4940014927986	H01855	5411012946390	S01359	5419013996391	S01359	5419013996391	YA0669	5419013996391	S01359	YA0669
4933015960466	P05006	4940008778730	H01855	4940014927987	H01855	5411012953433	S01291	5419013996391	S01291	5419013996391	YA0670	5419013996391	S01291	YA0670
4933015972658	M05007	4940009123532	H01912	4940014927988	H01857	5411013043069	S01495	5419013996391	S01495	5419013996391	YA0671	5419013996391	S01495	YA0671
4935001505905	T14493	4940009357821	Y48323	4940014927989	H01857	5411013330663	R98145	5419013996391	R98145	5419013996391	YA0672	5419013996391	R98145	YA0672
4935010827023	C84041	4940009650317	H01857	4940014931973	H01907	5411013335941	S01563	5419013996391	S01563	5419013996391	YA0673	5419013996391	S01563	YA0673
493501143919	T14493	4940010063229	CB5910	4940014931974	H01857	5411013554323	YA0340	5419013996391	YA0340	5419013996391	YA0674	5419013996391	YA0340	YA0674
493501143919	T14493	4940010063229	T10549	4940014932744	H01907	5411013573582	S01563	5419013996391	S01563	5419013996391	YA0675	5419013996391	S01563	YA0675
4935011301029	S10361	4940010162262	T10138	4940015145661	M96872	5411013573582	S01563	5419013996391	S01563	5419013996391	YA0676	5419013996391	S01563	YA0676
4935011348713	S17120	4940010177835	E32535	4940015226053	M86971	5411013874894	YA0428	5419013996391	YA0428	5419013996391	YA0677	5419013996391	YA0428	YA0677
4935011360233	S15457	4940010259856	C32887	4940015331621	F64544	5411014853061	S01631	5419013996391	S01631	5419013996391	YA0678	5419013996391	S01631	YA0678
4935011820578	S14569	4940010523773	S10034	4940015489064	S25681	5411015061774	S01428	5419013996391	S01428	5419013996391	YA0679	5419013996391	S01428	YA0679
4935014493438	S38693	4940010901231	W48391	4940015556128	T30414	5411015245844	A04334	5419013996391	A04334	5419013996391	YA0681	5419013996391	A04334	YA0681
4935015277627	C84041	4940011109560	H01907	4940015695961	S05005	5411015245845	A04334	5419013996391	A04334	5419013996391	F28973	5419013996391	A04334	F28973
4935015277630	T14493	4940011269247	CB5418	4940015700687	M05006	5411015245846	A04334	5419013996391	A04334	5419013996391	F28973	5419013996391	A04334	F28973
4940000895279	S78712	4940011441438	S26835	4940015883573	M05011	5411015245847	A04334	5419013996391	A04334	5419013996391	F28973	5419013996391	A04334	F28973
494000095280	S78722	4940011543957	C84041	4940LLCA0202	CB5460	5411015245848	A04334	5419013996391	A04334	5419013996391	F28973	5419013996391	A04334	F28973
4940001226771	T25961	4940012098824	S30914	5180002899569	W58486	5411015245849	A04334	5419013996391	A04334	5419013996391	F28973	5419013996391	A04334	F28973

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN
5420000715273	U60216	5805014525730	C20550	5840012705101	A41666	5895011452462	M27183	5895014955977	M27183	5895014955977	N04580				
5420000715322	K97376	5805014819645	S38172	5840013900529	R14148	5895011689607	D05005	5895014955980	D05005	5895014955980	C43399				
5420001723519	C22126	5805015080840	S38172	5840013900529	R14284	5895011776976	YA0465	5895014955980	YA0465	5895014955980	YA0863				
5420001723520	C22811	5805015299573	J05001	5840014003218	A41666	5895012848305	S78466	5895014955981	S78466	5895014955981	C43331				
5420002670026	C20688	5805015303487	C20617	5840014496553	YA0637	5895012848306	S34963	5895015002265	S34963	5895015002265	C28796				
5420004975276	R10527	5805015337054	L12891	5840014508126	R17126	5895013235724	C78771	5895015022413	C78771	5895015022413	A05021				
5420005229599	C20414	5805015649474	J05001	5840015627820	A41666	5895013265331	C05026	5895015034803	C05026	5895015034803	C60625				
5420005303784	C23017	5805015649498	J05001	5840015662008	P05004	5895013301864	M04268	5895015036100	M04268	5895015036100	C43263				
5420005303785	C22058	5805015786389	J05001	5840015662550	A05003	5895013536798	C05027	5895015059933	C05027	5895015059933	YA0865				
5420008892020	L43664	5805015786409	J05001	5840015679041	R14284	5895013696166	C35900	5895015088991	C35900	5895015088991	M05009				
5420010766096	L43664	5805015822366	J05001	5840016017155	Z00737	5895013696167	C90667	5895015112756	C90667	5895015112756	S05017				
5420011391503	C27309	5805016055849	J05001	5850015530920	J05001	5895013696170	C90531	5895015112772	C90531	5895015112772	S23268				
5420013903933	B31098	5805016065263	C20617	5865014214112	M05013	5895013813210	S23086	5895015226514	S23086	5895015226514	S05018				
5420014304227	H82510	5810014658712	J00583	5865014704744	T37036	5895013875620	C90735	5895015229583	C90735	5895015229583	S78466				
5420014697478	L67660	5810014745711	W67980	5865014762357	D02704	5895013875792	C90599	5895015229993	C90599	5895015229993	S34963				
5420014705823	B26007	5820011483976	R93035	5865014824330	W41457	5895013875801	C36104	5895015268838	C36104	5895015268838	J97857				
5420014705824	K97376	5820012470981	L69306	5865014889308	D02704	5895013881454	C59125	5895015298624	C59125	5895015298624	YA0758				
5420014705825	YA0539	5820012470982	L69346	5865014929700	W62187	5895014171317	D05003	5895015298695	D05003	5895015298695	YA0757				
5420014705825	R10527	5820013102538	L69306	5865014929701	W55180	5895014171880	C40746	5895015298695	C40746	5895015298695	YA0830				
5420014705825	YA0539	5820013102542	R33351	5865015034176	T37036	5895014178475	S23018	5895015299459	S23018	5895015299459	YA0759				
5420014813959	B24592	5820013102543	L69442	5865015358887	D04182	5895014223136	T05011	5895015306459	T05011	5895015306459	T81733				
5430001828181	V15325	5820013260711	R33351	5865015378200	W93384	5895014258319	C40814	5895015306898	C40814	5895015306898	S05002				
5430003554486	V15018	5820013499241	L61778	5865015513822	T37036	5895014316530	S35895	5895015320223	S35895	5895015320223	S23268				
5430005952529	V15562	5820013546923	R91552	5865015561358	T24690	5895014323818	C05025	5895015326223	C05025	5895015326223	YA0811				
5430006418552	V12552	5820013876700	R35814	5865015561361	T24690	5895014329329	A35499	5895015359546	A35499	5895015359546	C40996				
5430009650374	YA0283	5820014242273	R16365	5865015561363	T24690	5895014350571	T81733	5895015360109	T81733	5895015360109	C40996				
5430011069677	T13006	5820014352596	C58976	5865015598728	T24690	5895014390570	YA0392	5895015414812	YA0392	5895015414812	C61665				
5430011069678	T12938	5820014635663	R90519	5865015793971	YA0977	589501441285	C90735	5895015427716	C90735	5895015427716	S23268				
5430011207823	T12688	5820014635665	R90655	5865015813996	W05001	5895014422094	C90667	5895015462068	C90667	5895015462068	D77801				
5430012004831	T13006	5820014636568	R90451	5865015853857	T37036	5895014422095	C36104	5895015462068	C36104	5895015462068	YA0949				
5430012039971	CB5250	5820014641848	R90587	5865015853857	YA0955	5895014422097	C35900	5895015462068	C35900	5895015462068	Z01794				
5430012404578	CB5250	5820015306498	R30658	5895000040973	L36402	5895014422098	C90531	5895015470392	C90531	5895015470392	C18033				
5430013517813	T12938	5820015425228	S51388	5895000113878	H76352	5895014464138	S52342	5895015478941	S52342	5895015478941	C91673				
5430013726900	T12688	5820015505231	R93035	5895001677931	N20115	5895014508118	C60625	5895015478941	C60625	5895015478941	YA0951				
5430014060507	T12938	5820015728269	R05004	5895001677932	N20663	5895014573782	T13901	5895015491475	T13901	5895015491475	D77801				
5430014066323	T13006	582000223488	L61778	5895001681569	N20165	5895014588463	S53162	5895015493620	S53162	5895015493620	YA0757				
5430014336246	T15154	5821013961730	R53671	5895001681571	N20663	5895014634063	S78466	5895015493644	S78466	5895015493644	YA0757				
5430014338528	V15086	5821015773791	R61520	5895001681573	H76352	5895014634064	S34963	5895015510892	S34963	5895015510892	C59125				
5430014877760	T32629	5840010434257	R14148	5895010074788	E60197	5895014670332	C90599	5895015530048	C90599	5895015530048	C61222				
5450013593350	J87705	5840010434258	A41666	5895010181246	A27624	5895014670333	C90735	5895015577811	C90735	5895015577811	C61222				
5680000895920	M15665	5840010845374	A41666	5895010519427	S34827	5895014670334	C90531	5895015581075	C90531	5895015581075	N05003				
5800004779925	H07710	5840011854243	A41666	5895010573968	H76352	5895014671633	T09221	5895015613705	T09221	5895015613705	YA0978				
5805010288394	S38172	5840011869125	A41666	5895010901260	S05019	5895014730661	T81801	5895015626898	T81801	5895015626898	S05002				
5805013294808	S38172	5840012291276	R14148	5895010928074	L36402	5895014764132	C61597	5895015639056	C61597	5895015639056	S05012				
5805013294810	S38172	5840012291278	R14216	5895011135343	S78466	5895014767819	J92107	5895015639056	J92107	5895015639056	YA0957				
5805013862830	C41311	5840012705100	A41666	5895011135344	S34963	5895014853063	S68285	5895015639077	S68285	5895015639077	YA0957				

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	TOE LIN
5895015656775	C61222	6115001348485	P27821	6115012747390	G12034	6115014711508	G78306	6115015991773	G78306	6115015991773	G78306	6115015991773	G78306	G05013
5895015676788	YA1063	6115002581622	J35629	6115012747393	G12238	6115014711508	Z01794	6115015991773	Z01794	6115015991773	Z01794	6115015991773	Z01794	M05009
5895015691327	S05002	6115002581655	J35595	6115012747394	G74643	6115014717085	G26395	6125008930019	G26395	6125008930019	G26395	6125008930019	G26395	M69967
5895015695241	G05010	6115002603082	J36006	6115012747395	G18052	6115014717088	G17528	6130000656811	G17528	6130000656811	G17528	6130000656811	G17528	P40627
5895015728005	N05002	6115003949576	J36383	6115012755061	CB5121	6115014743776	P42194	6130014773976	P42194	6130014773976	P42194	6130014773976	P42194	YA0920
5895015728011	N05001	6115003949577	J35492	6115012755061	G74711	6115014743783	P42126	6230001791482	P42126	6230001791482	P42126	6230001791482	P42126	H79426
5895015728295	C05022	6115004505881	J30093	6115012755061	YA0286	6115014864032	G17800	6230001812498	G17800	6230001812498	G17800	6230001812498	G17800	H79426
5895015746811	C61597	6115004644194	YA0064	6115012802301	G78135	6115014864032	YA0546	6230002995642	YA0546	6230002995642	YA0546	6230002995642	YA0546	H79221
5895015746816	C61597	6115004651027	G35981	6115012961462	G17664	6115015408433	P63530	6230002995879	P63530	6230002995879	P63530	6230002995879	P63530	H79358
5895015746821	C61597	6115004651030	CB5121	6115012996034	P42614	6115015409465	P63530	6230002997077	P63530	6230002997077	P63530	6230002997077	P63530	L63994
5895015769539	C77942	6115004651030	J35825	6115012996035	P42262	6115015476713	P63462	6230010394988	P63462	6230010394988	P63462	6230010394988	P63462	H79221
5895015769546	C17156	6115005591449	J30093	6115012996035	YA0323	6115015476738	C05019	6230010565238	C05019	6230010565238	C05019	6230010565238	C05019	F79334
5895015770131	C78135	6115005916866	J35835	6115013031484	G41670	6115015476738	P63462	6230010679749	P63462	6230010679749	P63462	6230010679749	P63462	CB5110
5895015786623	C78192	6115005963405	J30093	6115013037896	P42194	6115015478513	P63394	6230010801952	P63394	6230010801952	P63394	6230010801952	P63394	CB5110
5895015802510	C40996	6115006069693	J35835	6115013134214	P42330	6115015478552	P63394	6230010963508	P63394	6230010963508	P63394	6230010963508	P63394	CB5110
5895015802529	C40996	6115006279031	J35835	6115013134215	P28151	6115015617634	G49966	6230013534782	G49966	6230013534782	G49966	6230013534782	G49966	YA0619
5895015817118	C43263	6115006434674	J41452	6115013134216	P28083	6115015617674	G74950	6230LLLLCA0220	G74950	6230LLLLCA0220	G74950	6230LLLLCA0220	G74950	CB5110
5895015904928	G05013	6115006535634	J35835	6115013134283	G53403	6115015617718	G75200	6520014319005	G75200	6520014319005	G75200	6520014319005	G75200	T60464
5895015786623	G05007	6115007023348	J41897	6115013172133	G17460	6115015617738	G62710	6525014197886	G62710	6525014197886	G62710	6525014197886	G62710	C79284
5895016022260	G05006	6115007386335	J46384	6115013172134	G78306	6115015617788	G63256	6525014244160	G63256	6525014244160	G63256	6525014244160	G63256	L48736
5895016087431	S05011	6115007386341	J49946	6115013172135	G35919	6115015617895	G62960	6525014250176	G62960	6525014250176	G62960	6525014250176	G62960	C79284
5975003784714	J98826	6115008174919	J35835	6115013172136	G35851	6115015623659	T40022	6525015006537	T40022	6525015006537	T40022	6525015006537	T40022	M30817
5985011795494	A19277	6115008733915	J46252	6115013172137	G78203	6115015623675	L27070	6525015045002	L27070	6525015045002	L27070	6525015045002	L27070	M30817
5985014224682	YA0411	6115009268335	J49055	6115013172138	G53778	6115015623689	T40090	6525015057191	T40090	6525015057191	T40090	6525015057191	T40090	L48736
5985014652883	M13833	6115009358729	J40150	6115013186302	YA0239	6115015623700	L27002	6525015117357	L27002	6525015117357	L27002	6525015117357	L27002	C79284
5985014671632	A81826	6115009373523	J35825	6115013199032	G42170	6115015623721	L84690	6525015382201	L84690	6525015382201	L84690	6525015382201	L84690	M30817
5985014955981	YA0862	6115009893296	YA0062	6115013199033	G78374	6115015623907	L84758	6530011253268	L84758	6530011253268	L84758	6530011253268	L84758	C50111
5985015117612	YA0345	6115009995935	J49055	6115013228582	P42534	6115015623992	L26934	6530013253746	L26934	6530013253746	L26934	6530013253746	L26934	C50111
5985015905551	YA0947	6115010366374	CB5124	6115013228741	P42466	6115015623995	T49579	6530014296715	T49579	6530014296715	T49579	6530014296715	T49579	T60464
599015662000	C05013	6115011340165	J35801	6115013320741	G42238	6115015624009	T39917	6530015050526	T39917	6530015050526	T39917	6530015050526	T39917	M73675
6110014933391	S83291	6115011433850	J30093	6115013745038	P63496	6115015624010	L84622	6530015184994	L84622	6530015184994	L84622	6530015184994	L84622	C50111
6110014933391	YA0548	6115011433850	YA0115	6115014133818	G42170	6115015624066	T93232	6530015726775	T93232	6530015726775	T93232	6530015726775	T93232	T60464
6110014994920	YA0550	6115011537742	YA0345	6115014133819	G53403	6115015624106	T39954	6530015790340	T39954	6530015790340	T39954	6530015790340	T39954	C50111
6115000331373	G37273	6115011891788	YA0112	6115014133820	G42238	6115015624421	T93300	6530015821940	T93300	6530015821940	T93300	6530015821940	T93300	C74952
6115000331389	G40744	6115012089827	G35601	6115014133821	G78374	6115015624600	T60034	6540007826774	T60034	6540007826774	T60034	6540007826774	T60034	G50523
6115000331398	P28015	6115012246656	G41670	6115014149697	P28083	6115015624616	T93368	6545001450095	T93368	6545001450095	T93368	6545001450095	T93368	M30067
6115000567906	YA0045	6115012338274	CB5121	6115014164015	G35601	6115015626480	T39849	6545002999489	T39849	6545002999489	T39849	6545002999489	T39849	M30136
6115000568421	J41452	6115012346088	YA0102	6115014619335	CB5122	6115015650691	P63530	6545005946455	P63530	6545005946455	P63530	6545005946455	P63530	T24386
6115000746396	J49055	6115012346545	CB5122	6115014619335	G74575	6115015700685	G05003	6545009112450	G05003	6545009112450	G05003	6545009112450	G05003	M23423
6115001181240	CB5122	6115012421665	YA0071	6115014620290	G74643	6115015723944	P63394	6545009314850	P63394	6545009314850	P63394	6545009314850	P63394	M29177
6115001181241	CB5121	6115012747387	G11966	6115014620291	CB5124	6115015724123	P63394	6545011419480	P63394	6545011419480	P63394	6545011419480	P63394	M30136
6115001181241	J35835	6115012747388	G12170	6115014620291	G12034	6115015873875	G42238	6545011823786	G42238	6545011823786	G42238	6545011823786	G42238	M72936
6115001181243	CB5124	6115012747388	G12170	6115014620292	G18052	6115015888423	YA1064	6545011823787	YA1064	6545011823787	YA1064	6545011823787	YA1064	M08417
6115001181243	J38301	6115012747389	CB5122	6115014706376	G35851	6115015933959	T37036	6545011823788	T37036	6545011823788	T37036	6545011823788	T37036	M72482
6115001181244	J36006	6115012747389	G74575	6115014711506	G17460	6115015933959	YA1047	6545011823789	YA1047	6545011823789	YA1047	6545011823789	YA1047	M48737
6115001320488	J35595	6115012747390	CB5124	6115014711507	G35919	6115015991773	C05019	6545011823790	C05019	6545011823790	C05019	6545011823790	C05019	M73118

UNCLASSIFIED

UNCLASSIFIED
CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	TOE LIN	NSN	TOE LIN
6545011823791	M72300	6545013250096	M08916	6545015182964	M23423	6640015471760	P25743	7010010906819	P25743	7010010906819	D78075			
6545011823792	M73050	6545013301867	M73118	6545015216677	M72152	6660014683306	M35941	7010014508115	M35941	7010014508115	A52995			
6545011823793	M09576	6545013320133	M72936	6545015216680	M47987	6660014750693	M55690	7010014508117	M55690	7010014508117	A53199			
6545011823794	M08599	6545013320134	M08417	6545015222941	M86675	6660014791962	M36361	7010014631543	M36361	7010014631543	C18176			
6545011823795	M48055	6545013320135	M73425	6545015244460	M72936	6660014803971	M55690	7010014728107	M55690	7010014728107	C27707			
6545011823796	M72050	6545013320136	M09166	6545015244464	M08417	6660014829557	J41800	7010014728111	J41800	7010014728111	C27775			
6545011823797	M72428	6545013320137	M86675	6545015244616	M09166	6660015221655	M55690	7010015046083	M55690	7010015046083	C18176			
6545011823798	M72868	6545013320138	M72300	6545015246167	M73425	6660015389208	M36361	7010015384231	M36361	7010015384231	C27974			
6545011823802	M48305	6545013320139	M08599	6545015249238	M08849	6660015610811	M36361	7010015388604	M36361	7010015388604	C67686			
6545011823805	M47987	6545013320140	M48055	6545015251968	M86675	6660015858316	M36361	7010015433058	M36361	7010015433058	C18176			
6545011823823	M09099	6545013320141	M72428	6545015263337	M73186	6660015858320	M36361	7010015527390	M36361	7010015527390	C18176			
6545011828078	M45375	6545013320142	M72868	6545015265128	M73118	6665013721303	R41282	7010015553513	R41282	7010015553513	A52995			
6545012989802	M72936	6545013320144	M48305	6545015265130	M73254	6665015004040	A48680	7010015719674	A48680	7010015719674	C18176			
6545012989804	M48737	6545013320147	M47987	6545015275898	M72428	6665015409327	R41282	7010016006765	R41282	7010016006765	C05019			
6545012989805	M86675	6545013320150	M73175	6545015275900	M08485	6665015689626	R41282	7021015148039	R41282	7021015148039	F55607			
6545012989806	M73118	6545013320151	M08485	6545015277016	M72300	6675014248516	D10281	7021015148052	D10281	7021015148052	C17936			
6545012989807	M72300	6545013320157	M09099	6545015277022	M73050	6675014382218	D16873	7022015123144	D16873	7022015123144	S63110			
6545012989808	M73050	6545013322090	M73050	6545015277022	M09576	6675014830561	D10281	7025015623383	D10281	7025015623383	G05009			
6545012989809	M09576	6545013322091	M09576	6545015277613	M08599	6675014847072	W67980	7025015692388	W67980	7025015692388	G05011			
6545012989810	M08599	6545013322092	M72050	6545015277664	M09099	6675014929042	D10281	7360001387782	D10281	7360001387782	L28351			
6545012989811	M48055	6545013464825	M08916	6545015277999	M72868	6675014929043	D17123	7360008687430	D17123	7360008687430	AF7430			
6545012989812	M72050	6545014131322	M45375	6545015278008	M72050	6675015168861	D10281	7360010063045	D10281	7360010063045	AF3045			
6545012989813	M72428	6545014349624	W33068	6545015285018	M48055	6675015248756	D10281	7360010920470	D10281	7360010920470	L28351			
6545012989814	M72868	6545014356013	W49603	6545015293904	M73175	6675015369335	D10281	7360011556020	D10281	7360011556020	L28351			
6545012989817	M48305	6545014356014	W53055	6545015299904	M14585	6675015450508	D10281	7360011748121	D10281	7360011748121	L28351			
6545012991702	M47987	6545014495134	M73254	65450152999063	M14517	6675015682230	D10281	7360012009828	D10281	7360012009828	K28601			
6545012994187	M09099	6545014495182	M14517	6545015399771	M30067	6675015695286	D10281	7360012141176	D10281	7360012141176	L28351			
6545012994208	M72868	6545014495565	M72152	6545015406709	M25430	6675015786362	D10281	7360012464646	D10281	7360012464646	L28351			
6545012994218	M72936	6545014495575	M08849	6545015406799	M23718	6695014731469	C72574	7360013132238	C72574	7360013132238	L28351			
6545012994219	M72482	6545014495589	M73186	6545015558683	T24386	6695014731473	C72642	7360013741980	C72642	7360013741980	K28601			
6545012994220	M86675	6545014495624	M14585	6545015588172	M72482	6695015922591	C72574	7360014174635	C72574	7360014174635	L28351			
6545012994221	M73118	6545014822907	T24386	6545015814120	M30136	6920011369550	T06763	7360014398218	T06763	7360014398218	L28351			
6545012994222	M73050	6545014914698	W42371	6545015859899	M73050	6920011586756	YA0691	7360014733408	YA0691	7360014733408	C27633			
6545012994223	M09576	6545014914728	W49853	6545015859914	M09576	6920011619034	G96600	7360014838617	G96600	7360014838617	L28351			
6545012994257	M48305	6545014914732	W53123	6545015859953	M08599	6920012992216	T06763	7360015004644	T06763	7360015004644	L28351			
6545012994259	M47987	6545014964834	M45375	6545015860020	M48055	6920013054579	YA0689	7360LLCA0199	YA0689	7360LLCA0199	CB5496			
6545012995619	M48055	6545015023316	M45375	6545015905805	M08417	6920013471083	T08079	7710002854336	T08079	7710002854336	K18732			
6545012995620	M72050	6545015023318	T24386	6545015905811	M08485	6920013561607	T05964	8110008241444	T05964	8110008241444	G68966			
6545012995627	M09099	6545015024969	W53305	6625013610082	T77696	6920014204716	C17989	8115001682275	C17989	8115001682275	C13825			
6545012995638	M72482	6545015024991	W42621	6625013692631	T93799	6920014864736	T06763	8115005376681	T06763	8115005376681	YA0095			
6545012995639	M72300	6545015024992	W32650	6625015739426	Z01556	6920014956683	P12165	8115010157039	P12165	8115010157039	C84541			
6545012995640	M08599	6545015052713	M48305	6625015806149	Z01677	6920015276089	P12165	8115010157039	P12165	8115010157039	CB5490			
6545012998083	M72428	6545015072140	W53623	6640003034940	N83275	6920015276090	P12165	8115010365721	P12165	8115010365721	C84541			
6545012998084	M72936	6545015077170	W53055	6640005382736	L33800	6920015768049	G05004	8115010845491	G05004	8115010845491	C84541			
6545012998085	M72482	6545015086979	M30067	6640010467238	C54719	6930015412908	YA0703	8115012417524	YA0703	8115012417524	C13825			
6545013003524	M48737	6545015087015	M30136	6640015012726	P25493	6930015467890	YA0922	8115013540797	YA0922	8115013540797	YA0313			

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE NATIONAL STOCK NUMBER TO TOE LIN

NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	NSN	TOE LIN	TOE LIN
8115013540797	YA0314	8145013162578	YA0176	8145014759570	YA0745	8145015188859	YA0831	8340014594352	YA0831	8340014594352	YA0831	8340014594352	YA0381	YA0381
8115013638668	YA0812	8145013163292	YA0161	8145014789992	YA1000	8145015188859	YA0980	8340014594352	YA0980	8340014594352	YA0980	8340014594352	YA0382	YA0382
8115014747089	YA0483	8145013163292	YA0180	8145014810611	YA0558	8145015244030	YA0838	8340014594361	YA0838	8340014594361	YA0838	8340014594361	YA0779	YA0779
8120009632928	YA0080	8145013163293	YA0179	8145014813740	YA0799	8145015305456	YA0771	8340014594366	YA0771	8340014594366	YA0771	8340014594366	YA0380	YA0380
8140015810556	S05009	8145013163294	YA0181	8145014813741	YA0799	8145015305457	YA0772	8340014594366	YA0772	8340014594366	YA0772	8340014594366	YA0705	YA0705
8145011189884	YA0820	8145013163295	YA0178	8145014839123	YA0697	8145015305459	YA0773	8340014594366	YA0773	8340014594366	YA0773	8340014594366	YA0778	YA0778
8145012351530	H28647	8145013163296	YA0175	8145014839125	YA0697	8145015305465	YA0774	8340014876271	YA0774	8340014876271	YA0774	8340014876271	YA0769	YA0769
8145012873293	CB0000	8145013252243	YA0182	8145014839125	YA0761	8145015305467	YA0775	8340014991803	YA0775	8340014991803	YA0775	8340014991803	YA0635	YA0635
8145012873294	C05019	8145013379996	C84541	8145014860142	YA0634	8145015305478	YA0776	8340014991803	YA0776	8340014991803	YA0776	8340014991803	YA0783	YA0783
8145012873294	CB0001	8145013413977	YA0177	8145014862442	YA0167	8145015305497	YA0777	8340015042613	YA0777	8340015042613	YA0777	8340015042613	YA0770	YA0770
8145012873294	YA0524	8145013884966	CB5490	8145014903765	YA1048	8145015340435	YA1069	8340015042614	YA1069	8340015042614	YA1069	8340015042614	YA0782	YA0782
8145012873295	CB0000	8145014633177	YA0833	8145014904359	YA0763	8145015343597	M30688	8340015042617	M30688	8340015042617	M30688	8340015042617	YA0781	YA0781
8145012878563	CB0001	8145014653621	YA0162	8145015003147	YA0176	8145015390499	YA1076	8340015140577	YA1076	8340015140577	YA1076	8340015140577	YA1022	YA1022
8145012878564	CB0001	8145014653629	YA0166	8145015003150	YA0176	8145015545999	YA0936	8340015140578	YA0936	8340015140578	YA0936	8340015140578	S05005	S05005
8145012878565	CB0000	8145014653729	YA0165	8145015010843	YA0634	8145015558129	YA1053	8340015140578	YA1053	8340015140578	YA1053	8340015140578	YA0894	YA0894
8145012878566	CB0000	8145014654139	YA0164	8145015012741	YA0837	8145015638553	YA0832	8340015140586	YA0832	8340015140586	YA0832	8340015140586	YA0780	YA0780
8145012878567	CB0000	8145014654187	YA0162	8145015020581	YA0610	8145015656131	YA0860	8340015140586	YA0860	8340015140586	YA0860	8340015140586	YA1021	YA1021
8145012878567	YA0158	8145014654270	YA0163	8145015023927	YA0629	8145015917441	YA1037	8340015140798	YA1037	8340015140798	YA1037	8340015140798	YA0542	YA0542
8145012889696	CB0000	8145014670444	YA0869	8145015023930	YA0791	8145LLCA0209	CB5498	8340015331656	CB5498	8340015331656	CB5498	8340015331656	YA0407	YA0407
8145012889697	CB0000	8145014670445	YA0682	8145015060245	YA0787	8150014813740	YA0975	8340015331697	YA0975	8340015331697	YA0975	8340015331697	YA0822	YA0822
8145012889698	CB0000	8145014670448	YA0616	8145015078115	YA0553	8150015188749	YA0831	8340015335344	YA0831	8340015335344	YA0831	8340015335344	YA0884	YA0884
8145012890945	CB0001	8145014685926	YA0485	8145015090245	YA0684	8150015264642	YA0982	8340015335344	YA0982	8340015335344	YA0982	8340015335344	Z01794	Z01794
8145012893366	CB0000	8145014685926	YA0932	8145015093531	YA0762	8150015287546	YA0524	8340015335396	YA0524	8340015335396	YA0524	8340015335396	YA0884	YA0884
8145012893367	CB0000	8145014713557	C84541	8145015134813	YA0836	8340002378752	S58674	8340015378710	S58674	8340015378710	S58674	8340015378710	YA0958	YA0958
8145012893368	CB0000	8145014713557	YA0441	8145015136282	YA0834	8340004823963	V48989	8340015378713	V48989	8340015378713	V48989	8340015378713	YA0958	YA0958
8145012894329	CB0001	8145014731207	YA0611	8145015138670	YA0633	8340005437788	V48989	8340015662649	V48989	8340015662649	V48989	8340015662649	YA0822	YA0822
8145012901382	CB0000	8145014731208	YA0612	8145015148414	YA0835	8340009516419	V48441	8745014670448	V48441	8745014670448	V48441	8745014670448	YA0484	YA0484
8145012907335	CB0000	8145014731212	YA0609	8145015188749	YA0981	8340010272170	S58674	9999000186793	S58674	9999000186793	S58674	9999000186793	D78271	D78271
8145012910937	CB0000	8145014731213	YA0519	8145015188751	YA0612	8340014594352	CB5122	99990000186795	CB5122	99990000186795	CB5122	99990000186795	D78271	D78271

UNCLASSIFIED

APPENDIX C

**CROSS-REFERENCE ARMY MODEL AND
NAVY CIVIL ENGINEER SUPPORT EQUIPMENT (CESE)
DESIGNATION TO TOE LIN AND
CARGO GROUP CODE**

APPENDIX C
CROSS-REFERENCE ARMY MODEL AND
NAVY CIVIL ENGINEER SUPPORT EQUIPMENT (CESE)
DESIGNATION TO TOE LIN AND CARGO GROUP CODE

C-1. Cargo Group Code

The Cargo Group Code (CGO GP) is constructed as shown by the following examples.

Table C-1. Cargo Group Code Examples/Explanations

Model	Description	Shipping Configuration	Cargo Group Code*	Length	Width	Height	LIN
M548	Carrier Cargo FTRAC	Operational	P43T	232	106	130	D11049
		Reduced	P22T	232	100	77	D11049

*Explanation for cargo group code P43T is as follows: First position "P" means self-propelled, a "T" in this position means towed. Second and third positions "43" is the dimensional group for Operational shipping configuration, that is, dimensions do not exceed 999" (length), 114" (width), or 130" (height). Fourth position "T" is the weight group (weight does not exceed 30,000 lbs). Note: The weight equals "empty" weight plus rated load capacity of cargo vehicles, if applicable.

C-2. Cargo Group Code criteria

The Cargo Group Code criteria listed in table C-2 was developed by Headquarters Air Mobility Command (HQAMC) Tanker Airlift Control Center (TACC).

Table C-2. Cargo Group Code Criteria

Dimension group criteria Maximum dimensions				Weight group criteria Maximum gross weight		
Group	LxWxH	Group	LxWxH	Group	(LBS)	
01	= 120 x 61 x 76	26	= 279 x 100 x 80	A	=	1,000
02	= 133 x 61 x 76	27	= 279 x 100 x 106	B	=	2,000
03	= 133 x 80 x 76	28	= 320 x 115 x 100	C	=	3,000
04	= 133 x 80 x 106	29	= 330 x 100 x 100	D	=	4,000
05	= 133 x 100 x 76	30	= 352 x 110 x 80	E	=	5,000
06	= 133 x 100 x 106	31	= 352 x 110 x 106	F	=	6,000
07	= 142 x 80 x 76	32	= 354 x 100 x 106	G	=	7,000
08	= 148 x 87 x 72	33	= 394 x 110 x 106	H	=	8,000
09	= 148 x 87 x 106	34	= 400 x 110 x 106	J	=	9,000
10	= 148 x 100 x 72	35	= 600 x 115 x 106	K	=	10,000
11	= 160 x 100 x 106	36	= 999 x 88 x 140	L	=	12,000
12	= 175 x 100 x 72	37	= 999 x 92 x 135	M	=	14,000
13	= 175 x 100 x 106	38	= 999 x 96 x 130	N	=	16,000
14	= 189 x 102 x 106	39	= 999 x 100 x 125	P	=	18,000
15	= 190 x 80 x 80	40	= 999 x 104 x 120	Q	=	20,000
16	= 220 x 80 x 80	41	= 999 x 105 x 140	R	=	24,000
17	= 220 x 80 x 106	42	= 999 x 114 x 114	S	=	28,000
18	= 220 x 100 x 80	43	= 999 x 114 x 130	T	=	30,000
19	= 220 x 100 x 106	44	= 999 x 130 x 114	U	=	35,000
20	= 234 x 80 x 80	45	= 999 x 130 x 130	V	=	50,000
21	= 234 x 80 x 106	46	= 999 x 130 x 145	W	=	75,000
22	= 234 x 100 x 80	47	= 999 x 130 x 156	X	=	104,000
23	= 234 x 100 x 106	48	= 999 x 142 x 156	Y	=	209,000
24	= 266 x 100 x 80	49	= 999 x 156 x 156			
25	= 266 x 100 x 106	50	= 999 x 160 x 160			

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
A-1B	TRAILER FUEL SERVICE	NOT REDUCIBLE	T13D	173	98	82	3800	82	3800	AF8934 01
A-3520	TRK LIFT FRK RT 5-T	OPERATIONAL	P46U	277	107	132	33190	132	33190	X49051 01
A-3520	TRK LIFT FRK RT 5-T	REDUCED	P28U	204	107	99	31485	99	31485	X49051 02
A-452-54	TRACTOR WHL WHS GED	NOT REDUCIBLE	P03E	110	65	57	4900	57	4900	W89557 22
A/M32A-60	GENERATOR TLR MTD	NOT REDUCIBLE	T03D	126	63	68	3115	68	3115	AF0028 01
A/M32A-86	DSL GEN SET TLR MTD	NOT REDUCIBLE	T03F	99	79	69	5960	69	5960	AF0002 01
A/M32A-95	GAS TURB COMP TLR MTD	NOT REDUCIBLE	T04C	109	63	77	2480	77	2480	AF0003 01
A/M32U-17	DOLLY SET MOBILIZER	OPERATIONAL	T28E	300	96	82	4750	82	4750	YA0439 01
A/M32U-17	DOLLY SET MOBILIZER	REDUCED	T06E	114	96	82	4750	82	4750	YA0439 02
A/S3211	25K SW TAC LOADER	NOT REDUCIBLE	P45T	322	117	116	28380	116	28380	AF0007 01
A/S3211	25K EMERSON TACLOADER	NOT REDUCIBLE	P45R	326	117	118	21760	118	21760	AF6728 01
A/S3211	25K TAC LOADER	NOT REDUCIBLE	T28S	294	96	69	25000	69	25000	AF9521 01
A/S3211-15	10K ADV TERRAIN FKLFT	NOT REDUCIBLE	T27R	279	98	100	22500	100	22500	AF1393 01
A/S3211-23	60K TUNNER LOADER	OPERATIONAL	****	592	171	96	64515	96	64515	AF0023 01
A/S3211-23	60K TUNNER LOADER	REDUCED	P35W	592	113	96	64515	96	64515	AF0023 02
A/S32H-6	40K OSHKOSH LOADER	NOT REDUCIBLE	P44V	497	120	90	44000	90	44000	AF3674 01
A/S32H-6	40K OSHKOSH LOADER	NOT REDUCIBLE	P44V	497	120	89	44420	89	44420	AF3674 02
A/S32H-6	40K RAMIREZ LOADER	NOT REDUCIBLE	P44W	497	120	90	51000	90	51000	AF4236 01
A/S32H-6	40K RAMIREZ LOADER	NOT REDUCIBLE	P50W	499	159	94	51600	94	51600	AF4236 02
A/S32H-6	40K KOEHRING LOADER	NOT REDUCIBLE	P44V	497	120	90	46500	90	46500	AF7089 01
A/S32H-6	40K SPACE LOADER	NOT REDUCIBLE	P44V	497	120	90	43500	90	43500	AF7889 01
A/S32K-7	ARL STORES LIFT TRK	NOT REDUCIBLE	P12F	167	70	40	5746	40	5746	AF5030 01
A/S32P-15	CRASH/RESCUE VEHICLE	NOT REDUCIBLE	P46X	540	120	144	75480	144	75480	AF9412 01
A/S32U-30	A/C TOWING TRACTOR	NOT REDUCIBLE	P38W	306	96	116	70250	116	70250	AF9256 01
A/S32U-30	A/C TOWING TRACTOR	NOT REDUCIBLE	P31W	316	98	102	70440	102	70440	AF9256 02
A/S99A-1	PATRIOT ANT MAST GP	NOT REDUCIBLE	P46V	418	98	142	40430	142	40430	A80637 01
A/S99A-1	PATRIOT ANT MAST GP	NOT REDUCIBLE	P47V	401	97	148	40020	148	40020	A80637 10
A1	SLEP LARC V	NOT REDUCIBLE	T45S	425	124	122	26000	122	26000	CB8256 01
ABLT-9600	LUB SVC UNIT TLR MTD	NOT REDUCIBLE	T13C	166	83	98	2650	98	2650	L85283 26
ABV	ASSLT BREACHER VEH	NOT REDUCIBLE	P49Y	321	152	115	106680	115	106680	A05001 01
ACE 40	TRK LIFT FRK ELEC 2-T	OPERATIONAL	P04J	126	42	79	8260	79	8260	X50436 05
ACE 40	TRK LIFT FRK ELEC 2-T	REDUCED	P01H	81	42	68	7820	68	7820	X50436 06
ACE 4269 BLT	BAGGAGE CONVEYOR BELT	NOT REDUCIBLE	T28E	305	83	56	4500	56	4500	AF0036 02
ACE40AEE144	TRK LIFT FRK ELEC 2-T	OPERATIONAL	P01H	128	40	84	7870	84	7870	X50436 01
ACE40AEE144	TRK LIFT FRK ELEC 2-T	REDUCED	P04H	86	41	67	7870	67	7870	X50436 02
ACFT MAINT	CRANE TRK MTD	OPERATIONAL	P31N	324	96	102	14860	102	14860	F43003 01
ACFT MAINT	CRANE TRK MTD	REDUCED	P31N	318	95	101	14860	101	14860	F43003 02
ACP60PS180	TRK LIFT FRK GED 3-T	OPERATIONAL	P11M	152	65	88	12700	88	12700	X51791 19
ACP60PS180	TRK LIFT FRK GED 3-T	REDUCED	P04M	105	65	88	12700	88	12700	X51791 20
ACVC/CC	TLR VAN 4 WHL ACVC MA	NOT REDUCIBLE	T31J	225	102	101	8690	101	8690	W99012 02
ADC 1000	TOOL OUTFIT TLR MTD	OPERATIONAL	T11C	151	79	76	2860	76	2860	T30377 01
ADC 1000	TOOL OUTFIT TLR MTD	REDUCED	T03C	112	79	76	2860	76	2860	T30377 02
ADC 1500	PUMP FLMB LIQ WHLMTD	OPERATIONAL	T03C	122	70	68	2070	68	2070	P97051 10

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
ADC 1500	PUMP FLMB LIQ WHLMTD	REDUCED	T03C	78	70	68	2070	68	2070	P97051 11
AEU	ANT EQUIP UNIT (AEU)	NOT REDUCIBLE	T35W	505	96	106	56500	106	56500	A05003 01
AH-1F	HLCPTR ATTACK TOW MSL	FLYAWAY	T47J	637	129	150	8500	150	8500	H44644 01
AH-1F	HLCPTR ATTACK TOW MSL	REDUCED	T47H	535	84	150	7770	150	7770	H44644 02
AH-1F	HLCPTR ATTACK TOW MSL	RED FOR C-130	T35G	535	84	105	6991	105	6991	H44644 08
AH-1G	HELICOPTER ATTACK	FLYAWAY	T47H	637	124	150	7475	150	7475	K29660 01
AH-1G	HELICOPTER ATTACK	RED F/SEALIFT	T47G	535	124	154	6395	154	6395	K29660 02
AH-64A	HELICOPTER ATTACK	FLYAWAY	****	698	576	210	13614	210	13614	H28647 01
AH-64A	HELICOPTER ATTACK	RED FOR C-5	T46M	603	119	145	12957	145	12957	H28647 02
AH-64A	HELICOPTER ATTACK	REDUCED	T35L	573	109	103	11311	103	11311	H28647 03
AH-64A	HELICOPTER ATTACK	RED FOR C-5	****	592	206	140	13000	140	13000	H28647 14
AH-64A	HELICOPTER ATTACK	RED FOR C-17	****	592	206	140	13000	140	13000	H28647 28
AH-64A	HELICOPTER ATTACK	RED F/SEALIFT	****	603	206	145	11700	145	11700	H28647 53
AH-64A	HELICOPTER ATTACK	SEALIFT/OPR	****	603	206	183	11712	183	11712	H28647 55
AH-64A	HELICOPTER ATTACK	RED FOR C-17	T47M	592	110	152	13500	152	13500	H28647 61
AH-64D	HELICOPTER ATTACK	FLYAWAY	****	698	576	210	15057	210	15057	H48918 01
AH-64D	HELICOPTER ATTACK	RED FOR C-5	T47M	589	116	151	13622	151	13622	H48918 02
AH-64D	HELICOPTER ATTACK	RED F/SEALIFT	T47M	603	118	151	12727	151	12727	H48918 15
AH-64D	HELICOPTER ATTACK	SEALIFT/OPR	****	603	196	193	13807	193	13807	H48918 18
AH-64D	HELICOPTER ATTACK	REDUCED	T47N	603	119	151	14880	151	14880	H48918 20
AH-64D	HELICOPTER ATTACK	RED FOR C-5	****	603	196	151	14880	151	14880	H48918 25
AH-64D BLK III	LNBOW APACHE BLK III	REDUCED	T47M	603	119	151	13643	151	13643	H05006 01
AH-64D BLK III	LNBOW APACHE BLK III	FLYAWAY	****	603	214	151	14880	151	14880	H05006 02
AL-4000	FLOODLIGHT SET ELEC	OPERATIONAL	****	179	102	360	2050	360	2050	YA0619 01
AL-4000	FLOODLIGHT SET ELEC	REDUCED	T02C	124	61	68	2050	68	2050	YA0619 02
ALS TRK	TRK ANALY LAB SYS	NOT REDUCIBLE	P31S	227	101	102	25500	102	25500	YA1006 01
ALS TRL LIGHT	AIR CTL TWR SYS (MOTS)	NOT REDUCIBLE	T11E	140	88	90	4090	90	4090	M05009 06
AM32A-6	GENERATOR TLR MTD	NOT REDUCIBLE	T03D	126	63	68	3115	68	3115	AF0013 01
AMK25	TRK CARGO 7T	NOT REDUCIBLE	P46T	315	98	142	29000	142	29000	CB8257 01
AMK28	TRK CARGO 7T	NOT REDUCIBLE	P46U	387	98	142	30620	142	30620	CB8257 02
AMK30 W/W	MTVR DUMP 7T	NOT REDUCIBLE	P46W	317	98	143	62200	143	62200	CB8258 01
AN/ARM-163V6	TEST SET FLIGHT LINE	NOT REDUCIBLE	P38N	300	96	114	15935	114	15935	T77696 01
AN/ARM-185B	MAINT SHOP SHLTR MTD	NOT REDUCIBLE	T41P	401	101	132	16280	132	16280	M05304 01
AN/ARM163V5	TEST SET FLT CTL SYS	OPERATIONAL	P47P	292	114	153	16280	153	16280	T30156 01
AN/ARM163V5	TEST SET FLT CTL SYS	REDUCED	P47P	292	98	153	16280	153	16280	T30156 02
AN/ARM163V5A	FLIGHT CONTRL GRP	OPERATIONAL	P47P	292	114	153	16280	153	16280	F40721 01
AN/ARM163V5A	FLIGHT CONTRL GRP	REDUCED	P47P	292	98	153	16280	153	16280	F40721 02
AN/ASM-146A	ELCT SHOP SHLTR L/P	VEHICLE MTD	P47P	265	96	146	16980	146	16980	H01907 14
AN/ASM-146A	ELCT SHOP SHLTR L/P	VEHICLE MTD	P47P	279	96	146	17530	146	17530	H01907 16
AN/ASM-146A	ELCT SHOP SHLTR L/P	VEHICLE MTD	P47P	265	96	146	17136	146	17136	H01907 18
AN/ASM-146B	ELCT SHOP SHLTR L/P	VEHICLE MTD	P47P	265	96	146	17120	146	17120	H01907 08
AN/ASM-146B	ELCT SHOP SHLTR L/P	VEHICLE MTD	P47P	279	96	146	17690	146	17690	H01907 10
AN/ASM-146B	ELCT SHOP SHLTR L/P	VEHICLE MTD	P47P	265	96	146	17296	146	17296	H01907 12

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
AN/ASM-146B	ELCT SHOP SHLTR L/P	DOLLY WHL MTD	T19F	209	96	99	5800	99	5800	H01907 48
AN/ASM-146C	ELCT SHOP SHLTR L/P	DOLLY WHL MTD	T41P	265	98	136	17190	136	17190	H01907 23
AN/ASM-146C	ELCT SHOP SHLTR L/P	VEHICLE MTD	P41N	279	96	136	15492	136	15492	H01907 25
AN/ASM-146C	ELCT SHOP SHLTR L/P	VEHICLE MTD	P41P	265	98	136	17190	136	17190	H01907 54
AN/ASM-146F	ELCT SHOP SHLTR L/P	VEHICLE MTD	P46U	274	96	142	32607	142	32607	H01907 97
AN/ASM-147A	ELCT SHOP SHELTER MTD	VEHICLE MTD	P46N	265	96	145	15360	145	15360	H01912 11
AN/ASM-147A	ELCT SHOP SHELTER MTD	VEHICLE MTD	P46N	279	96	145	15850	145	15850	H01912 13
AN/ASM-147A	ELCT SHOP SHELTER MTD	VEHICLE MTD	P47N	265	96	146	15806	146	15806	H01912 15
AN/ASM-147A	ELCT SHOP SHELTER MTD	DOLLY WHL MTD	T19E	209	92	98	4740	98	4740	H01912 37
AN/ASM-147B	ELCT SHOP SHELTER MTD	VEHICLE MTD	P46P	265	96	145	16190	145	16190	H01912 05
AN/ASM-147B	ELCT SHOP SHELTER MTD	VEHICLE MTD	P46P	279	96	145	16580	145	16580	H01912 07
AN/ASM-147B	ELCT SHOP SHELTER MTD	VEHICLE MTD	P47P	265	96	146	16536	146	16536	H01912 09
AN/ASM-147B	ELCT SHOP SHELTER MTD	VEHICLE MTD	P47R	255	96	149	23063	149	23063	H01912 46
AN/ASM-147B	ELCT SHOP SHELTER MTD	VEHICLE MTD	P46S	253	96	145	24100	145	24100	H01912 A2
AN/ASM-147C	ELCT SHOP SHELTER MTD	DOLLY WHL MTD	T25F	240	96	98	5732	98	5732	H01912 19
AN/ASM-147C	ELCT SHOP SHELTER MTD	VEHICLE MTD	P41N	279	96	136	15492	136	15492	H01912 29
AN/ASM-147C	ELCT SHOP SHELTER MTD	VEHICLE MTD	P41N	265	96	136	15492	136	15492	H01912 44
AN/ASM-147E	ELCT SHOP SHELTER MTD	VEHICLE MTD	P46R	262	96	142	23270	142	23270	H01912 A8
AN/ASM-189	ELCT SHOP STLRTMD L/P OPERATIONAL		T41V	422	96	132	15490	132	35490	H01855 01
AN/ASM-189	ELCT SHOP STLRTMD L/P REDUCED		T41V	371	96	132	15490	132	35490	H01855 02
AN/ASM-189A	ELCT SHOP STLRTMD L/P OPERATIONAL		T41V	422	96	132	16080	132	36080	H01855 03
AN/ASM-189A	ELCT SHOP STLRTMD L/P REDUCED		T41V	371	96	132	16080	132	36080	H01855 04
AN/ASM-189B	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T41U	356	96	132	15000	132	35000	H01855 12
AN/ASM-189C	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T41U	360	96	132	15000	132	35000	H01855 05
AN/ASM-189D	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T38V	398	96	130	16080	130	36080	H01855 16
AN/ASM-189E	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T38V	398	96	130	29400	130	49400	H01855 13
AN/ASM-189F	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T38V	398	96	130	16080	130	36080	H01855 15
AN/ASM-189G	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T38V	398	96	130	16080	130	36080	H01855 14
AN/ASM-190	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T41Q	388	96	132	19500	132	19500	H01857 02
AN/ASM-190A	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T41N	396	96	132	14020	132	14020	H01857 03
AN/ASM-190B	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T41N	405	96	132	15140	132	15140	H01857 12
AN/ASM-190C	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T38P	398	96	130	16080	130	16080	H01857 14
AN/ASM-190D	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T41N	405	96	132	15140	132	15140	H01857 15
AN/ASM-190E	ELCT SHOP STLRTMD L/P NOT REDUCIBLE		T38P	398	96	130	16080	130	16080	H01857 13
AN/ASQ-223	ABN RECON ARL M	NOT REDUCIBLE	****	968	1116	314	47000	314	47000	A35499 01
AN/GSM-421	CALIB SET SEC TRANS	MOD FOR SET	P19K	207	85	104	9800	104	9800	C72574 02
AN/GSM271B	MAINT SHOP STLRTMD	NOT REDUCIBLE	T47S	374	96	148	25050	148	25050	M03535 01
AN/GSQ-80	CENTER MESSAGE L/PWR	VEHICLE MTD	P41N	265	96	134	15880	134	15880	D78271 06
AN/GSQ-80	CENTER MESSAGE L/PWR	VEHICLE MTD	P41P	279	96	134	16270	134	16270	D78271 08
AN/GSQ-80	CENTER MESSAGE L/PWR	VEHICLE MTD	P41P	265	98	134	16226	134	16226	D78271 10
AN/GSQ-80A	CENTER MESSAGE L/PWR	VEHICLE MTD	P41P	265	96	134	16280	134	16280	D78271 12
AN/GSQ-80A	CENTER MESSAGE L/PWR	VEHICLE MTD	P41P	279	96	134	16670	134	16670	D78271 14
AN/GSQ-80A	CENTER MESSAGE L/PWR	VEHICLE MTD	P41P	265	98	134	16626	134	16626	D78271 16

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
AN/GSS-1497A	SHELTER NONEXPAND S-8	NOT REDUCIBLE	P19L	214	86	106	10097	106	10097	YA0428 01
AN/GYG-3V1	COMPUTER SET	VEHICLE MTD	P19K	207	85	105	10000	105	10000	C17936 03
AN/MJQ-10	POWER PLANT TLR MTD	OPERATIONAL	T19G	190	94	83	6500	83	6500	YA0045 01
AN/MJQ-10	POWER PLANT TLR MTD	REDUCED	T13G	171	94	83	6500	83	6500	YA0045 02
AN/MJQ-10	POWER PLANT TLR MTD	SEALIFT/OPR	T13G	171	94	83	6500	83	6500	YA0045 05
AN/MJQ-11	POWER PLANT STLR MTD	NOT REDUCIBLE	T45W	512	119	130	60050	130	60050	P27821 01
AN/MJQ-18	POWER PLANT TLR MTD	OPERATIONAL	T13F	171	84	98	5200	98	5200	P28015 01
AN/MJQ-18	POWER PLANT TLR MTD	REDUCED	T13F	171	84	75	5200	75	5200	P28015 03
AN/MJQ-25 PU	ANTENNA TRANSCVR GRP	NOT REDUCIBLE	T13E	175	84	92	4120	92	4120	YA0345 01
AN/MJQ-25 PU	ANTENNA TRANSCVR GRP	MOD FOR SET	T13D	161	85	87	3149	87	3149	YA0345 03
AN/MJQ-25 PU	ANTENNA TRANSCVR GRP	MOD FOR SET	T13D	161	85	87	3140	87	3140	YA0345 07
AN/MJQ-30	PWR PLANT ELEC TLR MTD	NOT REDUCIBLE	T19M	216	96	92	12900	92	12900	YA0112 01
AN/MJQ-33	GEN SET DSL ENG	NOT REDUCIBLE	T09D	148	75	79	3162	79	3162	G78135 01
AN/MJQ-35	POWER PLANT TLR MTD	NOT REDUCIBLE	T11D	154	84	74	3087	74	3087	P28083 01
AN/MJQ-35A	POWER PLANT TLR MTD	NOT REDUCIBLE	T08D	135	86	66	3140	66	3140	P28083 09
AN/MJQ-36	POWER PLANT TLR MTD	NOT REDUCIBLE	T12D	165	83	71	3785	71	3785	P28151 01
AN/MJQ-37	POWER PLANT TLR MTD	NOT REDUCIBLE	T12D	169	83	71	3785	71	3785	P42262 01
AN/MJQ-37	POWERPLANT TLR MTD	NOT REDUCIBLE	T12F	169	83	71	5750	71	5750	YA0323 01
AN/MJQ-38	POWER PLANT TLR MTD	NOT REDUCIBLE	T12E	169	83	71	4350	71	4350	P42330 01
AN/MJQ-39 TRL	POWER PLANT TLR MTD	NOT REDUCIBLE	T13K	165	95	84	9710	84	9710	P42614 01
AN/MJQ-39 TRL	POWER PLANT TLR MTD	NOT REDUCIBLE	T13K	165	95	84	9710	84	9710	P42614 03
AN/MJQ-40B	PWR PLANT TLR MTD	VEHICLE MTD	T12F	169	94	41	5590	41	5590	P42126 02
AN/MJQ-41	POWER PLANT TLR MTD	NOT REDUCIBLE	T13F	165	95	84	5660	84	5660	P42194 10
AN/MJQ-41B	POWER PLANT TLR MTD	NOT REDUCIBLE	T13F	165	95	84	5660	84	5660	P42194 07
AN/MJQ-42	PWR PLNT TLR MTD	NOT REDUCIBLE	T08C	145	84	60	2172	60	2172	P42466 01
AN/MJQ-43	PWR PLNT TLR MTD	NOT REDUCIBLE	T08C	145	84	60	2172	60	2172	P42534 01
AN/MJQ-48	POWER PLANT TRLR MTD	NOT REDUCIBLE	T09D	136	86	100	3485	100	3485	P63530 01
AN/MJQ-49	TRLR MTD PWR PLT	NOT REDUCIBLE	T11E	139	96	78	4200	78	4200	YA1064 01
AN/MLQ-40 (V) 4	DETEC SYS AN/MLQ-40	NOT REDUCIBLE	P19L	194	99	92	10940	92	10940	D04182 01
AN/MLQ-40V1	DETECTING SYS	NOT REDUCIBLE	P14J	180	91	81	8358	81	8358	D02704 01
AN/MLQ-40V3	DETECTING SYS	NOT REDUCIBLE	P14J	180	91	81	8358	81	8358	D02704 02
AN/MLQ-44 (V) 1	PROPHET PANTHER	OPERATIONAL	P48X	349	136	134	79000	134	79000	YA0977 01
AN/MLQ-44 (V) 1	PROPHET PANTHER	REDUCED	P48X	349	136	124	79000	124	79000	YA0977 02
AN/MPQ-53	RADAR SET STLR MTD	NOT REDUCIBLE	T47V	397	113	147	47723	147	47723	R18815 01
AN/MPQ-64 TRL	SENTINEL RDR SET	VEHICLE MTD	T06D	132	86	95	3740	95	3740	G92997 02
AN/MPQ-65	RADAR SET STLR MTD	OPERATIONAL	T46V	404	118	142	48080	142	48080	R18701 01
AN/MPQ-65	RADAR SET STLR MTD	RED FOR C-17	T46V	405	114	143	48250	143	48250	R18701 07
AN/MRC-147	COMM RELAY GRP	VEHICLE MTD	P47V	362	101	146	36530	146	36530	C90546 09
AN/MSC-31	OPERATION CEN COMM LP	VEHICLE MTD	P46N	265	96	143	15880	143	15880	N20115 05
AN/MSC-31	OPERATION CEN COMM LP	VEHICLE MTD	P46P	279	96	143	16070	143	16070	N20115 07
AN/MSC-31	OPERATION CEN COMM LP	VEHICLE MTD	P46P	265	96	144	17026	144	17026	N20115 09
AN/MSC-31A	OPERATION CEN COMM LP	VEHICLE MTD	P46P	265	96	145	16460	145	16460	N20115 11
AN/MSC-31A	OPERATION CEN COMM LP	VEHICLE MTD	P46P	279	96	145	16850	145	16850	N20115 13

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
AN/MSC-31A	OPERATION CEN COMM LP	VEHICLE MTD	P47P	265	96	146	16806	146	16806	N20115 15
AN/MSC-31A	OPERATION CEN COMM LP	DOLLY WHL MTD	T25F	239	96	99	5140	99	5140	N20115 32
AN/MSC-32	OPERATIONS CENTRAL LP	VEHICLE MTD	P41P	265	98	134	16746	134	16746	N20663 30
AN/MSC-32A	OPERATIONS CENTRAL LP	VEHICLE MTD	P41P	265	96	136	16800	136	16800	N20663 06
AN/MSC-32A	OPERATIONS CENTRAL LP	VEHICLE MTD	P41P	279	96	136	17190	136	17190	N20663 08
AN/MSC-32A	OPERATIONS CENTRAL LP	VEHICLE MTD	P41P	265	96	137	17146	137	17146	N20663 10
AN/MSC-32A	OPERATIONS CENTRAL LP	VEHICLE MTD	P46S	314	98	141	25640	141	25640	N20663 12
AN/MSC-32A	OPERATIONS CENTRAL LP	VEHICLE MTD	P46S	304	98	141	24530	141	24530	N20663 14
AN/MSC-32A	OPERATIONS CENTRAL LP	DOLLY WHL MTD	T23F	232	96	97	5480	97	5480	N20663 24
AN/MSC-82	OPERATIONS CENTRAL LP	VEHICLE MTD	P46S	253	96	145	25000	145	25000	N20663 42
AN/MSQ-104	ENGA CON GM TRK MTD	NOT REDUCIBLE	P38V	361	96	130	36041	130	36041	C05022 01
AN/MSQ-104	ENGA CON GM TRK MTD	OPERATIONAL	P46V	408	121	145	38545	145	38545	E08497 01
AN/MSQ-104	ENGA CON GM TRK MTD	OPERATIONAL	P46V	408	121	145	38545	145	38545	E08497 02
AN/MSQ-104	ENGA CON GM TRK MTD	OPERATIONAL	P46V	408	121	145	38545	145	38545	E08497 06
AN/MSQ-104	ENGA CON GM TRK MTD	REDUCED	P35S	408	98	94	26135	94	26135	E08497 07
AN/MSQ-104	ENGA CON GM TRK MTD	REDUCED	P35S	408	98	94	26135	94	26135	E08497 09
AN/MSQ-104	ENGA CON GM TRK MTD	NOT REDUCIBLE	P46V	408	104	142	36690	142	36690	E08497 14
AN/MSQ-104	ENGA CON GM TRK MTD	NOT REDUCIBLE	P46V	384	103	135	36735	135	36735	E08497 17
AN/MSQ-116	INFO COORD CENTRAL	VEHICLE MTD	P41V	384	103	135	36735	135	36735	J82250 04
AN/MSQ-130	REPEATER SET, RADIO	NOT REDUCIBLE	P19K	197	100	101	10000	101	10000	R16365 01
AN/MSQ-132	ENGAG CNTL STA TRK MT	VEHICLE MTD	P41U	352	96	140	34680	140	34680	E08747 02
AN/MSQ-132	ENGAG CNTL STA TRK MT	VEHICLE MTD	P47V	362	101	146	37160	146	37160	E08747 09
AN/MSQ-133	INFO/COORD CTRL	VEHICLE MTD	P47V	362	101	146	38080	146	38080	J52501 02
AN/MSW-22	DATA ANALYSIS CENTER	NOT REDUCIBLE	P19K	195	85	81	9080	81	9080	YA0865 01
AN/MSW-24	DATA CENTRAL AN/MSW-2	NOT REDUCIBLE	T28L	192	110	72	11120	72	11120	D77801 01
AN/MYQ-4	DATA PROCESSING SYS	OPERATIONAL	T46S	465	96	141	26300	141	26300	D78075 01
AN/MYQ-4	DATA PROCESSING SYS	REDUCED	T05E	120	96	40	4300	40	4300	D78075 02
AN/TCC-56 (V) 4	CENTRAL OFFICE TELE	NOT REDUCIBLE	P19L	196	87	105	10241	105	10241	C20617 01
AN/TCC-56 (V) 4	CENTRAL OFFICE TELE	NOT REDUCIBLE	T10C	142	89	71	2790	71	2790	C20617 03
AN/TCM-1	SHOP EQUIP G/M SYS	NOT REDUCIBLE	P47U	378	99	153	34140	153	34140	S14569 01
AN/TCM-1	SHOP EQUIP G/M SYS	VEHICLE MTD	P46U	362	97	145	33850	145	33850	S14569 08
AN/TMQ-25	MMS-PROFILER	NOT REDUCIBLE	P19L	214	89	105	11500	105	11500	M36361 13
AN/TMQ-41A MTD	METEOROLOG SET	VEHICLE MTD	P18H	190	85	69	7760	69	7760	M35941 02
AN/TMQ-52	MMS-PROFILER	OPERATIONAL	P31K	207	105	104	9580	104	9580	M36361 01
AN/TMQ-52	MMS-PROFILER	REDUCED	P19K	207	87	104	9580	104	9580	M36361 02
AN/TMQ-52	MMS-PROFILER	NOT REDUCIBLE	P19L	214	89	105	11500	105	11500	M36361 17
AN/TMQ-52	MMS-PROFILER	NOT REDUCIBLE	P19L	214	89	105	11500	105	11500	M36361 18
AN/TPN 31	RADAR SET	NOT REDUCIBLE	P19M	201	100	102	12100	102	12100	R17126 15
AN/TPN-31	RADAR SET	NOT REDUCIBLE	P31K	221	102	106	9600	106	9600	R17126 02
AN/TPQ-36	RADAR SET	NOT REDUCIBLE	P38U	274	96	112	32173	112	32173	R14148 23
AN/TPQ-36 (V) 8	RADAR SET	VEHICLE MTD	P19K	206	86	86	9619	86	9619	R14284 03
AN/TPQ-36V1	RADAR SET	VEHICLE MTD	T14G	183	84	86	6619	86	6619	R14148 01
AN/TPQ-36V1	RADAR SET	VEHICLE MTD	P43M	265	106	122	13954	122	13954	R14148 04

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
AN/TPQ-37V1	ARTILLERY LOC RADAR	DOLLY WHL MTD	T28M	287	96	92	13660	92	13660	A41666 05
AN/TPQ-37V1	ARTILLERY LOC RADAR	VEHICLE MTD	P17H	210	79	95	7900	95	7900	A41666 06
AN/TPQ-37V1	ARTILLERY LOC RADAR	VEHICLE MTD	P39T	323	99	120	28580	120	28580	A41666 07
AN/TPQ-37V1	ARTILLERY LOC RADAR	VEHICLE MTD	P41R	332	98	129	22795	129	22795	A41666 11
AN/TPQ-37V1	ARTILLERY LOC RADAR	VEHICLE MTD	P39N	265	98	125	15592	125	15592	A41666 12
AN/TPQ-37V1	ARTILLERY LOC RADAR	VEHICLE MTD	T41P	237	98	128	17320	128	17320	A41666 17
AN/TPQ-37V5	ARTILLERY LOC RADAR	DOLLY WHL MTD	T28M	287	96	92	13660	92	13660	A41666 60
AN/TPQ-37V5	ARTILLERY LOC RADAR	VEHICLE MTD	P17H	210	79	95	7900	95	7900	A41666 61
AN/TPQ-37V5	ARTILLERY LOC RADAR	VEHICLE MTD	P39T	323	99	120	28580	120	28580	A41666 62
AN/TPQ-37V5	ARTILLERY LOC RADAR	VEHICLE MTD	P41R	332	98	129	22795	129	22795	A41666 63
AN/TPQ-37V5	ARTILLERY LOC RADAR	VEHICLE MTD	P39N	265	98	125	15592	125	15592	A41666 64
AN/TPQ-37V5	ARTILLERY LOC RADAR	VEHICLE MTD	T41P	237	98	128	17320	128	17320	A41666 65
AN/TPQ-37V6	ARTILLERY LOC RADAR	DOLLY WHL MTD	T28M	287	96	92	13660	92	13660	A41666 44
AN/TPQ-37V6	ARTILLERY LOC RADAR	VEHICLE MTD	P17H	210	79	95	7900	95	7900	A41666 45
AN/TPQ-37V6	ARTILLERY LOC RADAR	VEHICLE MTD	P39T	323	99	120	28580	120	28580	A41666 46
AN/TPQ-37V6	ARTILLERY LOC RADAR	VEHICLE MTD	P41R	332	98	129	22795	129	22795	A41666 47
AN/TPQ-37V6	ARTILLERY LOC RADAR	VEHICLE MTD	P39N	265	98	125	15592	125	15592	A41666 48
AN/TPQ-37V6	ARTILLERY LOC RADAR	VEHICLE MTD	T41P	237	98	128	17320	128	17320	A41666 49
AN/TPQ-37V8	ARTILLERY LOC RADAR	VEHICLE MTD	P14H	189	86	104	7796	104	7796	A41666 76
AN/TPQ-37V8	ARTILLERY LOC RADAR	VEHICLE MTD	P39T	332	98	121	29896	121	29896	A41666 78
AN/TPQ-37V8	ARTILLERY LOC RADAR	VEHICLE MTD	T41R	244	96	137	21660	137	21660	A41666 80
AN/TPQ-53 MEG	RADAR SYS COUNTER FIR	OPERATIONAL	P43U	323	114	120	33002	120	33002	Z00737 05
AN/TPQ-53 MEG	RADAR SYS COUNTER FIR	REDUCED	P31U	323	100	103	33002	103	33002	Z00737 06
AN/TPQ-53 SOG	RADAR SYS COUNTER FIR	OPERATIONAL	P45T	284	118	115	29750	115	29750	Z00737 08
AN/TPQ-53 SOG	RADAR SYS COUNTER FIR	REDUCED	P31T	284	96	103	29750	103	29750	Z00737 09
AN/TRC-170 (V) 3	RADIO TERMINAL SET	VEHICLE MTD	P19K	199	89	105	9240	105	9240	R93035 13
AN/TRC-170V3	RADIO TERMINAL SET	VEHICLE MTD	P45Q	265	117	122	18340	122	18340	R93035 03
AN/TRC-175B	RADIO TERMINAL SET	VEHICLE MTD	P19L	212	89	105	10066	105	10066	R35814 03
AN/TRC-190V1	LOS RADIO TERMINAL	VEHICLE MTD	P36J	189	87	107	8180	107	8180	L69306 01
AN/TRC-190V1	LOS RADIO TERMINAL	VEHICLE MTD	P19J	191	87	104	8369	104	8369	L69306 09
AN/TRC-190V1	LOS RADIO TERMINAL	VEHICLE MTD	P36J	191	87	109	8369	109	8369	L69306 12
AN/TRC-190V3	LOS RADIO TERMINAL	VEHICLE MTD	P36J	189	87	107	8300	107	8300	L69442 01
AN/TRC-190V3	LOS RADIO TERMINAL	VEHICLE MTD	P19J	191	87	105	8362	105	8362	L69442 09
AN/TRC-190V3	LOS RADIO TERMINAL	VEHICLE MTD	P36J	191	87	109	8362	109	8362	L69442 11
AN/TRC-198V1	LT FORCES LOS RADIO	VEHICLE MTD	P14J	189	85	104	8298	104	8298	L61778 02
AN/TRC-198V1	LT FORCES LOS RADIO	VEHICLE MTD	P19J	193	91	105	8774	105	8774	L61778 04
AN/TRC-219	TACTICAL RELAY TOWER	NOT REDUCIBLE	T25E	261	85	85	4176	85	4176	R05004 01
AN/TRC190CV1	RADIO TERMINAL	VEHICLE MTD	P14J	189	87	105	8653	105	8653	R90451 03
AN/TRC190CV2	RADIO TERMINAL	VEHICLE MTD	P14J	189	87	105	8256	105	8256	R90519 02
AN/TRC190CV3	RADIO TERMINAL	NOT REDUCIBLE	P19J	191	87	105	8362	105	8362	R90587 01
AN/TRC190CV3	RADIO TERMINAL	NOT REDUCIBLE	P19L	191	85	104	10600	104	10600	R90587 07
AN/TRC190CV4	RADIO TERMINAL	VEHICLE MTD	P14J	189	87	105	8444	105	8444	R90655 02
AN/TRC191AV1	RADIO ACCESS UNIT	VEHICLE MTD	P36J	189	87	107	8200	107	8200	R33351 10

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
AN/TRC191AV2	RADIO ACCESS UNIT	VEHICLE MTD	P36J	189	87	107	8200	107	8200	R33351 12
AN/TSC 185V1	SAT COMM SUB SYS	OPERATIONAL	****	198	96	189	4080	189	4080	YA0957 05
AN/TSC 185V1	SAT COMM SUB SYS	REDUCED	T19E	198	96	98	4080	98	4080	YA0957 06
AN/TSC 185V2	SAT COMM SUB SYS	REDUCED	T19E	198	96	98	4080	98	4080	YA0957 04
AN/TSC-153V2	TRIBND STCM SBSYS OEG	NOT REDUCIBLE	T35Q	494	100	102	18740	102	18740	YA0392 01
AN/TSC-154	TML SATELLITE COMM	VEHICLE MTD	P14J	189	85	84	8130	84	8130	T81733 02
AN/TSC-154	TML SATELLITE COMM	VEHICLE MTD	P19L	196	86	87	10500	87	10500	T81733 11
AN/TSC-156	SATELLITE COMM SYS	VEHICLE MTD	P23L	222	96	102	10784	102	10784	S23268 03
AN/TSC-156	SATELLITE COMM SYS	VEHICLE MTD	P23L	222	96	102	10042	102	10042	S23268 05
AN/TSC-156	SATELLITE COMM SYS	VEHICLE MTD	P19L	196	96	100	10360	100	10360	S23268 07
AN/TSC-156B	SATELLITE COMM SYS	NOT REDUCIBLE	P19L	197	96	102	11017	102	11017	S23268 21
AN/TSC-167A	SATELLITE COMM TML	NOT REDUCIBLE	T19D	193	87	95	4000	95	4000	YA0830 01
AN/TSC-167AV1	SATELLITE COMM TML	NOT REDUCIBLE	T19D	196	87	94	4000	94	4000	YA0757 02
AN/TSC-167AV1	SATELLITE COMM TML	NOT REDUCIBLE	T19D	194	86	93	4000	93	4000	YA0757 04
AN/TSC-167AV2	SATELLITE COMM TML	NOT REDUCIBLE	T19D	196	87	94	4000	94	4000	YA0758 02
AN/TSC-167B	SATELLITE COMM TML	NOT REDUCIBLE	T19E	193	87	95	4200	95	4200	YA0811 01
AN/TSC-167DV01	SATELLITE COMM TML	NOT REDUCIBLE	T19D	195	87	90	4000	90	4000	YA0757 13
AN/TSC-167DV01	SATELLITE COMM TML	NOT REDUCIBLE	T19E	195	87	90	4060	90	4060	YA0757 14
AN/TSC-167F (V)	SATELLITE TRLR	OPERATIONAL	T19D	193	85	96	3700	96	3700	YA0978 01
AN/TSC-167F (V)	SATELLITE TRLR	RED FOR C-17	T19D	192	96	95	4000	95	4000	YA0978 02
AN/TSC-167V1	SATELLITE COMM TML	NOT REDUCIBLE	T19E	193	87	95	4200	95	4200	YA0757 01
AN/TSC-167V2	SATELLITE COMM TML	NOT REDUCIBLE	T19E	193	87	95	4200	95	4200	YA0758 01
AN/TSC-167V2	SATELLITE COMM TML	NOT REDUCIBLE	T19D	194	86	93	3960	93	3960	YA0758 04
AN/TSC-169	SATELLITE COMM TML	NOT REDUCIBLE	P47T	445	92	146	29160	146	29160	YA0759 01
AN/TSC-169	SATELLITE COMM TML	NOT REDUCIBLE	P47U	348	99	150	31950	150	31950	YA0759 03
AN/TSC-169A	SAT COMM SYS, HUB TRK	NOT REDUCIBLE	P47U	362	97	146	32000	146	32000	S05002 03
AN/TSC-169B	SAT COMM SYS, HUB TRK	NOT REDUCIBLE	P47U	350	96	146	32000	146	32000	S05002 01
AN/TSC-185 V2	SAT COMM SUB SYSTEM	OPERATIONAL	****	198	96	189	4080	189	4080	S05012 03
AN/TSC-185 V2	SAT COMM SUB SYSTEM	REDUCED	T19E	198	96	98	4080	98	4080	S05012 04
AN/TSC-185 (V) 3	SATELLITE COMMUNICATI	NOT REDUCIBLE	T19E	198	96	98	4080	98	4080	S05013 01
AN/TSC-185 (V1)	SAT COMM SUBSYS	NOT REDUCIBLE	T19E	192	97	100	4200	100	4200	S05011 01
AN/TSC-185 (V2)	SAT COMM SUB SYSTEM	NOT REDUCIBLE	T19E	192	97	100	4200	100	4200	S05012 05
AN/TSC-187	SAT COMM SYS, HUB TRK	NOT REDUCIBLE	P47U	350	97	146	32000	146	32000	S05002 02
AN/TSC-187	SAT COMM SYS, HUB TRK	VEHICLE MTD	P47U	366	96	151	33225	151	33225	S05002 04
AN/TSC-188 (V) 1	NETWORK MANAGEMENT SY	NOT REDUCIBLE	P38U	355	96	117	31826	117	31826	N05002 01
AN/TSC-188 (V) 2	NETWORK MANAGEMENT SY	NOT REDUCIBLE	P38U	355	96	117	31826	117	31826	N05001 01
AN/TSC-61A	FLIGHT COORD CENT L/P	VEHICLE MTD	P41Q	265	96	133	18290	133	18290	H76352 04
AN/TSC-61B	FLIGHT COORD CENT L/P	VEHICLE MTD	P41Q	265	96	133	18290	133	18290	H76352 09
AN/TSC-85CV1	SAT COMM TML	VEHICLE MTD	P46V	279	96	144	36614	144	36614	S78466 07
AN/TSC-86A	SATELLITE COMM TML	NOT REDUCIBLE	T38R	300	96	118	21250	118	21250	S52342 01
AN/TSC-86LP	SATELLITE COMM TML	VEHICLE MTD	P41Q	279	96	138	19263	138	19263	S34827 03
AN/TSC-86LP	SATELLITE COMM TML	DOLLY WHL MTD	T25M	241	96	100	12512	100	12512	S34827 05
AN/TSC-93BV1	SATELLITE COMM TML	VEHICLE MTD	P19K	220	96	106	9520	106	9520	S34963 06

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
AN/TSC185V2	SAT COMM SUB SYS	OPERATIONAL	****	198	96	189	4080	189	4080	YA0957 03
AN/TSM-153	CONTACT SUPPORT SET	VEHICLE MTD	P41S	396	98	134	27511	134	27511	C84041 10
AN/TSM-163	SHOP EQUIP G/M SYS	OPERATIONAL	T41R	405	96	137	21330	137	21330	S17120 01
AN/TSM-163	SHOP EQUIP G/M SYS	REDUCED	T41R	375	96	137	21330	137	21330	S17120 02
AN/TSM-164	SHOP EQUIP G/M SYS	NOT REDUCIBLE	T41R	406	96	137	21330	137	21330	S15457 02
AN/TSM-182	MAINTENANCE FACILITY	NOT REDUCIBLE	P14H	189	87	105	7420	105	7420	M96804 01
AN/TSM-182	MAINTENANCE FACILITY	RED F/SEALIFT	P14H	189	87	105	7420	105	7420	M96804 02
AN/TSM-210	ELECTRONIC SHOP	VEHICLE MTD	P19L	211	86	105	10260	105	10260	E01943 02
AN/TSM-210	ELECTRONIC SHOP	VEHICLE MTD	P19L	211	89	105	10260	105	10260	E01943 08
AN/TSM-211	SHOP EQUIP GM SYS	NOT REDUCIBLE	T41Q	405	96	137	18820	137	18820	S38693 01
AN/TSQ 252	CMD SYS TAC	NOT REDUCIBLE	P19L	214	98	105	11260	105	11260	C91673 01
AN/TSQ 252(V) 1	SHELTER NONEXPANDABLE	VEHICLE MTD	P39L	215	99	109	11500	109	11500	S01427 05
AN/TSQ 252V5	TACTICAL COMMAND SYS	NOT REDUCIBLE	P36L	197	84	108	10720	108	10720	YA0951 01
AN/TSQ-154A	MANAGEMENT FACILITY	NOT REDUCIBLE	P19J	194	85	105	8800	105	8800	M04268 05
AN/TSQ-158A	NET CONTROL STATION	NOT REDUCIBLE	P19H	204	98	92	7600	92	7600	N04580 01
AN/TSQ-179BV2	TARGET ACQU SUBSYS	NOT REDUCIBLE	P35S	539	88	105	27800	105	27800	T37036 08
AN/TSQ-179CV2	TARGET ACQU SUBSYS	NOT REDUCIBLE	P19M	210	86	103	12050	103	12050	T37036 09
AN/TSQ-179CV2	COMMON GROUND SYS	NOT REDUCIBLE	P19M	210	86	103	12050	103	12050	YA0955 07
AN/TSQ-179V2	TARGET ACQU SUBSYS	NOT REDUCIBLE	P19L	217	88	102	10500	102	10500	T37036 01
AN/TSQ-179V2	TARGET ACQ SYSTEM	NOT REDUCIBLE	P19L	217	88	102	10500	102	10500	YA0437 01
AN/TSQ-182/A	COMM CONTROL SET	NOT REDUCIBLE	P19K	205	84	101	9860	101	9860	C90531 03
AN/TSQ-183	COMM CONTROL SET	NOT REDUCIBLE	P14H	180	85	96	7008	96	7008	C35900 01
AN/TSQ-183	COMM CONTROL SET	NOT REDUCIBLE	P19L	191	85	96	10332	96	10332	C35900 02
AN/TSQ-183A	COMM CONTROL SET	NOT REDUCIBLE	P14H	180	85	96	7080	96	7080	C90599 01
AN/TSQ-183A	COMM CONTROL SET	NOT REDUCIBLE	P19J	205	90	96	8670	96	8670	C90599 06
AN/TSQ-184	COMM CONTROL SET	NOT REDUCIBLE	P14G	180	85	96	6897	96	6897	C90667 01
AN/TSQ-184A	COMM CONTROL SET	VEHICLE MTD	P19K	191	92	104	10000	104	10000	C90667 04
AN/TSQ-184D	COMM CONTROL SET	VEHICLE MTD	P19K	191	92	104	10000	104	10000	C90735 06
AN/TSQ-184E	COMM CONTROL SET	NOT REDUCIBLE	P43S	201	106	115	26000	115	26000	C36104 04
AN/TSQ-184F	COMM CONTROL SET	VEHICLE MTD	P19K	191	92	104	10000	104	10000	C90735 08
AN/TSQ-198A	COMMUNICATIONS SYSTEM	NOT REDUCIBLE	P19G	192	96	97	6875	97	6875	C59125 06
AN/TSQ-217A	ECU TRLR MTD	NOT REDUCIBLE	T09C	146	86	85	2200	85	2200	YA0637 01
AN/TSQ-219V2	TACT EXPLOITATION SYS	NOT REDUCIBLE	P19L	207	86	105	10782	105	10782	T13901 01
AN/TSQ-219V2	TACT EXP SYS SHELTER	NOT REDUCIBLE	P19L	207	86	105	10782	105	10782	YA0996 01
AN/TSQ-219V3	TACT EXPLOITATION SYS	NOT REDUCIBLE	P18K	204	85	67	9780	67	9780	T09221 01
AN/TSQ-221	COMMAND SYS TACT	NOT REDUCIBLE	P31K	210	101	102	10000	102	10000	C61597 05
AN/TSQ-221	COMMAND SYS TACT	NOT REDUCIBLE	P19L	215	90	104	10286	104	10286	C61597 09
AN/TSQ-226 SHL	CENTRAL COMM TROJAN	VEHICLE MTD	P19L	212	93	103	10670	103	10670	C43399 09
AN/TSQ-226(V) 2	CNT COM TROJAN SPIRIT	NOT REDUCIBLE	P14F	180	85	69	5600	69	5600	C43331 06
AN/TSQ-226V3	CENTRAL COMM TROJAN	VEHICLE MTD	P19L	209	90	103	10340	103	10340	C43399 02
AN/TSQ-226V3	COMMUN CENTRAL TROJAN	VEHICLE MTD	P39M	213	100	108	12100	108	12100	YA0863 13
AN/TSQ-232V2	COMMAND SYS TACTICAL	OPERATIONAL	P40L	208	102	112	11500	112	11500	C40996 06
AN/TSQ-232V2	COMMAND SYS TACTICAL	REDUCED	P19L	214	98	105	11500	105	11500	C40996 07

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
AN/TSQ-232V2	COMMAND SYS TACTICAL	VEHICLE MTD	P19L	214	98	105	11500	105	11500	C40996 11
AN/TSQ-232V2	COMMAND CONTROL SYS	OPERATIONAL	P40L	208	102	112	11500	112	11500	YA0886 01
AN/TSQ-232V2	COMMAND CONTROL SYS	RED FOR C-130	P19L	214	98	105	11500	105	11500	YA0886 02
AN/TSQ-232V4	COMMAND SYS TACTICAL	VEHICLE MTD	P19M	214	98	105	13100	105	13100	C40996 09
AN/TSQ-232V4	COMMAND SYS TACTICAL	VEHICLE MTD	P19L	214	98	105	11500	105	11500	C40996 13
AN/TSQ-232V4	COMMAND CONTROL SYS	VEHICLE MTD	P19M	214	98	105	13100	105	13100	YA0886 12
AN/TSQ-246	SAT BC MGR TRANSP	NOT REDUCIBLE	P19L	212	89	104	10330	104	10330	SS1388 01
AN/TSQ-248	DATA CENTRAL AN/MSW-2	NOT REDUCIBLE	T14E	176	86	104	4300	104	4300	D77801 03
AN/TSQ-248	COMM CENTRAL T-LITE	NOT REDUCIBLE	T14E	176	86	104	4250	104	4250	YA0949 01
AN/TSQ-248	DISTRIBUTED COMMON GR	NOT REDUCIBLE	T14E	176	86	104	4050	104	4050	Z01794 13
AN/TSQ-84	COMM TECH CNTL CTR LP	VEHICLE MTD	P41Q	265	96	135	18560	135	18560	E60197 05
AN/TSQ-84	COMM TECH CNTL CTR LP	VEHICLE MTD	P41Q	279	96	135	18850	135	18850	E60197 07
AN/TSQ-84	COMM TECH CNTL CTR LP	VEHICLE MTD	P41Q	265	96	136	18906	136	18906	E60197 09
AN/TSQ179V2CGS	TARGET ACQU SUBSYS	NOT REDUCIBLE	P19L	218	86	103	10610	103	10610	T37036 11
AN/TSQ179V2CGS	COMMON GROUND SYS	NOT REDUCIBLE	P19L	218	86	103	10610	103	10610	YA0955 01
AN/TSQ226 (V) 2	CNT COM TROJAN SPIRIT	NOT REDUCIBLE	P19L	211	88	101	10635	101	10635	C43331 01
AN/TSQ226 (V) 5	TROJAN T-LITE	NOT REDUCIBLE	T36E	170	86	107	4200	107	4200	YA0947 01
AN/TSQ226V2	COMMUN CENTRAL	NOT REDUCIBLE	P19L	208	96	104	10180	104	10180	YA0862 01
AN/TSQ226V2	COMMUN CENTRAL	VEHICLE MTD	P36L	207	86	107	11020	107	11020	YA0862 07
AN/TSQ226V2	COMMUN CENTRAL	VEHICLE MTD	P19L	213	96	104	10180	104	10180	YA0862 09
AN/TSQ226V3	COMMUN CENTRAL TROJAN	NOT REDUCIBLE	P19K	211	84	103	9500	103	9500	YA0863 01
AN/TSQ226V3	COMMUN CENTRAL TROJAN	VEHICLE MTD	P36L	207	86	107	10980	107	10980	YA0863 07
AN/TSQ252V1	TACTICAL COMMAND SYS	NOT REDUCIBLE	P39L	215	99	109	11500	109	11500	YA0951 07
AN/TSQ279V2CSV	SCDL GSV SYSTEM	NOT REDUCIBLE	P19L	212	86	105	11460	105	11460	YA0953 01
AN/TSQ279V2FCV	SCDL FCV SYSTEM	NOT REDUCIBLE	P19L	212	86	105	11460	105	11460	YA0952 01
AN/TSW-7A	AIR TRAFFIC CON CTL	VEHICLE MTD	P47P	279	96	147	17600	147	17600	A27624 04
AN/TSW-7A	AIR TRAFFIC CON CTL	VEHICLE MTD	P27Q	279	96	93	18100	93	18100	A27624 05
AN/TTC-41V2	CENT OFFICE TEL AUTO	VEHICLE MTD	P19J	195	85	104	8452	104	8452	C78793 02
AN/TTC-41V2	CENT OFFICE TEL AUTO	VEHICLE MTD	P19K	217	82	102	9352	102	9352	C78793 04
AN/TTC-41V2	CENT OFFICE TEL AUTO	VEHICLE MTD	P17J	219	80	104	8332	104	8332	C78793 06
AN/TTC-41V2	CENT OFFICE TEL AUTO	VEHICLE MTD	P23L	232	86	101	10932	101	10932	C78793 08
AN/TTC-41V2	CENT OFFICE TEL AUTO	VEHICLE MTD	P17J	219	80	104	8420	104	8420	C78793 10
AN/TTC-48E2	SMALL EXT NODE SWITCH	NOT REDUCIBLE	P36J	195	87	107	8790	107	8790	S38172 03
AN/TTC-59A (V) 2	JOINT NODE NETWORK (J)	NOT REDUCIBLE	P19L	192	96	96	11064	96	11064	J05001 01
AN/TTC-59A (V) 3	JOINT NODE NETWORK (J)	NOT REDUCIBLE	P19K	205	98	104	9716	104	9716	J05001 16
AN/TTC-59V2	JOINT NODE NETWORK (J)	NOT REDUCIBLE	P17L	197	79	104	10117	104	10117	J05001 08
AN/TTC-59V6	JOINT NODE NETWORK (J)	VEHICLE MTD	P19M	217	94	105	12100	105	12100	J05001 14
AN/TTC-61 (V) 2	CNTL OFF TELE AUTO	NOT REDUCIBLE	P47U	349	117	146	33225	146	33225	C18291 01
AN/TYQ-103	COMPUTER SYS DIGITAL	NOT REDUCIBLE	P19L	205	97	103	10105	103	10105	C18176 01
AN/TYQ-103V2	COMPUTER SYS DIGITAL	NOT REDUCIBLE	P19K	205	97	103	9744	103	9744	C18176 03
AN/TYQ-67 (V)	DIGITAL TOPO SYS	NOT REDUCIBLE	P19L	220	87	102	10080	102	10080	D10281 06
AN/TYQ-67 (V)	DIGITAL TOPO SYS	NOT REDUCIBLE	P19L	220	87	102	10080	102	10080	D10281 08
AN/TYQ-67 (V)	DIGITAL TOPO SYS	NOT REDUCIBLE	P19L	220	87	102	10080	102	10080	D10281 09

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
AN/TYQ-67V	DIGITAL TOPO SYS	NOT REDUCIBLE	P19L	220	87	102	10080	102	10080	D10281 20
AN/TYQ-67V2	DIGITAL TOPO SYS	NOT REDUCIBLE	P19G	208	89	104	6100	104	6100	D10281 17
AN/TYQ-67V3	DIGITAL TOPO SYS	NOT REDUCIBLE	P19G	208	89	104	6100	104	6100	D10281 21
AN/TYQ-67V4	DIGITAL TOPO SYS	NOT REDUCIBLE	P19L	220	87	102	10080	102	10080	D10281 01
AN/TYQ-67V5	DIGITAL TOPO SYS	NOT REDUCIBLE	P19G	208	89	104	6100	104	6100	D10281 18
AN/TYQ-67V6	DIGITAL TOPO SYS	NOT REDUCIBLE	P19L	220	87	102	10340	102	10340	D10281 15
AN/TYQ-67V7	DIGITAL TOPO SYS	NOT REDUCIBLE	P19L	204	88	102	10450	102	10450	D10281 22
AN/TYQ-67V7	DIGITAL TOPO SYS	NOT REDUCIBLE	P19K	208	90	104	9930	104	9930	D10281 28
AN/TYQ-76BV1	INTEGRATED SYS CNTL	VEHICLE MTD	P19H	191	86	105	7790	105	7790	J92107 03
AN/TYQ-89	ALL SRC ANALYSIS SYS	VEHICLE MTD	P19L	203	90	103	10080	103	10080	A52995 12
AN/TYQ-92A	ALL SRC ANALYSIS SYS	VEHICLE MTD	P28M	213	106	90	12300	90	12300	A53199 07
AN/USM-652	ELECTRONIC SHOP	DOLLY WHL MTD	T38Q	370	96	112	20000	112	20000	E02147 03
AN/USM-666	ELECTRONIC SHOP	DOLLY WHL MTD	T38Q	370	96	112	20000	112	20000	E02215 04
ANDREWS MIL201	STLR REEFER 7-1/2-TON	NOT REDUCIBLE	T38J	277	95	130	8700	130	8700	S71613 15
ANT TRANS GRP	RADAR SET	OPERATIONAL	T47D	181	83	146	3200	146	3200	R14284 05
ANT TRANS GRP	RADAR SET	REDUCED	T14D	181	83	83	3200	83	3200	R14284 06
ANT/TRANS GRP	RADAR SET	OPERATIONAL	T47D	181	83	146	3200	146	3200	R14216 10
ANT/TRANS GRP	RADAR SET	REDUCED	T14D	181	83	83	3200	83	3200	R14216 11
ANTENNA MAST	RADIO TERMINAL SET	NOT REDUCIBLE	P19K	199	88	105	9559	105	9559	R35814 05
ANTENNA TRL	RADIO TERMINAL SET	NOT REDUCIBLE	T09C	146	80	92	2720	92	2720	R93035 15
ARMOR CAT I	MINE RES AMBUSH PROT	OPERATIONAL	P46U	261	99	145	30800	145	30800	YA0898 11
ARMOR CAT I	MINE RES AMBUSH PROT	REDUCED	P46U	260	99	145	30800	145	30800	YA0898 12
ARMOR CAT II	MINE RES AMBUSH PROT	OPERATIONAL	P46V	310	121	144	40300	144	40300	YA0898 13
ARMOR CAT II	MINE RES AMBUSH PROT	REDUCED	P46V	283	99	144	40300	144	40300	YA0898 14
ARTFT6	TRK LIFT FRK RT 3-T	OPERATIONAL	P41S	269	103	128	25810	128	25810	X48914 05
ARTFT6	TRK LIFT FRK RT 3-T	REDUCED	P28S	186	103	93	24110	93	24110	X48914 06
ARTFT6GOPS	TRK LIFT FRK RT 3-T	OPERATIONAL	P41S	268	103	128	25650	128	25650	X48914 15
ARTFT6GOPS	TRK LIFT FRK RT 3-T	REDUCED	P28R	186	103	93	23694	93	23694	X48914 16
AS-4429/TSC	ANTENNA COMMCTNS	NOT REDUCIBLE	T25D	243	96	94	3820	94	3820	YA0411 01
AS228C LIFT	STAIRS ACFT BOARDING	NOT REDUCIBLE	P47N	306	94	155	14120	155	14120	AF2604 11
ASL TRL POWER	AIR CTL TWR SYS (MOTS)	NOT REDUCIBLE	T11E	140	88	90	4515	90	4515	M05009 09
ASPHALT TANKER	MIXING PLANT ASPHALT	NOT REDUCIBLE	****	658	125	161	41500	161	41500	M57048 09
AT422T	CRANE WHEEL MOUNTED	OPERATIONAL	P41V	395	101	126	44271	126	44271	C36586 01
AT422T	CRANE WHEEL MOUNTED	REDUCED	P41V	395	101	126	44099	126	44099	C36586 02
ATG	ANTEN TRAN ATG SENT	NOT REDUCIBLE	T44T	289	120	112	29528	112	29528	A24999 01
ATLAS	TRK LIFT FORK RCH RT	OPERATIONAL	P40U	349	101	107	34040	107	34040	T73347 01
ATLAS	TRK LIFT FORK RCH RT	REDUCED	P31S	317	101	102	24040	102	24040	T73347 02
ATLAS	TRK LIFT FORK RCH RT	RED FOR C-130	P34S	396	102	104	24660	104	24660	T73347 04
ATLAS	TRK LIFT FORK RCH RT	NOT REDUCIBLE	P31U	347	96	102	33500	102	33500	T73347 14
ATLAS II	TRK LIFT FORK RCH RT	NOT REDUCIBLE	P33U	363	96	104	33500	104	33500	T73347 15
ATTSC185 SAT	SAT COMM SUB SYSTEM	NOT REDUCIBLE	T11B	150	82	90	1140	90	1140	S05012 01
ATTSC185 SAT	SAT COMM SUB SYS	NOT REDUCIBLE	T11B	150	82	90	1140	90	1140	YA0957 01
AVENGER	FIRE UNIT VEH MTD	OPERATIONAL	P31J	191	101	105	8660	105	8660	F57713 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
AVENGER	FIRE UNIT VEH MTD	REDUCED	P19J	191	88	105	8660	105	8660	F57713 02
AVENGER	FIRE UNIT VEH MTD	OPERATIONAL	P31K	191	101	105	10000	105	10000	F57713 10
AVENGER	FIRE UNIT VEH MTD	REDUCED	P19K	191	85	105	10000	105	10000	F57713 11
AVENGER	FIRE UNIT VEH MTD	SEALIFT/OPR	P19J	191	88	105	8660	105	8660	F57713 19
AVENGER	FIRE UNIT VEH MTD	SEALIFT/OPR	P19K	191	85	105	10000	105	10000	F57713 20
AVENGER	FIRE UNIT VEH MTD	NOT REDUCIBLE	P19J	191	87	105	8701	105	8701	F57713 33
AVNC6217	SHOP EQUIP TRK MTD	NOT REDUCIBLE	P23H	224	86	81	7325	81	7425	T10138 01
B-1	PORTABLE MAINT STAND	NOT REDUCIBLE	T14B	176	60	48	1100	48	1100	AF0009 01
B-4	PORTABLE MAINT STAND	NOT REDUCIBLE	T01A	95	53	56	620	56	620	AF0010 01
B-5	PORTABLE MAINT STAND	NOT REDUCIBLE	T06A	113	98	95	800	95	800	AF0011 01
B-7	PORTABLE MAINT STAND	NOT REDUCIBLE	T21C	228	60	84	2380	84	2380	AF0012 01
BAE CAT I	MINE RES AMBUSH PROT	OPERATIONAL	P46V	267	114	134	38200	134	38200	YA0898 05
BAE CAT I	MINE RES AMBUSH PROT	REDUCED	P41V	262	101	134	38200	134	38200	YA0898 06
BAE CAT II	MINE RES AMBUSH PROT	OPERATIONAL	P46V	338	108	135	48890	135	48890	YA0898 07
BAE CAT II	MINE RES AMBUSH PROT	REDUCED	P41V	334	100	135	48890	135	48890	YA0898 08
BAG HOUSE	MIXING PLANT ASPHALT	NOT REDUCIBLE	****	801	134	161	66000	161	66000	M57048 08
BAILEY	BRIDGE CONV ST FIX	VEHICLE MTD	T26L	278	94	60	10452	60	10452	C20688 22
BAILEY	BRIDGE ERECT ST FIX	VEHICLE MTD	P45T	342	115	118	29927	118	29927	C22058 18
BAILEY	BRIDGE ERECT ST FIX	VEHICLE MTD	P45U	321	121	120	31136	120	31136	C22058 19
BAILEY	BRIDGE ERECT ST FIX	VEHICLE MTD	P45U	326	115	127	31250	127	31250	C22058 20
BAILEY	BRIDGE ERECT ST FIX	VEHICLE MTD	P45U	324	122	120	30420	120	30420	C22058 21
BAILEY	BRIDGE ERECT ST FIX	VEHICLE MTD	P45T	320	115	120	28695	120	28695	C22058 22
BAILEY	BRIDGE ERECT ST FIX	VEHICLE MTD	P45T	344	115	120	29927	120	29927	C22058 23
BAILEY	BRIDGE ERECT ST FIX	VEHICLE MTD	P45T	317	115	120	28695	120	28695	C22058 24
BAILEY	BRIDGE ERECT ST FIX	VEHICLE MTD	T25L	246	94	96	10970	96	10970	C22058 25
BAILEY	BRIDGE FIX HWY	VEHICLE MTD	P35U	333	115	98	32563	98	32563	C23017 28
BAILEY	BRIDGE FIX HWY	VEHICLE MTD	P45T	313	115	127	29927	127	29927	C23017 29
BAILEY	BRIDGE FIX HWY	VEHICLE MTD	P45U	288	121	127	31463	127	31463	C23017 30
BAILEY	BRIDGE FIX HWY	VEHICLE MTD	T19H	204	94	82	7884	82	7884	C23017 31
BARGE 231B	BARGE DECK/LIQUID CGO	NOT REDUCIBLE	****	1440	396	234	350000	234	350000	B31197 01
BARGE 585TON	BARGE DECK CARGO	NOT REDUCIBLE	****	1443	403	209	392000	209	392000	B30923 01
BARGE 655TON	BARGE DECK CARGO	NOT REDUCIBLE	****	1440	403	209	1450000	209	1450000	B30923 02
BARGE 750TON	BARGE DECK CARGO	NOT REDUCIBLE	****	2440	418	111	1900000	111	1900000	B30923 03
BASE X HVAC	GEN-ECU TLR MTD	NOT REDUCIBLE	T13F	165	85	75	5200	75	5200	YA0785 08
BEB	BOAT BRIDGE ERECTION	NOT REDUCIBLE	T28P	300	108	84	17000	84	17000	B05006 01
BEOD	EXPL ORD DISP TRK MTD	NOT REDUCIBLE	P19J	191	86	100	8400	100	8400	S25817 01
BIN FEEDER	MIXING PLANT ASPHALT	NOT REDUCIBLE	****	773	102	162	49600	162	49600	M57048 04
BLUE PACK TRL	VEH MTD MINE DET SYS	NOT REDUCIBLE	T28N	291	100	99	14500	99	14500	V05001 08
BMP-2	OPOSING SUROGATE VEH	NOT REDUCIBLE	P43S	248	112	122	24500	122	24500	C17989 01
BMPM	PAVING MACH BITUMIN M	NOT REDUCIBLE	T38U	240	96	120	35000	120	35000	P05023 01
BOBCAT	TRAILER, SKIDSTEER	NOT REDUCIBLE	T30G	331	96	47	6020	47	6020	YA0522 01
BSF-400	PAVING MACH BITUM	OPERATIONAL	P45S	197	128	122	25740	122	25740	N75124 09
BSF-400	PAVING MACH BITUM	REDUCED	P44S	197	120	98	25740	98	25740	N75124 10

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
BSF-400	PAVING MACH BITUM	RED F/SEALIFT	P44S	197	120	98	25740	98	25740	N75124 15
BSF-400	PAVING MACH BITUM	SEALIFT/OPR	P45S	197	120	122	25740	122	25740	N75124 16
BUFFALO MPCV	MINE PROTECTED CLR VE	OPERATIONAL	P47W	348	116	156	73000	156	73000	M05004 01
BUFFALO MPCV	MINE PROTECTED CLR VE	REDUCED	P47W	330	105	146	73000	146	73000	M05004 02
BUFFALO MPCV	MINE PROTECTED CLR VE	NOT REDUCIBLE	P39W	323	97	117	73000	117	73000	M05004 03
C-1	MAINT STAND WHL MTD	NOT REDUCIBLE	T04A	48	41	81	140	81	140	AF0034 01
C-12A	AIRPLANE CARGO TRANS	FLYAWAY	****	525	667	176	8190	176	8190	A29676 01
C-12A	AIRPLANE CARGO TRANS	REDUCED	****	525	254	176	7730	176	7730	A29676 02
C-12C	AIRPLANE CARGO	OPERATIONAL	****	525	667	176	8190	176	8190	A29744 01
C-12C	AIRPLANE CARGO	REDUCED	****	525	254	176	7730	176	7730	A29744 02
C-12D	AIRPLANE CARGO	OPERATIONAL	****	525	667	176	8190	176	8190	A29812 01
C-12D	AIRPLANE CARGO	REDUCED	****	525	254	176	7730	176	7730	A29812 02
C-12F	AIRPLANE CARGO	OPERATIONAL	****	525	667	176	8190	176	8190	A30062 01
C-12F	AIRPLANE CARGO	REDUCED	****	525	254	176	7730	176	7730	A30062 02
C-130 HERCULES	AIRPLANE CGO TRANSPOR	FLYAWAY	****	1173	1591	459	75800	459	75800	YA1067 01
C-17 GLOBEMAST	AIRPLANE CGO TRANSPOR	FLYAWAY	****	2088	2040	660	282500	660	282500	YA1068 01
C-23B	AIRPLANE CARGO	NOT REDUCIBLE	****	697	897	197	16220	197	16220	A29880 01
C-23B+	AIRPLANE CARGO	NOT REDUCIBLE	****	697	897	197	16220	197	16220	A29880 02
C-26	AIRPLANE CGO TRANS	NOT REDUCIBLE	****	712	658	212	11000	212	11000	YA6758 01
C-RAM	CTR RKT ARTY MORTAR	NOT REDUCIBLE	T47W	575	96	156	61000	156	61000	YA0740 01
C10C	AIR CONDITIONER TM	NOT REDUCIBLE	T03B	107	70	69	1330	69	1330	AF0035 01
C350BD	ROLLER MTZ STEEL WHL	NOT REDUCIBLE	P16R	201	65	77	21050	77	21050	S11711 01
C530A	ROLLER PNEU SP	NOT REDUCIBLE	P14K	179	73	81	9245	81	9245	S11793 01
C6D042	TRK VAN	NOT REDUCIBLE	P38M	302	96	127	14000	127	14000	CB8259 01
CAMEL	TLR TANK WTR 800 GAL	NOT REDUCIBLE	T23K	231	96	102	9650	102	9650	Z36683 01
CAMEL II	TLR TANK WTR 800 GAL	NOT REDUCIBLE	T23Q	230	96	101	19090	101	19090	Z36683 02
CAMERA TRL	SECURITY CAMERA TRL	NOT REDUCIBLE	T13B	162	75	85	1600	85	1600	YA1056 01
CAP	CAP, TRK MOUNTING	VEHICLE MTD	P19G	191	86	83	6350	83	6350	YA0613 03
CAP	CAP, TRK MOUNTING	VEHICLE MTD	P14F	187	90	87	5730	87	5730	YA0613 05
CART	DEICE CART	NOT REDUCIBLE	P03C	110	72	46	2200	46	2200	YA0493 01
CART	OXYGEN CART	NOT REDUCIBLE	P03B	112	68	34	1100	34	1100	YA0494 01
CAT 120M W/OAO	MOTOR GRADER	NOT REDUCIBLE	P41V	346	105	135	44870	135	44870	M05001 01
CAT 120M W/OAO	MOTOR GRADER	OPERATIONAL	P41V	355	105	130	38840	130	38840	M05001 02
CAT 120M W/OAO	MOTOR GRADER	REDUCED	P33V	355	105	102	36500	102	36500	M05001 03
CAT 621B	SCRAPER EARTH MVG SP	OPERATIONAL	P48W	501	140	140	64950	140	64950	S56246 01
CAT 621B	SCRAPER EARTH MVG SP	REDUCED	P48W	501	140	128	64950	128	64950	S56246 02
CAT 621B W/OAO	SCRAPER EARTH MVG SP	NOT REDUCIBLE	P48W	501	140	140	64950	140	64950	S56246 04
CAT 815F W/OAO	COMPACTOR HI SPEED	NOT REDUCIBLE	P49V	276	144	143	48290	143	48290	E61618 27
CB534B	ROLLER MTZ STEEL WHL	OPERATIONAL	P36R	203	81	118	21400	118	21400	S11711 08
CB534B	ROLLER MTZ STEEL WHL	REDUCED	P17R	203	73	95	20500	95	20500	S11711 09
CB534C	ROLLER MTZ STEEL WHL	NOT REDUCIBLE	P36R	195	73	118	21832	118	21832	S11711 12
CCE 130G	GRADER RD MTZ	OPERATIONAL	P38U	327	95	127	31300	127	31300	G74783 01
CCE 130G	GRADER RD MTZ	REDUCED	P29T	327	95	91	29450	91	29450	G74783 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
CEU	COOLING EQUIP UNT CEU	NOT REDUCIBLE	T38V	460	96	109	41080	109	41080	C05013 01
CGO VAN TRL	FIREWGN CRASH DECON T	NOT REDUCIBLE	T33M	384	96	96	13800	96	13800	YA1065 01
CH-47D	HELICOPTER CGO TRANS	FLYAWAY	****	1187	720	224	23460	224	46335	H30517 01
CH-47D	HELICOPTER CGO TRANS	SEALIFT/OPR	****	609	149	224	20570	224	46335	H30517 02
CH-47D	HELICOPTER CGO TRANS	RED FOR C-5	T49V	609	149	141	17679	141	46335	H30517 05
CH-47D	HELICOPTER CGO TRANS	RED FOR C-17	T49V	609	149	141	17679	141	46335	H30517 16
CH-47F	CARGO HELICOPTER	FLYAWAY	****	1187	623	223	41803	223	41803	C15172 01
CH-47F	CARGO HELICOPTER	RED FOR C-5	T49V	607	151	153	35520	153	35520	C15172 02
CH-47F	CARGO HELICOPTER	RED FOR C-17	T49V	607	151	153	35520	153	35520	C15172 08
CH-47F	CARGO HELICOPTER	SEALIFT/OPR	****	607	151	223	35520	223	35520	C15172 14
CHASSIS OFFICE	CONTAINER OFFICE 40FT	NOT REDUCIBLE	T35H	492	99	50	8000	50	8000	YA1054 02
CHEVEROLET	MULTI-STOP W/HOOK	NOT REDUCIBLE	P39G	230	97	109	6040	109	6040	AF0024 01
CK2500 3/4 TON	EMERG RESPONSE VEH	NOT REDUCIBLE	P19H	218	93	101	7878	101	7878	YA0840 01
CLASS 530	FIREFIGHT EQP TRKMTD	OPERATIONAL	P27N	272	95	106	15920	106	15920	H56391 01
CLASS 530	FIREFIGHT EQP TRKMTD	REDUCED	P27N	272	95	100	15920	100	15920	H56391 02
CLASS 530	FIREFIGHT EQP TRKMTD	RED F/SEALIFT	P27N	272	95	100	15920	100	15920	H56391 14
CLASS 530	FIREFIGHT EQP TRKMTD	SEALIFT/OPR	P27N	272	95	106	15920	106	15920	H56391 15
CMTH	SHP EQP CONT TRK MTD	NOT REDUCIBLE	P19K	191	89	99	9200	99	9200	S25681 01
CMTH	SHP EQP CONT TRK MTD	NOT REDUCIBLE	P19L	191	86	94	10300	94	10300	S25681 03
CMTH	SHP EQP CONT TRK MTD	NOT REDUCIBLE	P19J	191	86	102	8920	102	8920	S25681 05
CMTH	SHP EQP CONT TRK MTD	SEALIFT/OPR	P19K	191	91	99	9200	99	9200	S25681 16
CMTH	SHP EQP CONT TRK MTD	SEALIFT/OPR	P19L	191	91	94	10300	94	10300	S25681 18
CMTH	SHP EQP CONT TRK MTD	SEALIFT/OPR	P19J	191	91	102	8920	102	8920	S25681 20
CMTH	SHP EQP CONT TRK MTD	NOT REDUCIBLE	P14J	189	88	99	8200	99	8200	S25681 22
CMTH	SHP EQP CONT TRK MTD	SEALIFT/OPR	P14J	189	88	99	8200	99	8200	S25681 24
CMTH	SHP EQP CONT TRK MTD	NOT REDUCIBLE	P19K	191	86	102	9360	102	9360	S25681 26
CMTH	SHP EQP CONT TRK MTD	SEALIFT/OPR	P19K	191	86	102	9360	102	9360	S25681 28
CMU-3	SHOP EQUIP TRK MTD	OPERATIONAL	P19K	217	95	83	9140	83	9240	T10138 06
CMU-3	SHOP EQUIP TRK MTD	REDUCED	P19K	216	83	82	9140	82	9240	T10138 07
CMU-3	SHOP EQUIP TRK MTD	SEALIFT/OPR	P19K	216	83	83	9140	83	9240	T10138 33
CMU-5	SHOP EQUIP TRK MTD	OPERATIONAL	P19J	214	93	82	8555	82	8655	T10138 02
CMU-5	SHOP EQUIP TRK MTD	REDUCED	P18J	214	89	76	8555	76	8655	T10138 03
CMU-5	SHOP EQUIP TRK MTD	SEALIFT/OPR	P19J	214	89	82	8555	82	8655	T10138 16
COMMON NO 2	SHOP EQUIP AUTMV L/P	VEHICLE MTD	P41P	265	96	136	17530	136	17530	W32730 03
COMMON NO 2	SHOP EQUIP AUTMV L/P	VEHICLE MTD	P41Q	279	96	136	18970	136	18970	W32730 05
COMMON NO 2	SHOP EQUIP AUTMV L/P	VEHICLE MTD	P41Q	265	96	137	18926	137	18926	W32730 07
COMMON NO 2	SHOP EQUIP AUTMV L/P	VEHICLE MTD	P38R	255	96	120	21820	120	21820	W32730 09
CONT210	CNTNR ASSY REFRIG	VEHICLE MTD	T38M	444	96	114	12710	114	12710	C84541 06
CONTRAIL TC-16	TRL FLTBED TOMMASTER	NOT REDUCIBLE	T33F	368	102	46	5900	46	5900	YA1050 01
CONTROL VAN	MIXING PLANT ASPHALT	NOT REDUCIBLE	T50U	550	103	159	33000	159	33000	M57048 11
CP-433C	VIBRATRY COMPACT/ROLL	NOT REDUCIBLE	P36N	208	75	115	15625	115	15625	YA0361 04
CRANE 250TON	CRANE BARGE 89-250TON	NOT REDUCIBLE	****	2100	840	1476	3312000	1476	3312000	F36090 06
CRANE 264	CRANE BARGE 89-250TON	NOT REDUCIBLE	****	2130	848	1008	3151680	1008	3151680	F36090 03

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
CRANE 264B	CRANE BARGE 89-250TON	NOT REDUCIBLE	****	1705	840	1042	3651200	1042	3651200	F36090 01
CRS-100	CLOTH RPR SHP TLR MTD	NOT REDUCIBLE	T13F	166	83	89	5395	89	5395	E40961 17
CS-431C	VIBRATORY COMPACT/ROLL	NOT REDUCIBLE	P36M	190	75	115	13750	115	13750	YA0361 01
CS-433C	ROLLER VIBRATORY SP	NOT REDUCIBLE	P36N	211	75	115	14600	115	14600	R13167 01
CS-433C	VIBRATORY COMPACT/ROLL	NOT REDUCIBLE	P36N	211	75	115	15125	115	15125	YA0361 02
CTA 40	TRACTOR WHL WHS GED	NOT REDUCIBLE	P01F	113	59	64	5720	64	5720	W89557 02
CTMGSA-5	GEN SET DED TLR MTD	NOT REDUCIBLE	T11C	157	80	81	2980	81	2980	G41670 03
D150	33K FORKLIFT	NOT REDUCIBLE	P41V	279	98	139	39088	139	39088	YA0895 01
D5BNS	TRACTOR FTRAC LS DED	OPERATIONAL	P43U	208	111	122	31050	122	31050	W76285 06
D5BNS	TRACTOR FTRAC LS DED	REDUCED	P28T	208	111	87	29630	87	29630	W76285 09
D5BNS1	TRACTOR FTRAC LS DED	NOT REDUCIBLE	P43U	207	111	122	31050	122	31050	W76285 08
D5BS	TRACTOR FTRAC LS DED	OPERATIONAL	P43U	211	111	122	32640	122	32640	W76268 09
D5BS	TRACTOR FTRAC LS DED	REDUCED	P28T	208	111	87	29620	87	29620	W76268 26
D5BS1	TRACTOR FTRAC LS DED	NOT REDUCIBLE	P42U	216	110	113	33300	113	33300	W76268 16
D60	DISTR BITUM TRK MTD	NOT REDUCIBLE	P39S	340	99	122	24700	122	24700	G27844 01
D7E	TRACTOR FTRAC LS DED	OPERATIONAL	P48V	226	133	124	49250	124	49250	W76816 24
D7E	TRACTOR FTRAC LS DED	REDUCED	P28V	183	115	94	40435	94	40435	W76816 25
D7E	TRACTOR FTRAC LS DED	OPERATIONAL	P48W	288	133	121	52539	121	52539	W83529 06
D7E	TRACTOR FTRAC LS DED	REDUCED	P28V	158	113	90	37664	90	37664	W83529 07
D7E RIP ROPS	TRACTOR FTRAC LS DED	OPERATIONAL	P48W	288	133	121	52539	121	52539	W83529 32
D7E RIP ROPS	TRACTOR FTRAC LS DED	REDUCED	P28V	158	113	90	37664	90	37664	W83529 33
D7E W/ROPS	TRACTOR FTRAC LS DED	OPERATIONAL	P48W	226	133	124	50590	124	50590	W76816 29
D7E W/ROPS	TRACTOR FTRAC LS DED	REDUCED	P28V	183	115	94	40435	94	40435	W76816 30
D7F DV29	TRACTOR FTRAC LS DED	OPERATIONAL	P48V	236	133	125	49169	125	49169	W76816 08
D7F DV29	TRACTOR FTRAC LS DED	REDUCED	P28V	186	105	93	40669	93	40669	W76816 09
D7F DV29	TRACTOR FTRAC LS DED	OPERATIONAL	P48W	298	133	125	51679	125	51679	W83529 12
D7F DV29	TRACTOR FTRAC LS DED	REDUCED	P28V	167	112	94	38714	94	38714	W83529 13
D7F W/ROPS	TRACTOR FTRAC LS DED	OPERATIONAL	P48V	227	134	126	49439	126	49439	W76816 17
D7F W/ROPS	TRACTOR FTRAC LS DED	REDUCED	P28V	184	105	94	42169	94	42169	W76816 18
D7F W/ROPS	TRACTOR FTRAC LS DED	OPERATIONAL	P48W	297	134	126	55499	126	55499	W83529 18
D7F W/ROPS	TRACTOR FTRAC LS DED	REDUCED	P28V	166	105	94	41599	94	41599	W83529 19
D7F WNRZD	TRACTOR FTRAC LS DED	NOT REDUCIBLE	P48W	221	132	122	50240	122	50240	W76816 15
D7G AOA	TRACTOR FTRAC LS DED	NOT REDUCIBLE	P48W	298	133	125	51679	125	51679	W83529 62
D7G RIP ROPS	TRACTOR FTRAC LS DED	OPERATIONAL	P49W	271	144	132	52450	132	52450	W83529 39
D7G RIP ROPS	TRACTOR FTRAC LS DED	REDUCED	P28V	174	104	94	38196	94	38196	W83529 42
D7G W/AOA	COMPACTOR HI SPEED	NOT REDUCIBLE	T49V	276	144	135	46200	135	46200	E61618 26
D7G W/ARMOR	TRACTOR FTRAC LS DED	NOT REDUCIBLE	P48W	298	133	125	51679	125	51679	W76816 78
D7G W/RIPPER	TRACTOR FTRAC LS DED	NOT REDUCIBLE	P49W	273	144	132	50100	132	50100	W83529 61
D7G WNRZD	TRACTOR FTRAC LS DED	NOT REDUCIBLE	P49V	220	144	132	47311	132	47311	W76816 65
D7G WVN	TRACTOR FTRAC LS DED	OPERATIONAL	P49V	225	144	132	49640	132	49640	W76816 35
D7G WVN	TRACTOR FTRAC LS DED	REDUCED	P28V	173	104	94	37256	94	37256	W76816 37
D7H	TRACTOR FTRAC LS DED	OPERATIONAL	P49W	276	154	138	62666	138	62666	W76816 66
D7H	TRACTOR FTRAC LS DED	REDUCED	P28V	186	113	99	44695	99	44695	W76816 67

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
D7H WVN	TRACTOR FTRAC LS DED	OPERATIONAL	P49W	232	154	138	58921	138	58921	W83529 56
D7H WVN	TRACTOR FTRAC LS DED	REDUCED	P28V	186	113	99	44695	99	44695	W83529 57
D7R	TRACTOR FTRAC LS DED	OPERATIONAL	P49W	272	145	140	61000	140	61000	W83529 51
D7R	TRACTOR FTRAC LS DED	REDUCED	P28V	186	113	99	43947	99	43947	W83529 52
D842-BR	DIGGER DERRICK TRK	NOT REDUCIBLE	P41S	300	100	140	26060	140	26060	YA0746 01
D842-BR	DIGGER DERRICK TRK	NOT REDUCIBLE	P39S	280	100	124	25300	124	25300	YA0746 03
D8700680LP	CLOTH RPR SHP TLR MTD	NOT REDUCIBLE	T13D	167	83	90	3960	90	3960	E40961 01
D8K-8A-58	TRACTOR FTRAC LS DED	NOT REDUCIBLE	***	268	183	135	77260	135	77260	W88575 01
D8K-8S-8	TRACTOR FTRAC LS DED	OPERATIONAL	P49X	321	156	135	86422	135	86422	W88699 01
D8K-8S-8	TRACTOR FTRAC LS DED	REDUCED	P44W	201	119	106	60830	106	60830	W88699 02
DEPMEDS	MMS CENTRAL MATERIAL	DOLLY WHL MTD	T38Q	190	96	110	19262	110	19262	M08417 42
DEPMEDS	MMS INTERMED CARE WRD	DOLLY WHL MTD	T38Q	190	96	110	15801	110	15801	M08599 53
DESIGN 3006	TUG 1200 TO 1530 HP	NOT REDUCIBLE	***	1284	318	756	600800	756	600800	X71046 07
DESIGN 377A	TUG 1200 TO 1530 HP	NOT REDUCIBLE	***	1721	396	552	1132000	552	1132000	X71046 04
DEWATERING UNT	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	T43N	384	110	118	14500	118	14500	F49673 15
DIESEL	FORD F-450 4X4	NOT REDUCIBLE	P24J	262	96	80	8130	80	8130	YA1015 01
DIESEL	FORD F-550 4X4	NOT REDUCIBLE	P24K	263	96	80	9800	80	9800	YA1016 01
DODGE	Z-BACKSCATTER VAN	NOT REDUCIBLE	P25K	252	81	102	9990	102	9990	YA0767 01
DP6024	TRK LIFT FRK GED 3-T	OPERATIONAL	P36K	147	68	110	9620	110	9620	X51791 36
DP6024	TRK LIFT FRK GED 3-T	REDUCED	P36K	108	68	110	9620	110	9620	X51791 37
DRUM MELTER	MIXING PLANT ASPHALT	NOT REDUCIBLE	***	628	125	161	49000	161	49000	M57048 10
DRUM MIXER	MIXING PLANT ASPHALT	NOT REDUCIBLE	***	698	119	161	65500	161	65500	M57048 06
DUECE	TRACTOR FTRAC HI SPD	OPERATIONAL	P44V	230	116	109	35750	109	35750	T76541 01
DUECE	TRACTOR FTRAC HI SPD	REDUCED	P31V	230	107	102	35750	102	35750	T76541 02
DUECE	TRACTOR FTRAC HI SPD	RED F/SEALIFT	P31V	230	107	102	35750	102	35750	T76541 04
DUECE	TRACTOR FTRAC HI SPD	SEALIFT/OPR	P42V	230	107	109	35750	109	35750	T76541 05
DUECE	TRACTOR FTRAC HI SPD	NOT REDUCIBLE	P44V	232	116	110	35500	110	35500	T76541 29
DV43	TRUCK LIFT FRK DED RT	OPERATIONAL	***	412	240	166	107050	166	107050	T48941 01
DV43	TRUCK LIFT FRK DED RT	REDUCED	P48W	312	141	123	69460	123	69460	T48941 02
DV43	TRUCK LIFT FRK DED RT	SEALIFT/OPR	***	412	141	166	103500	166	103500	T48941 20
E57-6D-TM	COMP UNIT RCP TLR MTD	NOT REDUCIBLE	T03A	107	63	51	840	51	840	E70338 21
EBS MOBILE TWR	MOBILE ANT TOWER TRLR	NOT REDUCIBLE	T31P	351	100	100	17000	100	17000	YA0963 04
ECU 8TON	CLIMATE CONTROL UNIT	NOT REDUCIBLE	T19E	198	92	89	4560	89	4560	YA0542 01
ECU, 505 ULME	SHLTR SUPT TRLR PWR/H	NOT REDUCIBLE	T19M	215	96	102	12200	102	12200	YA1070 01
EEU	ELEC EQUIP UNIT (EEU)	NOT REDUCIBLE	T38V	460	96	109	36140	109	36140	P05004 01
EFG2/6002	TRK LIFT FRK ELEC 2-T	NOT REDUCIBLE	P04J	126	42	79	8260	79	8260	X50436 11
ELAMS	EXP LGT AIR MOB SHLTR	NOT REDUCIBLE	T38N	289	96	114	14240	114	14240	YA0485 01
ELAMS	EXP LT AIR MOB SHLTR	NOT REDUCIBLE	T38N	289	96	114	14240	114	14240	YA0932 06
ELAMS TOC 2	EXP LT AIR MOB SHLTR	DOLLY WHL MTD	T19J	218	97	99	8905	99	8905	YA0932 05
ENG	SHP SET CONT TRK MTD	NOT REDUCIBLE	P19K	219	85	84	9200	84	9200	S30914 01
ENG-3	LUB SVC UNIT TLR MTD	NOT REDUCIBLE	T13F	175	97	77	5610	77	5610	L85283 04
ENG-3A	LUB SVC UNIT TLR MTD	NOT REDUCIBLE	T13F	172	96	81	5350	81	5350	L85283 05
EOD	SHOP EQUIP GP TRK MTD	NOT REDUCIBLE	P19H	219	85	84	7080	84	7080	S31232 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
EOD	SHOP EQUIP GP TRK MTD	NOT REDUCIBLE	P19K	219	82	85	9200	85	9200	S31232 04
EPP III	POWER PLANT TRK MTD	NOT REDUCIBLE	T41W	400	102	135	52910	135	52910	P63496 01
EQ-36 MEG	RADAR SYS COUNTER FIR	NOT REDUCIBLE	P41U	279	96	137	31900	137	31900	Z00737 01
EQ-36 OCS	RADAR SYS COUNTER FIR	VEHICLE MTD	P41U	279	96	137	31900	137	31900	Z00737 03
ES-100K	SWEPPER ROTARY TOWED	NOT REDUCIBLE	T28B	208	109	54	1750	54	1750	U76871 09
ETR/MSV/MIST	TRAC ETRAC/TAC VAN	OPERATIONAL	T39V	550	98	108	39821	108	39821	YA0363 01
ETR/MSV/MIST	TRAC ETRAC/TAC VAN	REDUCED	T35V	508	98	102	39821	102	39821	YA0363 02
ETR/MSV/MIST	TRAC ETRAC/TAC VAN	RED FOR C-17	T35V	550	98	102	39821	102	39821	YA0363 05
ETR/MSV/MIST	TRAC ETRAC/TAC VAN	RED FOR C-130	T35V	508	98	102	39821	102	39821	YA0363 06
ETR/MSV/MIST	TRAC ETRAC/TAC VAN	RED F/SEALIFT	T35V	508	98	102	39821	102	39821	YA0363 41
ETR/MSV/MIST	TRAC ETRAC/TAC VAN	SEALIFT/OPR	T39V	508	98	108	39821	108	39821	YA0363 42
ETRAC	TRACTOR COMMERCIAL	NOT REDUCIBLE	P19K	212	96	94	9860	94	9860	YA0351 01
ETRAC/TMV	TRAC ETRAC/TAC VAN	OPERATIONAL	T38U	515	96	108	31138	108	31138	YA0362 01
ETRAC/TMV	TRAC ETRAC/TAC VAN	REDUCED	T35U	494	96	102	31138	102	31138	YA0362 02
ETRAC/TMV	TRAC ETRAC/TAC VAN	RED FOR C-130	T35U	494	96	102	31138	102	31138	YA0362 05
ETRAC/TMV	TRAC ETRAC/TAC VAN	RED FOR C-17	T35U	514	96	102	31138	102	31138	YA0362 13
ETRAC/TMV	TRAC ETRAC/TAC VAN	RED F/SEALIFT	T35U	494	96	102	31138	102	31138	YA0362 36
ETU-91/E	C-5 ENGINE TRAILER	OPERATIONAL	T38U	378	111	96	19426	96	19426	AF9467 01
ETU-91/E	C-5 ENGINE TRAILER	REDUCED	T35P	341	111	96	16980	96	16980	AF9467 02
EUH-60L	HELICOPTER UTILITY	FLYAWAY	****	778	644	210	20250	210	20250	H31595 01
EUH-60L	HELICOPTER UTILITY	RED FOR C-5	T47P	636	117	156	16200	156	16200	H31595 02
EUH-60L	HELICOPTER UTILITY	RED FOR C-17	T47P	636	117	156	16200	156	16200	H31595 04
EUH-60L	HELICOPTER UTILITY	RED F/SEALIFT	****	636	172	156	16850	156	16850	H31595 06
EUH-60L	HELICOPTER UTILITY	SEALIFT/OPR	****	636	266	202	18250	202	18250	H31595 07
F-550	TRK COMM CREW CAB	NOT REDUCIBLE	P25K	265	94	90	9260	90	9260	YA0918 01
F-550	FORD 550	NOT REDUCIBLE	P24Q	248	80	80	19500	80	19500	YA1045 01
F-P BWEF	BOAT PATROL FBRGLASS	NOT REDUCIBLE	T16C	210	80	60	2025	60	2025	B84007 01
F250	TRUCK, F250	NOT REDUCIBLE	P25L	252	78	93	12000	93	12000	YA1039 01
F250 SUPER DTY	TRUCK FORD	NOT REDUCIBLE	P25K	264	86	84	6840	80	9840	YA0823 16
F250 UTIL BED	TRUCK FORD	NOT REDUCIBLE	P27K	269	86	93	9600	93	9600	YA0823 17
F350	TRUCK FORD	NOT REDUCIBLE	P28J	264	101	89	5720	80	8720	YA0823 01
F350	TRUCK FORD	OPERATIONAL	P28J	261	105	86	7711	80	8720	YA0823 02
F350	TRUCK FORD	REDUCED	P25J	261	94	86	7711	80	8720	YA0823 03
F450	TRK FORD F450 DUALY 4	NOT REDUCIBLE	P27J	275	96	81	8280	81	8280	YA1033 01
F5070 IHC	TRUCK DUMP 20-TON DED	OPERATIONAL	P43W	313	110	125	31026	125	71026	X44403 01
F5070 IHC	TRUCK DUMP 20-TON DED	REDUCED	P41W	313	103	125	31026	125	71026	X44403 02
F5070 IHC	TRUCK DUMP 20-TON DED	SEALIFT/OPR	P41W	313	103	125	31026	125	71026	X44403 23
F750	TRK FORD F750 STAKEBO	NOT REDUCIBLE	P41Q	370	100	135	18580	135	18580	YA1034 01
F750	TRK FORD F750 STAKEBO	NOT REDUCIBLE	P33N	391	96	92	15490	92	15490	YA1034 02
F750	TRUCK, F750 BOX	NOT REDUCIBLE	P41U	372	96	132	34000	132	34000	YA1038 01
F800	TRUCK STAKE	NOT REDUCIBLE	P28M	288	96	96	14000	96	14000	CB0528 03
FEED CONVEYOR	MIXING PLANT ASPHALT	NOT REDUCIBLE	T47R	633	101	153	20600	153	20600	M57048 05

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
FG30N7(T)	TRK LIFT FRK GED 2-T	NOT REDUCIBLE	P09K	139	46	83	9037	83	9037	X51585 07
FIRST MDT TRL	VEH MTD MINE DET SYS	NOT REDUCIBLE	T14Q	178	99	72	18350	72	18350	V05001 05
FJF060	TRK LIFT FRK GED 3-T	OPERATIONAL	P36K	160	63	111	9660	111	9660	X51791 25
FJF060	TRK LIFT FRK GED 3-T	REDUCED	P36K	118	63	111	9660	111	9660	X51791 26
FJF060MHE210	TRK LIFT FRK GED 3-T	OPERATIONAL	P36L	154	63	111	10040	111	10040	X51791 32
FJF060MHE210	TRK LIFT FRK GED 3-T	REDUCED	P36L	108	63	111	10040	111	10040	X51791 33
FL40E5600M	TRK LIFT FRK GED 2-T	NOT REDUCIBLE	P09L	137	43	84	10500	84	10500	X50436 09
FLU-419	TRAC WHLW/EXCVT&FRILD	NOT REDUCIBLE	P25N	250	96	102	15920	102	15920	T34437 03
FM BASIC LP	SHOP EQUIP MACH SHOP	VEHICLE MTD	P41Q	265	100	130	18885	130	18885	T15644 07
FM HVY 1	SHOP EQUIP MACH SHOP	VEHICLE MTD	T38L	276	96	129	10860	129	10860	T15641 02
FM SUPPL NO1	SHOP EQUIP AUTMW L/P	VEHICLE MTD	P41Q	279	100	130	19971	130	19971	T25619 03
FORD	LATRINE SVC TRK	NOT REDUCIBLE	P25M	255	90	81	12160	81	12160	AF7605 01
FORD F350	TRK CHEVY 3500 4X4	NOT REDUCIBLE	T25G	252	83	90	6870	90	6870	YA1032 02
FP60-24-PS	TRK LIFT FRK GED 3-T	OPERATIONAL	P36L	147	66	110	10400	110	10400	X51791 29
FP60-24-PS	TRK LIFT FRK GED 3-T	REDUCED	P36L	108	66	110	10400	110	10400	X51791 30
FP60-24PS	TRK LIFT FRK GED 3-T	OPERATIONAL	P36L	149	67	110	10380	110	10380	X51791 34
FP60-24PS	TRK LIFT FRK GED 3-T	REDUCED	P36L	109	67	110	10380	110	10380	X51791 35
FPI CAT I	MINE RES AMBUSH PROT	OPERATIONAL	P41U	249	104	123	33640	123	33640	YA0898 01
FPI CAT I	MINE RES AMBUSH PROT	REDUCED	P40U	236	104	111	33640	111	33640	YA0898 02
FPI CAT II	MINE RES AMBUSH PROT	OPERATIONAL	P41U	297	104	122	41300	122	41300	YA0898 03
FPI CAT II	MINE RES AMBUSH PROT	REDUCED	P40V	283	103	110	41300	110	41300	YA0898 04
FREHAUF M349A1	STLR REEFER 7-1/2-TON	NOT REDUCIBLE	T38J	285	96	130	8600	130	8600	S71613 18
FSC-4310	COMPRESSOR	NOT REDUCIBLE	T13E	166	73	86	4200	86	4200	CB3135 02
G / E-T	GCS GEN EQUIP TRLR	NOT REDUCIBLE	T11D	136	96	74	3900	74	3900	YA0683 08
G-40	TRACTOR WHL WHS GED	OPERATIONAL	P03E	110	66	59	4890	59	4890	W89557 13
G-40	TRACTOR WHL WHS GED	REDUCED	P03E	99	66	59	4890	59	4890	W89557 14
G/PC	TRACTOR WHL WHS GED	NOT REDUCIBLE	P03E	107	66	56	4850	56	4850	W89557 21
G750SS	REEFER TRUCK	NOT REDUCIBLE	P41D	397	97	133	3275	133	3275	YA1013 01
GANG	GENRIC ACFT NITRO GEN	NOT REDUCIBLE	T01C	96	58	66	3000	66	3000	G90261 03
GANG	GENRIC ACFT NITRO GEN	NOT REDUCIBLE	T01C	96	58	66	3000	66	3000	G90261 04
GATOR	AVIATION TRACTOR	NOT REDUCIBLE	P01A	92	52	41	850	41	850	YA0505 01
GATOR, JD	UTILITY VEH 4WD	NOT REDUCIBLE	P03B	126	80	65	1422	65	1422	YA0819 01
GB2060	M-GATOR UTILITY VEH	NOT REDUCIBLE	P01B	108	60	71	1650	71	1650	YA0442 07
GEN SET	WATER PUMP UNIT	NOT REDUCIBLE	P38G	212	96	109	6770	109	6770	YA0531 01
GEN TRL	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	P38L	222	96	116	10631	116	10631	F49673 09
GET	MIXING PLANT ASPHALT	NOT REDUCIBLE	T41V	550	102	123	41000	123	41000	M57048 02
GETS	INTG TLR ECU GEN ITEG	NOT REDUCIBLE	T13D	170	87	78	3910	78	3910	YA0993 01
GETS GREEN	GEN 35KW TRLR MTD	NOT REDUCIBLE	T13E	165	75	85	4700	85	4700	YA0822 03
GETS TAN	GEN 35KW TRLR MTD	NOT REDUCIBLE	T13D	165	85	75	3820	75	3820	YA0822 01
GEU-60	GEN 35KW TRLR MTD	NOT REDUCIBLE	T13D	165	85	75	3880	75	3880	YA0822 18
GIRAFFE AMB	GEU-60 A/C UNIT	NOT REDUCIBLE	P01D	104	60	76	3100	76	3100	YA0497 01
GPU	RADAR TARGET ACQ SYS	NOT REDUCIBLE	P47V	438	96	150	45700	150	45700	YA0904 01
	JOHN DEER TRACTOR	NOT REDUCIBLE	P01E	91	45	44	4340	44	4340	YA0369 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
GPU	GRD PWR UNIT (DIESEL)	NOT REDUCIBLE	P01B	66	35	53	1970	53	1970	YA0499 01
GREY EAGLE	GRND DATA TERMINAL TR	NOT REDUCIBLE	P27N	268	96	103	14500	103	14500	G05011 01
H-1	HEATER TLR MTD	NOT REDUCIBLE	T01A	97	54	44	820	44	820	AF0006 01
H100C TYPE II	LOADER SCOOP TYPE WHL	OPERATIONAL	P48W	354	131	147	50920	147	50920	L76321 03
H100C TYPE II	LOADER SCOOP TYPE WHL	REDUCED	P48W	354	131	126	50920	126	50920	L76321 04
H100CRB	LOADER SCOOP TYPE WHL	OPERATIONAL	P48W	354	131	147	51080	147	51080	L76315 03
H100CFB	LOADER SCOOP TYPE WHL	REDUCED	P48W	354	131	126	51080	126	51080	L76315 04
HATT TRLR	AVIATION HELO CARRIER	NOT REDUCIBLE	****	234	129	48	6750	168	14250	YA0755 01
HC-238A	CRANE TRK MTD 140-TON	OPERATIONAL	****	993	142	390	191225	390	191225	C38874 06
HC-238A	CRANE TRK MTD 140-TON	REDUCED	P48X	450	142	147	85335	147	85335	C38874 08
HC-238A	CRANE TRK MTD 140-TON	NOT REDUCIBLE	P48X	620	132	142	86480	142	86480	C38874 24
HC-238A	CRANE TRK MTD 140-TON	NOT REDUCIBLE	P46W	620	132	142	66065	142	66065	C38874 25
HC-238A	CRANE TRK MTD 140-TON	NOT REDUCIBLE	P46X	620	116	142	83825	142	83825	C38874 26
HC-238A	CRANE TRK MTD 140-TON	NOT REDUCIBLE	P46X	620	116	142	89500	142	89500	C38874 27
HD1228/USD9	AIR CONDITNR TLR MTD	NOT REDUCIBLE	T01A	48	48	36	650	36	650	A26098 01
HD16M	TRACTOR FTRAC LS DED	OPERATIONAL	P48W	243	135	122	52365	122	52365	W83529 01
HD16M	TRACTOR FTRAC LS DED	REDUCED	P44V	216	122	94	43565	94	43565	W83529 02
HDS-E	MIXER ROT TILLER SP	NOT REDUCIBLE	P41P	307	104	125	16260	125	16260	M55384 05
HERCULES	TRL HOMESTEADER	NOT REDUCIBLE	T40Q	264	101	112	7540	81	19540	YA0824 01
HH-60L	MEDEVAC HELICOPTER	FLYAWAY	****	778	644	202	22000	202	22000	U84291 01
HH-60L	MEDEVAC HELICOPTER	RED FOR C-5	****	627	129	162	19200	162	19200	U84291 02
HH-60L	MEDEVAC HELICOPTER	RED FOR C-17	****	627	129	162	19200	162	19200	U84291 07
HH-60L	MEDEVAC HELICOPTER	SEALIFT/OPR	****	644	266	202	18520	202	18520	U84291 12
HH-60L	MEDEVAC HELICOPTER	RED F/SEALIFT	****	644	172	156	16850	156	16850	U84291 13
HH-60L	MEDEVAC HELICOPTER	RED FOR C-5	****	627	129	162	16287	162	16287	U84291 14
HH-60M	MEDEVAC HELI	FLYAWAY	****	628	129	202	19200	202	19200	M33458 01
HH-60M	MEDEVAC HELI	RED FOR C-17	T47Q	628	129	148	19200	148	19200	M33458 02
HMEE III	TRACTOR WHEELED IND	OPERATIONAL	P38R	275	95	130	21720	130	21720	T34505 01
HMEE III	TRACTOR WHEELED IND	REDUCED	P31P	290	95	105	17800	105	17800	T34505 02
HMMH	TRACTOR WHEELED DED	NOT REDUCIBLE	P19N	211	94	99	15850	99	15850	T33786 01
HMMVEE	COMMERCIAL HMMWV	NOT REDUCIBLE	P19M	220	94	104	12070	104	12070	YA0631 01
HO-16M	TRACTOR FTRAC LS DED	OPERATIONAL	P48W	233	135	138	53160	138	53160	W76816 01
HO-16M	TRACTOR FTRAC LS DED	REDUCED	P44V	202	117	99	43220	99	43220	W76816 02
HP-2 DRASH	ICSS DRASH ECU TRL MT	NOT REDUCIBLE	T19E	191	85	81	4200	81	4200	D05002 01
HP-2 JC	COMM GEN TLR MTD	NOT REDUCIBLE	T18E	194	85	78	4580	78	4580	YA0380 05
HP-2C/ 288 IPT	DRASH TRAILER	NOT REDUCIBLE	T19E	191	85	81	4200	81	4200	YA0778 01
HP-2C/18 MOD	GEN TRL PU-97/TSQ-179	NOT REDUCIBLE	T19E	194	86	83	4025	83	4025	YA1047 01
HP-2C/185	TMSS MEDIUM SHTR SYS	NOT REDUCIBLE	T18E	195	86	79	4200	79	4200	YA0884 01
HP-2C/185	TMSS MEDIUM SHTR SYS	NOT REDUCIBLE	T18E	195	86	79	4200	79	4200	YA0884 03
HP-2C/188	SHELTER SUPPORT TRLR	NOT REDUCIBLE	T12D	165	86	72	3400	72	3400	YA0705 01
HP-2C/338	DRASH UST TLR ECU/ GE	NOT REDUCIBLE	T22C	231	85	78	3000	78	3000	YA0894 01
HP-2C/338 IPT	DRASH UST TLR ECU/ GE	NOT REDUCIBLE	T19E	191	85	81	4200	81	4200	YA0894 09
HP-2C/338DRASH	BSC MOBILE SUPPT TRK	NOT REDUCIBLE	P19E	191	85	81	4200	81	4200	S05005 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
HP-2C/8E	UTIL TRANS TRLR	NOT REDUCIBLE	T19E	195	87	82	4200	82	4200	YA1021 01
HP-2C1G1	DRASH TRAILER	NOT REDUCIBLE	T11D	154	85	78	3270	78	3270	YA0779 01
HP-2E	DRASH TRAILER	NOT REDUCIBLE	T09C	135	85	79	2086	79	2086	YA0780 01
HP-2G	TENT TRAILER	NOT REDUCIBLE	T14F	186	86	78	6000	78	6000	YA0770 01
HP-2U	GENERATOR & ECU	NOT REDUCIBLE	T11D	154	85	78	3400	78	3400	YA0635 01
HP-2U	DRASH TRAILER	NOT REDUCIBLE	T11D	154	85	78	3271	78	3271	YA0783 01
HP-3G	DRASH TRAILER	NOT REDUCIBLE	T18F	190	85	78	5083	78	5083	YA0781 01
HP-4	DRASH TRAILER	NOT REDUCIBLE	T22D	232	85	78	3740	78	3740	YA0782 01
HP-4/338	UTIL TRANS TRLR	NOT REDUCIBLE	T22G	229	87	79	6500	79	6500	YA1022 01
HP-6G-18IPT	HABORMASTER CMD CTL C	NOT REDUCIBLE	T25J	254	97	81	8459	81	8459	C05019 05
HP-6G/ 18 IPT	AIR CTL TWR SYS (MOTS)	NOT REDUCIBLE	T25K	254	96	81	9735	81	9735	M05009 10
HP-6G/18 IPT	DRASH TRL GEN/ECU SET	NOT REDUCIBLE	T25K	254	96	81	9735	81	9735	G05013 01
HP-8	DRASH TRLR	NOT REDUCIBLE	T28J	313	97	87	8071	87	8071	YA0923 01
HP-8	TMSS LARGE SHTR SYS	NOT REDUCIBLE	T28L	314	96	91	12000	91	12000	YA0958 01
HP-8	TMSS LARGE SHTR SYS	NOT REDUCIBLE	T28L	314	96	91	12000	91	12000	YA0958 03
HP-J	TENT TRAILER	NOT REDUCIBLE	T18F	210	98	78	5687	78	5687	YA0769 01
HP2-C 20KW	COMM GEN TLR MTD	NOT REDUCIBLE	T13D	166	86	75	3800	75	3800	YA0380 01
HP2-C 20KW	COMM GEN TLR MTD	NOT REDUCIBLE	T19D	191	85	86	3800	86	3800	YA0380 02
HP4 DLSERIES	UTIL SHLTR TRNSP TRLR	NOT REDUCIBLE	T22F	230	85	77	3950	77	5600	YA0407 01
HP4 J-SERIES	UTIL SHLTR TRNSP TRLR	NOT REDUCIBLE	T22G	230	93	74	6160	74	6160	YA0407 02
HP4-C 15KW	COMM GEN TLR MTD	NOT REDUCIBLE	T22D	231	86	78	3880	78	3880	YA0382 01
HP4-C 20KW	COMM GEN TLR MTD	NOT REDUCIBLE	T22D	231	86	78	3920	78	3920	YA0381 01
HSMWS	HELAMS WHL SET	OPERATIONAL	T06D	108	100	90	3500	90	3500	YA1053 01
HSMWS	HELAMS WHL SET	REDUCED	T05D	108	100	48	3500	48	3500	YA1053 02
HTSP	HABORMASTER CMD CTL C	NOT REDUCIBLE	T13E	169	89	94	4020	94	4020	C05019 09
HUMINT	MINE RESISTANT VEH M-	OPERATIONAL	****	286	115	171	29850	171	29850	M11442 04
HUMINT WO TUR	MINE RESISTANT VEH M-	REDUCED	P41T	286	105	136	29550	136	29550	M11442 06
HUMINT REDUCED	MINE RESISTANT VEH M-	REDUCED	P46T	286	105	144	29850	144	29850	M11442 18
HUSKY BLUE PAK	TRL SET MINE DETONATI	NOT REDUCIBLE	T28N	291	100	99	14500	99	14500	T05003 06
HUSKY RED PAK	TRL SET MINE DETONATI	NOT REDUCIBLE	T28N	291	100	99	14500	99	14500	T05003 05
HUSKY VMMD	VEH MTD MINE DET SYS	NOT REDUCIBLE	P39Q	292	100	115	18078	115	18078	V05001 01
HYDRAULIC	AIRCRAFT RECOVERY TRL	NOT REDUCIBLE	T44E	300	128	48	4440	48	4440	YA0950 01
IHC	BUS, 29 PAX	NOT REDUCIBLE	P36M	322	84	120	12800	120	12800	AF5722 01
ILAV	JERRY SURROGATE VEH	NOT REDUCIBLE	P41U	310	105	124	32540	124	32540	YA0987 02
IMG CAT I	MINE RES AMBUSH PROT	OPERATIONAL	P50V	260	121	160	36500	160	36500	YA0898 09
IMG CAT I	MINE RES AMBUSH PROT	REDUCED	P50V	260	100	160	36500	160	36500	YA0898 10
IT28G CAT	10K ADV TERRAIN FKLFT	NOT REDUCIBLE	T41S	305	97	126	26180	126	26180	AF1393 04
J-217-F	TRACTOR WHL WHS GED	NOT REDUCIBLE	P03F	111	67	61	5840	61	5840	W89557 01
JCB HMEEE-1	HIGH MOB ENG EXCAVATOR	RED FOR C-130	P35S	407	96	102	26300	102	26300	H53576 01
JCB HMEEE-1	HIGH MOB ENG EXCAVATOR	OPERATIONAL	P35U	407	96	106	33540	106	33540	H53576 03
JD-410	TRACTOR WHL IND (CCE)	OPERATIONAL	P46N	284	90	141	15160	141	15160	W91074 01
JD-410	TRACTOR WHL IND (CCE)	REDUCED	P31N	348	90	102	15160	102	15160	W91074 02
JD230LC-RD	EXCAVATOR HYD TYPE II	OPERATIONAL	****	520	126	290	57480	290	57480	E41791 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)	WEIGHT (LB)	<---EMPTY--->	HEIGHT (IN)	WEIGHT (LB)	<---LOADED--->	HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
JD230LC-RD	EXCAVATOR HYD TYPE II	REDUCED	P45V	427	126	122	47440	122	47440	122	47440	122	47440	E41791 02
JD330LCR	EXCAVATOR HYD TYPEIII	NOT REDUCIBLE	P46W	436	126	136	73600	136	73600	136	73600	136	73600	E27860 01
JD330LCR	EXCAVATOR HYD TYPEIII	NOT REDUCIBLE	P46W	436	126	136	73132	136	73132	136	73132	136	73132	E27860 03
JD330LCR	EXCAVATOR HYD TYPEIII	NOT REDUCIBLE	P46W	436	126	136	74780	136	74780	136	74780	136	74780	E27860 05
JD450G	TRACTOR FTRAC LS DED	OPERATIONAL	P39Q	180	97	109	18300	109	18300	109	18300	109	18300	W76336 40
JD450G	TRACTOR FTRAC LS DED	REDUCED	P14Q	180	97	81	18300	81	18300	81	18300	81	18300	W76336 41
JD450G	TRACTOR FTRAC LS DED	RED F/SEALIFT	P14Q	180	97	81	18300	81	18300	81	18300	81	18300	W76336 43
JD450G	TRACTOR FTRAC LS DED	SEALIFT/OPR	P39Q	180	97	109	18300	109	18300	109	18300	109	18300	W76336 44
JERRY EOD 6X6	MINE RESIST VEH JERRY	NOT REDUCIBLE	P42V	294	106	107	39000	107	39000	107	39000	107	39000	YA1072 01
JG-40PT	TRACTOR WHL WHS GED	NOT REDUCIBLE	P03F	115	66	57	5120	57	5120	57	5120	57	5120	W89557 15
JG40	TRACTOR WHL WHS GED	NOT REDUCIBLE	T01A	108	56	61	4800	61	4800	61	4800	61	4800	W89557 23
JHG7.5A	GEN SET WHLMTD 7.5KW	OPERATIONAL	T01A	82	39	41	570	41	570	41	570	41	570	J49055 07
JHG7.5A	GEN SET WHLMTD 7.5KW	REDUCED	T01A	50	39	41	570	41	570	41	570	41	570	J49055 08
JISS TRAILER	TLR VAN 4 WHL ACVC MA	NOT REDUCIBLE	T27K	277	98	101	9970	101	9970	101	9970	101	9970	W99012 04
JISS TRLR ACC	TLR VAN 4 WHL ACVC MA	NOT REDUCIBLE	T19F	220	90	101	5580	101	5580	101	5580	101	5580	W99012 03
JIG 1250 AJP	AERIAL LIFT	NOT REDUCIBLE	P39V	451	98	120	44000	120	44000	120	44000	120	44000	YA0850 11
JLG 800AJ	AERIAL LIFT	NOT REDUCIBLE	P38U	438	96	117	34300	117	34300	117	34300	117	34300	YA0850 01
JOHN DEERE	TRK LIFT, FORK 10K	NOT REDUCIBLE	P31S	320	91	101	24880	101	24880	101	24880	101	24880	AF8250 01
JOHN DEERE	AVIATION TRACTOR	NOT REDUCIBLE	P01B	84	40	68	1250	68	1250	68	1250	68	1250	YA0506 01
JTAGS	CMD SYSTEM TACTICAL	VEHICLE MTD	T35R	438	96	96	21150	96	21150	96	21150	96	21150	CA0746 02
JTUAV	AIR VEH LAUNCHER	NOT REDUCIBLE	T09D	135	85	76	3660	76	3660	76	3660	76	3660	Z07362 01
KN6HS	PUMP CNTRF WHL MTD	OPERATIONAL	T13D	162	73	87	3740	87	3740	87	3740	87	3740	P94359 01
KN6HS	PUMP CNTRF WHL MTD	REDUCED	T04D	113	73	77	3740	77	3740	77	3740	77	3740	P94359 02
KN8L	PUMP CNTRF WHL MTD	NOT REDUCIBLE	T13D	162	73	86	3740	86	3740	86	3740	86	3740	P94359 09
LADS	LAUNDRY ADV SYS TLR M	NOT REDUCIBLE	T47V	360	96	156	49000	156	49000	156	49000	156	49000	L70538 01
LANTIS 606	BAGGAGE CONVEYOR BELT	NOT REDUCIBLE	T28F	300	80	59	6000	59	6000	59	6000	59	6000	AF0036 03
LC-236/MT	CABLE LAYER TLR MTD	NOT REDUCIBLE	T03B	104	71	68	1180	68	1180	68	1180	68	1180	C66801 01
LC350AGPM	PUMP FLMB LIQ WHLMTD	OPERATIONAL	T03C	122	70	68	2140	68	2140	68	2140	68	2140	P97051 35
LC350AGPM	PUMP FLMB LIQ WHLMTD	REDUCED	T03C	78	70	68	2140	68	2140	68	2140	68	2140	P97051 36
LC350BGPM	PUMP UNIT CENT WATER	OPERATIONAL	T03C	122	70	68	2140	68	2140	68	2140	68	2140	P44549 12
LC350BGPM	PUMP UNIT CENT WATER	REDUCED	T03C	78	70	68	2140	68	2140	68	2140	68	2140	P44549 13
LC350GPM	PUMP FLMB LIQ WHLMTD	OPERATIONAL	T03C	122	70	68	2140	68	2140	68	2140	68	2140	P97051 21
LC350GPM	PUMP FLMB LIQ WHLMTD	REDUCED	T03C	78	70	68	2140	68	2140	68	2140	68	2140	P97051 24
LC350GPM-W	PUMP UNIT CENT WATER	OPERATIONAL	T03C	122	70	68	2140	68	2140	68	2140	68	2140	P44549 10
LC350GPM-W	PUMP UNIT CENT WATER	REDUCED	T03C	78	70	68	2140	68	2140	68	2140	68	2140	P44549 11
LCM-8 MOD2	LANDING CRFT MECH	NOT REDUCIBLE	****	888	265	42	143600	42	143600	42	143600	42	143600	L36654 01
LCM8 MOD-1SLE	LANDING CRAFT MECH	NOT REDUCIBLE	****	888	254	113	118000	113	118000	113	118000	113	118000	L36739 07
LCRTF 5K	LGT RGH TERAN FRKLIFT	NOT REDUCIBLE	P23M	228	81	89	13450	89	13450	89	13450	89	13450	L05010 01
LCT AH-64D	LONGBOW CRW TRNER TRL	NOT REDUCIBLE	****	636	102	162	40500	162	40500	162	40500	162	40500	YA0703 01
LCU 2000	LANDING CRAFT UTILITY	NOT REDUCIBLE	****	2088	504	876	1288000	876	1288000	876	1288000	876	1288000	L36989 01
LH M915	TRK TRAC LINE HAUL W/	NOT REDUCIBLE	P39R	276	98	119	22480	119	22480	119	22480	119	22480	T91758 04
LHS TRUCK	ENG MISSION MOD-WTR D	VEHICLE MTD	P47W	437	101	148	57200	148	57200	148	57200	148	57200	E05007 06
LIBERTY II	BREATHING AIR SYS	NOT REDUCIBLE	T17G	193	75	91	6200	91	6200	91	6200	91	6200	YA0976 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
LK-30C	TRK FORKLIFT DED	NOT REDUCIBLE	P50W	408	62	158	61040	158	61040	CB1820 17
LK-50C	TRK FORKLIFT DED	NOT REDUCIBLE	****	423	140	167	106800	167	106800	CB1820 18
LK25P44-ICSS	TRK LIFT FORK RCH RT	NOT REDUCIBLE	P41V	334	101	136	41660	136	41660	T73347 16
LN2	COMM TRAILER	NOT REDUCIBLE	T40E	188	102	114	4700	114	4700	YA0802 01
LONG BOX	POLARIS SPE MIL DSL	NOT REDUCIBLE	P11B	149	62	72	1777	72	1777	YA1042 01
LOX	LIQUID OXYGEN CART	NOT REDUCIBLE	T01B	88	54	42	1170	42	1170	AF0016 01
LP/PD1-90	RIGID WALL SHELTER	VEHICLE MTD	P19L	203	85	100	10030	100	10030	R98145 02
LP0001	TUG DIESEL LARGE	NOT REDUCIBLE	****	1540	432	896	1729200	896	1729200	T68330 01
LPP-TM	PUMP FLMB LIQ WHLMTD	OPERATIONAL	T03C	122	70	68	2140	68	2140	P97051 18
LPP-TM	PUMP FLMB LIQ WHLMTD	REDUCED	T03C	78	70	68	2140	68	2140	P97051 22
LT TYPE II	LOADER SCOOP	NOT REDUCIBLE	P41U	301	102	128	34160	128	34160	L76897 01
LT WHEELED	JOHN DEER TRACTOR	NOT REDUCIBLE	P09D	143	84	90	3990	90	3990	YA0370 01
LT-60	TRK LIFT FRK GED 3-T	OPERATIONAL	P36L	151	73	115	10200	115	10200	X51791 13
LT-60	TRK LIFT FRK GED 3-T	REDUCED	P36L	105	73	115	10200	115	10200	X51791 14
LT801	TUG DIESEL LARGE	NOT REDUCIBLE	****	1540	432	514	1760640	514	1760640	T68330 02
LTWTTY1	SHLTR NONEXPD LTWR	VEHICLE MTD	P19J	199	89	103	8660	103	8660	S01563 09
LTWTTY1	SHLTR NONEXPD LTWR	VEHICLE MTD	P19K	199	89	103	10000	103	10000	S01563 11
LTWTTY1	SHLTR NONEXPD LTWR	VEHICLE MTD	P19J	217	89	102	8900	102	8900	S01563 13
M GATOR	TRAIL GATOR UTIL VEH	NOT REDUCIBLE	P01B	106	60	44	1056	44	1056	YA0639 01
M-10A	TRUCK LIFT FRK DED RT	OPERATIONAL	P41V	343	101	131	36315	131	36315	T49119 01
M-10A	TRUCK LIFT FRK DED RT	REDUCED	P28U	271	101	100	31140	100	31140	T49119 02
M-10A	TRUCK LIFT FRK DED RT	OPERATIONAL	P41V	343	101	131	36315	131	36315	T49119 08
M-10A	TRUCK LIFT FRK DED RT	REDUCED	P31U	343	101	100	32190	100	32190	T49119 09
M-4746CLP	CLOTH RPR SHP TLR MTD	NOT REDUCIBLE	T12E	163	70	65	4020	65	4020	E40961 04
M-532	LAUNDRY UNIT TLR MTD	NOT REDUCIBLE	T19K	198	98	97	9015	97	9215	L48315 01
M-ATV	MINE RESISTANT VEH M-	OPERATIONAL	P46U	250	100	144	32244	144	32244	M11442 01
M-ATV	MINE RESISTANT VEH M-	REDUCED	P25R	250	100	100	23660	100	23660	M11442 02
M-ATV	MINE RESISTANT VEH M-	NOT REDUCIBLE	P45U	247	123	124	32244	124	32244	M11442 03
M-GATOR	M-GATOR UTILITY VEH	NOT REDUCIBLE	P01B	111	61	44	1422	44	1422	YA0442 01
M0195 TRL	CALIB SET SEC TRANS	NOT REDUCIBLE	T23L	230	96	82	10129	82	10129	C72574 07
M1 (ABRAMS)	TANK CBT FTRAC 105MM	OPERATIONAL	P49Y	385	144	114	118160	114	118160	T13374 01
M1 (ABRAMS)	TANK CBT FTRAC 105MM	REDUCED	P49Y	354	144	104	118160	104	118160	T13374 03
M1 (ABRAMS)	TANK CBT FTRAC 105MM	OPERATIONAL	****	434	179	114	126160	114	126160	T13374 12
M1 (ABRAMS)	TANK CBT FTRAC 105MM	REDUCED	P49Y	354	144	104	118160	104	118160	T13374 13
M1000	STLR LOWBED 70-TON	OPERATIONAL	T49Y	622	144	124	50400	126	190400	S70859 01
M1000	STLR LOWBED 70-TON	REDUCED	T49Y	622	144	114	50400	114	190400	S70859 02
M1000	STLR LOWBED 70-TON	NOT REDUCIBLE	T49Y	622	148	124	50400	124	190400	S70859 47
M1008	TRUCK CARGO TACTICAL	OPERATIONAL	P22J	221	87	76	5900	76	8400	T59482 01
M1008	TRUCK CARGO TACTICAL	REDUCED	P18J	217	82	76	5900	76	8400	T59482 02
M1008	TRUCK CARGO TACTICAL	W/SHELTER KIT	P23G	223	94	96	6590	96	6590	T59482 04
M1008	TRUCK CARGO TACTICAL	NOT REDUCIBLE	P23J	221	87	100	8400	100	8400	T59482 07
M1008	TRUCK CARGO TACTICAL	RED F/SEALIFT	P18J	217	82	76	5900	76	8400	T59482 17
M1008	TRUCK CARGO TACTICAL	SEALIFT/OPR	P22J	221	82	76	5900	76	8400	T59482 18

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M101	HOWITZER LT TWD 105MM	NOT REDUCIBLE	T24E	236	89	70	4750	70	4750	K57392 10
M101	TRAILER CARGO 3/4-TON	OPERATIONAL	T09D	147	74	83	1540	83	3040	W95537 07
M101	TRAILER CARGO 3/4-TON	REDUCED	T08D	147	74	50	1540	50	3040	W95537 08
M101	TRAILER CARGO 3/4-TON	RED F/SEALIFT	T08D	147	74	50	1540	50	3040	W95537 34
M101	TRAILER CARGO 3/4-TON	SEALIFT/OPR	T09D	147	74	83	1540	83	3040	W95537 54
M1010	TRK AMB 5/4T TACT 4X4	OPERATIONAL	P21H	228	80	102	7360	102	7360	T38660 01
M1010	TRK AMB 5/4T TACT 4X4	REDUCED	P21H	228	77	102	7360	102	7360	T38660 02
M1010	TRK AMB 5/4T TACT 4X4	SEALIFT/OPR	P21H	228	77	102	7360	102	7360	T38660 09
M101A1	HOWITZER LT TWD 105MM	NOT REDUCIBLE	T24E	239	87	71	4880	71	4880	K57392 07
M101A1	TRAILER CARGO 3/4-TON	OPERATIONAL	T09C	147	74	83	1350	83	2850	W95537 01
M101A1	TRAILER CARGO 3/4-TON	REDUCED	T08C	147	74	50	1350	50	2850	W95537 02
M101A1	TRAILER CARGO 3/4-TON	PIGGYBACKED	T09C	147	74	92	2704	92	2704	W95537 03
M101A1	TRAILER CARGO 3/4-TON	NOT REDUCIBLE	T09C	147	79	75	2880	75	2880	W95537 05
M101A1	TRAILER CARGO 3/4-TON	RED F/SEALIFT	T08C	147	74	50	1350	50	2850	W95537 35
M101A1	TRAILER CARGO 3/4-TON	SEALIFT/OPR	T09C	147	74	83	1350	83	2850	W95537 56
M101A2	TRAILER CARGO 3/4-TON	OPERATIONAL	T09C	147	74	83	1340	83	2840	W95537 23
M101A2	TRAILER CARGO 3/4-TON	REDUCED	T08C	147	74	50	1340	50	2840	W95537 24
M101A2	TRAILER CARGO 3/4-TON	RED F/SEALIFT	T08C	147	74	50	1340	50	2840	W95537 36
M101A2	TRAILER CARGO 3/4-TON	SEALIFT/OPR	T09C	147	74	83	1340	83	2840	W95537 58
M101A2	TRAILER CARGO 3/4-TON	MOD FOR SET	T09C	147	74	83	2690	83	2690	W95537 84
M101A3	TRAILER CARGO 3/4-TON	OPERATIONAL	T09C	147	74	83	1340	83	2840	W95537 A1
M101A3	TRAILER CARGO 3/4-TON	REDUCED	T08C	147	74	50	1340	50	2840	W95537 A2
M101A3	TRAILER CARGO 3/4-TON	RED F/SEALIFT	T08C	147	74	50	1340	50	2840	W95537 A3
M101A3	TRAILER CARGO 3/4-TON	SEALIFT/OPR	T09C	147	74	83	1340	83	2840	W95537 A4
M102	HOWITZER LT TWD 105MM	OPERATIONAL	T24D	257	75	70	3160	70	3160	K57392 01
M102	HOWITZER LT TWD 105MM	REDUCED	T20D	226	75	53	3160	53	3160	K57392 03
M1022	DOLLY SET LIFT SHLTR	OPERATIONAL	T38R	198	96	110	5580	110	20580	D34883 01
M1022	DOLLY SET LIFT SHLTR	REDUCED	T19R	198	96	96	5580	96	20580	D34883 02
M1022	DOLLY SET LIFT SHLTR	RED F/SEALIFT	T19R	198	96	96	5580	96	20580	D34883 12
M1022	DOLLY SET LIFT SHLTR	SEALIFT/OPR	T38R	198	96	110	5580	110	20580	D34883 13
M1022A1	DOLLY SET LIFT SHLTR	OPERATIONAL	T38R	198	96	120	6150	120	21150	D34883 10
M1022A1	DOLLY SET LIFT SHLTR	REDUCED	T19R	198	96	96	6150	96	21150	D34883 11
M1022A1	DOLLY SET LIFT SHLTR	RED F/SEALIFT	T19R	198	96	96	6150	96	21150	D34883 14
M1022A1	DOLLY SET LIFT SHLTR	SEALIFT/OPR	T38R	198	96	120	6150	120	21150	D34883 15
M1025	TRK UTILITY 1-1/4-TON	NOT REDUCIBLE	P14J	180	85	74	6104	74	8200	T92242 01
M1025A1	TRK UTILITY 1-1/4-TON	NOT REDUCIBLE	P14J	180	86	74	6140	74	8236	T92242 13
M1025A1P1	TRK UTIL ARM 4X4 W/ A	NOT REDUCIBLE	P14H	180	91	74	7740	74	7740	T91490 02
M1025A2	TRK UTILITY 1-1/4-TON	OPERATIONAL	P28J	191	110	74	6780	74	8876	T92242 18
M1025A2	TRK UTILITY 1-1/4-TON	REDUCED	P18J	191	86	74	6780	74	8876	T92242 19
M1025A2	TRK UTILITY 1-1/4-TON	SEALIFT/OPR	P18J	191	86	74	6780	74	8876	T92242 20
M1025A2P1	TRK UTIL ARM 4X4 W/ A	OPERATIONAL	P28J	191	115	74	8380	74	8380	T91490 03
M1025A2P1	TRK UTIL ARM 4X4 W/ A	REDUCED	P18J	191	91	74	8380	74	8380	T91490 04
M1025P1	TRK UTIL ARM 4X4 W/ A	NOT REDUCIBLE	P14H	180	90	74	7704	74	7704	T91490 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1026	TRK UTIL 1-1/4-TON	NOT REDUCIBLE	P14J	186	85	74	6237	74	8333	T92310 01
M1026A1	TRK UTIL 1-1/4-TON	NOT REDUCIBLE	P14J	186	86	74	6267	74	8363	T92310 09
M1026A1	TRK UTIL 1-1/4-TON	SEALIFT/OPR	P14J	186	86	74	6267	74	8363	T92310 16
M1026A1P1	TRK UTIL ARM 4X4 W/ A	NOT REDUCIBLE	P14G	186	86	74	6310	74	6310	T37338 02
M1026P1	TRK UTIL ARM 4X4 W/ A	NOT REDUCIBLE	P14G	186	86	74	6310	74	6310	T37338 01
M1028	TRUCK CARGO TACTICAL	OPERATIONAL	P22K	221	87	76	5810	76	9410	T59414 01
M1028	TRUCK CARGO TACTICAL	REDUCED	P18K	217	82	76	5810	76	9410	T59414 02
M1028	TRUCK CARGO TACTICAL	W/SHELTER KIT	P23H	221	87	105	7450	105	7450	T59414 05
M1028	TRUCK CARGO TACTICAL	RED F/SEALIFT	P18K	217	82	76	5810	76	9410	T59414 25
M1028	TRUCK CARGO TACTICAL	SEALIFT/OPR	P22K	221	82	76	5810	76	9410	T59414 26
M1028A1	TRUCK CARGO TACTICAL	OPERATIONAL	P36J	221	87	108	5800	108	8300	T59550 01
M1028A1	TRUCK CARGO TACTICAL	REDUCED	P22J	221	87	76	5800	76	8300	T59550 02
M1028A1	TRUCK CARGO TACTICAL	RED F/SEALIFT	P22J	221	87	76	5800	76	8300	T59550 13
M1028A1	TRUCK CARGO TACTICAL	SEALIFT/OPR	P36J	221	87	108	5800	108	8300	T59550 14
M1028A3	TRK CGO 5/4-TON	NOT REDUCIBLE	P38M	221	96	105	10120	108	13520	Z40367 01
M1035A1	TRK AMB 2 LITTER	OPERATIONAL	P18F	191	86	72	5477	72	5477	YA0252 01
M1035A1	TRK AMB 2 LITTER	REDUCED	P14F	180	86	56	5477	56	5477	YA0252 02
M1035A1	TRK AMB 2 LITTER	RED F/SEALIFT	P14F	180	86	56	5477	56	5477	YA0252 13
M1035A1	TRK AMB 2 LITTER	SEALIFT/OPR	P14F	180	86	72	5477	72	5477	YA0252 14
M1037	TRK UTIL 4X4	OPERATIONAL	P36J	189	85	107	5269	107	8600	T07543 01
M1037	TRK UTIL 4X4	REDUCED	P14J	189	85	102	5269	102	8600	T07543 04
M1037	TRK UTIL 4X4	MOD FOR SET	P19J	203	85	100	8540	100	8540	T07543 09
M1037	TRK UTIL 4X4	MOD FOR SET	P14J	185	85	105	8466	105	8466	T07543 12
M1037	TRK UTIL 4X4	MOD FOR SET	P14J	185	85	80	8655	80	8655	T07543 13
M1037	TRK UTIL 4X4	VEHICLE MTD	P19M	202	82	106	12350	106	12350	T07543 22
M1037P1	TRK WEA CARR W/AOA	OPERATIONAL	P37G	189	91	107	6469	107	6469	T61242 01
M1037P1	TRK WEA CARR W/AOA	REDUCED	P14G	189	91	102	6469	102	6469	T61242 02
M1038 WVN	TRK UTIL CGO/TRP CARR	OPERATIONAL	P28H	186	108	72	5200	72	7700	T61562 01
M1038 WVN	TRK UTIL CGO/TRP CARR	REDUCED	P14H	186	84	53	5200	53	7700	T61562 04
M1038 WVN	TRK UTIL CGO/TRP CARR	RED F/SEALIFT	P14H	186	84	53	5200	53	7700	T61562 29
M1038 WVN	TRK UTIL CGO/TRP CARR	SEALIFT/OPR	P14H	186	84	72	5200	72	7700	T61562 30
M1038A1 WVN	TRK UTIL CGO/TRP CARR	OPERATIONAL	P28J	186	108	72	5507	72	8007	T61562 19
M1038A1 WVN	TRK UTIL CGO/TRP CARR	REDUCED	P14J	186	86	56	5507	56	8007	T61562 20
M1038A1 WVN	TRK UTIL CGO/TRP CARR	RED F/SEALIFT	P14J	186	86	56	5507	56	8007	T61562 31
M1038A1 WVN	TRK UTIL CGO/TRP CARR	SEALIFT/OPR	P14J	186	86	72	5507	72	8007	T61562 32
M1038A1P1	TRK UTIL W/ARMOR 4DR	OPERATIONAL	P28G	186	113	72	6707	72	6707	T11790 03
M1038A1P1	TRK UTIL W/ARMOR 4DR	REDUCED	P14G	186	90	72	6707	72	6707	T11790 04
M1038P1	TRK UTIL W/ARMOR 4DR	OPERATIONAL	P28G	186	113	72	6400	72	6400	T11790 01
M1038P1	TRK UTIL W/ARMOR 4DR	REDUCED	P14G	186	90	72	6400	72	6400	T11790 02
M103A3	CHASSIS TLR 2-WHL	NOT REDUCIBLE	T13F	164	83	94	5750	94	5750	YA0312 01
M1043A2	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P18E	191	86	72	4400	72	4400	CB0360 11
M1045	TRUCK CARGO	NOT REDUCIBLE	P14H	180	85	73	7098	73	7098	CB8255 01
M105	TLR CARGO 1-1/2-TON	OPERATIONAL	T13F	166	83	98	2440	98	5440	W95811 18

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M105	TLR CARGO 1-1/2-TON	REDUCED	T12F	166	83	55	2440	55	5440	W95811 19
M105	TLR CARGO 1-1/2-TON	RED F/SEALIFT	T13F	166	83	82	2440	55	5440	W95811 29
M105	TLR CARGO 1-1/2-TON	SEALIFT/OPR	T13F	166	83	98	2440	98	5440	W95811 68
M1059	CARRIER SMK GEN TKMTD	OPERATIONAL	P31S	192	106	101	24018	101	24018	C12815 01
M1059	CARRIER SMK GEN TKMTD	REDUCED	P28S	190	106	88	24018	88	24018	C12815 03
M1059	CARRIER SMK GEN TKMTD	RED F/SEALIFT	P28S	190	106	88	24018	88	24018	C12815 23
M1059	CARRIER SMK GEN TKMTD	SEALIFT/OPR	P28S	190	106	100	24018	100	24018	C12815 24
M1059A3	CARRIER SMK GEN TKMTD	OPERATIONAL	P31R	210	106	101	23415	101	23415	C12815 05
M1059A3	CARRIER SMK GEN TKMTD	REDUCED	P18R	210	100	80	23415	80	23415	C12815 21
M1059A3	CARRIER SMK GEN TKMTD	RED F/SEALIFT	P18R	210	100	80	23415	80	23415	C12815 25
M1059A3	CARRIER SMK GEN TKMTD	SEALIFT/OPR	P19R	210	100	101	23415	101	23415	C12815 26
M105A1	TLR CARGO 1-1/2-TON	OPERATIONAL	T13F	166	83	98	2600	98	5600	W95811 07
M105A1	TLR CARGO 1-1/2-TON	REDUCED	T12F	166	83	55	2600	55	5600	W95811 08
M105A1	TLR CARGO 1-1/2-TON	RED F/SEALIFT	T13F	166	83	82	2600	55	5600	W95811 35
M105A1	TLR CARGO 1-1/2-TON	SEALIFT/OPR	T13F	166	83	98	2600	98	5600	W95811 72
M105A2	TLR CARGO 1-1/2-TON	OPERATIONAL	T13F	166	83	98	2670	98	5670	W95811 01
M105A2	TLR CARGO 1-1/2-TON	REDUCED	T12F	166	83	55	2670	55	5670	W95811 02
M105A2	TLR CARGO 1-1/2-TON	PIGGYBACKED	T13F	166	83	100	5360	100	5360	W95811 03
M105A2	TLR CARGO 1-1/2-TON	NOT REDUCIBLE	T13G	166	83	82	6280	82	6280	W95811 05
M105A2	TLR CARGO 1-1/2-TON	MOD FOR SET	T13F	166	83	98	5385	98	5385	W95811 21
M105A2	TLR CARGO 1-1/2-TON	RED F/SEALIFT	T13F	166	83	82	2670	55	5670	W95811 26
M105A2	TLR CARGO 1-1/2-TON	SEALIFT/OPR	T13F	166	83	98	2670	98	5670	W95811 66
M105A3	TLR CARGO 1-1/2-TON	OPERATIONAL	T14F	178	94	97	2700	97	5700	W95811 98
M105A3	TLR CARGO 1-1/2-TON	REDUCED	T14F	178	94	54	2700	54	5700	W95811 99
M105A3	TLR CARGO 1-1/2-TON	RED F/SEALIFT	T14F	178	94	54	2700	54	5700	W95811 A1
M105A3	TLR CARGO 1-1/2-TON	SEALIFT/OPR	T14F	178	94	97	2700	97	5700	W95811 A2
M1061A1	TLR FLATBED 5-TON	OPERATIONAL	T24N	243	98	40	5850	40	15850	T96883 01
M1061A1	TLR FLATBED 5-TON	REDUCED	T22N	223	98	40	5850	40	15850	T96883 02
M1061A1	TLR FLATBED 5-TON	NOT REDUCIBLE	T23G	223	98	97	6590	97	6590	T96883 16
M1062	STLR TANK PETRO 7500G	NOT REDUCIBLE	T39L	433	97	123	10580	123	10580	S73119 01
M1062	STLR TANK PETRO 7500G	NOT REDUCIBLE	T39W	433	97	123	63080	123	63080	S73119 02
M1064	CARRIER 120MM MORTAR	OPERATIONAL	P44S	210	119	105	27635	105	27635	C10990 01
M1064	CARRIER 120MM MORTAR	REDUCED	P28S	210	106	80	27635	80	27635	C10990 02
M1064	CARRIER 120MM MORTAR	RED F/SEALIFT	P28S	210	106	80	27635	80	27635	C10990 36
M1064A3	CARRIER 120MM MORTAR	SEALIFT/OPR	P31S	210	106	105	27635	105	27635	C10990 37
M1064A3	CARRIER 120MM MORTAR	OPERATIONAL	P44S	210	119	105	27635	105	27635	C10990 05
M1064A3	CARRIER 120MM MORTAR	REDUCED	P28S	210	106	80	27635	80	27635	C10990 20
M1064A3	CARRIER 120MM MORTAR	SEALIFT/OPR	P31S	210	106	105	27635	105	27635	C10990 38
M1064A3	CARRIER 120MM MORTAR	RED F/SEALIFT	P28S	210	106	80	27635	80	27635	C10990 39
M1065	CARRIER CMD COMM VEH	NOT REDUCIBLE	P28M	280	74	97	10782	97	13782	C11651 01
M1066	CARRIER AMBULANCE	NOT REDUCIBLE	P28K	280	74	97	9968	97	9968	C00255 01
M1067	CARRIER CGO FLATBED	NOT REDUCIBLE	P28M	280	74	97	9768	97	13768	C16921 01
M1068	CARRIER ARMD CMD POST	OPERATIONAL	P42S	194	106	107	25813	107	25813	C11158 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1068	CARRIER ARMD CMD POST	REDUCED	P19S	194	100	102	25813	102	25813	C11158 02
M1068	CARRIER ARMD CMD POST	RED F/SEALIFT	P19S	194	100	102	25813	102	25813	C11158 36
M1068	CARRIER ARMD CMD POST	SEALIFT/OPR	P39S	194	100	107	25813	107	25813	C11158 37
M1068A3	CARRIER ARMD CMD POST	OPERATIONAL	P42S	205	106	107	25650	107	25650	C11158 05
M1068A3	CARRIER ARMD CMD POST	REDUCED	P19S	205	100	102	25650	102	25650	C11158 20
M1068A3	CARRIER ARMD CMD POST	RED F/SEALIFT	P19S	205	100	102	25650	102	25650	C11158 38
M1068A3	CARRIER ARMD CMD POST	SEALIFT/OPR	P39S	205	100	107	25650	107	25650	C11158 39
M106A2	CARRIER 107MM MORT	OPERATIONAL	P28R	194	113	98	21560	98	21560	D10741 17
M106A2	CARRIER 107MM MORT	REDUCED	P28R	194	106	86	21431	86	21431	D10741 18
M106A2	CARRIER 107MM MORT	RED FOR C-130	P19R	192	100	84	20260	84	20260	D10741 19
M1070	TRK TRACTOR HET	OPERATIONAL	P41V	362	102	140	41000	140	41000	T59048 01
M1070	TRK TRACTOR HET	REDUCED	P46V	362	102	141	40999	141	40999	T59048 02
M1070	TRK TRACTOR HET	SEALIFT/OPR	P46V	362	102	141	40999	141	40999	T59048 15
M1070P1	TRK TRACTOR HETS	NOT REDUCIBLE	P47V	365	104	149	40999	149	40999	T59048 16
M1070P1	TRK TRACTOR HETS	OPERATIONAL	P49V	382	147	142	49080	142	49080	T91724 01
M1070P1	TRK TRACTOR HETS	REDUCED	P46V	382	113	142	49080	142	49080	T91724 02
M1073	TRLR FLATBED 7-1/2-T	NOT REDUCIBLE	T22P	223	96	39	6640	39	16640	T96838 01
M1074	TRK CGO HVY PLS TRANS	OPERATIONAL	P49X	431	151	128	55010	128	88010	T41067 01
M1074	TRK CGO HVY PLS TRANS	REDUCED	P41X	431	102	128	55010	128	88010	T41067 02
M1074	TRK CGO HVY PLS TRANS	RED F/SEALIFT	P41X	431	102	128	55010	128	88010	T41067 18
M1074	TRK CGO HVY PLS TRANS	SEALIFT/OPR	P41X	431	102	128	55010	128	88010	T41067 19
M1074	TRK CGO HVY PLS TRANS	REDUCED	P35X	420	102	103	51820	102	88010	T41067 22
M1074	TRK CGO HVY PLS TRANS	NOT REDUCIBLE	***	431	102	171	88000	171	88000	T41067 23
M1074	TRK CGO HVY PLS TRANS	REDUCED	P35X	420	102	103	51820	103	88010	T41067 25
M1074	TRK CGO HVY PLS TRANS	OPERATIONAL	P49X	431	151	128	51390	128	88010	T41067 48
M1074	TRK CGO HVY PLS TRANS	REDUCED	P41X	431	102	128	51390	128	88010	T41067 49
M1074	TRK CGO HVY PLS TRANS	SEALIFT/OPR	P41X	431	102	115	51390	128	88010	T41067 74
M1074	TRK CGO HVY PLS TRANS	SEALIFT/OPR	P41X	431	102	117	51390	128	88010	T41067 76
M1074A1	TRK PALLETIZED LOADIN	NOT REDUCIBLE	P38X	425	96	129	88000	129	88000	T55236 01
M1074P1	TRK CGO PLS W/ARMOR	OPERATIONAL	P49X	431	151	128	57810	128	88010	T82696 01
M1074P1	TRK CGO PLS W/ARMOR	REDUCED	P41X	431	102	128	57810	128	88010	T82696 02
M1074P1	TRK CGO PLS W/ARMOR	NOT REDUCIBLE	P49X	431	151	128	54190	60	88010	T82696 03
M1074P1	TRK CGO PLS W/ARMOR	RED F/SEALIFT	P41X	431	102	128	54190	128	88010	T82696 04
M1075	TRK CGO HVY PLS TRANS	OPERATIONAL	P48X	431	140	128	49960	128	82960	T40999 01
M1075	TRK CGO HVY PLS TRANS	REDUCED	P41X	431	102	128	49960	128	82960	T40999 02
M1075	TRK CGO HVY PLS TRANS	RED F/SEALIFT	P41X	431	102	128	49960	128	82960	T40999 18
M1075	TRK CGO HVY PLS TRANS	SEALIFT/OPR	P41X	431	102	128	49960	128	82960	T40999 19
M1075	TRK CGO HVY PLS TRANS	NOT REDUCIBLE	P35X	420	102	102	46770	102	82960	T40999 22
M1075	TRK CGO HVY PLS TRANS	NOT REDUCIBLE	***	431	102	171	82960	171	82960	T40999 23
M1075	TRK CGO HVY PLS TRANS	RED FOR C-141	P35X	431	102	103	51810	103	82960	T40999 25
M1075	TRK CGO HVY PLS TRANS	NOT REDUCIBLE	P46W	420	102	142	50570	142	50570	T40999 37
M1075	TRK CGO HVY PLS TRANS	OPERATIONAL	P48X	431	140	128	46340	128	82960	T40999 56
M1075	TRK CGO HVY PLS TRANS	REDUCED	P41X	431	102	128	46340	128	82960	T40999 57

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1075	TRK CGO HVY PLS TRANS	SEALIFT/OPR	P41X	431	102	115	46340	128	82960	T40999 85
M1075	TRK CGO HVY PLS TRANS	SEALIFT/OPR	P41X	431	102	117	46340	128	82960	T40999 87
M1075 PLS	MOD FUEL SYS (PUMP RC	VEHICLE MTD	P41X	441	96	140	75740	140	75740	Z01595 04
M1075A1	TRK PALLETIZED LHS	REDUCED	P38X	425	96	104	51130	128	87130	T81874 01
M1075A1W/ARMOR	TRK PALLETIZED LHS	OPERATIONAL	P38X	425	96	104	56620	128	92620	T81874 02
M1075P1	TRK PALLETIZED LHS	OPERATIONAL	P49X	431	151	128	52760	128	85760	T54918 01
M1075P1	TRK PALLETIZED LHS	REDUCED	P41X	431	102	128	52760	128	85760	T54918 02
M1075P1	TRK PALLETIZED LHS	NOT REDUCIBLE	P49X	431	151	128	49140	128	85760	T54918 03
M1075P1	TRK PALLETIZED LHS	RED F/SEALIFT	P41X	431	102	128	49140	128	85760	T54918 04
M1076	TLR PLS 16-1/2-TON	OPERATIONAL	T38V	329	96	125	16530	124	49530	T93761 01
M1076	TLR PLS 16-1/2-TON	REDUCED	T38V	309	96	125	16530	124	49530	T93761 02
M1076	TLR PLS 16-1/2-TON	REDUCED	T28V	304	96	60	13340	58	49530	T93761 13
M1076	TLR PLS 16-1/2-TON	NOT REDUCIBLE	T47V	304	96	147	49520	147	49520	T93761 15
M1076	TLR PLS 16-1/2-TON	REDUCED	T28V	309	96	62	16530	62	49530	T93761 18
M1076	TLR PLS 16-1/2-TON	OPERATIONAL	T29V	324	96	52	12910	52	49530	T93761 33
M1076	TLR PLS 16-1/2-TON	REDUCED	T28V	304	96	52	12910	52	49530	T93761 34
M1076	TLR PLS 16-1/2-TON	OPERATIONAL	T29V	324	96	60	13340	58	49530	T93761 37
M1076	TLR PLS 16-1/2-TON	OPERATIONAL	T29V	329	96	62	16530	62	49530	T93761 38
M1076	TLR PLS 16-1/2-TON	OPERATIONAL	T29V	329	96	73	20640	73	20640	T93761 39
M1076	TLR PLS 16-1/2-TON	REDUCED	T28R	309	96	73	20640	73	20640	T93761 40
M1076	TLR PLS 16-1/2-TON	OPERATIONAL	T41R	329	96	135	20640	135	20640	T93761 41
M1076	TLR PLS 16-1/2-TON	REDUCED	T41R	309	96	135	20640	135	20640	T93761 42
M1076	TLR PLS 16-1/2-TON	OPERATIONAL	T29M	324	96	53	13340	53	13340	T93761 43
M1076	TLR PLS 16-1/2-TON	REDUCED	T28M	304	96	53	13340	53	13340	T93761 44
M1076	TLR PLS 16-1/2-TON	NOT REDUCIBLE	T50U	329	137	159	31150	159	31150	T93761 54
M1076	TLR PLS 16-1/2-TON	NOT REDUCIBLE	T50U	360	137	159	31250	159	31250	T93761 55
M1076	TLR PLS 16-1/2-TON	OPERATIONAL	T29R	329	96	65	20640	65	20640	T93761 56
M1076	TLR PLS 16-1/2-TON	REDUCED	T28R	309	96	65	20640	65	20640	T93761 57
M1076	TLR PLS 16-1/2-TON	OPERATIONAL	T38P	319	96	125	17020	125	17020	T93761 62
M1076	TLR PLS 16-1/2-TON	REDUCED	T38P	299	96	125	17020	125	17020	T93761 64
M1076 PLS TRL	MOD FUEL SYS (PUMP RC	VEHICLE MTD	P41V	304	96	139	42640	139	42640	Z01595 06
M1076A1 CTE	PALLET LOAD SYS TRL-C	NOT REDUCIBLE	T29M	329	100	59	13750	59	13750	P05025 01
M1078	TRK CARGO LMTV W/EQP	OPERATIONAL	P38R	251	96	102	16116	112	21116	T60081 01
M1078	TRK CARGO LMTV W/EQP	REDUCED	P25R	255	96	106	19351	106	21116	T60081 02
M1078	TRK CARGO LMTV W/EQP	NOT REDUCIBLE	P25R	255	96	106	16700	106	21116	T60081 03
M1078	TRK CARGO LMTV W/EQP	RED F/SEALIFT	P25R	255	96	106	19351	106	21116	T60081 18
M1078	TRK CARGO LMTV W/EQP	SEALIFT/OPR	P38R	255	96	112	19351	112	21116	T60081 19
M1078	TRK CARGO LMTV W/EQP	NOT REDUCIBLE	P38R	255	96	128	19351	128	21116	T60081 33
M1078 WNN	TRK CARGO LMTV W/EQP	OPERATIONAL	P38S	255	96	112	20273	112	25273	T60149 01
M1078 WNN	TRK CARGO LMTV W/EQP	REDUCED	P25S	255	96	106	20273	106	25273	T60149 02
M1078 WNN	TRK CARGO LMTV W/EQP	RED F/SEALIFT	P25S	255	96	106	20273	106	25273	T60149 11
M1078 WNN	TRK CARGO LMTV W/EQP	SEALIFT/OPR	P38S	255	96	112	20273	112	25273	T60149 12
M1078 WNN	TRK CARGO LMTV W/EQP	NOT REDUCIBLE	P38S	255	96	128	20273	128	25273	T60149 26

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1078A1	TRK CARGO LMTV W/EQP	OPERATIONAL	P38S	253	96	112	20500	112	25500	T60081 20
M1078A1	TRK CARGO LMTV W/EQP	REDUCED	P25S	253	96	106	20500	106	25500	T60081 21
M1078A1	TRK CARGO LMTV W/EQP	RED F/SEALIFT	P25S	253	96	106	20500	106	25500	T60081 22
M1078A1	TRK CARGO LMTV W/EQP	SEALIFT/OPR	P38S	253	96	112	20500	112	25500	T60081 23
M1078A1 WVN	TRK CARGO LMTV W/EQP	OPERATIONAL	P38S	253	96	112	20500	112	25500	T60149 13
M1078A1 WVN	TRK CARGO LMTV W/EQP	REDUCED	P25S	253	96	106	20500	106	25500	T60149 14
M1078A1 WVN	TRK CARGO LMTV W/EQP	RED F/SEALIFT	P25S	253	96	106	20500	106	25500	T60149 15
M1078A1 WVN	TRK CARGO LMTV W/EQP	SEALIFT/OPR	P38S	253	96	112	20500	112	25500	T60149 16
M1078A1P1	TRK CGO W/ARMOR	OPERATIONAL	P38T	253	96	112	24700	112	29700	T67578 01
M1078A1P1	TRK CGO W/ARMOR	REDUCED	P38T	253	96	106	24700	112	29700	T67578 02
M1078A1P1 WVN	TRK CGO W/ARMOR	OPERATIONAL	P38T	253	96	112	24700	112	29700	T67748 01
M1078A1P1 WVN	TRK CGO W/ARMOR	REDUCED	P38T	253	96	106	24700	112	29700	T67748 02
M1078A1P2	TRK CGO 2 1/2T W/O W	NOT REDUCIBLE	P38S	257	96	117	22904	112	27904	T59448 01
M1078A1P2 W/W	TRK CGO 2 1/2T	NOT REDUCIBLE	P38T	253	96	113	23916	112	28916	T42131 01
M1078P1	TRK CGO W/ARMOR	OPERATIONAL	P38T	255	96	112	24700	112	29700	T67578 03
M1078P1	TRK CGO W/ARMOR	REDUCED	P38T	255	96	106	24700	112	29700	T67578 04
M1078P1 W/LSAC	TRK CGO W/ARMOR	NOT REDUCIBLE	P39U	263	99	119	29400	112	34400	T67578 05
M1078P1 WVN	TRK CGO W/ARMOR	OPERATIONAL	P38T	255	96	112	24473	112	29473	T67748 03
M1078P1 WVN	TRK CGO W/ARMOR	REDUCED	P38T	255	96	106	24473	112	29473	T67748 04
M1079	TRK VAN LMTV W/EQP	NOT REDUCIBLE	P38R	251	96	112	20155	112	20155	T93484 01
M1079	TRK VAN LMTV W/EQP	SEALIFT/OPR	P38R	251	96	112	20155	112	20155	T93484 07
M1079 WVN	TRUCK VAN LMTV W/E	NOT REDUCIBLE	P38R	251	96	112	21076	112	21076	T40329 01
M1079 WVN	TRUCK VAN LMTV W/E	SEALIFT/OPR	P38R	251	96	112	21076	112	21076	T40329 06
M1079A1	TRK VAN LMTV W/EQP	OPERATIONAL	P46P	263	96	141	17379	141	17379	T93484 08
M1079A1	TRK VAN LMTV W/EQP	REDUCED	P38P	263	96	112	17379	112	17379	T93484 09
M1079A1	TRK VAN LMTV W/EQP	RED F/SEALIFT	P38P	263	96	112	17379	112	17379	T93484 10
M1079A1	TRK VAN LMTV W/EQP	SEALIFT/OPR	P46P	263	96	141	17379	141	17379	T93484 11
M1079A1P1	TRK VAN W/ARMOR	OPERATIONAL	P41R	263	96	137	21579	137	21579	T82044 02
M1079A1P1	TRK VAN W/ARMOR	REDUCED	P38R	263	96	112	21579	112	21579	T82044 03
M1079A1P2	TRK VAN 2 1/2T WO/WVN	NOT REDUCIBLE	P38R	261	96	113	23789	113	23789	T62359 01
M1079P1 W/LSAC	TRK VAN W/ARMOR	NOT REDUCIBLE	P41U	262	99	139	30640	139	30640	T82044 01
M1079P1 WVN	TRK VAN W/ARMOR	NOT REDUCIBLE	P38S	251	96	112	25276	112	25276	T82112 01
M1079P1 WVN	TRK VAN W/ARMOR	OPERATIONAL	P38S	251	96	112	25276	112	25276	T82112 02
M1079P1 WVN	TRK VAN W/ARMOR	REDUCED	P25S	251	96	106	25276	106	25276	T82112 03
M1081	TRK CGO LMTV AIR DROP	OPERATIONAL	P38S	255	96	112	20880	112	25880	T41995 01
M1081	TRK CGO LMTV AIR DROP	REDUCED	P25S	255	96	106	20053	106	25880	T41995 02
M1081	TRK CGO LMTV AIR DROP	NOT REDUCIBLE	P25S	255	96	106	18320	106	25880	T41995 03
M1081	TRK CGO LMTV AIR DROP	RED F/SEALIFT	P25S	255	96	106	20053	106	25880	T41995 18
M1081	TRK CGO LMTV AIR DROP	SEALIFT/OPR	P38S	255	96	112	20053	112	25880	T41995 19
M1081	TRK CGO LMTV W/EQP	NOT REDUCIBLE	P38S	255	96	112	20975	112	25975	T42063 13
M1081 WVN	TRK CGO LMTV W/EQP	OPERATIONAL	P38S	255	96	112	20975	112	25975	T42063 01
M1081 WVN	TRK CGO LMTV W/EQP	REDUCED	P25S	255	96	106	20975	106	25975	T42063 02
M1081 WVN	TRK CGO LMTV W/EQP	RED F/SEALIFT	P25S	255	96	106	20975	106	25975	T42063 11

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1081 WVN	TRK CGO LMTV W/EQP	SEALIFT/OPR	P38S	255	96	112	20975	112	25975	T42063 12
M1081A1	TRK CGO LMTV AIR DROP	NOT REDUCIBLE	P38S	261	96	113	20880	112	25880	T41995 20
M1082	TRK CGO LMTV W/DRPSID	NOT REDUCIBLE	T18M	210	96	79	7306	79	12306	T96564 01
M1083	TRK CGO MTV W/EQP	OPERATIONAL	P38U	278	96	112	22486	112	32486	T61908 01
M1083	TRK CGO MTV W/EQP	REDUCED	P27U	278	96	106	22486	106	32486	T61908 02
M1083	TRK CGO MTV W/EQP	RED F/SEALIFT	P27U	278	96	106	22486	106	32486	T61908 13
M1083	TRK CGO MTV W/EQP	SEALIFT/OPR	P38U	278	96	112	22486	112	32486	T61908 14
M1083 MEG	TRK CGO MTV W/EQP	REDUCED	P42V	308	114	112	31900	112	41900	T61908 31
M1083 MEG	TRK CGO MTV W/EQP	OPERATIONAL	P39V	308	99	106	31900	112	41900	T61908 32
M1083 SOG	TRK CGO MTV W/EQP	OPERATIONAL	P44V	279	117	112	27050	112	37050	T61908 29
M1083 SOG	TRK CGO MTV W/EQP	RED FOR C-130	P39V	279	99	106	27050	112	37050	T61908 30
M1083 WSHELTER	AIR CTL TWR SYS (MOTS)	VEHICLE MTD	P47V	292	101	151	35963	151	35963	M05009 02
M1083 WVN	TRK CARGO MTV W/EQP	OPERATIONAL	P38U	278	96	112	23463	112	33463	T41135 01
M1083 WVN	TRK CARGO MTV W/EQP	REDUCED	P27U	278	96	106	23463	106	33463	T41135 02
M1083 WVN	TRK CARGO MTV W/EQP	RED F/SEALIFT	P27U	278	96	106	23463	106	33463	T41135 13
M1083 WVN	TRK CARGO MTV W/EQP	SEALIFT/OPR	P38U	278	96	112	23463	112	33463	T41135 14
M1083A1	TRK CGO MTV W/EQP	OPERATIONAL	P38U	274	96	112	22723	112	32723	T61908 15
M1083A1	TRK CGO MTV W/EQP	REDUCED	P27U	274	96	106	22723	106	32723	T61908 16
M1083A1	TRK CGO MTV W/EQP	RED F/SEALIFT	P27U	274	96	106	22723	106	32723	T61908 17
M1083A1	TRK CGO MTV W/EQP	SEALIFT/OPR	P38U	274	96	112	22723	112	32723	T61908 18
M1083A1 WVN	TRK CARGO MTV W/EQP	OPERATIONAL	P38U	274	96	112	23700	112	33700	T41135 15
M1083A1 WVN	TRK CARGO MTV W/EQP	REDUCED	P27U	274	96	106	23700	106	33700	T41135 16
M1083A1 WVN	TRK CARGO MTV W/EQP	RED F/SEALIFT	P27U	274	96	106	23700	106	33700	T41135 17
M1083A1 WVN	TRK CARGO MTV W/EQP	SEALIFT/OPR	P38U	274	96	112	23700	112	33700	T41135 18
M1083A1P1	TRK CGO W/AOA	OPERATIONAL	P38V	274	96	112	26923	112	36923	T45051 03
M1083A1P1	TRK CGO W/AOA	REDUCED	P27V	274	96	106	26923	106	36923	T45051 04
M1083A1P1	TRK CGO WVN W/AOA	REDUCED	P38V	278	96	106	27663	112	37663	T67680 02
M1083A1P1 LSAC	TRK CGO WVN W/AOA	NOT REDUCIBLE	P39V	278	99	119	35800	112	45800	T45051 25
M1083A1P1 WVN	TRK CGO WVN W/AOA	OPERATIONAL	P38V	274	96	112	27900	112	37900	T67680 03
M1083A1P1 WVN	TRK CGO WVN W/AOA	REDUCED	P38V	274	96	106	27900	112	37900	T67680 04
M1083A1P2	TRK CGO 5T W/WN	NOT REDUCIBLE	P38V	274	96	112	25808	112	35808	T41447 01
M1083A1P2	TRK CGO 5T WO/WN	NOT REDUCIBLE	P38U	278	96	117	24870	112	34870	T41515 01
M1083A1P2 W/W	TRK CGO 5T WO/WN	NOT REDUCIBLE	P38V	278	96	117	25808	112	35808	T41515 02
M1083P1	TRK CGO W/AOA	OPERATIONAL	P38V	278	96	112	26686	112	36686	T45051 01
M1083P1	TRK CGO W/AOA	REDUCED	P27V	278	96	106	26686	106	36686	T45051 02
M1083P1 WVN	TRK CGO WVN W/AOA	OPERATIONAL	P38V	278	96	112	27663	112	37663	T67680 01
M1084	TRK CGO MTV W/MHE	OPERATIONAL	P38V	306	96	112	26152	112	36152	T41203 01
M1084	TRK CGO MTV W/MHE	REDUCED	P31V	306	96	106	26152	106	36152	T41203 02
M1084	TRK CGO MTV W/MHE	RED F/SEALIFT	P31V	306	96	106	26152	106	36152	T41203 13
M1084	TRK CGO MTV W/MHE	SEALIFT/OPR	P38V	306	96	112	26152	112	36152	T41203 14
M1084A1	TRK CGO MTV W/MHE	OPERATIONAL	P38V	306	96	112	25373	112	35373	T41203 15
M1084A1	TRK CGO MTV W/MHE	REDUCED	P31V	306	96	106	25373	106	35373	T41203 16
M1084A1	TRK CGO MTV W/MHE	RED F/SEALIFT	P31V	306	96	106	25373	106	35373	T41203 17

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1084A1	TRK CGO MTV W/MHE	SEALIFT/OPR	P38V	306	96	112	25373	112	35373	T41203 18
M1084A1/HIMARS	TRK CGO MTV W/MHE	OPERATIONAL	P38V	310	96	113	25500	112	35500	T41203 27
M1084A1/HIMARS	TRK CGO MTV W/MHE	REDUCED	P38V	310	96	105	25500	112	35500	T41203 28
M1084A1P1	TRK CGO W/ARMOR	OPERATIONAL	P38V	306	96	112	29573	112	39573	T67816 03
M1084A1P1	TRK CGO W/ARMOR	REDUCED	P38V	306	96	106	29573	112	39573	T67816 04
M1084A1P1 LSAC	TRK CGO W/ARMOR	NOT REDUCIBLE	P39W	307	99	119	40985	112	50985	T67816 05
M1084A1P2	TRK CGO 5T W/MHE RSV	NOT REDUCIBLE	P38V	310	96	112	29204	112	39204	T59584 01
M1084A1P2	TRK CGO 5T W/MHE WO/W	NOT REDUCIBLE	P38V	312	96	113	29204	112	39204	T67816 01
M1084P1	TRK CGO W/ARMOR	OPERATIONAL	P38V	306	96	112	30352	112	40352	T67816 01
M1084P1	TRK CGO W/ARMOR	REDUCED	P38V	306	96	106	30352	112	40352	T67816 02
M1085	TRK CARGO MTV W/EQP	OPERATIONAL	P38U	352	96	112	23762	112	33762	T61704 01
M1085	TRK CARGO MTV W/EQP	REDUCED	P38U	352	96	106	23762	106	33762	T61704 02
M1085	TRK CARGO MTV W/EQP	RED F/SEALIFT	P31U	352	96	106	23762	106	33762	T61704 13
M1085	TRK CARGO MTV W/EQP	SEALIFT/OPR	P38U	352	96	112	23762	112	33762	T61704 14
M1085 LWB	CALIB SET SEC TRANS	VEHICLE MTD	***	352	96	208	32745	208	32745	C72574 05
M1085 WVN	TRK CARGO MTV W/EQP	OPERATIONAL	P38U	352	96	112	24738	112	34738	T61772 01
M1085 WVN	TRK CARGO MTV W/EQP	REDUCED	P31U	352	96	106	24738	106	34738	T61772 02
M1085 WVN	TRK CARGO MTV W/EQP	RED F/SEALIFT	P31U	352	96	106	24738	106	34738	T61772 13
M1085 WVN	TRK CARGO MTV W/EQP	SEALIFT/OPR	P38U	352	96	112	24738	112	34738	T61772 14
M1085A1	LAUNCH CNTRL STN LCS	OPERATIONAL	P47U	349	96	146	32122	146	32122	L05002 01
M1085A1	TACTICAL OPS STA (TOS)	NOT REDUCIBLE	P47U	349	96	146	31917	146	31917	P05005 01
M1085A1	TRK CARGO MTV W/EQP	OPERATIONAL	P38U	349	96	112	23973	112	33973	T61704 15
M1085A1	TRK CARGO MTV W/EQP	REDUCED	P31U	349	96	106	23973	106	33973	T61704 16
M1085A1	TRK CARGO MTV W/EQP	RED F/SEALIFT	P31U	349	96	106	23973	106	33973	T61704 17
M1085A1	TRK CARGO MTV W/EQP	SEALIFT/OPR	P38U	349	96	112	23973	112	33973	T61704 18
M1085A1 WVN	TRK CARGO MTV W/EQP	OPERATIONAL	P38U	349	96	112	24950	112	34950	T61772 15
M1085A1 WVN	TRK CARGO MTV W/EQP	REDUCED	P31U	349	96	106	24950	106	34950	T61772 16
M1085A1 WVN	TRK CARGO MTV W/EQP	RED F/SEALIFT	P31U	349	96	106	24950	106	34950	T61772 17
M1085A1 WVN	TRK CARGO MTV W/EQP	SEALIFT/OPR	P38U	349	96	112	24950	112	34950	T61772 18
M1085A1P1	TRK CGO LWB W/ARMOR	OPERATIONAL	P38V	349	96	112	27962	112	37962	T44915 03
M1085A1P1	TRK CGO LWB W/ARMOR	REDUCED	P38V	349	96	106	27962	112	37962	T44915 04
M1085A1P1 LSAC	TRK CGO LWB W/ARMOR	NOT REDUCIBLE	P39V	353	99	119	38045	112	48045	T44915 05
M1085A1P1 WVN	TRK CGO LWB W/ARMOR	OPERATIONAL	P38V	349	96	112	29150	112	39150	T96632 03
M1085A1P1 WVN	TRK CGO LWB W/ARMOR	REDUCED	P38V	349	96	106	29150	112	39150	T96632 04
M1085A1P2	HABORMASTER CMD CTL C	NOT REDUCIBLE	P38R	352	96	112	22451	112	22451	C05019 02
M1085A1P2 W/WN	TRK CGO 5T LWB W/WN	NOT REDUCIBLE	P38V	352	96	112	27042	112	37042	T93339 01
M1085A1P2 WOWN	TRK CGO 5T LWB WO/WN	NOT REDUCIBLE	P38V	349	96	113	26041	112	36041	T93271 01
M1085P1	TRK CGO LWB W/ARMOR	OPERATIONAL	P38V	352	96	112	27962	112	37962	T44915 01
M1085P1	TRK CGO LWB W/ARMOR	REDUCED	P38V	352	96	106	27962	112	37962	T44915 02
M1085P1 WVN	TRK CGO LWB W/ARMOR	OPERATIONAL	P38V	352	96	112	28938	112	38938	T96632 01
M1085P1 WVN	TRK CGO LWB W/ARMOR	REDUCED	P38V	352	96	106	28938	112	38938	T96632 02
M1086 WVN	TRK CGO MTV W/EQP	OPERATIONAL	P38V	386	96	112	27422	112	37422	T61840 01
M1086 WVN	TRK CGO MTV W/EQP	REDUCED	P33V	386	96	106	27422	106	37422	T61840 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1086 WVN	TRK CGO MTV W/EQP	RED F/SEALIFT	P33V	386	96	106	27422	106	37422	T61840 13
M1086 WVN	TRK CGO MTV W/EQP	SEALIFT/OPR	P38V	386	96	112	27422	112	37422	T61840 14
M1086A1 WVN	TRK CGO MTV W/EQP	OPERATIONAL	P38V	386	96	112	27650	112	37650	T61840 15
M1086A1 WVN	TRK CGO MTV W/EQP	REDUCED	P33V	386	96	106	27650	106	37650	T61840 16
M1086A1 WVN	TRK CGO MTV W/EQP	RED F/SEALIFT	P33V	386	96	106	27650	106	37650	T61840 17
M1086A1 WVN	TRK CGO MTV W/EQP	SEALIFT/OPR	P38V	386	96	112	27650	112	37650	T61840 18
M1086A1P1 LSAC	TRK CGO W/ARMOR	NOT REDUCIBLE	P39W	382	99	119	44700	112	54700	T44983 05
M1086A1P1 WVN	TRK CGO W/ARMOR	OPERATIONAL	P38V	386	96	112	31850	112	41850	T44983 03
M1086A1P1 WVN	TRK CGO W/ARMOR	REDUCED	P38V	386	96	106	31850	112	41850	T44983 04
M1086A1P2 WOWN	TRK CGO LG WHLBSSE W/M	NOT REDUCIBLE	P38V	385	96	112	30482	112	40482	T62112 01
M1086P1 WVN	TRK CGO W/ARMOR	OPERATIONAL	P38V	386	96	112	31622	112	41622	T44983 01
M1086P1 WVN	TRK CGO W/ARMOR	REDUCED	P38V	386	96	106	31622	112	41622	T44983 02
M1087A1P2 WOWN	TRK VAN EXP 2.5T WO/W	NOT REDUCIBLE	P47V	391	96	148	35242	148	35242	T67136 01
M1088	TRK TRACTOR MTV W/EQP	OPERATIONAL	P38R	282	96	112	20393	112	20393	T61239 01
M1088	TRK TRACTOR MTV W/EQP	REDUCED	P31R	282	96	106	20393	106	20393	T61239 02
M1088	TRK TRACTOR MTV W/EQP	RED F/SEALIFT	P31R	282	96	106	20393	106	20393	T61239 14
M1088	TRK TRACTOR MTV W/EQP	SEALIFT/OPR	P38R	282	96	112	20393	112	20393	T61239 15
M1088 WVN	TRK TRACTOR MTV W/EQP	OPERATIONAL	P38R	282	96	112	21184	112	21184	T61307 01
M1088 WVN	TRK TRACTOR MTV W/EQP	REDUCED	P31R	282	96	106	21184	106	21184	T61307 02
M1088 WVN	TRK TRACTOR MTV W/EQP	RED F/SEALIFT	P31R	282	96	106	21184	106	21184	T61307 13
M1088 WVN	TRK TRACTOR MTV W/EQP	SEALIFT/OPR	P38R	282	96	112	21184	112	21184	T61307 14
M1088A1	TRK TRACTOR MTV W/EQP	OPERATIONAL	P38R	284	96	112	20423	112	20423	T61239 16
M1088A1	TRK TRACTOR MTV W/EQP	REDUCED	P31R	284	96	106	20423	106	20423	T61239 17
M1088A1	TRK TRACTOR MTV W/EQP	RED F/SEALIFT	P31R	284	96	106	20423	106	20423	T61239 18
M1088A1	TRK TRACTOR MTV W/EQP	SEALIFT/OPR	P38R	284	96	112	20423	112	20423	T61239 19
M1088A1	TRK TRACTOR MTV W/EQP	MOD FOR SET	P31R	281	96	106	21600	106	21600	T61239 28
M1088A1 WVN	TRK TRACTOR MTV W/EQP	OPERATIONAL	P38R	284	96	112	21400	112	21400	T61307 15
M1088A1 WVN	TRK TRACTOR MTV W/EQP	REDUCED	P31R	284	96	106	21400	106	21400	T61307 16
M1088A1 WVN	TRK TRACTOR MTV W/EQP	RED F/SEALIFT	P31R	284	96	106	21400	106	21400	T61307 17
M1088A1 WVN	TRK TRACTOR MTV W/EQP	SEALIFT/OPR	P38R	284	96	112	21400	112	21400	T61307 18
M1088A1P1	TRK TRACTOR W/ARMOR	OPERATIONAL	P38S	284	96	112	24623	112	24623	T88847 03
M1088A1P1	TRK TRACTOR W/ARMOR	REDUCED	P31S	284	96	106	24623	106	24623	T88847 04
M1088A1P1 LSAC	TRK TRACTOR W/ARMOR	NOT REDUCIBLE	P39V	286	99	119	37960	119	37960	T88847 05
M1088A1P1 WVN	TRK TRACTOR W/ARMOR	OPERATIONAL	P38S	284	96	112	25600	112	25600	T59165 01
M1088A1P1 WVN	TRK TRACTOR W/ARMOR	REDUCED	P31S	284	96	106	25600	106	25600	T59165 02
M1088A1P2	TRK TRAC 5T WO/WN	NOT REDUCIBLE	P38R	281	96	113	23885	113	23885	T88983 01
M1088A1P2 W/WN	TRK TRAC 5T W/WN	NOT REDUCIBLE	P47S	281	96	148	25307	148	25307	T61375 01
M1088P1	TRK TRACTOR W/ARMOR	OPERATIONAL	P38S	282	96	112	24593	112	24593	T88847 01
M1088P1	TRK TRACTOR W/ARMOR	REDUCED	P31S	282	96	106	24593	106	24593	T88847 02
M1088P1 WVN	TRK TRACTOR W/ARMOR	OPERATIONAL	P38S	282	96	112	25384	112	25384	T59165 03
M1088P1 WVN	TRK TRACTOR W/ARMOR	REDUCED	P31S	282	96	106	25384	106	25384	T59165 04
M1089 WVN	TRK WRECKER MTV W/EQP	OPERATIONAL	P38V	359	96	112	36325	112	36325	T94709 01
M1089 WVN	TRK WRECKER MTV W/EQP	REDUCED	P33V	359	96	106	36325	106	36325	T94709 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1089 WVN	TRK WRECKER MTV W/EQP	RED F/SEALIFT	P33V	359	96	106	36325	106	36325	T94709 13
M1089 WVN	TRK WRECKER MTV W/EQP	SEALIFT/OPR	P38V	359	96	112	36325	112	36325	T94709 14
M1089A1 WVN	TRK WRECKER MTV W/EQP	OPERATIONAL	P38V	366	96	112	36525	112	36525	T94709 15
M1089A1 WVN	TRK WRECKER MTV W/EQP	REDUCED	P33V	366	96	106	36525	106	36525	T94709 16
M1089A1 WVN	TRK WRECKER MTV W/EQP	RED F/SEALIFT	P33V	366	96	106	36525	106	36525	T94709 17
M1089A1 WVN	TRK WRECKER MTV W/EQP	SEALIFT/OPR	P38V	366	96	112	36525	112	36525	T94709 18
M1089A1P1 LSAC	TRK WRECKER W/ARMOR	NOT REDUCIBLE	P39W	379	99	119	51800	119	51800	T54718 05
M1089A1P1 WVN	TRK WRECKER W/ARMOR	OPERATIONAL	P38V	366	96	112	40725	112	40725	T54718 03
M1089A1P1 WVN	TRK WRECKER W/ARMOR	REDUCED	P33V	366	96	106	40725	106	40725	T54718 04
M1089A1P1 WVN	TRK WRECKER MTV W/EQP	NOT REDUCIBLE	P38V	372	96	128	40725	128	40725	T94709 27
M1089A1P2	TRK WRK 8.5T	NOT REDUCIBLE	P38V	366	96	113	39940	113	39940	T94671 01
M1089F1 WVN	TRK WRECKER W/ARMOR	OPERATIONAL	P38V	359	96	112	40525	112	40525	T54718 01
M1089P1 WVN	TRK WRECKER W/ARMOR	REDUCED	P33V	359	96	106	40525	106	40525	T54718 02
M1090	TRK DUMP MTV W/EQUIP	OPERATIONAL	P38U	284	96	112	24195	112	34195	T64911 01
M1090	TRK DUMP MTV W/EQUIP	REDUCED	P31U	284	96	106	24195	106	34195	T64911 02
M1090	TRK DUMP MTV W/EQUIP	RED F/SEALIFT	P31U	284	96	106	24195	106	34195	T64911 14
M1090	TRK DUMP MTV W/EQUIP	SEALIFT/OPR	P38U	284	96	112	24195	112	34195	T64911 15
M1090 WVN	TRK DUMP MTV W/EQUIP	OPERATIONAL	P38U	284	96	112	24986	112	34986	T64979 01
M1090 WVN	TRK DUMP MTV W/EQUIP	REDUCED	P31U	284	96	106	24986	106	34986	T64979 02
M1090 WVN	TRK DUMP MTV W/EQUIP	RED F/SEALIFT	P31U	284	96	106	24986	106	34986	T64979 13
M1090A1	TRK DUMP MTV W/EQUIP	SEALIFT/OPR	P38U	284	96	112	24986	112	34986	T64979 14
M1090A1	TRK DUMP MTV W/EQUIP	OPERATIONAL	P38U	286	96	112	24223	112	34223	T64911 16
M1090A1	TRK DUMP MTV W/EQUIP	REDUCED	P31U	286	96	106	24223	106	34223	T64911 17
M1090A1	TRK DUMP MTV W/EQUIP	RED F/SEALIFT	P31U	286	96	106	24223	106	34223	T64911 18
M1090A1	TRK DUMP MTV W/EQUIP	SEALIFT/OPR	P38U	286	96	112	24223	112	34223	T64911 19
M1090A1 WVN	TRK DUMP MTV W/EQUIP	OPERATIONAL	P38V	286	96	112	25200	112	35200	T64979 15
M1090A1 WVN	TRK DUMP MTV W/EQUIP	REDUCED	P31V	286	96	106	25200	106	35200	T64979 16
M1090A1 WVN	TRK DUMP MTV W/EQUIP	RED F/SEALIFT	P31V	286	96	106	25200	106	35200	T64979 17
M1090A1P1	TRK DUMP MTV W/EQUIP	SEALIFT/OPR	P38V	286	96	112	25200	112	35200	T64979 18
M1090A1P1	TRK DUMP W/ARMOR	OPERATIONAL	P38T	286	96	112	28423	112	28423	T44643 03
M1090A1P1	TRK DUMP W/ARMOR	REDUCED	P31T	286	96	106	28423	106	28423	T44643 04
M1090A1P1 LSAC	TRK DUMP W/ARMOR	NOT REDUCIBLE	P39V	290	99	119	40725	119	40725	T44643 05
M1090A1P1 WVN	TRK DUMP W/ARMOR	OPERATIONAL	P38T	286	96	112	29400	112	29400	T67068 03
M1090A1P1 WVN	TRK DUMP W/ARMOR	REDUCED	P31T	286	96	106	29400	106	29400	T67068 04
M1090P1	TRK DUMP W/ARMOR	OPERATIONAL	P38T	284	96	112	28395	112	28395	T44643 01
M1090P1	TRK DUMP W/ARMOR	REDUCED	P31T	284	96	106	28395	106	28395	T44643 02
M1090P1 WVN	TRK DUMP W/ARMOR	OPERATIONAL	P38T	284	96	112	29186	112	29186	T67068 01
M1090P1 WVN	TRK DUMP W/ARMOR	REDUCED	P31T	284	96	106	29186	106	29186	T67068 02
M1092A1P2	TRK CHASSIS MTV	NOT REDUCIBLE	P38S	284	96	112	25600	112	25600	T01691 01
M1093	TRK CGO MTV W/EQP	OPERATIONAL	P38U	278	96	112	23297	112	33297	T41036 01
M1093	TRK CGO MTV W/EQP	REDUCED	P27U	278	96	106	23297	106	33297	T41036 02
M1093	TRK CGO MTV W/EQP	NOT REDUCIBLE	P27U	278	96	106	21420	106	33297	T41036 03
M1093	TRK CGO MTV W/EQP	RED F/SEALIFT	P27U	278	96	106	23297	106	33297	T41036 21

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1093	TRK CGO MTV W/EQP	SEALIFT/OPR	P38U	278	96	112	23297	112	33297	T41036 22
M1093 WVN	TRK CGO MTV W/EQP	OPERATIONAL	P38U	278	96	112	24273	112	34273	T41104 01
M1093 WVN	TRK CGO MTV W/EQP	REDUCED	P27U	278	96	106	24273	106	34273	T41104 02
M1093 WVN	TRK CGO MTV W/EQP	NOT REDUCIBLE	P27U	278	96	106	22320	106	34273	T41104 03
M1093 WVN	TRK CGO MTV W/EQP	RED F/SEALIFT	P27U	278	96	106	24273	106	34273	T41104 21
M1093 WVN	TRK CGO MTV W/EQP	SEALIFT/OPR	P38U	278	96	112	24273	112	34273	T41104 22
M1093A1 W/WN	TRK CGO MTV W/EQP	NOT REDUCIBLE	P38U	274	96	113	23263	112	33263	T41036 23
M1093A1 WVN	TRK CGO MTV W/EQP	NOT REDUCIBLE	P38U	278	96	112	24273	112	34273	T41104 23
M1094	TRK DUMP MTV W/EQP	OPERATIONAL	P38U	284	96	112	24712	112	34712	T65526 01
M1094	TRK DUMP MTV W/EQP	REDUCED	P31U	284	96	106	24712	106	34712	T65526 02
M1094	TRK DUMP MTV W/EQP	RED F/SEALIFT	P31U	284	96	106	24712	106	34712	T65526 13
M1094	TRK DUMP MTV W/EQP	SEALIFT/OPR	P38U	284	96	112	24712	112	34712	T65526 14
M1094 WVN	TRK DUMP MTV W/EQP	OPERATIONAL	P38U	284	96	112	25504	112	35504	T65594 01
M1094 WVN	TRK DUMP MTV W/EQP	REDUCED	P31V	284	96	106	25504	106	35504	T65594 02
M1094 WVN	TRK DUMP MTV W/EQP	RED F/SEALIFT	P31V	284	96	106	25504	106	35504	T65594 13
M1094 WVN	TRK DUMP MTV W/EQP	SEALIFT/OPR	P38V	284	96	112	25504	112	35504	T65594 14
M1095	TRLR CGO MTV W/DPSIDE	NOT REDUCIBLE	T23R	230	96	82	10129	82	20129	T95555 01
M1095/HIMARS	TRLR CGO MTV W/DPSIDE	NOT REDUCIBLE	T23K	231	96	82	9880	82	9880	T95555 10
M1095A1 TRL	AIR CTL TWR SYS (MOTS)	NOT REDUCIBLE	T23L	230	96	82	10129	82	10129	M05009 04
M1096	CHASSIS, TRUCK	OPERATIONAL	P38P	349	96	112	17366	112	17366	YA0965 01
M1096	CHASSIS, TRUCK	REDUCED	P31P	349	96	106	17336	106	17336	YA0965 02
M1096A1	CHASSIS, TRUCK	OPERATIONAL	P38P	349	96	112	17820	112	17820	YA0965 03
M1096A1	CHASSIS, TRUCK	REDUCED	P31P	349	96	106	17820	106	17820	YA0965 04
M1097	COMMAND SYS TACT	NOT REDUCIBLE	P18H	191	93	75	7700	72	7700	C61597 11
M1097	RADAR SET	NOT REDUCIBLE	P18F	191	93	75	5600	75	5600	RI4216 15
M1097	TRK UTIL HVY HMMWV	OPERATIONAL	P18K	191	93	75	5600	72	10000	T07679 01
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	197	86	102	9220	102	9220	T07679 06
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P36K	207	84	120	9810	120	9810	T07679 08
M1097	TRK UTIL HVY HMMWV	REDUCED	P18K	191	91	72	5600	72	10000	T07679 10
M1097	TRK UTIL HVY HMMWV	W/SHELTER KIT	P19L	191	91	102	10001	102	10001	T07679 14
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	197	86	102	9220	102	9220	T07679 15
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	197	86	102	9165	102	9165	T07679 17
M1097	TRK UTIL HVY HMMWV	SEALIFT/OPR	P18K	191	86	72	5600	72	10000	T07679 24
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	209	85	104	9591	104	9591	T07679 25
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	216	86	102	9500	102	9500	T07679 26
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19J	217	87	102	8700	102	8700	T07679 27
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	190	85	87	9908	87	9908	T07679 31
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19H	190	85	87	7721	87	7721	T07679 32
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	199	89	105	9240	105	9240	T07679 36
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19H	199	89	82	7980	82	7980	T07679 39
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19J	216	86	102	8620	102	8620	T07679 42
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	209	85	104	9651	104	9651	T07679 50
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	202	94	102	9236	102	9236	T07679 53

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19J	207	84	102	8326	102	8326	T07679 61
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P23K	224	89	99	10000	99	10000	T07679 70
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P18K	208	85	72	9799	72	9799	T07679 96
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P18K	208	85	72	9461	72	9461	T07679 99
M1097	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	207	89	102	9244	102	9244	T07679 AN
M1097 TRK	RADAR SET	NOT REDUCIBLE	P18F	191	83	75	5600	75	5600	R14284 12
M1097A1	TRK UTIL HVY HMMWV	RED F/SEALIFT	P18K	191	86	54	5600	54	10000	T07679 47
M1097A1	TRK UTIL HVY HMMWV	SEALIFT/OPR	P18K	191	86	72	5600	72	10000	T07679 48
M1097A1	TRK UTIL HVY HMMWV	OPERATIONAL	P18K	191	91	72	5600	72	10000	T07679 54
M1097A1	TRK UTIL HVY HMMWV	REDUCED	P18K	191	86	54	5600	54	10000	T07679 55
M1097A1	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	191	86	95	9300	95	9300	T07679 58
M1097A1	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	206	86	103	10000	103	10000	T07679 75
M1097A1	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	206	86	102	9619	102	9619	T07679 A3
M1097A1P1	TRK UTIL HVY W/ AOA	OPERATIONAL	P18L	191	96	72	6800	54	11200	T11622 05
M1097A1P1	TRK UTIL HVY W/ AOA	REDUCED	P18L	191	91	72	6800	54	11200	T11622 06
M1097A1P1	TRK UTIL HVY W/ AOA	NOT REDUCIBLE	P18L	191	96	72	7200	54	11200	T11622 07
M1097A1P1	TRK UTIL HVY W/ AOA	RED F/SEALIFT	P18L	191	91	72	7200	54	11200	T11622 08
M1097A2	ARMORED HMMWV	NOT REDUCIBLE	P18L	191	85	73	10300	73	10300	AF8604 01
M1097A2	TRK UTIL HVY HMMWV	OPERATIONAL	P18L	191	91	72	5900	72	10300	T07679 64
M1097A2	TRK UTIL HVY HMMWV	REDUCED	P18L	191	86	56	5900	54	10300	T07679 65
M1097A2	TRK UTIL HVY HMMWV	RED F/SEALIFT	P18L	191	86	56	5900	54	10300	T07679 73
M1097A2	TRK UTIL HVY HMMWV	SEALIFT/OPR	P18L	191	86	72	5900	72	10300	T07679 74
M1097A2	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	212	90	104	9990	104	9990	T07679 A6
M1097A2	TRK UTIL HVY HMMWV	MOD FOR SET	P19L	201	86	102	10140	102	10140	T07679 AA
M1097A2	TRK UTIL HVY HMMWV	MOD FOR SET	P19L	201	86	102	10060	102	10060	T07679 AB
M1097A2	TRK UTIL HVY HMMWV	MOD FOR SET	P19K	201	86	102	9780	102	9780	T07679 AC
M1097A2	TRK UTIL HVY HMMWV	MOD FOR SET	P19J	201	86	102	8960	102	8960	T07679 AD
M1097A2	TRK UTIL HVY HMMWV	MOD FOR SET	P14J	185	85	102	8985	102	8985	T07679 B1
M1097A2P1	TRK UTIL HVY W/ AOA	OPERATIONAL	P18L	191	96	72	7100	54	11500	T11622 09
M1097A2P1	TRK UTIL HVY W/ AOA	REDUCED	P18L	191	91	72	7100	54	11500	T11622 10
M1097A2P1	TRK UTIL HVY W/ AOA	NOT REDUCIBLE	P18L	191	96	72	7500	54	11500	T11622 11
M1097A2P1	TRK UTIL HVY W/ AOA	RED F/SEALIFT	P18L	191	91	72	7500	54	11500	T11622 12
M1097E	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P19J	204	86	88	5890	54	8390	CB0360 79
M1097P1	TRK UTIL HVY W/ AOA	OPERATIONAL	P18L	191	96	72	6800	54	11200	T11622 01
M1097P1	TRK UTIL HVY W/ AOA	REDUCED	P18L	191	91	72	6800	54	11200	T11622 02
M1097P1	TRK UTIL HVY W/ AOA	NOT REDUCIBLE	P18L	191	96	72	7200	54	11200	T11622 03
M1097P1	TRK UTIL HVY W/ AOA	RED F/SEALIFT	P18L	191	91	72	7200	54	11200	T11622 04
M1097R1	TRK UTIL HVY HMMWV	REDUCED	P14F	189	86	72	5600	72	5600	T07679 B3
M1097R1	TRK UTIL HVY HMMWV	OPERATIONAL	P14F	189	86	72	5600	72	5600	T07679 B4
M109A2	HOWITZER MED SP 155MM	OPERATIONAL	P45V	360	128	130	47960	130	47960	K57667 18
M109A2	HOWITZER MED SP 155MM	REDUCED	P45V	360	124	117	47960	117	47960	K57667 19
M109A2	HOWITZER MED SP 155MM	RED F/SEALIFT	P45V	360	124	117	47960	117	47960	K57667 42
M109A2	HOWITZER MED SP 155MM	SEALIFT/OPR	P45V	360	124	130	47960	130	47960	K57667 43

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M109A3	HOWITZER MED SP 155MM	OPERATIONAL	P45V	360	129	126	48220	126	48220	K57667 16
M109A3	HOWITZER MED SP 155MM	REDUCED	P44V	360	124	113	48120	113	48120	K57667 17
M109A4	HOWITZER MED SP 155MM	OPERATIONAL	P45W	359	124	130	55000	130	55000	K57667 27
M109A4	HOWITZER MED SP 155MM	REDUCED	P44W	359	124	114	55000	114	55000	K57667 29
M109A4	HOWITZER MED SP 155MM	RED F/SEALIFT	P44W	359	124	114	55000	114	55000	K57667 44
M109A4	HOWITZER MED SP 155MM	SEALIFT/OPR	P45W	359	124	130	55000	130	55000	K57667 45
M109A5	HOWITZER MED SP 155MM	OPERATIONAL	P45W	362	124	130	53000	130	53000	K57667 26
M109A5	HOWITZER MED SP 155MM	REDUCED	P44W	362	124	114	53000	114	53000	K57667 40
M109A5	HOWITZER MED SP 155MM	RED F/SEALIFT	P44W	362	124	114	53000	114	53000	K57667 46
M109A5	HOWITZER MED SP 155MM	SEALIFT/OPR	P45W	362	124	130	53000	130	53000	K57667 47
M109A6	HOWITZER MED SELF PRO	OPERATIONAL	P46W	423	128	143	56400	143	56400	H57642 01
M109A6	HOWITZER MED SELF PRO	REDUCED	P45W	423	128	128	56400	128	56400	H57642 02
M109A6	HOWITZER MED SELF PRO	RED F/SEALIFT	P45W	423	128	128	56400	128	56400	H57642 07
M109A6	HOWITZER MED SELF PRO	SEALIFT/OPR	P46W	423	128	143	56400	143	56400	H57642 08
M1101	TLR CGO HIMOB 3/4-T	OPERATIONAL	T09D	136	86	100	1400	100	3400	T95992 01
M1101	TLR CGO HIMOB 3/4-T	REDUCED	T08D	136	86	52	1400	52	3400	T95992 02
M1101	TLR CGO HIMOB 3/4-T	MOD FOR SET	T08C	136	86	68	2724	68	2724	T95992 04
M1101	TLR CGO HIMOB 3/4-T	RED F/SEALIFT	T08D	136	86	52	1400	52	3400	T95992 06
M1101	TLR CGO HIMOB 3/4-T	SEALIFT/OPR	T09D	136	86	100	1400	100	3400	T95992 07
M1101	G/E-T	GCS GEN EQUIP TRLR	T09D	137	87	73	3500	73	3500	YA0683 01
M1101	TRL	COMMUNICATIONS SYSTEM	T08C	136	86	68	2724	68	2724	C59125 08
M1102	CENTRAL COMM TROJAN	OPERATIONAL	T11B	135	88	100	1360	100	1360	C43399 11
M1102	CENTRAL COMM TROJAN	REDUCED	T10B	135	88	52	1360	52	1360	C43399 12
M1102	STN SPT GRP (SSG) (AV)	REDUCED	T09B	136	86	100	1400	100	1400	S05006 05
M1102	TLR CGO HIMOB 1-1/4T	OPERATIONAL	T09E	136	86	100	1400	100	4200	T95924 01
M1102	TLR CGO HIMOB 1-1/4T	REDUCED	T08E	136	86	52	1400	52	4200	T95924 02
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T09E	136	86	86	4114	86	4114	T95924 04
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T09D	136	86	86	3652	86	3652	T95924 07
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T09D	136	86	95	3740	95	3740	T95924 10
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T08B	136	86	52	1360	52	1360	T95924 13
M1102	TLR CGO HIMOB 1-1/4T	RED F/SEALIFT	T08E	136	86	52	1400	52	4200	T95924 17
M1102	TLR CGO HIMOB 1-1/4T	SEALIFT/OPR	T09E	136	86	100	1400	100	4200	T95924 18
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T11D	136	88	79	3680	79	3680	T95924 29
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T13E	162	90	79	4080	79	4080	T95924 32
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T06E	131	85	96	4077	96	4077	T95924 35
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T06D	131	85	96	3780	96	3780	T95924 38
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T06D	131	85	96	3831	96	3831	T95924 41
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T11D	134	88	99	3940	99	3940	T95924 44
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T11D	135	88	100	3360	100	3360	T95924 47
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T13D	170	88	101	3380	101	3380	T95924 51
M1102	TLR CGO HIMOB 1-1/4T	MOD FOR SET	T11E	137	88	96	3450	96	4200	T95924 55
M1102	FIFTH WHL TRL (FWT)	OPERATIONAL	T19G	202	85	106	6440	106	6440	YA1062 01
M1102	FIFTH WHL TRL (FWT)	REDUCED	T19B	202	85	82	1400	82	1400	YA1062 03

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1102 TRL	CHEM/BIO PROTECTIVE S	NOT REDUCIBLE	T11D	136	88	79	3680	79	3680	C07506 06
M1102 TRL	CNT COM TROJAN SPIRIT	OPERATIONAL	T11B	136	88	100	1360	100	1360	C43331 03
M1102 TRL	CNT COM TROJAN SPIRIT	REDUCED	T10B	136	88	53	1360	53	1360	C43331 04
M1102 TRL	RADIO TERMINAL SET	NOT REDUCIBLE	T08B	136	86	52	1360	52	1360	R35814 08
M1112	TRLR TK WTR 400 GAL	NOT REDUCIBLE	T13D	163	98	84	3945	84	3945	W98825 61
M1113	TRK UTIL EXPANDED CAP	OPERATIONAL	P18L	191	98	72	6380	73	11500	T61630 01
M1113	TRK UTIL EXPANDED CAP	REDUCED	P18L	191	86	56	6380	73	11500	T61630 02
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	220	89	102	10066	102	10066	T61630 03
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19K	212	89	105	9933	105	9933	T61630 06
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19K	212	89	105	9937	105	9937	T61630 09
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	212	89	105	10066	105	10066	T61630 12
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	212	89	105	10064	105	10064	T61630 15
M1113	TRK UTIL EXPANDED CAP	RED F/SEALIFT	P18L	191	86	56	6380	73	11500	T61630 18
M1113	TRK UTIL EXPANDED CAP	SEALIFT/OPR	P18L	191	86	72	6380	73	11500	T61630 19
M1113	TRK UTIL EXPANDED CAP	NOT REDUCIBLE	P18G	191	86	72	6600	72	6600	T61630 20
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	215	90	104	10286	104	10286	T61630 22
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P23L	231	87	104	10800	104	10800	T61630 31
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	217	85	105	11009	105	11009	T61630 34
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	208	85	105	11410	105	11410	T61630 37
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	208	85	105	11410	105	11410	T61630 40
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	218	85	105	10610	105	10610	T61630 43
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	218	85	105	10562	105	10562	T61630 46
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	218	96	102	10575	102	10575	T61630 49
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	211	89	104	10970	104	10970	T61630 52
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P23K	231	95	105	9730	105	9730	T61630 59
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P23L	228	92	100	10620	100	10620	T61630 62
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	210	90	103	10280	103	10280	T61630 64
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P14L	180	94	105	10020	105	10020	T61630 68
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19L	220	87	102	10080	102	10080	T61630 71
M1113	TRK UTIL EXPANDED CAP	MOD FOR SET	P19J	207	94	105	8875	105	8875	T61630 74
M1113	TRK UTIL EXPANDED CAP	NOT REDUCIBLE	P19J	208	91	101	8600	101	8600	T61630 77
M1114 WVN	TRK UTILITY UP-ARMOR	OPERATIONAL	P28K	197	110	72	9800	72	9800	T92446 01
M1114 WVN	TRK UTILITY UP-ARMOR	REDUCED	P18K	197	86	72	9800	72	9800	T92446 02
M1114 WVN	TRK UTILITY UP-ARMOR	SEALIFT/OPR	P18K	197	86	72	9800	72	9800	T92446 03
M1114 WVN	TRK UTILITY UP-ARMOR	NOT REDUCIBLE	P19L	197	90	83	10297	83	10297	T92446 10
M1114 WVN	TRK UTILITY UP-ARMOR	SEALIFT/OPR	P19L	197	91	87	10640	87	10640	T92446 16
M1114 WVN	TRK UTILITY UP-ARMOR	SEALIFT/OPR	P19L	197	91	83	10297	83	10297	T92446 18
M1114 WVN	TRK UTILITY UP-ARMOR	SEALIFT/OPR	P18K	197	91	74	9980	74	9980	T92446 20
M1114 WVN	TRK UTILITY UP-ARMOR	RED F/SEALIFT	P28L	197	110	87	10640	87	10640	T92446 22
M1114 WVN	TRK UTILITY UP-ARMOR	SEALIFT/OPR	P19L	197	91	93	11073	93	11073	T92446 24
M1117	ARMORED SECURITY VEH	NOT REDUCIBLE	P31T	237	101	102	29560	102	29560	A93374 01
M1120	TRUCK CARGO TAC W/LHS	OPERATIONAL	P38W	401	96	129	35300	129	35300	T96496 01
M1120	TRUCK CARGO TAC W/LHS	REDUCED	P35W	401	96	102	35300	102	35300	T96496 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1120	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P35W	401	96	102	35300	102	57300	T96496 04
M1120	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P38W	401	96	129	35300	129	57300	T96496 05
M1120	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P38W	401	96	115	35300	102	57300	T96496 55
M1120	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P38W	401	96	117	35300	102	57300	T96496 57
M1120	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P38W	401	96	112	35300	102	57300	T96496 67
M1120	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P38W	401	96	117	35300	102	57300	T96496 69
M1120	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P46W	401	96	141	38800	102	57300	T96496 71
M1120	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P41W	419	96	132	38500	102	57300	T96496 73
M1120	MOD FUEL SYS (PUMP RC	VEHICLE MTD	P41W	412	96	139	61280	139	61280	Z01595 02
M1120A2	TRUCK CARGO TAC W/LHS	OPERATIONAL	P38W	401	96	129	35365	129	57365	T96496 18
M1120A2	TRUCK CARGO TAC W/LHS	REDUCED	P35W	401	96	102	35365	102	57365	T96496 19
M1120A2	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P35W	401	96	102	35365	102	57365	T96496 24
M1120A2	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P38W	401	96	129	35365	129	57365	T96496 25
M1120A2	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P38W	401	96	115	35365	102	57365	T96496 59
M1120A2	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P38W	401	96	117	35365	102	57365	T96496 61
M1120A2	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P38W	401	96	112	35365	102	57365	T96496 75
M1120A2	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P38W	401	96	117	35365	102	57365	T96496 77
M1120A2	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P46W	401	96	141	38865	102	57365	T96496 79
M1120A2	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P41W	419	96	132	38565	102	57365	T96496 81
M1120A2P1	TRK PLTZD LHS W/ARMOR	OPERATIONAL	P38W	401	96	129	37365	102	67365	T82378 01
M1120A2P1	TRK PLTZD LHS W/ARMOR	REDUCED	P35W	401	96	102	37365	102	67365	T82378 02
M1120A2R1	TRUCK CARGO TAC W/LHS	OPERATIONAL	P38W	401	96	129	35365	129	57365	T96496 21
M1120A2R1	TRUCK CARGO TAC W/LHS	REDUCED	P35W	401	96	102	35365	102	57365	T96496 22
M1120A2R1	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P35W	401	96	102	35365	102	57365	T96496 26
M1120A2R1	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P38W	401	96	129	35365	129	57365	T96496 27
M1120A2R1	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P38W	401	96	115	35365	102	57365	T96496 63
M1120A2R1	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P38W	401	96	117	35365	102	57365	T96496 65
M1120A2R1	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P38W	401	96	112	35365	102	57365	T96496 83
M1120A2R1	TRUCK CARGO TAC W/LHS	RED F/SEALIFT	P38W	401	96	117	35365	102	57365	T96496 85
M1120A2R1	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P46W	401	96	141	38865	102	57365	T96496 87
M1120A2R1	TRUCK CARGO TAC W/LHS	SEALIFT/OPR	P41W	419	96	132	38565	102	57365	T96496 89
M1120A2R1P1WOW	TRK PLTZD LHS W/ARMOR	OPERATIONAL	P38W	401	96	129	37365	102	67365	T82378 03
M1120A2R1P1WOW	TRK PLTZD LHS W/ARMOR	REDUCED	P35W	401	96	102	37365	102	67365	T82378 04
M1120A4	TRK PALLETIZED LHS	OPERATIONAL	P35W	402	96	102	40240	102	70240	T55054 01
M1120A4	TRK PALLETIZED LHS	RED FOR C-130	P35W	401	102	101	40240	102	70240	T55054 02
M1120A4	TRK PALLETIZED LHS	RED FOR C-17	P48W	401	141	129	40240	102	70240	T55054 04
M1120P1	TRK PLTZD LHS W/ARMOR	OPERATIONAL	P38W	401	96	129	37300	102	67300	T82378 05
M1120P1	TRK PLTZD LHS W/ARMOR	REDUCED	P35W	401	96	102	37300	102	67300	T82378 06
M1121P1	TRK TOW CARRIER W/ITA	NOT REDUCIBLE	P28H	180	105	74	7651	74	7651	T07814 01
M1126	INF CARR VEH/STRYKER	OPERATIONAL	P46V	294	123	142	38640	142	38640	J22626 01
M1126	INF CARR VEH/STRYKER	REDUCED	P35V	288	112	106	35574	106	35574	J22626 02
M1126	INF CARR VEH/STRYKER	OPERATIONAL	P49V	319	148	142	41160	142	41160	J22626 03
M1126	INF CARR VEH/STRYKER	REDUCED	P35V	288	112	106	35574	106	35574	J22626 04

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1126	INF CARR VEH/STRYKER	RED FOR C-130	P35V	288	112	106	36884	106	36884	J22626 19
M1127	RECON VEH/STRYKER	OPERATIONAL	P46V	289	123	142	38760	142	38760	R62673 01
M1127	RECON VEH/STRYKER	REDUCED	P35V	288	113	106	36403	106	36403	R62673 02
M1127	RECON VEH/STRYKER	OPERATIONAL	P49V	315	149	124	41480	124	41480	R62673 03
M1127	RECON VEH/STRYKER	REDUCED	P35V	288	113	106	36403	106	36403	R62673 04
M1127	RECON VEH/STRYKER	RED FOR C-130	P35V	288	113	106	36869	106	36869	R62673 07
M1128	MOB GUN SYS/STRYKER	OPERATIONAL	P46V	296	128	132	44196	132	44196	M57720 01
M1128	MOB GUN SYS/STRYKER	REDUCED	P44V	296	128	105	44196	105	44196	M57720 02
M1128	MOB GUN SYS/STRYKER	OPERATIONAL	****	302	166	132	46111	132	46111	M57720 03
M1128	MOB GUN SYS/STRYKER	REDUCED	P31V	298	107	105	46111	105	46111	M57720 05
M1129	MORTAR CARR/STRYKER	OPERATIONAL	P46V	290	127	142	40100	142	40100	M53369 01
M1129	MORTAR CARR/STRYKER	REDUCED	P31V	287	107	106	37311	106	37311	M53369 02
M1129	MORTAR CARR/STRYKER	RED FOR C-130	P31V	287	107	106	36455	106	36455	M53369 03
M1129	MORTAR CARR/STRYKER	OPERATIONAL	P49V	300	145	124	41923	124	41923	M53369 04
M1129	MORTAR CARR/STRYKER	REDUCED	P31V	287	107	106	38807	106	38807	M53369 05
M1129	MORTAR CARR/STRYKER	RED FOR C-130	P31V	287	107	106	36559	106	36559	M53369 06
M1129	MORTAR CARR/STRYKER	OPERATIONAL	****	312	164	124	45923	124	45923	M53369 12
M1129	MORTAR CARR/STRYKER	REDUCED	P31V	287	107	106	38807	106	38807	M53369 13
M1129	MORTAR CARR/STRYKER	OPERATIONAL	****	320	166	144	42600	144	42600	M53369 17
M1129	MORTAR CARR/STRYKER	REDUCED	P31V	287	107	106	37311	106	37311	M53369 18
M1129E1	MORTAR CARR/STRYKER	OPERATIONAL	****	312	164	124	45923	124	45923	M53369 44
M1129E1	MORTAR CARR/STRYKER	REDUCED	P31V	287	107	106	38807	106	38807	M53369 45
M1129E1	MORTAR CARR/STRYKER	RED FOR C-130	P31V	287	107	106	36559	106	36559	M53369 50
M113	OPFOR SYS (OSTS) BATL	NOT REDUCIBLE	P28R	209	106	100	21887	100	21887	P60658 01
M1130	COMMAND VEH/STRYKER	OPERATIONAL	P46V	299	125	142	39160	142	39160	C41314 01
M1130	COMMAND VEH/STRYKER	REDUCED	P35V	295	112	106	36614	106	36614	C41314 02
M1130	COMMAND VEH/STRYKER	RED FOR C-130	P35V	295	112	106	36918	106	36918	C41314 03
M1130	COMMAND VEH/STRYKER	OPERATIONAL	P49V	322	150	132	41360	132	41360	C41314 04
M1130	COMMAND VEH/STRYKER	REDUCED	P35V	295	112	106	36614	106	36614	C41314 05
M1131	FIRE SPT VEH/STRYKER	OPERATIONAL	P46V	297	123	142	38160	142	38160	F86821 01
M1131	FIRE SPT VEH/STRYKER	REDUCED	P35V	288	112	103	36364	103	36364	F86821 02
M1131	FIRE SPT VEH/STRYKER	RED FOR C-130	P35V	288	112	103	36828	103	36828	F86821 03
M1131	FIRE SPT VEH/STRYKER	OPERATIONAL	P49V	314	152	140	41700	140	41700	F86821 04
M1131	FIRE SPT VEH/STRYKER	REDUCED	P35V	288	112	103	36364	103	36364	F86821 05
M1131A	FIRE SPT VEH/STRYKER	NOT REDUCIBLE	P35V	288	113	106	35271	106	35271	F86821 40
M1132	ENG SQD VEH/STRYKER	OPERATIONAL	P46V	304	118	142	40000	142	40000	J97621 01
M1132	ENG SQD VEH/STRYKER	REDUCED	P35V	299	113	106	36425	106	36425	J97621 02
M1132	ENG SQD VEH/STRYKER	RED FOR C-130	P35V	299	113	106	37219	106	37219	J97621 03
M1132	ENG SQD VEH/STRYKER	OPERATIONAL	P50V	320	160	140	42240	140	42240	J97621 04
M1132	ENG SQD VEH/STRYKER	REDUCED	P35V	299	113	106	36425	106	36425	J97621 05
M1132	ENG SQD VEH/STRYKER	NOT REDUCIBLE	P46V	414	115	140	42860	140	42860	J97621 08
M1132	ENG SQD VEH/STRYKER	NOT REDUCIBLE	P46V	377	125	140	40500	140	40500	J97621 10
M1133	MED EVAC VEH/STRYKER	OPERATIONAL	P46V	293	129	142	39900	142	39900	M30567 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1133	MED EVAC VEH/STRYKER	REDUCED	P31V	289	107	105	37480	105	37480	M30567 02
M1133	MED EVAC VEH/STRYKER	RED FOR C-130	P31V	289	107	105	36575	105	36575	M30567 03
M1133	MED EVAC VEH/STRYKER	OPERATIONAL	****	316	167	140	42580	140	42580	M30567 04
M1133	MED EVAC VEH/STRYKER	REDUCED	P31V	289	107	105	37480	105	37480	M30567 05
M1134	ANTI TANK VEH/STRYKER	OPERATIONAL	P46V	294	125	142	41160	142	41160	A83852 01
M1134	ANTI TANK VEH/STRYKER	REDUCED	P35V	270	112	105	38959	105	38959	A83852 02
M1134	ANTI TANK VEH/STRYKER	RED FOR C-130	P35V	270	112	105	37356	105	37356	A83852 03
M1134	ANTI TANK VEH/STRYKER	OPERATIONAL	P49V	320	150	140	43520	140	43520	A83852 04
M1134	ANTI TANK VEH/STRYKER	REDUCED	P35V	270	112	105	38959	105	38959	A83852 05
M1135	NBC RECON VEH/STRYKER	OPERATIONAL	P48V	297	132	126	38041	126	38041	N96543 01
M1135	NBC RECON VEH/STRYKER	REDUCED	P48V	297	132	103	38041	103	38041	N96543 02
M1135	NBC RECON VEH/STRYKER	OPERATIONAL	P49V	322	150	126	40833	126	40833	N96543 03
M1135	NBC RECON VEH/STRYKER	REDUCED	P35V	298	111	103	40833	103	40833	N96543 04
M113A2	CARRIER PERS FTRAC	OPERATIONAL	P28Q	192	106	88	19960	88	19960	D12087 14
M113A2	CARRIER PERS FTRAC	REDUCED	P28Q	192	106	81	19620	81	19620	D12087 15
M113A2	CARRIER PERS FTRAC	OPERATIONAL	P28R	209	106	100	21887	100	21887	D12087 17
M113A2	CARRIER PERS FTRAC	REDUCED	P19R	209	100	81	21758	81	21758	D12087 18
M113A3	CARRIER PERS FTRAC	OPERATIONAL	P28R	210	106	100	23880	100	23880	C18234 01
M113A3	CARRIER PERS FTRAC	REDUCED	P19R	210	100	81	23880	81	23880	C18234 02
M113A3	CARRIER PERS FTRAC	RED F/SEALIFT	P19R	210	100	81	23880	81	23880	C18234 18
M113A3	CARRIER PERS FTRAC	SEALIFT/OPR	P19R	210	100	100	23880	100	23880	C18234 20
M1142	TRK TACT FIREFIGHTING	OPERATIONAL	P48W	416	140	132	53500	132	53500	T82180 01
M1142	TRK TACT FIREFIGHTING	REDUCED	P41W	416	96	132	53500	132	53500	T82180 02
M1145	TRK UTILITY UP-ARMOR	OPERATIONAL	P28M	197	110	72	9800	72	12100	YA0821 01
M1145	TRK UTILITY UP-ARMOR	REDUCED	P18M	197	86	72	9800	72	12100	YA0821 02
M1145	TRK UTILITY UP-ARMOR	SEALIFT/OPR	P18M	197	86	72	9800	72	12100	YA0821 03
M1147/ S-784	SHP EQUIP AIR DFENSE A	VEHICLE MTD	P41R	340	102	139	22280	139	22280	S05004 01
M1148 /S-784	MAINT FAC TRANSPORT (VEHICLE MTD	P38S	362	96	114	25550	114	25550	M05006 01
M1148/ S-784	MOBILE SUPPORT CENTER	OPERATIONAL	P39S	362	98	114	25550	114	25550	M05008 01
M1148/ S-784	OPERATIONS REPAIR SHE	VEHICLE MTD	P39S	362	98	114	25550	114	25550	P05006 03
M1148A1P2	TRK LHS MTV W/CHU	NOT REDUCIBLE	P38T	364	96	113	28781	113	28781	T54516 01
M1151	TRK UTILITY	OPERATIONAL	P19J	194	86	95	8053	95	8053	T34704 01
M1151	TRK UTILITY	REDUCED	P18J	194	86	77	8053	77	8053	T34704 02
M1151	TRK UTILITY	SEALIFT/OPR	P19J	194	86	95	8053	95	8053	T34704 03
M1151 W CROWS	TRK UTILITY	NOT REDUCIBLE	P37M	191	91	111	12100	111	12100	T34704 28
M1151A1	TRK UTILITY	NOT REDUCIBLE	P18J	194	91	79	8150	79	8150	T34704 14
M1151A1	TRK UTILITY	NOT REDUCIBLE	P18L	194	91	79	10300	79	10300	T34704 16
M1151A1	TRK UTILITY	NOT REDUCIBLE	P28L	250	106	100	11500	100	11500	T34704 18
M1152	TRK UTIL VEH EXP	NOT REDUCIBLE	P28H	195	105	75	7146	75	7146	T11588 01
M1152	TRK UTIL VEH EXP	SEALIFT/OPR	P28H	195	105	75	7146	75	7146	T11588 02
M1152A1	BSC MOBILE SUPPT TRK	NOT REDUCIBLE	P19L	191	98	105	11200	105	11200	S05005 01
M1152A1	TRK UT EXP CAP	OPERATIONAL	P18H	198	84	76	7100	76	7100	T37588 01
M1152A1	TRK UT EXP CAP	NOT REDUCIBLE	P18J	194	91	75	8760	75	8760	T37588 03

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1152A1	TRK UT EXP CAP	VEHICLE MTD	P39L	215	99	109	11500	109	11500	T37588 13
M1152A1	TRK UT EXP CAP	RED FOR C-17	P19M	201	91	86	12100	86	12100	T37588 15
M1152A1	TRK UT EXP CAP	NOT REDUCIBLE	P19L	197	96	102	11017	102	11017	T37588 17
M1152A1	TRK UT EXP CAP	OPERATIONAL	P19L	191	98	105	11200	105	11200	T37588 19
M1152A1 ASV	STN SPT GRP (SSG) (AV)	OPERATIONAL	P18L	191	86	72	11275	72	11275	S05006 03
M1152A1 CSV	STN SPT GRP (SSG) (AV)	OPERATIONAL	P18L	191	86	72	11275	72	11275	S05006 04
M1152A1 W-SHLT	FABORMASTER CMD CTL C	NOT REDUCIBLE	P19M	214	98	105	13100	105	13100	C05019 06
M1157 W/W	TRK DUMP FMTV 10T	NOT REDUCIBLE	P39V	287	97	113	27041	112	47041	T65115 01
M1157 WO/W	TRK DUMP FMTV 10T	NOT REDUCIBLE	P39V	287	97	113	26320	112	46320	T65047 01
M1157A1	TRK DUMP FMTV 10T	OPERATIONAL	P38V	293	96	112	26320	112	46320	T65047 02
M1157A1	TRK DUMP FMTV 10T	REDUCED	P31V	293	96	106	26320	106	46320	T65047 03
M1157A1P2	TRK DUMP 10T W/WN	NOT REDUCIBLE	P38V	286	96	113	29579	112	49579	T65274 01
M1157A1P2	TRK DUMP 10T WO/WN	NOT REDUCIBLE	P38V	290	96	113	28885	112	48885	T65342 01
M1158	HEMTT WTR TENDER	NOT REDUCIBLE	P38V	401	96	112	38200	112	38200	M31997 01
M116	CARRIER CARGO AMPH	OPERATIONAL	P14L	188	85	84	7780	84	10780	D10990 01
M116	CARRIER CARGO AMPH	REDUCED	P14L	181	82	64	7780	64	10780	D10990 02
M1165 W/B3	TRK UTIL GRD MOB VEH	NOT REDUCIBLE	P28M	210	109	98	13210	98	13210	G05014 01
M1165A1	TRK UT EXP CAP	NOT REDUCIBLE	P18K	194	91	75	7230	53	9460	T56383 01
M1165A1	TRK UT EXP CAP	NOT REDUCIBLE	P18K	194	91	75	9870	53	9460	T56383 03
M1165A1 TRK	AIR CTL TWR SYS (MOTS)	NOT REDUCIBLE	P18K	194	91	75	9870	75	9870	M05009 05
M1165A1 W B3	TRK UT EXP CAP	NOT REDUCIBLE	P40N	207	102	118	13560	53	15790	T56383 13
M1167	TRUCK UTILITY	NOT REDUCIBLE	P18M	194	91	77	13100	77	13100	T34840 01
M116A2	CHASSIS TLR CRGO	NOT REDUCIBLE	T08A	147	82	36	740	36	740	YA0042 01
M116A2	CHASSIS TLR CRGO	MOD FOR SET	T09C	146	80	92	2720	92	2720	YA0042 02
M116A2	CHASSIS TLR CRGO	MOD FOR SET	T09C	147	85	77	2940	77	2940	YA0042 05
M116A2 TRL	FADAR SET	NOT REDUCIBLE	T08A	147	82	36	740	36	740	RI4284 10
M119A2	HOWITZER LIGHT TOWED	OPERATIONAL	T25E	249	70	87	4690	87	4690	H57505 28
M119A2	HOWITZER LIGHT TOWED	REDUCED	T16E	192	70	54	4690	54	4690	H57505 29
M119A3	HOWITZER LT TOWED (DS)	OPERATIONAL	T25E	249	70	87	4690	87	4690	H05007 01
M119A3	HOWITZER LT TOWED (DS)	REDUCED	T16E	192	70	54	4270	54	4270	H05007 02
M1200	ARMORED KNIGHT	OPERATIONAL	P41U	237	101	133	30593	133	30593	K29708 01
M1200	ARMORED KNIGHT	REDUCED	P31U	237	101	101	30593	101	30593	K29708 06
M121	MORTAR 120 MM	NOT REDUCIBLE	T01A	95	60	50	720	50	720	M68405 02
M1220 6X6	MINE RESISTANT VEH M1	NOT REDUCIBLE	P40V	316	101	118	37360	118	37360	M17594 01
M1224A1	MINE RESISTANT VEH MA	NOT REDUCIBLE	P45V	263	115	130	40140	130	40140	M11751 01
M1226	MED MINE PROT VEH	NOT REDUCIBLE	P31W	338	108	102	57500	102	57500	M74226 12
M1230	MINE RESISTANT VEH M1	OPERATIONAL	P48W	312	132	139	55500	139	55500	M26392 01
M1230	MINE RESISTANT VEH M1	REDUCED	P48W	291	132	120	55500	120	55500	M26392 02
M1231 FIRST	TRL SET MINE DETONATI	NOT REDUCIBLE	T14P	178	99	72	17700	72	17700	T05003 02
M1231 SECOND	TRL SET MINE DETONATI	NOT REDUCIBLE	T14Y	178	99	72	177010	72	177010	T05003 03
M1231 THIRD	TRL SET MINE DETONATI	NOT REDUCIBLE	T11N	149	65	72	14100	72	14100	T05003 04
M1236 RG31A3	MINE RESISTANT VEH M1	NOT REDUCIBLE	P46V	259	107	145	36330	145	36330	M39691 01
M1238 CAT I	MINE RESISTANT VEH RG	OPERATIONAL	P48W	264	141	147	52000	147	52000	M26460 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1238 CAT I	MINE RESISTANT VEH RG	REDUCED	P48W	260	133	117	52000	117	52000	M26460 02
M1238 CAT II	MINE RESISTANT VEH RG	NOT REDUCIBLE	P38V	337	95	117	44000	117	44000	M26460 03
M1238A1	MINE RESISTANT VEH RG	NOT REDUCIBLE	P48W	264	141	117	50533	117	50533	M39793 01
M1239	MINE RESISTANT VEH M1	NOT REDUCIBLE	P48W	350	136	118	67363	118	67363	M26528 01
M1251 FSVV	FIRE SPT VEH/STRYKER	OPERATIONAL	P49V	288	150	139	49603	139	49603	F05013 01
M1251 FSVV	FIRE SPT VEH/STRYKER	REDUCED	P42V	286	113	107	48216	107	48216	F05013 03
M1252 MCWV	MORTAR CARR/STRYKER D	OPERATIONAL	P49W	288	146	125	53602	125	53602	M05032 01
M1252 MCWV	MORTAR CARR/STRYKER D	REDUCED	P44W	286	122	108	52015	108	52015	M05032 03
M1253 ATGMVV	ANTI TANK VEH/STRYKER	OPERATIONAL	P49W	288	150	116	51232	116	51232	Z05265 01
M1253 ATGMVV	ANTI TANK VEH/STRYKER	REDUCED	P42W	286	112	113	50106	113	50106	Z05265 03
M1254 MEVV	MED EVAC VEH/STRYKER	OPERATIONAL	P48V	299	137	133	49793	133	49793	M05033 01
M1254 MEVV	MED EVAC VEH/STRYKER	REDUCED	P44V	299	124	110	48777	110	48777	M05033 03
M1255 CVV	COMMAND VEH/STRYKER D	OPERATIONAL	P49V	288	144	130	49689	130	49689	C05052 01
M1255 CVV	COMMAND VEH/STRYKER D	REDUCED	P42V	286	112	110	48223	110	48223	C05052 03
M1256 ICWV	INF CARR VEH/STRYKER	OPERATIONAL	P49W	288	150	130	51216	130	51216	J05009 01
M1256 ICWV	INF CARR VEH/STRYKER	REDUCED	P42V	286	112	110	48155	110	48155	J05009 03
M1257 ESWV	ENG SQD VEH/STRYKER D	OPERATIONAL	P49W	309	155	130	56281	130	56281	E05010 01
M1257 ESWV	ENG SQD VEH/STRYKER D	REDUCED	P42W	309	113	110	53701	110	53701	E05010 03
M127	STLR STAKE 12-TON	OPERATIONAL	T39V	346	98	109	13370	109	13370	S72024 05
M127	STLR STAKE 12-TON	REDUCED	T30V	346	98	61	13370	61	13370	S72024 06
M127A1	STLR STAKE 12-TON	OPERATIONAL	T39V	346	98	109	14240	109	14240	S72024 01
M127A1	STLR STAKE 12-TON	REDUCED	T30V	346	98	61	14240	61	14240	S72024 02
M127A1C	STLR STAKE 12-TON	OPERATIONAL	T39V	349	98	109	14280	109	14280	S72024 03
M127A1C	STLR STAKE 12-TON	REDUCED	T30V	349	98	61	14280	61	14280	S72024 04
M127A2C	STLR STAKE 12-TON	OPERATIONAL	T39V	352	98	108	13620	108	13620	S72024 07
M127A2C	STLR STAKE 12-TON	REDUCED	T30V	352	98	60	13620	60	13620	S72024 08
M127A2C	STLR STAKE 12-TON	PIGGYBACKED	T39S	352	98	110	27970	110	27970	S72024 09
M128A1C	STLR VAN CARGO 12-TON	OPERATIONAL	T46N	357	99	143	15340	143	15340	S74079 03
M128A1C	STLR VAN CARGO 12-TON	REDUCED	T46N	350	99	143	15340	143	15340	S74079 04
M128A2C	STLR VAN CARGO 12-TON	OPERATIONAL	T47N	354	99	146	15850	146	15850	S74079 01
M128A2C	STLR VAN CARGO 12-TON	REDUCED	T47N	347	99	146	15850	146	15850	S74079 02
M129A1C	STLR VAN SUPPLY 12TON	OPERATIONAL	T46N	359	98	142	15080	142	15080	S75175 03
M129A1C	STLR VAN SUPPLY 12TON	REDUCED	T46N	346	98	142	15080	142	15080	S75175 04
M129A2C	STLR VAN SUPPLY 12TON	OPERATIONAL	T46N	359	98	142	15110	142	15110	S75175 05
M129A2C	STLR VAN SUPPLY 12TON	REDUCED	T46N	346	98	142	15110	142	15110	S75175 06
M129A3	STLR VAN SUPPLY 12TON	NOT REDUCIBLE	T46N	351	98	141	15140	141	15140	S75175 15
M129A4	STLR VAN SUPPLY 12TON	NOT REDUCIBLE	T47N	434	96	150	15660	150	15660	S75175 23
M131A1	STLR TANK FUEL 5000G	NOT REDUCIBLE	T39N	352	98	114	14920	114	14920	S72846 02
M131A2	STLR TANK FUEL 5000G	NOT REDUCIBLE	T33N	378	97	106	14720	106	14720	S72846 37
M131A3C	STLR TANK FUEL 5000G	NOT REDUCIBLE	T33N	385	98	106	14720	106	14720	S72846 36
M131A4	STLR TANK FUEL 5000G	NOT REDUCIBLE	T39M	374	97	108	12785	108	12785	S72846 38
M131A4	STLR TANK FUEL 5000G	NOT REDUCIBLE	T39V	374	97	108	47785	108	47785	S72846 39
M131A4C	STLR TANK FVSC 5000G	NOT REDUCIBLE	T38N	374	96	109	14060	109	14060	S72983 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M131A4C	STLR TANK FSVC 5000G	NOT REDUCIBLE	T38V	374	96	109	49060	109	49060	S72983 09
M131A5	STLR TANK FUEL 5000G	NOT REDUCIBLE	T33M	378	98	106	12750	106	12750	S72846 01
M131A5	STLR TANK FUEL 5000G	NOT REDUCIBLE	T33V	378	98	106	47750	106	47750	S72846 20
M131A5C	STLR TANK FSVC 5000G	NOT REDUCIBLE	T38N	376	96	107	14250	107	14250	S72983 01
M131A5C	STLR TANK FSVC 5000G	NOT REDUCIBLE	T38V	376	96	107	49250	107	49250	S72983 07
M135	TRK CARGO 2-1/2-TON	OPERATIONAL	P37P	267	91	117	12300	117	17300	X40009 09
M135	TRK CARGO 2-1/2-TON	REDUCED	P26P	267	88	80	12300	80	17300	X40009 10
M135	TRK CARGO 2-1/2-TON	RED F/SEALIFT	P26P	267	88	80	12300	80	17300	X40009 39
M135	TRK CARGO 2-1/2-TON	SEALIFT/OPR	P36P	267	88	117	12300	117	17300	X40009 93
M135 WVN	TRUCK CARGO 2-1/2-TON	OPERATIONAL	P37P	267	92	117	12840	117	17840	X40146 19
M135 WVN	TRUCK CARGO 2-1/2-TON	REDUCED	P26P	267	88	80	12840	80	17840	X40146 20
M135 WVN	TRUCK CARGO 2-1/2-TON	RED F/SEALIFT	P26P	267	96	80	12840	80	17840	X40146 38
M135 WVN	TRUCK CARGO 2-1/2-TON	SEALIFT/OPR	P36P	267	88	117	12840	117	17840	X40146 70
M14	IMPROVED BOAT CRADLE	VEHICLE MTD	T41S	338	96	138	27860	138	27860	C33925 03
M142	LAUNCHER ROCKET HIMAR	REDUCED	P31T	312	96	105	28560	105	28560	H53326 02
M142 HIMARS	LAUNCHER ROCKET HIMAR	OPERATIONAL	P38T	312	96	114	28560	114	28560	H53326 01
M142 HIMARS	LAUNCHER ROCKET HIMAR	NOT REDUCIBLE	P39U	307	97	113	35000	113	35000	H53326 14
M142 HIMARS	LAUNCHER ROCKET HIMAR	RED FOR C-17	P31V	309	99	104	37500	104	37500	H53326 15
M146	STLR VAN SHOP 6-TON	NOT REDUCIBLE	T38Q	276	96	129	7180	76	19180	S75038 01
M149A1	TRLR TK WTR 400 GAL	NOT REDUCIBLE	T13C	162	82	81	2800	81	2800	W98825 12
M149A2	TRLR TK WTR 400 GAL	NOT REDUCIBLE	T13G	162	81	81	6250	81	6250	W98825 15
M149A2	TRLR TK WTR 400 GAL	NOT REDUCIBLE	T13C	162	81	81	2912	81	2912	W98825 23
M149A2	TRLR TK WTR 400 GAL	MOD FOR SET	T12C	162	81	72	2800	72	2800	W98825 32
M149A2	TRLR TK WTR 400 GAL	MOD FOR SET	T13C	162	81	80	2440	80	2440	W98825 86
M172 15-TON	STLR LOWBED	NOT REDUCIBLE	T35W	416	115	87	15560	87	65560	S70517 02
M172A1 25TON	STLR LOWBED	NOT REDUCIBLE	T35W	416	115	87	16285	87	66285	S70517 01
M197	DOLLY TLR CONV 6-TON	NOT REDUCIBLE	T05N	112	93	54	2990	54	14990	G35089 02
M1975	LCHR HVY DRY SPT BRDG	NOT REDUCIBLE	P50X	472	118	157	88150	157	88150	L67660 01
M1975	LCHR HVY DRY SPT BRDG	NOT REDUCIBLE	P50X	475	118	158	91100	158	91100	L67660 09
M1977 WVN	TRK TRANSPORTER BRDG	OPERATIONAL	P48V	395	141	113	37540	113	37540	T91308 03
M1977 WVN	TRK TRANSPORTER BRDG	REDUCED	P34V	395	97	101	37540	101	37540	T91308 04
M1977 WVN	TRK TRANSPORTER BRDG	RED F/SEALIFT	P34V	395	97	101	37540	101	37540	T91308 08
M1977 WVN	TRK TRANSPORTER BRDG	SEALIFT/OPR	P39W	395	97	113	37540	113	37540	T91308 09
M1977 WVN	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P48V	456	137	151	55270	151	55270	T91308 36
M1977 WVN	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P47W	561	105	149	54350	149	54350	T91308 38
M1977 WVN	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P48W	456	137	151	55620	151	55620	T91308 40
M1977A2	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P38V	400	96	112	36500	112	36500	T91308 79
M1977A2 WVN	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P38V	427	96	112	36500	112	36500	T91308 80
M1977A2R1	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P47V	393	96	148	37000	148	37000	T91308 81
M1977A2R1 WVN	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P47V	393	96	148	37000	148	37000	T91308 82
M1977W/CBT	TRK TRANSPORTER BRDG	OPERATIONAL	P48V	395	141	113	37240	113	37240	T91308 01
M1977W/CBT	TRK TRANSPORTER BRDG	REDUCED	P34V	395	97	101	37240	101	37240	T91308 02
M1977W/CBT	TRK TRANSPORTER BRDG	RED F/SEALIFT	P34V	395	97	101	37240	101	37240	T91308 06

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M1977W/CBT	TRK TRANSPORTER BRDG	SEALIFT/OPR	P39V	395	97	113	37240	113	37240	T91308 07
M1977W/CBT	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P48W	456	137	151	55270	151	55270	T91308 30
M1977W/CBT	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P47W	561	105	149	54350	149	54350	T91308 32
M1977W/CBT	TRK TRANSPORTER BRDG	NOT REDUCIBLE	P48W	432	136	152	55620	152	55620	T91308 34
M198	HOWITZER TOWED 155MM	OPERATIONAL	T43N	496	111	117	15750	117	15750	K57821 01
M198	HOWITZER TOWED 155MM	REDUCED	T28N	296	111	86	15750	86	15750	K57821 02
M198	HOWITZER TOWED 155MM	RED FOR C-130	T28N	290	99	84	15400	84	15400	K57821 06
M1A1 120MM	TANK COMBAT FTRAC	OPERATIONAL	****	387	144	217	123780	217	123780	T13168 01
M1A1 120MM	TANK COMBAT FTRAC	REDUCED	P49Y	360	144	114	123780	114	123780	T13168 05
M1A1 120MM	TANK COMBAT FTRAC	OPERATIONAL	****	434	179	217	136900	217	136900	T13168 25
M1A1 120MM	TANK COMBAT FTRAC	REDUCED	P49Y	360	144	114	128900	114	128900	T13168 26
M1A1 120MM	TANK COMBAT FTRAC	OPERATIONAL	****	434	179	217	132120	217	132120	T13168 32
M1A1 120MM	TANK COMBAT FTRAC	REDUCED	P49Y	360	144	114	124120	114	124120	T13168 33
M1A1 120MM	TANK COMBAT FTRAC	OPERATIONAL	****	387	144	217	128900	217	128900	T13168 38
M1A1 120MM	TANK COMBAT FTRAC	REDUCED	P49Y	360	144	114	128900	114	128900	T13168 39
M1A1 120MM	TANK COMBAT FTRAC	NOT REDUCIBLE	P49Y	404	144	144	135180	144	135180	T13168 48
M1A1 120MM	TANK COMBAT FTRAC	OPERATIONAL	****	434	179	217	136900	217	136900	T13168 49
M1A1 120MM	TANK COMBAT FTRAC	REDUCED	****	434	179	114	136900	114	136900	T13168 51
M1A1 120MM	TANK COMBAT FTRAC	NOT REDUCIBLE	P49Y	376	144	114	130100	114	130100	T13168 55
M1A2	TK CBT FTRAC 120MM GN	OPERATIONAL	P49Y	355	144	112	128679	112	128679	T13305 01
M1A2	TK CBT FTRAC 120MM GN	REDUCED	P48Y	312	137	112	128679	112	128679	T13305 02
M1A2	TK CBT FTRAC 120MM GN	NOT REDUCIBLE	****	434	179	114	177767	114	177767	T13305 05
M1A2	TK CBT FTRAC 120MM GN	NOT REDUCIBLE	****	473	179	114	185667	114	185667	T13305 07
M1A2 SEP	TK CBT FTRAC 120MM GN	NOT REDUCIBLE	P49Y	387	144	114	140000	114	140000	T13305 29
M1A2 SEP	TANK COMBAT FTRAC	NOT REDUCIBLE	P49Y	356	146	128	128679	128	128679	YA0520 01
M1A2 SEP	TANK COMBAT FTRAC	NOT REDUCIBLE	P49Y	440	156	128	140400	128	140400	YA0520 03
M1IP (ABRAMS)	TANK CBT FTRAC 105MM	OPERATIONAL	P49Y	385	144	114	122000	114	122000	T13374 07
M1IP (ABRAMS)	TANK CBT FTRAC 105MM	REDUCED	P49Y	354	144	104	122000	104	122000	T13374 08
M1IP (ABRAMS)	TANK CBT FTRAC 105MM	OPERATIONAL	****	434	179	114	130000	114	130000	T13374 19
M1IP (ABRAMS)	TANK CBT FTRAC 105MM	REDUCED	P49Y	354	144	104	122000	104	122000	T13374 20
M2	INFANTRY FIGHTING VEH	OPERATIONAL	P45V	258	125	120	43500	120	44400	J81750 01
M2	INFANTRY FIGHTING VEH	REDUCED	P44V	258	117	104	40940	104	44400	J81750 02
M200A1	CHASSIS TLR 2-1/2-TON	NOT REDUCIBLE	T12H	169	94	41	2445	41	7445	E02807 01
M200A1 MOD	TRACKED TRLR CGO	NOT REDUCIBLE	T13J	166	96	82	8450	82	8450	YA0253 05
M200A1 MOD	TRACKED TRLR CGO	NOT REDUCIBLE	T12D	166	96	44	3450	44	3450	YA0253 01
M211	TRK CARGO 2-1/2-TON	OPERATIONAL	P39Q	268	97	114	13280	114	18280	X40009 11
M211	TRK CARGO 2-1/2-TON	REDUCED	P26Q	268	97	77	13280	77	18280	X40009 12
M211	TRK CARGO 2-1/2-TON	RED F/SEALIFT	P26Q	268	97	77	13280	77	18280	X40009 40
M211	TRK CARGO 2-1/2-TON	SEALIFT/OPR	P39Q	268	97	114	13280	114	18280	X40009 89
M211 WVN	TRUCK CARGO 2-1/2-TON	OPERATIONAL	P39Q	268	97	114	13580	114	18580	X40146 07
M211 WVN	TRUCK CARGO 2-1/2-TON	REDUCED	P26Q	268	97	77	13580	77	18580	X40146 08
M211 WVN	TRUCK CARGO 2-1/2-TON	RED F/SEALIFT	P26Q	268	96	77	13580	77	18580	X40146 34
M211 WVN	TRUCK CARGO 2-1/2-TON	SEALIFT/OPR	P39Q	268	97	114	13580	114	18580	X40146 68

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M270	LNCHR ROCKET VEH MTD	OPERATIONAL	P44W	276	117	103	56308	103	56308	L44894 16
M270	LNCHR ROCKET VEH MTD	REDUCED	P44V	276	117	103	46268	103	46268	L44894 17
M270	LNCHR ROCKET VEH MTD	RED FOR C-17	P44V	276	117	103	43941	103	43941	L44894 19
M270	STLR LOWBED WRKR 12-T	OPERATIONAL	T39V	593	97	121	17590	121	17590	S70243 03
M270	STLR LOWBED WRKR 12-T	REDUCED	T35V	593	97	83	17590	83	47590	S70243 04
M270A1	IMPROVED MLRS	OPERATIONAL	P44W	276	117	103	56290	103	56290	M82581 01
M270A1	IMPROVED MLRS	REDUCED	P44V	276	117	103	46250	103	46250	M82581 02
M270A1	IMPROVED MLRS	RED FOR C-17	P44V	276	117	103	43693	103	43693	M82581 03
M270A1	STLR LOWBED WRKR 12-T	OPERATIONAL	T39V	597	98	121	16520	121	46520	S70243 01
M270A1	STLR LOWBED WRKR 12-T	REDUCED	T35V	597	98	72	16520	72	46520	S70243 02
M286	TRAILER MORTAR 120M	NOT REDUCIBLE	T01A	91	55	39	575	39	575	T43078 01
M2A1	FIGHTING VEHICLE F/T	NOT REDUCIBLE	P45W	258	126	117	49325	116	50225	F40307 01
M2A2	FIGHTING VEHICLE HS	OPERATIONAL	P48W	258	140	120	65692	116	66592	F40375 01
M2A2	FIGHTING VEHICLE HS	REDUCED	P44W	258	117	104	43446	104	66592	F40375 02
M2A2	FIGHTING VEHICLE HS	NOT REDUCIBLE	P48W	258	131	120	57000	120	57000	F40375 45
M2A2	BRADLEY (IFV) (ODS)	NOT REDUCIBLE	P48W	258	131	124	71900	124	71900	P19727 01
M2A2 W/ODS	FIGHTING VEHICLE HS	NOT REDUCIBLE	P48W	258	140	120	65692	116	66592	F40375 09
M2A2 W/ODS	FIGHTING VEHICLE HS	NOT REDUCIBLE	P48W	258	131	120	57000	116	66592	F40375 35
M2A2ODS	INF FIGHTING VEH ENGR	NOT REDUCIBLE	P48W	258	140	120	65692	120	65692	M31793 01
M2A2ODS	INF FIGHTING VEH ENGR	NOT REDUCIBLE	P48W	258	140	120	57000	120	57000	M31793 02
M2A3	FIGHTING VEH F/TRACK	NOT REDUCIBLE	P48W	258	131	142	64858	142	64858	F60564 01
M3	CAVALRY FIGHTING VEH	OPERATIONAL	P45V	258	121	120	44040	120	44940	C76335 01
M3	CAVALRY FIGHTING VEH	REDUCED	P44V	258	117	104	41480	104	44940	C76335 02
M30 W/M24A1	MORTAR 4.2IN ON MOUNT	VEHICLE MTD	T03B	107	77	71	1290	71	1290	M68282 14
M310 V120-GT	TRAILER CABLE REEL	OPERATIONAL	T11L	150	88	67	3050	67	10050	W95263 01
M310 V120-GT	TRAILER CABLE REEL	REDUCED	T11L	150	88	63	3050	63	10050	W95263 02
M310 V120-GT	TRAILER CABLE REEL	RED F/SEALIFT	T11L	150	88	63	3050	63	10050	W95263 24
M310 V120-GT	TRAILER CABLE REEL	SEALIFT/OPR	T11L	150	88	67	3050	67	10050	W95263 25
M313	STLR VAN EXP 6-TON	OPERATIONAL	T41N	327	96	134	15890	134	15890	S74490 01
M313	STLR VAN EXP 6-TON	REDUCED	T41N	323	96	134	15890	134	15890	S74490 02
M313	STLR VAN EXP 6-TON	NOT REDUCIBLE	T41S	323	96	134	26260	134	26260	S74490 03
M313	STLR VAN EXP 6-TON	NOT REDUCIBLE	T41S	323	96	134	26190	134	26190	S74490 05
M313	STLR VAN EXP 6-TON	NOT REDUCIBLE	T41S	323	96	134	27420	134	27420	S74490 07
M31E2 BIDS	ALM BIO AGT AUTO	NOT REDUCIBLE	P14L	188	85	104	10100	104	10100	A48680 01
M320RT	CRANE WHL 20T W/BOOM	OPERATIONAL	P49W	537	150	151	66600	151	66600	F39378 10
M320RT	CRANE WHL 20T W/BOOM	REDUCED	P48W	351	141	132	64260	132	64260	F39378 11
M320T	CRANE SHOVEL TRK MTD	OPERATIONAL	P47W	541	122	151	60390	151	60390	F43414 33
M320T	CRANE SHOVEL TRK MTD	REDUCED	P47W	358	122	151	57060	151	57060	F43414 34
M320T2	CRANE SHOVEL TRK MTD	NOT REDUCIBLE	****	531	128	180	59930	180	59930	F43414 05
M320T2	CRANE SHOVEL TRK MTD	REDUCED	P47W	340	124	148	57530	148	57530	F43414 09
M332	TLR AMMO 1-1/2-TON	OPERATIONAL	T11C	149	95	65	2760	65	2760	W94030 01
M332	TLR AMMO 1-1/2-TON	REDUCED	T11C	149	95	57	2760	57	2760	W94030 02
M332	TLR AMMO 1-1/2-TON	RED F/SEALIFT	T11C	149	95	57	2760	57	2760	W94030 20

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M332	TLR AMMO 1-1/2-TON	SEALIFT/OPR	T11C	149	95	65	2760	65	2760	W94030 21
M34	TRK CARGO 2-1/2-TON	OPERATIONAL	P25P	262	88	105	11775	105	16775	X40009 05
M34	TRK CARGO 2-1/2-TON	REDUCED	P25P	262	88	82	11775	82	16775	X40009 06
M34	TRK CARGO 2-1/2-TON	RED F/SEALIFT	P25P	262	88	82	11775	82	16775	X40009 37
M34	TRK CARGO 2-1/2-TON	SEALIFT/OPR	P25P	262	88	105	11775	105	16775	X40009 45
M34 WVN	TRUCK CARGO 2-1/2-TON	OPERATIONAL	P27P	275	88	105	12186	105	17186	X40146 15
M34 WVN	TRUCK CARGO 2-1/2-TON	REDUCED	P27P	275	88	82	12186	82	17186	X40146 16
M34 WVN	TRUCK CARGO 2-1/2-TON	RED F/SEALIFT	P27P	275	88	82	12186	82	17186	X40146 41
M34 WVN	TRUCK CARGO 2-1/2-TON	SEALIFT/OPR	P27P	275	88	105	12186	105	17186	X40146 74
M348A2	STLR VAN ELEC 6-TON	NOT REDUCIBLE	T41J	325	99	133	8820	133	8820	S74216 01
M35	TRK CARGO 2-1/2-TON	OPERATIONAL	P42P	265	106	113	12580	113	17580	X40009 07
M35	TRK CARGO 2-1/2-TON	REDUCED	P25P	265	96	81	12580	81	17580	X40009 08
M35	TRK CARGO 2-1/2-TON	RED F/SEALIFT	P25P	265	96	81	12580	81	17580	X40009 35
M35	TRK CARGO 2-1/2-TON	SEALIFT/OPR	P38P	265	96	113	12580	113	17580	X40009 91
M35 WVN	TRUCK CARGO 2-1/2-TON	OPERATIONAL	P42Q	279	106	113	13220	113	18220	X40146 11
M35 WVN	TRUCK CARGO 2-1/2-TON	REDUCED	P27Q	279	96	81	13220	81	18220	X40146 12
M35 WVN	TRUCK CARGO 2-1/2-TON	RED F/SEALIFT	P27Q	279	96	81	13220	81	18220	X40146 32
M35 WVN	TRUCK CARGO 2-1/2-TON	SEALIFT/OPR	P38Q	279	96	113	13220	113	18220	X40146 66
M353	CHASSIS TLR 3-1/2-TON	NOT REDUCIBLE	T14K	188	97	51	2720	51	9720	E02670 01
M35A1	TRK CARGO 2-1/2-TON	OPERATIONAL	P42Q	265	106	113	13360	113	18360	X40009 03
M35A1	TRK CARGO 2-1/2-TON	NOT REDUCIBLE	P25Q	265	96	81	13360	81	18360	X40009 04
M35A1	TRK CARGO 2-1/2-TON	RED F/SEALIFT	P25Q	265	96	81	13360	81	18360	X40009 33
M35A1	TRK CARGO 2-1/2-TON	SEALIFT/OPR	P38Q	265	96	113	13360	113	18360	X40009 43
M35A1 WVN	TRUCK CARGO 2-1/2-TON	OPERATIONAL	P42Q	279	106	113	13550	113	18550	X40146 03
M35A1 WVN	TRUCK CARGO 2-1/2-TON	REDUCED	P27Q	279	96	81	13550	81	18550	X40146 04
M35A1 WVN	TRUCK CARGO 2-1/2-TON	RED F/SEALIFT	P27Q	279	96	81	13550	81	18550	X40146 40
M35A1 WVN	TRUCK CARGO 2-1/2-TON	SEALIFT/OPR	P38Q	279	96	113	13550	113	18550	X40146 72
M35A2	TRK CARGO 2-1/2-TON	OPERATIONAL	P42Q	265	106	113	13180	113	18180	X40009 01
M35A2	TRK CARGO 2-1/2-TON	REDUCED	P25Q	265	96	81	13180	81	18180	X40009 02
M35A2	TRK CARGO 2-1/2-TON	NOT REDUCIBLE	P38Q	265	96	115	13680	113	18180	X40009 13
M35A2	TRK CARGO 2-1/2-TON	W/SHELTER KIT	P46P	269	96	141	17976	141	17976	X40009 16
M35A2	TRK CARGO 2-1/2-TON	NOT REDUCIBLE	P38P	269	96	119	16500	119	16500	X40009 21
M35A2	TRK CARGO 2-1/2-TON	W/SHELTER KIT	P25N	265	96	95	14280	95	14280	X40009 25
M35A2	TRK CARGO 2-1/2-TON	SEALIFT/OPR	P38Q	265	96	113	13180	113	18180	X40009 28
M35A2	TRK CARGO 2-1/2-TON	W/SHELTER KIT	P31N	270	102	102	14630	102	14630	X40009 29
M35A2	TRK CARGO 2-1/2-TON	RED F/SEALIFT	P25Q	265	96	81	13180	81	18180	X40009 31
M35A2	TRK CARGO 2-1/2-TON	MOD FOR SET	P25P	265	96	102	17180	102	17180	X40009 41
M35A2	TRK CARGO 2-1/2-TON	W/SHELTER KIT	P38P	281	96	123	16066	123	16066	X40009 47
M35A2	TRK CARGO 2-1/2-TON	OPERATIONAL	P42Q	264	106	113	23680	113	18180	X40009 48
M35A2	TRK CARGO 2-1/2-TON	REDUCED	P38Q	264	96	113	23680	81	18180	X40009 49
M35A2 WVN	TRUCK CARGO 2-1/2-TON	OPERATIONAL	P42Q	279	106	113	13570	113	18570	X40146 01
M35A2 WVN	TRUCK CARGO 2-1/2-TON	REDUCED	P27Q	279	96	81	13570	81	18570	X40146 02
M35A2 WVN	TRUCK CARGO 2-1/2-TON	W/SHELTER KIT	P31N	287	106	102	15370	102	15370	X40146 28

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M35A2 WVN	TRUCK CARGO 2-1/2-TON	RED F/SEALIFT	P27Q	279	96	81	13570	81	18570	X40146 30
M35A2 WVN	TRUCK CARGO 2-1/2-TON	RED F/SEALIFT	P41Q	279	98	135	13920	81	18570	X40146 45
M35A2 WVN	TRUCK CARGO 2-1/2-TON	NOT REDUCIBLE	P46Q	279	106	135	13920	81	18570	X40146 47
M35A2 WVN	TRUCK CARGO 2-1/2-TON	SEALIFT/OPR	P38Q	279	96	113	13570	113	18570	X40146 64
M35A2C	TRK CGO D/S 2-1/2-TON	OPERATIONAL	P42Q	265	106	114	13526	114	18526	X40077 01
M35A2C	TRK CGO D/S 2-1/2-TON	REDUCED	P25Q	265	98	82	13526	82	18526	X40077 02
M35A2C	TRK CGO D/S 2-1/2-TON	RED F/SEALIFT	P25Q	265	98	82	13526	82	18526	X40077 11
M35A2C	TRK CGO D/S 2-1/2-TON	SEALIFT/OPR	P39Q	265	98	114	13526	114	18526	X40077 30
M35A3 WVN	TRUCK CARGO 2-1/2-TON	OPERATIONAL	P44Q	281	116	113	14600	113	19600	X40146 80
M35A3 WVN	TRUCK CARGO 2-1/2-TON	REDUCED	P28Q	281	96	83	14600	83	19600	X40146 81
M35A3 WVN	TRUCK CARGO 2-1/2-TON	RED F/SEALIFT	P28Q	281	96	83	14600	83	19600	X40146 84
M35A3 WVN	TRUCK CARGO 2-1/2-TON	SEALIFT/OPR	P38Q	281	96	113	14600	113	19600	X40146 85
M35A3C	TRK CGO D/S 2-1/2-TON	OPERATIONAL	P44Q	265	116	113	14040	113	19040	X40077 32
M35A3C	TRK CGO D/S 2-1/2-TON	REDUCED	P25Q	265	96	83	14040	83	19040	X40077 33
M35A3C	TRK CGO D/S 2-1/2-TON	RED F/SEALIFT	P25Q	265	96	83	14040	83	19040	X40077 34
M35A3C	TRK CGO D/S 2-1/2-TON	SEALIFT/OPR	P38Q	265	96	113	14040	113	19040	X40077 35
M35A3C WVN	TRK CGO D/S 2-1/2-TON	OPERATIONAL	P38Q	281	96	113	14740	113	19740	X40214 25
M35A3C WVN	TRK CGO D/S 2-1/2-TON	REDUCED	P28Q	281	96	83	14740	83	19740	X40214 26
M35A3C WVN	TRK CGO D/S 2-1/2-TON	RED F/SEALIFT	P28Q	281	96	83	14740	83	19740	X40214 27
M35A3C WVN	TRK CGO D/S 2-1/2-TON	SEALIFT/OPR	P38Q	281	96	113	14740	113	19740	X40214 28
M36A2	TRK CGO 2-1/2T XLWB	OPERATIONAL	P43Q	329	108	125	14876	125	19876	X40283 01
M36A2	TRK CGO 2-1/2T XLWB	REDUCED	P29Q	329	96	81	14876	81	19876	X40283 02
M36A2	TRK CGO 2-1/2T XLWB	RED F/SEALIFT	P29Q	329	96	81	14876	81	19876	X40283 11
M36A2	TRK CGO 2-1/2T XLWB	SEALIFT/OPR	P38Q	329	96	125	14876	125	19876	X40283 32
M36A3	TRK CGO 2-1/2T XLWB	OPERATIONAL	P45R	329	116	125	15280	125	20280	X40283 37
M36A3	TRK CGO 2-1/2T XLWB	REDUCED	P29R	329	96	83	15280	83	20280	X40283 38
M36A3	TRK CGO 2-1/2T XLWB	RED F/SEALIFT	P29R	329	96	83	15280	83	20280	X40283 39
M36A3	TRK CGO 2-1/2T XLWB	SEALIFT/OPR	P38R	329	96	125	15280	125	20280	X40283 40
M373A2 6-TON	STLR VAN ELEC	OPERATIONAL	T41M	387	99	133	13050	133	13050	S74353 02
M373A2 6-TON	STLR VAN ELEC	REDUCED	T41M	373	99	133	13050	133	13050	S74353 03
M373A2 6-TON	STLR VAN ELEC	NOT REDUCIBLE	T41Q	394	99	132	18500	132	18500	S74353 06
M373A2 6-TON	STLR VAN ELEC	NOT REDUCIBLE	T41R	394	99	132	21000	132	21000	S74353 09
M373A2 6-TON	STLR VAN ELEC	NOT REDUCIBLE	T47V	479	97	152	40000	152	40000	S74353 18
M373A2 6-TON	STLR VAN ELEC	NOT REDUCIBLE	T47S	480	98	152	27440	152	27440	S74353 21
M390C	CHASSIS TLR 2-TON	NOT REDUCIBLE	T14H	188	98	47	3675	47	7675	E02533 01
M390C	CHASSIS TLR 2-TON	OPERATIONAL	T14H	188	98	88	4915	88	7675	E02533 02
M390C	CHASSIS TLR 2-TON	REDUCED	T14H	188	96	88	4915	88	7675	E02533 03
M390C	CHASSIS TLR 2-TON	SEALIFT/OPR	T14H	188	96	88	4915	88	7675	E02533 06
M3A1	FIGHTING VEH FTRAC	NOT REDUCIBLE	P48V	258	131	117	48896	117	49796	F60462 01
M3A2	FIGHTING VEH FTRAC	OPERATIONAL	P48W	258	140	120	66027	120	66927	F60530 01
M3A2	FIGHTING VEH FTRAC	REDUCED	P45W	258	117	116	43370	116	66927	F60530 02
M3A2	FIGHTING VEH FTRAC	NOT REDUCIBLE	P48W	258	140	147	66037	147	66037	F60530 09
M3A2 ODS SA	OP DESERT STORM ODS-S	NOT REDUCIBLE	P48W	258	131	124	71900	124	71900	P19795 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M3A2 W/ODS	FIGHTING VEH FTRAC	NOT REDUCIBLE	P48W	258	140	120	66027	120	66927	F60530 12
M3A3	FIGHTING VEH F/TRACK	OPERATIONAL	P46W	258	129	136	73272	136	73272	F90796 01
M3A3	FIGHTING VEH F/TRACK	REDUCED	P45W	258	129	117	64858	117	64858	F90796 11
M3A3 WFS3	BRADLEY FIRE SPT TM V	OPERATIONAL	P48W	258	131	130	72850	130	72850	A70576 01
M3A3 WFS3	BRADLEY FIRE SPT TM V	REDUCED	P44W	258	117	113	72500	113	72500	A70576 02
M3AD	AIR CONDITIONER	NOT REDUCIBLE	P09H	137	77	78	7400	78	7400	YA0495 01
M41 WVN	TRK CGO 5-TON LWB	OPERATIONAL	P42T	313	110	111	18790	111	28790	X40968 05
M41 WVN	TRK CGO 5-TON LWB	REDUCED	P28T	313	96	88	18790	88	28790	X40968 06
M41 WVN	TRK CGO 5-TON LWB	RED F/SEALIFT	P28T	313	96	88	18790	88	28790	X40968 46
M41 WVN	TRK CGO 5-TON LWB	SEALIFT/OPR	P38T	313	96	111	18790	111	28790	X40968 A4
M447	STLR VAN SHOP 6-TON	OPERATIONAL	T41Q	328	97	134	19410	134	19410	YA0001 01
M447	STLR VAN SHOP 6-TON	REDUCED	T41Q	321	97	134	19410	134	19410	YA0001 02
M447	STLR VAN SHOP 6-TON	SEALIFT/OPR	T41Q	321	97	134	19140	134	19140	YA0001 05
M447	STLR VAN SHOP 6-TON	OPERATIONAL	T41R	328	97	134	21020	134	21020	YA0035 01
M447	STLR VAN SHOP 6-TON	REDUCED	T41R	321	97	134	21020	134	21020	YA0035 02
M447	STLR VAN SHOP 6-TON	SEALIFT/OPR	T41R	321	97	134	21020	134	21020	YA0035 05
M447	STLR VAN SHOP 6-TON	OPERATIONAL	T41P	328	97	134	17550	134	17550	YA0057 01
M447	STLR VAN SHOP 6-TON	REDUCED	T41P	321	97	134	17550	134	17550	YA0057 02
M447	STLR VAN SHOP 6-TON	SEALIFT/OPR	T41P	321	97	134	17550	134	17550	YA0057 05
M447C	STLR VAN SHOP 6-TON	NOT REDUCIBLE	T41S	323	95	132	25520	132	25520	YA0044 01
M448	TRAILER VAN SHOP	OPERATIONAL	T13E	172	96	100	4120	100	4120	YA0002 01
M448	TRAILER VAN SHOP	REDUCED	T13E	167	96	100	4120	100	4120	YA0002 02
M448	TRAILER VAN SHOP	SEALIFT/OPR	T13E	167	96	100	4120	100	4120	YA0002 11
M448	TRAILER VAN SHOP	OPERATIONAL	T13E	172	96	100	5000	100	5000	YA0027 01
M448	TRAILER VAN SHOP	REDUCED	T13E	167	96	100	5000	100	5000	YA0027 02
M448	TRAILER VAN SHOP	SEALIFT/OPR	T13E	167	96	100	5000	100	5000	YA0027 11
M44A3	TRK CARGO 2-1/2-TON	OPERATIONAL	P44Q	265	116	113	13900	113	18900	X40009 A1
M44A3	TRK CARGO 2-1/2-TON	REDUCED	P25Q	265	96	83	13900	83	18900	X40009 A2
M44A3	TRK CARGO 2-1/2-TON	RED F/SEALIFT	P25Q	265	96	83	13900	83	18900	X40009 A3
M44A3	TRK CARGO 2-1/2-TON	SEALIFT/OPR	P38Q	265	96	113	13900	113	18900	X40009 A4
M487	TRACTOR WHL WHS GED	NOT REDUCIBLE	P04F	107	49	84	6000	84	6000	W89557 32
M48A5 CHAS	LNCHR BRIDGE TANK MTD	OPERATIONAL	P49X	462	144	102	97200	102	97200	L43664 05
M48A5 CHAS	LNCHR BRIDGE TANK MTD	REDUCED	P49X	335	144	119	97200	119	97200	L43664 06
M49A2C	TRK TANK FS 2-1/2-TON	OPERATIONAL	P28N	264	106	100	14600	100	14600	X57271 01
M49A2C	TRK TANK FS 2-1/2-TON	REDUCED	P25N	264	96	92	14600	92	14600	X57271 02
M49A2C	TRK TANK FS 2-1/2-TON	NOT REDUCIBLE	P28R	264	106	100	23000	100	23000	X57271 08
M49A2C	TRK TANK FS 2-1/2-TON	RED F/SEALIFT	P25N	264	96	92	14600	92	14600	X57271 41
M49A2C	TRK TANK FS 2-1/2-TON	SEALIFT/OPR	P25N	264	96	100	14600	100	14600	X57271 42
M4K	TRUCK LIFT FRK DED RT	OPERATIONAL	P16K	206	79	80	9700	80	9700	T49255 01
M4K	TRUCK LIFT FRK DED RT	REDUCED	P13K	166	79	80	9700	80	9700	T49255 02
M532	LAUNDRY UNIT TLR MTD	NOT REDUCIBLE	T19J	200	96	96	8970	96	8970	L48315 43
M54 WVN	TRK CGO 5-TON LWB	OPERATIONAL	P43U	314	110	118	20692	118	30692	X40968 07
M54 WVN	TRK CGO 5-TON LWB	REDUCED	P28U	314	98	86	20692	86	30692	X40968 08

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M54 WVN	TRK CGO 5-TON LWB	RED F/SEALIFT	P28U	314	98	86	20692	86	30692	X40968 40
M54 WVN	TRK CGO 5-TON LWB	SEALIFT/OPR	P39U	314	98	118	20692	118	30692	X40968 98
M548	CARRIER CARGO FTRAC	OPERATIONAL	P43T	232	106	130	16774	130	28774	D11049 01
M548	CARRIER CARGO FTRAC	REDUCED	P22T	232	100	77	16145	77	28774	D11049 02
M548	CARRIER CARGO FTRAC	RED F/SEALIFT	P22T	232	100	77	16145	77	28774	D11049 49
M548	CARRIER CARGO FTRAC	SEALIFT/OPR	P41T	232	100	130	16774	130	28774	D11049 50
M548A1	CARRIER CARGO FTRAC	OPERATIONAL	P43T	231	108	116	17060	116	29060	D11049 05
M548A1	CARRIER CARGO FTRAC	REDUCED	P28T	223	104	77	17060	77	29060	D11049 06
M548A1	CARRIER CARGO FTRAC	RED F/SEALIFT	P28T	223	104	77	17060	77	29060	D11049 51
M548A1	CARRIER CARGO FTRAC	SEALIFT/OPR	P40T	231	104	116	17060	116	29060	D11049 52
M548A3	CARRIER CARGO FTRAC	OPERATIONAL	P42S	227	106	107	15802	107	27802	D11049 17
M548A3	CARRIER CARGO FTRAC	REDUCED	P28S	227	106	77	13893	77	27802	D11049 19
M548A3	CARRIER CARGO FTRAC	RED F/SEALIFT	P28S	227	106	77	13893	77	27802	D11049 53
M548A3	CARRIER CARGO FTRAC	SEALIFT/OPR	P42S	227	106	107	15802	107	27802	D11049 54
M54A1 WVN	TRK CGO 5-TON LWB	OPERATIONAL	P43U	314	110	118	20696	118	30696	X40968 03
M54A1 WVN	TRK CGO 5-TON LWB	REDUCED	P28U	314	98	86	20696	86	30696	X40968 04
M54A1 WVN	TRK CGO 5-TON LWB	RED F/SEALIFT	P28U	314	98	86	20696	86	30696	X40968 42
M54A1 WVN	TRK CGO 5-TON LWB	SEALIFT/OPR	P39U	314	98	118	20696	118	30696	X40968 A0
M54A2 WVN	TRK CGO 5-TON LWB	OPERATIONAL	P43U	314	110	118	20782	118	30782	X40968 01
M54A2 WVN	TRK CGO 5-TON LWB	REDUCED	P28U	314	98	86	20782	86	30782	X40968 02
M54A2 WVN	TRK CGO 5-TON LWB	RED F/SEALIFT	P28U	314	98	86	20782	86	30782	X40968 44
M54A2 WVN	TRK CGO 5-TON LWB	SEALIFT/OPR	P39U	314	98	118	20782	118	30782	X40968 A2
M551A1	ARMORED RECON ARBRNE	OPERATIONAL	P43U	249	111	116	33105	116	33105	A93125 01
M551A1	ARMORED RECON ARBRNE	REDUCED	P28U	249	111	98	33105	98	33105	A93125 02
M551A1	ARMORED RECON ARBRNE	RED F/SEALIFT	P28U	249	111	98	33105	98	33105	A93125 03
M551A1	ARMORED RECON ARBRNE	SEALIFT/OPR	P43U	249	111	116	33105	116	33105	A93125 04
M56	GEN SMOKE MECH	VEHICLE MTD	P14K	189	85	69	9440	69	9440	G58151 01
M56	GEN SMOKE MECH	VEHICLE MTD	P18K	191	86	73	9800	73	9800	G58151 03
M577A2	CARR CMD POST LTRAC	OPERATIONAL	P39R	192	100	109	22495	109	22495	D11538 07
M577A2	CARR CMD POST LTRAC	REDUCED	P19R	192	100	104	22495	104	22495	D11538 08
M577A2	CARR CMD POST LTRAC	RED F/SEALIFT	P19R	192	100	104	22495	104	22495	D11538 75
M577A2	CARR CMD POST LTRAC	SEALIFT/OPR	P39R	192	100	109	22495	109	22495	D11538 76
M577A3	CARR CMD POST LTRAC	OPERATIONAL	P39R	192	100	109	22582	109	22582	D11538 31
M577A3	CARR CMD POST LTRAC	REDUCED	P19R	192	100	104	22582	104	22582	D11538 52
M577A3	CARR CMD POST LTRAC	RED F/SEALIFT	P19R	192	100	104	22582	104	22582	D11538 77
M577A3	CARR CMD POST LTRAC	SEALIFT/OPR	P39R	192	100	109	22582	109	22582	D11538 78
M578	RECOVERY VEH FTRAC	OPERATIONAL	P46V	254	124	131	49320	131	49320	R50544 01
M578	RECOVERY VEH FTRAC	REDUCED	P45V	254	124	115	49320	115	49320	R50544 02
M578	RECOVERY VEH FTRAC	OPERATIONAL	****	326	124	258	54451	258	54451	R50544 03
M578	RECOVERY VEH FTRAC	REDUCED	P44W	326	124	113	54451	113	54451	R50544 04
M58	GENERATOR SMOKE MECH	NOT REDUCIBLE	P28S	209	106	91	24500	91	24500	G87229 01
M59	CARRIER PERS FTRAC	OPERATIONAL	P44V	221	129	103	39500	103	39500	D12087 04
M59	CARRIER PERS FTRAC	REDUCED	P44V	221	124	94	39371	94	39371	D12087 05

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M60 CHASSIS	LNCHR BRIDGE TANK MTD	OPERATIONAL	P49X	468	144	95	98000	95	98000	L43664 01
M60 CHASSIS	LNCHR BRIDGE TANK MTD	REDUCED	P49X	340	144	125	98000	125	98000	L43664 02
M60 CHASSIS	LNCHR BRIDGE TANK MTD	NOT REDUCIBLE	P50Y	441	158	153	127300	153	127300	L43664 41
M689	DOLLY SET LIFT	OPERATIONAL	T14M	181	96	51	3350	51	13850	G34815 01
M689	DOLLY SET LIFT	REDUCED	T06M	121	96	81	3350	51	13850	G34815 02
M7	FIRE SPT VEH BRADLEY	OPERATIONAL	P48W	258	131	120	59285	120	59285	F86571 01
M7	FIRE SPT VEH BRADLEY	REDUCED	P44W	258	117	104	55715	104	55715	F86571 02
M7 BF1ST SA	ARMORED RECON M7	NOT REDUCIBLE	P45W	258	124	117	71900	117	71900	A40164 01
M7 FRS	FORWARD REPAIR SYSTEM	VEHICLE MTD	P47W	416	99	155	59260	155	59260	F64544 03
M7 FRS	FORWARD REPAIR SYSTEM	VEHICLE MTD	P50W	431	96	158	70530	158	70530	F64544 05
M707	DOLLY SET LIFT	OPERATIONAL	T05H	130	86	48	1100	48	7100	G34805 01
M707	DOLLY SET LIFT	REDUCED	T05H	77	86	48	1100	48	7100	G34805 02
M707	STRIKER	OPERATIONAL	P19L	191	86	102	10102	102	10102	S50205 01
M707	STRIKER	REDUCED	P19L	191	86	87	10102	87	10102	S50205 03
M707 KNIGHT	STRIKER	NOT REDUCIBLE	T19L	192	85	94	10102	94	10102	S50205 05
M707A1	DOLLY SET LIFT	NOT REDUCIBLE	T14J	144	101	65	2200	51	8200	G34805 08
M720 3-TON	DOLLY SET LIFT	OPERATIONAL	T10J	144	95	51	2080	51	8080	G34805 03
M720 3-TON	DOLLY SET LIFT	REDUCED	T05J	92	95	51	2080	51	8080	G34805 04
M720 3-TON	DOLLY SET LIFT	OPERATIONAL	T10J	144	95	49	1860	49	8080	G34805 10
M720 3-TON	DOLLY SET LIFT	REDUCED	T05J	92	95	49	1860	49	8080	G34805 11
M747 CHRY	STLR LOWBED 60-TON	OPERATIONAL	T48Y	515	137	114	31679	114	151679	S70661 01
M747 CHRY	STLR LOWBED 60-TON	REDUCED	T44Y	515	120	108	31679	108	151679	S70661 02
M747 CONDEX	STLR LOWBED 60-TON	OPERATIONAL	T48Y	512	137	107	31210	107	151210	S70661 03
M747 CONDEX	STLR LOWBED 60-TON	REDUCED	T44Y	512	120	107	31210	107	151210	S70661 04
M749	STLR VAN 6-TON	OPERATIONAL	T41M	327	96	132	13830	132	13830	S74832 03
M749	STLR VAN 6-TON	REDUCED	T38M	320	96	129	13830	129	13830	S74832 04
M750	STLR VAN 6-TON	OPERATIONAL	T41N	323	95	132	15380	132	15380	S74832 01
M750	STLR VAN 6-TON	REDUCED	T41N	316	95	132	15380	132	15380	S74832 02
M777	HOWITZER MED TOWED	OPERATIONAL	T33K	383	102	106	9400	106	9400	H57916 01
M777	HOWITZER MED TOWED	REDUCED	T33K	383	102	75	9400	75	9400	H57916 02
M777	HOWITZER MED TOWED	REDUCED	T33K	368	102	97	9800	97	9800	H57916 03
M777A1-2	HOWITZER MED TOWED	OPERATIONAL	T33K	383	102	73	9920	73	9920	H57916 04
M796	TLR BOLSTER 4-TON	NOT REDUCIBLE	T18E	213	94	45	4860	45	4860	W94536 01
M796	TLR BOLSTER 4-TON	NOT REDUCIBLE	T19F	213	94	90	5660	90	5660	W94536 04
M796	TLR BOLSTER 4-TON	NOT REDUCIBLE	T19H	218	94	96	7540	96	7540	W94536 07
M796A1	TLR BOLSTER 4-TON	NOT REDUCIBLE	T18F	219	98	44	5480	44	5480	W94536 06
M8 TRK	CHEM/BIO PROTECTIVE S	W/SHELTER KIT	P31N	328	87	104	15980	104	15980	C07506 01
M80 STILETTO	BOAT TRANSPORTER	NOT REDUCIBLE	***	1080	486	310	150100	310	150100	YA0847 01
M813 WVN	TRK CGO 5-TON LWB	OPERATIONAL	P45U	320	115	116	21771	116	31771	X40968 10
M813 WVN	TRK CGO 5-TON LWB	REDUCED	P28U	320	98	87	21771	87	31771	X40968 11
M813 WVN	TRK CGO 5-TON LWB	RED F/SEALIFT	P28U	320	98	98	21771	98	31771	X40968 38
M813 WVN	TRK CGO 5-TON LWB	SEALIFT/OPR	P39U	320	98	116	21771	116	31771	X40968 96
M813A1	TRK CGO D/S 5-TON	OPERATIONAL	P45U	307	115	116	20982	116	30982	X40794 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M813A1	TRK CGO D/S 5-TON	REDUCED	P28U	307	99	87	20982	87	30982	X40794 02
M813A1	TRK CGO D/S 5-TON	RED F/SEALIFT	P28U	307	98	87	20982	87	30982	X40794 30
M813A1	TRK CGO D/S 5-TON	SEALIFT/OPR	P39U	307	99	116	20982	116	30982	X40794 AJ
M813A1 WVN	TRK CGO D/S 5-TON	OPERATIONAL	P45U	323	115	116	21887	116	31887	X40931 05
M813A1 WVN	TRK CGO D/S 5-TON	REDUCED	P29U	323	99	87	21887	87	31887	X40931 06
M813A1 WVN	TRK CGO D/S 5-TON	RED F/SEALIFT	P29U	323	99	87	21887	87	31887	X40931 22
M813A1 WVN	TRK CGO D/S 5-TON	SEALIFT/OPR	P39U	323	99	116	21887	116	31887	X40931 90
M814	TRK CGO 5-TON XLWB	OPERATIONAL	P45U	378	115	119	24037	119	34037	X41105 05
M814	TRK CGO 5-TON XLWB	REDUCED	P33U	378	98	89	24037	89	34037	X41105 06
M814	TRK CGO 5-TON XLWB	MOD FOR SET	P46U	383	101	141	32980	141	32980	X41105 16
M814	TRK CGO 5-TON XLWB	RED F/SEALIFT	P33U	378	98	89	24037	89	34037	X41105 27
M814	TRK CGO 5-TON XLWB	SEALIFT/OPR	P39U	378	98	119	24037	119	34037	X41105 92
M814 WVN	TRK CGO 5-TON XLWB	OPERATIONAL	P45V	396	115	119	25609	119	35609	X41242 05
M814 WVN	TRK CGO 5-TON XLWB	REDUCED	P34V	396	98	89	25609	89	35609	X41242 06
M814 WVN	TRK CGO 5-TON XLWB	MOD FOR SET	P39U	396	98	118	32840	118	32840	X41242 11
M814 WVN	TRK CGO 5-TON XLWB	RED F/SEALIFT	P34V	396	98	86	25069	86	35609	X41242 29
M814 WVN	TRK CGO 5-TON XLWB	SEALIFT/OPR	P39V	396	98	119	25609	119	35609	X41242 93
M816 WVN	TRUCK WRECKER 5-TON	OPERATIONAL	P44U	355	115	113	34820	113	34820	X63299 07
M816 WVN	TRUCK WRECKER 5-TON	REDUCED	P33U	355	99	105	34820	105	34820	X63299 08
M816 WVN	TRUCK WRECKER 5-TON	RED F/SEALIFT	P33U	355	99	105	34820	105	34820	X63299 AA
M816 WVN	TRUCK WRECKER 5-TON	SEALIFT/OPR	P39U	355	99	113	34820	113	34820	X63299 AB
M817	TRUCK DUMP 5-TON	OPERATIONAL	P44U	274	115	113	22615	113	32615	X43708 05
M817	TRUCK DUMP 5-TON	REDUCED	P27U	274	98	91	22615	91	32615	X43708 06
M817	TRUCK DUMP 5-TON	RED F/SEALIFT	P27U	274	98	91	22615	91	32615	X43708 AG
M817	TRUCK DUMP 5-TON	SEALIFT/OPR	P39U	274	98	113	22615	113	32615	X43708 AH
M817 WVN	TRUCK DUMP 5-TON	OPERATIONAL	P44U	289	115	113	23847	113	33847	X43845 11
M817 WVN	TRUCK DUMP 5-TON	REDUCED	P28U	289	98	91	23847	91	33847	X43845 12
M817 WVN	TRUCK DUMP 5-TON	RED F/SEALIFT	P28U	289	98	91	23847	91	33847	X43845 AM
M817 WVN	TRUCK DUMP 5-TON	SEALIFT/OPR	P39U	289	98	113	23847	113	33847	X43845 AN
M818	TRUCK TRACTOR 5-TON	OPERATIONAL	P44Q	264	115	113	19387	113	19387	X59326 07
M818	TRUCK TRACTOR 5-TON	REDUCED	P25Q	264	98	86	19387	86	19387	X59326 08
M818	TRUCK TRACTOR 5-TON	RED F/SEALIFT	P25Q	264	98	86	19387	86	19387	X59326 A1
M818	TRUCK TRACTOR 5-TON	SEALIFT/OPR	P39Q	264	98	113	19387	113	19387	X59326 A2
M818 WVN	TRUCK TRACTOR 5-TON	OPERATIONAL	P44R	280	115	113	20107	113	20107	X59463 10
M818 WVN	TRUCK TRACTOR 5-TON	REDUCED	P28R	280	98	86	20107	86	20107	X59463 11
M818 WVN	TRUCK TRACTOR 5-TON	RED F/SEALIFT	P28R	280	98	86	20107	86	20107	X59463 97
M818 WVN	TRUCK TRACTOR 5-TON	SEALIFT/OPR	P39R	280	98	113	20107	113	20107	X59463 98
M820	TRUCK VAN EXP 5-TON	OPERATIONAL	P46S	361	115	138	27577	138	27577	X62237 02
M820	TRUCK VAN EXP 5-TON	REDUCED	P41S	361	99	138	27577	138	27577	X62237 03
M820	TRUCK VAN EXP 5-TON	SEALIFT/OPR	P41S	361	99	138	27577	138	27577	X62237 73
M84	CARRIER 107MM MORT	OPERATIONAL	P44V	223	125	109	47100	109	47100	D10741 03
M84	CARRIER 107MM MORT	REDUCED	P44V	223	125	103	46971	103	46971	D10741 04
M85	LAUNDRY UNIT TLR MTD	NOT REDUCIBLE	T23M	223	99	95	12860	95	13060	L48315 05

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M85-100	LAUNDRY UNIT TLR MTD	NOT REDUCIBLE	T25P	255	96	96	15850	96	16050	L48315 06
M85-200	LAUNDRY UNIT TLR MTD	NOT REDUCIBLE	T19L	215	100	102	9999	102	10199	L48315 10
M855BG240T	CRANE SHOVEL CRWL MTD	BASIC UNIT	****	809	136	165	106550	165	106550	F40474 01
M855BG40T	CRANE SHOVEL CRWL MTD	BASIC UNIT	****	809	135	165	101305	165	101305	F40474 11
M870	STLR LOWBED 40-TON	OPERATIONAL	T44X	510	120	70	16918	70	96918	S70594 01
M870/M870A1	STLR LOWBED 40-TON	REDUCED	T35X	510	96	70	16918	70	96918	S70594 02
M870A1	STLR LOWBED 40-TON	RED FOR C-17	T35R	503	96	82	20680	82	20680	S70594 66
M870A1	STLR LOWBED 40-TON	OPERATIONAL	T44X	515	126	85	19180	85	99180	S70594 04
M870A1	STLR LOWBED 40-TON	REDUCED	T35X	515	96	85	19180	85	99180	S70594 05
M870A3	STLR LOWBED 40-TON	OPERATIONAL	T44Y	531	128	106	24950	106	104950	S70594 44
M870A3	STLR LOWBED 40-TON	REDUCED	T35Y	531	105	106	24590	106	104950	S70594 46
M871	STLR FLATBED 22-1/2-T	OPERATIONAL	T33W	358	96	103	15760	103	60760	S70027 01
M871	STLR FLATBED 22-1/2-T	REDUCED	T33W	358	96	95	14750	95	60760	S70027 02
M871	STLR FLATBED 22-1/2-T	PIGGYBACKED	****	366	96	161	29500	161	29500	S70027 07
M871A1	STLR FLATBED 22-1/2-T	OPERATIONAL	T33W	358	96	103	15630	103	60630	S70027 20
M871A1	STLR FLATBED 22-1/2-T	REDUCED	T33W	358	96	95	15630	95	60630	S70027 21
M871A1R	STLR FLATBED 22-1/2-T	NOT REDUCIBLE	T33W	358	96	103	15630	103	60630	S70027 44
M871A2	STLR FLATBED 22-1/2-T	OPERATIONAL	T33W	374	96	104	13240	103	58240	S70027 11
M871A2	STLR FLATBED 22-1/2-T	REDUCED	T33W	374	96	89	13240	89	58240	S70027 18
M871A2R	STLR FLATBED 22-1/2-T	NOT REDUCIBLE	T33W	372	96	103	12240	103	57240	S70027 46
M871A3	STLR FLATBED 22-1/2-T	NOT REDUCIBLE	T35W	495	96	104	17600	104	62600	S70027 29
M871R	STLR FLATBED 22-1/2-T	NOT REDUCIBLE	T33W	358	96	103	15630	103	60630	S70027 45
M872	STLR FLATBED 34-TON	OPERATIONAL	T35X	490	96	106	17390	106	85390	S70159 01
M872	STLR FLATBED 34-TON	REDUCED	T35X	490	96	93	17390	106	85390	S70159 02
M872A1	STLR FLATBED 34-TON	OPERATIONAL	T35X	490	96	104	18490	104	86490	S70159 07
M872A1	STLR FLATBED 34-TON	REDUCED	T35X	490	96	93	18490	93	86490	S70159 08
M872A2	STLR FLATBED 34-TON	OPERATIONAL	T35X	490	96	106	19280	106	87280	S70159 03
M872A2	STLR FLATBED 34-TON	REDUCED	T35X	490	96	93	19280	93	87280	S70159 05
M872A2	STLR FLATBED 34-TON	NOT REDUCIBLE	T47X	490	96	154	81280	154	81280	S70159 25
M872A3	STLR FLATBED 34-TON	OPERATIONAL	T35X	490	96	106	19179	106	87179	S70159 04
M872A3	STLR FLATBED 34-TON	REDUCED	T35X	490	96	93	19179	93	87179	S70159 11
M872A3	STLR FLATBED 34-TON	MOD FOR SET	T46W	490	96	141	55680	141	55680	S70159 36
M872A3	STLR FLATBED 34-TON	MOD FOR SET	T38V	490	96	130	47000	130	47000	S70159 37
M872A4	STLR FLATBED 34-TON	NOT REDUCIBLE	T50X	526	96	106	18800	157	86800	S70159 80
M874	SWEOPER ROTARY TOWED	NOT REDUCIBLE	T18C	215	100	54	2140	54	2140	U76871 16
M876	TRK MAINT TEL/UTIL	OPERATIONAL	P46U	332	106	145	30000	145	30100	T53858 01
M876	TRK MAINT TEL/UTIL	REDUCED	P46U	332	98	145	30000	145	30100	T53858 02
M876	TRK MAINT TEL/UTIL	SEALIFT/OPR	P46U	332	98	145	30000	145	30100	T53858 19
M878	TRK TRAC HYD 5TH WHL	OPERATIONAL	P41P	193	101	124	16030	124	16030	T60353 01
M878	TRK TRAC HYD 5TH WHL	REDUCED	P39P	193	98	119	16030	119	16030	T60353 02
M878	TRK TRAC HYD 5TH WHL	RED F/SEALIFT	P39P	193	98	119	16030	119	16030	T60353 08
M878	TRK TRAC HYD 5TH WHL	SEALIFT/OPR	P39P	193	98	124	16030	124	16030	T60353 09
M878A1	TRK TRAC HYD 5TH WHL	OPERATIONAL	P43P	193	113	128	16360	128	16360	T60353 04

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M878A1	TRK TRAC HYD 5TH WHL	REDUCED	P40P	193	104	113	16360	113	16360	T60353 07
M878A1	TRK TRAC HYD 5TH WHL	RED F/SEALIFT	P40P	193	104	113	16360	113	16360	T60353 10
M878A1	TRK TRAC HYD 5TH WHL	SEALIFT/OPR	P41P	193	104	128	16360	128	16360	T60353 11
M878A2	TRK TRAC HYD 5TH WHL	OPERATIONAL	P45P	205	127	128	16840	128	16840	T60353 28
M878A2	TRK TRAC HYD 5TH WHL	REDUCED	P38P	205	96	125	16840	125	16840	T60353 29
M878A2	TRK TRAC HYD 5TH WHL	RED F/SEALIFT	P38P	205	96	125	16840	125	16840	T60353 32
M878A2	TRK TRAC HYD 5TH WHL	SEALIFT/OPR	P38P	205	96	128	16480	128	16480	T60353 33
M88A1	RECOVERY VEH FTRAC	OPERATIONAL	P49Y	323	144	134	107840	134	107840	ME1377 01
M88A1	RECOVERY VEH FTRAC	REDUCED	P49Y	323	144	124	107840	124	107840	ME1377 02
M88A1	RECOVERY VEH FTRAC	OPERATIONAL	P49Y	323	144	134	107840	134	107840	R50681 03
M88A1	RECOVERY VEH FTRAC	REDUCED	P49Y	323	144	124	107840	124	107840	R50681 04
M88A2	RECOVERY VEH FTRAC	OPERATIONAL	P49Y	341	144	123	139450	123	139450	R50885 01
M88A2	RECOVERY VEH FTRAC	REDUCED	P48Y	341	135	118	129000	118	129000	R50885 03
M9 (ACE)	TRACTOR FTRAC HS	OPERATIONAL	P44V	246	126	105	35500	105	35500	W76473 01
M9 (ACE)	TRACTOR FTRAC HS	REDUCED	P28V	243	110	97	35500	97	35500	W76473 02
M9 (ACE)	TRACTOR FTRAC HS	RED F/SEALIFT	P28V	243	110	97	35500	97	35500	W76473 13
M9 (ACE)	TRACTOR FTRAC HS	SEALIFT/OPR	P31V	243	110	105	35500	105	35500	W76473 14
M9 ACE	EXCAVATOR, COMBAT	OPERATIONAL	P44V	246	126	105	45930	105	45930	ME0589 01
M9 ACE	EXCAVATOR, COMBAT	REDUCED	P28V	243	110	97	35500	97	35500	ME0589 02
M901	COMBAT VEH IMP TOW	OPERATIONAL	P31R	190	106	106	23500	106	23500	E56896 01
M901	COMBAT VEH IMP TOW	REDUCED	P19R	190	100	100	23500	100	23500	E56896 02
M901	COMBAT VEH IMP TOW	RED F/SEALIFT	P19R	190	100	100	23500	100	23500	E56896 51
M901	COMBAT VEH IMP TOW	SEALIFT/OPR	P19R	190	100	106	23500	106	23500	E56896 52
M901	LNCHR STA GM STLR MTD	OPERATIONAL	T50W	405	113	158	68410	158	69110	L46979 01
M901	LNCHR STA GM STLR MTD	REDUCED	T46W	405	113	137	33490	137	69110	L46979 02
M901A1	COMBAT VEH IMP TOW	OPERATIONAL	P43T	190	106	116	30000	116	30000	E56896 03
M901A1	COMBAT VEH IMP TOW	REDUCED	P14T	189	100	102	30000	102	30000	E56896 04
M901A1	COMBAT VEH IMP TOW	RED F/SEALIFT	P19T	190	100	102	30000	102	30000	E56896 53
M901A1	COMBAT VEH IMP TOW	SEALIFT/OPR	P39T	190	100	116	30000	116	30000	E56896 54
M902	LAUNCH STATION	NOT REDUCIBLE	T47W	404	118	156	55800	156	55800	P11779 01
M911	TRUCK TRACTOR 8X6	OPERATIONAL	P46V	370	115	142	38233	142	38233	T61035 01
M911	TRUCK TRACTOR 8X6	REDUCED	P39V	370	99	124	38233	124	38233	T61035 02
M911	TRUCK TRACTOR 8X6	RED F/SEALIFT	P39V	370	99	124	38233	124	38233	T61035 19
M911	TRUCK TRACTOR 8X6	SEALIFT/OPR	P46V	370	99	142	38233	142	38233	T61035 20
M915	TRUCK TRACTOR 6X4	OPERATIONAL	P46Q	269	123	131	18621	131	18621	T61103 01
M915	TRUCK TRACTOR 6X4	REDUCED	P39Q	269	98	112	18621	112	18621	T61103 02
M915	TRUCK TRACTOR 6X4	RED F/SEALIFT	P39Q	269	98	112	18621	112	18621	T61103 24
M915	TRUCK TRACTOR 6X4	SEALIFT/OPR	P41Q	269	98	131	18621	131	18621	T61103 25
M915	TRK TRAC LINE HAUL W/	NOT REDUCIBLE	P39R	276	98	119	22480	119	22480	T91758 05
M915A1	TRUCK TRACTOR 6X4	OPERATIONAL	P48Q	271	132	142	18900	142	18900	T61103 03
M915A1	TRUCK TRACTOR 6X4	REDUCED	P38Q	271	96	115	18900	115	18900	T61103 04
M915A1	TRUCK TRACTOR 6X4	RED F/SEALIFT	P38Q	271	96	115	18900	115	18900	T61103 26
M915A1	TRUCK TRACTOR 6X4	SEALIFT/OPR	P46Q	271	96	142	18900	142	18900	T61103 27

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M915A2	TRUCK TRACTOR 6X4	OPERATIONAL	P45Q	276	124	118	18380	118	18380	T61103 14
M915A2	TRUCK TRACTOR 6X4	REDUCED	P39Q	276	98	115	18380	115	18380	T61103 15
M915A2	TRUCK TRACTOR 6X4	RED F/SEALIFT	P39Q	276	98	115	18380	115	18380	T61103 28
M915A2	TRUCK TRACTOR 6X4	SEALIFT/OPR	P39Q	276	98	118	18380	118	18380	T61103 29
M915A2P1	TRK TRAC LINE HAUL W/	NOT REDUCIBLE	P39Q	276	98	119	18680	119	18680	T91758 01
M915A3	TRUCK TRACTOR 6X4	OPERATIONAL	P39Q	277	100	119	19000	119	19000	T61103 45
M915A3	TRUCK TRACTOR 6X4	REDUCED	P39Q	277	97	119	19080	119	19080	T61103 46
M915A3	TRUCK TRACTOR 6X4	SEALIFT/OPR	P39Q	277	97	119	19080	119	19080	T61103 47
M915A3P1	TRK TRAC LINE HAUL W/	NOT REDUCIBLE	P39R	276	98	119	22480	119	22480	T91758 03
M915A4	TRUCK TRACTOR 6X4	OPERATIONAL	P45Q	276	124	118	18320	118	18320	T61103 30
M915A4	TRUCK TRACTOR 6X4	REDUCED	P39Q	276	100	118	18320	118	18320	T61103 31
M915A4	TRUCK TRACTOR 6X4	SEALIFT/OPR	P39Q	276	100	118	18320	118	18320	T61103 32
M915A4P1	TRK TRAC LINE HAUL W/	NOT REDUCIBLE	T39R	276	98	119	22480	119	22480	T91758 02
M915A5	TRUCK TRACTOR M915A5	OPERATIONAL	P45S	312	130	126	26080	126	26080	T88858 01
M915A5	TRUCK TRACTOR M915A5	REDUCED	P40S	310	102	120	26080	120	26080	T88858 02
M915A5	TRUCK TRACTOR M915A5	NOT REDUCIBLE	P45U	312	130	126	33400	126	33400	T88858 03
M915A5	TRUCK TRACTOR M915A5	RED FOR C-17	P43U	310	113	121	33400	121	33400	T88858 04
M916	TRUCK TRACTOR 6X6	OPERATIONAL	P46S	299	123	144	27320	144	27320	T91656 01
M916	TRUCK TRACTOR 6X6	REDUCED	P41S	299	99	128	27320	128	27320	T91656 02
M916	TRUCK TRACTOR 6X6	RED F/SEALIFT	P41S	299	99	128	27320	128	27320	T91656 23
M916	TRUCK TRACTOR 6X6	SEALIFT/OPR	P46S	299	99	144	27320	144	27320	T91656 24
M916 SERIES	TRUCK TRACTOR 6X6	RED FOR C-17	P41U	290	102	128	30640	128	30640	T91656 70
M916A1	TRUCK TRACTOR 6X6	OPERATIONAL	P45S	289	124	128	27800	128	27800	T91656 12
M916A1	TRUCK TRACTOR 6X6	REDUCED	P41S	289	99	128	27800	128	27800	T91656 13
M916A1	TRUCK TRACTOR 6X6	SEALIFT/OPR	P41S	289	99	128	27800	128	27800	T91656 26
M916A1E1	TRACTOR	NOT REDUCIBLE	P41S	290	100	128	25250	128	25250	YA0808 01
M916A1P1	TRUCK TRACTOR	NOT REDUCIBLE	P41U	289	98	128	31540	128	31540	T34772 02
M916A2	TRUCK TRACTOR 6X6	OPERATIONAL	P45S	289	124	128	27860	128	27860	T91656 21
M916A2	TRUCK TRACTOR 6X6	REDUCED	P41S	289	99	128	27860	128	27860	T91656 22
M916A2	TRUCK TRACTOR 6X6	SEALIFT/OPR	P41S	289	99	128	27860	128	27860	T91656 28
M916A2P1	TRUCK TRACTOR	NOT REDUCIBLE	P41U	289	98	128	31660	128	31660	T34772 03
M916A3	TRUCK TRACTOR 6X6	OPERATIONAL	P45S	291	121	128	27700	128	27700	T91656 53
M916A3	TRUCK TRACTOR 6X6	REDUCED	P41S	291	99	128	27700	128	27700	T91656 54
M916A3	TRUCK TRACTOR 6X6	SEALIFT/OPR	P41S	291	99	128	27700	128	27700	T91656 55
M916A3P1	TRUCK TRACTOR	NOT REDUCIBLE	P41U	290	98	128	31660	128	31660	T34772 04
M916P1	TRUCK TRACTOR	NOT REDUCIBLE	P41U	289	98	128	31540	128	31540	T34772 01
M917	TRUCK DUMP 20-TON DED	OPERATIONAL	P48W	351	132	141	34080	141	74080	X44403 03
M917	TRUCK DUMP 20-TON DED	REDUCED	P46W	351	98	141	34080	141	74080	X44403 04
M917	TRUCK DUMP 20-TON DED	SEALIFT/OPR	P46W	351	98	141	34080	141	74080	X44403 24
M917A1	TRUCK DUMP 20-TON DED	NOT REDUCIBLE	P41W	296	98	131	29454	131	69454	X44403 21
M917A1 W/MCS	TRUCK DUMP 20-TON DED	NOT REDUCIBLE	P41W	317	98	131	31472	131	71472	X44403 22
M917A2	TRUCK DUMP 20-TON DED	NOT REDUCIBLE	P41T	296	98	131	29454	131	29454	X44403 58
M917A2 W/MCS	TRUCK DUMP 20-TON DED	NOT REDUCIBLE	P41U	317	104	132	31320	132	31320	X44403 57

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M918	DISTR BITUM TRK MTD	OPERATIONAL	P48T	351	132	142	29839	142	29839	G27844 03
M918	DISTR BITUM TRK MTD	REDUCED	P41T	351	98	128	29839	128	29839	G27844 04
M918	DISTR BITUM TRK MTD	RED F/SEALIFT	P41T	351	98	128	29839	128	29839	G27844 12
M918	DISTR BITUM TRK MTD	SEALIFT/OPR	P46T	351	98	142	29839	142	29839	G27844 13
M919	TRUCK CONCRETE MOB MX	OPERATIONAL	P46V	375	108	142	37540	142	37540	T42725 01
M919	TRUCK CONCRETE MOB MX	REDUCED	P41V	375	97	130	37540	130	37540	T42725 02
M919	TRUCK CONCRETE MOB MX	RED F/SEALIFT	P41V	375	97	130	37540	130	37540	T42725 23
M919	TRUCK CONCRETE MOB MX	SEALIFT/OPR	P46V	375	97	142	37540	142	37540	T42725 24
M920	TRUCK TRACTOR 8X6	OPERATIONAL	P48U	320	132	142	30220	142	30220	T61171 01
M920	TRUCK TRACTOR 8X6	REDUCED	P41U	320	97	128	30220	128	30220	T61171 02
M920	TRUCK TRACTOR 8X6	RED F/SEALIFT	P41U	320	97	128	30220	128	30220	T61171 23
M920	TRUCK TRACTOR 8X6	SEALIFT/OPR	P46U	320	97	142	30220	142	30220	T61171 24
M923	TRK CGO D/S 5-TON	OPERATIONAL	P45U	314	115	116	22020	116	22020	X40794 07
M923	TRK CGO D/S 5-TON	REDUCED	P28U	314	98	87	22020	87	22020	X40794 08
M923	TRK CGO D/S 5-TON	RED F/SEALIFT	P28U	314	98	87	22022	87	22020	X40794 21
M923	TRK CGO D/S 5-TON	MOD FOR SET	P41S	314	98	139	27142	139	27142	X40794 28
M923	TRK CGO D/S 5-TON	SEALIFT/OPR	P39U	314	98	116	22020	116	22020	X40794 AK
M923A1	TRK CGO D/S 5-TON	OPERATIONAL	P45U	311	121	121	22175	121	32175	X40794 14
M923A1	TRK CGO D/S 5-TON	REDUCED	P28U	311	97	94	22175	94	32175	X40794 15
M923A1	TRK CGO D/S 5-TON	RED F/SEALIFT	P28U	311	97	94	22175	94	32175	X40794 23
M923A1	TRK CGO D/S 5-TON	SEALIFT/OPR	P39U	311	97	121	22175	121	32175	X40794 AM
M923A2	TRK CGO D/S 5-TON	OPERATIONAL	P45U	312	116	121	20930	121	30930	X40794 33
M923A2	TRK CGO D/S 5-TON	REDUCED	P31U	312	98	102	20930	102	30930	X40794 35
M923A2	TRK CGO D/S 5-TON	RED F/SEALIFT	P31U	312	98	102	20930	102	30930	X40794 36
M923A2	TRK CGO D/S 5-TON	SEALIFT/OPR	P39U	312	98	121	20930	121	30930	X40794 AQ
M923A2	TRK CGO D/S 5-TON	NOT REDUCIBLE	P46U	312	116	135	21280	135	30930	X40794 AS
M923A2	TRK CGO D/S 5-TON	RED F/SEALIFT	P41U	312	98	135	21280	135	30930	X40794 AW
M923A2	TRK CGO D/S 5-TON	NOT REDUCIBLE	P45U	312	116	125	21280	125	30930	X40794 AY
M923A2	TRK CGO D/S 5-TON	RED F/SEALIFT	P39U	312	98	125	21280	125	30930	X40794 B3
M923A2	TRK CGO D/S 5-TON	MOD FOR SET	P47T	329	96	151	29117	151	29117	X40794 B5
M923A2	TRK CGO D/S 5-TON	MOD FOR SET	P28R	319	96	96	21932	96	21932	X40794 B6
M923A2	TRK CGO D/S 5-TON	MOD FOR SET	P50U	311	98	160	31290	160	31290	X40794 BA
M923A2	TRK CGO D/S 5-TON	MOD FOR SET	P46S	311	98	145	27580	145	27580	X40794 BD
M923A2	TRK CGO D/S 5-TON	MOD FOR SET	P50U	311	98	160	30470	160	30470	X40794 BG
M923A2	TRK CGO D/S 5-TON	MOD FOR SET	P46S	311	98	145	26808	145	26808	X40794 BJ
M923A2	TRK CGO D/S 5-TON	NOT REDUCIBLE	P47S	334	100	152	27340	152	27340	X40794 C4
M923A2	TRK CGO D/S 5-TON	OPERATIONAL	P45U	327	115	116	22458	116	32458	X40931 07
M925 WVN	TRK CGO D/S 5-TON	REDUCED	P29U	327	98	87	22458	87	32458	X40931 08
M925 WVN	TRK CGO D/S 5-TON	RED F/SEALIFT	P29U	327	98	87	22458	87	32458	X40931 18
M925 WVN	TRK CGO D/S 5-TON	SEALIFT/OPR	P39U	327	98	116	22458	116	32458	X40931 86
M925A1 WVN	TRK CGO D/S 5-TON	OPERATIONAL	P45U	332	121	121	22275	121	32275	X40931 15
M925A1 WVN	TRK CGO D/S 5-TON	REDUCED	P31U	332	97	94	22275	94	32275	X40931 16
M925A1 WVN	TRK CGO D/S 5-TON	RED F/SEALIFT	P31U	332	97	94	22275	94	32275	X40931 20

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M925A1 WVN	TRK CGO D/S 5-TON	SEALIFT/OPR	P39U	332	97	121	22275	121	32275	X40931 88
M925A2 WVN	TRK CGO D/S 5-TON	OPERATIONAL	P45U	332	121	121	22030	121	32030	X40931 28
M925A2 WVN	TRK CGO D/S 5-TON	REDUCED	P31U	332	98	94	22030	94	32030	X40931 30
M925A2 WVN	TRK CGO D/S 5-TON	RED F/SEALIFT	P31U	332	98	94	22030	94	32030	X40931 31
M925A2 WVN	TRK CGO D/S 5-TON	SEALIFT/OPR	P39U	332	98	121	22030	121	32030	X40931 96
M925A2 WVN	TRK CGO D/S 5-TON	MOD FOR SET	P41S	332	98	132	24075	132	24075	X40931 A7
M926 WVN	TRK CGO 5-TON LWB	OPERATIONAL	P45U	327	115	116	22440	116	32440	X40968 20
M926 WVN	TRK CGO 5-TON LWB	REDUCED	P29U	327	98	87	22440	87	32440	X40968 21
M926 WVN	TRK CGO 5-TON LWB	RED F/SEALIFT	P29U	327	98	87	22440	87	32440	X40968 34
M926 WVN	TRK CGO 5-TON LWB	SEALIFT/OPR	P39U	327	98	116	22440	116	32440	X40968 92
M926A1 WVN	TRK CGO 5-TON LWB	OPERATIONAL	P39U	332	98	121	23175	121	33175	X40968 31
M926A1 WVN	TRK CGO 5-TON LWB	REDUCED	P31U	332	98	94	23175	94	33175	X40968 32
M926A1 WVN	TRK CGO 5-TON LWB	RED F/SEALIFT	P31U	332	98	94	23175	94	33175	X40968 36
M927	TRK CGO 5-TON LWB	SEALIFT/OPR	P39U	332	98	121	23175	121	33175	X40968 94
M927	TRK CGO 5-TON XLWB	OPERATIONAL	P45V	389	115	119	25409	119	35409	X41105 09
M927	TRK CGO 5-TON XLWB	REDUCED	P33V	389	98	91	25409	91	35409	X41105 10
M927	TRK CGO 5-TON XLWB	RED F/SEALIFT	P33V	389	98	91	25409	91	35409	X41105 23
M927	TRK CGO 5-TON XLWB	SEALIFT/OPR	P39V	389	98	119	25409	119	35409	X41105 88
M927A1	TRK CGO 5-TON XLWB	OPERATIONAL	P45V	386	121	121	25035	121	35035	X41105 20
M927A1	TRK CGO 5-TON XLWB	REDUCED	P33V	386	97	94	25035	94	35035	X41105 21
M927A1	TRK CGO 5-TON XLWB	RED F/SEALIFT	P33V	386	97	94	25035	94	35035	X41105 25
M927A1	TRK CGO 5-TON XLWB	SEALIFT/OPR	P39V	386	97	121	25035	121	35035	X41105 90
M927A2	TRK CGO 5-TON XLWB	OPERATIONAL	P45U	386	121	121	23790	121	33790	X41105 35
M927A2	TRK CGO 5-TON XLWB	REDUCED	P33U	386	98	94	23790	94	33790	X41105 43
M927A2	TRK CGO 5-TON XLWB	RED F/SEALIFT	P33U	386	98	94	23790	94	33790	X41105 45
M927A2	TRK CGO 5-TON XLWB	SEALIFT/OPR	P39U	386	98	121	23790	121	33790	X41105 A0
M928 WVN	TRK CGO 5-TON XLWB	OPERATIONAL	P45V	402	115	117	26074	117	36074	X41242 13
M928 WVN	TRK CGO 5-TON XLWB	REDUCED	P35V	402	98	91	26074	91	36074	X41242 14
M928 WVN	TRK CGO 5-TON XLWB	RED F/SEALIFT	P35V	402	98	91	26074	91	36074	X41242 25
M928 WVN	TRK CGO 5-TON XLWB	SEALIFT/OPR	P39V	402	98	117	26074	117	36074	X41242 89
M928A1 WVN	TRK CGO 5-TON XLWB	OPERATIONAL	P45V	408	121	121	26135	121	36135	X41242 21
M928A1 WVN	TRK CGO 5-TON XLWB	REDUCED	P35V	408	97	94	26135	94	36135	X41242 22
M928A1 WVN	TRK CGO 5-TON XLWB	RED F/SEALIFT	P35V	408	97	94	26135	94	36135	X41242 27
M928A1 WVN	TRK CGO 5-TON XLWB	SEALIFT/OPR	P39V	408	97	121	26135	121	36135	X41242 91
M928A2 WVN	TRK CGO 5-TON XLWB	OPERATIONAL	P45U	408	121	121	24890	121	34890	X41242 41
M928A2 WVN	TRK CGO 5-TON XLWB	REDUCED	P35U	408	98	94	24890	94	34890	X41242 49
M928A2 WVN	TRK CGO 5-TON XLWB	RED F/SEALIFT	P35U	408	98	94	24890	94	34890	X41242 51
M928A2 WVN	TRK CGO 5-TON XLWB	SEALIFT/OPR	P39U	408	98	121	24890	121	34890	X41242 A1
M929	TRUCK DUMP 5-TON	OPERATIONAL	P46U	275	122	131	24340	121	34340	X43708 22
M929	TRUCK DUMP 5-TON	REDUCED	P39U	275	100	109	24340	83	34340	X43708 23
M929	TRUCK DUMP 5-TON	RED F/SEALIFT	P39U	275	100	109	24340	83	34340	X43708 AN
M929	TRUCK DUMP 5-TON	SEALIFT/OPR	P41U	275	100	131	24340	121	34340	X43708 AP
M929A1	TRUCK DUMP 5-TON	OPERATIONAL	P45V	273	121	125	25065	125	35065	X43708 38

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M929A1	TRUCK DUMP 5-TON	REDUCED	P27V	273	97	94	25065	86	35065	X43708 40
M929A1	TRUCK DUMP 5-TON	RED F/SEALIFT	P27V	273	97	94	25065	86	35065	X43708 AQ
M929A1	TRUCK DUMP 5-TON	SEALIFT/OPR	P39V	273	97	125	25065	125	35065	X43708 AR
M929A2	TRUCK DUMP 5-TON	OPERATIONAL	P45U	276	121	125	24060	125	34060	X43708 42
M929A2	TRUCK DUMP 5-TON	REDUCED	P27U	276	98	94	24060	86	34060	X43708 50
M929A2	TRUCK DUMP 5-TON	RED F/SEALIFT	P27U	276	98	94	24060	86	34060	X43708 51
M929A2	TRUCK DUMP 5-TON	SEALIFT/OPR	P39U	276	98	125	24060	125	34060	X43708 A3
M930 WVN	TRUCK DUMP 5-TON	OPERATIONAL	P45U	289	128	121	24626	121	34626	X43845 24
M930 WVN	TRUCK DUMP 5-TON	REDUCED	P28U	289	98	91	24626	83	34626	X43845 25
M930 WVN	TRUCK DUMP 5-TON	RED F/SEALIFT	P28U	289	98	91	24626	83	34626	X43845 AT
M930 WVN	TRUCK DUMP 5-TON	SEALIFT/OPR	P39U	289	98	121	24626	121	34626	X43845 AU
M930A1 WVN	TRUCK DUMP 5-TON	OPERATIONAL	P45V	295	121	125	26165	125	36165	X43845 32
M930A1 WVN	TRUCK DUMP 5-TON	REDUCED	P28V	295	97	94	26165	86	36165	X43845 33
M930A1 WVN	TRUCK DUMP 5-TON	RED F/SEALIFT	P28V	295	97	94	26165	86	36165	X43845 AV
M930A1 WVN	TRUCK DUMP 5-TON	SEALIFT/OPR	P39V	295	97	125	26165	125	36165	X43845 AW
M930A2 WVN	TRUCK DUMP 5-TON	OPERATIONAL	P45U	295	121	125	24920	125	34920	X43845 35
M930A2 WVN	TRUCK DUMP 5-TON	REDUCED	P28U	295	98	94	24920	86	34920	X43845 43
M930A2 WVN	TRUCK DUMP 5-TON	RED F/SEALIFT	P28U	295	98	94	24920	86	34920	X43845 44
M930A2 WVN	TRUCK DUMP 5-TON	SEALIFT/OPR	P39U	295	98	125	24920	125	34920	X43845 88
M931	TRUCK TRACTOR 5-TON	OPERATIONAL	P44R	264	115	113	20480	113	20480	X59326 09
M931	TRUCK TRACTOR 5-TON	REDUCED	P25R	264	98	91	20480	91	20480	X59326 10
M931	TRUCK TRACTOR 5-TON	RED F/SEALIFT	P25R	264	98	91	20480	91	20480	X59326 A9
M931	TRUCK TRACTOR 5-TON	SEALIFT/OPR	P39R	264	98	113	20480	113	20480	X59326 AA
M931A1	TRUCK TRACTOR 5-TON	OPERATIONAL	P45R	265	121	121	21140	121	21140	X59326 20
M931A1	TRUCK TRACTOR 5-TON	REDUCED	P25R	265	97	94	21140	94	21140	X59326 21
M931A1	TRUCK TRACTOR 5-TON	RED F/SEALIFT	P25R	265	97	94	21140	94	21140	X59326 AB
M931A2	TRUCK TRACTOR 5-TON	OPERATIONAL	P45Q	265	121	122	19895	122	19895	X59326 AC
M931A2	TRUCK TRACTOR 5-TON	REDUCED	P25Q	265	98	95	19895	95	19895	X59326 24
M931A2	TRUCK TRACTOR 5-TON	RED F/SEALIFT	P25Q	265	98	95	19895	95	19895	X59326 AD
M931A2	TRUCK TRACTOR 5-TON	SEALIFT/OPR	P39Q	265	98	122	19895	122	19895	X59326 AE
M932 WVN	TRUCK TRACTOR 5-TON	OPERATIONAL	P44R	280	115	113	21580	113	21580	X59463 07
M932 WVN	TRUCK TRACTOR 5-TON	REDUCED	P28R	280	98	91	21580	91	21580	X59463 08
M932 WVN	TRUCK TRACTOR 5-TON	RED F/SEALIFT	P28R	280	98	91	21580	91	21580	X59463 91
M932 WVN	TRUCK TRACTOR 5-TON	SEALIFT/OPR	P39R	280	98	113	21580	113	21580	X59463 92
M932A1 WVN	TRUCK TRACTOR 5-TON	OPERATIONAL	P39R	286	97	121	22240	121	22240	X59463 20
M932A1 WVN	TRUCK TRACTOR 5-TON	REDUCED	P28R	286	97	94	22240	94	22240	X59463 21
M932A1 WVN	TRUCK TRACTOR 5-TON	RED F/SEALIFT	P28R	286	97	94	22240	94	22240	X59463 93
M932A1 WVN	TRUCK TRACTOR 5-TON	SEALIFT/OPR	P39R	286	97	121	22240	121	22240	X59463 94
M932A2 WVN	TRUCK TRACTOR 5-TON	OPERATIONAL	P45R	286	121	122	20995	122	20995	X59463 23
M932A2 WVN	TRUCK TRACTOR 5-TON	REDUCED	P28R	286	98	95	20995	95	20995	X59463 24
M932A2 WVN	TRUCK TRACTOR 5-TON	RED F/SEALIFT	P28R	286	98	95	20995	95	20995	X59463 95
M932A2 WVN	TRUCK TRACTOR 5-TON	SEALIFT/OPR	P39R	286	98	122	20995	122	20995	X59463 96

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M934	TRUCK VAN EXP 5-TON	OPERATIONAL	P46S	365	115	137	27828	137	27828	X62237 08
M934	TRUCK VAN EXP 5-TON	REDUCED	P41S	365	98	137	27828	137	27828	X62237 09
M934	TRUCK VAN EXP 5-TON	SEALIFT/OPR	P41S	365	98	137	27828	137	27828	X62237 76
M934A1	TRUCK VAN EXP 5-TON	OPERATIONAL	P46T	363	121	143	29280	143	29280	X62237 01
M934A1	TRUCK VAN EXP 5-TON	REDUCED	P46T	363	98	143	29280	143	29280	X62237 22
M934A1	TRUCK VAN EXP 5-TON	SEALIFT/OPR	P46T	363	98	143	29280	143	29280	X62237 77
M934A2	TRUCK VAN EXP 5-TON	OPERATIONAL	P46T	363	121	143	28035	143	28035	X62237 20
M934A2	TRUCK VAN EXP 5-TON	REDUCED	P46T	363	98	143	28035	143	28035	X62237 21
M934A2	TRUCK VAN EXP 5-TON	SEALIFT/OPR	P46T	363	98	143	28035	143	28035	X62237 78
M936 WVN	TRUCK WRECKER 5-TON	OPERATIONAL	P45V	356	115	118	36629	118	36629	X63299 11
M936 WVN	TRUCK WRECKER 5-TON	REDUCED	P33V	356	98	105	36629	105	36629	X63299 12
M936 WVN	TRUCK WRECKER 5-TON	RED F/SEALIFT	P33V	356	98	105	36629	105	36629	X63299 AL
M936 WVN	TRUCK WRECKER 5-TON	SEALIFT/OPR	P39V	356	98	118	36629	118	36629	X63299 AM
M936A1 WVN	TRUCK WRECKER 5-TON	OPERATIONAL	P45V	362	121	120	38155	120	38155	X63299 24
M936A1 WVN	TRUCK WRECKER 5-TON	REDUCED	P39V	362	97	118	38155	118	38155	X63299 25
M936A1 WVN	TRUCK WRECKER 5-TON	RED F/SEALIFT	P39V	362	97	118	38155	118	38155	X63299 AN
M936A1 WVN	TRUCK WRECKER 5-TON	SEALIFT/OPR	P39V	362	97	120	38155	120	38155	X63299 AP
M936A2 WVN	TRUCK WRECKER 5-TON	OPERATIONAL	P39V	362	98	120	36910	120	36910	X63299 27
M936A2 WVN	TRUCK WRECKER 5-TON	REDUCED	P39V	362	98	109	36910	109	36910	X63299 28
M936A2 WVN	TRUCK WRECKER 5-TON	RED F/SEALIFT	P39V	362	98	109	36910	109	36910	X63299 AQ
M936A2 WVN	TRUCK WRECKER 5-TON	SEALIFT/OPR	P39V	362	98	120	36910	120	36910	X63299 AR
M93A1 FOX	RECON SYS NBC	OPERATIONAL	P44V	289	118	105	41990	105	41990	R41282 01
M93A1 FOX	RECON SYS NBC	REDUCED	P44V	289	118	101	41990	101	41990	R41282 02
M93A1 FOX	RECON SYS NBC	RED F/SEALIFT	P44V	289	118	101	41990	101	41990	R41282 03
M93A1 FOX	RECON SYS NBC	SEALIFT/OPR	P44V	289	118	105	41990	105	41990	R41282 04
M93A1 FOX	RECON SYS NBC	NOT REDUCIBLE	P44V	289	118	96	41990	96	41990	R41282 05
M93A1 FOX	RECON SYS NBC	NOT REDUCIBLE	P44V	289	118	96	41990	96	41990	R41282 16
M944	TRK MAINT TEL/UTILITY	OPERATIONAL	P47V	345	98	153	40500	153	40500	YA0638 01
M966	TRK UTIL 1-1/4-TON	OPERATIONAL	P14H	180	100	74	7195	74	7995	T05096 01
M966	TRK UTIL 1-1/4-TON	REDUCED	P14H	180	85	74	7195	74	7995	T05096 09
M966	TRK UTIL 1-1/4-TON	SEALIFT/OPR	P14H	180	85	74	7195	74	7995	T05096 27
M966A1	TRK UTIL 1-1/4-TON	NOT REDUCIBLE	P14H	180	86	74	6231	74	7031	T05096 22
M967	STLR TANK FUEL 5000 G	NOT REDUCIBLE	T33M	368	96	104	13300	104	13300	S10059 01
M967	STLR TANK FUEL 5000 G	NOT REDUCIBLE	T33M	368	96	104	48200	104	48200	S10059 03
M967A1	STLR TANK FUEL 5000 G	NOT REDUCIBLE	T33M	368	96	104	13020	104	13020	S10059 02
M967A1	STLR TANK FUEL 5000 G	NOT REDUCIBLE	T33V	368	96	104	48020	104	48020	S10059 05
M967A2	STLR TANK FUEL 5000 G	NOT REDUCIBLE	T33V	360	96	105	39150	105	39150	S10059 45
M969	STLR TANK FUEL 5000G	NOT REDUCIBLE	T33P	368	96	105	16060	105	16060	S73372 01
M969	STLR TANK FUEL 5000G	NOT REDUCIBLE	T33W	368	96	105	51060	105	51060	S73372 03
M969A1	STLR TANK FUEL 5000G	NOT REDUCIBLE	T33N	368	96	105	15140	105	15140	S73372 02
M969A1	STLR TANK FUEL 5000G	NOT REDUCIBLE	T33W	368	96	105	50140	105	50140	S73372 05
M969A2	STLR TANK FUEL 5000G	OPERATIONAL	T38P	366	96	116	16100	116	16100	S73372 15
M969A2	STLR TANK FUEL 5000G	REDUCED	T33P	366	96	104	16100	104	16100	S73372 16

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M969A3	STLR TANK FUEL 5000G	NOT REDUCIBLE	T33V	360	96	105	39150	105	39150	S73372 50
M973A1	CARRIER CARGO TRACKED	NOT REDUCIBLE	P28M	280	74	97	9967	97	12967	C11280 07
M977	TRUCK CGO TACT HVY	OPERATIONAL	P48W	401	140	112	38800	112	58800	T59278 01
M977	TRUCK CGO TACT HVY	REDUCED	P35W	401	102	101	38800	101	58800	T59278 02
M977	TRUCK CGO TACT HVY	RED F/SEALIFT	P35W	401	102	101	38800	101	58800	T59278 11
M977	TRUCK CGO TACT HVY	SEALIFT/OPR	P40W	401	102	112	38800	112	58800	T59278 12
M977	TRUCK CGO TACT HVY	SEALIFT/OPR	P40W	401	102	115	38800	112	58800	T59278 56
M977	TRUCK CGO TACT HVY	SEALIFT/OPR	P40W	401	102	117	38800	112	58800	T59278 58
M977 WWN	TRUCK CARGO 10T 8X8	OPERATIONAL	P48W	401	140	112	38800	112	58800	T39518 01
M977 WWN	TRUCK CARGO 10T 8X8	REDUCED	P35W	401	102	101	38800	101	58800	T39518 02
M977 WWN	TRUCK CARGO 10T 8X8	RED F/SEALIFT	P35W	401	102	101	38800	101	58800	T39518 10
M977 WWN	TRUCK CARGO 10T 8X8	SEALIFT/OPR	P40W	401	102	112	38800	112	58800	T39518 11
M977 WWN	TRUCK CARGO 10T 8X8	SEALIFT/OPR	P40W	401	102	115	38800	112	58800	T39518 58
M977 WWN	TRUCK CARGO 10T 8X8	SEALIFT/OPR	P40W	401	102	117	38800	112	58800	T39518 60
M977A2	TRUCK CGO TACT HVY	OPERATIONAL	P48W	401	140	112	38865	112	58865	T59278 20
M977A2	TRUCK CGO TACT HVY	REDUCED	P35W	401	102	101	38865	101	58865	T59278 21
M977A2	TRUCK CGO TACT HVY	RED F/SEALIFT	P35W	401	102	101	38865	101	58865	T59278 26
M977A2	TRUCK CGO TACT HVY	SEALIFT/OPR	P40W	401	102	112	38865	112	58865	T59278 27
M977A2	TRUCK CGO TACT HVY	SEALIFT/OPR	P40W	401	102	115	38865	112	58865	T59278 60
M977A2	TRUCK CGO TACT HVY	SEALIFT/OPR	P40W	401	102	117	38865	112	58865	T59278 62
M977A2 WWN	TRUCK CARGO 10T 8X8	OPERATIONAL	P48W	401	140	112	38865	112	58865	T39518 20
M977A2 WWN	TRUCK CARGO 10T 8X8	REDUCED	P35W	401	102	101	38865	101	58865	T39518 21
M977A2 WWN	TRUCK CARGO 10T 8X8	RED F/SEALIFT	P35W	401	102	101	38865	101	58865	T39518 27
M977A2 WWN	TRUCK CARGO 10T 8X8	SEALIFT/OPR	P40W	401	102	112	38865	112	58865	T39518 28
M977A2 WWN	TRUCK CARGO 10T 8X8	SEALIFT/OPR	P40W	401	102	115	38865	112	58865	T39518 62
M977A2 WWN	TRUCK CARGO 10T 8X8	SEALIFT/OPR	P40W	401	102	117	38865	112	58865	T39518 64
M977A2P1	TRK CGO W/ARMOR	OPERATIONAL	P48V	401	140	112	40865	112	40865	T61976 05
M977A2P1	TRK CGO W/ARMOR	REDUCED	P35V	401	102	101	40865	101	40865	T61976 06
M977A2P1 WWN	TRK CGO W/WINCH	OPERATIONAL	P48V	401	140	112	40865	112	40865	T90015 03
M977A2P1 WWN	TRK CGO W/WINCH	REDUCED	P35V	401	102	101	40865	101	40865	T90015 04
M977A2R1	TRUCK CGO TACT HVY	OPERATIONAL	P48W	401	140	112	38865	112	58865	T59278 23
M977A2R1	TRUCK CGO TACT HVY	REDUCED	P35W	401	102	101	38865	101	58865	T59278 24
M977A2R1	TRUCK CGO TACT HVY	RED F/SEALIFT	P35W	401	102	101	38865	101	58865	T59278 28
M977A2R1	TRUCK CGO TACT HVY	SEALIFT/OPR	P40W	401	102	112	38865	112	58865	T59278 29
M977A2R1	TRUCK CGO TACT HVY	SEALIFT/OPR	P40W	401	102	115	38865	112	58865	T59278 64
M977A2R1	TRUCK CGO TACT HVY	SEALIFT/OPR	P40W	401	102	117	38865	112	58865	T59278 66
M977A2R1 WWN	TRUCK CARGO 10T 8X8	OPERATIONAL	P48W	401	140	112	38865	112	58865	T39518 23
M977A2R1 WWN	TRUCK CARGO 10T 8X8	REDUCED	P35W	401	102	101	38865	101	58865	T39518 24
M977A2R1 WWN	TRUCK CARGO 10T 8X8	RED F/SEALIFT	P35W	401	102	101	38865	101	58865	T39518 29
M977A2R1 WWN	TRUCK CARGO 10T 8X8	SEALIFT/OPR	P40W	401	102	112	38865	112	58865	T39518 30
M977A2R1 WWN	TRUCK CARGO 10T 8X8	SEALIFT/OPR	P40W	401	102	115	38865	112	58865	T39518 66
M977A2R1 WWN	TRUCK CARGO 10T 8X8	SEALIFT/OPR	P40W	401	102	117	38865	112	58865	T39518 68
M977A2R1P1	TRK CGO W/ARMOR	OPERATIONAL	P48V	401	140	112	40865	112	40865	T61976 03

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	<---EMPTY---> WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	<---LOADED---> WEIGHT (LB)	LIN-INDEX
M977A2R1P1	TRK CGO W/ARMOR	REDUCED	P35V	401	102	101	40865	101	40865	T61976 04
M977A2R1P1 W/N	TRK CGO W/WINCH	OPERATIONAL	P48V	401	140	112	40865	112	40865	T90015 01
M977A2R1P1 W/N	TRK CGO W/WINCH	REDUCED	P35V	401	102	101	40865	101	40865	T90015 02
M977A4 W/O W	TRK CGO 8X8	NOT REDUCIBLE	P38V	409	96	119	42500	119	42500	T59532 01
M977P1	TRK CGO W/ARMOR	OPERATIONAL	P48V	401	140	112	40800	112	40800	T61976 01
M977P1	TRK CGO W/ARMOR	REDUCED	P35V	401	102	101	40800	101	40800	T61976 02
M977P1 W/N	TRK CGO W/WINCH	OPERATIONAL	P48V	401	140	112	40800	112	40800	T90015 05
M977P1 W/N	TRK CGO W/WINCH	REDUCED	P35V	401	102	101	40800	101	40800	T90015 06
M978	TRK TANK 2500 GAL	OPERATIONAL	P48V	401	140	112	38165	112	38165	T87243 01
M978	TRK TANK 2500 GAL	REDUCED	P35V	401	96	101	38165	101	38165	T87243 02
M978	TRK TANK 2500 GAL	NOT REDUCIBLE	P48W	401	140	112	55665	112	55665	T87243 03
M978	TRK TANK 2500 GAL	SEALIFT/OPR	P38V	401	96	112	38165	112	38165	T87243 11
M978	TRK TANK 2500 GAL	SEALIFT/OPR	P38V	401	96	112	38165	112	38165	T87243 53
M978	TRK TANK 2500 GAL	OPERATIONAL	P48V	401	140	112	38165	112	38165	T87243 55
M978 W/N	TRK TANK FUEL HEMTT	OPERATIONAL	P48V	401	140	112	38165	112	38165	T58161 01
M978 W/N	TRK TANK FUEL HEMTT	REDUCED	P35V	401	96	101	38165	101	38165	T58161 02
M978 W/N	TRK TANK FUEL HEMTT	NOT REDUCIBLE	P48W	401	140	112	55665	112	55665	T58161 03
M978 W/N	TRK TANK FUEL HEMTT	SEALIFT/OPR	P38V	401	96	112	38165	112	38165	T58161 24
M978 W/N	TRK TANK FUEL HEMTT	RED F/SEALIFT	P35V	401	96	101	38165	101	38165	T58161 25
M978 W/N	TRK TANK FUEL HEMTT	SEALIFT/OPR	P38V	401	96	115	38165	115	38165	T58161 65
M978 W/N	TRK TANK FUEL HEMTT	SEALIFT/OPR	P38V	401	96	117	38165	117	38165	T58161 67
M978A2	TRK TANK 2500 GAL	OPERATIONAL	P48V	401	140	112	38230	112	38230	T87243 23
M978A2	TRK TANK 2500 GAL	REDUCED	P35V	401	96	101	38230	101	38230	T87243 24
M978A2	TRK TANK 2500 GAL	SEALIFT/OPR	P38V	401	96	112	38230	112	38230	T87243 27
M978A2	TRK TANK 2500 GAL	SEALIFT/OPR	P38V	401	96	115	38230	115	38230	T87243 57
M978A2	TRK TANK 2500 GAL	SEALIFT/OPR	P38V	401	96	117	38230	117	38230	T87243 59
M978A2 W/N	TRK TANK FUEL HEMTT	OPERATIONAL	P48V	401	140	112	38230	112	38230	T58161 26
M978A2 W/N	TRK TANK FUEL HEMTT	REDUCED	P35V	401	96	101	38230	101	38230	T58161 27
M978A2 W/N	TRK TANK FUEL HEMTT	RED F/SEALIFT	P35V	401	96	101	38230	101	38230	T58161 32
M978A2 W/N	TRK TANK FUEL HEMTT	SEALIFT/OPR	P38V	401	96	112	38230	112	38230	T58161 33
M978A2 W/N	TRK TANK FUEL HEMTT	SEALIFT/OPR	P38V	401	96	115	38230	115	38230	T58161 69
M978A2 W/N	TRK TANK FUEL HEMTT	SEALIFT/OPR	P38V	401	96	117	38230	117	38230	T58161 71
M978A2P1 W/W	TRK TANK W/ARMOR	OPERATIONAL	P48V	401	140	112	40230	112	40230	T57384 05
M978A2P1 W/W	TRK TANK W/ARMOR	REDUCED	P35V	401	96	102	40230	102	40230	T57384 06
M978A2P1 WO/W	TRK TANK W/ARMOR	OPERATIONAL	P48V	401	140	112	40230	112	40230	T81976 02
M978A2P1 WO/W	TRK TANK W/ARMOR	REDUCED	P35V	401	96	102	40230	102	40230	T81976 05
M978A2R1	TRK TANK 2500 GAL	OPERATIONAL	P48V	401	140	112	38230	112	38230	T87243 25
M978A2R1	TRK TANK 2500 GAL	REDUCED	P35V	401	96	101	38230	101	38230	T87243 26
M978A2R1	TRK TANK 2500 GAL	SEALIFT/OPR	P38V	401	96	112	38230	112	38230	T87243 28
M978A2R1	TRK TANK 2500 GAL	SEALIFT/OPR	P38V	401	96	115	38230	115	38230	T87243 61
M978A2R1	TRK TANK 2500 GAL	SEALIFT/OPR	P38V	401	96	117	38230	117	38230	T87243 63
M978A2R1 W/N	TRK TANK FUEL HEMTT	OPERATIONAL	P48V	401	140	112	38230	112	38230	T58161 29
M978A2R1 W/N	TRK TANK FUEL HEMTT	REDUCED	P35V	401	96	101	38230	101	38230	T58161 30

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M978A2R1 WVN	TRK TANK FUEL HEMTT	RED F/SEALIFT	P35V	401	96	101	38230	101	38230	T58161 34
M978A2R1 WVN	TRK TANK FUEL HEMTT	SEALIFT/OPR	P38V	401	96	112	38230	112	38230	T58161 35
M978A2R1 WVN	TRK TANK FUEL HEMTT	SEALIFT/OPR	P38V	401	96	115	38230	115	38230	T58161 73
M978A2R1 WVN	TRK TANK FUEL HEMTT	SEALIFT/OPR	P38V	401	96	117	38230	117	38230	T58161 75
M978A2R1P1 W/W	TRK TANK W/ARMOR	OPERATIONAL	P48V	401	140	112	40230	112	40230	T57384 01
M978A2R1P1 W/W	TRK TANK W/ARMOR	REDUCED	P35V	401	96	102	40230	102	40230	T57384 02
M978A2R1P1W0/W	TRK TANK W/ARMOR	REDUCED	P35V	401	96	102	40230	102	40230	T81976 06
M978A2R1P1W0/W	TRK TANK W/ARMOR	OPERATIONAL	P48V	401	140	112	40230	112	40230	T81976 03
M978A4	TRK TANK	NOT REDUCIBLE	P35U	409	96	102	31578	102	31578	T58318 01
M978P1 W/W	TRK TANK W/ARMOR	OPERATIONAL	P48V	401	140	112	40165	112	40165	T57384 03
M978P1 W/W	TRK TANK W/ARMOR	REDUCED	P35V	401	96	102	40165	102	40165	T57384 04
M978P1 WO/W	TRK TANK W/ARMOR	OPERATIONAL	P48V	401	140	112	40165	112	40165	T81976 01
M978P1 WO/W	TRK TANK W/ARMOR	REDUCED	P35V	401	96	102	40165	102	40165	T81976 04
M981	CARRIER PERS F/TRACK	OPERATIONAL	P42S	210	106	108	27900	108	27900	C12155 01
M981	CARRIER PERS F/TRACK	REDUCED	P19S	205	100	103	27900	103	27900	C12155 02
M981	CARRIER PERS F/TRACK	RED F/SEALIFT	P19S	205	100	103	27900	103	27900	C12155 34
M981	CARRIER PERS F/TRACK	SEALIFT/OPR	P39S	205	100	108	27900	108	27900	C12155 35
M983	TRUCK TRACTOR	OPERATIONAL	P40V	350	102	113	36584	113	36584	T59117 01
M983	TRUCK TRACTOR	REDUCED	P31V	350	96	102	36584	102	36584	T59117 02
M983 WVN	TRUCK TRACTOR TACT8X8	OPERATIONAL	P48U	351	140	112	31800	112	31800	T88677 01
M983 WVN	TRUCK TRACTOR TACT8X8	REDUCED	P31U	351	99	102	31800	102	31800	T88677 02
M983 WVN	TRUCK TRACTOR TACT8X8	SEALIFT/OPR	P39U	351	99	112	31800	112	31800	T88677 16
M983 WVN	TRUCK TRACTOR TACT8X8	SEALIFT/OPR	P39U	351	99	115	31800	115	31800	T88677 47
M983 WVN	TRUCK TRACTOR TACT8X8	SEALIFT/OPR	P39U	351	99	117	31800	117	31800	T88677 49
M983A4 C-KIT	TRK TRACTOR HEMTT	W/SHELTER KIT	P40V	360	104	119	44520	119	44520	T60946 02
M983A1P1 WVN	TRK TRACTOR W/ARMOR	OPERATIONAL	P48U	351	140	112	33865	112	33865	T88779 03
M983A1P1 WVN	TRK TRACTOR W/ARMOR	REDUCED	P31U	351	99	102	33865	102	33865	T88779 04
M983A2 LET	TRUCK TRACTOR W/ARMOR	NOT REDUCIBLE	P38V	401	96	112	38800	112	38800	T59415 01
M983A2 WVN	TRUCK TRACTOR TACT8X8	OPERATIONAL	P48U	351	140	112	31865	112	31865	T88677 17
M983A2 WVN	TRUCK TRACTOR TACT8X8	REDUCED	P31U	351	99	102	31865	102	31865	T88677 18
M983A2 WVN	TRUCK TRACTOR TACT8X8	SEALIFT/OPR	P39U	351	99	112	31865	112	31865	T88677 21
M983A2 WVN	TRUCK TRACTOR TACT8X8	SEALIFT/OPR	P39U	351	99	115	31865	115	31865	T88677 51
M983A2 WVN	TRUCK TRACTOR TACT8X8	SEALIFT/OPR	P39U	351	99	117	31865	117	31865	T88677 53
M983A2R1 WVN	TRUCK TRACTOR TACT8X8	OPERATIONAL	P48U	351	140	112	31865	112	31865	T88677 19
M983A2R1 WVN	TRUCK TRACTOR TACT8X8	REDUCED	P31U	351	99	102	31865	102	31865	T88677 20
M983A2R1 WVN	TRUCK TRACTOR TACT8X8	SEALIFT/OPR	P39U	351	99	112	31865	112	31865	T88677 22
M983A2R1 WVN	TRUCK TRACTOR TACT8X8	SEALIFT/OPR	P39U	351	99	115	31865	115	31865	T88677 55
M983A2R1 WVN	TRUCK TRACTOR TACT8X8	SEALIFT/OPR	P39U	351	99	117	31865	117	31865	T88677 57
M983A2R1 WVN	TRUCK TRACTOR TACT8X8	OPERATIONAL	P48U	351	140	112	33865	112	33865	T88779 05
M983A2R1P1 WVN	TRK TRACTOR W/ARMOR	REDUCED	P31U	351	99	102	33865	102	33865	T88779 06
M983A4	TRK TRACTOR	NOT REDUCIBLE	P35V	359	112	96	35600	96	35600	T88915 01
M983A4 LET	TRK TRACTOR HEMTT	NOT REDUCIBLE	P38V	359	96	119	37400	119	37400	T60946 01
M983P1 WVN	TRK TRACTOR W/ARMOR	OPERATIONAL	P48U	351	140	112	33800	112	33800	T88779 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M983P1 WVN	TRK TRACTOR W/ARMOR	REDUCED	P31U	351	99	102	33800	102	33800	T88779 02
M984 WVN	TRUCK WRECKER 8X8	OPERATIONAL	P48W	402	140	112	53100	112	53100	T63093 01
M984 WVN	TRUCK WRECKER 8X8	REDUCED	P35V	402	102	102	43180	102	43180	T63093 02
M984 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40V	402	102	112	43180	112	43180	T63093 32
M984 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40V	402	102	115	43180	115	43180	T63093 66
M984 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40V	402	102	117	43180	117	43180	T63093 68
M984A1 WVN	TRUCK WRECKER 8X8	OPERATIONAL	P48W	402	140	112	51300	112	51300	T63093 03
M984A1 WVN	TRUCK WRECKER 8X8	REDUCED	P35W	402	102	102	51300	102	51300	T63093 04
M984A1 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40W	402	102	112	51300	112	51300	T63093 33
M984A1 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40W	402	102	115	51300	115	51300	T63093 70
M984A1 WVN	TRK WRKR W/ARMOR	SEALIFT/OPR	P40W	402	102	117	51300	117	51300	T63093 72
M984A2 WVN	TRUCK WRECKER 8X8	OPERATIONAL	P48W	402	140	112	53300	112	53300	T54650 01
M984A2 WVN	TRUCK WRECKER 8X8	REDUCED	P35V	402	102	102	53100	102	53100	T63093 34
M984A2 WVN	TRUCK WRECKER 8X8	REDUCED	P35V	402	102	102	43245	102	43245	T63093 35
M984A2 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40W	402	102	112	53100	112	53100	T63093 40
M984A2 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40W	402	102	115	53100	115	53100	T63093 74
M984A2 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40W	402	102	117	53100	117	53100	T63093 76
M984A2P1	TRK WRKR W/ARMOR	REDUCED	P35W	402	102	102	53300	102	53300	T54650 02
M984A2P1 WVN	TRK WRKR W/ARMOR	OPERATIONAL	P48V	402	140	112	45245	112	45245	T54650 03
M984A2P1 WVN	TRK WRKR W/ARMOR	REDUCED	P35V	402	102	102	45245	102	45245	T54650 04
M984A2R1 WVN	TRUCK WRECKER 8X8	OPERATIONAL	P48W	402	140	112	53100	112	53100	T63093 37
M984A2R1 WVN	TRUCK WRECKER 8X8	REDUCED	P35V	402	102	102	43245	102	43245	T63093 38
M984A2R1 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40W	402	102	112	53100	112	53100	T63093 41
M984A2R1 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40W	402	102	115	53100	115	53100	T63093 78
M984A2R1 WVN	TRUCK WRECKER 8X8	SEALIFT/OPR	P40W	402	102	117	53100	117	53100	T63093 80
M984A2R1P1 WVN	TRK WRKR W/ARMOR	OPERATIONAL	P48V	402	140	112	45245	112	45245	T54650 05
M984A2R1P1 WVN	TRK WRKR W/ARMOR	REDUCED	P35V	402	102	102	45245	102	45245	T54650 06
M984A4 W/W	HEMTT WRECKER	NOT REDUCIBLE	P40W	410	102	112	50900	112	50900	T63161 01
M985	TRUCK CARGO TACT HVY	OPERATIONAL	P48W	400	140	112	39420	112	39420	T39586 01
M985	TRUCK CARGO TACT HVY	REDUCED	P34W	400	102	101	39420	101	39420	T39586 02
M985	TRUCK CARGO TACT HVY	RED F/SEALIFT	P34W	400	102	101	39420	101	39420	T39586 11
M985	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	115	39420	112	39420	T39586 57
M985	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	117	39420	112	39420	T39586 59
M985 W/O W	TRUCK CARGO TACT HVY	NOT REDUCIBLE	P38W	401	96	112	39600	112	39600	T39586 12
M985 WVN	TRUCK CARGO TACT HVY	OPERATIONAL	P48W	400	140	112	40220	112	40220	T39654 01
M985 WVN	TRUCK CARGO TACT HVY	REDUCED	P34W	400	102	101	40220	101	40220	T39654 02
M985 WVN	TRUCK CARGO TACT HVY	RED F/SEALIFT	P34W	400	102	101	40220	101	40220	T39654 11
M985 WVN	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	112	40220	112	40220	T39654 12
M985 WVN	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	115	40220	112	40220	T39654 55
M985 WVN	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	117	40220	112	40220	T39654 57
M985A1P1 WVN	TRK CGO W/WINCH	OPERATIONAL	P48W	400	140	112	41485	112	41485	T89947 03
M985A1P1 WVN	TRK CGO W/WINCH	REDUCED	P34W	400	102	101	41485	100	41485	T89947 04
M985A2	TRUCK CARGO TACT HVY	OPERATIONAL	P48W	400	140	112	39485	112	39485	T39586 21

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M985A2	TRUCK CARGO TACT HVY	REDUCED	P34W	400	102	101	39485	101	59485	T39586 22
M985A2	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	112	39485	112	59485	T39586 28
M985A2	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	115	39485	112	59485	T39586 61
M985A2	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	117	39485	112	59485	T39586 63
M985A2 W/O W	TRUCK CARGO TACT HVY	NOT REDUCIBLE	P38W	401	96	112	39600	101	59600	T39586 27
M985A2 WNN	TRUCK CARGO TACT HVY	OPERATIONAL	P48W	400	140	112	40285	112	60285	T39654 19
M985A2 WNN	TRUCK CARGO TACT HVY	REDUCED	P34W	400	102	101	40285	101	60285	T39654 20
M985A2 WNN	TRUCK CARGO TACT HVY	RED F/SEALIFT	P34W	400	102	101	40285	101	60285	T39654 25
M985A2 WNN	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	112	40285	112	60285	T39654 26
M985A2 WNN	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	115	40285	112	60285	T39654 59
M985A2 WNN	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	117	40285	112	60285	T39654 61
M985A2P1	TRK CGO W/O WINCH	REDUCED	P34W	400	102	101	41485	101	59485	T59714 02
M985A2P1	TRK CGO W/O WINCH	OPERATIONAL	P48W	400	140	112	41485	112	59485	T59714 03
M985A2P1	TRK CGO W/O WINCH	REDUCED	P34W	400	102	101	41485	101	59485	T59714 04
M985A2R1	TRUCK CARGO TACT HVY	OPERATIONAL	P48W	400	140	112	39485	112	59485	T39586 24
M985A2R1	TRUCK CARGO TACT HVY	REDUCED	P34W	400	102	101	39485	101	59485	T39586 25
M985A2R1	TRUCK CARGO TACT HVY	RED F/SEALIFT	P34W	400	102	101	39485	101	59485	T39586 29
M985A2R1	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	112	39485	112	59485	T39586 30
M985A2R1	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	115	39485	112	59485	T39586 65
M985A2R1	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	117	39485	112	59485	T39586 67
M985A2R1 WNN	TRUCK CARGO TACT HVY	OPERATIONAL	P48W	400	140	112	40285	112	60285	T39654 22
M985A2R1 WNN	TRUCK CARGO TACT HVY	REDUCED	P34W	400	102	101	40285	101	60285	T39654 23
M985A2R1 WNN	TRUCK CARGO TACT HVY	RED F/SEALIFT	P34W	400	102	101	40285	101	60285	T39654 27
M985A2R1 WNN	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	112	40285	112	60285	T39654 28
M985A2R1 WNN	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	115	40285	112	60285	T39654 63
M985A2R1 WNN	TRUCK CARGO TACT HVY	SEALIFT/OPR	P40W	400	102	117	40285	112	60285	T39654 65
M985A2R1P1	TRK CGO W/O WINCH	OPERATIONAL	P48W	400	140	112	41485	112	59485	T59714 01
M985A2RP1 WNN	TRK CGO W/WINCH	OPERATIONAL	P48W	400	140	112	41485	112	59485	T89947 05
M985A2RP1 WNN	TRK CGO W/WINCH	REDUCED	P34W	400	102	101	41485	101	59485	T89947 06
M985A4 W/O W	TRUCK CARGO	NOT REDUCIBLE	P38W	409	96	112	43600	112	71600	T59380 01
M985A4GMT	TRK CGO W/W GUD MSL T	NOT REDUCIBLE	P38V	359	96	112	35600	112	35600	T59652 01
M985E1	TRUCK CGO 8X8 HEMTT	OPERATIONAL	P38W	421	96	112	42420	112	62420	T41721 01
M985E1	TRUCK CGO 8X8 HEMTT	REDUCED	P35W	421	96	101	42420	101	62420	T41721 02
M985E1	TRUCK CGO 8X8 HEMTT	RED F/SEALIFT	P35W	421	96	101	42420	101	62420	T41721 10
M985E1	TRUCK CGO 8X8 HEMTT	SEALIFT/OPR	P38W	421	96	112	42420	112	62420	T41721 11
M985E1	TRUCK CGO 8X8 HEMTT	SEALIFT/OPR	P38W	421	96	115	42420	112	62420	T41721 56
M985E1	TRUCK CGO 8X8 HEMTT	SEALIFT/OPR	P38W	421	96	117	42420	112	62420	T41721 58
M985E1	TRK CGO GMT	OPERATIONAL	P38W	421	96	112	44420	112	62420	T59464 01
M985E1	TRK CGO GMT	REDUCED	P35W	421	96	101	44420	101	62420	T59464 02
M985E1A2	TRUCK CGO 8X8 HEMTT	OPERATIONAL	P38W	421	96	112	42485	112	62485	T41721 19
M985E1A2	TRUCK CGO 8X8 HEMTT	REDUCED	P35W	421	96	101	42485	101	62485	T41721 20
M985E1A2	TRUCK CGO 8X8 HEMTT	RED F/SEALIFT	P35W	421	96	101	42485	101	62485	T41721 25
M985E1A2	TRUCK CGO 8X8 HEMTT	SEALIFT/OPR	P38W	421	96	112	42485	112	62485	T41721 26

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
M985E1A2	TRUCK CGO 8X8 HEMTT	SEALIFT/OPR	P38W	421	96	115	42485	112	62485	T41721 60
M985E1A2	TRUCK CGO 8X8 HEMTT	SEALIFT/OPR	P38W	421	96	117	42485	112	62485	T41721 62
M985E1A2	TRK CGO GMT	OPERATIONAL	P38W	421	96	112	44485	112	62485	T59464 03
M985E1A2	TRK CGO GMT	REDUCED	P35W	421	96	101	44485	101	62485	T59464 04
M985E1A2R1	TRUCK CGO 8X8 HEMTT	OPERATIONAL	P38W	421	96	112	42485	112	62485	T41721 22
M985E1A2R1	TRUCK CGO 8X8 HEMTT	REDUCED	P35W	421	96	101	42485	101	62485	T41721 23
M985E1A2R1	TRUCK CGO 8X8 HEMTT	RED F/SEALIFT	P35W	421	96	101	42485	101	62485	T41721 27
M985E1A2R1	TRUCK CGO 8X8 HEMTT	SEALIFT/OPR	P38W	421	96	112	42485	112	62485	T41721 28
M985E1A2R1	TRUCK CGO 8X8 HEMTT	SEALIFT/OPR	P38W	421	96	115	42485	112	62485	T41721 64
M985E1A2R1	TRUCK CGO 8X8 HEMTT	SEALIFT/OPR	P38W	421	96	117	42485	112	62485	T41721 66
M985E1A2R1	TRK CGO GMT	OPERATIONAL	P38W	421	96	112	44485	112	62485	T59464 05
M985E1A2R1	TRK CGO GMT	REDUCED	P35W	421	96	101	44485	101	62485	T59464 06
M985P1	TRK CGO W/O WINCH	OPERATIONAL	P48W	400	140	112	41420	112	59420	T59714 05
M985P1	TRK CGO W/O WINCH	REDUCED	P34W	400	102	101	41420	101	59420	T59714 06
M985P1 WVN	TRK CGO W/WINCH	OPERATIONAL	P48W	400	140	112	41420	112	59420	T89947 01
M985P1 WVN	TRK CGO W/WINCH	REDUCED	P34W	400	102	101	41420	101	59420	T89947 02
M989 (HEMAT)	TLR FLATBED 11-TON	OPERATIONAL	T24U	266	96	66	8060	66	30060	T45465 01
M989 (HEMAT)	TLR FLATBED 11-TON	REDUCED	T24U	266	96	50	8060	50	30060	T45465 02
M989 (HEMAT)	TLR FLATBED 11-TON	RED F/SEALIFT	T24U	266	96	50	8060	50	30060	T45465 16
M989 (HEMAT)	TLR FLATBED 11-TON	SEALIFT/OPR	T24U	266	96	66	8060	66	30060	T45465 17
M989A1	TLR FLATBED 11-TON	NOT REDUCIBLE	T28U	307	96	72	10650	72	32650	T45465 13
M992A1	CARRIER AMMO TRKD VEH	OPERATIONAL	P46V	262	124	135	44000	135	44000	C10908 13
M992A1	CARRIER AMMO TRKD VEH	REDUCED	P45V	262	124	127	44000	127	44000	C10908 14
M992A2	CARRIER AMMO TRKD VEH	OPERATIONAL	P46V	260	124	137	46000	137	46000	C10908 16
M992A2	CARRIER AMMO TRKD VEH	REDUCED	P45V	260	124	129	46000	129	46000	C10908 17
M996A1	TRK AMB 2 LITTER 4X4	NOT REDUCIBLE	P19H	204	86	87	7040	87	7040	T38707 01
M997	TRK AMB 4 LITTER 4X4	NOT REDUCIBLE	P19G	205	86	87	6928	87	6928	T38707 15
M997A1	TRK AMB 4 LITTER 4X4	NOT REDUCIBLE	P19H	204	86	101	7500	101	7500	T38844 01
M997A1P1	TRUCK AMBULANCE W/ AO	NOT REDUCIBLE	P19H	205	86	102	7360	102	7360	T38844 09
M997A2	TRK AMB 4 LITTER 4X4	NOT REDUCIBLE	P19H	205	86	102	7660	102	7660	T38728 02
M997A2P1	TRUCK AMBULANCE W/ AO	NOT REDUCIBLE	P19H	205	86	102	7660	102	7660	T38844 14
M997A3	TRK AMB 4 LITTER 4X4	NOT REDUCIBLE	P19H	207	85	103	7660	103	7660	T38728 03
M997P1	TRUCK AMBULANCE W/ AO	NOT REDUCIBLE	P19H	205	86	102	7660	102	7660	T38844 18
M998	TRK UTIL CRG/TRP CARR	OPERATIONAL	P14H	187	96	74	5280	74	7780	T38728 01
M998	TRK UTIL CRG/TRP CARR	REDUCED	P14H	187	84	53	5280	53	7780	T61494 01
M998	TRK UTIL CRG/TRP CARR	W/SHELTER KIT	P14F	187	96	94	5880	94	5880	T61494 15
M998	TRK UTIL CRG/TRP CARR	RED F/SEALIFT	P14H	187	84	53	5280	53	7780	T61494 47
M998	TRK UTIL CRG/TRP CARR	SEALIFT/OPR	P14H	187	84	74	5280	74	7780	T61494 48
M998	TRK UTIL CRG/TRP CARR	OPERATIONAL	P14H	187	96	104	5820	104	7780	T61494 55
M998	TRK UTIL CRG/TRP CARR	REDUCED	P14H	187	84	104	5820	53	7780	T61494 56
M998	TRK UTIL CRG/TRP CARR	RED F/SEALIFT	P14H	187	84	104	5820	53	7780	T61494 58
M998	TRK UTIL CRG/TRP CARR	OPERATIONAL	P19H	193	96	91	5820	74	7780	T61494 60

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
M998	TRK UTIL CRG/TRP CARR	REDUCED	P19H	193	84	91	5820	53	7780	T61494 61
M998	TRK UTIL CRG/TRP CARR	RED F/SEALIFT	P19H	193	84	91	5820	53	7780	T61494 63
M998	TRK UTIL CRG/TRP CARR	MOD FOR SET	P14G	186	92	97	6500	97	6500	T61494 77
M998	TRK UTIL CRG/TRP CARR	MOD FOR SET	P14H	180	85	96	7392	96	7392	T61494 79
M998	TRK UTIL CRG/TRP CARR	MOD FOR SET	P14H	180	85	96	7464	96	7464	T61494 82
M998	TRK UTIL CRG/TRP CARR	MOD FOR SET	P14H	180	85	96	7080	96	7080	T61494 85
M998	TRK UTIL CRG/TRP CARR	MOD FOR SET	P14G	180	85	96	6897	96	6897	T61494 88
M998	TRK UTIL CRG/TRP CARR	MOD FOR SET	P14H	180	85	96	7464	96	7464	T61494 91
M998	TRK UTIL CRG/TRP CARR	NOT REDUCIBLE	P19F	191	91	105	5730	105	5730	T61494 AE
M998	TRK UTIL CRG/TRP CARR	NOT REDUCIBLE	P18F	196	84	74	5285	74	5285	T61494 AG
M998	TRK UTIL CRG/TRP CARR	RED F/SEALIFT	P14H	189	84	74	5910	53	7780	T61494 AJ
M998	TRK UTIL CRG/TRP CARR	SEALIFT/OPR	P14H	189	84	97	5910	74	7780	T61494 AK
M998A1	TRK UTIL CRG/TRP CARR	OPERATIONAL	P14H	180	86	72	5380	72	7880	T61494 37
M998A1	TRK UTIL CRG/TRP CARR	REDUCED	P14H	180	86	56	5380	56	7880	T61494 38
M998A1	TRK UTIL CRG/TRP CARR	RED F/SEALIFT	P14H	180	86	56	5380	56	7880	T61494 49
M998A1	TRK UTIL CRG/TRP CARR	SEALIFT/OPR	P14H	180	86	72	5380	72	7880	T61494 50
M998A1	TRK UTIL CRG/TRP CARR	MOD FOR SET	P18H	190	89	75	7880	75	7880	T61494 94
M998A1P1	TRK UTIL W/ARMOR 4DR	OPERATIONAL	P14G	180	91	72	6580	72	6580	T11722 03
M998A1P1	TRK UTIL W/ARMOR 4DR	REDUCED	P14G	180	90	72	6580	72	6580	T11722 04
M998P1	TRK UTIL W/ARMOR 4DR	OPERATIONAL	P14G	187	101	74	6480	74	6480	T11722 01
M998P1	TRK UTIL W/ARMOR 4DR	REDUCED	P14G	187	89	74	6480	74	6480	T11722 02
M998T	TRK UTIL CRG/TRP CARR	OPERATIONAL	P19J	190	96	96	5800	96	8300	T61494 02
M998T	TRK UTIL CRG/TRP CARR	REDUCED	P19J	190	84	96	5800	96	8300	T61494 03
M998T	TRK UTIL CRG/TRP CARR	NOT REDUCIBLE	P19J	194	96	96	5800	96	8300	T61494 13
MA-3	AIR COND TLR MTD	NOT REDUCIBLE	T11H	151	80	78	7300	78	7300	AF0022 01
MA1162	TLR VAN 4 WHL ACVC MA	NOT REDUCIBLE	T28F	221	101	91	5960	91	5960	W99012 01
MA60	TOW TRACTOR	OPERATIONAL	P04H	103	55	83	7500	83	7500	YA0934 01
MA60	TOW TRACTOR	REDUCED	P01H	103	55	61	7500	61	7500	YA0934 02
MAINT VAN	SATELLITE COMM TML	NOT REDUCIBLE	T35S	480	96	102	24968	102	24968	T81801 07
MAQA 3.8	MOD QUAD-BAND ANT TAC	NOT REDUCIBLE	T14E	176	95	102	4200	102	4200	YA0518 01
MARK V	SPEC OPNS CRAFT	OPERATIONAL	****	1108	221	232	119000	232	119000	YA0806 01
MARK V	SPEC OPNS CRAFT	REDUCED	****	1108	221	157	119000	157	119000	YA0806 02
MATV POP	MINE RESISTANT VEH M-	NOT REDUCIBLE	P46U	246	101	141	33280	141	33280	M11442 16
MATV SNE CROW	MINE RESISTANT VEH M-	NOT REDUCIBLE	P41U	244	101	141	30700	141	30700	M11442 12
MATV VMP	MINE RESISTANT VEH M-	NOT REDUCIBLE	P41U	247	101	131	30700	131	30700	M11442 14
MAXXPRO BASE	MINE RESISTANT VEH MA	NOT REDUCIBLE	P50V	263	120	160	36500	160	36500	M11510 01
MAXXPRO DASH	MINE RESISTANT VEH MA	NOT REDUCIBLE	P46V	254	120	138	39000	138	39000	M74294 01
MAXXPRO DASH I	MINE RESIST VEH MAXXP	NOT REDUCIBLE	P46V	254	106	143	37300	143	37300	M11819 01
MAXXPRO PLUS	MINE RESISTANT VEH MA	OPERATIONAL	P47V	270	121	151	49920	151	49920	M11683 01
MAXXPRO PLUS A	MINE RESISTANT VEH MA	REDUCED	P46V	270	123	139	46660	139	46660	M11683 02
MAXXPRO PLUS A	MINE RESIST VEH MAXXP	NOT REDUCIBLE	P47V	270	121	151	49920	151	49920	M11615 01
MB 690-1B1	TRACTOR WHL ACFT TOW	NOT REDUCIBLE	P13L	170	78	100	10454	100	10454	W88803 01
MB-2	TOW TRACTOR	NOT REDUCIBLE	P31W	247	105	104	54180	104	54180	AF0001 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
MB-4	COLEMAN TRACTOR	NOT REDUCIBLE	P13M	162	85	102	12800	102	12800	AF0029 01
MC-7	COMPRESSOR TLR MTD	NOT REDUCIBLE	T03C	128	72	55	3000	55	3000	AF0004 01
MC2A	COMPRESSOR TLR MTD	NOT REDUCIBLE	T01A	89	54	40	850	40	850	AF0033 01
MC45	TERTIARY CRUSH UNIT	NOT REDUCIBLE	****	475	105	161	50100	161	50100	YA0536 01
MC45	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	****	475	105	161	50100	161	50100	F49673 13
MD 2938	TANK&PUMP UNIT LIQUID	VEHICLE MTD	P38N	265	96	110	14875	110	14875	V12141 40
MD 2938	TANK&PUMP UNIT LIQUID	VEHICLE MTD	P38N	279	96	110	15265	110	15265	V12141 42
MD 2938	TANK&PUMP UNIT LIQUID	VEHICLE MTD	P39N	265	98	111	15221	111	15221	V12141 44
MD 2938	TANK&PUMP UNIT LIQUID	VEHICLE MTD	P39S	314	98	115	24855	115	24855	V12141 46
MD 2938	TANK&PUMP UNIT LIQUID	VEHICLE MTD	P39R	304	98	119	22605	119	22605	V12141 51
MD 2938	TANK&PUMP UNIT LIQUID	VEHICLE MTD	P45R	320	115	116	23260	116	23260	V12141 66
MDL 550C	TRACTOR FTRAC LS DED	OPERATIONAL	P11P	158	96	106	16800	106	16800	W76336 08
MDL 550C	TRACTOR FTRAC LS DED	REDUCED	P03N	123	74	71	14375	71	14375	W76336 09
MDL 780T	PAVING MACH BITUM	NOT REDUCIBLE	P19R	194	97	92	21400	92	21400	N75124 14
MDL499A	MIXER CONC TLR MTD	OPERATIONAL	T39G	156	97	118	6450	118	6450	M54151 15
MDL499A	MIXER CONC TLR MTD	REDUCED	T39G	154	97	118	6450	118	6450	M54151 16
MDS1692366F	RAMP LOAD VEHICLE	OPERATIONAL	T35F	515	104	44	5100	44	5100	R11154 02
MDS1692366F	RAMP LOAD VEHICLE	REDUCED	T35F	431	104	44	5100	44	5100	R11154 03
MDS169636	RAMP LOAD VEHICLE	NOT REDUCIBLE	T35F	433	96	40	5660	40	5660	R11154 01
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	P47U	364	98	146	31770	146	31770	C22126 09
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	P41S	364	98	128	27538	128	27538	C22126 11
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	P39T	364	98	116	28451	116	28451	C22126 13
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	T41M	261	94	135	12783	135	12783	C22126 15
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	T38J	261	94	117	8551	117	8551	C22126 17
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	T25K	261	94	105	9464	105	9464	C22126 19
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	P47U	364	98	149	31983	149	31983	C22126 21
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	P41S	364	98	131	27751	131	27751	C22126 23
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	P39T	364	98	119	28664	119	28664	C22126 25
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	T38V	304	96	124	35530	124	35530	C22126 27
MED GIRDER	BRIDGE ERECT ST FIXED	VEHICLE MTD	P38W	390	96	125	66484	125	66484	C22126 29
MEERKAT	MEERKAT IVMD	NOT REDUCIBLE	P37L	236	90	120	10500	120	10500	YA0943 01
MEP-004A	GEN SET SK MTD 15KW	OPERATIONAL	T13F	169	94	83	5680	83	5680	J35835 03
MEP-004A	GEN SET SK MTD 15KW	REDUCED	T13F	163	94	82	5680	82	5680	J35835 04
MEP-004A	GEN SET SK MTD 15KW	VEHICLE MTD	P25P	265	96	81	16310	81	16310	J35835 22
MEP-012A	GENERATOR SET 750KW	OPERATIONAL	T25S	250	96	101	25000	101	25000	J30093 05
MEP-012A	GENERATOR SET 750KW	REDUCED	T23S	231	96	101	25000	101	25000	J30093 06
MEP-012A	GENERATOR SET 750KW	SEALIFT/OPR	T23S	231	96	101	25000	101	25000	J30093 07
MEP-112A	GEN ST DSL ENG	MOD FOR SET	T09C	141	75	78	2920	78	2920	G35981 02
MEP-112A	RADAR SET	NOT REDUCIBLE	T09C	141	75	78	2920	78	2920	RI4216 13
MEP-802A	GEN SET DED SKID MTD	VEHICLE MTD	T09B	147	74	75	1565	75	1565	G11966 02
MEP-803	TQG POWER PACK	NOT REDUCIBLE	P14K	187	94	89	9585	89	9585	YA0286 01
MEP-803	TQG POWER PACK	NOT REDUCIBLE	P19L	200	94	102	10518	102	10518	YA0286 07
MEP-803A	GEN SET DED SKID MTD	VEHICLE MTD	T08C	147	84	70	2460	70	2460	G74711 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
MEP-804A	GEN SET DED SKID MTD	MOD FOR SET	T09E	139	87	85	4080	85	4080	G12170 02
MEP-804A	GEN SET DED SKID MTD	MOD FOR SET	T09E	139	87	85	4160	85	4160	G12170 03
MEP-805A	GEN SET DED SKID MTD	VEHICLE MTD	T13F	162	93	85	5900	85	5900	G74575 02
MEP-806A	GEN SET DED SKID MTD	VEHICLE MTD	T13H	162	93	96	7060	96	7060	G12034 02
MEP-PU-810B	GEN SET DIESEL ENGINE	NOT REDUCIBLE	T38T	264	96	130	28580	130	28580	G17800 01
MEP-PU-810B	DEP PWR GEN/DIST SYS	NOT REDUCIBLE	T38T	281	96	123	29960	123	29960	YA0546 01
MERCEDES	Z-BACKSCATTER VAN	NOT REDUCIBLE	P25L	252	81	102	10141	102	10141	YA0768 01
MFK75	KITCHEN FIELD TLR MTD	NOT REDUCIBLE	T14J	183	94	96	5340	96	8340	L28351 01
MFK75A	KITCHEN FIELD TLR MTD	NOT REDUCIBLE	T14H	178	93	94	4200	94	7200	L28351 03
MH-60	HELI MULTIPURPOSE	FLYAWAY	****	645	117	202	24500	202	24500	M85588 01
MH-60K	HELICOPTER UTILITY	FLYAWAY	****	778	644	148	22000	148	22000	H30766 01
MH-60K	HELICOPTER UTILITY	RED F/SEALIFT	T47R	611	117	148	22000	148	22000	H30766 02
MH-60K	HELICOPTER UTILITY	RED FOR C-5	****	646	176	148	15850	148	15850	H30766 03
MH-60K	HELICOPTER UTILITY	REDUCED	T44N	506	117	108	15850	108	15850	H30766 04
MH-60K	HELICOPTER UTILITY	RED FOR C-17	T47N	646	117	148	15850	148	15850	H30766 14
MH47G	HELI CGO TRANS	FLYAWAY	****	1188	720	224	28550	224	28550	H05001 01
MHE-270	TRUCK LIFT FRK DED RT	OPERATIONAL	P16L	205	79	80	11560	80	11560	T49255 18
MHE-270	TRUCK LIFT FRK DED RT	REDUCED	P13L	165	79	80	11560	80	11560	T49255 20
MHE-271	TRUCK LIFT FRK DED RT	OPERATIONAL	P16M	205	79	80	12300	80	12300	T49255 17
MHE-271	TRUCK LIFT FRK DED RT	REDUCED	P13M	165	79	80	12300	80	12300	T49255 19
MICLIC	LAUNCHR M/CLRG TLRMTD	NOT REDUCIBLE	T14G	187	96	71	6109	71	6109	L67342 01
MIDAS	TAC EXP SYS MRT TRLR	NOT REDUCIBLE	T19E	217	96	101	4200	101	4200	YA0995 01
MILS45537	SHOP EQUIP ORG TRKMTD	NOT REDUCIBLE	P41U	360	98	128	33260	128	33360	T13152 01
MILS45538	SHOP EQUIP STLR MTD	NOT REDUCIBLE	T39S	324	97	120	26380	120	26380	T10549 01
MILS45855	SHOP EQUIP TRK MTD	NOT REDUCIBLE	P19H	213	82	84	7300	84	7400	T10138 14
MILS52330	SHOP EQUIP STLR MTD	OPERATIONAL	T41P	327	97	129	17820	129	17820	T10275 01
MILS52330	SHOP EQUIP STLR MTD	REDUCED	T41P	322	97	129	17820	129	17820	T10275 02
MILVAN	BOX SHIP METAL 20 FT	VEHICLE MTD	T47J	242	96	149	8750	149	8750	C13825 15
MILVAN	BOX SHIP METAL 20 FT	VEHICLE MTD	T47L	242	96	149	10870	149	10870	C13825 25
MILVAN	BOX SHIP METAL 20 FT	VEHICLE MTD	T38L	444	96	114	10860	114	10860	C13825 61
MJ-1	BOMBLIFT WHL MTD	NOT REDUCIBLE	P08D	146	48	42	3950	42	3950	AF0026 01
MK II-S	BOAT BRIDGE ERECTION	OPERATIONAL	T39K	323	98	110	9800	110	9800	B25476 15
MK II-S	BOAT BRIDGE ERECTION	REDUCED	T29K	323	98	78	9800	78	9800	B25476 16
MK155 MOD2	LAUNCHR M/CLRG TLRMTD	NOT REDUCIBLE	T14D	187	96	97	3795	97	3795	L67342 02
MK155 MOD3	LAUNCHR M/CLRG TLRMTD	NOT REDUCIBLE	T13D	162	93	91	3365	91	3365	L67342 03
MK31	TRUCK TRACTOR 5-TON	NOT REDUCIBLE	P46S	298	98	142	28000	142	28000	CB0607 43
MKT-82	KITCHEN FIELD TLR MTD	OPERATIONAL	T49H	290	153	121	4170	121	7170	L28351 05
MKT-82	KITCHEN FIELD TLR MTD	REDUCED	T13H	171	93	95	4170	95	7170	L28351 06
MKT-85	KITCHEN FIELD TLR MTD	OPERATIONAL	T49K	201	152	132	6030	132	9030	L28351 08
MKT-85	KITCHEN FIELD TLR MTD	REDUCED	T13K	171	93	93	6030	93	9030	L28351 09
MKT-85S	KITCHEN FIELD TLR MTD	OPERATIONAL	T49E	201	152	132	4680	132	4680	L28351 69
MKT-85S	KITCHEN FIELD TLR MTD	REDUCED	T13E	171	92	93	4680	93	4680	L28351 70
MKT-90	KITCHEN FIELD TLR MTD	NOT REDUCIBLE	T13J	171	92	93	5480	93	8480	L28351 11

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
MKT-95	KITCHEN FIELD TLR MTD	OPERATIONAL	T49J	201	152	132	5260	132	8260	L28351 47
MKT-95	KITCHEN FIELD TLR MTD	REDUCED	T13J	171	92	93	5260	93	8260	L28351 48
MKT-97S	KITCHEN FIELD TLR MTD	NOT REDUCIBLE	T13F	171	92	93	5220	93	5220	L28351 72
MKT-99	KITCHEN FIELD TLR MTD	NOT REDUCIBLE	T13G	171	92	93	6100	93	6100	L28351 60
MKT-99	KITCHEN FIELD TLR MTD	OPERATIONAL	T49G	201	152	132	6100	132	6100	L28351 66
MKT-99	KITCHEN FIELD TLR MTD	REDUCED	T13G	171	92	93	6100	93	6100	L28351 67
MLRS	LNCHR ROCKET VEH MTD	NOT REDUCIBLE	P44V	275	117	104	43941	104	43941	L44894 01
MLRS	LNCHR ROCKET VEH MTD	NOT REDUCIBLE	P44V	275	117	103	42800	103	42800	L44894 04
MLRS	LNCHR ROCKET VEH MTD	NOT REDUCIBLE	P44V	276	117	103	42800	103	42800	L44894 05
MLRS	LNCHR ROCKET VEH MTD	NOT REDUCIBLE	P44V	275	117	103	44508	103	44508	L44894 06
MLT-6	TRK LIFT FRK RT 3-T	OPERATIONAL	P41S	267	103	128	25730	128	25730	X48914 01
MLT-6	TRK LIFT FRK RT 3-T	REDUCED	P28S	185	103	93	24030	93	24030	X48914 02
MLT6-2	TRK LIFT FRK RT 3-T	OPERATIONAL	P41S	268	103	126	25875	126	25875	X48914 07
MLT6-2	TRK LIFT FRK RT 3-T	REDUCED	P28S	185	103	92	24140	92	24140	X48914 08
MLT6--ROPS	TRK LIFT FRK RT 3-T	OPERATIONAL	****	281	102	184	24500	184	24500	X48914 20
MLT6--ROPS	TRK LIFT FRK RT 3-T	REDUCED	P28R	228	102	91	22560	91	22560	X48914 21
MLT6CH	TRK LIFT FRK RT 3-T	OPERATIONAL	P41S	268	103	128	25650	128	25650	X48914 03
MLT6CH	TRK LIFT FRK RT 3-T	REDUCED	P28R	186	103	93	23950	93	23950	X48914 04
MLT6CHROPS	TRK LIFT FRK RT 3-T	NOT REDUCIBLE	P41S	263	102	128	25116	128	25116	X48914 23
MMF UAS HUNTER	MOBILE MAINT FAC UAS	NOT REDUCIBLE	T23M	223	96	99	12500	99	12500	M05014 01
MOD1	LAUNCHR M/CLRG TLRMTD	NOT REDUCIBLE	T13G	162	93	87	6208	87	6208	L67342 06
MODEL 202	PORTABLE CONCRETE MXR	NOT REDUCIBLE	T18D	204	84	80	4000	80	4000	YA0885 01
MRBS BCKUP TRL	COM EQUIPMENT SOMS-B	NOT REDUCIBLE	T13D	166	85	77	3850	77	3850	C58976 12
MRBS TRL	COM EQUIPMENT SOMS-B	NOT REDUCIBLE	T13E	166	85	77	4180	77	4180	C58976 10
MRS	TRACTOR WHL IND DED	OPERATIONAL	P43S	224	108	123	24160	123	24160	W90447 01
MRS	TRACTOR WHL IND DED	REDUCED	P28S	224	108	91	24160	91	24160	W90447 02
MRS	TRACTOR WHL IND DED	RED F/SEALIFT	P28S	224	108	91	24160	91	24160	W90447 14
MRS	TRACTOR WHL IND DED	SEALIFT/OPR	P43S	224	108	123	24160	123	24160	W90447 15
MRSB CGO TRK	COM EQUIPMENT SOMS-B	MOD FOR SET	P19L	201	86	102	10060	102	10060	C58976 04
MRSB PRIME TRK	COM EQUIPMENT SOMS-B	MOD FOR SET	P19L	201	86	102	10140	102	10140	C58976 02
MRZR 2	POLARIS TAC VEH 4X4	NOT REDUCIBLE	P01B	117	60	74	1610	74	1610	YA1066 01
MRZR 4	POLARIS TAC VEH 4X4	OPERATIONAL	P11C	156	62	74	2050	74	2050	YA1066 02
MRZR 4	POLARIS TAC VEH 4X4	REDUCED	P07C	140	79	74	2010	74	2010	YA1066 04
MSLP	SEMITLR VAN GM R/PTS	NOT REDUCIBLE	T41R	375	96	132	20620	132	20620	S43871 02
MST4F	TLR ANTENNA 1-TON	NOT REDUCIBLE	T49C	156	146	74	2678	74	2678	YA2000 01
MT-250	CRANE TRK MTD HYD 25T	OPERATIONAL	P45W	458	124	118	65800	118	65800	F43429 01
MT-250	CRANE TRK MTD HYD 25T	REDUCED	P39W	458	100	118	65800	118	65800	F43429 02
MT-250	CRANE TRK MTD HYD 25T	SEALIFT/OPR	P39W	458	100	118	65800	118	65800	F43429 26
MT-6950/TRC	ANTENNA MAST	NOT REDUCIBLE	P19K	199	88	105	9559	105	9559	YA0475 01
MT-6950/TRC	ANTENNA MAST	NOT REDUCIBLE	P19L	199	88	105	10506	105	10506	YA0476 01
MT3 SATS	STD AIRCRAFT TOW SYS	NOT REDUCIBLE	P04K	115	57	80	10000	80	10000	S21580 01
MT3 SATS	STD AIRCRAFT TOW SYS	REDUCED	P14K	189	66	60	9950	60	9950	S21580 02
MTBS BCKUP TRL	COM EQUIPMENT SOMS-B	NOT REDUCIBLE	T13D	166	85	77	3850	77	3850	C58976 16

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
MTBS CGO TRK	COM EQUIPMENT SOMS-B	MOD FOR SET	P19K	201	86	102	9780	102	9780	C58976 08
MTBS TRK PRIME	COM EQUIPMENT SOMS-B	MOD FOR SET	P19K	201	86	102	9780	102	9780	C58976 06
MTBS TRL	COM EQUIPMENT SOMS-B	NOT REDUCIBLE	T13E	166	85	77	4180	77	4180	C58976 14
MTT SEMITRL	SINGLE MISSILE RD CON	NOT REDUCIBLE	T40U	576	102	117	34760	117	34760	S05007 01
MTT SEMITRL	SINGLE MISSILE RD CON	VEHICLE MTD	T40U	576	102	117	34760	117	34760	S05007 02
MTU3 107	MOBILE ANT TOWER TRLR	NOT REDUCIBLE	T33J	360	103	100	8500	100	8500	YA0963 07
MUD TRAILER	MTR WELL DRL RIG MUD	NOT REDUCIBLE	****	303	96	129	445000	129	445000	Z01317 01
MW20B	10K ADV TERRAIN FKLFT	NOT REDUCIBLE	T37R	312	91	123	23200	123	23200	AF1393 03
MW24 ROPS	LOADER SCOOP TYPE WHL	OPERATIONAL	P41S	293	103	140	25550	140	25550	L76556 22
MW24 ROPS	LOADER SCOOP TYPE WHL	REDUCED	P31S	293	103	106	25020	106	25020	L76556 23
MW24C	LOADER SCOOP TYPE WHL	OPERATIONAL	P46S	276	108	135	26540	135	26540	L76556 13
MW24C	LOADER SCOOP TYPE WHL	REDUCED	P31S	276	108	105	25100	105	25100	L76556 14
MX3	SHOP EQUIPMENT, HYDR	VEHICLE MTD	T06D	130	84	82	4000	82	4000	H05002 02
MY60-MC-RS	TRK LIFT FRK GED 3-T	OPERATIONAL	P36L	156	71	116	10450	116	10450	X51791 05
MY60-MC-RS	TRK LIFT FRK GED 3-T	REDUCED	P36L	112	71	116	10450	116	10450	X51791 06
NA-79	CLOTH RPR SHP TLR MTD	NOT REDUCIBLE	T13D	174	84	93	3960	93	3960	E40961 02
NAVCAAD	LGT TACTICAL TRAILER	NOT REDUCIBLE	T11E	154	85	90	4200	90	4200	YA0756 01
NON CC	TLR VAN 4 WHL ACVC MA	NOT REDUCIBLE	T28E	231	102	94	4820	94	4820	W99012 06
NON PROPELLED	BARGE DECK CGO	NOT REDUCIBLE	****	972	264	84	116480	84	116480	B31060 01
NONE	BOBTAIL TOW TRACTOR	NOT REDUCIBLE	P13H	166	83	73	7220	73	7220	AF0005 01
NONE	TRAILER	NOT REDUCIBLE	T30N	331	96	75	14080	75	14080	AF0017 01
NONE	ENGINE TLR MTD	NOT REDUCIBLE	T46R	341	127	141	23480	141	23480	AF0018 01
NONE	ENGINE LIFT TRAILER	NOT REDUCIBLE	T44R	408	116	105	20580	105	20580	AF0020 01
NONE	ENGINE TRL	NOT REDUCIBLE	T24E	236	82	75	4620	75	4620	AF0021 01
NONE	FUEL BOWSER TLR MTD	NOT REDUCIBLE	T01B	104	60	70	1200	70	1200	AF0025 01
NONE	CABIN PRESS TESTER TM	NOT REDUCIBLE	T03D	102	63	56	3150	56	3150	AF0027 01
NONE	HYD TEST STAND	NOT REDUCIBLE	T03G	119	76	76	6440	76	6440	AF0030 01
NONE	BOBTAIL TOW TRACTOR	NOT REDUCIBLE	P13H	168	90	75	7340	75	7340	AF2078 01
NONE	E-3A ACE AIR COND	OPERATIONAL	T19N	220	94	99	14600	99	14600	AF2525 01
NONE	E-3A ACE AIR COND	REDUCED	T19N	220	94	96	14600	96	14600	AF2525 02
NONE	STAIRS ACFT BOARDING	NOT REDUCIBLE	P47L	314	95	151	11480	151	11480	AF2604 01
NONE	TRUCK 6 PAX 4X4	NOT REDUCIBLE	P25G	250	92	87	6250	87	6250	AF2955 01
NONE	TRUCK 6 PAX 4X4	NOT REDUCIBLE	P25G	258	78	95	6220	95	6220	AF2955 02
NONE	DIESEL MAINT PLATFORM	NOT REDUCIBLE	P28N	204	108	84	14780	84	14780	AF4268 01
NONE	TRK TRACTOR 10-TON	NOT REDUCIBLE	P41Q	292	100	128	18650	128	18650	AF4448 01
NONE	TRK LIFT FORK 10K	NOT REDUCIBLE	P28R	314	96	95	23680	95	23680	AF4935 01
NONE	MOBILE CONCRETE MIXER	NOT REDUCIBLE	P39V	564	100	125	37700	125	37700	AF5422 01
NONE	1/4-TON TRAILER CARGO	NOT REDUCIBLE	T03B	109	62	44	580	44	1080	AF5495 01
NONE	KETTLE HTG BIT 1.65 GAL	NOT REDUCIBLE	T08B	145	56	61	1800	61	1800	AF7592 01
NONE	BOAT KAYAK	NOT REDUCIBLE	T01A	36	36	36	110	36	110	B26441 01
NONE	LINK REINFORCE SET	VEHICLE MTD	P41U	337	98	139	32954	139	32954	C27309 03
NONE	LINK REINFORCE SET	VEHICLE MTD	P46U	364	98	144	30591	144	30591	C27309 05
NONE	LINK REINFORCE SET	VEHICLE MTD	T38M	261	94	128	13967	128	13967	C27309 07

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
NONE	LINK REINFORCE SET	VEHICLE MTD	T41L	261	94	133	11604	133	11604	C27309 09
NONE	LINK REINFORCE SET	VEHICLE MTD	P46U	337	98	142	30804	142	30804	C27309 11
NONE	LINK REINFORCE SET	VEHICLE MTD	P47U	364	98	147	31983	147	31983	C27309 13
NONE	LINK REINFORCE SET	VEHICLE MTD	T38V	304	96	124	35530	124	35530	C27309 15
NONE	LINK REINFORCE SET	VEHICLE MTD	P38W	390	96	125	66484	125	66484	C27309 17
NONE	CONTAINERIZED KITCHEN	VEHICLE MTD	T41R	297	96	132	20500	132	20500	C27633 02
NONE	CONTAIN BATCH LAUNDRY	VEHICLE MTD	T35R	438	96	96	21110	96	21110	C28019 03
NONE	CONTAIN BATCH LAUNDRY	VEHICLE MTD	T35R	438	96	96	21110	96	21110	C28019 09
NONE	CLEANER STM TLR MTD	OPERATIONAL	T09C	144	72	89	2780	89	2780	C32887 01
NONE	CLEANER STM TLR MTD	REDUCED	T04C	100	72	89	2780	89	2780	C32887 02
NONE	COMM RELAY GRP	NOT REDUCIBLE	P46V	378	100	142	39390	142	39390	C90546 01
NONE	TRUCK CGO PU 6000	NOT REDUCIBLE	P16D	197	80	71	3378	71	3378	CB0313 01
NONE	TRUCK CARRY ALL	NOT REDUCIBLE	P12D	166	71	64	3084	64	3084	CB0317 01
NONE	TRUCK PANEL F/C	NOT REDUCIBLE	P16G	198	76	78	6010	78	6010	CB0329 01
NONE	TRUCK MAINT UTIL	NOT REDUCIBLE	P14G	180	85	69	6140	69	6140	CB0363 01
NONE	TRUCK LUB FUEL SERV	NOT REDUCIBLE	P31R	283	96	102	24000	102	24000	CB0709 02
NONE	TRUCK MAINT OVRHD	NOT REDUCIBLE	P41S	468	96	132	24590	132	24590	CB0726 01
NONE	TRUCK UTIL GR MTN	NOT REDUCIBLE	P01B	106	60	44	1057	44	1057	CB0734 01
NONE	TRK TANK FS 2-1/2-TON	NOT REDUCIBLE	P27U	277	96	98	24250	98	24250	CB0746 12
NONE	TRUCK TNK AVGAS	NOT REDUCIBLE	P40R	408	102	108	22730	108	22730	CB0756 01
NONE	TRUCK TNK AVGAS	NOT REDUCIBLE	P40R	408	102	108	22730	108	22730	CB0756 02
NONE	DOLLY TLR CONV	NOT REDUCIBLE	T05C	117	96	53	2800	53	2800	CB0829 01
NONE	TRAILER ELEV BODY	NOT REDUCIBLE	T28F	268	102	38	5860	38	5860	CB0832 01
NONE	TLR TILTDECK	NOT REDUCIBLE	T35M	456	96	65	13200	65	13200	CB0862 06
NONE	TRUCK FORKLIFT LO PRO	NOT REDUCIBLE	P03L	114	67	70	11500	70	11500	CB1333 01
NONE	TRUCK 25-LB AC	NOT REDUCIBLE	P35R	324	111	81	20360	81	20360	CB1430 01
NONE	TRUCK LIFT PLATFORM	NOT REDUCIBLE	P35M	480	96	60	13200	60	13200	CB1900 01
NONE	TRAILER PALLET	NOT REDUCIBLE	T05C	120	97	27	2479	27	2479	CB1903 01
NONE	CRUSHER ROCK	NOT REDUCIBLE	T47V	420	112	146	44400	146	44400	CB2200 01
NONE	CRUSHER ROCK	NOT REDUCIBLE	****	564	145	162	80000	162	80000	CB2200 02
NONE	PAVER ASPHALT	NOT REDUCIBLE	T45S	212	125	125	27800	125	27800	CB2300 01
NONE	MIXER ASPHALT	NOT REDUCIBLE	****	788	144	164	72500	164	72500	CB2410 01
NONE	MIXER SOIL STAB	NOT REDUCIBLE	T38N	274	95	122	14980	122	14980	CB2417 01
NONE	MIXER TRANSIT	NOT REDUCIBLE	T47S	364	98	146	24800	146	24800	CB2420 01
NONE	MIXER CONCRETE	NOT REDUCIBLE	T46P	432	96	143	17150	143	17150	CB2425 01
NONE	MIXER CONCRETE	NOT REDUCIBLE	T35P	432	96	102	17150	102	17150	CB2425 02
NONE	DISTRIB ASPHALT	NOT REDUCIBLE	T38V	341	96	120	45840	120	45840	CB2520 01
NONE	WATER DISTRIBUTER	NOT REDUCIBLE	P38V	378	96	120	20660	120	20660	CB2521 04
NONE	DISTRIB WATER	NOT REDUCIBLE	T46W	572	122	138	61000	138	61000	CB2523 01
NONE	CONVEYOR BELT	NOT REDUCIBLE	****	720	138	162	9500	162	9500	CB2610 01
NONE	KETTLE ROOF 350	NOT REDUCIBLE	T14C	185	72	62	3000	62	3000	CB2740 01
NONE	DRILL ROCK HYD	NOT REDUCIBLE	T39R	380	99	111	22050	111	22050	CB3532 01
NONE	AUGER EARTH TRK MTD	NOT REDUCIBLE	P41G	337	96	135	6700	135	6700	CB3710 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
NONE	AUGER EARTH TRK MTD	NOT REDUCIBLE	P41U	336	97	134	30420	134	30420	CB3710 02
NONE	DRILL ROT/PERC	NOT REDUCIBLE	T23S	228	89	83	24400	83	24400	CB3720 05
NONE	TRUCK WELL SUPPT	NOT REDUCIBLE	T27S	277	96	98	24250	98	24250	CB3721 01
NONE	DITCHING MACH	NOT REDUCIBLE	T27R	275	96	82	22200	82	22200	CB4310 01
NONE	DITCHING MACH	NOT REDUCIBLE	T29P	329	95	100	17382	100	17382	CB4310 02
NONE	EXCAVATOR MULTI	NOT REDUCIBLE	T41V	349	96	137	44400	137	44400	CB4330 01
NONE	EXCAVATOR CRAWL	NOT REDUCIBLE	T44S	373	125	112	26292	112	26292	CB4350 01
NONE	ROAD MOTOR GRADER	NOT REDUCIBLE	P38T	351	94	126	30000	126	30000	CB4420 13
NONE	LOADER FULL TRAC	NOT REDUCIBLE	P41V	238	97	130	49428	130	49428	CB4530 03
NONE	LOADER FULL TRAC	NOT REDUCIBLE	P41V	263	101	130	41450	130	41450	CB4530 04
NONE	LOADER SCOOP WHEEL	NOT REDUCIBLE	P38Q	258	94	120	19778	120	19778	CB4531 27
NONE	LOADER SCOOP WHEEL	NOT REDUCIBLE	P38R	258	94	128	23920	128	23920	CB4531 28
NONE	LOADER SCOOP WHEEL	NOT REDUCIBLE	P41U	271	100	128	31000	128	31000	CB4531 29
NONE	LOADER SCOOP WHEEL	NOT REDUCIBLE	P41U	284	97	129	32161	129	32161	CB4531 30
NONE	LOADER SCOOP WHEEL	NOT REDUCIBLE	P49V	294	144	132	39129	132	39129	CB4531 31
NONE	LOADER SKDSTEER	NOT REDUCIBLE	P09L	145	80	78	10609	78	10609	CB4532 01
NONE	ROLLER MOTOR	NOT REDUCIBLE	P13H	175	68	78	8000	78	8000	CB4615 01
NONE	ROLLER TAMP FT	NOT REDUCIBLE	P46W	381	119	137	57050	137	57050	CB4622 01
NONE	ROLLER VIBRATORY	NOT REDUCIBLE	P37S	209	91	122	26152	122	26152	CB4635 10
NONE	ROLLER VIBRATORY	NOT REDUCIBLE	P37Q	205	91	119	20000	119	20000	CB4635 11
NONE	ROLLER VIBRATORY	NOT REDUCIBLE	P36P	198	69	107	17000	107	17000	CB4635 12
NONE	SCRAPER TRACTOR	NOT REDUCIBLE	P48W	499	136	141	63200	141	63200	CB4750 08
NONE	DUMP OFF-HI TRK	NOT REDUCIBLE	P48V	312	134	144	42300	144	42300	CB4760 01
NONE	PUMP DIAPHRGM WHL MTD	NOT REDUCIBLE	P01A	52	45	41	930	41	930	CB5210 01
NONE	PUMP CENTRIFUG	NOT REDUCIBLE	P02B	128	60	52	1600	52	1600	CB5220 03
NONE	PUMP CENTRIFUG	NOT REDUCIBLE	P07D	135	62	68	3200	68	3200	CB5220 04
NONE	CLEANER WTRBLST	NOT REDUCIBLE	P05D	126	81	76	4000	76	4000	CB5418 01
NONE	PLATFORM HILLIFT	NOT REDUCIBLE	P35S	402	96	101	25500	101	25500	CB5460 01
NONE	KITCHEN FIELD	NOT REDUCIBLE	T13F	171	92	93	5480	93	5480	CB5496 01
NONE	F-SERV AC TLR	NOT REDUCIBLE	T38L	88	96	120	10500	120	10500	CB5500 01
NONE	SHREDDER TLR MTD	NOT REDUCIBLE	T04C	120	66	93	2175	93	2175	CB5642 01
NONE	SWEeper MAG TOW	NOT REDUCIBLE	T06J	126	96	88	8550	88	8550	CB5710 01
NONE	SWEeper MAG TOW	NOT REDUCIBLE	T28A	61	111	40	800	40	800	CB5710 02
NONE	SWEeper BROOM	NOT REDUCIBLE	T28B	192	108	72	1900	72	1900	CB5740 01
NONE	TRUCK FIRE/RESCUE	NOT REDUCIBLE	P41U	277	96	132	34000	132	34000	CB7160 01
NONE	CART GEN HAULING	NOT REDUCIBLE	T01A	84	46	38	210	38	210	D13545 01
NONE	CLOTH RPR SHP TLR MTD	NOT REDUCIBLE	T13F	162	84	90	5395	90	5395	E40961 14
NONE	COMP UNIT RCP TLR MTD	NOT REDUCIBLE	T01A	106	61	50	860	50	860	E70338 23
NONE	CRANE BARGE 89-250TON	NOT REDUCIBLE	****	1680	840	780	385560	780	385560	F36090 07
NONE	FIRE CNTRL SYS RDR	NOT REDUCIBLE	T35S	456	96	98	25707	98	25707	F83694 01
NONE	FIREFIGHT EQP TRKMTD	NOT REDUCIBLE	P27N	272	95	106	15920	106	15920	H56391 03
NONE	KITCHEN FLD CO LVL	NOT REDUCIBLE	T25F	254	91	93	5480	93	5480	K28601 01
NONE	INTERIOR BAY BRDG FLT	VEHICLE MTD	P48V	468	135	155	39660	155	39660	K97376 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
NONE	INTERIOR BAY BRDG FLT	VEHICLE MTD	T49V	340	144	156	35780	156	35780	K97376 05
NONE	KITCHEN FIELD TLR MTD	NOT REDUCIBLE	T13G	171	92	93	6100	93	6100	L28351 62
NONE	LAB PETRL STLR MTD	NOT REDUCIBLE	T39N	317	98	122	14740	122	14740	L33800 01
NONE	LAUNDRY UNIT TLR MTD	NOT REDUCIBLE	T23M	223	99	95	12860	95	13060	L48315 03
NONE	LAUNDRY M/CLRG TLRMTD	NOT REDUCIBLE	T13G	162	93	78	6208	78	6208	L67342 04
NONE	LAUNDRY ADV SYS TLR M	NOT REDUCIBLE	T47W	506	96	151	53960	151	53960	L70538 03
NONE	PETROLEUM QTY ANAL SY	REDUCED	T41P	240	96	132	17000	132	17000	P25743 01
NONE	PUMP UNIT CENT WATER	OPERATIONAL	T03C	122	70	68	2140	68	2140	P44549 15
NONE	PUMP UNIT CENT WATER	REDUCED	T03C	78	70	68	2140	68	2140	P44549 18
NONE	POWER UNIT AUX AVN	NOT REDUCIBLE	T01C	90	50	60	3000	60	3000	P44627 01
NONE	TRLR MTD SYS PU-824T	NOT REDUCIBLE	T22F	231	85	78	6000	78	6000	P63394 09
NONE	TRLR MTD SYS PU-824T	NOT REDUCIBLE	T22F	231	85	78	6000	78	6000	P63394 10
NONE	RAMP BAY BRIDGE FLTG	VEHICLE MTD	T49V	320	144	156	35610	156	35610	R10527 03
NONE	ROLLER TWD 13 TIRE 9T	NOT REDUCIBLE	T14D	177	88	47	3360	47	3360	S12164 03
NONE	STD AUTO TOOL SET	VEHICLE MTD	T41Q	292	96	133	19045	133	19045	S25885 02
NONE	SHOP SET SHELTER MTD	DOLLY WHL MTD	T38P	375	96	112	16030	112	16030	S26835 02
NONE	SHOP SET SHELTER MTD	DOLLY WHL MTD	T38N	375	96	112	15330	112	15330	S29568 02
NONE	SCRAPER ELEVATING S/P	OPERATIONAL	P38U	385	96	116	30600	116	30600	S29971 01
NONE	SCRAPER ELEVATING S/P	REDUCED	P33U	385	96	94	30600	94	30600	S29971 02
NONE	SCRAPER ELEV SECT S/P	NOT REDUCIBLE	P43U	437	110	122	33620	122	33620	S30039 01
NONE	SHOP SET ARMA & ELEC	DOLLY WHL MTD	T38N	375	96	112	14035	112	14035	S31897 02
NONE	SHOP SET SHELTER MTD	DOLLY WHL MTD	T38P	375	96	112	16690	112	16690	S32719 02
NONE	SHOP SET SHELTER MTD	DOLLY WHL MTD	T38M	375	96	112	13925	112	13925	S33441 02
NONE	SHOP SET SHELTER MTD	DOLLY WHL MTD	T38N	375	96	112	14275	112	14275	S34774 02
NONE	SHOP SET SHELTER MTD	DOLLY WHL MTD	T38M	375	96	112	12310	112	12310	S35185 02
NONE	SHOP SET SHELTER MTD	DOLLY WHL MTD	T38N	375	96	112	14490	112	14490	S35435 02
NONE	SHOP SET SHELTER MTD	DOLLY WHL MTD	T38N	375	96	112	14330	112	14330	S35596 04
NONE	SHOP SET SHELTER MTD	DOLLY WHL MTD	T38N	375	96	112	14760	112	14760	S37240 02
NONE	SHOP EQUIP STLR MTD	NOT REDUCIBLE	T41U	352	97	126	31000	126	31000	T10549 12
NONE	SHOP EQP SHELTER MTD	DOLLY WHL MTD	T23F	222	88	98	5680	98	5680	T15581 03
NONE	SHOP EQUIP TLR MTD	OPERATIONAL	T13F	172	85	99	5680	99	5680	T16988 01
NONE	SHOP EQUIP TLR MTD	REDUCED	T13F	172	85	82	5680	82	5680	T16988 02
NONE	SHOP EQUIP TLR MTD	SEALIFT/OPR	T13F	172	85	99	5680	99	5680	T16988 10
NONE	SHOP EQUIP TLR MTD	NOT REDUCIBLE	T16B	216	27	24	1092	24	1092	T16988 11
NONE	SHOP SET AVN ARMT RPR	DOLLY WHL MTD	T25J	251	97	97	8110	97	8110	T25961 03
NONE	SHOP SET AVN ARMT RPR	DOLLY WHL MTD	T38M	437	96	110	12580	110	12580	T25961 07
NONE	SHOP SET AVN INTMED	DOLLY WHL MTD	T25H	251	97	97	7710	97	7710	T25981 03
NONE	TOOL OUTFIT TLR MTD	NOT REDUCIBLE	T11C	151	75	76	2878	76	2878	T30377 08
NONE	TOOL OUTFIT TLR MTD	NOT REDUCIBLE	T11C	151	79	76	2860	76	2860	T30377 10
NONE	SHOP EQUIP F&E SYS	VEHICLE MTD	P41P	269	100	130	17860	130	17860	T30414 03
NONE	SHOP EQP INST&FC SYS	VEHICLE MTD	P41Q	269	100	130	18460	130	18460	T31784 03
NONE	TRCT WHLD HMEE	OPERATIONAL	P41S	336	98	137	26433	137	26433	T51759 01
NONE	TRCT WHLD HMEE	RED FOR C-130	P33S	387	98	104	24060	104	24060	T51759 02

***** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
NONE	TRK WELL DRILL SPT	NOT REDUCIBLE	P35V	405	96	104	40000	104	40000	T94171 01
NONE	STAND ACFT WHL MTD	NOT REDUCIBLE	T08C	147	51	55	2450	55	2450	U25029 01
NONE	LOGISTICS SPRT VESSEL	NOT REDUCIBLE	*****	3276	720	1044	9405760	1050	1040575	V00426 01
NONE	LOGISTICS SPRT VESSEL	NOT REDUCIBLE	*****	3768	720	1116	4480000	1116	4480000	V00426 03
NONE	TK UNIT LIQ TLR MTD	VEHICLE MTD	T13D	166	83	93	3080	93	3080	V19950 02
NONE	TK UNIT LIQ TLR MTD	VEHICLE MTD	T19F	213	94	101	5540	101	5540	V19950 04
NONE	TK UNIT LIQ TLR MTD	VEHICLE MTD	T25M	265	96	103	12990	103	12990	V19950 14
NONE	TK UNIT LIQ TLR MTD	VEHICLE MTD	T31R	298	99	106	20356	106	20356	V19950 22
NONE	WLD SHOP TLR MTD	NOT REDUCIBLE	T14H	179	96	97	7355	97	7355	W48391 04
NONE	WLD SHOP TLR MTD	NOT REDUCIBLE	T13F	167	91	81	5100	81	5100	W48391 06
NONE	WLD SHOP TLR MTD	NOT REDUCIBLE	T13F	167	91	81	5500	81	5500	W48391 08
NONE	TOOL OUTFIT PIONEER	NOT REDUCIBLE	T08C	146	75	69	2840	69	2840	W58486 01
NONE	TOOL OUTFIT PIONEER	NOT REDUCIBLE	T18H	210	96	65	7600	65	7600	W58486 09
NONE	TOWBAR ACFT NOSE WHL	NOT REDUCIBLE	P28A	296	18	38	620	38	620	W69391 02
NONE	TOWBAR ACFT NOSE WHL	NOT REDUCIBLE	P14A	178	42	30	620	30	620	W69391 10
NONE	TLR ACFT MAINT AIRMBL	OPERATIONAL	T12A	161	70	34	650	34	650	W93995 01
NONE	TLR ACFT MAINT AIRMBL	REDUCED	T03A	113	70	34	650	34	650	W93995 02
NONE	TLR ACFT MAINT AIRMBL	OPERATIONAL	T12A	161	72	35	860	35	860	W93995 03
NONE	TLR ACFT MAINT AIRMBL	REDUCED	T03A	117	72	57	860	57	860	W93995 04
NONE	TRK LIFT FRK GED 2-T	OPERATIONAL	P09K	139	46	83	9037	83	9037	X51585 05
NONE	TRK LIFT FRK GED 2-T	REDUCED	P04K	97	46	83	9037	83	9037	X51585 06
NONE	WELDING SHOP TLR MTD	NOT REDUCIBLE	T11C	149	76	59	2510	59	2510	Y48323 01
NONE	CRUSHER JAW	NOT REDUCIBLE	T41V	435	102	132	48900	132	48900	YA0021 01
NONE	CRUSH/SCREENING UNIT	NOT REDUCIBLE	T50V	387	102	159	45000	159	45000	YA0022 01
NONE	GENERATOR TRAILER	NOT REDUCIBLE	T41V	550	102	123	41000	123	41000	YA0276 01
NONE	BIN FEEDER	NOT REDUCIBLE	*****	773	102	162	49600	162	49600	YA0278 01
NONE	FEED CONVEYOR	NOT REDUCIBLE	T47R	633	101	153	20600	153	20600	YA0279 01
NONE	DRUM MIXER	NOT REDUCIBLE	*****	698	119	161	65500	161	65500	YA0280 01
NONE	SURGE BIN	NOT REDUCIBLE	*****	597	134	161	68500	161	68500	YA0281 01
NONE	BAG HOUSE	NOT REDUCIBLE	*****	801	134	161	66000	161	66000	YA0282 01
NONE	ASPHALT TANKER	NOT REDUCIBLE	*****	658	125	161	41500	161	41500	YA0283 01
NONE	DRUM MELTER	NOT REDUCIBLE	*****	628	125	161	49000	161	49000	YA0284 01
NONE	CONTROL VAN	NOT REDUCIBLE	T50U	550	103	159	33000	159	33000	YA0285 01
NONE	VAN PROCESSING CTR	NOT REDUCIBLE	T47U	482	98	149	33750	149	33750	YA0305 01
NONE	MOBILE ANT PLTFRM TLR	NOT REDUCIBLE	T13D	170	85	86	3710	86	3710	YA0315 01
NONE	STLR COMMERCIAL	NOT REDUCIBLE	T33S	372	96	102	26000	102	26000	YA0318 01
NONE	MIST ANTENNA SYSTEM	OPERATIONAL	T46H	185	97	144	7770	144	7770	YA0320 01
NONE	MIST ANTENNA SYSTEM	REDUCED	T14H	185	97	90	7770	90	7770	YA0320 02
NONE	MIST ANTENNA SYSTEM	RED F/SEALIFT	T14H	185	97	90	7770	90	7770	YA0320 04
NONE	MIST ANTENNA SYSTEM	SEALIFT/OPR	T46H	185	97	144	7770	144	7770	YA0320 05
NONE	SATELLITE TLR COML	NOT REDUCIBLE	T19B	192	84	84	1500	84	1500	YA0328 01
NONE	DRASH TENT TLR MTD	NOT REDUCIBLE	T05D	96	82	72	4000	72	4000	YA0413 01
NONE	DRASH TENT TLR MTD	NOT REDUCIBLE	T05F	96	82	72	6000	72	6000	YA0413 03

***** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
NONE	DIGITAL PHOTO VAN TLR TRAILER	NOT REDUCIBLE	T19H	198	87	96	7700	96	7700	YA0436 01
NONE	WOLF COACH SEMITRLR	NOT REDUCIBLE	T13E	170	86	90	4200	90	4200	YA0463 01
NONE	DEPLOY PRINT PROD CTR	NOT REDUCIBLE	T33S	372	104	106	26000	106	26000	YA0464 01
NONE	AVIATION TRACTOR MULE	NOT REDUCIBLE	P19A	197	85	103	11043	103	11043	YA0488 01
NONE	SEMITRAILER MODULE	NOT REDUCIBLE	P01A	82	43	36	782	36	782	YA0504 01
NONE	SEMITRAILER MODULE	****	****	587	125	161	78900	161	78900	YA0529 01
NONE	WASH SCREEN UNIT	NOT REDUCIBLE	P49X	678	146	152	94800	152	94800	YA0535 01
NONE	DEWATERING SCREW	NOT REDUCIBLE	****	415	138	161	40100	161	40100	YA0537 01
NONE	LTWT DIGITAL OP CTR	NOT REDUCIBLE	T43N	384	110	118	14500	118	14500	YA0538 01
NONE	LIGHT SET TLR MTD	NOT REDUCIBLE	P14H	187	99	104	7880	104	7880	YA0541 01
NONE	ECU TRLR MTD	NOT REDUCIBLE	T14F	186	96	76	5438	76	5438	YA0544 01
NONE	GENERATING CHG PLANT	NOT REDUCIBLE	T19G	214	98	98	6240	98	6240	YA0554 01
NONE	GENERATOR, 35KW	NOT REDUCIBLE	T01B	84	40	42	1700	42	1700	YA0618 01
NONE	COMMERCIAL TRAILER	NOT REDUCIBLE	T07B	138	72	72	1750	72	1750	YA0622 01
NONE	M-COFT	NOT REDUCIBLE	T14F	176	98	84	5090	84	5090	YA0632 01
NONE	COMMERCIAL TLR	NOT REDUCIBLE	T47V	540	96	156	39000	156	39000	YA0689 01
NONE	COMMERCIAL TRAILER	NOT REDUCIBLE	T14A	177	100	24	838	24	838	YA0693 01
NONE	DITCH WITCH	NOT REDUCIBLE	T29F	328	98	68	6000	68	6000	YA0701 01
NONE	PHALANX CIWS	OPERATIONAL	P38L	348	96	108	11465	108	11465	YA0741 01
NONE	PHALANX CIWS	RED FOR C-5	T48W	577	138	156	53200	158	53200	YA0744 01
NONE	PHALANX CIWS	RED FOR C-17	T48W	577	138	148	53200	148	53200	YA0744 02
NONE	GATE BARRIER TLR MTD	NOT REDUCIBLE	T18L	210	92	80	10216	80	10216	YA0747 01
NONE	CABLE REEL TRLR MTD	NOT REDUCIBLE	T14E	176	92	61	4350	61	4350	YA0748 01
NONE	PDU TRAILER MTD	NOT REDUCIBLE	T14D	176	92	87	3650	87	3650	YA0749 01
NONE	KU TRAILER	NOT REDUCIBLE	T13E	165	86	93	4200	93	4200	YA0760 01
NONE	GEN-ECU TLR MTD	NOT REDUCIBLE	T13D	165	75	85	3760	85	3760	YA0785 01
NONE	LONGBOW SVC TRL	OPERATIONAL	****	636	102	162	59000	162	59000	YA0789 01
NONE	LONGBOW SVC TRL	RED FOR C-5	T50V	636	102	160	47680	160	47680	YA0789 02
NONE	LONGBOW DVC TRL	OPERATIONAL	****	636	102	162	59000	162	59000	YA0790 01
NONE	LONGBOW DVC TRL	RED FOR C-5	T50W	654	102	159	60000	159	60000	YA0790 02
NONE	AIRCRAFT GENERATOR	NOT REDUCIBLE	T03D	96	67	67	3500	67	3500	YA0796 01
NONE	OPERATIONS VAN	NOT REDUCIBLE	T35U	480	96	102	34785	102	34785	YA0807 01
NONE	MAINTENANCE VAN	NOT REDUCIBLE	T35S	480	96	102	24968	102	24968	YA0810 01
NONE	JMICS TRAILER	NOT REDUCIBLE	T12D	165	85	72	3410	72	3410	YA0813 01
NONE	JMICS TRAILER	NOT REDUCIBLE	T13E	162	86	81	4200	81	4200	YA0813 09
NONE	CABLE TRAILER	NOT REDUCIBLE	T14E	176	91	61	4350	61	4350	YA0828 01
NONE	JMICS TRK MTD	NOT REDUCIBLE	P19L	199	85	103	10990	103	10990	YA0843 01
NONE	SATCOM TRLR	NOT REDUCIBLE	T19F	193	87	95	5500	95	5500	YA0844 01
NONE	SATCOM TRLR	NOT REDUCIBLE	T25F	249	87	95	5340	95	5340	YA0844 09
NONE	MOORING TRAILER	NOT REDUCIBLE	T35R	504	96	54	23500	54	23500	YA0858 01
NONE	ISO MOBILITY TLR	NOT REDUCIBLE	T28F	292	94	37	5625	37	5625	YA0864 01
NONE	ISO MOBILITY TLR	NOT REDUCIBLE	T41Q	292	96	134	19045	134	19045	YA0864 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
NONE	MARK V TRANSPORTER	NOT REDUCIBLE	****	797	213	131	29000	131	29000	YA0870 01
NONE	DASR COMM TLR MTD	NOT REDUCIBLE	T14E	180	96	84	4100	84	4100	YA0871 01
NONE	LAUNCH RECOVERY TRLR	NOT REDUCIBLE	T13E	165	87	86	4200	86	4200	YA0872 01
NONE	AIR VEH TRANSPORT	NOT REDUCIBLE	P19L	207	88	104	10200	104	10200	YA0873 01
NONE	MOBILE MAINT SHELTER	NOT REDUCIBLE	P19L	212	95	104	11300	104	11300	YA0874 01
NONE	ECU TRAILER	NOT REDUCIBLE	T13E	165	85	75	4300	75	4300	YA0890 01
NONE	AH-64 TRAILERS	NOT REDUCIBLE	T33H	365	102	38	7140	38	7140	YA0891 01
NONE	AH-64 TRAILERS	NOT REDUCIBLE	T40J	365	102	118	8100	118	8100	YA0891 02
NONE	BOH FPU-TS TRLR	NOT REDUCIBLE	T30M	335	102	64	14000	64	14000	YA0905 01
NONE	BOH FPU-TS TRLR	NOT REDUCIBLE	T50S	335	102	158	24463	158	24463	YA0905 02
NONE	TANDEM AXLE CHASSIS	NOT REDUCIBLE	T28G	282	96	48	6250	48	6250	YA0915 01
NONE	TANDEM AXLE CHASSIS	NOT REDUCIBLE	T47V	282	96	146	36250	146	36250	YA0915 02
NONE	DECON TRLR	NOT REDUCIBLE	T35R	471	100	105	20620	105	20620	YA0917 01
NONE	DECON TRLR	NOT REDUCIBLE	T35M	470	96	102	12360	102	12360	YA0917 03
NONE	RECON TRLR	NOT REDUCIBLE	T35M	470	96	102	13280	102	13280	YA0931 01
NONE	WATER SYS TRLR MTD	NOT REDUCIBLE	T18C	200	96	70	2670	70	2670	YA0942 01
NONE	TAC QUIET GEN	NOT REDUCIBLE	T11E	136	96	74	4200	74	4200	YA0959 01
NONE	GRD CTRL STATION	NOT REDUCIBLE	T19G	208	85	105	7000	105	7000	YA0960 01
NONE	AIR VEH TRANSPORT	NOT REDUCIBLE	T19G	211	85	105	7000	105	7000	YA0961 01
NONE	DRASH TRL SMALL	NOT REDUCIBLE	T13E	165	85	75	4144	75	4144	YA0967 01
NONE	LIGHT SET TRL	NOT REDUCIBLE	T14C	178	62	65	2718	65	2718	YA0974 01
NONE	JERRY SURROGATE VEH	NOT REDUCIBLE	P35T	233	111	103	29982	103	29982	YA0987 01
NONE	60K GEN TRLR	NOT REDUCIBLE	T11E	144	96	96	4190	96	4190	YA0994 01
NONE	JMICS MOBILE COMM SYS	NOT REDUCIBLE	P19J	208	91	101	8600	101	8600	YA0997 01
NONE	JMICS TRLR MTD GEN SY	NOT REDUCIBLE	T11E	157	85	76	4200	76	4200	YA0998 01
NONE	JMICS SYS TRL	OPERATIONAL	T14C	176	85	100	2145	100	2145	YA0999 01
NONE	JMICS SYS TRL	REDUCED	T14C	176	85	32	2145	32	2145	YA0999 02
NONE	ADVON SUBURBAN	NOT REDUCIBLE	P25H	240	79	94	7210	94	7210	YA1003 01
NONE	OPERATIONS SUBURBAN	NOT REDUCIBLE	P24G	240	79	75	6360	75	6360	YA1004 01
NONE	MEDICAL VAN	NOT REDUCIBLE	P25H	242	81	84	7580	84	7580	YA1007 01
NONE	SOC TRAILER	NOT REDUCIBLE	T28K	228	107	99	9780	99	9780	YA1008 01
NONE	LOG TRUCK	NOT REDUCIBLE	P25J	242	82	91	8200	91	8200	YA1009 01
NONE	DECON TRAILER	NOT REDUCIBLE	T28G	228	107	99	6050	99	6050	YA1010 01
NONE	TOC TRAILER	NOT REDUCIBLE	T38G	255	96	113	6126	113	6126	YA1012 01
NONE	NG-30 DECON TRLR	NOT REDUCIBLE	T47R	456	107	150	22100	150	22100	YA1017 01
NONE	VAN, CHEVY	NOT REDUCIBLE	P25G	246	82	83	6830	83	6830	YA1035 01
NONE	TRAILER	NOT REDUCIBLE	T33Q	384	96	102	19500	102	19500	YA1046 01
NONE	MEDIUM FLAIL	NOT REDUCIBLE	P42V	362	110	107	40345	107	40345	Z00699 01
NONE	MWDR 350 CFM AIR COMP	NOT REDUCIBLE	T28Q	299	91	100	20000	100	20000	Z01735 01
NONE	HIMOB ENGR EXCAVATOR	OPERATIONAL	P41S	343	100	137	26240	137	26240	Z99110 01
NONE	HIMOB ENGR EXCAVATOR	RED FOR C-130	P33S	387	98	104	24060	104	24060	Z99110 02
OE-349/MRC	ANTENNA MAST TRK MTD	OPERATIONAL	P46V	408	121	145	36530	145	36530	A80593 01
OE-349/MRC	ANTENNA MAST TRK MTD	REDUCED	P39R	408	98	121	20425	121	20425	A80593 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
OE-361(V)2/G	ANTENNA GROUP	DOLLY WHL MTD	T38G	257	96	117	6968	117	6968	A19277 02
OE-361(V)2/G	ANTENNA GROUP	DOLLY WHL MTD	T38J	278	96	121	8668	121	8668	A19277 04
OE361(V)1/G	ANTENNA GROUP	DOLLY WHL MTD	T38G	308	96	115	6825	115	6825	YA0465 01
OFFICE MTD	CONTAINER OFFICE 40FT	VEHICLE MTD	****	504	102	168	14000	168	14000	YA1054 03
OG4-2TMA	FLOODLIGHT TLRMTD GEN	NOT REDUCIBLE	T08B	143	59	63	1780	63	1780	H79426 01
OH-58A	HELICOPTER OBSN	FLYAWAY	T36C	492	78	115	2110	115	2110	K31042 01
OH-58A	HELICOPTER OBSN	RED F/SEALIFT	T36B	394	87	115	1788	115	1788	K31042 02
OH-58A	HELICOPTER OBSN	RED FOR C-130	T17B	212	78	86	1632	86	1632	K31042 04
OH-58A	HELICOPTER OBSN	RED FOR C-17	T19B	218	82	95	1548	95	1548	K31042 12
OH-58A	HELICOPTER OBSN	RED FOR C-5	T36C	492	78	115	2110	115	2110	K31042 22
OH-58A	HELICOPTER OBSN	RED FOR C-17	T36C	492	78	115	2110	115	2110	K31042 32
OH-58C	HELICOPTER OBSN	FLYAWAY	****	492	436	129	2355	129	2355	H31110 01
OH-58C	HELICOPTER OBSN	RED F/SEALIFT	T36C	394	87	129	2153	129	2153	H31110 03
OH-58C	HELICOPTER OBSN	RED FOR C-130	T19B	212	87	100	1758	100	1758	H31110 07
OH-58C	HELICOPTER OBSN	FLYAWAY	T36C	492	78	115	2235	115	2235	H31110 13
OH-58C	HELICOPTER OBSN	RED FOR C-130	T17B	212	78	86	1758	86	1758	H31110 15
OH-58C	HELICOPTER OBSN	RED FOR C-17	T19B	218	82	95	1548	95	1548	H31110 21
OH-58C	HELICOPTER OBSN	REDUCED	T33B	393	78	86	1881	86	1881	H31110 56
OH-58C	HELICOPTER OBSN	RED FOR C-130	T33B	393	87	100	1924	100	1924	H31110 70
OH-58C	HELICOPTER OBSN	SEALIFT/OPR	T36C	492	87	129	2235	129	2235	H31110 95
OH-58D	AERIAL SCOUT HLCPTR	FLYAWAY	****	495	420	155	3427	155	3427	A21633 01
OH-58D	AERIAL SCOUT HLCPTR	RED FOR C-130	T35D	408	74	106	3110	106	3110	A21633 03
OH-58D	AERIAL SCOUT HLCPTR	RED FOR C-5	T36D	408	74	115	3110	115	3110	A21633 11
OH-58D	AERIAL SCOUT HLCPTR	RED FOR C-17	T36D	408	74	115	3110	115	3110	A21633 31
OH-58D	AERIAL SCOUT HLCPTR	REDUCED	T35D	408	74	106	3110	106	3110	A21633 51
OH-58D	AERIAL SCOUT HLCPTR	SEALIFT/OPR	T47D	406	78	155	3188	155	3188	A21633 82
OH-58D	AERIAL SCOUT HLCPTR	RED F/SEALIFT	T36C	406	78	116	2988	116	2988	A21633 83
OH-58D(I)	HELO AERIAL SCOUT	NOT REDUCIBLE	T42E	408	110	107	5000	107	5000	YA0183 01
OH-6A	HELICOPTER OBSN	FLYAWAY	****	364	317	103	1532	103	1532	K30645 01
OH-6A	HELICOPTER OBSN	RED FOR C-130	T31B	276	102	102	1058	102	1058	K30645 03
OH-6A	HELICOPTER OBSN	REDUCED	T31B	276	102	102	1058	102	1058	K30645 08
OH-6A	HELICOPTER OBSN	RED FOR C-5	T31B	276	102	102	1058	102	1058	K30645 18
OH-6A	HELICOPTER OBSN	RED FOR C-17	T31B	276	102	102	1058	102	1058	K30645 28
OH-6A	HELICOPTER OBSN	SEALIFT/OPR	T33B	364	102	103	1264	103	1264	K30645 43
OH-6A	HELICOPTER OBSN	RED F/SEALIFT	T31A	276	102	103	896	103	896	K30645 44
OL-725/MSQ-139	COMP GRP TACT	NOT REDUCIBLE	P19K	192	88	97	9301	97	9301	YA0814 01
OPERATION VAN	SATELLITE COMM TML	NOT REDUCIBLE	T35U	480	96	102	34785	102	34785	T81801 05
OPS SHLT TRK	RADAR SET	OPERATIONAL	****	218	89	180	9800	180	9800	R17126 10
OPS SHLT TRK	RADAR SET	REDUCED	P19K	218	89	101	9800	101	9800	R17126 11
OPS TRL	RADAR SET	NOT REDUCIBLE	T09D	135	86	81	3770	81	3770	R17126 13
OR-388/MSQ-139	DATA GRP TLR MTD	NOT REDUCIBLE	T13D	175	86	78	3939	78	3939	YA0815 01
ORD	SHP SET CONT TRK MTD	NOT REDUCIBLE	P23J	221	85	85	8080	85	8080	S30982 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
ORD	SHP SET CONT TRK MTD	VEHICLE MTD	P19J	219	84	85	9000	85	9000	S30982 07
OS-304/MSQ-139	COMM GRP TLR MTD	NOT REDUCIBLE	T13D	175	86	78	3657	78	3657	YA0816 01
P&H 5060	CRANE SHOVEL CRWL MTD	BASIC UNIT	P48X	306	140	133	96210	133	96210	F40474 35
P-18	TRK FIRE/ RESCUE	NOT REDUCIBLE	P41R	365	99	128	23680	128	23680	AF0015 01
P-19	TRK FIRE	NOT REDUCIBLE	P31R	325	102	104	23680	104	23680	AF0014 01
P250WDMH268	COMP UNIT RTRY TLRMTD	NOT REDUCIBLE	T18G	200	96	78	7000	78	7000	E72804 01
PDU/ATS	POWER DIST TLR MTD	NOT REDUCIBLE	T14D	176	94	87	3650	87	3650	YA0826 01
PHOENIX PWT250	WATER TRUCK	NOT REDUCIBLE	P20G	225	79	76	6800	76	6800	AF0037 03
PL1245	PRODUCT CONVEYOR	NOT REDUCIBLE	T47H	642	122	154	7400	154	7400	YA0530 01
PLS TRAILER	ENG MISSION MOD-WTR D	VEHICLE MTD	T41R	271	96	138	21120	138	21120	E05007 04
PLS TRUCK	ENG MISSION MOD-WTR D	VEHICLE MTD	P46W	441	103	144	56550	144	56550	E05007 02
PM92-133	LUB SVC UNIT TLR MTD	NOT REDUCIBLE	T13C	166	83	98	2650	98	2650	L85283 27
PN45977-100	STAND ACFT WHL MTD	OPERATIONAL	T02A	130	39	53	780	53	780	U25029 02
PN45977-100	STAND ACFT WHL MTD	REDUCED	T01A	88	39	53	780	53	780	U25029 03
POLMC111	GEN SET WHLMTD 7.5KW	OPERATIONAL	T01A	78	40	39	825	39	825	J49055 04
POLMC111	GEN SET WHLMTD 7.5KW	REDUCED	T01A	49	40	39	825	39	825	J49055 05
POPS-L	PRINTING PLANT SPEC	NOT REDUCIBLE	T18E	191	85	78	4649	78	4649	P61915 01
PORTER 1230A24	WATER TRUCK	NOT REDUCIBLE	P20H	227	80	78	7300	78	7300	AF0037 02
PP-3106 60KW	POWER PLANT TRLR MTD	NOT REDUCIBLE	T09F	147	87	84	6000	84	6000	T93232 01
PP3003	GEN SET TRL MTD	NOT REDUCIBLE	T09D	147	87	84	3400	84	3400	T49579 01
PP3102	GEN SET TRL MTD	NOT REDUCIBLE	T28F	294	70	84	6000	84	6000	T39849 01
PP3105	GEN SET TRL MTD	NOT REDUCIBLE	T09F	147	87	84	6000	84	6000	T39917 01
PPU	PRIME PWR UNIT (PPU)	NOT REDUCIBLE	P35W	480	95	106	63000	106	63000	G05003 01
PQAS-E	PETROLEUM QTY ANAL SY	OPERATIONAL	T41M	300	95	134	12055	134	12055	P25743 03
PR AN/TMQ-52	MMS-PROFILER	NOT REDUCIBLE	P19L	214	89	105	11500	105	11500	M36361 14
PRODUCT CONVYR	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	T47H	642	122	154	7400	154	7400	F49673 07
PSF-12	FTBL SURGE BIN FEEDER	NOT REDUCIBLE	T50S	434	119	159	25400	159	25400	YA0533 01
PTBL SURGE BIN	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	T50S	434	119	159	25400	159	25400	F49673 10
PU-2002	COMM CONTROL SET	NOT REDUCIBLE	T09D	147	70	84	3400	84	3400	C90531 15
PU-2002 TRL	COMM CONTROL SET	NOT REDUCIBLE	T09D	147	70	84	3400	84	3400	C90599 12
PU-20KW	POWER UNIT 60HZ	NOT REDUCIBLE	T13G	173	93	98	6280	98	6280	YA0071 01
PU-405A/M	GEN SET DED TLR MTD	NOT REDUCIBLE	T13H	170	98	93	7760	93	7760	J35492 03
PU-405A/M	GEN SET DED TLR MTD	NOT REDUCIBLE	T13G	165	96	105	6571	105	6571	J35492 08
PU-406B/M	GEN SET DED TLR MTD	OPERATIONAL	T14G	186	96	83	6300	83	6300	J36383 03
PU-406B/M	GEN SET DED TLR MTD	REDUCED	T13G	167	96	83	6300	83	6300	J36383 04
PU-406B/M	GEN SET DED TLR MTD	NOT REDUCIBLE	T13H	170	96	104	7740	104	7740	J36383 12
PU-406B/M	GEN SET DED TLR MTD	MOD FOR SET	T13G	166	93	87	6777	87	6777	J36383 31
PU-406B/M	GEN SET DED TLR MTD	MOD FOR SET	T13G	166	93	87	6044	87	6044	J36383 32
PU-409/M	GEN SET GED TLR MTD	OPERATIONAL	T09C	147	74	83	2119	83	2119	J41897 01
PU-409/M	GEN SET GED TLR MTD	REDUCED	T08C	147	74	66	2119	66	2119	J41897 02
PU-495B/G	GEN SET DED TLR MTD	NOT REDUCIBLE	T14L	184	98	84	10650	84	10650	J35801 03
PU-564A/G	GEN SET GED TLR MTD	OPERATIONAL	T13D	167	83	98	3560	98	3560	J49946 01
PU-564A/G	GEN SET GED TLR MTD	REDUCED	T12D	167	83	66	3560	66	3560	J49946 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
PU-617/M	GEN SET GED TLR MTD	OPERATIONAL	T09C	147	74	82	2180	82	2180	J46384 01
PU-617/M	GEN SET GED TLR MTD	REDUCED	T08C	147	74	58	2180	58	2180	J46384 02
PU-625/G	GEN SET GED TLR MTD	OPERATIONAL	T09C	147	77	83	2100	83	2100	J46252 01
PU-625/G	GEN SET GED TLR MTD	REDUCED	T09C	147	77	77	2100	77	2100	J46252 02
PU-650A/G	POWER PLANT TLR MTD	NOT REDUCIBLE	T13H	172	96	89	7737	89	7737	YA0064 01
PU-650B/G	GEN SET DED TLR MTD	OPERATIONAL	T19H	190	97	90	7540	90	7540	J35629 03
PU-650B/G	GEN SET DED TLR MTD	REDUCED	T13H	170	97	84	7540	84	7540	J35629 04
PU-650B/G	GEN SET DED TLR MTD	NOT REDUCIBLE	T13J	170	97	98	8060	98	8060	J35629 09
PU-650B/G	POWER PLANT TLR MTD	NOT REDUCIBLE	T13J	172	96	89	8038	89	8038	YA0062 01
PU-699/M	GEN SET DED TLR MTD	OPERATIONAL	T19J	190	97	85	8220	85	8220	J35595 01
PU-699/M	GEN SET DED TLR MTD	REDUCED	T13J	170	97	85	8220	85	8220	J35595 02
PU-699A/M	GEN SET DED TLR MTD	OPERATIONAL	T13J	175	97	84	8300	84	8300	J35595 03
PU-699A/M	GEN SET DED TLR MTD	REDUCED	T13J	169	97	84	8300	84	8300	J35595 04
PU-732M	GEN SET 15KW	VEHICLE MTD	T13F	171	96	84	5580	84	5580	J36006 05
PU-751/M	GEN SET DED TLR MTD	NOT REDUCIBLE	T09C	144	74	79	2840	79	2840	G37273 01
PU-751/M	GEN SET DED TLR MTD	NOT REDUCIBLE	T13D	165	74	78	3140	78	3140	G37273 02
PU-751/M	GEN SET DED TLR MTD	MOD FOR SET	T09D	146	74	79	3189	79	3189	G37273 21
PU-751/M	GEN SET DED TLR MTD	MOD FOR SET	T09C	146	74	79	2940	79	2940	G37273 26
PU-751M GEN	COMM CONTROL SET	NOT REDUCIBLE	T09D	146	74	79	3189	79	3189	C36104 13
PU-753/M	GEN SET DED TLR MTD	NOT REDUCIBLE	T09C	144	74	78	2525	78	2525	G40744 01
PU-753/M	GEN SET DED TLR MTD	NOT REDUCIBLE	T13D	165	74	78	3200	78	3200	G40744 07
PU-753/M	GEN SET DED TLR MTD	MOD FOR SET	T09C	144	74	78	2592	78	2592	G40744 20
PU-789/M	GEN SET DED TLR MTD	NOT REDUCIBLE	T14H	189	96	85	7800	85	7800	G35601 01
PU-789/N	GEN SET DED TLR MTD	NOT REDUCIBLE	T14G	189	96	78	6815	78	6815	G35601 12
PU-797	GEN SET DED TLR MTD	NOT REDUCIBLE	T09C	147	84	76	2320	76	2320	G42238 01
PU-797 GEN	COMM CONTROL SET	NOT REDUCIBLE	T09C	147	84	76	2320	76	2320	C35900 12
PU-797A	GEN SET DED TLR MTD	NOT REDUCIBLE	T08C	135	86	66	2257	66	2257	G42238 05
PU-798	GEN SET DED TLR MTD	NOT REDUCIBLE	T09C	147	84	76	2570	76	2570	G42170 01
PU-798	GEN SET DED TLR MTD	MOD FOR SET	T09C	147	84	78	2830	78	2830	G42170 08
PU-798	GEN SET DED TLR MTD	MOD FOR SET	T09D	140	85	90	3432	90	3432	G42170 13
PU-798	GEN SET DED TLR MTD	MOD FOR SET	T08D	148	85	69	3010	69	3010	G42170 40
PU-798	GEN SET DED TLR MTD	MOD FOR SET	T08C	147	84	70	2660	70	2660	G42170 44
PU-798	METEOR STATION	NOT REDUCIBLE	T09C	147	84	76	2570	76	2570	M55690 08
PU-798 TRL	RADIO TERMINAL SET	NOT REDUCIBLE	T09D	140	85	90	3432	90	3432	R35814 10
PU-798A	GEN SET DED TLR MTD	NOT REDUCIBLE	T08C	135	86	67	2480	67	2480	G42170 05
PU-798A	GEN SET DED TLR MTD	MOD FOR SET	T09E	135	86	73	4489	73	4489	G42170 34
PU-798A	GEN SET DED TLR MTD	MOD FOR SET	T09D	135	86	73	3043	73	3043	G42170 37
PU-799	GEN SET DED TLR MTD	NOT REDUCIBLE	T09C	147	84	76	2670	76	2670	G53403 01
PU-799	GEN SET DED TLR MTD	MOD FOR SET	T09D	147	85	77	3040	77	3040	G53403 07
PU-799 TRL	RADAR SET	NOT REDUCIBLE	T09D	147	85	77	3040	77	3040	R14284 08
PU-799A	GEN SET DED TLR MTD	NOT REDUCIBLE	T08C	135	86	67	2510	67	2510	G53403 05
PU-800	GEN SET DED TLR MTD	NOT REDUCIBLE	T13E	165	95	84	4855	84	4855	G78203 01
PU-801	COMMAND SYS TACT	NOT REDUCIBLE	T09D	147	84	94	3160	94	3160	C61597 13

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
PU-801	GEN SET DED TLR MTD	NOT REDUCIBLE	T09D	147	84	94	3160	94	3160	G78374 01
PU-801A	GEN SET DED TLR MTD	NOT REDUCIBLE	T09E	135	86	85	4200	85	4200	G78374 03
PU-801A	GEN SET DED TLR MTD	MOD FOR SET	T09E	141	86	94	4200	94	4200	G78374 06
PU-802	GEN SET DED TLR MTD	NOT REDUCIBLE	T13E	165	95	84	4920	84	4920	G53778 01
PU-803	GEN SET DED TLR MTD	NOT REDUCIBLE	T13F	165	95	84	5350	84	5350	G35851 01
PU-803	GEN SET DED TLR MTD	MOD FOR SET	T13F	165	95	84	5550	84	5550	G35851 19
PU-803B/G	GEN SET DED TLR MTD	NOT REDUCIBLE	T13F	165	95	84	5700	84	5700	G35851 10
PU-804	GEN SET DED TLR MTD	NOT REDUCIBLE	T13F	165	95	84	5730	84	5730	G35919 01
PU-804B/G	GEN SET DED TLR MTD	NOT REDUCIBLE	T13F	165	95	84	5730	84	5730	G35919 10
PU-805	GEN SET DED TLR MTD	NOT REDUCIBLE	T13G	165	95	87	6720	87	6720	G78306 01
PU-805B	DISTRIBUTED COMMON GR	NOT REDUCIBLE	T13F	165	96	87	5940	87	5940	Z01794 16
PU-805B/G	GEN SET DED TLR MTD	NOT REDUCIBLE	T13G	165	95	87	6720	87	6720	G78306 13
PU-806	GEN SET DED TLR MTD	NOT REDUCIBLE	T13G	165	95	87	6813	87	6813	G17460 01
PU-806B/G	GEN SET DED TLR MTD	NOT REDUCIBLE	T13G	165	95	87	6813	87	6813	G17460 05
PU-807A	GEN SET DSL TLR MTD	NOT REDUCIBLE	T14L	184	96	82	10650	82	10650	G17528 01
PU-807A	GEN SET DSL TLR MTD	NOT REDUCIBLE	T23L	223	96	103	11640	103	11640	G17528 10
PU-97/TSQ-179C	TARGET ACQU SUBSYS	NOT REDUCIBLE	T19E	194	86	83	4025	83	4025	T37036 17
PU2001	LTT TRL MTD	VEHICLE MTD	T09D	147	70	84	3400	84	3400	L26934 01
PU2002	LTT TRL MTD	NOT REDUCIBLE	T09D	147	70	84	3400	84	3400	L84622 01
PU2003	GEN SET TRL MTD	VEHICLE MTD	T09D	147	87	84	3400	84	3400	L84690 01
PU2012	LTT TRL MTD	NOT REDUCIBLE	T09D	147	70	84	3400	84	3400	L84758 01
PU2101	GEN SET TRL MTD	NOT REDUCIBLE	T09F	147	87	84	6000	84	6000	T40090 01
PU2102	GEN SET TRL MTD	NOT REDUCIBLE	T09F	147	87	84	6000	84	6000	T39954 01
PU304/MPQ-4	GENERATOR SET GAS ENG	NOT REDUCIBLE	T13E	175	83	98	4500	98	4500	J41452 02
PU304C/MPQ4A	GENERATOR SET GAS ENG	NOT REDUCIBLE	T12D	175	83	66	3650	66	3650	J41452 01
PU765/TSQ125	GEN SET 3 KW TLR MTD	NOT REDUCIBLE	T04C	109	64	90	2240	90	2240	YA0059 01
QAS-38 TRL MTD	ATLAS COPCO QAS-38 GE	NOT REDUCIBLE	T07D	140	70	70	3600	70	3600	YA1077 01
QST-120	STLR REEFER 7-1/2-TON	NOT REDUCIBLE	T41H	280	98	128	7100	128	7100	S71613 02
R036	DIST WTR TK STLR MTD	NOT REDUCIBLE	T38R	444	93	117	22500	117	22500	D28318 05
R04A12BMVG4D	PUMP FLMB LIQ WHLMTD	OPERATIONAL	T01B	117	58	55	1360	55	1360	P97051 06
R04A12BMVG4D	PUMP FLMB LIQ WHLMTD	REDUCED	T01B	73	58	55	1360	55	1360	P97051 07
R04A12CMVG4D	PUMP FLMB LIQ WHLMTD	OPERATIONAL	T01B	102	59	59	1330	59	1330	P97051 04
R04A12CMVG4D	PUMP FLMB LIQ WHLMTD	REDUCED	T01B	75	59	59	1330	59	1330	P97051 05
R04A12MGDAD	PUMP FLMB LIQ WHLMTD	NOT REDUCIBLE	T01B	81	54	51	1825	51	1825	P97051 01
R05RF508A	POLARIS RANGR 6X6 ATV	NOT REDUCIBLE	P09B	145	60	76	1495	76	1495	YA0754 01
RAND 1070	AIR COMPRESSOR	NOT REDUCIBLE	P31P	300	91	104	17200	104	17200	YA0711 01
RBS MOBILE TWR	MOBILE ANT TOWER TRLR	NOT REDUCIBLE	T33M	366	100	100	13400	100	13400	YA0963 05
RC-12D	AIRPLANE RECON UTIL R	NOT REDUCIBLE	****	548	711	174	16200	174	16200	A05006 01
RC-12H	AIRPLANE RECON CGO RC	NOT REDUCIBLE	****	525	702	176	10626	176	10626	A05007 01
RC-12K	AIRPLANE RECON CGO	NOT REDUCIBLE	****	558	690	176	16000	176	16000	A05008 01
RC-12N	AIRPLANE RECON RC-12N	NOT REDUCIBLE	****	548	711	174	16200	174	16200	A05009 01
RC-12P	AIRPLANE RECON CGO RC	NOT REDUCIBLE	****	548	702	176	16000	176	16000	A05010 01
RC-12Q	AIRPLANE RECON CGO RC	NOT REDUCIBLE	****	548	702	176	16300	176	16300	A05011 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)	WEIGHT (LB)	<---EMPTY--->	HEIGHT (IN)	WEIGHT (LB)	<---LOADED--->	HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
RED PACK TRL	VEH MTD MINE DET SYS	NOT REDUCIBLE	T28N	291	100	99	14500	99	14500	99	14500	99	14500	V05001 04
RET 1 M1102	DISTRIBUTED COMMON GR	NOT REDUCIBLE	T06D	112	98	99	3100	99	3100	99	3100	99	3100	Z01794 04
REX 6LWG	PUMP CNTRF WHL MTD	OPERATIONAL	T08C	143	73	67	2980	67	2980	67	2980	67	2980	P94359 05
REX 6LWG	PUMP CNTRF WHL MTD	REDUCED	T03C	91	73	67	2980	67	2980	67	2980	67	2980	P94359 06
RFV6101	ROAD FORCE TRL	NOT REDUCIBLE	T13C	168	92	92	2980	92	2980	92	2980	92	2980	YA1044 01
RG-31	MED MINE PROT VEH	NOT REDUCIBLE	P39Q	252	98	113	19400	113	19400	113	19400	113	19400	M74226 01
RG-31 MK5E DO7	MINE RESISTANT VEH RG	NOT REDUCIBLE	P46V	290	125	138	41000	138	41000	138	41000	138	41000	M17526 02
RG-33 HAGA	MINE RESISTANT VEH RG	NOT REDUCIBLE	P46W	335	114	140	52000	140	52000	140	52000	140	52000	M26596 01
RG-33 HAGA PLU	MINE RESIST VEH RG-33	NOT REDUCIBLE	P48W	333	134	137	66860	137	66860	137	66860	137	66860	M74430 01
RG-33 PLUS	MINE RESISTANT VEH RG	NOT REDUCIBLE	P48W	333	134	137	66860	137	66860	137	66860	137	66860	M11547 01
RG-33L AUV	MINE RESISTANT VEH RG	OPERATIONAL	P48W	350	141	148	54200	148	54200	148	54200	148	54200	M74362 01
RG-33L AUV	MINE RESISTANT VEH RG	REDUCED	P48W	350	135	118	54200	118	54200	118	54200	118	54200	M74362 02
RG31 4X4	MED MINE PROT VEH	NOT REDUCIBLE	P39V	277	98	111	37478	111	37478	111	37478	111	37478	M74226 10
RG31 CAT I 4X4	MED MINE PROT VEH	OPERATIONAL	P41U	245	97	137	31300	137	31300	137	31300	137	31300	M74226 03
RG31 CAT I 4X4	MED MINE PROT VEH	REDUCED	P39U	245	97	109	31306	109	31306	109	31306	109	31306	M74226 04
RG31 CAT I 4X4	MED MINE PROT VEH	NOT REDUCIBLE	P41V	277	96	137	37478	137	37478	137	37478	137	37478	M74226 08
RG31 CATII 6X6	MED MINE PROT VEH	OPERATIONAL	P41U	277	97	138	33800	138	33800	138	33800	138	33800	M74226 05
RG31 CATII 6X6	MED MINE PROT VEH	REDUCED	P39U	277	97	109	33800	109	33800	109	33800	109	33800	M74226 06
RG31 ONS II	MED MINE PROT VEH	NOT REDUCIBLE	P39U	260	98	113	31305	113	31305	113	31305	113	31305	M74226 11
RG31A2	MINE RESISTANT VEH RG	NOT REDUCIBLE	P39V	268	98	107	37479	107	37479	107	37479	107	37479	M11782 01
RG31A2 CATII	MED MINE PROT VEH	NOT REDUCIBLE	P41V	277	98	138	37478	138	37478	138	37478	138	37478	M74226 07
RG31A2M1	MINE RESISTANT VEH RG	NOT REDUCIBLE	P39S	268	98	107	26896	107	26896	107	26896	107	26896	M11646 01
RG31A2M1 RTR	MINE RESISTANT VEH RG	NOT REDUCIBLE	P39S	268	98	107	26896	107	26896	107	26896	107	26896	M11714 01
RG31A2M2	MINE RESISTANT VEH RG	NOT REDUCIBLE	P40U	275	102	110	33289	110	33289	110	33289	110	33289	M17526 01
RHUT	ROTOR HEAD UTIL TLR	NOT REDUCIBLE	T07B	140	48	65	2000	65	2000	65	2000	65	2000	YA1023 01
RJ150	ENVIRONMNTL CNTL UNIT	NOT REDUCIBLE	T11F	151	72	77	5600	77	5600	77	5600	77	5600	YA0784 01
RMTTU	TRL UNIT TWR MOB RUGG	NOT REDUCIBLE	T21G	221	79	94	6600	94	6600	94	6600	94	6600	T05009 01
RMTU 480	MOBILE ANT TOWER TRLR	NOT REDUCIBLE	T33K	360	102	100	9600	100	9600	100	9600	100	9600	YA0963 06
RMTU 656	MOBILE ANT TOWER TRLR	NOT REDUCIBLE	T33Q	355	101	101	18600	101	18600	101	18600	101	18600	YA0963 01
RMTU 656	MOBILE ANT TOWER TRLR	NOT REDUCIBLE	T34M	395	101	101	14000	101	14000	101	14000	101	14000	YA0963 02
ROTARY TRK MTD	WTR WEL RIG RTRY TRK	NOT REDUCIBLE	P47W	426	102	148	69000	148	69000	148	69000	148	69000	Z01253 01
ROWPU-1	WATER PURIF TLR MTD	NOT REDUCIBLE	T47V	372	96	150	37117	150	37117	150	37117	150	37117	W47225 05
RR-185	TRAILER CABLE REEL	NOT REDUCIBLE	T05B	130	99	75	1550	75	1550	75	1550	75	1550	YA0839 01
RS28	ROLLER VIBRATORY	OPERATIONAL	P19Q	218	96	100	18650	100	18650	100	18650	100	18650	SI2916 01
RS28	ROLLER VIBRATORY	REDUCED	P19Q	206	96	100	18650	100	18650	100	18650	100	18650	SI2916 02
RT240	RICH KALMAR	NOT REDUCIBLE	P49Y	561	144	138	116200	138	116200	138	116200	138	116200	RI16611 01
RT240	RICH KALMAR	OPERATIONAL	P50Y	587	146	157	118500	157	118500	157	118500	157	118500	RI16611 02
RT240	RICH KALMAR	REDUCED	P49Y	587	146	119	118500	119	118500	119	118500	119	118500	RI16611 04
RT240	RICH KALMAR	OPERATIONAL	****	453	240	157	118500	157	118500	157	118500	157	118500	RI16611 06
RT240	RICH KALMAR	REDUCED	****	453	240	119	118500	119	118500	119	118500	119	118500	RI16611 08
RT41AA	CRANE TRK MTD	NOT REDUCIBLE	P31N	318	95	101	14911	101	14911	101	14911	101	14911	F43003 04
RT875CCS	CRANE WHEEL MTD	OPERATIONAL	P50X	556	144	157	97325	157	97325	157	97325	157	97325	C39398 09
RT875CCS	CRANE WHEEL MTD	REDUCED	P50X	556	144	157	95800	157	95800	157	95800	157	95800	C39398 10

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
RTCC	CRANE WHEEL MTD	OPERATIONAL	P49Y	556	144	156	104100	156	104100	C39398 01
RTCC	CRANE WHEEL MTD	REDUCED	P49V	360	144	106	49370	106	49370	C39398 02
RTL-10-1	TRK LIFT FRK RT 5-T	OPERATIONAL	P46V	277	107	137	35456	137	35456	X49051 03
RTL-10-1	TRK LIFT FRK RT 5-T	REDUCED	P28U	203	107	98	33500	98	33500	X49051 04
RTV 1100	UTILITY VEHICLE	NOT REDUCIBLE	P04C	129	67	83	2469	83	2469	YA0893 02
RTV 900	UTILITY VEHICLE	NOT REDUCIBLE	P04C	124	61	80	2200	80	2200	YA0875 01
S-280/M1083	GRD CNTL STA. TRK MTD	NOT REDUCIBLE	P47T	267	96	156	29612	156	29612	G05010 01
S-281/G	SHELTER ELEC EQUIP	VEHICLE MTD	P38Q	265	96	129	18030	129	18030	T00013 02
S-281/G	SHELTER ELEC EQUIP	DOLLY WHL MTD	T25G	239	96	99	6710	99	6710	T00013 04
S-281/G	SHELTER ELEC EQUIP	VEHICLE MTD	P39Q	265	98	124	18376	124	18376	T00013 18
S-784 SHELTER S10	ICSS SPARES SHELTER S	VEHICLE MTD	T41R	340	102	139	22280	139	22280	S05008 01
SASYR1692	TRUCK PICKUP 4200	NOT REDUCIBLE	P16C	209	67	65	2900	65	2900	CB0319 01
SCI 1 M1152A1	RAMP LOAD VEHICLE	NOT REDUCIBLE	T35F	432	92	45	5200	45	5200	R11154 04
SCI 2 M1152A1	DISTRIBUTED COMMON GR	NOT REDUCIBLE	P19M	191	98	104	12720	104	12720	Z01794 03
SCI 3 M1152A1	DISTRIBUTED COMMON GR	NOT REDUCIBLE	P19M	191	98	104	12610	104	12610	Z01794 06
SDT-118	DISTRIBUTED COMMON GR	NOT REDUCIBLE	P19M	191	98	104	12620	104	12620	Z01794 09
SDT110	K9 TRANSPORT TRL	NOT REDUCIBLE	T19G	216	96	96	7000	96	7000	YA1051 02
SEAVAN	K9 TRANSPORT TRL	NOT REDUCIBLE	T18C	210	84	66	2740	66	2740	YA1051 01
SEAVAN	BX SHIP METAL 40FT LO	VEHICLE MTD	T41M	490	96	137	13300	137	13300	YA0096 13
SECM-1975	BX SHIP METAL 40FT HI	VEHICLE MTD	T46M	490	96	143	13300	143	13300	YA0097 13
SECM-1975	SHOP EQUIP TRK MTD	OPERATIONAL	P19H	214	95	82	7290	82	7390	T10138 10
SECM-1975	SHOP EQUIP TRK MTD	REDUCED	P19H	214	85	82	7290	82	7390	T10138 11
SECM-LT	SHOP EQUIP TRK MTD	SEALIFT/OPR	P19H	214	85	82	7290	82	7390	T10138 35
SECOND MDT TRL	SHP EQP CONT TRK MTD	NOT REDUCIBLE	P19L	198	84	86	11000	86	11000	S25681 42
SELLICK SD 100	VEH MTD MINE DET SYS	NOT REDUCIBLE	T14P	178	99	72	17400	72	17400	V05001 06
SEMI TRL MODUL	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	P37Q	587	125	112	18715	112	18715	YA0855 01
SEMI TRL MODUL	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	****	678	146	152	94800	152	94800	F49673 06
SENSOR TRK	RADAR SET	OPERATIONAL	****	218	96	180	10670	180	10670	F49673 12
SENSOR TRK	RADAR SET	REDUCED	P19L	218	96	101	10670	101	10670	R17126 05
SENSOR TRL	RADAR SET	NOT REDUCIBLE	T08D	135	86	70	3010	70	3010	R17126 06
SET 2 A/M	TOOL SET AVN MAINT UN	VEHICLE MTD	P41N	265	96	136	15570	136	15570	W60206 08
SET 2 A/M	TOOL SET AVN MAINT UN	VEHICLE MTD	P41N	265	96	136	16000	136	16000	W60206 10
SET 2 A/M	TOOL SET AVN MAINT UN	VEHICLE MTD	P41N	265	96	136	16000	136	16000	W60206 12
SET 2 A/M	TOOL SET AVN MAINT UN	DOLLY WHL MTD	T19E	206	92	85	4250	85	4250	W60206 14
SET 2 A/M	TOOL SET AVN MAINT UN	DOLLY WHL MTD	T19E	206	92	85	4280	85	4280	W60206 18
SEU-2	SHELTER EXPANDABLE	DOLLY WHL MTD	T39H	176	99	111	7700	111	7700	T00100 03
SG-1207 A/U	CMD SYSTEM TACTICAL	NOT REDUCIBLE	P46V	363	98	143	35440	143	35440	C40814 01
SGPRMD 80	SHOP EQUIP STLR MTD	NOT REDUCIBLE	T39U	343	98	125	30340	125	30340	T10549 06
SHADOW-MSM	MOB SECT MULTI FUNCT	NOT REDUCIBLE	P19L	218	85	105	11500	105	11500	M86971 01
SHELTER	SHOP EQUIP ARTY REP	DOLLY WHL MTD	T28G	293	94	96	6030	96	6030	T09888 03
SHELTER	SHOP EQUIP ARTY REP	DOLLY WHL MTD	T25G	239	96	96	6030	96	6030	T09888 05
SHELTER	SHOP EQUIP ARTY REP	VEHICLE MTD	P38P	265	96	124	17250	124	17250	T09888 10

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
SHELTER	SHOP EQUIP ARTY REP	VEHICLE MTD	P39P	265	98	124	17596	124	17596	T09888 20
SHELTER	SHOP EQUIP BTRY SVC	DOLLY WHL MTD	T28G	290	95	100	6270	100	6270	T09966 03
SHELTER	SHOP EQUIP BTRY SVC	DOLLY WHL MTD	T25G	239	96	100	6270	100	6270	T09966 05
SHELTER	SHOP EQUIP BTRY SVC	VEHICLE MTD	P38P	265	96	124	17590	124	17590	T09966 10
SHELTER	SHOP EQUIP BTRY SVC	VEHICLE MTD	P39P	265	98	124	17936	124	17936	T09966 20
SHELTER	SHOP EQP GM SYS TOW	VEHICLE MTD	P19H	219	92	103	7530	103	7530	T14493 03
SHELTER	SHOP EQP GM SYS TOW	VEHICLE MTD	P23J	221	87	103	8550	103	8550	T14493 21
SHELTER	SHOP EQP SM ARMS RPR	DOLLY WHL MTD	T28E	293	94	96	4250	96	4250	T16597 03
SHELTER	SHOP EQP SM ARMS RPR	VEHICLE MTD	P38N	265	96	124	15470	124	15470	T16597 09
SHELTER	SHOP EQP SM ARMS RPR	VEHICLE MTD	P39N	265	98	124	15816	124	15816	T16597 19
SHELTER	AAR MOBILITY SHELTER	OPERATIONAL	P46R	254	119	144	23813	144	23813	YA0684 01
SHELTER	AAR MOBILITY SHELTER	REDUCED	P46R	254	96	144	23813	144	23813	YA0684 02
SIDE LOAD	WARPING TUG	REDUCED	****	1120	331	156	186300	156	186300	W41707 02
SIDE-BY-SIDE	POLARIS RANGER 800 CR	NOT REDUCIBLE	P09B	145	60	76	1495	76	1495	YA0979 01
SIGINT	MINE RESISTANT VEH M-	OPERATIONAL	****	286	115	171	29850	171	29850	M11442 08
SIGINT REDUCED	MINE RESISTANT VEH M-	REDUCED	P46T	286	105	144	29850	144	29850	M11442 19
SIGINT WO TUR	MINE RESISTANT VEH M-	REDUCED	P41T	286	105	136	29550	136	29550	M11442 10
SLTW	WARPING TUG	OPERATIONAL	****	1120	331	440	186300	440	186300	W41707 01
SLWT	WARPING TUG SIDELOAD	OPERATIONAL	****	1120	331	440	186300	440	186300	YA0273 01
SLWT	WARPING TUG SIDELOAD	REDUCED	****	1120	331	156	186300	156	186300	YA0273 02
SM-54	ROLLER TWD VIBRATING	NOT REDUCIBLE	T12D	168	76	51	3200	51	3200	S10682 10
SM-D-800101	ANTENNA TCR TLR MTD	NOT REDUCIBLE	T14D	183	84	86	3082	86	3082	YA0030 01
SM340	TRACTOR WHL WHS GED	NOT REDUCIBLE	P01F	99	59	59	5250	59	5250	W89557 24
SNE TRK MTD	SOLDIER NETWORK EQUIP	NOT REDUCIBLE	P19G	205	91	100	6845	100	6845	YA1075 02
SNOWMOBILE	SLED SELF-PROPELLED	NOT REDUCIBLE	P02B	122	45	49	520	49	1150	S70543 01
SOUTH WEST	SHOP EQUIP ORG TRKMTD	OPERATIONAL	P43V	355	113	125	37080	125	37180	T13152 07
SOUTH WEST	SHOP EQUIP ORG TRKMTD	REDUCED	P39V	355	98	125	37080	125	37180	T13152 08
SP848	ROLLER VIBRATORY	NOT REDUCIBLE	P19P	219	95	87	17600	87	17600	S12916 03
SPIRAL 2	PHALANX CIWS	NOT REDUCIBLE	T48W	552	138	148	56910	148	56910	YA0744 07
SPORTSMAN700	POLARIS ATV 4X4	NOT REDUCIBLE	P01A	81	46	47	740	47	740	YA0545 01
SPS3518 STINAR	STAIRS ACFT BOARDING	NOT REDUCIBLE	P47L	315	86	147	11000	147	11000	AF2604 07
SPS5519 STINAR	STAIRS ACFT BOARDING	NOT REDUCIBLE	P47Q	313	96	147	19500	147	19500	AF2604 09
SPS7026 STINAR	STAIRS ACFT BOARDING	NOT REDUCIBLE	****	378	94	169	24000	169	24000	AF2604 08
SPS7526B STINA	STAIRS ACFT BOARDING	NOT REDUCIBLE	****	314	96	237	31000	237	31000	AF2604 10
SPYDER UNIC375	CRANE CRAWLER MTD	NOT REDUCIBLE	T14G	176	71	62	6015	62	6015	YA1073 01
STEVENS M349A3	STLR REEFER 7-1/2-TON	NOT REDUCIBLE	T38J	277	95	130	8700	130	8700	S71613 19
STINAR 32A-24	WATER TRUCK	NOT REDUCIBLE	P18G	216	86	78	6800	78	6800	AF0037 01
STL PROD AACR	STLR REEFER 7-1/2-TON	NOT REDUCIBLE	T41H	282	97	129	7125	129	7125	S71613 17
STRHE2100M	HEATER OIL TLR MTD	NOT REDUCIBLE	T13H	166	80	102	7800	102	7800	K25215 08
SUBURBAN	CHEVROLET TRUCK	NOT REDUCIBLE	P28G	226	101	75	6440	75	6440	YA0880 01
SUBURBAN	CHEVROLET TRUCK	NOT REDUCIBLE	P28G	226	101	98	6498	98	6498	YA0880 02
SUP VEH 1	DISTRIBUTED COMMON GR	NOT REDUCIBLE	P18L	198	84	76	10410	76	10410	Z01794 12
SUPVEH 2 M1085	DISTRIBUTED COMMON GR	NOT REDUCIBLE	P41V	359	96	132	37140	132	37140	Z01794 15

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
SURGE BIN	MIXING PLANT ASPHALT	NOT REDUCIBLE	****	597	134	161	68500	161	68500	M57048 07
SURVEY TRK	TRK DUALLY (SURVEY)	NOT REDUCIBLE	P27L	277	94	94	10800	94	10800	YA1005 01
T-5 DOZER W/W	TRAC FL TRK LOW SPD W	OPERATIONAL	P45U	210	121	121	33000	121	33000	T05029 01
T-5 DOZER W/W	TRAC FL TRK LOW SPD W	REDUCED	P41U	234	102	121	33000	121	33000	T05029 03
T-5 TYPE II	TRAC FL TRK LOW SPD W	NOT REDUCIBLE	P45U	253	121	121	33000	121	33000	T05026 01
T-9 TYPE II	TRACTR FL TRK LOW SPD	NOT REDUCIBLE	T49W	285	145	134	67000	134	67000	T05016 01
T-9 TYPE II	TRACTR FL TRK LOW SPD	NOT REDUCIBLE	T41W	285	100	134	66000	134	66000	T05016 03
T0730HKEG	MIXER ROT TILLER SP	NOT REDUCIBLE	P38N	265	96	121	14980	121	14980	M55384 13
T9 BULLDOZER	TRACTOR FULL TRCKD LO	NOT REDUCIBLE	T49W	241	145	134	63000	134	63000	T05015 01
T9 BULLDOZER	TRACTOR FULL TRCKD LO	NOT REDUCIBLE	T41W	241	100	134	62000	134	62000	T05015 03
TENDER TRUCK	WTR WELL DRL RIG TNDR	NOT REDUCIBLE	P47W	426	102	148	69000	148	69000	Z01316 01
TEREX PBL TRL	LIGHT SET TRL	NOT REDUCIBLE	T14B	180	61	70	2000	70	2000	YA0974 02
THIRD MDT TRL	VEH MTD MINE DET SYS	NOT REDUCIBLE	T11M	149	65	72	13500	72	13500	V05001 07
THMPSN M349A1	STLR REEFER 7-1/2-TON	NOT REDUCIBLE	T41J	288	99	131	8810	131	8810	S71613 16
TIE CRANE	CRANE RAILROAD TIE	NOT REDUCIBLE	P47P	220	101	156	18000	156	18000	C36518 01
TITAN HPR 8X8	TRK FIRE FIGHT AIRCRA	NOT REDUCIBLE	P48X	488	132	151	91300	151	91300	T96428 01
TL600 PHOENIX	LATRINE SVC TRK	NOT REDUCIBLE	P25L	258	85	92	12000	92	12000	AF7605 08
TLPH252SMT	STAIRS ACFT BOARDING	NOT REDUCIBLE	P47K	278	96	155	9460	155	9460	AF2604 06
TLS770 LANDOLL	LATRINE SVC TRK	NOT REDUCIBLE	P24L	238	84	76	11000	76	11000	AF7605 07
TMS300-5	CRANE TRK MTD HYD 25T	NOT REDUCIBLE	P38W	492	96	129	71790	129	71790	F43429 03
TMSS 1	DISTRIBUTED COMMON GR	NOT REDUCIBLE	T18D	195	98	78	3920	78	3920	Z01794 07
TMSS 2	DISTRIBUTED COMMON GR	NOT REDUCIBLE	T18D	195	98	78	3940	78	3940	Z01794 10
TMSS 35KW	TRLR MTD SYS PU-824T	NOT REDUCIBLE	T22F	231	85	78	6000	78	6000	P63394 02
TMSS-LRG 35KW	TRLR MTD SYS PU-824T	NOT REDUCIBLE	T28L	314	96	91	12000	91	12000	P63394 01
TMSS-M	POWER PLANT UTLY (MED)	NOT REDUCIBLE	T18E	195	86	79	4200	79	4200	P63462 09
TMSS-MED	HABORMASTER CMD CTL C	NOT REDUCIBLE	T18E	194	85	78	4200	78	4200	C05019 08
TOW DOLLY ASSY	MIXING PLANT ASPHALT	NOT REDUCIBLE	T12F	172	96	50	5100	50	5100	M57048 03
TOW DOLLY ASY	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	T12F	172	96	50	5100	50	5100	F49673 03
TRACTOR	JOHN DEERE TRACTOR	NOT REDUCIBLE	P04E	132	71	77	4200	77	4200	YA0525 01
TRICON	HABORMASTER CMD CTL C	VEHICLE MTD	P06C	78	96	96	2800	96	2800	C05019 03
TRK M1083A1P2	ELECTRONIC SHOP	NOT REDUCIBLE	P38S	278	96	117	25808	117	25808	E02215 06
TRK M1084A1P2	ELECTRONIC SHOP	NOT REDUCIBLE	P38T	312	96	112	29204	112	29204	E02147 06
TRK M1088A1	CALIB SET SEC TRANS	NOT REDUCIBLE	P31R	281	96	106	21600	106	21600	C72642 06
TRK M1097	RADAR SET	VEHICLE MTD	P19J	216	86	102	8620	102	8620	R14216 08
TRK M1097A1	SENTINEL RDR SET	NOT REDUCIBLE	P19K	191	86	95	9300	95	9300	G92997 04
TRK M1113	METEOR STATION	VEHICLE MTD	P36K	209	84	118	9793	118	9793	M55690 06
TRK M1113	PETRO QUAL ANAL SYS	VEHICLE MTD	P36K	209	84	118	9793	118	9793	P25493 03
TRK M1152A1	COMM CONTROL SET	VEHICLE MTD	P19K	205	84	101	9860	101	9860	C90531 11
TRK M1152A1	COMM CONTROL SET	VEHICLE MTD	P19J	205	90	96	8670	96	8670	C90599 10
TRK M1165A1	COMM CONTROL SET	NOT REDUCIBLE	P18K	194	91	75	9870	75	9870	C90531 13
TRK TRAC M931	ELEC EQUIP TEST FAC	NOT REDUCIBLE	P25R	264	98	91	20480	91	20480	E01933 02
TRL	MRBS TRAILER	NOT REDUCIBLE	P13E	166	85	77	4180	77	4180	YA0624 01
TRL	MRBS BACKUP TLR	NOT REDUCIBLE	P13D	166	85	77	3850	77	3850	YA0625 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
TRL	MTBS TRAILER	NOT REDUCIBLE	P13E	166	85	77	4180	77	4180	YA0626 01
TRL	MTBS BACKUP TLR	NOT REDUCIBLE	P13D	166	85	77	3850	77	3850	YA0627 01
TRL	RECOVERY TRAILER	NOT REDUCIBLE	P44E	240	129	48	4200	48	4200	YA0809 01
TRL	HAULMARK TRLR	NOT REDUCIBLE	P19C	198	89	99	2260	99	2260	YA0921 01
TRL M1102	PETRO QUAL ANAL SYS	NOT REDUCIBLE	T11D	136	88	101	3450	101	3450	P25493 05
TRL TYPE I	DIVING EQUIP SET	NOT REDUCIBLE	T09C	147	57	77	2840	77	2840	D32927 05
TRL TYPE II	DIVING EQUIP SET	NOT REDUCIBLE	T09C	147	57	77	2840	77	2840	D32927 07
TRL WD FLT	TRAILER WOOD FLAT	NOT REDUCIBLE	T28D	232	102	32	3400	32	3400	YA1036 02
TRL WTR M149A2	FORCE PROVIDER MODULE	MOD FOR SET	T12C	162	81	72	2800	72	2800	F28973 13
TRL XM1065	ELEC EQUIP TEST FAC	NOT REDUCIBLE	T47V	456	102	150	40800	150	40800	E01933 04
TRL XM971E1	CALIB SET SEC TRANS	VEHICLE MTD	T35T	464	96	102	29160	102	29160	C72642 04
TRL XM991E1	ELEC EQUIP TEST FAC	NOT REDUCIBLE	T41U	468	96	140	34000	140	34000	E01933 06
TRLR DECON	TLR VAN 4 WHL ACVC MA	NOT REDUCIBLE	T33M	356	99	100	12500	100	12500	W99012 05
TSC135 V1A	JOINT BASE STATION	NOT REDUCIBLE	T25L	242	88	103	10900	103	10900	J00583 01
TSM-191 (V)	SHP EQP ELEC STLR MTD	OPERATIONAL	T46S	462	96	141	25914	141	25914	S38625 01
TSM-191 (V)	SHP EQP ELEC STLR MTD	REDUCED	T35S	462	96	102	25914	102	25914	S38625 02
TTS	TACT TOILET SYS TRL	NOT REDUCIBLE	T41E	185	101	122	5000	122	5000	YA1052 01
TUAV-SHADOW	AIR VEH TRANSPORT	NOT REDUCIBLE	P19L	217	84	105	11500	105	11500	A27808 01
TUAV-SHADOW	GROUND CONTROL STATIO	NOT REDUCIBLE	P19L	212	95	104	11300	104	11300	G39497 01
TUAV-SHADOW	AERIAL VEH LAUNCHER	NOT REDUCIBLE	T13F	165	87	86	5495	86	5495	U31900 01
TUG	TOWING TRACTOR	NOT REDUCIBLE	P01G	77	56	63	7000	63	7000	AF0039 01
TUG	TUG CLARK	NOT REDUCIBLE	P03E	112	66	55	4900	55	4900	YA0490 01
TUG	TUG MANUFACTURE	NOT REDUCIBLE	P01E	102	55	60	4500	60	4500	YA0491 01
TUG	TUG JETLINE	NOT REDUCIBLE	P01E	102	55	64	4350	64	4350	YA0492 01
TUG 660 MOBILE	BAGGAGE CONVEYOR BELT	NOT REDUCIBLE	T28H	300	78	59	7200	59	7200	AF0036 04
TUNNEL TY3	SHLTR NONEXPD LTWR	VEHICLE MTD	P19J	199	89	103	8660	103	8660	S01563 16
TUNNEL TY3	SHLTR NONEXPD LTWR	VEHICLE MTD	P19K	199	89	103	10000	103	10000	S01563 18
TUNNEL TY3	SHLTR NONEXPD LTWR	VEHICLE MTD	P19J	217	89	102	8900	102	8900	S01563 20
TYPE 2.5 CY	LOADER SCOOP	NOT REDUCIBLE	P46S	288	108	132	27500	132	27500	L76897 03
TYPE I	LOADER SCOOP TYPE	OPERATIONAL	P46W	363	127	141	54320	141	54320	L77568 01
TYPE I	LOADER SCOOP TYPE	REDUCED	P46V	292	117	141	49140	141	49140	L77568 03
TYPE I	MANIFOLD SVC U TLRMTD	NOT REDUCIBLE	T09C	147	57	77	2840	77	2840	YA0065 01
TYPE II	LOAD Hvy SCOOP	OPERATIONAL	P46W	363	127	141	54320	141	54320	L15041 01
TYPE II	LOAD Hvy SCOOP	REDUCED	P46V	292	117	141	49140	141	49140	L15041 03
TYPE II	LOADER SKID STEER	NOT REDUCIBLE	P04L	115	80	82	10582	82	10582	L77147 01
TYPE II	ROLLER MOTORIZED VIBR	NOT REDUCIBLE	P41S	247	102	121	26680	121	26680	R11127 04
TYPE II	MANIFOLD SVC U TLRMTD	NOT REDUCIBLE	T09C	147	57	77	2840	77	2840	YA0066 01
TYPE II W/AOA	ROLLER MOTORIZED VIBR	NOT REDUCIBLE	P41S	247	102	121	26680	121	26680	R11127 03
TYPE III	LOADER SKID STEER	NOT REDUCIBLE	P04F	102	66	77	5368	77	5368	L77215 01
TYPE III	ROLLER MOTORIZED, VIB	NOT REDUCIBLE	P36N	208	75	115	15125	115	15125	R19753 01
UAS HUNTER	TRK CRN AIRVEH TRNSPT	OPERATIONAL	P41U	397	98	132	33140	132	33140	T05017 01
UAS HUNTER	TRK AIR VEH TRNSPT	REDUCED	P33R	385	98	94	23730	94	23730	T05019 03
UAS HUNTER	GROUND CONTROL STA U	NOT REDUCIBLE	P19L	208	89	105	11500	105	11500	G05006 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
UAS HUNTER	GRD DATA TERMINAL UAS	NOT REDUCIBLE	T28E	154	107	83	4200	83	4200	G05007 01
UAS HUNTER	TRK CRN AIRVEH TRNSPT	REDUCED	P34S	397	98	94	26090	94	26090	T05017 03
UAS HUNTER	TRK AIR VEH TRNSPT	OPERATIONAL	P41U	385	98	132	30780	132	30780	T05019 01
UAV	PNEU LAUNCHER TLR MTD	NOT REDUCIBLE	T14B	182	75	39	1820	39	1820	YAO287 01
UC-35A	UTILITY CARGO ACFT	***	***	585	626	180	16300	180	16300	U05004 01
UCS TRK	TRK UNIFIED CMD SUITE	NOT REDUCIBLE	P31Q	227	109	102	19400	102	19400	YA1011 01
UH-1H	HELICOPTER UTILITY	FLYAWAY	****	685	580	176	6259	174	6859	K31795 01
UH-1H	HELICOPTER UTILITY	SEALIFT/OPR	****	685	113	176	5626	157	6859	K31795 02
UH-1H	HELICOPTER UTILITY	RED FOR C-130	T35G	497	103	104	4992	104	6859	K31795 08
UH-1H	HELICOPTER UTILITY	RED FOR C-5	T44G	284	121	102	7262	102	6859	K31795 14
UH-1H	HELICOPTER UTILITY	RED FOR C-17	T41G	284	103	127	6315	127	6859	K31795 18
UH-1H	HELICOPTER UTILITY	RED FOR C-130	T35G	552	103	104	4992	104	6859	K31795 20
UH-1H	HELICOPTER UTILITY	REDUCED	T35G	552	103	104	4992	104	6859	K31795 29
UH-1H	HELICOPTER UTILITY	RED FOR C-5	T43G	702	113	128	6259	128	6859	K31795 38
UH-1H	HELICOPTER UTILITY	RED FOR C-17	T43G	702	113	128	6259	128	6859	K31795 50
UH-1H	HELICOPTER UTILITY	RED F/SEALIFT	****	685	113	164	5626	128	6859	K31795 74
UH-1V	HELICOPTER UTILITY	FLYAWAY	****	685	113	174	6842	174	9525	H31872 01
UH-1V	HELICOPTER UTILITY	RED F/SEALIFT	****	497	113	157	6637	174	9525	H31872 02
UH-1V	HELICOPTER UTILITY	RED FOR C-5	****	284	121	102	7262	174	9525	H31872 14
UH-1V	HELICOPTER UTILITY	RED FOR C-17	****	284	103	127	6315	174	9525	H31872 18
UH-60A	HELICOPTER UTILITY	FLYAWAY	****	778	644	210	19200	205	22569	K32293 01
UH-60A	HELICOPTER UTILITY	REDUCED	T44R	496	117	105	16000	105	22569	K32293 02
UH-60A	HELICOPTER UTILITY	SEALIFT/OPR	****	639	266	210	17600	148	22569	K32293 05
UH-60A	HELICOPTER UTILITY	RED FOR C-5	****	646	176	148	16000	148	22569	K32293 18
UH-60A	HELICOPTER UTILITY	RED FOR C-17	T47R	646	117	148	16000	148	22569	K32293 30
UH-60A	HELICOPTER UTILITY	RED F/SEALIFT	****	608	172	148	16200	148	22569	K32293 49
UH-60A	HELICOPTER UTILITY	REDUCED	T47R	646	117	148	16000	148	22569	K32293 59
UH-60L	HELICOPTER UTILITY	FLYAWAY	****	778	644	210	20250	210	36450	H32361 01
UH-60L	HELICOPTER UTILITY	REDUCED	****	496	121	105	16200	210	36450	H32361 02
UH-60L	HELICOPTER UTILITY	SEALIFT/OPR	****	639	266	210	18250	210	36450	H32361 03
UH-60L	HELICOPTER UTILITY	RED FOR C-5	****	496	121	148	16250	210	36450	H32361 04
UH-60L	HELICOPTER UTILITY	REDUCED	****	646	121	148	14660	210	36450	H32361 15
UH-60L	HELICOPTER UTILITY	RED FOR C-5	****	646	176	148	16200	210	36450	H32361 27
UH-60L	HELICOPTER UTILITY	RED F/SEALIFT	****	608	172	148	16850	210	36450	H32361 58
UH-60L	HELICOPTER UTILITY	RED FOR C-17	****	600	120	148	16100	210	36450	H32361 71
UH-60M	HELICOPTER UTILITY	FLYAWAY	****	778	129	202	19200	202	19200	H32429 01
UH-60M	HELICOPTER UTILITY	RED FOR C-17	T47Q	617	129	148	19200	148	19200	H32429 02
UH-60Q	HELICOPTER UTILITY	FLYAWAY	****	778	644	202	22000	202	22000	U84541 01
UH-60Q	HELICOPTER UTILITY	RED FOR C-5	****	627	129	162	19200	162	19200	U84541 02
UH-72A	HELI LGT UTILITY	FLYAWAY	****	402	434	129	4300	129	4300	H31329 01
UH-72A	HELI LGT UTILITY	REDUCED	T45D	402	123	129	3885	129	3885	H31329 02
US37ACG	PUMP FLMB LIQ WHLMTD	OPERATIONAL	T01B	110	60	63	1390	63	1390	P97051 02
US37ACG	PUMP FLMB LIQ WHLMTD	REDUCED	T01B	69	60	63	1390	63	1390	P97051 03

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
US612ACD-1	PUMP CENTRF WHL MTD	NOT REDUCIBLE	T11F	156	90	90	5530	90	5530	P00309 02
US90CCD-1	PUMP CNTRF WHL MTD	NOT REDUCIBLE	T04D	119	69	82	3250	82	3250	P94359 11
USCSBK-1	BOAT BRIDGE ERECTION	OPERATIONAL	****	323	98	178	8800	178	8800	B25476 01
USCSBK-1	BOAT BRIDGE ERECTION	REDUCED	T44L	227	117	97	10800	97	10800	B25476 02
USCSBK-1	BOAT BRIDGE ERECTION	VEHICLE MTD	P50V	436	136	158	39400	158	39400	B25476 03
USCSBK-2	BOAT BRIDGE ERECTION	REDUCED	T29F	327	98	78	5890	78	5890	B25476 06
USCSBK-2	BOAT BRIDGE ERECTION	VEHICLE MTD	P48V	468	135	155	38860	155	38860	B25476 10
USCSBK-2	BOAT BRIDGE ERECTION	OPERATIONAL	****	327	98	178	5890	178	5890	B25476 12
UV-18A	AIRPLANE UTILITY STOL	NOT REDUCIBLE	****	780	594	234	7314	234	7314	A30989 01
VALVETY2	SHLTR NONEXPD LTWR	VEHICLE MTD	P19J	199	89	103	8660	103	8660	S01563 02
VALVETY2	SHLTR NONEXPD LTWR	VEHICLE MTD	P19K	199	89	103	10000	103	10000	S01563 04
VALVETY2	SHLTR NONEXPD LTWR	VEHICLE MTD	P19J	217	89	102	8900	102	8900	S01563 06
VSN TRL	VIDEO SUB NODE TRL	NOT REDUCIBLE	T06C	132	81	85	2080	85	2080	YA1055 01
W-8646	PUMP FLMB LIQ WHLMTD	OPERATIONAL	T03C	122	70	68	2140	68	2140	P97051 19
W-8646	PUMP FLMB LIQ WHLMTD	REDUCED	T03C	78	70	68	2140	68	2140	P97051 23
W-87012	PUMP UNIT CENT WATER	OPERATIONAL	T03C	122	70	68	2140	68	2140	P44549 08
W-87012	PUMP UNIT CENT WATER	REDUCED	T03C	78	70	68	2140	68	2140	P44549 09
W/E M1087A1	TRUCK VAN EXPANSIBLE	NOT REDUCIBLE	P46T	337	96	141	28685	141	28685	T41271 01
W/EMPTY MRP	TRK GUIDED MISSILE (TRA	NOT REDUCIBLE	P41V	480	102	129	48700	129	48700	T05005 04
W/OUT MRP	TRK GUIDED MISSILE (TRA	OPERATIONAL	P46W	480	102	141	66520	141	66520	T05005 03
W15B	TRK GUIDED MISSILE (TRA	REDUCED	P41V	480	102	129	41468	129	41468	T05005 01
W15B	DISTR WTR TK TRK MTD	OPERATIONAL	P42R	310	112	112	23734	112	23734	G28212 22
W15B	DISTR WTR TK TRK MTD	REDUCED	P39R	310	97	112	23734	112	23734	G28212 23
W15B	DISTR WTR TK TRK MTD	SEALIFT/OPR	P39R	310	97	112	23734	112	23734	G28212 42
WASH SCREEN UT	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	****	415	138	161	40100	161	40100	F49673 14
WD6S	DIST WTR TK STLR MTD	NOT REDUCIBLE	T38N	442	96	116	16000	116	16000	D28318 01
WD6S	DIST WTR TK STLR MTD	NOT REDUCIBLE	T38W	442	96	116	66072	116	66072	D28318 02
WOLF COACH	TES MISSION VAN	NOT REDUCIBLE	T33S	372	96	106	26330	106	26330	YA0478 01
WOLF COACH	TES POWER VAN	NOT REDUCIBLE	T25R	237	96	102	22850	102	22850	YA0479 01
WOLLARD TC-886	BAGGAGE CONVEYOR BELT	NOT REDUCIBLE	T28F	307	82	51	5480	51	5480	AF0036 01
WST WTR TRL	FORCE PROVIDER MODULE	NOT REDUCIBLE	T38H	207	96	108	7920	108	7920	F28973 62
WT2	WARPING TUG	NOT REDUCIBLE	****	960	288	198	190600	198	190600	W41775 10
WTA 43	FORD EXPEDITION	NOT REDUCIBLE	P17F	209	80	84	5880	84	5880	YA1060 01
WTA060	WATER PURIF TLR MTD	NOT REDUCIBLE	T47V	365	97	151	39920	151	39920	W47225 01
WTA060	WATER PURIF TLR MTD	NOT REDUCIBLE	T47V	372	96	150	37117	150	37117	W47225 03
WTR PUMP UNIT	CRUSH SCR & WASH PLNT	NOT REDUCIBLE	P38G	212	96	109	6770	109	6770	F49673 08
WWET/T	WSTE WTR VAC TNT TRLR	NOT REDUCIBLE	T38H	207	96	108	7920	108	7920	YA0607 01
XM104	HVY ASLT BRDG	OPERATIONAL	P50Y	532	144	157	116294	157	116294	H82510 01
XM104	HVY ASLT BRDG	SEALIFT/OPR	P49Y	552	144	120	116294	120	116294	H82510 02
XM104	HVY ASLT BRDG	REDUCED	P49Y	552	144	120	116294	120	116294	H82510 03
XM1048	TLR, FLATBED 6-TON	NOT REDUCIBLE	T24F	235	96	37	5880	37	5880	YA0272 01
XM1065	SEMITRLR VAN, EXP TAC	NOT REDUCIBLE	T47V	455	100	151	43000	151	43000	YA0150 01
XM1065	TEST VAN	NOT REDUCIBLE	T47V	456	102	150	40800	150	40800	YA0333 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
XM1070A1	TRUCK TRACTOR HET	NOT REDUCIBLE	P47V	382	103	146	47700	146	47700	T05012 01
XM1109	TRK UTILITY UP ARMORED	OPERATIONAL	P18K	197	91	75	10000	75	10000	T07746 01
XM1109	TRK UTILITY UP ARMORED	REDUCED	P18K	197	86	75	10000	75	10000	T07746 02
XM1109	TRK UTILITY UP ARMORED	SEALIFT/OPR	P18K	197	86	75	10000	75	10000	T07746 03
XM1147	TRK FLAT BED LHST	NOT REDUCIBLE	T38S	338	96	54	9480	112	27080	T64618 01
XM1147	TRK FLAT BED LHST	VEHICLE MTD	T41S	340	96	139	22280	112	27080	T64618 07
XM1148	TRUCK MAT HAND CNTR	NOT REDUCIBLE	P38S	362	96	123	25200	112	25200	T45435 01
XM1148	TRUCK MAT HAND CNTR	VEHICLE MTD	P38S	362	96	114	25550	114	25550	T45435 07
XM1151P1	TRK UTILITY EXP CAP	NOT REDUCIBLE	P19L	194	86	95	10300	95	10300	T92514 01
XM120	MORTAR 120 MM	NOT REDUCIBLE	T01A	95	60	45	720	45	720	M68405 01
XM1226	MED MINE PROT VEH	NOT REDUCIBLE	P45W	349	118	124	72900	124	72900	M74226 13
XM1227	MED MINE PROT VEH	NOT REDUCIBLE	P45W	349	118	124	72900	124	72900	M74226 14
XM1229	MED MINE PROT VEH	NOT REDUCIBLE	P48X	349	136	114	79000	114	79000	M74226 15
XM4	SPREADER BITUM MOD	VEHICLE MTD	****	432	97	162	61330	162	61330	S13546 02
XM4	SPREADER BITUM MOD	VEHICLE MTD	T47R	328	97	153	23420	153	23420	S13546 04
XM4	SPREADER BITUM MOD	VEHICLE MTD	T47R	304	97	153	23420	153	23420	S13546 05
XM5	MIXER CONCRETE MOD	NOT REDUCIBLE	****	464	96	165	66370	165	66370	M81382 02
XM5	MIXER CONCRETE MOD	OPERATIONAL	T47T	351	96	156	28450	156	28450	M81382 04
XM5	MIXER CONCRETE MOD	REDUCED	T47T	327	96	156	28450	156	28450	M81382 05
XM5	MIXER CONCRETE MOD	VEHICLE MTD	P47W	432	101	154	70500	154	70500	D17391 03
XM6	DUMP BODY MODULE	VEHICLE MTD	T47U	328	101	146	32590	146	32590	D17391 05
XM6	DUMP BODY MODULE	VEHICLE MTD	T47U	304	101	146	32590	146	32590	D17391 06
XM971E1	STLR VAN	NOT REDUCIBLE	T35N	435	99	102	16000	102	16000	YA0326 01
XM971E1	STLR VAN	MOD FOR SET	T46U	435	96	141	33267	141	33267	YA0326 02
XM971E1	STLR VAN	MOD FOR SET	T46S	435	96	141	25210	141	25210	YA0326 03
XM971E1	STLR VAN	MOD FOR SET	T35T	464	96	102	29160	102	29160	YA0326 08
XM991E1	SEMITRLR VAN, RPR TAC	NOT REDUCIBLE	T41N	470	99	140	15120	140	15120	YA0149 01
XM991E1	SUPPORT VAN	NOT REDUCIBLE	T41U	468	96	140	34000	140	34000	YA0334 01
YAMAHA	ALL TERRAIN VEHICLE	NOT REDUCIBLE	P01A	90	55	48	660	48	660	AF0008 01
00-1853FC	AMB BUS CONV FC	NOT REDUCIBLE	P38R	420	96	127	23300	127	23300	CB0066 01
00-4LB PRT	TRK FORKLIFT GEN	NOT REDUCIBLE	P09J	141	45	81	8620	81	8620	CB1304 01
00-50-TON	STLR 50-TON LOWBED	NOT REDUCIBLE	T44Y	528	120	84	18520	84	118520	CB0826 08
00-6 LB RT	TRK FORKLIFT DED	NOT REDUCIBLE	P36P	247	86	124	18000	124	18000	CB1826 01
00-6 LB SRT	TRK FORKLIFT ELEC	NOT REDUCIBLE	P04M	131	48	84	12310	84	12310	CB1376 01
00-6LB PRT	TRK FORKLIFT GEN	NOT REDUCIBLE	P04P	108	62	86	16578	86	16578	CB1306 01
00-86B11	PUMP CENTRIFUG	NOT REDUCIBLE	P18H	192	84	72	7200	72	7200	CB5220 05
00-980G	TRK FORKLIFT DED	NOT REDUCIBLE	P47X	400	128	148	103000	148	103000	CB1820 19
00-C7D064	TRUCK STAKE	NOT REDUCIBLE	P27E	272	63	84	4300	84	4300	CB0525 02
00-CSY-20-FS	SEMI LOWBED	NOT REDUCIBLE	T35M	576	96	60	13972	60	13972	CB0822 01
00-CV30943	TRUCK PICKUP	NOT REDUCIBLE	P24F	249	96	78	5866	78	5866	CB0355 02
00-D8K	TRUCK CRAWLER	NOT REDUCIBLE	****	266	183	141	73900	141	73900	CB4851 02
00-DD30903	TRUCK MAINT UTIL	NOT REDUCIBLE	P19J	219	84	82	8800	82	8800	CB0722 02
00-DOMINATOR	CLNR SEP TNK TRK MTD	NOT REDUCIBLE	P41R	337	100	127	22660	127	22660	CB5414 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
00-M1017A	TRUCK STAKE	NOT REDUCIBLE	P39M	293	98	111	14000	111	14000	CB0528 02
00-M109A3	TRK VAN SHP 2-1/2 TON	NOT REDUCIBLE	P41N	268	96	131	15280	131	15280	CB0500 01
00-M44A3	TRK CGO 2-1/2-TON	NOT REDUCIBLE	P38M	265	96	116	13900	116	13900	CB0539 28
00-M4K	TRUCK LIFT FORK DED	OPERATIONAL	P16K	206	79	80	9700	80	9700	CB1330 01
00-M4K	TRUCK LIFT FORK DED	REDUCED	P13X	166	79	78	9700	78	9700	CB1330 02
00-M872A3	STLR FLATBED 20-34-T	OPERATIONAL	T35X	492	96	103	19248	106	87248	CB0816 01
00-M872A3	STLR FLATBED 20-34-T	REDUCED	T35X	493	96	93	19179	93	87248	CB0816 02
00-M915A2	TRUCK TRACTOR	NOT REDUCIBLE	P46P	258	95	142	16815	142	16815	CB0649 01
00-M915A3	TRUCK CGO D/S 5-TON	NOT REDUCIBLE	P39R	387	100	122	23400	122	23400	CB0588 57
00-M915A3	TRUCK TRACTOR 15-TON	NOT REDUCIBLE	P38Q	275	96	115	19080	115	19080	CB0645 08
00-M925 WWIN	TRUCK CGO D/S 5-TON	OPERATIONAL	P45U	327	115	116	22458	116	32458	CB0588 01
00-M925 WWIN	TRUCK CGO D/S 5-TON	REDUCED	P29U	327	98	87	22458	93	32458	CB0588 02
00-M934	TRUCK C/C 30000	NOT REDUCIBLE	P41S	365	98	137	28000	137	28000	CB0591 01
00-M996	TRK AMB 1-1/4-TON 4X4	NOT REDUCIBLE	P19G	203	86	87	6620	87	6620	CB0361 32
00-MEP-804AAS	GEN SET 10-15KW	NOT REDUCIBLE	T14G	176	96	105	6876	105	6876	CB5121 07
00-RLP-50-V	SEMI LOWBED	NOT REDUCIBLE	T12L	163	96	65	10340	65	10340	CB0823 01
00-SFV3335SSL	SEMI VAN	NOT REDUCIBLE	T47L	420	96	150	11000	150	11000	CB0817 01
00-SHOP MACH	SHOP EQUIP STLR MTD	NOT REDUCIBLE	T39R	352	97	125	24000	125	24000	CB5910 01
00-V6301	SEMI VAN RF	NOT REDUCIBLE	T47K	379	96	151	9900	151	9900	CB0819 01
01-1085B	EXCAVATOR WHL	NOT REDUCIBLE	P46V	327	110	137	50000	137	50000	CB4340 01
01-11S	MIXER CONCRETE	NOT REDUCIBLE	T01A	95	56	70	910	70	910	CB2433 01
01-12T	SEMI VAN	NOT REDUCIBLE	T47J	373	96	152	8400	152	8400	CB0813 01
01-13-TON	TRAILER BOLST	NOT REDUCIBLE	T35G	451	96	58	6010	58	6010	CB0842 01
01-1369TII500	TRAILER TANK 500GAL	NOT REDUCIBLE	T12B	168	80	60	2000	60	2000	CB0881 01
01-140-TON	CRANE TRUCK	NOT REDUCIBLE	****	575	149	168	198500	168	198500	CB8219 01
01-1654	TRUCK STAKE	NOT REDUCIBLE	P28L	296	90	96	10180	96	10180	CB0603 01
01-1700	BUS DED	NOT REDUCIBLE	P38K	268	96	120	9990	120	9990	CB0061 02
01-1900	TRUCK STAKE	NOT REDUCIBLE	P28J	282	100	96	8764	96	8764	CB0525 01
01-300HP	TRACTOR CRAWLER	NOT REDUCIBLE	P49W	321	156	137	75000	137	75000	CB4851 01
01-3450	TRUCK STAKE	NOT REDUCIBLE	P29R	321	96	89	21995	89	21995	CB0582 01
01-35-TON	CRANE TRUCK	NOT REDUCIBLE	P47X	316	112	151	81750	151	81750	CB8215 01
01-49 PASS	BUS DED	NOT REDUCIBLE	P38R	420	96	121	24000	121	24000	CB0070 01
01-5-TON	TRUCK AMPHIBIOUS	NOT REDUCIBLE	T45R	425	124	122	21520	122	21520	CB0570 01
01-50 L3S	STLR 50-TON LOWBED	NOT REDUCIBLE	T35Y	463	96	74	16285	74	116285	CB0826 01
01-50-TON	STLR 50-TON LOWBED	NOT REDUCIBLE	T35Y	463	96	74	16285	74	116285	CB0826 07
01-50XHBT	SEMI LOWBED HYD	NOT REDUCIBLE	T35N	520	96	70	14600	70	14600	CB0809 01
01-52000	TRUCK TRACTOR 15-TON	NOT REDUCIBLE	P39P	252	98	107	16220	107	16220	CB0645 06
01-60-TON	CRANE CRL	NOT REDUCIBLE	****	250	174	233	115000	233	115000	CB4260 01
01-603LR	STLR 50-TON LOWBED	NOT REDUCIBLE	T35Y	432	96	68	14870	68	114870	CB0826 02
01-8800	TRUCK PICKUP	NOT REDUCIBLE	P24J	258	84	78	8200	78	8200	CB0355 01
01-8P	TRUCK VAN	NOT REDUCIBLE	P16F	203	80	80	5100	80	5100	CB0330 01
01-A/C125CFM	AIR COMPRESSOR	NOT REDUCIBLE	T07C	137	71	72	2550	72	2550	CB3110 01
01-BATH TRLR	TLR SHOWER BATH	NOT REDUCIBLE	T12E	165	87	70	5000	70	5000	CB0857 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
01-C450B	ROLLER TAMP FT	NOT REDUCIBLE	P46V	382	120	139	50000	139	50000	CB4622 02
01-C7D042	TRACK TRACTOR	NOT REDUCIBLE	P37U	213	90	118	33300	118	33300	CB0614 01
01-CD38	DOLLY TLR CONV	NOT REDUCIBLE	T05C	115	96	48	2800	48	2800	CB0829 02
01-CP31042	TRUCK STEP	NOT REDUCIBLE	P36H	250	82	109	7550	109	7550	CB0420 01
01-F2275	TRUCK TRACTOR	NOT REDUCIBLE	P25N	247	97	106	15280	106	15280	CB0630 01
01-F350	TRK PICKUP 9200LB	NOT REDUCIBLE	P20E	228	80	71	4340	71	4340	CB0327 01
01-F450	TRK FIRE BRUSH	NOT REDUCIBLE	P41N	277	96	132	15000	132	15000	CB4341 01
01-F800	TRUCK STAKE	NOT REDUCIBLE	P25M	258	96	102	13000	102	13000	CB0528 01
01-FLSS-1250	STLR 50-TON LOWBED	NOT REDUCIBLE	T35Y	456	96	68	16800	68	116800	CB0826 04
01-HC-108C	CRANE TRK 50T	NOT REDUCIBLE	P50Y	379	136	157	114000	157	114000	CB8218 01
01-IHC F1954	TRUCK STAKE 15-TON	OPERATIONAL	P38V	351	96	102	19555	129	49555	CB0643 01
01-IHC F1954	TRUCK STAKE 15-TON	REDUCED	P31V	351	96	102	19555	102	49555	CB0643 02
01-IHC F1954	TRUCK DUMP 15-20-TON	OPERATIONAL	P38R	251	96	116	22710	116	22710	CB0644 01
01-IHC F1954	TRUCK DUMP 15-20-TON	REDUCED	P25R	258	96	100	20140	100	20140	CB0644 02
01-IHW1500	TRUCK WELL SUPPT	NOT REDUCIBLE	T31S	349	96	102	24800	102	24800	CB3721 02
01-JD670	ROAD MOTOR GRADER	OPERATIONAL	P38T	380	94	126	28300	126	28300	CB4420 04
01-JD670	ROAD MOTOR GRADER	REDUCED	P31S	351	94	105	26900	105	26900	CB4420 05
01-JD670A	ROAD MOTOR GRADER	OPERATIONAL	P38S	360	94	129	27000	129	27000	CB4420 09
01-JD670A	ROAD MOTOR GRADER	REDUCED	P33S	360	94	103	25400	103	25400	CB4420 10
01-M101A2	TRAILER CARGO 3/4-TON	OPERATIONAL	T09E	147	74	83	2780	83	4280	CB0802 01
01-M101A2	TRAILER CARGO 3/4-TON	REDUCED	T08E	147	74	50	1340	50	4280	CB0802 02
01-M101A3	TRAILER CARGO	NOT REDUCIBLE	T11B	155	86	72	1770	72	1770	CB0803 01
01-M105A2	TLR CARGO 1-1/2-TON	OPERATIONAL	T13F	167	83	98	2750	98	5750	CB0804 01
01-M105A2	TLR CARGO 1-1/2-TON	REDUCED	T12F	167	83	55	2750	55	5750	CB0804 02
01-M1101	TRAILER CARGO 3/4-TON	NOT REDUCIBLE	T10C	135	88	50	1460	53	2960	CB0802 15
01-M149A1	TLR TANK WTR 400GAL	NOT REDUCIBLE	T13F	162	82	81	2530	81	5868	CB0880 01
01-M149A1	TLR TANK WTR 400GAL	NOT REDUCIBLE	T13F	162	82	81	5868	81	5868	CB0880 05
01-M35A2C	TRK CGO 2-1/2-TON	OPERATIONAL	P42Q	265	106	114	13526	114	18526	CB0539 01
01-M35A2C	TRK CGO 2-1/2-TON	REDUCED	P25Q	265	98	82	13526	82	18526	CB0539 02
01-M710A	ROAD MOTOR GRADER	OPERATIONAL	P41U	332	98	136	30700	136	30700	CB4420 01
01-M710A	ROAD MOTOR GRADER	REDUCED	P31T	332	98	102	28250	102	28250	CB4420 02
01-M710A	ROAD MOTOR GRADER	NOT REDUCIBLE	P38T	362	94	126	28150	126	28150	CB4420 12
01-M756A2WVN	TRUCK MAINT PL CONST	OPERATIONAL	P42P	287	108	109	16565	109	16565	CB0715 01
01-M756A2WVN	TRUCK MAINT PL CONST	REDUCED	P31P	287	98	101	16565	101	16565	CB0715 02
01-M813A1	TRUCK CGO D/S 5-TON	OPERATIONAL	P45U	307	115	116	20982	116	30982	CB0588 04
01-M813A1	TRUCK CGO D/S 5-TON	REDUCED	P28U	307	99	87	20982	93	30982	CB0588 05
01-M817	TRUCK DUMP 5-TON	OPERATIONAL	P44U	274	115	113	22615	113	32615	CB0587 04
01-M817	TRUCK DUMP 5-TON	REDUCED	P27U	274	98	91	22615	91	32615	CB0587 05
01-M818	TRUCK TRACTOR 5-TON	OPERATIONAL	P44Q	264	115	113	19387	113	19387	CB0607 01
01-M818	TRUCK TRACTOR 5-TON	REDUCED	P25Q	264	98	86	19387	86	19387	CB0607 02
01-MOD CMT-HC	TRAILER ELEC ANTENN	NOT REDUCIBLE	T37E	225	90	120	4200	120	4200	CB0879 01
01-P250DMH268	AIR COMPRESSOR	NOT REDUCIBLE	T18F	200	96	78	6000	78	6000	CB3110 02
01-PK60	CONVEYOR BELT	NOT REDUCIBLE	****	762	120	249	9430	249	9430	CB2610 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
01-RP40	STLR FLATBED 20-34-T	OPERATIONAL	T38X	420	96	117	12500	116	80500	CB0816 05
01-RP40	STLR FLATBED 20-34-T	REDUCED	T35X	420	96	60	12500	60	80500	CB0816 06
01-SAW RAD	SHOP WOODWK TRLR	NOT REDUCIBLE	T03B	111	72	56	1700	56	1700	CB5900 01
01-SHOP WOOD	SHOP EQUIP STLR MTD	NOT REDUCIBLE	T13F	163	82	82	5200	82	5200	CB5910 03
01-T350L	STLR 50-TON LOWBED	NOT REDUCIBLE	T35Y	456	96	67	18000	67	118000	CB0826 03
01-TH103	TRK FORKLIFT DED	NOT REDUCIBLE	P25S	252	96	106	25860	106	25860	CB1820 20
02-10-1	CRANE WHEEL 5-35-TON	NOT REDUCIBLE	P41V	414	96	132	43360	132	43360	CB8254 07
02-20 PASS	BUS DED	NOT REDUCIBLE	P38B	268	96	116	1400	116	1400	CB0061 01
02-250 CFM	COMPRESSOR	NOT REDUCIBLE	T09D	145	77	86	3985	86	3985	CB3135 01
02-3-TON	TRUCK LDR AC	NOT REDUCIBLE	P46P	285	96	145	16980	145	16980	CB0731 01
02-30-TON	CRANE WHL	NOT REDUCIBLE	P41W	485	96	140	57220	140	57220	CB8253 01
02-4-DOOR	SEDAN COMP	NOT REDUCIBLE	P12C	169	72	58	2587	58	2587	CB0104 01
02-7-TON	TRAILER CRL/PL	NOT REDUCIBLE	T18J	216	96	75	8890	75	8890	CB0843 01
02-750 CFM	AIR COMPRESSOR	NOT REDUCIBLE	T19K	193	89	90	9950	90	9950	CB3165 02
02-C7D042	TRUCK TIRE SERV	NOT REDUCIBLE	P41P	296	95	133	17000	133	17000	CB0713 02
02-M149A2	TLR TANK WTR 400GAL	NOT REDUCIBLE	T13G	161	83	79	2800	81	6138	CB0880 03
02-M149A2	TLR TANK WTR 400GAL	NOT REDUCIBLE	T13G	161	83	79	6250	81	6138	CB0880 07
02-M923 WVN	TRUCK CGO D/S 5-TON	OPERATIONAL	P45U	314	115	116	22020	116	32020	CB0588 07
02-M923 WVN	TRUCK CGO D/S 5-TON	REDUCED	P28U	314	98	87	22020	93	32020	CB0588 08
02-NAV F1954	TRUCK DUMP 15-20-TON	OPERATIONAL	P31V	289	96	102	46000	102	46000	CB0644 03
02-NAV F1954	TRUCK DUMP 15-20-TON	REDUCED	P31R	290	96	101	23140	101	23140	CB0644 04
02-TC6D042	TRUCK LUB FUEL SERV	NOT REDUCIBLE	P28M	316	104	96	12110	96	12110	CB0709 03
03-1150C	TRACTOR CRAWLER	OPERATIONAL	P44R	165	124	114	21200	114	21200	CB4830 01
03-1150C	TRACTOR CRAWLER	REDUCED	P11Q	143	94	86	18100	86	18100	CB4830 02
03-36 PASS	BUS BOC	NOT REDUCIBLE	P38P	390	96	123	16120	123	16120	CB0063 01
03-65-TON	CRANE WHL	NOT REDUCIBLE	P49Y	569	144	155	111000	155	111000	CB8253 02
03-C7D042	DISTRIB WATER	NOT REDUCIBLE	T31R	285	96	101	20660	101	20660	CB2523 02
03-CAT 613	SCRAPER TRACTOR	NOT REDUCIBLE	P41W	408	105	121	53000	121	53000	CB4750 01
03-CAT 613	SCRAPER TRACTOR	NOT REDUCIBLE	P35U	405	100	105	33100	105	33100	CB4750 04
03-CAT 613	SCRAPER TRACTOR	NOT REDUCIBLE	P35U	436	100	105	34300	105	34300	CB4750 06
03-M927A1	TRUCK CGO D/S 5-TON	NOT REDUCIBLE	P38S	382	96	116	25410	116	25410	CB0588 58
03-MIC-240 UBM	BUILD MACHINE	NOT REDUCIBLE	T35R	424	90	92	22600	92	22600	CB5920 01
04-4LB	TRK FORKLIFT DED	NOT REDUCIBLE	P16L	206	79	80	11950	80	11950	CB1820 13
05-15P	TRUCK VAN	NOT REDUCIBLE	P17J	220	78	96	8510	96	8510	CB0330 02
05-6LB RT	TRUCK FORKLIFT	OPERATIONAL	P31S	302	102	101	27100	101	27100	CB1331 01
05-6LB RT	TRUCK FORKLIFT	REDUCED	P31R	262	102	101	23500	101	23500	CB1331 02
05-90-TON	CRANE WHL	NOT REDUCIBLE	****	571	148	164	133800	164	133800	CB8253 03
05-D5	TRACTOR CRAWLER	OPERATIONAL	P49T	190	144	120	29940	120	29940	CB4830 05
05-D5	TRACTOR CRAWLER	REDUCED	P28S	107	114	92	26450	92	26450	CB4830 06
05-MFW-SH	WATER DISTRIBUTER	NOT REDUCIBLE	P25V	238	96	102	20200	102	36798	CB2521 01
05-MFW-SH	WATER DISTRIBUTER	NOT REDUCIBLE	P25V	238	96	102	36890	102	36798	CB2521 02
06-105HP	TRACTOR CRAWLER	NOT REDUCIBLE	P41S	183	105	113	26000	113	26000	CB4830 10
06-6LB PRT	TRUCK LIFT FORK DED	NOT REDUCIBLE	P11L	152	63	86	10920	86	10920	CB1330 04

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
06-MC1150E	TRACTOR CRAWLER	NOT REDUCIBLE	P41S	182	105	113	24750	113	24750	CB4830 12
08-7P	TRUCK VAN	NOT REDUCIBLE	P13D	175	78	77	3359	77	3359	CB0330 03
09-515B	LOADER SCOOP WHEEL	OPERATIONAL	P38R	251	94	128	23000	128	23000	CB4531 14
09-515B	LOADER SCOOP WHEEL	REDUCED	P25P	238	86	98	18000	98	18000	CB4531 15
10 ROPS	TRK LIFT FRK RT 5-T	NOT REDUCIBLE	P37U	202	110	115	33500	115	33500	X49051 15
10-1 ROPS	TRK LIFT FRK RT 5-T	OPERATIONAL	P43V	240	91	114	35060	114	35060	X49051 09
10-1 ROPS	TRK LIFT FRK RT 5-T	REDUCED	P19U	204	91	98	33104	98	33104	X49051 10
10-10 LB	TRUCK FORKLIFT PRT	NOT REDUCIBLE	P36Q	191	83	128	19036	128	19036	CB1340 01
10-105HP	TRACTOR CRAWLER	NOT REDUCIBLE	P41S	183	105	113	26000	113	26000	CB4830 11
10-10LB	TRK FORKLIFT DED	NOT REDUCIBLE	P31S	315	102	101	25600	101	25600	CB1820 15
10-613C-II	SCRAPER TRACTOR	NOT REDUCIBLE	P43U	439	107	123	31581	123	31581	CB4750 10
100-8-130T	SWEEPER ROTARY TOWED	NOT REDUCIBLE	T18C	215	100	54	2140	54	2140	U76871 13
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P46U	337	98	144	32814	144	32814	C22811 32
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P41U	337	98	129	30963	129	30963	C22811 34
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P41U	337	98	132	31693	132	31693	C22811 36
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P39S	337	98	122	27536	122	27536	C22811 38
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P41U	337	98	140	32637	140	32637	C22811 40
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P46U	337	98	144	30069	144	30069	C22811 42
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P39S	337	98	113	26321	113	26321	C22811 44
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	T46U	337	98	144	32814	144	32814	C22811 46
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	T41U	337	98	129	30963	129	30963	C22811 48
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	T41U	337	98	132	31693	132	31693	C22811 50
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	T39S	337	98	122	27536	122	27536	C22811 52
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	T41U	337	98	140	32637	140	32637	C22811 54
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	T46U	337	98	144	30069	144	30069	C22811 56
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	T39S	337	98	113	26321	113	26321	C22811 58
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P47U	337	98	147	33027	147	33027	C22811 60
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P41U	337	98	133	31176	133	31176	C22811 62
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P41U	337	98	135	31906	135	31906	C22811 64
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P39S	337	98	125	27749	125	27749	C22811 66
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P46U	337	98	143	32850	143	32850	C22811 68
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P47U	337	98	147	30282	147	30282	C22811 70
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P39S	337	98	116	26534	116	26534	C22811 72
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	T38V	304	96	124	35530	124	35530	C22811 74
100-FT LG	BRIDGE FIX HWY GIRDER	VEHICLE MTD	P38W	390	96	125	66484	125	66484	C22811 76
1000 WATT	FLOODLGT SET TLR MTD	NOT REDUCIBLE	T11B	151	65	50	1670	50	1670	F79334 01
100BFM	CRANE STRADDLE	NOT REDUCIBLE	****	552	456	396	105000	396	105000	CB8160 01
1050T	MIDAS ANTENNA TLR MTD	OPERATIONAL	****	105	96	196	3345	196	3345	YA0429 01
1050T	MIDAS ANTENNA TLR MTD	REDUCED	T06D	105	96	87	3345	87	3345	YA0429 02
1050T	MIDAS ANTENNA TLR MTD	RED F/SEALIFT	T06D	105	96	87	3345	87	3345	YA0429 04
1050T	MIDAS ANTENNA TLR MTD	SEALIFT/OPR	****	105	96	196	3345	196	3345	YA0429 05
105663	UTILITY TRAILER	NOT REDUCIBLE	T04E	133	80	80	4200	80	4200	YA0433 01
10PI-18	TRLR UTILITY PIPE	NOT REDUCIBLE	T24C	263	84	36	2270	36	2270	YA0983 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
11-15KW	GEN SET 10-15KW	VEHICLE MTD	T13F	169	94	83	5680	83	5680	CB5121 02
11-195HP	TRACTOR CRAWLER	NOT REDUCIBLE	****	234	168	132	43600	132	43600	CB4850 01
11-20T-F5070	TRUCK DUMP 15-20-TON	OPERATIONAL	P43U	313	110	125	31026	125	31026	CB0644 07
11-20T-F5070	TRUCK DUMP 15-20-TON	REDUCED	P41U	313	103	125	31026	125	31026	CB0644 08
11-30BSC	CRANE CRL 40T	NOT REDUCIBLE	****	232	178	137	96500	137	96500	CB4250 01
11-30KW	GEN SET 16-30KW	VEHICLE MTD	T13G	169	94	84	6460	84	6460	CB5122 02
11-34-TON	STLR FLATBED 20-34-T	NOT REDUCIBLE	T35X	480	96	56	14040	56	82040	CB0816 08
11-35T	SEMI LOWBED	NOT REDUCIBLE	T35P	483	96	72	17080	72	17080	CB0825 01
11-365 CFM	COMPRESSOR	NOT REDUCIBLE	T11F	159	93	71	5420	71	5420	CB3155 01
11-621G	AUGER EARTH TRK MTD	NOT REDUCIBLE	P31W	314	95	102	61000	102	61000	CB3710 03
11-750 CFM	AIR COMPRESSOR	NOT REDUCIBLE	T19M	220	89	97	12260	97	12260	CB3165 01
11-A265	TRUCK EMER RESP	NOT REDUCIBLE	P46S	276	108	136	28000	136	28000	CB0720 01
11-BTHS2000	DISTRIB ASPHALT	NOT REDUCIBLE	T28R	308	96	97	22000	97	22000	CE2520 03
11-CJ5	TRUCK UTILITY	NOT REDUCIBLE	P07C	140	68	72	2715	72	2715	CB0305 01
11-DTTA-4-10	TLR TILTDECK	OPERATIONAL	T28F	312	96	37	5600	37	5600	CB0862 01
11-DTTA-4-10	TLR TILTDECK	REDUCED	T26J	267	99	36	8100	36	8100	CB0862 03
11-ELT9T	LAUNDRY UNIT	NOT REDUCIBLE	T19K	200	96	96	9300	96	9300	CB5498 02
11-GMC 15T	TRUCK TRACTOR 15-TON	OPERATIONAL	P39Q	278	98	112	18525	112	18525	CB0645 01
11-GMC 15T	TRUCK TRACTOR 15-TON	REDUCED	P27Q	278	98	102	18525	102	18525	CB0645 02
11-M1022A1	DOLLY SET LIFT	NOT REDUCIBLE	T38G	198	96	116	6150	116	6150	CB0853 01
11-M127A2C	STLR STAKE 12-TON	OPERATIONAL	T39V	352	98	108	13980	108	37980	CB0812 01
11-M127A2C	STLR STAKE 12-TON	REDUCED	T30V	352	98	60	13980	60	37980	CB0812 02
11-M128A2C	SEMI VAN	NOT REDUCIBLE	T46N	353	96	144	14800	144	14800	CB0813 04
11-M49A2C	TRK TANK FS 2-1/2-TON	OPERATIONAL	P28R	264	106	100	14600	100	23000	CB0746 04
11-M49A2C	TRK TANK FS 2-1/2-TON	REDUCED	P25R	264	96	92	14600	92	23000	CB0746 05
11-M49A2C	TRK TANK FS 2-1/2-TON	NOT REDUCIBLE	P28R	264	106	100	23000	100	23000	CB0746 09
11-M813 WVN	TRUCK CGO D/S 5-TON	NOT REDUCIBLE	P39R	319	98	117	21020	117	21020	CB0588 59
11-M816 WVN	TRUCK WRECKER 5-TON	NOT REDUCIBLE	P39U	349	98	113	34250	113	34250	CB0730 59
11-MCH250	CRANE HYD TRK MTD	NOT REDUCIBLE	P47W	468	99	147	65000	147	65000	CB8246 01
11-MMV	TRK FORKLIFT DED	NOT REDUCIBLE	P25U	248	98	94	30500	94	30500	CB1820 21
11-P4824CD	DOLLY TLR CONV	NOT REDUCIBLE	T05C	108	96	54	2600	54	2600	CB0829 03
11-SHOP MACH	SHOP EQUIP STLR MTD	NOT REDUCIBLE	T41U	352	97	126	30330	126	30330	CB5910 04
11-WEISS 501	DRILL ROT/PERC	NOT REDUCIBLE	T45R	267	125	126	23750	126	23750	CB3720 03
11-WTR FAILG	DRILL ROT/PERC	NOT REDUCIBLE	T35V	428	96	98	37360	98	37360	CB3720 01
12	GRADER ROAD MTZ DED	OPERATIONAL	P31S	321	96	103	26350	103	26350	J74852 01
12	GRADER ROAD MTZ DED	REDUCED	P29S	321	96	89	26350	89	26350	J74852 02
12	GRADER ROAD MTZ DED	RED F/SEALIFT	P29S	321	96	89	26350	89	26350	J74852 36
12	GRADER ROAD MTZ DED	SEALIFT/OPR	P31S	321	96	103	26350	103	26350	J74852 37
12 FT	FIRE DEPT RESCUE TRLR	NOT REDUCIBLE	T19D	192	96	101	3260	101	3260	YA0992 01
12-40T	SEMI LOWBED	NOT REDUCIBLE	T35M	468	96	83	13700	83	13700	CB0825 02
12-D7G WVN	TRACTOR CRAWLER	NOT REDUCIBLE	****	234	168	132	49584	132	49584	CB4850 04
12-JD444	LOADER SCOOP WHEEL	OPERATIONAL	P39Q	250	97	122	19900	122	19900	CB4531 21
12-JD444	LOADER SCOOP WHEEL	REDUCED	P25Q	250	97	88	18800	88	18800	CB4531 22

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
12-LK12K	TRK FORKLIFT DED	OPERATIONAL	P28S	288	101	96	27770	96	27770	CB1820 06
12-LK12K	TRK FORKLIFT DED	REDUCED	P28R	205	101	96	23820	96	23820	CB1820 07
12-M923A1	TRUCK CGO D/S 5-TON	OPERATIONAL	P45R	311	121	121	22175	121	22175	CB0588 63
12-M923A1	TRUCK CGO D/S 5-TON	REDUCED	P28R	311	97	94	22175	94	22175	CB0588 64
12-M929	TRUCK DUMP 5-TON	OPERATIONAL	P39U	257	98	120	23640	121	33640	CB0587 07
12-M929	TRUCK DUMP 5-TON	REDUCED	P39U	275	100	109	24340	83	33640	CB0587 08
12-M931	TRUCK TRACTOR 5-TON	OPERATIONAL	P46S	298	98	142	28000	142	28000	CB0607 04
12-M931	TRUCK TRACTOR 5-TON	REDUCED	P25R	264	98	91	20480	91	20480	CB0607 05
12-M936 WVN	TRUCK WRECKER 5-TON	OPERATIONAL	P45V	356	115	118	36629	118	36629	CB0730 04
12-M936 WVN	TRUCK WRECKER 5-TON	REDUCED	P33V	356	98	105	36629	105	36629	CB0730 05
12-NAV-F1954	TRUCK TRACTOR 15-TON	NOT REDUCIBLE	P28P	281	96	100	17775	100	17775	CB0645 03
120MM	MORTAR QUICK STOW	VEHICLE MTD	T10B	140	88	66	1460	66	1460	H39473 02
125 KW	GENERATOR SET	NOT REDUCIBLE	P38L	222	96	116	10631	116	10631	YA0532 01
125 PSI	CLNR STM PRESSURE JET	NOT REDUCIBLE	T03B	117	62	49	1270	49	1270	E32466 01
126ETP	TANK&PUMP UNIT LIQUID	OPERATIONAL	P44S	274	119	110	25333	110	25333	V12141 C5
126ETP	TANK&PUMP UNIT LIQUID	REDUCED	P38S	274	96	110	25333	110	25333	V12141 C6
13-M923A2	TRUCK CGO D/S 5-TON	NOT REDUCIBLE	P39R	332	97	123	22700	123	22700	CB0588 60
130 GNSCE	GRADER ROAD MTZ DED	SEALIFT/OPR	P38U	330	96	126	31870	126	31870	J74920 30
130G W/AOA	GRADER RD MTZ	NOT REDUCIBLE	P41V	326	95	134	37150	134	37150	G74783 17
130GNS	GRADER ROAD MTZ DED	OPERATIONAL	P38U	331	95	126	31060	126	31060	J74920 05
130GNS	GRADER ROAD MTZ DED	REDUCED	P31T	331	95	106	29885	106	29885	J74920 06
130GNSCE	GRADER ROAD MTZ DED	OPERATIONAL	P38U	330	96	126	31870	126	31870	J74920 11
130GNSCE	GRADER ROAD MTZ DED	REDUCED	P29U	330	96	96	30830	96	30830	J74920 18
130GS	GRADER ROAD MTZ DED	OPERATIONAL	P38U	331	95	126	31900	126	31900	J74886 18
130GS	GRADER ROAD MTZ DED	REDUCED	P31U	331	95	106	30589	106	30589	J74886 20
130GSCE	GRADER ROAD MTZ DED	OPERATIONAL	P38U	332	96	126	31390	126	31390	J74886 24
130GSCE	GRADER ROAD MTZ DED	REDUCED	P31U	332	96	96	30260	96	30260	J74886 45
13226E2146	TK UNIT LIQ TLR MTD	NOT REDUCIBLE	T22G	234	98	76	6010	76	6010	V19950 33
13226E2289	PUMP ASSY FLMB LIQ	OPERATIONAL	T03C	122	70	68	2140	68	2140	P97119 01
13226E2289	PUMP ASSY FLMB LIQ	REDUCED	T03C	78	70	68	2140	68	2140	P97119 03
14-FL80	TRUCK STAKE 15-TON	NOT REDUCIBLE	P40W	336	102	108	29770	108	59770	CB0643 17
144LH	TRK LIFT FRK GED 2-T	OPERATIONAL	P09J	134	59	90	8220	90	8220	X51585 01
144LH	TRK LIFT FRK GED 2-T	REDUCED	P01J	94	59	68	8220	68	8220	X51585 02
148002-1	GEN SET DED 10KW	VEHICLE MTD	P25N	265	96	102	14900	102	14900	J35825 05
16-16LB	TRK FORKLIFT DED	NOT REDUCIBLE	P44U	291	127	98	31000	98	31000	CB1820 16
1600 KVA	SUBSTATION	NOT REDUCIBLE	T46V	360	96	145	39440	145	39440	YA0240 01
175B	LOADER SCOOP TYPE WHL	OPERATIONAL	P47W	316	125	152	53030	152	53030	L76315 01
175B	LOADER SCOOP TYPE WHL	REDUCED	P46W	316	125	143	53030	143	53030	L76315 02
175B TYPE II	LOADER SCOOP TYPE WHL	OPERATIONAL	P47W	316	122	152	53640	152	53640	L76321 01
175B TYPE II	LOADER SCOOP TYPE WHL	REDUCED	P46W	316	122	143	53640	143	53640	L76321 02
175B W/AOA	LOADER SCOOP TYPE WHL	NOT REDUCIBLE	P47W	316	122	152	53640	152	53640	L76321 27
178A-85	LUB SVC UNIT TLR MTD	NOT REDUCIBLE	T14F	184	84	77	5500	77	5500	L85283 23
1977 INTL	44 PASSENGER BUS	NOT REDUCIBLE	P40R	464	101	120	20650	120	20650	YA0699 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
2 SMRTCS/MTT	SINGLE MISSILE RD CON	VEHICLE MTD	T40V	576	102	117	45162	117	45162	S05007 04
2 WHEELED	COMMERCIAL TRAILER	NOT REDUCIBLE	T12A	168	90	37	800	37	800	YA0523 01
2-1/2-TON	TRUCK VAN WTR PRFCN	NOT REDUCIBLE	P41R	342	98	126	22520	126	22520	YA0006 01
2-FD	TRUCK DUMP 15-TON DED	NOT REDUCIBLE	P46W	290	127	135	33200	135	63200	X44393 03
2-TON	TRACTOR WHL WHS GED	NOT REDUCIBLE	P03F	98	67	59	5520	59	5520	W89557 17
2-WHL	PRESSURE WASHER TLR	NOT REDUCIBLE	T17A	203	52	85	950	85	950	YA0521 01
2-WHL	PRESSURE WASHER TLR	NOT REDUCIBLE	T11B	156	84	72	1860	72	1860	YA0521 02
2-WHL	PRESSURE WASHER TLR	NOT REDUCIBLE	T18C	194	86	74	2180	74	2180	YA0521 04
20-14CY	SCRAPER TRACTOR	NOT REDUCIBLE	P48W	499	136	143	65080	143	65080	CB4750 09
20-20 LB	TRUCK FORKLIFT PRT	NOT REDUCIBLE	****	252	97	164	33000	164	33000	CB1340 02
20-20KW	GEN SET 16-30KW	NOT REDUCIBLE	T25J	236	96	82	9000	82	9000	CB5122 06
20-LK20P44	TRK FORKLIFT DED	NOT REDUCIBLE	P39V	233	98	107	36660	107	36660	CB1820 22
200 GAL	FUEL TANK W/TRLR	NOT REDUCIBLE	T03B	127	69	64	1852	64	1852	YA0903 01
200 GAL	FUEL TANK W/TRLR	NOT REDUCIBLE	T11C	158	75	83	2535	83	2535	YA0903 02
200D LC	JOHN DEERE 6068H	NOT REDUCIBLE	P45W	379	126	122	50700	122	50700	YA1029 01
200STM77	HEATER OIL TLR MTD	NOT REDUCIBLE	T13J	166	82	102	8600	102	8600	K25215 02
2045	TRK TRAC COMMERCIAL	NOT REDUCIBLE	P19K	218	96	96	9960	96	9960	YA0391 01
20KW TMSS-M	POWER PLANT UTLY (MED)	NOT REDUCIBLE	T18E	194	86	78	4200	78	4200	P63462 01
21-12T	SEMI VAN	NOT REDUCIBLE	T47U	362	96	148	32160	148	32160	CB0813 02
21-1500G	TRK TANK FS 2-1/2-TON	NOT REDUCIBLE	P31Q	285	96	102	10530	102	18930	CB0746 11
21-195HP	TRACTOR CRAWLER	NOT REDUCIBLE	P49V	272	145	132	45600	132	45600	CB4850 02
21-5KW GEN	FLOODLIGHT ELECTRICAL	NOT REDUCIBLE	T11C	151	81	65	2360	65	2360	CB5110 01
21-60000	TRUCK TRACTOR 15-TON	NOT REDUCIBLE	P39R	294	97	121	21100	121	21100	CB0645 05
21-6X4	TRUCK WRECKER 5-TON	OPERATIONAL	P45Q	290	119	118	18085	118	18085	CB0730 12
21-6X4	TRUCK WRECKER 5-TON	REDUCED	P39Q	290	100	118	18085	118	18085	CB0730 13
21-6X4	TRUCK WRECKER 5-TON	OPERATIONAL	P44Q	270	117	109	18820	109	18820	CB0730 16
21-6X4	TRUCK WRECKER 5-TON	REDUCED	P40Q	270	101	109	18820	109	18820	CB0730 17
21-ASV3025	SEMI VAN	NOT REDUCIBLE	T47U	362	96	148	32160	148	32160	CB0813 05
21-DET GSNK	STLR 50-TON LOWBED	NOT REDUCIBLE	T35Y	480	96	74	21000	74	21000	CB0826 05
21-FORD F700	TRUCK LUB FUEL SERV	NOT REDUCIBLE	P46S	298	98	142	28000	142	28000	CB0709 01
21-HOLMES750	TRUCK WRECKER 5-TON	NOT REDUCIBLE	P31S	351	96	101	25180	101	25180	CB0730 07
21-IHC F1800	TRUCK OVERHEAD MAINT	NOT REDUCIBLE	P41S	468	96	132	24590	132	24590	CB0725 01
21-RAYGO400	ROLLER VIBRATORY	NOT REDUCIBLE	P28P	205	105	86	17900	86	17900	CB4635 01
21-S 25LTR	TLR TILTDECK	NOT REDUCIBLE	T35M	406	96	65	12200	65	12200	CB0862 02
22-5KW GEN	FLOODLIGHT ELECTRICAL	NOT REDUCIBLE	T04C	122	79	89	3000	89	3000	CB5110 02
22-D7GW/RIPPER	TRACTOR CRAWLER	NOT REDUCIBLE	P49V	272	145	132	45600	132	45600	CB4850 05
22-JD855	LOADER FULL TRAC	NOT REDUCIBLE	P41U	290	102	131	31475	131	31475	CB4530 01
23-195HP	TRACTOR CRAWLER	NOT REDUCIBLE	P49W	226	144	132	52986	132	52986	CB4850 03
23-JD644B	LOADER SCOOP WHEEL	OPERATIONAL	P41T	274	105	128	29950	128	29950	CB4531 01
23-JD644B	LOADER SCOOP WHEEL	REDUCED	P28S	264	104	97	26910	97	26910	CB4531 02
23-J1CW1102D	ROLLER VIBRATORY	OPERATIONAL	P37S	205	91	119	25950	119	25950	CB4635 07
23-J1CW1102D	ROLLER VIBRATORY	REDUCED	P19S	205	91	90	25950	90	25950	CB4635 08
23-RAYGO420C	ROLLER VIBRATORY	OPERATIONAL	P37R	205	91	119	21900	119	21900	CB4635 02

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
23-RAYGO420C	ROLLER VIBRATORY	REDUCED	P28R	207	104	87	21300	87	21300	CB4635 03
23-TP5A4DC	FLOODLIGHT ELECTRICAL	NOT REDUCIBLE	T11C	160	70	72	2600	72	2600	CB5110 03
230 KW	GENERATOR TRLR MTD	NOT REDUCIBLE	T41Q	287	96	138	19000	138	19000	YA0750 01
230 KW	GENERATOR TLR MTD	NOT REDUCIBLE	T46Q	296	106	142	20000	142	20000	YA0829 01
230LCR	EXCAVATOR HYD TYPE I	NOT REDUCIBLE	P48W	399	133	122	54730	122	54730	E27792 01
230LCR	EXCAVATOR HYD TYPE I	NOT REDUCIBLE	P48W	399	133	122	54070	122	54070	E27792 02
230LCR W/AOA	EXCAVATOR HYD TYPE I	NOT REDUCIBLE	P45W	406	128	123	52410	123	52410	E27792 05
2380	CRANE WHL 20T W/BOOM	OPERATIONAL	P47W	527	128	155	61750	155	61750	F39378 02
2380	CRANE WHL 20T W/BOOM	REDUCED	P47W	342	128	149	58410	149	58410	F39378 03
2385	CRANE WHL 20T W/BOOM	OPERATIONAL	P47W	527	129	149	60860	149	60860	F39378 06
2385	CRANE WHL 20T W/BOOM	REDUCED	P47W	344	127	149	57380	149	57380	F39378 07
24-I6-4H5	FLOODLIGHT ELECTRICAL	NOT REDUCIBLE	T11C	151	81	65	2100	65	2100	CB5110 04
25 OUTLET	LIGHT SET GEN ILLUM	VEHICLE MTD	P08B	146	69	68	1670	68	1670	L63994 03
25-CRANE 14T	CRANE WHEEL 5-35-TON	NOT REDUCIBLE	P33T	358	96	102	29800	102	29800	CB8254 01
25-CRANE 14T	CRANE WHEEL 5-35-TON	NOT REDUCIBLE	P33T	358	96	102	29800	102	29800	CB8254 06
250 CFM	PNEU TL COMP TLR MTD	OPERATIONAL	T19J	214	97	83	8910	83	8910	P11866 01
250 CFM	PNEU TL COMP TLR MTD	REDUCED	T18J	214	97	76	8910	76	8910	P11866 02
2500 EXPRESS	CHEVROLET CARGO VAN	NOT REDUCIBLE	P19F	215	94	82	5680	82	5680	YA0881 01
2500 GAL	DISTR WTR S/P N/SECT	NOT REDUCIBLE	P40W	392	104	117	30255	117	30255	D28736 01
2500 GAL	DISTR WTR S/P N/SECT	NOT REDUCIBLE	P40W	392	104	117	51118	117	51118	D28736 02
2500 GAL	DIST WATER S/P SECT	OPERATIONAL	P40U	423	104	117	32280	117	32280	D28804 01
2500 GAL	DIST WATER S/P SECT	REDUCED	P35U	436	104	94	32150	94	32150	D28804 02
2500 GAL	DIST WATER S/P SECT	NOT REDUCIBLE	P40W	423	104	117	53143	117	53143	D28804 03
2500 GAL	DIST WATER S/P SECT	NOT REDUCIBLE	P40U	419	102	117	33505	117	33505	D28804 20
251-3257	LUB SVC UNIT TLR MTD	NOT REDUCIBLE	T14F	176	96	80	5350	80	5350	L85283 02
251-437	LUB SVC UNIT TLR MTD	NOT REDUCIBLE	T14F	176	96	80	5250	80	5250	L85283 03
277C CAT	MULTI TERRAIN LOADER	REDUCED	P04L	117	78	88	10345	88	10345	YA0988 01
277C CAT	MULTI TERRAIN LOADER	OPERATIONAL	P13L	170	78	88	10795	88	10795	YA0988 03
277C CAT	MULTI TERRAIN LOADER	OPERATIONAL	P17L	199	78	88	10895	88	10895	YA0988 05
277C CAT	MULTI TERRAIN LOADER	OPERATIONAL	P09L	144	87	88	11045	88	11045	YA0988 07
277C CAT	MULTI TERRAIN LOADER	OPERATIONAL	P14L	178	78	88	11145	88	11145	YA0988 09
277C CAT	MULTI TERRAIN LOADER	OPERATIONAL	P09L	148	80	88	11245	88	11245	YA0988 11
277C CAT	MULTI TERRAIN LOADER	OPERATIONAL	P14L	185	99	88	11245	88	11245	YA0988 13
277C CAT	MULTI TERRAIN LOADER	OPERATIONAL	P11L	149	80	88	11445	88	11445	YA0988 15
277C CAT	MULTI TERRAIN LOADER	OPERATIONAL	P21L	224	78	88	11545	88	11545	YA0988 17
277C CAT	MULTI TERRAIN LOADER	OPERATIONAL	P11M	153	80	88	12045	88	12045	YA0988 19
2A	CRUSHER JAW	NOT REDUCIBLE	T43T	391	108	124	28956	124	28956	YA0003 01
2A	CRUSH SCREEN UNIT	NOT REDUCIBLE	T43U	431	108	123	31482	123	31482	YA0004 01
3000	ENGINE TRAILER	NOT REDUCIBLE	T17E	212	60	87	4300	87	4300	AF0031 01
3003 NORDCO	STAIRS ACFT BOARDING	NOT REDUCIBLE	P47K	281	82	150	9650	150	9650	AF2604 12
30KW	GENERATOR TRLR MTD	NOT REDUCIBLE	T05E	74	88	74	4200	74	4200	YA0430 01
31-977L	LOADER FULL TRAC	NOT REDUCIBLE	P41V	238	97	130	49428	130	49428	CB4530 02
31-CA25A	ROLLER VIBRATORY	NOT REDUCIBLE	P38R	207	93	125	23300	125	23300	CB4635 15

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
31-CK30903	TRUCK MAINT UTIL	NOT REDUCIBLE	P22G	221	93	74	6714	74	6714	CB0722 01
31-M1008	TRUCK CARGO 1-1/4-TON	OPERATIONAL	P22J	221	87	76	5900	76	8400	CB0360 04
31-M1008	TRUCK CARGO 1-1/4-TON	REDUCED	P18J	217	82	76	5900	76	8400	CB0360 05
31-M1010	TRK AMB 1-1/4-TON 4X4	OPERATIONAL	P21H	228	80	102	7360	102	7360	CB0361 04
31-M1010	TRK AMB 1-1/4-TON 4X4	REDUCED	P21H	225	77	102	7360	102	7360	CB0361 05
32-CK25943	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P24H	260	77	75	7340	75	7340	CB0360 35
32-CK36053	TRUCK MAINT UTIL	NOT REDUCIBLE	P28J	246	115	74	8419	74	8419	CB0722 03
33-520B LDR	LOADER SCOOP WHEEL	OPERATIONAL	P41T	274	105	128	29135	128	29135	CB4531 06
33-520B LDR	LOADER SCOOP WHEEL	REDUCED	P25R	252	96	98	23600	98	23600	CB4531 07
33-C-350C	ROLLER VIBRATORY	NOT REDUCIBLE	P36P	198	69	107	17000	107	17000	CB4635 16
34T	JRADS LINE-HAUL TRLR	NOT REDUCIBLE	T41V	636	99	133	43000	133	43000	YA1001 01
35 KW	GENERATOR TRL MTD	NOT REDUCIBLE	T13E	165	85	75	4500	75	4500	YA0708 01
35-2000904	GEN SET 16-30KW	NOT REDUCIBLE	T13E	170	85	77	4200	77	4200	CB5122 08
35-FOOT	MILVAN CHASSIS	NOT REDUCIBLE	T35F	422	96	48	6000	48	6000	YA0414 01
350 GPM	PUMP ASSY GED TLR MTD	NOT REDUCIBLE	T02C	127	59	56	2270	56	2270	YA0073 01
350 PAFN	PUMP ASSY FLMB LIQ	OPERATIONAL	T03C	122	70	68	2140	68	2140	P97119 08
350 PAFN	PUMP ASSY FLMB LIQ	REDUCED	T03C	78	70	68	2140	68	2140	P97119 10
350 PAFW	PUMP UNIT CENT WATER	OPERATIONAL	T03C	122	70	68	2140	68	2140	P44549 01
350 PAFW	PUMP UNIT CENT WATER	REDUCED	T03C	78	70	68	2140	68	2140	P44549 02
3500	TRK CHEVY 3500 4X4	NOT REDUCIBLE	P24H	263	86	79	7150	79	7150	YA1032 01
36/60000BTU	AIR CONDITNR TLR MTD	NOT REDUCIBLE	T13E	163	100	102	4170	102	4170	A26715 01
40-20T	SEMI LOWBED	NOT REDUCIBLE	T38M	612	96	44	13900	44	13900	CB0825 03
40-GCS 991111	DOLLY SET LIFT	NOT REDUCIBLE	T11C	152	84	96	2450	96	2450	CB0853 02
40-HTC-8640	CRANE HYD TRK MTD	NOT REDUCIBLE	P41W	480	102	130	61920	130	61920	CB8246 02
40-TK30943	TRUCK PICKUP	NOT REDUCIBLE	P26G	269	96	73	6095	73	6095	CB0355 03
41-2310	DOLLY SET LIFT	NOT REDUCIBLE	T13C	168	96	102	2230	102	2230	CB0853 03
41-5T MIL	TRUCK DUMP 5-TON	NOT REDUCIBLE	P39U	273	97	125	23820	125	23820	CB0587 10
41-M1035	TRK AMB 1-1/4-TON 4X4	NOT REDUCIBLE	P14F	180	85	73	5297	73	5297	CB0361 33
41-M1038	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P14H	185	85	69	7700	69	7700	CB0360 36
41-M1038	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P19G	204	86	88	6040	88	6040	CB0360 77
41-M725	TRK AMB 1-1/4-TON 4X4	NOT REDUCIBLE	P19G	212	86	95	6380	95	6380	CB0361 07
41-M925A2 WVN	TRUCK CGO D/S 5-TON	NOT REDUCIBLE	P31R	332	95	100	22610	100	22610	CB0588 65
41-M931A2	TRUCK TRACTOR 5-TON	NOT REDUCIBLE	P46S	298	98	142	28000	142	28000	CB0607 41
41-M998HMMWV	TRUCK CARGO 1-1/4-TON	OPERATIONAL	P14H	187	96	74	5280	74	7780	CB0360 07
41-M998HMMWV	TRUCK CARGO 1-1/4-TON	REDUCED	P14H	187	84	53	5280	53	7780	CB0360 08
42-M998A1	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P14F	180	86	72	5060	72	5060	CB0360 43
43-M1035A2	TRK AMB 1-1/4-TON 4X4	NOT REDUCIBLE	P14F	180	86	72	5900	72	5900	CB0361 09
4300 SBA 4X2	SENTINEL VAN	NOT REDUCIBLE	P50U	403	102	160	33000	160	33000	YA0841 01
440HA	GRADER ROAD MTZ DED	OPERATIONAL	P41T	308	93	136	28220	136	28220	J74852 12
440HA	GRADER ROAD MTZ DED	REDUCED	P28S	308	93	94	27170	94	27170	J74852 13
45 FAX BUS	PASSENGER BUS	NOT REDUCIBLE	P38P	396	96	120	16954	120	16954	AF0038 01
4A943-60	STLR REEFER 7-1/2-TON	NOT REDUCIBLE	T41J	284	98	132	8330	132	8330	S71613 11
5-TON 4 WHL	RAILWAY CAR TLR	NOT REDUCIBLE	T03A	95	67	20	690	20	690	RO4619 01

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---		<---LOADED---		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
5/300GHOTT/M	HYDROBLASTER TLR MTD	NOT REDUCIBLE	T18C	190	90	75	2650	75	2650	YA0694 01
50-LK50C	TRK FORKLIFT DED	NOT REDUCIBLE	***	420	135	189	100500	189	100500	CB1820 23
500 EFI	POLARIS RANGER	NOT REDUCIBLE	P01B	108	57	73	1055	73	1055	YA1041 01
50LF175-0-1	STORAGE/TRANS TRLR	NOT REDUCIBLE	T41P	360	102	140	18000	140	18000	YA0753 01
50LF175-D-2	IMET TRAILER	NOT REDUCIBLE	T47V	480	102	151	50000	151	50000	YA0752 01
51-M1046	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P14J	185	85	73	8400	73	8400	CB0360 37
51-M1102	TLR CARGO 1-1/2-TON	NOT REDUCIBLE	T10E	135	88	53	1460	53	4460	CB0804 13
51-M412	TRK FORKLIFT DED	NOT REDUCIBLE	P49Y	585	144	119	118500	119	118500	CB1820 24
52-JD844	LOADER SCOOP WHEEL	NOT REDUCIBLE	P46X	315	129	141	79210	141	79210	CB4531 13
52-M1043A1	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P14G	180	85	73	6511	73	6511	CB0360 10
54E JOHN DEER	10K ADV TERRAIN FKLFT	NOT REDUCIBLE	T39S	303	100	125	24220	125	24220	AF1393 02
55-M1151	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P18L	194	86	79	11500	79	11500	CB0360 38
55-XL110HDG	STLR 50-TON LOWBED	NOT REDUCIBLE	T38Y	610	96	42	23480	42	123480	CB0826 09
56-M1116	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P18L	197	86	74	10375	74	10375	CB0360 39
57-M1152	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P18G	190	85	73	6400	73	6400	CB0360 40
57-US37ACD1	PUMP CENTRIFUG	NOT REDUCIBLE	P03C	70	78	70	2320	70	2320	CB5220 06
58-840	TOW DOLLY ASSEMBLY	NOT REDUCIBLE	T12F	172	96	50	5100	50	5100	YA0277 01
59-M1043	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P14G	180	85	72	6411	72	6411	CB0360 41
59B2-1B	GEN SET WHLMTD 7.5KW	OPERATIONAL	T01A	79	40	45	780	45	780	J49055 10
59B2-1B	GEN SET WHLMTD 7.5KW	REDUCED	T01A	49	40	48	780	48	780	J49055 11
5KW 60HZ	GEN SET DED TLR MTD	NOT REDUCIBLE	T09C	145	80	79	2800	79	2800	G41670 05
5KW 60HZ	GEN SET DED TLR MTD	NOT REDUCIBLE	T09C	145	84	76	2320	76	2320	G42238 15
60 KW	GENERATOR COMMERCIAL	NOT REDUCIBLE	T38J	165	94	110	8620	110	8620	YA0102 01
60-LB CAP	LAUNDRY UNIT TLR MTD	NOT REDUCIBLE	T19K	198	96	93	9050	93	9250	L48315 02
600 GPM	PUMP CENTRE WHL MTD	NOT REDUCIBLE	T11F	156	90	93	5530	93	5530	P00309 01
600-FT MIN	DRILLING MACH TRK MTD	NOT REDUCIBLE	P35V	420	96	96	39930	96	39930	D95754 02
6000 LB	TRK LFT FRK FR/SD LDR	NOT REDUCIBLE	P09P	144	50	90	17280	90	17280	T51036 01
6000 LB	TRAILER PLATFORM WHS	OPERATIONAL	T02A	133	48	27	765	27	765	W98270 05
6000 LB	TRAILER PLATFORM WHS	REDUCED	T01A	119	48	27	765	27	765	W98270 06
6000K	TRUCK LIFT FRK DED RT	OPERATIONAL	P31S	302	102	101	27100	101	27100	T48944 01
6000K	TRUCK LIFT FRK DED RT	REDUCED	P31R	262	102	101	23500	101	23500	T48944 02
6024-RS-52	TRK LIFT FRK GED 3-T	OPERATIONAL	P36L	153	68	115	10375	115	10375	X51791 17
6024-RS-52	TRK LIFT FRK GED 3-T	REDUCED	P36L	113	68	115	10375	115	10375	X51791 18
609-B	PUMP ASSY WTR TLR MTD	NOT REDUCIBLE	T13G	168	94	86	6250	86	6250	P97369 07
609-C	PUMP ASSY WTR TLR MTD	NOT REDUCIBLE	T13G	168	94	86	6250	86	6250	P97369 08
609A	PUMP ASSY WTR TLR MTD	NOT REDUCIBLE	T11F	156	90	90	5530	90	5530	P97369 01
60CH ALUMINUM	TRAILER WOOD FLAT	NOT REDUCIBLE	T28D	233	102	32	3400	32	3400	YA1036 01
60KW	GENERATOR TRLR MTD	NOT REDUCIBLE	T09E	137	86	92	4197	92	4197	YA0431 01
61-5-TON	TRUCK WRECKER 5-TON	NOT REDUCIBLE	P39W	362	98	118	54000	118	54000	CB0730 08
61-5T MIL	TRUCK CGO D/S 5-TON	NOT REDUCIBLE	P33V	385	98	94	29000	94	39000	CB0588 10
61-HOBART	WELDER ARC ELECTRICAL	NOT REDUCIBLE	T11C	157	74	74	2800	74	2800	CB5170 01
61-M1097A1	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P18E	191	86	76	4400	76	4400	CB0360 12
61-MK28	TRUCK CGO D/S 5-TON	NOT REDUCIBLE	P46U	387	98	142	30955	142	30955	CB0588 61

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY--->		<---LOADED--->		LIN-INDEX
						HEIGHT (IN)	WEIGHT (LB)	HEIGHT (IN)	WEIGHT (LB)	
61-MK30	TRUCK DUMP 5-TON	OPERATIONAL	P41T	317	98	140	30000	140	30000	CB0587 11
61-MK30	TRUCK DUMP 5-TON	REDUCED	P28T	317	98	98	30000	98	30000	CB0587 63
61-MK31	TRUCK TRACTOR 5-TON	OPERATIONAL	P41S	298	98	140	26500	140	26500	CB0607 07
61-MK31	TRUCK TRACTOR 5-TON	REDUCED	P28S	298	98	98	26500	98	26500	CB0607 42
61-MK36	TRUCK WRECKER 5-TON	NOT REDUCIBLE	P47V	388	98	148	49192	148	49192	CB0730 60
613BSNS	SCRAPER ELEVATING S/P	OPERATIONAL	P41U	393	105	122	33000	122	33000	S29971 03
613BSNS	SCRAPER ELEVATING S/P	REDUCED	P33U	393	105	105	31700	105	31700	S29971 04
613BSS	SCRAPER ELEV SECT S/P	OPERATIONAL	P41U	428	105	122	34645	122	34645	S30039 02
613BSS	SCRAPER ELEV SECT S/P	REDUCED	P35U	428	105	105	31450	105	31450	S30039 03
613CS	SCRAPER ELEV SECT S/P	NOT REDUCIBLE	P40U	399	101	117	32847	117	32847	S30039 04
62-M1097A2	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P14F	180	86	72	5900	72	5900	CB0360 13
62-MK25	TRUCK CGO D/S 5-TON	NOT REDUCIBLE	P46T	315	98	142	28642	142	28642	CB0588 62
623-4300	25K HALVORSEN LOADER	NOT REDUCIBLE	****	355	170	94	31350	94	31350	AF0040 01
63-10000	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P14G	180	86	74	6140	74	6140	CB0360 14
645M	LOADER SCOOP TYPE WHL	OPERATIONAL	P41S	283	102	130	25490	130	25490	L76556 01
645M	LOADER SCOOP TYPE WHL	REDUCED	P28R	283	102	93	23990	93	23990	L76556 02
645M ROPS	LOADER SCOOP TYPE WHL	OPERATIONAL	P41S	283	102	130	25490	130	25490	L76556 24
645M ROPS	LOADER SCOOP TYPE WHL	REDUCED	P28R	283	102	93	23990	93	23990	L76556 25
67-LK70C	TRUCK FORKLIFT PRT	NOT REDUCIBLE	P50W	315	158	148	67200	148	67200	CB1340 03
6M 040-EE	TRK LIFT FRK ELEC 3-T	OPERATIONAL	P09L	142	43	84	10450	84	10450	X50832 09
6M 040-EE	TRK LIFT FRK ELEC 3-T	REDUCED	P04L	102	43	84	10450	84	10450	X50832 11
6X6SP	PUMP ASSY WTR TLR MTD	NOT REDUCIBLE	T13G	168	94	86	6250	86	6250	P97369 09
7-1/2 TON	STLR REEFER 7-1/2-TON	NOT REDUCIBLE	T41J	289	99	128	8750	128	8750	S71613 12
7-1/2-TON	CRANE WHEEL MTD	NOT REDUCIBLE	P28R	309	96	93	22720	93	22720	C36151 01
7-1/2-TON	CRANE WHL MTD	NOT REDUCIBLE	P28S	309	96	93	24230	93	24230	C36219 01
71-M1038A1 WVN	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P14F	186	89	79	5327	79	5327	CB0360 44
71-MILLER	WELDER ARC ELECTRICAL	NOT REDUCIBLE	T11D	157	74	74	3200	74	3200	CB5170 02
7400 SBA	SENTINEL VAN	NOT REDUCIBLE	P50U	480	109	160	35000	160	35000	YA0841 02
750 KW	FERMONT LWT GENERATOR	OPERATIONAL	T25S	250	96	101	25000	101	25000	YA0115 01
750 KW	FERMONT LWT GENERATOR	REDUCED	T23S	231	96	101	25000	101	25000	YA0115 02
750 KW	FERMONT LWT GENERATOR	SEALIFT/OPR	T23S	231	96	101	25000	101	25000	YA0115 04
750DP	COMPRESSOR ROTARY	OPERATIONAL	T23L	231	90	98	10500	98	10500	C72872 01
750DP	COMPRESSOR ROTARY	REDUCED	T13L	163	90	83	10500	83	10500	C72872 02
760955A	PUMP ASSY WTR TLR MTD	NOT REDUCIBLE	T13G	168	94	86	6250	86	6250	P97369 06
8 MAN	RAILWAY MTR CAR MAINT	NOT REDUCIBLE	P03C	112	75	58	2500	58	2500	R07907 01
8-FT	HARROW DISK 2 GANG	VEHICLE MTD	T28C	215	107	47	2850	47	2850	K19232 02
80T 56 1/2	RAIL CAR FLAT 56-1/2-	NOT REDUCIBLE	P44Y	560	123	51	160000	51	160000	R00235 01
80T 66 MAX	RAIL CAR FLAT 56-1/2-	NOT REDUCIBLE	P44Y	560	123	51	160000	51	160000	R00235 02
80T RTS	JRADS RECOV TRLR SYS	OPERATIONAL	T40V	744	102	72	41000	72	41000	YA1002 01
80T RTS	JRADS RECOV TRLR SYS	REDUCED	T40V	696	102	72	41000	72	41000	YA1002 02
81-M1113	TRUCK CARGO 1-1/4-TON	NOT REDUCIBLE	P19L	205	86	106	10976	106	10976	CB0360 42
815F	COMPACTOR HI SPEED	OPERATIONAL	T49V	276	144	135	46200	135	46200	E61618 17
815F	COMPACTOR HI SPEED	REDUCED	T48V	276	131	110	46200	110	46200	E61618 18

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

UNCLASSIFIED

CROSS-REFERENCE ARMY MODEL AND NAVY CESE DESIGNATION TO TOE LIN AND CARGO GROUP CODE

MODEL	DESCRIPTION	SHIPPING CONFIGURATION	CARGO GROUP CODE	LENGTH (IN)	WIDTH (IN)	<---EMPTY---> HEIGHT (IN)	WEIGHT (LB)	<---LOADED---> HEIGHT (IN)	WEIGHT (LB)	LIN-INDEX
815F	COMPACTOR HI SPEED	RED F/SEALIFT	T48V	276	131	110	46200	110	46200	E61618 21
815F	COMPACTOR HI SPEED	SEALIFT/OPR	T48V	276	131	135	46200	135	46200	E61618 22
855BG3	CRANE SHOVEL CRWL MTD	BASIC UNIT	****	809	135	165	101305	165	101305	F40474 30
8700337LP	CLOTH RPR SHP TLR MTD	NOT REDUCIBLE	T13E	165	83	89	4905	89	4905	E40961 05
900 CLASS	TUG SMALL	NOT REDUCIBLE	****	716	264	96	242000	96	242000	T68398 01
901765-1	LUB SVC UNIT TLR MTD	NOT REDUCIBLE	T13F	175	98	80	5300	80	5300	L85283 01
950BNS	LOADER SCOOP TYPE WHL	OPERATIONAL	P46U	300	106	137	32580	137	32580	L76556 32
950BNS	LOADER SCOOP TYPE WHL	REDUCED	P31T	253	103	102	29100	102	29100	L76556 33
950BNSCE	LOADER SCOOP TYPE WHL	OPERATIONAL	P46U	300	106	137	32580	137	32580	L76556 37
950BNSCE	LOADER SCOOP TYPE WHL	REDUCED	P31T	253	103	102	29100	102	29100	L76556 40
950BNSCE W/AOA	LOADER SCOOP TYPE WHL	NOT REDUCIBLE	P46U	300	106	137	32580	137	32580	L76556 88
950BS	LOADER SCOOP TYPE WHL	NOT REDUCIBLE	P41U	305	105	138	33620	138	33620	L76693 07
950BSCE	LOADER SCOOP TYPE WHL	NOT REDUCIBLE	P41U	305	105	138	33620	138	33620	L76693 08

**** NON-AIR-TRANSPORTABLE

UNCLASSIFIED

APPENDIX D

**LIST OF TRANSPORTABILITY GUIDANCE
TECHNICAL MANUALS (TM)
AND
TECHNICAL BULLETINS (TB)**

APPENDIX D
LIST OF TRANSPORTABILITY GUIDANCE TECHNICAL MANUALS (TM)
AND TECHNICAL BULLETINS (TB)

D-1. Guidance for shipping

To access or to order manuals providing guidance for shipping equipment by various modes of transportation: <https://www.tea.army.mil/pubs/default.asp>.

D-2. Manual availability

The key to identifying availability of a manual, for a specific item of equipment, is the Federal Supply Classification (FSC), which are the first four digits of the National Stock Number (NSN). The FSC follows the series designation “55-.”

Table D-1. DA Technical Manuals (TMs)

Number	Date	Title, changes
55-607	27 Dec 88	Loading and Stowage of Military Ammunition and Explosives Aboard Breakbulk Merchant Ships (NAVSEA OP 3221 REV 2)

Table D-2. DA Technical Bulletins (TBs)

Number	Date	Title, changes
55-46-2/NAVFAC P-1057 (CD-ROM)	1 Feb 14	Standard Characteristics (Dimensions, Weight, and Cube) for Transportability of Military Vehicles and Other Equipment
55-55	1 Mar 84	Transportability Clearance DIAGRAMS, (Profile Drawings) for U.S. Army Outsized Equipment: Unboxed, Prepared for Shipment

GLOSSARY ACRONYMS AND ABBREVIATIONS

AALPS/ALM	Automated Air Load Planning System/Air Load Module
AMC	U.S. Army Materiel Command
AMDF	Army Master Data File
BII	Basic Issue Items
CESE	Civil Engineer Support Equipment (Navy)
COMPASS	Computerized Movement Planning and Status System
CRAF	Civil Reserve Air Fleet
CTA	Common Table of Allowance
CTN	Container
DOD	Department of Defense
EC	Equipment Code (Navy)
FSC	Federal Supply Classification
FORSCOM	U.S. Forces Command
HQ AFMC	Headquarters Air Force Materiel Command
HQ AMC	Headquarters Air Mobility Command
HQ ASC	Headquarters Aeronautical Systems Command
JCS	Joint Chiefs of Staff
JOPEX	Joint Operations Planning and Executing System
LIN	Line Item Number
LVAD	Low Velocity Airdrop
MHE	Materials Handling Equipment
MTOE	Modified Table of Organization and Equipment
NAVFAC	Naval Facilities Engineering Command
NCF	Naval Construction Force
NIIN	National Item Identification Number
NR PCS	Number of Pieces
NSN	National Stock Number
OEM	On Equipment Materiel
SDDCTEA	Surface Deployment and Distribution Command Transportation Engineering Agency
TAEDP	Total Army Equipment Distribution Program
TAT	To Accompany Troops
TC ACCIS	Transportation Coordinator Automated Command and Control Information System
TC AIMS II	Transportation Coordinators' Automated Information for Movements System II

TB 55-46-1/NAVFAC P-1055

TDA	Table of Distribution and Allowances
TOA	Table of Allowances (Navy)
TOE	Table of Organization and Equipment (Army)
TUCHA	Type Unit Characteristics
UMD	Unit Movement Data

Instructions for Submitting an Electronic 2028

The following format must be used if submitting an electronic 2028. The subject line must be exactly the same and all fields must be included; however, only the following fields are mandatory: 1, 3, 4, 5, 6, 7, 8, 9, 10, 13, 15, 16, 17, and 27.

From: "Whoever" whoever@redstone.army.mil

To: usarmy.scott.sddc.mbx.tea-jecd@mail.mil

Subject: DA Form 2028

1. **From:** Joe Smith
2. **Unit:** 5th Eng
3. **Address:** 4300 Park
4. **City:** Hometown
5. **St:** MO
6. **Zip:** 77777
7. **Date Sent:** 19-OCT-2012
8. **Pub Number:** 55-46-1
9. **Pub Title:** TB
10. **Publication Date:** Feb 2013
11. **Change Number:** N/A
12. **Submitter Rank:** MSG
13. **Submitter First Name:** Joe
14. **Submitter Middle Name/Initial:** T
15. **Submitter Last Name:** Smith
16. **Submitter Phone:** Commercial: 123-123-1234 DSN: 222-3333
17. **Problem:** 1
18. **Page:** 2
19. **Paragraph:** 3
20. **Line:** 4
21. **NSN:** 1111-22-333-4444
22. **Reference:** 6
23. **Figure:** 7
24. **Table:** 8
25. **Item:** 9
26. **Total:** 123
27. **Text**

This is the text for the problem below line 27.

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is OAASA						Use Part II (reverse) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).	DATE (CURRENT DATE)
TO: (Forward to proponent of publication or form) (Include ZIP Code) Director, Surface Deployment and Distribution Command Transportation Engineering Agency ATTN: SDTE-SID, Building 1900 W 1 Soldier Way Scott AFB, IL 62225						FROM: (Activity and location) (Include ZIP Code) (YOUR NAME AND ADDRESS)	
PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICATION/FORM NUMBER TB 55-46-1/NAVFAC P-1055						DATE	TITLE Standard Characteristics for Transportability of Military Vehicles and Other Outsize/Overweight Equipment
ITEM	PAGE NO.	PARA-GRAPH	LINE NO.*	FIGURE NO.	TABLE NO.	RECOMMENDED CHANGES AND REASON (Provide exact wording of recommended changes, if possible).	
1.	1-4	1-5.a.	6			The code has changed for this command the new code is abcdefg.	
TYPED NAME, GRADE OR TITLE (Type your name and title here)				TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION (YOUR PHONE NO. HERE)		SIGNATURE	

TO: <i>(Forward direct to addressee listed in publication)</i> Director, Surface Deployment and Distribution Command Transportation Engineering Agency ATTN: SDTE-SID, Building 1900 W, 1 Soldier Way Scott AFB, IL 62225	FROM: <i>(Activity and location) (Include ZIP Code)</i> (YOUR NAME AND ADDRESS)	DATE (CURRENT DATE)
---	---	-----------------------------------

PART II - REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS


PUBLICATION NUMBER TB 55-46-1/NAVFAC P-1055			DATE (PUBLICATION DATE)		TITLE Standard Characteristics for Transportability of...			
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION

PART III - REMARKS *(Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)*

TYPED NAME, GRADE OR TITLE (Type your name and title here)	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION (YOUR PHONE NO HERE)	SIGNATURE
---	---	-----------

By Order of the Secretary of the Army:

Official:

Handwritten signature of Gerald B. O'Keefe in black ink.

GERALD B. O'KEEFE
*Administrative Assistant to the
Secretary of the Army*

1433002

RAYMOND T. ODIERNO
*General, United States Army
Chief of Staff*

Distribution:

Initially published in electronic media only. If at a later date this publication is printed, it will be distributed in accordance with the initial distribution number (IDN) 340335, requirements for TB 55-46-1.

