


FOTO & VIDEO

July 2021





Brand Overview



Explanation of footnotes

item no. item number size specifications:
W x D x H
(width x depth x height)

PT packaging type
BC blister size
CB packed in cardboard box
BA banderol
HT hangtag
HC hangcard
ET Label
SU Sleeve

Contents

BAGS & BACKPACKS							
ACTIONCAM-/GOPRO ACCESSORIES						_	0
SMARTPHONE/TABLET PHOTO ACCESSORIES						_	Ō
TRIPODS & ACCESSORIES					49	_	7
CAMERA REMOTE RELEAS	ES				63	_	©
FILTER & ACCESSORIES					67	_	
ACCESSORIES FOR LENSES					71	_	
CAMERA ACCESSORIES					77	_	
ENERGY					87	_	4
ACCESSORIES FOR FLASHES					101	_	微
CLEAN & CARE					105	_	
STORAGE MEDIA & ACCESSORIES					113	_	
SLIDE	121	CINEFILM & VIDEO	123	PROJECTION	125		
TORAGE SYSTEMS	127	CUTTING MASCHINES	131	FOTO-STUDIO	133		
OPTICAL PRODUCTS	147	INDEX	150			1	



BAGS & BACKPACKS





Campact Bag
"Hardcase Ambato 60M"

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W x D x H	6,5 x 4.5 x 11 cm

- Robust EVA outer shell
- Opening with double zip fastener
- Flat interior compartment for storage media
- Removable neck strap with snap hook fastener
- Belt loop for more carrying comfort

Yellow				00121312
Grey				00121311
Black				00121310
	1	10	НС	



hama.

Campact Bag
"Hardcase Ambato 80R"

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W	12 x 6 x 7 cm

- Sturdy EVA outer shell for secure camera protection
- Inner compartment for storage media, etc.
- Two variable inner dividers
- With detachable shoulder strap
- Quick-grab handle

Yellow			00121318
Grey			00121317
Black			00121316
	10	НС	



hama.

"Hardcase Carbon Style" Camera Bag, 60 L, black

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W x D x H	7 x 4 x 11 cm

- Made of sturdy EVA material
- Flat inner compartment for storage media
- With removable neck strap with snap hook
- Belt loop for carrying convenience

Black			00023142
	10	НС	



hama.

"Hardcase Colour Style" Camera Bag, 60 L, black

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W x D x H	7 x 4 x 11 cm

- Made of sturdy EVA material
- Flat inner compartment for storage media
- With removable neck strap with snap hook
- Belt loop for carrying convenience

Black			00103691	
		10	НС	



hama.

Campact Bag
"Hardcase Ambato 80M"

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W	7.5 x 4.5 x 12.5 cm

- Robust EVA outer shell
- Opening with double zip fastener
- Flat interior compartment for storage media
- Removable neck strap with snap hook fastener
- Belt loop for more carrying comfort

Yellow			00121315
Grey			00121314
Black			00121313
	10	НС	



hama.

"Hardcase Carbon Style" Camera Bag, 60 H, black

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W	6,5 x 3 x 10.5 cm

- Made of sturdy EVA material
- Flat inner compartment for storage media
- With removable neck strap with snap hook
- Belt loop for carrying convenience



hama.

"Hardcase Colour Style" Camera Bag, 60 H, black

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W	6,5 x 3 x 10.5 cm

- Made of sturdy EVA material
- Flat inner compartment for storage media
- With removable neck strap with snap hook
- Belt loop for carrying convenience




hama.

Campact Bag "Hardcase Colour Style 80L"

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W x D x H	7 x 4 x 12.5 cm

- Made of sturdy EVA material
- Flat inner compartment for storage media
- With removable neck strap with snap hook
- Belt loop for carrying convenience

Black			00103860
	10	НС	







"Hardcase Colour Style" Camera Bag, 80M, black

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W x D x H	7.5 x 4.5 x 12.5 cm

- Made of tough EVA material
- Flat inner compartment for storage media
- Padded lining for protecting the camera from shocks
- Removable neck strap with a snap hook
- Belt loop for easy, comfortable carrying

Black			00126656
	10	НС	



hama.

"Fancy Neoprene Quad" Camera Bag, 70E, black

Material	Neoprene
Inside Dimensions W	7.5 x 2 x 11.5 cm

- Double zipper opening
- Inner compartment made of fleece which protects the camera body from scratches
- Flexible neoprene material with stretch effect

Black			00126659
	10	НС	



hama.

Campact Bag "Fancy Sporty 80M"

Material	Ripstop
Inside Dimensions W x D x H	7.5 x 4.5 x 12.5 cm

- Main compartment with double zipper opening
- Extra zipped compartment on the lid for memory cards and batteries
- Neck strap with a snap hook
- Belt loop for convenient carrying
- The inside lining is made of soft fleece and protects the camera from scratches

Black			00139820
	1	0 H	HC .



Campact Bag "Fancy Urban 80M"

Material	Ripstop
Inside Dimensions W x D x H	7.5 x 4.5 x 12.5 cm

- Main compartment with double zipper opening
- Extra zipped compartment on the lid for memory cards and batteries
- Neck strap with a snap hook
- Belt loop for convenient carrying
- The inside lining is made of soft fleece and protects the camera from scratches

Grey			00139825
Black			00139824
	10	НС	



hama.

"Hardcase Zip" Camera Bag, 80 M, black/blue

Material	Ethylene Vinyl Acetate (EVA)
Inside Dimensions W	7.5 x 4.5 x 12.5 cm

- Removable neck strap with a snap hook
- Belt loop for carrying convenience

x D x H	7.5 X 4.5 X 12.5 CIII
 Robust EVA outer 	shell
 Dual zipper openi 	ng
• Flat inner compar	tment for storage

Black, Blue			00139835
	10	НС	



hama.

Campact Bag "Fancy Sporty 60H"

Material	Ripstop
Inside Dimensions W	6,5 x 3 x 11 cm

- Main compartment with double zipper opening
- Extra zipped compartment on the lid for memory cards and batteries
- Neck strap with a snap hook
- Belt loop for convenient carrying
- The inside lining is made of soft fleece and protects the camera from scratches

Black			00139818
	10	НС	



hama.

Campact Bag "Fancy Urban 60H"

Material	Ripstop
Inside Dimensions W	6,5 x 3 x 11 cm

- Main compartment with double zipper opening
- Extra zipped compartment on the lid for memory cards and batteries
- Neck strap with a snap hook
- Belt loop for convenient carrying
- The inside lining is made of soft fleece and protects the camera from scratches

Grey			00139823
Black			00139822
	10	НС	



hama.

"Monterey" Camera Bag, 90L. black

Material	Polytex
Inside Dimensions W x D x H	7.5 x 4 x 13 cm

- High-quality camera bag in classic
- Cover construction with hook and loop fastener
- Soft fleece inside lining to protect the camera from scratches
- Zipped compartment on the outside for storage media and batteries
- Belt loop for more carrying comfort

Black			00139886
	40	НС	



"Samara" Camera Bag, 40H, black

Material	Polytex, Polytex (600D)
Inside Dimensions W x D x H	6 x 3 x 9.5 cm

- Zip opening
- Belt loop for more carrying comfort
- Cut-out for camera strap on the back of the bag
- Soft fleece inside lining to protect the camera from scratches
- Small internal fleece pocket, e.g. for memory cards or batteries

Black			00185079
	10	НС	



hama.

"Samara" Camera Bag, 60L, black

Material	Polytex (600D)
Inside Dimensions W	6 x 4 x 11 cm

- Zip opening
- Belt loop for more carrying comfort
- Cut-out for camera strap on the back of the bag
- Soft fleece inside lining to protect the camera from scratches
- Small internal fleece pocket, e.g. for memory cards or batteries

Black			00185081
	10	НС	



hama.

"Terra" Camera Bag, 90 M, grey

Material	Recycled Polyester R-PET
Inside Dimensions W x D x H	7.5 x 4.5 x 13 cm

- The "Terra" range is synonymous with sustainable, high-quality products that are good for both you and the environment
- Both the inner and outer material are made from 100% recycled
- Resource-sparing production from recycled PET materials that can be processed into yarn

Grey	00121302		
	10	НС	



hama.

"Valletta" Camera Bag, 60L, black

Material	Polytex
Inside Dimensions W x D x H	6 x 4 x 11 cm

- Belt loop for carrying comfort
- · Cover flap with hook and loop fastener

Black			00185069	
		10	НС	



"Samara" Camera Bag, 60G, black

Material	Polytex (600D)
Inside Dimensions W	6 x 2.5 x 10.5 cm

Zip opening

8

- Belt loop for more carrying comfort
- Cut-out for camera strap on the back of the bag
- Soft fleece inside lining to protect the camera from scratches
- Small internal fleece pocket, e.g. for memory cards or batteries

Black		00185080	
	10	НС	



hama.

"Terra" Camera Bag, 60 H, grey

Material	Recycled Polyester R-PET
Inside Dimensions W	6,5 x 3 x 11 cm

- The "Terra" range is synonymous with sustainable, high-quality products that are good for both you and the environment
- Both the inner and outer material are made from 100% recycled
- Resource-sparing production from recycled PET materials that can be processed into yarn

Grey	Grey		00121301	
		10	НС	



hama.

"Valletta" Camera Bag, 60G, black

Material	Polytex
Inside Dimensions W	6 x 2.5 x 10.5 cm

10 HC

00185068

- Belt loop for carrying comfort
- Cover flap with hook and loop fastener



hama.

"Valletta" Camera Bag, 90P. black

Material	Polytex
Inside Dimensions W x D x H	7.5 x 5.2 x 13 cm

- Cover flap with hook and loop
- Additional front compartment with zip fastener
- Detachable shoulder strap
- Belt loop for carrying comfort

Black			00185070
	10	НС	







"Monterey" Camera Bag, 80 Colt, black

Material	Polytex
Inside Dimensions W x D x H	12.5 x 8 x 10 cm
Weight	295 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- Document compartment on the back
- Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap
- Soft handle
- Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

"Monterey" Camera Bag, 100 Colt, black

Material	Polytex
Inside Dimensions W x D x H	13.5 x 9.5 x 12 cm
Weight	325 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- Document compartment on the back
- Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap
- Soft handle
- Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

"Monterey" Camera Bag, 110 Colt, black

Material	Polytex
Inside Dimensions W x D x H	14 x 9.5 x 16 cm
Weight	340 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- Document compartment on the back
- Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap
- Soft handle
- Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

"Monterey" Camera Bag, 130 Colt, black

Material	Polytex
Inside Dimensions W x D x H	16 x 10 x 21 cm
Weight	425 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- Document compartment on the back
- Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap
- Soft handle
- Rain protection hood integrated into the lower part of the back section
- Wipeable base

Black			00139893	Black
	16	НТ		

Black			00139894
	18	НТ	

Black			00139895
	16	НТ	

Black			00139896
	4	НТ	





"Pittsburgh" Camera Bag, 110 Colt, black

Material	Polyester
Inside Dimensions W x D x H	16 x 10 x 17 cm
Weight	375 g

- Main compartment with dual-zip
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- · Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 1 removable inlay pad for customised size adjustment
- 2 belt loops
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Wipeable base
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener





hama.

"Pittsburgh" Camera Bag, 130 Colt, black

Material	Polyester
Inside Dimensions W x D x H	16 x 10 x 21 cm
Weight	390 g

- Main compartment with dual-zip
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 1 removable inlay pad for customised size adjustment
- 2 belt loops
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Wipeable base
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener





hama.

"Samara" Camera Bag, 90 Colt, black

Material	Polytex (600D)
Inside Dimensions W x D x H	13 x 8 x 11 cm
Weight	170 g

- Double-zip opening for quick access
- Patch zipped front pocket for accessories
- Length-adjustable shoulder strap
- Handle
- Soft fleece inside lining
- One removable inner divider





hama.

"Samara" Camera Bag, 110 Colt, black

Material	Polytex (600D)
Inside Dimensions W x D x H	17 x 10 x 17 cm
Weight	215 g

- Double-zip opening for quick access
- Patch zipped front pocket for accessories
- Length-adjustable shoulder strap
- Handle
- Soft fleece inside lining
- One removable inner divider

Black			00185012	
		12	НТ	

Black			00185013	
		8	НТ	

Black		00185084
	12	нт

Black			00185085
	12	HT	





"Terra" Camera Bag, 100 Colt, grey

Material	Recycled Polyester R-PET
Inside Dimensions W x D x H	13.5 x 9.5 x 12 cm
Weight	285 g

- The "Terra" range is synonymous with sustainable, high-quality products that are good for both you and the environment
- Both the inner and outer material are made from 100% recycled polyester
- Resource-sparing production from recycled PET materials that can be processed into yarn
- Compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Belt loop for easy carrying
- Quick-grab handle





hama.

"Terra" Camera Bag, 110 Colt, grey

Material	Recycled Polyester R-PET
Inside Dimensions W x D x H	16 x 10 x 16 cm
Weight	315 g

- The "Terra" range is synonymous with sustainable, high-quality products that are good for both you and the environment
- Both the inner and outer material are made from 100% recycled polyester
- Resource-sparing production from recycled PET materials that can be processed into yarn
- Compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Belt loop for easy carrying
- Quick-grab handle





hama.

"Valletta" Camera Bag, 90 Colt, black

Material	Polytex
Inside Dimensions W x D x H	13 x 8 x 11 cm
Weight	210 g

- Belt loop for carrying comfort
- Main compartment with zip that opens away from the body
- Additional front compartment with zip fastener
- Two side mesh pockets
- Detachable shoulder strap





hama.

"Valletta" Camera Bag, 110 Colt, black

Material	Polytex
Inside Dimensions W x D x H	15 x 9 x 15.5 cm
Weight	220 g

- Belt loop for carrying comfort
- Main compartment with zip that opens away from the body
- Additional front compartment with zip fastener
- Two side mesh pockets
- Padded handle
- Detachable shoulder strap

Grey			00121303
	18	НТ	

Grey			00121304
	12	НТ	

Black			00185076
	18	НТ	

Black			00185077
	16	НТ	





"Valletta" Camera Bag, 130 Colt, black

Material	Polytex
Inside Dimensions W x D x H	16 x 10 x 21 cm
Weight	300 g

- Two belt loops for comfortable carrying
- Main compartment with zip that opens away from the body
- Additional front compartment with zip fastener
- Two side mesh pockets
- Padded handle
- Detachable shoulder strap





hama.

"Albany HC" Camera Bag, 110 Colt, black

Material	Polyester
Inside Dimensions W x D x H	15 x 10 x 14 cm
Weight	270 g

- Main opening with two-way zip fastener
- Zipped front pocket for accessories such as cables, memory cards and batteries
- Mesh side pockets
- Belt loop for more carrying comfort
- Padded handle
- Adjustable, removable shoulder strap
- Stable bag base made from sturdy and resilient EVA material





hama.

Organizer Bag "Fancy", L

Material	Polytex
Outside Dimensions W x D x H	23.5 x 17 x 8 cm
Inside Dimensions W x D x H	22.5 x 7 x 16 cm

- The organiser offers plenty of storage space for electronic devices and photo accessories such as cables, USB sticks, filters or SD cards
- All tidied away and ready at hand, ideal for holidays and when out and about
- 2 main compartments with double
- 1 zipped pocket inside for power pack or filters
- 2 mesh pockets inside for mobile phones and photo accessories
- 1 mesh pocket with zip fastener in the second main compartment
- 10 rubber loops for cables, etc.
- 6 mesh pockets for USB sticks or SD cards
- Double-zipper opening





hama.

Organizer Bag "Fancy", M

Material	Polytex
Outside Dimensions W x D x H	23.5 x 17 x 4.5 cm
Inside Dimensions W x D x H	22.5 x 3.5 x 16 cm

- The organiser offers plenty of storage space for photo accessories such as cables, USB sticks, filters or SD cards
- All tidied away and ready at hand, ideal for holidays and when out and
- 1 zipped pocket for power pack or filters
- 10 rubberised loops
- 6 mesh pockets for USB sticks or SD cards
- Double-zipper opening

Black			00185078
	8	НТ	

Black			00185062
	12	НТ	

Blac	k			00139875
		10	НС	

Black			00139874
	20	НС	

Photo Bag





hama.

Organizer Bag "Fancy", S

Material	Polytex
Outside Dimensions W x D x H	17 x 11 x 4.5 cm
Inside Dimensions W x D x H	16 x 3.5 x 10 cm

- The organiser offers plenty of storage space for the smartphone and photo accessories such as cables, USB sticks, filters or SD cards
- All tidied away and ready at hand, ideal for holidays and when out and about
- 1 zipped pocket for power pack or filters
- 5 rubber loops for cables, etc.
- 5 mesh pockets for USB sticks or SD cards
- Double-zipper opening







hama.

Camera/Accessories Bag "Fancy", Black

Material	Polytex
Bag with zipped openingUniversal bag for protection against	
dirt and scratches	





hama.

Camera/Accessories Bag "Neoprene", Black

Material	Neoprene
Flexible neoprene	material to pro-
tect against shock	cs and bumps

• Drawstring with ball snap closure for quick removal of the camera



COMPACT & COLT BAGS



hama.

"Fancy" Camera Inner Pocket, 120, black

Material	Polytex
Inside Dimensions W x D x H	19.5 x 9 x 14 cm
Weight	140 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- 2 mesh compartments on the side
- 2 further compartments on the front
- Snap hook for accessories, e.g. keys
- Quick-grab handle
- 2 adjustable and removable inner dividers
- All-round padding

				S			00139871
					20	НС	
ack			00139873	М			00139872
	10	НС			25	НС	

M			00139836
	10	НТ	
L			00139837
	10	НТ	

Black	00139869		
	16	НТ	





"Fancy" Camera Inner Pocket, 140

Material	Polytex		
Inside Dimensions W x D x H	23 x 11 x 18 cm		
Weight	160 g		

- \bullet Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- 2 mesh compartments on the side
- 2 further compartments on the front
- Snap hook for accessories, e.g. keys
- Quick-grab handle
- 2 adjustable and removable inner dividers
- All-round padding















"Terra" Camera Bag, 110, grey

Material	Recycled Polyester R-PET		
Inside Dimensions W x D x H	15.5 x 10 x 13 cm		
Weight	340 g		

- The "Terra" range is synonymous with sustainable, high-quality products that are good for both you and the environment
- Both the inner and outer material are made from 100% recycled polyester
- Resource-sparing production from recycled PET materials that can be processed into yarn
- Compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Belt loop for easy carrying
- Quick-grab handle
- 1 adjustable inner divider





hama.

"Terra" Camera Bag, 130, grey

Material	Recycled Polyester R-PET
Inside Dimensions W x D x H	20 x 10.5 x 16.5 cm
Weight	375 g

- The "Terra" range is synonymous with sustainable, high-quality products that are good for both you and the environment
- Both the inner and outer material are made from 100% recycled polyester
- Resource-sparing production from recycled PET materials that can be processed into yarn
- Compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Trolley strap
- Quick-grab handle
- 1 adjustable inner divider





hama.

"Terra" Camera Bag, 135,

Material	Recycled Polyester R-PET
Inside Dimensions W x D x H	23 x 9.5 x 14 cm
Weight	400 g

- The "Terra" range is synonymous with sustainable, high-quality products that are good for both you and the environment
- Both the inner and outer material are made from 100% recycled polyester
- Resource-sparing production from recycled PET materials that can be processed into varn
- Compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Trolley strap
- Quick-grab handle
- 1 adjustable inner divider





hama.

"Terra" Camera Bag, 90, grey

Material	Recycled Polyester R-PET
Inside Dimensions W x D x H	8 x 7.5 x 13 cm
Weight	225 g

- The "Terra" range is synonymous with sustainable, high-quality products that are good for both you and the environment
- Both the inner and outer material are made from 100% recycled polyester
- Resource-sparing production from recycled PET materials that can be processed into yarn
- Compartment under the cover for storage media
- Double-zipper opening for easy handling
- Front compartment
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Belt loop for easy carrying

Grey			00121306
	18	НТ	

Grey			00121307
	8	НТ	

Grey			00121308
	8	НТ	

Grey	00121305		
	32	НТ	

Photo Bag



EQUIPMENT BAG





hama.

"Samara" Camera Bag, 90, black

Material	Polytex (600D)
Inside Dimensions W x D x H	13 x 7 x 7.5 cm
Weight	135 g

- Double-zip opening for quick access
- Patch zipped front pocket for accessories
- Length-adjustable shoulder strap
- Handle





hama.

"Samara" Camera Bag, 100, black

Material	Polytex (600D)
Inside Dimensions W x D x H	14.5 x 7.5 x 10.5 cm
Weight	175 g

- Double-zip opening for quick access
- Patch zipped front pocket for accessories
- Length-adjustable shoulder strap
- Soft fleece inside lining
- One removable inner divider





hama.

"Samara" Camera Bag, 110, black

Material	Polytex (600D)
Inside Dimensions W x D x H	16 x 10 x 13 cm
Weight	215 g

- Double-zip opening for quick access
- Patch zipped front pocket for accessories
- Length-adjustable shoulder strap
- Handle
- Soft fleece inside lining
- One removable inner divider





hama.

"Samara" Camera Bag, 140, black

Material	Polytex (600D)
Inside Dimensions W x D x H	23 x 11 x 16 cm
Weight	300 g

- Double-zip opening for quick access
- Patch zipped front pocket for accessories
- Length-adjustable shoulder strap
- Handle
- Soft fleece inside lining
- One removable inner divider

Black			00185082	
	10	НТ		

Black			00185083
	12	НТ	

Black			00185086
	8	НТ	

Black			00185087
	6	НТ	





"Albany HC" Camera Bag, 110, black

Material	Polyester
Inside Dimensions W x D x H	15 x 10 x 13 cm
Weight	325 g

- Main opening with two-way zip fastener
- Zipped front pocket for accessories such as cables, memory cards and batteries
- Mesh side pockets
- Belt loop for more carrying comfort
- Padded handle
- Adjustable, removable shoulder strap
- An adjustable internal divider for clear organisation
- Stable bag base made from sturdy and resilient EVA material





hama.

"Albany HC" Camera Bag, 130, black

Material	Polyester
Inside Dimensions W x D x H	20 x 11 x 17 cm
Weight	380 g

- Main opening with two-way zip fastener
- Zipped front pocket for accessories such as cables, memory cards and batteries
- Mesh side pockets
- Belt loops for more carrying comfort
- Padded handle
- Adjustable, removable shoulder strap
- Two adjustable inner dividers for clear organisation
- Stable bag base made from sturdy and resilient EVA material





hama.

"Albany HC" Camera Bag, 135, black

Material	Polyester
Inside Dimensions W x D x H	22 x 12.5 x 14 cm
Weight	440 g

- Main opening with two-way zip fastener
- Zipped front pocket for accessories such as cables, memory cards and batteries
- Mesh side pockets
- Belt loops for more carrying comfort
- Padded handle
- Adjustable, removable shoulder strap
- Two adjustable inner dividers for clear organisation
- Stable bag base made from sturdy and resilient EVA material





hama.

"Valletta" Camera Bag, 90, black

Material	Polytex
Inside Dimensions W x D x H	9 x 8 x 13 cm
Weight	160 g

- Cover flap with hook and loop fastener
- Additional front compartment with zip fastener
- Detachable shoulder strap
- Belt loop for carrying comfort

Black			00185063
	12	НТ	

Black	Black		
	8	НТ	

Black			00185065	
		8	НТ	

Black				00185071
	1	8	НТ	





"Valletta" Camera Bag, 100, black

Material	Polytex
Inside Dimensions W x D x H	14.5 x 7.5 x 10.5 cm
Weight	260 g

- Main compartment with zip opening
- Two mesh pockets on the sides
- Additional front compartment with zip fastener
- Two belt loops for comfortable carrying
- Padded handle
- Adjustable inner divider
- Detachable shoulder strap





hama.

"Valletta" Camera Bag, 110, black

Material	Polytex
Inside Dimensions W x D x H	15.5 x 10 x 13 cm
Weight	310 g

- Main compartment with zip opening
- Two mesh pockets on the sides
- Additional front compartment with zip fastener
- Two belt loops for comfortable carrying
- Padded handle
- Adjustable inner divider
- Detachable shoulder strap





hama.

"Valletta" Camera Bag, 130, black

Material	Polytex		
Inside Dimensions W x D x H	20 x 11 x 17 cm		
Weight	390 g		

- Main compartment with zip opening
- Two mesh pockets on the sides
- Additional front compartment with zip fastener
- Two belt loops for comfortable carrying
- Padded handle
- Adjustable inner divider
- Detachable shoulder strap





hama.

"Valletta" Camera Bag, 140, black

Material	Polytex		
Inside Dimensions W x D x H	22 x 11.5 x 20.5 cm		
Weight	400 g		

- Main compartment with zip opening
- Two mesh pockets on the sides
- Additional front compartment with zip fastener
- Two belt loops for comfortable carrying
- Padded handle
- Adjustable inner divider
- Detachable shoulder strap

Black			00185072	
		18	НТ	

Black			00185073
	16	НТ	

Black			00185074
	8	НТ	

Black				00185075
	4	1	НТ	





"Monterey" Camera Bag, 90, black

Material	Polytex
Inside Dimensions W x D x H	7.5 x 7 x 13 cm
Weight	220 g

- High-quality camera bag in classic design
- Cover construction with hook and loop fastener
- Soft fleece inside lining to protect the camera from scratches
- Zipped compartment on the outside for storage media and batteries
- Two side mesh pockets
- \bullet Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap
- Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

"Monterey" Camera Bag, 100, black

Material	Polytex
Inside Dimensions W x D x H	14 x 8 x 11.5 cm
Weight	340 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap
- Handle
- 1 variable internal divider for clear organisation
- Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

"Monterey" Camera Bag, 110, black

Material	Polytex
Inside Dimensions W x D x H	15.5 x 10 x 13 cm
Weight	380 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap
- Handle
- 1 variable internal divider for clear organisation
- Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

"Monterey" Camera Bag, 120, black

Material	Polytex
Inside Dimensions W x D x H	17.5 x 7.5 x 14 cm
Weight	385 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Belt loop for more carrying comfort
- Length-adjustable, removable shoulder strap
- Handle
- 1 variable internal divider for clear organisation
- Rain protection hood integrated into the lower part of the back section
- Wipeable base

Black			00139887
	13	HC.	

Black			00139888
	16	НТ	

Black			00139889
	12	НТ	

Black			00139890
	8	НТ	





"Monterey" Camera Bag, 130, black

Material	Polytex
Inside Dimensions W x D x H	20 x 10.5 x 16.5 cm
Weight	435 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Trolley strap
- Length-adjustable, removable shoulder strap
- Handle
- 1 variable internal divider for clear organisation
- Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

"Monterey" Camera Bag, 140, black

Material	Polytex
Inside Dimensions W x D x H	23 x 9.5 x 14 cm
Weight	450 g

- High-quality camera bag in classic design
- Cover construction with zip that opens away from the body
- Soft fleece inside lining to protect the camera from scratches
- · Compartment for memory cards, etc. under the cover
- Zipped compartment on the outside for storage media and batteries
- Flat zipped compartment at the back for documents
- Two side mesh pockets
- Trolley strap
- Length-adjustable, removable shoulder strap
- Handle
- 1 variable internal divider for clear organisation
- Rain protection hood integrated into the lower part of the back section
- Wipeable base





hama.

"Zambia" Camera Bag, 80, grey/black

Material	Polyester
Inside Dimensions W x D x H	12.5 x 7.5 x 12.5 cm
Weight	175 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Detachable shoulder strap
- Belt loop for easy carrying
- Quick-grab handle





hama.

"Zambia" Camera Bag, 90, grey/black

Material	Polyester
Inside Dimensions W x D x H	7 x 6,5 x 13 cm
Weight	150 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Detachable shoulder strap
- · Belt loop for easy carrying
- Quick-grab handle

Black				00139891
		8	НТ	

Black			00139892
	8	НТ	

Black, Grey				00139882	
		24	НТ		

Black, Grey	00139880			
		24	НТ	





"Zambia" Camera Bag, 100, grey/black

Material	Polytex
Inside Dimensions W x D x H	14.5 x 8 x 11.5 cm
Weight	190 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Detachable shoulder strap
- Belt loop for easy carrying
- Quick-grab handle
- 1 adjustable internal divider for clear organisation





hama.

"Zambia" Camera Bag, 110, grey/black

Material	Polyester
Inside Dimensions W x D x H	16 x 9 x 14 cm
Weight	220 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Detachable shoulder strap
- Belt loop for easy carrying
- Quick-grab handle
- 1 adjustable internal divider for clear organisation





hama.

Equipment Bag "Trinidad 90"

Material	Polyester
Inside Dimensions W x D x H	7.5 x 7 x 13 cm
Weight	225 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Belt loop for easy carrying
- Quick-grab handle





hama.

Equipment Bag "Trinidad 100"

Material	Polyester
Inside Dimensions W x D x H	14 x 8 x 11.5 cm
Weight	300 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Belt loop for easy carrying
- Quick-grab handle
- 2 adjustable internal dividers for clear organisation

Black, Grey	00139884			
		18	НТ	

Black, Grey	00139885		
	18	НТ	

Red			00185015
Blue			00185016
Grey			00185017
Black			00185014
	22	ШΤ	

Red			00185027
Blue			00185028
Grey			00185029
Black			00185026
	18	НТ	





Equipment Bag "Trinidad 110"

Material	Polyester
Inside Dimensions W x D x H	15.5 x 10 x 13 cm
Weight	330 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Belt loop for easy carrying
- Quick-grab handle
- 2 adjustable internal dividers for clear organisation





hama.

Equipment Bag "Trinidad 130"

Material	Polyester
Inside Dimensions W x D x H	20 x 10.5 x 16.5 cm
Weight	390 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Trolley strap
- Quick-grab handle
- 2 adjustable internal dividers for clear organisation





hama.

Equipment Bag "Trinidad 135"

Material	Polyester
Inside Dimensions W x D x H	23 x 9.5 x 14 cm
Weight	390 g

- Zipped compartment under the cover for storage media and accessories
- Double-zipper opening for easy
 handling
- Front compartment with zip fastener
- Two side compartments
- Wipeable base
- Detachable shoulder strap
- Trolley strap
- Quick-grab handle
- 2 adjustable internal dividers for clear organisation





hama.

"Pittsburgh" Camera Bag, 100, black

Material	Polyester
Inside Dimensions W x D x H	14 x 8 x 11.5 cm
Weight	320 g

- Main compartment with dual-zip opening
- Flat front pocket with two mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Pocket on the inside of the back of the bag
 A external mash compartments on
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 1 variable inner divider
- 2 belt loops
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener

Red			00185031
Blue			00185032
Grey			00185033
Black			00185030
	10	UT	

Red			00185035
Blue			00185036
Grey			00185037
Black			00185034
	Q	нт	

Red			00185039
Blue			00185040
Grey			00185041
	8	HT	

Black			00185008
	16	НТ	





"Pittsburgh" Camera Bag, 130, black

Material	Polyester
Inside Dimensions W x D x H	20 x 11 x 17 cm
Weight	470 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped external compartment on the back of the bag
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 2 variable inner dividers
- Trolley strap on the back
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener





hama.

"Pittsburgh" Camera Bag, 135, black

Material	Polyester
Inside Dimensions W x D x H	23 x 10.5 x 14 cm
Weight	470 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped compartment on the back of the bag
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on
- the sides
 Flexible, adjustable tripod holders
- under the mesh pockets on the sides
 2 variable inner dividers
- Trolley strap on the back
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener





hama.

"Pittsburgh" Camera Bag, 140, black

Material	Polyester
Inside Dimensions W x D x H	23 x 12.5 x 18.5 cm
Weight	520 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped compartment on the back of the bag
- Pocket on the inside of the back of the bag
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 2 variable inner dividers
- Trolley strap on the back
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener





hama.

"Pittsburgh" Camera Bag, 150, black

Material	Polyester
Inside Dimensions W x D x H	24 x 15 x 20 cm
Weight	625 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped compartment on the back of the bag
- Pocket on the inside of the back of the bag for a tablet
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 4 variable inner dividers
- Trolley strap on the back
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener

Black			00185009
	8	НТ	

Black			00185010
	8	НТ	

Black			00185011
	8	НТ	

Black			00185058
	4	HT	





"Pittsburgh" Camera Bag, 170, black

Material	Polyester
Inside Dimensions W x D x H	29 x 16 x 20 cm
Weight	725 g

- Main compartment with dual-zip opening
- Flat front pocket with 2 mesh compartments for e.g. batteries
- Additional zip fastener under the cover for e.g. memory cards
- Zipped compartment on the back of the bag
- · Pocket on the inside of the back of the bag for a tablet
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 6 variable inner dividers
- Trolley strap on the back
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener





hama.

"Pittsburgh" Camera Bag, 200. black

Material	Polyester
Inside Dimensions W x D x H	34.5 x 18 x 23 cm
Weight	875 g

- Main compartment with dual-zip
- Flat front pocket with 2 mesh compartments for e.g. batteries
- · Additional zip fastener under the cover for e.g. memory cards
- · Zipped compartment on the back of the bag · Pocket on the inside of the back of
- the bag for a tablet
- 2 external mesh compartments on the sides
- Flexible, adjustable tripod holders under the mesh pockets on the sides
- 7 variable inner dividers
- Trolley strap on the back
- Wipeable base
- Removable and length-adjustable shoulder strap with ergonomically shaped shoulder pad
- Padded handle
- Rain protection hood in the lower part of the back section integrated with hook and eye fastener





hama.

"Multitrans" Camera Bag, 140, black

Material	Polyester
Inside Dimensions W x D x H	22 x 14 x 15 cm
Weight	800 g

- The bag can be opened like a classic doctor's bag for quick and easy access to the camera equipment
- Water-repellent zip on the main compartment
- Removable, well padded inner compartment
- 3 individually adjustable hook and loop inner dividers and a small cushion for additionally padding the bag
- Additional compartment on the back, can be converted into a trolley strap by simply opening the zip
- Practical front pocket with compartments for full and empty batteries as well as space for additional accessories
- Attachment loops under the front pocket for transporting a tripod
- Padded shoulder strap, diagonally attached to the bag with sturdy metal hooks and rings for easy access to the bag
- Soft neoprene compartment for tablet PCs on the back of the bag
- Zipped inner compartments provide easy access to memory cards and small accessories
- Two side pockets inside, one of them with a zip for storing valuables
- Two handles that can be attached to the soft neoprene surface by means of a hook and loop flap
- Sturdy base made of water-repellent material

00126665

• Rain cover included





hama.

"Multitrans" Camera Bag, 170, black

Material	Polyester
Inside Dimensions W x D x H	30 x 18 x 15 cm
Weight	1100 g

- The bag can be opened like a classic doctor's bag for quick and easy access to the camera equipment
- Water-repellent zip on the main compartment
- Removable, well padded inner compartment
- 5 individually adjustable hook and loop inner dividers and a small cushion for additionally padding the bag
- Additional compartment on the back, can be converted into a trolley strap by simply opening the zip
- Practical front pocket with compartments for full and empty batteries as well as space for additional accessories
- Attachment loops under the front pocket for transporting a tripod
- Padded shoulder strap, diagonally attached to the bag with sturdy metal hooks and rings for easy access to the bag
- Soft neoprene compartment for tablet PCs on the back of the bag
- Zipped inner compartments provide easy access to memory cards and small accessories
- Two side pockets inside, one of them with a zip for storing valuables
- Two handles that can be attached to the soft neoprene surface by means of a hook and loop flap
- Sturdy base made of water-repellent material
- Rain cover included

Black			00126666
	4	НТ	



00185060 2 HT

hama_®

24





"Multitrans" Camera Bag, 200, black

Material	Polyester
Inside Dimensions W x D x H	36 x 20 x 18 cm
Weight	1300 g

- The bag can be opened like a classic doctor's bag for quick and easy access to the camera equipment
- Water-repellent zip on the main compartment
- Removable, well padded inner compartment
- 7 individually adjustable hook and loop inner dividers and a small cushion for additionally padding the bag
- Additional compartment on the back, can be converted into a trolley strap by simply opening the zip
- Practical front pocket with compartments for full and empty batteries as well as space for additional accessories
- Attachment loops under the front pocket for transporting a tripod
- Padded shoulder strap, diagonally attached to the bag with sturdy metal hooks and rings for easy access to the bag
- Soft neoprene compartment for tablet PCs on the back of the bag
- Zipped inner compartments provide easy access to memory cards and small accessories
- Two side pockets inside, one of them with a zip for storing valuables
- Two handles that can be attached to the soft neoprene surface by means of a hook and loop flap
- Sturdy base made of water-repellent material
- Rain cover included

Black			00126667	
		2	НТ	





hama.

"Protour" Camera Bag, 150, black

Material	Polytex
Inside Dimensions W x D x H	25.5 x 11 x 20 cm
Weight	1200 g

- Main compartment with a zip and an additional flap
- Super soft handle for easy, comfortable carrying
- Padded and sturdy U-shaped shoulder strap with non-slip coating for a perfect grip
- Sturdy metal rings for fixing the shoulder strap: specially designed for heavy equipment and other accessories (e.g. lens pouches)
- Quick access opening on the lid with water-repellent zips
- Fastening straps with a hook and loop fastener on the back of the bag for attachment to a trolley or the like
- Integrated rain cover in the outside pocket on the back
- Stretch side pockets for more storage space
- Adjustable tripod mount, storable under the outside pocket
- Zipped document compartment inside
- Removable sleeve for a tablet, netbook or notebook, ideal for editing images on the spot
- Removable inner dividers adjustable with a hook a loop fastener for organized storage
- Padded, removable inside pocket that protects the camera from knocks and bumps
- Separate storage compartments inside for memory cards, a cleaning cloth, etc.

Black			00121890
	4	нт	





hama.

"Protour" Camera Bag, 160, black

Material	Polytex
Inside Dimensions W x D x H	24 x 14 x 26 cm
Weight	1300 g

- Main compartment with a zip and an additional flap
- Super soft handle for easy, comfortable carrying
- Padded and sturdy U-shaped shoulder strap with non-slip coating for a perfect grip
- Sturdy metal rings for fixing the shoulder strap: specially designed for heavy equipment and other accessories (e.g. lens pouches)
- Quick access opening on the lid with water-repellent zips
- Fastening straps with a hook and loop fastener on the back of the bag for attachment to a trolley or the like
- Integrated rain cover in the outside pocket on the back
- Stretch side pockets for more storage space
- Adjustable tripod mount, storable under the outside pocket
- Zipped document compartment inside
- Removable sleeve for a tablet, netbook or notebook, ideal for editing images on the spot
- Removable inner dividers adjustable with a hook a loop fastener for organized storage
- Padded, removable inside pocket that protects the camera from knocks and bumps
- Separate storage compartments inside for memory cards, a cleaning cloth, etc.

Black			00121891
	2	НТ	

Suitcases | Backpacks

















"Miami" Camera Backpack, 190, black/red





"Miami" Camera Trolley, 200, black/red

Material	Nylon
Outside Dimensions W x D x H	30 x 23 x 50 cm
Weight	2900 g

- Padded, removable camera compartment with a lid made of mesh material
- One front compartment with a padded notebook divider
- One additional front compartment each with an organizer and for small
- Tablet compartment made from neoprene material under the lid
- 8 removable inner dividers in the camera compartment, 1 neoprene divider with hook and loop fastener for fixing a camera
- Adjustable length shoulder straps with ergonomic padding integrated in the back of the trolley
- Handle with soft padding
- Two side pockets made of mesh material
- · Adjustable tripod holder at the side of the trolley
- Feet
- Trolley frame and wheels
- Suitable as hand luggage
- All-weather cover protects the backpack from rain and dust

1	7	:1	n	1	a	œ

Material	Polyester
Volume	12 l
Weight	950 g

- Padded camera compartment
- 8 removable inner dividers in the camera compartment, 1 neoprene divider with hook and loop fastener for fixing a camera
- Adjustable length shoulder straps with ergonomic padding
- Adjustable waist strap
- Handle with soft padding
- Neoprene compartment for tablet PCs up to 10.1" and zippered mesh compartment under the lid
- · Additional front compartment with a zippered mesh compartment and an organizer made from neoprene material
- Two side pockets made from mesh material
- Adjustable tripod holder at the side of the backpack
- Suitable for hand luggage
- All-weather cover protects the backpack from rain and dust

26 cm (10.2") cm		00139855
	2	НТ	

200			00139854
	1	НТ	
















"Miami" Camera Ba

ackpack, 150, black/red	hama.	"Profitour" Camera Ba



- Padded camera compartment
- 8 removable inner dividers in the camera compartment, 1 neoprene divider with hook and loop fastener for fixing a camera
- Adjustable length shoulder straps with ergonomic padding
- Adjustable waist strap
- Handle with soft padding
- Neoprene compartment for tablet PCs up to 10.1" under the lid
- Additional front compartment with a zippered mesh compartment and an organizer made from neoprene material
- Two side pockets made from mesh material
- Adjustable tripod holder at the side of the backpack
- Suitable for hand luggage
- All-weather cover protects the backpack from rain and dust



ack Pack, 240, black

Material	Nylon
Volume	21 l
Weight	1950 g

- Variable internal sectioning thanks to hook and eye connectors allows a mix of photo equipment and personal items
- Lens support ensures a secure grip for the camera
- It is loaded from the back and in the lower section, protecting the contents from theft
- The back pack is divided into two separate photo sections
- Two large side pockets with zip fasteners
- One elastic side pocket
- Padded tablet pocket on the inside of the back
- 1 mesh inner pocket for further accessories
- The internal compartments for full / spent batteries and filters
- Internal compartments for full / empty memory cards directly on the quick access
- 1 zipped compartment under the
- 1 zipped compartment on the cover
- Padded, length-adjustable shoulder strap and abdominal belt

July 2021 INT

Zipped compartments on the right

and left of the abdominal belt

- Soft, padded back section
- Soft handle
- Height-adjustable breast strap with signal piping
- Loop with fastener at the top and stowable small bag at the bottom for secure tripod transport
- Holders on the right and left, with two loops at the bottom for attaching hiking sticks, etc.
- Integrated rain hood
- Suitable as hand luggage

26 cm (10.2") cm			00139842
	2	НТ	

26 cm (10.2") cm 00139856 4 HT







"Profitour" Camera Backpack, 180, black



Material	Nylon
Volume	15 l
Weight	1350 g

- Inner dividers adjustable by means of hook and loop fasteners, allow accommodation of photographic equipment and personal items
- Lens support provides a secure hold for the camera
- \bullet The backpack can be filled from the back, the contents are thus protected from theft
- Two large elastic side pockets
- Padded inner compartment for a tablet PC (on the back)
- 2 mesh compartments (inside) for additional accessories
- Three inner compartments for full/ empty batteries and filters
- Inner compartments for full/empty memory cards directly at the quick access opening
- 1 zipped compartment under the lid
- 1 zipped compartment on the lid
- Padded, adjustable shoulder straps and lap belts
- Back with soft padding
- Soft handle

28

- · Adjustable chest strap with signal
- Loop with a fastener at the top and stowable small bag below for safe

- transportation of a tripod
- Holders on the left and right, two loops for attaching walking sticks and more at the bottom
- · Integrated rain cover
- Suitable for hand luggage









"Samara" Camera Backpack, 170, black

hama.

Material	Polytex (600D)
Volume	81
Weight	390 g

- Padded camera compartment with double-zipper opening
- 7 removable inner dividers in the camera compartment
- Length-adjustable shoulder strap
- Under the cover is a zipped compartment for further accessories
- Two side pockets made from mesh material
- Tripod holder on the side of the backpack











"Terra" Camera Backpack, 140, grey



Material	Recycled Polyester R-PET
Outside Dimensions W x D x H	27 x 23 x 42 cm
Volume	13 l
Weight	750 g

- The "Terra" range is synonymous with sustainable, high-quality products that are good for both you and the environment
- Both the inner and outer material are made from 100% recycled polyester
- Resource-sparing production from recycled PET materials that can be processed into yarn
- Quick access to the padded camera compartment via the outside of the backpack
- Compartment that can be filled from the top for personal items, etc.
- On the inside of the back is a compartment for tablet PCs up to 12.9"
- 1 removable inner divider in the camera compartment
- 1 removable inner divider in the main compartment
- Length-adjustable shoulder straps with ergonomically shaped padding
- Ergonomically padded back section made from mesh material
- Adjustable chest strap
- Special handle on the back at the ton

- · Additional handle on the side
- On the inside, under the cover, there are two compartments for accessories such as batteries and SD cards
- A zip pocket on the front with internal compartments for cards and pens
- A width-adjustable side pocket for tripods or water bottles
- Adjustable loop for attaching a tripod, etc.
- Suitable as hand luggage
- Trolley strap on the back
- All-weather cover protects the backpack from rain and dust
- Wipeable base

32,77 cm (12,9") cm

2 HT











"Trekkingtour" Camera Backpack, 160, black



Material	Nylon
Volume	16
Weight	850 g

- Padded, removable camera compartment integrated in the base
- Opening of the camera compartment with a water-repellent zip
- Compartment that can be filled from the top e.g. for personal items and more
- Zipped compartment for tablet PCs up to 10.1" or notebooks up to 15" on the back
- 4 removable inner dividers in the camera compartment
- Ajdustable shoudler straps with ergonomically shaped pads
- Adjustable, padded waist strap with zipped pockets
- Adjustable chest strap with signal
- whistle
 Extra handle
- Two side pockets (e.g. for a water bottle)
- Adjustable loops e.g. for attaching a tripod and more

July 2021 INT

- Suitable for hand luggage
- All-weather cover protects the backpack from rain and dust

38.4 cm (15.0	") cr	n		00139839
		2	НТ	




00121309





ACTIONCAM-/GOPRO ACCESSORIES



Straps and hand straps | Rechargeable Batteries & Powerpacks





hama.

Chest Mount for GoPro

Material	Nylon
• Can be put on qu	ickly, allows easy
attachment of the	e camera and

- ensures a secure hold in action
 Simply engage the camera on the
- quick-release fastener
 Allows you to take stunning videos and photos while wearing your camera on your chest, both hands
- Sturdy quick-release fastener
- Elastic stretch material
- With a transport bag for protecting the equipment



hama.

"2in1" Floaty Grip, black

Material	Plastic Material

- The floaty grip prevents the GoPro action camera or underwater camera from going down in water
- Suitable for GoPro action cameras and underwater cameras with 1/4" screwed connection
- Single hand grip and buoyancy aid in one
- Slip-resistant grip

Black			00004458
	6	BK	



Floaty Grip for GoPro, yellow

Material	i lastic iviateriai
The floaty grip pro action camera fro	

- Single hand grip and buoyancy aid in one
- Bright yellow signal colour for quickly finding it again
- Adjustable hand strap for securing the camera

Yellow			00004407
	6	ВК	



hama.

"CP 892" Lithium Ion Battery for GoPro Hero 3

Model	Device Specific
Capacity	1000 mAh
Voltage	3.7 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00046892
	12	BK	



hama.

"CP 305" Lithium Ion Battery for GoPro Hero 4

Device Specific
1100 mAh
3.8 V
Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00046305
12	BK	



hama

"CP 892" Li-Ion Battery for GoPro Hero 3

Model	Li-lon
Capacity	1000 mAh
Voltage	3.7 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077534
6	BK	

00004358

Charger & Power Supply Units | Monopods & Tripods



hama.

Battery Charger

Shade of colour

battery

power packs

GoPro 3 GoPro 4

GoPro 5, GoPro 6

A plug - micro USB)

polarity protected

"Travel for GoPro"

· LED function indicator gives information about the charge state • Fast, easy and safe charging of the

• The battery fits perfectly into the USB charging connection for USB power supplies, USB car chargers,

USB connection cable included (USB

With IC controlled charging control

for gentle and efficient charging

Short-circuit proof and reverse





hama.

"Traveller Pro" Tripod for Smartphones, GoPros, Photo Cameras, 105 - Ball

Thread/Connection	1/4" (6.4 mm), GoPro, Smartphone holder
Leg Segments	8 Sections (7x Extendible)
Material	Aluminium
Tripod Head	Ball Head
Min. Height - Max. Height	23 -105 cm
Maximum Profile Thickness	19 mm
Weight	455 g

- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod leg covered with high-quality, durable rubber with a honeycomb pattern for outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a smartphone width from 4.8 - 9.5 cm (in horizontal format) thanks to the double extendable clamp spring holder
- Foam padding on the holder protects the smartphone case from
- Patterned rubber feet for firm grip on smooth, slippery and uneven surfaces
- · Space-saving design: the smartphone holder can be folded

Red			00004620	
		6	BK	



hama.

"Traveller Pro" Tripod for Smartphones, GoPros, Photo Cameras, 106 - 2D

Thread/Connection	1/4" (6.4 mm), GoPro, Smartphone holder
Leg Segments	8 Sections (7x Extendible)
Material	Aluminium
Tripod Head	2D: 2-Way Head
Min. Height - Max. Height	25.5 -106 cm
Maximum Profile Thickness	19 mm
Weight	610 g

- the 2D tilt head allows perfect alignment for landscape shots
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and in unusual locations
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move
- No more wobbly, skewed selfies
- Tripod leg covered with high-quality, durable rubber with a honevcomb pattern for outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a smartphone width from 4.8-9.5cm (in horizontal format) thanks to the double extendable clamp spring
- Foam padding on the holder protects the smartphone case from
- Patterned rubber feet for firm grip on smooth, slippery and uneven surfaces

Red			00004631
	20	BK	



ACTIONCAM-/GOPRO ACCESSORIES



hama.

"Flex for Smartphone and GoPro, 14 cm"

Thread/Connection	GoPro, Smartphone holder
Leg Segments	1 Section
Material	Aluminium
Tripod Head	No
Min. Height - Max. Height	7 -14 cm
Weight	70 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2-in-1 system for smartphones and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- · Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a hand-held tripod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs encased in high quality foam for maximum flexibility and grip, making them especially pleasant to use in cold weather
- Extremely flexible, suitable for a smartphone width from 5.5 - 7.8 cm (in horizontal format) thanks to the clamp spring holder

Red			00004611
Blue			00004610
Black			00004609
	6	ВК	



00081382

00081384

00081402

6 BK











"Flex for Smartphone and GoPro, 26 cm"

Thread/Connection	GoPro, Smartphone holder
Leg Segments	1 Section
Material	Aluminium
Tripod Head	No
Min. Height - Max. Height	9 -26 cm
Weight	145 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2-in-1 system for smartphones and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- · Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a monopod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- · Tripod legs encased in high quality foam for maximum flexibility and grip, making them especially pleasant to use in cold weather
- Extremely flexible, suitable for a smartphone width from 5.5 - 7.8 cm (in horizontal format) thanks to the clamp spring holder
- Rubber inserts on the holder protect the smartphone case from scratches

Red			00004617	
Blue			00004615	
Black			00004613	
	6	BK		





hama.

"Flex 2in1" Mini Tripod for **Photographic Cameras and** GoPro, 14 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Leg Segments	1 Section
Material	Aluminium
Min. Height - Max. Height	7.5 -14 cm
Weight	64 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Tripod legs with non-slip foam
- · Also usable as normal table-top tripod





hama.

"Flex 2in1" Mini-Tripod for Photo Cameras and GoPro, 14 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Leg Segments	1 Section
Material	Aluminium
Min. Height - Max. Height	7.5 -14 cm
Weight	64 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Non-slip foam on the tripod legs
- Can of course also be used as a normal table tripod





"Flex 2in1" Tripod for Photo Cameras and GoPro, 26 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Leg Segments	1 Section
Material	Aluminium
Min. Height - Max. Height	10 -26 cm
Weight	145 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Handy travel format for easy transport in a bag or back pack
- Non-slip foam on the tripod legs
- Can of course also be used as a normal table tripod

lue			00004615					
lack			00004613	Black			00004313	
	6	BK			20	BK		

Black			00004557
	6	BK	

Black	00004314			
		10	BK	

Monopods & Tripods





hama.

"Flex 2in1" Tripod for Photo Cameras and GoPro, 26 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Leg Segments	1 Section
Material	Aluminium
Min. Height - Max. Height	10 -26 cm
Weight	145 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Handy travel format for easy transport in a bag or back pack
- Non-slip foam on the tripod legs
- Can of course also be used as a normal table tripod





hama.

"Flex" Mini Tripod for Smartphones & GoPro Devices, 5.5- 7.8 cm

Thread/Connection	GoPro, Smartphone holder
Leg Segments	1 Section
Material	Aluminium
Tripod Head	No
Min. Height - Max. Height	7 -14 cm
Weight	70 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and in unusual locations
- Continuously adjustable, individually flexible tripod legs: allows adaptation to a range of surfaces and objects and use as a hand-held tripod
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move
- No more wobbly, skewed selfies
- Tripod legs surrounded with highquality form for maximum flexibility and excellent grip, especially pleasant in cold weather
- Extremely flexible for smartphone widths of between 5.5 and 7.8 cm (in horizontal format) thanks to clamping spring holder
- Rubber inserts on the holder protect the smartphone casing from scratches
- Rubber feet for a good grip on

00004558

Black	00178366		
	6	B BK	





hama.

Tripod "FlexPro for Smartphone, GoPro and photocameras, 27 cm"

Thread/Connection	1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder
Leg Segments	1 Section
Material	Aluminium
Tripod Head	Ball Head
Min. Height - Max. Height	16 -27 cm
Weight	348 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 3-in-1 system for smartphones, GoPro cameras and 1/4-inch thread
- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a monopod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs covered with highquality, durable rubber with a honeycomb pattern for maximum flexibility and outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the

Red		00004608
Blue		00004607
Black		00004605
	6 BK	



ACTIONCAM-/GOPRO ACCESSORIES

hama.

"Multi 4in1" Table Tripod

Thread/Connection	1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder
Leg Segments	1 Section
Material	Aluminium
Tripod Head	3D Ball Head
Min. Height - Max. Height	20 -90 cm
Weight	185 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- The built-in self monopod is ideal for sports and action shots e.g. for filming yourself when skiing Selfie Stick / Telescopic Rod:
- Telescopic rod extendable to 90 cm for a wide range of action, for e.g. concert recordings, hard-to-reach motifs and group shots
- Torsion-resistant telescopic rod through guide groove
- Min/max height: 20/90 cm
- Weight: 225 g

Smartphone Holder:

- Extremely flexible, for a smartphone width from 5.5 - 7.8 cm (in horizontal format)
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- Also in combination with tripods and telescopic rods with 1/4" connection thread
- No more wobbly, skewed selfies

Black	00004601		
	6	SC	











Suction Mount with Ball Head 360 for GoPro

Material	Plastic Material
Weight	180 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- For GoPro action cameras and digital cameras with a 1/4" connection thread
- 3D ball head with 360° rotation
- Can also be used as a car pod
- Diameter of the suction cup: 90 mm
- Thread length adjustable, therefore universally usable



hama.

"Selfie 120" Self-Monopod

Maximum Length	120 cm
Minimum Length	31 cm

- 2in1 system for 1/4 inch threads and GoPro cameras
- The telescopic pole is extendable up to 120 cm and ideal for situations where additional height is necessary to capture the desired images, e.g. at action recordings, concerts, for difficult-to-capture subjects or group pictures
- Completely new perspectives are possible with this self monopod
- · Connection for all cameras with a tripod thread, e.g. action cameras or digital cameras and GoPro connection
- Non-slip foam grip with a hand strap and snap hook for a firm and secure grip
- Can also be used as a tripod extension





hama.

"Selfie 90" Self-Monopod

Maximum Length	90 cm
Minimum Length	30 cm

- 2in1 system for 1/4 inch threads and GoPro cameras
- The telescopic pole is extendable up to 90 cm and ideal for situations where additional height is necessary to capture the desired images, e.g. at action recordings, concerts, for difficult-to-capture subjects or group pictures
- Completely new perspectives are possible with this self monopod
- · Connection for all cameras with a tripod thread, e.g. action cameras or digital cameras and GoPro connection
- Non-slip foam grip with a hand strap and snap hook for a firm and secure grip
- Can also be used as a tripod extension





hama.

"Selfie 50" Self-Monopod

Maximum Length	47 cm
Minimum Length	18 cm

- 2in1 system for 1/4 inch threads and GoPro cameras
- The telescopic pole is extendable up to 47 cm and ideal for situations where additional height is necessary to capture the desired images, e.g. at action recordings, concerts, for difficult-to-capture subjects or group pictures
- Completely new perspectives are possible with this self monopod
- · Connection for all cameras with a tripod thread, e.g. action cameras or digital cameras and GoPro connection
- Non-slip foam grip with a hand strap and snap hook for a firm and secure grip
- · Can also be used as a tripod extension

Black	00004356			
		6	BK	

Black				00004268
		6	BK	

Black				00004299
		6	BK	

Black				00004278
		6	BK	

Holder

hama.

Diving Goggles for GoPro

Material	Plastic Material

- Suitable for swimming or snorkelling
- Soft silicone mask for comfortable wearing
- Double sealing lip
- Pull strap for variable adjustment
- Coated safety glass (tempered
- Rust-resistant screw included



hama.

Magnetic Mount for GoPro, 5 cm

- Base Ø 5cm
- Ideal for attaching to flat metallic surfaces, e.g. to window frames, shelves, magnetic boards, industrial machines and production plants



hama.

Mounting Clamp, 360°, for GoPro

Attachment	Clamp for fixing
Material	Plastic Material

- Allows ultra compact and spacesaving attachment
- Can be rotated 360°
- For attaching to jackets, rods, plates, glass and much more
- Small teeth on the inside of the clamp for a firm grip

	· P
The second of	

hama.

"Small" Pole Mount for GoPro, from 1.6 - 4 cm

Attachment	Pole Mount
Material	Plastic Material

- 3-way swivelling arm for all imaginable shooting angles
- Extraordinary perspectives on handlebars, rods, ski poles, etc., both hands remain free
- Suitable for rods and tubes from 1.6 to 4.0 cm

24 BK

00004442



Black			00004395
	12	BK	

Black			00004375
	12	BK	



hama.

"Flex" Magnet Mount for GoPro, 13.5 cm

Material	Nylon

- 360° rotating connection adapter for various shooting angles
- Ideal for attaching to clothes, sails as well as to flat and curved metallic surfaces
- The hook and loop pad and magnet offer unlimited possibilities for impressive and original perspectives
- · Loop for a safety rope
- Extra strong magnets, four pieces each per disc

Black			00004418
	32	BK	



"Large" Pole Mount for GoPro, from 2.5 - 6.2 cm

Attachment	Pole Mount
Material	Plastic Material

- 3-way swivelling arm for all imaginable shooting angles
- Extraordinary perspectives on handlebars, rods, ski poles, etc., both hands remain free
- Suitable for rods and tubes from 2.5 to 6.2 cm

12 BK

"Side" Helmet Mount for GoPro

Attachment	Adhesive Mounting
Material	Plastic Material

- 3-way swivelling arm for all imaginable shooting angles
- The high-quality 3M adhesive technology ensures a consistently reliable hold also in the rain and cold
- · Gives you a near-eye level point of view by securely fitting around your ski and sports helmets, both hands remain free

Black			00004396
	12	BK	



hama.

Head Strap Mount for GoPro

Attachment	Strap Attachment
Material	Nylon

- Non-slip rubber coating on the inside for a firm hold
- Gives you a near-eye level point of view by securely fitting around your ski and sports helmets, both hands remain free
- The strap can be worn directly on your head or over a helmet
- Fully adjustable to fit different sizes
- Elastic stretch material

Black	Black		00004359
	6	BK	



hama.

Double Mounting Bar for GoPro

Material	Plastic Material
----------	------------------

- Allows simultaneous filming in two different directions
- Very compact rail
- Variable alignment with two mounting screws



hama

Screw Set for GoPro, 2 x long, 1 x short, incl. nuts, rust-resistant

Material	Aluminium

- 6-part set comprising 3 screws and 3 nuts
- 2 long mounting screws
- 1 short mounting screw
- Grip made of aluminium, thread made of stainless steel
- Rust-resistant, ideal for outdoor use



hama.

Camera Adapter for GoPro to 1/4" Tripod Mount

Material	Plastic Material
----------	------------------



hama.

Accessory Set for GoPro


- 3-way swivelling arm for all imaginable shooting angles
- The high-quality 3M adhesive technology ensures a consistently reliable hold also in the rain and cold
- Set comprising two different adhesive mounts, two different quick-release fasteners, one 3-way swivelling arm and one long replacement screw

Adhesive pads

00004354

		00004397
12	BK	





1	

hama.

"Front" Helmet Mount for GoPro

Attachment	Adhesive Mounting
Material	Plastic Material

- The high-quality 3M adhesive technology ensures a consistently reliable hold also in the rain and cold
- Gives you a near-eye level point of view by securely fitting around your ski and sports helmets, both hands remain free
- Allows you to capture forward facing footage by mounting your GoPro action camera on the helmet

Black			00004398
	12	BK	

hama.

1/4" Camera Connection Adapter for GoPro Accessories, Version II

Material	Plastic Material

llack			00004467
	12	ВК	



hama.

Adhesive Mount Set for GoPro


- The high-quality 3M adhesive technology ensures a consistently reliable hold also in the rain and cold
- 4-part replacement set consisting of two straight (e.g. for car windows) and two curved (e.g. for sports helmets, handlebars) adhesive mounts
- If required the adhesive mounts can be cleanly removed when heat (hairdryer) is applied

			00004374
	12	BK	





SMARTPHONE/TABLET PHOTO ACCESSORIES





"SpotLight Steady 120" LED Ring Light, Set for Smartphone, Tripod, 12"

- hama.
- From warm white to daylight bright: control the colour temperature in 3 stages (3000/4500/6000 K) using the cabled remote control, for the optimised and even illumination of videos and portraits, for example
- From radiantly bright to pleasantly dimmed: the light intensity can be adjusted in 10 stages
- Sparkling charming eye effect: LED ring light magically creates a light in the eyes through reflections
- Studio smartphone photography: stable tripod made from robust and lightweight aluminium with fully spreadable tripod legs
- Up and away: extendable 3 ways up to 215 cm, ideal for larger scenarios or for being photographed sitting or standing
- Always the perfect recording position: portrait and landscape format thanks to smartphone holder with ball head and flexible swan neck
- . Unusual recording angle: the ring light position can be adjusted in all directions thanks to the ball head
- 12" ring light (outer diameter 30 cm) with 162 LEDs
- For many smartphones: extremely flexible for smartphone widths from

- 6.0 to 8.2 cm (in horizontal format) thanks to clamping spring holder
- Smartphone protection: rubber inserts on the holder protect the smartphone casing from scratches
- Full charge: with USB-A cable (cable length 290 cm) for connection to a power pack so that the juice never runs out while on the go
- Transportable: tripod can be folded up to a compact size and transported conveniently from A to B in the transport bag
- Keyhole hanger for wall attachment
- With Bluetooth remote trigger



Set for Smartphones, Foldable, 10.2"



- From warm white to daylight bright: control the colour temperature in 3 stages (3000/4500/6000 K) using the cabled remote control, for the optimised and even illumination of videos and portraits, for example
- From radiantly bright to pleasantly dimmed: the light intensity can be adjusted in 10 stages
- Sparkling charming eye effect: LED ring light magically creates a light in the eyes through reflections
- Photo studio to go: the ring light can be folded together and stored in the stand - perfect for all bloggers and vloggers who are on the go a lot
- Up and away: extendable up to 138 cm, ideal for larger scenarios or for being photographed sitting or standing
- · Optimised illumination during makeup tutorials or selfie portraits: can also be used as a table tripod at its minimum height of 52 cm
- Always the perfect recording position: portrait and landscape format thanks to smartphone holder with ball head and flexible swan neck
- 10.2" ring light (outer diameter 26.5 cm) with 128 LEDs
- · Unusual recording angle: The

- ring light can be steplessly tilted backward
- · For many smartphones: extremely flexible for smartphone widths from 6.0 to 8.0 cm (in horizontal format) thanks to clamping spring holder
- Smartphone protection: rubber inserts on the holder protect the smartphone casing from scratches
- Full charge: with USB-A cable (cable length 190 cm) for connection to a power pack so that the juice never runs out while on the go
- With Bluetooth remote trigger
- Easy-carry construction made from aluminium and plastic
- With bag for transport and dustprotected storage

			00004642
	10	SC	



Luminaires



"SpotLight Work Area 67" LED Ring Light, Set for Smartphone and Tablet

hama.

- From warm white to daylight bright: control the colour temperature in 3 stages (2500/3800/5500 K) using the cabled remote control, for the optimised and even illumination of videos and portraits, for example
- From radiantly bright to pleasantly dimmed: the light intensity can be adjusted in 10 stages
- Always the perfect recording position: generous clamping area allows the smartphone to be inserted in portrait and landscape format
- Unusual recording angle: ring light can be pivoted and tilted thanks to the tripod ball head
- Photo studio to go: the compact ring light kit can also be dismantled for transport - perfect for all bloggers and vloggers who are on the go a lot
- Optimised illumination during makeup tutorials or selfie portraits: perfect for videos and seated images
- Tripod legs can be pulled out in 4 stages: adjustable via moving engagement mechanism at the press of a button on the outside of the tripod legs LED Ring Light:
- 6.7" ring light (outer diameter 17

- cm) with 48 LEDs with cable remote control
- Full charge: power supply via the USB-A cable (cable length 175 cm) for connection to a power pack so that the juice never runs out even while on the go
- With cold shoe for attaching LED lights, microphones and action cams, for example

Smartphone / Tablet Holder:

- For many smartphones and tablets: clamp spring holder with toggle switch to increase the size from 6.5 to 17.5 cm
- With recess on the surface for a firm grip, while rubber protects the housing from scratches

Desktop Tripod:

• Height-adjustable desktop tripod from 13.50 cm to 17.50 cm



Qty PT



"49 BD" LED Lights for Smartphone, Photo and Video Cameras

hama.

Battery Type • LED Lights

- Ultra-lightweight, stylish surface lights with 49 high-end LEDs for shadow-free image lighting during video and photo shots on a smartphone or camera, as well as
- close-up and macro-photography
 Optimised illumination ensures even, shadow-free pictures
- For digital video and photo cameras with a standard flash shoe
- Attachment to the camera's standard flash show and to a tripod using the integrated 1/4" thread
- With dimmer control
- With integrated 1/4" (6.4 mm) connecting thread for external light positioning on a tripod
- Perfect light source for bloggers and vloggers, ideal for life on the move
- Straightforward operation, no complicated studio equipment required
- For sharp, clear and detail-rich shots
- Great photos even in unfavourable lighting
- No charging required, works with two AA batteries
- Multiple LED lights can also be connected together

Smartphone Holder:

AA Mignon

- Screw-connected universal holder for devices without tripod socket
- For attaching all smartphones to tripods with a 1/4" tripod connection
- Extremely flexible, for a smartphone width from 4.8 - 9.5 cm (landscape format)
- Cold shoe for attaching LED lights and microphones, for example
- Folds to a compact size
- Only in combination with tripods or telescopic rods featuring a 1/4" connection thread, Arca Swiss
- Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from scratches



• From warm white to daylight bright: control the colour temperature in 3 stages (3000/4500/6000 K) using the cabled remote control, for the optimised and even illumination of videos and portraits, for example

Set for Smartphones

- · From radiantly bright to pleasantly dimmed: the light intensity can be adjusted in 10 stages
- Unusual recording angle: ring light can be pivoted and tilted thanks to the tripod ball head
- Photo studio to go: the compact ring light kit can also be dismantled for transport - perfect for all bloggers and vloggers who are on the go
- Optimised illumination during makeup tutorials or selfie portraits: perfect for videos and seated images
- Tripod legs can be pulled out in 4 stages: adjustable via moving engagement mechanism at the press of a button on the outside of the tripod legs
- Always the perfect recording position: portrait and landscape format thanks to smartphone holder with ball head and flexible swan neck LED Ring Light:

- 8" ring light (outer diameter 21 cm) with 96 LEDs with cable remote
- Sparkling charming eye effect: LED ring light magically creates a light in the eyes through reflections
- Full charge: power supply via the USB-A cable (cable length 190 cm) for connection to a power pack so that the juice never runs out even while on the go
- With cold shoe for attaching LED lights, microphones and action cams, for example
- · For many smartphones: extremely flexible for smartphone widths from 6.0 to 8.0 cm (in horizontal format) thanks to clamping spring holder
- Smartphone protection: rubber inserts on the holder protect the smartphone casing from scratches

Desktop Tripod:

• Height-adjustable desktop tripod from 13.50 cm to 17.50 cm

		00004651
12	BK	



hama.

Tripod for Smartphone/ Tablet, 106 - 3D

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	500 g
Tripod Head	3D: 3-Way Head
Min. Height - Max. Height	36.50 -106 cm
Maximum Profile Thickness	16.80 mm
Weight	520 g

- Camera Tripod:
- Camera tripod for blur-free images and stability on uneven surfaces
- 3D: 3-way head allows perfect orientation for level, horizontal and portrait-format snaps
- Quick-change plate for rapid changing of the camera
- Spirit level integrated into the tripod head
- Infinite height adjustment of the central pillar
- Cross-struts and rubber feet for secure stand
- Functional quick-action leg locks for fast and simple locking of the leg length in any position

Smartphone / Tablet Holder:

- with this holder, all smartphones and tablets can be attached to
- Screw-connected universal holder for devices without tripod socket
- · Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (in horizontal format)
- Compact design

Champagne			00004619
	20	SC	



hama.

"Star Smartphone" 112 tripod, 3D with "BRS3" Bluetooth® remote shutter rele

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	500 g
Tripod Head	3D: 3-Way Head
Min. Height - Max. Height	40 -112 cm
Maximum Profile Thickness	17 mm
Weight	450 g

- Camera Tripod
- Camera tripod for blur-free images and stability on uneven surfaces
- 3D: 3-way head allows perfect orientation for horizontal, vertical and portrait-format snaps
- Infinite height adjustment of the central pillar
- Cross-struts and rubber feet for secure stand
- Functional quick-action legs for fast and simple adjustment of the leg length in any position

Smartphone Holder

- Cold shoe for attaching LED lights and microphones, for example
- Extremely flexible, for smartphone width of 5.6 - 8.2 cm
- Compact design
- For selfies and videos, perfect for video diaries, blogs and ideal for out and about
- No more wobbly, skewed selfies

Black			00004640
	15	SC	



hama.

"Traveller Pro" Tripod for Smartphones, GoPros, Photo Cameras, 105 - Ball

Thread/Connection	1/4" (6.4 mm), GoPro, Smartphone holder
Leg Segments	8 Sections (7x Extendible)
Material	Aluminium
Tripod Head	Ball Head
Min. Height - Max. Height	23 -105 cm
Maximum Profile Thickness	19 mm
Weight	455 g

- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod leg covered with high-quality, durable rubber with a honeycomb pattern for outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a smartphone width from 4.8 – 9.5 cm (in horizontal format) thanks to the double extendable clamp spring holder
- Foam padding on the holder protects the smartphone case from scratches
- Patterned rubber feet for firm grip on smooth, slippery and uneven surfaces
- Space-saving design: the smartphone holder can be folded

Red			00004620
	6	BK	



hama.

"Traveller Pro" Tripod for Smartphones, GoPros, Photo Cameras, 106 - 2D

Thread/Connection	1/4" (6.4 mm), GoPro, Smartphone holder
Leg Segments	8 Sections (7x Extendible)
Material	Aluminium
Tripod Head	2D: 2-Way Head
Min. Height - Max. Height	25.5 -106 cm
Maximum Profile Thickness	19 mm
Weight	610 g

- the 2D tilt head allows perfect alignment for landscape shots
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and in unusual locations
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move
- No more wobbly, skewed selfies
 Tripod leg covered with high-quality
- Tripod leg covered with high-quality, durable rubber with a honeycomb pattern for outstanding grip
- Rotary ring on the tripod head allows a wide or narrow spread of the tripod legs depending on the setting
- Extremely flexible, suitable for a smartphone width from 4.8 9.5 cm (in horizontal format) thanks to the double extendable clamp spring holder
- Foam padding on the holder protects the smartphone case from scratches
- Patterned rubber feet for firm grip on smooth, slippery and uneven surfaces

Red			00004631
	20	BK	





hama.

Tripod
"Flex for Smartphone and
GoPro, 14 cm"

Thread/Connection	GoPro, Smartphone holder
Leg Segments	1 Section
Material	Aluminium
Tripod Head	No
Min. Height - Max. Height	7 -14 cm
Weight	70 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2-in-1 system for smartphones and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a hand-held tripod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs encased in high quality foam for maximum flexibility and grip, making them especially pleasant to use in cold weather
- Extremely flexible, suitable for a smartphone width from 5.5 – 7.8 cm (in horizontal format) thanks to the clamp spring holder

Black			00004609
Red			00004611
Blue			00004610
	6	BK	






hama.

Tripod
"Flex for Smartphone and
GoPro, 26 cm"

Thread/Connection	GoPro, Smartphone holder
Leg Segments	1 Section
Material	Aluminium
Tripod Head	No
Min. Height - Max. Height	9 -26 cm
Weight	145 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2-in-1 system for smartphones and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs — adaptable to many surfaces and objects and can be used as a monopod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs encased in high quality foam for maximum flexibility and grip, making them especially pleasant to use in cold weather
- Extremely flexible, suitable for a smartphone width from 5.5 – 7.8 cm (in horizontal format) thanks to the clamp spring holder

Black			00004613
Blue			00004615
Red			00004617
	6	BK	



hama.

Tripod "FlexPro for Smartphone, GoPro and photocameras, 27 cm"

Thread/Connection	1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder
Leg Segments	1 Section
Material	Aluminium
Tripod Head	Ball Head
Min. Height - Max. Height	16 -27 cm
Weight	348 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 3-in-1 system for smartphones, GoPro cameras and 1/4-inch thread
- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Sensational, versatile photos and videos from original perspectives and unusual places
- Stepless, individually bendable tripod legs - adaptable to many surfaces and objects and can be used as a monopod
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Tripod legs covered with highquality, durable rubber with a honeycomb pattern for maximum flexibility and outstanding grip
- Rotary ring on the tripod head al-

Black			00004605
Blue			00004607
Red			00004608
	6	BK	



"Multi 4in1" Table Tripod

Thread/Connection	1/4" (6.4 mm), 3D, Ball, GoPro, Smart- phone holder
Leg Segments	1 Section
Material	Aluminium
Tripod Head	3D Ball Head
Min. Height - Max. Height	20 -90 cm
Weight	185 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- The built-in self monopod is ideal for sports and action shots e.g. for filming yourself when skiing Selfie Stick / Telescopic Rod:
- Telescopic rod extendable to 90 cm for a wide range of action, for e.g. concert recordings, hard-to-reach motifs and group shots
- Torsion-resistant telescopic rod through guide groove
- Min/max height: 20/90 cm
- Weight: 225 g

Smartphone Holder:

- Extremely flexible, for a smartphone width from 5.5 - 7.8 cm (in horizontal format)
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- Also in combination with tripods and telescopic rods with 1/4" connection thread
- No more wobbly, skewed selfies

Black			00004601
	6	SC	



hama.

"Rotary Smartphone" 150 Tripod, Set with Bluetooth® **Remote Shutter Release**

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Leg Segments	5 Sections (4x Extendible)
Material	Metal
Min. Height - Max. Height	41,50 -150 cm
Maximum Profile Thickness	25 mm
Weight	395 q

- Flexible alternative to large tripods: ideal when things need to move quickly or when there isn't enough space for a large tripod, for example
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- With the combination of the tripod and holder, take blur-free photographs with the smartphone
- Can be used completely folded up as a selfie monopod
- Stepless height adjustment thanks to telescope mechanism
- Cross-struts and rubber feet for firm grip on smooth, slippery and uneven surfaces
- Swivel smartphone holder for portrait and landscape format
- Extremely flexible, for smartphone width of 5.8 - 8.8 cm
- Compact design
- For selfies and videos, perfect for video diaries, blogs and ideal for out and about
- Clamp spring holder with recess on the surface ensure a firm grip, while rubber protects the housing from scratches
- · Bluetooth release for smartphone and tablet cameras, ideal for selfies

Black			00004646
	20	BK	



hama.

"Solid" Table Tripod for **Smartphones and Photo** Cameras, 19B

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Material	Plastic Material
Tripod Head	3D Ball Head
Min. Height - Max. Height	16 -19 cm
Weight	260 g

- Stable and robust workmanship with high-quality materials and screwedin rather than bonded components to guarantee a tripod with a long service life
- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- 2in1 system for smartphones, universal 1/4" thread
- Tripod legs can be pulled out in 4 stages: adjustable via moving engagement mechanism at the press of a button on the inside of the tripod legs
- Tripod legs can be adjusted individually in order to adapt the tripod perfectly to different substrates and images
- Extremely flexible, suitable for a smartphone width from 5.9 - 9.0 cm (in horizontal format) thanks to the extendable clamp spring holder
- Double-folding smartphone holder for space-saving and secure transport that protects mechanical parts
- Rubberised padding on the holder and a rubberised protective cap on the thread protect the smartphone

Black			00004630
	6	BK	





hama.

"Solid II, 21B" Table Tripod, with "BRS2" Bluetooth® Remote Trigger

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Material	Plastic Material
Tripod Head	3D Ball Head
Min. Height - Max. Height	18 -21 cm
Weight	270 g

- Stable and robust workmanship with high-quality materials and screwedin rather than bonded components to guarantee a tripod with a long service life
- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- 2in1 system for smartphones, universal 1/4" thread Desktop Tripod:
- Tripod legs can be pulled out in 4 stages: adjustable via moving engagement mechanism at the press of a button on the inside of the tripod legs
- Tripod legs can be adjusted individually in order to adapt the tripod perfectly to different surfaces and images
- For a smartphone width from 5.9 9.0 cm (in horizontal format) thanks to the extendable clamp spring
- Double-folding smartphone holder for space-saving and secure transport that protects mechanical parts
- Rubber finish on the handle and thread protects against scratches
- Cold shoe for attaching LED lights

Black			00004635
	10	BK	



hama

"Pocket" Smartphone Mini-Tripod, 20 cm, black

Thread/Connection	Smartphone holder
Leg Segments	1 Section
Material	Plastic Material
Tripod Head	No
Min. Height - Max. Height	10 -20 cm
Weight	87 a

- Integrated mirror for the perfect selfie angle with the front camera
- The built-in self monopod is ideal for sports and action shots e.g. for filming yourself when skiing
- Compact, handy and space-saving: fits in any pocket because the smartphone holder can be folded

Selfie Stick / Telescopic Rod:

- Telescopic rod extendable to 20 cm for a wide range of action, for e.g. concert recordings, hard-to-reach motifs and group shots
- Torsion-resistant telescopic rod through guide groove
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- No more wobbly, skewed selfies
- Extremely flexible, suitable for a smartphone width from 5.0 – 8.5 cm (in horizontal format) thanks to the clamp spring holder
- Rubber inserts on the holder protect the smartphone case from scratches
- Stepless, individually adjustable tripod legs — adaptable to many surfaces and can be used as a handheld tripod
- Rubberised tripod legs for secure grip

Black			00004621
	6	BK	





hama.

"Pocket II Rotation" Smartphone Mini-Tripod

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Leg Segments	1 Section
Material	Plastic Material
Tripod Head	No
Weight	80 g

- Compact, handy and space-saving
- For selfies and videos, perfect for video diaries, blogs and ideal for travel and out and about
- Mini-tripod with 1/4" connection
- Detachable smartphone holder with 1/4" connection
- Swivel smartphone holder for portrait and landscape format
- Extremely flexible for smartphone widths of between 5.8 and 8.5 cm (in horizontal format) thanks to clamping spring holder
- Rubber inserts on the holder protect the smartphone casing from scratches
- Can also be used as a manual tripod
- Rubberised tripod legs for secure grip
- Can also be used as a stand for the smartphone, e.g. on a desk or bedside table
- Cold shoe for attaching LED lights and microphones, for example

16 BK



SMARTPHONE/TABLET PHOTO ACCESSORIES

hama.

"Fun 70" Selfie, Bluetooth®, black

Clamping Range From	5.5 cm
Clamping Range Up To	8.5 cm
Maximum Length	70 cm
Minimum Length	20.5 cm

- Telescopic bar extendable up to 70 cm for a wider view, e.g. for selfies and group selfies, concerts
- Twist-proof telescopic rod through guide groove
- Connection via Bluetooth directly with the smartphone, no additional app required
- Allows unusual photo and selfie angles
- For selfie photos and videos, blogs, ideal for trips, for life on the move and for action photography
- Better focusing, faster snapshots, resulting in better pictures and sharp, un-blurred selfies
- This selfie monopod opens up completely new perspectives
- With smartphone quick clamp for quick attachment to the smartphone
- Non-slip rubber grip for firm, secure
- Extremely flexible, for a smartphone width from 5.5 8.5 cm (in horizontal format)
- Compact design
- Clamp spring holder ensures firm arip
- Independent of self-trigger mode
- USB connection: micro USB 2.0

9	Black			00004315
		6	BK	





hama.

"Funstand 57" Selfie Stick, with Bluetooth® Remote Shutter, black

Clamping Range From	6 cm
Clamping Range Up To	8.5 cm
Maximum Length	57 cm
Minimum Length	16 cm

- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips Selfie Monopod / Selfie Stick:
- Ideal for sport and action shots, e.g. filming yourself skiing
- For selfie photos and videos, blogs, ideal for trips and for life on the
- This selfie monopod opens up completely new perspectives
- Perfect arm extension for wobblefree selfies
- Telescopic bar extendable up to 57 cm for a wider view, e.g. for selfies and group selfies, concerts
- Twist-proof telescopic rod through auide aroove
- With smartphone quick clamp for quick attachment to the smartphone
- Swivel smartphone holder for portrait and landscape format
- Non-slip rubber grip for firm, secure
- Extremely flexible, for a smartphone width from 6.0 - 8.5 cm (landscape
- Clamp spring holder ensures firm grip, while ribbed rubber pads on the resting surfaces protect the smartphone
- Compact design
- Min/max length: 16/57cm

Bluetooth release:

Black			00004316
	6	BK	



hama.

Clamp / Tension Bracket "For Smartphones"

Attachment	Tripod Thread 1/4"
Material	Plastic Material

- 3 additional threaded connections of 1/4" for professional videos for connection to tripods and 2 additional accessory shoes for further accessories such as LED lights and microphone
- A must-have for anyone who wants to record perfect videos and pictures without "wobble" on their smartphone

Black			00004622
	18	RK	



hama.

Smartphone / Tablet Holder for Flash Shoe and 1/4" on **DSLR** with WiFi

- Using a smartphone or tablet in the holder will provide a control monitor that is considerably larger than the camera display
- One holder, many possibilities: The combination of DSLR and tablet/smartphone enables you to take photos and record video simultaneously
- The ball head allows perfect alignment for shots in portrait and landscape format

		00004625
6	BK	



hama.

Smartphone Holder for Spotting Scope/Binoculars/ Telescope with Ø 2.5-4.8 cm

Attachment	Tripod Thread 1/4"
Material	Metal

- Suitable for smartphones from 5.5 cm to 9.5 cm
- Suitable for spotting scopes, binoculars, telescopes and microscopes featuring eyepieces with a diameter from 2.5 cm to 4.8 cm
- Attach the smartphone holder to the eyepiece using the screw connection
- The smartphone is secured in a clamping bracket with a screw

Black			00044343	
		6	BK	



hama.

"Pro II" Smartphone Holder, 9.5 cm, with "BRS2" Bluetooth® Remote Trigger

Attachment	Tripod Thread 1/4"
Material	Plastic Material

- Smartphone Holder:
- Screw-connected universal holder for devices without tripod socket
- · For attaching smartphones to tripods with a 1/4" tripod connection
- Extremely flexible, for a smartphone width from 4.8 - 9.5 cm (landscape format)
- No more wobbly, skewed selfies

Bla	ck	00004633		
		12	BK	



hama.

2in1 Smartphone / Tablet Holder, 1/4"

- Screw-connected universal holder for devices without tripod socket
- Extremely flexible for a smartphone width from 5.5 to 8.2 cm and a tablet width from 11.2 to 18.5 cm (in horizontal format)
- Compact design
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move
- Only in combination with tripods featuring a 1/4" connection thread

		00004638
6	BK	



hama.

"Pro" 2in1 Smartphone / Tablet Holder, 1/4"

Attachment	Tripod Thread 1/4"

- Screw-connected universal holder for devices without tripod socket
- · Compact design with red toggle switch to increase the size from 6.5 to 17.5 cm
- Cold shoe for attaching LED lights and microphones, for example
- Clamp spring holder and recess on the surface ensure a firm grip, while rubber protects the housing from scratches

		00004645
16	BK	

Holders | Remote Control Releases | Microphones



hama.

Smartphone Holder, 8.2 cm, 1/4"

Attachment	Tripod Thread 1/4"	
Material	Plastic Material	

- Screw-connected universal holder for devices without tripod socket
- Extremely flexible, for a smartphone width from 5.5 - 8.2 cm (in horizontal format)
- Compact design
- For selfie photos and videos, ideal for video diaries, blogs and for holidays and life on the move

Black			00004637
	24	BK	





hama.

"BRS3" Bluetooth® remote shutter release

Diactootii versioii	4.0
• Connection via E	Bluetooth directly

- with the smartphone or tablet Allows unusual photo and selfie
- For selfie photos and videos, blogs, ideal for trips, for life on the move and for action photography
- Better focusing, faster snapshots, resulting in better pictures and sharp, un-blurred selfies
- If the smartphone or tablet is positioned in a suitable spot, both arms can remain free - the extended selfie arm is passé
- Safe photography in high-action situations
- Perfect for party and group shots because the range of up to 10 \mbox{m} allows a much wider image field
- Independent of self-trigger mode
- Small and compact, the Bluetooth shutter release can go anywhere

24 BK

Qty PT



hama.

"RMN Uni" Directional Microphone

Connection	3.5 mm Jack Plug
Directivity	Uni-directional
Model	Mono
Cable Length	0.32 m

- From smartphones to camcorders - for bloggers or film-makers: the microphone is ideal for all devices
- The vibration-attenuating anti-shock frame absorbs mechanical vibration
- Passive, dynamic directional microphone

Black			00004647
	10	BK	



"Smart" Lavalier Microphone

Connection	3.5 mm Jack Plug
Directivity	omni-directional
Model	Mono
Cable Length	6 m


- From smartphones to camcorders - for bloggers or film-makers: the microphone is ideal for all devices
- 6 metres for plenty of room to manoeuvre: reporters, vloggers and influencers therefore have plenty of freedom for their voice and video recordings

00004639	Black			00004634
		6	BK	





TRIPODS & ACCESSORIES







hama.

"Ramble Duo Carbon" Tripod, 160 Ball, with Smartphone Holder

Thread/Connection	1/4" (6.4 mm), Smartphone holder
Leg Segments	4 Sections (3x Extendible)
Material	Carbon
Maximum Load	8000 g
Tripod Head	Ball Head with Pano- ramic Function
Min. Height - Max. Height	46 -160 cm
Maximum Profile Thickness	25 mm
Weight	1400 g

- The ball head with panorama function allows perfect alignment for shots in portrait and landscape format
- Quick-release plate for quickly changing the camera
- Inverted position allows macrophotographs near the ground
- The spikes at the tripod feet ensure that a particularly firm and steady grip is maintained on soft or slippery surfaces
- In combination with a leg segment the removable central column can be used as a fully functioning monopod
- With the combination of the tripod and holder, take blur-free photographs with the smartphone
- Extremely lightweight and sturdy carbon construction
- With rubber feet for secure stand
- Compact pack size of 46 cm thanks to foldable tripod legs
- Spirit level integrated into the tripod head
- Quick-change plate with rubber lining





hama

"Traveller 117 Ball" Tripod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	Ball Head
Min. Height - Max. Height	35 -117 cm
Maximum Profile Thickness	20 mm
Weight	820 a

- The ball head allows perfect alignment for shots in portrait and landscape format
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Lightweight aluminium design
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Rubber feet for a firm and steady grip
- The legs are covered with non-slip foam which makes the tripod suitable for all kinds of weather
- With hook for weighing the tripod down in strong winds and on rough terrain



hama

"Traveller 163 Ball" Tripod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	Ball Head
Min. Height - Max. Height	21 -163 cm
Maximum Profile Thickness	23 mm
Weight	1350 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- Quick-release plate for quickly changing the camera
- Inverted position allows macrophotographs near the ground
- The spikes at the tripod feet ensure that a particularly firm and steady grip is maintained on soft or slippery surfaces
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Lightweight aluminium design
- Spirit vial at the ball head
- Quick release plate with safety catch and "click function" for quick and easy camera change with just one click
- Brake for locking the centre column into place
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Expandable legs for optimum proximity to the ground

Black			00004291
	6	SC	





hama.

"Profil Duo" Tripod, 150 - 3D

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	5000 g
Tripod Head	3D: 3-Way Head
Min. Height - Max. Height	53 -150 cm
Maximum Profile Thickness	22 mm
Weight	1480 g

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- The central column can be removed to be used as a fully functioning monopod
- Large, functional quick-action leg locks for fast and simple locking of the leg length in any position
- Spirit level integrated into the tripod head and base
- With rubber feet for secure stand
 Non-slip foam handles on the stand legs for use in all weathers
- Monopod, min. height 45 cm/max. height 162 cm
- Replacement coupling plate Item no. 00004471

Black			00004481
	6	SC	



50



hama.

"Action 165 3D" Tripod with 3-Way Head and Spikes, height: 165 cm

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3-Way Head
Min. Height - Max. Height	61 -165 cm
Maximum Profile Thickness	23 mm
Weight	1320 g

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- The spikes at the tripod feet ensure that a particularly firm and steady grip is maintained on soft or slippery
- Integrated spirit vial at the base
- With crank for continuous height adjustment of the centre column
- Lockable leg braces and flexible rubber feet for a firm and steady grip on uneven surfaces
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- The legs are covered with non-slip foam which makes the tripod suitable for all kinds of weather
- With hook for weighing the tripod down in strong winds and on rough terrain
- Spare quick release plate: Hama item no. 00004154

Black			00004095
	6	SC	





hama.

"TAR Duo" Tripod, 165 - Ball

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	8000 g
Tripod Head	3D Ball Head with Pan function
Min. Height - Max. Height	50 -165 cm
Maximum Profile Thickness	26 mm
Weight	1600 g

- The ball head with panorama function allows perfect alignment for shots in portrait and landscape format
- Quick-release plate for quickly changing the camera
- Inverted position allows macrophotographs near the ground
- In combination with a leg segment the removable central column can be used as a fully functioning monopod
- Lightweight and sturdy aluminium construction
- Functional quick-action leg locks for fast and simple locking of the leg length in any position
- With rubber feet for secure stand
- Compact pack size of 45 cm thanks to foldable tripod legs
- Spirit level integrated into the tripod head
- Quick-change plate with rubber lining
- Telescoping central pillar with weight hooks for improved stability during windy conditions and on rough terrain



Qty PT





hama.

"Star 5" Tripod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	500 g
Tripod Head	3D: 3-Way Head
Min. Height - Max. Height	36,5 -106.5 cm
Maximum Profile Thickness	16.8 mm
Weight	520 g

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod
- Continuous height adjustment of the centre column
- Leg braces and rubber feet for a firm and steady grip
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position





hama.

"Star 20" Tripod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	2000 g
Tripod Head	3D: 3-Way Head
Min. Height - Max. Height	47 -125 cm
Maximum Profile Thickness	21 mm
Weight	780 g

- The 3D tilt head allows perfect alignment for landscape and portrait
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head
- Continuous height adjustment of the
- Leg braces and rubber feet for a firm and steady grip
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position

Champagne			00004105
	15	SC	

Silver				00004117
	9) S	C	





hama.

"Star 61" Tripod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	3000 g
Tripod Head	3D: 3-Way Head
Min. Height - Max. Height	60 -153 cm
Maximum Profile Thickness	20 mm
Weight	1220 g

- The 3D tilt head allows perfect alignment for landscape and portrait
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head and spirit vial at the base
- With crank for continuous height adjustment of the centre column
- Lockable leg braces and flexible rubber feet for a firm and steady grip on uneven surfaces
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- With hook for weighing the tripod down in strong winds and on rough terrain
- Spare quick release plate: Hama item no. 00004154



hama.

"Star 62" Tripod



- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head and spirit vial at the base
- With crank for continuous height adjustment of the centre column
- Lockable leg braces and flexible rubber feet for a firm and steady grip on uneven surfaces
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- With hook for weighing the tripod down in strong winds and on rough terrain
- Spare quick release plate: Hama item no. 00004154



hama.

"Star 63" Tripod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3D: 3-Way Head
Min. Height - Max. Height	66 -166 cm
Maximum Profile Thickness	26.7 mm
Weight	1740 g

- The 3D tilt head allows perfect alignment for landscape and portrait
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head and spirit vial at the base
- With crank for continuous height adjustment of the centre column
- Lockable leg braces and flexible rubber feet for a firm and steady
- grip on uneven surfaces

 With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- With hook for weighing the tripod down in strong winds and on rough terrain
- Spare quick release plate: Hama item no. 00004154

00004163



hama.

"Star 64" Tripod

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3D: 3-Way Head
Min. Height - Max. Height	69 -185 cm
Maximum Profile Thickness	26.7 mm
Weight	1660 g

- The 3D tilt head allows perfect alignment for landscape and portrait shots
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head and spirit vial at the base
- With crank for continuous height adjustment of the centre column
- Lockable leg braces and flexible rubber feet for a firm and steady grip on uneven surfaces
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- With hook for weighing the tripod down in strong winds and on rough terrain
- Spare quick release plate: Hama item no. 00004154


mpagne			00004161	Champagne			00004162	Champagne		
	6	sc			6	sc			6	

Champagne			00004464
	6	SC	



hama.

"Star 75" Tripod




- The 3D tilt head allows perfect alignment for landscape and portrait
- Quick-release plate for quickly changing the camera
- Spirit level integrated into the tripod head
- Continuous height adjustment of the centre column
- Leg braces and rubber feet for a firm and steady grip
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position



hama.

"Star 700 EF Digital" Tripod



- The 3D tilt head allows perfect alignment for landscape and portrait
- Spirit level integrated into the tripod head
- Continuous height adjustment of the centre column
- Leg braces and rubber feet for a firm and steady grip
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position



hama.

"Gamma 153" Tripod, 3D

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	3000 g
Tripod Head	3-Way Head
Min. Height - Max. Height	58 -153 cm
Maximum Profile Thickness	20 mm
Weight	990 g

- The 3D tilt head allows perfect alignment for landscape and portrait
 chose.
- Quick-release plate for quickly changing the camera
- · Spirit vial at the base
- Crank for continuous height adjustment of the central column
- With the functional quick-action leg locks the tripod legs can easily and quickly be fixed at the required height or position
- Handle
- Spare quick release plate: Hama item no. 00004154



hama.

"Delta 160" Tripod, 3D

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3-Way Head
Min. Height - Max. Height	62 -160 cm
Maximum Profile Thickness	26 mm
Weight	1590 g

- The 3D tilt head allows perfect alignment for landscape and portrait
- Quick-release plate for quickly changing the camera
- Large, functional quick-action leg locks for fast and simple locking of the leg length in any position
- With crank for stepless height adjustment of the central column
- Spirit level integrated into the tripod head and base
- With rubber feet for secure stand
- Spikes on the tripod feet ensure an especially sturdy position on soft or slippery surfaces
- Replacement quick coupling plate (rubber): Item No. 00004424

Champagne			00004175
	15	SC	

Champagne			00004133
	15	SC	

Qty PT

Black			00004096
	10	SC	

Black	00004097		
	6	SC	







"Delta Duo 170" Tripod, 3D

Thread/Connection	1/4" (6.4 mm)
Leg Segments	3 Sections (2x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3-Way Head
Min. Height - Max. Height	62 -170 cm
Maximum Profile Thickness	26 mm
Weight	1850 g

- The 3D tilt head allows perfect alignment for landscape and portrait
- Quick-release plate for quickly changing the camera
- The central column can be removed to be used as a fully functioning
- Large, functional guick-action leg locks for fast and simple locking of the leg length in any position
- Spirit level integrated into the tripod head and base
- With rubber feet for secure stand
- Spikes on the tripod feet ensure an especially sturdy position on soft or slippery surfaces
- Monopod, min. height 59 cm/max. height 148 cm
- Replacement quick coupling plate (rubber): Item No. 00004424





hama.

"Flex 2in1" Mini Tripod for **Photographic Cameras and** GoPro, 14 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Leg Segments	1 Section
Material	Aluminium
Min. Height - Max. Height	7.5 -14 cm
Weight	64 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Tripod legs with non-slip foam
- · Also usable as normal table-top tripod





hama.

"Flex 2in1" Mini-Tripod for Photo Cameras and GoPro, 14 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Leg Segments	1 Section
Material	Aluminium
Min. Height - Max. Height	7.5 -14 cm
Weight	64 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Its compact size makes it ideal for travelling, holidays, hikes and outdoor trips
- Non-slip foam on the tripod legs
- Can of course also be used as a normal table tripod





"Flex 2in1" Tripod for Photo Cameras and GoPro, 26 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Leg Segments	1 Section
Material	Aluminium
Min. Height - Max. Height	10 -26 cm
Weight	145 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Handy travel format for easy transport in a bag or back pack
- Non-slip foam on the tripod legs
- Can of course also be used as a normal table tripod

Black			00004098
	6	SC	

Black			00004313
	20	BK	

Black			00004557	
	6	BK		

Ì	Black			00004314
		10	BK	





"Flex 2in1" Tripod for Photo Cameras and GoPro, 26 cm

Thread/Connection	1/4" (6.4 mm), GoPro
Leg Segments	1 Section
Material	Aluminium
Min. Height - Max. Height	10 -26 cm
Weight	145 g

- The flexible legs are capable of bending up to 360° which allows optimal, secure attachment to various objects, e.g. railings, branches
- 2in1 system for 1/4 inch threads and GoPro cameras
- Handy travel format for easy transport in a bag or back pack
- Non-slip foam on the tripod legs
- Can of course also be used as a normal table tripod



hama.

Tripod "Star 78 Mono"

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	4000 g
Tripod Head	3D: 3-Way Head
Min. Height - Max. Height	61 -176 cm
Maximum Profile Thickness	26.7 mm
Weight	665 g

- The 3D tilt head allows perfect alignment for landscape and portrait
- Quick-release plate for quickly changing the camera
- Flexible rubber foot for a firm grip on uneven surfaces and for easy camera alignment in different
- With the functional quick-action leg locks the leg of the monopod can easily and quickly be fixed at the required height or position
- Spirit level integrated into the monopod head
- The non-slip, rubber-coated handle allows you to use the monopod in all weathers

Qty PT

 Spare quick release plate: Hama item no. 00004154

Chan



hama.

"Smooth" Monostand, 155 Click, with Three-Arm Base

Thread/Connection	1/4" (6.4 mm)
Leg Segments	4 Sections (3x Extendible)
Material	Aluminium
Maximum Load	5000 g
Tripod Head	No
Min. Height - Max. Height	63,5 -155 cm
Maximum Profile Thickness	28 mm
Weight	900 g

- Air lock system: stepless adjustment without screw clamps - for more speed when hunting for the perfect
- A cleverly attached joint at the end of the tripod ensures gentle and smooth movements and pivoting, with the joint allowing tilts of up to 20° in all directions
- Flexible alternative to large tripods: ideal when things have to happen fast, if there's not much space for a large tripod, for example, for photographing with large lenses, for animal shots with large focal
- Also for fascinating 360° panoramic shots and vivid indoor and property photographs
- The monopod's three leg segments are extendable, and each of them is individually steplessly adjustable, making them perfect for custom positioning even up to eye level height
- Made from sturdy and lightweight aluminium, weighing 900 grams

Black			00004468
	12	SC	





hama.

"Flexi" Mini Tripod, M

Thread/Connection	1/4" (6.4 mm), 2D, 3D, Ball, GoPro, Smartphone holder, Tablet holder
Leg Segments	1 Section
Material	Metal
Tripod Head	No
Min. Height - Max. Height	7 -10 cm
Weight	58 g

- With clip for attaching to a camera bag, belt or shirt pocket, etc.
- Compact mini tripod with flexible legs
- Can be used as table top tripod for all compact cameras with 1/4" (6.4 mm) tripod socket

Black			00004558
	6	BK	

mpagne		00004178	Black	lack			0000446		
		10	SC				12	SC	



20 BK





hama.

"Flexi" Mini Tripod M, 20 Pcs in Display

Thread/Connection	1/4" (6.4 mm)
Leg Segments	1 Section
Material	Metal
Tripod Head	No
Min. Height - Max. Height	7 -10 cm
Weight	58 g

- With clip for attaching to a camera bag, belt or shirt pocket, etc.
- Compact mini-tripod with flexible legs
- Can be used as a tabletop tripod for all compact cameras with 1/4" (6.4 mm) tripod thread





hama.

"Flexi" Mini-Tripod, M, black

Thread/Connection	1/4" (6.4 mm), 2D, 3D, Ball, GoPro, Smartphone holder, Tablet holder
Leg Segments	1 Section
Material	Metal
Tripod Head	No
Min. Height - Max. Height	7 -10 cm
Weight	58 g

- With clip for attaching to a camera bag, belt or shirt pocket, etc.
- Compact mini-tripod with flexible
- Can be used as a tabletop tripod for all compact cameras with 1/4" (6.4 mm) tripod thread





hama.

Lighting Tripod 200

Thread/Connection	1/4" (6.4 mm)
Leg Segments	1 Section
Material	Metal
Maximum Load	2500 g
Tripod Head	No
Min. Height - Max. Height	75 -200 cm
Maximum Profile Thickness	24 mm
Weight	980 g

- Stable design thanks to cross-struts • Functional quick-action leg locks for
- rapid and simple locking
- Especially lightweight, therefore ideal for shots outside the studio



hama.

Tripod "Ball L, 19 cm"

Thread/Connection	1/4" (6.4 mm), 3D, Ball
Leg Segments	4 Sections (3x Extendible)
Material	Metal
Tripod Head	3D Ball Head
Min. Height - Max. Height	10.5 -19 cm
Weight	110 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- For photo and video cameras, microphones and mini speakers

Black				00004553		
		20	SC			

Black			00004552
	6	BK	

Black			00004084	
	6	SC		

Black				00004063
		20	BK	



hama.

"Ball" Mini-Tripod, L Mini, black

Thread/Connection	1/4" (6.4 mm), 3D, Ball
Leg Segments	4 Sections (3x Extendible)
Material	Metal
Tripod Head	3D Ball Head
Min. Height - Max. Height	10.5 -19 cm
Weight	110 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- For photo and video cameras, microphones and mini-loudspeakers



hama.

Tripod "Ball L"

Thread/Connection	1/4" (6.4 mm), 3D, Ball
Leg Segments	2 Sections (1x Extendible)
Material	Metal
Tripod Head	3D Ball Head
Min. Height - Max. Height	14 -21 cm
Weight	110 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- For photo and video cameras, microphones and mini-loudspeakers



hama.

"Ball" Mini-Tripod, XL, black/silver

Thread/Connection	1/4" (6.4 mm), 3D, Ball
Leg Segments	3 Sections (2x Extendible)
Material	Metal
Tripod Head	3D Ball Head
Min. Height - Max. Height	14 -26 cm
Weight	125 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- For photo and video cameras, microphones and mini-loudspeakers





hama.

Suction Mount with Ball Head 360 for GoPro

Material	Plastic Material
Weight	180 g

- The ball head allows perfect alignment for shots in portrait and landscape format
- For GoPro action cameras and digital cameras with a 1/4" connection thread
- 3D ball head with 360° rotation
- Can also be used as a car pod
- Diameter of the suction cup: 90 mm
- Thread length adjustable, therefore universally usable

				JIIVCI
Black			00004554	Black
	6	BK		

Silver			00004551
Black			00004555
	6	BK	

Black			00004556	
	6	ВК		

Black			00004356
	6	BK	

Tripod Accessories



hama.

Ball Head, height: 50 mm

1/4" (6.4 mm)
30 mm
50 mm
114 g

- (A) 1/4" (6.4 mm) camera screw • (B) 1/4" (6.4 mm) and (B) 3/8" (9.5
- mm) screw hole

Black			00005014	
	6	BK		



hama.

Ball Head, height: 38 mm

Thread/Connection	1/4" (6.4 mm)
Diameter	20 mm
Height	38 mm
Weight	36 g

- (B) 1/4" (6.4 mm) screw hole
- (A) 1/4" (6.4 mm) camera screw





hama.

Photo/Video Quick-Release

Material	Plastic Material
Width x Height	8 x 6.6 cm

- Consisting of:
- Lower section with B 1/4" (6.4 mm) tripod thread
- Camera plate with A 1/4" (6.4 mm) screw and sprung video pin (corresponds to item no. 00004360)
- Optional replacement plate: item no. 00004361 (not included in delivery)



Quick Release Plate for Omega Carbon II and III

Material	Aluminium
Width x Height	5.4 x 5.3 cm
Shade of colour	Black



hama.

Quick Release Plate for Traveller Premium 144/146

Material	Aluminium
Width x Height	4 x 3.5 cm
Shade of colour	Black

1/4" (6.4 mm)			00004294
	6	BK	



00004352

Quick Release Plate for Delta Pro 180 Ball

Material	Aluminium
Width x Height	6 x 5 cm
Shade of colour	Black



00004243

hama.

Tripod Camera Plate for Traveller 150 Prem. Duo & Prof. Premium Duo Carbon

Material	Aluminium
Width x Height	4 x 4 cm
Shade of colour	Black

- For "Traveller 150 Premium Duo" tripod, Item No.: 00004265
- For "Professional Premium Duo Carbon" tripod, Art. No.: 00004286

" (6.4 mn	n)			00004414	1/4" (6.4 mr	n)			0000424
		6	BK				6	BK	



Quick Release Plate, 41.7 x 41.7 mm, Photo/Video

Material	Plastic Material
Width x Height	4.17 x 4.17 cm

- For lightweight cameras, SLR and camcorders
- High-quality, reinforced plastic
- Camera plate with A 1/4" (6.4 mm) screw and sprung video pin
- Suitable e.g. for item no. 00004352

	віаск			00005011	
		6	BK		
_					

58

Black			00004360
	6	BK	

1/4'



hama

Quick Release Plate for Profi Duo 170 Ball

Material	Aluminium
Width x Height	5.3 x 4.4 cm
Shade of colour	Black



hama.

Quick Release Plate for Delta Pro 180 2D

Material	Cork
Width x Height	5.1 x 5.1 cm
Shade of colour	Black

Video locating pin

1/4" (6.4 mm)



hama.

Quick Release Plate for "Traveller 163 Ball" Tripod

Material	Cork
Width x Height	4 x 3.9 cm
Shade of colour	Black



hama.

Quick Release Plate "Click II", Photo/Video

Material	Plastic Material
Width x Height	4.08 x 4.08 cm
Shade of colour	Black

- For Profil tripods 70 89
- For Gamma tripods
- For lightweight SLR cameras and camcorders
- High-quality, reinforced plastic, sprung video locking pin; camera plate with A 1/4" (6.4 mm) screw

00004376

,

6 BK

00004514

hama.

Quick Release Plate for Profi Duo 170 3D

Material	Aluminium
Width x Height	6,5 x 4.1 cm
Shade of colour	Black



00004413

hama.

Quick Release Plate for Delta Pro 160 3D

Material	Cork
Width x Height	6 x 4 cm
Shade of colour	Black

• Video locating pin



6 BK

00004439

hama.

Quick Release Plate for Delta Pro 180 3D

Material	Cork
Width x Height	8 x 4.8 cm
Shade of colour	Black

Video locating pin



hama.


Quick-Release Plate for Omega Premium I, II and III

Material	Plastic Material
Width x Height	5.3 x 4.2 cm
Shade of colour	Black

1/4" (6.4 mm)		00004512	
	6	RK	

1/4" (6.4 mm)			00004412
	6	BK	

1/4" (6.4 mm)			00004415
	6	BK	



Tripod Accessories



Quick Release Plate for "Star 55-63", "Gamma 153", "Action 165", "Star 64"

Material	Plastic Material
Width x Height	6.6 x 5.1 cm
Shade of colour	Black



Quick Release Plate for "Delta 160", 3D/"Delta Duo 170", 3D Tripods

Material	Plastic Material
Width x Height	7 x 5.2 cm
Shade of colour	Black

• Video pin



hama.

Tripod Camera Plate for "Star 75" Tripod

Material	Plastic Material
Width x Height	4.7 x 3.5 cm
Shade of colour	Black

00004008

• With video pin



Metal Camera Screws

Diameter		2.5 cm
	• (A) 1/4" (6.4 mm)	threaded stem

• (B) 1/4" (6.4 mm) threaded hole

00005124

1/4" (6.4 mm)			00004154
	6	BK	

1/4" (6.4 mm)			00004424
	6	BK	

hama.

Quick-Release Coupling Platform for "Profil Duo" Tripod, 150 - 3D

Material	Plastic Material
Width x Height	4.2 x 5.8 cm
Shade of colour	Black

• With video pin



hama.

Tripod Camera Plate for "Star 20" Three-Legged Tripod

Material	Plastic Material
Width x Height	4.2 x 3.7 cm
Shade of colour	Black

• With video pin



Camera screws, 15 mm

Diameter	3 cm
• (A) 1/4" (6.4 mm)	threaded stem
• (B) 1/4" (6.4 mm)	threaded hole

5 Stück / Piece			00005131	
		6	BK	

1/4" (6.4 mm)			00004471
	6	BK	

Tripod Accessories



hama.

Camera Screws, 11 mm

Diameter	3 cm

- \bullet (A) 1/4" (6.4 mm) threaded mount
- (B) 1/4" (6.4 mm) threaded hole

5 Stück / Piece			00005134
	6	BK	



Conversion Bushings

hama

Adaptermount 1/4" to 3/8" "GS5000", Silver

- (A) 3/8" (9.5 mm) threaded stem
- (B) 1/4" (6.4 mm) threaded hole

00005120



hama

Thread Assortment

Shade of colour	Silver

- 22 parts:
- 3x change plates, thread tap (A) 1/4" (6.4 mm) > tapped hole (B) 3/8" (9.5 mm); Ø 25 mm
- 3x change plates; thread tap (A) 3/8" (9.5 mm) > tapped hole (B) 1/4" (6.4 mm); Ø 25 mm




hama

Tripod Conversion Screws, (A) 3/8" (9.5 mm) > (B) 1/4" (6.4 mm)

Diameter	25 mm
Shade of colour	Silver

- (A) 3/8" (9.5 mm) threaded stem
- (B) 1/4" (6.4 mm) threaded hole



5 Stück / Piece			00005122
	6	BK	



hama.

Tripod Conversion Screws, (A) 1/4" (6.4 mm) > (B) 3/8" (9.5 mm)

Diameter	25 mm
Shade of colour	Silver

- (A) 1/4" (6.4 mm) threaded stem
- (B) 3/8" (9.5 mm) threaded hole

5 Stück / Piece)		00005121
	6	BK	

July 2021 INT

Packaging





hama.

Camera and Video Grip 120, for max. camera height of 12 cm

Туре	Camera Carrying Handle
Width x Depth x Height	8 x 25 x 21 cm
Weight	340 g

- Ideal for shots at eye level, at chest height or near the ground
- Ergonomic grip
- Foam grip with ergonomic grip recesses
- Ultra-light and very compact
- Removable and slidable accessory shoe for using video accessories with a standard accessory mount (e.g. LED lights, microphones, flash units)
- Large rubber-coated bearing surface for the camera, with slidable thumbscrew for optimal adjustment of the camera's centre of gravity

00004429

hama_®



CAMERA REMOTE RELEASES



Remote Control Releases



hama.

Timer Remote Release "DCCSystem" Base, f. cameras with remote control input

Cable Length

14 cm

- Bulb function for shake-free longterm exposures with time display, e.g. one image every 30 seconds or start in 30 seconds
- Two-stage shutter release button adjusts distance with autofocus and triggers then
- Enables continuous shooting with customizable intervals

Black			00005201	
		6	BK	



hama.

Cable Remote Release "DCCSystem" Base, f. cameras with remote control input

Cable Length

14 cm

- Bulb function for shake-free longterm exposures
- Two-stage shutter release button adjusts distance with autofocus and triggers then
- Due to exchangeable camera connections, the remote shutter release can be used for all common camera
- Screwable connection for a secure hold between the cable and remote shutter release

Black			00005200
	6	BK	

Wireless Shutter Release



hama.

"DCCSystem" Base Wireless **Remote Release**

- Bulb function for shake-free long-term exposures without time restriction
- Two-stage shutter release button adjusts distance with autofocus and triggers then
- Due to exchangeable camera connections, the remote shutter release can be used for all common camera models
- Delayed shutter release (4 seconds), e.g. for self-portraits

Black			00005202
	6	BK	



Extension Cable for "DCCSystem", 5 m

Shade of colour	Black

- Screwable connection for a secure hold between the cable and remote shutter release
- For connecting the base and system

5 m			00005215	
		6	RK	



hama.

Connection Adapter Cable for Canon "DCCSystem" CA-1

Remote Trigger port	Canon RS-60 E3
Shade of colour	Black

- Screwable connection for a secure hold between the cable and remote shutter release
- Equivalent to the original camera connection: RS60 E3





hama.

Connection Adapter Cable for Canon

"DCCSystem" CA-2

Remote Trigger port	Canon RS-80 N3
Shade of colour	Black

- Screwable connection for a secure hold between the cable and remote shutter release
- Cable with bayonet lock
- Equivalent to the original camera connection: RS-80 N3



Remote Control Releases



hama.

Connection Adapter Cable for Panasonic "DCCSystem" PAN-1

Remote Trigger port	Leica CR-DC1, Pana- sonic DMW-RS1	
Shade of colour	Black	

- Screwable connection for a secure hold between the cable and remote shutter release
- Equivalent to the original camera connection: DMW-RS1 Leica CR-DC1



hama.

Connection Adapter Cable for Nikon

"DCCSystem" NI-3

Remote Trigger port	Nikon MC-DC2
Shade of colour	Black

- Screwable connection for a secure hold between the cable and remote shutter release
- Equivalent to the original camera connection: MC-DC2



hama.

Connection Adapter Cable for Sony

"DCCSystem" SO-1

Remote Trigger port	Sony RM-S1AM, Sony RS-1000
Shade of colour	Black

- Screwable connection for a secure hold between the cable and remote shutter release
- Equivalent to the original camera connection: RS-1000/ RM-S1AM



hama.

Connection Adapter Cable for Pentax


"DCCSystem" PE-1

Remote Trigger port	Pentax CS-310	
Shade of colour	Black	

- Screwable connection for a secure hold between the cable and remote shutter release
- Equivalent to the original camera connection: CS-310











hama.

Connection Adapter Cable for Nikon "DCCSystem" NI-1

Remote Trigger port	Nikon MC 30
Shade of colour	Black

- Screwable connection for a secure hold between the cable and remote shutter release
- Cable with screw closure
- Equivalent to the original camera connection: MC 30

00005206



hama.

Connection Adapter Cable for Olympus "DCCSystem" OLY-1

Remote Trigger port Olympus RM-UC1

- Screwable connection for a secure hold between the cable and remote shutter release
- Equivalent to the original camera connection: RM-UC 1

			00005210
	6	BK	



hama.

Connection Adapter Cable for Sony

"DCCSystem" SO-2

Remote Trigger port	Sony RM-VPR1		
Shade of colour	Black		

- Screwable connection for a secure hold between the cable and remote shutter release
- Identical in construction to the original camera connection: RM-VPR1

			00005212
	6	ВК	

July 2021 INT



"Ni3-1.1" Remote Control Release



- Two-stage release (auto focus, shutter release)
- Lockable, for shake-free long-term exposures (bulb)
- Suitable for: Nikon D7000/D5000/ D3100/D90/D5100
- Equivalent to the original remote control release: MC-DC2

Black			00005284
	6	BK	



hama.

"Mini 2" remote-control release, infra-red, universal

- For Canon, Nikon, Olympus and Pentax DSLR and compact cameras with built-in IR receiver
- Similar functions to original remotecontrol release: Canon RC1/RC-5/ RC-6/Nikon ML-L3 / Olympus RM-2 / Pentax E/F
- Range depends on the camera model used
- With eyelet for convenient attachment to the camera equipment

Black			00005353
	1	0 BK	



hama.

"Professional" Wire Release, 40 cm

Length	40 cm
Shade of colour	Black

- Bulb function for shake-free longterm exposures
- Easy to place in position by means of the lock, ideal for time exposures
- Ergonomically shaped handle allows easy release

		00005312
6	BK	



FILTER & ACCESSORIES





















hama.

Lens filter "UV-Protection Filter 390, **HTMC-8**"

Coating	HTMC (8 x)
Metal Mount	Black
Mount Thickness	5 mm
Туре	UV Protection Filter
Type of Glass	High-Grade Lens

37 mm

43 mm

46 mm

52 n

55 n

58 n

62 n

67 n

72 n

77 n

82 n

86 r

95

• HTMC coating: four layers on each

Coating	HTMC (8 x)			
Metal Mount	Black			
Mount Thickness	5 mm			
Туре	UV Protection Filter			
Type of Glass High-Grade Lens Glass				
Neutral colour				

- side, for high light transmission

6 SC

00070637

00070643

00070646

00070649

00070652

16	ľ	-
	7	

Lens filter "UV-Protection Filter AR-4"

Coating	AR Coated
Metal Mount	Black
Mount Thickness	5 mm
Туре	UV Protection Filter
Type of Glass	High-Grade Lens Glass

- Neutral colour
- AR coating: two layers on each side, for better light transmission
- Quality standard (glass): highquality lens glass

Impact on the pictures:

- Clear, sharp photos
- Reduces haze and prevents fuzziness

hama.

Lens filter **"UV Protection Filter DC Double Coated**"

Coating	Coated
Metal Mount	Black
Mount Thickness	3.4 mm
Туре	UV Protection Filter
Type of Glass	Optical Glass

- Neutral colour
- Coating: one layer on each side
- Quality standard (glass): optical glass

Impact on the pictures:

- · Clear, sharp photos
- Reduces haze and prevents fuzziness

hama.

Lens filter "Gray Filter Vario DC ND-2400, DC Double Coated"

Coating	Coated
Metal Mount	Black
Mount Thickness	7 mm
Туре	Grey Filter
Type of Glass	High-Grade Lens Glass

- Possibility to lengthen the exposure time between +1 and +8 (ND2-400) aperture stops
- Rotary mount for individual adjustment
- Coating: one layer on each side
- Quality standard (glass): highquality lens glass

Impact on the pictures:

- Allows large apertures e.g. when shooting portraits when it is extremely bright: due to a blurred background the photographed person is clearly visible in the foreground
- Due to long exposure times flowing water gets "soft"

		00070037
		00070049
10	SC	
		00070052
9	SC	
		00070055
9	SC	
		00070058
9	SC	
		00070062
9	SC	
		00070067
9	SC	
		00070072
9	SC	
		00070077
9	SC	

mm			00070652									
	6	BK										
mm			00070655	37 mm				00070137				
	6	BK		40.5 mm				00070141				
mm			00070658	43 mm				00070143				
	6	BK		46 mm				00070146		37 mm		
mm			00070662	49 mm				00070149		49 mm		
	6	BK				9	SC					10
mm			00070667	52 mm				00070152		52 mm		
	6	SC				9	SC					9
mm			00070672	55 mm				00070155		55 mm		
	6	BK				9	SC					9
mm			00070677	58 mm	58 mm		00070158		58 mm			
	6	SC				9	SC					9
mm			00070682	62 mm				00070162		62 mm		
	6	SC				9	SC					9
mm			00070686	67 mm				00070167		67 mm		
	6	SC				9	SC					9
mm			00070695	72 mm		00070172		72 mm				
	6	SC				9	SC					9
5 mm			00070605	77 mm				00070177		77 mm		
	_	DI				0						0

40.5 mm				00079141		
49 mm	00079149					
52 mm	52 mm					
		6	BK			
55 mm				00079155		
		6	BK			
58 mm				00079158		
		6	BK			
62 mm	62 mm					
		6	BK			
67 mm	67 mm					
		6	BK			
72 mm				00079172		
77 mm	77 mm					
		6	BK			
82 mm				00079182		
		6	BK			





49 and 58 mm

Filter Clamp

2 Filter Clamps, 49 - 58 cm

• For filters or other screwable lens attachments with a diameter between

hama.

Lens filter "Polarization Filter AR, circular, multi-coated"

Coating	AR Coated (4x)
Metal Mount	Black
Mount Thickness	6 mm
Туре	Polarization Filter
Type of Glass	High-Grade Lens Glass

- Neutral colour
- AR coating: two layers on each side, for better light transmission
- Quality standard (glass): highquality lens glass
- · Rotary mount with a pin

Impact on the pictures:

37 mm				00072537
40.5 mm	00072541			
43 mm				00072543
46 mm				00072546
49 mm				00072549
		9	SC	
52 mm				00072552
		9	SC	
55 mm				00072555
		9	SC	
58 mm				00072558
		9	SC	
62 mm			00072562	
		9	SC	
67 mm			00072567	
		9	SC	
72 mm			00072572	
		9	SC	
77 mm			00072577	
		9	SC	
82 mm				00072582
		9	SC	



Lens filter "Skylight-Filter 1A AR (LA+10) multi-coated"

Coating	AR Coated (4x)
Metal Mount	Black
Mount Thickness	5 mm
Туре	Skylight-Filter
Type of Glass	High-Grade Lens Glass

- For analogue photography
- With front thread for other filters, lens cap or lens hood
- AR coating, two layers on either side, for better light permeability
- Quality class (glass): high-quality lens glass

Impact of the picture:

- Warm colours, especially for landscape and outdoor portraits
- Reduces haze and prevents blurring
- Prevents blue cast

00005896				
	00005			



2 Filter Clamps, 62 - 86 mm

• For filters or other screwable lens attachments with a diameter between 62 and 86 mm

52 mm	000/1152		
	9	SC	
58 mm	00071158		
	Q	s.c	



ACCESSORIES FOR LENSES





Security Articles | Lens Accessories



Lens Cap Holder

Material	Plastic Material/ Rubber
Shade of colour	Black

- The elastic band allows attachment to all lens diameters
- The elastic loop stretches around the lens
- The adhesive pad is attached to the lens cap
- For permanently attaching to the
- The thin elastic loop blends in with the camera's design

00005898



Lens Cap Holder

Material	Rubber
Shade of colour	Black

- With a snap hook for attaching to the hand strap's eve
- The adhesive pad is attached to the lens cap
- For permanently attaching to the lens cap









hama.

Lens Pouch/Bag "Neoprene", Black

Material	Neoprene
----------	----------

- Snap hook for attachment to camera bag, belt or back pack
- Elastic cord with quick-release buckle for rapid removal of the lens
- Flexible neoprene material for protection against shocks
- Belt loops
- Suitable for lenses with a diameter up to 100 mm and height of up to 170 mm





hama.

Lens Pouch/Bag "Rexton", Black

Material	Polytex

- Storage compartment for one filter
- Snap hook for attachment to a camera bag, belt or backpack
- · Inner drawcord for easily removing the lens from the case
- Soft inner padding protects from knocks and bumps





hama.

Lens hood "Snap with Lens Cap for Wide Angle Lenses"

Shade of colour	Black

- The rotating lens hood blocks light coming in from the side in any desired position
- Snap function for quick and secure attachment of a lens hood and cap to the filter thread of a lens
- For space-saving transport simply put the lens hood on the lens the other way round
- For wide-angle and wide-angle zoom lenses
- Optimized for modern digital lenses

77 mm	00093677			
		10	BK	





hama.

Shade of colour

Lens hood "Snap with Lens Cap for Wide Angle Lenses"

• The rotating lens hood blocks light
coming in from the side in any
desired position

- Snap function for quick and secure attachment of a lens hood and cap to the filter thread of a lens
- For space-saving transport simply put the lens hood on the lens the other way round
- For wide-angle and wide-angle zoom lenses
- Optimized for modern digital lenses

67 mm	00093667			
		10	BK	

50 mm			00126693
	10	НС	
80 mm			00126694
	10	НС	
130 mm			00126695
	10	НС	
170 mm			00126696
	15	НС	

				80 mm			00004430	
n			00126693			108	НС	
	10	НС		110 mm				00004425
n			00126694			50	НС	
	10	НС		140 mm				00004431
ım			00126695			40	НС	
	10	НС		150 mm			00004433	
ım			00126696	170 mm				00004432
	15	НС				40	НС	



Lens hood "Snap with Lens Cap for Wide Angle Lenses"

Shade of colour	Black
-----------------	-------

- The rotating lens hood blocks light coming in from the side in any desired position
- Snap function for quick and secure attachment of a lens hood and cap to the filter thread of a lens
- For space-saving transport simply put the lens hood on the lens the other way round
- For wide-angle and wide-angle zoom lenses
- Optimized for modern digital lenses

72 mm			00093672
	10	BK	





hama.

Lens hood "Snap with Lens Cap for Wide Angle Lenses"

Shade of colour				Black			

- The rotating lens hood blocks light coming in from the side in any desired position
- Snap function for quick and secure attachment of a lens hood and cap to the filter thread of a lens
- For space-saving transport simply put the lens hood on the lens the other way round
- For wide-angle and wide-angle zoom lenses
- Optimized for modern digital lenses

58 mm			00093658
	10	BK	



Shade of colour

Lens hood "Snap with Lens Cap for Wide Angle Lenses"

	The vetetio			blacks	1: ~ 1
•	The rotatir	ig iens	, 1100u	DIOCKS	IIQI

- coming in from the side in any desired position
- Snap function for quick and secure attachment of a lens hood and cap to the filter thread of a lens
- For space-saving transport simply put the lens hood on the lens the other way round
- For wide-angle and wide-angle zoom lenses
- Optimized for modern digital lenses

55 mm			00093655
	10	BK	



hama.

Lens hood "ST for Standard Lenses, foldable"

Shade of colour	Black
Shade of colour	Black

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø77.0 mm)
- Allows you to attach a 77.0 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

77 mm			00093377
	11	BK	



hama.

"Snap with Lens Cap for

• The rotating lens hood blocks light

Snap function for quick and secure

· For space-saving transport simply

put the lens hood on the lens the

· Optimized for modern digital lenses

10 BK

00093662

• For wide-angle and wide-angle

attachment of a lens hood and cap

coming in from the side in any

to the filter thread of a lens

Wide Angle Lenses"

Lens hood

Shade of colour

desired position

other way round

zoom lenses







hama.

Lens hood "Snap with Lens Cap for Wide Angle Lenses"

Shade of colour	Rla

- The rotating lens hood blocks light coming in from the side in any
- desired position • Snap function for quick and secure attachment of a lens hood and cap to the filter thread of a lens
- For space-saving transport simply put the lens hood on the lens the other way round
- For wide-angle and wide-angle zoom lenses
- · Optimized for modern digital lenses

52 mm			00093652
	10	BK	



hama. Lens hood

"ST for Standard Lenses. foldable"

Shade of colour	Black

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø72.0 mm)
- Allows you to attach a 72.0 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

72 mm			00093372
	11	BK	



hama.

Lens hood "ST for Standard Lenses, foldable"

Shade of colour	Black

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø67.0 mm)
- Allows you to attach a 67.0 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

67 mm	00093367		
	11	BK	







Lens hood "ST for Standard Lenses, foldable"

Shade of colour

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø62.0 mm)
- Allows you to attach a 62.0 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

62 mm	00093362		
	11	BK	



hama.

Lens hood "ST for Standard Lenses, foldable"

Shade of colour	Black
-----------------	-------

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø52.0 mm)
- Allows you to attach a 52.0 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

52 mm	00093352		
	12	BK	



hama.

Lens hood "ST for Standard Lenses. foldable"

i				-
ı	Ch	-1	 	

Black

• Foldable for space-saving transportation

"ST for Standard Lenses.

hama.

Lens hood

foldable'

Shade of colour

- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø58.0 mm)
- Allows you to attach a 58.0 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

58 mm			00093358
	11	BK	

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø55.0 mm)
- Allows you to attach a 55.0 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

55 mm			00093355
	11	BK	



hama.

Lens hood "ST for Standard Lenses, foldable"

Black

Shade of col	our
--------------	-----

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø 40.5 mm)
- Allows you to attach a 40.5 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

40.5 mm	00093341		
	12	2 BK	



hama.

Lens hood "ST for Standard Lenses, foldable"

-1		ı					
Sh	ıa	d	e	01	CO	lour	

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø37.0 mm)
- Enables the installation of a 37.0 mm filter on the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections





hama.

Lens hood "ST for Standard Lenses, foldable"

Shade of colour	Black
Shade of colour	Black

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø46.0 mm)
- Allows you to attach a 46.0 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

46 mm			00093346
	12	BK	



hama.

Lens hood "ST for Standard Lenses, foldable"


Shade of colour	
-----------------	--

Black

- Foldable for space-saving transportation
- For standard lenses (from a focal length of 45 mm) and digital cameras with internal thread (screw-in frame: ø49.0 mm)
- Allows you to attach a 49.0 mm filter to the lens hood
- The matte-finished inner surface of the lens hood helps avoid reflections

49 mm			00093349
	12	BK	

Lens Accessories





hama.

Lens Cap "Smart-Snap"

Shade of colour		

- Snap function for quick and secure attachment to the filter thread of a lens
- Retaining cord for securing to a camera and lens
- Can also be attached to filters



hama.

Lens Cap "Super-Snap"

Shade of colour	Black
 Snap function for attachment to the 	

- a lens • Clamp mechanism integrated in the surface of the lid
- \bullet Cannot be removed via the outer edge therefore suitable for secure transportation in bags
- Without any bulky overhang
- Can also be attached to filters





hama.

Lens Rear Cap for Canon EOS

• Suitable for Canon AF lenses



hama.

Lens Rear Cap for Nikon

• Suitable for Nikon lenses



ACCESSORIES FOR LENSES

00030202

k			00030241	Black			
	11	BK			11	ВК	



hama.

Lens Rear Cap for Canon R

• Suitable for Canon R lenses



hama.

Rear Lens Cap Nikon Z

37 mm			00095437
40.5 mm			00095441
43 mm			00095444
46 mm			00095446
49 mm			00095449
52 mm			00095452
55 mm			00095455
58 mm			00095458
	20	BK	
62 mm			00095462
67 mm			00095467
72 mm			00095472
	20	BK	
77 mm			00095477
82 mm			00095482
	20	BK	


37 mm			00094437
46 mm			00094446
49 mm			00094449
52 mm			00094452
55 mm			00094455
58 mm			00094458
	12	BK	
62 mm			00094462
67 mm			00094467
	12	BK	
72 mm			00094472
	12	BK	

Qty PT

Black			00030208
	12	BK	

Black			00030209
	12	BK	

Lens Accessories







CAMERA ACCESSORIES





"Quick Shoot Strap" Carrying Strap for SLR Cameras

Material	Neoprene			
Maximum Length	150 cm			
• The 18 air cushions (patented air				

- The 18 air cushions (patented air cell technology) in the shoulder pad provide superior carrying comfort as they take on a form perfectly matched to the wearer's shoulder
- Super elastic neoprene acts as a shock absorber
- The 3-point safety lock allows the user to simply and quickly remove the camera from the strap; as it can only be opened by pressing three buttons, it also protects against theft
- Thanks to the slider, the camera glides from carrying position to shooting position in a flash without having to move the strap, the slider brake allows the camera to be fixed at any point
- A mounting plate adapts the tripod mount so that the tripod can still be used without having to unscrew the plate
- The strap does not get tangled thanks to the double guide bar on the slider
- Specially designed for DSLR cameras
- The 360° rotary connection allows the camera to be turned while still attached to the strap
- The mounting plate is attached to the tripod mount of the camera
- The rubberized surface of the mounting plate allows you to securely fix the camera
- High-quality, wide safety strap
- The strap's length is continuously adjustable





hama.

"2in1 130" Camera Carrying Strap, neoprene, ergonomic, black

Material	Neoprene
Maximum Length	130 cm

- The ends of the strap are removable at the quick release fastener and function as a separate carrying loop for a camera
- The elastic and ergonomically shaped strap provides superior carrying comfort
- Especially durable thanks to super elastic neoprene
- Bottom side with a rubber-coated, non-slip structure
- With a round split ring, especially suited for fixing to older camera models
- Adjustable length: 100 130 cm





hama.

"2in1 130" Camera Carrying Strap, neoprene, straight, black

Material	Neoprene
Maximum Length	130 cm

- The ends of the strap are removable at the quick release fastener and function as a separate carrying loop for a camera
- Straight strap, especially durable thanks to super elastic neoprene
- Bottom side with a rubber-coated, non-slip structure
- With a round split ring, especially suited for fixing to older camera models
- Adjustable length: 90 130 cm





hama.

"Air Comfort 140" Camera Carrying Strap, neoprene, black

Material	Neoprene
Maximum Length	140 cm

- The 12 air cushions (patented air cell technology) provide superior carrying comfort as they take on a form perfectly matched to the wearer's nape
- Super elastic neoprene material
- Especially durable
- Loop clasp system
- Adjustable length: 70 140 cm

Black				00027204
	(6	BK	

Black	00027202		
	6	BK	

Black	00027200		
	6	BK	

00027205

CAMERA ACCESSORIES





hama.

"Air Comfort 125" Camera Carrying Strap, neoprene, black

Material	Neoprene
Maximum Length	125 cm

- The 18 air cushions (patented air cell technology) provide superior carrying comfort as they take on a form perfectly matched to the wearer's nape
- Super elastic neoprene material
- Especially durable
- Suitable for heavy cameras
- Loop clasp system
- Adjustable length: 70 125 cm





hama.

"Loop 130" Camera Carrying Strap, neoprene, black

Material	Neoprene
Maximum Length	130 cm

- The strap ends can easily and quickly be removed on the quickrelease fastener
- Superior carrying comfort due to the elastic strap
- Especially durable thanks to superelastic neoprene
- Adjustable length: 70 130 cm





hama.

"RC Strap" Carrying Strap for Photo Cameras

Material	Neoprene		
Maximum Length	160 cm		

- A mounting plate adapts the tripod mount so that the tripod can still be used without having to unscrew the plate
- The strap does not get tangled thanks to the double guide bar on the slider
- Super elastic neoprene acts as a shock absorber
- The slider allows the camera to glide from the carrying to the capture position in a flash, without moving the strap
- Breathable shoulder rest for excellent air circulation and comfortable carrying even for hours at a time
- Soft shoulder padding adapts perfectly to the shoulder anatomy and ensures excellent carrying comfort
- · Additional securing of the shoulder strap with the fixing strap below the armpit
- The quick ball fastener allows the camera to be disconnected from the strap very quickly
- The 360° rotary connection allows the camera to be rotated without releasing it from the strap
- Fastening plate is mounted on the camera's tripod thread
- Fastening plate with cork for secure fixing of the camera
- High-quality, wide safety strap
- The strap length can be steplessly adjusted
- Length adjustable from 60 to 160

Black			00027211	
		6	BK	



"Pro II" Hand Strap

Material	Faux Leather, Plastic Material
----------	-----------------------------------

- The 9 air cushions (patented air cell technology) in the hand strap provide superior carrying comfort as they take on a form perfectly matched to the wearer's hand
- A mounting plate adapts the tripod mount so that the tripod can still be used without having to unscrew the plate
- Universally usable for cameras with a B1/4" (6.4 mm) tripod mount and strap attachment

Black				00027501
		6	BK	



hama.

Carrying Loop with Quick Release Fastener, 45 cm, black

Material	Nylon
----------	-------

- Usable for all compact cameras, also suitable for MP3 players, USB sticks, etc. with an eyelet
- 2 parts: the camera can be separated from the strap via a quick release fastener
- Tearproof and sturdy weave

Black			00027823	
		6	BK	



00027210



Straps and hand straps | Protective Films/Glasses



Hand Strap, fabric, 65 cm, black

Material	Nylon

• Usable for all compact cameras, also suitable for MP3 players, USB sticks, etc. with an eyelet

00027819

• Tearproof and sturdy weave



Split Rings, square, 6 pieces

• Triangular shape, especially suited for fixing to older camera models


6 Stück			00027902
	6	BK	



"Premium" Easy-On Universal Screen Protector, displays up to 14 cm (5.5")

- Extremely scratch-resistant, acid-proof, antistatic and washable screen protector with 4-layer technology
- True colour reproduction on the display ensures brilliant colours
- Easy-on: fixing aids for easy attachment of the protective film
- Universal fit for all digital cameras, mobile phones, MP3 players and navigation systems with a screen size of up to 14 cm (5.5")

		00001210
25	нс	



"Universal" LCD Screen Protector up to 4.0"/ 10.2 cm

- With 3 layers of foil, the protector provides optimal protection and helps prevent bubbles of air being trapped underneath when applied
- Can easily be cut down to various sizes (all formats up to 4.0") by following the desired cutting pattern on the sheet
- Reduces reflection
- Leaves no residues when removed

			00088599
	50	НС	



CAMERA ACCESSORIES

Hand Strap, fabric, 22 cm, black

Material	Nylon

- Usable for all compact cameras, also suitable for MP3 players, USB sticks, etc. with an eyelet
- Tearproof and robust woven
- Adjustable for an optimal hold around your hand and wrist

Black			00027812
	6	BK	



hama.


"Premium" Easy-On Universal Screen Protectors, displays up to 7.62cm (3.0")

- Extremely scratch-resistant, acid-proof, antistatic and washable screen protector with 4-layer technology
- True colour reproduction on the display ensures brilliant colours
- Precision laser cut for a perfect fit and contour precision
- Easy-on: fixing aids for easy attachment of the protective film

		00001211
25	НС	











HDMI™-Cable "High Speed Type A/A + 2 Adapters", Black

Quality	3 Stars
Data Transfer Rate	18 Gbit/s
Version	High Speed with Ethernet
Max. Resolution	4k (4096 x 2160)

- 3in1 connection for connecting every camera to a TV and a PC/ notebook to a TV
- Gold-plated plug with low contact resistance for secure signal transmission
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Fully shielded audio and video lines for optimum reduction of electromagnetic interference
- Return of the audio signal without additional audio cable (ODT, RCA etc.)
- HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bit
- Transmission of the following audio data: 8PCM, Dolby Digital, DTS, MPEG, DVD-Audio, SACD, Dolby Digital Plus, True HD, dts-HD
- Transmission of the type of player via ACE (Automatic Content **Enhancement)**
- HDMI™ CEC support (Consumer **Electronics Control)**
- High speed transmission of up to 18 Gbit/s for all image and sound standards from a bandwidth of 600

1.5 m			00074242
	6	BK	

hama.

HDMI™-Cable "High Speed Type A/C (Mini)", Black

Quality	3 Stars
Data Transfer Rate	18 Gbit/s
Version	High Speed with Ethernet
Max. Resolution	4k (4096 x 2160)

- Gold-plated plugs with low contact resistance for secure signal transmission
- Fully shielded audio and video lines for optimum reduction of electromagnetic interference
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended bandwidth
- Return of the audio signal without additional audio cable (ODT, RCA
- Supports automatic video/audio synchronization of HDMI™ devices
- Colour resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60 Hz, 4096 x 2160 - 24 Hz
- Transmission of the following audio data: 8PCM, Dolby Digital, DTS, MPEG, DVD-Audio, SACD, Dolby Digital Plus, True HD, dts-HD
- High-speed transmission of up to 18 Gbit/s for all image and sound standards with a bandwidth of 600 MHz and more
- Extended colour space

2 m			00074229
	6	BK	
0.5 m			00074237
	6	BK	

Qty PT

hama.

HDMI™-Cable "High Speed Type A/D (Micro)", Black

Quality	3 Stars		
Data Transfer Rate	18 Gbit/s		
Version	High Speed with Ethernet		
Max. Resolution	4k (4096 x 2160)		

- HDMI™ cable for perfect, highresolution ultra HD cinema quality 4096x2160 (4k) pixels
- Gold-plated plugs with low contact resistance for secure signal transmission
- Fully shielded audio and video lines for optimum reduction of electromagnetic interference
- Integrated channel for transmitting network data with up to 100 Mbit/s
- 3D transmission due to extended
- Return of the audio signal without additional audio cable (ODT, RCA
- For connecting devices with HDMI™ type A connection to devices with HDMI™ type D (micro) socket
- Image resolution: 3840 x 2160 24 Hz/25 Hz/30 Hz/50 Hz/60Hz, 4096 x 2160 - 24 Hz
- Colour space: 30/36/48 bits
- Transmission of the following audio data: 8PCM, Dolby Digital, DTS, MPEG, DVD-Audio, SACD, Dolby Digital Plus, True HD, dts-HD
- · Transmission of the type of player via ACE (Automatic Content Enhancement)
- HDMI™ CEC support (Consumer **Electronics Control)**

2 m			00074240	
		6	BK	
0.5 m				00074239

hama.

HDMI™-Cable "High Speed Type A/C (Mini)", Black

Quality	Standard
Data Transfer Rate	10.2 Gbit/s
Version	High Speed
Max. Resolution	1080 p

- HDMI™ cable for perfect highresolution full HD quality, 1920 x 1080 pixels
- Fully shielded audio and video lines for optimum reduction of electromagnetic interference
- 3D transmission due to extended bandwidth
- Return of the audio signal without additional audio cable (ODT, RCA
- High speed transmission of up to 10.2 Gbit/s for all image and sound standards with a bandwith of 340 MHz and more
- Supports automatic video/audio synchronisation of HDMI™ devices
- Colour resolution: RGB/YUV/Deep Colour/XUYCC
- Transmission of lossless audio data: uncompressed (Dolby Digital and DTS), compressed (DolbyTrueHD and DTS-HD)
- Extended colour space

1.5 m				00074243
		6	BK	





USB Cable "2.0 Type A/Mini B (B5 Pin)", Black

Connection	USB Mini B Plug, USB-A Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Gold-plated plugs with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slim design especially suited for portable devices like smartphones, tablets and cameras
- The inner conductor is made of copper which ensures best transmission properties
- USB 2.0 (downward compatible)
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Twisted data lines (twisted pairs)
- Ideal for data transfer and synchronization





hama.

USB Cable "2.0 Type A/Mini B (B8 Pin)", Black

Connection	USB Mini B Plug, USB-A Plug
USB Standard	USB 2.0

- High-speed data transfer of up to 480 Mbps
- Gold-plated plugs with low contact resistance for secure signal transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slim design especially suited for portable devices like smartphones, tablets and cameras
- The inner conductor is made of copper which ensures best transmission properties
- USB 2.0 (downward compatible)
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Twisted data lines (twisted pairs)
- Ideal for data transfer and synchronization






hama.

USB Cable "Micro USB 2.0 Cable, Gold-Plated, Twist-Proof", Black

Connection	Micro-USB-Plug, USB Micro B Plug, USB-A Plug	
USB Standard	USB 2.0	

- High-speed data transfer of up to 480 Mbps
- Gold-plated plug with low contact resistance for secure signal transmission
- The inner conductor is made of copper which ensures best transmission
- Light and space-saving due to the ultra thin, flexible cable and the extra small plugs
- Slim design especially suited for portable devices like smartphones, tablets and cameras
- No bothersome trying out: the plug can be inserted without having to be turned
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Twisted data lines (twisted pairs)
- Ideal for charging, data transfer and synchronization
- Also called "reversible micro USB"





hama.

USB Cable "2.0 Type A/Micro B", Black

Connection	Micro-USB-Plug, USB Micro B Plug, USB-A Plug	
USB Standard	USB 2.0	

- Additional shielding for good reduction of electromagnetic interference
- The inner conductor is made of copper which ensures best transmission properties
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Suitable and tested for USB 2.0, downward compatible with USB 1.1
- Twisted data lines (twisted pairs)
- Ideal for charging, data transfer and synchronization

0.75 m			00074248
	12	BK	

0.75 m			00074249
	12	BK	

0.75 m	0.75 m			
	12	BK		

1	1.8 m			00074245	
			6	BK	






USB Cable
"Adapter Cable, USB-C Plug
- USB 2.0 A Plug", Black

Connection	USB-A Plug, USB- C-plug		
USB Standard	USB 2.0		

- High-speed data transfer of up to 480 Mbps
- Additional shielding for good reduction of electromagnetic interference
- The inner conductor is made of copper which ensures best transmission properties
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Ideal for charging, data transfer and synchronization





hama.

USB Cable "2.0 Type A/Mini B (B5 Pin)", Black

Connection	USB Mini B Plug, USB-A Plug		
USB Standard	USB 2.0		

- USB 2.0 (downward compatible)
- High-density shielding due to tinned copper strands, fully excludes disturbing radiation/emittance



hama.

USB Cable "2.0 Type A/Mini B (B8 Pin)", Black

Connection	USB Mini B Plug, USB-A Plug		
USB Standard	USB 2.0		

- High-speed data transfer of up to 480 Mbps
- USB 2.0 (downward compatible)
- High-density shielding due to tinned copper strands, fully excludes disturbing radiation/emittance





hama.

USB Cable "Type-C, with LED indicator", Black


Connection	USB-C-plug
USB Standard	USB 2.0

- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- LED function indicator gives information about the charge state
- Red LED display: during charging / green LED display: when almost fully charged

1 m				00074252
		6	BK	

1.8 m				00074201
		6	BK	

1.8 m			00074204
	6	BK	



Cables & Adapters | Microphones





hama.

USB Cable
"Micro, with LED indicator", Black

Connection	Micro-USB-Plug		
USB Standard	USB 2.0		

- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- LED function indicator gives information about the charge state
- Red LED display: during charging / green LED display: when almost fully charged



hama.

Mini USB Connection Kit

Quality	1 Star		
USB Standard	USB 1.1		
Length	0.5 m		
Max. Data Transfer Rate	480 MBit/s		
Shade of colour	Black		

- Additional shielding for good reduction of electromagnetic interference
- The inner conductor is made of copper which ensures best transmission properties
- 2-part kit comprising:
- Connection cable, USB A-plug USB B-plug:
- Basic cable corresponds to USB connection cable
- Suitable and tested for USB 2.0, backward compatible with USB 1.1
- Sturdy plugs and moulded strain reliefs, high mechanical resistance
- Nickel-plated plug housing
- Twisted data lines (twisted pairs)
- Star-shaped 5-way mini USB adapter (B4, B5, B6, B8, M4)



hama.

"RMZ-18" Directional Microphone, zoom

Connection	3.5 mm Jack Plug		
Directivity	Cardioid/Supercardi- oid (switchable)		
Model	Mono		

- The rubber-cushioned, vibrationdamping anti-shock frame absorbs mechanical vibration and background noise
- Lo/Hi (+10dB) sensitivity adjustment to the ambient noise level (gain)
- Optional high-pass filter deadens disturbing ambient noise like wind or traffic

Black				00046118
		20	BK	



hama.

"RMZ-14" Directional Microphone, stereo

Connection	3.5 mm Jack Plug
Directivity	Cardioid/Supercardioid (switchable)
Model	Stereo
Cable Length	0.700 m

- Directivity switchable between cardioid and supercardioid
- Attaches to the flash shoe or via a 1/4" (6.4 mm) tripod socket
- Permanently attached push-on foot
- With a windshield to ensure clear outside recording

Black			00046114
	12	BK	



hama.

"RMN Uni" Directional Microphone

Connection	3.5 mm Jack Plug
Directivity	Uni-directional
Model	Mono
Cable Length	0.32 m

- From smartphones to camcorders
- for bloggers or film-makers: the microphone is ideal for all devices
- The vibration-attenuating anti-shock frame absorbs mechanical vibration and noise

Black			00004647
	10	BK	




hama.

"Smart" Lavalier Microphone

Connection	3.5 mm Jack Plug
Directivity	omni-directional
Model	Mono
Cable Length	6 m

 From smartphones to camcorders
 for bloggers or film-makers: the microphone is ideal for all devices

Black			00004634
	6	BK	





00074218

84

Camera accessories



Lens Adapter for Cameras with T2 Connection and Canon EOS Lenses




hama.

Lens Adapter for Cameras with T2 Connection and Nikon Lenses



hama.

Body Cap for Canon EOS





hama.

Housing Cover for Canon R


• Suitable for Canon R DSLR cameras



Black			00030743
	11	BK	

Black			00030708	
	12	BK		

Qty PT



Black			00030139
	12	BK	



hama.

Lens Adapter for Cameras with C-Mount Connection to Nikon Lenses



hama.

Body Cap for Canon EOS M

• Suitable for Canon EOS M DSLR cameras

E-mount	
i graya (il)	

hama.

Body Cap for NEX/Sony

• Suitable for NEX/Sony DSLR cameras

Black			00030770
	6	BK	

Black			00030138
	12	BK	

Black			00030140
	12	. BK	

Body Cap for Nikon

• Suitable for all Nikon SLR and DSLR cameras



hama.


Camera Spirit Level, 2 bubble levels

Number of Bubble Levels	
----------------------------	--

- For adjusting the camera for portrait and landscape shots
- Transparent housing
- Is inserted into the camera's hot shoe (standard flash shoe), can also be connected via a flash bracket
- 2 feet to position the camera for upright and broadside shots
- 2 bubble levels for precise adjustment

		00005411
6	BK	







hama.

Housing Cover for Nikon Z

• Suitable for all Nikon Z cameras

Black			00030141
	12	BK	



ENERGY



Replacement battery



hama.

"DP 378" Li-Ion Battery for Panasonic CGA-S005E

Model	Device Specific
Capacity	1050 mAh
Voltage	3.7 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077378
12	BK	



"DP 317" Lithium Ion **Battery for Panasonic** CGA-S007E

Model	Li-Ion
Capacity	800 mAh
Voltage	3.7 V

- Use with branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of
- · Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077532
6	BK	



"DP 307" Lithium Ion **Battery for Panasonic** CGR-S006E

Model	Li-Ion
Capacity	700 mAh
Voltage	7.2 V

- Use with UL/IEC-certified branded cells: for increased safety
- · Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077524
6	ВК	



hama.

"DP 461" Lithium Ion **Battery for Panasonic** DMW-BLC12

Model	Device Specific
Capacity	950 mAh
Voltage	7.2 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- · Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077461
12	BK	



"DP 378" Li-Ion Battery for Panasonic CGA-S005E

Model	Li-lon
Capacity	1050 mAh
Voltage	3.7 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077537
6	BK	



hama.

"DP 307" Lithium Ion Battery for Panasonic CGR-S006E

Model	Device Specific
Capacity	700 mAh
Voltage	7.2 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- · Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077307
12	BK	



hama.

"DP 446" Lithium Ion **Battery for Panasonic** DMW-BCM13

Model	Device Specific
Capacity	1050 mAh
Voltage	3.6 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077446
1.	2	BK	



"DP 461" Lithium Ion **Battery for Panasonic** DMW-BLC12

Model	Li-lon
Capacity	950 mAh
Voltage	7.2 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

			00077540
	6	BK	

Rechargeable Batteries & Powerpacks



hama.

"DP 450" Lithium Ion **Battery for Panasonic** DMW-BLG10

Model	Device Specific
Capacity	770 mAh
Voltage	7.2 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- · Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077450
12	BK	



hama.

"CP 826" Li-Ion Battery for Canon BP-511

Model	Device Specific
Capacity	1400 mAh
Voltage	7.4 V
Shade of colour	Metallic

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00046826
12	BK	



hama.

"DP 342" Li-Ion Battery for Canon LP-E5

Model	Device Specific
Capacity	700 mAh
Voltage	7.4 V
Shade of colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- · Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077342
	12	BK	



hama.

"DP 387" Li-Ion Battery for Canon LP-E6

Device Specific
1430 mAh
7.2 V
Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077387
	12	BK	



hama.

"DP 450" Lithium Ion **Battery for Panasonic** DMW-BLG10

Model	Li-Ion
Capacity	770 mAh
Voltage	7.2 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077515
6	BK	



"CP 826" Lithium Ion **Battery for Canon BP-511**

Model	Li-Ion
Capacity	1400 mAh
Voltage	7.4 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077531
6	BK	



hama.

"DP 342" Lithium Ion **Battery for Canon LP-E5**

Model	Li-Ion
Capacity	700 mAh
Voltage	7.4 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

			00077526
6	5	BK	



"DP 387" Lithium Ion **Battery for Canon LP-E6**

Model	Li-Ion
Capacity	1430 mAh
Voltage	7.2 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077516
6	BK	



"DP 384" Lithium Ion Battery for Canon LP-E8

Model	Device Specific
Capacity	950 mAh
Voltage	7.4 V
Shade of colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077384
12	BK	



hama.

"DP 444" Lithium Ion Battery for Canon LP-E12

Model	Device Specific
Capacity	650 mAh
Voltage	7.2 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077444
	12	BK	



hama

"DP 219" Li-Ion Battery for Canon NB-2L/H

Model	Li-lon
Capacity	700 mAh
Voltage	7.4 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corresion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

			00077529
	6	BK	



hama.

"DP 090" Li-Ion Battery for Canon NB-4L

Model	Device Specific
Capacity	650 mAh
Voltage	3.7 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00047090
	12	BK	



hama.

"DP 396" Lithium Ion Battery for Canon LP-E10

Model	Device Specific
Capacity	950 mAh
Voltage	7.4 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077396
12	BK	



hama.

"DP 444" Lithium Ion Battery for Canon LP-E12

Model	Li-Ion
Capacity	650 mAh
Voltage	7.2 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077513
6	BK	



hama

"DP 219" Li-Ion Battery for Canon NB-2L/H

Model	Device Specific
Capacity	700 mAh
Voltage	7.4 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00047219
12	BK	



hama.

"DP 313" Li-Ion Battery for Canon NB-5L

Model	Device Specific
Capacity	700 mAh
Voltage	3.7 V
Shade of colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077313
	12	BK	

Rechargeable Batteries & Powerpacks



"DP 343" Lithium Ion **Battery for Canon NB-6L**

Model	Li-lon
Capacity	700 mAh
Voltage	3.7 V

- Use with UL/IEC-certified branded cells: for increased safety
- · Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077535
6	BK	



hama.

"DP 430" Lithium Ion **Battery for Canon NB-10L**

Model	Device Specific
Capacity	820 mAh
Voltage	7.4 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- · Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077430
12	BK	



hama.

"DP 437" Lithium Ion **Battery for Canon NB-11L**

Model	Device Specific
Capacity	580 mAh
Voltage	3.6 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077437
12	BK	

"DP 437" Lithium Ion

Model

Capacity

Voltage

corrosion

Battery for Canon NB-11L

• Use with UL/IEC-certified branded cells: for increased safety

• Safety electronics: for monitoring of

the charging and discharge process

· Gold-plated contacts: for fewer

contact losses and prevention of

• Self-resetting thermal fuse (Polys-

6 BK

witch/PTC): additional protection

against short circuits and overload

Li-Ion

580 mAh

3.6 V



hama.

"DP 471" Lithium Ion **Battery for Canon NB-13L**

Model	Device Specific
Capacity	1010 mAh
Voltage	3.6 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- · Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			0007747
	12	BK	



"DP 488" Lithium Ion **Battery for Canon NB-13L**

Model	Li-Ion
Capacity	1010 mAh
Voltage	3.6 V

- Use with UL/IEC-certified branded cells: for increased safety
- · Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

			00077536
	6	BK	



hama.

"DP 488" Lithium Ion **Battery for Canon NB-13L**

Model	Device Specific
Capacity	1010 mAh
Voltage	3.6 V
Shade of colour	Black

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- · Gold-plated contacts: for fewer contact losses and prevention of corrosion

		00077488
12	BK	



"DP 434" Lithium Ion Battery for Fuji NP-W126

hama.

Shade of colour

Model **Device Specific** 1000 mAh Capacity Voltage 7.2 V

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- · Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077434
	12	BK	



"DP 434" Li-Ion Battery for Fuji NP-W126

Model	Li-Ion
Capacity	1000 mAh
Voltage	7.2 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077538
6	BK	



"CP 892" Li-Ion Battery for GoPro Hero 3

Model	Li-Ion
Capacity	1000 mAh
Voltage	3.7 V

- Use with UL/IEC-certified branded cells: for increased safety
- · Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of
- · Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

			00077534
	6	BK	



hama.

"DP 321" Li-Ion Battery for Nikon EN-EL3e

Model	Device Specific
Capacity	1500 mAh
Voltage	7.4 V
Shade of colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077321
12	BK	



hama.

"DP 028" Li-Ion Battery for Nikon EN-EL5

Model	Device Specific
Capacity	1000 mAh
Voltage	3.7 V
Shade of colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- · Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00047028
12	BK	



hama.

"CP 892" Lithium Ion Battery for GoPro Hero 3

Model	Device Specific
Capacity	1000 mAh
Voltage	3.7 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00046892
12	BK	



hama.

"CP 305" Lithium Ion Battery for GoPro Hero 4

Model	Device Specific
Capacity	1100 mAh
Voltage	3.8 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- · Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00046305
12	BK	



"DP 321" Lithium Ion **Battery for Nikon EN-EL3e**

Model	Li-Ion
Capacity	1500 mAh
Voltage	7.4 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077525
6	BK	



"DP 028" Lithium Ion **Battery for Nikon EN-EL5**

Model	Li-lon
Capacity	1000 mAh
Voltage	3.7 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077518
6	BK	

Rechargeable Batteries & Powerpacks



hama.

"DP 323" Li-Ion Battery for Nikon EN-EL9

Model	Device Specific
Capacity	900 mAh
Voltage	7.4 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- · Safety electronics: for monitoring the charging and discharging cycle
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077323
12	BK	



"DP 323" Lithium Ion **Battery for Nikon EN-EL9**

Model	Li-Ion
Capacity	900 mAh
Voltage	7.4 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077523
6	BK	



hama.

"DP 331" Li-Ion Battery for Nikon EN-EL10

Model	Device Specific
Capacity	600 mAh
Voltage	3.7 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077331
12	BK	



hama.

"DP 349" Li-Ion Battery for Nikon EN-EL12

Model	Device Specific
Capacity	950 mAh
Voltage	3.7 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077349
12	BK	



"DP 349" Li-Ion Battery for Nikon EN-EL12

Model	Li-lon
Capacity	950 mAh
Voltage	3.7 V

- Use with UL/IEC-certified branded cells: for increased safety
- · Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

BK	6	



hama.

"DP 481" Ultra Battery for Nikon EN-EL14a

Model	Device Specific
Capacity	1100 mAh
Voltage	7.4 V
Shade of colour	Black

- UltraLine battery: with increased capacity
- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention

			00077481
	9	BK	



hama.

"DP 482" Lithium Ion **Battery for Nikon EN-EL14a**

Model	Device Specific
Capacity	800 mAh
Voltage	7.4 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077482
12	BK	



"DP 482" Lithium Ion **Battery for Nikon EN-EL14a**

Model	Li-Ion
Capacity	800 mAh
Voltage	7.4 V

- Use with UL/IEC-certified branded cells: for increased safety
- · Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077514
6	BK	

Harna had been being ®

hama.

"DP 487" Ultra Battery for Nikon EN-EL15a/b

Model	Device Specific
Capacity	1700 mAh
Voltage	7 V
Shade of colour	Black

- UltraLine battery: with increased capacity
- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion

		00077487
9	BK	



hama.

"DP 465" Lithium Ion Battery for Nikon EN-EL23

Model	Device Specific
Capacity	1700 mAh
Voltage	3.8 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077465
	12	BK	



hama

"DP 470" Li-Ion Battery for Olympus BLS-50

Model	Li-Ion
Capacity	900 mAh
Voltage	7.2 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corresion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

			00077517
	6	BK	



hama

"DP 447" Li-Ion Battery for Olympus Li42B

Model	Li-Ion
Capacity	700 mAh
Voltage	3.7 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077522
6	BK	



hama.

"DP 395" Lithium Ion Battery for Nikon EN-EL19

Model	Device Specific
Capacity	600 mAh
Voltage	3.7 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077395
12	BK	



hama.

"DP 470" Lithium Ion Battery for Olympus BLS-50

Model	Device Specific
Capacity	900 mAh
Voltage	7.2 V
Shade of colour	Grey

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077470
12	BK	



hama.

"DP 447" Lithium Ion Battery for Olympus Li42B

Model	Device Specific
Capacity	700 mAh
Voltage	3.7 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077447
12	BK	



hama.

"DP 344" Li-Ion Battery for Olympus Li-50B

Model	Device Specific
Capacity	800 mAh
Voltage	3.7 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077344
	12	BK	

Rechargeable Batteries & Powerpacks



"DP 344" Li-Ion Battery for Olympus Li-50B

Model	Li-lon
Capacity	800 mAh
Voltage	3.7 V

- Use with UL/IEC-certified branded cells: for increased safety
- · Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- · Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077530
6	BK	



hama.

"DP 399" Lithium Ion **Battery for Sony NP-BN1**

Model	Device Specific
Capacity	630 mAh
Voltage	3.6 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

			00077399
	12	ВК	



hama.

"DP 460" Lithium Ion **Battery for Sony NP-BX1**

Model	Device Specific
Capacity	1090 mAh
Voltage	3.6 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- · Safety electronics: for monitoring the charging and discharging cycle
- Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077460
12	BK	



hama.

"DP 486" Ultra Battery for Sony NP-FW50

Model	Device Specific
Capacity	1030 mAh
Voltage	7.2 V
Shade of colour	Black

- UltraLine battery: with increased capacity
- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion

			00077486
	9	BK	



hama.

"DP 391" Lithium Ion **Battery for Sony NP-FW50**

Model	Device Specific
Capacity	750 mAh
Voltage	7.2 V
Shade of colour	Black

- Use of UL/IEC certified brand-name cells: for increased safety
- Safety electronics: for monitoring the charging and discharging cycle
- · Gold-plated contacts: for lower contact losses and corrosion prevention
- Self-resetting thermal fuse (polyswitch/PTC): additional protection against short circuit and overload

		00077391
12	ВК	



"DP 315" Lithium Ion **Battery for Sony NP-BG1**

Model	Li-Ion
Capacity	950 mAh
Voltage	3.6 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077528
6	BK	



"DP 399" Lithium Ion **Battery for Sony NP-BN1**

Model	Li-Ion
Capacity	630 mAh
Voltage	3.6 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077533
6	BK	



"DP 460" Lithium Ion **Battery for Sony NP-BX1**

Model	Li-Ion
Capacity	1090 mAh
Voltage	3.6 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- · Gold-plated contacts: for fewer contact losses and prevention of corrosion
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

		00077519
6	BK	



"DP 391" Lithium Ion **Battery for Sony NP-FW50**

Model	Li-Ion
Capacity	750 mAh
Voltage	7.2 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- Gold-plated contacts: for fewer contact losses and prevention of
- Self-resetting thermal fuse (Polyswitch/PTC): additional protection against short circuits and overload

			00077512
	6	BK	



Power Pack "Trip", 7800 mAh

Connection (Input)	USB Micro B Socket
Connection (Output)	USB A Socket
Component	Micro-USB-Cable

- The power pack provides an energy boost on the go
- Certified cells guarantee the highest safety standard and top quality
- · Housing with comfortable softtouch surface
- · Easy recharging of photo cameras (with USB charging function), specific batteries (with USB battery charger) and other mobile devices

Black			00077484
	6	BK	



"DP 485" Lithium Ion **Battery for Sony NP-FZ100**

Model	Li-Ion
Capacity	1900 mAh
Voltage	7.2 V

- Use with UL/IEC-certified branded cells: for increased safety
- Safety electronics: for monitoring of the charging and discharge process
- · Gold-plated contacts: for fewer contact losses and prevention of corrosion

		00077539
6	ВК	

hama.

Power Pack "Trip", 5200 mAh

Connection (Input)	USB Micro B Socket				
Connection (Output)	USB A Socket				
Component	Micro-USB-Cable				

- The power pack provides an energy boost on the go
- Certified cells guarantee the highest safety standard and top quality
- · Housing with comfortable softtouch surface
- · Easy recharging of photo cameras (with USB charging function), specific batteries (with USB battery charger) and other mobile devices

Black			00077483
	6	BK	





hama.

Battery Charger "Travel for Panasonic"

Shade of colour	Black

- LED function indicator gives information about the charge state
- Fast, easy and safe charging of the battery
- The battery fits perfectly into the charger
- USB charging connection for USB power supplies, USB car chargers, power packs
- USB connection cable included (USB A plug - micro USB)
- Short-circuit proof and reverse polarity protected
- With IC controlled charging control for gentle and efficient charging

hama.

Battery Charger "Travel for Panasonic,

INCAN	
Shade of colour	Black

- LED function indicator gives information about the charge state • Fast, simple and safe charging of
- the battery
- Perfect fit of the battery in the charger
- USB charging connection for USB mains adapters, USB car chargers, power packs
- Incl. USB connection cable (USB-A plug to micro-USB)
- Short-circuit-proof and reverse polarity protected
- With IC-controlled charge regulation for safe and efficient charging

DMW-BCM13			00081383
DMW-BLC12			00081388
DMW-BLG10			00081395
	6	DV	

DMW-BLG10			00081416	
DMW-BLC12				00081418
		6	BK	

Charger & Power Supply Units





hama.

Battery Charger "Travel for Canon"

Shade of colour

- LED function indicator gives information about the charge state
- Fast, easy and safe charging of the battery
- The battery fits perfectly into the charger
- USB charging connection for USB power supplies, USB car chargers, power packs
- USB connection cable included (USB A plug - micro USB)
- Short-circuit proof and reverse polarity protected
- With IC controlled charging control for gentle and efficient charging









hama.

Battery Charger "Travel for Canon, New"

Shade of colour

- LED function indicator gives information about the charge state
- Fast, simple and safe charging of the battery
- Perfect fit of the battery in the charger
- USB charging connection for USB mains adapters, USB car chargers, power packs
- Incl. USB connection cable (USB-A plug to micro-USB)
- Short-circuit-proof and reverse polarity protected
- With IC-controlled charge regulation for safe and efficient charging

hama.

Battery Charger "Travel for Nikon"

Shade of colour

- LED function indicator gives information about the charge state
- Fast, easy and safe charging of the battery
- The battery fits perfectly into the charger
- USB charging connection for USB power supplies, USB car chargers, power packs
- USB connection cable included (USB A plug - micro USB)
- Short-circuit proof and reverse polarity protected
- With IC controlled charging control for gentle and efficient charging

hama.

Battery Charger "Travel for Nikon, New"

Shade of colour

- LED function indicator gives information about the charge state
- Fast, simple and safe charging of the battery
- Perfect fit of the battery in the charger
- USB charging connection for USB mains adapters, USB car chargers, power packs
- Incl. USB connection cable (USB-A plug to micro-USB)
- Short-circuit-proof and reverse polarity protected
- With IC-controlled charge regulation for safe and efficient charging

NB-4L, NB-5L			00081374
NB-6L			00081375
LP-E6			00081378
LP-E8			00081379
NB-11L			00081381
NB-12L, NB-13L			00081385
LP-E10			00081394
LP-E17			00081397
LP-E12			00081405
	6	BK	

LP-E10			00081414
LP-E8			00081417
LP-E17			00081420
NB-11L			00081422
LP-E12			00081424
NB-6L			00081429
NB-12L, NB-13L			00081426
	6	BK	

EN-EL14, EN-EL14a			00081386
EN-EL12			00081391
EN-EL19			00081392
EN-EL15			00081398
	6	BK	

EN-EL15			00081419
EN-EL12			00081428
EN-EL5			00081432
EN-EL9, EN-EL9a			00081431
	6	BK	

Charger & Power Supply Units











hama.

Battery Charger "Travel for Olympus, New"

Shade of colour

- LED function indicator gives information about the charge state
- Fast, simple and safe charging of the battery
- Perfect fit of the battery in the charger
- USB charging connection for USB mains adapters, USB car chargers, power packs
- Incl. USB connection cable (USB-A plug to micro-USB)
- Short-circuit-proof and reverse polarity protected
- With IC-controlled charge regulation for safe and efficient charging

hama.

Battery Charger "Travel for Sony"

Shade of colour

- LED function indicator gives information about the charge state
- Fast, simple and safe charging of the battery
- Perfect fit of the battery in the charger
- USB charging connection for USB mains adapters, USB car chargers,
- Incl. USB connection cable (USB-A plug to micro-USB)
- Short-circuit-proof and reverse polarity protected
- With IC-controlled charge regulation for safe and efficient charging

hama.

Battery Charger "Travel for Sony, New"

Shade of colour

- LED function indicator gives information about the charge state
- Fast, simple and safe charging of the battery
- Perfect fit of the battery in the charger
- USB charging connection for USB mains adapters, USB car chargers, power packs
- Incl. USB connection cable (USB-A plug to micro-USB)
- Short-circuit-proof and reverse polarity protected
- With IC-controlled charge regulation for safe and efficient charging

hama.

"Delta Multi" Universal **Charger for Lithium Ion Batteries and AA/AAA Cells**

Shade of colour

- LED function indicator gives information about the charge state
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- USB connection for charging additional devices
- For all digital cameras and camcorders
- Easy to use
- The contacts are variably adjusted for different batteries on the charger's bottom side, therefore no need to touch the contacts on the upper side
- Automatically recognises the voltage and polarity of Lithium ion batteries
- Automatic charging procedure
- Automatic charging cut-off for protecting the batteries
- Comes with a 12V charging cable for use in vehicles

BLS-5			00081427
LI-40B, LI-42B			00081430
	6	BK	

NP-BG1, NP-	FG1			00081387
NP-BX1				00081389
NP-BN1				00081393
NP-FW50				00081396
NP-FZ100				00081406
		6	ВК	

NP-FW50			00081411
NP-BX1			00081413
NP-FZ100			00081421
NP-BN1			00081423
NP-BG1			00081425
	6	BK	

			00081360
	6	BK	

Charger & Power Supply Units





hama.

"Delta Ovum LCD" Universal Charger for Lithium Ion Batteries & AA/AAA Cells

Shade of colour	Black
-----------------	-------

- Spring-mounted hook contacts for form-fitting charging contact
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- USB connection for charging additional devices
- For all digital cameras and camcorders
- LCD function indicator gives information about the charge state
- Easy, quick adjustment of the contacts on the charger's bottom side
- Automatically recognises the voltage and polarity of lithium ion batteries
- Automatic charging procedure
- Automatic charging cut-off for protecting the batteries
- Comes with a 12V charging cable for use in vehicles
- Easy to use





hama.

"Delta Ovum LED" Universal Charger for Lithium Ion Batteries & AA/AAA cells

ı	Shade of colour	Black

- Spring-mounted hook contacts for form-fitting charging contact
- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- USB connection for charging additional devices
- For all digital cameras and camcorders
- LED function indicator gives information about the charge state
- Easy, quick adjustment of the contacts on the charger's bottom side
- Automatically recognises the voltage and polarity of lithium ion batteries
- Automatic charging procedure
- Automatic charging cut-off for protecting the batteries
- Easy to use



hama.

USB Charger, 5V/1A

Connection	Euro Plug, USB A Socket
Output Voltage/ Output Current	5V/ 1A

- Mains supply of 100V-240V suitable for worldwide use in conjunction with a country-specific adapter
- Compact design, therefore ideal for on the go
- USB output: 5V/1A

Black			00081371
	6	BK	

6 BK

00081370

July 2021 INT



ACCESSORIES FOR FLASHES





Flash/Lighting Rail



hama.

Flash Bracket, 90°, foldable, black

Material	Metal, Plastic Material
WxHxL	3.4 x 14 x 19 cm

- For all flash units, lights, synchromats and tilt heads with a standard accessory shoe
- For all photo/video cameras with a tripod socket
- Sliding A 1/4" (6.4 mm) camera screw and B 1/4" (6.4 mm) tripod
- Hand grip for ease of use
- With a hand strap for a secure hold
- Plastic surface
- Being foldable and compact, the bracket is ultra portable
- Larger illumination angle as the flash unit is attached next to the camera
- Prevents the effect of "red eye" as the flash comes from another angle and not directly from near the lens as this would be the case without a flash bracket
- Easy to use: the camera and flash unit are compactly attached to the flash bracket that ensures optimal weight shift for portrait shots





hama.

"V" Flash Rail

Material	Metal, Plastic Material
WxHxL	16.4 x 3.5 x 20 cm

- For devices such as flash units, lights, microphones, spirit levels, etc. with standard flash foot
- Suitable for photo / video cameras with flash shoe
- Also suitable for smartphones and all devices with a 1/4" thread
- Multiple options to attach accessories and arrange the shot
- · Easy handling: accessories are attached compactly to the camera's flash shoe



hama.

Flash Rail, 30 x 177 mm, black/grey

Material	Plastic Material
WxHxL	3 x 2.3 x 17.7 cm

- For all flash devices, lights, Synchromats and tilt heads with standard attachment base
- Suitable for photo / video cameras with tripod thread
- With a standard flash shoe and mobile camera screw A 1/4" (6.4 mm), tripod thread B 1/4" (6.4 mm)
- Plastic runner
- Wider lighting angle, because the flash device is attached next to the camera
- Prevents the "red-eye effect" because the flash is coming from a different angle, and not, as is the case without the flash rail, directly from the proximity of the lens
- Easy handling: the camera and flash device are compactly attached to the flash rail, and the flash rail ensures the ideal distribution of weight for portrait shots



Flash Cable "90° Extension", Black

• PC plug and PC socket

5 m			00006975
	6	BK	




hama.

Flash Cable "90° Coiled Cable", Black

• PC plug and PC socket

(6.4 mr	n)			00006831	1/4" (6.4 mm	n)			00006810	1/4" (6.4 mm)			00006815	1.3 m	
		6	ВК				60	BK			6	BK			





Flash Cable "90° Connection Cable", Black

• PC plug, 2-pin - PC plug, 2-pin





hama.

Plug-in Foot with Tripod Thread

Contact	Insulated Hot Shoe Contact

- Tripod threads (A 1/4"/6.4 mm) and 2 locking nuts
- Foot without threaded hole for attachment and secure fastening to the camera or rail's flash shoe

00006958



hama

"Universal" Flash Adapter

Contact	Flash Unit (Cable Contact), Hot Shoe Contact
---------	--

- With a hot shoe contact
- 2.8 x 2.3 x 2.9 cm, 15 g

Black			00006950
	6	BK	



hama

Accessory Shoe with Insulating Plate

Contact Insulated Hot Shoe Contact

- Isolating plate prevents the current flow from the camera to the photography accessories and vice versa
- With tripod socket B 1/4"

Black			00006959
	168	BK	



CLEAN & CARE



Compressed Air Cleaner "AntiDust"

- Ideal for cleaning hard-to-access parts of cameras and equipment
- Monoblock tin with screw head for increased blow intensity
- Gas pressure stable until the end of the filling process
- With spray valve and capillary tube

400 ml	00005801					
	30					
250 ml	250 ml					
	30					



hama.

"Dust Ex 55" Air Blower

Diameter Rubber Bellow	5.5 cm
Length	16.6 cm

- Removes dust, crumbs and other small particles without touching the
- Valve system creates an optimal gust of air
- Environmentally friendly as neither liquid nor chemicals are required for cleaning
- Talc free

Black, Red			00005610
	6	BK	



hama.

"Dust Ex" Air Blower

Diameter Rubber Bellow	5.5 cm
Length	16.6 cm

- Removes dust, crumbs and other small particles without touching the
- · Valve system for optimised blowing action
- · Environment-friendly as cleaning requires no fluids or chemicals
- Talc-free

Black			00005501
	6	BK	



"Glass Fibre" Contact Cleaner

Suitable for	Batteries and Devices
--------------	--------------------------

- Length of glass fibre refill: 25 mm
- Length of pen: 120 mm

		00005629
6	BK	



hama.

Replacement Bundles for "Glass Fibrer"

1

00005628



hama.

Air Blower "Dust Ex Brush 55"

Diameter Rubber Bellow	5.5 cm
Length	16 cm

- With a brush for removing heavy soiling and coarse particles
- Air blower removes dust, crumbs and other small particles without touching the surface
- Valve system for optimised blowing action
- Brush can be attached to the side when not in use
- · Environment-friendly as cleaning requires no fluids or chemicals

Black			00005649
	6	BK	











"Optic Dry" Photo Cleaning Set, 3-part

• Set comprising:

Dust Ex Brush:

- With brush, for removing heavy soiling and coarser particles
- Air blower removes dust, crumbs and other small particles without touching the surface
- Valve system for optimised blowing
- Brush can be attached to the side when not in use
- Environment-friendly
- Talc-free

Cleaning Cloth:

- · Removes dirt and dust from all optical surfaces
- Especially high-quality microfibre cloth for lint-free cleaning
- · Excellent cleaning effect thanks to high-quality fibre structure
- Microfibre cleaning cloth (80%) polyester, 20% polyamide)

Lenspen:

- Highly efficient and gentle cleaning of all optical surfaces, especially for lenses and filters
- Ready for use immediately, since the screw lock ensures automatic activation of the velvet surface and means that no special activation of the fibres is required
- Especially long-lasting, since no liquid can dry out or leak with dry cleaning
- Original Lenspen
- Removes durst, specks of grease and other dirt

		00005938
6	BK	

hama.

"Optic Dry Basic" Photo **Cleaning Set**

• Set consisting of:

Lens pen:

- Allows highly effective and gentle cleaning of all optical surfaces, specially designed for lenses and filters
- · Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers
- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Original lens pen
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- · Special coating for high-quality lenses
- Conveniently shaped pen with a clip for attachment and an ergonomic
- Curved velvety surface
- Diameter: 13 mm, especially for lenses and filters

Air blower:

- For gently cleaning cameras, sensors, mirrors, lenses and eyepieces
- Removes dust, crumbs and other small particles without touching the surface
- · Valve system creates an optimal gust of air
- Environmentally friendly as neither liquid nor chemicals are required for cleaning

		00005939
6	BK	

hama.

"Optic HTMC" Cleaning Set, 2 parts

- 2-part set consisting of:
- "HTMC-Special" lens cleaning fluid,
- · For gentle, wet cleaning
- Fluid of superior quality for smearfree cleaning
- Pump-action spray

Lens cleaning tissues, 30 pieces, 120

- Made without silicone which avoids the formation of smears
- · Optimized for wet cleaning with a special cleaning fluid

"Optic Dry" Photo Cleaning Set, 4-part

- Set consisting of:
- Dust Ex Brush: • With brush, for removing heavy soiling and coarser particles
- Air blower removes dust, crumbs and other small particles without touching the surface
- Valve system for optimised blowing
- Brush can be attached to the side when not in use
- Environment-friendly
- Talc-free

Cleaning Cloth:

- Removes dirt and dust from all optical surfaces
- Especially high-quality microfibre cloth for lint-free cleaning

Lenspen:

- Highly efficient and gentle cleaning of all optical surfaces, especially for lenses and filters
- Ready for use immediately, since the screw lock ensures automatic activation of the velvet surface and means that no special activation of the fibres is required
- Especially long-lasting, since no liquid can dry out or leak with dry cleaning
- Original Lenspen
- Removes dust, specks of grease and other dirt
- Does not dry out
- With lens brush for dry pre-cleaning
- Special coating for high-quality lenses

			00005954
	6	RK	

00005902

6 BK



"Optic HTMC Dust Ex" Photo Cleaning Set, 4-part

- With a brush for removing heavy soiling and coarse particles
- Made without silicone which avoids the formation of smears
- Set consisting of:

Dust Ex Brush:

- Air blower removes dust, crumbs and other small particles without touching the surface
- · Valve system for optimised blowing action
- Brush can be attached to the side when not in use
- Environment-friendly
- Talc-free

"HTMC-Special" Lens Cleaner, 12

- For gentle, wet cleaning
- Superior quality fluid for smear-free cleaning
- Incl. application brush

30 Sheets of Fine Lens Paper:

· Optimised for wet cleaning with special cleaning fluid

Practical Mesh Storage Pouch, 12.5 x 17 cm





hama.

"Optic HTMC" Photo Cleaning Set, 4-part

- With a brush for removing heavy soiling and coarse particles
- Made without silicone which avoids the formation of smears
- Set consisting of:

"Pneu 40" Lens Brush:

- Air blower removes dust, crumbs and other small particles without touching the surface
- · Valve system for optimised blowing action
- With protective cap
- Environment-friendly
- Talc-free

"HTMC-Special" Lens Cleaner, 12

- For gentle, wet cleaning
- Superior quality fluid for smear-free cleaning
- Incl. application brush

30 Sheets of Fine Lens Paper:

 Optimised for wet cleaning with special cleaning fluid

Practical Mesh Storage Pouch, 13 x 18 cm





hama.

"Digi-Klear" Lens Pen

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	13 mm
Nib Length	12.5 cm

- · Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- Velvety surface with a special flat triangular shape for hard to reach places
- Diameter: 13 mm, especially for lenses and filters





hama.

"Classic" Lens Pen

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	13 mm
Nib Length	11.5 cm

- Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers separately
- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Original lens pen
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- Conveniently shaped pen with a clip for attachment and an ergonomic
- Curved velvety surface
- Diameter: 13 mm, especially for lenses and filters

		00005946
6	BK	

			00005947
	6	BK	

Grey		00005612
	20 E	IK .

Black, Red			00005961	
		20	BK	





"DigiKlear" Lens Pen

Special Velvet
13 mm
11.5 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers separately
- Original lens pen
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- Conveniently shaped pen with a clip for attachment and an ergonomic
- Velvety surface with a special flat triangular shape for hard to reach
- Diameter: 13 mm, especially for lenses and filters





hama.

Lens Pen

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	13 mm
Nib Length	12.5 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Conveniently shaped pen with a clip for attachment
- Curved velvety surface
- Diameter: 13 mm, especially for lenses and filters





hama.

Lens Pen, 15 pieces in a display box

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	13 mm
Nib Length	12.5 cm

- · Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- Conveniently shaped pen with a clip for attachment
- Curved velvety surface
- Diameter: 13 mm, especially for lenses and filters





hama.

MiniPro II Lens Pen

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	8 mm
Nib Length	9 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Flat velvety surface
- Diameter: 8 mm, especially for small optical surfaces

Black, Silver			00005962
	20	BK	

Black			00005604
	20	BK	

Qty PT

Black			00005605
	15	SC	

Silver			00005614
	20	BK	



"MiniPro III" Lens Pen



- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers separately
- Original lens pen
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- Small and handy pen with a clip for attachment and an ergonomic design
- Flat velvety surface
- Diameter: 8 mm, especially for small optical surfaces





hama.

MiniPro II Lens Pen, 15 pieces in a display box

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	8 mm
Nib Length	9 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Flat velvety surface
- Diameter: 8 mm, especially for small optical surfaces





hama.

"MicroPro II" Lens Pen

Material Cleaning Spike	Special Velvet
Diameter Cleaning Spike	5 mm
Nib Length	9 cm

- Particularly long service life as dry cleaning means that no liquid can dry out or run out
- Immediately ready for use as the screw closure ensures automatic activation of the velvety surface, no need to activate the fibers separately
- Original lens pen
- Removes dust, grease spots and other smudges
- Does not dry out
- With a lens brush for dry precleaning
- Special coating for high-quality lenses
- Small and handy pen with a clip for attachment and an ergonomic design
- Flat velvety surface
- Diameter: 5 mm, especially for eyepieces and smartphone cameras



hama.

Anti-static Cloth, 25 x 23 cm

Material	100% Cotton
Width x Length	23 x 25 cm

- The antistatic effect prevents dust from accumulating again after the cleaning process
- Especially high-quality cleaning cloth made from 100% cotton for lint-free cleaning
- Excellent cleaning effect thanks to high-quality fibre structure

Orange			00005999
	8	BK	



hama.


Cleaning Cloth
"Lens Cleaning Tissues, 150
pieces"

Material	Paper
Width x Length	12 x 6 cm

- Made without silicone which avoids the formation of smears
- Optimized for wet cleaning with a special cleaning fluid

Cream Nature			00005915
	6	BK	





Black, Purple			00005964
	20	BK	



Cleaning Cloth
"Pro-Optic, 24 Packs/
Display Box"

Material	Paper
Width x Length	12 x 14 cm

- The antistatic effect prevents dust from accumulating again after the cleaning process
- Wet cleaning perfect for stubborn dirt
- Ideal for travel

hama.

Material

Width x Length

cleaning process

for lint-free cleaning

Cleaning Set with 30

and 1 Microfibre Cloth

"Pro-Optik" Moist Wipes

• The antistatic effect prevents dust

from accumulating again after the

· Microfibre cloth of superior quality

cleaning - ideal for stubborn dirt and

Moist disposable wipes for wet

perfect for when out and about

Paper

12 x 14 cm



hama.

Cleaning Cloth "Micro"

Material	80% Polyester
Width x Length	15.5 x 15.5 cm

- Microfibre cloth of superior quality for lint-free cleaning
- Cleans effectively thanks to its highquality fibre structure
- Microfibre cleaning cloth (80% polyester, 20% polyamide)

	hama	1	V	3

hama.

Cleaning Cloth "Micro, 50 Pieces"

Material	80% Polyester
Width x Length	15.5 x 15.5 cm

- Microfibre cloth of superior quality for lint-free cleaning
- Cleans effectively thanks to its highquality fibre structure

00005905

Microfibre cleaning cloth (80% polyester, 20% polyamide)

5	1	

hama.

Cleaning Cloth "Pocket"

Material	100% Polyester
Width x Length	15 x 15 cm

- With a clip for conveniently clipping it onto a camera bag, carrying strap or bunch of keys
- Features a protective bag made of neoprene
- Cleans effectively thanks to its highquality fibre structure
- Washable by hand, can therefore be used repeatedly

Light Grey, Red			00005838
Black, Light Grey			00005839
	6	BK	

Cream Nature			00005970
	24	SC	





hama.

Cleaning Cloth
"Micro, 24 Pieces in a
Display Box"

Material	80% Polyester
Width x Length	15.5 x 15.5 cm

- Microfibre cloth of superior quality for lint-free cleaning
- Cleans effectively thanks to its highquality fibre structure
- Microfibre cleaning cloth (20% nylon, 80% polyester)



hama.

"Micro" Optical Cleaning Cloth, 14 Pcs in Display

Material	80% Polyester
Width x Length	20 x 20 cm

- Microfibre cloth of superior quality for lint-free cleaning
- Ensures thorough and gentle cleaning



hama.


"Pocket" Microfibre Cleaning Cloth, black

Material	100% Polyester
Width x Length	15 x 15 cm


- With clip for handy transport on the camera bag, carrying strap or keyring
- With neoprene protective pouch
- Excellent cleaning effect thanks to high-quality fibre structure
- Washable by hand, allowing it to reused

Light Grey			00005840
	8	SC	

Beige			00005988
	6	BK	



Qty PT





STORAGE MEDIA & ACCESSORIES





Memory Card Case, black

Material	Faux Leather
Max. Capacity	18

- High-quality, antistatic sleeves
- Index can be labelled, allowing for organised archiving
- With carrying strap



hama.

Memory Card Case, black

Material	Faux Leather
Max. Capacity	12

- High-quality, antistatic sleeves
- Index can be labelled, allowing for organised archiving
- With carrying strap



"Universal" Memory Card Case, large, black

Material	Faux Leather
Max. Capacity	5

- With a compartment for a Compact-Flash adapter
- Loops for up to 4 AA batteries and one stylus pen




hama.

"Maxi" Memory Card Case, black/grey

Material	Polyester
Max. Capacity	20

- Holds up to 20 memory cards
- Compartment for a PCMCIA adapter
- Loops for up to 5 AA batteries and one stylus pen
- Loops for a PDA or notepad plus replacement stylus
- With mesh pocket, e.g. for a USB stick

		00095983
90	SU	



		00047153
60	SU	

		00049917
60	SU	



hama.

STORAGE MEDIA & ACCESSORIES

"Vegas" Memory Card Case, size M, black

Material	Faux Leather
Max. Capacity	12

- Holds up to 8 SD and 4 microSD cards
- With specially developed safety
- Practical magnetic fastener



hama.

"Vegas" Memory Card Case, size S, black

Material	Faux Leather
Max. Capacity	8

- Holds up to 4 SD and 4 microSD cards
- · With specially developed safety
- Practical magnetic fastener



hama.

"Universal" Memory Card Case, small, black

Material	Faux Leather
Max. Capacity	4

With hook and loop fastener



"Mini" Memory Card Case, black/grey

Material	Polyester
Max. Capacity	10

- Holds up to 10 memory cards
- 2 insert pockets for small parts

		00095964
120	НС	

		00095956
120	НС	

		00047152
200	НС	

		00049916
30	SU	

Bags & Cases | Memory Cards




hama.

Memory Card File, graphite

Material	Polypropylene (PP)
Max. Capacity	8

- High-quality, antistatic sleeves
- Index can be labelled, allowing for organised archiving
- Holds up to 8 SD cards
- Coloured label on the back for easy sorting





hama.

Memory Card File, blue

Material	Polypropylene (PP)
Max. Capacity	8

- High-quality, antistatic sleeves
- Index can be labelled, allowing for organised archiving
- Holds up to 8 SD cards
- Coloured label on the back for easy sorting

		00095921
20	НС	



hama.

Sleeve "SD, Pack of 5", White, **Transparent**

Max. Capacity (Pieces)	2
Suitable for	SD & MMC

- High-quality, antistatic sleeves
- For attaching two SD cards each to a file, folder, photo album, etc.

			00095950
	100	НС	





hama.

SD Memory Card "Memory Fast", 80 MB/s

UHS Standard	UHS-I
Standard Speed Class	Class 10, UHS Speed Class 1
Video Speed Class	V10

- For real-time/broadcast recording; allows fast and direct data transfer between a memory card and a UHS-I capable terminal device
- SecureDigital-Extended-Capacity-Card (SDXC), compliant to the SD-3.01 standard
- Especially suited for real-time Full-HD video and 3D video recording
- Mechanical write protection (against inadvertent deletion)
- Incl. labelling field for short notes



hama.

SD Memory Card "Memory Fast, narrow packaging", 80 MB/s

hama

32 св

UHS Standard	UHS-I
Standard Speed Class	Class 10, UHS Speed Class 1
Video Speed Class	V10

- For real-time/broadcast recording; allows fast and direct data transfer between a memory card and a UHS-I capable terminal device
- SecureDigital High Capacity Card (SDHC), meets new SD 3.01 standard
- Especially suitable for real time full HD video and 3D video recording
- Mechanical write protection against accidental deletion
- With labelling field for short notes

L]
STORAGE MEDIA & ACCESSORIES	

256 GB			00123997
	24	BK	
128 GB			00124137
	24	BK	
64 GB			00124136
	24	BK	
32 GB			00124135
	24	BK	
16 GB			00124134
	24	BK	

32 GB			00181095
	32	BK	
16 GB			00181094

July 2021 INT







SD Memory Card "Memory Base", 22 MB/s

UHS Standard	UHS-I				
Standard Speed	Class 10, UHS Speed				
Class	Class 1				

- For real-time/broadcast recording; allows fast and direct data transfer between a memory card and a UHS-I capable terminal device
- SecureDigital Extended Capacity Card (SDXC), complies with SD 3.0 specifications
- Ideal for high-resolution full HD video recording
- Mechanical write protection (against unintentional deleting)
- With a label area for short notes

hama.

SD Memory Card "Memory Base, narrow packaging", 22 MB/s

Standard Speed Class 10

- · Allows direct recording and playback of films in FullHD
- SecureDigital High Capacity Card (SDHC), meets SD 2.0 standard
- Ideal for high-resolution full-HD video recording
- Mechanical write protection against accidental deletion
- With labelling field for short notes

hama.

SD Memory Card "Memory Base", 10 MB/s

Standard Speed	Class 4
Class	2.033 .

- SecureDigital Card
- Suitable for terminal devices with SecureDigital slot
- Mechanical write protection against unintentional deleting
- With a label area for short notes

hama.

microSD Memory Card "Memory Fast + Adapter/ Photo", 80 MB/s

UHS Standard	UHS-I				
Standard Speed Class	Class 10, UHS Speed Class 1				
Video Speed Class	V10				

- For real-time/broadcast recording; allows fast and direct data transfer between a memory card and a UHS-I capable terminal device
- micro SecureDigital Extended Capacity Card (microSDHC), complies with new SD 3.01 specifications
- Especially suited for real-time full HD video and 3D video recording
- Adapter for SD card format included



GB			00104366				
	24	BK					
GB			00104365	8 GB			0018109
	24	BK			32	BK	

24 BK 64 GB 24 BK 32 GB 0012415 24 BK 16 GB 0012415 24 BK	128 GB			0012416
24 BK 32 GB 0012415 24 BK 16 GB 0012415		24	BK	
32 GB 0012415 24 BK 16 GB 00124150	64 GB			00124152
24 BK 00124150		24	BK	
16 GB 0012415 0	32 GB			0012415
		24	BK	
24 BK	16 GB			0012415
		24	BK	

	24	DK	
128 GB			00124160
	24	BK	
64 GB			00124152
	24	BK	
32 GB			00124151
	24	BK	
16 GB			00124150
	24	BK	

00124173

STORAGE MEDIA & ACCESSORIES















microSD Memory Card "Memory Pro 4K + Adapter/Photo", 80 MB/s

UHS Standard	UHS-I
Standard Speed Class	UHS Speed Class 3
Video Speed Class	V30

- Allows perfect, high-resolution 4k video recordings with a guaranteed minimum write speed of 30 MB/sec.
- micro SecureDigital Extended Capacity Card (microSDXC), complies with new SD 3.01 specifications
- Especially suited for 4k cinema video, real time full HD video and 3D video recordings
- Comes with an adapter for SD card format

hama.

microSD Memory Card "Memory Base + Adapter/ Photo", 22 MB/s

UHS Standard	UHS-I
Standard Speed Class	Class 10

- For real-time/broadcast recording; allows fast and direct data transfer between a memory card and a UHS-I capable terminal device
- micro SecureDigital Extended Capacity Card (microSDXC), meets new SD 3.0 standard
- especially suited to real-time full HD video and 3D video recording
- Incl. adapter to SD card format

hama.

Card Reader "SD/microSD, Aluminium"

Connection	USB-A Plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0

- Allows fast data transfer between the card and the PC when used with a UHS-I capable SD/microSD card
- Allows direct data exchange between memory cards
- High-quality and robust metal casing
- LED function indicator gives information about the connection status
- Supports USB 3.0 SuperSpeed 5
 Gbps
- Downward compatible with USB 2.0 (480 Mbit/s) and USB 1.1 (12 Mbit/s)

Memory cards:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC
- Operating system: Windows 10/8/7/ Vista/XP or Mac OS 9.x or higher

hama:

Card Reader "SD/microSD/CF"

Connection	USB-A Plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0
Data Hansier Hate	

- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- Allows fast data transfer between the card and the PC when used with a UHS-I capable SD/microSD card
- USB cable for connection with a PC/ laptop
- Supports USB 3.0 SuperSpeed 5 Gbps
- Downward compatible with USB 2.0 (480 Mbit/s) and USB 1.1 (12 Mbit/s)

Memory cards:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC
- CompactFlash I
- Operating system: Windows 10/8/7/ Vista/XP and Mac OS 9.x or higher

128 GB			00181002
	24	BK	
64 GB			00123982
	24	BK	
32 GB			00123981
	24	BK	
16 GB			00123980
	24	BK	

64 GB			00108077
	24	BK	
32 GB			00108089
	24	BK	
16 GB			00108088
	24	BK	
8 GB			00108087
	24	BK	

Black, Silver			00123900
	30	BK	

Black	00124022		
	25	SC	





Card Reader "SD/microSD/CF/MS"

-A Plug
5 Gbit/s
SB 3.0

- Allows fast data transfer between the card and the PC when used with a UHS-I capable SD/microSD card
- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- Allows direct data exchange between memory cards
- Super speed data transfer rates of up to 5 Gbps
- LED function indicator gives information about the connection status
- Backwards-compatible with USB 2.0 (480 Mbit/s)
- Supports UDMA 7 mode
- Unique PID and VID

Memory Cards:

- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC
- CompactFlash I
- MS/MS Duo/MS PRO Duo/MS PRO
- Operating system: Windows 10/8/7/ Vista/XP or Mac OS 9.x or higher





hama.

Card Reader "UHS-II SD/SDHC/SDXC"

Connection	USB-A Plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0

- Extremely fast data transfer rate (up to 312 MB/s) between the card and the PC when used with an appropriate UHS-II SD card
- High-quality and robust metal casing
- LED function indicator gives information about the connection status
- Downward compatible with USB 2.0 (480 Mbit/s), USB 1.1 (12 Mbit/s), UHS-I and non UHS enabled SD cards
- Supports USB 3.0 SuperSpeed 5 Gbps

Speicherkarten:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC (with adapter, not included in the delivery package)
- Operating system: Win 10/8/7/Vista/XP and MAC OS 9.x or higher





hama.

USB 3.0 Card Reader, SD/ micro SD, anthracite

Connection	USB-A Plug
Data Transfer Rate	Up to 5 Gbit/s
USB Standard	USB 3.0

- LED function indicator provides information about the connection
- Supports USB 3.0 (5 Gbit/s), USB 2.0 (480 Mbit/s) and USB 1.1 (12
- 2-slot solution with direct USB connection (no USB cable required)
- Ideal for mobile use

Memory Cards:

- SD/SDHC/SDXC
- MicroSD/microSDHC/microSDXC
- Operating system: Windows 10/8/7/ XP and MAC OS 9.x or later





hama.

Card Reader "35in1 SD/CF/MS/xD/SM"

Connection	USB-A Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- Allows direct data exchange between memory cards
- LED function indicator gives information about the connection status
- USB cable for connection with PC/ laptop
- Supports USB 2.0 (480 Mbit/s) and USB 1.1

Memory cards:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC (with adapter, not included in the delivery package)
- CompactFlash I & II
- MS/MS Duo/MS PRO Duo/MS PRO Duo HG
- Smart Media Card
- xD-Picture Card
- Operating system: Windows 10/8/7/ Vista/XP and Mac OS 9.x or higher

White			00181017	
Black			00181018	
		25	BK	

Anthracite			00124024
	10	BK	

Anthracite			00124194
	25	SC	

Blue				00055348
		25	SC	





Card Reader "8in1 SD/microSD"

Connection	USB-A Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- Allows direct data exchange between memory cards
- LED function indicator gives information about the connection status
- Supports USB 2.0 (480 Mbit/s) and USB 1.1 (12 Mbit/s)
- 2 slot solution with direct USB connection (no USB cable necessary)
- Ideal for travelling

Memory cards:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC
- Operating system: Windows 10/8/7/ Vista/XP bzw. Mac OS 9.x or higher





hama.

Card Reader "Basic SD/microSD/CF/MS/ xD"

Connection	USB-A Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- Allows direct data exchange between memory cards
- LED function indicator gives information about the connection status
- USB cable for connection with PC/
- Compact card reader, ideal for travel

Memory cards:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC
- CompactFlash I & II
- MS/MS Duo/MS PRO Duo/MS PRO Duo HG
- xD-Picture Card
- Operating system: Windows 10/8/7/ Vista/XP and Mac OS 9.x or higher





hama.

USB 2.0 Multi Card Reader, SD/microSD/CF, blue

Connection	USB-A Plug
Data Transfer Rate	Up to 480 Mbit/s
USB Standard	USB 2.0

- Allows fast data transfer between the card and the PC when used with a UDMA capable CF card
- LED function indicator gives information about the connection status
- USB cable for connection with PC/
- Supports USB 2.0 (480 Mbit/s)

Memory cards:

- SD/SDHC/SDXC
- microSD/microSDHC/microSDXC
- CompactFlash I
- Operating system: Windows 10/8/7/ Vista/XP and Mac OS 9.x or higher



Memory Card Box

Memory Card Box "Smart"

Material	Plastic Material
Max. Capacity (Pieces)	18
Suitable for	Universal

• The flexible, non-slip material adapts to fit the shape of any memory card and provides optimum protection

Silver			00095976
	12	BK	






Memory Card Box "For 10 Memory Cards"


Material	Plastic Material
Max. Capacity (Pieces)	10

- Holds up to 10 memory cards
- Flexible, breakproof box which protects the cards from becoming damaged
- Date and memo area (can be labelled)
- Extremely flat and space-saving
- Fits in a 10x15 slip-in photo album

Transparent			00095985
	180	BK	







July 2021 INT



STORAGE MEDIA & ACCESSORIES

Internal Administration | Memory card storage



Memory Card Box "Fancy"

Material	Plastic Material
Max. Capacity (Pieces)	8
Suitable for	SD & MMC

- Elastic, shock-absorbing insert included
- Holds up to 8 SD memory cards

Silver			00049915
Black			00095973
	6	BK	



hama.

Memory Card Box "SD Slim Box"

Material	Plastic Material
Max. Capacity (Pieces)	1
Suitable for	SD & MMC

- Prevents your memory card from becoming damaged
- Flexible, breakproof box
- · Extremely flat and space-saving

Transparent			00095949
	6	BK	



Memory Card Labels, 18 pieces, black/white

Suitable for	SD & MMC
c 11 11 1	

• S	elf-a	adh	esiv

00095916





Memory Card Box "DuoCase"

Material	Plastic Material
Max. Capacity (Pieces)	2
Suitable for	SD & MMC

- Prevents your memory card from becoming damaged
- Flexible, breakproof box


120

• Extremely flat and space-saving

Transparent			00095947
	6	BK	



SLIDE



Storage Systems | Mounting of slides & Projection



ama.

Slide Sleeves for 20 Framed Slides in 5x5 cm Format, 25 pcs.

Material	Polypropylene (PP)
Model	Slide Cover
Number of Slides per Sleeve	20

- Safe storage: to protect your valuable slides from external influences such as dust and light and moisture
- Individual storage: Compile slides according to image sequence or theme, for example
- Tidy storage: one slide mount per pocket, filled from the top

		00002004
12	РО	



hama.

"LED" Slide Viewer, 3 x Magnification

Max. Magnification Factor	3
Slide Format	5 x 5 cm
Power Supply	Battery

- For all slide frames 5 x 5 cm in size
- With LED lighting, for 2 Mignon AA batteries, 1.5 V

Black			00001655
	6	BK	



"300" Slide Case, with 6 Magazines for 50 Slides

Slide Format	5 x 5 cm
Shade of colour	Black

- Flat, fold-up slide case, stackable
- For 300 5 x 5 slides
- With 6 unit magazines for 50 slide mounts each
- Produced in accordance with DIN standard
- Incl. index card, table of contents

300			00001090
	6	РО	



hama.

Slide Sleeves for 20 Framed Slides in 5x5 cm Format, 12 pcs.

Material	Polypropylene (PP)
Model	Slide Cover
Number of Slides per Sleeve	20

- Safe storage: to protect your valuable slides from external influences such as dust and light and moisture
- Individual storage: Compile slides according to image sequence or theme, for example
- Tidy storage: one slide mount per pocket, filled from the top

		00002014
12	РО	



"100" Stackable Slide Box, with 2 Magazines for 50 Slides each, Twin Pack

Slide Format	5 x 5 cm
Shade of colour	Grey

- Unit magazine for 5 x 5 slides
- Twin pack: 2 stacked boxes with a total of 4 magazines (1081: 4 x 36 slides/1086: 4 x 50 slides)
- 2 x 2 x 50

200			00001086
	6	РО	



CINEFILM & VIDEO



Projectors | Adhesive Material

Telescreen





hama.

Telescreen
"Videotransfer"

Height of Screen	20 cm
Width of Screen	20 cm

- Surface-reflective deflecting mirror for true-to-side images
- Also for viewing slides without darkening a room: slide image is displayed on the screen
- Easy to use: open the mirror up at an angle of 45° to the screen and direct the projector towards the mirror. The image is projected on the screen via the mirror and can easily be filmed.
- Can compactly be folded up

Video Cassette Adapter

hama

VHS-C/VHS
"Auto" Cassette Adapter

Type Tape (invoer)	VHS-C
Uitvoer	VHS

- Suitable for VHS-C/S-VHS-C
- Includes a motor for automatically tautening the video tape
- Battery operated via 1x Mignon AA
 1.5 V (not included)

00044704

Adhesive Foil

hama

Cinekett S8 Roll with 4000 Pcs.

00029307



hama

Cinekett S 8 Splicing Tape, 1 Soundtrack Free

- Pastes over 4 images
- With cut-out for 1 soundtrack


00003755

Black 00003012
7 SC

Qty PT



PROJECTION



Bags & Cases | Projectors



"Sportsline" Projector Bag, L, black

Material Polytex

- Adjustable and removable inner divider to divide the bag as required
- Fully padded projector bag with variable inner divider • Two large, variable-position ad-
- ditional pads with hook and loop fastening
- Projector retaining strap
- Integrated metal edging for stability
- Removable cable bag

		00101066
3	HT	



hama.

"Sportsline" Projector Bag, M, black

Material	Polytex

- Adjustable and removable inner divider to divide the bag as required
- The metal border reinforces the bag thus providing stability and optimal protection
- Fully padded projector bag with variable inner divider
- Two large, variable-position additional pads with hook and loop fastening
- Projector retaining strap
- Removable cable bag

126

		00101065
4	НТ	





hama.

Roller Projection Screen, 200 x 150 cm, 16:9

Material Tube Body	Metal
Cloth Thickness	330 μm
Format	16:9
Projection Area	190 x 107 cm
Projection Diagonal	218 cm
Weight	7.28 kg
Black Border	5 cm

- High-quality projection screen, especially developed for the home
- Projection screen surface with high luminance and large viewing angle
- For mounting on ceilings or walls
- Spring balancer mechanism for quick and frictionless rolling in and out of the projection cloth
- With tension rod
- With black masking for enhanced picture contrast (5 cm)
- Safe height setting via steplessly adjustable locking system
- Quality of the screen surface: M1 (PVC)
- Aspect ratio: 16:9
- Optimal adjustment of the projection height trough 40 cm wide,
- Compact housing cross section: 7.3
- x 8.5 cm
- Black, light-proof backside
- Metal housing RAL 9010 with black end caps



"LP10" Laser Pointer, 3-in-1, Extendable, red

Max. Range	50 m
Diameter	10 mm
Length	145 mm
Colour Laser	Red

- The red laser is ideal for emphasizing important points in darkened surroundings
- Integrated ballpoint pen for quickly taking notes on paper
- Telescopic pointer for giving engaging presentations in front of a board, whiteboard or projection

Silver			00003558
	40	BK	



"LP15" Laser Pointer, red

Max. Range	50 m
Diameter	10 mm
Length	60 mm
Colour Laser	Red

- The red laser is ideal for emphasizing important points in darkened surroundings
- Metal housing in a timeless design
- Incl. key ring and snap hook for attachment to bags or key collections
- TÜV/GS-tested
- Laser class 2 less than 1 mW

Chrome (matte)			00003531
	40	BK	



"LP17" Laser Pointer, red

Max. Range	50 m
Diameter	13.5 mm
Length	97 mm
Colour Laser	Red


- The red laser is ideal for emphasizing important points in darkened surroundings
- Metal housing in a timeless design
- With clip for fastening to bags or documents
- TÜV/GS-tested
- Laser class 2 less than 1 mW

Black			00003517
	40	BK	

00018783



STORAGE SYSTEMS





Negative Sleeves, Parchment, 7 Strips of 6 Negatives, 24x36 mm, 100 pcs.

Material	Glassine Matt (PER)
Model	Negative Sleeve
Number of Negatives per Sleeve	42

- Safe storage: to protect your valuable negatives from external influences such as dust, light and moisture
- Individual storage: compile negatives according to themes, for example
- Tidy storage: one strip per pocket, filled from the side

			00002251
	14	SC	



hama.

Negative Sleeves, Parchment, 10 Strips of 4 Negatives, 24x36 mm, 25 pcs.

Material	Glassine Matt (PER)
Model	Negative Sleeve
Number of Negatives per Sleeve	40

- Safe storage: to protect your valuable negatives from external influences such as dust, light and
- Individual storage: compile negatives according to themes, for example
- Tidy storage: one strip per pocket, filled from the side

		00002252
10	РО	



hama.

Negative Sleeves, Parchment, 7 Strips of 6 Negatives, 24x36 mm, 25 pcs.

Material	Glassine Matt (PER)
Model	Negative Sleeve
Number of Negatives per Sleeve	42

- Safe storage: to protect your valuable negatives from external influences such as dust, light and
- Individual storage: compile negatives according to themes, for example
- Tidy storage: one strip per pocket, filled from the side

			00002250
	15	РО	



hama.

Slide Sleeves for 20 Framed Slides in 5x5 cm Format, 25 pcs.

Material	Polypropylene (PP)
Model	Slide Cover
Number of Slides per Sleeve	20

- Safe storage: to protect your valuable slides from external influences such as dust and light and moisture
- Individual storage: Compile slides according to image sequence or theme, for example
- Tidy storage: one slide mount per pocket, filled from the top

		00002004
12	РО	



hama.

Negative Sleeves, Parchment, 4 Strips of 3 Negatives, 6x7 cm, 100 pcs.

Material	Glassine Matt (PER)
Model	Negative Sleeve
Number of Negatives	12

- Safe storage: to protect your valuable negatives from external influences such as dust, light and moisture
- Individual storage: compile negatives according to themes, for example
- Tidy storage: one strip per pocket, filled from the side

		00002259
14	SC	



hama.

Negative Sleeves, Parchment, 4 Strips of 3 Negatives, 6x6 cm, 25 pcs.

Material	Glassine Matt (PER)
Model	Negative Sleeve
Number of Negatives	12

- Safe storage: to protect your valuable negatives from external influences such as dust, light and moisture
- Individual storage: compile negatives according to themes, for
- Tidy storage: one strip per pocket, filled from the side

		00002256
15	РО	



hama.

Negative Sleeves, PP, 7 Strips of 6 Negatives, 24x36 cm, 100 pcs.

Material	Polypropylene (PP)
Model	Negative Sleeve
Number of Negatives	42

- Safe storage: to protect your valuable negatives from external influences such as dust, light and moisture
- Individual storage: compile negatives according to themes, for
- Tidy storage: one strip per pocket, filled from the side

		00002051
8	SC	




hama.

Negative Sleeves, PP, 1 Sheet for 40 Individual Negatives, 24x36 mm, 25 pcs.

Material	Polypropylene (PP)
Model	Negative Sleeve
Number of Negatives per Sleeve	40

- Safe storage: to protect your valuable negatives from external influences such as dust, light and moisture
- Individual storage: compile negatives according to image sequence or theme, for example, such as for self-cut negatives

		00002032
12	РО	



Negative Sleeves, PP, 7 Strips of 6 Negatives, 24x36 cm, 25 pcs.

Material	Polypropylene (PP)
Model	Negative Sleeve
Number of Negatives per Sleeve	42

- Safe storage: to protect your valuable negatives from external influences such as dust, light and moisture
- Individual storage: compile negatives according to themes, for example
- Tidy storage: one strip per pocket, filled from the side

		00002050
10	РО	



hama.

Photo Sleeves, DIN A4, for 4-8 Photos with a Size of 9x13 cm, clear, 10 Pcs.

Format	Vertical Format
Material	Polypropylene (PP)
Model	Photo Sleeve
Number of Photos per Sleeve	8
Picture Size	9 x 13
Shade of colour	Transparent

 Safe storage: for protection of photos against external influences such as dust, light and moisture

			00009776
	15	НС	



hama.

Photo Sleeves, DIN A4, for 8 Photos with a Size of 10x15 cm, white, 10 Pcs.

Format	Vertical Format
Material	Polypropylene (PP)
Model	Photo Sleeve
Number of Photos per Sleeve	8
Picture Size	10 x 15
Shade of colour	White

 Safe storage: for protection of photos against external influences such as dust, light and moisture

			00009787
	12	НС	



hama.

Folder for Negatives etc., 4 D-rings, Filling Height 45 mm, with Slipcase

Binding	Laminated Art Print
Mechanics	4 Ring Mechanic
Format	29 x 32,5 cm
Maximum Sheet Size	260 x 310 mm
Spine Width	80 mm

- Stable and lots of space: handy storage option for photographs, negatives, slides and much more
- Safe storage: for protection against external influences such as dust, light and moisture

Grey			00002298	
		7	РО	



hama.

Slide Sleeves for 20 Framed Slides in 5x5 cm Format, 12 pcs.

Material	Polypropylene (PP)
Model	Slide Cover
Number of Slides per Sleeve	20

- Safe storage: to protect your valuable slides from external influences such as dust and light and moisture
- Individual storage: Compile slides according to image sequence or theme, for example
- Tidy storage: one slide mount per pocket, filled from the top

			00002014
	12	РО	



hama

Photo Sleeves, DIN A4, 4-8 Photos with a Size of 10x15 cm, clear, 10 Pcs.

Format	Vertical Format
Material	Polypropylene (PP)
Model	Photo Sleeve
Number of Photos per Sleeve	8
Picture Size	10 x 15
Shade of colour	Transparent

• Safe storage: for protection of photos against external influences such as dust, light and moisture

		00009777
18	НС	

Qty PT



hama.

Folder for Negatives, 4 Rings, Filling Height 23 mm

Binding	Laminated Art Print
Mechanics	4 Ring Mechanic
Format	29 x 32,5 cm
Maximum Sheet Size	260 x 310 mm
Spine Width	40 mm

- Stable and lots of space: handy storage option for photographs, negatives or slides
- Safe storage: for protection against external influences such as dust, light and moisture

Black	Black			
	16	РО		



CUTTING MASCHINES



Paper Trimmer



Cutting Machine/accessories











hama.

"ProCut 310" Paper Trimmer

Cut Height	0.5 mm
Cut Length	310 mm

- Easy cutting ruler with cutting plate for mobile use
- Safe and straight cut, up to 31 cm, thanks to non-slip rubber feet
- Transparent clamping ruler with measurement division in cm & inch
- High longevity thanks to heattreated steel blade
- Cutting height: max. 5 sheets 80g/ m² (0.5 mm)

hama.

"Easy Cut R 320" Rotary Trimmer

Cut Height	0.5 mm
Cut Length	320 mm
Sheet Format	DIN A4, DIN A5, DIN A6

- Circular blade made of hardened steel
- Transparent clamping ruler
- Guide bar made of aluminium
- Interchangeable cutting head
- Scale for analogue and digital foto/ DIN formats and CD/DVD covers
- Angle lines for angular cutting in 5° steps
- Cutting height: max. 5 sheets 80 g/ m² (0.5 mm)

hama.

Lever Cutter "ProCut S 330 Plus"

Cut Height	1 mm
Cut Length	330 mm
Sheet Format	DIN A4, DIN A5, DIN A6

- Lever cutter for paper and foil
- Clamping ruler with protective finger edge for optimal hold of the piece which is to be cut
- Marks on cutting table for analogue and digital picture/DIN formats with scale in CM and inch
- Formats and CD/DVD cover
- Angle lines for angular cutting in 5° steps
- Cutting height: max. 10 sheets 80 g/ m² (1.0 mm)

O		

00008224 6 BK 00008206 5 SC 00008212 5 SC



FOTO-STUDIO



Monopods & Tripods | Holders | Background suspension





hama.

Lighting Tripod 200

Thread/Connection	1/4" (6.4 mm)
Leg Segments	1 Section
Material	Metal
Maximum Load	2500 g
Tripod Head	No
Min. Height - Max. Height	75 -200 cm
Maximum Profile Thickness	24 mm
Weight	980 g


- Stable design thanks to cross-struts • Functional quick-action leg locks for
- rapid and simple locking
- Especially lightweight, therefore ideal for shots outside the studio



Foam Holder for Background Rolls

Material	Plastic Material
----------	------------------

- Colour: anthracite
- Dimensions: W 85 x D 20 x H 10 cm







hama.

Bracket for Background Rolls, 3x, Hama System

Material	Plastic Material
Number of Hooks	3
Length	40 cm
Weight	14.7 kg

- For 3 background axes with Hama
- Suitable for insert spindle item no. 00021210, aluminium tube 275 cm item no. 00021211, aluminium tube 360 cm item no. 00021212
- Wall or ceiling mounting
- With mounting screws and dowels
- With drilling template and mounting diagram
- Impact-resistant plastic



hama.

Background Aluminium Tube Axle, 360 cm, Hama System

Maximum Load Capacity	14 kg
Weight	12 kg

- For 3x brackets for background rolls, item no. 00021200 System Hama
- The end-to-end aluminium pipes prevent the background cardboard from sagging and therefore creasing
- Unrolling stop
- Metal chain
- Clamp device for cardboard tubes
- Load capacity max. 14 kg
- Weight

360 cm		00021212
	1	



hama.

Background Aluminium Tube Axle, 275 cm, Hama System

Maximum Load Capacity	5.5 kg
Weight	10 kg

- For 3x brackets for background rolls, item no. 00021200 System Hama
- The end-to-end aluminium pipes prevent the background cardboard from sagging and therefore creasing
- Unrolling stop
- Metal chain
- Clamp device for cardboard tubes
- Load capacity max. 14 kg
- Weight

00021200

275 cm		00021211
	1	

00004084



Qty PT

Background suspension | Mounting Materials



hama.

Background Insert Spindles, 2-Part, Hama System

Maximum Load Capacity	5.5 kg
Weight	2.7 kg

- For 3x brackets for background rolls, item no. 00021200, System Hama
- Clamp device for cardboard tube
- Unrolling stop
- Metal chain
- The axle parts are pushed into the cardboard tube from the left or right
- Weight
- For roll widths from 80 275 cm
- Only for rolls on cardboard core with internal diameter of 54 65 mm

275 cm			00021210
	3	SC	



hama.

Background Fixing Cone, Hama System

Material	Metal
- All bl	. d

- Allows background rolls on cardboard tubing of any width (depending on the axle) to be fixed in place
- Examples: background cardboard 275 cm on axle 360 cm/background axle 135 cm on axle 275 cm
- Securing cuff
- Weight

Grey		00021235



hama.

Weighting rail for all photo backgrounds

Shade of colour	Silver

- The rail is attached to the bottom of the background cardboard and keeps it hanging flat or secured to the floor
- 4 fastening clips









hama.

"Studio" Hook and Loop Tape, 2 m

Material	Nylon
Width x Length	5 x 200 cm
Shade of colour	Black

- 2 m loop tape (width: 50 mm), 2 m hook tape (width: 25 mm)
- Self-adhesive
- Also suitable for fixing decorations

i c

00022290 6 BK

Studio Accessories | Photo Studio





hama.

Umbrella Holder for Flash Units with Attachment Foot

Shade of colour

nack

- With spigot adapter for use on tripod sockets A 1/4" (6.4 mm)
- Without adapter can be used for larger diameters up to 1.5 cm
- Studio umbrella is attached to the insert hole with a spring, suitable for all common umbrella diameters
- Joint for inclining the flash and umbrella by 90° in both directions
- Standard flash rail with locking screw for secure fixing
- Suitable for all stands up to 1.5 cm





hama.

Adhesive Paste, 250 g

- Kneadable
- For support
- Is simply applied to the product
- Neutral grey
- Can be coloured with a felt pen or similar on the surface
- Permanently elastic
- No skin formation
- Does not become brittle
- Self-adhesive





hama.

Laboratory Glove "Cotton", White

Material Cotton



hama.

Matt Spray

- Wash-out spray
- Can be removed again with water

400 ml 00006619

00006079

Grey 00007091 20 SC

9, M			00008474
11, L			00008475
7, S			00008473
	25	РО	



Background 1,35 x 11 m, arctic white

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 1,35 x 11 m, light blue

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 1,35 x 11 m, navy blue

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 1,35 x 11 m, sea blue

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

Arctic White		00021493
	1	

Light Blue		00021402
	1	



Navy Blue		00021441
	1	

Water Blue		00021461
	1	



Background 1,35 x 11 m, deep blue

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 1,35 x 11 m, nassau blue

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 1,35 x 11 m, blue

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 1,35 x 11 m, beige

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

Deep Blue		00021401

Nassau Blue		000	21406
	1		

Qty PT

Blue		00021460
	1	





Background 1,35 x 11 m, sand

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 1,35 x 11 m, yellow

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 1,35 x 11 m, light gold

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.


Background 1,35 x 11 m, dove-grey

Material	Cardboard
Width x Length	1.35 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass guidelines

	1		

00021466



Light Gold		00021418
	1	

Dove-Grey		00021443
	1	



Background 1,35 x 11 m, fawn brown

Material	Cardboard
Width x Length	1.35 x 11 m

· Coloured paper background, matt, non-fading, on a cardboard core



Background 1,35 x 11 m, orange

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 1,35 x 11 m, light grey

Material	Cardboard
Width x Length	1.35 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass guidelines



Background 1,35 x 11 m, lead-grey

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

Fawn Brown		00021467	
	1		

Orange		00021439
	1	

Light Grey		00021423
	1	

Livid		00021457
	1	



hama.

Background 1,35 x 11 m, slate-grey

Material	Cardboard
Width x Length	1.35 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass guidelines



hama.

Background 1,35 x 11 m, dark green

Material	Cardboard
Width x Length	1.35 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 1,35 x 11 m, fiery red

Material	Cardboard
Width x Length	1.35 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core



hama.


Background 1,35 x 11 m, violet

Material	Cardboard
Width x Length	1.35 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core

Slate Grey		00021458
	1	





Violet		00021468	
	1		



hama.

Background 1,35 x 11 m, neutral grey

Material	Cardboard
Width x Length	1.35 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass guidelines



hama

Background 1,35 x 11 m, apple-green

Material	Cardboard
Width x Length	1.35 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core

hama.

Background 1,35 x 11 m, scarlet

Material	Cardboard
Width x Length	1.35 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 1,35 x 11 m, black

Material	Cardboard
Width x Length	1.35 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core

Neutral Grey	00021404

Apple Green		00021463	
	1		

Scarlet		00021456
	1	

July 2021 INT

Black		00021444
	1	



Background 1,35 x 11 m, natural silk

Material	Cardboard
Width x Length	1.35 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, arctic white

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, light blue

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, navy blue

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

Natural Silk		00021426
	1	



ictic vviiite		00021	1333	Ligit b	I
	1				

Light Blue		00021502
	1	

Navy Blue		00021541
	1	



Background 1,35 x 11 m, snow white

Material	Cardboard
Width x Length	1.35 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass quidelines



hama.

Background 2,75 x 11 m, deep blue

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, nassau blue

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

		7

Background 2,75 x 11 m, turquoise

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

Snow-White		00021428
	1	

Deep Blue		00021501	
	1		

Nassau Blue		00021506
	1	

Turquoise		00021555
	1	



Background 2,75 x 11 m, blue

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, dark brown

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, brown

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, fawn brown

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

Blue		00021560
	1	





Fawn Brown		00021567
	1	



Background 2,75 x 11 m, sea blue

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, beige

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, sand

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

•//	

hama.

Background 2,75 x 11 m, yellow

Material	Cardboard
Width x Length	2.75 x 11 m


• Coloured paper background, matt, non-fading, on a cardboard core

Water Blue	00021561

Beige		00021525
	1	

Sand		00021566
	1	

July 2021 INT





Background 2,75 x 11 m, yellow-orange

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, light gold

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, dove-grey

Material	Cardboard
Width x Length	2.75 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass guidelines



Background 2,75 x 11 m, slate-grey

Material	Cardboard
Width x Length	2.75 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass guidelines

Orange, fello	JW	00021555
	1	



Dove-Grey		00021543
	1	

Slate Grey		00021558
	1	



Background 2,75 x 11 m, orange

Material	Cardboard
Width x Length	2.75 x 11 m

· Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, light grey

Material	Cardboard
Width x Length	2.75 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass guidelines



hama.

Background 2,75 x 11 m, lead-grey

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

	(

hama.

Background 2,75 x 11 m, neutral grey

Material	Cardboard
Width x Length	2.75 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass guidelines

Orange		00021539
	1	

Light Grey		00021523
	1	

Livid	00021557	
	1	

Neutral Grey		00021504
	1	



hama.

Background 2,75 x 11 m, dark green

Material	Cardboard
Width x Length	2.75 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, aspen

Material	Cardboard
Width x Length	2.75 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, pink

Material	Cardboard
Width x Length	2.75 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core



hama.


Background 2,75 x 11 m, lilac

Material	Cardboard
Width x Length	2.75 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core

Dark Green		00021512
	1	





Purple			00021529
		1	



hama.

Background 2.75 x 11 m, Greenscreen compatible, mint green

Material	Cardboard	
Width x Length	2.75 x 11 m	

 Paper backgrounds, lightfast, dull, wound on a cardboard core



hama

Background 2,75 x 11 m, apple-green

Material	Cardboard
Width x Length	2.75 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, fiery red

Material	Cardboard
Width x Length	2.75 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core

A	

hama.

Background 2,75 x 11 m, crimson

Material	Cardboard
Width x Length	2.75 x 11 m

 Coloured paper background, matt, non-fading, on a cardboard core

Mint Green		00021531

Apple Green		00021563
	1	

Fiery Red		00021527
	1	

Crimson		00021549
	1	



hama.

Background 2,75 x 11 m, scarlet

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



hama.

Background 2,75 x 11 m, violet

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, natural silk

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, ivory

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

Scarlet		00021556
	1	



Natural Silk		00021526
	1	

Ivory		00021533
	1	



Background 2,75 x 11 m, red violet

Material	Cardboard
Width x Length	2.75 x 11 m

· Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, black

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core



Background 2,75 x 11 m, snow white

Material	Cardboard
Width x Length	2.75 x 11 m

- Coloured paper background, matt, non-fading, on a cardboard core
- Especially suited for passport photos according to the new ePass guidelines



Background 2,75 x 11 m, light ivory

Material	Cardboard
Width x Length	2.75 x 11 m

• Coloured paper background, matt, non-fading, on a cardboard core

Red, Violet		00021562	
	1		

Black	00021544	
	1	

Snow-White			00021528	
		1		

Light Ivory		00021564
	1	



hama.

Background, Cardboard, 3.60 m x 30 m, black

Material	Cardboard
Width x Length	3.6 x 30 m

• Especially thick cardboard, bulkdyed, light-fast, matt, 360 cm wide, on cardboard tube



hama.

Background, Cardboard, 3.60 m x 30 m, Arctic white

Material	Cardboard
Width x Length	3.6 x 30 m

- Especially thick cardboard, bulkdyed, light-fast, matt, 360 cm wide, on cardboard tube
- Especially suitable for passport photographs compliant with the new EU passport guidelines



hama.

Background, Cardboard, 3.60 m x 10 m, dove grey

Material	Cardboard
Width x Length	3.6 x 10 m

• Especially thick cardboard, bulkdyed, light-fast, matt, 360 cm wide, on cardboard tube

00021143



hama.

Background cardboard 135,

Length	10 cm
Width	6 cm

• 1 original pattern each of the backgrounds 135, 275 and 360 in postcard size (14.8 x 10.5 cm)

192 PO

00021102

Apple Green/Arctic White/ Aspen/Beige/Black/Blue/ Brown/Crimson/Dark

/ /

00021147

Background, Cardboard, 3.60 m x 30 m, dove grey

Material	Cardboard
Width x Length	3.6 x 30 m

 Especially thick cardboard, bulkdyed, light-fast, matt, 360 cm wide, on cardboard tube



hama.

Background, Cardboard, 3.60 m x 10 m, black

Material	Cardboard
Width x Length	3.6 x 10 m

• Especially thick cardboard, bulkdyed, light-fast, matt, 360 cm wide, on cardboard tube



"2in1" Folding Background, Green/Blue, 150 x 200 cm

Material	Fabric
Width x Length	1.5 x 2 m

- Mobile folding background for streaming, gaming and video conferences in the office, home office and leisure domain
- Can be set up in seconds
- Two-colour background (green front / blue rear), ideal for photo and video recordings that can be cropped and digitally edited
- With fastening loops (1 x short side / 2 x long side)

		00021570
3	SC	

Dove-Grey		00021148






July 2021 INT



OPTICAL PRODUCTS





"Alu" Binoculars Tripod Holder with 1/4" Thread

Material Aluminium

- For wobble-free and lengthy observation since both hands remain free
- Firm position of the binoculars on the adapter and tripod
- Easy mounting of the binoculars: simply screw the adapter to the tripod and the binoculars to the adapter
- The binoculars remain fully operable
- Suitable for all binoculars with a 1/4" thread







hama.

"Optec" Binoculars, 8x21 Compact

Armouring	Rubber
Design	Roof
Diameter of Exit Pupil	2.62 mm
Field of View /1000 m	122 m
Focusing	Joint Focusing Arrangement
Lens Coating	Coated
Weight	165 g
Shade of colour	Black

- The "Blue Coated" antireflection lens coating avoids reflections thus guaranteeing a clear image, especially in case of backlight and dusk or dawn
- Soft touch body for shock protection and an optimal grip, therefore ideal for travel, sport and leisure time
- Due to reversible eyecups also suitable for wearers of glasses
- Compensates up to +/-3 diopters thus delivering clear images for spectacle wearers
- Quick and easy to focus thanks to large focusing wheel





hama.

"Optec" Binoculars, 12x25 Compact

Armouring	Rubber
Design	Roof
Diameter of Exit Pupil	2.08 mm
Field of View /1000 m	78 m
Focusing	Joint Focusing Arrangement
Lens Coating	Coated
Weight	246 g
Shade of colour	Black

- The "Blue Coated" antireflection lens coating avoids reflections thus guaranteeing a clear image, especially in case of backlight and dusk or dawn
- Soft touch body for shock protection and an optimal grip, therefore ideal for travel, sport and leisure time
- Due to reversible eyecups also suitable for wearers of glasses
- Compensates up to +/-3 diopters thus delivering clear images for spectacle wearers
- Quick and easy to focus thanks to large focusing wheel





hama.

"Optec" Monocular, 10 x 25

Armouring	Rubber
Design	Monokular
Diameter of Exit Pupil	2.5 mm
Field of View /1000 m	96 m
Focusing	Single Ocular Focusing
Lens Coating	Multi-Coated
Weight	80 g
Shade of colour	Black

- The "Blue Coated" antireflection lens coating avoids reflections thus guaranteeing a clear image, especially in case of backlight and dusk or dawn
- BK7 optical glass for a first class image even in extreme situations
- Soft touch body for shock protection and an optimal grip, therefore ideal when travelling as well as for sports and leisure time activities
- Due to reversible eyecups also suitable for wearers of glasses
- Compensates up to $\pm 1/-3$ diopters thus delivering clear images for spectacle wearers

8x x21 mm		00002800	
	12	SC	

12x x25 mm			00002802
	12	BK	

10x x25 mm		00002808	
	15	SC	





"Optec" Binoculars, 10x50 Prism

Armouring	Rubber		
7 timouring	Hubbel		
Design	Porro		
Diameter of Exit Pupil	5 mm		
Field of View /1000 m	101 m		
Focusing	Joint Focusing Arrangement		
Lens Coating	Coated		
Weight	830 g		
Shade of colour	Black		

- The "Blue Coated" antireflection lens coating avoids reflections thus guaranteeing a clear image, especially in case of backlight and dusk or dawn
- Soft touch body for shock protection and an optimal grip, therefore ideal for travel, sport and leisure time
- Due to reversible eyecups also suitable for wearers of glasses
- Compensates up to +/-3 diopters thus delivering clear images for spectacle wearers
- Quick and easy to focus thanks to large focusing wheel
- 1/4" (6.4 mm) thread allows you to attach a tripod (includes thread cover)

8 SC

00002804



hama.

"Basic 75" Magnifying Glass, 12 pcs. in display

Max. Magnification Factor	1.75
Height	80 mm
Lens Diameter	75 mm
Width	80 mm

- With convenient handle
- 75 mm diameter for optimum visibility
- Also perfect as a practical vision aid for the elderly to help them read comfortably and independently

Black			00005441
	12	SC	



hama.

"Basic 90 LED" Reading Magnifier, 18 pcs. in display

Max. Magnification Factor	4
Height	94 mm
Lens Diameter	90 mm
Width	202 mm

- With LED light (2 LEDs)
- With convenient, slim handle
- Large lens diameter 90 mm (2 x magnification) for the best view
- Small lens diameter 21 mm (4 x magnification) for detailed magnification

Black		00005445		
	18	SC		



hama

"Fold LED" LED Reading Magnifier, 14 Pcs. in Display

Max. Magnification Factor	6
Height	125 mm
Width	87 mm

- With LED light (1 LED)
- Folding and frameless LED magnifier with convenient fold-out handle
- Ergonomically shaped handle for the right hand ensures comfortable reading and viewing
- Large lens, rectangular: 90 x 55 mm (2 x magnification) for the best view

Black			00005448
	14	SC	



hama.

Stand Magnifier, 10x Magnification, 26 mm

Max. Magnification Factor	10
Height	47 mm
Lens Diameter	26 mm
Width	50 mm

- Transparent acrylic base unit ensures sufficient incident light, allowing the objects to be particularly well identified
- Lens with 10 x magnification for detailed observations
- Round

Black			00005494
	6	BK	

July 2021 INT

149

Index

Overview of all products from A to Z Flash Cable 102 Α Protection 72 Action Camera Accessory Kit Flash/Lighting Rail 102 R Adhesive Foil 124 Н Release 66 Adhesive Paste 136 64 Half Spindle Remote Release Adapter Cable 134 Hand Strap 32, 79 Replacement battery В Backpack Handle / accessories 62 HDMI™-Cable S 81 Bag 114, 126 Holder 37, 134, 148 145 Sample assortment Ball Joint/Tilt Head 58 Hook and Loop Tape Screen Protector 80 Battery Charger 33, 96 135 Screws Binoculars 148 SD Memory Card 115 Bluetooth Shutter Release 47 Selfie Stick Infrared Shutter Release 36, 45 Sleeve 115 L Slide Magazine 122 Camera Body Cap 85 Slide Viewer 122 Label 120 85 Camera Lens Adapter 58 Laboratory Glove 136 Socket Camera Plate Laser Pointer Spirit Level 86 126 Camera Quick-Release System 58 LED Light 40 13 Split Ring 80 Camera/Accessories Bag Lens Cap 75 Storage Sleeve 122, 128 Campact Bag Lens filter 68 117 Card Reader 72 T 32, 78 Lens hood Carrying Strap 72 46 Lens Pouch/Bag Telescreen Clamp / Tension Bracket Lens Rear Cap 75 Tripod 33, 42, 50, 134 110 Cleaning Cloth **Locking Cone** 135 Trolley Cleaning Kit 107 Cleaning Pen 108 U 9 M Colt Bag Magnifier 149 Umbrella Holder 106 Compressed Air Cleaner Matt Spray **USB** Cable 82 136 Contact Cleaner 106 Conversion Bushings 119 **USB Cable Set** 84 61 Memory Card Box USB Charging Adapter 47, 84 99 Microphone Cutting Machine/accessories 132 microSD Memory Card 116 ٧ D 106 Video Cassette Adapter Dust-Ex Brush Organizer Bag 12 Wall Bracket for Background Rolls 134 **Equipment Bag** 13, 15 **Paper Trimmer** 132 Weighting Rail 135 Wired Shutter Release F Photo Background 137 64,66 Wireless Shutter Release Photo Shutter Release Extension 64 File 129 96 **Power Pack** Filter Clamp 69 Projection Screen 126 Flash Adapter/Tilt Head

General Terms and Conditions

We shall carry out deliveries exclusively in accordance with the following conditions. The purchasing party shall recognise these conditions of purchase as binding for all future transactions. Any agreement deviating from these terms requires our express written confirmation. No purchase conditions of the purchasing party that differ from the conditions stated here shall be considered valid unless they have been expressly accepted in writing by Hama. Our general terms and conditions shall be considered accepted upon receipt of the goods, at the latest.

We shall store and process customer information electronically, in so far as this is required for the proper

conclusion of the given business transaction, in accordance with all relevant data protection regulations.

2. Quotation, Order and Minimum Order Value

2. Quotation, order and winiminan Greet Value Issuing a quotation does not obligate Hama to accept the order. Changes shall be made in writing. Technical details and illustrations of articles for sale in advertising brochures and other advertising information are not binding features, but instead descriptions or labelling of our products. Factory tolerances as considered usual within the trade shall be considered binding in all cases in so far as

no special limits for acceptable deviation have been agreed upon.

Where samples have been provided, Hama shall make every effort to deliver to the quality and specifications of the relevant sample. Slight deviations shall not constitute grounds for a claim on the part of the ordering party.

a) Domestic orders

We shall apply a surcharge in the amount of \in 4.00 for orders below the minimum net order value of \in 50.00.

b) International orders

The minimum value for foreign orders shall be defined in a separate agreement.

All prices are ex works or warehouse and subject to legally stipulated value added tax at point of transaction. Postage and packaging costs are itemised separately on our invoices, as is transport insurance.

4. Delivery and Period of DeliveryUnless the period of delivery has been agreed upon in written form for a specific case, delivery dates are to be understood as approximate dates to which we shall adhere whenever possible. Should the period of delivery be exceeded, the purchasing party may set an appropriate extension of said period, after the end of which they may withdraw from the contract through written declaration of their intent to do so.

The period of delivery shall be considered adhered to if the object of delivery has left the factory or

notification of readiness to ship has been sent before the end of said period.

The period of delivery shall be extended in the event of industrial disputes, particularly strikes and lockouts, as well as unpredicted obstructions beyond our control such as disruption of production, delay in the delivery of essential materials and other such disruptions that demonstrably bear on the delivery of the goods to be delivered. The same applies should such eventualities affect subcontractors. The period of delivery is extended according to the duration of such eventualities and obstructions. Should delivery become impossible or unreasonable, we are released from the responsibility of making delivery.

We are also not responsible for the aforementioned circumstances if they occur during an already

existing delay. In important cases, the onset and conclusion of such obstructions shall be commu-

incated by Hama to the ordering party at the earliest possible occasion.

The purchasing party shall have no right to compensation for delayed delivery, unless deliberate or gross negligence on our part can be demonstrated.

We are entitled to undertake partial deliveries in acceptable and reasonable quantities. Disputes over partial delivery do not entitle the purchasing party to refuse further partial deliveries.

5. Shipping and Transfer of Risk
All deliveries take place at the expense of the purchasing party.
The choice of route and means of transport are determined by Hama to ensure the swiftest transportation and punctual arrival to the best of its knowledge but without liability on the part of

Risk shall be transferred to the purchasing party when the object of delivery is received by the forwarding agent, carrier or other transporting agent – including those that are employed by us – and in any case no later than when the object leaves the factory or warehouse. This also applies to FOB and CIF transactions.

Goods for which notice has been given that they are ready for dispatch on the agreed upon date Goods for which notice has been given that they are ready for dispatch on the agreed upon date must be retrieved immediately. Hama is otherwise at liberty to store goods at the cost and risk of the customer as it considers fit, and to charge such goods as ex works or warehouse. The same applies if delivery cannot occur as a result of failure or suspension of transport, or of other conditions for which we cannot be held responsible. Should the ordering party delay acceptance of delivery for more than fourteen days after receiving notification of availability either intentionally or through gross negligence, Hama shall be, after an extension of a further fourteen days, entitled to withdraw from the contract or to demand compensation for breach of contract.

6. Terms of Payment

a) Creditworthiness

In the case of delayed payment and justified concerns as to the solvency and creditworthiness of a purchasing party, Hama is within its rights to demand securities or advance payment for pending deliveries and to make all claims of the financial transaction immediately payable without affecting

our other rights.

b) Terms of Payment, Domestic
Payment shall be made in cash or by transfer of funds at a discount of 2 per cent of the invoice amount if made within ten days, or without any discount on the fixed price if made within thirty days. Payment shall be made irrespective of receipt of goods. In the absence of other agreements, advance payment shall be required. Payment by the ordering party shall be considered in default if such payment has not been made within the payment period starting upon receipt of the invoice. Set-off and retention rights shall only be granted to the ordering party if counterclaims are legally recognised, beyond dispute or recognised by Hama. We only accept rediscountable bills of exchange from the Bundesbank by special arrangement and on account of payment. Bills of exchange or cheques shall, subject to receipt, be credited with the value date of the day on which Hama shall finally have access to the proceeds. All costs incurred thereby are the responsibility of the purchasing party.

If the payment deadline is exceeded, article 288 of the German Civil Code shall apply.

If the payment deadline is exceeded, article 288 of the German Civil Code shall apply

c) Terms of Payment, International

Only written terms of payment are valid for export trade. In the absence of such agreements, advance payment shall be required.

7. Retention of Title

At Retention of Title

Hama itself shall retain title of delivered goods until such time as the customer has made all payments resulting from the transaction, including those covering interest and costs, and any necessary balancing of a current account and any cheques or bills given in payment have been fully honoured. As long as payment resulting from the transaction remains due, the following shall apply:

The purchasing party is within its rights to sell, process or use goods subject to this retention of title within the process of surge of the purchasing party is within its rights to sell, process or use goods subject to this retention of title within the process of surge of the purchasing party is within its rights to sell, process or use goods subject to this retention of title within the process of surgest the party and the process of surgest the process or use goods subject to this retention of title within the process of surgest the party and the process of surgest the process of surgest to the process of surgest to the process of surgest the process of surgest to the process of surge

the normal course of business. Should the purchasing party be placed in default due to outstanding payments, all factory-condition goods in the hands of the purchasing party and/or goods still to be received shall be put at our disposal.

Should any goods to which Hama maintains title be sold, all claims to reimbursement shall be transferred to Hama without any particular act of transfer being required when demand is made.

The purchasing party may collect such claims as have been transferred to Hama, but must immediately redirect collected funds to Hama. The same also applies to all claims arising from any other service provided by Hama.

The purchasing party is not entitled to pledge goods or ceded claims or to use such goods or claims as securities. Hama must be immediately notified of seizures by third parties. The purchasing party is obligated to insure goods against fire damage and theft and to furnish proof of insurance upon request. The retention of title extends to cover new items produced by processing. If property of the purchasing party is mixed or combined with items owned by Hama, Hama acquires partial ownership under articles 947/948 of the German Civil Code. On the request of the purchasing party, Hama shall release its securities in so far as the value of our securities exceeds more than 20 % of the claim on a non-temporary basis. The choice of securities to be released lies with Hama.

8. Claims for Defects and Warranty a) Claims for Defects

Hama warrants that its goods shall be free of material defects and defects of title at the time of transfer of risk. The warranty period begins with receipt of the goods by the customer and lasts

Received goods shall be checked on receipt as to proper quality. The purchasing party shall notify Hama of any detectable defects in writing within fourteen days of receipt of goods. Hidden defects shall be reported in writing as soon as they are detected, at the latest within two years after receipt of goods. In the event of justified complaints made within the appropriate period, Hama shall rectify the defects, exchange the goods, or issue a credit note at its discretion.

b) Warranty

Hama warranties some of its products as indicated on the relevant product warranty card. Defects of material or fabrication shall be rectified within the warranty period by repair or replacement at Hama's discretion.

The warranty does not cover claims for damages of any kind, particularly not for replacement due to consequential damage. If the device in question is still under warranty, it shall be sent to Hama along with details of the defect and the dealer's receipt as proof of warranty.

c) Voiding of Claims for Defects and Warranties

In the case of defects caused by force or improper use, as well as in the case of repairs or actions by the particularly control the dealer's receipt as proof or the case of defects caused by force or improper use, as well as in the case of repairs or actions

by the purchasing party or third parties without our express written consent, the right to claim for defects and the warranty become null and void.

In the case of articles subject to wear and tear, no damage resulting from use over and above appropriate norms shall constitute a defect.

d) Reimbursement of Expenses

Reimbursement of expenses pursuant to article 439 II of the German Civil Code shall be agreed with Hama on an individual basis. This only applies to purchasing parties who themselves sell the goods they receive to private individuals. Any further liability for other reimbursement of expenses is excluded by Hama. The purchasing party has no other rights.

Is excluded by Hama. The purchasing party has no other rights.

Postage and Shipping Costs
The sender is responsible for initially paying the postage and shipping costs for any shipments sent to Hama relating to claims for defects, warranties, product liability claims and similar matters. These costs will be reimbursed once the validity of the claim is acknowledged.

9. Disclaimer

Regardless of the legal basis of such claims, our liability for damages is limited to intentional Regardless of the legal basis of such claims, our liability for damages is limited to intentional acts and gross negligence, including intentional acts and gross negligence on the part of our representatives and agents. In so far as no intentional breach of duty exists, liability is limited to foreseeable damage that typically occurs. In the case of breach of an essential cardinal duty, we assume liability irrespective of the degree of fault. However, our liability is limited here to foreseeable damage that typically occurs.

Liability due to non-accidental injury to life, limb or health is not affected. Liability is also not affected in so far as it is mandated by the German Product Liability Act, in the case of wilful deception or if a warranty is provided.

10. Returns

It it is necessary to clear merchandise, the scope and execution is generally to be clarified with us or with our field service. The following products are excluded from merchandise clearing: products from the technical price-list and weekly price-list (WPL), picture frames, opened display items, items with minimum order quantities and products that have been discontinued from our line. We also reserve the right to exclude from merchandise clearing individual product ranges that might be damaged during transport, that were delivered as part of a sales campaign or that could result in increased costs/procedures for returns and disposal.

Goods must be returned in the original packaging and with all shipping costs paid by the sender. The invoice belonging to the original delivery must accompany the shipment. Credit notes from the return of goods may only be charged against new orders of goods. Credit notes are subject to relevant deductions. Handling costs are set at fifteen per cent of the credited value of goods.

11. Applicable Law

The material law of the Federal Republic of Germany shall apply. International law on the purchase of moveable goods shall not apply, even if the purchasing party has headquarters abroad.

12. Place of Performance and Jurisdiction

The place of performance for both parties is Monheim, Bavaria, Germany. In the event of any disputes arising from contractual conditions, all lawsuits are to be filed at the court whose jurisdiction covers our headquarters if the ordering party is a merchant under commercial law, a legal entity under public law or a special fund under public law. We also reserve the right to file lawsuits at the location of the headquarters of the purchasing party.

> Hama GmbH & Co KG Dresdner Straße 9 86653 Monheim/Bayern

Monheim, May 2019







86653 Monheim/Germany Phone: +49 9091 502-0 Fax: +49 9091 502-458 hama@hama.de www.hama.com

www.facebook.com/Hama.Germany

All listed brands are trademarks of the respective companies. Errors and omissions excepted, and subject to technical changes. Our general terms of business are applied. Printed in Germany.

