

STANLEY[®]
Engineered Fastening



STANLEY[®] Camcar[®]
Socket Screw Catalog



Camcar® Socket Screws Catalog - Table of Contents

General Information	4
Ordering Information	5
Drive System Selection	6

Products - Inch Sizes

Socket Head Cap Screws, 1960 Series	8
Socket Head Shoulder Screws	16
Stainless Steel Socket Head Shoulder Screws	24
Stainless Steel Socket Head Shoulder Screws with Locking Nylon Patch	33
Socket Button Head Cap Screws	34
Flanged Button Head Cap Screws	38
Socket Low Head Cap Screws	39
Socket Flat Countersunk Head Cap Screws	42
Socket Set Screws - Cup Point	47
Socket Set Screws - Flat Point	51
Socket Set Screws - Knurled Cup Point	53


Products - Metric Sizes

Socket Head Cap Screws ISO 4762	55
Socket Head Shoulder Screws	58
Warranty	59

NOTE: Specials manufactured upon request
For complete technical information, consult the Camcar Technical
Manual, available from your customer service representative at
Decorah Operations.

Effective May 1, 2022





Stanley Engineered Fastening offers a complete range of engineered fasteners and installation equipment for industrial applications. Our engineering expertise in delivering a complete application solution helps our customers to reduce complexity in the assembly process and achieve the lowest total cost of ownership.

STANLEY ENGINEERED FASTENING FAMILY OF BRANDS

AVDEL INTEGRA NELSON OPTIA POP **STANLEY** Assembly Technologies TUCKER



The Camcar® brand began in 1943, cold forming a component others said "couldn't be made".

Camcar® Socket Screws - Superior Socket Screw Products

STANLEY Engineered Fastening is committed to offering a broad range of socket screw standard products made in the USA.

We take pride in designing, producing, and delivering superior products - an attitude you would expect from the industry's leading innovator.

That pride, combined with the latest fastener technology and engineering expertise, makes Stanley Engineered Fastening one of the most reliable sources of Socket Screw products in the industry today.

Stanley Engineered Fastening offers:

- Inch and metric sizes
- Hex and TORX PLUS® Drive available
- Heat-treated alloy steel
- Meet ANSI and ASTM standards
- Cold formed product
 - Provides uninterrupted grain flow for increased fatigue strength
 - Causes material to work-harden for improved yield and ultimate tensile strength
- Roll formed threads
 - Stronger threads
 - Efficient and economical fastener production
 - Increased joint and product integrity

A wide variety of these high-strength fasteners are in-stock, ready to meet your fastening needs. Single source supply can provide lower costs and improve quality. Any products not shown in this catalog may be considered specials.

Each customer is assigned to a sales service team. Team members are up-to-date on customer activity and can provide quick and accurate responses to inquiries regarding order status, shipping schedules, quotes, and more.

Commitment to Quality

All Camcar® socket screws are made from carefully selected and analyzed raw material and are critically inspected during the manufacturing processes.

- Utilize both Statistical Process Control and Quality at the Source methods
- Each manufacturing lot is assigned an identification number to give you complete traceability of quality in the finished product
- Many Camcar socket screw products are marked with the "Camcar" name for further assurances of the manufacturing source
- Fastener testing facility
- Integrated QA system
- Applications testing
- IATF 16949:2016

Ordering Information

For the purposes of electronic data-processing, stock numbers are assigned to all items in the Camcar socket screw product line. These numbers are shown in each list in this catalog.

For price quotations on either stocked items or specials, contact the Decorah Operations Customer Service Department. Lead times from these quotations can be verified at the time of the order. All quotes are subject to review of the complete and clear print. All parts are to be sold in sleeved quantity.

Packaged Camcar Socket Screws

As part of our ongoing efforts to improve our socket screw product line, we offer bar coded, safety-sealed packages. This not only ensures the package has not been tampered with, but also provides needed product information in an easy to read format. The information on the label includes lot number for traceability, part description, item number and a bar code for easier receiving.

Stock numbers

For the purposes of electronic data-processing (EDP), STANLEY Engineered Fastening has assigned stock numbers to all the items in this price list. For inch sizes, hex recess EDP numbers begin with a "1"; TORX PLUS® recess EDP stock numbers begin with a "3".

Socket screw products described in this catalog are manufactured from the highest quality alloy and stainless steels in strict conformance with standards and dimensions as set forth in ANSI B 18.3 - 1986; ANSI B 18.8.2 - 1978; and ANSI B 2.2 - 1968. Camcar socket products meet the respective ASTM Standard Specifications required in ANSI B18.3.

Special products

Products not listed in this catalog are special and will be priced upon request. Blueprints must accompany your request for quotation.

Special materials

Products manufactured from metals other than indicated in this catalog are specials and priced on request.

Product weights

Weight of products listed in this catalog are approximate pounds per box.

Returned goods

No products accepted for return without written authorization prior to return. Returns will be subject to a restock fee and other guidelines to be determined at time of request.

Price quotations

Quotations valid for 30 days from date of issue.

Plating

Products which are not plated by Stanley Engineered Fastening are not guaranteed and are not subject to return. Stanley Engineered Fastening will only plate those thread designations (i.e. 2A) which provide for plating allowance.

Stanley Engineered Fastening shall not be responsible or liable for misapplication or misuse of this product. All warranties are void if the product is plated or modified in any manner not under the control of Stanley Engineered Fastening.

Drive System Selection

Drive System Availability

Stanley Engineered Fastening is committed to offering the marketplace the latest in fastening solutions. As such, many of our most popular socket screw products are available with both the TORX PLUS® Drive System and hex drive system.

Drive System Selection

There are several issues impacting proper socket screw drive system selection which must be reviewed prior to specification.

Among the questions requiring review are:

- Does the drive system's torque capabilities meet the requirements of my application?
- Will the drive system withstand the high torque levels used in fastening socket screws?
- Is the required tooling readily available?
- Will I need separate tooling for inch and metric screws?
- Will the drive system enhance my overall operations?

In order to answer these questions, it is important to compare the available drive systems.


Introduction to the TORX PLUS® Drive System

Developed as an improvement of the original TORX® Drive System, the TORX PLUS® Drive consistently outperforms hex and other commonly-used drive systems. Used in virtually every industrialized nation in a multitude of industries, the TORX PLUS Drive System can enhance product reliability, increase productivity, and reduce total assembly costs. The TORX PLUS Drive System offers a 100% improvement in driver bit fatigue life and a 25% average improvement in driver bit torsional strength. In addition, its unique design provides optimum torque transfer and eliminates the need for excessive end load pressure while driving the fastener. The TORX PLUS configuration also virtually eliminates tool camout and slippage that can damage the head of the fastener and cause reduced tool life.




TORX PLUS® Drive System vs. Hex Drive

The hex drive has weaknesses inherent in its design which can cause problems during assembly. The engagement of the hex drive tool to the recess produces highly concentrated stress at the six corners of the drive tool (see the top of next column).



This stress at the thin cross-sectional areas of the fastener crushes the corners of the hex tool. This reduces the amount of wrenching engagement, causing reamed socket recesses and/or damaged socket tooling. This type of failure with the hex drive system is so common, it is often accepted as normal practice.



The TORX PLUS Drive System features deep engaging lobes with broad contact surfaces that spread out driving forces, preventing stress risers from forming. This minimizes damage to the drive tool and fastener, resulting in longer tool life. Customers have reported driving 2 to 10 times more fasteners per drive tool after switching to the TORX PLUS Drive.

TORX PLUS® Drive Tooling Availability

TORX PLUS Drive tools are readily available throughout the world from licensed manufacturers and authorized distributors. Your existing tooling suppliers often also carry TORX PLUS Drive tools, in many standard styles and sizes to meet your installation requirements. For service in the field, TORX PLUS Drive fasteners can be removed and reinstalled using commonly available TORX PLUS Drive or TORX Drive tooling. However, in order to fully realize the benefits of the TORX PLUS Drive, including extended bit life, TORX PLUS Drive tools should be used.

Socket Head Cap Screws - 1960 Series, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#2 56 TPI 5/64 Hex	3/16	10003	360-5203-61	100	1000	10
	1/4	10006	360-5204-61	100	1000	10
	3/8	10012	360-5206-61	100	1000	10
	1/2	10015	360-5208-61	100	1000	10
#3 48 TPI 5/64 Hex	3/16	10024	360-5303-61	100	1000	10
	1/4	10027	360-5304-61	100	1000	10
	3/8	10030	360-5306-61	100	1000	10
	1/2	10033	360-5308-61	100	1000	10
#4 40 TPI 3/32 Hex	3/16	10040	360-5403-61	100	1000	10
	1/4	10042	360-5404-61	100	1000	10
	5/16	10043	360-5405-61	100	1000	10
	3/8	10048	360-5406-61	100	1000	10
	1/2	10054	360-5408-61	100	1000	10
	5/8	10057	360-5410-61	100	1000	10
	3/4	10060	360-5412-61	100	1000	10
	7/8	10061	360-5414-61	100	1000	10
	1	10062	360-5416-61	100	1000	10
	1 1/4	10065	360-5420-61	100	1000	10
#5 40 TPI 3/32 Hex	1/8	70036	360-5502-61	100	1000	10
	1/4	10078	360-5504-61	100	1000	10
	3/8	10084	360-5506-61	100	1000	10
	1/2	10090	360-5508-61	100	1000	10
	5/8	10093	360-5510-61	100	1000	10
	3/4	10096	360-5512-61	100	1000	10
	1	10099	360-5516-61	100	1000	10

UNRC						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#6 32 TPI 7/64 Hex	1/4	10108	360-5406-61	100	1000	10
	3/8	10114	360-5606-61	100	1000	10
	1/2	10120	360-5608-61	100	1000	10
	5/8	10123	360-5610-61	100	1000	10
	3/4	10126	360-5612-61	100	1000	10
	7/8	10129	360-5614-61	100	1000	10
	1	10132	360-5616-61	100	1000	10
	1 1/4	10133	360-5620-61	100	1000	10
	1 1/2	10136	360-5624-61	100	1000	10
	1 3/4	10139	360-5628-61	100	1000	10
#8 32 TPI 9/64 Hex	2	10141	360-5632-61	100	1000	10
	1/4	10156	360-5804-61	100	1000	10
	3/8	10162	360-5806-61	100	1000	10
	5/16	10165	360-5805-61	100	1000	10
	1/2	10168	360-5808-61	100	1000	10
	5/8	10174	360-5810-61	100	1000	10
	3/4	10177	360-5812-61	100	1000	10
	7/8	10180	360-5814-61	100	1000	10
	1	10186	360-5816-61	100	1000	10
	1 1/4	10192	360-5820-61	100	1000	10
	1 1/2	10198	360-5824-61	100	1000	10
	2	10201	360-5832-61	100	1000	10
	2 1/2	10208	360-5840-61	100	1000	10

Socket Head Cap Screws - 1960 Series, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 24 TPI 5/32 Hex	1/4	10210	360-0304 -61	100	1000	10
	3/8	10216	360-0306 -61	100	1000	10
	1/2	10219	360-0308 -61	100	1000	10
	3/4	10228	360-0312 -61	100	1000	10
	7/8	10231	360-0314 -61	100	1000	10
	1	10234	360-0316 -61	100	1000	10
	1 1/4	10240	360-0320 -61	100	1000	10
	1 1/2	10246	360-0324 -61	100	1000	10
	1/4" 20 TPI 3/16 Hex	1/4	10265	360-0404 -61	100	1000
3/8		10267	360-0406 -61	100	1000	10
1/2		10270	360-0408 -61	100	1000	10
5/8		10273	360-0410 -61	100	1000	10
3/4		10276	360-0412 -61	100	1000	10
7/8		10279	360-0414 -61	100	1000	10
1		10282	360-0416 -61	100	1000	10
1 1/4		10291	360-0420 -61	100	1000	10
1 1/2		10294	360-0424 -61	100	1000	10
1 3/4		10300	360-0428 -61	100	1000	10

UNRC						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
5/16" 18 TPI 1/4 Hex	1/2	10351	360-0508 -61	100	1000	10
	5/8	10354	360-0510 -61	100	1000	10
	3/4	10357	360-0512 -61	100	1000	10
	7/8	10360	360-0514 -61	100	1000	10
	1	10363	360-0516 -61	100	1000	10
	1 1/4	10369	360-0520 -61	100	1000	10
	1 1/2	10372	360-0524 -61	100	1000	10
	1 3/4	10375	360-0528 -61	100	800	8
	2	10381	360-0532 -61	100	100	1
	2 1/4	10387	360-0536 -61	100	100	1
	2 1/2	10393	360-0540 -61	100	100	1
	2 3/4	10396	360-0544 -61	100	100	1
	3	10399	360-0548 -61	100	100	1
	3 1/4	10402	360-0552 -61	100	100	1
	3 1/2	10405	360-0556 -61	100	100	1
	4	10410	360-0564 -61	100	100	1
	4 1/2	10413	360-0572 -61	100	100	1
	5	10416	360-0580 -61	100	100	1

Socket Head Cap Screws - 1960 Series, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
3/8" 16 TPI 5/16 Hex	1/2	10435	360-0608 -61	100	1000	10
	5/8	10438	360-0610 -61	100	1000	10
	3/4	10441	360-0612 -61	100	1000	10
	7/8	10444	360-0614 -61	100	1000	10
	1	10447	360-0616 -61	100	800	8
	1 1/4	10450	360-0620 -61	100	800	8
	1 1/2	10456	360-0624 -61	50	500	10
	1 3/4	10459	360-0628 -61	50	500	10
	2	10462	360-0632 -61	50	400	8
	2 1/4	10465	360-0636 -61	50	400	8
	2 1/2	10468	360-0640 -61	50	400	8
	2 3/4	10471	360-0644 -61	50	50	1
	3	10474	360-0648 -61	50	50	1
	3 1/4	10477	360-0652 -61	50	50	1
	3 1/2	10483	360-0656 -61	50	50	1
	4	10489	360-0664 -61	50	50	1
	4 1/2	10495	360-0672 -61	50	50	1
	5	10501	360-0680 -61	50	50	1
6	10510	360-0696 -61	50	50	1	

UNRC						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
7/16" 14 TPI 3/8 Hex	3/4	10519	360-0712 -61	100	800	8
	7/8	10521	360-0714 -61	100	100	1
	1	10525	360-0716 -61	100	100	1
	1 1/4	10528	360-0720 -61	100	100	1
	1 1/2	10531	360-0724 -61	100	100	1
	1 3/4	10537	360-0728 -61	100	100	1
	2	10540	360-0732 -61	50	400	8
	2 1/4	10543	360-0736 -61	50	400	8
	2 1/2	10546	360-0740 -61	50	50	1
	2 3/4	10549	360-0744 -61	25	250	10
	3	10552	360-0748 -61	25	200	8
	3 1/2	10558	360-0756 -61	25	200	8
	4	10564	360-0764 -61	25	25	1

Socket Head Cap Screws - 1960 Series, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/2" 13 TPI 3/8 Hex	1/2	10573	360-0808 -61	50	500	10
	5/8	10576	360-0810 -61	50	500	10
	3/4	10579	360-0812 -61	50	500	10
	7/8	10582	360-0814 -61	50	500	10
	1	10585	360-0816 -61	50	400	8
	1 1/4	10588	360-0820 -61	50	400	8
	1 1/2	10591	360-0824 -61	25	250	10
	1 3/4	10594	360-0828 -61	25	250	10
	2	10597	360-0832 -61	25	250	10
	2 1/4	10600	360-0836 -61	25	200	8
	2 1/2	10606	360-0840 -61	25	200	8
	2 3/4	10609	360-0844 -61	25	200	8
	3	10612	360-0848 -61	25	25	1
	3 1/4	10618	360-0852 -61	25	25	1
	3 1/2	10621	360-0856 -61	25	25	1
	4	10627	360-0864 -61	25	25	1
	4 1/2	10633	360-0872 -61	25	25	1
	5	10639	360-0880 -61	25	25	1
	5 1/2	10645	360-0888 -61	25	25	1

Socket Head Cap Screws - 1960 Series, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA



UNRF						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#0 80 TPI .050 Hex	1/8	11035	360-7002 -61	100	1000	10
	3/16	11038	360-7003 -61	100	1000	10
	1/4	11041	360-7004 -61	100	1000	10
#1 72 TPI 1/16 Hex	1/4	11053	360-7104 -61	100	1000	10
	3/8	11056	360-7106 -61	100	1000	10
#6 40 TPI 7/64 Hex	1/4	11062	360-7604 -61	100	1000	10
	3/8	11068	360-7606 -61	100	1000	10
	1/2	11074	360-7608 -61	100	1000	10
	5/8	11077	360-7610 -61	100	1000	10
#8 36 TPI 9/64 Hex	3/4	11080	360-7612 -61	100	1000	10
	3/8	11089	360-7806 -61	100	1000	10
	1/2	11092	360-7808 -61	100	1000	10
#10 32 TPI 5/32 Hex	3/4	11095	360-7812 -61	100	1000	10
	1/4	11105	360-2304 -61	100	1000	10
	3/8	11107	360-2306 -61	100	1000	10
	1/2	11113	360-2308 -61	100	1000	10
	5/8	11119	360-2310 -61	100	1000	10
	3/4	11122	360-2312 -61	100	1000	10
	7/8	11125	360-2314 -61	100	1000	10
	1	11128	360-2316 -61	100	1000	10
	1 1/4	11134	360-2320 -61	100	1000	10
	1 1/2	11137	360-2324 -61	100	1000	10
	1 3/4	11140	360-2328 -61	100	1000	10
	2	11143	360-2332 -61	100	1000	10
	2 1/4	11145	360-2336 -61	100	1000	10
	2 1/2	11147	360-2340 -61	100	1000	10
	3	11150	360-2348 -61	100	1000	10

UNRF						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 28 TPI 3/16 Hex	3/8	11161	360-2406 -61	100	1000	10
	1/2	11164	360-2408 -61	100	1000	10
	5/8	11170	360-2410 -61	100	1000	10
	3/4	11176	360-2412 -61	100	1000	10
	7/8	11179	360-2414 -61	100	1000	10
	1	11182	360-2416 -61	100	1000	10
	1 1/4	11188	360-2420 -61	100	1000	10
5/16" 24 TPI 1/4 Hex	1/2	11221	360-2508 -61	100	1000	10
	5/8	11224	360-2510 -61	100	1000	10
	3/4	11227	360-2512 -61	100	1000	10
	7/8	11230	360-2514 -61	100	1000	10
	1	11233	360-2516 -61	100	1000	10
	1 1/4	11239	360-2520 -61	100	1000	10
	1 1/2	11242	360-2524 -61	100	800	8
	1 3/4	11248	360-2528 -61	100	800	8
	2	11254	360-2532 -61	100	800	8
	2 1/4	11257	360-2536 -61	100	100	1
2 1/2	11260	360-2540 -61	100	100	1	

Socket Head Cap Screws - 1960 Series, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA



UNRF						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
3/8" 24 TPI 5/16 Hex	1/2	11275	360-2608 -61	100	1000	10
	3/4	11281	360-2612 -61	100	1000	10
	1	11287	360-2616 -61	100	800	8
	1 1/4	11290	360-2620 -61	100	800	8
	1 1/2	11293	360-2624 -61	100	800	8
	1 3/4	11296	360-2628 -61	50	400	8
	2	11299	360-2632 -61	50	400	8
	2 1/4	11302	360-2636 -61	50	400	8
	2 1/2	11305	360-2640 -61	50	400	8
	3	11308	360-2648 -61	50	50	1
7/16" 20 TPI 3/8 Hex	1	11326	360-2716 -61	100	100	1
	1 1/4	11329	360-2720 -61	100	100	1
	1 1/2	11332	360-2724 -61	100	100	1
	2	11338	360-2732 -61	100	100	1
1/2" 20 TPI 3/8 Hex	1	11356	360-2816 -61	50	400	8
	1 1/4	11359	360-2820 -61	50	400	8
	1 1/2	11362	360-2824 -61	50	50	1
	1 3/4	11365	360-2828 -61	25	250	10
	2	11368	360-2832 -61	25	200	8
	2 1/4	11371	360-2836 -61	25	250	10
	2 1/2	11374	360-2840 -61	25	200	8
	3	11377	360-2848 -61	25	25	1

Socket Head Cap Screws - 1960 Series, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length under Head	TORX PLUS EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#4 40 TPI 10IP TORX PLUS	1/4	30042	350-5404 -61	100	1000	10
	3/8	30048	350-5406 -61	100	1000	10
	1/2	30054	350-5408 -61	100	1000	10
	5/8	30057	350-5410 -61	100	1000	10
	3/4	30060	350-5412 -61	100	1000	10
#5 40 TPI 10IP TORX PLUS	3/8	30084	350-5506 -61	100	1000	10
	1/2	30090	350-5508 -61	100	1000	10
#6 32 TPI 15IP TORX PLUS	1/4	30108	350-5604 -61	100	1000	10
	3/8	30114	350-5606 -61	100	1000	10
	1/2	30120	350-5608 -61	100	1000	10
	5/8	30123	350-5610 -61	100	1000	10
#8 32 TPI 25IP TORX PLUS	3/4	30126	350-5612 -61	100	1000	10
	1/4	30156	350-5804 -61	100	1000	10
	3/8	30162	350-5806 -61	100	1000	10
	1/2	30168	350-5808 -61	100	1000	10
	5/8	30174	350-5810 -61	100	1000	10
	3/4	30177	350-5812 -61	100	1000	10
	7/8	30180	350-5814 -61	100	1000	10
	1	30186	350-5816 -61	100	1000	10
#10 24 TPI 27IP TORX PLUS	1 1/4	30192	350-5820 -61	100	1000	10
	1/2	30219	350-0308 -61	100	1000	10
	5/8	30225	350-0310 -61	100	1000	10
	3/4	30228	350-0312 -61	100	1000	10
	1	30234	350-0316 -61	100	1000	10

UNRC						
Dia. TPI Recess Size	Length under Head	TORX PLUS EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 20 TPI 30IP TORX PLUS	3/8	30267	350-0406 -61	100	1000	10
	1/2	30270	350-0408 -61	100	1000	10
	5/8	30273	350-0410 -61	100	1000	10
	3/4	30276	350-0412 -61	100	1000	10
	7/8	30279	350-0414 -61	100	1000	10
	1	30282	350-0416 -61	100	1000	10
	1 1/4	30291	350-0420 -61	100	1000	10
	1 1/2	30294	350-0424 -61	100	1000	10
	2 1/2	30312	350-0440 -61	100	800	8
	3	30318	350-0448 -61	100	800	8
5/16" 18 TPI 45IP TORX PLUS	3/8	30348	350-0506 -61	100	1000	10
	3/4	30357	350-0512 -61	100	1000	10
	7/8	30360	350-0514 -61	100	1000	10
	1	30363	350-0516 -61	100	1000	10
	1 1/4	30369	350-0520 -61	100	1000	10
3/8" 16 TPI 50IP TORX PLUS	1 1/2	30372	350-0524 -61	100	800	8
	1	30447	350-0616 -61	100	1000	10
	1 1/2	30456	350-0624 -61	50	50	1
	2 1/4	30465	350-0636 -61	50	400	8

Socket Head Cap Screws - 1960 Series, **Continued**

Inch Sizes



PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA

UNRF						
Dia. TPI Recess Size	Length under Head	TORX PLUS EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 32 TPI 27IP TORX PLUS	3/8	31107	350-2306 -61	100	1000	10
	1/2	31113	350-2308 -61	100	1000	10
	5/8	31119	350-2310 -61	100	1000	10
	3/4	31122	350-2312 -61	100	1000	10
	1	31128	350-2316 -61	100	1000	10
	1 1/4	31134	350-2320 -61	100	1000	10
	1 1/2	31137	350-2324 -61	100	1000	10
	1 3/4	31140	350-2328 -61	100	1000	10
1/4" 28 TPI 30IP TORX PLUS	2	31143	350-2332 -61	100	1000	10
	1/2	31164	350-2408 -61	100	1000	10
	5/8	31170	350-2410 -61	100	1000	10
	3/4	31176	350-2412 -61	100	1000	10
	1	31182	350-2416 -61	100	1000	10
	1 1/4	31188	350-2420 -61	100	1000	10
5/16" 24 TPI 45IP TORX PLUS	1 3/4	31194	350-2428 -61	100	1000	10
	1 1/4	31239	350-2520 -61	100	1000	10

Socket Head Shoulder Screws

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/8" 5/16 Hex	1/8	81180	4-40	362-0202 -01	25	250	10
	3/16	81500	4/40	362-0203 -01	25	250	10
	1/4	81503	4-40	362-0204 -01	25	250	10
	3/8	81506	4/40	362-0206 -01	25	250	10
	1/2	81509	4-40	362-0208 -01	25	250	10
5/32" 3/32 Hex	1/8	81512	6-32	362-02502-01	25	250	10
	3/16	81515	6-32	362-02503-01	25	250	10
	1/4	81518	6-32	362-02504-01	25	250	10
	3/8	81521	6-32	362-02506-01	25	250	10
	1/2	81524	6-32	362-02508-01	25	250	10
3/16" 3/32 Hex	1/8	81527	8-32	362-0302 -01	25	250	10
	1/4	81213	8-32	362-0304 -01	25	250	10
	1/2	81216	8-32	362-0308 -01	25	250	10
	3/4	81219	8-32	362-0312 -01	25	250	10
	1	81222	8-32	362-0316 -01	25	250	10

Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 1/8 Hex	1/8	81225	10-24	362-0402 -01	25	250	10
	1/4	13755	10-24	362-0404 -01	25	250	10
	3/8	13759	10-24	362-0406 -01	25	250	10
	1/2	13762	10-24	362-0408 -01	25	250	10
	5/8	13765	10-24	362-0410 -01	25	250	10
	3/4	13768	10-24	362-0412 -01	25	250	10
	7/8	80002	10-24	362-0414 -01	25	250	10
	1	13771	10-24	362-0416 -01	25	250	10
	1 1/4	13774	10-24	362-0420 -01	25	250	10
	1 1/2	13777	10-24	362-0424 -01	25	250	10
	2	13780	10-24	362-0432 -01	25	250	10
	2 1/4	80004	10-24	362-0436 -01	25	250	10
	2 1/2	80005	10-24	362-0440 -01	25	250	10
	3	80007	10-24	362-0448 -01	25	250	10
	3 1/4	80008	10-24	362-0452 -01	25	250	10
	3 1/2	80009	10-24	362-0456 -01	25	250	10
	3 3/4	13790	10-24	362-0460 -01	25	250	10
	4	80010	10-24	362-0464 -01	25	250	10

Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
5/16" 5/32 Hex	1/4	13793	1/4-20	362-0504 -01	25	250	10
	5/16	81240	1/4-20	362-0505 -01	25	250	10
	3/8	13795	1/4-20	362-0506 -01	25	250	10
	1/2	13798	1/4-20	362-0508 -01	25	250	10
	5/8	13801	1/4-20	362-0510 -01	25	250	10
	3/4	13804	1/4-20	362-0512 -01	25	250	10
	7/8	80012	1/4-20	362-0514 -01	25	250	10
	1	13810	1/4-20	362-0516 -01	25	250	10
	1 1/4	13813	1/4-20	362-0520 -01	25	250	10
	1 1/2	13816	1/4-20	362-0524 -01	25	250	10
	1 3/4	13819	1/4-20	362-0528 -01	25	250	10
	2	13822	1/4-20	362-0532 -01	25	250	10
	2 1/4	80013	1/4-20	362-0536 -01	25	250	10
	2 1/2	80014	1/4-20	362-0540 -01	25	250	10
	2 3/4	80015	1/4-20	362-0544 -01	25	250	10
	3	80016	1/4-20	362-0548 -01	25	250	10
	3 1/2	80018	1/4-20	362-0556 -01	25	250	10
	4	80020	1/4-20	362-0564 -01	25	200	8
	4 1/2	81000	1/4-20	362-0572 -01	25	200	8
	5	81003	1/4-20	362-0580 -01	10	10	1

Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
3/8" 3/16 Hex	1/4	13834	5/16-18	362-0604 -01	25	250	10
	5/16	81243	5/16-18	362-0605 -01	25	250	10
	3/8	13837	5/16-18	362-0606 -01	25	250	10
	1/2	13840	5/16-18	362-0608 -01	25	250	10
	5/8	13843	5/16-18	362-0610 -01	25	250	10
	3/4	13846	5/16-18	362-0612 -01	25	250	10
	1	13849	5/16-18	362-0616 -01	25	250	10
	1 1/4	13852	5/16-18	362-0620 -01	25	250	10
	1 1/2	13855	5/16-18	362-0624 -01	25	250	10
	1 3/4	13858	5/16-18	362-0628 -01	25	250	10
	2	13861	5/16-18	362-0632 -01	25	250	10
	2 1/4	13864	5/16-18	362-0636 -01	25	250	10
	2 1/2	13867	5/16-18	362-0640 -01	25	250	10
	2 3/4	13870	5/16-18	362-0644 -01	25	250	10
	3	13873	5/16-18	362-0648 -01	25	250	10
	3 1/4	13876	5/16-18	362-0652 -01	25	250	10
	5 1/2	80025	5/16-18	362-0688 -01	25	25	1
	6	81006	5/16-18	362-0696 -01	10	10	1
	6 1/2	81070	5/16-18	362-0697 -01	10	10	1
	7	81073	5/16-18	362-0698 -01	10	10	1

Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/2" 1/4 Hex	3/8	13889	3/8-16	362-0806 -01	25	250	10
	1/2	13891	3/8-16	362-0808 -01	25	250	10
	5/8	13894	3/8-16	362-0810 -01	25	250	10
	3/4	13897	3/8-16	362-0812 -01	25	250	10
	7/8	80026	3/8-16	362-0814 -01	25	250	10
	1	13900	3/8-16	362-0816 -01	25	250	10
	1 1/4	13903	3/8-16	362-0820 -01	25	250	10
	1 1/2	13906	3/8-16	362-0824 -01	25	250	10
	1 3/4	13909	3/8-16	362-0828 -01	25	250	10
	2	13912	3/8-16	362-0832 -01	25	200	8
	2 1/4	13915	3/8-16	362-0836 -01	25	200	8
	2 1/2	13918	3/8-16	362-0840 -01	25	200	8
	2 3/4	13921	3/8-16	362-0844 -01	25	200	8
	3	13924	3/8-16	362-0848 -01	25	25	1
	3 1/4	13927	3/8-16	362-0852 -01	25	25	1
	3 1/2	13930	3/8-16	362-0856 -01	25	25	1
	3 3/4	13933	3/8-16	362-0860 -01	25	25	1
	4	13936	3/8-16	362-0864 -01	25	25	1
	4 1/4	13939	3/8-16	362-0868 -01	25	25	1
	5 1/2	80028	3/8-16	362-0888 -01	10	10	1
6	81007	3/8-16	362-0896 -01	10	10	1	
6 1/2	81076	3/8-16	362-0897 -01	10	10	1	
7	81079	3/8-16	362-0898 -01	10	10	1	
8	81097	3/8-16	362-0899 -01	10	10	1	

Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
5/8" 5/16 Hex	1/2	80029	1/2-13	362-1008 -01	25	250	10
	5/8	80030	1/2-13	362-1010 -01	25	250	10
	3/8	13949	1/2-13	362-1006 -01	25	250	10
	3/4	13956	1/2-13	362-1012 -01	25	250	10
	1	13958	1/2-13	362-1016 -01	25	250	10
	1 1/4	13960	1/2-13	362-1020 -01	25	200	8
	1 1/2	13963	1/2-13	362-1024 -01	25	200	8
	1 3/4	13966	1/2-13	362-1028 -01	25	200	8
	2	13969	1/2-13	362-1032 -01	25	25	1
	2 1/4	13972	1/2-13	362-1036 -01	25	25	1
	2 1/2	13975	1/2-13	362-1040 -01	25	25	1
	2 3/4	13978	1/2-13	362-1044 -01	25	25	1
	3	13981	1/2-13	362-1048 -01	25	25	1
	3 1/4	13984	1/2-13	362-1052 -01	25	25	1
	3 1/2	13987	1/2-13	362-1056 -01	25	25	1
	3 3/4	13990	1/2-13	362-1060 -01	10	100	10
	4	13993	1/2-13	362-1064 -01	10	100	10
	4 1/4	13996	1/2-13	362-1068 -01	10	100	10
	4 1/2	13999	1/2-13	362-1072 -01	10	100	10
	4 3/4	14002	1/2-13	362-1076 -01	10	100	10
	5	14005	1/2-13	362-1080 -01	10	10	1
	5 1/2	14008	1/2-13	362-1088 -01	10	10	1
	6	14011	1/2-13	362-1096 -01	10	10	1
	6 1/2	81085	1/2-13	362-1097 -01	10	10	1
7	81088	1/2-13	362-1098 -01	10	10	1	

Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
3/4" 3/8 Hex	1/2	81010	5/8-11	362-1208 -01	10	100	10
	3/4	81013	5/8-11	362-1212 -01	10	80	8
	7/8	81100	5/8-11	362-1214 -01	10	100	10
	1	81016	5/8-11	362-1216 -01	10	100	10
	1 1/4	81019	5/8-11	362-1220 -01	10	100	10
	1 1/2	14020	5/8-11	362-1224 -01	10	100	10
	1 3/4	14023	5/8-11	362-1228 -01	10	100	10
	2	14026	5/8-11	362-1232 -01	10	100	10
	2 1/4	14029	5/8-11	362-1236 -01	10	100	10
	2 1/2	14032	5/8-11	362-1240 -01	10	100	10
	2 3/4	14035	5/8-11	362-1244 -01	10	80	8
	3	14038	5/8-11	362-1248 -01	10	10	1
	3 1/4	14041	5/8-11	362-1252 -01	10	10	1
	3 1/2	14044	5/8-11	362-1256 -01	10	10	1
	3 3/4	14047	5/8-11	362-1260 -01	10	10	1
	4	14050	5/8-11	362-1264 -01	10	10	1
	4 1/4	14053	5/8-11	362-1268 -01	10	10	1
	4 1/2	14056	5/8-11	362-1272 -01	10	10	1
	4 3/4	14059	5/8-11	362-1276 -01	10	10	1
	5	14062	5/8-11	362-1280 -01	10	10	1
	5 1/2	14065	5/8-11	362-1288 -01	10	10	1
	6	14068	5/8-11	362-1296 -01	10	10	1
	6 1/2	81091	5/8-11	362-1297 -01	10	10	1
7	81061	5/8-11	362-1298 -01	10	10	1	
7 1/2	81064	5/8-11	362-12985-01	10	10	1	
8	81067	5/8-11	362-1299 -01	10	10	1	

Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1" 1/2 Hex	1	81022	3/4-10	362-1616 -01	10	80	8
	1 1/2	81025	3/4-10	362-1624 -01	10	100	10
	1 3/4	81028	3/4-10	362-1628 -01	10	100	10
	2	81031	3/4-10	362-1632 -01	10	80	8
	2 1/2	81034	3/4-10	362-1640 -01	10	80	8
	3	81037	3/4-10	362-1648 -01	10	10	1
	3 1/2	81040	3/4-10	362-1656 -01	10	10	1
	4	81043	3/4-10	362-1664 -01	10	10	1
	4 1/2	81103	3/4-10	362-1672 -01	10	10	1
	5	81046	3/4-10	362-1680 -01	10	10	1
	5 1/2	81049	3/4-10	362-1688 -01	10	10	1
	6	81052	3/4-10	362-1696 -01	10	10	1
	6 1/2	81055	3/4-10	362-1697 -01	10	10	1
	7	81058	3/4-10	362-1698 -01	10	10	1

Stainless Steel Socket Head Shoulder Screws

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/8" 5/64 Hex	1/8	81123	4-40	367-0202 -01	25	250	10
	3/16	81126	4-40	367-0203 -01	25	250	10
	1/4	81129	4-40	367-0204 -01	25	250	10
	3/8	81132	4-40	367-0206 -01	25	250	10
	1/2	81135	4-40	367-0208 -01	25	250	10
5/32" 3/32 Hex	1/8	81138	6-32	367-02502-01	25	250	10
	3/16	81141	6-32	367-02503-01	25	250	10
	1/4	81144	6-32	367-02504-01	25	250	10
	3/8	81147	6-32	367-02506-01	25	250	10
	1/2	81150	6-32	367-02508-01	25	250	10
3/16" 3/32 Hex	1/8	81153	8-32	367-0302 -01	25	250	10
	1/4	81156	8-32	367-0304 -01	25	250	10
	1/2	81159	8-32	367-0308 -01	25	250	10
	3/4	81162	8-32	367-0312 -01	25	250	10
	1	81165	8-32	367-0316 -01	25	250	10

Stainless Steel Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 1/8 Hex	1/8	73000	10-24	367-0402 -01	25	250	10
	3/16	73003	10-24	367-0403 -01	25	250	10
	1/4	73006	10-24	367-0404 -01	25	250	10
	5/16	73009	10-24	367-0405 -01	25	250	10
	3/8	73012	10-24	367-0406 -01	25	250	10
	1/2	73015	10-24	367-0408 -01	25	250	10
	5/8	73018	10-24	367-0410 -01	25	250	10
	3/4	73021	10-24	367-0412 -01	25	250	10
	1	73024	10-24	367-0416 -01	25	250	10
	1 1/4	73027	10-24	367-0420 -01	25	250	10
	1 1/2	73030	10-24	367-0424 -01	25	250	10
	1 3/4	73033	10-24	367-0428 -01	25	250	10
	2	73036	10-24	367-0432 -01	25	250	10
	2 1/4	73039	10-24	367-0436 -01	25	250	10
	2 1/2	73042	10-24	367-0440 -01	25	250	10
	2 3/4	73045	10-24	367-0444 -01	25	250	10
	3	73048	10-24	367-0448 -01	25	250	10

Stainless Steel Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
5/16" 5/32 Hex	1/4	73051	10-24	367-0504 -01	25	250	10
	5/16	73054	10-24	367-0505 -01	25	250	10
	3/8	73057	10-24	367-0506 -01	25	250	10
	1/2	73060	10-24	367-0508 -01	25	250	10
	5/8	73063	10-24	367-0510 -01	25	250	10
	3/4	73066	10-24	367-0512 -01	25	250	10
	1	73069	10-24	367-0516 -01	25	250	10
	1 1/4	73072	10-24	367-0520 -01	25	250	10
	1 1/2	73075	10-24	367-0524 -01	25	250	10
	1 3/4	73078	10-24	367-0528 -01	25	250	10
	2	73081	10-24	367-0532 -01	25	250	10
	2 1/4	73084	10-24	367-0536 -01	25	250	10
	2 1/2	73087	10-24	367-0540 -01	25	250	10
	2 3/4	73090	10-24	367-0544 -01	25	250	10
	3	73093	10-24	367-0548 -01	25	250	10
	3 1/2	73096	10-24	367-0556 -01	25	250	10
	4	73099	10-24	367-0564 -01	25	250	10

Stainless Steel Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
3/8" 3/16 Hex	1/4	73102	5/16-18	367-0604 -01	25	250	10
	3/8	73105	5/16-18	367-0606 -01	25	250	10
	1/2	73108	5/16-18	367-0608 -01	25	250	10
	5/8	73112	5/16-18	367-0610 -01	25	250	10
	3/4	73115	5/16-18	367-0612 -01	25	250	10
	1	73118	5/16-18	367-0616 -01	25	250	10
	1 1/4	73121	5/16-18	367-0620 -01	25	250	10
	1 1/2	73124	5/16-18	367-0624 -01	25	250	10
	1 3/4	73127	5/16-18	367-0628 -01	25	250	10
	2	73130	5/16-18	367-0632 -01	25	250	10
	2 1/4	73133	5/16-18	367-0636 -01	25	250	10
	2 1/2	73136	5/16-18	367-0640 -01	25	250	10
	2 3/4	73139	5/16-18	367-0644 -01	25	250	10
	3	73142	5/16-18	367-0648 -01	25	250	10
	3 1/4	73145	5/16-18	367-0652 -01	25	250	10
	3 1/2	73148	5/16-18	367-0656 -01	25	250	10
	3 3/4	73151	5/16-18	367-0660 -01	25	25	1
	4	73154	5/16-18	367-0664 -01	25	25	1
	4 1/2	73157	5/16-18	367-0672 -01	25	25	1
	5	73160	5/16-18	367-0680 -01	25	25	1

Stainless Steel Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/2" 1/4 Hex	3/8	73163	3/8-16	367-0806 -01	25	250	10
	1/2	73166	3/8-16	367-0808 -01	25	250	10
	5/8	73169	3/8-16	367-0810 -01	25	250	10
	3/4	73172	3/8-16	367-0812 -01	25	250	10
	1	73175	3/8-16	367-0816 -01	25	250	10
	1 1/4	73178	3/8-16	367-0820 -01	25	250	10
	1 1/2	73181	3/8-16	367-0824 -01	25	250	10
	1 3/4	73184	3/8-16	367-0828 -01	25	250	10
	2	73187	3/8-16	367-0832 -01	25	250	10
	2 1/4	73190	3/8-16	367-0836 -01	25	250	10
	2 1/2	73193	3/8-16	367-0840 -01	25	250	10
	2 3/4	73196	3/8-16	367-0844 -01	25	250	10
	3	73199	3/8-16	367-0848 -01	25	200	8
	3 1/4	73202	3/8-16	367-0852 -01	25	25	1
	3 1/2	73205	3/8-16	367-0856 -01	25	25	1
	3 3/4	73208	3/8-16	367-0860 -01	25	25	1
	4	73211	3/8-16	367-0864 -01	25	25	1
	4 1/4	73214	3/8-16	367-0868 -01	25	25	1
	4 1/2	73217	3/8-16	367-0872 -01	10	10	1
	4 3/4	73220	3/8-16	367-0876 -01	10	10	1
5	73223	3/8-16	367-0880 -01	10	10	1	

Stainless Steel Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
5/8" 5/16 Hex	1/2	73226	1/2-13	367-1008 -01	25	250	10
	5/8	73229	1/2-13	367-1010 -01	25	250	10
	3/4	73232	1/2-13	367-1012 -01	25	250	10
	1	73235	1/2-13	367-1016 -01	25	250	10
	1 1/4	73238	1/2-13	367-1020 -01	25	250	10
	1 1/2	73241	1/2-13	367-1024 -01	25	250	10
	1 3/4	73244	1/2-13	367-1028 -01	25	200	8
	2	73247	1/2-13	367-1032 -01	25	200	8
	2 1/4	73250	1/2-13	367-1036 -01	25	25	1
	2 1/2	73253	1/2-13	367-1040 -01	25	25	1
	2 3/4	73256	1/2-13	367-1044 -01	25	250	10
	3	73259	1/2-13	367-1048 -01	25	25	1
	3 1/4	73262	1/2-13	367-1052 -01	25	25	1
	3 1/2	73265	1/2-13	367-1056 -01	25	25	1
	3 3/4	73268	1/2-13	367-1060 -01	25	25	1
	4	73271	1/2-13	367-1064 -01	25	25	1
	4 1/2	73274	1/2-13	367-1072 -01	25	25	1

Stainless Steel Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
3/4" 3/8 Hex	1/2	73277	5/8-11	367-1208 -01	10	100	10
	5/8	73280	5/8-11	367-1210 -01	10	100	10
	3/4	73283	5/8-11	367-1212 -01	10	80	8
	1	73286	5/8-11	367-1216 -01	10	100	10
	1 1/4	73289	5/8-11	367-1220 -01	10	100	10
	1 1/2	73292	5/8-11	367-1224 -01	10	100	10
	1 3/4	73295	5/8-11	367-1228 -01	10	100	10
	2	73298	5/8-11	367-1232 -01	10	100	10
	2 1/4	73301	5/8-11	367-1236 -01	10	100	10
	2 1/2	73304	5/8-11	367-1240 -01	10	80	8
	2 3/4	73307	5/8-11	367-1244 -01	10	10	1
	3	73310	5/8-11	367-1248 -01	10	10	1
	3 1/4	73313	5/8-11	367-1252 -01	10	10	1
	3 1/2	73316	5/8-11	367-1256 -01	10	10	1
	3 3/4	73319	5/8-11	367-1260 -01	10	10	1
	4	73322	5/8-11	367-1264 -01	10	10	1
	4 1/4	73325	5/8-11	367-1268 -01	10	10	1
	4 1/2	73328	5/8-11	367-1272 -01	10	10	1
	4 3/4	73331	5/8-11	367-1276 -01	10	10	1
	5	73334	5/8-11	367-1280 -01	10	10	1
5 1/2	73337	5/8-11	367-1288 -01	10	10	1	
6	73340	5/8-11	367-1296 -01	10	10	1	

Stainless Steel Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1" 1/2 Hex	1	73343	3/4-10	367-1616 -01	10	80	8
	1 1/2	73346	3/4-10	367-1624 -01	10	100	10
	1 3/4	73349	3/4-10	367-1628 -01	10	100	10
	2	73352	3/4-10	367-1632 -01	10	10	1
	2 1/2	73355	3/4-10	367-1640 -01	10	80	8
	3	73358	3/4-10	367-1648 -01	10	80	8
	3 1/2	73361	3/4-10	367-1656 -01	10	10	1
	4	73364	3/4-10	367-1664 -01	10	10	1
	5	73367	3/4-10	367-1680 -01	10	10	1

Stainless Steel Socket Head Shoulder Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Made in the USA



UNRF							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 1/8 Hex	1/4	81168	10-32	367-F0404-01	25	250	10
	1/2	81171	10-32	367-F0408-01	25	250	10
	3/4	81174	10-32	367-F0412-01	25	250	10
	1	81177	10-32	367-F0416-01	25	250	10

Stainless Steel Socket Head Shoulder Screws with Locking Nylon Patch

Inch Sizes

PRODUCT DESCRIPTION

- 300 series (18-8) stainless steel
- Locking nylon patch on threads
- Made in the USA



UNRC							
Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Size	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/8" 5/64 Hex	1/8	81315	4-40	367-N0202-01	25	250	10
	1/4	81318	4-40	367-N0204-01	25	250	10
	3/8	81321	4-40	367-N0206-01	25	250	10
	1/2	81324	4-40	367-N0208-01	25	250	10
5/32" 3/32 Hex	1/8	81333	6-32	367-N02502-01	25	250	10
	1/4	81336	6-32	367-N02504-01	25	250	10
	3/8	81339	6-32	367-N02506-01	25	250	10
	1/2	81342	6-32	367-N02508-01	25	250	10
3/16" 3/32 Hex	1/8	81351	8-32	367-N0302-01	25	250	10
	1/4	81354	8-32	367-N0304-01	25	250	10
	3/8	81537	8-32	367-N0306-01	25	250	10
	1/2	81560	8-32	367-N0308-01	25	250	10
	3/4	81363	8-32	367-N0312-01	25	250	10
	1	81366	8-32	367-N0316-01	25	250	10
1/4" 1/8 Hex	1/8	81369	10-24	367-N0402-01	25	250	10

Socket Button Head Cap Screws

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#4 40 TPI 1/16 Hex	3/16	14078	363-5403 -01	100	1000	10
	1/4	14080	363-5404 -01	100	1000	10
	3/8	14083	363-5406 -01	100	1000	10
	1/2	14089	363-5408 -01	100	1000	10
	5/8	71021	363-5410 -01	100	1000	10
	3/4	71024	363-5412 -01	100	1000	10
	7/8	71027	363-5414 -01	100	1000	10
	1	71030	363-5416 -01	100	1000	10
#5 40 TPI 1/16 Hex	3/8	71039	363-5506 -01	100	1000	10
	1/2	71042	363-5508 -01	100	1000	10
#6 32 TPI 5/64 Hex	1/4	14101	363-5604 -01	100	1000	10
	5/16	71048	363-5605 -01	100	1000	10
	3/8	14107	363-5606 -01	100	1000	10
	1/2	14110	363-5608 -01	100	1000	10
	5/8	14113	363-5610 -01	100	1000	10
	3/4	71051	363-5612 -01	100	1000	10
	7/8	71054	363-5614 -01	100	1000	10
	1	71057	363-5616 -01	100	1000	10
	1 1/4	71060	363-5620 -01	100	1000	10
	1 1/2	71063	363-5624 -01	100	1000	10
#8 32 TPI 3/32 Hex	1/4	14125	363-5804 -01	100	1000	10
	5/16	71069	363-5805 -01	100	1000	10
	3/8	14131	363-5806 -01	100	1000	10
#10 24 TPI 1/8 Hex	1/4	14152	363-0304 -01	100	1000	10
	3/8	14155	363-0306 -01	100	1000	10
	1/2	14158	363-0308 -01	100	1000	10

UNRC						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 20 TPI 5/32 Hex	3/8	14176	363-0406 -01	100	1000	10
	1/2	14179	363-0408 -01	100	1000	10
	5/8	14182	363-0410 -01	100	1000	10
	3/4	14185	363-0412 -01	100	1000	10
	7/8	14188	363-0414 -01	100	1000	10
	1	14191	363-0416 -01	100	1000	10
	1 1/4	14194	363-0420 -01	100	1000	10
	5/16" 18 TPI 3/16 Hex	3/8	14203	363-0506 -01	100	1000
1/2		14206	363-0508 -01	100	1000	10
5/8		14209	363-0510 -01	100	1000	10
3/4		14212	363-0512 -01	100	1000	10
7/8		14215	363-0514 -01	100	1000	10
3/8" 16 TPI 7/32 Hex	1	14218	363-0516 -01	100	1000	10
	1/2	14230	363-0608 -01	100	1000	10
	5/8	14233	363-0610 -01	100	1000	10
	3/4	14236	363-0612 -01	100	1000	10
	7/8	14239	363-0614 -01	100	1000	10
	1	14242	363-0616 -01	100	1000	10
	1 1/4	14245	363-0620 -01	100	800	8
	1/2" 13 TPI 5/16 Hex	1	14260	363-0816 -01	50	500
1 1/4		14263	363-0820 -01	50	50	10
1 1/2		14266	363-0824 -01	50	400	8
2		14272	363-0832 -01	50	50	1

Socket Button Head Cap Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRF						
Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 32 TPI 1/8 Hex	1/4	14302	363-2304 -01	100	1000	10
	5/16	60821	363-2305 -01	100	1000	10
	3/8	14305	363-2306 -01	100	1000	10
	1/2	14311	363-2308 -01	100	1000	10
	5/8	14314	363-2310 -01	100	1000	10
	3/4	14317	363-2312 -01	100	1000	10
1/4" 28 TPI 5/32 Hex	1/4	71165	363-2404 -01	100	1000	10
	3/8	14329	363-2406 -01	100	1000	10
	1/2	14332	363-2408 -01	100	1000	10
	5/8	14335	363-2410 -01	100	1000	10
	3/4	14338	363-2412 -01	100	1000	10
	1	14344	363-2416 -01	100	1000	10
5/16" 24 TPI 3/16 Hex	3/8	14350	363-2506 -01	100	1000	10
	1/2	14353	363-2508 -01	100	1000	10
	5/8	14356	363-2510 -01	100	1000	10
	3/4	14359	363-2512 -01	100	1000	10
	1	14365	363-2516 -01	100	1000	10
3/8" 24 TPI 7/32 Hex	1/2	14371	363-2608 -01	100	1000	10
	3/4	34374	363-2612 -01	100	1000	10
	1	14380	363-2616 -01	100	1000	10

Socket Button Head Cap Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length under Head	TORX PLUS EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#4 40 TPI 8IP TORX PLUS	1/4	34080	353-5404 -01	100	1000	10
	3/8	34083	353-5406 -01	100	1000	10
	1/2	34089	353-5408 -01	100	1000	10
#6 32 TPI 10IP TORX PLUS	1/4	34101	353-5604 -01	100	1000	10
	3/8	34107	353-5606 -01	100	1000	10
	1/2	34110	353-5608 -01	100	1000	10
	5/8	34113	353-5610 -01	100	1000	10
#8 32 TPI 15IP TORX PLUS	1/4	34125	353-5804 -01	100	1000	10
	3/8	34131	353-5806 -01	100	1000	10
	1/2	34134	353-5808 -01	100	1000	10
	5/8	34137	353-5810 -01	100	1000	10
	3/4	34140	353-5812 -01	100	1000	10
#10 24 TPI 25IP TORX PLUS	1/4	34152	353-0304 -01	100	1000	10
	3/8	34155	353-0306 -01	100	1000	10
	1/2	34158	353-0308 -01	100	1000	10
	5/8	34161	353-0310 -01	100	1000	10
	3/4	34164	353-0312 -01	100	1000	10
	1	34170	353-0316 -01	100	1000	10
1/4" 20 TPI 27IP TORX PLUS	3/8	34176	353-0406 -01	100	1000	10
	1/2	34179	353-0408 -01	100	1000	10
	5/8	34182	353-0410 -01	100	1000	10
	3/4	34185	353-0412 -01	100	1000	10
	1	34191	353-0416 -01	100	1000	10

UNRC						
Dia. TPI Recess Size	Length under Head	TORX PLUS EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
5/16" 18 TPI 40IP TORX PLUS	3/8	34203	353-0506 -01	100	1000	10
	1/2	34206	353-0508 -01	100	1000	10
	5/8	34209	353-0510 -01	100	1000	10
	3/4	34212	353-0512 -01	100	1000	10
	7/8	34215	353-0514 -01	100	1000	10
	1	34218	353-0516 -01	100	1000	10
3/8" 16 TPI 45IP TORX PLUS	1/2	34230	353-0608 -01	100	1000	10
	3/4	34236	353-0612 -01	100	1000	10
	7/8	34239	353-0614 -01	100	1000	10
	1	34242	353-0616 -01	100	1000	10
	1 1/4	34245	353-0620 -01	100	1000	10

Socket Button Head Cap Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRF						
Dia. TPI Recess Size	Length under Head	TORX PLUS EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 32 TPI 25IP TORX PLUS	1/4	34302	353-2304 -01	100	1000	10
	3/8	34305	353-2306 -01	100	1000	10
	1/2	34311	353-2308 -01	100	1000	10
	5/8	34314	353-2310 -01	100	1000	10
	3/4	34317	353-2312 -01	100	1000	10
	1	34323	353-2316 -01	100	1000	10
1/4" 28 TPI 27IP TORX PLUS	1/2	34332	353-2408 -01	100	1000	10
	5/8	34335	353-2410 -01	100	1000	10
	3/4	34338	353-2412 -01	100	1000	10
3/8" 24 TPI 45IP TORX PLUS	1	34380	353-2616 -01	100	1000	10

Flanged Button Head Cap Screws

Inch Sizes



PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Fully threaded
- Large bearing surface
- Made in the USA

Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#8 32 TPI 3/32 Hex	1/4	16453	361-5804 -01	100	1000	10
	3/8	16456	361-5806 -01	100	1000	10
	1/2	16459	361-5808 -01	100	1000	10
#10 24 TPI 1/8 Hex	3/8	16462	361-0306 -01	100	1000	10
	1/2	16465	361-0308 -01	100	1000	10
	5/8	16468	361-0310 -01	100	1000	10
#10 32 TPI 1/8 Hex	3/4	16471	361-0312 -01	100	1000	10
	3/8	16513	361-2306 -01	100	1000	10
	1/2	16517	361-2308 -01	100	1000	10
#10 32 TPI 1/8 Hex	5/8	16520	361-2310 -01	100	1000	10
	3/4	16523	361-2312 -01	100	1000	10

Dia. TPI Recess Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 20 TPI 5/32 Hex	3/8	16474	361-0406 -01	100	1000	10
	1/2	16477	361-0408 -01	100	1000	10
	3/4	16480	361-0412 -01	100	1000	10
	1	16483	361-0416 -01	100	1000	10
5/16" 18 TPI 3/16 Hex	3/8	16486	361-0506 -01	100	1000	10
	1/2	16489	361-0508 -01	100	1000	10
	5/8	16491	361-0510 -01	100	1000	10
	3/4	16495	361-0512 -01	100	1000	10
3/8" 16 TPI 7/32 Hex	1	16498	361-0516 -01	100	1000	10
	1/2	16501	361-0608 -01	100	1000	10
	3/4	16504	361-0612 -01	100	1000	10
	1	16507	361-0616 -01	100	800	8
1 1/4	16510	361-0620 -01	100	100	1	

Socket Low Head Cap Screws

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#6 32 TPI 5/64 Hex	1/4	20091	375-5604 -61	100	1000	10
	3/8	20094	375-5606 -61	100	1000	10
	1/2	20097	375-5608 -61	100	1000	10
	5/8	20098	375-5610 -61	100	1000	10
#8 32 TPI 5/64 Hex	1/4	20103	375-5804 -61	100	1000	10
	3/8	20003	375-5806 -61	100	1000	10
	1/2	20006	375-5808 -61	100	1000	10
	5/8	20009	375-5810 -61	100	1000	10
	3/4	20012	375-5812 -61	100	1000	10
	1	20015	375-5816 -61	100	1000	10
	1 1/4	20105	375-5820 -61	100	1000	10
	1 1/2	20108	375-5824 -61	100	1000	10
#10 24 TPI 3/32 Hex	1/4	20111	375-0304 -61	100	1000	10
	3/8	20018	375-0306 -61	100	1000	10
	1/2	20021	375-0308 -61	100	1000	10
	5/8	20024	375-0310 -61	100	1000	10
	3/4	20027	375-0312 -61	100	1000	10
	1	20030	375-0316 -61	100	1000	10

UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 20 TPI 1/8 Hex	1/4	20114	375-0404 -61	100	1000	10
	3/8	20033	375-0406 -61	100	1000	10
	1/2	20036	375-0408 -61	100	1000	10
	5/8	20039	375-0410 -61	100	1000	10
	3/4	20042	375-0412 -61	100	1000	10
	1	20045	375-0416 -61	100	1000	10
	1 1/4	20050	375-0420 -61	100	1000	10
	1 1/2	20117	375-0424 -61	100	1000	10
	1 3/4	20120	375-0428 -61	100	1000	10
	2	20123	375-0432 -61	100	1000	10
5/16" 18 TPI 5/32 Hex	1/2	20048	375-0508 -61	100	1000	10
	3/4	20051	375-0512 -61	100	1000	10
	1	20054	375-0516 -61	100	1000	10
	1 1/4	20057	375-0520 -61	100	1000	10
	1 1/2	20060	375-0524 -61	100	1000	10
	1 3/4	20126	375-0528 -61	100	800	8
3/8" 16 TPI 3/16 Hex	2	20129	375-0532 -61	100	100	1
	1/2	20063	375-0608 -61	100	1000	10
	3/4	20066	375-0612 -61	100	1000	10
	1	20069	375-0616 -61	100	1000	10
	1 1/4	20072	375-0620 -61	100	1000	10
	1 1/2	20075	375-0624 -61	100	800	8
2	20132	375-0632 -61	100	1000	10	

Socket Low Head Cap Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/2" 13 TPI 1/4 Hex	3/4	20076	375-0812 -61	50	500	10
	1	20078	375-0816 -61	50	500	10
	1 1/4	20081	375-0820 -61	50	500	10
	1 1/2	20084	375-0824 -61	50	400	8
	1 3/4	20135	375-0828 -61	50	400	8
	2	20138	375-0832 -61	50	50	1

Socket Low Head Cap Screws, Continued

Inch Sizes



PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA

UNRF						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 32 TPI 3/32 Hex	1/4	20141	375-2304 -61	100	1000	10
	3/8	21003	375-2306 -61	100	1000	10
	1/2	21006	375-2308 -61	100	1000	10
	5/8	21009	375-2310 -61	100	1000	10
	3/4	21012	375-2312 -61	100	1000	10
	1	21015	375-2316 -61	100	1000	10
	1 1/4	20144	375-2320 -61	100	1000	10
	1 1/2	20147	375-2324 -61	100	1000	10
1/4" 28 TPI 1/8 Hex	1/2	20150	375-2408 -61	100	1000	10
	3/4	20153	375-2412 -61	100	1000	10
5/16" 24 TPI 5/32 Hex	1/2	20159	375-2508 -61	100	1000	10
	3/4	20161	375-2512 -61	100	1000	10

Socket Flat Countersunk Head Cap Screws

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#2 56 TPI .050 Hex	3/16	14382	364-5203 -01	100	1000	10
	1/4	14385	364-5204 -01	100	1000	10
	3/8	14387	364-5206 -01	100	1000	10
	1/2	14390	364-5208 -01	100	1000	10
#4 40 TPI 1/16 Hex	1/4	14392	364-5404 -01	100	1000	10
	3/8	14395	364-5406 -01	100	1000	10
	1/2	14398	364-5408 -01	100	1000	10
	5/8	14401	364-5410 -01	100	1000	10
	3/4	14404	364-5412 -01	100	1000	10
#5 40 TPI 5/64 Hex	1/4	14413	364-5504 -01	100	1000	10
	3/8	14416	364-5506 -01	100	1000	10
	1/2	14419	364-5508 -01	100	1000	10
	5/8	14422	364-5510 -01	100	1000	10
	3/4	14425	364-5512 -01	100	1000	10
#6 32 TPI 5/64 Hex	1/4	14434	364-5604 -01	100	1000	10
	3/8	14440	364-5606 -01	100	1000	10
	1/2	14443	364-5608 -01	100	1000	10
	5/8	14446	364-5610 -01	100	1000	10
	3/4	14449	364-5612 -01	100	1000	10
	1	14451	364-5616 -01	100	1000	10
	#8 32 TPI 3/32 Hex	3/8	14458	364-5806 -01	100	1000
1/2		14461	364-5808 -01	100	1000	10
5/8		14464	364-5810 -01	100	1000	10
#10 24 TPI 1/8 Hex	3/8	14482	364-0306 -01	100	1000	10
	5/8	14488	364-0310 -01	100	1000	10
	1 1/2	14503	364-0324 -01	100	1000	10

UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 20 TPI 5/32 Hex	3/8	14506	364-0406 -01	100	1000	10
	1/2	14509	364-0408 -01	100	1000	10
	5/8	14515	364-0410 -01	100	1000	10
	3/4	14518	364-0412 -01	100	1000	10
	1	14524	364-0416 -01	100	1000	10
	1 1/4	14527	364-0420 -01	100	1000	10
	1 1/2	14530	364-0424 -01	100	1000	10
	1 3/4	14533	364-0428 -01	100	1000	10
	2	14536	364-0432 -01	100	1000	10
	5/16" 18 TPI 3/16 Hex	1/2	14548	364-0508 -01	100	1000
5/8		14554	364-0510 -01	100	1000	10
3/4		14557	364-0512 -01	100	1000	10
7/8		14560	364-0514 -01	100	1000	10
1		14563	364-0516 -01	100	1000	10
1 1/4		14566	364-0520 -01	100	1000	10
1 1/2		14572	364-0524 -01	100	1000	10
1 3/4		14575	364-0528 -01	100	800	8
2		14578	364-0532 -01	100	800	8
2 1/4		14581	364-0536 -01	100	800	8
2 1/2		14584	364-0540 -01	100	800	8

Socket Flat Countersunk Head Cap Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
3/8" 16 TPI 7/32 Hex	1/2	14590	364-0608 -01	100	1000	10
	5/8	14593	364-0610 -01	100	1000	10
	3/4	14596	364-0612 -01	100	1000	10
	1	14602	364-0616 -01	100	1000	10
	1 1/4	14605	364-0620 -01	100	800	8
	1 1/2	14608	364-0624 -01	100	100	1
	1 3/4	14611	364-0628 -01	100	100	1
	2	14614	364-0632 -01	100	100	1
	2 1/4	14617	364-0636 -01	100	100	1
	2 1/2	14620	364-0640 -01	50	400	8
	3	14626	364-0648 -01	50	50	1
7/16" 14 TPI 1/4 Hex	3/4	14635	364-0712 -01	100	1000	10
	1	14638	364-0716 -01	100	800	8
	1 1/4	14641	364-0720 -01	100	800	8
	1 1/2	14644	364-0724 -01	100	100	1
1/2" 13 TPI 5/16 Hex	3/4	14653	364-0812 -01	100	800	8
	1	14662	364-0816 -01	100	100	1
	1 1/4	14665	364-0820 -01	100	100	1
	1 1/2	14668	364-0824 -01	100	100	1
	1 3/4	14671	364-0828 -01	50	400	8
	2	14674	364-0832 -01	50	50	1
	2 1/4	14677	364-0836 -01	25	250	10
	2 1/2	14680	364-0840 -01	25	250	10
3	14686	364-0848 -01	25	200	8	

UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
5/8" 11 TPI 3/8 Hex	1 1/4	14698	364-1020 -01	25	250	10
	1 1/2	14701	364-1024 -01	25	250	10
	1 3/4	14704	364-1028 -01	25	200	8
	2	14707	364-1032 -01	25	250	8
	2 1/4	14710	364-1036 -01	25	25	1
	2 1/2	14713	364-1040 -01	25	25	1
	3	14719	364-1048 -01	25	25	1

Socket Flat Countersunk Head Cap Screws, Continued

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRF						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 32 TPI 1/8 Hex	1/4	14470	364-2304 -01	100	1000	10
	3/8	14773	364-2306 -01	100	1000	10
	1/2	14779	364-2308 -01	100	1000	10
	5/8	14782	364-2310 -01	100	1000	10
	3/4	14785	364-2312 -01	100	1000	10
	1	14791	364-2316 -01	100	1000	10
	1 1/4	14794	364-2320 -01	100	1000	10
	1 1/2	14797	364-2324 -01	100	1000	10
1/4" 28 TPI 5/32 Hex	3/8	14809	364-2406 -01	100	1000	10
	1/2	14815	364-2408 -01	100	1000	10
	5/8	14818	364-2410 -01	100	1000	10
	3/4	14821	364-2412 -01	100	1000	10
	1	14824	364-2416 -01	100	1000	10
	1 1/4	14827	364-2420 -01	100	1000	10
	1 1/2	14830	364-2424 -01	100	1000	10
5/16" 24 TPI 3/16 Hex	1/2	14839	364-2508 -01	100	1000	10
	5/8	14842	364-2510 -01	100	1000	10
	3/4	14845	364-2512 -01	100	1000	10
	1	14848	364-2516 -01	100	1000	10
	1 1/4	14851	364-2520 -01	100	1000	10
3/8" 24 TPI 7/32 Hex	5/8	14866	364-2610 -01	100	1000	10
	3/4	14869	364-2612 -01	100	1000	10
	1	14872	364-2616 -01	100	1000	10
	1 1/4	14875	364-2620 -01	100	800	8
	1 1/2	14878	364-2624 -01	100	800	8

UNRF						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/2" 20 TPI 5/16 Hex	3/4	14884	364-2812 -01	100	800	8
	1	14887	364-2816 -01	100	100	1
	1 1/4	14890	364-2820 -01	100	100	1
	1 1/2	14893	364-2824 -01	100	100	1
	1 3/4	14896	364-2828 -01	50	200	8
	2	14902	364-2832 -01	50	50	1

Socket Flat Countersunk Head Cap Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length	TORX PLUS EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#4 40 TPI 10IP TORX PLUS	1/4	34392	354-5404 -01	100	1000	10
	3/8	34395	354-5406 -01	100	1000	10
	1/2	34398	354-5408 -01	100	1000	10
	5/8	34401	354-5410 -01	100	1000	10
	3/4	34404	354-5412 -01	100	1000	10
#5 40 TPI 10IP TORX PLUS	1/4	34413	354-5504 -01	100	1000	10
	3/8	34416	354-5506 -01	100	1000	10
	1/2	34419	354-5508 -01	100	1000	10
#6 32 TPI 15IP TORX PLUS	1/4	34434	354-5604 -01	100	1000	10
	3/8	34440	354-5604 -01	100	1000	10
	1/2	34443	354-5608 -01	100	1000	10
	5/8	34446	354-5610 -01	100	1000	10
	3/4	34449	354-5612 -01	100	1000	10
#8 32 TPI 20IP TORX PLUS	3/8	34458	354-5806 -01	100	1000	10
	1/2	34461	354-5808 -01	100	1000	10
	5/8	34464	354-5810 -01	100	1000	10
	3/4	34467	354-5812 -01	100	1000	10
	1	34473	354-5816 -01	100	1000	10
#10 24 TPI 25IP TORX PLUS	3/8	34482	354-0306 -01	100	1000	10
	1/2	34485	354-0308 -01	100	1000	10
	5/8	34488	354-0310 -01	100	1000	10
	3/4	34491	354-0312 -01	100	1000	10
	1	34497	354-0316 -01	100	1000	10

UNRC						
Dia. TPI Recess Size	Length	TORX PLUS EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 20 TPI 30IP TORX PLUS	1/2	34509	354-0408 -01	100	1000	10
	5/8	34515	354-0410 -01	100	1000	10
	3/4	34518	354-0412 -01	100	1000	10
	1	34524	354-0416 -01	100	1000	10
	1 1/4	34527	354-0420 -01	100	1000	10
	1 1/2	34530	354-0424 -01	100	1000	10
	2	34536	354-0432 -01	100	1000	10
5/16" 18 TPI 40IP TORX PLUS	1/2	34548	354-0508 -01	100	1000	10
	5/8	34554	354-0510 -01	100	1000	10
	3/4	34557	354-0512 -01	100	1000	10
	1	34563	354-0516 -01	100	1000	10
	1 1/4	34566	354-0520 -01	100	1000	10
	1 1/2	34572	354-0524 -01	100	1000	10
	2	34578	354-0532 -01	100	800	8
3/8" 16 TPI 45IP TORX PLUS	1/2	34590	354-0608 -01	100	1000	10
	3/4	34596	354-0612 -01	100	1000	10
	1	34602	354-0616 -01	100	1000	10
	1 1/4	34605	354-0620 -01	100	800	8
	1 1/2	34608	354-0624 -01	101	800	8
	2	34614	354-0632 -01	100	100	1

Socket Flat Countersunk Head Cap Screws, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRF						
Dia. TPI Recess Size	Length	TORX PLUS EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 32 TPI 25IP TORX PLUS	3/8	34773	354-2306 -01	100	1000	10
	1/2	34779	354-2308 -01	100	1000	10
	5/8	34782	354-2310 -01	100	1000	10
	3/4	34785	354-2312 -01	100	1000	10
	1	34791	354-2316 -01	100	1000	10
1/4" 28 TPI 30IP TORX PLUS	1/2	34815	354-2408 -01	100	1000	10
	5/8	34818	354-2410 -01	100	1000	10
	3/4	34821	354-2412 -01	100	1000	10
	1	34824	354-2416 -01	100	1000	10
5/16" 24 TPI 40IP TORX PLUS	1	34848	354-2516 -01	100	1000	10

Socket Set Screws - Cup Point

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#0 80 TPI .028 Hex	1/16	74100	DHI-70010-006	100	1000	10
	3/32	74103	DHI-70001-006	100	1000	10
	5/32	73500	DHI-70000-006	100	1000	10
	1/8	74106	DHI-70020-006	100	1000	10
#4 40 TPI .050 Hex	1/16	74130	DHI-54010-006	100	1000	10
	3/32	74133	DHI-54000-006	100	1000	10
	1/8	11473	DHI-54020-006	100	1000	10
	3/16	11476	DHI-54030-006	100	1000	10
	1/4	11479	DHI-54040-006	100	1000	10
	5/16	11482	DHI-54050-006	100	1000	10
	3/8	11485	DHI-54060-006	100	1000	10
	1/2	11491	DHI-54080-006	100	1000	10
#5 40 TPI 1/16 Hex	5/8	11494	DHI-54100-006	100	1000	10
	1/8	11497	DHI-55020-006	100	1000	10
	3/16	11500	DHI-55030-006	100	1000	10
	1/4	11503	DHI-55040-006	100	1000	10
	5/16	11506	DHI-55050-006	100	1000	10
	3/8	11509	DHI-55060-006	100	1000	10
1/2	11515	DHI-55080-006	100	1000	10	

UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#6 32 TPI 1/16 Hex	1/8	11524	DHI-56020-006	100	1000	10
	3/16	11527	DHI-56030-006	100	1000	10
	1/4	11530	DHI-56040-006	100	1000	10
	5/16	11533	DHI-56050-006	100	1000	10
	3/8	11536	DHI-56060-006	100	1000	10
	1/2	11542	DHI-56080-006	100	1000	10
	5/8	11545	DHI-56100-006	100	1000	10
	3/4	11548	DHI-56120-006	100	1000	10
#8 32 TPI 5/64 Hex	1	11554	DHI-56160-006	100	1000	10
	1/8	11557	DHI-58020-006	100	1000	10
	3/16	11560	DHI-58030-006	100	1000	10
	1/4	11563	DHI-58040-006	100	1000	10
	5/16	11566	DHI-58050-006	100	1000	10
	3/8	11569	DHI-58060-006	100	1000	10
	7/16	74136	DHI-58070-006	100	1000	10
	1/2	11575	DHI-58080-006	100	1000	10
	5/8	11578	DHI-58100-006	100	1000	10
	3/4	11581	DHI-58120-006	100	1000	10
	7/8	11584	DHI-58140-006	100	1000	10
1	11587	DHI-58160-006	100	1000	10	

Socket Set Screws - Cup Point, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 24 TPI 3/32 Hex	3/16	11590	DHI-03030-006	100	1000	10
	1/4	11593	DHI-03040-006	100	1000	10
	5/16	11596	DHI-03050-006	100	1000	10
	3/8	11599	DHI-03060-006	100	1000	10
	1/2	11602	DHI-03080-006	100	1000	10
	5/8	11605	DHI-03100-006	100	1000	10
1/4" 20 TPI 1/8 Hex	3/16	11626	DHI-04060-006	100	1000	10
	1/4	11629	DHI-04040-006	100	1000	10
	5/16	11632	DHI-04050-006	100	1000	10
	3/8	11635	DHI-04060-006	100	1000	10
	1/2	11641	DHI-04080-006	100	1000	10
	5/8	11644	DHI-04100-006	100	1000	10
	3/4	11647	DHI-04120-006	100	1000	10
	7/8	11650	DHI-04140-006	100	1000	10
	1	11653	DHI-04160-006	100	1000	10
	1 1/4	11656	DHI-04200-006	100	1000	10
	1 1/2	11659	DHI-04240-006	100	1000	10
	1 3/4	11662	DHI-04280-006	100	1000	10
	2	11665	DHI-04320-006	100	1000	10
	2 3/4	73614	DHI-04440-006	100	1000	10
	3	73615	DHI-04480-006	100	800	8

UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
5/16" 18 TPI 5/32 Hex	5/16	11674	DHI-05050-006	100	1000	10
	3/8	11677	DHI-05060-006	100	1000	10
	1/2	11683	DHI-05080-006	100	1000	10
	5/8	11686	DHI-05100-006	100	1000	10
	3/4	11689	DHI-05120-006	100	1000	10
	1	11695	DHI-05160-006	100	1000	10
	1 1/4	11698	DHI-05200-006	100	1000	10
	1 1/2	11701	DHI-05240-006	100	1000	10
3/8" 16 TPI 3/16 Hex	7/16	11722	DHI-06070-006	100	1000	10
	3/8	11719	DHI-06060-006	100	1000	10
	1/2	11725	DHI-06080-006	100	1000	10
	3/4	11731	DHI-06120-006	100	1000	10
	7/8	11734	DHI-06140-006	100	1000	10
	1	11737	DHI-06160-006	100	1000	10
	1 1/4	11740	DHI-06200-006	100	1000	10
	1 1/2	11743	DHI-06240-006	100	1000	10
	1 3/4	11746	DHI-06280-006	100	1000	10
	2	11749	DHI-06320-006	100	800	8
	2 1/2	11752	DHI-06400-006	100	100	1
	7/16" 14 TPI 7/32 Hex	3/8	11755	DHI-07060-006	100	1000
1/2		11761	DHI-07080-006	100	1000	10
5/8		11764	DHI-07100-006	100	1000	10
3/4		11767	DHI-07120-006	100	1000	10
7/8		11770	DHI-07140-006	100	1000	10
1		11773	DHI-07160-006	100	1000	10

Socket Set Screws - Cup Point, **Continued**

Inch Sizes



PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA

UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/2" 13 TPI 1/4 Hex	3/8	11794	DHI-08060-006	100	1000	10
	1/2	11800	DHI-08080-006	100	1000	10
	5/8	11803	DHI-08100-006	100	1000	10
	3/4	11806	DHI-08120-006	100	1000	10
	1	11812	DHI-08160-006	100	1000	10
	1 1/4	11815	DHI-08200-006	100	800	8
	1 1/2	11818	DHI-08240-006	100	100	1
	1 3/4	11821	DHI-08280-006	50	500	10
	2	11824	DHI-08320-006	50	500	10
	3 1/2	73692	DHI-08560-006	25	25	1
4	73693	DHI-08640-006	25	25	1	
3/4" 10 TPI 3/8 Hex	5/8	11875	DHI-12100-006	100	1000	10
	3/4	11878	DHI-12120-006	100	1000	10
	1	11881	DHI-12160-006	100	1000	10
	1 1/4	11884	DHI-12200-006	100	1000	10
	1 1/2	11887	DHI-12240-006	100	1000	10
	2	11893	DHI-12320-006	100	1000	10
	3	11899	DHI-12480-006	100	1000	10

Socket Set Screws - Cup Point, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRF						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#4 48 TPI .050 Hex	1/8	11962	DHI-74020-006	100	1000	10
	3/16	11965	DHI-74030-006	100	1000	10
	1/4	11968	DHI-74040-006	100	1000	10
#6 40 TPI 1/16 Hex	1/8	11986	DHI-76020-006	100	1000	10
	3/16	11989	DHI-76030-006	100	1000	10
	1/4	11992	DHI-76040-006	100	1000	10
	3/8	11998	DHI-76060-006	100	1000	10
#8 36 TPI 5/64 Hex	3/16	12004	DHI-78030-006	100	1000	10
	1/4	12007	DHI-78040-006	100	1000	10
#10 32 TPI 3/32 Hex	3/16	12022	DHI-23030-006	100	1000	10
	1/4	12025	DHI-23040-006	100	1000	10
	5/16	12028	DHI-23050-006	100	1000	10
	3/8	12031	DHI-23060-006	100	1000	10
	1/2	12037	DHI-23080-006	100	1000	10
	5/8	12040	DHI-23100-006	100	1000	10
	3/4	12043	DHI-23120-006	100	1000	10
	1	12049	DHI-23160-006	100	1000	10
	1 1/4	12052	DHI-23200-006	100	1000	10
	1 1/2	74139	DHI-23240-006	100	1000	10

UNRF						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
1/4" 28 TPI 1/8 Hex	3/16	12061	DHI-24030-006	100	1000	10
	1/4	12064	DHI-24040-006	100	1000	10
	5/16	12067	DHI-24050-006	100	1000	10
	3/8	12070	DHI-24060-006	100	1000	10
	1/2	12076	DHI-24080-006	100	1000	10
	5/8	12079	DHI-24100-006	100	1000	10
	3/4	12082	DHI-24120-006	100	1000	10
	1	12085	DHI-24160-006	100	1000	10
	1 1/4	12088	DHI-24200-006	100	1000	10
5/16" 24 TPI 5/32 Hex	5/16	12097	DHI-25050-006	100	1000	10
	3/8	12100	DHI-25060-006	100	1000	10
	1/2	12106	DHI-25080-006	100	1000	10
	5/8	12109	DHI-25100-006	100	1000	10
	3/4	11687	DHI-25120-006	100	1000	10
	1	12118	DHI-25160-006	100	1000	10
	1 1/4	73627	DHI-25200-006	100	1000	10
	1 1/2	73628	DHI-25240-006	100	1000	10
	1	12148	DHI-26160-006	100	1000	10
3/8" 24 TPI 3/16 Hex	1 1/4	12151	DHI-26200-006	100	1000	10
	1 1/2	12134	DHI-26240-006	100	1000	10
	2	73648	DHI-26320-006	100	1000	10
7/16" 20 TPI 7/32 Hex	3/8	12163	DHI-27060-006	100	1000	10
	1/2	12169	DHI-27080-006	100	1000	10
	3/4	73672	DHI-27120-006	100	1000	10
	1	73675	DHI-27160-006	100	1000	10
1/2" 20 TPI 1/4 Hex	1 3/4	73702	DHI-28280-006	50	50	1
	2	73703	DHI-28320-006	50	50	1

Socket Set Screws - Flat Point

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#3 48 TPI .050 Hex	3/16	12243	DHI-53032-006	100	1000	10
	1/8	12466	DHI-54022-006	100	1000	10
#4 40 TPI .050 Hex	3/16	12496	DHI-56032-006	100	1000	10
	1/4	12499	DHI-56042-006	100	1000	10
	3/8	12505	DHI-56062-006	100	1000	10
#6 32 TPI 1/16 Hex	3/16	12520	DHI-58032-006	100	1000	10
	1/4	12523	DHI-58042-006	100	1000	10
	3/8	12529	DHI-58062-006	100	1000	10
	1/2	12532	DHI-58082-006	100	1000	10
#8 32 TPI 5/64 Hex	3/16	12541	DHI-03032-006	100	1000	10
	1/4	12544	DHI-03042-006	100	1000	10
	5/16	12547	DHI-03052-006	100	1000	10
	3/8	12550	DHI-03062-006	100	1000	10
#10 24 TPI 3/32 Hex	1/4	12568	DHI-04042-006	100	1000	10
	5/16	12571	DHI-04052-006	100	1000	10
	3/8	12574	DHI-04062-006	100	1000	10
	1/2	12580	DHI-04082-006	100	1000	10
	5/8	12583	DHI-04102-006	100	1000	10
	3/4	12586	DHI-04122-006	50	500	10
	1	12592	DHI-04162-006	50	500	10
	1 1/2	12593	DHI-04242-006	50	500	10
	2	12594	DHI-04322-006	50	500	10

UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
5/16" 18 TPI 5/32 Hex	5/16	12601	DHI-05052-006	100	1000	10
	3/8	12604	DHI-05062-006	100	1000	10
	1/2	12607	DHI-05082-006	100	1000	10
	5/8	12610	DHI-05102-006	100	1000	10
	3/4	12613	DHI-05122-006	50	500	10
	1	12616	DHI-05162-006	50	500	10
3/8" 16 TPI 5/32 Hex	3/8	12631	DHI-06062-006	50	500	10
	1/2	12634	DHI-06082-006	50	500	10
	5/8	12637	DHI-06102-006	50	500	10
	3/4	12640	DHI-06122-006	50	500	10
	1	12643	DHI-06162-006	50	500	10
1/2" 13 TPI 5/32 Hex	1/2	12658	DHI-08082-006	50	500	10
	5/8	12661	DHI-08102-006	50	500	10
	3/4	12664	DHI-08122-006	50	500	10
	1	12667	DHI-08162-006	50	500	10
	1 1/4	12669	DHI-08202-006	50	50	1

Socket Set Screws - Flat Point, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRF						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 32 TPI 3/32 Hex	3/16	12685	DHI-23032-006	100	1000	10
	1/4	12688	DHI-23042-006	100	1000	10
	3/8	12808	DHI-23062-006	100	1000	10
	1/2	12785	DHI-23082-006	100	1000	10
	3/4	12809	DHI-23122-006	100	1000	10
	1	12896	DHI-23162-006	100	1000	10
1/4" 28 TPI 1/8 Hex	1/4	12712	DHI-24042-006	100	1000	10
	3/8	12715	DHI-24062-006	100	1000	10
	1/2	12716	DHI-24082-006	100	1000	10
	5/8	12714	DHI-24102-006	100	1000	10
5/16" 24 TPI 5/32 Hex	3/8	12720	DHI-25062-006	100	1000	10
	1/2	12253	DHI-25082-006	100	1000	10
	3/4	12362	DHI-25122-006	50	500	10
3/8" 24 TPI 3/16 Hex	3/8	12721	DHI-26062-006	50	500	10
	1/2	12727	DHI-26082-006	50	500	10
	3/4	12860	DHI-26122-006	50	500	10
1/2" 20 TPI 1/4 Hex	1/2	12742	DHI-28082-006	50	500	10

Socket Set Screws - Knurled Cup Point

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRC						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#4 40 TPI .050 Hex	1/8	13135	DHI-54025-006	100	1000	10
#6 32 TPI 1/16 Hex	1/8	13180	DHI-56025-006	100	1000	10
	3/16	13183	DHI-56035-006	100	1000	10
	1/4	13186	DHI-56045-006	100	1000	10
#8 32 TPI 5/64 Hex	1/8	13210	DHI-58025-006	100	1000	10
	3/16	13213	DHI-58035-006	100	1000	10
	1/4	13216	DHI-58045-006	100	1000	10
	3/8	13222	DHI-58065-006	100	1000	10
1/4" 20 TPI 1/8 Hex	3/16	13270	DHI-04035-006	100	1000	10
	1/4	13271	DHI-04045-006	100	1000	10
	3/8	13279	DHI-04065-006	100	1000	10
	1/2	13282	DHI-04085-006	100	1000	10
	3/4	13288	DHI-04125-006	100	1000	10
5/16" 18 TPI 5/32 Hex	3/8	13315	DHI-05065-006	100	1000	10
	1/2	13321	DHI-05085-006	100	1000	10
3/8" 16 TPI 3/16 Hex	3/8	13354	DHI-06065-006	100	1000	10
	1/2	13360	DHI-06085-006	100	1000	10
	5/8	13363	DHI-06105-006	100	1000	10
	3/4	13366	DHI-06125-006	100	1000	10
1/2" 13 TPI 1/4 Hex	1/2	13426	DHI-08085-006	100	1000	10

Socket Set Screws - Knurled Cup Point, **Continued**

Inch Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Class 3A thread fit standard
- Made in the USA



UNRF						
Dia. TPI Recess Size	Length	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
#10 32 TPI 3/32 Hex	3/16	13627	DHI-23035-006	100	1000	10
	1/4	13630	DHI-23045-006	100	1000	10
	3/8	13636	DHI-23065-006	100	1000	10
1/4" 28 TPI 1/8 Hex	3/16	13654	DHI-24035-006	100	1000	10
	1/4	13273	DHI-24045-006	100	1000	10
	5/16	13660	DHI-24055-006	100	1000	10
	3/8	13663	DHI-24065-006	100	1000	10
5/16" 24 TPI 5/32 Hex	1/4	13681	DHI-25045-006	100	1000	10
	5/16	13684	DHI-25055-006	100	1000	10
	3/8	13687	DHI-25065-006	100	1000	10
	1/2	13690	DHI-25085-006	100	1000	10
3/8" 24 TPI 3/16 Hex	3/8	13711	DHI-26065-006	100	1000	10

Socket Head Cap Screws - ISO 4762

Metric Sizes

PRODUCT DESCRIPTION

- Class 12.9
- Standard package
- Meets ISO 4762
- Made in the US



Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
M2 0.4 Pitch 1.5mm Hex	3	76000	340-M0203-61	50	500	10
	4	76003	340-M0204-61	100	1000	10
	5	76006	340-M0205-61	100	1000	10
	6	76009	340-M0206-61	100	1000	10
	8	76012	340-M0208-61	100	1000	10
	10	76015	340-M0210-61	100	1000	10
	12	76018	340-M0212-61	100	1000	10
M2.5 0.45 Pitch 2mm Hex	4	76042	340-M2504-61	50	50	1
	5	76045	340-M2505-61	50	50	1
	6	76044	340-M2506-61	50	500	10
	8	76051	340-M2508-61	50	50	1
	10	76054	340-M2510-61	50	500	10
	12	76057	340-M2512-61	50	50	1
	16	76060	340-M2516-61	50	500	10
	20	76063	340-M2520-61	25	25	1
M2.6 0.45 Pitch 2mm Hex	8	76033	340-M2608-61	50	50	1
	10	76036	340-M2610-61	50	50	1
	12	76039	340-M2612-61	50	50	1

Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
M3 0.5 Pitch 2.5mm Hex	4	76066	340-M0304-61	100	1000	10
	5	76069	340-M0305-61	100	1000	10
	6	76072	340-M0306-61	100	1000	10
	8	76075	340-M0308-61	100	1000	10
	10	76078	340-M0310-61	100	1000	10
	12	76081	340-M0312-61	100	1000	10
	14	76084	340-M0314-61	100	1000	10
	16	76087	340-M0316-61	100	1000	10
	18	76090	340-M0318-61	100	1000	10
	20	76093	340-M0320-61	100	1000	10
	22	76096	340-M0322-61	100	1000	10
	25	76099	340-M0325-61	100	1000	10
	30	76102	340-M0330-61	100	1000	10
	35	76105	340-M0335-61	100	1000	10
	40	76108	340-M0340-61	25	25	1
	50	76111	340-M0350-61	25	25	1

Socket Head Cap Screws - ISO 4762, Continued

Metric Sizes

PRODUCT DESCRIPTION

- Class 12.9
- Standard package
- Meets ISO 4762
- Made in the USA



Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
M4 0.7 Pitch 3.0mm Hex	5	76114	340-M0405-61	100	1000	10
	6	76117	340-M0406-61	100	1000	10
	8	76120	340-M0408-61	100	1000	10
	10	76123	340-M0410-61	100	1000	10
	12	76129	340-M0412-61	100	1000	10
	14	76132	340-M0414-61	100	1000	10
	16	76135	340-M0416-61	100	1000	10
	18	76138	340-M0418-61	100	1000	10
	20	76141	340-M0420-61	100	1000	10
	22	76144	340-M0422-61	50	250	10
	25	76147	340-M0425-61	50	250	10
	30	76150	340-M0430-61	50	250	10
	35	76153	340-M0435-61	50	50	1
	40	76156	340-M0440-61	50	50	1
	45	76126	340-M0445-61	50	50	1
	50	76159	340-M0450-61	50	50	1
	55	76162	340-M0455-61	25	25	1
60	76165	340-M0460-61	25	25	1	
70	76168	340-M0470-61	10	10	1	
80	76171	340-M0480-61	10	10	1	

Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
M5 0.8 Pitch 4.0mm Hex	6	76174	340-M0506-61	100	1000	10
	8	76177	340-M0508-61	100	1000	10
	10	76180	340-M0510-61	100	1000	10
	12	76183	340-M0512-61	100	1000	10
	14	76186	340-M0514-61	100	1000	10
	15	76189	340-M0515-61	100	1000	10
	16	76192	340-M0516-61	100	1000	10
	18	76195	340-M0518-61	100	1000	10
	20	76198	340-M0520-61	100	1000	10
	22	76201	340-M0522-61	50	50	1
	25	76204	340-M0525-61	50	500	10
	30	76207	340-M0530-61	100	1000	10
	35	76210	340-M0535-61	100	100	1
	40	76213	340-M0540-61	100	100	1
	45	76216	340-M0545-61	100	100	1
	50	76219	340-M0550-61	100	100	1
	55	76222	340-M0555-61	25	25	1
	60	76225	340-M0560-61	25	25	1
	65	76228	340-M0565-61	25	25	1
	70	76231	340-M0570-61	25	25	1
	75	76234	340-M0575-61	25	25	1
	80	76237	340-M0580-61	25	25	1
	90	76240	340-M0590-61	10	10	1
	100	76243	340-M05100-61	10	10	1
120	76246	340-M05120-61	10	10	1	

Socket Head Cap Screws - ISO 4762, Continued

Metric Sizes

PRODUCT DESCRIPTION

- Class 12.9
- Standard package
- Meets ISO 4762
- Made in the USA



Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
M6 1.0 Pitch 5.0mm Hex	6	76249	340-M0606-61	100	100	1
	8	76252	340-M0608-61	100	1000	10
	10	76255	340-M0610-61	100	1000	10
	12	76258	340-M0612-61	100	1000	10
	14	76261	340-M0614-61	100	1000	10
	15	76264	340-M0615-61	100	1000	10
	16	76267	340-M0616-61	100	1000	10
	18	76270	340-M0618-61	100	1000	10
	20	76273	340-M0620-61	100	1000	10
	22	76276	340-M0622-61	50	50	1
	25	76279	340-M0625-61	50	500	10
	30	76282	340-M0630-61	50	50	1
	35	76285	340-M0635-61	50	50	1
	40	76288	340-M0640-61	50	500	10
	45	76291	340-M0645-61	50	50	1
	50	76294	340-M0650-61	50	50	1
	55	76297	340-M0655-61	50	50	1
	60	76300	340-M0660-61	25	25	1
	65	76303	340-M0665-61	25	25	1
	70	76306	340-M0670-61	25	25	1
75	76309	340-M0675-61	25	25	1	
80	76312	340-M0680-61	25	25	1	
90	76315	340-M0690-61	10	10	1	
100	76324	340-M06100-61	10	10	1	
110	76318	340-M06110-61	10	10	1	
120	76321	340-M06120-61	5	5	1	

Socket Head Shoulder Screws

Metric Sizes

PRODUCT DESCRIPTION

- Heat-treated alloy steel
- Meets ANSI/ASME B18.3.3M
- Made in the USA



Shoulder Dia. Recess Size	Shoulder Length	Hex EDP No.	Thread Diameter	Thread Pitch	Item No.	Box Qty	Sleeve Qty	Boxes per Sleeve
4mm 2mm Hex	6mm	81387	M3	0.5	342-0406 -01	25	250	10
	8mm	81390	M3	0.5	342-0408 -01	25	250	10
	12mm	81393	M3	0.5	342-0412 -01	25	250	10
	16mm	81396	M3	0.5	342-0416 -01	25	250	10
	20mm	81399	M3	0.5	342-0420 -01	25	250	10
5mm 2.5mm Hex	6mm	81402	M4	0.7	342-0506 -01	25	250	10
	8mm	81405	M4	0.7	342-0508 -01	25	250	10
6mm 3mm Hex	6mm	81408	M5	0.8	342-0606 -01	25	250	10
	14mm	81411	M5	0.8	342-0614 -01	25	250	10
8mm 4mm Hex	14mm	81414	M6	1	342-0814 -01	25	250	10
10mm 5mm Hex	14mm	81417	M8	1.3	342-1014 -01	25	25	1
12mm 6mm Hex	10mm	81420	M10	1.5	342-1210 -01	10	10	1
	14mm	81423	M10	1.5	342-1214 -01	10	10	1
16mm 8mm Hex	14mm	81426	M12	1.75	342-1614 -01	10	10	1
20mm 10mm Hex	20mm	81429	M16	2.0	342-2020 -01	10	10	1
	25mm	81432	M16	2.0	342-2025 -01	10	100	10
24mm 12mm Hex	40mm	81435	M20	2.5	342-2440 -01	10	10	1
	45mm	81438	M20	2.5	342-2445 -01	10	10	1
	55mm	81441	M20	2.5	342-2455 -01	10	10	1



WARRANTY

STANLEY Engineered Fastening makes no warranty, express or implied, except that goods sold by description, sample or model shall substantially conform to the description, sample or model, and in such case, the responsibility of STANLEY Engineered Fastening shall be limited to the replacement of nonconforming goods returned to STANLEY Engineered Fastening within one month after delivery to Buyer (f.o.b. at point of delivery to carrier), provided that such goods have been solely used for the purpose for which manufactured. **All** replaced goods are to be returned to STANLEY Engineered Fastening after receiving authorization from STANLEY Engineered Fastening .

This warranty does not apply when any physical or chemical change in the form of the product is made by the Buyer or any other party. There are no warranties which extend beyond the description stated herein. STANLEY Engineered Fastening shall not otherwise be liable for any costs or expenses incurred in the replacement of any defective or nonconforming products and in no event shall STANLEY Engineered Fastening be liable for incidental or consequential damages. The foregoing warranty and such other warranties made by STANLEY Engineered Fastening, as are expressly stated herein, are specifically in lieu of any other warranties, express or implied, including the implied warranties of merchantability and fitness for a particular purpose.

The selection of this product for a particular application or use is the responsibility of the customer. The applications engineers at Decorah Operations are available to assist customers **in** selecting the appropriate product for a particular application or use. All warranties are void if the product is plated or modified in any manner by any person other than STANLEY Engineered Fastening. STANLEY Engineered Fastening has strived for total accuracy throughout this catalog. However, STANLEY Engineered Fastening shall not be liable or responsible for any typographical errors that may occur. If any questions arise as to the accuracy within this catalog, please contact the applications engineers at Decorah Operations .



AVDEL

Structural Blind Fasteners

INTEGRA

Plastic Components

NELSON

Stud Welding

OPTIA

Threaded Fasteners

POP


Non-structural Blind Fasteners

STANLEY
Assembly Technologies

Specialist Assembly

TUCKER

Automated Fastener Systems



STANLEY
Engineered Fastening

Stanley Engineered Fastening — a division of Stanley Black and Decker — is the global leader in precision fastening and assembly solutions. Our industry-leading brands, Avdel®, Integra™, Nelson®, Optia™, POP®, Stanley® Assembly Technologies, and Tucker®, elevate what our customers create. Backed by a team of passionate and responsive problem-solvers, we empower engineers to create the future.

STANLEY ENGINEERED FASTENING FAMILY OF BRANDS

AVDEL **INTEGRA** **NELSON** **OPTIA** **POP** **STANLEY** **TUCKER**
Assembly Technologies

Camcar®, Raycar®, TORX®, and TORX PLUS® are trademarks of Acument Intellectual Properties LLC.

Data shown is subject to change without prior notice as a result of the continuous product development and improvement policy. The information in this catalog is not to be considered a specification. Your local STANLEY Engineered Fastening representative is at your disposal should you need to confirm the latest information.