



SAMSUNG SMART LED SIGNAGE IF SERIES

Key Features:

- LED HDR image processing optimizes LED brightness, color, and picture quality for a more realistic viewing experience
- Dynamic peaking elevates grayscale, ensures clear and detailed expression even in low brightness settings
- Factory and On-site DSLR Calibration for Perfectly Balanced Color and Uniformity
- Clean, Hassle-Free Install and Maintenance with Full-Front and Rear Access
- Single UHD LED image processor (S-box) with advanced content mapping, scaling, calibration and control
- Fan-less design prolongs displays overall life span by minimizing the impact of dust and rigid particle exposure

BRILLIANT IMAGINATION. ON DISPLAY.

Samsung Direct View LED | FHD Bundle IFJ-series – 110” LED Video wall

Main Features:

- 110” Diagonal (16:9)
- IFJ-series LED Video Wall
- Digital Signage
- 1080P (Full HD)

Component:

- (10) IF012J
- (1) 3x3 Samsung Mount Frame Kit
- (1) LED Image Processor (S-Box)
- OCM Cable and Module Jig
- 5yr Warranty (3yr standard + 2yr extended, Parts only)



Part #
SAM-
PEERLEDIF012JBUNDLE

Product	Model	No. of unit
LED Cabinets	IF012J	10
S-Box (Image processor)	SNOW-1810U	1
Jig for front service	CY-LJJNWS	1
Peerless-AV Fixed Mount	DS-LEDIFJ-3x3	1
2yr Extended Warranty	P-LE-2PXX2OSS	10



SAMSUNG SMART LED SIGNAGE IF SERIES

BRILLIANT IMAGINATION. ON DISPLAY.

Key Features:

- LED HDR image processing optimizes LED brightness, color, and picture quality for a more realistic viewing experience
- Dynamic peaking elevates grayscale, ensures clear and detailed expression even in low brightness settings
- Factory and On-site DSLR Calibration for Perfectly Balanced Color and Uniformity
- Clean, Hassle-Free Install and Maintenance with Full-Front and Rear Access
- Single UHD LED image processor (S-box) with advanced content mapping, scaling, calibration and control
- Fan-less design prolongs displays overall life span by minimizing the impact of dust and rigid particle exposure

Samsung Direct View LED | IF1.5 FHD Bundle IF-series – 130” LED Video wall

Main Features:

- 130” Diagonal (16:9)
- IF-series LED Video Wall
- Digital Signage
- 1080P (Full HD)

Component:

- (20) IF015H
- (1) 6x3 Samsung Mount Frame Kit
- (1) LED Image Processor (S-Box)
- OCM Cable and Module Jig
- 5yr Warranty (3yr standard + 2yr extended, Parts only)



Part #
SAM-
PEERLEDIF015HBUNDLE

Product	Model	No. of unit
LED Cabinets	IF015H	20
S-Box (Image processor)	SNOW-1810U	1
Jig for front service	CY-LJFNAS/ZA	1
Peerless-AV LED Mount	DS-LEDIF-6X3	1
2yr Extended Warranty	P-LE-2PXX2OSS	20

Contact Synnex: Jason Adams 864-349-4959

peerless-AV
Driving Technology Through Innovation

Samsung@synnex.com

SAMSUNG



SAMSUNG SMART LED SIGNAGE IF SERIES

BRILLIANT IMAGINATION. ON DISPLAY.

Key Features:

- LED HDR image processing optimizes LED brightness, color, and picture quality for a more realistic viewing experience
- Dynamic peaking elevates grayscale, ensures clear and detailed expression even in low brightness settings
- Factory and On-site DSLR Calibration for Perfectly Balanced Color and Uniformity
- Clean, Hassle-Free Install and Maintenance with Full-Front and Rear Access
- Single UHD LED image processor (S-box) with advanced content mapping, scaling, calibration and control
- Fan-less design prolongs displays overall life span by minimizing the impact of dust and rigid particle exposure


Samsung Direct View LED | IF2.0 FHD Bundle IF-series – 174” LED Video wall

Main Features:

- 174” Diagonal (16:9)
- IF-series LED Video Wall
- Digital Signage
- 1080P (Full HD)

Component:

- (34) IF020H
- (1) 8x4 Samsung Mount Frame Kit
- (1) LED Image Processor (S-Box)
- OCM Cable and Module Jig
- 5yr Warranty (3yr standard + 2yr extended, Parts only)



**Part #
SAM-
PEERLEDIF020HBUNDLE**

Product	Model Code	No. of unit
LED Cabinets	IF020H	34
S-Box (Image processor)	SNOW-1810U	1
Jig for front service	CY-LJFNAS/ZA	1
Peerless-AV LED Mount	DS-LEDIF-8x4	1
2yr Extended Warranty	P-LE-2PXX20SS	34

Contact Synnex: Jason Adams 864-349-4959

peerless-AV[®]
Driving Technology Through Innovation

Samsung@synnex.com

SAMSUNG



SAMSUNG SMART LED SIGNAGE IF SERIES

Key Features:

- LED HDR image processing optimizes LED brightness, color, and picture quality for a more realistic viewing experience
- Dynamic peaking elevates grayscale, ensures clear and detailed expression even in low brightness settings
- Factory and On-site DSLR Calibration for Perfectly Balanced Color and Uniformity
- Clean, Hassle-Free Install and Maintenance with Full-Front and Rear Access
- Single UHD LED image processor (S-box) with advanced content mapping, scaling, calibration and control
- Fan-less design prolongs displays overall life span by minimizing the impact of dust and rigid particle exposure

BRILLIANT IMAGINATION. ON DISPLAY.


Samsung Direct View LED | IF2.5 FHD Bundle IF-series – 217” LED Video wall

Main Features:

- 217” Diagonal (16:9)
- IF-series LED Video Wall
- Digital Signage
- 1080P (Full HD)

Component:

- (53) IF025H
- (1) 10x5 Samsung Mount Frame Kit
- (1) LED Image Processor (S-Box)
- OCM Cable and Module Jig
- 5yr Warranty (3yr standard + 2yr extended, Parts only)



Part #
SAM-
PEERLEDIF025HBUNDLE

Product	Model Code	No. of unit
LED Cabinets	IF025H	53
S-Box (Image processor)	SNOW-1810U	1
Jig for front service	CY-LJFNAS/ZA	1
Peerless-AV LED Mount	DS-LEDIF-10X5	1
2yr Extended Warranty	P-LE-2PXX20SS	53

Contact Synnex: Jason Adams 864-349-4959

peerless-AV
Driving Technology Through Innovation

Samsung@synnex.com

SAMSUNG


THE WALL - THE NEXT GENERATION IS NOW



146" THE WALL UHD



CONFIGURATIONS



SEE THE GREATNESS

Screen Size		146" (The Wall Pro, IW008J)
Physical Parameters	No. of Cabinets	18 (4 x 4, 2 spares)
	Dimensions (W x H)	10.58ft x 5.95ft
Optical Parameters	Resolution	3840 x 2160 (UHD)
	Brightness (Peak/MAX)	1600/500nit
	Contrast Ratio	10,000:1
	Picture Quality	LED HDR, HDR 10+ Support, LPDRE*
Additional Equipment	Image processor	Samsung (Model: SNOW-1810U)
	Mounting & Deco Frame	Samsung Dedicated mount kit (Mount: VG-LFJ08UWW, Deco: VG-LFJ08UDW)
	Module Service Jig	Samsung (CY-WJJPWP)

* HDR: High Dynamic Range, LPDRE: Low Power Dynamic Range Expansion

Black. Period.

The purest expression of black for unparalleled contrast ratio



Purely Colorful.

Superior color purity brings details to life both vibrantly and naturally.



Contact Synnex: Jason Adams 864-349-4959

Samsung@synnex.com