Traffic Analysis and Reporting System AADT Segment Report

Area 403 - Far North District

Road Section 89B - BURKE DEV ROAD (NORMANTON - DIMBULAH)
Segment Site 110037 Traffic Year 2019 Data Collection Data Collection Year 2019

Page 1 of 2 (1 of 7)

TARS

25-Aug-2020 16:37



Traffic Analysis and Reporting System AADT Segment Report

Area 403 - Far North District

Road Segment from 589.650km to 654.725km

Road Section 89B - BURKE DEV ROAD (NORMANTON - DIMBULAH)
Segment Site 110037 Traffic Year 2019 Data Collection Year 2019

Page 2 of 2 (2 of 7)

TARS


25-Aug-2020 16:37

The width of each Road Segment is proportional to its AADT.

Site 110037. Point 31000072. Petford, 100m East of Herberton turnoff.

628.15 km

589.65 km
Start Point 310017722. Int Burke Dev Rd & Ootann Rd.





Report Notes for AADT Segment Report



Page 1 of 1 (3 of 7)

25-Aug-2020 16:37

Queensland

AADT Segment Annual Volume Report

Provides summary data for the selected AADT Segment of a Road Section. Summary data is presented as both directional information and a combined bi-directional figure. The data is then broken down by Traffic Class, when available. The report also includes maps displaying the location of both the AADT Segment and the traffic count site.

Annual Average Daily Traffic (AADT)

Annual Average Daily Traffic (AADT) is the number of vehicles passing a point on a road in a 24 hour period, averaged over a calendar year.

AADT Segments

The State declared road network is broken into Road Sections and then further broken down into AADT Segments. An AADT Segment is a sub-section of the declared road network where traffic volume is similar along the entire AADT Segment.

For administration purposes the Department of Transport and Main Roads has divided Queensland into 12 Districts. The Area field in TSDM reports displays the District Name and Number.

District Name District	
Central West District	401
Darling Downs District	402
Far North District	403
Fitzroy District	404
Mackay/Whitsunday District	405
Metropolitian District	406
North Coast District	407
North West District	409
Northern District	408
South Coast District	410
South West District	411
Wide Bay/Burnett District	412

AADT Values

AADT values are displayed by direction of travel as:

- Traffic flow in gazettal direction
- Traffic flow against gazettal direction
 Traffic flow in both directions
- В

Data Collection Year

Is the most recent year that data was collected at the data collection site.

Please Note:

to location and/or departmental policy, some sites are not counted every year.

Gazettal Direction

Is the direction of the traffic flow. It can be easily recognised by referring to the name of the road eg. Road Section: 10A Brisbane -Gympie denotes that the gazettal direction is from Brisbane to Gympie.

Maps

Display the selected location from a range of viewing levels, the start and end position details for the AADT Segment and the location of the traffic count site.

Road Section

Is the Gazetted road from which the traffic data is collected. Each Road Section is given a code, allocated sequentially in Gazettal Direction. Larger roads are broken down into sections and identified by an ID code with a suffix for easier data collection and reporting (eg. 10A, 10B, 10C). Road Sections are then broken into AADT Segments which are determined by traffic volume.

Segment Site

Is the unique identifier for the traffic count site representing the traffic flow within the AADT Segment.

Site

The physical location of a traffic counting device. Sites are located at a specified Through Distance along a Road Section.

Site Description

The description of the physical location of the traffic counting device.

Start and End Point

The unique identifier for the Through Distance along a Road Section.

Vehicle Class

Traffic is categorised as per the Austroads Vehicle Classification scheme. Traffic classes are in the following hierarchical format:

Volume or All Vehicles

00 = 0A + 0B

Light Vehicles

0A = 1A 1A = 2A + 2B

Heavy Vehicles

0B = 1B + 1C + 1D 1B = 2C + 2D + 2E 1C = 2F + 2G + 2H + 2I

= 2J + 2K + 2L

The following classes are the categories for which data can be captured:

Volume

00 All vehicles

2-Bin

Light vehicles Heavy vehicles 0B

4-Bin

Short vehicles Truck or bus 1B

Articulated vehicles

1D Road train

12-Bin

Short 2 axle vehicles

Short vehicles towing 2 axle truck or bus

3 axle truck or bus

4 axle truck

3 axle articulated vehicle 4 axle articulated vehicle

5 axle articulated vehicle

2H 2I 6 axle articulated vehicle

B double

Double road train

Triple road train

Copyright
Copyright The State of Queensland (Department of Transport and Main Roads) 2013

http://creativecommons.org/licences/by-nd/3.0/au

This work is licensed under a Creative Commons Attribution 3.0 Australia (CC BY-ND) Licence. To attribute this material, cite State of Queensland (Department of Transport and Main Roads) 2013




Traffic Analysis and Reporting System Annual Volume Report

TARS


Area 403 - Far North District

Road Section 89B - BURKE DEV ROAD (NORMANTON - DIMBULAH) ast of Herberton turnoff TDist 628.155km Speed Limit 60 Site 110037 - Petford, 100m East of Herberton turnoff

Page 1 of 3 (4 of 7)







TARS Page 2 of 3 (5 of 7)

Queensland

25-Aug-2020 16:37


Road Section 89B - BURKE DEV ROAD (NORMANTON - DIMBULAH)


Site 110037 - Petford, 100m East of Herberton turnoff

Thru Dist 628.155 Type P - Permanent

Stream TB - Bi-directional traffic flow


Area 403 - Far North District






Year	AADT	1-Year Growth	5-Year Growth	10-Year Growth
2019	209	0.48%	4.49%	0.33%
2018	208	14.29%	3.86%	0.16%
2017	182	4.00%	-1.36%	-1.61%
2016	175	2.94%	-4.13%	-1.69%
2015	170	-5.03%	-5.74%	-1.55%
2014	179	-6.77%	-5.22%	-0.30%
2013	192	-9.43%	-3.04%	1.43%
2012	212	-5.78%	0.88%	3.46%
2011	225	4.65%	4.90%	4.89%
2010	215	-4.02%	5.70%	4.92%
2009	224	9.27%	8.45%	6.20%
2008	205	9.04%	7.56%	4.95%
2007	188	14.63%	5.76%	3.29%
2006	164	3.14%	2.36%	1.05%
2005	159	0.00%	2.70%	0.27%


Year	AADT	1-Year Growth	5-Year Growth	10-Year Growth
2004	159	8.90%	3.88%	-1.08%
2003	146	-3.31%	0.84%	-2.74%
2002	151	2.03%	-0.10%	-2.58%
2001	148	10.45%	-1.74%	-2.86%
2000	134	3.08%	-5.53%	-4.68%
1999	130	-14.47%	-10.39%	-5.68%
1998	152	-13.14%	-6.97%	
1997	175	5.42%	-3.14%	-1.49%
1996	166	-3.49%	-3.34%	
1995	172	-33.33%	-2.90%	
1994	258	34.37%	7.23%	
1993	192	3.23%		
1992	186	10.71%	-0.85%	
1991	168	-17.65%		
1990	204	-9.73%		



23 24 25 26 27 28 29

Page 3 of 3 (6 of 7)





2019 Calendar **January February** March April W W 2 3 2 3 3 4 5 6 2 4 5 3 1 9 10 9 9 9 10 11 12 8 10 5 6 7 6 17 18 19 20 12 13 14 12 16 17 18 14 15 16 15 16 17 13 14 15 16 15 19 20 21 21 22 23 24 25 26 27 19 20 21 22 23 24 18 19 20 21 22 23 24 22 23 24 25 26 27 28 28 29 30 31 25 26 27 28 25 26 27 28 29 30 31 29 30 May June July August S 1 2 3 2 3 5 2 5 6 7 2 3 4 9 10 11 12 8 9 12 4 5 6 7 8 6 7 16 17 18 19 20 21 15 16 17 18 11 12 13 15 13 14 15 16 17 18 20 21 22 23 24 25 26 17 18 19 20 21 22 23 22 23 24 25 26 27 28 19 20 21 22 23 24 25 27 28 29 30 31 24 25 26 27 28 29 30 29 30 31 26 27 28 29 30 31 September October November December s 1 2 3 30 1 2 3 4 5 6 30 31 1 8 2 3 8 10 11 12 13 14 14 15 16 17 18 19 20 15 12 13 16 10 15 16 17 18 19 20 21 22 21 22 23 24 25 26 27 19 20 21 22 23 16 17 18 19 20 21 22

25

26 27

28 29 30

23 24 25 26 27 28 29

28 29 30 31



Traffic Analysis and Reporting System



25-Aug-2020 16:37

Report Notes for Annual Volume Report Page 1 of 1 (7 of 7)

Annual Volume Report

Displays AADT history with hourly, daily and weekly patterns by Stream in addition to annual data for AADT figures with 1 year, 5 year and 10 year growth rates.

Annual Average Daily Traffic (AADT)

Annual Average Daily Traffic (AADT) is the number of vehicles passing a point on a road in a 24 hour period, averaged over a calendar year.

AADT History

Displays the years when traffic data was collected at this count site.

For administration purposes the Department of Transport and Main Roads has divided Queensland into 12 Districts. The Area field in TSDM reports displays the District Name and Number.

District Name District	
Central West District	401
Darling Downs District	402
Far North District	403
Fitzroy District	404
Mackay/Whitsunday District	405
Metropolitian District	406
North Coast District	407
North West District	409
Northern District	408
South Coast District	410
South West District	411
Wide Bay/Burnett District	412

Avg Week Day

Average daily traffic volume during the week days, Monday to Friday.

Avg Weekend Day

Average daily traffic volume during the weekend, Saturday and Sunday.

Calendar

Days on which traffic data was collected are highlighted in green.

Gazettal Direction

The Gazettal Direction is the direction of the traffic flow. It can be easily recognised by referring to the name of the road eg. Road Section: 10A Brisbane - Gympie denotes that the gazettal direction is from Brisbane to Gympie.

- Traffic flowing in Gazettal Direction
- Traffic flowing against Gazettal Direction
 The combined traffic flow in both Directions

Represents the increase or decrease in AADT, using a exponential fit over the previous 1, 5 or 10 year period.

Hour, Day & Week Averages

Growth Percentage

The amount of traffic on the road network will vary depending on the time of day, the day of the week and the week of the year. The ebb and flow of traffic travelling through a site over a period of time forms a pattern. The Hour, Day and Week Averages are then used in the calculation of AADT.

Road Section

Is the Gazetted road from which the traffic data is collected. Each Road Section is given a code, allocated sequentially in Gazettal Direction. Larger roads are broken down into sections and identified by an ID code with a suffix for easier data collection and reporting (eg. 10A, 10B, 10C). Road Sections are then broken into AADT Segments which are determined by traffic volume.

Site

The unique identifier and description of the physical location of a traffic counting device. Sites are located at a Through Distance along a Road Section.

Stream

The lane in which the traffic is travelling in. This report provides data for the combined flow of traffic in both directions.

Thru Dist or TDist

The distance from the beginning of the Road Section, in kilometres.

Type

There are two types of traffic counting sites, Permanent and Coverage. Permanent means the traffic counting device is in place 24/7. Coverage means the traffic counting device is in place for a specified period of time.

Year

Is the current year for the report. Where an AADT Year record is missing a traffic count has not been conducted, for that year.

Copyright Copyright The State of Queensland (Department of Transport and Main Roads) 2013

Licence http://creativecommons.org/licences/by-nd/3.0/au

This work is licensed under a Creative Commons Attribution 3.0 Australia (CC BY-ND) Licence. To attribute this material, cite State of Queensland (Department of Transport and Main Roads) 2013

