

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

**PROOFMATE F**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

**Product Categories [PC]**

**PC 1:** Adhesives, sealants

#### 1.3. Details of the supplier of the safety data sheet

**Supplier (manufacturer/importer/only representative/downstream user/distributor):**

**TPH Bausysteme GmbH**

Nordportbogen 8  
22848 Norderstedt  
Germany

**Telephone:** +49 40 52 90 66 78-0

**Telefax:** +49 40 52 90 66 78-78

**E-mail:** info@tph-bausysteme.com

**Website:** www.tph-bausysteme.com

**E-mail (competent person):** sdb-info@tph-bausysteme.com

#### 1.4. Emergency telephone number

24h: International access phone number: +1-813-248-0585 /// United States, Canada, Puerto Rico, U.S. Virgin Islands: 1-800-255-3924 (Contract No. MIS7249185) /// Australia: 1-300-954-583 /// Brazil: 0-800-591-6042 /// China: 400-120-0751 /// India: 000-800-100-4086 /// Mexico: 800-099-0731

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

**Hazard statements:** none

#### Supplemental hazard information

EUH208	Contains trimethoxyvinylsilane. May produce an allergic reaction.
--------	---

**Precautionary statements:** none

#### 2.3. Other hazards

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 2768-02-7 EC No.: 220-449-8 REACH No.: 01-2119513215-52-XXXX	<b>trimethoxyvinylsilane</b> Acute Tox. 4 (H332), Flam. Liq. 3 (H226), Skin Sens. 1B (H317) <b>Warning</b>	1 - < 2.75 weight-%
CAS No.: 13822-56-5 EC No.: 237-511-5	<b>3-(trimethoxysilyl)propylamine</b> Eye Dam. 1 (H318), Skin Irrit. 2 (H315) <b>Danger</b>	0 - ≤ 0.99 weight-%

Full text of H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

##### Following inhalation:

Provide fresh air.

##### After eye contact:

In case of contact with eyes, rinse immediately thoroughly with plenty of edible oil and consult an ophthalmologist.

##### Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

alcohol resistant foam Carbon dioxide (CO<sub>2</sub>) Water spray jet Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media:

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

##### Hazardous combustion products:

In case of fire: Gases/vapours, toxic

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

**Personal precautions:**

Avoid breathing dust/fume/gas/mist/vapours/spray. Remove persons to safety.

**Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

##### 6.1.2. For emergency responders

**Personal protection equipment:**

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

**For containment:**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up:**

Solvents/Thinner

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Protective measures**

**Advices on safe handling:**

Wear personal protection equipment (refer to section 8).

**Advices on general occupational hygiene**

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Technical measures and storage conditions:**

Keep container tightly closed in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
Ontario (CA)	trimethoxyvinylsilane CAS No.: 2768-02-7 EC No.: 220-449-8	② 10 ppm (60 mg/m <sup>3</sup> )
BE	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm (184 mg/m <sup>3</sup> ) ② 100 ppm (369 mg/m <sup>3</sup> ) ⑤ (peut être absorbé par la peau) D
CZ	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 72.09 ppm (270 mg/m <sup>3</sup> ) ② 146.85 ppm (550 mg/m <sup>3</sup> ) ⑤ (může pronikat pokožkou) D
TRGS 900 (DE)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (370 mg/m <sup>3</sup> ) ② 200 ppm (740 mg/m <sup>3</sup> ) ⑤ DFG, EU, Y
PL	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 180 mg/m <sup>3</sup> ② 360 mg/m <sup>3</sup> ⑤ (może przenikać przez skórę do organizmu) skóra
NO	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm (180 mg/m <sup>3</sup> ) ⑤ (kan absorberes gjennom huden) HE
IE	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ IOELV
HTP (FI)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (370 mg/m <sup>3</sup> ) ② 150 ppm (560 mg/m <sup>3</sup> ) ⑤ (kan absorberas genom huden) iho
DK	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm (185 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (kan optages gennem huden) EH
LT	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm (190 mg/m <sup>3</sup> ) ② 75 ppm (300 mg/m <sup>3</sup> ) ⑤ (tikėtinas įsisavinimas per odą) O
SE	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm (190 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (kan absorberas genom huden)
NPPEL (SK)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (rátajte so vstrebávaním cez pokožku) K
BG	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (трябва да се очаква абсорбиране през кожата)
HR	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> )

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
ES	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (puede ser absorbido a través dérmica) vía dérmica, VLI
RO	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (e de așteptat asimilarea prin piele) P
EE	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (1-metoksü-2-propanool (propüleenglükool-monometüüleeter, o-metüülpropüleen-glükool S
LV	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (var absorbet caur adu) Āda
Alberta (CA)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (369 mg/m <sup>3</sup> ) ② 150 ppm (553 mg/m <sup>3</sup> )
BC (CA)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm ② 100 ppm
IOELV (EU)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin)
VRC (FR)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm (188 mg/m <sup>3</sup> ) ② 100 ppm (375 mg/m <sup>3</sup> ) ⑤ (peut être absorbé par la peau)
MAK (AT)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm (187 mg/m <sup>3</sup> ) ② 50 ppm (187 mg/m <sup>3</sup> ) ⑤ (Momentanwert, kann über die Haut aufgenommen werden) H
WEL (GB)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (560 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin)
SI	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (računati je treba z možnostjo prodiranja skozi kožo) K, Y, BAT, EU1
TW	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (369 mg/m <sup>3</sup> )
HU	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 375 mg/m <sup>3</sup> ② 568 mg/m <sup>3</sup> ⑤ (felvehető a bőrön keresztül) b, R+T
IS	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm (185 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (efnið getur auðveldlega borist inn í líkamann gegnum húð) H

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MY	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (369 mg/m <sup>3</sup> )
NL	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 375 mg/m <sup>3</sup> ② 563 mg/m <sup>3</sup> ⑤ (kan door de huid in het lichaam worden opgenomen) H
GR	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (360 mg/m <sup>3</sup> ) ② 300 ppm (1,080 mg/m <sup>3</sup> ) ⑤ (αναμένετε απορρόφηση από το δέρμα)
TR	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (375 mg/m <sup>3</sup> ) ② 150 ppm (568 mg/m <sup>3</sup> ) ⑤ (ciilt yoluyla alınabilir) Deri
MX	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm ② 150 ppm
Québec (CA)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (369 mg/m <sup>3</sup> ) ② 150 ppm (553 mg/m <sup>3</sup> )
NIOSH (US)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (360 mg/m <sup>3</sup> ) ② 150 ppm (540 mg/m <sup>3</sup> )
ACGIH (US)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 50 ppm (184 mg/m <sup>3</sup> ) ② 100 ppm (369 mg/m <sup>3</sup> )
CH	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	① 100 ppm (360 mg/m <sup>3</sup> ) ② 200 ppm (720 mg/m <sup>3</sup> ) ⑤ SSC B; Tox: OAW Auge

### 8.1.2. Biological limit values

Limit value type (country of origin)	Substance name	Limit value	① Parameter ② Test material ③ Time of sampling: ④ Remark
BAT (CH)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	20 mg/L	① 1-Methoxypropan-2-ol ② Urin ③ Expositionsende bzw. Schichtende
TRGS 903 (DE)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	15 mg/L	① Methoxypropanol-2 ② Urin ③ Expositionsende bzw. Schichtende
BAT (SI)	1-methoxypropan-2-ol CAS No.: 107-98-2 EC No.: 203-539-1	15 mg/L	① 1-metoksipropan-2-ol ② urin ③ ob koncu delovne izmene

### 8.1.3. DNEL-/PNEC-values

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No data available

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

Eye glasses with side protection EN 166

##### Skin protection:

Tested protective gloves must be worn EN ISO 374 Breakthrough times and swelling properties of the material must be taken into consideration. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** black, grey

**Odour:** not determined

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not determined</i>		
Melting point	<i>not determined</i>		
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	<i>not determined</i>		
Decomposition temperature	<i>not determined</i>		
Flash point	<i>not determined</i>		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not determined</i>		
Upper/lower flammability or explosive limits	<i>not determined</i>		
Vapour pressure	<i>not determined</i>		
Vapour density	<i>not determined</i>		
Density	1.5 g/cm <sup>3</sup>	23 °C	① DIN EN ISO 2811-1
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	practically insoluble		② Response: Water
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	<i>not determined</i>		
Kinematic viscosity	<i>not determined</i>		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

### 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>trimethoxyvinylsilane</b> CAS No.: 2768-02-7 EC No.: 220-449-8
LD <sub>50</sub> oral: 7,120 - 7,236 mg/kg (Rat)
LD <sub>50</sub> dermal: 16.8 mg/kg OECD 401
LC <sub>50</sub> Acute inhalation toxicity (dust/mist): 16.8 mg/L (Rat)
<b>3-(trimethoxysilyl)propylamine</b> CAS No.: 13822-56-5 EC No.: 237-511-5
LD <sub>50</sub> oral: 3,010 mg/kg
LD <sub>50</sub> dermal: 11,460 mg/kg

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

#### Additional information:

No data available

### 11.2. Information on other hazards

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

### SECTION 12: Ecological information

#### 12.1. Toxicity

**trimethoxyvinylsilane** CAS No.: 2768-02-7 EC No.: 220-449-8

EC<sub>50</sub>: 957 mg/L 3 d (Algae/water plant, Desmodemus subspicatus)

LC<sub>50</sub>: 191 mg/L 4 d (fish, Oncorhynchus mykiss (Rainbow trout))

EC<sub>50</sub>: 168.1 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

EC<sub>50</sub>: 957 mg/L

**3-(trimethoxysilyl)propylamine** CAS No.: 13822-56-5 EC No.: 237-511-5

LC<sub>50</sub>: >934 mg/L (fish, Danio rerio (zebrafish)) OECD 203

EC<sub>50</sub>: 331 mg/L (crustaceans, Daphnia magna (Big water flea)) OECD 202

IC<sub>50</sub>: >1,000 mg/L (Pseudokirchneriella subcapitata) OECD 201

EC<sub>50</sub>: 43 mg/L (Pseudomonas putida)

#### 12.2. Persistence and degradability

**trimethoxyvinylsilane** CAS No.: 2768-02-7 EC No.: 220-449-8

Biodegradation: Yes, slowly

**3-(trimethoxysilyl)propylamine** CAS No.: 13822-56-5 EC No.: 237-511-5

Biodegradation: Yes, rapidly

#### 12.3. Bioaccumulative potential

**trimethoxyvinylsilane** CAS No.: 2768-02-7 EC No.: 220-449-8

Bioconcentration factor (BCF): 1.1

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

**trimethoxyvinylsilane** CAS No.: 2768-02-7 EC No.: 220-449-8

Results of PBT and vPvB assessment: —

**3-(trimethoxysilyl)propylamine** CAS No.: 13822-56-5 EC No.: 237-511-5

Results of PBT and vPvB assessment: —

#### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

No data available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 2 Nov 2022

Print date: 2 Nov 2022

Version: 2



## PROOFMATE F

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

No data available

##### 15.1.2. National regulations

###### [DE] National regulations

#### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

##### Klasse 2:

Klasse 3 (TA) Luft Anteil <5%

#### Water hazard class

##### WGK:

1 - schwach wassergefährdend

#### Other regulations, restrictions and prohibition regulations

UVV "Verarbeiten von Klebstoffen" (VBG 81)

###### [DK] National regulations

#### Other regulations, restrictions and prohibition regulations

MAL-kode: 0-1

#### 15.2. Chemical Safety Assessment

No data available

### SECTION 16: Other information

#### 16.1. Indication of changes

No data available

#### 16.2. Abbreviations and acronyms

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 2 Nov 2022

**Print date:** 2 Nov 2022

**Version:** 2



## PROOFMATE F

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.

### 16.6. Training advice

No data available

### 16.7. Additional information

No data available