





MODEL	PRODUCT DESCRIPTION
<p>InFocus Mondopad 55" IFC-INF5520</p>  <p>ราคา : 399,000.- (exc.vat)</p>	<ul style="list-style-type: none"> - Multi touch screen 55", LCD - Full HD 1920x1080 - Input: USB Type-A x 6, HDMI 1.3 x 2, VGA (HD15 VESA), Component, S-Video, Composite, RS232, RCA stereo audio x 2 - 3.5 mm stereo mini-jack, USB B to touch screen controller board, Ethernet (RJ45 x 2) - Output: RCA audio stereo (L/R) output for sound bar or other external AV system - Stereo 7Wx2 - Operating System: Windows 7 Pro 64bit - Multi touch screen system with support for 2 touch and Windows 7 gesturing - Included Software: Microsoft Office Home & Business 32bit, - Mondopad interface software - คุณสมบัติพิเศษ: Multi Touch Screen 55"+VDO Conference built in CPU Module, WIFI, WIDI - อุปกรณ์ในกล่อง: รีโมท, VGA cable, ปากกา Stylus
<p>InFocus Mondopad 55" IFC-INF5520a</p>  <p>ราคา : 424,790.- (exc.vat)</p>	<ul style="list-style-type: none"> - Multi touch screen 55", LCD - Full HD 1920x1080 - Input: HDMI 2, VGA (HD15 VESA), Component, S-Video, Composite, RS232, RCA stereo audio 2, 3.5 mm stereo mini-jack, USB Type-B to touch screen controller board - Output: RCA stereo audio output for sound bar or other external AV system Stereo 7Wx2 - Output: RCA stereo audio output for sound bar or other external - Operating System: Windows 7 Pro 64bit, compatible with Windows 8, Multi-touch system with support for 5 point - gestures and Windows 8, Intel Core i5, 4GB of DDR3, SSD 120 GB, WIFI, WIDI - Included Software: Microsoft Office Home & Business 32bit, Mondopad interface software - คุณสมบัติพิเศษ: Multi Touch Screen 55", VDO Conference, Sharing, and Annotation - อุปกรณ์ในกล่อง: รีโมท,VGA cable, ปากกา Stylus
<p>InFocus Mondopad 70" IFC-INF7021</p>  <p>ราคา : 911,640.- (exc.vat)</p>	<ul style="list-style-type: none"> - Multi touch screen 70", LED - Full HD 1920x1080 - Input: HDMI x 2, VGA (HD15 VESA), 3.5mm stereo mini-jack, RCA stereo audio in, 3.5mm stereo audio in, USB Type-B to touch screen controller board - Output: RCA audio stereo (L/R) output, 3.5mm stereo mini jack out for sound bar - Operating System: Windows 7 Pro 64bit, compatible with Windows Multi-touch system with support for 5 point gestures and Windows 8, Intel Core i5, 4GB of DDR3, SSD 120 GB, WIFI, WIDI - Included Software: Microsoft Office Home & Business 32bit, - Mondopad interface software - คุณสมบัติพิเศษ: Multi Touch Screen 70", VDO Conference, Sharing, and Annotation - อุปกรณ์ในกล่อง: รีโมท, VGA cable, ปากกา Stylus
<p>Computer, I5-2520M, 120SSD, 4GBDDR, Box Stand Alone IFC-INF-MCENTER</p>  <p>ราคา : 169,060.- (exc.vat)</p>	<ul style="list-style-type: none"> - Intel Core i5 - Memory: 4 GB of DDR3, 8GB max - Hard Drive: SATA 6Gb/s SSD Intel 520 series 120GB - WIFI available - Input: USB 3.0, USB 2.0x4, eSATA/USB, CF Slot, 3.5mm stereo audio in, 3.5mm microphone input, Ethernet (RJ45x2) - Output: VGA, HDMI, DVI-I, DisplayPort S/PDIF, 3.5mm stereo audio out - Operation System: Windows 7 Pro 64bit - Included Software: Microsoft Office Home & Business 32bit, Mondopad interface software - Webcam Compatibility: Up to 720P 30Hz YUV and MJPEG USB webcams are compatible

InFocus Big Touch

MODEL

PRODUCT DESCRIPTION

Big Touch 55" All in One
IFC-INF55WIN8



ราคา : 361,660.- (exc.vat)

- Multi touch screen 55" LCD
- Full HD 1920x1080
- 89 viewing angle
- Input: HDMIx2, VGA (HD15 VESA), Component, S-Video, Composite, RS232, RCA stereo audiox2, 3.5 mm stereo
- mini-jack, USB Type-B to touch screen controller board
- Output: RCA audio stereo (L/R) output Stereo 7Wx2
- PC: Intel Core i5, 4GB of DDR3, SSD 120 GB, WIFI
- Operation System: Window 8 Pro
- อุปกรณ์ในกล่อง: รีโมท, VGA cable, ปากกา Stylus

Big Touch 70" All in One
IFC-INF7011



ราคา : 832,460.- (exc.vat)

- Multi touch screen 70" LED
- Full HD 1920x1080
- 176 viewing angle
- Input: HDMI x 2, VGA (HD15 VESA), 3.5mm stereo mini-jack, RCA stereo audio in, 3.5mm stereo audio in, USB Type-B to touch screen controller board
- Output: RCA audio stereo (L/R) output, 3.5mm stereo mini jack Stereo 7Wx2
- PC: Intel Core i5, 4GB of DDR3, SSD 120 GB, WIFI
- Operation System: Window 8 Pro
- อุปกรณ์ในกล่อง: รีโมท,VGA cable, ปากกา Stylus

InFocus J Touch

J Touch Panel 60"
IFC-INF6001



ราคา : 186,180.- (exc.vat)

- Multi touch screen 60" LCD
- Full HD 1920x1080
- Making screen annotation and interactive function much easy
- Built-in speaker x2

J Touch Panel 70"
IFC-INF7001






ราคา : 334,910.- (exc.vat)

- Multi touch screen 70" LCD
- Full HD 1920x1080
- Making screen annotation and interactive function much easy
- Built-in speaker x2

SAMSUNG LFD Professional LCD Monitor

ทุกรุ่นรับประกัน 1 ปี







MODEL	PRODUCT DESCRIPTION
<p>Samsung LFD ED Series ED32C - 32" ED55C - 55" ED40C - 40" ED65C - 65" ED46C - 46" ED75C - 75"</p>  <p>ราคา : Call</p>	<p>Display * Direct-LED Backlight Native Resolution * 1366 x 768 (16:9) - 32" * 1920 x 1080 (16:9) - 40", 46", 55", 65", 75" Brightness (Max) * 330 nits (32"), 350 nits (40", 46", 55"), 330 nits (65", 75") Contrast Ratio * 4000:1 (32", 65", 75") and 5000:1 (40", 46", 55") Input * VGA (D-Sub 15-pin), HDMI, Stereo Mini Jack, RS232C (thru Stereo Jack) Output * Stereo Mini Jack, RS232C (thru Stereo Jack) External Control * RS232C (in/out) (thru Stereo Jack) Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Built-in Speaker (10W + 10W), PIP/PBP, Narrow Beze, Landscape / Portrait Included * Quick Setup Guide, Warranty Card, D-Sub Cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD MD Series MD32C - 32" MD55C - 55" MD40C - 40" MD65C - 65" MD46C - 46"</p>  <p>ราคา : Call</p>	<p>Display * LED BLU Native Resolution * 1920x1080 (16:9) Brightness (Max) * 350 nits (32", 40", 46", 55") and 450 nits (65") Contrast Ratio * 5000:1 (32", 40", 46", 55") and 4000:1 (65") Input * Analog D-SUB, DVI-D, HDMI, Component (CVBS Common), Stereo mini Jack Output * Stereo mini Jack External Control * RS232C(in/out) thru stereo jack, RJ45 Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Magic Clone (to USB), Auto Source Switching & Recovery, RS232C / RJ45 MDC, Plug and Play (DDC2B), PIP / PBP, Video Wall (10 x 10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling Included * Quick Setup Guide, Warranty Card, Application CD, D-Sub cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD ME Series ME32C - 32" ME55C - 55" ME40C - 40" ME65C - 75" ME46C - 46" ME95C - 95"</p>  <p>ราคา : Call</p>	<p>Display * e-LED BLU Native Resolution * 1920x1080 (16:9) Brightness (Max) * 450 nits Contrast Ratio * 5000:1 Contrast ratio Input * Analog D-SUB, DVI-D, Display Port 1.2, HDMI1, HDMI2, Component(CVBS Common), Stereo mini Jack Output * Stereo mini Jack, DP1.2(Loop-out) External Control * RS232C(in/out) thru stereo jack, RJ45 External Sensor * IR, Ambient Light Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sesor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain (Supporting 2x2 UHD Resolution, HDCP Support), Built In MagicInfo(Lite, Premium-S, Videowall-S) Included * Quick Setup Guide, Warranty Card, Application CD, D-Sub cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>

LED TV & SMART TV

SAMSUNG LFD Professional LCD Monitor

ทุกซีรีส์รับประกัน 1 ปี





MODEL	PRODUCT DESCRIPTION
<p>Samsung LFD DE Series DE40C - 40" DE46C - 46" DE55C - 55"</p>  <p>ราคา : Call</p>	<p>Display * 60Hz led BIU Native Resolution * 1920x1080 (16:9) Brightness (Max) * 700 nits Contrast Ratio * 4000:1 Contrast Ratio Input * D-Sub, DVI-D, Display Port (1.2), Component (CVBS common), HDMI, Stereo mini Jack Output * Stereo mini Jack, DP1.2 (Loop-out) External Control * RS-232C (In/Out) thru Stereo Jack, RJ-45 Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Anit Reflection, Non Glossy Design, Built in MagicInfo Lite, * Built in Speaker (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm) Video Wall(10x10) Included * Quick Setup Guide, Warranty Card, D-Sub Cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD LE Series LE32C - 32" LE46C - 46" LE55C - 55"</p>  <p>ราคา : Call</p>	<p>Display * LED BLU Native Resolution * 1920x1080 (16:9) Brightness (Max) * 350 nits (32") and 700 nits (46", 55") Contrast Ratio * 3000:1 (32") and 4000:1 (46", 55") Input * Analog D-SUB, DVI, HDMI 1, HDMI 2, CVBS Component (D-sub 15pin), Stereo mini Jack Output * Stereo mini Jack External Control * RS232C (in/out) thru stereo jack Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight Included * Quick Setup Guide, Warranty Card, Application CD, D-Sub cable, Power Cord, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD PE Series PE40C - 40" PE46C - 46" PE55C - 55"</p>  <p>ราคา : Call</p>	<p>Display * LED BLU - Premium 24/7 Native Resolution * 1920x1080 (16:9) Brightness (Max) * 700 nits Contrast Ratio * 4000:1 Contrast ratio Input * D-Sub, DVI-D, Display Port(1.2), Component (CVBS common), HDMI, Stereo mini Jack Output * Stereo mini Jack, DP1.2(Loop-out) External Control * RS232C (in/out) thru stereo jack, RJ45 Special Feature * Anit Reflection, Non Glossy Design, Magic Clone (to USB), Auto Source Switching & Recovery, Built in Speaker, Image Rotation, (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm) Video Wall(10x10), Built In MagicInfo (Lite, Premium-S, Videowall-S) Included * Quick Setup Guide, Warranty Card, Application CD, Power Cord, D-Sub cable, Remote Controller, Batteries Warranty * 3 Years</p>
<p>Samsung LFD UE Series UE46C - 46" UE55C - 55"</p>  <p>ราคา : Call</p>	<p>Display * e-LED BLU - Video Wall Native Resolution * 1920x1080 (16:9) Brightness (Max) * 500 nits Contrast Ratio * 5000:1 Contrast Ratio Input * Analog D-SUB, DVI-D, Display Port 1.2, HDMI1, HDMI2, Component (CVBS Common) Stereo mini Jack Output * Stereo mini Jack, DP1.2(Loop-out) External Control * RS232C(in/out) thru stereo jack, RJ45 Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * LED Slim Video wall, ACM Support (Advanced Color Management), Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B) Included * PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain (Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping) Built In MagicInfo (Lite, Premium-S, Videowall-S) Warranty * 3 Years</p>

LED TV & SMART TV

SAMSUNG LFD Professional LCD Monitor

ทุกรุ่นรับประกัน 1 ปี



MODEL	PRODUCT DESCRIPTION
<p>Samsung LFD UD Series UD46B-C - 46" UD46C - 46" UD55C - 55"</p>  <p>ราคา : Call</p>	<p>Display * D-LED DID - Video Wall 24/7 Native Resolution * 1920x1080 (16:9) Brightness (Max) * 450 nits (UC46B-C) and max 700 nits (UC46C, UC55C) Contrast Ratio * 3500:1 contrast ratio Input * Analog D-SUB, DVI-D, HDMI1,HDMI2, Component, CVBS, Stereo mini Jack Output * Stereo mini Jack, DVI-D (Loop-out) External Control * RS232C(in/out), RJ45 Power Supply * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz Special Feature * Auto Source Switching & Recovery, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, DVI Digital Daisy Chain, Smart Scheduling, Smart F/W update, Clock Battery Warranty * 3 Years</p>
<p>Samsung LFD Outdoor OL46B - 46"</p>  <p>ราคา : Call</p>	<p>Display * S-PVA(E-DID) Native Resolution * 1920x1080 (16:9) Brightness (Max) * 1500 cd/m2 Contrast Ratio * 4,000:1 Contrast ratio Input * Analog D-SUB, DVI-D, Display Port, CVBS, HDMI1,HDMI2, Component(D-sub 15pin), RCA(L/R) , Stereo mini Jack Output * Stereo mini Jack External Control * RJ45, RS232C(in/out) Special Feature * Air Conditioning Guide, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Pivot Display, Button Lock, Smart Scheduling, Smart F/W update Warranty * 3 Years</p>

Samsung LFD Options






Option	Model Code	Product
Wall Mount	WMN22UDPD WMNL4001D WMN460UTD WMN5770D WMN7070D WMN8270D WMN4270SD WMN4070SD WMN4655MD WMN4675MD (NEW) WMN22UDPD WMN250MD CML400D CML450D STN-L32D STN-L65D STN-L75D STN-L75E (NEW) STN-L4055AD STN-SF40	UD22B 320MX-3, 320TSn-3 460UT-2, UT-B 400/460MX-3, 400/460/550DX-3, 460UX-3, 400/460TS-3, PDP64 700DX-2, 700TSn-2, 650TS-2 (Landscape only) 820DXn-2, 820TSn-2 ME46, ME55, UE46, UE55, DE46, DE55, PE46, PE55, MD46, MD55, LE46, LE55, HD46, HD55, ED46, ED55 ME32, ME40, DE40, PE40, MD32, MD40, ED32, ED40, LE32, HD32, HD40 UE46A, UE55A, UD46A, UD55A, ME65B, ME75B(Landscape Only) UE46, UE55, UD46, UD55, ME65, ME75, ED65, ED75 (including of overlay touch) UD22B ME40A, ME46A, ME55A, ME32B, ME40B, ME46B, ME55B, DE40C, DE46C, DE55C ME32, ME40, DE40, MD32, MD40, ED32, ED40, LE32, HD32, HD40 ME46, ME55, ME65, ME75, UE46, UE55, DE46, DE55, MD46, MD55, LE46, LE55, ED46, ED55, ED65, ED75, HD46 320MX-3, 320TSn-3, ED32, ED40, MD32, MD40, ME32, DE40, PE40, LE32 650MX, 650TS ME75B ED75C ME40, ME46, ME55, ME65, UE46, UE55, DE46, DE55, PE46, PE55, LE46, LE55, MD46, MD55, ED46, ED55, ED65 SUR40
Welcome B'd	STN-520WE MID40/EN MID40-UX3 MID-UX40MB MID46-UX3 MID-UX46MB MID462-UT2 MID462DS MID462MB MID4046K MID462K MID-UD46MB MID-UD46FS MID-UD55MB MID-UD55FS	400/460MX-3, 400/460/550DX-3, 400/460UX-3, 400/460TS-3, LFD LED (32"-65", without PIM, SBBA) 400UXn series 400UX-3 400UX-3 460UX-3 460UX-3 460UT-2, UT-B 460UT-2, UT-B 460UT-2, UT-B 400/460UX series 460UT-2, UD55A, UD46A UD46A UD46A UD55A UD55A
Overlay Protection Glass	CY-PG32LBC CY-PG40LBC CY-PG46LBC CY-PG55LBC	ME32A, ME32B ME40A, ME40B, DE40A ME46A, ME46B, DE46A ME55, DE55A
Overlay Protection Glass + Touch for 12	CY-TM32LBC CY-TM40LBC CY-TM46LBC CY-TM55LBC CY-TM65LBC CY-TM75LBC	ME32B ME40B ME46B ME55B ME65B ME75B, ME75C
Overlay Protection Glass + Touch for 13	CY-TM32LCA (NEW) CY-TM40LCA (NEW) CY-TM46LCA (NEW) CY-TM55LCC (NEW) CY-TE65LCC (NEW) CY-TE75LCC (NEW)	ME32B, ME32C ME40B, ME40C ME46B, ME46C ME55B, ME55C MD65C, ED65C ED75C
SIRCH	CY-HDS01A	HD all Line up
HD Simple Remote Controller	CY-HDR1110A/ZA (NEW) CY-HDR1110A (NEW)	North America HD World Wide HD (Except North America models)
HD External Clock	CY-HDCB01 (NEW)	EU, CIS, MEA (except Saudi), ASIA, China, Hong Kong 670, 675 models
Magic IWB	CY-MIWB	ME + Touch Overlay
External Brightness & IR Sensor	CY-EBIS CY-EBISA	400UX-3, 460UX-3, 460UT-2, 460UT-B ME40A, ME46A, ME55A, DE40A, DE46A, DE55A, UE46A, UE55A, UD22B, UD46A, UD55A
Set Back Box	SBB-D16AX2 SBB-D32AX2 SBB-D32AV2 SBB-Q16AX4 SBB-Q32AX4 SBB-Q32AV4 SBB-SMDFAD SBB-SMDTBD SBB-PD32BV2 SBB-PQ32BV4 SBB-PQ28BP4	SIM/SBB Type for New LED Model) / CPU Dual, SSD 16G, DDR 2G → New model "C" series for LFD "C" Series SIM/SBB Type for New LED Model / CPU Dual, SSD 32G, DDR 2G → New model "C" series for LFD "C" Series Dual/32G/2G/Win7e (W05 production) → New model "C" series for LFD "C" Series SIM/SBB Type for New LED Model / CPU Quad, SSD 16G, DDR 4G SIM/SBB Type for New LED Model / CPU Quad, SSD 32G, DDR 4G → New model "C" series for LFD "C" Series Quad/32G/4G/Win7e (W05 production) → New model "C" series for LFD "C" Series Memory 2G / SSD 32GB, 32G/2G/Win7e (W02 production) 64G/2G, USD450 is promotion price. MP: W31(32GB SSD, 2GB DDR3 SO DIMM X1) MP: W31(32GB SSD, 4GB DDR3 SO DIMM X1) MP: W31(128GB SSD, 4GB DDR3 SO DIMM X1)

LED TV & SMART TV

Philips Smart TV



MODEL	PRODUCT DESCRIPTION
<p>6609 series PHL-55PFT6609S/98</p>  <p>ราคา : 35,990.- (inc.Vat)</p>	<p>Description PHILIPS 2014 SMART LED TV with 2-Ambilight Panel Size 55 นิ้ว Aspect Ratio 16:9 Picture Processing Pixel Plus HD, 200 Hz PMR Resolution 1920 x 1080 Brightness 300 Contrast Ratio 3000:1 Viewing Angle 176(H)/176 (V) Ambilight 2-ทาง Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Incredible Surround Connectivity, Input 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 2xUSB, IEC75, การเชื่อมต่อแบบไร้สาย: ระบบ Wi-Fi Other Features โปรแกรม: Pause TV, การบันทึก USB*, My Remote App*: การควบคุม, Simply Share, Social TV: Facebook, Skype, YouTube, SimplyShare, Wi-fi Miracast Certified* TUNER ดิจิตอลทีวี: DVB-T/T2 Dimension 1243.2x252.8x770.5 Weight 19.5 กก.</p>
<p>5509 series PHL-42PFT6509S/98</p>  <p>ราคา : 21,990.- (inc.Vat)</p>	<p>Description Full HD LED TV With Ambilight 2-sided PHILIPS 2014 SMART LED TV with 2-Ambilight Panel Size 42 นิ้ว Aspect Ratio 16:9 Picture Processing Pixel Plus HD, 200 Hz PMR Resolution 1920 x 1080 Brightness 300 Contrast Ratio 3000:1 Viewing Angle 178(H)/178(V) Ambilight 2-ทาง Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Incredible Surround Connectivity, Input 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 2xUSB, IEC75, การเชื่อมต่อแบบไร้สาย: ระบบ Wi-Fi Other Features โปรแกรม: Pause TV, การบันทึก USB*, My Remote App*: การควบคุม, Simply Share, Social TV: Facebook, Skype, YouTube, SimplyShare, Wi-fi Miracast Certified* TUNER ดิจิตอลทีวี: DVB-T/T2 Dimension 956.97x243.03x610.5 Weight 9.98 กก.</p>
<p>5509 series PHL-55PFT5509S/98</p>  <p>ราคา : 29,990.- (inc.Vat)</p>	<p>Description PHILIPS 2014 LED TV with 2-Ambilight Panel Size 55 นิ้ว Aspect Ratio 16:9 Picture Processing Digital Crystal Clear, 100 Hz PMR Resolution 1920 x 1080 Brightness 300 Contrast Ratio 3000:1 Viewing Angle 176(H)/176(V) Ambilight 2-ทาง Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Incredible Surround Connectivity, Input 2xHDMI, Composite Video CVBSx1, Component Video Y Pb Pr x1Input, 1xUSB, IEC 75 Other Features โปรแกรม: Pause TV, คุณสมบัติ Ambilight: Ambilight อัตโนมัติ, ปรับสีให้เข้ากับผนัง (Wall colour adaptive), Dual View Fixed Color, โดนาบิก TUNER ดิจิตอลทีวี: DVB-T/T2 Dimension 1243.2x252.8x770.5 Weight 19.5 กก.</p>

Philips Smart TV

1 year Warranty



MODEL

PRODUCT DESCRIPTION

6509 series
PHL-40PFT5509S/98



ราคา : **21,990.-** (inc.Vat)

Description PHILIPS 2014 LED TV with 2-Ambilight
Panel Size 40 นิ้ว
Aspect Ratio 16:9
Picture Processing Digital Crystal Clear, 100 Hz PMR
Resolution 1920 x 1080
Brightness 300
Contrast Ratio 3000:1
Viewing Angle 178(H)/178(V)
Ambilight 2-ทาง
Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Incredible Surround
Connectivity, Input 2xHDMI, Composite Video CVBSx1, Component Video Y Pb Pr x1Input, 1xUSB, IEC 75
Other Features โปรแกรม: Pause TV, คุณสมบัต Ambilight: Ambilight อัตโนมัติ, ปรับสีให้เข้ากับผนัง (Wall colour adaptive), Dual View Fixed Color, โดนาบค
TUNER ดิจิตอลทีวี: DVB-T/T2
Dimension 956.97x243.03x610.5
Weight 9.98 กก.

5309 series
PHL-58PFT5309S/98



ราคา : **33,990.-** (inc.Vat)

Description PHILIPS 2014 LED TV - DVB-T2
Panel Size 58 นิ้ว
Aspect Ratio 16:9
Picture Processing Digital Crystal Clear 100 Hz PMR
Resolution 1920 x 1080
Brightness 350
Contrast Ratio 4000:1
Viewing Angle 178(H)/178(V)
Ambilight ไม่มี
Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Virtual Surround
Connectivity, Input 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB, IEC75, 1xPC-in VGA
Other Features ช่องต่อ PC-in VGA สำหรับการใช้ต่อเป็นมอเด็มเตอร์ PC
TUNER ดิจิตอลทีวี: DVB-T/T2
Dimension 1350x120x766
Weight 20.44 กก.

5109 series
PHL-50PFT5109S/98






ราคา : **23,990.-** (inc.Vat)

Description PHILIPS 2014 LED TV - DVB-T2
Panel Size 50 นิ้ว
Aspect Ratio 16:9
Picture Processing Digital Crystal Clear 100 Hz PMR
Resolution 1920 x 1080
Brightness 300
Contrast Ratio 5000:1
Viewing Angle 176(H)/176(V)
Ambilight ไม่มี
Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Virtual Surround
Connectivity, Input 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB, IEC75, 1xPC-in VGA ช่องต่อ PC-in VGA สำหรับการใช้ต่อเป็นมอเด็มเตอร์ PC
Other Features ดิจิตอลทีวี: DVB-T/T2
TUNER ดิจิตอลทีวี: DVB-T/T2
Dimension 1123x253x706
Weight 15 กก.

Philips Smart TV

1 year Warranty

PHILIPS

MODEL	PRODUCT DESCRIPTION
<p>5109 series PHL-40PFT5109S/98</p>  <p>ราคา : 15,990.- (inc.Vat)</p>	<p>Description PHILIPS 2014 LED TV - DVB-T2 Panel Size 40 นิ้ว Aspect Ratio 16:9 Picture Processing Digital Crystal Clear 100 Hz PMR Resolution 1920 x 1080 Brightness 300 Contrast Ratio 3000:1 Viewing Angle 176(H)/176(V) Ambilight ไม่มี Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Virtual Surround Connectivity, In 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB, IEC75, 1xPC-in VGA Other Features ช่องต่อ PC-in VGA สำหรับการใช้ต่อเป็นมอดิเตอร์ PC TUNER ดิจิตอลทีวี: DVB-T/T2 Dimension 904 x 302 x 610 Weight 9.5 กก.</p>
<p>5109 series PHL-32PHT5109S/98</p>  <p>ราคา : 9,990.- (inc.Vat)</p>	<p>Description PHILIPS 2014 LED TV - DVB-T2 Panel Size 32 นิ้ว Aspect Ratio 16:9 Picture Processing Digital Crystal Clear 100 Hz PMR Resolution 1366 x 768 Brightness 300 Contrast Ratio 3000:1 Viewing Angle 176(H)/176(V) Ambilight ไม่มี Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Virtual Surround Connectivity, In 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB, IEC75, 1xPC-in VGA Other Features ช่องต่อ PC-in VGA สำหรับการใช้ต่อเป็นมอดิเตอร์ PC TUNER ดิจิตอลทีวี: DVB-T/T2 Dimension 727x186x484 Weight 5.8 กก.</p>
<p>4309 series PHL-24PHA4309S/98</p>  <p>ราคา : 5,990.- (inc.Vat)</p>	<p>Description PHILIPS 2014 LED TV Analog Panel Size 24 นิ้ว Aspect Ratio 16:9 Picture Processing Digital Crystal Clear 100 Hz PMR Resolution 1366 x 768 Brightness 300 Contrast Ratio 3000:01 Viewing Angle 176(H)/176(V) Ambilight ไม่มี Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Virtual Surround Connectivity, In 2xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB, IEC75, 1xPC-in VGA Other Features ช่องต่อ PC-in VGA สำหรับการใช้ต่อเป็นมอดิเตอร์ PC TUNER อนาล็อก Dimension 550x145x387 Weight 3.5 กก.</p>