



PUBLIC NOTICE

Amy Patti
UL LLC
847.664.8480
Amy.Patti@ul.com
Release No. 2021PN-12

UL Warns of Potentially Hazardous Generator Distribution Extension Cords (Release 2021PN-12)

NORTHBROOK, IL, September 23, 2021 — The following is a notification from UL that the three generator distribution extension cords identified below may pose a fire hazard. The extension cords do not comply with UL's Safety Standards and are not authorized to bear the UL Mark for the United States or Canada. The input plug rating (30 Amp) exceeds the ratings of the output receptacles (20 Amp).

Name of Products: 30-Amp Generator Distribution Extensions Cord, 4-prong locking plug, 30 Amp Plug to 20 Amp Receptacles, 125/250V.

Hazard: The extension cords do not meet the requirements of the safety standard and may cause an increased risk of fire.

Manufacturer: Ningbo Xuanhua Electric Co. Ltd.

Ningbo Xuanhua Electric Co. Ltd. is authorized to apply the UL Mark to extension cords employing a plug and output receptacles that have the same current ratings. These cords are not included in this notice.

Remedy: UL recommends that you stop using these products

Identification on the Products:

The Extension Cords covered by this notice employ a 4-prong locking type plug, rated 30 Amps and multiple output receptacles, rated 20 Amps. The generator distribution extension cords bear unauthorized UL Certification Marks and the following:

Plug Face: File E336489 Model XH103

Receptacle Body: File E336489 Model XH5208



E257089
GENERAL USE CORD SET

10 foot, 30-Amp Generator Distribution Extension Cord, 4-prong locking plug, 30 Amp Plug to 4 20-Amp Receptacles, 125/250V



Plug Face: File E336489 Model XH103
Receptacle Body: File E336489 Model XH520C



OUTDOOR USE EXTENSION CORD SET

25 foot, 30-Amp Generator Distribution Extension Cord, 4-prong locking plug, 30 Amp Plug to 4 20-Amp Receptacles, 125/250V





Plug Face: File E257089 Model XL1430P-A
Receptacle Body: File E257089 Model XN520R-B4



E257089
GENERAL USE CORD SET

1.5 foot, 30-Amp Generator Distribution Extensions Cord, 4-prong locking plug, 30 Amp Plug to 4 20-Amp Receptacles, 125/250V



Known to be sold by: Known to be sold at online retailers

About UL

UL is the global safety science leader. We deliver testing, inspection and certification (TIC), training and advisory services, risk management solutions and essential business insights to help our customers, based in more than 100 countries, achieve their safety, security and sustainability goals. Our deep knowledge of products and intelligence across supply chains make us the partner of choice for customers with complex challenges. Discover more at UL.com.

For information about Standards development and other nonprofit activities, visit UL.org.