

PENGUMUMAN TENDER IT NETWORK EQUIPMENT

VADS Indonesia bermaksud melaksanakan Tender Penyediaan IT Network Equipment dengan jadwal pendaftaran yang akan dilaksanakan pada :

Hari/tanggal : Kamis, 9 April 2020 - Rabu, 15 April 2020
 Batas akhir : Rabu, 15 April 2020 pukul 12:00 WIB
 Via : email ke sandhi.soerlianto@vads.co.id
 cc amanda.febrianti@vads.co.id ; kamalm@tm.com.my ; fitria.rumbayan@vads.co.id
 Tipe dokumen : file softcopy dikirim dengan format zip menggunakan password
 *password dikirimkan ke email tertera pada Rabu, 15 April 2020 pukul 12:30
 Ketentuan : 1. Merek barang boleh selain merek Lenovo dengan syarat sesuai spec dan ketentuan yang ada
 2. Opex sewa beli untuk 36 bulan, artinya setelah 36 bulan akan menjadi asset PT VADS Indonesia
 3. Warranty setiap perangkat adalah 3 tahun
 4. Semua barang harus dikirimkan ke VADS Indonesia - Jakarta dengan batas maksimum pada 5 Juni 2020
 Info PIC : Sandhi Soerlianto (083897750999)

Berikut persyaratan yang harus dilengkapi :

| No | Partnership Document | Dokumen | | Keterangan |
|-----|--|---------|-----------|------------|
| | | Ada | Tidak Ada | |
| 1. | Partnership Form & NDA (Non-Disclosure Agreement) Hardcopy bertandatangan | | | |
| 2. | AD (Anggaran Dasar)/ (Capital) Perseroan yang sesuai dengan UU PT No. 20 Thn 2007 dan AD berisi struktur organisasi terbaru dan kepemilikan perusahaan | | | |
| 3. | SIUP (Surat Izin Usaha Perdagangan) / Liscence Permit | | | |
| 4. | Akta Perubahan & SK Menhukum | | | |
| 5. | TDP (Tanda Daftar Perusahaan) atau NIB (Nomor Induk Berusaha) | | | |
| 6. | SKDP (Surat Keterangan Domisili Perusahaan) | | | |
| 7. | NPWP (Nomor Pokok Wajib Pajak) | | | |
| 8. | SKT (Surat Keterangan Terdaftar) dari KPP setempat | | | |
| 9. | KTP Penanggung Jawab Perusahaan / Direksi | | | |
| 10. | Profil mitra termasuk posisi keuangan (3 tahun) | | | |
| 11. | Bukti Laport PPN 3 bulan terakhir | | | |
| 12. | General / Technical License / Perijinan – Perijinan Umum . Teknis (Apabila dipersyaratkan | | | |
| 13. | Total manpower dan struktur organisasi | | | |
| 14. | Portofolio Customer Existing | | | |
| 15. | Company Profile | | | |

Berikut detail requirement :

| DC | | |
|------------|--|-----|
| PN | Product Desc | Qty |
| 7X06CTO1WW | Server : ThinkSystem SR650 - 3yr Warranty | 2 |
| AUVV | ThinkSystem SR650 2.5" Chassis with 8, 16 or 24 bays | 2 |
| B4HP | Intel Xeon Silver 4216 16C 100W 2.1GHz Processor | 4 |
| AUNB | ThinkSystem 16GB TruDDR4 2666 MHz (1Rx4 1.2V) RDIMM | 8 |
| AURA | ThinkSystem 2U/Twr 2.5" SATA/SAS 8-Bay Backplane | 2 |
| 5977 | Select Storage devices - no configured RAID required | 2 |
| AUNG | ThinkSystem RAID 530-8i PCIe 12Gb Adapter | 2 |
| AUMV | ThinkSystem M.2 with Mirroring Enablement Kit | 2 |
| AUUU | ThinkSystem M.2 128GB SATA 6Gbps Non-Hot Swap SSD | 4 |
| AUKH | ThinkSystem 1Gb 4-port RJ45 LOM | 2 |
| ATZV | Emulex 16Gb Gen6 FC Dual-port HBA | 2 |
| AVVD | ThinkSystem 750W(230/115V) Platinum Hot-Swap Power Supply | 4 |
| 6400 | 2.8m, 13A/100-250V, C13 to C14 Jumper Cord | 4 |
| AUPW | ThinkSystem XClarity Controller Standard to Enterprise Upgrade | 2 |
| AXCA | ThinkSystem Toolless Slide Rail | 2 |
| AURD | ThinkSystem 2U left EIA Latch Standard | 2 |
| B0MJ | Feature Enable TPM 1.2 | 2 |
| B7XZ | Disable IPMI-over-LAN | 2 |
| B4NL | ThinkSystem SR650 Refresh MB | 2 |
| AUSH | MS First 2U 8x2.5" HDD BP Cable Kit | 2 |
| AUT1 | ThinkSystem SR650 Lenovo Agency Label | 2 |
| AUTY | ThinkSystem 12-15 sequence Label for 24x2.5"Chassis | 2 |
| AUTF | ThinkSystem 4-7 sequence Label for 2U 2.5" | 2 |
| B0ML | Feature Enable TPM on MB | 2 |
| AVEQ | ThinkSystem 8x1 2.5" HDD Filler | 4 |
| AVEP | ThinkSystem 4x1 2.5" HDD Filler | 2 |
| AVEN | ThinkSystem 1x1 2.5" HDD Filler | 8 |
| AUTA | XCC Network Access Label | 2 |
| AVJ2 | ThinkSystem 4R CPU HS Clip | 4 |
| AUSE | Lenovo ThinkSystem 2U CPU Entry Heatsink | 4 |
| AUSG | ThinkSystem SR650 6038 Fan module | 2 |
| B173 | Companion Part for XClarity Controller Standard to Enterprise Upgrade in Factory | 2 |
| AUTJ | ThinkSystem common Intel Label | 2 |
| AUTQ | ThinkSystem small Lenovo Label for 24x2.5"/12x3.5"/10x2.5" | 2 |

| | | |
|----------------|--|----|
| AWF9 | ThinkSystem Response time Service Label LI | 2 |
| AUSZ | ThinkSystem SR650 Service Label LI | 2 |
| AVWK | ThinkSystem EIA Plate with Lenovo Logo | 2 |
| AUTD | ThinkSystem SR650 model number Label | 2 |
| AVWJ | ThinkSystem 750W Platinum RDN PSU Caution Label | 2 |
| AURT | Lenovo ThinkSystem 2U 3FH Riser Dummy | 2 |
| AURF | Lenovo ThinkSystem 2U 2FH Riser Dummy | 2 |
| AUSA | Lenovo ThinkSystem M3.5" Screw for EIA | 8 |
| AUSU | ThinkSystem Package for SR650 | 2 |
| AWFF | ThinkSystem SR650 WW Lenovo LPK | 2 |
| A2HP | Configuration ID 01 | 2 |
| 5374CM1 | Configuration Instruction | 2 |
| AVE6 | ThinkSystem RAID 530-8i PCIe 12Gb Adapter placement | 2 |
| A2JX | Controller 01 | 2 |
| A2HP | Configuration ID 01 | 2 |
| 5P57A01558 | Essential Service - 3Yr 24x7 4Hr Response + YourDrive YourData | 2 |
| Vmware | | |
| 7S06CTO1WW | VMware vSphere SW with Support | 2 |
| B2AS | VMware vSphere 6 Standard for 1 Processor w/3Yr Support | 4 |
| Switch | | |
| 6559HC5 | Switch : Lenovo ThinkSystem DB610S Gen6 FC Switch 8x16Gb SWL SFP (1yr) | 2 |
| B4QC | Lenovo ThinkSystem DB610S Gen6 FC Switch 8x16Gb SWL SFP (1yr) | 2 |
| AX4D | Lenovo DB610S MID-MOUNT (TELCO) RACK KIT | 2 |
| 6311 | 2.8m, 10A/100-250V, C13 to C14 Jumper Cord | 2 |
| 5WS7A24656 | Essential Service - 3Yr 24x7 4Hr Response | 2 |
| Storage | | |
| 7Y71CTO1WW | Storage : Lenovo ThinkSystem DE2000H Hybrid Flash Array SFF | 1 |
| B38L | Lenovo ThinkSystem Storage 2U24 Chassis | 1 |
| B4DA | Fiber Channel | 1 |
| B4AX | Lenovo ThinkSystem DE2000 Controller 8GB | 2 |
| B4B2 | Lenovo 10Gb iSCSI/16Gb FC Universal SFP+ Module | 4 |
| B4BY | Lenovo ThinkSystem DE Series 1.2TB 10K 2.5" HDD 2U24 | 10 |
| ASR8 | Lenovo 5m LC-LC OM3 MMF Cable | 4 |
| B4BP | Lenovo ThinkSystem Storage USB Cable, Micro-USB | 1 |
| 6311 | 2.8m, 10A/100-250V, C13 to C14 Jumper Cord | 2 |
| B4AR | Lenovo ThinkSystem DE Series Ship Kit (RoW), 2U | 1 |
| B38Y | Lenovo ThinkSystem Storage Rack Mount Kit 2U24/4U60 | 1 |
| B4MC | Lenovo ThinkSystem DE2000H SMID Controller Base Setting | 1 |
| B4Q4 | Lenovo ThinkSystem DE2000H Base Bundle | 1 |
| B4DF | Lenovo ThinkSystem DE Series DE2000H Subplate | 2 |
| B4AW | Lenovo ThinkSystem Storage Packaging 2U | 1 |
| B4AY | Lenovo ThinkSystem DE Series 2U24 End Cap Kit (Pair) | 1 |
| B38Z | Lenovo ThinkSystem Storage SFF Drive Filler | 14 |
| B4BG | Lenovo ThinkSystem Storage 2U24 System Label | 1 |
| B4BK | Lenovo ThinkSystem DE Series DE2000H Product Label | 1 |
| B4DP | Install blank subplate (SBB7A12621) in DE2000 | 1 |
| 5P57A20878 | Essential Service - 3Yr 24x7 4Hr Resp + YDYG DE2000H 2U24 | 1 |
| NAS | | |
| 7Y42CTO1WW | Controller : Lenovo ThinkSystem DM3000H Hybrid Flash Array | 1 |
| B38M | Lenovo ThinkSystem Storage Series 2U12 Chassis | 1 |
| B5RJ | DM Series Premium Offering | 1 |
| B39G | Lenovo ThinkSystem DM Series DM3000/DM5000 Cntr, 10G BaseT | 2 |
| B66B | Lenovo ThinkSystem 24TB (6x 4TB, 3.5", NLSAS HDD) Drive Pack for DM3000H | 2 |
| A3RG | 0.5m Passive DAC SFP+ Cable | 2 |
| A1MT | 10m Green Cat6 Cable | 4 |
| B4BP | Lenovo ThinkSystem Storage USB Cable, Micro-USB | 1 |
| 6311 | 2.8m, 10A/100-250V, C13 to C14 Jumper Cord | 2 |
| B79W | Lenovo ThinkSystem DM Series ONTAP 9.6 Encryption | 1 |
| B38X | Lenovo ThinkSystem Storage Rack Mount Kit 2U12 | 1 |
| B0W1 | 3 Years | 1 |
| B46X | Essential Service | 1 |
| B474 | Configured with Lenovo ThinkSystem DM3000H | 1 |
| B4CX | Lenovo ThinkSystem DM Series 2U Accessory | 1 |
| B39K | Lenovo ThinkSystem DM Series 2U12 Bezel | 1 |
| B4CH | Lenovo ThinkSystem DM Series 1TB NVMe Cache | 2 |
| B4BJ | Lenovo ThinkSystem Storage 2U12 System Label | 1 |
| B398 | Lenovo ThinkSystem DM3000H Product Label | 1 |
| B4AW | Lenovo ThinkSystem Storage Packaging 2U | 1 |
| B39C | Lenovo ThinkSystem DM Series Ship Kit (RoW) | 1 |
| B4SL | DM Series SnapRestore License | 2 |
| B4SP | DM Series SnapManager License | 2 |
| B4SJ | DM Series FCP Protocol License | 2 |
| B4SH | DM Series iSCSI Protocol License | 2 |
| B4SM | DM Series FlexClone License | 2 |
| B5AZ | DM Series SnapVault License | 2 |
| B4SF | DM Series CIFS Protocol License | 2 |
| B4SU | TPM | 2 |
| B4SG | DM Series NFS Protocol License | 2 |
| B7AQ | SnapMirror Synchronous | 2 |
| B4SN | DM Series Software Encryption License | 2 |
| B4SK | DM Series SnapMirror License | 2 |

Must be VMWare

| | | |
|--------------------------------|--|----|
| 5PS7A18167 | Essential- 3Y 24x7x4 ThinkSystem DM3000H HFA | 1 |
| 5PS7A18169 | Essential- 3Y 24x7x4 DM3000H 48TB (12x 4TB NLSAS HDD) Pack | 1 |
| Auto-Derived Part Items | | |
| AU16 | 0.5m External MiniSAS HD 8644/MiniSAS HD 8644 Cable | 2 |
| Standalone Items | | |
| 00MN508 | Lenovo 5m LC-LC OM3 MMF Cable | 8 |
| 7506003NWW | VMware vCenter Srv 6 Std for vSph 6 (Per Instance) w/3Yr Support | 1 |
| DRC | | |
| 7X06CTO1WW | Server : ThinkSystem SR650 - 3yr Warranty | 2 |
| AUVV | ThinkSystem SR650 2.5" Chassis with 8, 16 or 24 bays | 2 |
| B4HP | Intel Xeon Silver 4216 16C 100W 2.1GHz Processor | 4 |
| AUNB | ThinkSystem 16GB TruDDR4 2666 MHz (1Rx4 1.2V) RDIMM | 8 |
| AURA | ThinkSystem 2U/Twr 2.5" SATA/SAS 8-Bay Backplane | 2 |
| 5977 | Select Storage devices - no configured RAID required | 2 |
| AUNG | ThinkSystem RAID 530-8i PCIe 12Gb Adapter | 2 |
| AUMV | ThinkSystem M.2 with Mirroring Enablement Kit | 2 |
| AUUV | ThinkSystem M.2 128GB SATA 6Gbps Non-Hot Swap SSD | 4 |
| AUKH | ThinkSystem 1Gb 4-port RJ45 LOM | 2 |
| ATZV | Emulex 16Gb Gen6 FC Dual-port HBA | 2 |
| AVWD | ThinkSystem 750W(230/115V) Platinum Hot-Swap Power Supply | 4 |
| 6400 | 2.8m, 13A/100-250V, C13 to C14 Jumper Cord | 4 |
| AUPW | ThinkSystem XClarity Controller Standard to Enterprise Upgrade | 2 |
| AXCA | ThinkSystem Toolless Slide Rail | 2 |
| AURD | ThinkSystem 2U left EIA Latch Standard | 2 |
| B0MJ | Feature Enable TPM 1.2 | 2 |
| B7XZ | Disable IPMI-over-LAN | 2 |
| B4NL | ThinkSystem SR650 Refresh MB | 2 |
| AUSH | MS First 2U 8x2.5" HDD BP Cable Kit | 2 |
| AUT1 | ThinkSystem SR650 Lenovo Agency Label | 2 |
| AUTY | ThinkSystem 12-15 sequence Label for 24x2.5" Chassis | 2 |
| AUTF | ThinkSystem 4-7 sequence Label for 2U 2.5" | 2 |
| B0ML | Feature Enable TPM on MB | 2 |
| AVEQ | ThinkSystem 8x1 2.5" HDD Filler | 4 |
| AVEP | ThinkSystem 4x1 2.5" HDD Filler | 2 |
| AVEN | ThinkSystem 1x1 2.5" HDD Filler | 8 |
| AUTA | XCC Network Access Label | 2 |
| AVJ2 | ThinkSystem 4R CPU HS Clip | 4 |
| AUSE | Lenovo ThinkSystem 2U CPU Entry Heatsink | 4 |
| AUSG | ThinkSystem SR650 6038 Fan module | 2 |
| B173 | Companion Part for XClarity Controller Standard to Enterprise Upgrade in Factory | 2 |
| AUTJ | ThinkSystem common Intel Label | 2 |
| AUTQ | ThinkSystem small Lenovo Label for 24x2.5"/12x3.5"/10x2.5" | 2 |
| AWF9 | ThinkSystem Response time Service Label LI | 2 |
| AUSZ | ThinkSystem SR650 Service Label LI | 2 |
| AVWK | ThinkSystem EIA Plate with Lenovo Logo | 2 |
| AUTD | ThinkSystem SR650 model number Label | 2 |
| AVWJ | ThinkSystem 750W Platinum RDN PSU Caution Label | 2 |
| AURT | Lenovo ThinkSystem 2U 3FH Riser Dummy | 2 |
| AURF | Lenovo ThinkSystem 2U 2FH Riser Dummy | 2 |
| AUSA | Lenovo ThinkSystem M3.5" Screw for EIA | 8 |
| AUSU | ThinkSystem Package for SR650 | 2 |
| AWFF | ThinkSystem SR650 WW Lenovo LPK | 2 |
| A2HP | Configuration ID 01 | 2 |
| 5374CM1 | Configuration Instruction | 2 |
| AVE6 | ThinkSystem RAID 530-8i PCIe 12Gb Adapter placement | 2 |
| A2JX | Controller 01 | 2 |
| A2HP | Configuration ID 01 | 2 |
| 5PS7A01558 | Essential Service - 3Yr 24x7 4Hr Response + YourDrive YourData | 2 |
| VMware | | |
| 7506CTO1WW | VMware vSphere SW with Support | 2 |
| B2AS | VMware vSphere 6 Standard for 1 Processor w/3Yr Support | 4 |
| Switch | | |
| 6559HC5 | Switch : Lenovo ThinkSystem DB610S Gen6 FC Switch 8x16Gb SWL SFP (1yr) | 2 |
| B4QC | Lenovo ThinkSystem DB610S Gen6 FC Switch 8x16Gb SWL SFP (1yr) | 2 |
| AX4D | Lenovo DB610S MID-MOUNT (TELCO) RACK KIT | 2 |
| 6311 | 2.8m, 10A/100-250V, C13 to C14 Jumper Cord | 2 |
| 5WS7A24656 | Essential Service - 3Yr 24x7 4Hr Response | 2 |
| Storage | | |
| 7Y71CTO1WW | Storage : Lenovo ThinkSystem DE2000H Hybrid Flash Array SFF | 1 |
| B38L | Lenovo ThinkSystem Storage 2U24 Chassis | 1 |
| B4DA | Fiber Channel | 1 |
| B4AX | Lenovo ThinkSystem DE2000 Controller 8GB | 2 |
| B4B2 | Lenovo 10Gb iSCSI/16Gb FC Universal SFP+ Module | 4 |
| B4BY | Lenovo ThinkSystem DE Series 1.2TB 10K 2.5" HDD 2U24 | 10 |
| ASR8 | Lenovo 5m LC-LC OM3 MMF Cable | 4 |
| B4BP | Lenovo ThinkSystem Storage USB Cable, Micro-USB | 1 |
| 6311 | 2.8m, 10A/100-250V, C13 to C14 Jumper Cord | 2 |
| B4AR | Lenovo ThinkSystem DE Series Ship Kit (RoW), 2U | 1 |
| B38Y | Lenovo ThinkSystem Storage Rack Mount Kit 2U24/4U60 | 1 |
| B4MC | Lenovo ThinkSystem DE2000H SMID Controller Base Setting | 1 |
| B4Q4 | Lenovo ThinkSystem DE2000H Base Bundle | 1 |

Must be VMWare

| | | |
|--|---|----|
| B4DF | Lenovo ThinkSystem DE Series DE2000H Subplate | 2 |
| B4AW | Lenovo ThinkSystem Storage Packaging 2U | 1 |
| B4AY | Lenovo ThinkSystem DE Series 2U24 End Cap Kit (Pair) | 1 |
| B38Z | Lenovo ThinkSystem Storage SFF Drive Filler | 14 |
| B4BG | Lenovo ThinkSystem Storage 2U24 System Label | 1 |
| B4BK | Lenovo ThinkSystem DE Series DE2000H Product Label | 1 |
| B4DP | Install blank subplate (SBB7A12621) in DE2000 | 1 |
| 5PS7A20878 | Essential Service - 3Yr 24x7 4Hr Resp + YDYD DE2000H 2U24 | 1 |
| NAS | | |
| 7Y42CTO1WW | Controller : Lenovo ThinkSystem DM3000H Hybrid Flash Array | 1 |
| B38M | Lenovo ThinkSystem Storage Series 2U12 Chassis | 1 |
| B5RJ | DM Series Premium Offering | 1 |
| B39G | Lenovo ThinkSystem DM Series DM3000/DM5000 Cntr, 10G BaseT | 2 |
| B66B | Lenovo ThinkSystem 24TB (6x 4TB, 3.5", NLSAS HDD) Drive Pack for DM3000H | 2 |
| A3RG | 0.5m Passive DAC SFP+ Cable | 2 |
| A1MT | 10m Green Cat6 Cable | 4 |
| B4BP | Lenovo ThinkSystem Storage USB Cable, Micro-USB | 1 |
| 6311 | 2.8m, 10A/100-250V, C13 to C14 Jumper Cord | 2 |
| B79W | Lenovo ThinkSystem DM Series ONTAP 9.6 Encryption | 1 |
| B38X | Lenovo ThinkSystem Storage Rack Mount Kit 2U12 | 1 |
| B0W1 | 3 Years | 1 |
| B46X | Essential Service | 1 |
| B474 | Configured with Lenovo ThinkSystem DM3000H | 1 |
| B4CX | Lenovo ThinkSystem DM Series 2U Accessory | 1 |
| B39K | Lenovo ThinkSystem DM Series 2U12 Bezel | 1 |
| B4CH | Lenovo ThinkSystem DM Series 1TB NVMe Cache | 2 |
| B4BJ | Lenovo ThinkSystem Storage 2U12 System Label | 1 |
| B398 | Lenovo ThinkSystem DM3000H Product Label | 1 |
| B4AW | Lenovo ThinkSystem Storage Packaging 2U | 1 |
| B39C | Lenovo ThinkSystem DM Series Ship Kit (RoW) | 1 |
| B4SL | DM Series SnapRestore License | 2 |
| B4SP | DM Series SnapManager License | 2 |
| B4SJ | DM Series FCP Protocol License | 2 |
| B4SH | DM Series iSCSI Protocol License | 2 |
| B4SM | DM Series FlexClone License | 2 |
| B5AZ | DM Series SnapVault License | 2 |
| B4SF | DM Series CIFS Protocol License | 2 |
| B4SU | TPM | 2 |
| B4SG | DM Series NFS Protocol License | 2 |
| B7AQ | SnapMirror Synchronous | 2 |
| B4SN | DM Series Software Encryption License | 2 |
| B4SK | DM Series SnapMirror License | 2 |
| 5PS7A18167 | Essential- 3Y 24x7x4 ThinkSystem DM3000H HFA | 1 |
| 5PS7A18169 | Essential- 3Y 24x7x4 DM3000H 48TB (12x 4TB NLSAS HDD) Pack | 1 |
| Auto-Derived Part Items | | |
| AU16 | 0.5m External MiniSAS HD 8644/MiniSAS HD 8644 Cable | 2 |
| Standalone Items | | |
| 00MN508 | Lenovo 5m LC-LC OM3 MMF Cable | 8 |
| 7S06003NWW | VMware vCenter Srv 6 Std for vSph 6 (Per Instance) w/3Yr Support | 1 |
| Must be VMWare | | |
| MySQL enterprise dan RHEL for DC & DRC | | |
| | MySQL Enterprise Edition Subscription (1-4 socket server) 3 year | 2 |
| RH00004F3 | Red Hat Enterprise Linux Server, Standard (Physical or Virtual Nodes) - 3 Years | 4 |
| Must be MySQL Enterprise Must be Red Hat Enterprise | | |
| Instalasi and Commisining Server& Storage | | |
| | Scope of Work | 1 |
| | Site Installation Jakarta (Utk DC) | |
| | Hardware mounting 2 unit server, 1 SAN, 1 Storage (Raid 6), 1 Unit NAS | |
| | Hardware Cable Management & All Cabling for Server to Storage & Switch FC | |
| | Power On | |
| | Upgrade Firmware (Optional) | |
| | Create LUN | |
| | Vsphere Installation & Configuration | |
| | Vcenter Installation & Configuration | |
| | Join Host to VCenter | |
| | Mapping volume to host | |
| | Create 3 VM (Linux) exclude OS installation | |
| | Exclude Database installation and Replication/ Backup | |
| | | |
| | Site Installation Jakarta (Utk DRC) | |
| | Hardware mounting 2 unit server, 1 SAN, 1 Storage (Raid 6), 1 Unit NAS | |
| | Hardware Cable Management & All Cabling for Server to Storage & Switch FC | |
| | Power On | |
| | Upgrade Firmware (Optional) | |
| | Create LUN | |
| | Vsphere Installation & Configuration | |
| | Vcenter Installation & Configuration | |
| | Join Host to VCenter | |
| | Mapping volume to host | |
| | Create 3 VM (Linux) exclude OS installation | |
| | Exclude Database installation and Replication/ Backup | |
| | | |