SONY

BRAVIA 4K HDR Professional Displays

Innovative displays designed for business

43" – 85" XG8-series

FWD-43X80G/T

FWD-49X80G/T

FWD-55X85G/T

FWD-65X85G/T























4K HDR picture quality

Bring the incredible depth and quality of 4K HDR resolution to your organisation with BRAVIA 4K Professional Displays, available in 43" – 85" screen sizes.

Superior displays designed for business

Portrait, advanced control, professional mode, optional interactive compatibility, 18/7 operation and an embedded HTML5 platform for easy digital signage creation; our BRAVIA 4K Displays are designed to suit all your professional needs so you always present a clear image.

Professional design

Our line-up offers all the technological performance and style you'd expect from BRAVIA, powered by the latest X1 enhanced processor. The 4K LCD panel produces four times the pixels of Full HD for outstanding picture quality, while the ultra-slim design enhances any corporate or retail environment.

Do more with our BRAVIA built-in solutions

Look no further with BRAVIA. Our XG8 range features a number of fantastic built-in solutions to customise your BRAVIA exactly the way you want. From meeting room solutions, TEOS Manage, TEOS Connect, TDM Digital Signage, Smart Automation System and the Applications Store, there's no need for any external devices or players.


Key Features

Beautifully realistic 4K HDR images

Our 4K HDR Processor X1™ features Object-based HDR remaster, Super Bit Mapping HDR and Dynamic Contrast Enhancer. You'll appreciate the difference with enhanced depth, more realistic textures and pure, natural colours at higher brightness levels.

4K image resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.





Ultimate Picture Quality







Improve content quality with Reality Creation

This high picture quality engine takes Full HD content much, much closer to 4K Ultra HD quality. Whether it's a presentation to clients or engaging digital signage, you'll get the best picture possible.

Easily create digital signage

Integrated support for HTML5 makes it easy to produce compelling digital signage, with no extra hardware or prior training needed. Combine graphics, text, 4K video and live web content to create attractive signage in minutes.

Pictures and sound in perfect harmony

Sony's Acoustic Multi-Audio™ system combines two sound positioning tweeters in the rear of the display with the bass reflex speakers for Sound-from-Picture Reality™. Action and sound are precisely aligned for even more immersive viewing.

Compatible with High Dynamic Range (HDR)

View a wider range of brightness levels with HDR, the emerging video format that allows content creators to expand their range of creativity.



The slim, stylish display offers a wide range of mounting options, is VESA compliant and integrates colour neatly into any corporate, retail or educational environment.

Automatic on/off feature

Easily programme your BRAVIA with the On Timer feature to automatically turn the flat panel on /off.

Portrait

Use the BRAVIA Display in portrait for greater signage impact.

Do more with Android TV

Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.


Professional Mode

There's now more control to disable input or remote control, remove labels and block buttons; customise and store display settings and features, add security then copy them easily from display to display via USB flash memory.

The total touchscreen solution*

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points for greater interaction. Contact your local Sony dealer for more information.



















Do more with BRAVIA built-in solutions

Built-in Meeting-Room solution

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There's no need for extra controllers in the room and settings stay exactly as they have been programmed.

Built-in mirroring* (TEOSConnect)

Great for collaborative working, TEOS Connect allows smooth, speedy wireless screen mirroring from laptops, directly to BRAVIA Professional Displays. It's available as an easy-to-install app, with no extra hardware needed.

Built-in workplace management solution* (TEOSManage)

Sony BRAVIA Professional Displays are fully compatible with TEOS Manage. Intelligent workspaces can now have complete control of all of their connected devices and content in boardrooms, meeting rooms, offices, public areas and other locations. Plus, there's no player required.

Built-in Digital Signage Platform* (TDM Digital Signage)

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.

Built-in Android Applications Store

Endless possibilities to display what you need, without external devices, through dedicated applications.

* Optional

XG8-series Specifications

		FWD-43X80G/T	FWD-49X80G/T	FWD-55X85G/T	FWD-65X85G/T	FWD-75X85G/T	FWD-85X85G/T	
	Brightness (cd/m²)	393		620				
Display features	Native contrast ratio	1100:1 350000:1		1400:1				
	Dynamic contrast ratio Response Time (ms)		000:1 8	550000:1 5				
	Panel type	·	<u> </u>	I. IF	IPS 5			
	Haze (%)	3%						
	Dimming type	Frame Dimming						
	Backlight type	Edge LED						
	Backlight dimming type TRILUMINOS Display	Frame Dimming Yes						
	Display type				ED			
	Bezel size (Side)	12mm	11.4mm	8.5mm	8.5mm	9.6mm	16.5mm	
	Operation time				1/7			
	Professional Hidden Mode	Yes						
	HTML5 platform Multicast/ IPTV	Yes Yes						
Professional	Compatible with TDM Digital Signage	Yes						
features	Compatible with TEOS solutions	Yes						
	Available Storage	16 Go						
	Compatible Signage Content	Customised design, text, pictures, videos, YouTube, traffic, weather, public information, Facebook, Twitter, powerpoint and more						
General features	Auto Calibration with CalMAN	-	-	Yes	Yes	Yes	Yes	
Network specs	Wi-Fi Direct Wi-Fi Certified	Yes Yes						
	WI-FI Certified Screen mirroring (Miracast™)	Yes Yes (Version 1.0)						
	Wi-Fi Standard	a/b/g/n/ac						
	Wi-Fi Frequency	2.4GHz/5GHz						
	Internet Browser	Vewd						
	Wireless LAN	Integrated						
	USB HDD Recording	Yes MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AV1:Xvid,MotinJpeg/ASF(WMV):VC1/MOV:AVC,						
	USB playback codecs	MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/WAV/MP4AAC/FLAC/JPEG						
	Chromocaet huilt in	WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)						
Convenience	Chromecast built-in Application Store	Yes Yes (Google Play Store)						
features	i-Manual	Yes						
	On Screen Clock	Yes						
	Sleep Timer	Yes						
	On/Off Timer	Yes Yes (Supported File System: FAT16/FAT32/exFAT/NTFS)						
	USB drive format support Display Language	Yes (supported file system: FATI6/FAT32/exFAT/NTFS) BUL/CAT/CZE/DAN/GER/GRE/ENG/SPA/EST/FIN/FRE/HEB/HRV/HUN/ITA/KAZ/LIT/LAV/DUT/NOR/POL/POR/RUM/RUS/SLO/SLV/SRP/SWE/TUR/UKR/BOS/MAC						
	IP Control	Yes						
Control specs	HDMI auto wake-up							
	HDMI-CEC	Yes						
	HDMI Signal HDCP	4096x2160p(24,50,60Hz),3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60Hz), 1080/24p, 1080/(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 576i, 480p, 480i HDCP2.3(for HDMI1/2/3/4)						
	Bluetooth Profile Support	Version 41 H	ID/HOGP/SPP	HDCP2.3(for HDMI1/2/3/4) Version 4.2 HID/HOGP/SPP/A2DP/AVRCP				
	AC Power Input		APTER	1 (Rear)				
	RF (Terrestrial/Cable) Connection Input(s)			1(Side)				
	IF (Satellite) Input(s)		iide)	2 (Side)				
Inputs	Composite Video Input(s) Component Video (Y/Pb/Pr) Input(s)	1 (Bo	ttom) -	1 (Rear) 1 (Rear / Hybrid with Composite Video Input)				
and outputs	HDMI inputs total	4(2Side	e,2Rear)	4(3Side,1Rear)				
	Analog Audio Input(s) (Total)	1(Bo	· · · · · · · · · · · · · · · · · · ·	1 (Rear)				
	Digital Audio Output(s)			1 (Rear)				
	Audio Output(s)	1(Rear/Hybrid with Headphone Out)		3 (Side)				
	USB ports Ethernet Inputs	1(Bottom)		1 (Side)				
	PCMCIA Slot(s)	(Dottorii)		1 (Top)				
	Speaker Position	Down Firing Side Back + Down Firing				Down Firing		
Audio specs	Bass/Treble/Balance	D D. 2	ov Cnoakor	Balance Acoustic Multi-Audio				
	Speaker Type Audio Power Output	Bass Refle	ex Speaker	Acoustic Multi-Audio 10W+10W				
				2ch/Full Range (Bass Reflex)(25x90mm)x2,		2ch/Full Range (Bass	2ch/Full Range (Bass	
	Speaker Configuration	2ch/Full Range (Bass	Reflex)(30x80mm)x2	Tweeterx2		Reflex)(25x135mm)x2, Tweeterx2	Reflex)(35x90mm)x2, Tweeterx2	
	Digital audio out (Optical) format		Tv	vo channel linear PCM: 48 kHz 16 bits,Dolby Digital,DTS			i weeterxz	
Design features	Frame Color/Stand Design	Black/Dark Silver						
Design leatures	Illumination LED			Y	es			
	Energy Label Rating Power Consumption	A Standard: 216W	A+ Standard: 158W	Standard: 127W	Standard: 111W	A Standard: 77W	Standard: 69W	
	Annual Power Consumption	300 kWh/Year	219 kWh/Year	176 kWh/Year	154 kWh/Year	107 kWh/Year	96 kWh/Year	
	Power Consumption (in Standby)			0.5	OW			
Energy saving	Power Consumption (networked standby mode)	2.00W(Wi-Fi) / 2.00W(LAN) / 1.00W(Bluetooth)						
and efficiency	Lead Content Marrun Content (mg)	Yes						
	Mercury Content (mg)	0.0 Yes						
	Power Saving Mode / Back Light Off Mode	Yes Yes						
	Power Saving Mode / Back Light Off Mode Dynamic Backlight Control	1	Yes					
				Y	es			
	Dynamic Backlight Control		1(RE	AR)			APTER	
	Dynamic Backlight Control Light Sensor	Approx. 97 0x57 0x5 7(130) cm	Approx.	AR) Approx.	Approx.	Approx.	Approx.	
Measurements	Dynamic Backlight Control Light Sensor AC Power Input Dimension of TV without Stand (W x H x D)	97.0x57.0x5.7(1.30) cm Approx.	Approx. 110.1x64.5x5.7(1.30) cm Approx.	Approx. 123.1x71.3x5.2(1.41) cm Approx.	Approx. 145.0x83.6x5.2(1.41) cm Approx.	Approx. 167.3x96.3x5.4(1.68) cm Approx.	Approx. 190.9x109.7x8.0(1.45) cm Approx.	
Measurements	Dynamic Backlight Control Light Sensor AC Power Input Dimension of TV without Stand (W x H x D) Dimension of TV with Stand (W x H x D)	97.0x57.0x5.7(1.30) cm Approx. 97.0x63.0x26.0 cm	Approx. 110.1x64.5x5.7(1.30) cm Approx. 110.1x70.4x26.0 cm	Approx. 123.1x71.3x5.2(1.41) cm Approx. 123.1x77.6x31.6 cm	Approx. 145.0x83.6x5.2(1.41) cm Approx. 145.0x89.9x31.6 cm	Approx. 167.3x96.3x5.4(1.68) cm Approx. 167.3x103.1x35.8 cm	Approx. 190.9x109.7x8.0(1.45) cm Approx. 190.9x117.5x43.3 cm	
	Dynamic Backlight Control Light Sensor AC Power Input Dimension of TV without Stand (W x H x D) Dimension of TV with Stand (W x H x D) Weight of TV without Stand	97.0x57.0x5.7(1.30) cm Approx. 97.0x63.0x26.0 cm Approx. 9.6 Kg	Approx. 110.1x64.5x5.7(1.30) cm Approx. 110.1x70.4x26.0 cm Approx. 11.8 Kg	Approx. 123.1x71.3x5.2(1.41) cm Approx. 123.1x77.6x31.6 cm Approx. 18.7 Kg	Approx. 145.0x83.6x5.2(1.41) cm Approx. 145.0x89.9x31.6 cm Approx. 25.3 Kg	Approx. 167.3x96.3x5.4(1.68) cm Approx. 167.3x103.1x35.8 cm Approx. 37.8 Kg	Approx. 190.9x109.7x8.0(1.45) cm Approx. 190.9x117.5x43.3 cm Approx. 46.5 Kg	
Measurements Weight	Dynamic Backlight Control Light Sensor AC Power Input Dimension of TV without Stand (W x H x D) Dimension of TV with Stand (W x H x D)	97.0x57.0x5.7(1.30) cm Approx. 97.0x63.0x26.0 cm	Approx. 110.1x64.5x5.7(1.30) cm Approx. 110.1x70.4x26.0 cm	Approx. 123.1x71.3x5.2(1.41) cm Approx. 123.1x77.6x31.6 cm	Approx. 145.0x83.6x5.2(1.41) cm Approx. 145.0x89.9x31.6 cm	Approx. 167.3x96.3x5.4(1.68) cm Approx. 167.3x103.1x35.8 cm	Approx. 190.9x109.7x8.0(1.45) cm Approx. 190.9x117.5x43.3 cm	
Weight	Dynamic Backlight Control Light Sensor AC Power Input Dimension of TV without Stand (W x H x D) Weight of TV without Stand Weight of TV with Stand Weight of TV with Stand Standard Warranty	97.0x57.0x5.7(1.30) cm Approx. 97.0x63.0x26.0 cm Approx. 9.6 Kg Approx. 10.2 Kg	Approx. 110.1x64.5x5.7(1.30) cm Approx. 110.1x70.4x26.0 cm Approx. 11.8 Kg Approx. 12.4 Kg	AR) Approx. 123.1x71.3x5.2(1.41) cm Approx. 123.1x77.6x31.6 cm Approx. 18.7 Kg Approx. 19.7 Kg Approx. 26 kg	Approx. 145.0x83.6x5.2(1.41) cm Approx. 145.0x89.9x31.6 cm Approx. 25.3 Kg Approx. 26.3 Kg	Approx. 167.3x96.3x5.4(1.68) cm Approx. 167.3x103.1x35.8 cm Approx. 37.8 kg Approx. 39.3 Kg	Approx. 190.9x109.7x8.0(1.45) cm Approx. 190.9x117.5x43.3 cm Approx. 46.5 kg Approx. 49 Kg	
	Dynamic Backlight Control Light Sensor AC Power Input Dimension of TV without Stand (W x H x D) Dimension of TV with Stand (W x H x D) Weight of TV without Stand Weight of TV with Stand Weight of TA with Stand Weight of Package Carton (Gross)	97.0x57.0x5.7(1.30) cm Approx. 97.0x63.0x26.0 cm Approx. 9.6 Kg Approx. 10.2 Kg	Approx. 110.1x64.5x5.7(1.30) cm Approx. 110.1x70.4x26.0 cm Approx. 11.8 Kg Approx. 12.4 Kg	AR) Approx. 123.1x71.3x5.2(1.41) cm Approx. 123.1x77.6x31.6 cm Approx. 18.7 Kg Approx. 19.7 Kg Approx. 26 kg	Approx. 145.0x83.6x5.2(1.41) cm Approx. 145.0x89.9x31,6 cm Approx. 25.3 Kg Approx. 26.3 Kg Approx. 35 kg	Approx. 167.3x96.3x5.4(1.68) cm Approx. 167.3x103.1x35.8 cm Approx. 37.8 kg Approx. 39.3 Kg	Approx. 190.9x109.7x8.0(1.45) cm Approx. 190.9x117.5x43.3 cm Approx. 46.5 kg Approx. 49 Kg	

Optional accessories







SU-WL450/PSE Wall Mount







TEOS Manage licenses TEM-CO10 TEM-MR10



TDM digital signage software licenses TDM-DS1Y: 1 year TDM-DS3Y: 3 years



Totems








Touch overlays

For full features visit pro.sony/products/professional-displays

© 2019 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony



PrimeSupport

All Sony BRAVIA Professional Displays sold into the EU, Norway and Switzerland come supplied with a 3 Year PrimeSupport pack, offering unique services and benefits, including:

- Freephone telephone helpdesk support (00 800 7898 7898) in 5 languages.
- A completely new replacement model rather than repair as standard.

In addition, optional PrimeSupport
Plus packs can be purchased to add a
2 year extension of the standard 3 year
PrimeSupport and to give long-term
assurance of expert support, technical
assistance for 5 years from purchase date.

PrimeSupport **Pro**

