

Revision Date: 06-16-2023 Page 1 of 8

Version # 03 Print Date: 06-16-2023

1. IDENTIFICATION

Product Description: METHOXY-3 3-METHYL BUTANOL REDISTILLED

CAS # 56539-66-3

Other means of identification

Vigon Item # 504536

Recommended use Concentrated aromatic ingredient which may be used fragrance compounds according to legal and

IFRA guidelines.

Recommended restrictions For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Vigon International, LLC INFOTRAC (ACCT# 78928);

127 Airport Road 1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

E. Stroudsburg, PA 18301

For information call: 570-476-6300

Web Site: www.vigon.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, LLC

Address 127 Airport Road

E. Stroudsburg, PA 18301

United States

Telephone For information call: 570-476-6300

Website www.vigon.com

E-mail regulatory@vigon.com

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazardsFlammable liquidsCategory 4Health hazardsSerious eye damage/eye irritationCategory 2A

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Combustible liquid. Causes serious eye irritation.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wash thoroughly after handling. Wear eye protection/face protection.



Page 2 of 8 Revision Date: 06-16-2023

Version # 03 Print Date: 06-16-2023

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of

fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place.

Dispose of waste and residues in accordance with local authority requirements. Disposal

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information 100% of the substance consists of component(s) of unknown acute oral toxicity. 100% of the

substance consists of component(s) of unknown acute dermal toxicity. 100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the substance

consists of component(s) of unknown long-term hazards to the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

_	Chemical name	Common name and synonyms	CAS number	%
	METHOXY-3 3-METHYL BUTANOL	BUTANOL, 3-METHOXY-3-METHYL-	56539-66-3	100
		3-METHOXY-3-METHYL-1-BUTANOL		
		PROPYLENE GLYCOL ETHERS		

4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if Ingestion

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

Indication of immediate medical attention and special treatment

needed

Not available.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray, fog, CO2, dry chemical, or alcohol resistant foam. Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.



Revision Date: 06-16-2023 Page 3 of 8

Version # 03 Print Date: 06-16-2023

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials. Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Collect and dispose of spillage as indicated in section 13 of the SDS.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

This substance has no PEL, TLV, or other recommended exposure limit.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use explosion-proof ventilation equipment to stay below exposure limits.



SAFETY DATA SHEET

504536 METHOXY-3 3-METHYL BUTANOL REDISTILLED

Revision Date: 06-16-2023 Page 4 of 8

Version # 03 Print Date: 06-16-2023

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection Respiratory protection not required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.

Initial boiling point and boiling

range

375 °F (190.56 °C)

Flash point 154.0 °F (67.8 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.5 mm Hg at 25°C

Vapor density 4.1

Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 0.93 g/cm3 estimated at 25 °C



SAFETY DATA SHEET

504536 METHOXY-3 3-METHYL BUTANOL REDISTILLED

Revision Date: 06-16-2023 Page 5 of 8

Version # 03 Print Date: 06-16-2023

Explosive properties Not explosive.

Flammability class Combustible IIIA estimated

Molecular weight 118.18 g/mol Oxidizing properties Not oxidizing. Specific gravity 0.93 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

vision.

toxicological characteristics

Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.



Revision Date: 06-16-2023 Page 6 of 8

Version # 03 Print Date: 06-16-2023

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructionsDo not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

ADN

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

DOT BULK

UN number NA1993

Proper shipping name COMBUSTIBLE LIQUID, N.O.S. (METHOXY-3 3-METHYL BUTANOL)

Hazard class Combustible liq



Revision Date: 06-16-2023 Page 7 of 8

Version # 03 Print Date: 06-16-2023

Packing group

Environmental hazards

Marine pollutantNoPackaging exceptions150Packaging bulk241Labels requiredNone

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Flammable (gases, aerosols, liquids, or solids)

categories Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.



Revision Date: 06-16-2023 Page 8 of 8

Version # 03 Print Date: 06-16-2023

Safe Drinking Water Act

(SDWA)

Not regulated.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 11-26-2015

 Revision date
 06-16-2023

Version # 03

HMIS® ratings Health: 2

Flammability: 2 Physical hazard: 0

List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

Disclaimer Vigon International, LLC cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe

handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination

with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended

use and the specific conditions and factors relating to such use in accordance with all applicable

laws and regulations.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.