


LAFAYETTE

1959
WINTER
CATALOG
591

SUPER-
VALUES



Lafayette Radio

165-08 LIBERTY AVENUE
JAMAICA 33, N. Y.

AXtel 1-7000 Open FRIDAY 'till 8:45 P.M.

OTHER LOCATIONS

NEW YORK 13, N. Y.
100 6th Ave.
Worth 6-5300
Open THURSDAY
'till 8:45 P.M.

BOSTON 10, Mass.
110 Federal St.
HUBbard 2-7850
Open MON.-WED.
'till 8:45 P.M.

BRONX 58, N. Y.
542 E. Fordham Rd.
FOrdham 7-8813
Open THURSDAY
'till 8:45 P.M.

NEWARK 2, N. J.
24 Central Ave.
Market 2-1661
Open WEDNESDAY
'till 8:45 P.M.

PLAINFIELD, N. J.
139 W. 2nd St.
PLainfield 6-4718
Open THURSDAY
'till 8:45 P.M.

Lafayette

Presents
**THE NEW MAGIC
OF STEREO!**



LA-90 72.50
ONLY 7.25 DOWN — 8.00 MONTHLY

LT-99 72.50
ONLY 7.25 DOWN — 8.00 MONTHLY

LAFAYETTE STEREO/MONAUURAL 28-WATT AMPLIFIER & STEREO CONTROL CENTER



- 28 WATTS MONAUURALLY • 14 WATTS EACH STEREO CHANNEL
- SPEAKER PHASING SWITCH • 2.5 MILLIVOLTS SENSITIVITY • 20-20,000 CPS RESPONSE
- SEPARATE CONCENTRIC BASS & TREBLE CONTROLS FOR EACH CHANNEL • MASTER LEVEL CONTROL
- INDIVIDUAL CHANNEL BALANCE CONTROLS • CHANNEL REVERSE SWITCH • STEREO-MONAUURAL SWITCH
- INPUTS FOR STEREO OR MONAUURAL: TAPE HEAD, CERAMIC OR CRYSTAL OR MAGNETIC CARTRIDGE, TUNER, TAPE RECORDER

A new, versatile stereo control center preamplifier-amplifier whose excellent performance, advanced stereo features, compatibility with all existing monaural applications, and low cost make it EASY TO SET UP YOUR OWN STEREO SYSTEM NOW! A totally new kind of amplifier, the new LAFAYETTE LA-90 has been "custom-tailored" for stereo high fidelity. It has special speaker connections (dual output taps up to 32 ohms) to allow parallel operation of the 2 amplifier channels for 28 watts monaural output to single speaker systems of up to 16 ohms impedance; or, you can add it to an existing 20-30 watt hi-fi system for a second 28-watt stereo channel, providing a balanced stereo system and protecting yourself against obsolescence of the older amplifier, since you will always be able to play stereo; or, you can feed one 14-watt amplifier channel to a woofer and the second to a mid-range and tweeter combination for a 28-watt monaural system with electronic crossover. Its performance for standard 2-channel stereo is highly satisfying; frequency response is 20-20,000 cps; full record equalization is provided; inputs are present for every type of stereo or monaural program source, such as tape head, tuner, and crystal or ceramic or magnetic cartridge; it has a channel reverse switch so that music which should be on the left or on the right is properly positioned; it has a speaker phasing switch to overcome the loss of some frequencies due to stereo recording deficiencies sometimes unavoidably present. Other special stereo/monaural features are individual channel balance controls to obtain the balance necessary for good stereo effect, a master level control for controlling volume of both channels without disturbing stereo balance, separate bass and treble tone controls for each channel, mounted concentrically so that bass or treble can be adjusted individually for each channel—

and once adjusted can be used simultaneously to maintain tonal stereo balance. A special tape monitor output and tape monitor switch allow you to make stereo or monaural recordings and to play them back using a tape deck and one or two record/playback preamplifiers permanently connected to the LA-90.

FEATURES & SPECIFICATIONS: POWER OUTPUT: 28 watts monaurally, for either driving a single speaker system or 2 separate speakers systems monaurally as an electronic crossover (highs to 1 speaker group, lows to the other). 14 watts each stereo channel. **FREQUENCY RESPONSE:** 20-20,000 cps. **HARMONIC DISTORTION:** Below 1 1/2% at 12 watts. **HUM AND NOISE:** 75 db below full output, either channel. **OUTPUT (SPEAKER) TAPS:** 8, 16, 32 ohms. **CONTROLS:** 6-position Selector Switch (Aux, Ceramic or Crystal Tuner, LP-RIAA, POP, Tape Head); Balance-Channel A, Balance-Channel B; Master Level; Treble A, and Treble B (concentric); Bass A and Bass B (concentric); A-B and B-A Channel Reverse Switch; Stereo-Monaural Switch; Tape Monitor Switch; Speaker Phasing Switch. **INPUT IMPEDANCES:** Tuner, crystal/ceramic, aux — 0.5 meg-ohms; mag. phono or tape head — 100,000 ohms. **INPUT:** Stereo or Monaural; Tuner, Crystal/Ceramic, Magnetic Phono, Tape Head. **TAPE MONITOR OUTPUT:** Dual for Stereo or Monaural. **AUXILIARY AC OUTLET:** For phono player or tuner. **TUBES:** 4-12AX7, 4-EL84, 2-EZ80 (rectifiers). **POWER CONSUMPTION:** 100 watts, 117 volts, 50/60 cps AC. **DIMENSIONS:** 4-11/16" h (10m feet x 14-9/16" w x 9 1/4" d. Styling is handsome, modern 2-tone, and front panel is removable for console mounting.

LAFAYETTE LA-90—Stereo/monaural amplifier.....Net 72.50

LAFAYETTE STEREO & MONAUURAL FM/AM TUNER

- FOR FM & AM STEREO RECEPTION • FOR FM OR AM MONAUURAL RECEPTION • FOR SIMULTANEOUS FM & AM MONAUURAL LISTENING IN DIFFERENT ROOMS • 4 FM IF STAGES, INCLUDING DISCRIMINATOR, PLUS 2 AM IF STAGES • OUTPUTS FOR AM/FM MONAUURAL, AM & FM STEREO, AM & FM STEREO TAPE RECORDING, & FM MULTIPLEX • NO-DRIFT AUTOMATIC FREQUENCY CONTROL (AFC) WITH DEFEAT SWITCH • FM FREQUENCY RESPONSE 20-20,000 CPS ± 1 DB • FM SENSITIVITY 3 MICROVOLTS
- ARMSTRONG FM CIRCUIT WITH LIMITER & DISCRIMINATOR • SMART, MODERN 2-TONE STYLING

An excellent performer with outstanding features, low cost and high degree of flexibility to make it possible for you to enjoy stereo FM/AM broadcasts NOW without fear of obsolescence. The Lafayette LT-99 Stereo Tuner may be used for standard FM or AM monaural listening; or, you can use it as a 2-channel receiver, feeding on AM program into one room and on FM program into another room at the same time. Provision is also made for reception of FM Multiplex stereo (with the aid of an adapter or "decoder" when available). Outputs are available for stereo or monaural home tape recording directly off the air. Styling is pleasing with any room decor. The LT-99's advanced circuitry provides a sensitive, stable tuner with wide-range tonal response for all deluxe high fidelity applications, both stereo and monaural. Freedom from FM drift is assured by Automatic Frequency Control, so that stations "pop" in and stay tuned in even when you are not tuned exactly "dead center". A "defeat" switch for the AFC is provided so that you can readily tune in weaker or more distant FM stations which are next to stronger stations on the tuning dial. Its high sensitivity assures excellent "quieting" for the wide-range noise-free performance characteristic of FM reception. The superheterodyne AM section has Automatic Volume Control (AVC) which results in essentially

constant output as you go from station to station. Built-in antennas are provided with provision for connecting external antennas for cases in which stations are quite distant.

SPECIFICATIONS: SENSITIVITY: FM—3 μv for 20 db quieting; AM—75 μv loop sensitivity. **SELECTIVITY:** FM—200 kc bandwidth at 6 db down; AM—7 kc at 6 db down. **FREQUENCY RESPONSE:** FM—20-20,000 cps ± 1 db; AM—20-5,000 cps ± 2 db. **OUTPUT VOLTAGE:** FM—2 1/2 volts for 100% modulation; AM—1 volt average. **OUTPUT JACKS:** AM/FM Monaural, AM Stereo, FM Tape Recording, FM Tape/Multiplex. **HUM:** —70 db below 1 volt. **CONTROLS:** Stereo-Monaural Switch; Selector Switch (AM, FM, AFC, FM, OFF); AM Tuning; FM Tuning; Multiplex-Tape Switch (rear panel). **BUILT-IN FM & AM ANTENNAS:** With provision for connecting external antennas if needed for distant reception. **TUBES:** 6BE6, 2-6BA6, 6U8, 12AT7, 6AU6, 6AL5, diode AM detector, selenium rectifier. **AUXILIARY AC OUTLET:** For amplifier, etc. Size 3 1/2" d (10 1/2" overall) x 13-5/16" w x 4 1/4" h (add 3/8" for rubber feet). For 105-120 volts, 50/60 cps AC. Shpg. wt., 16 1/2 lbs.

LAFAYETTE LT-99—Stereo/Monaural Tuner.....Net 72.50

LAFAYETTE—THE WORLD'S LEADING SOURCE FOR STEREO HI-FI!

**TRY OUR EASY
TIME PAYMENT PLAN**

Lafayette

NEW COMPLETE STEREO PHONO SYSTEM

YOUR BEST STEREO SYSTEM BUY!

**ALL MATCHED
COMPONENTS
ONLY 167.50**

COMPONENTS


Lafayette LA-90 28 watt Stereo Amplifier.....	72.50
Garrard RC121-II Stereo Changer.....	41.65
Lafayette PK-111 Wood Changer Base.....	3.95
GE GC-7 Stereo Magnetic Cartridge.....	23.47
2-Lafayette SK-58 Coaxial 12" Speakers.....	59.00
Total Reg. Price.....	200.57

YOU PAY ONLY 167.50, SAVE 33.07


Only 16.75 down—12.00 monthly

- 28 WATT AMPLIFIER ● 14 WATTS EACH CHANNEL ● PLAYS STEREO OR MONAURAL RECORDS ● EASILY CONNECTS TO STEREO TUNER OR TAPE DECK ● COMPLETE STEREO/MONAURAL CONTROL FACILITIES ● NOTHING ELSE TO BUY

Here is a complete superb stereo hi-fi phonograph music system with outstanding components brought to you by Lafayette to bring out the full, thrilling capabilities of the new stereo recordings for the utmost in realism; the nearest thing to being present at the actual live performance. The new Lafayette LA-90 with 28 watts (14 watts each channel) is the heart of the system and acts as a complete stereo control center with high sensitivity for stereo phono cartridges and stereo tape heads; it may be used as a monaural 28-watt amplifier, or as a 2-channel stereo amplifier or as an electronic crossover with separate high and low frequency speaker systems with monaural program sources. Other fine system components are the famous new Garrard RC121/11 4-speed automatic record changer ready to accept stereo cartridges, with automatic or full manual operation; sensitive automatic trip for low cartridge tracking pressure; full intermix of 10" and 12" records in any order at same speed, with new spindle to prevent double record drop; resonance-free cast aluminum tone arm; "stop-pause" feature to allow stopping without losing groove position; and balanced 4-pole shaded-pole motor; the Lafayette PK-111 wood base for changer, of fine selected woods; the new GE GC-7 stereo/monaural variable reluctance cartridge with 0.7 mil genuine GE diamond stylus for microgroove monaural or stereo records, with frequency response of 20-17,000 cps, 3½-7 gms tracking force and extremely high compliance and stereo channel isolation; and 2 of the unbeatable, for performance-value, world famous Lafayette SK-58 12" coaxial speakers with response of 30-15,000 cps, built-in crossover network and brilliance level control. Has all the inputs necessary if you wish to add stereo tape and/or stereo FM/AM later. Supplied complete with plugs, cables, and easy-to-follow instructions. Shpg. wt., 66 lbs.



Lafayette LT-99




Lafayette LA-90



2-Lafayette SK-58



Garrard RC121-II



CAB-16



NEW GE GC-7
STEREO COMPATIBLE
CARTRIDGE WITH
DIAMOND STYLUS

HF-374 HI-FI STEREO PHONO SYSTEM with mahogany or blonde changer base (please specify). Reg. 200.57.....Net 167.50
or 16.75 down

HF-375 HI-FI STEREO PHONO SYSTEM as above, but with 2-Lafayette CAB-16 mahogany or walnut, or 2-CAB-17 blonde speaker enclosures (specify finish desired). Shpg. wt., 142 lbs.....Net 222.50
or 22.25 down

HF-376 STEREO AM-FM-PHONO SYSTEM same as HF-374, but including the new Lafayette LT-99 stereo AM-FM Tuner. Shpg. wt., 83 lbs...Net 237.00
or 23.70 down

HF-377 STEREO AM-FM-PHONO SYSTEM same as HF-376, but with 2-Lafayette CAB-16 mahogany or walnut or CAB-17 blonde enclosures. Shpg. wt., 160 lbs.....Net 292.00
or 29.20 down

HF-479 STEREO PHONO SYSTEM same as HF-374, except speakers furnished are 2-Lafayette-Goodmans Model SK-110 speakers with 1½ lb. magnets. Shp. wt., 84 lbs.....Net 195.00
or 19.50 down

HF-480 STEREO PHONO SYSTEM same as HF-479, but with 2-Lafayette CAB-16 mahogany or walnut, or CAB-17 blonde enclosures. Shpg. wt., 160 lbs. Net 250.00
or 25.00 down

EVERYONE WANTS STEREO HI-FI—NOW EVERYONE CAN AFFORD IT!

LAFAYETTE SUPER-VALUE HIGH FIDELITY "TWINS"



LT-75



LA-45

NEW! FM TUNER Ready for Stereo!

47.50 WITH CASE
ONLY 4.75 DOWN
— 5.00 MONTHLY

- MULTIPLEX OUTPUT FOR FM MULTIPLEX STEREO
- NEW EM80/6BR5 "PIN-POINT TUNING" EYE
- FULL ARMSTRONG FM CIRCUITRY
- DRIFT-FREE AUTOMATIC FREQUENCY CONTROL
- 4μV FM SENSITIVITY

An outstanding new FM tuner designed to receive standard FM or FM multiplex stereo with a high degree of sensitivity for "pulling in" even distant stations with excellent "quieting" and with good selectivity for separating strong local stations and weak distant stations. Has a multiplex output jack, ready for use with a multiplex decoder (when available) for FM multiplex stereo. Can be used for standard FM reception, or with your AM radio for AM/FM stereo, or 2 units can be used for FM/FM stereo (which promises to be a not-too-distant development). Features include: SENSITIVITY: 4 microvolts for 20 db quieting, 7 μV for 30 db; FREQUENCY RESPONSE: 20-20,000 cps ± 1 db; DISTORTION: Less than 1%; AUTOMATIC FREQUENCY CONTROL (AFC): With defeat switch to permit tuning in distant stations adjacent, on the dial, to strong local stations; FM DRIFT: Maximum ± 5 kc.; HUMS: 60 db below 100% modulation; OUTPUTS: Standard Audio, Multiplex, Tape Recorder; OUTPUT LEVEL: 2½ volts for 100% modulation; CIRCUIT: Armstrong type, with limiter and Foster-Sealey discriminator; TUNING EYE: EM80/6BR5 for pinpoint tuning of stations; BUILT-IN ANTENNA: Line card type, with provisions for external antenna in "fringe" areas. TUBES: 6UB, 6BA6, 12AT7, 2-6AU6, 6AL5, EM80/6BR5; selenium rectifier. For 105-120 volts, 60 cps AC. Styling is modern, with gold-finished removable front panel and black metal cabinet with rubber feet. Size is 14¼" w x 8-3/16" d x 4¾" h. Shpg. wt., 13 lbs.

LT-75—FM Tuner, Complete with Case

Net 47.50

NEW! LA-45 14-WATT AMPLIFIER 39.50 Only 3.95 Down!

The Lafayette LA-45 is a complete 14-watt amplifier with built-in preamplifier-equalizer with wide range frequency response and low hum and distortion to ensure sparkling reproduction that will delight you. This undistorted power is achieved from circuitry employing the new premium quality EL84 tubes in a pentode-connected balanced output circuit. 5 inputs are provided for every type of crystal, ceramic or magnetic phono cartridge, for tuner and tape head as well as high level auxiliary input. The front panel function selector and equalization switch gives instant choice of tuner, aux, or phono with proper equalization for all types of records, and tape head. Equalization positions are RIAA (LP), POP for 78 rpm records, and NARTB tape head equalization. A "Manitar" jack and switch permit tape monitoring, provide a high level signal for tape recording, or allow plug-in use of the new stereo adapters. Other features include a 12 db per octave rumble filter, an auxiliary AC receptacle, provision for mounting in cabinet or on a console panel, attractive finish that blends harmoniously with both modern and traditional decor, and a power on-off pilot light. Its appearance matches the Lafayette LT-75 tuner. It comes complete with removable case.

SPECIFICATIONS

POWER: 14 watts normal, 28 watts peak. FREQUENCY RESPONSE: 30-20,000 cps ± 1 db. IM DISTORTION: Less than 1½% (60 and 7000 cps) at full output. HUMS: Tuner 80 db, phono 60 db below full output. INPUTS: Crystal phono, tuner, magnetic phono, tape head, aux. OUTPUTS: Monitor, speaker (8 and 16 ohms). CONTROLS: Function selector and equalization, bass, treble, loudness with AC on-off switch, monitor on-off switch, rumble filter on-off switch. RUMBLE FILTER: 12 db per octave below 100 cps. EQUALIZATION: RIAA (LP), POP (78), TAPE HEAD (NARTB). TONE CONTROLS: 12 db cut or boost on bass or treble. INPUT SENSITIVITY: For full output: ½ volt for tuner, crystal or aux; 2.7 millivolts for magnetic phono or tape head. DAMPING FACTOR: 10. TUBES: 2-12AX7, 2-EL84; EZ81 (rectifier). AC OUTLET, MOUNTING: Cabinet or panel. SIZE: 13¾" long x 6¾" d x 4¾" h including bumper feet. Knobs extend ½" in front of panel. SHIPPING WEIGHT: 15 lbs.

LA-45—14-watt amplifier

Net 39.50

MONAURAL SYSTEM TO PLAY BOTH STEREO AND MONAURAL RECORDS

CONVERT TO COMPLETE STEREO LATER

COMPONENTS

LAFAYETTE LA-45 14-WATT COMPLETE AMPLIFIER	39.50
GARRARD RC-121 4 SPEED RECORD CHANGER	42.50
LAFAYETTE PK-111 WOOD BASE (MAHOGANY)	3.95
NEW GE GOLDEN CLASSIC GC-7 CARTRIDGE	23.47
LAFAYETTE SK-58 12" COAXIAL SPEAKER	29.50

HIGH FIDELITY PHONO SYSTEM

Play Stereo & Monaural Records, Monaurally, Now—
Add Complete Stereo Later

ONLY 10.75 DOWN — Regular Catalog Price YOU PAY ONLY SAVE
10.00 MONTHLY ~~138.92~~ 107.50 31.42

An economical high fidelity system with outstanding performance features for highly-satisfying tone quality. It's all ready for stereo; conversion will involve only a few easy interconnections. Includes the new Lafayette LA-45 14-watt amplifier, with frequency response of 30-20,000 cps and with "Manitar" jacks for plug-in use of a stereo adapter when desired; the Garrard 4-speed automatic record changer Model RC-121/11, all set for stereo whenever you're ready; the new GE GC-7 stereo/monaural variable reluctance magnetic cartridge with 0.7 mil diamond stylus for stereo and microgroove LP and 45 rpm records—provides outstanding monaural reproduction of both stereo and monaural records now, and is ready to play full stereo (plus monaural) when you convert to stereo later; the Lafayette PK-111 wood changer base, of fine, selected veneers; and the world-famous Lafayette SK-58 coaxial 12" speaker with "brilliance" high-frequency level control. The system is supplied complete with cables, connectors, and easy-to-follow installation instructions. For 105-120 volts, 60 cps AC. Shpg. wt., 55 lbs.

HF-444—Complete 14-Watt Phono System with blonde, mahogany or walnut wood changer base (please specify) Net 107.50

HF-445—Same as HF-444, but with Lafayette CAB-16 mahogany or walnut or CAB-17 blonde resonator-type speaker enclosure (please specify finishes) Net 135.00

LAFAYETTE FM-PHONO MUSIC SYSTEM — 155.00 ONLY 10% DOWN

HF-4446—Same as HF-444 above but includes new Lafayette LT-75 FM Tuner Net 155.00

HF-447—Same as HF-445 above but includes LT-75 FM Tuner Net 182.50



Lafayette



RECOMMENDED BOGEN HI-FI COMPATIBLE PHONO SYSTEMS



NEW! BOGEN 24-WATT STEREO PHONO SYSTEM

OPTIONAL CARTRIDGES

Electro-Voice 26MDST **Pickering 371.7D**

These systems obtainable with either Pickering or Electro-Voice Stereo Cartridges instead of the G.E. GC-7 Cartridge.

For the Pickering 371.7D Cartridge with diamond stylus, add 5.00 to system prices shown.

For the Electro-Voice 26MDST Turnunder Cartridge with diamond & sapphire stylus, deduct 3.00 from system prices shown.

COMPONENTS

BOGEN DB212 STEREO AMPLIFIER (less cabinet)	115.00
COLLARO STEREO TSC-740 CHANGER	41.65
LAFAYETTE PK-111 WOOD BASE	3.95
GE GC-7 STEREO CARTRIDGE	23.47
2 ELECTRO-VOICE SP12B SPEAKERS @ 34.30	68.60

REGULAR CATALOG PRICE ~~252.67~~
YOU PAY 199.95 YOU SAVE 52.72
 20.00 Down—13.00 Monthly

A top quality system for the latest stereo and monaural records. Add a tuner or a tape recorder later to complete your music center. These components are selected by Lafayette's experienced audio experts to bring you breathtaking stereophonic sound at a modest price to suit any budget. Features the all new Bogen Model DB212 Stereo Amplifier having two 12-watt channels for stereophonic use. Can be used monaurally, if you wish, featuring 2 separate speaker systems 12 watts power each. Frequency response is 20 to 20,000 cps, ± 1 db at rated output with less than 1% total distortion. It also incorporates a versatile control center, satisfying all your stereo and monaural needs. The record changer selected is the new Collaro Stereo TSC-740 Automatic Changer made in Britain. Comes with the new G.E. GC-7 Variable Reluctance Compatible Stereo Cartridge and LP Diamond Stylus. Lafayette PK-111 Wood Base can be ordered in either mahogany, blonde or walnut finish (please specify). The speakers included are the popular Electro-Voice SP12B 12" speakers. System supplied with interconnecting cables and simplified instructions for easy installation. For 110-120 volts, 60 cycles AC. Shpg. wt., 69 lbs.

MF-407 Stereo phono system Net 199.95

MF-408 As above, but with 2 Lafayette resonator enclosures. Choice of CAB-16, in mahogany finish or CAB-17 in blonde or walnut. Please specify finish. (Shpg. wt., 145 lbs.) Net 254.95
 25.50 Down

MF-409 Same as MF-407, but with Lafayette-Goodmans 3 way speakers SK-110, rated at 30 watts with 1 1/2 lb. magnet. (Shpg. wt., 70 lbs.) Net 236.20
 23.62 Down

MF-410 As above but with 2 Lafayette resonator enclosures. Choice of CAB-16 in mahogany finish or CAB-17 in blonde or walnut. Please specify finish. (Shpg. wt., 146 lbs.) Net 291.20
 29.12 Down

MF-411 Same as MF-407, with the addition of the new Bogen FM-AM Stereo Tuner, model ST662, featuring wide band response and high sensitivity. (Less cabinet.) (Shpg. wt., 88 lbs.) Net 361.55
 36.16 Down

MODEL BEG. Cabinet with legs for Bogen DB212 stereo amplifier or ST662 stereo tuner Net 7.50

SYSTEM WITH PICKERING STEREO CARTRIDGE

This system with Pickering Stereo Cartridge 371.7D with diamond stylus at an additional cost of 5.00.

NEW! BOGEN 60-WATT STEREO PHONO SYSTEM

OPTIONAL CARTRIDGES

Electro-Voice 26MDST **Pickering 371.7D**

These systems obtainable with either Pickering or Electro-Voice Stereo Cartridges instead of the G.E. GC-7 Cartridge.

For the Pickering 371.7D Cartridge with diamond stylus, add 5.00 to system prices shown.

For the Electro-Voice 26MDST Turnunder Cartridge with diamond & sapphire stylus, deduct 3.00 from system prices shown.

COMPONENTS

BOGEN DB230 STEREO AMPLIFIER (LESS CABINET)	169.50
GARRARD RC-88 DELUXE CHANGER	53.41
LAFAYETTE PK-111 WOOD BASE	3.95
GE GC-7 STEREO CARTRIDGE	23.47
2 ELECTRO-VOICE 12TRXB SPEAKERS @ 64.68	129.36

REGULAR CATALOG PRICE ~~379.69~~
YOU PAY 303.70 YOU SAVE 75.99
 30.37 Down—18.00 Monthly

Centering around the new Bogen DB230 stereo amplifier, this system is designed to meet the demand for an outstanding compatible stereo system. The new Bogen DB230 Stereo Amplifier has enough reserve power to reproduce any program material with effortless ease. It has two powerful 30-watt channels, delivering extraordinarily "clear" sound stereophonically. On monaural program, its two channels combine to provide a full 60-watt output. It also features a versatile, comprehensive audio control center. The Garrard RC88 Deluxe Changer is featured because of its proven quality and comes with the Lafayette PK-111 wood base. Custom finished in either mahogany, blonde, or walnut. Please specify finish desired. The new G.E. GC-7 Variable Reluctance Compatible Stereo Cartridge with diamond LP stylus provides low tracking force and wide frequency range. The speakers for this outstanding system are the widely acclaimed 3-way Electro-Voice 12TRXB Speakers. System supplied with all interconnecting cables, connectors and simplified instructions for easy assembly. For 110-120V, 60 cps. Shpg. wt., 88 lbs.

MF-4D1 Complete stereo system Net 303.70

MF-402 As above but with the Electro-Voice "Marquis" enclosures finished in mahogany. Shpg. wt., 188 lbs. Net 409.70

MF-403 As above but with the Electro-Voice "Marquis" enclosures finished in either walnut or blonde. Please specify finish. Shpg. wt., 188 lbs. Net 419.70

MF-404 Same as MF-401, but with Lafayette-Goodmans 3-way 12" Speakers SK-112, rated at 40 watts with 3 1/2 lb. magnet. Shpg. wt., 90 lbs. Net 326.00
 32.60 Down

MF-405 As above but with the excellent Lafayette ducted port enclosures. Choice of CAB-35 in mahogany finish, CAB-36 in walnut, CAB-37 in blonde. Please specify finish. Shpg. wt., 190 lbs. Net 443.00
 44.30 Down


MF-406 Same as MF-401, with the addition of the new Bogen FM-AM Stereo Tuner, model ST662, featuring wide band response and high sensitivity. Shpg. wt., 97 lbs. Net 465.30
 46.53 Down

Model BEG. Cabinet with legs for Bogen ST662 Net 7.50
 Model CEG. Cabinet with legs for Bogen DB230. Net 7.50


SYSTEM WITH PICKERING STEREO CARTRIDGE

These systems with Pickering Stereo Cartridge 371.7D with diamond stylus at an additional cost of 5.00.

STEREO SYSTEMS ARE AVAILABLE ON LAFAYETTE'S EASY PAYMENT PLAN




Plays Stereo and Monaural Records



H. H. SCOTT DELUXE



HI-FI PHONO SYSTEMS



SCOTT 130

LAFAYETTE
PK-245




DELUXE
WOOD BASE

NEW GE GC-5
STEREO
TRANSCRIPTION
CARTRIDGE
WITH
DIAMOND
STYLUS




GE TM-2G



SCOTT
250



JENSEN KT-233



JENSEN SS-100

Plays Stereo and Monaural Records



SCOTT 299

GARRARD
RC-88



NEW GE GC-7
STEREO COMPATIBLE
CARTRIDGE WITH
DIAMOND STYLUS

LAFAYETTE
PK-111



ELECTRO-
VOICE
12TRXB



ELECTRO-VOICE ARISTOCRAT

SYSTEM WITH PICKERING STEREO CARTRIDGE AND ARM



Pickering 196

Pickering
371.7D

This System with Pickering
196 Arm and 371.7D
Stereo Diamond Cartridge
at an additional cost of 7.00

COMPONENTS

SCOTT 130 STEREO PREAMP	169.95
2-SCOTT 250 LAB. POWER AMPLIFIERS	259.90
LAF. PK-245 PROF. TURNTABLE	64.50
DELUXE WOOD BASE	14.95
GE TM-2G STEREO ARM	29.35
GE GC-5 STEREO CARTRIDGE	26.41
JENSEN KT-233 3-WAY SPEAKER SYSTEM (2 SYSTEMS)	160.00

REGULAR CATALOG PRICE ~~725.00~~
YOU PAY 579.95 YOU SAVE 145.11
10% DOWN 58.00 MONTHLY

This combination is truly a fabulous system for listening to stereo records; but it also has the promise of things to come because its preamp has inputs for STEREO from ANY SOURCE and inputs for any monaural source. The complete system consists of: Scott 130 Stereo Preamp; 2 Scott 250 Power Amplifiers; Lafayette Professional PK-245 Turntable on Deluxe Woodbase, outfitted with new GE TM-2G Stereo Tone Arm and new GE GC-5 Compatible Stereo Cartridge, and the new JENSEN KT-233 12" 3-way Speaker System which consists of 2 complete 3-way speaker systems with Stereo Director Chassis. Housed in a suitable enclosure, this combination is guaranteed to reproduce sound of the most faithful and pleasing quality. The use of the Stereo Director principle permits placement of enclosures in "difficult" decorating situations, with excellent stereo effect. Unique provisions on the Scott preamplifier provide for a THIRD amplifier and speaker for absolute optimum stereo realism, if desired; complete balance of the two stereo channels;

ability to play a monaural source on either channel, through both power amplifiers and both speakers; permanent input connections for magnetic input for phono and tape with selection control on front panel. The power amplifiers have plenty of reserve power for any speaker system. Sensitivity rating is high, response flat from 20 cps-20,000 cps, noise and distortion incredibly low. This combination offers many possibilities for future "add-on" equipment. Complete with inter-connecting cables and instructions for installation. Shipping wt., 145 lbs.
HF-378 Complete system as described above (specify mahogany, Blende or Walnut for turntable base). Net 579.95
HF-379 Same as HF-378 above, but with 2 Jensen SS-100 Speaker Enclosures. These are Jensen cabinets which contain the 3-Way Speaker System With Stereo Director Chassis, as described. Specify Mahogany, Walnut or Tawny Ash for the SS-100. Shpg. wt., 232 lbs. Net 729.95 - 73.00 Down

NEW! SCOTT COMPLETE STEREO PHONO SYSTEM with Model 299 STEREO Complete Amplifier

OPTIONAL CARTRIDGES



Electro-Voice
26MDST

Pickering
371.7D

These systems obtainable with either Pickering or Electro-Voice Stereo Cartridges instead of the G.E. GC-7 Cartridge.

For the Pickering 371.7D Cartridge with diamond stylus, add 5.00 to system prices shown.

For the Electro-Voice 26MDST Turntable Cartridge with diamond & sapphire stylus, deduct 3.00 from system prices shown.

COMPONENTS

SCOTT 299 COMPLETE STEREO AMPLIFIER	199.95
GARRARD RC-88 STEREO CHANGER	53.41
GE GC-7 GOLDEN CLASSIC STEREO CARTRIDGE	23.47
LAFAYETTE PK-111 BASE FOR CHANGER	3.95
2 E-V 12TRXB 12" SPEAKERS	129.36

CATALOG PRICE ~~410.14~~
YOU PAY 327.50 YOU SAVE 82.64
32.75 DOWN 19.00 MONTHLY

The H. H. Scott Model 299 Complete Stereo Amplifier and the highly regarded Garrard RC-88 changer, newly redesigned for stereo playing, are here combined to form the core of a compact stereo phono system. The E-V 12TRXB 3-way speakers supplied in this system are completely in line with the high quality of the electronic components. In addition to these units, the new GE Golden Classic GC-7 Magnetic Variable Reluctance Cartridge with 0.7 mil DIAMOND STYLUS fills out the system. This system is easily capable of yielding a response of ± 1 db from 35-15,000 cps. The 20 watts RMS audio output power from each channel is enough for any home installation. Like the more elaborate Scott 130 Preamp, the Type 299 has complete balance between channels, phase reversal switch, separate inputs for magnetic or ceramic stereo cartridges, input for FM-AM broadcasts, ability to play a monaural record through both amplifiers for higher power capacity, tape input as well as tape recorder output. This complete amplifier combination can be mounted in a very small cabinet or on a small shelf. Comes complete

with interconnecting plugs, cables and simple installation instructions. Shipping wt., 84 lbs.
HF-380 Complete system as described above (specify mahogany, Walnut or Blende for changer base). Net 327.50 - 32.75 Down
HF-381 Same as HF-380 above but with 2 additional mahogany E-V Aristocrat Speaker enclosures. Shpg. wt., 172 lbs. Net 444.50 - 44.45 Down
HF-382 Same as HF-380 above but with 2 additional Blende or Walnut (Specify which) E-V. Aristocrat Speaker Enclosures. Shpg. wt., 172 lbs. Net 458.50 - 45.85 Down
HF-383 Same as HF-380 above but with 2 Lafayette Goodmans SK-110 3-way 12" speakers with 1/4 lb. magnets instead of E-V. 12TRXB speakers. Shpg. wt., 96 lbs. Net 304.00 - 30.40 Down
HF-384 Same as HF-383 above but with 2 additional Lafayette CAB-16 Mahogany or Walnut, or CAB-17 Blende Resonator Enclosures. Specify Finishes. Shpg. wt., 172 lbs. Net 359.00 - 35.90 Down

SYSTEM WITH PICKERING STEREO CARTRIDGE

These systems with Pickering Stereo Cartridge 371.7D with diamond stylus at an additional cost of 5.00.

FISHER ULTRA-DELUXE PHONO SYSTEM



With Fisher X101 Master Control & Dual 20-Watt Amplifier

OPTIONAL CARTRIDGES



Electro-Voice 26MDST



Pickering 371.7D

These systems obtainable with either Pickering or Electro-Voice Stereo Cartridges instead of the G.E. GC-7 Cartridge.

For the Pickering 371.7D Cartridge with diamond stylus, add 5.00 to system prices shown.

For the Electro-Voice 26MDST Turntable Cartridge with diamond & sapphire stylus, deduct 3.00 from system prices shown.

COMPONENTS

FISHER X101 INTEGRATED STEREO AMPLIFIER (Less Case)	189.50
GARRARD RC-88 DELUXE STEREO CHANGER	53.41
GENERAL ELECTRIC GC-7 STEREO CARTRIDGE	23.47
JENSEN KT-233 3-WAY SPEAKER SYSTEM (2 SYSTEMS)	160.00

REGULAR CATALOG PRICE ~~426.38~~
YOU PAY 335.50 YOU SAVE 90.88
 33.55 DOWN 19.00 MONTHLY



Plays Stereo and Monaural Records

Another stereo system designed for the man who desires the better things in life. Features the Brand New Fisher X101 Stereo Preamplifier — Amplifier — Control Center, a highly versatile unit combining, on one chassis, two heavy duty 20 watt power amplifiers, plus all the required preamplifier and control functions, so necessary in a stereo system for the utmost in convenience. Complete monaural facilities, as well as stereo, make this amplifier the heart of this stereo system — It features 20-20,000 cps response, 6 pairs of input jacks, self contained rumble filters, loudness, balance and tone controls. The famous imported Garrard RC-88 4-speed Precision Automatic Record Changer is used with the brand new General Electric GC-7 variable reluctance Stereo Cartridge with 0.7 mil Diamond Stylus for superb reproduction of all your records, both stereo and monaural. Rounding out the system, the new Jensen KT-233 12" 3-Way Speaker System consists of 2 complete 3-way speaker systems with Stereo Director Chassis. When placed in a suitable enclosure, the KT-233 is guaranteed to reproduce sound of

the most faithful quality. A truly fine high quality stereo system for fully realistic sound. Furnished complete with all necessary cables and plugs, and simplified instructions for proper installation. For 110 V 60 cycle AC.

MF-476 Complete Fisher Stereo system as described above, less amplifier cabinet and changer base. Shpg. wt., 115 lbs. Net 335.50 — 33.55 Down

MF-477 Fisher Stereo system, as above, but including 2 Jensen SS-100 Speaker Enclosures. These are Jensen cabinets which contain the 3-way Speaker System with Stereo Director Chassis, as described above. Specify Mahogany, Walnut or Tawny Ash for the SS-100. Shpg. Wt. 205 lbs. Net 487.50 48.75 Down

MF-478 Same as MF-476 above, but with 2-Lafayette Goodmans SK-112 12" 3-Way speakers with 3 1/2 lb. magnets. Shpg. wt., 110 lbs. Net 334.25 — 33.42 Down

Cabinet for X101 amplifier Net 24.95

PK-111 Changer base, specify mahogany, walnut or blonde. Net 3.95



SYSTEM WITH PICKERING STEREO CARTRIDGE

These systems with Pickering Stereo Cartridge 371.7D with diamond stylus at an additional cost of 5.00.

NEW FISHER STEREO PHONO SYSTEM

SYSTEM WITH PICKERING STEREO CARTRIDGE AND ARM



Pickering 196



Pickering 371.7D

This System with Pickering 196 Arm and 371.7D Stereo Diamond Cartridge at an additional cost of 7.00

COMPONENTS

FISHER 400 STEREO PREAMP (Less Case)	169.50
FISHER 30-A 20 WATT AMPLIFIERS	119.50
GENERAL ELECTRIC GC-5 STEREO CARTRIDGE	26.41
GENERAL ELECTRIC TM-20 STEREO ARM	29.35
LAFAYETTE PK-245 HYSTERESIS TURNTABLE	64.50
JENSEN KT-233 3-WAY SPEAKER SYSTEM (2 SYSTEMS)	160.00

REGULAR PRICE ~~568.75~~
YOU PAY 447.50 YOU SAVE 121.26
 44.75 DOWN

Here is the system designed for the connoisseur who desires the best in stereophonic equipment. This Lafayette — recommended system features the newest in fine high fidelity equipment: The new Fisher 400 Stereo Control Center and Preamplifier featuring 16 inputs, rumble filter, pushbutton input selector, loudness, balance and tone controls; 2 brand-new Fisher Model 30-A 20 watt amplifiers featuring 20 watts output at less than 1% distortion, response ± 1 db, 20-20,000 cps; the new General Electric GC-5 "Golden Classic" variable reluctance stereo cartridge with 0.5 mil Diamond Stylus used with the matching General Electric TM-20 Stereo Arm, providing 20-20,000 cps response from both stereo and monaural records; Lafayette PK-245 Hysterisis Synchronous Turntable completely eliminating the rumble problems usually associated with stereo systems; and the new Jensen KT-233 12" 3-way Speaker consisting of 2 complete 3-way speaker systems with Stereo Director chassis, guaranteed to reproduce sound of the most faithful and natural quality. The use of the Stereo Director permits placement of enclosures in "difficult" positions, unusable with other type speakers. This fine

stereo system will give you years of trouble-free performance with spacious realism possible only with stereo sound. Supplied complete with cables and plugs, and simplified instructions for installation.

MF-473 Complete Fisher Deluxe Stereo System as described above, less preamp cabinet and turntable base. Shpg. wt., 120 lbs. Net 447.50 — 44.75 Down

MF-474 Complete Fisher system as above, but including 2-Jensen SS-100 Speaker Enclosures. These Jensen cabinets contain the 3-way speaker system with Stereo Director chassis described above. Specify Mahogany, Walnut or Tawny Ash. Shpg. wt., 210 lbs. Net 597.50 — 59.75 Down


MF-475 Same as MF-473 but with Lafayette Goodmans SK-115 15" 3-way speakers with 6 1/2 lb. magnets. Shpg. wt., 170 lbs. Net 487.50 — 48.75 Down

Fisher Cabinet for 400 preamp. Specify Mahogany, Blonde or Walnut. Shpg. wt., 1 1/2 lbs. Net 17.95

Lafayette Base for PK-245 turntable. Specify Mahogany, Walnut or Blonde. Shpg. wt., 13 lbs. Net 14.95




NEW GENERAL ELECTRIC STEREO AMPLIFIERS



MODEL MS-2000 "STEREO CLASSIC" 28-WATT STEREO PHONIC AMPLIFIER

This integrated stereo amplifier combines high quality stereo performance with striking cabinet design. The control panel accents on contrasting patterns of contemporary styling as well as operational ease. Consists of 2 power amplifiers and 2 preamp control units on a single chassis; yet the size is maintained small, essentially that of a monaural amplifier. Provides unusual flexibility for all your stereo and monaural needs. Front panel controls include: Input selector—stereo tape head, monaural phono, stereo phono, stereo tuner, auxiliary; Speaker mode selector—stereo, channel reverse, monaural; Volume; Contour; Balance; Bass; Treble; Rumble filter; Power on-off; Tuner level set. Inputs (with sensitivity figures); Stereo Cartridge (3.5 mv); Stereo tape head (3 m.v.); monaural cartridge (3.5 m.v.); Tuner (200 mv); Auxiliary (200 mv). Outputs: Dual speakers—4, 8, 16 ohms; Dual output jacks; 2 a.c. outlets, one controlled. Power Output: 28 watts total, 14 watts per channel in stereo operation. Frequency Response: 20 to 20,000 cps \pm 0.5 db. Harmonic Distortion: below 1% stereo operation, at full output. Hum and noise: -55 db (phono); -73 db (high level). Channel Separation: at least 40 db between 30 and 20,000 cps. Tubes: 2-7025/12AX7; 2-12AX7; 2-6BA8A; 4-6V6GT; 1-5V4GA; 1-full wave selenium rectifier. Cabinet finished in leather grain willow gray vinyl. Front panel features a silver and willow gray color finish. Size, 15 x 12 x 5 1/4". For 110-117V, 60 cps AC. Shpg. wt., 15 lbs.

Model MS-2000 Net 127.35



MODEL MS-4000 "STEREO CLASSIC" 40-WATT STEREO PHONIC AMPLIFIER

New compactly designed stereo amplifier, carefully engineered to fulfill the need for a top quality unit at a modest cost. Features extra reserve power and flexible controls. It promises to please you both in sound and in sight. The startling styling of the cabinet is in veld of bold simplicity of modern design. Control knobs are conveniently arranged. Output power is rated at 40 watts total; 20 watts per channel in stereo operation. Frequency Response: 20 to 20,000 cps \pm 0.5 db. Harmonic Distortion: below 1% at full output, stereo operation. Hum and Noise: -62 db (phono); -73 db (high level). Channel Separation: better than 40 db between 30 and 20,000 cps. Front Panel Controls include: Input selector—stereo tape head, monaural phono, stereo phono, stereo tuner, auxiliary; Speaker mode selector—stereo, channel reverse, monaural together; Volume; Contour; Balance; Bass; Treble; Rumble filter; Power on-off; Tuner level set. Also a rear panel speaker phasing switch that reverses 8 ohm polarity of one channel. Inputs (with sensitivity figures): Stereo cartridge (3.5 mv); Stereo tape head (3.mv); Monaural cartridge (3.5 mv); Tuner (200 mv); Extra (200 m.v.). Outputs: Dual speakers—4, 8, 16 ohms; dual output jacks; 2 AC outlets, one controlled. Tubes: 2-7025/12AX7; 2-12AX7; 2-6BA8A, 4-6973; 1-GZ34/5AR4; 1-6X4; 1-selenium bridge rectifier. "Flat" cabinet finished in leather grain willow gray vinyl. Panel features a silver and willow gray color pattern finish. Size, 15 x 12 x 5 1/4". For 110-117 V, 60 cps AC. Shpg. wt., 17 lbs. Model MS-4000 Net 166.55

G.E. 28-WATT MATCHED STEREO PHONO SYSTEM




G.E. MS-2000



2-UNIVERSITY
UXC-122



New GE GC-7
Stereo Compatible
Cartridge with
Diamond Stylus



GARRARD
RC-121/II

COMPONENTS	
G.E. MS-2000 STEREO AMPLIFIER	127.35
GARRARD RC-121/II STEREO CHANGER	41.65
G.E. GC-7 DIAMOND STEREO CARTRIDGE	23.47
2-UNIVERSITY UXC-122 @ 32.34	64.68

Matched by Lafayette audio experts, this compatible stereo phono system will delight even the most critical ears. Designed to play all stereo and monaural records. Features the new G.E. MS-2000 Stereo Amplifier loaded with convenient controls that stress flexibility. Provides enough power for all stereo programs. Rated at 28-watts total, 14 watts per channel in stereo operation. Response, 20 to 20,000 cps, \pm .5 db. The Garrard RC-121/II Automatic Record Changer has long established its reputation for dependability and excellent performance. Completely wired for all standard stereo cartridges. GE GC-7 Compatible Stereo Cartridge is equipped with a 0.7 mil Diamond Stylus. The speakers included are the popular University UXC-122 2-Way 12" Diffaxial Speakers, each having a 12" woofer and Diffusicone high frequency element. System supplied with inter-connecting cables and simplified instructions for fast installation. For 110-120V, 60 cps. AC. Shpg. wt., 42 lbs.

HF-492 Net 199.95
PK-111 Mahogany or blonde record changer woodbase (Specify finish) Net 3.95

REGULAR
CATALOG
PRICE
~~257.15~~

LAFAYETTE
SPECIAL
PRICE
199.95

YOU
SAVE
57.20


GE 40 WATT DELUXE STEREO PHONO SYSTEM




GE MS-4000



2-JENSEN
H-223F



New GE GC-7
Stereo Compatible
Cartridge with
Diamond Stylus



GARRARD
RC-121/II

COMPONENTS	
GE MS-4000 STEREO AMPLIFIER	166.55
GARRARD RC-121/II STEREO CHANGER	41.65
GE GC-7 DIAMOND STEREO CARTRIDGE	23.47
2-JENSEN H-223F COAXIAL 2-WAY SPEAKER @ 72.50	145.00

Deluxe in every respect for outstanding reproduction of all stereo and monaural records. It's a system with that extra performance ability to satisfy the discriminating music listeners. Features the GE MS-4000 Stereo Amplifier rated at 40 watts total, 20 watts per channel. Response, 20 to 20,000 cps. Has unusually flexible controls on a new panel, molded in a trim, recessed pattern. Will provide optimum performance with the GE GC-7 Compatible Stereo Cartridge, 0.7 Diamond Stylus included. The Garrard RC-121/II automatic record changer is famous for its quiet and smooth operation. The system also includes 2 Jensen H-223F Coaxial 2-way Speakers. Each has reflexed compression driver tweeter and low-frequency Flexair woofer. System supplied with interconnecting cables and simplified instructions for quick installation. For 110-120 V, 60 cps AC. Shpg. wt., 57 lbs.

HF-493 Net 299.50
HF-494—Same as HF-493 described above but with 2 Lafayette CAB-19 High boy Speaker Enclosures, bass reflex type. Finished in mahogany. Shpg. wt., 170 lbs. Net 394.50
HF-495, Same as HF-493 but with 2 Electro-Voice 15TRXB 3-way 15" Speakers rated at 35 watts with 1 1/4 lbs. magnet. Shpg. wt., 81 lbs. Net 306.95
PK-111 Mahogany or blonde record changer woodbase (Specify finish) Net 3.95

REGULAR
CATALOG
PRICE
~~376.67~~

LAFAYETTE
SPECIAL
PRICE
299.50

YOU
SAVE
77.17

BUY THE MERCHANDISE YOU WANT NOW ON LAFAYETTE'S EASY PAYMENT PLAN


LAFAYETTE RECOMMENDED "ADD-ON" SYSTEMS

NEW HARMAN 20 WATT STEREO "ADD-ON" SYSTEM



HARMAN KARDON AX20

ELECTRO-VOICE
12TRXB



New GE GC-7
Stereo Compatible
Cartridge with
Diamond Stylus



Electro-Voice
26MDSY
Turnunder
Cartridge
with Diamond
and Sapphire
Stylus



Pickering
371.7D
Stereo
Cartridge
with Diamond
Stylus

REGULAR PRICE
188.10

LAFAYETTE SPECIAL
144.71
OR 14.47 DOWN

YOU SAVE
43.39

This "Add-On" system easily and conveniently converts any existing hi-fi system to stereo operation. Heart of the system is the new Harman-Kardon AX20 stereo pre-amp and 20 watt amplifier. This unit has every control required for complete stereo or monaural operation, including tone, equalization, selector, loudness, and balance controls. Accommodates any type of stereo or monaural, crystal, ceramic or magnetic phono cartridge; tape head, and other inputs. One channel is amplified by the built-in 20 watt amplifier; the other channel is connected to your present amplifier. Since all operating controls are located on the AX20, your present amplifier may be located at a remote position. Your present speaker system is used for one channel; the Electro-Voice 12TRXB 3-way 12" speaker is used for the other. Your monaural phono cartridge (which can damage stereo records if used to play them) is replaced by the new General Electric GC-7 stereo variable reluctance cartridge with 0.7

mil diamond stylus, providing magnificent reproduction of all LP stereo or monaural records. This cartridge is designed for mounting in all standard pickup arms. This system is supplied complete with connecting cables and instructions. For 110-120 VAC. Shpg. wt., 33 lbs.

HF-462 Stereo "Add-On" system Net 144.71
14.47 Down

HF-463 Same as above, but with exclusive new Jensen H-233F 12" true coax speaker instead of 12TRXB. Net 146.71 - 14.67 Down

HF-464 Same as HF-462, but with the new Pickering 371.7D stereo diamond cartridge. Net 149.71 - 14.97 Down

HF-465 Same as HF-462, but with Electro-Voice 26MDSY ceramic stereo cartridge with 0.7 mil diamond and 3 mil sapphire styli. Net 141.71 - 14.17 Down

NEW! ECONOMICAL LAFAYETTE STEREO "ADD-ON" SYSTEM Convert Your Present Hi-Fi System to Stereo!

Reg. Value YOU PAY ONLY SAVE
101.42 **85.95** **15.47**

ONLY 8.60 DOWN—8.00 MONTHLY


NOW everyone can afford to add stereo to any present hi-fi system. Includes the new Lafayette LA-45 14-watt amplifier, the super performance-value Lafayette SK-58 12" coaxial speaker, the Lafayette TM-40 Stereo Balance Meter which permits accurate and reproducible balancing of any 2-amplifier or stereo amplifier stereo system; and the new GE GC-7 stereo variable reluctance magnetic cartridge with 0.7 mil genuine GE diamond stylus, for stereo and microgroove (LP and 45 rpm) monaural records. Complete with cables, connectors and easy-to-follow installation instructions. Shpg. wt., 30 lbs.

HF-448—Stereo "Add-On" System Net 85.95

HF-449—Same as HF-448 above, but with choice of Lafayette CAB-16 mahogany or walnut or CAB-17 blonde speaker enclosure Net 113.45

HF-450—Same as HF-448 above but less GE GC-7 stereo cartridge. For "add-on" to any existing monaural systems which already have a stereo phono cartridge, such as the Lafayette LA-45 stereo system (HF-444) above Net 72.95

HF-451—Same as HF-449 above but less GE GC-7 stereo cartridge Net 100.45



LAFAYETTE LA-45



LAFAYETTE SK-58




New GE GC-7
Stereo Compatible
Cartridge with
Diamond Stylus



LAFAYETTE TM-40

PLAYS MONAURAL & STEREO!


LAFAYETTE DO-IT-YOURSELF "ADD-ON" STEREO SYSTEM




LAFAYETTE KT-400




NEW GE GC-7
STEREO COMPATIBLE
CARTRIDGE WITH
DIAMOND STYLUS



LAFAYETTE KT-300



LAFAYETTE TM-40



LAFAYETTE-
GOODMANS SK-115

COMPONENTS	
LAFAYETTE KT-300 AUDIO CONTROL CENTER KIT	39.50
LAFAYETTE KT-400 70-WATT AMPLIFIER KIT	69.50
GE GC-7 COMPATIBLE STEREO CARTRIDGE WITH 0.7 MIL DIAMOND STYLUS	23.47
LAFAYETTE TM-40 STEREO BALANCE METER	8.95
LAFAYETTE-GOODMANS SK-115 3-WAY 15" SPEAKER	89.50

Regular Catalog Price ~~230.97~~
SPECIAL SYSTEM PRICE 206.90
YOU SAVE 24.02!

Convert your present monaural hi-fi set with this group of excellent components into a superb stereophonic system. Specially selected by Lafayette audio experts, this "add-on" system means extra savings to you. You save first of all by using the equipment you already have. No need to lose your original investment by buying a completely new set. Then you save by buying the 2 major components—amplifier and preamplifier—in kit form. There is also the Lafayette special system discount which represents a further reduction from the original catalog price. The kits are easy to assemble with step-by-step instruction manual, fully illustrated. They employ printed circuit boards to minimize the possibility of wiring error. With this system, you are also assured of accurate balance between the channels with the balance meter. The excellent units selected will equal the performance of the very best existing monaural hi-fi systems.

Features the Lafayette KT-300 Audio Control Center Kit. When used with your present preamp, the volume of each channel can be individually adjusted with the dual

volume control located at the KT-300 master control center. The unit is self-powered and provides complete control facilities for all program material. Lafayette KT-400 70-Watt Amplifier has enough reserve power to delight the most critical listeners. GE GC-7 Compatible Stereo Cartridge with 0.7 Mil Diamond Stylus will play all stereo and monaural records with low tracking force. Fits all standard tone arms. Lafayette TM-40 Stereo Balance Meter allows you to adjust balance accurately and easily the professional way. Lafayette-Goodmans SK-115 3-Way 15" Speaker rated at 50 watts, features a 6 1/2 lb. magnet for magnificent sound. System complete with interconnecting cables and simplified instructions for easy installation. For 110-120 V, 60 cps AC. Shpg. wt., 94 lbs. HF-491 Net 206.90

Above available with Pickering 371.7D Stereo-Flux-Valve Cartridge and 0.7 Mil Diamond Stylus. Add 5.00 to price listed.
For speaker enclosures, refer to enclosure pages.

Garrard 4-SPEED HI-FI PHONO EQUIPMENT

FULLY WIRED FOR STEREO



SPECIAL
Complete with Electro-Voice 26MDST-Diamond Sapphire-Turnover Compatible Stereo Ceramic Cartridge

Net 69.95

FULLY WIRED FOR STEREO



SPECIAL
Complete with Electro-Voice 26MDST-Diamond Sapphire-Turnover Compatible Stereo Ceramic Cartridge

Net 59.50

FULLY WIRED FOR STEREO



SPECIAL
Complete with Electro-Voice 26MDST-Diamond Sapphire-Turnover Compatible Stereo Ceramic Cartridge

Net 83.95

RC88 "TRIUMPH II" CHANGER

4-speed deluxe Auto-Manual changer wired for stereo and monoaural use. Full manual position. Smooth, quiet shod 4-pole "Induction-Surge" motor, silent free-wheeling ball-bearing turntable mount and oversized live rubber idler traction wheel. Features a true-turret drive with all 4 speeds operating off the motor on a single turret which eliminates drive belts. Heavy steel precision turntable. Simplified stylus pressure and pickup height adjustments. Floating motor completely isolated and damped. Size 15 1/2" x 13 1/2", 5/8" above and 3/8" below mounting board. Complete with line cord, pickup lead, plug-in shells, mounting hardware, standard and manual spindles, 45 rpm adaptor. Less cartridge and automatic 45 rpm spindle. Shpg. wt., 16 lbs.

- Model RC88—Less Cartridge Net 53.41
 Model RC88: Sonotone 8-T — With New Sonotone 8-T Dual Sapphire Compatible Stereo Ceramic Cartridge. Net 58.91
 Model RC88/GC-7—With New GE GC-7 Variable Reluctance Compatible Stereo Cartridge and Diamond LP Stylus Net 76.88
 Model RC88/GED—With New GE VR11 Series Triple Play Diamond Sapphire Cartridge Net 72.32
 Model 455B—45 RPM automatic spindle for use with RC88 Net 3.72

RC 121/II "RENOVN II" CHANGER

New changer, replacing the highly respected RC-121 "Renown." New features—true Inter-mix changes 12" and 10" records in any order; utilized control for instant selection of either automatic or full manual operation; stop/pause control—interrupts performance and begins again at the exact same spot; cast aluminum tone arm. Uses powerful 4-pole shaded "Induction Surge" motor. True-turret drive. Heavy steel precision turntable for minimum rumble, flutter and wow. Wired for stereo or monoaural use. Other features—semi-matic trip mechanism; self-neutralizing pull-away idler, and etc. Size, 14 1/2" x 13", 5" above 3/8" below motor board. Complete with accessories, less cartridge and 45 rpm automatic spindle. Shpg. wt., 14 lbs.

- Model RC121/II—(Less Cartridge) Net 41.65
 Model RC121/II: Sonotone 8-T — With New Sonotone 8-T Dual Sapphire Compatible Stereo Ceramic Cartridge. Net 47.15
 Model RC121/II/GC-7—With New GE GC-7 Variable Reluctance Compatible Stereo Cartridge and Diamond LP Stylus Net 63.12
 Model RC121/II/GED—With New GE VR11 Series Triple Play Diamond Sapphire Cartridge Net 60.56
 Model 45521/II—45 rpm automatic spindle for use with RC121/II Net 3.72

RC98 "CROWN II" CHANGER

The RC98 CROWN II 4-speed Super Auto-Manual record changer combines all of the advancements of the RC88. In addition, it contains several new high-fidelity innovations which are characteristic of the model. A feature is its exclusive all-speed variable control which makes possible a continuously variable + or - wide range adjustment of each speed. This variable speed control is obtained by means of an all electrical rheostat operation varying the voltage in the motor coils, with no friction or efficiency losses. A special 45 RPM automatic spindle is included in the RC98 standard spindle equipment. Cabinet dimensions are the same as the RC88. Complete with line cord, pickup lead, plug-in shells, mounting hardware, spindles including automatic 45 RPM spindle, less cartridge. Shpg. wt., 17 lbs.

- Model RC98—Less Cartridge Net 66.15
 Model RC98: Sonotone 8-T — With New Sonotone 8-T Dual Sapphire Compatible Stereo Ceramic Cartridge. Net 71.65
 Model RC98/GC-7—With New GE GC-7 Variable Reluctance Compatible Stereo Cartridge and Diamond LP Stylus Net 89.62
 Model RC98/GED—With New GE VR11 Series Triple Play Diamond-Sapphire Cartridge Net 85.06

GARRARD STEREO CONVERSION KITS



For Models RC-88, RC-98, RC-121, RC-121/II and T/II. Conversion from monoaural to stereo in a few minutes and without soldering.

- Model SCK-1. Stereo Conversion Kit for the RC-88, RC-98, Model T/V and RC-121 Net 4.85
 Model SCK-2. Stereo Conversion Kit for the RC-121/II. Net 4.85

LAFAYETTE MOUNTING BASES & BOARDS

When ordering specify model no. and finish

- Wood bases cut to fit Garrard and Collaro changers and #4HF. Custom finished in either Blende or Mahogany.
 Model PK-111. (Shpg. wt., 5 lbs.) Net 3.95
 Model PK-271. Same except in genuine walnut wood and finish. Net 4.50
 Mounting boards for changers. Strong durable 3/4" ply-wood, unfinished for easy staining.
 Model PK-110 (Shpg. wt., 1 lb.) Net 95¢

Collaro RECORD CHANGERS

FULLY WIRED FOR STEREO



SPECIAL
Complete with Electro-Voice 26MDST-Diamond Sapphire-Turnover Compatible Stereo Ceramic Cartridge

Net 55.73

FULLY WIRED FOR STEREO



SPECIAL
Complete with Electro-Voice 26MDST-Diamond Sapphire-Turnover Compatible Stereo Ceramic Cartridge

Net 59.65

MODEL TSC-640 CONQUEST II

An ideal low cost automatic changer for the latest stereo and monoaural records. Made in England, it is carefully engineered and precisely constructed. The two-tone color finish will fit any decor and its functional controls assure ease of operation. This changer can be converted into turntable operation instantly. Features a new one-piece transcription-type tone arm, completely wired for stereo-phantom use. The tone arm will accept all standard high-fidelity stereo and monoaural cartridges. "Semi-magic" tone arm automatically "feels" the record diameter. Handles 7", 10" and 12" records stacked in order of decreasing size. Extremely quiet and smooth operation is achieved by the use of heavy duty 4 pole induction motor driving a heavy rim-weighted turntable, equipped with removable rubber mat. Other features include: Automatic shut-off after last record; muting switch and pop filter to eliminate extraneous noises; tropicalized against adverse weather conditions; jam proof machinery. Size 12 x 13 1/2". Clearance 8" above and 2 1/4" below motor board. Shpg. wt., 20 lbs.


- Model TSC-640E — Less Cartridge Net 37.73
 Model TSC-640: Sonotone 8-T With New Sonotone 8-T Dual Sapphire Compatible Stereo Ceramic Cartridge. Net 43.23
 Model TSC-640GE — With .7 Mil Sapphire G.E. CL-7 Variable Reluctance Compatible Stereo Cartridge Net 54.34
 Model TSC-640GED — With .7 Mil Diamond G.E. GC-7 Variable Reluctance Compatible Stereo Cartridge. Net 61.20

MODEL TSC-740 CORONATION II

Enjoy the latest stereo and monoaural records with this superb stereo record changer. Deluxe styling includes two-tone color finish to fit any decor. New changer mechanism automatically changes and finds the proper location for lowering the tone arm. Gentle handling of records and operational ease mark this changer as one of the finest available. Features the revolutionary new two-piece transcription type tone arm, dynamically balanced and properly damped to eliminate audio frequency resonance. Plug-in head accepts all standard stereo and monoaural cartridges. Heavy duty 4 pole, shaded induction motor drives a heavy rim-weighted turntable, equipped with removable rubber mat, reducing wow and flutter to less than 0.25% rms at 33 1/3 rpm. Automatically plays 7", 10" and 12" records stacked in order of decreasing size. Other features include: 4-speeds, 78, 45, 33 1/3, 16 2/3 rpm; switch for manual turntable operation; automatic shut-off after last record; jam-proof machinery; muting switch and pop filter 12 x 13 1/2". 3/4" above and 2 1/4" below motor board. Shpg. wt., 20 lbs.

- Model TSC-740E — Less Cartridge Net 41.65
 Model TSC-740: Sonotone 8-T With New Sonotone 8-T Dual Sapphire Compatible Stereo Ceramic Cartridge. Net 47.15
 Model TSC-740GE — With .7 Mil Sapphire G.E. CL-7 Variable Reluctance Compatible Stereo Cartridge. Net 58.26
 Model TSC-740GED — With .7 Mil Diamond G.E. GC-7 Variable Reluctance Compatible Stereo Cartridge. Net 65.12

SPECIAL SALE!



COMBINATIONS OF THE SUPERB LOW-HUM ELAC (STEREO TWIN) MAGNETIC STEREO CARTRIDGE WITH 0.5 MIL DIAMOND STYLUS AND COLLARO CHANGER.

AS LOW AS **52.50!**
 Regular Values up to **63.61** Save Up To **30.51!**

The famous ELAC variable reluctance magnetic stereo cartridge with 1/2 mil diamond stylus, for standard micro-groove (LP and 45 rpm) records as well as stereo—in combinations with any of the LATEST MODEL COLLARO CHANGERS, at savings up to 30.51!

- Collaro TSC-640 plus Elac magnetic stereo cartridge with 1/2 mil diamond stylus. Reg. price 82.23. SALE! 52.50
 Collaro TSC-740 plus Elac cartridge as above. Reg. price 86.15. SALE! 57.50
 Collaro TSC-840 plus Elac cartridge as above. Reg. price 93.01. SALE! 62.50

Lafayette **Outstanding VALUES** IN **AUTOMATIC RECORD CHANGERS!**

Nationally Advertised
STEREO CARTRIDGE AND 4-SPEED CHANGER
COMPLETE WITH THE
BRAND NEW
GE GC-7 DIAMOND
STEREO CARTRIDGE



Regular
~~64.75~~
Special 39.50
Only 5.00 Down!



ANOTHER FABULOUS BUY at Lafayette! This is a brand new current changer made by a famous manufacturer, plus the new General Electric GC-7 Stereo Cartridge, offering the finest reproduction from both stereo and monaural records. This cartridge features 20-17,000 cps response, a .7 mil diamond needle, -20 db cross-talk between channels, tracks at 3.5 to 7 grams. This combination is priced so low that we DARE NOT mention the changer manufacturer's name. This deluxe changer features automatic intermix of different size records, a muting switch, heavy rim-click filter, and automatic shutoff after the last record is played. The heavy drive weighted turntable, the heavy duty 4-pole shaded pole motor and a rugged system, all combine to produce even, smooth torque with no speed variations; there is practically no wow, no flutter, no rumble. And don't forget Lafayette's **MONEY BACK GUARANTEE** if you don't agree that you have received an exceptional value. Size 12 1/4" x 13 3/4", requiring 5" clearance above and 2-11/16" below motorboard. Shpg. wt., 21 lbs all less base.

PK-250 RECORD CHANGER with GE 4G-052 Cartridge with Diamond-Sapphire Stylus	Net 39.50
PK-251 RECORD CHANGER with NEW GE GC-7 Stereo Cartridge.	Net 39.50
PK-252 RECORD CHANGER with Pickering Stereo 371.7D Diamond Cartridge.	Net 44.5C
PK-111 WOOD BASE for above, specify mahogany or blonde. Shpg. wt., 5 lbs.	Net 3.95

NATIONALLY ADVERTISED
CHANGER

Tremendous Buy for Stereo!!



~~38.50~~ Regular
Special 23.50
Only \$5.00 Down



FOR
STEREO AND
MONAURAL
CARTRIDGES

A superb value for the "stereophile" — Top name brand, 4-speed stereo changer with tone-arm which will accept all standard stereo cartridges. Automatic intermix handling of records, muting switch for soundless change cycle, automatic shut-off after last record. Rim-weighted turntable, heavy-duty 4-pole shaded-pole motor for top quality reproduction. If you don't agree that this changer is a top buy — your money will be refunded. Changer measures 12 1/4" x 13 3/4" with 5" clearance above and 2 11/16" below motorboard. Shpg. wt., 21 lbs. — less base.

PK-275 Record Changer (less cartridge)	Net 23.50
PK-276 Record Changer complete with Ronette's famous compatible stereo turnover cartridge with two sapphire styli (.75 & 2.5 mils)	Net 29.93
PK-277 Record Changer complete with E-V's top-quality ceramic turnover stereo cartridge (26MDST) with diamond (.7 mil) and sapphire (3 mil) styli	Net 34.50
PK-278 Record Changer with E-V's well-known compatible crystal turnover stereo cartridge (26MDST). Diamond stylus (.7 mil) for stereo discs and LP's; Sapphire tip (3 mil) for 78's	Net 34.50
PK-111 Wood base for above, specify mahogany or blonde. Shpg. wt., 5 lbs.	Net 3.95

NEW! LATEST - 1959 - MODEL! MONARCH

4-SPEED AUTOMATIC INTERMIX RECORD CHANGER

22.95

COMPLETE
 WITH
**STEREO TURNOVER
 CARTRIDGE**



MADE IN ENGLAND

NEWEST MODEL:

PLAYS BOTH STEREO & MONAURAL RECORDS!

**Complete With Stereo Crystal Turnover Cartridge
 With Dual Sapphire Styli**

• FOR ALL LP-STEREO AND STANDARD RECORDS!


The newest British-made Monarch, specifically made for stereo. Wired for most stereo cartridges, with low mechanical noise (rumble), and heavy-duty 4-pole induction type motor for constant speed and absence of "wows." Automatically plays all 4 standard record speeds: 16 2/3, 33 1/3, 45 and 78 rpm. Takes all record sizes—7", 10", 12", intermixed in any order! Arm automatically returns to the rest position and motor shuts off after last record. Fitted, carefully designed suspension springs keep the motorboard floating free and isolated from external vibration and eliminate acoustic feedback. Mechanical design is extremely simple to ensure long life and freedom from trouble. 10-record capacity. For 110-125 volts, 60 cps AC. Shpg. wt., 15 lbs.

PK-285 Monarch Stereo Changer, complete with crystal compatible stereo turnover cartridge.	Net 22.95
MONARCH 45 RPM SPINDLE	Net 1.88
WOOD MOUNTING BASE Cut to fit above. Blonde or Mahogany—Specify finish. Shpg. wt., 5 lbs.	Net 3.95
MOUNTING BOARD Cut to fit above. Unfinished for easy staining. Shpg. wt., 1 lb.	Net .95

22.95 COMPLETE WITH STEREO TURNOVER CARTRIDGE

Latest COMPATIBLE STEREO CARTRIDGES

GENERAL ELECTRIC VARIABLE RELUCTANCE MAGNETIC COMPATIBLE STEREO CARTRIDGES



- RESPONSE 20-17,000 cps
- HIGH OMNIDIRECTIONAL COMPLIANCE
- 3.5-7 GMS. TRACKING FORCE
- LOW TRACING DISTORTION
- 20 DB CHANNEL SEPARATION

MODEL GC-7 "GOLDEN CLASSIC"

A magnificent new addition to GE's famous line of variable reluctance magnetic high fidelity phonograph cartridges, at moderate cost; with "floating armature" design in which the stylus is the only moving part; it is inserted directly through the armature, which "floats" in damping cushions. This reduces effective stylus mass to 2 milligrams. A double mu-metal shield minimizes hum pickup. A ground strap allows use of this cartridge with either 3- or 4-wire stereo systems; the cartridge shield may be grounded individually by a separate wire. The cartridge fits all standard tone arms. SPECIFICATIONS: FREQUENCY RESPONSE: 20-17,000 cps; OUTPUT: 6 mv. per channel at stylus velocity of 3.5 cm/sec.; INDUCTANCE: 500 mh. per channel; CHANNEL SEPARATION: 20 db, 100-7,000 cps; LATERAL COMPLIANCE: 3×10^{-6} dyne/cm; VERTICAL COMPLIANCE: 2×10^{-6} cm/dyne; RECOMMENDED LOAD, EACH CHANNEL: for flat response—100,000 ohms; minimum—47,000 ohms; RECOMMENDED TRACKING FORCE: 3.5-7 gms; SHPG. WT.: 6 oz.

GE MODEL GC-7 "GOLDEN CLASSIC"—With 0.7 mil diamond stylus Net 23.47
 GE MODEL CL-7 "STEREO CLASSIC"—With 0.7 mil synthetic sapphire stylus Net 16.61

REPLACEMENT STYLUS

GE ST7D 0.7 mil diamond replacement stylus for GC-7 cartridge Net 9.75
 GE ST7S 0.7 mil synthetic sapphire replacement stylus for CL-7 cartridge Net 2.45

NEW! MODEL GC-5 "GOLDEN CLASSIC" "TOP AUDIOPHILE PERFORMANCE"

A 0.5 mil diamond-stylus version of GC-7 "Golden Classic" stereo cartridge with other performance superiorities to satisfy the advanced audiophiles and professionals. Designed specifically for use with transcription arms (such as GE TM-2G) and turntables. Not recommended for record changers because of the requirement of low tracking force. Some specs as GE GC-7 except stylus TRACKING FORCE 2 to 4 gms; VERTICAL COMPLIANCE 2.5×10^{-6} cm/dyne; LATERAL COMPLIANCE 4×10^{-6} cm/dyne; FREQUENCY RESPONSE, 20-20,000 cps. Shpg. wt., 6 oz.

MODEL GC-5 "GOLDEN CLASSIC"—With 0.5 mil diamond stylus Net 26.41
 GE ST5D 0.5 mil diamond replacement stylus for GC-5 cartridge Net 11.71

LAFAYETTE SPECIAL VALUE!

CERAMIC TURNOVER STEREO CARTRIDGE

A fortunate buy allows LAFAYETTE to make available an OUTSTANDING, FAMOUS BRAND turnover ceramic stereo cartridge at a price that allows you to get started in stereo NOW! 0.7 mil and 3 mil sapphire styli. 20 db channel isolation; response 20-20,000 cps. Minimum record wear with compliance of 2×10^{-6} cm/dyne and 6 gm. stylus force. Vertical rumble suppression allows use of this cartridge with most record changers or turntables. Output voltage is 0.3 volts; recommended load is 3-5 megohms for RIAA response. Mounts in all standard tone arms. Shpg. wt., 4 oz.

PK-231 SPECIAL NET \$3.95




AUDIOGERSH "STEREOTWIN" VARIABLE RELUCTANCE MAGNETIC STEREO CARTRIDGE

- FOR MICROGROOVE MONAURAL & STEREO RECORDS
- 0.7 MIL DIAMOND STYLUS

The Audiogersh "Stereotwin" model ST-200 variable reluctance magnetic stereo cartridge incorporates all the excellent features of its monaural companion line, the famous "Miratwin" cartridges. This new cartridge, which can be used for superior reproduction with all LP and 45 rpm microgroove records as well as with the new stereo discs, has a frequency response of 30-18,500 cps ± 2 db; output is 25 millivolts at 1000 cps with a recorded velocity of 10 cm/sec and is smooth, free from resonant peaks, with excellent transient response. Compliance is 4×10^{-6} cm/dyne; cross-channel modulation less than 20 db; recommended load is 37,000 ohms. Stylus is easily replaceable, and the cartridge fits into all standard tone arms. Recommended tracking force 4-6 gms. With single 1/2 mil diamond stylus.

AUDIOGERSH ST-200 STEREOTWIN Net 44.50



PICKERING MODEL 371.7D "FLUXVALVE" COMPATIBLE STEREO MAGNETIC CARTRIDGE



- FAMOUS "FLUXVALVE" ENGINEERING
- WIDE RANGE FREQUENCY RESPONSE
- MINIMUM INTER-CHANNEL CROSSTALK
- LOW TRACKING FORCE AND DISTORTION


This superb compatible stereo cartridge is designed in keeping with the recognized quality of the famous Pickering "Fluxvalve" monaural phono cartridges. Features the same precise engineering and flawless workmanship. Ideal for the most critical audiophile who desires the very best reproduction of his stereophonic and monaural records. Frequency response flat within 2 db throughout the stereo recording range. Requires load of 27,000 to 47,000 ohms, each channel. Output is high enough for all modern audio control amplifiers. Interchannel isolation is 20 db nominal. Cartridge weighs 9 grams. Recommended tracking force is 4 to 6 grams. Mounted by means of two 3-48 screws on 1/2" mounting centers. Supplied with one 0.7 mil diamond stylus, easily replaceable. Shpg. wt., 5 oz.

PICKERING MODEL 371.7D Net 29.85

REPLACEMENT STYLUS

PICKERING D3507 0.7 mil diamond stylus replacement Net 18.00

Electro-Voice® COMPATIBLE STEREO PHONO CARTRIDGES



NEW SERIES "20" STEREO CARTRIDGES

With the aid of these cartridges you can now be READY FOR THE MAGIC OF STEREO SOUND. Frequency Response at these fine new cartridges is 20-16,000 cps, within 2 1/2 db, with recommended load of 3 megohms. Each cartridge consists of 2 ceramic elements, and an exclusive, patent pending design to eliminate turntable rumble and permit use of any type of changer or transcription player for stereo SIZE is 13/16" deep x 1/2" high x 37/64" wide; the cartridges fit most tone arms (with 3- or 4-wire phono cables). Cartridge weight is 2.4 gms (single stylus) and 2.6 gms (turnover models). Tracking force is 6 gms; compliance is 2×10^{-6} cm/dyne laterally and vertically; output is 0.5 volts; channel isolation is 20 db; vertical rumble rejection is 15 db; distortion is below 2%. Cartridge models with "M" suffix produce velocity output curves and may be used to directly replace all magnetic type cartridges. Shpg. wt., 3 oz.

E-V 21S, 21MS Single stylus ceramic stereo cartridge with 0.7 mil sapphire stylus for monaural 45 rpm, 33 1/3 rpm and stereo records. List price 16.50 Net 9.70
 E-V 21D, 21MD Same as above, with 0.7 mil diamond stylus. List 32.50 Net 19.11
 E-V 26ST, 26MST Dual stylus turnover ceramic stereo cartridge with 0.7 mil sapphire LP/stereo stylus and 3 mil sapphire stylus for 78 rpm. List 21.50 Net 12.64
 E-V 26DST, 26MDST Same, with 0.7 mil diamond and 3 mil sapphire styli. List 37.50 Net 22.05

E-V REPLACEMENT NEEDLES FOR "20" SERIES

D1-1 0.7 mil diamond for 21D, 21MD, 26DST, 26MDST. List 16.50 Net 9.70
 S1-1 0.7 mil sapphire for 21S, 21MS, 26ST, 26MST. List 3.50 Net 2.06
 S3-3 3 mil sapphire for 26ST, 26MST, 26DST, 26MDST. List 3.50 Net 2.06

NEW POWER POINT STEREO CARTRIDGES

These new Electro-Voice ceramic stereo cartridges are compatible needle-and-ceramic-cartridge units which simply plug into the Electro-Voice mount to replace most ceramic or crystal phono cartridges. Completely compatible. RESPONSE: 20-15,000 cps; OUTPUT: 1 volt; TRACKING FORCE: 5-8 gms.; CHANNEL SEPARATION: 15 db. Fit all standard phono arms; SIZE: 1/2" diam., 3/4" long.

E-V 61 with 2-0.7 mil sapphire styli for double needle life. Use with 33-1/3 rpm (LP) and 45 rpm monaural records and with stereo records. Requires PFT-3 fixed mount (not supplied) Net 3.50
 E-V 61D5 Same as 61 but with one 0.7 mil diamond and one 0.7 mil sapphire stylus. Net 11.47
 E-V 66 With 0.7 mil and 3 mil sapphire styli. For use on all monaural and stereo records. Requires PT-3 turnover mount (not supplied). Net 3.50
 E-V 66D5 Same as 66 but with 0.7 mil diamond and 3 mil sapphire styli Net 11.47
 E-V PT-3 Turnaround stereo mount for 66 and 66D5 cartridges Net .59
 E-V PFT-3 Fixed-type stereo mount for 61 and 61D5 cartridges Net .29

LAFAYETTE DIAMOND and DIAMOND-SAPPHIRE STYLI

MADE FOR LAFAYETTE BY THE FOREMOST AMERICAN MANUFACTURERS

KEY TO POINT CODES HOW TO ORDER

The symbols in the column headed "PT SIZE" are explained in the table below.

LP—SINGLE 1 MIL MICROGROOVE FOR 33 1/3 AND 45 RPM

AG—SINGLE 2 MIL ALL GROOVE FOR ALL SPEEDS

ST—SINGLE 3 MIL STANDARD FOR 78 RPM

COMB—DUAL 1 MIL DIAMOND AND 3 MIL SAPPHIRE

Identify your needle by cartridge number and illustration and order by stock no. Note that all needles listed here are for monaural cartridges.

ALL DIAMOND STYLI ARE NOT ALIKE

Only Lafayette's Superior Diamond Styli are

- MADE FROM WHOLE DIAMONDS ● PRECISION
- GROUND AND POLISHED ● VERTICALLY AND
- EDGEWISE GRAIN ORIENTED
- SHADOWGRAPHED




Each Lafayette's diamond stylus is made from individual diamond, properly oriented and ground to close tolerance; shadowgraph tested to give you less wear per play and long service life.

FULL 1 YEAR GUARANTEE

ANY DIAMOND
OF
DIAMOND-SAPPHIRE
NEEDLE
IN THIS LISTING

3.49



DIAMOND NEEDLES

STOCK NO.	SIZE PT.	FIG.	CARTRIDGE	REPLACES JENSEN NO.	STOCK NO.	SIZE PT.	FIG.	CARTRIDGE	REPLACES JENSEN NO.	STOCK NO.	SIZE PT.	FIG.	CARTRIDGE	REPLACES JENSEN NO.
FOR ADMIRAL CARTRIDGES														
PS-10	LP	1	409A11, 409A300, 98A54-1	JPS-30LPD	PS-35	LP	54	560176, 560180	CRA-55LPD	PS-35*	LP	53	TO-200, TO-222, TO-284, TO-400 series, RA284, DT60	CRA-55LPD
PS-16	COMB	6	409B21	JPS-35SD	PS-70	COMB	51	560161	S-66SD	PS-69	LP	54	TX88, A	CRA-56LPD
PS-17	LP	7	409A30	AB1LPD										
FOR ASTATIC CARTRIDGES														
PS-20	LP	3	AC Series, 40T, 41T, 40-1, 41-1, 42-1, 90T series, 10L-3, 11L-3	A-75LPD	PS-56	COMB	43	45-9612, 76-4649, 425-0016	PM-13SD					
PS-23	LP	12	408	M-70LPD	PS-56	COMB	43	45-0009, 425-0011, 425-0014	PM-13SD					
PS-25	COMB	14	GCD, 409, 55-T, 55T, 55TM	A-71SD										
PS-23	LP	12	410	M-70LPD										
PS-17	LP	7	CAC, CQ, CQ-1, LQD, LQD-1, QT, QT-33, 44-T, 46-1, 48-1, 166T Series	A-81LPD										
PS-35	LP	54	118, 120, 124 series, 310T, 312T, 420, 422, 424TS series, 310-1, 310-TB, TS, 312-TB, TS, 414-1	CRA-55LPD										
FOR MAGNAVOX CARTRIDGES														
PS-51	COMB	37	560176, 560180, 560133, 560151, 560169-1, 560170	M-SDSD										
FOR PERPETUUM EBNER CARTRIDGES														
PS-64	COMB	47	P12/RG	RX550SD										
PS-65	COMB	48	PE-8, PE10	RX551SD										
PS-66	LP	22	P7000 (MJ, MD) (LP only)	RX552LPD										
FOR R.C.A. CARTRIDGES														
PS-23	LP	12	74067	M-70LPD										
PS-10	LP	1	55632, 76257, (988370-1), 75044	JPS-30LPD										
PS-70	LP	3	76257, (988370-2)	A-75LPD										
PS-70	COMB	51	78748, 79807, 100653	S-66SD										
PS-25	COMB	14	100329	A-71SD										
FOR RONETTE CARTRIDGES														
*The open end type (Fig. 54) replaces both Fig. 53 and 54														
FOR SHURE CARTRIDGES														
PS-16	COMB	6	WC10, WC10D, PC2 series, PC3 series, PC4 series, PC5 series	JPS-35SD										
PS-10	LP	1	P-72, P-73, P-73R, P-75, P-76, P-77, P-80, W-21, W-21AR, W-22A, WC-24, WC-25 Series	JPS-3DLPD										
FOR SONOTONE CARTRIDGES														
PS-70	COMB	51	1P-LB-10, 2TD, 2TS, 2T-SD, 2T-LB-D, 2T-LB-S, 2T-LB-SD, 9980-S, 9980-SD, 9980D, ST, ST-LB-S, ST-LB-SD	S-66SD										
PS-32	COMB	51	3T, 3TS, 3TD	S-61SD										
FOR WEBSTER ELECTRIC CARTRIDGES														
PS-17	LP	7	BX	A-81LPD										
PS-10	LP	1	F11	JPS-30LPD										

REPLACEMENT STYLI FOR GE CARTRIDGES

FOR GE VR II CARTRIDGES (FIG. 35)

Direct replacements for clip-in styli in GE VR II series models 4G-050, 4G-052, 4G-053, 4G-040, 4G-041, 4G-063, 4G-061 cartridges.

- PS-48—1 mil diamond LP clip-in stylus. Replaces GE 4G-010 Net 3.49
- PS-546—1 mil sapphire LP clip-in stylus. Replaces GE 4G-015 Net 1.15
- PS-548—3 mil sapphire 78 clip-in stylus. Replaces GE 4G-035 Net 1.15

MODERNIZATION ASSEMBLIES (FIG. 33)

Modernize your old triple-play cartridge. These assemblies replace both the old and new series "A." Once installed, you can replace one point at a time.

- DIAMOND SAPPHIRE Replaces old RPJ-013 and new RPJ-013A. PS-46—list 31.00 Net 3.75
- DUAL DIAMOND. Replaces old GE RPJ-012 and new RPJ-012A. PS-79—list 49.95 Net 7.95
- DUAL SAPPHIRE. Replaces old GE RPJ-010 and new RPJ-019A. PS-545—list 5.95 Net 2.10

STYLI FOR OLD TYPE GE CARTRIDGES (FIG. 32)

Exact replacement for all old type single needle GE cartridges.

- PS-45—Diamond 1 mil (LP) replaces GE RPJ-004 Net 3.49
- PS-541—Sapphire 1 mil (LP) replaces GE RPJ-005 Net .99
- PS-540—Sapphire 3 mil (78) replaces GE RPJ-001 Net .99

DUAL DIAMOND

For old type GE cartridges not using clip-in tips. Has diamond LP and diamond 78 points.


- PS-78 Net 7.95

FOR GE SERIES A CARTRIDGES (FIG. 34)

Individual styli replacements that clip in to all GE "A" series.

- PS-47—Diamond 1 mil (LP) replaces GE RPJ-010 Net 3.49
- PS-543—Sapphire 1 mil (LP) replaces GE RPJ-015 Net 1.15
- PS-542—Sapphire 3 mil (78) replaces GE RPJ-035 Net 1.15

LAFAYETTE SPECIAL VALUES IN T PADS, FADERS AND SPEAKER SWITCHES.



Multiple Speaker Switch (A). Constant impedance device for controlling any 6 remote speakers; up to 63 different combinations. Wall mounting with brass plate. Shpg. wt., 10 oz. MS-459 With instructions and hardware Net 2.10

Speaker Selector Switch (B). Selects 3 speakers in any combination, with up to 60 watts of audio power. A constant impedance device. On gold finished steel electric outlet plate., 2 3/4 x 4 1/4". MS-458 Shpg. wt., 1 lb. Net 1.39

Remote Speaker Switch (C). Connects remote speaker to any existing set. Turns both on or either speaker on or off. With gold embossed plate for front panel mounting. Shpg. wt., 6 oz. MS-469 With all parts and instructions. Net .95

Remote Speaker Switch (F). Same as MS-469 except for wall mounting. Shpg. wt., 6 oz. MS-470 Net 1.50

Remote Speaker Fader (E). Provides adjustable volume level for Radio, TV, Hi-Fi and remote speaker. Gradually increases volume on one speaker while diminishing volume on the other. May also be used to adjust volume for 1 speaker. Gold plate for front panel mounting. With instructions. Shpg. wt., 6 oz. VC-53 Net 1.10

Remote Speaker Fader (G). Same as VC-53 except for wall mounting. Shpg. wt., 6 oz. VC-54 Net 1.55

T Pads (D). Constant impedance control to adjust speaker volume. With brass satin plate for wall mounting. With all parts and instructions. Shpg. wt., 10 oz. VC-51 8 ohm T Pad Net 3.85

VC-52 16 ohm T Pad Net 3.85

DIAMOND STYLI FOR



AS LOW AS

3.49



SPECIAL MONEY-SAVER COMBINATION
New Lafayette PK-240 low-rumble turntable with the outstanding new Lafayette PK-270 12" stereo transcription tone arm and the new GE professional Model GC-5 stereo/monaural magnetic cartridge with 0.5 mil diamond stylus.
SPECIAL Net 58.50

LAFAYETTE 4-SPEED PROFESSIONAL TRANSCRIPTION PLAYER WITH 3 LB. 12" ALUMINUM TURNTABLE


- IDEALLY SUITED FOR STEREO! ● BETTER THAN -50 DB RUMBLE & NOISE ● VIBRATIONLESS MOTOR SUSPENSION ● BELOW 0.2% WOW & FLUTTER ● MAGNETIC EDDY-CURRENT BRAKE
- 3 LB. 12" BALANCED & MACHINED ALUMINUM TURNTABLE ● SPEED CONTROL FOR $\pm 7\%$ VARIATION OF EACH SPEED

An amazing low price for the superior quality embodied in this fine instrument. Features include heavy, rim-weighted, 3 lb. machined-aluminum 12" turntable, magnetic brake with speed control for $\pm 7\%$ variation of each speed; the extremely low noise and rumble figure of -50 db below average recorded level; wow and flutter (speed variations) of less than 0.2%; new-type oversize precision-ground idler with special lubrication features; positive-locking detents on 4-speed single-knob speed selector; ["off" positions between all speed positions; free-floating shock-mounted motor; automatic idler disengagement in "off" positions; precision spindle turns on single ball bearing; heavy duty 4-pole induction motor. Heavy rubber turntable mat. For 105-120 volts, 60 spc AC₂ draws 0.13 amperes. Size of motor plate 11" x 14 1/2"; requires 4" below motor board, 1 1/2" above. Complete with stroboscope disc, 45 rpm adapter, AC line cord. Shpg. wt., 14 lbs.

PK-240 12" TRANSCRIPTION TURNTABLE Net 37.50

LAFAYETTE SUPER-VALUE COMBINATIONS

- New Lafayette low-rumble Model PK-240 turntable with Pickering "Stanton" Model 196.7D stereo/monaural transcription arm with Stereo-Fluxvalve magnetic cartridge and 0.7 mil diamond stylus..... SPECIAL Net 84.50
- PK-240 Turntable with new Lafayette PK-905 wired-for-stereo viscous-damped 12" tone arm and new GE professional stereo/monaural Model GC-5 variable reluctance cartridge with 0.5 mil diamond stylus. SPECIAL Net 65.50
- PK-240 Turntable with the new Lafayette PK-280 16" professional stereo tone arm with the revolutionary new vertical-lateral knife-edge principle plus the Pickering 371.7D stereo/monaural Fluxvalve magnetic cartridge with 0.7 mil diamond stylus SPECIAL Net 72.50



THE REVOLUTIONARY NEW LAFAYETTE VERTICAL-LATERAL KNIFE-EDGE 12" & 16" STEREO TONE ARMS!

- 4 HARDENED-STEEL KNIFE-EDGE PIVOTS & BEARINGS FOR COMPLETE, PRACTICALLY FRICTIONLESS, FREEDOM OF MOTION
- LIGHTWEIGHT, DIE-CAST ALUMINUM TONE ARM
- SELF-CONTAINED BUBBLE LEVEL FOR PERFECT, GUESS-FREE LEVELLING
- LIGHT, MOLDED PLASTIC PLUG-IN SHELLS FOR MOST POPULAR STEREO CARTRIDGES
- PRECISELY-ADJUSTABLE COUNTERBALANCE WEIGHT
- NON-RESONANT WITHIN THE AUDIBLE FREQUENCY RANGE
- PERFECT TRACKING WITH THE LIGHTEST STYLUS FORCE
- EXTREMELY EFFECTIVE FOR PERFECT REPRODUCTION WITH "45-45" STEREO DISCS

RUGGED CONSTRUCTION — FOOLPROOF — TROUBLE FREE

A remarkable advance in tone arm design is presented in these new Lafayette tone arms. An unusual new principle, utilizing 2 vertical and 2 lateral hardened-steel knife-edge pivots supported by hardened steel bearings, provides extremely low horizontal and vertical friction. This unusual type of bearing provides minimum waveform distortion and no undesirable motion or loose-jointed action as viewed from the stylus end. Groove tracing is smooth, with excellent tracking even with very light pickup weight, due to the absence of frictional losses. Friction in horizontal and vertical directions is low, but mechanical impedance is high at 45°, providing maximum effectiveness with 45-45 stereo cartridges. The unique knife edge bearing construction makes it possible to draw out the 2 shielded leads from the center of the support column, eliminating "stiffness friction" due to the leads. A highly-precise bubble level is provided at the top of the support column; the bubble plus 3 adjustments on the base make for perfect levelling. Height of the arm is adjustable from 1 7/8" to 2 3/8" above motorboard. Overall length of PK-270 12" arm is 12 3/4"; linear distance from support column to stylus tip is 10"; the PK-280 16" arm is 14 1/2" overall; effective length is 11 1/2".

PK-270 Lafayette 12" Tone Arm. Shpg. wt., 1 1/2 lbs. Net 17.50
PK-280 Lafayette 16" Tone Arm. Shpg. wt., 2 lbs. Net 19.50


ONLY Lafayette CAN BRING YOU A VISCIOUS-DAMPED STEREO TRANSCRIPTION TONE ARM AT THIS PRICE! — THE PROFESSIONAL 12" PK-905

- JEWEL BEARING SUPPORT ● INSTANT PLUG-IN CARTRIDGE CHANGE
- AUTOMATIC FLUID CONTROL ● PERFECT RECORD TRACKING
- ACCOMMODATES MOST STEREO & MONAURAL HIGH FIDELITY CARTRIDGES

NEW! Lafayette VISCIOUS-DAMPED STEREO TONE ARM

This Stereo/Monaural transcription arm assures dependable and stable operation, utilizing the floating-action principle of viscous-damping. The arm is supported at a single point by a pivot and jewel bearing having negligible friction. Damping is accomplished by a silicone fluid occupying the gap between a ball and socket. This damping control permits high compliance and negligible tracking error and prevents damage to either record or stylus should the tone arm be accidentally dropped. Low frequency resonance, skidding and groove-jumping are likewise minimized. The tone arm accepts all records up to 12" and accommodates virtually all Stereo or Monaural hi-fi cartridges by means of precisely engineered adapters which simplify installation and provide proper stylus pressure. The arm has a decorative glassy-black finish. Overall length is 12"; height adjustable from 3/4" to 2 1/4" above motorboard; round mounting base is 2 3/8" in diameter. Shpg. wt., 2 1/2 lbs.

PK-905—12" VISCIOUS-DAMPED STEREO TONE ARM Net 12.50



LAFAYETTE PROFESSIONAL TURNTABLE WITH AUTHENTIC HYSTERESIS SYNCHRONOUS MOTOR PERFECT FOR NEW STEREO & MONAURAL RECORDS PROFESSIONAL 4-SPEED TURNTABLE WITH HYSTERESIS-SYNCHRONOUS MOTOR

The LAFAYETTE TRUE HYSTERESIS-SYNCHRONOUS MOTOR. Since many so-called "hysteresis" motors have appeared and will continue to appear on the market, it is important that you know the difference between the real thing, as provided by Lafayette, and the imitators with partial hysteresis motors.

THE LAFAYETTE TRUE HYSTERESIS SYNCHRONOUS MOTOR IS PERFECT FOR THE NEW STEREO AND MONAURAL RECORDS. THE FACT THAT THE NEW STEREO RECORDS CONTAIN VERTICAL MODULATION IMPOSES STRINGENT REQUIREMENTS ON TURNTABLES. THEY HAVE TO BE FREE FROM RUMBLE, FLUTTER, WOW AND SPEED VARIATION. THE LAFAYETTE TRUE HYSTERESIS SYNCHRONOUS MOTOR MEETS ALL THESE REQUIREMENTS WITH EFFORTLESS EASE, RESULTING IN SUPERIOR REPRODUCTION OF STEREO DISCS, AS WELL AS TREMENDOUS REDUCTION IN RECORD WEAR.

ONLY LAFAYETTE'S HYSTERESIS-SYNCHRONOUS MOTOR, in its price class, is made to extremely fine tolerances (on the order of .00001 inches) Only Lafayette's motor has 16 cores, a high permeability rotor magnet, ball thrust bearings, oilite sleeve bearings plus felt oil reservoir, cooling fins as an integral part of the rotor and a hollow rotor core for maximum efficiency and minimum heat. Only Lafayette's motor can be oiled from above, without disassembly, through a unique oil feed system. Only Lafayette's motor has a self-aligning armature.

ONLY LAFAYETTE CAN GIVE YOU A REALLY PROFESSIONAL TURNTABLE WITH TRUE HYSTERESIS-SYNCHRONOUS MOTOR AT SUCH AMAZINGLY LOW PRICES!

Here's THE turntable—the last word in professional high-fidelity performance! A fine precision instrument in every sense. Just look at some of these **OUTSTANDING FEATURES**:—**WOW AND FLUTTER**: Less than 0.2% • **TURNTABLE**: Heavy, discost aluminum. Lathe-turned for perfect balance and concentricity, 12" diameter—weighs approx. 4 lbs. and provides amazingly constant speed; the extra-heavy rim acts just like a flywheel to prevent speed variations • **TRUE HYSTERESIS-SYNCHRONOUS MOTOR**: For smooth, low-noise, wow- and flutter-free operation • **RUMBLE AND NOISE**: 50 db below average recorded level • **INTEGRATED SPEED CONTROL**: For all 4 speeds—78, 45, 33 $\frac{1}{3}$ and 16 $\frac{2}{3}$ rpm • **2 OVERSIZE, HEAVY DUTY IDLERS**: Precision-ground; provide positive constant-speed rim drive • **SINGLE BALL THRUST BEARING**: Turntable rides smoothly over ball bearing floating on thin film of oil • **FREE-FLOATING, SHOCK-MOUNTED MOTOR** • **RUBBER CUSHION SHOCKMOUNTS** • **AUTOMATIC IDLER DISENGAGEMENT** • **RUBBER MAT** • **STAINLESS STEEL PRECISION SPINDLE** • **POWER REQUIREMENTS**: For 105-130 volts, 60 cps AC, draws 16 V.A. • **ACCESSORIES SUPPLIED**: 45 RPM adaptor, Strobe disc • **SIZE**: 2 $\frac{1}{8}$ " above and 4" below motor board; 1 $\frac{3}{4}$ " deep x 12 $\frac{1}{4}$ " wide • **SHIPPING WEIGHT**: 16 lbs.

LAFAYETTE MODEL PK-245 Net 64.50

VALUE ~~129.50~~ ONLY **64.50**
SAVE OVER 50%
ONLY \$6.45 DOWN \$6.00 Monthly



92.50

less base

SPECIAL MONEY-SAVER COMBINATION!

• PK-245 Turntable, with new PK-270 professional 12" Stereo tone arm and new GE Model GC-5 compatible stereo transcription magnetic cartridge with 0.5 mil diamond stylus. SPECIALI Net 92.50

LAFAYETTE MONEY-SAVER COMBINATIONS

- PK-245 true hysteresis-synchronous turntable with new Lafayette PK-280 16" professional stereo tone arm plus GE transcription-type compatible stereo magnetic cartridge, Model GC-5, with 0.5 mil diamond stylus. SPECIALI Net 94.50
- Same as above, but with Pickering 371D compatible stereo magnetic cartridge with 0.7 mil diamond stylus. SPECIALI Net 97.50
- PK-245 Turntable with new Pickering "Stanton" Model 196-7D Unipolse Arm with integrated compatible stereo Fluxvolve Cartridge with diamond stylus. SPECIALI Net 104.50
- PK-245 Turntable, with new PK-90S stereo 12" Viscous-Damped Tone Arm and new GE Model GC-5 compatible professional stereo magnetic cartridge with 0.5 mil diamond stylus. SPECIALI Net 88.50
- Same as above, with Pickering 371D compatible stereo magnetic cartridge with 0.7 mil diamond stylus. SPECIALI Net 91.50
- PK-245 with new PK-270 professional 12" tone arm and Pickering 371D compatible stereo magnetic cartridge with diamond stylus. SPECIALI Net 96.50

LAFAYETTE 4-SPEED DELUXE TRANSCRIPTION TURNTABLE

- MAGNETIC EDDY-CURRENT BRAKE • FINE CONTROL OF SPEEDS $\pm 7\%$ • 2 $\frac{1}{2}$ LB. RIM-WEIGHTED TURNTABLE • HEAVY-DUTY CUSTOM 4-POLE MOTOR • IDEAL FOR STEREO: RUMBLE & NOISE BETTER THAN -40 DB • WOW & FLUTTER LESS THAN 0.25%

The ideal unit for medium cost true-fidelity systems. Has all the important features of the best professional turntables — at Lafayette's usual low, low price. CHECK THESE FEATURES: — Heavy 2 $\frac{1}{2}$ lb. 10" turntable, with extra-heavy rim for smooth, flywheel action, lathe-turned for perfect balance and rides on thrust bearing • Single-knob speed control, with stops between speed settings • Rim-drive; idler driven directly by motor shaft capstan • Large heavy-duty 4-pole custom induction motor • Rumble and noise are less than 40 db below average recorded level—making this unit excellent for stereo. Wow and flutter are less than 0.25% • Magnetic brake for $\pm 7\%$ variation of each speed; allows exact speed adjustment as well as variation of musical pitch by a half-tone or more, as may be desired • All 4 speeds: 78, 45, 33 $\frac{1}{3}$, and 16 $\frac{2}{3}$ RPM • Rubber turntable mat • Idler automatically disengages in "off" positions • Aluminum stroboscope disc, supplied, for exact-speed adjustment • Size: 11 $\frac{1}{4}$ " w x 10 $\frac{1}{2}$ " d; 1 $\frac{1}{2}$ " above motorboard and 3 $\frac{1}{4}$ " below • Power: 105-130 Volts, 60 cps AC • Power Consumption 12.7 VA • Supplied with 45 rpm adaptor. • Shpg. wt., 10 lbs.

LAFAYETTE PK-180 — 4-Speed Turntable Net 28.50
MODEL PK-192 — Unfinished mounting board, cut for PK-180 turntable and 12" tone arm. Strong, durable $\frac{3}{4}$ " gumwood, ready to stain or paint Net .95
MODEL PK-191 — Wood base, cut for the Model PK-180 Turntable and 12" tone arm. Top quality veneer attractively finished in mahogany or blonde (Specify). Shpg. wt., 5 lbs. Net 3.95

LAFAYETTE SPECIAL-VALUE COMBINATION

• Model PK-180 stereo transcription turntable, with Model PK90S 12" viscous-damped stereo tone arm and GE Model GC-5 compatible stereo professional magnetic cartridge with 0.5 mil diamond stylus. SPECIALI Net 54.95



LAFAYETTE COMPLETE STEREO TRANSCRIPTION PLAYER

- 5-CONTACT PLUG IN HEAD FOR ALL STEREO CARTRIDGES
- 4-SPEED, HEAVY DUTY 4-POLE TRANSCRIPTION TYPE INDUCTION MOTOR • MAGNETIC BRAKE FOR $\pm 7\%$ SPEED ADJUSTMENT • STYLUS WEIGHT ADJUSTMENT SCREW ON TONE ARM • RUMBLE AND NOISE -40 DB • LESS THAN 0.3% WOW

Here is a complete hi-fi, compatible stereo pickup system, designed against obsolescence and yet priced modestly. This top quality manual player features a 5-contact plug in head to accommodate the latest stereo as well as monaural cartridges.

Equally important in contributing to the excellent performance of this system is the new 4-speed turntable assembly. It is equipped with a quiet, heavy duty 4-pole motor, with an exclusive magnetic brake for instantaneous fine adjustment of each speed. Stroboscope disc also included. Smooth operation is assured further by the 10" heavy turntable, fitted with rubber mat. Provision for easy adjustment of stylus pressure is available. Dimensions of mounting plate 12-15/16" left to right, and 10 $\frac{1}{4}$ " front to rear. Requires 2 $\frac{1}{4}$ " below and 3" above motor board. For 105-120V, 60 cps. Accessories included are: 45 rpm adaptor, output cable to amplifier and plug in heads. Shpg. wt., 14 lbs.


PK-160S—Complete stereo transcription player, less cartridge Net 26.95
PK-274—Same as above, but with new GE Model GC-7 compatible stereo cartridge with diamond stylus. 39.95
PK-162—Wood base for above, custom finished in either mahogany or blonde (Please Specify). Shpg. wt., 5 lbs. Net 3.95
PK-163—Unfinished mounting board for above. Strong durable $\frac{3}{4}$ " gumwood. (Shpg. wt., 1 lb.) Net .95

LAFAYETTE'S EXCLUSIVE HI-FI EQUIPMENT SAVES YOU MORE AND SERVES YOU BETTER



HI-FI INSTALLATION • AUDIO AND PHONO ACCESSORIES

A LAFAYETTE SPECIAL! STEREO ARM WITH RONETTE STEREO TURNOVER CARTRIDGE



**ONLY
8.95**

- DUAL SAPPHIRE CARTRIDGE
- PLAYS STEREO, MONAURAL LP, 78's

Here is a combination of a famous make crystal stereo cartridge and stereo wired arm all ready for use — at an amazingly low price for a new stereo item. Completely compatible, this unit will play either stereo or monaural

records (78's, too). Output is .4 volt per channel, response 30-14,000 cps. Min. Stylus pressure 6-8 gram. Stylus are dual sapphire type, .7 mil and 2.5 mil, individually replaceable

Net 8.95

PK-290 Stereo Tone arm with Turnover Stereo Cartridge

NEW! REK-O-KUT STEREO TONE ARMS



Brand new stereo version of the famous Rek-O-Kut monaural arm, retaining its basic design and superior features: heavy shell to reduce arm resonance; large, heavy counterweight easily adjusted for precise tracking force adjustment; 4-conductor lead, to accept any type of 3- or 4-contact cartridge. Interchangeable aluminum cartridge shell, tubular aluminum construction, adjustable height. Shpg. wt., 1 1/4 lbs.

Rek-O-Kut 5-120 12" Stereo Arm Net 27.95
Rek-O-Kut 5-160 16" Stereo Arm Net 30.95
Rek-O-Kut P5-20 Extra Stereo Shell Net 5.95

STEREO CONVERSION KITS

Convert Rek-O-Kut monaural arms to Stereo.
SC-12 for 12" Rek-O-Kut arm Net 17.95
SC-16 for 16" Rek-O-Kut arm Net 19.95


NEW! AUDAX STEREO TONE ARM KITS



Now a stereo tone arm in kit form! This professional stereo tone arm can be assembled in just 15 minutes, using only a screwdriver. Any standard stereo or monaural cartridge can be used with this arm. Only two moving parts are used — no loose parts, no springs. The result is an arm with remarkably free motion and long life. Calibrated scale permits precise adjustment of counterweight to any desired tracking force. Aluminum channel construction prevents undesirable arm resonances. The cartridge shell is attached to arm by means of a knurled screw; cartridges can be changed with ease. Shpg. wt., 2 1/2 lbs.

Audax KT-12 12" Stereo Tone Arm Kit Net 15.50
Audax KT-16 16" Stereo Tone Arm Kit Net 18.50
Audax KT-3 Stereo Shell to convert monaural Audax arms to stereo Net 4.95

NEW! EXCLUSIVE LAFAYETTE STYLOCHRON



- PROTECT YOUR PRECIOUS RECORDINGS.
- NO MORE GUESS WORK — KEEPS AN ACCURATE RECORD OF NEEDLE USE.

More precious recordings are ruined by tardy replacement of the needle than by any other cause. Now, there is no need to let this happen, especially to your doubly precious stereo recordings. Lafayette Stylochron lets you know just how long your needle has been in use so that you can replace the worn needle at the proper time, before it can do damage to your records. The Stylochron is quickly and easily mounted on your motor board or other convenient place. The moment your record changer or turntable starts, the Stylochron begins to register. It stops when the turntable stops. The 1000 hour dial will tell you at any time how long you have been using the needle. Dial is marked off in 50 hour units. You can remove your stylus for inspection at any predetermined number of hours. Diameter of the face plate is 2 1/4". Extends 1 1/4" below or behind panel. Complete with instructions. Shpg. wt., 2 lbs.

PK-224

Net 4.95

LAFAYETTE HIGH FIDELITY STEREO-MONAURAL TEST RECORD

- TESTS RUMBLE EACH CHANNEL ● TESTS LEVEL EACH CHANNEL ● TESTS BALANCE ● TESTS EQUALIZATION ● STYLUS WEAR TEST ● TESTS RESONANCE ● HELPS TUNE BASS REFLEX BAFFLES

A Lafayette exclusive to help you check both stereo and monaural systems. For stereo testing this two-sided 12" L.P. stereo record has on its stereo side two 1000 cycle bands to check the level of each channel separately; separate RIAA equalization check for each stereo channel in 8 steps from 30 to 10,000 cycles; balance check to set the level of each channel using special metronome recording; rumble test for each channel. There are stylus wear test grooves on both outer and inner edges of each side to check both stereo and monaural styli. For monaural testing it provides an RIAA equalization test in 9

steps from 30 to 15,000 cycles, a continuous glide band from 30 to 15,000 cycles, to test for resonances of tone arm or of cabinet and a 300 cycle to 20 cycle step band to tune baffles. The periodic use of this record to check on your equipment performance will easily pay off by catching any costly deficiencies or by diagnosing faults and errors. A terrific value and a "must" for the Hi-Fi enthusiast. Comes with complete instructions for use. Shpg. wt., 1 lb.

PR-14

Net 2.95

GRADO STEREO ARMS



A new concept in tone arm design — the Grado Arm is constructed of the finest gunstock walnut wood, with metal fittings of finely machined anodized aluminum. Its one piece construction eliminates erratic arm resonances. Micrometer adjustment permits varying overhang for minimum tracking distortion — tracking error $\pm 0.8^\circ$. Stylus force adjustment using only one knob.

GRADO 12" Tone Arm, Shpg. wt., 25 oz. Net 29.95
GRADO 16" Tone Arm, Shpg. wt., 28 oz. Net 32.50

NEW! GE COMPATIBLE STEREO 12" TRANSCRIPTION TONE ARM



This fine new GE tone arm has been specially designed for the GE Stereo and Monaural cartridges. By accommodating only these cartridges, this arm provides outstanding performance without compromise. Prime features for stereo operation include static balance for constant lateral equilibrium, 2-step tracking force adjustment for highly precise setting to 6 grams, lightweight aluminum construction for minimum inertia, microball bearings for reduced friction. Trim styling with brushed aluminum and chrome finish. Length pivot post to stylus — 9", rear overhang — 3/4". Height — 1/2" to 2/4" above motor-board. Maximum tracking error, 2 degrees.

GE TM-2G "STEREO CLASSIC" TONE ARM, less cartridge Net 29.35

MINIATURE HI-FI AUDIO MIXER



With this handy, small mixer you can announce titles before playing records, mix two high impedance microphone inputs or perform any other mixing operation where 2 high impedance input channels are converted to a single mixed high impedance input channel. Each input channel has its own easy acting level control for quiet mixing; all mounted in shielded, chrome plated housing. Has 2 RCA type female input jacks and one male RCA plug on output side. Overall size 2 1/4" x 1 1/4" x 1/4". Shpg. wt., 1/2 lb.

PK-239 AUDIO MIXER Net 1.75

ADAPTERS FOR AUDIO MIXER

Fig. A — used for conversion to standard phone plug output. Attaches to mixer output RCA male plug. MS-444 10 for 3.25 ea. Net 39c
Fig. B — used for conversion to female mike connector output. Attaches to mixer output RCA male plug. SWITCHCRAFT 334 Net 87c

99c

LAFAYETTE SPECIAL VALUE STYLUS PRESSURE GAUGE




With the advent of stereo records, correct stylus pressure becomes all important in obtaining the best reproduction and least stylus and record wear. Lafayette's stylus pressure gauge is an accurate device that allows you to read gm. No spring and minimum moving parts. Shpg. wt., 1 lb.

PK-223

Net 99c

NEW! LAFAYETTE TAPE RECORDER


Outstanding Quality Value



RK-100
TAPE RECORDER

129.50

RK-101 2nd CHANNEL
AMPLIFIER
& SPEAKER SYSTEM



RK-102 LAFAYETTE
COMPLETE COMPATIBLE
4-TRACK STEREO
PLAYBACK SYSTEM WITH
MONAURAL RECORD/PLAY



Reg. List **305.00**

RK-100
TAPE RECORDER

ONLY **159.50**
ONLY 15.95 DOWN -
12.00 MONTHLY



- FULL 90-DAY WARRANTY
Warranted to be free from defects in parts and workmanship for 90 days. LOCAL SERVICE STATIONS ARE AVAILABLE FOR PROMPT WARRANTY SERVICE IN MOST AREAS OF THE U.S.A.
- NEW FINE-GAP HEADS FOR BETTER RESPONSE AT 3 3/4 IPS THAN FORMERLY AT 7 1/2 IPS!
- QUADRUPLD PLAYING TIME!
- ULTRA-SIMPLE SINGLE ROTARY CONTROL

Here is a sensational new recorder embodying all the newest developments in tape recording! Has new heads with 0.12 mil gap for response of 50-12,000 cps at 3 3/4 inches per second tape speed—equal to or better than formerly available from most recorders at 7 1/2 ips! Response at 7 1/2 ips goes to beyond audibility!

The New heads provide 4-track stereo with double the playing time of 2-track stereo; with the improved frequency response 4-track stereo provides quadruple the playing time at 3 3/4 ips over that of 7 1/2 dual track.

The new Lafayette recorder is compatible: it will play 2-track stereo tapes, 4-track stereo open tape reels, or monaural tapes; it will also record standard half-track monaural. It has one complete 5-watt amplifier channel with 6" woofer, 4" tweeter and L/C crossover network built-in; it also has a built-in preamplifier for the second (stereo) channel. A separate matching portable amplifier-speaker combination is provided to be used with the tape recorder's built-in preamp for the second channel; it includes a self-powered 5-watt amplifier with volume and

- 4 TRACK STEREO
- 5 WATT AMPLIFIER
- COMPLETE 2-UNIT STEREO TAPE PLAYBACK SYSTEM WITH TWO 5-WATT AMPLIFIERS, 6" WOOFERS, 4" TWEETERS, L/C CROSSOVER NETWORKS
- MATCHING PORTABLE CARRYING CASE FOR 2nd STEREO CHANNEL
- 3 3/4 & 7 1/2 IPS
- SPEEDS UP TO 7" REELS
- INPUTS FOR MIKE, TUNER & MAGNETIC, CRYSTAL OR CERAMIC PHONO
- STYLED FOR THE MODERN HOMEMAKER!

tone controls, 6" woofer, 4" tweeter, and L/C crossover network. The amplifier has 2 inputs for connecting tuner, ceramic phono, tape preamp, etc.


The recorder's deluxe mechanism has a single-knob rotary control for greatest possible simplicity of operation and a heavy-duty 4-pole balanced motor. Flutter and wow are below 0.4%; has a sensitive "magic eye" recording level indicator. Styling is 2-tone, modern, in ivory and gray. Comes complete with 5" reel of tape, empty 7" takeup reel, crystal mike and instructions. Size of recorder is 14" w x 17" d x 11" h.; size of amplifier-speaker unit is 9 1/2" h x 12 1/2" w x 12 1/2" d. For 105-120 volts, 60 cps AC. Shipping wt. of complete system is 50 lbs.

LAFAYETTE RK-102 Complete 2-Unit Lafayette Monaural R/P, Stereo Play System. SAVE 7.50! Net **159.50**

LAFAYETTE RK-100 Monaural R/P, Stereo Play Tape Recorder Only (less amplifier-speaker unit for second channel). Shipping wt., 30 lbs. Net **129.50**

LAFAYETTE RK-101 Amplifier-Speaker Combination Only Net **37.50**

NEW! Lafayette BULK TAPE ERASER



ML-120

LAFAYETTE PROFESSIONAL BULK TAPE ERASER AND DEMAGNETIZER

- COMPLETELY ERASES TAPE
- REDUCES NOISE LEVEL
- FOR 3", 5", 7", OR 10 1/2" REELS
- TWO ERASING COILS
- 6 1/2 AMPERES DRAIN

Regularly **49.95** Special **21.50**

A carefully designed and precisely manufactured professional tape "degausser" for complete erasing of tapes. Just place the tape reel on spindle of demagnetizer, slowly rotate 2 or 3 turns, take off, and that's all—completely clean tape. The demagnetizer removes every signal on the entire tape—even extra strong sounds too loud to be removed by the recorder's own erase head. Completely clears tape of any prior recordings. In addition, by leaving tape completely unmagnetized, it serves to reduce tape hiss to the level of new "virgin" tape. In fact, tape hiss is so low that subsequently passing it over the erase head of a recorder actually INCREASES noise by 4-6 db. To take advantage of this noise reduction, some users

prefer to permanently disconnect the recorder's erase head, and use only bulk eraser. Two completely separate coils are used for doubly-effective erasure, even of large, 10 1/2" reels. An extra powerful unit for heavy-duty use—draws over 6 1/2 amperes. The Lafayette Tape Demagnetizer offers all of these features, and at this special price. Can be used to demagnetize tape, magnetically striped film, plus tools and watches. This professional unit has a heavy, custom finished case, a rugged non-magnetic top, heavy duty on-off switch and power cord. Has built-in fuse. Pilot light prevents accidentally leaving it turned on. Size 6 1/2" x 7 1/2" x 3 1/2". Shpg. wt., 14 lbs.

ML-120—Regularly 49.95 Net **21.50**

LAFAYETTE TAPE HEAD DEMAGNETIZER

3.95 ● REMOVABLE POLEPIECES **3.95**
● EXTRA CONVENIENT



PK-238



Unlike other demagnetizers, the Lafayette Tape Head Demagnetizer uses removable polepieces. Three complete sets are furnished: straight, 45°, and 90° (right angle), permitting quick and easy use with any tape head. Tape heads need no longer be removed from the recorder so they can be reached by the clumsy polepieces of older head demagnetizers; the Lafayette Demagnetizer's polepieces reach every head.

Near from being a luxury, a tape head demagnetizer is necessary for best tape recorder performance. Among all the possible sources of noise in tape recorders, there is only one which is common to all recorders and is a perfectly natural, common occurrence—tape hiss due to magnetized heads. Although unmagnetized when new, tape heads gradually become magnetized by sharp switching pulses occurring while switching the recorder from play

to record or vice versa. Some audio sources (especially more power peaks in one direction than in the other. This unevenness is also sufficient to cause magnetization of tape head.

The solution is to use a demagnetizer to remove this permanent magnetism from the head, thus reducing the noise level. Periodic head demagnetization is required for all tape recorders to insure optimum signal-to-noise ratio. For this reason, some professional tape recorders are demagnetized as often as several times weekly. Now Lafayette enables anyone with even the most modest budget to perform this necessary demagnetization, with a minimum of effort. For 110 volts 60 cycles. Shpg. wt., 1 lb.

PK-238—Tape Head Demagnetizer **3.95**

EASY TERMS AVAILABLE TO FIT YOUR BUDGET



& MONAURAL TAPE COMPONENTS

NEW! SERIES "85" TAPE DECKS

The latest hi-fi home type tape deck in the Viking line, famous for its simplicity in design and operation, dependability in performance, and extreme flexibility to satisfy any recording need. Features space for 5 heads with pressure pads at 3 head positions. Two motors provide fast forward, normal forward and rewind. Front panel selection of 2 speeds, 3 1/4 and 7 1/2 ips. Also convenient control for stop and cue (edit). Has footage counter. Flutter-filter belt drive achieves low wow and flutter, 0.2% or less rms. Frequency Response ± 3 db, 40 to 14,000 cps. Use with RP62 amplifiers for recording or PB 60 preamps for playback. Size 9 1/2 x 13 x 5" deep. For 110V, 60 cps. Shpg. wt., 14 lbs.

- Model 85R—Records, erases and plays back 1/2 track monaural only 108.50
- Model 85RQ—Same as 85R plus 1/2 track stereo playback facilities 143.00
- Model 85ES—Records, erases and plays back 1/2 track stereo 143.00
- Model 85ESQ—Same as 85ES plus 1/2 track stereo playback facilities 167.00
- Model 85SR—Same as 85ES but erase is 1/2 track monaural only 143.00
- Model 85Q—Playback only for 1/2 track stereo 134.00

Model RP61—Record/Playback Amplifier. Designed and adjusted for use with Series 80 and 70 tape decks. NARTB equalized, with compensation control. "Magic eye" level indicator. Inputs for mike and hi-level source. Signal-to-noise ratio, 60 db. Bias and erase frequency, 70 kc. Response: ± 2 db, 30-14,000 cps (playback), ± 2 db, 30-12,000 cps (record). Output, 1 volt across 600 ohms. Includes provisions for synchronizing bias oscillation in 2 RP61 units for stereo recording. Size 12 1/2" x 2" x 6". For 110-120V, 60 cps. Shpg. wt., 9 lbs.

Model RP62—Record/playback Amplifier. Same as RP61 but with anodized aluminum front panel to match "85" series Net 77.50

Model PB60 Playback Preamp. NARTB equalized with control for wide range compensation. Use with either half-track or quarter-track heads. Response, 30-14,000 cps. 5/N, 60 db. For 115 v, 50/60 cps. Size 6 1/2 x 3 x 2". Shpg. wt., 2 lbs. Net 29.50

Model RP61VU Record/Playback Amplifier. Same features as RP61 but with VU meter instead of electron ray record level indicator. Available with standard 19" relay rack mounting panel only. Shpg. wt., 11 lbs. Net 119.00



SERIES "75" TAPE DECKS

Versatile, well constructed tape decks for hi-fi use. Each accommodates 3 heads. Response, ± 3 db 40 to 14,000 cps at 7 1/2 ips. Front Panel speed change 3 1/4 and 7 1/2 ips. Wow and flutter, 0.2% rms. Use with Viking RP61 or PB60 amplifiers. Size 12 1/2 x 8 1/2 x 5". For 115v, 60 cps. Shpg. wt., 12 lbs.

Model FF75SR—Deck with in-line stereo play, monaural erase and record/playback heads. Tapelifter and pressure pads. Net 113.00

Model FF75ES—Deck with Stereo in-line record/playback and 2 half-track erase heads. Tapelifter and pressure pads. Net 113.00

Model FF75SU—Deck with 2 heads for playback only of in-line, staggered and monaural tapes. Tapelifter and pressure pads. Net 106.00

Model FF75—Deck with one half-track head only for playback of monaural tapes. Net 66.00

Model FF75-LP—Same as above but with tapelifter and pressure pad. Net 71.50

Model FF75R-LP—Deck with 2 heads, half track record/playback and erase. Tapelifter and pressure pads. Net 78.50

Model FF75 Rm LP—Deck with one half-track erase, two record/playback heads. Tapelifter and pressure pads. Net 87.00

Model FF75 PRO Recorder—Consists of FF75R-LP tape deck and RP61 record/playback amplifier in D396 portable case. A complete monaural tape recorder. Net 179.50

Model Stereo PRO—Consists of FF75ES or FF75 SR tape deck in portable case with two RP61 record/playback amplifiers. A complete unit for stereo recording and playback. Net 299.00

VIKING ACCESSORIES

Model 400 cassette. Attractive metal furniture type base for any deck. Specify black or neutral tan. Shpg. wt., 6 1/2 lbs. Net 14.00

Model 401 Amplifier Enclosure. Matches 400 Console. Accepts one RP 61. Specify black or neutral tan. Shpg. wt., 4 1/2 lbs. Net 7.50

Model 401A Amplifier Enclosure. Same as 401 except accepts two PB 60 preamplifiers. Net 8.00

Model D396 Portable Case. For any "75" deck, one or two PB 60's or one RP61. Net 24.50

Model D397 Same as D396 except for 2 RP61's, or one RP61 and 2 PB60's. Net 34.00

Rack Mounting Kit for all "75" Decks. 12 1/2" x 19" relay rack mounting panel, to match RP61VU. Net 11.00




SERIES "85"



SERIES "75"



PB60 PREAMPLIFIER



RP61 AMPLIFIERS

BELL TAPE TRANSPORT MECHANISMS

Professional quality mechanisms—competitively priced. Exclusive combination of features, found only in these mechanisms, includes: 3 heavy-duty, 4-pole, 4-call motors • No belts, clutches, pulleys or mechanical brakes • Instant, yet gentle, positive electrodynamic braking without tape strain or breakage; stops from Rewind or Fast Forward in less than 3 seconds • Staps from Play or Record in less than 1 second • Flutter less than 0.25% at 7 1/2 ips. 7 1/2 and 3 1/4 inches per second (ips) tape speeds, controlled to within $\pm 1\%$ • Fast Forward and Fast Rewind, average speed 30 feet/second • Piano keyboard controls for: 7 1/2 ips; 3 1/4 ips; Play; Rewind; Fast Forward; Stop • On-Off Switch • Stereo Selection Switch for in-line (stacked) or offset (staggered) for those models having stereo head arrangements • Tape lifter removes tape from heads during stop and high speeds • Uses standard 1/2" type A recording tape • Takes reels up to 7" diameter • Tape counter, with manual reset, operates from takeup reel to prevent introduction of wow and flutter • Recording Head adjustments for azimuth and tracking (factory set for standard tapes) • Mechanisms are designed to mount either the Bell P-100 or RP-120 preamplifiers as an integral part • Styled in Charcoal Gray with Satin Aluminum and embossed anodized gold trim • Plays in any position • Power consumption 56 watts; for 117 volts, 60 cps AC • Size 15-5/16" wide, 13-5/16" deep; 5/4" below mounting surface and 1 1/8" above • Shipping weight 21 lbs.

BELL MODEL T-200—Tape transport for monaural erase/record/playback Net 107.75

BELL MODEL T-201—Tape transport for stereo in-line (stacked) and offset (staggered) playback only Net 117.58

BELL MODEL T-202—Tape transport for monaural erase/record/playback and stereo in-line (stacked) and offset (staggered) playback Net 127.35

BELL MODEL T-203—Tape transport for monaural erase/record/playback, stereo in-line and offset playback Net 146.95

BELL PREAMPLIFIERS

Made to mount as an integral part of Bell tape transports. Plastic dial plate furnished that mounts on transport control panel. DC on tube filaments for minimum hum. Feedback-type low frequency equalizer for minimum distortion, noise and microphonism. Use 1-Model P-100 for the T-200; use 2-Model P-100's with the T-201 for stereo playback only; use 1-Model P-100 and 1-Model RP-200 with the T-202 for monaural record and monaural or stereo playback; use 2-Model RP-200 with the T-203 for monaural or stereo record/playback.


MODEL P-100 PLAYBACK PREAMPLIFIER—Characteristics when used with Bell tape transports: Response: 20-10,000 cps ± 2 db; Noise: 50 db below a signal having 3% third harmonic distortion recorded on tape. Distortion: 0.1% at 1 volt output. Output: Max. 15 volts from cathode follower. Controls: 1-Volume. Tubes: ECC83/12AX7, ECC82/12AU7; E280/6V4 rectifier; selenium rectifier for filament supply. Power Consumption: 15 watts, 117 volts, 60 cps AC. Size: 2 3/4" w x 12 1/2" d x 5 1/2" below mounting surface, 1 1/8" above. Shpg. Wt.: 6 lbs. Net 39.15

BELL MODEL P-100 Net 39.15

MODEL RP-120 RECORD/PLAYBACK PREAMPLIFIER—When used with Bell tape transports: Response: cps ± 2 db; Bias Oscillator Frequency: 62.5 kc. Sensitivity: 1 mv. (mike), 0.1 volts (high level input)—for full recording level. Signal-to-Noise-Ratio: 50 db. Distortion: Less than 1%. Inputs: High impedance mike; high level for tuner, etc. Controls: Gain; Record/Playback Switch. Indicator Lights: White on-off pilot; red pilot for "Record"; "magic eye" recording level indicator. Output: Nominal 5 volts from cathode follower. Tubes: 2-ECC83/12AX7, ECC82/12AU7; E280/6V4 rectifier; selenium rectifier for DC filament supply. Power Requirements: 25 watts, 117 volts, 60 cps AC. Size: 2 3/4" w x 12 1/2" d x 5 1/2" below mounting surface and 1 1/8" above. Shpg. Wt.: 10 lbs. Net 58.75


BELL MODEL RP-120 Net 58.75

BELL MODEL 200CC CARRYING CASE—For Bell tape transport mechanism plus 1 or 2 preamps. Handsome 2-tone styling Net 29.35



Bell Tape Transport Shown with Preamp Installed

BELL MODEL 200CC CARRYING CASE



BELL PREAMP



STEREO TAPE RECORDERS & ACCESSORIES

NEW! PENTRON 4-TRACK STEREO

TAPE DECKS WITH RECORDING AND PLAYBACK


Pentron tape components listed below may be combined to provide any recording or playback facilities desired. Will provide stereo or monaural recording, plus playback of all standard recorded tapes: 2 track stereo, 4 track stereo, staggered stereo, dual track monaural or single track monaural. 4-track stereo plus dual speeds permit up to 3 hours recording on one 7" reel, 4 times as long as older types. Can be used with hi-fi systems for playback. Enjoy the full dynamic and tonal range and the sense of "presence" you can achieve with the tape recordings these units can provide.

TAPE MECHANISMS

General Specifications: Tape Decks listed below are dual speed (3 1/4 and 7 1/2 ips). Speed change lever on front panel. The .12 mil stereo heads provide 40-12,000 cps response at 3 1/4 ips, beyond audibility at 7 1/2 ips. Simple, Single Rotary Control for Fast Forward, Fast Rewind, Play, Record. Standard pin jacks for easy connection to preamps. Two auxiliary AC outlets, controlled by mechanism's power switch. Idlers are disengaged in the Neutral position to prevent flat spots. Flutter and Wow less than 0.4% at 7 1/2 ips. Heavy duty balanced 4-pole motor, long-life mechanism. 21 oz. flywheel. Takes up to 7" reels. Speed variation $\pm 2\%$ max. Mounting: Vertical, horizontal, or angle — cutout required 10-3/32" x 13"x7". Highly styled — finished in gray and gold. Power Requirements 55 watts, 117 volts, 60 cps AC. Supplied complete with cutout template drawing and removable shock-absorber mounting brackets, two grommets to hold reels in position when mounting mechanism vertically, and instructions. Shpg. wt., 14 lbs.

PENTRON MODEL TM-1 TAPE MECHANISM — Monaural half-track recording and playback only. Has one combination record/play/erase head. Net 84.50

PENTRON MODEL TM-4 TAPE MECHANISM — 4 track stereo recording, 4 and 2 track stereo playback, in-line stereo and monaural recording and playback. Net 109.95



PENTRON TAPE PREAMPLIFIERS

For Use With TM or Other Tape Mechanisms.

Stereo or Monaural Record/Playback or Play, Only.

Recording and/or playback preamplifiers designed specifically to match Pentron tape decks. Self powered, for 110-120 volts, 60 cycles AC. Handsome black and gold styling to match other Pentron units. All units except CA-5 are 11-5/16" x 5" x 8".

CA-24 STEREO PLAY-MONAUROAL RECORD PREAMPLIFIER. Complete tape preamp, for use with TM-4 deck, featuring an illuminated VU meter, safety interlock, record push button, individual volume control for each channel, Automatic hum balance control for minimum hum, push-pull bias oscillator. Preamp has 20-20,000 cps response, —55 db hum and internal noise, phone jack for mike, phono jack for Radio or TV. Six tubes: 2-12AX6, 2-12AU7, 6C4, 6X5. Shpg. wt., 7 lbs. Net 99.95

PENTRON CA-13 MONAUROAL R/P PREAMPLIFIER — For recording or playback. Use one CA-13 for monaural recording and for playback with TM-1 mechanism. Use two CA-13 for monaural and stereo recording or playback with TM-4 mechanism. Response to beyond audibility at 7 1/2" per second. —55 db internal noise and hum. Push-pull bias oscillator. Phone jack mike input, phono jack for Radio or TV. 1 volt RMS output. Record/Play Switch, Gain Control, Safety Interlock Button. Input for microphone plus radio or phonograph. Illuminated VU meter recording level indicator. Shpg. wt., 6 lbs. Net 79.95

PENTRON CA-15 STEREO PLAYBACK PREAMPLIFIER — Dual channel playback preamp for monaural or stereo use. Connect to two sound systems. Use one CA-15 with Pentron TM-4 for playback only. Response 20-20,000 cps; 1% distortion; NARTB equalization; volume and equalization control for each channel plus master gain control. Shpg. wt., 6 lbs. Net 79.95

PENTRON CA-14 MICROPHONE MIXER. With 6 hi-Z inputs; 4 for mike, 2 for phono. Uses 2-12AX7 tubes for 8 db mike gain. Response 20-20,000 cps. Size 11-5/16" x 5" x 8", for 115 V. AC. Shpg. wt., 4 lbs. Net 39.95

PENTRON CA-5 STEREO PLAYBACK PREAMPLIFIER — Small, self-powered dual channel preamp, with selectable NARTB or RIAA equalization. 10 Volt maximum output. 5" long, 3 1/2" wide, 3 3/4" high. Shpg. wt., 3 lbs. Net 17.95

X-8 CARRYING CASE for TM series decks and any CA preamp. Size 18" x 13 1/4" x 10 3/4". Shpg. wt., 14 lbs. Net 24.50

SA-4 CONVERSION KIT for TM-1 and TM-3 decks to stocked stereo. Net 18.95


X-188 Digital Counter attachment for Pentron Tape Decks. Net 12.95



Lafayette QUALITY PANEL METERS

STEREO VU BALANCE METER

8.95



- BALANCES STEREO SYSTEMS
- TWO METERS IN ONE
- ACCURATE TAPE RECORDER LEVEL INDICATOR

Forever ends the problem of adequately balancing your stereo system. Two precisely damped loudness meters mounted at opposite ends of the meter assembly provide a continuous comparison of speaker levels. The scales are calibrated in "Volume Units" and percent. 1.2 volts input sensitivity for 0 VU or 100 percent indication. Instead of continuously running back and forth between listening position and volume control, you can balance the entire system in one step. The special calibrating switch and 20 db attenuation controls permit exact matching of channels. But there are many more uses for this meter. It is the ideal recording level indicator for inexpensive stereo tape recorders, replacing the troublesome "magic eyes" or neon bulbs, and giving more accurate, more reliable readings. Safeguarded against burning out by two internal DC blocking capacitors. Greater than 8,000 ohm impedance permits connecting to output circuits without loading. The entire unit is housed in an attractive plastic case 3" x 1 1/2" x 5 1/2". Shpg. wt., 2 1/2 lbs.

TM-40 STEREO BALANCE METER

Net 8.95

5.95



NEW! AUDIO OUTPUT VU LEVEL METER

A level meter for monaural systems, this unit is calibrated in Volume Units and percentages in accordance with standard VU meter practice. Precise damping enables quick and accurate indication of the average level of all non-sinusoidal audio signals. It has a maximum sensitivity of 1.2 volts for 0 VU indication, with a built-in 20 db attenuation control. This meter has countless uses, its 83,00 ohm impedance being high enough not to load most circuits. It can be used for accurate level control of home hi-fi systems, especially where the amplifier feeds a remote loudspeaker. It is ideal as a consistently accurate recording level indicator to replace the clumsy "magic-eyes" and neon bulbs of tape recorders, it indicates proper level in PA, paging and commercial music distribution systems. Housed in a compact plastic case 4" x 2-3/16" x 1-3/8". Shpg. wt., 2 lbs.

TM-20—AUDIO OUTPUT LEVEL METER

Net 5.95

SPECIAL TAPE RECORDING VALUES

G B C "PHONETIC" TAPE RECORDER FOR HOME AND OFFICE



99.50
Reg. Value
~~169.50~~

- WEIGHS ONLY 10 LBS.
- UP TO 1 HR. & 20 MINS. RECORD/PLAY TIME
- MEASURES ONLY 8" x 9 1/2" x 4 3/4" — TRULY SUBMINIATURE!
- ACCURATE CLOCK-TYPE COUNTER
- DUAL SPEED: 1 7/8 & 3 3/4 INCHES PER SECOND
- DECORATOR-STYLED FOR HOME OR OFFICE
- A COMPLETE VERSATILE TAPE RECORDER

Lafayette is pleased to offer this top-quality versatile tape recorder/dictating machine which combines excellent performance with modest cost. Dual speed (1 7/8 and 3 3/4 ips), frequency response is 75-7500 cps for speech or music reproduction. Standard 3" reels permit up to 1 hour and 20 minutes recording time. Built-in speaker and 2 1/2-watt amplifier. Input jack for mike, radio, TV, phono or telephone. Output jack for earphone, external speaker, or operations. Recorder measures 8" x 9 1/2" x 4 3/4" and weighs mere 10 lbs. Finished in two-tone pastel green and ivory. Dust-proof plastic lid. 110-volt, 60-cycle operation.

"Phonetic" PT/12 recorder with carrying case, microphone, reel of tape, rewind reel (case size 10" x 11" x 5 1/2"). Wgt. with acc. 12 3/4 lbs.

Net 99.50

2204/BB—Telephone Recording pickup for above

Net 7.95

1207/A—Aux. pickup cable

Net 2.95


1207/B—Aux. output cable

Net 2.95

1023/D—"Stetaphon" dual earphones

Net 14.95

Wollensak



REG. VALUE ~~T89.50~~ **139.50** SALE

TAPE RECORDER • 10 WATTS PUSH-PULL OUTPUT • MFR'S GUARANTEED SPECS!

- RESPONSE 40-15,000 CPS ± 3 DB AT 7.5 IPS!
- DISTORTION LESS THAN 0.8%!
- WOW AND FLUTTER BELOW 0.3%
- SIMPLIFIED KEYBOARD CONTROL!
- WEIGHS ONLY 18 LBS.!

MODEL T-1500 HI-FI TAPE RECORDER A really precision portable high fidelity recorder made by a famous manufacturer of precision optics. This latest model T-1500 is made available, for the FIRST TIME AT THIS PRICE, BY LAFAYETTE! Dual speed (3.75 and 7.5 inches per second), dual track—provides up to 4 hrs. of record or playback time. Utilizes miniaturized components and all-metal airplane-type construction to achieve real portability—weighs only 18 lbs.. Utilizes miniaturized components and all-metal airplane-type construction to achieve real portability—weighs only 18 lbs.. Utilizes miniaturized components and all-metal airplane-type construction to achieve real portability—weighs only 18 lbs.. Utilizes miniaturized components and all-metal airplane-type construction to achieve real portability—weighs only 18 lbs.. Utilizes miniaturized components and all-metal airplane-type construction to achieve real portability—weighs only 18 lbs..

Additional features of this outstanding recorder include: signal-measures 6 1/2" x 10 1/2" x 11 1/2". Takes reels up to 7". Additional features of this outstanding recorder include: signal-measures 6 1/2" x 10 1/2" x 11 1/2". Takes reels up to 7". Additional features of this outstanding recorder include: signal-measures 6 1/2" x 10 1/2" x 11 1/2". Takes reels up to 7".

Supplied complete with ceramic wide-range microphone, 1 reel of 2-level recording indicators, precision index counter. Supplied complete with ceramic wide-range microphone, 1 reel of 2-level recording indicators, precision index counter. Supplied complete with ceramic wide-range microphone, 1 reel of 2-level recording indicators, precision index counter.

Also available in 50 cycle units specify. **WOLLENSAK T-1500** Reg. ~~189.50~~ SALE! Net 139.50

SK-707 STEREO KIT—In-line stereo head converts Model T-1500 for stereo playback. Includes stereo head, insulation, wrench, connecting cable and complete instructions. Shpg. wt., 1 lb. Net 31.05

MODEL T-1515 STEREO HI-FI TAPE RECORDER Same features as Model T-1500 except with the addition of stereo head and a built-in second preamp. Shpg. wt., 24 lbs. **WOLLENSAK T-1500**—Reg. 229.50. Net 167.50

ACCESSORIES FOR WOLLENSAK TAPE RECORDERS

TSC-405 CASE—genuine virgin vinyl, slip-over type case for Wollensak recorders. Net 6.75

TF-404 FOOT CONTROL—Starts and stops tape instantly in "Record" or "Play". Net 15.75


TE-401 EAR PHONE—Fits either ear. Low impedance. Net 9.45

TF-908 MIXER—3 inputs. Mixes any combination of 3 mikes, phono or radio. Net 13.50

A196-2 MIKE EXTENSION CORD—15' with Wollensak plug and jack. Net 6.75

A196-12 ATTACHMENT CORD—Connects radio, TV, phono or speaker to recorder. Net 2.25

NORTRONICS RECORDING ACCESSORIES



STEREO CONVERSION KIT (A) Converts monaural tape recorder for stereo playback. Mounts on the outside of almost all existing tape recorders. Uses high quality YLD-5 Stereo head with internal magnetic shielding for low crosstalk. Mu-metal shield gives excellent rejection of hum. Plays monaural half-track tapes also. Quick easy installation using ordinary tools. After installation, one channel plays through present recorder and second channel plays through any other amplifier or preamp. Can be used for monaural or stereo recordings with appropriate amplifier. Shpg. wt., 1 1/2 lbs. **NORTRONICS SK-100** Net 23.50

RECORDING AMPLIFIER (C) Ideal for use with any tape deck or stereo head kit. Two required for stereo recording. Has NARTB equalization, VU meter, monitor jack, high level and low level inputs. Sensitivity for full recording level: 1 mv (low level), 1.2 v (high level). Provides 65 kc bias current, adjustable to match any head. Erase output for either high impedance (6000 to 10,000 ohms) or low impedance (20 to 30 ohms) erase head. Full frequency response. S/N ratio, 55 db. Also synchronization for stereo recording purpose using 2 RA-100's. For 110-120 v, 60 cps AC. Size, 2 1/2" h x 5 1/2" d x 8" w. Shpg. wt., 8 lbs. **NORTRONICS RA-100** Net 49.50

1/4 TRACK 4-CHANNEL STEREO ADAPTER KIT (A) Similar to SK-100, but for use with new 1/4 track 4-channel stereo tapes. Equalized response, 30-12,000 cps ± 3 db at 3 1/2 ips. Output, 1 mv at 1 kc. Can also be used with 1/2 track stereo tapes. Shpg. wt., 1 1/2 lbs. **NORTRONICS SK-50** Net 26.00

PLAYBACK AMPLIFIER (D) For tape head playback with a tape deck or for addition to a converted recorder to provide playback amplification for the second channel. 2-required for a stereo deck. A complete 3-watt amplifier with a cathode follower preamp output for driving a larger amplifier. Low level input with 1 mv. sensitivity; high level input with 0.2 volts sensitivity. Outputs 4, 8, 16 ohm speaker taps; 1 volt cathode follower output. Less than 2% harmonic distortion, response 30-15,000 cps ± 2 db, continuously variable, equalization including NARTB and RIAA standards, 50 db S/N ratio. For 110-120 volts, 60 cps AC. Size 2 1/2" h x 5 1/2" d x 8" w. Shpg. wt., 8 lbs. **NORTRONICS PL-100** Net 39.50

BIAS-ERASE OSCILLATOR TRANSFORMER (B) Furnishes 65 kc bias current to the recording head and erase current to either high or low impedance erase head. Complete with instructions and 1 tube oscillator circuit. Shpg. wt., 12 oz. **NORTRONICS T60E** Net 4.50

PATCH CORD AND JACK (E) For connecting one channel of the Stereo-Kit to the audio system of the converted recorder. With instructions. Shpg. wt., 5 oz. **NORTRONICS PC-100** Net 2.50

ALIGNMENT TAPE Full track, 3" reel, 7 1/2 ips speed. Provides sine wave signals of 50 to 10,000 cps for stereo and monaural head alignment, record level and tone control adjustment, and frequency response check. Shpg. wt., 4 oz. **NORTRONICS AT-100** Net 2.50



TAPE SPLICER

WITH WAIST-TYPE SPLICE
QUANTITY LIMITED!



98c
Over
70% Off!

Here's a terrific value! The famous RCA Autosplicer cuts a diagonal flap joint in the tape and trims the splicing tape and tape edges with an indented trim cut. The slight "waists" formed prevent adhesive from contacting the recorder mechanism and prevent layer-to-layer adhesion. No more "wow", "flutter", or erratic performance due to adhesive deposited on tape guides, etc. Consists of a tape alignment guide with self-adhesive back for fastening to any surface, cutting unit with diagonal cutter on one side and waist-type cutters on other, and protective cover for blades. Shpg. wt., 6 oz. **SP-144** Net. 98

LAFAYETTE RECORDING TAPES



ALL LAFAYETTE TAPES SOLD ON MONEY-BACK GUARANTEE • GUARANTEED FIRST QUALITY SPLICE-FREE

You Be The Judge!

NEW! MYLAR BASE RECORDING TAPE

Lafayette's huge purchasing power makes it possible to provide you with first quality tape at about half the price you would pay for the same tape with the manufacturer's own labels. WE GUARANTEE ABSOLUTE SATISFACTION OR YOUR MONEY BACK. These splice-free mylar base recording tapes are quality manufactured to assure uniformity of frequency response and complete absence of drop-outs. In addition, they are extremely durable and break-resistant and are capable of withstanding temperature and humidity changes. The wide frequency response characteristics combined with low noise level and long playing time opens new horizons of recording possibilities for the high fidelity enthusiasts as well as professional sound engineers. Av. Shpg. wt., 12 oz.

RT-12 1800 ft. on 1 mil Mylar base, 7" reel diameter. 2.85
Lots of 5, Ea. 2.75 Singly, Ea.
RT-13 2400 ft. on 1/2 mil Mylar base, 7" reel diameter. 3.89
Lots of 5, Ea. 3.65 Singly, Ea.

ACETATE BASE RECORDING TAPE

These popular high quality tapes are coated uniformly with red oxide on plastic base with high output and uniform frequency response covering the entire audio spectrum, 40-15,000 cps, completely splice-free. Another Lafayette outstanding value for all hi-fi recordists, backed up by our Money Back Guarantee. Using 7 1/2 cps dual track, 1200 ft. reel provides 1 hr. of recording time while 1800 ft. reel provides 1 1/2 hr. of recording time.

RT-10 1200 ft. on 1 1/2 mil acetate base, 7" reel. 1.59
Lots of 5, Ea. 1.49 Singly, Ea.
RT-11 1800 ft. on 1 mil acetate base, 7" reel. 1.98
Lots of 5, Ea. 1.88 Singly, Ea.

1800 FT.—7" REEL—MYLAR BASE



AS LOW AS 2.75 RT-12

1200 FT.—7" REEL—ACETATE BASE



AS LOW AS 1.49 RT-10



AS LOW AS 1.88 RT-11

1800 FT.—7" REEL—ACETATE BASE




AS LOW AS 3.65 RT-13

2400 FT.—7" REEL—MYLAR BASE

TELEPHONE PICKUP FOR RECORDING TELEPHONE CONVERSATIONS

Induction telephone pickup. Telephone conversations can now be picked up with no tapping of wires or special telephone circuits. Simply place the phone base, either cradle or upright type, on the pickup platform and connect the leads to the high impedance input of any medium gain audio amplifier, or directly to any tape, disc or wire recorder. Shpg. wt., 8 ozs.

MS-16..... Net 1.95



1.95



(A) COUSSINO TAPE SPLICER KIT

Convenient plastic splicer with adhesive backing for mounting on your recorder or workbench. Holds tape without clamps. Kit consists of splicer, blade and 24 handy pre-cut splicing tape tabs. Shpg. wt., 6 oz.

MS-376 — Tape Splicer Kit..... Net 1.20

PRE-CUT TAPE TAB REFILLS—For above, 24 pre-cut splicing tape tabs. Shpg. wt., 2 oz.

MS-377—Pre-Cut Tape Tabs..... Net .20

(B) EDITALL TAPE EDITING KIT

- PRECISION BUILT CUTTING BLOCK
- SIMPLE TO OPERATE
- HOW-TO-DO-IT INSTRUCTION BOOK

This kit has all the equipment required to execute a complete editing job on a professional basis. The cutting block supplied is simple to operate but is precise in its application; made of duraluminum precisely machined and polished (makes straight or diagonal cut). All accessories such as grease pencil, blades, splicing tape (66 ft. roll of 1/32") supplied. Comes with instruction booklet—in a smart metal case. Shpg. wt., 1 lb.

MS-474 — EDITALL KIT..... Net 8.82



(A)



(B)

(A) ROBINS "GIBSON GIRL" SPLICER WITH REPLACEABLE BLADE

Cuts 2 rounded indentations in the tape splice, leaving the edges of the tape which contact parts of the recorder entirely free of adhesive. Adhesive deposited on initial parts of recorder is a frequent cause of wow and flutter. As little as 1/4" tape need be removed. Shpg. wt., 1/2 lb.

MS-288..... Net \$6.25

MS-473 — Replacement Blade..... .98


(B) ROBINS SILICONE TAPE CLOTH

Cleans, lubricates and protects by depositing a microscopic film of silicone on the tape. Reduces head wear, tape wear, tape squeal and chatter. Eliminates "grime distortion". Washable. Shpg. wt., 5 ozs.

MS-375 TAPE CLOTH..... Net .59



(A)



(B)

(A) METAL TAPE STORAGE CHEST


STANDARD CASE: Sturdy all steel carrying case. Holds 12-7" or 5" reels and cans. Twin snap locks for positive closure; perfect portability. Guards against exposure and accidental erase. Platinum gray hammerloid finish. Metal separators between reels. Includes index cards. Shpg. wt., 5 lbs.

ML-60..... Net 2.99


(B) 7 INCH EMPTY PLASTIC REELS

Individually boxed fine plastic reels for recording tape.

MS-267..... In lots of 6, ea. .38, Singly, ea. .45



(A)



(B)

(A) ROBINS TAPE THREADER

No more awkward fumbling while threading a reel. Just place the tape against the reel, slip your Robins threader over the capstan shaft and over the empty reel. Tip of threader holds the tape firmly against the reel. A few turns on the crank and you're ready to play or record. Saves time and tape. Shpg. wt., 2 oz.

MS-222..... .79

(B) TAPE THREADER

For quick and simple tape reel threading. Simply clip on and start recorder. Works on all size reels. Handsome chrome finish. In plastic case. Shpg. wt., 6 oz.

MS-374 TAPE THREADER List 2.50 Net 1.47



METAL STORAGE CANS

NEW LOW PRICE

.39 ea. In lots of 6

Can holds 7" reel. Best protection for valuable recordings. Handsome finish of hammer-tone enamel. Cans ribbed for stacking. Precision fit makes opening and closing easy. Shpg. wt., 8 oz.

ML-61..... Lots of 6, ea. .39 — Singly, ea. .41



MAGNETIC TAPE SPLICER

An excellent accessory that splices tapes accurately and eliminates joint noise. Both ends cut simultaneously. Nicked brass finish. Shpg. wt., 1 lb.

MS-289..... Net 1.47

DIRECT IMPORTS AT TREMENDOUS SAVINGS

GUARANTEED THE GREATEST PERFORMANCE-VALUE ON THE HI-FI MARKET OR YOUR MONEY BACK!

THE WORLD-RENOWNED Lafayette SK-58

SUPER-QUALITY 12" COAXIAL HIGH FIDELITY LOUDSPEAKER

FEATURING: • WOOFER FREE-AIR CONE RESONANCE OF 40 CPS • OVERALL RESPONSE 30-15,000 CPS • SHEEPSKIN "FREE-EDGE" CONE MOUNTING FOR LOW DISTORTION AND SMOOTH RESPONSE • 3" COAXIALLY-MOUNTED TWEETER • BUILT-IN CROSSOVER NETWORK • COMPLETE WITH "BRILLIANCE" LEVEL CONTROL • HANDLES 20 WATTS OF CONTINUOUS POWER—35 WATTS OF PEAK POWER

1 1/4 lb.
MAGNET
WEIGHT

The precision-made fine quality high fidelity loudspeaker, now world-famous for the superior performance it offers for so very little cost. Lafayette's exclusive 12" coaxial, the SK-58, is a precision-engineered instrument for the faithful reproduction of sound without "coloring" or distortion. It incorporates such factors as heavy, high flux density TSK-5 magnets for high efficiency; 3/4" wide sheepskin cone-edge suspension and special composition fibre cone material, specially treated for extra-ordinarily smooth distortion-free response; heavy, rugged cast metal frame for freedom from resonances and for greatest rigidity. The true-coaxially-mounted 3" cone-type tweeter has a bell-shaped housing

for maximum dispersion of high frequencies with no back radiation. With the built-in 3000 cps crossover network, it contributes its share to the smooth delivery of the overall wide-range response of 30 to 15,000 cps. Woofer resonance in free air is 40 cps. Speaker power handling capacity is 20 watts continuous sine wave, 35 watts peak program material. 8 ohm voice coil impedance. Connections are made to chrome-plated screw terminals. Heavy felt speaker rim for snug, tight mounting. Finished in gray-brown opalescent enamel. Shpg. wt., 11 lbs.

SK-58


NET 29.50

Regular Value

~~44.50~~

An Unusual
Buy at

29.50



A
LAFAYETTE
EXCLUSIVE!
You be the
Judge!

NEW! LAFAYETTE 8" HI-FI SPEAKER

- "MECHANICAL 2-WAY" SPEAKER OF UNUSUAL DESIGN • EXTRA-HEAVY MAGNETS, EXTREMELY HIGH FLUX • RESPONSE 40-16,000 CPS • SPECIAL PATENTED CONE-CONSTRUCTION AND MATERIAL FOR SMOOTH, DISTORTION-FREE RESPONSE
- EXCELLENT FOR STEREO

8" . . . 9.95



You be the
Judge!

A most unusual dual-cone construction is used in these extra-high-quality 8" speakers to economically provide the same type of wide-range frequency response normally found only in true coaxial speakers or multiple speaker systems. There are 2 separate cones, acting through a common voice coil. The outer edge of the tweeter cone is attached to the mid-section of the woofer cone; both cones "float" on flexible, corrugated edges. This mounting, plus apertures provided behind the woofer cone, results in mechanical crossover so that both cones operate in phase at low frequencies, but only the tweeter cone operates at high frequencies. This gives improved high frequency directional

characteristics and minimum distortion. The patented cone materials provide extremely smooth reproduction. Magnets are large and heavy, with flux density of 10,500 gauss and total flux of 56,000 maxwells. Their high efficiency means good transient characteristics, low distortion, and good response at either high or low sound levels. Terminals are screw-type for solderless connections. Sensitivity is 99.5 db/watt; resonance is 55-70 cps; voice coil is 8 ohms. Size is 8" diam., 4 1/4" deep; requires 6 1/4" diam. baffle opening. Shpg. wt., 5 1/2 lbs.


SK-98 8" 2-WAY SPEAKER

Net 9.95
Only 18.95 Net

NEW! 6 1/2" COAXIAL SPEAKER

- FOR EXCELLENT HI-FI SOUND • ECONOMICAL & A SPACE-SAVER FOR STEREO
- RESPONSE 50-16,000 CPS! • BUILT-IN CROSSOVER NETWORK
- LARGE, HEAVY MAGNETS

6 1/2" . . .
6.95



An excellent speaker, with all the best features of coaxial design, especially recommended for use in stereo high fidelity systems where space and/or cost are factors. The 6 1/2" woofer is provided with extra-heavy large magnets for good power sensitivity and low distortion; the 2" tweeter is a separate speaker coaxially mounted in a housing which completely seals off back radiation and with a mesh dispersion screen to provide smooth, wide-angle-dispersion high frequency response. The built-in electrical crossover

contributes to the overall smooth tonal response of 50-16,000 cps. Woofer resonance is 70 cps; voice coil impedance is 8 ohms. Color-coded, screw-type terminals. Requires 5 1/2" diameter cutout. Mounts with 4 equally-spaced holes. Size is 6 1/2" diam., 3 1/4" deep. Shpg. wt., 3 1/2 lbs.

SK-97 6 1/2" COAXIAL SPEAKER

Net 6.95
Only 12.95 Net

SPACE-SAVER SPEAKER ENCLOSURES


NEW! LAFAYETTE "MINI-CAB" RESONATOR TYPE FOR 8" SPEAKER

- USES RESONATOR PRINCIPLE FOR EXTENDED CLEAN BASS
- HEAVY 3/4" CONSTRUCTION • A SUPERB PERFORMER—EXCELLENT FOR STEREO

Newly-designed Lafayette speaker enclosure for 8" coaxial and extended range high fidelity speakers. Employs the principle of the Helmholtz resonator to achieve clean, extended bass reproduction in a small enclosure. Construction is of fine 3/4"-thick veneers throughout, reinforced to prevent cabinet resonances. The interior is lined with sound-absorbent material and the overall design is generally in accord with best acoustic prac-

tices for good sound reproduction. Available hand-rubbed finishes are blonde, mahogany and walnut. Exterior styling is graceful and blends with any room decor. Size 18" high (not including legs) x 12-13/16" d x 15 1/2" w. Legs add 2 1/4" to the height. Shpg. wt., 27 lbs.

CAB-26 "MINI-CAB" Resonator Enclosure, Mahogany, Blonde or Walnut—please specify Net 24.95



24.95

NEW! LAFAYETTE DUCTED-PORT BASS REFLEX SPEAKER ENCLOSURE

- RECOMMENDED FOR STEREO • NEW DESIGN FOR WIDE-RANGE RESPONSE IN A SMALL PACKAGE • ECONOMICAL-SPACE SAVING • FOR 8" OR 6" SPEAKER

An unusually designed enclosure which extends low-frequency response to a remarkable degree. Incorporates a special long duct over the usual bass-reflex port which acts together with the damping provided by the heavy acoustic padding to provide an unusual degree of efficiency and smoothness of response at low frequencies. Suitable for 8" or 6" wide-range or coaxial hi-fi speakers. Made of hardwood veneers throughout, hand-rubbed to a high finish. May be shelf or table-top mounted. Available in Blonde Mahogany, Mahogany, or Walnut finishes. Size 11 1/2" h x 18" w x 9" d. Shpg. wt., 15 lbs.

CAB-29 Blonde Mahogany, Mahogany, or Walnut Enclosure.

Please specify your choice Net 14.50




14.50

BUILD-YOUR-OWN LAFAYETTE SPEAKER ENCLOSURES

EASY-TO-ASSEMBLE HI-FI ENCLOSURE KITS and COMPLETE SPEAKER SYSTEMS

AT TREMENDOUS SAVINGS TO YOU!



A
LAFAYETTE
BEST BUY
AT ONLY
29.50

LAFAYETTE UNIVERSAL HI-FI BASS REFLEX ENCLOSURE KITS

• EASIEST TO ASSEMBLE - ALL YOU NEED IS A SCREWDRIVER! • 3/4" WHITE BIRCH • PRECISION-CUT - FITS TOGETHER SMOOTHLY • PERFECT FOR SINGLE WIDE RANGE, 2-WAY OR 3-WAY SPEAKER SYSTEMS • HIGHBOY OR LOWBOY STYLE

All pieces of these carefully designed bass reflex high fidelity speaker enclosures are accurately precut of 3/4" veneers to fit snugly together and eliminate spurious resonances. Front panels are handsomely detailed with picture-frame moulding and covered with pleasingly decorative plastic acoustic grilles to blend with any finish and room decor. Attractively tapered offset legs are protected by good-looking brass ferrules. Acoustic lining material is provided to prevent reverberation and cabinet resonance. Cutouts are provided for 15" speaker plus adapter for 12"; 8 1/2" or 8" midrange plus adapter for 5" and blank wood block if no midrange speaker is used; Jensen compression horn tweeter plus adapter for Lafayette HK-3, HW-7 or Lafayette-Goodman SK-104 tweeters plus blank wood block if no tweeter is used. Thus, any single wide-range 12" or 15" speaker may be used, or any Lafayette 2- or 3-way speaker system, or almost any other combination of speakers. Kits are supplied unfinished, smoothly sanded and ready for finishing. The lowboy-style cabinet dimensions are (less legs) 24 3/4" w x 23 1/2" h x 16 3/4" d; legs are 7" high. Highboy has same dimensions with height and width interchanged. Instructions, all parts, hardware, and grille are included with each kit. Shpg. wt., 54 lbs.

CK-10 Unfinished Highboy Enclosure Kit Net 29.50
CK-11 Unfinished Lowboy Enclosure Kit Net 29.50

FINISHING KITS

To obtain professional-like furniture finishes. Include stain, filler, sealer, shellac, varnishes, finishing paper, brushes, and detailed instructions. Shpg. wt., 6 lbs.



FK-10 Walnut ... FK-20 Mahogany ... FK-30 Fruitwood ...
FK-40 Cherry ... FK-50 Golden Oak ... FK-60 Ebony ...
Net Each 4.90

Factory-Assembled Bass Reflex Enclosures

Same as the Lafayette kits above but factory-assembled and finished in lustrous, hand-rubbed mahogany or blonde to measure up to the finest standards of high quality fine-furniture finishes. Also available assembled but unfinished. Shpg. wt., 54 lbs.

CAB-13 Assembled, Unfinished Highboy Net 39.50
CAB-19 Highboy, Assembled, finished in Mahogany or Blonde (please specify) Net 49.50
CAB-21 Highboy Assembled, in Walnut Finish Net 52.50
CAB-14 Assembled, Unfinished Lowboy Net 39.50
CAB-20 Mahogany or Blonde Lowboy, completely assembled (please specify choice of finish) Net 49.50
CAB-22 Lowboy Assembled, in Walnut Finish Net 52.50

LAFAYETTE BOOKSHELF ENCLOSURE 2-WAY SPEAKER SYSTEM WITH BOOKSHELF ENCLOSURE



Ready to play—this 2-way system (with crossover) installed in Lafayette's tastefully designed bookshelf enclosure (left) provides the perfect answer for those who demand realistic sound reproduction even in small apartments, dens, etc. Two of these systems are ideal for stereo. Speaker system consists of special Jensen 8" woofer with heavy magnet, a Jensen compression-type, horn-loaded tweeter, plus a 2000-cycle LC crossover network. Shpg. wt. (complete system and enclosure) 27 lbs.

5Y-285 2-way system with CAB-38 Net 39.95
5Y-286 2-way system with CAB-39 Net 40.95
5Y-287 2-way system with CAB-40 Net 40.95

ENCLOSURE WITH STEPHENS 80FR SPEAKER

Lafayette's Bookshelf Enclosure (left) is optionally available with a single Stephens full-range, free-cone 80FR speaker. Speaker has frequency response of 40-15,000 cps, is rated at 25 watts continuous (50 watts peak), 1 lb. Ainciv V magnet. Impedance 16 ohms (8 ohms optional). Shpg. wt. (complete with enclosure) 25 lbs.


5Y-288 Speaker with CAB-38 Net 48.15
5Y-289 Speaker with CAB-39 Net 49.15
5Y-290 Speaker with CAB-40 Net 49.15

No need to forego the fun of hi-fi because of cramped quarters! Lafayette provides a handsome solution to the problem with this custom-designed enclosure which will be "at home" anywhere. Unique design enables use as bass-reflex cabinet with Jensen tweeter or as ducted-part type with Lafayette's SK-105 or any 8" full-range speaker. Covered cut-outs are provided. Two of these enclosures offer the perfect set-up for stereo. Solid 3/4" veneer plywood construction throughout. Hand-rubbed furniture finishes, brass-trimmed moulding. Overall size: 11" high x 24" wide x 10 1/2" deep. Shpg. wt. 16 lbs.

CAB-38 Bookshelf Enclosure (mahogany) Net 22.95
CAB-39 Bookshelf Enclosure (walnut) Net 23.95
CAB-40 Bookshelf Enclosure (blond-limed oak) Net 23.95

NEW! LAFAYETTE'S MINIATURE HI-FI SPEAKER AND ENCLOSURE

\$6.95



Good things come in small packages! You'll agree when you see and hear this amazing speaker system. Use it as an extension speaker, or the second unit in a stereo set-up, or in pairs for a low-power stereo installation. Housed in a beautiful mahogany-finished wood cabinet with ventilated back cover, the 5-watt 4" x 6" speaker is designed to work from either 4 or 8 ohm outputs. System is supplied with 25 feet of cable which should meet any hook-up requirement. Over-all size: 9 1/2" wide x 7 1/4" high (inc. feet) x 3 1/2" deep. Shpg. wt. 5 lbs.

5K-109 Miniature Speaker System Net 6.95





LAFAYETTE 2 and 3 WAY! SPEAKER SYSTEMS



Famous 3-WAY SYSTEM

with 15" WOOFER... 8" MID-RANGE SPEAKER... HORN TWEETER... CROSSOVER NETWORK

cabinet not included



55.50

ONLY 5.50 DOWN \$5.00 MONTHLY

- 15-INCH WOOFER WITH 31.5 OZ. MAGNET (SK-67)
- 8-INCH MID-RANGE SPEAKER (SK-74)
- NEW HIGH-FREQUENCY ACOUSTICAL LENS TWEETER (HW-7)
- 3-WAY CROSSOVER NETWORK (LN-3)

EXPLODED VIEW SHOWS HOW SYSTEMS MOUNT IN CABINET

Lafayette presents this outstanding 3-way speaker system designed for the high fidelity enthusiast who desires performance formerly possible in multi-speaker systems costing many times this price. You won't believe your ears when you hear the superb reproduction throughout the entire audio spectrum. The SK-67 15" woofer provides phenomenal bass response, the SK-74 8" speaker delivers full bodied, mid-range frequencies, and the HW-7 high frequency acoustical lens tweeter faithfully reproduces the highest audible frequencies. Crossover points at 350 and 5000 cycles are provided by the LN-3 Inductance-capacitance network with continuously variable presence and brilliance controls that adjust tone balance to personal taste. Shpg. wt., 25 lbs.

SY-93—Complete System as listed above.....Net 55.50

LAFAYETTE 3-WAY SYSTEM


with 15" WOOFER . . . 8" MID-RANGE SPEAKER . . . HORN TWEETER . . . CROSSOVER NETWORK



JENSEN TWEETER



LAFAYETTE LN-3 CROSSOVER



CABINET NOT INCLUDED



JENSEN 8-INCH MID-RANGE

This new multi-speaker system provides true high fidelity reproduction at the lowest price ever. Included in the 3-way system are a Jensen 15" woofer, Jensen 8" mid-range speaker, Jensen compression driver horn tweeter and Lafayette LN-3 capacitance-inductance crossover network. Crossover is at 350 and 5000 cycles, and unit is supplied with two, built-in, continuously variable "presence" and "brilliance" controls wired on 2-ft. extension cables. Outstanding bass and mid-range response, plus brilliant reproduction of the highest audible frequencies result in superb performance from this 3-way system throughout the entire audio spectrum. Power handling capacity in bass reflex enclosure, 25 watts. Impedance 16 ohms. Shpg. wt., 19 lbs.

- SY-98—Speaker System.....Net 42.50
- SY-97 Same as SY-98 but with 12" Jensen woofer NET 39.50

Completely assembled bass reflex cabinets constructed of ¾" hardwood, ready for finishing. Dimensions of highboy, less legs: 29" H, 23½" W, 16" D. Lowboy same size with H and W dimensions interchanged. Legs are 5" H. Shpg. wt., 42 lbs.

- CAB-13—PREASSEMBLED UNFINISHED HIGHBOY CABINET Net 39.50
- CAB-14—PREASSEMBLED UNFINISHED LOWBOY CABINET Net 39.50
- CK-10 Unfinished Highboy Speaker Cabinet Kit Net 29.50
- CK-11 Unfinished Lowboy Speaker Cabinet Kit Net 29.50




JENSEN 15-INCH WOOFER

SPEAKER SYSTEM only 42.50

LAFAYETTE 2-WAY SYSTEM

with 15" WOOFER . . HORN TWEETER . . CROSSOVER NETWORK

A Superb HI-FI Buy!



CABINET NOT INCLUDED



JENSEN TWEETER



LAFAYETTE LC CROSSOVER



JENSEN 15" WOOFER

Another new Lafayette 2-way speaker system that provides full frequency response at a low budget price. The system includes a Jensen 15" woofer, Jensen compression driver horn tweeter, and Lafayette inductance-capacitance (LC) 2000 cycle crossover network. In a bass reflex enclosure, power handling capacity is 20 watts. Enjoy rich extended bass response and brilliant, high-frequency reproduction of the finest high fidelity recordings. Impedance 16 ohms. Shpg. wt. 12 lbs.

- SY-96—Speaker System Net 27.50
- Completely assembled bass reflex cabinet (23½" W, 33½" H, 12¾" D), constructed of ¾" hardwood, ready for finishing. Shpg. wt., 30 lbs.
- CAB-13—PREASSEMBLED UNFINISHED HIGHBOY CABINET Net 39.50
- CAB-14—PREASSEMBLED UNFINISHED LOWBOY CABINET Net 39.50
- CK-10 Unfinished Highboy Speaker Cabinet Kit Net 29.50
- CK-11 Unfinished Lowboy Speaker Cabinet Kit Net 29.50

Only 27.50

ALL LAFAYETTE ENCLOSURES and ENCLOSURE KITS are DESIGNED TO ACCOMMODATE ALL LAFAYETTE 2 and 3 WAY SPEAKER SYSTEMS

Lafayette HI-FI SPEAKERS AT POCKET BOOK PRICES

15" COAXIAL HIGH-FIDELITY SPEAKER

30-20,000 CPS—25 WATTS—
21.3 OZ. ALNICO V MAGNET

Superb standard of performance throughout the audio spectrum. Consists of specially designed 15" woofer with a full 5" high-frequency tweeter, coaxially mounted, and 1 1/2" voice coil. Extra heavy magnets are used in both units for highest efficiency and smoothest response. The 15" woofer gives the deep, rich bass notes for complete satisfaction. Frequency response: 30-20,000 CPS. Crossover frequency: 3500 CPS. Handling capacity: 25 watts, 35 watts peak; Impedance: 8 ohms. Rugged seamless cone, finished in attractive non-marking brown hammerloid enamel. Shpg. wt., 13 lbs. Cone Resonance 43 cycles.

SK-70.....Net 25.50

12" COAXIAL HI-FI SPEAKER

Some magnet weight and characteristics as above except for diameter. Cone Resonance 50 cycles.

SK-71—12" Coax.....Net 22.50

ECONOMY 8" COAXIAL HI-FI SPEAKER

● IDEAL WIDE-RANGE BUDGET SPEAKER ● PERFECT FOR STEREO ● RESPONSE 70-12,000 CPS ● BUILT-IN CROSSOVER ● 10 WATT RATING ● 3.16 OZ. MAGNET

A fine coaxial high fidelity speaker with built-in electronic crossover. Rated at 10 watts, with response of 70-12,000 cps. Rigid, non-resonant frame, high efficiency 3.16 oz. Alnico 5 magnet, specially-treated long-life cone, and gasket-sealed magnet cover contribute to its fine performance. 8 ohm voice coil. Shpg. wt., 6 lbs.

SK-92.....LAFAYETTE ECONOMY SPECIALI Net 6.25

8" HI-FI WIDE RANGE SPEAKER

50—13,000 CPS

Answers the need for a good quality but moderately priced speaker with a range of 50-13,000 cycles. An extremely smooth single cone reproducer—ideally suited for HI-FI systems. Excellent for limited space—good overall balance—power handling capacity: 8 watts—6.8 oz. Alnico V magnet—frequency response: 50-13,000 CPS when properly baffled. Rim treatment on cone minimizes possibility of diaphragm distortion. Voice coil impedance: 8 ohms. Shpg. wt., 4 lbs. Cone Resonance 85 cycles SK-69.....Net 6.25

8" MID-RANGE & WOOFER

A low frequency bass reproducer, free from distortion and capable of clean reproduction down to 40 cycles. Ideal for use with tweeters and crossover networks to make up a 2-way or 3-way system. Can also be used with additional speakers as a multi-speaker woofer. Perfect, too, as mid-range unit in low cost 3-way systems. Crossover at 350 CPS; frequency response 350-13,500 CPS; suitable for crossover to 5000 cycles. Impedance 8 ohms. Cone Resonance 150 cycles. Shpg. wt., 4 lbs.



SK-74.....Net 6.50

5-INCH HIGH-FREQUENCY TWEETER

25 WATTS—WITH BUILT-IN CROSSOVER NETWORK
CROSSOVER FREQUENCY 2000 CYCLES

A fully enclosed high-frequency tweeter with a sensitivity and smoothness which in many cases outperforms the much more costly compression horn types of tweeter. Clean, with extended high frequency response of 600 to 15,000 CPS and crossover frequency of 2500-3500 CPS, this tweeter will handle output of amplifiers up to 25 watts. Will increase the frequency response range and add much to the realistic reproduction of the original performance. Voice coil dia. 3/4"; Impedance 8 ohms; rugged seamless cone—inherently moisture resistant; 3.16 oz. Alnico V magnet, with built in crossover network. Shpg. wt., 2 1/4 lbs.

SK-72.....Net 5.25



12" COAXIAL SPEAKER

EXTENDED RANGE DUAL SPEAKER SYSTEM FOR FM OR AM RADIO, TELEVISION, SOUND AND WIDE RANGE RECORD PHONOGRAPHS. QUICK, EASY, MODERNIZING REPLACEMENT OF OLD STYLE SINGLE RANGE SPEAKERS.

12" Alnico V PM with 1" voice coil and heavy one piece cone. Specially designed 3" Alnico V PM tweeter completes this combination speaker, range 40 to 15,000 CPS. Built-in high pass filter. Installs same as regular PM speaker, only two wires to connect. 6.8 oz. Alnico V magnet. Impedance 8 ohm. Wt. 8 lbs.

SK-93.....Net 8.75

NEW! 12" WIDE-RANGE HI-POWER HI-FI SPEAKER

● 1 LB. ALNICO 5 MAGNET ● RATED AT 30 WATTS ● RESPONSE 20-14,000 CPS ● SEAMLESS CONE ● SPECIAL HEAVY-DUTY CONSTRUCTION

Incorporating a full 1 lb. magnet of high-flux density Alnico 5, this new wide-range 12" PM high fidelity speaker is rated at 30 watts and is excellent for use with any hi-fi system. With proper baffling, frequency response is 20 to 14,000 cps. Special constructional features include a 2" voice coil; permanent bonding of the voice coil to the seamless cone; completely dust-proof enclosed magnet structure; fibre-to-metal bands made with heat under extreme pressure; heavy cast-metal frame; metal parts heavily cadmium-plated, with exposed surfaces covered with a handsome mar-resistant hammerloid finish. Voice coil impedance 8 ohms. Outside diameter 12-3/16", mounting diameter 11-9/16", depth 6 3/4". Color-coded brass solderless binding-post terminals. Shpg. wt., 7 lbs.

SK-99.....Net 14.95

ECONOMY 15" COAXIAL HI-FI SPEAKER

● RATED AT 20 WATTS ● 5" TWEETER ● BUILT-IN 1800 CPS CROSSOVER ● RESPONSE 45-12,000 CPS

This dual-speaker system provides clean, extended response of 45 to 12,000 cps. Includes 15" woofer with coaxially mounted 5" tweeter and built-in 1800 cps crossover. Heavy, non-resonant frame. anti-corrosion treated; 6.8 oz. Alnico 5 magnet, 8 ohm voice coil. 20 watts power rating. Shpg. wt., 11 lbs.

SK-89 LAFAYETTE ECONOMY SPECIALI Net 13.75

15" HI-FI LOW FREQUENCY WOOFER

● 31.3 OZ. ALNICO MAGNET ● 20 TO 5000 CYCLES—35 WATTS

This efficient 15" low frequency woofer incorporates many exclusive features. For original equipment or replacement, it provides highly efficient extended low-frequency response. Ideal for assembling 2- and 3-way speaker systems. Handles 35 watts of audio power. Frequency response ± 2 db 20 CPS to 1000 CPS, and ± 5 db from 20 CPS to 5,000 CPS with proper baffling. Voice coil dia. 2", impedance 8 ohms. 31.5 oz. Alnico V magnet. Finished in beautiful brown enamel. Cone is seamless type, permanently bound to voice coil. Shpg. wt., 13 1/4 lbs. Cone Resonance 45 cycles

SK-67.....Net 23.95

12" HI-FI LOW FREQUENCY WOOFER

21.3 OZ. ALNICO V MAGNET—25 WATT

Provides efficient, extended low-frequency response of ± 5 db from 35 to 8000 CPS, and features 25 watts of power handling capacity. Perfect for high-fidelity installations or for modernization of older equipment. Ideal for assembling 2- and 3-way speaker systems at a budget price. Enclosed magnet structure—completely dust-proof. Compliance of outer cone and inner spider carefully calculated for best bass response. 21.5 oz. Alnico V magnet, 1 1/2" dia. voice coil, 8 ohm impedance. All exposed surfaces are finished in beautiful brown enamel. Shpg. wt., 8 lbs. Cone Resonance 50 cycles

SK-68.....Net 16.50

Lafayette

FINE QUALITY HI-FI COMPONENTS At Savings of 33 1/3 to 50%!



HIGH FREQUENCY TWEETER WITH ACOUSTIC LENS DIRECT IMPORTATION MAKES THIS PRICE POSSIBLE!

- FREQUENCY RESPONSE FROM 2000 CPS TO BEYOND AUDIBILITY
- LOUVERED ACOUSTIC LENS FOR UNIFORM SOUND DISPERSION
- HANDLES 25 WATTS OF POWER
- PRICED EXCEPTIONALLY LOW

14.95

New high frequency tweeter featuring a louvered acoustic lens for uniform sound dispersion and capable of handling up to 25 watts of distortion-free power. The directional tendency of high frequency notes is overcome by the natural wide dispersion angle of the short horn and the acoustic lens which disperses and radiates the high notes smoothly throughout the entire listening area. The lens is detachable for panel mounting, with a separate base for the tweeter furnished for external mounting where desired. Aluminum voice coil has 16 ohms impedance. Size: 4 1/4" long x 3" diameter, lens extends 2 1/2". Requires a crossover network, preferably one with a level control, such as the LN-2. With full instructions. Shpg. wt., 5 lbs.

HW-7.....Net 14.95



CONE TYPE METAL-CASED HI-FI TWEETER

- FREQUENCY RESPONSE 2000-16,000 CPS.
- HANDLES 20 WATTS
- IMPORTED TO SAVE YOU MONEY

Without doubt one of the finest cone type high frequency tweeters we have ever tested, and it exceeded in performance only by diaphragm type tweeters. It is particularly efficient in the higher end of the audio spectrum where ordinary cone tweeters tend to lose clarity and volume. With this tweeter added to your present system, you will be able to hear all the fine transients and high notes of the upper register as they were actually recorded. Entirely enclosed in metal case with base for standing by itself, or mounting on a flat surface. Bracket is supplied for mounting on panel or in cabinet. Requires crossover network such as Lafayette LN-2. Diameter, 3". Depth, 2 1/8". Voice coil impedance 8-16 ohms.

HK-3—Hi-Fi Tweeter... Shpg. wt., 4 lbs. Net 5.95



New! Lafayette COMPRESSION-HORN TWEETER

- RESPONSE 1500-16,000 CPS
- 20 WATTS
- EXPONENTIAL HORN
- FOR 2-WAY, 3-WAY OR 4-WAY SPEAKER SYSTEMS
- WIDE-ANGLE DISPERSION OF HIGHS
- FOR TOP OR IN-CABINET MOUNTING

A high quality compression-driver tweeter in which careful engineering design and painstaking manufacturing precision are combined to provide a frequency response of 1500-16,000 cps, a continuous-duty rating of 20 watts, plus graceful styling to permit mounting on top of the speaker enclosure, or, optionally, within the enclosure. Vertical positioning of the mouth of the exponential horn provides widest dispersion of high frequencies at ear-height. With chrome-plated far-type swivel base. Flux density is a high 13,500 gauss for greatest efficiency; crossover range is 2800 cps or higher, with 4000-5000 cps recommended for 3-way systems; the wide, smooth response range permits it to be used with 2-, 3-, or 4-way speaker systems. The exponential horn is a heavy, one-piece casting non-resonant within the audible frequency range. Voice coil impedance is 8-16 ohms. Chrome-plated screw terminals for easy connections. Overall height with swivel stand is 4 3/4"; width 2 1/4"; behind-panel mounting requires a rectangular cutout (long axis vertical) 1 3/4" x 4-3/16". Shpg. wt., 3 lbs.

SK-105—Compression-driver Horn Tweeter.....Net 8.95

DUAL WIDE-ANGLE TWEETER NEW! LAFAYETTE SCOOP!


ADD TO YOUR PRESENT SPEAKER
FOR A 2-OR 3-WAY
SPEAKER SYSTEM

ONLY 5.95

Modernize your high fidelity listening by adding this wide angle dual-tweeter to extend treble range in a 2-way or 3-way speaker system. Mounts directly on any 12" speaker and converts it to a coaxial type. Response 1500 to 16,000 cps. Recommended crossover 2500 to 4000 cps. Heavy magnets for high efficiency with 18,000 gauss flux density. Dispersion angle approx. 125° horizontally. Impedance 16 ohms (2-8 ohm units in series). Will handle up to 20 watts program in 2 or 3-way system. Incorporates specially designed chrome-plated steel bracket of rigid construction to prevent resonances. Measures 12" L x 2" D x 2 1/8" H overall. Shpg. wt., 2 lbs.

SK-100—Dual Tweeter.....Net 5.95

NEW LAFAYETTE 2 AND 3-WAY CROSSOVER NETWORKS



8.75

14.95

TWO-WAY CROSSOVER—Capacitive-inductive network with 2000 cps crossover, and built-in continuously variable level-brilliance control that permits adjustments to match room acoustics perfectly. Channels all frequencies above 2000 cycles into the high frequency tweeter of a multi-speaker high fidelity system. The control is on a 2 1/2" long cable to permit mounting on a panel removed from the network. Matches speakers with 8-16 ohm voice coil. Careful design has reduced insertion loss to a minimum. Enclosed metal case 6" L, 2 1/8" H, 2 1/8" D. Easily accessible screw terminals for input and speakers. With instructions. Shpg. wt., 5 lbs.

LN-2—2-Way Crossover Network with Control.....Net 8.75

THREE-WAY CROSSOVER—A carefully designed and engineered 3-way crossover network with continuously variable "brilliance" and "presence" controls. Separates audio frequencies and feeds them to low frequency woofer, mid-range speaker and high frequency tweeter. Crossovers are 350, and 5000 cps. For 8-16 ohm systems. The network is a true inductance-capacitance unit. Two built-in controls are wired on 2 ft. extension cables for remote mounting. Insertion loss has been reduced to a minimum. Crossover is enclosed in heavy metal case 8" L, 3 1/2" H, 2 3/4" W. Easily accessible screw terminals for input and speakers. With instructions. Shpg. wt., 7 lbs.


LN-3—3-Way Crossover Network with Controls.....Net 14.95

NEW! Lafayette 12 DB/OCTAVE CROSSOVER NETWORK

- FOR 2-WAY OR 3-WAY SPEAKER SYSTEMS
- FOR 8-16 OHM SYSTEMS
- CROSSOVERS AT 350, 700, 2500 AND 5000 CPS
- BUILT-IN FRONT PANEL LEVEL CONTROLS
- FOR TABLE-TOP, SHELF, OR PANEL MOUNTING

A new Lafayette L/C network, ruggedly built and of excellent engineering design, for dividing the audio frequency spectrum at appropriate crossover points as required by 2-way or 3-way multiple hi-fi speaker systems. Incorporates high-Q inductances and capacitances to provide the sharp cutoff of 12 db per octave with minimal loss of output at the crossover frequencies and with low insertion loss. Choice of crossover frequencies for 2-way speaker systems includes 350, 700, 2500 and 5000 cps; for 3-way systems combinations available are 350 and 2500, 350 and 5000, 700 and 2500, 700 and 5000 cps. Designed for voice coil impedances of 8-16 ohms, with all speakers in any given system having like impedances. The network is housed in an extremely rugged metal cabinet with rubber feet and may be placed on a table-top, shelf, on the console cabinet panel, or on the side or rear of the speaker enclosure. Removable metal acutcheon plates and decorative knobs are provided for the built-in high-frequency and mid-frequency level controls. The cabinet measures 8" W x 3 1/2" H x 5 1/4" D (not including knobs). Shpg. wt., 9 lbs.

LN-10—2- or 3-way crossover network.....Net 19.50



ONLY 19.50

LAFAYETTE'S EXCLUSIVE HI-FI EQUIPMENT SAVES YOU MORE AND SERVES YOU BETTER

LAFAYETTE UNIVERSAL HIGHBOY
BASS REFLEX ENCLOSURE


CAB-19

LAFAYETTE RESONATOR ENCLOSURE

CAB-16

LAFAYETTE
UNIVERSAL LOWBOY
BASS REFLEX ENCLOSURE

BASIC
INTERNAL
CONSTRUCTION
OF
LAFAYETTE
UNIVERSAL
HI-FI
SPEAKER
ENCLOSURES



CAB-20

CAB-35

LAFAYETTE DELUXE UNIVERSAL
DUCTED PORT ENCLOSURE

LAFAYETTE HI-FI SPEAKER ENCLOSURES FOR UNITARY 2-WAY-3-WAY SPEAKER SYSTEMS

LAFAYETTE RESONATOR ENCLOSURES

THE CABINET—New, lowboy console/te resonator cabinet for 12" high fidelity speakers. Completely assembled and finished unit constructed of 3/4" stock of the finest genuine mahogany and walnut veneers. Solidly built and acoustically designed to provide wide range frequency response without reverberation or vibration. Cabinet is lined with acoustic material to prevent cabinet resonance. Front panel has at-

tractive picture frame molding and fine quality plastic grille cloth that matches the finish. Baffle area approximately 4.3 cubic feet. Cutout for 12" speaker. Dimensions: 20" wide, 23" high, 16" deep. Shpg. wt., 38 lbs.

CAB-16—Finished Cabinet only (Specify Walnut or Mahogany) Net 29.50
CAB-17—Same as above in Blonde finish Net 31.50

LAFAYETTE UNIVERSAL HI-FI SPEAKER ENCLOSURES

LAFAYETTE UNIVERSAL SPEAKER ENCLOSURES are "universal" in the sense that almost any combination of speakers can be installed in the cabinet. Has cutout for 15" speaker plus adapter for 12". Also a cutout for 8 1/2" or 8" speaker plus adapter for 5" and blank wood block if

such speakers are not desired. In addition, a tweeter opening is provided for most standard tweeters, plus adapter for Lafayette HK-3, HW-7 or Lafayette-Goodmans SK-104 tweeters plus blank wood block if no tweeter is used.

UNIVERSAL BASS REFLEX ENCLOSURES

Solidly constructed of 3/4" stock. Finished models of genuine veneers of the original wood. Universal speaker panel is detailed with picture frame molding and covered with pleasing plastic grille. 5" tapered offset legs are edge-tipped with brass ferrites. Lined internally with acoustic material. Size of lowboy (less legs): 28 3/4" w, 23 1/2" h, 16 1/4" d. Same

size for highboy with height and width interchanged. Shpg. wt., 54 lbs.
CAB-13—Highboy; CAB-14—Lowboy. Unfinished Net 39.50
CAB-19—Highboy; CAB-20—Lowboy. In Mahogany Net 49.50
CAB-21—Highboy; CAB-22—Lowboy. In Walnut or Blonde (please specify finish) Net 52.50

DELUXE UNIVERSAL DUCTED PORT ENCLOSURES

Deluxe universal enclosure employing the ducted port principle for efficient speaker loading and better bass response. Internally lined with acoustical padding. Provides 6 1/2 cu. ft. volume. Actually improves the overall response of any speaker system. Universal speaker panel to accept any speaker system desired. The smartly styled enclosure is wrapped around with attractive grill cloth. Heavy 3/4" veneer plywood

construction throughout. Dimension, 28" h, 24" w, 21" d, with 4" self leveling legs. Shpg. wt., 55 lbs.
CAB-35—In Mahogany Net 62.50
CAB-36—In Walnut Net 65.50
CAB-37—In Blonde (Limed Oak) Net 65.50

SPECIAL MONEY SAVING COMBINATIONS—LAFAYETTE CABINETS AND NATIONALLY FAMOUS SPEAKERS

COMBINATIONS WITH LAFAYETTE UNIVERSAL CABINETS.

Stock No.	Speaker	Enclosure	Reg. Price	Special Combination Price
SV-179	University 6303	CAB-13	120.84	99.50
SV-180	University 6303	CAB-19	130.84	109.50
SV-181	University 6303	CAB-21	133.84	112.50
SV-182	University 6303	CAB-14	120.84	99.50
SV-183	University 6303	CAB-20	140.84	109.50
SV-184	University 6303	CAB-22	133.84	112.50
SV-185	University 312	CAB-13	108.10	90.95
SV-186	University 312	CAB-19	118.10	100.95
SV-187	University 312	CAB-21	121.10	103.95
SV-188	University 312	CAB-14	108.10	90.95
SV-189	University 312	CAB-20	118.10	100.95
SV-190	University 312	CAB-22	121.10	103.95
SV-191	Electro-Voice 12TRXB	CAB-13	104.18	84.75
SV-192	Electro-Voice 12TRXB	CAB-19	114.18	94.75
SV-193	Electro-Voice 12TRXB	CAB-21	117.18	97.75
SV-194	Electro-Voice 12TRXB	CAB-14	104.18	84.75
SV-195	Electro-Voice 12TRXB	CAB-20	114.18	94.75
SV-196	Electro-Voice 12TRXB	CAB-22	117.18	97.75
SV-197	Electro-Voice 15TRXB	CAB-13	116.82	93.50
SV-198	Electro-Voice 15TRXB	CAB-19	126.82	103.50
SV-199	Electro-Voice 15TRXB	CAB-21	129.82	106.50
SV-200	Electro-Voice 15TRXB	CAB-14	116.82	93.50
SV-201	Electro-Voice 15TRXB	CAB-20	126.82	103.50
SV-202	Electro-Voice 15TRXB	CAB-22	129.82	106.50
SV-203	Jensen M223F	CAB-13	112.00	93.75
SV-204	Jensen M223F	CAB-19	122.00	103.75
SV-205	Jensen M223F	CAB-21	125.00	106.75
SV-206	Jensen M223F	CAB-14	112.00	93.75
SV-207	Jensen M223F	CAB-20	122.00	103.75
SV-208	Jensen M223F	CAB-22	125.00	106.75
SV-209	Jensen CX120	CAB-13	89.00	76.50
SV-210	Jensen CX120	CAB-19	99.00	86.50
SV-211	Jensen CX120	CAB-21	102.00	89.50
SV-212	Jensen CX120	CAB-14	89.00	76.50
SV-213	Jensen CX120	CAB-20	99.00	86.50
SV-214	Jensen CX120	CAB-22	102.00	89.50

Stock No.	Speaker	Enclosure	Reg. Price	Special Combination Price
SV-215	Lafayette-Goodmans SK-110	CAB-13	87.00	84.00
SV-216	Lafayette-Goodmans SK-110	CAB-19	97.00	94.00
SV-217	Lafayette-Goodmans SK-110	CAB-21	100.00	97.00
SV-218	Lafayette-Goodmans SK-110	CAB-14	87.00	84.00
SV-219	Lafayette-Goodmans SK-110	CAB-20	97.00	94.00
SV-220	Lafayette-Goodmans SK-110	CAB-22	100.00	97.00
SV-221	Lafayette-Goodmans SK-111	CAB-13	94.00	91.00
SV-222	Lafayette-Goodmans SK-111	CAB-19	104.00	101.00
SV-223	Lafayette-Goodmans SK-111	CAB-21	107.00	104.00
SV-224	Lafayette-Goodmans SK-111	CAB-14	94.00	91.00
SV-225	Lafayette-Goodmans SK-111	CAB-20	104.00	101.00
SV-226	Lafayette-Goodmans SK-111	CAB-22	107.00	104.00
SV-227	Lafayette-Goodmans SK-112	CAB-13	108.00	103.00
SV-228	Lafayette-Goodmans SK-112	CAB-19	118.00	113.00
SV-229	Lafayette-Goodmans SK-112	CAB-21	122.00	116.00
SV-230	Lafayette-Goodmans SK-112	CAB-14	108.00	103.00
SV-231	Lafayette-Goodmans SK-112	CAB-20	118.00	113.00
SV-232	Lafayette-Goodmans SK-112	CAB-22	122.00	116.00
SV-233	Lafayette-Goodmans SK-113	CAB-13	119.00	111.50
SV-234	Lafayette-Goodmans SK-113	CAB-19	129.00	121.50
SV-235	Lafayette-Goodmans SK-113	CAB-21	132.00	124.50
SV-236	Lafayette-Goodmans SK-113	CAB-14	119.00	111.50
SV-237	Lafayette-Goodmans SK-113	CAB-20	129.00	121.50
SV-238	Lafayette-Goodmans SK-113	CAB-22	132.00	124.50
SV-239	Lafayette-Goodmans SK-114	CAB-13	119.00	113.00
SV-240	Lafayette-Goodmans SK-114	CAB-19	129.00	123.00
SV-241	Lafayette-Goodmans SK-114	CAB-21	132.00	126.00
SV-242	Lafayette-Goodmans SK-114	CAB-14	119.00	113.00
SV-243	Lafayette-Goodmans SK-114	CAB-20	129.00	123.00
SV-244	Lafayette-Goodmans SK-114	CAB-22	132.00	126.00
SV-245	Lafayette-Goodmans SK-115	CAB-13	129.00	121.50
SV-246	Lafayette-Goodmans SK-115	CAB-19	139.00	131.50
SV-247	Lafayette-Goodmans SK-115	CAB-21	142.00	134.50
SV-248	Lafayette-Goodmans SK-115	CAB-14	129.00	121.50
SV-249	Lafayette-Goodmans SK-115	CAB-20	139.00	131.50
SV-250	Lafayette-Goodmans SK-115	CAB-22	142.00	134.50

*Specify Walnut or Blonde finish.

COMBINATIONS WITH LAFAYETTE DELUXE UNIVERSAL ENCLOSURES

Stock No.	Speaker	Enclosure	Reg. Price	Special Combination Price
SV-251	University 6303	CAB-35	143.84	123.50
SV-252	University 6303	CAB-36	146.84	126.50
SV-253	University 6303	CAB-37	146.84	126.50
SV-254	University 312	CAB-35	131.10	113.95
SV-255	University 312	CAB-36	134.10	116.95
SV-256	University 312	CAB-37	134.10	116.95
SV-257	Electro-Voice 12TRXB	CAB-35	127.18	107.75
SV-258	Electro-Voice 12TRXB	CAB-36	130.18	110.75
SV-259	Electro-Voice 12TRXB	CAB-37	130.18	110.75
SV-260	Electro-Voice 15TRXB	CAB-35	139.92	116.50
SV-261	Electro-Voice 15TRXB	CAB-36	142.92	119.50
SV-262	Electro-Voice 15TRXB	CAB-37	142.92	119.50
SV-263	Jensen M223F	CAB-35	135.00	116.75
SV-264	Jensen M223F	CAB-36	138.00	119.75
SV-265	Jensen M223F	CAB-37	138.00	119.75
SV-266	Jensen CX120	CAB-35	112.00	99.50
SV-267	Jensen CX120	CAB-36	115.00	102.50
SV-268	Jensen CX120	CAB-37	115.00	102.50

NOTE: For combinations of Lafayette Deluxe Universal Cabinets and Lafayette-Goodmans 3-way speakers, see other pages.

COMBINATIONS WITH LAFAYETTE RESONATOR ENCLOSURE

Stock No.	Speaker	Enclosure	Reg. Price	Special Combination Price
SV-269	University UXC-122	CAB-16	61.84	53.75
SV-270	University UXC-122	CAB-17	63.84	55.75
SV-271	Electro-Voice 5P128	CAB-19	63.80	55.50
SV-272	Electro-Voice 5P128	CAB-17	65.80	57.50
SV-273	Lafayette SK-58	CAB-16	59.00	55.00
SV-274	Lafayette SK-58	CAB-17	61.00	57.00
SV-275	Electro-Voice 12TRXB	CAB-16	94.18	74.75
SV-276	Electro-Voice 12TRXB	CAB-17	96.18	76.75
SV-277	Jensen CX120	CAB-16	79.00	66.50
SV-278	Jensen CX120	CAB-17	81.00	68.50
SV-279	University 312	CAB-16	96.10	80.75
SV-280	University 312	CAB-17	100.10	82.75

†Specify Walnut or Mahogany finish.

It's Both a Radio and an Intercom

NEW! LAFAYETTE "PHONE MASTER" RADIO-INTERCOM-BABY SITTER

Just the set for home or office—wherever a radio and intercom are required. The Lafayette "Phone-Master" is a convenient radio and two-way intercom, beautifully and ingeniously combined to give long service and extra versatility. Indispensable—in large homes, from kitchen to the front door, from living room to the den, from house to garage—in business, office to office, office to shop, department to department—on the farm, house to barn. Perfect as an electronic baby sitter, to watch over the baby, anywhere. The "Phone-Master" consists of two handy units: The small remote speaker mounted in its own cabinet, with excellent sound characteristics, yet small enough (only 1-9/16" x 2-13/16" x 3-3/16") not to clash with the decor of the room; and the compact radio and intercom master station, also attractively styled in its own 6 3/4" x 4 1/4" x 4" cabinet. Master station controls include a large, smooth-acting tuning knob, with an easily visible tuning dial, an On-off-Volume knob, and a selector switch for Talk or Listen. In the Phone position of the Function switch, this versatile unit is a fine two-way intercom, capable of calling and monitoring the remote station. In the Radio position, it becomes a sensitive 5-tube superhet receiver which can be listened to at the master unit, or can be connected to the remote unit. The perfect solution

to intercommunication problems—the remote can be answered without stopping work—it picks up sound from more than 50 feet away—so sensitive it picks up the ticking of a clock on the other side of the room! Complete with master and remote stations and connecting wire with two plugs. Shpg. wt., 6 lbs.
PS-120—"Phone-Master" Radio-Intercom Net 21.95

- SENSITIVE 5-TUBE SUPERHET
- TWO-WAY INTERCOM
- AC-DC OPERATION
- EXTRA COMPACT




21.95

NEW! LAFAYETTE 4 TRANSISTOR INTERCOM AND ELECTRONIC BABY SITTER

- 4 TRANSISTORS
- NO SHOCK HAZARD
- NO WARMUP DELAY
- EXTRA SMALL
- NO HUM
- NO HEAT
- 4" SPEAKERS

Extra features . . . top performance . . . portability . . . long battery life . . . ideal for home and office. Perfect as a portable unit . . . for the summer cottage . . . backstage for once-a-year amateur theatricals . . . as well as permanent installation . . . office to office . . . kitchen to front door. This is a complete transistor intercom system, consisting of a master station and a remote station. Specialized circuitry permits each unit to call the other (remote can call the master even when it is turned off), while requiring only a two-conductor wire for interconnection. Completely transistorized, requires only 6 volts from built-in, easily replaceable batteries for months and months of reliable communication. Elimination of all power line connections eliminates all shock hazard and makes this unit safe to use everywhere—even outdoors, in the kitchen and other applications where contact with ground is possible. Master station has a volume control for comfortable level setting, and Function switch with three positions: Talk, for speaking to remote; Listen, for monitoring the remote (baby sitting, etc.); and Standby. The Standby position turns off the power to conserve batteries. Zero warm up time means the unit is instantly ready for operation the moment the function switch is thrown to Talk or Listen. When the unit is turned off (Standby) the remote can call the master by depressing its Call switch; a pleasant musical tone alerts the master that it is being called. Push-pull output circuit, the correct amount of negative feedback, plus big 4" speakers are used for optimum naturalness and intelligibility. Each unit is housed in an attractive, two-tone metal case, measuring 4 1/2" Wide x 3" High x 5-3/16" Deep, not including 3/4" projecting knobs. Complete with cable. Shpg. wt., 6 lbs.
PA-70—Transistor Intercom complete with batteries. Net 29.95

29.95



REGENCY FM TELEVERTER

NEW! GRANCO FM RECEIVER

NEW! GRANCO AM-FM RECEIVER




MODEL RC-103

- MAKES ANY TV SET AN FM RECEIVER
- COMPLETELY TRANSISTORIZED
- SIMPLY INSTALLED BY ANYONE

The Regency Model RC-103 Televerter makes any TV set an FM receiver at the flip of a switch, yet does not interfere with normal TV reception. Utilizes the TV audio system and large speaker baffle to produce tone quality far superior to small table model FM receivers. Completely transistorized, its power source is 3 tiny penlight batteries with current drain so low (300 μ A) that battery life expectancy approaches shelf life. Simply installed by anyone in 5 minutes—the only connections necessary are to TV set antenna terminals and antenna. Meets FCC radiation requirements. Large easy-to-read dial and planetary drive make fine tuning easy and razor sharp. Housed in attractive 4 1/2" x 6" x 4 1/2" plastic cabinet. Shpg. wt., 5 lbs.

Regency RC-103—FM TELEVERTER Net 14.96
 BURGESS Z CELLS (3 needed) 08 00



Smart, new design, combined with advanced engineering, result in this versatile FM receiver. So compact it actually fits in the palm of your hand—yet its performance exceeds that of sets several times the size. Exclusive ROYAL "G" FM tuner with Coaxial Frequency Control assures drift-free performance. Speaker and cabinet are specially designed for optimum acoustic response. Easy view window dial and fine vernier tuning for easy operation. Powerful circuit provides highly efficient operation by use of multiple purpose tubes. Complete with built-in antenna. Available in choice of two-tone color combinations. For 110 V. AC-DC. Size 9 1/2" w x 4" d x 5" h. Shpg. wt., 5 lbs.

GRANCO 601P—Grey and White. List 29.95. Net 24.50
 GRANCO 601G—Turquoise, Green and White. List 32.95. Net 24.95
 GRANCO 601R—Coral and White. List 32.95. Net 24.95



This magnificent AM and FM radio is so compact it actually can fit in the palm of your hand . . . yet it has amazing volume and offers complete radio reception. The powerful chassis employs double duty tubes to provide 8 tube performance. The easy-view window dial utilizes the principle of vernier tuning to provide accurate pinpointing of stations. High sensitivity . . . wide band selectivity . . . acoustic chamber sound system . . . AM and FM . . . tuner . . . built-in antennas for both AM and FM . . . powerful Alnico V extended range speaker. Available in choice of attractive two-tone color combinations. Size 9 1/2" w x 4" d x 5" h. For 110-120 V AC-DC. Shpg. wt., 5 lbs.

GRANCO 701P—Grey and White. List 39.95. Net 31.95
 GRANCO 701G—Turquoise, Green and White. List 42.95. Net 32.45
 GRANCO 701R—Coral and White. List 42.95. Net 32.45

HIGH QUALITY *Lafayette* TEST EQUIPMENT



ONLY
22.50

NEW MINIATURE HIGH SENSITIVITY MULTITESTER

- 23 RANGES
- 38 μ A MOVEMENT
- 1% RESISTORS
- COMPLETELY WIRED
- WEIGHS ONLY 10 oz.
- 20,000 Ω/v DC SENSITIVITY
- 10,000 Ω/v AC SENSITIVITY

A terrific bargain in an all-round extra sensitive multi-meter. Here is the ideal all-purpose multitester for troubleshooting anything electrical or electronic — can be used for repairing automobile wiring, checking ordinary household appliances, such as irons, heaters, and motors; troubleshooting complex electronic equipment in the home, in the shop or in the field. Ideal for TV sets, home radios, high-fidelity sets, amateur gear, commercial communications equipment — wherever a truly portable unit is required. This is a completely wired precision instrument, NOT A KIT. Uses a sensitive, rugged 38 microampere basic meter, a d'Arsonval movement with jeweled bearings providing easy, accurate read-off from its large, clear scales. 2 1/2" meter face. 1% precision resistors guarantee top-notch accuracy. This unit weighs only 10 oz., measures only 4 3/4" x 2 7/8" x 1 1/4" — fits into pocket without bulging, without weighing down. The entire front is protected by a thick, clear sheet of plastic, preventing scratching


and eradicating of switch markings, protecting your meter and preserving its appearance. Single selector switch with positive detents and clearly marked position permits un-aided operation. Recessed, break-proof zero-ohms knob permits easy adjustment, yet cannot be broken even under rough handling.

Has 23 ranges at the unusually high sensitivities of 20,000 ohms per volt DC, 10,000 ohms per volt AC; DC Volts, 0.5-25-100-500-1000; AC Volts, 0.5-25-100-500-1000; OHMS, 0.1-10K-100K-1 meg-60 Meg; DC MILLIAMPERES, 0-.05 (50 microamps) -5-50-500; DECIBELS, -20 to +64 in 5 ranges.

Truly a superb instrument for any application. Complete with 1.5 volt and 15 volt batteries, and vinyl insulated flexible test leads. Shpg. wt. 1 lb.


AR-660 MINIATURE POCKET VOM Net 22.50

20,000 OHM PER VOLT MULTITESTER SEMI-KIT



*A New Kind
of Kit*

THE DIFFICULT
WORK IS
ALREADY DONE



- 20,000 OHMS PER VOLT DC
- 10,000 OHMS PER VOLT AC
- 40 MICROAMPERE 3" D'ARSONVAL METER MOVEMENT

ONLY
11.95

The semi-kit is a new concept in test equipment kits. All the important or difficult parts are already mounted. All that remains to be done is to mount and wire in a few small parts — a job so simple you'll finish before you realize it, and best of all, you'll have one of the finest high sensitivity multitesters on the market. When used in a circuit, the high input resistance on all DC and AC ranges does away with the highly inaccurate readings

common to low resistance testers which load the circuit. Ranges: DC Volts, 0-10-50-250-500-1000; AC Volts, 0-10-50-250-500-1000; DC CURRENT, 0-500 ua, 0-10-250 ma; OHMS, 0-10K-100K-1 meg; DECIBELS, -20 to +36; PLUS 0-5000 henries and 250 mmf. to .02 mfd. Black case 5 3/4" x 3 3/4" x 1 1/4". Complete with test leads, all parts, and Instructions and Battery. Shpg. wt. 3 lbs.

TK-10 KIT Net 11.95

PIX-CHEX PICTURE TUBE TESTER



ONLY
5.95

LOWEST PRICED

Make sure that picture tube is really bad before you have it replaced! This dynamic picture tube tester helps prevent costly mistakes, actually tests tube and indicates type of defect. Easy to use in the field because of its small size and low weight. This tester shows positive proof of tube failures, will convince even the most skeptical set owner when tube is defective. Checks tube in set, in the box or on the bench. Transformer powered for safety. Checks cathode emission, checks filament, detects grid-cathode and heater-cathode shorts up to 100,000 ohms. Extremely simple to use, complete instructions for use are printed on the case. For 110 volts, 60 cycle AC. Shpg. wt. 2 lbs.

PIX-CHEX TESTER Net 5.95

A LAFAYETTE SPECIAL TUBE TESTER!

- MOST ADVANCED ENGINEERING TO FIT
SERVICEMAN'S
NEEDS



26.95

COMPLETELY WIRED

NOT A KIT

A new streamlined tube tester with a realistic approach to the problem of quickly testing the ever increasing number of tube types. It incorporates new and advanced engineering features and all at a price of about half of even the most ordinary tube tester. Read these Specifications.

"FREE POINT" ELEMENT SELECTOR SWITCHING: Newly designed, it reduces possibility of obsolescence to a minimum because any pin may be used as a filament pin and voltage applied between it and any other pin, or even the "top cap". Tubes with tapped filaments or with filaments terminating in more than 1 pin are truly tested.

MULTIPURPOSE TUBES: Special isolating circuit allow each section of multi-purpose tubes to be tested individually as if it were in a separate envelope.

SHORTS AND LEAKAGES: Supersensitive method checks shorts and leakages up to 5 megohm between any and ALL elements; continuity between various sections individually indicated.

SIMPLICITY: Fast simple operation. The 4 position fast action snap switches are all numbered in exact accord with RMA standards. Thus when testing element terminating in pin No. 7 of a tube — you use button No. 7. You can't insert a tube in the wrong socket — there's one for each type of tube base.

TUBE TYPES: Tests all octal, loctal, 7 pin miniatures, 9 pin miniatures as well as the new novol and Sub-Minar types. Old type sockets used for testing obsolete types — that you rarely see anymore — have been eliminated.

SIZE: A practical size to carry with you as well as for use in the shop — only 8 1/2 x 6 3/4 x 2 1/4" deep. Shpg. Wt. 5 lbs.

MODEL TQ-55 — complete with carrying case and instructions. **26.95**

PLUG-IN LINE VOLTAGE TESTER

ONLY
2.94

- JUST PLUG IN AND READ!
- 90° SWIVEL

Accurate Voltage Tester gives instantaneous readings right at the receptacle — no wires, no assembly. Just plugs into AC receptacle. Reads 0-150V AC. 90° swivel at the prongs for easy reading from any position. Accuracy 5%. Steel case. Damped movement. Shpg. wt. 1/2 lb.

EMICO PLV METER 2.94



EBY SUBMINIATURE POCKET TESTER



- NEW
- AMAZING
- FOOLPROOF

Measures only 3" x 4" x 1 1/4", yet this amazing unit is 8 instruments in 1. Measures AC-DC volts from 0-1000 on low range, and 50KV on high. It's a signal tracer, condenser tester, audio oscillator. AGC substitution voltage supply, visual output meter and continuity tester. An outstanding value. Shpg. Wt. 3 lbs.

EBY A1000 Net 5.95

Lafayette STEREO TUNER KIT

THE MOST FLEXIBLE TUNER EVER DESIGNED!



**ONLY
\$7.45
DOWN
\$8.00
MONTHLY**

**THE STEREO-TUNER
IS YEARS AHEAD**

**KT-500
74.50
IN KIT FORM**

Use it as a Stereophonic FM-AM Tuner
Use it as separate Monaural FM & AM Tuners
Use it as straight Monaural FM or AM Tuner

- MULTIPLEX OUTPUT FOR NEW STEREO FM
- TWO PRINTED CIRCUIT BOARDS AND IF'S PREALIGNED
- FM AFC AND AFC DEFEAT
- TUNED CASCADE FM FRONT END
- 17 TUBE PERFORMANCE — 11 Tubes (4 dual-purpose) + Tuning Eye & Selenium Rectifier
- ARMSTRONG CIRCUIT WITH DUAL LIMITERS AND FOSTER-SEELEY DISCRIMINATOR
- 12 TUNED CIRCUITS AND DUAL CATHODE FOLLOWER OUTPUTS
- EXTREME SENSITIVITY AND WIDE FREQUENCY RESPONSE

THE LAFAYETTE STEREO-TUNER IS UNIQUE AND INCOMPARABLE

More than a year of research, planning and engineering went into the making of the Lafayette Stereophonic Tuner. Designed against obsolescence, it incorporates every practical and worthwhile feature that is considered necessary for your complete satisfaction of all present and future types of broadcasting. Already, breathtaking stereophonic programs are being transmitted via FM and AM. It will certainly become more and more the popular method of high fidelity broadcasting, enabling you to enjoy the ultimate in high-fidelity sound reproduction. Since the FM and AM sections are completely independent of each other, this tuner can be used furthermore as a dual-monaural tuner. In this way, the music lovers are able to listen to concert programs on the FM channel in one room, while the younger-set can listen to a different program on AM in another room. In addition, on a monaural program which is broadcasted simultaneously via FM and AM, this tuner will enable you to tune in both channels and reproduce them through individual amplifier-speaker systems. The improvement of quality will be immediately noticeable because the sound source is now distributed and at the same time, the hole-in-the-wall point source effect is completely eliminated. Of course, the unit can also be used as an ordinary type of FM-AM tuner, providing you with unsurpassed quality of reception.

Apart from its unique flexibility, this is, before all else, a superior high-fidelity tuner, employing many features found only in the highest priced units. An inspection of the tubes and parts used will reveal that this tuner is engineered without compromise of any kind. With the Lafayette Stereo-

Tuner you are assured of noise-free, drift-free, distortion-free performance. You will not only hear this quality, but also sense it even in the mechanical details; in the "feel" on the velvet-smooth easy fly-wheel tuning, in the professional appearance of the tastefully selected colors that will blend with any decor. The just-right shade of gold-brass esstheon contrasts just enough with the dark maroon background, and is set off by matching maroon knobs with gold inserts. The design of the cabinet has the simplicity of modern styling, touched by a stroke of traditional elegance. Carefully designed for easy installation in console if desired.


Deluxe features include separate FM and AM sections, each tuned with its own 3-gauge tuning capacitor, and each has its individual low impedance cathode follower output. This means that the tuner, can be installed using shortest possible FM antenna lead-in wire to minimize undesirable pickup. Long output cable can be used to connect tuner to control center without fear of high frequency loss. Also, separate volume controls are provided for each channel so that, when used for stereophonic reception, a proper balance between channels can be achieved. Without this important feature, the wonderful realism of stereophonic sound would be destroyed. Convenient front panel switch changes from stereo to monaural use. Simplified accurate knife-edge tuning is provided by magic eye which operates independently on FM and AM. Automatic frequency control "locks in" FM signal permanently. Ferrite rod antenna with loading ring is supplied to bring in weak AM stations for quality reproduction. Designed for easy assembly, the kit is built around two printed circuit boards and prealigned IF's, making construction and wiring simple, even for such a complex unit.

SPECIFICATIONS

RANGE: FM 88-108MC, AM 530-1650KC. FM CIRCUIT: Armstrong, low noise front end with triode grounded grid amplifier and triode mixer. Double tuned dual limiters, Foster-Seeley discriminator, AFC and AFC defeat. AM CIRCUIT: Superhet with 3 stages AVC, 10kc whistle filter, ferrite antenna. DISTORTION: Under 1% harmonic on FM; under 1% on AM for up to 80% modulation. HUM LEVEL: 60 db below 100% modulation. SENSITIVITY: FM—full limiting an signals as low as 1 μ v, 2 μ v for 30 db quieting; AM Terminal Sensitivity 5 μ v. SELECTIVITY: FM 200kc bandwidth; 6 db down, AM 8kc BW; 6 db down. FREQUENCY RESPONSE: FM 20-20,000 cps \pm 1/2 db, AM 20-5,000 = 3 db. FM DRIFT: \pm 5kc Maximum. IMAGE REJECTION: FM 40 db; AM 30 db. I.F. REJECTION: FM 70 db, AM 50 db. RADIATION: MEETS FCC REQUIREMENTS. OUTPUT LEVEL: FM 2 1/2 V for 100% modulation, 1V for 30% AM average 1V. CONTROLS: 5 controls; FM VOL, AM VOL, FM Tuning, AM Tuning, and five position function selector switch. TUBES: 4-6BA6, 2-6AU6, 1 each 6BK7A, ECC85, 6AL5, 6BE6, 12AU7 and 6U5 tuning eye. Selenium rectifier. OUTPUT IMPEDANCE: Low impedances cathode follower. Output jacks for FM, AM or Binaural. ANTENNA INPUT: 300 ohms. Size, 13 1/2" W x 10 1/2" D x 4 1/2" H. Suggested retail price, \$124.50. Kit comes complete with all parts and metal cover, a step-by-step instruction manual, schematic and pictorial diagrams.


● THE MOST FLEXIBLE TUNER EVER DESIGNED!

Use it as a Stereophonic FM-AM Tuner



Use it as simultaneous Monaural FM & AM Tuners

Use it as separate Monaural FM or AM Tuner




MODEL KT-500 Stereo Tuner Kit, Net 74.50

MODEL LT-5D Same as above, but completely wired and factory tested. Net 124.50

FM **STEREO** AM • FM **STEREO** AM • FM **STEREO** AM • FM **STEREO** AM

LAFAYETTE'S EASY PAYMENT PLAN

• BUY NOW OUR EASY-PAY WAY •



**ON ORDERS
AS LOW AS
\$20!**

**FAST—ECONOMICAL—CONFIDENTIAL
and
EASY TO USE**

SAME DAY SERVICE — All orders received by us before 12 o'clock are shipped the same day.

LAFAYETTE RADIO
Shop by Mail Or In Person
AT THE
**World's Foremost
ELECTRONICS
SUPPLY HOUSE**



TEST EQUIPMENT • KITS • TOOLS



PHONO • RADIO • HAM GEAR • CABINETS



COMPLETE INDUSTRIAL DEPARTMENTS



COMPLETE HI-FI DEPARTMENTS
FULLY EQUIPPED DEMONSTRATION ROOMS

Lafayette's Easy Payment Plan enables you to get the equipment you want now, even if you do not have the ready cash. This sensible plan permits you to buy without disturbing savings and to pay out of future earnings — and at the lowest carrying charges! You need only a small down-payment on all orders of \$20 or more. You can buy whatever you please under this plan from the merchandise in our catalogs, flyers and advertisements including High Fidelity Systems; individual Hi-Fi units and accessories; Test Equipment; Kits; Public Address and Intercom Equipment; Amateur Gear; Power and Hand Tools; Phonographs and Record Changers; Tape Recorders; Telescopes, Binoculars and Photographic Equipment; Books and Manuals. In fact, all merchandise can be purchased on the Easy-Pay Plan (EXCEPT ELECTRICAL APPLIANCES, PRE-RECORDED TAPE, RECORDS, TUBES AND PARTS).

TERMS OF OUR EASY PAYMENT PLAN

- **Minimum Order**..... Orders must have a total cash value of \$20.00 or more.
- **Down Payment**..... A minimum of \$5.00 down on orders less than \$50.00 total, and 10% down on orders \$50.00 or more. Larger down payments reduce service charges and monthly payments.
- **Service Charge**..... See "Easy Pay Schedule." Lafayette service charges are lowest in this field.
- **Monthly Payments**..... See Schedule. All payments are far equal amounts, as shown, except for the last payment, which is for the balance due. The minimum payment is \$5.00 per month.

HOW TO BUY ON LAFAYETTE'S EASY TERMS

To order the merchandise you want to buy on easy terms, use your Lafayette order blank. Then, supply the answers to the simple questions on the reverse side of the order blank and sign it in the space provided. Attach the remittance covering your down payment (see above) and mail your order. As soon as your credit is approved your order will be shipped. Your first payment is not due until 30 days after date of shipment. Lafayette has made this Easy Payment Plan as simple and as confidential as possible — no red tape. Any responsible person over 21 having a steady income can get credit approval. Lafayette's Easy Pay Plan is only available to residents of the 48 states — it cannot be applied to shipment to U. S. Possessions or Territories, to A.P.O. or F.P.O. addresses, or to foreign countries.

TYPES OF MERCHANDISE SOLD ON EASY PAYMENTS

With some exceptions, you can buy whatever you please under this plan including High Fidelity Equipment and Accessories; Test Equipment; Kits; Public Address and Intercom Equipment; Amateur Gear; Power and Hand Tools; Phonographs and Record Changers; Telescopes, Binoculars and Photographic Equipment; Books and Manuals; etc.

NOT AVAILABLE ON EASY PAYMENT TERMS are Electrical Appliances; Pre-recorded Tape; Records; Tubes; and Parts.

REFUND OF SERVICE CHARGES FOR ADVANCE PAYMENT

All service charges will be refunded if payment is completed within 60 days of shipment. Take the full time to pay if you wish. However, a pro-rata refund of carrying charges will be made if payment is completed before the required time.

EASY PAY SCHEDULE

If Unpaid Balance Is	Service Charges	Monthly Payment
15.00 — 25.00	2.50	5.00
25.01 — 30.00	3.00	5.00
30.01 — 35.00	3.50	5.00
35.01 — 40.00	4.00	5.00
40.01 — 50.00	5.00	5.00
50.01 — 60.00	6.00	6.00
60.01 — 70.00	7.00	7.00
70.01 — 80.00	8.00	7.00
80.01 — 90.00	9.00	8.00
90.01 — 100.00	10.00	9.00
100.01 — 110.00	11.00	10.00
110.01 — 120.00	12.00	10.00
120.01 — 130.00	13.00	10.00
130.01 — 140.00	14.00	11.00
140.01 — 160.00	16.00	12.00
160.01 — 180.00	18.00	13.00
180.01 — 200.00	20.00	14.00
200.01 — 225.00	22.50	15.00
225.01 — 250.00	25.00	16.00
250.01 — 275.00	27.50	17.00
275.01 — 300.00	30.00	19.00
300.01 — 350.00	35.00	21.00
350.01 — 400.00	40.00	24.00
400.01 — 450.00	45.00	27.00
450.01 — 500.00	50.00	30.00

On orders over \$500.00, send down payment of 10% or more. Payments and service charge will be in proportion to amounts shown on schedule.

LAFAYETTE RADIO WORLD'S FOREMOST ELECTRONIC SUPPLY HOUSE

Lafayette LEADS...

In Guaranteed Satisfaction. Under our 15-Day Money-Back Trial Policy you may try any high fidelity component, test instrument, recorder, public address or communications unit, or other standard catalogued equipment for 15 days. Then, if not completely satisfied return it for refund, prepaid, and we will refund your purchase price (less unpaid transportation charges, if any). Merchandise must be returned in new condition.

SAME DAY SERVICE

ALL ORDERS RECEIVED BY US BEFORE 12 O'CLOCK ARE SHIPPED THE SAME DAY

Lafayette LEADS...

In Savings and Price Protection. You benefit from any price reductions which take place after the catalog has been printed; orders are filled at prices in effect at the time of shipment. Catalog prices are NET, f.o.b. shipping point. All trade and cash discounts have already been deducted from every price. COMPARE LAFAYETTE'S PRICES AND NOTE THE SAVINGS!

HOW TO ORDER

Use our convenient order blank (additional blanks sent on request). Please write in ink, legibly, and not more than ONE item to a line. Make sure you write our exact stock or the manufacturer's number and that the price is the one quoted for the item you want. Specify how we shall make shipment by checking the preferred square "Parcel Post", "Express" etc. We shall follow your instructions, but will change them wherever required because of carriers' regulations, or if such change is in your better interest.

NOTE: In many instances, especially in tabulated lists of merchandise, it is impossible to show shipping weights. Make your best estimate.

IMPORTANT

Please write all correspondence or remarks not related to your order on a separate sheet of paper. Make sure you include sufficient money for postage/shipping charges: All overpayments promptly refunded.

DOMESTIC ORDERS

We buy for cash and sell for cash: this explains our low price policy. We do not carry credit accounts, and we pass on to our customers all savings effected by the elimination of costly bookkeeping. Will ship C.O.D. if desired, providing a deposit of at least 25% accompanies your order. C.O.D. parcels may be shipped ONLY to places in the 48 states of the U. S. and to U. S. territories. Remittance in full saves you extra collection costs.

ORDERS OUTSIDE OF THE CONTINENTAL UNITED STATES

All orders from outside of the continental United States should be marked to the attention of our Export Department. All prices of such orders are net, F.O.B. our New York City warehouse, subject to change without notice. The order should be paid by either confirmed, irrevocable letter of credit, or by a remittance in United States dollars on a New York bank, and should include enough to cover shipping, insurance, and consular expenses. All orders should have a minimum merchandise value of \$40.00. Goods are packed in cardboard cartons; for wooden export packing there is a slight additional charge. Please send all correspondence by air for faster service.

FINAL PRICES

Prices shown in our catalogs are net, and except where marked POSTPAID, do not include shipping costs. All discounts have been deducted, including 2% discount for cash. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE; we give customers the benefit of all reductions taking place after the catalog is published. Orders are filled at prices in effect at time of shipment.

POSTPAID ITEMS

Please note that Postpaid items refer only to shipments made within the 48 states of the U. S. (U. S. possessions not included).

SENDING MONEY

The safest and best way to send money is by: American Express, Postal or Telegraph Money Order, bank drafts or firm checks. DO NOT SEND CASH. If absolutely necessary to remit cash, send by registered mail only.

RETURNING MERCHANDISE

When returning merchandise to us, always write a note telling the reason and state exactly what you wish us to do. Return the order form and any attached papers you received with the merchandise. If additional money is to be sent, enclose a money order, bank draft or check. PLEASE DO NOT SEND CURRENCY. Write your name and address legibly on the package. Then follow instructions below. They apply to any item you return.

BY FIRST CLASS MAIL:

Wrap all small unbreakable parts or samples in paper and enclose in the same envelope along with your letter. Place proper letter postage on the envelope.

BY PARCEL POST:

Pack, wrap and tie the goods securely. Paste your letter of instructions to the outside of the package, under the cord. Place a 4¢ stamp on the letter and proper postage on the package.

BY FREIGHT OR EXPRESS:

Do not return items by freight or express until you have written us and received our reply with instructions.

DAMAGED MERCHANDISE:

If your shipment is received damaged, obtain a report from the postmaster or express agent and mail it to us with the damaged merchandise.

NOTE:

All orders for special merchandise must be accompanied by a deposit of 50%.

Catalogue Shipping Weights are Approximate

PARCEL POST RATES FOR ALL ZONES

Subject to post office rate changes

Parcels up to 8 ounces may be shipped anywhere in the United States for 8¢. Parcel Post shipments over 8 ounces, mailed at a first class post office, addressed for delivery at another first class post office, shall be limited in size and weight as follows: 72 inches in length and girth combined; 40 lbs. to 1st and 2nd zones (150 miles) and 20 lbs. in the 3rd to 8th zones. Example: a package 35 in. long, 10 in. wide and 5 in. high measures 65 in. in length and girth combined (length 35 in. plus twice 10 in. width, plus twice 5 in. height, equals 65 in.).

WEIGHT IN LBS.	LOCAL	ZONES							
		1-2 UP TO 150 MILES	3 150 TO 300 MILES	4 300 TO 600 MILES	5 600 TO 1,000 MILES	6 1,000 TO 1,400 MILES	7 1,400 TO 1,800 MILES	8 OVER 1,800 MILES	
1	\$0.18	\$0.23	\$0.23	\$0.24	\$0.26	\$0.28	\$0.30	\$0.32	
2	.20	.27	.29	.31	.36	.40	.46	.51	
3	.21	.31	.34	.38	.45	.52	.61	.69	
4	.23	.35	.39	.45	.54	.64	.76	.87	
5	.24	.39	.44	.52	.63	.76	.91	1.05	
6	.26	.43	.49	.59	.73	.88	1.06	1.23	
7	.27	.47	.54	.66	.82	1.00	1.22	1.41	
8	.29	.51	.60	.73	.91	1.12	1.37	1.59	
9	.30	.55	.65	.80	1.00	1.24	1.52	1.77	
10	.32	.59	.70	.87	1.10	1.36	1.67	1.95	
11	.33	.63	.75	.93	1.19	1.48	1.82	2.13	
12	.34	.67	.80	1.00	1.28	1.60	1.98	2.31	
13	.36	.71	.85	1.07	1.37	1.72	2.13	2.49	
14	.37	.75	.90	1.14	1.47	1.84	2.28	2.67	
15	.39	.79	.96	1.21	1.56	1.96	2.43	2.85	
16	.40	.83	1.01	1.28	1.65	2.08	2.58	3.03	
17	.42	.87	1.06	1.35	1.74	2.20	2.74	3.21	
18	.43	.91	1.11	1.42	1.84	2.32	2.89	3.39	
19	.45	.95	1.16	1.49	1.93	2.44	3.04	3.57	
20	.46	.99	1.21	1.56	2.02	2.56	3.19	3.75	
FOR EA. ADDED LB. ADD 2c		4c	5c	7c	9c	12c	15c	18c	

APPROXIMATE EXPRESS CHARGES (SUBJECT TO RATE CHANGES)

Express charges are also determined by the weight of the shipment and the distance of consignee from the shipper. The following chart indicates approximate charges. Add 3% Federal Transportation Tax.

WEIGHT	100 MILES	150 MILES	300 MILES	500 MILES	750 MILES	1000 MILES	2000 MILES	2500 MILES	3000 MILES
20 lbs.	2.23	2.33	2.61	2.92	3.24	3.63	4.87	5.34	5.50
30 "	2.52	2.66	3.09	3.56	4.05	4.61	6.47	7.18	7.43
40 "	2.80	3.00	3.57	4.19	4.84	5.60	8.08	9.02	9.34
50 "	3.08	3.33	4.05	4.84	5.64	6.58	9.68	10.86	11.26
60 "	3.37	3.66	4.54	5.47	6.45	7.58	11.28	12.71	13.19
70 "	3.66	3.99	5.02	6.10	7.25	8.56	12.90	14.54	15.11
80 "	3.95	4.33	5.50	6.74	8.04	9.55	14.50	16.39	17.04
90 "	4.23	4.67	5.98	7.38	8.84	10.54	16.11	18.23	18.96
100 "	4.51	5.01	6.46	8.02	9.64	11.51	17.71	20.07	20.87

INSURANCE

Parcel Post Insurance Rates

up to 10.00	.10
10.01 to 50.00	.20
50.01 to 100.00	.30
100.01 to 200.00	.40

Express Insurance Rates

For shipments under \$50.00, no extra insurance charge.
For shipments valued from \$50.00 to \$150.00, 22 cents.
For each additional \$100.00 value or part thereof beyond \$150.00, add 22 cents.

C.O.D. SHIPMENTS

Transportation charges on C.O.D. parcels are slightly higher than those sent prepaid. C.O.D. charges in addition to the regular postage costs outlined above are as follows (including insurance):

When the value of the parcel is from	the extra charge is
\$.01 to \$5.00	30c
5.01 to 10.00	40c
10.01 to 25.00	60c
25.01 to 50.00	70c
50.01 to 100.00	80c
100.01 to 150.00	90c
150.01 to 200.00	\$1.00

EXPRESS & FREIGHT SHIPMENTS

Express and freight shipments are sent transportation charges collect. If your station has no agent, please send sufficient money to cover transportation. Charges are the same either way. All over-payments are promptly refunded.

The Post Office also charges an extra small money order fee on each C.O.D. parcel. Save these fees by remitting in full.

Orders from within the five boroughs of New York City are subject to N. Y. City sales tax unless accompanied by evidence of exemption.

LAFAYETTE'S EASY-PAY PLAN

SIMPLE—FAST—ECONOMICAL—CONFIDENTIAL

Lafayette's Easy Payment Plan enables you to get the equipment you want now, even if you do not have the ready cash. This sensible plan permits you to buy without disturbing savings and to pay out of future earnings — and at the lowest service charges! You need only a small down-payment on all orders of \$20 or more. You can buy whatever you please under this plan from the merchandise in our catalogs, flyers and advertisements including High Fidelity Systems; individual Hi-Fi units and accessories; Test Equipment; Kits; Public Address and Intercom Equipment; Amateur Gear; Power and Hand Tools; Phonographs and Record Changers; Tape Recorders; Telescopes, Binoculars and Photographic Equipment; Books and Manuals. In fact, all merchandise can be purchased on the Easy-Pay Plan EXCEPT ELECTRICAL APPLIANCES, PRE-RECORDED TAPE, RECORDS, TUBES AND PARTS.

EASY PAYMENT TERMS

Minimum Order — 20.00 total cash value.

Down Payment — 5.00 down on orders less than 50.00 total, and 10% down on orders above 50.00. (Larger down payments reduce service charges and monthly payments.)

Monthly Payment — See schedule. All payments are for equal amounts as shown, except for the last payment which is for the balance due. The minimum payment is 5.00 per month.

Service Charges — See schedule. The Lafayette service charges are the lowest obtainable in this field.

Refund of service Charges For Advance Payment — All service charges will be refunded if payment is completed within 60 days after shipment. Take the full time to pay if you wish. However, a pro-rata refund of service charges will be made if payment is complete before the required time.

HOW TO BUY ON LAFAYETTE'S EASY-PAY PLAN

To order the merchandise you want on easy terms, use your Lafayette order blank. Then supply the answers to the simple questions below and sign in space provided. Attach the remittance covering your down payment (see above) and mail your order. As soon as your credit is approved, your order will be shipped. Your first payment is not due until 30 days after date of shipment.

Lafayette has made this Easy Payment Plan as simple and as confidential as possible — no red tape. Any responsible person over 21 having a steady income, can get credit approval. Lafayette's Easy Payment Plan is only available to residents of the 48 states. It cannot be applied to shipments to U.S. Possessions or Territories, to A.P.O. and F.P.O. addresses or to foreign countries.

EASY PAY SCHEDULE			
If Unpaid Balance Is	Service Charges	Monthly Payment	
15.00 — 25.00	2.50	5.00	
25.01 — 30.00	3.00	5.00	
30.01 — 35.00	3.50	5.00	
35.01 — 40.00	4.00	5.00	
40.01 — 50.00	5.00	5.00	
50.01 — 60.00	6.00	6.00	
60.01 — 70.00	7.00	7.00	
70.01 — 80.00	8.00	7.00	
80.01 — 90.00	9.00	8.00	
90.01 — 100.00	10.00	9.00	
100.01 — 110.00	11.00	10.00	
110.01 — 120.00	12.00	10.00	
120.01 — 130.00	13.00	10.00	
130.01 — 140.00	14.00	11.00	
140.01 — 160.00	16.00	12.00	
160.01 — 180.00	18.00	13.00	
180.01 — 200.00	20.00	14.00	
200.01 — 225.00	22.50	15.00	
225.01 — 250.00	25.00	16.00	
250.01 — 275.00	27.50	17.00	
275.01 — 300.00	30.00	19.00	
300.01 — 350.00	35.00	21.00	
350.01 — 400.00	40.00	24.00	
400.01 — 450.00	45.00	27.00	
450.01 — 500.00	50.00	30.00	

On orders over \$500.00, send down payment of 10% or more. Payments and service charge will be in proportion to amounts shown on schedule.

FILL IN THIS FORM TO ORDER ON EASY PAYMENT

Please answer all questions fully to help establish your credit promptly. Write your order on the reverse side.

NOTE: Easy payment contracts cannot be accepted from persons under 21 years of age. If you are under 21, have this form filled out by a person of legal age, regularly employed or engaged in business. He can make the purchase for you, and will be responsible for payment.

NOTICE TO THE BUYER

1. Do not sign this agreement before you read it or if it contains any blank space. 2. You are entitled to a completely filled in copy of this agreement. 3. Under the law, you have the right to pay off in advance the full amount due and under certain conditions to obtain a partial refund of the credit service charge.

RADIO WIRE TELEVISION, INC. 165-08 Liberty Ave., Jamaica 33, N. Y.

Enclosed is a deposit of \$ _____ on the Easy Payment cost of the equipment listed on the reverse side. I will pay \$ _____ each month at your office, starting thirty days after shipment, for _____ months and a final payment of \$ _____ until the total time payment price is paid. The title and right of possession of the equipment shall remain with you until fully paid. It is agreed that I will protect the equipment, and will not sell, mortgage, remove, or otherwise deprive you of possession of it without your consent in writing. Upon default of any payment or payments, you may declare the entire unpaid balance due at once, and hold me liable for the full unpaid balance, or you may retake the equipment, as you may elect. If this order is not accepted by you on Time Payment, you are to refund the deposit with notice of non-acceptance. Acceptance of this order shall be affected only by your shipment to me of the equipment listed on the order. For the purpose of receiving credit on this basis, I make the following representation:

RETAIL INSTALLMENT CONTRACT

Accepted-Radio Wire Television, Inc.

YOUR WRITTEN SIGNATURE X

By _____

Present Home Address	(No. and Street or R. F. D. No. and Route)		(City and State)	How Long at this Address	Telephone No.
Living With Parents	Yes <input type="checkbox"/> No <input type="checkbox"/>	Landlord's Name	(Address)	(City and State)	
Home Address	<input type="checkbox"/> Permanent or <input type="checkbox"/> Previous	(Check which)	(Address)	(City and State)	How Long (Years) (Months)
Age (Must Be Over 21)	Single <input type="checkbox"/> Married <input type="checkbox"/>	Number of Dependents Including Wife	Monthly Income \$	If husband and wife both work, give income of each	Husband \$ Wife \$
Draft Classification	Reserve Status	Have you bought from Lafayette before? Yes <input type="checkbox"/> No <input type="checkbox"/>	On Time Payment? Yes <input type="checkbox"/> No <input type="checkbox"/>	If yes, please give your Lafayette Time Payment Account Number. No.	
Real Estate Holdings—Address	Recorded in Name of	Present Value \$	(City and State)	Mortgage \$	
Name Present Employer	Business Address	Your Position Badge or Serial No. if any	(Address)	How Long (Years) (Months)	
Name Farmer Employer	Bank Account With	Savings <input type="checkbox"/> Checking <input type="checkbox"/>	(Address)	How Long (Years) (Months)	
First Trade Reference	(Name)	(No. and Street)	(City and State)	Highest Credit \$	Still Owning \$ Monthly Payment \$
Second Trade Reference	(Name)	(No. and Street)	(City and State)	Highest Credit \$	Still Owning \$ Monthly Payment \$
Third Trade Reference	(Name)	(No. and Street)	(City and State)	Highest Credit \$	Still Owning \$ Monthly Payment \$
Nearest Relative	(Name)	(No. and Street)	(City and State)	Highest Credit \$	Still Owning \$ Monthly Payment \$
Name	(DO NOT LIST THOSE WITH WHOM YOU RESIDE)		Address	Relationship	

(F6Y) **IMPORTANT: Please sign this form on line "X" before mailing. Be sure to give age. (Must be over 21).**



NEW!

Lafayette

PROFESSIONAL STEREO MASTER AUDIO CONTROL CENTER

With All The Versatility Of A Broadcast Studio Control Console

- A GIANT FORWARD STEP IN PREAMPLIFIER DESIGN! ● UNIQUE STEREO & MONAURAL CONTROL CENTER FACILITIES & OUTSTANDING PERFORMANCE SUPERIORITY! ● WITH AMAZING NEW BRIDGE CIRCUITRY & CONTROL FOR VARIABLE 3d-CHANNEL OUTPUT FOR 3-SPEAKER STEREO SYSTEMS! ● VARIABLE CROSS-CHANNEL SIGNAL FEED FOR ELIMINATION OF "HOLE-IN-THE-MIDDLE" EFFECTS WITH STANDARD 2-SPEAKER STEREO! ● HIGHLY PRECISE "NULL" BALANCING & CALIBRATING SYSTEM PROVIDES MORE ACCURATE STEREO BALANCE THAN METERS!



IN EASY-TO-BUILD KIT FORM

MODEL KT-600 79.50

ONLY 7.95 DOWN 8.00 MONTHLY

"Futurama"
OF DESIGN FEATURES

- PRECISION "NULL" STEREO CALIBRATION & BALANCING
- CONTROLLED CROSS-CHANNEL SIGNAL MIXING
- THIRD CHANNEL CONTROLLED OUTPUT
- CONTROLLED MONAURAL MIXING OF ALL INPUTS
- 24 SEPARATE EQUALIZATIONS ON EACH CHANNEL
- MONAURAL RECORDING OR PLAY WITH STEREO SOURCES
- 6 CONCENTRIC FRONT-PANEL CONTROLS
- 4 CONCENTRIC REAR-PANEL INPUT LEVEL CONTROLS
- SWITCHED FLETCHER-MUNSON LOUDNESS CONTOUR COMPENSATION
- PARALLELED OR SINGLE CHANNEL AMPLIFIER DRIVE WITH MONAURAL SOURCES
- 180° PHASE REVERSAL
- CHANNEL REVERSAL WITH OR WITHOUT PHASE REVERSAL

PERFORMANCE SPECIFICATIONS FOR SUPER-STEREO

- RESPONSE 10-25,000 CPS ± 0.5 DB ● TAPE HEAD PLAYBACK EQUALIZATION FOR NEW 4-TRACK STEREO ● LOW LEVEL SENSITIVITY 1.78 MILLIVOLTS FOR 1 VOLT OUT ● HIGH LEVEL SENSITIVITY 87 MILLIVOLTS FOR 1 VOLT ● SWITCHED 12 DB/OCTAVE RUMBLE & SCRATCH FILTERS ● LESS THAN 0.3% IM DISTORTION ● DUAL TAPE MONITOR JACKS & SWITCH FOR RECORD & PLAYBACK ● DUAL INPUTS FOR STEREO/MONAURAL CERAMIC, CRYSTAL OR CAPACITIVE PICKUPS WITH FULL USE OF EQUALIZATION SELECTORS ● SIGNAL-TO-NOISE BETTER THAN -80 DB AT HIGH LEVEL & -62 DB AT LOW LEVEL INPUTS FOR 1 VOLT OUT ● "PRESENCE" SWITCH FOR SOLO PROJECTION ● BASIC CONTROLS ALL CONCENTRIC ● "PLATE FOLLOWER" OUTPUTS FOR LOW IMPEDANCE WITH LOWEST DISTORTION ● 7-TYPE 7025 LOW-NOISE DUAL TRIODES ● 4-AUXILIARY AC OUTLETS

THE LAFAYETTE KT-600 SOLVES EVERY STEREO/MONAURAL CONTROL PROBLEM

In Lafayette's constant effort to bring you the very latest and most advanced developments in electronics — and particularly in high fidelity — at prices everyone can afford, Lafayette went to the most forward-looking experienced brains in the electronics/high fidelity industry and has now DARED to produce what we think is the MOST REVOLUTIONARY DEVELOPMENT IN STEREO HIGH FIDELITY — A BRILLIANT NEW ACHIEVEMENT — THE LAFAYETTE KT-600 STEREO MASTER AUDIO CONTROL CENTER!

The KT-600 provides 4 dual concentric input level controls for balanced use of different types of program sources — such as AM and FM tuners, tape recorder with microphone, phonograph plus microphone, etc., and without overloading inputs; 3 controls are for high level input, and a separate level control is provided for the output of the preamplifier stage. The KT-600 provides separate turnover and rolloff dual concentric switches for 24 possible positions of accurate equalization on each channel; equalization on each channel may be set independently of the other. Furthermore, all inputs can be variably mixed, monaurally, at will (like with phono, tape recorder with phono, etc.). The Bridge Control permits cross-channel feed or optionally acts as a volume control for the 3d channel (Bridge) output to eliminate "ping-pong" or "hole-in-the-middle" effects. An audible, sharp, accurate "null" (dip in sound output) is provided by the "Collbrate" positions of the Stereo Function Switches working in conjunction with the clutch-type Balance Controls for precise stereo balance — highly important for good stereo performance. The 3d channel output can also serve for mixing any stereo program (stereo record, tape, AM/FM stereo) to produce excellent monaural recordings or to play a stereo program monaurally through a separate amplifier and speaker system in another room. The KT-600 has Electronic Phase Reversal to make up for reversed-phase recordings sometimes found commercially, in which there

is a loss of some portions of the frequency spectrum, and to correct speakers connected out of phase. Channel reversal is also present for correct positioning of stereo music to the right or to the left — and this may optionally be accompanied by phase reversal for best overall stereo sound. The KT-600 has a Presence Rise Switch which pulls a solo instrument out of the general musical background with minimum disturbance of orchestral balance.

AND STILL OTHER PROFESSIONAL FEATURES OF LAFAYETTE'S KT-600 ARE: Tape head equalization for the new 4-track stereo tapes; Master Gain Control for individual or simultaneous adjustment of channel levels; inputs for constant velocity (magnetic) and constant amplitude (ceramic, crystal or capacitive) phono cartridges, all equalized by the Rolloff and Turnover selector switches; individual channel concentric bass controls and concentric treble controls which permit pre-setting for good stereo tonal balance and maintaining that balance at other tone control settings; tone control circuits use 5% tolerance components and 2 1/2% tolerance precision potentiometers for accurate centering of their "flat" positions; switched rumble and scratch filters; switched Fletcher-Munson loudness contour compensation; tape monitor output jacks and tape Monitor-Play switch permit monitoring with recorders having special monitor heads and preamplifiers and also permit a stereo/monaural tape deck with 1 or 2 record/playback preamplifiers to be permanently connected to the KT-600 for recording and playback; "plate follower" output stages for low impedance (1300 ohm) outputs with extremely low distortion; special low-flux power transformer and DC operation of all filaments for exceptionally low hum and cool operation; low-noise deposited metal-film resistors and 7 of the new premium low-noise type 7025 tubes are used for extra-good signal-to-noise ratio. The KT-600 has printed circuit board construction for ease of wiring and maximum performance stability.

SPECIFICATIONS

CONTROLS: 12 (6 dual concentric, 6 single) on front panel, 5 on rear (dual concentric). **INPUT AND TURNOVER SELECTOR:** 7-position, dual concentric, independently set for each channel. Positions: Aux, Tape Amp, Tuner, AES, RIAA, Tape Head-800, LP. **ROLL-OFF SELECTOR:** 7-position, dual concentric, independently set for each channel. Positions: LP, RIAA, AES, 10.5, S, Flat, Tape Head. **BASS CONTROL:** Dual concentric, 15 db boost or cut at 30 cps. **TREBLE CONTROL:** Dual concentric, 13 db boost or 18 db cut at 10,000 cps. **BUMBLE FILTER:** On-off switch, 12 db per octave slope below 70 cps. **SCRATCH FILTER:** On-off switch, 12 db per octave slope above 7000 cps. **STEREO FUNCTION SELECTOR:** Dual concentric. Each concentric switch selects different functions for both channels. Positions: Monaural A, Monaural B, Stereo, A + B, Calibrate, Colibrate, Reverse Phase, Normal, Reverse Channels, Reverse Channels + Reverse Phase. **VOLUME-BALANCE CONTROL:** Dual concentric. Clutch type: pulling out center knob locks controls apart for independent adjustment when performing the "null" stereo balance and calibrating operation; pressing knob back in permits simultaneous operation at Master Volume Control for both channels, with Fletcher-Munson loudness contour compensation when Loudness switch is on. **BRIDGE CONTROL:** Continuously variable, with power on-off switch. Controls variable 3d-channel (Bridge) output and cross-channel signal feed. **LOUDNESS SWITCH:** On-off. Provides loudness contour compensation for Volume Control. **PRESENCE SWITCH:** On-off. Provides solo projection by tapered emphasis of the spectrum from 1000 to 8000 cps, with 1 db rise at each end and 7 db rise at 3 kc. **TAPE MONITOR SWITCH:** Play-Monitor positions. **REAR PANEL CONTROLS:** **INPUT LEVEL SET CONTROLS:** 3, dual concentric, 250K ohms each, for the 3 high level inputs (Tape Amp, Tuner, Aux). **PHONO LEVEL SET CONTROL:** sets level at output of preamplifier stage for Tape Head, Mag. Phono and Ceramic-Crystal-Capacitive Phono inputs. **HUM BALANCE ADJUSTMENT, DUAL INPUTS:** 6, High Level — Tuner, Tape Amp, Aux; Low Level — Tape Head, Mag. Phono, Ceramic-Crystal-Capacitive Phono. **OUTPUTS:** 3, Tape (dual), Main (dual), Bridged Output (single). **INPUT IMPEDANCES:** High Level 250,000 ohms, with level set; Low Level 100,000 ohms. **SENSITIVITY:** Low Level — 1.78 millivolts for 1 volt out, High Level — 87 mv. for 1 volt. **SIGNAL-NOISE RATIO:** At high level inputs 80 db below 1 volt; at low level 62 db below 1 volt. **FREQUENCY RESPONSE:** 10-25,000 cps ± 0.5 db. **IM DISTORTION:** High Level — less than .03% at 1 volt, less than 0.1% at 3; Low level less than .03% at 1 volt (actually so low as to be unmeasurable). **OUTPUT IMPEDANCE:** 1300 ohms. ("plate followers") at Main Outputs; Bridge Output 1300 ohms. **AUXILIARY AC OUTLETS:** 4, 1 switched to prevent leaving phonograph on with idler engaged. **TUBES:** 7-7025; 2-xenon rectifiers. **POWER:** 105-120 volts, 50/60 cps. **AC SIZE:** 14" W x 4 1/2" H x 10 1/2" D, less projection. **SHIPPING WEIGHT:** 16 lbs. **LAFAYETTE MODEL KT-600** — Stereo Preamplifier and Control Center Kit, with printed circuit board for simplicity of construction and stable performance, complete with cage, all necessary components, profusely illustrated instructions and detailed mechanical drawings.

KT-600 Kit

Net 79.50

TRY LAFAYETTE'S EASY TERMS
●
ONLY 10% DOWN



NEW LAFAYETTE STEREO AUDIO COMPONENTS

LAFAYETTE STEREO REMOTE CONTROL CENTER MODEL KT-315

- TWO LOW NOISE 7025 DUAL-TRIODES
- POSITIVE CONTROL 50 FEET OR MORE
- BRIDGE BALANCING CIRCUIT
- OUTPUT FOR "THIRD CHANNEL"
- CLUTCH-TYPE VOLUME CONTROL

This self-powered electronic adapter offers exciting features unique even in the fast moving stereo field. Inclusion of low-impedance "plate follower" outputs permits remote operation 50 feet or more from the controlled amplifier. Unusual bridge circuit assures precise balancing of the stereo system by means of audible "null." Objectionable "hole-in-the-middle" effect can be eliminated by cross-feeding variable amounts of audio from each channel. Includes controlled third-channel output for driving third amplifier and speaker, if desired. Individual or simultaneous control of each channel. Phase reversal with or without channel reversal. Selective monaural operation. Frequency response 10 to 25,000 cps \pm 0.5 db; gain 6 db; cross channel rejection better than 50 db.

Premium type 7025 dual triodes. Printed circuit boards for easy error-free assembly. Complete, profusely illustrated manual included. Adapter with cage measures 6 1/4" wide x 4 1/2" high x 7" deep (not including knobs and projections). Shipping weight 7 1/2 lbs.
KT-315 Electronic Stereo Adapter Kit (with cage)..... Net 27.50



KT-315

ELECTRONIC STEREO ADAPTER KIT

ONLY 27.50

LAFAYETTE MASTER AUDIO CONTROL CENTER with BINAURAL CHANNEL AND DUAL VOLUME CONTROL

- Self-Powered
- DC On All Filaments
- 24 Positions of Equalization
- Tape Head Input, High Impedance
- Dual Cathode Follow Output Stages

This is not only the finest hi-fi preamp characterized by unmatched features, but it has been functionally designed to keep pace with the conversion of your present hi-fi system to binaural (Stereophonic) sound. Incorporates an extra channel and dual volume control for binaural reproduction. Features include DC on all tube filaments, negative feedback in every stage, dual cathode follower output stages and latest printed circuit construction. Less than 0.09% IM distortion and less than 0.07 harmonic distortion at 1V. Hum and noise level better than 80 db below full output. Uniformly flat frequency response over entire audible spectrum. 7 inputs for every type of phono, tuner or tape. Tasteful styling, brilliantly executed. Size 12 1/4" x 9 1/2" x 3 1/4". Shpg. wt., 10 1/2 lbs.

KT-300—Lafayette Master Audio Control Kit Complete with cage and detailed assembly instructions. Net 39.50

LT-30—Same as above completely wired and tested with cage and instruction manual. Net 59.50

DELUXE 70 WATT BASIC AMPLIFIER


- Conservatively Rated At 70 Watts
 - Inverse Feedback
 - Variable Damping
 - Metered Balance And Bias Adjust Controls
 - Available In Kit and Wired Form
- Here's ultra-stability in a 70 watt basic power amplifier employing highest quality components conservatively rated to insure performance and long life. Features matched pair KT 88's and wire range linear Chicago output transformer, variable damping control, meter for bias and balance and gold finish chassis. Frequency response 10-100,000 cps \pm 1db. Hum and noise 90 db below full output. IM distortion less than 1 1/2% at 70 watts, less than 0.3% below 30 watts. Harmonic distortion less than 2% at 70 watts from 20 to 20,000 cps \pm 1 db. Output impedance 4, 8 and 16 ohms. Handsome decorative cage perforated for proper ventilation. Size 14 1/2" x 10" x 7 1/2" including cage and knobs. Shpg. wt., 40 lbs.

KT-400—Lafayette 70 watt Deluxe Basic Amplifier Kit complete with cage and detailed assembly instructions. Net 69.50

LA-70—Same as above completely wired and tested with cage and instruction manual. Net 94.50



KT-300
IN KIT
FORM
39.50



KT-400
IN KIT
FORM
69.50

ONLY 6.95
DOWN
7.00 MONTHLY



ONLY 4.75 DOWN
5.00 MONTHLY

47.50

NEW! LAFAYETTE STEREO/MONAURO BASIC POWER AMPLIFIER KIT

- 36-WATT STEREO AMPLIFIER - 18-WATTS EACH CHANNEL
- FOR OPTIONAL USE AS 36-WATT MONAURO AMPLIFIER
- EMPLOYS 4 NEW PREMIUM-TYPE 7189 OUTPUT TUBES
- 2 PRINTED CIRCUIT BOARDS FOR NEAT, SIMPLIFIED WIRING
- RESPONSE BETTER THAN 35-30,000 CPS \pm 1/2 DB AT 18 WATTS
- LESS THAN 1% HARMONIC OR INTERMODULATION DISTORTION


A superbly-performing basic stereo amplifier, in easy-to-build kit form to save you lots of money and let you get into stereo now at minimum expense! Dual inputs are provided, each with individual volume control, and the unit may be used with a stereo preamplifier, for 2-18 watt stereo channels or, at the flick of a switch, as a fine 36-watt monaural amplifier — or, if desired, it may be used as 2 separate monaural 18-watt amplifiers! CONTROLS include 2 input volume controls, channel Reverse switch (AB-BA), Monaural Stereo switch. DUAL OUTPUT IMPEDANCES are: 4, 8, 16 and 32 ohms (permitting parallel (monaural) operation of 2 speaker systems of up to 16 ohms. INPUT SENSITIVITY is 0.45 volts per channel for full output. TUBES are 2-6AN8, 4-7189; GZ-34 rectifier. SIZE 9-3/16" d (10-9/16" with controls) x 5 1/4" h x 13 1/4" w. Supplied complete with perforated metal cage, all necessary parts and detailed instructions. Shpg. wt., 22 lbs.

KT-310 Stereo Power Amplifier Kit (with cage)

Net 47.50

SAVE MONEY—BUILD YOUR OWN HI-FI KITS

EICO Model HF-81K STEREOPHONIC DUAL AMPLIFIER-PREAMP



NEW!

Only 69.95

A handsome complete hi-fi stereo-phonics control center with 2 matched Williamson type push-pull EL84 power amplifiers, all on one chassis. Each channel has 8 inputs: low level-mag phono, tape head, and microphone. Front panel switch for choice of proper NARTB tape equalization for either 7½ or 15 or 3½ ips; high level—2 auxiliaries, AM, FM and FM multiplex. Front panel control to obtain stereo-phonically FM and AM or FM and FM Multiplex; Ganged level controls and a separate focus (balance) control; Independent, low distortion variable cross-over feedback type of bass and treble controls for each channel. Adaptable to any panel thickness for console installation. Output Power—rated 28 watts (continuous) for monoaural, 14 watts for stereo. Freq. Response—± 5 db, 10 to 100 kc at 2 w out. IM Distortion (60 and 6000 cps at 4:1)—0.5% at 10 watts out. Harmonic Distortion—less than 1% from 40-10 kc at 20 w output. Sensitivity for rated output—mag phono: 4 mv; tape head: 2 mv; mic: 6 mv; tuner and auxiliaries: 0.5 v. Hum and Noise Level (below 14W)—-56 db on low level input, -75 db on high level inputs. Bass—± 15 db at 50 cps. Treble—± 15 db at 10 kc. Speaker Connections—4, 8, & 16 ohms. Tubes—4 ECC83/12AX7, 2 ECC82/12AU7, 4 EL84, 2 EZ81. Size 15 x 10½ x 4¾". Shpg. wt., 24 lbs. Model HF-81K. Kit complete with cover Net 69.95 Model HF-81 As above but wired Net 109.95


NEW! EICO MODEL HF 65AK HIGH FIDELITY MASTER CONTROL PREAMP.



Only 29.95

Beautifully designed with the "low silhouette" look to match EICO "HF90 FM tuner," this master control unit also features a new 3-stage tone control circuit, with 30 db feedback, driving a true variable crossover feedback tone control stage. Complete, versatile control facilities for any program material. Adaptable to any panel thickness for console installation. Frequency Response—± 0.3 db, 5-200,000 cps up to 3v rms out with tone controls electrically flat. Harmonic Distortion—(20-20,000 cps): 0.1% at 3v rms out; 0.15% at 5v rms out. IM Distortion—(60 and 7000 cps at 4:1): 0.03% at 1.0 v rms out, 0.17% at 5.0v rms out. Sensitivity—(2v rms out at 1 kc): Phono, LO Mag, 1 mv; HI Mag, 3 mv; Microphone 1 mv; Tape Head 0.5 mv; High Level Inputs, 0.17V. Controls: Selector-Equalizer (AUX, TV, Tuner, Mic, Tape-NARTB equalized for 7½ ips, 78, RIAA, COL. LON); Bass—± 15 db at 50 cps; Treble—± 15 db at 10 kc; 9 db/octave filters—50 or 100 cps (Rumble) and 5 kc or 10 kc (scratch). Separate Level and loudness control. Hum—-70db on hi-level inputs and -60 db on low level input. Output impedance 770 ohms to amplifier and 1400 ohms to tape head. Derive power from EICO or other basic power amplifiers. Tubes: 3-ECC83, 1-6X4, 12 x 8½ x 3¾". Shpg. wt., 9 lbs. HF65A—Complete Kit Net 29.95 HF65—As above, but factory wired Net 44.95 HF65K—Same as HF65A but with power supply Net 33.95 HF65—As above but factory wired Net 49.95

EICO 20 WATT HIGH FIDELITY AMPLIFIER KIT MODEL HF20K



- ±0.5 db 13 to 35,000 cps; ±1.5 db, 7 to 50,000 cps
- COMPARES WITH MOST EXPENSIVE AMPLIFIER MADE!
- BEST BUY IN SUPERLATIVE HIGH FIDELITY AMPLIFIERS!

49.95 COMPLETE KIT


Only \$5.00 Down — \$5.00 Monthly

High quality equalizer and control section plus 20 watt Ultra-Linear Williamson-type power amplifier. Low distortion feed-back equalization; 5 equalizations provided for

LP's and 78's including RIAA. Variable turnover, low distortion feed-back tone controls. "Flat" positions at center settings of control knobs. Loudness control and separate level set control both on front panel. Provides adjustable Fletcher-Munson compensation or no compensation when desired. Loudness control can be adjusted to give desired listening level without affecting tape output. Permits use of up to 30 ft. of cable.

Six inputs: 4 high level switched inputs—Tuner, TV, Tape, Auxiliary (crystal/ceramic phono or second tuner); 2 low level inputs (not switched)—provides proper pick-up loading and attenuation for all leading magnetic, FM and high quality crystal cartridges without changing resistors. Hum balance control for balancing out 60 cycle residual hum. Power Consumption: 110-120 volts, 60 cps, 100 watts. Tubes: 2-12AX7, 2-12AU7A, 2-6L6GB, 1-5U4GB. Handsomely styled to eliminate the necessity for cabinetry. Size: 8½"H, 15"W, 10"D. Shpg. wt., 24 lbs.

EICO MODEL HF20K—KIT, Complete Net 49.95
MODEL HF20—Factory Wired Net 79.95
E-1 ENCLOSURE FOR HF20 Net 4.50




ERIE "PAC" AUDIO AMPLIFIER KIT

- PRINTED CIRCUIT BOARD
- PLUG-IN COMPONENTS

A unique 4-tube, push-pull quality audio amplifier featuring an embossed wiring board, the Erie "Pac," and extreme ease of assembly. The controls, capacitors and tube sockets plug into place like tubes. Frequency response 30-12,000 cps. Output 4 watts. Compact, measures only 6½"W" x 4-5/16"D, 3¾"H. Complete with all parts, including tubes, output transformer, and instructions. Shpg. wt., 3 lbs. Output impedance 4 ohms Net 12.69

EICO 30-WATT BASIC POWER AMPLIFIER



- RESPONSE 15-50,000 CPS ± 1/2 DB AT 30 WATTS • STABLE WITH ALL SPEAKER LOADS, INCLUDING ELECTROSTATICS
- HARMONIC DISTORTION BELOW 1%
- BUILT-IN POWER SOCKET FOR HF-61A PREAMP • CAN BE USED WITH ANY PREAMP


Factory-Wired 62.95 COMPLETE KIT 39.95

An unusually high quality basic power amplifier and an outstanding value. Uses 4 of the new remarkably fine type EL84 output tubes in a push-pull parallel arrangement. EZ81 rectifier tubes provide a power supply of exceptional reliability with warm-up. Characteristics exactly matched to the output tubes for extended output tube life. Overall design is such that stability is maintained on all speaker tops, with loads ranging from zero to infinity.

SPECIFICATIONS: OUTPUT—30 watts continuous, 47 watts peak. INTERMODULATION DISTORTION—2% at 30 watts, 0.35% at 10 watts. HARMONIC DISTORTION—Below 1% at any frequency from 20-20,000 cps at 30 watts ± 1 db. FREQUENCY RESPONSE—15-50,000 cps ± 0.5 db and 15-100,000 cps ± 1.5 db at 30 watts; 15-30,000 cps ± 0.1 db at any level from 1 milliwatt to 30 watts. SQUARE WAVE RESPONSE—20-20,000 cps essentially undistorted. FEEDBACK—20 db. DAMPING FACTOR—Above 10, 20-20,000 cps. SENSITIVITY—1.24 watts for 30 watts out. HUM—80 db below rated output. SPEAKER CONNECTIONS—4, 8 and 16 ohms. TUBES—6AU6, ECC90/6C4, 4-EL84, 2-EZ81 (Rectifiers). POWER CONSUMPTION—125 watts, 117 volts, 60 cps AC. SIZE—5" h x 12" w x 7" d. Shipping weight, 17 lbs.

EICO MODEL HF-30K—Complete kit Net 39.95
HF-30—Same, Factory-wired Net 62.95
E-4—Matching cover Net 3.95

10 WATT PUSH PULL HI-FI AMPLIFIER KIT



- BUILT-IN PREAMPLIFIER FOR GE RELUCTANCE CARTRIDGE
- SELECTOR SWITCHES PERMIT CHOICE OF THREE INPUTS
- SEPARATE BASS AND TREBLE CONTROLS
- 4, 8 AND 16 OHM OUTPUTS
- EASY-TO-FOLLOW INSTRUCTIONS

24.50

This new, economy hi-fi amplifier has many deluxe features for exceptional performance. The three inputs are radio/crystal phono pickup, magnetic phono pickup and microphone. A selector switches the input from radio/crystal to microphone or magnetic pickup, depending upon the position of a rear operon slide switch. OUTPUT—Rated 10 watts, peak 18. FREQUENCY RESPONSE—± 1 db 30-15,000 cps. DISTORTION—1.5% harmonic, 4% intermodulation at 8 watts. 4 CONTROLS—Input Selector; Volume; Treble; Power-On-Off-Boss. TREBLE CONTROL—Flat response up to 15 db boost, BASS CONTROL—Flat response up to 18 db attenuation. OUTPUT IMPEDANCES—4, 8 and 16 ohms. TUBES—65C7, 65L7GT, 2-6V6GT and 5Y3GT rectifier. AUXILIARY AC OUTLET—Distinctive Hommerstone finish. SIZE—10½" x 6¼" x 5¼". WEIGHT—8½ lbs. For 110-120 Volts. Complete kit with coded wire, highest grade solder and detailed instruction manual. Net 24.50

EASY TO BUILD HI-FI KITS — Enjoy and Save

NEW! EICO STEREOPHONIC DUAL PREAMP KIT



Self-powered preamp-control center offering complete switching and control facilities for any stereo program source — tapes, discs or broadcasts. Each channel provides: low-level inputs—magnetic cartridge, tape head, mike; high-level inputs — AM and FM tuners, FM multiplex, auxiliary A

and B; independent level control operating separately or in clutch; 3-stage bass and treble tone controls with feedback amplifier pair driving variable crossover, feedback tone-control stage; Fletcher-Munson loudness compensation with disabling switch; function-selector switch; low-impedance output for tape recorder; hum balance control; convenience outlets. **SPECIFICATIONS** (both channels): Frequency response 5-200,000 cps ± 0.3 db; IM distortion (60 & 7000 cps) .03% @ 1 v. RMS output; Harmonic distortion (20-20,000 cps) .1% @ 3 v. RMS output; Tone-control range ± 15 db @ 50 and 10,000 cps; RIAA phono and NARTB tape head (15, 7.5, and 3.75 ips) equalization; Output-to-main amplifier impedance, 8000 ohms. Tubes: 5-12AX7/ECC83's, 1-6X4. Size: 3 3/4" high, 12" wide, 8 1/4" deep. Shpg. wt., 10 lbs. Cover supplied.

MF85K Stereo Dual Preamp Kit

Net 39.95

Net 64.95

NEW DYNAKIT MARK III 60 WATT POWER AMPLIFIER KIT

- PRE-WIRED PRINTED CIRCUIT ASSEMBLY
- MATCHED PAIR PREMIUM TUBES
- CHOKE FILTERING TO MINIMIZE NOISE



Compact 60 watt basic amplifier designed for finest listening quality in modern hi-fi installations. Pre-wired printed circuit assembly with parts mounted assures correct trouble-free construction in as little as three hours. Accurate and simple bias setting independent of meter accuracy. Balancing or critical adjustments are not required to meet performance specifications. Frequency response better than ± 5 db from below 6 cps to above 60 kc. Response at any level up to 60 watts is $\pm .1$ db over a range in excess of 20 cps to 20 kc. IM distortion less than 1% at 60 watts, .5% below 50 watts and .04% at average listening levels. Less than 1% harmonic distortion within 1 db of 60 watts from 20 cps to 20 kc. Excellent transient response on pulses, square waves, etc., and noise 90 db below maximum. 4, 8, and 16 ohm outputs. Utilizes 1 6AN8, 2 KT88 (or 6550), 1 GZ34 and selenium rectifier. Washable, chip-proof vinyl coated finish on cover. All parts, tubes and protective cover included in kit. Shpg. wt., 28 lbs.

MARK III 60 Watt Amplifier Kit.

Net 79.95

MARK III 60 Watt Amplifier, Completely Wired and Tested


Net 99.95

Kit with 70.7-volt output for P.A. use

Net 84.95

NEW! DYNAKIT HI-FI PREAMPLIFIER KIT

- PRINTED-CIRCUIT MODULE
- 5 INPUTS — 2 OUTPUTS
- 4 A.C. CONVENIENCE OUTLETS
- INTEGRAL D.C. HEATER SUPPLY



A quality preamp-control unit incorporating factory-wired printed-circuit module for easy and accurate assembly. Current and voltage feedback loops include four stages of gain. Inputs: Low-level magnetic cartridge, high-level magnetic, radio, TV, tape, plus "special" low level (option of extra RIAA phono input, tape head, or mike). Outputs: Tape and audio output. Controls: Selector-equalization, bass, treble, volume, tape monitor, loudness, hum-balance. Tone-Control Range: ± 14 db @ 20,000 cps, ± 20 db @ 20 cps. Phono Equalization: RIAA, 78 rpm, original LP (accuracy ensured by use of 1% components). IM Distortion: Less than .05%, unchanged at any setting of volume control. Responses: ± 0.5 db 6-60,000 cps. Gain: 54 db @ 1000 cps (RIAA input), 20 db @ 20-20,000 cps (high-level input). Impedances: 1000 ohms (output), 500,000 ohms or higher (terminating). Tubes: 2-ECC/12AX7 plus selenium stock. Power Requirements: 200-400 volts d.c. @ 3-4 ma.; 6 volts a.c. @ .75 amps. Size: 2 3/4" high x 12" wide x 6" deep. Shpg. wt., 7 lbs. Choice of bone white or charcoal brown vinyl finish.

Dynakit Preamp Kit

Net 34.95

Accessory Kit for Panel-Mounting


Net 2.95

Dynakit Dual Preamp Power Supply, PS-1

Net 8.95

NEW ACRO SOUND ULTRALINEAR II 60 WATT POWER AMPLIFIER KIT

79.50



The Acrosound Ultra-Linear II is a 60 watt power amplifier utilizing ultra-linear circuitry and new feedback design to provide a new standard of stability in feedback amplifier performance. A variable damping control is adjustable between .5 and 10 for optimum speaker match, without volume change, increased distortion or frequency discrimination. Critical wiring is preassembled on a printed circuit board. A full choke condenser power supply and fully potted transformers are supplied, and tubes are operated well within ratings. New TO-600 output transformer with low leakage reactances between windings and novel feedback windings is used. IM distortion less than 1% at any frequency between 20 cps and 20 kc at power output within 1 db of 60 watts. Sensitivity is 2 volts RMS for 60 watts output. Hum is 85 db below rated output. Output Impedances of 4, 8, and 16 ohms. The tube lineup consists of 2 EL34/6CA7, 12AU7, 12AX7 and GZ34. The amplifier is attractively styled and presents a professionally finished appearance that is both functional and pleasing, with dark brown chassis and cover, and light brown transformer cans. Size 7" x 15 1/2" x 8". Shpg. wt., 30 lbs.


ACRO SOUND 60 Watt Amplifier Kit

Net 79.50

Above, Completely Wired and Tested

Net 109.50

NEW! EICO BASIC AMPLIFIER KITS



35-watt "Ultra-Linear" power amplifier (70 watts peak) featuring EL34 tapped-screen output stage, low-noise EF86 voltage amplifier, 6SN7GTB, plus GZ34 rectifier. Frequency response 5-100,000 cps ± 1.5 db @ 35 watts. IM Distortion (60 & 7000 cps) 1.5% and harmonic distortion below 1%, 20-20,000 cps ± 1 db both at 35 watts. Hum 90 db below rated output. Damping factor above 10 (20-20,000 cps), 15 @ 1 kc. Speaker taps 4, 8, 16 ohms. Power consumption 130 watts @ 117 volts 60 cps. Size: 7" high x 14" wide x 8" deep. Shpg. wt., 25 lbs.

MF35K 35-w. Power Amp. Kit

Net 47.95

MF35 Same, factory wired & tested

Net 72.95

E-2 Matching Enclosure

Net 4.50

Five-tube "Ultra-Linear" hi-fi amplifier rated 22 watts continuous, 44 watts peak. Low-noise EF86 direct-coupled to 6SN7GTB drives push-pull 6L6GB tapped-screen output stage. Will handle 4, 8, 16 ohm speakers, including electrostatics. Frequency response ± 1.5 db, 5-100,000 cps @ 22 watts. Hum 85 db below rated output. Sensitivity 0.6 volt for 22 watt output. Damping factor above 12 (20-20,000 cps), 21 @ 1 kc. Power consumption 90 watts from 117 v. 60 cycle source. Size: 7" high x 14" wide x 8" deep. Shpg. wt., 25 lbs.

MF22K 22-w. Power Amp. Kit

Net 38.95

MF22 Same, factory wired & tested

Net 61.95

E-2 Matching Enclosure

Net 4.50

Williamson-type 14 watt (28 watts peak) power amplifier of low cost for both stereo and monaural installations. Frequency response ± 0.5 db, 10-100,000 cps @ 1 watt. Harmonic distortion less than 1% (50-10,000 cps) and IM distortion (60 & 7000 cps) 2%—both @ 14 watts. 20 db inverse feedback. Damping factor above 8 (20-15,000 cps). Hum 90 db below rated output. Tubes: 1-ECC83/12AX7, 2-EL84, 1-EZ81. Speaker taps 4, 8, 16 ohms. Size: 3 3/4" high x 12" wide x 4" deep. Shpg. wt., 10 lbs.

MF14K 14-w. Power Amp. Kit

Net 23.50


MF14 Same, factory wired & tested

Net 41.50

E-6 Matching Enclosure

Net 4.50

NEW! EICO



FM
TUNER
HFT-90

KIT \$39.95 Wired \$65.95 Cover \$3.95

Newly-designed, extremely sensitive, low-noise "front end" supplied in a cast housing completely pre-wired, pre-aligned, ready to use. This new front end, for the first time makes it completely practical even for a novice to build an FM tuner equal to really good professional factory-wired units. Employs the broad-band detector circuitry used in \$169 FM tuners now on the market. Temperature-compensated components and advanced circuitry completely eliminate need for AFC. Drift is less than 2 parts in 10,000 from cold start. Sensitivity is 6 times greater than other kit tuners and equals that of the most expensive wired tuners; it is 1.5 uv for 20 db quieting. Radiation suppressed far below FCC standards. Also features new DM-70 traveling tuning eye. Input 300 ohms, IF bandwidth 260 kc, detector separation of 600 kc. Freq. resp. 20-20,000 cps ± 1 db. Audio output 1 v for 10 uv input with 75 kc deviation. Hum 60 db below 1 v. Cathode follower and multiplex outputs. Flywheel slide-rule tuning. AGC, stabilized low limiting threshold for excellent performance from weaker signals, broad-band ratio detector for improved capture ratio and easier tuning, full-wave rectifier and heavy filtering, very low distortion. Uses 1-ECC85/6AQ8, 3-6AU6, 1-6AL5, 1-6CA, 1-DM70, 1-6X4. Flexible "low silhouette" design adaptable to any panel thickness for console installation; optional cabinet. HWD: 3 3/4" x 12" x 8 1/4". Operates from 110-125 VAC, 60 cps line.

NEW! LAFAYETTE STEREO PHONO AMPLIFIER KIT



ONLY 18.95

- GANGED TONE CONTROLS
- STEREO-MONAUROUS SWITCH
- .04 VOLT SENSITIVITY

- 4 WATTS STEREO OUTPUT
- ISOLATION TRANSFORMER
- SEPARATE VOLUME CONTROLS

This is a complete 4-watt hi-fi stereo amplifier having 2 watts output per channel. Features separate volume control for each channel; ganged tone controls; Stereo-monaural switch to feed one channel to both speakers and to reverse the channels. Just right for any use where a small stereo amplifier is required—ideal for custom mounting in even the tightest locations; specially designed for small apartment sized stereo systems.

An isolation transformer makes this circuit extra safe. Other circuit features for better performance include application of negative feedback to driver and output stages for wide-range response and extra low distortion. Dual-triode 12AX7 tubes function as voltage amplifier and driver, providing very high gain: 40 millivolts drives this unit to full output. This tremendous gain, plus an extremely high input impedance, make this amplifier perform exceptionally well with all types of ceramic and crystal pickups, as well as tuners, tape recorders, etc. Selenium rectifier power supply has extremely good regulation. Logical layout, high quality parts, plus complete instructions for assembly, make this kit a pleasure to build and use. For 3.2 or 8 ohm speakers. Tubes: 2-50C5, 2-12AX7 plus selenium rectifier. Size: 9 1/2" x 5" x 4 1/2". Complete with all parts. For 110-120 volts, 60 cycle AC. Shpg. wt., 7 lbs. KT-126—Kit, Complete Net 18.95

3 WAY PORTABLE RADIO KITS

- AC-DC OR BATTERIES

BROADCAST RECEIVER



Build this extremely sensitive portable radio which operates on either 110V A.C., 110V D.C. or batteries. Covers the entire broadcast band from 550 to 1600 KC. Utilizes miniature low drain tubes: 1R5 converter, 1U4 I.F. amplifier, 1U5 detector and first audio amplifier, 3V4 power amplifier plus a selenium rectifier. Beautiful 2 tone polystyrene cabinet 10" x 4 1/2" x 7". Built in loop antenna. Complete with tubes, parts, cabinet and construction manual featuring life-size pictorial diagrams, and easy step by step wiring instructions. Supplied less batteries. Shpg. wt. 4 lbs.

KT-57 NET 20.00

BROADCAST-SHORTWAVE RECEIVER




A high gain extremely sensitive portable set covering the 550-1600 KC broadcast band plus the 6-18 MC short wave bands. Operates either on 110V AC, 110V DC or on self-contained batteries. A selection of different countries indicated on shortwave dial. Uses iron core IF's and miniature tubes including 1U4, 1U5, 1R5 and 3V4 plus a selenium rectifier. Attractive leatherette cabinet with semi-airplane dial. Kit is complete with tubes, rectifier, cabinet and technical construction manual with easy to follow schematic and pictorial diagrams.

Less batteries. Shpg. wt. 10 lbs.
KT-58 NET 26.75

BATTERIES FOR	KT-57 Burgess N60	2.98	BS	1.26
	KT-58 Burgess N60	2.98	CS	.95

5-WATT PUSH-PULL AC-DC HI-FI AMPLIFIER KIT

- SEPARATE VOLUME, BASS AND TREBLE CONTROLS
- PUSH-PULL AUDIO OUTPUT STAGE
- INVERSE FEEDBACK CIRCUIT
- AC OR DC OPERATION



10.95

Here in kit form is an AC-DC hi-fi amplifier that presents unusual features despite its amazingly low price. The separate bass and treble controls permit adjustment of both low and high frequency response and balance. Works equally well with both crystal or ceramic cartridges. Has a 4-tube line up—12AX7 amplifier and phase inverter, a 35W4 rectifier and a pair of 35C5's in push-pull, having a power-packed low distortion output. The circuit utilizes an inverse feedback loop to reduce the level of hum and distortion. Kit is complete containing all essential parts, tubes and detailed instruction manual showing pictorial and schematic diagrams. Shpg. wt., 4 lbs.

KT-92 Net 10.95


LAFAYETTE 10-IN-1 LAB KIT

- EDUCATIONAL • PRACTICAL

You Build:

1. RADIO RECEIVER
2. PHONO-MICROPHONE AMPLIFIER
3. PHONO OSCILLATOR
4. BROADCAST STATION
5. CODE PRACTICE OSCILLATOR
6. SIGNAL TRACER
7. CAPACITY OPERATED RELAY
8. ELECTRONIC TIMER
9. ELECTRONIC SWITCH
10. PHOTOCELL RELAY


12.95



Here is a new laboratory tested experimenters kit designed to provide maximum instruction and entertainment and which is ideal for both the beginner and advanced experimenter. Features practical and interesting circuits which enable you to do many novel and interesting things while learning how these circuits function. You can broadcast your voice or play a phonograph through your radio from anywhere in the house, send code through a headphone or radio, or use light or body capacitance to activate electrical circuits. Safe, low voltage is utilized. Kit is complete with perforated mounting board, 3 vacuum tubes, microphones and all parts necessary for construction. A detailed 12 page instruction manual contains simple-to-follow pictorial and schematic diagrams for each project. Less headphone, photoelectric cell and socket, wire and solder. Shpg. wt., 5 lbs.

KT-36A	Net 12.95
PHOTOELECTRIC CELL TYPE 848	2.85
AMPHENOL 77MIP4 SOCKET FOR ABOVE08
CANNON AM-18-1 1000 OHM SINGLE HEADPHONE	1.18

THE NEW GENIAC FASCINATING ELECTRIC BRAIN KIT



COMPUTES, REASONS, PLAYS GAMES
COMPOSES MUSIC FORECASTS WEATHER
DESIGN YOUR OWN COMPUTERS
OVER 400 PARTS & COMPONENTS

You build up to 125 exciting "electric brain" machines that test intelligence; code and decode; add, subtract, multiply and divide; play tic-tac-toe; solve puzzles; build a burglar alarm; reason in syllogisms; etc. Has special circuits for forecasting the weather, and includes the new "Design-O-Mat" which gives dozens of extra experiments and machines and tells you how you can design your own computers using Geniac components. Comes complete with 7 books and pamphlets and includes a book by Dr. Claude Shannon of MIT on the use of symbolic analysis in relay circuits. No soldering required—even a 12-year old can make a machine that will intrigue a scientist. Other books supplied include 200-page "Minds and Machines," 64-page "Simple Electric Brains and How to Make Them," Beginners Manual and wiring instructions. Attractive metal deckle finish. Complete with mounting rack and battery. 16 1/2" x 11 1/4". Shpg. wt., 6 lbs.

KT-78—Geniac Kit Net 17.95

AC-DC BROADCAST RADIO SET KIT



17.10

- COMPLETE WITH TUBES AND CABINET
- 16 PAGE INSTRUCTION BOOK PLUS 3D COLOR EYE-O-GRAMS

Not just ordinary schematic and pictorial diagrams, but a new staple method that makes building a cinch. 3 differently colored transparent sheets show the wiring for each circuit; each of these fit over a master chassis photograph. A master copy shows all 3 steps in individual colors—and when you're through you'll have a fine superb set covering 550 to 1600 KC. in modern brown plastic cabinet with built-in antenna. Size 9x3x5. Complete Kit with 5 tubes, cabinet, speaker, and all parts. Shpg. Wt. 7 lbs. KT-19 Net 17.10

BUILD YOUR OWN LAFAYETTE QUALITY KIT

**and
SAVE!**

NEW! LAFAYETTE 15-IN-1 TRANSISTOR EXPERIMENTERS KIT

A TRULY REMARKABLE VALUE
Practical-Educational-Entertaining

EXCITING PROJECTS BUILD ALL OF THESE



14.95

- ELECTRONIC TIMER
- BURGLAR ALARM
- 2-STAGE AUDIO AMPLIFIER
- PHOTO-ELECTRIC RELAY
- CODE PRACTICE OSCILLATOR
- AUDIO PREAMPLIFIER
- ELECTRONIC FLASHER
- TV COMMERCIAL KILLER
- RAIN ALARM
- SIGNAL INJECTOR
- INTERCOM
- 2-STAGE BROADCAST RECEIVER
- WIRELESS BROADCASTER
- WIRELESS CODE TRANSMITTER
- REGENERATIVE RADIO RECEIVER

ASSEMBLE THE BASIC COMPONENTS
— THEN WIRE EACH CLEARLY EX-
PLAINED CIRCUIT BY SIMPLY CON-
NECTING THE PROPER LEADS.

AN IDEAL LABORATORY KIT WHICH
HELPS TEACH YOU HOW TRANSIS-
TORS WORK IN A PRACTICAL WAY.

THE MOST EXTENSIVE TRANSISTOR LAB KIT IDEAL FOR STUDENT — HOBBYIST — EXPERIMENTER


Lafayette's new 15-in-1 transistor experimenters kit is the most practical intro-
duction to the understanding of the operation of transistors — since it utilizes
basic transistor principles and circuitry. Its unexcelled simplicity of construction
provides a fascinating and educational program of instruction. You build practi-
cal, useful operating transistor devices that teach you transistor fundamentals
and applications.

This versatile kit is supplied complete with transistors, relay, photocell, dual
headphones and all necessary items including lead wire, solder and battery —
Nothing else to buy. You also receive an easily understood instruction manual
which explains just how each of the 15 circuits works. Battery powered, the kit
is shockproof and safe — ideal for beginners. Shpg. wt., 4 lbs.

KT-134 15-in-1 Transistor Experimenters Kit Net **14.95**
Net **.77**
Burgess P-6 9V Battery.....


NEW!

EXCITING "EXPLOR-AIR" RECEIVER KIT 4 BAND



18.50

- 4 Bands for total coverage
- 550-1600 Kc broadcast band
- 1.7-5.0 Mc., 5.0-14 Mc., 14-30 Mc. shortwave bands
- Complete bandswitching from front panel
- Built-in Big 4" PM Loud-speaker



The most sensational shortwave economy re-
ceiver kit ever offered. A complete shortwave and
standard broadcast set which covers the entire
region from 550 kilocycles to 30 megacycles.
Four whole bands of fascinating programming
unavailable elsewhere. Perfect for students of
languages, radio amateurs and casual listeners.


Only a regenerative circuit can offer such amazing performance and yet
be so simple to build. Building this fine kit is an absolute pleasure — it's so
well designed you can't go wrong. Kit includes all the parts you need, and
the detailed step-by-step instruction book with its giant pictorial drawings
shows you just how to put them together.

One front panel knob does all the bandswitching at the flick of the wrist,
immediately taking you from band to band. All coils are prewound for
greater accuracy. This kit is so easy to build a child who can read could do
it (and many already have)! The chassis is completely isolated from the cir-
cuit, so there is no shock hazard.

This precision radio kit is just full of extra features. Complete 4 band
coverage of broadcast stations, international broadcast bands, amateur, mari-
time, fire and police services, yes, even satellite signals! Big 4" speaker
and sensitive circuit with 50C5 output stage and 12AX7 regenerative detector
and amplifier stages give you all the volume you want. Phone jack for
privacy automatically disconnects speaker. All controls are on the front
panel: On-Off Volume, Main Tuning, Band Spread, Bandswitch, Antenna Tun-
ing, and Regeneration. 110 Volt 50-60 cycle AC-DC power supply lets you
use this fine set anywhere. Size: 10" x 7" x 5". Everything needed for
unexcelled reception is combined in a compact, economical package.

KT-135 "EXPLOR-AIR" RECEIVER KIT (Less Cabinet) 18.50
ML-150 — Leatherette covered Wooden Cabinet for above Net 2.75

NEW! SUPER-SENSITIVE PHOTOCELL ELECTRONIC RELAY KIT



12.95

- WITH CLAIREX CADMIUM SULPHIDE PHOTOCELL
- ADJUSTABLE SUPER SENSITIVITY—WORKS WITH JUST A FLASHLIGHT AT 250 FEET!
- NEEDS NO SPECIAL HIGH-INTENSITY LIGHTS
- INSTANTANEOUS OR SUSTAINED OPERATION ON THE FLIP OF A SWITCH!

CAN BE USED AS
BURGLAR ALARM



Lafayette's latest achievement in a super-sensitive photocell relay kit. Ideal for sus-
tained operation required for burglar alarms, door buzzers, for turning on porch and
home lights at night to discourage prowlers when away in the evening. Excellent for
instantaneous on-off operation required for counters, packaging, door opening, motor
activation and countless industrial applications. A flip of the switch converts unit from
instantaneous "on-off" to sustained "on" operation. A simple push on the "RESET"
switch opens the external circuit and turns off the alarm. The unit operates on 110 volts
AC and incorporates the efficient 5823 cold cathode tube, permitting longer life since
there are no filaments to burn out. The controlled circuit is plugged into a convenient
110V AC output socket. A simple change in wiring (in instructions), as well as con-
venient input terminals, enable you to supply the external circuit with any desired
voltage. Relay contacts rated at 3 amps permitting up to 300 watts external load on
110 Volts AC. Complete with all parts, photocell, tube, chassis, silk-screened metal
cabinet and easy-to-follow illustrated instructions. Size: 3" x 4" x 5". Shpg. wt., 3 lbs.
KT-133—Kit, Complete Net 12.95

ALL LAFAYETTE KITS ARE SUPPLIED WITH EASY-TO-FOLLOW INSTRUCTIONS

Lafayette TRANSISTOR SUPERHET KITS

POCKET AND HOME RADIOS
FOR SPEAKER AND
EARPHONE OPERATION

New 6 TRANSISTOR SUPERHET RECEIVER


WITH LATEST NPN-PNP
TRANSISTORS

- GE 2N188A AUDIO OUTPUT TRANSISTORS
- 100% SUBMINIATURE PARTS — NO COMPROMISES!
- LABORATORY DESIGNED—SENSITIVE, SELECTIVE, STABLE!
- CLASS B PUSH-PULL AMPLIFICATION—PLENTY OF POWER.
- FOR GROUP AND PRIVATE LISTENING
- NEW 28 PAGE INSTRUCTION MANUAL

Superb Performance! Incomparable Value!

FOR GROUP AND PRIVATE LISTENING

Transistor-wise Lafayette proudly presents its newly revised 6 Transistor Superhet Receiver Kit KT-119A. This improved model uses the latest GE NPN-PNP Transistors in an ingeniously engineered, laboratory tested circuit providing superb performance and an amazing superior commercial quality. The circuit features a specially matched set of 3 IF transformers, Oscillator Coil, High-Q Loop, Class B Push-Pull Audio Amplification and optimum Transformer Coupling in audio and output stages. Has efficient 2 3/4" speaker for exemplary reproduction and earphone jack for private listening. Complete with all parts, transistors, pre-punched chassis, but less battery and leather case. New 28 page easy-to-follow step-by-step instruction book. Size 6 x 3 1/2" x 1 1/2". Shpg. wt., 3 lbs.



27.50 LESS CASE AND BATTERY

- KT-119A — Complete Kit—Less Case and Battery.....Net 27.50
 BATTERY 9V BURGESS 2N6.....Net 1.30
 MS-339A — Sturdy attractive brown leather case with carrying strap for KT-119A. 6 x 3 1/2" x 1 1/2". Shpg. wt., 1 lb.....Net 2.95
 MS-366 — Sensitive matching earphone.....Net 1.29

3 TRANSISTOR SUPER-HET POCKET RADIO KIT KT-116

• CONVERTER, 2 IF STAGES, DIODE AND AUDIO OUTPUT
 DESIGNER'S DREAM IN A TRUE POCKET SUPERHET RECEIVER!
 NO EXTERNAL ANTENNA! NO EXTERNAL GROUND!


A highly sensitive, super-selective true pocket superhet receiver that will surprise you with its performance over the complete broadcast band. Just place it in your shirt pocket, place the earphone to your ear, and you're in for a treat! Best of all! No pesky external antenna and ground leads to worry about! The circuit uses 2 high frequency converter and IF Transistors, 2 specially matched IF transformers for maximum power transfer, an efficient crystal diode for detection and a dependable Audio Transistor in a single-ended audio output stage. The components are housed in an attractive professional-looking plastic case. Comes complete with ON-OFF knob and stylish station dial that adds considerable class to the receiver's appearance. Complete with all parts, transistors, case, dial and easy-to-follow step-by-step instructions. Less Battery 4 1/4" x 2 3/4" x 1-1/16". Shpg. wt., 1 lb.



14.95

- KT-116—Complete Kit—Less Battery.....Net 14.95
 MS-260—Super power dynamic Earphone.....Net 3.95
 or, MS-368—SENSITIVE ECONOMY DYNAMIC EARPHONE.....Net 1.44
 Battery 9V. RCA VS309.....Net 1.13

KT-117



3 TRANSISTOR HI-FI PREAMPLIFIER KIT

With
Volume, Bass
and
Treble Controls
WITH NEW
GE 2N190
TRANSISTORS

16.95

Lafayette 3 Transistor Hi-Fi Preamplifier Kit KT-117 provides the voltage gain necessary for the operation of even the lowest level magnetic cartridges and microphones. It may be used with Hi-Fi equipment to provide stable, low noise preamplification with extremely low power consumption, zero hum and without any microphonics inherent in vacuum tube preamplifiers. It is ideal as a remote preamplifier since it is battery operated and can be connected by cable up to 175 ft. from associated equipment. It has its own Bass and Treble controls for improved quality of reproduction, and uses 3 quality audio transistors. Frequency Response is 20 to 20,000 cycles. 40 db maximum gain. Zero hum level; Noise level—approx. 48 db below 10 millivolts input for high impedance cartridges, better than 52 db below 2 millivolts for low impedance cartridges; Four inputs: Three phono inputs—high output cartridges, high impedance variable reluctance cartridges and low impedance low output cartridges; Microphone Input. From 0.5 to 1 volt output. Controls—Phono—Microphone, Hi-Fi Level, Power-Volume, Bass and Treble. Complete with all parts, transistors, pre-punched chassis, and detailed step-by-step instructions. 4 1/4" x 3 3/4" x 1 1/2". Shpg. wt., 2 lbs.

- KT-117—Complete Kit Less Battery.....Net 16.95
 BATTERY 9V. BURGESS 2U6.....Net 1.16

1 AND 2 TRANSISTOR POCKET RADIO KITS

ONE TRANSISTOR POCKET RADIO KIT — KT-97

• WITH NEW SUPER-SELECTIVE TAPPED FERRI-LOOP • PREPUNCHED CHASSIS FOR EASY ADVANCEMENT TO 2 TRANSISTOR KIT

An ideal, neat and low-cost transistor pocket radio kit for students, hobbyists and experimenters interested in a practical and basic knowledge of transistor circuits. Employs the new tapped variable Ferrri-Loop and a specially designed miniaturized 365 uF variable capacitor for super selective tuning. Includes a Crystal Diode detector and a reliable transistor in a grounded emitter amplifier stage for maximum output. Will give good reception up to 50 mile radius with approx. 50 ft. antenna and a good ground. Complete with transistor, crystal diode, plastic case, variable capacitor, tapped Ferrri-Loop, resistor, capacitors, a neat prepunched metal chassis that makes advancement to the 2 Transistor Kit easy-as-pie. With simple, detailed How-To-Do-It Instructions. Size: 3 3/4" x 2 3/4" x 1". Shpg. wt., 1 lb.

- KT-97 — Complete Kit (less earphone and less battery).....Net 3.95
 BATTERY 1 1/2 V. Burgess #7.....Net .08

TWO TRANSISTOR POCKET RADIO KIT — KT-98


The 1 Transistor Pocket Radio Kit plus an additional resistance coupled transistor stage for increased sensitivity and greater output. Can receive even the weaker stations with an approx. 50 ft. antenna and ground. Includes all the KT-97 parts plus one transistor, 2 resistors, one capacitor and transistor socket. Complete with simple, detailed instructions. Size: 3 3/4" x 2 3/4" x 1-3/16". Shpg. wt., 1 lb.

- KT-98 — Complete 2 Transistor Kit (less earphone and less battery).....Net 5.45
 MS-111 — Crystal Earphone for KT-97 and KT-98.....Net 1.19
 MS-260 — Super power high output dynamic earphone for optimum results.....Net 3.95
 BATTERY 1 1/2 V. Burgess #7.....Net .08



ONLY THE FINEST COMPONENTS ARE USED IN LAFAYETTE KITS

NEW! Lafayette's SUPER-TROL R/C EQUIPMENT



(A) **RADIO CONTROL TRANSMITTER:** Assembled-tested-guaranteed. No license examination required for operation. Crystal controlled for stability and to meet F.C.C. regulations. Uses powerful 3A5 tube for range of approximately one mile. Will operate any 27.255 mc R/C receiver. Overall dimensions only 8 1/4" x 2 3/4" x 1 1/2". Just a handful! Includes antenna—tube—crystal—and instructions, Less Batteries. Shpg. wt., 2 1/2 lbs.

F-249 **Net 14.95**
 Batteries required: Burgess U30 (3 needed) 1.75 ea. Burgess #2 (1 needed)13 ea.


(B) **RADIO CONTROL RECEIVER:** Completely wired and tested receiver—extremely sensitive and stable. Completely enclosed—ideal in boats—or case may be removed if desired. Ingeniously constructed to withstand vibration and shock. Features external fine tuning—antenna "snap" lead—plug for power and actuator connections. Ideal Companion for F-249 Transmitter and F-327 Servo shown elsewhere on this page. Requires one 1.5V battery and one 67.5 Volt battery. Size determined by use. Measures only 3" x 2 3/4" x 1 1/2". Complete with tube and instructions. Less batteries. Shpg. wt., 8 oz.

F-208 **Net 8.95**
 Batteries required: Burgess UX45 (1 needed) 2.07 ea. Burgess No. 2 (1 needed)13 ea.

SPECIAL COMBINATION OFFER

Consists of R/C Transmitter (F-249), and R/C Receiver (F-208) **F-259**—Combination **Net 22.90**

"JEWEL" REMOTE CONTROL RELAY




2.75

A natural for remote control receivers, it is highly sensitive, and built to withstand severe crashes. The smallest commercial job available. It weighs less than 1/2 oz. Factory adjusted to pull in at 1.4 MA. drop out at 1.2 MA D.C. Single pole, double throw. Used in outstanding R/C receivers. 5,000 ohm coil. **IMPORTED TO SAVE YOU MONEY.**

F-260—Relay **Net 2.75**


27.255 R/C CRYSTAL

Reg. 2.95
1.95



Specially manufactured for Lafayette. Designed specifically for use in R/C model phones, boats, cars, etc. Low-drift—high output—dependable frequency control. Tolerance .04%, 13/16" wide x 7/16" deep x 1 1/8" high above pins. Pins on 1/2" centers.

MS-446 **Net ea. 1.95**




MATCHING CRYSTAL SOCKET: Made of special low loss phenolic. Easily mounts flush or stand-off. Small—light—rugged.

MS-447 **Net ea. .15**

miniature TELESCOPING ANTENNA


.59



RETRACTS to 9 INCHES with PLASTIC CASE

Ideal for mobile or fixed transceivers, miniature portable and pocket transistor radios, wireless broadcasters and a host of similar applications. This 5-section antenna is made of chrome-plated brass and plugs into a jack which is supplied. Measures 38" fully extended and retracted is 9" to facilitate carrying in pocket. Comes in a flexible plastic case with slip-under protecting flap.

F-343 Telescoping Antenna **Net 59c**




NEW! MULTI-PURPOSE ELECTRIC SERVO MECHANISM

- POWERFUL, MOTOR DRIVEN R/C ACTUATOR
- POSITIVE, INSTANTANEOUS ACTION
- FOR MODEL BOATS AND CARS

4.95

Lafayette's new, motor driven, remote control servo-mechanism. Imported by Lafayette to sell for half the price of any comparable unit! Carefully constructed for power, durability and rugged use. Operates with any single channel, remote control receiver and transmitter. When operated at the prescribed 3 volts, the action is accurate and rapid. Provides for selective steering and automatic return to neutral. Extremely efficient when used with model boats or land vehicles. Hobbyists will find uses for the servo-mechanism restricted only by their imagination. Single pulse operation—electronic neutralization. Measures only 2 1/2" x 2" x 1 3/4" overall. Includes instructions and linkage to extend output arm. Shpg. wt., 8 oz.

F-327 **Net 4.95**



REMOTE CONTROL ESCAPEMENT

- AT THE LOWEST PRICE ANYWHERE!


A sturdy 2 arm self-neutralizing escapement. Completely wired (not a kit). Converts electrical impulses from remote control receiver to mechanical motion for varying movement of plane, boat, or car. Four 90° rotations—two by armature activation, two by neutralization. Has ratchet governor for maintaining foolproof rotating speed. Weighs only 7/8 oz. Size: 1-3/8" L x 2" W overall. Shpg. wt., 5 oz.

F-255 **Net 2.45**

SUPER MICRO-MOTORS

- HALF THE WEIGHT—TWICE THE POWER!
- HIGHER SPEED—LOWER DRAIN!
- PERMANENTLY LUBRICATED!
- DOUBLE PERMANENT FERRITE MAGNETS!

Expertly designed, miniature, D.C. permanent magnet motors. Ruggedized construction for industrial use. Highest power and speed to weight ratio of any miniature motor makes these a "natural" for models and remote control applications. Ferrite magnets preclude possibility of demagnetization and offer minimum weight. Unique, precision formed device permanently centers commutator in precise position. Utilizes phosphor-bronze brushes and brass sleeve bearings. May be mounted by means of motor mount supplied or by means of tapped hole in motor case. Avg. Shpg. wt., 4 oz. Complete with leads.



Stock No.	Volt. Range	Drain Ma.	RPM	H.	W.	L.	Shaft Dia.	Wt.	NET EA.
F-403	1.5-4.5	200-300	5000-6000	1"	1 1/8"	1 1/2"	3/32"	1 1/4 oz.	.79
F-404	3-6	250-300	6000-7000	1 1/4"	1 3/8"	1 3/4"	3/32"	2 1/4 oz.	1.19
F-405	1.2-16	90-140	8000-9000	1 1/4"	1 3/8"	1 3/4"	3/32"	2 1/4 oz.	1.39

REMOTE ENGINE CONTROL ESCAPEMENT

Lafayette's exciting new air-bleed self-neutralizing remote engine control. Varies engine speed of your model. Neutral position of one arm is low speed, neutral position of 2nd arm is high speed, and maintained activated position of either arm (armature activated) stops motor. Perfect mate for Lafayette F-256. Compact and weighs only 3/4 oz. Requires 1-1/2 volt battery. Low current drain. Size: 1-5/8" x 1" x 3/4". Shpg. wt., 5 oz.

F-257 **Net 3.45**


COMPOUND REMOTE CONTROL ESCAPEMENT

- LAFAYETTE'S AMAZING VALUE IN A 4-ARM SELF-NEUTRALIZING COMPOUND ESCAPEMENT!

- NO NEED TO WORRY ABOUT LOSING YOUR MODEL!

You have no sequence of operation to worry about! Simple as A B C! One pulse always gives right turn, two pulses always gives left turn. Three pulses closes the circuit for the supplementary control such as motor (F-257) or elevator, if used. The rudder always returns to neutral position after any turn as soon as transmitter keying button is released. With ratchet governor for foolproof operation. Sturdy construction—low current drain. Uses 1-1/2 volt battery. Weighs 1-1/8 oz. Size: 2-7/8" L x 1-9/16" overall. Shpg. wt., 6 oz.

F-256 **Net 3.95**



LAFAYETTE ALWAYS HAS THE LATEST STEREO RELEASES

NEW! LATEST RCA STEREO RECORDS

33 RPM Long Play Regular 5.95
45 RPM Lafayette Special 4.25
Extended Play 1.98
Lafayette Special 1.49

33 RPM LONG PLAY

POPULAR - INSTRUMENTAL

SKETCHES BY SKITCH-Skitch Henderson and his Orchestra	LSP-1401
NORTH OF HOLLYWOOD-Alex North and his Orchestra	LSP-1445
THE TOUCH OF EDDIE HEYWOOD-with the Eddie Heywood Trio	LSP-1446
WHILE MY LADY SLEEPS-Phineas Newborn and the Dennis Farnon Orchestra	LSP-1474
LIGHTS AND SHADOWS-AI Navins and Orchestra	LSP-1475
PARTY NIGHT AT JOE'S-Joe Reisman and Orchestra	LSP-1476
MUCHO PUENTE-Tito Puente and his Orchestra	LSP-1479
THE BAND OF THE COLDSTREAM GUARDS	LSP-1480
CAUTION! MEN SWINGING-with Dennis Farnon and his Orchestra	LSP-1495
STRAIGHT DOWN THE MIDDLE with the Sauter-Finegan Orchestra	LSP-1497
AROUND THE WORLD with Frankie Carle and his Orchestra	LSP-1499
LAVALLE IN HI-FI-Paul Lavalle and his Band	LSP-1516
DOOR OF DREAMS-Joe Reisman and Orchestra	LSP-1519
THE NEW GLENN MILLER ORCHESTRA IN HI-FI-Ray McKinley and Glenn Miller Orchestras	LSP-1522

CANADIAN SUNSET-Eddie Heywood piano	LSP-1529
THE THINGS I LOVE IN HI-FI-The Three Suns	LSP-1543
RALPH FLANAGAN IN HI-FI	LSP-1555
PREZ-Paraz Prado and his Orchestra	LSP-1556
FRANKIE CARLE AND HIS BEAUTIFUL DOLL	LSP-1559
POWDER PUFF-Johanny Mamlin Quintet	LSP-1565
BETWEEN 18th and 19th ON ANY STREET Bob Scobey's Frisco Jazz Band	LSP-1567
BELMONTE PLAYS LATIN FOR AMERICANS Belmonte and His Orchestra	LSP-1571
LET'S DANCE WITH THE THREE SUNS	LSP-1578
THE BANDSTAND-Skitch Henderson and his Orchestra	LSP-1579
COFFEE BREAK-Ray Owen Orchestra	LSP-1582
THANK YOU FOR A LOVELY EVENING Billy Butterfield and his Orchestra	LSP-1590
HAVE A WONDERFUL WEEKEND Mitchell Ayres and his Orchestra	LSP-1603
DANCE BREAK-Luis Arcares and his Orchestra	LSP-1612
TOP PERCUSSION-Tito Puente and his Orchestra	LSP-1617
DEEP IN A DRUM-Eddie Cano Sextet	LSP-1645
FROM MUSIC WITH FRANCE-Vorol and Billy, The Chanteurs de Paris	LSP-1646
DANCING WITH THE BLUES-AI Navins and his Orchestra	LSP-1654
COFFEE TIME-Morton Gould Orchestra	LSP-1656
THE TREMBLING OF A LEAF AND THE SOUND OF THE SEA-Ray Mortley	LSP-1659

LET'S FACE THE MUSIC AND DANCE Urbie Green Orchestra	LSP-1667
THE MIGHTY WURLITZER AND THE ROARING HI-FI TWENTIES-Leonard Leigh	LSP-1665
CHA CHA POPS-Manny Lopez Orchestra	LSP-1671
UNDER THE WESTERN SKIES-Melachina Orchestra	LSP-1676
SOMETHING OLD, NEW, BORROWED AND BLUE-Ray McKinley, New Glenn Miller Orchestra	LSP-1678
CARICOA-Russ Garcia Orchestra	LSP-1691
DANCE MANIA-Tito Puente and his Orchestra	LSP-1692
FIREWORKS-Billy Mure Supersonic Guitar	LSP-1694
A LOVELY WAY TO SPEND AN EVENING Billy Butterfield and his Orchestra	LSP-1699
MUSIC FOR NON-THINKERS Sour Kraut Band	LSP-1721

AS LONG AS THERE IS MUSIC-Eddie Fisher	LSP-1647
ST. LOUIS BLUES-Eartha Kitt with Shorty Rogers and his Orchestra	LSP-1661
JUST YOU-JUST ME-Joyce P. Morgan	LSP-1682
WELCOME TO MY HEART-Gogi Grant	LSP-1717
THE HOLY CITY-Jerome Mins	LSP-1637
A TOUCH OF THE BLUES-Lee Wiley	LSP-1566
FROM MY HEART-Tony Perkins	LSP-1679

SHOW AND FILM MUSIC

SELECTIONS FROM DESERT SONG Kathy Barr, Giorgio Tozzi and others	LSP-1000
NEW GIRL IN TOWN-Original cast Recording	LSP-1027
SOUTH PACIFIC-Original Sound Track	LSP-1032
JAMAICA-Lena Horne and Original Cast	LSP-1036
HIGHLIGHTS FROM RAINTREE COUNTY Original Sound Track recording	LSP-1038
SAYONARA-Original Sound Track recording	LSP-1041
SAY DARLING-Original cast	LSP-1045
GEORGE FEYER TAKES YOU TO "SOUTH PACIFIC" AND "OKLAHOMA"	LSP-1731
SONGS FROM "GIGI"-Gogi Grant and Tony Martin	LSP-1716

RCA STEREO RECORDS CLASSICAL

GAITE PARISIENNE (Offenbach) Fiedler, Boston Pops Orchestra	LSC-1817
SYMPHONY NO. 6 IN B MINOR (Tchaikovsky) Montoux, Boston Symphony Orchestra	LSC-1901
BARTOK CONCERTO FOR ORCHESTRA Reiner, Chicago Symphony Orchestra	LSC-1934
SYMPHONY NO. 7, FIDELIO OVERTURE (Beethoven) Reiner, Chicago Symphony Orchestra	LSC-1991
THE NUTCRACKER Op. 71 (Tchaikovsky) Fiedler, Boston Pops Orchestra	LSC-2052
THE RITE OF SPRING (Stravinsky) Montoux, Boston Symphony Orchestra	LSC-2085
HI-FI FIEDLER-Fiedler, Boston Pops	LSC-2100
SERENADE FOR STRINGS Munch, Boston Symphony Orchestra	LSC-2105
LA MER (Debussy) ESCALES (Ibert) Munch, Boston Symphony Orchestra	LSC-2111
VIENNA-Reiner, Chicago Symphony	LSC-2112
VIOLIN CONCERTO IN D (Tchaikovsky) Helfritz, Reiner, Chicago Symphony Orchestra	LSC-2129
SYMPHONY IN D MINOR (Franck) Reiner, Chicago Symphony Orchestra	LSC-2131
LEUTENANT KIJIE; SONGS OF THE NIGHTINGALE-Reiner, Chicago Symphony Orchestra	LSC-2150
THE REINER SOUND (3 Selections) Reiner, Chicago Symphony Orchestra	LSC-2183
BILLY THE KID, RODEO (Copland) Morton Gould and his Orchestra	LSC-2195
PICTURES AT AN EXHIBITION (Mussorgsky) Reiner, Chicago Symphony Orchestra	LSC-2201
SYMPHONY NO. 3 IN F (Brahms) Reiner, Chicago Symphony Orchestra	LSC-2209
BOSTON TEA PARTY-Fiedler, Boston Pops	LSC-2213
BATON AND BOWS-Morton Gould and Orchestra	LSC-2217

STEREO-FIDELITY

Only Lafayette can offer such a fabulous bargain!

Special Value
only
\$2.25

STEREO-FIDELITY RECORDS

GERSHWIN'S RHAPSODY IN BLUE and KUHNS SYMPHONY FOR BLUES-complete recording by the Hemburg Philharmonic	SF1800
AROUND THE WORLD IN 80 DAYS-scene for the film	SF2800
"101" STRINGS play THE BLUES-St. Louis Blues, Birth of the Blues, Blues in the Night and others played by the world's largest recording orchestra	SF5800
"101" STRINGS play A NIGHT IN THE TROPICS	SF4400
"101" STRINGS play PAL JOEY	SF5000
"101" STRINGS in a SYMPHONY FOR LOVERS	SF4500
BRIDAL BOUQUET FROM "101" STRINGS favorite songs heard on the wedding day	SF6400
SOUTH PACIFIC and MUSIC MAN with the Hollywood sound stage chorus	SF77
1812 OVERTURE and CAPRICCIO ITALIEN The North Germany Symphony Orchestra conducted by William Rohr	SF5100
LET'S DANCE TO HITS OF THE 30's and 40's-Select group of unforgettable hits	SF3100
SYMPHONY FOR GLENN-Collection of the favorite Miller tunes	SF5400
HONEYMOON IN MANHATTAN-The sounds and moods of the city	SF3000
RIMSKY-KORSAKOV'S SCHEHERAZADE performed by the North Germany Symphony Orchestra	SF2600
JOHANN STRAUSS WALTZES-Blue Danube, Emperor Waltz, Vienna Woods, etc.	SF2000
HI-FI BAND CONCERT-The sparkle of a stereophonic band playing Anchors Aweigh, American Patrol, Carcaran Codets, The Marines Hymn and many others	SF6500
MY FAIR LADY & THE KING AND I-all of the hit songs from these two top shows	SF2700
SONGS THAT BROUGHT SUNSHINE INTO THE DEPRESSION with the Ray Charles Chorus	SF6300
SAFARI-selections as Port Pongani, Bontu Village, Mt. Killiminjora and others	SF5500
HONEYMOON IN SOUTH AMERICA starring the Rio Carnival Orchestra in Honeymoon Cha-Cha, Brazil, La Paloma, La Campanella, Jalousie and many others	SF1900
GAY NINETIES WALTZES. The Gostlight Orchestra plays such favorites as And The Band Played On, Man on the Flying Trapeze, Mary, Bicycle Built For Two	SF3400

RCA VICTOR '45' EXTENDED PLAY

HOLY CITY-Jerome Mins	ESP-4156
ON THE BANDSTAND-Skitch Henderson and his Orchestra	ESP-4166
HAVE A WONDERFUL WEEKEND Mitchell Ayres and his Orchestra	ESP-4197
SESSION WITH PUENTE-Tito Puente and his Orchestra	ESP-4198
SOUTH PACIFIC-Original Sound Track	ESP-4211
A FLANAGAN DANCE SERENADE Ralph Flanagan Orchestra	ESP-4219
UNDER THE WESTERN SKIES George Melachina Orchestra	ESP-4223
SOMETHING OLD, NEW, BORROWED AND BLUE-New Glenn Miller Orchestra	ESP-4225
BETWEEN 18th AND 19th ON ANY STREET Bob Scobey's Frisco Jazz Band	ESP-4237
BOSTON TEA PARTY Fiedler-Boston Pops Orchestra	ESP-4275
SATURDAY NIGHT WITH MR. C Perry Como	ESP-4285
THE BAND OF THE COLDSTREAM GUARDS	ESP-4296
THE LASS WITH THE DELICATE AIR Julie Andrews	ESP-4298
LAVALLE IN HI-FI Paul Lavalle and his Band	ESP-4299
BE MINE TONIGHT Abby Lane with Tito Puente Orchestra	ESP-4300
THE THINGS I LOVE IN HI-FI The Three Suns	ESP-4301
THE NEW GLENN MILLER ORCHESTRA IN HI-FI-Ray McKinley and Glenn Miller Orchestra	ESP-4302
PARTY NIGHT AT JOE'S Joe Reisman and his Orchestra	ESP-4303
WALTER SCHUMANN PRESENTS THE VOICES	EST-4304
AROUND THE WORLD Frankie Carle and his Orchestra	EST-4305
SKETCHES BY SKITCH Skitch Henderson and his Orchestra	EST-4306
SWEET SEVENTEEN The Ames Brothers	EST-4307
LENA HORNE AT THE WALDORF-ASTORIA	EST-4310
STRAIGHT DOWN THE MIDDLE The Sauter-Finegan Orchestra	EST-4311
COFFEE BREAK Ray Owen Orchestra	ESP-4312
DANCING WITH THE BLUES AI Navins Orchestra	ESP-4313
"PREZ"-Paraz Prado Orchestra	ESP-4314

JUST OUT!
NEWEST MERCURY
STEREO 12"
Reg. 5.95 - SPECIAL! 4.25

SR-60012 - THE GREAT MOTION PICTURE THEMES OF VICTOR YOUNG-Richard Hayman and his Orch.
SR-60014 - BANJORAMA-Carmen Mastren
SR-60015 - MR. PERCUSSION-Bobby Christman
SR-60016 - HARPO AT WORK-Harpo Marx-12 popular numbers, with the finest strings in Hollywood.
SR-60024 - 500 MILES TO GLORY-The 500 mile Indianapolis classic recorded by on-the-spot stereo.
SR-60038 - JUST WE TWO-Buddy Morrow on the Trombone, Eddie Layton at the Organ

NEWEST IN STEREO RELEASES AT LAFAYETTE

COLUMBIA STEREO RECORDS

ALL CS and MS List ~~5.98~~ Net 4.25
 KS List ~~6.00~~ Net 4.95
 *2 Record Sets List ~~11.00~~ Net 8.49

CLASSICAL

RESPIGHI—THE PINES OF ROME/
 THE FOUNTAINS OF ROME
 Philadelphia Orch.—Eugene Ormandy MS4601

BARTOK VIOLIN CONCERTO—Isaac Stern—
 N. Y. Philharmonic—Bernstein MS4602

GROFE—GRAND CANYON SUITE—
 Philadelphia Orch.—Ormandy MS4603

PROKOFIEV—SYMPHONY NO. 5—
 Philadelphia Orch.—Ormandy MS4604

BACH AT ZWOLLE—E. Power Biggs KS4605

TCHAIKOVSKY—SYMPHONY #26 in B
 MINOR—"PATHELIQUE"
 N. Y. Philharmonic—Mitropoulos MS4606

SCHOENBERG "TRANSFIGURED NIGHT"—
 Vaughn Williams
 "FANTASIA ON THEME by Thomas
 Tallis"—N. Y. Philharmonic—Mitropoulos MS4607

STRAVINSKY—LE SACRE DU PRINTEMPS—
 N. Y. Philharmonic—Bernstein MS4610

MAHLER SYMPHONY #2 "RESURRECTION"
 N. Y. Philharmonic—Wolfer MS4601*

LISTENING IN DEPTH—An Introduction to
 Columbia Stereophonic Sound MSF1

POPULAR

'S AWFUL NICE—Ray Coalf CS8001

SOUND IDEAS—Les & Larry Elgart CS8002

PATTERNS—Frank Constock CS8003

SING ALONG WITH MITCH—Mitch Miller CS8004

MUSIC FROM SOUTH PACIFIC—Percy Faith CS8005

ENCORE—Andre Kostelanetz CS8008

J. J. IN PERSON—J. J. Johnson Quintet CS8009

PORTRAITS—Frank DeVal CS8010

A GUY IN LOVE—Guy Mitchell CS8011

GOOD NIGHT DEAR LORD—Johnny Mathis CS8012

THE COLUMBIA ALBUM OF
 VICTOR HERBERT—Percy Faith CS8001*

ANGEL STEREO RECORDS

LIST ~~5.98~~ per record Net 4.25
 All single discs except *2 Record Set

GILBERT & SULLIVAN—"THE MIKADO"—
 Sargani—Pre Arts Orch. Net 9.10 B/L53573*

CARL ORFF—"DIE KLUGE"—
 Sewallisch-Schwarzkopf-Gardes Net 9.10 B/L53551*

BEETHOVEN "EMPEROR" CONCERTO—
 Emil Gilels—Philharmonia Orch. 354765

RIMSKY-KORSAKOV—SCHEHERAZADE—
 Bachum—Royal Philharmonic 355055

TCHAIKOVSKY—4th SYMPHONY—
 Sileviri—Philharmonia Orch. 355655

RACHMANINOFF—4th PIANO CONCERTO—
 MICHELANGELO—Philharmonia Orch. 355675

BEETHOVEN—7th SYMPHONY—
 Cantelli—Philharmonia Orch. 356205

SAVE ON LATEST LONDON FFSS STEREO LP RELEASES Reg. 4.98 ONLY 3.89 at Lafayette

Puccini: MADAMA BUTTERFLY—Complete—
 Renata Tebaldi; Fiorenza Cossotto; Lidia Ne-
 rozzi; Carlo Bergonzi with Chorus and Or-
 chestra of Accademia di Santa Cecilia, Rome
 conducted by Tullio Serafini. OSA 1305 (3 records) 17.94

Verdi: LA FORZA DEL DESTINO—Complete—
 Renata Tebaldi; Mario del Monaco; Cesare
 Siepi; Giuglietta Simonato; Ettore Bastianini;
 Fernando Corena with Chorus and Orchestra
 of Accademia di Santa Cecilia, Rome con-
 ducted by Tullio Serafini. OSA 1405 (4 records) 23.92

Verdi: IL TROVATORE—Complete—Renata
 Tebaldi; Mario del Monaco; Giuglietta Sim-
 onato with Chorus of Maggio Musicale Flo-
 rentino and L'Orchestra de la Suisse Romande
 conducted by Alberto Erede. OSA 1304 (3 records) 17.94

R. Strauss: ARABELLA—Complete—Lisa della
 Casa; George London; Hans Guden with
 Chorus of Vienna State Opera and the Vienna
 Philharmonic Orchestra conducted by Georg
 Solti. OSA 1404 (4 records) 23.92

SIBELIUS SONGS—KIRSTEN FLAGSTAD—Om
 Kvällen; Var Oet En Drom; Pa Verandan Vid
 Havet; Den Forsta Kyssten; Demantan Pa
 Marsens; Arlosjo; Silen Kom Iran Sin
 Aisklins Mote; Varen Flyktar Hastligt Sn'n
 Mar Jak; Men Min Fagel Marks Dock Icke;
 Moskvalle; Svarta Rosor; Sal Sal Susar; Kom
 Nu Hit Dod. With London Symphony Orchestra
 conducted by Olvin Fjelstad. OS 25005

Beethoven: PIANO CONCERTO NO. 4 in G
 MAJOR, Op. 58—Wilhelm Backhaus (piano)
 with The Vienna Philharmonic Orchestra con-
 ducted by Hans Schmidt-Isserstedt. CS 6054

Falla: NIGHTS IN THE GARDENS OF SPAIN
 —Rodrigo; GUITAR CONCERTO—Gonzalo Bor-
 lano (piano)—Narciso Yepes (guitar) with
 The National Orchestra of Spain conducted
 by Ataúlfo Argenta. CS 6046

Tchikovsky: SYMPHONY NO. 4 in F MINOR,
 Op. 35—L'Orchestra de la Suisse Romande
 conducted by Ataúlfo Argenta. CS 6048

Tchikovsky: SYMPHONY NO. 6 in B MINOR
 "PatheLIQUE", Op. 74—The Vienna Philhar-
 monic Orchestra conducted by Jean Martinon.
 CS 6052

Schubert: SYMPHONY No. 9 in C MAJOR
 "Great!"—The London Symphony Orchestra
 conducted by Josef Krips. CS 6061

Mendelssohn: SYMPHONY No. 4 in A MAJOR,
 Op. 90 "Italian"—Schubert: SYMPHONY No.
 8 in F FLAT MAJOR—The Israel Philharmonic
 Orchestra conducted by Georg Solti. CS 6065

Falla: THREE COVERED HAT—Suites—Tur-
 ina: SINFONIA SEVILLANA—The National

Orchestra of Spain conducted by Ataúlfo Ar-
 genta. CS 6080

Orieg: PEER GYNT—Incidental Music to Ibsen's
 Play—The London Symphony Orchestra
 conducted by Olvin Fjelstad. CS 6049

Masenet: LE CID—Ballet Music—Meyerbeer-
 Lambert: LES PATINEURS—Ballet Music—
 The Israel Philharmonic Orchestra conducted
 by Jean Martinon. CS 6058

Debussy: JEUX — Poeme Danse — Debussy
 Ravel: DANSE—Dukas: LA PERLE—Fantase—
 Dukas: LA PERLE—Poeme Danse—L'Orchestra
 de la Suisse Romande conducted by Ernest
 Ansermet. CS 6043

BEETHOVEN OVERTURES — Leonore No. 3,
 Op. 72a; Egmont, Op. 84; Fidelio, Op. 72b;
 Coriolan, Op. 62—The Vienna Philharmonic
 Orchestra conducted by Karl Munchinger.
 CS 6053

Vivaldi: THE SEASONS (Lo Quattro Stagioni)
 —Stuttgart Chamber Orchestra conducted by
 Karl Munchinger. CS 6044

Schubert: OCTET IN F MAJOR, Op. 166—The
 Vienna Octet. CS 6051

RUIGGIERO RICCI — VIRTUOSO SHOWPIECES
 —Scherzo Tarantelle (Wieniawski); La Ca-
 priceuse (Elgar); Le Vent (Vescey); Banjo
 and Fiddle (Kroll); Nocturne (Chopin); Aus
 der Heimat (Smetana); Burleska (Suk);
 Hebrew Melody (Achron); Jota Aragonesa
 (Sarasate); La Zephyr (Hubay); Guitar
 (Moszkowski); La Ronde des Lutins (Baz-
 zin); With Ernest Lush (piano). CS 6039

PIANO MUSIC OF CHOPIN—Volume One—
 Ballade in A Flat, Op. 47; Grande Polonaise
 Brillante, Op. 22; Fantasia in F Minor, Op.
 49; Fantasia Polonaise, Op. 61. Wilhelm
 Kempff. CS 6040

PIANO MUSIC OF CHOPIN—Volume Two—
 Impromptu No. 1, Op. 29; Impromptu No. 2,
 Op. 36; Impromptu No. 3, Op. 51; Im-
 promptu No. 4, Op. 66; Berceuse, Op. 57;
 Barcarolle, Op. 60; Nocturne, Op. 9, No. 3;
 Scherzo No. 3, Op. 39. Wilhelm Kempff.
 CS 6041

PIANO MUSIC OF CHOPIN—Volume Three—
 Sonata in B Flat Minor, Op. 35 "Funeral
 March"; Sonata in B Minor, Op. 58. Wil-
 helm Kempff. CS 6042

MEN OF BRASS—Vol. 2—Massed Brass Bands
 —Fanfare; March of the Peers; Flanagan's
 Mare; Slavonic Rhapsody; A Trumpet Piece;
 The Holy City; The Swashbuckler; Trom-
 bones on Broadway; Chit Chat; Soldiers'
 Chorus (Fausl); Zamora; Napoleon Galop;
 Colonel Bogey; Finale—William Tell Over-
 ture. PS 129

CAPITOL STEREO RECORDS

ALL SW, SWAL and SP List ~~5.98~~ Net 4.25
 All ST List ~~7.98~~ Net 3.89
 SPBR* (2 Record Set) List ~~11.00~~ Net 8.49

CLASSICAL

BRITTEN—YOUNG PERSON'S GUIDE
 TO THE ORCHESTRA—
 Slatkin—Concert Arts Orch. SP8373

SHOSTAKOVITCH—11th SYMPHONY—
 Stokowski—Houston Symphony SP8448*

SOUND OF WAGNER—
 Lohndorf—Concert Arts Orch. SP8411

LA BELLE FRANCE—CARMEN DRAGON—
 Capitol Symphony Orch. SP8427

STARLIGHT CHORALE—
 Rogar Wagner Choral SP8390

POPULAR

DIG BAND STEREO SW1055

THE STEREO DISK SWAL932

SEA OF DREAMS—Nelson Riddle ST915

CONCERT MODERN—Los Brown ST959

PORTS OF PLEASURE—Los Bester ST844

STARS IN STEREO SW1042

SOUTH PACIFIC—Fred Waring ST992

ST. LOUIS BLUES—Nat Cole SW993

KING & I—Film Sound Track SW740

ABC-PARAMOUNT STEREO RECORDS

List price 4.98,
 Special Price 3.89

EYDIE GORME YAMPS THE ROARING 20's
 A swinging interpretation of the great
 songs of the 20's ABCS-218

MORE COLLEGE DRINKING SONGS
 The Blazers ABCS-219

FERRANTE & TEICHER—HEAVENLY
 SOUNDS IN HI-FI ABCS-221

WORLD WAR 2 SONGS IN HI-FI
 The 4 Sergeants ABCS-222

HI-FI IN AN ORIENTAL GARDEN
 Oriental songs with occasional orchestral
 accompaniment ABCS-224

STRAUSS IN HI-FI, Favorite waltzes
 in stereo ABCS-143

MUSIC TO BREAK A SUB-LEASE
 Featuring Don Costo's Free Loaders ABCS-212

NOSTALGIA IN HI-FI—With Bert Buhrman
 at the organ ABCS-209

THE NEW BILLY TAYLOR TRIO plays jazz
 ABCS-226

HI-FI PARADISE, With Ray Smock
 and others ABCS-234

SOUTH PACIFIC JAZZ—Tony Scott and
 his quartet play selections ABCS-235

EMPIRE CITY SIX SALUTE THE
 COLLEGES—College songs played as
 Dixieland jazz ABCS-210

MERCURY STEREO

Regular Price 5.98
 Special only 4.25

HAVANA IN HI-FI with Richard Hayman SR6000

LET'S DANCE, David Carroll SR6001

BEST OF BERLIN, Billy Eckstine
 and Sarah Vaughn SR6002

MOODS IN MUSIC, Herman Cleebonoff
 Strings SR6005

IT'S DANCE TIME, Disk Contino SR6006

SOCIETY DANCING, Griff Williams SR6007

LET'S GET AWAY FROM IT ALL
 Patti Page SR6010

WE HEARD THAT SONG BEFORE
 Patti Page SR6011

PIANO CONCERTO IN F
 RHAPSODY IN BLUE (Gershwin)
 List, piano; Honsan, Eastman-Rochester
 Orchestra SR7002

VIOLIN CONCERTO (Bartok)
 Menuhin, violin; Szereit, Minneapolis
 Symphony SR7003

MA MERE L'OYE, BOLERO (Ravel)
 SOUPE FANTASIE (Chabrier)
 Percy, Detroit Symphony SR9005

LOVE FOR 3 ORANGES
 SCYTHIAN SUITE (Prokofiev)
 Dorati, London Symphony SR9006

MEDEA (Cherubini)
 Maria Callas, etc.; Serafin conducts
 LaScala Orch. & Chorus, 3 Record Album,
 Net only 12.75 SR 3-9000

STEREO DEMONSTRATION RECORDS

LONDON PS-100 stereo sampler. Excerpts from
 London's catalogue, featuring Ted Heath,
 Mantovani, Bault, Ansermet, trains, racing
 cars, etc. 12" LP disc. Net 3.89

ELECTRA Sampler demonstrates stereo poten-
 tialities with music from their catalogue. Net 2.49

RE-PERCUSSION—The Percussive Art Ensemble,
 Richard Shory cond., Concert-Disc (S-21) Net 3.95

WESTMINSTER WSS-1 sampler with excerpts
 from both classical and popular catalogues.
 Demonstration of stereo includes trains,
 trucks, bowling alleys, rain, etc. 12". Net 2.49

STEREOVOX VST-1 sampler features music of
 Smetana and Vivaldi, jet aircraft, street
 traffic, yodeling in the Alps. 12". List 2.49

U2 S. AIR FORCE—with Arthur Godfrey. Stere-
 o-voice 1052D Net 4.25

5.98 LIST — You Pay Only 4.89!

BEETHOVEN: SYMPHONY NO. 5—Phil. Sym.
 Orch. of London; Rodzinski, cond. WST 14001

GERSHWIN: RHAPSODY IN BLUE; AMERICAN
 IN PARIS—Utah Sym.; Abravanel, cond. WST 14002

RIMSKY-KORSAKOFF: SCHEHERAZADE—Vie-
 nna State Opera Orch.; Scherchen, cond. WST 14003

SAINT-SAENS: ORGAN SYMPHONY (NO. 3,
 OP. 78)—Schreiner; Utah Sym.; Abravanel,
 cond. WST 14004

TCHAIKOVSKY: ROMEO AND JULIET OVERTURE;
 1812 OVERTURE — V.S.O. Orch.;
 Scherchen, cond. WST 14005

TCHAIKOVSKY: SYMPHONY NO. 4 — Phil.
 Sym. Orch. of London; Rodzinski, cond. WST 14006

ELGAR: FALSTAFF, OP. 68; COCKAIGNE
 OVERTURE—Phil. Promenade Orch.; Boult,
 cond. WST 14007

BERLIOZ: ROMAN CARNIVAL AND OTHER
 OVERTURES — Phil. Prom. Orch.; Boult,
 cond. WST 14008

BERLIOZ: CORSAIR AND OTHER OVERTURES
 —Phil. Prom. Orch.; Boult, cond. WST 14009

BRITTEN: 4 SEA INTERLUDES; YOUNG PER-
 SON'S GUIDE — Phil. Prom. Orch.; Boult,
 cond. WST 14010

BRITTEN: MATINEES MUSICALES; SOIREE
 MUSICALES—Phil. Prom. Orch.; Boult, cond.
 WST 14011

12" STEREO EPIC RECORD SALE! Sereodrama RECORDS Reg. Value 5.98

SALE! 4.25

CLASSICAL ARTISTS

BEETHOVEN: Eroica Symphony—THE CLEVELAND
 ORCHESTRA, George Szell, conductor. BC 1001

TCHAIKOVSKY: Capriccio Italien—BOROIN:
 Polovtsian Dances — RIMSKY-KORSAKOV:
 Capriccio Espagnol — MOUSSORGSKY: Dawn
 on the Moskva River—THE CLEVELAND OR-
 CHESTRA, George Szell, conductor. BC 1002

BRAMMS: Piano Concerto No. 1—THE CLEVELAND
 ORCHESTRA, George Szell, conductor
 with LEON FLEISHER, pianist BC 1003

POPULAR MUSIC

LESTER LAMIN GOES TO COLLEGE .BN 501

MOVIN' WEST—The Merrill Station Choir .BN 502

FLAMES, FLAPPERS AND FLASKS—Joe Glover .BN 503

PARDON MY DOO-WAN—Neil Hefti .BN 504

LESTER LAMIN AT THE TIFFANY BALL .BN 505

"THE MUSIC MAN" GOES DIXIELAND —
 Jimmy McPartland's All-Stars .BN 506

MY FAITH LOOKS UP TO THEE—The Merrill
 Station Choir .BN 507

CRAZY PEOPLE—Somethin' Smith and The
 Redheads .BN 508

Lafayette's Policy: ALWAYS FIRST WITH THE LATEST STEREO



LONDON RECORDS
FIRST STEREO LP RELEASES

Reg 4.98 — Special Value 3.89



- CAT. NO. TITLE**
- CS SERIES — CLASSICS**
- CS 6001 Mendelssohn: A MIDSUMMER NIGHT'S DREAM — Incidental Music
Jennifer Vyvyan, Marion Lowe, Female Chorus and London Symphony Orchestra conducted by Peter Maag.
- CS 6004 Brahms: SYMPHONY No. 2 IN D MAJOR, Op. 73
Vienna Philharmonic Orch. conducted by Rafael Kubelik.
- CS 6005 Rossini-Respighi: LA BOUTIQUE FANTASQUE — Complete Ballet
Dukas: THE SOCCERER'S APPRENTICE
Israel Philharmonic Orch. conducted by George Solti.
- CS 6006 ESPANA
Rimsky-Korsakov: CAPRICCIO ESPAGNOL, Op. 34
Granados: ANDALUZA
Chabrier: ESPANA
Moszkowski: SPANISH DANCES
London Symphony Orchestra conducted by Ataulfo Argenta.
- CS 6007 THE BLUE DANUBE — Music of Johann Strauss
The Blue Danube; Accelerations; Emperor Waltz; Roses from the South; Pizzicato Polka
Vienna Philharmonic Orch. cond. by Josef Krips
- CS 6008 VIENNESE BONBONS
Johann Strauss: Champagne Polka; Wiener Blut; Pizzicato Polka; Liebeslieder; Explosions Polka; Wiener Bonbons; Persian March; Waldmeister Overture; Josef Strauss: Heiterer Mut
Vienna Philharmonic Orch. cond. by Willi Boszkovik
- CS 6009 Stravinsky: PETRUSHKA — Complete Ballet
L'Orchestre de la Suisse Romande cond. by Ernest Ansermet.
- CS 6010 Mendelssohn: CONCERTO IN E MINOR FOR VIOLIN AND ORCHESTRA, Op. 64
Bruch: CONCERTO No. 1 IN G MINOR FOR VIOLIN AND ORCHESTRA, Op. 26
Ruggiero Ricci, violin with London Symphony Orch. cond. by Pierino Gamba.
- CS 6011 Tchaikovsky: CONCERTO IN D MAJOR FOR VIOLIN AND ORCHESTRA, Op. 35
Alfredo Campoli, violin with London Symphony Orchestra. Conducted by Ataulfo Argenta.
- CS 6012 Rimsky-Korsakov: RUSSIAN EASTER OVERTURE, Op. 36
Rimsky-Korsakov: TSAR SULTAN — Suite
Rimsky-Korsakov: MAY NIGHT — Overture
L'Orchestre de la Suisse Romande cond. by Ernest Ansermet.
- CS 6013 Debussy: IMAGES (Gigues; Iberia; Rondes de printemps)
L'Orchestre de la Suisse Romande conducted by Ataulfo Argenta.
- CS 6014 THIS IS VIENNA
J. Strauss: Tales from the Vienna Woods; Annen-Polka; Accelerations; Trilch-Tralch Polka; Leichter Blut. J. Strauss, Sr.; Radetzky March, Komzak; Badner Mad' in Waltz. Zikherer; Wiener Burger-Waltz
Vienna Philharmonic Orch. cond. by Hans Knappertsbusch
- CS 6015 OVERTURES IN HI FI
Adam: Si J'Etais Roi; Aubert: Le Domino Noir; Hérold; Zampa; Resnick; Donna Diana; Supper; Pique Dame; Nicolai: The Merry Wives of Windsor
Paris Conservatoire Orch. cond. by Albert Wolff
- CS 6016 Brahms: SYMPHONY No. 1 IN C MINOR, Op. 68
Vienna Philharmonic Orch. conducted by Rafael Kubelik.
- CS 6017 Stravinsky: THE FIREBIRD — Complete Ballet
L'Orchestre de la Suisse Romande cond. by Ernest Ansermet.
- CS 6018 Rimsky-Korsakov: SCHEHERAZADE, Op. 35
Paris Conservatoire Orch. conducted by Ernest Ansermet.
- CS 6019 Beethoven: CONCERTO No. 5 IN E FLAT MAJOR FOR PIANO AND ORCHESTRA, Op. 73 (Emperor)
Clifford Curzon, piano and Vienna Philharmonic Orch. conducted by Hans Knappertsbusch.
- CS 6020 Overák: SYMPHONY No. 5 IN E MINOR, Op. 95 (From the New World)
Vienna Philharmonic Orch. conducted by Rafael Kubelik.
- CS 6021 BRAHMS PIANO MUSIC
9 Intermazzos; Ballade in G Minor; Capriccio in B Minor; Rhapsody in B Minor
Wilhelm Backhaus, piano
- CS 6022 Brahms: SYMPHONY No. 3 IN F MAJOR, Op. 90
Vienna Philharmonic Orch. conducted by Rafael Kubelik.
- CS 6023 Debussy: NOCTURNES (Nuages; Fêtes; Sirènes)
Revel: MA MERE L'OVE
L'Orchestre de la Suisse Romande cond. by Ernest Ansermet.
- CS 6024 Debussy: LA MER
Debussy: PRELUDE A L'APRES-MIDI D'UN FAUNE
Revel: RAPSODIE ESPAGNOLE
L'Orchestre de la Suisse Romande cond. by Ernest Ansermet.
- CS 6025 Berlioz: SYMPHONIE FANTASTIQUE, Op. 14
Paris Conservatoire Orch. conducted by Ataulfo Argenta.
- CS 6026 Chopin: LES SYLPHIDES — Ballet
Delibes: LA SOURCE — Ballet Music
Paris Conservatoire Orch. conducted by Peter Maag.

- CAT. NO. TITLE**
- CS 6027 Haydn: SYMPHONY No. 94 IN G MAJOR (Surprise)
Haydn: SYMPHONY No. 99 IN E FLAT MAJOR
Vienna Philharmonic Orch. conducted by Josef Krips.
- CS 6030 Brahms: VARIATIONS ON A THEME OF HAYDN, Op. 56a
Brahms: ACADEMIC FESTIVAL OVERTURE, Op. 80
Brahms: TRAGIC OVERTURE, Op. 81
Vienna Philharmonic Orch. conducted by Hans Knappertsbusch.
- CS 6031 Stravinsky: LE SACRE DU PRINTEMPS
L'Orchestre de la Suisse Romande cond. by Ernest Ansermet.
- CS 6032 Dvorák: SERENADE IN E MAJOR FOR STRINGS, Op. 22
Israel Philharmonic Orch. conducted by Rafael Kubelik.
- CS 6033 Liszt: CONCERTO No. 1 IN E FLAT MAJOR FOR PIANO AND ORCHESTRA
Liszt: CONCERTO No. 2 IN A MAJOR FOR PIANO AND ORCHESTRA
Julius Katchen, piano with London Philharmonic Orchestra. Conducted by Ataulfo Argenta.
- CS 6034 Stravinsky: APOLLO MUSAGETE
Stravinsky: RENARD
Soloists with L'Orchestre de la Suisse Romande. Conducted by Ernest Ansermet.
- CS 6035 Stravinsky: CAPRICCIO FOR PIANO AND ORCHESTRA
Stravinsky: CONCERTO FOR PIANO AND WINDS
Nikita Magaloff, piano with L'Orchestre de la Suisse Romande. Conducted by Ernest Ansermet.
- CS 6036 Rimsky-Korsakov: CHRISTMAS EVE — Suite
Rimsky-Korsakov: SADKO, Op. 5
Rimsky-Korsakov: FLIGHT OF THE BUMBLE BEE
Rimsky-Korsakov: DUBINUSHKA, Op. 69
L'Orchestre de la Suisse Romande cond. by Ernest Ansermet.
- CS 6037 Beethoven: SYMPHONY No. 5 IN C Minor, Op. 67
L'Orchestre de la Suisse Romande cond. by Ernest Ansermet.
- CS 6038 Tchaikovsky: 1812 OVERTURE, Op. 49
Tchaikovsky: CAPRICCIO ITALIEN, Op. 45
Tchaikovsky: MARCH SLAVE, Op. 31
London Symphony Orch. conducted by Kenneth Alwyn.
- CSA 2201 De-Libes: COPPELIA — Complete Ballet
(2 records) L'Orchestre de la Suisse Romande cond. by Ernest Ansermet.
- PS SERIES — POPULAR**
- PS 100 A JOURNEY INTO STEREO SOUND
An Introduction to Hi-Fi
17 selections including: train; racing cars; tap dancing; orchestral music; opera; vocal; pop; piano; band, etc.
- PS 101 MEN OF BRASS. Mased Brass Bands.
Fanfare; Grand March "Queen of Sheba"; Spanish Gypsy Dance; Cornet Trio "Bugler's Holiday"; Mill in the Dale; Cornet Carillon; Madelon; Nightfall in Camp; "Lohengrin" — Intro. to Act 3; Whistler and His Dog; March "Medallion"; Overture 1812.
- PS 102 HOLIDAY IN ENGLAND — Band of the Grenadier Guards
Sussex; by the Sea; Come to the Fair; On Ilkka Moor; The Lincolnshire Poacher; Blyden Races; Calling All Workers; "Merrie England"; Plymouth Hoe — Overture; On the Quarter Deck; The Floral Dance; Eton Boating Song; "The Rose".
- PS 103 AN ALBUM OF MILITARY BAND MUSIC
Band of the Grenadier Guards
Moths; Suite for Military Band No. 1; Rose; Merchant of Venice — Parla & Dog's March; Nightfall in Camp; "Lohengrin" — Wood; Three Dale Dances
- PS 104 HI-FI WITH THE GRENADIER GUARDS
Band of the Grenadier Guards
The Spirit of Paganini; Aida Ceremonial March; Lustspiel; Wee Macgregor Patrol; Light Cavalry; Windjammer Overture; Hielan' Laddie.
- PS 105 HIGH FI-ESTA (Perfect for Dancing)
Edmundo Ros and His Orchestra
The Nearness of You — Cha Cha Cha; La Vie en Rose — Bolero; The Rose in Her Hair — Waltz; Orchids in the Moonlight — Tango; Dolores — Fox Trot; April in Portugal — Cha Cha Cha; National Emblem — March; Under the Bridges of Paris — ramba; Romana — Waltz; Jealousy — Fox Trot; La Rosita — Tango Estrellita — Cha Cha Cha.
- PS 106 GEMS FOREVER. Mantovani and His Orchestra
All the Things You Are; True Love, I Could Have Danced All Night; You Keep Calling Back Like a Song; A Woman in Love; This Nearly Was Mine; Summertime; Something to Remember You; by Love Letters; The Nearness of You; An Affair to Remember; Hey There.
- PS 107 LAND OF MY FATHERS — Morrison Orpheus Choir
Land of My Fathers; Song of the Jolly Roger; Tydi e Raddalzi; Roll, Jordan, Roll; Rock of Cedar Idols; All Thra' the Night; We'll Keep a Welcome; God Bless the Prince of Wales; Aberystwyth; Lullaby; Chorus of Hebrew Slaves; Deus Solvitur; The Long Day Closes; Hail Wlad Py Ehadou.
- PS 108 JAZZ AT TOAO HALL — Ken Moule's Music
Messin' About in Boots; Mr. Toad; Wind in the Willows; The Boy Friend; Will O' the Wisp; Poor Arthur; Fishin' the Blues; Blue Grass.

- CAT. NO. TITLE**
- PS 109 JUST FOR YOU — Cyril Stapleton and His Orchestra.
I'm Forever Blowing Bubbles; Bye Bye Blackbird; Tell Me Tonight; April Showers; Ain't She Sweet; For Me and My Gal; Charmaine; I Wonder Who's Kissing Her Now; Me and My Shadow; If You Were the Only Girl in the World; Beer Barrel Polka; Anything Goes.
- PS 110 ROS ON BROADWAY — Edmundo Ros and His Orchestra
I Could Have Danced All Night; Some Enchanted Evening; Bewitched; Stranger in Paradise; June is Bustling Out All Over; I Whistle a Happy Tune; Miranda's Hideaway; Almost Like Being in Love; I Love Paris; I Talk to the Trees; I've Never Been in Love Before; So in Love.
- PS 111 HOCH UND DEUTSCHMEISTER KAPPELLE
84er Regimentmarsch; Wiener Zuckerbäckermarsch; Wiener Burgerwaller; Schon ist so ein Ringelspiel; Fliegermarsch; Fächerpolonaise; It's a Long, Long Way to Tipperary; Ungarischer Marsch; O, du mein Österreich Marsch; Frühjahrsparade Marsch; Castella; March; Ball bei Zikherer; Walters; Andreas; Hafer-Marsch; Gruss aus Wien-Marsch; Brucker-Lagermarsch; 94er Regimentmarsch. Conducted by Julius Herrmann.
- PS 112 MUSIC FROM THE FILMS — Mantovani and His Orchestra
Warsaw Concerto; Serenata D'Amore; The Dream of Olwen; The Legend Of The Glass Mountain; Story Of Three Loves; Cornish Rhapody.
- PS 114 RHYTHMS OF THE SOUTH — Edmundo Ros and His Orchestra
Soanish Gypsy Dance (Pato doble); Blue Danube (Vals Creole); Barcarolle (Bolero); La Moxixe (Marche); Capullito de Añel (Son Rumba); Siboney (Mambo); Isle of Capri (Cha-cha-cha); Catalon Bogey (Merengue); Elizabeth (Samba); Caminito (Tango); Marta (Bolero); Cachito (Guaracha).
- PS 115 JOHANN STRAUSS FOR TWO PIANOS. Rawicz and Landauer
Tales from the Vienna Woods; Annen Polka; Tik-Tak Polka; Voices of Spring; Wine, Women and Song; Bitte Schön; Trilch Tralch; The Blue Danube.
- PS 116 HITS I MISSED — Ted Heath and His Music
High Noon; Ebb Tide; 12th Street Rag; Love is a Many Splendored Thing; Three Coins in the Fountain; Unchained Melody; Learnin' the Blues; Foolish Rhapody; Maulin Rouge; My Resistance is Low; My Foolish Heart; Secret Love.
- PS 117 ALL TIME TOP TWELVE — Ted Heath and His Music
Begin The Beguine; April in Paris; 'S Wonderful; Tenderly; Autumn Leaves; Somebody Loves Me; September Song; Stardust; Tea For Two; On the Sunny Side Of the Street; I've Got The World On A String; My Blue Heaven.
- PS 118 STRAUSS WALTZES — Mantovani and His Orchestra
Blue Danube; Roses from the South; Village Swallows; Wine, Women and Song; Tales from the Vienna Woods; Morgenblatter; Emperor Waltz; Accelerations; You and You; Voices of Spring; 1001 Nights; Treasure Waltz.
- PS 119 WALTZ ENCORES — Mantovani and His Orchestra
Charmaine; Wyoming; La Ronde; Love Here is My Heart; Lovely Lady; Moulin Rouge; Greenleeves; Lonely Ballerina; The Kiss in Your Eyes; Dear Love My Love; I Lived for You; Dream, Dream, Dream.
- PS 120 NATIONAL ANTHEMS OF THE WORLD
Band of the Grenadier Guards
National Anthems of U.S.A.; Norway; Austria; U.S.S.R.; Mexico; Saudi Arabia; Holland; Egypt; India; Belgium; Italy; Switzerland; France; Canada; Denmark; Persia; Spain; Sweden; Israel; Germany; Turkey; Portugal; Great Britain.
- PS 121 MY FAIR LADY
Wouldn't It Be Lovely (Beverly Sisters); With a Little Bit of Luck (The Starazers); The Rain in Spain (Yvonne Lynn & Pete Murray); On the Street Where You Live (David Whitfield); Get Me to the Church on Time (Jack Warner); I Could Have Danced All Night (Diane Todd).
- GREAT FILM SONGS**
September Song (April Heath); My Foolish Heart (Mantovani); Bewitched (Ros); True Love [Checksfield]; A Woman in Love [Black]; If I Loved You (Stapleton).
- PS 122 IMMORTAL SERENADES — Frank Checksfield and His Orchestra
Toselli's Serenade; Fair Maid of Perth; Student Prince; Don Giovanni; Perna's Serenade; Barcarolle from "Tales of Hoffmann"; Romeo and Juliet; Les Millions D'Arlequin; Don Pasquale; Schubert's Serenade; Angel's Serenade; Serenade to a Mandarin; Amphitrope's Serenade; Cavalleria Rusticana.
- PS 123 WE COULD HAVE DANCED ALL NIGHT — Bill Saville & His Orchestra
So in Love; Da I Love You; June Jus' Bustin' Out All Over; Always True to You in My Fashion; You'd Be So Nice to Come Home To; I Give My Heart; Glimorous Night; Lovely to Look At; The Fells Who Live On the Hill; Love Walked In; Shall We Dance; Let's Call the Whole Thing Off; Long Ago and Far Away; Can I Forget You; How High the Moon and 17 others.
- PS 124 FILM ENCORES — Mantovani and His Orchestra
My Foolish Heart; Unchained Melody; Over the Rainbow; Summer-time in Venice; Intermazze; Three Coins in the Fountain; Love Is a Many Splendored Thing; Laura; High Noon; Hi-Lili, Hi-Lo; September Song; Theme from Lullaby.

EVERYTHING YOU NEED FOR STEREO—AT LAFAYETTE



LONDON RECORDS **ffss FIRST STEREO LP RELEASES**

Reg 4.98—Special Value 3.89



- CAT. NO. TITLE**
- PS 125 SONG HITS FROM THEATRELAND** — Mantovani and His Orchestra
If I Loved You (Carousel); Wunderbar (Kiss Me Kate); I've Never Been in Love Before (Gypsy and Dolls); Hello Young Lovers (The King and I); Stranger in Paradise (Kismet); C'est Magnifique (Coe-Coe); I Talk to the Trees (Paint Your Wagon); They Say It's Wonderful (Annie Get Your Gun); Bewitched (Pal Joey); Some Enchanted Evening (South Pacific); Out of My Dreams (Oklahoma); Almost Like Being in Love (Bridgton).
- PS 126 AN EVENING IN PARIS** — Frank Chacksfield and His Orchestra
Ca C'est Paris; J'Attendrai; Mademoiselle de Paris; Clopin Clopant; Paris Moi D'Amour; La Vie en Rose; Can Can.
- AN EVENING IN ROME** — Frank Chacksfield and His Orchestra
Santa Lucia; Anema e Core; Matilina; Catori; Catori; The Echo Told Me a Lie; Mammo; Come Back to Sorrento.

**OS SERIES—
OPERA AND VOCAL**

Regular ~~5.98~~
SALE 4.25

- OS 25020 OPERATIC RECITAL BY RENATA TEBALDI**
Orch. L'Accademia di Santa Cecilia — Erede.
Mozart: "Le Nozze di Figaro" — Pargl Amor; Dove Sono; Cleon; "Andrion Lecoureur" — Je son l'umile ancillo; Poveri fiori; Catalani: "La Wally" — Ne mai dunque ovro poco; Mascagni: "Lodoletta" — Fiammen perdono!; Rossini: "William Tell" — Selva Opaco; Refica: "Cecilia" — Per amor di Gesu; Morte di Cecilia.
- OS 25021 OPERATIC RECITAL BY MARIO DEL MONACO**
Erede — N.S.O.
Verdi: "Ballo in Maschera" — Ma se me forza; "Ernani" — Come zuplate ad cespita; Giordano: "Fedora" — Amor il via; Zandonai: "Giulietta e Romeo" — Giulietta, son io; Puccini: "Madama Butterfly" — Addio fiorito asi; Massenet: "Le Cid" — O Souverain; Bizet: "Carmen" — La fleur que tu m'avais jetee; Meyerbeer: "L'Africano" — O Paradiso; Catalani: "La Wally" — Oh come furon luchi; Quando a soldan; Donizetti: "Lucia di Lammermoor" — Fra poco a me ricovera; Tu che a Dio spiegasti.

- CAT. NO. TITLE**
- OS 25038 GREAT SACRED SONGS**
Elijah — Hear My Prayer (Mendelssohn); St. Paul — Jerusalem (Mendelssohn); Silent Night, Holy Night; O Divine Redeemer (Gounod); Jerusalem (Parry); Jubilate; O Come All Ye Faithful; Abide With Me.
Kirsten Flagstad, soprano with London Philharmonic Orchestra. Conducted by Sir Adrian Boult.
- OS 25039 Mahler: KINDERTOTENLIEDER — Song Cycle**
Mahler: LIEDER EINES FARENDEN GESELLEN — Song Cycle
Kirsten Flagstad, soprano with Vienna Philharmonic Orchestra. Conducted by Sir Adrian Boult.
- OSA 1201 Gilbert and Sullivan: THE MIKADO — Complete**
(2 records) The D'Oyly Carte Opera Company and the New Symphony Orch. of London cond. by Isidore Godfrey.
List 11.98 Net 8.50
- OSA 1202 Gilbert and Sullivan: THE PIRATES OF PENZANCE — Complete**
(2 records) The D'Oyly Carte Opera Company and the New Symphony Orch. of London cond. by Isidore Godfrey.
List 11.98 Net 8.50
- OSA 1203 Wagner: DIE WALKURE — Act 3 — Complete**
(2 records) Act 2 "Todesverkündigung" Scene (4th side) — Kirsten Flagstad, Otto Edelmann, Set Svanholm with Vienna Philharmonic Orch. conducted by Georg Solti.
List 11.98 Net 8.50
- OSA 1204 Wagner: DIE WALKURE — Act 1 — Complete**
(2 records) Wagner: GOTTERDAEMERUNG — Dawn, Siegfried's Rhine Journey and Funeral Music (4th side) — Kirsten Flagstad, Set Svanholm, Arnold van Mill with Vienna Philharmonic Orch. conducted by Hans Knappertsbusch.
List 11.98 Net 8.50
- OSA 1301 Lehar: GIUDITTA — Complete**
(3 records) Milla Gueden, Solists with Vienna State Opera Chorus and Orchestra of the Vienna State Opera cond. by Rudolf Morfil.
List 17.94 Net 12.75

- CAT. NO. TITLE**
- OSA 1302 Panchielli: LA GIOCONDA — Complete**
(3 records) Anita Cequetti, Giuletta Simonato, Mario Del Monaco, Cesare Siepi, Ettore Bastiani with Chorus and Orch. of Maggio Musicale Fiorentino cond. by Gianandrea Gavazzeni.
List 17.94 Net 12.75
- OSA 1303 Giordano: ANDREA CHENIER — Complete**
(3 records) Renata Tebaldi, Mario Del Monaco, Ettore Bastiani with Chorus and Orch. of L'Accademia di Santa Cecilia, Rome cond. by Gianandrea Gavazzeni.
List 17.94 Net 12.75
- OSA 1401 Mozart: DON GIOVANNI — Complete**
(4 records) Cesare Siepi, Fernando Corena, Anton Dermola, Suzanne Danco, Lisa Della Casa, Milda Gueden with Vienna State Opera Chorus and Vienna Philharmonic Orch. cond. by Josef Krips.
List 23.92 Net 17.00
- OSA 1402 Mozart: LE NOZZE DI FIGARO — Complete**
(4 records) Cesare Siepi, Milda Gueden, Lisa Della Casa, Alfred Poell, Suzanne Danco, Fernando Corena with Vienna State Opera Chorus and Vienna Philharmonic Orch. cond. by Erich Kleiber.
List 23.92 Net 17.00
- OSA 1403 Gluck: ALCESTE — Complete**
(4 records) Kirsten Flagstad, Solists with Gerald Jones Orch. and Singers cond. by Gerald Jones.
List 23.92 Net 17.00

FLASH! LAST MINUTE RCA STEREO RELEASES
ALL 5.95 LIST — LAFAYETTE'S PRICE 4.25
33 1/3 RPM Long Play

● POPULAR ●

- MUSIC FOR DINING**—The Melachrino Strings and Orch. LSP-1000
- MUSIC FOR RELAXATION**—The Melachrino Strings and Orch. LSP-1001
- MUSIC FOR READING**—The Melachrino Strings and Orch. LSP-1002
- BELAFONTE SINGS THE BLUES**—Marry Belafonte LSO-1006
- BEST OF ENEMIES**—Original Soundtrack LSO-1046
- MUSIC FOR THE WEAKER SEX**—Henri Rene Orch. LSP-1383
- THROUGH THE YEARS**—George Beverly Shea LSP-1842
- CAMPUS HOP—JAZZ GOES DANCING**—Dave Pell Octet LSP-1862
- THE MIGHTY WURLITZER AND THE ROARING HI-FI TWENTIES**—Leonard Leigh LSP-1665
- CONSOLE MAGIC**—Charles Paul LSP-1668
- IN LONDON WITH THE COLDESTREAM GUARDS**—Cond. by Major Douglas A. Pope LSP-1674
- DESTINATION MOON**—Ames Brothers LSP-1680
- THE LADY IN RED**—Abbe Lane LSP-1688
- SOUTH SEA MOODS**—The South Seacombers LSP-1698
- COLLEGE "CLASSICS"**—Bob Scobey's Frisco Jazz Band with Clancy Hayes LSP-1700
- JAN PEARCE IN LAS VEGAS** LSP-1709
- LOOK MA! FOUR HANDS**—Richard Dissell and Robert E. Reilly, Jr., at the Twin Organs LSP-1710
- LATIN AIRS**—Luis Arcaez Orch. LSP-1712
- MOMENTS LIKE THESE**—Dinah Shore LSP-1719
- DANCING ON PARK AVENUE**—Tony Cabot Orch. LSP-1723
- MUSIC FOR NERVOUS PEOPLE**—John Clegg Orch. LSP-1732
- HAVING A BALL WITH THE THREE SUNS** LSP-1734
- PRESENTING PETER PALMER** LSP-1736
- SUMMER MADNESS**—Ronald Binge Orch. LSP-1737
- DANCING WITH THE SMART SET**—Meyer Davis Orch. LSP-1756
- STRAUSS WALTZES**—The Melachrino Orch. cond. by George Melachrino LSP-1757
- PRESENTING THE BELAFONTE SINGERS** LSP-1760
- LISBON AT TWILIGHT**—The Melachrino Orch. Cond. by George Melachrino LSP-1762
- APRO-CUBAN INFLUENCE**—Shorty Rogers LSP-1763
- POP GOES THE SWINGIN' MARCHIN' BAND**—Cond. by Ray Martin LSP-1771
- GO SOUTH YOUNG MAN**—Tony Martin LSP-1778
- SWEET AND SAVAGE**—Lot Indaly Tabajaras LSP-1788

● RCA RED SEAL STEREO CLASSICS ●

- BOLERO**—Boston Symphony, Charles Munch Cond. LSC-1984
- BRASS AND PERCUSSION**—Morton Gould Orch. LSC-2080
- CONCERTO NO. 1, IN C, OP. 15 (BEETHOVEN)**—Rubinstein; Krips, Symph. of the Air LSC-2120
- CONCERTO NO. 2, IN B-FLAT, OP. 19 (BEETHOVEN)**—Rubinstein; Krips, Symph. of the Air LSC-2121
- CONCERTO NO. 3, IN C MINOR, OP. 37 (BEETHOVEN)**—Rubinstein; Krips, Symph. of the Air LSC-2122
- CONCERTO NO. 4, IN G, OP. 58 (BEETHOVEN)**—Rubinstein; Krips, Symph. of the Air LSC-2123
- CONCERTO NO. 5, IN E-FLAT, OP. 73 ("EMPEROR") (BEETHOVEN)**—Rubinstein; Krips, Symph. of the Air LSC-2124
- "ITALIAN" AND "REFORMATION" SYMPHONIES (MENDELSSOHN)**—Munch, Boston Symp. Orch. LSC-2221
- IBERIA (DEBUSSY)**; Alborda del Gracioso/Valses nobles et sentimentales (Ravel)—Reiner, Chicago Symp. Orch. LSC-2222
- WHERE'S THE MELODY?**—Morton Gould Orch. LSC-2224
- VICTORY AT SEA, VOL. II**—Robert Rustell Bennett, RCA Victor Symph. Orch. LSC-2226
- HARDOL IN ITALY, OP. 16 (BERLIOZ)**—Primrose; Munch, Boston Symp. Orch. LSC-2228
- MARCHES IN HI-FI**—Fiedler, Boston Pops Orch. LSC-2229
- ON STAGE WITH ROBERT SHAW**—The Robert Shaw Chorale. LSC-2231
- MOON, WIND AND STARS**—Morton Gould Orch. LSC-2232
- "EROICA" SYMPHONY (BEETHOVEN)** — Boston Symp. Orch., Charles Munch, Cond. LSC-2233
- CONCERTO NO. 2, IN G MINOR, OP. 22 (SAINT-SAENS); SYMPHONIC VARIATIONS (FRANCK)**—Rubinstein; Wallenstein, Symph. of the Air LSC-2234
- GOOD MUSIC TO HAVE FUN WITH**—Fiedler, Boston Pops Orch. LSC-2235
- 1812 OVERTURE (TCHAIKOVSKY); FINOAL'S CAVE OVERTURE (MENDELSSOHN); HEPHISTO WALTZ (LISZT); TRAGIC OVERTURE (BRAHMS)** — Reiner, Chicago Symp. Orch. LSC-2241

● RCA-CAMDEN STEREO ●

- 2.98 LIST — OUR PRICE 2.25**
- ANYTHING GOES; HI-FI ON THE HARPSICORD** — Bruce Prince-Joseph and Nis Group CAS-416
- INSTRUMENTAL HITS FROM "THE MUSIC MAN"** — Hill Bowen Orch. CAS-428
- INSTRUMENTAL HITS FROM "GIGI"** — Hill Bowen Orch. CAS-436

1.59!



**STEREO
12"
SALE!**

HOLIDAY IN NEW YORK — A "Stereophonic Spectacular". A day in sound and music... The ultimate experience in stereophonic high fidelity. With Dr. Horlow White, your stereo host. Recorded by the "Authentic-Phonic" Stereo Process (ASP).

1.69!



**SPECIAL
STEREO
RECORD
DEAL!**

THE WONDROUS WORLD OF STEREO-FIDELITY—with the depth of sound dimension that creates for you the emotional experience of being there. A complete program demonstrating the most revolutionary advance in the recording arts since the invention of the phonograph! (Stereo-Fidelity).

STEREO DEMONSTRATION

2.25!



**RECORDS
•
THE LOWEST
ANYWHERE!**

RIMSKY-KORSAKOFF — SCHEHERAZADE. A unique stereophonic demonstration disc offered to introduce you to the fascinating new world of stereo sound on disc. A complete performance of Rimsky-Korsakov's masterpiece, with Marjan Rasil conducting the Orchestra of the Vienna State Opera. (Vanguard).

LAFAYETTE ALWAYS HAS THE LATEST STEREO DISCS

NEWEST STEREO FIDELITY 12" RELEASES



- SF-2900 BALLET (Incl. SWAN LAKE)
- SF-4300 WORLD'S GREAT STANDARDS (101 Strings)
- SF-4800 SOUSA MARCHES IN HI-FI
- SF-5700 SYMPHONY FOR TOMMY
- SF-5900 CARIBBEAN CRUISE
- SF-6600 SOUL OF SPAIN (101 Strings)
- SF-6700 CONCERTO UNDER STARS (101 Strings)
- SF-6800 NIGHT IN VIENNA (101 Strings)
- SF-7000 SILVER SCREEN (101 Strings)
- SF-7100 GLORY OF XMAS (101 Strings)

**Special Buy
SALE! 2.25 ea.**



Spectacular Stereo Sound!
Grand Award 33 1/3 RPM-12"
NO. GASD-400
"STEREOPHONIC SPECTACULAR"
DEMONSTRATION RECORD
LIMITED EDITION!
Reg. 3.98 ONLY 2.49!

Complete arrangements of VOLARE, from "Ramon Spectacular"; I COULD HAVE DANCED ALL NIGHT, from "My Fair Lady"; SUNRISE SERENADE, from "The Great Song Hits of the Glenn Miller Orchestra" played by the Alumni Orchestra; TOOT TOOT TOTSIE, from "The Roaring 20's"; COCKEYED MAYOR OF KAUNAKAKAI, from "Paul Whiteman's Mowalton Hits"; BUCKLE DOWN WINSOCKI; LA COMPARSA, from "Spanish Spectacular"; MY FAIR LADY OVERTURE; "AROUND THE WORLD" SELECTIONS, OPUS NO. 1, from "The Great Song Hits of the Tommy & Jimmy Dorsey Orchestra" played by the Alumni Orchestra; ESPANA CANI, from "Spanish Spectacular"; AIN'T SHE SWEET, from "The Roaring 20's"; JUNE 15 BUSTIN' OUT ALL OVER.

NEW ABC-PARAMOUNT 12" STEREO RECORDS ~~4.98~~ Reg. SALE 3.59!

- | | |
|----------|---|
| ABCS 229 | LET'S POLKA, OBEREK, WALTZ, TANGO — Ted Moksymowicz |
| ABCS 232 | THE AXIDENTALS — with the Kai Winding Trombones |
| ABCS 236 | CANDIDO IN INDIGO — Candido |
| ABCS 238 | HI-FI SQUARE DANCE PARTY — with singing calls |
| ABCS 239 | SABICAS — Gypsy Flamenco |
| ABCS 241 | ALFRED APAKA — Hawaiian Village Nights |
| ABCS 242 | THE PARADE FIELD IN STEREOPHONIC SOUND |
| ABCS 243 | DRINKING SONGS AROUND THE WORLD — The Blazers |
| ABCS 244 | JOHNNY NASH |
| ABCS 245 | BAWDY BARRACKS BALLADS — The Four Sergeants |
| ABCS 246 | EYDIE IN LOVE — Eydie Gormé |
| ABCS 248 | FERRANTE & TEICHER — with Percussion |
| ABCS 251 | SING ME A SAD SONG — George Hamilton IV |
| ABCS 254 | SHOW STOPPERS — sung by Eydie Gormé |
| ABCS 255 | LIGHT CLASSICS IN HI-FI — The Melachrino Orchestra |
| ABCS 258 | DANCE WITH DICK CLARK |
| ABCS 259 | SHOCK MUSIC IN HI-FI — Creed Taylor Orch. |
| ABCS 263 | THE ONE AND ONLY NICOLA PAONE — Nicola Paone |



BETHLEHEM GRAB BAG JAZZ LP SAMPLER
EXLP-2 LIST ~~1.98~~
SALE! 1.29 Monaural

A COLLECTION CONTAINING 11 TOP JAZZ NUMBERS INTERPRETED BY—DUKE ELLINGTON — HERBIE MANN — SAM MOST — CARMEN MCGRAE — CLAUDE WILLIAMSON — AUSTRALIAN JAZZ QUINTET AND OTHERS.

SPECTRUM

Introductory Sale of New Stereo Records!
Reg. Price ~~2.98~~ YOU PAY ONLY **2.25!**

- D'ARTEGA conducts the Symphony of the Air (The Toscanini Orchestra) "Pop Concert in Carnegie Hall" \$5 11
- CYRIL HOLLOWAY conducts the Royal Farnsworth "Pops" Orch. "South Pacific" and "The Music Man" \$5 12
- DON MIGUEL VALENCIA conducts La Fiesta de Toros "Fury of the Matador" \$5 13
- "THE PEEPHOLE 8"; "The Twenties Roar Back" \$5 14
- "GIGI"; Warren Edward Vincent conducts the Royal Farnsworth "Pops" Orch. \$5 15
- AL DONAHUE and his Society Orch. "Invitation To Dance" \$5 16
- "CARMEN SUITE"; Ravel's Bolero; Cyril Holloway cond. the Hampshire Philharmonic Symphony Orch. \$5 17
- D'ARTEGA conducting the N.Y. Festival Symphony Orch.; "Familiar Favorites from the World's Greatest Music" \$5 18
- OFFENBACH'S "GAITE PARISIENNE"; D'Artego cond. the N.Y. Festival Symphony Orch. \$5 19
- "1812 OVERTURE"; "Capriccio Espagnol"; D'Artego cond. the N.Y. Festival Symphony Orch. \$5 20

LONDON 12" LP SALE!

THE 50 BEST NUMBERS IN THE FAMOUS LL 12" LP SERIES

Monaural

Regularly ~~3.98~~ **SALE! 1.69** each



Pop. numbers with strong universal appeal, recorded with outstanding London fidelity!

FRANK CHACKSFIELD and his Orchestra—"Broadway Melody" LL1509. B'dway Melody, Alone, Temptation, Would You, All I Do Is Dream Of You, Singing In The Rain, Should I, I've Got A Feeling You're Fooling, You Stepped Out Of A Dream, Pagan Love Song, You Were Meant For Me, You Are My Lucky Star.
FRANK CHACKSFIELD and his Orchestra—"... close your eyes" LL 1440. Mean To Me, I've Got The World On A String, Lullaby Of The Leaves, By The Fireside, Close Your Eyes, The Call To Arms, Love Is The Sweetest Thing, etc.
CYRIL STAPLETON and his Orchestra — "Music for a Starry Night" LL 1526. Our Love, To Love Again, I'm Always Chasing Rainbows, Story Of Three Loves, The Kiss In Your Eyes, Moon Love, If You Are But A Dream, Till The End Of Time, etc.
STANLEY BLACK and his Orchestra — "Summer Evening Serenade" LL 1332. Gaviotto, Serenade To Eleana, Siciliano, From Here To Eternity, Memory, Tonga Desire, Starlight Serenade, Cornet de Bol, Le Grisbi, Magic Circles, Melody Of Love, Estrellita del Sur.

RONDO STEREO SALE!

POPS • SHOW MUSIC • CLASSICAL • JAZZ!



~~4.98~~ LIST

OUR PRICE

3.29

CLASSICAL

HAYDN — MILITARY SYMPHONY; Van Weber, Euryanthe Overture. Boston Festival Orch., Willis Page ST 501
BARBER — ADAGIO FOR STRINGS; Monegger, Pacific 231; Stravinsky, Concerto Grosso. Boston Festival Orch., Willis Page ST 502
THE ORGAN IN STEREO. 8 Classical Selections, including 2nd Hungarian Rhapsody. Reginald Foort, Richmond, Va., Mosque Organ ST 505
THE ORGAN AT SYMPHONY HALL; Reginald Foort, Aeolian-Skinner Organ ST 506
BEETHOVEN—FIFTH SYMPHONY; Boston Festival Orch., Willis Page ST 509
STEREO FEAST FOR ORCHESTRA; Carmen Act I Intro; La Gozsa Ladra Overt., Donse Macabra, Hungarian Dance No. 6, etc. Boston Festival Orch., Willis Page ST 510
MOZART — Symphony No. 40; Strauss, Emperor Waltz; Tchaikowsky, Serenade for Strings (Waltz). Boston Festival Orch., Willis Page ST 515
DEBUSSY — NOCTURNES — (Cloude, Festivals); Donse; Afternoon Of A Foun. Boston Festival Orch., Willis Page ST 519
BACH—BRANDENBURG CONCERTO No. 3; Suite for Strings; Tchaikowsky, Serenade for Strings (Finale). Boston Festival Orch., Willis Page ST 522
RAVEL—BOLERO; Addinsell, Warsaw Concerto; Both, Cornish Rhapsody. London Symphonette Orch ST 528
ORGAN CONCERT. Selections include Light Cavalry Overture, Anvil Chorus, in A Monastery Garden, etc. Reginald Foort ST 529
SCHUBERT—UNFINISHED SYMPHONY; Beethoven, Bagatelles. Boston Festival Symphony, Leonid Hambro, Piano ST 530

POPS, MOVIE & SHOW MUSIC

THE MUSIC OF AROUND THE WORLD IN 80 DAYS and My Fair Lady. Johnny Gregory and his London Orch. ST 508
ORGAN POPS. Bill Floyd of the Paramount Theatre Organ. ST 520
THE BURLESQUE SHOW. Recorded at an actual performance at Minsky's Burlesque. ST 521
POPULAR NIGHT CLUB RHYTHMS; The Meringue and Beguine for dancing. ST 523
STEEL BAND JAMBOREE — March, Rhumba, Jamba, Momba, Somba, Meringue, Bolero, etc. 3 Steel Bands from British West Indies. ST 524
MUSIC FROM GIGI and the **MUSIC MAN**. Broadway Symphonic Jazz Orchestra ST 525
STRAUSS—VIENNA WALTZES. Vienna Symphonette conducted by Suzanne Auber. ST 534
A STEREO VISIT TO ITALIAN MOVIES. 9 selections, including Anna, Autumn in Rome, etc. Sabato's Lido Orchestra. ST 535
MUSIC OF SOUTH PACIFIC and Oklahoma. Broadway Symphonic Jazz Orch., Suzanne Auber ST 536

TEST RECORDS

THE RAILROAD IN STEREO. A story in authentic sound. ST 517
INSTRUMENTAL & FOLK MUSIC
FLAMENCO FIESTA. Carlos Montoya and Troupe. ST 503
WINE GARDEN MUSIC IN VIENNA — Schrammel Orch. with Cimbalom and Zither. ST 504
FLAMENCO HOLIDAY. Carlos Montoya, Guitro. ST 526
A STEREO VISIT TO SPAIN. Manoletto, La Entrada, El Gato Montes, etc. Argentino Orch., Manuel Prim. ST 532

JAZZ

DIXIELAND CLAMBAKE ON BOURBON STREET. Tony Almerico's Band. ST 507
BIG BAND LATIN JAZZ. Willie Rodriguez and his Orch. ST 511
HORIZONTAL AND UPRIGHT. Red Camp with Rhythm. ST 512
MAD MUSIC (Bull In A Chime Shop). Jimmy Carroll and The Percussionists. ST 513
LIZZIE MILES with Tony Almerico's Dixieland Band. 10 top Dixieland numbers. ST 514
JAM SESSION AT THE MARDI GRAS (In New Orleans). Freddie Kohlman's Band with Sid Davilla, Clarinet. ST 518
LIZZIE MILES sings the blues with Tony Almerico's band. ST 527
DIXIELAND — 10 outstanding numbers by Tony Almerico's Band, featuring Lizzie Miles, Vocals, and Red Camp at the Piano. ST 531
THE STEREO FEETWARMERS — in 10 historic jazz selections. Shaftbert Casino Jazz Group ST 533

Four-Transistor Miniature Hearing Aid

Are all conversations just "whispers" to you?

IF SO—

This transistorized hearing aid can provide a real "lift" to your daily person-to-person contacts.

- Four modern transistors in a high efficiency circuit boost the level of sound reaching your ears and improve intelligibility of the spoken word. Inconspicuous and neat — this hearing aid is smaller than a pack of cigarettes (2 3/16" wide, 2 3/16" long, 3/4" thick) and weighs a feathery 5 ounces!
- Men can carry the hearing aid in a shirt or suitcoat breast pocket while women can tuck it into the neckline of dress or blouse. The alumite case is finished in gold by a special process to prevent peeling and rusting. The circuit components are protected against moisture and dirt by clear plastic "peek-in" cover.
- A thin, flexible cord — a full 3-foot long — connects the flesh-colored dynamic earphone to the hearing aid. A smooth-working control permits user to adjust volume to individual requirements.
- Two low-cost penlite batteries will provide almost two months' service when hearing aid is used up to four hours a day. A smart gray leather zippered carrying case F-360 Hearing Aid

Extra batteries for Above: Burgess Z or RCA VSO34 (2 required)

Net 29.50
Net .08 ea.



3-TRANSISTOR MINIATURIZED HEARING AID

HELP FOR THE HARD-OF-HEARING AT A PRICE TO SUIT ANY BUDGET!

Now you can enjoy radio and TV programs, chats with friends and neighbors, church, the movies — because this efficient three-transistor hearing aid amplifies and improves the intelligibility of your world of sound.

- A convenient "on-off" switch and volume control permits adjustment to meet individual preferences and degrees of hearing impairment.
- This low, low price includes a miniature dynamic earphone fitted with two detachable rubber-covered earplugs of different sizes (to insure individual fit and maximum wearing comfort) and a three-foot cord of inconspicuous colorless plastic.
- A single, inexpensive "penlite" battery will operate this hearing aid for hours. Spare battery and zippered carrying case are supplied at no extra cost.

F-390 3-Transistor Hearing Aid — a \$50.00 value — now only Net 19.50
Extra battery for Above: Burgess Z or RCA VSO34 Net .08 ea.



SALE! SPECIAL!



QUANTITY LIMITED!

LT-40
FM-AM
"MUSIC
MATE"
TUNER
\$2.50
WITH
CAGE

Lafayette CUSTOM HI-FI • STYLE-MATCHED TUNER DELUXE FM-AM TUNER

- ARMSTRONG CIRCUIT • AFC DEFEAT • FOSTER-SEELEY DISCRIMINATOR
- TEMPERATURE COMPENSATED OSCILLATOR • MEETS FCC RADIATION REQUIREMENTS


A sensitive, selective, stable FM-AM tuner. Temperature compensated oscillator and AFC assure drift-free performance and "locking-in" of stations once they are tuned. The Armstrong circuit with limiter and Foster-Seeley discriminator uses 6 tubes, 0 rectifier and 2 long-life matched germanium diodes. Superior frequency response, hum and distortion specifications assure excellent reception. Has built-in antennas for both AM and FM as well as provision for outdoor antenna. Finished in attractive dark maroon and gold. Size 13 1/2" W x 5 7/8" D x 4-3/16" H. Shpg. wt., 10 lbs. Available with cage for shelf use or without cage for custom mounting.

Lafayette LT-40—FM-AM Tuner (With Cage).....Net 52.50

SCOTT 22 WATT STEREO "ADD-ON" SYSTEM



ELECTRO-VOICE
12TRXB




SCOTT 99D



New GE GC-7
Stereo Compatible
Cartridge with
Diamond Stylus



Electro-Voice
26MDST
Turnover
Cartridge
with Diamond
and Sapphire
Stylus



SCOTT 135

REGULAR PRICE
223.05

LAFAYETTE SPECIAL
166.95
OR 16.70 DOWN

YOU SAVE
56.10

Expanding your hi-fi set to stereo is easy and fast with this "add-on" system featuring the Scott 99D 22 watt power amplifier and preamplifier. Extra performance features include —80 db hum level, 103% intermodulation distortion of full output, rumble and scratch filters, 5 position control for record equalization and many more. The Scott 135 Stereo-Daptor becomes the basic control center for your entire stereo system, providing Master Volume control; Loudness switch; Function selector with stereo, stereo reverse, monoaural records, monoaural channel A, and monoaural channel B positions, tape monitor, and power switches. Use this system only if your present system has a separate preamplifier or if it has tape monitoring facilities (i.e., a means of connecting the adaptor between preamp and power amplifier stages). The Electro-Voice

12TRXB triaxial speaker used has extremely clean response. The General Electric GC-7 Stereo Diamond cartridge replaces your present monoaural cartridge to permit playing stereo and monoaural discs. Shpg. wt., 38 lbs. Less case for amplifier; complete with cables and instructions.

HF-460 "Add-On" system as above.
Net 166.95 or 17.25 Down


HF-461 As above, but with the Electro-Voice 26MDST Stereo ceramic cartridge with 0.7 mil diamond and 3 mil sapphire stylus.
Net 163.95 or 16.95 Down

Scott type C steel case for amplifier Net 9.95
Scott CW Mahogany, CWW Walnut or CWB Blonde case.
Net 19.95

AUDIO SPECIALTIES ● TIME SWITCHES

REMOTE CONTROL FOR SILENT TV VIEWING

- SIMPLE TO ATTACH TO ANY TV SET OR RADIO
- SEE AND HEAR—NOISELESSLY—CONVENIENTLY
- LOOK AT THESE FEATURES!



- FOR LATE LISTENERS:** One or two people can both see and hear the program with the loudspeaker cut off. Tops for enjoying the late-late show without disturbing the rest of the household or the neighbors.
- FOR HARD-OF-HEARING:** They can see and hear without turning the set volume so high that others can't stand the noise. They can listen either with the loudspeaker cut off or, with the rest of the family want to hear, with the speaker on.
- FOR NOISY PROGRAMS:** Don't let the kids' "Wild Western's" bother you. Let them view and listen with the speaker cut off.
- FOR NORMAL OPERATION:** Does not affect your regular use of the T.V. set. Does not have to be disconnected from set.

- REMOTE CONTROL:** Comes complete with 20 ft. of cable so it can be operated comfortably from a distance. Has its own volume control, speaker on-off switch, and two sets of jacks so either 1 or 2 ear phones can be connected.
- DYNAMIC EAR PHONE:** Set is supplied with one of AR-GONNE exclusive Hi-Fi dynamic miniature earphone. Highly sensitive and efficient. Phone is complete with 3 ft. cord and tips, ready to insert in control box.
- CONVENIENT:** Size only 3 1/2" x 2 1/2". Complete with 1 earphone and 20 ft. cable. Completely wired with instructions. Shpg. wt. 3 lbs. **MODEL MS-125** **NET 6.50**

EXTRA EARPHONE
To plug in to extra jacks on control box so two can listen. **NET 1.95**

TYPE T101 TIME SWITCH




Turns equipment "on" and "off" once in 24 hours, or from one to twelve "on" and "off" operations a day can be obtained by use of extra trippers. Extra trippers can be added without removing dial. Min. on or off time 1 hr., max. on or off time 23 hours. Can be turned on or off manually with reset SPST switch rated at 35 amps. 4000 watt capacity. Has convenient mounting holes and knockouts. Large numbers — easy to read — easy to set. Gray steel case with knockouts — hinged door — can be locked or sealed. UL approved. Operates on 110 volt 60 cycle AC only. Size 7 1/4" L x 5" W x 3" O. Shpg. wt., 4 lbs. **MS-82 T101** **NET 7.12**

MS-360 P101. Similar to T101 except case is equipped with receptacle and 6 ft. cord set for plug-in. Capacity 1250 watts. **8.42**

FAMOUS BRAND 2-STATION INTERCOM

- ALL-METAL UNBREAKABLE CABINETS
- VERY SMART STYLING—FOR CHILD'S ROOM OR LIVING ROOM
- FOR 117 VOLTS AC OR DC
- SENSITIVE—PICKS UP SLIGHTEST SOUNDS AT A DISTANCE
- COMPLETE WITH 50' CABLE
- FOR HOME OR OFFICE
- IDEAL BABY SITTER OR SICK ROOM WATCHER



COMPLETE WITH 50' CABLE
Specially Priced. At 12.50

Here is a FAMOUS-MAKE 2-station electronic intercom PRICED SO LOW WE DARE NOT MENTION THE MANUFACTURER'S NAME. Sensitive—picks up sounds from across the room. Beautifully styled to grace any home or office. Master station has volume control and talk-listen switch. You can talk into the Remote station from a distance—there is no switch to operate a remote. Remote is always "open", making it ideal for listening to baby, sick room, invalids, children at play—or for store to stockroom, restaurant to kitchen, etc. Alnico 5 pm speakers. Uses less power than most light bulbs—costs less than a penny a day to operate. Complete system includes Master, Remote and 50' cable. Simple to operate, easy to install—virtually foolproof. Size of each station approximately 8" x 4" x 4". Shpg. wt., 6 lbs. **PA-12—2-Station Intercom System Complete..... Net 12.50**

4 SPEED PHONO MOTOR WITH TURNTABLE

Quiet, dependable A-C operation assured by rubber shock-mounted friction drive motor. Speed change control through idler driving an 8" turntable. Mounting centers 4 1/2 x 3 3/4"; 2 1/8" depth below base plate. Shpg. wt., 3 1/2 lbs. **ML-24** Phono and turntable..... **Net 5.50**
PK-149 Mounting board for motor..... **Net 95c**



WIRELESS BROADCASTER

Play your phonograph through any radio any where in the house without connecting wires. Talk through your radio by microphone.

9.75



Lafayette's new wireless broadcaster will extend your enjoyment of your phono-player to every room that has a radio. Connect phono to wireless broadcaster, tune in any radio to the wireless broadcaster, which broadcasts on an adjustable frequency between 700KC - 1700KC. Pick your spot. Will take crystal or magnetic cartridges and also microphones for voice broadcast. Has volume control with "on-off" switch. Size 4 7/8 x 5 3/4 x 1 1/2". Completely wired and assembled with all tubes and operating instructions. 110V AC/DC operation. Shpg. wt., 4 lbs. **LA-14** Wireless broadcaster..... **Net 9.75**
PA-24 Crystal microphone..... **Net 4.25**




1.89

NEW! "ROCKET" CRYSTAL RADIO

- NO BATTERIES—NO POWER NEEDED!
- INCLUDES CRYSTAL EARPHONE & ANTENNA!
- A COMPLETE RADIO RECEIVER!

A complete radio, capable of receiving entire broadcast band. Tunes by collapsible nose "antenna". Complete with germanium diode, crystal earphone, clip-on antenna. Uses no batteries or other power source. 4 1/8" high x 1 3/16" diam. at base. Shpg. wt., 6 oz. **F-417** **Net 1.89**

SWITCH TIMERS



(A) MODEL A211 TIME-ALL

- THE AUTOMATIC TIMER WITH THE MIRACLE MEMORY.

Makes practically everything electrical completely automatic. Will handle load up to 1650 watts. Turns radio on and off — does not have to be reset each night. Defrosts refrigerator — turns lights on and off — controls roaster, electric blanket, air conditioner, washing machine, coffee makers, vaporizers, etc. 30 min. minimum on time — 23 hours maximum. As easy to set as on electric clock. Stands on any surface — can be hung on wall. Easy-to-read 24 hour "day and night" dial. Operates day after day without attention. Can be controlled manually without automatic reset. Plug in receptacle for equipment to be controlled. For 110 volt 60 cycle AC only. Complete with 6 ft. cord and plug. Instructions included. 5" x 4" x 2 1/2". Shpg. wt., 2 lbs. **MS-81 A211 TIME-ALL** **Net 7.97**
MODEL A221 TIME-ALL Similar to A211 except has capacity of 875 watts. **MS-359 A221** **6.64**

(B) MODEL 2130 PORTABLE 2-SPEED PRECISION TIMER

- TWO TIMERS FOR THE PRICE OF ONE!
- FOR PRECISE 1 SECOND TO 1 HOUR TIMING IN THE HOME, OFFICE AND LABORATORY

Indispensable for timing precise, short operations such as boiling eggs, pressure cooking, heat and sun lamp treatment, home permanents, photo developing and printing, long distance calls, etc. Times up to 6 minutes in seconds and up to 1 hour in minutes. Exclusive 2-speed feature permits instant timing speed change by flick of a lever. A clear, resonant bell sounds at end of timing period. Can be attached to any surface with handy wall bracket supplied or can stand upright. Smartly styled in white with dial face a rich copper tone. 4" x 2 1/2". Shpg. wt., 2 lbs. **MS-294 MODEL 2130** **Net 4.68**

DIAL TYPE TELEPHONE INTERCOM



- DIAL-TO-RING
- OPERATES UP TO 600 FEET

Full size—standard telephone shape—battery operated—two station set. The loudest—clearest battery operated telephone available. Operates on easily replaced flash-light cells. No buttons to push for signaling or talking. Perfect for communications room to room—office to office—house and garage—hundreds of installations. Extremely rugged construction. Includes instructions and 50 ft. of wire. Less batteries. **ML-104**..... **Net 5.70**

HALLICRAFTERS • National • HAMMARLUND RECEIVERS



S-38E



S-85



NC-60



S-94




S-53A



NC-66



HQ-170



HQ-100



NC-188

BUY YOUR HAM GEAR ON LAFAYETTE'S ECONOMY EASY PAYMENT PLAN

MODEL S-38E NEW LOW COST RECEIVER

Hallcrafters' economy model SWL receiver pulls in everything on its highly sensitive AC-DC superhet circuit: 4 tubes plus one rectifier, with 5" P.M. speaker delivering up to 2 watts audio. Has tip jacks for phones, standby-receiver switch for use when transmitting, AM-CW switch for talk or code. COVERAGE: 4-BANDS; Standard Broadcast and 3-SW bands ranging from 1650 Kc-32Mc. Features large Overseas Dial, with specific foreign stations dotted for easy tuning; 0-100 separate bandspread dial. Also covers police, aircraft, ship-to-shore and all amateur bands, foreign and domestic. Operates on 105-125 DC or 60 cycle AC. Size 12 1/2" x 7" x 7 1/4". Comes in attractive gray steel cabinet with silver frame trim. Shpg. wt.: 14 lbs.

MODEL S38E Receiver	Net \$4.95
MODEL S38EM Receiver, with mahogany over metal finish	Net \$9.95
MODEL S38EB Receiver, with Blonde over metal finish.	Net \$9.95

MODEL S-94 INDUSTRIAL RECEIVER

Standard model of Hallcrafters' new FM receivers designed for police, fire truck, taxicab, railroad, bus and other industrial or emergency operation. Features minimum drift, high signal to noise ratio, high sensitivity, standby squelch system, low oscillator radiation, phone tip jacks for headphone operation. Employs 8 tubes plus rectifier to yield 1.5 volts audio output to 5" P.M. speaker, on a sensitivity of 1.5 μ volts. Has logging scale and service channel indications. Operates 105/125V, 50/60 cycle AC or DC. Comes in gray steel cabinet; size 12 1/2" x 7" x 7 1/4". Shpg. wt., 14 lbs.

MODEL S-94 Receiver, Range 30-50 Mc.	Net \$9.95
MODEL S-95 Receiver, Range 152-173 Mc.	Net \$9.95

NEW HAMMARLUND HQ-170 RECEIVER

The HQ-170 offers the amateur a practically endless combination of tuning techniques whereby optimum reception of SSB/CW and AM/MCW may be achieved. The front end provides tuning of the 6, 10, 15, 20, 40, 80 and 160 meter amateur bands, with electrical bandspread. The HQ-170 offers triple conversion with IF frequencies of 3035 Kc, 455 Kc and 60 Kc, providing excellent rejection of image-response, split filter with 60 db notch, separate Vernier tuning dial on front panel, adjustable fast-attack delay AVC, "S" meter, auto-response audio circuit for easier reading on weak signals. Has tube complement of 17 tubes. Size: 10 1/2" x 19 x 13". Shpg. wt., 45 lbs.

MODEL HQ-170 Receiver only, in cabinet, less clock-timer.	Net \$359.00
MODEL HQ-170C Receiver only, in cabinet with clock-timer.	Net \$369.00
MODEL PL-38888-G1 Matching Speaker, in cabinet.	Net 14.95

MODEL S-85 WORLD-WIDE RECEIVER

A high grade communications receiver that covers the world-wide net of communications. Tunes from 540 Kc to 34 Mc continuously in four ranges. Features a broad, Band-spread dial calibrated for the 80, 40, 20, 15, 11 and 10 meter amateur bands, audio response to 10,000 cycles, built-in speaker, BFO with variable pitch control, automatic noise limiter. Has sensitivity, AM/CW, standby-receiver, noise limiter controls. Circuit is 7 tube plus rectifier superheterodyne. Has front panel jack for phones, rear terminals for single or double antenna, 0-100 logging scale. Operates on 105/125V, 50/60 cycle A.C. Size 18 1/2" x 8 1/2" x 10". Shpg. wt., 32 lbs.

MODEL S-85 Receiver	Net 119.95
MODEL S-86 Receiver, same as above but for AC-DC Operation	Net 119.95

MODEL S-53A NEW POPULAR RECEIVER

One of the world's finest communications receivers with truly professional performance at low cost. Covers 6 bands: Standard Broadcast and 2.5-6.3 Mc, 6.3-16 Mc, 14-31 Mc and 48-54.5 Mc on five separate edge-illuminated slide rule scales. Excellent amateur 6 meter reception, and high signal to noise ratio through automatic noise limiter. Seven separate switches; Standby-receive; band selector, CW-AM, sensitivity, Spkr-phones, noise limiter (on-off), power-volume, tone control and main tuning and bandspread controls. Uses 7 tube superhet design with 2.5 watt output to 5" PM speaker. Operates on 105/125 V, 60 cycle AC. Will bring in 7 amateur bands, police, aircraft, marine, foreign and domestic short wave broadcasts and hold them. Size: 12 1/2" x 7" x 7 1/4". Steel cabinet. Hinge top. Shpg. wt. 20 lbs.

MODEL S-53A Popular receiver	Net 89.95
------------------------------	-----------

HAMMARLUND RECEIVER HQ-100

Sensitivity and selectivity place this receiver in the really "hot" class. Continuously tunable from 540 Kc to 30 Mc in four bands. Electrical bandspread tuning with dial markings every 10 Kcs on 80, 40 and 20 meter bands; every 20 Kcs on 15 meter band, and every 50 Kcs on 10 meter band. Q-multiplier permits continuously variable selectivity. Sensitivity of 1.75 microvolt produces 10-1 signal-to-noise ratio. Voltage regulated and temperature compensated. AVC on RF and IF stages. 10 tube circuit with automatic noise limiter. Antenna compensation for variable loading effects. For 105-125 volts, 50-60 cps. With "S" meter; combination clock and automatic timer optional, 16 1/4" L x 9-7/16" H x 9 1/4" D. Shpg. wt., 33 lbs.

HQ-100 Receiver less clock-timer.	Net 189.00
HQ-100C Receiver with clock-timer.	Net 199.00
PL-38888-G1 Matching Speaker in cabinet.	Net 14.95
PL-38896-1 Conversion Kit, Clock.	Net 9.95
Kit-38657-G5 XC-100 crystal Calibrator kit for HQ-100.	Net 15.95

NEW NATIONAL NC-60 SPECIAL

National's new all-wave low-priced receiver which features continuous coverage of AM Broadcast, Amateur and World Wide Short Wave Bands; brilliantly styled by Peter Quay Yang for easy operation, ready reading and attractive decor. Features include: 4 separate bands — 540 Kc-1600 Kc; 1.6-4.5 Mc; 4-12 Mc; 10.5-31 Mc with police, CD, marine, aircraft, amateur, etc. stations clearly marked; plus 0-100 logging and bandspread scale. Bandspread operative on all bands. Audio section drives built-in speaker on front panel phone jack. Has AM, CW switch, standby-receive switch, 2 degrees of selectivity, complement of 4 tubes plus rectifier superheterodyne circuit. Finish is two tone black and gray enamel. Size: 7 1/2" x 8 1/2" x 13 1/2". Shpg. wt., 15 lbs.

MODEL NC-60 Receiver	Net 59.95
----------------------	-----------

NATIONAL NC-66 PORTABLE RECEIVER

National's most versatile receiver operates as a 3-way (AC/DC, battery) portable ham, marine and SWL receiver. Covers the Direction Finder beacon band (150-400 Kc), Standard Broadcast and 3 bands ranging from .5 Mc to 23 Mc. Has logging and bandspread scale (operative on all bands). Has 2 antennas—ferrite for DF and whip for short wave bands. CD positions on scales clearly marked. Has CW oscillator. Two stage audio amplifier drives built in speaker or front panel phone jack. Has complement of 5 tubes plus selenium rectifier for superhet circuit. Has provision for connection of RDF 66 Direction Finder for marine navigation. Finish is two-tone gray, salt-spray tested. Size: 12-5/16" x 9-11/16" x 10", shpg. 16 lbs. less batteries.


MODEL NC-66 Receiver, less batteries	Net 129.95
BATTERY-BURGESS F6A60P, 6 1/2 lbs.	Net 4.80
MODEL RDF-66 Direction Finder Accessory, Used with NC-66 as navigation finder for small craft. Size 7x8x10", shpg. wt., 8 lbs.	Net 39.95

NATIONAL NC-188 RECEIVER

A fine quality 9 tube receiver that covers 540 Kc to 40 Mc in four bands. Calibrated bandspread for 10, 11, 15, 20, 40 and 80 meter bands. Large easy-to-read 12 inch slide-rule dial with combination edge and backlighting. Gang-tuned RF amplifier stage for increased sensitivity and image rejection. Separate, temperature compensated high frequency oscillator. Receives AM, CW, and SSB signals. BFO for CW and SSB. Has RF and AF gain, control, automatic noise limiter, and "S" meter. Balanced or unbalanced antenna input of 50 to ∞ ohms. Sensitivity under 2.5 microvolts (10 db signal/noise ratio). Two-tone gray cabinet 16-13/16" W x 10" H x 10 1/2" D. Shpg. wt., 35 lbs.

NC-188 Receiver, less speaker	Net 159.95
NTS-1 Matching Speaker	Net 17.50

SELECTED SHORTWAVE, AMATEUR AND MOBILE COMPONENTS




**TCR-2
ALL-TRANSISTOR
RECEIVER**

Compact 5-transistor receiver in a compact case delivering full-bodied tone and high output. Perfect for broadcast reception in the home, or in the car. Ideally suited for use with the ATC-1 converter for portable, mobile or even fixed installation; built-in Input matching network provides correct match for converter, assuring the best in performance. Operates up to 200 hours from a single self-contained battery (not furnished). Easily installed in car. Size: 3 1/4" x 4 3/4" x 4 1/16". Shpg. wt., 3 1/2 lbs.

REGENCY TCR-2—Receiver Net 39.95
2N6 9 Volt Battery for above. Shpg. wt., 6 oz.
Net 1.30


**Regency
HAM-MATES**



**ATC-1
AMATEUR BAND
CONVERTER**

Novel transistorized converter for the 80, 40, 20, 15, and 10 meter amateur bands. Provides sensitive reception of phone, CW and SSB signals. Completely self-contained, even includes its own power supply — three type Z penlight cells (see below). Built-in Q-multiplier/BFO increases sensitivity and provides beat tone for CW and SSB reception. Entirely bondswitching, uses a drum-type slide rule dial for easy visibility. With cable for connection to TCR-2 receiver, less batteries. Size 3 1/4" x 4 3/4" x 4 1/16". Shpg. wt., 2 1/2 lbs.

REGENCY ATC-1—Converter Net 79.50
Type Z Penlight Cell for above (3 required). Shpg. wt., 4 ozs. each Each Net .08



**MONITORADIO
MOBILE FM
RECEIVERS**

High quality mobile receivers for governmental, municipal and industrial uses. These tunable receivers cover the entire FM communications bands with excellent

sensitivity. Adjustable squelch permits quiet operation between transmissions. 10-tube circuit features a fully tuned RF amplifier, dual conversion, and two stages of limiting followed by the discriminator. Power output is .8 watts, built in 4" speaker; requires only power and antenna connections. For 1 1/2 v. DC, 3.9 amperes. Housed in attractive cabinet, only 4 1/2" x 6 1/2" x 8 3/4". Shpg. wt., 10 lbs.

Model M-40 Mobile FM receiver for 30-50 MC band. Sensitivity 2 μ v for 20 db quieting Net 99.50
Model M-160 Mobile FM receiver for the 152-174 MC bands. Sensitivity 4 μ v for 20 db quieting Net 99.50

NEW! SEMI-AUTOMATIC "BUG"




Fully the equal of keys selling at almost twice the price! 7 adjustments for speed and comfort. Precision-tooled, anti-rust nickel-plated brass and stainless steel operating parts. Speed adjustable 10 wpm to as high as desired. 1/8" silver contacts; weight scale for reproducible speed settings. A real bargain for radio amateurs and professional CW operators! 6 3/4" long x 3" wide x 2 1/4" high, exclusive of knobs and feet. Shpg. wt., 3 1/2 lbs.

MS-435—Semi-Automatic "Bug" Net 9.95

Super Speed TELEGRAPH KEY

9.95

Lafayette Special—Reg. Value 20.00



1.79

LAFAYETTE SPECIAL


NEW! CODE PRACTICE SET

A budget item for the beginning amateur and code practice groups. Key has adjustable spring tension, and adjustable contact clearance. High frequency buzzer has frequency, and tension adjustment with lock nuts to assure constant frequency. There is provision for insertion of head set by means of binding posts with knurled tightening screws. For individual, group or remote listening. Uses Burgess #2 1 1/2 Volt battery. Base 6 3/4" L x 2 3/4" W x 1 3/4" D, overall length 8 1/2". Shpg. wt., 2 lbs. (less battery).

MS-438—Code practice set.....Net 1.79
BATTERY—Burgess #2.....Net .13
MS-369—Stethoscope Headset Net 1.69

24-HOUR STATION CLOCK

- Tell world-wide time at a glance!
- Ideal clock for the amateur, short-wave listener and for commercial stations.



TD-2400, self-starting, accurate clock for telling world-wide as well as local time. Calibrated in hours, 0100 to 2400; in minutes and seconds, 1 to 60. Has black hands with red sweep second hand. 6" dia. rotating inner dial, frictionally attached to hour hand, in red and blue. Shows time directly in all time zones. Simply set hour hand and inner dial for your time-zone, then read the time in any zone easily, quickly, accurately. 10" dia. For 110-120 volt, 60 cycles, A.C. Shpg. wt., 4 lbs.

ML-82—Net including excise tax..... 14.85

Gonset Converters




**"SUPER-12" 6
BAND
CONVERTER**

3261

Brand new mobile converter requiring no high voltage supply — operates directly from 12 volt battery system. Covers 10-11-15-20-40-75 meter amateur bands and 19 and 49 meter broadcast bands, offering high sensitivity, low drift and noise. Color-coded dial scale with planetary tuning and antenna trimmer permit quick adjustment for optimum reception. Size: 5 1/4" x 3 1/2" x 5 1/4". Aluminum Case. Shpg. wt., 6 lbs.

Model 3261 Super Twelve Converter. Net 57.50




3128

PUSH-BUTTON CONVERTER

New push-button Short Wave converter matches quickly and simply to any 12 volt manually-tuned auto radio without internal connections or alterations to the radio. Push button select 49, 31, 19 or 13 meter International SW bands or return auto set to broadcast. Tuning is done with auto set dial. Size 2 3/4" high, 5 3/4" wide, 4 3/4" deep. Complete with mounting bracket and necessary plugs and cables.

MODEL 3128 Net 29.95

VOCALINE LOW COST 2-WAY TRANSCIVERS



Now! Private short distance radio at a price you can afford. Practical 2-way communication for boats,


sportsmen, surveying, etc. Simple operation. Lightweight units (4 lbs.) work from 115 v. AC or your car battery. Talk into the hand-sized mike. Your message is received clearly over the loudspeaker of other Vocaline units. That's all. No tuning. No adjustments. Built-in whip antenna. Operates on a fixed 465 mc frequency (Citizens Band). No examination is required for a license — station permit granted by FCC to any U. S. citizen over 18 years old. Complete with microphone. Size 9" x 6" x 5". Shpg. wt., 12 lbs. For 115 v. AC and battery operation, specify choice of 6 or 12 v. DC battery operation when ordering.

VOCALINE JRC-400 transceivers Net per pair 119.60
VOCALINE JRC-425 transceivers, as above, but featuring push-to-talk operation. With earphone jack and stainless steel mike Net per pair 167.60

CARRYING CASE — holds transceiver, mike, line cords, and provides space for wet-cell battery.

LCX-1 Case Net 15.96

NEW EICO 730K MODULATOR KIT



Completely new high level class 8 modulator for phone operation, delivering 50 watts of audio to plate modulate the Eico 720 transmitter or any other transmitter of up to 100 watts. Multi-match output transformer matches 500-10,000 ohm loads, low level clipping and filtering for top modulation, built-in over-modulation indicator. Inputs for crystal or dynamic mike, phone patch, etc. Uses ECC83/12AX7, 6AL5, 6AN8, 2-EL34/6CA7, EM84, GZ34. 117V 60 cycles, 150 watts. 6" x 14" x 8". Shpg. wt., 21 lbs.

EICO 730K Modulator Kit Net 49.95
EICO 730K Wired Net 79.95
EICO E-5 Cover for above Net 4.50

VOCALINE ANTENNAS

GP4-10 ground plane, with 10' of RG58U coax Net 6.36

GP4-20 ground plane, 20' of RG58U coax line Net 7.96

GP5-50 ground plane, 50' of R8BU low loss coax Net 19.96

AD-3 High gain directional antenna, less coax Net 19.96



NEW EICO 720K TRANSMITTER KIT

Brand new 90 watt bondswitching rig for 80 through 10 meters. This beautiful rig features clean, conservative design with extra high stability, safety and reliability. Modern, low cabinet with functional front panel design and complete TVI suppression, permits use anywhere. Features a 6146 Final amplifier for 90 watts CW input, up to 65 watts phone with external modulation. 6AQ5 clamper tube protects final in case of loss of excitation. Variable pitch Pi-net output matches 50-1000 ohm loads. Oscillator keying permits full break-in operation. Panel meter indicates exact operating currents and helps in tuning up. Its "novice limit" calibration safeguards the novice against exceeding the 75 watt power limit. Tubes: 6CL6 Colpitts oscillator, 6AQ5 buffer-multiplier, 6146 final amplifier, 6AQ5 clamper, and GZ34 rectifier. Copper plated chassis, ceramic switches, ingenious metal case with complete shielding. 5" H x 15" W x 9 1/2" D. Shpg. wt., 27 lbs. With all parts and instructions.

EICO 720K Transmitter Kit Net 79.95

EICO 720K Wired Net 119.95

OUR 39th YEAR OF BEST VALUES AND DEPENDABLE SERVICE

Thor • SpeedWay • WEN • RAM

THOR SPEEDWAY "20" 1/4" DRILL

- BALL THRUST BEARINGS
- GEARED CHUCK AND KEY
- HELICAL CUT GEARS
- UL APPROVED
- 2.5 AMPS

12.95

Musky—Low cost 1/4" geared chuck drill rated at a full 2.5 amps. Preferred and used by professional mechanics for many years. Built for continuous production on wood or metal. Powerful, UL approved, universal motor. 1/4" capacity in steel, 3/8" in hardwood. Ball and self lubricating bronze bearings throughout. No load speed 2400 RPM. Strong, lightweight, cast aluminum alloy housing. Specially designed gear chain for greatest torque. Locking Trigger switch. Backed by Lafayette's famous Money Back Guarantee. Shpg. wt., 3 1/2 lbs.

THOR SPEEDWAY "20"—List 18.95 Net 12.95



THOR SPEEDWAY "42" 1/2" DRILL

- THE STANDARD FOR SERVICE—CONSTRUCTION—GARAGE MAINTENANCE
- CAST-IN FRAME AIR COOLING
- 1/2" GEARED CHUCK WITH KEY!

The perfect combination of power—rugged construction—lightweight—and ease of handling. Die cast polished aluminum housing. Removable top handle. Capacity 1/2" in steel—1" in hardwood. Heavy duty radial and end thrust ball bearing on spindle—self aligning bronze bearings elsewhere. 6 ft. 2 conductor SJ cord. UL approved. Trigger switch with locking pin. 650 RPM no load—425 RPM full load. Heavy duty, universal, series wound motor. 13" overall length. Use on 110-120V AC/DC. Shpg. wt., 12 lbs.

THOR SPEEDWAY "42"—List 39.50 Net 26.95



NEW! THOR SPEEDWAY "30" 3/8" DRILL

- HEAVY DUTY
- RATED FULL 3.1 AMPS!
- 3/8" JACOBS GEARED CHUCK
- DESIGNED FOR MAINTENANCE AND INSTALLATION.
- DRIVES HOLE SAWS UP TO 1 1/2" INCH

More power for service work—production lines—mechanics—or anyone requiring an extra heavy duty 3/8" drill. 3/8" capacity in steel—3/4" in hardwood. Sealed radial thrust ball bearing—other bearings allite. 925 rpm no load speed, 610 rpm full load speed. Die-cast housing, steel gears, and specially reinforced construction assure long life. Trigger switch with locking pin. 6 ft. type 5L UL approved cord, universal series wound AC/DC motor. For 110-120 volts, AC/DC. Overall length 8 1/4". Shpg. wt., 6 lbs.

THOR SPEEDWAY "30"—List 24.95 Net 16.95



THOR-SPEEDWAY SPEEDSAW

- RATED 3.1 AMPS
- 3400 STROKES PER MINUTE
- TILTS TO 45°

18.35



The most exciting tool on the market today! It replaces the hand saw for all types of sawing and takes all the hard work out of the job. Will cut wood, metal, composition; cuts straight and true and will cut bevel angles to 45° either side of the cutting line. Being a small blade, the saw can cut curves, circles, scrolls easily. Can be used for long panel cuts, ripping, cross cutting, even on 2 x 4's; and it blows away the sawdust while cutting. Will cut wood up to 2" thick and steel 1/2" thick. Its motor is meant for a lifetime—has oilite bearings. Operates on 110/115V AC-DC; has on-off position push through slide switch, UL approved. Comes with 2 jig saw blades (wood and metal) and wrench, 6/2" conductor cord. Measures 6 1/4" L x 6 1/2" H. Shpg. wt., 5 lbs.

THOR SPEEDWAY "17"—List 29.95 Net 18.35

THOR SPEEDWAY "14" SANDER

Here's Our Hot Sander Special

- PROFESSIONAL PERFORMANCE!
- MOTOR DRIVEN—3450 RPM!
- SANDS—SMOOTHS—BUFFS—POLISHES—RUBS!
- USE SHEET OR FREE (WET) ABRASIVES!

Get this new top quality sander for all sanding uses. Here's an orbital motion, motor driven finishing sander (no load speed . . . 3450 RPM) that sands, smooths, buffs, polishes, or rubs with both sheet abrasives or wet (free) abrasives. Sanding area—4 1/2" x 5 1/4". Features all sealed ball bearings; direct-connected air-cooled motor. Rugged blue hammerhead cast aluminum body. Handy switch prevents accidental starting. UL approved. Use on 110-120V 60 cycle AC only. Shpg. wt., 7 lbs.

THOR 14—List 23.95 Net 18.50

THOR 3509—Lambwool polishing pad. Net .85

THOR S-106—18 sheets assorted sandpaper. Net .85

THOR "117" SPEEDGRINDER

3450 RPM NO LOAD SPEED

12.60



The perfect grinder for the small shop—garage—maintenance man. Twin 4 1/2" x 3/8" wheels. 1—40 grit and 1—70 grit. 3/8" arbor hole. Light weight die cast aluminum case. Rubber feet for operation anywhere. Can be bolted to bench or service truck. Self aligning all-les bearings. 6 ft. heavy duty cord. 7 1/2" overall length. Blue wrinkle finish. Use on 110-120V. 60 cycle AC only. Shpg. wt., 9 lbs.


THOR "117"—List 17.60 Net 12.60

22.01 WEN 2 SPEED 3/8" POWER DRILL

- HI SPEED 3000 RPM—LOW SPEED 1000 RPM
- CAPACITY IN WOOD 1/16" to 2 1/2" —IN STEEL 1/16" to 1/2"
- BALL THRUST BEARINGS

One drill with the proper speed and torque for every job. Musky—powerful—but not bulky. Hi speed for sanding—sawing—grinding—brushing—buffing. Low speed for polishing—waxing—screwdriving—paint mixing—masonry drilling. Ingeniously wound motor delivers maximum torque under load. Auxiliary handle can be inserted at top or bottom. Change speed by shifting from power take off A to B. 3/8" geared chuck. Trigger switch with locking pin. 6 ft. rubber covered cord. UL approved. Overall length 12 1/4". 110-120V. AC/DC. Shpg. wt., 5 lbs.

WEN 808—List 29.95 Net 22.01



NEW! RAM HI-TORQUE 1/4" DRILL

- Full 2.9 amperes
- Multiple Thrust ball bearings
- 1/4" Geared Chuck and Key

Powerful, cool-running drill for all medium-duty applications. Uses a heavy-duty universal type series wound motor for extra efficient performance. Motor works well on both AC and DC, 110-120 volts, permitting operation almost everywhere. Multiple heavy duty thrust ball bearings are used for smooth running even with large loads. Drill has a no-load speed of 2000 R.P.M., full load speed of 1200 R.P.M. Uses trigger-type on-off switch with locking pin for continuous operation, and automatic release feature. 1/2" capacity in hardwood, 3/4" in steel. Uses an extra rugged geared Jacobs chuck with 1/4" jaw. With 6 foot, 2 conductor UL approved cord. Overall length 9" Shpg. wt., 5 lbs.

HD-365—List 29.95 Net 14.39



RAM "88" 7" POWER SAW

- 1 1/4" HP MOTOR
- 8 AMPS
- 4500 RPM
- FREE SPEED
- CUTS 2 1/8" DEEP
- 7" BLADE

28.10

Top value for the home craftsman with features hitherto unheard of at this price. Newly designed model features a powerful 1 1/4 horsepower motor with self lubricating moly Sulpnite bearings. 7" blade diameter, 3/4" round arbor hole. Cuts to a depth of 2-7/8". Angle of cut can be adjusted from 0° to 45°, with depth of cut of 2 1/8" at 45°. No load motor speed 4500 R.P.M. Cut rugged but lightweight saw is designed for effortless one-handed operation. For 110-120 volts DC or 50-60 cycle AC. Lustrous mirror finish. Combination rip and cross-cut blade and rip-guide included. UL approved. Shpg. wt., 15 lbs.

HD-359—Saw, List 59.50 Net 28.10

WEN ELECTRIC POWER SAW KIT

A universal power saw kit for the home workshop. This complete set includes the time proven 505 saw, rip-sawing attachment, perfect circle cutter, assortment of 5 blades, and heavy gauge metal box. Saw has many extra features: Cuts 2 x 4's easily in seconds. Safe to use, easy to handle. Does the work of a rip saw, a jig saw or a band saw. Operates as coping, crosscut, scroll, hack or keyhole saw. Makes its own starting hole on inside cuts. Saws wood, plastics, metals, composition board, hard rubber, etc. Cuts straight lines, curves, circles and intricate designs. Air stream blows sawdust off guide line. Well balanced, light weight. 115V AC-DC 1.8 amp motor. 2650 strokes per minute. Length of stroke, 3/4". 6 1/4" L x 5" H x 6" O. U.L. approved cord. Shpg. wt., 7 lbs.

WEN 805K—SAW KIT List 32.95 Net 24.22


MODEL 505 SAW with 3 assorted blades, less other accessories. Shpg. wt., 4 lbs.

WEN 505 SAW Net 22.01

MODEL ST1—SAW TABLE for the 505 saw, complete with 5 blades, jointer, protractor, rip fence and circle cutter. 5" x 15" x 7 1/2" steel. Shpg. wt., 12 lbs.

WEN ST1 Net 9.52

WEN 50-A-34—Pkg. of 3 assorted blades. Net .84



SAW TABLE

Perfect complement to the "88" saw. Allows cutting at any angle between 45° and 90°. Complete with miter gauge and rip fence.

HD-360—Saw table, List 17.50 Net 11.65

COMBINATION OFFER

Consists of the HD-359 saw and HD-360 saw table, at a further saving in price.

HD-364—Saw and Table. Net 38.69

HD-361 COMBINATION BLADE for rip or crosscut work. Net 1.69

HD-362 FLOORING CUT-OFF BLADE for smoother crosscut than combination blade. Net 1.69

HD-363 PLANNER BLADE will cut off, nitro, and rip smooth enough to eliminate sanding. Net 4.13



Depend on Lafayette For Outstanding Values!



DELUXE AUTOMATIC WIRE STRIPPER

- "Delayed Action Return"
- Strips solid or stranded
- 4 hole precision ground blades
- Strips sizes 12 to 20

Automatic — efficient — easy to use. Strips insulation from all wires, 12 to 20, neatly and quickly. Delayed return action prevents crushing fine wires. A real time saver for servicemen — electrical workers — production lines — etc. Narrow spaced handles for easy grip. Lightweight and easy action for less fatigue. No bother of changing blades or adjusting cutter for varying wire sizes. Extremely well built for years of service and uniform performance. Shpg. wt., 1 1/4 lbs.


HD-349—List \$8.25 Net 3.45
HD-348—Replacement Blades for Above per pr. Net .97

NEW HOppy SPLIT IMAGE TRANSIT

- Accurate level and incline Measure
- One Man Can Do Any Levelling Job
- A tool of a Thousand Uses

Available at last is this amazingly accurate level and incline measuring instrument. It is precision-built. Measures incline down to the thinness of a dime at 25 ft. It also shows how much correction is needed. Simple to operate: Just 3 easy steps. Employs split image principle for micro-accurate indications. Now one man can do any levelling job. Use it for brick laying, table levelling, surveying, terracing, carpentry, yard grading, contour plowing and thousand other uses. Truly a handy and useful instrument for every complete brick mason and handy man. Shpg. wt., 8 lbs.

HD-417—List 6.95 Net 4.86
In Lots of 6 Each 4.63



NEW Swingline

#101 Stapler Gun 3.99 with 1,000 Staples

- High Compression Model
- Staples within 1/16" of corner
- 100% Jam Proof
- Open Channel Loading



Revolutionary, new staple gun with tremendous, pile driving action. Delivers as much driving power as machines twice its size and weight. Highly maneuverable — perfectly balanced — extremely lightweight. All case hardened steel construction. Rust proof, bonderized finish. No oiling required at any time. Uses two staples sizes — 4/16" and 5/16" — with no mechanical changes. Used in carpentry — woodworking — fencing — upholstery display work — insulating — screening — weather stripping — etc. Built in staple extractor. Visible staple load indicator. Handle locks flush when not in use. Complete with package of 5/16" staples. Shpg. wt., 1 1/2 lbs.

HD-322 List \$4.95 Net \$3.99
HD-323 Pkg 1000 4/16" staples Net .40
HD-324 Pkg 1000 5/16" staples Net .40

NEW! SUPREME VERSAMATE



- 7X MORE POWER — FITS ALL DRILLS
- YANKEE STYLE BIT HOLDER

The fast, safe, easy way to drive even the largest screws into the hardest of woods. Versamate is a forward speed reducer, power multiplier for all portable drills. Add an adapter and it's a fine power wrench; with 1/2" chuck, it will enable you to use masonry bits, hole saws, etc. Factory guaranteed to work without failure. Comes with screwdriver bit and instructions. Shpg. wt., 5 lbs.

HD-409—List 9.95 Net 7.49

ARROW GUN TACKER KIT


- ONE SQUEEZE — AND YOU'VE NAILED IT!



Kit contains everything you need for 100's of nailing jobs. One hand operation — double leverage for ease in handling. Shoots a staple wherever you'd drive a nail. T-50 gun handles four different staple sizes, 1/4", 3/8", 1/2" and 9/16". Includes T-50 gun, 5000 ass't. staples and staple remover. Shpg. wt., 5 lbs.

HD-296 Net 11.63

NEW BVI BELT SANDER



- LARGE SANDING AREA—34 sq. in.
- POWERFUL BLOWER AND MOTOR COOLER
- SURE GRIP HANDLES


For the meticulous craftsman, carpenter or cabinet maker, this sturdily built cast aluminum sander is an excellent buy at this low cost. Sands right into corners. Has a 2-way switch—for constant or momentary operation. Operates a 115V. 60 cycle rotary motor that gives automatic belt tension. Its easy-to-grip handles make it a pleasure to operate. Comes complete with 2—2" x 17 1/2" belts—1 coarse, 1 medium—easy to slip on. Shpg. wt., 8 lbs.

HD-368—List 24.95 Net 17.46

DELUXE LAFAYETTE

X-acto® SET

- SURGICALLY SHARP
- REPLACEABLE BLADES
- VERSATILE—SAFE—HANDY
- CARVE—CUT—ETCH—PIERCE—ROUT—SCORE—SLICE—SLIT—TRIM



A carefully selected set of the most efficient cutting tools. A myriad of uses in factory — lab — workshop — office — field and production line. Widely used in industry for template cutting — model making — gasket cutting — printed circuit touch up — cutting leads — trimming flash — deburring precision parts. Instantly interchangeable blades of high carbon steel ground to surgical sharpness. Deluxe set includes one 5" all metal knife — aluminum handle, 5/16" dia. for light to medium work — one 6" all metal knife — aluminum handle, 7/16" dia. for medium to heavy work, one heavy knife, 4 1/2" long, solid aluminum handle for routing — gouging — punching. Plus hand vise for holding small parts and pieces, 1 1/2" jaws open to 3/8", 4" wooden handle. Also 18 assorted extra blades and fitted case. Shpg. wt., 3 lbs.

HD-420 Net 5.20
X-ACTO PEN KNIFE: Pen type utility knife — plastic barrel — clips to pocket — with two blades. Shpg. wt., 4 oz.
HD-421 Net .98
LIGHT DUTY KNIFE SET: 5" all metal knife — 5/16" dia. with 5 extra blades. Shpg. wt., 4 oz.
HD-422 Net 1.17
MEDIUM DUTY KNIFE SET: 5" all metal knife. 7/16" dia. with 5 extra blades. Shpg. wt., 4 oz.
HD-423 Net 1.32

NEW BVI DELUXE SPRAYER KIT

- SPRAYS PAINTS, INSECTICIDES, VARNISH
- EASY TO CLEAN
- UNIFORM SPRAY; CLOGPROOF




This kit prepares you for any and every kind of spraying job indoors or out. Enables you to cover large areas fast — fences, outdoor furniture, sidings, floors. Can be used as mothproof, or garden sprayer. The famous deluxe version of the Burgess Electric Sprayer with genuine sapphire nozzle is the heart of this kit. Sprayer comes with 24 oz. container, 4 oz. auxiliary container, angle nozzle adapter, paint strainer, 15 ft. cord, "How to Paint" booklet, spare parts kit, hand sander. Complete kit in smartly designed steel carrying case. Shpg. wt., 8 1/2 lbs.

HD-366—List 29.95 Net 19.97

DREMEL JIG-SAW

- POWERFUL ROTARY MOTOR



Cuts and outperforms heavier units selling for much more. Extra rugged, built for heavy-duty use. Cuts wood up to 1 1/4" thick—plastics—light metals. 15" throat—cuts to center of 30" circle. Powerful, self contained, rotary motor. Exclusive rocking action. Table tilts to 45°. Safe enough for youngsters. 8" x 23" x 9 1/2" overall. For 110-120V 60 cy. AC only. UL approved. Shpg. wt., 14 lbs.

HD-295 Net 23.48

DREMEL MOTO-SAW

Lightning fast — makes 7200 strokes per minute and cuts 1 foot a minute through wood up to 3/4" thick! The only electrically driven hand jig saw that saws the most intricate patterns, cuts at any angle and works on assembled projects. Automatic switch in the handle. For 110 volts, 50/60 cycles. AC Supplied complete with card and plug and 3 blades. Shpg. wt., 2 lbs.

HD-293 Net 5.37
HD-294—12 extra Blades Net .47

"250 WATT" WELLER SOLDERING KIT 10.99



Here's everything you need for hundreds of homecraft and hobby jobs. Does all the many electrical soldering jobs around the home and shop—plus plenty of heat for sheet metal—pair plastic toys. Kit includes 250 watt instant heat—dual spoolite Weller gun—ample supply of Kester solder—soldering tip—smoothing tip—cutting tip—tip interchange wrench—two instruction booklets—sturdy metal case for convenient storage. Shpg. wt., 5 lbs.

WELLER B250-AK Net 10.99

NEW ELECTRIC PENCIL SET



One complete set for home craftsmen and hobbyists. Set contains six interchangeable tips: four for burning and embossing of wood, plastic, leather, cork, etc., and two for soldering. Five sheets of embossing foil, abrasive cloth, complete set of instructions for working wood, plastic, leather and cork. Illustrated catalog of plaques and projects. Heating unit is UL approved and guaranteed for 10,000 hours. Shpg. wt., 1 lb.

Model 217 Each 2.31

NEW SOLDER PISTOL


Here is a much wanted addition to the Ungar line, a soldering pistol for extra long reach, and positive tip positioning. Made of tough phenolic riveted handle. Takes all Ungar interchangeable tips. With 6' cord.
Model 660 (Pistol only) Shpg. wt., 8 oz. List 3.00. Lots of 10, Ea. 1.91.
Singly, Ea. 2.35
Model 260 As above but with interchangeable 2 1/2" Tellurium copper tip, tapered chisel; up to 800°F. Shpg. wt., 1 lb. List 4.50 Net 3.55

NEW! 4.35

WELLER 8100 SOLDERING GUN

New soldering gun rated at 100 watts. Features instant heating in 5 seconds. Trigger switch for fast on and off control. Also dual spot lights, pre-focused to assist your solder work. Tips are long life and easily replaceable. Shpg. wt., 4 lbs.
Model 8100 — List 5.95 Net 4.35
Lots of 3, Each 4.00

POPULAR PRICED TOOLS AND ACCESSORIES



(A) 7 in 1 HOLE SAW

Fits any electric drill, drill press, motor arbor, rotary sander or lathe. Cylindrical saw blades cut holes from 1" to 2 1/2" diameter in any 1/4" stock. Hole sizes are 1", 1 1/4", 1 1/2", 1 3/4", 2", 2 1/4", 2 1/2". True size carbon steel saw blades fit into deep machined grooves in tool head and are locked into place by a full length lock screw. Cuts wood, plastics, metals, sheet-rock, wall-board, masonite, formica, etc. Has guide bit and automatic slug ejector. Shipping wt., 1 1/2 lbs.

MD-225 Net 3.75

(B) 29 PIECE DRILL SET

A superior grade of chrome vanadium twist drills. Precision ground, hardened, sharpened. Give long lasting use under the most rugged conditions. Full range of sizes. 1/16th to 1/2" by 64ths. Convenient metal stand, each receptacle clearly marked. Shpg., 4 lbs.

MD-214 Net 5.79

(E) MODEL 4100 VERSAMATIC

- WITH YANKEE STYLE BIT HOLDER
- TURNS 1/4" DRILL INTO HIGH POWER TOOL
- REVERSES—INCREASES POWER—REDUCES SPEED

Seven to one speed reduction develops tremendous torque! Hand clutch control for easy, instant stop-start action! Lock at these fabulous features! Power screw driver—handles largest screws—reverses to extract them! Power drill tapping head! Plenty of power for oversize drilling! Perfect for concrete or any kind of masonry drilling! Low speed and high power for hole saw attachments! A professional tool that anyone can use! Comes complete with screwdriver bit—Phillips bit—1/4" socket set adapter—wrench pin and instruction book. Shpg. wt., 5 lbs.

MD-195 LIST 14.95 Net 11.25

VIS-A-PART BOARDS




- STORE SMALL PARTS—EASILY—SAFELY—NEATLY—INEXPENSIVELY!

Eliminates screw on caps! Makes use of convenient wall space. One glance locates the part you need. Jars slide securely into metal holders. Inserted or removed with one simple motion. Holders are firmly riveted to back-board. Indispensable for screws, nuts, nails, parts, seeds, spiced, etc. Complete with jars.

MD-166 24 jars 18"x18" Board. Shpg. Wt. 9 lbs. 3.63

MD-390 18 jars 13 1/2"x18" Board. Shpg. Wt. 6 1/2 lbs. 2.73



• 6 1/2" x 3 1/2" JAWS! • OPENS TO 4 1/2"!
WOODWORKERS VISE (A): A fine, practical tool for the small shop—home—farm or garage. Ruggedly built—will not loosen or slip. Guides are of finely machined, cold rolled steel. Gray iron jaws—face ground and finished. 3/8" diameter screw—6 thread per inch. Saves time and labor—indispensable to the woodworker. Perfectly balanced—designed for hard use. Shpg. Wt. 6 lbs.

MD-182 Net 2.79

VERSA-VISE (B): All the features of a regular vise—plus—locks in any position, just tighten jaws. Turns to any work position. Use standing or laid flat—turns 360° either way. Larger jaw surfaces—3 1/2" x 2 1/2"—plus removable pipe jaws. Jaws open 3".

MD-282 Shpg. Wt., 17 lbs. Net 10.49

Right Angle Adapter: Adds belt adjustment for holding work at any angle. Shpg. Wt., 2 1/2 lbs.

MD-283 Net 2.18

(C) ARCO SAW WITH DADO-ARBOR

• CUTS 2 x 4's IN ONE CUT

Revolutionary new "Arco-Saw" with Adjustable "Dado-Arbor" cuts any groove up to 1/2" wide x 1" deep on ONE CUT! Arbor swivels sawblade to cut large grooves with little power—no heavy duty drill needed. "Dado-Arbor" easily removed for straight and angle cuts with precision Depth-Bevel-Rip Gages. Has 3" Safecut blade. Fits any 1/2" drill in 1 minute. With instructions and factory guarantee. Shpg. wt., 4 lbs.

MD-197 LIST 12.95 Net 8.63


MD-118—Safecut Blade 1.33

MD-116—Mycarbon Crosscut Blade 1.33

MD-117—Mycarbon Rip Blade 1.33

MD-118—Mycarbon Combination Blade 1.33

NEW BVI TOTE SAW



- SAWS WOOD, STEEL, PLASTICS
- 2-SPEED MOTOR
- 100 sq. in. WORK TABLE

A beautifully designed bandsaw for the home craftsman, carpenter, custom installer. Cuts straight or curved cuts to center of pieces 24" wide, any length—in wood, plastics, tile, steel—almost anything! Has built-in dual coil rotary motor housed in rugged cast aluminum and steel casing. Adjustable blade guard protects operator. Has positive chain drive and easy tension adjustment. Light enough to be completely portable. Operates on 115V, 60 cycle AC. Shpg. wt., 17 lbs.

MD-367—List 34.95 Net 23.30

18" BENDING AND FORMING BRAKE

- FOR EXPERIMENTERS—SERVICEMEN—SHOPS •
- CLEAN SMOOTH BENDS
- FORMS UP TO 90°
- HANDLES UP TO 18" WIDTH IN UP TO 16 GAUGE THICKNESS.

Unique design permits forming chassis, boxes, covers, trays, etc. by means of 1" deep slots in brake-bar which allow corners to fold in. Provides flange edges up to 1" high. Easy to adjust for thickness, accuracy, angle of bend. Rugged construction offers a life time of service. Shpg. wt. 20 lbs.

MD-232 Net 15.95

4 TOOLS IN 1 FOR INDUSTRIALS EXPERIMENTERS REPAIR SHOPS MODEL WORKERS SCHOOL SHOPS HOME WORK SHOPS.



- PUNCHES
- SHEARS
- RIVETS
- FORMS

An ideal tool for plant, shop or home use. Used extensively in industrial plants on small jobs. Handles stock up to 1" wide—16 gauge. Punches clean, sharp, smooth, burr-free holes—up to 1" from edge—3/8", 5/32", 3/16", 7/32" and 1/4" round. Forms bends up to 90° in rod or without distortion. Rivets easily with any type solid or hollow rivet. Rivets up to a maximum combines thickness of 3/8". Shpg. wt. 15 lbs.

MD-233 Net 10.39

EXTRA PUNCH SETS

MD-234 Hex—3/16", 1/4" and 3/8" Net 1.45

MD-235 Square—3/4" and 3/16" Net .95

MD-236 Rectangular—3/8"x3/16" and 3/8"x5/16" Net .95

(D) ARCO JIG SAW

Cuts perfect circles any size up to 20" diameter; ribs accurate widths any size up to 10" wide. An especially desirable home workshop tool because of its versatility. Does work of Jig, Keyhole, Coping, Rip, Crosscut, Band and Hacksaw! For intricate patterns, the Jig Saw is simply guided over the cutting line while the Automatic Air-Blower blows sawdust away from blade. Cuts plywood, plastics, wallboard, metals—even lumber up to 2 x 4's! Starts inside holes without boring. Has Right Angle Drive, strong Safety-Yoke and Worm Drive Clamp, Self-lubricating Lifetime Bearings. Blades are easily changed in seconds with ordinary screwdriver. Complete with Circle-Cutter & Rip Gage, Jig Saw Blade, Instructions and 90-day Factory Guarantee. Shpg. wt., 4 lbs.

MD-196 LIST 10.95 Net 7.30

Jigsaw—Less Circle Cutter and Rip Gage. Shpg. wt., 3 lbs.

MD-56 LIST 9.95 Net 6.63

Replacement Blades—Package of 6 Asstd.

MD-57 Net 1.46

(F) BABCO RIGHT ANGLE DRIVE

• HALVES OR DOUBLES DRILL SPEED

Close coupled-right angle attachment for working in confined spaces. 2 to 1 gear ratio permits halving or doubling drill speed. High speed for drilling and sanding—slow speed for polishing—large hole drilling—masonry drilling, etc. Fits 1/2" chuck or may be screwed directly to drill spindle. Includes 3/8"-24 male and female adapters—and 1/2" plain shaft adapter. Shpg. wt., 1 lb

MD-269 LIST 4.49 Net 3.30

ELECTRIC HANDI-SPRAYER

Save time and money! 80 lb. nozzle pressure gives professional results. Sprays all types of paints, enamels and lacquers. Any sprayable liquid! Exclusive swivel nozzle permits spraying up, down, or sideways without tilting jar. Instant spray control—fingertip adjustment from mist to cone or straight stream! High impact plastic housing—all parts of stainless steel and brass. Complete with 16 oz. Mason Jar and 8 ft. cord. Shpg. wt., 4 lbs.

MD-73 Net, ea. 6.25

Lots of 3, ea. 5.97



"VILLAGE BLACKSMITH" ANVIL

Here is workbench equipment long wanted—a rugged farm-and-home size anvil. 8" long, 3 1/4" high and 3" wide at the base. Finds hundreds of uses: in metal work, woodwork, leatherwork, etc. Exclusively built for the home craftsman, hobbyists and farmers. Shpg. wt., 8 lbs.

MD-404 Net 3.29



SPRAYIT 400

- COMPLETELY PORTABLE
- NOT A FLIMSY "VIBRATOR"
- FOR ALL PAINT-SPRAYING DUTIES

Here is a precision-built complete paint-spraying outfit manufactured to the highest professional standards and yet priced for the homeowners. With Integral 1/2 H.P. motor compressor unit, not a vibrator. Now it's easy to do a professional-looking paint job, 4 times faster than with a brush. Use it for other spraying or blowing duties too. Spray adjustable from a dime size to 10" wide. Features an easy-to-use two-finger trigger gun; the body is guaranteed to be unbreakable. With 6 ft. cord, plug and 8 ft. of hose. Shpg. wt., 15 lbs.

MD-415—List 39.95 Net 32.89

SYLVANIA *Smart Set Slimline* RADIOS




Slimline
SUPER DELUXE
TABLE RADIO
MODEL 1206

The Park Avenue

List 27.95
ONLY
21.00

Here is all-new approach in home radio design with distinctive, different slimline styling and powerful long-distance chassis made by Sylvania automation. Big set power and tone quality in half the space. 4" pm speaker with exclusive "sound resonator" provides exceptional tone clarity. Push-pull on-off switch, volume control, record player jack. For 117 volts, 60 cps AC. 8" L x 14" W x 6 1/2" D. Shpg. wt., 6 lbs.

MODEL 1206BR Caravan brown & white Net 21.00
MODEL 1206TU Sapphire blue & white Net 21.00



Slimline
SUPER DELUXE
TABLE RADIO
MODEL 1303

The Twintone

List 34.95 **ONLY 26.20**

Value-packed with plus features including a smart, full-sweep front that lends a luxury look to this trim table model. Two matched full-range 4" speakers assure superb tone; power-packed chassis by Sylvania automation ensures peak performance. Features handy record player outlet, variable tone control, push-pull on-off switch and volume control, illuminated dial, heat and impact-resistant color-molded cabinet. 8" L x 15 1/2" W x 5 1/4" D. For 117 volts, 60 cps AC. Shpg. wt., 7 lbs.

MODEL 1303RE Coral & white Net 26.20
MODEL 1303TU Turquoise & white Net 26.20
MODEL 1303YE Inca gold & white Net 26.20



Smart Set
Slimline
DELUXE
TABLE RADIO
MODEL 1108

The Bolero

List 19.95 - 22.95
AS LOW AS
15.95

A style standout budget-priced to brighten the modern day decor. Here's chic slimline styling, power and tone in half the space. Includes long-distance chassis by Sylvania automation, front-mounted, balanced-tone speaker. Sensitive, built-in antenna, tough color-molded cabinet resists heat and impact. Trim two-tone colors. 4" wide range speaker, ON/OFF volume knob. 6 1/4" h x 12 1/2" w x 3 3/4" d. 117 Volts, AC-DC. Shpg. wt., 5 1/2 lbs.

MODEL 1108RE Coral & white Net 17.70
MODEL 1108TU Turquoise & white Net 17.70
MODEL 1108WH Antique white Net 15.95



Smart Set
Slimline
SUPER DELUXE
TABLE RADIO
MODEL 1304

The Music Master


List 39.95 **ONLY 30.00**

You will like what you see in the 3 striking color versions of this slimline beauty! New, powerful big-set performance and tone quality—in half the size. 5 tubes plus rectifier, RF stage for extra sensitivity and selectivity. Includes record player outlet, variable tone control, 2-5/8" speakers, illuminated slide rule dial, high ratio vernier tuner, ON-OFF volume control. The durable, color-molded polystyrene cabinet features a sweeping panoramic dial. 117 volts AC-DC. 8 1/2" h x 15 1/2" w x 5 1/2" d. Shpg. wt., 7 1/2 lbs.

MODEL 1304RE Coral & white Net 30.00
MODEL 1304TU Turquoise & white Net 30.00
MODEL 1304YE Inca gold & white Net 30.00

SYLVANIA *full-feature* automatic clock radios

Drift off with music, awaken to music, time household tasks, remember your favorite programs . . . all with Sylvania full-feature clock radios, modern day musical servants in tune with the time.



Smart Set
Slimline
SUPER DELUXE
MODEL 2207

The Night Lighter

List 39.95 **ONLY 29.60**

A trim, truly distinct, different model! Contains more usable features than practically any other clock radio on the market today! Complete with glowing panel-vent lighting, exclusive dial face lamp that serves as a night light, automatic on-off with popular speaker switch and delayed buzzer alarm, appliance outlet and precision Telachron clock. 4" pm speaker and panel-vent brightness control are additional features. 117 volts, 60 cps AC. 8" h x 14" w x 6 1/2" d. Shpg. wt., 6 lbs.

MODEL 2207BR Caravan brown & white Net 29.60
MODEL 2207TU Sapphire blue & white Net 29.60



Smart Set
Slimline
SUPER DELUXE
MODEL 2305

The Sky Lighter

List 54.95
ONLY 39.00

Deluxe features galore to time your day . . . and night. Slimline styling features easy-to-operate pushbutton controls, sweeping panoramic dial. Powerful 5-tube-plus-rectifier chassis by Sylvania automation ensures peak performance, features 5" extra full-range speaker, phono-jack outlet, automatic on-off, sleep switch, delayed alarm, precision Westclox clock. Rugged polystyrene cabinet, vernier drive tuning, illuminated dial, push-pull on/off and volume control, and tone control. 117 volts, 60 cps. AC. 8 1/4" h x 15 1/4" w x 5 1/4" d. Shpg. wt., 8 lbs.

MODEL 2305RE Coral & white Net 39.00
MODEL 2305TU Turquoise & blue Net 39.00
MODEL 2305YE Inca gold & white Net 39.00

LATEST STEREOHONIC HI-FI CONSOLES

ALL NATIONALLY ADVERTISED



PH-104

CUSTOM DELUXE STEREO HI-FI PHONO CONSOLE

- "BSR" 4-SPEED AUTOMATIC STEREO RECORD CHANGER
- STEREO DOUBLE AMPLIFIER WITH 24 WATTS OUTPUT
- VERSATILE CONTROLS AND 30-20,000 CPS RESPONSE


REGULAR PRICE ~~179.95~~
OUR PRICE **129.50**

Luxurious throughout, this console promises to bring you vivid, life-like, full dimensional stereophonic sound. Tastefully designed cabinet incorporates the simplicity of modern styling. Made of genuine hand rubbed veneers, finished in either mahogany or blonde. Famous "BSR" 4-speed automatic stereo record changer plays all record sizes and speeds. Intermixes 10" and 12" of the same speed. 45 rpm adapter is included. Other features include a rubber turntable mat, automatic shut-off after last record, etc. New lightweight cushioned tone arm is equipped with precision stereo cartridge and sapphire stylus for LP and 78 rpm records. Completely compatible, it plays all stereo and monaural records. Versatile audio controls include separate bass, treble and loudness controls; 3 position record compensator and stereo level balance control.

Also a 3 position speaker selector switch allowing selection of built-in speaker, external speaker or both. New stereo double-amplifier is rated at 24 watt peak (total) and frequency response of 30-20,000 cps. Extended range speaker system consists of 2-matched 10" Alnico V woofers, 1-5" mid-range, 1-3" tweeter. Has output jack for auxiliary stereo second channel speaker system. Operates on 110-125 V, 60 cps. AC. Size 29½" H x 27" W x 14½" D. Shpg. wt., 65 lbs. Less external speaker systems.

PH-104 Mahogany Finish — List ~~179.95~~ Net 129.50
PH-105 Blonde Finish — List 189.95 Net 134.50

DELUXE SPEAKER CABINET
Matching speaker cabinet for above units. Can be used as a second channel speaker for stereo use or singly for monaural application. Consists of 2-10" woofers, 1-5" mid-range, 1-3" tweeter. Cabinet with genuine hand rubbed mahogany veneers. Choice of finish: Mahogany or blonde. Size 30" H x 27" W x 14½" D. Shpg. wt., 45 lbs.
PH-106 Mahogany Finish — List ~~79.95~~ Net 54.50
PH-107 Blonde Finish — List 89.95 Net 57.50



PH-102

"LOW BOY" HI-FI STEREOHONIC PHONO CONSOLE

- CUSTOM CRAFTED HAND POLISHED CONSOLE CABINET
- DELUXE AUTOMATIC 4-SPEED STEREO RECORD CHANGER
- BUILT-IN 8" WOOFER & 2-4" TWEETERS

REGULAR PRICE ~~189.95~~
OUR PRICE **159.50**

PH-100

DELUXE STEREO HI-FI PHONO CONSOLE

- "BSR" 4-SPEED AUTOMATIC STEREO RECORD CHANGER
- DOUBLE AMPLIFIER — 10 WATTS OUTPUT
- FULL FREQUENCY RESPONSE 50-15,000 CPS.


REGULAR PRICE ~~129.95~~
OUR PRICE **99.50**

Ready to be placed anywhere in your listening room and to bring you a new world of entertainment with the magic of stereophonic sound. The handsome console will provide you with constant pleasure both in sight and in its performance. Modern styled slim line wood cabinet is made of genuine hand rubbed mahogany veneers, finished in either mahogany or blonde. Famous "BSR" 4-speed automatic record changer plays all record sizes and all speeds. Intermixes 10" and 12" of the same speed. Heavy turntable is fitted with rubber mat for extra protection of your valuable records. With automatic shut-off after last record and other convenient features. New cushioned lightweight pickup arm is equipped with stereo cartridge and sapphire stylus. Completely compatible, it plays all stereo and monaural records. Control panel has separate bass, treble and loudness controls to suit individual taste. New double-amplifier provides 10 watt total output. Frequency response is 50-15,000 cps for superior reproduction. Extended range speaker system consists of 3 speakers — 1-6" Alnico V woofer, 1-5" mid-range and 1-3" tweeter. Has provisions allowing an addition of an external speaker for stereo and enhanced monaural performance. Operates on 110-125 v., 60 cps AC. Size, 29" h. x 24½" w. x 14¾" d. Shpg. wt., 50 lbs. Less external speaker system.

PH-100 Mahogany Finish — List ~~129.95~~ Net 99.50
PH-101 Blonde Finish — List 139.95 Net 104.50

COMPACT SPEAKER SYSTEM
Use it as a stereo second channel speaker system or use it for monaural performance by itself. Consists of 1-6" woofer, 1-5" mid-range; 1-3" tweeter. With 15 ft. connecting cord and plug. Size, 10" h x 17" w x 8" d. Shpg. wt., 10 lbs.
PH-102 Mahogany Finish — List ~~29.95~~ Net 22.50
PH-103 Blonde Finish — List 34.95 Net 24.50

Imaginative cabinet styling in the straightforward contemporary vein, combined with expertly engineered components make this console a most attractive buy. The 4-speed automatic intermix record changer plays all standard microgroove record sizes and speeds. The compatible stereo cartridge with diamond LP stylus provides superior reproduction with monaural records as well as with stereo records. The master control panel makes readily available flexible control of bass and treble tone and loudness. A stereo balance control provides perfect stereo performance (with matched external speaker for the second stereo channel). The speaker enclosure is designed to match the acoustic properties of the 8" heavy-duty woofer and the 2-4" tweeters. Has provision for the addition of a



PH-123

matched auxiliary speaker system for stereophonic reproduction, or for enhancement of monaural sound—or simply for use as an extension speaker. Size 30" W x 26¼" L x 15¾" D. For 110-120 volts, 60 cps AC only. Shpg. wt., 84 lbs. (less auxiliary speaker system).

PH-123 As above, Mahogany finish. List 189.95 Net 159.50
PH-124 Walnut. List 189.95 Net 159.50
PH-125 Limed Oak. List 199.95 Net 164.50

AUXILIARY SPEAKER SYSTEM

Designed to match amplifiers and speakers in above consoles. Matching size and finish. Includes same 8" woofer and 2-4" tweeters and provides record storage space. 30" w x 26¼" h x 15¾" d. Shpg. wt., 52 lbs.

PH-109 Mahogany. List 89.95 Net 69.50
PH-126 Walnut. List 89.95 Net 69.50
PH-127 Limed Oak. List 99.95 Net 72.50

PORTABLE STEREO HI-FI PHONOGRAPH



PH-110

- REVOLUTIONARY NEW CABINET DESIGN
- 4 GOLDEN VOICE SPEAKERS MATCHED AND BALANCED
- DUAL-AMPLIFIER WITH TOTAL PEAK OUTPUT 20 WATTS

REGULAR PRICE ~~159.95~~
OUR PRICE **129.50**

Carry dimensional sound wherever you go with this complete portable stereo phonograph. Use it at home, or take it on your weekend trips. Ideal unit to bring back to the dormitory at school. Ingenious cabinet design features 2 complete speaker systems attached to the cabinet sides. They can be swung open or detached completely from the master unit so that you can arrive at optimum stereo listening condition.


Cabinet is covered in spice-brown leathered texture miracle fabric: scuff, scratch and stain resistant. Deluxe 4-speed automatic intermix record changer is supplied with 45 rpm spindle. Stereophonic high fidelity cartridge has dual sapphire flip-over stylus assembly to play all speeds, all size records, both stereo and monaural. Audio controls are: Loudness, bass, treble, balance between channels. Each channel is a high fidelity amplifier in itself. 20 watt peak power output, 10 watts each channel. Frequency response is 30 to 15000 cps. at normal listening level. Every audible note is reproduced clearly and without fuzziness. Two specially designed cabinets, each housing 2 speakers: 1-4" and 1-6" — 4 speakers in all. Built-in crossover directs high and low frequencies to proper speakers. Other features include: on-off indicator, automatic shut-off after last record. Size 25" W x 10" H x 19¼" D. Shpg. wt., 30 lbs.
PH-110 List ~~159.95~~ Net 129.50



59.50




15.95



69.95



12.25



12.25

NEW!! LAFAYETTE'S COMPATIBLE STEREO PHONOGRAPH

Play the newest stereo discs as well as your favorite monaural platters on this 4-speed portable record player. Superb for stereo — this unit features a deluxe VM stereo changer, dual stereo amplifiers, and high-fidelity turnover stereo cartridge with two sapphire styli. Two volume and two tone controls for individual channel balancing. Built-in 8" extended-range PM speaker plus 4" tweeter. Jack for external speaker (for stereo). Housed in smart charcoal fibre-design carrying case measuring 20 1/2" x 13 1/2" x 8 1/2". Shpg. wt., 30 lbs.

PH-93 4-speed stereo changer Net 59.50

Smartly styled companion speaker for stereo. One extended-range 8" PM speaker plus 4" tweeter balances speaker system in phono unit. Fifteen feet of cord with male plug to mate with jack on changer. Size: 10 1/2" x 9 1/2" x 5 1/2". Shpg. wt., 6 lbs.

PH-94 Remote speaker system in matching charcoal housing. Net 12.25

9759 VM 45 rpm Spindle for above changer. Net 1.88

4-SPEED PORTABLE PHONOGRAPH

With this portable phonograph you can play any record up to 12" size at 33 1/3, 45 or 78 rpm, or at the new "Talking Book" speed of 16-2/3 rpm. A single lever selects any speed. The lightweight pickup arm is equipped with a single all-purpose needle, for all records. A special hub, for 45 rpm records, is provided; the hub retracts below the turntable level when other records are played. Volume control, with on-off switch. Fine quality Alnico 5 pm speaker. Attractive 2-tone leatherette-covered case. For 117 volts, 60 cps AC. Dimensions 12 1/2" x 10 1/2" x 5 1/2". Shpg. wt., 9 lbs.

PH-60 Net 15.95

STEREOPHONIC AUTOMATIC RECORD PLAYER

HI-FI PORTABLE WITH GARRARD 4-SPEED
STEREO CHANGER RONETTE COMPATIBLE
STEREO TURNOVER CARTRIDGE

Realistic reproduction from your stereo discs with this high-quality portable player. The four-speed Garrard #121 stereo changer will handle your entire monaural and stereo record library. Built-in dual stereo amplifiers (5 tubes plus rectifiers) for room-filling volume. Four controls (2 volume and 2 tone) permit channel A and channel B adjustment to individual tastes. Ronette stereo cartridge with dual sapphire styli Two built-in speakers (8" extended-range PM and 4" tweeter) plus jack for external speaker system. Handsome saddle-luggage — tan carrying case, with gold front bezel, measures 20 1/2" x 13 1/2" x 8 1/2". Shpg. wt., 30 lbs.

PH-95 Stereo player in portable case Net 69.95

Remote speaker system for second-channel reproduction of stereo discs. Compact and sturdy enclosure in coordinated luggage tan with carrying handle houses one 8" extended-range PM speaker and 4" tweeter. Placement up to 15 feet from player. Cable with male plug included. Size: 10 1/2" x 9 1/2" x 5 1/2". Shpg. wt., 6 lbs.

PH-96 Remote speaker for PH-95 Net 12.25

59.95



EXCEPTIONAL
VALUE!



12.50

OUTSTANDING BUYS IN STEREO PHONOGRAPHS!

DETACHABLE STEREO SPEAKER
BAFFLE LID



69.95

CUSTOM STEREO PORTABLE PHONO SYSTEM

An unusual value in a custom-quality stereophonic automatic record player system. 10-watt peak amplifier (dual 5-watt peak stereo channels) with frequency response of 50-15,000 cycles. Separate bass, treble and loudness controls. Wide range speaker system has a 6" woofer and 3" tweeter; matching remote speaker has same speaker complement for balanced stereo. The famous "BSR" 4-speed automatic record changer plays all record sizes, all speeds, intermixes 10" and 12" records, and shuts off after last record. New lightweight pickup arm, precision stereo cartridge and sapphire needle. The case is covered in handsome Peacock Blue and Gray simulated leather and the remote speaker is style-matched. For 110-125 volts, 60 cycles AC. 9 1/2" h x 15" w x 19" d. Shpg. wt., 28 lbs.

PH-121 Portable Stereo Record Player less Remote Speaker Net 59.95

PH-122 Matching Remote Speaker. 9 1/2" h x 15" w x 6 1/2" d. Shpg. wt., 9 lbs. Net 12.50

COMPLETE PORTABLE STEREO SYSTEM DETACHABLE LID IS SPEAKER AND BAFFLE!

TWO SPEAKER SYSTEMS — ONE CASE COMPLETE 69.95

Now a utilized stereo phono system—in one handsome and compact portable case. System incorporates the famous new Callara automatic changer with counterbalanced transcription arm. Comes with the superb new Ronette compatible stereo turnover cartridge—.75 mil sapphire stylus for stereo discs and monaural LP's and 2.5 mil sapphire needle for 78's. Dual amplifiers in unit drive two hi-fi dual-cone 6" speakers in base and the dual-cone 6" unit in cover. Twenty feet of connecting cable for flexible positioning of speaker/baffle unit. Comes in smart two-toned Cheyenne green and Ivory case measuring 20 1/2" x 13 1/2" x 8 1/2". Shpg. wt., 30 lbs.

PH-97 Complete Portable Stereo Phono System

Net 69.95


LAFAYETTE PHONOGRAPHS ARE AVAILABLE ON LAFAYETTE'S EASY PAYMENT PLAN

Page 55

AUTO SPEAKER KITS-AUTO RADIOS-ACCESSORIES

10% DOWN! MOTOROLA AUTOMOBILE SETS


**UNIVERSAL
CUSTOM
SERIES
WITH
EXTERNAL
OVAL
PM SPEAKER**



A truly flexible car radio that can be installed in a wide variety of makes and years, including some foreign sports cars. Equipped with tone control, noise eliminator circuit and automatic volume control. Powerful 6"x9" speaker gives exceptional music reproduction. Iron core IF and diode coils for maximum efficiency.

8M-6 —For 6-volt Battery..... Net 41.25
8MX —Transistor-powered, for 12v... Net 43.75

ONLY \$6.00 DOWN



- 10 MONTHS TO PAY!

SPECIAL CUSTOM SERIES

- TRANSISTOR POWERED
- PUSH BUTTON TUNING
- CUSTOM FITTED TO EACH CAR

TRIM PLATES
All Models **4.35** ea.
Specify Make & Year

MAKE	YEAR
• BORGWARD-ISABELLA	55 thru 58
• BUICK	54 thru 58
• CHEVROLET	53 thru 58
• CHEVROLET-GMC TRUCK	55 thru 58
• EOSEL	58
• NASH RAMBLER	57-58
• PLYMOUTH	53 thru 58
• PONTIAC	57-58
• RENAULT DAUPHINE	58
• SIMCA ARONDE	58
• SIMCA VERSAILLES	58
• STUDEBAKER HAWK	55 thru 58
• VOLKSWAGEN	53 thru 58
• VOLVO	58

*HAS 5" x 7" SPEAKER ** SPECIFY MODEL CAR

**BUICK - CHEVROLET -
OLDSMOBILE - PONTIAC -
VOLKSWAGEN**


Specifically designed to custom fit your car with simplest installation. Sensitive transistor powered circuit uses 5 tubes plus rectifier. Heavy duty 6"x9" PM speaker, automatic volume control, and tone control. Low battery drain. Available for 12-volt operation

MODEL	Net Each
CTA6X—For Chevrolet 55-56	59.95
CTA7X—For Chevrolet 57	
CTA8X—For Chevrolet 58	
BKA6X—For Buick 56	
BKA7X—For Buick 57-58	
OEAX—For Oldsmobile 57-58	
PCA7X—For Pontiac 57	
VWA7—For Volkswagen 53 thru 58*	

*Not transistorized—For 6 volts only

MOTOROLA SPORTS CAR AUTO RADIO

**FOR ALL
SPORTS
CARS**



**REG. VALUE
\$59.95**

— ONLY \$49.80

\$4.98 DOWN — \$5.00 MONTHLY

- TRANSISTOR-POWERED CHASSIS
- NO VIBRATOR—NO VIBRATOR NOISE
- REVERSIBLE POLARITY PLUG
- FOR NEW CARS, OLDER CARS, FOREIGN CARS, TRUCKS, BOATS

A really universal car radio for all types of cars or boats with 12 volt electrical systems. Small—measures only 6 1/2" wide x 2 1/4" high x 4 1/2" deep. Features polarity reversal (by simply rotating a plug) for cars with positive or negative grounds. Includes 5 miniature tubes plus a power transistor. Audio output 2.8 watts. No need to reset volume control when tuning—exclusive Volumatic keeps level constant. 5" x 7" heavy-magnet speaker for excellent tone quality. Other fine features include vernier tuning and rich chrome finish trim plate. Mounts by simply drilling 3 small holes. Styling fits into any interior for a custom-installed look.

MOTOROLA 600X Car Radio


Net 49.80

TRIM PLATES FOR ABOVE

WHEN ORDERING, SPECIFY MAKE AND YEAR

MAKE	YEARS	NET
FORD, AMERICAN AND BRITISH	56 thru 58	ANY TYPE
MG—MGA	56 thru 58	
MORRIS MINOR	57 thru 58	\$4.35
Vauxhall	58	

REAR SEAT AUTO SPEAKER KITS



6" x 9" KIT WITH CHROME OR GOLD GRILLE

Complete kit for adding second speaker in rear of your car. Includes a 6" x 9" PM speaker; 3-position selector switch for cutting in front, rear, or both speakers; dial plate with mounting bracket, knob, and hardware; chrome or gold grille; wire; and wiring instructions. Simple to install. Shpg. wt., 5 lbs.

SK-94 Speaker kit (specify chrome or gold grille)..... Net 3.45

DELUXE 6" x 9" KIT with 2.15 oz. ALNICO V MAGNET

Same as above but with deluxe speaker with extra-heavy Alnico V magnet (2.15 oz.). This is same speaker used in kits selling at twice the price. Shpg. wt., 5 lbs.

SK-37 Speaker kit (specify chrome or gold grille)..... Net 4.65

5" x 7" KIT

SK-42 Same as SK-94 but with 5" x 7" speaker and grille (specify chrome or gold) Net 3.05

FADER TYPE AUTO KITS

Rear-seat speaker kits identical to those above except with fader-type controls to cut either speaker in or out or balance both. Shpg. wt., 5 lbs. Specify chrome or gold grille.

SK-55 5" x 7" kit. Same as SK-42 but with fader control..... Net 3.29


SK-95 6" x 9" kit. Same as SK-94 but with fader control..... Net 3.69

DELUXE 6" x 9" FADER KIT

Deluxe kit with extra-heavy-magnet 6" x 9" speaker, plus fader control. Specify chrome or gold grille.

SK-56 6" x 9" kit. Same as SK-37 but with fader..... Net 4.89

HI-FI REAR SEAT AUTO SPEAKER KITS



FEATURING 6x9 COAXIAL

SPEAKER WITH TWIN TWEETERS Add Hi-Fi Listening to Your Car

Identical to SK-37 auto speaker kit shown on this page except has hi-fi 6" x 9" coax speaker instead of single-cone unit. Excellent for music lover who wants quality reproduction. Specify chrome or gold grille. Shpg. wt., 6 lbs.

SK-77..... Net 8.80

FADER TYPE AUTO KIT

Coaxial speaker kit (same as SK-77) with fader for flexible control of both front seat and rear speakers and sound balancing. Specify chrome or gold grille. Shpg. wt., 6 lbs.

SK-78..... Net 9.00

SCHAUER KAR-START



**STARTS WET OR COLD
ENGINES INSTANTLY**


If you park your car outside in wet or wintry weather, you need Kar-Start. At instant of starting, Kar-Start sends five times the normal amount of spark from your plugs for sure-fire starts. Used when engine is running. It is automatically disconnected or distributor. Will not damage plugs or connectans. Simply, easily installed with just 3 quick connectans. Save your battery, time and temper. Shipping weight 1 lb.

A-8476 for 6 V cars List \$6.50 net \$4.20

A-8477 for 12 V cars List \$7.95 net \$5.15

LAFAYETTE'S ENGINEERING & DRAFTING SUPPLIES

Lafayette IMPORTED SLIDE RULE



LIST 25.00

10.45

F-341

- Machine Engraved Graduations
- Extreme Dimensional Stability
- Modern Scale Arrangements
- Smooth Slider Action
- Easily Read Graduations
- Saddle Leather Case

10" LOG LOG DUPLEX TRIG SLIDE RULE

10" Log Log Slide Rule: Constructed of specially selected, laminated, non-hygroscopic bamboo. All scales are machine engraved on white plastic in permanently accurate calibrations. Adjusting screws permit varying the tension on the slide. 21 scales in all including the more frequently used C, D and CI scales on both sides of the rule. Evaluates trigonometric, algebraic and exponential problems. LLO and LLOO scales refer to 8 scale. All other scales coordinate and refer to D scale. Scales are L, LLI, DF, CF, CIF, CI, C, D, LL3, LL2, LLO, LLOO, A, B, K, CI, C, D, S, ST and T. Scale characteristics permit multiplication, division, proportion, inverse proportion, reciprocals, cotangents, squares, square roots, cubes, cube roots, logarithms, tangents, sines, PI factor multiplication and division, powers and roots of numbers less than 1, powers and roots of numbers greater than 1, logarithms to base "e". The most often used slide rule in all basic fields science, engineering, production and economics. Shpg. wt., 1 1/2 lbs.

F-341 LIST 25.00 Net 10.45



LIST 6.00


2.89

F-340

5" POCKET SLIDE RULE

5" Pocket Slide Rule: Convenient pocket sized slide rule of specially selected and treated bamboo. Will not warp, shrink or lengthen under varying atmospheric conditions. A, B, CI, C, D and K scales engraved on white plastic surface. Reverse side of slide has standard S, L and T scales. The upper, beveled edge of the rule is graduated in m/m to 13 cm. Other edge is divided into 5 inches by 32nds. Only 5-13/16" long over all. Carried easily in any pocket. Shpg. wt., 8 oz.

F-340 LIST 6.00 Net 2.89



TECHNICAL DRAFTING SET

- Center Wheel Adjustment
- Professional Quality
- German Craftsmanship
- A \$15.00 Value


5.95

A fine set of imported nickel plated brass instruments priced far below the usual price for this quality. Contains 4 1/2" self-centering compass, one leg knuckle joint with 4 1/2" divider, pencil, pen parts and lengthening bar; 4 1/2" self-centering divider; spring bow divider 4 1/2"; center wheel adjustment with interchangeable needle points; spring bow pencil and spring bow pen, both 4 1/2" with center wheel adjustment and interchangeable needle point; two 5 1/2" ruling pens; extra handle for pen and pencil parts; adjustment tool; lead case and leads; and spare parts kit, all in velvet lined snap closing case. Shpg. Wt. 1 1/2 lbs. F-68 Net 5.95


UTILITY DRAFTING SET

- EXCEPTIONAL VALUE

2.59



Made in Germany of hard rolled, nickel plated brass. All instruments are nested in a fitted, velvet lined case. Contains three side wheel 3 3/4" bow instruments — one a divider, one a pencil and one a pen. All have reversible needle point. 5 1/2" compass with pen and pencil parts — and lengthening bar. 5 1/2" divider with straightening device. 5" ruling pen. Extra handle for use with pen and pencil parts. Capsule with extra leads. Perfect for schools, labs, industrial or wherever precision drawing sets are used. F-13 Net 2.59



8" TRIGONOMETRIC SLIDE RULE

1.95

8" trig slide rule of laminated, selected bamboo. Face of white plastic with engraved, permanently accurate calibrations. Exceptional dimensional stability under all atmospheric conditions. Satin-finished facing provides a high readability, virtually glare-free face. Scales are A, B, CI, C, D, and K on one face — S, L, and T on reverse of slide. Table of formulae and equivalents is printed on metal back. C scale also has convenient conversion marks for changing degrees to radians, and for calculations involving areas of circles. Shpg. wt., 8 oz. F-381 8" Trig Slide Rule Net 1.95

4" CIRCULAR SLIDE RULE



- NON-HYGROSCOPIC 1/8" PLASTIC
- ENDLESS SCALES
- 12 SCALES


Versatile, compact, circular slide rule, as easy to read as a 10 inch straight rule. Special 1/8" thick plastic will not shrink or expand under varying climatic conditions. 12 separate scales solve problems in multiplication . . . division . . . proportion . . . squares . . . cubes . . . roots . . . sines . . . cosines . . . tangents. Also has calibrated marks for converting degrees to radians and for calculations involving areas of circles. Smooth, positive action on all scales and cursor. Complete with leatherette case. Shpg wt., 4 oz. F-382 Circular Slide Rule Net 2.45

GENIAC CYLINDRICAL SLIDE RULE




The GENIAC cylindrical slide rule uses a new concept in slide rule design to achieve the graduations and accuracy of a 60 inch slide rule. This rule may be used to give answers with up to 5 digit accuracy, and quickly solve problems involving multiplication, division, roots, powers, logarithms, proportions, and percentages. Cylindrical construction features all-metal construction with plastic coated spiral scales. 1 1/4" diameter and 10" long, the rule collapses to 6", small enough to be easily carried in a pocket. Almost indestructible, cannot warp. Shpg. wt., 1 lb. F-387 GENIAC Cylindrical Slide Rule Net 15.95

"draftette" DRAFTING MACHINE



Full 180° protractor scale, finest aircraft aluminum with black satin finish. Engraved, white filled numbers and markings are machine calibrated to ± .0005 of an inch. Folds like a jackknife . . . slips into drawer or briefcase, eliminates clutter of T-square, ruler, protractor, triangles. Clamps to drawing board or sketch pad. Layout chassis, diagrams, sketches, design detail, surveys etc. F-287 Draftette with 3 x 5" scale, shpg. wt., 1 lb. List 4.95 Net 3.95 F-289 Draftette with 3 x 5" scale, attached to 11" x 17" drawing board. Shpg. wt., 3 lbs. List 6.50 Net 5.20 F-401 Draftette with 4 x 6" scale, List 6.95 Net 5.56 F-402 4 x 6" Draftette mounted on 11" x 17" drawing board. List 8.50 Net 6.80



MATHEMATICAL SYMBOLS TEMPLATE

Sturdy plastic template containing all commonly used mathematical symbols: plus and minus signs, roots, brackets, integrals, summation, infinity, the complete small letters of the Greek alphabet including etc., plus some of the Greek capital letters used in mathematical formulae, many symbols present in several sizes. Precision milled for smoothness of cut, uses .030 mathematical quality plastic. Size 6 1/2" x 2 1/2". Shpg. wt., 4 oz. F-378 Math Symbols Template Net 2.10

8" PROPORTIONAL DIVIDER

Extremely accurate finely made proportional dividers. Basic equipment for draftsmen — architects — engineers — students. Replaceable steel points — in hard, leather covered, felt lined case. Used for proportional reductions and enlargements, copying drawings in enlarged or reduced scale, dividing lines or circles into equal parts, quick solving of difficult measuring problems, finding distances on maps without scales, etc. Flat form-replaceable steel points. Pressure setting. Graduated for lines from 3/4" to 10" — Circles from 6" to 20". Excellent, accurate utility model. Shpg. wt. 8 oz. F-167 Net 3.95

IMPORTED FROM GERMANY



Professional GIANT BOW



- 6" Size with Center Wheel Adjustment
- Finely Balanced — Professional Type

Professional quality utility set in a fitted, velvet lined case. Made in Western Germany of nickel plated, hard-rolled brass. 6" giant bow has preferred center wheel adjustment. Makes circles from 1/8" to over 10" in diameter. Set includes 6" giant bow, interchangeable pen and pencil parts, extra needle for using bow as divider, handle for use with pen and pencil parts, lead, lead box and repair parts. Shpg. wt. 1 lb. F-44 Net 2.95

LAFAYETTE CAMERA DIVISION presents the 'RANGEFINDER 35' SYSTEM versatility at low cost



'RANGEFINDER 35'

- 5 ELEMENT 45MM F2.8 COATED LENS
- COUPLED RANGEFINDER
- 10 SPEEDS TO 1/500
- LUMINOUS FRAMED VIEW-RANGEFINDER
- SINGLE STROKE FAST-ACTION ADVANCE LEVER
- AUTOMATIC FLASH SYNCHRONIZATION
- F2.8 45MM AMBER COATED LENS
- HI SPEED REWIND
- BUILT-IN SELF TIMER

Lafayette's new-professional-Rangefinder 35—with features that insure professional results for any camera fan. New 5-element, amber coated, color corrected f2.8 45mm lens. Has the speed and resolving power needed to cope with available light problems and produce the finest pictures in color or black and white. New big, brilliant, luminous gold frame, range and viewfinder. Superimposed gold image on a blue tinted field for quick-sure focus. Automatic parallax compensation. One stroke of the triple-action lever automatically advances film—sets shutter—and counts exposures. 10 shutter speeds from 1 sec. to 1/500th and 8. Built-in self timer. Automatic exposure counter. ASA film speed indicator. HI speed rewind with folding lever. Focuses down to 18 inches. Fully synchronized at all speeds for F, M and strobe flash. All metal body with brushed chrome trim—black leatherette covering. 20 or 36 exposures on 35mm black and white or color film. Uses Series 6 accessories. Auxiliary lens pictured not included. Shpg. wt., 3 lbs.

F-383—"Rangefinder 35" lens case Net 37.50
 F-389—Leather Eveready Case. Shpg. wt., 1/2 lb. Net 3.95
 Three piece outfit. Camera above—Eveready case and folding BC flash gun. Shpg. wt., 4 1/2 lbs. Net 44.95
 F-409

3750

New "SPEEDLITE" Electronic Photoflash operates on 110V AC or Midget Battery Pack



2595

INCLUDING POWER PACK AND BATTERY


- FEATHERWEIGHT
- SUPER POWERED
- 4 SECOND RECYCLE
- 50 WATT SEC. OUTPUT
- COLOR BALANCED LIGHT
- BUILT IN DIFFUSER

Designed by one of the foremost electronic flash engineers. More power—more practical features than any other unit in its price class. Thousands of flashes from an lifetime tube—pays for itself in savings on flash bulbs—less than 1/2 cent per flash. Featherweight flash head weighs only 16 ozs. Entire unit—including battery—only 2 lbs. 4 ozs. Battery pack measures 5 1/2" x 3" x 1 1/2"—fits gadget bag or pocket. Coiled cord extends 5 ft. far off-camera or bounce flash. 15 ft. AC cord gives practically unlimited movement when operating on AC. Universal bracket fits any camera with a tripod socket. Gun also mounts on side of portable pack. Light is color balanced (6500° Kelvin) for color pictures without filters. Kodachrome guide 25—Tri-X guide 120. Recycles in 3 to 4 seconds. Speed 1/700 sec. flash duration. Gives soft, even, wide angle illumination. "Ready" light on head indicates flash is ready to fire. "Easy-off" clamp permits rapid off camera use. Socket on head for extension or multiple flash use. For any camera having X (zero delay) synchronization. Complete with battery, portable pack, 5 ft. coiled cord, shutter cord, 15 ft. A.C. cord, mounting bracket, clamp and instruction book. Shpg. wt., 4 lbs.

F-370 Net 25.95
 Battery used in F-370 portable power pack. Burgess U160—List 7.95 Net 5.56

NEW AUXILIARY LENSES

- TELEPHOTO—TWICE AS CLOSE!
- WIDE ANGLE—75% MORE
- CLOSE UP—DOWN TO 6 1/2"!



Telephoto shots—wide angle shots or extreme close ups. Easy as 1-2-3 with the new auxiliary lenses. Each lens is hard coated for maximum light transmission. Prefocused and color corrected. No increase in exposure setting is necessary. Wide angle and telephoto lenses screw into lens mount. Bring your subject twice as close with the Telephoto—add 75% more area with the Wide-angle. Indispensable for panoramic shots. Close up lens kit consists of +1, +2, and +3 Praxar lenses—allows focussing down to 6 1/2" for amazing close-up results. All auxiliary lenses are supplied in cow-hide cases. Use with any color or black and white film. The close up lenses require an adapter ring for mounting on your camera. Shpg. wt. of each auxiliary lens approx. 6 ozs.

F-406—AUX. TELEPHOTO LENS (A) Net 9.90
 F-407—AUX. WIDE ANGLE LENS (A) Net 9.90
 F-294—CLOSE UP SET (B) Net 8.91
 F-408—VIEW FINDER FOR TELEPHOTO AND W-A LENS (C) Net 1.69
 F-410—ADAPTER RING FOR CLOSE UP SET AND FILT (D) Net 1.95
PACKAGE DEAL: One each of the auxiliary lenses, close up set adapter, and view finder. Shpg. wt., 1 1/2 lbs. Net 29.95
 F-411

NEW-BOOSTER EXPOSURE METER

6.95

WITH BOOSTER

- ASA Scale—LV5 Scale
- Stills or Movies
- Includes booster—Leather cases—neck cord

Extremely versatile—extremely simple. Highly legible direct reading dial. Speeds from 4 sec. to 1/1000 sec. Lens aperture settings from f:1 to f:32. ASA scale 6 to 800. LV5 scale 1 to 18. Cine scale 8, 16, 24 and 32 frames per second. Booster cell makes possible readings at extremely low light levels. Small-rugged-lightweight. Includes booster cell, leather cases, neck cord and instructions. Shpg. wt., 1 lb.

F-349 List 11.95




Net 6.95

FOLDING BC FLASH GUN

- FOLDS LIKE A FAN TO 4" x 2"!
- EFFICIENT B-C OPERATION

Brand new—unique—pocket size—completely folding flash unit at Lafayette's famous low-cost! Efficient 4 1/2" diameter metal reflector has pebbled finish to eliminate hot spots. B-C combination for surefire and hi voltage. Heavy milled battery case with built in test lamp—bulb ejector—extension socket. Standard shoe with pressure adjust fits accessory clips. Uses standard bayonet base flash bulbs. Novel, useful exposure guide built in on rear of case. Complete with cord for PC fitting and condenser. Shpg. wt. 1 lb.



F-209 Complete with case.


Net 3.99



Lafayette CAMERA DIVISION

**WE INVITE COMPARISON!
WE DEFY COMPETITION!!!**

ALL MERCHANDISE SOLD ON A MONEY
BACK GUARANTEE—YOU BE THE JUDGE.



ELECTRIC SLIDE VIEWER (A)
• For all size slides—from 35mm to 2 1/4 x 2 1/4.
Makes slide viewing a pleasurable Versotile built in adaptor centers all slides for correct magnification. Transparencies are brilliantly illuminated and enlarged through a fine optically ground and polished lens. Electrically operated—equipped with bulb, socket, on-off switch, 6 ft. cord and plug. All steel construction—finished in platinum grey enamel. Shpg. wt. 2 lbs.
F-26 Net 3.75

LOW COST TRIPOD (B)
• Regular \$6.95 Value
• Lightweight - Low Cost - Sturdy!
Five section sturdy brass tripod. Extends to 45" — telescope down to 12 1/2". Weighs a scant 16 oz. Chrome trimmed — head has tension adjust screws for each leg. Fits all tripod sockets. Positive lock-in action. A "must" to take the "jiggle" out of those special shots. Shpg. wt. 2 lbs.
F-214 Net 3.69

LEATHER GADGET BAG (C)
Genuine pigskin—not plastic. Full 10" x 8" x 4". Holds your camera and all accessories. 20" zipper top. Zipper pouch in lid holds filters, etc. Outside pouch with strap and buckle. All brass hardware. Loops and straps on bottom to hold tripod. Includes shoulder strap and pad. Shpg. wt., 1 lb.
F-320 List 8.95 Net 5.95

15 SECOND SELF-TIMER (D)
Fits directly in the cable release of all cameras and also has special adaptor for Leica-type release sockets. Plunger length adjustable to protect shutter mechanism. Automatically retracts after picture has been taken—permitting film advance and shutter operation without removal. May be set for 15 seconds or less.
F-25 Net 1.98

TILT-TOP (E)
Precision made—all brass—heavily chrome plated. All-angle "Tilt-Top" fits German and American Tripods and Cameras. Positive locking action at every possible angle. Inexpensive — indispensable accessory. Shpg. wt., 8 ozs.
F-160 Net 1.39

PANHEAD (F)
• Pan Tilt With A Single Marfont
Sturdy brass construction — high polished chrome finish. Camera retaining screw rotates — makes turning camera unnecessary. Weighs only 4 oz. Handle is detachable for compactness. Twist of handle locks both pan and tilt. Pans 260° tilts approx. 145°. Shpg. wt., 8 oz.
F-215 Net 1.66


RANGE FINDER (G)
Focus by superimposed image in clear brilliant finder. Diol measures from 2 feet to infinity. Has standard "foot" to fit accessory shoe on most cameras. Outside adjustment screw allows resetting for continuous accuracy. Single knob focusing. With leather case. Shpg. wt., 12 oz.
F-23 Net 2.49

35mm SLIDE FILE (H)
Portable all steel 35mm slide file. Store 150 2x2 glass slides or 300 2x2 cardboard slides. Includes index cord, and numbered strips for quick, easy identification. Metal handle and 2 snap catches. Finished in platinum grey enamel. Shpg. wt., 3 lbs.
F-161 Net 16.99

PRECISION 8mm MOVIE LENSES

FASTEST! FINEST! LOWEST PRICES!

- 1 1/2" f1.4 Telephoto
- 6.5mm f1.4 Wide Angle
- 1 1/2" f1.9 Telephoto
- 6.5mm f1.9 Wide Angle



Lafayette—and only Lafayette—has these lenses at prices never before possible! Now you can add that distant scene—those exciting close ups. Add unlimited versatility to your movie camera. The finest coated optics are used throughout—fully color corrected. Fit all 8mm cameras with standard D mount such as Kodak, Keystone, Revere, DeJur, Bolex H8, etc. Satin chrome finish. Removable lens hoods. Accept standard filters. Individual lenses complete with leather cases. Sets are packed in jewel type presentation in case. Complete with lens caps.

1 1/2" f1.4 Telephoto Fastest available lens for 8mm. Exceptional speed—extreme sharpness. Focuses 3 1/2 ft. to infinity. Click stops f1.4 to f16. 3x magnification. 5 element lens. Focusing mount. Shpg. wt., 1 lb.
F-299—List 44.95 Net 18.95

6.5mm f1.4 Wide Angle: Extreme wide angle. Covers 4x area of normal lens. Extremely fast—far poorest light conditions. Click stops f1.4 to f16.8 element retrofocus formula. Focusing mount. Shpg. wt., 1 lb.
F-300—List 49.95 Net 24.50

1 1/2" f1.9 Telephoto Fast, sharp, fully coated. Click stops f1.9 to f16. Focuses 3.5 ft. to infinity. 3x magnification. 5 element systems. Focusing mount. Shpg. wt., 1 lb.
F-302—List 38.95 Net 14.95

6.5mm f1.9 Wide Angle: Covers 4x area of normal lens. 8 element retrofocus formula. Fixed focus for universal focusing. Click stops f1.9 to f16. Shpg. wt., 1 lb.
303 List 39.95 Net 16.95

4 Matched Set: The finest available. Both f1.4 Telephoto and f1.4 Wide Angle in deluxe, jewel type, presentation case. Shpg. wt., 2 lbs.
304—List 89.95 Net 39.50


1.9 Matched Set: The "Best Buy" possible for the movie camera fan! Both f1.9 Telephoto and f1.9 Wide Angle in deluxe, jewel type presentation case. Shpg. wt., 2 lbs.
F-305—List 75.00 Net 26.95

FAMOUS "VISTAR" 2x2 VIEWER

- LARGEST PICTURE AREA OF ANY HAND VIEWER
- SEMI-AUTOMATIC SLIDE CARRIER
- 9X AREA MAGNIFICATION

The finest slide viewer available. Distortion free, oversize lenses give brilliant, uniform coverage. Largest picture area of any hand viewer for easy group viewing. Push button focusing, finger tip control. Semi-automatic slide carrier automatically activates light. Built-in tripod socket for table top use. Shpg. wt., 1 lb.

F-352 Net 7.95
"SWIVAL" Tripod — Adopts "Vistar" for table viewing. Shpg. wt., 6 ozs.
F-353 Net 1.58



REGULARLY
19.95

SALE PRICE
9.49

ELEVATOR TRIPOD

- Folds to 16" including Panhead!
- Extends to 47" PLUS 7" Elevator!
- Tri-Tilt head — Moves in 3 planes!

For any small camera — 35mm — reflex — or movie. Professional quality for professional results. Strong — steady — lightweight. Pencil slim, chrome plated, brass legs. Lock securely in place — fold down readily. Single action tilt-pan — and swing over for taking pictures in vertical or horizontal format. Geared elevator centerpost with positive lock and folding crank. Weighs only 31 ozs. All the most wanted features in one tripod. Shpg. wt., 2 1/2 lbs.
F-339 List 19.95 Net 9.49

30x, 60mm SPOTTING SCOPE

- Binocular Type Focus
- Complete With Leather Case

A prismatic telescope using the same fine features as expensive binoculars! Field of view is 85 feet at 1000 yds.! Both front and rear optics are coated. High relative brilliance due to great 60mm objective lens. Exceptionally small and light — weighs only 1 1/2 lbs. including metal tripod! The perfect companion for shooting — hunting — viewing — naturalists — and hobbyists. Comes equipped with 1 1/2" tripod and mount and zippered leather carrying case for both scope and tripod. Shpg. wt., 2 1/2 lbs.
F-149 Net 17.95



17.95

Lafayette's DIRECT IMPORTS

Make These Prices Possible

79⁵⁰

THE NEW Professionally Designed and Produced

2.4" EQUATORIAL REFRACTOR

Polaris


- 800-mm. Focal Length
- 62-mm. Objective
- Micromotion adjustments on both axes
- Coated optics throughout
- Equatorial mount

160x—88x—40x—22x with eyepieces included 200x* by use of optional eyepiece

Latest in a long line of Lafayette refractors at reasonable prices. The unusual value of the Polaris is recognizable in the following specifications. Objective: Fraunhofer-type achromat, hard coated, 62.5 mm., 800-mm. focal length. Collects about 75 times as much light as the naked eye, resolving power 2 seconds, faintest discernible star 10.7 magnitude. All eyepieces are hard-coated Huygenians. Eyepieces included: 160x (5-mm.), 88x (9-mm.), 40x (20-mm.), 22x (35-mm.).

Finder scope is 6x, 30 mm. Equatorial mount with slow-motion controls in right ascension and declination. Tripod head with latitude adjustment. Clamp lever for declination and inclination. Accessories include sunglass, star diagonal, erecting prism, sun projection screen, field tripod, and wooden case. Magnifications of 160x, 88x, and 40x. Rack-and-pinion focusing. Heavy plating used throughout to prevent rusting. Shipping wt. 30 lbs.

F342 Shpg. wt., 30 lbs. Shipped Via Express Only Net 79.50
F391 *200x obtainable by use of optional 4-mm Orthoscopic Eyepiece Net 8.95



Only
7.95
Down



Meteor 3 1/4" REFLECTOR

- Extremely compact
- 84x, 38x
- Professionally designed
- 760-mm Focal length

An extremely fine, compact, professionally designed and produced 3 1/4" reflector. Primary mirror is aluminized and quartz overlaid. Secondary mirror is also an extremely bright, aluminized, first-surface element. Exceptionally low light loss due to high reflectivity and care in adjustment of secondary mirror. Highly achromatic system. Resolving power 1.4 seconds. Faintest discernible star 11.4 magnitude. Finder scope 4x. Eyepieces are a 20-mm. coated Ramsden and a 9-mm. coated Huygenian-Mittenzwey. All-metal construction. Body tube white enameled. Altazimuth fork-type mount with clamps in both axes. 17" metal table tripod. Mount may be removed for use with field tripod. Shipping wt. 15 lbs.

39⁹⁵
Only
3.95
Down



F-336Shipped Via Express Only Net 39.95

ACCESSORY EYEPIECES

- Highly Corrected
- Hard Coated
- 24.5 mm O.D.
- Finest Quality



Manufactured to extremely close tolerances by one of world's leading manufacturers of optical accessories. These oculars allow you to obtain maximum performance from your refractor or reflector. You can determine the magnification possible by dividing the focal length of the eyepiece into the focal length of the telescope objective lens. All are hard coated. The 24.5 mm O.D., (.97") fits most telescopes currently available.

Stock #	Description	Net, ea.	Stock #	Description	Net, ea.
F-391	4mm Orthoscopic	8.95	F-396	26-32 mm Combination	
F-392	6mm Huygenian-Mittenzwey	5.45		Kellner-Achromatic Huygenion	5.45
F-393	9mm Huygenion-Mittenzwey	5.45	F-397	22 mm Kellner	7.95
F-394	12.5 mm Huygenion-Mittenzwey	5.45	F-398	Sunglass—for above oculars	1.25
F-395	20 mm Huygens	5.75	F-399	Moonglass—for above oculars	1.25

Planetoid

2.4" ALTAZIMUTH

REFRACTOR

59⁵⁰

200x* by use of optional eyepiece
132x—88x—64x—40x
with eyepieces included

- 800-mm. Focal Length
- 2.4" Objective Lens
- Slow-motion controls

All-new 1958 version of Lafayette's famous 2.4" refracting telescope. A fine instrument for the amateur astronomer. Fully coated and corrected for coma and for spherical and chromatic aberration. Fork-type altazimuth mount has slow-motion controls for both altitude and azimuth. Focusing by means of draw-

tube, rack-and-pinion drive with coaxial knobs. Body tube of white enameled duraluminum. Moving parts of heavily chrome-plated brass. Includes 5x 20-mm. focusing view finder with etched crosshairs. 4 coated eyepieces: 6 mm., 9 mm., 12.5 mm., 20 mm. Sunglass, erecting prism, star diagonal, wooden cabinet, tripod with chain brace. Objective lens 62 mm., focal length 800 mm. Shipping wt. 25 lbs.

F-329Shipped Via Express Only Net 59.50
F391 *4-mm Orthoscopic Eyepiece for 200x Net 8.95



Only 5.95
Down

Explorer

SATELLITE TELESCOPE

49⁵⁰

Professionally designed and produced — not a collection of "surplus" parts and lenses. The achromatic objective is a hard-coated Fraunhofer type with a clear aperture of 50 mm., focal length 185 mm. The eyepiece is a 6-element, coated Erfle type, focal length 30 mm., apparent field of view 68°. Magnification is 6.2x, exit pupil 8 mm., real field of view 11°. The eyepiece has a 1-mm. wire in its field. All bearings of brass and stainless steel. Altitude scale reads 0-90-0 in 5° increments. First-surface, aluminized mirror, 95 mm. x 50 mm., set at 45° to the axis. May be used as fine rich-field telescope — a wide-field finder scope — a 6x telephoto lens — 9x to 70x astronomical telescope by use of 2x Barlow lens and 6-mm., 9-12.5-mm., or 20-mm. eyepieces. Over-all size 8 1/2" x 14 7/8". Shpg. wt. 6 lbs.

Only 4.95
Down



F-330 Net 4.95
F-331 2x Barlow lens for use with above. Shpg. wt. 2 lbs. Net 1.25

USE THE LAFAYETTE EASY PAYMENT PLAN — ONLY 10% DOWN

LAFAYETTE INSTRUMENT DIVISION For research equipment


Galactic 3" Equatorial Refractor

- 910mm FOCAL LENGTH ● 76.2mm CLEAR APERTURE ● MICROMOTION CONTROLS FOR DECLINATION AND RIGHT ASCENSION ● RESOLVING POWER 1.6

Truly superior quality—advanced design—optically and mechanically suitable for serious research. The objective lens is a 79mm, hard coated, air spaced Fraunhofer achromat with a clear aperture of 76.2mm (3"). Focal length 910 mm, focal ratio f/12, resolving power 1.6". Seven coated eyepieces provide magnifications of 227X, 152X, 101X, 73X, 45X, 35X plus 25X through the viewfinder. Focusing by means of micro-precise rack and pinion drive. The viewfinder scope has a 42mm (1.6 in. clear aperture) objective—500mm focal length—rack and pinion focusing—and will accommodate various eyepieces. The equatorial mount is oversized—insuring stability and smooth action. Finely calibrated hour and declination circles for rapid finding and setting. Micro-motion and rapid motion controls are provided for both declination and right ascension. Micro-motion controls are fitted with flexible shafts and oversized knobs for ease of positioning while viewing. Body tube of white enameled aluminum for maximum strength with minimum weight. Accessories include three sunglasses, moonglass, two star diagonals, sun diagonal, erecting prism, sun projecting screen, extendible field tripod, chain brace, accessory shelf and wooden cabinet. Shpg. wt., 60 lbs. VIA EXPRESS ONLY.

F-384


Net 189.00



189⁰⁰



295⁰⁰



Arcturus 3" Equatorial Refractor

- ULTRA PRECISE HELICOID FOCUSING ● 76.2mm CLEAR APERTURE ● 7 COATED EYEPIECES ● MOST ADVANCED EQUATORIAL MOUNT

The finest 3" refractor—true research quality—within the price range of the serious amateur. Incorporating a 79mm hard coated, air-spaced Fraunhofer achromat of 910mm focal length with a full 3 inch clear aperture, focal ratio of f/12 and resolving power of 1.6". Seven coated eyepieces provide magnifications of 227X, 152X, 101X, 73X, 45X, 35X, 18X and 25X through the viewfinder. Helicoid focusing—the finest available—by means of a massive wheel and ultra-fine helical gear. Finder scope, with rack and pinion focusing, features a 1.6 inch clear aperture objective of 500mm focal length. Equatorial mount of massive construction and advanced design. Incorporates finely calibrated hour and declination circles. Micro-motion controls with extended flexible shafts and compression locks in all axes. Accessories include three sunglasses, moonglass, sun diagonal, two star diagonals, sun projection screen, erecting prism, heavy extendible field tripod, brace, accessory shelf, separate wooden cases for telescope and mount. Shpg. wt., 100 lbs. VIA EXPRESS ONLY.

F-385

Net 295.00

1200X "RESEARCHER"



44.50

- MAGNIFICATION RANGE 25X — 1200X
- 4 OBJECTIVES, 4 EYEPIECES,
- FULL RANGE FINE FOCUS ADJUSTMENT
- FULLY CONTROLLED, INTEGRAL MECHANICAL MOVEABLE STAGE

This superb instrument closely parallels the "Society" grade microscope in every desirable detail and yet is available at very low cost. Provides heavy, stable horseshoe base, smooth acting joint, enabling the body to turn through 60°, perfectly balanced at any angle. Tube length is 140 mm. Four Huyghens eyepieces and four achromatic objectives yield 16 combinations of power from 25X to 1200X. By means of two knurled micro-motion screws at the rear of the stage, it is possible for the operator to move the stage (and the slide) a distance of 3/16"-1/4" in any direction, while looking through the eyepiece. Hardware is of the finest quality. Tubes are of the highest grade chrome-plated brass. All fittings are expertly machined and threaded, making this scope suitable for the most exacting work. Scope comes with a set of 5 basic dissecting instruments, made of high-grade instrument steel. 10 slides, a pack of cover slips and a tube of mounting fluid. Includes dovetailed wooden carrying case. Shipping wt., 10 lbs.

F-369

Net 44.50



SPITZ JR. Planetarium

- New 1959 Model
- Brings outer space indoors
- Projects—Traces Satellites
- Scientific—Accurate—Educational



13.95

A real planetarium—with the features and accuracy of professional models. Displays over 60 constellations as seen from any geographical location in the Northern Hemisphere, at any month of the year. New Saturn and Satellite projectors trace the path of Saturn and Sputnik across your "private sky." New constellation projector with set of 12 slides projects the mythical constellation figures over stars projected by the planetarium. New solar and lunar eclipse projector simulates 6 types of eclipses. Additional rheostat control provides greater contrast. Pointer and projection unit operate from planetarium current. 32-page instruction booklet with charts and illustrations for easy location and identification of stars, planets, and satellites. For 110V. A.C. only. Shpg. wt., 4 lbs. F-418 List 20.00 Net 13.95

Portable Planetarium: New battery-operated version of Spitz Jr. Planetarium. Complete with flashlight pointer, batteries, and instructions. Shpg. wt., 3 lbs. F-419 List 10.00 Net 6.95


Projection Spheres: For use with F-418 Planetarium. F-420 projects stars as seen from the Southern Hemisphere; F-421 projects the mythical figures of the constellations. Attaches easily to F-418 Spitz Jr. Planetarium. Net 3.60

F-420 Shpg. wt., 1 lb. Net 3.60

F-421 Shpg. wt., 1 lb. Net 3.60

MECHANICAL MICROSCOPE STAGE

- LOCATES ANY SPOT ON A SLIDE, "ON THE NOSE"
- SMOOTH ACTION—HORIZONTAL AND VERTICAL
- FOOL PROOF CO-ORDINATE SYSTEM



19.95

Locates any spot on a microscope slide with perfect assurance of exact duplication, by reading the coordinates of the horizontal and vertical scales. The horizontal scale is engraved from 40 to 100 mm; with Vernier. Vertical scale is engraved from 0 to 40 mm, with similar Vernier. No error is possible when recording the co-ordinates for location engraved from 0 to 40 mm, with similar Vernier. No error is possible when recording the co-ordinates for location engraved from 0 to 40 mm, with similar Vernier. The stage has a spring clip that automatically fits the slide into the proper position on the stage.



Has the smoothest vertical rack and pinion movement and horizontal worm gear movement. It is made of highest grade machined brass.

The mechanical stage will screw onto any "Society" size microscope stage. Other sized microscopes may require slight machining to take 2 positioning pins and one locking screw. Comes in plush-lined wooden case. Shpg. wt., 1 lb.

Net 19.95

F-362

OCULAR MICROMETER RETICLES



Convert your microscope into a precise, "quantitative" measuring instrument.

Use these reticles to measure with extreme accuracy the length of, or the area occupied by, the smallest micro-sized specimens.

Excellent for measuring dispersion and distribution of microscopic life in their media.

Reticles mount in the ocular of the microscope; yield perfectly clear field.

Made of the finest type of engraving on optically

flat glass discs which may be easily cleaned before installation.

Each disc comes in a plastic case.

Reticle Diam.—19mm.

F-363—10mm—100 divisions Linear Scale Net 1.95

F-364—5mm—100 divisions Linear Scale Net 1.95

F-365—10x10mm—400 squares—0.25mm² Min. Net 1.95


F-366—5x5mm—100 squares—0.25mm² Min. Net 1.95

Lafayette IMPORTED MICROSCOPES

Tested and selected for consistent quality



NEW! 30X-50X "STEREO-SCOPE"



- STEREOSCOPIC Binocular Dissecting Microscope
- Wide Field 3-Dimension View • Two Models to Choose from

SEMI-PRO "STEREO-SCOPE": An especially engineered instrument featuring the stereopsis and wide view field needed in biology — petrology — archeology — mineralogy — criminology — industry — agriculture — etc. Indispensable for inspection of large specimens — small parts — surface features of gross objects — dissection — etc. Fixed objective lenses and interchangeable eyepieces for a choice of either 30X or 50X. Prismatic binocular head with full interpupillary adjustment. Ground glass stage 3-3/16" x 3-5/16". Oversize modified horseshoe base. Rack and pinion focusing. Automatic stop prevents over rise. Overall height 9 1/2". Complete with fitted wooden carrying case. Shpg. wt., 6 lbs.

F-337 Net 21.50

STUDENT "STEREO-SCOPE": A 30X stereoscopic binocular microscope—designed primarily for the student and serious hobbyist. Includes most of the features of our "Semi-Pro" model shown on this page. Fixed objective lenses and non-interchangeable eyepieces. All optics are achromatic. Ground glass stage measures 2 7/8" x 2-13/16". Overall height 7 3/4". Complete with fitted wooden carrying case.

F-335 Net 17.95



21.50 NET

100X-200X-300X
At a Microscopic Price

3.95

3 LENS
TURRET
MICROSCOPE



We made a deal with a bio importer. He needed cash—Fast! So he came straight to big-buying Lafayette—made us a hard-to-believe offer—and we closed the deal then and there! You got the lowest prices ever on a truly fine instrument—precision built for accuracy and long lasting service. Triple position turret holds 3 achromatic color-corrected objectives for magnification of 100X, 200X and 300X power! Heavy base and stand—inclines through 90°. Dual knob focusing by rack and pinion. Adjustable plano sub-stage mirror. High-grade microoptics used throughout! Complete with fitted wooden carrying case and slides. Shpg. Wt. 4 1/2 lbs.

F-10 NET 3.95

PREPARED MICROSCOPE SLIDES



AS LOW AS
89¢
PER SET

- SPECIALLY SELECTED MICRO-SUBJECTS.
- ADD TO THE ENJOYMENT OF YOUR MICROSCOPE.
- PROFESSIONALLY PREPARED.

Specially selected slides of universal interest. Carefully prepared—cleaned, dissected, embalmed, stained, mounted and covered. Slides are professional size. Set includes 12 prepared slides and slotted, covered box for filling and storing.

- F-123—Parts of Insects Net 1.39
 - F-124—Spiders and Disease Carriers Net 1.39
 - F-125—Tiny Creatures found around House Net 1.39
 - F-126—Sea Life Net 1.39
 - F-128—Structure of Blood Net 1.15
 - F-130—Life cycle of Insects Net 1.39
 - F-131—Bacteria Net 1.79
 - F-132—Pond, Marsh and Sea Life, Plankton Net 1.59
 - F-134—Micro-Animals Net 1.29
 - F-135—Micro-Organisms Net 1.29
 - *F-136—Substance of Cells Net .89
- *—Set of 6 slides

NEW! 500X "MICRO-MECH" MICROSCOPE

Tested and selected for consistent quality

- BUILT IN MECHANICAL STAGE!
- 100X—200X—300X—500X
- QUADRUPLE REVOLVING TURRET

The latest in microscopes for the student—hobbyist—or budding scientist. Featuring a built-in, micro-drive, mechanical stage. Simplifies the positioning of slide under view. Permits the micro movement necessary to properly examine micro subjects. Simplifies use—promotes learning through ease of operation. Quadruple turret holds four achromatic objective lenses giving magnifications of 100X, 200X, 300X, and 500X. Dual knob, rack and pinion focus. Adjustable substage mirror. Complete with wooden carrying case and slides. Shpg. wt., 4 1/2 lbs.

F-357 Net 5.95




PORTABLE 70X MICROSCOPE

"A real gem—very well made—very valuable for mineralogists, etc."
V. R. Rawson, Chairman Science Dept., White Plains High School.

- Pocket Size for Field or Lab. • Ideal for Mineralogy—Entomology—Metallurgy.
- Achromatic Lenses.

One of finest precision optical imports Lafayette has ever offered. Unparalleled for "rock-hound", prospectors, industrial coin and stamp collectors, students and hobbyists. Indispensable for examination of gross and opaque subjects. Highly polished—finely machined chromium plated brass tubes, mount and tripod legs. Sliding draw tube permits focusing on objects from flat surface to 1 3/4" high. Ideal for inspecting large specimens—small parts—surfaces of large places—that no standard microscope can accommodate. Size collapsed is only 4 3/4"—fully extended 8 1/2" less tripod. Includes soft leather zipper case and tripod legs. Weighs only 8 ozs. and measures 4 1/2" x 1 1/4" overall in case. Perfect portability. You must be 100% satisfied—or your money back! Shpg. Wt. 1 lb.



F-37 Net 5.95

NEW! PORTABLE "MICRO-LITE"

- POINT SOURCE ILLUMINATION
- BATTERY OPERATED • OMNI-DIRECTIONAL ARM

Newly designed microscope illuminator. Provides for reflected or direct light on subject. May be used with opaque or transparent specimens. Provides often needed oblique light. Arm elevates light a total of 4 1/2"; sufficient for use above or below stage. Ball joint and swivel action—locks in any position. Compact—steady base 2 3/4" x 3 3/4". Battery operated for complete portability. Uses 2 "pen-light" cells. Shpg. wt., 1/2 lb.



F-375 (less Batteries) Net 1.29
TYPE "Z" batteries (2 required) Each .08

LAFAYETTE'S MICROSCOPES ARE AVAILABLE ON LAFAYETTE'S EASY PAYMENT PLAN

Microscopes and Accessories



900X "MICROBE HUNTER"



ONLY
34.50

- The only Microscope in its class featuring GRADE A optics!
- Power Range 25X, 50X, 75X, 100X, 150X, 200X, 300X, 400X, 600X, 900X
- Full Range Fine Adjustment
- Safety Stop on Coarse Adjustment

Made to rigid design specifications—has wide usage in schools, laboratories and law enforcement agencies. All of the most needed features for diversified micro-studies. Power range from 25X to 900X in 12 possible combinations. Gearing rack and pinion coarse focusing. Micro-motion fine focusing—12 complete revolutions. 36mm (plano/concave) mirror. Fixed square stage, 70mm x 80mm. Rotating 5-hole, disc diaphragm. Three Huygenian eyepieces of 5X, 10X and 15X. Four achromatic objectives of 5X, 10X, 40X and 60X. Oversize base insures stability. Shpg. wt., 8 lbs.

F-338—List 69.95

Net **34.50**

NEW! 800X "MICRO-SEARCH" Laboratory Standard Microscope

24.50



- RECENTLY DEVELOPED DESIGN
- INFINITE MICRO-METRIC SLOW MOTION ADJUST
- HUYGENIAN EYEPIECES — ACHROMATIC OBJECTIVES
- 100X-160X-200X-320X 500X-800X

A truly fine dry system microscope, suitable for a wide range of laboratory-professional-and college use. Monocular tube of most recent, one-piece, design. Spiral rack and pinion focusing mechanism. Coaxial, dual knob, coarse adjustment. Infinite micro-metric, fine adjustment. "T" shaped, dove tailed, slide, of improved design—automatic stop prevents over-rise. Square stage, 70mm x 75mm, with click stop, substage, diaphragm. 30mm plano-concave reflex mirror. Paired, Huygenian eyepieces of 10X and 16X. Three achromatic objectives of 10X, 20X and 50X. Refined, horseshoe design, base. Overall height 10". Gray satin finish, chrome trimmed. Dove tailed, fitted cabinet of selected oak with rubber bumper feet and carrying handle. Shpg. wt., 7 lbs.

Net **24.50**

NEW! 600X "BI-OCULAR" MICROSCOPE

8.95



- NEW—TWIN LENS "BI-OCULAR" TURRETI
- BUILT-IN SUB-STAGE MICRO-LITE
- 600X—400X—300X—200X—120X—80X!
- ONLY AT LAFAYETTE!

The latest advance in Micro-Optic design. Free swinging, twin-lens, Bi-Ocular turret permits instant variation of magnification without disturbing subject set-up. Triple objective click-stop turret in concert with 10X and 15X "Bi-Oculars" give six ranges of magnifications. You can swing instantly from 80X to 120X—or 200X to 300X—or 400X to 600X without resetting subject or microscope. "Micro-Lite", with automatic on-off switch, gives brilliant, color corrected, field of view. Dual knob, rack and pinion focusing, 8 1/2" high, overall. All optics are achromatic. Ocular lenses are Huygenian type. Includes sub-stage mirror for viewing by reflected light, 90° inclination joint. Includes dovetailed wooden carrying case and sample slides. Shpg. wt., 3 lbs. Less batteries.

F-334

Net **8.95**

NEW! 800X "BI-OCULAR" MICROSCOPE



- TWIN OCULAR TURRET
- TRI-SELECTOR OBJECTIVE TURRET
- 150X TO 800X IN 6 RANGES


Most recent development in microscope design. Completely new concept in ocular and sign. 90° swing over of the 15X objective array. 90° swing over of the 15X and 20X eyepieces—permits instantaneous power variation without fumbling for replacement eyepieces. Three (10X — 20X — 40X) objectives mount on a heavy foot proof, in-able eyepieces. Lock into place by means of positive detent action. You can switch instantly from 150X to 200X, 300X to 400X or micro- to 800X — without resetting subject or microscope. Dual knob rack and pinion focusing—scope. Dual knob turret. Achromatic optics—Power indicator on turret. Click-stop, disc type Huygenian eyepieces. Click-stop, disc type substage diaphragm for control of light. Dual surface (plano-concave) substage mirror, 90° inclination joint. Includes wooden carrying case and sample slides. Shpg. wt., 6 lbs.

F-377

Net **13.95**

MECHANICAL SLIDE HOLDER

- CENTERS SUBJECT MECHANICALLY



An ingenious, inexpensive device to aid in centering—positioning—and shifting slide mounted subjects. Made to work with our F-10, F-334, & F-377 microscopes—or others having no larger stages. Made entirely of plated brass. Will accommodate slides up to 1 1/2". An indispensable accessory for the careful study of mounted micro-subjects.

F-122

Net **1.50**

LAFAYETTE MICRO-LITE

- USE WITH ANY MICROSCOPE
- FURNISHES BRIGHT, EVEN LIGHT



2.95

Specially designed for microscope illumination. Provides a bright, evenly lighted field of view. Controlled intensity, by means of focusable condenser lens. Lamp may be raised or lowered to any desired height on its 4 1/2" stanchion. Inclination and elevation joint permit swinging through 360° in both horizontal and vertical plane. Fully adjustable for transparent or opaque specimens, direct or indirect illumination. Invaluable where ambient light is necessary. Operate on 110-115 volt AC/DC. Lamp is easily replaced. It contains switch, cord and plug. Lamp body is 3 1/2" long, stand is 5 1/2" high including base. Shpg. wt., 1 lb.

F-268

Net **2.95**



HUNTING WITH THE MICROSCOPE

NEW EDITION

Guide for beginners and advanced users of microscopes. How the microscope works. How to prepare and study cultures—set up a microscopic zoo and garden—grow micro organisms—perform micro surgery. Profusely illustrated with photographs and drawings. 14 chapters of easy-to-read, highly informative text.

BK-1440

136 PAGES 5 1/2" x 8"

Net **.89**

Selected Feature Values

TINY 6-TRANSISTOR RADIO PLENTY OF POWER IN THIS SMALL PACKAGE!!



- 6 ULTRA-MODERN TRANSISTORS PLUS GERMANIUM DIODE
- PUSH-PULL AUDIO OUTPUT FOR FAITHFUL TONE QUALITY
- EARPHONE JACK—BUILT IN—FOR PRIVATE LISTENING
- FULL TONE DYNAMIC SPEAKER
- BUILT-IN FERRITE BAR ANTENNA
- TROUBLE-FREE PRINTED CIRCUIT
- SUPERHETERODYNE CIRCUIT
- HIGHLY STYLED PLASTIC CASE
- ECONOMICAL—USES ONLY ONE BATTERY

REGULAR
~~\$48.50~~
\$26⁹⁵
INCLUDING EARPHONE
BATTERY AND
CARRYING CASE

True superhet circuit with push-pull audio output powers either the built-in dynamic speaker or the personal-type earphone. The trouble-free printed circuit utilizes six ultramodern transistors plus germanium diode. Built-in ferrite-rod antenna brings in distant stations like locals. Single long-life 9 volt battery for economical service. Uses standard Burgess 2U6 or RCA VS 312 replacements.

Housed in smartly designed black and white case of durable plastic with gold-toned speaker grille. Soft leather carrying case with attached earphone pouch. "On-off-volume" control plus stylized tuning dial. Coverage 530-1600 kc. Just 4 1/4" high x 2 3/4" w x 1 1/4" thick and weighing a mere 12 ounces — a true purse/pocket portable. Lafayette "Tiny" 6-Transistor Radio — including battery, carrying case, and earphone for personal listening . . . all at an unbelievably low price!

FS-112 "Tiny" 6-Transistor radio

Net 26.95

IMPORTED BINOCULARS

Each of these extremely precise optical instruments has a coated lens — clamped in (not just glued) prisms — lightweight alloy all-metal body — weatherproof, tear-proof outer covering. Made to our own rigid specifications. Lafayette's famous money-back guarantee applies as always! Focus: Either central focus (C.F.) by means of a single wheel and one adjustable eyepiece, or individual focus (I.F.) wherein both eye pieces are separately adjustable. Power: Its number of times image is magnified. For example, 7X(7 power) means the object will appear 7 times larger (or closer). Second number used (i.e., "50" in 7 X 50) is the diameter, in millimeters, of the objective lens.

Coated Lenses — tend to reduce reflection and pass up to 50% more light than uncoated lenses. *W.A. — Wide-Angle, 10.1° at 1000 yards. † L.W. — Extra light weight.

STOCK NO.	TYPE	SHPG. WT.,	NET EACH
F-182	6 X 15 I.F.	2 lbs.	10.75
F-183	7 X 35 C.F.	3 lbs.	19.95
F-184*	7 X 35 C.F.W.A.	3 1/2 lbs.	27.50
F-164	7 X 50 C.F.	3 1/2 lbs.	22.50
F-118†	16 X 50 C.F.L.W.	3 1/2 lbs.	29.50
F-185	20 X 50 C.F.	4 1/2 lbs.	32.50


Add 10% Fed. Tax to Above.



NOVATRON

In no sense of the word a toy or gadget. This machine is a scientific instrument capable of producing 75,000 volts — makes sparks up to 2" long — yet it is absolutely safe because the current is infinitesimal. The science teacher — science lover — or hobbyist can perform experiments to astound students — friends — family. Makes smoke disappear — defy gravity — turns propellers at a distance — transforms atomic energy into light — makes artificial lightning — smashes atoms — demonstrates ionc space ship drive — and many other experiments. Constructed of the finest materials. Will do exactly — for instruction purposes — what generators that cost 3 to 10 times more will do. The perfect device to teach the secrets of atomic physics and electricity. Will hold an audience spellbound as it performs trick after amazing trick. Includes an experiment kit and illustrated experiment manual. Manual explains the "how" and "why". You will invent many new experiments of your own. A fine research tool that will give years of beneficial service to the institution or individual who owns one.

F-325 Assembled — Shpg. wt., 4 lbs. Net 14.95
F-415 — Battery operated — Shpg. wt., 3 lbs. Net 7.95



- MINIATURE ATOM SMASHER
- PRODUCES 75,000 VOLTS
- ABSOLUTELY SAFE

14.95

FORM 3547 REQUESTED

NC-9-56

WALTER BUKOVINSKY
2465 DORCHESTER RD.
UNION N J

LAFAYETTE
RADIO
165-08 LIBERTY AVENUE,
JAMAICA 33, N. Y.

BULK RATE
U. S. POSTAGE
PAID
New York, N. Y.
Permit No. 8486

Lafayette Radio

165-08 LIBERTY AVE.
JAMAICA 33, N. Y.

BULK RATE
U. S. POSTAGE
PAID
New York, N. Y.
Permit No. 8486

NEWARK
24 CENTRAL AVE.
NEWARK 2, N. J.
open WEDNESDAY
11:00 P.M.

NEW YORK
100 SIXTH AVE.
NEW YORK 13, N. Y.
open THURSDAY
11:00 P.M.

Lafayette's
GREAT NEW MAIL
SHIPMENT CENTER



JAMAICA
165-08 LIBERTY AVE.
JAMAICA 33, N. Y.
open TODAY 10:00 P.M.

BOSTON
110 FEDERAL STREET
BOSTON 10, MASS.
open MONDAY
11:00 P.M.

PLAINFIELD
139 W. SECOND STREET
PLAINFIELD, N. J.
open THURSDAY
11:00 P.M.

BRONX
542 E. FORDHAM RD.
BRONX 58, N. Y.
open THURSDAY
11:00 P.M.

*all
the
famous
names in
radio to
electronics
hi-fi
optics
etc.*

8-53
WALTER BUKOVINSKY
2463 DORCHESTER RD.
UNION N J
NC-9-56

LAFAYETTE Proudly Presents...

THESE OUTSTANDING MONEY-SAVING HIGH FIDELITY COMPONENTS

NEW!

IN KIT
OR WIRED FORM



39.50
IN KIT
FORM

WIRED MODEL
59.50

**MASTER AUDIO CONTROL
CENTER WITH BINAURAL CHANNEL
AND DUAL VOLUME CONTROL**

The Lafayette Master Audio Control Center is not only the finest high fidelity preamplifier, characterized by unmatched features, but it has been functionally designed to keep pace with the conversion of your present hi-fi system to Binaural (Stereophonic) sound.

FOR FURTHER DETAILS SEE BACK COVER

NEW!



69.50
IN KIT FORM
WIRED MODEL
94.50

**DELUXE 70 WATT
BASIC AMPLIFIER**

The Lafayette Deluxe Basic Amplifier is a functionally designed, conservatively rated 70 watt power amplifier characterized by its ultra-stability, superior quality components and specifications found only in the finest high-fidelity instruments at a considerably greater cost.

FOR FURTHER DETAILS SEE INSIDE BACK COVER

NEW!

COMPLETELY WIRED
AND TESTED



64.50
LESS CAGE
67.50
WITH CAGE

**"MUSIC-MATE"
DELUXE FM-AM TUNER**

The Lafayette "Music-Mate" Tuner is a sensitive, selective, drift-free FM-AM tuner with all the prerequisites for inclusion in a deluxe high fidelity system. Beautifully styled and moderately priced. A matching "Music-Mate" Amplifier is also available.

FOR FURTHER DETAILS SEE INSIDE FRONT COVER

**THESE NEW LAFAYETTE HIGH FIDELITY
COMPONENTS ARE YEARS AHEAD IN DESIGN
SPECIFICATIONS AND PERFORMANCE**

These new Lafayette high-fidelity components represent an unsurpassed achievement in the audio field. In these units we not only have designed the finest hi-fi components with unmatched features, but also have succeeded in accomplishing this at our customary down-to-earth money saving prices.

Lafayette Radio

FAMOUS SINCE 1920

**FASTEST SERVICE — LARGEST STOCKS
LOWEST PRICES**