




A *David Sarnoff* PHOTOFACt PUBLICATION

David Sarnoff

CITIZENS BAND RADIO MANUAL

VOLUME 2



Complete PHOTOFACt® service data for 30 popular models . . . plus a special text section on CB equipment.

\$2.95

Cat. No. CB-2

Howard W. Sams

CITIZENS BAND RADIO MANUAL

VOLUME 2

by

The Howard W. Sams Engineering Staff



HOWARD W. SAMS & CO., INC.
THE BOBBS-MERRILL COMPANY, INC.
Indianapolis • New York

FIRST EDITION
FIRST PRINTING — MAY, 1962

CITIZENS BAND
RADIO MANUAL, VOL. 2

Copyright © 1962 by Howard W. Sams & Co., Inc., Indianapolis 6,
Indiana. Printed in the United States of America.

Reproduction or use without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein.

Library of Congress Catalog Card Number: 61-18464



PREFACE

Citizens-band radio is a rapidly growing field, not only in sales but also from the servicing standpoint. Close to 250,000 CB licenses have been issued by the FCC. Many of these licensees are buying not just one or two pieces of equipment, but enough to equip an entire fleet of cars or trucks. It doesn't take much imagination to understand why additional servicing facilities for this type of equipment are in demand and the potential opportunity awaiting the enterprising service technician.

Before the technician can service CB radio, however, he must thoroughly understand the type of equipment he will be called on to service. Further, there are certain conditions of installation and repair which must satisfy not only the customer, but the FCC as well.

The purpose of this book, the second of a series, is to provide the needed service information for several of the most popular CB units. A text section at the beginning introduces the technician to Citizens-band radio equipment. It discusses the classes of equipment used, receiver and transmitter circuits, transceivers (including transistorized types), kits, as well as other equipment such as converters, transverters, and the tone-coded squelch system. Complete PHOTOFACt schematics covering widely used CB transceivers are included to make your servicing of CB equipment faster, easier, and more profitable.

April, 1962

A handwritten signature in black ink, appearing to read "Howard W. Sams".

TABLE OF CONTENTS

Cumulative Index (Volume 1-2) 7

CB Two-Way Radio Equipment 9

Photofact Service Literature 17

- *PHOTOFAC Standard Notation Schematics*
- *Cabinet and Chassis Photographs*
- *CIRCUITRACE*
- *Alignment Instructions*
- *Equipment Specifications*
- *Parts Lists and Replacement Data*

• COVERING THESE UNITS •

Arkay SQ-9, SQ-9W	17	Morrow VP-100-4A	87
Bendix CB-6, CB-12	25	Osborne 300	95
DeWald TR-6, TR-12, TR-910	33	Poly Com PC-2-6, PC-2-12	103
Duo Com 100	41	RCA CRM-P2A-5	111
EICO 760, 761W, 762, 762W	47	Sonar E	119
Globe CB-200	53	Sonarcom CBP	127
Heath GWW-30	61	Spokesman 700	133
Johnson Viking Personal Messenger (242-101-1)	65	Utica MC-27	141
Lafayette HE-20AWX, HE-20WX	73	Vocaline JRC-400, JRC-425	149
Lafayette HE-29	87	Webster Four-Eleven	153

INDEX

This index lists all Citizens-band units appearing in
Volumes 1 and 2 of "Citizens Band Radio Manual."

Name and Model No.	Vol. No.	Page No.	Name and Model No.	Vol. No.	Page No.
APELCO			OSBORNE		
AR-9	1	13	300	2	95
ARKAY			POLY COM		
SQ-9, SQ-9W	2	17	PC-2-6, PC-2-12	2	103
BENDIX			RADSON		
CB-6, CB-12	2	25	RP-115, -612	1	89
CITI-FONE			RT-70A, -75A	1	89
CD-5/6	1	21	RAYTHEON		
CD-5/12	1	21	Ray-Tel TWR-1	1	97
DEWALD			RCA		
TR-6, TR-12, TR910	2	33	CRM-P2A-5	2	111
DUO COM			CRM-P2B-5 (M1-555528, M1-555529)	1	105
100	2	41	CRM-P3A-5	1	113
EICO			REALISTIC		
760, 761W, 762, 762W	2	47	TRC-27 (94L595)	1	121
GLOBE			REGENCY		
CB-100	1	29	CB-27	1	129
CB-200	2	53	CBM-27-6, CBM-27-12	1	129
X-90 (Pocketphone)	1	37	SONAR		
GONSET			E	2	119
G-11-3303, -3304, -3305	1	43	SONARCOM		
G-12 (3316) (3329)	1	51	CBP	2	127
HALLICRAFTERS			SPOKESMAN		
CB-1	1	59	700	2	133
HEATH			U.S.L.		
CB-1	1	67	TR-800	1	137
GWW-30	2	61	UTICA		
W-CB-1	1	67	MC-27	2	141
JOHNSON VIKING			VIKING		
Personal Messenger (242-101-1)	2	65	242-126, -127, -128, -129	1	145
LAFAYETTE			VOCALINE		
HE-15, -16, -18	1	73	ED-27-6, ED-27-12, ED-27M-6, ED-27M-12	1	153
HE-20AWX, HE-20WX	2	73	JRC-400, JRC-425	2	149
HE-29	2	81	WEBSTER		
MORROW			Four-Eleven	2	153
CB-1, -2, -3	1	81			
VP-100-4A	2	87			
5W1-6, -12, -117	1	81			
5W3-6, -12, -117	1	81			

CB TWO-WAY RADIO EQUIPMENT

Although the Citizens Radio Service was established back in 1949, it was not until the Class-D service was introduced in 1958 that it really got off the ground. Prior to this time all CB operation was confined to the ultrahigh frequencies, and what little UHF equipment was available then was rather expensive. Since the initiation of the Class-D service, however, an ever-increasing number of manufacturers are producing CB radio equipment to fill the demand imposed by the widespread popularity of this new service. At present, Class-D equipment is available in a variety of makes and models and for every conceivable operation. Moreover, to fall in line with the current "do-it-yourself" trend, much of this radio equipment is available in kit form. Because no technical knowledge is required of an applicant for a Citizens-band license, a great deal of these construction projects are performed by inexperienced persons, and quite often a kit that has been improperly assembled will find its way into the hands of the service technician, who is called on to make the necessary corrections.

CLASSES OF EQUIPMENT

Two-way radio equipment is constructed in several ways. One method is to house the transmitter and receiver in separate units. In another arrangement, both units are contained in the same housing but still operate independently. A third method of construction involves combining the transmitter and receiver. The latter design, and the one used almost entirely for Class-D Citizens-band equipment, is known as a transceiver. Here, the transmitter and receiver are on the same chassis and have some circuits other than the power supply in common. For example, the two final stages of the receiver—namely the audio amplifier and audio output—may also serve as a speech amplifier and modulator, respectively, in the transmitting mode.

Fig. 1 is a block diagram of a transceiver using this arrangement. Relay M1 is provided to route

the signal along the proper paths. When this relay is in a resting or de-energized condition, its contacts provide a signal path from the antenna to the receiver input stage as shown. After passing through the RF and IF stages the signal is fed to the detector, where the audio component is recovered from the carrier. From the detector output, the audio signal flows through the contacts of M1B to the first audio amplifier, then to the audio power amplifier, and finally through M1C to the speaker. When the microphone is keyed to transmit, relay M1 is energized and its contacts are switched to position T. Now the antenna is no longer connected to the receiver input, but instead to the transmitter output. M1B disconnects the detector output and in turn connects the microphone to the input of the first audio stage, as shown in Fig. 2. This stage serves as a speech amplifier, and the audio output now acts as a modulator. The RF power amplifier (V3) obtains its B+ from the plate circuit of the modulator, thereby causing the audio component to be superimposed on the transmitted carrier signal. The contacts of M1A provide a signal path from the output of V3 to the antenna. When the transceiver is operating in the transmit mode, the secondary of output transformer T1 is opened by M1C, thereby killing the speaker.

RECEIVERS

The receivers employed in CB equipment must be quite sensitive and also very selective. First of all, the radio signals which they must handle are relatively weak, compared with the radio signals in some of the other services. Moreover, these receivers must be selective enough to prevent adjacent-channel interference, which can be quite troublesome.

Two types of receiver circuits are employed in CB transceivers, the regenerative and the superheterodyne. There are, of course, variations within these designs.




Fig. 1. Block diagram of a typical CB Class-D transceiver.





Fig. 2. A superregenerative three-stage UHF transceiver.


Regenerative

The regenerative receiver is by far the simpler of the two. It may consist of only two or three stages, as opposed to perhaps nine or ten in the superheterodyne arrangement. The heart of the regenerative receiver is the regenerative detector. In this stage a certain amount of RF energy is fed back to the control-grid circuit with the proper phase to cause regeneration and thereby greatly increase the amplification of the signal. If the feedback process is carried too far, however, the entire detector stage will go into oscillation. A regen-

eration control regulates the amount of feedback and hence the sensitivity of the receiver. Of those transceivers with regenerative circuits, most use a more stabilized version known as the superregenerative detector. In this circuit, a quenching frequency is generated at regular intervals to prevent the stage from going into oscillation. This permits more feedback to be used and thus improves the sensitivity over that of a receiver with a straight regenerative detector. A separate quenching stage can be used, but in CB equipment the self-quenching detector is almost universal. An RF amplifier may or may not be used ahead of this stage, but



(A) In the receiving mode.



(B) In the transmitting mode.

Fig. 3. Function of the stages in the transceiver of Fig. 2.




Fig. 4. Block diagram of a superheterodyne receiver.

practically all such receivers employ two audio amplifiers beyond it. One of the inherent characteristics of the superregenerative circuit is its ability to "hang on" to radio signals. This makes the stage appear as though it employed AFC.

In some Class-B equipment, both the transmitting and receiving functions are accomplished with only three vacuum-tube stages. Fig. 3 is a block diagram showing the functions of these stages during each mode of operation. When receiving (Fig. 3A), stage 1 operates as a superregenerative detector. The audio signal at the output of this stage is fed to stages 2 and 3, which are conventional audio voltage and power amplifiers respectively. In the transmitting mode (Fig. 3B), stages 2 and 3 now serve as a speech amplifier and modulator, and stage 1 becomes a power oscillator which feeds the modulated RF directly to the antenna.

Regenerative receivers provide fair sensitivity and selectivity with a minimum of components. Hence, the cost of such equipment can be kept rather low. Because of this and the simplicity of the circuitry, regenerative receivers are employed in a great many transceiver kits.

Superheterodyne

Superheterodyne receivers are much more complex than regenerative receivers, but provide greater sensitivity and selectivity. A block diagram of a typical superheterodyne receiver is shown in Fig. 4. In addition to the eight basic stages shown here, two or three more are generally included for squelch, noise limiting, etc. The dual-conversion superheterodyne (to be discussed shortly) has even more stages.

Practically all superhet receivers employ an RF amplifier for two reasons. First of all, mixer stages generate a considerable amount of circuit noise while performing their frequency-conversion function. By using an RF amplifier ahead of this stage the incoming signal can be made strong enough to overcome most of this noise and hence provide a better signal-to-noise ratio. Secondly, an RF amplifier stage acts as a buffer, isolating the oscillator and mixer stages from the antenna and thereby preventing the local-oscillator signal from feeding through to the antenna and being radiated. Such radiation would serve no useful purpose; in fact, it would only interfere with radio and tele-





Fig. 5. Typical RF amplifier stage.

vision equipment. While any one of several tube types could be employed as an RF amplifier, pentodes are used almost entirely. Triodes generally have a much lower noise factor than pentodes but provide much less gain, and gain is the prime consideration here. Most RF amplifiers employed in CB equipment are straightforward, as you can see from Fig. 5.

Since the Class-D channels are only 10 kc apart, frequency drift must be kept to a minimum. Otherwise, adjacent-channel interference can be quite troublesome. Practically all superheterodyne receivers in Class-D operation, and for that matter in Class-A as well, are crystal controlled for greater frequency stabilization. Generally, the transmitter and receiver crystals are paired for the same channel so that both can be switched into operation at the same frequency simultaneously. Fig. 6 shows a five-channel Class-D transceiver using paired transmitter and receiver crystals.



Courtesy E. F. Johnson Co.

Fig. 6. A 5-channel Class-D transceiver with paired transmitter and receiver crystals.

Frequency conversion in CB receivers is generally accomplished in a conventional manner, either with a separate oscillator and mixer or with a single converter stage using the pentagrid configuration. Two IF amplifier stages normally follow the mixer or converter, and these two are generally of conventional design although the IF frequencies in different equipment may vary considerably. Some of the most popular IF values are 455, 1,650, 1,680, and 1,750 kc.

Detector stages may employ a vacuum tube or a semiconductor diode labeled detector or detector/AVC. AVC (automatic volume control) is used as a means of controlling the gain of a receiver so that it will vary in inverse proportion to the strength of the incoming radio signals. In other words, with AVC the gain of the receiver tends to remain the same for both strong and weak signals. The AVC voltage changes the gain by increasing or decreasing the DC grid bias of one or more stages. It is desirable that at least two stages of the receiver be controlled, usually the RF amplifier and one or more IF stages. The more stages under control, the more efficient the AVC action. Quite often delayed AVC is used, whereby the control action does not occur until the signal strength reaches a predetermined value. This permits maximum gain to be achieved on the weaker audio signals. When delayed AVC is used, a separate AVC diode is necessary. The audio detector, if employed, would prevent demodulation of the weaker signals and distort the audio signal.

Noise-limiter circuits are also used in most CB receivers. Ignition noise and other pulse-type interference is especially troublesome around the Class-D frequencies. The purpose of the noise-limiter circuit is to eliminate or at least minimize noise peaks which accompany the signal through the receiver. A number of different circuits have been developed for this purpose. Some, of course, are much more efficient than others; however, we




Fig. 7. A typical noise-limiter circuit.

will not go into their pros and cons during this discussion. The noise-limiter diode may be separate or within the same envelope as the detector/AVC diode, as shown in Fig. 7. Notice that this noise-limiter circuit can be switched into or out of the circuit. This arrangement is used in quite a few transceivers.

Some noise-limiting circuits are simpler than others—for example, the peak-limiting circuit in Fig. 8. Here, the series combination of neon bulb M1 and resistor R1 are shunted across the primary of the last IF transformer. The normal voltage developed across the primary of T1 is not sufficient to ionize the neon bulb. However, a high noise peak will “fire” this bulb and effectively short the primary of T1 for the duration of the noise pulse. Naturally no signals at all are fed to the following stages at that instant—noise or otherwise. This leaves the output signal with a series of random “holes” where noise ordinarily would have been. The length of time the signal is killed, however, is so instantaneous that it cannot be detected by the human ear.




Fig. 8. A simple noise-clipping circuit using a neon bulb.

Following the signal on through the block diagram in Fig. 4, we see that the detector output feeds the audio amplifier and in turn the output stage and speaker. The latter two stages are straightforward and require no discussion, other than to mention that a squelch circuit comprising a separate vacuum-tube stage is usually employed to disable the first audio stage while no signal is being received. This eliminates the background noise normally heard during a no-signal condition. Such noise would be quite annoying to someone—a dispatcher, for example—who had to listen to it all day. By means of a squelch circuit, the first audio stage is disabled when no signal is present, and before this stage can be unblocked, the strength of the incoming signal must be above a certain level determined by the setting of the Squelch control. The two basic systems are known as signal-operated and noise-operated squelch. In the former, the carrier must be of sufficient strength before the control action is terminated. In the latter system (noise-operated squelch), however, it is the reduction or disappearance of background noise while a signal is present that unblocks the audio stage. Signal-operated squelch

is more commonly used in Class-D Citizens-band receivers.

Dual-Conversion Superheterodyne

The dual-conversion, or double superheterodyne, resembles the superheterodyne just discussed, except that it has an additional conversion stage following the first. Generally, only the oscillator in the first conversion stage is crystal controlled. The signal at the output of this circuit is called the “high” IF, and the output of the converter stage that follows is the “low” IF. The dual-conversion circuit provides somewhat better selectivity and image rejection than the single-conversion configuration.

Single- and Multichannel Transceivers

Some CB transceivers have provision for only one crystal; hence, only one channel can be used at a time. This does not mean, however, that this is the only channel on which it can operate. Actually this equipment can be made to operate on any one of the 22 or 23 Class-D channels by merely changing crystals and possibly retuning slightly. The term “single-channel” simply means that only one channel is *readily* available for operation. In equipment designed for multichannel operation there are normally anywhere from two to six channels that can be switched into operation immediately. Generally, two crystals are employed for each channel—one each for the receiver and transmitter oscillators. Most transceivers are designed so that turning the selector knob to the desired channel automatically selects the proper transmitter and receiver crystals for that channel. Another type of multichannel CB transceiver has provision for switching the transmitter and receiver channels separately. This arrangement makes cross-channel operation possible, whereby a transceiver can transmit on one channel and receive on another. Incidentally, cross-band operation often is practiced in CB radio. Here, for example, the operator of a Class-D station can communicate with a Class-A station, provided the Class-A station is equipped with a Class-D receiver, and the Class-D station with one capable of tuning in the Class-A station. Naturally, the Class-A station must also be operating on AM.

Fixed-Tuned and Tunable

In addition to the fixed-tuned single- and multichannel receivers discussed so far, there are those which are continuously tunable, and some which are a combination of the fixed-tuned and tunable. Transceivers of the tunable variety may cover twenty two of the Class-D channels or may also include the twenty third, which was added after the original twenty two. The combination fixed-tuned/tunable transceivers employ one or more crystal-controlled channels and also have provision for continuously tuning the receiver oscillator. The transmitter oscillator, however, remains crystal controlled. Fig. 9 shows the typical oscillator circuit employed for such an arrangement. The channel selector has five positions, four of




Fig. 9. A combination fixed-tuned/tunable oscillator circuit.

which provide crystal-controlled operation on any four of the Class-D channels. In the fifth position, the oscillator becomes tunable over the entire range of Class-D frequencies by means of the circuit combination L1, C1, and C2. C1 is the tuning capacitor.

TRANSMITTERS

As mentioned previously, some CB transmitters use an RF power amplifier after the oscillator while others merely employ a power oscillator. Hence, transmitter circuitry is generally much simpler than that of receivers. In addition to the two-stage audio amplifier used in practically all applications, an oscillator of some type must be employed in order to generate the RF carrier. If this is the only RF stage, the audio will be superimposed on its signal. More often than not, however, an RF power amplifier is employed following the oscillator. Fig. 10 shows a single pentode stage which serves as both transmitter oscillator and RF power amplifier. Some transmitters in the Class-D citizens-band equipment not only have a separate oscillator and power amplifier, but also employ a buffer or frequency-doubler stage between them.

FCC Type Approval of Noncrystal-Controlled Equipment

Practically all Citizens-band transmitters are crystal controlled in order to insure frequency stability and thus legal operation. Any that are not, and this is true for much of the Class-B equipment, must have what is known as an FCC type-approval number. This number is stamped on an attached nameplate. Type approval signifies that the equipment adheres to FCC technical requirements. Before CB equipment with noncrystal-controlled transmitters can be approved by the FCC, it must pass numerous tests. Manufacturers desiring to obtain type approval for a piece of radio equipment must submit a written request to the FCC. Generally this request will not be considered unless at least 100 units are to be manufactured.

Upon approval of a request, a working model of the transceiver must be submitted to the FCC laboratory, where it will undergo a series of tests to determine its performance under various conditions, such as prolonged exposure to humidities ranging from 20% to 95% and temperatures from 0° to 125°F. Other tests include the effect on operation when the position of the equipment itself and surrounding objects is changed, and also the




Fig. 10. A combination transmitter-oscillator/final-amplifier stage.

effect of voltage variations encountered in normal usage. These tests are not always performed by the Commission itself, but by a cooperating governmental organization. Before any piece of equipment is accepted or rejected for type approval, the test results are forwarded to the FCC, which notifies the manufacturer of the results. If this unit is acceptable, all production models must duplicate it as closely as possible, and the design must not be changed without approval from the Commission. For his own satisfaction, a manufacturer may request type approval even for crystal-controlled CB equipment.

Transmitter Efficiency

One of the major factors that limit the communicating range of CB equipment is the low plate power input of the transmitter. The maximum power limits for the various classes of CB operation are set forth in the FCC regulations and cannot legally be exceeded. CB equipment which meets Class-A specifications can operate with up to 60 watts' plate power input (product of the plate voltage and current in the final RF stage of the transmitter). The technical requirements of Class-A equipment are quite rigid, however. A large percentage of this equipment operates with less than maximum power input because (1) range is not proportional to transmitter power, and (2) the savings in the cost of producing lower-powered equipment can be passed on to the purchaser. All other classes of equipment (B, C, and D) are limited to a maximum power input of 5 watts, except Class-C operation on 27.255 mc, where a power input of 30 watts is permitted. This frequency is shared with the Class-D service, where the legal power limit is 5 watts.

The amount of output power obtained from a transmitter with any given amount of input is dependent on the efficiency of the final RF stage. Generally, 50% efficiency is considered average; some transmitters approach 70%. Much of course depends on circuit design and the engineering of the equipment. A CB transmitter using the full 5-watt input power is generally capable of producing about 3 watts' RF output.

We are speaking here only of transmitter output. The amount of power actually radiated from the antenna is an entirely different matter. Here the efficiency of the antenna system must also be considered. (The system comprises the antenna itself and the transmission line, plus any coupling, matching, or loading devices connected to either end.) The inability of any one of these components to fulfill its intended function will degrade the performance of the entire two-way system. More often than not, a good antenna can compensate for losses incurred in either system.

Frequency Tolerance

The frequency tolerance for transmitter operation depends not only on the class of station, but also on the type of operation (i.e., mobile, fixed, or base) and on the plate input power of transmitter. For example, the frequency tolerance of a Class-A

fixed or base station is .001%, whereas a mobile station in the same class is allowed as much as .005% frequency tolerance, provided the plate power input does not exceed 3 watts. If it does, the legal tolerance is .001%, the same as for base and fixed stations. Class-B equipment is authorized for mobile operation only (although it can be located at fixed points), and must conform to a frequency tolerance of 0.5% if the transmitter input power is 3 watts or less, and 0.3% over 3 watts. With Class-D equipment, however, the frequency tolerance remains the same (.005%), regardless of the type of operation or the plate power input of the transmitter.

TRANSISTORIZED TRANSCEIVERS

Since initiation of the Class-D service, many transistorized CB units have been produced. Some employ transistors only in the power supply; others use them throughout. Most all-transistorized CB transceivers are of the small portable variety (Fig. 11).



Fig. 11. Example of an all-transistor Class-D transceiver.

These units operate from self-contained batteries and generally operate with an input power of approximately 2 watts or less. In fact, many operate with less than 100 milliwatts. When the power input of a transceiver is kept at or below this figure, no FCC license is required, provided such equipment is used only for communications with similar unlicensed units. Most portable Class-D transceivers employ a built-in telescopic whip an-

tenna and are designed for close-range communications.

The self-contained power supply generally consists of several batteries to provide the necessary operating power (generally 9.6 volts). These batteries may or may not be chargeable. Two major advantages of transistorized equipment are their compactness and low power consumption. Practically all transistorized equipment employs a super-heterodyne receiver, and its operation is principally the same as that of its vacuum-tube counterpart. There are, of course, the normal variations in component and voltage values that can be expected with transistors. Also, only a few of the pocket-size transceivers employ a squelch circuit.

KITS

Many CB two-way radios are available as kits, and some may be purchased either as a kit or factory wired. Most transceiver kits can be easily assembled by persons with little or no previous experience. One type of kit comprises individual components which must be properly connected together to form the completed circuit. In another type of kit, all stages are in the form of prewired subassemblies. All the builder has to do is mount and interconnect the various subchassis. The critical circuits (such as the oscillator) of practically all CB transceiver kits are wired and tuned at the factory. This is done to comply with the FCC regulations which prohibits anyone other than the holder of a second-class or higher commercial radio license from making any repairs or adjustments which could cause illegal operation.

The simplified diagrams supplied with most kits make it difficult to go wrong, although this does happen from time to time. One of the biggest pitfalls—especially among inexperienced builders—seems to be poor soldering. A joint that has too much solder is just as bad, if not worse, than one not having enough. It would be far worse for a blob of solder to run down a terminal and short B+ to ground, than to have a high-resistance (loose) connection caused by insufficient solder or heat ("cold" soldered joint). Loose connections generally cause intermittent operation, and while often difficult to track down, the loose connection rarely damages other components. A short, on the other hand, can do considerable damage.

OTHER EQUIPMENT

There are several other devices used in CB radio which are not nearly as common as the transceiver, but are still worthy of mention. One is the converter; it is primarily a "front-end," or RF tuner, capable of converting radio signals at one frequency into signals of a different frequency

which can be accepted by another type of radio equipment. Generally a converter must be used in conjunction with a standard broadcast receiver before its signals can be heard. Converters are available in a number of makes and models and are designed to cover just about any band of frequencies, including CB. Some are designed for mobile operation and are used with the regular AM car radio. Other types operate from the household power outlet and are used with, say, a table-model radio. The converter is a handy item when an extra receiver is needed or when you desire to monitor transmissions in another CB band. Also, a converter may be employed where a transmitter but no receiver is available.

Another interesting device is the transverter, which is simply a combination transmitter and converter. Here again, a standard AM broadcast receiver also is employed to make the radio signals audible. The transmitter section is generally complete in itself; only the receiver requires the support of additional stages.

Some Class-A CB equipment used in systems where a number of units are operating is provided with a coded calling system known as tone squelch. This system is designed to reject all transmissions other than those within the controlled network. Each station within this network transmits a coded tone in addition to the voice signal. This tone may be present for a few seconds (just after the mike button is depressed) or a continuous tone (made inaudible by filters) present during the entire transmission. Each receiver is equipped with a decoder circuit, and only when the correct tone is received will the transmitted message be heard. Hence, the coded tone of the master station will permit communication with all satellite units, but transmissions from other radio equipment outside the network will not be heard. Furthermore, most systems are designed so that by means of the proper coded tone, any one or all of the satellite stations within this network can be alerted. In addition, a transmission from any satellite station will unblock the entire system and permit all other stations to hear the message.

SCHEMATICS

A schematic diagram presents, at a glance, a clear picture of the transceiver and its circuits. Moreover, before you can effectively service any type of two-way radio, especially an unfamiliar one, such a diagram is essential. The following section contains schematics of current Citizens-band equipment, together with complete service data, including parts lists, tube and component layout and identification, and alignment instructions.

PHOTOFAC[®] Folder



ARKAY MODELS SQ-9, SQ-9W



MODEL SQ-9W

TRADE NAME	Arkay Models SQ-9, SQ-9W
MANUFACTURER	Arkay International, Inc., 88 - 06 Van Wyck Expressway, Jamaica 18, N. Y.
TYPE SET	AC-Battery Operated Crystal Controlled 8 Tube Citizens Band Transmitter-Receiver
POWER SUPPLY	110 - 120 Volts AC, 60 Cycles RATING 58 Watts, .58 Amp. @ 117 Volts AC
FREQ. RANGE	Any 3 of Citizens Band Channels 4 Amp. @ 12.6 Volts DC 1 thru 22

ARKAY MODELS
SQ-9, SQ-9W





ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana



The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ983

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America



1. DC voltage measurements taken with vacuum tube voltmeter; AC voltages measured with 1000 ohm per volt voltmeter.
2. Socket connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance on component values makes possible a variation of ±15% in voltage and resistance readings.
6. Volume control at maximum, no signal applied for voltage measurements.

RESISTANCE READINGS

ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	12BA6	2.4meg	0Ω	FIL	FIL	±5200Ω	±39K	220Ω		
V2	6U8A	±5200Ω	3.3meg	±39K	FIL	FIL	±10K	0Ω	0Ω	47K
V3	12BA6	2.3meg	0Ω	FIL	FIL	±3200Ω	±15K	220Ω		
V4	12AT7	±220K	400K	2200Ω	FIL	FIL	80K	80K	2.1meg	NC
V5	12AX7	480K	1.1meg	7000Ω	FIL	FIL	±122K	950K	10K	NC
V6	12AX7	±242K	47K	3300Ω	FIL	FIL	±292K	0Ω	0Ω	NC
V7	12AQ5	NC	500Ω	FIL	FIL	±600Ω	±250Ω	270K		
V8	6AU8	0Ω	47K	±18K	FIL	FIL	±0Ω	22K	±18K	±650Ω

ALL MEASUREMENTS MADE IN "RECEIVE" POSITION UNLESS OTHERWISE DESIGNATED.


— MEASURED IN "TRANSMIT" POSITION.

† MEASURED FROM OUTPUT OF M2.

NC NO CONNECTION


SEE PARTS LIST FOR ALTERNATE VALUE OR APPLICATION

DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM




NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.

ARKAY MODELS
SQ-9, SQ-9W



CHASSIS - BOTTOM VIEW



RF - IF SUBCHASSIS - BOTTOM VIEW

ALIGNMENT INSTRUCTIONS


ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

RECEIVER ALIGNMENT

SIGNAL GENERATOR COUPLING	SIGNAL GENERATOR FREQUENCY	RADIO DIAL SETTING	OUTPUT METER	ADJUST	REMARKS
High side thru .001mfd to antenna input jack. Low side to chassis.	455KC (400v Mod.)	Channel 11	Across voice coil.	A1, A2, A3, A4	Adjust for maximum output.
"	Channel 11 Freq.	Channel 11	"	A5, A6	Adjust for maximum output. If crystals are closely spaced, use center channel frequency.

TRANSMITTER ALIGNMENT

Adjust A7 to center channel frequency using a Frequency meter.
 Connect the DC probe of VTVM to pin 7 (grid) of Final. Common to Chassis. Adjust A8 for maximum deflection.
 Recheck A7.
 Adjust A9 and A10 for maximum output using a Field Strength meter.



CHASSIS—TOP VIEW

PARTS LIST AND DESCRIPTIONS

TUBES

GENERAL ELECTRIC			RAYTHEON			SYLVANIA		
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE			
V1	RF Amplifier	12BA6	V5	Squelch Amp. -AF Amp.	12AX7			
V2	Mixer-Osc.	6AU8A	V6	AF Amp. -Speech Amp.	12AX7			
V3	IF Amplifier	12BA6	V7	Rec. Output-Modulator	12AQ5			
V4	ANL-Noise Amplifier	12AT7	V8	Trans. Osc. -Final Amp.	6AU8			

ELECTROLYTIC CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	ARKAY PART No.	AEROVOX PART No.	CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	10	450		PRSI720	BR1045	QT1-6	TC72	TD-10-450	TVA-1705
C2	10	450		PRSI720	BR1045	QT1-6	TC72	TD-10-450	TVA-1705
C3A	.40	450		AFH-30		XCS-40		TVL-2764	
B	.40	450		PRSI750		QT1-14		TVA-2740	
C	.40	450							
D	.40	450							
C4	10	450		PRSI720	BR1045	QT1-6	TC72	TD-10-450	TVA-1705
C5	10	450		PRSI720	BR1045	QT1-6	TC72	TD-10-450	TVA-1705
C6	100	25		PRSI270	BFR100-25	QT1-23	TC2501	TD-100-25	TVA-1207

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA					
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.		
C7	4.7 NPO			NPO-DI 4.7	DTZ-4R7	C10V47C	CCTO-4R7	CNO-547	10TCC-V47
C8	10 NPO			NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10
C9	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C10	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C11	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C12	47 N750 10%			N750-DI 47	DTN-47	C10Q47U	CCTN-470	CN7-447	10TCU-Q47
C13	10 NPO			NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10
C14	10 NPO			NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10
C15	2 NPO			NPO-DI 2.0	DTZ-2R2	C10V2C	CCTO-2R2	CNO-522	10TCC-V22
C16	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C17	10 NPO			NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10
C18	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C19	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C20	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C21	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C22	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C23	47 N750 10%			N750-DI 47	DTN-47	C10Q47U	CCTN-470	CN7-447	10TCU-Q47
C24	47 N750 10%			N750-DI 47	DTN-47	C10Q47U	CCTN-470	CN7-447	10TCU-Q47
C25	390 μ F			1469-00039	5R5T39	CM-19B-39IJ		MS-339	
C26	.01 400V			P488N-01	D8-103	CUB48S1	4DP-1-103	GEM-411	4TM-S10
C27	390 μ F			1469-00039	5R5T39	CM-19B-39IJ		MS-339	
C28	.25 400V			P488N-25		CUB4P25	4DP-5-254	GEM-4025	4TM-P25
C29	.002 10%			DI-2000		5R5D2	CCD-202	GP220	10TCS-D20
C30	.1 400V			P488N-1	DF-104	CUB4P1	4DP-3-104	GEM-401	4TM-P10
C31	.05 400V			P488N-05	DD-503	CUB4S5	4DP-3-503	GEM-415	4TM-S5
C32	.01 400V			P488N-01	D8-103	CUB4S1	4DP-1-103	GEM-411	4TM-S10
C33	.01 400V			P488N-01	D8-103	CUB4S1	4DP-1-103	GEM-411	4TM-S10
C34	.001			BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C35	.01 400V			P488N-01	D8-103	CUB4S1	4DP-1-103	GEM-411	4TM-P10
C36	.01 400V			P488N-01	D8-103	CUB4S1	4DP-1-103	GEM-411	4TM-P10
C37	.01 400V			P488N-01	D8-103	CUB4S1	4DP-1-103	GEM-411	4TM-P10
C38	1-10				829-10				
C39	10 NPO			NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10
C40	.005			BFD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C41	10 NPO			NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10
C42	.001			BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C43	.005			BPD-005	DD-502	BYA10D6	CCD-502	B-250	5HK-D50
C44	10 NPO			NPO-DI 10	DTN-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10
C45	.001			BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C46	20-330								
C47	.1 600V			P688N-1	DF-104	CUB6P1	6DP-4-104	GEM-601	6TM-P10
C48	.001			BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C49	.001			BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C50	.05 400V		Note 1	P488N-05	DD-503	CUB4S5	4DP-3-503	GEM-415	4TM-S50

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA					
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C51	.25 400V		P488N-25					
C52	.25 400V		P488N-25					
C53	.01		BPD-01					
C54	.01		BPD-01					
C55	.01		BPD-01					

Note 1. Not used in some versions.

CONTROLS

ITEM No.	RATING	REMARKS	REPLACEMENT DATA						INSTALLATION NOTES
			ARKAY PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.		
R1A	500K		CM25966		B-60-8	A47-500K-Z	Q13-133		Volume
B	Shaft				Not Req.	R5-2			
C	Switch				Not Req.	SWE-20	U18		Power Off-On
R2A	10K				B-15	A47-10K-Z	Q13-116		Squench
B	Shaft				Not Req.	R5-2	U50		Noise Balance
R3A	500K				B-59	A47-500K-Z	Q11-133		
B	Shaft				Not Req.	FKS-1/4			

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REMARKS	REPLACEMENT DATA						ITEM No.	RATING	REMARKS
			IRC PART No.	WORKMAN TV PART No.	REMARKS						
R4	2700 Ω								R29	22K	
R5	39K								R30	62K 1W	
R6	4700 Ω								R31	10K	
R7	220 Ω								R32	470K	
R8	58K								R33	470K	
R9	2.2meg								R34	180K 1W	
R10	100K								R35	220K	
R11	3.3meg								R36	47K	
R12	39K								R37	220K	
R13	10K 1W								R38	22K	
R14	47K 1W								R39	3300 Ω	
R15	15K								R40	270K	
R16	2700 Ω								R41	500 Ω 10W	
R17	220 Ω								R42	10meg	
R18	100K								R43	22	
R19	47K								R44	270K	
R20	100K								R45	47K	
R21	1meg								R46	18K 1W	
R22	1meg								R47	22K	
R23	220K								R48	18K 1W	
R24	2200 Ω								R49	150 10W	
R25	470K								R50	250 7W	
R26	470K								R51	420 3W	
R27	470K								R52	270 Ω	
R28	100K								R53	270 Ω	

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					
ARKAY PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman TV PART No.	NOTES		

<tbl_r cells="8" ix="3" maxc

PARTS LIST AND DESCRIPTIONS (Continued)

FILTER CHOKE

ITEM No.	RATINGS			REPLACEMENT DATA				NOTES	
	CURRENT (Measured)	DC RES.	INDUCTANCE (0 CURRENT 1000 μ)	ARKAY PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
L9	.075A	250 Ω	9.5 HY		C-1709		C-TX		

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA				NOTES	
	PRI.	SEC. 1	SEC. 2	ARKAY PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T1	117V @ .58A or 12.6VCT @ 2.2A DC	130V @ .260A AC	12.6V @ 1.8A (AC Only)						

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA				NOTES	
	PRI.	SEC.	ARKAY PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T2	7500 Ω Tap @ 12.5%	3-4 Ω						

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	ARKAY PART No.	QUAM PART No.	
SPI	4"	PM	3-4 Ω		4A15	

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA				NOTES
				ARKAY PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	RADIART PART No.	
M1	Interrupter	12	115 μ		6301	G1601	6301	

POWER RECTIFIERS

ITEM No.	RATING		REPLACEMENT DATA				NOTES
	CURRENT (Measured)	ARKAY PART No.	RCA PART No.	SARKES TARZIAN PART No.			
M2	075A		IN1763	F6			
M3	075A		IN1763	F6			

FUSES

ITEM No.	TYPE	RATING	REPLACEMENT DATA					
			ARKAY PART No.		LITTELFUSE PART No.		BUSS PART No.	
			FUSE	HOLDER	FUSE	HOLDER	FUSE	HOLDER
M4	3AG	10A 32V			311010 (3AG 10A 32V)	155020	AGC 10	HKP
M5	3AG	2A 250V			312002 (3AG 2A 250V)	342001	AGC 2	HKD

SIGNAL DIODES

ITEM No.	ORIG. TYPE	REPLACEMENT DATA			NOTES
		ARKAY PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	
M6	IN64			IN64	Squelch Rect.
M7	IN64			IN64	Squelch Rect.
M8	IN64			IN64	Detector

MISCELLANEOUS

ITEM No.	PART NAME	ARKAY PART No.	NOTES
M9	Crystal		Receive
M10	Crystal		Receive
M11	Crystal		Receive
M12	Crystal		Transmit
M13	Crystal		Transmit
M14	Crystal		Transmit
M15	Switch		Channel Selector (Rotary Type)
M16	Switch		Transmit - Receive (Rotary Type)

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid) Available in Ten Colors
	8524 (Stranded) Available in Ten Colors
Power Cord	Use BELDEN No. 1765-B (6 Ft. Length)
	1725-K (7 1/2 Ft. Length)



MODEL CB-12

NOTICE

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71).

TRADE NAME	Bendix Models CB-6, CB-12
MANUFACTURER	Bendix Marine, 8211 Lankershim Blvd., North Hollywood, California
TYPE SET	AC or Battery Operated Crystal Controlled 8 Tube Citizens Band Transmitter-Receiver
POWER SUPPLY	CB-6: 110-120 Volts AC, 60 Cycles (or) 6 Volt Storage Battery CB-12: 110-120 Volts AC, 60 Cycles (or) 12 Volt Storage Battery
RATING	50 Watts, .5 Amp. @ 117 Volts AC (or) 7.6 Amp. @ 6.3 Volts DC (or) 3.8 Amp. @ 12.6 Volts DC
FREQUENCY RANGE	Any 4 of Citizens Band Channels 1 thru 22

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Use only enough generator output to provide a usable indication.
Suggested Alignment Tools:

- A1 thru A7, A9.. GENERAL CEMENT #9296, 9297
WALSCO #2546, 2547
- A8, A10..... GENERAL CEMENT #5000, 5003, 5066, 8276, 8290, 9087, 9089
WALSCO #2512, 2525, 2528
- All..... GENERAL CEMENT #5004, 5009, 8195, 8274, 8275, 8607, 8728, 8987, 8988, 8989, 9291
WALSCO #2515, 2520, 2522, 2523, 2531, 2532, 2534, 2537, 2538

RECEIVER ALIGNMENT

	SIGNAL GENERATOR COUPLING	SIGNAL GENERATOR FREQUENCY	RADIO DIAL SETTING	CONNECT VTVM	ADJUST	REMARKS
1.	High side thru .001mfd to pin 2 (grid) of Mixer. Low side to chassis.	1650KC	Not Used.	DC probe to point A. Common to chassis.	A1, A2, A3, A4, A5, A6	Adjust for maximum deflection on first peak as slug enters coil.
2.	Adjust A7 for maximum background noise.					

TRANSMITTER ADJUSTMENT

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)




	SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
1.	Connect a 52Ω dummy load to antenna jack.	Frequency meter.	A8	Adjust to frequency indicated on crystal (within 100%).
2.		Connect VTVM between point B (pin 7, V8) and chassis.	A9	Adjust for maximum deflection.
3.	Set A10 for maximum capacity.	Indicator Lamp.	A10, All	Adjust alternately for maximum lamp brightness, ending with All.

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ429R

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America






ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	6AU6	.3.6meg	0Ω	.2Ω	0Ω	1900Ω	†48K	0Ω		
V2	6U8A	†11K	1meg	†68K	.5Ω	.2Ω	†900Ω	0Ω	0Ω	100K
V3	6BJ6	3.6meg	0Ω	.2Ω	.5Ω	†430Ω	†100K	0Ω		
V4	6BA6	1.6meg	0Ω	.2Ω	.5Ω	†10K	†10K	0Ω		
V5	6AL5	2.4meg	†1.1meg	3Ω	.2Ω	1.1meg	0Ω	220K		
V6	6AV6	2.2meg	0Ω	0Ω	.2Ω	440K	3.6meg	†270K		
V7	6BQ5	NC	760K	150Ω	.5Ω	.2Ω	†580Ω	NC	†2600Ω	
V8	6CX8	+.5Ω	47K	†900Ω	0Ω	.2Ω	2700Ω	†7300Ω	†600Ω	





ALL MEASUREMENTS MADE IN "RECEIVE" POSITION UNLESS OTHERWISE DESIGNATED.

▲ MEASURED IN "TRANSMIT" POSITION.

† MEASURED FROM OUTPUT OF MI.

NC NO CONNECTION





SEE PARTS LIST FOR ALTERNATE
VALUE OR APPLICATION


DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM



ARROWS ON CONTROLS INDICATE CLOCKWISE ROTATION
(CONTROL VIEWED FROM SHAFT END)

NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND
TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COM-
ONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON
THE UNIT.

1. DC voltage measurements taken with vacuum tube voltmeter;
AC voltages measured with 1000 ohm per volt voltmeter.
2. Socket connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance of component values makes possible a
variation of +15% in voltage and resistance readings.
6. All controls at minimum, proper output load connected.

BENDIX MODELS
CB-6, CB-12





PARTS LIST AND DESCRIPTIONS

TUBES

GENERAL ELECTRIC			RAYTHEON			SYLVANIA		
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE			
V1	RF Amplifier	6AU6	V6	Det. -AVC Clamper-AF Amp. -Speech Amp.	6AV6			
V2	Mixer-Osc.	6U8A	V7	AF Output-Modulator	6BQ5			
V3	1st IF Amplifier	6BJ6	V8	Trans. Osc. -Final Amp.	6CX8			
V4	2nd IF Amplifier	6BA6						
V5	Squelch Rectifier	6ALS						

ELECTROLYTIC CAPACITORS

REPLACEMENT DATA								
ITEM No.	CAP.	VOLT.	BENDIX PART No.	AEROVOX PART No.	CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.
C1	125	200	073-018	AFH81-22		XCI-14	FPI22	TMS-1250
C2	125	200	073-019	AFH81-22		XCI-14	FPI22	TVLS-1470*
C3A	30	350	073-026	AFH2-39	B0310	XCI-24	TP227.3	TMS-1250
B [▲] 30	350					QT1-15	TMD-2385	TVL-2628
C4	50	25	073-118	PRSI265	BBR50-25	TC29	TD-50-25	TVL-1470*
C5	25	25	073-002	PRSI260	BBR25-25	QT1-11	TD-25-25	TVA-1206
						TC26		TVA-1205

* Not normally in distributor's stock. Available thru distributor or order to manufacturer.

FIXED CAPACITORS

Capacity values given in the rating column are in mfd. for Paper Capacitors, and in mmfd. for Mica and Ceramic Capacitors.

REPLACEMENT DATA									
ITEM No.	RATING		REMARKS	AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C6	100	5%		1469-0001	TCZ-100	22R5T1	CM-19B-10IJ	MCE235	MS-31
C7	110-580		#089-024						
C8	6-30 N750		#089-033						
C9	2.2	10%							
C10	10000			NPO-SI 2. 2	TCZ-2R2	C10V22C	CCTO-2R2	CNO-522	10TCC-V22
C11	10000			BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C12	20000			BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C13	82 NPO 10%			BPD-02	DD-203	BYB6S2	CCD-203	B-120	SHK-S20
C14	27 10%				DTZ-82	C10Q82C	CCTO-820	CNO-482	10TCC-Q82
C15	1 10%			DI-27	DD-270	L10027	CCD-270	GP427	10TCS-Q27
C16	10000			NPO-SI 1. 0	TCZ-1		CNO-510		10TCC-V10
C17	10000			BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C18	4.7 10%			BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C19	30 NPO 10%			BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C20	10000			BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C21	10000			BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C22	10000			BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C23	.1 200V			P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10
C24	20000			BPD-02	DD-203	BYB6S2	CCD-203	B-120	SHK-S20
C25	1000			BPD-001	DD-102	BYA10D1	CCD-102	B-210	SHK-D10

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA					
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C26	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C27	20000		BPD-02	DD-203	BYB6S2	CCD-203	B-120	SHK-S20
C28	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C29	470 10%		DI-470	DD-471	SR5T47	CCD-471	GP347	10TS-T47
C30	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C31	470 10%		DI-470	DD-471	SR5T47	CCD-471	GP347	10TS-T47
C32	2000		BPD-002	DD-202	BYA10D2	CCD-202	B-220	SHK-D20
C33	.1 200V		P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10
C34	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C35	470 10%		DI-470	DD-471	SR5T47	CCD-471	GP347	10TS-T47
C36	470 10%		DI-470	DD-471	SR5T47	CCD-471	GP347	10TS-T47
C37	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C38	1000		BPD-001	DD-102	BYA10D1	CCD-102	B-210	SHK-D10
C39	3-35					403		
C40	2.2 10%		NPO-SI 2. 2	TCZ-2R2	C10V22C	CCTO-2R2	CNO-522	10TCC-V22
C41	68 N750 10%		N750-DI 68	TCN-68	C10Q68U	CCTN-680	CN7-468	10TCU-Q88
C42	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C43	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C44	51 NPO 5%			TCZ-51	C10Q51C	CM-19B-510J	CNO-450	10TCC-Q50
C45	1000		BPD-001	DD-102	BYA10D1	CCD-102	B-210	SHK-D10
C46	68 NPO 10%		NPO-DI 88	DTZ-48	C10Q68C	CCTO-680	CNO-468	10TCC-Q88
C47	470		SI 470	D6-471	BYA10747	CCD-471	B-347	10TS-T47
C48	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	SHK-S10
C49	10000		BPD-001	DD-102	BYA10D1	CCD-102	B-102	SHK-D10
C50	1000		EF-001	MFT-1000	P288N-33	DPMS6P33	GE M-6033	2TM-P10
C51	.35 600V			DAC-27	DD16-103	HVE16S1	16DP-3-103	BL-S10
C52	10000 1500V			DAC-27	DD16-103	HVE16S1	16DP-3-103	BL-S10
C53	10000 1500V			DAC-27	DD16-103	HVE16S1	16DP-3-103	BL-S10
C54	10000 1500V			DAC-27	DD16-103	HVE16S1	16DP-3-103	BL-S10
C55	10000 1500V			DAC-27	DD16-103	HVE16S1	16DP-3-103	BL-S10
C56	.1 200V			P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201
C57	1000			EF-001	MFT-1000		CCF-102	CT280A
C58	1000			EF-001	MFT-1000		CCF-102	CT280A
C59	1000			EF-001	MFT-1000		CCF-102	CT280A
C60	1000			EF-001	MFT-1000		CCF-102	CT280A

Bendix Part Number

Note 1. Not used in some versions.

CONTROLS

ITEM No.	RATING		REPLACEMENT DATA					
			BENDIX PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.	INSTALLATION NOTES
R1A	250K	½	052-081	B-51	A47-250K-Z	Q13-130	U44	Volume
B	Shaft			Not Req.	FS-3	Not Req.		
C	Switch			KR-1	SWS-12	US-26		Power Off-On
R2A	500K	½	052-082	B-59	A47-500K-8	Q11-133	U50	Squelch
B	Shaft			Not Req.	FS-3	Not Req.		

PARTS LIST AND DESCRIPTIONS (Continued)

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS			IRC PART No.	WORKMAN TV PART No.	REMARKS
R3	2.2meg				R20	2200Ω 1W			
R4	91meg				R21	150Ω			
R5	47K				R22	47K			
R6	1meg				R23	2700Ω			
R7	68K				R24	6800Ω 1W			
R8	100K				R25	330Ω 5W	PW5-330	SW-SQ-330	
R9	10K 1W				R26	100Ω 2W			
R10	2.2meg				R27	10Ω 1W			
R11	100K				R28	1meg			
R12	220K				R29	150Ω 2W			
R13	10K 1W				R30	150Ω 2W			
R14	1meg				R31	6.8Ω 1W			
R15	270K				R32	47Ω			
R16	2.2meg				R33	1meg			
R17	270K				R34	1meg			
R18	82K				R35	1meg			
R19	680K								

COMPONENT COMBINATIONS

ITEM No.	USE	DESCRIPTION	BENDIX PART No.	REPLACEMENT DATA	
K1	Noise Clipper Network	(2) 100mmf, 10000mmf, (2) 220K, (3) 1 meg	069-003		

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA				NOTES
		BENDIX PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	
L1	RF Choke(.56uh)	027-077	BC-560	4588	RTC-8513	
L2	Output Indicator	011-118				
L3	RF Choke	011-120				
L4	RF Choke(5.6uh)	027 028	BC-565	4809	RTC-8519	
L5	RF	012-414	TV-118	8171-A	RTC-8609	
L6	RF Choke(5.4uh)	027-004	SW-831	4809	RTC-8519	
L7	1st IF	014-030				
L8	2nd IF	014-030				
L9	3rd IF	014-030				
L10	RF Choke(5.8uh)	027-028	BC-565	4609	RTC-8519	
L11	Osc. Plate	012-415	TV-118	8171-A	RTC-8609	
L12	RF Choke(5.8uh)	027-028	BC-565	4809	RTC-8519	
L13	RF Choke (.47uh)	027-073		4588	RTC-8513	
L14	RF Choke(5uh)	027-032		4624	RTC-8524	
L15	Hash Choke(4uh)	027-010	BC-537	5219	RTC-9181	

TRANSFORMER (POWER)

ITEM No.	RATING	REPLACEMENT DATA					NOTES
		BENDIX PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T1	117V ① .5A (AC Only)	100V ① .300A	12.6V ① 2A *	271-068①			① Part #271-071 used in 8-volt DC versions. * AC operation filament supply. Part of primary when used for DC operation.

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE	REPLACEMENT DATA					NOTES
		BENDIX PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T2	2700Ω 3-4Ω	272-004 ①					① Alternate Part #272-034.

ITEM No.	TYPE	REPLACEMENT DATA			NOTES
		BENDIX PART No.	QUAM PART No.		
SP1	3 1/2"	PM	3-4Ω	152-016	SA070T

SPEAKER

ITEM No.	TYPE	REPLACEMENT DATA				NOTES		
		INPUT VOLTS	FREQUENCY	BENDIX PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	RADIART PART No.	
M1	Interrupter	12V	115v	117-003	6301	G1601	8301	12 Volt Versions
M2	Interrupter	6V	115v	117-008	5301	I601	5301	6 Volt Versions

VIBRATOR

ITEM No.	CURRENT (Measured)	REPLACEMENT DATA				NOTES
		BENDIX PART No.	RCA PART No.	SARKES TARZIAN PART No.	SYLVANIA PART No.	
M2	.090A	474-012	1N1763 *	40H *		SR500 *
M3	.090A	474-012	1N1763 *	40H *		SR500 *
M4	.070A	474-004	1N1763 *	40H *		SR500 *

* Silicon Type

MISCELLANEOUS

ITEM No.	PART NAME	BENDIX PART No.		NOTES	
		FUSE	HOLDER	FUSE	HOLDER
M5	Switch	171-096		Channel Selector (Rotary Wafer Type)	
M6	Relay	111-010		AC-12VDC Versions	
M7	Relay	111-082		AC-6VDC Versions	
M8	Microphone	113-015		Receive Transmit	

FUSES

ITEM No.	TYPE	RATING	REPLACEMENT DATA			
			BENDIX PART No.	LITTELFUSE PART No.	BUSS PART No.	
3AG	LA ① 250V			312001 (LA 250V)		AGC 1
3AG	LA ② 250V			312001 (LA 250V)		AGC 1
7A	32V ②			307007 (7A 32V)		SFE 7
20A	32V ③			3110202 (30A 32V)		SFE 20

① 117 VAC Operation. ② 12VDC Operation. ③ 8VDC Operation.

CABINETS & CABINET PARTS

(When Ordering Cabinets & Cabinet Parts, Specify Model, Chassis & Color)

NAME	PART NO.	DESCRIPTION
Knob	3000798	Channel Selector
Knob	3000799	Volume, Squeich
Cabinet	465-066	

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid) Available in Ten Colors
Power Cord	Use BELDEN No. 1765-B (6 Ft. Length) 1725-K (7 1/2 Ft. Length)

PHOTOFAC[®] Folder

with CIRCUITTRACE[®]
TRADE NAME



DEWALD MODELS TR-6, TR-12, TR-910



MODEL TR-12

MODEL TR-910

MODEL TR-6

**DEWALD MODELS
TR-6, TR-12, TR-910**

TRADE NAME	DeWald Models TR-6, TR-12, TR-910
MANUFACTURER	DeWald, A Div. of United Scientific Laboratories Inc., 35-15 Thirty Seventh Ave., Long Island City 1, N. Y.
TYPE SET	AC (or) DC Operated 6 Tube Citizen Band Transmitter-Receiver
POWER SUPPLY	110 - 120 Volts AC, 50-60 Cycles (Optional Power Supply Model TR-6 or TR-12 is Available for 6 or 12VDC Operation)
RATING	45 Watts, .45 Amp. @ 117 Volts AC .6.6 Amp. @ 6.3 Volts DC 3.4 Amp. @ 12.6 Volts DC
TUNING RANGE	TRANSMITTER: Any 5 of Citizens Band Channels 1 thru 22 RECEIVER: Continuous Tuning thru all Citizen Band Channels 1 thru 22

NOTICE


ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana



The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guaranty by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of LZ093

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. © 1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America



NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.

SEE PARTS LIST FOR ALTERNATE VALUE OR APPLICATION

DC COIL RESISTANCE VALUES UNDER ONE OHM NOT SHOWN ON SCHEMATIC DIAGRAM

1. DC voltage measurements taken with vacuum tube voltmeter; AC voltages measured with 1000 ohm per volt voltmeter.
2. Socket connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance on component values makes possible a variation of ±15% in voltage and resistance readings.
6. Volume control at maximum, signal applied for voltage measurements.

A PHOTOFAC STANDARD NOTATION SCHEMATIC
© Howard W. Sams & Co., Inc. 1962

RESISTANCE READINGS



ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	6EA8	+15K	2.9meg	+105K	FIL	FIL	+10K	220Ω	0Ω	1meg
V2	6EA8	+15K	2.4meg	+15K	FIL	FIL	+51K	200Ω	+160Ω	.1Ω
V3	6EA8	+52K	1.2meg	+19K	FIL	FIL	+48K	0Ω	20K	500K
V4	6EA8	+105K	470K	+1.5meg	FIL	FIL	+225K	1000Ω	0Ω	4.7meg
V5	6V6GT	TP	FIL	+620Ω	+5900Ω	220K	TP	FIL	280Ω	+390Ω
V6	6AW8A	0Ω	47K	+10K	FIL	FIL	+0Ω	22K	+9000Ω	+350Ω

ALL MEASUREMENTS MADE IN RECEIVE POSITION UNLESS OTHERWISE DESIGNATED.


* MEASURED IN TRANSMIT POSITION.

† MEASURED FROM OUTPUT OF X1.


TP TIE POINT



DEWALD MODELS
TR-6, TR-12, TR-910

1750KC

CHASSIS BOTTOM VIEW - ALIGNMENT, CAPACITOR & MISC. IDENT.



CHASSIS BOTTOM VIEW - RESISTOR & INDUCTOR IDENT.

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Volume control should be at maximum position. Output of signal generator should be no higher than necessary to obtain an output reading.

Suggested Alignment Tools:

- A1 thru A4.....GENERAL CEMENT #5097, 8727
WALSCO #2515
- A5, A6, A7.....GENERAL CEMENT #8721, 8722
WALSCO #2519
- A8.....GENERAL CEMENT #5003, 8271, 8275, 8276, 8609, 8721, 8722, 9150, 9298
WALSCO #2516, 2518, 2519


RECEIVER ALIGNMENT

	SIGNAL GENERATOR COUPLING	SIGNAL GENERATOR FREQUENCY	RADIO DIAL SETTING	OUTPUT METER	ADJUST	REMARKS
1.	High side thru .01mfd to pin 9 (grid) of Mixer. Low side to chassis.	1750KC (400% Mod)		Across voice coil.	A1, A2, A3, A4	Adjust for maximum output.
2.	Connect output of generator having 52Ω output impedance to antenna receptacle.	27.065MC		"	A5, A6	Preset A6 three-fourth of the way out. Adjust A5 and A6 in order for maximum output. A6 has two peaks. Use the higher peak.

TRANSMITTER ALIGNMENT

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)

SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
3. Insert a 52Ω non-inductive dummy load (minimum 3 watt dissipation) into antenna socket.	Connect a suitable RF meter across the dummy load.	A7, A8	Switch to Transmit and adjust for maximum output. Switch from receive to transmit several times while slowly turning A7 counterclockwise $\frac{1}{2}$ turn at a time for maximum output, then carefully turn A7 an additional $\frac{1}{2}$ turn counterclockwise for maximum oscillator stability. Readjust A8 for maximum output.



CHASSIS TOP VIEW

PARTS LIST AND DESCRIPTIONS

TUBES

GENERAL ELECTRIC			RAYTHEON			SYLVANIA		
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE	ITEM No.	USE	TYPE
V1	RF Amp. -Mixer	6EA8	V4	AF Amp. -Speech Amp.	6EA8			
V2	Rec. Osc. -IF Amp.	6EA8	V5	Output-Modulator	6V6GT			
V3	Squelch-IF Amp.	6EA8	V6	Trans. Osc. -Final Amp.	6AW8A			

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		DIODES		NOTES
			RCA PART No.	SARKES TARZIAN PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	
X1	.080A		IN1763				
X2	.080A		IN1763				
X3	1N34A			40H			
X4	1N34A			40H			
					IN34A		Detector AGC


ELECTROLYtic CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	DEWALD PART No.	AEROVOX PART No.	CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	40	200							
C2A	40	200							
E	40	350							
C	40	350							
D	10	50							
C3	5	150							
C4	5	12							

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA					
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.		
C5	5 N750 5%			TCN-5	C10V5U	CCTN-050	CN7-550	10TCU-V50	
C6	10 N750 5%			NT50-SI 10	TCN-10	CCTN-100	CN7-410	10TCU-Q10	
C7	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C8	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C9	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C10	22 NPO 5%			DTZ-22	C10Q22C	CM-19B-220J	CNO-422	10TCC-Q22	
C11	100 N750			NT50-DI 100	DTZ-100	C10TIU	CCTN-101	CN7-310	10TCU-T10
C12	1.5			NPO-SI 1.5	TCZ-1R5	C10V15C	CNO-515	10TCC-V15	
C13	47 N750			N750-DI 47	DTN-47	C10Q47U	CCTN-470	CN7-447	10TCU-Q47
C14	22 NPO 5%			DTZ-22	C10Q22C	CM-19B-220J	CNO-422	10TCC-Q22	
C15	3.9 NPO $\pm .25$ mmf				C10V4C	*		10TCU-V39	
C16	10 N220							10TCP-Q10	
C17	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C18	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C19	1.8 10%		Note 1	NPO-SI 2.0	C10V2C			10TCC-V18	
C20	.05 400V			P488N-05	DD-503	CUB455	4DP-3-503	GEM-415	4TM-S50
C21	.005			BPD-005	DD-502	BYA10D6	CCD-502	B-250	5HK-D50
C22	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C23	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C24	.15			SI 15	D6-150	LIQ015	CCD-150	GP415	10TS-Q15
C25	.11			SI 10	D6-100	LIQ010	CCD-100	GP410	10TS-Q10
C26	.05 400V			P488N-05	DD-503	CUB4547	4DP-3-503	GEM-415	4TM-S50
C27	.220			DL-220	DD-221	LI0722	CCD-221	B-322	10TS-T22
C28	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C29	.1 200V			P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10
C30	.1 200V			P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10
C31	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C32	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C33	.001			BPD-001	DD-102	BYA10SI	CCD-102	B-210	5HK-D10
C34	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C35	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C36	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C37	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C38	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C39	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C40	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10

POWER CHASSIS—BOTTOM VIEW



FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA						
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.	
C41	.25 400V		P488N-2s			CUB4P25	4DP-5-254	GEM-4025	4TM-P25
C42	.002		BPD-002	DD-202	BYA10D2	CCD-202	B-220	5HK-D20	
C43	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C44	.001		BPD-001	DD-102	DTZ-22	BYA10D1	CCD-102	B-210	5HK-D10
C45	22 NPO 5%					C10Q22C	CM-19B-220J	CNO-422	10TCC-Q22
C46	.001 2000V 10%								
C47	.01		BPD-0L	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C48	.001 2000V 10%								
C49	.001 2000V 10%								
C50	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C51	22 NPO		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C52	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C53	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C54	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C55	.25 200V		P288N-25			CUB2P25	2DP-4-254	GEM-2025	2TM-P25
C56	.25 200V		P288N-25			CUB2P25	2DP-4-254	GEM-2025	2TM-P25
C57	.05 600V		P688N-05			CUB6S5	6DP-3-503	GEM-615	6TM-S50
C58	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C59	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C60	.25 200V		P288N-25			CUB2P25	2DP-4-254	GEM-2025	2TM-P25
C61	.25 200V		P288N-25			CUB2P25	2DP-4-254	GEM-2025	2TM-P25
C62	.05 600V		P688N-05			CUB6S5	6DP-3-503	GEM-615	6TM-S50

Note 1. Not used in some versions.
* Not normally in distributor's stock. Available thru distributor on order to manufacturer.
† Alternate Value.

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESIST-ANCE	REPLACEMENT DATA			
			DEWALD PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.
R1	Volume & Switch	1meg	V-329-3	B-70-S or AB-70, AK-7, KR-7	A47-Imeg-Z/FS-3, SWE-20	Q13-137, 76-2 or (B11, CF26, SS1, WF)
R2	Squench	10K	V-330-4	B-14 or AB-14, AK-11	A47-10K-S/FS-3	Q11-116 or (B11, CF9, SS1, DC1)*
R3	Meter Zero Adjust.	200Ω 2W		WN-201	A43-200, FKS-1/4	WU-100 SK5
						R250L

PARTS LIST AND DESCRIPTIONS (Continued)

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS
R4	470K			
R5	47000			
R6	100K			
R7	220Ω			
R8	5600Ω			
R9	1meg			
R10	10K			
R11	22K			
R12	10K			
R13	10K			
R14	220Ω			
R15	390Ω			
R16	2.2meg			
R17	1meg			
R18	220K			
R19	180K			
R20	1meg			
R21	47K			
R22	15K 1W			
R23	22K 1W			
R24	470K			

* Alternate Value.

Note 1. Not used in some versions.

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA				NOTES
		DeWALD PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	
L1	Ant. RF Choke(5.6uh)					
L2	RF	SW-609	4609	RTG-8519	T820	
L3	Osc.	SW-631	6248	RTC-9248	T216	
L4	1st IF	SW-608	6248	RTC-9248	T216	
L5	2nd IF	TV-204	6174	RTC-8592	T324	
L7	Osc. Plate RF Choke (500uh)					
L8	Hash Choke					
L9	Hash Choke					
L10	Hash Choke					

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA				NOTES	
	AC OPERATION			DeWALD PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
	PRI.	SEC. 1	SEC. 2						
T1	117V @ .45A	100V @ .24A	6.3V @ 3A	PT-178A3					
T2 12 V DC OPERATION									
	PRI.	SEC. 1							
	12.6V @ 1.9A	100V @ .24A DC		VT-181A-2					
T3 6V DC OPERATION									
	PRI.	SEC. 1							
	6.3VCT @ 3.6A	100V @ .24A DC		VT-181A-2					

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA					NOTES
	PRI.	SEC.	DeWALD PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T4	3800Ω Tap @ 17%	3-4Ω	T-179-2					

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	DeWALD PART No.	QUAM PART No.	
SPI	3 1/2"	PM	3-4Ω		3A07	

FUSES

ITEM No.	TYPE	RATING	REPLACEMENT DATA				NOTES	
			DeWALD PART No.		LITTELFUSE PART No.			
			FUSE	HOLDER	FUSE	HOLDER		
M1	3AG	1A ① 250V P/T			318001 (3AG 1A 250V P/T)		GJV 1	
M2	SFE	10A ② 32V			307010 (SFE 10A 32V)	155009	SFE10 HDH	
M3	SFE	10A ③ 32V			307010 (SFE 10A 32V)	155009	SFE10 HDH	

① AC Operation.
② 6V DC Operation.
③ 12V DC Operation.

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA			NOTES
				DeWALD PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	
M4	Interrupter	6.3	115%		5301	1601	6.3V DC Operation
M5	Interrupter	12.6	115%		6301	GI601	12.6V DC Operation

MISCELLANEOUS

ITEM No.	PART NAME	DeWALD PART No.	NOTES
M6	Tuning Cap.		
M7	Crystal		
M8	Switch		
M9	Switch		
M10	Microphone		
M11	Meter		
M12	Relay		Transmit-Receive

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid) Available in 12 Colors
524 (Stranded) Available in 12 Colors	
Power Cord	Use BELDEN No. 17106 (Plastic) or 17126 (Rubber) - 6 Ft.
17109 (Plastic) or 17129 (Rubber) - 9 Ft.	
Power Cord (Interlock Type)	Use BELDEN No. 8874 (Rubber) or 8895 (Plastic)

NOTICE

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71).

TRADE NAME Duo Com Models 100, 100S

MANUFACTURER Osborne Electronic Sales Corp., 13105 S. Crenshaw Blvd., Hawthorne, California

TYPE SET Battery Operated II Transistor Single Channel Portable Citizens Band Transmitter-Receiver

POWER SUPPLY 12 Volts DC RATING 23 MA @ 12 Volts DC (Receive)
12 MA @ 12 Volts DC (Transmit)

TUNING RANGE Any One of Citizens Band Channels 1 thru 23

ALIGNMENT INSTRUCTIONS**ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT**

When adjusting A4 and A6, best results are obtained with the unit connected to the antenna normally used, and the chassis as nearly in the cabinet as possible.

Suggested Alignment Tools: GENERAL CEMENT #8282, 8806, 8806-L, 9295, 9440
WALSCO #2526, 2543, 2544, 2545

RECEIVER ALIGNMENT

Connect DC VTVM across Volume control.

SIGNAL GENERATOR	CHANNEL	ADJUST	REMARKS
1. Tune to 455KC. Connect high side to base of Mixer, low side to ground.		A1	Remove receiver oscillator crystal. Adjust for maximum deflection. Reinsert crystal.
2. Tune to 4680KC. Connect high side to base of Mixer, low side to ground.		A2	Adjust for maximum deflection.
3. Tune to crystal frequency. High side to base of Mixer, low side to ground.	Highest Channel Used.	A3	Adjust for maximum deflection while rocking. Note rate of drop-off and set just below peak on side of gradual dropoff.
4. "	"	A4	Adjust for maximum deflection.

TRANSMITTER ALIGNMENT

Output frequency should be checked by an accurately calibrated secondary frequency standard to be sure that frequency is within .005%.

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)


SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
5. Connect suitable load to antenna receptacle. Connect RF Wattmeter across load.	DC VTVM between point A and ground.	A5	Adjust for maximum deflection while rocking. Note rate of drop-off and set just below peak on side of gradual drop-off.
6. "		A6	Adjust for maximum output as indicated on Wattmeter (or field strength meter).

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of LY299

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America





RESISTANCE MEASUREMENTS NOT GIVEN BECAUSE OF THE
WIDE VARIATION IN INTERNAL TRANSISTOR RESISTANCE

NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.

⑧ SEE PARTS LIST FOR ALTERNATE
VALUE OR APPLICATION


◆ DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM

1. DC voltage measurements taken with vacuum tube voltmeter.
 2. Socket connections or transistor terminals are shown as bottom views.
 3. Measured values are from socket pin or terminal to common ground.
 4. Nominal tolerance on component values makes possible a variation of $\pm 15\%$ in voltage and resistance readings.
 5. Volume control at maximum, no signal applied for voltage measurements


A PHOTOFAC STANDARD NOTATION SCHEMATIC

By J.W. S. & Co., Inc. 1842


© Howard W. Sams & Co., Inc. 1962



**DUO COM
MODEL 100**



A Howard W. Sams CIRCUITRACE Photo



WIRING DATA

General-use Unshielded Hook-up Wire		Use BELDEN No. 8530 (Solid 22AWG)	Available
		8524 (Stranded 22AWG)	In
		8570 (Stranded 26AWG)	12 Colors

TRANSISTORS

ITEM No.	ORIG. TYPE	USE	REPLACEMENT DATA		NOTES
			RCA PART No.	RAYTHEON PART No.	
X1	SO-65	Mixer	2N1179		
X2	R-425	3IMC Osc.	2N1178		
X3	SO-65	Converter (455KC)	2N1178		
X4	2N1108	1st IF Amplifier	2N1525		
	2N1107*				
X5	2N1108	2nd IF Amplifier	2N1525		
	2N1107*				
X6	R-364	Squelch Amp.	2N408	2N362	PNP (Note 1)
X7	R-528	Driver-Speech Amp.	2N408	2N362	PNP
X8	R-528	Output-Modulator	2N408	2N632	PNP
X9	R-528	Output-Modulator	2N408	2N632	PNP
X10	R-425	Trans. Osc.	2N1178		
X11	R-424	Final Amp.	2N1177		

Note 1. Not used in Model 100 * Alternate.

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		DIODES	NOTES
			RCA PART No.	SARKES TARZIAN PART No.		
X12		IN60*			IN60	Detector
X13		IN60*			IN60	Limiter
X14		S-249				Squelch Rectifier ①
X15		STC249				Mixer

① Model 1008 Only.

* Alternate Type IN64 (Part #8305)

ELECTROLYtic CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	DUO COM PART No.	AEROVOX PART No.	CORNELL- DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	8	10	8220	BCD12008	ECPB407	MT1-5	PET1340	MLV10-10	VL-1126
C2	8	10	8220	BCD12008	ECPB407	MT1-5	PET1340	MLV10-10	VL-1126
C3	8	10	8220	BCD12008	ECPB407	MT1-5	PET1340	MLV10-10	VL-1126
C4	60	12	8221	BCD12075	ECPB416	MT1-19	TT15X50	MLV50-12	VL-1137
C5	60	12	8221	BCD12075	ECPB416	MT1-19	TT15X50	MLV50-12	VL-1137

① Model 1008 Only.

PARTS LIST AND DESCRIPTIONS

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA				
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL- DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.
C6	.05		BPD-05	DA-503	H-0555	TA-150	TG-850
C7	.33 NPO		NPO-D1 33	DTZ-33	C10Q33C	CNO-433	10TCC-Q33
C8	.33 NPO		NPO-D1 33	DTZ-33	C10Q33C	CNO-433	10TCC-Q33
C9	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20
C10	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20
C11	.27 NPO		NPO-D1 25	DTZ-27	C10Q27C	CCTO-270	10TCC-Q27
C12	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20
C13	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20
C14	.05		BPD-05	DA-503	H-0555	TA-150	TG-S50
C15	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20
C16			BPD-02	DA-203	H-0552	CCD-203	TG-S20
C17	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20
C18	.05		BPD-05	DA-503	H-0555	TA-150	TG-850
C19	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20
C20	.05		BPD-05	DA-503	H-0555	TA-150	TG-S50
C21	.05		BPD-05	DA-503	H-0555	TA-150	TG-S50
C22	.002		BPD-002	DM-202	BYA10D2	CCD-202	5HK-D20
C23	.002		BPD-002	DM-202	BYA10D2	CCD-202	5HK-D20
C24	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20
C25	.002		BPD-002	DM-202	BYA10D2	CCD-202	5HK-D20
C26	.002		BPD-002	DM-202	BYA10D2	CCD-202	5HK-D20
C27	.05		BPD-05	DA-503	H-0555	TA-150	TG-850
C28	.56 NPO		TC2-56	C10Q56C	CCTO-560	CNO-456	10TCC-Q56
C29	.22 NPO		NPO-D1 22	DTZ-22	C10Q22C	CNO-422	10TCC-Q22
C30	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20
C31	.33 NPO		NPO-D1 33	DTZ-33	C10Q33C	CNO-433	10TCC-Q33
C32	.002		BPD-002	DM-202	BYA10D2	CCD-202	5HK-D20
C33	.1 100V		V84C2P1	DA-203	H-0552	IDP-2-104	GEM-201
C34	.02		BPD-02	DA-203	H-0552	CCD-203	TG-S20

Note 1. Value Varies (10mmf - 100mmf) depending on Crystal Series Resistance.

Replace with Original Value.

Note 2. Model 100S Only.

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESIST- ANCE	REPLACEMENT DATA				
			DUO COM PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS - IRC PART No.	MALLORY PART No.
R1	Volume & Switch	10K	8408	①	JP2-103		MLC14AS
R2	Squelch	10K					MLC14A

① Model 100S Only.

PARTS LIST AND DESCRIPTIONS (Continued)

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R3	390K				R22	4700Ω			
R4	330Ω				R23	1000Ω			
R5	5600Ω				R24	1500Ω			
R6	1000Ω				R25	1000Ω			
R7	22K				R26	5600Ω			
R8	100Ω				R27	1500Ω			
R9	2200Ω				R28	2200Ω			
R10	6800Ω				R29	5600Ω			
R11	3900Ω				R30	100Ω			
R12	100Ω				R31	5600Ω			
R13	22K				R32	100Ω			
R14	3300Ω			(3900Ω)†	R33	22K			
R15	1000Ω				R34	3300Ω			
R16	5600Ω				R35	330Ω			
R17	39K				R36	1000Ω			
R18	3900Ω			(3300Ω)†	R37	330Ω			
R19	330Ω				R38	100Ω			
R20	3300Ω								
R21	5600Ω								

† Alternate Value.

• Value Used in Model 100.

① Model 100S Only.

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		DUO COM PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman PART No.	
L1	Ant. Loading(2.6uh)	8483					
L2	Antenna	8406					
L3	Receive Osc.	8404					
L4	4MC IF	8410					
L5	455KC IF	8409					
L6	Transmit Osc.	8405					
L7	Final	8407					

TRANSFORMER (DRIVER)

ITEM No.	TURNS RATIO	REPLACEMENT DATA					NOTES
		DUO COM PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T1	2.5	1	8400				

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE	REPLACEMENT DATA					NOTES
		DUO COM PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T2			8401				


BATTERIES

ITEM No.	VOLTAGE	DUO COM PART No.	REPLACEMENT DATA					NOTES
			BURGESS	EVEREADY	MALLORY	"A"	"B"	
M1	1 1/2V			930		SC-15	M-15R	8 Required

MISCELLANEOUS

ITEM No.	PART NAME	DUO COM PART No.	904	NOTES
M2	Crystal	8452		Receive Oscillator Crystal (Channel 10)
M3	Crystal	8450		Converter Crystal (4.68MC, Channel 10)
M4	Crystal	8451		Transmit Oscillator Crystal (Channel 10)
M5	Crystal Filter	8403		First 455KC Filter
M6	Crystal Filter	8403		Second 455KC Filter
M7	Switch	8480		Transmit-Receive (4PDT Spring Loaded)
M8	Speaker - Mike	8411		

PRINTED BOARD



NOTICE

ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).

MODEL 762W

TRADE NAME	Eico Models 760, 760W, 761, 761W, 762, 762W
MANUFACTURER	Electronics Instrument Co., Inc., 3300 Northern Blvd., Long Island City 1, N. Y.
TYPE SET	AC-Battery Operated Single Channel Citizens Band Transmitter-Receiver
POWER SUPPLY	Model 760: 110-120 Volts AC, 60 Cycles Model 761: 110-120 Volts AC, 60 Cycles (or) 6 Volt Storage Battery Model 762: 110-120 Volts AC, 60 Cycles (or) 12 Volt Storage Battery
RATING	46 Watts, .45 Amp. @ 117 Volts AC (or) 8.4 Amp. @ 6.3 Volts DC (or) 4.2 Amp @ 12.6 Volts DC
TUNING RANGE TRANSMITTER:	Any one of Citizens Band Channels 1 thru 23
RECEIVER:	Variable Tuning of Citizens Bands 1 thru 23

ALIGNMENT INSTRUCTIONSALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Temporarily connect a 100K resistor from point A to point B to provide voltage to transmitter oscillator. This signal will be used to align the receiver oscillator. Turn unit on and allow to warm up for 10 minutes.

RECEIVER ALIGNMENT

	SIGNAL GENERATOR COUPLING	SIGNAL GENERATOR FREQUENCY	CHANNEL	OUTPUT METER	ADJUST	REMARKS
1.	Not Used		Set to channel of crystal being used in transmitter.	Across voice coil.	A1	Adjust Volume control to point where the 120v hum is heard clearly. Adjust A1 for maximum output of this hum. Remove the 100K resistor.
2.	High side thru .001mf to pin 2 (grid) of Mixer (V2). Low side to chassis.	1750KC (400v 30% AM)		"	A2, A3, A4, A5, A6, A7	Adjust for maximum output.
3.	High side thru 100Ω to either antenna receptacle. Low side to chassis.	27MC	9	"	A8, A9	"

TRANSMITTER ALIGNMENT

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)

SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
Connect Antenna	0-100MA DC Meter to Meter Jack	A10, All	Adjust A10 for minimum (20-30MA). Transmit lamp on front panel should increase in brightness. Adjust All so that meter indicates 27MA. Repeat Adjustments until minimum indication obtained by adjusting A10 approaches but does not exceed 27MA.



HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ989




the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. © 1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America



**EICO MODELS 760, 760W,
761, 761W, 762, 762W**



CHASSIS - TOP VIEW




NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.


SEE PARTS LIST FOR ALTERNATE VALUE OR APPLICATION

DC COIL RESISTANCE VALUES UNDER ONE OHM
 NOT SHOWN ON SCHEMATIC DIAGRAM


1. DC voltage measurements taken with vacuum tube voltmeter;
 AC voltages measured with 1000 ohm per volt voltmeter.
2. Series connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance on component values makes possible a variation of +15% in voltage and resistance readings.
6. Volume control at maximum, no signal applied for voltage measurements.



EICO MODELS 760, 760W,
 761, 761W, 762, 762W



CHASSIS BOTTOM VIEW-RESISTOR, INDUCTOR & MISC. IDENT.



CHASSIS BOTTOM VIEW-ALIGNMENT & CAPACITOR IDENT.

PARTS LIST AND DESCRIPTIONS

TUBES

GENERAL ELECTRIC		RAYTHEON		SYLVANIA	
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE
V1	RF Amplifier	6BA6	V4	2nd IF Amp. -AF Amp.	6U8A
V2	Rec. Mixer - Osc.	6U8A	V5	Det. - Speech Amp. -ANL	6FM8
V3	1st IF Amplifier- Trans. Osc.	6U8A	V6	Rec. Output-Modulator	6AQ5A
			V7	Final Amplifier	12BY7A

ELECTROLYTIC CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	EICO PART No.	AEROVOX PART No.	CORNELL- DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
CIA	#40	350	24017	AFH3-44	C0350	XC3-40	FP377.1	TMT-3748	TVL-3787
B	#40	350							
C	#40	250							
C2	4	250	23008	PRB1550	BBR4-250	QT1-2	TCB97	TD-4-250	TVA-1501
C3	50	50	23011	PTT98	NLW50-50	MT1-17	TC39	MLV50-50	TE-1307
C4	25	6	23020	PTT26	NLW25-10	MT1-10	TTX25	MLV25-6	TE-1091

FIXED CAPACITORS

ITEM No.	RATING	REMARKS	REPLACEMENT DATA						
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL- DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.	
C5	7 NPO 5%		NPO-SI 6.8	TCZ-6R8	C10V7C	CCTO-6R8	CNO-568	10TCC-V68	
C6	18 NPO 5%			TCZ-18	C10Q18C	CM-19B-180J	CNO-418	10TCC-Q18	
C7	.05		BPD-05	DD-503	PM6S5	6DP-3-503	GP150	5HK-D50	
C8	.005		BPD-005	DD-502	BYA10D6	CCD-502	B-250	5HK-D50	
C9	12 NPO 5%		BPD-005	TCZ-12	C10Q12C	CM-19B-120J	CNO-412	10TCC-Q12	
C10	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50	
C11	18 NPO 5%		BPD-005	TCZ-18	C10Q18C	CM-19B-180J	CNO-418	10TCC-Q18	
C12	1 NPO		NPO-SI 1.0	TCZ-1			CNO-510	10TCC-V10	
C13	.005		BPD-005	DD-502	BYA10D6	CCD-502	B-250	5HK-D50	
C14	39 NPO 5%			TCZ-39	C10Q39C	CCTO-390	CNO-439	10TCC-Q39	
C15	12 N750 5%			TCN-12	C10Q12U		CN7-412	10TCU-Q12	
C16	47 NPO 5%			DTZ-47	C10Q47C	CM-19B-470J	CNO-447	10TCC-Q47	
C17	.002		BPD-002	DD-202	BYA10D2	CCD-502	B-220	5HK-D20	
C18	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C19	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50	
C20	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50	
C21	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C22	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50	
C23	.05		BPD-05	DD-503	CUB635	6DP-3-503	GP150	5HK-S50	

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA						
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL- DUBLINER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.	
C24	.005		BPD-005	DD-502	BYA10D6	CCD-502	B-250	5HK-D50	
C25	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C26	220 10%		DI-220	DD-221	LIOT22	CCD-221	GP322	10TS-T22	
C27	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C28	.1 400V		P488N-1	DF-104	CUB4P1	4DP-3-104	GEM-401	4TM-P10	
C29	330 10%		DI-330	DD-331	LIOT33	CCD-331	GP333	10TS-T33	
C30	220 10%		DI-220	DD-221	LIOT22	CCD-221	GP322	10TS-T22	
C31	220 10%		DI-220	DD-221	LIOT22	CCD-221	GP322	10TS-T22	
C32	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C33	.01 600V		P688N-01	D6-103	CUB6S1	6DP-2-103	GEM-611	6TM-S10	
C34	220 10%		DI-220	DD-331	LIOT22	CCD-221	GP322	10TS-T22	
C35	.01 10%		DI-10000		PM6S1	CCD-103	GEM-1611	10TS-S10	
C36	100 NPO 5%			TCZ-100	C10TIC		CNO-310	10TCC-T10	
C37	10 5%		1469-00001	TCZ-10	22R5Q1	CM-19B-100J	CNO-410	MS-41	
C38	220 5%		1469-00022	TCZ-220	22R5T22	CM-19B-22LJ	CNO-322	MS-322	
C39	12 NPO 5%			TCZ-12	Q10Q12C	CM-19B-12QJ	CNO-412	10TCC-Q12	
C40	.005 10%		DI-5000		PM6D5	CCD-502	JL-250	10TS-D50	
C41	.005 10%		DI-5000		PM6D5	CCD-502	JL-250	10TS-D50	
C42	.005		BPD-005	DD-502	BYA10D6	CCD-502	B-250	5HK-D50	
C43	.001 1000V 10%			TCZ-10	C10Q1C	VCM-20-102K			
C44	10 NPO 5%		NPO-S1 10	822-FZ	CCTO-100		CNO-410	10TCC-Q10	
C45	3-12 NPO	#29500					ST-533-Z		
C46	#4-480	#29509							
C47	.015 600V		P688N-015	DD-153	CUB6S15	6DP-2-153	GEM-6115	6TM-S15	
C48	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C49	.02		BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20	
C50	.02		BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20	
C51	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C52	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C53	.05		Note 1	BPD-05	DD-503	PM6S5	6DP-3-503	GP150	5HK-S50
C54	.05			BPD-05	DD-503	PM6S5	6DP-3-503	GP150	5HK-S50
C55	.005			BPD-005	DD-502	BYA10D6	CCD-502	B-250	5HK-D50
C56	.005			BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C57	.005			BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C58	.005			BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50

* Eico Part Number.
Note 1. Not used in some versions

CONTROLS

ITEM No.	RATING		REPLACEMENT DATA					INSTALLATION NOTES
	RESIST- ANCE	WATTS	EICO PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.	
R1A	1meg	1/2	18059	B-70-8	A47-1meg-Z	Q13-137	U53	Volume
B	Shaft			Not Req.	KSS-3	Not Req.	Not Req.	
C	Switch			Not Req.	SWE-12	76-1	11S-26	Power Off-On

PARTS LIST AND DESCRIPTIONS (Continued)

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS			IRC PART No.	WORKMAN TV PART No.	REMARKS
R2	1000Ω				R22	360K			
R3	1meg				R23	1meg			(2.2meg)*
R4	1000Ω				R24	1meg			
R5	47K				R25	100K			
R6	1meg				R26	10K			
R7	1000Ω				R27	470K			
R8	100K				R28	470K			
R9	47K				R29	470K			
R10	22K 1W				R30	4700Ω			
R11	47Ω				R31	22K			
R12	1meg				R32	470K			
R13	1000Ω				R33	560Ω 2W			
R14	100K				R34	47K			
R15	1meg				R35	15K			
R16	1000Ω				R38	47K			
R17	88K				R37	4700Ω			
R18	47K				R38	500Ω 5W	PW5-500	5W-SQ-500	(221)*
R19	100K				R39	10K			(2200Ω)*
R20	470K				R40	47Ω 1W			
R21	470K				R41	1meg			

* Alternate Value.

Note 1. Not used in some versions.

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		EICO PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman TV PART No.	
L1	Ant.	36017					
L2	RF	36018					
L3	Osc.	36019					
L4	1st IF	34615					
L5	2nd IF	34618					
L6	3rd IF	34617					
L7	RF Choke (100uh)	35052	TV-194	6112	RTC-8574	T305	
L8	Osc. Plate	36020	TV-194	6112	RTC-8574	T305	
L9	RF Choke (100uh)	35052					
L10	Ant. Loading (L. Sub.)	35051					
L11	Hash Choke	35053	①				

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA				NOTES	
	PRI.	SEC. 1	SEC. 2	EICO PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T1	117V @ .45A or 12.6VCT @ 2.4A	120V @ .250A AC	12.6V @ 1.8A AC (AC only)	30037 ①					① Part #30036 used in Model 761. Part #30035 used in Model 760.

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA				NOTES	
	PRI.	SEC.	EICO PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T2	8600Ω Tap @ 8000Ω	3-4Ω	32023					

SPEAKER

ITEM No.	TYPE		REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	QUAM PART No.	
SPI	3"x 5"	PM	3-4Ω	55014	35A05

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA				NOTES
				EICO PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	RADIART PART No.	
M1	Interrupter	12.8V 6.3V	1156 1156	39501	8301	G-1601	8301	
				39500	5301	G-1501	5301	

POWER RECTIFIERS

ITEM No.	RATING	REPLACEMENT DATA			NOTES
		EICO PART No.	RCA PART No.	SARKES TARZIAN PART No.	
M2	.070A	93007	LN1763	LN1763	F6
M3	.070A	93007	LN1763	LN1763	F6

FUSES

ITEM No.	TYPE	RATING	REPLACEMENT DATA					
			EICO PART No.		LITTELFUSE PART No.		BUSS PART No.	
			FUSE	HOLDER	FUSE	HOLDER	FUSE	HOLDER
M4	3AG	10A 32V	91010 ①	97800	307010 (3AG 10A 32V)	342001	MDA10	HKP
			91009 ②	97800	307006 (3AG 6A 32V)	342001	MDA6	HKP
			91006 ③	97800	313001 (3AG 1A 250V)	342001	MDL1	HKP

① Models 761, 6VCD Operation.

② Models 762, 12VDC Operation.

③ 117VAC Operation.

MISCELLANEOUS

ITEM No.	PART NAME	EICO PART No.	NOTES
M5	Variable Cap.	29016	Receiver Tuning
M6	Switch	60077	Function Selector (Rotary Type)
M7	Crystal		Order by Freq. Desired

CABINETS & CABINET PARTS

(When Ordering Cabinets & Cabinet Parts, Specify Model, Chassis & Color)

NAME	PART NO.	DESCRIPTION
Knob	53033	Lever
Knob	53034	Tuning, Volume
Front Panel	80073	
Handle	81232	Model 761, 762
Cabinet	88066	Model 761, 762
Cabinet	88070	Model 760

WIRING DATA

General-use Unshielded Hook-up Wire Use BELDEN No. 8530 (Solid) Available in Ten Colors
 8524 (Stranded) Available in Ten Colors
 Power Cord Use BELDEN No. 1785-B (6 Ft. Length)
 1725-K (7 1/2 Ft. Length)

PHOTOFAC[®] Folder



GLOBE MODEL CB-200



ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71).

TRADE NAME	Globe Model CB-200
MANUFACTURER	Globe Electronics, A Div. of Textron Electronics, Inc., Council Bluffs, Iowa
TYPE SET	AC-Battery Operated 10 Tube Crystal Controlled Citizens Band Transmitter-Receiver
POWER SUPPLY	110 -120 Volts AC, 60 Cycles (or) 12 Volt Storage Battery 110 -120 Volts AC, 60 Cycles (or) 6 Volt Storage Battery
RATING	63 Watts, .7 Amp. @117 Volts AC (Transmit) 58 Watts, .65 Amp. @117 Volts AC (Receiver) 4.6 Amp. @12.6 Volts DC 9.2 Amp. @6.3 Volts DC
TUNING RANGE	TRANSMITTER--Any 5 of Citizen Band Channels 1 thru 22 RECEIVER -- Crystal controlled for any 4 Bands. "T" position of Band Switch permits continuous tuning over entire Citizens Band range.

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Suggested Alignment Tools: A1 thru A6..... GENERAL CEMENT #8282, 8808, 8808-L, 9295, 9440
WALSCO #2526, 2543, 2544, 2545
A7 thru A11.....GENERAL CEMENT #8721, 8722
WALSCO #2519
A13, A14..... GENERAL CEMENT #5004, 5009, 8195, 8274, 8275, 8607, 8728, 8987, 8988, 8989,
9291
WALSCO #2515, 2520, 2522, 2523, 2531, 2532, 2534, 2537, 2538

RECEIVER

1. Connect the high side of signal generator (tuned to 1680KC unmod.) thru .001mfd to pin 2 (grid) of Mixer, low side to chassis. Connect DC probe of VTVM to point Δ (AVC), common to chassis. Adjust A1, A2, A3, A4, A5 and A6 for maximum deflection. Remove test equipment.
2. Connect DC probe of VTVM to pin 9 (grid) of receiver oscillator, common to chassis. Adjust A7 from maximum inductance toward minimum inductance until oscillator operates. Disconnect VTVM and tune in the oscillator signal on an accurate receiver. The signal will appear 1680KC above the frequency of the channel in use. If not, readjust A7. If several channels are to be used, an average adjustment of A7 may be necessary to keep within operating frequency limits (\pm 1KC).
3. Connect DC probe of VTVM to point Δ , common to chassis. Adjust the signal generator to channel 11 (27.085MC) and couple the signal to the antenna input. A direct connection may not be necessary unless the generator output is very low. Adjust A8 and A9 for maximum output.
4. Adjust signal generator to channel 11 (27.085MC) and couple the signal to the antenna input. A direct connection may not be necessary unless the generator output is very low. Set the channel selector to the fifth position (T). The tuning window lamp will come on. Set logging dial to one mark past 4. Adjust A10 for maximum output.

TRANSMITTER

1. Connect DC probe of VTVM thru an RF choke to pin 7 (grid) of Buffer, common to chassis. Set A11 for minimum inductance. Press mic button and adjust A11 until oscillations begin. Continue adjusting for a meter reading of approximately -40V. Press and release button several times, making certain that the oscillator operates each time. If erratic operation is encountered, increase inductance of A11, maintaining a meter reading of -35 to -40V. Check transmitter frequency.
2. Connect DC probe of VTVM to pin 1 (grid) of Final Amp. Adjust A12 for maximum deflection. The VTVM should indicate no less than 8 volts.
3. Set A13 near maximum capacity. Using an output indicator, alternately adjust A13 and A14 for maximum output.
4. Install unit in cabinet and readjust A13 and A14 for maximum output. A13 is reached thru the front hole on the left side of the cabinet, -- A14 thru the rear hole.


HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ667

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. © 1961 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America




**GLOBE MODEL
CB-200**



NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.


1. DC voltage measurements taken with vacuum tube voltmeter; AC voltages measured with 1000 ohm per volt voltmeter.
2. Socket connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance on component values makes possible a variation of $\pm 15\%$ in voltage and resistance readings.
6. Volume control at maximum, no signal applied for voltage measurements.



DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM
ARROWS ON CONTROLS INDICATE CLOCKWISE ROTATION
(CONTROL VIEWED FROM SHAFT END)

SEE PARTS LIST FOR ALTERNATE
VALUE OR APPLICATION

GLOBE MODEL
CB-200



RESISTANCE READINGS


ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	12AU6	2.4 meg	0Ω	FIL	FIL	↑10K	↑68K	0Ω		
V2	6U8A	168K	1meg	↑70K	FIL	FIL	↑15K	6800Ω	0Ω	47K
V3	12B6E	100K	0Ω	FIL	FIL	↑47K	↑80K	12Ω		
V4	12BA6	1.5 meg	0Ω	FIL	FIL	↑7000Ω	↑47K	0Ω		
V5	12AL5	1.5 meg	320K	FIL	FIL	0Ω	0Ω	320K		
V6	6CM8	↑100K	1meg	0Ω	FIL	FIL	↑78K	5000Ω	2200Ω	470K
V7	12AX7	↑285K	2.2 meg	~1000Ω	FIL	FIL	↑470K	10 meg	35K	NC
V8	12AQ5	NC	470Ω	FIL	FIL	↑340Ω	↑230Ω	1meg		
V9	12AT7	123K	100K	~0Ω	FIL	FIL	↑1200Ω	47K	~1000Ω	NC
V10	12AQ5	22K	~330Ω	FIL	FIL	↑2500Ω	↑9300Ω	NC		


ALL MEASUREMENTS MADE IN "RECEIVE" POSITION UNLESS OTHERWISE DESIGNATED.

MEASURED IN "TRANSMIT" POSITION.


† MEASURED FROM OUTPUT OF M3 AND M5.

NC NO CONNECTION







CHASSIS BOTTOM VIEW-RESISTOR IDENT.



CHASSIS BOTTOM VIEW-CAPACITOR IDENT.



CHASSIS BOTTOM VIEW-ALIGN., INDUCTOR & MISC. IDENT.



CHASSIS-TOP VIEW

PARTS LIST AND DESCRIPTIONS

TUBES

GENERAL ELECTRIC			RAYTHEON			SYLVANIA		
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE			
V1	RF Amplifier	12AU6	V6	Noise Amp. -Squelch	6CM8			
V2	Mixer-Osc.	6U8A	V7	AF Amp. -Speech Amp.	12AX7			
V3	2nd IF Converter	12BE6	V8	Rec. Output-Modulator	12AQ5			
V4	IF Amplifier	12BA6	V9	Trans. Osc. -Buffer	12AT7			
V5	Det. -AVC-ANL.	12AL5	V10	Final Amp.	12AQ5			

ELECTROLYTIC CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	GLOBE PART No.	AEROVOX PART No.	CORNELL-DUBLIER PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.	NOTES
C1A	±20	450	1106-020	AFH2-56	B0440	FP345.3	TMD-2645	TVL-2762	
B	±40	450							
C2	8	350	1106-030	PRSI610	BR835	TC61	TD-8-350	TVA-1603	
C3	100	25	1106-019	PRSI270	BBR100-25	TC2501	TD-100-25	TVA-1207	
C4	10	150	1106-034	PRSI410	BBR10-150	TC42	TD-10-150	TVA-1406	
C5	10	150	1106-034	PRSI410	BBR10-150	TC42	TD-10-150	TVA-1406	
C6	10	25	1106-032	PRSI250	BBR10-25	TC22	TD-10-25	TVA-1204	

FIXED CAPACITORS

ITEM No.	RATING	REMARKS	AEROVOX PART No.	REPLACEMENT DATA					
				CENTRALAB PART No.	CORNELL-DUBLIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.	
C7	6.8 NPO 5%		NPO-SI 6.8	TCZ-6R8	C10V68C	CCTO-6R8	CNO-568	10TCC-V68	
C8	50 10%			DI-50	DD-500	LIQ025	CCD-501	GP450	10TS-Q50
C9	.005						CCD-502	B-250	5HK-D50
C10	.01			BFD-005	DD-502	BYA10D5	CCD-103	B-110	5HK-S10
C11	50 10%			BFD-01	DD-103	BYA10S1	CCD-103	10TS-Q50	
C12	.005			DI-50	DD-500	LIQ025	CCD-500	GP450	5HK-D50
C13	.01			BFD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C14	.005			BFD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C15	.005			BFD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C16	22 N330 10%			BFD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C17	15 N330 ± .75mmf				TCA-22	•		10TCS-Q33	
C18	.002				TCA-15	•		10TCS-Q15	
C19	.01			BFD-002	DD-202	BYA10D2	CCD-202	B-220	5HK-D20
C20	.01			BFD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C21	.01			BFD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C22	.01			BFD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C23	250			SI 250	D6-251	LIQ025	CCD-251	GP325	10TS-T25
C24	250			SI 250	D6-251	LIQ025	CCD-251	GP325	10TS-T25
C25	.1 200V			P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10
C26	50 10%			DI-50	DD-503	LIQ05	CCD-500	GP450	10TS-Q50
C27	250			SI 250	D6-251	LIQ025	CCD-251	GP325	10TS-T25
C28	.05 200V			P288N-05	DD-503	CUB2P5	4DP-3-503	GEM-415	2TM-S50
C29	.002			BFD-005	DD-202	BYA10D5	CCD-202	B-220	5HK-D20
C30	.05 200V			P288N-05	DD-502	CUB2P5	4DP-3-503	GEM-215	2TM-S50
C31	.1 200V			P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-D10
C32	.005			BFD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C33	.002			BFD-002	DD-202	BYA10D2	CCD-202	B-220	5HK-D20
C34	.001			BFD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C35	.1 200V			P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10
C36	50 10%			DI-50	DD-500	LIQ05	CCD-500	GP450	10TS-Q50
C37	.01			BFD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C38	.001			BFD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C39	.01			BFD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C40	50 10%	(100) †		DI-50	DD-500	LIQ05	CCD-500	GP450	10TS-Q50
C41	.01			BFD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C42	.1 200V			P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10
C43	.002			BFD-002	DD-202	BYA10D2	CCD-202	B-220	5HK-D20
C44	22 N330 10%			TCA-33	•		10TCS-Q22		
C45	.005			BFD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C46	.01			BFD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C47	50 10%			DI-50	DD-500	LIQ05	CCD-500	GP450	10TS-Q50

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA					
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBLIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C48	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C49	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C50	100 N330		TCA-100				•	10TCS-T10
C51	.47 100V		P288N-47					2TM-P47
C52	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C53	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C54	.250		SI 250	D6-251	LIQ025	CCD-251	B-220	5HK-S10
C55	.5-30	#1111-005						10TS-T25
C56	45-280	#1111-004						
C57	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C58	.007 1600V		PI684CM-007	DD16-007	CUB2P47	16DP-3-702	GEM-1627	MB-D7
C59	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C60	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C61A	800		BPD-008	DD-801	LIQ08	CCD-821	B-382	10TS-T80
B	800		BPD-008	DD-801	LIQ08	CCD-821	B-382	10TS-T80
C62	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C63	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50
C64	.1 200V		P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10
C65	.002		BPD-002	DD-202	BYA10D2	CCD-202	B-220	5HK-D20
C66	.002		BPD-002	DD-202	BYA10D2	CCD-202	B-220	5HK-D20
C67	.002		BPD-002	DD-202	BYA10D2	CCD-202	B-220	5HK-D20

* Not normally in distributor's stock. Available thru distributor on order to manufacturer.

† Alternate Value.

‡ Globe Part Number.

CONTROLS

ITEM No.	RATING	REPLACEMENT DATA					
		GLOBE PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.	INSTALLATION NOTES
R1A	25K	2300-019	F1-27	R2-41			Squell Volume
B	500K						
C	Switch						Power On-Off Noise Gain
R2	1meg	1/4	2300-021	KR-2	† QJ-1543R	UE 4219-8	

† CONCENTRITIK Equivalent: K-6 Kit with Base Elements and Shafts:

(Not available as a factory assembled unit.)

BU-120, PI-214 (Panel)

BU-133, RI-223 (Rear)

76-2 (Switch)

■ STA-LOC Equivalent: FA253L, RU55A, OS2437, IS2812, US42.

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS
R3	1meg			
R4	10K			
R5	68K			
R6	1meg			
R7	15K			
R8	100K			
R9	100K			
R10	6800Ω			
R11	47K			
R12	68K 1W			
R13	33K			
R14	47K 1W			
R15	100K			
R16	470K			
R17	100K			
R18	6800Ω			
R19	47K			
R20	100K			
R21	1meg			
R22	470K			

PARTS LIST AND DESCRIPTIONS (Continued)

RESISTORS (cont)

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS			IRC PART No.	WORKMAN TV PART No.	REMARKS
R43	1meg				R52	2.2meg			
R44	1meg				R53	22K			
R45	2200Ω 4W	PW5-2200	SW-59-2200		R54	6800Ω			
R46	470Ω 2W				R55	330Ω 1W			
R47	100Ω				R56	22Ω 1W			
R48	22K 1W				R57	220Ω 1W			
R49	47K				R58	220Ω 1W			
R50	1000Ω 1W				R59	2200Ω			
R51	1000Ω								

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		GLOBE PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman TV PART No.	
L1	Ant.	1400-128	TV-118	6250	RTC-8568	T232A	
L2	RF	1400-105	TV-112	6171-A	RTC-8609	T216	
L3	Osc.	1400-116	TV-112	6171-A	RTC-8609	T216	
L4	Osc. Plate	1400-103	TV-112	6171-A	RTC-8609	T216	
L5	1680KC IF	1205-00LA	BC-350	12-H1	RTC-8638	T604	
L6	1st 262KC IF	1205-006	BC-351	12-H2	RTC-8639	T605	
L7	2nd 262KC IF	1205-007					
L8	Osc. Plate	1400-117					
L9	Buffer Plate	1400-119	TV-112	6171-A	RTC-8609	T216	
L10	RF Choke (750uh)	1301-006	TV-206	6148	RTC-8583	T327	
L11	RF Choke (120uh)	1301-025	TV-195	6153	RTC-8585	T307	
L12	Final Plate	1400-129					

FILTER CHOKE

ITEM No.	RATINGS			REPLACEMENT DATA				NOTES
	CURRENT (Measured)	DC RES.	INDUCTANCE (0 CURRENT 1000 ~)	GLOBE PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	
L13	.075A	210Ω	3.5HY	1300-017				

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA				NOTES
	AC OPERATION			GLOBE PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	
T1	117V @ .7A	500VCT	12.6V @ DC	1200018①				① Part #1200-019 used for 6V DC Operation.
	12.6VCT @ 3A	500VCT @ .075A						

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA				NOTES
	PRI.	SEC.	GLOBE PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	
T2	5800Ω	3-4Ω	1203-014				S-5Z

SPEAKER

ITEM No.	TYPE		REPLACEMENT DATA		NOTES
	SIZE	FIELD	GLOBE PART No.	QUAM PART No.	
SPI	3" x 5"	PM	4002-006	35A05	

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA				NOTES
				GLOBE PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	RADIART PART No.	
M1	Interrupter	12.6	115%	4001-001	6301	61601	8301	12V Versions 6V Versions
	Interrupter	6.3	115%	4001-002	5301	1601	5301	

POWER RECTIFIERS

ITEM No.	CURRENT (Measured)	REPLACEMENT DATA				NOTES
		GLOBE PART No.	RCA PART No.	SARKES TARZIAN PART No.	SYLVANIA PART No.	
M2	.075A	3700-061	1N1763	F4	SR500	
M3	.075A	3700-061	1N1763	F4	SR500	
M4	.075A	3700-061	1N1763	F4	SR500	
M5	.075A	3700-061	1N1763	F4	SR500	
M6	.100A	3700-014	1N1763	2F4	SR200	

FUSES

ITEM No.	TYPE	RATING	REPLACEMENT DATA				NOTES
			GLOBE PART No.	LITTELFUSE PART No.	BUSS PART No.		
M7	SAG	2A 250V 10A 15A	1500-011 1500-009① 1500-012②	312002 (3AG 2A 250V)	342001	AGC 2	HKP

① Part of 12.8V Input Cable. ② Part of 6.3V Input Cable.

SIGNAL DIODES

ITEM No.	ORIG. TYPE	REPLACEMENT DATA				NOTES
		GLOBE PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	SYLVANIA PART No.	
M8	1N34A	3700-002			1N34A	1N34A
M9	1N34A	3700-002			1N34A	Squelch Rectifier

MISCELLANEOUS

ITEM No.	PART NAME	GLOBE PART No.	NOTES
M10	Variable Cap.	1105-031	
M11	Crystal	Specify Channel	1 Gang, Receiver Tuning
M12	Crystal	Specify Channel	Receiver
M13	Crystal		Transmit
M14	Switch	2100-034	1942 KC
M15	Switch	2100-034	Receiver Channel
M16	Relay	3500-015	Transmit Channel
M17	Microphone	4000-008	Transmit-Receive

CABINETS & CABINET PARTS

(When Ordering Cabinets & Cabinet Parts, Specify Model, Chassis & Color)

NAME	PART NO.	DESCRIPTION
Knob	2600-021	
Knob	2600-024	Tuning
Knob	2600-022	Channel Selector
Knob	2800-023	Volume
Cabinet	1700-034	Squelch

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8550 (Solid) Available in Ten Colors
	8524 (Stranded) Available in Ten Colors
Power Cord	Use BELDEN No. 1765-B (6 Ft. Length) 1725-K (7½ Ft. Length)

PHOTOFAC[®] Folder

with CIRCUITTRACE[®]



HEATH MODEL GWW-30



HEATH
MODEL GWW-30

TRADE NAME	Heath Model GWW-30	
MANUFACTURER	Heath Co., A Subsidiary of Daystrom, Inc., Benton Harbor, Michigan	
TYPE SET	Battery Operated Transistorized Portable Citizens Band Transmitter-Receiver	
POWER SUPPLY	9 Volts DC	RATING 12MA @ 9 Volts DC (Receive) 25MA @ 9 Volts DC (Transmit)
TUNING RANGE	Any One of Citizens Band Channels 1 thru 23	

NOTICE


ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ806

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. © 1961 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America





A PHOTFACT STANDARD NOTATION SCHEMATIC

with CIRCUITTRACE

© Howard W. Sams & Co., Inc. 1961



REGENERATION CONTROL ADJUSTMENT


Remove antenna. Turn unit on and advance volume control. Slowly turn regeneration control clockwise until a squeal is heard from the speaker, then turn counterclockwise about 1/4 turn until squeal is no longer heard. Depress and release transmit button. A hiss should be heard. If not, slowly turn regeneration control clockwise until a hiss is heard each time the transmit button is released.

RECEIVER ALIGNMENT

Insert antenna. Adjust A1 for best reception from a transmitter placed far enough away to produce a weak signal.

TRANSMITTER ALIGNMENT

Remove antenna and connect a lamp bulb from point A to point B. Depress transmit button and adjust A2 for maximum bulb brilliance. The bulb should glow each time the button is depressed. If not, adjust A2 slowly clockwise until the bulb does glow each time. NOTE: The glow of the bulb will be dim because of the low RF output.



HEATH
MODEL GWW-30

PARTS LIST AND DESCRIPTIONS

TRANSISTORS

ITEM No.	ORIG. TYPE	USE	REPLACEMENT DATA		NOTES
			RCA PART No.	RAYTHEON PART No.	
X1	2N1108	Superregen. Det.	2N412		
X2	2N185	AF Amplifier	2N408	2N633	PNP
X3	2N185	Rec. Output-Mod.	2N408	2N633	PNP
X4	2N424	Trans. Osc.			PNP

ELECTROLYTIC CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	HEATH PART No.	AEROVOX PART No.	CORNELL-DUBLIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	10	10	25-54	PTT39	NLW10-15	MT1-5	TT12X10	MLV10-10	TE-1114
C2	10	10	25-54	PTT39	NLW10-15	MT1-5	TT12X10	MLV10-10	TE-1114
C3	10	10	25-54	PTT39	NLW10-15	MT1-5	TT12X10	MLV10-10	TE-1114
C4	50	10	25-55	PTT45	NLW50-10	MT1-16	TT10X50	MLV50-10	TE-1119
C5	100	10	25-56	PTT46	NLW100-12	MT1-19	TT15X100	MLV100-10	TE-1119.3

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA						
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBLIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.			
C6	.005	DI-5000	DM-502	H-05SS	CCD-502	TA-250	TG-D50			
C7	.002	DI-2000	DD-202	BYA10D2	CCD-202	B-220	5HK-D20			
C8	3.3 NPO 10%	NPO-DI 3.3	DTZ-3R3	C10V33C	CCTO-3R3	CNO-533	10TCC-V33			
C9	7.5 %									
C10	22 %									
C11	.01 10%									
C12	.1									
C13	.05									
C14	.1									
C15	.05									
C16	30 %									
C17	.01 10%									
C18	36 %									
C19	.005									

CONTROLS

ITEM No.	RATING		REPLACEMENT DATA					INSTALLATION NOTES
	RESISTANCE	WATTS	HEATH PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS - IRC PART No.	MALLORY PART No.	
R1	10K	1/4	19-54		448-10K-W		MLC14A-8	Volume & Switch Regeneration
R2	100K	1/4	10-109					

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.


ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS			IRC PART No.	WORKMAN TV PART No.	REMARKS
R3	56K				R9	22K			
R4	100Ω				R10	3300Ω			
R5	22K				R11	68Ω			
R6	2200Ω				R12	3900Ω			
R7	1000Ω				R13	27K			
R8	2200Ω				R14	68Ω			

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		HEATH PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman TV PART No.	
L1	Ant. Loading(2.2uh)	40-319	BC-563	4606	RTC-8517	T857	
L2	Rec. Osc.	40-317					
L3	RF Choke(15uh)	45-51	BC-566	4624	RTC-8524	T862	
L4	Transmitt. Osc.	40-318					

PRINTED BOARD

A Howard W. Sams CIRCUITRACE Photo



PARTS LIST AND DESCRIPTIONS (Continued)

TRANSFORMER (DRIVER)

ITEM No.	TURNS RATIO PRI. SEC. 1	REPLACEMENT DATA					NOTES
		HEATH PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
		51-66					
T1	3.5 : 1 40 : 1						

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA					NOTES
	PRI.	SEC.	HEATH PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T2	650Ω Tap @ 600Ω	3-4Ω	51-67					

SPEAKER

ITEM No.	TYPE		REPLACEMENT DATA		NOTES
	SIZE	FIELD	HEATH PART No.	QUAM PART No.	
SPI	3"	PM	3-4Ω	40L-37	

BATTERIES

ITEM No.	VOLTAGE	HEATH PART No.	REPLACEMENT DATA			NOTES
			BURGESS	EVEREADY	MALLORY	
M1	9V		2N6	246	"A" "B"	M-1602

MISCELLANEOUS


ITEM No.	PART NAME	HEATH PART No.	NOTES
M2	Crystal, Transmit	404-67	26.965MC Channel 1
		404-68	26.975MC Channel 2
		404-69	26.985MC Channel 3
		404-70	27.005MC Channel 4
		404-71	27.015MC Channel 5
		404-72	27.025MC Channel 6
		404-73	27.035MC Channel 7
		404-74	27.055MC Channel 8
		404-75	27.065MC Channel 9
		404-76	27.075MC Channel 10
		404-77	27.085MC Channel 11
		404-78	27.105MC Channel 12
		404-79	27.115MC Channel 13
		404-80	27.125MC Channel 14
		404-81	27.135MC Channel 15
		404-82	27.155MC Channel 16
		404-83	27.165MC Channel 17
		404-84	27.175MC Channel 18
		404-85	27.185MC Channel 19
		404-86	27.205MC Channel 20
		404-87	27.215MC Channel 21
		404-88	27.225MC Channel 22
		404-89	27.255MC Channel 23
M3 M4	Switch Antenna Printed Board	64-10	Push to talk (4 Section Pushbutton Type)
		142-35	40" Whip, Collapsible to 7 1/2"
		85-33F373	

CABINETS & CABINET PARTS

(When Ordering Cabinets & Cabinet Parts, Specify Model, Chassis & Color)

NAME	PART NO.	DESCRIPTION
Knob Leather Case	462-109 93-4	Includes Strap

CHASSIS—TOP VIEW



WIRING DATA


General-use Unshielded Hook-up Wire Use BELDEN No. 8530 (Solid) Available in Ten Colors
 8524 (Stranded) Available in Ten Colors

PHOTOFAC[®] Folder

with CIRCUITTRACE[®]



JOHNSON VIKING MODEL PERSONAL MESSENGER (242-101-1)



TRADE NAME Johnson Viking Model Personal Messenger (242-101-1)

MANUFACTURER E. F. Johnson Co., Waseca, Minnesota

TYPE SET Battery Operated Single Channel Transistorized Portable Citizens Band Transmitter-Receiver

POWER SUPPLY 12 Volts DC

RATING Receive: 15MA @ 12 Volts DC (No Signal, Min. Volume)
20MA @ 12 Volts DC (Signal, Normal Volume)

Transmit: 21MA @ 12 Volts DC (Unmodulated)

TUNING RANGE Any one of Citizens Band Channels 1 thru 23


JOHNSON VIKING MODEL
PERSONAL MESSENGER (242-101-1)

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guaranty by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of LY431.



the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. © 1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America



- TAKEN WITH RECEIVE-TRANSMIT SWITCH IN "TRANSMIT" POSITION.

RESISTANCE MEASUREMENTS NOT GIVEN BECAUSE OF THE
WIDE VARIATION IN INTERNAL TRANSISTOR RESISTANCE.

NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND
TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COM-
PONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON
THE UNIT.




Θ SEE PARTS LIST FOR ALTERNATE
VALUE OR APPLICATION

DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM



1. DC voltage measurements taken with vacuum tube voltmeter.
2. Socket connections or transistor terminals are shown as bottom views.
3. Measured values are from socket pin or terminal to common ground.
4. Nominal tolerance on component values makes possible a variation of $\pm 15\%$ in voltage and resistance readings.
5. Volume control at maximum, no signal applied for voltage measurements.


A PHOTOFAC STANDARD NOTATION SCHEMATIC
with **CircuitTrace®**

© Howard W. Sams & Co., Inc. 1962




JOHNSON VIKING MODEL
PERSONAL MESSENGER (242-101-1)






CHASSIS TOP VIEW – RESISTOR IDENT.



CHASSIS TOP VIEW – CAPACITOR IDENT.



CHASSIS—TOP VIEW ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Best results will be achieved when adjusting A6 and A8 if the antenna normally used is connected, and the unit is as nearly in the cabinet as possible.

Suggested Alignment Tools:

A1 thru A8.....GENERAL CEMENT #8282, 8606, 8606-L, 9295, 9440
WALSCO #2526, 2543, 2544, 2545

RECEIVER ALIGNMENT

Connect DC probe of VTVM to Point A, common to ground.

	SIGNAL GENERATOR	CHANNEL	ADJUST	REMARKS
1.	Connect high side to base of Mixer (X2), common to B-. Tune to 455KC (Unmod.).	Unused Channel	A1, A2, A3	Disable oscillator by unplugging crystal. Adjust for maximum deflection. Reinsert crystal.
2.	Connect high side to antenna input. Common to B-.	Channel Frequency	A4	Adjust for maximum deflection while rocking A4. Note rate of drop-off on each side of peak and set A4 just below peak in direction of gradual drop-off.
3.	"	Channel Frequency	A5, A6	Adjust for maximum deflection.

TRANSMITTER ALIGNMENT

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)

	SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
4.		DC probe to Point B, common to B-.	A7	Key transmitter and adjust. A7 for maximum deflection. Rock A7 to each side of peak and note rate of drop-off. Set A7 just before peak in direction of gradual drop-off.
5.	Connect dummy load and RF Wattmeter or antenna. Tune to center channel.	RF Wattmeter or Field Strength meter.	A9	Key transmitter and adjust for maximum indication.

PARTS LIST AND DESCRIPTIONS

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid 22AWG) 8524 (Stranded 22AWG) 8570 (Stranded 26AWG)	Available in 12 Colors
---	---	------------------------------

TRANSISTORS

ITEM No.	ORIG. TYPE	USE	REPLACEMENT DATA		NOTES
			RCA PART No.	RAYTHEON PART No.	
X1	M351	RF Amplifier	2N1171		PNP
	TA2112*	RF Amplifier			PNP
X2	S065A	Rec. Mixer	2N1179		PNP
	TA2113*	Rec. Mixer			PNP
X3	R425	Rec. Osc.	2N1178		PNP
	TA2114*	Rec. Osc.			PNP
X4	2N1634	1st IF Amp.	2N1634		PNP
	2N1638*	1st IF Amp.			PNP
X5	2N1634	2nd IF Amp.	2N1634		PNP
	2N1638*	2nd IF Amp.			PNP
X6	22.3903 #	Noise Limiter	IN2326		
X7	2N1370	Squelch	2N406	2N362	PNP
	2N406*	Squelch			PNP
X8	2N1274	Driver-Speech Amp.	2N591	2N360	PNP
	2N591*	Driver-Speech Amp.			PNP
X9	22.3902 #	Bias Regulator	IN2326		
X10	2N1274	Output-Modulator	2N217	2N360	PNP
	2N217*	Output-Modulator			PNP
X11	2N1274	Output-Modulator	2N217	2N360	PNP
	2N217*	Output-Modulator			PNP
X12	R425	Trans. Osc.	2N1178		PNP
	TA2115*	Trans. Osc.			PNP
X13	R424	Final Amp.	2N1177		PNP
	TA2116*	Final Amp.			PNP

* Alternate
Johnson Viking Part No.

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		DIODES	NOTES
			RCA PART No.	SARKES TARZIAN PART No.	RAYTHEON PART No.	
X14		22.3901			IN295	AVC (IN295)
X15		22.3901			IN295	Detector (IN295)

ELECTROLYTIC CAPACITORS

ITEM No.	RATING		Johnson Viking PART No.	AEROVOX PART No.	REPLACEMENT DATA				
	CAP.	VOLT.			CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	5	15	22.1734-1	BCD15005	ECPB405	MT1-3	PET1535	MLV5-15	
C2	5	15	22.1734-1	BCD15005	ECPB405	MT1-3	PET1535	MLV5-15	
C3	5	15	22.1734-1	BCD15005	ECPB405	MT1-3	PET1535	MLV5-15	
C4	5	15	22.1734-1	BCD15005	ECPB405	MT1-3	PET1535	MLV5-15	
C5	25	3	22.1734-4	BCD3025	ECPB411	MT1-13	TT3X25	MLV25-3	
C6	50	3	22.1734-7	BCD3050	ECPB15		TT3X50	MLV50-3	
C7A	40	15	22.1734-6	PTT71	ECPAPI2	MT1-16	TT15X40	MLV50-15	TE-1160
B	40	15		PTT71		MT1-16	TT15X40	MLV50-15	TE-1160
C8	5	15	22.1734-1			MT1-3	MLV5-15		

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA					
				AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C9	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C10	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C11	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C12	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C13	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C14	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C15	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C16	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C17	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C18	270 10%			TCZ-270	5R5T27		CCD-271	CNO-327	MB-327
C19	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C20	.1			C80V104AM	DA-104	H-05P1		TA-010	TG-P10
C21	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C22	.22 3V			UK-224	HCC3224P				HY-125
C23	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C24	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C25	.22 3V			UK-224	HCC3224P				HY-125
C26	150			DI-150	DD-151	LJ0715	CCD-151	GP315	10TS-T15
C27	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C28	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C29	.02			C80V203AM	DDM-203	H-05S2	CCD-203	TA-220	TG-820
C30	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C31	.005			C80V502AM	DM-502	H-05D5	CCD-502	TA-250	TG-D50
C32	.005			C80V502AM	DM-502	H-05D5	CCD-502	TA-250	TG-D50
C33	.02			C80V203AM	DDM-203	H-05S2	CCD-203	TA-220	TG-820
C34	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C35	.05			C80V503AM	DDA-503	H-05S5		TA-150	TG-850
C36	.56			DI-56	DD-560	L1Q56	CCD-560	GP456	10TS-Q56
C37	.33			DI-33	DD-330	L1QQ33	CCD-330	GP433	10TS-Q33
C38	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C39	.01			C80V103AM	DM-103	H-05S1	CCP-103	TA-110	TG-810
C40	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C41	.39			DI-39	DD-390	L1QQ39	CCD-390	GP439	10TS-Q39
C42	.01			C80V103AM	DM-103	H-05S1	CCD-103	TA-110	TG-810
C43	.1			C80V104AM	DA-104	H-05P1		TA-010	TG-P10

PARTS LIST AND DESCRIPTIONS (Continued)

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESISTANCE	REPLACEMENT DATA				
			Johnson Viking PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS -IRC PART No.	MALLORY PART No.
R1	Volume & Switch	10K	22.1761				
R2	Squelch	10K	22.1762				

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R3	1000Ω				R23	10K			
R4	8200Ω				R24	3300Ω			
R5	47K				R25	4700Ω			
R6	470Ω				R26	5600Ω			
R7	47K				R27	22K			
R8	4700Ω				R28	1000Ω			
R9	39K				R29	39K			
R10	4700Ω				R30	10K			
R11	680Ω				R31	470Ω			
R12	1000Ω				R32	10K			
R13	1000Ω				R33	4.7Ω			
R14	1000Ω				R34	56K			
R15	100Ω				R35	5600Ω			
R16	1500Ω				R36	220Ω			
R17	1000Ω				R37	100Ω			
R18	4700Ω				R38	1000Ω			
R19	27K				R39	100Ω			
R20	680Ω				R40	220Ω			
R21	5600Ω				R41	56Ω			
R22	220K								

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		Johnson Viking PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman PART No.	
L1	Antenna	22.1732-11					
L2	RF Receiver	22.1732-12					
L3	Osc. Receiver	22.1732-13					
L4	1st IF	22.1791-4					
L5	2nd IF	22.1791-5					
L6	3rd IF	22.1791-6					
L7	Osc. Transmitter	22.1749-2					
L8	Final	22.1749-1					

TRANSFORMER (DRIVER)

ITEM No.	TURNS RATIO	REPLACEMENT DATA					NOTES
		Johnson Viking PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T1	2 1	22.1682					

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE	REPLACEMENT DATA					NOTES
		Johnson Viking PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T2	900Ω 90-100Ω	22.1681-2					

SPEAKER

ITEM No.	TYPE	REPLACEMENT DATA		NOTES
		Johnson Viking PART No.	QUAM PART No.	
SP1	2" PM 90-100Ω	22.1764		

BATTERIES

ITEM No.	VOLTAGE	Johnson Viking PART No.	REPLACEMENT DATA				NOTES
			BURGESS	EVEREADY	MALLORY	"A"	
MI	1½V		930	1015		M-15R	8 Required

MISCELLANEOUS

ITEM No.	PART NAME	Johnson Viking PART No.	NOTES		
M2	Antenna Switch	22.1793 22.1792	Collapsible Whip Transmit-Receive (Spring Loaded Momentary Contact Slide Type)		
M3	Crystal, Receive	250-1001 *	* Catalog Number, Includes one receive and one transmit crystal for Channel 1. For other channels, replace last two digits with channel number.		
M4	Crystal, Transmit	250-803			
M5	Earphone Adaptor	250-807	For Using Power from Cigarette Lighter on 12V Automobile		

CABINETS & CABINET PARTS

(When Ordering Cabinets & Cabinet Parts, Specify Model, Chassis & Color)

NAME	PART NO.	DESCRIPTION
Knob	32.127-2	
Button	32.126	
Cabinet Front	23.1522	Includes Speaker Cover and Plastic Moisture Barrier
Cabinet Rear	23.1521	
Case, Carrying	250-806	

PHOTOFAC[®] Folder



LAFAYETTE MODELS HE-20AWX (Series 3, 4, 5), HE-20WX (Series 3)



TRADE NAME	Lafayette Models HE-20 AWX Series 3, 4, 5; HE-20 WX Series 3
SUPPLIER	Lafayette Radio, 165-98 Liberty Ave., Jamaica 33, N. Y.
TYPE SET	AC-Battery Operated 7 Tube Citizens Band Transmitter-Receiver
POWER SUPPLY	110 - 120 Volts AC, 60 Cycles (or) 12 Volt Storage Battery
RATING	51 Watts, .5 Amp. @ 117 Volts AC (or) 4.3 Amp. @ 12.6 Volts DC
TUNING RANGE	Any 4 of Citizens Band Channels 1 thru 23 (Receiver may be crystal controlled or manually tuned)

**LAFAYETTE MODELS HE-20AWX
(Series 3, 4, 5), HE-20WX (Series 3)**

NOTICE


ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana



The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guaranty by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ984

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America



NOTICE
ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
I REFER TO FCC RULES & REGULATIONS PART 19.
SUBPART D, SECTION 19.71.

1. DC voltage measurements taken with vacuum tube voltmeter.
AC voltages measured with 1000 ohm per volt voltmeter.
2. Socket connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance on component values makes possible a variation of $\pm 15\%$ in voltage and resistance readings.
6. Volume control at maximum, no signal applied for voltage measurements.

NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.

A PHOTOFAC STANDARD NOTATION SCHEMATIC

© Howard W. Sams & Co., Inc. 1962


RESISTANCE READINGS								
ITEM	TUBE	PIN 1	PIN 2	PIN 3	PIN 4	PIN 5	PIN 6	PIN 7
V1	6BA6	2.3meg	0Ω	FIL	FIL	15800Ω	130K	68Ω
V2	6BE6	47K	.2Ω	FIL	FIL	148K	140K	47K
V3	EF93 6BA6	1.9meg	0Ω	FIL	FIL	13300Ω	130K	68Ω
V4	6AB	$\pm 123K$	1meg	150K	FIL	13300Ω	200Ω	0Ω
V5	6TB	400K	600K	240K	FIL	2meg	0Ω	10meg
V6	6AQ5	NC	330Ω	FIL	FIL	1400Ω	1100Ω	470K
V7	6AW8A	0Ω	.47K	.148K	FIL	FIL	0Ω	.82K
								15100Ω
								1440Ω

ALL MEASUREMENTS MADE IN "RECEIVE" POSITION WITH METER DISCONNECTED UNLESS OTHERWISE DESIGNATED.


† MEASURED IN "TRANSMIT" POSITION WITH MICROPHONE DISCONNECTED.


‡ MEASURED FROM OUTPUT OF M2.

NC NO CONNECTED



LAFAYETTE MODELS HE-20AWX
(Series 3, 4, 5), HE-20WX (Series 3)





CHASSIS BOTTOM VIEW-RESISTOR IDENT.

ALIGNMENT INSTRUCTIONS


ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

RECEIVER ALIGNMENT

	SIGNAL GENERATOR COUPLING	SIGNAL GENERATOR FREQUENCY	CHANNEL	OUTPUT METER	ADJUST	REMARKS
1.	High side thru .1mfd to pin 7 (grid) of Converter. Low side to chassis.	1650KC (400% 30% AM)	9 (Fixed)	Across voice coil.	A5, A6, A7, A8, A9, A10	Turn Volume and Squelch controls fully clockwise. Adjust for maximum output.
2.	Across antenna receptacle.	27.065MC	"	"	All	Connect a 100Ω resistor in series with a .005mfd capacitor across the secondary of L3. Adjust All for maximum output.
3.	"	27.065MC	9	"	A12	Move the capacitor and resistor to the primary and adjust A12 for maximum output.
4.	"	26.965MC	1 (Tuneable)	"	A13	With Volume and Squelch controls fully clockwise, adjust A13 for maximum output. Two peaks will be found. Use the higher of the two.
5.	"	27.255MC	23 (Tuneable)	"	A14	Adjust for maximum output. Repeat Steps 4 and 5 until proper calibration is obtained.

TRANSMITTER ALIGNMENT

- Insert a dummy antenna (47 lamp or 52Ω 5W non-inductive load) into antenna receptacle. If load is used, parallel with RF voltmeter.
- Set selector to the Fixed Channel position having Channel 9 crystal.
- Hold transmit button and make the following adjustments:
 - A1 for maximum lamp brilliance or maximum voltage.
 - Turn A2 fully tight, then back off 1/2 turn.
 - A3 for maximum lamp brilliance, maximum voltage, or minimum dip on front panel Ip meter.
 - A2 for maximum lamp brilliance, maximum voltage, or minimum dip on front panel Ip meter.
- Press and release transmit button several times. The output indicator should show that the transmitter is operating each time. If not, back out A1 1/4 turn at a time until transmitter operates each time the button is pressed.
- A4 is adjusted for minimum interference to TV receivers on the 3 lower TV channels of the area.



CHASSIS—TOP VIEW

PARTS LIST AND DESCRIPTIONS

TUBES

GENERAL ELECTRIC			RAYTHEON			SYLVANIA		
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE	ITEM No.	USE	TYPE
V1	R.F. Amplifier	EF93/6BA6	V5	Det. -ANL-Squelch Clamper-				
V2	Converter	6BE6	V6	AF Amplifier	6T8			
V3	1st IF Amplifier	EF93/6BA6	V7	Rec. Output-Modulator	6AQ5			
V4	2nd IF Amp. -Speech Amp.	6EA8 (6USA)*		Trans. Osc. -Final Amp.	6AW8A			

* Alternate


ELECTROLYtic CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	LAFAYETTE PART No.	AEROVOX PART No.	CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	40	200							
C2A	40	200		PRS1580	BR4025	QT1-14	TC58	TD-40-250	TVA-1511
B	40	350		AFH3-43	C0340	XC4-22	FP420, 36	TMT-3700	TVL-3785
C	40	350		PRS1580	BR4035			TD-40-350	TVA-1611
D	10	50							

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA						
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.			
C3	24 .5%			1469-000024	TCZ-24	22R5Q24	CM-19B-240J	CNO-425	MS-424	
C4	40-380				829-10					
C5	1-10			N750-SI 10	TCN-10	C10Q1U	CCTN-100	CN7-410	10TCU-Q10	
C6	10 N750 .5%			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10	
C7	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10	
C8	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10	
C9	.001			N750-SI 10	TCN-10	C10Q1U	CCTN-100	CN7-410	10TCU-Q10	
C10	10 N750 .5%			N750-SI 10	TCN-10	C10Q1U	CCTN-100	CN7-410	10TCU-Q10	
C11	10 N750 .5%			N750-SI 10	TCN-10	C10Q1U	CCTN-100	CN7-410	10TCU-Q10	
C12	10			1469-00001	TCZ-10	22R5Q1	CM-19B-100M	MCB215	MS-41	
C13										
C14	22 NPO .5%				DTZ-22	C10Q22C	CNO-422	10TCC-Q22		
C15	50 .5%				1469-00005	TCZ-50	22R5Q5	CM-19B-500J	MCE225	MS-45
C16	10 N750 .5%				N750-SI 10	TCN-10	C10Q1U	CCTN-100	CN7-410	10TCU-Q10
C17	22 N750				N750-SI 22	TCN-22	C10Q22U	CCTN-22	CN7-422	10TCU-Q22
C18	22 N750				N750-SI 22	TCN-22	C10Q22U	CCTN-22	CN7-422	10TCU-Q22
C19	.02				BPD-02	DD-203	BYB8S	CCD-203	B-120	5HK-S20
C20	.01				BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C21	.01				BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C22	.01				BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C23	.01				BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C24	.01				BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C25	.01				BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C26	.001				BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C27	.01				BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C28	.005				BPD-005	DD-502	BYA10DS	CCD-502	B-250	5HK-D50
C29	.01				BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C30	100 N750				N750-SI 100	TCN-100	C10T1U	CCTN-101	10TCU-T10	
C31	100 N750				N750-SI 100	TCN-100	C10T1U	CCTN-101	10TCU-T10	
C32	.1 200V				P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	4TM-P10
C33	.01				BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10
C34	.001				BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C35	.001				BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C36	100 N750				N750-SI 100	TCN-100	C10T1U	CCTN-101	10TCU-T10	
C37	.001 600V 10%				V84C6DI-10%	PM6DI	6DP-1-102	GEM-1021	6TM-D10	
C38	.003 600V				P688N-003	DD-302	CUB6D3	6DP-1-302	GEM-623	6TM-D30
C39	.001				BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C40	.001				BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C41	100 N750				N750-SI 100	TCN-100	C10T1U	CCTN-101	10TCU-T10	
C42	.1 400V				P488N-1	DF-104	CUB4P1	4DP-3-104	4TM-P10	
C43	.002				BPD-002	DD-202	BYA10D2	CCD-202	B-220	5HK-D20
C44	.002 600V				P688N-002	DD-202	CUB6D2	6DP-1-202	GEM-622	6TM-D20
C45	.190 10%				1469-00002	TCZ-200	22R5T2	CM-19B-201K	MCB237	MS-32
C46	.001				BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C47	5 N750 .5%				N750-SI 5	TCN-5	C10V5U	CCTN-050	CN7-550	10TCU-V50
C48	470 10%				1469-00047	5R5T4	CM-19B-471K	MJC244	MS-347	
C49	5 N750 .5%				N750-SI 5	TCN-5	C10V5U	CCTN-050	CN7-550	10TCU-V50
C50	.001				BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10
C51	.001 2000V 10%									

CHASSIS-BOTTOM VIEW



ITEM No.	RATING		REMARKS	REPLACEMENT DATA						
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.			
C52	.001 2000V 10%			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10	
C53	.001			P288N-02	DD-203	CUB2S2	4DP-2-203	GEM-412	2TM-S20	
C54	.02 200V			P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	4TM-P10	
C55	.1 200V			P488N-1	DF-104	CUB4P1	4DP-3-104	GEM-401	4TM-P10	
C56	.1 400V			P688N-1	DF-104	CUB6P1	6DP-4-104	GEM-601	6TM-P10	
C57	.1 600V			P688N-1	DF-104	CUB6S1	6DP-4-104	GEM-601	6TM-P10	
C58	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10	
C59	.02			BPD-02	DD-203	CUB6S2	CCD-203	B-120	5HK-S20	
C60	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10	
C61	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10	
C62	.1 50V			DDA-104	H-05P1		IDP-2-104	TA-010	TG-P10	
C63	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10	
C64	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10	
C65	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10	
C66	.01			BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10	
C67	.001			BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10	

Note 1. Not used in some versions.

CONTROLS

ITEM No.	RATING		LAFAYETTE PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.	INSTALLATION NOTES		
	RESISTANCE	WATTS								
R1A	2meg	1/2	V-332A-2	B-76	A47-1meg-Z	Q13-139	U55	Volume		
B	Shaft		KR-1	Not Req.	FS-3	76-1	Not Req.	Power Off-On		
C	Switch				SWE-12		US-26			

PARTS LIST AND DESCRIPTIONS (Continued)

CONTROLS (cont)

ITEM No.	RATING		REPLACEMENT DATA					INSTALLATION NOTES
	RESISTANCE	WATTS	LAFAYETTE PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS -IRC PART No.	MALLORY PART No.	
R2A B	3meg Bushing 200Ω	½ 2(WW)	V-331A-2	B-84 AK-31 WN-101 Not Req.	A43-200 FKS-1/4	W11-100 SK5	U57 EB247	Squelch Meter Adjust
R3A B	Shaft							

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS			IRC PART No.	WORKMAN TV PART No.	REMARKS
R4	470K				R31	220K			
R5	4700Ω 1W				R32	220K			
R6	27K 1W				R33	1meg			
R7	27K				R34	470K			
R8	68Ω				R35	2.2meg			
R9	47K				R36	10meg			
R10	47K				R37	8.2meg			
R11	47K				R38	470K			
R12	39K				R39	1.8meg			
R13	47K				R40	1.5meg			
R14	2200Ω				R41	470K			
R15	27K				R42	330Ω 1W			
R16	68Ω				R43	47K			
R17	150Ω				R44	56K			
R18	1.5meg				R45	47K			
R19	10meg				R46	27K			
R20	1meg				R47	1.2Ω			
R21	2200Ω				R48	56Ω			
R22	47K				R49	4700Ω 1W			
R23	100K				R50	1000Ω			
R24	2.2meg				R51	1000Ω 2W			
R25	10K				R52	100Ω 1W			
R26	56K				R53	10Ω			
R27	56K				R54	470K			
R28	220K				R55	1meg			
R29	10K				R56	560K			
R30	47K				R57	22Ω 2W			

* Alternate Value.

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		LAFAYETTE PART No.	Merit PART No.	Miller PART No.	Stoncor PART No.	Workman TV PART No.	
L1	Ant.						
L2	TV Trap						
L3	RF						
L4	Osc.						
L5	RF Choke (7.2uh)						
L6	1st IF						
L7	2nd IF						
L8	3rd IF						
L9	Osc. Plate						
L10	RF Choke(500uh)						
L11	RF Choke(500uh)						
L12	RF Choke(.56uh)						
L13	Hash Choke (30uh)						

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA					NOTES
	PRI.	SEC. 1	SEC. 2	LAFAYETTE PART No.	Merit PART No.	Stoncor PART No.	Thordorson PART No.	Triod PART No.	
T1	117V@ .5A or 12.6VCT @ 2.5A	105V@ .3A	12.6V@ 1.8A	PTV-183-2					

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA					NOTES
	PRI.	SEC.	LAFAYETTE PART No.	Merit PART No.	Stoncor PART No.	Thordorson PART No.	Triod PART No.	
T2	10.7K Tap @ 4600Ω	3-4Ω	T-184-1					

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	LAFAYETTE PART No.	QUAM PART No.	
SP1	4"	PM	3-4Ω	ST17-1	4A07	

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA			NOTES
				LAFAYETTE PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	
M1	Interrupter	12.3V	115Hz			6301	G-1801 6301

POWER RECTIFIERS

ITEM No.	CURRENT (Measured)	REPLACEMENT DATA			NOTE*
		LAFAYETTE PART No.	RCA PART No.	SARKES TARZIAN PART No.	
M2	.080A			IN1763	
M3	.080A			IN1763	40H
M4	.0001				Model 12

SIGNAL DIODES

ITEM No.	ORIG. TYPE	REPLACEMENT DATA			NOTES
		LAFAYETTE PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	
M5	IN34A			IN34A	Noise Limiter

MISCELLANEOUS

ITEM No.	PART NAME	LAFAYETTE PART No.	NOTES
M6	Variable Cap.		
M7	Crystal		1 Gang, Receiver Tuning
M8	Crystal		Receive (Order Channel Desired)
M9	Switch		Transmit (Order Channel Desired)
M10	Relay		Channel Selector (Rotary Wafer Type)
M11	Meter		

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid) Available in Ten Colors
Power Cord	8524 (Stranded) Available in Ten Colors
Shielded Hook-up Wire	Use BELDEN No. 1765-B (6 Ft. Length)
Bonding Strap	1725-K (7 1/2 Ft. Length)
	Use BELDEN No. 8885
	Use BELDEN No. 8861



NOTICE

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71).

LAFAYETTE
MODEL HE-29

TRADE NAME	Lafayette Model HE-29
SUPPLIER	Lafayette Radio, 165-08 Liberty Ave., Jamaica 33, N. Y.
TYPE SET	Battery Operated Transistorized Portable Citizens Band Transmitter-Receiver
POWER SUPPLY	12 Volts DC
TUNING RANGE	Citizens Band Channel 10
RATING	10MA @ 12 Volts DC (Receive, No Signal) 15MA @ 12 Volts DC (Transmit, No Signal)

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Volume control should be at maximum position. Output of signal generator should be no higher than necessary to obtain an output reading.

Suggested Alignment Tools: A1, A2, A3... GENERAL CEMENT #5009, 8195, 8274, 8275, 8728, 8729, 8987, 8988, 8989
WALSCO #2515, 2531, 2532
A4, thru A8.. GENERAL CEMENT #9440

RECEIVER ALIGNMENT

	SIGNAL GENERATOR COUPLING	SIGNAL GENERATOR FREQUENCY	RADIO DIAL SETTING	OUTPUT METER	ADJUST	REMARKS
1.	Fashion loop of several turns of wire and radiate signal into loop of receiver.	455KC (400% Mod.)		Across voice coil.	A1, A2, A3	Adjust for maximum output.
2.	"	Transmitter Crystal Freq.		"	A4, A5	Adjust A4 for proper oscillation. Adjust A5 for maximum output.

TRANSMITTER ALIGNMENT


3. Adjust A6 for Transmitter Crystal Freq. as checked with a frequency meter.
4. Adjust A7 and A8 for maximum transmitted output as measured with a field strength meter or similar device.
Recheck frequency.

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of LZ052

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America





TRANSMIT-RECEIVE SWITCH (M2)
TERMINAL NUMBERING GUIDE

6 o	o 12
5 o	o 11
4 o	o 10
3 o	o 9
2 o	o 8
1 o	o 7

SWITCH SHAFT

ALL MEASUREMENTS MADE IN RECEIVE POSITION UNLESS OTHERWISE DESIGNATED.

MEASURED IN TRANSMIT POSITION

RESISTANCE MEASUREMENTS NOT GIVEN BECAUSE OF THE
WIDE VARIATION IN INTERNAL TRANSISTOR RESISTANCE.

NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND
TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COM-
ONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON
THE UNIT.

SEE PARTS LIST FOR ALTERNATE
VALUE OR APPLICATION.

DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM



1. DC voltage measurements taken with vacuum tube voltmeter.



2. Socket connections or transistor terminals are shown as bottom views.

3. Measured values are from socket pin or terminal to common ground.

4. Nominal tolerance on component values makes possible a variation of ±15% in voltage and resistance readings.

5. Volume control at maximum, no signal applied for voltage measurements.





PARTS LIST AND DESCRIPTIONS

TRANSISTORS

ITEM No.	ORIG. TYPE	USE	REPLACEMENT DATA		NOTES
			RCA PART No.	RAYTHEON PART No.	
X1	2SA104	Mixer	2N1179		PNP
X2	2SA103	Receive Osc.	2N1178		PNP
X3	2SA102	1st IF Amplifier	2N1525		PNP
X4	2SA102	2nd IF Amplifier	2N1525		PNP
X5	2SB171	Driver-Speech Amp.	2N406		PNP
X6	2SB172	Output-Modulator	2N408		PNP
X7	2SB172	Output-Modulator	2N408		PNP
X8	2SA104	Trans. Osc.	2N1178		PNP
X9	2SA104	Final Amplifier	2N1177		PNP

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		DIODES		NOTES
			RCA PART No.	SARKES TARZIAN PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	
X10		29-505				1N295	Detector

ELECTROLYTIC CAPACITORS

ITEM No.	CAP.	VOLT.	REPLACEMENT DATA						
			LAFAYETTE PART No.	AEROVOX PART No.	CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	SPRAGUE PART No.	
C1	10	3	①	PTT6	NLW10-6	MT1-5	TTSX10	MLV10-3	TE-1053
C2	3	3	29-523	PTT3	NLW9-25	MT1-3	TTSX3	MLV5-3	TE-1052
C3	30	3	②	PTT10	NLW30-6	MT1-3	TTSX30	MLV30-6	TE-1092
C4	10	15	③	PTT66	NLW10-15	MT1-5	TTSX10	MLV10-15	TE-1156

① Some versions may use 10mfd@10V in this application (Part #29-525).

② Some versions may use 30mfd@10V in this application (Part #29-526).

③ Some versions may use 30mfd@12V in this application (Part #29-527).

FIXED CAPACITORS

ITEM No.	RATING	REMARKS	REPLACEMENT DATA					
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C5	.20		NPO-DI 20	DTZ-20	C10Q20C	CCTO-200	CNO-422	10TCC-Q20
C6	.01		C80V103AM	DM-103	H-05SI		TA-110	TG-S10
C7	.001	(200) †	C80V102AM	DM-102	H-05DI	CCTO-102	TA-210	TG-D10
C8	.01	(5) †	C80V103AM	DM-103	H-05SI	CCTO-200	TA-110	TG-S10
C9	.20		NPO-DI 20	DTZ-20	C10Q2C	CNO-422	10TCC-Q20	
C10	.01		C80V103AM	DM-103	H-05SI		TA-110	TG-S10
C11	.04	#29-522						
C12	.04	#29-522						
C13	.2		NPO-DI 2.0	DTZ-2R2	C10V2C	CCTO-2R2	CNO-522	10TCC-V22

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA					
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C14	.04				#29-522			
C15	.04				#29-522			
C16	.04				#29-522			
C17	.04				#29-522			
C18	.04				#29-522			
C19	.01				(.01) †			
C20	.01				#29-522			
C21	.1							
C22	.005							
C23	.04							
C24	.01							
C25	.01							
C26	.20							
C27	.100							
C28	.5							
C29	.01							
C30	.10							
C31	.04							

Lafayette Part Number.

† Alternate Value.

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESIST. ANCE	REPLACEMENT DATA		
			LAFAYETTE PART No.	CENTRALAB PART No.	CLAROSTAT PART No.
R1	Volume & Switch	5000Ω	29-512		

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R2	68K				R14	68K			
R3	3300Ω				R15	1000Ω			
R4	1000Ω				R16	470Ω			
R5	470Ω				R17	470Ω			
R6	3300Ω				R18	5600Ω			
R7	56K				R19	6800Ω			
R8	1000Ω				R20	56K			
R9	1000Ω				R21	1000Ω			
R10	100K				R22	6800Ω			
R11	1000Ω				R23	220Ω			
R12	470Ω				R24	Thermistor			
R13	56K				R25	47Ω			(MT-25)

PARTS LIST AND DESCRIPTIONS (Continued)

RESISTORS (cont)

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R26	100Ω				R30	470Ω			
R27	10K				R31	100Ω			
R28	47K				R32	100Ω			
R29	1000Ω								

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		LAFAYETTE PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman TV PART No.	
L1	Ant.	29-537					
L2	Osc.	29-533					
L3	1st IF	29-532					
L4	2nd IF	29-532					
L5	3rd IF	29-532					
L6	Osc.	29-538					
L7	Output	29-536					
L8	Ant. Load						

TRANSFORMER (DRIVER)

ITEM No.	TURNS RATIO	REPLACEMENT DATA					NOTES
		LAFAYETTE PART No.	Merit PART No.	Stancor PART No.	Thordorson PART No.	Triod PART No.	
T1	1.5	1	29-534				

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA					NOTES
	PRI.	SEC. 1	LAFAYETTE PART No.	Merit PART No.	Stancor PART No.	Thordorson PART No.	Triod PART No.	
T2	8000 CT	6-8Ω	29-535					
		SEC. 2						
		250Ω						

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	LAFAYETTE PART No.	QUAM PART No.	
SPI	2 1/4"	PM	6-8Ω	29-539	22A06Z8	

BATTERIES

ITEM No.	VOLTAGE	LAFAYETTE PART No.	REPLACEMENT DATA			NOTES
			BURGESS	EVEREADY	MALLORY	
M1	1 1/2 V	BA-155	930	1015	M-15R	8 Required


MISCELLANEOUS

ITEM No.	PART NAME	LAFAYETTE PART No.	NOTES		
M2	Switch	29-540	Push-to-talk (Spring Loaded, Slide Type)		
M3	Antenna	29-543	Receive Transmit		
M4	Crystal				
M5	Crystal				

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid 22AWG) 8524 (Stranded 22AWG) 8570 (Stranded 26AWG)	Available in 12 Colors
---	---	------------------------------

CHASSIS—TOP VIEW



PHOTOFACT® Folder

with CIRCUITTRACE®

MORROW MODEL
VP-100-4A



MORROW MODEL
VP-100-4A

TRADE NAME	Morrow Model VP-100-4A		
MANUFACTURER	Morrow Radio Mfg. Co., 2794 Market Street, N. E., Salem, Oregon		
TYPE SET	Battery Operated Transistorized Portable Citizens Band Transmitter-Receiver		
POWER SUPPLY	9 Volts DC	RATING	10 MA @ 9 Volts DC (Receive) 40 MA @ 9 Volts DC (Transmit)
TUNING RANGE	Any one of Citizens Band Channels 1 thru 22		

NOTICE


ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).


HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana



The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guaranty by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of LY176

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America





RESISTANCE READINGS

ITEM	TYPE	BASE	EMITTER	COLLECTOR
X1	2N370	10K	4600 Ω	+ .1 Ω
X2	2N371	4000 Ω	1000 Ω	+ 6.5 Ω
X3	2N1177	2000 Ω	0 Ω	+ 3000 Ω
X4	2N1425	10K	330 Ω	+ 6.5 Ω
X5	2N1425	2500 Ω	1000 Ω	+ 1000 Ω
X6	2N407	7800 Ω	1000 Ω	+ 152 Ω
X7	2N407	100 Ω	10 Ω	+ 19 Ω
X8	2N407	100 Ω	10 Ω	+ 19 Ω
X9	2N1177	2000 Ω	180 Ω	+ .7 Ω
X10	2N1177	.1 Ω	47 Ω	+ .1 Ω
X11	2N1177	.1 Ω	47 Ω	+ .1 Ω


TRANSISTORS REMOVED FOR RESISTANCE MEASUREMENTS.

ALL MEASUREMENTS MADE IN "RECEIVE" POSITION


UNLESS OTHERWISE DESIGNATED.

• MEASURED IN "TRANSMIT" POSITION.

† MEASURED FROM A minus 9 volt line.



MORROW MODEL.
VP-100-4A



E-Emitter B-Base
C-Collector

2N1425

(X5)

(R14)

(X12)

(L8)

(R21)

(R15)

(R11)

(R9)

(R23)

(R22)

(R7)

(R8)

(X3)

(R13)

(L7)

(L6)

(R12)

(R10)

(X4)

2N1425

(L5)

(X2)

2N371

(R6)

(R25)

(R5)

(L3)

(R4)

(R3)

(X1)

(L2)

(R24)

(M5)

(X7)

(T2)

(X8)

(R26)

(L1)

(L10)

(X10)

(T1)

2N1177

2N1177

(R29)

(L9)

(R28)

(R27)

(X11)

2N1177

(R30)

2N370

2N407 2N407

2N1177

CHASSIS TOP VIEW – RESISTOR, INDUCTOR & TRANSISTOR IDENT.

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Volume control should be at maximum position. Output of signal generator should be no higher than necessary to obtain an output reading.

Suggested Alignment Tools:

- Al, A2, A3.....GENERAL CEMENT #8607, 9291, 9294
WALSCO #2520, 2522, 2523, 2524, 2534, 2537
- A4, Thru A8.....GENERAL CEMENT #8282, 8606, 8606-L, 9295, 9440
WALSCO #2526, 2543, 2544, 2545

RECEIVER ALIGNMENT

	SIGNAL GENERATOR COUPLING	SIGNAL GENERATOR FREQUENCY	RADIO DIAL SETTING	OUTPUT METER	ADJUST	REMARKS
1.	Place lead from high side of generator near receiver RF coil.	455KC (400% Mod.)		Across voice coil.	Al, A2, A3	Adjust for maximum output.
2.	High side to antenna tube. Low side to B-.	Frequency of channel to be used.		"	A4, A5	"
3.	Turn A6 in until Oscillator stops, then back slug out until Oscillator starts. Turn an additional 1/4 turn.					

TRANSMITTER ALIGNMENT

	SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
4.	Unsolder jumper from terminals A, B and C. (See Fig. 1). Construct a 47Ω dummy load as in Fig. 2.	Connect DC milliammeters as shown in Fig. 1. Connect an RF power output meter as shown in Fig. 2. (Diode may be any good RF type.)	A7	Depress Mike button and adjust A7 for maximum PA current. If the core is too far into the coil, the PA current will fall off to zero. Back the core out slightly past the point of maximum PA current. This will provide more reliable starting of the Oscillator. An Oscillator current reading of 6 ma is normal at this setting.
5.	"	"	A8	Adjust for maximum reading on the output meter. The PA current will dip at this point to about 11 ma. Recheck Oscillator (A7) for tuning. Modulate the transmitter while observing the PA current and RF power output. If meter readings drop to zero, back out A7 slightly and modulate again. Attempt to get as much output as possible, but maintain stable Oscillator operation.
6.	Remove the 47 ohm load and RF Power Meter. Construct a Field Strength Meter as in Fig. 3.	Field Strength Meter as in Fig. 3.	A9	Adjust for maximum radiated power as indicated on field strength meter. (A9 is located inside antenna.) Remove all meters. Resolder jumper on terminals A, B and C.




FIG 1




FIG 2




FIG 3

PARTS LIST AND DESCRIPTIONS

TRANSISTORS

ITEM No.	ORIG. TYPE	USE	REPLACEMENT DATA		NOTES
			RCA PART No.	RAYTHEON PART No.	
X1	2N370	RF Amplifier	2N370		
X2	2N371	Mixer	2N371		
X3	2N1177	Mixer			
X4	2N1425	Rec. Oscillator			
X5	2N1425	1st IF Amplifier			
X6	2N1425	2nd IF Amplifier			
X7	2N407	Driver-Speech Amp.	2N217	2N631	
X8	2N407	Output-Modulator	2N217	2N631	
X9	2N1177	Output-Modulator			
X10	2N1177	Trans. Osc.			
X11	2N1177	Final Amp.			
X12	2N1177	Final Amp.			

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		DIODES		NOTES
			RCA PART No.	SARKES TARZIAN PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	
X12		IN295				IN295	Detector


ELECTROLYTIC CAPACITORS

ITEM No.	RATING		MORROW PART No.	REPLACEMENT DATA					
	CAP.	VOLT.		AEROVOX PART No.	CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	30	15		BCD15025	ECPB412	MT1-14	TT15X30	MLV35-15	VL-1170
C2	10	15		BCD15010	ECPB408	MT1-5	TT15X10	MLV10-15	VL-1167
C3	30	15		BCD15025	ECPB412	MT1-14	TT15X30	MLV35-15	VL-1170
C4	100	15		BCD15100	ECPB417	MT1-19	TT15X100	MLV100-15	VL-1180
C5	100	15		BCD15100	ECPB417	MT1-19	TT15X100	MLV100-15	VL-1180

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA						
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.			
C6	.01			C80V103AM	DM-103	H-05S1	TA-110	TG-S10		
C7	.02			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C8	50 N470 5%			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C9	.02			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C10	50 N470 5%			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C11	.02		(.05) ↑	C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C12	.02			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C13	.01			C80V103AM	DM-103	H-05S1	TA-110	TG-S10		
C14	.02			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C15	51 N330 5%			C80V103AM	DM-103	H-05S1	TA-110	TG-S10		
C16	.01			C80V203AM	DA-203	H-05S2	TA-110	TG-S10		
C17	.02			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C18	4.7 NPO 5%			NPO-DI 4.7	DTZ-4R7	C10V47C	CCTO-4R7	CNO-547	10TCC-V47	
C19	.05			C80V503AM	DA-503	H-05S5	TA-150	TG-S50		
C20	.02			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C21	4.7 NPO 5%			NPO-DI 4.7	DTZ-4R7	C10V47C	CCTO-4R7	CNO-547	10TCC-V47	
C22	.05			C80V503AM	DA-503	H-05S5	TA-150	TG-S50		
C23	.02		(.05) ↑	C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C24	.02			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C25	.02			C80V203AM	DA-203	H-05S2	TA-120	TG-S20		
C26	.05		Note 1	C80V503AM	DA-503	H-05S5	TA-150	TG-S50		
C27	.005		Note 1	C80V502AM	DM-502	H-05D5	CCD-502	TA-250	TG-D50	
C28	51 N330 5%			C80V103AM	DM-103	H-05S1	TA-110	TG-S10		
C29	.01									

CHASSIS—TOP VIEW



PARTS LIST AND DESCRIPTIONS (Continued)

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA					
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBIEN PART No.	ELMENCO PART No.	MALLORY PART No.	
C30	.01		C80V103AM	DA-103	H-0551		TA-110	TG-S10
C31	.01 51 N330 5%							
C32	.02		C80V203AM	DA-203	H-0552		TA-120	TG-S20
C33	.02		C80V203AM	DA-203	H-0552		TA-120	TG-S20
C34	.05		C80V503AM	DA-503	H-0555		TA-150	TG-S50
C35	.05		C80V503AM	DA-503	H-0555		TA-150	TG-S50

† Alternate Value.

* Not normally in distributor's stock. Available thru distributor or order to manufacturer.

Note 1. Not used in some versions.

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESIST-ANCE	REPLACEMENT DATA				
			MORROW PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.
R1	Volume & Switch	5000Ω	311-008			44S-5K-W	
R2	Squelch	5000Ω	311-009			44-5K-W	MLC53A-S

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R3	1000Ω				R17	39K			
R4	4700Ω				R18	10K			
R5	47K				R19	10Ω			
R6	1000Ω				R20	1000Ω			
R7	2200Ω				R21	10K			
R8	15K				R22	82K			
R9	4700Ω				R23	Thermistor			
R10	330Ω				R24	68Ω			
R11	470Ω				R25	4700Ω			
R12	2200Ω				R26	10Ω			
R13	68K				R27	2200Ω			
R14	1000Ω				R28	15K			
R15	1000Ω				R29	180Ω			
R16	10K				R30	47Ω			

* Alternate Value.

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		MORROW PART No.	Merit PART No.	Miller PART No.	Stoncor PART No.	Workman PART No.	
L1	RF Choke						
L2	Ant.						
L3	RF						
L4	Osc.						
L5	1st IF						
L6	2nd IF						
L7	3rd IF						
L8	RF Choke						
L9	Osc.						
L10	Final						
L11	Ant. Loading						

PARTS LIST AND DESCRIPTIONS (Continued)

TRANSFORMER (DRIVER)

ITEM No.	TURNS RATIO	REPLACEMENT DATA					NOTES	
		PRI.	SEC.	MORROW PART No.	Merit PART No.	Stoncor PART No.	Thordorson PART No.	Triod PART No.
T1	2.8	1						

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE	REPLACEMENT DATA					NOTES	
		PRI.	SEC. 1	MORROW PART No.	Merit PART No.	Stoncor PART No.	Thordorson PART No.	Triod PART No.
T2	140Ω CT	6-8Ω						
		SEC. 2						
		140Ω						

SPEAKER

ITEM No.	TYPE	REPLACEMENT DATA		NOTES
		MORROW PART No.	QUAM PART No.	
SPI	2½"	PM	6-8Ω	

BATTERIES

ITEM No.	VOLTAGE	MORROW PART No.	REPLACEMENT DATA				NOTES		
			BURGESS	EVEREADY	MALLORY	"A"	"B"	"A"	"B"
M1	9V			2U8		216		M-1604	

MISCELLANEOUS

ITEM No.	PART NAME	MORROW PART No.	NOTES
M2	Crystal		
M3	Crystal		
M4	Mike Ass'y.		
M5	Relay		Receive Transmit Includes Push-to-talk Switch (Iron Fireman Mfg. Co. #65GA200-5-C-60)

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid 22AWG)	Available in
	8524 (Stranded 22AWG)	12 Colors
	8570 (Stranded 26AWG)	



TRADE NAME	Osborne Model 300
MANUFACTURER	Osborne Electronics Corp., 13105 S. Crenshaw Blvd., Hawthorne, California
TYPE SET	AC Operated 9 Transistor, 4 Channel Citizens Band Transmitter-Receiver (Converters Available for 6-12-24-32 Volt DC Operation)
POWER SUPPLY	110 - 120 Volts AC, 60 Cycles RATING 4 Watts, .05 Amp. @ 117 Volts AC
TUNING RANGE	Any 4 of Citizens Band Channels 1 thru 23

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Best results will be obtained when A5 and A7 are adjusted with unit connected to the antenna normally used and as nearly in the cabinet as possible.

Suggested Alignment Tools:

- | | |
|-----------------|--|
| A1 thru A6..... | GENERAL CEMENT #8282, 8606, 8606-L, 9295, 9440
WALSCO #2526, 2543, 2544, 2545 |
| A7..... | GENERAL CEMENT #5004, 5008, 5009
WALSCO #2520 |

RECEIVER ALIGNMENT

Connect DC VTVM between Point A and ground.

	SIGNAL GENERATOR	CHANNEL	ADJUST	REMARKS
1.	Tune to 455KC (Unmod.). Connect high side to antenna input, common to ground.	Not Used	A1, A2, A3	Remove Receive Crystal. Adjust A1, A2, and A3 for maximum deflection. Reinsert Crystal.
2.	Tune to channel frequency. Connect high side to antenna input, common to ground.	Highest Channel Used	A4	Adjust for maximum deflection while rocking A4. Note rate of drop-off on each side of peak and set to point just below peak on side of gradual drop-off.
3.	"	Center Channel Used	A5	Adjust for maximum deflection.

TRANSMITTER ALIGNMENT

Output frequency should be checked by an accurately calibrated secondary frequency standard to be sure frequency is within .005%.

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)

	SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
4.	Connect dummy load, RF watt meter or antenna to antenna input.	DC probe of VTVM to Point B .	A6	Adjust for maximum deflection while rocking. Note rate of drop-off on each side of peak and set to Point just below peak on side of gradual drop-off.
5.	"	Not Used.	A7	Adjust for maximum output.



HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. © 1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America



**OSBORNE
MODEL 300**







DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM


1. DC voltage measurements taken with vacuum tube voltmeter.
 2. Socket connections or transistor terminals are shown as bottom views.
 3. Measured values are from socket pin or terminal to common ground.
 4. Nominal tolerance on component values makes possible a variation of $\pm 15\%$ in voltage and resistance readings.
 5. Volume control at maximum, no signal applied for voltage measurements.

A PHOTOFAC STANDARD NOTATION SCHEMATIC with CIRCUITRACE™


© Howard W. Sams & Co., Inc. 1962







CHASSIS TOP VIEW – CAPACITOR, TRANSISTOR & MISC. IDENT.



CHASSIS TOP VIEW – ALIGNMENT, INDUCTOR & RESISTOR IDENT.

PARTS LIST AND DESCRIPTIONS

WIRING DATA

General-use Hook-up Wire Use BELDEN No. 8530 (Solid) Available in 12 Colors	
8524 (Stranded) Available in 12 Colors	
Shielded Antenna Lead Use BELDEN No. 8214 Lowest Loss (RG-8/U Type)	
8237 Low Loss (RG-8/U)	
8240 (Solid) Miniature (RG-58/U)	
8259 (Stranded) Miniature (RG-58A/U)	
Coiled Microphone Cable Use BELDEN No. 8497 3 Conductor - 1 Shielded for Press-to-Talk (Neoprene)	
8496 3 Conductor - 1 Shielded for Press-to-Talk (Vinyl)	
Ignition Noise Suppression Use BELDEN No. 7300-Series Spark-Plug Sets	
Bonding Strap Use BELDEN No. 8661 (3/8 in.)	

TRANSISTORS

ITEM No.	MFGR. PART NO.	USE	REPLACEMENT DATA		NOTES
			RCA PART No.	RAYTHEON PART No.	
X1	8314	Mixer	2N1179		PNP
X2	8308	Rec. Osc. (R425)	2N1178		PNP
X3	8301	1st IF Amp. (2N1108)	2N1180		PNP
X4	8300	2nd IF Amp. (2N1107)	2N1180		PNP
X5	8309	Squelch Amp. (R364)	2N406	2N465	PNP
X6	8312	Driver-Speech Amp.	2N406	2N465	PNP
X7	8310	Output-Modulator (S-499)	2N408		PNP
X8	8313	Trans. Osc.			NPN
X9	8316	Final Amp.			NPN

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		DIODES RAYTHEON PART No.	NOTES
			RCA PART No.	SARKES TARZIAN PART No.		
X10	.015A	8306	IN1763	F2		Power Rectifier
X11	.015A	8306	IN1763	F2		Power Rectifier
X12		8305			IN60	Detector
X13		8318			IN60	Noise Limiter (IN91)
X14		8305			IN60	Noise Limiter
X15		8305			IN60	Squelch Diode
X16		8306	IN1763			Transmit Limiter
X17		8306	IN1763			Transmit Limiter

ELECTROLYtic CAPACITORS

ITEM No.	RATING		OSBORNE PART No.	AEROVOX PART No.	CORNELL- DUBILLIER PART No.	GENERAL ELECTRIC PART No.	REPLACEMENT DATA		
	CAP.	VOLT.					MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	8	10	8220	BCD12008	ECPB407	MT1-5	PET1340	MLV10-10	VL-1128
C2	40	6	8223	BCD6050	ECPB115	MT1-15	TT6X40	MLV40-6	VL-1094
C3	40	6	8223	BCD6050	ECPB115	MT1-15	TT6X40	MLV40-6	VL-1094
C4	500	30	8224		PTT98	MT1-17	PET1980	MLV50-50	TE-1307
C5	60	40	8222						

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA					
				AEROVOX PART No.	CENTRALAB PART No.	CORNELL- DUBILLIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C6	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C7	33 NPO			NPO-DI 33	DTZ-33	C10Q33C	CCTO-330	CNO-433	10TCC-Q33
C8	33 NPO			NPO-DI 33	DTZ-33	C10Q33C	CCTO-330	CNO-433	10TCC-Q33
C9	2.2mfd 3V				UK-225				HY-150
C10	56 10%			1469-000056	TC2-56	22R5Q56	CM-19B-560	CNO-456	MS-456
C11	.05			BPD-05	DDA-503	H-0585		TA-150	TG-S50
C12	39 NPO			NPO-DI 39	DTZ-39	C10Q39C	CCTO-390	CNO-439	10TCC-Q39
C13	.02			BPD-02	DD-203	H-0582	CCD-203	TA-120	TG-S20
C14	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C15	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C16	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C17	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C18	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C19	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C20	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C21	.02			BPD-02	DD-203	H-0582	CCD-203	TA-120	TG-S20
C22	2.2mfd 3V				UK-225				HY-150
C23	.05			BPD-05	DDA-503	H-0585		TA-150	TG-S50
C24	.02			BPD-02	DD-203	H-0582	CCD-203	TA-120	TG-S20
C25	2.2mfd 3V				UK-225				HY-150
C26	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C27	.005			BPD-005	DM-502	H-05D5	CCD-502	TA-250	TG-D50
C28	.05			BPD-05	DDA-503	H-0585		TA-150	TG-850
C29	27 NPO			NPO-DI 25	TCZ-27	C10Q27C	CCTO-270	CNO-427	10TCC-Q27
C30	12 NPO				TCZ-12	C10Q12C	CCTO-120	CNO-412	10TCC-Q12
C31	33 NPO			NPO-DI 33	DTZ-33	C10Q33C	CCTO-33	CNO-433	10TCC-Q33
C32	.05			BPD-05	DDM-503	H-0585		TA-150	TG-850
C33	9-50 N750				B22-AN		404		
C34	91 NPO			NPO-DI 100	TCZ-91	C10Q91C	CCTO-101	CNO-310	10TCC-Q91
C35	250 5%			1469-00025	TCZ-240	22R5T25	CM-19B-25LJ	MCE240	MS-325

* Osborne Part Number.

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESIST- ANCE	REPLACEMENT DATA				
			OSBORNE PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.
R1	Volume & Switch	10K	8424	JP2-103	44-10K-W		
R2	Squelch	10K	8425				

PARTS LIST AND DESCRIPTIONS (Continued)

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R3	150K				R21	100Ω			
R4	330Ω				R22	3300Ω			
R5	66K				R23	100Ω			
R6	4700Ω				R24	4700Ω			
R7	1000Ω				R25	39K			
R8	1000Ω				R26	2200Ω			
R9	22K				R27	3300Ω			
R10	3300Ω				R28	66Ω			
R11	2200Ω				R29	10Ω			
R12	47Ω				R30	3300Ω			
R13	1000Ω				R31	33K			
R14	10K				R32	100Ω			
R15	3300Ω				R33	220Ω			
R16	2200Ω				R34	5600Ω			
R17	1000Ω				R35	5600Ω			
R18	2200Ω				R36	3300Ω			
R19	2200Ω				R37	100Ω			
R20	4700Ω								

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		OSBORNE PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman PART No.	
L1	Receiver Ant. Coll	8416					
L2	Receiver Osc.	8415					
L3	1st IF	8421					
L4	2nd IF	8421					
L5	3rd IF	8422					
L6	RF (22uh)	8420	TV-192	9310-44	RTC-8525	T863	
L7	RF (22uh)	8420	TV-192	9310-44	RTC-8525	T863	
L8	Trans. Output	8418					
L9	Trans. Osc.	8417					

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA					NOTES
	PRI.	SEC. 1	SFC. 2	OSBORNE PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T1	117VAC @ .05A	47VAC @ .070A		8413					

TRANSFORMER (DRIVER)

ITEM No.	TURNS RATIO	REPLACEMENT DATA					NOTES
		OSBORNE PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T2	6	1	8427				

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA					NOTES
	PRI.	SEC.	OSBORNE PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T3	300Ω	3-4Ω	8426					

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	OSBORNE PART No.	QUAM PART No.	
SPI	3"	PM	3-4Ω	8429		

MISCELLANEOUS

ITEM No.	PART NAME	OSBORNE PART No.	NOTES
M1	Crystal	8453	Receive (When Ordering, Mention Model, Part Number and Channel or Freq.)
M2	Crystal	8451	Transmit (When Ordering, Mention Model, Part Number and Channel or Freq.)
M3	Switch	6523	Channel Selector
M4	Switch	6529	Noise Limiter SPST
M5	Switch	6530	Talk (Mounted on Mic) Spring Loaded SPST Normally Open
M6	Relay	8419	Receive - Transmit
M7	Filter	8423	Band Pass
M8	Filter	8918	Low Pass
M9	Microphone	8428	

PHOTOFAC[®] Folder



POLY COM MODELS PC-2-6, PC-2-12



TRADE NAME	Poly Com Models PC-2-6, PC-2-12
MANUFACTURER	Polytronics Laboratories, Inc., 253 Crooks Ave., Clifton, N. J.
TYPE SET	AC-Battery Operated II Tube Crystal Controlled, Double Conversion Citizens Band Transmitter-Receiver
POWER SUPPLY	Model PC-2-6: 110-120 Volts AC, 60 Cycles (or) 6 Volt Storage Battery Model PC-2-12: 110-120 Volts AC, 60 Cycles (or) 12 Volt Storage Battery
RATING	51 Watts, .5 Amp. @ 117 Volts AC (Receive); 70 Watts, .7 Amp. @ 117 Volts AC (Transmit) 6 Amp. @ 12.6 Volts DC (or) 12 Amp. @ 6.3 Volts DC
TUNING RANGE	Any 4 of Citizens Band Channels 1 thru 22

POLY COM MODELS
PC-2-6, PC-2-12

NOTICE


ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana



The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ766

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. © 1961 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America



RESISTANCE READINGS

ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	6BJ6	300K	180Ω	FIL	FIL	2500Ω	11K	0Ω		
V2	12AT7	100K	.1Ω	1000Ω	FIL	FIL	12K	130K	0Ω	FIL
V3	12AT7	2500Ω	100K	1000Ω	FIL	FIL	55K	100K	0Ω	FIL
V4	6BJ6	300K	180Ω	FIL	FIL	2500Ω	2500Ω	0Ω		
V5	6BH6	300K	180Ω	FIL	FIL	2500Ω	2500Ω	0Ω		
V6	6BH6	5.5Ω	900Ω	FIL	FIL	2500Ω	2500Ω	0Ω		
V7	6ALS	1.8meg	120K	FIL	FIL	0Ω	0Ω	470K		
V8	12AX7A	500K	700K	60K	FIL	FIL	390K	160K	15K	FIL
V9	6AQ5A	NC	330Ω	FIL	FIL	1340Ω	1680Ω	470K		
V10	12BH7A	1500Ω	33K	0Ω	FIL	FIL	1680Ω	33K	0Ω	FIL
V11	6EM5	16800Ω	NC	16K	FIL	FIL	NC	330Ω	NC	15400Ω


ALL MEASUREMENTS MADE IN "RECEIVE" POSITION WITH ANL ON WITH MICRPHONE UNLESS OTHERWISE DESIGNATED.


MEASURED IN "TRANSMIT" POSITION.


MEASURED FROM OUTPUT OF M2.

MEASURED FROM JUNCTION OF C2A AND R5B.


NC NO CONNECTION







CHASSIS BOTTOM VIEW - CAPACITOR IDENT.



CHASSIS BOTTOM VIEW-RESISTOR IDENT.

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Use only enough generator output to provide a usable indication.

Suggested Alignment Tools: GENERAL CEMENT #8721, 8722
WALSCO #2519

RECEIVER ALIGNMENT


	SIGNAL GENERATOR COUPLING	SIGNAL GENERATOR FREQUENCY	RADIO DIAL SETTING	OUTPUT METER	ADJUST	REMARKS
1.	High side thru .1mf to pin 2 (grid) of 2nd Mixer. Low side to chassis.	455KC (Unmod.)		DC probe to point A. Common to chassis.	A1, A2, A3, A4, A5, A6, A7, A8	Adjust for maximum deflection.
2.	High side thru .01mf to pin 2 (grid) of 1st Mixer. Low side to chassis.	6.0MC		"	A9, A10, A11, A12	"
3.	"	Freq. of highest channel		"	A13	Adjust for maximum deflection then detune 2 turns counterclockwise.
4.	High side thru .001mf to pin 1 (grid) of RF Amp. Low side to chassis.	"		"	A14, A15	Adjust for maximum deflection.
5.	High side to antenna jack. Low side to chassis.	"		"	A16	"
6.	With the Squelch control fully counterclockwise, adjust the IF Gain control (R3) so that the receiver just breaks squelch with 5 microvolts signal applied to antenna jack.					

TRANSMITTER ALIGNMENT

Connect a dummy load, antenna or RF wattmeter to the antenna jack.

Select the center-most channel to be used.

Press the Transmitt button and adjust A17 for maximum output indication. Recheck A16 for peak.



PARTS LIST AND DESCRIPTIONS TUBES

GENERAL ELECTRIC			RAYTHEON			SYLVANIA		
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE	ITEM No.	USE	TYPE
V1	RF Amplifier	6BJ6	V7	Det -AVC-ANL	6ALS			
V2	1st Mixer-Osc.	12AT7	V8	AF Amp -Squelch Amp -	12AX7A			
V3	2nd Mixer-Osc.	12AT7	V9	Speech Amp.				
V4	1st IF Amplifier	6BJ6	V10	Output-Modulator	6AQ5A			
V5	2nd IF Amplifier	6BH6	V11	Trans. Osc. -Tripler	12BH7A			
V6	3rd IF Amplifier	6BH6		Final Amplifier	6EM5			


ELECTROLYtic CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	Poly-Com PART No.	AEROVOX PART No.	CORNELL-DUBLIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	40	250		PRSI580	BR4025	QT1-14	TC58	TD-40-250	TVA-1511
C2A	±30	350		AFH3-109	C0830	XC3-25	FP330	TMT-3361	TVL-3636
B	20	25							
C	20	25							
C3A	±30	350		AFH3-28-30	C0225	XC3-11	FP330.7	TMT-3426	TVL-3639.8
B	±20	350							
C	10	350							
C4A	±30	350		AFH3-109	C0830	XC3-25	FP330	TMT-3361	TVL-3636
B	±20	350							
C	20	25							
C5	4	150		PRSI400	BBR4-150	QT1-2	TT150X4	TD-4-150	TVA-1402

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA					
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBLIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.		
C6	100 N750	N750-DI 100	DTN-100	C10TIU	CCTN-101	CN7-310	IOTCU-T10		
C7	100 N750	N750-DI 100	DTN-100	C10TIU	CCTN-101	CN7-310	IOTCU-T10		
C8	220	DI-220	DD-221	L10T22	CCD-221	B-322	IOTS-T22		
C9	4.7 NPO ± .25mmf	NPO-DI 4.7	DTZ-4R7	C10V47C	CCTO-4R7	CNO-547	10TCC-V47		
C10	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C11	12 NPO 5%		TCZ-12	C1Q12C	CCTO-120	CNO-412	IOTCC-Q12		
C12	.1		DF-104	CUB2P1	ILP-2-104	BT-010	2TM-P10		
C13	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C14	.001	BPL-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C15	22 NPO 10%	NPO-DI 22	DTZ-22	C1Q22C	CCTO-220	CNO-422	10TCC-Q22		
C16	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C17	22 NPO 10%	NPO-DI 22	DTZ-22	C1Q22C	CCTO-220	CNO-422	10TCC-Q22		
C18	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C19	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C20	.68mmf	NPO-SI .68	TCZ-R68						
C21	30 %	1469-00003	TCZ-30	22R5Q3	CM-14B-300J	MS-43			
C22	.001	BPL-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C23	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C24	.68mmf	NPO-SI .68	TCZ-R68	BYA10DI	CCD-102	B-210	5HK-D10		
C25	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C26	.68mmf	NPO-SI .68	TCZ-R68	BYA10DI	CCD-102	B-210	5HK-D10		
C27	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C28	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C29	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C30	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C31	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C32	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C33	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C34	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C35	.001	BPL-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C36	.510	DL-500	DL-511	L10T5	CCD-501	B-350	IOTS-T50		
C37	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C38	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C39	.1	BPD-01	DD-103	DF-104	CUB2P1	ILP-2-104	BT-010	2TM-P10	
C40	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C41	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		
C42	.1		DF-104	CUB2P1	ILP-2-104	BT-010	2TM-P10		
C43	.001	BPL-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C44	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C45	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C46	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C47	.01	BPD-01	DD-103	BYA10SI	CCD-103	B-110	5HK-S10		

CHASSIS-BOTTOM VIEW



FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA					
AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBLIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.			
C48	.01							
C49	1-8							
C50	8.2 NPO 5%	(4.7) †	Note 2	NPO-DI 22	DTZ-22	C10V82C	CNO-422	10TCC-V82
C51	22 NPO 10%							
C52	.01							
C53	.01							
C54	100 N750							
C55	30 %							
C56	.01							
C57	.001							
C58	.001							
C59	.01							
C60	.04 1600V							
C61	.01							
C62	.01							
C63	.001							
C64	.01							
C65	.01							
C66	.1							
C67	.01							
C68	.01							

† Alternate Value.

Note 1. Not used in some versions.

Note 2. Not used in Models using 13MC Series Crystals.

PARTS LIST AND DESCRIPTIONS (Continued)

CONTROLS

ITEM No.	RATING		REPLACEMENT DATA				INSTALLATION NOTES	
	RESISTANCE	WATTS	Poly-Com PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS - IRC PART No.	MALLORY PART No.	
R1A B C	250K Shaft Switch	1/2		B-51 Not Req.	A47-250K-Z RS-2 SWE-12	Q13-130 Not Req. 78-1	U44 Not Req. US-26	Volume
R2A B R3	10K Shaft 1000Ω	1/2		KR-1 B-15	A47-10K-Z RS-2 39-1000	Q13-116 Not Req. 112-1000	U18 Not Req. FL-1K	Power Off-On Squelch IF Gain

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS			IRC PART No.	WORKMAN TV PART No.	REMARKS
R4	100K				R34	220K			
R5	1000Ω				R35	470K			
R6	10K				R36	33K			
R7	180Ω				R37	2200Ω			
R8	100K				R38	150K			
R9	1000Ω				R39	100K			
R10	100Ω				R40	68K			
R11	6800Ω				R41	330K			
R12	33K				R42	100K			
R13	100K				R43	10K			
R14	1000Ω				R44	470K			
R15	1000Ω				R45	330Ω 1W			
R16	100K				R46	33K			
R17	47K				R47	33K			
R18	100K				R48	33K			
R19	1000Ω				R49	100Ω			
R20	180Ω				R50	1500Ω			
R21	100K				R51	330Ω			
R22	1000Ω				R52	330Ω			
R23	180Ω				R53	3000Ω 5W	PW5-3000	5W-SQ-3000	Note 1
R24	220K				R54	1meg			
R25	1000Ω				R55	100K			
R26	1.5meg				R56	4700Ω			
R27	180Ω				R57	680Ω 1W			
R28	100K				R58	1500Ω 5W	PW5-1500	5W-SQ-1500	
R29	100K				R59	1.5meg			
R30	1meg				R60	1meg			
R31	470K				R61	47Ω			
R32	470K				R62	33K			
R33	330K								

Note 1. Value may vary. Selected for 4.9W input power to final amp.

* Alternate Value

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		Poly-Com PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman TV PART No.	
L1	Ant. Loading(5uh)						
L2	Ant						
L3	RF						
L4	Mixer Grid						
L5	Osc. Plate						
L6	1st 6MC IF						
L7	2nd 6MC IF						
L8	1st 455KC IF	BC-352	12-C1		RTC-8632	T616	
L9	2nd 455KC IF	BC-352	12-C1		RTC-8632	T616	
L10	3rd 455KC IF	BC-352	12-C1		RTC-8632	T616	
L11	4th 455KC IF	BC-352	12-C1		RTC-8632	T616	
L12	RF Choke (10uh)	BC-566	4612		RTC-8522	T860	
L13	Tripler Plate	TV-116	6250		RTC-8586	T232A	
L14	RF Choke (10uh)	BC-566	4012		RTC-8522	T860	
L15	Hash Choke (12uh)	BC-537	5220		RTC-9182		

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA				NOTES
	PRI.	SEC. 1	SEC. 2	Poly-Com PART No.	Merit PART No.	Stancor PART No.	Thordorson PART No.	
T1	117V@ .7A or 12VDC@ 5.8A	110V@ .420A AC	6.3V@ 4.8A	P128C				
	SEC. 3	SEC. 4	SEC. 5					

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA				NOTES
	PRI.	SEC.	Poly-Com PART No.	Merit PART No.	Stancor PART No.	Thordorson PART No.	
T2	14K	3-4Ω	715WIA				

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA			NOTES
	SIZE	FIELD	V. C. IMP.	Poly-Com PART No.	QUAM PART No.		
SP1	4"	PM	3-4Ω	P4-WA *	4A10T *		* Weather-proof Speaker

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA			NOTES
				Poly Com PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	
M1	Interrupter	12.6V 6.3V	115Hz 115Hz			1609	12 Volt Versions 6 Volt Versions

POWER RECTIFIERS

ITEM No.	CURRENT (Measured)	REPLACEMENT DATA			NOTES
		Poly-Com PART No.	RCA PART No.	SARKES TARZIAN PART No.	
M2	.100A	F6 *	IN1763	F6	* Some versions may use 60E5
M3	.100A	F6 *	IN1763	F6	* Some versions may use 40E5
M4	.001A	K200 *	IN1763	2F4	

SIGNAL DIODES

ITEM No.	ORIG. TYPE	REPLACEMENT DATA			NOTES
		Poly-Com PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	
M5	HD6226				

MISCELLANEOUS

ITEM No.	PART NAME	Poly-Com PART No.	NOTES
M6	Crystal		Transmit (Order by freq. & Channel Desired)
M7	Crystal		Receive (Order by freq. & Channel Desired)
M8	Crystal		5545KC
M9	Switch		Channel Selector (Rotary Type)
M10	Switch		ANL Off-On (Toggle Types)

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid) Available in Ten Colors
	8524 (Stranded) Available in Ten Colors
Power Cord	Use BELDEN No. 1765-B (6 Ft. Length)
	1725-K (7 1/2 Ft. Length)

PHOTOFAC[®] Folder



RCA MODEL
CRM-P2A-5 (MI-555518)



NOTICE

ONLY THOSE PERSONS PROPERLY LICENSED BY FCC ARE PERMITTED TO MAKE CRYSTAL SUBSTITUTION OR EFFECT REPAIRS ON THE TRANSMITTER PORTION OF THIS UNIT.

TRADE NAME	RCA Model CRM-P2A-5, -MI-555518) Radiomarine
MANUFACTURER	Radio Corp. of America, Communication Products Dept., Radiomarine Marketing, Camden, N. J.
TYPE SET	AC-Battery Operated 5 Tube Crystal Controlled Citizens Band Transmitter-Receiver
POWER SUPPLY	110 - 120 Volts AC (or) 6 Volt Storage Battery (or) 12 Volt Storage Battery
RATING	30 Watts, .30 Amp. @ 117 Volts AC (Receiver); 37 Watts, .37 Amp. @ 117 Volts AC (Transmit) or 3.8 Amp. @ 6.3 Volts DC (Receive); 4.3 Amp. @ 6.3 Volts DC (Transmit) or 7.6 Amp. @ 12.6 Volts DC (Receive); 9.6 Amp. @ 12.6 Volts DC (Transmit)
TUNING RANGE	Any one of Citizens Band Channels 1 thru 22

RCA MODEL
CRM-P2A-5 (MI-555518)

ALIGNMENT INSTRUCTIONS

RECEIVER

Grid circuit tuning of the RF amplifier is automatically accomplished by the normal alignment for the transmitter. The receiver is tuned for the best signal-to-noise ratio on a weak modulated signal on the proper operating frequency by adjusting A6. This adjustment may be made without removing the unit from the case.

The lead length of screen bypass capacitor C8 is critical as it determines the neutralization of V1, and thus the amount of signal coupled from the superregenerative detector to the antenna circuit. If this capacitor is replaced, another of the same value and type should be used, with the same lead lengths.

In addition to the increased radiation that occurs when this tube is not neutralized, the receiver will oscillate. Oscillation will also occur if the relay does not short the crystal in the receiver position.

When squelch control is incorporated in receiver, turn to

maximum clockwise position.

TRANSMITTER

Connect DC probe of VTVM through 100K resistor to point \triangle , low side to chassis. With the antenna disconnected, adjust A1 for maximum deflection.

Adjust A2 for minimum plate current.

Adjust A3 for maximum plate current, with antenna in place.

Adjust A4 to approximately 3/4 of maximum capacity.

The voltage variation at point \triangle should be noted when A2 is tuned through resonance. Adjust A5 for minimum variation in grid voltage with the tuning of A2. When properly neutralized, this variation should not cause the grid voltage to be less than -5 volts.


Do not readjust A2 with the antenna in place or an external antenna connected.

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ547

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. © 1961 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America








RESISTANCE READINGS

ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	6CB6A	3.3meg	47Ω	0Ω	.1Ω	+10K	+57K	0Ω		
V2	12AT7	+100K	+11.5meg	0Ω	.1Ω	.1Ω	+60K	70K	47Ω	0Ω
V3	12AX7	1320K	10meg	0Ω	0Ω	0Ω	+220K	10meg	0Ω	.1Ω
V4	6AQ5A	470K	470Ω	.1Ω	.0Ω	+1000Ω	+680Ω	470K		
V5	6AQ5A	-47K	+100Ω	0Ω	.1Ω	+1055Ω	+7100Ω	-47K		

A PHOTOFAC STANDARD NOTATION SCHEMATIC
© Howard W. Sams & Co., Inc. 1961



SEE PARTS LIST FOR ALTERNATE VALUE OR APPLICATION

DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM


ARROWS ON CONTROLS INDICATE CLOCKWISE ROTATION
(CONTROL VIEWED FROM SHAFT END)

1. DC voltage measurements taken with vacuum tube voltmeter;
AC voltages measured with 1000 ohm per volt voltmeter.
2. Socket connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance on component values makes possible a variation of ±15% in voltage and resistance readings.
6. Volume control at maximum, no signal applied for voltage measurements.



NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.


POWER SUPPLY CIRCUIT USED IN 12V MODELS

SQUELCH ASSEMBLY SUB-CHASSIS PLUG & SOCKET




CHASSIS - BOTTOM VIEW





VIBRATOR CHASSIS-BOTTOM VIEW



POWER SECTION

PARTS LIST AND DESCRIPTIONS TUBES

GENERAL ELECTRIC			RAYTHEON			SYLVANIA		
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE			
V1	RF Amplifier	6CB6A	V3	Squelch Amp.	12AX7			
V2	Superregen. Det. - AF Amp. - Speech Amp.	12AT7	V4	Output-Modulator	6AQ5A			
			V5	Trans. Osc. - Final Amp.	6AQ5A			

ELECTROLYtic CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	RCA PART No.	AEROVOX PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.	NOTES
CLA	■20	350							
B	■40	350							
C	■20	350							
C2	4	350							
C3	5	100							
C4	5	25							
			AFH4-04	C0150	FP420, 35	TMD-2640 TD-40-350	TVL-3724, 4		
									①

① Some versions may use 5mfd in this application.


FIXED CAPACITORS

Capacity values given in the rating column are in mfd. for Paper Capacitors, and in mmfd. for Mica and Ceramic Capacitors.

ITEM No.	RATING	REMARKS	REPLACEMENT DATA					
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C5	10 1000V NPO 10%				C10Q10C	CCTO-100	CNO-410	10TCC-Q10
C6	10000				BYA10S1	CCD-103	B-110	5HK-S10
C7	1000				BYA10D1	CCD-102	B-120	5HK-D10
C8	820 10%				5R5T22	CCD-821	GP382	10TS-T82
C9	1000				BYA10D1	CCD-102	B-210	5HK-D10
C10	10 N220 10%				*			10TCR-Q10
C11	10 N220 10%				*			10TCR-Q10
C12	470 10%				DI-470	SR5T47	GP347	10TS-T47
C13	10000				DD-103	BYA10S1	CCD-103	5HK-S10
C14	470 10%				DI-470	SR5T47	GP347	10TS-T47
C15	220 10%				DD-102	SR5T47	GP347	10TS-T47
C16	10000				DI-220	LJ10T22	GP322	10TS-T22
C17	1000 10%				BPD-01	BYA10S1	CCD-103	5HK-S10
C18	180 N150 10%				DI-1000	DD-102	SR5D1	GP210
C19	1000						GP210	10TS-D10
C20	3000 10%				BPD-001	DD-102	BYA10D1	CCD-102
C21	820				DI-3000	PM6D3	CCD-302	B-210
C22	5000 10%				DI-820	DD-821	BYA10T82	CCD-821
C23	1000 10%				DI-5000	IR5D5	CCD-502	B-382
C24	6800 10%				DI-6800	IDR5D68	CCD-482	10TS-D50
C25	13500 25%				DI-10000	IR5D68	CCD-482	GP210
C26	6800 10%				DI-6800	IR5D68	CCD-482	10TS-D68
C27	1000				BPD-001	DD-102	BYA10D1	CCD-102
C28	220				DI-220	DD-221	LJ10T22	B-322
C29	50000				BPD-05	DD-503	H-05S5	IDP-2-503
C30	220				DI-5000	DD-503	H-05S5	IDP-2-503
C31	1000				DI-1000	DD-102	LJ10T22	GP150
C32	100000 75V				BPD-001	DD-102	BYA10D1	CCD-102
C33	470				DD-104	H-05P1	IDP-2-104	B-210
C34	10000				BPD-00047	DD-471	BYA10T47	CCD-471
C35	10 1000V NPO 10%				BPD-01	DD-103	BYA10S1	CCD-103
C36	330 5%				1469-00033	C10Q1C	CCTO-100	CNO-410
C37	7-45 N500					22R5T33	CM-19B-33J	10TCC-Q10
C38	100 NPO 5%				NPO-DI 100	DTZ-100	C10T1C	ST-557-N
C39	10000 1400V				DAC-27	DD16-103	CCTO-101	CNO-310
C40	4-30 N500						UAC-110	10TCC-T10
C41	.1 600V				P688N-1	DF-104	CUB6P1	ST-554-N
C42	10000				BPD-01	DD-103	BYA10S1	GEM-611
C43	10000				BPD-01	DD-103	BYA10S1	6TM-P10
C44	20000				BPD-02	DD-203	BYB6S2	5HK-S10
C45	20000				BPD-02	DD-203	BYB6S2	CCD-103
C46	1000				BPD-001	DD-102	BYA10D1	B-110
C47	1000				BPD-001	DD-102	BYA10D1	5HK-S10
C48	1500				EF-0015		CCF-152	5HK-S10

† Alternate Value.
Note 1. Not used in some versions.

SOUELCH UNIT



PARTS LIST AND DESCRIPTIONS (Continued)

CONTROLS

ITEM No.	RATING		REPLACEMENT DATA					INSTALLATION NOTES
	RESISTANCE	WATTS	RCA PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS - IRC PART No.	MALLORY PART No.	
R1A	150K Shaft	1/2	8439890-1	B-44 Not Req.	A47-150K-8 FS-3	Q13-128 Not Req.	U42 Not Req.	Volume
B	Switch	1/2	B-1802	KR-1 B-31	SWE-12 A47-50K-8 FS-3	78-1 Q11-123	U8-26 U35 Not Req.	Power Off-On Squelch
C	50K Shaft	1/2						
R2A								
B								

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS			IRC PART No.	WORKMAN TV PART No.	REMARKS
R3	3.3meg				R20	100K			
R4	10K				R21	10meg			
R5	47K				R22	220K			
R6	47K				R23	12K			
R7	22K				R24	47K			
R8	2.2meg				R25	470K			
R9	47Ω				R28	470Ω 1W			
R10	47K				R27	100Ω			
R11	12K				R28	560K			
R12	820K				R29	47K			
R13	300K				R30	680Ω			
R14	8.2meg				R31	680Ω 4W			
R15	2.2meg				R32	470K			
R16	100K				R33	6.8Ω 2W			
R17	47K				R34	47Ω			
R18	10meg				R35	560K			
R19	220K								

Note 1. 12 volt versions below serial #7041 and 6 volt versions below serial #595321 use 1meg.

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		RCA PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman TV PART No.	
L1	Ant. Loading						
L2	Ant.						
L3	RF Choke (100uh)	TV-194	6112		RTC-8574	T305	
L4	Detector						
L5	RF Choke (1MH)	BC-513	4852		RTC-8532	T873	
L6	RF Choke (60MH)	BC-511	693			T948	
L7	RF Choke (60MH)	BC-511	693			T948	
L8	RF Choke (60MH)	BC-511	693			T948	
L9	Oscillator	TV-194	6112		RTC-8574	T305	
L10	RF Choke (100uh)	BC-537	5220		RTC-9182	T980	
L11	Hash Choke (27uh)						

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA					NOTES
	PRI.	SEC. 1	SEC. 2	RCA PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T1	117V @ .37A (AC only) 6.3VCT @ 2.5A	120V @ .190A AC (AC only)	6.3V @ 1.8A AC (AC only)	C-8702756					

TRANSFORMER (MIC.)

ITEM No.	TURNS RATIO	REPLACEMENT DATA					NOTES
		RCA PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T2	1 25	C-8702753		A-4748			

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA					NOTES
	PRI.	SEC.	RCA PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T3	15K CT	3-4Ω	C-8702754	A-2900	A-3850	24S04	S-51K	

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	RCA PART No.	QUAM PART No.	
SP1	2 1/2"	PM	3-4Ω	8702750-1	25A07	Used For Mic. and Speaker

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA			NOTES
				RCA PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	
M1	Interrupter	6.3	115%		5301	1601	5301
		12.8	115%		6301	Q1801	6301

POWER RECTIFIERS

ITEM No.	RATING	REPLACEMENT DATA				NOTES
		CURRENT (Measured)	RCA PART No.	RCA PART No.	SARKES TARZIAN PART No.	
M2	.040A					
M3	.040A					

FUSES

ITEM No.	TYPE	RATING	REPLACEMENT DATA		NOTES
			RCA PART No.	LITTELFUSE PART No.	
M4	2" Length #26 Wire				
	SAG 10A 250V				
	SAG 5A 250V				
			313010 (SAG 10A 250V)		AGC 10
			313005 (SAG 5A 250V)		AGC 5

① Used in 6 Volt versions.

② Used in 12 Volt versions.

SIGNAL DIODES

ITEM No.	ORIG. TYPE	REPLACEMENT DATA				NOTES
		RCA PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	SYLVANIA PART No.	
M5		6GD1				Dual Selenium

MISCELLANEOUS

ITEM No.	PART NAME	RCA PART No.	NOTES
M6	Switch		
M7	Crystal		
M8	Relay		Push-to-talk (DPDT Slide Type) Order By Desired Frequency Specify 6 or 12 Volt Unit

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid) Available in Ten Colors 8524 (Stranded) Available in Ten Colors
Power Cord	Use BELDEN No. 1765-B (8 Ft. Length) 1725-K (7 1/2 Ft. Length)

PHOTOFAC[®] Folder



SONAR MODEL E



SONAR
MODEL E

TRADE NAME	Sonar Model E
MANUFACTURER	Sonar Radio Corp., 3050 W. 21st Street, Brooklyn 24, N. Y.
TYPE SET	AC-Battery Operated 9 Tube Citizens' Band Transmitter-Receiver
POWER SUPPLY	110-120 Volts AC (or) 6 Volt Storage Battery (or) 12 Volt Storage Battery
RATING	50 Watts, .48 Amp. @117 Volts AC (or) 4 Amp. @12.6 Volts DC (or) 8 Amp. @6.3 Volts DC
TUNING RANGE	Any 8 of Citizens' Band Channels 1 Thru 22 (Receiver May be Continuously Tuned Thru Band)

NOTICE


ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guaranty by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of LY230

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America







NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.

SEE PARTS LIST FOR ALTERNATE VALUE OR APPLICATION


DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM

1. DC voltage measurements taken with vacuum tube voltmeter; AC voltages measured with 1000 ohm per volt voltmeter.
2. Socket connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance on component values makes possible a variation of .15% in voltage and resistance readings.
6. Volume control at maximum, no signal applied for voltage measurements.


A PHOTOFAC STANDARD NOTATION SCHEMATIC
© Howard W. Sams & Co., Inc. 1962




SONAR
MODEL E



CHASSIS BOTTOM VIEW — RESISTOR IDENT.



CHASSIS BOTTOM VIEW — CAPACITOR IDENT.



CHASSIS — TOP VIEW

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Use only enough generator output to provide a usable indication.

Suggested Alignment Tools:

- | | |
|------------------|--|
| A1 thru A6..... | GENERAL CEMENT #5097, 8727
WALSCO #2515 |
| A7 thru A10..... | GENERAL CEMENT #8282, 8606, 8606-L, 9295, 9440
WALSCO #2526, 2543, 2544, 2545 |
| All..... | GENERAL CEMENT #5000, 5003, 5066, 8276, 8290, 9087, 9089
WALSCO #2512, 2525, 2528 |
| A12..... | GENERAL CEMENT #8721, 8722
WALSCO #2519 |


RECEIVER ALIGNMENT

	SIGNAL GENERATOR COUPLING	SIGNAL GENERATOR FREQUENCY	RADIO DIAL SETTING	OUTPUT METER	ADJUST	REMARKS
1.	High side thru .1mfd to pin 7 (grid) of Mixer. Low side to chassis.	455KC (400v Mod.)	Point of non-interference.	Across voice coil.	A1, A2, A3, A4 A5, A6	Adjust for maximum output.
2.	Radiate signal into antenna thru a wire loop.	27.075MC	(Tune) Channel 10	"	A7, A8, A9	"

TRANSMITTER ALIGNMENT

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)

SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
3. Connect a 75Ω dummy load to antenna terminal. Allow 10 minutes for warm-up.	DC probe of VTVM connected to point A. Common to chassis.	A10	Press transmit button and adjust A10 for maximum deflection on VTVM then back slug out of coil for approximately 5 to 10% drop in Voltage reading. Release transmit button and depress several times to make certain oscillator is stable.
4. "	Use Antenna indicator lamp on front panel.	A11, A12	Adjust for maximum brilliance. Repeat several times.



CHASSIS BOTTOM VIEW-ALIGN., INDUCTOR & MISC IDENT

PARTS LIST AND DESCRIPTIONS

WIRING DATA

General-use Hook-up Wire	Use BELDEN No. 8530 (Solid) Available in 12 Colors
	8524 (Stranded) Available in 12 Colors
Shielded Antenna Lead	Use BELDEN No. 8214 Lowest Loss (RG-8/U Type)
	8237 Low Loss (RG-8/U)
	8240 (Solid) Miniature (RG-58/U)
	8259 (Stranded) Miniature (RG-58A/U)
Coiled Microphone Cable	Use BELDEN No. 8497 3 Conductor- 1 Shielded for Press-to-Talk (Neoprene)
	8498 3 Conductor- 1 Shielded for Press-to-Talk (Vinyl)
Ignition Noise Suppression	Use BELDEN No. 7300-Series Spark-Plug Sets
Bonding Strap	Use BELDEN No. 8661 (3/8 in.)

TUBES

• GENERAL ELECTRIC •		RAYTHEON •		SYLVANIA •	
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE
V1	RF Amplifier	12BA6	V6	Squelch Amp.	12AU6
V2	Mixer	6BE6	V7	AF Amp.-Speech Amp. - Driver	12AT7
V3	Rec. Osc.-Trans. Osc.	6AU8A	V8	Output-Modulator	12BH7
V4	1st IF Amplifier	6BA6	V9	Final Amplifier	12AQ5
V5	2nd IF Amplifier	12BA6			

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		DIODES		NOTES
			RCA PART No.	SARKES TARZIAN PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	
X1	.080A	19-040-002	1N1763	40H			
X2	.080A	19-040-002	1N1763	40H			
X3		19-040-001	1N1763	2F4			
X4		19-040-001*	1N1763	2F4			
X5		19-040-001	1N1763	2F4			
X6		19-050-001			1N295		
X7		19-050-001			1N295		
X8		19-050-001			1N295		

ELECTROLYtic CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	SONAR PART No.	AEROVOX PART No.	CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	40	250	06-130-003	PR81580	BR4025	QT1-14	TC58	TD-40-250	TVA-151
C2	40	250	06-130-003	PR81580	BR4025	QT1-14	TC58	TD-40-250	TVA-151
C3A	30	350	06-230-001	PR82410	BBR2245	QT2-4	TCD65	TDLD-30	TVA-2730
B	10	350							
C4	4	10	06-130-002	PR81400	BBR4-150	QT1-2	TT50X4	TD-4-25	TE-1123
C5	4	10	06-130-002	PR81400	BBR4-150	QT1-2	TT50X4	TD-4-25	TE-1123

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA					
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.		
C6	25 NPO 10%	NPO-DI 25	DTZ-25	C10Q25C	CCTO-270	CNO-425	10TCC-Q25		
C7	25 NPO 10%	NPO-DI 25	DTZ-25	C10Q25C	CCTO-270	CNO-425	10TCC-Q25		
C8	.001	BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10		
C9	25 NPO 10%	NPO-DI 25	DTZ-25	C10Q25C	CCTO-270	CNO-425	10TCC-Q25		
C10	.01	BPD-01	DD-103	BYA10S1	CCTO-100	B-110	5HK-S10		
C11	10 NPO 10%	NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10		
C12	10 NPO 10%	NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10		
C13	.01	BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10		

(25) †

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA						
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.	
C14	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C15	50 10%		1469-00005	TCZ-50	22R5Q5	CM-19B-500K	MCB255	MS-450	
C16	50 10%		1469-00005	TCZ-50	22R5Q5	CM-19B-500K	MCB255	MS-450	
C17	10 NPO 5%		NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10	
C18	150 10%		DI-150	DD-151	LJ0T15	CCD-151	GP315	10TS-T15	
C19	2.7 10%		NPO-SI 3.0	DTZ-6R8	C10V3C	CCTO-6R8	CNO-410	10TCC-V27	
C20	6.8 NPO 10%		NPO-DI 6.8	DTZ-10	C10V68C	CCTO-6R8	CNO-410	10TCC-V68	
C21	10 NPO 10%		NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10	
C22	3.9 NPO 10%				C10V4C			10TCC-V39	
C23	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C24	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C25	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C26	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C27	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C28	.15 200V		P288N-15	DTZ-10	C10QIC	CCTO-100	GEM-2015	2TM-P15	
C29	10 NPO 10%		NPO-DI 10	DI-150	LJ0T15	CCD-151	GP315	10TCC-Q10	
C30	150 10%	(450) †		BPD-01	DD-103	BYA10S1	CCD-103	10TS-T15	
C31	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C32	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50	
C33	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50	
C34	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C35	.1mf 100V			P288N-1, 0	C10V2W1	IDP-2-104	BT-010	TH-P10	
C36	.1mf 200V		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C37	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C38	.1mf 100V		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C39	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C40	150 10%		DI-150	DD-151	LJ0T15	CCD-151	GP315	10TCC-Q10	
C41	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C42	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C43	.005		BPD-005	DD-502	BYA10D5	CCD-502	B-250	5HK-D50	
C44	10 NPO 10%		NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10	
C45	150 10%		DI-150	DD-151	LJ0T15	CCD-151	GP315	10TS-T15	
C46	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C47	10 NPO 10%		NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10	
C48	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C49	10 NPO 5%		NPO-DI 10	DTZ-10	C10QIC	CCTO-100	CNO-410	10TCC-Q10	
C50	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C51	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C52	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C53	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10	
C54	6.8 NPO 10%		NPO-DI 6.8	DTZ-6R8	C10V68C	CCTO-6R8	CNO-568	10TCC-V68	
C55	100-600			P288N-15	CUB4P15	4DP-4-154	GEM-4015	4TM-P15	
C56	.15 400V		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C57	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C58	.01		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C59	.01		BPD-01	DD-103	P288N-1, 0	C10V2W1	IDP-5-105	2TM-M1	
C60	.1mf 50V			BPD-01	DD-102	BYA10D1	IPD-2-104	BT-010	TH-P10
C61	.1mf 100V			BPD-01	DD-102	BYA10D1	IPD-2-104	BT-010	TH-P10
C62	.1mf 100V			BPD-01	DD-102	BYA10D1	IPD-2-104	BT-010	TH-P10
C63	.001		Note 1	BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C64	.001		Note 1	BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C65	.001		Note 1	BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10

* Alternate Value.
Sonar Part Number.
Note 1. Not used in some versions.

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESIST-ANCE	REPLACEMENT DATA				
			SONAR PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.
R1	Volume, & Switch	500K	03-504-001	B-60-S, or (AB-60, AK-21, KR-2)	A47-500K-Z-/R5-2, SWE-20	Q13-133, 76-2, or (B11, CF25, SS1, WF) *	U48, US-27, or (UA55A, SF1000, US42)
R2	Squench	500K	03-504-003	B-60, or (AB-60, AK-21)	A47-500K-Z-/R5-2	Q13-133, or (B11, CF25, SS1, DC1) *	U48, or (UA55A, SL3500, SF1000)

* "SNAPTROL"

PARTS LIST AND DESCRIPTIONS (Continued)

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R3	100K				R26	100K			
R4	100K				R27	1meg			
R5	2200Ω				R28	220K			
R6	100K				R29	230K			
R7	27K				R30	1meg			
R8	1000Ω				R31	390K			
R9	47K 1W				R32	1meg			
R10	1000Ω				R33	470K			
R11	100K				R34	4700Ω			
R12	4700Ω				R35	8200Ω			
R13	100K				R36	100K			
R14	1000Ω				R37	47K 1W			
R15	56K				R38	47K			
R16	100K				R39	47K			
R17	1000Ω				R40	22Ω			
R18	47K				R41	22Ω 1W			
R19	470K				R42	10K			
R20	100Ω				R43	56K			
R21	47K				R44	1meg			
R22	62Ω				R45	27K			
R23	1meg				R46	47K			
R24	470K				R47	18Ω			
R25	100K								

Note 1. Not used in some versions.

* Alternate Value

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		SONAR PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman PART No.	
L1	Ant.	22-030-001	SW-609	6250	RTC-8568	T232A	
L2	RF	22-050-001	SW-608	6171-A	RTC-8609	T219	
L3	RF Choke (250uh)	22-060-001	TV-185	6181	RTC-8598	T315	
L4	Osc. Plate	22-040-001	SW-608	6171-A	RTC-8609	T216	
L5	RF Choke (250uh)	22-060-001①	TV-185	6181	RTC-8598	T315	
L6	1st IF	22-010-002	BC-352	12-C1	RTC-8632	T607	
L7	2nd IF	22-010-002	BC-353	12-C2	RTC-8633	T608	
L8	3rd IF	22-010-002	BC-353	12-C2	RTC-8633	T608	
L9	RF Choke (250uh)	22-060-001	TV-185	6181	RTC-8598	T315	
L10	Osc. Plate	22-040-002	SW-608	6171-A	RTC-8609	T216	
L11	RF Choke (250uh)	22-060-001	TV-185	6181	RTC-8598	T315	
L12	Final	22-070-001					
L13	Ant. Loading	22-110-001					
L14	Fil. Choke (10uh)	22-100-003	BC-537	5220	RTC-9182	T963	
L15	Hash Choke (10uh)	22-100-003	BC-537	5220	RTC-9182	T963	

FILTER CHOKE

ITEM No.	RATINGS			REPLACEMENT DATA					NOTES
	CURRENT (Measured)	DC RES.	INDUCTANCE (0 CURRENT 1000 ~)	SONAR PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
L16	.080A	35Ω	1 HY	14-070-001					

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA					NOTES
	PRI.	SEC. 1	SEC. 2	SONAR PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T1	12VCT② 2.1A or 11TV③ .46A	90V② .190A AC		14-010-002 ①					① For 12VDC & 117VAC Part #14-010-001 used for 6VDC & 117VAC

TRANSFORMER (DRIVER)

ITEM No.	TURNS RATIO	REPLACEMENT DATA					NOTES	
		PRI.	SEC.	SONAR PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	
T2	1	1		14-020-001				

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE	REPLACEMENT DATA					NOTES	
		PRI.	SEC. 1	SONAR PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	
T3	16K CT		14-16Ω	14-050-001				
			SEC. 2					
			18K					

SPEAKER

ITEM No.	TYPE	REPLACEMENT DATA					NOTES
		SIZE	FIELD	V. C. IMP.	SONAR PART No.	QUAM PART No.	
SPI	3"	PM		14-16Ω	36-043-001		

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA					NOTES
				SONAR PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	RADIART PART No.		
M1	Interrupter	12.6 VDC	115Hz	29-030-001	6301	G1801	6301		12 Volt Versions
	Interrupter	6.3 VDC	115Hz	29-030-002	5301	1601	5301		6 Volt Versions

FUSES

ITEM No.	TYPE	RATING	REPLACEMENT DATA					NOTES	
			SONAR PART No.	LITTELFUSE PART No.	BUSS PART No.	FUSE	HOLDER		
M2	3AG	7½A 32V				31107.5 (3AG 7½A 32V)	357001	AGC 7½	4405
	3AG	10A 32V	42-010-008 (6VDC Operation)	31010 (3AG 10A 32V)	357001	AGC 10			
	3AG	6A 32V	42-010-009 (12VDC Operation)		311006 (3AG 6A 32V)	357001	AGC 6		4405
M3	3AG	1A 250V				312001 (3AG 1A 250V)	357001	AGC 1	4405
	3AG	2A 250V	42-010-008 (AC Operation)		312002 (3AG 2A 250V)	357001	AGC 2		4405

MISCELLANEOUS

ITEM No.	PART NAME	SONAR PART No.	NOTES
M4	Variable Cap.	08-100-002	Receiver Oscillator
M5	Variable Cap.	08-150-003	Transmitter Output
M6	Switch	10-030-001	Tune-Crystal (Manual-Crystal Tuning, Rotary Type)
M7	Switch	10-030-002	Channel Selector (Rotary Wafer, 8 Position)
M8	Relay	16-030-001	Antenna (SPDT)
M9	Relay	16-010-001	Change-over (SPDT)
M10	"B" Meter	32-010-002	Includes Plug
M11	Microphone	43-010-001	Receive (Order by Channel & Freq. Desired)
M12	Crystal		Transmit (Order by Channel & Freq. Desired)
M13	Crystal		

PHOTOFAC[®] Folder

SONARCOM
MODEL CBP



NOTICE

ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).

SONARCOM
MODEL
CBP


TRADE NAME	Sonarcom Model CBP		
MANUFACTURER	Sonar Radio Corp., 3050 W. 21st Street, Brooklyn 24, N. Y.		
TYPE SET	Battery Operated Transistorized Portable Citizens Band Transmitter-Receiver		
POWER SUPPLY	12 Volts DC	RATING	30MA @ 12 Volts DC (Transmit) 12MA @ 12 Volts DC (Receive)
TUNING RANGE	Any one of Citizens Band Channels 1 thru 22 (Receiver may be continuously tuned)		

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana



The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guaranty by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of LY259



the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America



SEE PARTS LIST FOR ALTERNATE
VALUE OR APPLICATION

DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM

1. DC voltage measurements taken with vacuum tube voltmeter.
2. Socket connections or transistor terminals are shown as bottom views.
3. Measured values are from socket pin or terminal to common ground.
4. Nominal tolerance on component values makes possible a variation of ±15% in voltage and resistance readings.
5. Volume control at maximum, no signal applied for voltage measurements.




RESISTANCE READINGS

ITEM	TYPE	BASE	EMITTER	COLLECTOR
X1	2N1225	10K	1000Ω	†1200Ω
X2	2N371	12K	1000Ω	†1200Ω
X3	2N1633	10K	330Ω	†700Ω
X4	2N1633	2500Ω	270Ω	†220Ω
X5	2N109	6800Ω	1000Ω	†750Ω
X6	2N109	15Ω	10Ω	†65Ω
X7	2N109	15Ω	10Ω	†65Ω
X8	2N1225	• 6800Ω	100Ω	• †67Ω

TRANSISTORS REMOVED FOR RESISTANCE MEASUREMENTS.
ALL MEASUREMENTS MADE IN "RECEIVE" POSITION
UNLESS OTHERWISE DESIGNATED.

• MEASURED IN "TRANSMIT" POSITION.

† MEASURED FROM NEGATIVE BATTERY CONNECTOR.



TRANSMIT-RECEIVE SWITCH (M3)
SHOWN IN RECEIVE POSITION.

NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.

SONARCOM
MODEL CBB

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Use only enough generator output to provide a usable indication.

Suggested Alignment Tools:

A1, A2, A3.....GENERAL CEMENT #5097, 8727

WALSCO #2515

A4, A5, A6.....GENERAL CEMENT #8282, 8606, 8606-L, 9295, 9440

WALSCO #2526, 2543, 2544, 2545

RECEIVER ALIGNMENT

Connect DC VTVM across Volume Control.


SIGNAL GENERATOR	CHANNEL	ADJUST	REMARKS
Tune to 455KC. High side thru .01mf _d to base of mixer, low side to chassis.	10	A1, A2, A3	Adjust for maximum deflection.
Tune to channel freq. and radiate signal in antenna.	10	A4, A5	Adjust for maximum deflection.

TRANSMITTER ALIGNMENT


Output frequency should be checked by an accurately calibrated standard to be sure frequency is within .005%.

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)

SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
Extend whip antenna fully.	Field strength meter.	A6	Adjust for maximum output.



CHASSIS — TOP VIEW



CHASSIS – BOTTOM VIEW

PARTS LIST AND DESCRIPTIONS

WIRING DATA

General-use Unshielded Hook-up Wire		Use BELDEN No. 8530 (Solid 22AWG) 8524 (Stranded 22AWG) 8570 (Stranded 26AWG)	Available in 12 Colors
---	--	---	------------------------------

TRANSISTORS

ITEM No.	ORIG. TYPE	USE	REPLACEMENT DATA		NOTES
			RCA PART No.	RAYTHEON PART No.	
X1	2N1225	Mixer Rec. Osc.	2N1179		
X2	2N371		2N371		
X3	2N1633	1st IF Amplifier	2N1633		
X4	2N373*	1st IF Amplifier	2N1633		
X5	2N1633	2nd IF Amplifier	2N109	2N362	
X6	2N109	Driver-Speech Amp.	2N109	2N362	
X7	2N109	Output-Modulator	2N109	2N362	
X8	2N109	Output-Modulator	2N1178		
					* Alternate

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		NOTES
			RCA PART No.	SARKES TARZIAN PART No.	
X9	42-302-295			LN295	Detector

ELECTROLYTIC CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	BONARCOM PART No.	AEROVOX PART No.	CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	4	10	06-712-39	PTT37	NLW4-15	MT1-3	TT50X4	MLV5-12	TE-1123
C2	2	10	06-712-32	PTT35	NLW2-50	MT1-4	TT12X3	MLV3-12	TE-1121
C3	50	3	06-702-66	PTT12	NLW50-3	MT1-15	TT3X50	MLV50-3	TE-1068
C4	50	15	06-722-66	PTT72	NLW50-15	MT1-16	TT15X50	MLV50-15	TE-1160
C5	50	15	06-722-66	PTT72	NLW50-15	MT1-16	TT15X50	MLV50-15	TE-1160

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA					
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.		
C6	.05			BPD-05	DD-503	BT-150	TH-850		
C7	65 NPO 5%				TCZ-68	CNO-468	10TCC-Q68		
C8	.01			BPD-01	DD-103	BYA105I	CCD-103	BT-110	TH-810
C9	.005			BPD-005	DD-502	BYA10D5	CCD-502	BT-250	TH-D50
C10	50 10%			1469-00006	TCZ-50	CIQ95C	CCTO-510	CNO-450	10TCC-Q60
C11	.005			BPD-005	DD-502	BYA10D5	CCD-502	BT-250	TH-D50
C12	.01			BPD-01	DD-103	BYA105I	CCD-103	BT-110	TH-810
C13	.01			BPD-01	DD-103	BYA105I	CCD-103	BT-110	TH-810
C14	.01			BPD-01	DD-103	BYA105I	CCD-103	BT-110	TH-810
C15	.01			BPD-01	DD-103	BYA105I	CCD-103	BT-110	TH-810
C16	.01			BPD-01	DD-103	BYA105I	CCD-103	BT-110	TH-810
C17	.01			BPD-01	DD-103	BYA105I	CCD-103	BT-110	TH-810
C18	.01			BPD-01	DD-103	BYA105I	CCD-103	BT-110	TH-810
C19	.005			BPD-005	DD-502	BYA10D5	CCD-502	BT-250	TH-D50
C20	.01			BPD-01	DD-103	BYA105I	CCD-103	BT-110	TH-810
C21	.005			BPD-005	DD-502	BYA10D5	CCD-502	BT-250	TH-D50
C22	.005			BPD-005	DD-502	BYA10D5	CCD-502	BT-250	TH-D50
C23	25 NPO 10%			NPO-DI 25	DTZ-25	CIQ925C	CCTO-270	CNO-425	10TCC-Q25
C24	.005			BPD-005	DD-502	BYA10D5	CCD-502	BT-250	TH-D50

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESISTANCE	REPLACEMENT DATA				
			SONARCOM PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS -IRC PART No.	MALLORY PART No.
R1	Volume & Switch	5000Ω	03-001-113	B-11, KRA-1, or (AB-11, AK-7, KR-1)	A47-5000-8/KRS-3, SWK12	Q13-114, 76-1	U12, US-26

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R2	10K				R15	10K			
R3	82K				R16	220K			
R4	1000Ω				R17	10Ω			
R5	1000Ω				R18	33K			
R6	100K				R19	6800Ω			
R7	12K				R20	1000Ω			
R8	1000Ω				R21	82Ω			
R9	1000Ω				R22	5600Ω			
R10	33Ω				R23	10Ω			
R11	47Ω				R24	22Ω			
R12	2200Ω				R25	68K			
R13	82K				R26	6800Ω			
R14	27Ω				R27	100Ω			

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA			ITEM No.	USE	REPLACEMENT DATA		
		BONARCOM PART No.	Merit PART No.	Stancor PART No.			Thordarson PART No.	Workman PART No.	NOTES
L1	Ant.	22-196-501			L2	Osc.	22-390-502		
L3	1st IF	14-211-004			L4	2nd IF	14-221-005		
L5	3rd IF	14-231-006			L6	Final	22-492-500		

TRANSFORMER (DRIVER)

ITEM No.	TURNS RATIO	REPLACEMENT DATA					ITEM No.	TURNS RATIO	REPLACEMENT DATA	
		PRI.	SEC.	SONARCOM PART No.	Merit PART No.	Stancor PART No.			Thordarson PART No.	Triad PART No.
T1	2	1	14-325-008							

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE	REPLACEMENT DATA					ITEM No.	IMPEDANCE	REPLACEMENT DATA		
		PRI.	SEC.	SONARCOM PART No.	Merit PART No.	Stancor PART No.			Thordarson PART No.	Triad PART No.	
T2	1500Ω CT	6-8Ω	500Ω	14-335-007							

SPEAKER

ITEM No.	TYPE	REPLACEMENT DATA					ITEM No.	TYPE	REPLACEMENT DATA		
		SIZE	FIELD	V. C. IMP.	SONARCOM PART No.	QUAM PART No.			SONARCOM PART No.	QUAM PART No.	
SP1	2 1/2"	PM	6-8Ω		36-230-503	25A07Z8					

BATTERIES

ITEM No.	VOLTAGE	SONARCOM PART No.	REPLACEMENT DATA					ITEM No.	VOLTAGE	REPLACEMENT DATA				
			BURGESS	EVEREADY	MALLORY	"A"	"B"			"A"	"B"	"A"	"B"	
M1	6V	*										2713*		

* 2 Required

MISCELLANEOUS

ITEM No.</th

PHOTOFAC[®] Folder

with CIRCUITRACE[™]



SPOKESMAN MODEL 700



NOTICE

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71).

**SPOKESMAN
MODEL 700**


TRADE NAME	Spokesman Model 700
MANUFACTURER	Ray Jefferson Inc., Subsidiary of Jetronic Industries Inc., Main & Cotton St., Philadelphia 27, Pa.
TYPE SET	8 Transistor Single Band Portable Citizens Band Transmitter-Receiver
POWER SUPPLY	13.5 Volts DC, Self Contained 12 Volts DC, Accessory Adapter Model 750 110 Volts DC, Accessory Adapter Model 760
RATING	10 MA @ 12 Volts DC (Receive), 180 MA @ 12 Volts DC (Transmit)
TUNING RANGE	Any One of Citizens Band Channels 1 thru 23

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana

The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guaranty by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of LY279

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America





ALL MEASUREMENTS MADE IN "RECEIVE" POSITION UNLESS OTHERWISE DESIGNATED.
▲ MEASURED IN "TRANSMIT" POSITION.

NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.

SEE PARTS LIST FOR ALTERNATE
VALUE OR APPLICATION


DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM

1. DC voltage measurements taken with vacuum tube voltmeter.
2. Socket connections or transistor terminals are shown as bottom views.
3. Measured values are from socket pin or terminal to common ground.
4. Nominal tolerance on component values makes possible a variation of ±15% in voltage and resistance readings.
5. Volume control at maximum, no signal applied for voltage measurements.

A PHOTOFACSIMILE STANDARD NOTATION SCHEMATIC


with CIRCUITTRACE

© Howard W. Sams & Co., Inc. 1962




"TRANSMIT - RECEIVE PUSHBUTTON M5"
SHOWN IN "RECEIVE" POSITION.


RESISTANCE MEASUREMENTS NOT GIVEN BECAUSE OF THE
WIDE VARIATION IN INTERNAL TRANSISTOR RESISTANCE.




SPOKESMAN
MODEL 700



E-Emitter B-Base
C-Collector



PRINTED BOARD — CAPACITOR, TRANSISTOR & MISC. IDENT.



PRINTED BOARD — ALIGNMENT, INDUCTOR & RESISTOR IDENT.

ALIGNMENT INSTRUCTIONS

ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT

Suggested Alignment Tools: A1 thru A9, ... GENERAL CEMENT #5009, 8195, 8274, 8275, 8728, 8729, 9887, 9888, 9889
WALSCO 12515, 2531, 2532

RECEIVER ALIGNMENT

Connect VTVM across volume control.

SIGNAL GENERATOR	CHANNEL	ADJUST	REMARKS
1. Tune to 455KC (Unmod.) High side to base of X2, common to ground.	A1, A2, A3	Remove Receiver crystal. Adjust for maximum deflection. Reinsert crystal.	
2. Tune to crystal freq. High side to antenna receptacle, low side to ground.	A4	Adjust for maximum deflection by rocking A4. Note rate of dropoff and set just below peak on side of ground.	
3. "	A5	Adjust for maximum deflection. Repeat steps 2 & 3.	

TRANSMITTER ALIGNMENT

Best results are obtained when the antenna to be used is connected to the unit, and the chassis is as nearly in the cabinet as possible. Output frequency should be checked by an accurately calibrated secondary frequency standard to be sure frequency is within .002%.

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)

SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
4. Connect suitable load to antenna receptacle.	DC VTVM between point  and ground.	A6	Adjust for maximum deflection while rocking A6. Note rate of dropoff. Set just below peak on side of grabal dropoff.
5. "	RF wattmeter or field strength meter.	A7, A8, A9	Adjust for maximum deflection. Repeat adjustments.

PARTS LIST AND DESCRIPTIONS

TRANSISTORS

ITEM No.	ORIG. TYPE	USE	REPLACEMENT DATA		NOTES
			RCA PART No.	RAYTHEON PART No.	
X1	J-25	RF Amp., -Trans., Osc.			
X2	2N1225	Converter			
X3	2N108	1st IF Amplifier	2N1525		NPN
X4	2N1108	2nd IF Amplifier	2N1525		PNP
X5	2N1370	Driver-Speech Amp.	2N591	2N362	PNP
X6	2N1374	Output-Modulator		2N632	PNP
X7	2N1374	Output-Modulator		2N632	NPN
X8	J-26	Final Amp.			

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		DIODES		NOTES
			RCA PART No.	SARKES TARZIAN PART No.	GENERAL ELECTRIC PART No.	RAYTHEON PART No.	
X9		IN295				IN295A	Overload Detector-AVC
X10		IN295				IN295A	

ELECTROLYTIC CAPACITORS

ITEM No.	RATING		SPOKESMAN PART No.	REPLACEMENT DATA					
	CAP.	VOLT.		AEROVOX PART No.	CORNELL-DUBILIER PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
C1	10	6		PTT23	NLW10-6	MT1-6	TTE10	MLV10-6	TE-1087
C2	5	8		PTT21	NLW5-15	MT1-3	TT8X5	MLV5-6	TE-1084
C3	2	15		PTT62	NLW2-50	MT1-1	TC302	MLV2-50	TE-1149
C4	2	15		PTT62	NLW2-50	MT1-20	TC2501	TD-100-25	TE-1149
C5	100	25		PTT86	NLW100-25				TE-1211

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA						REMARKS
				AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.	
C6	.01			BPD-01	DD-103	BYA108I	CCD-103	B-110	5HK-S10	
C7	18 N750 5%		(27) †		TCN-18	C10Q18U		CN7-418	10TCU-Q18	
C8	14-150						424			
C9	70-350						428			
C10	8-60						404			
C11	.01									
C12	.01									
C13	.01									
C14	56 N750 10%									
C15	.01									
C16	33 N750 10%									
C17	.05									
C18	.01									
C19	56 N750 10%									
C20	.01									
C21	.01									
C22	.01									
C23	.001		Note 1	BPD-001	DD-103	BYA108I	CCTN-390	CN7-439	10TCU-Q39	
C24	.01									
C25	.01									
C26	33 N750 10%			N750-DI 33	DTN-33	C10C33U	CCTN-330	CN7-433	10TCU-Q33	
C27	.01									
C28	.01									
C29	.01									
C30	.005									
C31	.22 100V			BPD-005	DD-502	BYA108I	CCD-103	B-210	5HK-D10	
C32	.3-35									
C33	.01									
C34	.22 100V			PPD-01	DD-103	BYA108I	CCD-103	B-110	5HK-S10	
C35	.01			P288N-22	CUB2P22	1DP-3-224	GEM-2022	2TM-P22		
C36	.05			BPD-05	DD-503	CUB2P22	403	B-250	5HK-D50	

Note 1. Not used in some versions.
† Alternate Value.

PARTS LIST AND DESCRIPTIONS (Continued)

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESIST-ANCE	REPLACEMENT DATA				
			SPOKESMAN PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.
R1	Volume & Switch	5000Ω	B-1924				

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R2	1000Ω				R17	1000Ω			
R3	2200Ω				R18	1000Ω			
R4	4700Ω				R19	4700Ω			
R5	33K				R20	22K			
R6	390Ω				R21	22K			
R7	470Ω				R22	390Ω			
R8	1000Ω				R23	4700Ω			
R9	2200Ω				R24	47Ω			
R10	10K				R25	8. 2Ω 1W			
R11	10K				R26	120Ω			
R12	2200Ω				R27	3300Ω			
R13	1000Ω				R28	47Ω			
R14	39K				R29	33Ω			
R15	4700Ω				R30	150Ω			
R16	1000Ω								

* Alternate Value.

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		SPOKESMAN PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman PART No.	
L1	Ant.	B-1940					
L2	RF Choke (2.2uh)	B-1995					
L3	Ant. Matching	B-1936					
L4	RF	B-1932					
L5	RF Choke	B-1998					
L6	Osc.	B-1933					
L7	RF Choke (2.2uh)	B-1995					
L8	1st IF	B-1937-1					
L9	2nd IF	B-1937-1					
L10	3rd IF	B-1937-2					
L11	RF Choke (2.2uh)	B-1995					
L12	Osc.	B-1935					
L13	RF Choke (2.2uh)	B-1995					

TRANSFORMER (DRIVER)

ITEM No.	TURNS RATIO	REPLACEMENT DATA					NOTES
		SPOKESMAN PART No.	Merit PART No.	Stancor PART No.	Thorderson PART No.	Triod PART No.	
T1	1.5	1	C-2562-1				

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA					NOTES
	PRI.	SEC.	SPOKESMAN PART No.	Merit PART No.	Stancor PART No.	Thorderson PART No.	Triod PART No.	
T2	7500Ω CT	3-4Ω	C-2561-1					

SPEAKER

ITEM No.	TYPE	REPLACEMENT DATA		NOTES
		SPOKESMAN PART No.	QUAM PART No.	
SP1	2 3/4"	PM	3-4Ω	C2565 27A06

BATTERIES

ITEM No.	VOLTAGE	SPOKESMAN PART No.	REPLACEMENT DATA				NOTES
			BURGESS "A"	EVEREADY "B"	MALLORY "A"	"B"	
M1	13.5V			1		635	M-14F or Mn-1400 9 Used

FUSES

ITEM No.	TYPE	RATING	REPLACEMENT DATA			
			SPOKESMAN PART No.		LITTELFUSE PART No.	
			FUSE	HOLDER	FUSE	HOLDER
M2	BAG	1/4 Amp 250V			362.250 (BAG 1/4A 250V)	101001 AGX 1/4 4503

MISCELLANEOUS

ITEM No.	PART NAME	SPOKESMAN PART No.	NOTES
M3	Crystal	C-2504	Receiver
M4	Crystal	C-2563	Transmitter
M5	Switch	B-1913	Pushbutton (Transmit-Receiver)
M6	Antenna Rod	B-7020	
	Printed Board	D-6004	
	Microphone	C-2564	
	Battery Holder Ass'y.	D-4098	Complete

CABINETS & CABINET PARTS

(When Ordering Cabinets & Cabinet Parts, Specify Model, Chassis & Color)

NAME	PART NO.	DESCRIPTION
Knob	B-1926	
Knob	B-1924	Push
Case, Front	D-4087	Rotary
Case, Rear	D-4086	
Case, Ass'y.	C-2591	
Case, Ass'y.	C-2592	Front
Handle	B-7001	Rear

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid 22AWG)	Available in
	8524 (Stranded 22AWG)	12 Colors
	8570 (Stranded 26AWG)	

**NOTICE**

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71).

TRADE NAME	Utica Model MC-27
MANUFACTURER	Utica Communications Corp., 5055 N. Kedzie Ave., Chicago 25, Illinois
TYPE SET	AC-Battery Operated 9 Tube 6 Channel Citizens Band Transmitter-Receiver
POWER SUPPLY	110 - 120 Volts AC, 60 Cycles (or) 6 Volt Storage Battery (or) 12 Volt Storage Battery
RATING	55 Watts, .5 Amp. @ 117 Volts AC (Receiver); 70 Watts, .68 Amp. @ 117 Volts AC (Transmit) 10 Amp. @ 6 Volts DC (or) 4.5 Amp. @ 12.6 Volts DC
TUNING RANGE	Any 6 of Citizens Band Channels 1 thru 23

ALIGNMENT INSTRUCTIONS**ALIGNMENT INSTRUCTIONS—READ CAREFULLY BEFORE ATTEMPTING ALIGNMENT**

Best results will be obtained when adjusting A9, A10 and A12 if the unit is connected to the antenna normally used and the unit is as nearly in the cabinet as possible.

Suggested Alignment Tools:

A1 thru A6, A9...	GENERAL CEMENT #8282, 8606, 8606-L, 9295, 9440
	WALSCO #2526, 2543, 2544, 2545
A7, A8, A10....	GENERAL CEMENT #8721, 8722
	WALSCO #2519
All.....	GENERAL CEMENT #9091, 9091-L
	WALSCO #2542

RECEIVER ALIGNMENT

Connect DC probe of VTVM to Point A , common to ground.

	SIGNAL GENERATOR	CHANNEL	ADJUST	REMARKS
1.	Tune to 286KC. Connect high side to pin 7 (grid) of Converter, low side to ground.	Unused Channel	A1, A2, A3, A4	Adjust for maximum deflection. Repeat.
2.	Tune to 1680KC. Connect high side to pin 2 (grid) of Mixer, low side to ground.	"	A5, A6	"
3.	Tune to channel frequency. High side to pin 1 (grid) of RF Amp, low side to ground.	Center Channel Used	A7	Adjust for maximum deflection while rocking. Note rate of drop-off on each side of peak and set to point just below peak in direction of gradual drop-off.
4.	"	"	A8	Adjust for maximum deflection.
5.	Tune to 1680KC. Connect high side to antenna input, low side to ground.	"	A9, A10	Adjust for maximum deflection. Repeat.

TRANSMITTER ALIGNMENT

Output frequency should be checked by an accurately calibrated secondary frequency standard to be sure frequency is within .005%.

ONLY THOSE PERSONS PROPERLY LICENSED ARE PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS WHICH MAY RESULT IN ILLEGAL OPERATION. (REFER TO FCC RULES & REGULATIONS PART 19, SUBPART D, SECTION 19.71)

	SPECIAL INSTRUCTIONS	INDICATOR	ADJUST	REMARKS
6.	Tune transmitter to highest channel used.	Connect DC probe of VTVM to point B , common to ground.	All	Adjust for maximum deflection while rocking All. Note rate of drop-off on each side of peak and set just below peak on side of gradual drop-off.
7.	Connect dummy load or antenna to antenna input. Tune transmitter to center frequency.	RF wattmeter or field strength meter.	A12	Adjust for maximum output.

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana



The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guaranty by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of LY264

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana.

Printed in U.S. of America



**UTICA
MODEL MC-27**




ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	6BZ6	1.5meg	0Ω	FIL	FIL	↑ 11.3K	↑ 41K	0Ω		
V2	6UBA	133K	2.5meg	↑ 41K	FIL	FIL	↑ 8000Ω	0Ω	0Ω	68K
V3	6BE6	22K	1Ω	FIL	FIL	↑ 11K	↑ 41K	2.2meg		
V4	6BJ6	1.2meg	180Ω	FIL	FIL	↑ 8000Ω	↑ 76K	0Ω		
V5	12BR7	↑ 11.3K	↑ 2meg	100K	FIL	FIL	1meg	1meg	2.1meg	FIL
V6	7687	~ 270K	270K	↑ 1meg	FIL	FIL	↑ 270K	3400Ω	3300Ω	68K
V7	6AQ5	470K	1000Ω	FIL	FIL	↑ 225Ω	↑ 1500Ω	470K		
V8	6CX8	0Ω	33K	~ 11K	FIL	FIL	0Ω	3300Ω	↑ 22K	↑ 225Ω
V9	6BW4	355Ω	NC	NC	FIL	FIL	NC	335Ω	NC	200K

• TAKEN IN TRANSMIT POSITION

† MEASURED FROM PIN 9 OF V9
THIS READING WILL VARY. CONTROL SET FOR NORMAL OPERATION.

NC NO CONNECTION



A PHOTOFAC STANDARD NOTATION SCHEMATIC
© Howard W. Sams & Co., Inc. 1962



SEE PARTS LIST FOR ALTERNATE VALUE OR APPLICATION

DC COIL RESISTANCE VALUES UNDER ONE OHM NOT SHOWN ON SCHEMATIC DIAGRAM


1. DC voltage measurements taken with vacuum tube voltmeter; AC voltages measured with 1000 ohm per volt voltmeter.
2. Socket connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance on component values makes possible a variation of ±15% in voltage and resistance readings.
6. Volume control at maximum, no signal applied for voltage measurements.





SEE ALTERNATE CIRCUIT

NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.

**UTICA
MODEL MC-27**






TRANSMITTER-RECEIVER
CIRCUITRY USED IN
SOME VERSIONS (SEE
MAIN SCHEMATIC FOR
POWER SUPPLY.)




ALTERNATE CIRCUIT

A PHOTOFAC STANDARD NOTATION SCHEMATIC
© Howard W. Sams & Co., Inc. 1962




2ND CONV., IF AMP, SQUELCH, NOISE LIMITER, DETECTOR & FILAMENT CIRCUITRY USED IN SOME VERSIONS.

UTICA
MODEL MC-27



CHASSIS BOTTOM VIEW – RESISTOR & INDUCTOR IDENT.

CHASSIS BOTTOM VIEW –
CAPACITOR & MISC. IDENT.

PARTS LIST AND DESCRIPTIONS TUBES

AMPEREX		GENERAL ELECTRIC		RAYTHEON		SYLVANIA	
ITEM No.	USE	ITEM No.	TYPE	ITEM No.	USE	ITEM No.	TYPE
V1	RF Amplifier	6BZ6		V6	Speech Amp. -AF Amp.	7687 (6U8A)*	
V2	Mixer-Rec. Osc.	6U8A		V7	Output-Modulator	6AQ5	
V3	Converter	6BE6		V8	Trans. Osc. -Final Amp.	6CX8	
V4	IF Amp. -Squelch Amp.	6BJ6		V9	Rectifier	6BW4	
V5	Squelch - Noise Lim.	12BR7	Note 1				

Note 1. Early version uses 6AL5 in this application.

* Alternate.

POWER RECTIFIERS & SIGNAL DIODES

ITEM No.	CURRENT RATING (Measured)	ORIGINAL Part or Type No.	RECTIFIERS		DIODES	NOTES
			RCA PART NO.	SARKES TARZIAN PART NO.		
X1		1N34			1N34A	Detector


ELECTROLYtic CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA					
	CAP.	VOLT.	UTICA PART NO.	AEROVOX PART NO.	CORNELL-DUBUQUE PART NO.	GENERAL ELECTRIC PART NO.	MALLORY PART NO.	SPRAGUE PART NO.
CLA	.30	450						
B	.40	350						
C	.40	350						
D	.30	25						
C1A	.10	100						
B	.100	25						
C	.50	6						
AFH3-140-50			AFH2-06					
PRS1460			PRS1410					
C0870			B0070					
BR3045			BBR10-150					
XC3-39			XC2-32					
QT1-12			QT1-5					
FP345.3			WP272					
TC78			TT6X50					
TMT-3367			TMD-2035					
TD-30-450			TD-10-150					
TVL-3744								
TVA-1711								
TVL-2224								
TVA-1408								

FIXED CAPACITORS

ITEM No.	RATING		REMARKS	REPLACEMENT DATA					
	AEROVOX PART NO.	CENTRALAB PART NO.		CORNELL-DUBUQUE PART NO.	ELMENCO PART NO.	MALLORY PART NO.	SPRAGUE PART NO.		
C3	.33 NPO 10%	NPO-D1 33	DTZ-33	C10Q33C	CCTO-330	CNO-433	10TCC-Q33		
C4	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C5	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C6	.33 NPO 10%	NPO-D1 33	DTZ-33	C10Q33C	CCTO-330	CNO-433	10TCC-Q33		
C7	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C8	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C9	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C10	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C11	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C12	.33 NPO 10%	NPO-D1 33	DTZ-33	C10Q33C	CCTO-330	CNO-433	10TCC-Q33		
C13	.470	DI-470	DTZ-33	L10T47	CCD-471	B-347	10TS-T47		
C14	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C15	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C16	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C17	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C18	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C19	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C20	.220	DI-220	DD-221	L10T22	CCD-221	B-322	10TS-T22		
C21	.220	DI-220	DD-221	L10T22	CCD-221	B-322	10TS-T22		
C22	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C23	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C24	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C25	.220	DI-220	DD-221	L10T22	CCD-221	B-322	10TS-T22		
C26	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C27	.220	DI-220	DD-221	L10T22	CCD-221	B-322	10TS-T22		
C28	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C29	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C30	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C31	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C32	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C33	.02	BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20		
C34	.33 NPO 10%	NPO-D1 33	DTZ-33	C10Q33C	CCTO-330	CNO-433	10TCC-Q33		
C35	.6 .8 NPO 10%	NPO-D1 6, 8	DTZ-6R8	C10V68C	CCTO-6R8	CNO-568	10TCC-V68		
C36	.001	BPD-001	DD-102	BYA10DI	CCD-102	B-210	5HK-D10		
C37	.002 3000V	HVD-30-2200	DD30-202	HVC30D2	JCCD-202	3HV-222	30GA-D20		
Note 1									

CHASSIS—TOP VIEW



PARTS LIST AND DESCRIPTIONS (Continued)

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA				
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.
C38	.001		BPD-001	DD-102	BYA10D1	CCD-102	B-210
C39	.002 3000V		HVD-30-2200	DD30-202	HVC50D2	3CCD-202	30GA-D20
C40	.5 100V		P28N-5	CUB2P5	IDP-4-504	GEM-205	2TM-P80
C41	.001	Note 1	BP D-001	DD-102	BYA10D1	CCD-102	B-210
C42	.001	Note 1	BPD-001	DD-102	BYA10D1	CCD-102	B-210
C43	.001	Note 1	BPD-001	DD-102	BYA10D1	CCD-102	B-210

Note 1. Not used in some versions.

CONTROLS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	USE	RESISTANCE	REPLACEMENT DATA				
			UTICA PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.
R1	Volume & Switch	150K		B-44, KR-1, or (AB-44, AK-11, KR-1)	A47-150K-8/ RS-2, SWE-12	E13-328, SK3, 76-1	U42, US-26
R2	Squelch	150K		B-43, or (AB-43, AK-11)	A47-150K-8/ RS-2	E13-328, SK3	U43

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN PART No.	REMARKS			IRC PART No.	WORKMAN PART No.	REMARKS
R3	270K				R26	1meg			
R4	3300Ω				R27	33K			
R5	33K				R28	68K			
R6	270K				R29	270K			
R7	33K				R30	68K			
R8	22K				R31	270K			
R9	1meg				R32	3300Ω			
R10	3300Ω				R33	100Ω			
R11	33K				R34	270K			
R12	22K				R35	1meg			
R13	1meg				R36	470K			
R14	1meg				R37	1000Ω 1W			
R15	12K				R38	100Ω			
R16	1meg				R39	33K			
R17	68K				R40	3300Ω			
R18	1meg				R41	3300Ω			
R19	3300Ω				R42	22K 2W			
R20	68K				R43	1500Ω 2W			
R21	68K				R44	6500Ω 5W			
R22	270K				R45	38Ω 2W			
R23	1meg				R46	180Ω			
R24	1meg				R47	68K			
R25	1meg						PW5-6500	SW-SQ-6500	

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		UTICA PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman PART No.	
L1	Ant.					T334	
L2	RF					T216	
L3	Osc. Plate					T216	
L4	1680KC IF						
L5	RF Choke (50uh)						
L6	1st 266KC IF	TV-193	4629	RTC-8668	T062		
L7	2nd 266KC IF	BC-350	12-H1	RTC-8638	T064		
L8	Osc. Plate	BC-351	12-H2	RTC-8639	T065		
L9	Final	SW-608	6171-A	RTC-8609	T216		
L10	Fil. Choke (50uh)						

PARTS LIST AND DESCRIPTIONS (Continued)

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA					NOTES
	PRI.	SEC. 1	SEC. 2	UTICA PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T1	117VAC	† 640 VCT	6.4V@ 4A	E-5234					• .5A (Rec) .680A (Trans) † .046A (Rec) .090A (Trans)

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA					NOTES
	PRI.	SEC.	UTICA PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triod PART No.	
T2	7300Ω	3-4Ω	E-4256					

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	UTICA PART No.	QUAM PART No.	
SPI	9 1/2"	PM	3-4Ω	X-0315	3A07	

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA				NOTES
				UTICA PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	RADIART PART No.	
M1	Interrupter	6V	115%	VIB (1610)	5372	1610	5372	

FUSES


ITEM No.	TYPE	RATING	REPLACEMENT DATA				NOTES	
			UTICA PART No.		LITTELFUSE PART No.			
			FUSE	HOLDER	FUSE	HOLDER		
M2	3AG	15A 32V	311015 (3AG 15A 32V)	31301.5	357002	AGC 15	3823-2	
M3	3AG	1/2A 125V	31301.5 (3AG 1/2A 125V)	312.175	357002	AGC 1/2	3823-2	
M4	3AG	.175A 250V	.175A 250V (3AG .175A 250V)	312.175 (3AG .175A 250V)	357001	AGC 175/1000	4405	

MISCELLANEOUS

ITEM No.	PART NAME	UTICA PART No.	NOTES
M5	Crystal		
M6	Crystal		Receive
M7	Crystal		Transmit
M8	Switch		1046 KC
M9	Relay		Crystal Selector (Rotary Wafer Type) Plug in Type (125Ω Coil)

WIRING DATA

General-use Hook-up Wire Use BELDEN No. 8530 (Solid) Available in 12 Colors
8524 (Stranded) Available in 12 Colors
Shielded Antenna Lead Use BELDEN No. 8214 Lowest Loss (RG-8/U Type)
8237 Low Loss (RG-8/U)
8240 (Solid) Miniature (RG-58/U)
8259 (Stranded) Miniature (RG-58A/U)
Coiled Microphone Cable Use BELDEN No. 8497 3 Conductor - 1 Shielded for Press-to-Talk (Neoprene)
8496 3 Conductor - 1 Shielded for Press-to-Talk (Vinyl)
Ignition Noise Suppression Use BELDEN No. 7300-Series Spark-Plug Sets
Bonding Strap Use BELDEN No. 8661 (3 m.)



MODEL JRC-425

TRADE NAME	Vocaline Models JRC-400, JRC-425
MANUFACTURER	Vocaline Company of America, Inc., Old Saybrook, Connecticut
TYPE SET	AC-Battery Operated Single Channel 3 Tube Citizens Band Transmitter-Receiver
POWER SUPPLY	110-120 Volts AC, 60 Cycles (or) 6 Volt Storage Battery
RATING	16 Watts, .2 Amp. @ 117 Volts AC (Receive), 20 Watts, .34 Amp. @ 117 Volts AC (Transmitt) 3.3 Amp. @ 6.3 Volts DC
TUNING RANGE	465 MC

VOCALINE MODELS
JRC-400, JRC-425

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana



The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ439

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. © 1961 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America

PARTS LIST AND DESCRIPTIONS

TUBES

GENERAL ELECTRIC		RAYTHEON		SYLVANIA	
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE
V1	Superregenerative Det. - Trans. Osc.	6AF4A	V2 V3	AF Amp. -Speech Amp. Output -Modulator	6AV6 6AS5

ELECTROLYTIC CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	VOCALINE PART No.	AEROVOX PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.	NOTES
CLA B C	.40 .40 40	150 150 150		AFH3-10	C0090	FPS11.5	TMT-3127	TVL-3442	

FIXED CAPACITORS

Capacity values given in the rating column are in mfd. for Paper Capacitors, and in mmfd. for Mica and Ceramic Capacitors.

ITEM No.	RATING		REMARKS	REPLACEMENT DATA					
	AEROVOX PART No.	CENTRALAB PART No.		CORNELL-DUBILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.		
C2	.5-3			829-3	CV-1	MCE235	MS-31		
C3	100 .5%			1469-0001	CM-19B-10LJ	MCE236	MS-315		
C4	150 .5%			1469-00015	CM-19B-15LJ				
C5	1000			TCZ-100	CCF-102	CT280A			
C6	2000			TCZ-150	CCD-220	B-220	5HK-D20		
C7	10000			MFT-1000	BYA10D2	B-103	5HK-B10		
C8	2000			DD-202	BYA10S1	CCD-220	5HK-D20		
C9	2000			DD-01	BYA10D2	CCD-220	5HK-D20		
C10	10000			DD-103	BYA10S1	CCD-103	B-110	5HK-S10	
C11	.05 1000V			P1088N-05	CUB10S5	16DP-5-503	GEM-1015	10TM-850	
C12	10000			DD-01	BYA10S1	CCD-103	B-110	5HK-S10	

CONTROLS

ITEM No.	RATING		REPLACEMENT DATA					INSTALLATION NOTES
	RESIST-ANCE	WATTS	VOCALINE PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.	
R1A B C	500K Shaft Switch	1/2	PE013-WT	B-59 Not Req. KR-1	A47-500K-8 FS-3 SWE-12	Q11-133 Not Req. 76-1	U50 Not Req. US-26	Volume Power Off-On

RESISTORS


All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS			IRC PART No.	WORKMAN TV PART No.	REMARKS
R2	10K				R9	470Ω			
R3	470Ω				R10	150Ω			
R4	270K				R11	22K			
R5	150Ω				R12	100K			
R6	22K				R13	2200Ω			
R7	470Ω				R14	220Ω 2W			
R8	150Ω				R15	15Ω			

COMPONENT COMBINATIONS

ITEM No.	USE	DESCRIPTION	VOCALINE PART No.	REPLACEMENT DATA
K1	Audio Coupling	220mmf, 250mmf, 2000mmf, 5000mmf, 470K, 470K, 6.8meg		Aerovox PA-113-1 Centralab PC-150 Sprague DT-1

CHASSIS—TOP VIEW



PARTS LIST AND DESCRIPTIONS (Continued)

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		VOCALINE PART No.	Merit PART No.	Miller PART No.	Stancor PART No.	Workman TV PART No.	
L1	Ant.						
L2	RF Choke (.47uh)	①		4588	RTC-8513	T958	① IRC Part #CLA
L3	Osc.	②		4588	RTC-8513	T958	
L4	Fil. Choke (.47uh)	③		4588	RTC-8513	T958	
L5	Fil. Choke (.47uh)	④				T958	

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA					NOTES
	PRI.	SEC. 1	SEC. 2	VOCALINE PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T1	6.3VCT [*] 2A	120V [*] .085A		504K1					* DC Operation. † AC Operation.
	117V [†] .8A	6.3V [†] 1.3A							

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA					NOTES
	PRI.	SEC.	VOCALINE PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T2	2300Ω	3-4Ω	PE 023		A-3876			

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	VOCALINE PART No.	QUAM PART No.	
BPI	4"	PM	3-4Ω	V4B33	4A07	

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA				NOTES
				VOCALINE PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	RADIART PART No.	
M1	Interrupter	6V	115v		5301	1601	5301	

POWER RECTIFIERS

ITEM No.	RATING	REPLACEMENT DATA				NOTES
		CURRENT (Measured)	VOCALINE PART No.	RCA PART No.	SARKES TARZIAN PART No.	SYLVANIA PART No.
M2	.085A	*	1N1763 *	100A *	SR500 *	* Selenium * Silicon (Use Surge Limiter)


MISCELLANEOUS



ITEM No.	PART NAME	VOCALINE PART No.	NOTES
M3	Relay		Switching

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid) Available in Ten Colors
Power Cord	Use BELDEN No. 1765-B (6 Ft. Length) 1725-K (7 1/2 Ft. Length)

CHASSIS—BOTTOM VIEW





PHOTOFAC[®] Folder



WEBSTER MODEL FOUR-ELEVEN



WEBSTER MODEL
FOUR-ELEVEN

TRADE NAME	Webster Model FOUR-ELEVEN
MANUFACTURER	Webster Electric Co., 1900 Clark Street, Racine, Wisconsin
TYPE SET	AC-Battery Operated 8 Tube Crystal Controlled Citizens Band Transmitter — Receiver
POWER SUPPLY	110-120 Volts AC, 60 Cycles (or) 12 Volt Storage Battery
RATING	65 Watts, .6 Amp. @117 Volts AC (or) 5 Amp. @12.6 Volts DC
TUNING RANGE	Any 4 of Citizens Band Channels 1 thru 23

NOTICE


ONLY THOSE PERSONS PROPERLY LICENSED ARE
PERMITTED TO MAKE REPAIRS OR ADJUSTMENTS
WHICH MAY RESULT IN ILLEGAL OPERATION.
(REFER TO FCC RULES & REGULATIONS PART 19,
SUBPART D, SECTION 19.71).

HOWARD W. SAMS & CO., INC. Indianapolis 6, Indiana


The listing of any available replacement part herein does not constitute in any case a recommendation, warranty or guarantee by Howard W. Sams & Co., Inc., as to the quality and suitability of such replacement part. The numbers of these parts have been compiled from information furnished to Howard W. Sams & Co., Inc., by the manufacturers of KZ485

the particular type of replacement part listed. Reproduction or use, without express permission, of editorial or pictorial content, in any manner, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. ©1962 Howard W. Sams & Co., Inc., Indianapolis 6, Indiana. Printed in U.S. of America






CHASSIS BOTTOM VIEW-ALIGNMENT, CAPACITOR & MISC. IDENT.



CHASSIS BOTTOM VIEW-RESISTOR & INDUCTOR IDENT.



RESISTANCE READINGS


ITEM	TUBE	Pin 1	Pin 2	Pin 3	Pin 4	Pin 5	Pin 6	Pin 7	Pin 8	Pin 9
V1	12AU6	2.1 meg	0 ohm	0 ohm	.1 ohm	1200 ohm	156K	0 ohm		
V2	6U8A	127K	.1 ohm	127K	.1 ohm	.1 ohm	12400 ohm	1000 ohm	0 ohm	100K
V3	12BA6	1.5 meg	0 ohm	0 ohm	.1 ohm	1200 ohm	156K	0 ohm		
V4	6C8	0 ohm	550K	0 ohm	.1 ohm	0 ohm	12 meg	1.1 meg	270K	2.6 meg
V5	6CX8	0 ohm	NC	0 ohm	.1 ohm	1270K	1 meg	2.2 meg		
V6	12AQ5	560K	470 ohm	0 ohm	.1 ohm	1460 ohm	1200 ohm	560K		
V7	6CX8	0 ohm	56K	-1200 ohm	.1 ohm	0 ohm	270 ohm	2200 ohm	127K	1460 ohm
V8	12X4	225 ohm	NC	.1 ohm	0 ohm	NC	210 ohm	1		

ALL MEASUREMENTS MADE IN "RECEIVE" POSITION UNLESS OTHERWISE DESIGNATED.

MEASURED IN "TRANSMIT" POSITION.

MEASURED FROM PIN 7 OF V8. NC = NO CONNECTION.

THIS READING WILL VARY DEPENDING UPON THE CONDITION OF THE ELECTROLYTIC IN THE CIRCUIT.



NUMBERS ASSIGNED TO COILS, SWITCHES, PLUGS, SOCKETS, AND TRANSFORMERS ARE TO FACILITATE CIRCUIT TRACING OR COMPONENT REPLACEMENT AND MAY NOT NECESSARILY BE FOUND ON THE UNIT.

1. DC voltage measurements taken with vacuum tube voltmeter; AC voltages measured with 3000 ohm per volt voltmeter.
2. Socket connections are shown as bottom views.
3. Measured values are from socket pin to common ground.
4. Line voltage maintained at 117 volts for voltage readings.
5. Nominal tolerance on component values makes possible a variation of ±15% in voltage and resistance readings.
6. Volume control at maximum, no signal applied for voltage measurements.

© SEE PARTS LIST FOR ALTERNATE VALUE OR APPLICATION

DC COIL RESISTANCE VALUES UNDER ONE OHM
NOT SHOWN ON SCHEMATIC DIAGRAM

ARROWS ON CONTROLS INDICATE CLOCKWISE ROTATION
(CONTROL VIEWED FROM SHAFT END)

WEBSTER MODEL
FOUR-ELEVEN


ALIGNMENT INSTRUCTIONS

RECEIVER

1. Connect DC probe of VTVM to point **(A)**, common to chassis.
Turn squelch control to off position, (maximum counter clockwise).
Connect high side of Signal Generator (455KC, 400v mod.), thru .1mfd to pin 2 of V2A, Low side to chassis. Adjust A1, A2, A3, and A4 for maximum deflection.
2. Connect high side of Signal Generator, set at proper channel frequency (400v mod.) to antenna socket. Adjust A5 and A6 for maximum deflection on VTVM.

TRANSMITTER (REFER TO NOTICE ON FRONT PAGE)

1. Connect 50 ohm dummy load to antenna socket.
Connect DC probe of VTVM to point **(B)**, common to chassis.
Adjust A7 for maximum deflection.
Adjust A8 and A9 for maximum brilliance of indicator lamp.



CHASSIS TOP VIEW

PARTS LIST AND DESCRIPTIONS

TUBES

GENERAL ELECTRIC		RAYTHEON		SYLVANIA	
ITEM No.	USE	TYPE	ITEM No.	USE	TYPE
V1	RF Amplifier	12AU6	V5	AF Amp. -Speech Amp.	12CR6
V2	Mixer - Osc.	6UB8 (6UB) *	V6	Receiver Output-Modulator	12AQ5
V3	IF Amplifier	12BA6	V7	Trans. Osc. -Final Amp.	6CX8
V4	Det. -ANL-Squelch Rect.	6BJ7	V8	Rectifier	12X4

* Alte EPA-Nr.

ELECTROLYTIC CAPACITORS

ITEM No.	RATING		REPLACEMENT DATA						
	CAP.	VOLT.	WEBSTER PART No.	AEROVOX PART No.	CORNELL- DUBLIUM PART No.	GENERAL ELECTRIC PART No.	MALLORY PART No.	PYRAMID PART No.	SPRAGUE PART No.
CLA	▲20	300		AFH4-46	D0380	XC4-72	FP419.7	TMQ-4140	TVL-4631
B	■40	300							
C	■60	300							
D	50	25							
C2	4	150		PRS1400	BBR4-150	QT1-2	TT150X4	TD-4-180	TVA-1402
C3	25	50		PRS1340	BBR25-50	QT1-11	TT36	TD-25-50	TVA-1306

FIXED CAPACITORS

Capacity values given in the rating column are in mfd. for Paper Capacitors, and in mmfd. for Mica and Ceramic Capacitors.

ITEM No.	RATING	REMARKS	AEROVOX PART No.	CENTRALAB PART No.	COURT- MILLER PART No.	REPLACEMENT DATA		
						ELMENCO PART No.	MALLORY PART No.	SPRAGUE PART No.
C4A B		#461-466						
C5	5.1 10%							
C6	470 1000V 10%	#VCM20B471M	NPO-SI 5.0	TCZ-4R7	C10V5C	CCTO-050 VCM-20-471M		10TCC-V50
C7	1 10%		NPO-SI 1.0	TCZ-1			CNO-510	10TCC-V10
C8	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C9	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C10	27 NPO		NPO-DI 25	TCZ-27	C10Q27C	CCTO-270	CNO-427	10TCC-Q27
C11	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C12	27 NPO		NPO-DI 25	TCZ-27	C10Q27C	CCTO-270	CNO-427	10TCC-Q27
C13	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C14	10 + 1mmf	Note 1	NPO-SI 10	TCZ-10	C10Q1C	CCTO-100	CNO-410	10TCC-Q10
C15	.1 200V		P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10
C16	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C17	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C18	1000		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C19	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-S10
C20	1000 10%		DI-1000	DD-102	5R5D1	CCD-102	GP210	10TS-D10
C21	20000		BPD-02	DD-203	BYB6S2	CCD-303	B-120	5HK-S20
C22	.05 200V		P288N-05	DD-503	CUB2S5	4DP-3-503	GEM-415	2TM-B50
C23	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C24	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C25	330		DI-330	DD-331	L10T3S	CCD-331	B-333	10TS-T33
C26	20000		BPD-02	DD-203	BYB6S2	CCD-203	B-120	5HK-S20
C27	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C28	1000 10%		DI-1000	DD-102	5R5D1	CCD-102	GP210	10TS-D10
C29	1000		BPD-001	DD-102	BYA10D1	CCD-102	B-210	5HK-D10
C30	10 + 1mmf	Note 1	NPO-SI 10	TCZ-10	C10Q1C	CCTO-100	CNO-410	10TCC-Q10
C31	330 10%		DI-330	DD-331	L10T3S	CCD-331	GP333	10TS-T33
C32	1000 10%		DI-1000	DD-102	5R5D1	CCD-102	GP210	10TS-D10
C33	56 10%		NPO-SI 56	D6-560	L10Q56	CCD-560	GP456	10TS-Q56
C34	1000 10%		DI-1000	DD-102	5R5D1	CCD-102	GP210	10TS-D10
C35	56 10%		NPO-SI 56	D6-560	L10Q56	CCD-560	GP456	10TS-Q56
C36	1000 1500V		HVD15-1000	DD30-102	HVB8D1	3CCD-102	2HV-210	30GA-D10
C37	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C38	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C39	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810
C40	4700 3000V		BPD-01	DD-103	BYA10S1	3CCD-502	3HV-247	30GA-D47
C41	10000		BPD-01	DD-103	BYA10S1	CCD-103	B-110	5HK-810

FIXED CAPACITORS (cont)

ITEM No.	RATING	REMARKS	REPLACEMENT DATA						
			AEROVOX PART No.	CENTRALAB PART No.	CORNELL- DUMILIER PART No.	ELMENCO PART No.	MALLORY PART No.	SPIRAE PART No.	
C42	10000		BPD-01	DD-103	BYA1081	CCD-103	B-110	5HK-810	
C43	.1 200V		P288N-1	DF-104	CUB2P1	2DP-3-104	GEM-201	2TM-P10	
C44	10000		BPD-01	DD-103	BYA1081	CCD-103	B-110	5HK-810	
C45	10000		BPD-01	DD-103	BYA1081	CCD-103	B-110	5HK-810	

Webster Part Number

CONTROLS

ITEM No.	RATING		REPLACEMENT DATA					INSTALLATION NOTES
	RESIST- ANCE	WATTS	WEBSTER PART No.	CENTRALAB PART No.	CLAROSTAT PART No.	CTS-IRC PART No.	MALLORY PART No.	
R1A	1meg	½	G-45	B-70-S	A47-imeg-S	Q13-137	U53	Volume
B	Shaft			Not Req.	FS-3	Not Req.	Not Req.	
C	Switch			Not Req.	SWE-12	76-1	U5-26	Power Off-On
R2A	500K	½	VF-45	B-59	A47-500K-S	Q11-133	U50	Squelch
B	Shaft			Not Req.	FS-3	Not Req.	Not Req.	
C	Switch			KR-2	SWE-20	76-2	U8-27	ANL Off-On

RESISTORS

All wattages 1/2 watt, or less, unless otherwise listed.

ITEM No.	RATING	REPLACEMENT DATA			ITEM No.	RATING	REPLACEMENT DATA		
		IRC PART No.	WORKMAN TV PART No.	REMARKS			IRC PART No.	WORKMAN TV PART No.	REMARKS
R3	560K				R18	100K			
R4	56K				R19	2.2meg			
R5	1meg				R20	270K			
R6	2200Ω				R21	1meg			
R7	1000Ω				R22	560K			
R8	100Ω				R23	470Ω 1W			
R9	270K				R24	56K			
R10	56K				R25	2200Ω			
R11	1meg				R26	27K 2W			
R12	56K				R27	270Ω			
R13	56K				R28	330Ω			
R14	1meg				R29	100Ω 1W			
R15	100K				R30	100Ω 1W			
R16	27K 2W				R31	39Ω 2W			
R17	100K				R32	22Ω			

Note 1. Not used in some versions.

COILS (RF-IF)

ITEM No.	USE	REPLACEMENT DATA					NOTES
		WEBSTER PART No.	Marit PART No.	Miller PART No.	Stancor PART No.	Workman TV PART No.	
L1	RF Choke (5.6uh)	TL-70	SW-631	4609	RTC-8519	T959	① Not used in some versions.
L2	RF Pri	TL-91	TV-118	8171-A	RTC-8609	T216	
L3	RF Sec	TL-91	TV-118	8171-A	RTC-8609	T216	
L4	RF Choke (1.5uh)	TL-68 ①	BC-562	4604	RTC-8516	T856	
L5	Input IF	TL-34	BC-352	12-C1	RTC-8632	T607	
L6	Output IF	TL-35	BC-353	12-C2	RTC-8633	T608	
L7	RF Choke (5.6uh)	TL-70	SW-631	4609	RTC-8519	T959	
L8	Osc. Plate	TL-91	TV-118	8171-A	RTC-8609	T216	
L9	RF Choke (5.6uh)	TL-70	SW-631	4609	RTC-8519	T959	
L10	RF Choke (15uh)	TL-69	4624	RTC-8524		T862	
L11	Final Plate	TL-93					
L12	Ant. Loading	TL-92					
L13	Hash Choke (46uh)	TL-72		7825-8			

PARTS LIST AND DESCRIPTIONS (Continued)

TRANSFORMER (POWER)

ITEM No.	RATING			REPLACEMENT DATA				NOTES	
	PRI.	SEC. 1	SEC. 2	WEBSTER PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T1	117V@ .6A(AC) 12.6VCT SA(DC)	560VCT @.080A DC	12.6V@ 1.6A (AC)	ST-102					

MISCELLANEOUS

ITEM No.	PART NAME	WEBSTER PART No.	NOTES
M4	Switch	F-49	Channel Selector (Rotary Wafer)
M5	Switch	SW-726	Receive-Transmit (DPDT Slide Type)
M6	Crystal		Receive
M7	Crystal		Transmit

TRANSFORMER (AUDIO OUTPUT)

ITEM No.	IMPEDANCE		REPLACEMENT DATA				NOTES	
	PRI.	SEC.	WEBSTER PART No.	Merit PART No.	Stancor PART No.	Thordarson PART No.	Triad PART No.	
T2	6200Ω	3-4Ω	ST-19			24S05	S-63X	

SPEAKER

ITEM No.	TYPE			REPLACEMENT DATA		NOTES
	SIZE	FIELD	V. C. IMP.	WEBSTER PART No.	QUAM PART No.	
SPI	4"	PM	3-4Ω	P4VA-NW	4A1	

COMPONENT COMBINATIONS

ITEM No.	USE	DESCRIPTION	WEBSTER PART No.	REPLACEMENT DATA
M1	ANL-Squelch Network	(2) 100mmf, 10000mmf, (2) 270K, (2) 1meg	59-4719	

VIBRATOR

ITEM No.	TYPE	INPUT VOLTS	FREQUENCY	REPLACEMENT DATA				NOTES
				WEBSTER PART No.	CORNELL-DUBILIER PART No.	MALLORY PART No.	RADIART PART No.	
M1	Interrupter	12.6	115%	G-1601	6301	GI601	6301	

FUSES

ITEM No.	TYPE	RATING	REPLACEMENT DATA					
			WEBSTER PART No.		LITTELFUSE PART No.		BUSS PART No.	
			FUSE	HOLDER	FUSE	HOLDER	FUSE	HOLDER
M2	3AG	7.5A 250V 2A 250V	AGC 7½		31207, 5 (3AG 7½A 250V)	342001	AGC 7½	HKP
M3	3AG	7.5A 250V 2A 250V	AGC 2		312003 (3AG 2A 250V)	342001	AGC 2	HKP

CABINETS & CABINET PARTS

(When Ordering Cabinets & Cabinet Parts, Specify Model, Chassis & Color)

NAME	PART NO.	DESCRIPTION
Lens Knob Knob	147-10 101TB270 105P-T3270	Clear Lucite Channel Selector Volume, Squelch

WIRING DATA

General-use Unshielded Hook-up Wire	Use BELDEN No. 8530 (Solid) Available in Ten Colors
	8524 (Stranded) Available in Ten Colors
Power Cord	Use BELDEN No. 1765-B (6 Ft. Length)
	1725-K (7½ Ft. Length)

CITIZENS BAND RADIO MANUAL

The growing and widespread popularity of Citizens-band radio has opened an entire new field in communications. Since the introduction of the Class-D service several years ago, there has been an increasing demand for additional servicing facilities to handle this type of two-way equipment. Thus, there are excellent opportunities awaiting qualified technicians who want to build a more profitable business by expanding into the Citizens-band field.

The primary purpose of this manual is to provide data needed by the user or technician. An editorial section at the front discusses the classes of equipment used, receiver and transmitter circuits, transceivers, converters, transverters, and the tone-coded squelch system.

Complete PHOTOFAC[®] service data have been included for 30 popular models. The coverage includes schematics, photos showing component layout and identification, alignment instructions, complete parts lists and replacement data, and other valuable information which will make CB servicing easier and more profitable.

COVERING THESE BRANDS:

ARKAY	HEATH	SONAR
BENDIX	JOHNSON	SONARCOM
DEWALD	LAFAYETTE	SPOKESMAN
DUO COM	MORROW	UTICA
EICO	OSBORNE	VOCALINE
GLOBE	POLY COM	WEBSTER
	RCA	

HOWARD W. SAMS & CO., INC.

THE BOBBS-MERRILL COMPANY, INC.

Indianapolis • New York

