SAFETY DATA SHEET

1 Identification of the substance or preparation and of the company/undertaking

Toner used in Xerox Cartridges for HP 2600 printers Product Name:

Datasheet Number: 3-1230 1.0.0

Product Part Number: 003R99768, 003R99769, 003R99770, 003R99771

Chemical Name: None

Name of Supplier:

Xerox Ltd. Address of Supplier: Xerox Environment, Health & Safety

> Bessemer Road Welwyn Garden City Herts. AL7 1BU

UK

++44 (0)1707 353434 Telephone: ++44 (0)1707 353914 Fax:

Responsible Person: Manager, Environment, Health and Safety

Email: ehs-europe@xerox.com

Emergency Telephone: Not applicable

2 Hazards identification

- There are no significant hazards associated with this product

3 Composition/information on ingredients

Chemical Name	Concentration	CAS Number	EC Number	R Phrases*	Symbols
Resin	80-95 %	186397-54-6	-	None	None
Polypropylene wax	<10%	9003-07-0/25722-45-6	-	None	None
Pigment	2-8 %				
- black		1333-86-4	215-609-9	None	None
- blue		Confidential		None	None
- red		Confidential		None	None
- yellow		Confidential		None	None
Silica	<4%	68909-20-6	272-697-1	None	None
Salicylic acid derivative	<2%	42405-40-3	403-360-0	R11, R22, R50/53*	F, Xn, N

^{*}See Section 16

4 First aid measures

Contact with skin

- Wash with soap and cold water

Contact with eyes

- If substance has got into eyes, immediately wash out with plenty of water

Ingestion

- Give 200-300mls (half pint) water to drink

xerox 🕞

4 First aid measures (....)

Inhalation

- Remove patient to fresh air

5 Fire-fighting measures

- Flash point not applicable
- Products of combustion include oxides of carbon and toxic organic fumes
- In case of fire use water spray, foam or carbon dioxide

6 Accidental release measures

Immediate Actions

- Toner, as with any fine dust, if suspended in air in the right proportion, can present an explosion hazard. Therefore, if a cloud is formed by accident, all sources of ignition should be removed until the spill is dealt with.

Clean Up Actions

- Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove

7 Handling and storage

Handling

No special precautions are required for this product

Storage

- Keep in a cool, dry place

8 Exposure controls and personal protection

Exposure Limits

- Xerox Exposure Limits: 2.5 mg/m3 (8hr TWA) total inhalable dust; 0.4 mg/m3 (8hr TWA) total respirable dust

Exposure controls

- No special precautions are required for this product

Occupational exposure controls

- No special precautions are required for this product

9 Physical and chemical properties

- Appearance: Powder (black, blue, red or yellow)
- Odour: Slight odour
- pH not applicable
- Boiling point not applicable
- Vapour pressure not applicable
- Vapour density not applicable
- Insoluble in water
- Specific gravity (water=1) ~1
- Flash point not applicable

10 Stability and reactivity

- Stable

11 Toxicological information

Toxicological information

- Tests on toners containing similar materials indicate no evidence of acute oral toxicity
- Tests on toners containing similar materials indicate no evidence of acute dermal toxicity
- Tests on toners containing similar materials indicate no evidence of acute inhalation toxicity
- Tests on toners containing similar materials indicate non-irritating to rabbit eye mucosa
- Not a skin irritant
- Not a skin sensitiser

Carcinogenicity

- Carcinogens: None present

Mutagenicity

- No evidence of mutagenic effects

12 Ecological information

Ecotoxicity

- IC50 (algae) >100 mg/l (72 hr)

Mobility

- Insoluble in water

Persistence and Biodegradability

- Not readily biodegradable

Bioaccumulation Potential

- Bioaccumulation is insignificant

Other Adverse Effects

- Presents little or no hazard to the environment

13 Disposal considerations

Classification

- European Waste Code: 08 03 18

Disposal considerations

- No special precautions are required for this product
- Landfill is the recommended method of disposal
- If incineration is to be carried out, care must be exercised to prevent dust clouds forming

14 Transport information

- Not classified as hazardous for transport

15 Regulatory information

Classification and labelling

- Not classified as hazardous for supply
- No transport or user labelling is required

Risk Phrases

- Not applicable

Safety Phrases

- Not applicable

16 Other information

Text of R and S phrase codes used in this safety data sheet:- R11: Highly Flammable; R22: Harmful if swallowed; R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.