

Cisco ASA with FirePOWER Services

Product Overview


Meet the industry's first adaptive, threat-focused next-generation firewall (NGFW) designed for a new era of threat and advanced malware protection. Cisco® ASA with FirePOWER Services delivers integrated threat defense for the entire attack continuum - before, during, and after an attack - by combining the proven security capabilities of the Cisco ASA firewall with the industry-leading Sourcefire® threat and advanced malware protection features together in a single device. The solution uniquely extends the capabilities of the Cisco ASA 5500-X Series Next-Generation Firewalls beyond what today's NGFW solutions are capable of.

Superior Multilayered Protection

Cisco ASA with FirePOWER Services brings distinctive threat-focused next-generation security services to the Cisco ASA 5500-X Series Next-Generation Firewalls and Cisco ASA 5585-X Adaptive Security Appliance firewall products. It provides comprehensive protection from known and advanced threats, including protection against targeted and persistent malware attacks (Figure 1). Cisco ASA with FirePOWER Services features these comprehensive capabilities:

- Cisco ASA is the world's most widely deployed, enterprise-class stateful firewall with remote access VPN and advanced clustering for highly secure, high-performance access and high availability to help ensure business continuity.
- Granular Application Visibility and Control (AVC) supports more than 3,000 application-layer and risk-based controls that can invoke tailored intrusion prevention system (IPS) threat detection policies to optimize security effectiveness.
- The industry-leading Cisco ASA with FirePOWER next-generation IPS (NGIPS) provides highly effective threat prevention and full contextual awareness of users, infrastructure, applications, and content to detect multivector threats and automate defense response.
- Reputation- and category-based URL filtering offers comprehensive alerting and control over suspect web traffic and enforces policies on hundreds of millions of URLs in more than 80 categories.
- Advanced Malware Protection provides industry-leading breach detection effectiveness, a low TCO, and superior protection value that helps you discover, understand, and stop malware and emerging threats missed by other security layers.

Figure 1. Cisco ASA with FirePOWER Services



Unprecedented Network Visibility


Cisco ASA with FirePOWER Services is centrally managed by the Cisco FireSIGHT Management Center. Management Center provides security teams with comprehensive visibility into and control over activity within the network. Such visibility includes users, devices, communication between virtual machines, vulnerabilities, threats, client-side applications, files, and websites. Holistic, actionable indications of compromise (IoCs) correlate detailed network and endpoint event information and provide further visibility into malware infections.

Management Center also provides content awareness with malware file trajectory that aids infection scoping and root cause determination to speed time to remediation.

Cisco Security Manager provides scalable and centralized network operations workflow management. It integrates a powerful suite of capabilities; including policy and object management, event management, reporting, and troubleshooting for Cisco ASA firewall functions. For small-scale and simple deployments, the Cisco Adaptive Security Device Manager (ASDM) is available to provide on-device, GUI-based firewall network operations management.

Cisco's enterprise-class management tools help administrators reduce complexity with unmatched visibility and control across NGFW deployments.

Figure 2. Cisco FireSIGHT Management Center: Intuitive High-level and Detailed Drill-Down Dashboards



Reduced Costs and Complexity

Cisco ASA with FirePOWER Services incorporates an integrated approach to threat defense, reducing capital and operating costs and administrative complexity. It smoothly integrates with the existing IT environment, work stream, and network fabric. The purpose-built appliance family is highly scalable, performs at up to multigigabit speeds, and provides consistent and robust security across branch, Internet edge, and data centers in both physical and virtual environments.

With Cisco FireSIGHT Management Center, administrators can streamline operations to correlate threats, assess their impact, automatically tune security policy, and easily attribute user identities to security events. Management Center continually monitors how the network is changing over time. New threats are automatically assessed to determine which can affect your business. Response efforts are then focused on remediation, and network defenses are adapted to changing threat conditions. Critical security activities such as policy tuning are automated, saving time and effort, while protections and countermeasures are maintained in an optimal state.

Cisco FireSIGHT Management Center integrates easily with third-party security solutions through the eStreamer API to streamline operation workflows and fit existing network fabrics.

Table 1 highlights the best-in-class capabilities of Cisco ASA with FirePOWER Services.

Table 1. Features and Benefits of Cisco ASA with FirePOWER Services

| Feature | Benefits |
|---------------------------------|--|
| Next-generation firewall | Industry's first threat-focused NGFW; provides ASA firewall functionality, advanced threat protection, and advanced breach detection and remediation combined in a single device |
| Proven ASA firewall | Rich routing, stateful firewall, Network Address Translation, and dynamic clustering for high-performance, highly secure, and reliable access with Cisco AnyConnect® VPN |

| Feature | Benefits |
|---|--|
| Market-leading NGIPS | Superior threat prevention and mitigation for both known and unknown threats |
| Advanced malware protection | Detection, blocking, tracking, analysis, and remediation to protect the enterprise against targeted and persistent malware attacks |
| Full contextual awareness | Policy enforcement based on complete visibility of users, mobile devices, client-side applications, communication between virtual machines, vulnerabilities, threats, and URLs |
| Application control and URL filtering | Application-layer control (over applications, geolocations, users, websites) and ability to enforce usage and tailor detection policies based on custom applications and URLs |
| Enterprise-class management | Dashboards and drill-down reports of discovered hosts, applications, threats, and indications of compromise for comprehensive visibility |
| Streamlined operations automation | Lower operating cost and administrative complexity with threat correlation, impact assessment, automated security policy tuning, and user identification |
| Purpose-built, scalable | Highly scalable security appliance architecture that performs at up to multigigabit speeds; consistent and robust security across branch, Internet edge, and data centers in physical and virtual environments |
| Third-party technology ecosystem | Open API that enables the third-party technology ecosystem to integrate with existing customer work streams |
| Integration with Snort and OpenAppID | Open source security integration with Snort and OpenAppID for access to community resources and ability to easily customize security to address new and specific threats and applications quickly |
| Collective Security intelligence (CSI) | Globally acclaimed security and web reputation intelligence for real-time security protection |

Product Performance and Specifications

Table 2 details the NGFW capabilities and capacities of the Cisco ASA with FirePOWER Services for Cisco ASA 5500-X Series.

Table 2. Cisco ASA 5500-X with FirePOWER Services Capabilities and Capacities

| Feature | Cisco ASA 5512-X w/ FirePOWER Services | Cisco ASA 5515-X w/ FirePOWER Services | Cisco ASA 5525-X w/ FirePOWER Services | Cisco ASA 5545-X w/ FirePOWER Services | Cisco ASA 5555-X w/ FirePOWER Services |
|---|---|--|--|--|--|
| Maximum application control (AVC) throughput | 300 Mbps | 500 Mbps | 1,100 Mbps | 1,500 Mbps | 1,750 Mbps |
| Maximum application control (AVC) and IPS throughput | 150 Mbps | 250 Mbps | 650 Mbps | 1,000 Mbps | 1,250 Mbps |
| Maximum concurrent sessions | 100,000 | 250,000 | 500,000 | 750,000 | 1,000,000 |
| Maximum New Connections per second | 10,000 | 15,000 | 20,000 | 30,000 | 50,000 |
| Application control (AVC) or IPS sizing throughput [440 byte HTTP] | 100 Mbps | 150 Mbps | 375 Mbps | 575 Mbps | 725 Mbps |
| Supported applications | More than 3,000 | | | | |
| URL categories | 80+ | | | | |
| Number of URLs categorized | More than 280 million | | | | |
| Centralized configuration, logging, monitoring, and reporting | Multi-device Cisco Security Manager and Cisco FireSIGHT Management Center | | | | |

* Activating more features will change performance

Hardware Product Performance and Specifications

Table 3 provides a comparison of the Cisco ASA with Cisco FirePOWER Security Services Processor (SSP) 10, 20, 40, and 60 hardware blades.

Table 3. Cisco ASA 5585-X with FirePOWER Services Hardware Blade Capabilities and Capacities

| Feature | Cisco ASA 5585-X SSP-10 w/ FirePOWER Services | Cisco ASA 5585-X SSP-20 w/ FirePOWER Services | Cisco ASA 5585-X SSP-40 w/ FirePOWER Services | Cisco ASA 5585-X SSP-60 w/ FirePOWER Services |
|--|---|---|---|---|
| Maximum application control (AVC) throughput | 4.5 Gbps | 7 Gbps | 10 Gbps | 15 Gbps |
| Maximum application control (AVC) and IPS throughput | 2 Gbps | 3.5 Gbps | 6 Gbps | 10 Gbps |
| Maximum concurrent sessions | 500,000 | 1,000,000 | 1,800,000 | 4,000,000 |
| Maximum New Connections per second | 40,000 | 75,000 | 120,000 | 160,000 |
| Application control (AVC) or IPS sizing throughput [440 byte HTTP] | 1.2 Gbps | 2 Gbps | 3.5 Gbps | 6 Gbps |
| Supported applications | More than 3,000 | | | |
| URL categories | 80+ | | | |
| Number of URLs categorized | More than 280 million | | | |
| Centralized configuration, logging, monitoring, and reporting | Multi-device Cisco Security Manager and Cisco FireSIGHT Management Center | | | |

| Product Model | Cisco ASA 5585-X SSP-10 w/ FirePOWER Services | Cisco ASA 5585-X SSP-20 w/ FirePOWER Services | Cisco ASA 5585-X SSP-40 w/ FirePOWER Services | Cisco ASA 5585-X SSP-60 w/ FirePOWER Services |
|-------------------------------------|---|---|---|---|
| Technical Specifications | | | | |
| Memory | 12 GB | 24 GB | 24 GB | 48 GB |
| Minimum flash | 8 GB | | | |
| Management and monitoring interface | 2 Ethernet 10/100/1000 ports | | | |

Platform Support / Compatibility

Cisco ASA with FirePOWER Services include ASA firewalling, AVC, URL filtering, NGIPS, and Advanced Malware Protection (AMP). This unique set of capabilities is available on the Cisco ASA 5500-X Series NGFW platforms: Cisco ASA 5512-X, 5515-X, 5525-X, 5545-X, 5555-X, and 5585-X with Security Services Processor SSP-10, SSP-20, SSP-40, and SSP-60.

The Cisco ASA 5585-X FirePOWER Services SSP-10, SSP-20, SSP-40, and SSP-60 hardware blades are supported on the Cisco ASA 5585-X platform. Cisco ASA 5585-X SSP-10, SSP-20, SSP-40, and SSP-60 firewalls require Cisco ASA Software Release 9.2.2 and later. Cisco ASA with FirePOWER Services software is supported on the Cisco ASA 5500-X Series of next-generation midrange security appliances running Cisco ASA Software Release 9.2.2 and later. Regardless of form factor, Cisco ASA with FirePOWER Services is managed by the [Cisco Security Manager](#) and the Cisco FireSIGHT Management Center.

Ordering Information

To place an order, visit the [Cisco ordering homepage](#). Table 4 provides ordering information for Cisco ASA with FirePOWER Services.

Table 4. Cisco ASA with FirePOWER Services Ordering Information

| Product Description | Part Number |
|---|-------------------|
| Cisco ASA 5500-X Series Midrange Appliances (Hardware) | |
| ASA 5512-X with FirePOWER Services, 6GE data, AC, 3DES/AES, SSD | ASA5512-FPWR-K9 |
| ASA 5515-X with FirePOWER Services, 6GE data, AC, 3DES/AES, SSD | ASA5515-FPWR-K9 |
| ASA 5525-X with FirePOWER Services, 8GE data, AC, 3DES/AES, SSD | ASA5525-FPWR-K9 |
| ASA 5545-X with FirePOWER Services, 8GE data, AC, 3DES/AES, 2 SSD | ASA5545-FPWR-K9 |
| ASA 5555-X with FirePOWER Services, 8GE data, AC, 3DES/AES, 2 SSD | ASA5555-FPWR-K9 |
| Cisco ASA 5585-X Appliances (Hardware) | |
| ASA 5585-X chassis with SSP-10, FirePOWER SSP-10, 16GE, 4GE mgmt, 1 AC, 3DES/AES | ASA5585-S10F10-K9 |
| ASA 5585-X chassis with SSP-10, FirePOWER SSP-10, 16GE, 4SFP+, 2 AC, 3DES/AES | ASA5585-S10F10XK9 |
| ASA 5585-X chassis with SSP-20, FirePOWER SSP-20, 16GE, 4GE mgmt, 1 AC, 3DES/AES | ASA5585-S20F20-K9 |
| ASA 5585-X chassis with SSP-20, FirePOWER SSP-20, 16GE, 4SFP+, 2 AC, 3DES/AES | ASA5585-S20F20XK9 |
| ASA 5585-X chassis with SSP-40, FirePOWER SSP-40, 12GE, 8SFP+, 1 AC, 3DES/AES | ASA5585-S40F40-K9 |
| ASA 5585-X chassis with SSP-60, FirePOWER SSP-60, 12GE, 8 SFP+, 2 AC, 3DES/AES | ASA5585-S60S60-K9 |
| ASA with FirePOWER Services Software Subscriptions: 3-year term (1-year service software bundle subscriptions can be purchased as well as individual Cisco IPS, AMP, and URL Filtering service software subscriptions with 1-year and 3-year terms). | |
| Cisco ASA5512 FirePOWER IPS and Apps 3YR Subscription | L-ASA5512-TA-3Y |
| Cisco ASA5512 FirePOWER IPS, Apps and URL 3YR Subscription | L-ASA5512-TAC-3Y |
| Cisco ASA5545 FirePOWER IPS, Apps and AMP 3YR Subscription | L-ASA5512-TAM-3Y |
| Cisco ASA5512 FirePOWER IPS, Apps, AMP and URL 3YR Subscription | L-ASA5512-TAMC-3Y |
| Cisco ASA5512 FirePOWER URL Filtering 3YR Subscription | L-ASA5512-URL-3Y |
| Cisco ASA5515 FirePOWER IPS and Apps 3YR Subscription | L-ASA5515-TA-3Y |
| Cisco ASA5515 FirePOWER IPS, Apps and URL 3YR Subscription | L-ASA5515-TAC-3Y |
| Cisco ASA5515 FirePOWER IPS, Apps and AMP 3YR Subscription | L-ASA5515-TAM-3Y |
| Cisco ASA5515 FirePOWER IPS, Apps, AMP and URL 3YR Subscription | L-ASA5515-TAMC-3Y |
| Cisco ASA5515 FirePOWER URL Filtering 3YR Subscription | L-ASA5515-URL-3Y |

| Product Description | Part Number |
|--|----------------------|
| Cisco ASA5525 FirePOWER IPS and Apps 3YR Subscription | L-ASA5525-TA-3Y |
| Cisco ASA5525 FirePOWER IPS, Apps and URL 3YR Subscription | L-ASA5525-TAC-3Y |
| Cisco ASA5525 FirePOWER IPS, Apps and AMP 3YR Subscription | L-ASA5525-TAM-3Y |
| Cisco ASA5525 FirePOWER IPS, Apps, AMP and URL 3YR Subscription | L-ASA5525-TAMC-3Y |
| Cisco ASA5525 FirePOWER URL Filtering 3YR Subscription | L-ASA5525-URL-3Y |
| Cisco ASA5545 FirePOWER IPS and Apps 3YR Subscription | L-ASA5545-TA-3Y |
| Cisco ASA5545 FirePOWER IPS, Apps and URL 3YR Subscription | L-ASA5545-TAC-3Y |
| Cisco ASA5545 FirePOWER IPS, Apps and AMP 3YR Subscription | L-ASA5545-TAM-3Y |
| Cisco ASA5545 FirePOWER IPS, Apps, AMP and URL 3YR Subscription | L-ASA5545-TAMC-3Y |
| Cisco ASA5545 FirePOWER URL Filtering 3YR Subscription | L-ASA5545-URL-3Y |
| Cisco ASA5555 FirePOWER IPS and Apps 3YR Subscription | L-ASA5555-TA-3Y |
| Cisco ASA5555 FirePOWER IPS, Apps and URL 3YR Subscription | L-ASA5555-TAC-3Y |
| Cisco ASA5555 FirePOWER IPS, Apps and AMP 3YR Subscription | L-ASA5555-TAM-3Y |
| Cisco ASA5555 FirePOWER IPS, Apps, AMP and URL 3YR Subscription | L-ASA5555-TAMC-3Y |
| Cisco ASA5555 FirePOWER URL Filtering 3YR Subscription | L-ASA5555-URL-3Y |
| Cisco ASA5585-10 FirePOWER IPS and Apps 3YR Subscription | L-ASA5585-10-TA-3Y |
| Cisco ASA5585-10 FirePOWER IPS, Apps and URL 3YR Subscription | L-ASA5585-10-TAC-3Y |
| Cisco ASA5585-10 FirePOWER IPS, Apps and AMP 3YR Subscription | L-ASA5585-10-TAM-3Y |
| Cisco ASA5585-10 FirePOWER IPS, Apps, AMP and URL 3YR Subscription | L-ASA5585-10-TAMC-3Y |
| Cisco ASA5585-10 FirePOWER URL Filtering 3YR Subscription | L-ASA5585-10-URL-3Y |
| Cisco ASA5585-20 FirePOWER IPS and Apps 3YR Subscription | L-ASA5585-20-TA-3Y |
| Cisco ASA5585-20 FirePOWER IPS, Apps and URL 3YR Subscription | L-ASA5585-20-TAC-3Y |
| Cisco ASA5585-20 FirePOWER IPS, Apps and AMP 3YR Subscription | L-ASA5585-20-TAM-3Y |
| Cisco ASA5585-20 FirePOWER IPS, Apps, AMP and URL 3YR Subscription | L-ASA5585-20-TAMC-3Y |
| Cisco ASA5585-20 FirePOWER URL Filtering 3YR Subscription | L-ASA5585-20-URL-3Y |
| Cisco ASA5585-40 FirePOWER IPS and Apps 3YR Subscription | L-ASA5585-40-TA-3Y |
| Cisco ASA5585-40 FirePOWER IPS, Apps and URL 3YR Subscription | L-ASA5585-40-TAC-3Y |
| Cisco ASA5585-40 FirePOWER IPS, Apps and AMP 3YR Subscription | L-ASA5585-40-TAM-3Y |
| Cisco ASA5585-40 FirePOWER IPS, Apps, AMP and URL 3YR Subscription | L-ASA5585-40-TAMC-3Y |
| Cisco ASA5585-40 FirePOWER URL Filtering 3YR Subscription | L-ASA5585-40-URL-3Y |
| Cisco ASA5585-60 FirePOWER IPS and Apps 3YR Subscription | L-ASA5585-60-TA-3Y |
| Cisco ASA5585-60 FirePOWER IPS, Apps and URL 3YR Subscription | L-ASA5585-60-TAC-3Y |
| Cisco ASA5585-60 FirePOWER IPS, Apps and AMP 3YR Subscription | L-ASA5585-60-TAM-3Y |
| Cisco ASA5585-60 FirePOWER IPS, Apps, AMP and URL 3YR Subscription | L-ASA5585-60-TAMC-3Y |
| Cisco ASA5585-60 FirePOWER URL Filtering 3YR Subscription | L-ASA5585-60-URL-3Y |

To Download the Software

Visit the [Cisco Software Center](#) to download Cisco ASA with FirePOWER Services Software.

For More Information

For more information, please visit the following links:

- Cisco ASA 5500-X Series Next-Generation Firewalls:
<http://www.cisco.com/go/asa>.
- Cisco Security Manager:
<http://www.cisco.com/c/en/us/products/security/security-manager/index.html>.
- Cisco Security Services:
http://www.cisco.com/en/US/products/svcs/ps2961/ps2952/serv_group_home.html.




Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

 Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)