

402-73
11/15
10/14

305/158803
13/4

SEP 18 1985

345/153438
17/3

John F. Glisson
Hill Manufacturing Company, Inc.
1500 Jonesboro Road SE.
Atlanta, GA 30315

Dear Mr. Glisson:

Subject: Amendment-Label Update
#212 Fly Bait
EPA Registration No. 402-73
Your Applications Dated June 10, 1985, and
June 17, 1985

The amendment referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. The words "ACTIVE INGREDIENTS" and "INERT INGREDIENTS" must be printed in type of the same size and given equal prominence. The words "ACTIVE INGREDIENTS" and "INERT INGREDIENTS" must be aligned on the same margin.
 - b. Either delete "Kills resistant flies and nonresistant flies" or indicate what the flies are resistant to, such as diazinon-resistant flies. This should be supported by appropriate data.
 - c. Change "hand-use" in Precautionary Statements to read: "hand. Use etc."
 - d. Delete "Attracts More Flies! Kills More Flies!" or indicate what is less attractive or kills fewer flies. Vague or nonspecific terms implying unstated benefits related to the composition of the product are not acceptable.

RD/IRB:JOB:40806:LaRocca:RD-69:Kendrick&Co:898-1270:9/16/85:Del:9/25/85:DKD

CONCURRENCES

SYMBOL ▶							
SURNAME ▶	K. Nark, etc						
DATE ▶	9-18-85						

Reg # 402-113
2/11/85
c 284

- e. Add DIRECTIONS FOR USE before the misuse statement.
 - f. Delete "about" in "Use about 4 oz per 1000 sq ft." This allows too much latitude in use.
 - g. We have amended our records to reflect the change in product name from Hill No. 212 Fly Bait to #212 Fly Bait.
 - h. The Confidential Statement of Formula is acceptable and has been made a part of the record for this product. Please note that a slight overformulation of DDVP would be acceptable for this product due to the storage stability of DDVP.
 - i. Change "Keep out of any body of water" to "Do not apply directly to any body of water." Also, delete the statement, "Do not apply where runoff is likely to occur."
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Your application of June 17, 1985, to increase DDVP to 1% is not acceptable as an amendment action under this registration. A change from 0.5% to 1.0% is significant (due to a change in signal word from Caution to Warning and other precautionary statements) and must be submitted as an application for new registration.

If you have any questions in regard to this letter please feel free to contact me.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

Reg # 402-73
p. 5 of 4

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 18 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended by the pesticide
regulation under EPA Reg. No.
402-73



#212 FLY BAIT

KILLS RESISTANT AND NON-RESISTANT FLIES
FLIES ARE ATTRACTED TO FLY BAIT-
FEAST ON IT AND DIE IN SECONDS
ECONOMICAL TO USE

For use in: Dairy Barns, Stock Yards, Stables Loading
Docks, Open Air Drive-Ins, Poultry Houses, Rendering
Plants, and Hog Farms.
Not For Use In Homes

ACTIVE INGREDIENTS:

*2, 2-dichlorovinyl dimethyl phosphate ...	0.46%
Related Compounds	0.04%
INERT INGREDIENTS	99.50%
Total	100.00%

* Equivalent to 0.5% by wt. of Technical DDV²

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents _____

HILL MANUFACTURING COMPANY, INC.
1500 JONESBORO ROAD • ATLANTA, GEORGIA 30315
(404) 522-8364

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION


Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after using and before eating or smoking. Do not scatter by hand-use a container of some kind. Avoid contamination of food and animal feeds. Do not apply to animals. Do not use in human dwellings. Keep out of reach of children, pets and poultry. Do not treat portions of buildings where animals lick. Do not use treated garbage as animal feed. Do not use where milk is stored or processed.

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated
If on skin: Remove contaminated clothing and wash affected areas with soap and water
If in eyes: Flush eyes with plenty of water. Call a physician immediately.
Note to physician: Atropine sulfate is antidotal only if signs of cholinesterase inhibition are present. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur.



1-28 = 402-73
FNUIT
P. 402-71

HILL FLY BAIT . . .
Attracts More Flies!
Kills More Flies!

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

As a Dry Bait: Sprinkle lightly in areas where flies congregate. Use about 4 oz. per 1000 sq. ft. A faster kill may be achieved if applied to a moistened surface.

As a Liquid Bait: Dissolve one (1) pound of dry bait in a half gallon of water. Spray on walls, paint on sills, or use to make bait stations. For heavily infested farm buildings, bait stations can be made by placing 4 inch squares of paper toweling or other absorbent material on a rodent bait container or a board. Then soak with FLY BAIT. Bait stations should be placed at about 15 foot intervals. Do not use as a spray in dairy barns.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at any approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State, Federal and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 402-73

EPA Est. No. 402-GA-1