
AIR



Data in Table 2.12 has been recalculated and the results presented in an attached spreadsheet which is located on the first page of the Table. ND data which were averaged as zero are averaged at 50% of the detection level. Data that are between the detection level and the quantitation level are used at full emission rate. This procedure follows the procedures for Emission Factors development.

Final Report - Volume I of II

Iron and Steel Foundries Manual Emissions Testing of Cupola Baghouse at Waupaca Foundry in Tell City, Indiana



FINAL REPORT

**IRON AND STEEL FOUNDRIES
MANUAL EMISSION TESTING
CUPOLA BAGHOUSE
WAUPACA FOUNDRY, TELL CITY, INDIANA**

**VOLUME I OF II
REPORT TEXT AND APPENDICES A & B**

**EPA Contract No. 68D70069
Work Assignment No. 2-08**

Prepared for:

**Mr. Michael K. Ciolek (MD-19)
Work Assignment Manager
SMAG, EMC, OAQPS
U.S. Environmental Protection Agency
Research Triangle Park, NC 27711**

June 1999
p:\i528\finrpt\waupaca\report

Submitted by

**PACIFIC ENVIRONMENTAL SERVICES, INC.
5001 S. Miami Blvd., Suite 300
Post Office Box 12077
Research Triangle Park, NC 27709-2077
(919) 941-0333
FAX (919) 941-0234**

DISCLAIMER

This document was prepared by Pacific Environmental Services, Inc. (PES) under EPA Contract No. 68D70069, Work Assignment No. 2-08. This document has been reviewed following PES' internal quality assurance procedures and has been approved for distribution. The contents of this document do not necessarily reflect the views and policies of the U.S. EPA. Mention of trade names does not constitute endorsement by the EPA or PES.

TABLE OF CONTENTS

VOLUME 1		<u>Page</u>
1.0	INTRODUCTION	1-1
2.0	SUMMARY OF TEST RESULTS	2-1
2.1	EMISSIONS TEST LOG	2-1
2.2	PARTICULATE MATTER AND METALS	2-1
2.3	DIOXINS AND FURANS	2-7
2.4	SEMIVOLATILE ORGANIC HAZARDOUS AIR POLLUTANTS	2-14
3.0	PROCESS DESCRIPTION	3-1
3.1	INTRODUCTION	3-1
3.2	PROCESS DESCRIPTION	3-1
3.3	SUMMARY OF PROCESS OPERATING DATA COLLECTED DURING SOURCE TEST	3-5
4.0	SAMPLING LOCATIONS	4-1
4.1	CUPOLA BAGHOUSE INLET	4-1
4.2	CUPOLA BAGHOUSE OUTLET	4-1
5.0	SAMPLING AND ANALYTICAL PROCEDURES	5-1
5.1	LOCATION OF MEASUREMENT SITES AND SAMPLE/VELOCITY TRAVERSE POINTS	5-1
5.2	DETERMINATION OF STACK GAS VOLUMETRIC FLOW RATE	5-1
5.3	DETERMINATION OF DRY MOLECULAR WEIGHT AND EMISSION CORRECTION FACTORS	5-1
5.4	DETERMINATION OF STACK GAS MOISTURE CONTENT	5-3
5.5	DETERMINATION OF PARTICULATE MATTER AND METALS	5-3
5.6	DETERMINATION OF DIOXINS AND FURANS	5-7
5.7	DETERMINATION OF SEMIVOLATILE ORGANIC HAZARDOUS AIR POLLUTANTS (SVOHAPS)	5-7

TABLE OF CONTENTS (Concluded)

6.0 QUALITY ASSURANCE/QUALITY CONTROL (QA/QC) 6-1

6.1 CALIBRATION OF APPARATUS 6-1

6.2 ON-SITE MEASUREMENTS 6-4

6.3 LABORATORY ANALYSIS 6-6

APPENDIX A - RAW FIELD DATA

APPENDIX B - ANALYTICAL DATA - PARTICULATE MATTER
AND METALS

VOLUME 2

APPENDIX C - ANALYTICAL DATA - DIOXINS/FURANS AND
SEMI-VOLATILE ORGANIC HAZARDOUS
AIR POLLUTANTS

APPENDIX D - CALCULATIONS

APPENDIX E - QA/QC DATA

APPENDIX F - PARTICIPANTS

LIST OF TABLES

VOLUME 1	<u>Page</u>
Table 2.1	Emissions Test Log, The Waupaca Foundry - Tell City, Indiana 2-2
Table 2.2	Particulate/Metals Emissions Sampling and Flue Gas Parameters, Cupola Baghouse Inlet, The Waupaca Foundry - Tell City, Indiana 2-3
Table 2.3	Particulate Matter Concentrations and Emission Rates, Cupola Baghouse Inlet, The Waupaca Foundry - Tell City, Indiana 2-4
Table 2.4	Metals Concentrations and Emission Rates, Cupola Baghouse Inlet, The Waupaca Foundry - Tell City, Indiana 2-5
Table 2.5	Particulate/Metals Emissions Sampling and Exhaust Gas Parameters, Cupola Baghouse Outlet, The Waupaca Foundry - Tell City, Indiana 2-8
Table 2.6	Particulate Matter Concentrations and Emission Rates, Cupola Baghouse Outlet, The Waupaca Foundry - Tell City, Indiana 2-9
Table 2.7	Exhaust Gas Metals Concentrations and Emission Rates, Cupola Baghouse Outlet, The Waupaca Foundry - Tell City, Indiana 2-10
Table 2.8	Particulate Matter and Metals Removal Efficiencies, Cupola Baghouse, The Waupaca Foundry - Tell City, Indiana 2-12
Table 2.9	PCDDs/PCDFs Emissions Sampling and Exhaust Gas Parameters Cupola Baghouse Outlet, The Waupaca Foundry - Tell City, Indiana 2-13
Table 2.10	PCDDs/PCDFs Exhaust Gas Concentrations and Emission Rates, Cupola Baghouse Outlet, The Waupaca Foundry - Tell City, Indiana 2-15
Table 2.11	PCDDs/PCDFs Exhaust Gas Concentrations and 2378 Toxic Equivalent Stack Gas Concentrations Adjusted to 7 Percent Oxygen, Cupola Baghouse Outlet, The Waupaca Foundry - Tell City, Indiana 2-16
Table 2.12	SVOHAPs Emissions Sampling and Exhaust Gas Parameters Cupola Baghouse Outlet, The Waupaca Foundry - Tell City, Indiana 2-17
Table 2.13	SVOHAPs Exhaust Gas Concentrations and Emission Rates, Cupola Baghouse Outlet, The Waupaca Foundry - Tell City, Indiana 2-19
Table 2.14	SOVHAPs In-Stack Detection Limits (PPBVD), Cupola Baghouse Outlet, The Waupaca Foundry - Tell City, Indiana 2-26
Table 3.1	Typical Cupola Charge Materials 3-4
Table 3.2	Summary of Cupola Charging During The Test Days 3-6
Table 3.3	Process Data During The Days of Cupola Testing 3-8
Table 3.4	Periods When Cupola Was "On Relief" During Testing 3-10
Table 3.5	Process Iron Chemistry at Cupola 3-11

LIST OF TABLES (Concluded)

VOLUME 1	<u>Page</u>
Table 5.1	Sources, Test Parameters, and Test Methods Summary, The Waupaca Foundry - Tell City, Indiana 5-2
Table 6.1	Summary of Temperature Sensor Calibration Data 6-2
Table 6.2	Summary of Pitot Tube Dimensional Data 6-3
Table 6.3	Summary of Dry Gas Meter and Orifice Calibration Data 6-5
Table 6.4	Summary of EPA Methods 23 and 29 and SW-846 Method 0010 Field Sampling QA/QC Data 6-9
Table 6.5	Summary of EPA Method 29 Analysis QC Data, Lab Control Spikes 6-10
Table 6.6	Summary of EPA Method 29 Analysis QC Data, Matrix Spikes (Post Digestion) 6-11
Table 6.7	Summary of EPA Method 29 Analysis QC Data, Duplicate Analyses 6-12
Table 6.8	Summary of EPA Method 29 Analysis QC Data, Serial Dilution 6-14
Table 6.9	Summary of EPA Method 29 Analysis QC Data, Method Blanks Results . 6-16
Table 6.10	Summary of EPA Method 29 Analysis QC Data, Field Blanks Results . . . 6-17
Table 6.11	Summary of EPA Method 29 Analysis QC Data, Mercury Summary Report - Lab Control Spikes 6-18
Table 6.12	Summary of EPA Method 29 Analysis QC Data, Mercury Summary Report - Matrix Spikes (Pre-Digestion) 6-19
Table 6.13	Summary of EPA Method 29 Analysis QC Data, Mercury Summary Report - Method Blank 6-20
Table 6.14	Summary of EPA Method 29 Analysis QC Data, Mercury Summary Report - Field and Reagent Blanks 6-21
Table 6.15	Summary of EPA Method 23 Standards Recovery Efficiencies 6-22
Table 6.16	Summary of SW-846 Method 0010 Field and Laboratory Blanks Results 6-23
Table 6.17	Summary of SW-846 Method 0010 Surrogate Recovery Results 6-24

LIST OF FIGURES

VOLUME 1		<u>Page</u>
Figure 1.1	Air Flow Schematic and Sampling Locations at The Waupaca Foundry - Tell City, Indiana	1-3
Figure 1.2	Key Personnel and Responsibility for Testing Program at The Waupaca Foundry - Tell City, Indiana,	1-4
Figure 3.1	Simplified Schematic of Cupola Gas Handling System	3-2
Figure 3.2	Hourly Melting Rates During Cupola Testing	3-7
Figure 3.3	Blast Air Flow Rate Through Cupola	3-9
Figure 4.1	Cupola Baghouse Inlet Sampling Location, Waupaca Foundry - Tell City, Indiana	4-2
Figure 4.2	Cupola Baghouse Inlet Traverse Point Location, The Waupaca Foundry - Tell City, Indiana	4-3
Figure 4.3	Cupola Baghouse Outlet Sampling Location, Waupaca Foundry - Tell City, Indiana	4-4
Figure 4.4	Cupola Baghouse Outlet Traverse Point Locations, The Waupaca Foundry - Tell City, Indiana	4-5
Figure 5.1	Sampling Train Schematic for EPA Method 29	5-4
Figure 5.2	EPA Method 29 Recovery Scheme	5-5
Figure 5.3	Sample Preparation and Analysis Scheme for EPA Method 29	5-6
Figure 5.4	Sampling Train Schematic for EPA Method 23 and SW-846 Method 0010	5-8

1.0 INTRODUCTION

The U.S. Environmental Protection Agency (EPA) Emission Standards Division (ESD) is investigating iron and steel foundries to identify and quantify hazardous air pollutants (HAPs) emitted from cupolas; electric arc furnaces; and pouring, cooling and shakedown operations of sand mold casting processes. ESD had requested that EPA's Emissions, Monitoring and Analysis Division (EMAD) conduct the required testing. EMAD had issued a work assignment to Pacific Environmental Services, Inc. (PES) to plan and conduct the air emissions test program to gather emissions data as specified in the ESD test request. The planning and testing phase of the program was conducted through EPA Contract No. 68D20162, Work Assignment No. 4-14. This test report was completed under EPA Contract No. 68D70069, Work Assignment No. 2-08.

The EPA's ESD is investigating two types of control devices (baghouses and scrubbers) as potential Maximum Achievable Control Technology (MACT) floor technology for cupolas. Two facilities were selected by ESD as host facilities for the testing program. One uses a baghouse for control of cupola emissions, and the other uses a wet scrubber for the control of cupola emissions. The Waupaca Foundry, located in Tell City, Indiana, uses a baghouse and was the subject of this test program. Results of tests on a wet scrubber at the second facility were presented under a separate report.

Testing at the Waupaca Foundry was conducted by two EMAD contractors to address the following ESD requirements: 1) characterize HAP emissions from cupolas that are controlled by baghouses; 2) characterize uncontrolled HAP emissions from pouring, cooling, and shakeout (PCS) processes; 3) determine baghouse performance in controlling HAP emissions from cupolas; and 4) identify surrogates for estimating HAP emissions from the subject foundry processes. PES conducted testing for requirements (1) and (3). Data gathering for requirements (2) and (4) was conducted by the other contractor and is not a part of this document.

The Waupaca Foundry was selected by the ESD as the host facility for this project. This facility is a large job shop foundry that conducts melting and casting operations. EPA deemed this facility to be representative of a large segment of the sand casting foundry industry. It operates a relatively large cupola (50 standard tons per hour melting capacity) that is controlled by a negative pressure baghouse. Ducts were available to measure emissions from pouring, cooling, and shakeout sections of the casting lines. The new facility recently began production and the modern design of the cupola baghouse was expected to be as effective as any used in this type of application. Tests were conducted at the cupola baghouse inlet and outlet. The sampling locations at the Waupaca Foundry are shown in Figure 1.1 PES performed particulate matter (PM) and metal HAPs testing at the cupola baghouse inlet

and outlet and organic HAPs testing at the cupola baghouse outlet. The organic HAPs consisted of polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans (PCDDs/PCDFs) and semi-volatile organic hazardous air pollutants (SVOHAPs).

PES used three subcontractors for this effort: Deeco, Inc. (DEECO); Triangle Laboratories, Inc. (TLI), and Atlantic Technical Services, Inc. (ATS). DEECO provided on-site sampling support for the determination of PM and metal HAPs; TLI provided analytical support for the analysis of HAPs; and ATS provided support for preparation of the site-specific test plan (SSTP), quality assurance project plan (QAPP), and report documentation..

The field testing program organization and major lines of communication are presented in Figure 1.2. The PES Project Manager communicated directly with the EPA Work Assignment Manager and coordinated all of the on-site testing activities.





Figure 1.1 Air Flow Schematic and Sampling Locations at The Waupaca Foundry - Tell City, Indiana



1-4

Figure 1.2 Key Personnel and Responsibility for Testing Program at the Waupaca Foundry - Tell City, Indiana

2.0 SUMMARY OF RESULTS

This section provides test results summaries obtained from the Waupaca Foundry testing. Included are results of the tests conducted for particulate matter/metals at the cupola baghouse inlet and outlet, and SVOHAPs and PCDDs/PCDFs testing at the cupola baghouse outlet. Although we have included averages, there were differences in production rates and operating conditions.

2.1 EMISSIONS TEST LOG

Sampling at the cupola baghouse was conducted on September 9 and 10, 1997. Table 2.1 summarizes the emissions test log. Presented are the run numbers, test dates, pollutants, run times, and downtime for filter and port changes.

2.2 PARTICULATE MATTER AND METALS

2.2.1 Baghouse Inlet

Table 2.2 summarizes the particulate matter and metals emissions sampling and flue gas parameters at the baghouse inlet. The total sampling time for each test run was 240 minutes. The average sample volume was 105.362 dry standard cubic feet (dscf) or 2.984 dry standard cubic meters (dscm). The average flue gas temperature was 293 °F. The flue gas contained 11.6 percent (%) carbon dioxide (CO₂), 9.7% oxygen (O₂), and 2.6% moisture. The average flue gas volumetric flow rate was 52,700 actual cubic feet per minute (acfm) or 34,500 dry standard cubic feet per minute (dscfm) or 976 dry standard cubic meters per minute (dscmm).

Table 2.3 summarizes the flue gas particulate matter concentrations and emission rates at the cupola baghouse inlet. The average concentration was 1.04 grains per dry standard cubic foot (gr/dscf) or 2.39 grams per dry standard cubic meter (g/dscm). The concentrations are also shown adjusted to 7% O₂. The average mass emission rate was 323 pounds per hour (lb/hr) or 146 kilograms per hour (kg/hr).

Table 2.4 summarizes the flue gas metals concentrations and emission rates. The blank correction procedures of EPA Method 29 were used to correct the samples for the back half reagent blank only, because the analytical results for the front half reagent blank were considered inappropriate for blank correction.. All of the target metals were found to be present in all three samples. Average concentrations ranged from 2.89 micrograms per dry standard cubic meter (µg/dscm) for beryllium to 247,458 µg/dscm for zinc.

TABLE 2.1

**EMISSIONS TEST LOG
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	Date	Pollutant	Run Time	Downtime, Minutes
<u>Baghouse Inlet</u>				
I-M29-1	09/09/97	PM/Metals	1025-1501	36
I-M29-2	09/10/97	PM/Metals	0758-1233	35
I-M29-3	09/10/97	PM/Metals	1515-2021	66
<u>Baghouse Outlet</u>				
O-M29-1	09/09/97	PM/Metals	1029-1503	34
BO-23-1	09/09/97	PCDDs/PCDFs	1029-1501	32
BO-0010-1	09/09/97	SVOHAPs	1029-1503	34
O-M29-2	09/10/97	PM/Metals	0810-1315	65
BO-23-2	09/10/97	PCDDs/PCDFs	0810-1315	65
BO-0010-2	09/10/97	SVOHAPs	0810-1315	65
O-M29-3	09/10/97	PM/Metals	1520-2021	61
BO-23-3	09/10/97	PCDDs/PCDFs	1520-2008	48
BO-0010-3	09/10/97	SVOHAPs	1520-2008	48

TABLE 2.2

**PARTICULATE/METALS EMISSIONS SAMPLING AND FLUE GAS
PARAMETERS - CUPOLA BAGHOUSE INLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	I-M29-1	I-M29-2	I-M29-3	Average
Date	9/9/97	9/10/97	9/10/97	
Total Sampling Time, min	240.5	240	240	
Average Sampling Rate, dscfm ^a	0.342	0.481	0.493	0.439
Sample Volume:				
dscf ^b	82.208	115.471	118.408	105.362
dscm ^c	2.328	3.270	3.353	2.984
Average Flue Gas Temp., °F	275	301	302	293
O ₂ Concentration, % by Volume	10.9	9.5	8.8	9.7
CO ₂ Concentration, % by Volume	10.8	11.6	12.4	11.6
Moisture, % by Volume	2.5	2.8	2.4	2.6
Flue Gas Volumetric Flow Rate:				
acfm ^d	39,900	58,900	59,300	52,700
dscfm ^a	26,800	38,200	38,500	34,500
dscmm ^e	759	1,080	1,090	976
Isokinetic Sampling Ratio, %	104.0	102.7	106.5	104.4

^a Dry standard cubic feet per minute at 68° F (20° C) and 1 atm.

^b Dry standard cubic feet at 68° F (20° C) and 1 atm.

^c Dry standard cubic meters at 68° F (20° C) and 1 atm.

^d Actual cubic feet per minute at exhaust gas conditions.

^e Dry standard cubic meters per minute at 68° F (20° C) and 1 atm.

TABLE 2.3

**PARTICULATE MATTER CONCENTRATIONS AND EMISSION RATES
CUPOLA BAGHOUSE INLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	I-M29-1	I-M29-2	I-M29-3	Average
Date	9/9/97	9/10/97	9/10/97	
Clock Time, 24-hr clock	1025-1501	0758-1233	1515-2021	
Concentration:				
gr/dscf ^a	0.622	1.44	1.07	1.04
gr/dscf @ 7% O ₂ ^b	0.863	1.75	1.22	1.28
g/dscm ^c	1.42	3.30	2.45	2.39
g/dscm @ 7% O ₂ ^d	1.97	4.01	2.80	2.93
Emission Rate:				
lb/hr ^e	143	472	354	323
kg/hr ^f	64.8	214	160	146

^a Grains per dry standard cubic foot at 68° F (20° C) and 1 atm.

^b Grains per dry standard cubic foot at 68° F (20° C) and 1 atm adjusted to 7 percent O₂.

^c Grams per dry standard cubic meter at 68° F (20° C) and 1 atm.

^d Grams per dry standard cubic meter at 68° F (20° C) and 1 atm adjusted to 7 percent O₂.

^e Pounds per hour.

^f Kilograms per hour.

TABLE 2.4

**METALS CONCENTRATIONS AND EMISSION RATES
CUPOLA BAGHOUSE INLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	I-M29-1	I-M29-2	I-M29-3	Average
Date	9/9/97	9/10/97	9/10/97	
Clock Time, 24-hr clock	1025-1501	0758-1233	1515-2021	
Antimony (Sb)				
μg/dscm ^a	376	428	385	396
μg/dscm @ 7% O ₂ ^b	521	520	440	494
lb/hr ^c	0.0377	0.0612	0.0555	0.0515
Arsenic (As)				
μg/dscm ^a	82.5	76.2	93.6	84.1
μg/dscm @ 7% O ₂ ^b	114	92.4	107	105
lb/hr ^c	0.00828	0.0109	0.0135	0.0109
Barium (Ba)				
μg/dscm ^a	623	878	746	749
μg/dscm @ 7% O ₂ ^b	864	1,066	853	928
lb/hr ^c	0.0625	0.126	0.108	0.0986
Beryllium (Be)				
μg/dscm ^a	1.28	4.68	2.72	2.89
μg/dscm @ 7% O ₂ ^b	1.78	5.68	3.11	3.52
lb/hr ^c	0.000128	0.000669	0.000392	0.000397
Cadmium (Cd)				
μg/dscm ^a	606	1,159	898	888
μg/dscm @ 7% O ₂ ^b	840	1,407	1,028	1,092
lb/hr ^c	0.0608	0.166	0.130	0.119
Chromium (Cr)				
μg/dscm ^a	546	750	609	635
μg/dscm @ 7% O ₂ ^b	758	910	696	788
lb/hr ^c	0.0548	0.107	0.0879	0.0833
Cobalt (Co)				
μg/dscm ^a	14.7	13.3	14.1	14.0
μg/dscm @ 7% O ₂ ^b	20.4	16.2	16.1	17.6
lb/hr ^c	0.00147	0.00190	0.00204	0.00180
Lead (Pb)				
μg/dscm ^a	34,969	61,200	44,131	46,767
μg/dscm @ 7% O ₂ ^b	48,509	74,296	50,487	57,764
lb/hr ^c	3.51	8.75	6.37	6.21

TABLE 2.4 (Concluded)

**METALS CONCENTRATIONS AND EMISSION RATES
CUPOLA BAGHOUSE INLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	I-M29-1	I-M29-2	I-M29-3	Average
Manganese (Mn)				
μg/dscm ^a	36,557	64,105	49,506	50,056
μg/dscm @ 7% O ₂ ^b	50,713	77,822	56,636	61,724
lb/hr ^c	3.67	9.16	7.15	6.66
Mercury (Hg)				
μg/dscm ^a	20.5	57.1	17.7	31.8
μg/dscm @ 7% O ₂ ^b	28.4	69.3	20.2	39.3
lb/hr ^c	0.00206	0.00816	0.00255	0.00426
Nickel (Ni)				
μg/dscm ^a	136	138	149	141
μg/dscm @ 7% O ₂ ^b	189	167	171	176
lb/hr ^c	0.0137	0.0197	0.0215	0.0183
Phosphorus (P)				
μg/dscm ^a	801	843	18,258	6,634
μg/dscm @ 7% O ₂ ^b	1,111	1,023	20,888	7,674
lb/hr ^c	0.0804	0.120	2.64	0.945
Selenium (Se)				
μg/dscm ^a	31.4	39.5	34.6	35.2
μg/dscm @ 7% O ₂ ^b	43.6	47.9	39.6	43.7
lb/hr ^c	0.00315	0.00564	0.00499	0.00460
Silver (Ag)				
μg/dscm ^a	6.02	16.9	5.94	9.63
μg/dscm @ 7% O ₂ ^b	8.36	20.6	6.79	11.9
lb/hr ^c	0.000605	0.00242	0.000857	0.00129
Thallium (Tl)				
μg/dscm ^a	31.3	51.4	39.2	40.6
μg/dscm @ 7% O ₂ ^b	43.4	62.4	44.8	50.2
lb/hr ^c	0.00314	0.00735	0.00565	0.00538
Zinc (Zn)				
μg/dscm ^a	168,832	342,274	231,268	247,458
μg/dscm @ 7% O ₂ ^b	234,209	415,511	264,578	304,766
lb/hr ^c	16.9	48.9	33.4	33.1

^a Micrograms per dry standard cubic meter at 68° F (20° C) and 1 atm.

^b Micrograms per dry standard cubic meter at 68° F (20° C) and 1 atm, adjusted to 7% O₂.

^c Pounds per hour.

2.2.2 Baghouse Outlet

Table 2.5 summarizes the particulate matter and trace metals emissions sampling and exhaust gas parameters at the baghouse outlet. The total sampling time for each test run was 240 minutes. The average sample volume was 120.781 dscf or 3.420 dscm. The average exhaust gas temperature was 246°F. The exhaust gas contained 9.6 % CO₂, 11.6% O₂, and 3.6 % moisture. The average exhaust gas volumetric flow rate was 60,900 acfm or 43,400 dscfm or 1,230 dscmm.

Table 2.6 summarizes the exhaust gas particulate matter concentrations and emission rates at the baghouse outlet. The average concentration was 0.00124 gr/dscf or 0.00283 g/dscm. The concentrations are also shown adjusted to 7% O₂. The average mass emission rate was 0.393 lb/hr or 0.178 kg/hr. The results presented for run O-M29-2 use a negative filter catch weight. Both the filter and acetone rinse fractions were low and at the limit of detection. There are no known reasons for the negative result. If a zero had been used, the mass emission rate for the run would be 0.0897 lb/hr.

Table 2.7 summarizes the exhaust gas metals concentrations and emission rates. The blank correction procedures of EPA Method 29 were used to correct the samples for the back half reagent blank only, because the analytical results for the front half reagent blank were considered inappropriate for blank correction. All of the target metals, except beryllium, cobalt, and thallium, were found to be present in all three samples. Metals that were not detected in a sample have "ND" in place of any emissions calculations and were not included in the total metals sum. Average concentrations ranged from 0.244 µg/dscm for silver to 115 µg/dscm for zinc.

2.2.3 Baghouse Performance

Table 2.8 summarizes the performance of the baghouse in controlling PM and total HAP metals emissions. The removal efficiencies for PM and total HAP metals are based on the inlet and outlet mass emission rates. The average removal efficiency for PM and total HAP metals was 99.79% and 99.88%, respectively.

2.3 DIOXINS AND FURANS

Table 2.9 summarizes the PCDDs/PCDFs emissions sampling and exhaust gas parameters at the baghouse outlet. The total sampling time for each run was 240 minutes. The average sample volume was 145.249 dscf or 4.113 dscm. The average exhaust gas temperature was 247°F. The flue gas contained 9.6% CO₂, 11.6% O₂, and 2.8% moisture. The average exhaust gas volumetric flow rate was 62,600 acfm or 44,800 dscfm or 1,270 dscmm.

The EPA Method 23 sample extracts were first analyzed using a DB-5 capillary column to determine the concentration of each isomer of PCDDs and PCDFs (tetra- through octa-). Tetra-chlorinated dibenzofurans were detected in this analysis; therefore,

TABLE 2.5

**PARTICULATE/METALS EMISSIONS SAMPLING AND EXHAUST GAS
PARAMETERS - CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	O-M29-1	O-M29-2	O-M29-3	Average
Date	9/9/97	9/10/97	9/10/97	
Total Sampling Time, min	240	240	240	
Average Sampling Rate, dscfm ^a	0.378	0.580	0.552	0.503
Sample Volume:				
dscf ^b	90.633	139.162	132.547	120.781
dscm ^c	2.566	3.941	3.753	3.420
Average Exhaust Gas Temp., °F	231	253	254	246
O ₂ Concentration, % by Volume	12.7	11.0	11.0	11.6
CO ₂ Concentration, % by Volume	8.8	10.1	10.0	9.6
Moisture, % by Volume	5.5	2.6	2.8	3.6
Exhaust Gas Volumetric Flow Rate:				
acfm ^d	45,000	69,600	68,200	60,900
dscfm ^a	32,100	49,700	48,500	43,400
dscmm ^e	908	1,410	1,370	1,230
Isokinetic Sampling Ratio, %	103.1	102.2	99.7	101.7

^a Dry standard cubic feet per minute at 68° F (20° C) and 1 atm.

^b Dry standard cubic feet at 68° F (20° C) and 1 atm.

^c Dry standard cubic meters at 68° F (20° C) and 1 atm.

^d Actual cubic feet per minute at exhaust gas conditions.

^e Dry standard cubic meters per minute at 68° F (20° C) and 1 atm.

TABLE 2.6

**PARTICULATE MATTER CONCENTRATIONS AND EMISSION RATES
CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	O-M29-1	O-M29-2	O-M29-3	Average
Date	9/9/97	9/10/97	9/10/97	
Clock Time, 24-hr clock	1029-1503	0810-1315	1520-2021	
Concentration:				
gr/dscf ^a	0.00259	0.0000333	0.00109	0.00124
gr/dscf @ 7% O ₂ ^b	0.00441	0.0000467	0.00154	0.00200
g/dscm ^c	0.00592	0.0000761	0.00250	0.00283
g/dscm @ 7% O ₂ ^d	0.0101	0.000107	0.00353	0.00457
Emission Rate:				
lb/hr ^e	0.711	0.0142	0.455	0.393
kg/hr ^f	0.323	0.00642	0.206	0.178

^a Grains per dry standard cubic foot at 68° F (20° C) and 1 atm.

^b Grains per dry standard cubic foot at 68° F (20° C) and 1 atm adjusted to 7 percent O₂.

^c Grams per dry standard cubic meter at 68° F (20° C) and 1 atm.

^d Grams per dry standard cubic meter at 68° F (20° C) and 1 atm adjusted to 7 percent O₂.

^e Pounds per hour.

^f Kilograms per hour.

TABLE 2.7

**EXHAUST GAS METALS CONCENTRATIONS AND EMISSION RATES
CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	O-M29-1	O-M29-2	O-M29-3	Average
Date	9/9/97	9/10/97	9/10/97	
Clock Time, 24-hr clock	1029-1503	0810-1315	1520-2021	
Antimony (Sb)				
μg/dscm ^a	2.13	1.52	1.84	1.83
μg/dscm @ 7% O ₂ ^b	3.63	2.13	2.59	2.79
lb/hr ^c	0.000256	0.000283	0.000334	0.000291
Arsenic (As)				
μg/dscm ^a	0.355	0.348	0.408	0.370
μg/dscm @ 7% O ₂ ^b	0.605	0.488	0.574	0.556
lb/hr ^c	0.0000427	0.0000647	0.0000740	0.0000605
Barium (Ba)				
μg/dscm ^a	25.3	16.5	18.3	20.0
μg/dscm @ 7% O ₂ ^b	43.1	23.1	25.7	30.6
lb/hr ^c	0.00304	0.00306	0.00332	0.00314
Beryllium (Be)				
μg/dscm ^a	ND	ND	ND	ND
μg/dscm @ 7% O ₂ ^b	ND	ND	ND	ND
lb/hr ^c	ND	ND	ND	ND
Cadmium (Cd)				
μg/dscm ^a	14.3	0.731	2.82	5.96
μg/dscm @ 7% O ₂ ^b	24.4	1.03	3.98	9.80
lb/hr ^c	0.00172	0.000136	0.000513	0.000789
Chromium (Cr)				
μg/dscm ^a	4.28	2.73	3.45	3.49
μg/dscm @ 7% O ₂ ^b	7.29	3.83	4.86	5.33
lb/hr ^c	0.000514	0.000508	0.000626	0.000549
Colbalt (Co)				
μg/dscm ^a	ND	ND	ND	ND
μg/dscm @ 7% O ₂ ^b	ND	ND	ND	ND
lb/hr ^c	ND	ND	ND	ND
Lead (Pb)				
μg/dscm ^a	79.6	15.0	30.7	41.8
μg/dscm @ 7% O ₂ ^b	136	21.1	43.3	66.7
lb/hr ^c	0.00956	0.00279	0.00558	0.00598

TABLE 2.7 (Concluded)

**EXHAUST GAS METALS CONCENTRATIONS AND EMISSION RATES
CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	O-M29-1	O-M29-2	O-M29-3	Average
Manganese (Mn)				
μg/dscm ^a	16.7	15.6	29.5	20.6
μg/dscm @ 7% O ₂ ^b	28.4	21.8	41.5	30.6
lb/hr ^c	0.00200	0.00289	0.00535	0.00342
Mercury (Hg)				
μg/dscm ^a	101	46.2	29.8	59.0
μg/dscm @ 7% O ₂ ^b	172	64.9	41.9	93.0
lb/hr ^c	0.0121	0.00859	0.00541	0.00871
Nickel (Ni)				
μg/dscm ^a	2.97	1.80	2.21	2.33
μg/dscm @ 7% O ₂ ^b	5.06	2.53	3.11	3.57
lb/hr ^c	0.000356	0.000335	0.000402	0.000364
Phosphorus (P)				
μg/dscm ^a	39.6	24.9	22.7	29.1
μg/dscm @ 7% O ₂ ^b	67.5	34.9	31.9	44.8
lb/hr ^c	0.00476	0.00463	0.00412	0.00450
Selenium (Se)				
μg/dscm ^a	2.03	1.68	1.62	1.77
μg/dscm @ 7% O ₂ ^b	3.45	2.36	2.28	2.70
lb/hr ^c	0.000243	0.000312	0.000294	0.000283
Silver (Ag)				
μg/dscm ^a	0.144	0.0888	0.498	0.244
μg/dscm @ 7% O ₂ ^b	0.246	0.125	0.702	0.357
lb/hr ^c	0.0000173	0.0000165	0.0000905	0.0000414
Thallium (Tl)				
μg/dscm ^a	ND	ND	ND	ND
μg/dscm @ 7% O ₂ ^b	ND	ND	ND	ND
lb/hr ^c	ND	ND	ND	ND
Zinc (Zn)				
μg/dscm ^a	69.2	72.4	203	115
μg/dscm @ 7% O ₂ ^b	118	102	286	169
lb/hr ^c	0.00831	0.0135	0.0369	0.0196

^a Micrograms per dry standard cubic meter at 68° F (20° C) and 1 atm.

^b Micrograms per dry standard cubic meter at 68° F (20° C) and 1 atm, adjusted to 7% O₂.

^c Pounds per hour.

ND Not Detected

TABLE 2.8

**PARTICULATE MATTER AND METALS REMOVAL EFFICIENCIES
CUPOLA BAGHOUSE
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Test Set No.	M29-1	M29-2	M29-3	Average
Date	9/9/97	9/10/97	9/10/97	
PM Emission Rate, lb/hr: ^a				
Inlet	143	472	354	323
Outlet	0.711	0.0142	0.455	0.393
Removal Efficiency, %: ^b	99.50	99.997	99.87	99.79
Total Metals Emission Rate, lb/hr: ^a				
Inlet	24.5	67.5	50.0	47.3
Outlet	0.0430	0.0371	0.0630	0.0477
Removal Efficiency, %: ^b	99.82	99.95	99.87	99.88

^a Pounds per hour.

^b Percent removal efficiencies are calculated using the emission rates (lb/hr).

TABLE 2.9

**PCDDS/PCDFS EMISSIONS SAMPLING AND EXHAUST GAS PARAMETERS
 CUPOLA BAGHOUSE OUTLET
 THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	BO-23-1	BO-23-2	BO-23-3	Average
Date	9/9/97	9/10/97	9/10/97	
Total Sampling Time, min	240	240	240	
Average Sampling Rate, dscfm ^a	0.486	0.669	0.660	0.605
Sample Volume:				
dscf ^b	116.671	160.663	158.414	145.249
dscm ^c	3.304	4.549	4.486	4.113
Average Exhaust Gas Temp., °F	230	258	254	247
O ₂ Concentration, % by Volume	12.7	11.0	11.0	11.6
CO ₂ Concentration, % by Volume	8.8	10.1	10.0	9.6
Moisture, % by Volume	3.4	2.6	2.4	2.8
Exhaust Gas Volumetric Flow Rate:				
acfm ^d	49,400	69,500	68,800	62,600
dscfm ^a	36,000	49,200	49,100	44,800
dscmm ^e	1,020	1,390	1,390	1,270
Isokinetic Sampling Ratio, %	98.9	99.7	98.5	99.0

^a Dry standard cubic feet per minute at 68° F (20° C) and 1 atm.

^b Dry standard cubic feet at 68° F (20° C) and 1 atm.

^c Dry standard cubic meters at 68° F (20° C) and 1 atm.

^d Actual cubic feet per minute at exhaust gas conditions.

^e Dry standard cubic meters per minute at 68° F (20° C) and 1 atm.

another aliquot of the sample was analyzed using a DB-225 capillary column to measure the 2,3,7,8 tetra-chloro dibenzofuran isomer (2378 TCDF).

Some PCDDs/PCDFs catch weights were reported as estimated maximum possible values or EMPCs. Catch weights, concentrations, and emission rates based on EMPC values were noted by enclosing them in brackets ({}). EMPC values were included in the three-run averages and total PCDDs/PCDFs calculations. Averages or totals that were based on EMPC values were also enclosed in brackets to indicate the values were estimated. The PCDDs/PCDFs test results are presented in actual concentrations and mass emission rates, concentrations adjusted to 7% O₂, and concentrations adjusted to 7% O₂ in 2378 TCDF toxic equivalents.

Table 2.10 presents the PCDDs/PCDFs stack gas concentrations and emission rates. The average concentration of total PCDDs was estimated to be {12.3} ng/dscm. The average concentration of total PCDFs was estimated to be {111} ng/dscm. The average concentration of total PCDDs/PCDFs was estimated to be {123} ng/dscm. These values corresponded to average estimated emission rates of {992}, {8,764}, and {9,756} µg/hr, respectively.

Table 2.11 presents the PCDDs/PCDFs concentrations adjusted to 7% O₂. The average measured stack gas O₂ concentration was 11.6%. The average adjusted concentration of total PCDDs was estimated to be {17.7} ng/dscm @ 7% O₂. The average adjusted concentration of total PCDFs was estimated to be {162} ng/dscm @ 7% O₂. The average adjusted concentration of total PCDDs/PCDFs was {179} ng/dscm @ 7% O₂. The concentrations, adjusted to 7% O₂, were also adjusted by each congeners respective Toxic Equivalency Factor (TEF). The TEFs used were the international TEF values. The average concentration for total PCDDs/PCDFs, adjusted for the 2378 TCDD TEFs, was estimated to be {3.65} ng/dscm @ 7% O₂.

2.4 SEMIVOLATILE ORGANIC HAZARDOUS AIR POLLUTANTS

The semivolatile organic hazardous air pollutants (SVOHAPs) were collected using a SW-846 Method 0010 Modified Method 5 (MM5) sampling train. The MM5 sampling train collects organic-laden particulate materials and semi-volatile organics species. This method speciates and quantitates low concentrations of these semi-volatile organics with boiling points above about 100°C.

Table 2.12 summarizes the SVOHAPs emissions sampling and exhaust gas parameters at the cupola baghouse outlet. The total sampling time for each run was 240 minutes. The average sample volume was 142.003 dscf or 4.021 dscm. The average exhaust gas temperature was 249°F. The exhaust gas contained 9.6% CO₂, 11.6% O₂, and 2.9% moisture. The average exhaust gas volumetric flow rate was 60,900 acfm or 43,400 dscfm or 1,230 dscmm.

TABLE 2.10

**PCDDS/PCDFS EXHAUST GAS CONCENTRATIONS AND EMISSION RATES
CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

CONGENER	CONCENTRATION ^a ng/dscm, as measured				EMISSION RATE ^b µg/hr			
	BO-23-1	BO-23-2	BO-23-3	Average	BO-23-1	BO-23-2	BO-23-3	Average
DIOXINS:								
2378 TCDD	0.0696	0.119	0.163	0.117	4.26	9.92	13.6	9.25
Total TCDD	2.12	4.42	7.40	4.65	130	369	617	372
12378 PeCDD	0.133	0.374	0.557	0.355	8.14	31.2	46.5	28.6
Total PeCDD	1.03	3.17	6.73	3.64	62.9	264	561	296
123478 HxCDD	{0.0454}	0.163	0.245	{0.151}	{2.78}	13.6	20.4	{12.3}
123678 HxCDD	0.0726	0.308	0.490	0.290	4.44	25.7	40.9	23.7
123789 HxCDD	0.0969	0.418	0.557	0.357	5.92	34.9	46.5	29.1
Total HxCDD	0.848	3.34	5.04	3.08	51.8	279	420	250
1234678 HpCDD	0.115	0.462	0.713	0.430	7.03	38.6	59.5	35.0
Total HpCDD	0.203	0.879	1.34	0.807	12.4	73.5	112	65.8
12346789 OCDD	{0.0333}	0.130	{0.127}	{0.0967}	{2.04}	10.8	{10.6}	{7.82}
Total PCDDs	{4.23}	11.9	{20.6}	{12.3}	{259}	997	{1,721}	{992}
FURANS:								
2378 TCDF	1.06	1.49	2.50	1.68	64.8	125	208	133
Total TCDF	39.7	57.6	74.9	57.4	2,424	4,812	6,246	4,494
12378 PeCDF	0.938	2.09	3.08	2.03	57.4	174	257	163
23478 PeCDF	1.18	2.75	4.19	2.71	72.2	230	349	217
Total PeCDF	17.4	38.5	58.0	38.0	1,066	3,214	4,833	3,038
123478 HxCDF	0.878	2.90	4.15	2.64	53.7	242	346	214
123678 HxCDF	0.454	1.52	2.01	1.33	27.8	127	167	107
234678 HxCDF	0.281	1.06	1.56	0.966	17.2	88.2	130	78.5
123789 HxCDF	0.0303	0.110	0.167	0.102	1.85	9.18	13.9	8.33
Total HxCDF	4.54	14.4	21.0	13.3	278	1,207	1,755	1,080
1234678 HpCDF	0.294	1.23	1.63	1.05	17.9	103	136	85.5
1234789 HpCDF	0.0515	0.207	0.290	0.183	3.15	17.3	24.2	14.9
Total HpCDF	0.484	2.04	2.83	1.79	29.6	171	236	145
12346789 OCDF	{0.0242}	0.0901	0.145	{0.0864}	{1.48}	7.53	12.1	{7.03}
Total PCDFs	{62.1}	113	157	{111}	{3,799}	9,411	13,082	{8,764}
Total PCDDs + PCDFs	{66.4}	125	{178}	{123}	{4,057}	10,408	{14,803}	{9,756}

^a Nanogram per dry standard cubic meter at 20°C and 1 atm.

^b Micrograms per hour.

{ } Estimated Maximum Possible Concentration. EMPC values are used as reported in totals and averages.

TABLE 2.11

**PCDDS/PCDFS EXHAUST GAS CONCENTRATIONS AND 2378 TOXIC EQUIVALENT STACK
GAS CONCENTRATIONS ADJUSTED TO 7 PERCENT OXYGEN
CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

CONGENER	CONCENTRATION (ng/dscm, adjusted to 7% O ₂)				2378-TCDD ^b Toxic Equivalent Factor	2378 TOXIC EQUIVALENCIES (ng/dscm, adjusted to 7% O ₂)			
	BO-23-1	BO-23-2	BO-23-3	Average		BO-23-1	BO-23-2	BO-23-3	Average
DIOXINS:									
2378 TCDD	0.119	0.167	0.229	0.171	1.00	0.119	0.167	0.229	0.171
Total TCDD	3.61	6.20	10.4	6.75					
12378 PeCDD	0.227	0.525	0.785	0.512	0.500	0.113	0.262	0.392	0.256
Total PeCDD	1.75	4.44	9.48	5.23					
123478 HxCDD	{0.0773}	0.228	0.345	{0.217}	0.100	{0.00773}	0.0228	0.0345	{0.0217}
123678 HxCDD	0.124	0.432	0.691	0.415	0.100	0.0124	0.0432	0.0691	0.0415
123789 HxCDD	0.165	0.586	0.785	0.512	0.100	0.0165	0.0586	0.0785	0.0512
Total HxCDD	1.44	4.69	7.10	4.41					
1234678 HpCDD	0.196	0.648	1.00	0.616	0.0100	0.00196	0.00648	0.0100	0.00616
Total HpCDD	0.345	1.23	1.88	1.15					
12346789 OCDD	{0.0567}	0.182	{0.179}	{0.139}	0.00100	{5.67 E-05}	0.000182	{0.000179}	{0.000139}
Total PCDDs	{7.21}	16.8	{29.1}	{17.7}		{0.271}	0.560	{0.814}	{0.548}
FURANS:									
2378 TCDF	1.80	2.10	3.52	2.47	0.100	0.180	0.210	0.352	0.247
Total TCDF	67.5	80.9	105	84.6					
12378 PeCDF	1.60	2.93	4.33	2.95	0.0500	0.0799	0.147	0.217	0.148
23478 PeCDF	2.01	3.86	5.90	3.92	0.500	1.01	1.93	2.95	1.96
Total PeCDF	29.7	54.0	81.6	55.1					
123478 HxCDF	1.50	4.07	5.84	3.80	0.100	0.150	0.407	0.584	0.380
123678 HxCDF	0.773	2.13	2.83	1.91	0.100	0.0773	0.213	0.283	0.191
234678 HxCDF	0.480	1.48	2.20	1.39	0.100	0.0480	0.148	0.220	0.139
123789 HxCDF	0.0516	0.154	0.235	0.147	0.100	0.00516	0.0154	0.0235	0.0147
Total HxCDF	7.73	20.3	29.6	19.2					
1234678 HpCDF	0.500	1.73	2.29	1.51	0.0100	0.00500	0.0173	0.0229	0.0151
1234789 HpCDF	0.0877	0.290	0.408	0.262	0.0100	0.000877	0.00290	0.00408	0.00262
Total HpCDF	0.825	2.87	3.99	2.56					
12346789 OCDF	{0.0412}	0.127	0.204	{0.124}	0.00100	{4.12 E-05}	0.000127	0.000204	{0.000124}
Total PCDFs	{106}	158	221	{162}		{1.55}	3.09	4.66	{3.10}
Total PCDDs + PCDFs	{113}	175	{250}	{179}		{1.82}	3.65	{5.47}	{3.65}

^a Nanogram per dry standard cubic meter adjusted to 7 percent oxygen at 20°C and 1 atm.

^b North Atlantic Treaty Organization, Committee on the challenges of Modern Society. Pilot study on International Information Exchange on Dioxins and Related Compounds: International Toxicity Equivalency Factor (I-TEF) Methods of Risk Assessment for Complex Mixtures of Dioxins and Related Compounds. Report No. 176, August 1988.

{ } Non Detectable - Results are below target analyte detection limits. ND values are used as zeroes (0) in totals and averages.

{ } Estimated Maximum Possible Concentration. EMPC values are used as reported in totals and averages.

TABLE 2.12

**SVOHAPS EMISSIONS SAMPLING AND EXHAUST GAS PARAMETERS
CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
Date	9/9/97	9/10/97	9/10/97	
Total Sampling Time, min	240	240	240	
Average Sampling Rate, dscfm ^a	0.458	0.627	0.690	0.592
Sample Volume:				
dscf ^b	110.023	150.485	165.500	142.003
dscm ^c	3.116	4.261	4.686	4.021
Average Exhaust Gas Temp., °F	234	258	256	249
O ₂ Concentration, % by Volume	12.7	11.0	11.0	11.6
CO ₂ Concentration, % by Volume	8.8	10.1	10.0	9.6
Moisture, % by Volume	3.4	2.7	2.6	2.9
Exhaust Gas Volumetric Flow Rate:				
acfm ^d	46,600	66,700	69,300	60,900
dscfm ^a	33,800	47,200	49,200	43,400
dscmm ^e	957	1,340	1,390	1,230
Isokinetic Sampling Ratio, %	99.4	97.3	102.6	99.7

^a Dry standard cubic feet per minute at 68° F (20° C) and 1 atm.

^b Dry standard cubic feet at 68° F (20° C) and 1 atm.

^c Dry standard cubic meters at 68° F (20° C) and 1 atm.

^d Actual cubic feet per minute at exhaust gas conditions.

^e Dry standard cubic meters per minute at 68° F (20° C) and 1 atm.

The results of the semivolatile organic emissions are shown in Table 2.13. Analysis was performed for 70 target compounds. Of these 70 target compounds, 50 were not detected. In cases where a compound was not detected, the emission rate, and concentration, was replaced with a "ND". If a compound was not detected in one of the three runs, a zero was used in the three-run average for that compound and was not summed in any SVOHAPs totals.

Analysis for the SVOHAPs was performed using SW-846 Method 8270. The lower quantitation limit for SW-846 Method 8270 for all but four compounds was 10 µg/sample. The four compounds, 2,4-dinitrophenol, 4-nitrophenol, 4,6-dinitro-2-methylphenol and pentachlorophenol, had quantitation limits of 25 µg/sample. Some samples had reported values below the quantitation limit but above the detection limit. This was the case for 19 of the 20 detected target compounds. Like the PCDDs/PCDFs, these values were reported as estimates and all values and calculated results were enclosed by brackets ({}) to indicate that the compound was detected but was below the quantitation limit. These estimated values were used in the three-run averages and the resulting averages were also enclosed in brackets to indicate the values were estimated.

Five compounds were detected in the run samples that were also detected in the laboratory blank (sample ID SBLK 091497). Naphthalene, phenol, acetophenone, di-n-butylphthalate, and bis(2-ethylhexyl)phthalate were detected in the laboratory blank, but at amounts below the quantitation limit. TLI's case narrative advises that target analytes in the laboratory blanks should not be considered as truly present in the native samples unless found at five times the amount found in the blank. In the case of di-n-butylphthalate, all three run samples had estimated amounts that were less than five times the blank and therefore should not be considered truly present in the native samples. In the case of acetophenone, only the first and third run's samples had estimated amount slightly higher than five times the estimated lab blank value. In the case of bis(2-ethylhexyl)phthalate and phenol, all three run samples had estimated catches that were more than five times the estimated lab blank value. In the case of naphthalene, the first and third run samples estimated catches were 12.9 and 13.4 times, respectively, that of the estimated blank value, while the second run's estimated catch was only three times the estimated blank value. The TLI's case narrative also advises that "in the event that the amount of a target analyte found in the samples is twenty times the amount found in the associated blank, the contribution from the blank can be considered negligible." The estimated amounts of phenol in all samples and the estimated amount of bis(2-ethylhexyl) phthalate in the third run's sample were all greater than 20 times the estimated blank value. Refer to Table 6.16 in section 6.0 for a complete listing of all the detected or estimated SW-846 Method 0010 field, method, and laboratory blanks compared to the average sample catch weights.

A Spreadsheet file with results which follow the procedures for developing emission factors is attached. ND data are averaged using 50% of the detection limit. Test runs which have all ND runs are flagged as BDL and test runs with one or two ND runs are flagged as DLL. Data above the detection limit are used at the indicated emission rate.

TABLE 2.13

**SVOHAPS EXHAUST GAS CONCENTRATIONS AND EMISSION RATES
CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
Date	9/9/97	9/10/97	9/10/97	
Clock Time, 24-hr clock	1029-1503	0810-1315	1520-2008	
Acenaphthene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Acenaphthylene				
Concentration, ppbvd ^a	{2.70E-02}	ND	{1.50E-02}	{1.40E-02}
Emission Rate, lb/hr ^b	{2.19E-05}	ND	{1.77E-05}	{1.32E-05}
Acetophenone				
Concentration, ppbvd ^a	1.79E+00	6.54E-01	1.09E+00	1.18E+00
Emission Rate, lb/hr ^b	1.13E-03	5.78E-04	1.01E-03	9.07E-04
4-Aminobiphenyl				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Aniline				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
o-Anisidine				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Anthracene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Benidine				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Benzo(a)anthracene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Benzo(b)fluoranthene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND

TABLE 2.13 (Continued)

SVOHAPS EXHAUST GAS CONCENTRATIONS AND EMISSION RATES
 CUPOLA BAGHOUSE OUTLET
 THE WAUPACA FOUNDRY - TELL CITY, INDIANA

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
Benzo(k)fluoranthene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Benzo(ghi)perylene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Benzo(a)pyrene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Benzo(e)pyrene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Benzyl Chloride				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Biphenyl				
Concentration, ppbvd ^a	{2.62E-01}	{1.17E-02}	{2.18E-01}	{1.64E-01}
Emission Rate, lb/hr ^b	{2.12E-04}	{1.33E-05}	{2.57E-04}	{1.61E-04}
2-Chloroacetophenone				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
bis-(2-Chloroethyl)ether				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
2-Chloronaphthalene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Chrysene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Cumene				
Concentration, ppbvd ^a	{1.39E-01}	{1.22E-02}	{1.01E-01}	{8.41E-02}
Emission Rate, lb/hr ^b	{8.82E-05}	{1.08E-05}	{9.28E-05}	{6.39E-05}

TABLE 2.13 (Continued)

SVOHAPS EXHAUST GAS CONCENTRATIONS AND EMISSION RATES
 CUPOLA BAGHOUSE OUTLET
 THE WAUPACA FOUNDRY - TELL CITY, INDIANA

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
Dibenz(a,h)anthracene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Dibenzofuran				
Concentration, ppbvd ^a	{1.21E-01}	ND	{1.41E-01}	{8.72E-02}
Emission Rate, lb/hr ^b	{1.07E-04}	ND	{1.82E-04}	{9.62E-05}
1,2-Dibromo-3-chloropropane				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Di-n-butylphthalate				
Concentration, ppbvd ^a	{1.57E-01}	{7.10E-02}	{3.87E-02}	{8.88E-02}
Emission Rate, lb/hr ^b	{2.30E-04}	{1.45E-04}	{8.26E-05}	{1.52E-04}
1,4-Dichlorobenzene				
Concentration, ppbvd ^a	{1.07E-01}	{5.84E-02}	{9.15E-02}	{8.57E-02}
Emission Rate, lb/hr ^b	{8.29E-05}	{6.31E-05}	{1.03E-04}	{8.30E-05}
3,3'-Dichlorobenzidine				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
N,N-Diethylaniline				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
3,3'-Dimethoxybenzidine				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Dimethylaminoazobenzene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
N,N-Dimethylaniline				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
3,3'-Dimethylbenzidine				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND

TABLE 2.13 (Continued)

SVOHAPS EXHAUST GAS CONCENTRATIONS AND EMISSION RATES
 CUPOLA BAGHOUSE OUTLET
 THE WAUPACA FOUNDRY - TELL CITY, INDIANA

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
Dimethylphthalate				
Concentration, ppbvd ^a	{1.44E-01}	{7.62E-02}	{4.28E-02}	{8.78E-02}
Emission Rate, lb/hr ^b	{1.47E-04}	{1.09E-04}	{6.37E-05}	{1.07E-04}
4,6-Dinitro-2-methylphenol				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
2,4-Dinitrophenol				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
2,4-Dinitrotoluene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
bis(2-Ethylhexyl)phthalate				
Concentration, ppbvd ^a	3.15E-01	{8.64E-02}	2.55E-01	{2.19E-01}
Emission Rate, lb/hr ^b	6.48E-04	{2.48E-04}	7.62E-04	{5.52E-04}
Fluoranthene				
Concentration, ppbvd ^a	{2.10E-02}	ND	{2.77E-02}	{2.43E-02}
Emission Rate, lb/hr ^b	{2.23E-05}	ND	{4.29E-05}	{3.26E-05}
Fluorene				
Concentration, ppbvd ^a	{3.99E-02}	ND	{3.52E-02}	{2.51E-02}
Emission Rate, lb/hr ^b	{3.49E-05}	ND	{4.48E-05}	{2.66E-05}
Hexachlorobenzene				
Concentration, ppbvd ^a	ND	{1.07E-02}	{1.03E-02}	{6.99E-03}
Emission Rate, lb/hr ^b	ND	{2.24E-05}	{2.24E-05}	{1.49E-05}
Hexachlorobutadiene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Hexachlorocyclopentadiene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Hexachloroethane				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND

TABLE 2.13 (Continued)

SVOHAPS EXHAUST GAS CONCENTRATIONS AND EMISSION RATES
 CUPOLA BAGHOUSE OUTLET
 THE WAUPACA FOUNDRY - TELL CITY, INDIANA

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
Hydroquinone				
Concentration, ppbvd ^a	{2.11E-01}	ND	ND	{7.04E-02}
Emission Rate, lb/hr ^b	{1.22E-04}	ND	ND	{4.08E-05}
Indeno(1,2,3-cd)pyrene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Isophorone				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Methylene bis-chloroaniline				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
4,4'-Methylenedianiline				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
2-Methylnaphthalene				
Concentration, ppbvd ^a	{3.19E-01}	{5.20E-02}	{1.92E-01}	{1.88E-01}
Emission Rate, lb/hr ^b	{2.39E-04}	{5.44E-05}	{2.10E-04}	{1.68E-04}
2-Methylphenol				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
3/4-Methylphenol				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Naphthalene				
Concentration, ppbvd ^a	1.25E+00	{2.13E-01}	8.65E-01	{7.76E-01}
Emission Rate, lb/hr ^b	8.43E-04	{2.00E-04}	8.50E-04	{6.31E-04}
Nitrobenzene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
4-Nitrobiphenyl				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND

TABLE 2.13 (Continued)

SVOHAPS EXHAUST GAS CONCENTRATIONS AND EMISSION RATES
 CUPOLA BAGHOUSE OUTLET
 THE WAUPACA FOUNDRY - TELL CITY, INDIANA

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
4-Nitrophenol				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
n-Nitrosodimethylamine				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
n-Nitrosomorpholine				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Pentachloronitrobenzene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Pentachlorophenol				
Concentration, ppbvd ^a	ND	{3.48E-02}	{4.78E-02}	{2.75E-02}
Emission Rate, lb/hr ^b	ND	{6.80E-05}	{9.75E-05}	{5.52E-05}
Perylene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Phenanthrene				
Concentration, ppbvd ^a	{1.41E-01}	{1.24E-02}	{1.63E-01}	{1.05E-01}
Emission Rate, lb/hr ^b	{1.32E-04}	{1.62E-05}	{2.22E-04}	{1.23E-04}
Phenol				
Concentration, ppbvd ^a	1.29E+00	{1.88E-01}	{4.74E-01}	{6.51E-01}
Emission Rate, lb/hr ^b	6.39E-04	{1.30E-04}	{3.42E-04}	{3.70E-04}
1,4-Phenylenediamine				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Pyrene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
o-Toluidine				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND

TABLE 2.13 (Concluded)

**SVOHAPS EXHAUST GAS CONCENTRATIONS AND EMISSION RATES
CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
1,2,4-Trichlorobenzene				
Concentration, ppbvd ^a	{1.23E-01}	{1.24E-01}	{1.40E-01}	{1.29E-01}
Emission Rate, lb/hr ^b	{1.17E-04}	{1.66E-04}	{1.95E-04}	{1.59E-04}
2,4,5-Trichlorophenol				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
2,4,6-Trichlorophenol				
Concentration, ppbvd ^a	8.55E-01	{6.09E-02}	6.40E-01	{5.18E-01}
Emission Rate, lb/hr ^b	8.88E-04	{8.84E-05}	9.68E-04	{6.48E-04}
a,a,a-Trichlorotoluene				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND
Trifluralin				
Concentration, ppbvd ^a	ND	ND	ND	ND
Emission Rate, lb/hr ^b	ND	ND	ND	ND

^a Parts per billion by volume.

^b Pounds per hour.

ND Not Detectable - Results are below target analyte detection limit. Values are counted as zero (0) in averages.

{ } Estimate - Analyte results are below the quantitation limit and above the detection limit. Values are counted in the averages.

TABLE 2.14

**SVOHAPS IN-STACK DETECTION LIMITS (PPBVD)
CUPOLA BAGHOUSE OUTLET
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
Date	09/09/97	09/10/97	09/10/97	
Clock Time, 24-hr clock	1029-1503	0810-1315	1520-2008	
Acenaphthene	1.55E-02	1.50E-02	9.65E-03	1.34E-02
Acenaphthylene	D	9.15E-03	D	9.15E-03
Acetophenone	D	D	D	NA
4-Aminobiphenyl	1.19E-02	1.03E-02	7.28E-03	9.83E-03
Aniline	2.49E-02	2.06E-02	1.43E-02	1.99E-02
o-Anisidine	3.51E-02	3.30E-02	2.13E-02	2.98E-02
Anthracene	1.08E-02	9.82E-03	6.62E-03	9.09E-03
Benzidine	2.22E-02	2.11E-02	1.39E-02	1.91E-02
Benzo(a)anthracene	1.35E-02	1.31E-02	8.54E-03	1.17E-02
Benzo(b)fluoranthene	1.65E-02	1.99E-02	1.10E-02	1.58E-02
Benzo(k)fluoranthene	1.59E-02	1.95E-02	1.06E-02	1.53E-02
Benzo(ghi)perylene	2.29E-02	2.80E-02	1.52E-02	2.20E-02
Benzo(a)pyrene	1.84E-02	2.24E-02	1.22E-02	1.76E-02
Benzo(e)pyrene	1.62E-02	1.97E-02	1.08E-02	1.56E-02
Benzyl Chloride	1.04E-02	8.92E-03	6.08E-03	8.46E-03
Biphenyl	D	D	D	NA
2-Chloroacetophenone	1.20E-02	1.10E-02	6.97E-03	9.97E-03
bis-(2-Chloroethyl)ether	3.83E-02	3.24E-02	2.23E-02	3.10E-02
2-Chloronaphthalene	1.38E-02	1.32E-02	8.52E-03	1.18E-02
Chrysene	1.45E-02	1.41E-02	9.22E-03	1.26E-02
Cumene	D	D	D	NA
Dibenz(a,h)anthracene	2.72E-02	3.29E-02	1.79E-02	2.60E-02
Dibenzofuran	D	9.06E-03	D	NA
1,2-Dibromo-3-chloropropane	2.84E-02	2.39E-02	1.63E-02	2.29E-02
Di-n-butylphthalate	D	D	D	NA
1,4-Dichlorobenzene	D	D	D	NA
3,3'-Dichlorobenzidine	3.97E-02	3.84E-02	2.51E-02	3.44E-02
N,N-Diethylaniline	1.45E-02	1.21E-02	8.25E-03	1.16E-02
3,3'-Dimethoxybenzidine	4.99E-02	4.81E-02	3.15E-02	4.32E-02
Dimethylaminoazobenzene	3.39E-02	3.28E-02	2.14E-02	2.94E-02
N,N-Dimethylaniline	1.66E-02	1.49E-02	9.74E-03	1.37E-02
3,3'-Dimethylbenzidine	2.80E-02	2.69E-02	1.77E-02	2.42E-02
Dimethylphthalate	D	D	D	NA
4,6-Dinitro-2-methylphenol	7.99E-02	7.64E-02	4.92E-02	6.85E-02
2,4-Dinitrophenol	1.46E-01	1.39E-01	9.09E-02	1.25E-01

TABLE 2.14 (Concluded)

SVOHAPS IN-STACK DETECTION LIMITS (PPBVD)
 CUPOLA BAGHOUSE OUTLET
 THE WAUPACA FOUNDRY - TELL CITY, INDIANA

Run No.	BO-0010-1	BO-0010-2	BO-0010-3	Average
2,4-Dinitrophenol	1.46E-01	1.39E-01	9.09E-02	1.25E-01
2,4-Dinitrotoluene	3.52E-02	3.38E-02	2.20E-02	3.03E-02
Fluoranthene	D	7.81E-03	D	7.81E-03
Fluorene	D	1.22E-02	D	1.22E-02
Hexachlorobenzene	1.76E-02	D	D	1.76E-02
Hexachlorobutadiene	1.69E-02	1.58E-02	1.02E-02	1.43E-02
Hexachlorocyclopentadiene	1.59E-02	1.51E-02	9.78E-03	1.36E-02
Hexachloroethane	2.41E-02	2.05E-02	1.39E-02	1.95E-02
Hydroquinone	D	3.54E-02	2.28E-02	2.91E-02
Indeno(1,2,3-cd)pyrene	1.91E-02	2.33E-02	1.27E-02	1.84E-02
Isophorone	1.28E-02	1.18E-02	7.80E-03	1.08E-02
Methylene bis-chloroaniline	6.53E-02	6.32E-02	4.15E-02	5.67E-02
4,4'-Methylenedianiline	5.02E-02	4.87E-02	3.18E-02	4.36E-02
2-Methylnaphthalene	D	D	D	NA
2-Methylphenol	3.71E-02	3.13E-02	2.14E-02	2.99E-02
3/4-Methylphenol	3.28E-02	3.03E-02	1.95E-02	2.75E-02
Naphthalene	D	D	D	NA
Nitrobenzene	1.51E-02	1.42E-02	9.17E-03	1.28E-02
4-Nitrobiphenyl	2.67E-02	3.11E-02	2.13E-02	2.64E-02
4-Nitrophenol	8.05E-02	7.67E-02	5.02E-02	6.91E-02
n-Nitrosodimethylamine	8.23E-02	6.93E-02	4.71E-02	6.63E-02
n-Nitrosomorpholine	4.85E-02	4.08E-02	2.78E-02	3.91E-02
Pentachloronitrobenzene	4.03E-02	3.61E-02	2.49E-02	3.37E-02
Pentachlorophenol	2.90E-02	D	D	2.90E-02
Perylene	1.84E-02	2.24E-02	1.22E-02	1.76E-02
Phenanthrene	D	D	D	NA
Phenol	D	D	D	NA
1,4-Phenylenediamine	3.00E-02	2.77E-02	1.76E-02	2.51E-02
Pyrene	1.18E-02	1.17E-02	7.61E-03	1.04E-02
o-Toluidine	2.45E-02	2.05E-02	1.39E-02	1.96E-02
1,2,4-Trichlorobenzene	D	D	D	NA
2,4,5-Trichlorophenol	2.66E-02	2.52E-02	1.64E-02	2.27E-02
2,4,6-Trichlorophenol	D	D	D	NA
a,a,a-Trichlorotoluene	1.11E-02	1.01E-02	6.56E-03	9.24E-03
Trifluralin	2.26E-02	2.17E-02	1.41E-02	1.95E-02

D Detected; no detection limit provided; i.e. averages ignore D results.
 NA Not applicable; used when all results are "D" or detected.

3.0 PROCESS AND CONTROL EQUIPMENT OPERATION

3.1 INTRODUCTION

The Waupaca foundry in Tell City, Indiana, is a completely new grey iron foundry that started operation in February 1997. The foundry casts a diverse group of products, including brake drums, shoes, rotors, calipers, and other parts. The plant operates one large cupola that melts at a rate of about 60 tons/hr (tph), and operates four pouring lines. This section of the test report provides a description of the cupola operation for iron melting, and the casting operation, including pouring, cooling, and shake out.

3.2 PROCESS DESCRIPTION

3.2.1 Iron Melting in Cupolas

The Waupaca foundry in Tell City operates a large, water-cooled cupola that melts at a rate of approximately 60 tph, with a blast rate of 10,000 to 15,000 standard cubic feet per minute (scfm), which makes it a large cupola by U.S. industry standards. Figure 3.1 is a simplified schematic of the cupola gas handling system and emission control equipment.

The cupola is charged with metal scrap, re-melt, coke, and limestone at the top of the cupola, using one of two automated skip buckets. The level of metal within the cupola is monitored, and the charge material in the skip bucket is dumped into the cupola when the level of charge falls below a set level. The seal from the charge material and a draft on the cupola prevent gases from escaping. If, for any reason, the charge material cannot be added to the cupola within five minutes of the level falling below the set point, the cupola will automatically go "off blast" until the appropriate charge level in the cupola can be achieved.

The blast air is preheated to about 1,000°F in the blast air recuperator and is introduced into the bottom of the cupola through eight tuyeres. The blast is also enriched with oxygen under certain melting conditions. The off gas from the cupola is removed at 250-300°F. The off-take duct is lined with refractory material and leads to a coarse grain separator where heavy particles are removed. The separator is cooled with non-contact water.




Figure 3.1. Simplified Schematic of Cupola Gas Handling System

After removal of the heavy particles, the gas enters a large combustion chamber where combustion air is introduced and the carbon monoxide (CO) is burned. Two burners are used when necessary to maintain the combustion temperature. The gas leaves the combustion chamber at approximately 1650°F, and enters a dropout chamber where additional heavy particles are removed. The hot gas then passes through an air-to-air heat exchanger (blast air recuperator), followed by a series of three oil heat exchangers that are used to cool the air. These oil heat exchangers are not currently used for heat recovery. (Modifications may be made in the future to recover and use the heat, such as for heating the building.)

The gas from the heat exchangers is injected with a dry mixture (mostly calcium carbonate and magnesium oxide) in a venturi mixer that increases the gas velocity and suspends the injected particles. Dry injection is used to improve pollutant removal in the baghouse. During the source test, the dry powder injection was turned off to afford better characterization of uncontrolled emissions and baghouse efficiency for hazardous air pollutant (HAP) constituents. The gas is then sent to a 10 module, negative pressure baghouse that uses a high temperature fabric designed to withstand temperatures of up to 320°F. The temperature of the gas at this point is typically 280 to 290°F. A fan pulls the gas through the system and discharges the cleaned gases through a stack.

The pressure drop across the baghouse is monitored, and when the pressure drop increases to six inches of water, individual bag house compartments are cycled off-line, the bags are cleaned with a pulses of air, then the compartments are brought back on-line. The baghouse uses plenum pulsing. During testing, each compartment was off line for approximately eight minutes for cleaning, with cleaning pulses occurring approximately every 30 seconds during this interval.

The plant routinely monitors several parameters associated with the cupola, including blast air and oxygen rate, and afterburner air addition rates, as well as temperature at various points in the process. The combined air flow rate through the recuperator and the baghouse system is not directly monitored, but can be estimated from the blast air, oxygen and afterburner air addition rates. During testing, the combined flow rate of offgas was also measured by the test crew at the final stack sampling location. The plant also records the amount of each type of material added to the cupola by the automatic skip buckets for each charge load. The composition of a typical charge is given in Table 3.1 and contains approximately four tons of iron. The iron includes remelt from the foundry, steel scrap, and pig iron.

3.2.2 Pouring, Cooling and Shakeout

The plant has four lines for pouring, cooling, and shakeout. Silica sand, bentonite, and seacoal constitute the molding sand, which is recycled about 50 times prior to disposal in a monofill. Resins and a catalyst are used to produce warmbox cores. Some of the company's cast products use cores, and others do not. During the source test, cores were not being used on any of the lines. The lines are all similar except that Line 4, which is designed to handle larger molds, has an automatic pouring station and the other lines do not. Line 4 is typically used for casting the larger size parts.

TABLE 3.1**TYPICAL CUPOLA CHARGE MATERIALS**

Material	Typical range (lbs/charge)^a
Remelt from foundry ^b	3,500 to 4,500
Steel scrap ^b	3,200 to 4,000
Pig iron ^b	600 to 1,400
Silicon bricks	70 to 105
Blend bricks (Si, Mn, Cr)	260 to 300
Silicon carbide	210 to 250
Coke	500 to 900
Limestone	280 to 300

^a Typical range observed during the test days.

^b Remelt, steel scrap, and gray iron bricks are the sources of iron and total 8,700 lbs (4.35 tons) per charge.

Pouring emissions are not captured at any of the four pouring stations. Cooling emissions are captured by hoods that cover the entire cooling line prior to shakeout. The shakeout operation is totally enclosed and evacuated to capture the emissions. After shakeout, the parts are transferred to a casting cooling house where they are placed on a metal "tree." The parts then proceed to a "spinner house" and are shot blasted to remove residual sand. The spinner house is also evacuated to the duct that removes emissions from shakeout. The captured emissions from shakeout and cooling are sent to a baghouse for gas cleaning. There are three baghouse systems; each system predominantly receives emissions vented from a single line, but a few of the vents from a given line are routed to another line's baghouse system. Consequently, controlled emissions represent contributions from multiple lines and multiple processes.

The ductwork for the cooling lines are interconnected with either other cooling lines or shakeout enclosure ductwork. Therefore, it is impossible to get a representative sample for cooling emissions that could be attributed to an entire cooling line. The least amount of interconnection was on Line 4, so it was selected for emissions testing. The first third of the cooling section of Line 4 was ducted to a single vent that had a long, straight vertical section before connecting with other ductwork. Ports were installed in this straight section of the vent, so that the uncontrolled emissions from the first third (approximately 20-25 minutes) of the cooling line could be measured. The shakeout enclosure ductwork has a short vertical rise, then elbows to a horizontal section where it is tied to the vent from the spinner housing and the last hood from the cooling line. Ports were installed in the short vertical duct from the

shakeout enclosure approximately one foot above the roof of the enclosure prior to the point where the ducts from the spinner house and the end of the cooling line join the shakeout enclosure duct. This point represents uncontrolled emissions from the shakeout operations.

3.3 SUMMARY OF PROCESS OPERATING DATA COLLECTED DURING SOURCE TEST

3.3.1 Process Operating Data for Cupola Melting Operations

Testing of the melting operations was conducted over a three-day period. Single test runs were performed on September 8th and 9th, and two runs were performed on September 10th. During testing, process information was collected from the operating room's computer control panel. Process information collected included cupola charging data, process chemistry, gas flow rates, temperatures, baghouse pressure drop, and cupola stack opacity.

Table 3.2 and Figure 3.2 present metal charging rates for the cupola during the three days of testing. Table 3.2 and Figure 3.2 show that the average metal production rate for September 8th was higher than on the 9th or 10th. Table 3.2 and Figure 3.2 also show that hourly production rates varied significantly within a given day.

Table 3.3 presents average gas flow rates and temperatures for several locations in the cupola flue gas system on September 8th, 9th, and 10th. As can be seen from Table 3.3, the average blast rate was lowest on September 9th, and the cupola typically operated with oxygen addition on that day. On September 8th and 10th, the average blast rate was higher, and oxygen addition was not used. The average baghouse pressure drop was lower on September 9th than on September 8th or 10th, (2.8 inches of water versus 4.4 inches of water), and the average opacity was higher on September 9th than September 10th (5.7% versus 2.8%).

Continuous records of blast air flow rates are presented in Figure 3.3. Blast air rates were significantly reduced (i.e., the cupola was placed "on relief") for varying lengths of time on September 9th and 10th. The specific times when the cupola was on relief are listed in Table 3.4

Table 3.5 presents average process iron chemistry values (from cupola) for September 9th and 10th. Although process chemistry values were not recorded on September 8th, average trace metal impurity levels were typical on all three days.

3.3.2 Process Operating Data for Pouring, Cooling and Shakeout Operations

Emissions from cooling (first third section) and shakeout were measured on September 5, 1997. Line 4 employs an automated molding machine. Testing was conducted only when the entire mold line was filled with recently poured molds. During the day of the source test of the cooling and shakeout operations, Line 4 was used to cast brake drums. Each mold produced two brake drums, and used 189 pounds of poured metal. For the test day,

TABLE 3.2

SUMMARY OF CUPOLA CHARGING DURING THE TEST DAYS

9/08/97		9/09/97		9/10/97	
Time period	Tons charged	Time period	Tons charged	Time period	Tons charged
				7:01-7:56	48
		8:01-8:56	47	8:03-8:54	35
		9:01-9:56	52	9:01-9:59	49
		10:02-10:46	42	10:04-10:55	47
11:02-11:57	45	11:03-11:50	35	11:01-11:57	54
12:00-12:54	56	12:00-12:51	26	12:03-12:59	59
13:00-13:58	59	13:00-13:56	58	13:03-13:41	40
14:03-14:55	51	14:06-14:55	30	14:02-14:58	35
15:00-15:57	55			15:01-15:28	32
				16:13-16:56	45
				17:00-17:56	51
				18:01-18:57	56
				19:02-19:58	55
Average rate (tons/hr)	53.2	Average rate (tons/hr)	41.4	Average rate (tons/hr)	46.6




Figure 3.2. Hourly Melting Rates During Cupola Testing

TABLE 3.3

PROCESS DATA DURING THE DAYS OF CUPOLA TESTING

Process Parameter	Average Value on Testing Date		
	September 8	September 9	September 10
Cupola process air flow information			
Blast rate (scfm)	14,794	9,131	13,665
Oxygen addition (on/off)	off	on	off
Temperature in (F)	1,156	1,067	1,101
Temperature out (F)	330	232	297
Afterburner air flow information			
Primary air (scfm)	5,271	2,764	4,969
Secondary air (scfm)	5,893	2,823	5,476
Cooling air (scfm)	2,794	2,300	2,792
Temperature out (F)	1,717	1,639	1,668
Baghouse information			
Temperature in (F)	297	281	299
Pressure drop (inches H ₂ O)	4.4	2.8	4.4
Opacity (%)	Not Recorded	5.7 [†]	2.8 [†]

[†] Average of opacity readouts recorded every 15 minutes; opacity readouts are 6-minute averages from KVB EPA-2 stack mounted opacity monitor




Figure 3.3. Blast Air Flow Rate Through Cupola

TABLE 3.4

PERIODS WHEN CUPOLA WAS "ON RELIEF" DURING TESTING.

September 8	September 9	September 10
Continuous blast	10:54 - 11:09	13:51 - 14:04
		14:11 - 14:28
		15:27 - 16:03
		16:06 - 16:08

TABLE 3.5**PROCESS IRON CHEMISTRY AT CUPOLA.^a**

Element	Concentration (%)	
	September 9	September 10
ElCe (Elemental Carbon Equivalents)	3.665	4.045
Calc C (Calculated Carbon)	2.470	3.450
Si	1.050	4.490
Mn	0.350	0.595
P	0.055	0.042
S	0.070	0.090
Ni	0.045	0.090
Mo	0.105	0.025
Cr	0.205	0.240
Cu	0.114	0.230
Al	0.008	0.009
Ti	0.009	0.011
Sn	0.005	0.009
Mg	0.006	0.001
V	0.006	0.011
Pb	0.001	0.002

^a The process chemistry values reported here are considered typical; the process chemistry values were not specifically recorded on September 8, but were also considered typical.

249 molds per operating hour were produced. Each mold contains 1393 lbs of green sand (lake sand, sea coal, and bentonite), so the molds had a sand to metal ratio of 7.35:1.

The properties of the molding sand measured during the test day are given in Table 3.6. A bonding agent was added to the sand in the amount of 38.1 pounds of bond per ton of sand muller. The bonding agent is a dry mixture of coal, brittle asphalt, cellulose, bentonite, starch, and cereal. The material safety data sheet for the product indicates no volatile components, and no hazardous ingredients other than coal dust and crystalline quartz.

TABLE 3.6

TYPICAL RESULTS FROM GREEN SAND ANALYSIS

Property	Value
Moisture (%)	3.5
Clay (%)	8.7
Loss on ignition (% at 1800°F)	7.8
Volatile content (% at 900°F)	4.0

4.0 SAMPLING LOCATIONS

Isokinetic source sampling was conducted at the inlet and outlet of the cupola baghouse at the Waupaca Foundry. Descriptions of the sampling locations are presented below, as well as schematic diagrams.



4.1 CUPOLA BAGHOUSE INLET

The cupola baghouse inlet measurement site was located in a 55 $\frac{5}{8}$ -inch inside diameter (ID) round, horizontal duct 50 feet (10.8 duct diameters) downstream of the nearest flow disturbance (45° bend) and 23 feet 9½ inches (5.2 duct diameters) upstream of the nearest flow disturbance (90° elbow). According to EPA Method 1 criteria this site required a minimum of 12 sample traverse points, six along each of two perpendicular diameters. Figure 4.1 shows a simplified schematic of the baghouse inlet measurement site. Figure 4.2 shows the sample traverse point locations. A check for the presence of non-parallel flow was conducted as specified in Section 2.4 of EPA Method 1. The check confirmed the average yaw angle for the horizontal port was 13.8 degrees, which is less than the Method 1 requirement of 20 degrees.

4.2 CUPOLA BAGHOUSE OUTLET


The baghouse outlet sampling location was located in a 92-inch ID round vertical stack 25 feet (3.3 stack diameters) downstream of the nearest flow disturbance (expansion joint) and 89 feet (11.6 stack diameters) upstream of the stack exit. According to EPA Method 1, this location required 24 sample traverse points, 12 along each of two perpendicular diameters. Six points were sampled, at each of four sample ports, located at 90°. Figure 4.3 shows a simplified schematic of the baghouse outlet measurement site. Figure 4.4 shows the sample traverse point locations.

PES checked for the presence of non-parallel flow in all four sampling ports during a preliminary site visit and just prior to sampling. The average of the 24 sampling points yaw angles was found to be 15.3 degrees, requiring no modifications for isokinetic sampling.



4-2


**Figure 4.1 Cupola Baghouse Inlet Sampling Location,
The Waupaca Foundry - Tell City, Indiana**



Section A - A

Traverse Point Number	Distance from Stack Wall, inches
1	2 1/2
2	8 1/8
3	16 3/8
4	39
5	47 1/4
6	52 7/8

Figure 4.2 Cupola Baghouse Inlet Traverse Point Locations, The Waupaca Foundry - Tell City, Indiana



Section B - B





Figure 4.3 Cupola Baghouse Outlet Sampling Location, The Waupaca Foundry - Tell City, Indiana



Traverse Point Number	Distance from Stack Wall, inches
1	$1 \frac{7}{8}$
2	$6 \frac{3}{16}$
3	$10 \frac{7}{8}$
4	$16 \frac{5}{16}$
5	23
6	$32 \frac{13}{16}$

Figure 4.4 Cupola Baghouse Outlet Traverse Point Locations, The Waupaca Foundry - Tell City, Indiana

5.0 SAMPLING AND ANALYTICAL PROCEDURES

Table 5.1 summarizes the sources, test parameters, test methods, number of tests, and net run times. Simultaneous, isokinetic, sampling was conducted at the cupola baghouse inlet and outlet for PM/metals. Simultaneous with the PM/metals testing, additional isokinetic sampling was conducted at the cupola baghouse outlet for PCDDs/PCDFs and SVOHAPs. Brief descriptions of the methods used follow:

5.1 LOCATION OF MEASUREMENT SITES AND SAMPLE/VELOCITY TRAVERSE POINTS

EPA Method 1, "Sample and Velocity Traverses for Stationary Sources," was used to select the measurement sites and to establish velocity and sample traverse point locations. The location of measurement sites and traverse points are discussed in Section 4.0.

5.2 DETERMINATION OF STACK GAS VOLUMETRIC FLOW RATE

EPA Method 2, "Determination of Stack Gas Velocity and Volumetric Flow Rate (Type S Pitot Tube)," was used to determine stack gas volumetric flow rate at the cupola baghouse inlet and outlet. A Type S pitot tube, constructed according to Method 2 criteria and having an assigned coefficient of 0.84 and connected to an inclined-vertical manometer was used to measure velocity pressure. A calibrated Type K thermocouple attached directly to the pitot tube was used to measure stack gas temperature. The average stack gas velocity was calculated from the average square roots of the velocity pressure, average stack gas temperature, stack gas molecular weight, and absolute stack pressure. The volumetric flow rate is the product of velocity and the stack cross-sectional area.

5.3 DETERMINATION OF DRY MOLECULAR WEIGHT AND EMISSION CORRECTION FACTORS

EPA Method 3B, "Gas Analysis for the Determination of Emission Rate Correction Factor or Excess Air," was used to measure carbon dioxide and oxygen content of the stack gases. Gas samples were extracted from the stack or duct simultaneous with the EPA Method 23 sample trains using the multi-point, integrated bag sampling technique. The bag contents were analyzed on-site within four hours after sample collection using an Orsat® analyzer to

TABLE 5.1

**SOURCES, TEST PARAMETERS, AND TEST METHODS SUMMARY
THE WAUPACA FOUNDRY - TELL CITY, INDIANA**

Source	Parameter	Test Methods	No. of Tests	Net Run Time, Minutes
<u>Cupola Baghouse Inlet</u>	Flow Rate	EPA 1 & 2	3	240
	O ₂ /CO ₂	EPA 3B	3	240
	Moisture	EPA 4	3	240
	PM/Metals	EPA 29	3	240
<u>Cupola Baghouse Outlet</u>	Flow Rate	EPA 1 & 2	3	240
	O ₂ /CO ₂	EPA 3B	3	240
	Moisture	EPA 4	3	240
	PM/Metals	EPA 29	3	240
	PCDDs/PCDFs	EPA 23	3	240
	SVOHAPs	SW-846 0010	3	240

determine percent concentrations of carbon dioxide and oxygen. The Orsat[®] analyzer had 0.1 percent subdivisions.

5.4 DETERMINATION OF STACK GAS MOISTURE CONTENT

EPA Method 4, "Determination of Moisture Content in Stack Gases," was used to determine stack gas moisture content. The quantity of condensed water was determined gravimetrically and then compared to the total volume of gas sampled to determine the volume percent moisture content. The Method 4 procedure was conducted in conjunction the EPA Methods 23 and 29 and SW-846 Method 0010 sampling runs. Condensed moisture was determined by the difference in pre-test and post-test weights of the impingers, reagents, and silica gel. Condensed moisture in the XAD[®] adsorbent trap from the SW-846 Method 0010 and EPA Method 23 sample trains was also determined gravimetrically and the results included in the moisture content calculations.

5.5 DETERMINATION OF PARTICULATE MATTER AND METALS

EPA Method 29, "Determination of Metals Emissions From Stationary Sources," was used to determine filterable particulate matter and metals at the cupola baghouse inlet and outlet. The target metals included: antimony (Sb), arsenic (As), barium (Ba), beryllium (Be), cadmium (Cd), chromium (Cr), cobalt (Co), lead (Pb), manganese (Mn), mercury (Hg), nickel (Ni), phosphorus (P), selenium (Se), silver (Ag), thallium (Tl), and zinc (Zn). Multi-point integrated samples were extracted isokinetically from the 12 traverse points at the inlet and 24 traverse points at the outlet as shown in Figures 4.2 and 4.4, respectively. At each traverse point, sampling was performed for 10 minutes at the inlet and five minutes at the outlet for a total run time of 240 minutes per test. At each location, readings were taken every five minutes. The samples were extracted through a glass nozzle, a heated glass-lined probe, a heated quartz fiber filter, two impingers containing an acidic hydrogen peroxide solution (H_2O_2/HNO_3), an empty impinger, and two impingers containing acidic potassium permanganate ($KMnO_4$). A schematic of the EPA Method 29 sampling train is shown in Figure 5.1. The inlet sampling train was modified to allow for vertical sampling. A heated Teflon[®] jumper was used between the probe exit and the heated filter. The nozzle was attached to the probe using Teflon[®] or Teflon[®] coated unions and Teflon[®] or graphite ferrules.

The sample recovery scheme for metals is shown in Figure 5.2. Note that the optional empty first impinger was not used.

The filter and acetone rinses of the probe and front half of the filter housing were analyzed gravimetrically in the PES laboratory to determine filterable particulate matter. Upon completion of the particulate matter analyses, the particulate fractions and aqueous fractions were submitted to TLI for metals analyses. The sample preparation and analysis scheme is shown in Figure 5.3. Metals other than Hg were analyzed by graphite furnace






Figure 5.1 Sampling Train Schematic for EPA Method 29.



* Number in parentheses indicates container number

Figure 5.2 EPA Method 29 Recovery Scheme.



*Analysis by AAS for metals found at less than 2 ug/ml in digestate solution, if desired. Or analyze for each metal by AAS, if desired.

Figure 5.3 Sample Preparation and Analysis Scheme for EPA Method 29.

atomic absorption spectroscopy (GFAAS) or inductively coupled argon plasma (ICP) emission spectroscopy. Hg was analyzed by cold vapor atomic absorption spectroscopy (CVAAS).

5.6 DETERMINATION OF DIOXINS AND FURANS

EPA Method 23, "Determination of Polychlorinated Dibenzo-*p*-Dioxins and Polychlorinated Dibenzofurans from Stationary Sources" was used to determine PCDDs/PCDFs at the cupola baghouse outlet. The proposed rules amending EPA Method 23, as published in the Federal Register, Volume 60, No. 104, May 31, 1995, were incorporated. The proposed changes correct existing errors in the method, eliminate the methylene chloride rinse, and clarify the quality assurance requirements of the method. Samples were extracted through a glass nozzle, a heated glass-lined probe, a pre-cleaned and heated glass fiber filter, a water cooled condenser coil and an adsorbent trap containing approximately 40 grams of XAD[®]-2 adsorbent resin. A schematic of the EPA Method 23 sampling train (which is the identical to the SW-846 Method 0010 train) is shown in Figure 5.4. Multi-point integrated samples were extracted isokinetically from the 24 traverse points shown in Figure 4.4. At each traverse point, sampling was performed for 10 minutes, with pertinent readings taken every five minutes, for a net run time of 240 minutes per test. TLI prepared the filters and adsorbent traps, and performed the required analyses.

5.7 DETERMINATION OF SEMIVOLATILE ORGANIC HAZARDOUS AIR POLLUTANTS (SVOHAPs)

Method SW-846 0010, "Modified Method 5 Sampling Train (MM5)," was used to collect SVOHAPs at the cupola baghouse outlet. Multi-point, integrated samples were extracted isokinetically from the 24 traverse points shown in Figure 4.4. At each traverse point, sampling was performed for 10 minutes for a total run time of 240 minutes per test. Readings were taken every five minutes. The SW-846 Method 0010 samples were extracted through a glass nozzle, a heated glass-lined probe, a pre-cleaned and heated glass fiber filter, a water-cooled condenser coil and a adsorbent trap containing approximately 40 grams of XAD[®]-2 adsorbent resin. A schematic of the SW-846 Method 0010 sampling train is shown in Figure 5.4.

The SW-846 Method 0010 samples were extracted following the procedure of Method 3542, dated January, 1995. The extracts were analyzed in accordance with the guidelines of Method 8270A by High Resolution Gas Chromatography/Low Resolution Mass Spectrometry. The three sample fractions for each test run, i.e., front half extract, the back half extract (XAD[®]-2 and back half rinse), and the condensate extract were combined for one analysis, per test run. The samples were analyzed for the SW-846 Method 8270 polynuclear aromatic hydrocarbon (PAH) and Clean Air Act (CCA) semivolatile compounds.




Figure 5.4 Sampling Train Schematic for EPA Method 23 and SW-846 Method 0010.

6.0 QUALITY ASSURANCE/QUALITY CONTROL PROCEDURES AND RESULTS

This section describes the specific QA/QC procedures employed by PES in performing this series of tests. The procedures contained in the "Quality Assurance Handbook for Air Pollution Measurement Systems, Volume III, Stationary Source Specific Methods," EPA/600/R-94/038c, and in the reference test methods served as the basis for performance for all testing and related work activities in this project.

6.1 CALIBRATION OF APPARATUS

The preparation and calibration of source sampling equipment is essential in maintaining data quality. Brief descriptions of the calibration procedures used by PES follow.

6.1.1 Barometers

PES used aneroid barometers which are calibrated against a station pressure value reported by a nearby National Weather Service Station corrected for elevation.

6.1.2 Temperature Sensors

Bimetallic dial thermometers and Type K thermocouples were calibrated using the procedure described in Section 3.4.2 of the Quality Assurance Handbook, Volume III, 1994. Each temperature sensor was calibrated over the expected range of use against an ASTM 3C or 3F thermometer. Table 6.1 summarizes the type of calibrations performed, the acceptable levels of variance, and the results. Digital thermometers were calibrated using a thermocouple simulator having a range of 0-2400°F.

6.1.3 Pitot Tubes

Type S pitot tubes constructed to EPA Method 2 specifications were used. Pitot tubes meeting these specifications are assigned to a baseline coefficient to 0.84 and need not be calibrated. The dimensional criteria and results for each pitot tube used are summarized in Table 6.2.

TABLE 6.1

SUMMARY OF TEMPERATURE SENSOR CALIBRATION DATA

Temp. Sensor I.D.	Usage	Temperature, °F		Temperature Difference	Tolerances
		Reference	Sensor		
5C	Stack Gas	38	38	0.0%	<±1.5%
		102	101	0.2%	<±1.5%
		168	169	-0.2%	<±1.5%
4B	Stack Gas	32	31	0.2%	<±1.5%
		70	72	-0.4%	<±1.5%
		203	204	-0.2%	<±1.5%
		440	438	0.2%	<±1.5%
4C	Stack Gas	32	34	-0.4%	<±1.5%
		73	71	0.4%	<±1.5%
		191	190	0.2%	<±1.5%
		434	430	0.5%	<±1.5%
T5B	Stack Gas	32	32	0.0%	<±1.5%
		72	71	0.2%	<±1.5%
		199	201	-0.3%	<±1.5%
		408	412	-0.5%	<±1.5%
RMB-13	Meter Box Inlet	34	35	1 °F	<±5 °F
		76	76	0 °F	<±5 °F
		150	149	1 °F	<±5 °F
	Outlet	34	35	1 °F	<±5 °F
		76	75	1 °F	<±5 °F
		150	151	1 °F	<±5 °F
MB-13	Meter Box Inlet	31	32	1 °F	<±5 °F
		70	70	0 °F	<±5 °F
		145	147	2 °F	<±5 °F
	Outlet	32	31	-1 °F	<±5 °F
		70	70	0 °F	<±5 °F
		150	151	1 °F	<±5 °F

TABLE 6.2

SUMMARY OF PITOT TUBE DIMENSIONAL DATA

Measurement	Criteria	Results			
		Pitot Tube Identification			
		5C	5E	4B	4C
α_1	$<10^\circ$	2.5	0	2	4
α_2	$<10^\circ$	-2.5	1	1	4
β_1	$<5^\circ$	1	2	0	1
β_2	$<5^\circ$	1	3	1	0
γ	-	2.5	1	0	0
θ	-	0	0	1	0
A	-	1.013	1.104	0.947	0.956
Z	≤ 0.125 in.	0.044	0.019	0	0
W	≤ 0.03125 in.	0	0	0.017	0
D_t	$0.1875" \leq D_t \leq 0.375"$	0.370	0.375	0.375	0.375
$A/2D_t$	$1.05 D_t \leq A \leq 1.50 D_t$	1.37	1.47	1.26	1.27
Acceptable		Yes	Yes	Yes	Yes
Assigned Coefficient		0.84	0.84	0.84	0.84

6.1.4 Differential Pressure Gauges

PES used Dwyer inclined/vertical manometers to measure differential pressures. The differential pressures measurements included velocity pressure, static pressure, and meter orifice pressure. Manometers are selected with sufficient sensitivity to accurately measure pressures over the entire range of expected values. Manometers are primary standards and require no calibration.

6.1.5 Dry Gas Meters and Orifices

The SW-846 Method 0010 and EPA Method 23 and 29 dry gas meters and orifices were calibrated in accordance with Sections 5.3.1 and 5.3.2 of EPA Method 5. This procedure involves direct comparison of the dry gas meter to a reference dry test meter. The reference dry test meter is calibrated annually using a wet test meter. Before its initial use in the field, the metering system was calibrated over the entire range of operation as specified in EPA Method 5. After field use, the metering system was calibrated at a single intermediate setting based on the previous field test. Acceptable tolerances for the initial and final dry gas meter factors and orifice calibration factors are ± 0.05 and ± 0.20 from average, respectively. The results for the gas meter and orifice used in this test program are summarized in Table 6.3.

6.2 ON-SITE MEASUREMENTS

The on-site QA/QC activities include:

6.2.1 Measurement Sites

Prior to sampling, the stack and inlet duct were checked dimensionally to determine measurement site locations, location of velocity and sample test ports, inside stack/duct dimensions, and sample traverse point locations. Inside stack/duct dimensions were checked through both traverse axis to ensure uniformity of the stack/duct inside diameter. The inside stack/duct dimensions, wall thickness, and sample port depths were measured to the nearest 1/16 inch.

6.2.2 Velocity Measurements

All velocity measurement apparatus were assembled, leveled, zeroed, and leak-checked prior to use and at the end of each determination. The static pressure was determined at a single point near the center of the stack or duct cross-section.

6.2.3 Flue Gas Composition

Integrated, multi-point, flue gas samples were collected in Tedlar[®] gas bags from the baghouse inlet and outlet. Prior to use the bags were leak checked and purged with nitrogen to ensure cleanliness. Prior to and after completion of each sampling run the entire sampling

TABLE 6.3**SUMMARY OF DRY GAS METER AND ORIFICE CALIBRATION DATA**

Meter No.	Gamma				Orifice Coefficient		
	Pre-test	Post-test	% Diff.	EPA Criteria	Average	Range	EPA Criteria
M5-3	1.028	1.060	3.1	± 5%	1.591	1.555-1.621	1.591 ± 0.20
M5-4	1.021	1.049	2.7	± 5%	1.662	1.653-1.674	1.662 ± 0.20
RMB-13	1.010	0.994	-1.6	± 5%	1.884	1.875-1.894	1.884 ± 0.20
MB-13	0.947	0.945	0.2	± 5%	1.762	1.760-1.765	1.762 ± 0.20

system was leak checked from the tip of the probe. The bag samples were analyzed on-site using an Orsat® analyzer within four hours after sample collection, in accordance with EPA Method 3B. Prior to use the Orsat® analyzer was assembled and replenished with fresh reagents and leak checked using the manufacturer's procedures.

6.2.4 Moisture

The SW-846 Method 0010 and EPA Methods 23 and 29 sampling trains were used to determine the flue gas moisture content. During sampling, the exit gas of the last impinger was maintained below 68°F to ensure complete condensation of flue gas water vapor. The total moisture was determined gravimetrically using an electronic platform balance with 0.1 gram sensitivity. The XAD® adsorbent modules from the EPA Method 23 and SW-846 Method 0010 sampling trains were also weighed and their weights included in the moisture catch.

6.2.5 Method 23, Method 0010 and Method 29

The field sampling QA/QC for EPA Methods 23 and 29 and SW-846 Method 0010 were similar. Table 6.4 summarizes the critical measurements made and the EPA's acceptability criteria. All pre- and post-test sample train leaks met the acceptance criteria. The isokinetic sampling rates deviated by no more than 6.5% thereby meeting each method criteria of 90-110%.

EPA Methods 23 and 29 and SW-846 Method 0010 field blanks were collected near each of the sampling locations to check for any sample contamination at the sites. Sample trains were assembled and pre- and post-test leak checks were conducted. The sample trains were recovered in the same manner as the actual sample runs. Each field blank train was subjected to a minimum of one leak check in the laboratory and three to five at the sampling site, depending on the location.

An acetone blank and quartz fiber filter were taken as control samples for the particulate analysis and subsequent analysis for the target metals. Blanks were taken of the metals absorbing and recovery reagents.

6.3 LABORATORY ANALYSES

6.3.1 Particulate Matter

Particulate matter analysis consisted of front half acetone sample rinses and quartz fiber filters. Prior to the field testing program, the filters were tared in the PES (or DEECO) laboratory, stored in petri dishes, and sealed with Teflon® tape. Several beakers were also cleaned and tared for subsequent use in evaporating the acetone rinses. Upon receipt in the PES laboratory, the acetone rinses were placed in the tared beakers and evaporated to dryness at room temperature. The filters and beakers were desiccated and weighed to a constant

weight. All weighings were within the method requirements of 0.5 milligrams between two consecutive weighings taken at least six hours apart.

6.3.2 EPA Method 29

TLI analyzed the EPA Method 29 samples consisting of five stack gas samples, three blank samples and reagent blanks to determine concentrations of antimony (Sb), arsenic (As), barium (Ba), beryllium (Be), cadmium (Cd), chromium (Cr), cobalt (Co), lead (Pb), manganese (Mn), mercury (Hg), nickel (Ni), phosphorus (P), selenium (Se), silver (Ag), thallium (Tl), and zinc (Zn). All metals, except Hg and some Tl concentrations, were determined by inductively coupled plasma emission spectroscopy (ICP). Thallium concentrations for the back half samples and some front half samples (refer to the TLI case narrative for an exact listing of the samples) were determined using graphite furnace atomic absorption (GFAA). Specific TLI QA/QC activities for GFAA and ICP analyses consisted of: laboratory control spikes, post-digestion matrix spikes of one sample set, duplicate analysis of one sample set, serial dilution and analysis of one sample set, analysis of a method blank, and analysis of field and reagent blanks. Mercury was analyzed by cold vapor atomic absorption spectroscopy (CVAAS). Specific TLI QA/QC activities for CVAAS analyses consisted of analysis of a method blank and analysis of field and reagent blanks. The results of these QA/QC activities are summarized in Tables 6.5 through 6.14. Complete QA/QC data are contained in the TLI analytical report in Appendix C.

6.3.3 EPA Method 23 PCDDs/PCDFs

Prior to the field testing program, TLI prepared PES' XAD[®]-2 adsorbent traps and precleaned the glass fiber filters. TLI's laboratory QA/QC program consisted of adding isotopically labeled standards to each sample at various stages of the project to determine recovery efficiencies. The following types of standards were used:

Internal Standards were spiked in the TLI laboratory after the field sampling program and prior to sample extraction. Recovery efficiencies for these compounds were used in quantifying the actual PCDDs/PCDFs isomers measured in the samples.

Surrogate Standards were spiked in the TLI laboratory on the XAD[®]-2 resin prior to the field sampling program. Recovery efficiencies for these surrogate compounds provided a measure of the sample collection efficiency and an indication of any analytical matrix effects.

Alternate Standards were spiked in the TLI laboratory after the field sampling program and prior to sample extraction. Recovery of these compounds indicated the extraction efficiencies.

Recovery Standards were added in the laboratory after extraction just prior to GC/MS analysis.

Table 6.15 summarizes the recovery efficiencies for the various standards and the respective quality control limits. In general, the recovery efficiencies for the XAD[®] blank, field blank, and samples were all within the method QC limits. Refer to TLI's case narrative for their discussion of any quality control anomalies.

6.3.4 SW-846 Method 0010

TLI analyzed the SW-846 Method 0010 samples following the procedures of SW-846 Method 8270A Rev. 1 (7/92). Field blanks and laboratory blanks were used to check for contamination. The blanks were processed in the same way the field samples were processed. The results of the field and laboratory blanks are presented in Table 6.16. Also shown are the average catch weights for the compounds presented. The significance of the blank values was discussed in Section 2.

A five point initial calibration was performed using internal standards and instrument response factors developed for the target analytes. Method 8270A procedures require the percent standard deviations of the initial calibrations to be within 50% for most analytes and 30% for some analytes. All internal standards were within the Method 8270A quality control criteria. The XAD[®]-2 resins were spiked with surrogate standards prior to the field sampling. The percent recoveries for the surrogate standards are presented in Table 6.17. Refer to TLI's case narrative for their explanation of the high terphenyl-d₄ recoveries.

TABLE 6.4

SUMMARY OF EPA METHODS 23 AND 29 AND SW-846 METHOD 0010 FIELD SAMPLING QA/QC DATA

Date	Site	Run No.	Pre-Test Leak Rate acfm	Post-Test Leak Rate acfm	EPA Criteria	Percent Isokinetic	EPA Criteria
09/09/97	Baghouse Inlet	I-M29-1	0.002 @ 10" Hg	0.015 @ 6" Hg	0.02	104.0	90-110%
	Baghouse Outlet	O-M29-1 BO-23-1 BO-0010-1	< 0.001 @ 11.5" Hg 0.002 @ 15" Hg 0.008 @ 15" Hg	< 0.001 @ 8.5" Hg 0.001 @ 8" Hg 0.003 @ 14" Hg	0.02 0.02 0.02	103.1 98.9 99.4	90-110% 90-110% 90-110%
09/10/97	Baghouse Inlet	I-M29-2 I-M29-3	0.003 @ 11" Hg 0.008 @ 13" Hg	0.002 @ 17" Hg 0.002 @ 5" Hg	0.02 0.02	102.7 106.5	90-110% 90-110%
	Baghouse Outlet	O-M29-2 O-M29-3	0.007 @ 11" Hg < 0.001 @ 11" Hg	0.004 @ 8" Hg 0.002 @ 12" Hg	0.02 0.02	102.2 99.7	90-110% 90-110%
		BO-23-2 BO-23-3	0.001 @ 15" Hg 0.005 @ 15" Hg	0.004 @ 15" Hg 0.007 @ 12" Hg	0.02 0.02	99.7 98.5	90-110% 90-110%
		BO-0010-2 BO-0010-3	0.010 @ 15" Hg 0.004 @ 15" Hg	0.008 @ 15" Hg 0.003 @ 11" Hg	0.02 0.02	97.3 102.6	90-110% 90-110%

TABLE 6.5**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
LAB CONTROL SPIKES**

Analyte	Spike Amt μg/L	LCS Recovery	ICP LCS Recovery	Recovery Limits
Ag	50	94%	86%	80-120%
As	50	99%	89%	80-120%
Ba	50	100%	93%	80-120%
Be	50	96%	91%	80-120%
Cd	50	101%	92%	80-120%
Co	50	99%	94%	80-120%
Cr	50	101%	94%	80-120%
Mn	50	100%	95%	80-120%
Ni	50	102%	91%	80-120%
P	1000	103%	90%	80-120%
Pb	50	97%	93%	80-120%
Sb	50	102%	94%	80-120%
Se	50	98%	89%	80-120%
Tl	50	100%	83%	80-120%
Zn	200	101%	96%	80-120%

TABLE 6.6

**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
MATRIX SPIKES (POST-DIGESTION)**

Analyte	Spike Amt μg	Percent Recovery*		Recovery Limits
		Run No. M29-1-FH	Run No. M29-2-FH	
Ag	50	91%	74%	75-125%
As	50	90%	99%	75-125%
Ba	50	99%	93%	75-125%
Be	50	91%	87%	75-125%
Cd	50	97%	91%	75-125%
Co	50	93%	89%	75-125%
Cr	50	101%	92%	75-125%
Mn	50	SL	SL	75-125%
Ni	50	98%	97%	75-125%
P	1000	0%	98%	75-125%
Pb	50	SL	SL	75-125%
Sb	50	90%	97%	75-125%
Se	50	90%	91%	75-125%
Tl	50	47%	93%	75-125%
Zn	200	SL	SL	75-125%

* SL = Spike Low, % Recovery is not considered valid when spike amount is less than 20% of recovered amount.

TABLE 6.7

SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
DUPLICATE ANALYSES

Analyte	Sample μg	Duplicate μg	RPD	RPD Limits
Run I-M29-2-FH				
Ag	5.05	5.05	0%	$\pm 20\%$
As	2.96	3.36	< RDL	$\pm 20\%$
Ba	27.2	27.4	0.7%	$\pm 20\%$
Be	0.148	0.148	< RDL	$\pm 20\%$
Cd	29.9	29.9	0%	$\pm 20\%$
Co	0.510	0.499	< RDL	$\pm 20\%$
Cr	15.4	15.5	0.6%	$\pm 20\%$
Mn	1,260	1,250	0.8%	$\pm 20\%$
Ni	5.14	5.20	1.2%	$\pm 20\%$
P	42.0	42.5	1.2%	$\pm 20\%$
Pb	1,490	1,490	0%	$\pm 20\%$
Sb	10.6	10.7	0.9%	$\pm 20\%$
Se	1.88	1.83	< RDL	$\pm 20\%$
Tl	0.310	NA*	NA*	$\pm 20\%$
Zn	8,480	8,510	0.4%	$\pm 20\%$
Run I-M29-3-FH				
Ag	18.9	18.9	0%	$\pm 20\%$
As	314	346	< RDL	$\pm 20\%$
Ba	2,500	2,540	1.6%	$\pm 20\%$
Be	9.11	9.05	< RDL	$\pm 20\%$
Cd	3,010	3,070	2.0%	$\pm 20\%$
Co	47.3	47.7	0.8%	$\pm 20\%$
Cr	2,030	2,080	2.4%	$\pm 20\%$
Mn	165,700	168,600	1.7%	$\pm 20\%$
Ni	498	513	< RDL	$\pm 20\%$
P	61,100	62,700	2.6%	$\pm 20\%$
Pb	147,800	150,900	2.1%	$\pm 20\%$
Sb	1,290	1,360	5.3%	$\pm 20\%$
Se	116	116	0%	$\pm 20\%$
Tl	131	139	5.9%	$\pm 20\%$
Zn	774,200	789,600	2.0%	$\pm 20\%$

TABLE 6.7 (Concluded)

**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
DUPLICATE ANALYSES**

Analyte	Sample μg	Duplicate μg	RPD	RPD Limits
Run I-M29-2-BH				
Ag	0.181	0.194	< RDL	$\pm 20\%$
As	< 0.639	< 0.639	< RDL	$\pm 20\%$
Ba	1.95	1.94	< RDL	$\pm 20\%$
Be	< 0.128	< 0.128	< RDL	$\pm 20\%$
Cd	0.142	0.157	< RDL	$\pm 20\%$
Co	< 0.128	< 0.128	< RDL	$\pm 20\%$
Cr	2.40	2.29	< RDL	$\pm 20\%$
Mn	10.0	9.99	0.1%	$\pm 20\%$
Ni	0.480	< 0.383	< RDL	$\pm 20\%$
P	15.6	16.5	< RDL	$\pm 20\%$
Pb	12.2	12.3	0.8%	$\pm 20\%$
Sb	< 0.511	< 0.511	< RDL	$\pm 20\%$
Se	0.820	0.656	< RDL	$\pm 20\%$
Tl	< 0.256	NA*	NA*	$\pm 20\%$
Zn	58.7	58.7	0%	$\pm 20\%$
* Duplicate analysis not reported for elements analyzed by GFAA.				

TABLE 6.8

**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
SERIAL DILUTION**

Analyte	Sample μg	Serial Dilution μg	RPD *	RPD Limits
Run I-M29-1-FH				
Ag	1.06	1.12	< RDL	$\pm 10\%$
As	0.744	< 2.50	< RDL	$\pm 10\%$
Ba	5.15	5.27	< RDL	$\pm 10\%$
Be	< 0.100	< 0.500	< RDL	$\pm 10\%$
Cd	2.86	2.83	< RDL	$\pm 10\%$
Co	< 0.100	< 0.500	< RDL	$\pm 10\%$
Cr	4.14	6.32	< RDL	$\pm 10\%$
Mn	158	164	3.7%	$\pm 10\%$
Ni	5.04	6.44	< RDL	$\pm 10\%$
P	10.6	15.8	< RDL	$\pm 10\%$
Pb	191	201	5.1%	$\pm 10\%$
Sb	2.37	4.10	< RDL	$\pm 10\%$
Se	0.856	1.77	< RDL	$\pm 10\%$
Tl	< 0.200	NA**	NA**	$\pm 10\%$
Zn	1,140	1,200	5.1%	$\pm 10\%$
Run No. I-M29-2-FH				
Ag	50.3	42.0	< RDL	$\pm 20\%$
As	246	601	< RDL	$\pm 20\%$
Ba	2,850	2,930	2.8%	$\pm 20\%$
Be	15.2	17.3	< RDL	$\pm 20\%$
Cd	3,760	3,950	4.9%	$\pm 20\%$
Co	43.0	47.2	< RDL	$\pm 20\%$
Cr	2,440	2,490	2.0%	$\pm 20\%$
Mn	208,300	221,400	6.1%	$\pm 20\%$
Ni	445	573	< RDL	$\pm 20\%$
P	2,700	3,360	< RDL	$\pm 20\%$
Pb	198,600	206,900	4.1%	$\pm 20\%$
Sb	1,390	1,580	< RDL	$\pm 20\%$
Se	127	125	< RDL	$\pm 20\%$
Tl	168	178	< RDL	$\pm 20\%$
Zn	1,110,600	1,215,900	9.1%	$\pm 20\%$

TABLE 6.8 (Concluded)

**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
SERIAL DILUTION**

Analyte	Sample μg	Serial Dilution μg	RPD*	RPD Limits
Run I-M29-1-BH				
Ag	0.143	< 0.661	< RDL	$\pm 10\%$
As	< 0.661	< 3.31	< RDL	$\pm 10\%$
Ba	0.455	< 1.32	< RDL	$\pm 10\%$
Be	< 0.132	< 0.661	< RDL	$\pm 10\%$
Cd	0.413	< 0.661	< RDL	$\pm 10\%$
Co	< 0.132	< 0.661	< RDL	$\pm 10\%$
Cr	2.48	3.12	< RDL	$\pm 10\%$
Mn	1.31	1.36	< RDL	$\pm 10\%$
Ni	0.778	< 1.98	< RDL	$\pm 10\%$
P	14.6	19.9	< RDL	$\pm 10\%$
Pb	3.27	3.12	< RDL	$\pm 10\%$
Sb	0.741	< 2.65	< RDL	$\pm 10\%$
Se	2.00	2.33	< RDL	$\pm 10\%$
Tl	< 0.265	NA**	NA**	$\pm 10\%$
Zn	20.0	21.3	< RDL	$\pm 10\%$
<p>* RPD = Relative percent deviation, which is not considered when the concentration in the analyte is less than 10 times the Reported Detection Limit (RDL) for ICP analysis and 5 times the RDL for GFAA analysis.</p> <p>** Duplicate analysis not reported for elements analyzed by GFAA.</p>				

TABLE 6.9**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
METHOD BLANK RESULTS**

Analyte	Detection Limit $\mu\text{g/L}$	MB 1 Recovered Amount $\mu\text{g/L}$	MB 2 Recovered Amount $\mu\text{g/L}$
Ag	1	0.01	-0.04
As	5	0.21	-1.68
Ba	2	0.13	-0.04
Be	1	0.30	-0.81
Cd	1	-0.19	-0.24
Co	1	-0.08	-0.53
Cr	2	0.23	0.07
Mn	2	0.80	2.84
Ni	3	0.77	-1.13
P	30	3.21	-13.83
Pb	2	-0.07	1.67
Sb	4	0.50	-0.82
Se	3	0.10	0.23
Tl	2	1.20	-5.52
Zn	12	22.53	9.79

The Method Blank is considered a "Pass" when the recovered amount is less than the detection limit.

TABLE 6.10**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
FIELD BLANKS RESULTS**

Analyte	Inlet Front Half, μg	Inlet Back Half, μg	Outlet Front Half, μg	Outlet Back Half, μg
Ag	7.23	0.485	0.190	< 0.100
As	3.26	< 0.500	1.51	< 0.500
Ba	50.3	0.357	62.5	0.244
Be	< 0.100	< 0.100	< 0.100	< 0.100
Cd	172	4.07	< 0.100	0.185
Co	3.55	< 0.100	< 0.100	< 0.100
Cr	32.9	1.89	10.3	0.430
Mn	34.4	1.21	3.84	0.971
Ni	19.0	1.07	6.64	< 0.300
P	125	6.98	78.7	4.57
Pb	597	18.9	0.973	2.11
Sb	5.37	0.594	6.77	< 0.400
Se	4.47	1.01	5.77	1.22
Tl	< 0.500	0.490	< 0.200	< 0.200
Zn	166	16.8	11.3	12.0

TABLE 6.11**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
MERCURY SUMMARY REPORT - LAB CONTROL SPIKES**

Sample ID	Spike Amount $\mu\text{g/L}$	Recovery	Recovery Limits
LCS 1	5	100%	80-120%
LCS 1 Dup	5	102%	80-120%
LCS 2	5	102%	80-120%
LCS 2 Dup	5	106%	80-120%
LCS 3	5	93%	80-120%
LCS 3 Dup	5	88%	80-120%
LCS 5	5	111%	80-120%
LCS 5 Dup	5	101%	80-120%
LCS 6	5	91%	80-120%
LCS 6 Dup	5	98%	80-120%

TABLE 6.12

**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
MERCURY SUMMARY REPORT -MATRIX SPIKES (PRE-DIGESTION)**

Sample ID	Spike Concentration μg/L	Recovery *	Recovery Limits
I-M29-FHAR,BKL-5% 10% BH MS	5	97%	75-125%
I-M29-FHAR,BKL-5% 10% BH MSD	5	92%	75-125%
I-M29-1-5% 10% BH MS	5	75%	75-125%
I-M29-1-5% 10% BH MSD	5	80%	75-125%
I-M29-1-KMnO4 MS	5	89%	75-125%
I-M29-1-KMnO4 MSD	5	87%	75-125%
I-M29-2-5% 10% BH MS	5	SL	75-125%
I-M29-2-5% 10% BH MSD	5	SL	75-125%
I-M29-3-5% 10% BH MS	5	28%	75-125%
I-M29-3-5% 10% BH MSD	5	16%	75-125%
O-M29-1-5% 10% BH MS	5	SL	75-125%
O-M29-1-5% 10% BH MSD	5	SL	75-125%
O-M29-2-KMnO4 MS	5	105%	75-125%
O-M29-2-KMnO4 MSD	5	112%	75-125%
O-M29-3-KMnO4 MS	5	86%	75-125%
O-M29-3-KMnO4 MSD	5	84%	75-125%
REAGENT BLANK BH MS	5	117%	75-125%
REAGENT BLANK BH MSD	5	102%	75-125%

* SL = Spike Low, % Recovery is not considered valid when spike amount is less than 20% of recovered amount.

TABLE 6.13**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
MERCURY SUMMARY REPORT - METHOD BLANK**

Sample ID	Detection Limit $\mu\text{g/L}$	Recovered Amount, $\mu\text{g/L}$
MB1	0.2	0.030
MB1 Dup	0.2	0.027
MB2	0.2	0.035
MB2 Dup	0.2	0.046
MB3	0.2	0.008
MB3 Dup	0.2	0.011
MB5	0.2	0.008
MB5 Dup	0.2	0.030
MB6	0.2	-0.003
MB6 Dup	0.2	0.000

TABLE 6.14

**SUMMARY OF EPA METHOD 29 ANALYSIS QC DATA
MERCURY SUMMARY REPORT - FIELD AND REAGENT BLANKS**

Sample ID	Inlet Field Blank μg	Outlet Field Blank μg	Reagent Blank μg
FH	< 0.400	< 0.400	< 0.400
FH - Dup	< 0.400	< 0.400	< 0.400
BH	< 1.20	< 0.600	< 1.20
BH- Dup	< 1.20	< 0.600	< 1.20
HNO ₃	< 0.244	0.268	< 0.120
HNO ₃ - Dup	< 0.244	0.290	< 0.120
KMnO ₄	< 1.05	< 1.02	NA*
KMnO ₄ - Dup	< 1.05	< 1.02	NA*
HCl	< 0.042	< 0.440	< 0.400
HCl - Dup	< 0.042	< 0.440	< 0.400
* According to the analytical case narrative this sample arrived broken and could not be analyzed.			

TABLE 6.15

SUMMARY OF EPA METHOD 23 STANDARDS RECOVERY EFFICIENCIES

	Percent Recovery							QC Limits
	TLI M23 Blank	M23 Field Blank 1	M23 Field Blank 2	Trip Blank	BO- 23-1	BO- 23-2	BO- 23-3	
FULL SCREEN ANALYSIS								
<u>Internal Standards</u>	48.2	51.0	53.6	49.6	52.4	60.1	64.4	40-130%
2,3,7,8-TCDF	46.3	51.0	56.0	50.4	47.3	48.4	47.0	40-130%
2,3,7,8-TCDD	40.6	40.5	44.1	39.8	44.9	48.5	43.5	40-130%
1,2,3,7,8-PeCDF	43.9	45.1	47.4	43.3	49.3	47.3	43.3	40-130%
1,2,3,7,8-PeCDD	62.2	71.2	72.2	62.6	62.3	58.7	57.3	40-130%
1,2,3,6,7,8-HxCDF	63.5	68.0	86.0	72.7	71.4	64.8	73.9	40-130%
1,2,3,6,7,8-HxCDD	51.7	66.7	58.1	57.4	43.0	58.8	66.2	25-130%
1,2,3,4,6,7,8-HpCDF	59.8	81.0	68.8	67.0	51.8	72.8	79.4	25-130%
1,2,3,4,6,7,8-HpCDD	55.1	82.4	67.4	67.5	48.2	70.5	77.0	25-130%
<u>Surrogate Standards</u>								
2,3,7,8-TCDD	94.1	101	94.3	94.6	95.5	94.9	99.2	70-140%
2,3,4,7,8-PeCDF	105	106	106	104	102	100	111	70-140%
1,2,3,4,7,8-HxCDF	96.1	96.4	94.1	98.0	104	103	102	70-140%
1,2,3,4,7,8-HxCDD	94.8	111	81.7	83.8	84.6	90.7	88.7	70-140%
1,2,3,4,7,8,9-HpCDF	87.0	108	101	87.8	96.7	116	113	70-140%
<u>Alternate Standards</u>								
1,2,3,7,8,9-HxCDF	53.6	70.2	68.2	61.8	62.2	69.5	70.8	40-130%
2,3,4,6,7,8-HxCDF	61.4	69.5	73.1	63.3	66.3	63.8	66.5	40-130%
CONFIRMATION ANALYSIS								
<u>Internal Standards</u>								
2,3,7,8-TCDF	*	*	*	48.9	48.9	48.4	46.3	40-130%

* Confirmation analysis was not necessary on these samples since no TCDF's were detected in the full screen analysis.

TABLE 6.16

SW-846 METHOD 0010 FIELD AND LABORATORY BLANKS RESULTS

Compound	Amount, micrograms*			
	Average Catch Weight**	Field Blank	Method Blank	Laboratory Blank
Acetophenone	22.5	{5.09}	{4.77}	{5.03}
Di-n-butylphthalate	{3.75}	{3.06}	{1.21}	{3.61}
Dimethylphthalate	{2.62}	{3.19}	ND	ND
bis(2-Ethylhexyl)phthalate	{13.8}	{8.95}	{1.11}	{0.95}
2-Methylnaphthalene	{4.17}	{0.36}	ND	ND
Naphthalene	{15.7}	{1.84}	{1.64}	{1.61}
Phenol	{9.19}	{1.44}	{0.49}	{0.51}

* Values in brackets { } are estimated values that were above the detection limit, but below the quantitation limit.

ND = Compound was not detected.

** Average Catch Weight = Average sample amount from runs BO-0010-1, BO-0010-2, and BO-0010-3.

TABLE 6.17

SW-846 METHOD 0010 SURROGATE RECOVERY RESULTS

Surrogate	Percent Recovery						
	BO-0010-1	BO-0010-2	BO-0010-3	Field Blank	Method 0010 Blank	SBLK 091497*	Method QC Limits
Phenol-d ₅	80	66	58	65	68	70	20-120
Nitrobenzene-d ₅	76	92	77	54	61	61	20-120
1,3,5-Trichlorobenzene-d ₃	74	90	74	52	59	46	20-120
1,4-Dibromobenzene-d ₄	82	89	81	58	64	72	20-120
2-Fluorobiphenyl	83	92	88	69	75	65	20-120
2,4,6-Tribromophenol	110	102	81	95	50	93	20-120
Anthracene-d ₁₀	101	88	86	104	96	94	20-120
Pyrene-d ₁₀	117	120	114	118	109	103	20-120
Terphenyl-d ₁₄	149	151	146	147	137	130	20-120

* Laboratory Sample Blank

APPENDIX A
RAW FIELD DATA

Appendix A.1

Raw Field Data

Baghouse Inlet

K-98

Ps 1 of 2

FIELD DATA SHEET

Plant: Wauvace Foundry @ Tel City
 Sampling Location: Inlet
 Run Number: 1 Date: 9-9-97
 I-1229-1 (ENC) 1/21/98
 Pretest Leak Rate: 0.002 cfm @ 10 in. Hg.
 Pretest Leak Check: Pitot: Orsat:

Sample Type: Metals Operator: ADD/MM
 Pbar: 29.50 Ps: -11.25
 CO2: 10 O2: 10
 Probe Length/Type: 6' Glass Pitot #: 5C
 Stack Diameter: 55 3/8" As: ---

Nozzle ID: TMFC1 Thermocouple #: 5C
 Assumed Bws: 6 Filter #: 1014
 Meter Box #: M5-4 Y: L.02/ΔH@: L.818
 Post-Test Leak Rate: 0.015 cfm @ 6 in. Hg.
 Post-Test Leak Check: Pitot: Orsat:

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
B1	10:25	0	433.582										
		5	437.04	0.34	0.33	0.33	198	226	250	60	88 ^{AD}	83 ^{AD}	1.5
		10	438.77	0.50	0.49	0.49	202	224	249	55	90	83	1.5
		15	440.68	0.48	0.47	0.47	200	224	256	55	86	79	1.5
		20	442.60	0.67	0.66	0.66	294	225	251	56	86	80	2.0
		25	444.78	1.4	1.37	1.4	300	228	258	53	87	80	3.0
		30	447.93	0.36	0.35	0.35	285	231	254	67	88	81	1.5
1		35	450.04	0.32	0.32	0.32	282	228	252	61	90	85	1.5
3		40	451.64	0.51	0.50	0.50	294	227	252	60	89	84	2.0
4		45	453.63	0.41	0.40	0.40	290	228	256	60	89	82	2.0
4		50	455.44	0.45	0.44	0.44	290	229	256	62	89	83	1.5
5		55	457.31	0.38	0.37	0.37	288	228	257	61	91	82	1.5
4		60	459.18	0.34	0.33	0.33	287	228	254	61	89	84	1.5
		65	460.70	0.35	0.34	0.34	288	229	258	62	89	83	1.5
		70	462.06	0.37	0.36	0.36	288	231	252	62	89	83	1.5
		75	464.12	0.44	0.43	0.43	288	233	259	63	93	83	2.0
5		80	465.97	0.32	0.31	0.31	286	235	252	63	90	84	2.0
		85	467.64	0.30	0.29	0.29	283	234	255	65	89	84	2.0
		90	469.20	0.37	0.36	0.36	283	230	254	64	89	84	2.0
		95	470.92	0.32	0.31	0.31	283	230	255	57	89	84	2.0
6		100	472.43	0.30	0.29	0.29	281	227	254	54	88	83	2.0
		105	474.11	0.32	0.31	0.31	280	226	251	53	89	84	2.0
		110	475.72	0.28	0.27	0.27	280	225	256	53	88	84	1.5
		115	477.23	0.31	0.30	0.30	281	225	257	54	88	84	2.0
	12:25	120	479.221	incl 0.002 @ 6"									
Ab		120	479.438	lock 0.003 @ 9"		.415							

ΔVm=

√Δp=

ΔH=

Ts=

275.3
274.8

Tm= 82.870

FIELD DATA SHEET

Pg 2 of 2

Plant: Waupesa @ Tell City
 Sampling Location: Inlet
 Run Number: 1 Date: 9-9-97
 I-M29-1 cmc 1/21/95
 Pretest Leak Rate: cfm @ in. Hg.
 Pretest Leak Check: Pitot: Orsat:

Sample Type: metal Operator: ADD/MM
 Pbar: 29.50 Ps: -11.25
 CO2: 10 O2: 10
 Probe Length/Type: 6' Glass Pitot #: 5C
 Stack Diameter: 55 3/8" As:

INFL

Nozzle ID: 0.194 Thermocouple #: 5C
 Assumed Bws: 6% Filter #: 1014
 Meter Box #: M5-Y Y: (1.02) ΔH@: 1.818
 Post-Test Leak Rate: cfm @ in. Hg.
 Post-Test Leak Check: Pitot: Orsat:

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
2A	1310	120	979.438	0.23	0.22	0.22	234	223	253	54	82	81	2.0
	13101	125	980.87	0.22	0.21	0.21	235	225	251	55	84	81	2.0
		130	982.21	0.21	0.20	0.20	238	225	253	56	84	81	2.0
		135	983.56	0.24	0.23	0.23	237	224	254	56	86	84	2.0
2B		140	984.95	0.33	0.32	0.32	239	228	252	55	87	81	2.0
		145	986.57	0.31	0.30	0.30	275	234	254	54	87	82	2.0
		150	988.16	0.28	0.27	0.27	274	236	253	54	88	82	2.0
		155	989.68	0.30	0.29	0.29	275	237	254	55	90	84	2.0
3A		160	991.27	0.31	0.30	0.30	278	237	255	55	89	83	2.0
		165	992.88	0.31	0.30	0.30	281	237	253	61	90	84	2.0
		170	994.50	0.32	0.31	0.31	281	236	253	62	92	84	2.0
		175	996.13	0.31	0.30	0.30	280	238	255	57	92	84	2.0
4A		180	997.77	0.35	0.34	0.34	285	240	255	56	91	85	2.0
		185	999.44	0.36	0.35	0.35	289	240	252	56	91	85	2.0
		190	1001.18	0.41	0.40	0.40	289	239	254	57	92	85	2.5
		195	1003.05	0.36	0.35	0.35	289	239	253	57	93	85	2.0
5A		200	1004.79	0.34	0.33	0.33	289	238	256	59	93	86	2.0
		205	1006.44	0.30	0.29	0.29	289	238	253	59	93	87	2.0
		210	1008.05	0.34	0.33	0.33	288	239	257	59	93	86	2.0
		215	1009.75	0.36	0.35	0.35	288	239	255	59	94	87	2.5
6		220	1011.52	0.29	0.28	0.28	288	246	256	59	94	88	2.0
		225	1013.12	0.33	0.32	0.32	291	241	256	59	95	87	2.0
		230	1014.79	0.33	0.32	0.32	286	240	255	59	94	87	2.0
		235	1016.49	0.32	0.31	0.31	286	246	254	59	94	87	2.0
		240.5	1018.297	—	END OF RUN	—	—	—	—	—	—	—	—

$\Delta V_m = 84.498$ $\sqrt{\Delta p} = 0.598$

$\Delta H = 0.360$

$T_s = 263.94$

$T_m = 83.643$

86.6
81.412
5 = 10 R.8

TA



SAMPLE RECOVERY DATA

PLANT Warpain Foundry Run No. I-M29-1
 DATE 9/2/97 Sample Box No. - Job No. 5414.003
 SAMPLE LOCATION Inlet Filter No. 1014
 TRAIN PREPARER M Ham: Ha
 SAMPLE RECOVERY PERSON M Ham: Ha
 COMMENTS Front Half Acid Rinse → I-M29-1-FHAR

FRONT HALF

Acetone Liquid
 Container No. I-M29-1-FHAR Level Marked Sealed
 Filter
 Container No. I-M29-1-Filter Sealed
 Description of Filter Mid Dark Tan to Brown Solid
 Samples Stored and Locked

BACK HALF/MOISTURE

Container No. I-M29-1-SZ108 ; I-M29-1-BHAR ; I-M29-1-KM04 ; I-M29-1-HCI
 Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO3 / 10% H2SO4	100	730.3	769.6	39.3
2	5% HNO3 / 10% H2SO4	100	716.7	712.6	-4.1
3	EMPTY	0	566.2	561.5	-4.7
4	1% KMNO4 / 10% H2SO4	100	731.9	732.4	0.5
5	1% KMNO4 / 10% H2SO4	100	729.9	730.3	0.4
6	S:1 Gel	-	752.5	765.5	13.0
TOTAL			4227.45	4271.9	44.4

160ml
v14

01

BS
(44.4) /

FIELD DATA SHEET

Pg 1 of 2

K-1.017

Plant: Naupaca @ Tell City

Sample Type: Metals Operator: ADD/MM

Nozzle ID: 0.194 Thermocouple #: 5C

Sampling Location: Inlet

Pbar: 29.58 Ps: -11.25

Assumed Bws: 3 Filter #: 1019

Run Number: 2 Date: 9-10-97

CO2: 10 O2: 10

Meter Box #: M5-4 Y: 1.021 ΔH@: L818

Pretest Leak Rate: 0.002 cfm @ 11" in. Hg.

Probe Length/Type: 6 1/8" glass Pitot #: 5C

Post-Test Leak Rate: 0.002 cfm @ 17" in. Hg.

Pretest Leak Check: Pitot: Orsat:

Stack Diameter: 55 3/8" As:

Post-Test Leak Check: Pitot: Orsat:

+77 - 4.8

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) In H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
A 6	0	7:58	018.700										
	5		20.83	0.42	0.43	0.43	293	224	254	48	77	74	7.5
	10		22.61	0.42	0.43	0.43	288	231	225	49	79	75	5
	15		24.72	0.42	0.43	0.43	289	232	250	49	81	74	5
5	20	8:18	26.53	0.43	0.44	0.44	290	234	260	50	81	75	6
	25		28.37	0.47	0.48	0.48	287	237	260	50	83	76	6
	30		36.29	0.56	0.57	0.57	295	239	255	57	85	77	7
	35		32.31	0.54	0.55	0.55	297	240	258	53	85	77	7
4	40	8:38	34.33	0.55	0.56	0.56	297	240	257	52	85	77	8
	45		36.26	0.60	0.61	0.61	296	237	252	52	86	79	10
	50		38.45	0.60	0.61	0.61	299	238	255	53	86	78	10.5
	55		40.63	0.75	0.76	0.76	302	238	260	54	87	79	14
3	60	8:58	43.25	0.65	0.66	0.66	299	234	259	53	87	80	6.5
	65		45.50	0.71	0.72	0.72	300	234	248	55	88	80	7
	70		47.87	0.71	0.72	0.72	300	236	247	55	89	81	7.5
	75		50.27	0.78	0.79	0.79	301	236	246	55	92	82	8
2	80	9:18	52.78	0.80	0.81	0.81	305	234	247	54	91	82	9
	85		55.34	0.77	0.78	0.78	300	233	245	54	91	82	8.5
	90		57.87	0.82	0.83	0.83	302	233	245	54	90	82	8.5
	95		66.43	0.84	0.85	0.85	304	234	247	55	90	82	10
1	100	9:38	63.08	0.72	0.73	0.73	305	237	250	55	91	82	8.5
	105		65.56	0.72	0.73	0.73	291	237	248	57	91	83	8
	110		67.99	0.69	0.70	0.70	292	236	248	57	91	83	7.5
	115		70.37	0.72	0.73	0.73	290	237	252	58	92	84	8
	120.1	9:58	72.871										
		Post leak	✓	0.006 @ 15"									
		Pre leak	✓	0.007 @ 15"									

$V_m = 118.714$
 $\Delta V_m = 118.332$
 $\sqrt{\Delta p} = 0.869$
 $\Delta H = 0.774$
 $T_s = 300.6$
 $T_m = 87.4$

#1 ISO 102
 DS
 47

Plant Name: Waupaca @ Tell City

Test Date: 9-10-97

Run Number: 2 - Inlet I-m29-2 (CMA) 1/21/98

Operator: ADD/UM

Traverse Point Number	Sampling Time, (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V _L) ft ³	Velocity Head (P _V) in. H ₂ O	Orifice Pres. Differential (ΔH) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum In. Hg
					Desired	Actual		Inlet (E _{in}) °F	Outlet (E _{out}) °F				
B 6	120.1	10:33	73.253	0.95	0.96	0.96	289	224	230	58	88	83	6
	125	1	75.87	0.97	0.98	0.98	294	224	240	57	89	83	6.5
	130	1	78.64	0.72	0.73	0.73	305	234	260	57	92	85	6
	135	1	81.10	0.86	0.87	0.87	313	245	255	56	94	85	6.5
5	140	11:53	83.72	0.91	0.92	0.92	310	248	254	57	94	87	7
	145	1	86.44	0.79	0.80	0.80	302	253	257	58	95	88	7
	150	1	89.99	0.76	0.77	0.77	304	253	256	59	95	88	7
	155	1	91.49	0.80	0.81	0.81	305	253	252	60	95	88	7.5
4	160	11:13	94.04	0.89	0.90	0.90	311	252	254	60	96	88	8
	165	1	96.70	0.89	0.90	0.90	313	251	254	60	99	88	8.5
	170	1	99.39	0.86	0.87	0.87	313	251	253	60	96	89	8.6
	175	1	102.05	0.87	0.88	0.88	309	252	255	60	95	89	9.0
3	180	11:33	104.72	0.90	0.91	0.91	310	255	253	61	95	89	9.5
	185	1	107.51	1.0	1.0	1.0	312	257	255	61	96	89	10.5
	190	1	110.22	0.94	0.95	0.95	313	254	254	54	95	90	10.5
	195	1	112.99	1.1	1.1	1.1	316	252	253	54	95	90	11.5
2	200	11:53	115.87	0.90	0.91	0.91	315	248	256	53	94	91	11
	205	1	118.62	0.94	0.95	0.95	300	244	254	54	94	90	11.5
	210	1	121.37	1.0	1.0	1.0	302	241	253	54	94	90	12
	215	1	124.22	0.92	0.93	0.93	305	241	255	54	94	90	12.5
1	220	12:13	127.08	0.93	0.94	0.94	306	244	255	54	96	90	12.5
	225	1	129.71	0.87	0.88	0.88	291	246	254	54	97	91	13
	230	1	132.39	0.78	0.79	0.79	283	247	253	55	97	91	12.5
	235	1	134.94	0.71	0.72	0.72	287	245	256	56	98	91	12

240 12:38 137.414 END OF Run



SAMPLE RECOVERY DATA

PLANT Waupesa Foundry Run No. I-M29-2
DATE 9/10/87 Sample Box No. — Job No. S 414.003
SAMPLE LOCATION Inlet Filter No. 1019
TRAIN PREPARER M Hama-Han
SAMPLE RECOVERY PERSON M Hama-Han
COMMENTS Front Half Acid Rise → FHAR I-M29-2-FHAR

FRONT HALF

Acetone Liquid
Container No. I-M29-2-FHAR Level Marked Sealed
Filter
Container No. I-M29-2-F.HAR Sealed
Description of Filter Brown Particulate
Samples Stored and Locked

BACK HALF/MOISTURE

Container No. I-M29-2-5810%; I-M29-2-BHAR; I-M29-2-KMAY; I-M29-2-HCI
Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO ₃ /10% H ₂ O	100	730.7	772.1	41.4
2	5% HNO ₃ /10% H ₂ O	100	588.8	595.1	6.3
3	Empty	0	545.3	546.4	1.1
4	4% KMnO ₄ /10% H ₂ SO ₄	100	621.5 + 102.9 = 728.4	691.3	-37.1
5	4% KMnO ₄ /10% H ₂ SO ₄	190	627.6 + 102.9 = 730.5	766.3	34.8
6	S:1 Gal	—	776.9	801.6	24.7
TOTAL			4101.6	4172.8	71.2

FIELD DATA SHEET

~~K-0.997~~
K-1.017

Plant: Waupaca @ Tell City
 Sampling Location: Inlet
 Run Number: 3 Date: 9-10-97
 I-maq-3 (cmc) 1/21/98
 Pretest Leak Rate: 0.008 cfm @ 13 in. Hg.
 Pretest Leak Check: Pitot: Orsat:

Sample Type: Metals Operator: ADD/MM
 Pbar: 29.58 Ps: -11.25
 CO2: 10 O2: 10
 Probe Length/Type: 6' Glass Pilot # 5C
 Stack Diameter: 55 3/8" As:

Nozzle ID: 0.192 Thermocouple #: 10115C
 Assumed Bws: 3 Filter #: 1011
 Meter Box #: M5-4Y: 1021 ΔH@: 1.818
 Post-Test Leak Rate: 0.002 cfm @ 5 in. Hg.
 Post-Test Leak Check: Pitot: Orsat:

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) In H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
AIG	0	15:15	139.603										
	5		142.28	0.65	0.65	0.65	278	229	255	64	96	90	2
	10		144.58	0.98	0.98	0.98	278	228	255	57	98	89	3
	15		147.61	0.47	0.47	0.47	275	233	256	42	100	89	1.5
	20	15:38	149.73	0.62	0.62	0.62	292	232	254	44	97	90	1.5
	25		152.03	0.60	0.60	0.60	290	232	255	44	98	92	1.5
	30		154.27	0.63	0.63	0.63	290	238	254	43	99	90	2.0
	35		156.62	0.62	0.63	0.63	290	242	255	44	98	90	2.0
	40	15:58	158.94	0.55	0.56	0.56	288	244	256	43	98	89	2.0
	45	16:15	161.22	0.65	0.66	0.66	292	228	254	48	93	88	2.0
	50		163.56	0.54	0.55	0.55	295	233	256	46	97	88	2.0
	55		165.73	0.60	0.61	0.61	296	237	257	49	95	88	2.0
48	60	16:32	168.00	0.72	0.73	0.73	296	238	252	49	95	88	2.0
	65		170.42	0.78	0.79	0.79	306	237	254	49	96	88	2.0
	70		172.99	0.76	0.77	0.77	305	232	253	49	97	88	2.0
	75		175.53	0.83	0.84	0.84	305	228	255	50	96	88	2.0
52	80	16:52	178.20	0.73	0.74	0.74	308	225	256	50	96	89	2.0
	85		180.67	0.81	0.82	0.82	304	227	255	51	95	88	2.0
	90		183.29	0.81	0.82	0.82	311	227	255	51	96	88	2.0
	95		185.91	0.91	0.92	0.92	314	226	254	51	95	89	2.5
6	100	17:12	188.68	0.73	0.74	0.74	311	227	254	51	96	89	2.0
	105		191.20	0.74	0.75	0.75	307	227	255	52	95	88	2.5
	110		193.73	0.63	0.64	0.64	305	228	255	52	97	88	2.0
	115		196.05	0.69	0.70	0.70	304	228	256	53	97	87	2.5
	120	Post Leak	198.586				304	229	256	53	95	88	
		Pre Leak	0.010 @ 5"										
			0.008 @ 5"										

ent Down

new K

ent Down

22.9 - .895

$\Delta V_m = 122.005$ $\sqrt{\Delta p} = 0.8578$ $\Delta H = 0.706$ $T_s = 296 / 302$ $T_m = 88 / 90$
 0.8766 0.782 303.14

Plant Name: Waupaca @ Tell City Test Date: 9-10-97
 Run Number: 3 Intef I-m29-3 (enc) 1/2/1/1/1 Operator: ADD/MM

Traverse Point Number	Sampling Time, (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V) ft ³	Velocity Head (P _v) in. H ₂ O	Orifice Pres. Differential (ΔH) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F	Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum In. Hg
					Desired	Actual				Inlet (E _{in}) °F	Outlet (E _{out}) °F	
B 6	120	118:22	199.481	0.74	0.75	0.75	298	224 / 232	64	83	82	3.5
	125	1	201.87	0.73	0.74	0.74	307	225 / 244	54	86	82	3.5
	130	1	204.21	0.77	0.78	0.78	307	228 / 255	46	89	82	3.5
	135	1	206.78	0.77	0.78	0.78	308	233 / 258	44	90	82	3.5
5	140	118:41	209.29	0.87	0.88	0.88	308	239 / 260	44	90	83	3.5
	145	1	211.96	0.81	0.82	0.82	309	244 / 258	44	91	83	3.5
	150	1	214.54	0.84	0.85	0.85	306	246 / 254	44	91	83	3.5
	155	1	217.18	0.85	0.86	0.86	305	248 / 255	44	91	84	3.5
4	160	119:01	219.84	0.80	0.81	0.81	305	248 / 256	45	92	83	3.5
	165	1	222.43	0.85	0.86	0.86	308	247 / 255	45	91	83	3.5
	170	1	225.07	0.86	0.87	0.87	308	244 / 253	45	91	83	3.5
	175	1	227.74	0.91	0.92	0.92	310	242 / 255	46	91	83	3.5
3	180	119:21	230.48	1.1	1.1	1.1	312	241 / 254	46	91	83	4
	185	1	233.42	0.82	0.83	0.83	312	241 / 254	46	91	83	3.5
	190	1	236.04	0.98	0.99	0.99	311	239 / 255	47	91	83	4
	195	1	238.87	1.1	1.1	1.1	317	237 / 255	47	91	83	4
2	200	119:41	241.81	0.90	0.91	0.91	316	237 / 255	47	91	83	4
	205.7	1	244.97	0.80	0.81	0.81	307	235 / 255	47	90	83	4
	210	1	247.18	0.95	0.96	0.96	306	233 / 255	48	90	84	4
	215	1	249.88	0.87	0.88	0.88	308	231 / 255	48	90	83	4
1	220	120:01	252.66	0.71	0.72	0.72	305	230 / 254	48	90	82	4
	225.5	1	255.32	0.69	0.69	0.69	293	229 / 253	49	89	82	3.5
	230	1	257.45	0.85	0.86	0.86	293	227 / 253	49	89	82	4
	235	1	260.01	0.74	0.75	0.75	295	228 / 256	49	89	82	4
	240	20:21	262.503	— END OF RUN —								



SAMPLE RECOVERY DATA

PLANT Waukena Foundry Run No. I-M29-3
 DATE 9/10/97 Sample Box No. — Job No. S414.003
 SAMPLE LOCATION Inlet Filter No. 1011
 TRAIN PREPARER M Hami Hoo
 SAMPLE RECOVERY PERSON M Hami Hoo
 COMMENTS Front Half Acid Rinse → I-M29-3-FHAR

FRONT HALF

Acetone Liquid
 Container No. I-M29-3-FHAR Level Marked Sealed
 Filter
 Container No. I-M29-3-F.HAR Sealed
 Description of Filter Brown Particulate
 Samples Stored and Locked

BACK HALF/MOISTURE

Container No. I-M29-3-S%0% ; I-M29-3-BHAR ; I-M29-3-KM20V ; I-M29-3-NC1
 Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% KMnO ₄ / 10% H ₂ O ₂	100	729.5	766.6	37.1
2	5% KMnO ₄ / 10% H ₂ O ₂	100	709.6	713.1	3.5
3	Empty	0	566.1	566.6	0.5
4	4% KMnO ₄ / 10% H ₂ O ₂	100	731.5	732.0	0.5
5	4% KMnO ₄ / 10% H ₂ O ₂	100	731.9	732.8	0.9
6	S:1 Gel	—	765.0	783.2	18.2
TOTAL			4233.6	4294.3	60.7

BE

FIELD DATA SHEET

Plant: Waupaca Foundry @ ^{Tell City} Mill
 Sampling Location: Inlet
 Run Number: Field Blank Date: 9-8-97
 Pretest Leak Rate: 0.004 cfm @ 15 in. Hg.
 Pretest Leak Check: Pitot: — Orsat: —
0.004 @ 15"

Sample Type: Metals Operator: ADD/MM
 Pbar: 29.55 Ps: -11.25
 CO2: 10 O2: 10
 Probe Length/Type: 6' Glass Pitot #: 5C
 Stack Diameter: 55 3/8" As: NA

Nozzle ID: IMFC1 Thermocouple #: _____
 Assumed Bws: 5% Filter #: Blank
 Meter Box #: M5 Y: L021 ΔH @: L818
 Post-Test Leak Rate: 0.003 cfm @ 15 in. Hg.
 Post-Test Leak Check: Pitot: NA Orsat: NA

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (V _m) ft ³	Velocity Head (Δp) in H ₂ O	Orifice Pressure Differential (ΔH) in H ₂ O		Stack Temp. (T _s)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (T _{m in} °F)	Outlet (T _{m out} °F)	
Blank		16:21	931.631	0.004 @ 15"									
Blank		16:21	931.631	0.004 @ 15"									
			931.874	0.004 @ 15"									
		17:21	932.066	0.003 @ 15"									
				0.002 @ 15"									

$\Delta V_m =$ _____ $\sqrt{\Delta p} =$ _____ $\Delta H =$ _____ $T_s =$ _____ $T_m =$ _____



SAMPLE RECOVERY DATA

PLANT Wauwaca Foundry Run No. I-M29-B1k
 DATE 9/8/97 Sample Box No. — Job No. S. 4/4.003
 SAMPLE LOCATION Inlet Filter No. 1015
 TRAIN PREPARER M Hamilton
 SAMPLE RECOVERY PERSON M Hamilton
 COMMENTS Includes Front Half Acid Rinse

FRONT HALF

Acetone Liquid
 Container No. ~~I-M29-B1k~~ HACE Level Marked Sealed
 Filter
 Container No. I-M29-B1k-F.HW Sealed
 Description of Filter No Particulate
 Samples Stored and Locked

BACK HALF/MOISTURE

Container No. I-M29-B1k-5%10% ; I-M29-B1k-BHAR ; I-M29-B1k-Krady ; I-M29-B1k-HCI
 Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% / 10%	100	730.2	729.6	-0.6
2	5% / 10%	100	582.5	581.9	-0.6
3	Empty	0	542.8	542.2	-0.6
4	4% Krady / 10% H2O	100	729.2	729.0	-0.2
5	4% Krady / 10% H2O	100	726.6	726.7	0.1
6	Sil Gel	—	776.5	776.9	0.4
TOTAL			4087.8	4086.3	-1.5

Pacific Environmental Services, Inc.

Dry Molecular Weight Determination

Client/Project: WAUPACA - 5414.003
 Date/Time: 9/9/97
 Sample Type: Orsat Bag
 Ambient Temp. °F: 70

Orsat No. 0-2
 Operator: B. Kelle
 Comments:
 Site Location: Dryhouse Inlet

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
I-1A	CO ₂	10.6	10.6	10.6	10.6			10.6	0.44	4.66
	O ₂ ^a	21.8	11.2	21.8	11.2			11.2	0.32	3.58
	CO ^b								0.28	
	N ₂ ^c	100.0	78.2	100.0	78.2			78.2	0.28	21.90
									Md =	30.14

Correct run 1
 Average =
 CO₂ = 10.75
 O₂ = 10.88

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
I-1B	CO ₂	10.9	10.9	10.9	10.9			10.9	0.44	4.80
	O ₂ ^a	21.4	10.5	21.5	10.6			10.55	0.32	3.38
	CO ^b								0.28	
	N ₂ ^c	100.0	78.6	100.0	78.5			78.55	0.28	21.99
									Md =	30.17

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
I-1C	CO ₂								0.44	
	O ₂ ^a								0.32	
	CO ^b								0.28	
	N ₂ ^c								0.28	
									Md =	

^a O₂ Net Volume is O₂ actual reading minus CO₂ actual reading.

^b CO Net Volume is CO actual reading minus O₂ actual reading.

^c N₂ Net Volume is 100 minus CO actual reading.

Pacific Environmental Services, Inc.

Dry Molecular Weight Determination

Client/Project: WAPACA = 54H.003
 Date/Time: 9/10/97
 Sample Type: Orsat Bag
 Ambient Temp. °F: 70

Orsat No. 0-2
 Operator: P. R. L. L.
 Comments: _____
 Site Location: Bayhouse Inlet / Cupola Outlet

Run No. (s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
I-2A	CO ₂	11.2	11.2	11.4	11.4			11.3	0.44	4.97	
	O ₂ ^a	20.8	9.6	20.8	9.4			9.5	0.32	3.04	
	CO ^b								0.28		
	N ₂ ^c	100.0	79.2	100.0	79.2			79.2	0.28	22.18	
									Md =	30.19	

INLET RUN 2
Average

✓

Run No. (s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
I-2B	CO ₂	11.8	11.8	11.8	11.8			11.8	0.44	5.19	
	O ₂ ^a	21.2	9.4	21.2	9.4			9.4	0.32	3.01	
	CO ^b								0.28		
	N ₂ ^c	100.0	78.8	100.0	78.8			78.8	0.28	22.06	
									Md =	30.26	

CO₂ = 11.8

O₂ = 9.45

✓

Run No. (s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
I-2C	CO ₂	11.8	11.8	12.0	12.0			11.9	0.44	5.24	
	O ₂ ^a	21.2	9.4	21.2	9.2			9.3	0.32	2.98	
	CO ^b								0.28		
	N ₂ ^c	100.0	78.8	100.0	78.8			78.8	0.28	22.06	
									Md =	30.28	

✓ B2

^a O₂ Net Volume is O₂ actual reading minus CO₂ actual reading.

^b CO Net Volume is CO actual reading minus O₂ actual reading.

^c N₂ Net Volume is 100 minus CO actual reading.

Pacific Environmental Services, Inc.

Dry Molecular Weight Determination

Client/Project: W/AvPACA-5414.003 Orsat No. 0-2
 Date/Time: 9/10/97 Operator: R. Kolbe
 Sample Type: Orsat Bag Comments: _____
 Ambient Temp. °F: 70 Site Location: Bayhaver Inlet

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
I-2D	CO ₂	11.4	11.4	11.4	11.4			11.4	0.44	5.02	
	O ₂ ^a	21.0	9.6	21.0	9.6			9.6	0.32	3.07	
	CO ^b								0.28		
	N ₂ ^c	100.0	79.0	100.0	79.0			79.0	0.28	22.12	
									Md =	30.21	✓

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
I-3A	CO ₂	11.4 12.0	11.4 12.0	12.0	12.0			12.0	0.44	5.28	
	O ₂ ^a	21.0	9.0	21.0	9.0			9.0	0.32	2.88	
	CO ^b								0.28		
	N ₂ ^c	100.0	79.0	100.0	79.0			79.0	0.28	22.12	
									Md =	30.28	✓

INLET
 Sample Run 3
 CO₂ = 12.4
 O₂ = 8.75

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
I-3B	CO ₂	13.2	13.2	13.0	13.0			13.1	0.44	5.76	
	O ₂ ^a	21.6	8.4	21.6	8.6			8.5	0.32	2.72	
	CO ^b								0.28		
	N ₂ ^c	100.0	78.4	100.0	78.4			78.4	0.28	21.95	
									Md =	30.43	✓

BE

^a O₂ Net Volume is O₂ actual reading minus CO₂ actual reading.
^b CO Net Volume is CO actual reading minus O₂ actual reading.
^c N₂ Net Volume is 100 minus CO actual reading.

Pacific Environmental Services, Inc.

Dry Molecular Weight Determination

Client/Project: WAUPACA-5414.003
 Date/Time: 9/10/97
 Sample Type: Orsat Bag
 Ambient Temp. °F: 70

Orsat No. 0-2
 Operator: R. Koll
 Comments: _____
 Site Location: Baghouse Outlet Inlet

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
I-3C	CO ₂	12.0	12.0	12.0	12.0			12.0	0.44	5.28
	O ₂ ^a	21.0	9.0	21.0	9.0			9.0	0.32	2.88
	CO ^b								0.28	
	N ₂ ^c	100.0	79.0	100.0	79.0			79.0	0.28	22.12
									Md =	30.28

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
I-3D	CO ₂	12.4	12.4	12.6	12.6			12.5	0.44	
	O ₂ ^a	21.0	8.6	21.0	8.4			8.5	0.32	
	CO ^b								0.28	
	N ₂ ^c	100.0	79.0	100.0	79.0			79.0	0.28	
									Md =	

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
	CO ₂								0.44	
	O ₂ ^a								0.32	
	CO ^b								0.28	
	N ₂ ^c								0.28	
									Md =	

^a O₂ Net Volume is O₂ actual reading minus CO₂ actual reading.

^b CO Net Volume is CO actual reading minus O₂ actual reading.

^c N₂ Net Volume is 100 minus CO actual reading.

Appendix A.2

Raw Field Data

Baghouse Outlet

TRAVERSE POINT LOCATION FOR CIRCULAR DUCTS

Plant: WAUPACA Foundry

Date: 9-8-97

Sampling Location: Capola Outlet

Inside of Far Wall to Outside of Nipple: 95.5"

Inside of Near Wall to Outside of Nipple (Nipple Length): 3.5"

Stack I.D.: 92"


Distance Downstream from Flow Disturbance (Distance B):

$$25' \frac{300}{12} \text{ inches} / \text{Stack I.D.} = 33 \text{ dd}$$

Distance Upstream from Flow Disturbance (Distance A):

$$89' \frac{1068}{12} \text{ inches} / \text{Stack I.D.} = 11.6 \text{ dd}$$

Calculated By: T. R. ... Gen E 3115



Schematic of
Sampling Location

Traverse Point Number	Fraction of Length	Length (inches)	Product of Columns 2 & 3 (To nearest 1/8")	Nipple Length (inches)	Traverse Point Location (Sum of Col. 4 & 5)
1	.021	92"	1.9	3.5"	5.4
2	.067		6.2		9.7
3	.113		10.9		14.4
4	.159		16.3		19.8
5	.206		23.0		26.5
6	.256		32.8		36.3
7	.304		69.8		72.5 ^{72.7}
8	.350		69.0		72.5
9	.393		75.7		79.2
10	.432		81.1		84.6
11	.473		85.8		89.2
12	.517		90.1		95.6



GAS VELOCITY AND VOLUMETRIC FLOW RATE

Plant: Waypassa Foundry Date: 9-8-97
 Sampling Location: W. Pala Outlet Clock Time: 1310
 Run #: Preliminary Operators: TA/BE
 Barometric Pressure, in. Hg: 29.55 Static Pressure, in. H₂O: .05
 Moisture, %: 8 Molecular wt., Dry: _____ Pitot Tube, Cp: .84
 Stack Dimension, in. Diameter or Side 1: 92" Side 2: _____
 Wet Bulb, °F: _____ Dry Bulb, °F: _____

Cyclonic Flow Check

Degrees	Direction	Traverse Point Number	Velocity Head in. H ₂ O	Stack Temp. °F
1°	CW	East 1	.14	251
6°	CW	2	.16	252
0°	-	3	.19	256
2°	CW	4	.26	258
3°	CW	5	.32	258
2°	CW	6	.33	250
9°	CC	South 1	.12	250
9°	CC	2	.13	253
15°	CC	3	.21	259
15°	CC	4	.29	254
18°	CC	5	.32	255
26°	CC	6	.31	256
2°	CC	West 1	.10	255
13°	CC	2	.10	257
28°	CC	3	.11	259
31°	CC	4	.16	259
33°	CC	5	.19	255
30°	CC	6	.20	250
0°	-	North 1	.10	252
2°	CC	2	.09	255
9°	CC	3	.11	260
24°	CC	4	.09	261
38°	CC	5	.09	260
42°	CC	6	.08	257

Average = 15.3%

$\sqrt{\Delta P} = 4014$ $T_s = 256$

$$M_d = (0.44 \times \%CO_2) + (0.32 \times \%O_2) + (0.28 \times \%N_2)$$

$$M_d = (0.44 \times \quad) + (0.32 \times \quad) + (0.28 \times \quad)$$

$$M_d = 27.32$$

$$M_s = M_d \times (1 - \frac{\%H_2O}{100}) + 18 (\frac{\%H_2O}{100})$$

$$M_s = (\quad) \times (1 - \frac{\quad}{100}) + 18 (\frac{\quad}{100})$$

$$M_s = 28.75$$

$$T_s = \quad ^\circ F = \quad ^\circ R (^\circ F + 460)$$

$$P_s = P_b + \frac{S.P.}{13.6} = (\quad) + \frac{\quad}{13.6}$$

$$P_s = 29.55 \text{ in. Hg}$$

$$\sqrt{\Delta P} = \quad$$

$$V_s = 85.49 \times C_p \times \sqrt{\Delta P} \times \sqrt{\frac{T_s (^\circ R)}{P_s \times M_s}}$$

$$V_s = 85.49 \times (\quad) \times (\quad) \times \sqrt{\quad}$$

$$V_s = 26.45 \text{ ft/s}$$

$$A_s = 46.16 \text{ ft}^2$$

$$Q_s = V_s \times A_s \times 60 \text{ s/m}$$

$$Q_s = \quad \times \quad \times 60$$

$$Q_s = 73,722 \text{ acfm}$$

$$Q_{s, \text{std}} = Q_s \times 17.647 \times \frac{P_s}{T_s} \times (1 - \frac{\%H_2O}{100})$$

$$Q_{s, \text{std}} = \quad \times 17.647 \times \quad \times (1 - \frac{\quad}{100})$$

$$Q_{s, \text{std}} = 50,729 \text{ acfm}$$

FIELD DATA SHEET

Plant: Waypaca
 Sampling Location: Cupola Outlet
 Run Number: Preliminary Date: 8-9-97
 Pretest Leak Rate: 1005 cfm @ 15 in. Hg.
 Pretest Leak Check: Pitot: - Orsat: -

Sample Type: M-4 Operator: RA/GG
 Pbar: 29.55 Ps: 1.05
 CO2: 3 O2: 17
 Probe Length/Type: 5' SS Pitot #: -
 Stack Diameter: 92" As: 46.2 ft²

Nozzle ID: - Thermocouple #: -
 Assumed Bws: .05 Filter #: M-1
 Meter Box #: 13 Y: 947 ΔH@: 1.810
 Post-Test Leak Rate: 0.18 cfm @ 5 in. Hg.
 Post-Test Leak Check: Pitot: - Orsat: -

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
0	1642	1642	631.608	/	/	/	/	/	/	/	/	/	
10	1652	1652	639.7	-	1.8	1.8	251	232	260	55	90	89	3
20	1702	1702	647.740	-	1.8	1.8	261	249	261	57	73	90	4
				74	1.8	1.8	262	245	261	59	106	95	4

V/c = 19.1
 ΔVm = 16.132 $\sqrt{\Delta p}$ = - ΔH = 1.8 Ts = 256 Tm = 91
 VMS = 14.5 0.110 % H2O = 5.8%



SAMPLE RECOVERY DATA

PLANT WAUPACA Run No. Prelim Moisture
DATE 9/8/97 Sample Box No. N-7 Job No. 5404,003
SAMPLE LOCATION Boyle's Outlet Filter No. —
TRAIN PREPARER [Signature]
SAMPLE RECOVERY PERSON [Signature]
COMMENTS Moisture Frain

FRONT HALF

Acetone Liquid
Container No. _____ Level Marked _____ Sealed _____
Filter
Container No. _____ Sealed _____
Description of Filter _____
Samples Stored and Locked _____

BACK HALF/MOISTURE

Container No. _____
Liquid Level Marked _____ Sealed _____

IMP. NO.-	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	DI H ₂ O	100	566.7	572.7	6.0
2	DI H ₂ O	100	578.4	580.7	2.3
3	Empty	0	451.8	458.7	6.9
4	Silica bed	250	677.1	681.0	3.9
5					4.0
6					
TOTAL			2274.0	2293.1	19.1

[Signature]

FIELD DATA SHEET

31 2

Plant: Waupaca
 Sampling Location: Baghouse Outlet
 Run Number: M29-0-1 Date: 9-9-97
 Pretest Leak Rate: .0003 cfm @ 115 in. Hg.
 Pretest Leak Check: Pitot: 0.k Orsat: N/A

Sample Type: M-29 Operator: Mabne Nozzle ID: 0.311 Thermocouple #: D-100-16-4
 Pbar: 29.50 Ps: +0.20 Assumed Bws: 6% Filter #: 301675
 CO2: 9.5% O2: 9.5% Meter Box #: M5-3 Y: 1.028 ΔH@: 1.796
 Probe Length/Type: 6" SS/Glass Pitot #: D-72-07 Post-Test Leak Rate: _____ cfm @ _____ in. Hg.
 Stack Diameter: 92" As: 46.16 Post-Test Leak Check: Pitot: _____ Orsat: N/A

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
					S 1	0		10:29	250.918				
	5		254.57	.19	1.3	1.3	221°	248°	242°	48°	75°	75°	3"
2	10		257.62	.21	1.47	1.5	243°	247°	253°	43°	78°	75°	3.5"
	15		261.13	.22	1.54	1.5	245°	249°	249°	42°	82°	75°	3.5"
3	20		264.74	.22	1.54	1.5	246°	248°	252°	45°	87°	76°	3.5"
	25		268.08	.38	2.66	2.7	253°	250	250°	44°	89°	76°	4.5"
4	30		272.25	.36	2.52	2.50	250°	251°	251°	43°	90°	77°	4.5"
	35		275.78	.21	1.47	1.5	248°	249°	255	45°	90°	78°	3.5"
5	40		278.10	.09	0.63	0.63	245°	249°	252°	47°	89°	79°	2"
	45		280.92	.14	0.98	0.98	244°	248°	251°	49°	88°	79°	3"
6	50		282.87	.07	0.49	0.49	242°	246°	251°	50°	87°	80°	2"
	55		284.60	.05	0.35	0.35	241°	255°	251°	50°	86°	80°	2"
W 1	60	11:29	286.35	.05	0.35	0.35	240°	251°	249°	50°	85°	80°	2"
	65	11:44	287.67	.03	0.21	0.21	200°	256°	262°	54°	82°	80°	2"
2	70		289.50	.03	0.21	0.21	200°	253°	251°	52°	85°	80°	2"
	75		290.61	.04	0.28	0.28	214°	252°	253°	48°	86°	80°	2"
3	80		292.12	.04	0.28	0.28	220°	252°	255°	46°	86°	81°	2"
	85		293.52	.03	0.21	0.21	230°	255°	248°	46°	86°	81°	2"
4	90		295.09	.04	0.28	0.28	235°	254°	250°	48°	85°	81°	2"
	95		296.48	.03	0.21	0.21	233°	251°	247°	48°	83°	81°	2"
5	100		297.85	.03	0.21	0.21	233°	255°	252°	49°	83°	81°	2"
	105		299.20	.03	0.21	0.21	234°	251°	248°	49°	84°	81°	2"
6	110		300.57	.03	0.21	0.21	233°	252°	252°	48°	84°	81°	2"
	115		301.78	.02	0.14	0.14	233°	251°	255°	50°	84°	81°	2"
N 1	120	12:39	302.92	.02	0.14	0.14	232°	251°	247°	51°	83°	80°	2"
	125	12:57	304.11	.02	0.14	0.14	223°	252°	246°	53°	81°	80°	2"
2	130	13:02	305.27	.02	0.14	0.14	224°	251°	249°	48°	84°	80°	2"

$\Delta V_m =$ _____
 $\sqrt{\Delta p} =$ _____
 $\Delta H =$ _____
 $T_s =$ _____
 $T_m =$ _____

-0.027

-0.025

FIELD DATA SHEET

Plant: Waipaea
 Sampling Location: Baghouse Outlet
 Run Number: M29-0-1 Date: 9-9-97
0-M29-1 (1721/98)
 Pretest Leak Rate: 0.003 cfm @ 11.5 in. Hg.
 Pretest Leak Check: Pitot: Orsat: N/A
 at 9"

Sample Type: M-29 Operator: Malone
 Pbar: 29.50 Ps: +0.20
 CO2: 9.5% O2: 9.5%
 Probe Length/Type: 6' SS/glx Pitot #: D-72-07
 Stack Diameter: 92" As: 46.16

Nozzle ID: 0.311 Thermocouple #: D-100-16-4
 Assumed Bws: 6% Filter #: 301675
 Meter Box #: M-5-3 Y: 1.028 ΔH@: 1.796
 Post-Test Leak Rate: 0.006 cfm @ 8.5 in. Hg.
 Post-Test Leak Check: Pitot: O.K. Orsat: N/A
 at 5"

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Nm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
N2	135	13:07	306.42	0.02	0.19	0.19	226°	250°	254°	47°	85°	80°	2"
3	140	↓	307.77	0.03	0.21	0.21	227°	251°	253°	46°	85°	80°	2"
	145		308.92	0.02	0.14	0.14	228°	254	246°	45°	86°	80°	2"
4	150		310.05	0.02	0.14	0.14	227°	252°	246°	47°	85°	80°	2"
	155		311.18	0.02	0.14	0.14	228°	251°	249°	48°	85°	80°	2"
5	160		312.37	0.02	0.14	0.14	228°	254°	255°	48°	85°	80°	2"
	165		313.72	0.03	0.21	0.21	229°	254°	247°	48°	86°	81°	2"
6	170	314.86	0.02	0.14	0.14	228°	253°	252°	48°	87°	82°	2"	
	175	316.23	0.03	0.21	0.21	229°	253°	248°	48°	87°	82°	2"	
E 1	180	13:52 14:03	317.371 317.411	0.02	0.14	0.14	230°	255°	248°	49°	86°	82°	2" -0.040
	185	↓	319.29	0.06	0.42	0.42	223°	254°	246°	52°	83°	82°	2"
2	190	↓	322.04	0.13	0.91	0.91	224°	249°	247°	48°	90°	82°	2"
	195	↓	324.31	0.09	0.63	0.63	226°	253°	248°	48°	93°	82°	2"
3	200	↓	326.60	0.09	0.63	0.63	230°	253°	248	51°	93°	83°	2"
	205	↓	328.86	0.09	0.63	0.63	231°	249°	247°	48°	93°	83°	2"
4	210	↓	331.17	0.09	0.63	0.63	232°	253°	256°	47°	94°	84°	2"
	215	↓	333.45	0.09	0.63	0.63	232°	254°	248°	47°	94°	84°	2"
5	220	↓	335.48	0.07	0.49	0.49	232°	253°	252°	48°	94°	85°	2"
	225	↓	337.69	0.08	0.56	0.56	231°	252°	252°	48°	93°	85°	2"
6	230	↓	339.60	0.07	0.49	0.49	231°	249°	254°	49°	93°	86°	2"
	235	↓	341.33	0.05	0.35	0.35	232°	251°	253°	50°	93°	86°	2"
END Run	240	15:03	343.050	0.05	0.35	0.35	231°	244°	254°	51°	93°	86°	2"
			92.132										
			- 0.092	√ΔP = 0.253			Avg ΔH = 0.552	Avg Ts = 230.77					
			92.040										

$\Delta V_m = 92.040$ $\sqrt{\Delta P} = 0.253$ $\Delta H = 0.552$ $T_s =$ $T_m = 83.625$ T_D
 Act H₂O = 5.505 84.1 117.3 gr... Moisture



SAMPLE RECOVERY DATA

PLANT Waupesa Faraday Run No. 0-M29-1
 DATE 8/9/27 Sample Box No. - Job No. S 414.003
 SAMPLE LOCATION Outlet Filter No. 301675
 TRAIN PREPARER M. Hami Han
 SAMPLE RECOVERY PERSON M. Hami Han
 COMMENTS Front Half Acid Rings -> 0-M29-1-FHAR

FRONT HALF

Acetone Liquid
 Container No. 0-M29-1-FHAR Level Marked Sealed
 Filter
 Container No. 0-M29-1-FILU Sealed
 Description of Filter Light Tan Rings
 Samples Stored and Locked

BACK HALF/MOISTURE

Container No. 0-M29-1-92108 ; 0-M29-1-BHAR ; 0-M29-1-KM004 ; 0-M29-1-HCI
 Liquid Level Marked Sealed

IMP. NO. _	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO ₃ / 10% H ₂ O ₂	100	722.0	776.6	54.6
2	5% HNO ₃ / 10% H ₂ O ₂	100	675.8	690.4	14.6
3	Empty	0	591.0	597.5	6.5
4	4% KMnO ₄ / 10% H ₂ O ₂	100	727.7	734.4	6.7
5	4% KMnO ₄ / 10% H ₂ O ₂	100	731.7	739.2	7.5
6	S:1 Gel	-	846.9	868.8	22.4
TOTAL			4295.1	4406.9	112.8 BE

FIELD DATA SHEET

Plant: Waupaca
 Sampling Location: Baghouse Outlet
 Run Number: M29-0-2 Date: 9-10-97
O-M29-2 cma 1/21/97
 Pretest Leak Rate: .0065 cfm @ 11 in. Hg.
 Pretest Leak Check: Pitot: O.K. Orsat: N/A

Sample Type: M-29 Operator: Malone
 Pbar: 29.58 Ps: +0.20
 CO2: 12% O2: 10%
 Probe Length/Type: 6' SS/Glass Pitot #: D-72-07
 Stack Diameter: 92" As: 46.16

Nozzle ID: 0.311 Thermocouple #: D-100-16-4
 Assumed Bws: 5.5% Filter #: 301640
 Meter Box #: M-5-3 Y: 1.028 ΔH@: 1.796
 Post-Test Leak Rate: .004 cfm @ 8 in. Hg.
 Post-Test Leak Check: Pitot: O.K. Orsat: N/A 7.3K

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)	
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)		
S 1	0	08:10	343.517											
	5		346.32	.14	1.022	1.0	225°	253°	247°	47°	77°	71°	2"	74
2	10		349.25	.15	1.095	1.1	225°	252°	248°	47°	84°	71°	2"	77
	15		352.42	.19	1.387	1.4	240°	255°	250°	47°	85°	72°	2"	79
3	20		355.42	.16	1.168	1.2	240°	253°	252°	46°	87°	73°	2"	80
	25		358.38	.15	1.095	1.1	240°	254°	250°	48°	87°	74°	2"	80
4	30		361.61	.19	1.387	1.4	240°	255°	258°	50°	88°	75°	2"	82
	35		364.77	.18	1.314	1.3	242°	254°	249°	48°	88°	75°	2"	82
5	40		367.78	.16	1.168	1.2	242°	253°	254°	47°	88°	76°	2"	82
	45		370.29	.11	0.803	0.8	242°	258°	253°	47°	89°	76°	2"	82
6	50		373.13	.14	1.022	1.0	243°	255°	252°	47°	88°	77°	2"	83
	55		375.56	.10	0.73	0.73	244°	253°	258°	48°	88°	78°	2"	83
E 1	60	09:10	377.984	.10	0.73	0.73	246°	253°	256°	48°	88°	78°	2"	83-038
	65	09:54	378.022	.33	2.4	2.4	249°	251°	247°	46°	81°	78°	3"	80
2	70		382.31	.37	2.7	2.7	250°	253°	248°	41°	90°	79°	3"	85
	75		386.87	.41	2.993	3.0	260°	254°	247°	42°	94°	80°	3.5"	87
3	80		391.68	.47	3.431	3.4	263°	254°	253°	44°	95°	81°	4"	88
	85		401.62	.43	3.139	3.1	262°	253°	248°	46°	96°	82°	3.5"	89
4	90		406.49	.43	3.139	3.1	260°	252°	249°	46°	97°	82°	3.5"	89
	95		410.57	.31	2.263	2.3	257°	253°	252°	47°	98°	83°	3"	90
5	100		414.47	.27	1.971	2.0	258°	252°	254°	47°	97°	84°	3"	90
	105		418.19	.25	1.825	1.8	262°	250°	253°	48°	97°	84°	3"	90
6	110		421.82	.25	1.825	1.8	259°	248°	249	48°	97°	84°	3"	90
	115		425.14	.19	1.387	1.4	257°	252°	247°	49°	98°	85°	2"	90
N 1	120	10:54	428.179	.16	1.168	1.2	257°	251°	250°	50°	98°	86°	2"	92-052
	125	11:08	430.41	.08	.584	.59	257°	252°	251°	50°	90°	86°	2"	88
2	130	11:13	432.63	.08	.584	.59	258°	253°	252°	45°	92°	86°	2"	89

stack gas Molecular Weight
 29.642

$\Delta V_m = 142.003$ $\sqrt{\Delta p} = 0.389$ $\Delta H = 1.211$ $T_s = 253.208$ $ISO = 102.544$ $T_m = 89.125$ $2204"$
Art... 05 ... 88. ... 24 476 5 91 ... 78

Plant Name: Waypaca

Test Date: 9-10-97

Run Number: M29-0-2 ~~0-M29-2~~ 12/1/98

Operator: Malone

Traverse Point Number	Sampling Time (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V) ft ³	Velocity Head (P _v) in. H ₂ O	Orifice Pres. Differential (ΔI) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F	Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum In. Hg	
					Desired	Actual				Inlet (T _{in}) °F	Outlet (T _{out}) °F		
N 2	135	11:18	434.85	.08	.584	.59	255°	251° / 253°	44°	93°	86°	2"	89
3	140		437.08	.08	.584	.59	254°	251° / 252°	45°	93°	87°	2"	90
	145		439.29	.08	.584	.59	257°	252° / 253°	44°	94°	87°	2"	91
3	150		441.19	.06	.438	.44	256°	254° / 255°	44°	93°	87°	2"	90
	155		443.11	.06	.438	.44	257°	253° / 247°	45°	93°	87°	2"	90
4	160		445.05	.06	.438	.44	257°	248° / 247°	47°	95°	87°	2"	91
	165		446.82	.05	.365	.365	257°	250° / 256°	48°	96°	88°	2"	92
5	170		449.05	.08	.584	.59	258°	250° / 254°	48°	96°	88°	2"	92
	175		451.51	.10	0.73	.73	260°	253° / 250°	48°	96°	88°	2"	92
6	180	12:03	453.99	.10	0.73	.73	260°	249° / 250°	47°	97°	89°	2"	93
	185	12:15	456.98	.15	1.095	1.1	255°	249° / 245°	47°	95°	89°	2"	94
W 1	190		459.99	.15	1.095	1.1	254°	252° / 248°	43°	101°	90°	2"	95
	195		463.10	.17	1.241	1.2	260°	249° / 249°	43°	102°	90°	2"	96
2	200		466.22	.17	1.241	1.2	260°	248° / 245°	44°	104°	92°	2"	98
	205		469.04	.13	0.949	0.95	260°	252° / 249°	45°	104°	92°	2"	98
3	210		471.86	.13	0.949	0.95	259°	249° / 248°	46°	104°	93°	2"	98
	215		474.61	.11	0.803	0.80	258°	249° / 252°	46°	105°	94°	2"	99
4	220		477.22	.11	0.803	0.80	260°	252° / 252°	47°	104°	94°	2"	99
	225		479.65	.10	0.73	.73	260°	250° / 248°	48°	103°	94°	2"	99
5	230		481.92	.09	0.657	.66	261°	252° / 246°	49°	101°	94°	2"	98
	235		483.89	.06	.438	.44	260°	250° / 249°	50°	101°	93°	2"	97
6	240	13:15	485.658	.05	.365	.365	260°	251° / 247°	51°	97°	92°	2"	95

-.138 6.791 15.80 5678.0

2074 (ps) -090



SAMPLE RECOVERY DATA

PLANT Wau-paca Foundry Run No. O-M29-2

DATE 9/10/47 Sample Box No. — Job No. S 414.003

SAMPLE LOCATION Outlet Filter No. 301640

TRAIN PREPARER M Hamilton

SAMPLE RECOVERY PERSON M Hamilton

COMMENTS Front half Acid Rinse -> O-M29-2-FHA

FRONT HALF

Acetone Liquid Container No. O-M29-2-FHA Level Marked Sealed

Filter Container No. O-M29-2-Filter Sealed

Description of Filter Light Tan Rings

Samples Stored and Locked

BACK HALF/MOISTURE

Container No. O-M29-2-5%102; O-M29-2-BHAR; O-M29-2-KMo2; O-M29-2-MC1

Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO ₃ /10% H ₂ O ₂	100	733.2	770.2	37.0
2	5% HNO ₃ /10% H ₂ O ₂	100	651.3	671.8	20.5
3	Empty	0	552.2	553.9	1.7
4	5% KMnO ₄ /10% H ₂ SO ₄	100	621.8 + 107.7 = 729.5	688.4	-41.1
5	5% KMnO ₄ /10% H ₂ SO ₄	100	623.8 + 107.7 = 731.5	769.7	38.2
6	5:1 Gall	—	910.1	932.9	22.8
TOTAL			4307.8	4386.9	79.1

Handwritten signature or initials.

FIELD DATA SHEET

31

Plant: Waypaca
 Sampling Location: Bayhouse Outlet
 Run Number: M29-0-3 Date: 9-10-97
 Pretest Leak Rate: 0005 cfm @ 11 in. Hg.
 Pretest Leak Check: Pitot: AK, Orsat: N/A

Sample Type: M-29 Operator: Malone
 Pbar: 29.58 Ps: +0.20
 CO2: 12% O2: 10%
 Probe Length/Type: 6' 35/40s Pitot #: D-72-07
 Stack Diameter: 92" As: 46.16

Nozzle ID: 0.311 Thermocouple #: D-100-16-4
 Assumed Bws: _____ Filter #: 301632
 Meter Box #: M5-3 Y: 1.028 ΔH@: 1.796
 Post-Test Leak Rate: .002 cfm @ 12 in. Hg.
 Post-Test Leak Check: Pitot: AK, Orsat: N/A

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
W 1	0	15:20	485.908										
	5		489.03	.16	1.12	1.10	236°	252°	254°	55°	95°	90°	2"
2	10		492.27	.16	1.12	1.1	238°	253°	252°	54°	99°	90°	2"
	15		495.49	.18	1.26	1.3	257°	249°	246°	44°	101°	90°	3"
3	20		498.71	.15	1.05	1.1	254°	249°	252°	45°	101°	90°	3"
	25		501.57	.13	0.91	.91	259°	248°	253°	45°	101°	91°	3"
4	30		503.99	.11	.77	.77	251°	249°	249°	45°	100°	91°	2"
	35		506.22	.08	.56	.56	250°	252°	255°	46°	99°	91°	2"
5	40	16:01	508.40	.08	.56	.56	249°	250°	254°	47°	97°	91°	2"
	45		510.26	.05	.35	.35	247°	250°	253°	47°	96°	91°	2"
6	50		511.87	.07	.49	.49	247°	251°	251°	51°	91°	88°	2"
	55		513.40	.04	.28	.28	248°	250°	252°	46°	92°	87°	2"
S 1	60	16:34	515.254	.06	.42	.42	249°	252°	251°	44°	92°	86°	2"
	65	16:36	517.45	.08	.56	.56	249°	253°	245°	44°	87°	84°	2"
2	70		519.32	.06	.42	.42	249°	250°	247°	43°	89°	84°	2"
	75		521.68	.11	.77	.77	250°	252°	251°	42°	90°	83°	2"
3	80		523.81	.08	.56	.56	250°	252°	247°	42°	91°	83°	2"
	85		525.92	.08	.56	.56	252°	255°	247°	43°	91°	83°	2"
4	90		528.04	.08	.56	.56	252°	249°	246°	43°	90°	83°	2"
	95		530.16	.08	.56	.56	254°	250°	251°	44°	90°	82°	2"
5	100		532.13	.07	.49	.49	254°	252°	253°	44°	90°	82°	2"
	105		533.97	.06	.42	.42	254°	253°	250°	45°	90°	82°	2"
6	110		535.80	.06	.42	.42	253°	250°	248°	46°	89°	82°	2"
	115		537.66	.06	.42	.42	253°	251°	249°	46°	89°	82°	2"
E 1	120	17:46	539.501	.06	.42	.42	252°	250°	247°	46°	89°	82°	2"
	125	18:19	542.90	.22	1.546	1.5	253°	251°	252°	41°	88°	80°	3"
2	130	18:24	546.38	.22	1.546	1.6	251°	251°	253°	40°	92°	80°	3"

K = 7.0

top
1 min into Run

process down - 16:01 (41 min)
Restart 16:20

$\Delta V_m = 135.043$ $\sqrt{\Delta p} = 0.587$ $\Delta H = 1.101$ $T_s = 248.708$ $T_m = 87.708$
 19.977 0.3806 18.14 $6506.$

Plant Name: Waupaca Test Date: 9-10-97

Run Number: M29-03 0-M29-3 cnc 1/2/98 Operator: Malone

Traverse Point Number	Sampling Time (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V) ft ³	Velocity Head (P _v) in. H ₂ O	Orifice Pres. Differential (ΔH) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F	Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum In. Hg	
					Desired	Actual				Inlet (T _{in}) °F	Outlet (T _{out}) °F		
E 2	135	118:29	549.96	.25	1.75	1.75	253°	252° / 249°	41°	94°	81°	3"	87
3	140	1	553.51	.25	1.75	1.75	255°	248° / 249°	42°	94°	81°	3.5"	87
	145	1	557.23	.27	1.89	1.9	255°	251° / 255°	43°	94°	81°	4"	87
4	150	1	560.99	.28	1.96	2.0	257°	251° / 255°	44°	94°	81°	4"	87
	155	1	564.53	.22	1.54	1.5	258°	251° / 256°	45°	94°	81°	4"	87
5	160	1	567.78	.22	1.54	1.5	259°	252° / 251°	46°	93°	81°	4"	87
	165	1	570.72	.15	1.05	1.1	258°	253° / 256°	45°	93°	81°	3"	87
6	170	1	573.74	.15	1.05	1.1	258°	249° / 248°	46°	92°	81°	3"	87
	175	1	576.51	.14	.98	.98	257°	249° / 251°	46°	91°	80°	2"	86
N 1	180	119:14	579.338 579.358	.14	.98	.98	255°	250° / 249°	46°	90°	80°	2"	85 .06
	185	1	583.38	.31	2.17	2.2	252°	254° / 250°	46°	83°	79°	4"	81
2	190	1	587.42	.31	2.17	2.2	252°	251° / 255°	45°	92°	79°	4"	86
	195	1	591.67	.34	2.38	2.4	258°	253° / 257°	46°	93°	79°	4"	86
3	200	1	595.66	.32	2.24	2.2	259°	254° / 258°	47°	93°	79°	4"	86
	205	1	599.59	.29	2.03	2.0	261°	252° / 247°	48°	93°	79°	4"	86
4	210	1	603.48	.30	2.1	2.1	262°	253° / 248°	48°	92°	79°	4"	86
	215	1	607.10	.25	1.75	1.75	263°	251° / 249°	48°	92°	79°	4"	86
5	220	1	610.41	.22	1.54	1.5	261°	250° / 252°	49°	91°	79°	4"	85
	225	1	613.37	.17	1.19	1.2	259°	254° / 252°	49°	90°	79°	3"	85
6	230	1	616.11	.14	.98	.98	259°	251° / 249°	48°	89°	78°	3"	84
	235	1	618.78	.13	.91	.91	258°	251° / 254°	49°	87°	78°	3"	83
	240	120:21	621.128	.10	.70	.70	257	254° / 253°	49°	87°	77°	3"	82
	1							1					
	1							1					

10.291 34.7 5432.0



SAMPLE RECOVERY DATA

PLANT Waupaca Foundry Run No. 0-M29-3

DATE 9/10/87 Sample Box No. — Job No. S414.003

SAMPLE LOCATION Outlet Filter No. 301632

TRAIN PREPARER M Hami Han

SAMPLE RECOVERY PERSON M Hami Han

COMMENTS Front Half Acid Piece → 0-M29-3-FHAR

FRONT HALF

Acetone Liquid
Container No. 0-M29-3-FHAR Level Marked Sealed

Filter
Container No. 0-M29-3-Filter Sealed

Description of Filter Light Tan Rings

Samples Stored and Locked

BACK HALF/MOISTURE

Container No. 0-M29-3-SR102 ; 0-M29-3-BHAR ; 0-M29-3-KM04 ; 0-M29-3-HCI

Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO ₃ / 10% H ₂ O ₂	100	730.0	776.0	46.0
2	5% HNO ₃ / 10% H ₂ O ₂	100	680.5	691.9	11.4
3	Empty	0	592.5	595.2	2.7
4	4% KMnO ₄ / 10% H ₂ SO ₄	100	732.4	732.8	0.4
5	4% KMnO ₄ / 10% H ₂ SO ₄	100	730.1	730.3	0.2
6	Si:1 Gel	—	860.2	880.3	20.1
TOTAL			4325.7	4406.5	80.8

Handwritten signature or initials.



SAMPLE RECOVERY DATA

PLANT Warpaco Feeder Run No. 0-M29-BIK

DATE 9/18/47 Sample Box No. — Job No. 544.007

SAMPLE LOCATION Outlet Filter No. 301642

TRAIN PREPARER M Hami Han

SAMPLE RECOVERY PERSON M Hami Han

COMMENTS Includes Front Half Acid Rinse

FRONT HALF

Acetone Liquid
Container No. 0-M29-BIK-FM Level Marked Sealed

Filter
Container No. 301642 Sealed

Description of Filter No Particulate

Samples Stored and Locked

BACK HALF/MOISTURE

Container No. 0-M29-BIK-5%10% ; 0-M29-BIK-BHAB ; 0-M29-BIK-KM₂ ; 0-M29-BIK-MC₁

Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5%/10%	100	725.1	724.8	-0.3
2	5%/10%	100	652.7	652.7	0.0
3	Empty	0	551.1	551.1	0.0
4	4% KM ₂ O ₇ /10% H ₂ SO ₄	100	726.4	726.4	0.0
5	4% KM ₂ O ₇ /10% H ₂ SO ₄	100	727.8	727.8	0.0
6	S:1 Gel	—	909.9	910.8	0.9
TOTAL			4293.0	4293.6	0.6

AJ

BE

FIELD DATA SHEET

π 13.4

Plant: WAVPAC FOUNDRY
 Sampling Location: CUPOLA OUTLET
 Run Number: M327 Date: 9-9-97
 Pretest Leak Rate: .002 cfm @ 15 in. Hg.
 Pretest Leak Check: Pitot: Orsat:

Sample Type: M33 Operator: GL
 Pbar: 29.5 Ps: †, 20
 CO2: 9 O2: 12
 Probe Length/Type: 5' Glass Pitot #: 5E
 Stack Diameter: 92 As:

Nozzle ID: .34 Thermocouple #: TSB
 Assumed Bws: .005 Filter #: 80-23-1
 Meter Box #: FMBBY: 1.010 ΔH@: 1.855
 Post-Test Leak Rate: .001 cfm @ 8 in. Hg.
 Post-Test Leak Check: Pitot: Orsat:

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)	
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)		
	0	1029	577.051											
N	1	1034	579.085	.05	.5	.5	220	243	246	87	81	81	2	
	2	1039	581.101	.05	.5	.5	231	252	246	63	81	81	2	
		15	1044	583.023	.05	.5	.5	244	252	251	62	82	81	2
	3	20	1047	585.147	.05	.5	.5	245	242	244	66	84	81	2
		25	1052	587.045	.05	.5	.5	242	246	250	61	86	82	3
E		30	1059	589.110	.05	.5	.5	244	247	250	61	87	82	3
		35	1104	591.720	.08	.8	.8	249	255	252	62	88	82	4
	5	40	1109	594.090	.08	.8	.8	245	251	251	58	90	83	4
		45	1112	596.230	.05	.55	.55	225	246	249	60	90	83	4
	6	50	1119	598.375	.05	.55	.55	224	253	252	62	91	84	4
		55	1124	600.535	.05	.55	.55	218	249	250	62	91	85	4
	1	60	1129 1139	602.622	.05	.55	.55	190	244	250	61	90	86	4
		65	1144	605.611	.08	.87	.87	214	241	253	62	89	86	4
	2	70	1149	607.874	.08	.87	.87	240	250	252	61	92	86	4
		75	1154	610.710	.11	1.1	1.1	240	245	246	61	94	86	5
S	3	80	1159	613.520	.11	1.1	1.1	237	250	249	61	95	85	5
		85	1204	616.372	.10	1.0	1.0	239	252	250	61	96	88	5
	4	90	1209	619.210	.10	1.0	1.0	238	252	251	62	98	89	5
		95	1214	622.184	.12	1.2	1.2	237	253	252	62	98	89	5
	5	100	1219	625.191	.12	1.2	1.2	227	234	251	62	101	90	5
		105	1224	628.011	.10	1.0	1.0	236	247	251	61	98	90	5
	6	110	1229	631.020	.10	1.0	1.0	234	247	249	61	99	90	5
		115	1234 1234	634.011	.10	1.0	1.0	232	245	249	61	99	91	5
1	120	1239	634.820	.06	.65	.65	232	251	250	62	94	91	4	
	125	1257	639.1	.06	.65	.65	234	247	250	58	96	91	4	
2	130	1202	641.592	.10	1.0	1.0	233	248	249	54	96	91	4	

- 024
607.622
602.646
1001

52
01657090
56.62220

Corrected = 122.060

$\Delta V_m = 122.494$ $\sqrt{\Delta p} = .3208$ $\Delta H = 1.52$ $T_s = 230^\circ$
 LEAK Check: $175 \cdot 2.0 \cdot 2.7788 \cdot 1.83 \cdot 690^\circ \cdot 1.55$

$\bar{T}_m = 91$
 $(V_c) 150 \cdot 996 \cdot 0.27 / 0.24 \cdot 1.11$

Plant Name: W A U P A C 1 F O U N D A T I O N

Test Date: 9-9-97

Run Number: M-23-1 B0-23-1 (MC) 1/21/98

Operator: G. G. W.

Traverse Point Number	Sampling Time (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V) ft ³	Velocity Head (P _v) in. H ₂ O	Orifice Pres. Differential (Δh) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F	Impinger Temp.		Dry Gas Meter Temp.		Pump Vacuum In. Hg
					Desired	Actual			Inlet °F	Outlet °F	Inlet (E _{in}) °F	Outlet (E _{out}) °F	
S	135	1307	644.138	1.0	1.0	1.0	233	242 / 244	56	56	98	91	5
3	140	1312	646.940	1.0	1.0	1.0	234	250 / 250	56	52	98	91	5
	145	1317	649.997	1.0	1.0	1.0	233	254 / 247	57	52	98	91	5
4	150	1322	652.711	1.1	1.1	1.1	233	253 / 250	57	53	99	91	5
	155	1327	655.555	1.1	1.1	1.1	234	297 / 250	58	53	100	91	5
5	160	1332	659. —	1.3	1.4	1.4	235	246 / 250	59	54	99	91	5
	165	1337	662.010	1.3	1.4	1.4	236	245 / 246	60	51	100	92	6
6	170	1342	666.009	1.5	1.6	1.6	232	250 / 247	60	51	101	92	6
	175	1347	669.012	1.5	1.6	1.6	230	255 / 247	60	53	101	92	6
W 1	180	1352 / 1402	672.596	.04	.43	.43	211	240 / 249	65	52	44	90	2
	185	1406	674.410	.04	.43	.43	231	249 / 252	63	56	94	91	2
2	190	1411	676.3	.05	.53	.53	233	245 / 246	63	56	94	90	2
	195	1416	677.3	.05	.53	.53	232	253 / 249	62	54	94	91	2
3	200	1421	680.2	.06	.64	.64	233	251 / 248	62	54	95	91	3
	205	1426	682.7	.06	.64	.64	233	247 / 248	62	54	95	91	3
4	210	1431	685.0	.06	.64	.64	231	247 / 248	62	53	96	90	3
	215	1436	697.376	.06	.64	.64	231	253 / 248	63	52	97	90	3
5	220	1441	699.635	.06	.64	.64	225	244 / 249	63	55	97	91	3
	225	1446	699.970	.06	.64	.64	217	251 / 247	63	53	97	91	3
6	236	1451	694.289	.08	.86	.86	195	252 / 249	63	53	97	91	4
	235	1456	696.912	.08	.86	.86	195	253 / 250	63	53	97	91	4
	240	1501	699.545	.08	.86	.86	193	283 / 248	61	55	97	91	
	1							1					
	1							1					

672.950
672.596

METHOD 23 CDD/CDF SAMPLE RECOVERY DATA

Plant: WAUPACA FOUNDRY						Run No.: B0-23-1	
Sample Date: 9/9/97			Filter No.(s): B0-23-1			Job No.: S414.003	
Sample Location: BAGHOUSE OUTLET							
Recovery Date: 9/9/97			XAD-2 Trap No.(s): B0-23-1				
Sample Recovery Person: RK/BE							
Moisture Data							
Impingers	XAD - 2 Trap	1 (knockout)	2 (100 ml H ₂ O) (untipped)	3 (100 ml H ₂ O) (tipped)	4 (knockout) (untipped)	Silica gel (untipped)	
Final wt.	-	554.0	717.7	709.2	603.3	832.6	g
Initial wt.	-	494.0	719.5	711.5	599.2	806.9	g
Net wt.	-	60.0	-1.8	-2.3	4.1	25.7	g
Description							
Train System: Method 23 TRAIN						TOTAL: 86.5 g ✓	
Probe: 7' Glass							
Filter: Color - Light Tan				Loading - LIGHT			
Impinger Contents: DI TYPE II H ₂ O							
Silica Gel: @Grams Used - 300				Color - lt. blue % Spent - 80			
Condensate Observed In Front Half: NONE							
Recovered Sample Fractions							
Filter Container No. 7						marked/sealed: BS	
XAD Module Container No.: 8						marked/sealed: BS	
Probe (FH) & Back Half Rinse (Acetone) Container No.: 9						Liquid level marked/sealed: BS	
Probe (FH) & Back Half Rinse (Toluene) Container No.: 9						Liquid level marked/sealed: BS	
Impinger Contents Container No.: 10						Liquid level marked/sealed: BS	
Impinger Rinse (Acetone/ ^{Toluene} MeCl ₂) Container No.: 9						Liquid level marked/sealed: BS	

FIELD DATA SHEET

K = 14.0

Plant: WAU PRAE FOUNDRY
 Sampling Location: M23 - 2 COUPLES OUTLET
 Run Number: M23.2 Date: 9-10-97
 Pretest Leak Rate: .001 cfm @ 15 in. Hg.
 Pretest Leak Check: Pitot: Orsat:

Sample Type: M23 Operator: GGM
 Pbar: 29.58 Ps: T.25
 CO2: 7.0 O2: 9.5
 Probe Length/Type: 5' (LOW) Pitot #: SE
 Stack Diameter: 92 As: 46.16

Nozzle ID: 340 Thermocouple #: T5B
 Assumed Bws: 5 Filter #: B0-232
 Meter Box #: RMB13Y: 1010 ΔH@: 1.859
 Post-Test Leak Rate: .004 cfm @ 15 in. Hg.
 Post-Test Leak Check: Pitot: Orsat:

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. (T ₀) °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)	
					Desired	Actual		Probe	Filter		Inlet (T _{m in}) °F	Outlet (T _{m out}) °F		
0	0	0910	700.630											
1	5	0915	703.1	.06	.63	.63	244	246	247	55	50	68	67	2
	10	0920	705.4	.06	.63	.63	244	244	247	52	46	70	67	2
	15	0925	707.2	.05	.52	.52	244	246	245	53	48	72	69	2
2	20	0930	709.2	.05	.52	.52	250	251	250	53	40	75	70	2
	25	0935	711.4	.05	.53	.53	241	244	252	54	42	76	71	3
3	30	0940	713.6	.05	.53	.53	242	245	255	54	48	76	71	3
	35	0945	716.2	.10	1.0	1.0	243	252	248	51	48	82	74	5
4	40	0950	719.9	.10	1.0	1.0	242	252	251	50	49	84	76	5
	45	0955	721.7	.10	1.0	1.0	243	251	252	50	48	86	76	5
5	50	0900	724.7	.10	1.0	1.0	245	252	251	52	49	87	78	5
	55	0905	727.7	.11	1.1	1.1	242	252	250	54	50	89	77	5
6	60	0910	730.831	.11	1.1	1.1	242	253	251	53	51	89	79	5
1	65	0954	735.8	.10	1.0	1.0	259	245	251	61	53	89	85	5
	70	0959	738.5	.10	1.0	1.0	260	251	251	55	52	91	85	5
	75	1004	742.1	.17	1.8	1.8	260	250	250	55	51	92	86	6
2	80	1009	746.2	.22	2.3	2.3	264	252	249	52	51	96	86	7
	85	1014	750.6	.25	2.6	2.6	265	250	251	53	52	98	87	8
3	90	1019	755.5	.30	3.2	3.2	261	245	253	55	54	99	87	10
	95	1024	760.7	.33	3.5	3.5	259	249	253	56	55	101	89	11
4	100	1029	765.8	.30	3.2	3.2	266	252	256	56	55	103	89	11
	105	1034	770.2	.30	3.2	3.2	263	250	251	57	56	105	90	11
5	110	1039	775.10	.33	3.5	3.5	262	250	253	57	56	107	90	11
	115	1044	781.3	.33	3.5	3.5	261	251	252	57	53	104	91	11
6	120	1049	786.389	.33	3.5	3.5	262	252	252	56	52	105	92	11

$\Delta T_{max} = 22.179$
 $\Delta V_m = 23.490$
 $\sqrt{\Delta p} = 1.3861$
 $\Delta H = 1.774$
 $T_0 = 252$
 $T_m = 94$
 83.596

Leak check

1002
 730.831
 732.875
 2.044
 11:55

1003
 786.389
 786.508
 - 119

- 2.159
 total

Ways

Plant Name: WAVE PAVE FOUNDRY
 Run Number: BQ-23-2

Test Date: 9-10-97
 Operator: GARY GUY

786.509 →

Traverse Point Number	Sampling Time, (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V) ft ³	Velocity Head (P _v) in. H ₂ O	Orifice Pres. Differential (ΔI) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F	Impinger Temp. (F _{in} / F _{out})	Dry Gas Meter Temp.		Pump Vacuum In. Hg
					Desired	Actual				Inlet (E _{in}) °F	Outlet (E _{out}) °F	
1	125	1108	789.9	.14	1.5	1.5	264	244 / 248	57 / 53	97	93	6
	130	1113	793.4	.14	1.5	1.5	264	253 / 250	54 / 52	102	93	6
	135	1118	797.2	.14	1.9	1.9	263	263 / 248	51 / 52	104	92	7
2	140	1123	801.1	.18	1.9	1.7	264	250 / 251	51 / 52	105	92	7
	145	1128	805.3	.22	2.3	2.3	265	249 / 246	50 / 51	107	95	8
3	150	1133	809.8	.22	2.3	2.3	262	246 / 251	56 / 52	109	96	8
	155	1138	814.4	.31	3.3	3.3	265	248 / 251	51 / 52	110	98	10
4	160	1143	819.4	.31	3.3	3.3	265	250 / 254	52 / 53	116	98	11
	165	1148	824.6	.35	3.7	3.7	264	249 / 255	52 / 53	111	98	11
5	170	1153	830.0	.35	3.7	3.7	266	244 / 252	54 / 55	111	99	11
	175	1158	835.7	.40	4.3	4.3	267	248 / 250	54 / 55	111	99	15
6	180	1203	841.458	.40	4.3	4.3	267	251 / 253	55 / 55	110	99	15
		1215										
1	185	1220	844.1	.08	.87	.87	263	244 / 251	61 / 55	104	100	4
	190	1225	846.6	.08	.87	.87	264	245 / 253	58 / 55	106	100	4
	195	1230	849.2	.08	.87	.87	264	249 / 250	56 / 54	106	100	4
2	200	1235	851.5	.09	.87	.87	264	250 / 250	56 / 55	107	101	4
	205	1240	853.7	.05	.54	.54	262	251 / 253	59 / 56	107	101	4
3	210	1245	855.7	.05	.54	.54	262	250 / 251	59 / 52	108	101	4
	215	1250	858.0	.06	.65	.65	261	252 / 250	60 / 54	104	102	4
4	220	1255	860.4	.06	.65	.65	262	251 / 252	60 / 52	108	102	4
	225	1300	863.0	.08	.87	.87	263	250 / 251	66 / 52	108	102	4
5	230	1305	865.7	.08	.87	.87	259	253 / 253	57 / 52	109	102	4
	235	1310	869.3	.08	.87	.87	258	250 / 249	56 / 52	109	102	4
6	240	1315	871.075	.08	.87	.87	259	253	55 / 51	109	102	

100.3
 15.149
 541.458
 541.508
 - .050

$\bar{V} = 168.152$
 $\bar{V}_{avg} = 386.7$
 $\bar{V}_s = 258$
 $\bar{T}_m = 94$
 $\bar{P}_{SO_2} = 99\%$
 $\bar{P}_{SO_2} = 5\%$

METHOD 23 CDD/CDF SAMPLE RECOVERY DATA

Plant: <u>LAUPACA FOUNDRY</u>	Run No.: <u>BD-23-2</u>
Sample Date: <u>9/10/97</u>	Filter No.(s): <u>BD-23-2</u>
Sample Location: <u>BAGHOUSE OUTLET</u>	Job No.: <u>5414.003</u>
Recovery Date: <u>9/10/97</u>	XAD-2 Trap No.(s): <u>BD-23-2</u>
Sample Recovery Person: <u>RK/BE</u>	

Moisture Data

Impingers	XAD - 2 Trap	1 (knockout)	2 (100 ml H2O) (untipped)	3 (100 ml H2O) (tipped)	4 (knockout) (untipped)	Silica gel (untipped)	
Final wt.	-	<u>533.8</u>	<u>701.1</u>	<u>701.2</u>	<u>599.6</u>	<u>890.5</u>	g
Initial wt.	-	<u>475.5</u>	<u>703.2</u>	<u>703.4</u>	<u>596.9</u>	<u>854.9</u>	g
Net wt.	-	<u>58.3</u>	<u>-2.1</u>	<u>-2.2</u>	<u>2.7</u>	<u>35.6</u>	g

Description

Train System: EPA Method 23 TOTAL: 92.3g

Probe: 7' Glass

Filter: Color - lt. brown Loading - Light

Impinger Contents: Clear

Silica Gel: @Grams Used - 300 Color - lt blue % Spent - 50

Condensate Observed In Front Half: NONE

Recovered Sample Fractions

Filter Container No. <u>16</u>	marked/sealed: <u>BE</u>
XAD Module Container No.: <u>17</u>	marked/sealed: <u>BE</u>
Probe (FH) & Back Half Rinse (Acetone) Container No.: <u>18</u>	Liquid level marked/sealed: <u>BE</u>
Probe (FH) & Back Half Rinse (Toluene) Container No.: <u>18</u>	Liquid level marked/sealed: <u>BE</u>
Impinger Contents Container No.: <u>19</u>	Liquid level marked/sealed: <u>BE</u>
Impinger Rinse (Acetone/ ^{Toluene} Meth) Container No.: <u>-</u>	Liquid level marked/sealed: <u>-</u>

FIELD DATA SHEET

Plant: WALPALE FOUNDRY
 Sampling Location: COOLER OUTLET
 Run Number: B0233 Date: 9-10-97
 Pretest Leak Rate: .005 cfm @ 15 in. Hg.
 Pretest Leak Check: Pitot: Orsat:

Sample Type: m23 Operator: G. C. M.
 Pbar: 29.58 Ps: .22
 CO2: 9 O2: 11
 Probe Length/Type: 5' CLASS Pitot #: SE
 Stack Diameter: 92 As: 46.16

Nozzle ID: .34 Thermocouple #: TSB
 Assumed Bws: 0.5 Filter #: B023.3
 Meter Box #: RMB12 Y: 1.016 ΔH@: 1.059
 Post-Test Leak Rate: .007 cfm @ 12 in. Hg.
 Post-Test Leak Check: Pitot: Orsat:

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F (Ti)	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)	
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)		
	0	1520	871.867											
NOJET	5	1525	874.4	.08	.85	.85	257	251	250	69 51	91	90	4	
	10	1530	877.0	.08	.85	.85	258	250	252	62 51	92	90	4	
	15	1535	880.2	.14	1.5	1.5	259	260	251	58 53	93	91	4	
	20	1540	882.4	.05	.5	.5	256	252	250	53 52	96	91	4	
	25	1545	884.7	.05	.5	.5	254	250	249	54 51	97	91	4	
1602	30	1550	886.5	.04	.43	.43	250	250	250	57 51	98	92	4	
	35	1555	885.5	.04	.43	.43	247	251	252	60 52	98	92	4	
	40	1600	890.3	.03	.33	.33	245	251	252	57 51	100	93	3	
	45	1605	891.9	.03	.33	.33	245	252	252	56 51	100	93	3	
	50	1610	893.8	.03	.33	.33	247	253	253	56 51	100	95	3	
1620	55	1615	895.3	.03	.33	.33	225	244	252	55 47	100	95	3	
	60	1620	897.05	.03	.33	.33	242	253	252	56 48	101	95	3	
		1646	897.057											
	E.M.T	65	1651	900.7	.13	1.4	1.4	221	245	254	55 47	102	96	3
		70	1656	903.5	.15	1.6	1.6	255	248	253	50 46	104	96	5
75		1701	910.6	.15	1.6	1.6	254	247	252	50 46	105	97	6	
80		1706	914.9	.21	2.3	2.3	255	250	252	52 47	105	96	7	
85		1711	918.9	.22	2.4	2.4	257	245	251	52 47	105	96	9	
	90	1716	923.7	.24	3.0	3.0	258	251	250	52 46	105	96	10	
	95	1721	924.6	.25	2.7	2.7	258	252	249	52 45	106	96	10	
	100	1726	933.5	.30	3.2	3.2	259	250	250	53 46	105	96	10	
	105	1731	937.0	.22	2.4	2.4	257	258	247	53 45	106	96	9	
	110	1736	938.2	.22	2.4	2.4	256	245	251	53 45	105	95	8	
	115	1741	942.2	.25	2.7	2.7	256	248	251	53 45	105	96	9	
	120	1746	946.602	.25	2.7	2.7	256	248	250	53 45	105	96	9	

$\Delta V_m = \frac{166.708}{166.991}$
 $\sqrt{\Delta p} = \frac{3.224}{0.3841}$
 $\Delta H = \frac{1.46}{1.74}$
 $T_s = \frac{251}{254}$
 $T_m = \frac{98}{96.5}$

(166.708)
 166.991
 0.3841,
 1.74,
 254 ✓_{SS}
 96.5 ✓_{SS}

1002
 2
 5.14
 897.0
 897.0
 .0024
 946.60
 946.60
 1131
 .186
 0.0521
 .1341
 0.097
 0.283
 total
 for leak
 check

Plant Name: WAU PAVE FOUNDRY

Test Date: 9-10-97

Run Number: 80-23-3

Operator: G GAY

18:00 046.756

Traverse Point Number	Sampling Time (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V) ft ³	Velocity Head (P _v) in. H ₂ O	Orifice Pres. Differential (ΔH) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F	Impinger Temp.		Dry Gas Meter Temp.		Pump Vacuum In. Hg
					Desired	Actual			F _{in} °F	F _{out} °F	Inlet (E _{in}) °F	Outlet (E _{out}) °F	
1	125	1805	950.0	.10	1.0	1.0	252	250 / 245	54	47	97	93	5
	136	1810	952.9	.13	1.4	1.4	255	245 / 256	50	48	97	95	5
	135	1815	956.7	.13	1.4	1.4	258	247 / 249	50	47	98	93	5
2	140	1820	959.5	.15	1.6	1.6	257	244 / 250	51	49	99	93	6
	145	1825	963.7	.22	2.3	2.3	259	247 / 250	52	49	100	93	6
3	150	1830	967.8	.20	2.1	2.1	258	250 / 230	52	48	101	93	7
	155	1835	972.0	.26	2.8	2.8	257	251 / 250	53	46	102	93	7
4	160	1840	976.7	.26	2.8	2.8	256	245 / 251	53	47	102	92	9
	165	1845	981.7	.32	3.4	3.4	258	246 / 250	53	47	102	92	10
5	170	1850	986.9	.35	3.8	3.8	259	244 / 251	54	47	102	93	11
	175	1855	992.3	.35	3.8	3.8	260	244 / 250	52	46	102	92	11
6	180	19:00	997.76	.35	3.8	3.8	261	249 / 250	52	47	102	92	11
		19:08						1					
1	185	1913	0009.42	.10	1.1	1.1	248	245 / 250	57	46	95	91	5
	190	1918	003.7	.10	1.1	1.1	257	250 / 251	52	47	96	91	5
	195	1923		.10	1.1	1.1	257	252 / 249	52	47	97	90	5
2	200	1928	009.7	.10	1.1	1.1	259	246 / 250	51	47	98	90	5
	205	1933	013.0	.13	1.4	1.4	258	245 / 249	52	48	98	90	5
3	210	1938	016.2	.13	1.4	1.4	258	248 / 251	51	47	98	91	5
	215	1943	019.6	.15	1.6	1.6	260	249 / 250	52	47	98	90	6
4	220	1948	023.1	.15	1.6	1.6	261	252 / 250	51	48	99	90	6
	225	1953	027.0	.20	2.1	2.1	267	250 / 250	53	48	99	91	6
5	230	1958	031.0	.20	2.1	2.1	252	251 / 250	53	48	99	92	6
	235	2003	034.9	.18	1.9	1.9	258	251 / 250	52	49	99	96	7
6	240	2008	038.958	.18	1.9	1.9	257	248 / 250	52	48	99	97	

1005
2
11 in Hg
997.716
997.813

METHOD 23 CDD/CDF SAMPLE RECOVERY DATA

Plant: WAUPACA FOUNDRY	Run No.: 60-23-3
Sample Date: 9/10/97	Filter No.(s): 60-23-3
Sample Location: BAGHOUSE OUTLET	Job No.: 5414.003
Recovery Date: 9/11/97	XAD-2 Trap No.(s): 60-23-3
Sample Recovery Person: BELCK	

Moisture Data

	XAD - 2 Trap	1 (knockout)	2 (100 ml H2O) (untipped)	3 (100 ml H2O) (tipped)	4 (knockout) (untipped)	Silica gel (untipped)	
Final wt.	-	54.3	-1.5	-2.0	1.0	32.3	g
Initial wt.	-	495.4	729.9	725.5	601.8	816.1	g
Net wt.	-	549.7	728.4	723.5	602.8	898.4	g

Description

Train System: EPA METHOD 23 / BOX ID: N-5 / TOTAL: 84.1g ✓

Probe: 7' GLASS

Filter: Color - Tan Loading - light

Impinger Contents: Type II Water

Silica Gel: @Grams Used - 300 Color - H. blue % Spent - 62

Condensate Observed In Front Half: NONE

Recovered Sample Fractions

Filter Container No. 25	marked/sealed: BE
XAD Module Container No.: 26	marked/sealed: BE
Probe (FH) & Back Half Rinse (Acetone) Container No.: 27	Liquid level marked/sealed: BE
Probe (FH) & Back Half Rinse (Toluene) Container No.: 27	Liquid level marked/sealed: BE
Impinger Contents Container No.: 28	Liquid level marked/sealed: BE
Impinger Rinse (Acetone/ ^{Toluene} Me612) Container No.: —	Liquid level marked/sealed: —

METHOD 23 CDD/CDF SAMPLE RECOVERY DATA

Plant: WAUPACA FOUNDRY						Run No.: FB-23-1	
Sample Date: 9/8/97			Filter No.(s): FB-23-1			Job No.: SM14.003	
Sample Location: BAGHOUSE OUTLET							
Recovery Date: 9/8/97			XAD-2 Trap No.(s): FB-23-1				
Sample Recovery Person: RK/BE							
Moisture Data							
Impingers	XAD - 2 Trap	1 (knockout)	2 (100 ml H2O) (untipped)	3 (100 ml H2O) (tipped)	4 (knockout) (untipped)	Silica gel (untipped)	
Final wt.	—	475.5	703.2	703.4	596.9	854.9	g
Initial wt.	—	475.5	703.2	703.4	596.9	854.9	g
Net wt.	—	0.0	0.0	0.0	0.0	0.0	g
Description							
Train System: Method 23 TRAIN						TOTAL: 0.0g	
Probe: 7' GLASS							
Filter: Color - White				Loading - NONE			
Impinger Contents: Clear							
Silica Gel: @Grams Used - 300		Color - Blue		% Spent - 0			
Condensate Observed In Front Half: NONE							
Recovered Sample Fractions							
Filter Container No. 1						marked/sealed: BE	
XAD Module Container No.: 2						marked/sealed: BE	
Probe (FH) & Back Half Rinse (Acetone/ ^{Toluene}) Container No.: 3						Liquid level marked/sealed: BE	
Probe (FH) & Back Half Rinse (Toluene) Container No.: —						Liquid level marked/sealed: —	
Impinger Contents Container No.: —						Liquid level marked/sealed: —	
Impinger Rinse (Acetone/ ^{Toluene}) Container No.: —						Liquid level marked/sealed: —	

METHOD 23 CDD/CDF SAMPLE RECOVERY DATA

FB-23-2

Plant: <i>WAVRACA Foundry</i>	Run No.: <i>FB-2-23</i>
Sample Date: <i>9/11/97</i>	Filter No.(s): <i>FB2-23</i>
Sample Location: <i>Field Blank at test site - Baghouse outlet</i>	
Recovery Date: <i>9/11/97</i>	XAD-2 Trap No.(s): <i>FB2-23</i>
Sample Recovery Person: <i>R. White / B. El-say</i>	

DS

Moisture Data

NET

FINAL

	XAD - 2 Trap	1 (knockout)	2 (100 ml H2O) (untipped)	3 (100 ml H2O) (tipped)	4 (knockout) (untipped)	Silica gel (untipped)	
Final Wt.	-	0.0	-0.1	-0.1	0.0	-0.2	g
Initial wt.	-	476.9	702.4	702.6	599.6	870.4	g
Net Wt.	-	476.9	702.3	702.5	599.6	870.2	g

Description

Train System: *EPA Method 23 / TOTAL: 0.0g*

Probe: *7' Glass*

Filter: Color - *White* Loading - *None*

Impinger Contents: *Clear*

Silica Gel: @Grams Used - *300* Color - *Blue/White* % Spent - *0*

Condensate Observed In Front Half: *None*

Recovered Sample Fractions

Filter Container No. <i>34</i>	marked/sealed: <i>PL</i>
XAD Module Container No.: <i>35</i>	marked/sealed: <i>BL</i>
Probe (FH) & Back Half Rinse (Acetone) Container No.: <i>36</i>	Liquid level marked/sealed: <i>OK</i>
Probe (FH) & Back Half Rinse (Toluene) Container No.: <i>---</i>	Liquid level marked/sealed: <i>---</i>
Impinger Contents Container No.: <i>---</i>	Liquid level marked/sealed: <i>---</i>
Impinger Rinse (Acetone/MeCl2) Container No.: <i>---</i>	Liquid level marked/sealed: <i>---</i>

FIELD DATA SHEET

K = 13.1

Plant: Waupaca Foundry

Sample Type: M-0010 Operator: JA

Nozzle ID: 340 Thermocouple #: 4C

Sampling Location: Lupala Outlet

Pbar: 29.50 Ps: .20

Assumed Bws: .06 Filter #: 80-0010-1

Run Number: 30-0010-1 Date: 9-9-97

CO2: 9 O2: 12

Meter Box #: 13 Y: 947 ΔH@: 1.81

Pretest Leak Rate: .008 cfm @ 15 in. Hg.

Probe Length/Type: 5' Glass Pitot #: 4C

Post-Test Leak Rate: .003 cfm @ 14 in. Hg.

Pretest Leak Check: Pitot: Orsat:

Stack Diameter: 92" As: 46.16

Post-Test Leak Check: Pitot: Orsat:

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
0	0	1024	649.336										
East 1	5	1034	651.7	.11	1.1	1.1	232	245	259	57	80	79	5
	10	1039	654.6	.11	1.1	1.1	248	253	256	58	80	79	5
2	15	1044	658.2	.15	1.5	1.5	249	248	256	60	81	79	7
	20	1049	661.8	.13	1.3	1.3	248	257	259	58	84	80	7
3	25	1054	665.9	.20	2.0	2.0	248	257	257	57	87	81	8
	30	1059	669.8	.15	1.5	1.5	248	256	257	60	87	81	8
4	35	1104	675.7	.33	3.3	3.3	255	249	257	61	89	82	13
	40	1109	678.7	.09	0.9	0.9	247	254	257	62	91	83	5
5	45	1114	681.6	.09	0.9	0.9	231	254	257	62	92	83	5
	50	1119	685.3	.15	1.5	1.5	239	253	262	63	92	84	7
6	55	1124	688.3	.10	1.0	1.0	230	252	257	62	93	84	6
	60	1129/1131	691.232	.09	0.9	0.9	233	254	256	61	94	85	5
South 1	65	1134	694.4	.08	0.8	0.8	234	257	257	61	91	87	4
	70	1139	696.5	.05	0.5	0.5	243	256	255	61	94	88	4
2	75	1154	699.4	.10	1.0	1.0	242	255	256	61	95	88	7
	80	1159	702.2	.08	0.8	0.8	241	256	256	61	96	89	6
3	85	1204	705.3	.11	1.1	1.1	240	252	255	62	98	90	7
	90	1209	708.3	.11	1.1	1.1	241	253	255	62	98	90	7
4	95	1214	711.7	.10	1.0	1.0	240	254	254	62	99	91	7
	100	1219	715.0	.11	1.1	1.1	238	257	255	63	99	91	7
5	105	1224	718.0	.11	1.1	1.1	238	257	255	61	100	92	7
	110	1229	721.2	.11	1.1	1.1	234	256	255	60	100	92	7
6	115	1234	729.4	.11	1.1	1.1	234	255	256	66	102	92	7
	120	1239/1233	727.750	.11	1.1	1.1	234	255	254	62	100	94	7
West 1	125	1257	729.6	.03	0.3	0.3	234	257	259	60	96	94	3
	130	1303	734.410	.03	0.3	0.3	234	251	252	63	99	95	3

w/ Leak check $\Delta V_m = 82.156$ $\sqrt{\Delta p} = 3274$ $\Delta H = 1.13$ $T_s = 240$ $T_m = 92.8$
 123671 0.2627 0.775 234 95

Leak check #1
 691.232
 691.395
 .002
 131.44
 -0.163
 82
 .007
 15
 727.750
 277.905
 -.155

Plant Name: Wauwaga Foundry

Test Date: 8-9-97

Run Number: BO-0010-1

Operator: T. Abernathy

Leak Check
10 min
2
003
751.404
751.545
- .141

Traverse Point Number	Sampling Time (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V) ft ³	Velocity (Lead (P _v)) in. H ₂ O	Orifice Pres. Differential (ΔI) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F	Impinger Temp. °F (T _{IMP})	Dry Gas Meter Temp.		Pump Vacuum In. Hg
					Desired	Actual				Inlet (T _{in}) °F	Outlet (T _{out}) °F	
2	135	1 1309	733.2	.03	0.3	0.3	234	253 252	62 65	99	95	3
	140	1 1313	735.0	.03	0.3	0.3	235	257 254	65 62	101	96	3
3	145	1 1319	736.7	.03	0.3	0.3	235	260 254	62 61	101	96	3
	150	1 1323	738.6	.03	0.3	0.3	234	257 254	62 60	102	97	3
4	155	1 1329	740.0	.03	0.3	0.3	234	250 254	62 61	102	97	3
	160	1 1333	741.9	.03	0.3	0.3	234	251 254	62 61	102	97	3
5	165	1 1339	744.2	.06	0.6	0.6	235	250 254	62 60	103	97	3
	170	1 1343	746.7	.06	0.6	0.6	233	251 254	59 60	102	98	5
6	175	1 1349	751.404	.06	0.6	0.6	234	252 254	59 61	103	98	5
	180	1 1353	751.464	.06	0.6	0.6	234	251 254	59 58	104	98	5
1	185	1 1308	753.5	.03	0.3	0.3	229	252 253	60 60	100	97	3
	190	1 1302	755.0	.03	0.3	0.3	235	252 264	63 62	101	97	3
2	195	1 1318	756.5	.03	0.3	0.3	234	254 259	61 63	101	97	3
	200	1 1328	758.9	.03	0.3	0.3	233	254 254	60 63	101	97	4
3	205	1 1328	760.2	.03	0.3	0.3	233	258 255	63 63	101	98	4
	210	1 1333	761.9	.03	0.3	0.3	233	254 255	62 62	101	98	4
4	215	1 1338	763.6	.03	0.3	0.3	237	254 255	63 67	102	98	4
	220	1 1343	765.4	.03	0.3	0.3	232	255 254	63 61	102	98	4
5	225	1 1348	767.1	.03	0.3	0.3	222	265 259	62 63	102	98	4
	230	1 1353	769.7	.03	0.3	0.3	219	254 255	62 62	102	98	4
6	235	1 1358	770.2	.03	0.3	0.3	182	258 257	63 63	102	98	4
	240	1 1403	772.4(6)	.03	0.3	0.3	155	257 255	62 61	102	96	4
	1		751.39.125	.062		.3545	226	1		99.5		
	1							1				

low

121.881* 2369 0.742 233 94 J505 = 102.5 06% 40

METHOD 23-~~0010~~ OF SAMPLE RECOVERY DATA

0010

Plant: WAUPACA FOUNDRY						Run No.: B0-0010-1	
Sample Date: 9/9/97			Filter No.(s): B0-0010-1			Job No.: 5414.003	
Sample Location: BAGHOUSE OUTLET							
Recovery Date: 9/9/97			XAD-2 Trap No.(s): B0-0010-1				
Sample Recovery Person: RK/BE							
Moisture Data							
Impingers	XAD - 2 Trap	1 (knockout)	2 (100 ml H2O) (untipped)	3 (100 ml H2O) (tipped)	4 (knockout) (untipped)	Silica gel (untipped)	
Final wt.	-	530.8	743.5	723.3	622.4	916.0	g
Initial wt.	-	474.8	743.5	725.1	619.5	889.9	g
Net wt.	-	56.0	0.0	-1.8	2.9	26.1	g
Description							
Train System: EPA METHOD 23 TRAIN / BOX ID: N-10 TOTAL: 83.2g ✓							
Probe: 6' Glass							
Filter: Color - LIGHT TAN Loading - LIGHT							
Impinger Contents: D1 TYPE II H2O							
Silica Gel: @Grams Used - 300 Color - Lt. Blue % Spent - 80							
Condensate Observed In Front Half: NONE							
Recovered Sample Fractions							
Filter Container No. 11						marked/sealed: BE	
XAD Module Container No.: 12						marked/sealed: RK	
Probe (FH) & Back Half Rinse (Acetone) Container No.: 13						Liquid level marked/sealed: RK	
Probe (FH) & Back Half Rinse (Toluene) Container No.: 14						Liquid level marked/sealed: BE	
Impinger Contents Container No.: 15						Liquid level marked/sealed: RK	
Impinger Rinse (Methane/Acetone/MeCl2) Container No.: 14						Liquid level marked/sealed: RK	

n = 10.66

FIELD DATA SHEET

Plant: Wagon Foundry
 Sampling Location: Barhouse Outlet
 Run Number: 80-0010-2 Date: 9-10-97
 Pretest Leak Rate: .010 cfm @ 15 in. Hg.
 Pretest Leak Check: Pitot: Orsat:

Sample Type: M-0010 Operator: JA
 Pbar: 29.58 Ps: .21
 CO2: 7.0 O2: 9.5
 Probe Length/Type: 5' Glass Pitot #: 46
 Stack Diameter: 92" As: 46.16

Nozzle ID: .340 Thermocouple #: 46
 Assumed Bws: .04 Filter #: 20-0010-2
 Meter Box #: 13 Y: .947 ΔH@: 1.810
 Post-Test Leak Rate: .089 cfm @ 15 in. Hg.
 Post-Test Leak Check: Pitot: Orsat:

Port

Port

Port

South

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Nm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pitot Vacuum (in. Hg)	
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)		
0	0	0810	773.250											
1	5	0815	775.7	.06	0.6	0.6	241	251	258	60	53	73	72	4
	10	0820	777.6	.04	0.4	0.4	247	255	256	58	53	76	74	3
2	15	0825	779.5	.04	0.4	0.4	246	253	257	59	51	77	74	3
	20	0830	781.7	.04	0.4	0.4	245	256	257	59	51	79	75	3
3	25	0835	783.0	.04	0.4	0.4	242	260	256	59	51	80	75	3
	30	0840	784.9	.04	0.4	0.4	241	260	256	60	52	80	78	3
4	35	0845	786.6	.03	0.3	0.3	240	260	258	60	51	83	77	3
	40	0850	788.2	.03	0.3	0.3	240	252	256	59	51	85	79	4
5	45	0855	790.0	.03	0.3	0.3	240	256	257	58	49	86	79	4
	50	0900	791.7	.03	0.3	0.3	241	255	255	57	48	87	80	4
6	55	0905	793.7	.04	0.4	0.4	244	256	255	59	48	88	82	5
	60	0910	795.722	.04	0.4	0.4	244	255	258	59	49	88	83	5
1	65	0915	798.0	.05	0.5	0.5	248	255	258	60	50	89	88	5
	70	0920	800.3	.05	0.5	0.5	251	255	256	59	50	92	89	5
2	75	0925	802.8	.07	0.7	0.7	262	256	256	59	51	93	90	6
	80	0930	805.6	.07	0.7	0.7	264	257	255	59	50	93	90	6
3	85	0935	809.0	.11	1.1	1.1	265	256	256	59	50	97	91	8
	90	0940	812.0	.11	1.1	1.1	262	256	257	59	50	98	91	8
4	95	0945	815.6	.15	1.5	1.5	260	255	256	59	52	100	93	9
	100	0950	819.4	.15	1.5	1.5	260	256	256	59	52	101	93	9
5	105	0955	823.1	.16	1.6	1.6	262	255	256	59	52	102	94	10
	110	1000	827.0	.16	1.6	1.6	262	256	256	59	52	103	94	10
6	115	1005	830.7	.14	1.4	1.4	260	255	256	59	52	103	94	9
	120	1010	834.485	.14	1.4	1.4	261	255	256	56	52	105	96	9
7	125	1015	837.6	.11	1.1	1.1	260	257	255	57	51	100	97	7
	130	1020	840.673	.11	1.1	1.1	264	257	256	59	52	105	98	7

ΔVm = 67.191 √Δp = 26.18 ΔH = 28.46 Ts = 256 Tm = 88

Leak Check

7.124
195.72
195.82
104

234.45
24.613
128

Plant Name: Waupaca Foundry

Test Date: 9-10-97

Run Number: B97000-2

Operator: T. Abernathy

Traverse Point Number	Sampling Time (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V) ft ³	Velocity Head (P _v) in. H ₂ O	Orifice Pres. Differential (ΔH) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F	Impinger Temp. °F (T _{imp})		Dry Gas Meter Temp.		Pump Vacuum in. Hg
					Desired	Actual			Inlet (T _{in}) °F	Outlet (T _{out}) °F			
2	135	1118	844.3	.15	1.5	1.5	264	255 / 256	59	52	106	99	10
	140	1123	848.0	.15	1.5	1.5	264	256 / 255	59	52	106	99	10
3	145	1128	852.9	.24	2.6	2.6	266	257 / 256	59	53	109	100	15
	150	1133	858.0	.24	2.6	2.6	266	252 / 255	58	53	111	102	15
4	155	1138	862.5	.26	2.8	2.8	266	251 / 256	58	51	110	103	15
	160	1143	867.4	.26	2.8	2.8	266	252 / 254	58	54	109	103	15
5	165	1148	872.2	.30	3.2	2.6	264	255 / 254	58	54	109	103	15
	170	1153	877.1	.30	3.2	2.5	264	252 / 254	58	52	110	104	15
6	175	1158	881.8	.28	3.0	2.9	254	257 / 255	59	52	111	104	15
	180	1203	886.695	.28	3.0	2.6	250	257 / 256	60	53	111	105	15
East 1	185	1215	891.0	.15	1.5	1.5	266	255 / 257	60	53	107	104	7
	190	1220	895.0	.15	1.5	1.5	266	257 / 256	57	52	111	105	8
2	195	1225	899.6	.21	2.2	2.2	266	257 / 255	58	52	113	105	13
	200	1230	904.5	.20	2.0	2.0	264	257 / 254	59	57	115	106	13
3	205	1235	909.4	.20	2.0	2.0	264	252 / 255	59	57	115	106	15
	210	1240	914.2	.20	2.0	2.0	265	255 / 255	58	56	116	107	15
4	215	1245	920.0	.27	2.9	2.9	268	257 / 255	59	56	116	108	15
	220	1250	924.1	.27	2.7	2.9	268	256 / 254	60	57	116	108	15
5	225	1255	928.7	.30	3.2	2.2	267	255 / 253	60	57	116	109	15
	230	1300	933.4	.30	3.2	2.5	267	254 / 255	61	56	116	109	10
6	235	1310	940.0	.40	4.3	2.5	266	254 / 256	61	56	116	109	15
	240	1315	942.980	.35	3.8	2.5	266	254 / 254	60	56	116	109	15
	1												
	1												

012
2
15.115
88.895
88.882
- .187

East

419 Adj

$$\Delta V_m = \frac{165.684 \sqrt{\Delta H}}{300T} = \frac{2688}{300T} \quad \Delta H = 7.69 \quad T_s = 265$$

$$16.9.311 \quad C. 71 \quad 40 \quad 1 \quad 1-8 \quad T_m = 100 \quad 96 \quad 1 \quad ISO'S = 9 \quad 88.48$$

METHOD 20-CDD/CDF SAMPLE RECOVERY DATA

0010

Plant: WALDACA FOUNDRY						Run No.: BO-0010-2	
Sample Date: 9/10/97			Filter No.(s): BO-0010-2			Job No.: 5414.003	
Sample Location: BASHOUSE OUTLET							
Recovery Date: 9/10/97			XAD-2 Trap No.(s): BO-0010-2				
Sample Recovery Person: RKIBE							
Moisture Data							
Impingers	XAD - 2 Trap	1 (knockout)	2 (100 ml H2O) (untipped)	3 (100 ml H2O) (tipped)	4 (knockout) (untipped)	Silica gel (untipped)	
Final wt.	-	554.5	715.0	730.8	620.0	878.7	g
Initial wt.	-	495.4	715.7	732.7	617.1	849.2	g
Net wt.	-	59.1	-0.7	-1.9	2.9	29.5	g
Description							
Train System: MMS TRAIN / BOX ID: N-10 / TOTAL: 889g ✓							
Probe: 6' GLASS							
Filter: Color - Lt. Brown Loading - Light							
Impinger Contents: Clear							
Silica Gel: @Grams Used - 300 Color - Lt. blue % Spent - 50							
Condensate Observed In Front Half: NONE							
Recovered Sample Fractions							
Filter Container No. 20						marked/sealed: BE	
XAD Module Container No.: 21						marked/sealed: BE	
Probe (FH) & Back Half Rinse (^{MeCl₂/Methane} Acetone) Container No.: 22						Liquid level ✓ marked/sealed: BE	
Probe (FH) & Back Half Rinse (^{MeCl₂/Methane} Toluene) Container No.: 23						Liquid level ✓ marked/sealed: BS	
Impinger Contents Container No.: 24						Liquid level ✓ marked/sealed: BE	
Impinger Rinse (^{Methane} Acetone /MeCl ₂) Container No.: 23						Liquid level ✓ marked/sealed: BE	

FIELD DATA SHEET

Plant: Wauwage Foundry
 Sampling Location: Exhaust Outlet
 Run Number: BO-0010-3 Date: 9-10-97
 Pretest Leak Rate: .004 cfm @ 15 in. Hg.
 Pretest Leak Check: Pitot: Orsat:

Sample Type: M-ovo Operator: TA
 Pbar: 29.58 Ps: .22
 CO2: 9 O2: 11
 Probe Length/Type: 5' (6.65) Pitot #: 46
 Stack Diameter: 92" As: 46.16

Nozzle ID: 34 Thermocouple #: 46
 Assumed Bws: .54 Filter #: BO-0010-2
 Meter Box #: 13 Y: .147 ΔH@: 1.81
 Post-Test Leak Rate: .003 cfm @ 11 in. Hg.
 Post-Test Leak Check: Pitot: Orsat:

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
0	0	1520	943.528										
1	5	1525	947.8	.16	1.6	1.6	261	252	251	60 57	96	95	7
	10	1530	951.8	.16	1.6	1.6	262	251	252	61 57	97	95	7
2	15	1535	956.9	.27	2.8	2.8	261	251	252	60 57	98	96	10
	20	1540	960.7	.13	1.3	1.3	262	251	251	60 53	99	97	7
3	25	1545	965.2	.15	1.5	1.5	262	251	254	60 53	102	97	7
	30	1550	968.3	.15	1.5	1.5	262	252	254	60 53	103	97	7
4	35	1555	972.7	.19	2.0	2.0	256	251	254	59 53	104	97	8
	40	1600	977.0	.19	2.0	2.0	257	252	254	59 53	105	98	8
5	45	1605	981.4	.19	2.0	2.0	257	253	261	60 53	106	98	8
	50	1629	985.9	.21	2.3	2.3	252	257	261	60 52	103	98	8
6	55	1624	990.6	.21	2.3	2.3	253	253	261	55 52	105	98	8
	60	1639	995.105	.19	2.0	2.0	244	254	262	52 52	107	99	8
1	65	1651	998.0	.11	1.2	1.2	236	252	262	60 52	102	98	5
	70	1656	1000.6	.11	1.2	1.2	257	255	261	53 52	105	99	5
2	75	1601	1004.6	.13	1.4	1.4	250	255	259	52 53	106	100	7
	80	1706	1009.0	.13	1.4	1.4	257	255	255	52 55	107	100	8
3	85	1711	1013.2	.19	2.0	2.0	259	256	252	52 55	108	100	10
	90	1716	1017.6	.19	2.0	2.0	258	252	259	53 55	108	100	8
4	95	1721	1021.7	.17	1.8	1.8	260	255	257	53 56	109	100	8
	100	1724	1026.4	.24	2.6	2.6	260	256	256	52 48	107	100	10
5	105	1731	1031.8	.30	3.2	3.2	260	256	266	52 49	107	100	10
	110	1736	1037.3	.30	3.2	3.2	260	255	250	52 49	107	100	10
6	115	1731	1042.4	.25	2.7	2.7	249	254	255	52 49	105	100	10
	120	1744	1047.843	.30	3.2	3.2	251	254	255	53 46	105	99	10
1	125	1805	1050.8	.08	0.9	0.9	239	262	260	53 47	97	96	4
	130	1810	1053.5	.08	0.9	0.9	257	252	260	55 48	99	96	5

East

Top
202
216
wt

South

West

1003
2
10 in Hg
98.105
98.202
-1.127
1003
2
10 in Hg
1047.943
1047.952
-1.109

$186.455 \Delta V_m = 109.472$ $\sqrt{\Delta p} = 0.4224$ $\Delta H = 1.95$ m $T_s = 256$ $T_m = 101.99$
 \checkmark 0.3862 1.661 \checkmark

Plant Name: Waupeca Foundry

Test Date: 9-10-97

Run Number: BO-0010-3

Operator: T. Abernathy

Traverse Point Number	Sampling Time, (min.)	Clock Time (24-hour clock)	Gas Meter Reading (V) ft ³	Velocity Head (P ₁) in. H ₂ O	Orifice Pres. Differential (ΔI) in. H ₂ O		Stack Temp. °F (T)	Probe Temp. / Filter Temp. °F	Impinger Temp. °F (T _{imp})	Dry Gas Meter Temp.		Pump Vacuum In. Hg
					Desired	Actual				Inlet (T _{in}) °F	Outlet (T _{out}) °F	
2	135	1 1815	1056.5	.08	0.9	0.9	252	251 / 255	57 / 50	97	96	5
	140	1 1820	1059.8	.09	1.0	1.0	258	251 / 253	55 / 53	100	96	5
3	145	1 1825	1063.1	.12	1.3	1.3	258	252 / 257	55 / 53	100	96	6
	150	1 1830	1066.5	.12	1.3	1.3	258	252 / 257	55 / 53	101	96	6
4	155	1 1835	1070.7	.18	1.9	1.9	258	253 / 257	56 / 53	101	96	8
	160	1 1840	1074.9	.18	1.9	1.9	257	252 / 258	56 / 53	102	96	8
5	165	1 1845	1079.5	.20	2.1	2.1	258	252 / 257	57 / 53	102	96	9
	170	1 1850	1083.6	.20	2.1	2.1	258	252 / 257	57 / 54	102	96	9
6	175	1 1855	1088.2	.22	2.4	2.4	260	253 / 258	57 / 54	102	96	9
	180	1 1900/1092	1092.977	.22	2.4	2.4	260	253 / 257	57 / 54	102	96	9
1	185	1 1903	1095.8	.09	1.0	1.0	256	254 / 256	56 / 53	101	94	5
	190	1 1918	1099.1	.09	1.0	1.0	258	254 / 256	56 / 53	99	95	5
2	195	1 1923	1102.1	.09	1.0	1.0	258	253 / 258	58 / 47	99	95	5
	200	1 1928	1105.3	.09	1.0	1.0	259	253 / 258	58 / 47	99	95	5
3	205	1 1933	1108.5	.09	1.0	1.0	258	253 / 258	60 / 48	101	95	5
	210	1 1938	1111.6	.09	1.0	1.0	256	252 / 254	59 / 48	100	94	5
4	215	1 1943	1114.7	.09	1.0	1.0	256	253 / 254	59 / 47	100	94	5
	220	1 1948	1117.9	.09	1.0	1.0	256	253 / 253	59 / 47	99	94	5
5	225	1 1953	1121.0	.09	1.0	1.0	256	252 / 252	60 / 48	99	94	5
	230	1 1958	1124.1	.09	1.0	1.0	259	258 / 256	60 / 49	99	94	5
6	235	1 2003	1127.2	.09	1.0	1.0	259	257 / 256	60 / 48	99	94	5
	240	1 2008	1130.345	.09	1.0	1.0	257	256 / 257	61 / 49	99	93	5
	1							1				
	1							1				

1003
 W
 10 11 15
 1092.977
 1093.103
 126

orth

METHOD ⁰⁰¹⁰ 20-~~689~~00F SAMPLE RECOVERY DATA

Plant: WAUPACA FOUNDRY	Run No.: 80-0010-3
Sample Date: 9/10/97	Filter No.(s): 80-0010-3
Job No.: 5414-003	
Sample Location: BAGHOUSE OUTLET	
Recovery Date: 9/11/97	XAD-2 Trap No.(s): 80-0010-3
Sample Recovery Person: BELPK	

Moisture Data

Impingers	XAD - 2 Trap	1 (knockout)	2 (100 ml H2O) (untipped)	3 (100 ml H2O) (tipped)	4 (knockout) (untipped)	Silica gel (untipped)	
Final wt.	-	538.0	744.0	722.9	624.7	930.5	g
Initial wt.	-	475.0	748.4	723.7	622.6	896.0	g
Net wt.	-	63.0	-4.4	-0.8	2.1	34.5	g

Description

Train System: EPA METHOD 0010 / TRAIN ID: N-10 / Total: 94.4 g

Probe: 6" GLASS

Filter: Color - lt brown Loading - light

Impinger Contents: Clear

Silica Gel: @Grams Used - 300 Color - lt. blue % Spent - 60

Condensate Observed In Front Half: NONE

Recovered Sample Fractions

Filter Container No. <u>29</u>	marked/sealed <u>BE</u>
XAD Module Container No.: <u>30</u>	marked/sealed <u>BE</u>
Probe (FH) & Back Half Rinse (Acetone) Container No.: <u>31</u>	Liquid level marked/sealed <u>BE</u>
Probe (FH) & Back Half Rinse (Toluene) Container No.: <u>32</u>	Liquid level marked/sealed <u>BE</u>
Impinger Contents Container No.: <u>33</u>	Liquid level marked/sealed <u>BE</u>
Impinger Rinse (Methane / Acetone / MeCl2) Container No.: <u>32</u>	Liquid level marked/sealed <u>BE</u>

FIELD DATA SHEET

Plant: Waupee Foundry
 Sampling Location: Cupola outlet
 Run Number: EB-1 Date: 9-8-97
 Pretest Leak Rate: .012 cfm @ 15 in. Hg.
 Pretest Leak Check: Pitot: Orsat:

Sample Type: M-0010 Operator: TA/CG
 Pbar: 29.55 Ps: NA
 CO2: 3 O2: 17
 Probe Length/Type: 5' Class Pitot #: 56
 Stack Diameter: 92" As: 16.2 ft²

Nozzle ID: 340 Thermocouple #: _____
 Assumed Bws: .05 Filter #: FB-1
 Meter Box #: 13 Y: .947 ΔH@: 1.810
 Post-Test Leak Rate: .012 cfm @ 15 in. Hg.
 Post-Test Leak Check: Pitot: _____ Orsat: _____

Traverse Point Number	Sampling Time (min)	Clock Time (24-hour clock)	Gas Meter Reading (Vm) ft ³	Velocity Head (Δp) in H2O	Orifice Pressure Differential (ΔH) in H2O		Stack Temp. (Ts)	Temperature °F		Impinger Temp. °F	Dry Gas Meter Temp.		Pump Vacuum (in. Hg)
					Desired	Actual		Probe	Filter		Inlet (Tm in °F)	Outlet (Tm out °F)	
	1415	Leak Check #1	630.880										
			631.103	Ret	.010	15 in Hg							
		Leak Check #2	631.103	Ret	.012	15 in Hg							
		#3	631.289	Ret	.015	15 in Hg							

$\Delta V_m =$ _____
 $\sqrt{\Delta p} =$ _____
 $\Delta H =$ _____
 $T_s =$ _____
 $T_m =$ _____

METHOD 23 ~~0010~~ GDF SAMPLE RECOVERY DATA
2010

Plant: WAUPACA FOUNDRY						Run No.: FB-0010-1	
Sample Date: 9/8/97			Filter No.(s): FB-0010-1			Job No.: S414.003	
Sample Location: BAGHOUSE OUTLET							
Recovery Date: 9/8/97			XAD-2 Trap No.(s): FB-0010-1				
Sample Recovery Person: RK/BE							
Moisture Data							
Impingers	XAD - 2 Trap	1 (knockout)	2 (100 ml H2O) (untipped)	3 (100 ml H2O) (tipped)	4 (knockout) (untipped)	Silica gel (untipped)	
Final wt.	—	474.8	743.5	725.1	619.5	889.9	g
Initial wt.	—	474.8	743.5	725.1	619.5	889.9	g
Net wt.	—	0.0	0.0	0.0	0.0	0.0	g
Description							
Train System: MM15 TRAIN / M0010 / BOX ID: N-10 / TOTAL: 0.0g							
Probe: 6' Glass							
Filter: Color - Clear/White Loading - None							
Impinger Contents: Clear							
Silica Gel: @Grams Used - 300 Color - Blue % Spent - 0.0							
Condensate Observed In Front Half: NONE							
Recovered Sample Fractions							
Filter Container No. 4						marked/sealed: RK	
XAD Module Container No.: 5						marked/sealed: RK	
Probe (FH) & Back Half Rinse (Acetone) Container No.: 6 <small>MeCl2 / Methane</small>						Liquid level marked/sealed: RK	
Probe (FH) & Back Half Rinse (Toluene) Container No.: — <small>MeCl2 / Methane</small>						Liquid level marked/sealed: —	
Impinger Contents Container No.: —						Liquid level marked/sealed: —	
Impinger Rinse (Acetone/MeCl2) Container No.: — <small>Methane</small>						Liquid level marked/sealed: —	

Pacific Environmental Services, Inc.

Dry Molecular Weight Determination

Client/Project: WAVPACA - 5414.003
 Date/Time: 9/19/97
 Sample Type: Orsat Bag
 Ambient Temp. °F: 70

Orsat No. 0-2
 Operator: R/K/ck
 Comments: _____
 Site Location: Bayview Outlet

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
0-1A	CO ₂	5.3	7.0 ^{pk}	7.0	7.0	7.0	7.0	7.0	0.44	3.08
	O ₂ ^a	19.4	20.8 ^{pk}	20.8	13.8	20.8	13.8	13.8	0.32	4.42
	CO ^b			-	-	-	-	-	0.28	
	N ₂ ^c			100.0	79.2	100	79.2	79.2	0.28	22.18
									Md =	29.68

Average eull
 8.79
 CO₂ = 8.80
 12.74
 O₂ = 12.73

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
0-1B	CO ₂	9.6	9.6	9.6	9.6			9.6	0.44	4.22
	O ₂ ^a	21.8	12.2	21.8	12.2			12.2	0.32	3.90
	CO ^b	-	-	-	-			-	0.28	
	N ₂ ^c	100	78.2	100.0	78.2			78.2	0.28	21.90
									Md =	30.02

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
0-1C	CO ₂	9.4	9.4	9.2	9.2			9.3	0.44	4.09
	O ₂ ^a	22.0	12.6	21.8	12.6			21.4 ^{12.4}	0.32	7.01 ^{4.03}
	CO ^b								0.28	
	N ₂ ^c	100.0	78.0	100.0	78.2			78.1	0.28	21.87
									Md =	22.29.99

^a O₂ Net Volume is O₂ actual reading minus CO₂ actual reading.

^b CO Net Volume is CO actual reading minus O₂ actual reading.

^c N₂ Net Volume is 100 minus CO actual reading.

Pacific Environmental Services, Inc.

Dry Molecular Weight Determination

Client/Project: WAUPACA-SHM.003
 Date/Time: 9/9/97
 Sample Type: Orsat Bag
 Ambient Temp. °F: 70

Orsat No. 0-2
 Operator: R Kelle
 Comments: _____
 Site Location: Bughouse Over

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
0-1D	CO ₂	9.2	9.2	9.3	9.3			9.25	0.44	4.09
	O ₂ ^a	21.6	12.4	21.6	12.3			12.35	0.32	3.93
	CO ^b	-	-	-	-			-	0.28	
	N ₂ ^c	100.0	78.4	100.0	78.4			78.4	0.28	21.95
									Md =	29.97

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
	CO ₂								0.44	
	O ₂ ^a								0.32	
	CO ^b								0.28	
	N ₂ ^c								0.28	
									Md =	

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
	CO ₂								0.44	
	O ₂ ^a	-							0.32	
	CO ^b								0.28	
	N ₂ ^c								0.28	
									Md =	

^a O₂ Net Volume is O₂ actual reading minus CO₂ actual reading.

^b CO Net Volume is CO actual reading minus O₂ actual reading.

^c N₂ Net Volume is 100 minus CO actual reading.

Pacific Environmental Services, Inc.

Dry Molecular Weight Determination

Client/Project: WAUPACA/541400 Orsat No. 0-2
 Date/Time: 9/10/97 Operator: R/White
 Sample Type: Orsat bag Comments: _____
 Ambient Temp. °F 70 Site Location: Boothouse Outlet

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
0-2A	CO ₂	9.6	9.6	9.6	9.6			9.6	0.44	
	O ₂ ^a	21.0	11.4	21.2	11.6			11.5	0.32	
	CO ^b								0.28	
	N ₂ ^c	100.0	79.0	100.0	78.8			78.9	0.28	
										Md =

Average
 CO₂ = 10.13
 O₂ = 11.0

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
0-2B	CO ₂	10.2	10.2	10.4	10.4			10.3	0.44	
	O ₂ ^a	21.2	11.0	21.2	10.9			10.9	0.32	
	CO ^b								0.28	
	N ₂ ^c	100.0	78.8	100.0	78.8			78.8	0.28	
										Md =

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
0-2C	CO ₂	10.2	10.2	10.2	10.2			10.2	0.44	4.49
	O ₂ ^a	21.0	10.8	21.2	11.0			10.9	0.32	3.49
	CO ^b								0.28	
	N ₂ ^c	100.0	79.0	100.0	78.8			78.9	0.28	22.09
										Md = 30.07

✓ BE

^a O₂ Net Volume is O₂ actual reading minus CO₂ actual reading.
^b CO Net Volume is CO actual reading minus O₂ actual reading.
^c N₂ Net Volume is 100 minus CO actual reading.

Pacific Environmental Services, Inc.

Dry Molecular Weight Determination

Client/Project: WAV/PCA-544.003
 Date/Time: 9/10/97
 Sample Type: O2 Sat Bag
 Ambient Temp. °F: 70

Orsat No. 0-2
 Operator: R/Kolde
 Comments: _____
 Site Location: Bingham Over

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
0-2D	CO ₂	10.4	10.4	10.4	10.4			10.4	0.44	4.59	
	O ₂ ^a	21.0	10.6	21.2	10.8			10.7	0.32	3.42	
	CO ^b								0.28		
	N ₂ ^c	100.0	79.0	100.0	78.8			78.9	0.28	22.09	
									Md =	30.09	

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
0-3A	CO ₂	10.6	10.6	10.6	10.6			10.6	0.44	4.66	
	O ₂ ^a	21.0	10.4	21.0	10.4			10.4	0.32	3.33	
	CO ^b								0.28		
	N ₂ ^c	100.0	79.0	100.0	79.0			79.0	0.28	22.12	
									Md =	30.11	

Average Run 3
 CO₂ = 9.98
 O₂ = 4.28
 11.03

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas. Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
0-3B	CO ₂	7.2	7.2	7.4	7.4			7.3	0.44	3.21	
	O ₂ ^a	20.8	13.6	20.8	13.4			13.5	0.32	4.32	
	CO ^b								0.28		
	N ₂ ^c	100.0	79.2	100.0	79.2			79.2	0.28	22.18	
									Md =	29.74	

✓ BE

^a O₂ Net Volume is O₂ actual reading minus CO₂ actual reading.
^b CO Net Volume is CO actual reading minus O₂ actual reading.
^c N₂ Net Volume is 100 minus CO actual reading.

Pacific Environmental Services, Inc.

Dry Molecular Weight Determination

Client/Project: WAPAKA-5414.003 Orsat No. 0-2
 Date/Time: 9/10/97 Operator: R Kalala
 Sample Type: Orsat Bag Comments: _____
 Ambient Temp. °F 70 Site Location: Dayhouse Outlet

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)	
		Actual	Net	Actual	Net	Actual	Net				
0-30	CO ₂	11.0	11.0	11.0	11.0			11.0	0.44	4.84	
	O ₂ ^a	21.0	10.0	21.0	10.0			10.0	0.32	3.20	
	CO ^b								0.28		
	N ₂ ^c	100.0	79.0	100.0	79.0			79.0	0.28	22.12	
									Md =	30.16	

SK

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
0-30	CO ₂	11.0	11.0	11.0	11.0			11.0	0.44	
	O ₂ ^a	21.2	11.2	21.2	11.2			11.2	0.32	
	CO ^b								0.28	
	N ₂ ^c	100.0	78.8	100.0	78.8			78.8	0.28	
									Md =	

10.2 CMC 1/21/98 10.2

Run No.(s)	Gas	Run 1		Run 2		Run 3		Average Net Volume %	Multiplier	Molecular Weight of Stack Gas, Md (lb/Mole)
		Actual	Net	Actual	Net	Actual	Net			
	CO ₂								0.44	
	O ₂ ^a								0.32	
	CO ^b								0.28	
	N ₂ ^c								0.28	
									Md =	

^a O₂ Net Volume is O₂ actual reading minus CO₂ actual reading.
^b CO Net Volume is CO actual reading minus O₂ actual reading.
^c N₂ Net Volume is 100 minus CO actual reading.

APPENDIX B

ANALYTICAL DATA - PARTICULATE MATTER/METALS

Appendix B.1

Analytical Data - Particulate Matter

SAMPLE ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY Run number I-M29-1
Sample location CUPOLA BR&HOUSE INLET
Relative humidity _____
Density of acetone (ρ_a) 0.7852 g/ml

Sample type	Sample identifiable	Liquid level marked and/or container sealed
Acetone rinse filter(s)	✓	✓

Acetone rinse container number Beaker W-1
Acetone rinse volume (V_{aw}) 500 ml
Acetone blank residue concentration (C_a) 0.0 mg/g
 $W_a = C_a V_{aw} \rho_a = (0.0) (500) (0.7852) =$ _____ mg

Date and time of wt 9/22/97 1600 Gross wt 111757.3 mg
Date and time of wt 9/23/97 0740 Gross wt 111757.8 mg
Average gross wt 111757.6 mg
Tare wt 109620.4 mg
Less acetone blank wt (W_a) 0.0 mg
Weight of particulate in acetone rinse (m_a) 2137.2 mg

Filter(s) container number 4" I-M29-1 1014
Date and time of wt 9/16/97 1335 1015 Gross wt 1791.0 mg
Date and time of wt 9/16/97 1015 1630 Gross wt 1791.1 mg
Average gross wt 1791.1 mg
Tare wt 614.3² mg
Weight of particulate on filter(s) (m_f) 1176.8⁹ mg
Weight of particulate in acetone rinse 2137.2 mg
Total weight of particulate (m_n) 3314.0¹ mg

Note: In no case should a blank residue >0.01 mg/g or 0.001% of the weight of acetone used be subtracted from the sample weight.

Remarks _____

Signature of analyst *Franklin J. Hudson*
Signature of reviewer _____

SAMPLE ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY Run number I-m29-2

Sample location CUPOLA BAGHOUSE INLET

Relative humidity _____

Density of acetone (ρ_a) 0.7857 g/ml

Sample type	Sample identifiable	Liquid level marked and/or container sealed
Acetone rinse filter(s)	✓	✓

Acetone rinse container number Besta W-2

Acetone rinse volume (V_{aw}) 500 ml

Acetone blank residue concentration (C_a) 0.0 mg/g

$W_a = C_a V_{aw} \rho_a = (0.0) (500) (0.7857) = 0.0$ mg

Date and time of wt 9/22/97 1608 Gross wt 108731.4 mg

Date and time of wt 9/23/97 0740 Gross wt 108729.7 mg

Average gross wt 108730.3 mg

Tare wt 102547.3 mg

Less acetone blank wt (W_a) 0.0 mg

Weight of particulate in acetone rinse (m_a) 6183.0 mg

Filter(s) container number 4" I-m29-2 1019

Date and time of wt 9/16/97 1335 Gross wt 5222.7 mg

Date and time of wt 9/17/97 1015 Gross wt 5222.9 mg

Average gross wt 5222.8 mg

Tare wt 616.7⁴ mg

Weight of particulate on filter(s) (m_f) 4606.1⁴ mg

Weight of particulate in acetone rinse 6183.0 mg

Total weight of particulate (m_n) 10789.1⁴ mg

Note: In no case should a blank residue >0.01 mg/g or 0.001% of the weight of acetone used be subtracted from the sample weight.

Remarks _____

Signature of analyst *Pauline J. Deodora*

Signature of reviewer _____



SAMPLE ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY Run number I-M29-3
Sample location CUPOLA BARNHOUSE INLET
Relative humidity
Density of acetone (rho_a) 0.7852 g/ml

Table with 3 columns: Sample type, Sample identifiable, Liquid level marked and/or container sealed. Row: Acetone rinse filter(s)

Acetone rinse container number Becker W-3
Acetone rinse volume (V_aw) 500 ml
Acetone blank residue concentration (C_a) 0.0 mg/g
W_a = C_a V_aw rho_a = (0.0) (500) (0.7852) = 0.0 mg

Date and time of wt 9/22/97 1606 Gross wt 108102.2 mg
Date and time of wt 9/23/97 0740 Gross wt 108102.6 mg
Average gross wt 108102.4 mg
Tare wt 102618.7 mg
Less acetone blank wt (W_a) 0.0 mg
Weight of particulate in acetone rinse (m_a) 5483.7 mg

Filter(s) container number 4" I-M29-3 1011
Date and time of wt 9/17/97 1630 Gross wt 3339.2 mg
Date and time of wt 9/18/97 9/18/97 1015 Gross wt 3338.8 mg
Average gross wt 3340.4 mg
Tare wt 609.9 mg
Weight of particulate on filter(s) (m_f) 2730.5 mg
Weight of particulate in acetone rinse 5483.7 mg
Total weight of particulate (m_n) 8214.2 mg

Note: In no case should a blank residue >0.01 mg/g or 0.001% of the weight of acetone used be subtracted from the sample weight.

Remarks

Signature of analyst [Signature] 9/18/97
Signature of reviewer

FIELD BLANK ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY
 Sample location CUPOLA BAGHOUSE INLET
 Relative humidity _____
 Liquid level marked and container sealed W-4
 Density of acetone (ρ_a) 0.7852 g/ml
 Blank volume (V_a) 125 ml
 Date and time of wt 9-17-97 1605 Gross wt 98340.9 mg
 Date and time of wt 9-18-97 1610 Gross wt 98340.4 mg
 Average gross wt 98340.7 mg
 Tare wt 98327.0 mg
 Weight of blank (m_{ab}) 13.7 mg

$$C_a = \frac{m_{ab}}{V_a \rho_a} = \frac{(13.7)}{(125)(0.7852)} = 0.14 \text{ mg/g}$$

Note: In no case should a blank residue greater than 0.01 mg/g (or 0.001% of the blank weight) be subtracted from the sample weight.

Filters 4" Filter number 1015
 Date and time of wt 9/16/97 1335 Gross wt 612.4 mg
 Date and time of wt 9/17/97 1015 Gross wt 612.4 mg
 Average gross wt 612.4 mg
 Tare wt 611.85 ^{conc} mg
 Difference wt 0.89 ^{conc} mg

Note: Average difference must be less than ±5 mg or 2% of total sample weight whichever is greater.

Remarks _____

Signature of analyst *Paul Meston*

Signature of reviewer _____

REAGENT BLANK ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY
 Sample location CUPOLA BAGHOUSE INLET
 Relative humidity _____
 Liquid level marked and container sealed _____
 Density of acetone (ρ_a) _____ g/ml
 Blank volume (V_a) _____ ml
 Date and time of wt _____ Gross wt _____ mg
 Date and time of wt _____ Gross wt _____ mg
 Average gross wt _____ mg
 Tare wt _____ mg
 Weight of blank (m_{ab}) _____ mg

$$C_a = \frac{m_{ab}}{V_a \rho_a} = \frac{() ()}{() ()} = \text{_____ mg/g}$$

Note: In no case should a blank residue greater than 0.01 mg/g (or 0.001% of the blank weight) be subtracted from the sample weight.

Filters 4" Filter number 1020
 Date and time of wt 9/16/97 1335 Gross wt 619.6 mg
 Date and time of wt 9/17/97 1015 Gross wt 619.7 mg
 Average gross wt 619.7 mg
 Tare wt 619.8 mg
 Difference wt -0.1 mg

Note: Average difference must be less than ±5 mg or 2% of total sample weight whichever is greater.

Remarks _____

Signature of analyst *Franklin J. Hudson*
 Signature of reviewer _____

SAMPLE ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY Run number 0-M29-1
 Sample location CUPOLA BAGHOUSE OUTLET
 Relative humidity _____
 Density of acetone (ρ_a) 0.7852 g/ml

Sample type	Sample identifiable	Liquid level marked and/or container sealed
Acetone rinse filter(s)	✓	✓

Acetone rinse container number Beaker W-5
 Acetone rinse volume (V_{aw}) 145 ml
 Acetone blank residue concentration (C_a) 0.0 mg/g
 $W_a = C_a V_{aw} \rho_a = (0)(145)(.7852) = 0.0$ mg

Date and time of wt 9-22-97 1600 Gross wt 113113.9 mg
 Date and time of wt 9-23-97 0740 Gross wt 113113.0 mg
 Average gross wt 113113.5 mg
 Tare wt 113099.2 mg
 Less acetone blank wt (W_a) 0.0 mg
 Weight of particulate in acetone rinse (m_a) 14.3 mg

Filter(s) container number 0-M29-1 301675
 Date and time of wt 9/16/97 1335 Gross wt 443.5 mg
 Date and time of wt 9/17/97 1015 Gross wt 443.7 mg
 Average gross wt 443.6 mg
 Tare wt 442.7 mg
 Weight of particulate on filter(s) (m_f) 0.9 mg
 Weight of particulate in acetone rinse 14.3 mg
 Total weight of particulate (m_n) 15.2 mg

Note: In no case should a blank residue >0.01 mg/g or 0.001% of the weight of acetone used be subtracted from the sample weight.

Remarks _____

Signature of analyst *[Signature]*
 Signature of reviewer _____



SAMPLE ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY Run number 0-m29-2
Sample location CUPOLA BIRCHHOUSE OUTLET
Relative humidity
Density of acetone (rho_a) 0.7852 g/ml

Table with 3 columns: Sample type, Sample identifiable, Liquid level marked and/or container sealed. Row: Acetone rinse filter(s) with checkmarks in the other two columns.

Acetone rinse container number Beaker No. W-6

Acetone rinse volume (V_aw) 130 ml

Acetone blank residue concentration (C_a) 0.0 mg/g

W_a = C_a V_aw rho_a = (0.0) (130) (.7852) = mg

Date and time of wt 9-22-97 1606 Gross wt 107207.7 mg

Date and time of wt 9-23-97 0740 Gross wt 107207.2 mg

Average gross wt 107207.5 mg

Tare wt 107205.6 mg

Less acetone blank wt (W_a) 0.0 mg

Weight of particulate in acetone rinse (m_a) 1.9 mg

Filter(s) container number 0-m29-2 301640

Date and time of wt 9/16/97 1335 Gross wt 445.7 mg

Date and time of wt 9/17/97 1015 Gross wt 445.3 mg

Average gross wt 445.5 mg

Tare wt 447.1 mg

Weight of particulate on filter(s) (m_f) -1.6 mg

Weight of particulate in acetone rinse 1.9 mg

Total weight of particulate (m_n) 0.3 mg

Note: In no case should a blank residue >0.01 mg/g or 0.001% of the weight of acetone used be subtracted from the sample weight.

Remarks

Signature of analyst [Handwritten Signature]

Signature of reviewer



SAMPLE ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY Run number 0-m29-3
Sample location CUPOLA BAGHOUSE OUTLET
Relative humidity
Density of acetone (p_a) 0.7852 g/ml

Table with 3 columns: Sample type, Sample identifiable, Liquid level marked and/or container sealed. Row 1: Acetone rinse filter(s), checkmarks in other two columns.

Acetone rinse container number Beaker W-7

Acetone rinse volume (V_aw) 150 ml

Acetone blank residue concentration (C_a) 0.0 mg/g

W_a = C_a V_aw p_a = (0.0) (150) (.7852) = 0.0 mg

Date and time of wt 9/22/97 1600 Gross wt 104264.4 mg

Date and time of wt 9/22/97 0740 Gross wt 104264.2 mg

Average gross wt 104264.3 mg

Tare wt 104256.1 mg

Less acetone blank wt (W_a) 0.0 mg

Weight of particulate in acetone rinse (m_a) 8.2 mg

Filter(s) container number 0-m29-3 301632

Date and time of wt 9/16/97 1335 Gross wt 447.6 mg

Date and time of wt 9/17/97 1015 Gross wt 447.8 mg

Average gross wt 447.7 mg

Tare wt 446.5 mg

Weight of particulate on filter(s) (m_f) 1.2 mg

Weight of particulate in acetone rinse 8.2 mg

Total weight of particulate (m_n) 9.4 mg

Note: In no case should a blank residue >0.01 mg/g or 0.001% of the weight of acetone used be subtracted from the sample weight.

Remarks

Signature of analyst [Handwritten Signature]

Signature of reviewer



FIELD BLANK ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY

Sample location CUPOLA BAGHOUSE OUTLET

Relative humidity _____

Liquid level marked and container sealed W-8

Density of acetone (ρ_a) 1.7852 g/ml

Blank volume (V_a) 60 ml

Date and time of wt 9-22-97 1600 Gross wt 103861.1 mg

Date and time of wt 9-23-97 0740 Gross wt 103860.3 mg

Average gross wt 103860.7 mg

Tare wt 103859.2 mg

Weight of blank (m_{ab}) 1.5 mg

$$C_a = \frac{m_{ab}}{V_a \rho_a} = \frac{()}{(60) (1.7852)} = \text{_____} \text{ mg/g}$$

Note: In no case should a blank residue greater than 0.01 mg/g (or 0.001% of the blank weight) be subtracted from the sample weight.

Filters 3" Filter number 301642

Date and time of wt 9/16/97 1335 Gross wt 444.5 mg

Date and time of wt 9/17/97 1015 Gross wt 445.0 mg

Average gross wt 444.8 mg

Tare wt 445.9 mg

Difference wt -1.1 mg

Note: Average difference must be less than ± 5 mg or 2% of total sample weight whichever is greater.

Remarks _____

Signature of analyst *Paul H. Pearson*

Signature of reviewer _____



REAGENT BLANK ANALYTICAL DATA FORM

Plant WAUPACA - TELL CITY
 Sample location CUPOLA BAGHOUSE OUTLET
 Relative humidity _____
 Liquid level marked and container sealed W-9
 Density of acetone (ρ_a) .7852 g/ml
 Blank volume (V_a) 100 ml
 Date and time of wt 9-22-97 1600 Gross wt 98454.8 mg
 Date and time of wt 9-23-97 0740 Gross wt 98454.0 mg
 Average gross wt 98454.4 mg
 Tare wt 98454.5 mg
 Weight of blank (m_{ab}) -0.1 mg


$$C_a = \frac{m_{ab}}{V_a \rho_a} = \frac{(-0.1)}{(100)(.7852)} = \underline{0} \text{ mg/g}$$

Note: In no case should a blank residue greater than 0.01 mg/g (or 0.001% of the blank weight) be subtracted from the sample weight.

Filters 3" Filter number 301529
 Date and time of wt 9/16/97 1335 Gross wt 336.2 mg
 Date and time of wt 9/17/97 1015 Gross wt 336.0 mg
 Average gross wt 336.1 mg
 Tare wt 334.7 mg
 Difference wt 1.4 mg

Note: Average difference must be less than ±5 mg or 2% of total sample weight whichever is greater.

Remarks _____

Signature of analyst 
 Signature of reviewer _____

METHOD 5
FINAL WEIGHT

Project Number: 5414.004 WAUPACA Item Weighed: BEAKERS - ACETONE RINSE

Date	9-22-97	9/22/97	9/23/97						
R.H. (%)									
Temp. (°F)		70	70						
Std. Wt.		See Below	See Below						
Analyst		Ab	Ab						
ID Number	Field Sample Number	1st	2nd	3rd	4th	5th	Final Wt. (g)	Tare Wt. (g)	Difference (mg)
W-1	I-M29-1	111757.3	111757.8				111757.6	109620.4	2137.2
W-2	I-M29-2	108731.4	108729.2				108730.3	102547.3	6183.0
W-3	I-M29-3	108102.2	108102.6				108102.4	102618.7	5483.7
W-4	I-M29-FH	98340.9	98340.4				98340.7	98327.0	13.7
W-5	D-M29-1	113113.9	113113.0				113113.5	113099.2	14.3
W-6	O-M29-2	107207.7	107207.2				107207.5	107205.6	1.9
W-7	O-M29-3	104264.4	104264.2				104264.3	104256.1	8.2
W-8	O-M29-FH	103861.1	103860.3				103860.7	103859.2	1.5
W-9	O-M29-BLK	98454.8	98454.0				98454.4	98454.5	-0.1
W-10									
	50,000.0	49999.1	49998.5						
	100,000.0	99999.6	99999.8						
	150,000.0	150000.3	150000.2						

PACIFIC ENVIRONMENTAL SERVICES, INC.

915

METHOD 5
TARE WEIGHT

Project Number: 5414.004 - Waupaca

Item Weighed: 250 mL Beakers

Date	9/15/97	1500	9/16/97	9/17/97	9/17/97	9/18/97				
R.H. (%)	Placed in Desiccator		1505	1000	1605	1610				
Temp. (°F)			70	70	70	70				
Std. Wt.										
Analyst			<i>Ab</i>	<i>Ab</i>	<i>Ab</i>	<i>Ab</i>				
ID Number	Field Sample Number	nl	mg 1st	2nd	3rd	4th	5th	Final Wt. (g)	Tare Wt. (g)	Difference (mg)
W-1	I-M29-1	500	109620.3	109618.4	109620.6	109620.1			109620.4	
W-2	I-M29-2	500	102547.1	102545.3	102547.5	102547.1			102547.3	
W-3	I-M29-3	500	102618.1	102617.1	102618.9	102618.5			102618.7	
W-4	I-M29-FH	125	98326.8	98325.3	98327.2	98326.8			98327.0	
W-5	O-M29-1	145	113099.2	113097.5	113099.3	113099.1			113099.2	
W-6	O-M29-2	130	107205.2	107203.8	107205.6	107205.6			107205.6	
W-7	O-M29-3	150	104255.8	104254.2	104256.3	104255.9			104256.1	
W-8	O-M29-FH	60	103858.9	103857.2	103859.4	103858.9			103859.2	
W-9	O-M29-BLK FH	100 ml	98451.3	98452.7	98454.7	98454.3			98454.5	
W-10			103805.8	103804.3	103806.3	103805.9			103806.1	
W-11			103244.9	103243.5	103245.4	103244.9			103245.2	
W-12			108209.1	108207.7	108209.8	108209.4			108209.6	
Balance Check										
	Std. Weight		50000.0 mg	50000.0	50000.0	50000.0				
	Reading		49998.8	49998.3	49999.0	49998.4				
	Std Weight		100000.0	100000.0	100000.0	100000.0				
	Reading		99999.3	99998.0	99999.6	99998.2				
	Std Weight		150000.0	150000.0	150000.0	150000.0				
	Reading		150002.7	150001.2	150002.9	150001.8				

METHOD 5
FINAL WEIGHT

Project Number: 5414.004 - WAUPACA

Item Weighed: 3" & 4" Filters

Date	9/15/97 1330	9/16/97	9/17/97	9/17/97	9/18/97	Filter			
R.H. (%)	Placed in Dessicator	1335	1015	1335	0915	#			
Temp. (°F)		70	70	1630	70				
Std. Wt.				70					
Analyst		JK	JK						
ID Number	Field Sample Number	mg 1st	2nd	3rd	4th	5th	Final Wt. (g)	Tare Wt. (g)	Difference (mg)
W3-1	O-M29-1	443.5	443.7	—		301675	443.6	442.7	0.9
W3-2	O-M29-2	445.7	445.3	—		301640	445.5	447.1	-1.6
W3-3	O-M29-3	447.6	447.8	—		301632	447.7	446.5	1.2
W3-4	O-M29-FB	444.5	445.0	—		301642	444.8	445.9	-1.1
W3-5	O-M29-RB	336.2	336.0	—		301529	336.1	334.7	1.4
W4-1	I-M29-1	1792.5	1791.0	1791.1	—	1014	1791.1	614.3	1176.8
W4-2	I-M29-2	5222.7	5223.9	—		1019	5222.8	616.5	4606.3
W4-3	I-M29-3	3345.8	3341.5	3339.2	3328.8	1011	3340.4	609.9	2730.5
W4-4	I-M29-FB	612.4	612.4	—		1015	612.4	611.6	0.8
W4-5	I-M29-RB	619.6	619.7	—		1020	619.7	619.8	-0.1
Balance Check									
	300 mg	299.9	300.0	300.0					
	440 mg	440.0							
	500 mg	499.9	499.9	500.0					
	1800 mg	1800.0							
	3340 mg	3340.0							
	5220 mg	5220.0							
	2000 mg		1999.9	2000.1					
	3000 mg		2999.9	3000.1					
	5000 mg		5000.3	4999.9					



TARED FILTER LOG

NO.: 301671 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1541</u>	<u>BTJ</u>	<u>444.4</u>
#2 <u>5/2/96 929</u>	<u>BTJ</u>	<u>444.3</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>444.35</u>

NO.: 301674 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1502</u>	<u>BTJ</u>	<u>445.9</u>
#2 <u>5/2/96 1535</u>	<u>BTJ</u>	<u>445.7</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>445.8</u>

NO.: 301672 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1542</u>	<u>BTJ</u>	<u>445.2</u>
#2 <u>5/2/96 926</u>	<u>BTJ</u>	<u>445.3</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>445.25</u>

NO.: 301675 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1502</u>	<u>BTJ</u>	<u>442.9</u>
#2 <u>5/2/96 1541</u>	<u>BTJ</u>	<u>442.6</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>442.7</u>

NO.: 301673 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1533</u>	<u>BTJ</u>	<u>444.8</u>
#2 <u>5/2/96 932</u>	<u>BTJ</u>	<u>444.8</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>444.8</u>

NO.: 301676 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1523</u>	<u>BTJ</u>	<u>444.2</u>
#2 <u>5/2/96 1608</u>	<u>BTJ</u>	<u>444.2</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>444.2</u>



TARED FILTER LOG

NO.: <u>301641</u> I.D. NO.: _____			NO.: <u>301644</u> I.D. NO.: _____		
<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>	<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>
#1 <u>9/16/96 1527</u>	<u>BSF</u>	<u>444.4</u>	#1 <u>9/16/96 1533</u>	<u>BSF</u>	<u>446.9</u>
#2 <u>5/3/96 1603</u>	<u>BSF</u>	<u>444.8</u>	#2 <u>5/2/96 1557</u>	<u>BSF</u>	<u>447.1</u>
#3 _____	_____	_____	#3 _____	_____	_____
#4 _____	_____	_____	#4 _____	_____	_____
AVERAGE TARE MASS : <u>444.6</u>			AVERAGE TARE MASS : <u>447.0</u>		
NO.: <u>301642</u> I.D. NO.: _____			NO.: <u>301645</u> I.D. NO.: _____		
<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>	<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>
#1 <u>9/16/96 1509</u>	<u>BSF</u>	<u>445.8</u>	#1 <u>9/16/96 1522</u>	<u>BSF</u>	<u>446.1</u>
#2 <u>5/3/96 1548</u>	<u>BSF</u>	<u>445.9</u>	#2 <u>5/3/96 956</u>	<u>BSF</u>	<u>446.1</u>
#3 _____	_____	_____	#3 _____	_____	_____
#4 _____	_____	_____	#4 _____	_____	_____
AVERAGE TARE MASS : <u>445.89</u>			AVERAGE TARE MASS : <u>446.1</u>		
NO.: <u>301643</u> I.D. NO.: _____			NO.: <u>301646</u> I.D. NO.: _____		
<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>	<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>
#1 <u>9/16/96 1526</u>	<u>BSF</u>	<u>445.3</u>	#1 <u>9/16/96 1526</u>	<u>BSF</u>	<u>450.1</u>
#2 <u>5/2/96 1504</u>	<u>BSF</u>	<u>445.3</u>	#2 <u>5/2/96 1606</u>	<u>BSF</u>	<u>450.1</u>
#3 _____	_____	_____	#3 _____	_____	_____
#4 _____	_____	_____	#4 _____	_____	_____
AVERAGE TARE MASS : <u>445.3</u>			AVERAGE TARE MASS : <u>450.1</u>		



TARED FILTER LOG

NO.: 301635 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1504</u>	<u>BJF</u>	<u>446.1</u>
#2 <u>5/2/96 1532</u>	<u>BJF</u>	<u>446.0</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>446.05</u>

NO.: 301638 I.D. NO.: 97-330

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1510</u>	<u>BJF</u>	<u>447.7</u>
#2 <u>5/2/96 1541</u>	<u>BJF</u>	<u>447.7</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>447.7</u>

NO.: 301636 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1505</u>	<u>BJF</u>	<u>449.5</u>
#2 <u>5/2/96 1530</u>	<u>BJF</u>	<u>449.5</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>449.5</u>

NO.: 301639 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1534</u>	<u>BJF</u>	<u>451.5</u>
#2 <u>5/2/96 1535</u>	<u>BJF</u>	<u>451.5</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>451.5</u>

NO.: 301637 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1535</u>	<u>BJF</u>	<u>443.6</u>
#2 <u>5/2/96 1534</u>	<u>BJF</u>	<u>443.8</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>443.7</u>

NO.: 301640 I.D. NO.: _____

DATE/TIME	NAME	MASS
#1 <u>4/11/96 1506</u>	<u>BJF</u>	<u>447.1</u>
#2 <u>5/2/96 1530</u>	<u>BJF</u>	<u>447.0</u>
#3 _____	_____	_____
#4 _____	_____	_____
AVERAGE TARE MASS :		<u>447.05</u>



TARED FILTER LOG

NO.: <u>301630</u> I.D. NO.: _____			NO.: <u>301633</u> I.D. NO.: _____		
<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>	<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>
#1 <u>4/11/96 1504</u>	<u>BSF</u>	<u>449.1</u>	#1 <u>4/11/96 1528</u>	<u>BSF</u>	<u>445.9</u>
#2 <u>5/2/96 1531</u>	<u>BSF</u>	<u>448.9</u>	#2 <u>5/2/96 1500</u>	<u>BSF</u>	<u>446.1</u>
#3 _____	_____	_____	#3 _____	_____	_____
#4 _____	_____	_____	#4 _____	_____	_____
AVERAGE TARE MASS : <u>449.0</u>			AVERAGE TARE MASS : <u>446.0</u>		
NO.: <u>301631</u> I.D. NO.: _____			NO.: <u>301634</u> I.D. NO.: _____		
<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>	<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>
#1 <u>4/11/96 1505</u>	<u>BSF</u>	<u>448.6</u>	#1 <u>4/11/96 1527</u>	<u>BSF</u>	<u>448.8</u>
#2 <u>5/2/96 1520</u>	<u>BSF</u>	<u>448.5</u>	#2 <u>5/2/96 1602</u>	<u>BSF</u>	<u>446.1</u>
#3 _____	_____	_____	#3 _____	_____	_____
#4 _____	_____	_____	#4 _____	_____	_____
AVERAGE TARE MASS : <u>448.55</u>			AVERAGE TARE MASS : <u>445.95</u>		
NO.: <u>301632</u> I.D. NO.: _____			NO.: _____ I.D. NO.: _____		
<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>	<u>DATE/TIME</u>	<u>NAME</u>	<u>MASS</u>
#1 <u>4/11/96 1508</u>	<u>BSF</u>	<u>446.5</u>	#1 _____	_____	_____
#2 <u>5/2/96 1547</u>	<u>BSF</u>	<u>446.7</u>	#2 _____	_____	_____
#3 _____	_____	_____	#3 _____	_____	_____
#4 _____	_____	_____	#4 _____	_____	_____
AVERAGE TARE MASS : <u>446.45</u>			AVERAGE TARE MASS : _____		



TARED FILTER LOG

NO.: 301528 I.D. NO.: _____

DATE/TIME NAME MASS

#1 12/5/95 1004 BSF 324.4

#2 12/21/95 0904 BSF 323.9

#3 _____

#4 _____

AVERAGE
TARE MASS : 324.15

NO.: 301531 I.D. NO.: 96-597

DATE/TIME NAME MASS

#1 12/5/95 1009 BSF 326.1

#2 12/5/95 1615 BSF 325.7

#3 _____

#4 _____

AVERAGE
TARE MASS : 325.9

NO.: ~~301527~~ I.D. NO.: _____

DATE/TIME NAME MASS

#1 12/5/95 1006 BSF 334.9

#2 12/21/95 0953 BSF 334.5

#3 _____

#4 _____

AVERAGE
TARE MASS : 334.7

NO.: 301532 I.D. NO.: 96-593

DATE/TIME NAME MASS

#1 12/5/95 1012 BSF 330.8

#2 12/7/95 1655 BSF 330.3

#3 _____

#4 _____

AVERAGE
TARE MASS : 330.55

NO.: 301530 I.D. NO.: 96-272

DATE/TIME NAME MASS

#1 12/5/95 1008 BSF 338.6

#2 12/7/95 1650 BSF 338.1

#3 _____

#4 _____

AVERAGE
TARE MASS : 338.35

NO.: 301533 I.D. NO.: 97-80

DATE/TIME NAME MASS

#1 12/5/95 1015 BSF 326.6

#2 12/7/96 1653 BSF 325.9

#3 12/21/95 876 BSF 325.8

#4 _____

AVERAGE
TARE MASS : 325.95

FILTER WEIGHT LOG SIZE 110 mm

Filter No.	Weight g.	Date/Time m/d/24hr	Intls	Weight g.	Date/Time m/d/24hr	Intls	Weight g.	Date/Time m/d/24hr	Intls	Average
1023	0.6105	9/19 1252	BAD	0.6105	9/19 0009	BAD				0.6105
1024	0.6126	9/19 1253	BAD	0.6125	9/19 1205 0003	BAD				0.6126
1025	0.6098	9/19 1255	BAD	0.6097	9/19 1204 0004	BAD				0.6098
1026	0.6236	9/19 1256	BAD	0.6234	9/19 1202 0002	BAD				0.6235
1027	0.6238	9/19 1257	BAD	0.6237	9/19 1157 2357	BAD				0.6238
1028	0.6223	9/19 1258	BAD	0.6221	9/19 1200 0000	BAD				0.6222
1029	0.6259	9/19 1259	BAD	0.6259	9/19 1159 2359	BAD				0.6259
1030	0.6220	9/19 1301	BAD	0.6219	9/19 1155 2355	BAD				0.6220
1031	0.6190	9/19 1302	BAD	0.6190	9/19 1155 2355	BAD				0.6190
10										

FILTER WEIGHT LOG SIZE 110 mm

Filter No.	Weight g.	Date/Time m/d/24hr	Incls	Weight g.	Date/Time m/d/24hr	Incls	Weight g.	Date/Time m/d/24hr	Incls	Average
1012	0.6250	8/27 1942	BAD	0.6249	8/28 0001	BAD	0.6246	9/4 2105	BAD	0.6250
1013	0.6110	8/27 1943	BAD	0.6109	8/28 0059	BAD	0.6108	9/4 2109	BAD	0.6110
1014	0.6144	8/27 1944	BAD	0.6142	8/28 0067	BAD	0.6141	9/4 2058	BAD	0.6143
1015	0.6116	8/27 1945	BAD	0.6115	8/28 0058	BAD	0.6113	9/4 2059	BAD	0.6116
1016	0.6191	8/27 1946	BAD	0.6189	8/28 0054	BAD	0.6188	9/4 2055	BAD	0.6190
1017	0.6160	8/27 1947	BAD	0.6159	8/28 0055	BAD	0.6157	9/4 2110	BAD	0.6159
1018	0.6166	8/27 1949	BAD	0.6163	8/28 0053	BAD	0.6164 0.6164	9/4 2052	BAD	0.6165
1019	0.6165	8/27 1950	BAD	0.6164	8/28 0051	BAD	0.6162	9/4 2113	BAD	0.6165
1020	0.6200	8/27 1951	BAD	0.6199	8/28 0049	BAD	0.6196	9/4 2050	BAD	0.6200 0.6198
1021	0.6109	9/19 1249	BAD	0.6109	9/19 0008	BAD				0.6109
1022	0.6181	9/19 1250	BAD	0.6181	9/19 0005	BAD				0.6181

0.6248

FILTER WEIGHT LOG SIZE 11.0 cm

Filter No.	Weight g.	Date/Time m/d/24hr	Incls	Weight g.	Date/Time m/d/24hr	Incls	Weight g.	Date/Time m/d/24hr	Incls	Average
1001	0.6233	8/27 110	BAD	0.6231	8/28 0116	BAD				0.6232
1002	0.6263	8/27 123	BAD	0.6262	8/28 0113	BAD				0.6263
1003	0.62230	8/27 129	BAD	0.6224	8/28 011	BAD				0.6226
1004	0.6099	8/27 130	BAD	0.6098	8/28 0112	BAD				0.6099
1005	0.6106	8/27 132	BAD	0.6104	8/28 0111	BAD				0.6105
1006	0.6101	8/27 134	BAD	0.6100	8/28 0109	BAD				0.6101
1007	0.6095	8/27 135	BAD	0.6093	8/28 0108	BAD				0.6094
1008	0.6112	8/27 137	BAD	0.6111	8/28 0107	BAD				0.6112
1009	0.6119	8/27 138	BAD	0.6118	8/28 0105	BAD				0.6119
1010	0.6106	8/27 139	BAD	0.6105	8/28 0104	BAD	0.6104	9/4 2107	BAD	0.6106
1011	0.6100	8/27 140	BAD	0.6098	8/28 0103	BAD	0.6096	9/4 2112	BAD	0.6099

FILTER WEIGHT LOG SIZE _____

Filter No.	Weight g.	Date/Time m/d/24hr	Intls	Weight g.	Date/Time m/d/24hr	Intls	Weight g.	Date/Time m/d/24hr	Intls	Average
2473	0.3607	9/5 2351	BAD	0.3605	9/6 1542	BAD				0.3606
2474	0.3860	9/5 2352	BAD	0.3854	9/6 1546	BAD				0.3860
2475	0.3859	9/5 2353	BAD	0.3856	9/6 1547	BAD				0.3857
2476	0.3730	9/5 2354	BAD	0.3729	9/6 1548	BAD				0.3730
2477	0.3865	9/6 1632	BAD	0.3862	9/7 1541	BAD				0.3864
2478	0.3844	9/5 1626	BAD	0.3844	9/7 1550	BAD				0.3844
2479	0.3933	9/5 1627	BAD	0.3933	9/7 1548	BAD				0.3933
2480	0.3864	9/5 1631	BAD	0.3863	9/7 1542	BAD				0.3864
2481	0.3792	9/5 1628	BAD	0.3792	9/7 1547	BAD				0.3792
2482	0.4027	9/8 2343	BAD	0.4027	9/6 1535	BAD				0.4027
2483	0.3841	9/5 23 9/6 1629	BAD	0.3841	9/7 1546	BAD				0.3841

10-30-1997 6:20PM FROM 9192501835

FILTER WEIGHT LOG SIZE _____

Filter No.	Weight g.	Date/Time m/d/24hr	Intls	Weight g.	Date/Time m/d/24hr	Intls	Weight g.	Date/Time m/d/24hr	Intls	Average
2484	0.3903	9/5 1630	BAD	0.3902	9/6 1543	BAD				0.3903
2485	0.3970	9/5 2342	BAD	0.3970	9/6 1541	BAD				0.3970
2486	0.3817	9/5 2344	BAD	0.3816	9/6 1534	BAD				0.3817
2487	0.3809	9/6 1630	BAD	0.3809	9/6 1545	BAD				0.3809
2488	0.3758	9/5 2345	BAD	0.3757	9/6 1539	BAD				0.3758
2489	2.3 0.4060	9/5 2350	BAD	0.4059	9/6 1527	BAD				0.4060
2490	0.3854	9/5 2349	BAD	0.3854	9/6 1531	BAD				0.3854
2491	0.3768	9/5 2340	BAD	0.3769	9/6 1533	BAD				0.3769
2492	0.3777	9/5 2339	BAD	0.3778	9/6 1538	BAD				0.3778
2493	0.3959	9/5 2341	BAD	0.3960	9/6 1529	BAD				0.3960
2494	0.3717	9/5 2347	BAD	0.3716	9/6 1525	BAD				0.3717

Appendix B.2

Analytical Data - Metals



TRIANGLE LABS

CASE NARRATIVE

Analysis of Samples for the Presence of Trace Metals

Method 29 April 1996 Rev.

Client:	Pacific Environmental Services
TLI Project Number:	43231
Date:	November 6, 1997

This report should only be reproduced in full.
Any reproduction of this report requires permission from
Triangle Laboratories, Inc.

Rev. 25-Sep-96

Triangle Laboratories, Inc.	
801 Capitola Drive	P.O. Box 13485
Durham, NC 27713-4411	Research Triangle Park, NC 27709-3485
919-544-5729	Fax # 919-544-5491

Overview

Five train samples, three blank train samples and a DI water sample were analyzed for silver (Ag), arsenic (As), barium (Ba), beryllium (Be), cadmium (Cd), cobalt (Co), chromium (Cr), manganese (Mn), nickel (Ni), phosphorus (P), lead (Pb), antimony (Sb), selenium (Se), thallium (Tl), zinc (Zn), and mercury (Hg). For all analyses, the samples and associated QC samples were prepared and analyzed following the guidelines of Method 29 April 1996 Rev. Results reported relate only to the items tested.

QC Remarks

The release of this set of data by Triangle Laboratories, Inc. was authorized by the Quality Control Chemist who has reviewed each sample data package individually following a series of inspections/reviews. When applicable, general deviations from acceptable QC requirements are identified below and comments are made on the effects of these deviations upon the validity and reliability of the results. Specific QC issues associated with this particular project are:

Sample Receipt:

Eight train samples (without the filters) were received at 5 °C on September 12, 1997 in good condition under project# 43231. (The acetone rinse samples were temporarily put on hold and then reentered into the system on September 23, 1997) The components for the reagent blanks were not received with the samples. The containers for inlet (FHAc and FHAR) and outlet (FHAc and FHAR) blank were not marked "BLK" like the remaining blank containers.

One reagent blank sample (except the KMnO₄ sample) was received without coolant on September 15, 1997 in good condition under project# 43243. The KMnO₄ sample arrived broken and the sample had leaked out, therefore, an analysis could not be performed for this sample. The sample also arrived without a client chain-of-custody. The Acetone rinse for the reagent blank was cancelled per the client's request.

Eight filter and acetone rinse samples and one reagent blank filter were received without coolant on September 23, 1997 under project# 43350. All components that were received on September 12, 15, and 23, 1997 were processed under project 43231. The components for the inlet and outlet reagent blanks were combined on order to make one complete reagent blank train sample. Only eight samples were reported in this data package.

Sample Preparation:

Laboratory documentation of the sample preparation is included in the data package.

Instrumentation:

Silver (Ag), arsenic (As), barium (Ba), beryllium (Be), cadmium (Cd), cobalt (Co), chromium (Cr), manganese (Mn), nickel (Ni), phosphorus (P), lead (Pb), antimony (Sb), selenium (Se), and zinc (Zn) concentrations were determined by Inductively Coupled Plasma Emission Spectroscopy (ICP). Thallium (Tl) concentrations for the front half samples I-M29-1 FH, I-M29-FIELD BLANK FH, O-M29-1 FH, O-M29-3 FH, I-M29-3 FH, and I-M29-2 FH were determined by Inductively Coupled Plasma Emission Spectroscopy (ICP).

Thallium (Tl) concentrations for the back half samples and front half samples (except samples I-M29-1 FH, I-M29-FIELD BLANK FH, O-M29-1 FH, O-M29-3 FH, I-M29-3 FH, and I-M29-2 FH) concentrations were analyzed by Graphite Furnace Atomic Absorption (GFAA). Due to instrument failure, all samples could not be analyzed by GFAA.

Mercury (Hg) concentrations were determined by Cold Vapor Atomic Absorption (CVAA).

The linear range for the instrument TJA 61E Trace Analyzer was based on four standards and a blank, which established a correlation coefficient value greater than or equal to 0.995. A calibration curve, based on a blank and one standard, is established for each analytical run, followed by a check high standard and an initial calibration verification (ICV). The check high standard does not deviate from the calibration curve by more than 5%. In addition, continuing calibration verifications (CCVs) are performed throughout the analytical run.

A Reporting Detection Limit (RDL) is used instead of an Instrument Detection Limit (IDL). The spectrometer and atomic absorption instruments can achieve low detection limits between 0.2-8 ppb levels for many analytes. Triangle Labs is using RDL values of 1-10 times the IDL as detection limits for reporting purposes.

Data Review:

All analytes found in the method blank (MB) prepared on September 25-26, 1997 are detected at a level equal to or less than the respective Reporting Detection Limits (RDLs) except for Zn. All analytes found in the method blank (MB) prepared on October 02-03, 1997 are detected at a level equal to or less than the respective Reporting Detection Limits (RDLs) except for Mn. The following guidelines may be used to assess analyte concentrations relative to the method blank: 1. Analyte quantitations should be considered valid if the level of blank contamination is less than five percent of the level detected in the field sample, 2. Analyte quantitations should be considered estimated if the

analyte level in the sample is five to twenty times the level of the analyte in the blank, or 3. Analytes whose level in a sample is the same as or less than five times the level detected in the associated blank should be considered present likely due to laboratory contamination and not native to the sample. Please note that the concentrations for samples prepared on September 25-26, 1997 should be considered biased high for Zn. Also note that the concentrations for samples prepared on October 02-03, 1997 should be considered biased high for Mn.

The client Ids did not match the Ids on the sample labels. The sample labels were used to identify the samples.

A sampling date was not supplied by the client for the reagent blank received on September 15, 1997, therefore, the sampling to analysis holding times cannot be determined. The sample was analyzed within 23 days of sample receipt at Triangle Laboratories. Due to laboratory problems, samples I-M29-FHAR, BLK-5% 10% BH and O-M29-FHAR, BLK-5% 10% BH were not analyzed within the 28 day sampling to analysis holding time for Hg. All samples were analyzed within the six month sampling to analysis holding time for all other requested analytes.

Due to a confusion in the laboratory, the sample preparation procedure deviated from the method. The filter and acetone rinse samples (except I/O REAGENT BLANK FH) were not prepared simultaneously with the HNO₃ rinse samples on September 25-26, 1997. The filter and acetone rinse samples were prepared on October 02-03, 1997. The samples were analyzed separately and the concentrations from each analysis were added together in order to obtain a composited concentration for the front half samples. Only the elements with concentrations greater than the RDL were added together. If one concentration was below the RDL and one concentration was above the RDL, the concentration above the RDL was used in the calculations. If both concentration for each analysis from both preps were below the RDL, the concentration from the first analysis was used in the calculations. The results for the QC samples were not combined, however, the individual results for the QC samples were included in the data package.

A duplicate analysis is not reported for elements analyzed by GFAA. The GFAA instrument analyzes two separate aliquots of the sample and averages the values for a final result. These two analyses agree within a RPD of 20% or a second run is done for that sample. The ICP instrument analyzes one continuous aliquot three times and averages the values for a final result. The ICP does not take two separate aliquots, therefore a DA is performed.

The post-digestion spike (PDS) for Tl for the sample I-M29-1 FH (prepared on October 02-03, 1997) demonstrated a percent recovery outside the QC criteria of 85-125 percent, which indicates significant matrix effects specific to this analyte in the native sample matrix. The Method of Standard Additions (MSA) was performed on all of the samples prepared on October 02-03-1997. The MSA results are reported if the correlation coefficient value is at least 0.995. Only samples I-M29-FHAR, BLK BH (prepared on September 25-26, 1997), O-M29-2 FH and O-M29-FIELD BLANK FH had passing correlation coefficients. The remaining samples that were analyzed by GFAA demonstrated significant matrix interferences during analysis and the results reported are considered underestimated.

Due to instrument failure, all of the samples could not be analyzed by MSA for a second time. The initial results for all of the samples (except for the samples that had passing MSAs and for samples I-M29-1 FH, I-M29-2 FH, and I-M29-3 FH) were taken from the initial GFAA analysis. The samples I-M29-1 FH, I-M29-2 FH, and I-M29-3 FH were reanalyzed by ICP and the Tl concentrations were taken from the reanalysis data.

The post-digestion spike (PDS) for P and Tl for samples I-M29-1 FH and I-M29-1 BH demonstrated percent recoveries outside the QC criteria, which may indicate significant matrix effects specific to these analytes in the native sample matrix. Please note that these samples should be considered biased low for these elements due to matrix interferences.

The post-digestion spike (PDS) for Ag for the sample I-M29-2 FH demonstrated a percent recovery slightly outside the QC criteria, but does not indicate any significant matrix effects specific to this analyte in the native sample matrix.

The pre-digestion spike (MS) and the pre-digestion spike duplicate (MSD) for Hg for the sample I-M29-3-5% 10% BH demonstrated percent recoveries outside the QC criteria, which may indicate significant matrix effects specific to this analyte in the native sample matrix. Please note that this sample should be considered biased low for Hg due to matrix interferences.

The recoveries for the post-digestion spike (PDS) are not reported for Mn, Pb, and Zn for sample I-M29-1 FH and I-M29-2 FH. The spike concentrations added were insignificant in comparison to the levels of these analytes present in the native sample.

The recoveries for the pre-digestion spike (MS) and the pre-digestion spike duplicate (MSD) are not reported for Hg for samples I-M29-2-5% 10% BH and O-M29-1-5% 10% BH. The spike concentrations added were insignificant in comparison to the levels of this analyte present in the native sample.

QC requirements:

The duplicate analyses for analytes analyzed by GFAA cannot be considered valid qualifiers if the concentrations of the analytes in the original and/or duplicate sample are not at least five times the respective RDL. The RPDs for these analyses are indicated by "<RDL" in the Analyte Summary Reports.

The duplicate analyses for analytes analyzed by ICP cannot be considered valid qualifiers if the concentrations of the analytes in the original and/or duplicate sample are not at least ten times the respective RDLs. The RPDs for these analyses are indicated by or "<RDL" in the Analyte Summary Reports.

For duplicate analyses which are valid qualifiers, the quality control RPD is ± 20.0 percent. If RPDs are outside this range, interferences are suspected.

The serial dilution analyses for analytes analyzed by GFAA cannot be considered valid qualifiers if the concentrations of the analytes in the serial dilution sample are not at least five times the respective RDLs. The serial dilution RPDs for these analyses are indicated by "<RDL" in the Analyte Summary Reports.

The serial dilution analyses for analytes analyzed by ICP cannot be considered valid qualifiers if the concentrations of the analytes in the serial dilution sample are less than ten times the respective RDLs. The serial dilution RPDs for these analyses are indicated by "<RDL" in the Analyte Summary Reports.

For serial dilution analyses which are valid qualifiers, the quality control RPD is ± 10.0 percent. If RPDs are outside this range, interferences are suspected.

The quality control range for percent recoveries of laboratory control spiked samples is 80-120.

The quality control range for percent recoveries of spiked samples is 75-125. If recoveries are outside this range, a matrix effect is suspected.


If the analyte concentrations analyzed by GFAA in the native samples are less than five times the respective RDLs, or if valid serial dilution analyses demonstrate RPDs outside the ten percent quality control range, the percent recoveries of post-digestion spiked samples is 75-125. If recoveries are outside this range, all matrix-related samples are analyzed by the Method of Standard Additions (MSA). The MSA analysis for each sample is reported only if the correlation coefficient value is at least 0.995.

By our interpretation, the analytical data in this project are valid based on the guidelines of Method 29 April 1996 Rev. Any specific QC concerns or problems have been discussed in the QC REMARKS section with emphasis on their effect on the data. Should Pacific Environmental Services have any questions or comments regarding this data package, please feel free to contact Project Scientist, Amy J. Boehm, at (919) 544-5729 ext.268.


For Triangle Laboratories, Inc.,

Report Preparation

Quality Control



Linda F. Jones
Report Preparation Chemist



Brenda H. Bell
Report Preparation Chemist

The total number of pages in this data package is: 392.

TRIANGLE LABS

TRIANGLE LABORATORIES, INC.

LIST OF CERTIFICATIONS AND ACCREDITATIONS

ENVIRONMENTAL

American Association for Laboratory Accreditation. Accreditation pending. Certificate Number 0226-01. Accreditation for technical competence in Environmental Testing.(Including Waste Water, Sol/Haz Waste, Pulp/Paper, and Air Matrices) Parameters are AOX/TOX, and Dioxin/Furan. Method 1613 for Drinking Water.

State of Alabama, Department of Environmental Management. Expires December 31, 1997. Laboratory I.D. # 40950. Dioxin in drinking water.

State of Alaska, Department of Environmental Conservation. Expires December 21, 1997. Certificate number OS-00397. Dioxin in drinking water.

State of Arizona, Department of Health Services. Expires May 26, 1998. Certificate #AZ0423. Drinking Water for Dioxin, Dioxin in WW and S/H Waste.

State of Arkansas, Department of Pollution Control and Ecology. Expires February 18, 1998. Pulp/paper, soil, water, and Hazardous Waste for Dioxin/Furan; AOX/TOX.

State of California, Department of Health Services. Expires August 31, 1999. Certificate #1922. Selected Metals in Waste Water; Volatiles, Semi-volatiles, and Dioxin/furan in WW and Sol/Haz Waste. Dioxin in drinking water.

State of Connecticut, Department of Health Services. Recertification pending. Registration # PH-0117. Dioxin in drinking water.

Delaware Health and Social Services. Expires December 31, 1997. Certificate #NC 140. Dioxin in drinking water.

Florida Department of Health and Rehabilitative Services. Expires June 30, 1998. Dioxin in DW. Drinking Water ID HRS# 87424. Metals, Extractable Organics (GC/MS), Pesticides/PCB's (GC) and Volatiles (GC/MS) in Environmental Samples. Environmental water ID HRS# E87411.

Hawaii Department of Health. Expires March 1, 1998. Dioxin in drinking water. "Accepted" status for regulatory purposes .

Idaho Department of Health and Welfare. Expires November 30, 1997. Dioxin in drinking water.

State of Kansas, Department of Health and Environment. Expires January 31, 1998. Environmental Analyses/Non potable Water and Solid and Hazardous Waste. Method 1613 for drinking water. ID #'s - Drinking water and/or pollution control - E-215. Solid or Hazardous Waste - E-1209.

Commonwealth of Kentucky, Department for Environmental Protection. Expires December 31, 1997. ID#90060. Dioxin in drinking water.

Maryland Department of Health and Mental Hygiene. Expires September 30, 1998. Certification #235. Drinking water by Method 1613A.

State of Michigan, Department of Public Health. Expires June 3, 1998. Drinking water by Method 1613.

Mississippi State Department of Health. No expiration date.. Dioxin in drinking water.

Montana Department of Health and Environmental Services. Expires December 31, 1997. Dioxin in drinking water.

State of New Jersey, Department of Environmental Protection and Energy. Extended by state. Temporary certificate until December 31, 1997. ID #67851. BNAs and Volatiles. Dioxin in drinking water.

State of New Mexico, Environment Department. Recertification pending. Dioxin in drinking water.

New York State Department of Health. Expires April 1, 1998. ID #11026. Environmental Analyses of non-potable Water, Solid and Hazardous Waste. Method 1613 in DW.

State of North Carolina, Department of Environment Health and Natural Resources Expires August 31, 1999. Certificate # 37751. Dioxin in drinking water.

State of North Carolina, Department of Environment, Health, and Natural Resources, Division of Environmental Management. Expires December 31, 1997. Certificate # 485. Metals, pesticides & PCBs, semi-volatiles and volatiles; TCLP.

North Dakota State Department of Health and Consolidated Laboratories. Expires December 31, 1997. Certificate # R-076. Effective October 4, 1993. Dioxin in drinking water.

Oklahoma Department of Environmental Quality. Expires August 31, 1998. Laboratory #9612. Dioxin by 1613A, 8290 and 8280.

State of South Carolina, Department of Health and Environmental Control. Expires April 1, 1998. Certificate number #99040001 (drinking water). Expires August 31, 1999. Certificate number #99040002 (other parameters). Dioxin/Furans, BNA, Volatiles, and PCBs/pesticides under Clean Water Act, 2,3,7,8-TCDD for Drinking Water, and Organic extractables for Solid and Hazardous Waste.

State of Tennessee. Department of Environment and Conservation. Expires February 5, 1999. ID #02992. Method 1613 Drinking water only.

U.S. Department of Agriculture Soil Permit. Expires September 30, 2001. Permit No. S-3790. Under the authority of the Federal Plant Pest Act, permission is granted to receive foreign soil samples for use in laboratory analysis.

U.S. Army Corps of Engineers. Expires November 30, 1997. Validated to perform methods 8280 & 8290 for Lockbourne Landfill Site Investigation, Defense Distribution Depot Projects, and assorted projects for the USACE North Pacific Division Laboratory.

U.S. EPA Region V. Expires November 14, 1999. Dioxin in drinking water.

U.S. EPA Region VIII, for the State of Wyoming. Expires November 13, 1997. Dioxin in drinking water.

State of Utah, Department of Health. Expires December 31, 1997. Certificate Number E-166. Certification for the following parameters: Semi-Volatiles and Volatiles under RCRA; Volatiles under Clean Water Act; Dioxin/furans by Method 8280; Drinking water for Dioxin by Method 1613; Metals including Mercury and Microwave Digestion.

Commonwealth of Virginia, Department of General Services, Division of Consolidated Laboratory Services. Expires June 30, 1998. ID # 00341. Dioxin in drinking water.

State of Washington, Department of Ecology. Expires September 11, 1998. Lab Accreditation Number C067. Scope of Accreditation applies to water analyses for Polychlorinated Dibenzo-p-dioxins and Polychlorinated Dibenzofurans, BNA Extr (Semivolatile) Organics and Purgeable (Volatile) Organics.

State of Washington, Department of Health. Expires April 30, 1998. Dioxin in drinking water. Lab I.D. 129

State of West Virginia, Department of Health. Expires December 31, 1997. Certificate No. 9923(C). Dioxin in drinking water.

State of Wisconsin, Department of Natural Resources. Expires August 31, 1998. Laboratory ID Number 999869530. Certification for the following categories of Organics: Purgeable, Base/Neutral, Acid, PCBs, and Dioxin. Expires November 14, 1999. Laboratory ID 999869530. Dioxin in drinking water.

PHARMACEUTICAL

Drug Enforcement Agency (DEA). Expires November 30, 1997. Registration number RT01195835. Controlled substance registration for schedules 1,2,3,3N,4,5.

N.C. Department of Human Resources. Expires October 31, 1998. Registration number NC-PT 0000 0031. North Carolina controlled substances registration. Application submitted for renewal.

Food & Drug Administration (FDA) Registration. Expires June 1998. ID #'s 001500 1053481. Annual registration of drug establishment. Annual registration of drug establishment.

OTHER

Clinical Laboratory Improvement Amendments (CLIA) Registration. Expires May 30, 1999. ID # 34D0705123. Department of Health & Human Services, Health Care Financing Administration.

U.S. EPA Large Quantity Hazardous Waste Generator. No expiration date. EPA ID #NCD982156879. Permit indicates that the laboratory is a large generator of hazardous waste.

North Carolina Radioactive Materials License. Expires April 30 1998. License No. 032-0954-1. License authorizes the licensee to receive, acquire, own, possess, transfer, import and use such radioactive materials as designated.

North Carolina General License for Radiation Protection. No. expiration date. License No. 032-875-OG. The general license applies only to radioactive material contained in devices which have been manufactured and labeled in accordance with specific requirements.

ABBREVIATIONS

BH = Back Half
CCB = Continuing Calibration Blank
CCV = Continuing Calibration Verification
CHECK HS = Check High Standard
D = DUP = Analytical Duplicate (Prepared Duplicate)
DA = Duplicate Analysis
FH = Front Half
FV = Final Digestate Volume
ICB = Initial Calibration Blank
ICV = Initial Calibration Verification
ICSAB = Interference Check Solution (Solution AB)
I = Initial
F = Final

Solution AB contains common interferences in addition to the analyte of interest.

IDL = Instrument Detection Limit
L = Serial Dilution
LCS = Laboratory Control Spike Sample
MB = Method Blank
MPV = Mercury Preparation Volume
MS = Pre-digestion Spike
MSD = Pre-digestion Spike Duplicate
N/A = Not Applicable
N/Av = Not Available
N/V = Not Valid
PDS = Post-digestion Spike
%REC = Percent Recovery
RDL = Reporting Detection Limit
RPD = Relative Percent Difference
T = Analytical Triplicate (Prepared Triplicate; for Hg analysis by Method 7471 only)
TV = Total Sample Volume
< = Analyte concentration in the sample is less than the respective RDL

STANDARD CONCENTRATIONS for the TJA 61E TRACE ANALYZER

Analyte	Units	High Std	ICV/CCV	ICSAB	RDL	Wavelength
Ag	ppb	1000	500	500	1	3280
As	ppb	1000	500	500	5	1890
Al	ppb	1000	500	500000	50	3082
B	ppb	1000	500	500	7	2496
Ba	ppb	1000	500	500	2	4934
Be	ppb	1000	500	500	1	3130
Ca	ppb	1000	500	500000	60	3179
Cd	ppb	1000	500	500	1	2265
Ce	ppb	1000	500	500	3	4186
Co	ppb	1000	500	500	1	2286
Cr	ppb	1000	500	500	2	2677
Cu	ppb	1000	500	500	2	3247
Fe	ppb	1000	500	200000	40	2714
K	ppb	10000	5000	19000	220	7664
Li	ppb	1000	500	500	1	6706
Mg	ppb	1000	500	500000	30	2790
Mn	ppb	1000	500	500	2	2576
Mo	ppb	1000	500	500	2	2020
Na	ppb	10000	5000	5000	300	3302
Ni	ppb	1000	500	500	3	2316
P	ppb	1000	500	500	30	2149
Pb	ppb	1000	500	500	2	2203
Sb	ppb	1000	500	500	4	2068
Se	ppb	1000	500	500	3	1960
Sn	ppb	1000	500	500	13	1899
Sr	ppb	1000	500	650	1	4215
Ti	ppb	1000	500	500	8	3349
Tl	ppb	1000	500	500	5	1908
V	ppb	1000	500	500	2	2924
Zn	ppb	1000	500	500	12	2062

Note: Use this reference page to review the raw data from the TJA 61E Trace Analyzer.

This page includes the standard concentrations for the check high standard, initial calibration verification (ICV), continuing calibration verification (CCV), and the interference check solution (ICSAB). In addition the reporting detection limit (RDL) and wavelength are reported for each analyte.

Revision Date: 15-Jul-96

CALCULATIONS FOR AIR SAMPLES

RESULTS FOR TRACE METALS (except mercury):

$$\text{RESULT in } \mu\text{g (Front Half)} = \frac{\mu\text{g/L} * \text{FV (mL)} * \text{DF}}{1000 \text{ mL/L}}$$

$$\text{RESULT in } \mu\text{g (Back Half \& Impingers)} = \frac{\mu\text{g/L} * \text{TV (mL)} * \text{FV (mL)} * \text{DF}}{\text{mL used} * 1000 \text{ mL/L}}$$

FV = final volume in mL
TV = total volume in mL
DF = Dilution Factor

The RESULTS for combined Front Half & Back Half samples use the same calculation as the Back Half & impinger samples.

RESULTS FOR MERCURY (Hg):

$$\text{RESULT in } \mu\text{g (Front Half)} = \mu\text{g/L} * (\text{mL FV/mL aliquot}) * \text{MPV} * \text{DF}$$

$$\text{RESULT in } \mu\text{g (Back Half \& Impingers)} = \mu\text{g/L} * (\text{mL TV/mL aliquot}) * \text{MPV} * \text{DF}$$

MPV = mercury preparation volume = 0.1 L

%REC (Percent Recovery) for MS/MSD Hg spikes:

$$\% \text{REC} = \frac{\text{spike sample results} - \text{original sample results}}{\text{true spike sample results}} * 100$$

NOTE: Original sample results less than the RDL are not used in calculations.

%REC (Percent Recovery) for PDS:

$$\% \text{REC} = \frac{\text{Spike sample } \mu\text{g/L conc.} - \text{original sample } \mu\text{g/L conc.}}{\text{spike conc. } (\mu\text{g/L})} * 100$$

%REC (Percent Recovery) for LCS/LCSD:

$$\% \text{REC} = \frac{\text{Spike sample } \mu\text{g/L conc.}}{\text{spike conc. } (\mu\text{g/L})} * 100$$

RPDs:
$$\text{RPD} = \frac{|\text{Result 2} - \text{Result 1}|}{(\text{Result 2} + \text{Result 1})/2} * 100$$

Rev. 2-Oct-96

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-FHAR, FIELD BLANK FH
TLI Sample ID:	183-3-1B, 184-23-4AB FH
Date Received:	September 12, 15, & 23, 1997
Date Prepared:	Sept. 25-26 & Oct. 2-3, 1997
Date Analyzed:	October 7, 8, 23 & 29-30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	72.316	N/A	N/A	100	1	7.23
As	32.624	N/A	N/A	100	1	3.26
Ba	503.025	N/A	N/A	100	1	50.3
Be	-51.180	N/A	N/A	100	1	< 0.100
Cd	1717.172	N/A	N/A	100	1	172
Co	35.480	N/A	N/A	100	1	3.55
Cr	329.116	N/A	N/A	100	1	32.9
Mn	343.918	N/A	N/A	100	1	34.4
Ni	190.203	N/A	N/A	100	1	19.0
P	1251.931	N/A	N/A	100	1	125
Pb	5973.582	N/A	N/A	100	1	597
Sb	53.660	N/A	N/A	100	1	5.37
Se	44.688	N/A	N/A	100	1	4.47
Tl	-6.404	N/A	N/A	100	1	< 0.500
Zn	1661.507	N/A	N/A	100	1	166

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 07-Nov-97 at 11:03 AM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-FHAR, BLK BH
TLI Sample ID:	183-3-1BC BH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	4.852	300	300	100	1	0.485
As	-5.449	300	300	100	1	< 0.500
Ba	3.570	300	300	100	1	0.357
Be	0.154	300	300	100	1	< 0.100
Cd	40.727	300	300	100	1	4.07
Co	-6.784	300	300	100	1	< 0.100
Cr	18.909	300	300	100	1	1.89
Mn	12.066	300	300	100	1	1.21
Ni	10.734	300	300	100	1	1.07
P	69.813	300	300	100	1	6.98
Pb	189.199	300	300	100	1	18.9
Sb	5.944	300	300	100	1	0.594
Se	10.084	300	300	100	1	1.01
Tl	4.900	300	300	100	1	0.490
Zn	168.337	300	300	100	1	16.8

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	I-M29-1-FH
TLI Sample ID:	183-3-2B,184-23-1AB FH
Date Received:	September 12,15,& 23, 1997
Date Prepared:	Sept. 25-26 & Oct. 2-3, 1997
Date Analyzed:	October 7,8,23 & 29-30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	ml. Total Vol.	ml. Used	ml. Final Vol.	Dilution Factor	Total ug Result
Ag	139.780	N/A	N/A	100	1	14.0
As	1920.371	N/A	N/A	100	1	192
Ba	14490.889	N/A	N/A	100	1	1450
Be	29.813	N/A	N/A	100	1	2.98
Cd	14101.715	N/A	N/A	100	1	1410
Co	341.530	N/A	N/A	100	1	34.2
Cr	12730.326	N/A	N/A	100	1	1270
Mn	850754.593	N/A	N/A	100	1	85100
Ni	3173.256	N/A	N/A	100	1	317
P	18547.696	N/A	N/A	100	1	1850
Pb	813675.023	N/A	N/A	100	1	81400
Sb	8750.900	N/A	N/A	100	1	875
Se	718.327	N/A	N/A	100	1	71.8
Tl	728.174	N/A	N/A	100	1	72.8
Zn	3929615	N/A	N/A	100	1	393000

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 07-Nov-97 at 11:03 AM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	I-M29-1 BH
TLI Sample ID:	183-3-2C BH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	1.084	410	310	100	1	0.143
As	-2.845	410	310	100	1	< 0.661
Ba	3.441	410	310	100	1	0.455
Be	0.143	410	310	100	1	< 0.132
Cd	3.120	410	310	100	1	0.413
Co	-4.216	410	310	100	1	< 0.132
Cr	18.734	410	310	100	1	2.48
Mn	9.917	410	310	100	1	1.31
Ni	5.882	410	310	100	1	0.778
P	110.721	410	310	100	1	14.6
Pb	24.725	410	310	100	1	3.27
Sb	5.600	410	310	100	1	0.741
Se	15.145	410	310	100	1	2.00
Tl	-0.500	410	310	100	1	< 0.265
Zn	151.166	410	310	100	1	20.0

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	I-M29-1 BHL
TLI Sample ID:	183-3-2C BHL
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Aq	0.155	410	310	100	5	< 0.661
As	-0.489	410	310	100	5	< 3.31
Ba	0.685	410	310	100	5	< 1.32
Be	0.219	410	310	100	5	< 0.661
Cd	0.423	410	310	100	5	< 0.661
Co	-1.161	410	310	100	5	< 0.661
Cr	4.711	410	310	100	5	3.12
Mn	2.062	410	310	100	5	1.36
Ni	1.933	410	310	100	5	< 1.98
P	30.067	410	310	100	5	19.9
Pb	4.713	410	310	100	5	3.12
Sb	1.112	410	310	100	5	< 2.65
Se	3.517	410	310	100	5	2.33
Tl	N/A	N/A	N/A	N/A	N/A	N/A
Zn	32.230	410	310	100	5	21.3

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-2-FH
TLI Sample ID:	183-3-3B,184-23-2AB FH
Date Received:	September 12,15.& 23, 1997
Date Prepared:	Sept. 25-26 & Oct. 2-3, 1997
Date Analyzed:	October 7,8,23 & 29-30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Aq	553.287	N/A	N/A	100	1	55.3
As	2493.252	N/A	N/A	100	1	249
Ba	28739.289	N/A	N/A	100	1	2870
Be	153.223	N/A	N/A	100	1	15.3
Cd	37924.683	N/A	N/A	100	1	3790
Co	434.914	N/A	N/A	100	1	43.5
Cr	24508.565	N/A	N/A	100	1	2450
Mn	2095904.471	N/A	N/A	100	1	209600
Ni	4497.640	N/A	N/A	100	1	450
P	27390.498	N/A	N/A	100	1	2740
Pb	2001336.413	N/A	N/A	100	1	200100
Sb	14014.141	N/A	N/A	100	1	1400
Se	1292.630	N/A	N/A	100	1	129
Tl	1679.875	N/A	N/A	100	1	168
Zn	11191035	N/A	N/A	100	1	1119100

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 07-Nov-97 at 11:03 AM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	I-M29-2 BH
TLI Sample ID:	183-3-3C BH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Aq	1.419	460	360	100	1	0.181
As	-4.446	460	360	100	1	< 0.639
Ba	15.256	460	360	100	1	1.95
Be	0.105	460	360	100	1	< 0.128
Cd	1.109	460	360	100	1	0.142
Co	-2.508	460	360	100	1	< 0.128
Cr	18.795	460	360	100	1	2.40
Mn	78.280	460	360	100	1	10.0
Ni	3.754	460	360	100	1	0.480
P	121.730	460	360	100	1	15.6
Pb	95.221	460	360	100	1	12.2
Sb	2.873	460	360	100	1	< 0.511
Se	6.414	460	360	100	1	0.820
Tl	-0.400	460	360	100	1	< 0.256
Zn	459.381	460	360	100	1	58.7

BA
 DUB
 2.184
 0.639 20.0
 1.44
 < 0.128
 0.157
 < 0.128
 2.27
 9.09
 16.5
 12.3
 0.511
 0.639
 1.95
 58.7

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services

Project Number: 43231

Sample Report

Client Sample ID:	I-M29-2 BH DA
TLI Sample ID:	183-3-3C BH DA
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	1.515	460	360	100	1	0.194
As	-4.545	460	360	100	1	< 0.639
Ba	15.177	460	360	100	1	1.94
Be	0.094	460	360	100	1	< 0.128
Cd	1.225	460	360	100	1	0.157
Co	-1.929	460	360	100	1	< 0.128
Cr	17.896	460	360	100	1	2.29
Mn	78.199	460	360	100	1	9.99
Ni	2.658	460	360	100	1	< 0.383
P	129.406	460	360	100	1	16.5
Pb	96.231	460	360	100	1	12.3
Sb	3.852	460	360	100	1	< 0.511
Se	5.137	460	360	100	1	0.656
Tl	N/A	N/A	N/A	N/A	N/A	N/A
Zn	459.230	460	360	100	1	58.7

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-3-FH
TLI Sample ID:	183-3-4B,184-23-3AB FH
Date Received:	September 12,15,& 23, 1997
Date Prepared:	Sept. 25-26 & Oct. 2-3, 1997
Date Analyzed:	October 7,8,23 & 29-30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	196.154	N/A	N/A	100	1	19.6
As	3144.309	N/A	N/A	100	1	314
Ba	25008.222	N/A	N/A	100	1	2500
Be	91.076	N/A	N/A	100	1	9.11
Cd	30130.599	N/A	N/A	100	1	3010
Co	472.671	N/A	N/A	100	1	47.3
Cr	20380.124	N/A	N/A	100	1	2040
Mn	1658612.349	N/A	N/A	100	1	165900
Ni	4995.930	N/A	N/A	100	1	500
P	612397.537	N/A	N/A	100	1	61200
Pb	1479459.811	N/A	N/A	100	1	147900
Sb	12947.981	N/A	N/A	100	1	1290
Se	1164.243	N/A	N/A	100	1	116
Tl	1308.620	N/A	N/A	100	1	131
Zn	7750554.077	N/A	N/A	100	1	775100

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 07-Nov-97 at 11:03 AM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	I-M29-3 BH
TLI Sample ID:	183-3-4C BH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol	mL Used	mL Final Vol	Dilution Factor	Total ug Result
Aq	2.964	340	240	100	1	0.420
As	-2.307	340	240	100	1	< 0.708
Ba	7.222	340	240	100	1	1.02
Be	0.205	340	240	100	1	< 0.142
Cd	13.109	340	240	100	1	1.86
Co	-2.251	340	240	100	1	< 0.142
Cr	13.070	340	240	100	1	1.85
Mn	640.411	340	240	100	1	90.7
Ni	1.556	340	240	100	1	< 0.425
P	131.117	340	240	100	1	18.6
Pb	483.027	340	240	100	1	68.4
Sb	4.079	340	240	100	1	0.578
Se	4.593	340	240	100	1	0.651
Tl	-0.600	340	240	100	1	< 0.283
Zn	2403.785	340	240	100	1	341

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	O-M29-FHAR, FIELD BLANK FH
TLI Sample ID:	183-3-5B, 184-23-9AB FH
Date Received:	September 12, 15, & 23, 1997
Date Prepared:	Sept. 25-26 & Oct. 2-3, 1997
Date Analyzed:	October 7, 8, 23 & 29-30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	1.896	N/A	N/A	100	1	0.190
As	15.110	N/A	N/A	100	1	1.51
Ba	624.604	N/A	N/A	100	1	62.5
Be	-1.061	N/A	N/A	100	1	< 0.100
Cd	-6.678	N/A	N/A	100	1	< 0.100
Co	-23.922	N/A	N/A	100	1	< 0.100
Cr	103.044	N/A	N/A	100	1	10.3
Mn	38.387	N/A	N/A	100	1	3.84
Ni	66.402	N/A	N/A	100	1	6.64
P	786.693	N/A	N/A	100	1	78.7
Pb	9.729	N/A	N/A	100	1	0.973
Sb	67.715	N/A	N/A	100	1	6.77
Se	57.674	N/A	N/A	100	1	5.77
Tl	0.400	N/A	N/A	100	1	< 0.200
Zn	113.068	N/A	N/A	100	1	11.3

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 07-Nov-97 at 11:03 AM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	O-M29-FHAR,BLK BH
TLI Sample ID:	183-3-5BC BH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	0.446	150	150	100	1	< 0.100
As	-2.903	150	150	100	1	< 0.500
Ba	2.443	150	150	100	1	0.244
Be	-0.668	150	150	100	1	< 0.100
Cd	1.853	150	150	100	1	0.185
Co	-1.064	150	150	100	1	< 0.100
Cr	4.299	150	150	100	1	0.430
Mn	9.713	150	150	100	1	0.971
Ni	-0.887	150	150	100	1	< 0.300
P	45.672	150	150	100	1	4.57
Pb	21.074	150	150	100	1	2.11
Sb	0.429	150	150	100	1	< 0.400
Se	12.213	150	150	100	1	1.22
Tl	1.200	150	150	100	1	< 0.200
Zn	119.933	150	150	100	1	12.0

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	O-M29-1 FH
TLI Sample ID:	183-3-6B,184-23-6AB FH
Date Received:	September 12,15.& 23, 1997
Date Prepared:	Sept. 25-26 & Oct. 2-3, 1997
Date Analyzed:	October 7,8,23 & 29-30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Aq	3.703	N/A	N/A	100	1	0.370
As	9.119	N/A	N/A	100	1	0.912
Ba	649.382	N/A	N/A	100	1	64.9
Be	-1.231	N/A	N/A	100	1	< 0.100
Cd	366.037	N/A	N/A	100	1	36.6
Co	-24.978	N/A	N/A	100	1	< 0.100
Cr	109.230	N/A	N/A	100	1	10.9
Mn	423.582	N/A	N/A	100	1	42.4
Ni	76.189	N/A	N/A	100	1	7.62
P	905.584	N/A	N/A	100	1	90.6
Pb	2030.900	N/A	N/A	100	1	203
Sb	54.727	N/A	N/A	100	1	5.47
Se	52.014	N/A	N/A	100	1	5.20
Tl	-37.404	N/A	N/A	100	1	< 0.500
Zn	1624.963	N/A	N/A	100	1	162

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 07-Nov-97 at 11:03 AM

Client: Pacific Environmental Services

Project Number: 43231

Sample Report

Client Sample ID:	O-M29-1-BH
TLI Sample ID:	183-3-6C BH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Aq	0.746	350	250	100	1	< 0.140
As	-3.814	350	250	100	1	< 0.700
Ba	3.063	350	250	100	1	0.429
Be	-0.741	350	250	100	1	< 0.140
Cd	1.053	350	250	100	1	0.147
Co	-1.179	350	250	100	1	< 0.140
Cr	7.699	350	250	100	1	1.08
Mn	7.149	350	250	100	1	1.00
Ni	0.262	350	250	100	1	< 0.420
P	86.705	350	250	100	1	12.1
Pb	16.764	350	250	100	1	2.35
Sb	1.291	350	250	100	1	< 0.560
Se	0.753	350	250	100	1	< 0.420
Tl	0.200	350	250	100	1	< 0.280
Zn	119.197	350	250	100	1	16.7

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	O-M29-2 FH
TLI Sample ID:	183-3-7B,184-23-7AB FH
Date Received:	September 12,15,& 23, 1997
Date Prepared:	Sept. 25-26 & Oct. 2-3, 1997
Date Analyzed:	October 7,8,23 & 29-30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	3.501	N/A	N/A	100	1	0.350
As	13.670	N/A	N/A	100	1	1.37
Ba	642.973	N/A	N/A	100	1	64.3
Be	-1.212	N/A	N/A	100	1	< 0.100
Cd	28.767	N/A	N/A	100	1	2.88
Co	-25.876	N/A	N/A	100	1	< 0.100
Cr	104.158	N/A	N/A	100	1	10.4
Mn	607.453	N/A	N/A	100	1	60.7
Ni	70.914	N/A	N/A	100	1	7.09
P	840.952	N/A	N/A	100	1	84.1
Pb	571.782	N/A	N/A	100	1	57.2
Sb	59.941	N/A	N/A	100	1	5.99
Se	52.777	N/A	N/A	100	1	5.28
Tl	0.400	N/A	N/A	100	1	< 0.200
Zn	2650.503	N/A	N/A	100	1	265

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 07-Nov-97 at 11:03 AM

Client: Pacific Environmental Services

Project Number: 43231

Sample Report

Client Sample ID:	O-M29-2-BH
TLI Sample ID:	183-3-7C BH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol	mL Used	mL Final Vol	Dilution Factor	Total ug Result
Ag	0.932	360	260	100	1	< 0.138
As	-3.666	360	260	100	1	< 0.692
Ba	7.064	360	260	100	1	0.978
Be	-0.844	360	260	100	1	< 0.138
Cd	0.894	360	260	100	1	< 0.138
Co	-0.770	360	260	100	1	< 0.138
Cr	9.822	360	260	100	1	1.36
Mn	8.633	360	260	100	1	1.20
Ni	1.456	360	260	100	1	< 0.415
P	107.632	360	260	100	1	14.9
Pb	21.368	360	260	100	1	2.96
Sb	0.215	360	260	100	1	< 0.554
Se	14.199	360	260	100	1	1.97
Tl	-0.600	360	260	100	1	< 0.277
Zn	154.895	360	260	100	1	21.4

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	O-M29-3 FH
TLI Sample ID:	183-3-8B, 184-23-8AB FH
Date Received:	September 12, 15, & 23, 1997
Date Prepared:	Sept. 25-26 & Oct. 2-3, 1997
Date Analyzed:	October 7, 8, 23 & 29-30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	18.713	N/A	N/A	100	1	1.87
As	15.336	N/A	N/A	100	1	1.53
Ba	684.966	N/A	N/A	100	1	68.5
Be	-1.286	N/A	N/A	100	1	< 0.100
Cd	106.184	N/A	N/A	100	1	10.6
Co	-27.120	N/A	N/A	100	1	< 0.100
Cr	128.152	N/A	N/A	100	1	12.8
Mn	1091.099	N/A	N/A	100	1	109
Ni	77.154	N/A	N/A	100	1	7.72
P	708.075	N/A	N/A	100	1	70.8
Pb	1129.659	N/A	N/A	100	1	113
Sb	69.080	N/A	N/A	100	1	6.91
Se	60.821	N/A	N/A	100	1	6.08
Tl	-37.498	N/A	N/A	100	1	< 0.500
Zn	7442.587	N/A	N/A	100	1	744

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	O-M29-3.BH
TLI Sample ID:	183-3-8C BH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	0.525	370	270	100	1	< 0.137
As	-3.138	370	270	100	1	< 0.685
Ba	3.658	370	270	100	1	0.501
Be	-0.805	370	270	100	1	< 0.137
Cd	0.663	370	270	100	1	< 0.137
Co	-1.302	370	270	100	1	< 0.137
Cr	8.300	370	270	100	1	1.14
Mn	16.366	370	270	100	1	2.24
Ni	8.018	370	270	100	1	1.10
P	111.483	370	270	100	1	15.3
Pb	24.246	370	270	100	1	3.32
Sb	-0.608	370	270	100	1	< 0.548
Se	1.416	370	270	100	1	< 0.411
Tl	0.800	370	270	100	1	< 0.274
Zn	143.887	370	270	100	1	19.7

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I,O-M29-REAGENT BLANK FH
TLI Sample ID:	184-23-10AB,5,183-15-1B FH
Date Received:	September 15 & 23, 1997
Date Prepared:	October 02-06, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol	mL Used	mL Final Vol	Dilution Factor	Total ug Result
Aq	3.105	N/A	N/A	100	1	0.311
As	33.470	N/A	N/A	100	1	3.35
Ba	1035.234	N/A	N/A	100	1	104
Be	-55.530	N/A	N/A	100	1	< 0.100
Cd	-6.706	N/A	N/A	100	1	< 0.100
Co	27.753	N/A	N/A	100	1	2.78
Cr	402.853	N/A	N/A	100	1	40.3
Mn	239.746	N/A	N/A	100	1	24.0
Ni	158.144	N/A	N/A	100	1	15.8
P	788.062	N/A	N/A	100	1	78.8
Pb	57.982	N/A	N/A	100	1	5.80
Sb	69.894	N/A	N/A	100	1	6.99
Se	60.905	N/A	N/A	100	1	6.09
Tl	0.700	N/A	N/A	100	1	< 0.200
Zn	564.608	N/A	N/A	100	1	56.5

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	REAGENT BLANK BH
TLI Sample ID:	183-15-1BD BH
Date Received:	September 15 & 23, 1997
Date Prepared:	October 02-06, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	1.186	300	300	100	1	0.119
As	-4.801	300	300	100	1	< 0.500
Ba	4.324	300	300	100	1	0.432
Be	-0.986	300	300	100	1	< 0.100
Cd	-1.092	300	300	100	1	< 0.100
Co	-4.620	300	300	100	1	< 0.100
Cr	17.917	300	300	100	1	1.79
Mn	6.018	300	300	100	1	0.602
Ni	5.207	300	300	100	1	0.521
P	126.393	300	300	100	1	12.6
Pb	9.672	300	300	100	1	0.967
Sb	8.746	300	300	100	1	0.875
Se	6.364	300	300	100	1	0.636
Tl	0.900	300	300	100	1	< 0.200
Zn	126.992	300	300	100	1	12.7

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 03-Nov-97 at 04:56 PM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	REAGENT BLANK DI H2O
TLI Sample ID:	183-15-1C
Date Received:	September 15 & 23, 1997
Date Prepared:	October 02-06, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	0.571	345	345	100	1	< 0.100
As	7.872	345	345	100	1	0.787
Ba	3.212	345	345	100	1	0.321
Be	-1.241	345	345	100	1	< 0.100
Cd	-0.896	345	345	100	1	< 0.100
Co	-3.361	345	345	100	1	< 0.100
Cr	13.983	345	345	100	1	1.40
Mn	3.676	345	345	100	1	0.368
Ni	8.472	345	345	100	1	0.847
P	2.904	345	345	100	1	< 3.00
Pb	0.432	345	345	100	1	< 0.200
Sb	4.816	345	345	100	1	0.482
Se	8.973	345	345	100	1	0.897
Tl	0.300	345	345	100	1	< 0.200
Zn	12.314	345	345	100	1	1.23

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 03-Nov-97 at 04:56 PM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-2 FH
TLI Sample ID:	184-23-2AB FH
Date Received:	September 23, 1997
Date Prepared:	October 02-03, 1997
Date Analyzed:	October 07,08,23 & 30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Aq	50.281	N/A	N/A	100	10	50.3
As	12.318	N/A	N/A	100	200	246
Ba	142.334	N/A	N/A	100	200	2850
Be	15.175	N/A	N/A	100	10	15.2
Cd	188.129	N/A	N/A	100	200	3760
Co	42.981	N/A	N/A	100	10	43.0
Cr	121.771	N/A	N/A	100	200	2440
Mn	10416.737	N/A	N/A	100	200	208300
Ni	22.231	N/A	N/A	100	200	445
P	134.852	N/A	N/A	100	200	2700
Pb	9932.204	N/A	N/A	100	200	198600
Sb	69.541	N/A	N/A	100	200	1390
Se	127.382	N/A	N/A	100	10	127
Tl	167.678	N/A	N/A	100	10	168
Zn	55531.383	N/A	N/A	100	200	1110600

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 30-Oct-97 at 02:18 PM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-2 FH L
TLI Sample ID:	184-23-2AB FH L
Date Received:	September 23, 1997
Date Prepared:	October 02-03, 1997
Date Analyzed:	October 07,08,23 & 30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	8.408	N/A	N/A	100	50	42.0
As	6.008	N/A	N/A	100	1000	601
Ba	29.303	N/A	N/A	100	1000	2930
Be	3.464	N/A	N/A	100	50	17.3
Cd	39.491	N/A	N/A	100	1000	3950
Co	9.450	N/A	N/A	100	50	47.2
Cr	24.930	N/A	N/A	100	1000	2490
Mn	2214.038	N/A	N/A	100	1000	221400
Ni	5.732	N/A	N/A	100	1000	573
P	33.613	N/A	N/A	100	1000	3360
Pb	2068.697	N/A	N/A	100	1000	206900
Sb	15.781	N/A	N/A	100	1000	1580
Se	25.069	N/A	N/A	100	50	125
Tl	35.641	N/A	N/A	100	50	178
Zn	12158.620	N/A	N/A	100	1000	1215900

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 30-Oct-97 at 02:18 PM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	I-M29-1 FH
TLI Sample ID:	183-3-2B FH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	10.576	N/A	N/A	100	1	1.06
As	7.435	N/A	N/A	100	1	0.744
Ba	51.465	N/A	N/A	100	1	5.15
Be	0.333	N/A	N/A	100	1	< 0.100
Cd	28.573	N/A	N/A	100	1	2.86
Co	-1.725	N/A	N/A	100	1	< 0.100
Cr	41.404	N/A	N/A	100	1	4.14
Mn	1584.477	N/A	N/A	100	1	158
Ni	50.418	N/A	N/A	100	1	5.04
P	105.556	N/A	N/A	100	1	10.6
Pb	1913.501	N/A	N/A	100	1	191
Sb	23.734	N/A	N/A	100	1	2.37
Se	8.559	N/A	N/A	100	1	0.856
Ti	1.400	N/A	N/A	100	1	< 0.200
Zn	11375.923	N/A	N/A	100	1	1140

Triangle Laboratories, Inc.
 801 Capicola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Client Sample ID:	I-M29-1 FH L
TLI Sample ID:	183-3-2B FH L
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol	mL Used	mL Final Vol	Dilution Factor	Total ug Result
Aq	2.246	N/A	N/A	100	5	1.12
As	2.140	N/A	N/A	100	5	< 2.50
Ba	10.543	N/A	N/A	100	5	5.27
Be	0.322	N/A	N/A	100	5	< 0.500
Cd	5.654	N/A	N/A	100	5	2.83
Co	-1.100	N/A	N/A	100	5	< 0.500
Cr	12.646	N/A	N/A	100	5	6.32
Mn	327.553	N/A	N/A	100	5	164
Ni	12.882	N/A	N/A	100	5	6.44
P	31.588	N/A	N/A	100	5	15.8
Pb	402.233	N/A	N/A	100	5	201
Sb	8.209	N/A	N/A	100	5	4.10
Se	3.531	N/A	N/A	100	5	1.77
Tl	N/A	N/A	N/A	N/A	N/A	N/A
Zn	2409.756	N/A	N/A	100	5	1200

Triangle Laboratories, Inc.
 801 Capicola Drive * Durham, North Carolina 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-3 FH
TLI Sample ID:	184-23-3AB FH
Date Received:	September 23, 1997
Date Prepared:	October 02-03, 1997
Date Analyzed:	October 07.08.23 & 30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	18.897	N/A	N/A	100	10	18.9
As	15.679	N/A	N/A	100	200	314
Ba	124.801	N/A	N/A	100	200	2500
Be	9.108	N/A	N/A	100	10	9.11
Cd	150.528	N/A	N/A	100	200	3010
Co	47.267	N/A	N/A	100	10	47.3
Cr	101.748	N/A	N/A	100	200	2030
Mn	8285.539	N/A	N/A	100	200	165700
Ni	24.911	N/A	N/A	100	200	498
P	3054.165	N/A	N/A	100	200	61100
Pb	7389.845	N/A	N/A	100	200	147800
Sb	64.666	N/A	N/A	100	200	1290
Se	115.553	N/A	N/A	100	10	116
Tl	130.862	N/A	N/A	100	10	131
Zn	38710.043	N/A	N/A	100	200	774200

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 30-Oct-97 at 02:18 PM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-3 FH DA
TLI Sample ID:	184-23-3AB FH DA
Date Received:	September 23, 1997
Date Prepared:	October 02-03, 1997
Date Analyzed:	October 07,08,23 & 30, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	18.883	N/A	N/A	100	10	18.9
As	17.302	N/A	N/A	100	200	346
Ba	127.045	N/A	N/A	100	200	2540
Be	9.051	N/A	N/A	100	10	9.05
Cd	153.500	N/A	N/A	100	200	3070
Co	47.701	N/A	N/A	100	10	47.7
Cr	104.130	N/A	N/A	100	200	2080
Mn	8429.759	N/A	N/A	100	200	168600
Ni	25.631	N/A	N/A	100	200	513
P	3137.046	N/A	N/A	100	200	62700
Pb	7544.282	N/A	N/A	100	200	150900
Sb	68.209	N/A	N/A	100	200	1360
Se	116.150	N/A	N/A	100	10	116
Tl	139.193	N/A	N/A	100	10	139
Zn	39478.926	N/A	N/A	100	200	789600

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-2 FH
TLI Sample ID:	183-3-3B FH
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	50.476	N/A	N/A	100	1	5.05
As	29.564	N/A	N/A	100	1	2.96
Ba	272.481	N/A	N/A	100	1	27.2
Be	1.477	N/A	N/A	100	1	0.148
Cd	298.885	N/A	N/A	100	1	29.9
Co	5.101	N/A	N/A	100	1	0.510
Cr	154.455	N/A	N/A	100	1	15.4
Mn	12557.011	N/A	N/A	100	1	1260
Ni	51.422	N/A	N/A	100	1	5.14
P	420.150	N/A	N/A	100	1	42.0
Pb	14895.593	N/A	N/A	100	1	1490
Sb	105.889	N/A	N/A	100	1	10.6
Se	18.809	N/A	N/A	100	1	1.88
Tl	3.100	N/A	N/A	100	1	0.310
Zn	1695.179	N/A	N/A	100	50	8480

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
Project Number: 43231

Sample Report

Client Sample ID:	I-M29-2 FH DA
TLI Sample ID:	183-3-3B FH DA
Date Received:	September 12, 1997
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	Air

Analyte	Conc. (ug/L)	mL Total Vol.	mL Used	mL Final Vol.	Dilution Factor	Total ug Result
Ag	50.490	N/A	N/A	100	1	5.05
As	33.608	N/A	N/A	100	1	3.36
Ba	273.639	N/A	N/A	100	1	27.4
Be	1.475	N/A	N/A	100	1	0.148
Cd	298.801	N/A	N/A	100	1	29.9
Co	4.991	N/A	N/A	100	1	0.499
Cr	155.185	N/A	N/A	100	1	15.5
Mn	12519.816	N/A	N/A	100	1	1250
Ni	52.033	N/A	N/A	100	1	5.20
P	425.212	N/A	N/A	100	1	42.5
Pb	14905.329	N/A	N/A	100	1	1490
Sb	106.854	N/A	N/A	100	1	10.7
Se	18.289	N/A	N/A	100	1	1.83
Tl	N/A	N/A	N/A	N/A	N/A	N/A
Zn	1701.079	N/A	N/A	100	50	8510

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:46 PM

Client: Pacific Environmental Services
 Project Number: 43231

QA: Serial Dilution

Client Sample ID:	I-M29-1 FH	I-M29-1 FH L
TLI Sample ID:	183-3-2B FH	183-3-2B FH L
Date Prepared:	September 25-26, 1997	September 25-26, 1997
Date Analyzed:	October 07-08, 1997	October 07-08, 1997
Matrix:	Air	Air

Analyte	Native Sample		Serial Dilution		RPD
	Total ug Result	ug/L Conc.	Total ug Result	ug/L Conc.	
Ag	1.06	10.576	1.12	2.246	<RDL
As	0.744	7.435	< 2.50	2.140	<RDL
Ba	5.15	51.465	5.27	10.543	<RDL
Be	< 0.100	0.333	< 0.500	0.322	<RDL
Cd	2.86	28.573	2.83	5.654	<RDL
Co	< 0.100	-1.725	< 0.500	-1.100	<RDL
Cr	4.14	41.404	6.32	12.646	<RDL
Mn	158	1584.477	164	327.553	3.73%
Ni	5.04	50.418	6.44	12.882	<RDL
P	10.6	105.556	15.8	31.588	<RDL
Pb	191	1913.501	201	402.233	5.10%
Sb	2.37	23.734	4.10	8.209	<RDL
Se	0.856	8.559	1.77	3.531	<RDL
Tl	< 0.200	1.400	N/A	N/A	N/A
Zn	1140	11375.923	1200	2409.756	5.13%

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, NC 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Pr 05-Nov-97 at 03:48 PM

Client: Pacific Environmental Services
 Project Number: 43231

QA: Serial Dilution

Client Sample ID:	I-M29-2 FH	I-M29-2 FH L
TLI Sample ID:	184-23-2AB FH	184-23-2AB FH L
Date Prepared:	October 02-03, 1997	October 02-03, 1997
Date Analyzed:	October 07,08,23 & 30, 1997	October 07,08,23 & 30, 1997
Matrix:	Air	Air

Analyte	Native Sample		Serial Dilution		RPD
	Total ug Result	ug/L Conc.	Total ug Result	ug/L Conc.	
Aq	50.3	50.281	42.0	8.408	<RDL
As	246	12.318	601	6.008	<RDL
Ba	2850	142.334	2930	29.303	2.77%
Be	15.2	15.175	17.3	3.464	<RDL
Cd	3760	188.129	3950	39.491	4.93%
Co	43.0	42.981	47.2	9.450	<RDL
Cr	2440	121.771	2490	24.930	2.03%
Mn	208300	10416.737	221400	2214.038	6.10%
Ni	445	22.231	573	5.732	<RDL
P	2700	134.852	3360	33.613	<RDL
Pb	198600	9932.204	206900	2068.697	4.09%
Sb	1390	69.541	1580	15.781	<RDL
Se	127	127.382	125	25.069	<RDL
Tl	168	167.678	178	35.641	<RDL
Zn	1110600	55531.383	1215900	12158.620	9.05%

Client: Pacific Environmental Services
 Project Number: 43231

QA: Serial Dilution

Client Sample ID:	LM29-1 BH	LM29-1 BHL
TLI Sample ID:	183-3-2C BH	183-3-2C BHL
Date Prepared:	September 25-26, 1997	September 25-26, 1997
Date Analyzed:	October 07-08, 1997	October 07-08, 1997
Matrix:	Air	Air

Analyte	Native Sample		Serial Dilution		RPD
	Total ug Result	ug/L Conc.	Total ug Result	ug/L Conc.	
Aq	0.143	1.084	< 0.661	0.155	<RDL
As	< 0.661	-2.845	< 3.31	-0.489	<RDL
Ba	0.455	3.441	< 1.32	0.685	<RDL
Be	< 0.132	0.143	< 0.661	0.219	<RDL
Cd	0.413	3.120	< 0.661	0.423	<RDL
Co	< 0.132	-4.216	< 0.661	-1.161	<RDL
Cr	2.48	18.734	3.12	4.711	<RDL
Mn	1.31	9.917	1.36	2.062	<RDL
Ni	0.778	5.882	< 1.98	1.933	<RDL
P	14.6	110.721	19.9	30.067	<RDL
Pb	3.27	24.725	3.12	4.713	<RDL
Sb	0.741	5.600	< 2.65	1.112	<RDL
Se	2.00	15.145	2.33	3.517	<RDL
Tl	< 0.265	-0.500	N/A	N/A	N/A
Zn	20.0	151.166	21.3	32.230	<RDL

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, NC 27713 P 05-Nov-97 at 03:48 PM
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Client: Pacific Environmental Services
 Project Number: 43231

QA: Duplicate

Client Sample ID:	I-M29-2 FH	I-M29-2 FH DA
TLI Sample ID:	183-3-3B FH	183-3-3B FH DA
Date Prepared:	September 25-26, 1997	September 25-26, 1997
Date Analyzed:	October 07-08, 1997	October 07-08, 1997
Matrix:	Air	Air

Analyte	Sample		Duplicate		RPD
	Total ug Result	ug/L Conc.	Total ug Result	ug/L Conc.	
Aq	5.05	50.476	5.05	50.490	0.000%
As	2.96	29.564	3.36	33.608	<RDL
Ba	27.2	272.481	27.4	273.639	0.733%
Be	0.148	1.477	0.148	1.475	<RDL
Cd	29.9	298.885	29.9	298.801	0.000%
Co	0.510	5.101	0.499	4.991	<RDL
Cr	15.4	154.455	15.5	155.185	0.647%
Mn	1260	12557.011	1250	12519.816	0.797%
Ni	5.14	51.422	5.20	52.033	1.16%
P	42.0	420.150	42.5	425.212	1.18%
Pb	1490	14895.593	1490	14905.329	0.000%
Sb	10.6	105.889	10.7	106.854	0.939%
Se	1.88	18.809	1.83	18.289	<RDL
Tl	0.310	3.100	N/A	N/A	N/A
Zn	8480	1695.179	8510	1701.079	0.353%

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, NC 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Pr 05-Nov-97 at 03:48 PM

Client: Pacific Environmental Services
 Project Number: 43231

QA: Duplicate

Client Sample ID:	I-M29-3 FH	I-M29-3 FH DA
TLI Sample ID:	184-23-3AB FH	184-23-3AB FH DA
Date Prepared:	October 02-03, 1997	October 02-03, 1997
Date Analyzed:	October 07,08,23 & 30, 1997	October 07,08,23 & 30, 1997
Matrix:	Air	Air

Analyte	Sample		Duplicate		RPD
	Total ug Result	ug/L Conc.	Total ug Result	ug/L Conc.	
Ag	18.9	18.897	18.9	18.883	0.000%
As	314	15.679	346	17.302	<RDL
Ba	2500	124.801	2540	127.045	1.59%
Be	9.11	9.108	9.05	9.051	<RDL
Cd	3010	150.528	3070	153.500	1.97%
Co	47.3	47.267	47.7	47.701	0.842%
Cr	2030	101.748	2080	104.130	2.43%
Mn	165700	8285.539	168600	8429.759	1.73%
Ni	498	24.911	513	25.631	<RDL
P	61100	3054.165	62700	3137.046	2.58%
Pb	147800	7389.845	150900	7544.282	2.08%
Sb	1290	64.666	1360	68.209	5.28%
Se	116	115.553	116	116.150	0.000%
Tl	131	130.862	139	139.193	5.93%
Zn	774200	38710.043	789600	39478.926	1.97%
					--
					--
					--
					--
					--
					--
					--
					--
					--
					--
					--
					--
					--
					--
					--
					--
					--
					--

Client: Pacific Environmental Services

Project Number: 43231

QA: Duplicate

Client Sample ID:	I-M29-2 BH	I-M29-2 BH DA
TLI Sample ID:	183-3-3C BH	183-3-3C BH DA
Date Prepared:	September 25-26, 1997	September 25-26, 1997
Date Analyzed:	October 07-08, 1997	October 07-08, 1997
Matrix:	Air	Air

Analyte	Sample		Duplicate		RPD
	Total ug Result	ug/L Conc.	Total ug Result	ug/L Conc.	
Ag	0.181	1.419	0.194	1.515	<RDL
As	< 0.639	-4.446	< 0.639	-4.545	<RDL
Ba	1.95	15.256	1.94	15.177	<RDL
Be	< 0.128	0.105	< 0.128	0.094	<RDL
Cd	0.142	1.109	0.157	1.225	<RDL
Co	< 0.128	-2.508	< 0.128	-1.929	<RDL
Cr	2.40	18.795	2.29	17.896	<RDL
Mn	10.0	78.280	9.99	78.199	0.100%
Ni	0.480	3.754	< 0.383	2.658	<RDL
P	15.6	121.730	16.5	129.406	<RDL
Pb	12.2	95.221	12.3	96.231	0.816%
Sb	< 0.511	2.873	< 0.511	3.852	<RDL
Se	0.820	6.414	0.656	5.137	<RDL
Tl	< 0.256	-0.400	N/A	N/A	N/A
Zn	58.7	459.381	58.7	459.230	0.000%

Triangle Laboratories, Inc.

801 Capitola Drive * Durham, NC 27713

P 05-Nov-97

at

03:48 PM

Tele: (919) 544-5729 * Fax: (919) 544-5491

Client: Pacific Environmental Services
 Project Number: 43231

QA: Matrix Spikes (Post-Digestion)

Client Sample ID:	I-M29-1 FH PDS	
TLI Sample ID:	183-3-2B FH PDS	
Date Prepared:	September 25-26, 1997	
Date Analyzed:	October 07-08, 1997	
Matrix:	Air	

Analyte	Post-Digestion Spike			Post-Digestion Spike Duplicate			RPD
	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	
Ag	56.28	50	91%				---
As	52.32	50	90%				---
Ba	100.90	50	99%				---
Be	45.60	50	91%				---
Cd	77.08	50	97%				---
Co	46.53	50	93%				---
Cr	91.75	50	101%				---
Mn	1619.02	50	Spike Low				---
Ni	99.32	50	98%				---
P_	106.60	1000	0%				---
Pb	1945.17	50	Spike Low				---
Sb	68.97	50	90%				---
Se	53.34	50	90%				---
Tl	23.50	50	47%				---
Zn	11470.90	200	Spike Low				---

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, NC 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:48 PM

Client: Pacific Environmental Services
Project Number: 43231

QA: Matrix Spikes (Post-Digestion)

Client Sample ID:	I-M29-2 FH PDS	
TLI Sample ID:	184-23-2AB FH PDS	
Date Prepared:	October 02-03, 1997	
Date Analyzed:	October 07,08,23 & 30, 1997	
Matrix:	Air	

Analyte	Post-Digestion Spike			Post-Digestion Spike Duplicate			RPD
	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	
Ag	87.50	50	74%				---
As	61.65	50	99%				---
Ba	188.76	50	93%				---
Be	58.87	50	87%				---
Cd	233.79	50	91%				---
Co	87.37	50	89%				---
Cr	167.82	50	92%				---
Mn	10177.98	50	Spike Low				---
Ni	70.82	50	97%				---
P	1115.16	1000	98%				---
Pb	9627.54	50	Spike Low				---
Sb	117.81	50	97%				---
Se	173.05	50	91%				---
Tl	214.25	50	93%				---
Zn	54164.58	200	Spike Low				---

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, NC 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 30-Oct-97 at 02:18 PM

Client: Pacific Environmental Services
 Project Number: 43231

QA: Matrix Spikes (Post-Digestion)

Client Sample ID:	I-M29-1 BH PDS	
TLI Sample ID:	183-3-2C BH PDS	
Date Prepared:	September 25-26, 1997	
Date Analyzed:	October 07-08, 1997	
Matrix:	Air	

Analyte	Post-Digestion Spike			Post-Digestion Spike Duplicate			RPD
	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	
Ag	46.67	50	91%				---
As	42.67	50	85%				---
Ba	52.75	50	99%				---
Be	46.90	50	94%				---
Cd	52.22	50	98%				---
Co	45.78	50	92%				---
Cr	65.84	50	94%				---
Mn	59.62	50	99%				---
Ni	53.36	50	95%				---
P	108.02	1000	-0%				---
Pb	73.37	50	97%				---
Sb	51.92	50	93%				---
Se	57.09	50	84%				---
Tl	22.20	50	44%				---
Zn	343.12	200	96%				---

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, NC 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:48 PM

Client: Pacific Environmental Services
Project Number: 43231

QA: Method Blank

TLI Sample ID:	43231 MB
Date Prepared:	September 25-26, 1997
Date Analyzed:	October 07-08, 1997
Matrix:	N/A

Analyte	Method Blank		Pass or Fail
	Recovered Amount (ug/L)	Detection Limit (ug/L)	
Ag	0.01	1	Pass
As	0.21	5	Pass
Ba	0.13	2	Pass
Be	0.30	1	Pass
Cd	-0.19	1	Pass
Co	-0.08	1	Pass
Cr	0.23	2	Pass
Mn	0.80	2	Pass
Ni	0.77	3	Pass
P	3.21	30	Pass
Pb	-0.07	2	Pass
Sb	0.50	4	Pass
Se	0.10	3	Pass
Tl	1.20	2	Pass
Zn	22.53	12	Fail
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---

Client: Pacific Environmental Services
Project Number: 43231

QA: ICP Method Blank

TLI Sample ID:	43231 MB
Date Prepared:	October 02-03, 1997
Date Analyzed:	October 07,08,23 & 30, 1997
Matrix:	N/A

Method Blank			
Analyte	Recovered Amount (ug/L)	Detection Limit (ug/L)	Pass or Fail
Ag	-0.04	1	Pass
As	-1.68	5	Pass
Ba	-0.04	2	Pass
Be	-0.81	1	Pass
Cd	-0.24	1	Pass
Co	-0.53	1	Pass
Cr	0.07	2	Pass
Mn	2.84	2	Fail
Ni	-1.13	3	Pass
P	-13.83	30	Pass
Pb	1.67	2	Pass
Sb	-0.82	4	Pass
Se	0.23	3	Pass
Tl	-5.42	5	Pass
Zn	9.79	12	Pass
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---
		---	---

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, NC 2771
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 06-Nov-97

at

02:08 PM

Client: Pacific Environmental Services
 Project Number: 43231

QA: Lab Control Spikes

TLI Sample ID:	43231 LCS	
Date Prepared:	September 25-26, 1997	
Date Analyzed:	October 07-08, 1997	
Matrix:	N/A	

Analyte	Lab Control Spike			Lab Control Spike Duplicate			RPD
	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	
Ag	46.92	50	94%				---
As	49.55	50	99%				---
Ba	50.04	50	100%				---
Be	47.96	50	96%				---
Cd	50.47	50	101%				---
Co	49.51	50	99%				---
Cr	50.38	50	101%				---
Mn	50.22	50	100%				---
Ni	50.80	50	102%				---
P	1027.18	1000	103%				---
Pb	48.37	50	97%				---
Sb	51.11	50	102%				---
Se	48.89	50	98%				---
Tl	49.80	50	100%				---
Zn	202.13	200	101%				---

Triangle Laboratories, Inc.
 801 Capitola Drive * Durham, NC 27713
 Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 03:48 PM

Client: Pacific Environmental Services
Project Number: 43231

QA: ICP Lab Control Spikes

TLI Sample ID:	43231 LCS
Date Prepared:	October 02-03, 1997
Date Analyzed:	October 07,08,23 & 30, 1997
Matrix:	N/A

Analyte	Lab Control Spike			Lab Control Spike Duplicate			RPD
	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	Recovered Amount (ug/L)	Spike Amount (ug/L)	% Recovery	
Ag	43.16	50	86%				---
As	44.64	50	89%				---
Ba	46.44	50	93%				---
Be	45.27	50	91%				---
Cd	45.89	50	92%				---
Co	46.96	50	94%				---
Cr	46.87	50	94%				---
Mn	47.66	50	95%				---
Ni	45.34	50	91%				---
P	904.63	1000	90%				---
Pb	46.69	50	93%				---
Sb	47.00	50	94%				---
Se	44.37	50	89%				---
Tl	41.73	50	83%				---
Zn	192.40	200	96%				---

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, NC 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 30-Oct-97 at 02:18 PM

Client: Pacific Environmental Services
 Project Number: 43231

Sample Report

Date Received:	September 12, 15 & 23, 1997
Date Prepared:	Sept. 25-Oct. 10, 1997
Date Analyzed:	Sept. 30 & Oct. 1, 6, 8 & 10, 1997
DATA FILE:	AB11, AB812, AB815, AB816, & AB818
Matrix:	Air

ANALYTE:	Hg
ug/L RDL:	0.2
Analysis Method:	29
Instrument:	P.E. Zeeman 5100
Spike Conc. (ug/L)	5

CVAA ANALYTE SUMMARY REPORT

Client Sample ID	TLI SAMPID	ug/L CONC	ml TV	ml EV	ml Aliquot	DIL FACTOR	Total ug RESULT	Avg RESULT	RPD	%REC
I-M29-FHAR, FIELD BLANK FH	183-3-1B, 184-23-4AB	0.087	N/A	100	5	1	< 0.400	-	-	-
I-M29-FHAR, FIELD BLANK FH D	183-3-1B, 184-23-4AB D	0.079	N/A	100	5	1	< 0.400	< 0.400	-	-
I-M29-FHAR, BLK-5% 10% BH	183-3-1BC	0.013	300	N/A	5	1	< 1.20	-	-	-
I-M29-FHAR, BLK-5% 10% BH D	183-3-1BC D	0.005	300	N/A	5	1	< 1.20	< 1.20	-	-
I-M29-BLK-BHAR HNO3	183-3-1D	0.027	61	N/A	5	1	< 0.244	-	-	-
I-M29-BLK-BHAR HNO3 D	183-3-1D D	0.029	61	N/A	5	1	< 0.244	< 0.244	-	-
I-M29-BLK-KMnO4	183-3-1E	0.076	263	N/A	5	1	< 1.05	-	-	-
I-M29-BLK-KMnO4 D	183-3-1E D	0.176	263	N/A	5	1	< 1.05	< 1.05	-	-
I-M29-BLK-KMnO4-HCl	183-3-1EF	0.008	10.5	N/A	5	1	< 0.042	-	-	-
I-M29-BLK-KMnO4-HCl D	183-3-1EF D	0.024	10.5	N/A	5	1	< 0.042	< 0.042	-	-
I-M29-1-FHAR FH	183-3-2B, 184-23-1AB	5.269	N/A	100	5	1	10.5	-	-	-
I-M29-1-FHAR FH D	183-3-2B, 184-23-1AB D	5.153	N/A	100	5	1	10.3	10.4	-	-
I-M29-1-5% 10% BH	183-3-2C	3.766	410	N/A	5	1	30.9	-	-	-
I-M29-1-5% 10% BH D	183-3-2C D	4.031	410	N/A	5	1	33.1	32.0	-	-
I-M29-1-BHAR HNO3	183-3-2D	0.070	100	N/A	5	1	< 0.400	-	-	-
I-M29-1-BHAR HNO3 D	183-3-2D D	0.073	100	N/A	5	1	< 0.400	< 0.400	-	-
I-M29-1-KMnO4	183-3-2E	0.698	370	N/A	5	1	5.17	-	-	-
I-M29-1-KMnO4 D	183-3-2E D	0.730	370	N/A	5	1	5.40	5.28	-	-
I-M29-1-KMnO4-HCl	183-3-2F	0.067	21	N/A	5	1	< 0.084	-	-	-
I-M29-1-KMnO4-HCl D	183-3-2F D	0.064	21	N/A	5	1	< 0.084	< 0.084	-	-
I-M29-2-FHAR FH	183-3-3B, 184-23-2AB	9.249	N/A	100	5	1	18.5	-	-	-
I-M29-2-FHAR FH D	183-3-3B, 184-23-2AB D	9.097	N/A	100	5	1	18.2	18.3	-	-
I-M29-2-5% 10% BH	183-3-3C DX5	3.449	460	N/A	5	5	159	-	-	-
I-M29-2-5% 10% BH D	183-3-3C DX5 D	3.428	460	N/A	5	5	158	158	-	-
I-M29-2-BHAR HNO3	183-3-3D	0.807	110	N/A	5	1	1.78	-	-	-
I-M29-2-BHAR HNO3 D	183-3-3D D	0.788	110	N/A	5	1	1.73	1.75	-	-
I-M29-2-KMnO4	183-3-3E	1.174	360	N/A	5	1	8.45	-	-	-
I-M29-2-KMnO4 D	183-3-3E D	1.217	360	N/A	5	1	8.76	8.61	-	-
I-M29-2-HCl	183-3-3F	0.062	23	N/A	5	1	< 0.092	-	-	-
I-M29-2-HCl D	183-3-3F D	0.053	23	N/A	5	1	< 0.092	< 0.092	-	-

Sample Report

Sample Received:	September 12 & 15, 1997
Date Prepared:	Sept. 25-Oct. 10, 1997
Date Analyzed:	Sept. 30 & Oct. 13 & 10, 1997
TA FILE:	AB11, AB812, AB816, & AB818
Mix:	Air

ANALYTE:	Hg
ug/L RDL:	0.2
Analysis Method:	29
Instrument:	P E Zeeman 5100
Spike Conc. (ug/L)	5

CVAA ANALYTE SUMMARY REPORT

Client Sample ID	TEL-SAMPID	ug/L CONC	ml EV	ml EV	ml Aliquot	DIL FACTOR	Total ug RESULT	Avg RESULT	RPD	%REC
M29-3-FHAR FH	183-3-4B	0.060	N/A	100	5	1	< 0.400	--	--	--
M29-3-FHAR FH D	183-3-4B D	0.049	N/A	100	5	1	< 0.400	< 0.400	--	--
I-M29-3-5% 10% BH	183-3-4C	7.919	340	N/A	5	1	53.8	--	--	--
M29-3-5% 10% BH D	183-3-4C D	7.987	340	N/A	5	1	54.3	54.1	--	--
I-M29-3-BHAR HNO3	183-3-4D	0.143	100	N/A	5	1	< 0.400	--	--	--
I-M29-3-BHAR HNO3 D	183-3-4D D	0.141	100	N/A	5	1	< 0.400	< 0.400	--	--
M29-3-KMnO4	183-3-4E	0.726	393	N/A	5	1	5.71	--	--	--
I-M29-3-KMnO4 D	183-3-4E D	0.601	393	N/A	5	1	4.72	5.22	--	--
M29-3-HCl	183-3-4F	0.097	21	N/A	5	1	< 0.084	--	--	--
M29-3-HCl D	183-3-4F D	0.125	21	N/A	5	1	< 0.084	< 0.084	--	--
O-M29-FHAR FH	183-3-5B	0.043	N/A	100	5	1	< 0.400	--	--	--
I-M29-FHAR FH D	183-3-5B D	0.054	N/A	100	5	1	< 0.400	< 0.400	--	--
O-M29-FHAR, BLK-5% 10% BH	183-3-5BC	0.003	150	N/A	5	1	< 0.600	--	--	--
O-M29-FHAR, BLK-5% 10% BH D	183-3-5BC D	0.005	150	N/A	5	1	< 0.600	< 0.600	--	--
I-M29-BLK-BHAR HNO3	183-3-5D	0.268	50	N/A	5	1	0.268	--	--	--
O-M29-BLK-BHAR HNO3 D	183-3-5D D	0.290	50	N/A	5	1	0.290	0.279	--	--
I-M29-BLK-KMnO4	183-3-5E	0.043	255	N/A	5	1	< 1.02	--	--	--
I-M29-BLK-KMnO4 D	183-3-5E D	0.062	255	N/A	5	1	< 1.02	< 1.02	--	--
O-M29- ^F HCl	183-3-5EF	0.011	110	N/A	5	1	< 0.440	--	--	--
I-M29- ^F HCl D	183-3-5EF D	0.035	110	N/A	5	1	< 0.440	< 0.440	--	--
J-M29-1-FHAR FH	183-3-6B	0.284	N/A	100	5	1	0.568	--	--	--
O-M29-1-FHAR FH D	183-3-6B D	0.076	N/A	100	5	1	< 0.400	< 0.484	--	--
I-M29-1-5% 10% BH	183-3-6C DX5	7.221	350	N/A	5	5	253	--	--	--
J-M29-1-5% 10% BH D	183-3-6C DX5 D	7.183	350	N/A	5	5	251	252	--	--
I-M29-1-BHAR HNO3	183-3-6D	1.002	99	N/A	5	1	1.98	--	--	--
I-M29-1-BHAR HNO3 D	183-3-6D D	0.994	99	N/A	5	1	1.97	1.98	--	--
O-M29-1-KMnO4	183-3-6E	0.666	375	N/A	5	1	5.00	--	--	--
I-M29-1-KMnO4 D	183-3-6E D	0.707	375	N/A	5	1	5.30	5.15	--	--
J-M29-1-HCl	183-3-6F	0.915	24	N/A	5	1	0.439	--	--	--
O-M29-1-HCl D	183-3-6F D	0.208	24	N/A	5	1	0.100	0.270	--	--

Sample Report

Date Received:	September 12 & 15, 1997
Date Prepared:	Sept. 25-Oct.10, 1997
Date Analyzed:	Sept. 30 & Oct.1,8 & 10, 1997
DATA FILE:	AB11, AB812, AB816, & AB818
Matrix:	Air

ANALYTE:	Hg
ug/l. RDL:	0.2
Analysis Method:	29
Instrument:	P E Zeeman 5100
Spike Conc. (ug/L)	5

CVA A ANALYTE SUMMARY REPORT

Client Sample ID	TUJ SAMPID	ug/L CONC	mL TV	mL FV	mL Aliquot	DIL FACTOR	Total ug RESULT	Avg RESULT	RPD	%REC
O-M29-2-FHAR FH	183-3-7B	0.049	N/A	100	5	1	< 0.400	--	--	--
O-M29-2-FHAR FH D	183-3-7B D	0.114	N/A	100	5	1	< 0.400	< 0.400	--	--
O-M29-2-5% 10% BH	183-3-7C DX5	4.508	360	N/A	5	5	162	--	--	--
O-M29-2-5% 10% BH D	183-3-7C DX5 D	4.895	360	N/A	5	5	176	169	--	--
O-M29-2-BHAR HNO3	183-3-7D	1.565	105	N/A	5	1	3.29	--	--	--
O-M29-2-BHAR HNO3 D	183-3-7D D	1.467	105	N/A	5	1	3.08	3.18	--	--
O-M29-2-KMnO4	183-3-7E	1.316	380	N/A	5	1	10.0	--	--	--
O-M29-2-KMnO4 D	183-3-7E D	1.273	380	N/A	5	1	9.67	9.84	--	--
O-M29-2-HCl	183-3-7F	0.103	24	N/A	5	1	< 0.096	--	--	--
O-M29-2-HCl D	183-3-7F D	0.135	24	N/A	5	1	< 0.096	< 0.096	--	--
O-M29-3-FHAR FH	183-3-8B	0.051	N/A	100	5	1	< 0.400	--	--	--
O-M29-3-FHAR FH D	183-3-8B D	0.043	N/A	100	5	1	< 0.400	< 0.400	--	--
O-M29-3-5% 10% BH	183-3-8C DX2	7.288	370	N/A	5	2	108	--	--	--
O-M29-3-5% 10% BH D	183-3-8C DX2 D	6.868	370	N/A	5	2	102	105	--	--
O-M29-3-BHAR HNO3	183-3-8D	0.990	102	N/A	5	1	2.02	--	--	--
O-M29-3-BHAR HNO3 D	183-3-8D D	0.974	102	N/A	5	1	1.99	2.00	--	--
O-M29-3-KMnO4	183-3-8E	0.620	383	N/A	5	1	4.75	--	--	--
O-M29-3-KMnO4 D	183-3-8E D	0.615	383	N/A	5	1	4.71	4.73	--	--
O-M29-3-HCl	183-3-8F	0.059	25	N/A	5	1	< 0.100	--	--	--
O-M29-3-HCl D	183-3-8F D	0.112	25	N/A	5	1	< 0.100	< 0.100	--	--
I,O-M29-REAGENT BLANK FH	184-23-5,10AB,183-15-1B	0.035	N/A	100	5	1	< 0.400	--	--	--
I,O-M29-REAGENT BLANK FH D	184-23-5,10AB,183-15-1B D	0.022	N/A	100	5	1	< 0.400	< 0.400	--	--
REAGENT BLANK BH	183-15-1BD	0.054	300	N/A	5	1	< 1.20	--	--	--
REAGENT BLANK BH D	183-15-1BD D	0.043	300	N/A	5	1	< 1.20	< 1.20	--	--
REAGENT BLANK HNO3	183-15-1B	-0.003	30	N/A	5	1	< 0.120	--	--	--
REAGENT BLANK HNO3 D	183-15-1B D	-0.003	30	N/A	5	1	< 0.120	< 0.120	--	--
REAGENT BLANK HCl	183-15-1E	0.003	100	N/A	5	1	< 0.400	--	--	--
REAGENT BLANK HCl D	183-15-1E D	-0.005	100	N/A	5	1	< 0.400	< 0.400	--	--
REAGENT BLANK DI H2O	183-15-1C	0.005	345	N/A	5	1	< 1.38	--	--	--
REAGENT BLANK DI H2O D	183-15-1C D	0.008	345	N/A	5	1	< 1.38	< 1.38	--	--

Client:
Project Number:

Pacific Environmental Services
43231

Sample Report

Page 4 of 5

Date Received:	September 12 & 15, 1997
Date Prepared:	Sept. 25-Oct. 10, 1997
Date Analyzed:	Sept. 30 & Oct. 1, 8 & 10, 1997
DATA FILE:	AB11, AB812, AB816, & AB818
Matrix:	Air

ANALYTE: Hg
ug/L RDL: 0.2
Analysis Method: 29
Instrument: P E Zeeman 5100
Spike Conc. (ug/L) 5

CVA ANALYTE SUMMARY REPORT

Plant Sample ID	TLI SAMPID	ug/L CONC	ml TV	ml EV	ml Aliquot	DIL FACTOR	Total ug RESULT	Avg RESULT	RFD	%REC
I-M29-FHAR,BKL-5% 10% BH MS	183-3-1BC MS	4.827	300	N/A	5	1	29.0	--	--	97%
I-M29-FHAR,BKL-5% 10% BH MSD	183-3-1BC MSD	4.619	300	N/A	5	1	27.7	28.3	4.40%	92%
I-M29-1-5% 10% BH MS	183-3-2C MS	7.640	410	N/A	5	1	62.6	--	--	75%
I-M29-1-5% 10% BH MSD	183-3-2C MSD	7.890	410	N/A	5	1	64.7	63.7	3.22%	80%
I-M29-1-KMnO4 MS	183-3-2E MS	5.183	370	N/A	5	1	38.4	--	--	89%
I-M29-1-KMnO4 MSD	183-3-2E MSD	5.076	370	N/A	5	1	37.6	38.0	2.09%	87%
I-M29-2-5% 10% BH MS	183-3-3C MSX5	4.538	460	N/A	5	5	209	--	--	Spike Low
I-M29-2-5% 10% BH MSD	183-3-3C MSDX5	5.011	460	N/A	5	5	231	220	9.91%	Spike Low
I-M29-3-5% 10% BH MS	183-3-4C MSX2	4.689	340	N/A	5	2	63.8	--	--	28%
I-M29-3-5% 10% BH MSD	183-3-4C MSDX2	4.383	340	N/A	5	2	59.6	61.7	6.75%	16%
O-M29-1-5% 10% BH MS	183-3-6C MSX5	8.355	350	N/A	5	5	292	--	--	Spike Low
O-M29-1-5% 10% BH MSD	183-3-6C MSDX5	8.436	350	N/A	5	5	295	294	0.965%	Spike Low
O-M29-2-KMnO4 MS	183-3-7E MS	6.555	380	N/A	5	1	49.8	--	--	105%
O-M29-2-KMnO4 MSD	183-3-7E MSD	6.874	380	N/A	5	1	52.2	51.0	4.75%	112%
O-M29-3-KMnO4 MS	183-3-8E MS	4.902	383	N/A	5	1	37.5	--	--	86%
O-M29-3-KMnO4 MSD	183-3-8E MSD	4.830	383	N/A	5	1	37.0	37.3	1.48%	84%
REAGENT BLANK BH MS	183-15-1BD MS	5.842	300	N/A	5	1	35.1	--	--	117%
REAGENT BLANK BH MSD	183-15-1BD MSD	5.105	300	N/A	5	1	30.6	32.8	13.5%	102%
I-M29-FHAR,BKL-5% 10% BH MS	True Spike MS	5	300	N/A	5	1	30.0	--	--	--
I-M29-FHAR,BKL-5% 10% BH MSD	True Spike MSD	5	300	N/A	5	1	30.0	--	--	--
I-M29-1-5% 10% BH MS	True Spike MS	5	410	N/A	5	1	41.0	--	--	--
I-M29-1-5% 10% BH MSD	True Spike MSD	5	410	N/A	5	1	41.0	--	--	--
I-M29-1-KMnO4 MS	True Spike MS	5	370	N/A	5	1	37.0	--	--	--
I-M29-1-KMnO4 MSD	True Spike MSD	5	370	N/A	5	1	37.0	--	--	--
I-M29-2-5% 10% BH MS	True Spike MS	5	460	N/A	5	1	46.0	--	--	--
I-M29-2-5% 10% BH MSD	True Spike MSD	5	460	N/A	5	1	46.0	--	--	--
I-M29-3-5% 10% BH MS	True Spike MS	5	340	N/A	5	1	34.0	--	--	--
I-M29-3-5% 10% BH MSD	True Spike MSD	5	340	N/A	5	1	34.0	--	--	--
O-M29-1-5% 10% BH MS	True Spike MS	5	350	N/A	5	1	35.0	--	--	--
O-M29-1-5% 10% BH MSD	True Spike MSD	5	350	N/A	5	1	35.0	--	--	--

Client:
Project Number:

Pacific Environmental Services
43231

Sample Report

Page 5 of 5

Date Received:	September 12 & 15, 1997
Date Prepared:	Sept. 25-Oct. 10, 1997
Date Analyzed:	Sept. 30 & Oct. 1, 8 & 10, 1997
DATA FILE:	AB11, AB812, AB816, & AB818
Matrix:	Air

ANALYTE:	Hg
ug/l BDL:	0.2
Analysis Method:	29
Instrument:	P.E. Zeeman 5100
Spike Conc. (ug/L)	5

CVAA ANALYTE SUMMARY REPORT

Client Sample ID	TLI-SAMPID	ug/L CONC	ml TV	ml FV	ml Aliquot	DIL FACTOR	Total ug RESULT	Avg RESULT	RPD	%REC
O-M29-2-KMnO4 MS	True Spike MS	5	380	N/A	5	1	38.0	--	--	--
O-M29-2-KMnO4 MSD	True Spike MSD	5	380	N/A	5	1	38.0	--	--	--
O-M29-3-KMnO4 MS	True Spike MS	5	383	N/A	5	1	38.3	--	--	--
O-M29-3-KMnO4 MSD	True Spike MSD	5	383	N/A	5	1	38.3	--	--	--
REAGENT BLANK BH MS	True Spike MS	5	300	N/A	5	1	30.0	--	--	--
REAGENT BLANK BH MSD	True Spike MSD	5	300	N/A	5	1	30.0	--	--	--
Method Blank	43231 MB1	0.030	--	--	--	--	--	--	--	--
Method Blank D	43231 MB1 D	0.027	--	--	--	--	--	--	--	--
LCS	43231 LCS1	4.979	--	--	--	--	--	--	--	100%
LCS D	43231 LCS1 D	5.117	--	--	--	--	--	--	--	102%
Method Blank	43231 MB2	0.035	--	--	--	--	--	--	--	--
Method Blank D	43231 MB2 D	0.046	--	--	--	--	--	--	--	--
LCS	43231 LCS2	5.076	--	--	--	--	--	--	--	102%
LCS D	43231 LCS2 D	5.280	--	--	--	--	--	--	--	106%
Method Blank	43231 MB3	0.008	--	--	--	--	--	--	--	--
Method Blank D	43231 MB3 D	0.011	--	--	--	--	--	--	--	--
LCS	43231 LCS3	4.646	--	--	--	--	--	--	--	93%
LCS D	43231 LCS3 D	4.400	--	--	--	--	--	--	--	88%
Method Blank	43231 MB5	0.008	--	--	--	--	--	--	--	--
Method Blank D	43231 MB5 D	0.030	--	--	--	--	--	--	--	--
LCS	43231 LCS5	5.526	--	--	--	--	--	--	--	111%
LCS D	43231 LCS5 D	5.053	--	--	--	--	--	--	--	101%
Method Blank	43231 MB6	-0.003	--	--	--	--	--	--	--	--
Method Blank D	43231 MB6 D	0.000	--	--	--	--	--	--	--	--
LCS	43231 LCS6	4.574	--	--	--	--	--	--	--	91%
LCS D	43231 LCS6 D	4.912	--	--	--	--	--	--	--	98%

Triangle Laboratories, Inc.
801 Capitola Drive * Durham, North Carolina 27713
Tele: (919) 544-5729 * Fax: (919) 544-5491

Printed: 05-Nov-97 at 11:19 AM



COPY MAIL 11/17

ANALYTICAL REQUEST AND CHAIN OF CUSTODY

PLANT: <u>Wausau Foundry</u>		PROJECT #: <u>S414.003</u>		ANALYTICAL REQUEST							COMMENTS (Type of container, special preparation, special handling, etc.)		
RECOVERY PERSON: <u>M Hamilton</u>				FHAc (Acetylene)	FHAR (B.I.N HMB)	Filter	5%10% (HNO ₃ /H ₂)	BHAR (O.I.N HMB)	KMnO ₄ (Permanganate)	HCl (BN)			
SAMPLE TECHNICIAN: <u>J Maloney, A Dougherty, M Milbourne</u>				COLLECTION DATE TIME		SAMPLE NAME	NUMBER OF CONTAINERS						
Inlet Method 29 Blank		9/8/97		I-M29-B1k	7								
Inlet Method 29 Run 1		9/9/97		I-M29-1	7								
Inlet Method 29 Run 2		9/10/97		I-M29-2	7								
Inlet Method 29 - Run 3		9/10/97		I-M29-3	7								
Outlet Method 29 Blank		9/8/97		O-M29-B1k	7								
Outlet Method 29 Run 1		9/9/97		O-M29-Run 1	7								
Outlet Method 29 Run 2		9/10/97		O-M29-Run 2	7								
Outlet Method 29 Run 3		9/10/97		O-M29-Run 3	7								

62

Arthur Dougherty
 RELINQUISHER'S NAME
Arthur Dougherty
 RECEIVER'S NAME
Michael Milbourne
 DATE/TIME: 9/11/97-1030
 DATE/TIME: 9/11/97-1030
 DATE/TIME: 9/12/97-1432
 DATE/TIME: 9/12/97-1437

Ronald Kolde / Arthur Dougherty
 RELINQUISHER'S SIGNATURE
Michael Milbourne
 RECEIVER'S SIGNATURE
Michael Milbourne

DEECO
 SHIPPER'S NAME AND ID NUMBER
Mike Milbourne 9/12/97 1628
Michael Milbourne 9/12/97 1628 TRF



ANALYTICAL REQUEST AND CHAIN OF CUSTODY

PLANT: <u>Waspara Foundry</u>		PROJECT #: <u>S 414.003</u>		ANALYTICAL REQUEST										COMMENTS (Type of container, special preparation, special handling, etc.)				
RECOVERY PERSON: <u>M Hami Hen</u>																		
SAMPLE TECHNICIAN: <u>M Hami Hen (Reagent Blanks only)</u>																		
SAMPLE IDENTIFICATION	COLLECTION DATE	TIME	SAMPLE NAME	NUMBER OF CONTAINERS														
Reagent Blank Acetone	9/11/97	7:50	Reagent Blank 100ml Acetone	1														
Reagent Blank 0.1N HNO ₃	9/11/97	7:45	Reagent Blank 160ml 0.1N HNO ₃	1														
Reagent Blank DI Water	9/11/97	7:45	Reagent Blank 330ml DI H ₂ O	1														
Reagent Blank 5% HNO ₃ 10% H ₂ O ₂	9/11/97	7:45	Reagent Blank 250ml 5% 10%	1														
Reagent Blank 4% KMnO ₄ 10% H ₂ SO ₄	9/11/97	7:48	Reagent Blank 500ml KMnO ₄	1														
Reagent Blank 8N HCl	9/11/97	7:55	Reagent Blank 100ml 8N HCl	1														
Reagent Blank 3" Filter	9/11/97	8:00	Reagent Blank 3" Quartz Filter	1														
Reagent Blank 4" Filter	9/11/97	8:00	Reagent Blank 4" Quartz Filter	1														

63

Ronald J. Kolch
 RELINQUISHER'S NAME
 DATE/TIME: 9/11/97-1030
Arthur Dougherty
 RECEIVER'S NAME
 DATE/TIME: 9/11/97-1030
Arthur Dougherty
 DATE/TIME: 9/11/97-1432
Mike M'Boone
 DATE/TIME: 9/11/97-1432

Ronald J. Kolch
 RELINQUISHER'S SIGNATURE
Arthur Dougherty
 RECEIVER'S SIGNATURE
Arthur Dougherty
Michael M'Boone

DEECO
 SHIPPER'S NAME AND ID NUMBER
Mike M'Boone 9/12/97 1628
Michael M'Boone
Kevin M. Lynch 9/12/97 1628
TLF



BY KML 9/13/97

SAMPLE RECOVERY DATA

PLANT Waupaca Foundry Run No. I-M29-B1k

DATE 9/8/97 Sample Box No. — Job No. S:4/4.003

SAMPLE LOCATION Inlet Filter No. 1015

TRAIN PREPARER M Hamilton

SAMPLE RECOVERY PERSON M Hamilton

COMMENTS Includes Front Half Acid Rinse

FRONT HALF

Acetone
Container No. I-M29-B1k-Ace Liquid Level Marked Sealed

Filter
Container No. I-M29-B1k-Filter Sealed

Description of Filter No Particulate

Samples Stored and Locked

BACK HALF/MOISTURE

Container No. I-M29-B1k-5%10% ; I-M29-B1k-BHAR ; I-M29-B1k-KNO3 ; I-M29-B1k-HCl

Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% / 10%	100	730.2	729.6	-0.6
2	5% / 10%	100	582.5	581.9	-0.6
3	Empty	0	542.8	542.2	-0.6
4	4% KNO3 / 10% H2O	100	729.2	729.0	-0.2
5	4% KNO3 / 10% H2O	100	726.6	726.7	0.1
6	Sil Gel	—	776.5	776.9	0.4
TOTAL					-1.5

Direction of Impingement: Catch

C.L.



SAMPLE RECOVERY DATA

PLANT Waupaca Forestry Run No. I-M29-1
 DATE 9/2/97 Sample Box No. - Job No. 5414.003
 SAMPLE LOCATION Inlet Filter No. 1014
 TRAIN PREPARER M Hain: Ha
 SAMPLE RECOVERY PERSON M Hain: Ha
 COMMENTS Front Half Acid Rinse -> I-M29-1-FHAR

FRONT HALF

Acetone
 Container No. I-M29-1-FHAR Liquid Level Marked Sealed
 Filter
 Container No. I-M29-1-Filter Sealed
 Description of Filter Mid Dark Tan to Brown Solid
 Samples Stored and Locked

BACK HALF/MOISTURE

Container No. I-M29-1-5%10% ; I-M29-1-BHAR ; I-M29-1-KMNO4 ; I-M29-1-HCl
 Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO3 / 10% H2O2	100	730.3	769.6	39.6
2	5% HNO3 / 10% H2O2	100	716.7	712.6	-4.1
3	EMPTY	0	566.2	561.5	-4.7
4	10% KMNO4 / 10% H2O2	100	731.9	732.4	0.5
5	10% KMNO4 / 10% H2O2	100	729.9	730.3	0.4
6	S:1 Gel	-	752.5	765.5	13.0
TOTAL					44.7

160ml used

Pl. 63



SAMPLE RECOVERY DATA

PLANT Waupaca Foundry Run No. I-M29-2
 DATE 9/10/87 Sample Box No. — Job No. S414.003
 SAMPLE LOCATION Inlet Filter No. 1019
 TRAIN PREPARER M Hami Han
 SAMPLE RECOVERY PERSON M Hami Han
 COMMENTS Front Half Acid Rise → *FAR I-M29-2-FAR

FRONT HALF

Acetone Liquid
 Container No. I-M29-2-FAR Level Marked Sealed
 Filter
 Container No. I-M29-2-Filter Sealed
 Description of Filter Brown Particulate
 Samples Stored and Locked

BACK HALF/MOISTURE

Container No. I-M29-2-5810%; I-M29-2-BHAF; I-M29-2-KNO3; I-M29-2-HCl
 Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO ₃ / 10% H ₂ O	100	730.7	772.1	41.4
2	5% HNO ₃ / 10% H ₂ O	100	588.8	595.1	6.3
3	Empty	0	545.3	546.4	1.1
4	4% KNO ₃ / 10% H ₂ SO ₄	100	624.5 + 103.9 = 728.4	691.3	-37.1
5	9% KNO ₃ / 10% H ₂ SO ₄	100	627.6 + 102.9 = 730.5	766.3	34.8
6	S:1 Gal	—	776.9	801.6	24.7
TOTAL					71.2

Description of Impinger Catch:

Clear



SAMPLE RECOVERY DATA

PLANT Waupaca Foundry Run No. I-M29-3
 DATE 9/10/97 Sample Box No. — Job No. S414.003
 SAMPLE LOCATION Inlet Filter No. 1011
 TRAIN PREPARER M Hami Her
 SAMPLE RECOVERY PERSON M Hami Her
 COMMENTS Front Half Acid Rinse → I-M29-3-FHAR

FRONT HALF

Acetone Liquid
 Container No. I-M29-3-FHAR Level Marked Sealed
 Filter
 Container No. I-M29-3-Filter Sealed
 Description of Filter Brown Particulate
 Samples Stored and Locked

BACK HALF/MOISTURE

Container No. I-M29-3-S%10% ; I-M29-3-BHAR ; I-M29-3-KM204 ; I-M29-3-NC1
 Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% KMnO ₄ / 10% H ₂ O ₂	100	729.5	766.6	37.1
2	5% KMnO ₄ / 10% H ₂ O ₂	100	709.6	713.1	3.5
3	Empty	0	566.1	566.6	0.5
4	4% KMnO ₄ / 10% H ₂ O ₂	100	731.5	732.0	0.5
5	4% KMnO ₄ / 10% H ₂ O ₂	100	731.9	732.8	0.9
6	S:1 Gel	—	765.0	783.2	18.2
TOTAL					60.7



SAMPLE RECOVERY DATA

PLANT Waipapa Foundry Run No. O-M29-B1k

DATE 9/8/47 Sample Box No. — Job No. 544.007

SAMPLE LOCATION Outlet Filter No. 301642

TRAIN PREPARER M. Harris

SAMPLE RECOVERY PERSON M. Harris

COMMENTS Includes Front Half Acid Rinse

FRONT HALF

Acetone Liquid
Container No. O-M29-B1k-FHA Level Marked Sealed

Filter
Container No. 301642 Sealed

Description of Filter No Particulate

Samples Stored and Locked

BACK HALF/MOISTURE

Container No. O-M29-B1k-5%10% ; O-M29-B1k-DHAR ; O-M29-B1k-RMAD ; O-M29-B1k-HC1

Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5%/10%	100	725.1	724.8	-0.3
2	5%/10%	100	652.7	652.7	0.0
3	Empty	0	551.1	551.1	0.0
4	4% KMnO ₄ /10% H ₂ SO ₄	100	726.4	726.4	0.0
5	4% KMnO ₄ /10% H ₂ SO ₄	100	727.8	727.8	0.0
6	S:1 Gel	—	909.9	910.8	0.7
TOTAL					0.6

Cl.



SAMPLE RECOVERY DATA

PLANT Wapasa Faraday Run No. 0-M29-1

DATE 9/9/47 Sample Box No. - Job No. S 414.003

SAMPLE LOCATION Outlet Filter No. 301675

TRAIN PREPARER M. H. H.

SAMPLE RECOVERY PERSON M. H. H.

COMMENTS Front Half Acid Rings -> 0-M29-1-FHAR

FRONT HALF

Acetone Liquid
Container No. 0-M29-1-FHAR Level Marked Sealed

Filter
Container No. 0-M29-1-Filter Sealed

Description of Filter Light Tan Rings

Samples Stored and Locked

BACK HALF/MOISTURE

Container No. 0-M29-1-92108; 0-M29-1-BHAR; 0-M29-1-KHAR; 0-M29-1-HCI

Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO ₃ / 10% H ₂ O ₂	100	722.0	776.6	54.6
2	5% HNO ₃ / 10% H ₂ O ₂	100	675.8	690.4	14.6
3	Empty	0	591.0	597.5	6.5
4	4% K ₂ SO ₄ / 10% H ₂ O ₂	100	727.7	734.4	6.7
5	4% K ₂ SO ₄ / 10% H ₂ O ₂	100	731.7	739.2	7.5
6	S:1 Gel	-	846.9	868.8	22.4
TOTAL					112.3



SAMPLE RECOVERY DATA

PLANT Waukena Foundry Run No. O-M29-2

DATE 9/10/97 Sample Box No. — Job No. S 414.003

SAMPLE LOCATION Outlet Filter No. 301640

TRAIN PREPARER M Hamilton

SAMPLE RECOVERY PERSON M Hamilton

COMMENTS Front half Acid Rinse -> O-M29-2-FHAR

FRONT HALF

Acetone Liquid
Container No. O-M29-2-FHAR Level Marked Sealed

Filter
Container No. O-M29-2-Filter Sealed

Description of Filter Light Tan Rings

Samples Stored and Locked

BACK HALF/MOISTURE

Container No. O-M29-2-5%10Z; O-M29-2-BHAR; O-M29-2-KH04; O-M29-2-MC1

Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO ₃ /10% H ₂ O ₂	100	733.2	770.2	37.0
2	5% HNO ₃ /10% H ₂ O ₂	100	651.3	671.8	20.5
3	Empty	0	552.2	553.9	1.7
4	4% HNO ₃ /10% H ₂ SO ₄	100	621.8 + 107.7 = 729.5	688.4	-41.1
5	4% HNO ₃ /10% H ₂ SO ₄	100	623.3 + 107.7 = 731.5	769.7	38.2
6	S:1 Gall	—	910.1	932.9	22.8
TOTAL					79.1



SAMPLE RECOVERY DATA

PLANT Waupeca Foundry Run No. 0-M29-3
 DATE 9/10/87 Sample Box No. — Job No. S414.003
 SAMPLE LOCATION Outlet Filter No. 301632
 TRAIN PREPARER M Hamilton
 SAMPLE RECOVERY PERSON M Hamilton
 COMMENTS Front Half Acid Rise → 0-M29-3-FHAR

FRONT HALF

Acetone Liquid
 Container No. 0-M29-3-FHAR Level Marked Sealed
 Filter
 Container No. 0-M29-3-Filter Sealed
 Description of Filter Light Tan Rings
 Samples Stored and Locked

BACK HALF/MOISTURE

Container No. 0-M29-3-S&I; 0-M29-3-BHAR ; 0-M29-3-KM04 ; 0-M29-3-HCI
 Liquid Level Marked Sealed

IMP. NO.	CONTENTS	INITIAL VOL (ml)	WEIGHT (grams)		
			INITIAL	FINAL	NET
1	5% HNO ₃ / 10% H ₂ O ₂	100	730.0	776.0	46.0
2	5% HNO ₃ / 10% H ₂ O ₂	100	680.5	691.9	11.4
3	Empty	0	592.5	595.2	2.7
4	4% KMnO ₄ / 10% H ₂ SO ₄	100	732.4	732.8	0.4
5	4% KMnO ₄ / 10% H ₂ SO ₄	100	730.1	730.3	0.2
6	Sil Gel	—	860.2	880.3	20.1
TOTAL					780.8

PES, Inc
4700 Duke Dr., Suite 150
Mason, OH 45040
513-398-2556

Date:	9/12/97
Lab:	Triangle Labs
Train:	Method 29 (Incl M5)

Plant Name: Waupaca Foundry

Plant Location: Tell City, Indiana

Project Name: S 414.003

Relinquished by: (Signature) MARC HAMILTON	Date/Time	Received by: (Signature)	Date/Time	Comments <i>All M29 samples</i>
Relinquished by: (Signature)	Date/Time	Received by: (Signature) <i>B. Hunt</i>	Date/Time <i>9/12/97 1500</i>	Comments <i>All M29 samples</i>
Relinquished by: (Signature) <i>Bill Hunt</i>	Date/Time <i>9/15/97 1000</i>	Received by: (Signature) <i>Frank Meadows</i> FRANK MEADOWS - PES	Date/Time <i>9/15/97 1000</i>	Comments <i>All M29 Filters and FH Acetone Rinses</i>
Relinquished by: (Signature) <i>Frank Meadows</i> FRANK MEADOWS, PES	Date/Time <i>9/23/97 845</i>	Received by: (Signature) <i>Bill Hunt</i>	Date/Time <i>9/22/97 0847</i>	Comments

Field Sample No.	Date	Composite or Grab	Analysis Required	Sampling Train	Sample Description	Special Notes	Lab
I-M29-1-Filter	9/9/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMT's	4" Quartz Filter	M 29 Container #1	TU
I-M29-1-FHAc	9/9/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMT's	Front Half Acetone Rinse	M 29 Container #2 <i>500 ml</i>	TU
I-M29-1-FHAR	9/9/97	Composite	EPA Method 29	MMT's	Front Half Acid Rinse 0.1N HNO3	M 29 Container #3	TU
I-M29-1-H2O2	9/9/97	Composite	EPA Method 29	MMT's	5% HNO3 / 10% H2O2 Impinger+Rinse	M 29 Container #4	TU
I-M29-1-BHAR	9/9/97	Composite	EPA Method 29	MMT's	Blank Imp. Acid Rinse 0.1N HNO3	M 29 Container #5A	TU
I-M29-1-KMNO4	9/9/97	Composite	EPA Method 29	MMT's	4% KMnO4/10% H2S Impinger+Rinse	M 29 Container #5B	TU
I-M29-1-HCL	9/9/97	Composite	EPA Method 29	MMT's	8N HCl	M 29 Container #5C	TU
I-M29-2-Filter	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMT's	4" Quartz Filter	M 29 Container #1	TU

PES, Inc
4700 Duke Dr., Suite 150
Mason, OH 45040
513-398-2556

Date:	9/12/97
Lab:	Triangle Labs
Train:	Method 29 (Incl M5)

Plant Name: Waupaca Foundry

Plant Location: Tell City, Indiana

Project Name: S 414.003

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments

Field Sample No.	Date	Composite or Grab	Analysis Required	Sampling Train	Sample Description	Special Notes	Lab
I-M29-2-FHAcce	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTs	Front Half Acetone Rinse	M 29 Container #2 500 ml	TLI
I-M29-2-FHAR	9/10/97	Composite	EPA Method 29	MMTs	Front Half Acid Rinse 0.1N HNO3	M 29 Container #3	TLI
I-M29-2-H2O2	9/10/97	Composite	EPA Method 29	MMTs	5% HNO3 / 10% H2O2 Impinger + Rinse	M 29 Container #4	TLI
I-M29-2-BHAR	9/10/97	Composite	EPA Method 29	MMTs	Blank Imp. Acid Rinse 0.1N HNO3	M 29 Container #5A	TLI
I-M29-2-KMNO4	9/10/97	Composite	EPA Method 29	MMTs	4% KMnO4/10% H2S Impinger + Rinse	M 29 Container #5B	TLI
I-M29-2-HCL	9/10/97	Composite	EPA Method 29	MMTs	8N HCl	M 29 Container #5C	TLI
I-M29-3-Filter	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTs	4" Quartz Filter	M 29 Container #1	TLI
I-M29-3-FHAcce	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTs	Front Half Acetone Rinse	M 29 Container #2 500 ml	TLI

32

X

X

X

PES, Inc
 4700 Duke Dr., Suite 150
 Mason, OH 45040
 513-398-2556

Date:	9/12/97
Lab:	Triangle Labs
Train:	Method 29 (Incl M5)

Plant Name: Waupaca Foundry

Plant Location: Tell City, Indiana

Project Name: S 414.003

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments

Field Sample No.	Date	Composite or Grab	Analysis Required	Sampling Train	Sample Description	Special Notes	Lab
I-M29-3-FHAR	9/10/97	Composite	EPA Method 29	MMTIs	Front Half Acid Rinse 0.1N HNO3	M 29 Container #3	TLI
I-M29-3-H2O2	9/10/97	Composite	EPA Method 29	MMTIs	5% HNO3 / 10% H2O2 Impinger+Rinse	M 29 Container #4	TLI
I-M29-3-BHAR	9/10/97	Composite	EPA Method 29	MMTIs	Blank Imp. Acid Rinse 0.1N HNO3	M 29 Container #5A	TLI
I-M29-3-KMnO4	9/10/97	Composite	EPA Method 29	MMTIs	4% KMnO4/10% H2S Impinger+Rinse	M 29 Container #5B	TLI
I-M29-3-HCL	9/10/97	Composite	EPA Method 29	MMTIs	8N HCl	M 29 Container #5C	TLI
I-M29-BLK-Filter	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTIs Field Blank	4" Quartz Filter	M 29 Container #1	TLI
I-M29-BLK-FHAc	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTIs Field Blank	Front Half Acetone Rinse	M 29 Container #2 125 ml	TLI
I-M29-BLK-FHAR	9/10/97	Composite	EPA Method 29	MMTIs Field Blank	Front Half Acid Rinse 0.1N HNO3	M 29 Container #3	TLI

74

X
X

PES, Inc
4700 Duke Dr., Suite 150
Mason, OH 45040
513-398-2556

Date:	9/12/97
Lab:	Triangle Labs
Train:	Method 29 (Incl M5)

Plant Name: Waupaca Foundry

Plant Location: Tell City, Indiana

Project Name: S 414.003

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments

Field Sample No.	Date	Composite or Grab	Analysis Required	Sampling Train	Sample Description	Special Notes	Lab
I-M29-BLK-H2O2	9/10/97	Composite	EPA Method 29	MMTis Field Blank	5% HNO3 / 10% H2O2 Impinger+Rinse	M 29 Container #4	TLI
I-M29-BLK-BHAR	9/10/97	Composite	EPA Method 29	MMTis Field Blank	Blank Imp. Acid Rinse 0.1N HNO3	M 29 Container #5A	TLI
I-M29-BLK-KMnO4	9/10/97	Composite	EPA Method 29	MMTis Field Blank	4% KMnO4/10% H2S Impinger+Rinse	M 29 Container #5B	TLI
I-M29-BLK-HCL	9/10/97	Composite	EPA Method 29	MMTis Field Blank	8N HCl	M 29 Container #5C	TLI

PES, Inc

4700 Duke Dr., Suite 150
Mason, OH 45040
513-398-2556

Date:	9/12/97
Lab:	Triangle Labs
Train:	Method 29 (Incl M5)

Plant Name: Waupaca Foundry

Plant Location: Tell City, Indiana

Project Name: S 414.003

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments

Field Sample No.	Date	Composite or Grab	Analysis Required	Sampling Train	Sample Description	Special Notes	Lab
O-M29-1-Filter	9/9/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMT's	3" Quartz Filter	M 29 Container #1	TU
O-M29-1-FHAc	9/9/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMT's	Front Half Acetone Rinse	M 29 Container #2 145 ml	TU
O-M29-1-FHAR	9/9/97	Composite	EPA Method 29	MMT's	Front Half Acid Rinse 0.1N HNO3	M 29 Container #3	TU
O-M29-1-H2O2	9/9/97	Composite	EPA Method 29	MMT's	5% HNO3 / 10% H2O2 Impinger+ Rinse	M 29 Container #4	TU
O-M29-1-BHAR	9/9/97	Composite	EPA Method 29	MMT's	Blank Imp. Acid Rinse 0.1N HNO3	M 29 Container #5A	TU
O-M29-1-KMNO4	9/9/97	Composite	EPA Method 29	MMT's	4% KMnO4/10% H2S Impinger+ Rinse	M 29 Container #5B	TU
O-M29-1-HCL	9/9/97	Composite	EPA Method 29	MMT's	8N HCl	M 29 Container #5C	TU
O-M29-2-Filter	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMT's	3" Quartz Filter	M 29 Container #1	TU

X
X
X

PES, Inc
4700 Duke Dr., Suite 150
Mason, OH 45040
513-398-2556

Date:	9/12/97
Lab:	Triangle Labs
Train:	Method 29 (Incl M5)

Plant Name: Waupaca Foundry

Plant Location: Tell City, Indiana

Project Name: S 414.003

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments

Field Sample No.	Date	Composite or Grab	Analysis Required	Sampling Train	Sample Description	Special Notes	Lab
O-M29-2-FHAc	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTs	Front Half Acetone Rinse	M 29 Container #2 130 ml	TLI
O-M29-2-FHAR	9/10/97	Composite	EPA Method 29	MMTs	Front Half Acid Rinse 0.1N HNO3	M 29 Container #3	TLI
O-M29-2-H2O2	9/10/97	Composite	EPA Method 29	MMTs	5% HNO3 / 10% H2O2 Impinger + Rinse	M 29 Container #4	TLI
O-M29-2-BHAR	9/10/97	Composite	EPA Method 29	MMTs	Blank Imp. Acid Rinse 0.1N HNO3	M 29 Container #5A	TLI
O-M29-2-KMNO4	9/10/97	Composite	EPA Method 29	MMTs	4% KMnO4/10% H2S Impinger + Rinse	M 29 Container #5B	TLI
O-M29-2-HCL	9/10/97	Composite	EPA Method 29	MMTs	8N HCl	M 29 Container #5C	TLI
O-M29-3-Filter	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTs	3" Quartz Filter	M 29 Container #1	TLI
O-M29-3-FHAc	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTs	Front Half Acetone Rinse	M 29 Container #2 150 ml	TLI

77

X

X

X

PES, Inc
4700 Duke Dr., Suite 150
Mason, OH 45040
513-398-2556

Date:	9/12/97
Lab:	Triangle Labs
Train:	Method 29 (incl M5)

Plant Name: Waupaca Foundry

Plant Location: Tell City, Indiana

Project Name: S 414.003

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments

Field Sample No.	Date	Composite or Grab	Analysis Required	Sampling Train	Sample Description	Special Notes	Lab
O-M29-3-FHAR	9/10/97	Composite	EPA Method 29	MMT's	Front Half Acid Rinse 0.1N HNO3	M 29 Container #3	TLI
O-M29-3-H2O2	9/10/97	Composite	EPA Method 29	MMT's	5% HNO3 / 10% H2O2 Impinger + Rinse	M 29 Container #4	TLI
O-M29-3-BHAR	9/10/97	Composite	EPA Method 29	MMT's	Blank Imp. Acid Rinse 0.1N HNO3	M 29 Container #5A	TLI
O-M29-3-KMnO4	9/10/97	Composite	EPA Method 29	MMT's	4% KMnO4/10% H2S Impinger + Rinse	M 29 Container #5B	TLI
O-M29-3-HCL	9/10/97	Composite	EPA Method 29	MMT's	8N HCl	M 29 Container #5C	TLI
O-M29-BLK-Filter	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMT's Field Blank	3" Quartz Filter	M 29 Container #1	TLI
O-M29-BLK-FHAc	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMT's Field Blank	Front Half Acetone Rinse	M 29 Container #2 60 ml	TLI
O-M29-BLK-FHAR	9/10/97	Composite	EPA Method 29	MMT's Field Blank	Front Half Acid Rinse 0.1N HNO3	M 29 Container #3	TLI

X
X

PES, Inc

4700 Duke Dr., Suite 150
Mason, OH 45040
513-398-2556

Date:	9/12/97
Lab:	Triangle Labs
Train:	Method 29 (Incl M5)

Plant Name: Waupaca Foundry

Plant Location: Tell City, Indiana

Project Name: S 414.003

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments

Field Sample No.	Date	Composite or Grab	Analysis Required	Sampling Train	Sample Description	Special Notes	Lab
O-M29-BLK-H2O2	9/10/97	Composite	EPA Method 29	MMtS Field Blank	5% HNO3 / 10% H2O2 Impinger+Rinse	M 29 Container #4	TLI
O-M29-BLK-BHAR	9/10/97	Composite	EPA Method 29	MMtS Field Blank	Blank Imp. Acid Rinse 0.1N HNO3	M 29 Container #5A	TLI
O-M29-BLK-KMnO4	9/10/97	Composite	EPA Method 29	MMtS Field Blank	4% KMnO4/10% H2S Impinger+Rinse	M 29 Container #5B	TLI
O-M29-BLK-HCL	9/10/97	Composite	EPA Method 29	MMtS Field Blank	8N HCl	M 29 Container #5C	TLI

PES, Inc
 4700 Duke Dr., Suite 150
 Mason, OH 45040
 513-398-2556

Date:	9/12/97
Lab:	Triangle Labs
Train:	Method 29 (Incl M5)

Plant Name: Waupaca Foundry

Plant Location: Tell City, Indiana

Project Name: S 414.003

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time	Comments

Field Sample No.	Date	Composite or Grab	Analysis Required	Sampling Train	Sample Description	Special Notes	Lab
M29-Reagent Blank-4" Filter	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTIs Reagent Blank	4" Quartz Filter		TLJ
M29-Reagent Blank-3" Filter	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTIs Reagent Blank	3" Quartz Filter		TLJ
M29-Reagent Blank-Acetone	9/10/97	Composite	EPA Method 5/ EPA Method 29	Particulate/MMTIs Reagent Blank	100 ml Acetone	100 ml	TLJ
M29-Reagent Blank-HNO3/H2O2	9/10/97	Composite	EPA Method 29	MMTL Reagent Blank	250 ml 5% HNO3 10% H2O2		TLJ
M29-Reagent Blank-0.1N HNO3	9/10/97	Composite	EPA Method 29	MMTL Reagent Blank	160 ml 0.1N HNO3		TLJ
M29-Reagent Blank-KMnO4/H2SO4	9/10/97	Composite	EPA Method 29	MMTL Reagent Blank	500 ml 4% KMnO4 10% H2SO4		TLJ
M29-Reagent Blank-8N HCL	9/10/97	Composite	EPA Method 29	MMTL Reagent Blank	100 ml 8N HCl		TLJ
M29-Reagent Blank-DI H2O	9/10/97	Composite	EPA Method 29	MMTL Reagent Blank	330 ml DI Water		TLJ

X
X
X

Chain of Custody : Present
 Sample Tags : Absent
 Sample Tag Numbers: Not Listed on Chain of Custody
 SMO Forms : N/A

Sample Seals: Absent
 Container: Intact

COPY *MM 9/12/97*

TLI Project Number 43231
 Client: PES03 - Pacific Environmental Services
 Date Received 09/12/97 By *Michael M. Milborne*
 Carrier and Number MICHAEL MILBORNE
 Book 183
 3

TLI Number	Client Sample ID	Matrix	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	DISPOSED
mR/H:CPM	Client COC ID	Location	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init
183-3-1A	I-M29-FHace I-M29-BLK *	ACETONE RNS METALS LAB									
183-3-1B	I-M29-FHAR I-M29-BLK *	.1N HNO3 METALS LAB									
183-3-1C	I-M29-BLK-5% 10% I-M29-BLK *	HNO3/H2O2 METALS LAB									
183-3-1D	I-M29-BLK-BHAR I-M29-BLK *	.1N HNO3 METALS LAB									
183-3-1E	I-M29-BLK-KMNO4 I-M29-BLK *	KMnO4 METALS LAB									
183-3-1F	I-M29-BLK-HCL I-M29-BLK *	8N HCL METALS LAB									
183-3-2A	I-M29-1-FHace I-M29-1 *	ACETONE RNS METALS LAB									
183-3-2B	I-M29-1-FHAR I-M29-1 *	.1N HNO3 METALS LAB									
183-3-2C	I-M29-1-5% 10% I-M29-1 *	HNO3/H2O2 METALS LAB									
183-3-2D	I-M29-1-BHAR I-M29-1 *	.1N HNO3 METALS LAB									
183-3-2E	I-M29-1-KMNO4 I-M29-1 *	KMnO4 METALS LAB									
183-3-2F	I-M29-1-HCL I-M29-1 *	8N HCL METALS LAB									
183-3-3A	I-M29-2-FHace I-M29-2 *	ACETONE RNS METALS LAB									
183-3-3B	I-M29-2-FHAR I-M29-2 *	.1N HNO3 METALS LAB									

Receiving Remarks: FILTERS (FOR ALL INLET AND OUTLET METHOD 29'S) AND REAGENT BLANKS WERE NOT RECEIVED WITH SAMPLES. THE SAMPLES FOR INLET (FHace and FHAR) AND OUTLET (FHace and FHAR) BLANKS WERE NOT MARKED BLK AS OTHER BLANKS.

Archive Remarks:

00011 16/11/11 / 11/11/11

TRIANGLE LABORATORIES, INC. -- LOG IN RECORD/CHAIN OF CUSTODY

Custody Seal : Absent	Sample Seals: Absent	TLI Project Number 43231	Book 183
Chain of Custody : Present	Container....: Intact	Client: PES03 - Pacific Environmental Services	
Sample Tags : Absent			
Sample Tag Numbers: Not Listed on Chain of Custody			
SMO Forms : N/A		Date Received 09/12/97	By <i>Michael Milborne</i> Page
Ice Chest	ICE	Temp 5.0 C	Carrier and Number MICHAEL MILBORNE 3

mR/H:CPM.	Client Sample ID.....	Matrix Location.....	To LAB Date/Init	To STORAGE Date/Init	To LAB Date/Init	To STORAGE Date/Init	To LAB Date/Init	To STORAGE Date/Init	To LAB Date/Init	To STORAGE Date/Init	DISPOSED Date/Init
183-3-3C	I-M29-2-5% 10%	HNO3/H2O2 METALS LAB									
	I-M29-2	* METALS LAB									
183-3-3D	I-M29-2-BHAR	.1N HNO3 METALS LAB									
	I-M29-2	* METALS LAB									
183-3-3E	I-M29-2-KMNO4	KMnO4 METALS LAB									
	I-M29-2	* METALS LAB									
183-3-3F	I-M29-2-HCL	8N HCL METALS LAB									
	I-M29-2	* METALS LAB									
183-3-4A	I-M29-3-FHAc	ACETONE RNS METALS LAB									
	I-M29-3	* METALS LAB									
183-3-4B	I-M29-3-FHAR	.1N HNO3 METALS LAB									
	I-M29-3	* METALS LAB									
183-3-4C	I-M29-3-5% 10%	HNO3/H2O2 METALS LAB									
	I-M29-3	* METALS LAB									
183-3-4D	I-M29-3-BHAR	.1N HNO3 METALS LAB									
	I-M29-3	* METALS LAB									
183-3-4E	I-M29-3-KMNO4	KMnO4 METALS LAB									
	I-M29-3	* METALS LAB									
183-3-4F	I-M29-3-HCL	8N HCL METALS LAB									
	I-M29-3	* METALS LAB									
183-3-5A	O-M29-FHAc	ACETONE RNS METALS LAB									
	O-M29-BLK	* METALS LAB									
183-3-5B	O-M29-FHAR	.1N HNO3 METALS LAB									
	O-M29-BLK	* METALS LAB									
183-3-5C	O-M29-BLK-5% 10%	HNO3/H2O2 METALS LAB									
	O-M29-BLK	* METALS LAB									
183-3-5D	O-M29-BLK-BHAR	.1N HNO3 METALS LAB									
	O-M29-BLK	* METALS LAB									

Receiving Remarks: FILTERS (FOR ALL INLET AND OUTLET METHOD 29'S) AND REAGENT BLANKS WERE NOT RECEIVED WITH SAMPLES. THE SAMPLES FOR INLET (FHAc and FHAR) AND OUTLET (FHAc and FHAR) BLANKS WERE NOT MARKED BLK AS OTHER BLANKS.

Archive Remarks:

82

TRIANGLE LABORATORIES, INC. -- LOG IN RECORD/CHAIN OF CUSTODY

Custody Seal : Absent Sample Seals: Absent
 Chain of Custody : Present Container...: Intact
 Sample Tags : Absent
 Sample Tag Numbers: Not Listed on Chain of Custody
 SMO Forms : N/A

TLI Project Number 43231
 Client: PES03 - Pacific Environmental Services

Book
183

Date Received 09/12/97

By *Kevin M. Lynch* Page

Ice Chest ICE Temp 5.0 C

Carrier and Number MICHAEL MILBORNE

3

TLI Number	Client Sample ID	Matrix	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	DISPOSED
mR/H:CPM	Client COC ID	Location	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init
183-3-5E	O-M29-BLK-KMNO4 O-M29-BLK	* METALS LAB KMnO4									
183-3-5F	O-M29-BLK-HCL O-M29-BLK	* METALS LAB 8N HCl									
183-3-6A	O-M29-1-FHAc O-M29-RUN1	* METALS LAB ACETONE RNS									
183-3-6B	O-M29-1-FHAR O-M29-RUN1	* METALS LAB .1N HNO3									
183-3-6C	O-M29-1-5% 10% O-M29-RUN1	* METALS LAB HNO3/H2O2									
183-3-6D	O-M29-1-BHAR O-M29-RUN1	* METALS LAB .1N HNO3									
183-3-6E	O-M29-1-KMNO4 O-M29-RUN1	* METALS LAB KMnO4									
183-3-6F	O-M29-1-HCL O-M29-RUN1	* METALS LAB 8N HCl									
183-3-7A	O-M29-2-FHAc O-M29-RUN2	* METALS LAB ACETONE RNS									
183-3-7B	O-M29-2-FHAR O-M29-RUN2	* METALS LAB .1N HNO3									
183-3-7C	O-M29-2-5% 10% O-M29-RUN2	* METALS LAB HNO3/H2O2									
183-3-7D	O-M29-2-BHAR O-M29-RUN2	* METALS LAB .1N HNO3									
183-3-7E	O-M29-2-KMNO4 O-M29-RUN2	* METALS LAB KMnO4									
183-3-7F	O-M29-2-HCL O-M29-RUN2	* METALS LAB 8N HCl									

Receiving Remarks: FILTERS (FOR ALL INLET AND OUTLET METHOD 29'S) AND REAGENT BLANKS WERE NOT RECEIVED WITH SAMPLES.
 THE SAMPLES FOR INLET (FHAc and FHAR) AND OUTLET (FHAc and FHAR) BLANKS WERE NOT MARKED BLK AS
 OTHER BLANKS.

Archive Remarks:

COPY 4/11/97

TRIANGLE LABORATORIES, INC. -- LOG IN RECORD/CHAIN OF CUSTODY

Custody Seal : Absent	Sample Seals: Absent	TLI Project Number 43231	Book 183
Chain of Custody : Present	Container....: Intact	Client: PES03 - Pacific Environmental Services	
Sample Tags : Absent			
Sample Tag Numbers: Not Listed on Chain of Custody			
SMO Forms : N/A		Date Received 09/12/97	By <i>Michael Milborne</i>

Ice Chest	ICE	Temp 5.0 C	Carrier and Number	MICHAEL MILBORNE	3
-----------	-----	------------	--------------------	------------------	---

TLI Number..	Client Sample ID.....	Matrix	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	DISPOSED
mR/H:CPM.	Client COC ID.....*	Location.....	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init
183-3-8A	O-M29-3-FHAc	ACETONE RNS									
	O-M29-RUN3	* METALS LAB									
183-3-8B	O-M29-3-FHAR	.1N HNO3									
	O-M29-RUN3	* METALS LAB									
183-3-8C	O-M29-3-5t 10t	HNO3/H2O2									
	O-M29-RUN3	* METALS LAB									
183-3-8D	O-M29-3-BHAR	.1N HNO3									
	O-M29-RUN3	* METALS LAB									
183-3-8E	O-M29-3-KMNO4	KMnO4									
	O-M29-RUN3	* METALS LAB									
183-3-8F	O-M29-3-HCL	8N HCL									
	O-M29-RUN3	* METALS LAB									

Receiving Remarks: FILTERS (FOR ALL INLET AND OUTLET METHOD 29'S) AND REAGENT BLANKS WERE NOT RECEIVED WITH SAMPLES. THE SAMPLES FOR INLET (FHAc and FHAR) AND OUTLET (FHAc and FHAR) BLANKS WERE NOT MARKED BLK AS OTHER BLANKS.

Archive Remarks:

84

COPY 9/15/97

TRIANGLE LABORATORIES, INC. -- LOG IN RECORD/CHAIN OF CUSTODY

Custody Seal : Absent Sample Seals: Absent
Chain of Custody : Absent Container....: Intact
Sample Tags : Absent
Sample Tag Numbers: Not Listed on Chain of Custody
SMO Forms : N/A

TLI Project Number 43243 Book 183
Client: PES03 - Pacific Environmental Services
Date Received 09/15/97 By *[Signature]* Page 15
Carrier and Number BILL DEWEE

Box NO COOLANT

TLI Number..	Client Sample ID.....	Matrix	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	DISPOSED
mR/H:CPM.	Client COC ID.....*	Location.....	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init
183-15-1A	Reagent Blank	ACETONE RNS METALS LAB									
183-15-1B	Reagent Blank	.1N HNO3 METALS LAB									
183-15-1C	Reagent Blank	DI WATER METALS LAB									
183-15-1D	Reagent Blank	HNO3/H2O2 METALS LAB									
183-15-1E	Reagent Blank	HCl METALS LAB									

Receiving Remarks: KM04 sample arrived broke.picked it.up and it had no bottom ,sample hadleaked out into box.See TLI#43231.
Archive Remarks:

85

11 2(1)101W 18492

Custody Seal : Absent		Sample Seals: Absent		TLI Project Number 43350		Book
Chain of Custody : Present		Container...: Intact		Client: PES01 - Pacific Environmental Serv. Inc.		184
Sample Tags : Absent		Sample Tag Numbers: Not Listed on Chain of Custody		Date Received	09/23/97	By <i>[Signature]</i> Page
SMO Forms : N/A		Box NO COOLANT		Carrier and Number	FRANK MEADOWS	23

TLI Number... mR/H:CPM.	Client Sample ID..... Client COC ID.....*	Matrix Location.....	To LAB Date/Init	To STORAGE Date/Init	To LAB Date/Init	To STORAGE Date/Init	To LAB Date/Init	To STORAGE Date/Init	To LAB Date/Init	To STORAGE Date/Init	DISPOSED Date/Init
184-23-1A	I-M29-1	Filter METALS LAB									
184-23-1B	I-M29-1	FH Acetone Rinse METALS LAB									
184-23-2A	I-M29-2	Filter METALS LAB									
184-23-2B	I-M29-2	FH Acetone Rinse METALS LAB									
184-23-3A	I-M29-3	Filter METALS LAB									
184-23-3B	I-M29-3	FH Acetone Rinse METALS LAB									
184-23-4A	I-M29-FIELD BLANK	Filter METALS LAB									
184-23-4B	I-M29-FIELD BLANK	FH Acetone Rinse METALS LAB									
184-23-5	I-M29-REAGENT BLANK	FILTER METALS LAB									
184-23-6A	O-M29-1	Filter METALS LAB									
184-23-6B	O-M29-1	FH Acetone Rinse METALS LAB									
184-23-7A	O-M29-2	Filter METALS LAB									
184-23-7B	O-M29-2	FH Acetone Rinse METALS LAB									
184-23-8A	O-M29-3	Filter METALS LAB									

Receiving Remarks:

Archive Remarks:

88

TRIANGLE LABORATORIES, INC. -- LOG IN RECORD/CHAIN OF CUSTODY

Custody Seal : Absent
 Chain of Custody : Present
 Sample Tags : Absent
 Sample Tag Numbers: Not Listed on Chain of Custody
 SMO Forms : N/A

Sample Seals: Absent
 Container...: Intact

TLI Project Number 43350
 Client: PES01 - Pacific Environmental Serv. Inc.

Book
 184

Date Received 09/23/97 By *[Signature]*

Page

Box NO COOLANT

Carrier and Number FRANK MEADOWS

23

TLI Number..	Client Sample ID.....	Matrix	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	To LAB	To STORAGE	DISPOSED
mR/H:CPM.	Client COC ID.....*	Location.....	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init	Date/Init
184-23-8B	O-M29-3	FH Acetone Rinse									
	O-M29-3	METALS LAB									
184-23-9A	O-M29-FIELD BLANK	Filter									
	O-M29-FIELD BLANK	METALS LAB									
184-23-9B	O-M29-FIELD BLANK	FH Acetone Rinse									
	O-M29-FIELD BLANK	METALS LAB									
184-23-10A	O-M29-REAGENT BLANK	Filter									
	O-M29-REAGENT BLANK	METALS LAB									
184-23-10B	O-M29-REAGENT BLANK	FH Acetone Rinse									
	O-M29-REAGENT BLANK	METALS LAB									

Receiving Remarks:

Archive Remarks:

87

Project # 45231
 Client: Pacific Environmental Services
 Date/Int.: DSE 9/24/97
 Client Run# 2-M-29-Blank

Triangle Laboratories of RTP
 (919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA
Ag Ba Mn Ni P Zn	As Bc Cd Co Cr Pb Sb Se TL		Hg

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	4	5A	5B	5C
Filter type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl
label _____	label <u>183-3-1A</u>	label <u>183-3-1B</u>	label <u>183-3-1C</u>	label <u>183-3-1D</u>	label <u>183-3-1E</u>	label <u>183-3-1F</u>
Volume _____	Volume <u>180</u>	Volume <u>180</u>	Volume <u>320</u>	Volume <u>61</u>	Volume <u>263</u>	Volume <u>10</u>
	Dessicate to dryness and redissolve in 10ml con HNO3	Reduce volume to 20 ml on hotplate	For Metals / For Hg	Allquot A <u>5</u>	Allquot A <u>5</u>	Allquot A <u>5</u>
	Int _____ Date _____	Int <u>SF</u> Date <u>9/25/97</u>	label <u>300</u> / label <u>183-3-1C</u>	Allquot B <u>5</u>	Allquot B <u>5</u>	Allquot B <u>5</u>
	Microwave dig with conc. HF and conc. HNO3	Microwave dig with conc. HF and conc. HNO3	Volume <u>193-3-15</u> / Volume <u>100</u>	Int <u>DSE</u>	Int <u>DSE</u>	Int <u>DSE</u>
	Int _____ Date _____	Int <u>DSE</u> Date <u>9/24/97</u>		Date <u>9/29/97</u>	Date <u>9/29/97</u>	Date <u>9/29/97</u>
	Combine digestates	Reduce Volume to 20 mL on Hotplate	Sample / Spike	(Duplicate Analysis of Each)		
	Front Half Digestate	Hotplate dig with HNO3 and H2O2	Int <u>SF</u> Date <u>9/25/97</u>	label <u>183-3-1C</u> Int <u>DSE</u>	label <u>183-3-1B</u> Int <u>MR</u>	label <u>183-3-1B</u> Int <u>MR</u>
	Add 500 uL Sc	Add 500 uL Sc	Int <u>DSE</u> Date <u>9/24/97</u>	Volume <u>100</u> Date <u>9/29/97</u>	Volume <u>100</u> Date <u>10/10/97</u>	Volume <u>100</u> Date <u>10/10/97</u>
	Dilute to 100 ml	Dilute to 100 ml	Int _____ Date _____	Allquot A: <u>5</u>	Allquot A: <u>5</u>	Allquot A: <u>5</u>
	label <u>183-3-1B</u> Volume <u>10</u> ML	Int <u>DSE</u> Date <u>9/26/97</u>	Int <u>DSE</u> Date <u>9/26/97</u>	Allquot B: <u>5</u>	Allquot B: <u>5</u>	Allquot B: <u>5</u>
	For Metal / For Hg	Int <u>DSE</u> Date <u>9/26/97</u>	Int <u>DSE</u> Date <u>9/24/97</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>MR</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>MR</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>MR</u>
	label <u>183-3-1B</u> Int <u>DSE</u> Volume <u>100</u> ml Date <u>9/29/97</u>	label <u>183-3-1B</u> Int <u>DSE</u> Volume <u>100</u> ml Date <u>9/29/97</u>	label <u>183-3-1B</u> Int <u>DSE</u> Volume <u>100</u> ml Date <u>9/24/97</u>	Final spk conc. added <u>5</u> ppb Date <u>10/10/97</u>	Final spk conc. added <u>5</u> ppb Date <u>10/10/97</u>	Final spk conc. added <u>5</u> ppb Date <u>10/10/97</u>
	post digest spike on FH (for GFAA)	Allquot A: <u>5</u> ml (No spike required)	Allquot B: <u>5</u> ml	FH & BH Serial dilution performed		
	Int & BH post dig. spk. _____ ppb (Instrument spiked)	(One post digestion spk on BH for GFAA)		_____ ml to _____ ml FV + _____ uL Sc		
	Int _____ Date _____			Initials: _____		
				Date: _____		

Project # 43231

Client: _____

Date/Int.: _____

Client Run# I-M29-FIELD BLANK

Triangle Laboratories of RTP

(919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	A	5A	5B	5C
Filter type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl
label <u>184-23-4A</u>	label <u>184-23-4B</u> Volume <u>DRY</u>	label _____ Volume _____	label _____ Volume _____	label _____ Volume _____ ml	label _____ Volume _____ ml	label _____ Volume _____ ml
Dessiccate to dryness and redissolve in 10ml con HNO3	Inl <u>SRB</u> Date <u>10/2/97</u>	Reduce volume to 20 ml on hotplate	Inl _____ Date _____	For Metals	For Hg	
Microwave dig with conc. HF and conc. HNO3	Inl <u>SRB</u> Date <u>10/3/97</u>	Microwave dig with conc. HF and conc. HNO3	Inl <u>SRB</u> Date <u>10/3/97</u>	label _____ Volume _____	label _____ Volume _____	
Combine digestates	label <u>184-23-4B</u>	Reduce Volume to 20 mL on Hotplate	Inl _____ Date _____	Sample	Spike (1 Dil, 1 Ig Spike required)	
Front Half Digestate	Add 500 uL Sc	Hotplate dig with HNO3 and H2O2	Inl _____ Date _____	label _____ Volume _____	label _____ Volume _____	
Dilute to 100 mls	Inl <u>SRB</u> Date <u>10/3/97</u>	Add 500 uL Sc	Inl _____ Date _____	Allquot A: _____	Allquot A: _____	
label <u>184-23-4AB</u> Volume <u>100 ML</u>		Dilute to 100 mls	Inl _____ Date _____	Allquot B: _____	Allquot B: _____	
For Metal	For Hg			spk _____ ml of _____ ppb	Inl _____	
label <u>184-23-4AB</u> Inl <u>SRB</u> Date <u>10/3/97</u> Volume <u>100</u>	label <u>184-23-4B</u> Inl <u>ME</u> Date <u>10/6/97</u> Volume <u>00</u> ml			final spk conc. added _____ ppb	Date _____	
Post digest spike on FH (or GFAA)						
& Dil Post dig. spk. _____ ppb (Instrument spiked)	Allquot A: <u>5</u> ml (No spike required)					
	Allquot B: <u>5</u> ml					

FH & BH Serial dilution performed
 _____ ml to _____ ml FV + _____ uL Sc
 Initials: _____

Project # 4221

Client: PES03

Date/Int.: DSE/9/24/97

Client Run# L-1829-1

Run#1

Triangle Laboratories of RTP
(919) 544-5729

CONT #	CONT #	CONT #	CONT #	CONT #	Hg Impinger's	CONT #	CONT #
1	2	3	4	5A	5B	5C	
Filter type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl	
label _____	label <u>183-3-2A</u> ^{EG} ₅₂₈ _{9/25/97}	label <u>183-3-2B</u>	label <u>183-3-2C</u>	label <u>183-3-2D</u>	label <u>183-3-2E</u>	label <u>183-3-2F</u>	
Volume _____	Volume _____	Volume <u>410</u> ^{one aliquot} ₃₁₀	Volume <u>410</u>	Volume <u>100</u> ml	Volume <u>310</u> ml	Volume <u>21</u> ml	
Dessicate to dryness and redissolve in 10ml con HNO3	Reduce volume to 20 ml on hotplate	Reduce volume to 20 ml on hotplate	For Metals	Allquot A <u>5</u>	Allquot A <u>5</u>	Allquot A <u>5</u>	
Int _____	Int <u>SF</u>	Int <u>SF</u>	For Hg	Allquot B <u>5</u>	Allquot B <u>5</u>	Allquot B <u>5</u>	
Date _____	Date <u>9-25-97</u>	Date <u>9-25-97</u>	label <u>183-3-2C</u>	Int <u>DSE</u>	Int <u>DSE</u>	Int <u>DSE</u>	
Microwave dig with conc. HF and conc. HNO3	Microwave dig with conc. HF and conc. HNO3	Microwave dig with conc. HF and conc. HNO3	Volume <u>310</u>	Date <u>9/29/97</u>	Date <u>9/29/97</u>	Date <u>9/29/97</u>	
Int _____	Int <u>DSE</u>	Int <u>DSE</u>	Volume <u>100</u>				
Date _____	Date <u>9/29/97</u>	Date <u>9/29/97</u>					
Combine digestates	Combine digestates	Combine digestates	Combine digestates	Sample	Spike	Spike	(Duplicate Analysis of Each)
Front Half Digestate	Front Half Digestate	Front Half Digestate	Front Half Digestate	label <u>183-3-2D</u>	label <u>183-3-2E</u>	label <u>183-3-2F</u>	
Add 500 <u>500</u> ul Sc	Add 500 <u>500</u> ul Sc	Add 500 <u>500</u> ul Sc	Add 500 <u>500</u> ul Sc	Int <u>DSE</u>	Int <u>DSE</u>	Int <u>DSE</u>	
Dilute to 100 mls	Dilute to 100 mls	Dilute to 100 mls	Dilute to 100 mls	Volume <u>100</u>	Volume <u>100</u>	Volume <u>100</u>	
Int <u>DSE</u>	Int <u>DSE</u>	Int <u>DSE</u>	Int <u>DSE</u>	Date <u>9/29/97</u>	Date <u>9/29/97</u>	Date <u>9/29/97</u>	
Date <u>9/29/97</u>	Date <u>9/29/97</u>	Date <u>9/29/97</u>	Date <u>9/29/97</u>	Allquot A: <u>5</u>	Allquot A: <u>5</u>	Allquot A: <u>5</u>	
label <u>183-3-2B</u>	label <u>183-3-2B</u>	label <u>183-3-2B</u>	label <u>183-3-2B</u>	Allquot B: <u>5</u>	Allquot B: <u>5</u>	Allquot B: <u>5</u>	
Volume <u>100</u> ml	Volume <u>100</u> ml	Volume <u>100</u> ml	Volume <u>100</u> ml	spk <u>5</u> ml of <u>100</u> ppb	spk <u>5</u> ml of <u>100</u> ppb	spk <u>5</u> ml of <u>100</u> ppb	
For Metals	For Metals	For Metals	For Metals	Int <u>DSE</u>	Int <u>DSE</u>	Int <u>DSE</u>	
For Hg	For Hg	For Hg	For Hg	Final spk conc. added <u>5</u> ppb	Final spk conc. added <u>5</u> ppb	Final spk conc. added <u>5</u> ppb	
post digest spike on FH (for GFAA)	post digest spike on FH (for GFAA)	post digest spike on FH (for GFAA)	post digest spike on FH (for GFAA)	Date <u>9/29/97</u>	Date <u>9/29/97</u>	Date <u>9/29/97</u>	
Allquot A: <u>5</u> ml (No spike required)	Allquot A: <u>5</u> ml (No spike required)	Allquot A: <u>5</u> ml (No spike required)	Allquot A: <u>5</u> ml (No spike required)	FH & BH Serial dilution performed			
Allquot B: <u>5</u> ml	Allquot B: <u>5</u> ml	Allquot B: <u>5</u> ml	Allquot B: <u>5</u> ml	_____ ml to _____ ml FV + _____ ul Sc			
				Initials: _____			
				Date: _____			

Preparation Sample 183-3-2E spiked with 5 ppb Hg. Serial dilution added. DSE 9/29/97

(One post digestion spk on BH for GFAA)

Project # 43231
Client: Pacific Environmental
Date/Int.: October 2, 1997 SRB
Client Run# I-M29-1

Triangle Laboratories of RTP
(919) 544-5729

ICP	GFAA	FLAA	CVAA

CONT # 1 Filler type: G or Q label 184-23-1A

CONT # 2 Acelone Rinse label 184-23-1B Volume DRY

~~CONT # 3~~ HNO3 Rinse label _____ Volume _____

~~CONT # 4~~ Back Half Impinger label _____ Volume _____

~~CONT # 5A~~ HNO3 label _____ Volume _____ ml

~~CONT # 5B~~ KMNO4 label _____ Volume _____ ml

~~CONT # 5C~~ HCl label _____ Volume _____ ml

Hg Impingers

Dessicate to dryness and redissolve in 10ml con HNO3 Int SRB Date 10/2/97

Reduce volume to 20 ml on hotplate Int _____ Date _____

Microwave dig with conc. HF and conc. HNO3 Int SRB Date 10/3/97

Combine digestates label 184-23-1B

Front Half Digestate

Add 500 ul Sc

Dilute to 100 mls Int SRB Date 10/3/97

label 184-23-1AB Volume 100 ML

For Metals label _____ Volume _____

For Hg label _____ Volume _____

label _____ Int _____ Date _____

label _____ Int _____ Date _____

label _____ Int _____ Date _____

(Duplicate Analysis of Each)

Reduce Volume to 20 mL on Hotplate Int. _____ Date _____

Hotplate dig with HNO3 and H2O2 Int. _____ Date _____

Add 500 ul Sc Int. _____ Date _____

Dilute to 100 mls Int. _____ Date _____

Sample label _____ Int _____ Date _____

Spike (1 Dil Hg Spike required) label _____ Int _____ Date _____

Allquot A: _____

Allquot B: _____

spk _____ ml of _____ ppb Int _____

final spk conc. added _____ ppb Date _____

label 184-23-1AB Int SRB Date 10/3/97 Volume 100 ml Date 10/6/97

post digest spike on FH (for GFAA)

1 & 2 Post dig. spk. _____ ppb (Instrument spiked)

Allquot A: 5 ml (No spike required)

Allquot B: 5 ml

Spike Conc. 100 ppb

(One post digestion spk on BH for GFAA)

FH & BH Serial dilution performed _____ ml to _____ ml FV + _____ ul. Sc

Initials: _____

Project # 4231
 Client: PESD3
 Date/Int.: DSE 9/24/97
 Client Run# J-M-29-2
 Run# 2

Triangle Laboratories of RTP
 (919) 544-5729

analyte			
ICP	GFAA	FLAA	CVAA

CONT #	CONT #	CONT #	CONT #	CONT #	Hg Impingers	CONT #
(X)	(2)	(3)	(4)	(5A)	(5B)	(5C)
Filler Type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl
label _____ Volume _____	label <u>183-3-3A</u> Volume _____	label <u>183-3-3B</u> Volume <u>110</u>	label <u>183-3-3C</u> Volume <u>460</u>	label <u>183-3-3D</u> Volume <u>110</u> ml	label <u>183-3-3E</u> Volume <u>310</u> ml	label <u>183-3-3F</u> Volume <u>23</u> ml
Dessicate to dryness and redissolve in 10ml con HNO3 Int. _____ Date _____	Reduce volume to 20 ml on hotplate Int. <u>SF</u> Date <u>9-25-97</u>	For Metals For Hg	label <u>183-3-3C</u> label <u>183-3-3C</u> Volume <u>360</u> Volume <u>100</u>	Allquot A <u>5</u> Allquot B <u>5</u> Int. <u>DSE</u> Date <u>9/24/97</u>	Allquot A <u>5</u> Allquot B <u>5</u> Int. <u>DSE</u> Date <u>9/24/97</u>	Allquot A <u>5</u> Allquot B <u>5</u> Int. <u>DSE</u> Date <u>9/24/97</u>
Microwave dig with conc. HF and conc. HNO3 Int. _____ Date _____	Combine digestates	Reduce Volume to 20 mL on Hotplate Int. <u>SF</u> Date <u>9-25-97</u>	Hotplate dig with HNO3 and H2O2 Int. _____ Date <u>9/24/97</u>	Sample	Spike (1 BH Hg Spike required)	
Front Half Digestate	Add <u>500</u> uL Sc	Dilute to 100 ml Int. _____ Date _____	Add <u>500</u> uL Sc Int. _____ Date _____	label <u>183-3-3C</u> Int. <u>DSE</u> Volume <u>100</u> Date <u>9/24/97</u>	label <u>183-3-3C</u> Int. <u>DSE</u> Volume <u>100</u> Date <u>9/24/97</u>	label <u>183-3-3C</u> Int. <u>DSE</u> Volume <u>100</u> Date <u>9/24/97</u>
label <u>183-3-3B</u> Volume <u>100</u> ml	Dilute to 100 ml Int. _____ Date _____	Dilute to 100 ml Int. _____ Date _____	Dilute to 100 ml Int. _____ Date _____	Allquot A: <u>5</u> Allquot B: <u>5</u>	Allquot A: <u>5</u> Allquot B: <u>5</u>	Allquot A: <u>5</u> Allquot B: <u>5</u>
For Metal For Hg	label <u>183-3-3B</u> Int. <u>DSE</u> Volume <u>100</u> ml Date <u>9/24/97</u>	label <u>183-3-3B</u> Int. <u>DSE</u> Volume <u>100</u> ml Date <u>9/24/97</u>	label <u>183-3-3C</u> Int. <u>DSE</u> Volume <u>100</u> ml Date <u>9/24/97</u>	spk <u>5</u> ml of <u>100</u> ppb Int. <u>DSE</u> final spk conc. added <u>5</u> ppb Date <u>9/24/97</u>	FH & BH Serial dilution performed _____ ml to _____ ml FV + _____ uL Sc Initials: _____ Date: _____	
post digest spike on FH for GFAA)	Alquot A: <u>5</u> ml (No spike required)	Alquot B: <u>5</u> ml	(One post digestion spk on BH for GFAA)			

Project # 43231

Client: _____

Date/Int.: _____

Client Run# I-M29-2

Triangle Laboratories of RTP
(919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	4	5A	5B	5C
Filler Type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl
label <u>184-23-2A</u>	label <u>184-23-2B</u> Volume <u>DRY</u>	label _____ Volume _____	label _____ Volume _____	label _____ Volume _____ ml	label _____ Volume _____ ml	label _____ Volume _____ ml
Dedicate to dryness and redissolve in 10ml con HNO3	Int <u>SRB</u> Date <u>10/2/97</u>	Reduce volume to 20 ml on hotplate	Int _____ Date _____	For Metals label _____ Volume _____	For Hg label _____ Volume _____	
Microwave dig with conc. HF and conc. HNO3	Int <u>SRB</u> Date <u>10/3/97</u>	Microwave dig with conc. HF and conc. HNO3	Int <u>SRB</u> Date <u>10/3/97</u>			
Combine digestates	label <u>184-23-2B</u>	Reduce Volume to 20 mL on Hotplate	Int. _____ Date _____	Sample	Spike (1 BH Hg Spike required)	
Front Half Digestate	Add 500 <u>500</u> uL Sc	Hotplate dig with HNO3 and H2O2	Int. _____ Date _____	label _____ Int _____ Volume _____ Date _____	label _____ Int _____ Volume _____ Date _____	
Dilute to 100 ml	Int <u>SRB</u> Date <u>10/3/97</u>	Add 500 uL Sc	Int. _____ Date _____	Allquot A: _____ Allquot B: _____	Allquot A: _____ Allquot B: _____	
label <u>184-23-2AB</u> Volume <u>100</u> ML		Dilute to 100 ml	Int. _____ Date _____			spk _____ ml of _____ ppb Int _____ final spk conc. added _____ ppb Date _____
For Metal	For Hg					
label <u>184-23-2AB</u> Int <u>SRB</u> Volume <u>100</u> Date <u>10/3/97</u>	label <u>184-23-2AB</u> Int <u>MD</u> Volume <u>100</u> ml Date <u>10/6/97</u>					
post digest spike on FH for GFAA))						
& BH Post dig. spk.	Allquot A: <u>5</u> ml (No spike required)					
<u>50</u> ppb (Instrument spiked)	Allquot B: <u>5</u> ml					

FH & BH Serial dilution performed
_____ ml to _____ ml FV + _____ uL Sc
Initials: _____

analy

ICP - GFAA FLAA CVA

Project # 4231

Client: PES03

Date/Int.: DSE 9/24/97

Client Run# 1-M29-3
Run#3

Triangle Laboratories of RTP
(919) 544-5729

Hg Impingers

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	4	5A	5B	5C
Filler Type: G or Q	Acelone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl
label _____	label <u>183-3-4A</u>	label <u>183-3-4B</u>	label <u>183-3-4C</u>	label <u>183-3-4D</u>	label <u>183-4-4E</u>	label <u>183-4-4F</u>
Volume _____	Volume _____	Volume <u>110</u>	Volume <u>310</u>	Volume <u>100</u> ml	Volume <u>393</u> ml	Volume <u>21</u> ml
Desiccate to dryness and redissolve in 10ml con HNO3	Reduce volume to 20 ml on hotplate	Reduce volume to 20 ml on hotplate	For Metals / For Hg	Allot A <u>5</u> Allot B <u>5</u>	Allot A <u>5</u> Allot B <u>5</u>	Allot A <u>5</u> Allot B <u>5</u>
Microwave dig with conc. HF and conc. HNO3	Microwave dig with conc. HF and conc. HNO3	Microwave dig with conc. HF and conc. HNO3	Volume <u>240</u> / Volume <u>100</u>	Int. <u>DSE</u> Date <u>9/29/97</u>	Int. <u>DSE</u> Date <u>9/29/97</u>	Int. <u>DSE</u> Date <u>9/29/97</u>
Combine digestates	Front Half Digestate	Reduce Volume to 20 ml on Hotplate	Sample	(Duplicate Analysis of Each)		
Add 500 ul Sc	Dilute to 100 mls	Hotplate dig with HNO3 and H2O2	183-3-4C	183-3-4C	183-3-4C	183-3-4C
Volume <u>100</u> ml	Volume <u>100</u> ml	Add 500 ul Sc	label _____	label _____	label _____	label _____
Int. <u>DSE</u> Date <u>9/29/97</u>	Int. <u>DSE</u> Date <u>9/29/97</u>	Int. _____ Date _____	Volume <u>100</u>	Volume <u>100</u>	Volume <u>100</u>	Volume <u>100</u>
Allot A: <u>5</u> ml (No spike required)	Allot A: <u>5</u> ml (No spike required)	Dilute to 100 mls	Allot A: <u>5</u> Allot B: <u>5</u>	Allot A: <u>5</u> Allot B: <u>5</u>	Allot A: <u>5</u> Allot B: <u>5</u>	Allot A: <u>5</u> Allot B: <u>5</u>
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	Int. <u>DSE</u> Date <u>9/29/97</u>	spk <u>5</u> ml of <u>100</u> ppb	spk <u>5</u> ml of <u>100</u> ppb	spk <u>5</u> ml of <u>100</u> ppb	spk <u>5</u> ml of <u>100</u> ppb
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	Volume <u>100</u> ml	Int. <u>DSE</u> Date <u>9/29/97</u>	Int. <u>DSE</u> Date <u>9/29/97</u>	Int. <u>DSE</u> Date <u>9/29/97</u>	Int. <u>DSE</u> Date <u>9/29/97</u>
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	Volume <u>100</u> ml	Volume <u>100</u>	Volume <u>100</u>	Volume <u>100</u>	Volume <u>100</u>
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	Int. <u>DSE</u> Date <u>9/29/97</u>	Allot A: <u>5</u> Allot B: <u>5</u>	Allot A: <u>5</u> Allot B: <u>5</u>	Allot A: <u>5</u> Allot B: <u>5</u>	Allot A: <u>5</u> Allot B: <u>5</u>
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	Int. <u>DSE</u> Date <u>9/29/97</u>	Final spk conc. added <u>5</u> ppb	Final spk conc. added <u>5</u> ppb	Final spk conc. added <u>5</u> ppb	Final spk conc. added <u>5</u> ppb
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	Int. <u>DSE</u> Date <u>9/29/97</u>	FH & BH Serial dilution performed			
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	Int. <u>DSE</u> Date <u>9/29/97</u>	_____ ml to _____ ml FV + _____ ul Sc			
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	Int. <u>DSE</u> Date <u>9/29/97</u>	Initials: _____			
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	Int. <u>DSE</u> Date <u>9/29/97</u>	Date: _____			

Project # 43231
 Client: _____
 Date/Int.: _____
 Client Run# I-M29-3

Triangle Laboratories of RTP
 (919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	4	5A	5B	6S
Filler Type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Implinger	HNO3	KMNO4	HCl
label <u>184-23-3A</u>	label <u>184-23-3B</u>	label _____	label _____	label _____	label _____	label _____
Volume <u>DRY</u>	Volume _____	Volume _____	Volume _____	Volume _____ ml	Volume _____ ml	Volume _____ ml
Desiccate to dryness and redissolve in 10ml con HNO3	Reduce volume to 20 ml on hotplate	For Metals	For Hg	Allquot A _____	Allquot A _____	Allquot A _____
Int <u>SRB</u>	Int _____	label _____	label _____	Allquot B _____	Allquot B _____	Allquot B _____
Date <u>10/2/97</u>	Date _____	Volume _____	Volume _____	Int _____	Int _____	Int _____
Microwave dig with conc. HF and conc. HNO3	Microwave dig with conc. HF and conc. HNO3	label _____	label _____	Date _____	Date _____	Date _____
Int <u>SRB</u>	Int <u>SRB</u>	Volume _____	Volume _____	(Duplicate Analysis of Each)		
Date <u>10/3/97</u>	Date <u>10/3/97</u>	label <u>184-23-3B</u>	label _____			
Combine digestates	Reduce Volume to 20 mL on Hotplate	Sample	Spike (1 BH Hg Spike required)	label _____ Int _____	label _____ Int _____	label _____ Int _____
Front Half Digestate	Hotplate dig with HNO3 and H2O2	Volume _____ Date _____	Volume _____ Date _____	Volume _____ Date _____	Volume _____ Date _____	Volume _____ Date _____
Add 500 uL Sc	Add 500 uL Sc	Allquot A: _____	Allquot A: _____	Allquot A: _____	Allquot A: _____	Allquot A: _____
Dilute to 100 mls	Dilute to 100 mls	Allquot B: _____	Allquot B: _____	Allquot B: _____	Allquot B: _____	Allquot B: _____
Int <u>SRB</u>	Int _____	spk _____ ml of _____ ppb	spk _____ ml of _____ ppb	spk _____ ml of _____ ppb	spk _____ ml of _____ ppb	spk _____ ml of _____ ppb
Date <u>10/3/97</u>	Date _____	Int _____	Int _____	Int _____	Int _____	Int _____
label <u>184-23-3AB</u>	label _____	Final spk conc. added _____ ppb	Final spk conc. added _____ ppb	Final spk conc. added _____ ppb	Final spk conc. added _____ ppb	Final spk conc. added _____ ppb
Volume <u>100 ML</u>	Volume _____	Date _____	Date _____	Date _____	Date _____	Date _____
For Metal	For Hg	FH & BH Serial dilution performed				
label <u>184-23-3AB</u>	label <u>184-23-3AB</u>	_____ ml to _____ ml FV + _____ uL Sc				
Int <u>SRB</u>	Int <u>ME</u>	Initials: _____				
Volume <u>100</u>	Volume <u>100 ml</u>	_____				
Date <u>10/3/97</u>	Date <u>10/6/97</u>	_____				
post digest spike on FH (for GFM))	& BH Post dig. spk.	_____				
_____ ppb (Instrument spiked)	Allquot A: <u>5</u> ml	_____				
	(No spike required)	_____				
	Allquot B: <u>5</u> ml	_____				
		(One post digestion spk on BH for GFM)				

Project # 1403
 Client: DES03
 Date/Int.: DSE 9/24/97
 Client Run# 0-m29-Blank

Triangle Laboratories of RTP
 (919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA

CONT # 1 ~~Filter type: G or Q~~

CONT # 2 Acetone Rinse
 label 183-3-5A EE S22 9/26/97
 Volume

CONT # 3 HNO3 Rinse
 label 183-3-5B USE 22
 Volume 72^{FV}

CONT # 4 Back Half Impinger
 label 183-3-5C USE 5B=50 5C=100
 Volume 290^{FV}

CONT # 5A HNO3
 label 183-3-5D
 Volume 50 ml
 Allquot A 5
 Allquot B 5
 Int DSE
 Date 9/29/97

CONT # 5B KMNO4
 label 183-3-5E
 Volume 255 ml
 Allquot A 5
 Allquot B 5
 Int DSE
 Date 9/29/97

CONT # 5C HCl
 label 183-3-5F SF=100
 Volume 500 ml
 Allquot A 5
 Allquot B 5
 Int DSE
 Date 9/30/97

Flowchart:
 Desiccated to dryness and redissolve in 10ml con HNO3
 Reduce volume to 20 ml on hotplate
 Microwave dig with conc. HF and conc. HNO3
 Microwave dig with conc. HF and conc. HNO3
 Combine digestates
 Front Half Digestate
 Add 500 ul Sc
 Dilute to 100 ml
 Volume 100 ML
 For Metal: label 183-3-5B Int DSE Date 9/29/97
 For Hg: label 183-3-5B Int DSE Date 9/29/97
 Allquot A: 5 ml
 Allquot B: 5 ml
 (No spike required)
9 ppb (Instrument spiked)

Back Half Digestate:
 Reduce Volume to 20 mL on Hotplate
 Hotplate dig with HNO3 and H2O2
 Add 500 ul Sc
 Dilute to 100 ml
 label 183-3-5C Int DSE Date 9/29/97
 Volume 100
 Allquot A: 5
 Allquot B: 5
 (One post digestion spk on BH for GFAA)

Spike Sample:
 label 183-3-5C Int DSE
 Volume 100 Date 9/29/97
 Allquot A: 5
 Allquot B: 5
 spk ml of ppb Int
 final spk conc. added ppb Date

Final Summary:
 FH & BH Serial dilution performed
 ml to ml FV + ul Sc
 Initials:
 Date:

Project # 43231
 Client: _____
 Date/Int.: _____
 Client Run# 0-M29-FIELD BLANK

Triangle Laboratories of RTP
 (919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	4	5A	5B	6C
Filler type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl
label <u>184-23-9A</u>	label <u>184-23-9B</u>	label _____	label _____	label _____	label _____	label _____
Volume <u>DRY</u>	Volume _____	Volume _____	Volume _____	Volume _____ ml	Volume _____ ml	Volume _____ ml
Desiccate to dryness and redissolve in 10ml con HNO3	Reduce volume to 20 ml on hotplate	For Metals	For Hg	Allquot A _____	Allquot A _____	Allquot A _____
Int. <u>SRB</u>	Int. _____	label _____	label _____	Allquot B _____	Allquot B _____	Allquot B _____
Date <u>10/2/97</u>	Date _____	Volume _____	Volume _____	Int. _____	Int. _____	Int. _____
Microwave dig with conc. HF and conc. HNO3	Microwave dig with conc. HF and conc. HNO3	label _____	label _____	Date _____	Date _____	Date _____
Int. <u>SRB</u>	Int. <u>SRB</u>	Volume _____	Volume _____	(Duplicate Analysis of Each)		
Date <u>10/3/97</u>	Date <u>10/3/97</u>	label <u>184-23-9B</u>	label _____	Sample	Spike	(1 BH Hg Spike required)
Combine digestates	Reduce Volume to 20 ml on Hotplate	Hotplate dig with HNO3 and H2O2	Hotplate dig with HNO3 and H2O2	label _____ Int. _____	label _____ Int. _____	label _____ Int. _____
Front Half Digestate	Int. _____ Date _____	Int. _____ Date _____	Int. _____ Date _____	Volume _____ Date _____	Volume _____ Date _____	Volume _____ Date _____
Add 500 uL Sc	Add 500 uL Sc	Add 500 uL Sc	Add 500 uL Sc	Allquot A: _____	Allquot A: _____	Allquot A: _____
Dilute to 100 ml	Dilute to 100 ml	Dilute to 100 ml	Dilute to 100 ml	Allquot B: _____	Allquot B: _____	Allquot B: _____
Int. <u>SRB</u>	Int. _____	Int. _____	Int. _____	spk _____ ml of _____ ppb	spk _____ ml of _____ ppb	spk _____ ml of _____ ppb
Date <u>10/3/97</u>	Date _____	Date _____	Date _____	Int. _____	Int. _____	Int. _____
label <u>184-23-9AB</u>	label _____	label _____	label _____	final spk conc. added _____ ppb	final spk conc. added _____ ppb	final spk conc. added _____ ppb
Volume <u>100 ML</u>	Volume _____	Volume _____	Volume _____	Date _____	Date _____	Date _____
For Metal	For Hg	For Metal	For Hg	FH & BH Serial dilution performed		
label <u>184-23-9AB</u>	label <u>184-23-9AB</u>	label _____	label _____	_____ ml to _____ ml FV + _____ uL Sc	Initials: _____	
Int. <u>SRB</u>	Int. <u>MR</u>	Int. _____	Int. _____	_____		
Date <u>10/3/97</u>	Date <u>10/6/97</u>	Date _____	Date _____	_____		
Volume <u>100</u>	Volume <u>100 ml</u>	Volume _____	Volume _____	_____		
Date <u>10/3/97</u>	Date <u>10/6/97</u>	Date _____	Date _____	_____		
Post digest spike on FH for GFAA)	Post digest spike on BH for GFAA)	Post digest spike on FH for GFAA)	Post digest spike on BH for GFAA)	_____		
Allquot A: <u>5</u> ml	Allquot A: _____	Allquot A: _____	Allquot A: _____	_____		
(No spike required)	(No spike required)	(No spike required)	(No spike required)	_____		
Allquot B: <u>5</u> ml	Allquot B: _____	Allquot B: _____	Allquot B: _____	_____		
(No spike required)	(No spike required)	(No spike required)	(No spike required)	_____		
_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	_____ ppb (Instrument spiked)	_____		

Project # 43251
 Client: PES03
 Date/Int.: DSE 9/24/97
 Client Run# 0-M-29-Run 1

Triangle Laboratories of RTP
 (919) 544-5729

ICP	GFAA	FLAA	CVAA

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	4	5A	5B	5C
Filter Type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl
label _____	label 183-3-6A <u>EE SRB 9/25/97</u>	label <u>183-3-6B</u>	label <u>183-3-6C</u>	label <u>183-3-6D</u>	label <u>183-3-6E</u>	label <u>183-3-6F</u>
Volume _____	Volume _____	Volume <u>90</u>	Volume <u>350</u>	Volume <u>99</u> ml	Volume <u>375</u> ml	Volume <u>24</u> ml
Dessicate to dryness and redissolve in 10ml con HNO3 Int _____ Date _____	Reduce volume to 20 ml on hotplate Int <u>SF</u> Date <u>9/25/97</u>	For Metals For Hg	For Metals For Hg	Allquot A <u>5</u> Allquot B <u>5</u> Int <u>DSE</u> Date <u>9/29/97</u>	Allquot A <u>5</u> Allquot B <u>5</u> Int <u>DSE</u> Date <u>9/29/97</u>	Allquot A <u>5</u> Allquot B <u>5</u> Int <u>DSE</u> Date <u>9/29/97</u>
Microwave dig with conc. HF and conc. HNO3 Int _____ Date _____	Volume <u>250</u>	Volume <u>100</u>	Volume <u>100</u>	(Duplicate Analysis of Each)		
Combine digestates	Reduce Volume to 20 mL on Hotplate Int <u>SF</u> Date <u>9/25/97</u>	Sample	Spike (1 Dil Hg Spike required)			
Front Half Digestate	Hotplate dig with HNO3 and H2O2 Int <u>DSE</u> Date <u>9/24/97</u>	label <u>183-3-6C</u>	label <u>183-3-6C</u>	label <u>183-3-6C</u>	label <u>183-3-6C</u>	label <u>183-3-6C</u>
Add 500 ul Sc	Add 500 ul Sc Int _____ Date _____	Volume <u>100</u>	Volume <u>100</u>	Volume <u>100</u>	Volume <u>100</u>	Volume <u>100</u>
Dilute to 100 ml Int <u>DSE</u> Date <u>9/24/97</u>	Dilute to 100 ml Int <u>DSE</u> Date <u>9/24/97</u>	Allquot A: <u>5</u>	Allquot A: <u>5</u>	Allquot A: <u>5</u>	Allquot A: <u>5</u>	Allquot A: <u>5</u>
label <u>183-3-6B</u>	label <u>183-3-6B</u>	Allquot B: <u>5</u>	Allquot B: <u>5</u>	Allquot B: <u>5</u>	Allquot B: <u>5</u>	Allquot B: <u>5</u>
Volume _____ ML	Dilute to 100 ml Int <u>DSE</u> Date <u>9/24/97</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>DSE</u> Date <u>9/29/97</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>DSE</u> Date <u>9/29/97</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>DSE</u> Date <u>9/29/97</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>DSE</u> Date <u>9/29/97</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>DSE</u> Date <u>9/29/97</u>
For Metal	For Hg	Final spk conc. added <u>5</u> ppb Date <u>9/29/97</u>	Final spk conc. added <u>5</u> ppb Date <u>9/29/97</u>	Final spk conc. added <u>5</u> ppb Date <u>9/29/97</u>	Final spk conc. added <u>5</u> ppb Date <u>9/29/97</u>	Final spk conc. added <u>5</u> ppb Date <u>9/29/97</u>
label <u>183-3-6B</u>	label <u>183-3-6B</u>	FH & BH Serial dilution performed				
Volume <u>100</u>	Volume <u>100</u> ml	_____ ml to _____ ml FV + _____ ul Sc				
Date <u>9/24/97</u>	Date <u>9/29/97</u>	Initials: _____				
post digest spike on FH for GFAA))	post digest spike on BH for GFAA))	Date: _____				
Int <u>DSE</u>	Int <u>DSE</u>					
Date <u>9/24/97</u>	Date <u>9/29/97</u>					
Allquot A: <u>5</u> ml	Allquot A: <u>5</u> ml					
(No spike required)	(No spike required)					
Allquot B: <u>5</u> ml	Allquot B: <u>5</u> ml					

Project # 43231

Client: _____

Date/Int.: _____

Client Run# D-M29-1

Triangle Laboratories of RTP

(919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA

CONT #

1

CONT #

2

~~CONT #~~

~~CONT #~~

~~CONT #~~

Hg Impingers

~~CONT #~~

~~CONT #~~

Filter Type: G or Q

Acetone Rinse

~~HNO3 Rinse~~

~~Back Half Impinger~~

~~HNO3~~

~~KMNO4~~

~~HCl~~

label 184-23-6A

label 184-23-6B

Volume DRY

label _____

label _____

label _____

label _____

label _____

Volume _____ ml

Volume _____ ml

Volume _____ ml

Dedicate to dryness and redissolve in 10ml con HNO3
Int SRB
Date 10/2/97

Reduce volume to 20 ml on hotplate
Int _____
Date _____

For Metals

For Hg

Allquot A _____

Allquot A _____

Allquot A _____

Allquot B _____

Allquot B _____

Allquot B _____

Int _____

Int _____

Int _____

Date _____

Date _____

Date _____

(Duplicate Analysis of Each)

microwave dig with conc. HF and conc. HNO3
Int SRB
Date 10/3/97

Microwave dig with conc. HF and conc. HNO3
Int SRB
Date 10/3/97

label _____

label _____

Volume _____

Volume _____

Combine digestates

label 184-23-6B

Reduce Volume to 20 ml. on Hotplate
Int. _____
Date _____

Sample

Spike (1 BH Hg Spike required)

Front Half Digestate

Add ~~500~~ uL Sc

Hotplate dig with HNO3 and H2O2
Int. _____
Date _____

label _____ Int _____

label _____ Int _____

Volume _____ Date _____

Volume _____ Date _____

Dilute to 100 ml
Int SRB
Date 10/3/97

Add 500 uL Sc
Int. _____
Date _____

Allquot A: _____

Allquot A: _____

label 184-23-6AB
Volume 100 ML

Dilute to 100 ml
Int. _____
Date _____

Allquot B: _____

Allquot B: _____

For Metal For Hg

spk _____ ml of _____ ppb Int _____
final spk conc. added _____ ppb Date _____

label 184-23-6AB
Int SRB
Volume 100 Date 10/3/97

label 184-23-6AB
Int ME
Volume 100 ml Date 10/6/97

label _____ Int _____

Volume _____ Date _____

(One post digestion spk on BH for GFAA)

FH & BH Serial dilution performed
_____ ml to _____ ml FV + _____ uL Sc
Initials: _____
Date: _____


1 & BH Post dig. spk. _____ ppb (Instrument spiked)

Allquot A: 5 ml (No spike required)
Allquot B: _____

Project # 4231
 Client: PES03
 Date/Int.: DSE 9/24/97
 Client Run# O-M 29-Run 2

Triangle Laboratories of RTP
 (919) 544-5729

ICP	GFAA	dlyl FLAA	CVAA



Project # 43231
 Client: _____
 Date/Int.: _____
 Client Run# 0-M29-2

Triangle Laboratories of RTP
 (919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	4	5A	5B	6C
Filter type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl
label <u>184-23-7A</u>	label <u>184-23-7B</u>	label _____	label _____	label _____	label _____	label _____
Volume <u>DRY</u>	Volume _____	Volume _____	Volume _____	Volume _____ ml	Volume _____ ml	Volume _____ ml
Desiccate to dryness and redissolve in 10ml con HNO3	Reduce volume to 20 ml on hotplate	For Metals	For Hg	Allquot A _____	Allquot A _____	Allquot A _____
Int <u>SRB</u>	Int _____	label _____	label _____	Allquot B _____	Allquot B _____	Allquot B _____
Date <u>10/2/97</u>	Date _____	Volume _____	Volume _____	Int _____	Int _____	Int _____
Microwave dig with conc. HF and conc. HNO3	Microwave dig with conc. HF and conc. HNO3	label _____	label _____	Date _____	Date _____	Date _____
Int <u>SRB</u>	Int <u>SRB</u>	label <u>184-23-7B</u>	label _____	(Duplicate Analysis of Each)		
Date <u>10/3/97</u>	Date <u>10/3/97</u>	Sample	Spike (1 BH Hg Spike required)	label _____ Int _____	label _____ Int _____	label _____ Int _____
Combine digestates	Reduce Volume to 20 ml. on Hotplate	Volume _____	Volume _____	Volume _____ Date _____	Volume _____ Date _____	Volume _____ Date _____
Front Half Digestate	Hotplate dig with HNO3 and H2O2	Int _____	Int _____	Allquot A: _____	Allquot A: _____	Allquot A: _____
Add 500 uL Sc	Add 500 uL Sc	Date _____	Date _____	Allquot B: _____	Allquot B: _____	Allquot B: _____
Dilute to 100 mls	Dilute to 100 mls	Int _____	Int _____	spk _____ ml of _____ ppb	spk _____ ml of _____ ppb	spk _____ ml of _____ ppb
Int <u>SRB</u>	Int _____	Date _____	Date _____	Int _____	Int _____	Int _____
Date <u>10/3/97</u>	Date _____	label <u>184-23-7AB</u>	label <u>184-23-7AB</u>	final spk conc. added _____ ppb	final spk conc. added _____ ppb	final spk conc. added _____ ppb
label <u>184-23-7AB</u>	label <u>184-23-7AB</u>	Volume <u>100 ML</u>	Volume <u>100 ml</u>	FH & BH Serial dilution performed _____ ml to _____ ml FV + _____ uL Sc Initials: _____ Date: _____		
Volume <u>100 ML</u>	Volume <u>100 ml</u>	Date <u>10/3/97</u>	Date <u>10/6/97</u>			
For Metal	For Hg	label _____ Int _____	label _____ Int _____	One post digestion spk on BH for GFAA		
label <u>184-23-7AB</u>	label <u>184-23-7AB</u>	Volume _____	Volume _____			
Int <u>SRB</u>	Int <u>MR</u>	Date _____	Date _____	Allquot A: <u>5</u> ml (No spike required) Allquot B: <u>5</u> ml		
Date <u>10/3/97</u>	Date <u>10/6/97</u>	label _____ Int _____	label _____ Int _____			
post digest spike on FH for GFAA)	post digest spike on BH for GFAA)	Volume _____	Volume _____	Date: _____		
& BH Post dig. spk.	& BH Post dig. spk.	Date _____	Date _____			

ICP - GFAA FLAA CVAA

Project # 40251

Client: PESD3

Date/Int.: DSE 9/24/97

Client Run# G-129-Run 3

Triangle Laboratories of RTP
(919) 544-5729

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	4	5A	5B	5C
Filler Type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl
label _____	label <u>183-3-8A</u> Volume _____	label <u>183-3-8B</u> Volume <u>110</u>	label <u>183-3-8C</u> Volume <u>370</u>	label <u>183-3-8D</u> Volume <u>102 ml</u>	label <u>183-3-8E</u> Volume <u>383 ml</u>	label <u>183-3-8F</u> Volume <u>25 ml</u>
	Dessicate to dryness and redissolve in 10ml con HNO3 Int _____ Date _____	Reduce volume to 20 ml on hotplate Int <u>SF</u> Date <u>9/25/97</u>	For Metals label <u>183-3-8C</u> Volume <u>270</u>	For Hg label _____ Volume <u>100</u>	Allot A <u>5</u> Allot B <u>5</u> Int <u>DSE</u> Date <u>9/24/97</u>	Allot A <u>5</u> Allot B <u>5</u> Int <u>DSE</u> Date <u>9/24/97</u>
Microwave dig with conc. HF and conc. HNO3 Int _____ Date _____	Microwave dig with conc. HF and conc. HNO3 Int <u>DSE</u> Date <u>9/24/97</u>				(Duplicate Analysis of Each)	
Combine digestates	label <u>183-3-8B</u>	Reduce Volume to 20 mL on Hotplate Int. <u>SF</u> Date <u>9/25/97</u>	Sample	Spike (1 Bill Hg Spike required)		
Front Half Digestate	Add 500 ul Sc	Hotplate dig with HNO3 and H2O2 Int. <u>DSE</u> Date <u>9/24/97</u>	label <u>183-3-8D</u> Volume <u>100</u>	label <u>183-3-8E</u> Volume <u>100</u>	label _____ Volume <u>100</u>	label _____ Volume <u>100</u>
Dilute to 100 ml Int. <u>DSE</u> Date <u>9/24/97</u>	Dilute to 100 ml Int. <u>DSE</u> Date <u>9/24/97</u>	Add 500 ul Sc Int. _____ Date _____	Allot A: <u>5</u> Allot B: <u>5</u>	Allot A: <u>5</u> Allot B: <u>5</u>	Allot A: <u>5</u> Allot B: <u>5</u>	Allot A: <u>5</u> Allot B: <u>5</u>
For Metal	For Hg	Dilute to 100 ml Int. <u>DSE</u> Date <u>9/24/97</u>	label <u>183-3-8G</u> Volume <u>100</u>	label <u>183-3-8H</u> Volume <u>100</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>DSE</u> Date <u>9/24/97</u>	spk <u>5</u> ml of <u>100</u> ppb Int <u>DSE</u> Date <u>9/24/97</u>
label <u>183-3-3B</u> Volume <u>100</u> Date <u>9/24/97</u>	label <u>183-3-8B</u> Volume <u>100 ml</u> Date <u>9/24/97</u>		label _____ Volume _____ Date _____	label _____ Volume _____ Date _____	Final spk conc. added <u>5</u> ppb Date <u>9/24/97</u>	Final spk conc. added <u>5</u> ppb Date <u>9/24/97</u>
Post digest spike on FH for GFAA)	Post digest spike on FH for GFAA)		(One post digestion spk on BH for GFAA)			
Allot A: <u>5</u> ml (No spike required)	Allot A: <u>5</u> ml					
Allot B: <u>5</u> ml	Allot B: <u>5</u> ml					

FH & BH Serial dilution performed
 _____ ml to _____ ml FV + _____ ul Sc
 Initials: _____
 Date: _____

Project # 43231
 Client: _____
 Date/Int.: _____
 Client Run# D-129-3

Triangle Laboratories of RTP
 (919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA

CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #	CONT #
1	2	3	4	5A	5B	5C	Hg Impingers
Filter type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	KMNO4	HCl	
label <u>184-23-8A</u>	label <u>184-23-8B</u>	label _____	label _____	label _____	label _____	label _____	
Volume <u>DRY</u>	Volume _____	Volume _____	Volume _____	Volume _____ ml	Volume _____ ml	Volume _____ ml	
Desiccate to dryness and redissolve in 10ml con HNO3	Reduce volume to 20 ml on hotplate	For Metals	For Hg	Allquot A _____	Allquot A _____	Allquot A _____	
Int <u>SRB</u>	Int _____	label _____	label _____	Allquot B _____	Allquot B _____	Allquot B _____	
Date <u>10/2/97</u>	Date _____	Volume _____	Volume _____	Int _____	Int _____	Int _____	
Microwave dig with conc. HF and conc. HNO3	Microwave dig with conc. HF and conc. HNO3	Sample	Spike (1 BH Hg Spike required)	Date _____	Date _____	Date _____	
Int <u>SRB</u>	Int <u>SRB</u>	label _____	label _____				
Date <u>10/3/97</u>	Date <u>10/3/97</u>	Volume _____	Volume _____				
Combine digestates	Reduce Volume to 20 ml on Hotplate	Hotplate dig with HNO3 and H2O2	Add 500 uL Sc	Dilute to 100 mls	Dilute to 100 mls	Dilute to 100 mls	
Int <u>SRB</u>	Int _____	Int _____	Int _____	Int <u>SRB</u>	Int _____	Int _____	
Date _____	Date _____	Date _____	Date _____	Date <u>10/3/97</u>	Date _____	Date _____	
Front Half Digestate	Front Half Digestate	Front Half Digestate	Front Half Digestate	Front Half Digestate	Front Half Digestate	Front Half Digestate	
Add 500 uL Sc	Add 500 uL Sc	Add 500 uL Sc	Add 500 uL Sc	Add 500 uL Sc	Add 500 uL Sc	Add 500 uL Sc	
Int <u>SRB</u>	Int _____	Int _____	Int _____	Int <u>SRB</u>	Int _____	Int _____	
Date <u>10/3/97</u>	Date _____	Date _____	Date _____	Date <u>10/3/97</u>	Date _____	Date _____	
label <u>184-23-8A/B</u>	label <u>184-23-8B</u>	label _____	label _____	label <u>184-23-8A/B</u>	label _____	label _____	
Volume <u>100 ML</u>	Volume _____	Volume _____	Volume _____	Volume <u>100 ML</u>	Volume _____	Volume _____	
For Metal	For Hg	For Metal	For Hg	For Metal	For Hg	For Metal	
label <u>184-23-8A/B</u>	label <u>184-23-8A/B</u>	label _____	label _____	label <u>184-23-8A/B</u>	label _____	label _____	
Int <u>SRB</u>	Int <u>MR</u>	Int _____	Int _____	Int <u>SRB</u>	Int _____	Int _____	
Date <u>10/3/97</u>	Date <u>10/4/97</u>	Date _____	Date _____	Date <u>10/3/97</u>	Date _____	Date _____	
Volume <u>100 ml</u>	Volume <u>100 ml</u>	Volume _____	Volume _____	Volume <u>100 ml</u>	Volume _____	Volume _____	
post digest spike on FH (for GFAA)	post digest spike on FH (for GFAA)	post digest spike on FH (for GFAA)	post digest spike on FH (for GFAA)	post digest spike on FH (for GFAA)	post digest spike on FH (for GFAA)	post digest spike on FH (for GFAA)	
Allquot A: <u>5</u> ml	Allquot A: <u>5</u> ml	Allquot A: _____	Allquot A: _____	Allquot A: <u>5</u> ml	Allquot A: _____	Allquot A: _____	
(No spike required)	(No spike required)	(No spike required)	(No spike required)	(No spike required)	(No spike required)	(No spike required)	
Allquot B: <u>5</u> ml	Allquot B: <u>5</u> ml	Allquot B: _____	Allquot B: _____	Allquot B: <u>5</u> ml	Allquot B: _____	Allquot B: _____	
Initials: _____	Initials: _____	Initials: _____	Initials: _____	Initials: _____	Initials: _____	Initials: _____	

FH & BH Serial dilution performed
 _____ ml to _____ ml FV + _____ uL Sc
 Initials: _____

Project # 43231

Client: _____

Date/Int.: _____

Client Run# I/O - M29 - REAGENT BLANK

Triangle Laboratories of RTP
(919) 544-5729

ICP	GFAA	dlyl FLAA	CVAA

CONT # (1)	CONT # (2)	CONT # (3)	CONT # (4)	CONT # (5A)	CONT # (5B)	CONT # (5C)
Filter type: G or Q	Acetone Rinse	HNO3 Rinse	Back Half Impinger	HNO3	Hg Impingers KMNO4	HCl
label <u>184-23-5</u> <u>10A</u>	label <u>184-23-10B</u>	label <u>183-15-1B</u>	label <u>183-15-1D</u>	label <u>183-15-1B</u>	label <u>M/A</u>	label <u>183-15-1E</u>
Volume <u>DRY</u>	Volume <u>DRY</u>	Volume <u>35 ml used</u>	Volume <u>240 ml = TV</u>	Volume <u>30 ml</u>	Volume _____ ml	Volume <u>100 ml</u>
Destigate to dryness and redissolve in 10 ml con HNO3	Int <u>DSE</u>	Reduce volume to 20 ml on hotplate	Int <u>SRB</u>	Allquot A <u>5</u>	Allquot A _____	Allquot A <u>5</u>
Date <u>10/6/97</u>	Date <u>10/6/97</u>	Date <u>10/2/97</u>	Date <u>10/2/97</u>	Allquot B <u>5</u>	Allquot B _____	Allquot B <u>5</u>
Microwave dig with conc. HF and conc. HNO3	Int <u>DSE</u>	Microwave dig with conc. HF and conc. HNO3	Int <u>DSE</u>	Int <u>DSE</u>	Int _____	Int <u>DSE</u>
Date <u>10/6/97</u>	Date <u>10/6/97</u>	Date <u>10/6/97</u>	Date <u>10/6/97</u>	Date <u>10/7/97</u>	Date _____	Date <u>10/7/97</u>
Combine digestates	label <u>184-23-5, 10A, 10B, 10C</u>	Reduce Volume to 20 ml. on Hotplate	Int <u>SRB</u>	Sample	Spike (1 Dil Hg Spike required)	Sample
Front Half Digestate		Date <u>10/2/97</u>	Date <u>10/2/97</u>	label <u>183-15-1B</u>	label <u>183-15-1E</u>	label _____
Add <u>500 uL Sc</u>		Hotplate dig with: HNO3 and H2O2	Int <u>DSE</u>	Int <u>DSE</u>	Int <u>DSE</u>	Int _____
Dilute to 100 mls	Int <u>DSE</u>	Date <u>10/6/97</u>	Date <u>10/6/97</u>	Volume <u>100</u>	Volume <u>100</u>	Volume _____
Date <u>10/6/97</u>	Date <u>10/6/97</u>	Add 500 uL Sc	Int _____	Allquot A: <u>5</u>	Allquot A: <u>5</u>	Allquot A: _____
label <u>184-23-5, 10A, 10B, 10C</u>	Volume <u>100 ml</u>	Date _____	Date _____	Allquot B: <u>5</u>	Allquot B: <u>5</u>	Allquot B: _____
For Metal	For Hg	Dilute to 100 mls	Int <u>DSE</u>	spk <u>5</u> ml of <u>100</u> ppb	Int <u>DSE</u>	spk _____ ml of _____ ppb
label <u>184-23-5, 10A, 10B, 10C</u>	label <u>183-15-1B</u>	Date <u>10/6/97</u>	Date <u>10/6/97</u>	Int <u>DSE</u>	Date <u>10/7/97</u>	Int _____
Volume <u>100</u>	Volume <u>100 ml</u>	post digest spike on FH (for GFAA)	label <u>183-15-1B, 10D</u>	Final spk conc. added <u>5</u> ppb	Date <u>10/7/97</u>	Date _____
Date <u>10/6/97</u>	Date <u>10/7/97</u>	Int <u>DSE</u>	Int <u>DSE</u>	FH & BH Serial dilution performed		
post digest spike on FH (for GFAA)	Int <u>DSE</u>	Allquot A: <u>5</u> ml	Volume <u>100</u>	_____ ml to _____ ml FV + _____ uL Sc		
Int & BH post dig. spk.	Int <u>DSE</u>	(No spike required)	Date <u>10/6/97</u>	Initials: _____		
_____ ppb (Instrument spiked)	Allquot B: <u>5</u> ml	(One post digestion spk on BH for GFAA)		Date: _____		

used
IB = 100 mls
ID = 200 mls

Hg Impingers

~~CONT #~~
~~KMNO4~~

label M/A
Volume _____ ml
Allquot A _____
Allquot B _____
Int _____
Date _____

(Duplicate Analysis of Each)

Sample Spike
(1 Dil Hg Spike required)

label _____ Int DSE
Volume 100 Date 10/7/97
Allquot A: 5
Allquot B: 5

spk 5 ml
of 100 ppb
Int DSE

Final spk conc.
added 5 ppb
Date 10/7/97

FH & BH Serial dilution performed
_____ ml to _____ ml FV + _____ uL Sc
Initials: _____
Date: _____

Project # _____

Client: _____

Date/Int.: _____

Client Run# I/O - M29 - REAGENT BLANK

Triangle Laboratories of RTP

(919) 544-5729

Analytes			
ICP	GFAA	FLAA	CVAA

CONT # ~~1~~ **Filter** type: G or Q label _____ Volume _____

CONT # ~~2~~ **Acetone Rinse** label _____ Volume _____

CONT # 3 **HNO3 Rinse** DI H₂O label 183-15-1C Volume 345 ml

CONT # ~~4~~ **Back Half Impinger** label _____ Volume _____

CONT # ~~5A~~ **HNO3** label _____ Volume _____

CONT # ~~5B~~ **KMNO4** label _____ Volume _____

CONT # ~~5C~~ **HCl** label _____ Volume _____

Hg Impingers **CONT #** ~~5B~~ **KMNO4** label _____ Volume _____

CONT # ~~5C~~ **HCl** label _____ Volume _____

Dessicate to dryness and redissolve in 10ml con HNO3 Int. _____ Date _____

Reduce volume to 20 ml on hotplate Int. SRB Date 10/2/97

Microwave dig with conc. HF and conc. HNO3 Int. DSE Date 10/6/97

Combine digestates label 183-15-1C

Front Half Digestate

Add 500 ul Sc

Dilute to 100 mls Int. DSE Date 10/6/97 label 183-15-1C Volume 100 ML

Reduce Volume to 20 ml. on Hotplate Int. _____ Date _____

Hotplate dig with HNO3 and H2O2 Int. _____ Date _____

Add 500 ul Sc Int. _____ Date _____

Dilute to 100 mls Int. _____ Date _____

For Metals label _____ Volume _____

For Hg label _____ Volume _____

Sample label _____ Int. _____ Volume _____ Date _____

Spike (1 BH Hg Spike required) label _____ Int. _____ Volume _____ Date _____

Alliquot A: _____

Alliquot B: _____

spk _____ ml of _____ ppb Int. _____

final spk conc. added _____ ppb Date _____

FH & BH Serial dilution performed _____ ml to _____ ml FV + _____ ul Sc

Initials: _____

post digest spike on FH (for GFAA)

post dig. spk. (No spike required) Alliquot A: 5 ml

post digestion spk on BH (for GFAA) Alliquot A: 5 ml

INORGANICS SPIKE LOG

DATE	PROJECT # SAMPLE IDs	ANALYTE	ORIGINAL STANDARD #	ORIGINAL STANDARD CONC. (PPM)	SPIKE SAMPLE (μL)	SPIKE SAMPLE (PPB)	INITIALS	WITNESS
					FINAL VOLUME (mL)			
9/25/97	43307-LCS	*	3-013-3	*	1000/100	*	RSE	MR
9/25/97	43287A-LCS 183-59-3MS 183-59-3MSD	*	3-013-3	*	1000/100	*	RSE ↓	JLE ↓
9/25/97	43287E-LCS 183-59-4A MS 183-59-4A MSD	*	3-013-3	*	1000/100	*	RSE ↓	JLE ↓
9/26/97	43231-LCS	* P	3-013-3 2-60-2	* 1000	1000/100 100/100	* 1000	RSE ↓	SRB ↓

INORGANICS SPIKE LOG

DATE	PROJECT # SAMPLE IDs	ANALYTE	ORIGINAL STANDARD #	ORIGINAL STANDARD CONC. (PPM)	SPIKE SAMPLE (µL)	SPIKE SAMPLE (PPB)	INITIALS	WITNESS
					FINAL VOLUME (mL)			
9/25/97	43307-LCS	*	3-013-3	*	1000/100	*	RSE	MR
9/25/97	43287A-LCS 183-59-3MS 183-59-3MSD	*	3-013-3	*	1000/100	*	RSE ↓	JLE ↓
9/25/97	43287E-LCS 183-59-4AMS 183-59-4MSD	*	3-013-3	*	1000/100	*	RSE ↓	JLE ↓
9/26/97	43231-LCS	* P	3-013-3 2-120-2	* 1000	1000/100 100/100	* 1000	RSE ↓	SRB ↓
9/26/97	43233-B-LCS 183-5-1MS 183-5-1MSD	*	3-013-3	*	1000/100	*	RSE ↓	SRB ↓
9/29/97	43395-LCS 184-68-1AMS 184-68-1MSD	*	3-013-3	*	1000/100	*	SRB ↓	RSE ↓
10/3/97	43231-LCS	* P	3-013-3 2-120-2	* 1000	1000/100 100/100	* 1000	SRB ↓	SF ↓

TU # 43231

*** SEE SPIKE LOG**

EXP date	Spiking Standard Preparation					SPIKING		
	Element	Standard ID	Orig. Std. (ppm)	Spike(ul) Fvol(100mL)	conc (ppm)	Spike(ul) FVol(100ml)	conc (ppb)	combined total
2/1/98	Ag	2-115-4	100	5000	5	1000	50	
9/1/98	As	3-010-10	100	5000	5	1000	50	
2/1/98	Al	2-115-4	100	5000	5	1000	50	
9/1/98	Al	3-010-7	10000	950	95	1000	950	1000
2/1/98	B	2-115-4	100	5000	5	1000	50	
2/1/98	Ba	2-115-4	100	5000	5	1000	50	
9/1/98	Ba	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-012-7	10000	950	95	1000	950	1000
9/1/98	Cd	3-010-10	100	5000	5	1000	50	
9/1/98	Co	3-010-10	100	5000	5	1000	50	
9/1/98	Cr	3-010-10	100	5000	5	1000	50	
9/1/98	Cu	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-012-6	10000	950	95	1000	950	1000
2/1/98	K	2-115-4	1000	5000	50	1000	500	
9/1/98	K	3-012-5	10000	1500	150	1000	1500	2000
9/1/98	Mg	3-010-10	100	5000	5	1000	50	
8/1/98	Mg	3-010-8	10000	950	95	1000	950	1000
9/1/98	Mn	3-010-10	100	5000	5	1000	50	
9/1/98	Mo	3-010-10	100	5000	5	1000	50	
2/1/98	Na	2-115-4	100	5000	5	1000	50	
8/1/98	Na	3-010-9	10000	1950	195	1000	1950	2000
9/1/98	Ni	3-010-10	100	5000	5	1000	50	
9/1/98	Pb	3-010-10	100	5000	5	1000	50	
9/1/98	Sb	3-010-10	100	5000	5	1000	50	
9/1/98	Se	3-010-10	100	5000	5	1000	50	
9/1/98	Tl	3-010-10	100	5000	5	1000	50	
9/1/98	Tl	3-010-10	100	5000	5	1000	50	
9/1/98	V	3-010-10	100	5000	5	1000	50	
9/1/98	Zn	3-010-10	100	5000	5	1000	50	
8/1/98	Zn	3-010-8	1000	1500	15	1000	150	200

1000uL of the Spiking Standard gives the listed conc. of the above elements.

**Spike separately

Element	Orig Std (ppm)	Spike(ul) Fvol(100m)	conc (ppb)
Au	1000	140	1400
Ce	1000	30	300
Li	1000	70	700
P	1000	100	1000
Pd	1000	160	1600
Pt	1000	300	3000
S	1000	350	3500
Si	10000	350	35000
Sn	1000	20	200
Sr	1000	5	50

Spiking Standard 3-013-3

EXP: 11/26/97

Spiked by:

Predigestion- *D. Street-Edwards* 9/26/97

Postdigestion-

TL1 # 43231 additional samples

* SEE SPIKE LOG

EXP date	Spiking Standard Preparation				SPIKING			combined total
	Element	Standard ID	Orig. Std. (ppm)	Spike(ul) Fvol(100mL)	conc (ppm)	Spike(ul) FVol(100ml)	conc (ppb)	
2/1/98	Ag	2-115-4	100	5000	5	1000	50	
9/1/98	As	3-010-10	100	5000	5	1000	50	
2/1/98	Al	2-115-4	100	5000	5	1000	50	
9/1/98	Al	3-010-7	10000	950	95	1000	950	1000
2/1/98	B	2-115-4	100	5000	5	1000	50	
2/1/98	Ba	2-115-4	100	5000	5	1000	50	
9/1/98	Be	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-012-7	10000	950	95	1000	950	1000
9/1/98	Cd	3-010-10	100	5000	5	1000	50	
9/1/98	Co	3-010-10	100	5000	5	1000	50	
9/1/98	Cr	3-010-10	100	5000	5	1000	50	
9/1/98	Cu	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-012-6	10000	950	95	1000	950	1000
2/1/98	K	2-115-4	1000	5000	50	1000	500	
9/1/98	K	3-012-5	10000	1500	150	1000	1500	2000
9/1/98	Mg	3-010-10	100	5000	5	1000	50	
8/1/98	Mg	3-010-8	10000	950	95	1000	950	1000
9/1/98	Mn	3-010-10	100	5000	5	1000	50	
9/1/98	Mo	3-010-10	100	5000	5	1000	50	
2/1/98	Na	2-115-4	100	5000	5	1000	50	
8/1/98	Na	3-010-9	10000	1950	195	1000	1950	2000
9/1/98	Ni	3-010-10	100	5000	5	1000	50	
9/1/98	Pb	3-010-10	100	5000	5	1000	50	
9/1/98	Sb	3-010-10	100	5000	5	1000	50	
9/1/98	Se	3-010-10	100	5000	5	1000	50	
9/1/98	Ti	3-010-10	100	5000	5	1000	50	
9/1/98	U	3-010-10	100	5000	5	1000	50	
9/1/98	V	3-010-10	100	5000	5	1000	50	
9/1/98	Zn	3-010-10	100	5000	5	1000	50	
8/1/98	Zn	3-010-6	1000	1500	15	1000	150	200

1000uL of the Spiking Standard gives the listed conc. of the above elements.

**Spike separately

Element	Orig Std (ppm)	Spike(ul) Fvol(100m)	conc (ppb)
Au	1000	140	1400
Ce	1000	30	300
Li	1000	70	700
P	1000	100	1000
Pd	1000	160	1600
Pt	1000	300	3000
S	1000	350	3500
Si	10000	350	35000
Sn	1000	20	200
Sr	1000	5	50

Spiking Standard 3-013-3

EXP: 11/26/97

Spiked by: SRB 10/3/97

Predigestion-

Postdigestion-

TRIANGLE LABORATORIES, INC.
Transfer Chain-of-Custody Form
Project 43231

Transfer From: IWLM To: IA I

	Initials..	Date.....	Time...
Released by:	<u>OSE</u>	<u>9/26/97</u>	<u>12:25</u>
Accepted by:	<u>MKA</u>	<u>9/26/97</u>	<u>23:45</u>

MILES.ID.....	TLI_No.....	Cust.Id.....	
43231-	-000	TLI Blank	TLI Method Blank
43231-	-001	183-3-2B	I-M29-1-FHAR
43231-	-002	183-3-2C	I-M29-1-5% 10%
43231-	-003	183-3-2D	I-M29-1-BHAR
43231-	-004	183-3-2E	I-M29-1-KMNO4
43231-	-005	183-3-2F	I-M29-1-HCL
43231-	-006	184-23-1A	I-M29-1
43231-	-007	184-23-1B	I-M29-1
43231-	-008	183-3-3B	I-M29-2-FHAR
43231-	-009	183-3-3C	I-M29-2-5% 10%
43231-	-010	183-3-3D	I-M29-2-BHAR
43231-	-011	183-3-3E	I-M29-2-KMNO4
43231-	-012	183-3-3F	I-M29-2-HCL
43231-	-013	184-23-2A	I-M29-2
43231-	-014	184-23-2B	I-M29-2
43231-	-015	183-3-4B	I-M29-3-FHAR
43231-	-016	183-3-4C	I-M29-3-5% 10%
43231-	-017	183-3-4D	I-M29-3-BHAR
43231-	-018	183-3-4E	I-M29-3-KMNO4
43231-	-019	183-3-4F	I-M29-3-HCL
43231-	-020	184-23-3A	I-M29-3
43231-	-021	184-23-3B	I-M29-3
43231-	-022	183-3-1B	I-M29-FHAR
43231-	-023	183-3-1C	I-M29-BLK-5% 10%
43231-	-024	183-3-1D	I-M29-BLK-BHAR
43231-	-025	183-3-1E	I-M29-BLK-KMNO4
43231-	-026	183-3-1F	I-M29-BLK-HCL
43231-	-027	184-23-4A	I-M29-FIELD BLANK
43231-	-028	184-23-4B	I-M29-FIELD BLANK
43231-	-029	183-3-6B	O-M29-1-FHAR

-----XfrCOC (Rev 11/01/94)-----

Additional comments or instructions:

TRIANGLE LABORATORIES, INC.
Transfer Chain-of-Custody Form
Project 43231

Transfer From: IWLM To: IA I

	Initials..	Date.....	Time...
Released by:	<u>OSE</u>	<u>9/28/97</u>	<u>17:25</u>
Accepted by:	<u>MCH</u>	<u>9/28/97</u>	<u>23:45</u>

MILES.ID.....	TLI_No.....	Cust.Id.....
43231-030	183-3-6C	O-M29-1-5% 10%
43231-031	183-3-6D	O-M29-1-BHAR
43231-032	183-3-6E	O-M29-1-KMNO4
43231-033	183-3-6F	O-M29-1-HCL
43231-034	184-23-6A	O-M29-1
43231-035	184-23-6B	O-M29-1
43231-037	183-3-7B	O-M29-2-FHAR
43231-038	183-3-7C	O-M29-2-5% 10%
43231-039	183-3-7D	O-M29-2-BHAR
43231-040	183-3-7E	O-M29-2-KMNO4
43231-041	183-3-7F	O-M29-2-HCL
43231-042	184-23-7A	O-M29-2
43231-043	184-23-7B	O-M29-2
43231-044	183-3-8B	O-M29-3-FHAR
43231-045	183-3-8C	O-M29-3-5% 10%
43231-046	183-3-8D	O-M29-3-BHAR
43231-047	183-3-8E	O-M29-3-KMNO4
43231-048	183-3-8F	O-M29-3-HCL
43231-049	184-23-8A	O-M29-3
43231-050	184-23-8B	O-M29-3
43231-051	183-3-5B	O-M29-FHAR
43231-052	183-3-5C	O-M29-BLK-5% 10%
43231-053	183-3-5D	O-M29-BLK-BHAR
43231-054	183-3-5E	O-M29-BLK-KMNO4
43231-055	183-3-5F	O-M29-BLK-HCL
43231-056	184-23-9A	O-M29-FIELD BLANK
43231-057	184-23-9B	O-M29-FIELD BLANK
43231-058	183-15-1B	Reagent Blank
43231-059	183-15-1C	Reagent Blank
43231-060	183-15-1D	Reagent Blank

-XfrCOC (Rev 11/01/94)-

Additional comments or instructions:

TRIANGLE LABORATORIES, INC.
 Transfer Chain-of-Custody Form
 Project 43231

Transfer From: IWLM To: IA I

	Initials..	Date.....	Time...
Released by:	<u>OSE</u>	<u>9/26/97</u>	<u>17:25</u>
Accepted by:	<u>MLA</u>	<u>9/28/97</u>	<u>23:45</u>

MILES.ID.....	TLI_No.....	Cust.Id.....
43231- -061	183-15-1E	Reagent Blank
43231- -062	184-23-5	I-M29-REAGENT BLANK
43231- -063	184-23-10A	O-M29-REAGENT BLANK
43231- -064	184-23-10B	O-M29-REAGENT BLANK
43231- -065	LCS	Lab Control Spike

-----XfrCOC (Rev 11/01/94)-----

Additional comments or instructions:

TRIANGLE LABORATORIES, INC.
Transfer Chain-of-Custody Form
Project 43231

Transfer From: IWL To: IA I

	Initials..	Date.....	Time...
Released by:	<u>SKB</u>	<u>10/3/97</u>	<u>15:00</u>
Accepted by:	<u>SRB</u>	<u>10/6/97</u>	<u>8:00</u>

MILES.ID.....	TLI_No.....	Cust.Id.....
43231-	-000	TLI Blank TLI Method Blank
43231-	-001	183-3-2B I-M29-1-FHAR
43231-	-002	183-3-2C I-M29-1-5% 10%
43231-	-003	183-3-2D I-M29-1-BHAR
43231-	-004	183-3-2E I-M29-1-KMNO4
43231-	-005	183-3-2F I-M29-1-HCL
43231-	-006	184-23-1A I-M29-1
43231-	-007	184-23-1B I-M29-1
43231-	-008	183-3-3B I-M29-2-FHAR
43231-	-009	183-3-3C I-M29-2-5% 10%
43231-	-010	183-3-3D I-M29-2-BHAR
43231-	-011	183-3-3E I-M29-2-KMNO4
43231-	-012	183-3-3F I-M29-2-HCL
43231-	-013	184-23-2A I-M29-2
43231-	-014	184-23-2B I-M29-2
43231-	-015	183-3-4B I-M29-3-FHAR
43231-	-016	183-3-4C I-M29-3-5% 10%
43231-	-017	183-3-4D I-M29-3-BHAR
43231-	-018	183-3-4E I-M29-3-KMNO4
43231-	-019	183-3-4F I-M29-3-HCL
43231-	-020	184-23-3A I-M29-3
43231-	-021	184-23-3B I-M29-3
43231-	-022	183-3-1B I-M29-FHAR
43231-	-023	183-3-1C I-M29-BLK-5% 10%
43231-	-024	183-3-1D I-M29-BLK-BHAR
43231-	-025	183-3-1E I-M29-BLK-KMNO4
43231-	-026	183-3-1F I-M29-BLK-HCL
43231-	-027	184-23-4A I-M29-FIELD BLANK
43231-	-028	184-23-4B I-M29-FIELD BLANK
43231-	-029	183-3-6B O-M29-1-FHAR

-----XfrCOC (Rev 11/01/94)-----

Additional comments or instructions:

TRIANGLE LABORATORIES, INC.
Transfer Chain-of-Custody Form
Project 43231

Transfer From: IWL To: IA I

	. Initials..	Date.....	Time...
Released by:	<u>SRB</u>	<u>10/3/97</u>	<u>15:00</u>
Accepted by:	<u>SRB</u>	<u>10/6/97</u>	<u>8:00</u>

MILES.ID.....	TLI_No.....	Cust.Id.....	
43231-	-030	183-3-6C	O-M29-1-5% 10%
43231-	-031	183-3-6D	O-M29-1-BHAR
43231-	-032	183-3-6E	O-M29-1-KMNO4
43231-	-033	183-3-6F	O-M29-1-HCL
43231-	-034	184-23-6A	O-M29-1
43231-	-035	184-23-6B	O-M29-1
43231-	-037	183-3-7B	O-M29-2-FHAR
43231-	-038	183-3-7C	O-M29-2-5% 10%
43231-	-039	183-3-7D	O-M29-2-BHAR
43231-	-040	183-3-7E	O-M29-2-KMNO4
43231-	-041	183-3-7F	O-M29-2-HCL
43231-	-042	184-23-7A	O-M29-2
43231-	-043	184-23-7B	O-M29-2
43231-	-044	183-3-8B	O-M29-3-FHAR
43231-	-045	183-3-8C	O-M29-3-5% 10%
43231-	-046	183-3-8D	O-M29-3-BHAR
43231-	-047	183-3-8E	O-M29-3-KMNO4
43231-	-048	183-3-8F	O-M29-3-HCL
43231-	-049	184-23-8A	O-M29-3
43231-	-050	184-23-8B	O-M29-3
43231-	-051	183-3-5B	O-M29-FHAR
43231-	-052	183-3-5C	O-M29-BLK-5% 10%
43231-	-053	183-3-5D	O-M29-BLK-BHAR
43231-	-054	183-3-5E	O-M29-BLK-KMNO4
43231-	-055	183-3-5F	O-M29-BLK-HCL
43231-	-056	184-23-9A	O-M29-FIELD BLANK
43231-	-057	184-23-9B	O-M29-FIELD BLANK
43231-	-058	183-15-1B	Reagent Blank
43231-	-059	183-15-1C	Reagent Blank
43231-	-060	183-15-1D	Reagent Blank

-----XfrCOC (Rev 11/01/94)-----

Additional comments or instructions:

TRIANGLE LABORATORIES, INC.
 Transfer Chain-of-Custody Form
 Project 43231

Transfer From: IWL To: IA I

	Initials..	Date.....	Time...
Released by:	<u>SRB</u>	<u>10/3/97</u>	<u>15:00</u>
Accepted by:	<u>SRB</u>	<u>10/6/97</u>	<u>8:00</u>

MILES.ID.....	TLI_No.....	Cust.Id.....
43231-061	183-15-1E	Reagent Blank
43231-062	184-23-5	I-M29-REAGENT BLANK
43231-063	184-23-10A	O-M29-REAGENT BLANK
43231-064	184-23-10B	O-M29-REAGENT BLANK
43231-065	LCS	Lab Control Spike

-----XfrCOC (Rev 11/01/94)-----

Additional comments or instructions:

Date	Project # Sample ID	Analyte	Std ID	Std conc ppm	Spk vol / Sample vol ml/ml	Spk conc (ppm)	Initials	Witness
10/7/97	43231	↓	3-03-4	↓	100/10	↓	MKW	MKW
SEE 10/7/97	183-3-2A POS	↓	↓	↓	↓	↓	↓	↓
	183-3-2C POS	↓	↓	↓	↓	↓	↓	↓
	184-23-2A POS	↓	↓	↓	↓	↓	↓	↓

#43231

* SEE SPIKE LOG

EXP date	Spiking Standard Preparation				SPIKING			combined total
	Element	Standard ID	Orig. Std. (ppm)	Spike(uL) Fvol(100mL)	conc (ppm)	Spike(uL) Fvol(100ml)	conc (ppb)	
2/1/98	Ag	2-115-4	100	5000	5	1000	50	
9/1/98	As	3-010-10	100	5000	5	1000	50	
2/1/98	Al	2-115-4	100	5000	5	1000	50	
9/1/98	Al	3-010-7	10000	950	95	1000	950	1000
2/1/98	B	2-115-4	100	5000	5	1000	50	
2/1/98	Ba	2-115-4	100	5000	5	1000	50	
9/1/98	Be	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-012-7	10000	950	95	1000	950	1000
9/1/98	Cd	3-010-10	100	5000	5	1000	50	
9/1/98	Co	3-010-10	100	5000	5	1000	50	
9/1/98	Cr	3-010-10	100	5000	5	1000	50	
9/1/98	Cu	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-012-8	10000	950	95	1000	950	1000
2/1/98	K	2-115-4	1000	5000	50	1000	500	
9/1/98	K	3-012-5	10000	1500	150	1000	1500	2000
9/1/98	Mg	3-010-10	100	5000	5	1000	50	
8/1/98	Mg	3-010-8	10000	950	95	1000	950	1000
9/1/98	Mn	3-010-10	100	5000	5	1000	50	
9/1/98	Mo	3-010-10	100	5000	5	1000	50	
2/1/98	Na	2-115-4	100	5000	5	1000	50	
8/1/98	Na	3-010-9	10000	1950	195	1000	1950	2000
9/1/98	Ni	3-010-10	100	5000	5	1000	50	
9/1/98	Pb	3-010-10	100	5000	5	1000	50	
9/1/98	Sb	3-010-10	100	5000	5	1000	50	
9/1/98	Se	3-010-10	100	5000	5	1000	50	
9/1/98	Tl	3-010-10	100	5000	5	1000	50	
9/1/98	Tl	3-010-10	100	5000	5	1000	50	
9/1/98	V	3-010-10	100	5000	5	1000	50	
9/1/98	Zn	3-010-10	100	5000	5	1000	50	
8/1/98	Zn	3-010-8	1000	1500	15	1000	150	200

1000uL of the Spiking Standard gives the listed conc. of the above elements.

**Spike separately

Element	Orig Std (ppm)	Spike(uL) Fvol(100m)	conc (ppb)
Au	1000	140	1400
Ce	1000	30	300
Li	1000	70	700
P	1000	100	1000
Pd	1000	160	1600
Pt	1000	300	3000
S	1000	350	3500
Si	10000	350	35000
Sn	1000	20	200
Sr	1000	5	50

Spiking Standard 3-013-4

EXP: 11/26/97

Spiked by:

Predigestion-

Postdigestion-

10/7/97 *DKS*

Date	Project # Sample ID	Analyte	Std ID	Std. conc ppm	Sp. Ke Vol Sample vol ml/ml	Sp. Ke conc ppb	Initials	Witness	Date
10/16/97	43377	+	3-013-3	+	100/10	+	MCA	MCA	
	184-50-18B PDS	P	2-112-4	100	100/10	+	MCA	DK	
	184-50-1C PDS	↓	↓	↓	↓	↓	↓	↓	
11/19/97	43239	+	3-013-3	+	100/10	+	MCA	MCA	
	183-11-5 PDS	↓	↓	↓	↓	↓	↓	↓	
1/19/97	42011 Cal	+	3-013-3	+	100/10	+	MCA	MCA	
	170-70-3 PDS	↓	↓	↓	↓	↓	↓	↓	
1/19/97	43438	+	3-013-3	+	100/10	+	MCA	MCA	
	185-12-1 PDS	↓	↓	↓	↓	↓	↓	↓	
C 20/97	43411	+	3-013-3	+	100/10	+	MCA	MCA	
	184-84-11AEC PDS	P	2-112-4	100	100/10	(1000) +	↓	↓	
	184-84-10E PDS	↓	↓	↓	↓	↓	↓	↓	
01/21/97	43666B	+	3-013-3	+	100/10	+	MCA	MCA	
	187-42-1B PDS	↓	↓	↓	↓	↓	↓	↓	
1/22/97	43482G	+	3-013-3	+	100/10	+	MCA	MCA	
	185-562-4 PDS	↓	↓	↓	↓	↓	↓	↓	
1/27/97	43482B	+	3-013-3	+	100/10	+	MCA	MCA	
	185-56-1C PDS	↓	↓	↓	↓	↓	↓	↓	
1/27/97	43571	+	3-013-3	+	100/10	+	MCA	MCA	
	185-85-1 PDS	↓	↓	↓	↓	↓	↓	↓	
1/22/97	43553	↑	3-013-3	+	100/10	+	SRB	SRB	
	186-28-1 PDS	+	↓	↓	↓	↓	↓	↓	
1/23/97	43478	+	3-013-3	+	100/10	+	MCA	MCA	
	185-52-2 PDS	↓	↓	↓	↓	↓	↓	↓	
	43536	↓	↓	↓	↓	↓	↓	↓	
	186-11-2 PDS	↓	↓	↓	↓	↓	↓	↓	
1/23/97	43831	+	3-013-3	+	100/10	+	SRB	SRB	
	184-23-2AB X10 PDS	↓	↓	↓	↓	↓	↓	↓	

* SEE SPIKE LOG

TL #42321

EXP date	Spiking Standard Preparation					SPIKING		combined total
	Element	Standard ID	Orig. Std. (ppm)	Spike(ul) Fvol(100mL)	conc (ppm)	From Spiking Standard Spike(ul) Fvol(100ml)	conc (ppb)	
2/1/98	Ag	2-115-4	100	5000	5	1000	50	
9/1/98	As	3-010-10	100	5000	5	1000	50	
2/1/98	Al	2-115-4	100	5000	5	1000	50	
9/1/98	Al	3-010-7	10000	950	95	1000	950	1000
2/1/98	B	2-115-4	100	5000	5	1000	50	
2/1/98	Ba	2-115-4	100	5000	5	1000	50	
9/1/98	Be	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-012-7	10000	950	95	1000	950	1000
9/1/98	Cd	3-010-10	100	5000	5	1000	50	
9/1/98	Co	3-010-10	100	5000	5	1000	50	
9/1/98	Cr	3-010-10	100	5000	5	1000	50	
9/1/98	Cu	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-012-6	10000	950	95	1000	950	1000
2/1/98	K	2-115-4	1000	5000	50	1000	500	
9/1/98	K	3-012-5	10000	1500	150	1000	1500	2000
9/1/98	Mg	3-010-10	100	5000	5	1000	50	
8/1/98	Mg	3-010-8	10000	950	95	1000	950	1000
9/1/98	Mn	3-010-10	100	5000	5	1000	50	
9/1/98	Mo	3-010-10	100	5000	5	1000	50	
2/1/98	Na	2-115-4	100	5000	5	1000	50	
8/1/98	Na	3-010-9	10000	1950	195	1000	1950	2000
9/1/98	Ni	3-010-10	100	5000	5	1000	50	
9/1/98	Pb	3-010-10	100	5000	5	1000	50	
9/1/98	Sb	3-010-10	100	5000	5	1000	50	
9/1/98	Se	3-010-10	100	5000	5	1000	50	
9/1/98	Tl	3-010-10	100	5000	5	1000	50	
9/1/98	Tl	3-010-10	100	5000	5	1000	50	
9/1/98	V	3-010-10	100	5000	5	1000	50	
9/1/98	Zn	3-010-10	100	5000	5	1000	50	
8/1/98	Zn	3-010-8	1000	1500	15	1000	150	200

1000ul of the Spiking Standard gives the listed conc. of the above elements.

**Spike separately

Element	Orig Std (ppm)	Spike(ul) Fvol(100m)	conc (ppb)
Au	1000	140	1400
Ce	1000	30	300
Li	1000	70	700
P	1000	100	1000
Pd	1000	180	1800
Pt	1000	300	3000
S	1000	350	3500
Si	10000	350	35000
Sn	1000	20	200
Sr	1000	5	50

Spiking Standard 3-013-3

EXP: 11/26/97

Spiked by:

Pre digestion-

Post digestion-

SRB

10/23/97

t	Project# + Sample IDs	Analyte	Std ID	Std Conc (ppm)	Spike Vol. Sample Vol ul/ml	Spike Conc. (ppb)	INITIALS	WITNESS
4/97	43482E	+	3-013-3	+	100/10	+	SRB	SRB
	185-56-2-4 PDS	↓	↓	↓	↓	↓	↓	↓
28/97	43482E	+	3-013-3	+	100/10	+	MKT	MKT
	185-56-2-4 PDS	↓	↓	↓	↓	↓	↓	↓
8/97	43603	+	3-013-3	+	100/10	+	MKT	MKT
	187-32-1 PDS	P	2-112-4	100	100/10	1000	↓	↓
		Sn	2-112-5	100	50/10	500	↓	↓
		Si	3-010-5	1000	100/10	10,000	↓	↓
29/97	43482E	+	3-013-3	+	100/10	+	SRB	SRB
	185-56-2-4 PDS	↓	↓	↓	↓	↓	↓	↓
29/97	43619	+	3-013-3	+	100/10	+	SRB	SRB
	186-94-2A-BC PDS	↓	↓	↓	↓	↓	↓	↓
	186-94-2D PDS	↓	↓	↓	↓	↓	↓	↓
10/97	43603	Si	3-010-5	1000	100/10	10,000	MKT	MKT
	187-32-1 PDS	↓	↓	↓	↓	↓	↓	↓
20/97	43231	+	3-013-3	+	100/10	+	MKT	MKT
	184-23-2A8 & 20-AS	P	2-112-4	100	100/10	1000	↓	↓
20/97	43630	+	3-013-3	+	100/10	+	MKT	MKT
	187-6-2 PDS	↓	↓	↓	↓	↓	↓	↓
30/97	43615B	+	3-013-3	+	100/10	+	MKT	MKT
	186-910-2 PDS	↓	↓	↓	↓	↓	↓	↓
30/97	43641	+	3-013-3	+	100/10	+	MKT	MKT
	187-17-1 PDS	↓	↓	↓	↓	↓	↓	↓

* SEE SPIKE LOG

EXP date	Spiking Standard Preparation					SPIKING		combined total
	Element	Standard ID	Orig. Std. (ppm)	Spike(ul) Fvol(100mL)	conc (ppm)	Spike(ul) Fvol(100ml)	conc (ppb)	
2/1/98	Ag	2-115-4	100	5000	5	1000	50	
9/1/98	As	3-010-10	100	5000	5	1000	50	
2/1/98	Al	2-115-4	100	5000	5	1000	50	
9/1/98	Al	3-010-7	10000	950	95	1000	950	1000
2/1/98	B	2-115-4	100	5000	5	1000	50	
2/1/98	Ba	2-115-4	100	5000	5	1000	50	
9/1/98	Be	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-010-10	100	5000	5	1000	50	
9/1/98	Ca	3-012-7	10000	950	95	1000	950	1000
9/1/98	Cd	3-010-10	100	5000	5	1000	50	
9/1/98	Co	3-010-10	100	5000	5	1000	50	
9/1/98	Cr	3-010-10	100	5000	5	1000	50	
9/1/98	Cu	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-010-10	100	5000	5	1000	50	
9/1/98	Fe	3-012-8	10000	950	95	1000	950	1000
2/1/98	K	2-115-4	1000	5000	50	1000	500	
9/1/98	K	3-012-5	10000	1500	150	1000	1500	2000
9/1/98	Mg	3-010-10	100	5000	5	1000	50	
8/1/98	Mg	3-010-8	10000	950	95	1000	950	1000
9/1/98	Mn	3-010-10	100	5000	5	1000	50	
9/1/98	Mo	3-010-10	100	5000	5	1000	50	
2/1/98	Na	2-115-4	100	5000	5	1000	50	
8/1/98	Na	3-010-9	10000	1950	195	1000	1950	2000
9/1/98	Ni	3-010-10	100	5000	5	1000	50	
9/1/98	Pb	3-010-10	100	5000	5	1000	50	
9/1/98	Sb	3-010-10	100	5000	5	1000	50	
9/1/98	Se	3-010-10	100	5000	5	1000	50	
9/1/98	Tl	3-010-10	100	5000	5	1000	50	
9/1/98	Tl	3-010-10	100	5000	5	1000	50	
9/1/98	V	3-010-10	100	5000	5	1000	50	
9/1/98	Zn	3-010-10	100	5000	5	1000	50	
8/1/98	Zn	3-010-8	1000	1500	15	1000	150	200

1000ul of the Spiking Standard gives the listed conc. of the above elements.

**Spike separately

Element	Orig Std (ppm)	Spike(ul) Fvol(100ml)	conc (ppb)
Au	1000	140	1400
Ce	1000	30	300
Li	1000	70	700
P	1000	100	1000
Pd	1000	160	1600
Pt	1000	300	3000
S	1000	350	3500
Si	10000	350	35000
Sn	1000	20	200
Sr	1000	5	50

Spiking Standard 3-013-3

EXP: 11/26/97

Spiked by:

Predigestion-

Postdigestion-

DKB 10/30/97

#	Sample Name	File	Method	Date	Time	OpID	Type	Mode
1	STD1-BLANK	100797	TRIANGL2	10/07/97	02:08	X	IR	
2	STD3	100797	TRIANGL2	10/07/97	02:13	X	IR	
3	STD3	100797	TRIANGL2	10/07/97	02:17	DKH	Q	CONC
4	CHECK LO	100797	TRIANGL2	10/07/97	02:22	DKH	Q	CONC
5	ICV/CCV	100797	TRIANGL2	10/07/97	02:27	DKH	Q	CONC
6	ICV/CCV	100797	TRIANGL2	10/07/97	02:34	DKH	Q	CONC
7	ICB/CCB	100797	TRIANGL2	10/07/97	02:44	DKH	Q	CONC
8	ICSAB	100797	TRIANGL2	10/07/97	02:49	DKH	Q	CONC
9	CHECK LO	100797	TRIANGL2	10/07/97	02:55	DKH	Q	CONC
10	CHECK 9972	100797	TRIANGL2	10/07/97	03:33	S		CONC
11	185-4-1	100797	TRIANGL2	10/07/97	03:43	DKH	S	CONC
12	185-4-1 D	100797	TRIANGL2	10/07/97	03:48	DKH	S	CONC
13	ICV/CCV	100797	TRIANGL2	10/07/97	03:54	DKH	Q	CONC
14	ICB/CCB	100797	TRIANGL2	10/07/97	04:13	DKH	Q	CONC
15	ICB/CCB	100797	TRIANGL2	10/07/97	04:19	DKH	Q	CONC
16	ICB/CCB	100797	TRIANGL2	10/07/97	04:31	DKH	Q	CONC
17	ICSAB	100797	TRIANGL2	10/07/97	04:37	DKH	Q	CONC
18	43231 MB	100797	TRIANGL2	10/07/97	05:09	DKH	S	CONC
19	43231 LCS	100797	TRIANGL2	10/07/97	05:14	DKH	S	CONC
20	183-3-1B	100797	TRIANGL2	10/07/97	05:19	DKH	S	CONC
21	183-3-2B	100797	TRIANGL2	10/07/97	05:23	DKH	S	CONC
22	183-3-2B PDS	100797	TRIANGL2	10/07/97	05:28	DKH	S	CONC
23	183-3-2B L	100797	TRIANGL2	10/07/97	05:33	DKH	S	CONC
24	183-3-3B	100797	TRIANGL2	10/07/97	05:37	DKH	S	CONC
25	183-3-3B DA	100797	TRIANGL2	10/07/97	05:42	DKH	S	CONC
26	183-3-4B	100797	TRIANGL2	10/07/97	05:47	DKH	S	CONC
27	183-3-5B	100797	TRIANGL2	10/07/97	05:51	DKH	S	CONC
28	ICV/CCV	100797	TRIANGL2	10/07/97	05:57	DKH	Q	CONC
29	ICB/CCB	100797	TRIANGL2	10/07/97	06:04	DKH	Q	CONC
30	ICB/CCB	100797	TRIANGL2	10/07/97	06:19	DKH	Q	CONC
31	183-3-6B	100797	TRIANGL2	10/07/97	06:24	DKH	S	CONC
32	183-3-7B	100797	TRIANGL2	10/07/97	06:29	DKH	S	CONC
33	183-3-8B	100797	TRIANGL2	10/07/97	06:34	DKH	S	CONC
34	183-3-1B D ₂ 10-7-97	100797	TRIANGL2	10/07/97	06:38	DKH	S	CONC
35	183-3-2C	100797	TRIANGL2	10/07/97	06:43	DKH	S	CONC
36	183-3-2C PDS	100797	TRIANGL2	10/07/97	06:48	DKH	S	CONC
37	183-3-2C L	100797	TRIANGL2	10/07/97	06:52	DKH	S	CONC
38	183-3-3C	100797	TRIANGL2	10/07/97	06:57	DKH	S	CONC
39	183-3-3C DA	100797	TRIANGL2	10/07/97	07:02	DKH	S	CONC
40	183-3-4C	100797	TRIANGL2	10/07/97	07:06	DKH	S	CONC
41	ICV/CCV	100797	TRIANGL2	10/07/97	07:12	DKH	Q	CONC
42	ICB/CCB	100797	TRIANGL2	10/07/97	07:17	DKH	Q	CONC
43	183-3-5B	100797	TRIANGL2	10/07/97	07:23	DKH	S	CONC
44	183-3-6C	100797	TRIANGL2	10/07/97	07:27	DKH	S	CONC
45	183-3-7C	100797	TRIANGL2	10/07/97	07:32	DKH	S	CONC
46	183-3-8C	100797	TRIANGL2	10/07/97	07:38	DKH	S	CONC
47	43231 MB	100797	TRIANGL2	10/07/97	07:42	DKH	S	CONC
48	43231 LCS	100797	TRIANGL2	10/07/97	07:47	DKH	S	CONC
49	184-23-1AB	100797	TRIANGL2	10/07/97	07:52	DKH	S	CONC
50	ICB/CCB	100797	TRIANGL2	10/07/97	10:36	DKH	Q	CONC
51	ICV/CCV	100797	TRIANGL2	10/08/97	00:37	DKH	Q	CONC
52	ICB/CCB	100797	TRIANGL2	10/08/97	00:42	DKH	Q	CONC
53	ICSAB	100797	TRIANGL2	10/08/97	00:47	DKH	Q	CONC

Zn needs dilution. met 10/7/97

Will all be reanalyzed on a separate run.

Analysis halted due to high level contamination from sample. Passing QC was never obtained after this sample. DKH 10/7/97

N/A. Reanalyzed met 10/7/97

SOP # E010303 met 10/7/97

#	Sample Name	File	Method	Date	Time	OpID	Type	Mode
1	ICV/CCV	100797	TRIANG2	10/08/97	00:37	DKH	Q	CONC
2	ICB/CCB	100797	TRIANG2	10/08/97	00:42	DKH	Q	CONC
3	ICSAB	100797	TRIANG2	10/08/97	00:47	DKH	Q	CONC
4	STD1-BLANK	100797	TRIANG2	10/08/97	02:11		X	IR
5	STD3	100797	TRIANG2	10/08/97	02:16		X	IR
6	STD3	100797	TRIANG2	10/08/97	02:21	DKH	Q	CONC
7	CHECK LO	100797	TRIANG2	10/08/97	02:26	DKH	Q	CONC
8	ICV/CCV	100797	TRIANG2	10/08/97	02:30	DKH	Q	CONC
9	ICB/CCB	100797	TRIANG2	10/08/97	02:36	DKH	Q	CONC
10	ICSAB	100797	TRIANG2	10/08/97	02:41	DKH	Q	CONC
11	183-3-3B X50	100797	TRIANG2	10/08/97	03:13	DKH	S	CONC
12	183-3-3B X50 DA	100797	TRIANG2	10/08/97	03:17	DKH	S	CONC
13	183-3-56C	100797	TRIANG2	10/08/97	03:22	DKH	S	CONC
14	183-3-6C	100797	TRIANG2	10/08/97	03:27	DKH	S	CONC
15	183-3-7C	100797	TRIANG2	10/08/97	03:31	DKH	S	CONC
16	183-3-8C	100797	TRIANG2	10/08/97	03:36	DKH	S	CONC
17	43231 MB	100797	TRIANG2	10/08/97	03:41	DKH	S	CONC
18	43231 LCS	100797	TRIANG2	10/08/97	03:45	DKH	S	CONC
19	184-23-1AB X50	100797	TRIANG2	10/08/97	03:50	DKH	S	CONC
20	184-23-2AB X50	100797	TRIANG2	10/08/97	03:55	DKH	S	CONC
21	ICV/CCV	100797	TRIANG2	10/08/97	03:59	DKH	Q	CONC
22	ICV/CCV	100797	TRIANG2	10/08/97	04:04	DKH	Q	CONC
23	ICV/CCV	100797	TRIANG2	10/08/97	04:14	DKH	Q	CONC
24	ICB/CCB	100797	TRIANG2	10/08/97	04:21	DKH	Q	CONC
25	184-23-1AB X200	100797	TRIANG2	10/08/97	04:26	DKH	S	CONC
26	184-23-2AB X200	100797	TRIANG2	10/08/97	04:31	DKH	S	CONC
27	184-23-2AB X200 L	100797	TRIANG2	10/08/97	04:36	DKH	S	CONC
28	184-23-3AB X200	100797	TRIANG2	10/08/97	04:40	DKH	S	CONC
29	184-23-3AB X200 DA	100797	TRIANG2	10/08/97	04:47	DKH	S	CONC
30	184-23-4AB	100797	TRIANG2	10/08/97	05:01	DKH	S	CONC
31	184-23-6AB	100797	TRIANG2	10/08/97	05:14	DKH	S	CONC
32	184-23-7AB	100797	TRIANG2	10/08/97	05:22	DKH	S	CONC
33	184-23-8AB	100797	TRIANG2	10/08/97	05:32	DKH	S	CONC
34	ICV/CCV	100797	TRIANG2	10/08/97	05:40	DKH	Q	CONC
35	ICB/CCB	100797	TRIANG2	10/08/97	05:45	DKH	Q	CONC
36	ICB/CCB	100797	TRIANG2	10/08/97	05:50	DKH	Q	CONC
37	ICB/CCB	100797	TRIANG2	10/08/97	06:06	DKH	Q	CONC
38	184-23-9AB	100797	TRIANG2	10/08/97	06:11	DKH	S	CONC
39	184-23-10AB,5	100797	TRIANG2	10/08/97	06:20	DKH	S	CONC
40	183-15-1C	100797	TRIANG2	10/08/97	06:25	DKH	S	CONC
41	ICV/CCV	100797	TRIANG2	10/08/97	06:29	DKH	Q	CONC
42	183-15-18C	100797	TRIANG2	10/08/97	06:34	DKH	S	CONC
43	ICV/CCV	100797	TRIANG2	10/08/97	06:39	DKH	Q	CONC
44	ICB/CCB	100797	TRIANG2	10/08/97	06:45	DKH	Q	CONC
45	ICB/CCB	100797	TRIANG2	10/08/97	06:50	DKH	Q	CONC
46	ICSAB	100797	TRIANG2	10/08/97	06:56	DKH	Q	CONC

Reanalyzed w/ larger dilutions.

Failed slightly low for Be. This will have to be accepted, since the failure was due to sample matrix effects on introduction system of ICP NKA 10/8/97.

* N/V. Reanalyzed MKK 10/8/97

SOP# E010303
DKD 10/8/97

SRB
10/23/97

#	Sample Name	File	Method	Date	Time	OpID	Type	Mode
1	STD1-BLANK	102397	TRIANG2	10/23/97	05:07	X	IP	
2	STD3	102397	TRIANG2	10/23/97	05:12	X	IR	
3	STD3	102397	TRIANG2	10/23/97	05:17	SRB	Q	CONC
4	CHECK 10	102397	TRIANG2	10/23/97	05:21	SRB	Q	CONC
5	ICV/CCV	102397	TRIANG2	10/23/97	05:26	SRB	Q	CONC
6	ICB/CCB	102397	TRIANG2	10/23/97	05:31	SRB	Q	CONC
7	ICB/CCB	102397	TRIANG2	10/23/97	05:37	SRB	Q	CONC
8	ICSA8	102397	TRIANG2	10/23/97	05:42	SRB	Q	CONC
9	CHFCY 9972	102397	TRIANG2	10/23/97	05:57	DKH	S	CONC
10	187-68-1	102397	TRIANG2	10/23/97	06:01	DKH	S	CONC
11	187-68-1 D	102397	TRIANG2	10/23/97	06:06	DKH	S	CONC
12	ICV/CCV	102397	TRIANG2	10/23/97	06:11	DKH	Q	CONC
13	ICB/CCB	102397	TRIANG2	10/23/97	06:15	DKH	Q	CONC
14	ICB/CCB	102397	TRIANG2	10/23/97	06:21	DKH	Q	CONC
15	43478 MR	102397	TRIANG2	10/23/97	06:27	DKH	S	CONC
16	43478 LCS	102397	TRIANG2	10/23/97	06:32	DKH	S	CONC
17	185-52-1	102397	TRIANG2	10/23/97	06:37	DKH	S	CONC
18	185-52-1 D	102397	TRIANG2	10/23/97	06:41	DKH	S	CONC
19	185-52-2	102397	TRIANG2	10/23/97	06:46	DKH	S	CONC
20	185-52-2 MS	102397	TRIANG2	10/23/97	06:51	DKH	S	CONC
21	185-52-2 MSP	102397	TRIANG2	10/23/97	06:55	DKH	S	CONC
22	185-52-2 POS	102397	TRIANG2	10/23/97	07:00	DKH	S	CONC
23	185-52-2 L	102397	TRIANG2	10/23/97	07:11	DKH	S	CONC
24	185-52-3	102397	TRIANG2	10/23/97	07:16	DKH	S	CONC
25	185-52-4	102397	TRIANG2	10/23/97	07:20	DKH	S	CONC
26	ICV/CCV	102397	TRIANG2	10/23/97	07:25	DKH	Q	CONC
27	ICB/CCB	102397	TRIANG2	10/23/97	07:38	DKH	Q	CONC
28	185-52-4	102397	TRIANG2	10/23/97	07:49	DKH	S	CONC
29	43536 MR	102397	TRIANG2	10/23/97	07:58	DKH	S	CONC
30	43536 LCS	102397	TRIANG2	10/23/97	08:03	DKH	S	CONC
31	186-11-1	102397	TRIANG2	10/23/97	08:08	DKH	S	CONC
32	186-11-1 D	102397	TRIANG2	10/23/97	08:13	DKH	S	CONC
33	186-11-2	102397	TRIANG2	10/23/97	08:17	DKH	S	CONC
34	186-11-2 MS	102397	TRIANG2	10/23/97	08:22	DKH	S	CONC
35	186-11-2 MSP	102397	TRIANG2	10/23/97	08:27	DKH	S	CONC
36	186-11-2 POS	102397	TRIANG2	10/23/97	08:31	DKH	S	CONC
37	186-11-2 L	102397	TRIANG2	10/23/97	08:36	DKH	S	CONC
38	186-11-3	102397	TRIANG2	10/23/97	08:41	DKH	S	CONC
39	ICV/CCV	102397	TRIANG2	10/23/97	08:45	DKH	Q	CONC
40	ICB/CCB	102397	TRIANG2	10/23/97	09:05	DKH	Q	CONC
41	186-11-4	102397	TRIANG2	10/23/97	09:10	DKH	S	CONC
42	ICV/CCV	102397	TRIANG2	10/23/97	09:15	DKH	Q	CONC
43	ICB/CCB	102397	TRIANG2	10/23/97	09:20	DKH	Q	CONC
44	ICSA8	102397	TRIANG2	10/23/97	09:27	DKH	Q	CONC
45	184-23-1A8 X10	102397	TRIANG2	10/23/97	13:47	SRB	S	CONC
46	184-23-2A8 X10	102397	TRIANG2	10/23/97	13:52	SRB	S	CONC
47	184-23-2A8 X10 POS	102397	TRIANG2	10/23/97	13:57	SRB	S	CONC
48	184-23-2A8 X10 L	102397	TRIANG2	10/23/97	14:02	SRB	S	CONC
49	184-23-3A8 X10	102397	TRIANG2	10/23/97	14:08	SRB	S	CONC
50	184-23-3A8 X10 DA	102397	TRIANG2	10/23/97	14:13	SRB	S	CONC
51	ICV/CCV	102397	TRIANG2	10/23/97	14:18	SRB	Q	CONC
52	ICB/CCB	102397	TRIANG2	10/23/97	14:24	SRB	Q	CONC
53	ICB/CCB	102397	TRIANG2	10/23/97	14:37	SRB	Q	CONC

Rerun SRB 10/23/97

Rerun SRB 10/23/97

Rerun SRB 10/23/97

#	Sample Name	File	Method	Date	Time	OpID	Type	Mode
54	ICSAB	102397	TRIANGL2	10/23/97	14:42	SRB	Q	CONC

#	Sample Name	File	Method	Date	Time	OffD	Type	Mode
1	STD1-BLANK	103097	TRIANG2	10/30/97	00:49	x	IR	
2	STD1-BLANK	103097	TRIANG2	10/30/97	00:53	y	IR	
3	STD1	103097	TRIANG2	10/30/97	00:58	x	IR	
4	STD1	103097	TRIANG2	10/30/97	01:04	y	IR	
5	STD1	103097	TRIANG2	10/30/97	01:08	DKH	u	CONC
6	CHK/CHK	103097	TRIANG2	10/30/97	01:14	DKH	u	CONC
7	ICV/ICV	103097	TRIANG2	10/30/97	01:20	DKH	u	CONC
8	ICV/ICV	103097	TRIANG2	10/30/97	01:24	DKH	u	CONC
9	ICV/ICV	103097	TRIANG2	10/30/97	01:30	DKH	u	CONC
10	ICSAH	103097	TRIANG2	10/30/97	01:35	DKH	u	CONC
11	43603 MR	103097	TRIANG2	10/30/97	01:43	DKH	S	CONC
12	43603 LCS	103097	TRIANG2	10/30/97	01:48	DKH	S	CONC
13	184-23-2AB x200	103097	TRIANG2	10/30/97	01:53	DKH	S	CONC
14	184-23-2AB x200 POS	103097	TRIANG2	10/30/97	01:57	DKH	S	CONC
15	187-32-1 x100	103097	TRIANG2	10/30/97	02:02	DKH	S	CONC
16	187-32-1 x100 POS	103097	TRIANG2	10/30/97	02:08	DKH	S	CONC
17	ICV/ICV	103097	TRIANG2	10/30/97	02:15	DKH	u	CONC
18	ICV/ICV	103097	TRIANG2	10/30/97	02:19	DKH	u	CONC
19	ICV/ICV	103097	TRIANG2	10/30/97	02:25	DKH	u	CONC
20	ICV/ICV	103097	TRIANG2	10/30/97	02:46	DKH	u	CONC
21	ICSAH	103097	TRIANG2	10/30/97	02:51	DKH	u	CONC
22	43610 MR	103097	TRIANG2	10/30/97	03:07	DKH	S	CONC
23	43610 LCS	103097	TRIANG2	10/30/97	03:11	DKH	S	CONC
24	187-A-1	103097	TRIANG2	10/30/97	03:16	DKH	S	CONC
25	187-A-1 D	103097	TRIANG2	10/30/97	03:21	DKH	S	CONC
26	187-A-1	103097	TRIANG2	10/30/97	03:25	DKH	S	CONC
27	187-A-1 MS	103097	TRIANG2	10/30/97	03:30	DKH	S	CONC
28	187-A-1 MSD	103097	TRIANG2	10/30/97	03:35	DKH	S	CONC
29	187-A-1 POS	103097	TRIANG2	10/30/97	03:40	DKH	S	CONC
30	187-A-1	103097	TRIANG2	10/30/97	03:45	DKH	S	CONC
31	187-A-1	103097	TRIANG2	10/30/97	03:50	DKH	S	CONC
32	ICV/ICV	103097	TRIANG2	10/30/97	03:54	DKH	u	CONC
33	ICV/ICV	103097	TRIANG2	10/30/97	04:01	DKH	u	CONC
34	187-A-1	103097	TRIANG2	10/30/97	04:06	DKH	S	CONC
35	ICV/ICV	103097	TRIANG2	10/30/97	04:13	DKH	u	CONC
36	ICV/ICV	103097	TRIANG2	10/30/97	04:18	DKH	u	CONC
37	ICSAH	103097	TRIANG2	10/30/97	04:24	DKH	u	CONC
38	43615R MR	103097	TRIANG2	10/30/97	04:37	DKH	S	CONC
39	43615R LCS	103097	TRIANG2	10/30/97	04:42	DKH	S	CONC
40	186-90-1	103097	TRIANG2	10/30/97	04:46	DKH	S	CONC
41	186-90-1 D	103097	TRIANG2	10/30/97	04:51	DKH	S	CONC
42	186-90-2	103097	TRIANG2	10/30/97	04:56	DKH	S	CONC
43	186-90-2 MS	103097	TRIANG2	10/30/97	05:00	DKH	S	CONC
44	186-90-2 MSD	103097	TRIANG2	10/30/97	05:05	DKH	S	CONC
45	186-90-2 POS	103097	TRIANG2	10/30/97	05:10	DKH	S	CONC
46	186-90-2 I	103097	TRIANG2	10/30/97	05:14	DKH	S	CONC
47	186-90-3	103097	TRIANG2	10/30/97	05:19	DKH	S	CONC
48	ICV/ICV	103097	TRIANG2	10/30/97	05:24	DKH	u	CONC
49	ICV/ICV	103097	TRIANG2	10/30/97	05:30	DKH	u	CONC
50	186-90-4	103097	TRIANG2	10/30/97	06:12	DKH	S	CONC
51	ICV/ICV	103097	TRIANG2	10/30/97	06:16	DKH	u	CONC
52	ICV/ICV	103097	TRIANG2	10/30/97	06:21	DKH	u	CONC
53	ICSAH	103097	TRIANG2	10/30/97	06:27	DKH	u	CONC

184-23-2AB x200
 184-23-2AB x200 POS
 187-32-1 x100
 187-32-1 x100 POS

NCA
 10/30/97

Failing QC. Reanalyzed NCA 10/30/97

Pb shows some matrix interferences MS/MSD/POS are all failing low. Also, samples show negative values.

NCA 10/30/97

EE. Samples reversed. NCA 10/30/97

TRIANGLE LABORATORIES, INC.
Sample Preparation Tracking & Management Form

Project: 43231

Client: Pacific Environmental Services (PES03)

Method: 7470 Sample Information
Extraction Date: 9/30/97
Solvent/Acids(): HNO₃/H₂SO₄ Lot: 117040/317020

Hg

Sample #	TLI SAMPLE ID / CLIENT SAMPLE ID	Wgt / Volume	Sample Information		Extraction Date
			Sample	Final	
# crd		g / ml			
000	TLI Blank MB.D TLI Method Blank	N/A	100		RSE 9/29/97
001	183-3-2B 183-3-2B Dup I-M29-1-FHAR	5/5	100		RSE 9/29/97
002	183-3-2C 183-3-2C Dup I-M29-1-5% 10%	5/5	100		RSE 9/29/97
003	183-3-2D 183-3-2D Dup I-M29-1-BHAR	5/5	100		RSE 9/29/97
004	183-3-2E 183-3-2E Dup I-M29-1-KMNO4	5/5	100		RSE 9/29/97
005	183-3-2F 183-3-2F I-M29-1-HCL	5/5	100		RSE 9/29/97
006	184-23-1A B 184-23-1A B D I-M29-1	5/5	100		MR 10/6/97
007	184-23-1B I-M29-1				
008	183-3-3B 183-3-3B Dup I-M29-2-FHAR	5/5	100		RSE 9/29/97
009	183-3-3C 183-3-3C Dup I-M29-2-5% 10%	5/5	100		RSE 9/29/97
010	183-3-3D 183-3-3D Dup I-M29-2-BHAR	5/5	100		RSE 9/29/97
011	183-3-3E 183-3-3E Dup I-M29-2-KMNO4	5/5	100		RSE 9/29/97
012	183-3-3F 183-3-3F Dup I-M29-2-HCL	5/5	100		RSE 9/29/97

Comments: See HGSL-1, Spile log pages 64 & 65 & 66

TRIANGLE LABORATORIES, INC.
Sample Preparation Tracking & Management Form

Project: 43231

Client: Pacific Environmental Services (PES03)

Method: 7470
Solvent/Acids(): HNO₃/H₂SO₄
Extraction Date: 9/30/97
Lot: 117040/37020

Ag.

Sample #	TLI / SAMPLE ID	CLIENT / SAMPLE ID	Sample Information		Extraction Date	
			Wgt / Vol	Volume		
#	crd		g	ml	ml	
0	184-23-2A B 184-23-2A B D	I-M29-2	5 5	100		me 10/6/97
0	184-23-2B	I-M29-2				
015	183-3-4B 183-3-4B Dup	I-M29-3-FHAR	5 5	100		DSE 9/28/97
016	183-3-4C 183-3-4C Dup	I-M29-3-5% 10%	5 5	100		DSE 9/30/97
017	183-3-4D 183-3-4D Dup	I-M29-3-BHAR	5 5	100		DSE 9/30/97
018	183-3-4E 183-3-4E Dup	I-M29-3-KMNO4	5 5	100		DSE 9/30/97
019	183-3-4F 183-3-4F Dup	I-M29-3-HCL	5 5	100		DSE 9/30/97
0	184-23-3A B 184-23-3A B D	I-M29-3	5 5	100		me 10/6/97
0	184-23-3B 183-23-	I-M29-3				
0	183-3-1B 183-3-1B D	I-M29-FHAR	5 5	100		DSE 10/7/97
0	183-3-1C 183-3-1C Dup	I-M29-BLK-5% 10%	5 5	100		DSE 9/24/97
0	183-3-1D 183-3-1D Dup	I-M29-BLK-BHAR	5 5	100		DSE 9/29/97
025	183-3-1E 183-3-1E Dup	I-M29-BLK-KMNO4	5 5	100		DSE 9/29/97

Comments: See page 1 of 5

TRIANGLE LABORATORIES, INC.
Sample Preparation Tracking & Management Form

Project: 43231

Client: Pacific Environmental Services (PES03)

Method: 7470 Sample Information
 Solvent/Acids (HNO₃/H₂SO₄) Extraction Date: 9/30/97
 Lot: 117040/317020

Hg.

Sample #	TLI / SAMPLE ID	CLIENT / SAMPLE ID	Wgt / Vol	Volume	Extraction Date
#	crd		g / ml	ml	
026	183-3-1FK 183-3-1HF Dup	I-M29-BLK-HCL	5/5	100	MR 9/10/97
027	184-23-4A B 184-23-4A B	I-M29-FIELD BLANK	5/5	100	MR 10/6/97
028	184-23-4B	I-M29-FIELD BLANK			
029	183-3-6B 183-3-6B Dup	O-M29-1-FHAR	5/5	100	USE 9/30/97
030	183-3-6C 183-3-6C Dup	O-M29-1-5% 10%	5/5	100	USE 9/30/97
031	183-3-6D 183-3-6D Dup	O-M29-1-BHAR	5/5	100	USE 9/30/97
032	183-3-6E 183-3-6E Dup	O-M29-1-KMNO4	5/5	100	USE 9/30/97
033	183-3-6F 183-3-6F Dup	O-M29-1-HCL	5/5	100	USE 9/30/97
034	184-23-6A B 184-23-6A B	O-M29-1	5/5	100	MR 10/6/97
035	184-23-6B	O-M29-1			
037	183-3-7B 183-3-7B Dup	O-M29-2-FHAR	5/5	100	USE 9/30/97
038	183-3-7C 183-3-7C Dup	O-M29-2-5% 10%	5/5	100	USE 9/30/97
039	183-3-7D 183-3-7D Dup	O-M29-2-BHAR	5/5	100	USE 9/30/97

Comments: See page 1 of 5

TRIANGLE LABORATORIES, INC.
Sample Preparation Tracking & Management Form

Project: 43231

Client: Pacific Environmental Services (PES03)

Method: 7470 Sample Information
 Solvent/Acids: HNO₃/H₂SO₄ Extraction Date: 9/21/97
 Lot: 117040/317020 Hg

Sample Card	TLI SAMPLE ID	CLIENT SAMPLE ID	Sample		Extraction Date
			Wgt g	Vol ml	
0	183-3-7E 183-3-7E Dup	O-M29-2-KMNO4	5	100	PSE 9/13/97
1	183-3-7F 183-3-7F Dup	O-M29-2-HCL	5	100	PSE 9/30/97
2	184-23-7A B 184-23-7A B D	O-M29-2	5	100	ME 10/6/97
043	184-23-7B	O-M29-2			
044	183-3-8B 183-3-8B Dup	O-M29-3-FHAR	5	100	PSE 9/30/97
045	183-3-8C 183-3-8C Dup	O-M29-3-5% 10%	5	100	PSE 9/30/97
046	183-3-8D 183-3-8D Dup	O-M29-3-BHAR	5	100	PSE 9/30/97
7	183-3-8E 183-3-8E Dup	O-M29-3-KMNO4	5	100	PSE 9/30/97
8	183-3-8F 183-3-8F Dup	O-M29-3-HCL	5	100	PSE 9/30/97
9	184-23-8A B 184-23-8A B D	O-M29-3	5	100	ME 10/6/97
0	184-23-8B	O-M29-3			
01	183-3-5B 183-3-5B Dup	O-M29-FHAR	5	100	PSE _{me} 9/24/97
052	183-3-5C 183-3-5C Dup	O-M29-BLK-5% 10%	5	100	PSE _{me} 9/24/97

Comments:

See Page 1 of 5

TRIANGLE LABORATORIES, INC.

Sample Preparation Tracking & Management Form

Project: 43231

Client: Pacific Environmental Services (PES03)

Method: 7470 Sample Information
 Solvent/Acids(): HNO₃/H₂SO₄ Extraction Date: 9/21/97
 Lot: 112070/317020

Ag

Sample #	TLI / SAMPLE ID	CLIENT / SAMPLE ID	Wgt / Vol / Volume	Sample / Final / Volume	Analysis / Date
053	183-3-5D	O-M29-BLK-BHAR	5 / 5 / 100	DSE 9/21/97	me for DSE 9/21/97
054	183-3-5E	O-M29-BLK-KMNO4	5 / 5 / 100	DSE 9/21/97	
055	183-3-5E, E 183-3-5E, SE Dup	O-M29-BLK-HCL	5 / 5 / 100	DSE 9/21/97	me for DSE 9/21/97
056	184-23-9A B 184-23-9A B D	O-M29-FIELD BLANK	5 / 5 / 100	DSE 9/21/97	me 10/6/97
057	184-23-9B	O-M29-FIELD BLANK			
058	183-15-1B 183-15-1B Dup	Reagent Blank	5 / 5 / 100	DSE 10/7/97	me for DSE 10/7/97
059	183-15-1C 183-15-1C Dup	Reagent Blank	5 / 5 / 100	DSE 10/7/97	
060	183-15-1D, B 183-15-1D, B Dup	Reagent Blank	5 / 5 / 100	DSE 10/7/97	
061	183-15-1E 183-15-1E Dup	Reagent Blank	5 / 5 / 100	DSE 10/7/97	
062	184-23-5, 10A, 10B, 183-15-1B Dup	I-M29-REAGENT BLANK	5 / 5 / 100	DSE 10/7/97	
063	184-23-10A	O-M29-REAGENT BLANK			
064	184-23-10B	O-M29-REAGENT BLANK			
065	LCS LCS ID	Lab Control Spike	N/A / 100	DSE 9/21/97	

Comments: See page 1 of 5

TRIANGLE LABORATORIES, INC.
Sample Preparation Tracking & Management Form

Project: 43231

Client: Pacific Environmental Services (PES03)

Method: 7470 Extraction Date: 9/30/97 Sample Information
Solvent/Acids(): HNO3/H2SO4 Lot: 1170401317020

Hg.

Sample #	TLI Sample ID	CLIENT SAMPLE ID	Wgt / Vol	Final Volume	Extraction Date
ord			g / ml	ml	
	TLI Blank ²		5	100	DSE 9/24/97
01	TLI MB ³ D	TLI Method Blank	5	100	DSE 9/24/97
	LCS ²		5	100	DSE 9/24/97
01	LCS ² D	Lab Control Spike	5	100	DSE 9/24/97
	183-3-3C MS		5	100	DSE 9/24/97
	183-3-3C MSD		5	100	DSE 9/24/97
	183-3-3C MS		5	100	DSE 9/24/97
	183-3-2C MSD		5	100	DSE 9/24/97
	183-3-4C MS		5	100	DSE 9/24/97
	183-3-4C MSD		5	100	DSE 9/24/97
	183-3-6C MS		5	100	DSE 9/24/97
	183-3-6C MSD		5	100	DSE 9/24/97
	183-3-7E MS		5	100	DSE 9/24/97
	183-3-7E MSD		5	100	DSE 9/24/97
	184-23-1ABMS		5	100	mz 10/6/97
	184-23-1ABMSD		5	100	mz 10/6/97
	183-15-10 ¹⁰ MS		5	100	DSE 10/7/97
	183-15-10 ¹⁰ MSD		5	100	DSE 10/7/97
	183-3-1BC MS		5	100	mz 10/10/97
	183-3-1BC MSD		5	100	mz 10/10/97
	LCS ³		5	100	mz 10/6/97
	LCS ³ D		5	100	mz 10/6/97
	MB ³		5	100	mz 10/6/97
	MB ³ D		5	100	mz 10/6/97
	MB ⁴		5	100	DSE 10/7/97
	MB ⁴ D		5	100	DSE 10/7/97

Comments: See page 1

TRIANGLE LABORATORIES, INC.

Sample Preparation Tracking & Management Form

Project: 43231

Client: Pacific Environmental Services (PES03)

Method: 7470 Sample Information Hg
 Solvent/Acids(): HNO₃, H₂SO₄ Extraction Date: 9/30/97
 Lot: 117040317020

Sample #	crd	TLI SAMPLE ID	CLIENT SAMPLE ID	Sample		Final Volume	Extraction Date
				Wgt / g	Vol / ml		
000		TLI Blank ⁵ MB5D	TLI Method Blank	5	5	100	ME 10/10/97
065		LCS ⁴ LCS4D	Lab Control Spike	5	5	100	LSE 10/9/97
		LCS ⁵ LCS5D		5	5	100	ME 10/10/97

Comments: See page 1

MERCURY SPIKE LOG

DATE	PROJECT # SAMPLE IDs	ORIGINAL SPIKE CONC. (Hg)	STANDARD # WORKING STANDARD PREPARED FROM	SPIKE AMOUNT (mL)	SPIKE SAMPLE (PPB)	INITIALS	WITNESS
9/24/97	43048 181-18-13BMS 181-18-13BMSD	0.1 ppm ↓	3-016-8 ↓	5 ↓	5 ↓	MR ↓	DSE ↓
9/25/97	43159A LCS LCS D 182-30-1G AB MS 182-30-1G AB MSD 182-30-9C AB MS 182-30-9C AB MSD 182-58-1 MS 182-58-1 MSD 182-30-1F MS 182-30-1F MSD 182-30-4D MS 182-30-4D MSD	0.1 ppm ↓	3-018-2 ↓	5 ↓	5 ↓	MR ↓	DSE ↓
9/26/97	43159A LCS2 LCS2 D 182-30-11F MS 182-30-11F MSD 182-30-13G MS 182-30-13G MSD	0.1 ppm ↓	3-018-2 ↓	5 ↓	5 ↓	MR ↓	SRB ↓
9/29/97	43154A LCS3 LCS3 D 182-30-9E MS 182-30-9E MSD 43231 LCS1 LCS1 D 183-3-3C MS 183-3-3C MSD 183-3-2C MS 183-3-2C MSD	0.1 ppm ↓	3-018-2 ↓	5 ↓	5 ↓	DSE ↓	SRB ↓
9/29/97	43231 LCS2 LCS2 D 183-3-4C MS 183-3-4C MSD 183-3-6C MS 183-3-6C MSD 183-3-7E MS 183-3-7E MSD	0.1 ppm ↓	3-018-2 ↓	5 ↓	5 ↓	DSE ↓	SF ↓

MERCURY SPIKE LOG

DATE	PROJECT # SAMPLE IDs	ORIGINAL SPIKE CONC. (Hg)	STANDARD # WORKING STANDARD PREPARED FROM	SPIKE AMOUNT (mL)	SPIKE SAMPLE (PPB)	INITIALS	WITNESS
9/30/97	43159-A - LCS4 LCS4D	0.1 ppm	3-018-2	5	5	DSE	MR
	182-30-7E MS 182-30-7E MSD	↓	↓	↓	↓	↓	↓
	43233-B LCS LCS0	↓	↓	↓	↓	↓	↓
	183-5-1 MS 183-5-1 MSD	↓	↓	↓	↓	↓	↓
	43231-LCS3 LCS3D	↓	↓	↓	↓	↓	↓
	183-3-2GMS 183-3-2E MSD	↓	↓	↓	↓	↓	↓
	183-3-8E MS 183-3-8E MSD	↓	↓	↓	↓	↓	↓
10/2/97	413287A LCS LCS0	0.1 ppm	3-018-2	5	5	MR	SRB
	183-59-3 MS 183-59-3 MSD	↓	↓	↓	↓	↓	↓
	43233A LCS LCS0	↓	↓	↓	↓	↓	↓
	183-5-1 MS 183-5-1 MSD	↓	↓	↓	↓	↓	↓
10/4/97	43283 B LCS LCS0	0.1 ppm	3-019-6	5	5	MR	SRB
	183-55-1C MS 183-55-1C MSD	↓	3-019-6	↓	↓	↓	↓
	183-55-8C MS 183-55-8C MSD	↓	↓	↓	↓	↓	↓
10/6/97	43231 LCS LCS0	0.1 ppm	3-019-6	5	5	MR	SF
	184-23-1A MS 184-23-1A MSD	↓	↓	↓	↓	↓	↓
10/7/97	43231 LCS LCS0	0.1 ppm	3-019-6	5	5	DSE	MR
	183-15-10 MS 183-15-10 MSD	↓	↓	↓	↓	↓	↓
	180						

MERCURY SPIKE LOG

DATE	PROJECT # SAMPLE IDs	ORIGINAL SPIKE CONC. (Hg)	STANDARD # WORKING STANDARD PREPARED FROM	SPIKE AMOUNT (mL)	SPIKE SAMPLE (PPB)	INITIALS	WITNESS
10/8/97	43271 LCS1 LCS1D	0.1ppm	3-019-6	5	5	DSE	SEB
	183-43-1C MS 183-43-1C MSD	↓	↓	↓	↓	↓	↓
	183-43-2C MS 183-43-2C MSD	↓	↓	↓	↓	↓	↓
	183-43-3C MS 183-43-3C MSD	↓	↓	↓	↓	↓	↓
10/8/97	43159 LCS4 LCS4D	0.1ppm	3-019-6	5	5	MR	DSE
	182-30-7BD MS 182-30-7BD MSD	↓	↓	↓	↓	↓	↓
	43271 LCS2 LCS2D	↓	↓	↓	↓	↓	↓
	183-43-5C MS 183-43-5C MSD	↓	↓	↓	↓	↓	↓
	183-43-7C MS 183-43-7C MSD	↓	↓	↓	↓	↓	↓
10/10/97	43271 LCS3 LCS3D	0.1ppm	3-019-6	5	5	MR	SF
	183-43-8C MS 183-43-8C MSD	↓	↓	↓	↓	↓	↓
	183-43-11C MS 183-43-11C MSD	↓	↓	↓	↓	↓	↓
	43231 LCS5 LCS5D	0.1ppm EE	↓	↓	↓	↓	↓
	183-3-10C MS 183-3-10C MSD	↓	↓	↓	↓	↓	↓

SRB
9/29/97

Loc. Concentration

Solutions

Loc.	Concentration	Solutions
0		Calib. Blank / Diluent / ICB / CCB
1	50.0 ug/L	Stock
2	100.0 ug/L	Stock / Recovery Stock
4		ICV=30ug/L
5		CCV=60ug/L
6		CHECK LO
7		43231 MB
8		43231 LCS
9		183-3-1B
10		183-3-2B
11		183-3-2B L
12		183-3-3B
13		183-3-4B
14		183-3-5B
15		183-3-6B
16		183-3-7B
17		183-3-8B
18		183-3-1BC
19		183-3-2C
20		183-3-2C L
21		183-3-3C
22		183-3-4C
23		183-3-5B ^D <small>10-27-97 EC</small>
24		183-3-6C
25		183-3-7C
26		183-3-8C
39		Modifier 1

1-60-1P
1-60-2P
1-60-3P
1-60-4P

SRB
9/29/97

Element: File: TL.GEL
Print Data: Main+Suppl.
Print: Calib. Curve

Analyst: HOLSTE
Peak Storage: 1 Repl./Sample

SRB 9/29/97

INSTRUMENT: 4100 ZL Technique: HGA Version: 7.30
Wavelength: 276.8 Peak Slit: 0.70 Low
Signal Type: Zeeman AA Signal Measurement: Peak Area
Read Time: 5.0 Read Delay: 0.0 BOC Time: 2
Sample Replicates: 2
Standard Replicates: 2 Spike Replicates: Same as Sample

CALIBRATION:

Solutions	ID	Conc	Location	Volume	Diluent	Modifier
					Volume	#1 #2
Calib. Blank	ISTD BLK	-----	0	20	5	5
Standard 1	ISTD1=25ug/L	25.0	1	10	15	5
Standard 2	ISTD2=50ug/L	50.0	1	20	5	5
Standard 3	ISTD3=100ug/L	100.0	2	20	5	5
Reslope Std.	150ug/L	50.0	1	20	5	5
Samples	-----	-----	-----	20	5	5

Diluent Location: 0
Modifier #1 Location: 39 Modifier #2 Location:
Calibration Units: ug/L Sample Units: ug/L
Calibration Type: Nonlinear

Furnace Time/Temperature Program:

Step	Temp	Ramp	Hold	Gas Flow	Read	Gas Type
1	110	5	30	250		Norm
2	130	1	35	250		Norm
3	700	5	20	250		Norm
4	1600	0	5	0	*	Norm
5	2500	1	5	250		Norm

Injection Temp: 20 Pipette Speed: 85% Extraction System: On

SEQUENCE:

Step Action and Parameters
1 Pipet diluent + modifier 1 + spike + sample/std
2 Run HGA steps 1 to End

CHECKS:

Recalibration Type: Reslope
Locations: None

Conc. Above Calibration Action: Dilute & Reanalyze After 1 Rep
Alternate Sample Volumes (uL): 5,2,1
Run Alternate Volume Blanks: Yes

If %RSD > 20.0 and Concentration > 1.7 then Retry 1 times
Check %RSD on: Samples + Standards + Spikes + QC Samples

Recovery Measurements:

5 uL of 100 ug/L Standard at Location 2 Gives 25.0 ug/L
Measure Recovery on Samples: 10,11,19,20
Add to QC Samples: Yes % Recovery Limits: 75 to 125

#	A/S	QC Sample	Conc.	Limits	After	Periodic	At	Count	As
	Loc.	ID	Lower	Upper	Calib	Check	End	Sample	
1	4	ICV=30ug/L	27.0	33.0					
2	0	ICB	-2.0	2.0					
3	5	CCV=60ug/L	48.0	72.0	X	X	X		
4	0	CCB	-2.0	2.0	X	X	X		

Run Periodic QC Samples: Every 10

Out of Limit Action: Reslope and Rerun Samples

Matrix Check Calculations:

% Difference for Dupls: No

Locations:

% Recovery for Spike: No

Locations:

Conc:

Element File: TL.GEL
Date: 09/29/97
Data File: EB160.DAT
Technique: HGA

Element: T1
Time: 00:41
ID/Wt File: EB160.IDW
Calib. Type: Nonlinear

Wavelength: 276.8
Slit: 0.70 L
Lamp Current: 0
Energy: 48

T1 ID: STD BLK Seq. No.: 00001 A/S Pos.: 0 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 0
Replicate 1 Time: 00:44
Peak Area (A-s): 0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.001

uL dispensed: 5 from 0, 5 from 39, 20 from 0
Replicate 2 (Peak Stored) Time: 00:47
Peak Area (A-s): 0.000 Peak Height (A): 0.008
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.005
Blank Corrected Pk Area (A-s): 0.000

Mean Pk Area (A-s): 0.001 SD: 0.0002 RSD(%): 41.09

Auto-zero performed.

T1 ID: STD1=25ug/L Seq. No.: 00002 A/S Pos.: 1 Date: 09/29/97

uL dispensed: 15 from 0, 5 from 39, 10 from 1
Replicate 1 Time: 00:50
Peak Area (A-s): 0.039 Peak Height (A): 0.054
Background Pk Area (A-s): 0.020 Background Pk Height (A): 0.030
Blank Corrected Pk Area (A-s): 0.039

uL dispensed: 15 from 0, 5 from 39, 10 from 1
Replicate 2 (Peak Stored) Time: 00:53
Peak Area (A-s): 0.038 Peak Height (A): 0.053
Background Pk Area (A-s): 0.022 Background Pk Height (A): 0.030
Blank Corrected Pk Area (A-s): 0.038

Mean Pk Area (A-s): 0.038 SD: 0.0006 RSD(%): 1.50

Standard number 1 applied. [25.0]
Correlation coefficient: 1.00000 Slope: 0.0015

T1 ID: STD2=50ug/L Seq. No.: 00003 A/S Pos.: 1 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 1
Replicate 1 Time: 00:56
Peak Area (A-s): 0.078 Peak Height (A): 0.106
Background Pk Area (A-s): 0.042 Background Pk Height (A): 0.058
Blank Corrected Pk Area (A-s): 0.077
Concentration (ug/L): 50.5

uL dispensed: 5 from 0, 5 from 39, 20 from 1
Replicate 2 (Peak Stored) Time: 00:59
Peak Area (A-s): 0.076 Peak Height (A): 0.106
Background Pk Area (A-s): 0.042 Background Pk Height (A): 0.057

Concentration (ug/L): 49.4

Mean Conc (ug/L): 50.0

SD: 0.78

RSD(%): 1.57

Standard number 2 applied. [50.0]

Correlation coefficient: 1.00000

Slope: 0.0015

~~~~~  
T1 ID: STD3=100ug/L Seq. No.: 00004 A/S Pos.: 2 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 2

Replicate 1

Time: 01:02

Peak Area (A-s): 0.150

Peak Height (A): 0.206

Background Pk Area (A-s): 0.082

Background Pk Height (A): 0.119

Blank Corrected Pk Area (A-s): 0.150

Concentration (ug/L ): 98.2

uL dispensed: 5 from 0, 5 from 39, 20 from 2

Replicate 2 (Peak Stored)

Time: 01:05

Peak Area (A-s): 0.147

Peak Height (A): 0.196

Background Pk Area (A-s): 0.082

Background Pk Height (A): 0.111

Blank Corrected Pk Area (A-s): 0.146

Concentration (ug/L ): 96.0

Mean Conc (ug/L ): 97.1


SD: 1.57

RSD(%): 1.62

Standard number 3 applied. [100.0]

Correlation coefficient: 1.00000

Slope: 0.0015



Element File: TL.GEL  
Date: 09/29/97  
Data File: EB160.DAT  
Technique: HGA

Element: T1  
Time: 01:05  
ID/Wt File: EB160.IDW  
Calib. Type: Nonlinear

Wavelength: 276.8  
Slit: 0.70 L  
Lamp Current: 0  
Energy: 53

T1 ID: ICV=30ug/L Seq. No.: 00005 A/S Pos.: 4 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 4  
Replicate 1 Time: 01:08  
Peak Area (A-s): 0.048 Peak Height (A): 0.064  
Background Pk Area (A-s): 0.025 Background Pk Height (A): 0.034  
Blank Corrected Pk Area (A-s): 0.048  
Concentration (ug/L ): 31.1

uL dispensed: 5 from 0, 5 from 39, 20 from 4  
Replicate 2 (Peak Stored) Time: 01:11  
Peak Area (A-s): 0.047 Peak Height (A): 0.067  
Background Pk Area (A-s): 0.027 Background Pk Height (A): 0.038  
Blank Corrected Pk Area (A-s): 0.046  
Concentration (ug/L ): 30.3

Mean Conc (ug/L ): 30.7 SD: 0.61 RSD(%): 2.00

QC sample is within range 27.0 - 33.0

T1 ID: ICB Seq. No.: 00006 A/S Pos.: 0 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 0  
Replicate 1 Time: 01:14  
Peak Area (A-s): 0.001 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.008  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.4

uL dispensed: 5 from 0, 5 from 39, 20 from 0  
Replicate 2 (Peak Stored) Time: 01:17  
Peak Area (A-s): 0.000 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.008  
Blank Corrected Pk Area (A-s): -0.000  
Concentration (ug/L ): -0.2

Mean Conc (ug/L ): 0.1 SD: 0.39 RSD(%): 448.81

QC sample is within range -2.0 - 2.0

T1 ID: CHECK LO Seq. No.: 00007 A/S Pos.: 6 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 6  
Replicate 1 Time: 01:20  
Peak Area (A-s): 0.007 Peak Height (A): 0.009  
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): 0.006  
Concentration (ug/L ): 4.0

uL dispensed: 5 from 0, 5 from 39, 20 from 6



Peak Area (A-s): 0.005  
Background Pk Area (A-s): 0.007  
Blank Corrected Pk Area (A-s): 0.005  
Concentration (ug/L ): 3.1

Peak Height (A): 0.010  
Background Pk Height (A): 0.007

Mean Conc (ug/L ): 3.5 SD: 0.61 RSD(%): 17.40

~~~~~  
T1 ID: 43231 MB Seq. No.: 00008 A/S Pos.: 7 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 7

Replicate 1 Time: 01:26
Peak Area (A-s): 0.002 Peak Height (A): 0.007
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.007
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.3

uL dispensed: 5 from 0, 5 from 39, 20 from 7

Replicate 2 (Peak Stored) Time: 01:29
Peak Area (A-s): 0.002 Peak Height (A): 0.006
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.008
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.2

Mean Conc (ug/L): 1.2 SD: 0.03 RSD(%): 2.54

~~~~~  
T1 ID: 43231 LCS Seq. No.: 00009 A/S Pos.: 8 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 8

Replicate 1 Time: 01:32  
Peak Area (A-s): 0.072 Peak Height (A): 0.094  
Background Pk Area (A-s): 0.041 Background Pk Height (A): 0.051  
Blank Corrected Pk Area (A-s): 0.071  
Concentration (ug/L ): 46.8

uL dispensed: 5 from 0, 5 from 39, 20 from 8

Replicate 2 (Peak Stored) Time: 01:35  
Peak Area (A-s): 0.081 Peak Height (A): 0.103  
Background Pk Area (A-s): 0.043 Background Pk Height (A): 0.055  
Blank Corrected Pk Area (A-s): 0.081  
Concentration (ug/L ): 52.8

Mean Conc (ug/L ): 49.8 SD: 4.23 RSD(%): 8.50

~~~~~  
T1 ID: 183-3-1B Seq. No.: 00010 A/S Pos.: 9 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 9

Replicate 1 Time: 01:37
Peak Area (A-s): 0.001 Peak Height (A): 0.006
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.4

uL dispensed: 5 from 0, 5 from 39, 20 from 9

Replicate 2 (Peak Stored) Time: 01:40
Peak Area (A-s): 0.002 Peak Height (A): 0.008

Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.2

Mean Conc (ug/L): 0.8 SD: 0.57 RSD(%): 69.10

~~~~~  
T1 ID: 183-3-2B Seq. No.: 00011 A/S Pos.: 10 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 10  
Replicate 1 Time: 01:43  
Peak Area (A-s): 0.003 Peak Height (A): 0.007  
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.002  
Concentration (ug/L ): 1.4

Not used  
10-9-97

uL dispensed: 5 from 0, 5 from 39, 20 from 10  
Replicate 2 (Peak Stored) Time: 01:46  
Peak Area (A-s): 0.005 Peak Height (A): 0.010  
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.005  
Concentration (ug/L ): 3.1

Mean Conc (ug/L ): 2.3 SD: 1.19 RSD(%): 52.00

~~~~~  
T1 ID: 183-3-2B Seq. No.: 00012 A/S Pos.: 10 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 10
Replicate 1 Time: 01:49
Peak Area (A-s): 0.003 Peak Height (A): 0.007
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.003
Concentration (ug/L): 1.8

uL dispensed: 5 from 0, 5 from 39, 20 from 10
Replicate 2 (Peak Stored) Time: 01:52
Peak Area (A-s): 0.002 Peak Height (A): 0.007
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.007
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.1

Mean Conc (ug/L): 1.4 SD: 0.50 RSD(%): 35.27

~~~~~  
T1 ID: 183-3-2B POS 10-4-97 Seq. No.: 00013 A/S Pos.: 10 Date: 09/29/97

uL dispensed: 5 from 39, 5 from 2, 20 from 10  
Replicate 1 Time: 01:55  
Peak Area (A-s): 0.037 Peak Height (A): 0.064  
Background Pk Area (A-s): 0.025 Background Pk Height (A): 0.037  
Blank Corrected Pk Area (A-s): 0.037  
Concentration (ug/L ): 23.9

uL dispensed: 5 from 39, 5 from 2, 20 from 10  
Replicate 2 (Peak Stored) Time: 01:58  
Peak Area (A-s): 0.036 Peak Height (A): 0.059  
Background Pk Area (A-s): 0.023 Background Pk Height (A): 0.034  
Blank Corrected Pk Area (A-s): 0.035

Mean Conc (ug/L ): 23.5 SD: 0.54 RSD(%): 2.31  
94%

Recovery is 88.3% 104996

~~~~~  
T1 ID: 183-3-2B L Seq. No.: 00014 A/S Pos.: 11 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 11
Replicate 1 Time: 02:01
Peak Area (A-s): 0.002 Peak Height (A): 0.006
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.8

uL dispensed: 5 from 0, 5 from 39, 20 from 11
Replicate 2 (Peak Stored) Time: 02:03
Peak Area (A-s): 0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.006 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.000
Concentration (ug/L): 0.2

Mean Conc (ug/L): 0.5 SD: 0.42 RSD(%): 80.39

~~~~~  
T1 ID: 183-3-2B L Seq. No.: 00015 A/S Pos.: 11 Date: 09/29/97

uL dispensed: 5 from 39, 5 from 2, 20 from 11  
Replicate 1 Time: 02:06 *NR*  
Peak Area (A-s): 0.037 Peak Height (A): 0.063 *310-147*  
Background Pk Area (A-s): 0.024 Background Pk Height (A): 0.037  
Blank Corrected Pk Area (A-s): 0.037  
Concentration (ug/L ): 23.9

uL dispensed: 5 from 39, 5 from 2, 20 from 11  
Replicate 2 (Peak Stored) Time: 02:09  
Peak Area (A-s): 0.037 Peak Height (A): 0.061  
Background Pk Area (A-s): 0.024 Background Pk Height (A): 0.034  
Blank Corrected Pk Area (A-s): 0.037  
Concentration (ug/L ): 24.1

Mean Conc (ug/L ): 24.0 SD: 0.10 RSD(%): 0.41

Recovery is 93.8%

~~~~~  
T1 ID: 183-3-3B Seq. No.: 00016 A/S Pos.: 12 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 12
Replicate 1 Time: 02:12
Peak Area (A-s): 0.008 Peak Height (A): 0.013
Background Pk Area (A-s): 0.012 Background Pk Height (A): 0.012
Blank Corrected Pk Area (A-s): 0.007
Concentration (ug/L): 4.6

uL dispensed: 5 from 0, 5 from 39, 20 from 12
Replicate 2 (Peak Stored) Time: 02:15
Peak Area (A-s): 0.003 Peak Height (A): 0.011

Review 7SD high

210-149

Blank Corrected Pk Area (A-s): 0.003
Concentration (ug/L): 1.7

Mean Conc (ug/L): 3.1 SD: 2.10 RSD(%): 66.81

~~~~~  
T1 ID: 183-3-3B Seq. No.: 00017 A/S Pos.: 12 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 12  
Replicate 1 Time: 02:18  
Peak Area (A-s): 0.006 Peak Height (A): 0.011  
Background Pk Area (A-s): 0.014 Background Pk Height (A): 0.017  
Blank Corrected Pk Area (A-s): 0.005  
Concentration (ug/L ): 3.5

uL dispensed: 5 from 0, 5 from 39, 20 from 12  
Replicate 2 (Peak Stored) Time: 02:21  
Peak Area (A-s): 0.005 Peak Height (A): 0.012  
Background Pk Area (A-s): 0.013 Background Pk Height (A): 0.013  
Blank Corrected Pk Area (A-s): 0.004  
Concentration (ug/L ): 2.8

Mean Conc (ug/L ): 3.1 SD: 0.43 RSD(%): 13.79

~~~~~  
T1 ID: CCV=60ug/L Seq. No.: 00018 A/S Pos.: 5 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 5
Replicate 1 Time: 02:24
Peak Area (A-s): 0.092 Peak Height (A): 0.133
Background Pk Area (A-s): 0.055 Background Pk Height (A): 0.073
Blank Corrected Pk Area (A-s): 0.091
Concentration (ug/L): 59.7

uL dispensed: 5 from 0, 5 from 39, 20 from 5
Replicate 2 (Peak Stored) Time: 02:26
Peak Area (A-s): 0.089 Peak Height (A): 0.129
Background Pk Area (A-s): 0.054 Background Pk Height (A): 0.071
Blank Corrected Pk Area (A-s): 0.089
Concentration (ug/L): 58.1

Mean Conc (ug/L): 58.9 SD: 1.13 RSD(%): 1.92

QC sample is within range 48.0 - 72.0

~~~~~  
T1 ID: CCB Seq. No.: 00019 A/S Pos.: 0 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 0  
Replicate 1 Time: 02:29  
Peak Area (A-s): 0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.006 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): 0.000  
Concentration (ug/L ): 0.1

uL dispensed: 5 from 0, 5 from 39, 20 from 0  
Replicate 2 (Peak Stored) Time: 02:32  
Peak Area (A-s): 0.001 Peak Height (A): 0.005

Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.4

Mean Conc (ug/L ): 0.2 SD: 0.24 RSD(%): 99.14

QC sample is within range -2.0 - 2.0

~~~~~  
T1 ID: 183-3-4B Seq. No.: 00020 A/S Pos.: 13 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 13
Replicate 1 Time: 02:35
Peak Area (A-s): 0.003 Peak Height (A): 0.006
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.5

uL dispensed: 5 from 0, 5 from 39, 20 from 13
Replicate 2 (Peak Stored) Time: 02:38
Peak Area (A-s): 0.003 Peak Height (A): 0.006
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.005
Blank Corrected Pk Area (A-s): 0.003
Concentration (ug/L): 1.7

Mean Conc (ug/L): 1.6 SD: 0.15 RSD(%): 9.45

~~~~~  
T1 ID: 183-3-5B Seq. No.: 00021 A/S Pos.: 14 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 14  
Replicate 1 Time: 02:41  
Peak Area (A-s): 0.003 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.002  
Concentration (ug/L ): 1.4

uL dispensed: 5 from 0, 5 from 39, 20 from 14  
Replicate 2 (Peak Stored) Time: 02:43  
Peak Area (A-s): 0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.6

Mean Conc (ug/L ): 1.0 SD: 0.61 RSD(%): 61.98

~~~~~  
T1 ID: 183-3-6B Seq. No.: 00022 A/S Pos.: 15 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 15
Replicate 1 Time: 02:46
Peak Area (A-s): 0.002 Peak Height (A): 0.006
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.007
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.2

uL dispensed: 5 from 0, 5 from 39, 20 from 15
Replicate 2 (Peak Stored) Time: 02:49
Peak Area (A-s): 0.002 Peak Height (A): 0.007

Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.8

Mean Conc (ug/L): 1.0 SD: 0.31 RSD(%): 30.76

~~~~~  
T1 ID: 183-3-7B Seq. No.: 00023 A/S Pos.: 16 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 16  
Replicate 1 Time: 02:52  
Peak Area (A-s): 0.001 Peak Height (A): 0.007  
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.4

uL dispensed: 5 from 0, 5 from 39, 20 from 16  
Replicate 2 (Peak Stored) Time: 02:55  
Peak Area (A-s): 0.003 Peak Height (A): 0.008  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): 0.003  
Concentration (ug/L ): 1.7

Mean Conc (ug/L ): 1.1 SD: 0.92 RSD(%): 87.50

~~~~~  
T1 ID: 183-3-8B Seq. No.: 00024 A/S Pos.: 17 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 17
Replicate 1 Time: 02:58
Peak Area (A-s): 0.002 Peak Height (A): 0.005
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.007
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.2

uL dispensed: 5 from 0, 5 from 39, 20 from 17
Replicate 2 (Peak Stored) Time: 03:01
Peak Area (A-s): 0.002 Peak Height (A): 0.005
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.9

Mean Conc (ug/L): 1.1 SD: 0.25 RSD(%): 23.73

~~~~~  
T1 ID: 183-3-1BC Seq. No.: 00025 A/S Pos.: 18 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 18  
Replicate 1 Time: 03:04  
Peak Area (A-s): 0.003 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.005 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): 0.002  
Concentration (ug/L ): 1.3

uL dispensed: 5 from 0, 5 from 39, 20 from 18  
Replicate 2 (Peak Stored) Time: 03:07  
Peak Area (A-s): 0.000 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.008  
Blank Corrected Pk Area (A-s): -0.000

Concentration (ug/L) : 0.6

Mean Conc (ug/L) : 0.6 SD: 1.12 RSD(%): 201.09

T1 ID: 183-3-2C Seq. No.: 00026 A/S Pos.: 19 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 19
Replicate 1 Time: 03:09
Peak Area (A-s): -0.002 Peak Height (A): 0.005
Background Pk Area (A-s): 0.005 Background Pk Height (A): 0.007
Blank Corrected Pk Area (A-s): -0.002
Concentration (ug/L) : -1.4

uL dispensed: 5 from 0, 5 from 39, 20 from 19
Replicate 2 (Peak Stored) Time: 03:12
Peak Area (A-s): 0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.007
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L) : 0.5

Mean Conc (ug/L) : -0.5 SD: 1.31 RSD(%): 284.88

T1 ID: 183-3-2C PDS Seq. No.: 00027 A/S Pos.: 19 Date: 09/29/97

uL dispensed: 5 from 39, 5 from 2, 20 from 19
Replicate 1 Time: 03:15
Peak Area (A-s): 0.033 Peak Height (A): 0.053
Background Pk Area (A-s): 0.021 Background Pk Height (A): 0.029
Blank Corrected Pk Area (A-s): 0.032
Concentration (ug/L) : 21.0

uL dispensed: 5 from 39, 5 from 2, 20 from 19
Replicate 2 (Peak Stored) Time: 03:18
Peak Area (A-s): 0.036 Peak Height (A): 0.054
Background Pk Area (A-s): 0.020 Background Pk Height (A): 0.032
Blank Corrected Pk Area (A-s): 0.036
Concentration (ug/L) : 23.3

Mean Conc (ug/L) : 22.2 SD: 1.61 RSD(%): 7.27

Recovery is 79% (90.6% with 10.4-97cc)

T1 ID: 183-3-2C L Seq. No.: 00028 A/S Pos.: 20 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 20
Replicate 1 Time: 03:21
Peak Area (A-s): -0.002 Peak Height (A): 0.005
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): -0.002
Concentration (ug/L) : -1.3

uL dispensed: 5 from 0, 5 from 39, 20 from 20
Replicate 2 (Peak Stored) Time: 03:24
Peak Area (A-s): -0.002 Peak Height (A): 0.007
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.005
Blank Corrected Pk Area (A-s): -0.002

Mean Conc (ug/L ): -1.3 SD: 0.02 RSD(%): 1.60

T1 ID: 183-3-2C L NR Seq. No.: 00029 A/S Pos.: 20 Date: 09/29/97

uL dispensed: 5 from 39, 5 from 2, 20 from 20  
Replicate 1 Time: 03:27  
Peak Area (A-s): 0.018 Peak Height (A): 0.021  
Background Pk Area (A-s): 0.014 Background Pk Height (A): 0.014  
Blank Corrected Pk Area (A-s): 0.018  
Concentration (ug/L ): 11.7

uL dispensed: 5 from 39, 5 from 2, 20 from 20  
Replicate 2 (Peak Stored) Time: 03:30  
Peak Area (A-s): 0.024 Peak Height (A): 0.021  
Background Pk Area (A-s): 0.011 Background Pk Height (A): 0.013  
Blank Corrected Pk Area (A-s): 0.024  
Concentration (ug/L ): 15.6

Mean Conc (ug/L ): 13.6 SD: 2.80 RSD(%): 20.55

Recovery is 59.9% (outside of specified limits)

T1 ID: 183-3-2C L N/A Seq. No.: 00030 A/S Pos.: 20 Date: 09/29/97

uL dispensed: 5 from 39, 5 from 2, 20 from 20  
Replicate 1 Time: 03:33  
Peak Area (A-s): 0.019 Peak Height (A): 0.023  
Background Pk Area (A-s): 0.013 Background Pk Height (A): 0.013  
Blank Corrected Pk Area (A-s): 0.019  
Concentration (ug/L ): 12.3

uL dispensed: 5 from 39, 5 from 2, 20 from 20  
Replicate 2 (Peak Stored) Time: 03:36  
Peak Area (A-s): 0.022 Peak Height (A): 0.019  
Background Pk Area (A-s): 0.013 Background Pk Height (A): 0.014  
Blank Corrected Pk Area (A-s): 0.021  
Concentration (ug/L ): 13.7

Mean Conc (ug/L ): 13.0 SD: 1.05 RSD(%): 8.06

Recovery is 57.3% (outside of specified limits)

T1 ID: CCV=60ug/L Seq. No.: 00031 A/S Pos.: 5 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 5  
Replicate 1 Time: 03:39  
Peak Area (A-s): 0.044 Peak Height (A): 0.046  
Background Pk Area (A-s): 0.028 Background Pk Height (A): 0.026  
Blank Corrected Pk Area (A-s): 0.043  
Concentration (ug/L ): 28.2

cmr 7660

uL dispensed: 5 from 0, 5 from 39, 20 from 5  
Replicate 2 (Peak Stored) Time: 03:42  
Peak Area (A-s): 0.043 Peak Height (A): 0.044

210-44726



Blank Corrected Pk Area (A-s): 0.043  
Concentration (ug/L ): 27.9

Mean Conc (ug/L ): 28.1 SD: 0.17 RSD(%): 0.60

QC sample is out of range 48.0 - 72.0

~~~~~  
T1 ID: CCB Seq. No.: 00032 A/S Pos.: 0 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 0

~~~~~  
T1 ID: CCV=60ug/L Seq. No.: 00033 A/S Pos.: 5 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 5

Replicate 1 Time: 03:50  
Peak Area (A-s): 0.093 Peak Height (A): 0.088  
Background Pk Area (A-s): 0.069 Background Pk Height (A): 0.166  
Blank Corrected Pk Area (A-s): 0.092  
Concentration (ug/L ): 60.3

uL dispensed: 5 from 0, 5 from 39, 20 from 5

Replicate 2 (Peak Stored) Time: 03:53  
Peak Area (A-s): 0.091 Peak Height (A): 0.091  
Background Pk Area (A-s): 0.049 Background Pk Height (A): 0.049  
Blank Corrected Pk Area (A-s): 0.091  
Concentration (ug/L ): 59.3

Mean Conc (ug/L ): 59.8 SD: 0.69 RSD(%): 1.16

QC sample is within range 48.0 - 72.0

~~~~~  
T1 ID: CCB Seq. No.: 00034 A/S Pos.: 0 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 0

Replicate 1 Time: 03:56
Peak Area (A-s): -0.000 Peak Height (A): 0.006
Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.005
Blank Corrected Pk Area (A-s): -0.001
Concentration (ug/L): -0.5

uL dispensed: 5 from 0, 5 from 39, 20 from 0

Replicate 2 (Peak Stored) Time: 03:58
Peak Area (A-s): 0.002 Peak Height (A): 0.005
Background Pk Area (A-s): -0.001 Background Pk Height (A): 0.005
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.9

Mean Conc (ug/L): 0.2 SD: 1.03 RSD(%): 494.35

QC sample is within range -2.0 - 2.0

~~~~~  
T1 ID: 183-3-3C Seq. No.: 00035 A/S Pos.: 21 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 21

Replicate 1 Time: 04:01

Background Pk Area (A-s): 0.002      Background Pk Height (A): 0.005  
Blank Corrected Pk Area (A-s): -0.002  
Concentration (ug/L ): -1.2

uL dispensed: 5 from 0, 5 from 39, 20 from 21  
Replicate 2 (Peak Stored)      Time: 04:04  
Peak Area (A-s): 0.001      Peak Height (A): 0.007  
Background Pk Area (A-s): -0.000      Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.4

Mean Conc (ug/L ):      -0.4      SD: 1.11      RSD(%): 299.46

~~~~~  
T1 ID: 183-3-4C Seq. No.: 00036 A/S Pos.: 22 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 22
Replicate 1 Time: 04:07
Peak Area (A-s): 0.001 Peak Height (A): 0.005
Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.007
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.4

uL dispensed: 5 from 0, 5 from 39, 20 from 22
Replicate 2 (Peak Stored) Time: 04:10
Peak Area (A-s): -0.002 Peak Height (A): 0.006
Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): -0.002
Concentration (ug/L): -1.5

Mean Conc (ug/L): -0.6 SD: 1.37 RSD(%): 243.44

~~~~~  
T1      ID: 183-3-5BC      Seq. No.: 00037      A/S Pos.: 23      Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 23  
Replicate 1      Time: 04:13  
Peak Area (A-s): 0.001      Peak Height (A): 0.006  
Background Pk Area (A-s): -0.002      Background Pk Height (A): 0.009  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.5

uL dispensed: 5 from 0, 5 from 39, 20 from 23  
Replicate 2 (Peak Stored)      Time: 04:16  
Peak Area (A-s): 0.003      Peak Height (A): 0.008  
Background Pk Area (A-s): -0.001      Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): 0.003  
Concentration (ug/L ): 1.8

Mean Conc (ug/L ):      1.2      SD: 0.94      RSD(%): 79.50

~~~~~  
T1 ID: 183-3-6C Seq. No.: 00038 A/S Pos.: 24 Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 24
Replicate 1 Time: 04:19
Peak Area (A-s): -0.000 Peak Height (A): 0.005
Background Pk Area (A-s): -0.001 Background Pk Height (A): 0.004

Concentration (ug/L): -0.6

uL dispensed: 5 from 0, 5 from 39, 20 from 24

Replicate 2 (Peak Stored)

Time: 04:22

Peak Area (A-s): 0.002

Peak Height (A): 0.006

Background Pk Area (A-s): -0.002

Background Pk Height (A): 0.006

Blank Corrected Pk Area (A-s): 0.002

Concentration (ug/L): 1.1

Mean Conc (ug/L): 0.2

SD: 1.19

RSD(%): 477.58

T1 ID: 183-3-7C

Seq. No.: 00039

A/S Pos.: 25

Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 25

Replicate 1

Time: 04:25

Peak Area (A-s): -0.001

Peak Height (A): 0.005

Background Pk Area (A-s): 0.000

Background Pk Height (A): 0.005

Blank Corrected Pk Area (A-s): -0.001

Concentration (ug/L): -0.8

uL dispensed: 5 from 0, 5 from 39, 20 from 25

Replicate 2 (Peak Stored)

Time: 04:28

Peak Area (A-s): 0.000

Peak Height (A): 0.005

Background Pk Area (A-s): 0.000

Background Pk Height (A): 0.006

Blank Corrected Pk Area (A-s): -0.000

Concentration (ug/L): -0.3

Mean Conc (ug/L): -0.6

SD: 0.34

RSD(%): 60.89

T1 ID: 183-3-8C

Seq. No.: 00040

A/S Pos.: 26

Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 26

Replicate 1

Time: 04:31

Peak Area (A-s): 0.003

Peak Height (A): 0.006

Background Pk Area (A-s): -0.002

Background Pk Height (A): 0.004

Blank Corrected Pk Area (A-s): 0.002

Concentration (ug/L): 1.6

uL dispensed: 5 from 0, 5 from 39, 20 from 26

Replicate 2 (Peak Stored)

Time: 04:34

Peak Area (A-s): 0.000

Peak Height (A): 0.005

Background Pk Area (A-s): -0.000

Background Pk Height (A): 0.006

Blank Corrected Pk Area (A-s): -0.000

Concentration (ug/L): -0.1

Mean Conc (ug/L): 0.8

SD: 1.19

RSD(%): 156.83

T1 ID: CCV=60ug/L

Seq. No.: 00041

A/S Pos.: 5

Date: 09/29/97

uL dispensed: 5 from 0, 5 from 39, 20 from 5

Replicate 1

Time: 04:37

Peak Area (A-s): 0.087

Peak Height (A): 0.093

Background Pk Area (A-s): 0.049

Background Pk Height (A): 0.055

Blank Corrected Pk Area (A-s): 0.087

Concentration (ug/L): 56.8

Replicate 2 (Peak Stored)
Peak Area (A-s): 0.088
Background Pk Area (A-s): 0.049
Blank Corrected Pk Area (A-s): 0.088
Concentration (ug/L): 57.4

Time: 04:40
Peak Height (A): 0.096
Background Pk Height (A): 0.053

Mean Conc (ug/L): 57.1 SD: 0.40 RSD(%): 0.70

QC sample is within range 48.0 - 72.0

~~~~~  
T1 ID: CCB Seq. No.: 00042 A/S Pos.: 0 Date: 09/29/9

uL dispensed: 5 from 0, 5 from 39, 20 from 0

Replicate 1  
Peak Area (A-s): -0.002  
Background Pk Area (A-s): 0.001  
Blank Corrected Pk Area (A-s): -0.003  
Concentration (ug/L ): -1.8

Time: 04:43  
Peak Height (A): 0.006  
Background Pk Height (A): 0.006

uL dispensed: 5 from 0, 5 from 39, 20 from 0

Replicate 2 (Peak Stored)  
Peak Area (A-s): 0.000  
Background Pk Area (A-s): 0.001  
Blank Corrected Pk Area (A-s): -0.000  
Concentration (ug/L ): -0.3

Time: 04:45  
Peak Height (A): 0.005  
Background Pk Height (A): 0.006

Mean Conc (ug/L ): -1.1 SD: 1.10 RSD(%): 102.55

QC sample is within range -2.0 - 2.0

Loc. Concentration

Solutions

|    |            |                                    |
|----|------------|------------------------------------|
| 0  |            | Calib. Blank / Diluent / ICB / CCB |
| 1  | 50.0 ug/L  | Stock 1-60-8P                      |
| 2  | 100.0 ug/L | Stock / Recovery Stock 1-60-9P     |
| 4  |            | ICV=30ug/L 1-60-10P                |
| 5  |            | CCV=60ug/L 1-60-11P                |
| 6  |            | CHECK LO                           |
| 7  |            | 43231 MB                           |
| 8  |            | 43231 LCS                          |
| 9  |            | 184-23-1AB                         |
| 10 |            | 184-23-2AB                         |
| 11 |            | 184-23-2AB L                       |
| 12 |            | 184-23-3AB                         |
| 13 |            | 184-23-4AB                         |
| 14 |            | 184-23-6AB                         |
| 15 |            | 184-23-7AB                         |
| 16 |            | 184-23-8AB                         |
| 17 |            | 184-23-9AB                         |
| 18 |            | 184-23-10AB 5                      |
| 19 |            | 183-15-1C                          |
| 20 |            | 183-15-1B                          |
| 39 |            | Modifier 1                         |

10/7/97 MHA

MSA Data USED For 7AB, 9AB +  
3-18C  
183-15-10B calibrated

\* Only 1 run of MSA's  
completed due to instrument  
problems

DKH 10/13/97

Element: File: TL.GEL  
Date: 10/07/97  
Data File: EB165.DAT  
Technique: HGA

Element: T1  
Time: 05:56  
ID/Wt File: EB165.IDW  
Calib. Type: Nonlinear

Wavelength: 276.8  
Slit: 0.70 L  
Lamp Current: 0  
Energy: 53

T1 ID: STD BLK Seq. No.: 00001 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 0  
Replicate 1 Time: 05:58  
Peak Area (A-s): -0.000 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.015 Background Pk Height (A): 0.011  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.6

uL dispensed: 5 from 0, 5 from 39, 20 from 0  
Replicate 2 (Peak Stored) Time: 06:01  
Peak Area (A-s): -0.002 Peak Height (A): 0.007  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): -0.001  
Concentration (ug/L ): -0.6

Mean Conc (ug/L ): -0.0 SD: 0.87 RSD(%): 7113.54

Auto-zero performed.

T1 ID: STD1=25ug/L Seq. No.: 00002 A/S Pos.: 1 Date: 10/07/97

uL dispensed: 15 from 0, 5 from 39, 10 from 1  
Replicate 1 Time: 06:04  
Peak Area (A-s): 0.035 Peak Height (A): 0.062  
Background Pk Area (A-s): 0.023 Background Pk Height (A): 0.035  
Blank Corrected Pk Area (A-s): 0.036  
Concentration (ug/L ): 21.6

uL dispensed: 15 from 0, 5 from 39, 10 from 1  
Replicate 2 (Peak Stored) Time: 06:07  
Peak Area (A-s): 0.034 Peak Height (A): 0.056  
Background Pk Area (A-s): 0.025 Background Pk Height (A): 0.035  
Blank Corrected Pk Area (A-s): 0.035  
Concentration (ug/L ): 21.0

Mean Conc (ug/L ): 21.3 SD: 0.41 RSD(%): 1.92

Standard number 1 applied. [25.0]  
Correlation coefficient: 1.00000 Slope: 0.0014

T1 ID: STD2=50ug/L Seq. No.: 00003 A/S Pos.: 1 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 1  
Replicate 1 Time: 06:10  
Peak Area (A-s): 0.072 Peak Height (A): 0.116  
Background Pk Area (A-s): 0.045 Background Pk Height (A): 0.072  
Blank Corrected Pk Area (A-s): 0.073  
Concentration (ug/L ): 51.3

uL dispensed: 5 from 0, 5 from 39, 20 from 2  
Replicate 2 (Peak Stored)  
Peak Area (A-s): 0.072  
Background Pk Area (A-s): 0.044  
Blank Corrected Pk Area (A-s): 0.074  
Concentration (ug/L ): 51.6

Time: 06:13  
Peak Height (A): 0.113  
Background Pk Height (A): 0.070

Mean Conc (ug/L ): 51.5 SD: 0.22 RSD(%): 0.42

Standard number 2 applied. [50.0]  
Correlation coefficient: 1.00000 Slope: 0.0014

~~~~~  
T1 ID: STD3=100ug/L Seq. No.: 00004 A/S Pos.: 2 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 2
Replicate 1
Peak Area (A-s): 0.134
Background Pk Area (A-s): 0.082
Blank Corrected Pk Area (A-s): 0.135
Concentration (ug/L): 88.1


Time: 06:16
Peak Height (A): 0.218
Background Pk Height (A): 0.134

uL dispensed: 5 from 0, 5 from 39, 20 from 2
Replicate 2 (Peak Stored)
Peak Area (A-s): 0.137
Background Pk Area (A-s): 0.081
Blank Corrected Pk Area (A-s): 0.138
Concentration (ug/L): 90.0

Time: 06:19
Peak Height (A): 0.215
Background Pk Height (A): 0.129

Mean Conc (ug/L): 89.0 SD: 1.36 RSD(%): 1.53

S-shaped calibration curve detected. 2-coef. equation used.
Standard number 3 applied. [100.0]
Correlation coefficient: 0.99944 Slope: 0.0015



Element File: TL.GEL
Date: 10/07/97
Data File: EB165.DAT
Technique: HGA

Element: T1
Time: 06:20
ID/Wt File: EB165.IDW
Calib. Type: Nonlinear

Wavelength: 276.8
Slit: 0.70 L
Lamp Current: 0
Energy: 53

T1 ID: ICV=30ug/L Seq. No.: 00005 A/S Pos.: 4 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 4

Replicate 1 Time: 06:23
Peak Area (A-s): 0.044 Peak Height (A): 0.074
Background Pk Area (A-s): 0.027 Background Pk Height (A): 0.042
Blank Corrected Pk Area (A-s): 0.045
Concentration (ug/L): 31.2

uL dispensed: 5 from 0, 5 from 39, 20 from 4

Replicate 2 (Peak Stored) Time: 06:26
Peak Area (A-s): 0.043 Peak Height (A): 0.069
Background Pk Area (A-s): 0.028 Background Pk Height (A): 0.039
Blank Corrected Pk Area (A-s): 0.044
Concentration (ug/L): 30.2

Mean Conc (ug/L): 30.7 SD: 0.66 RSD(%): 2.15

QC sample is within range 27.0 - 33.0

T1 ID: ICB Seq. No.: 00006 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 0

Replicate 1 Time: 06:29
Peak Area (A-s): 0.001 Peak Height (A): 0.006
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.5

uL dispensed: 5 from 0, 5 from 39, 20 from 0

Replicate 2 (Peak Stored) Time: 06:32
Peak Area (A-s): -0.001 Peak Height (A): 0.006
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.000
Concentration (ug/L): 0.2

Mean Conc (ug/L): 0.9 SD: 0.98 RSD(%): 114.92

QC sample is within range -2.0 - 2.0

T1 ID: CHECK LO Seq. No.: 00007 A/S Pos.: 6 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 6

Replicate 1 Time: 06:35
Peak Area (A-s): 0.005 Peak Height (A): 0.014
Background Pk Area (A-s): 0.008 Background Pk Height (A): 0.011
Blank Corrected Pk Area (A-s): 0.007
Concentration (ug/L): 4.5

uL dispensed: 5 from 0, 5 from 39, 20 from 6

Peak Area (A-s): 0.007
Background Pk Area (A-s): 0.008
Blank Corrected Pk Area (A-s): 0.009
Concentration (ug/L): 5.8

Peak Height (A): 0.013
Background Pk Height (A): 0.009

Mean Conc (ug/L): 5.2 SD: 0.95 RSD(%): 18.40

T1 ID: 43231 MB Seq. No.: 00008 A/S Pos.: 7 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 7
Replicate 1 Time: 06:40
Peak Area (A-s): 0.002 Peak Height (A): 0.006
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.007
Blank Corrected Pk Area (A-s): 0.003
Concentration (ug/L): 2.0

uL dispensed: 5 from 0, 5 from 39, 20 from 7
Replicate 2 (Peak Stored) Time: 06:43
Peak Area (A-s): 0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.3

Mean Conc (ug/L): 1.6 SD: 0.51 RSD(%): 31.03

T1 ID: 43231 LCS Seq. No.: 00009 A/S Pos.: 8 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 8
Replicate 1 Time: 06:46
Peak Area (A-s): 0.065 Peak Height (A): 0.097
Background Pk Area (A-s): 0.040 Background Pk Height (A): 0.058
Blank Corrected Pk Area (A-s): 0.066
Concentration (ug/L): 46.1

uL dispensed: 5 from 0, 5 from 39, 20 from 8
Replicate 2 (Peak Stored) Time: 06:49
Peak Area (A-s): 0.064 Peak Height (A): 0.098
Background Pk Area (A-s): 0.040 Background Pk Height (A): 0.058
Blank Corrected Pk Area (A-s): 0.065
Concentration (ug/L): 45.2

Mean Conc (ug/L): 45.6 SD: 0.60 RSD(%): 1.32

T1 ID: 184-23-1AB Seq. No.: 00010 A/S Pos.: 9 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 9
Replicate 1 Time: 06:52
Peak Area (A-s): 0.004 Peak Height (A): 0.008
Background Pk Area (A-s): 0.639 Background Pk Height (A): 0.287
Blank Corrected Pk Area (A-s): 0.005
Concentration (ug/L): 3.5

uL dispensed: 5 from 0, 5 from 39, 20 from 9
Replicate 2 (Peak Stored) Time: 06:55
Peak Area (A-s): 0.003 Peak Height (A): 0.009

Blank Corrected Pk Area (A-s): 0.004
Concentration (ug/L): 2.9

Mean Conc (ug/L): 3.2 SD: 0.40 RSD(%): 12.26

T1 ID: 184-23-2AB Seq. No.: 00011 A/S Pos.: 10 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 10
Replicate 1 Time: 06:58
Peak Area (A-s): 0.005 Peak Height (A): 0.010
Background Pk Area (A-s): 1.068 Background Pk Height (A): 0.559
Blank Corrected Pk Area (A-s): 0.006
Concentration (ug/L): 4.4

uL dispensed: 5 from 0, 5 from 39, 20 from 10
Replicate 2 (Peak Stored) Time: 07:01
Peak Area (A-s): 0.004 Peak Height (A): 0.010
Background Pk Area (A-s): 1.042 Background Pk Height (A): 0.415
Blank Corrected Pk Area (A-s): 0.006
Concentration (ug/L): 3.7

Mean Conc (ug/L): 4.1 SD: 0.46 RSD(%): 11.21

T1 ID: 184-23-2AB PDS Seq. No.: 00012 A/S Pos.: 10 Date: 10/07/97

uL dispensed: 5 from 39, 5 from 2, 20 from 10
Replicate 1 Time: 07:04
Peak Area (A-s): 0.005 Peak Height (A): 0.011
Background Pk Area (A-s): 1.043 Background Pk Height (A): 0.421
Blank Corrected Pk Area (A-s): 0.007
Concentration (ug/L): 4.5

uL dispensed: 5 from 39, 5 from 2, 20 from 10
Replicate 2 (Peak Stored) Time: 07:07
Peak Area (A-s): 0.007 Peak Height (A): 0.009
Background Pk Area (A-s): 0.973 Background Pk Height (A): 0.404
Blank Corrected Pk Area (A-s): 0.008
Concentration (ug/L): 5.6

Mean Conc (ug/L): 5.0 SD: 0.73 RSD(%): 14.38

Recovery is 3.9% (outside of specified limits)

T1 ID: 184-23-2AB L Seq. No.: 00013 A/S Pos.: 11 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 11
Replicate 1 Time: 07:09
Peak Area (A-s): 0.002 Peak Height (A): 0.008
Background Pk Area (A-s): 0.268 Background Pk Height (A): 0.139
Blank Corrected Pk Area (A-s): 0.004
Concentration (ug/L): 2.5

uL dispensed: 5 from 0, 5 from 39, 20 from 11
Replicate 2 (Peak Stored) Time: 07:12
Peak Area (A-s): 0.001 Peak Height (A): 0.011

Background Pk Area (A-s): 0.000
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.4

Background Pk Height (A): 0.101

Mean Conc (ug/L): 1.9 SD: 0.72 RSD(%): 37.14

~~~~~  
T1 ID: 184-23-2AB L Seq. No.: 00014 A/S Pos.: 11 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 11  
Replicate 1 Time: 07:15  
Peak Area (A-s): 0.002 Peak Height (A): 0.013  
Background Pk Area (A-s): 0.257 Background Pk Height (A): 0.145  
Blank Corrected Pk Area (A-s): 0.003  
Concentration (ug/L ): 1.9

uL dispensed: 5 from 0, 5 from 39, 20 from 11  
Replicate 2 (Peak Stored) Time: 07:18  
Peak Area (A-s): 0.005 Peak Height (A): 0.012  
Background Pk Area (A-s): 0.259 Background Pk Height (A): 0.148  
Blank Corrected Pk Area (A-s): 0.006  
Concentration (ug/L ): 4.3

Mean Conc (ug/L ): 3.1 SD: 1.74 RSD(%): 56.01

~~~~~  
T1 ID: 184-23-2AB L Seq. No.: 00015 A/S Pos.: 11 Date: 10/07/97

uL dispensed: 5 from 39, 5 from 2, 20 from 11
Replicate 1 Time: 07:21
Peak Area (A-s): 0.005 Peak Height (A): 0.016
Background Pk Area (A-s): 0.288 Background Pk Height (A): 0.158
Blank Corrected Pk Area (A-s): 0.006
Concentration (ug/L): 4.2

uL dispensed: 5 from 39, 5 from 2, 20 from 11
Replicate 2 (Peak Stored) Time: 07:24
Peak Area (A-s): 0.006 Peak Height (A): 0.014
Background Pk Area (A-s): 0.306 Background Pk Height (A): 0.168
Blank Corrected Pk Area (A-s): 0.007
Concentration (ug/L): 5.1

Mean Conc (ug/L): 4.7 SD: 0.58 RSD(%): 12.52

Recovery is 6.1% (outside of specified limits)

~~~~~  
T1 ID: 184-23-3AB Seq. No.: 00016 A/S Pos.: 12 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 12  
Replicate 1 Time: 07:27  
Peak Area (A-s): 0.015 Peak Height (A): 0.024  
Background Pk Area (A-s): 1.116 Background Pk Height (A): 0.484  
Blank Corrected Pk Area (A-s): 0.016  
Concentration (ug/L ): 10.8

uL dispensed: 5 from 0, 5 from 39, 20 from 12  
Replicate 2 (Peak Stored) Time: 07:29  
Peak Area (A-s): 0.013 Peak Height (A): 0.020

Background Pk Area (A-s): 0.777  
Blank Corrected Pk Area (A-s): 0.014  
Concentration (ug/L ): 9.4

Background Pk Height (A): 0.007

Mean Conc (ug/L ): 10.1 SD: 0.97 RSD(%): 9.61

~~~~~  
T1 ID: CCV=60ug/L Seq. No.: 00017 A/S Pos.: 5 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 5
Replicate 1 Time: 07:32
Peak Area (A-s): 0.078 Peak Height (A): 0.184
Background Pk Area (A-s): 0.053 Background Pk Height (A): 0.113
Blank Corrected Pk Area (A-s): 0.079
Concentration (ug/L): 55.6

uL dispensed: 5 from 0, 5 from 39, 20 from 5
Replicate 2 (Peak Stored) Time: 07:35
Peak Area (A-s): 0.086 Peak Height (A): 0.182
Background Pk Area (A-s): 0.053 Background Pk Height (A): 0.106
Blank Corrected Pk Area (A-s): 0.087
Concentration (ug/L): 61.4

Mean Conc (ug/L): 58.5 SD: 4.12 RSD(%): 7.04

QC sample is within range 48.0 - 72.0

~~~~~  
T1 ID: CCB Seq. No.: 00018 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 0  
Replicate 1 Time: 07:38  
Peak Area (A-s): -0.000 Peak Height (A): 0.007  
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.6

uL dispensed: 5 from 0, 5 from 39, 20 from 0  
Replicate 2 (Peak Stored) Time: 07:41  
Peak Area (A-s): -0.000 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.8

Mean Conc (ug/L ): 0.7 SD: 0.12 RSD(%): 17.13

QC sample is within range -2.0 - 2.0

~~~~~  
T1 ID: 184-23-4AB Seq. No.: 00019 A/S Pos.: 13 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 13
Replicate 1 Time: 07:44
Peak Area (A-s): 0.002 Peak Height (A): 0.008
Background Pk Area (A-s): 0.066 Background Pk Height (A): 0.051
Blank Corrected Pk Area (A-s): 0.003
Concentration (ug/L): 2.2

uL dispensed: 5 from 0, 5 from 39, 20 from 13

Peak Area (A-s): -0.001
Background Pk Area (A-s): 0.065
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.4

Peak Height (A): 0.006
Background Pk Height (A): 0.051

Mean Conc (ug/L): 1.3 SD: 1.27 RSD(%): 94.51

T1 ID: 184-23-6AB Seq. No.: 00020 A/S Pos.: 14 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 14

Replicate 1
Peak Area (A-s): -0.002
Background Pk Area (A-s): 0.004
Blank Corrected Pk Area (A-s): -0.001
Concentration (ug/L): -0.5

Time: 07:49
Peak Height (A): 0.006
Background Pk Height (A): 0.007

uL dispensed: 5 from 0, 5 from 39, 20 from 14

Replicate 2 (Peak Stored)
Peak Area (A-s): -0.002
Background Pk Area (A-s): 0.003
Blank Corrected Pk Area (A-s): -0.000
Concentration (ug/L): -0.3

Time: 07:52
Peak Height (A): 0.006
Background Pk Height (A): 0.006

Mean Conc (ug/L): -0.4 SD: 0.18 RSD(%): 46.67

T1 ID: 184-23-7AB Seq. No.: 00021 A/S Pos.: 15 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 15

Replicate 1
Peak Area (A-s): -0.001
Background Pk Area (A-s): 0.004
Blank Corrected Pk Area (A-s): -0.000
Concentration (ug/L): -0.1

Time: 07:55
Peak Height (A): 0.008
Background Pk Height (A): 0.006

uL dispensed: 5 from 0, 5 from 39, 20 from 15

Replicate 2 (Peak Stored)
Peak Area (A-s): 0.000
Background Pk Area (A-s): 0.005
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.9

Time: 07:58
Peak Height (A): 0.006
Background Pk Height (A): 0.007

Mean Conc (ug/L): 0.4 SD: 0.73 RSD(%): 195.77

T1 ID: 184-23-8AB Seq. No.: 00022 A/S Pos.: 16 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 16

Replicate 1
Peak Area (A-s): -0.000
Background Pk Area (A-s): 0.003
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.6

Time: 08:01
Peak Height (A): 0.009
Background Pk Height (A): 0.006

uL dispensed: 5 from 0, 5 from 39, 20 from 16

Replicate 2 (Peak Stored)
Peak Area (A-s): 0.002

Time: 08:04
Peak Height (A): 0.006

Blank Corrected Pk Area (A-s): 0.003
Concentration (ug/L): 1.9

Mean Conc (ug/L): 1.3 SD: 0.92 RSD(%): 71.00

T1 ID: 184-23-9AB Seq. No.: 00023 A/S Pos.: 17 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 17
Replicate 1 Time: 08:07
Peak Area (A-s): 0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.2

uL dispensed: 5 from 0, 5 from 39, 20 from 17
Replicate 2 (Peak Stored) Time: 08:10
Peak Area (A-s): -0.002 Peak Height (A): 0.007
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): -0.001
Concentration (ug/L): -0.4

Mean Conc (ug/L): 0.4 SD: 1.10 RSD(%): 272.77

T1 ID: 184-23-10AB 5 Seq. No.: 00024 A/S Pos.: 18 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 18
Replicate 1 Time: 08:12
Peak Area (A-s): 0.001 Peak Height (A): 0.006
Background Pk Area (A-s): 0.095 Background Pk Height (A): 0.069
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.6

uL dispensed: 5 from 0, 5 from 39, 20 from 18
Replicate 2 (Peak Stored) Time: 08:15
Peak Area (A-s): 0.003 Peak Height (A): 0.007
Background Pk Area (A-s): 0.089 Background Pk Height (A): 0.064
Blank Corrected Pk Area (A-s): 0.004
Concentration (ug/L): 2.6

Mean Conc (ug/L): 2.1 SD: 0.73 RSD(%): 34.37

T1 ID: 184-23-10AB 5 Seq. No.: 00025 A/S Pos.: 18 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 18
Replicate 1 Time: 08:18
Peak Area (A-s): 0.000 Peak Height (A): 0.006
Background Pk Area (A-s): 0.088 Background Pk Height (A): 0.065
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.1

uL dispensed: 5 from 0, 5 from 39, 20 from 18
Replicate 2 (Peak Stored) Time: 08:21
Peak Area (A-s): -0.001 Peak Height (A): 0.006
Background Pk Area (A-s): 0.086 Background Pk Height (A): 0.072
Blank Corrected Pk Area (A-s): 0.000

Concentration (ug/L): 0.2

Mean Conc (ug/L): 0.7 SD: 0.67 RSD(%): 103.21

T1 ID: 183-15-1C Seq. No.: 00026 A/S Pos.: 19 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 19
Replicate 1 Time: 08:24
Peak Area (A-s): -0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.008
Blank Corrected Pk Area (A-s): -0.000
Concentration (ug/L): -0.1

uL dispensed: 5 from 0, 5 from 39, 20 from 19
Replicate 2 (Peak Stored) Time: 08:27
Peak Area (A-s): -0.000 Peak Height (A): 0.007
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.005
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.7

Mean Conc (ug/L): 0.3 SD: 0.56 RSD(%): 201.63

T1 ID: 183-15-1B^D Seq. No.: 00027 A/S Pos.: 20 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 20
Replicate 1 Time: 08:30
Peak Area (A-s): 0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.002
Concentration (ug/L): 1.4

uL dispensed: 5 from 0, 5 from 39, 20 from 20
Replicate 2 (Peak Stored) Time: 08:33
Peak Area (A-s): -0.001 Peak Height (A): 0.008
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): 0.001
Concentration (ug/L): 0.5

Mean Conc (ug/L): 0.9 SD: 0.65 RSD(%): 69.38

T1 ID: CCV=60ug/L Seq. No.: 00028 A/S Pos.: 5 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 5
Replicate 1 Time: 08:36
Peak Area (A-s): 0.085 Peak Height (A): 0.156
Background Pk Area (A-s): 0.048 Background Pk Height (A): 0.089
Blank Corrected Pk Area (A-s): 0.086
Concentration (ug/L): 60.8

uL dispensed: 5 from 0, 5 from 39, 20 from 5
Replicate 2 (Peak Stored) Time: 08:39
Peak Area (A-s): 0.075 Peak Height (A): 0.136
Background Pk Area (A-s): 0.044 Background Pk Height (A): 0.078
Blank Corrected Pk Area (A-s): 0.076
Concentration (ug/L): 53.7

QC sample is within range 48.0 - 72.0

~~~~~  
T1 ID: CCB Seq. No.: 00029 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 5 from 0, 5 from 39, 20 from 0

Replicate 1 Time: 08:42  
Peak Area (A-s): -0.001 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.005  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.5

uL dispensed: 5 from 0, 5 from 39, 20 from 0

Replicate 2 (Peak Stored) Time: 08:45  
Peak Area (A-s): -0.000 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.001  
Concentration (ug/L ): 0.7

Mean Conc (ug/L ): 0.6 SD: 0.17 RSD(%): 27.88

QC sample is within range -2.0 - 2.0



Element File: TL\_MSA.GEL  
Date: 10/07/97  
Data File: EB165.DAT  
Technique: HGA

Element: T1  
Time: 09:01  
ID/Wt File: EB165.IDW  
Calib. Type: Meth. of Add.

Wavelength: 276.8  
Slit: 0.70 L  
Lamp Current: 0  
Energy: 53

T1 ID: AUTO ZERO Seq. No.: 00031 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 1 Time: 09:03  
Peak Area (A-s): 0.000 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.004  
Blank Corrected Pk Area (A-s): 0.002

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 2 (Peak Stored) Time: 09:06  
Peak Area (A-s): -0.000 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.008  
Blank Corrected Pk Area (A-s): 0.001

Mean Pk Area (A-s): 0.002 SD: 0.0004 RSD(%): 26.89

Auto-zero performed.

T1 ID: 184-23-1AB Seq. No.: 00032 A/S Pos.: 9 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 9  
Replicate 1 Time: 09:09  
Peak Area (A-s): 0.000 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.293 Background Pk Height (A): 0.165  
Blank Corrected Pk Area (A-s): 0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 9  
Replicate 2 (Peak Stored) Time: 09:12  
Peak Area (A-s): 0.002 Peak Height (A): 0.011  
Background Pk Area (A-s): 0.331 Background Pk Height (A): 0.172  
Blank Corrected Pk Area (A-s): 0.002

Mean Pk Area (A-s): 0.001 SD: 0.0013 RSD(%): 102.88

T1 ID: ADD 1 50 ug/L Seq. No.: 00033 A/S Pos.: 9 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 9  
Replicate 1 Time: 09:15  
Peak Area (A-s): 0.004 Peak Height (A): 0.010  
Background Pk Area (A-s): 0.393 Background Pk Height (A): 0.195  
Blank Corrected Pk Area (A-s): 0.004

uL dispensed: 5 from 39, 10 from 1, 10 from 9  
Replicate 2 (Peak Stored) Time: 09:18  
Peak Area (A-s): 0.002 Peak Height (A): 0.009  
Background Pk Area (A-s): 0.413 Background Pk Height (A): 0.208  
Blank Corrected Pk Area (A-s): 0.002

Mean Pk Area (A-s): 0.003 SD: 0.0014 RSD(%): 50.88

T1 ID: ADD 2 100ug/L Seq. No.: 00034 A/S Pos.: 9 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 9  
Replicate 1  
Peak Area (A-s): 0.004  
Background Pk Area (A-s): 0.400  
Blank Corrected Pk Area (A-s): 0.004

Time: 09:21  
Peak Height (A): 0.009  
Background Pk Height (A): 0.214

uL dispensed: 5 from 39, 10 from 2, 10 from 9  
Replicate 2 (Peak Stored)  
Peak Area (A-s): 0.004  
Background Pk Area (A-s): 0.448  
Blank Corrected Pk Area (A-s): 0.004

Time: 09:24  
Peak Height (A): 0.012  
Background Pk Height (A): 0.214

Mean Pk Area (A-s): 0.004 SD: 0.0002 RSD(%): 5.00

Expansion >100 is not allowed. No calibration has occurred.

T1 ID: 184-23-1AB Seq. No.: 00032 A/S Pos.: 9 Date: 10/07/97

Concentration (ug/L ): -----

~~~~~  
T1 ID: AUTO ZERO Seq. No.: 00035 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0
Replicate 1
Peak Area (A-s): 0.001
Background Pk Area (A-s): 0.002
Blank Corrected Pk Area (A-s): 0.001

Time: 09:27
Peak Height (A): 0.007
Background Pk Height (A): 0.006

uL dispensed: 10 from 0, 5 from 39, 10 from 0
Replicate 2 (Peak Stored)
Peak Area (A-s): -0.001
Background Pk Area (A-s): 0.003
Blank Corrected Pk Area (A-s): -0.001

Time: 09:29
Peak Height (A): 0.007
Background Pk Height (A): 0.005

Mean Pk Area (A-s): -0.000 SD: 0.0016 RSD(%): 1425.00

Auto-zero performed.

~~~~~  
T1 ID: 184-23-2AB Seq. No.: 00036 A/S Pos.: 10 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 10  
Replicate 1  
Peak Area (A-s): 0.000  
Background Pk Area (A-s): 0.532  
Blank Corrected Pk Area (A-s): 0.000

Time: 09:32  
Peak Height (A): 0.012  
Background Pk Height (A): 0.244

uL dispensed: 10 from 0, 5 from 39, 10 from 10  
Replicate 2 (Peak Stored)  
Peak Area (A-s): 0.003  
Background Pk Area (A-s): 0.638  
Blank Corrected Pk Area (A-s): 0.003

Time: 09:35  
Peak Height (A): 0.012  
Background Pk Height (A): 0.274

Mean Pk Area (A-s): 0.002 SD: 0.0021 RSD(%): 107.86

T1 ID: ADD 1 50 ug/L Seq. No.: 00037 A/S Pos.: 10 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 10  
Replicate 1

Time: 09:38

Peak Area (A-s): 0.002  
Background Pk Area (A-s): 0.632  
Blank Corrected Pk Area (A-s): 0.002

Peak Height (A): 0.007  
Background Pk Height (A): 0.266

uL dispensed: 5 from 39, 10 from 1, 10 from 10

Replicate 2 (Peak Stored)

Time: 09:41

Peak Area (A-s): 0.003

Peak Height (A): 0.010

Background Pk Area (A-s): 0.661

Background Pk Height (A): 0.284

Blank Corrected Pk Area (A-s): 0.003

Mean Pk Area (A-s): 0.003 SD: 0.0006 RSD(%): 22.68

T1 ID: ADD 2 100ug/L Seq. No.: 00038 A/S Pos.: 10 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 10

Replicate 1

Time: 09:44

Peak Area (A-s): 0.004

Peak Height (A): 0.010

Background Pk Area (A-s): 0.664

Background Pk Height (A): 0.280

Blank Corrected Pk Area (A-s): 0.004

uL dispensed: 5 from 39, 10 from 2, 10 from 10

Replicate 2 (Peak Stored)

Time: 09:47

Peak Area (A-s): 0.001

Peak Height (A): 0.008

Background Pk Area (A-s): 0.662

Background Pk Height (A): 0.279

Blank Corrected Pk Area (A-s): 0.001

Mean Pk Area (A-s): 0.003 SD: 0.0017 RSD(%): 63.99

Expansion >100 is not allowed. No calibration has occurred.

T1 ID: 184-23-2AB Seq. No.: 00036 A/S Pos.: 10 Date: 10/07/97

Concentration (ug/L ): -----

~~~~~  
T1 ID: AUTO ZERO Seq. No.: 00039 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0

Replicate 1

Time: 09:50

Peak Area (A-s): 0.000

Peak Height (A): 0.006

Background Pk Area (A-s): 0.001

Background Pk Height (A): 0.005

Blank Corrected Pk Area (A-s): 0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 0

Replicate 2 (Peak Stored)

Time: 09:53

Peak Area (A-s): 0.000

Peak Height (A): 0.006

Background Pk Area (A-s): 0.002

Background Pk Height (A): 0.006

Blank Corrected Pk Area (A-s): 0.000

Mean Pk Area (A-s): 0.000 SD: 0.0000 RSD(%): 17.09

Auto-zero performed.

~~~~~  
T1 ID: 184-23-3AB Seq. No.: 00040 A/S Pos.: 12 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 12

Replicate 1

Time: 09:55

Peak Area (A-s): 0.005

Peak Height (A): 0.012

Background Pk Area (A-s): 0.568

Background Pk Height (A): 0.269

Blank Corrected Pk Area (A-s): 0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 12  
Replicate 2 (Peak Stored) Time: 09:58  
Peak Area (A-s): 0.007 Peak Height (A): 0.012  
Background Pk Area (A-s): 0.575 Background Pk Height (A): 0.278  
Blank Corrected Pk Area (A-s): 0.007

Mean Pk Area (A-s): 0.006 SD: 0.0011 RSD(%): 19.04

T1 ID: ADD 1 50 ug/L Seq. No.: 00041 A/S Pos.: 12 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 12  
Replicate 1 Time: 10:01  
Peak Area (A-s): 0.007 Peak Height (A): 0.012  
Background Pk Area (A-s): 0.574 Background Pk Height (A): 0.277  
Blank Corrected Pk Area (A-s): 0.007

uL dispensed: 5 from 39, 10 from 1, 10 from 12  
Replicate 2 (Peak Stored) Time: 10:04  
Peak Area (A-s): 0.004 Peak Height (A): 0.013  
Background Pk Area (A-s): 0.539 Background Pk Height (A): 0.288  
Blank Corrected Pk Area (A-s): 0.003

Mean Pk Area (A-s): 0.005 SD: 0.0023 RSD(%): 46.60

T1 ID: ADD 2 100ug/L Seq. No.: 00042 A/S Pos.: 12 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 12  
Replicate 1 Time: 10:07  
Peak Area (A-s): 0.003 Peak Height (A): 0.010  
Background Pk Area (A-s): 0.342 Background Pk Height (A): 0.194  
Blank Corrected Pk Area (A-s): 0.003

uL dispensed: 5 from 39, 10 from 2, 10 from 12  
Replicate 2 (Peak Stored) Time: 10:10  
Peak Area (A-s): 0.002 Peak Height (A): 0.010  
Background Pk Area (A-s): 0.323 Background Pk Height (A): 0.198  
Blank Corrected Pk Area (A-s): 0.002

Mean Pk Area (A-s): 0.002 SD: 0.0007 RSD(%): 32.76

Standard abs. & conc. values are not in the same order.

T1 ID: 184-23-3AB Seq. No.: 00040 A/S Pos.: 12 Date: 10/07/97

Concentration (ug/L ): -----

~~~~~  
T1 ID: AUTO ZERO Seq. No.: 00043 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0
Replicate 1 Time: 10:13
Peak Area (A-s): -0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.005
Blank Corrected Pk Area (A-s): -0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 0
Replicate 2 (Peak Stored) Time: 10:16
Peak Area (A-s): -0.000 Peak Height (A): 0.005

Blank Corrected Pk Area (A-s): -0.001

Mean Pk Area (A-s): -0.001 SD: 0.0003 RSD(%): 40.06

Auto-zero performed.

T1 ID: 184-23-4AB Seq. No.: 00044 A/S Pos.: 13 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 13
Replicate 1 Time: 10:19
Peak Area (A-s): -0.002 Peak Height (A): 0.005
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.005
Blank Corrected Pk Area (A-s): -0.002

uL dispensed: 10 from 0, 5 from 39, 10 from 13
Replicate 2 (Peak Stored) Time: 10:21
Peak Area (A-s): -0.001 Peak Height (A): 0.005
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): -0.001

Mean Pk Area (A-s): -0.001 SD: 0.0007 RSD(%): 68.40

T1 ID: ADD 1 50 ug/L Seq. No.: 00045 A/S Pos.: 13 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 13
Replicate 1 Time: 10:24
Peak Area (A-s): 0.011 Peak Height (A): 0.018
Background Pk Area (A-s): 0.010 Background Pk Height (A): 0.013
Blank Corrected Pk Area (A-s): 0.011

uL dispensed: 5 from 39, 10 from 1, 10 from 13
Replicate 2 (Peak Stored) Time: 10:27
Peak Area (A-s): 0.009 Peak Height (A): 0.019
Background Pk Area (A-s): 0.009 Background Pk Height (A): 0.013
Blank Corrected Pk Area (A-s): 0.010

Mean Pk Area (A-s): 0.011 SD: 0.0010 RSD(%): 9.49

T1 ID: ADD 2 100ug/L Seq. No.: 00046 A/S Pos.: 13 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 13
Replicate 1 Time: 10:30
Peak Area (A-s): 0.018 Peak Height (A): 0.026
Background Pk Area (A-s): 0.016 Background Pk Height (A): 0.021
Blank Corrected Pk Area (A-s): 0.018

uL dispensed: 5 from 39, 10 from 2, 10 from 13
Replicate 2 (Peak Stored) Time: 10:33
Peak Area (A-s): 0.016 Peak Height (A): 0.026
Background Pk Area (A-s): 0.016 Background Pk Height (A): 0.021
Blank Corrected Pk Area (A-s): 0.017


Mean Pk Area (A-s): 0.018 SD: 0.0009 RSD(%): 4.98

The standard additions calibration curve may not be linear.

T1 ID: 184-23-4AB Seq. No.: 00044 A/S Pos.: 13 Date: 10/07/97

Correlation coefficient: 0.96016

Slope: 0.0002



~~~~~

T1 ID: AUTO ZERO Seq. No.: 00047 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
 Replicate 1 Time: 10:36  
 Peak Area (A-s): -0.001 Peak Height (A): 0.005  
 Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.005  
 Blank Corrected Pk Area (A-s): -0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
 Replicate 2 (Peak Stored) Time: 10:39  
 Peak Area (A-s): -0.001 Peak Height (A): 0.006  
 Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.004  
 Blank Corrected Pk Area (A-s): -0.000

Mean Pk Area (A-s): -0.000 SD: 0.0001 RSD(%): 20.56

Auto-zero performed.

~~~~~

T1 ID: 184-23-6AB Seq. No.: 00048 A/S Pos.: 14 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 14
 Replicate 1 Time: 10:42
 Peak Area (A-s): -0.001 Peak Height (A): 0.007
 Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.008
 Blank Corrected Pk Area (A-s): -0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 14
 Replicate 2 (Peak Stored) Time: 10:45
 Peak Area (A-s): -0.003 Peak Height (A): 0.005
 Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006
 Blank Corrected Pk Area (A-s): -0.002

T1 ID: ADD 1 50 ug/L Seq. No.: 00049 A/S Pos.: 14 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 14
Replicate 1 Time: 10:48
Peak Area (A-s): 0.008 Peak Height (A): 0.013
Background Pk Area (A-s): 0.006 Background Pk Height (A): 0.009
Blank Corrected Pk Area (A-s): 0.009

uL dispensed: 5 from 39, 10 from 1, 10 from 14
Replicate 2 (Peak Stored) Time: 10:51
Peak Area (A-s): 0.007 Peak Height (A): 0.012
Background Pk Area (A-s): 0.008 Background Pk Height (A): 0.013
Blank Corrected Pk Area (A-s): 0.008

Mean Pk Area (A-s): 0.009 SD: 0.0006 RSD(%): 7.08

T1 ID: ADD 2 100ug/L Seq. No.: 00050 A/S Pos.: 14 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 14
Replicate 1 Time: 10:54
Peak Area (A-s): 0.014 Peak Height (A): 0.023
Background Pk Area (A-s): 0.014 Background Pk Height (A): 0.016
Blank Corrected Pk Area (A-s): 0.016

uL dispensed: 5 from 39, 10 from 2, 10 from 14
Replicate 2 (Peak Stored) Time: 10:57
Peak Area (A-s): 0.014 Peak Height (A): 0.022
Background Pk Area (A-s): 0.015 Background Pk Height (A): 0.019
Blank Corrected Pk Area (A-s): 0.015


Mean Pk Area (A-s): 0.015 SD: 0.0005 RSD(%): 3.58

The standard additions calibration curve may not be linear.

T1 ID: 184-23-6AB Seq. No.: 00048 A/S Pos.: 14 Date: 10/07/97

Concentration (ug/L): -5.5

Correlation coefficient: 0.96532 Slope: 0.0002



~~~~~  
 T1 ID: AUTO ZERO Seq. No.: 00051 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
 Replicate 1 Time: 11:00  
 Peak Area (A-s): -0.001 Peak Height (A): 0.005  
 Background Pk Area (A-s): -0.000 Background Pk Height (A): 0.006  
 Blank Corrected Pk Area (A-s): 0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
 Replicate 2 (Peak Stored) Time: 11:03  
 Peak Area (A-s): -0.001 Peak Height (A): 0.007  
 Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.005  
 Blank Corrected Pk Area (A-s): 0.000

Mean Pk Area (A-s): 0.000 SD: 0.0003 RSD(%): 104.79

Auto-zero performed.

~~~~~  
 T1 ID: 184-23-7AB Seq. No.: 00052 A/S Pos.: 15 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 15
 Replicate 1 Time: 11:05
 Peak Area (A-s): -0.001 Peak Height (A): 0.007
 Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.005
 Blank Corrected Pk Area (A-s): -0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 15
 Replicate 2 (Peak Stored) Time: 11:08
 Peak Area (A-s): -0.001 Peak Height (A): 0.006
 Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.009
 Blank Corrected Pk Area (A-s): -0.000

Mean Pk Area (A-s): -0.000 SD: 0.0002 RSD(%): 121.22

T1 ID: ADD 1 50 ug/L Seq. No.: 00053 A/S Pos.: 15 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 15
 Replicate 1 Time: 11:11
 Peak Area (A-s): 0.006 Peak Height (A): 0.012
 Background Pk Area (A-s): 0.010 Background Pk Height (A): 0.011
 Blank Corrected Pk Area (A-s): 0.006

uL dispensed: 5 from 39, 10 from 1, 10 from 15
 Replicate 2 (Peak Stored) Time: 11:14
 Peak Area (A-s): 0.007 Peak Height (A): 0.013
 Background Pk Area (A-s): 0.009 Background Pk Height (A): 0.011
 Blank Corrected Pk Area (A-s): 0.008

Mean Pk Area (A-s): 0.007 SD: 0.0011 RSD(%): 15.84

T1 ID: ADD 2 100ug/L Seq. No.: 00054 A/S Pos.: 15 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 15
 Replicate 1 Time: 11:17
 Peak Area (A-s): 0.015 Peak Height (A): 0.023
 Background Pk Area (A-s): 0.014 Background Pk Height (A): 0.017
 Blank Corrected Pk Area (A-s): 0.016


uL dispensed: 5 from 39, 10 from 2, 10 from 15
 Replicate 2 (Peak Stored) Time: 11:20
 Peak Area (A-s): 0.013 Peak Height (A): 0.023
 Background Pk Area (A-s): 0.014 Background Pk Height (A): 0.015
 Blank Corrected Pk Area (A-s): 0.014

Mean Pk Area (A-s): 0.015 SD: 0.0011 RSD(%): 7.66

T1 ID: 184-23-7AB Seq. No.: 00052 A/S Pos.: 15 Date: 10/07/97

Concentration (ug/L): -1.1

Correlation coefficient: 0.99987 Slope: 0.0001



T1 ID: AUTO ZERO Seq. No.: 00055 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0
Replicate 1 Time: 11:23
Peak Area (A-s): -0.002 Peak Height (A): 0.006
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): -0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 0
Replicate 2 (Peak Stored) Time: 11:26
Peak Area (A-s): -0.002 Peak Height (A): 0.004
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.008
Blank Corrected Pk Area (A-s): -0.001

Mean Pk Area (A-s): -0.001 SD: 0.0001 RSD(%): 5.89

Auto-zero performed.

~~~~~  
T1 ID: 184-23-8AB Seq. No.: 00056 A/S Pos.: 16 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 16  
Replicate 1 Time: 11:29  
Peak Area (A-s): 0.000 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.002

uL dispensed: 10 from 0, 5 from 39, 10 from 16  
Replicate 2 (Peak Stored) Time: 11:32  
Peak Area (A-s): -0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.005 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.001

Mean Pk Area (A-s): 0.002 SD: 0.0010 RSD(%): 61.55

T1 ID: ADD 1 50 ug/L Seq. No.: 00057 A/S Pos.: 16 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 16  
Replicate 1 Time: 11:35  
Peak Area (A-s): 0.009 Peak Height (A): 0.015  
Background Pk Area (A-s): 0.011 Background Pk Height (A): 0.012  
Blank Corrected Pk Area (A-s): 0.011

uL dispensed: 5 from 39, 10 from 1, 10 from 16  
Replicate 2 (Peak Stored) Time: 11:38  
Peak Area (A-s): 0.010 Peak Height (A): 0.019  
Background Pk Area (A-s): 0.012 Background Pk Height (A): 0.011  
Blank Corrected Pk Area (A-s): 0.012

Mean Pk Area (A-s): 0.011 SD: 0.0001 RSD(%): 1.11

T1 ID: ADD 2 100ug/L Seq. No.: 00058 A/S Pos.: 16 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 16  
Replicate 1 Time: 11:41  
Peak Area (A-s): 0.022 Peak Height (A): 0.030  
Background Pk Area (A-s): 0.019 Background Pk Height (A): 0.020  
Blank Corrected Pk Area (A-s): 0.024

uL dispensed: 5 from 39, 10 from 2, 10 from 10  
 Replicate 2 (Peak Stored) Time: 11:44  
 Peak Area (A-s): 0.022 Peak Height (A): 0.029  
 Background Pk Area (A-s): 0.019 Background Pk Height (A): 0.020  
 Blank Corrected Pk Area (A-s): 0.024


Mean Pk Area (A-s): 0.024 SD: 0.0003 RSD(%): 1.40

The standard additions calibration curve may not be linear.

1 ID: 184-23-8AB Seq. No.: 00056 A/S Pos.: 16 Date: 10/07/97

Concentration (ug/L ): 7.5

Correlation coefficient: 0.98768 Slope: 0.0002



T1 ID: AUTO ZERO Seq. No.: 00059 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
 Replicate 1 Time: 11:47  
 Peak Area (A-s): -0.002 Peak Height (A): 0.005  
 Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.007  
 Blank Corrected Pk Area (A-s): 0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
 Replicate 2 (Peak Stored) Time: 11:50  
 Peak Area (A-s): 0.000 Peak Height (A): 0.006  
 Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.006  
 Blank Corrected Pk Area (A-s): 0.002

Mean Pk Area (A-s): 0.001 SD: 0.0015 RSD(%): 133.80

Auto-zero performed.

T1 ID: 184-23-9AB Seq. No.: 00060 A/S Pos.: 17 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 17  
Replicate 1 Time: 11:52  
Peak Area (A-s): -0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): -0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 17  
Replicate 2 (Peak Stored) Time: 11:55  
Peak Area (A-s): -0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): -0.000

Mean Pk Area (A-s): -0.001. SD: 0.0001 RSD(%): 13.61

T1 ID: ADD 1 50 ug/L Seq. No.: 00061 A/S Pos.: 17 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 17  
Replicate 1 Time: 11:58  
Peak Area (A-s): 0.006 Peak Height (A): 0.012  
Background Pk Area (A-s): 0.010 Background Pk Height (A): 0.011  
Blank Corrected Pk Area (A-s): 0.007

uL dispensed: 5 from 39, 10 from 1, 10 from 17  
Replicate 2 (Peak Stored) Time: 12:01  
Peak Area (A-s): 0.007 Peak Height (A): 0.014  
Background Pk Area (A-s): 0.009 Background Pk Height (A): 0.010  
Blank Corrected Pk Area (A-s): 0.008

Mean Pk Area (A-s): 0.008 SD: 0.0006 RSD(%): 8.17

T1 ID: ADD 2 100ug/L Seq. No.: 00062 A/S Pos.: 17 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 17  
Replicate 1 Time: 12:04  
Peak Area (A-s): 0.016 Peak Height (A): 0.026  
Background Pk Area (A-s): 0.015 Background Pk Height (A): 0.015  
Blank Corrected Pk Area (A-s): 0.016


uL dispensed: 5 from 39, 10 from 2, 10 from 17  
Replicate 2 (Peak Stored) Time: 12:07  
Peak Area (A-s): 0.016 Peak Height (A): 0.025  
Background Pk Area (A-s): 0.015 Background Pk Height (A): 0.017  
Blank Corrected Pk Area (A-s): 0.017

Mean Pk Area (A-s): 0.017 SD: 0.0004 RSD(%): 2.51

T1 ID: 184-23-9AB Seq. No.: 00060 A/S Pos.: 17 Date: 10/07/97

Concentration (ug/L ): -3.0

Correlation coefficient: 0.99868 Slope: 0.0002



~~~~~  
 T1 ID: AUTO ZERO Seq. No.: 00063 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0
 Replicate 1 Time: 12:10
 Peak Area (A-s): -0.000 Peak Height (A): 0.004
 Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.006
 Blank Corrected Pk Area (A-s): 0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 0
 Replicate 2 (Peak Stored) Time: 12:13
 Peak Area (A-s): -0.001 Peak Height (A): 0.005
 Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.005
 Blank Corrected Pk Area (A-s): 0.000

Mean Pk Area (A-s): 0.000 SD: 0.0003 RSD(%): 113.96

Auto-zero performed.

~~~~~  
 T1 ID: 184-23-10AB 5 Seq. No.: 00064 A/S Pos.: 18 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 18  
 Replicate 1 Time: 12:16  
 Peak Area (A-s): 0.000 Peak Height (A): 0.007  
 Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.006  
 Blank Corrected Pk Area (A-s): 0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 18  
 Replicate 2 (Peak Stored) Time: 12:19  
 Peak Area (A-s): -0.001 Peak Height (A): 0.007  
 Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.007  
 Blank Corrected Pk Area (A-s): -0.001

Mean Pk Area (A-s): -0.000 SD: 0.0010 RSD(%): 1147.58

T1 ID: ADD 1 50 ug/L Seq. No.: 00065 A/S Pos.: 18 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 18  
Replicate 1  
Peak Area (A-s): 0.013  
Background Pk Area (A-s): 0.013  
Blank Corrected Pk Area (A-s): 0.013

Time: 12:22  
Peak Height (A): 0.023  
Background Pk Height (A): 0.018

uL dispensed: 5 from 39, 10 from 1, 10 from 18  
Replicate 2 (Peak Stored)  
Peak Area (A-s): 0.012  
Background Pk Area (A-s): 0.012  
Blank Corrected Pk Area (A-s): 0.013

Time: 12:25  
Peak Height (A): 0.021  
Background Pk Height (A): 0.018

Mean Pk Area (A-s): 0.013 SD: 0.0005 RSD(%): 3.45

T1 ID: ADD 2 100ug/L Seq. No.: 00066 A/S Pos.: 18 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 18  
Replicate 1  
Peak Area (A-s): 0.028  
Background Pk Area (A-s): 0.022  
Blank Corrected Pk Area (A-s): 0.029

Time: 12:28  
Peak Height (A): 0.041  
Background Pk Height (A): 0.030

uL dispensed: 5 from 39, 10 from 2, 10 from 18  
Replicate 2 (Peak Stored)  
Peak Area (A-s): 0.028  
Background Pk Area (A-s): 0.026  
Blank Corrected Pk Area (A-s): 0.029

Time: 12:31  
Peak Height (A): 0.044  
Background Pk Height (A): 0.032


Mean Pk Area (A-s): 0.029 SD: 0.0001 RSD(%): 0.25

The standard additions calibration curve may not be linear.

T1 ID: 184-23-10AB 5 Seq. No.: 00064 A/S Pos.: 18 Date: 10/07/97

Concentration (ug/L ): -0.3

Correlation coefficient: 0.99268 Slope: 0.0003



T1 ID: AUTO ZERO Seq. No.: 00067 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 1 Time: 12:34  
Peak Area (A-s): 0.000 Peak Height (A): 0.005  
Background Pk Area (A-s): -0.001 Background Pk Height (A): 0.005  
Blank Corrected Pk Area (A-s): 0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 2 (Peak Stored) Time: 12:37  
Peak Area (A-s): 0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.005  
Blank Corrected Pk Area (A-s): 0.001

Mean Pk Area (A-s): 0.001 SD: 0.0004 RSD(%): 36.79

Auto-zero performed.

~~~~~  
T1 ID: 183-15-1C Seq. No.: 00068 A/S Pos.: 19 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 19
Replicate 1 Time: 12:40
Peak Area (A-s): -0.001 Peak Height (A): 0.005
Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.006
Blank Corrected Pk Area (A-s): -0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 19
Replicate 2 (Peak Stored) Time: 12:42
Peak Area (A-s): -0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.004
Blank Corrected Pk Area (A-s): -0.001

Mean Pk Area (A-s): -0.001 SD: 0.0004 RSD(%): 32.28

T1 ID: ADD 1 50 ug/L Seq. No.: 00069 A/S Pos.: 19 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 19
Replicate 1 Time: 12:45
Peak Area (A-s): 0.005 Peak Height (A): 0.013
Background Pk Area (A-s): 0.006 Background Pk Height (A): 0.010
Blank Corrected Pk Area (A-s): 0.004

uL dispensed: 5 from 39, 10 from 1, 10 from 19
Replicate 2 (Peak Stored) Time: 12:48
Peak Area (A-s): 0.004 Peak Height (A): 0.012
Background Pk Area (A-s): 0.006 Background Pk Height (A): 0.010
Blank Corrected Pk Area (A-s): 0.004

Mean Pk Area (A-s): 0.004 SD: 0.0003 RSD(%): 6.56

T1 ID: ADD 2 100ug/L Seq. No.: 00070 A/S Pos.: 19 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 19
Replicate 1 Time: 12:51
Peak Area (A-s): 0.013 Peak Height (A): 0.021
Background Pk Area (A-s): 0.010 Background Pk Height (A): 0.015
Blank Corrected Pk Area (A-s): 0.012


uL dispensed: 5 from 39, 10 from 0, 10 from 19
 Replicate 2 (Peak Stored) Time: 12:54
 Peak Area (A-s): 0.013 Peak Height (A): 0.023
 Background Pk Area (A-s): 0.011 Background Pk Height (A): 0.016
 Blank Corrected Pk Area (A-s): 0.013

Mean Pk Area (A-s): 0.013 SD: 0.0006 RSD(%): 4.59

The standard additions calibration curve may not be linear.
 T1 ID: 183-15-1C Seq. No.: 00068 A/S Pos.: 19 Date: 10/07/97

Concentration (ug/L): -8.3

Correlation coefficient: 0.94840 Slope: 0.0001



T1 ID: AUTO ZERO Seq. No.: 00071 A/S Pos.: 0 Date: 10/07/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0
 Replicate 1 Time: 12:58
 Peak Area (A-s): -0.002 Peak Height (A): 0.007
 Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.006
 Blank Corrected Pk Area (A-s): -0.002

uL dispensed: 10 from 0, 5 from 39, 10 from 0
 Replicate 2 (Peak Stored) Time: 13:00
 Peak Area (A-s): -0.000 Peak Height (A): 0.007
 Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.006
 Blank Corrected Pk Area (A-s): -0.001

Mean Pk Area (A-s): -0.001 SD: 0.0012 RSD(%): 80.89

Auto-zero performed.

T1 ID: 183-15-1BC Seq. No.: 00072 A/S Pos.: 20 Date: 10/07/97

20-2397EC

uL dispensed: 10 from 0, 5 from 39, 10 from 20
Replicate 1
Peak Area (A-s): -0.000
Background Pk Area (A-s): 0.002
Blank Corrected Pk Area (A-s): 0.001

Time: 13:03
Peak Height (A): 0.006
Background Pk Height (A): 0.006

uL dispensed: 10 from 0, 5 from 39, 10 from 20
Replicate 2 (Peak Stored)
Peak Area (A-s): -0.001
Background Pk Area (A-s): 0.001
Blank Corrected Pk Area (A-s): 0.001

Time: 13:06
Peak Height (A): 0.006
Background Pk Height (A): 0.005

Mean Pk Area (A-s): 0.001 SD: 0.0003 RSD(%): 38.75

T1 ID: ADD 1 50 ug/L Seq. No.: 00073 A/S Pos.: 20 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 1, 10 from 20
Replicate 1
Peak Area (A-s): 0.009
Background Pk Area (A-s): 0.008
Blank Corrected Pk Area (A-s): 0.010

Time: 13:09
Peak Height (A): 0.014
Background Pk Height (A): 0.012

uL dispensed: 5 from 39, 10 from 1, 10 from 20
Replicate 2 (Peak Stored)
Peak Area (A-s): 0.007
Background Pk Area (A-s): 0.007
Blank Corrected Pk Area (A-s): 0.008

Time: 13:12
Peak Height (A): 0.013
Background Pk Height (A): 0.010

Mean Pk Area (A-s): 0.009 SD: 0.0011 RSD(%): 12.06

T1 ID: ADD 2 100ug/L Seq. No.: 00074 A/S Pos.: 20 Date: 10/07/97

uL dispensed: 5 from 39, 10 from 2, 10 from 20
Replicate 1
Peak Area (A-s): 0.014
Background Pk Area (A-s): 0.010
Blank Corrected Pk Area (A-s): 0.015

Time: 13:15
Peak Height (A): 0.025
Background Pk Height (A): 0.017

uL dispensed: 5 from 39, 10 from 2, 10 from 20
Replicate 2 (Peak Stored)
Peak Area (A-s): 0.016
Background Pk Area (A-s): 0.013
Blank Corrected Pk Area (A-s): 0.017


Time: 13:18
Peak Height (A): 0.028
Background Pk Height (A): 0.017

Mean Pk Area (A-s): 0.016 SD: 0.0009 RSD(%): 5.39

T1 ID: 183-³~~18~~-1BC Seq. No.: 00072 A/S Pos.: 20 Date: 10/07/97

Concentration (ug/L): 4.9
10-23-97 cc

Correlation coefficient: 0.99633 Slope: 0.0002



~~~~~  
T1 ID: AUTO ZERO Seq. No.: 00075 A/S Pos.: 0 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 1 Time: 00:39  
Peak Area (A-s): -0.000 Peak Height (A): 0.007  
Background Pk Area (A-s): -0.001 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 2 (Peak Stored) Time: 00:42  
Peak Area (A-s): -0.002 Peak Height (A): 0.006  
Background Pk Area (A-s): -0.000 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): -0.000

Mean Pk Area (A-s): 0.000 SD: 0.0010 RSD(%): 324.49

Auto-zero performed.

~~~~~  
T1 ID: 184-23-1AB Seq. No.: 00076 A/S Pos.: 9 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 9
Replicate 1 Time: 00:45
Peak Area (A-s): 0.001 Peak Height (A): 0.012
Background Pk Area (A-s): 0.225 Background Pk Height (A): 0.136
Blank Corrected Pk Area (A-s): 0.002

uL dispensed: 10 from 0, 5 from 39, 10 from 9
Replicate 2 (Peak Stored) Time: 00:48
Peak Area (A-s): 0.001 Peak Height (A): 0.008
Background Pk Area (A-s): 0.224 Background Pk Height (A): 0.133
Blank Corrected Pk Area (A-s): 0.002

Mean Pk Area (A-s): 0.002 SD: 0.0001 RSD(%): 7.68

T1 ID: ADD 1 50 ug/L Seq. No.: 00077 A/S Pos.: 9 Date: 10/08/97

uL dispensed: 5 from 39, 10 from 1, 10 from 9
Replicate 1 Time: 00:51
Peak Area (A-s): 0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.234 Background Pk Height (A): 0.131
Blank Corrected Pk Area (A-s): 0.002

uL dispensed: 5 from 39, 10 from 1, 10 from 9
Replicate 2 (Peak Stored) Time: 00:54
Peak Area (A-s): 0.001 Peak Height (A): 0.007
Background Pk Area (A-s): 0.227 Background Pk Height (A): 0.127
Blank Corrected Pk Area (A-s): 0.002

Mean Pk Area (A-s): 0.002 SD: 0.0003 RSD(%): 15.56

T1 ID: ADD 2 100ug/L Seq. No.: 00078 A/S Pos.: 9 Date: 10/08/97

uL dispensed: 5 from 39, 10 from 2, 10 from 9
Replicate 1 Time: 00:57
Peak Area (A-s): 0.001 Peak Height (A): 0.008
Background Pk Area (A-s): 0.245 Background Pk Height (A): 0.129
Blank Corrected Pk Area (A-s): 0.002

uL dispensed: 5 from 39, 10 from 2, 10 from 7
Replicate 2 (Peak Stored)
Peak Area (A-s): 0.002
Background Pk Area (A-s): 0.240
Blank Corrected Pk Area (A-s): 0.003

Time: 01:00
Peak Height (A): 0.007
Background Pk Height (A): 0.133

Mean Pk Area (A-s): 0.002 SD: 0.0006 RSD(%): 24.79

Standard abs. & conc. values are not in the same order.

T1 ID: 184-23-1AB Seq. No.: 00076 A/S Pos.: 9 Date: 10/08/97

Concentration (ug/L): -----

T1 ID: AUTO ZERO Seq. No.: 00079 A/S Pos.: 0 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0
Replicate 1
Peak Area (A-s): -0.000
Background Pk Area (A-s): 0.002
Blank Corrected Pk Area (A-s): 0.000

Time: 01:03
Peak Height (A): 0.006
Background Pk Height (A): 0.007

uL dispensed: 10 from 0, 5 from 39, 10 from 0
Replicate 2 (Peak Stored)
Peak Area (A-s): -0.001
Background Pk Area (A-s): 0.000
Blank Corrected Pk Area (A-s): -0.000

Time: 01:06
Peak Height (A): 0.006
Background Pk Height (A): 0.005

Mean Pk Area (A-s): 0.000 SD: 0.0004 RSD(%): 771.8

Auto-zero performed.

T1 ID: 184-23-2AB Seq. No.: 00080 A/S Pos.: 10 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 10
Replicate 1
Peak Area (A-s): 0.003
Background Pk Area (A-s): 0.513
Blank Corrected Pk Area (A-s): 0.004

Time: 01:08
Peak Height (A): 0.011
Background Pk Height (A): 0.228

uL dispensed: 10 from 0, 5 from 39, 10 from 10
Replicate 2 (Peak Stored)
Peak Area (A-s): 0.002
Background Pk Area (A-s): 0.510
Blank Corrected Pk Area (A-s): 0.003

Time: 01:11
Peak Height (A): 0.008
Background Pk Height (A): 0.240

Mean Pk Area (A-s): 0.003 SD: 0.0008 RSD(%): 24.54

T1 ID: ADD 1 50 ug/L Seq. No.: 00081 A/S Pos.: 10 Date: 10/08/97

uL dispensed: 5 from 39, 10 from 1, 10 from 10
Replicate 1
Peak Area (A-s): 0.003
Background Pk Area (A-s): 0.521
Blank Corrected Pk Area (A-s): 0.004

Time: 01:14
Peak Height (A): 0.009
Background Pk Height (A): 0.243

uL dispensed: 5 from 39, 10 from 1, 10 from 10
Replicate 2 (Peak Stored)

Time: 01:17

Peak Area (A-s): 0.003
Background Pk Area (A-s): 0.531
Blank Corrected Pk Area (A-s): 0.004

Peak Height (A): 0.007
Background Pk Height (A): 0.237

Mean Pk Area (A-s): 0.004 SD: 0.0001 RSD(%): 1.97

T1 ID: ADD 2 100ug/L Seq. No.: 00082 A/S Pos.: 10 Date: 10/08/97

uL dispensed: 5 from 39, 10 from 2, 10 from 10
Replicate 1 Time: 01:20
Peak Area (A-s): 0.005 Peak Height (A): 0.009
Background Pk Area (A-s): 0.528 Background Pk Height (A): 0.242
Blank Corrected Pk Area (A-s): 0.006

uL dispensed: 5 from 39, 10 from 2, 10 from 10
Replicate 2 (Peak Stored) Time: 01:23
Peak Area (A-s): 0.003 Peak Height (A): 0.008
Background Pk Area (A-s): 0.523 Background Pk Height (A): 0.246
Blank Corrected Pk Area (A-s): 0.004

Mean Pk Area (A-s): 0.005 SD: 0.0014 RSD(%): 29.94

Expansion >100 is not allowed. No calibration has occurred.

T1 ID: 184-23-2AB Seq. No.: 00080 A/S Pos.: 10 Date: 10/08/97

Concentration (ug/L): -----

~~~~~  
T1 ID: AUTO ZERO Seq. No.: 00083 A/S Pos.: 0 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 1 Time: 01:26  
Peak Area (A-s): 0.000 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 2 (Peak Stored) Time: 01:29  
Peak Area (A-s): -0.002 Peak Height (A): 0.003  
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.004  
Blank Corrected Pk Area (A-s): -0.001

Mean Pk Area (A-s): -0.000 SD: 0.0016 RSD(%): 850.62

Auto-zero performed.

~~~~~  
T1 ID: 184-23-3AB Seq. No.: 00084 A/S Pos.: 12 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 12
Replicate 1 Time: 01:32
Peak Area (A-s): 0.006 Peak Height (A): 0.011
Background Pk Area (A-s): 0.437 Background Pk Height (A): 0.262
Blank Corrected Pk Area (A-s): 0.007

uL dispensed: 10 from 0, 5 from 39, 10 from 12
Replicate 2 (Peak Stored) Time: 01:34
Peak Area (A-s): 0.004 Peak Height (A): 0.010
Background Pk Area (A-s): 0.423 Background Pk Height (A): 0.232

Blank Corrected Pk Area (A-s): 0.000

Mean Pk Area (A-s): 0.006 SD: 0.0015 RSD(%): 26.02

T1 ID: ADD 1 50 ug/L Seq. No.: 00085 A/S Pos.: 12 Date: 10/08/97

uL dispensed: 5 from 39, 10 from 1, 10 from 12
Replicate 1 Time: 01:37
Peak Area (A-s): 0.004 Peak Height (A): 0.008
Background Pk Area (A-s): 0.413 Background Pk Height (A): 0.183
Blank Corrected Pk Area (A-s): 0.005

uL dispensed: 5 from 39, 10 from 1, 10 from 12
Replicate 2 (Peak Stored) Time: 01:40
Peak Area (A-s): 0.006 Peak Height (A): 0.009
Background Pk Area (A-s): 0.431 Background Pk Height (A): 0.200
Blank Corrected Pk Area (A-s): 0.007

Mean Pk Area (A-s): 0.006 SD: 0.0018 RSD(%): 30.79

T1 ID: ADD 2 100ug/L Seq. No.: 00086 A/S Pos.: 12 Date: 10/08/97

uL dispensed: 5 from 39, 10 from 2, 10 from 12
Replicate 1 Time: 01:43
Peak Area (A-s): 0.003 Peak Height (A): 0.009
Background Pk Area (A-s): 0.442 Background Pk Height (A): 0.200
Blank Corrected Pk Area (A-s): 0.004

uL dispensed: 5 from 39, 10 from 2, 10 from 12
Replicate 2 (Peak Stored) Time: 01:46
Peak Area (A-s): 0.006 Peak Height (A): 0.012
Background Pk Area (A-s): 0.429 Background Pk Height (A): 0.194
Blank Corrected Pk Area (A-s): 0.007

Mean Pk Area (A-s): 0.005 SD: 0.0018 RSD(%): 32.93

Standard abs. & conc. values are not in the same order.

T1 ID: 184-23-3AB Seq. No.: 00084 A/S Pos.: 12 Date: 10/08/97

Concentration (ug/L): -----

~~~~~

T1 ID: AUTO ZERO Seq. No.: 00087 A/S Pos.: 0 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 1 Time: 01:49  
Peak Area (A-s): -0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): -0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 2 (Peak Stored) Time: 01:52  
Peak Area (A-s): -0.000 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.005  
Blank Corrected Pk Area (A-s): 0.001

Mean Pk Area (A-s): 0.000 SD: 0.0010 RSD(%): 336.56

Auto-zero performed.

T1 ID: 184-23-4AB Seq. No.: 00088 A/S Pos.: 13 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 13  
Replicate 1 Time: 01:55  
Peak Area (A-s): -0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): 0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 13  
Replicate 2 (Peak Stored) Time: 01:58  
Peak Area (A-s): -0.001 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.007  
Blank Corrected Pk Area (A-s): 0.000

Mean Pk Area (A-s): 0.000 SD: 0.0000 RSD(%): 19.18

T1 ID: ADD 1 50 ug/L Seq. No.: 00089 A/S Pos.: 13 Date: 10/08/97

uL dispensed: 5 from 39, 10 from 1, 10 from 13  
Replicate 1 Time: 02:01  
Peak Area (A-s): 0.027 Peak Height (A): 0.028  
Background Pk Area (A-s): 0.025 Background Pk Height (A): 0.021  
Blank Corrected Pk Area (A-s): 0.028

uL dispensed: 5 from 39, 10 from 1, 10 from 13  
Replicate 2 (Peak Stored) Time: 02:03  
Peak Area (A-s): 0.030 Peak Height (A): 0.030  
Background Pk Area (A-s): 0.022 Background Pk Height (A): 0.023  
Blank Corrected Pk Area (A-s): 0.030

Mean Pk Area (A-s): 0.029 SD: 0.0018 RSD(%): 6.15

T1 ID: ADD 2 100ug/L Seq. No.: 00090 A/S Pos.: 13 Date: 10/08/97

uL dispensed: 5 from 39, 10 from 2, 10 from 13  
Replicate 1 Time: 02:06  
Peak Area (A-s): 0.050 Peak Height (A): 0.054  
Background Pk Area (A-s): 0.040 Background Pk Height (A): 0.038  
Blank Corrected Pk Area (A-s): 0.051

uL dispensed: 5 from 39, 10 from 2, 10 from 13  
Replicate 2 (Peak Stored) Time: 02:09  
Peak Area (A-s): 0.048 Peak Height (A): 0.055  
Background Pk Area (A-s): 0.038 Background Pk Height (A): 0.039  
Blank Corrected Pk Area (A-s): 0.049


Mean Pk Area (A-s): 0.050 SD: 0.0012 RSD(%): 2.34

The standard additions calibration curve may not be linear.

T1 ID: 184-23-4AB Seq. No.: 00088 A/S Pos.: 13 Date: 10/08/97

Concentration (ug/L ): 0.1

Correlation coefficient: 0.97916 Slope: 0.0005



~~~~~  
 T1 ID: AUTO ZERO Seq. No.: 00091 A/S Pos.: 0 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0
 Replicate 1 Time: 02:13
 Peak Area (A-s): 0.001 Peak Height (A): 0.006
 Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.005
 Blank Corrected Pk Area (A-s): 0.002

uL dispensed: 10 from 0, 5 from 39, 10 from 0
 Replicate 2 (Peak Stored) Time: 02:15
 Peak Area (A-s): 0.001 Peak Height (A): 0.005
 Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.005
 Blank Corrected Pk Area (A-s): 0.001

Mean Pk Area (A-s): 0.002 SD: 0.0004 RSD(%): 24.59

Auto-zero performed.

~~~~~  
 T1 ID: 184-23-6AB Seq. No.: 00092 A/S Pos.: 14 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 14  
 Replicate 1 Time: 02:18  
 Peak Area (A-s): -0.000 Peak Height (A): 0.005  
 Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006  
 Blank Corrected Pk Area (A-s): -0.001

uL dispensed: 10 from 0, 5 from 39, 10 from 14  
 Replicate 2 (Peak Stored) Time: 02:21  
 Peak Area (A-s): -0.002 Peak Height (A): 0.007  
 Background Pk Area (A-s): 0.004 Background Pk Height (A): 0.006  
 Blank Corrected Pk Area (A-s): -0.003

Mean Pk Area (A-s): -0.002 SD: 0.0012 RSD(%): 56.05

T1 ID: ADD 1 50 ug/L Seq. No.: 00093 A/S Pos.: 14 Date: 10/08/97



uL dispensed: 5 from 39, 10 from 1, 10  
Replicate 1  
Peak Area (A-s): 0.017  
Background Pk Area (A-s): 0.014  
Blank Corrected Pk Area (A-s): 0.016

from 14  
Time: 02:24  
Peak Height (A): 0.019  
Background Pk Height (A): 0.016

uL dispensed: 5 from 39, 10 from 1, 10  
Replicate 2 (Peak Stored)  
Peak Area (A-s): 0.016  
Background Pk Area (A-s): 0.014  
Blank Corrected Pk Area (A-s): 0.015

from 14  
Time: 02:27  
Peak Height (A): 0.021  
Background Pk Height (A): 0.015

Mean Pk Area (A-s): 0.016 SD: 0.0007 RSD(%): 4.46

T1 ID: ADD 2 100ug/L Seq. No.: 00094 A/S Pos.: 14 Date: 10/08/97

uL dispensed: 5 from 39, 10 from 2, 10  
Replicate 1  
Peak Area (A-s): 0.028  
Background Pk Area (A-s): 0.024  
Blank Corrected Pk Area (A-s): 0.027

from 14  
Time: 02:30  
Peak Height (A): 0.034  
Background Pk Height (A): 0.028

uL dispensed: 5 from 39, 10 from 2, 10  
Replicate 2 (Peak Stored)  
Peak Area (A-s): 0.026  
Background Pk Area (A-s): 0.022  
Blank Corrected Pk Area (A-s): 0.025


from 14  
Time: 02:33  
Peak Height (A): 0.036  
Background Pk Height (A): 0.024

Mean Pk Area (A-s): 0.026 SD: 0.0011 RSD(%): 4.12

The standard additions calibration curve may not be linear.  
T1 ID: 184-23-6AB Seq. No.: 00092 A/S Pos.: 14 Date: 10/08/97

Concentration (ug/L ): -7.2

Correlation coefficient: 0.95424 Slope: 0.0003



uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 1 Time: 02:36  
Peak Area (A-s): -0.001 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.000 Background Pk Height (A): 0.005  
Blank Corrected Pk Area (A-s): -0.002

uL dispensed: 10 from 0, 5 from 39, 10 from 0  
Replicate 2 (Peak Stored) Time: 02:39  
Peak Area (A-s): -0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.004  
Blank Corrected Pk Area (A-s): -0.002

Mean Pk Area (A-s): -0.002 SD: 0.0000 RSD(%): 1.13

Auto-zero performed.

uL dispensed: 10 from 0, 5 from 39, 10 from 15  
Replicate 1 Time: 02:42  
Peak Area (A-s): -0.001 Peak Height (A): 0.005  
Background Pk Area (A-s): 0.002 Background Pk Height (A): 0.005  
Blank Corrected Pk Area (A-s): -0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 15  
Replicate 2 (Peak Stored) Time: 02:44  
Peak Area (A-s): -0.001 Peak Height (A): 0.006  
Background Pk Area (A-s): 0.003 Background Pk Height (A): 0.006  
Blank Corrected Pk Area (A-s): 0.000

Mean Pk Area (A-s): 0.000 SD: 0.0002 RSD(%): 650.54

uL dispensed: 5 from 39, 10 from 1, 10 from 15  
Replicate 1 Time: 02:47  
Peak Area (A-s): 0.011 Peak Height (A): 0.014  
Background Pk Area (A-s): 0.010 Background Pk Height (A): 0.014  
Blank Corrected Pk Area (A-s): 0.012

uL dispensed: 5 from 39, 10 from 1, 10 from 15  
Replicate 2 (Peak Stored) Time: 02:50  
Peak Area (A-s): 0.015 Peak Height (A): 0.019  
Background Pk Area (A-s): 0.010 Background Pk Height (A): 0.014  
Blank Corrected Pk Area (A-s): 0.016

Mean Pk Area (A-s): 0.014 SD: 0.0028 RSD(%): 20.80

uL dispensed: 5 from 39, 10 from 2, 10 from 15  
Replicate 1 Time: 02:53  
Peak Area (A-s): 0.028 Peak Height (A): 0.034  
Background Pk Area (A-s): 0.024 Background Pk Height (A): 0.023  
Blank Corrected Pk Area (A-s): 0.029


uL dispensed: 5 from 39, 10 from 2, 10 from 10  
 Replicate 2 (Peak Stored) Time: 02:56  
 Peak Area (A-s): 0.024 Peak Height (A): 0.032  
 Background Pk Area (A-s): 0.020 Background Pk Height (A): 0.022  
 Blank Corrected Pk Area (A-s): 0.025

Mean Pk Area (A-s): 0.027 SD: 0.0032 RSD(%): 11.85

T1 ID: 184-23-7AB Seq. No.: 00096 A/S Pos.: 15 Date: 10/08/97

Concentration (ug/L ): 0.1

Correlation coefficient: 0.99972 Slope: 0.0003



~~~~~  
 T1 ID: AUTO ZERO Seq. No.: 00099 A/S Pos.: 0 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0
 Replicate 1 Time: 02:59
 Peak Area (A-s): -0.001 Peak Height (A): 0.005
 Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.005
 Blank Corrected Pk Area (A-s): 0.000

uL dispensed: 10 from 0, 5 from 39, 10 from 0
 Replicate 2 (Peak Stored) Time: 03:02
 Peak Area (A-s): -0.001 Peak Height (A): 0.006
 Background Pk Area (A-s): 0.001 Background Pk Height (A): 0.006
 Blank Corrected Pk Area (A-s): 0.000

Mean Pk Area (A-s): 0.000 SD: 0.0001 RSD(%): 58.54

Auto-zero performed.

~~~~~  
 T1 ID: 184-23-8AB Seq. No.: 00100 A/S Pos.: 16 Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 16

.....  
T14 ID: AUTO ZERO

Seq. No.: 00101

A/S Pos.: 0

Date: 10/08/97

uL dispensed: 10 from 0, 5 from 39, 10 from 0

DKA 10/7/97

Table Name: HA451 Autosampler Type: TYPE TJA  
 Sample Positions: 150/192 QC Positions: 13/19 # Sets: 2  
 Rinse Station location is rack -1, pos. -1.

--- Racks ---

| Rack # | Type          | Usage        | #Pos Left | Analyses/Pos |
|--------|---------------|--------------|-----------|--------------|
| 1      | Aux. (L) Rack | STD/QC/BLANK | 13        | 10           |
| 2      | Sample (16mm) | Samples      | 6         | 1            |
| 3      | Sample (16mm) | Samples      | 48        | 1            |
| 4      | Sample (16mm) | Samples      | 48        | 1            |
| 5      | Sample (16mm) | Samples      | 48        | 1            |

--- Sample Sets ---

| Set# | Type   | Prepare? | Description | Method   | #Pos | Rack# | StartPos |
|------|--------|----------|-------------|----------|------|-------|----------|
| 1    | Normal | No       | 43430       | TRIANGL2 | 2    | 2     | 1        |
| 2    | Normal | No       | 43231       | TRIANGL2 | 40   | 2     | 3        |

This project completed on Table HA452.

DKA 10/8/97

--- Preparation Info ---

| Set# | Uptake | Uptake#2 | Final | Dil.Factor |
|------|--------|----------|-------|------------|
|------|--------|----------|-------|------------|

No Samples Prepared.

Rack #1

| Pos     | Row | Col | Sample Name | Set # | #Used | Type        |
|---------|-----|-----|-------------|-------|-------|-------------|
| 1       | 1   | 1   | STD3        | -NA-  | 2     | Standard    |
| 2       | 1   | 2   | STD1-BLANK  | -NA-  | 1     | Standard    |
| 3       | 1   | 3   | ICSAB       | -NA-  | 3     | QC Standard |
| 4       | 1   | 4   | ICV/CCV     | -NA-  | 6     | QC Standard |
| 5       | 1   | 5   | CHECK LO    | -NA-  | 1     | QC Standard |
| 6       | 1   | 6   | ICB/CCB     | -NA-  | 6     | QC Standard |
| (7...19 |     |     | Not Used)   |       |       |             |

1-G1-1P  
 1-G1-3P  
 1-G1-2P  
 DKA 10/7/97

Rack #2

| Pos | Row | Col | Sample Name  | Set # | #Used | Type   |
|-----|-----|-----|--------------|-------|-------|--------|
| 1   | 1   | 1   | 185-4-1      | 1     | -NA-  | Sample |
| 2   | 1   | 2   | 185-4-1 D    | 1     | -NA-  | Sample |
| 3   | 1   | 3   | 43231 MB     | 2     | -NA-  | Sample |
| 4   | 1   | 4   | 43231 LCS    | 2     | -NA-  | Sample |
| 5   | 1   | 5   | 183-3-18     | 2     | -NA-  | Sample |
| 6   | 1   | 6   | 183-3-28     | 2     | -NA-  | Sample |
| 7   | 1   | 7   | 183-3-28 POS | 2     | -NA-  | Sample |
| 8   | 1   | 8   | 183-3-28 L   | 2     | -NA-  | Sample |
| 9   | 1   | 9   | 183-3-38     | 2     | -NA-  | Sample |
| 10  | 1   | 10  | 183-3-38 DA  | 2     | -NA-  | Sample |
| 11  | 1   | 11  | 183-3-48     | 2     | -NA-  | Sample |
| 12  | 1   | 12  | 183-3-58     | 2     | -NA-  | Sample |
| 13  | 2   | 1   | 183-3-68     | 2     | -NA-  | Sample |
| 14  | 2   | 2   | 183-3-78     | 2     | -NA-  | Sample |

## Rack #2

| Pos      | Row | Col | Sample Name    | Set # | #Used | Type   |
|----------|-----|-----|----------------|-------|-------|--------|
| 15       | 2   | 3   | 183-3-88       | 2     | -NA-  | Sample |
| 16       | 2   | 4   | 183-3-18C      | 2     | -NA-  | Sample |
| 17       | 2   | 5   | 183-3-2C       | 2     | -NA-  | Sample |
| 18       | 2   | 6   | 183-3-2C PDS   | 2     | -NA-  | Sample |
| 19       | 2   | 7   | 183-3-2C L     | 2     | -NA-  | Sample |
| 20       | 2   | 8   | 183-3-3C       | 2     | -NA-  | Sample |
| 21       | 2   | 9   | 183-3-3C DA    | 2     | -NA-  | Sample |
| 22       | 2   | 10  | 183-3-4C       | 2     | -NA-  | Sample |
| 23       | 2   | 11  | 183-3-58C      | 2     | -NA-  | Sample |
| 24       | 2   | 12  | 183-3-6C       | 2     | -NA-  | Sample |
| 25       | 3   | 1   | 183-3-7C       | 2     | -NA-  | Sample |
| 26       | 3   | 2   | 183-3-8C       | 2     | -NA-  | Sample |
| 27       | 3   | 3   | 43231 M8       | 2     | -NA-  | Sample |
| 28       | 3   | 4   | 43231 LCS      | 2     | -NA-  | Sample |
| 29       | 3   | 5   | 184-23-1AB X50 | 2     | -NA-  | Sample |
| 30       | 3   | 6   | 184-23-2AB     | 2     | -NA-  | Sample |
| 31       | 3   | 7   | 184-23-2AB PDS | 2     | -NA-  | Sample |
| 32       | 3   | 8   | 184-23-2AB L   | 2     | -NA-  | Sample |
| 33       | 3   | 9   | 184-23-3AB     | 2     | -NA-  | Sample |
| 34       | 3   | 10  | 184-23-3AB DA  | 2     | -NA-  | Sample |
| 35       | 3   | 11  | 184-23-4AB     | 2     | -NA-  | Sample |
| 36       | 3   | 12  | 184-23-6AB     | 2     | -NA-  | Sample |
| 37       | 4   | 1   | 184-23-7AB     | 2     | -NA-  | Sample |
| 38       | 4   | 2   | 184-23-8AB     | 2     | -NA-  | Sample |
| 39       | 4   | 3   | 184-23-9AB     | 2     | -NA-  | Sample |
| 40       | 4   | 4   | 184-23-10AB,5  | 2     | -NA-  | Sample |
| 41       | 4   | 5   | 183-15-1C      | 2     | -NA-  | Sample |
| 42       | 4   | 6   | 183-15-18C     | 2     | -NA-  | Sample |
| (43...48 |     |     | Not Used)      |       |       |        |

## Rack #3

| Pos     | Row | Col | Sample Name | Set # | #Used | Type |
|---------|-----|-----|-------------|-------|-------|------|
| (1...48 |     |     | Not Used)   |       |       |      |

## Rack #4

| Pos     | Row | Col | Sample Name | Set # | #Used | Type |
|---------|-----|-----|-------------|-------|-------|------|
| (1...48 |     |     | Not Used)   |       |       |      |

## Rack #5

| Pos     | Row | Col | Sample Name | Set # | #Used | Type |
|---------|-----|-----|-------------|-------|-------|------|
| (1...48 |     |     | Not Used)   |       |       |      |

Method: TRIANGL2 Standard: STD1-BLANK

|      |        |        |        |        |        |        |        |
|------|--------|--------|--------|--------|--------|--------|--------|
| Elem | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 | Ca3179 |
| Avgc | -.0001 | .0029  | -.0003 | .0387  | .0006  | .0002  | .0005  |
| SDev | .0002  | .0000  | .0001  | .0010  | .0000  | .0000  | .0000  |
| %RSD | 238.2  | .9540  | 18.26  | 2.698  | 2.019  | .8331  | 2.589  |
| #1   | .0001  | .0029  | -.0004 | .0378  | .0006  | .0002  | .0005  |
| #2   | -.0001 | .0029  | -.0003 | .0398  | .0006  | .0002  | .0005  |
| #3   | -.0002 | .0029  | -.0003 | .0384  | .0006  | .0002  | .0005  |
| Elem | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 | Fe2714 | K_7664 |
| Avgc | -.0001 | -.0000 | -.0001 | -.0001 | .0028  | .0000  | 4.044  |
| SDev | .0001  | .0001  | .0000  | .0001  | .0000  | .0000  | .029   |
| %RSD | 69.80  | 467.4  | 31.64  | 59.00  | 1.242  | 59.72  | .7063  |
| #1   | -.0001 | -.0002 | -.0002 | -.0002 | .0028  | .0000  | 4.011  |
| #2   | -.0000 | -.0000 | -.0001 | -.0001 | .0028  | .0001  | 4.063  |
| #3   | -.0001 | .0001  | -.0001 | -.0001 | .0028  | .0001  | 4.057  |
| Elem | Li6707 | Mg2790 | Mn2576 | Mo2020 | Na3302 | Ni2316 | P_2149 |
| Avgc | .0748  | .0001  | .0000  | .0000  | .0025  | -.0017 | -.0010 |
| SDev | .0005  | .0001  | .0000  | .0000  | .0019  | .0002  | .0000  |
| %RSD | .6568  | 87.43  | 22.13  | 131.4  | 77.25  | 9.857  | 4.876  |
| #1   | .0743  | .0000  | .0000  | .0000  | .0040  | -.0019 | -.0010 |
| #2   | .0752  | .0001  | .0000  | .0001  | .0031  | -.0017 | -.0010 |
| #3   | .0750  | .0001  | .0000  | .0000  | .0003  | -.0015 | -.0009 |
| Elem | 2203-1 | 2203-2 | Sb2068 | 1960-1 | 1960-2 | Sn1899 | Sr4215 |
| Avgc | .0008  | .0002  | .0003  | -.0059 | .0021  | -.0004 | .0003  |
| SDev | .0003  | .0001  | .0001  | .0011  | .0001  | .0000  | .0000  |
| %RSD | 38.95  | 64.63  | 48.42  | 18.09  | 6.774  | 6.482  | 8.453  |
| #1   | .0012  | .0001  | .0003  | -.0047 | .0023  | -.0004 | .0003  |
| #2   | .0006  | .0003  | .0001  | -.0068 | .0021  | -.0004 | .0003  |
| #3   | .0006  | .0002  | .0004  | -.0062 | .0020  | -.0005 | .0003  |
| Elem | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |        |        |
| Avgc | .0001  | -.0006 | -.0005 | -.0000 | .0515  |        |        |
| SDev | .0001  | .0000  | .0000  | .0000  | .0039  |        |        |
| %RSD | 115.6  | 6.633  | 3.104  | 143.6  | 7.564  |        |        |
| #1   | -.0000 | -.0006 | -.0005 | -.0001 | .0497  |        |        |
| #2   | .0001  | -.0005 | -.0004 | .0000  | .0559  |        |        |
| #3   | .0002  | -.0006 | -.0005 | -.0000 | .0487  |        |        |

Method: TRIANGL2 - Standard: STD3

| Elem | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 | Ca3179 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avge | .3982  | .0180  | .0517  | .1964  | .2895  | .2558  | .0223  |
| SDev | .0019  | .0003  | .0000  | .0009  | .0002  | .0009  | .0001  |
| %RSD | .4764  | 1.461  | .0740  | .4663  | .0636  | .3704  | .2756  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | .4003 | .0183 | .0517 | .1974 | .2897 | .2548 | .0222 |
| #2 | .3976 | .0179 | .0517 | .1962 | .2896 | .2559 | .0223 |
| #3 | .3967 | .0178 | .0518 | .1956 | .2894 | .2567 | .0223 |

| Elem | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 | Fe2714 | K_7664 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avge | .9160  | .1104  | .1037  | .1453  | .1778  | .0041  | 23.31  |
| SDev | .0033  | .0002  | .0003  | .0005  | .0012  | .0000  | .05    |
| %RSD | .3602  | .1649  | .2513  | .3350  | .6508  | .6543  | .2268  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | .9126 | .1102 | .1034 | .1448 | .1791 | .0041 | 23.34 |
| #2 | .9162 | .1106 | .1037 | .1453 | .1775 | .0041 | 23.34 |
| #3 | .9192 | .1105 | .1039 | .1458 | .1768 | .0042 | 23.25 |

| Elem | Li6707 | Mg2790 | Mn2576 | Mo2020 | Na3302 | Ni2316 | P_2149 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avge | 15.96  | .0200  | .1273  | .0774  | .2309  | .3443  | .0215  |
| SDev | .08    | .0000  | .0004  | .0004  | .0023  | .0014  | .0000  |
| %RSD | .4845  | .2240  | .2832  | .5870  | 1.015  | .4059  | .0620  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 15.99 | .0200 | .1269 | .0769 | .2336 | .3434 | .0216 |
| #2 | 16.03 | .0200 | .1274 | .0775 | .2300 | .3437 | .0216 |
| #3 | 15.88 | .0199 | .1276 | .0778 | .2292 | .3459 | .0215 |

| Elem | 2203-1 | 2203-2 | Sb2068 | 1960-1 | 1960-2 | Sn1899 | Sr4215 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avge | .1775  | .0883  | .1192  | .2668  | .1586  | .0055  | .8209  |
| SDev | .0008  | .0005  | .0003  | .0016  | .0011  | .0001  | .0008  |
| %RSD | .4299  | .5841  | .2448  | .6023  | .7097  | 1.018  | .0980  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | .1784 | .0879 | .1195 | .2685 | .1573 | .0054 | .8216 |
| #2 | .1770 | .0881 | .1189 | .2667 | .1594 | .0055 | .8209 |
| #3 | .1771 | .0889 | .1192 | .2653 | .1591 | .0054 | .8200 |

| Elem | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
|------|--------|--------|--------|--------|--------|
| Avge | 1.100  | .0306  | .0379  | .0979  | .4769  |
| SDev | .002   | .0010  | .0001  | .0005  | .0026  |
| %RSD | .1470  | 3.264  | .1783  | .4822  | .5433  |

|    |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|
| #1 | 1.098 | .0295 | .0379 | .0975 | .4798 |
| #2 | 1.100 | .0309 | .0379 | .0979 | .4758 |
| #3 | 1.101 | .0314 | .0380 | .0985 | .4750 |



Method: TRIANGL2    Sample Name: STD3                    Operator: DKH  
 Run Time: 10/07/97 02:17                    Filename: 100797  
 Mode: CONC            Type: Q                    Corr. Factor:            1.00000  
 Lab ID.:                Cust. Smpl. ID.:            Cust. ID.: 43430

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 998.6  | 1000.  | 1004.  | 983.8  | 1004.  | 1004.  |
| SDev  | 5.093  | 13.27  | 2.708  | 4.027  | .7248  | 2.818  |
| %RSD  | .51    | 1.327  | .2699  | .4094  | .0722  | .2808  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1005.  | 1007.  | 1007.  | 1006.  | 1006.  | 1002.  |
| SDev  | 2.647  | 2.874  | 1.356  | 2.088  | 1.181  | 4.399  |
| %RSD  | .2633  | .2856  | .1346  | .2076  | .1174  | .4389  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1007.  | 9.972  | 996.5  | 1003.  | 1005.  | 1011.  |
| SDev  | 3.941  | .0194  | 1.972  | 4.795  | 2.251  | .7379  |
| %RSD  | .3916  | .1945  | .1979  | .4782  | .224   | .073   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 9.983  | 1006.  | 1004.  | 1000.  | 1008.  | 1007.  |
| SDev  | .0904  | 2.089  | 5.599  | 2.234  | 8.047  | 2.929  |
| %RSD  | .9058  | .2078  | .5577  | .2233  | .798   | .2909  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1005.  | 1006.  | 1006.  | 1005.  | 988.2  | 999.5  |
| SDev  | 5.134  | 1.384  | 4.736  | 2.551  | 7.927  | 1.155  |
| %RSD  | .5109  | .1377  | .471   | .2537  | .8022  | .1156  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | *Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | 1003.  | 1035.  | 1004.  | 1010.  | 9993.   |
| SDev  | 1.978  | 10.62  | 1.491  | 6.095  | 53.58   |
| %RSD  | .1972  | 1.026  | .1484  | .6038  | .5362   |

Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/07/97 02:27 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smp. ID.: Cust. ID.: 43430

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | Q.9089 | Q2.758 | Q1.289 | -86.48 | Q.7875 | Q.8180 |
| SDev  | .2582  | 3.023  | 2.213  | 1.231  | .1798  | .2313  |
| %RSD  | 28.41  | 109.6  | 171.7  | 1.423  | 22.83  | 28.27  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | Q.7980 | Q.8192 | 1.301  | Q.9261 | Q.7586 | Q.4245 |
| SDev  | .2426  | .1844  | .8208  | .2671  | .0791  | .4021  |
| %RSD  | 30.4   | 22.51  | 63.07  | 28.84  | 10.43  | 94.73  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | Q5.346 | Q.0269 | Q.8153 | Q2.238 | Q.8254 | Q2.291 |
| SDev  | 4.673  | .0131  | .1781  | 1.294  | .214   | .4794  |
| %RSD  | 87.4   | 48.86  | 21.85  | 57.81  | 25.93  | 20.93  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | Q.1012 | Q.8937 | Q2.009 | .6948  | -.8176 | Q4.500 |
| SDev  | .015   | .1957  | 1.555  | 1.936  | 1.748  | 1.519  |
| %RSD  | 14.8   | 21.9   | 77.37  | 278.7  | 213.8  | 33.75  |

|       |        |        |         |        |        |        |
|-------|--------|--------|---------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203  | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb     | ppb    | ppb    | ppb    |
| Avg   | 2.036  | .4676  | Q-.3140 | Q.9899 | Q12.36 | Q.7994 |
| SDev  | 1.709  | .9612  | 1.748   | 1.088  | 14.35  | .1952  |
| %RSD  | 83.95  | 205.6  | 556.7   | 109.9  | 116.2  | 24.42  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | *Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | Q.8199 | Q16.97 | Q1.628 | Q.7629 | Q-262.4 |
| SDev  | .1822  | 6.494  | .1576  | .3169  | 4.032   |
| %RSD  | 22.22  | 38.27  | 9.684  | 41.54  | 1.537   |

NIV. DKH 10/7/97

Method: TRIANGL2    Sample Name: ICV/CCV      Operator: DKH  
 Run Time: 10/07/97 02:34      Filename: 100797  
 Mode: CONC      Type: Q      Corr. Factor: 1.00000  
 Lab ID.:      Cust. Smpl. ID.:      Cust. ID.: 43430

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Ba3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 496.3  | 506.3  | 499.2  | 400.6  | 496.7- | 492.4  |
| SDev  | 2.087  | 12.97  | 1.552  | 1.528  | .763   | 2.514  |
| %RSD  | .4205  | 2.561  | .3109  | .3815  | .1536  | .5106  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 498.6  | 500.0  | 496.2  | 495.5  | 497.0  | 500.4  |
| SDev  | 1.326  | 2.456  | 1.302  | 1.84   | 1.958  | 4.565  |
| %RSD  | .266   | .4912  | .2623  | .3714  | .3941  | .9122  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 491.0  | 4.882  | 485.4  | 498.6  | 497.0  | 498.3  |
| SDev  | 6.234  | .0418  | 4.274  | 4.04   | 1.61   | .9754  |
| %RSD  | 1.27   | .856   | .8806  | .8103  | .324   | .1958  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 4.913  | 498.1  | 496.3  | 497.1  | 499.0  | 494.7  |
| SDev  | .1562  | 1.359  | 1.814  | 2.469  | 1.107  | 2.296  |
| %RSD  | 3.179  | .2728  | .3655  | .4968  | .2217  | .464   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 502.1  | 501.2  | 498.4  | 501.5  | Q9516. | 494.4  |
| SDev  | 4.361  | 3.123  | .0888  | 3.126  | 40.35  | .287   |
| %RSD  | .8685  | .6231  | .0178  | .6233  | .4241  | .0581  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | *Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | 496.1  | 505.6  | 497.1  | 498.8  | Q-33.54 |
| SDev  | .8619  | 12.56  | .992   | 3.135  | 8.421   |
| %RSD  | .1737  | 2.484  | .1996  | .6285  | 25.11   |

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
 Run Time: 10/07/97 02:44 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: \_ Cust. Smpl. ID.: Cust. ID.: 43430

| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .3155  | 6.615  | .0904  | -128.7 | .0616  | .1053  |
| SDev  | .257   | 3.268  | .4241  | .7183  | .0346  | .034   |
| %RSD  | 81.48  | 49.41  | 469.1  | .5582  | 56.23  | 32.28  |

| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -.5314 | .0224  | .6182  | .1822  | .1414  | -.5736 |
| SDev  | .8154  | .1327  | 1.838  | .1334  | .2856  | .4538  |
| %RSD  | 153.4  | 591.6  | 297.3  | 73.23  | 201.9  | 79.12  |

| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -.2569 | .0065  | .1007  | .0826  | .0901  | .4445  |
| SDev  | 3.027  | .0102  | .0087  | 1.801  | .0456  | .5671  |
| %RSD  | 1178   | 156.5  | 8.674  | 2179   | 50.61  | 127.6  |

| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .0681  | .1093  | 3.447  | .1017  | -1.408 | 1.411  |
| SDev  | .0584  | .095   | 1.654  | .8925  | .8182  | 1.881  |
| %RSD  | 85.75  | 86.92  | 47.97  | 877.6  | 58.1   | 133.4  |

| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.853  | -2.055 | -.9054 | -.7540 | -.3666 | .0781  |
| SDev  | .6234  | 1.978  | .8238  | 1.504  | 17.63  | .0372  |
| %RSD  | 33.65  | 96.21  | 90.99  | 199.5  | 4808   | 47.63  |

| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | *Si2881 |
|-------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | .1101  | 3.916  | .8993  | .0529  | Q-371.0 |
| SDev  | .0354  | 2.667  | .1791  | .3174  | 1.75    |
| %RSD  | 32.15  | 68.12  | 19.91  | 600.1  | .4718   |

Method: TRIANGL2 Sample Name: ICSAB Operator: DKH  
Run Time: 10/07/97 02:49 Filename: 100797  
Mode: CONC Type: Q Corr. Factor: 1.00000  
Lab ID.: Cust. Smp. ID.: Cust. ID.: 43430

|       |        |         |        |        |        |        |
|-------|--------|---------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | 534.1  | 497500. | 519.1  | 402.2  | 515.1  | 485.7  |
| SDev  | 1.677  | 4766    | 2.114  | 1.583  | 1.099  | 1.786  |
| %RSD  | .314   | .9579   | .4072  | .3935  | .2134  | .3677  |

|       |         |        |        |        |        |        |
|-------|---------|--------|--------|--------|--------|--------|
| Elms  | Ca3179  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 447300. | 477.5  | 500.4  | 471.1  | 478.5  | 537.6  |
| SDev  | 1055    | 1.155  | .7313  | 1.108  | 2.127  | 4.405  |
| %RSD  | .2359   | .2418  | .1461  | .2352  | .4446  | .8194  |

|       |         |        |        |         |        |        |
|-------|---------|--------|--------|---------|--------|--------|
| Elms  | Fe2714  | K_7664 | Li6707 | Mg2790  | Mn2576 | Mo2020 |
| Units | ppb     | ppm    | ppb    | ppb     | ppb    | ppb    |
| Avge  | 172500. | 025.18 | 622.1  | 525200. | 459.1  | 498.4  |
| SDev  | 191.8   | .058   | 1.361  | 1135    | 1.384  | 2.587  |
| %RSD  | .1112   | .2302  | .2188  | .2162   | .3015  | .5192  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 5.430  | 459.3  | 546.1  | 501.7  | 480.0  | 508.0  |
| SDev  | .1276  | .8184  | 3.243  | 2.574  | 8.179  | 6.555  |
| %RSD  | 2.349  | .1782  | .5939  | .5129  | 1.704  | 1.29   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 543.7  | 521.9  | 487.3  | 529.1  | 09884. | 508.0  |
| SDev  | 10.11  | 8.784  | 4.779  | 3.846  | 30.75  | .4388  |
| %RSD  | 1.859  | 1.683  | .9808  | .7269  | .3111  | .0864  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 496.1  | 516.6  | 492.6  | 450.2  | 0206.5 |
| SDev  | .7835  | 9.949  | 1.416  | 3.577  | 19.32  |
| %RSD  | .1579  | 1.926  | .2875  | .7946  | 9.354  |

Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/07/97 03:54 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43430

| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 497.8  | 523.1  | 503.0  | 313.3  | 495.3  | 491.4  |
| SDev  | 3.045  | 10.84  | 2.449  | 1.095  | .7605  | 2.016  |
| %RSD  | .6117  | 2.073  | .4869  | .3496  | .1535  | .4103  |

| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 497.9  | 504.1  | 496.8  | 495.4  | 499.4  | 498.9  |
| SDev  | 1.714  | 2.036  | .5736  | 1.303  | 1.438  | 3.769  |
| %RSD  | .3442  | .4039  | .1155  | .263   | .2879  | .7556  |

| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 496.1  | 4.879  | 480.5  | 500.3  | 497.4  | 496.7  |
| SDev  | 3.232  | .0395  | 3.567  | 1.462  | 1.525  | 2.627  |
| %RSD  | .6515  | .8093  | .7423  | .2922  | .3065  | .5289  |

| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 4.890  | 503.5  | 507.9  | 491.5  | 504.8  | 492.7  |
| SDev  | .0603  | 1.796  | 4.647  | 3.873  | 2.595  | 1.115  |
| %RSD  | 1.232  | .3567  | .915   | .7879  | .5141  | .2263  |

| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 502.6  | 507.0  | 500.4  | 505.5  | 493.85 | 494.2  |
| SDev  | 3.822  | .8046  | .8995  | .8226  | 22.85  | .2477  |
| %RSD  | .7604  | .1587  | .1798  | .1627  | .2435  | .0501  |

| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
|-------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | 497.9  | 499.4  | 498.2  | 500.4  | 0-286.4 |
| SDev  | .8951  | 18.76  | 1.183  | 3.693  | 4.778   |
| %RSD  | .1798  | 3.756  | .2375  | .7379  | 1.668   |

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
 Run Time: 10/07/97 04:13 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: - Cust. ID.: 43430

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .0352  | 34.98  | 1.112  | -205.8 | .0150  | .2246  |
| SDev  | .2306  | 4.163  | 1.38   | .9488  | .0392  | .0015  |
| %RSD  | 654.4  | 11.9   | 124.1  | .461   | 261.8  | .6705  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -2.315 | -.0260 | -.7679 | .0968  | .1344  | -1.206 |
| SDev  | .2333  | .0367  | .7765  | .1405  | .1896  | .2589  |
| %RSD  | 10.08  | 141.5  | 101.1  | 145    | 141    | 21.48  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .4665  | .0302  | .1273  | .8170  | .0424  | .4842  |
| SDev  | 1.432  | .0086  | .0378  | 1.029  | .0302  | .6619  |
| %RSD  | 307    | 28.46  | 29.73  | 126    | 71.16  | 136.7  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .0136  | .3771  | 6.309  | 1.923  | -2.814 | .0359  |
| SDev  | .0449  | .7752  | 3.504  | 1.16   | .251   | 1.256  |
| %RSD  | 329.4  | 111.3  | 55.53  | 60.32  | 8.918  | 3499   |

|       |        |        |        |        |         |        |
|-------|--------|--------|--------|--------|---------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899  | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avg   | 2.538  | -1.377 | -1.237 | -.0736 | 0-14.66 | .0274  |
| SDev  | 1.019  | 2.188  | .3044  | 1.425  | 4.4     | .0273  |
| %RSD  | 40.14  | 158.8  | 24.61  | 1936   | 30.01   | 99.87  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | .0476  | 111.82 | 1.296  | .5581  | 0-625.3 |
| SDev  | .0625  | 3.268  | .182   | .3716  | 2.053   |
| %RSD  | 131.2  | 27.63  | 14.05  | 66.59  | .3284   |

NIV.  
DKH 10/7/97

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
 Run Time: 10/07/97 04:19 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43430

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | .1153  | 35.78  | -.7492 | -208.7 | .0022  | .1974  |
| SDev  | .3559  | 3.024  | 1.582  | .9138  | .0055  | .0239  |
| %RSD  | 308.6  | 8.452  | 211.1  | .4379  | 248.6  | 12.09  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | -3.147 | -.1175 | -.4512 | .0817  | .1302  | -1.267 |
| SDev  | .6507  | .1615  | .5508  | .1559  | .1114  | .1472  |
| %RSD  | 20.68  | 137.4  | 122.1  | 190.8  | 85.5   | 11.61  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 2.283  | .0175  | .0839  | 2.520  | .0309  | .1208  |
| SDev  | .6559  | .0108  | .0215  | .8062  | .018   | .3677  |
| %RSD  | 28.72  | 61.5   | 25.66  | 32     | 58.21  | 304.4  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | .0545  | -.0893 | 6.483  | 1.209  | -3.434 | -.0020 |
| SDev  | .0629  | .3276  | 3.62   | 1.094  | .9822  | 1.274  |
| %RSD  | 115.4  | 366.8  | 55.84  | 90.48  | 28.6   | 64910  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 2.892  | -2.974 | -1.888 | -1.021 | 033.02 | .0098  |
| SDev  | 4.575  | 2.35   | .5263  | .0971  | 9.284  | .0078  |
| %RSD  | 158.2  | 79.02  | 27.88  | 9.513  | 28.11  | 79.78  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | -.0190 | 05.048 | 1.557  | .1679  | 0-628.5 |
| SDev  | .066   | 2.915  | .3821  | .1562  | .091    |
| %RSD  | 348.2  | 57.75  | 24.54  | 93.01  | .0145   |

NIV  
 MKA 10/7/97



Method: TRIANGL2    Sample Name: ICB/CCB      Operator: DKH  
 Run Time: 10/07/97 04:31      Filename: 100797  
 Mode: CONC      Type: Q      Corr. Factor:      1.00000  
 Lab ID.:      Cust. Smpl. ID.:      Cust. ID.: 43430

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .1661  | 40.81  | 1.251  | -211.7 | -.0116 | .2269  |
| SDev  | .1269  | 2.658  | .9621  | 1.69   | .0428  | .016   |
| %RSD  | 76.43  | 6.514  | 76.89  | .7981  | 370.3  | 7.059  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -4.096 | -.0758 | .1982  | .0802  | .1499  | -1.328 |
| SDev  | .5473  | .018   | .5162  | .3625  | .3166  | .129   |
| %RSD  | 13.36  | 23.78  | 260.5  | 451.9  | 211.2  | 9.711  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 3.309  | .0201  | .0755  | .5514  | .0024  | -.5559 |
| SDev  | 3.475  | .012   | .0337  | 3.487  | .0446  | .2651  |
| %RSD  | 105    | 59.67  | 44.56  | 632.4  | 1849   | 47.68  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .0360  | -.0023 | 3.424  | .8929  | -1.798 | .3855  |
| SDev  | .1088  | .6983  | 1.303  | 1.807  | .9609  | 1.052  |
| %RSD  | 302.3  | 29790  | 38.06  | 202.4  | 53.44  | 272.9  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 2.853  | -.9544 | -.9020 | .3068  | 013.48 | -.0077 |
| SDev  | 1.608  | 1.044  | .276   | .9219  | 14.7   | .0227  |
| %RSD  | 56.76  | 109.4  | 30.6   | 300.5  | 109.1  | 294.2  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | -.0126 | 3.302  | 1.671  | .1510  | Q-651.2 |
| SDev  | .061   | 2.898  | .386   | .3774  | 1.713   |
| %RSD  | 482.6  | 87.78  | 23.09  | 249.9  | .2631   |

Method: TRIANGL2 Sample Name: ICSAB Operator: DKH  
 Run Time: 10/07/97 04:37 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43430

| Elms  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Ba3130 |
|-------|--------|---------|--------|--------|--------|--------|
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avg   | 531.9  | 501000. | 522.8  | 324.4  | 518.5  | 482.5  |
| SDev  | 1.237  | 3412    | 4.091  | 3.635  | 1.233  | 1.742  |
| %RSD  | .2325  | .6809   | .7826  | 1.121  | .2378  | .361   |

| Elms  | Ca3179  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|---------|--------|--------|--------|--------|--------|
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 448500. | 480.7  | 504.2  | 470.5  | 480.2  | 542.6  |
| SDev  | 1338    | 1.042  | 1.044  | 1.251  | 2.242  | 3.815  |
| %RSD  | .2983   | .2168  | .2071  | .2659  | .467   | .7031  |

| Elms  | Fe2714  | K_7664 | Li6707 | Mg2790  | Mn2576 | Mo2020 |
|-------|---------|--------|--------|---------|--------|--------|
| Units | ppb     | ppm    | ppb    | ppb     | ppb    | ppb    |
| Avg   | 172700. | Q25.34 | 625.0  | 527500. | 459.9  | 496.5  |
| SDev  | 245.2   | .1569  | 3.643  | 598.2   | 1.24   | 4.086  |
| %RSD  | .142    | .6191  | .5828  | .1134   | .2696  | .8231  |

| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 5.589  | 462.5  | 545.5  | 491.5  | 486.6  | 510.1  |
| SDev  | .0987  | 1.248  | 12.9   | 5.484  | 5.071  | 3.386  |
| %RSD  | 1.766  | .2699  | 2.365  | 1.116  | 1.042  | .6637  |

| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 537.0  | 527.6  | 488.3  | 530.7  | Q9712. | 512.5  |
| SDev  | 7.339  | 7.309  | 1.6    | 2.762  | 111.3  | .9922  |
| %RSD  | 1.367  | 1.385  | .3277  | .5203  | 1.146  | .1936  |

| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si288i  |
|-------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | 499.6  | 503.0  | 493.6  | 446.6  | Q-63.97 |
| SDev  | .3489  | 23.13  | 1.132  | 3.533  | 5.421   |
| %RSD  | .0698  | 4.598  | .2294  | .7911  | 8.475   |

Method: TRIANGL2 Sample Name: 43231 MB Operator: DKH  
Run Time: 10/07/97 05:09 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |        |        |        |         |        |
|-------|---------|--------|--------|--------|---------|--------|
| Elms  | Co2286  | As1890 | Ba4934 | Be3130 | Cd2265  | Ag3280 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avge  | L-.0840 | L.2054 | L.1336 | L.3012 | L-.1924 | L.0129 |
| SDev  | .0786   | 1.789  | .023   | .0141  | .036    | .1976  |
| %RSD  | 93.54   | 870.9  | 17.21  | 4.686  | 18.73   | 1535   |

|       |        |        |        |        |         |        |
|-------|--------|--------|--------|--------|---------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203  | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avge  | L.2336 | L.8014 | L.7729 | L3.209 | L-.0667 | L.4985 |
| SDev  | .2472  | .057   | .5292  | 1.384  | .3606   | .7593  |
| %RSD  | 105.8  | 7.111  | 68.46  | 43.14  | 540.9   | 152.3  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | L.0967 | L3.807 | 22.53  |
| SDev  | 2.06   | 1.589  | .2129  |
| %RSD  | 2129   | 41.72  | .9451  |

Method: TRIANGL2 Sample Name: 43231 LCS Operator: DKH  
Run Time: 10/07/97 05:14 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 49.51  | 49.55  | 50.04  | 47.96  | 50.47  | 46.92  |
| SDev  | .4746  | 1.37   | .0505  | .0718  | .2798  | .4211  |
| %RSD  | .9586  | 2.766  | .101   | .1496  | .5543  | .8974  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 50.38  | 50.22  | 50.80  | 1027.  | 48.37  | 51.11  |
| SDev  | .5406  | .1382  | .9832  | 9.016  | .2561  | .9948  |
| %RSD  | 1.073  | .2751  | 1.936  | .8777  | .5295  | 1.947  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 48.89  | 54.98  | 202.1  |
| SDev  | .8738  | .8596  | .9752  |
| %RSD  | 1.787  | 1.563  | .4825  |

Method: TRIANGL2 Sample Name: 183-3-18 Operator: DKH  
Run Time: 10/07/97 05:19 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.503  | 2.984  | 4.282  | 1.2732 | 25.20  | 5.430  |
| SDev  | .2874  | 1.066  | .0153  | .0461  | .185   | .3719  |
| %RSD  | 19.12  | 35.71  | .3576  | 16.9   | .7342  | 6.85   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 9.808  | 7.089  | 9.264  | 119.49 | 134.9  | 6.088  |
| SDev  | .3586  | .0144  | .4954  | 4.19   | 1.735  | 1.037  |
| %RSD  | 3.657  | .2033  | 5.348  | 21.5   | 1.286  | 17.04  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avg   | 3.900  | 1.5224 | 42.38  |
| SDev  | 2.003  | 1.752  | .3118  |
| %RSD  | 51.35  | 335.5  | .7356  |

Method: TRIANGL2 Sample Name: 183-3-28 Operator: DKH  
Run Time: 10/07/97 05:23 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |        |        |        |        |        |
|-------|---------|--------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | L-1.725 | 7.435  | 51.46  | L.3328 | 28.57  | 10.58  |
| SDev  | .43     | 1.497  | .0976  | .0402  | .2591  | .6289  |
| %RSD  | 24.92   | 20.13  | .1896  | 12.08  | .9066  | 5.946  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 41.40  | 1584.  | 50.42  | 105.6  | 1914.  | 23.73  |
| SDev  | 2.048  | 8.431  | 1.657  | 5.198  | 12.68  | 3.3    |
| %RSD  | 4.946  | .5321  | 3.287  | 4.924  | .6625  | 13.9   |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 8.559  | L-2.244 | 11380. |
| SDev  | 1.332  | 2.784   | 110.3  |
| %RSD  | 15.56  | 124.1   | .9692  |

Method: TRIANGL2 Sample Name: 183-3-28 PDS Operator: DKH  
Run Time: 10/07/97 05:28 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 46.53  | 52.32  | 100.9  | 45.60  | 77.08  | 56.28  |
| SDev  | .3865  | 1.785  | .3536  | .1294  | .5125  | .5567  |
| %RSD  | .8308  | 3.411  | .3505  | .2837  | .6649  | .9892  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 91.75  | 1619.  | 99.32  | 106.6  | 1945.  | 68.97  |
| SDev  | 1.525  | 5.874  | 1.766  | 12.33  | 7.856  | 1.48   |
| %RSD  | 1.662  | .3628  | 1.778  | 11.56  | .4039  | 2.145  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avg   | 53.34  | 46.28  | 11470. |
| SDev  | .2419  | 2.999  | 98.47  |
| %RSD  | .4534  | 6.479  | .8584  |

Method: TRIANGL2 Sample Name: 183-3-28 L Operator: DKH  
Run Time: 10/07/97 05:33 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1.100  | 12.140 | 10.54  | 1.3221 | 5.654  | 2.246  |
| SDev  | .1214  | 1.787  | .063   | .0306  | .161   | .3491  |
| %RSD  | 11.03  | 83.51  | .598   | 9.491  | 2.846  | 15.54  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 12.65  | 327.6  | 12.88  | 31.59  | 402.2  | 8.209  |
| SDev  | .3954  | .7695  | .337   | 8.045  | 2.606  | 1.123  |
| %RSD  | 3.127  | .2349  | 2.616  | 25.47  | .6479  | 13.68  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 3.531  | 13.416 | 2410.  |
| SDev  | 1.877  | 2.182  | 8.563  |
| %RSD  | 53.16  | 63.87  | .3556  |



Method: TRIANGL2 Sample Name: 183-3-3B Operator: DKH  
Run Time: 10/07/97 05:37 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 5.101  | 29.56  | 272.5  | 1.477  | 298.9  | 50.48  |
| SDev  | .1027  | 1.621  | .1511  | .0157  | .7584  | .4574  |
| %RSD  | 2.014  | 5.483  | .0555  | 1.065  | .2537  | .9062  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 154.5  | 12560. | 51.42  | 420.2  | 14900. | 105.9  |
| SDev  | 1.403  | 18.43  | 1.221  | 8.107  | 8.949  | 2.9    |
| %RSD  | .9083  | .1468  | 2.375  | 1.929  | .0601  | 2.739  |

|       |        |        |         |
|-------|--------|--------|---------|
| Elms  | Se1960 | Tl1908 | Zn2062  |
| Units | ppb    | ppb    | ppb     |
| Avge  | 18.81  | 14.67  | H72520. |
| SDev  | 1.038  | .9247  | 206.2   |
| %RSD  | 5.516  | 6.302  | .2843   |

Method: TRIANGL2 Sample Name: 183-3-38 DA Operator: DKH  
Run Time: 10/07/97 05:42 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 4.991  | 33.61  | 273.6  | 1.475  | 298.8  | 50.49  |
| SDev  | .3913  | 2.12   | .2217  | .0297  | 1.402  | .2812  |
| %RSD  | 7.84   | 6.307  | .081   | 2.015  | .4691  | .5569  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 155.2  | 12520. | 52.03  | 425.2  | 14910. | 106.9  |
| SDev  | 1.801  | 56.51  | .4253  | 2.365  | 58.42  | 1.539  |
| %RSD  | 1.16   | .4514  | .8174  | .5562  | .3919  | 1.44   |

|       |        |        |         |
|-------|--------|--------|---------|
| Elms  | Se1960 | Tl1908 | Zn2062  |
| Units | ppb    | ppb    | ppb     |
| Avge  | 18.29  | 13.08  | H71960. |
| SDev  | 1.818  | 3.168  | 469.5   |
| %RSD  | 9.938  | 24.21  | .6525   |

Method: TRIANGL2 Sample Name: 183-3-48 Operator: DKH  
Run Time: 10/07/97 05:47 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |        |        |        |        |        |
|-------|---------|--------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | L-1.676 | 8.563  | 48.03  | L.4056 | 25.08  | 7.181  |
| SDev  | .4468   | 1.731  | .2026  | .0434  | .1776  | .3424  |
| %RSD  | 26.66   | 20.22  | .4218  | 10.69  | .7083  | 4.768  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 30.49  | 1505.  | 13.72  | 1565.  | 1491.  | 14.70  |
| SDev  | 1.071  | 5.021  | .9878  | 1.35   | 4.75   | 2.254  |
| %RSD  | 3.514  | .3338  | 7.201  | .0863  | .3186  | 15.33  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 8.715  | L-1.443 | 8545.  |
| SDev  | 1.429  | 4.736   | 72.1i  |
| %RSD  | 16.4   | 328.2   | .8439  |

Method: TRIANGL2 Sample Name: 183-3-58 Operator: DKH  
Run Time: 10/07/97 05:51 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |        |        |        |         |        |
|-------|---------|--------|--------|--------|---------|--------|
| Elms  | Co2286  | As1890 | Ba4934 | Ba3130 | Cd2265  | Ag3280 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avge  | 1-2.223 | 14.119 | 2.195  | 1.2215 | 1-.1931 | 1.4694 |
| SDev  | .4794   | 1.927  | .0116  | .0272  | .0138   | .1325  |
| %RSD  | 21.57   | 46.79  | .53    | 12.29  | 7.125   | 28.24  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 10.44  | 11.41  | 6.462  | 113.13 | 9.729  | 7.605  |
| SDev  | .9226  | 2.011  | 1.026  | 4.668  | 3.117  | 2.898  |
| %RSD  | 8.84   | 17.63  | 15.87  | 35.57  | 32.04  | 38.11  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 6.198  | 11.619 | 61.34  |
| SDev  | 2.272  | 1.43   | 12.74  |
| %RSD  | 36.65  | 88.36  | 20.78  |

Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/07/97 05:57 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 500.1  | 549.8  | 503.0  | 1126.  | 499.6  | 488.5  |
| SDev  | 1.768  | 11.63  | 2.658  | 289.1  | .8604  | 2.648  |
| %RSD  | .3536  | 2.116  | .5284  | 25.68  | .1722  | .542   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 496.2  | 506.5  | 502.0  | 491.1  | 508.3  | 499.3  |
| SDev  | 1.349  | 2.453  | .2835  | 1.704  | 3.19   | 3.39   |
| %RSD  | .2717  | .4844  | .0565  | .3469  | .6276  | .679   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 504.5  | 4.770  | 471.3  | 494.2  | 494.5  | 495.0  |
| SDev  | 2.803  | .0039  | 1.514  | 2.288  | 1.959  | 3.113  |
| %RSD  | .5557  | .0827  | .3212  | .4629  | .3962  | .629   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2065 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 4.790  | 508.6  | 506.4  | 477.5  | 500.5  | 497.9  |
| SDev  | .0763  | 1.098  | 4.205  | 13.53  | 5.416  | 2.355  |
| %RSD  | 1.593  | .2159  | .8303  | 2.835  | 1.083  | .4729  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 494.3  | 500.8  | 492.7  | 498.6  | 49060. | 498.4  |
| SDev  | 5.34   | 2.783  | .8996  | 1.65   | 42.96  | .4037  |
| %RSD  | 1.08   | .5556  | .1826  | .331   | .4741  | .081   |

|       |        |        |        |        |          |
|-------|--------|--------|--------|--------|----------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881   |
| Units | ppb    | ppb    | ppb    | ppb    | ppb      |
| Avg   | 500.4  | 501.9  | 498.5  | 495.1  | Q134400. |
| SDev  | .8618  | 15.59  | 1.359  | 1.921  | 14970    |
| %RSD  | .1722  | 3.106  | .2727  | .3879  | 11.14    |

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
 Run Time: 10/07/97 06:04 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .5385  | 057.04 | 1.689  | 1103.  | .2200  | .5654  |
| SDev  | .2869  | 2.91   | .6228  | 345.8  | .1405  | .1555  |
| %RSD  | 53.28  | 5.101  | 36.87  | 31.34  | 63.87  | 27.49  |

|       |        |        |        |        |        |         |
|-------|--------|--------|--------|--------|--------|---------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | -4.869 | -.3955 | -.7971 | -.9458 | 05.127 | 0-2.216 |
| SDev  | .1377  | .0709  | .4798  | .3115  | .6681  | .4563   |
| %RSD  | 2.828  | 17.94  | 60.19  | 32.93  | 13.03  | 20.59   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 14.13  | .0282  | .3119  | 1.657  | .1839  | .6380  |
| SDev  | 5.622  | .0217  | .092   | 1.616  | .1417  | .4317  |
| %RSD  | 39.78  | 77.04  | 29.51  | 97.56  | 77.08  | 67.67  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .0078  | 03.218 | 5.152  | 4.831  | -5.180 | 04.165 |
| SDev  | .0636  | .587   | 3.26   | 8.018  | 3.177  | 1.559  |
| %RSD  | 816.7  | 18.24  | 63.27  | 166    | 61.33  | 37.44  |

|       |        |        |        |        |         |        |
|-------|--------|--------|--------|--------|---------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899  | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avg   | 11.73  | -.6711 | -1.346 | 03.457 | 0-105.1 | .2275  |
| SDev  | 1.825  | 1.678  | .617   | 1.174  | 28.86   | .135   |
| %RSD  | 15.56  | 250.1  | 33.42  | 33.76  | 27.47   | 59.36  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2861  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | .1627  | 3.969  | 02.349 | 1.139  | 093760. |
| SDev  | .0682  | 2.724  | .2512  | .2836  | 11540   |
| %RSD  | 41.92  | 68.62  | 10.7   | 24.89  | 12.3    |

*NIV.  
 MKM 10/7/97*

Method: TRIANGL2 Sample Name: ICB/CC8 Operator: DKH  
 Run Time: 10/07/97 06:19 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | -.5317 | -.5762 | 4.251  | 1531.  | .0309  | .0217  |
| SDev  | 1.738  | 8.903  | .9086  | 342.2  | .0293  | .0526  |
| %RSD  | 326.9  | 1545   | 21.37  | 22.36  | 94.81  | 242.4  |

| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247  |
|-------|--------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | .5761  | .7945  | 2.189  | .2052  | 1.853  | 0-2.841 |
| SDev  | .8656  | .2941  | 1.289  | .2702  | .518   | .6563   |
| %RSD  | 150.2  | 37.01  | 58.91  | 131.6  | 27.96  | 22.4    |

| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 5.114  | .0601  | .1608  | 2.086  | -.0044 | .1754  |
| SDev  | 2.113  | .0243  | .0506  | 2.249  | .0257  | .4376  |
| %RSD  | 41.32  | 40.42  | 31.45  | 107.8  | 580.7  | 249.6  |

| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2065 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | -.2286 | 2.343  | 11.40  | -.3249 | 1.999  | 1.678  |
| SDev  | .5526  | .1125  | 3.328  | 3.728  | 3.531  | .3552  |
| %RSD  | 241.7  | 4.802  | 29.21  | 1148   | 176.7  | 21.17  |

| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899  | Sr4215 |
|-------|--------|--------|--------|--------|---------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avge  | 4.529  | .9683  | 1.225  | 2.154  | 0-21.31 | .0393  |
| SDev  | 2.188  | 3.235  | 1.312  | 2.015  | 17.37   | .0214  |
| %RSD  | 48.31  | 334.1  | 107.1  | 93.56  | 81.52   | 54.56  |

| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2681  |
|-------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | .1194  | 010.44 | 02.990 | .6097  | 024780. |
| SDev  | .1128  | 1.68   | .698   | .3819  | 9419    |
| %RSD  | 94.47  | 16.09  | 23.34  | 62.65  | 38      |

Method: TRIANGL2 Sample Name: 183-3-68 Operator: DKH  
Run Time: 10/07/97 06:24 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Sapl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1.806  | 4.283  | 8.844  | 1.1416 | 16.44  | 1.8027 |
| SDev  | .3095  | .36    | .0277  | .0244  | .0362  | .5466  |
| %RSD  | 17.14  | 8.406  | .3137  | 17.22  | .2201  | 68.1   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 9.845  | 29.62  | 11.50  | 125.81 | 241.7  | 13.938 |
| SDev  | .7486  | .0633  | .16    | 2.254  | 1.067  | 1.543  |
| %RSD  | 7.604  | .2138  | 1.391  | 8.734  | .4413  | 39.19  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 3.725  | 1.1661 | 92.84  |
| SDev  | 1.836  | .2842  | .5221  |
| %RSD  | 49.3   | 171.1  | .5624  |



Method: TRIANGL2 Sample Name: 183-3-78 Operator: DKH  
Run Time: 10/07/97 06:29 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |        |        |        |        |        |
|-------|---------|--------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | L-2.318 | 5.244  | 7.222  | L.1385 | 19.51  | L.6510 |
| SDev  | .2215   | 1.829  | .0532  | .0252  | .0542  | .3015  |
| %RSD  | 9.553   | 34.88  | .7369  | 18.16  | .2777  | 46.31  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 10.33  | 56.90  | 12.71  | 30.66  | 167.8  | 4.323  |
| SDev  | .815   | .3025  | .6915  | 4.756  | .525   | 1.924  |
| %RSD  | 7.89   | .5317  | 5.44   | 15.51  | .3129  | 44.5   |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 4.249  | L1.378 | 155.9  |
| SDev  | 1.721  | .741   | 1.698  |
| %RSD  | 40.51  | 53.77  | 1.09   |

Method: TRIANGL2 Sample Name: 183-3-88 Operator: DKH  
Run Time: 10/07/97 06:34 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |        |        |        |        |        |
|-------|---------|--------|--------|--------|--------|--------|
| Elems | Co2286  | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1-3.729 | 5.202  | 12.50  | 1.1025 | 3.949  | 9.942  |
| SDev  | .3914   | .2739  | .1446  | .0193  | .1164  | .1831  |
| %RSD  | 10.5    | 5.265  | 1.157  | 18.84  | 2.948  | 1.842  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elems | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 20.67  | 170.9  | 12.18  | 128.32 | 186.0  | 8.237  |
| SDev  | .5764  | 1.392  | .2914  | 10.4   | 2.226  | 2.066  |
| %RSD  | 2.789  | .8148  | 2.593  | 36.71  | 1.196  | 25.08  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elems | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 8.440  | 1-1.782 | 1600.  |
| SDev  | .5147  | .6325   | 22.71  |
| %RSD  | 6.099  | 35.5    | 1.419  |

Method: TRIANGL2 Sample Name: 183-3-18C Operator: DKH  
Run Time: 10/07/97 06:38 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |        |        |        |        |
|-------|---------|---------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890  | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1-6.784 | 1-5.449 | 3.570  | 1.1541 | 40.73  | 4.852  |
| SDev  | 1.356   | 3.78    | .0803  | .0252  | 1.03   | .1807  |
| %RSD  | 19.99   | 69.37   | 2.249  | 16.36  | 2.528  | 3.725  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 18.91  | 12.07  | 10.73  | 69.81  | 189.2  | 5.944  |
| SDev  | 4.946  | .1103  | 4.136  | 16.94  | .1989  | 5.273  |
| %RSD  | 26.16  | .9141  | 38.53  | 24.27  | .1051  | 88.7   |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 10.08  | 1-11.90 | 168.3  |
| SDev  | 3.405  | 2.278   | 3.07   |
| %RSD  | 33.76  | 19.14   | 1.824  |

Method: TRIANGL2 Sample Name: 183-3-2C Operator: DKH  
Run Time: 10/07/97 06:43 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |        |        |        |        |
|-------|---------|---------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890  | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | L-4.216 | L-2.845 | 3.441  | L.1431 | 3.120  | 1.084  |
| SDev  | .5978   | 1.803   | .0877  | .0226  | .3987  | .291   |
| %RSD  | 14.18   | 63.37   | 2.548  | 15.81  | 12.78  | 26.83  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 18.73  | 9.917  | 5.882  | 110.7  | 24.72  | 5.600  |
| SDev  | 1.465  | .081   | 1.84   | 9.969  | 1.227  | 3.057  |
| %RSD  | 7.822  | .8172  | 31.29  | 9.003  | 4.964  | 54.59  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 15.14  | L-9.613 | 151.2  |
| SDev  | 2.63   | 3.033   | 2.213  |
| %RSD  | 17.37  | 31.56   | 1.464  |

Method: TRIANGL2 Sample Name: 183-3-2C PDS Operator: DKH  
Run Time: 10/07/97 06:48 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | 8a4934 | 8e3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 45.78  | 42.67  | 52.75  | 46.90  | 52.22  | 46.67  |
| SDev  | .5609  | 1.859  | .1318  | .3142  | .427   | .2279  |
| %RSD  | 1.225  | 4.357  | .25    | .6698  | .8177  | .4883  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 65.84  | 59.62  | 53.36  | 108.0  | 73.37  | 51.92  |
| SDev  | 1.093  | .2415  | .3677  | 4.079  | 1.074  | 2.589  |
| %RSD  | 1.66   | .4051  | .689   | 3.776  | 1.463  | 4.986  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 57.09  | 44.99  | 343.1  |
| SDev  | 1.199  | 2.69   | 3.282  |
| %RSD  | 2.101  | 5.979  | .9565  |

Method: TRIANGL2 Sample Name: 183-3-2C L Operator: DKH  
Run Time: 10/07/97 06:52 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |        |        |        |        |
|-------|---------|---------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890  | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | L-1.161 | L-.4891 | L.6851 | L.2191 | L.4233 | L.1553 |
| SDev  | .3492   | .848    | .0436  | .0352  | .0472  | .4149  |
| %RSD  | 30.08   | 173.4   | 6.369  | 16.08  | 11.14  | 267.2  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 4.711  | 2.062  | L1.933 | 30.07  | 4.713  | L1.112 |
| SDev  | .4529  | .022   | .3797  | 4.359  | 1.025  | .986   |
| %RSD  | 9.613  | 1.067  | 19.64  | 14.5   | 21.76  | 88.64  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 3.517  | L.1127 | 32.23  |
| SDev  | .9451  | 2.654  | .2552  |
| %RSD  | 26.87  | 2356   | .7917  |

Method: TRIANGL2 Sample Name: 183-3-3C Operator: DKH  
Run Time: 10/07/97 06:57 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |        |        |        |        |
|-------|---------|---------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890  | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1-2.508 | 1-4.446 | 15.26  | 1.1054 | 1.109  | 1.419  |
| SDev  | .8657   | 2.354   | .0256  | .0473  | .2281  | .561   |
| %RSD  | 34.51   | 52.95   | .1676  | 44.9   | 20.56  | 39.53  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 18.80  | 78.28  | 3.754  | 121.7  | 95.22  | 12.873 |
| SDev  | 1.792  | .4926  | 1.2    | 4.906  | 1.243  | 3.743  |
| %RSD  | 9.535  | .6293  | 31.98  | 4.03   | 1.305  | 130.3  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 6.414  | 1-6.124 | 459.4  |
| SDev  | .8551  | 2.299   | 5.811  |
| %RSD  | 13.33  | 37.54   | 1.265  |

Method: TRIANGL2 Sample Name: 183-3-3C DA Operator: DKH  
Run Time: 10/07/97 07:02 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.929  | 4.545  | 15.18  | 1.0945 | 1.225  | 1.515  |
| SDev  | .5267  | .4272  | .0288  | .0361  | .3143  | .4331  |
| %RSD  | 27.3   | 9.401  | .1901  | 38.24  | 25.66  | 28.58  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 17.90  | 78.20  | 12.658 | 129.4  | 96.23  | 13.852 |
| SDev  | .847   | .272   | .695   | 3.099  | 1.145  | .6     |
| %RSD  | 4.733  | .3478  | 26.14  | 2.394  | 1.19   | 15.57  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avg   | 5.137  | 7.383  | 459.2  |
| SDev  | .999   | 2.558  | 3.201  |
| %RSD  | 19.45  | 32.44  | .6971  |



Method: TRIANGL2 Sample Name: 183-3-4C Operator: DKH  
Run Time: 10/07/97 07:06 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |        |        |        |        |
|-------|---------|---------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890  | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1-2.251 | 1-2.307 | 7.222  | 1.2053 | 13.11  | 2.964  |
| SDev  | .5416   | .263    | .1023  | .03    | .169   | .414   |
| %RSD  | 24.06   | 11.4    | 1.417  | 14.63  | 1.289  | 13.97  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 13.07  | 640.4  | 11.556 | 131.1  | 483.0  | 4.079  |
| SDev  | .8783  | 3.483  | .4508  | 8.039  | 6.131  | 3.553  |
| %RSD  | 6.72   | .5439  | 28.97  | 6.131  | 1.269  | 87.1   |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avg   | 4.593  | 1-4.718 | 2404.  |
| SDev  | 1.21   | 3.003   | 27.57  |
| %RSD  | 26.35  | 63.64   | 1.147  |

Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/07/97 07:12 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 498.0  | 522.4  | 499.4  | 3099.  | 489.6  | 490.7  |
| SDev  | 2.278  | 10.14  | 1.46   | 361.8  | .6792  | 2.24   |
| %RSD  | .4574  | 1.942  | .2923  | 11.67  | .1387  | .4565  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 500.5  | 499.5  | 493.0  | 493.8  | 500.1  | 492.5  |
| SDev  | 1.068  | 1.732  | 3.176  | 1.317  | 1.846  | 3.788  |
| %RSD  | .2133  | .3467  | .6443  | .2667  | .369   | .769   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 492.0  | 4.736  | 464.2  | 497.2  | 496.0  | 493.6  |
| SDev  | 11.67  | .0482  | 5.36   | 2.444  | 1.269  | 1.95   |
| %RSD  | 2.372  | 1.018  | 1.155  | .4915  | .2558  | .3952  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 4.711  | 498.4  | 501.6  | 488.5  | 500.1  | 488.7  |
| SDev  | .1239  | 1.254  | 3.926  | 1.726  | 4.658  | 1.181  |
| %RSD  | 2.631  | .2516  | .7827  | .3534  | .9314  | .2416  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 488.5  | 494.2  | 496.2  | 492.3  | 49392. | 491.5  |
| SDev  | 1.767  | 2.897  | 2.997  | 2.519  | 48.24  | .1941  |
| %RSD  | .3618  | .5861  | .6039  | .5115  | .5136  | .0395  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | 495.1  | 503.5  | 496.5  | 496.6  | Q17090. |
| SDev  | 1.004  | 1.788  | .9821  | 3.39   | 243.4   |
| %RSD  | .2027  | .3552  | .1978  | .6826  | 1.424   |

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
 Run Time: 10/07/97 07:17 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .5632  | 36.66  | 1.069  | 2589.  | .4298  | .7008  |
| SDev  | .4598  | 4.451  | 1      | 228.7  | .1381  | .1876  |
| %RSD  | 81.64  | 12.14  | 93.54  | 8.835  | 32.13  | 26.77  |

| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -2.486 | .2293  | -.0852 | .1817  | 1.091  | -.9285 |
| SDev  | .4173  | .2363  | .527   | .0916  | .0397  | .5665  |
| %RSD  | 16.79  | 103.1  | 618.3  | 50.41  | 3.641  | 39.47  |

| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .8134  | .0607  | .5874  | 1.017  | .5471  | 1.502  |
| SDev  | 4.334  | .0181  | .1166  | 1.452  | .146   | .4715  |
| %RSD  | 532.8  | 29.75  | 19.85  | 142.8  | 26.69  | 31.39  |

| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .0185  | .9271  | 6.954  | 1.120  | -1.336 | 3.275  |
| SDev  | .0943  | .4753  | 3.465  | 3.329  | 1.426  | 1.41   |
| %RSD  | 510.3  | 51.27  | 49.83  | 297.3  | 106.3  | 43.06  |

| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 4.275  | -.4360 | -.5180 | 1.133  | 018.73 | .4860  |
| SDev  | .3584  | 1.606  | .9348  | .91    | 7.422  | .1582  |
| %RSD  | 20.08  | 368.4  | 180.5  | 80.34  | 39.62  | 32.55  |

| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
|-------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | .4956  | 07.715 | 1.815  | .7824  | 012830. |
| SDev  | .1189  | 4.843  | .1197  | .0212  | 730.1   |
| %RSD  | 24     | 62.78  | 6.593  | 2.713  | 5.692   |

Method: TRIANGL2 Sample Name: 183-3-5BC Operator: DKH  
 Run Time: 10/07/97 07:23 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |                   |         |        |        |
|-------|---------|---------|-------------------|---------|--------|--------|
| Elms  | Co2286  | As1890  | <del>Ba4934</del> | Be3130  | Cd2265 | Ag3280 |
| Units | ppb     | ppb     | ppb               | ppb     | ppb    | ppb    |
| Avge  | L-1.457 | L-3.772 | 2.485             | L-3.841 | 1.687  | L.8616 |
| SDev  | .4882   | 2.099   | .0326             | .1097   | .2192  | .5426  |
| %RSD  | 33.51   | 55.64   | 1.314             | 36.06   | 13     | 62.97  |

|       |        |        |         |        |        |        |
|-------|--------|--------|---------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316  | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb     | ppb    | ppb    | ppb    |
| Avge  | 5.442  | 9.504  | L-.5751 | 44.23  | 20.34  | L1.901 |
| SDev  | .5392  | .031   | .8034   | 6.102  | .6077  | 1.328  |
| %RSD  | 9.908  | .3263  | 139.7   | 13.8   | 2.987  | 69.85  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 12.77  | L-2.601 | 114.6  |
| SDev  | .7102  | .5646   | .9378  |
| %RSD  | 5.559  | 21.7    | 81.83  |

M/V AKA 10/7/97

Method: TRIANGL2 Sample Name: 183-3-6C Operator: DKH  
 Run Time: 10/07/97 07:27 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |        |        |        |        |
|-------|---------|---------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890  | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | L-1.526 | L-3.844 | 3.043  | L.2005 | L.8888 | L.8136 |
| SDev  | .4706   | .889    | .0476  | .045   | .1395  | .4068  |
| %RSD  | 30.84   | 23.12   | 1.566  | 22.45  | 15.7   | 50     |

|       |        |        |         |        |        |        |
|-------|--------|--------|---------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316  | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb     | ppb    | ppb    | ppb    |
| Avge  | 8.543  | 7.011  | L-.3612 | 91.00  | 15.54  | L1.250 |
| SDev  | .4332  | .0662  | .5791   | 1.274  | .8226  | 1.429  |
| %RSD  | 5.071  | .9436  | 160.3   | 1.401  | 5.294  | 114.3  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 3.292  | L-2.546 | 114.7  |
| SDev  | 1.635  | .4472   | .8733  |
| %RSD  | 49.65  | 17.56   | .7616  |

*N/A*  
*DKH 10/7/97*

Method: TRIANGL2 Sample Name: 183-3-7C Operator: DKH  
 Run Time: 10/07/97 07:32 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |        |        |        |        |
|-------|---------|---------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890  | Ba4934 | Ba3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | L-1.108 | L-3.723 | 7.064  | L.1714 | L.7839 | 1.170  |
| SDev  | .506    | 1.631   | .061   | .0323  | .318   | .4752  |
| %RSD  | 45.66   | 43.82   | .8632  | 18.85  | 40.57  | 40.62  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P.2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 10.57  | 8.516  | L.5801 | 113.3  | 21.08  | L3.022 |
| SDev  | .6398  | .1143  | .7031  | 3.448  | .7887  | 3.133  |
| %RSD  | 6.054  | 1.342  | 121.2  | 3.044  | 3.74   | 103.7  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 14.37  | L-4.576 | 150.6  |
| SDev  | .6082  | .6368   | 1.639  |
| %RSD  | 4.175  | 13.92   | 1.089  |

*N/V. MKK 10/7/97*

Method: TRIANGL2 Sample Name: 183-3-8C Operator: DKH  
 Run Time: 10/07/97 07:38 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |        |        |        |        |
|-------|---------|---------|--------|--------|--------|--------|
| Elms  | Co2286  | As1890  | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | L-1.817 | L-4.029 | 3.645  | L.1906 | L.5658 | L.7658 |
| SDev  | .7066   | 1.642   | .084   | .039   | .2079  | .5403  |
| %RSD  | 38.89   | 40.76   | 2.304  | 20.47  | 36.74  | 70.56  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 9.054  | 16.10  | 7.416  | 110.3  | 23.83  | L1.887 |
| SDev  | .5541  | .1184  | .7708  | 1.194  | 1.196  | 1.519  |
| %RSD  | 6.12   | .7357  | 10.39  | 1.083  | 5.021  | 80.52  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | 111908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 3.720  | L-6.378 | 140.1  |
| SDev  | .196   | .3194   | 2.001  |
| %RSD  | 5.27   | 5.008   | 1.428  |

*NIV. MCA 10/7/97*

Method: TRIANGL2 Sample Name: 43231 MB Operator: DKH  
 Run Time: 10/07/97 07:42 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID: 43231

|       |         |         |        |        |         |        |
|-------|---------|---------|--------|--------|---------|--------|
| Elms  | Co2286  | As1890  | Ba4934 | Be3130 | Cd2265  | Ag3280 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb     | ppb    |
| Avge  | L-.7094 | L-1.691 | L.0213 | L.2086 | L-.3305 | L.2580 |
| SDev  | .2122   | .7641   | .0729  | .0078  | .3004   | .0152  |
| %RSD  | 29.92   | 45.2    | 341.3  | 3.756  | 90.9    | 5.899  |

|       |        |        |         |         |        |        |
|-------|--------|--------|---------|---------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316  | P_2149  | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb     | ppb     | ppb    | ppb    |
| Avge  | L.5464 | 2.845  | L-1.278 | L-9.033 | 2.021  | L1.600 |
| SDev  | .27    | .035   | .3822   | 8.662   | .8474  | 2.234  |
| %RSD  | 49.42  | 1.23   | 29.9    | 95.89   | 41.94  | 139.7  |

|       |         |         |        |
|-------|---------|---------|--------|
| Elms  | Se1960  | Tl1908  | Zn2062 |
| Units | ppb     | ppb     | ppb    |
| Avge  | L-.0651 | L-1.414 | 10.08  |
| SDev  | 1.103   | 3.087   | .2555  |
| %RSD  | 1693    | 218.3   | 2.535  |

*NIV. MCA 10/7/97*



Method: TRIANGL2 Sample Name: 43231 LCS Operator: DKH  
 Run Time: 10/07/97 07:47 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Co2286 | As1890 | Ba4934 | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 46.18  | 44.02  | 46.31  | 44.62  | 46.76  | 43.15  |
| SDev  | .5436  | .6175  | .0547  | .1791  | .0803  | .223   |
| %RSD  | 1.177  | 1.403  | .1181  | .4014  | .1717  | .5168  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 47.61  | 47.38  | 44.90  | 903.1  | 45.86  | 46.84  |
| SDev  | .4845  | .1828  | .2643  | 5.482  | .5191  | 1.144  |
| %RSD  | 1.018  | .3858  | .5886  | .6071  | 1.132  | 2.442  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | 111908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 42.89  | 49.42  | 189.3  |
| SDev  | 3.069  | 2.208  | 1.914  |
| %RSD  | 7.017  | 4.467  | 1.011  |

*DKH 10/7/97*

Method: TRIANGL2 Sample Name: 184-23-1A8 Operator: DKH  
 Run Time: 10/07/97 07:52 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |                   |                   |        |        |        |
|-------|--------|-------------------|-------------------|--------|--------|--------|
| Elms  | Co2286 | <del>As1890</del> | <del>Ba4934</del> | Be3130 | Cd2265 | Ag3280 |
| Units | ppb    | ppb               | ppb               | ppb    | ppb    | ppb    |
| Avge  | 220.5  | 1146.             | 12090.            | 7.474  | 9383.  | 104.3  |
| SDev  | 3.464  | 7.119             | 23.41             | .5287  | 14.54  | 2.228  |
| %RSD  | 1.571  | .6212             | .1937             | 7.074  | .1549  | 2.136  |

|       |        |          |        |        |          |        |
|-------|--------|----------|--------|--------|----------|--------|
| Elms  | Cr2677 | Mn2576   | Ni2316 | P_2149 | Pb2203   | Sb2068 |
| Units | ppb    | ppb      | ppb    | ppb    | ppb      | ppb    |
| Avge  | 9376.  | H119800. | 1975.  | 14070. | H515300. | 6628.  |
| SDev  | 26.18  | 1600     | .7151  | 18.81  | 3877     | 16.15  |
| %RSD  | .2792  | 1.366    | .0362  | .1337  | .7524    | .2437  |

|       |        |        |          |
|-------|--------|--------|----------|
| Elms  | Se1960 | Tl1908 | Zn2062   |
| Units | ppb    | ppb    | ppb      |
| Avge  | 458.9  | 365.8  | H390100. |
| SDev  | 8.979  | 12.46  | 2398     |
| %RSD  | 1.952  | 3.406  | .6147    |

*N/K  
DKH 10/7/97*

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
 Run Time: 10/07/97 10:36 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |        |        |        |         |        |
|-------|---------|--------|--------|--------|---------|--------|
| Elms  | Ag3280  | Al3082 | As1890 | B_2496 | Ba4934  | Ba3130 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avg   | -0.0062 | 059.41 | 2.608  | 207.0  | -0.0188 | .3490  |
| SDev  | .1122   | 1.81   | 2.386  | 4.213  | .0483   | .0086  |
| %RSD  | 1811    | 3.047  | 91.49  | 2.036  | 256.2   | 2.47   |

|       |        |         |         |        |        |         |
|-------|--------|---------|---------|--------|--------|---------|
| Elms  | Ca3179 | Cd2265  | Ce4186  | Co2286 | Cr2677 | Cu3247  |
| Units | ppb    | ppb     | ppb     | ppb    | ppb    | ppb     |
| Avg   | -3.314 | -0.0176 | -0.6782 | .5921  | .1885  | -0.2727 |
| SDev  | .266   | .1117   | .1439   | .1653  | .1585  | .1278   |
| %RSD  | 8.028  | 633.6   | 21.22   | 27.91  | 84.08  | 46.85   |

|       |        |        |        |         |         |         |
|-------|--------|--------|--------|---------|---------|---------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790  | Mn2576  | Mo2020  |
| Units | ppb    | ppm    | ppb    | ppb     | ppb     | ppb     |
| Avg   | -3.106 | .0537  | .1566  | -0.1193 | -0.0542 | -0.6430 |
| SDev  | 9.028  | .0022  | .0024  | 1.226   | .0354   | .0585   |
| %RSD  | 290.6  | 4.07   | 1.547  | 1028    | 65.4    | 9.099   |

|       |        |        |        |         |        |        |
|-------|--------|--------|--------|---------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1  | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb     | ppb    | ppb    |
| Avg   | .0409  | 2.079  | 034.09 | -0.2599 | -3.118 | .1324  |
| SDev  | .0453  | .3544  | 1.708  | 1.345   | .304   | .9094  |
| %RSD  | 110.9  | 17.05  | 5.011  | 517.6   | 9.75   | 636.8  |

|       |        |        |         |        |        |        |
|-------|--------|--------|---------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203  | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb     | ppb    | ppb    | ppb    |
| Avg   | 10.15  | -4.342 | 0-2.166 | .1517  | 081.00 | .0087  |
| SDev  | 2.002  | .8952  | .6433   | .8731  | 7.693  | .0125  |
| %RSD  | 19.72  | 18.45  | 29.7    | 575.5  | 9.497  | 144    |

|       |         |        |        |        |         |
|-------|---------|--------|--------|--------|---------|
| Elms  | Ti3349  | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb     | ppb    | ppb    | ppb    | ppb     |
| Avg   | -0.0439 | 4.802  | .4958  | 7.076  | 0-575.7 |
| SDev  | .1148   | .1333  | .0568  | .225   | 2.038   |
| %RSD  | 261.4   | 2.775  | 11.46  | 3.18   | .354    |

*NIV. DKH 10/7/97*

Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/08/97 00:37 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 487.2  | Q669.4 | 487.8  | 281.0  | 501.9  | 457.8  |
| SDev  | 2.254  | 11.67  | 1.722  | 2.616  | 1.313  | 2.689  |
| %RSD  | .4628  | 1.743  | .353   | .9308  | .2616  | .5873  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 505.1  | 504.7  | 498.5  | 481.9  | 502.3  | 498.8  |
| SDev  | 3.893  | 2.822  | 1.957  | 2.848  | 3.181  | 3.596  |
| %RSD  | .7706  | .5592  | .3925  | .591   | .6333  | .721   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 494.4  | Q4.393 | Q448.3 | 495.6  | 497.0  | 493.6  |
| SDev  | 15.34  | .0178  | 3.613  | 5.718  | 2.238  | 2.781  |
| %RSD  | 3.103  | .4048  | .8058  | 1.154  | .4502  | .5634  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | Q4.108 | 498.1  | 477.5  | 480.1  | 511.1  | 487.4  |
| SDev  | .0994  | 2.722  | 3.826  | 2.576  | 5.641  | 2.899  |
| %RSD  | 2.42   | .5465  | .8013  | .5366  | 1.104  | .5949  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 445.1  | 480.7  | 500.7  | 468.9  | Q9309. | 516.2  |
| SDev  | 1.342  | 4.53   | 3.405  | 2.6    | 68.76  | 1.045  |
| %RSD  | .3016  | .9423  | .6801  | .5545  | .7387  | .2024  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | 515.2  | 499.0  | 485.8  | 472.4  | Q-467.6 |
| SDev  | 1.203  | 11.63  | 1.753  | 4.812  | 1.7     |
| %RSD  | .2334  | 2.332  | .3609  | 1.019  | .3635   |

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
 Run Time: 10/08/97 00:42 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| elems | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Ba3130 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | .3916  | 0182.6 | -1.629 | -221.3 | .4201  | 02.840 |
| Dev   | .2666  | 7.268  | 2.214  | .3662  | .0557  | .0934  |
| %RSD  | 68.08  | 3.979  | 136    | .1655  | 13.27  | 3.289  |

| elems | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247  |
|-------|--------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | -7.189 | .3826  | .2814  | -.0945 | .5804  | 0-3.335 |
| Dev   | .6779  | .1892  | .8087  | .1859  | .3297  | .0785   |
| %RSD  | 9.43   | 49.45  | 287.4  | 196.8  | 56.8   | 2.354   |

| elems | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 5.411  | -.0233 | .5986  | 1.866  | .5211  | 1.531  |
| Dev   | 2.229  | .0145  | .0413  | .6428  | .0456  | .5562  |
| RSD   | 41.2   | 62.28  | 6.903  | 34.45  | 8.742  | 36.47  |

| elems | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | -.0370 | -.1446 | -5.639 | 4.249  | -1.143 | 3.183  |
| SDev  | .0605  | .6003  | 1.584  | 1.159  | 1.027  | 2.248  |
| RSD   | 163.8  | 415.3  | 28.08  | 27.29  | 89.52  | 70.64  |

| elems | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899  | Sr4215 |
|-------|--------|--------|--------|--------|---------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avge  | -6.508 | 3.181  | .6493  | -.0454 | 0-27.57 | .4776  |
| SDev  | .8738  | 1.012  | .3022  | .4245  | 34.92   | .035   |
| %RSD  | 13.43  | 31.83  | 46.55  | 934    | 126.7   | 7.337  |

| elems | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
|-------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | .4906  | 09.320 | 04.559 | 1.345  | 0-768.3 |
| Dev   | .0553  | 4.261  | .4512  | .2023  | 1.751   |
| %RSD  | 11.26  | 45.72  | 9.897  | 15.04  | .228    |

Method: TRIANGL2 Sample Name: ICSAB Operator: DKH  
 Run Time: 10/08/97 00:47 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elms  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Be3130 |
|-------|--------|---------|--------|--------|--------|--------|
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | 528.1  | 497300. | 515.6  | 313.4  | 524.2  | 458.3  |
| SDev  | 1.92   | 3913    | 2.538  | .6637  | 1.87   | 1.521  |
| %RSD  | .3636  | .7868   | .4922  | .2118  | .3568  | .3319  |

| Elms  | Ca3179  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|---------|--------|--------|--------|--------|--------|
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 462200. | 482.4  | 505.6  | 461.2  | 486.7  | 540.7  |
| SDev  | 944.6   | .8757  | 1.849  | .978   | 1.406  | 3.726  |
| %RSD  | .2044   | .1815  | .3658  | .2121  | .2888  | .6891  |

| Elms  | Fe2714  | K_7664 | Li6707 | Mg2790  | Mn2576 | Mo2020 |
|-------|---------|--------|--------|---------|--------|--------|
| Units | ppb     | ppm    | ppb    | ppb     | ppb    | ppb    |
| Avge  | 175500. | Q23.40 | 588.0  | 527200. | 463.7  | 498.2  |
| SDev  | 208.4   | .0206  | 1.016  | 761.9   | 1.351  | 2.742  |
| %RSD  | .1188   | .088   | .1728  | .1445   | .2913  | .5504  |

| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 4.689  | 461.5  | 499.3  | 498.8  | 487.6  | 510.8  |
| SDev  | .066   | 1.79   | 7.667  | 5.345  | 6.914  | 4.908  |
| %RSD  | 1.407  | .3879  | 1.536  | 1.072  | 1.418  | .9609  |

| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 495.8  | 509.0  | 491.3  | 504.6  | Q9775. | 531.1  |
| SDev  | 5.425  | 4.82   | 2.908  | 1.604  | 54.97  | 1.389  |
| %RSD  | 1.094  | .747   | .5919  | .3178  | .5624  | .2615  |

| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
|-------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | 516.2  | 516.0  | 485.0  | 428.6  | Q-172.7 |
| SDev  | .5002  | 16.55  | 1.39   | 3.987  | 4.416   |
| %RSD  | .0969  | 3.207  | .2866  | .9303  | 2.557   |

MKA  
10/8/97

Table Name: HA452 Autosampler Type: TYPE TJA  
Sample Positions: 170/192 QC Positions: 13/19 # Sets: 1  
Rinse Station location is rack -1, pos. -1.

--- Racks ---

| Rack # | Type          | Usage        | #Pos Left | Analyses/Pos |
|--------|---------------|--------------|-----------|--------------|
| 1      | Aux. (L) Rack | STD/QC/BLANK | 13        | 10           |
| 2      | Sample (16mm) | Samples      | 26        | 1            |
| 3      | Sample (16mm) | Samples      | 48        | 1            |
| 4      | Sample (16mm) | Samples      | 48        | 1            |
| 5      | Sample (16mm) | Samples      | 48        | 1            |

--- Sample Sets ---

| Set# | Type   | Prepare? | Description | Method   | #Pos | Rack# | StartPos |
|------|--------|----------|-------------|----------|------|-------|----------|
| 1    | Normal | No       | 43231       | TRIANGL2 | 22   | 2     | 1        |

43231 → see Table  
HA451 (previous day) for  
the rest of this project

--- Preparation Info ---

| Set# | Uptake | Uptake#2 | Final | Dil.Factor |
|------|--------|----------|-------|------------|
|------|--------|----------|-------|------------|

No Samples Prepared.

MKA 10/5/97

Rack #1

| Pos               | Row | Col | Sample Name | Set # | #Used | Type                |
|-------------------|-----|-----|-------------|-------|-------|---------------------|
| 1                 | 1   | 1   | STD3        | -NA-  | 2     | Standard 1-61-1P    |
| 2                 | 1   | 2   | STD1-BLANK  | -NA-  | 1     | Standard            |
| 3                 | 1   | 3   | ICSAB       | -NA-  | 2     | QC Standard 1-61-3P |
| 4                 | 1   | 4   | CHECK LO    | -NA-  | 1     | QC Standard         |
| 5                 | 1   | 5   | ICV/CCV     | -NA-  | 4     | QC Standard 1-61-2P |
| 6                 | 1   | 6   | ICB/CCB     | -NA-  | 4     | QC Standard         |
| (7...19 Not Used) |     |     |             |       |       |                     |

MKA  
10/8/97

Rack #2

| Pos | Row | Col | Sample Name       | Set # | #Used | Type   |
|-----|-----|-----|-------------------|-------|-------|--------|
| 1   | 1   | 1   | 183-3-3B X50      | 1     | -NA-  | Sample |
| 2   | 1   | 2   | 183-3-3B X50 DA   | 1     | -NA-  | Sample |
| 3   | 1   | 3   | 183-3-5BC         | 1     | -NA-  | Sample |
| 4   | 1   | 4   | 183-3-6C          | 1     | -NA-  | Sample |
| 5   | 1   | 5   | 183-3-7C          | 1     | -NA-  | Sample |
| 6   | 1   | 6   | 183-3-8C          | 1     | -NA-  | Sample |
| 7   | 1   | 7   | 43231 MB          | 1     | -NA-  | Sample |
| 8   | 1   | 8   | 43231 LCS         | 1     | -NA-  | Sample |
| 9   | 1   | 9   | 184-23-1AB X50    | 1     | -NA-  | Sample |
| 10  | 1   | 10  | 184-23-2AB X50    | 1     | -NA-  | Sample |
| 11  | 1   | 11  | 184-23-2AB X50 L  | 1     | -NA-  | Sample |
| 12  | 1   | 12  | 184-23-3AB X50    | 1     | -NA-  | Sample |
| 13  | 2   | 1   | 184-23-3AB X50 DA | 1     | -NA-  | Sample |
| 14  | 2   | 2   | 184-23-4AB X50    | 1     | -NA-  | Sample |
| 15  | 2   | 3   | 184-23-6AB X50    | 1     | -NA-  | Sample |

## Rack #2

| Pos | Row | Col | Sample Name                              | Set # | #Used | Type   |
|-----|-----|-----|------------------------------------------|-------|-------|--------|
| 16  | 2   | 4   | 184-23-7AB X50                           | 1     | -NA-  | Sample |
| 17  | 2   | 5   | 184-23-8AB X50                           | 1     | -NA-  | Sample |
| 18  | 2   | 6   | 184-23-9AB X50                           | 1     | -NA-  | Sample |
| 19  | 2   | 7   | 184-23-10AB,5 X50                        | 1     | -NA-  | Sample |
| 20  | 2   | 8   | 183-15-1C                                | 1     | -NA-  | Sample |
| 21  | 2   | 9   | 183-15-18 <sup>D</sup> <i>183-15-18C</i> | 1     | -NA-  | Sample |
| 22  | 2   | 10  | ( empty )                                | 1     | -NA-  | -NA-   |

(23...48 Not Used)

## Rack #3

| Pos | Row | Col | Sample Name | Set # | #Used | Type |
|-----|-----|-----|-------------|-------|-------|------|
|-----|-----|-----|-------------|-------|-------|------|

(1...48 Not Used)

## Rack #4

| Pos | Row | Col | Sample Name | Set # | #Used | Type |
|-----|-----|-----|-------------|-------|-------|------|
|-----|-----|-----|-------------|-------|-------|------|

(1...48 Not Used)

## Rack #5

| Pos | Row | Col | Sample Name | Set # | #Used | Type |
|-----|-----|-----|-------------|-------|-------|------|
|-----|-----|-----|-------------|-------|-------|------|

(1...48 Not Used)



Method: TRIANGL2 Sample Name: STD1-BLANK Operator:  
 Run Time: 10/08/97 02:11 Filename: 100797  
 Mode: IR Type: X Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.:

|       |         |         |         |         |         |        |
|-------|---------|---------|---------|---------|---------|--------|
| Elms  | Ag3280  | Al3082  | As1890  | B_2496  | Ba4934  | Be3130 |
| Units | count   | count   | count   | count   | count   | count  |
| Avg   | 0       | .00575  | -.0004  | .0037   | .00062  | .00085 |
| SDev  | .00011  | .00009  | .00006  | .00018  | .00001  | .00002 |
| %RSD  | 18087.5 | 1.71474 | 15.4235 | 5.05971 | 1.86892 | 2.9699 |

|       |         |         |         |         |         |         |
|-------|---------|---------|---------|---------|---------|---------|
| Elms  | Ca3179  | Cd2265  | Ce4186  | Co2286  | Cr2677  | Cu3247  |
| Units | count   | count   | count   | count   | count   | count   |
| Avg   | .00033  | -.00009 | -.00005 | -.00016 | -.0001  | .00229  |
| SDev  | .00001  | .00019  | .00009  | .00003  | .00005  | .00004  |
| %RSD  | 5.19045 | 209.65  | 184.618 | 22.4583 | 50.3011 | 1.84165 |

|       |         |         |        |         |         |         |
|-------|---------|---------|--------|---------|---------|---------|
| Elms  | Fe2714  | K_7664  | Li6707 | Mg2790  | Mn2576  | Mo2020  |
| Units | count   | count   | count  | count   | count   | count   |
| Avg   | .00005  | 3.89015 | .07635 | .00013  | .00003  | .00006  |
| SDev  | .00003  | .02683  | .00034 | .0001   | 0       | .00004  |
| %RSD  | 57.6222 | .6897   | .44804 | 77.3615 | 11.5067 | 74.4291 |

|       |         |         |         |         |        |         |
|-------|---------|---------|---------|---------|--------|---------|
| Elms  | Na3302  | Ni2316  | P_2149  | 2203-1  | 2203-2 | Sb2068  |
| Units | count   | count   | count   | count   | count  | count   |
| Avg   | .00104  | -.00168 | -.00093 | .00173  | .00004 | .00073  |
| SDev  | .00226  | .00018  | .00003  | .00048  | .00016 | .00022  |
| %RSD  | 216.865 | 10.7239 | 3.77577 | 28.1234 | 384.12 | 30.9777 |

|       |         |         |        |        |         |         |
|-------|---------|---------|--------|--------|---------|---------|
| Elms  | 1960-1  | 1960-2  | Sn1899 | Sr4215 | Ti3349  | Tl1908  |
| Units | count   | count   | count  | count  | count   | count   |
| Avg   | -.00648 | .00232  | -.0004 | .00033 | .00016  | -.00034 |
| SDev  | .00038  | .00034  | .00013 | .00001 | .00011  | .00007  |
| %RSD  | 5.86225 | 14.9219 | 33.245 | 5.3312 | 72.6622 | 22.7504 |

|       |         |         |        |
|-------|---------|---------|--------|
| Elms  | V_2924  | In2062  | Si2881 |
| Units | count   | count   | count  |
| Avg   | -.00032 | .00008  | .01863 |
| SDev  | .00002  | .00003  | .00002 |
| %RSD  | 7.08465 | 42.1786 | .15691 |

Method: TRIANGL2 Sample Name: STD3 Operator:  
 Run Time: 10/08/97 02:16 Filename: 100797  
 Mode: IR Type: X Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.:

|       |        |         |        |        |        |        |
|-------|--------|---------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | count  | count   | count  | count  | count  | count  |
| Avge  | .38497 | .02043  | .05097 | .16505 | .28937 | .23431 |
| SDev  | .0015  | .00034  | .00013 | .00019 | .00036 | .00102 |
| %RSD  | .39163 | 1.67379 | .26263 | .11973 | .12707 | .43841 |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | count  | count  | count  | count  | count  | count  |
| Avge  | .02224 | .92028 | .11079 | .10035 | .14505 | .17642 |
| SDev  | .00008 | .00407 | .00011 | .00035 | .00044 | .00115 |
| %RSD  | .36079 | .44328 | .10096 | .34883 | .30798 | .65246 |

|       |        |         |        |        |        |        |
|-------|--------|---------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664  | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | count  | count   | count  | count  | count  | count  |
| Avge  | .00408 | 21.8268 | 14.981 | .01976 | .12633 | .07576 |
| SDev  | .00002 | .02927  | .03249 | .00001 | .00044 | .0004  |
| %RSD  | .72347 | .13412  | .2169  | .08686 | .35048 | .53452 |

|       |         |        |        |        |        |        |
|-------|---------|--------|--------|--------|--------|--------|
| Elms  | Na3302  | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | count   | count  | count  | count  | count  | count  |
| Avge  | .19977  | .3416  | .02126 | .16974 | .08997 | .11321 |
| SDev  | .00347  | .00095 | .0002  | .00103 | .00037 | .00035 |
| %RSD  | 1.74049 | .27985 | .96336 | .6079  | .4169  | .31007 |

|       |        |        |        |        |         |         |
|-------|--------|--------|--------|--------|---------|---------|
| Elms  | 1960-1 | 1960-2 | Sn1899 | Sr4215 | Ti3349  | Tl1908  |
| Units | count  | count  | count  | count  | count   | count   |
| Avge  | .24882 | .15605 | .10968 | .83545 | 1.11886 | .03102  |
| SDev  | .00183 | .00038 | .00038 | .00054 | .00186  | .00081  |
| %RSD  | .73765 | .24925 | .35468 | .06528 | .16681  | 2.62214 |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Elms  | V_2924 | Zn2062 | Si2881 | Pb2203 | Se1960 |
| Units | count  | count  | count  |        |        |
| Avge  | .03661 | .09328 | .46311 |        |        |
| SDev  | .00009 | .00065 | .0027  |        |        |
| %RSD  | .24992 | .69981 | .58429 |        |        |

Method: TRIANGL2 Sample Name: ST03 Operator: DKH  
 Run Time: 10/08/97 02:21 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 999.7  | 993.9  | 1000.  | 1002.  | 1002.  | 1003.  |
| SDev  | 3.694  | 22.08  | 1.654  | 2.889  | 1.711  | 5.617  |
| %RSD  | .3695  | 2.221  | .1653  | .2885  | .1708  | .5601  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1003.  | 1003.  | 1003.  | 1006.  | 1003.  | 999.9  |
| SDev  | 4.529  | 3.344  | 1.126  | 4.499  | 4.471  | 6.198  |
| %RSD  | .4516  | .3335  | .1123  | .4474  | .4459  | .6199  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 997.5  | 9.993  | 998.7  | 1001.  | 1003.  | 1007.  |
| SDev  | 10.97  | .0422  | 5.033  | 2.48   | 3.55   | 3.101  |
| %RSD  | 1.1    | .4221  | .5039  | .2478  | .3541  | .308   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 9.832  | 1003.  | 1009.  | 1004.  | 999.0  | 1010.  |
| SDev  | .1523  | 2.648  | 9.913  | 1.374  | 8.544  | 3.96   |
| %RSD  | 1.549  | .264   | .9826  | .1369  | .8553  | .3922  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Sn1899 | Sr4215 | Ti3349 | Tl1908 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1006.  | 1006.  | 1003.  | 999.2  | 1001.  | 1022.  |
| SDev  | 3.246  | 3.149  | 2.994  | .7262  | 1.892  | 9.04   |
| %RSD  | .3227  | .313   | .2985  | .0727  | .1891  | .8842  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Elms  | V_2924 | Zn2062 | Si2881 | Pb2203 | Se1960 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1003.  | 1007.  | 10010. | 1001.  | 1006.  |
| SDev  | 3.042  | 7.998  | 56.74  | 5.384  | 1.368  |
| %RSD  | .3034  | .7942  | .5668  | .5381  | .136   |

Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/08/97 02:30 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 506.6  | 486.5  | 510.4  | 500.3  | 503.2  | 506.9  |
| SDev  | 2.069  | 14.52  | 3.431  | .4603  | 1.02   | 2.192  |
| %RSD  | .4084  | 2.985  | .6722  | .092   | .2027  | .4324  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 509.4  | 506.5  | 501.5  | 506.8  | 504.7  | 505.9  |
| SDev  | 1.249  | 1.425  | 2.827  | 1.968  | 2.504  | 3.263  |
| %RSD  | .2451  | .2814  | .5637  | .3884  | .4961  | .6449  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 499.8  | 4.906  | 487.2  | 504.8  | 504.7  | 505.8  |
| SDev  | 5.532  | .0102  | 2.955  | 1.273  | 1.411  | 1.662  |
| %RSD  | 1.107  | .2079  | .6065  | .2521  | .2796  | .3286  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 4.978  | 504.9  | 510.7  | 505.2  | 505.4  | 525.7  |
| SDev  | .0322  | 1.326  | 2.84   | 2.572  | 2.418  | 3.273  |
| %RSD  | .6475  | .2626  | .5561  | .509   | .4785  | .6226  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 513.1  | 513.0  | 505.3  | 513.0  | 506.3  | 502.4  |
| SDev  | 1.586  | 2.484  | .7743  | 2.144  | 1.696  | .6403  |
| %RSD  | .3091  | .4843  | .1532  | .4179  | .3349  | .1274  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 503.1  | 509.9  | 506.1  | 508.5  | Q285.1 |
| SDev  | .819   | 9.537  | 1.137  | 3.839  | 1.762  |
| %RSD  | .1628  | 1.87   | .2245  | .7549  | .6179  |

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
Run Time: 10/08/97 02:36 Filename: 100797  
Mode: CONC Type: Q Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Ba3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .5272  | -19.13 | 1.761  | .0299  | .3951  | .1292  |
| SDev  | .5009  | 8.006  | .2552  | .4995  | .1296  | .1933  |
| %RSD  | 95     | 41.86  | 14.49  | 1673   | 32.8   | 149.5  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.373  | .4632  | 1.727  | .6189  | .4277  | .3246  |
| SDev  | .426   | .1585  | .8644  | .1793  | .3855  | .3636  |
| %RSD  | 31.03  | 34.23  | 50.06  | 28.97  | 90.14  | 112    |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -2.411 | .0333  | .4562  | -1.801 | .3929  | .8313  |
| SDev  | 9.886  | .0201  | .0671  | 2.625  | .0796  | .227   |
| %RSD  | 410.1  | 60.48  | 14.72  | 145.7  | 20.27  | 27.3   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .0391  | .8217  | 2.982  | -3.283 | .1296  | .8309  |
| SDev  | .1478  | .5218  | 1.86   | 2.134  | 2.242  | 1.405  |
| %RSD  | 377.6  | 63.5   | 62.36  | 65     | 1730   | 169.1  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.869  | -3.037 | -1.007 | -1.403 | .5508  | .4123  |
| SDev  | 1.721  | .3126  | .8433  | .478   | .7697  | .1     |
| %RSD  | 92.09  | 10.29  | 83.75  | 34.07  | 139.8  | 24.25  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .4260  | 2.965  | .4220  | -.5546 | .8372  |
| SDev  | .0588  | 3.467  | .1185  | .1114  | 1.813  |
| %RSD  | 13.79  | 116.9  | 28.08  | 20.09  | 216.6  |

Method: TRIANGL2 Sample Name: ICSAB Operator: DKH  
 Run Time: 10/08/97 02:41 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |         |        |        |        |        |
|-------|--------|---------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | 541.8  | 509500. | 531.8  | 526.6  | 519.8  | 501.4  |
| SDev  | 1.609  | 4246    | 3.326  | 1.098  | 1.855  | 2.35   |
| %RSD  | .297   | .8334   | .6254  | .2085  | .3569  | .4686  |

|       |         |        |        |        |        |        |
|-------|---------|--------|--------|--------|--------|--------|
| Elms  | Ca3179  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 454100. | 477.5  | 502.3  | 479.3  | 484.2  | 541.8  |
| SDev  | 2209    | 2.125  | 2.045  | 1.418  | 2.484  | 4.08   |
| %RSD  | .4865   | .4451  | .4072  | .2959  | .513   | .7532  |

|       |         |        |        |         |        |        |
|-------|---------|--------|--------|---------|--------|--------|
| Elms  | Fe2714  | K_7664 | Li6707 | Mg2790  | Mn2576 | Mo2020 |
| Units | ppb     | ppm    | ppb    | ppb     | ppb    | ppb    |
| Avge  | 177600. | Q25.60 | 633.7  | 533100. | 465.8  | 503.6  |
| SDev  | 514.5   | .1305  | 4.073  | 742.1   | 1.645  | 3.171  |
| %RSD  | .2897   | .51    | .6426  | .1392   | .3531  | .6297  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 5.527  | 460.9  | 533.4  | 517.8  | 482.7  | 541.0  |
| SDev  | .1759  | 1.687  | .7771  | 3.61   | 7.505  | 4.554  |
| %RSD  | 3.183  | .3659  | .1457  | .6971  | 1.555  | .8419  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 551.8  | 532.9  | 494.4  | 539.2  | 519.4  | 514.1  |
| SDev  | 7.606  | 10.46  | 3.804  | 4.675  | 5.933  | 1.336  |
| %RSD  | 1.378  | 1.963  | .7695  | .867   | 1.142  | .2598  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 500.6  | 511.6  | 499.3  | 455.7  | Q561.2 |
| SDev  | 1.02   | 8.779  | 2.159  | 4.122  | .1655  |
| %RSD  | .2038  | 1.716  | .4324  | .9045  | .0295  |

Method: TRIANGL2 Sample Name: 183-3-38 X50 Operator: DKH  
Run Time: 10/08/97 03:13 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |         |        |        |
|-------|--------|--------|--------|---------|--------|--------|
| Elms  | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265 | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb    |
| Avg   | 1.044  | 12.503 | 5.520  | 1-.4856 | 5.922  | 1.1913 |
| SDev  | .1188  | 1.52   | .0374  | .1021   | .0996  | .2462  |
| %RSD  | 11.38  | 60.73  | .6779  | 21.03   | 1.682  | 128.8  |

|       |        |        |        |        |        |         |
|-------|--------|--------|--------|--------|--------|---------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | 3.314  | 275.1  | 11.425 | 19.324 | 314.2  | 1-.7330 |
| SDev  | .3705  | .8535  | .2619  | 6.96   | 1.483  | 2.275   |
| %RSD  | 11.18  | .3103  | 18.37  | 74.64  | .4721  | 310.3   |

|       |         |         |        |
|-------|---------|---------|--------|
| Elms  | Se1960  | Tl1908  | Zn2062 |
| Units | ppb     | ppb     | ppb    |
| Avg   | 1-.2995 | 1-4.121 | 1695.  |
| SDev  | .8252   | 4.451   | 9.086  |
| %RSD  | 275.5   | 108     | .536   |

Method: TRIANGL2 Sample Name: 183-3-38 X50 DA Operator: DKH  
Run Time: 10/08/97 03:17 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |         |        |        |
|-------|--------|--------|--------|---------|--------|--------|
| Elms  | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265 | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb    |
| Avge  | L.9757 | L1.265 | 5.506  | L-.5472 | 6.065  | L.1159 |
| SDev  | .1277  | 1.499  | .0169  | .0853   | .1137  | .472   |
| %RSD  | 13.09  | 118.5  | .3076  | 15.59   | 1.874  | 407.4  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 3.396  | 275.2  | L1.512 | L10.16 | 312.5  | L.3145 |
| SDev  | .0287  | .1284  | .1862  | 2.719  | 1.139  | .9085  |
| %RSD  | .8445  | .0466  | 12.32  | 26.75  | .3645  | 288.9  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | L.6587 | L-.5729 | 1701.  |
| SDev  | 1.008  | 2.393   | 6.754  |
| %RSD  | 153    | 417.6   | .397   |



Method: TRIANGL2 Sample Name: 183-3-58C Operator: DKH  
Run Time: 10/08/97 03:22 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |         |        |         |        |         |
|-------|--------|---------|--------|---------|--------|---------|
| Elms  | Ag3280 | As1890  | Ba4934 | Be3130  | Cd2265 | Co2286  |
| Units | ppb    | ppb     | ppb    | ppb     | ppb    | ppb     |
| Avge  | 1.4457 | 1-2.903 | 2.443  | 1-.6678 | 1.853  | 1-1.064 |
| SDev  | .551   | 1.387   | .0193  | .0861   | .0232  | .2394   |
| %RSD  | 123.6  | 47.79   | .7908  | 12.9    | 1.253  | 22.49   |

|       |        |        |         |        |        |        |
|-------|--------|--------|---------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316  | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb     | ppb    | ppb    | ppb    |
| Avge  | 4.299  | 9.713  | 1-.8869 | 45.67  | 21.07  | 1.4292 |
| SDev  | .2999  | .0352  | .291    | 2.697  | .4124  | 1.948  |
| %RSD  | 6.977  | .3625  | 32.81   | 5.906  | 1.957  | 453.9  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 12.21  | 1-9.163 | 119.9  |
| SDev  | 1.489  | 2.242   | .933   |
| %RSD  | 12.19  | 24.46   | .778   |

Method: TRIANGL2 Sample Name: 183-3-6C Operator: DKH  
Run Time: 10/08/97 03:27 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |         |        |         |        |         |
|-------|--------|---------|--------|---------|--------|---------|
| Elem  | Ag3280 | As1890  | Ba4934 | Be3130  | Cd2265 | Co2286  |
| Units | ppb    | ppb     | ppb    | ppb     | ppb    | ppb     |
| Avge  | L.7462 | L-3.814 | 3.063  | L-.7413 | 1.053  | L-1.179 |
| SDev  | .6181  | 1.747   | .0374  | .0963   | .0361  | .4345   |
| %RSD  | 82.84  | 45.8    | 1.222  | 12.99   | 3.427  | 36.84   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 7.699  | 7.149  | L.2620 | 86.70  | 16.76  | L1.291 |
| SDev  | .3404  | .0241  | .6199  | 3.035  | 1.009  | 2.165  |
| %RSD  | 4.421  | .337   | 236.6  | 3.5    | 6.02   | 167.8  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elem  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | L.7528 | L-10.08 | 119.2  |
| SDev  | 1.169  | 2.541   | 1.505  |
| %RSD  | 155.3  | 25.21   | 1.263  |

Method: TRIANGL2 Sample Name: 183-3-7C Operator: DKH  
Run Time: 10/08/97 03:31 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |         |        |         |        |         |
|-------|--------|---------|--------|---------|--------|---------|
| Elms  | Ag3280 | As1890  | Ba4934 | Be3130  | Cd2265 | Co2286  |
| Units | ppb    | ppb     | ppb    | ppb     | ppb    | ppb     |
| Avge  | L.9317 | L-3.666 | 7.064  | L-.8442 | L.8941 | L-.7697 |
| SDev  | .2618  | .6801   | .0692  | .0566   | .2032  | .4057   |
| %RSD  | 28.1   | 18.55   | .9797  | 6.709   | 22.72  | 52.72   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 9.822  | 8.633  | L1.456 | 107.6  | 21.37  | L.2146 |
| SDev  | .783   | .1202  | .6213  | 6.923  | .6768  | 2.654  |
| %RSD  | 7.972  | 1.393  | 42.68  | 6.432  | 3.168  | 1237   |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 14.20  | L-7.985 | 154.9  |
| SDev  | 1.198  | 1.925   | 1.426  |
| %RSD  | 8.437  | 24.11   | .9203  |

Method: TRIANGL2 Sample Name: 183-3-8C Operator: DKH  
Run Time: 10/08/97 03:36 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |         |        |         |        |         |
|-------|--------|---------|--------|---------|--------|---------|
| Elms  | Ag3280 | As1890  | Ba4934 | Be3130  | Cd2265 | Co2286  |
| Units | ppb    | ppb     | ppb    | ppb     | ppb    | ppb     |
| Avge  | L-5251 | L-3.138 | 3.658  | L-.8049 | L.6627 | L-1.302 |
| SDev  | .5607  | 1.168   | .0731  | .0684   | .0519  | .6143   |
| %RSD  | 106.8  | 37.21   | 1.997  | 8.494   | 7.839  | 47.17   |

|       |        |        |        |        |        |         |
|-------|--------|--------|--------|--------|--------|---------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | 8.300  | 16.37  | 8.018  | 111.5  | 24.25  | L-.6075 |
| SDev  | .5082  | .1623  | 1.394  | .1818  | 1.223  | 1.192   |
| %RSD  | 6.124  | .9914  | 17.39  | .163   | 5.044  | 196.3   |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | L1.416 | L-9.210 | 143.9  |
| SDev  | .7877  | 2.172   | 1.707  |
| %RSD  | 55.65  | 23.58   | 1.186  |

Method: TRIANGL2 Sample Name: 43231 M8 Operator: DKH  
Run Time: 10/08/97 03:41 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |         |         |         |         |         |         |
|-------|---------|---------|---------|---------|---------|---------|
| Elms  | Ag3280  | As1890  | Ba4934  | Be3130  | Cd2265  | Co2286  |
| Units | ppb     | ppb     | ppb     | ppb     | ppb     | ppb     |
| Avge  | L-.0396 | L-1.678 | L-.0358 | L-.8093 | L-.2443 | L-.5261 |
| SDev  | .1657   | 2.249   | .0228   | .0378   | .0286   | .1993   |
| %RSD  | 419     | 134     | 63.59   | 4.668   | 11.71   | 37.89   |

|       |        |        |         |         |        |         |
|-------|--------|--------|---------|---------|--------|---------|
| Elms  | Cr2677 | Mn2576 | Ni2316  | P_2149  | Pb2203 | Sb2068  |
| Units | ppb    | ppb    | ppb     | ppb     | ppb    | ppb     |
| Avge  | L.0685 | 2.844  | L-1.131 | L-13.83 | L1.672 | L-.8198 |
| SDev  | .1353  | .0327  | .8425   | 5.068   | 1.382  | .1904   |
| %RSD  | 197.5  | 1.149  | 74.48   | 36.64   | 82.69  | 23.23   |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | L.2343 | L-5.424 | 9.791  |
| SDev  | 1.519  | 3.046   | .3881  |
| %RSD  | 648.4  | 56.16   | 3.964  |

Method: TRIANGL2 Sample Name: 43231 LCS Operator: DKH  
Run Time: 10/08/97 03:45 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | As1890 | Ba4934 | Be3130 | Cd2265 | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 43.16  | 44.64  | 46.44  | 45.27  | 45.89  | 46.96  |
| SDev  | .5728  | 2.289  | .0724  | .212   | .1659  | .7293  |
| %RSD  | 1.327  | 5.129  | .1559  | .4684  | .3616  | 1.553  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 46.87  | 47.66  | 45.34  | 904.6  | 46.69  | 47.00  |
| SDev  | .5382  | .2079  | .9026  | 4.625  | .419   | 2.523  |
| %RSD  | 1.148  | .4362  | 1.991  | .5112  | .8974  | 5.368  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 44.37  | 41.73  | 192.4  |
| SDev  | 1.676  | 5.652  | 1.968  |
| %RSD  | 3.777  | 13.54  | 1.023  |

Method: TRIANGL2 Sample Name: 184-23-1AB X50 Operator: DKH  
 Run Time: 10/08/97 03:50 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: cust. Smpl. ID.: Cust. ID.: 43231

Omit. 10-29-97

Zn high

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flms  | Aa3280 | As1890 | Ba4934 | Be3130 | Cd2265 | Cr2677 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 2.106  | 29.07  | 281.0  | 1.4995 | 271.5  | 244.8  |
| SDev  | .2924  | 1.681  | .5952  | .0279  | 1.224  | 1.562  |
| %RSD  | 13.88  | 5.781  | .2118  | 5.586  | .4507  | .638   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flms  | Mn2576 | Ni2316 | Sb2068 | Pb2203 | Se1960 | P_2149 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 15900. | 56.60  | 163.0  | 15620. | 14.83  | 356.3  |
| SDev  | 48.69  | .2706  | 3.625  | 40.79  | .8455  | 9.271  |
| %RSD  | .3063  | .4782  | 2.224  | .2611  | 5.703  | 2.602  |

|       |         |
|-------|---------|
| Flms  | 7n2062  |
| Units | ppb     |
| Avg   | 871380. |
| SDev  | 503.5   |
| %RSD  | .7055   |

Method: TRIANGL2 Sample Name: 184-23-2AB X50 Operator: DKH  
 Run Time: 10/08/97 03:55 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

omit  
 Zu high  
 10-28-99

| Elem  | Ag3280 | As1890 | Ba4934 | Ba3130 | Cd2265 | Cr2677 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 3.976  | 51.11  | 560.7  | 2.292  | 737.2  | 477.8  |
| SDev  | .2115  | .435   | 1.436  | .0471  | 1.865  | 1.329  |
| %RSD  | 5.32   | .8512  | .2561  | 2.056  | .2529  | .2782  |

| Elem  | Mn2576  | Ni2316 | Sb2068 | Pb2203 | Se1960 | P_2149 |
|-------|---------|--------|--------|--------|--------|--------|
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 437240. | 91.50  | 286.0  | 38770. | 21.79  | 584.0  |
| SDev  | 95.42   | .1286  | 3.869  | 134.1  | 3.714  | 6.085  |
| %RSD  | .2563   | .1406  | 1.353  | .3458  | 17.04  | 1.042  |

| Elem  | Zn2062   |
|-------|----------|
| Units | ppb      |
| Avg   | 1179200. |
| SDev  | 958.6    |
| %RSD  | .5349    |



Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/08/97 04:14 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 517.9  | 460.7  | 517.2  | 506.6  | 505.5  | 520.7  |
| SDev  | 4.507  | 18.55  | 1.425  | 1.399  | 1.147  | 1.784  |
| %RSD  | .8703  | 4.026  | .2756  | .2762  | .2269  | .3427  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 513.9  | 505.6  | 501.8  | 516.4  | 509.7  | 506.5  |
| SDev  | 1.302  | .883   | .6708  | 1.013  | 1.124  | 4.846  |
| %RSD  | .2534  | .1746  | .1337  | .1961  | .2204  | .9567  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 514.6  | 5.130  | 496.9  | 510.8  | 507.2  | 510.8  |
| SDev  | 6.603  | .0308  | 3.029  | 6.294  | 1.056  | .8218  |
| %RSD  | 1.283  | .5996  | .6096  | 1.232  | .2081  | .1609  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 5.187  | 504.0  | 518.3  | 515.5  | 506.0  | 488.5  |
| SDev  | .204   | 1.02   | 3.507  | 5.643  | 4.409  | 6.627  |
| %RSD  | 3.932  | .2023  | .6766  | 1.095  | .8714  | 1.356  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 523.3  | 517.6  | 509.2  | 519.5  | 509.7  | 500.8  |
| SDev  | 6.133  | .7649  | 1.529  | 1.557  | 1.421  | .6648  |
| %RSD  | 1.172  | .1478  | .3003  | .2997  | .2789  | .1327  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 501.5  | 514.0  | 513.0  | 520.2  | Q4031. |
| SDev  | .5115  | 14.4   | .6666  | 1.145  | 40.92  |
| %RSD  | .102   | 2.801  | .1299  | .2202  | 1.015  |

Method: TRIANGL2 Sample Name: ICB/CC8 Operator: DKH  
 Run Time: 10/08/97 04:21 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elms  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Be3130 |
|-------|--------|---------|--------|--------|--------|--------|
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avg   | .3128  | Q-55.57 | 2.068  | -2.761 | .2773  | -.5910 |
| SDev  | .3591  | 10.97   | 1.174  | 1.116  | .0693  | .188   |
| %RSD  | 114.8  | 19.74   | 56.77  | 40.43  | 24.98  | 31.81  |

| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 3.224  | .3109  | -.4351 | .5022  | -.0139 | .8741  |
| SDev  | .5812  | .0926  | .9053  | .031   | .2684  | .4261  |
| %RSD  | 18.03  | 29.8   | 208.1  | 6.182  | 1932   | 48.74  |

| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -1.564 | .0383  | .3578  | -2.137 | .5610  | .0916  |
| SDev  | 4.462  | .026   | .0314  | .3262  | .1751  | .2306  |
| %RSD  | 285.3  | 67.84  | 8.78   | 15.26  | 31.21  | 251.6  |

| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .0201  | .7390  | .8917  | -1.575 | .2739  | 2.822  |
| SDev  | .0566  | .4273  | 7.335  | 3.249  | .4365  | 1.423  |
| %RSD  | 281    | 57.82  | 822.6  | 206.4  | 159.4  | 50.44  |

| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.335  | -3.378 | -.3417 | -1.809 | .6920  | .2953  |
| SDev  | 4.77   | 1.336  | 1.369  | 2.419  | .957   | .0741  |
| %RSD  | 357.3  | 39.55  | 400.8  | 133.7  | 138.3  | 25.1   |

| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .2912  | 1.979  | -.2019 | 1.549  | 9.747  |
| SDev  | .0837  | .7565  | .3413  | .3892  | 3.493  |
| %RSD  | 28.74  | 38.24  | 169    | 25.14  | 35.83  |

Method: TRIANGL2 Sample Name: 184-23-1A8 X200 Operator: DKH  
Run Time: 10/08/97 04:26 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |         |        |        |
|-------|--------|--------|--------|---------|--------|--------|
| Elens | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265 | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb    |
| Avge  | 1.7194 | 9.565  | 72.20  | 1-.7956 | 70.37  | 1.860  |
| SDev  | .3148  | 1.313  | .4395  | .084    | .3039  | .2726  |
| %RSD  | 43.75  | 13.73  | .6087  | 10.56   | .4319  | 14.66  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elens | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 63.44  | 4246.  | 15.61  | 92.21  | 4059.  | 43.64  |
| SDev  | .2711  | 9.774  | .2253  | 7.586  | 11.67  | 1.385  |
| %RSD  | .4274  | .2302  | 1.443  | 8.227  | .2875  | 3.174  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elens | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 12.392 | 11.165 | 19590. |
| SDev  | 2.038  | 1.445  | 133.7  |
| %RSD  | 85.17  | 124    | .6826  |

Method: TRIANGL2 Sample Name: 184-23-2A8 X200 Operator: DKH  
 Run Time: 10/08/97 04:31 Filename: 100797  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elms  | Ag3280 | As1890 | Ba4934 | Be3130 | Cd2265 | Co2286 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1.9297 | 15.16  | 143.3  | 1.1602 | 191.9  | 2.426  |
| SDev  | .1652  | .9641  | .5275  | .0517  | .7189  | .2134  |
| %RSD  | 17.77  | 6.36   | .3681  | 32.31  | .3747  | 8.795  |

| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 123.1  | 10530. | 24.49  | 150.6  | 10050. | 73.48  |
| SDev  | .3161  | 25.72  | .4927  | .7415  | 25.17  | 1.203  |
| %RSD  | .2568  | .2441  | 2.012  | .4922  | .2503  | 1.637  |

| Elms  | Se1960 | Tl1908 | Zn2062 |
|-------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    |
| Avge  | 4.951  | 7.234  | 56240. |
| SDev  | 1.055  | 2.025  | 399.3  |
| %RSD  | 21.32  | 28     | .7099  |

N/A  
 Sample Re run on 10/30/97  
 08-10-30-97

Method: TRIANGL2 Sample Name: 184-23-2A8 X200 L Operator: DKH  
Run Time: 10/08/97 04:36 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | As1890 | Ba4934 | Be3130 | Cd2265 | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.1229 | 6.008  | 29.30  | 1.8341 | 39.49  | 1.4516 |
| SD    | .2684  | .4912  | .0327  | .0684  | .1391  | .3627  |
| %RSD  | 218.3  | 8.176  | .1116  | 8.202  | .3522  | 80.31  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 24.93  | 2214.  | 5.732  | 33.61  | 2069.  | 15.78  |
| SD    | .4886  | 7.977  | .7371  | 1.725  | 6.866  | .6887  |
| %RSD  | 1.96   | .3603  | 12.86  | 5.133  | .3319  | 4.364  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avg   | 1.4348 | 11.873 | 12160. |
| SD    | 1.085  | .7286  | 79.66  |
| %RSD  | 249.5  | 38.9   | .6551  |

Method: TRIANGL2 Sample Name: 184-23-3A8 X200 Operator: DKH  
Run Time: 10/08/97 04:40 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | As1890 | Ba4934 | Be3130 | Cd2265 | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1.6353 | 15.68  | 124.8  | 1.5840 | 150.5  | 2.487  |
| SDev  | .2422  | 1.31   | .4022  | .0355  | .8995  | .4445  |
| %RSD  | 38.12  | 8.355  | .3223  | 6.079  | .5975  | 17.87  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 101.7  | 8286.  | 24.91  | 3054.  | 7390.  | 64.67  |
| SDev  | .9317  | 40.56  | .4901  | 10.03  | 47.67  | 1.253  |
| %RSD  | .9157  | .4895  | 1.967  | .3284  | .6451  | 1.937  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 4.709  | 5.921  | 38710. |
| SDev  | 1.534  | 1.674  | 381.9  |
| %RSD  | 32.57  | 28.27  | .9866  |

Method: TRIANGL2 Sample Name: 184-23-3AB X200 DA Operator: DKH  
Run Time: 10/08/97 04:47 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |         |        |        |
|-------|--------|--------|--------|---------|--------|--------|
| Elens | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265 | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb    |
| Avge  | L.8864 | 17.30  | 127.0  | L-.5885 | 153.5  | 3.318  |
| SDev  | .1601  | 1.648  | .3263  | .0714   | .7414  | .4442  |
| %RSD  | 18.06  | 9.526  | .2569  | 12.14   | .483   | 13.38  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elens | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 104.1  | 8430.  | 25.63  | 3137.  | 7544.  | 68.21  |
| SDev  | .6927  | 47.33  | .4261  | 4.917  | 51     | 1.216  |
| %RSD  | .6653  | .5615  | 1.662  | .1567  | .676   | 1.783  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elens | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 6.213  | 13.271 | 39480. |
| SDev  | .2846  | 2.775  | 440.8  |
| %RSD  | 4.581  | 84.85  | 1.117  |

Method: TRIANGL2 Sample Name: 184-23-4A8 Operator: DKH  
Run Time: 10/08/97 05:01 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |         |        |        |
|-------|--------|--------|--------|---------|--------|--------|
| Elms  | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265 | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb    |
| Avg   | 66.89  | 32.62  | 498.7  | L-51.18 | 1692.  | 35.48  |
| SDev  | .7716  | 2.77   | .9166  | .1834   | 8.242  | 1.033  |
| %RSD  | 1.154  | 8.49   | .1838  | .3584   | .4871  | 2.911  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 319.3  | 336.8  | 180.9  | 1252.  | 5839.  | 47.57  |
| SDev  | 1.052  | .8933  | .5335  | 6.946  | 46.04  | 2.725  |
| %RSD  | .3295  | .2652  | .2948  | .5549  | .7885  | 5.728  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avg   | 40.79  | L-6.404 | 1619.  |
| SDev  | 2.281  | 3.978   | 12.64  |
| %RSD  | 5.593  | 62.11   | .7807  |



Method: TRIANGL2 Sample Name: 184-23-6AB Operator: DKH  
Run Time: 10/08/97 05:14 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |         |        |         |
|-------|--------|--------|--------|---------|--------|---------|
| Elms  | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265 | Co2286  |
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb     |
| Avge  | 3.703  | 9.119  | 640.5  | L-1.231 | 349.6  | L-24.98 |
| SDev  | .417   | .6883  | 2.817  | .1135   | 3.283  | 1.177   |
| %RSD  | 11.26  | 7.548  | .4398  | 9.22    | .9392  | 4.713   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 99.38  | 394.0  | 64.69  | 905.6  | 1789.  | 54.73  |
| SDev  | 1.763  | 2.922  | 1.515  | 13.26  | 21.76  | 7.679  |
| %RSD  | 1.774  | .7416  | 2.343  | 1.465  | 1.216  | 14.03  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 48.29  | L-37.40 | 1532.  |
| SDev  | 1.461  | 4.864   | 27.83  |
| %RSD  | 3.026  | 13      | 1.816  |

Method: TRIANGL2 Sample Name: 184-23-7AB Operator: DKH  
Run Time: 10/08/97 05:22 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elms  | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265 | Co2286  |
|-------|--------|--------|--------|---------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb     |
| Avg   | 3.501  | 8.426  | 635.8  | L-1.212 | 9.254  | L-25.88 |
| SDev  | .4752  | 1.632  | 3.038  | .0923   | .506   | 1.322   |
| %RSD  | 13.57  | 19.37  | .4779  | 7.616   | 5.468  | 5.111   |

| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 93.83  | 550.6  | 58.20  | 810.3  | 404.0  | 55.62  |
| SDev  | 2.26   | 4.139  | 2.158  | 10.63  | 2.931  | 4.187  |
| %RSD  | 2.409  | .7518  | 3.708  | 1.312  | .7254  | 7.528  |

| Elms  | Sa1960 | Tl1908  | Zn2062 |
|-------|--------|---------|--------|
| Units | ppb    | ppb     | ppb    |
| Avg   | 48.53  | L-36.83 | 2495.  |
| SDev  | 2.15   | 6.274   | 43.83  |
| %RSD  | 4.43   | 17.04   | 1.757  |

Method: TRIANGL2 Sample Name: 184-23-8A8 Operator: DKH  
Run Time: 10/08/97 05:32 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |         |        |         |
|-------|--------|--------|--------|---------|--------|---------|
| Elms  | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265 | Co2286  |
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb     |
| Avge  | 8.771  | 10.13  | 672.5  | L-1.286 | 102.2  | L-27.12 |
| SDev  | .7565  | 4.634  | 3.113  | .0941   | 1.213  | 1.247   |
| %RSD  | 8.625  | 45.73  | .4629  | 7.317   | 1.186  | 4.598   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 107.5  | 920.2  | 64.98  | 708.1  | 943.6  | 60.84  |
| SDev  | 2.244  | 5.867  | 2.023  | 11.84  | 7.653  | 5.1    |
| %RSD  | 2.088  | .6375  | 3.114  | 1.672  | .811   | 8.383  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 52.38  | L-37.50 | 5842.  |
| SDev  | 4.894  | 4.205   | 86.33  |
| %RSD  | 9.342  | 11.21   | 1.478  |

Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/08/97 05:40 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 512.8  | Q434.7 | 512.8  | 3610.  | 504.0  | 525.4  |
| SDev  | 2.075  | 17.43  | 2.122  | 425    | 2.289  | 3.864  |
| %RSD  | .4045  | 4.01   | .4139  | 11.77  | .4542  | .7354  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 508.1  | 497.1  | 496.9  | 514.0  | 507.4  | 504.9  |
| SDev  | 4.888  | 3.6    | 2.988  | 3.626  | 4.47   | 4.972  |
| %RSD  | .9622  | .7242  | .6012  | .7054  | .881   | .9848  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 505.5  | 5.094  | 495.0  | 505.7  | 505.0  | 506.5  |
| SDev  | 13.94  | .0235  | 2.076  | 5.241  | 2.909  | 3.03   |
| %RSD  | 2.758  | .4614  | .4194  | 1.036  | .576   | .5982  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 5.139  | 498.7  | 513.5  | 512.1  | 487.1  | 485.8  |
| SDev  | .0783  | 2.831  | 5.308  | 5.822  | 7.439  | 6.261  |
| %RSD  | 1.524  | .5677  | 1.034  | 1.137  | 1.527  | 1.289  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 522.6  | 508.1  | 495.4  | 513.0  | 503.3  | 500.4  |
| SDev  | 4.038  | 3.688  | 3.945  | 2.916  | 4.294  | 1.525  |
| %RSD  | .7726  | .7257  | .7963  | .5684  | .8532  | .3048  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | 495.1  | 506.0  | 512.4  | 511.0  | Q59310. |
| SDev  | 1.193  | 13.35  | 2.89   | 7.061  | 3810    |
| %RSD  | .2411  | 2.639  | .564   | 1.382  | 6.423   |

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
 Run Time: 10/08/97 06:06 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elms  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Be3130 |
|-------|--------|---------|--------|--------|--------|--------|
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avge  | .2309  | 0-53.89 | 2.654  | 2256.  | -.0779 | -.9839 |
| SDev  | .5822  | 8.679   | 2.048  | 158.8  | .0367  | .0908  |
| %RSD  | 252.1  | 16.11   | 77.17  | 7.037  | 47.14  | 9.226  |

| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | .3246  | .7877  | .6887  | -.2525 | .0688  | .0251  |
| SDev  | 1.112  | .0724  | 1.897  | .6182  | .5652  | .1111  |
| %RSD  | 342.5  | 9.186  | 275.5  | 244.8  | 821.5  | 443.5  |

| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | -.8432 | .0036  | -.1073 | -3.960 | -.0765 | -.7988 |
| SDev  | 9.396  | .0403  | .0846  | 3.642  | .0157  | .1386  |
| %RSD  | 1114   | 1114   | 78.76  | 91.99  | 20.56  | 17.35  |

| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | .0906  | -.1408 | 3.792  | -.8636 | .4220  | -1.775 |
| SDev  | .0971  | .1854  | 7.114  | 3.54   | 1.571  | 2.381  |
| %RSD  | 107.2  | 131.7  | 187.6  | 409.9  | 372.2  | 134.2  |

| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 5.736  | -1.977 | -.0061 | .5911  | -1.153 | -.0681 |
| SDev  | 2.575  | .6189  | 2.035  | .6391  | .2231  | .0303  |
| %RSD  | 44.89  | 31.3   | 33330  | 108.1  | 19.34  | 44.45  |

| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | -.1543 | -.8034 | -.9228 | -.3258 | 06815. |
| SDev  | .1032  | .9901  | .6983  | .1348  | 1692   |
| %RSD  | 66.87  | 123.2  | 75.67  | 41.38  | 24.82  |

Method: TRIANGL2 Sample Name: 184-23-9A8 Operator: DKH  
Run Time: 10/08/97 06:11 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |         |         |         |
|-------|--------|--------|--------|---------|---------|---------|
| Elems | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265  | Co2286  |
| Units | ppb    | ppb    | ppb    | ppb     | ppb     | ppb     |
| Avg   | 1.896  | 15.11  | 622.4  | L-1.061 | L-6.678 | L-23.92 |
| SDev  | .4018  | 3.117  | 2.207  | .0619   | .3033   | .6385   |
| %RSD  | 21.19  | 20.63  | .3546  | 5.83    | 4.542   | 2.669   |

|       |        |        |        |        |         |        |
|-------|--------|--------|--------|--------|---------|--------|
| Elems | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203  | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avg   | 92.61  | 26.98  | 59.94  | 786.7  | L-.9452 | 60.11  |
| SDev  | 1.197  | .2808  | .6297  | 7.513  | .5112   | 5.605  |
| %RSD  | 1.293  | 1.041  | 1.05   | .955   | 54.08   | 9.325  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elems | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avg   | 51.48  | L-41.02 | 51.73  |
| SDev  | 1.433  | 2.863   | 1.489  |
| %RSD  | 2.785  | 6.979   | 2.878  |

Method: TRIANGL2 Sample Name: 184-23-10AB,5 Operator: DKH  
Run Time: 10/08/97 06:20 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |         |         |        |
|-------|--------|--------|--------|---------|---------|--------|
| Elms  | Ag3280 | As1890 | Ba4934 | Be3130  | Cd2265  | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb     | ppb    |
| Avge  | 3.105  | 33.47  | 1035.  | L-55.53 | L-6.706 | 27.75  |
| SDev  | .707   | 5.345  | 5.434  | .4368   | .161    | 1.328  |
| %RSD  | 22.77  | 15.97  | .5249  | .7866   | 2.401   | 4.786  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 402.9  | 239.7  | 158.1  | 788.1  | 57.98  | 69.89  |
| SDev  | 5.14   | 1.855  | 1.882  | 13.88  | 2.485  | 6.015  |
| %RSD  | 1.276  | .7739  | 1.19   | 1.761  | 4.287  | 8.607  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 60.90  | L-15.12 | 564.6  |
| SDev  | 1.602  | 9.699   | 11.02  |
| %RSD  | 2.631  | 64.13   | 1.952  |

Method: TRIANGL2 Sample Name: 183-15-1C Operator: DKH  
Run Time: 10/08/97 06:25 Filename: 100797  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | As1890 | Ba4934 | Ba3130 | Cd2265 | Co2286 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 1.5711 | 7.872  | 3.212  | 1.241  | 1.8955 | 1.3361 |
| SDev  | .3791  | 3.012  | .0806  | .0341  | .1938  | .2172  |
| %RSD  | 66.38  | 38.26  | 2.509  | 2.746  | 21.64  | 6.464  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 13.98  | 3.676  | 8.472  | 12.904 | 1.4317 | 4.816  |
| SDev  | 1.376  | .031   | .8048  | 4.614  | 1.306  | 2.022  |
| %RSD  | 9.837  | .8445  | 9.499  | 158.9  | 302.6  | 41.99  |

|       |        |        |        |
|-------|--------|--------|--------|
| Elms  | Se1960 | Tl1908 | Zn2062 |
| Units | ppb    | ppb    | ppb    |
| Avge  | 8.973  | 10.79  | 12.31  |
| SDev  | 1.557  | 2.52   | .3826  |
| %RSD  | 17.35  | 23.36  | 3.107  |



Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/08/97 06:29 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | Q341.9 | Q188.1 | Q348.8 | 2327.  | Q337.8 | Q345.4 |
| SDev  | 296.5  | 447.3  | 297.2  | 1261   | 292.6  | 301.9  |
| %RSD  | 86.7   | 237.8  | 85.21  | 54.2   | 86.62  | 87.41  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | Q390.3 | Q332.3 | 324.6  | Q335.6 | Q337.4 | Q330.5 |
| SDev  | 321.7  | 287.8  | 280.8  | 290    | 290.2  | 295.4  |
| %RSD  | 82.42  | 86.59  | 86.5   | 86.44  | 86     | 89.38  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | Q256.3 | Q3.664 | Q327.7 | Q293.4 | Q334.6 | Q334.6 |
| SDev  | 247.9  | 2.417  | 282.1  | 264.5  | 289.9  | 290.2  |
| %RSD  | 96.69  | 65.97  | 86.08  | 90.13  | 86.64  | 86.72  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | Q3.351 | Q333.5 | Q320.1 | 301.5  | 324.5  | Q319.6 |
| SDev  | 3.109  | 285.7  | 263    | 276    | 279.8  | 276.7  |
| %RSD  | 92.78  | 85.67  | 82.15  | 91.56  | 86.21  | 86.55  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 320.5  | 336.3  | Q316.8 | Q331.0 | Q336.1 | Q333.2 |
| SDev  | 271.6  | 296.9  | 277    | 286.9  | 293    | 288.5  |
| %RSD  | 84.74  | 88.29  | 87.41  | 86.66  | 87.15  | 86.6   |

|       |        |        |        |        |         |  |
|-------|--------|--------|--------|--------|---------|--|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |  |
| Avg   | Q328.6 | Q342.4 | Q340.6 | Q335.0 | Q113400 |  |
| SDev  | 284.4  | 291.9  | 288.8  | 290.4  | 68380   |  |
| %RSD  | 86.56  | 85.24  | 84.79  | 86.71  | 60.31   |  |

Cup raw out  
 not used  
 of 10-23-97

Method: TRIANGL2 Sample Name: 183-15-18<sup>D</sup>~~10-27962~~ Operator: DKH  
 Run Time: 10/08/97 06:34 Filename: 100797  
 Mode: CGNC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |         |        |         |         |         |
|-------|--------|---------|--------|---------|---------|---------|
| Elms  | Ag3280 | As1890  | Ba4934 | Be3130  | Cd2265  | Co2286  |
| Units | ppb    | ppb     | ppb    | ppb     | ppb     | ppb     |
| Avge  | 1.186  | L-4.801 | 4.324  | L-.9855 | L-1.092 | L-4.620 |
| SDev  | .6274  | 4.186   | .0528  | .1946   | 1.363   | 3.53    |
| %RSD  | 52.91  | 87.2    | 1.221  | 19.74   | 124.8   | 76.41   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 17.92  | 6.018  | 5.207  | 126.4  | 9.672  | 8.746  |
| SDev  | 2.965  | .2937  | 3.437  | 33.78  | 2.535  | 9.177  |
| %RSD  | 16.55  | 4.881  | 66.01  | 26.72  | 26.21  | 104.9  |

|       |        |         |        |
|-------|--------|---------|--------|
| Elms  | Se1960 | Tl1908  | Zn2062 |
| Units | ppb    | ppb     | ppb    |
| Avge  | 6.364  | L-11.77 | 127.0  |
| SDev  | .3434  | 1.767   | 4.356  |
| %RSD  | 5.396  | 15.01   | 3.43   |

Method: TRIANGL2 Sample Name: ICV/CCV Operator: DKH  
 Run Time: 10/08/97 06:39 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 516.3  | Q432.2 | 518.4  | 4301.  | 509.3  | 526.6  |
| SDev  | 1.698  | 9.11   | 1.35   | 431.4  | 1.147  | 1.61   |
| %RSD  | .329   | 2.108  | .2605  | 10.03  | .2252  | .3057  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 509.7  | 508.3  | 504.2  | 516.5  | 511.4  | 502.9  |
| SDev  | .9727  | 1.252  | 1.592  | 1.185  | 1.083  | 2.779  |
| %RSD  | .1908  | .2464  | .3157  | .2294  | .2117  | .5526  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 507.8  | 5.204  | 497.5  | 506.2  | 509.9  | 508.2  |
| SDev  | 4.159  | .0272  | 4.19   | 5.785  | 1.03   | 2.182  |
| %RSD  | .819   | .5225  | .8423  | 1.143  | .202   | .4294  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 5.205  | 507.5  | 522.2  | 508.0  | 500.9  | 494.3  |
| SDev  | .1597  | 1.15   | 6.02   | 5.345  | 6.825  | 5.041  |
| %RSD  | 3.068  | .2267  | 1.153  | 1.052  | 1.363  | 1.02   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 526.9  | 511.1  | 503.3  | 516.4  | 506.0  | 502.4  |
| SDev  | .8198  | .6881  | 2.774  | .2838  | .7443  | .6572  |
| %RSD  | .1556  | .1346  | .5513  | .055   | .1471  | .1308  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avge  | 497.7  | 513.5  | 515.0  | 514.6  | Q44760. |
| SDev  | .839   | 3.944  | 1.022  | 3.424  | 1116    |
| %RSD  | .1686  | .7681  | .1985  | .6655  | 2.493   |

Method: TRIANGL2 Sample Name: ICB/CCB Operator: DKH  
 Run Time: 10/08/97 06:50 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |         |        |        |        |         |
|-------|--------|---------|--------|--------|--------|---------|
| Elms  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Be3130  |
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb     |
| Avg   | .1747  | Q-74.49 | 3.113  | 2950.  | -.0343 | Q-1.163 |
| SDev  | .2575  | 6.276   | 2.751  | 355.5  | .0694  | .0684   |
| %RSD  | 147.4  | 8.426   | 88.39  | 12.05  | 202.6  | 5.885   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.500  | -.2270 | -.2441 | -.3791 | .7813  | .1096  |
| SDev  | .9785  | .2033  | 1.225  | .6709  | .8068  | .0587  |
| %RSD  | 65.23  | 89.54  | 501.8  | 177    | 103.3  | 53.58  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -1.281 | .0347  | .0343  | -4.398 | -.0473 | -.4506 |
| SDev  | 6.35   | .0401  | .0697  | 4.759  | .0454  | .2341  |
| %RSD  | 495.6  | 115.5  | 203.3  | 108.2  | 95.89  | 51.95  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .0537  | .9256  | .6120  | -2.038 | -1.540 | .8408  |
| SDev  | .1344  | .476   | 5.274  | 3.557  | .5084  | 3.233  |
| %RSD  | 250.4  | 51.42  | 861.8  | 174.5  | 33.01  | 384.6  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 5.207  | -3.632 | -1.706 | -.6889 | -1.529 | .0044  |
| SDev  | 2.845  | .2124  | .8566  | 1.058  | 2.38   | .033   |
| %RSD  | 54.64  | 5.847  | 50.21  | 153.6  | 155.6  | 742.7  |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | -.0724 | -1.171 | -.6510 | -.8326 | Q21830. |
| SDev  | .1862  | 1.804  | .6563  | .4831  | 2473    |
| %RSD  | 257.3  | 154    | 100.8  | 58.02  | 11.33   |

Method: TRIANGL2 Sample Name: ICSAB Operator: DKH  
 Run Time: 10/08/97 06:56 Filename: 100797  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |         |        |        |        |        |
|-------|--------|---------|--------|--------|--------|--------|
| Elms  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Be3130 |
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avg   | 547.0  | 512400. | 534.7  | 3894.  | 519.4  | 513.4  |
| SDev  | 2.838  | 3670    | 6.726  | 413.9  | 2.639  | 5.181  |
| %RSD  | .5189  | .7162   | 1.258  | 10.63  | .508   | 1.009  |

|       |         |        |        |        |        |        |
|-------|---------|--------|--------|--------|--------|--------|
| Elms  | Ca3179  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 449600. | 475.8  | 504.4  | 485.6  | 485.3  | 544.4  |
| SDev  | 5123    | 4.729  | 2.094  | 4.986  | 6.809  | 3.367  |
| %RSD  | 1.14    | .9937  | .4152  | 1.027  | 1.403  | .6184  |

|       |         |        |        |         |        |        |
|-------|---------|--------|--------|---------|--------|--------|
| Elms  | Fe2714  | K_7664 | Li6707 | Mg2790  | Mn2576 | Mo2020 |
| Units | ppb     | ppm    | ppb    | ppb     | ppb    | ppb    |
| Avg   | 176900. | 826.31 | 643.9  | 535100. | 466.0  | 504.6  |
| SDev  | 1634    | .0473  | 1.593  | 3859    | 4.417  | 4.097  |
| %RSD  | .9233   | .1799  | .2474  | .7211   | .948   | .812   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 5.784  | 461.1  | 542.1  | 517.7  | 475.4  | 542.9  |
| SDev  | .1398  | 5.119  | 22.66  | 5.393  | 14.69  | 8.218  |
| %RSD  | 2.417  | 1.11   | 4.181  | 1.042  | 3.09   | 1.514  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 577.0  | 537.7  | 489.5  | 550.8  | 524.2  | 513.8  |
| SDev  | 7.764  | 10.31  | 9.074  | 5.076  | 6.615  | 2.851  |
| %RSD  | 1.346  | 1.917  | 1.854  | .9217  | 1.262  | .555   |

|       |        |        |        |        |         |
|-------|--------|--------|--------|--------|---------|
| Elms  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | 494.5  | 513.6  | 506.1  | 457.1  | Q17280. |
| SDev  | 3.804  | 10.16  | 4.613  | 8.895  | 2659    |
| %RSD  | .7693  | 1.978  | .9115  | 1.946  | 15.39   |

Table Name: HA466 Autosampler Type: TYPE TJA  
 Sample Positions: 161/192 QC Positions: 13/10 # Sets: 4  
 Rinse Station location is rack -1. pos. -1.

SRB  
10/23/97

--- Racks ---

| Rack # | Type          | Usage        | #Pos Left | Analyses/Pos |
|--------|---------------|--------------|-----------|--------------|
| 1      | Aux. (L) Rack | STD/QC/BLANK | 13        | 10           |
| 2      | Sample (16mm) | Samples      | 17        | 1            |
| 3      | Sample (16mm) | Samples      | 48        | 1            |
| 4      | Sample (16mm) | Samples      | 48        | 1            |
| 5      | Sample (16mm) | Samples      | 48        | 1            |

Ag, Be, Co, Se, ~~Al~~ only  
TL

--- Sample Sets ---

| Set# | Type   | Prepare? | Description | Method  | #Pos | Rack# | StartPos |
|------|--------|----------|-------------|---------|------|-------|----------|
| 1    | Normal | No       | 43478       | TRIANG2 | 11   | 2     | 1        |
| 2    | Normal | No       | 43492       | TRIANG2 | 3    | 2     | 12       |
| 3    | Normal | No       | 43530       | TRIANG2 | 11   | 2     | 15       |
| 4    | Normal | No       | 43231       | TRIANG2 | 6    | 2     | 26       |

--- Preparation Info ---

Set# Uptake Uptake#2 Final Dil.Factor

No Samples Prepared.

Rack #1

| Pos | Row | Col | Sample Name | Set # | #Used | Type        |
|-----|-----|-----|-------------|-------|-------|-------------|
| 1   | 1   | 1   | STD3        | -NA-  | 2     | Standard    |
| 2   | 1   | 2   | STD1-BLANK  | -NA-  | 1     | Standard    |
| 3   | 1   | 3   | ICSA8       | -NA-  | 3     | QC Standard |
| 4   | 1   | 4   | CHECK 1.0   | -NA-  | 1     | QC Standard |
| 5   | 1   | 5   | ICV/CCV     | -NA-  | 5     | QC Standard |
| 6   | 1   | 6   | ICR/CCB     | -NA-  | 5     | QC Standard |

1-62-5P  
1-62-7P  
1-62-6P

SRB  
10/23/97

(7.. 19 Not Used)

Rack #2

| Pos | Row | Col | Sample Name  | Set # | #Used | Type   |
|-----|-----|-----|--------------|-------|-------|--------|
| 1   | 1   | 1   | 43478 MB     | 1     | -NA-  | Sample |
| 2   | 1   | 2   | 43478 LCS    | 1     | -NA-  | Sample |
| 3   | 1   | 3   | 185-52-1     | 1     | -NA-  | Sample |
| 4   | 1   | 4   | 185-52-1 D   | 1     | -NA-  | Sample |
| 5   | 1   | 5   | 185-52-2     | 1     | -NA-  | Sample |
| 6   | 1   | 6   | 185-52-2 MS  | 1     | -NA-  | Sample |
| 7   | 1   | 7   | 185-52-2 MSD | 1     | -NA-  | Sample |
| 8   | 1   | 8   | 185-52-2 PDS | 1     | -NA-  | Sample |
| 9   | 1   | 9   | 185-52-2 L   | 1     | -NA-  | Sample |
| 10  | 1   | 10  | 185-52-3     | 1     | -NA-  | Sample |
| 11  | 1   | 11  | 185-52-4     | 1     | -NA-  | Sample |
| 12  | 1   | 12  | CHECK 9972   | 2     | -NA-  | Sample |

Rack #2

| Pos | Row | Col | Sample Name        | Set # | #Used | Type   |
|-----|-----|-----|--------------------|-------|-------|--------|
| 13  | 2   | 1   | 187-68-1           | 2     | -NA-  | Sample |
| 14  | 2   | 2   | 187-68-1 D         | 2     | -NA-  | Sample |
| 15  | 2   | 3   | 43536 MB           | 3     | -NA-  | Sample |
| 16  | 2   | 4   | 43536 LCS          | 3     | -NA-  | Sample |
| 17  | 2   | 5   | 186-11-1           | 3     | -NA-  | Sample |
| 18  | 2   | 6   | 186-11-1 D         | 3     | -NA-  | Sample |
| 19  | 2   | 7   | 186-11-2           | 3     | -NA-  | Sample |
| 20  | 2   | 8   | 186-11-2 MS        | 3     | -NA-  | Sample |
| 21  | 2   | 9   | 186-11-2 MSD       | 3     | -NA-  | Sample |
| 22  | 2   | 10  | 186-11-2 PDS       | 3     | -NA-  | Sample |
| 23  | 2   | 11  | 186-11-2 L         | 3     | -NA-  | Sample |
| 24  | 2   | 12  | 186-11-3           | 3     | -NA-  | Sample |
| 25  | 3   | 1   | 186-11-4           | 3     | -NA-  | Sample |
| 26  | 3   | 2   | 184-23-1AB X10     | 4     | -NA-  | Sample |
| 27  | 3   | 3   | 184-23-2AB X10     | 4     | -NA-  | Sample |
| 28  | 3   | 4   | 184-23-2AB X10 PDS | 4     | -NA-  | Sample |
| 29  | 3   | 5   | 184-23-2AB X10 L   | 4     | -NA-  | Sample |
| 30  | 3   | 6   | 184-23-3AB X10     | 4     | -NA-  | Sample |
| 31  | 3   | 7   | 184-23-3AB X10 DA  | 4     | -NA-  | Sample |
| 32  | 48  |     | Not Used           |       |       |        |

Rack #3

| Pos | Row | Col | Sample Name | Set # | #Used | Type |
|-----|-----|-----|-------------|-------|-------|------|
| 1   | 48  |     | Not Used    |       |       |      |

Rack #4

| Pos    | Row | Col | Sample Name | Set # | #Used | Type |
|--------|-----|-----|-------------|-------|-------|------|
| 1...48 |     |     | Not Used    |       |       |      |

Rack #5

| Pos    | Row | Col | Sample Name | Set # | #Used | Type |
|--------|-----|-----|-------------|-------|-------|------|
| 1...48 |     |     | Not Used    |       |       |      |

Method: TRIANGL2

Standard: STD1-BLANK

| Elem | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 | Ca3179 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avg  | -.0001 | .0025  | -.0003 | .0001  | .0000  | .0002  | .0006  |
| SDev | .0004  | .0000  | .0000  | .0001  | .0000  | .0000  | .0000  |
| %RSD | 362.7  | .2999  | 13.71  | 64.94  | 53.64  | 1.422  | 4.989  |

|    |        |       |        |       |       |       |       |
|----|--------|-------|--------|-------|-------|-------|-------|
| #1 | .0001  | .0025 | -.0003 | .0000 | .0000 | .0002 | .0005 |
| #2 | .0001  | .0025 | -.0002 | .0001 | .0001 | .0002 | .0006 |
| #3 | -.0005 | .0025 | -.0003 | .0002 | .0001 | .0002 | .0006 |

| Elem | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 | Fe2714 | K_7664 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avg  | -.0003 | -.0002 | -.0002 | -.0001 | .0024  | .0000  | 7.339  |
| SDev | .0001  | .0001  | .0001  | .0001  | .0000  | .0000  | .046   |
| %RSD | 38.50  | 37.20  | 44.61  | 57.78  | .6536  | 368.2  | .6274  |

|    |        |        |        |        |       |        |       |
|----|--------|--------|--------|--------|-------|--------|-------|
| #1 | -.0004 | -.0003 | -.0003 | -.0002 | .0024 | -.0000 | 7.309 |
| #2 | -.0002 | -.0002 | -.0001 | -.0001 | .0024 | .0000  | 7.392 |
| #3 | -.0003 | -.0002 | -.0001 | -.0001 | .0024 | .0000  | 7.315 |

| Elem | Li6707 | Mg2790 | Mn2576 | Mo2020 | Na3302 | Ni2316 | P_2149 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avg  | .1492  | -.0000 | .0000  | .0000  | .0027  | -.0016 | -.0008 |
| SDev | .0010  | .0001  | .0000  | .0001  | .0038  | .0001  | .0001  |
| %RSD | .7015  | 504.7  | 86.62  | 177.0  | 142.5  | 3.309  | 15.47  |

|    |       |        |       |        |        |        |        |
|----|-------|--------|-------|--------|--------|--------|--------|
| #1 | .1483 | -.0002 | .0000 | -.0000 | .0048  | -.0017 | -.0007 |
| #2 | .1503 | .0001  | .0000 | .0001  | .0050  | -.0016 | -.0008 |
| #3 | .1488 | .0000  | .0000 | .0000  | -.0017 | -.0016 | -.0009 |

| Elem | Zn3-1 | Zn3-2  | Sb2068 | 1960-1 | 1960-2 | Sn1899 | Sr4215 |
|------|-------|--------|--------|--------|--------|--------|--------|
| Avg  | .0008 | -.0001 | .0003  | -.0043 | .0015  | -.0003 | .0001  |
| SDev | .0008 | .0002  | .0005  | .0005  | .0006  | .0001  | .0000  |
| %RSD | 106.2 | 356.5  | 158.2  | 10.55  | 36.78  | 29.55  | 29.14  |

|    |        |        |        |        |       |        |       |
|----|--------|--------|--------|--------|-------|--------|-------|
| #1 | .0015  | -.0003 | -.0001 | -.0047 | .0009 | -.0002 | .0001 |
| #2 | .0009  | .0001  | .0009  | -.0038 | .0018 | -.0004 | .0001 |
| #3 | -.0001 | .0001  | .0002  | -.0044 | .0019 | -.0004 | .0001 |

| Elem | Ti3349 | Ti1908 | V_2924 | Zn2062 | Si2881 |
|------|--------|--------|--------|--------|--------|
| Avg  | -.0000 | -.0004 | -.0004 | -.0000 | .0221  |
| SDev | .0003  | .0001  | .0000  | .0001  | .0004  |
| %RSD | 787.1  | 19.22  | 8.260  | 156.1  | 1.931  |

|    |        |        |        |        |       |
|----|--------|--------|--------|--------|-------|
| #1 | -.0003 | -.0005 | -.0005 | -.0001 | .0225 |
| #2 | .0000  | -.0003 | -.0004 | .0000  | .0221 |
| #3 | .0002  | -.0004 | -.0004 | -.0000 | .0217 |



| IntStd | 1        | 2        | 3       | 4       | 5       | 6       | 7       |
|--------|----------|----------|---------|---------|---------|---------|---------|
| Mode   | *Counts  | Time     | NOTUSED | NOTUSED | NOTUSED | NOTUSED | NOTUSED |
| Elem   | Y        | --       | --      | --      | --      | --      | --      |
| Wavlen | 371.030  | --       | --      | --      | --      | --      | --      |
| Avge   | 236811   | 15000    | --      | --      | --      | --      | --      |
| SDev   | 5390.643 | .0000000 | --      | --      | --      | --      | --      |
| %RSD   | 2.276352 | .0000000 | --      | --      | --      | --      | --      |
| #1     | 231267   | 15000    | --      | --      | --      | --      | --      |
| #2     | 237131   | 15000    | --      | --      | --      | --      | --      |
| #3     | 242034   | 15000    | --      | --      | --      | --      | --      |

Method: TRIANG12 Standard: STD3

| Elem | Aq3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 | Ca3179 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avge | .4108  | .0177  | .0520  | .1615  | .2846  | .2958  | .0277  |
| SDev | .0006  | .0001  | .0001  | .0009  | .0001  | .0014  | .0001  |
| %RSD | .1362  | .3146  | .2072  | .5307  | .0363  | .4699  | .5285  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | .4115 | .0177 | .0521 | .1606 | .2848 | .2944 | .0276 |
| #2 | .4107 | .0176 | .0520 | .1619 | .2846 | .2971 | .0279 |
| #3 | .4103 | .0176 | .0519 | .1621 | .2846 | .2960 | .0277 |

| Elem | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 | Fe2714 | K_7664 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avge | 1.091  | .1183  | .1195  | .1684  | .1699  | .0048  | 24.70  |
| SDev | .005   | .0002  | .0006  | .0008  | .0004  | .0001  | .22    |
| %RSD | .4772  | .1608  | .5024  | .4485  | .2404  | 1.065  | .8800  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 1.086 | .1181 | .1190 | .1677 | .1702 | .0047 | 24.92 |
| #2 | 1.096 | .1183 | .1202 | .1692 | .1694 | .0048 | 24.48 |
| #3 | 1.099 | .1185 | .1194 | .1684 | .1699 | .0048 | 24.69 |

| Elem | Li6707 | Mg2790 | Mn2576 | Mo2020 | Na3302 | Ni2316 | P_2149 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avge | 14.73  | .0223  | .1469  | .0818  | .2056  | .3874  | .0234  |
| SDev | .20    | .0002  | .0006  | .0002  | .0043  | .0010  | .0005  |
| %RSD | 1.348  | .7289  | .4142  | .2392  | 2.075  | .2671  | 2.031  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 14.91 | .0221 | .1462 | .0816 | .2103 | .3865 | .0229 |
| #2 | 14.52 | .0224 | .1475 | .0820 | .2042 | .3885 | .0239 |
| #3 | 14.76 | .0223 | .1469 | .0819 | .2021 | .3871 | .0233 |

| Elem | 2203-1 | 2203-2 | Sb2068 | 1960-1 | 1960-2 | Sn1899 | Sr4215 |
|------|--------|--------|--------|--------|--------|--------|--------|
| Avge | .2078  | .0983  | .1215  | .2666  | .1598  | .1264  | .8633  |
| SDev | .0005  | .0007  | .0003  | .0010  | .0008  | .0009  | .0008  |
| %RSD | .2306  | .7432  | .2893  | .3748  | .5188  | .6798  | .0912  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | .2082 | .0975 | .1214 | .2677 | .1589 | .1256 | .8636 |
| #2 | .2080 | .0988 | .1219 | .2665 | .1601 | .1274 | .8640 |
| #3 | .2073 | .0985 | .1213 | .2657 | .1604 | .1263 | .8625 |

| Elem | Ti3349 | Ti1908 | V_2924 | Zn2062 | Si2881 |
|------|--------|--------|--------|--------|--------|
| Avge | 1.206  | .0334  | .0415  | .1252  | .4776  |
| SDev | .003   | .0006  | .0001  | .0011  | .0005  |
| %RSD | .2427  | 1.650  | .3158  | .8474  | .1094  |

|    |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|
| #1 | 1.203 | .0328 | .0413 | .1240 | .4782 |
| #2 | 1.208 | .0338 | .0416 | .1261 | .4774 |
| #3 | 1.206 | .0336 | .0415 | .1254 | .4773 |

| IntStd | 1        | 2        | 3       | 4       | 5       | 6       | 7       |
|--------|----------|----------|---------|---------|---------|---------|---------|
| Mode   | *Counts  | Time     | NOTUSED | NOTUSED | NOTUSED | NOTUSED | NOTUSED |
| Elem   | Y        | --       | --      | --      | --      | --      | --      |
| Wavlen | 571.036  | --       | --      | --      | --      | --      | --      |
| Avgc   | 242234   | 15000    | --      | --      | --      | --      | --      |
| SDev   | 2401.778 | .0000000 | --      | --      | --      | --      | --      |
| *RSD   | .9915116 | .0000000 | --      | --      | --      | --      | --      |
| #1     | 244501   | 15000    | --      | --      | --      | --      | --      |
| #2     | 239717   | 15000    | --      | --      | --      | --      | --      |
| #3     | 242484   | 15000    | --      | --      | --      | --      | --      |

Method: TRIANGL2    Sample Name: STD3      Operator: SRB  
 Run Time: 10/23/97 05:17:11  
 Comment:  
 Mode: CONC    Corr. Factor: 1

| Elem  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 | Ca3179 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 995.1  | 990.4  | 998.1  | 1005.  | 996.7  | 993.1  | 994.5  |
| SDev  | 2.8    | 6.3    | 9      | 3.     | 1.3    | 3.2    | 3.3    |
| %RSD  | .2819  | .6330  | .0942  | .3007  | .1341  | .3272  | .3298  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 998.2 | 997.7 | 997.3 | 1004. | 996.1 | 990.9 | 992.6 |
| #2 | 992.7 | 987.3 | 997.9 | 1002. | 998.2 | 991.5 | 992.6 |
| #3 | 994.5 | 986.4 | 999.2 | 1008. | 995.7 | 996.8 | 998.3 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | 1000.   | 1000.   | 1000.   | 1000.   | 1000.   | 1000.   | 1000.   |
| Range  | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   |

| Elem  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 | Fe2714 | K_7664 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppm    |
| Avg   | 993.6  | 995.1  | 995.4  | 995.0  | 996.6  | 1000.  | 9.900  |
| SDev  | 3.8    | 4.0    | 3.4    | 3.1    | 2.2    | 4.     | 190    |
| %RSD  | .3851  | .4026  | .3368  | .3118  | .2201  | .4057  | 1.923  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 990.9 | 990.7 | 992.7 | 992.8 | 998.8 | 996.5 | 9.766 |
| #2 | 991.9 | 995.9 | 994.4 | 993.7 | 996.6 | 999.9 | 10.12 |
| #3 | 998.0 | 998.5 | 999.1 | 998.6 | 994.4 | 1005. | 9.816 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | 1000.   | 1000.   | 1000.   | 1000.   | 1000.   | 1000.   | 10.00   |
| Range  | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   |

| Elem  | Li6707 | Hg2790 | Mn2576 | Mo2020 | Na3302 | Ni2316 | P_2149 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppm    | ppb    | ppb    |
| Avg   | 997.6  | 997.2  | 993.5  | 996.6  | 9.840  | 997.7  | 998.2  |
| SDev  | 16.3   | 4.3    | 2.7    | 4.1    | .035   | 2.9    | 3.5    |
| %RSD  | 1.638  | .4301  | .2704  | .4162  | .3571  | .2944  | .3471  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 986.4 | 995.9 | 991.0 | 994.0 | 9.881 | 997.5 | 1001. |
| #2 | 1016. | 993.7 | 993.2 | 994.4 | 9.818 | 994.9 | 994.3 |
| #3 | 989.9 | 1002. | 996.3 | 1001. | 9.821 | 1001. | 999.5 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | 1000.   | 1000.   | 1000.   | 1000.   | 10.00   | 1000.   | 1000.   |
| Range  | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   |

| Elem  | 2203-1 | 2203-2 | Sb2068 | 1960-1 | 1960-2 | Pb2203 | Se1960 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 994.3  | 996.7  | 991.8  | 996.6  | 996.6  | 995.9  | 996.6  |
| SDev  | 8.3    | 6.7    | 5.1    | 8.0    | 6.6    | 7.1    | 4.7    |
| %RSD  | .8388  | .6691  | .5156  | .8020  | .6654  | .7139  | .4744  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 991.1 | 996.9 | 986.8 | 988.1 | 1001. | 995.0 | 996.5 |
| #2 | 988.0 | 989.9 | 991.5 | 997.9 | 989.0 | 989.3 | 991.9 |
| #3 | 1004  | 1003. | 997.0 | 1004  | 1000  | 1003. | 1001. |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | NOCHECK | NOCHECK | QC Pass | NOCHECK | NOCHECK | QC Pass | QC Pass |
| Value  |         |         | 1000    |         |         | 1000    | 1000.   |

Range 5.000 5.000 5.000

|       |        |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Elem  | Sn1899 | Sr4215 | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 995.8  | 992.1  | 993.8  | 1016.  | 995.5  | 997.6  | 9951.  |
| SDev  | 3.1    | 1.3    | 2.1    | 5.     | 2.3    | 5.9    | 22.    |
| %RSD  | .3085  | .1274  | .2103  | .4806  | .2303  | .5953  | .2193  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 993.0 | 990.7 | 991.5 | 1010. | 993.0 | 994.3 | 9974. |
| #2 | 995.3 | 993.2 | 994.3 | 1020. | 996.3 | 994.0 | 9930. |
| #3 | 999.1 | 992.3 | 995.5 | 1018. | 997.4 | 1004. | 9947. |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | 1000    | 1000.   | 1000.   | 1000.   | 1000.   | 1000.   | 10000.  |
| Range  | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   | 5.000   |

|         |          |          |         |         |         |         |         |
|---------|----------|----------|---------|---------|---------|---------|---------|
| Int.Std | 1        | 2        | 3       | 4       | 5       | 6       | 7       |
| Mode    | #Counts  | Time     | NOTUSED | NOTUSED | NOTUSED | NOTUSED | NOTUSED |
| Elem    | Y        | --       | --      | --      | --      | --      | --      |
| Wavlen  | 371.036  | --       | --      | --      | --      | --      | --      |
| Avg     | 241873   | 15000    | --      | --      | --      | --      | --      |
| SDev    | 3779.456 | .0000000 | --      | --      | --      | --      | --      |
| %RSD    | 1.562579 | .0000000 | --      | --      | --      | --      | --      |
| #1      | 239018   | 15000    | --      | --      | --      | --      | --      |
| #2      | 246159   | 15000    | --      | --      | --      | --      | --      |
| #3      | 240442   | 15000    | --      | --      | --      | --      | --      |

Method: TRIANGL2    Sample Name: ICV/CCV      Operator: SRR  
 Run Time: 10/23/97 05:26:45  
 Comment:  
 Mode: CONC    Corr. Factor: 1

|       |        |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Elem  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3150 | Cs3179 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 495.9  | 482.6  | 502.7  | 500.3  | 496.9  | 499.0  | 499.2  |
| SDev  | 2.0    | 1.6    | 1.3    | 2.7    | 1.6    | .7     | 1.0    |
| %RSD  | .3948  | .2019  | .2618  | .5324  | .3247  | .1396  | .1994  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 498.1 | 483.3 | 502.9 | 497.3 | 495.3 | 498.3 | 498.1 |
| #2 | 495.5 | 482.9 | 501.3 | 502.1 | 498.5 | 499.6 | 499.8 |
| #3 | 494.2 | 481.5 | 503.9 | 501.6 | 496.8 | 499.2 | 499.8 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | NOCHECK | QC Pass | QC Pass | QC Pass |
| Value  | 500.0   | 500.0   | 500.0   |         | 500.0   | 500.0   | 500.0   |
| Range  | 10.00   | 10.00   | 10.00   |         | 10.00   | 10.00   | 10.00   |

|       |        |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Elem  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 | Fe2714 | K_7664 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppm    |
| Avg   | 499.8  | 496.2  | 499.5  | 499.8  | 492.6  | 505.2  | 4.748  |
| SDev  | .9     | 2.9    | 1.0    | .9     | 1.1    | 6.2    | .097   |
| %RSD  | .1887  | .5881  | .2033  | .1836  | .2196  | 1.218  | 2.052  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 498.7 | 495.2 | 498.3 | 498.8 | 492.4 | 498.1 | 4.636 |
| #2 | 500.3 | 493.9 | 500.2 | 500.6 | 493.7 | 508.8 | 4.803 |
| #3 | 500.4 | 499.5 | 499.9 | 500.0 | 491.6 | 508.8 | 4.806 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | NOCHECK | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | 500.0   |         | 500.0   | 500.0   | 500.0   | 500.0   | 5.000   |
| Range  | 10.00   |         | 10.00   | 10.00   | 10.00   | 10.00   | 10.00   |

|       |        |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Elem  | Li6707 | Mg2790 | Mn2576 | Mn2020 | Na3302 | Ni2316 | P_2149 |
| Units | ppb    | ppb    | ppb    | ppb    | ppm    | ppb    | ppb    |
| Avg   | 482.5  | 497.0  | 498.4  | 497.6  | 4.790  | 501.0  | 499.8  |
| SDev  | 8.8    | 4.2    | 1.0    | .7     | .202   | 1.8    | 2.8    |
| %RSD  | 1.815  | .8448  | .2056  | .1502  | 4.215  | .3620  | .5549  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 472.6 | 495.3 | 497.2 | 496.8 | 5.020 | 500.3 | 497.9 |
| #2 | 489.1 | 493.9 | 499.1 | 498.3 | 4.642 | 499.7 | 503.0 |
| #3 | 485.9 | 501.8 | 498.8 | 497.6 | 4.708 | 503.1 | 498.6 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | 500.0   | 500.0   | 500.0   | 500.0   | 5.000   | 500.0   | 500.0   |
| Range  | 10.00   | 10.00   | 10.00   | 10.00   | 10.00   | 10.00   | 10.00   |

|       |        |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Elem  | 2203-1 | 2203-2 | Sb2068 | 1960-1 | 1960-2 | Pb2203 | Se1960 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 501.5  | 498.4  | 495.3  | 504.8  | 497.2  | 499.4  | 499.7  |
| SDev  | 6.9    | 6.6    | .7     | 4.2    | 8.1    | 6.6    | 6.7    |
| %RSD  | 1.384  | 1.331  | .1330  | .8374  | 1.621  | 1.327  | 1.348  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 507.3 | 501.6 | 495.4 | 507.2 | 503.9 | 503.5 | 505.0 |
| #2 | 493.8 | 490.7 | 495.8 | 499.9 | 488.3 | 491.7 | 492.2 |
| #3 | 503.3 | 502.7 | 494.5 | 507.3 | 499.4 | 502.9 | 502.0 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | NOCHECK | NOCHECK | QC Pass | NOCHECK | NOCHECK | QC Pass | QC Pass |
| Value  |         |         | 500.0   |         |         | 500.0   | 500.0   |



Method: TRIANGL2    Sample Name: ICR/CCR      Operator: SRB  
 Run Time: 10/23/97 05:31:31  
 Comment:  
 Mode: CONC    Corr. Factor: 1

| Elem  | Aq3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 | Ca3179 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .9030  | 2.453  | -.0439 | 8.734  | .0301  | -.0055 | .1156  |
| SDev  | .7566  | 6.365  | 1.8488 | 1.929  | .0378  | .0543  | .5618  |
| %RSD  | 83.78  | 259.4  | 4212.  | 22.08  | 125.8  | 987.0  | 486.1  |

|    |        |        |        |       |        |        |        |
|----|--------|--------|--------|-------|--------|--------|--------|
| #1 | .7556  | 9.798  | 1.061  | 10.96 | -.0641 | .0515  | .4024  |
| #2 | Q1.722 | -.9939 | -2.178 | 7.583 | -.0106 | -.0115 | -.5317 |
| #3 | .2310  | -1.444 | .9858  | 7.657 | .0367  | -.0565 | .4760  |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | NOCHECK | QC Pass | QC Pass | QC Pass |
| Value  | .0000   | .0000   | .0000   |         | .0000   | .0000   | .0000   |
| Range  | 1.000   | 50.00   | 5.000   |         | 3.000   | 1.000   | 60.00   |

| Elem  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 | Fe2714 | K_7664 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppm    |
| Avg   | .0521  | -2.307 | .2531  | .1452  | -.0510 | 2.734  | .1014  |
| SDev  | 1.788  | 3.589  | .6583  | .6715  | .4590  | 10.20  | .0486  |
| %RSD  | 343.1  | 146.9  | 260.1  | 453.3  | 800.7  | 372.9  | 47.97  |

|    |        |         |        |        |        |        |       |
|----|--------|---------|--------|--------|--------|--------|-------|
| #1 | .2013  | Q-5.030 | .9193  | .7493  | .4723  | 7.054  | .0506 |
| #2 | -.1461 | Q-3.380 | -.3970 | -.5766 | -.3856 | -8.910 | .1060 |
| #3 | .1012  | 1.489   | .2370  | .2717  | -.2397 | 10.06  | .1476 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   |
| Range  | 1.000   | 3.000   | 1.000   | 2.000   | 2.000   | 40.00   | 220.0   |

| Elem  | Li6707 | Hg2790 | Mn2576 | Mo2020 | Na3302 | Ni2316 | P_2149 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppm    | ppb    | ppb    |
| Avg   | .2576  | .8626  | .0656  | .2523  | .1917  | .2132  | -1.899 |
| SDev  | .1170  | 2.867  | .0358  | .5660  | .2457  | .9296  | 5.444  |
| %RSD  | 45.41  | 331.7  | 54.60  | 224.4  | 128.2  | 436.0  | 286.7  |

|    |       |        |       |        |        |        |        |
|----|-------|--------|-------|--------|--------|--------|--------|
| #1 | .1357 | 4.036  | .0436 | .8936  | .2684  | 1.083  | -1.167 |
| #2 | .2683 | -1.519 | .0463 | .0408  | .3900  | -.7663 | -7.672 |
| #3 | .3689 | .0708  | .1070 | -.1776 | -.0833 | .3227  | 3.142  |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   |
| Range  | 1.000   | 50.00   | 2.000   | 2.000   | 300.0   | 3.000   | 30.00   |

| Elem  | Zn63-1 | Zn63-2 | Sb2068 | 1960-1 | 1960-2 | Pb2203 | Se1960 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 5.677  | -2.328 | .9918  | 1.431  | -.6081 | -.3375 | .0711  |
| SDev  | 1.999  | 2.879  | 1.725  | 2.634  | 4.0905 | 1.515  | 2.469  |
| %RSD  | 35.22  | 123.7  | 173.9  | 184.0  | 672.7  | 448.9  | 3475.  |

|    |       |        |        |        |        |        |        |
|----|-------|--------|--------|--------|--------|--------|--------|
| #1 | 5.136 | -4.018 | 2.911  | 3.525  | 1.026  | -.9698 | 1.858  |
| #2 | 7.892 | -3.963 | -.4296 | 2.295  | -5.263 | -.0156 | -2.746 |
| #3 | 4.004 | .9963  | .4942  | -1.526 | 2.413  | 1.998  | 1.101  |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | NOCHECK | NOCHECK | QC Pass | NOCHECK | NOCHECK | QC Pass | QC Pass |
| Value  |         |         | .0000   |         |         | .0000   | .0000   |

*T1 failed  
SRB  
10/23/97*



| Range |         | 1.000  |        | 2.000  |        | 3.000  |        |
|-------|---------|--------|--------|--------|--------|--------|--------|
| Elem  | Sn1899  | Sr4215 | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -0.6974 | .0328  | .0114  | 010.18 | .3972  | .2472  | 29.00  |
| SDev  | 1.5935  | .0272  | .0802  | 4.15   | .1084  | .1436  | 5.22   |
| %RSD  | 228.5   | 83.03  | 792.3  | 40.81  | 27.28  | 58.09  | 18.00  |

|    |        |       |        |        |       |       |       |
|----|--------|-------|--------|--------|-------|-------|-------|
| #1 | .4910  | .0586 | .0714  | 014.96 | .4412 | .2709 | 23.28 |
| #2 | -2.508 | .0043 | -.0797 | 08.120 | .2738 | .0933 | 30.21 |
| #3 | -.0751 | .0355 | .0426  | 07.456 | .4766 | .3776 | 33.50 |

| Errors | QC Pass | QC Pass | QC Pass | QC Fail | QC Pass | QC Pass | QC Pass |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Value  | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   |
| Range  | 13.00   | 1.000   | 8.000   | 5.000   | 2.000   | 12.00   | 120.0   |

| IntStd | 1        | 2        | 3       | 4       | 5       | 6       | 7       |
|--------|----------|----------|---------|---------|---------|---------|---------|
| Mode   | *Counts  | Time     | NOTUSED | NOTUSED | NOTUSED | NOTUSED | NOTUSED |
| Elem   | Y        | --       | --      | --      | --      | --      | --      |
| Wavlen | 371.030  | --       | --      | --      | --      | --      | --      |
| Avg    | 224779   | 15000    | --      | --      | --      | --      | --      |
| SDev   | 2341.124 | .0000000 | --      | --      | --      | --      | --      |
| %RSD   | 1.041523 | .0000000 | --      | --      | --      | --      | --      |
| #1     | 227480   | 15000    | --      | --      | --      | --      | --      |
| #2     | 224525   | 15000    | --      | --      | --      | --      | --      |
| #3     | 223339   | 15000    | --      | --      | --      | --      | --      |

Method: TRIANGL2    Sample Name: ICB/CCB      Operator: SRB  
 Run Time: 10/23/97 05:37:37  
 Comment:  
 Mode: CONC    Corr. Factor: 1

| Elem  | Aq3286 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 | Ca3179 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1507   | 4.914  | 1.424  | 4.036  | .1154  | .0009  | .4219  |
| SDev  | .4383  | .874   | 1.092  | .508   | .0848  | .0103  | 1.066  |
| %RSD  | 290.4  | 16.77  | 76.66  | 12.58  | 73.41  | 1189.  | 252.7  |

|    |        |       |       |       |       |        |        |
|----|--------|-------|-------|-------|-------|--------|--------|
| #1 | .6160  | 4.470 | .2400 | 3.465 | .0231 | .0128  | -.7535 |
| #2 | .0880  | 4.399 | 1.642 | 4.210 | .1335 | -.0056 | 1.326  |
| #3 | -.2529 | 5.865 | 2.391 | 4.435 | .1897 | -.0045 | .6929  |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | NOCHECK | QC Pass | QC Pass | QC Pass |
| Value  | .0000   | .0000   | .0000   |         | .0000   | .0000   | .0000   |
| Range  | 1.000   | 50.00   | 5.000   |         | 2.000   | 1.000   | 60.00   |

| Elem  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 | Fe2714 | K_7664 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppm    |
| Avg   | .1092  | .6122  | .4570  | .4543  | .3250  | 11.68  | .1355  |
| SDev  | .0804  | 2.516  | .2725  | .3563  | .2273  | 5.81   | .0203  |
| %RSD  | 73.60  | 411.0  | 59.63  | 78.41  | 69.95  | 49.75  | 15.01  |

|    |       |        |       |       |       |       |       |
|----|-------|--------|-------|-------|-------|-------|-------|
| #1 | .0997 | -2.267 | .1468 | .0504 | .2100 | 5.412 | .1217 |
| #2 | .1939 | 1.713  | .5665 | .5880 | .1781 | 16.89 | .1580 |
| #3 | .0340 | 2.391  | .6577 | .7236 | .5868 | 12.75 | .1259 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   |
| Range  | 1.000   | 3.000   | 1.000   | 2.000   | 2.000   | 40.00   | 220.0   |

| Elem  | Li6707 | Mg2790 | Mn2576 | Mn2020 | Na3302 | Ni2316 | P_2149 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppm    | ppb    | ppb    |
| Avg   | 3140   | 5.600  | .1072  | -.0131 | .0142  | .4814  | -1.857 |
| SDev  | .0515  | 5.725  | .0027  | .4898  | .1440  | .8236  | 4.051  |
| %RSD  | 16.41  | 102.2  | 2.497  | 3739.  | 1018.  | 171.1  | 218.2  |

|    |       |        |       |        |        |        |        |
|----|-------|--------|-------|--------|--------|--------|--------|
| #1 | .2820 | -.9574 | .1094 | .3783  | .1534  | -.1343 | -5.068 |
| #2 | .3735 | 8.156  | .1080 | -.5623 | .0252  | .1616  | 2.695  |
| #3 | .2866 | 9.601  | .1042 | .1447  | -.1358 | 1.417  | -3.197 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   |
| Range  | 1.000   | 30.00   | 2.000   | 2.000   | 300.0   | 3.000   | 30.00   |

| Elem  | 2203-1 | 2203-2 | Sb2068 | 1960-1 | 1960-2 | Pb2203 | Se1960 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .5765  | .4698  | .8321  | -1.029 | 1.980  | -.5054 | .9838  |
| SDev  | 3.617  | 1.403  | 1.932  | 1.934  | .620   | .3224  | .3818  |
| %RSD  | 627.5  | 298.6  | 232.2  | 188.0  | 31.16  | 63.79  | 38.81  |

|    |        |        |        |        |       |       |       |
|----|--------|--------|--------|--------|-------|-------|-------|
| #1 | 4.647  | -1.026 | -.1039 | .6933  | 1.780 | .8631 | 1.424 |
| #2 | -.6474 | .6792  | -.4538 | -.6576 | 1.493 | .2374 | .7768 |
| #3 | -.2270 | 1.756  | 3.054  | -3.122 | 2.683 | .4155 | .7502 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | NOCHECK | NOCHECK | QC Pass | NOCHECK | NOCHECK | QC Pass | QC Pass |
| Value  |         |         | .0000   |         |         | .0000   | .0000   |

| Range | 4.000   |        |        | 2.000  |        | 3.000  |        |
|-------|---------|--------|--------|--------|--------|--------|--------|
| Elem  | Sn1899  | Sr4215 | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avgc  | - .6483 | .0477  | .1382  | 4.590  | .5555  | .5456  | 36.94  |
| SDev  | 1.3390  | .0419  | .1569  | 2.597  | .3886  | .0935  | 7.20   |
| %RSD  | 206.5   | 87.76  | 113.6  | 56.58  | 69.95  | 17.14  | 19.48  |

|    |        |       |        |        |       |       |       |
|----|--------|-------|--------|--------|-------|-------|-------|
| #1 | .6089  | .0004 | -.0249 | 1.626  | .1421 | .6327 | 42.01 |
| #2 | -2.056 | .0627 | .1513  | 05.679 | .6113 | .5573 | 40.10 |
| #3 | -.4975 | .0800 | .2881  | 06.466 | .9132 | .4467 | 28.70 |

| Errors | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Value  | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   | .0000   |
| Range  | 13.00   | 1.000   | 8.000   | 5.000   | 2.000   | 12.00   | 120.0   |

| IntStd | 1        | 2        | 3       | 4       | 5       | 6       | 7       |
|--------|----------|----------|---------|---------|---------|---------|---------|
| Mode   | #Counts  | Time     | NOTUSED | NOTUSED | NOTUSED | NOTUSED | NOTUSED |
| Elem   | Y        | --       | --      | --      | --      | --      | --      |
| Wavlen | 371.030  | --       | --      | --      | --      | --      | --      |
| Avgc   | 222717   | 15000    | --      | --      | --      | --      | --      |
| SDev   | 3002.896 | .0000000 | --      | --      | --      | --      | --      |
| %RSD   | 1.348303 | .0000000 | --      | --      | --      | --      | --      |
| #1     | 220558   | 15000    | --      | --      | --      | --      | --      |
| #2     | 221446   | 15000    | --      | --      | --      | --      | --      |
| #3     | 226146   | 15000    | --      | --      | --      | --      | --      |

Method: TRIANGL2    Sample Name: ICSAR      Operator: SRB  
 Run Time: 10/23/97 05:42:23  
 Comment:  
 Mode: CONC    Corr. Factor: 1

| Elem  | Ag3280 | Al3082  | As1890 | B_2496 | Ba4934 | Be3130 | Ca3179  |
|-------|--------|---------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | 529.1  | 519600. | 518.4  | 516.0  | 506.3  | 490.0  | 472900. |
| SDev  | 3.7    | 5308.   | 2.0    | 3.1    | 3.3    | 1.4    | 1345.   |
| %RSD  | .6905  | 1.022   | .3826  | .6060  | .6436  | .2813  | .2844   |

|    |       |         |       |       |       |       |         |
|----|-------|---------|-------|-------|-------|-------|---------|
| #1 | 533.3 | 525600. | 519.9 | 518.8 | 510.1 | 491.1 | 474400. |
| #2 | 527.1 | 517700. | 516.2 | 512.6 | 504.5 | 488.4 | 471700. |
| #3 | 526.9 | 515500. | 519.2 | 516.6 | 504.4 | 490.3 | 472700. |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | QC Pass | QC Pass | NOCHECK | QC Pass | QC Pass | QC Pass |
| Value  | 500.0   | 500000. | 500.0   |         | 500.0   | 500.0   | 500000. |
| Range  | 20.00   | 20.00   | 20.00   |         | 20.00   | 20.00   | 20.00   |

| Elem  | Cd2265 | Ce4186 | Ce2286 | Cr2677 | Cu3247 | Fe2714  | K_7664 |
|-------|--------|--------|--------|--------|--------|---------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     | ppm    |
| Avg   | 466.8  | 489.2  | 464.1  | 477.1  | 508.9  | 177000. | 22.69  |
| SDev  | 1.2    | 3.0    | 1.2    | 1.1    | 0.2    | 739.    | 12     |
| %RSD  | .2516  | .6232  | .2662  | .2335  | 1.254  | .4177   | .5469  |

|    |       |       |       |       |       |         |       |
|----|-------|-------|-------|-------|-------|---------|-------|
| #1 | 468.1 | 492.0 | 465.4 | 478.2 | 516.1 | 177800. | 22.82 |
| #2 | 465.9 | 486.0 | 463.0 | 476.0 | 506.3 | 176400. | 22.67 |
| #3 | 466.2 | 489.4 | 463.7 | 476.9 | 504.1 | 176800. | 22.58 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | QC Pass | NOCHECK | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  | 500.0   |         | 500.0   | 500.0   | 500.0   | 200000. | 19.00   |
| Range  | 20.00   |         | 20.00   | 20.00   | 20.00   | 20.00   | 20.00   |

| Elem  | Li6707 | Mg2790  | Mn2576 | Mo2020 | Na3302 | Ni2316 | P_2149 |
|-------|--------|---------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb     | ppb    | ppb    | ppm    | ppb    | ppb    |
| Avg   | 539.0  | 546600. | 451.4  | 496.8  | 5.029  | 453.0  | 482.5  |
| SDev  | 3.2    | 2558.   | 1.9    | 1.9    | .132   | .9     | 20.5   |
| %RSD  | .6008  | .4680   | .4101  | .3786  | 2.619  | .2039  | 4.248  |

|    |       |         |       |       |       |       |       |
|----|-------|---------|-------|-------|-------|-------|-------|
| #1 | 542.5 | 549500. | 453.4 | 498.4 | 5.175 | 453.4 | 481.3 |
| #2 | 538.5 | 544700. | 449.7 | 494.8 | 4.994 | 452.0 | 462.7 |
| #3 | 536.1 | 545500. | 451.2 | 497.3 | 4.918 | 453.7 | 503.6 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | NOCHECK | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass | QC Pass |
| Value  |         | 500000. | 500.0   | 500.0   | 5.000   | 500.0   | 500.0   |
| Range  |         | 20.00   | 20.00   | 20.00   | 20.00   | 20.00   | 20.00   |

| Elem  | Zn03-1 | Zn03-2 | Sb2068 | 1960-1 | 1960-2 | Pb2203 | Se1960 |
|-------|--------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 536.8  | 453.9  | 506.2  | 538.0  | 513.6  | 481.5  | 521.7  |
| SDev  | 12.9   | 9.7    | 3.2    | 17.4   | 6.2    | 2.2    | 4.7    |
| %RSD  | 2.395  | 2.138  | .6304  | 3.239  | 1.216  | .4564  | .8988  |

|    |       |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|-------|
| #1 | 531.6 | 457.4 | 506.5 | 536.1 | 519.8 | 482.1 | 525.2 |
| #2 | 551.4 | 442.9 | 502.8 | 556.3 | 507.3 | 479.0 | 523.6 |
| #3 | 527.3 | 461.3 | 509.1 | 521.6 | 513.8 | 483.3 | 516.4 |

|        |         |         |         |         |         |         |         |
|--------|---------|---------|---------|---------|---------|---------|---------|
| Errors | NOCHECK | NOCHECK | QC Pass | NOCHECK | NOCHECK | QC Pass | QC Pass |
| Value  |         |         | 500.0   |         |         | 500.0   | 500.0   |



Method: TRIANG1? Sample Name: 184-23-LAB Y10 Operator: SRR  
Run Time: 10/23/97 13:47 Filename: 102397  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|          |        |        |        |        |        |
|----------|--------|--------|--------|--------|--------|
| Elements | As3280 | Be3130 | Co2286 | Se1960 | Tl1908 |
| Units    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg      | 12.92  | 2.981  | 34.15  | 70.98  | 72.82  |
| SDev     | .3344  | .1794  | 1.33   | 1.68   | 6.487  |
| %RSD     | 2.588  | 6.018  | 3.895  | 2.367  | 8.909  |

Method: TRIANGL2    Sample Name: 184-23-2AB X10    Operator: SRR  
Run Time: 10/23/97 13:52    Filename: 102397  
Mode: CONC    Type: S    Corr. Factor:    1.00000  
Lab ID.:    Cust. Smp. ID.:    Cust. ID.: 43231

| Elem  | As3280 | Ba3130 | Co2286 | Sr1960 | Tl1908 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Ave   | 50.78  | 15.17  | 42.98  | 127.4  | 167.7  |
| Stdev | .387   | .0752  | .6077  | 1.792  | 5.6    |
| %RSD  | .7697  | .4954  | 1.414  | 1.407  | 3.34   |

Method: TRIANGL2 Sample Name: 184-23-2AB X10 PDS Operator: SRB  
Run Time: 10/23/97 13:57 Filename: 102397  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elem  | Aq3280 | Ra3130 | Co2286 | Se1960 | Tl1908 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Ave   | 87.50  | 58.87  | 87.37  | 175.1  | 214.2  |
| SDev  | .2254  | .1733  | .7723  | 1.258  | 8.937  |
| %RSD  | .2576  | .2944  | .884   | .7271  | 4.171  |



Method: TRIANGL? Sample Name: 184-23-2AB X10 L Operator: SRB  
Run Time: 10/23/97 14:02 Filename: 102397  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elem  | Aq3280 | Ba3130 | Co2286 | Se1960 | Tl1908 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avge  | 8.408  | 3.464  | 9.450  | 25.07  | 35.64  |
| SDev  | .3713  | .0213  | .1277  | 1.595  | 4.383  |
| %RSD  | 4.416  | .6149  | 1.352  | 6.363  | 12.3   |

Method: TRIANGL2 Sample Name: 184-23-3AB X10 Operator: SR8  
Run Time: 10/23/97 14:08 Filename: 102397  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elem  | Aq3280 | Ba3130 | Co2286 | Sr1960 | Tl1908 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 18.90  | 9.108  | 47.27  | 115.6  | 130.6  |
| SDev  | .4456  | .0112  | .4996  | 2.65   | 7.523  |
| %RSD  | 2.358  | .1231  | 1.057  | 2.293  | 5.749  |

Method: TRIANGL2 Sample Name: 184-23-3A8 X10 DA Operator: SRB  
Run Time: 10/23/97 14:13 Filename: 102397  
Mode: CONC Type: S Corr. Factor: 1.00000  
Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

| Elem  | Aa3280 | Ba3130 | Co2286 | Se1960 | Tl1908 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 18.88  | 9.051  | 47.70  | 116.1  | 139.2  |
| Stdev | 1989   | .0407  | 6765   | 1191   | 4.259  |
| %RSD  | 2.642  | .4494  | 1.418  | 1.025  | 3.06   |

Method: TRIANGL2 Sample Name: ICV/CCV Operator: SRB  
 Run Time: 10/23/97 14:18 Filename: 102397  
 Mode: CONC Type: 0 Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flms  | Ag3280 | Al3082 | As1890 | R_2496 | Ba4934 | Ba3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 503.1  | 4567.9 | 512.8  | 610.5  | 502.1  | 506.9  |
| SDev  | 3.32   | 65.94  | 6.248  | 12.97  | 1.408  | 1.346  |
| %RSD  | .66    | 11.61  | 1.218  | 2.125  | .2805  | .2655  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flms  | Cs1179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 4860.5 | 511.0  | 507.0  | 505.5  | 510.2  | 506.6  |
| SDev  | 607.4  | 6.092  | 8.151  | 2.48   | 4.824  | 6.222  |
| %RSD  | 10.6   | 1.192  | 1.608  | .4905  | .9456  | 1.228  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flms  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mn2020 |
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 4997.0 | 4.548  | 469.7  | 4937.5 | 4649.3 | 504.6  |
| SDev  | 804.5  | .1051  | 3.841  | 737.1  | 269.3  | 5.917  |
| %RSD  | 80.69  | 2.311  | .8179  | 18.62  | 41.47  | .7763  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flms  | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 4.965  | 510.1  | 4573.7 | 665.6  | 532.7  | 505.4  |
| SDev  | .51    | 3.816  | 104.9  | 143.6  | 9.081  | 4.52   |
| %RSD  | 10.27  | .748   | 18.29  | 21.57  | 1.705  | .8942  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1800 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 503.9  | 514.7  | 4577.0 | 511.1  | 495.2  | 500.0  |
| SDev  | 12.05  | 9.312  | 50.74  | 10.12  | 23.44  | 1.306  |
| %RSD  | 2.387  | 1.809  | 8.794  | 1.979  | 4.734  | .2613  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Flms  | Ti3349 | Ti1908 | V_2924 | Zn2062 | Zn2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 502.1  | 500.6  | 505.3  | 41247. | 49148. |
| SDev  | 6.419  | 8.822  | 1.348  | 1254   | 428.6  |
| %RSD  | 1.278  | 1.762  | .2668  | 100.5  | 4.685  |

Method: TRIANGL2 Sample Name: IC8/CCB Operator: SRB  
 Run Time: 10/23/97 14:24 Filename: 102397  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |                   |                   |                   |                   |                   |                   |
|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Elms  | <del>Ag3280</del> | <del>Al3082</del> | <del>As1890</del> | <del>B_2496</del> | <del>Ba4934</del> | <del>Be3130</del> |
| Units | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    |
| Avgc  | <del>.9285</del>  | <del>074.76</del> | <del>3.028</del>  | <del>53.81</del>  | <del>1.973</del>  | <del>.6367</del>  |
| SDev  | <del>.221</del>   | <del>40.46</del>  | <del>2.429</del>  | <del>10.4</del>   | <del>3.112</del>  | <del>.6716</del>  |
| %RSD  | <del>23.8</del>   | <del>54.11</del>  | <del>80.22</del>  | <del>19.33</del>  | <del>157.8</del>  | <del>105.5</del>  |

|       |                   |                   |                   |                   |                   |                   |
|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Elms  | <del>Ca3179</del> | <del>Cd2265</del> | <del>Ce4186</del> | <del>Cn2286</del> | <del>Cr2677</del> | <del>Cu3247</del> |
| Units | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    |
| Avgc  | <del>0203.1</del> | <del>02.463</del> | <del>05.986</del> | <del>01.418</del> | <del>02.445</del> | <del>05.365</del> |
| SDev  | <del>353.5</del>  | <del>3.935</del>  | <del>4.681</del>  | <del>.803</del>   | <del>3.171</del>  | <del>6.898</del>  |
| %RSD  | <del>174.1</del>  | <del>159.7</del>  | <del>78.19</del>  | <del>56.64</del>  | <del>129.7</del>  | <del>128.6</del>  |

|       |                   |                   |                   |                   |                   |                   |
|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Elms  | <del>Fa3714</del> | <del>K_7604</del> | <del>Li6707</del> | <del>Mg2790</del> | <del>Mn2576</del> | <del>Mo2020</del> |
| Units | <del>ppb</del>    | <del>ppm</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    |
| Avgc  | <del>4296.7</del> | <del>0438</del>   | <del>8018</del>   | <del>0251.3</del> | <del>093.05</del> | <del>1.487</del>  |
| SDev  | <del>472.3</del>  | <del>.0771</del>  | <del>.907</del>   | <del>417.1</del>  | <del>160.6</del>  | <del>1.18</del>   |
| %RSD  | <del>159.2</del>  | <del>176.2</del>  | <del>113.1</del>  | <del>160</del>    | <del>171.5</del>  | <del>79.55</del>  |

|       |                   |                   |                   |                   |                   |                   |
|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Elms  | <del>Na3302</del> | <del>Ni2316</del> | <del>P_2140</del> | <del>2203-1</del> | <del>2203-2</del> | <del>Sb2068</del> |
| Units | <del>ppm</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    |
| Avgc  | <del>.2454</del>  | <del>1.682</del>  | <del>042.63</del> | <del>3.052</del>  | <del>4.554</del>  | <del>04.814</del> |
| SDev  | <del>.1572</del>  | <del>2.293</del>  | <del>71.22</del>  | <del>3.577</del>  | <del>1.201</del>  | <del>1.814</del>  |
| %RSD  | <del>64.08</del>  | <del>136.3</del>  | <del>167.1</del>  | <del>117.2</del>  | <del>26.37</del>  | <del>37.68</del>  |

|       |                   |                   |                   |                   |                   |                   |
|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Elms  | <del>1960-1</del> | <del>1960-2</del> | <del>Pb2203</del> | <del>Se1960</del> | <del>Sn1899</del> | <del>Sr4215</del> |
| Units | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    |
| Avgc  | <del>-1.787</del> | <del>-.3261</del> | <del>04.054</del> | <del>-.8126</del> | <del>9.120</del>  | <del>01.469</del> |
| SDev  | <del>1.788</del>  | <del>2.63</del>   | <del>.5562</del>  | <del>1.75</del>   | <del>13.6</del>   | <del>2.377</del>  |
| %RSD  | <del>100</del>    | <del>806.3</del>  | <del>13.72</del>  | <del>215.4</del>  | <del>149.1</del>  | <del>161.8</del>  |

|       |                   |                   |                   |                   |                   |
|-------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Elms  | <del>Ti3340</del> | <del>Ti1908</del> | <del>V_2924</del> | <del>Zn2062</del> | <del>Zr2881</del> |
| Units | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    | <del>ppb</del>    |
| Avgc  | <del>3.049</del>  | <del>06.327</del> | <del>1.940</del>  | <del>0445.7</del> | <del>01090</del>  |
| SDev  | <del>4.672</del>  | <del>2.674</del>  | <del>2.005</del>  | <del>747</del>    | <del>268.6</del>  |
| %RSD  | <del>153.2</del>  | <del>42.26</del>  | <del>103.3</del>  | <del>167.6</del>  | <del>24.82</del>  |

*Co<sub>1</sub> & Ti failed  
 SRB  
 10/23/97*

Method: TRIANG12 Sample Name: TCR/CCR Operator: SRR  
 Run Time: 10/23/97 14:37 Filename: 102397  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smp. ID.: Cust. ID.: 43231

| Elem  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | .4389  | 43.83  | .0183  | 19.21  | -.0100 | .2310  |
| SDev  | .9499  | 3.268  | .2873  | 1.032  | .0866  | .0245  |
| %RSD  | 216.4  | 7.455  | 1566   | 5.374  | 863.1  | 10.58  |

| Elem  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -4.089 | .0835  | -1.043 | -.4362 | .0423  | .1551  |
| SDev  | 1.061  | .2364  | 2.254  | .2649  | .3302  | .1037  |
| %RSD  | 25.96  | 283    | 216.1  | 60.72  | 781.2  | 76.73  |

| Elem  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mo2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppm    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -.4611 | -.1330 | -.0488 | -.0074 | .1230  | .1686  |
| SDev  | 9.304  | .0685  | .1492  | 3.584  | .0502  | .1867  |
| %RSD  | 2019   | 51.5   | 305.8  | 48610  | 40.81  | 110.7  |

| Elem  | Na3302 | Ni2316 | P_7149 | 2203-1 | 2203-2 | Sb2068 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppm    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1424   | 2910   | -1.580 | 3.347  | -.5649 | -1.137 |
| SDev  | .2746  | 7474   | 1.824  | 3.745  | 3.503  | .1336  |
| %RSD  | 192.8  | 256.8  | 39.84  | 111.9  | 620    | 11.75  |

| Elem  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.782  | -.0562 | .7370  | .5550  | -.2662 | .0011  |
| SDev  | 2.798  | 1.641  | 1.157  | 1.245  | .5838  | .0411  |
| %RSD  | 157    | 2921   | 156.8  | 223.9  | 219.3  | 3584   |

| Elem  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -.0375 | 1.390  | .4379  | 5.658  | 80.77  |
| SDev  | .1032  | 3.249  | .381   | .3572  | 6.595  |
| %RSD  | 275.3  | 233.7  | 87     | 6.313  | 8.166  |

Method: TRIANGL2 Sample Name: ICSAB Operator: SRB  
 Run Time: 10/23/97 14:42 Filename: 102397  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smp. ID.: Cust. ID.: 43231

| Elem  | Hg3280 | Al3082 | As1890 | B_2496 | Ba4934 | Be3130 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 531.0  | 522300 | 519.8  | 540.5  | 509.3  | 485.4  |
| SDev  | 1.299  | 2609   | 6.881  | 4.63   | 2.651  | 4.253  |
| %RSD  | .2447  | .4995  | 1.324  | .8566  | .5204  | .8763  |

| Elem  | Ca3179  | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|---------|--------|--------|--------|--------|--------|
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 464800. | 465.0  | 489.8  | 459.7  | 473.5  | 519.9  |
| SDev  | 6230    | 4.763  | 3.428  | 4.27   | 4.85   | 6.066  |
| %RSD  | 1.34    | 1.024  | .7     | .9289  | 1.024  | 1.167  |

| Elem  | Fe2714  | K_7664 | Li6707 | Hg2790  | Mn2576 | Mo2020 |
|-------|---------|--------|--------|---------|--------|--------|
| Units | ppb     | ppm    | ppb    | ppb     | ppb    | ppb    |
| Avg   | 176500. | 024.12 | 582.5  | 545000. | 438.1  | 494.7  |
| SDev  | 1422    | 1.588  | 33.65  | 3762    | 3.381  | 2.868  |
| %RSD  | .8059   | 6.585  | 5.777  | .6902   | .7718  | .5797  |

| Elem  | Na3302 | Ni2316 | P_2149 | Pb2203-1 | Pb2203-2 | Sb2068 |
|-------|--------|--------|--------|----------|----------|--------|
| Units | ppm    | ppb    | ppb    | ppb      | ppb      | ppb    |
| Avg   | 5.259  | 452.0  | 498.6  | 504.0    | 469.0    | 505.0  |
| SDev  | 2935   | 4.64   | 28.68  | 13.33    | 11.84    | 10.08  |
| %RSD  | 5.581  | 1.026  | 5.751  | 2.644    | 2.519    | 1.995  |

| Elem  | Pb2203-1 | Pb2203-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|----------|----------|--------|--------|--------|--------|
| Units | ppb      | ppb      | ppb    | ppb    | ppb    | ppb    |
| Avg   | 522.0    | 531.7    | 481.3  | 528.7  | 474.7  | 502.0  |
| SDev  | 28.51    | 11.67    | 4.477  | 1.712  | 4.421  | 1.229  |
| %RSD  | 5.456    | 2.195    | 9.303  | .3238  | 9.314  | .2445  |

| Elem  | Tl3349 | Tl1908 | V_2924 | Zn2062 | Si2881 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 489.8  | 502.5  | 489.2  | 423.7  | 5650.  |
| SDev  | 1.767  | 16.41  | 3.043  | 7.391  | 23.98  |
| %RSD  | .3608  | 3.266  | .6222  | 1.744  | .4244  |

DKA 10/30/97

Table Name: HA470 Autosampler Type: TYPE TJA  
 Sample Positions: 153/192 QC Positions: 13/19 # Sets: 5  
 Rinse Station Location is rack -1, pos. -1.

--- Racks ---

| Rack # | Type          | Usage        | #Pos Left | Analyses/Pos |
|--------|---------------|--------------|-----------|--------------|
| 1      | Aux (L) Rack  | STD/QC/BLANK | 13        | 10           |
| 2      | Sample (16mm) | Samples      | 9         | 1            |
| 3      | Sample (16mm) | Samples      | 48        | 1            |
| 4      | Sample (16mm) | Samples      | 48        | 1            |
| 5      | Sample (16mm) | Samples      | 48        | 1            |

--- Sample Sets ---

| Set# | Type   | Prepare? | Description | Method  | #Pos | Rack# | StartPos |
|------|--------|----------|-------------|---------|------|-------|----------|
| 1    | Normal | No       | 43603       | TRIANG2 | 4    | 2     | 1        |
| 2    | Normal | No       | 43231       | TRIANG2 | 2    | 2     | 3        |
| 3    | Normal | No       | 43630       | TRIANG2 | 11   | 2     | 7        |
| 4    | Normal | No       | 43615R      | TRIANG2 | 11   | 2     | 18       |
| 5    | Normal | No       | 43641       | TRIANG2 | 11   | 2     | 29       |

--- Preparation Info ---

| Set# | Wakeup | Wakeup# | Final | Dil Factor |
|------|--------|---------|-------|------------|
|------|--------|---------|-------|------------|

No Samples Prepared.

Rack #1

| Pos | Row | Col | Sample Name | Set # | #Used | Type                  |
|-----|-----|-----|-------------|-------|-------|-----------------------|
| 1   | 1   | 1   | STD3        | -NA-  | 2     | Standard 1-62-8 P     |
| 2   | 1   | 2   | STD1-BLANK  | -NA-  | 1     | Standard              |
| 3   | 1   | 3   | ICSR        | -NA-  | 5     | QC Standard 1-62-10 P |
| 4   | 1   | 4   | CHECK LO    | -NA-  | 1     | QC Standard           |
| 5   | 1   | 5   | ICV/CCV     | -NA-  | 8     | QC Standard 1-62-9 P  |
| 6   | 1   | 6   | ICB/CCB     | -NA-  | 8     | QC Standard           |

(7...19 Not Used)

McA  
10/30/97

Rack #2

| Pos | Row | Col | Sample Name         | Set # | #Used | Type   |
|-----|-----|-----|---------------------|-------|-------|--------|
| 1   | 1   | 1   | 43603 NR            | 1     | -NA-  | Sample |
| 2   | 1   | 2   | 43603 LCS           | 1     | -NA-  | Sample |
| 3   | 1   | 3   | 184-23-2AR X200     | 2     | -NA-  | Sample |
| 4   | 1   | 4   | 187-23-2AR X200 POS | 2     | -NA-  | Sample |
| 5   | 1   | 5   | 187-32-1 X100       | 1     | -NA-  | Sample |
| 6   | 1   | 6   | 187-32-1 X100 POS   | 1     | -NA-  | Sample |
| 7   | 1   | 7   | 43630 NR            | 3     | -NA-  | Sample |
| 8   | 1   | 8   | 43630 LCS           | 3     | -NA-  | Sample |
| 9   | 1   | 9   | 187-6-1             | 3     | -NA-  | Sample |
| 10  | 1   | 10  | 187-6-1 D           | 3     | -NA-  | Sample |
| 11  | 1   | 11  | 187-6-2             | 3     | -NA-  | Sample |



Rack #2

| Pos | Row | Col | Sample Name  | Set # | #Used | Type   |
|-----|-----|-----|--------------|-------|-------|--------|
| 12  | 1   | 12  | 187-6-2 MS   | 3     | -NA-  | Sample |
| 13  | 2   | 1   | 187-6-2 MSD  | 3     | -NA-  | Sample |
| 14  | 2   | 2   | 187-6-2 PDS  | 3     | -NA-  | Sample |
| 15  | 2   | 3   | 187-6-2 L    | 3     | -NA-  | Sample |
| 16  | 2   | 4   | 187-6-3      | 3     | -NA-  | Sample |
| 17  | 2   | 5   | 187-6-4      | 3     | -NA-  | Sample |
| 18  | 2   | 6   | 436158 MR    | 4     | -NA-  | Sample |
| 19  | 2   | 7   | 436158 LCS   | 4     | -NA-  | Sample |
| 20  | 2   | 8   | 186-90-1     | 4     | -NA-  | Sample |
| 21  | 2   | 9   | 186-90-1 D   | 4     | -NA-  | Sample |
| 22  | 2   | 10  | 186-90-2     | 4     | -NA-  | Sample |
| 23  | 2   | 11  | 186-90-2 MS  | 4     | -NA-  | Sample |
| 24  | 2   | 12  | 186-90-2 MSD | 4     | -NA-  | Sample |
| 25  | 3   | 1   | 186-90-2 PDS | 4     | -NA-  | Sample |
| 26  | 3   | 2   | 186-90-2 L   | 4     | -NA-  | Sample |
| 27  | 3   | 3   | 186-90-3     | 4     | -NA-  | Sample |
| 28  | 3   | 4   | 186-90-4     | 4     | -NA-  | Sample |
| 29  | 3   | 5   | 43641 MR     | 5     | -NA-  | Sample |
| 30  | 3   | 6   | 43641 LCS    | 5     | -NA-  | Sample |
| 31  | 3   | 7   | 187-17-1     | 5     | -NA-  | Sample |
| 32  | 3   | 8   | 187-17-1 D   | 5     | -NA-  | Sample |
| 33  | 3   | 9   | 187-17-2     | 5     | -NA-  | Sample |
| 34  | 3   | 10  | 187-17-2 MS  | 5     | -NA-  | Sample |
| 35  | 3   | 11  | 187-17-2 MSD | 5     | -NA-  | Sample |
| 36  | 3   | 12  | 187-17-2 PDS | 5     | -NA-  | Sample |
| 37  | 4   | 1   | 187-17-2 L   | 5     | -NA-  | Sample |
| 38  | 4   | 2   | 187-17-3     | 5     | -NA-  | Sample |
| 39  | 4   | 3   | 187-17-4     | 5     | -NA-  | Sample |
| 40  | 18  | Not | Used)        |       |       |        |

Rack #3

| Pos     | Row | Col | Sample Name | Set # | #Used | Type |
|---------|-----|-----|-------------|-------|-------|------|
| (1...48 |     | Not | Used)       |       |       |      |

Rack #4

| Pos     | Row | Col | Sample Name | Set # | #Used | Type |
|---------|-----|-----|-------------|-------|-------|------|
| (1...48 |     | Not | Used)       |       |       |      |

Rack #5

| Pos     | Row | Col | Sample Name | Set # | #Used | Type |
|---------|-----|-----|-------------|-------|-------|------|
| (1...48 |     | Not | Used)       |       |       |      |

Method: ICPANAL2 Sample Name: ST03 Operator: OXH  
 Run Time: 10/30/97 01:08 Filename: 103097  
 Mode: DHR Type: 0 Corr. Factor: 1.00000  
 Lab (D.): Cust. Smpl. ID: Cust. ID: 45603

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | Aa3280 | Al3082 | As1890 | B_2496 | Ba4934 | Ba3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1007.  | 995.0  | 1003.  | 1007.  | 999.3  | 1005.  |
| Stdev | 3.065  | 11.69  | 4.141  | 2.629  | 3.285  | 2.562  |
| %RSD  | .3043  | 1.174  | .413   | .2611  | .3287  | .2551  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1004.  | 1002.  | 998.7  | 1004.  | 1006.  | 1002.  |
| Stdev | 6.30   | 2.952  | 2.932  | 3.0    | 3.835  | 3.041  |
| %RSD  | .6363  | .2946  | .2936  | .3885  | .3814  | .3033  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mn2020 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1013.  | 956.0  | 963.0  | 1002.  | 1003.  | 1005.  |
| Stdev | 10.04  | 1.351  | 18.93  | 1.787  | 3.402  | 1.307  |
| %RSD  | .9915  | 1.412  | 1.966  | .1768  | .3392  | .13    |

|       |        |        |        |         |         |        |
|-------|--------|--------|--------|---------|---------|--------|
| Elem  | Na3302 | Ni2316 | P_2114 | Pb203-1 | Pb203-2 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb     | ppb    |
| Avg   | 999.8  | 1004.  | 1008.  | 1008.   | 1005.   | 999.6  |
| Stdev | 2.236  | 4.302  | 14.07  | 3.056   | 37.62   | 9.27   |
| %RSD  | .2236  | .4285  | 1.345  | .3032   | 3.745   | .9272  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1800 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1002.  | 1000.  | 1006.  | 1001.  | 1003.  | 999.0  |
| Stdev | 5.178  | 13.79  | 24.54  | 28.66  | 5.028  | 2.517  |
| %RSD  | .5166  | 4.379  | 2.44   | 2.863  | .5011  | .2510  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Elem  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Zn2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1000.0 | 1004.  | 1003.  | 1008.  | 10020. |
| Stdev | 3.144  | 13.71  | 2.69   | 3.839  | 43.08  |
| %RSD  | .3144  | 1.366  | .2681  | .3807  | .4301  |

Method: TRIANGL2 Sample Name: IGV/CCV Operator: DKH  
 Run Time: 10/30/97 01:20 Filename: 103097  
 Mode: CONC Type: 0 Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: -- Cust. ID.: 43603

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | As3280 | As3082 | As1890 | R_2496 | Ba4934 | Ba3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 502.3  | 490.6  | 504.3  | 496.1  | 502.0  | 498.1  |
| SDav  | 6.085  | 21.44  | 5.721  | 11.12  | 5.951  | 8.485  |
| %RSD  | 1.211  | 4.371  | 1.134  | 2.24   | 1.186  | 1.703  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | Ca3179 | Ca2265 | Ca4186 | Ca2296 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 500.5  | 495.3  | 492.0  | 497.2  | 498.9  | 504.3  |
| SDav  | 13.3   | 10.06  | 18.65  | 11.28  | 11.8   | 9.679  |
| %RSD  | 2.657  | 2.031  | 3.791  | 2.269  | 2.365  | 1.801  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mn2020 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 511.5  | 4.896  | 489.8  | 492.1  | 498.2  | 499.3  |
| SDav  | 37.78  | 0.898  | 11.75  | 28.43  | 10.09  | 8.248  |
| %RSD  | 7.386  | 1.834  | 2.4    | 5.776  | 2.024  | 1.652  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | Na5502 | Ni2516 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 5106   | 496.6  | 491.0  | 497.4  | 494.6  | 495.5  |
| SDav  | 1812   | 10.07  | 16.81  | 18.85  | 18.17  | 9.837  |
| %RSD  | 3.548  | 2.028  | 3.423  | 3.79   | 3.673  | 1.985  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | 1960-1 | 1960-2 | Pb2203 | Sa1960 | Sn1800 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 489.8  | 488.6  | 495.5  | 489.0  | 498.0  | 498.6  |
| SDav  | 21.52  | 12.26  | 13.54  | 11.12  | 8.796  | 6.816  |
| %RSD  | 4.393  | 2.508  | 2.733  | 2.274  | 1.766  | 1.367  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Flame | 135539 | 111908 | V_2924 | Zn2062 | Zn2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 496.6  | 484.0  | 499.4  | 496.5  | 501.6  |
| SDav  | 6.385  | 33.16  | 10.39  | 12.96  | 112.1  |
| %RSD  | 1.286  | 6.85   | 2.08   | 2.612  | 2.235  |

Method: IRIANG12 Sample Name: ICR/CC8 Operator: DKH  
 Run Time: 10/30/97 01:24 Filename: 103097  
 Mode: CONC Type: Q Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43603

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Aq3280 | Al3082 | As1890 | B_2496 | Ba4934 | Ba3130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avgc  | -9742  | -18.88 | -8837  | 2.295  | -3487  | -0419  |
| Stdev | 2.576  | 16.95  | 1.622  | 3.261  | 3315   | 1333   |
| SRSD  | 264.4  | 89.76  | 183.5  | 142.1  | 95.06  | 325    |

|       |        |        |         |         |         |        |
|-------|--------|--------|---------|---------|---------|--------|
| Elms  | Ca3179 | Cd2265 | Ce4186  | Cn2286  | Cr2677  | Cu3247 |
| Units | ppb    | ppb    | ppb     | ppb     | ppb     | ppb    |
| Avgc  | -2.003 | -3016  | 0-10.79 | 0-1.608 | 0-0.021 | -1.529 |
| Stdev | 1.554  | 4118   | 15.07   | 1.101   | 1.353   | 2.153  |
| SRSD  | 77.57  | 136.5  | 139.7   | 68.45   | 66.95   | 140.8  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | Fe2114 | Fe1664 | Fe1707 | Mn1790 | Mn2576 | Mn2020 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avgc  | -13.83 | -0125  | 0222   | -21.51 | -1773  | 1.118  |
| Stdev | 22.22  | 143    | 3649   | 15.03  | 2216   | 1.322  |
| SRSD  | 30.16  | 1133   | 1612   | 69.89  | 125    | 118.2  |

|       |        |        |        |         |         |        |
|-------|--------|--------|--------|---------|---------|--------|
| Elms  | Na3302 | Ni2316 | P_2149 | Zn203-1 | Zn203-2 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb     | ppb    |
| Avgc  | -3.375 | -2.364 | -13.40 | 2.130   | -2.734  | -2.475 |
| Stdev | 7569   | 5266   | 9.509  | 1.891   | 1.432   | 5.776  |
| SRSD  | 238.4  | 22.28  | 70.94  | 88.78   | 52.39   | 141.2  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elms  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avgc  | 7391   | 3069   | -1.114 | 4508   | -3396  | -1163  |
| Stdev | 6.41   | 2.394  | 1.409  | 5844   | 1.635  | 1798   |
| SRSD  | 867.3  | 780.1  | 126.5  | 129.6  | 481.5  | 154.6  |

|       |        |        |        |        |        |  |
|-------|--------|--------|--------|--------|--------|--|
| Elms  | Ti3349 | V11908 | V_2924 | Zn2062 | Zn2881 |  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |  |
| Avgc  | -1.963 | 010.87 | -1.618 | -5517  | -13.55 |  |
| Stdev | 1.318  | 9.983  | 1.127  | 796    | 51.42  |  |
| SRSD  | 77.23  | 91.13  | 69.66  | 144.3  | 379.4  |  |

*MCD 10/30/97*

Method: TRIANG12      Sample Name: TCR/CCR      Operator: DKH  
 Run Time: 10/30/97 01:30      Filename: 103097  
 Mode: PDR      Type: Q      Corr. Factor: 1.00000  
 Lab ID:      Cust. Smpl ID:      Cust. ID: 43603

| Elem  | As3280 | As3082 | As1890 | R_2496 | Ra4934 | Re3130 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -5187  | -9.750 | -3902  | 2940   | -1273  | -0632  |
| SD    | 1.06   | 5.113  | 2.796  | 1.038  | .0824  | .0312  |
| %RSD  | 204.4  | 52.44  | 716.6  | 352.9  | 64.71  | 49.47  |

| Elem  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -2855  | -0974  | -1.576 | -5120  | -7432  | 1488   |
| SD    | .6404  | .2311  | 2.063  | .5358  | .6873  | .7234  |
| %RSD  | 224.3  | 237.1  | 130.9  | 104.7  | 92.48  | 486.1  |

| Elem  | Fa2714 | K_7664 | Li6707 | Mn2790 | Mn2576 | Mn2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -13.85 | .0595  | .1030  | -8.445 | -0683  | .1919  |
| SD    | 10.48  | .0361  | .079   | 4.531  | .0767  | .9733  |
| %RSD  | 75.72  | 60.63  | 76.72  | 53.66  | 112.2  | 507.2  |

| Elem  | Pb3307 | Pb3316 | Pb3149 | Pb203-1 | Pb203-2 | Sb2068 |
|-------|--------|--------|--------|---------|---------|--------|
| Units | ppb    | ppb    | ppb    | ppb     | ppb     | ppb    |
| Avg   | -1171  | -9401  | -10.18 | -0221   | -1837   | -3016  |
| SD    | .2193  | 1.038  | 9.829  | 2.98    | 1.078   | 1.353  |
| %RSD  | 195.2  | 110.4  | 98.52  | 13500   | 586.7   | 441.8  |

| Elem  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -8089  | 2.149  | -1299  | 1.164  | -1022  | -0775  |
| SD    | 1.329  | .6549  | .3677  | .4934  | 1.19   | .0459  |
| %RSD  | 164.2  | 30.48  | 360.1  | 42.4   | 1165   | 59.23  |

| Elem  | Ti3349 | Ti1908 | V_2924 | Zn2062 | Si2881 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -1.011 | 2.195  | -8421  | -1878  | 7.441  |
| SD    | 1.209  | 5.72   | .6828  | .269   | 17.14  |
| %RSD  | 119.6  | 260.7  | 81.08  | 143.2  | 230.3  |

Method: IRTANGL2 Sample Name: ICSAB Operator: DKH  
 Run Time: 10/30/97 01:35 Filename: 103097  
 Mode: CONC Type: 0 Corr. Factor: 1.00000  
 Lab ID: Cust. Smpl. ID: Cust. ID.: 43603

|       |        |        |        |         |        |        |
|-------|--------|--------|--------|---------|--------|--------|
| Flame | As3280 | As3082 | As1890 | As 2496 | As4934 | As3130 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb    |
| Avg   | 527.0  | 5183.0 | 510.5  | 512.0   | 508.2  | 478.3  |
| Stdev | 4.808  | 4523   | 7.529  | 6.424   | 7.396  | 5.244  |
| %RSD  | 9.126  | 8.726  | 1.475  | 1.255   | 1.455  | 1.096  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | Ca3179 | Ca2265 | Ca4186 | Ca2286 | Ca2677 | Ca3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 449000 | 451.2  | 485.5  | 450.1  | 463.4  | 518.7  |
| Stdev | 8050   | 5.329  | 107.53 | 5.193  | 6.516  | 7.911  |
| %RSD  | 1.793  | 1.203  | 2.169  | 1.154  | 1.406  | 1.525  |

|       |        |         |        |        |        |        |
|-------|--------|---------|--------|--------|--------|--------|
| Flame | Fe2714 | Fe 7664 | Fe6707 | Mg2790 | Mn2576 | Mn2020 |
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avg   | 172600 | 926.59  | 618.2  | 526800 | 440.1  | 488.8  |
| Stdev | 1987   | 2.448   | 57.98  | 5592   | 4.877  | 5.085  |
| %RSD  | 1.151  | 9.209   | 9.379  | 1.061  | 1.108  | 1.04   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | Na3302 | Na2316 | P 2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 5.496  | 438.9  | 489.1  | 495.0  | 438.6  | 497.3  |
| Stdev | 1981   | 5.955  | 16.28  | 27.57  | 71.96  | 6.118  |
| %RSD  | 3.572  | 1.357  | 3.331  | 5.57   | 16.41  | 1.23   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | 1960-1 | 1960-2 | 982703 | Se1960 | Se1899 | Se4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 503.6  | 493.0  | 457.3  | 506.5  | 492.3  | 498.7  |
| Stdev | 120.5  | 104.7  | 38.92  | 29.71  | 3.32   | 6.257  |
| %RSD  | 23.9   | 21.23  | 8.511  | 5.865  | 6.743  | 1.255  |

|       |        |        |        |        |        |  |
|-------|--------|--------|--------|--------|--------|--|
| Flame | Ti3349 | Ti1908 | V 2924 | Zn2062 | Zn2881 |  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |  |
| Avg   | 483.7  | 489.1  | 482.5  | 428.3  | 5430   |  |
| Stdev | 4.217  | 17.9   | 4.803  | 8.45   | 65.38  |  |
| %RSD  | 8.719  | 3.659  | .9953  | 1.973  | 1.204  |  |

184-23-2A Bx200

ee mca 10/30/97

Method: TPFANALC Sample Name: ~~184-23-2A~~ ee mca 10/30/97 Operator: DKH  
 Run time: 10/30/97 01:53 Filename: 105097  
 Mode: CONF Type: S Corr. Factor: 1.00000  
 Lab ID: Cust. Smpl. ID: Cust. ID: 43603

|         |        |        |        |        |        |        |
|---------|--------|--------|--------|--------|--------|--------|
| Element | As2890 | As1890 | Ba4934 | Ba3130 | Cd2265 | Co2286 |
| Units   | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg     | 3.303  | 12.32  | 142.3  | 1.8226 | 188.1  | 1.236  |
| SDev    | .5964  | 1.908  | .7     | .0066  | 1.932  | .1868  |
| %RSD    | 18.06  | 15.40  | .4918  | .7981  | 1.027  | 15.11  |

|         |        |        |        |        |        |        |
|---------|--------|--------|--------|--------|--------|--------|
| Element | Cr2677 | Mn2576 | Ni2316 | P_2149 | Pb2203 | Sb2068 |
| Units   | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg     | 121.8  | 10420. | 22.23  | 134.9  | 4932   | 69.54  |
| SDev    | 1.486  | 96.9   | .2386  | 2.541  | 149    | 4.17   |
| %RSD    | 1.22   | 9.302  | 1.073  | 1.884  | 1.5    | 5.996  |

|         |        |        |        |        |
|---------|--------|--------|--------|--------|
| Element | Sr1960 | Ti1908 | Zn2062 | Si2881 |
| Units   | ppb    | ppb    | ppb    | ppb    |
| Avg     | 7.143  | 7.453  | 55530  | 14120. |
| SDev    | 1.185  | 4.414  | 647.5  | 88.93  |
| %RSD    | 16.54  | 59.22  | 1.166  | .6298  |

104-23-2XBx200.PDS

Method: TRIANGL2 Sample Name: ~~107-70-1-X100-PDS~~ Operator: DKH  
 Run Time: 10/30/97 01:57 Filename: 103097 ~~PKA 103097~~  
 Mode: CONC Type: S Corr. Factor: 1.00000  
 Lab ID.: Cust. Smp. ID.: Cust. ID.: 43603

|       |        |        |         |        |        |        |
|-------|--------|--------|---------|--------|--------|--------|
| Elem  | As1280 | As1890 | As24934 | As3130 | As2265 | As2286 |
| Units | ppb    | ppb    | ppb     | ppb    | ppb    | ppb    |
| Avg   | 45.63  | 61.65  | 188.8   | 50.34  | 233.8  | 50.95  |
| Stdev | 8.52   | 1.822  | 1.66    | 98.34  | 5.004  | 1.427  |
| %RSD  | 1.81   | 2.955  | 8.795   | 1.953  | 2.14   | 2.801  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | Cr2677 | Mn2576 | Ni2516 | P 2149 | Pb2205 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 167.8  | 10180  | 70.82  | 1115.  | 9628.  | 117.8  |
| Stdev | 4.561  | 205.1  | 2.124  | 16.75  | 145.8  | 1.899  |
| %RSD  | 2.718  | 2.015  | 3      | 1.502  | 1.514  | 1.612  |

|       |        |        |        |        |
|-------|--------|--------|--------|--------|
| Elem  | Se1960 | Tl1908 | Zn2062 | Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    |
| Avg   | 53.66  | 56.59  | 54160. | 13830. |
| Stdev | 7022   | 5.549  | 1542   | 169    |
| %RSD  | 1.309  | 9.806  | 2.848  | 1.222  |



Method: TPIAHL? Sample Name: ICV/CPV Operator: DYH  
 Run Time: 10/30/97 02:15 Filename: 103097  
 Mode: CON? Type: 0 Corr Factor: 1.0000  
 Lab ID: Cust. Smpl ID.: Cust. ID.: 43231

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | As3280 | Al3082 | As1890 | R_2496 | Ba4934 | Ba5130 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 507.4  | 491.8  | 500.9  | 495.8  | 502.6  | 502.9  |
| SDev  | 8.876  | 7.229  | 5.001  | 9.755  | 5.631  | 8.052  |
| CRSD  | 1.355  | 1.47   | 0.9985 | 1.968  | 1.121  | 1.601  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | Ca3179 | Cd2265 | Ce4186 | Co2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 501.2  | 497.9  | 511.3  | 501.8  | 504.3  | 508.4  |
| SDev  | 6.904  | 8.731  | 13.62  | 8.629  | 7.903  | 7.089  |
| CRSD  | 1.377  | 1.754  | 2.663  | 1.72   | 1.567  | 1.394  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | Fe2714 | K_7664 | Li6707 | Mg2790 | Mn2576 | Mn2020 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 515.5  | 478.7  | 477.5  | 490.1  | 498.5  | 504.4  |
| SDev  | 14.2   | 151    | 13.13  | 9.179  | 8.098  | 8.347  |
| CRSD  | 2.754  | 3.154  | 2.751  | 1.838  | 1.625  | 1.655  |

|       |        |        |        |         |         |        |
|-------|--------|--------|--------|---------|---------|--------|
| Elem  | Na3309 | Ni2216 | P_2139 | Pb203-1 | Pb203-2 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb     | ppb    |
| Avg   | 1.577  | 199.9  | 190.0  | 523.0   | 500.0   | 195.1  |
| SDev  | 31.39  | 7.309  | 1.456  | 22.03   | 22.95   | 8.099  |
| CRSD  | 6.777  | 1.461  | 0.999  | 1.912   | 1.589   | 1.622  |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Elem  | 1960-1 | 1960-2 | Pb2203 | Sa1960 | Sn1800 | Sr4215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 523.4  | 492.6  | 507.7  | 502.9  | 490.3  | 501.0  |
| SDev  | 26.38  | 25.41  | 20.47  | 21.09  | 6.856  | 6.317  |
| CRSD  | 5.041  | 5.158  | 4.033  | 4.193  | 1.373  | 1.261  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Elem  | Ti3349 | Ti1908 | V_2924 | Zn2062 | Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 499.0  | 480.1  | 503.5  | 494.8  | 5126.  |
| SDev  | 7.089  | 27.58  | 8.373  | 9.59   | 56.14  |
| CRSD  | 1.421  | 5.746  | 1.663  | 1.938  | 1.095  |

Method: IR(ANGL2) Sample Name: ICR/CC8 Operator: DKH  
 Run Time: 10/30/97 02:19 Filename: 103097  
 Mode: CONC Ivrn: 0 Corr. Factor: 1.00000  
 Lab ID: Cust. Smpl. ID: Cust. ID.: 43231

|       |        |        |        |        |         |         |
|-------|--------|--------|--------|--------|---------|---------|
| Flame | As1380 | As1382 | As1390 | R 2496 | Ba2934  | Ba3130  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     | ppb     |
| Avg   | -0878  | -14.65 | -1.489 | 1.043  | -1.1479 | -1.0765 |
| SDav  | 1.746  | 11.48  | 6572   | 2.646  | 2724    | 1.6632  |
| %RSD  | 1989   | 78.36  | 44.14  | 253.7  | 184.1   | 82.58   |

|       |        |         |         |         |         |        |
|-------|--------|---------|---------|---------|---------|--------|
| Flame | Ca3170 | Cd2265  | Ce4186  | Cn2286  | Cr2677  | Cu3247 |
| Units | ppb    | ppb     | ppb     | ppb     | ppb     | ppb    |
| Avg   | 2.190  | -1.1742 | 0-4.481 | 0-1.001 | -1.9016 | -1.490 |
| SDav  | 1.835  | 3.692   | 13.4    | 1.144   | 9534    | 1.781  |
| %RSD  | 83.78  | 211.9   | 299.1   | 114.2   | 105.7   | 396.7  |

|       |        |        |        |        |         |        |
|-------|--------|--------|--------|--------|---------|--------|
| Flame | Fe2714 | K 7664 | Li6707 | Mg2790 | Mn2576  | Mo2020 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb     | ppb    |
| Avg   | -14.91 | .0371  | .0760  | -11.58 | -1.0685 | .8268  |
| SDav  | 26.7   | .0963  | .2093  | 13.47  | .133    | 1.509  |
| %RSD  | 179.1  | 259.3  | 275.3  | 116.3  | 194.1   | 182.5  |

|       |        |        |        |        |        |         |
|-------|--------|--------|--------|--------|--------|---------|
| Flame | Na3302 | Ni2316 | P 2140 | 2203-1 | 2203-2 | Sr2068  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | -0.385 | -1.340 | -7.160 | 1.610  | -1.530 | 0-4.384 |
| SDav  | 5144   | 1.05   | 11.01  | 9925   | 1.999  | 2.611   |
| %RSD  | 1335   | 77.95  | 153.5  | 61.66  | 84.38  | 69.55   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | 1960-1 | 1960-2 | Pb2203 | Sr1960 | Sr1899 | Sr2215 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 1.658  | 1.195  | -1904  | 4451   | 5012   | -0936  |
| SDav  | 2.400  | 3.481  | 536    | 1.941  | 1.197  | 1239   |
| %RSD  | 145    | 291.1  | 109.3  | 43.6.1 | 238.8  | 132.4  |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Flame | Pi3340 | Pi1908 | V 2924 | Zn2062 | Si2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -2.676 | 07.167 | -1.122 | .4136  | 8.235  |
| SDav  | .4434  | 10.32  | 1.116  | .5753  | 38.27  |
| %RSD  | 16.57  | 144    | 99.48  | 139.1  | 464.7  |

DKH 10/30/97

Method: IRTANGL2 Sample Name: ICR/CCR Operator: DKH  
 Run Time: 10/30/97 02:25 Filename: 103097  
 Mode: CONC Type: 0 Corr. Factor: 1.00000  
 Lab ID.: Cust. Smpl. ID.: Cust. ID.: 43231

|       |        |         |        |        |         |        |
|-------|--------|---------|--------|--------|---------|--------|
| Flame | As1890 | As13082 | As1890 | B_2496 | Ba4934  | Be3130 |
| Units | ppb    | ppb     | ppb    | ppb    | ppb     | ppb    |
| Avg   | 01.316 | -0.571  | -1.102 | -1.945 | -1.1471 | -0.792 |
| Stdev | 1.883  | 4.827   | 5562   | .9188  | .162    | .0128  |
| %RSD  | 143    | 38.25   | 396.8  | 47.23  | 110.2   | 18.28  |

|       |        |        |         |        |        |        |
|-------|--------|--------|---------|--------|--------|--------|
| Flame | Ca3179 | Ca2265 | Ca4186  | Ca2286 | Cr2677 | Cu3247 |
| Units | ppb    | ppb    | ppb     | ppb    | ppb    | ppb    |
| Avg   | 3.088  | -0.988 | 0-5.167 | -1.483 | -1.118 | 1.371  |
| Stdev | 1.611  | 1.7    | 5.081   | .8418  | .3231  | .7444  |
| %RSD  | 52.16  | 121.5  | 92.91   | 174.5  | 208.2  | 54.3   |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | Fe2714 | K_7664 | 116707 | Mg2700 | Mn2576 | Mn2020 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -14.70 | .0770  | .1553  | -8.010 | -.0571 | -.1414 |
| Stdev | 20.88  | .0682  | .1385  | 11.21  | 1.109  | .4115  |
| %RSD  | 142    | 88.54  | 89.21  | 139.8  | 194.2  | 291    |

|       |        |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|--------|
| Flame | Na3302 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 2580   | -0.118 | -9.839 | 6.857  | -1.494 | -1.144 |
| Stdev | 4321   | .9624  | 5.05   | 7.877  | 6.132  | .9816  |
| %RSD  | 167.5  | 157.5  | 51.33  | 114.9  | 136.4  | 85.84  |

|       |        |        |        |         |        |         |
|-------|--------|--------|--------|---------|--------|---------|
| Flame | 1960-1 | 1960-2 | Ph2203 | Se1960  | Sr1800 | Sr4215  |
| Units | ppb    | ppb    | ppb    | ppb     | ppb    | ppb     |
| Avg   | 2.336  | -1.186 | -7.143 | -0.0203 | .3340  | -0.0820 |
| Stdev | 6.373  | 5.196  | 1.589  | 1.313   | .9997  | .0841   |
| %RSD  | 272.6  | 437.0  | 222.5  | 6475    | 299.2  | 102.5   |

|       |        |        |        |        |        |
|-------|--------|--------|--------|--------|--------|
| Flame | 113349 | 111908 | V_2924 | Zn2062 | Sr2881 |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -2.552 | -2.156 | -1.117 | .0948  | 9.126  |
| Stdev | .0615  | 2.037  | .7902  | .2163  | 25.8   |
| %RSD  | 2.408  | 85.6   | 70.76  | 228.1  | 282.8  |

*DKH 10/30/97*

Method: TRIANGLE Sample Name: ICR/CCR Operator: OKH  
 Run Time: 10/30/97 02:46 Filename: 103097  
 Mode: CONC Type: 0 Corr. Factor: 1.00000  
 Lab ID: Cust. Smp. ID.: Cust. ID.: 43231

| Elem  | Ag3280 | Al3082 | As1890 | B_2496 | Ba4934 | Ba3130  |
|-------|--------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | -3805  | -5.114 | 1.269  | -3.048 | -1.198 | -0.0255 |
| SDav  | .8585  | 4.666  | 1.422  | 1.018  | .0945  | .0274   |
| %RSD  | 225.6  | 91.23  | 112.1  | 33.41  | 78.83  | 107.6   |

| Elem  | Ca3179 | Cd2265  | Ce4186 | Co2286 | Cr2677 | Cu3247 |
|-------|--------|---------|--------|--------|--------|--------|
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avg   | 5042   | -0.0469 | -4864  | -4261  | -7603  | -4390  |
| SDav  | 5815   | 1297    | 2459   | .582   | .598   | 5621   |
| %RSD  | 115.3  | 153.9   | 505.6  | 136.6  | 78.65  | 128    |

| Elem  | Fe2711 | F_7661 | Fe2707 | Hg2790 | Hg2576 | Hg2020 |
|-------|--------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -17.59 | 0015   | 0032   | -9.149 | -0.158 | -1459  |
| SDav  | 6.433  | 0442   | 0952   | 6.162  | 0625   | 3133   |
| %RSD  | 37.08  | 2867   | 3005   | 67.35  | 82.53  | 211.8  |

| Elem  | Na3309 | Ni2316 | P_2149 | 2203-1 | 2203-2 | Sb2068  |
|-------|--------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | -1599  | -1.070 | -5.094 | -1.460 | 1.452  | -1.6675 |
| SDav  | 25     | 0734   | 2224   | 1.692  | 1.323  | 1.313   |
| %RSD  | 156.3  | 6.863  | 43.65  | 115.9  | 91.12  | 196.6   |

| Elem  | 1960-1 | 1960-2 | Pb2203 | Se1960 | Sn1899 | Sr4215  |
|-------|--------|--------|--------|--------|--------|---------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    | ppb     |
| Avg   | -4.162 | 4.324  | 4819   | 1.498  | 5664   | -0.0649 |
| SDav  | 3.397  | 1.623  | 7299   | 1.384  | 2.304  | .052    |
| %RSD  | 81.62  | 37.54  | 151.4  | 92.37  | 406.8  | 80.18   |

| Elem  | Ti3349 | Ti1908 | V_2924 | Zn2062 | Zn2881 |
|-------|--------|--------|--------|--------|--------|
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | -2.528 | -2.793 | -6813  | .0600  | -30.67 |
| SDav  | .1623  | 3.733  | .3056  | .0888  | 18.24  |
| %RSD  | 6.32   | 133.6  | 44.85  | 127    | 59.48  |

Method: ICP-AES  
 Run Time: 10/30/97 02:51  
 Sample Name: ICS08  
 Filenane: 103097  
 Operator: DKH  
 Mode: CMB  
 Type: 0  
 Corr. Factor: 1.00000  
 Lab ID:  
 Cust Smt ID:  
 Cust ID: 43231

|       |        |         |        |        |        |        |
|-------|--------|---------|--------|--------|--------|--------|
| Elem  | As3280 | Al3082  | As1890 | B_2496 | Ba4934 | Ba3130 |
| Units | ppb    | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avg   | 541.3  | 525200. | 513.8  | 518.0  | 515.7  | 390.7  |
| SDev  | 6.03   | 1908    | 12.07  | 2.729  | 3.336  | 7.546  |
| %RSD  | 1.114  | .3633   | 2.35   | .5269  | .6469  | 1.538  |

|       |         |        |        |        |        |        |
|-------|---------|--------|--------|--------|--------|--------|
| Elem  | Cs3179  | Cd2265 | Ce4186 | Cn2286 | Cr2677 | Cu3247 |
| Units | ppb     | ppb    | ppb    | ppb    | ppb    | ppb    |
| Avg   | 459500. | 464.0  | 495.6  | 462.0  | 476.4  | 530.7  |
| SDev  | 6733    | 6.098  | 10.18  | 6.186  | 7.157  | 5.383  |
| %RSD  | 1.465   | 1.314  | 2.053  | 1.339  | 1.502  | 1.014  |

|       |         |        |        |         |        |        |
|-------|---------|--------|--------|---------|--------|--------|
| Elem  | Fa2714  | K_7664 | Li6707 | Mg2790  | Mn2576 | Mn2020 |
| Units | ppb     | ppb    | ppb    | ppb     | ppb    | ppb    |
| Avg   | 176700. | 024.88 | 582.2  | 539100. | 449.6  | 497.8  |
| SDev  | 2312    | 1.571  | 32.49  | 6194    | 6.018  | 3.282  |
| %RSD  | 1.308   | 6.316  | 5.581  | 1.149   | 1.339  | 6.593  |

|       |        |        |        |         |         |        |
|-------|--------|--------|--------|---------|---------|--------|
| Elem  | Na3302 | Ni2316 | P_2149 | Pb203-1 | Pb203-2 | Sb2068 |
| Units | ppb    | ppb    | ppb    | ppb     | ppb     | ppb    |
| Avg   | 3.995  | 152.3  | 455.8  | 506.3   | 458.3   | 197.9  |
| SDev  | 6614   | 1.882  | 99     | 15.09   | 12.77   | 36.33  |
| %RSD  | 6.833  | 1.243  | 21.72  | 2.951   | 2.786   | 18.37  |

|       |         |         |        |        |        |        |
|-------|---------|---------|--------|--------|--------|--------|
| Elem  | Pb203-1 | Pb203-2 | Pb2203 | Se1960 | Sn1800 | Sr4215 |
| Units | ppb     | ppb     | ppb    | ppb    | ppb    | ppb    |
| Avg   | 533.2   | 574.4   | 474.2  | 527.3  | 494.1  | 508.0  |
| SDev  | 48.77   | 25.44   | 3.184  | 2.722  | 16.41  | 3.063  |
| %RSD  | 9.147   | 4.431   | .6713  | .5162  | 3.321  | .603   |

|       |        |        |        |        |        |  |
|-------|--------|--------|--------|--------|--------|--|
| Elem  | Ti3349 | Tl1908 | V_2924 | Zn2062 | Zn2881 |  |
| Units | ppb    | ppb    | ppb    | ppb    | ppb    |  |
| Avg   | 495.4  | 492.4  | 493.3  | 435.6  | 5567.  |  |
| SDev  | 4.132  | 14.75  | 4.089  | 5.834  | 64.17  |  |
| %RSD  | .8341  | 2.996  | .829   | 1.339  | 1.153  |  |

ID/Weight File: AB811.IDW

Analyst: RICHARDS

tlg

Sample Volume: 100 mL

Nominal Weight: 1.0 g

| Loc. | Sample ID      | Weight                            | Dilution    |
|------|----------------|-----------------------------------|-------------|
| 0    | STD BLK        |                                   |             |
| 1    | STD1=0.2ug/L   |                                   |             |
| 2    | STD2=0.5ug/L   |                                   |             |
| 3    | STD3=1.0ug/L   | 3-018-7                           | 9/30/97 me  |
| 4    | STD4=2.0ug/L   |                                   |             |
| 5    | STD5=5.0ug/L   |                                   |             |
| 6    | STD6=10.0ug/L  |                                   |             |
| 7    | ICV=4.0ug/L    |                                   |             |
| 8    | ICB            | 3-018-8                           | 9/30/97 me  |
| 9    | CHECK LO       |                                   |             |
| 10   | 43159A MB3     |                                   |             |
| 11   | 43159A MB3 D   | } re-<br>prep see data on 10/1/97 |             |
| 12   | 43159A LCS3    |                                   |             |
| 13   | 43159A LCS3 D  |                                   |             |
| 14   | 43159A LCS DD  |                                   |             |
| 15   | 182-30-9E      |                                   |             |
| 16   | 182-30-9E D    |                                   |             |
| 17   | 182-30-9E MS   |                                   |             |
| 18   | 182-30-9E MSD  |                                   |             |
| 19   | 182-30-7E      | > To be re-<br>prep 9/30/97 me.   |             |
| 20   | 182-30-7E D    |                                   |             |
| 21   | CCV1=6.0ug/L   | 3-018-8                           | 9/30/97 me  |
| 22   | CCB1           |                                   |             |
| 23   | 182-30-14D     |                                   |             |
| 24   | 182-30-14D D   |                                   |             |
| 25   | 182-30-15E     |                                   |             |
| 26   | 182-30-15E D   |                                   |             |
| 27   | 182-30-15C     |                                   |             |
| 28   | 182-30-15C D   |                                   |             |
| 29   | CCV2=6.0ug/L   |                                   |             |
| 30   | CCB2           |                                   |             |
| 31   | 43231 MB1      |                                   |             |
| 32   | 43231 MB1 D    |                                   |             |
| 33   | 43231 LCS1     |                                   |             |
| 34   | 43231 LCS1 D   |                                   |             |
| 35   | 183-3-2C       |                                   |             |
| 36   | 183-3-2C D     |                                   |             |
| 37   | 183-3-2C MS    |                                   |             |
| 38   | 183-3-2C MSD   |                                   |             |
| 39   | 183-3-1B       |                                   |             |
| 40   | 183-3-1B D     |                                   |             |
| 41   | CCV1=6.0ug/L   | 3-018-8                           | 9/30/97 me  |
| 42   | CCB1           |                                   |             |
| 43   | 183-3-1C       |                                   |             |
| 44   | 183-3-1C D     |                                   |             |
| 45   | 183-3-1D       |                                   |             |
| 46   | 183-3-1D DX10  | > To be re-<br>prep 9/30/97 me    |             |
| 47   | 183-3-1D DDX10 |                                   |             |
| 48   | 183-3-1E       |                                   |             |
| 49   | 183-3-1E D     |                                   | 10-31-97 ec |
| 50   | 183-3-2B       |                                   |             |
| 51   | 183-3-2B D     |                                   |             |
| 52   | 183-3-2D       |                                   |             |
| 53   | 183-3-2D D     |                                   |             |

| Loc. | Sample ID      | Weight  | Dilution                  |
|------|----------------|---------|---------------------------|
| 54   | CCV2=6.0ug/L   | 3-018-8 | 9/30/97 MR                |
| 55   | CCB2           |         |                           |
| 56   | 183-3-2E       |         | > To be reprep 9/30/97 MR |
| 57   | 183-3-2E D     |         |                           |
| 58   | 183-3-3C       |         |                           |
| 59   | 183-3-3C DX5   |         |                           |
| 60   | 183-3-3C DDX5  |         |                           |
| 61   | 183-3-3C MSX5  |         |                           |
| 62   | 183-3-3C MSDX5 |         |                           |
| 63   | 183-3-2F       |         | > To be reprep 9/30/97 MR |
| 64   | 183-3-2F D     |         |                           |
| 65   | CCV3=6.0ug/L   | 3-018-8 | 9/30/97 MR                |
| 66   | CCB3           |         |                           |
| 67   | 183-3-3B       |         |                           |
| 68   | 183-3-3B D     |         |                           |
| 69   | 183-3-3D       |         |                           |
| 70   | 183-3-3D D     |         |                           |
| 71   | 183-3-3E       |         | > To be reprep 9/30/97 MR |
| 72   | 183-3-3E D     |         |                           |
| 73   | 183-3-3F       |         | > To be reprep 9/30/97 MR |
| 74   | 183-3-3F D     |         |                           |
| 75   | CCV4=6.0ug/L   | 3-018-8 | 9/30/97 MR                |
| 76   | CCB4           |         |                           |
| 77   | 43231 MB2      |         |                           |
| 78   | 43231 MB2 D    |         |                           |
| 79   | 43231 LCS2     |         | ← 43231                   |
| 80   | 43231 LCS20    |         | ↓                         |
| 81   | 183-3-4B       |         |                           |
| 82   | 183-3-4B D     |         |                           |
| 83   | 183-3-4C       |         |                           |
| 84   | 183-3-4C D     |         |                           |
| 85   | 183-3-4C MSX2  |         |                           |
| 86   | 183-3-4C MSDX2 |         |                           |
| 87   | CCV1=6.0ug/L   | 3-018-8 | 9/30/97 MR                |
| 88   | CCB1           |         |                           |
| 89   | 183-3-4D       |         |                           |
| 90   | 183-3-4D D     |         |                           |
| 91   | 183-3-4E       |         |                           |
| 92   | 183-3-4E D     |         |                           |
| 93   | 183-3-4F       |         |                           |
| 94   | 183-3-4F D     |         |                           |
| 95   | 183-3-5B       |         |                           |
| 96   | 183-3-5B D     |         |                           |
| 97   | 183-3-5C       |         |                           |
| 98   | 183-3-5C D     |         |                           |
| 99   | CCV2=6.0ug/L   | 3-018-8 | 9/30/97 MR                |
| 100  | CCB2           |         |                           |
| 101  | 183-3-5D       |         |                           |
| 102  | 183-3-5D D     |         |                           |
| 103  | 183-3-5E       |         |                           |
| 104  | 183-3-5E D     |         |                           |
| 105  | 183-3-6C       |         |                           |
| 106  | 183-3-6C DX5   |         |                           |
| 107  | 183-3-6C DDX5  |         |                           |
| 108  | 183-3-6C MSX5  |         |                           |
| 109  | 183-3-6C MSDX5 |         |                           |

| Loc. | Sample ID     | Weight  | Dilution   |
|------|---------------|---------|------------|
| 110  | 183-3-6B      |         |            |
| 111  | 183-3-6B D    |         |            |
| 112  | CCV3=6.0ug/L  | 3-018-8 | 9/30/97 WR |
| 113  | CCB3          |         |            |
| 114  | 183-3-6D      |         |            |
| 115  | 183-3-6D D    |         |            |
| 116  | 183-3-6E      |         |            |
| 117  | 183-3-6E D    |         |            |
| 118  | 183-3-6F      |         |            |
| 119  | 183-3-6F D    |         |            |
| 120  | 183-3-7B      |         |            |
| 121  | 183-3-7B D    |         |            |
| 122  | 183-3-7C      |         |            |
| 123  | 183-3-7C DX5  |         |            |
| 124  | 183-3-7C DDX5 |         |            |
| 125  | CCV4=6.0ug/L  | 3-018-8 | 9/30/97 WR |
| 126  | CCB4          |         |            |
| 127  | 183-3-7D      |         |            |
| 128  | 183-3-7D D    |         |            |
| 129  | 183-3-7E      |         |            |
| 130  | 183-3-7E D    |         |            |
| 131  | 183-3-7E MS   |         |            |
| 132  | 183-3-7E MSD  |         |            |
| 133  | 183-3-7F      |         |            |
| 134  | 183-3-7F D    |         |            |
| 135  | 183-3-8B      |         |            |
| 136  | 183-3-8B D    |         |            |
| 137  | CCV5=6.0ug/L  | 3-018-8 | 9/30/97 WR |
| 138  | CCB5          |         |            |
| 139  | 183-3-8C      |         |            |
| 140  | 183-3-8C DX5  |         |            |
| 141  | 183-3-8C DDX5 |         |            |
| 142  | 183-3-8D      |         |            |
| 143  | 183-3-8D D    |         |            |
| 144  | 183-3-8E      |         |            |
| 145  | 183-3-8E D    |         |            |
| 146  | 183-3-8F      |         |            |
| 147  | 183-3-8F D    |         |            |
| 148  | CCV6=6.0ug/L  |         |            |
| 149  | CCB6          |         |            |

To be  
Re prep. 9/30/97 WR.



Element File: HG\_.MEL  
Element: Hg2  
Print Data: Main+Suppl.  
Print: Calib. Curve  
Remarks:  
STANDARDS= 3-018-7  
QC= 3-018-8

Analyst: RICHARDS  
Peak Storage: None

tlg  
9/30/97 MR.

-----  
INSTRUMENT: 5100                      Technique: MHS                      Version: 7.01  
Wavelength: 253.7 Peak              Slit: 0.7 Low  
Signal Type: AA                      Signal Measurement: Peak Height (5)  
Read Time: 30.0                      Read Delay: 1.0                      BOC Time: 2  
Sample Replicates: 1  
Standard Replicates: 1  
-----

FLAME:  
Flame Type: Air                      Flame Sensor: On  
Oxidant Flow: 10.0 L/min              Fuel Flow: 2.0 L/min  
-----

CALIBRATION:  
Solutions                      ID                      Conc

|              |         |        |
|--------------|---------|--------|
| Calib. Blank | STD BLK |        |
| Standard 1   | STD 1   | 0.200  |
| Standard 2   | STD 2   | 0.500  |
| Standard 3   | STD 3   | 1.000  |
| Standard 4   | STD 4   | 2.000  |
| Standard 5   | STD 5   | 5.000  |
| Standard 6   | STD 6   | 10.000 |

Calibration Units: ug/L              Sample Units: ug/L  
Calibration Type: Linear  
-----

QC:  
Matrix Check Calculations:  
% Difference for Dupls: No              Locations:  
% Recovery for Spike: No              Locations:              Conc:

-----  
Element File: HG\_MEL                    Element: Hg2                    Wavelength: 253.7  
Date: 09/30/97                        Time: 09:27                    Slit: 0.7 L  
Data File: AB811.DAT                  ID/Wt File: AB811.IDW           Lamp Current: 0  
Technique: MHS                         Calib. Type: Linear              Energy: 72  
Remark 1: STANDARDS= 3-018-7  
Remark 2: QC= 3-018-8  
-----

Hg2    ID: STD BLK                      Seq. No.: 00003                A/S Pos.: --                Date: 09/30/97

Replicate 1                            Time: 09:28  
Peak Area (A-s): 0.002                Peak Height (A): -0.001  
Blank Corrected Pk Height (A): -0.001  
Concentration (ug/L ): -0.026

Auto-zero performed.

-----  
Hg2    ID: STD1=0.2ug/L                Seq. No.: 00004                A/S Pos.: --                Date: 09/30/97

Replicate 1                            Time: 09:29  
Peak Area (A-s): 0.148                Peak Height (A): 0.006  
Blank Corrected Pk Height (A): 0.006  
Concentration (ug/L ): 0.160

Standard number 1 applied. [0.200]  
Correlation coefficient: 1.00000            Slope: 0.0281

-----  
Hg2    ID: STD2=0.5ug/L                Seq. No.: 00005                A/S Pos.: --                Date: 09/30/97

Sample abs. is greater than that of the largest standard.  
Replicate 1                            Time: 09:31  
Peak Area (A-s): 0.403                Peak Height (A): 0.016  
Blank Corrected Pk Height (A): 0.016  
Concentration (ug/L ): 0.579

Standard number 2 applied. [0.500]  
Correlation coefficient: 0.99265            Slope: 0.0320

-----  
Hg2    ID: STD3=1.0ug/L                Seq. No.: 00006                A/S Pos.: --                Date: 09/30/97

Sample abs. is greater than that of the largest standard.  
Replicate 1                            Time: 09:32  
Peak Area (A-s): 0.915                Peak Height (A): 0.037  
Blank Corrected Pk Height (A): 0.037  
Concentration (ug/L ): 1.164

Standard number 3 applied. [1.000]  
Correlation coefficient: 0.99169            Slope: 0.0362

-----  
Hg2    ID: STD4=2.0ug/L                Seq. No.: 00007                A/S Pos.: --                Date: 09/30/97

Sample abs. is greater than that of the largest standard.  
Replicate 1                            Time: 09:33  
Peak Area (A-s): 1.749                Peak Height (A): 0.070

Blank Corrected Pk Height (A): 0.070  
Concentration (ug/L ): 1.941

Standard number 4 applied. [2.000]  
Correlation coefficient: 0.99832      Slope: 0.0354

~~~~~  
Hg2 ID: STD5=5.0ug/L Seq. No.: 00008 A/S Pos.: -- Date: 09/30/97

Sample abs. is greater than that of the largest standard.
Replicate 1 Time: 09:35
Peak Area (A-s): 4.656 Peak Height (A): 0.189
Blank Corrected Pk Height (A): 0.189
Concentration (ug/L): 5.331

Standard number 5 applied. [5.000]
Correlation coefficient: 0.99922 Slope: 0.0373

~~~~~  
Hg2    ID: STD6=10.0ug/L      Seq. No.: 00009      A/S Pos.: --      Date: 09/30/97

Sample abs. is greater than that of the largest standard.  
Replicate 1      Time: 09:36  
Peak Area (A-s): 9.123      Peak Height (A): 0.370  
Blank Corrected Pk Height (A): 0.370  
Concentration (ug/L ): 9.902

Standard number 6 applied. [10.000]  
Correlation coefficient: 0.99982      Slope: 0.0371

Element File: HG\_.MEL

Element: Hg2

Wavelength: 253.7

Date: 09/30/97

Time: 09:36

Slit: 0.7 L

Data File: AB811.DAT

ID/Wt File: AB811.IDW

Lamp Current: 0


Technique: MHS

Calib. Type: Linear

Energy: 72

Remark 1: STANDARDS= 3-018-7

Remark 2: QC= 3-018-8



-----

|                              |                       |                   |
|------------------------------|-----------------------|-------------------|
| Element File: HG_MEL         | Element: Hg2          | Wavelength: 253.7 |
| Date: 09/30/97               | Time: 09:38           | Slit: 0.7 L       |
| Data File: AB811.DAT         | ID/Wt File: AB811.IDW | Lamp Current: 0   |
| Technique: MHS               | Calib. Type: Linear   | Energy: 72        |
| Remark 1: STANDARDS= 3-018-7 |                       |                   |
| Remark 2: QC= 3-018-8        |                       |                   |

-----

Hg2 ID: ICV=4.0ug/L      Seq. No.: 00010      A/S Pos.: --      Date: 09/30/97

Replicate 1      Time: 09:39  
 Peak Area (A-s): 3.815      Peak Height (A): 0.157  
 Blank Corrected Pk Height (A): 0.157  
 Concentration (ug/L ): 4.229

Hg2 ID: ICB      Seq. No.: 00011      A/S Pos.: --      Date: 09/30/97

Replicate 1      Time: 09:41  
 Peak Area (A-s): 0.015      Peak Height (A): 0.001  
 Blank Corrected Pk Height (A): 0.001  
 Concentration (ug/L ): 0.014

Hg2 ID: CHECK LO      Seq. No.: 00012      A/S Pos.: --      Date: 09/30/97

Replicate 1      Time: 09:42  
 Peak Area (A-s): 0.194      Peak Height (A): 0.008  
 Blank Corrected Pk Height (A): 0.008  
 Concentration (ug/L ): 0.208

Hg2 ID: 43159A MB3      Seq. No.: 00013      A/S Pos.: --      Date: 09/30/97

Replicate 1      Time: 09:46  
 Peak Area (A-s): 0.009      Peak Height (A): 0.001  
 Blank Corrected Pk Height (A): 0.001  
 Concentration (ug/L ): 0.014

Hg2 ID: 43159A MB3 D      Seq. No.: 00014      A/S Pos.: --      Date: 09/30/97

Replicate 1      Time: 09:47  
 Peak Area (A-s): 0.018      Peak Height (A): 0.001  
 Blank Corrected Pk Height (A): 0.001  
 Concentration (ug/L ): 0.038

Hg2 ID: 43159A LCS3      Seq. No.: 00015      A/S Pos.: --      Date: 09/30/97

Replicate 1      Time: 09:48  
 Peak Area (A-s): 3.251      Peak Height (A): 0.132  
 Blank Corrected Pk Height (A): 0.132  
 Concentration (ug/L ): 3.574

*Delete also last me*

Hg2 ID: 43159A LCS3      Seq. No.: 00016      A/S Pos.: --      Date: 09/30/97

Hg2 ID: 182-30-15B D Seq. No.: 00031 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 10:40  
Peak Area (A-s): 0.017 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.024

Hg2 ID: 182-30-15C Seq. No.: 00032 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 10:42  
Peak Area (A-s): 0.022 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.035

Hg2 ID: 182-30-15C D Seq. No.: 00033 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 10:43  
Peak Area (A-s): 0.045 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.057

Hg2 ID: CCV2=6.0ug/L Seq. No.: 00034 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 10:44  
Peak Area (A-s): 4.570 Peak Height (A): 0.191  
Blank Corrected PK Height (A): 0.191  
Concentration (ug/L ): 5.150

Hg2 ID: CCB2 Seq. No.: 00035 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 10:45  
Peak Area (A-s): 0.035 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.038

Hg2 ID: 43231 MB1 Seq. No.: 00036 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 10:46  
Peak Area (A-s): 0.028 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.030

Hg2 ID: 43231 MB1 D Seq. No.: 00037 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 10:47  
Peak Area (A-s): 0.025 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.027

Hg2 ID: 43231 LCS1 Seq. No.: 00038 A/S Pos.: -- Date: 09/30/97



Concentration (ug/L ): 0.079

Hg2 ID: CCV1=6.0ug/L Seq. No.: 00046 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 10:58  
Peak Area (A-s): 4.458 Peak Height (A): 0.188  
Blank Corrected Pk Height (A): 0.188  
Concentration (ug/L ): 5.068

Hg2 ID: CCB1 Seq. No.: 00047 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 10:59  
Peak Area (A-s): 0.050 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.054

Hg2 ID: 183-3-1C Seq. No.: 00048 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:01  
Peak Area (A-s): 0.039 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.043

Hg2 ID: 183-3-1C D Seq. No.: 00049 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:02  
Peak Area (A-s): 0.030 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.043

Hg2 ID: 183-3-1D Seq. No.: 00050 A/S Pos.: -- Date: 09/30/97

Sample abs. is greater than that of the largest standard.

Replicate 1 Time: 11:03  
Peak Area (A-s): 48.733 Peak Height (A): 1.915  
Blank Corrected Pk Height (A): 1.915  
Concentration (ug/L ): 51.677

Hg2 ID: 183-3-1D DX10 Seq. No.: 00051 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:11  
Peak Area (A-s): 0.089 Peak Height (A): 0.004  
Blank Corrected Pk Height (A): 0.004  
Concentration (ug/L ): 0.095

Hg2 ID: 183-3-1D DD10 Seq. No.: 00052 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:13  
Peak Area (A-s): 0.083 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.087

omit reanalyzed 09.31.97



Hg2 ID: 183-3-1E Seq. No.: 00053 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:15  
Peak Area (A-s): 0.062 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.076

Hg2 ID: 183-3-1E D <sup>00-10-31-97 EE</sup> Seq. No.: 00054 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:17  
Peak Area (A-s): 0.164 Peak Height (A): 0.007  
Blank Corrected Pk Height (A): 0.007  
Concentration (ug/L ): 0.176

Hg2 ID: 183-3-2B Seq. No.: 00055 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:19  
Peak Area (A-s): 0.066 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.079

Hg2 ID: 183-3-2B D Seq. No.: 00056 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:20  
Peak Area (A-s): 0.078 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.087

Hg2 ID: 183-3-2D Seq. No.: 00057 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:21  
Peak Area (A-s): 0.066 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.070

Hg2 ID: 183-3-2D D Seq. No.: 00058 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:23  
Peak Area (A-s): 0.068 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.073

Hg2 ID: CCV2=6.0ug/L Seq. No.: 00059 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:24  
Peak Area (A-s): 4.952 Peak Height (A): 0.207  
Blank Corrected Pk Height (A): 0.207  
Concentration (ug/L ): 5.575

Hg2 ID: CCB2 Seq. No.: 00060 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:26  
Peak Area (A-s): 0.034 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.038

Hg2 ID: 183-3-2E Seq. No.: 00061 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:28  
Peak Area (A-s): 0.029 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.043

RPD high  
Reanalyze  
09/11/97  
↓

Hg2 ID: 183-3-2E D Seq. No.: 00062 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:29  
Peak Area (A-s): 0.432 Peak Height (A): 0.018  
Blank Corrected Pk Height (A): 0.018  
Concentration (ug/L ): 0.474

Hg2 ID: 183-3-3C Seq. No.: 00063 A/S Pos.: -- Date: 09/30/97

Sample abs. is greater than that of the largest standard.

Replicate 1 Time: 11:31  
Peak Area (A-s): 20.651 Peak Height (A): 0.866  
Blank Corrected Pk Height (A): 0.866  
Concentration (ug/L ): 23.376

come high  
09/11/97

Hg2 ID: 183-3-3C DX5 Seq. No.: 00064 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:48  
Peak Area (A-s): 3.156 Peak Height (A): 0.128  
Blank Corrected Pk Height (A): 0.128  
Concentration (ug/L ): 3.449

Hg2 ID: 183-3-3C DX5 D Seq. No.: 00065 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:49  
Peak Area (A-s): 3.110 Peak Height (A): 0.127  
Blank Corrected Pk Height (A): 0.127  
Concentration (ug/L ): 3.428

09/10/97

Hg2 ID: 183-3-3C MSX5 Seq. No.: 00066 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:51  
Peak Area (A-s): 4.140 Peak Height (A): 0.168  
Blank Corrected Pk Height (A): 0.168  
Concentration (ug/L ): 4.538

Hg2 ID: 183-3-3C MSDX5 Seq. No.: 00067 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:53  
Peak Area (A-s): 4.486 Peak Height (A): 0.186

Blank Corrected Pk Height (A): 0.186  
Concentration (ug/L ): 5.011

Hg2 ID: 183-3-2F Seq. No.: 00068 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:57  
Peak Area (A-s): 0.781 Peak Height (A): 0.033  
Blank Corrected Pk Height (A): 0.033  
Concentration (ug/L ): 0.891

Hg2 ID: 183-3-2F D Seq. No.: 00069 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 11:58  
Peak Area (A-s): 0.424 Peak Height (A): 0.018  
Blank Corrected Pk Height (A): 0.018  
Concentration (ug/L ): 0.479

Hg2 ID: CCV3=6.0ug/L Seq. No.: 00070 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:00  
Peak Area (A-s): 5.005 Peak Height (A): 0.212  
Blank Corrected Pk Height (A): 0.212  
Concentration (ug/L ): 5.710

Hg2 ID: CCB3 Seq. No.: 00071 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:02  
Peak Area (A-s): 0.040 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.049

Hg2 ID: 183-3-3B Seq. No.: 00072 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:04  
Peak Area (A-s): 0.098 Peak Height (A): 0.004  
Blank Corrected Pk Height (A): 0.004  
Concentration (ug/L ): 0.106

Hg2 ID: 183-3-3B D Seq. No.: 00073 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:05  
Peak Area (A-s): 0.069 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.076

Hg2 ID: 183-3-3D Seq. No.: 00074 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:06  
Peak Area (A-s): 0.707 Peak Height (A): 0.030  
Blank Corrected Pk Height (A): 0.030  
Concentration (ug/L ): 0.807

Hg2 ID: 183-3-3D D Seq. No.: 00075 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:07  
Peak Area (A-s): 0.715 Peak Height (A): 0.029  
Blank Corrected PK Height (A): 0.029  
Concentration (ug/L ): 0.788

Hg2 ID: 183-3-3E Seq. No.: 00076 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:09  
Peak Area (A-s): 0.161 Peak Height (A): 0.007  
Blank Corrected PK Height (A): 0.007  
Concentration (ug/L ): 0.187

Reanalyze  
RPD high  
211-448

Hg2 ID: 183-3-3E D Seq. No.: 00077 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:10  
Peak Area (A-s): 0.431 Peak Height (A): 0.018  
Blank Corrected PK Height (A): 0.018  
Concentration (ug/L ): 0.487

Hg2 ID: 183-3-3F Seq. No.: 00078 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:12  
Peak Area (A-s): 0.169 Peak Height (A): 0.007  
Blank Corrected PK Height (A): 0.007  
Concentration (ug/L ): 0.181

Hg2 ID: 183-3-3F D Seq. No.: 00079 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:13  
Peak Area (A-s): 0.351 Peak Height (A): 0.014  
Blank Corrected PK Height (A): 0.014  
Concentration (ug/L ): 0.387

Hg2 ID: CCV4=6.0ug/L Seq. No.: 00080 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:14  
Peak Area (A-s): 5.137 Peak Height (A): 0.216  
Blank Corrected PK Height (A): 0.216  
Concentration (ug/L ): 5.818

Hg2 ID: CCB4 Seq. No.: 00081 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 12:15  
Peak Area (A-s): 0.045 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.049

Hg2 ID: 43231 MB2 Seq. No.: 00082 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:06  
Peak Area (A-s): 0.032 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.035

Hg2 ID: 43231 MB2 D Seq. No.: 00083 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:07  
Peak Area (A-s): 0.046 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.046

Hg2 ID: 43231 LCS2 ~~11-4-97E~~ Seq. No.: 00084 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:08  
Peak Area (A-s): 4.566 Peak Height (A): 0.188  
Blank Corrected PK Height (A): 0.188  
Concentration (ug/L ): 5.076

Hg2 ID: 43231 LCS2 D ~~11-4-97E~~ Seq. No.: 00085 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:09  
Peak Area (A-s): 4.726 Peak Height (A): 0.196  
Blank Corrected PK Height (A): 0.196  
Concentration (ug/L ): 5.280

Hg2 ID: 183-3-4B Seq. No.: 00086 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:10  
Peak Area (A-s): 0.053 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.060

Hg2 ID: 183-3-4B D Seq. No.: 00087 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:11  
Peak Area (A-s): 0.037 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.049

Hg2 ID: 183-3-4C Seq. No.: 00088 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:12  
Peak Area (A-s): 7.193 Peak Height (A): 0.293  
Blank Corrected PK Height (A): 0.293  
Concentration (ug/L ): 7.919

Hg2 ID: 183-3-4C D Seq. No.: 00089 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:14  
Peak Area (A-s): 7.081 Peak Height (A): 0.296  
Blank Corrected PK Height (A): 0.296

Concentration (ug/L ): 7.987

Hg2 ID: 183-3-4C MSX2 Seq. No.: 00090 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:23  
Peak Area (A-s): 4.143 Peak Height (A): 0.174  
Blank Corrected Pk Height (A): 0.174  
Concentration (ug/L ): 4.689

Hg2 ID: 183-3-4C MSDX2 Seq. No.: 00091 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:24  
Peak Area (A-s): 3.969 Peak Height (A): 0.162  
Blank Corrected Pk Height (A): 0.162  
Concentration (ug/L ): 4.383

Hg2 ID: CCV1=6.0ug/L Seq. No.: 00092 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:25  
Peak Area (A-s): 5.289 Peak Height (A): 0.221  
Blank Corrected Pk Height (A): 0.221  
Concentration (ug/L ): 5.970

Hg2 ID: CCB1 Seq. No.: 00093 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:26  
Peak Area (A-s): 0.061 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.065

Hg2 ID: 183-3-4D Seq. No.: 00094 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:30  
Peak Area (A-s): 0.139 Peak Height (A): 0.005  
Blank Corrected Pk Height (A): 0.005  
Concentration (ug/L ): 0.143

Hg2 ID: 183-3-4D D Seq. No.: 00095 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:31  
Peak Area (A-s): 0.128 Peak Height (A): 0.005  
Blank Corrected Pk Height (A): 0.005  
Concentration (ug/L ): 0.141

Hg2 ID: 183-3-4E Seq. No.: 00096 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:32  
Peak Area (A-s): 0.668 Peak Height (A): 0.027  
Blank Corrected Pk Height (A): 0.027  
Concentration (ug/L ): 0.726

Hg2 ID: 183-3-4E D Seq. No.: 00097 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:33  
Peak Area (A-s): 0.553 Peak Height (A): 0.022  
Blank Corrected PK Height (A): 0.022  
Concentration (ug/L ): 0.601

Hg2 ID: 183-3-4F Seq. No.: 00098 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:34  
Peak Area (A-s): 0.093 Peak Height (A): 0.004  
Blank Corrected PK Height (A): 0.004  
Concentration (ug/L ): 0.097

Hg2 ID: 183-3-4F D Seq. No.: 00099 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:35  
Peak Area (A-s): 0.121 Peak Height (A): 0.005  
Blank Corrected PK Height (A): 0.005  
Concentration (ug/L ): 0.125

Hg2 ID: 183-3-5B Seq. No.: 00100 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:37  
Peak Area (A-s): 0.034 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.043

Hg2 ID: 183-3-5B D Seq. No.: 00101 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:38  
Peak Area (A-s): 0.042 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.054

Hg2 ID: 183-3-5C Seq. No.: 00102 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:39  
Peak Area (A-s): 0.165 Peak Height (A): 0.007  
Blank Corrected PK Height (A): 0.007  
Concentration (ug/L ): 0.187

Hg2 ID: 183-3-5C D Seq. No.: 00103 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:40  
Peak Area (A-s): 0.163 Peak Height (A): 0.006  
Blank Corrected PK Height (A): 0.006  
Concentration (ug/L ): 0.171

Hg2 ID: CCV2=6.0ug/L Seq. No.: 00104 A/S Pos.: -- Date: 09/30/97





Blank Corrected Pk Height (A): 0.268  
Concentration (ug/L ): 7.221

Hg2 ID: 183-3-6C /DX5 D Seq. No.: 00112 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 13:58  
Peak Area (A-s): 6.584 Peak Height (A): 0.266  
Blank Corrected Pk Height (A): 0.266  
Concentration (ug/L ): 7.183

Hg2 ID: 183-3-6C MSX5 Seq. No.: 00113 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:04  
Peak Area (A-s): 7.506 Peak Height (A): 0.310  
Blank Corrected Pk Height (A): 0.310  
Concentration (ug/L ): 8.355

Hg2 ID: 183-3-6C MSDX5 Seq. No.: 00114 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:05  
Peak Area (A-s): 7.662 Peak Height (A): 0.313  
Blank Corrected Pk Height (A): 0.313  
Concentration (ug/L ): 8.436

Hg2 ID: 183-3-6B Seq. No.: 00115 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:07  
Peak Area (A-s): 0.263 Peak Height (A): 0.011  
Blank Corrected Pk Height (A): 0.011  
Concentration (ug/L ): 0.284

Hg2 ID: 183-3-6B D Seq. No.: 00116 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:08  
Peak Area (A-s): 0.070 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.076

Hg2 ID: CCV3=6.0ug/L Seq. No.: 00117 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:10  
Peak Area (A-s): 5.322 Peak Height (A): 0.225  
Blank Corrected Pk Height (A): 0.225  
Concentration (ug/L ): 6.065

Hg2 ID: CCB3 Seq. No.: 00118 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:11  
Peak Area (A-s): 0.046 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.046

Hg2 ID: 183-3-6D Seq. No.: 00119 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:13  
Peak Area (A-s): 0.899 Peak Height (A): 0.037  
Blank Corrected Pk Height (A): 0.037  
Concentration (ug/L ): 1.002

Hg2 ID: 183-3-6D D Seq. No.: 00120 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:14  
Peak Area (A-s): 0.895 Peak Height (A): 0.037  
Blank Corrected Pk Height (A): 0.037  
Concentration (ug/L ): 0.994

Hg2 ID: 183-3-6E Seq. No.: 00121 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:15  
Peak Area (A-s): 0.612 Peak Height (A): 0.025  
Blank Corrected Pk Height (A): 0.025  
Concentration (ug/L ): 0.666

Hg2 ID: 183-3-6E D Seq. No.: 00122 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:16  
Peak Area (A-s): 0.634 Peak Height (A): 0.026  
Blank Corrected Pk Height (A): 0.026  
Concentration (ug/L ): 0.707

Hg2 ID: 183-3-6F Seq. No.: 00123 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:17  
Peak Area (A-s): 0.822 Peak Height (A): 0.034  
Blank Corrected Pk Height (A): 0.034  
Concentration (ug/L ): 0.915

Hg2 ID: 183-3-6F D Seq. No.: 00124 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:19  
Peak Area (A-s): 0.184 Peak Height (A): 0.008  
Blank Corrected Pk Height (A): 0.008  
Concentration (ug/L ): 0.208

Hg2 ID: 183-3-7B Seq. No.: 00125 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:21  
Peak Area (A-s): 0.035 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.049

Hg2 ID: 183-3-7B D Seq. No.: 00126 A/S Pos.: -- Date: 09/30/97

Replicate 1  
Peak Area (A-s): 0.105  
Blank Corrected Pk Height (A): 0.004  
Concentration (ug/L ): 0.114  
Time: 14:22  
Peak Height (A): 0.004

Hg2 ID: 183-3-7C Seq. No.: 00127 A/S Pos.: -- Date: 09/30/97

Sample abs. is greater than that of the largest standard.

09/30/97 11:49 AM

Replicate 1  
Peak Area (A-s): 25.807  
Blank Corrected Pk Height (A): 1.047  
Concentration (ug/L ): 28.255  
Time: 14:23  
Peak Height (A): 1.047

Hg2 ID: 183-3-7C DX5 Seq. No.: 00128 A/S Pos.: -- Date: 09/30/97

Replicate 1  
Peak Area (A-s): 4.042  
Blank Corrected Pk Height (A): 0.167  
Concentration (ug/L ): 4.508  
Time: 14:39  
Peak Height (A): 0.167

Hg2 ID: 183-3-7C DX5 D Seq. No.: 00129 A/S Pos.: -- Date: 09/30/97

Replicate 1  
Peak Area (A-s): 4.452  
Blank Corrected Pk Height (A): 0.181  
Concentration (ug/L ): 4.895  
Time: 14:41  
Peak Height (A): 0.181

Hg2 ID: CCV4=6.0ug/L Seq. No.: 00130 A/S Pos.: -- Date: 09/30/97

Replicate 1  
Peak Area (A-s): 5.514  
Blank Corrected Pk Height (A): 0.235  
Concentration (ug/L ): 6.354  
Time: 14:43  
Peak Height (A): 0.235

Hg2 ID: CCB4 Seq. No.: 00131 A/S Pos.: -- Date: 09/30/97

Replicate 1  
Peak Area (A-s): 0.049  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.054  
Time: 14:44  
Peak Height (A): 0.002

Hg2 ID: 183-3-7D Seq. No.: 00132 A/S Pos.: -- Date: 09/30/97

Replicate 1  
Peak Area (A-s): 1.397  
Blank Corrected Pk Height (A): 0.058  
Concentration (ug/L ): 1.565  
Time: 14:45  
Peak Height (A): 0.058

Hg2 ID: 183-3-7D D Seq. No.: 00133 A/S Pos.: -- Date: 09/30/97

Replicate 1  
Peak Area (A-s): 1.336  
Peak Height (A): 0.054  
Time: 14:46

Blank Corrected PK Height (A): 0.054  
Concentration (ug/L ): 1.467

Hg2 ID: 183-3-7E Seq. No.: 00134 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:47  
Peak Area (A-s): 1.157 Peak Height (A): 0.049  
Blank Corrected PK Height (A): 0.049  
Concentration (ug/L ): 1.316

Hg2 ID: 183-3-7E D Seq. No.: 00135 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:49  
Peak Area (A-s): 1.133 Peak Height (A): 0.047  
Blank Corrected PK Height (A): 0.047  
Concentration (ug/L ): 1.273

Hg2 ID: 183-3-7E MS Seq. No.: 00136 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:50  
Peak Area (A-s): 5.826 Peak Height (A): 0.243  
Blank Corrected PK Height (A): 0.243  
Concentration (ug/L ): 6.555

Hg2 ID: 183-3-7E MSD Seq. No.: 00137 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:51  
Peak Area (A-s): 6.085 Peak Height (A): 0.255  
Blank Corrected PK Height (A): 0.255  
Concentration (ug/L ): 6.874

Hg2 ID: 183-3-7F Seq. No.: 00138 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:57  
Peak Area (A-s): 0.092 Peak Height (A): 0.004  
Blank Corrected PK Height (A): 0.004  
Concentration (ug/L ): 0.103

Hg2 ID: 183-3-7F D Seq. No.: 00139 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:58  
Peak Area (A-s): 0.132 Peak Height (A): 0.005  
Blank Corrected PK Height (A): 0.005  
Concentration (ug/L ): 0.135

Hg2 ID: 183-3-8B Seq. No.: 00140 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 14:59  
Peak Area (A-s): 0.036 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.051

2011-1-19

Hg2 ID: 183-3-8B D Seq. No.: 00141 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:01  
Peak Area (A-s): 0.032 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.043

Hg2 ID: CCV5=6.0ug/L Seq. No.: 00142 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:02  
Peak Area (A-s): 5.657 Peak Height (A): 0.238  
Blank Corrected Pk Height (A): 0.238  
Concentration (ug/L ): 6.414

Hg2 ID: CCB5 Seq. No.: 00143 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:04  
Peak Area (A-s): 0.034 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.032

Hg2 ID: 183-3-8C Seq. No.: 00144 A/S Pos.: -- Date: 09/30/97

Sample abs. is greater than that of the largest standard.  
Replicate 1 Time: 15:06  
Peak Area (A-s): 25.797 Peak Height (A): 1.064  
Blank Corrected Pk Height (A): 1.064  
Concentration (ug/L ): 28.715

Unit 2011-1-19 Ccv Failed

Hg2 ID: 183-3-8C DX5 Seq. No.: 00145 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:15  
Peak Area (A-s): 2.095 Peak Height (A): 0.086  
Blank Corrected Pk Height (A): 0.086  
Concentration (ug/L ): 2.318

Hg2 ID: 183-3-8C DX5 D Seq. No.: 00146 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:17  
Peak Area (A-s): 2.171 Peak Height (A): 0.090  
Blank Corrected Pk Height (A): 0.090  
Concentration (ug/L ): 2.420

Hg2 ID: 183-3-8D Seq. No.: 00147 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:18  
Peak Area (A-s): 0.939 Peak Height (A): 0.038  
Blank Corrected Pk Height (A): 0.038  
Concentration (ug/L ): 1.037

Hg2 ID: 183-3-8D D Seq. No.: 00148 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:19  
Peak Area (A-s): 0.959 Peak Height (A): 0.040  
Blank Corrected PK Height (A): 0.040  
Concentration (ug/L ): 1.069

Hg2 ID: 183-3-8E Seq. No.: 00149 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:21  
Peak Area (A-s): 0.591 Peak Height (A): 0.024  
Blank Corrected PK Height (A): 0.024  
Concentration (ug/L ): 0.639

Hg2 ID: 183-3-8E D Seq. No.: 00150 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:22  
Peak Area (A-s): 0.568 Peak Height (A): 0.023  
Blank Corrected PK Height (A): 0.023  
Concentration (ug/L ): 0.620

Hg2 ID: 183-3-8F Seq. No.: 00151 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:23  
Peak Area (A-s): 0.144 Peak Height (A): 0.006  
Blank Corrected PK Height (A): 0.006  
Concentration (ug/L ): 0.168

Hg2 ID: 183-3-8F D Seq. No.: 00152 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:24  
Peak Area (A-s): 0.082 Peak Height (A): 0.004  
Blank Corrected PK Height (A): 0.004  
Concentration (ug/L ): 0.100

Hg2 ID: CCV6=6.0ug/L Seq. No.: 00153 A/S Pos.: -- Date: 09/30/97

Sample abs. is greater than that of the largest standard.  
Replicate 1 Time: 15:26  
Peak Area (A-s): 25.910 Peak Height (A): 1.066  
Blank Corrected PK Height (A): 1.066  
Concentration (ug/L ): 28.780

*Unit wrong sample  
11-4-97*

Hg2 ID: CCV6=6.0ug/L Seq. No.: 00154 A/S Pos.: -- Date: 09/30/97

Replicate 1 Time: 15:28  
Peak Area (A-s): 8.743 Peak Height (A): 0.372  
Blank Corrected PK Height (A): 0.372  
Concentration (ug/L ): 10.047

*Failed,  
Samples will be reprinted  
11-4-97*

Hg2 ID: CCB6

Seq. No.: 00155

A/S Pos.: --

Date: 09/30/97

Replicate 1

Time: 15:30

Peak Area (A-s): 0.050

Peak Height (A): 0.002

Blank Corrected PK Height (A): 0.002

Concentration (ug/L ): 0.060

ID/Weight File: A6812.IDW  
Sample Volume: 100 mL

Analyst: RICHARDS  
Nominal Weight: 1.0 g

tlg

| Loc. | Sample ID     | Weight  | Dilution   |
|------|---------------|---------|------------|
| 0    | STD BLK       |         |            |
| 1    | STD1=0.2ug/L  |         |            |
| 2    | STD2=0.5ug/L  |         |            |
| 3    | STD3=1.0ug/L  |         |            |
| 4    | STD4=2.0ug/L  |         |            |
| 5    | STD5=5.0ug/L  |         |            |
| 6    | STD6=10.0ug/L |         |            |
| 7    | ICV=4.0ug/L   | 3-019-1 | MR 10/1/97 |
| 8    | ICB           |         |            |
| 9    | CHECK LO      |         |            |
| 10   | 43159A MB4    |         |            |
| 11   | 43159A MB4 D  |         |            |
| 12   | 43159A LCS4   |         |            |
| 13   | 43159A LCS4 D |         |            |
| 14   | 182-30-7E     |         |            |
| 15   | 182-30-7E D   |         |            |
| 16   | 182-30-7E MS  |         |            |
| 17   | 182-30-7E MSD |         |            |
| 18   | 182-30-9E     |         |            |
| 19   | 182-30-9E D   |         |            |
| 20   | CCV1=6.0ug/L  | 3-019-2 | MR 10/1/97 |
| 21   | CCB1          |         |            |
| 22   | 43233B MB     |         |            |
| 23   | 43233B MB D   |         |            |
| 24   | 43233 LCS     |         |            |
| 25   | 43233 LCS D   |         |            |
| 26   | 183-5-1       |         |            |
| 27   | 183-5-1 D     |         |            |
| 28   | 183-5-1 MS    |         |            |
| 29   | 183-5-1 MSD   |         |            |
| 30   | TCLP BLK      |         |            |
| 31   | TCLP BLK D    |         |            |
| 32   | CCV1=6.0ug/L  | 3-019-2 | MR 10/1/97 |
| 33   | CCB1          |         |            |
| 34   | 43231 MB3     |         |            |
| 35   | 43231 MB3 D   |         |            |
| 36   | 43231 LCS3    |         |            |
| 37   | 43231 LCS3 D  |         |            |
| 38   | 183-3-1D      |         |            |
| 39   | 183-3-1D D    |         |            |
| 40   | 183-3-2E      |         |            |
| 41   | 183-3-2E D    |         |            |
| 42   | 183-3-2E MS   |         |            |
| 43   | 183-3-2E MSD  |         |            |
| 44   | CCV1=6.0ug/L  | 3-019-2 | MR 10/1/97 |
| 45   | CCB1          |         |            |
| 46   | 183-3-2F      |         |            |
| 47   | 183-3-2F D    |         |            |
| 48   | 183-3-3E      |         |            |
| 49   | 183-3-3E D    |         |            |
| 50   | 183-3-3F      |         |            |
| 51   | 183-3-3F D    |         |            |
| 52   | 183-3-1EF     |         |            |
| 53   | 183-3-1EF D   |         |            |



| Loc. | Sample ID     | Weight  | Dilution   |
|------|---------------|---------|------------|
| 54   | 183-3-5EF     |         |            |
| 55   | 183-3-5EF D   |         |            |
| 56   | CCV2=6.0ug/L  | 3-019-2 | me 10/1/97 |
| 57   | CCB2          |         |            |
| 58   | 183-3-6F      |         |            |
| 59   | 183-3-6F D    |         |            |
| 60   | 183-3-8C      |         |            |
| 61   | 183-3-8C DX2  |         |            |
| 62   | 183-3-8C DDX2 |         |            |
| 63   | 183-3-8D      |         |            |
| 64   | 183-3-8D D    |         |            |
| 65   | 183-3-8E      |         |            |
| 66   | 183-3-8E D    |         |            |
| 67   | 183-3-8E MS   |         |            |
| 68   | 183-3-8E MSD  |         |            |
| 69   | CCV3=6.0ug/L  | 3-019-2 | me 10/1/97 |
| 70   | CCB3          |         |            |
| 71   | 183-3-8F      |         |            |
| 72   | 183-3-8F D    |         |            |
| 73   | CCV4=6.0ug/L  | 3-019-2 | me 10/1/97 |
| 74   | CCB4          |         |            |

Element File: HG\_MEL  
Element: Hg2  
Print Data: Main+Suppl.  
Print: Calib. Curve  
Remarks:  
STANDARDS= 3-019-1  
QC= 3-019-2

Analyst: RICHARDS  
Peak Storage: None

Hg  
10/1/97 MR

INSTRUMENT: 5100  
Wavelength: 253.7 Peak  
Signal Type: AA  
Read Time: 30.0  
Sample Replicates: 1  
Standard Replicates: 1

Technique: MHS  
Slit: 0.7 Low  
Signal Measurement: Peak Height (5)  
Read Delay: 1.0  
Version: 7.01  
BOC Time: 2

FLAME:  
Flame Type: Air  
Oxidant Flow: 10.0 L/min

Flame Sensor: On  
Fuel Flow: 2.0 L/min

CALIBRATION:

| Solutions    | ID      | Conc   |
|--------------|---------|--------|
| Calib. Blank | STD BLK |        |
| Standard 1   | STD 1   | 0.200  |
| Standard 2   | STD 2   | 0.500  |
| Standard 3   | STD 3   | 1.000  |
| Standard 4   | STD 4   | 2.000  |
| Standard 5   | STD 5   | 5.000  |
| Standard 6   | STD 6   | 10.000 |

Calibration Units: ug/L  
Calibration Type: Linear

Sample Units: ug/L

QC:

Matrix Check Calculations:  
% Difference for Dupls: No  
% Recovery for Spike: No

Locations:  
Locations: Conc:

Element File: HG\_.MEL  
Date: 10/01/97

Element: Hg2  
Time: 09:25  
ID/Wt File: AB812.IDW  
Calib. Type: Linear

Wavelength: 253.7  
Slit: 0.7 L  
Lamp Current: 0  
Energy: 72

Data File: AB812.DAT  
Technique: MHS  
Remark 1: STANDARDS= 3-019-1  
Remark 2: QC= 3-019-2

Hg2 ID: STD BLK Seq. No.: 00003 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 09:27  
Peak Area (A-s): -0.004 Peak Height (A): -0.001  
Blank Corrected Pk Height (A): -0.001

Auto-zero performed.

Hg2 ID: STD1=0.2ug/L Seq. No.: 00004 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 09:28  
Peak Area (A-s): 0.162 Peak Height (A): 0.007  
Blank Corrected Pk Height (A): 0.007

Standard number 1 applied. [0.200]  
Correlation coefficient: 1.00000 Slope: 0.0331

Hg2 ID: STD2=0.5ug/L Seq. No.: 00005 A/S Pos.: -- Date: 10/01/97

Sample abs. is greater than that of the largest standard.  
Replicate 1 Time: 09:29  
Peak Area (A-s): 0.407 Peak Height (A): 0.017  
Blank Corrected Pk Height (A): 0.017  
Concentration (ug/L ): 0.503

Standard number 2 applied. [0.500]  
Correlation coefficient: 0.99999 Slope: 0.0333

Hg2 ID: STD3=1.0ug/L Seq. No.: 00006 A/S Pos.: -- Date: 10/01/97

Sample abs. is greater than that of the largest standard.  
Replicate 1 Time: 09:30  
Peak Area (A-s): 0.854 Peak Height (A): 0.036  
Blank Corrected Pk Height (A): 0.036  
Concentration (ug/L ): 1.085

Standard number 3 applied. [1.000]  
Correlation coefficient: 0.99780 Slope: 0.0355

Hg2 ID: STD4=2.0ug/L Seq. No.: 00007 A/S Pos.: -- Date: 10/01/97

Sample abs. is greater than that of the largest standard.  
Replicate 1 Time: 09:32  
Peak Area (A-s): 1.759 Peak Height (A): 0.075  
Blank Corrected Pk Height (A): 0.075  
Concentration (ug/L ): 2.101

Standard number 4 applied. [2.000]  
Correlation coefficient: 0.99899      Slope: 0.0369

---

Hg2    ID: STD5=5.0ug/      Seq. No.: 00008    A/S Pos.: --    Date: 10/01/97

Sample abs. is greater than that of the largest standard.  
Replicate 1      Time: 09:33  
Peak Area (A-s): 4.364      Peak Height (A): 0.188  
Blank Corrected Pk Height (A): 0.188  
Concentration (ug/L ): 5.095

Standard number 5 applied. [5.000]  
Correlation coefficient: 0.99983      Slope: 0.0375

---

Hg2    ID: STD6=10.0ug/L      Seq. No.: 00009    A/S Pos.: --    Date: 10/01/97

Sample abs. is greater than that of the largest standard.  
Replicate 1      Time: 09:34  
Peak Area (A-s): 8.781      Peak Height (A): 0.375  
Blank Corrected Pk Height (A): 0.375  
Concentration (ug/L ): 10.011

Standard number 6 applied. [10.000]  
Correlation coefficient: 0.99996      Slope: 0.0375

Element File: HG\_MEL

Element: Hg2

Wavelength: 253.7

Date: 10/01/97

Time: 09:35

Slit: 0.7 L

Data File: AB812.DAT

ID/Wt File: AB812.IDW

Lamp Current: 0


Technique: MHS

Calib. Type: Linear

Energy: 72

Remark 1: STANDARDS= 3-019-1

Remark 2: QC= 3-019-2



-----  
Element File: HG\_.MEL            Element: Hg2            Wavelength: 253.7  
Date: 10/01/97            Time: 09:37            Slit: 0.7 L  
Data File: AB812.DAT            ID/Wt File: AB812.IDW            Lamp Current: 0  
Technique: MHS            Calib. Type: Linear            Energy: 72  
Remark 1: STANDARDS= 3-019-1  
Remark 2: QC= 3-019-2  
-----

-----  
Hg2    ID: ICV=4.0ug/L            Seq. No.: 00010            A/S Pos.: --            Date: 10/01/97  
-----

Replicate 1            Time: 09:37  
Peak Area (A-s): 3.529            Peak Height (A): 0.152  
Blank Corrected Pk Height (A): 0.152  
Concentration (ug/L ): 4.052  
-----

-----  
Hg2    ID: ICB            Seq. No.: 00011            A/S Pos.: --            Date: 10/01/97  
-----

Replicate 1            Time: 09:41  
Peak Area (A-s): -0.001            Peak Height (A): 0.000  
Blank Corrected Pk Height (A): 0.000  
Concentration (ug/L ): 0.005  
-----

-----  
Hg2    ID: CHECK LO            Seq. No.: 00012            A/S Pos.: --            Date: 10/01/97  
-----

Replicate 1            Time: 09:42  
Peak Area (A-s): 0.155            Peak Height (A): 0.006  
Blank Corrected Pk Height (A): 0.006  
Concentration (ug/L ): 0.163  
-----

-----  
Hg2    ID: 43159A MB4            Seq. No.: 00013            A/S Pos.: --            Date: 10/01/97  
-----

Replicate 1            Time: 09:43  
Peak Area (A-s): -0.001            Peak Height (A): 0.000  
Blank Corrected Pk Height (A): 0.000  
Concentration (ug/L ): 0.003  
-----

-----  
Hg2    ID: 43159A MB4 D            Seq. No.: 00014            A/S Pos.: --            Date: 10/01/97  
-----

Replicate 1            Time: 09:44  
Peak Area (A-s): -0.004            Peak Height (A): -0.000  
Blank Corrected Pk Height (A): -0.000  
Concentration (ug/L ): -0.005  
-----

-----  
Hg2    ID: 43159A LCS4            Seq. No.: 00015            A/S Pos.: --            Date: 10/01/97  
-----

Replicate 1            Time: 09:45  
Peak Area (A-s): 3.808            Peak Height (A): 0.164  
Blank Corrected Pk Height (A): 0.164  
Concentration (ug/L ): 4.365  
-----

-----  
Hg2    ID: 43159A LCS4 D            Seq. No.: 00016            A/S Pos.: --            Date: 10/01/97  
-----

Hg2 ID: 183-5-1 MS Seq. No.: 00031 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:10  
Peak Area (A-s): 3.985 Peak Height (A): 0.174  
Blank Corrected PK Height (A): 0.174  
Concentration (ug/L ): 4.632

Hg2 ID: 183-5-1 MSD Seq. No.: 00032 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:11  
Peak Area (A-s): 3.870 Peak Height (A): 0.166  
Blank Corrected PK Height (A): 0.166  
Concentration (ug/L ): 4.421

Hg2 ID: TCLP BLK Seq. No.: 00033 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:12  
Peak Area (A-s): 0.022 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.029

Hg2 ID: TCLP BLK D Seq. No.: 00034 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:13  
Peak Area (A-s): 0.046 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.051

Hg2 ID: CCV1=6.0ug/L Seq. No.: 00035 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:14  
Peak Area (A-s): 5.244 Peak Height (A): 0.227  
Blank Corrected PK Height (A): 0.227  
Concentration (ug/L ): 6.042

Hg2 ID: CCB1 Seq. No.: 00036 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:15  
Peak Area (A-s): 0.018 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.024

Hg2 ID: 43231 MB3 Seq. No.: 00037 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:16  
Peak Area (A-s): 0.009 Peak Height (A): 0.000  
Blank Corrected PK Height (A): 0.000  
Concentration (ug/L ): 0.008

Hg2 ID: 43231 MB3 D Seq. No.: 00038 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:17  
Peak Area (A-s): 0.008 Peak Height (A): 0.000  
Blank Corrected PK Height (A): 0.000  
Concentration (ug/L ): 0.011

Hg2 ID: 43231 LCS3 Seq. No.: 00039 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:18  
Peak Area (A-s): 3.968 Peak Height (A): 0.174  
Blank Corrected PK Height (A): 0.174  
Concentration (ug/L ): 4.646

Hg2 ID: 43231 LCS3 D Seq. No.: 00040 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:19  
Peak Area (A-s): 3.809 Peak Height (A): 0.165  
Blank Corrected PK Height (A): 0.165  
Concentration (ug/L ): 4.400

Hg2 ID: 183-3-1D Seq. No.: 00041 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:20  
Peak Area (A-s): 0.031 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.027

Hg2 ID: 183-3-1D D Seq. No.: 00042 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:21  
Peak Area (A-s): 0.028 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.029

Hg2 ID: 183-3-2E Seq. No.: 00043 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:22  
Peak Area (A-s): 0.620 Peak Height (A): 0.026  
Blank Corrected PK Height (A): 0.026  
Concentration (ug/L ): 0.698

Hg2 ID: 183-3-2E D Seq. No.: 00044 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:24  
Peak Area (A-s): 0.652 Peak Height (A): 0.027  
Blank Corrected PK Height (A): 0.027  
Concentration (ug/L ): 0.730

Hg2 ID: 183-3-2E MS Seq. No.: 00045 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:25  
Peak Area (A-s): 4.515 Peak Height (A): 0.194  
Blank Corrected PK Height (A): 0.194



Concentration (ug/L ): 5.183

Hg2 ID: 183-3-2E MSD Seq. No.: 00046 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:26  
Peak Area (A-s): 4.456 Peak Height (A): 0.190  
Blank Corrected Pk Height (A): 0.190  
Concentration (ug/L ): 5.076

Hg2 ID: CCV1=6.0ug/L Seq. No.: 00047 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:27  
Peak Area (A-s): 5.079 Peak Height (A): 0.219  
Blank Corrected Pk Height (A): 0.219  
Concentration (ug/L ): 5.828

Hg2 ID: CCB1 Seq. No.: 00048 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:28  
Peak Area (A-s): 0.033 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.037

Hg2 ID: 183-3-2F Seq. No.: 00049 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:29  
Peak Area (A-s): 0.065 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.067

Hg2 ID: 183-3-2F D Seq. No.: 00050 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:30  
Peak Area (A-s): 0.055 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.064

Hg2 ID: 183-3-3E Seq. No.: 00051 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:31  
Peak Area (A-s): 1.023 Peak Height (A): 0.044  
Blank Corrected Pk Height (A): 0.044  
Concentration (ug/L ): 1.174

Hg2 ID: 183-3-3E D Seq. No.: 00052 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:33  
Peak Area (A-s): 1.080 Peak Height (A): 0.046  
Blank Corrected Pk Height (A): 0.046  
Concentration (ug/L ): 1.217

Hg2 ID: 183-3-3F Seq. No.: 00053 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:34  
Peak Area (A-s): 0.049 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.062

Hg2 ID: 183-3-3F D Seq. No.: 00054 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:35  
Peak Area (A-s): 0.047 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.053

Hg2 ID: 183-3-1EF Seq. No.: 00055 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:38  
Peak Area (A-s): 0.008 Peak Height (A): 0.000  
Blank Corrected Pk Height (A): 0.000  
Concentration (ug/L ): 0.008

Hg2 ID: 183-3-1EF D Seq. No.: 00056 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:39  
Peak Area (A-s): 0.023 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.024

Hg2 ID: 183-3-5EF Seq. No.: 00057 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:40  
Peak Area (A-s): 0.012 Peak Height (A): 0.000  
Blank Corrected Pk Height (A): 0.000  
Concentration (ug/L ): 0.011

Hg2 ID: 183-3-5EF D Seq. No.: 00058 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:41  
Peak Area (A-s): 0.034 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.035

Hg2 ID: CCV2=6.0ug/L Seq. No.: 00059 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:42  
Peak Area (A-s): 4.449 Peak Height (A): 0.190  
Blank Corrected Pk Height (A): 0.190  
Concentration (ug/L ): 5.060

Hg2 ID: CCB2 Seq. No.: 00060 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:44  
Peak Area (A-s): 0.016 Peak Height (A): 0.000  
Blank Corrected Pk Height (A): 0.000  
Concentration (ug/L ): 0.011

Hg2 ID: 183-3-6F Seq. No.: 00061 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:46  
Peak Area (A-s): 0.023 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.027

Hg2 ID: 183-3-6F D Seq. No.: 00062 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 10:47  
Peak Area (A-s): 0.022 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.024

Hg2 ID: 183-3-8C Seq. No.: 00063 A/S Pos.: -- Date: 10/01/97

Sample abs. is greater than that of the largest standard. *Cave high 11-4-97cc*  
Replicate 1 Time: 10:48  
Peak Area (A-s): 12.775 Peak Height (A): 0.543  
Blank Corrected Pk Height (A): 0.543  
Concentration (ug/L ): 14.474

Hg2 ID: 183-3-8C DX2 Seq. No.: 00064 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:00  
Peak Area (A-s): 6.442 Peak Height (A): 0.273  
Blank Corrected Pk Height (A): 0.273  
Concentration (ug/L ): 7.288

Hg2 ID: 183-3-8C ~~DX2~~ D Seq. No.: 00065 A/S Pos.: -- Date: 10/01/97  
*11-4-97cc*

Replicate 1 Time: 11:01  
Peak Area (A-s): 6.070 Peak Height (A): 0.258  
Blank Corrected Pk Height (A): 0.258  
Concentration (ug/L ): 6.868

Hg2 ID: 183-3-8D Seq. No.: 00066 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:02  
Peak Area (A-s): 0.886 Peak Height (A): 0.037  
Blank Corrected Pk Height (A): 0.037  
Concentration (ug/L ): 0.990

Hg2 ID: 183-3-8D D Seq. No.: 00067 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:04  
Peak Area (A-s): 0.856 Peak Height (A): 0.037

Blank Corrected Pk Height (A): 0.037  
Concentration (ug/L ): 0.974

Hg2 ID: 183-3-8E Seq. No.: 00068 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:05  
Peak Area (A-s): 0.539 Peak Height (A): 0.023  
Blank Corrected Pk Height (A): 0.023  
Concentration (ug/L ): 0.620

Hg2 ID: 183-3-8E D Seq. No.: 00069 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:06  
Peak Area (A-s): 0.544 Peak Height (A): 0.023  
Blank Corrected Pk Height (A): 0.023  
Concentration (ug/L ): 0.615

Hg2 ID: 183-3-8E MS Seq. No.: 00070 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:07  
Peak Area (A-s): 4.298 Peak Height (A): 0.184  
Blank Corrected Pk Height (A): 0.184  
Concentration (ug/L ): 4.902

Hg2 ID: 183-3-8E MSD Seq. No.: 00071 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:08  
Peak Area (A-s): 4.180 Peak Height (A): 0.181  
Blank Corrected Pk Height (A): 0.181  
Concentration (ug/L ): 4.830

Hg2 ID: CCV3=6.0ug/L Seq. No.: 00072 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:09  
Peak Area (A-s): 0.038 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.043

Delete Barun  
11-1-97

Hg2 ID: CCV3=6.0ug/L Seq. No.: 00073 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:11  
Peak Area (A-s): 4.570 Peak Height (A): 0.194  
Blank Corrected Pk Height (A): 0.194  
Concentration (ug/L ): 5.162

Hg2 ID: CCB3 Seq. No.: 00074 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:12  
Peak Area (A-s): 0.017 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.019

Hg2 ID: 183-3-8F Seq. No.: 00075 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:13  
Peak Area (A-s): 0.048 Peak Height (A): 0.002  
Blank Corrected PK Height (A): 0.002  
Concentration (ug/L ): 0.059

Hg2 ID: 183-3-8F D Seq. No.: 00076 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:14  
Peak Area (A-s): 0.103 Peak Height (A): 0.004  
Blank Corrected PK Height (A): 0.004  
Concentration (ug/L ): 0.112

Hg2 ID: CCV4=6.0ug/L Seq. No.: 00077 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:15  
Peak Area (A-s): 4.850 Peak Height (A): 0.207  
Blank Corrected PK Height (A): 0.207  
Concentration (ug/L ): 5.507

Hg2 ID: CCB4 Seq. No.: 00078 A/S Pos.: -- Date: 10/01/97

Replicate 1 Time: 11:16  
Peak Area (A-s): 0.018 Peak Height (A): 0.001  
Blank Corrected PK Height (A): 0.001  
Concentration (ug/L ): 0.016

ID/Weight File: AB815.IDW  
Sample Volume: 100 mL

Analyst: RICHARDS  
Nominal Weight: 1.0 g

tlg

| Loc. | Sample ID          | Weight  | Dilution   |
|------|--------------------|---------|------------|
| 0    | STD BLK            |         |            |
| 1    | STD1=0.2ug/L       |         |            |
| 2    | STD2=0.5ug/L       |         |            |
| 3    | STD3=1.0ug/L       | 3-020-1 | 10/6/97 ml |
| 4    | STD4=2.0ug/L       |         |            |
| 5    | STD5=5.0ug/L       |         |            |
| 6    | STD6=10.0ug/L      |         |            |
| 7    | ICV=4.0ug/L        | 3-020-2 | 10/6/97 ml |
| 8    | ICB                |         |            |
| 9    | CHECK LOA          |         |            |
| 10   | 43231 MB3          |         |            |
| 11   | 43231 MB3 D        |         |            |
| 12   | 43231 LCS3         |         |            |
| 13   | 43231 LCS3 D       |         |            |
| 14   | 184-23-1AB         |         |            |
| 15   | 184-23-1AB D       |         |            |
| 16   | 184-23-1AB MSD x 2 |         |            |
| 17   | 184-23-1AB MSD x 2 |         |            |
| 18   | 184-23-2AB         |         |            |
| 19   | 184-23-2AB D       | 3-020-2 | 10/6/97 ml |
| 20   | CCV1=6.0ug/L       |         |            |
| 21   | CCB1               |         |            |
| 22   | 184-23-3AB         |         |            |
| 23   | 184-23-3AB D       |         |            |
| 24   | 184-23-4AB         |         |            |
| 25   | 184-23-4AB D       |         |            |
| 26   | 184-23-6AB         |         |            |
| 27   | 184-23-6AB D       |         |            |
| 28   | 184-23-7AB         |         |            |
| 29   | 184-23-7AB D       |         |            |
| 30   | 184-23-8AB         |         |            |
| 31   | 184-23-8AB D       | 3-020-2 | 10/6/97 ml |
| 32   | CCV2=6.0ug/L       |         |            |
| 33   | CCB2               |         |            |
| 34   | 184-23-9AB         |         |            |
| 35   | 184-23-9AB D       | 3-020-2 | 10/6/97 ml |
| 36   | CCV3=6.0ug/L       |         |            |
| 37   | CCB3               |         |            |









Element File: HG\_.MEL

Element: Hg2

Wavelength: 253.7

Date: 10/06/97

Time: 12:56

Slit: 0.7 L

Data File: AB815.DAT

ID/Wt File: AB815.IDW

Lamp Current: 0


Technique: MHS

Calib. Type: Linear

Energy: 71

Remark 1: STANDARDS= 3-020-1

Remark 2: QC= 3-020-2





Replicate 1 Time: 13:06  
Peak Area (A-s): 4.141 Peak Height (A): 0.178  
Blank Corrected Pk Height (A): 0.178  
Concentration (ug/L ): 4.928

Hg2 ID: 184-23-1AB Seq. No.: 00017 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:07  
Peak Area (A-s): 4.484 Peak Height (A): 0.191  
Blank Corrected Pk Height (A): 0.191  
Concentration (ug/L ): 5.269

Hg2 ID: 184-23-1AB D Seq. No.: 00018 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:08  
Peak Area (A-s): 4.343 Peak Height (A): 0.186  
Blank Corrected Pk Height (A): 0.186  
Concentration (ug/L ): 5.153

Hg2 ID: 184-23-1AB MS Seq. No.: 00019 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:09  
Peak Area (A-s): 8.967 Peak Height (A): 0.383  
Blank Corrected Pk Height (A): 0.383  
Concentration (ug/L ): 10.592

Omit High  
11-4-97

Hg2 ID: 184-23-1ABMSDX2 Seq. No.: 00020 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:18  
Peak Area (A-s): 4.728 Peak Height (A): 0.201  
Blank Corrected Pk Height (A): 0.201  
Concentration (ug/L ): 5.561

Hg2 ID: 184-23-1ABMSDX2 D Seq. No.: 00021 A/S Pos.: -- Date: 10/06/97

11-4-97

Replicate 1 Time: 13:19  
Peak Area (A-s): 4.121 Peak Height (A): 0.177  
Blank Corrected Pk Height (A): 0.177  
Concentration (ug/L ): 4.881

Hg2 ID: 184-23-2AB Seq. No.: 00022 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:21  
Peak Area (A-s): 7.587 Peak Height (A): 0.335  
Blank Corrected Pk Height (A): 0.335  
Concentration (ug/L ): 9.249

Hg2 ID: 184-23-2AB D Seq. No.: 00023 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:22  
Peak Area (A-s): 7.506 Peak Height (A): 0.329  
Blank Corrected Pk Height (A): 0.329

Concentration (ug/L ): 9.097

Hg2 ID: CCV1=6.0ug/L Seq. No.: 00024 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:22  
Peak Area (A-s): 5.358 Peak Height (A): 0.230  
Blank Corrected Pk Height (A): 0.230  
Concentration (ug/L ): 6.357

Hg2 ID: CCB1 Seq. No.: 00025 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:23  
Peak Area (A-s): 0.053 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.047

Hg2 ID: 184-23-3AB Seq. No.: 00026 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:24  
Peak Area (A-s): 5.790 Peak Height (A): 0.251  
Blank Corrected Pk Height (A): 0.251  
Concentration (ug/L ): 6.931

Hg2 ID: 184-23-3AB D Seq. No.: 00027 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:26  
Peak Area (A-s): 5.473 Peak Height (A): 0.234  
Blank Corrected Pk Height (A): 0.234  
Concentration (ug/L ): 6.479

Hg2 ID: 184-23-4AB Seq. No.: 00028 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:30  
Peak Area (A-s): 0.021 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.014

Hg2 ID: 184-23-4AB D Seq. No.: 00029 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:31  
Peak Area (A-s): 0.016 Peak Height (A): 0.000  
Blank Corrected Pk Height (A): 0.000  
Concentration (ug/L ): 0.011

Hg2 ID: 184-23-6AB Seq. No.: 00030 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:32  
Peak Area (A-s): 0.080 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.092

Hg2 ID: 184-23-6AB D Seq. No.: 00031 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:33  
Peak Area (A-s): 0.078 Peak Height (A): 0.003  
Blank Corrected Pk Height (A): 0.003  
Concentration (ug/L ): 0.083

Hg2 ID: 184-23-7AB Seq. No.: 00032 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:34  
Peak Area (A-s): 0.034 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.033

Hg2 ID: 184-23-7AB D Seq. No.: 00033 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:35  
Peak Area (A-s): 0.032 Peak Height (A): 0.002  
Blank Corrected Pk Height (A): 0.002  
Concentration (ug/L ): 0.042

Hg2 ID: 184-23-8AB Seq. No.: 00034 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:36  
Peak Area (A-s): 0.041 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.036

Hg2 ID: 184-23-8AB D Seq. No.: 00035 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:37  
Peak Area (A-s): 0.041 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.036

Hg2 ID: CCV2=6.0ug/L Seq. No.: 00036 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:38  
Peak Area (A-s): 5.261 Peak Height (A): 0.229  
Blank Corrected Pk Height (A): 0.229  
Concentration (ug/L ): 6.329

Hg2 ID: CCB2 Seq. No.: 00037 A/S Pos.: -- Date: 10/06/97

Replicate 1 Time: 13:39  
Peak Area (A-s): 0.029 Peak Height (A): 0.001  
Blank Corrected Pk Height (A): 0.001  
Concentration (ug/L ): 0.025

Hg2 ID: 184-23-9AB Seq. No.: 00038 A/S Pos.: -- Date: 10/06/97

Replicate 1  
Peak Area (A-s): 0.018  
Blank Corrected Pk Height (A): 0.000  
Concentration (ug/L ): 0.006  
Time: 13:40  
Peak Height (A): 0.000

~~~~~  
Hg2 ID: 184-23-9AB D Seq. No.: 00039 A/S Pos.: -- Date: 10/06/97

Replicate 1
Peak Area (A-s): 0.012
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.003
Time: 13:40
Peak Height (A): 0.000

~~~~~  
Hg2 ID: CCV3=6.0ug/L Seq. No.: 00040 A/S Pos.: -- Date: 10/06/97

Replicate 1  
Peak Area (A-s): 5.205  
Blank Corrected Pk Height (A): 0.219  
Concentration (ug/L ): 6.046  
Time: 13:41  
Peak Height (A): 0.219

~~~~~  
Hg2 ID: CCB3 Seq. No.: 00041 A/S Pos.: -- Date: 10/06/97

Replicate 1
Peak Area (A-s): 0.034
Blank Corrected Pk Height (A): 0.002
Concentration (ug/L): 0.042
Time: 13:42
Peak Height (A): 0.002

D/Weight File: A8816.IDW
Sample Volume: 100 mL

Analyst: RICHARDS
Nominal Weight: 1.0 g

Loc.	Sample ID	Weight	Dilution
0	STD BLK		
1	STD1=0.2ug/L		
2	STD2=0.5ug/L		
3	STD3=1.0ug/L		
4	STD4=2.0ug/L		
5	STD5=5.0ug/L		
6	STD6=10.0ug/L		
7	ICV=4.0ug/L	3-020-3 MR	10/8/97
8	ICB		
9	CHECK LO 5		
10	43231 MB		
11	43231 MB D		
12	43231 LCS		
13	43231 LCS D		
14	184-25-5 10AB, 183-15-1B		
15	184-25-5 10AB D, 183-15-1B D		
16	183-15-10 BD, 181-17-7 MR		
17	183-15-10 D, 1910/97 MR		
18	183-15-10 MS, 1010/97 MR		
19	183-15-10 MSD, 11-10/97 MR		
20	CCV1=6.0ug/L	3-020-4 MR	10/8/97
21	CCB1		
22	183-15-10		
23	183-15-10 D		
24	183-15-18		
25	183-15-18 D		
26	183-15-1E		
27	183-15-1E D		
28	CCV2=6.0ug/L	3-020-4 MR	10/8/97
29	CCB2		
30	43271 MB1		
31	43271 MB1 D		
32	43271 LCS1		
33	43271 LCS1 D		
34	183-43-1AB		
35	183-43-1AB D		
36	183-43-1C		
37	183-43-1C D		
38	183-43-1C MS		
39	183-43-1C MSD		
40	CCV1=6.0ug/L	3-020-4 MR	10/8/97
41	CCB1		
42	183-43-10		
43	183-43-10 D		
44	183-43-1E		
45	183-43-1E D		
46	183-43-1F		
47	183-43-1F D		
48	183-43-2AB		
49	183-43-2AB D		
50	183-43-3AB		
51	183-43-3AB D		
52	CCV2=6.0ug/L	3-020-4 MR	10/8/97
53	CCB2		

Loc.	Sample ID	Weight	Dilution
54	183-43-2D		
55	183-43-2D D		
56	183-43-2E		
57	183-43-2E D		
58	183-43-2C		
59	183-43-2C D		
60	183-43-2C MS		
61	183-43-2C MSD		
62	183-43-2F		
63	183-43-2F D		
64	CCV3=6.0ug/L	3-020-4 NR	10/8/97
65	CCB3		
66	183-43-4BC		
67	183-43-4BC D		
68	183-43-3D	} To be reprep.	
69	183-43-3D D		
70	183-43-3E		
71	183-43-3E D		
72	183-43-3F		
73	183-43-3F D		
74	183-43-4AB		
75	183-43-4AB D		
76	CCV4=6.0ug/L	3-020-4 NR	10/8/97
77	CCB4		
78	183-43-4D		
79	183-43-4D D		
80	183-43-3C		
81	183-43-3C D		
82	183-43-3C MS		
83	183-43-3C MSD		
84	183-43-4E		
85	183-43-4E D		
86	183-43-4F		
87	183-43-4F D	} To be reprep.	
88	CCV5=6.0ug/L		3-020-4 NR
89	CCB5		

Element File: HG_.MEL
Element: Hg2
Print Data: Main+Suppl.
Print: Calib. Curve
Remarks:

Analyst: RICHARDS
Peak Storage: None

10/8/97 e

STANDARDS= 3-020-3
QC= 3-020-4

INSTRUMENT: 5100
Wavelength: 253.7 Peak
Signal Type: AA
Read Time: 30.0
Sample Replicates: 1
Standard Replicates: 1

Technique: MHS
Slit: 0.7 Low
Signal Measurement: Peak Height (5)
Read Delay: 1.0
Version: 7.01
BOC Time: 2

FLAME:

Flame Type: Air
Oxidant Flow: 10.0 L/min

Flame Sensor: On
Fuel Flow: 2.0 L/min

CALIBRATION:

Solutions	ID	Conc
Calib. Blank	STD BLK	
Standard 1	STD 1	0.200
Standard 2	STD 2	0.500
Standard 3	STD 3	1.000
Standard 4	STD 4	2.000
Standard 5	STD 5	5.000
Standard 6	STD 6	10.000

Calibration Units: ug/L
Calibration Type: Linear
Sample Units: ug/L

QC:

Matrix Check Calculations:
% Difference for Dupls: No
Recovery for Spike: No

Locations:
Locations: Conc:

Hg2 ID: STD2=0.5ug/L Seq. No.: 00006 A/S Pos.: -- Date: 10/08/97

Sample abs. is greater than that of the largest standard.
Replicate 1 Time: 10:01
Peak Area (A-s): 0.449 Peak Height (A): 0.019
Blank Corrected Pk Height (A): 0.019
Concentration (ug/L): 0.511

Standard number 2 applied. [0.500]
Correlation coefficient: 0.99984 Slope: 0.0388

Hg2 ID: STD3=1.0ug/L Seq. No.: 00007 A/S Pos.: -- Date: 10/08/97

Sample abs. is greater than that of the largest standard.
Replicate 1 Time: 10:02
Peak Area (A-s): 0.830 Peak Height (A): 0.035
Blank Corrected Pk Height (A): 0.035
Concentration (ug/L): 0.912

Standard number 3 applied. [1.000]
Correlation coefficient: 0.99693 Slope: 0.0362

Hg2 ID: STD4=2.0ug/L Seq. No.: 00008 A/S Pos.: -- Date: 10/08/97

Sample abs. is greater than that of the largest standard.
Replicate 1 Time: 10:03
Peak Area (A-s): 1.682 Peak Height (A): 0.072
Blank Corrected Pk Height (A): 0.072
Concentration (ug/L): 1.991

Standard number 4 applied. [2.000]
Correlation coefficient: 0.99946 Slope: 0.0361

Hg2 ID: STD5=5.0ug/L Seq. No.: 00009 A/S Pos.: -- Date: 10/08/97

Sample abs. is greater than that of the largest standard.
Replicate 1 Time: 10:05
Peak Area (A-s): 4.249 Peak Height (A): 0.187
Blank Corrected Pk Height (A): 0.187
Concentration (ug/L): 5.171

Standard number 5 applied. [5.000]
Correlation coefficient: 0.99977 Slope: 0.0371

Hg2 ID: STD6=10.0ug/L Seq. No.: 00010 A/S Pos.: -- Date: 10/08/97

Sample abs. is greater than that of the largest standard.
Replicate 1 Time: 10:06
Peak Area (A-s): 8.594 Peak Height (A): 0.371
Blank Corrected Pk Height (A): 0.371
Concentration (ug/L): 10.005

Standard number 6 applied. [10.000]
Correlation coefficient: 0.99995 Slope: 0.0371

Element File: HG_.MEL

Element: Hg2

Wavelength: 253.7

Date: 10/08/97

Time: 10:06

Slit: 0.7 L

Data File: AB816.DAT

ID/Wt File: AB816.IDW

Lamp Current: 0


Technique: MHS

Calib. Type: Linear

Energy: 71

Remark 1: STANDARDS= 3-020-3

Remark 2: QC= 3-020-4



Hg2 ID: ICV=4.0ug/L Seq. No.: 00011 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:09
Peak Area (A-s): 3.457 Peak Height (A): 0.151
Blank Corrected Pk Height (A): 0.151
Concentration (ug/L): 4.078

Hg2 ID: ICB Seq. No.: 00012 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:10
Peak Area (A-s): 0.008 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.005

Hg2 ID: CHECK LO Seq. No.: 00013 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:12
Peak Area (A-s): 0.173 Peak Height (A): 0.007
Blank Corrected Pk Height (A): 0.007
Concentration (ug/L): 0.200

Hg2 ID: 43231 MB⁵~~4~~ 11-4-97cc Seq. No.: 00014 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:13
Peak Area (A-s): 0.014 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.008

Hg2 ID: 43231 MB⁵~~4~~ D 11-4-97cc Seq. No.: 00015 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:14
Peak Area (A-s): 0.016 Peak Height (A): 0.001
Blank Corrected Pk Height (A): 0.001
Concentration (ug/L): 0.030

Hg2 ID: 43231 LCS⁵~~4~~ 11-4-97cc Seq. No.: 00016 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:16
Peak Area (A-s): 4.642 Peak Height (A): 0.205
Blank Corrected Pk Height (A): 0.205
Concentration (ug/L): 5.526

Hg2 ID: 43231 LCS⁵~~4~~ D 11-4-97cc Seq. No.: 00017 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:17
Peak Area (A-s): 4.397 Peak Height (A): 0.188
Blank Corrected Pk Height (A): 0.188
Concentration (ug/L): 5.053

Hg2 ID: 184-2³~~5~~ 10AB, 113-15-18 Seq. No.: 00018 A/S Pos.: -- Date: 10/08/97

Replicate 1
Peak Area (A-s): 0.024
Blank Corrected Pk Height (A): 0.001
Concentration (ug/L): 0.035
Time: 10:18
Peak Height (A): 0.001

Hg2 ID: 184-2³5-5710AB, ^{183-15-16 D} ^{211-4910e} Seq. No.: 00019 A/S Pos.: -- Date: 10/08/97

Replicate 1
Peak Area (A-s): 0.019
Blank Corrected Pk Height (A): 0.001
Concentration (ug/L): 0.022
Time: 10:19
Peak Height (A): 0.001

Hg2 ID: 183-1⁵1⁵-1⁸ ^{183-15-16 D} ^{211-4910e} Seq. No.: 00020 A/S Pos.: -- Date: 10/08/97

Replicate 1
Peak Area (A-s): 0.051
Blank Corrected Pk Height (A): 0.002
Concentration (ug/L): 0.054
Time: 10:20
Peak Height (A): 0.002

Hg2 ID: 183-15-1⁸ ^{183-15-16 D} ^{211-4910e} Seq. No.: 00021 A/S Pos.: -- Date: 10/08/97

Replicate 1
Peak Area (A-s): 0.035
Blank Corrected Pk Height (A): 0.002
Concentration (ug/L): 0.043
Time: 10:21
Peak Height (A): 0.002

Hg2 ID: 183-15-1⁸ ^{183-15-16 D} ^{211-4910e} MS Seq. No.: 00022 A/S Pos.: -- Date: 10/08/97

Replicate 1
Peak Area (A-s): 4.723
Blank Corrected Pk Height (A): 0.217
Concentration (ug/L): 5.842
Time: 10:22
Peak Height (A): 0.217

Hg2 ID: 183-15-1⁸ ^{183-15-16 D} ^{211-4910e} MSD Seq. No.: 00023 A/S Pos.: -- Date: 10/08/97

Replicate 1
Peak Area (A-s): 4.373
Blank Corrected Pk Height (A): 0.190
Concentration (ug/L): 5.105
Time: 10:23
Peak Height (A): 0.190

Hg2 ID: CCV1=6.0ug/L Seq. No.: 00024 A/S Pos.: -- Date: 10/08/97

Replicate 1
Peak Area (A-s): 5.210
Blank Corrected Pk Height (A): 0.234
Concentration (ug/L): 6.298
Time: 10:24
Peak Height (A): 0.234

Hg2 ID: CCB1 Seq. No.: 00025 A/S Pos.: -- Date: 10/08/97

Replicate 1
Peak Area (A-s): 0.016
Blank Corrected Pk Height (A): 0.001
Time: 10:25
Peak Height (A): 0.001

Concentration (ug/L): 0.019

Hg2 ID: 183-15-1C Seq. No.: 00026 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:26
Peak Area (A-s): 0.000 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.005

Hg2 ID: 183-15-1C D Seq. No.: 00027 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:27
Peak Area (A-s): 0.007 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.008

Hg2 ID: 183-15-1B Seq. No.: 00028 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:28
Peak Area (A-s): -0.007 Peak Height (A): -0.000
Blank Corrected Pk Height (A): -0.000
Concentration (ug/L): -0.003

Hg2 ID: 183-15-1B D Seq. No.: 00029 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:29
Peak Area (A-s): -0.002 Peak Height (A): -0.000
Blank Corrected Pk Height (A): -0.000
Concentration (ug/L): -0.003

Hg2 ID: 183-15-1E Seq. No.: 00030 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:30
Peak Area (A-s): -0.009 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.003

Hg2 ID: 183-15-1E D Seq. No.: 00031 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:31
Peak Area (A-s): -0.016 Peak Height (A): -0.000
Blank Corrected Pk Height (A): -0.000
Concentration (ug/L): -0.005

Hg2 ID: CCV2=6.0ug/L Seq. No.: 00032 A/S Pos.: -- Date: 10/08/97

Replicate 1 Time: 10:33
Peak Area (A-s): 4.569 Peak Height (A): 0.201
Blank Corrected Pk Height (A): 0.201
Concentration (ug/L): 5.404

Hg2 ID: CCB2 Seq. No.: 00033 A/S Pos.: -- Date: 10/08/95

Replicate 1 Time: 10:34
Peak Area (A-s): -0.006 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.000

Hg2 ID: 43271 MB1 Seq. No.: 00034 A/S Pos.: -- Date: 10/08/95

Replicate 1 Time: 10:35
Peak Area (A-s): -0.007 Peak Height (A): -0.000
Blank Corrected Pk Height (A): -0.000
Concentration (ug/L): -0.003

Hg2 ID: 43271 MB1 D Seq. No.: 00035 A/S Pos.: -- Date: 10/08/95

Replicate 1 Time: 10:36
Peak Area (A-s): -0.014 Peak Height (A): -0.000
Blank Corrected Pk Height (A): -0.000
Concentration (ug/L): -0.011

Hg2 ID: 43271 LCS1 Seq. No.: 00036 A/S Pos.: -- Date: 10/08/95

Replicate 1 Time: 10:37
Peak Area (A-s): 4.426 Peak Height (A): 0.192
Blank Corrected Pk Height (A): 0.192
Concentration (ug/L): 5.175

Hg2 ID: 43271 LCS1 Seq. No.: 00037 A/S Pos.: -- Date: 10/08/95

Replicate 1 Time: 10:38
Peak Area (A-s): 4.192 Peak Height (A): 0.182
Blank Corrected Pk Height (A): 0.182
Concentration (ug/L): 4.913

Hg2 ID: 183-43-1AB Seq. No.: 00038 A/S Pos.: -- Date: 10/08/95

Replicate 1 Time: 10:39
Peak Area (A-s): 0.033 Peak Height (A): 0.001
Blank Corrected Pk Height (A): 0.001
Concentration (ug/L): 0.035

Hg2 ID: 183-43-1AB D Seq. No.: 00039 A/S Pos.: -- Date: 10/08/95

Replicate 1 Time: 10:41
Peak Area (A-s): 0.017 Peak Height (A): 0.001
Blank Corrected Pk Height (A): 0.001
Concentration (ug/L): 0.030

Hg2 ID: 183-43-1C Seq. No.: 00040 A/S Pos.: -- Date: 10/08/95

ID/Weight File: AB818.IDW

Analyst: RICHARDS

Sample Volume: 100 mL

Nominal Weight: 1.0 g

flg

Loc.	Sample ID	Weight	Dilution
0	STD BLK		
1	STD1=0.2ug/L		
2	STD2=0.5ug/L		
3	STD3=1.0ug/L	3-020-7	mc 10/10/97
4	STD4=2.0ug/L		
5	STD5=5.0ug/L		
6	STD6=10.0ug/L		
7	ICV=4.0ug/L		
8	ICB	3-020-8	mc 10/10/97
9	CHECK LO (100)		
10	43271 MB5 ⁰¹⁰⁰ _{2-11-49 cc}		
11	43271 MB3 D		
12	43271 LCS5		
13	43271 LCS3 D		
14	183-43-8AB		
15	183-43-8AB D		
16	183-43-8C		
17	183-43-8C D		
18	183-43-8C MS		
19	183-43-8C MSD	3-020-8	mc 10/10/97
20	CCV1=6.0ug/L		
21	CCB1		
22	183-43-8D		
23	183-43-8D D		
24	183-43-8E		
25	183-43-8E D		
26	183-43-8F		
27	183-43-8F D		
28	183-43-9AB		
29	183-43-9AB D		
30	183-43-9C		
31	183-43-9C D	3-020-8	mc 10/10/97
32	CCV2=6.0ug/L		
33	CCB2		
34	183-43-9D		
35	183-43-9D D		
36	183-43-9E		
37	183-43-9E D		
38	183-43-9F		
39	183-43-9F D		
40	183-43-10AB		
41	183-43-10AB D		
42	183-43-10C		
43	183-43-10C D	3-020-8	mc 10/10/97
44	CCV3=6.0ug/L		
45	CCB3		
46	183-43-10D		
47	183-43-10D D		
48	183-43-10E		
49	183-43-10E D		
50	183-43-10F		
51	183-43-10F D		
52	183-43-11C		
53	183-43-11C D		

Loc.	Sample-ID	Weight	Dilution
54	183-43-11C MS		
55	183-43-11C MSD		
56	CCV4=6.0ug/L	3-020-8	mL 10/10/97
57	CCB4		
58	183-43-11AB		
59	183-43-11AB D		
60	CCV5=6.0ug/L	3-020-8	mL 10/10/97
61	CCB5		
62	43231 MBS		
63	43231 MBS D		
64	43231 LCS		
65	43231 LCS D		
66	183-3-1BC		
67	183-3-1BC D		
68	183-3-1BC MS		
69	183-3-1BC MSD		
70	183-3-5BC		
71	183-3-5BC D		
72	CCV6=6.0ug/L	3-020-8	mL 10/10/97
73	CCB6		

Blank Corrected Pk Height (A): 0.075
Concentration (ug/L): 2.100

Standard number 4 applied. [2.000]
Correlation coefficient: 0.99926 Slope: 0.0369

Hg2 ID: STD5=5.0ug/L Seq. No.: 00008 A/S Pos.: -- Date: 10/10/97

Sample abs. is greater than that of the largest standard.
Replicate 1 Time: 13:57
Peak Area (A-s): 4.368 Peak Height (A): 0.187
Blank Corrected Pk-Height (A): 0.187
Concentration (ug/L): 5.063

Standard number 5 applied. [5.000]
Correlation coefficient: 0.99989 Slope: 0.0372

Hg2 ID: STD6=10.0ug/L Seq. No.: 00009 A/S Pos.: -- Date: 10/10/97


Sample abs. is greater than that of the largest standard.
Replicate 1 Time: 13:59
Peak Area (A-s): 8.575 Peak Height (A): 0.378
Blank Corrected Pk Height (A): 0.378
Concentration (ug/L): 10.154

Standard number 6 applied. [10.000]
Correlation coefficient: 0.99994 Slope: 0.0377

Element File: HG_.MEL
Date: 10/10/97
Data File: A8818.DAT
Technique: MHS
Remark 1: STANDARDS= 3-020-7
Remark 2: QC= 3-020-8

Element: Hg2
Time: 13:59
ID/Wt File: A8818.IDW
Calib. Type: Linear

Wavelength: 253.7
Slit: 0.7 L
Lamp Current: 0
Energy: 71



Replicate 1
Peak Area (A-s): 3.869
Blank Corrected Pk-Height (A): 0.171
Concentration (ug/L): 4.529
Time: 15:04
Peak Height (A): 0.171

Hg2 ID: CCV4=6.0ug/L Seq. No.: 00061 A/S Pos.: -- Date: 10/10/97

Replicate 1
Peak Area (A-s): 4.236
Blank Corrected Pk Height (A): 0.189
Concentration (ug/L): 5.024
Time: 15:06
Peak Height (A): 0.189

Hg2 ID: CCB4 Seq. No.: 00062 A/S Pos.: -- Date: 10/10/97

Replicate 1
Peak Area (A-s): 0.011
Blank Corrected Pk Height (A): 0.001
Concentration (ug/L): 0.019
Time: 15:07
Peak Height (A): 0.001

Hg2 ID: 183-43-11AB Seq. No.: 00063 A/S Pos.: -- Date: 10/10/97

Replicate 1
Peak Area (A-s): -0.004
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.000
Time: 15:08
Peak Height (A): 0.000

Hg2 ID: 183-43-11AB D Seq. No.: 00064 A/S Pos.: -- Date: 10/10/97

Replicate 1
Peak Area (A-s): -0.004
Blank Corrected Pk Height (A): 0.001
Concentration (ug/L): 0.016
Time: 15:11
Peak Height (A): 0.001

Hg2 ID: CCV5=6.0ug/L Seq. No.: 00065 A/S Pos.: -- Date: 10/10/97

Replicate 1
Peak Area (A-s): 4.880
Blank Corrected Pk Height (A): 0.208
Concentration (ug/L): 5.527
Time: 15:12
Peak Height (A): 0.208

Hg2 ID: CCB5 Seq. No.: 00066 A/S Pos.: -- Date: 10/10/97

Replicate 1
Peak Area (A-s): 0.007
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.011
Time: 15:12
Peak Height (A): 0.000

Hg2 ID: 43231 MB Seq. No.: 00067 A/S Pos.: -- Date: 10/10/97

Replicate 1
Peak Area (A-s): 0.003
Blank Corrected Pk Height (A): -0.000
Time: 15:13
Peak Height (A): -0.000

Concentration (ug/L): -0.003

Hg2 ID: 43231 MB\$ D Seq. No.: 00068 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:14
Peak Area (A-s): 0.000 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.000

Hg2 ID: 43231 LCS\$ D Seq. No.: 00069 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:15
Peak Area (A-s): 3.900 Peak Height (A): 0.172
Blank Corrected Pk Height (A): 0.172
Concentration (ug/L): 4.574

Hg2 ID: 43231 LCS\$ D Seq. No.: 00070 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:16
Peak Area (A-s): 4.077 Peak Height (A): 0.185
Blank Corrected Pk Height (A): 0.185
Concentration (ug/L): 4.912

Hg2 ID: 183-3-1BC Seq. No.: 00071 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:17
Peak Area (A-s): 0.017 Peak Height (A): 0.001
Blank Corrected Pk Height (A): 0.001
Concentration (ug/L): 0.013

Hg2 ID: 183-3-1BC D Seq. No.: 00072 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:18
Peak Area (A-s): 0.002 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.005

Hg2 ID: 183-3-1BC MS Seq. No.: 00073 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:20
Peak Area (A-s): 4.103 Peak Height (A): 0.182
Blank Corrected Pk Height (A): 0.182
Concentration (ug/L): 4.827

Hg2 ID: 183-3-1BC MSD Seq. No.: 00074 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:20
Peak Area (A-s): 3.914 Peak Height (A): 0.174
Blank Corrected Pk Height (A): 0.174
Concentration (ug/L): 4.619

Hg2 ID: 183-3-5BC Seq. No.: 00075 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:22
Peak Area (A-s): 0.007 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.003

Hg2 ID: 183-3-5BC D Seq. No.: 00076 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:22
Peak Area (A-s): 0.002 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.005

Hg2 ID: CCV6=6.0ug/L Seq. No.: 00077 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:23
Peak Area (A-s): 5.364 Peak Height (A): 0.232
Blank Corrected Pk Height (A): 0.232
Concentration (ug/L): 6.150

Hg2 ID: CCB6 Seq. No.: 00078 A/S Pos.: -- Date: 10/10/97

Replicate 1 Time: 15:25
Peak Area (A-s): 0.009 Peak Height (A): 0.000
Blank Corrected Pk Height (A): 0.000
Concentration (ug/L): 0.008

TECHNICAL REPORT DATA

Please read instructions on the reverse before completing

1. REPORT NO. EPA-454/R-99-017A	2.	3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUBTITLE Final Report - Iron and Steel Foundries Manual Emissions Testing of Cupola Baghouse at Waupaca Foundry in Tell City, Indiana Volume I of II	5. REPORT DATE June 1999	
	6. PERFORMING ORGANIZATION CODE	
7. AUTHOR(S) Franklin Meadows Daniel F. Scheffel	8. PERFORMING ORGANIZATION REPORT NO.	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Pacific Environmental Services, Inc. Post Office Box 12077 Research Triangle Park, North Carolina 27709-2077	10. PROGRAM ELEMENT NO.	
	11. CONTRACT/GRANT NO. 68-D-70069	
12. SPONSORING AGENCY NAME AND ADDRESS U.S. Environmental Protection Agency Office of Air Quality Planning and Standards Emissions, Monitoring and Analysis Division Research Triangle Park, North Carolina 27711	13. TYPE OF REPORT AND PERIOD COVERED Final	
	14. SPONSORING AGENCY CODE	
15. SUPPLEMENTARY NOTES		
<p>16. ABSTRACT</p> <p>The United States Environmental Protection Agency (EPA) is investigating iron and steel foundries to identify and quantify hazardous air pollutants (HAPs) emitted from cupolas; electric arc furnaces; and pouring, cooling and shakedown operations of sand mold casting processes. The Waupaca Foundry in Tell City, Indiana was selected by the EPA as the host facility at which to 1) characterize HAP emissions from cupolas that are controlled by baghouses, and 2) assess baghouse performance in controlling HAP emissions from cupolas. The Waupaca Foundry was selected because EPA deemed this facility to be representative of a large segment of the sand casting foundry industry. Waupaca Foundry operates a large cupola (50 standard tons per hour melting capacity) that is controlled by a negative pressure baghouse. The new facility recently began production and the modern design of the cupola baghouse was expected to be as effective as any used in this type of application.</p> <p>This report presents the results of a manual emissions testing program to characterize emissions from a cupola and assess the performance of the baghouse in controlling HAP emissions. Testing was conducted at the cupola baghouse inlet and outlet to determine air emissions of particulate matter (PM) and metal HAPs; and at the cupola baghouse outlet to determine organic HAPs consisting of dibenzo-<i>p</i>-dioxins and polychlorinated dibenzodurans (PCDDs/PCDFs), and semi-volatile organic hazardous air pollutants (SVOHAPs). The data may be used by the EPA as potential Maximum Achievable Control Technology (MACT) floor technology for cupolas.</p> <p>During the testing program, Research Triangle Institute (RTI), another EPA contractor, monitored and recorded process and emission control system operating parameters, and prepared Section 3.0, Process and Control Equipment operation, of this report.</p> <p>This volume (Volume I) is comprised of 569 pages and consists of the report text, and Appendices: A (Raw field Data), and B (Analytical Data - Particulate Matter and Metals).</p>		
17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTIONS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COASTI Field/Group
Baghouse Cupola Dioxins/Furans Emission Measurements Hazardous Air Pollutants Metals Particulate Matter Semi-volatile Organic Hazardous Pollutants		
18. DISTRIBUTION STATEMENT Unlimited	19. SECURITY CLASS (<i>This Report</i>) Unclassified	21. NO. OF PAGES 1,066
	20. SECURITY CLASS (<i>This page</i>) Unclassified	22. PRICE